

American International University- Bangladesh

CSC 3215: Web Technologies

CO2 and CO4 Evaluation Finished Project Report Spring 2021-22

Project Title: Restaurant Management system

Section: E

Student Name	Student Id
ISLAM,MD.RASHEDUL	1733685-1
MD.SHOYAIB AKHTER	18-36088-1
SANJIDA AHMED	18-37942-2
MUQTADIR RAHMAN ANKON	18-37567-1

Project Description:

Restaurant management systems are a form of application that is designed to help the users. This type of system could be a full all-in-one solution that combines point-of-sale functions like payment processing with more complex back-end features. In our project, we tried to develop a restaurant management system which will cover multiple restaurants' menus.Restaurants can add their signature items. Users can choose the food items as per their choice. In addition, our system is very time efficient and convenient. We also provide cash on delivery. This system has tracking technology that will let the customers know about the delivery details.

Project Folder Structure:

```
CSS
-admin style.css
-bootstrap.min.css
-style.css
-trackorder.css
icon
 -font-awesome.min.css
images
js
  -admin script.js
  -bootstrap.bundle.min.js
  -jquery.min.js
  -script.js
uploaded img
about.php
add to cart.php
admin contact.php
admin header.php
admin order.php
admin page.php
admin user.php
cart.php
checkout.php
config.php
contact.php
footer.php
header.php
index.php
login.php
logout.php
```



```
orders.php
register.php
search_page.php
shop.php
shop_db.sql
trackorder.php
```

Core Modules of the Project:

register.php

```
<?php
include 'config.php';
if(isset($_POST['submit'])){
  $name = mysqli_real_escape_string($conn, $_POST['name']);
  $email = mysqli_real_escape_string($conn, $_POST['email']);
  $pass = mysqli_real_escape_string($conn, md5($_POST['password']));
  $cpass = mysqli_real_escape_string($conn, md5($_POST['cpassword']));
  $user_type = $_POST['user_type'];
   $select_users = mysqli_query($conn, "SELECT * FROM `users` WHERE email = '$email' AND password = '$pass'") or
die('query failed');
  if(mysqli_num_rows($select_users) > 0){
      $message[] = 'user already exist!';
  }else{
      if($pass != $cpass){
         $message[] = 'confirm password not matched!';
      }else{
         mysqli_query($conn, "INSERT INTO `users`(name, email, password, user_type) VALUES('$name', '$email', '$cpass'
 $user_type')") or die('query failed');
         $message[] = 'registered successfully!';
         header('location:login.php');
```



```
html Lang="en">
   <meta charset="UTF-8">
   <meta http-equiv="X-UA-Compatible" content="IE=edge">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>register</title>
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0/css/all.min.css">
  <link rel="stylesheet" href="css/style.css">
 /head>
?php
if(isset($message)){
   foreach($message as $message){
     <div class="message">
        <span>'.$message.'</span>
        <i class="fas fa-times" onclick="this.parentElement.remove();"></i>
      </div>
 div class="form-container">
   <form name="registerForm" action="<?php echo $ SERVER["PHP_SELF"]; ?>" method="post" onsubmit="return
/alidateForm()">
      <h3>register now</h3>
      <input type="text" name="name" placeholder="enter your name" class="box">
      <span id="errName"></span>
       <input type="email" name="email" placeholder="enter your email" required class="box">
       <span id="errEmail"></span>
       <input type="password" name="password" placeholder="enter your password" class="box">
       <span id="errPass"></span>
```



```
<input type="password" name="cpassword" placeholder="confirm your password" class="box">
      <span id="errCpass"></span>
      <select name="user_type" class="box">
       <option value="user">user</option>
       <option value="admin">admin</option>
       <option value="res_owner">res_owner</option>
    <input type="submit" name="submit" value="register now" class="btn">
    already have an account? <a href="login.php">login now</a>
script>
  function validateForm(){
      let name = document.forms["registerForm"]["name"].value;
      let password = document.forms["registerForm"]["password"].value;
      let cpassword = document.forms["registerForm"]["cpassword"].value;
      if(name == ""){
          document.getElementById("errName").innerHTML = "Name is required";
          return false;
      if(password == ""){
          document.getElementById("errPass").innerHTML = "Password Can Not Be Empty!";
           return false;
      else if(password.length <= 7){</pre>
          document.getElementById("errPass").innerHTML = "Password should be up to 8 digit!";
          return false;
      if(cpassword =="" || cpassword != password){
          document.getElementById("errCpass").innerHTML = "Password Not Matched!";
          return false;
```



</html:

shop.php

```
<?php
include 'config.php';
session_start();
if(isset($_SESSION['user_id'])){
  $user_id = $_SESSION['user_id'];
if(isset($_POST['add_to_cart'])){
  $product_name = $_POST['product_name'];
  $product_price = $_POST['product_price'];
  $product_image = $_POST['product_image'];
  $product_quantity = $_POST['product_quantity'];
  $check_cart_numbers = mysqli_query($conn, "SELECT * FROM `cart` WHERE name = '$product_name' AND user_id =
 $user_id'") or die('query failed');
   if(mysqli_num_rows($check_cart_numbers) > 0){
      $message[] = 'already added to cart!';
   }else{
      mysqli_query($conn, "INSERT INTO `cart`(user_id, name, price, quantity, image) VALUES('$user_id',
 $product_name', '$product_price', '$product_quantity', '$product_image')") or die('query failed');
      $message[] = 'product added to cart!';
 !DOCTYPE html>
 html Lang="en">
  <meta charset="UTF-8">
   <meta http-equiv="X-UA-Compatible" content="IE=edge">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>shop</title>
   <!-- font awesome cdn link
```



```
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0/css/all.min.css">
  <link rel="stylesheet" href="css/style.css">
<?php include 'header.php'; ?>
cdiv class="heading">
  <h3>our shop</h3>
   <a href="home.php">home</a> / shop 
section class="products">
  <h1 class="title">latest products</h1>
  <div class="box-container">
     <?php
        $select_products = mysqli_query($conn, "SELECT * FROM `products`") or die('query failed');
        if(mysqli_num_rows($select_products) > 0){
           while($fetch_products = mysqli_fetch_assoc($select_products)){
     ?>
    <form action="" method="post" class="box">
     <img class="image" src="uploaded_img/<?php echo $fetch_products['image']; ?>" alt="">
     <div class="name"><?php echo $fetch_products['name']; ?></div>
     <div class="price">TK<?php echo $fetch_products['price']; ?>/-</div>
     <input type="number" min="1" name="product_quantity" value="1" class="qty">
     <input type="hidden" name="product_name" value="<?php echo $fetch_products['name']; ?>">
     <input type="hidden" name="product_price" value="<?php echo $fetch_products['price']; ?>">
     <input type="hidden" name="product_image" value="<?php echo $fetch_products['image']; ?>">
     <input type="submit" value="add to cart" name="add_to_cart" class="btn">
     <?php
     }else{
        echo 'no products added yet!';
```

```
</div>
</section>
</php include 'footer.php'; ?>
<!-- custom js file link -->
<script src="js/script.js"></script>
</body>
</html>
```

Admin_page.php

```
<?php
include 'config.php';
session_start();
$admin_id = $_SESSION['admin_id'];
if(!isset($admin_id)){
  header('location:login.php');
?>
 !DOCTYPE html>
chtml Lang="en">
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>admin panel</title>
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0/css/all.min.css">
  <!-- custom admin css file link -->
  <link rel="stylesheet" href="css/admin_style.css">
<?php include 'admin_header.php'; ?>
    admin dashboard section starts
```



```
section class="dashboard">
  <h1 class="title">dashboard</h1>
  <div class="box-container">
     <div class="box">
        <?php
           $total_pendings = 0;
           $select_pending = mysqli_query($conn, "SELECT total_price FROM `orders` WHERE payment_status = 'pending'")
or die('query failed');
           if(mysqli_num_rows($select_pending) > 0){
              while($fetch_pendings = mysqli_fetch_assoc($select_pending)){
                 $total_price = $fetch_pendings['total_price'];
                 $total_pendings += $total_price;
        <h3>TK<?php echo $total_pendings; ?>/-</h3>
        total pendings
     <div class="box">
        <?php
           $total_completed = 0;
           $select_completed = mysqli_query($conn, "SELECT total_price FROM `orders` WHERE payment_status =
completed'") or die('query failed');
           if(mysqli_num_rows($select_completed) > 0){
              while($fetch_completed = mysqli_fetch_assoc($select_completed)){
                 $total_price = $fetch_completed['total_price'];
                 $total_completed += $total_price;
        ?>
        <h3>TK<?php echo $total_completed; ?>/-</h3>
        completed payments
     <div class="box">
        <?php
           $select_orders = mysqli_query($conn, "SELECT * FROM `orders`") or die('query failed');
```



```
$number_of_orders = mysqli_num_rows($select_orders);
        ?>
        <h3><?php echo $number_of_orders; ?></h3>
        order placed
     <div class="box">
        <?php
           $select_products = mysqli_query($conn, "SELECT * FROM `products`") or die('query failed');
           $number_of_products = mysqli_num_rows($select_products);
        <h3><?php echo $number_of_products; ?></h3>
        p>products added
     <div class="box">
           $select_users = mysqli_query($conn, "SELECT * FROM `users` WHERE user_type = 'user'") or die('query
failed');
           $number_of_users = mysqli_num_rows($select_users);
        <h3><?php echo $number_of_users; ?></h3>
        normal users
     <div class="box">
        <?php
           $select_admins = mysqli_query($conn, "SELECT * FROM `users` WHERE user_type = 'admin'") or die('query
failed');
           $number_of_admins = mysqli_num_rows($select_admins);
        <h3><?php echo $number_of_admins; ?></h3>
        admin users
     <div class="box">
        <?php
           $select_account = mysqli_query($conn, "SELECT * FROM `users`") or die('query failed');
           $number_of_account = mysqli_num_rows($select_account);
```



