COMPLETE SPECIFICATION DRAWINGS INDIAN PATENT




Fig. 1




Fig. 2



ACCESS POINT
STATION
BEACON FRAME
AUTHENTICATION REQUEST
AUTHENTICATION RESPONSE
ASSOCIATION REQUEST
ASSOCIATION RESPONSE

Fig. 3



Beacon
RAW 1
CAP
RAW N
RAW 1
RAW 2
RAW N
RAW Slot 1
RAW Slot 2
RAW Slot K

Fig. 4



510
Frame Control
Duration
SA
Time Stamp
Change Sequence
Next TBTT
Compressed SSID
Access Network Options
RPS Information Elements and Others
FCS
Octets: 2 2 6 4 1 0 or 3 0 or 4 0 or 1 Variable 4
520
Element ID
Length
RAW Control
RAW Slot Definition
RAW Start Time
RAW Group
Channel Indication
Periodic Operation Parameters
Octets: 1 1 1 2 0 or 1 0 or 3 0 or 2 0 or 3
530
Page Index
RAW start AID
RAW end AID
B0 B1 B2 B11 B12 B23
bits: 2 11 11

Fig. 5



Page Index
(2bits)
Block Index
(5 bits)
Sub-block Index
(3 bits)
Station Index
(3 bits)
b12
b11
b10
b9
b8
b7
b6
b5
b4
b3
b2
b1
b0
8912 Stations
Pages :
Page 1
Page 2
Page 3
Page 4
2048 Stations
Blocks :
Block 1
Block 2
Block 3
Block 4
Block 5
Block 6
Block 32
64 Stations
Sub-blocks:
Stations:
8 Stations

Fig. 6



720
740
710
730
Region1
Region2
Region3
Region4
Access Point
Stations

Fig. 7



800
START
ACCESS POINT INITIALIZES THE MULTI-RATE NETOWORK ILLUSTRATED IN FIG. BY BROADCAST A BEACON FRAME
810
EVERY STATION ESTIMATES THE DATA RATE BASED ON THE DISTANCE FROM THE ACCESS POINT USING RATE ADAPTATION
820
EVERY STATION COMMUNICATES THE ESTIMATED ACHEIVABLE DATA RATE TO THE ACCESS POINT
830
STOP

Fig. 8



PLCP PROTOCOL DATA UNIT 900
PLCP HEADER 910
PLCP PREAMBLE 910a
SIGNAL 910b
BANDWIDTH
MCS
DATA 920
PSDU 920a
PADDING 920b

Fig. 9



1000
START
ACCESS POINT SEGREGATES THE STATIONS ACCORDING TO THE DATA RATES
1010
ACCESS POINT GROUPS THE STATIONS WITH SIMILAR DATA RATES
1020
ACCESS POINT ASSIGNS AID'S TO THE STATION
1030
ACCESS POINT COMMUNICATES THE LIST OF AID'S AND RAW PARAMETERS TO THE STATIONS
1040
STOP

Fig. 10



1100
START
1110
Initailize
$i = 1,\ i \in [1, r];$
$j = 1,\ j \in [1, N];$
$G[i][j] = 0, \forall\ i\ and\ j;$
1120
$i \le r$
$j \le N$
$i = i + 1$
n_j transmits with R_i
$G[i][j] = n_j$
$j = j + 1$
1130
CLASSIFY EACH ROW OF G[i][j] INTO A GROUP
1140
ASSIGN AID'S TO EACH GROUP OF DEVICES
STOP

Fig. 11