Function library

```
(*Displacement shape functions*)
Nu[ξ_, η_] := {η ξ/4 - η^2 ξ/4 - η ξ^2/4 + η^2 ξ^2/4, -η ξ/4 + η^2 ξ/4 - η ξ^2/4 + η^2 ξ^2/4,
  η ξ/4 + η^2 ξ/4 + η ξ^2/4 + η^2 ξ^2/4, -η ξ/4 - η^2 ξ/4 + η ξ^2/4 + η^2 ξ^2/4, -η/2 + η^2/2 + η ξ^2/2 - η^2 ξ^2/2,
  ξ/2 - η^2 ξ/2 + ξ^2/2 - η^2 ξ^2/2, η/2 + η^2/2 - η ξ^2/2 - η^2 ξ^2/2, -ξ/2 + η^2 ξ/2 + ξ^2/2 - η^2 ξ^2/2, 1 - η^2 - ξ^2 + η^2 ξ^2};
(*Pressure shape functions*)
Np[ξ_, η_] := {1/4 - η/4 - ξ/4 + η ξ/4, 1/4 - η/4 + ξ/4 - η ξ/4, 1/4 + η/4 + ξ/4 + η ξ/4, 1/4 + η/4 - ξ/4 - η ξ/4};
(*Derivative of displacement shape functions w.r.t. ξ*)
dNdξ[ξ_, η_] :=
  {η/4 - η^2/4 - η ξ/2 + η^2 ξ/2, -η/4 + η^2/4 - η ξ/2 + η^2 ξ/2, η/4 + η^2/4 + η ξ/2 + η^2 ξ/2, -η/4 - η^2/4 + η ξ/2 + η^2 ξ/2,
   η ξ - η^2 ξ, 1/2 - η^2/2 + ξ - η^2 ξ, -η ξ - η^2 ξ, -1/2 + η^2/2 + ξ - η^2 ξ, -2 ξ + 2 η^2 ξ};
(*Derivative of displacement shape functions w.r.t. η*)
dNdη[ξ_, η_] :=
  {ξ/4 - η ξ/2 - ξ^2/4 + η ξ^2/2, -ξ/4 + η ξ/2 - ξ^2/4 + η ξ^2/2, ξ/4 + η ξ/2 + ξ^2/4 + η ξ^2/2, -ξ/4 - η ξ/2 + ξ^2/4 + η ξ^2/2,
   -1/2 + η + ξ^2/2 - η ξ^2, -η ξ - η ξ^2, 1/2 + η - ξ^2/2 - η ξ^2, η ξ - η ξ^2, -2 η + 2 η ξ^2};

(*Compute the B matrix and Det(J) for each element*)
computeBandJ[elemCoords_, ξ_, η_] :=
 Module[{X, Y, J11, J12, J21, J22, J11inv, J12inv, J21inv,
   J22inv, detJ, dNdξeval, dNdηeval, zeros, Nmat, Γ, Dmat, Bmat},

  X = elemCoords[[All, 1]];
  Y = elemCoords[[All, 2]];

  dNdξeval = dNdξ[ξ, η];
  dNdηeval = dNdη[ξ, η];

  J11 = X.dNdξeval;
  J12 = Y.dNdξeval;
  J21 = X.dNdηeval;
  J22 = Y.dNdηeval;

  detJ = J11 J22 - J12 J21;

  J11inv = J22 / detJ;
  J12inv = -J12 / detJ;
  J21inv = -J21 / detJ;
  J22inv = J11 / detJ;
```

```
  zeros = ConstantArray[0, Length[dNdξeval]];

  Nmat = {Riffle[dNdξeval, zeros], Riffle[dNdηeval, zeros],
    Riffle[zeros, dNdξeval], Riffle[zeros, dNdηeval]};

  Γ = {{J11inv, J12inv, 0, 0},
      {J21inv, J22inv, 0, 0},
      {0, 0, J11inv, J12inv},
      {0, 0, J21inv, J22inv}};

  Dmat = {{1, 0, 0, 0}, {0, 0, 0, 1}, {0, 1, 1, 0}};

  Bmat = Dmat.Γ.Nmat;

  Return[{Bmat, detJ}];

 ]

(*Compute element ke and qe integrands*)
computeStiffnessAndQIntegrands[elemCoords_, ξ_, η_, μ_, ν_, α_] :=
  Module[{Ey, c11, c22, c12, c66, c21, Bmat, detJ, Cmat, Npeval, m},

   Ey = 2.0 μ (1.0 + ν);
   c11 = Ey (1.0 - ν^2) / ((1.0 + ν) (1.0 - ν - 2.0 ν^2));
   c12 = Ey ν / (1.0 - ν - 2.0 ν^2);
   c66 = Ey / (2.0 (1.0 + ν));

   Cmat = {{c11, c12, 0}, {c12, c11, 0}, {0, 0, c66}};

   {Bmat, detJ} = computeBandJ[elemCoords, ξ, η];

   m = {1, 1, 0};
   Npeval = Np[ξ, η];

   Return[{Bmat^T.Cmat.Bmat detJ, α Outer[Times, Bmat^T.m, Npeval] detJ }]

  ];

(*Post processing function to compute stress*)
computeStessAtGaussPts[elemCoords_, disp_, μ_, ν_, α_] :=
  Module[{Ey, c11, c22, c12, c66, c21, points, Cmat, stress},

   Ey = 2.0 μ (1.0 + ν);
   c11 = Ey (1.0 - ν^2) / ((1.0 + ν) (1.0 - ν - 2.0 ν^2));
   c12 = Ey ν / (1.0 - ν - 2.0 ν^2);
   c66 = Ey / (2.0 (1.0 + ν));

   Cmat = {{c11, c12, 0}, {c12, c11, 0}, {0, 0, c66}};

   points = {-Sqrt[3 / 5.], 0.0, Sqrt[3 / 5.]};

   stress = Table[Cmat.(computeBandJ[elemCoords, points[[i]], points[[j]]][[1]]).
```

```
      Flatten[disp], {i, 1, 3}, {j, 1, 3}];

   Return[stress]

  ];

(*Post processing function to compute the coordinates of the Gauss points*)
computeGaussPtCoords[coords_] := Module[{X, Y, points, gaussCoords},

  X = coords[[All, 1]];
  Y = coords[[All, 2]];

  points = {-Sqrt[3 / 5.], 0.0, Sqrt[3 / 5.]};
  gaussCoords = Table[
    {X.Nu[points[[i]], points[[j]]], Y.Nu[points[[i]], points[[j]]]}, {i, 1, 3}, {j, 1, 3}];

  Return[gaussCoords]

 ]

(*Integrate ke and qe w/ 3 x 3 Gauss integration*)
computeElementStiffnessAndQ[elemCoords_, μ_, ν_, α_] :=
  Module[{weights, points, ke, qe},

   weights = {5 / 9., 8 / 9. , 5 / 9.};
   points = {-Sqrt[3 / 5.], 0.0, Sqrt[3 / 5.]};

   ke = ConstantArray[0.0, {18, 18}];
   qe = ConstantArray[0.0, {18, 4}];

   {ke, qe} = Sum[weights[[i]] weights[[j]] computeStiffnessAndQIntegrands[
       elemCoords, points[[i]], points[[j]], μ, ν, α], {i, 1, 3}, {j, 1, 3}];

   Return[{ke, qe}];

  ];

(*Create a DOF map for the global tangent stiffness*)
createDOFMap[connect_, numNodes_] := Module[{dofMap, noPressureDOF, k},

   (*Initialize 3 DOF for every node*)
   dofMap = ConstantArray[{0, 0, 0}, numNodes];
   (*Find the nodes that do not have pressure DOF*)
   noPressureDOF = Union[Flatten@connect[[All, 5 ;; 9]]];
   (*Flag the pressure DOFs in the
    map on nodes that should not have a pressure DOF*)
   dofMap[[noPressureDOF]] = {0, 0, -1};
   dofMap = Flatten@dofMap;

   (*Fill the non-flagged DOFs monotonically*)
   k = 1;
   Do[
    If[dofMap[[i]] == 0,
     dofMap[[i]] = k; k++
    ]
```

```
    , {i, 1, Length[dofMap]}
   ];

   (*Delete the -1's, leaving a ragged array*)
   dofMap = Select[#, # > 0 &] & /@ Partition[dofMap, 3];

   Return[dofMap];
  ];

(*Assemble global tangent stiffness*)
assemble[coords_, connect_, μ_, ν_, α_] :=
 Module[{numNodes, dofMap, numDOF, globalK, elemCoords, qe, ke, dispDOF, presDOF},

  numNodes = Length[coords];
  dofMap = createDOFMap[connect, numNodes];

  numDOF = Length[Flatten@dofMap];

  globalK = ConstantArray[0.0, {numDOF, numDOF}];

  Do[

   elemCoords = coords[[connect[[i]]]];

   {ke, qe} = computeElementStiffnessAndQ[elemCoords, μ, ν, α];

   dispDOF = Flatten@dofMap[[connect[[i]], 1 ;; 2]];
   presDOF = Flatten@dofMap[[connect[[i, 1 ;; 4]], 3]];

   globalK[[dispDOF, dispDOF]] += ke;
   globalK[[dispDOF, presDOF]] += qe;
   globalK[[presDOF, dispDOF]] += qe^T;

   , {i, Length[connect]}
  ];

  Return[globalK]
 ]
```

Solution

Problem setup

```
(*Import the input files*)
coords = Import[
    "http://johnfoster.pge.utexas.edu/PGE383-AdvGeomechanics/files/coords.csv"];
connect = Import[
    "http://johnfoster.pge.utexas.edu/PGE383-AdvGeomechanics/files/connect.csv"];
nodeset1 = Import[
    "http://johnfoster.pge.utexas.edu/PGE383-AdvGeomechanics/files/nodeset1.csv"];
nodeset2 = Import[
    "http://johnfoster.pge.utexas.edu/PGE383-AdvGeomechanics/files/nodeset2.csv"];
nodeset3 = Import[
    "http://johnfoster.pge.utexas.edu/PGE383-AdvGeomechanics/files/nodeset3.csv"];
nodeset4 = Import[
    "http://johnfoster.pge.utexas.edu/PGE383-AdvGeomechanics/files/nodeset4.csv"];

(*Set material properties*)
α = 1.0;
ν = .3;
μ = 1.0;
```

Assembly

```
(*Assemble the global stiffness matrix*)
K = assemble[coords, connect, μ, ν, α];

(*Get the DOF map, this is the same one used in the assembly*)
dofMap = createDOFMap[connect, Length[coords]];
```

Boundary condition application

```
(*Fix y along horizontal*)
ns3Idx = dofMap[[Flatten@nodeset3, 2]];
Do[

 K[[i]] = Normal@SparseArray[i → 1, Length[K]]

 , {i, ns3Idx}
]

(*Fix x along vertical*)
ns4Idx = dofMap[[Flatten@nodeset4, 1]];
Do[

 K[[i]] = Normal@SparseArray[i → 1, Length[K]]

 , {i, ns4Idx}
]
```

```
(*Set pressure on interior*)
ns1Idx = dofMap[[Flatten@nodeset1]][[
   Flatten@Position[Length[#] & /@ dofMap[[Flatten@nodeset1]], 3], 3]];
Do[

 K[[i]] = Normal@SparseArray[i → 1, Length[K]]

 , {i, ns1Idx}
]

(*Allocate r.h.s vector and set interior pressure to 1*)
F = ConstantArray[0.0, Length[K]];
F[[ns1Idx]] = 1.0;

(*Set far field pressure*)
ns2Idx = dofMap[[Flatten@nodeset2]][[
   Flatten@Position[Length[#] & /@ dofMap[[Flatten@nodeset2]], 3], 3]];
Do[

 K[[i]] = Normal@SparseArray[i → 1, Length[K]]

 , {i, ns2Idx}
]
```

Solve the linear problem

```
(*Solve problem*)
sol = LinearSolve[SparseArray[K], F];

(*Get displacments from solution vector*)
dispIdx = Flatten@dofMap[[All, 1 ;; 2]];
displacements = Partition[sol[[dispIdx]], 2];

(*Set the deformed position*)
defPos = coords + displacements;
```

Create plots

```
(*Compute the displacement magnitude*)
dispMag = Sqrt[displacements[[All, 1]]^2 + displacements[[All, 2]]^2];

(*Plot the displacement magnitude*)
regionFun[{x_, y_}] := 1 ≤ Sqrt[x^2 / 0.8^2 + y^2 / 1^2];
input = {defPos[[All, 1]], defPos[[All, 2]], dispMag}^T;
ListContourPlot[input, AspectRatio → 1, InterpolationOrder → 5,
 PlotLegends → Automatic, PlotRange → {0, 0.06}, Contours → 100,
 ContourStyle → None, ColorFunction → "ThermometerColors",
 RegionFunction → Function[{x, y}, regionFun[{x, y}]],
 PlotLabel → "Displacement Magnitude"]
```



```
(*Plot the X displacement*)
input = {defPos[[All, 1]], defPos[[All, 2]], displacements[[All, 1]]}^T;
ListContourPlot[input, AspectRatio → 1, InterpolationOrder → 5,
 PlotLegends → Automatic, PlotRange → {-0.06, 0.01}, Contours → 100,
 ContourStyle → None, ColorFunction → "ThermometerColors",
 RegionFunction → Function[{x, y}, regionFun[{x, y}]], PlotLabel → "Displacement X"]
```



```
(*Plot the Y displacement*)
input = {defPos[[All, 1]], defPos[[All, 2]], displacements[[All, 2]]}^T;
ListContourPlot[input, AspectRatio → 1, InterpolationOrder → 5,
 PlotLegends → Automatic, PlotRange → {-0.08, 0.03}, Contours → 100,
 ContourStyle → None, ColorFunction → "ThermometerColors",
 RegionFunction → Function[{x, y}, regionFun[{x, y}]], PlotLabel → "Displacment Y"]
```




```
(*Get the pressures DOF from the solution vector*)
presDOF = dofMap[[Flatten@Position[Length[#] & /@ dofMap, 3]]][[All, 3]];
pressures = sol[[presDOF]];

(*Get the displacement rows that have pressure DOFs*)
dispRowsThatHavePres = Flatten@Position[Length[#] & /@ dofMap, 3];
```

```
input =
  {defPos[[dispRowsThatHavePres, 1]], defPos[[dispRowsThatHavePres, 2]], pressures}^T;
ListContourPlot[input, AspectRatio → 1, InterpolationOrder → 5,
 PlotLegends → Automatic, PlotRange → {-0.75, 1}, Contours → 100,
 ContourStyle → None, ColorFunction → "ThermometerColors",
 RegionFunction → Function[{x, y}, regionFun[{x, y}]], PlotLabel → "Pore Pressure"]
```




```
stress = Partition[Flatten@Table[computeStessAtGaussPts[coords[[connect[[i]]]],
      displacements[[connect[[i]]]], μ, ν, α], {i, 1, Length[connect]}], 3];
gaussCoords = Partition[Flatten@Table[computeGaussPtCoords[coords[[connect[[i]]]]],
     {i, 1, Length[connect]}], 2];
```

```
input = {gaussCoords[[All, 1]], gaussCoords[[All, 2]], stress[[All, 1]]}^T;
ListContourPlot[input, AspectRatio → 1,
 InterpolationOrder → 5, PlotLegends → Automatic, Contours → 100,
 ContourStyle → None, ColorFunction → "ThermometerColors",
 RegionFunction → Function[{x, y}, regionFun[{x, y}]],
 PlotLabel → "Stress XX", PlotRange → {-0.2, 0.3}]
```



```
input = {gaussCoords[[All, 1]], gaussCoords[[All, 2]], stress[[All, 2]]}^T;
ListContourPlot[input, AspectRatio → 1,
 InterpolationOrder → 5, PlotLegends → Automatic, Contours → 100,
 ContourStyle → None, ColorFunction → "ThermometerColors",
 RegionFunction → Function[{x, y}, regionFun[{x, y}]],
 PlotLabel → "Stress YY", PlotRange → {-0.2, 0.3}]
```



```
input = {gaussCoords[[All, 1]], gaussCoords[[All, 2]], stress[[All, 3]]}^T;
ListContourPlot[input, AspectRatio → 1,
 InterpolationOrder → 5, PlotLegends → Automatic, Contours → 100,
 ContourStyle → None, ColorFunction → "ThermometerColors",
 RegionFunction → Function[{x, y}, regionFun[{x, y}]],
 PlotLabel → "Stress XY", PlotRange → {-0.005, 0.1}]
```