

PERIODIC ADVERSE DRUG EXPERIENCE REPORT

PADER-STYLE SAFETY REPORT

Bisoprolol

Periodic Adverse Drug Experience Report (PADER-style)

■ TECHNICAL EVALUATION EXERCISE — NOT A REAL REGULATORY SUBMISSION ■

Reporting Period: 2024-12-27 to 2025-12-26

Application Number: Not supplied

Report Generated: 2026-08-15

Generation Engine: deterministic-evidence-template-fallback

Report Format: ICH E2C(R2)-aligned PADER-style

Table of Contents

BISOPROLOL

PADER-STYLE SAFETY REPORT

2024-12-27 – 2025-12-26

Section	Title
1	Reporting Period
2	Narrative Summary and Analysis
3	Summary Analysis of Cases
4	Reaction / Adverse Event Analysis
5	Serious Cases / 15-Day Alerts
6	Trends and Important Observations
7	History of Actions
8	Case Index / Listing
9	Data Limitations
App.	Evidence / Traceability Appendix

1 Reporting Period

Reporting period: 2024-12-27 to 2025-12-26.

Attribute	Value	Source Fields
Period Start	2024-12-27	receivedate, parsed_receivedate
Period End	2025-12-26	receivedate, parsed_receivedate

Evidence: [EV-PERIOD-001]

2 Narrative Summary and Analysis

During the reporting period from 2024-12-27 to 2025-12-26, 1024 cases were received. Of these, 1023 were classified as serious and 1 as non-serious. The most frequently reported Preferred Terms were Acute kidney injury: 81; Drug ineffective: 60; Hypotension: 48. Reported reaction outcomes were recovered_resolved: 1347; unknown: 1135; not_recovered_not_resolved_ongoing: 569; recovering_resolving: 420; fatal: 137; recovered_resolved_with_sequelae: 34. The supplied expedited criterion identified 1023 alert cases. These are descriptive observations based on the supplied data.

2.1 Case Summary Statistics

Metric	Value	Unit	Calculation
Total Cases	1024	cases	nunique(safetyreportid)
Serious Cases	1023	cases	case_frame().normalized_serious.eq('serious').sum()
Non-Serious Cases	1	cases	case_frame().normalized_serious.eq('not_serious').sum()
Serious Case %	99.9	percent	100 * serious_cases / total_cases




Figure 2.1 — Case Seriousness Distribution. Source: analysis_results.json, deterministic.

Evidence: [EV-PERIOD-001] [EV-CASE-001] [EV-CASE-002] [EV-CASE-003] [EV-REACT-001] [EV-OUTCOME-001] [EV-ALERT-001]

3 Summary Analysis of Cases

A total of 1024 unique cases were included: 1023 serious and 1 non-serious. Age-group distribution was 65+ years: 673; 18-64 years: 248; missing: 87; 0-1 years: 6; 12-17 years: 6; 2-11 years: 4. Sex distribution was female: 503; male: 493; missing: 28. Occurrence-country distribution was eu: 325; united kingdom: 278; france: 187; canada: 55; italy: 52; germany: 39; spain: 26; poland: 21; portugal: 9; missing: 7; belgium: 4; united states: 4; ie: 3; ro: 2; sweden: 2; sa: 2; hr: 2; ua: 2; fi: 1; australia: 1; indonesia: 1; china: 1. Reaction-outcome distribution was recovered_resolved: 1347; unknown: 1135; not_recovered_not_resolved_ongoing: 569; recovering_resolving: 420; fatal: 137; recovered_resolved_with_sequelae: 34.

3.1 Demographic Distribution

Category	Sub-Group	Count	% of Cases
Age Group	65+ Years	673	65.7%
Age Group	18-64 Years	248	24.2%
Age Group	Missing	87	8.5%
Age Group	0-1 Years	6	0.6%
Age Group	12-17 Years	6	0.6%
Age Group	2-11 Years	4	0.4%
Sex	Female	503	49.1%
Sex	Male	493	48.1%
Sex	Missing	28	2.7%




Figure 3.1 — Age-group (left) and sex (right) distributions. Source: analysis_results.json, deterministic.

3.2 Occurrence Country Distribution

#	Occurrence Country	Case Count	% of Cases
1	Eu	325	31.7%
2	United Kingdom	278	27.1%
3	France	187	18.3%
4	Canada	55	5.4%
5	Italy	52	5.1%
6	Germany	39	3.8%
7	Spain	26	2.5%
8	Poland	21	2.1%
9	Portugal	9	0.9%
10	Missing	7	0.7%
11	Belgium	4	0.4%
12	United States	4	0.4%
13	Ie	3	0.3%
14	Ro	2	0.2%
15	Sweden	2	0.2%

Top 10 Occurrence Countries (Cases)




Figure 3.2 — Top 10 occurrence countries. Source: analysis_results.json, deterministic.

Evidence: [EV-CASE-001] [EV-CASE-002] [EV-CASE-003] [EV-DEMO-001] [EV-DEMO-002] [EV-DEMO-003]
[EV-OUTCOME-001]

4 Reaction / Adverse Event Analysis

The most frequently reported Preferred Terms were Acute kidney injury: 81; Drug ineffective: 60; Hypotension: 48; Drug interaction: 45; Dizziness: 40; Bradycardia: 39; Dyspnoea: 39; Fatigue: 35; Off label use: 34; Diarrhoea: 33; Fall: 32; Condition aggravated: 30; Asthenia: 28; Medication error: 27; Hypokalaemia: 27; Hyponatraemia: 25; Confusional state: 24; Arthralgia: 24; Syncope: 23; Toxicity to various agents: 23. Among source rows classified as serious, the most frequently reported Preferred Terms were Acute kidney injury: 81; Drug ineffective: 59; Hypotension: 48; Drug interaction: 45; Dizziness: 40; Bradycardia: 39; Dyspnoea: 39; Fatigue: 35; Off label use: 34; Diarrhoea: 33; Fall: 32; Condition aggravated: 30; Asthenia: 28; Medication error: 27; Hypokalaemia: 27; Hyponatraemia: 25; Confusional state: 24; Arthralgia: 24; Syncope: 23; Toxicity to various agents: 23. These counts describe supplied Preferred Terms only; no System Organ Class or causal interpretation is inferred.

4.1 Top 20 Reported Preferred Terms

#	Preferred Term	Count	% of Top PT
1	Acute kidney injury	81	11.3%
2	Drug ineffective	60	8.4%
3	Hypotension	48	6.7%
4	Drug interaction	45	6.3%
5	Dizziness	40	5.6%
6	Bradycardia	39	5.4%
7	Dyspnoea	39	5.4%
8	Fatigue	35	4.9%
9	Off label use	34	4.7%
10	Diarrhoea	33	4.6%
11	Fall	32	4.5%
12	Condition aggravated	30	4.2%
13	Asthenia	28	3.9%
14	Medication error	27	3.8%
15	Hypokalaemia	27	3.8%
16	Hyponatraemia	25	3.5%
17	Confusional state	24	3.3%
18	Arthralgia	24	3.3%

#	Preferred Term	Count	% of Top PT
19	Syncope	23	3.2%
20	Toxicity to various agents	23	3.2%




Figure 4.1 — Top 12 reported Preferred Terms (all cases). Source: analysis_results.json, deterministic.

Note: These counts describe Preferred Terms supplied in the source dataset. No System Organ Class is inferred. No causal relationship is established.

Evidence: [EV-REACT-001] [EV-REACT-002]

5 Serious Cases / 15-Day Alerts

The supplied expedited criterion identified 1023 alert cases. Alert-case seriousness distribution was serious: 1023; not_serious: 0. 68 alert cases had at least one recorded fatal reaction outcome. The most frequent alert Preferred Terms were Acute kidney injury: 81; Drug ineffective: 59; Hypotension: 48; Drug interaction: 45; Dizziness: 40; Bradycardia: 39; Dyspnoea: 39; Fatigue: 35; Off label use: 34; Diarrhoea: 33; Fall: 32; Condition aggravated: 30; Asthenia: 28; Medication error: 27; Hypokalaemia: 27; Hyponatraemia: 25; Confusional state: 24; Arthralgia: 24; Syncope: 23; Toxicity to various agents: 23. Alert reaction outcomes were recovered_resolved: 1347; unknown: 1132; not_recovered_not_resolved_ongoing: 569; recovering_resolving: 420; fatal: 137; recovered_resolved_with_sequelaes: 34. Alert occurrence countries were eu: 325; united_kingdom: 278; france: 187; canada: 55; italy: 52; germany: 39; spain: 26; poland: 21; portugal: 9; missing: 7; belgium: 4; ie: 3; united_states: 3; ro: 2; sweden: 2; sa: 2; hr: 2; ua: 2; fi: 1; australia: 1; indonesia: 1; china: 1. Expectedness was not assessed because no product label/CCDS was supplied.

5.1 Alert Case Summary

Metric	Value
Alert Cases (Expedited Criterion)	1023
Alert Cases with Fatal Outcome Recorded	68
Alert Cases Without Recorded Fatal Outcome	955
Expectedness Assessment	Not assessed — no product label/CCDS supplied

5.2 Top Alert Case Preferred Terms

#	Alert Case Preferred Term	Count	% of Top PT
1	Acute kidney injury	81	13.6%
2	Drug ineffective	59	9.9%
3	Hypotension	48	8.0%
4	Drug interaction	45	7.5%
5	Dizziness	40	6.7%
6	Bradycardia	39	6.5%
7	Dyspnoea	39	6.5%
8	Fatigue	35	5.9%
9	Off label use	34	5.7%

#	Alert Case Preferred Term	Count	% of Top PT
10	Diarrhoea	33	5.5%
11	Fall	32	5.4%
12	Condition aggravated	30	5.0%
13	Asthenia	28	4.7%
14	Medication error	27	4.5%
15	Hypokalaemia	27	4.5%

5.3 Reaction Outcome Distribution

Outcome	Instance Count	% of Instances
Recovered / Resolved	1347	37.0%
Unknown	1135	31.2%
Not Recovered / Ongoing	569	15.6%
Recovering / Resolving	420	11.5%
Fatal	137	3.8%
Resolved with Sequelae	34	0.9%




Figure 5.1 — Reaction outcome distribution. Source: analysis_results.json, deterministic.

Expectedness was not assessed because no product label or CCDS was supplied. Alert status reflects the supplied 'fulfillexpeditecriteria' field only.

Evidence: [EV-ALERT-001] [EV-ALERT-002] [EV-ALERT-003] [EV-ALERT-007] [EV-ALERT-005] [EV-ALERT-006]

6 Trends and Important Observations

Observed case counts by reporting month were 2024-12: 21; 2025-01: 75; 2025-02: 94; 2025-03: 83; 2025-04: 78; 2025-05: 80; 2025-06: 84; 2025-07: 109; 2025-08: 64; 2025-09: 76; 2025-10: 102; 2025-11: 75; 2025-12: 83. Observed serious-case counts by reporting month were 2024-12: 21; 2025-01: 75; 2025-02: 94; 2025-03: 83; 2025-04: 78; 2025-05: 80; 2025-06: 84; 2025-07: 108; 2025-08: 64; 2025-09: 76; 2025-10: 102; 2025-11: 75; 2025-12: 83. Monthly top Preferred Terms were [{"month": "2024-12", "top_reactions": [{"reaction": "Muscle spasms", "count": 2}, {"reaction": "Cardiac failure", "count": 2}, {"reaction": "Erectile dysfunction", "count": 2}, {"reaction": "Condition aggravated", "count": 2}, {"reaction": "Drug ineffective", "count": 2}]}, {"month": "2025-01", "top_reactions": [{"reaction": "Acute kidney injury", "count": 9}, {"reaction": "Cerebral haemorrhage", "count": 6}, {"reaction": "Drug ineffective", "count": 5}, {"reaction": "Pyrexia", "count": 4}, {"reaction": "Hyponatraemia", "count": 4}]}, {"month": "2025-02", "top_reactions": [{"reaction": "Drug ineffective", "count": 8}, {"reaction": "Acute kidney injury", "count": 7}, {"reaction": "Bradycardia", "count": 4}, {"reaction": "Diastolic dysfunction", "count": 4}, {"reaction": "Dizziness", "count": 4}]}, {"month": "2025-03", "top_reactions": [{"reaction": "Acute kidney injury", "count": 9}, {"reaction": "Drug interaction", "count": 6}, {"reaction": "Syncope", "count": 5}, {"reaction": "Dyspnoea", "count": 5}, {"reaction": "Condition aggravated", "count": 4}]}, {"month": "2025-04", "top_reactions": [{"reaction": "Acute kidney injury", "count": 7}, {"reaction": "Hypotension", "count": 5}, {"reaction": "Syncope", "count": 4}, {"reaction": "Dizziness", "count": 4}, {"reaction": "Oedema peripheral", "count": 4}]}, {"month": "2025-05", "top_reactions": [{"reaction": "Acute kidney injury", "count": 8}, {"reaction": "Diarrhoea", "count": 8}, {"reaction": "Hyponatraemia", "count": 7}, {"reaction": "Fatigue", "count": 7}, {"reaction": "Hypokalaemia", "count": 6}]}, {"month": "2025-06", "top_reactions": [{"reaction": "Acute kidney injury", "count": 8}, {"reaction": "Drug ineffective", "count": 7}, {"reaction": "Off label use", "count": 7}, {"reaction": "Bradycardia", "count": 5}, {"reaction": "Hyperkalaemia", "count": 4}]}, {"month": "2025-07", "top_reactions": [{"reaction": "Syncope", "count": 7}, {"reaction": "Diarrhoea", "count": 7}, {"reaction": "Off label use", "count": 6}, {"reaction": "Bradycardia", "count": 6}, {"reaction": "Drug interaction", "count": 6}]}, {"month": "2025-08", "top_reactions": [{"reaction": "Drug ineffective", "count": 11}, {"reaction": "Acute kidney injury", "count": 9}, {"reaction": "Hypotension", "count": 8}, {"reaction": "Dizziness", "count": 7}, {"reaction": "Bradycardia", "count": 7}]}, {"month": "2025-09", "top_reactions": [{"reaction": "Drug ineffective", "count": 7}, {"reaction": "Fall", "count": 5}, {"reaction": "Confusional state", "count": 5}, {"reaction": "Acute kidney injury", "count": 5}, {"reaction": "Hypotension", "count": 5}]}, {"month": "2025-10", "top_reactions": [{"reaction": "Acute kidney injury", "count": 7}, {"reaction": "Dyspnoea", "count": 5}, {"reaction": "Dizziness", "count": 4}, {"reaction": "Rhabdomyolysis", "count": 4}, {"reaction": "Medication error", "count": 4}]}, {"month": "2025-11", "top_reactions": [{"reaction": "Off label use", "count": 8}, {"reaction": "Fatigue", "count": 6}, {"reaction": "Headache", "count": 6}, {"reaction": "Hypotension", "count": 6}, {"reaction": "Drug ineffective", "count": 5}]}, {"month": "2025-12", "top_reactions": [{"reaction": "Drug interaction", "count": 5}, {"reaction": "Acute kidney injury", "count": 5}, {"reaction": "Anaemia", "count": 4}, {"reaction": "Confusional state", "count": 4}, {"reaction": "Colitis", "count": 4}]}]. These are observed numerical patterns only and are not safety-signal determinations.

6.1 Monthly Case Counts

Reporting Month	All Cases	Serious Cases	Non-Serious
2024-12	21	21	0
2025-01	75	75	0
2025-02	94	94	0
2025-03	83	83	0
2025-04	78	78	0
2025-05	80	80	0
2025-06	84	84	0
2025-07	109	108	1
2025-08	64	64	0
2025-09	76	76	0
2025-10	102	102	0
2025-11	75	75	0
2025-12	83	83	0




Figure 6.1 — Monthly case trend. Source: analysis_results.json, deterministic. Observed patterns only — not safety-signal determinations.

Observed trends are numerical descriptions only and are not safety-signal conclusions. No statistical testing has been performed.

Evidence: [EV-TREND-001] [EV-TREND-002] [EV-TREND-003]

7 History of Actions

No history-of-actions information was supplied with the dataset for this reporting interval.

Evidence: [EV-LIMIT-001]

8 Case Index / Listing

This section provides the structured case listing with 1068 source rows (1024 unique cases). The first 50 rows are shown; the complete listing is available in the JSON report.

Row	Case ID	Reaction PT(s)	Serious	Received	Country	Outcome
1	24780403	Rectal haemorrhage,Deficiency anaemia	serious	2024-12-27	italy	unknown,unknown
2	24780599	Coma	serious	2024-12-27	france	recovered/resolved
3	24780680	Acute kidney injury	serious	2024-12-27	france	recovered/resolved
4	24784771	Muscle spasms	serious	2024-12-28	united kingdom	recovered/resolved
5	24784845	Chest pain,Anxiety,Panic attack	serious	2024-12-28	united kingdom	not recovered/not resolved/ongoing,recovering/resolving,recovering/resolving
6	24784920	Genital burning sensation	serious	2024-12-28	united kingdom	not recovered/not resolved/ongoing
7	24784985	Pemphigoid	serious	2024-12-28	united kingdom	unknown
8	24784989	Drug interaction,Hypersensitivity	serious	2024-12-28	united kingdom	unknown,unknown
9	24787006	Bradycardia,Medication error	serious	2024-12-30	united kingdom	not recovered/not resolved/ongoing,unknown
10	24787240	Muscle twitching,Muscle spasms	serious	2024-12-30	united kingdom	not recovered/not resolved/ongoing,not recovered/not resolved/ongoing
11	24787307	Cardiac arrest	serious	2024-12-30	united kingdom	recovering/resolving
12	24787627	Hypoglycaemia,Acidosis	serious	2024-12-30	italy	recovering/resolving,recovering/resolving
13	24791327	Cardiac failure	serious	2024-12-31	france	not recovered/not resolved/ongoing
14	24791598	Hepatic cytolysis	serious	2024-12-31	france	recovering/resolving
15	24791831	Cardiogenic shock	serious	2024-12-31	united kingdom	unknown

Row	Case ID	Reaction PT(s)	Serious	Received	Country	Outcome
16	24792345	Atrioventricular block	serious	2024-12-31	united kingdom	unknown
17	24792691	Pseudoporphyria	serious	2024-12-31	france	recovering/resolving
18	24792889	Hyponatraemia, Hypervolaemia, Cardiac failure	serious	2024-12-31	spain	recovered/resolved, recovered/resolved, recovered/resolved
19	24793431	Dyskinesia	serious	2024-12-31	france	not recovered/not resolved/ongoing
20	24795574	Oxygen saturation decreased, Cardiac failure congestive, Dys...	serious	2024-12-31	united kingdom	unknown, recovered/resolved with sequelae, recovered/resolved with sequelae
21	25026227	Death, Respiratory depression, Polyneuropathy	serious	2025-03-01	germany	fatal, unknown, unknown
22	25007035	Drug abuse, Intentional self-injury, Vomiting, Aggression, Agi...	serious	2025-02-25	italy	recovered/resolved, recovered/resolved, recovered/resolved, recovered/resolved, recovered/resolved, recovered/resolved
23	24969537	Atrioventricular block complete, Bradycardia, Bradyarrhythmia...	serious	2025-02-14	poland	recovered/resolved, recovered/resolved, recovered/resolved, recovered/resolved, recovered/resolved, recovered/resolved, recovered/resolved, recovered/resolved, recovered/resolved
24	24872990	Enterococcal infection, Neutropenia, Pancytopenia, Thrombocy...	serious	2025-01-22	belgium	unknown, unknown, recovered/resolved, recovered/resolved, recovered/resolved, recovered/resolved, recovered/resolved, unknown, unknown, recovered/resolved
25	24988692	Liver injury	serious	2025-02-20	IE	recovered/resolved
26	25028609	Asthenia	serious	2025-03-02	poland	fatal
27	25008814	Electrocardiogram QT prolonged, Dilated cardiomyopathy, Cond...	serious	2025-02-25	italy	recovered/resolved, recovering/resolving, recovering/resolving, recovered/resolved, recovered/resolved

Row	Case ID	Reaction PT(s)	Serious	Received	Country	Outcome
28	25036112	Drug ineffective	serious	2025-03-04	united kingdom	unknown
29	25039361	Anal haemorrhage	serious	2025-03-05	poland	recovering/resolving
30	25039953	Rhabdomyolysis	serious	2025-03-05	france	recovering/resolving
31	25039963	Pemphigus	serious	2025-03-05	france	recovering/resolving
32	25040847	Encephalopathy, Anticholinergic syndrome	serious	2025-03-05	france	recovered/resolved, recovered/resolved
33	25040902	Asthmatic crisis, Asthma, Condition aggravated	serious	2025-03-05	spain	recovered/resolved, recovered/resolved, recovered/resolved
34	25041239	Loss of libido, Erectile dysfunction, Ejaculation delayed	serious	2025-03-05	united kingdom	not recovered/not resolved/ongoing, unknown, unknown
35	25043816	Acute kidney injury	serious	2025-03-06	spain	recovered/resolved
36	25044335	Renal failure	serious	2025-03-06	france	recovering/resolving
37	25048586	Blood pressure systolic increased, Nausea, Vision blurred, He...	serious	2025-03-07	united kingdom	unknown, unknown, unknown, unknown, unknown
38	24798336	Inappropriate antidiuretic hormone secretion, Hyponatraemia...	serious	2025-01-02	spain	recovered/resolved, recovered/resolved, recovered/resolved, recovered/resolved
39	25049865	Acute kidney injury, Clostridium difficile colitis	serious	2025-03-07	france	recovered/resolved, recovered/resolved
40	25055048	Renal impairment, Weight decreased, Feeding disorder, Decreas...	serious	2025-03-08	italy	unknown, unknown, unknown, recovering/resolving, recovering/resolving, recovered/resolved
41	24909030	Palpitations, Atrial fibrillation, Drug ineffective	serious	2025-01-31	italy	recovered/resolved, recovered/resolved, recovered/resolved
42	25055082	Swollen tongue, Pharyngeal swelling	serious	2025-03-08	united kingdom	recovered/resolved, recovered/resolved
43	25055088	Dry eye	serious	2025-03-08	united kingdom	recovered/resolved
44	25055162	Drug interaction	serious	2025-03-08	united kingdom	unknown
45	25044279	Pancreatitis acute, Blood potassium increased, Blood creatin...	serious	2025-03-06	france	recovered/resolved, unknown, unknown

... 1018 additional rows not shown. See output/pader_report.json for the complete listing.

Evidence: [EV-INDEX-001]

9 Data Limitations

No System Organ Class field is available; SOC analysis is not performed. No product label/CCDS is supplied; expectedness cannot be determined. No history-of-actions data is supplied. Source-row count differs from unique case count; case metrics use unique safetyreportid values and reaction metrics retain supplied reaction instances. Individual seriousness flags are independent fields and are not mutually exclusive.

9.1 Analysis Methodology Limitations

- Case-level metrics use one reproducible representative row per safetyreportid; validation warns when case-level values conflict across rows.
- Reaction and outcome cells can be comma-delimited. They are split only to count supplied instances; no reaction rows or instances are deduplicated.
- No System Organ Class analysis is performed because no SOC field is supplied.
- Expectedness is not assessed because no product label or CCDS is supplied.
- Observed trends are numerical descriptions, not safety-signal conclusions.

Evidence: [EV-LIMIT-001]

App. Evidence / Traceability Appendix

This appendix lists all approved evidence items from the evidence store (evidence.json). Each evidence ID shown in the report sections maps to an entry below. No raw patient data is included; all values are pre-approved aggregates generated by the deterministic analysis pipeline.

EV - PERIOD-001	parsed_receivedate, receivedate	{"start": "2024-12-27", "end": "2025-12-26"}	
EV - CASE-001	safetyreportid	1024	
EV - CASE-002	safetyreportid, normalized_serious, raw_serious	1023	
EV - CASE-003	safetyreportid, normalized_serious, raw_serious	1	
EV - CASE-004	safetyreportid, normalized_serious	99.9	
EV - DEMO-001	safetyreportid, age_group, raw_patient_patientonsetage	[{"category": "65+ years", "count": 673}, {"category": "18-64 years", "count": 248}, {"category": "missing", "count": 87...}	
EV - DEMO-002	safetyreportid, normalized_sex, raw_patient_patientsex	[{"category": "female", "count": 503}, {"category": "male", "count": 493}, {"category": "missing", "count": 28}]	
EV - DEMO-003	safetyreportid, normalized_country, raw_occurcountry	[{"category": "eu", "count": 325}, {"category": "united kingdom", "count": 278}, {"category": "france", "count": 187}, { ...}	
EV - REACT-001	patient_reaction_reactionmed drapt	[{"reaction": "Acute kidney injury", "count": 81}, {"reaction": "Drug ineffective", "count": 60}, {"reaction": "Hypotens...	
EV - REACT-002	patient_reaction_reactionmed drapt, normalized_serious	[{"reaction": "Acute kidney injury", "count": 81}, {"reaction": "Drug ineffective", "count": 59}, {"reaction": "Hypotens...	
EV - OUTCOME-001	normalized_outcome, raw_pat ient_reaction_reactionoutcom e	[{"outcome": "recovered_resolved", "count": 1347}, {"outcome": "unknown", "count": 1135}, {"outcome": "not_recovered_not...	
EV - ALERT-001	safetyreportid, normalized_expedited, raw_fulfillexpeditecri	1023	
EV - ALERT-002	safetyreportid, normalized_expedited, normalized_serious	[{"category": "serious", "count": 1023}, {"category": "not_serious", "count": 0}]	

EV-ALERT-003	safetyreportid, normalized_expedited, normalized_outcome	68	
EV-ALERT-004	normalized_expedited, patient _reaction_reactionmeddrapt	[{"reaction": "Acute kidney injury", "count": 81}, {"reaction": "Drug ineffective", "count": 59}, {"reaction": "Hypotens...	
EV-ALERT-005	normalized_expedited, normalized_outcome	[{"outcome": "recovered_resolved", "count": 1347}, {"outcome": "unknown", "count": 1132}, {"outcome": "not_recovered_not...	
EV-ALERT-006	safetyreportid, normalized_expedited, normalized_country, ra	[{"category": "eu", "count": 325}, {"category": "united kingdom", "count": 278}, {"category": "france", "count": 187}, {...	
EV-ALERT-007	normalized_expedited, patient _reaction_reactionmeddrapt	[{"reaction": "Acute kidney injury", "count": 81}, {"reaction": "Drug ineffective", "count": 59}, {"reaction": "Hypotens...	
EV-TREND-001	safetyreportid, reporting_month, raw_receivedate	[{"month": "2024-12", "count": 21}, {"month": "2025-01", "count": 75}, {"month": "2025-02", "count": 94}, {"month": "202...	
EV-TREND-002	safetyreportid, reporting_month, normalized_serious, raw_rec	[{"month": "2024-12", "count": 21}, {"month": "2025-01", "count": 75}, {"month": "2025-02", "count": 94}, {"month": "202...	
EV-TREND-003	reporting_month, patient_reac tion_reactionmeddrapt	[{"month": "2024-12", "top_reactions": [{"reaction": "Muscle spasms", "count": 2}, {"reaction": "Cardiac failure", "coun...	
EV-INDEX-001	safetyreportid, patient_reactio n_reactionmeddrapt, raw_serio	{"source_rows": 1068, "unique_cases": 1024}	
EV-LIMIT-001		[{"No System Organ Class field is available; SOC analysis is not performed.", "No product label/CCDS is supplied; expecte...	

Total evidence items: 23