OR

rashmi_2001 ✓

B.H. Rashmi ✓

rbh0659@gmail.com ✓

••••••••• ✓

(•) Female ( ) Male ( ) Other

Siddapur, Karnataka, India

(•) Student ( ) Professional ( ) Other

Alvas Institute of Engineering ✓

2020 ▾

C(gcc 6.3) ▾

[✓] Send me newsletter & contest invitations.

[✓] I abide by CodeChef's Code Of Conduct.

Register

B.H. Rashmi

Username:	rashmi_2001
Country:	India
State:	Karnataka
City:	Siddapur
Student/Professional:	Student
Institution:	Alvas Institute of Engineering and Technology Karnataka, India
Teams List:	List of teams by B.H. Rashmi
Team Invites:	Click here to check team invites. 0

Rating Graphs



CodeChef Rating Distribution



0

CodeChef Rating
(Highest Rating 0)

NA	NA
Global Rank	Country Rank

Contests	Rating	Global Rank	Country Rank
Long Challenge	0	NA	NA
Cook-off	0	NA	NA
Lunch Time	0	NA	NA

Recent Activity

Date/Time	Problem	Result	Lang
No Recent Activity			

Code, Compile & Run

Ide

C++14 (gcc 6.3)

```
#include <stdio.h>
int sort(int arr[],int n)
{
    int i,j;
    for(i=0;i<n-1;i++)
    {
        for(j=0;j<n-1;j++)
        {
            if(arr[j]>arr[j+1])
            {
                int temp=arr[j];
                arr[j]=arr[j+1];
                arr[j+1]=temp;
            }
        }
    }
}
int arrays_equal(int arr1[],int arr2[],int n,int m)
{
    sort(arr1,n);
    sort(arr2,m);
    int i;
    for(i=0;i<n;i++)
    {
        if(arr1[i]!=arr2[i])
        {
            return 0;
        }
    }
```

37:10

Open File

Custom Input

Run

Custom Input

```
4 4
1 2 3 4
4 2 3 4
```

Status Successfully executed Date 2020-06-09 05:27:30 Time 0 sec Mem 15.232 kB

Input

```
4 4
1 2 3 4
4 2 3 4
```

Output

```
not same
```

Code, Compile & Run

Ide ✖ +

C++14 (gcc 6.3)

```
    int i;
    for(i=0;i<n;i++)
    {
        if(arr1[i]!=arr2[i])
        {
            return 0;
        }
    }
}
int main()
{
    int n,m;
    scanf("%d",&n);
    scanf("%d",&m);
    int arr1[n];
    int arr2[m];
    int i;
    for(i=0;i<n;i++)
    {
        scanf("%d",&arr1[i]);
    }
    if (arrays_equal(arr1,arr2,n,m)==0)
    {
        printf("not same");
    }
    else
    printf("same");
    return 0;
}
```

37:10

Open File ✓Custom Input Run

Custom Input

```
4 4
1 2 3 4
4 2 3 4
```

Status Successfully executed **Date** 2020-06-09 05:27:30 **Time** 0 sec **Mem** 15.232 kB ✖

Input

```
4 4
1 2 3 4
4 2 3 4
```

Output

```
not same
```

Algorithm:

To find program to check if two arrays are same (or) not.

step 1 : start

step 2 : Input the number of elements of arr1 and arr2

step 3 : Input the elements of arr1 and arr2

step 4 : If all the elements of arr1 and arr2 are equal, then print "same"

step 5 : Else, print "Not same".

step6 : stop.

Flowchart :-