

Cucumber Report

Nov 21, 2023, 12:49:22 PM

Start : Nov 21, 12:48:46.479 PM

End : Nov 21, 12:49:20.483 PM

Duration : 34.004 s

Features



Scenarios

Steps

PASSED - 4
FAILED - 4
SKIPPED - 0

PASSED - 33
FAILED - 12
SKIPPED - 0

PASSED - 240
FAILED - 12
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>GetAllMorbidity.feature</u>	8.560 s	4	3	1	0	24	23	1	0
<u>Getpatient.feature</u>	4.308 s	4	3	1	0	24	23	1	0
<u>LOGIN MODULE</u>	1.497 s	6	6	0	0	18	18	0	0
<u>Get Logout</u>	3.269 s	5	5	0	0	30	30	0	0
<u>Patient.feature</u>	9.202 s	15	10	5	0	90	85	5	0
<u>Patient Login</u>	0.557 s	1	1	0	0	6	6	0	0
<u>Title of your feature</u>	0.647 s	1	1	0	0	6	6	0	0
<u>Putpatient.feature</u>	5.784 s	9	4	5	0	54	49	5	0

#	Feature Name	Scenario Name
1	<u>GetAllMorbidities.feature</u>	<u>Check if user as Dietician able to retrieve all morbidity details with "get_all_morbidity_patient_token" endpoint and request body.</u>
2	<u>Getpatient.feature</u>	<u>Check if user able to retrieve all patients with "get_patient_patient_token" endpoint and request body.</u>
3	<u>Patient.feature</u>	<u>Check if user able to create a patient with "post_patient_valid" endpoint and request body.</u>
4		<u>Check if user able to create a patient with "post_patient_incorrect_format_dob" endpoint and request body.</u>
5		<u>Check if user able to create a patient with "post_patient_incorrect_format_contactnumber" endpoint and request *</u>
6		<u>Check if user able to create a patient with "post_patient_invalid_endpoint" endpoint and request body.</u>
7		<u>Check if user able to create a patient with "post_patient_patient_token" endpoint and request body.</u>


* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name
8	<u>Putpatient.feature</u>	<u>Check if user able to update a patient with "put_patient_incorrect_format_allergy" endpoint and request body.</u>
9		<u>Check if user able to update a patient with "put_patient_incorrect_format_dob" endpoint and request body.</u>
10		<u>Check if user able to update a patient with "put_patient_incorrect_format_contactnumber" endpoint and request body.</u>
11		<u>Check if user able to update a patient with "put_patient_invalid_endpoint" endpoint and request body.</u>
12		<u>Check if user able to update a patient with "put_patient_patient_token" endpoint and request body.</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@GetAllMorbidityModule	4	3	1	0	1	0	1	0
@GetpatientModule	4	3	1	0	1	0	1	0
@Loginmodule	6	6	0	0	1	1	0	0
@01PostTag	6	6	0	0	2	2	0	0
@02PostTag	1	1	0	0	1	1	0	0
@01GetTag	1	1	0	0	1	1	0	0
@Logout	5	5	0	0	1	1	0	0
@02GetTag	1	1	0	0	1	1	0	0
@03GetTag	1	1	0	0	1	1	0	0
@04GetTag	1	1	0	0	1	1	0	0
@05GetTag	1	1	0	0	1	1	0	0
@PatientModule	15	10	5	0	1	0	1	0
@PatientLogin	1	1	0	0	1	1	0	0
@tag	1	1	0	0	1	1	0	0
@tag1	1	1	0	0	1	1	0	0
@PutpatientModule	9	4	5	0	1	0	1	0




#	Feature Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
1	<u>GetAllMorbidity.feature</u>	4	3	1	0	8.560 s
2	<u>Getpatient.feature</u>	4	3	1	0	4.308 s
3	<u>LOGIN MODULE</u>	6	6	0	0	1.497 s
4	<u>Get Logout</u>	5	5	0	0	3.269 s
5	<u>Patient.feature</u>	15	10	5	0	9.202 s
6	<u>Patient Login</u>	1	1	0	0	0.557 s
7	<u>Title of your feature</u>	1	1	0	0	0.647 s
8	<u>Putpatient.feature</u>	9	4	5	0	5.784 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>GetAllMorbidities.feature</u>	<u>Check if user as Dietician able to retrieve all morbidity details with "get_all_morbidity_valid" endpoint and request *</u>	6	6	0	0	6.121 s
2		<u>Check if user as Dietician able to retrieve all morbidity details with "get_all_morbidity_invalid_endpoint" endpoint *</u>	6	6	0	0	0.790 s
3		<u>Check if user as Dietician able to retrieve all morbidity details with "get_all_morbidity_invalid_token" endpoint and *</u>	6	6	0	0	0.678 s
4		<u>Check if user as Dietician able to retrieve all morbidity details with "get_all_morbidity_patient_token" endpoint and *</u>	6	5	1	0	0.701 s
5	<u>Getpatient.feature</u>	<u>Check if user able to retrieve all patients with "get_patient_valid" endpoint and request body.</u>	6	6	0	0	2.602 s
6		<u>Check if user able to retrieve all patients with "get_patient_invalid_endpoint" endpoint and request body.</u>	6	6	0	0	0.600 s
7		<u>Check if user able to retrieve all patients with "get_patient_invalid_token" endpoint and request body.</u>	6	6	0	0	0.497 s

* The feature name and/or scenario name has been cropped to fit in the available space.



#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Getpatient.feature</u>	<u>Check if user able to retrieve all patients with "get_patient_patient_token" endpoint and request body.</u>	6	5	1	0	0.531 s
9	<u>LOGIN MODULE</u>	<u>Check if the user is able to log in with valid credentials for dietician</u>	3	3	0	0	0.317 s
10		<u>Check if the user is able to log in with valid credentials for dietician</u>	3	3	0	0	0.225 s
11		<u>Check if the user is able to log in with valid credentials for dietician</u>	3	3	0	0	0.331 s
12		<u>Check if the user is able to log in with valid credentials for dietician</u>	3	3	0	0	0.311 s
13		<u>Check if the user is able to log in with valid credentials for dietician</u>	3	3	0	0	0.068 s
14		<u>Check if the user is able to log in with invalid API endpoint</u>	3	3	0	0	0.153 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
15	<u>Get Logout</u>	<u>Check if the user is able to log out sucessfully from dietician role</u>	6	6	0	0	0.599 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
16	<u>Get Logout</u>	<u>Check if the user is able to log out with invalid token</u>	6	6	0	0	0.617 s
17		<u>Check if the user is able to log out with missing token</u>	6	6	0	0	0.597 s
18		<u>Check if the user is able to log out with missing endpoint</u>	6	6	0	0	0.726 s
19		<u>Check if the user is able to log out with invalid endpoint</u>	6	6	0	0	0.609 s
20	<u>Patient.feature</u>	<u>Check if user able to create a patient with "post_patient_valid" endpoint and request body.</u>	6	5	1	0	0.661 s
21		<u>Check if user able to create a patient with "post_patient_duplicate" endpoint and request body.</u>	6	6	0	0	0.813 s
22		<u>Check if user able to create a patient with "post_patient_missing_mandatory_firstname" endpoint and *</u>	6	6	0	0	0.572 s
23		<u>Check if user able to create a patient with "post_patient_missing_mandatory_lastname" endpoint and *</u>	6	6	0	0	0.629 s


* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
24		<u>Check if user able to create a patient with</u> <u>"post_patient_missing_mandatory_contactnumber" endpo *</u>	6	6	0	0	0.632 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
25	<u>Patient.feature</u>	<u>Check if user able to create a patient with "post_patient_missing_mandatory_email" endpoint and *</u>	6	6	0	0	0.573 s
26		<u>Check if user able to create a patient with "post_patient_incorrect_format_allergy" endpoint and requ *</u>	6	6	0	0	0.600 s
27		<u>Check if user able to create a patient with "post_patient_incorrect_format_foodcat" endpoint and *</u>	6	6	0	0	0.590 s
28		<u>Check if user able to create a patient with "post_patient_missing_mandatory_dob" endpoint and *</u>	6	6	0	0	0.545 s
29		<u>Check if user able to create a patient with "post_patient_incorrect_format_dob" endpoint and request *</u>	6	5	1	0	0.559 s
30		<u>Check if user able to create a patient with "post_patient_incorrect_format_email" endpoint and requ *</u>	6	6	0	0	0.545 s
31		<u>Check if user able to create a patient with "post_patient_incorrect_format_contactnumber" endpoint *</u>	6	5	1	0	0.553 s

* The feature name and/or scenario name has been cropped to fit in the available space.



#	Feature Name	Scenario Name	T	P	F	S	Duration
32	<u>Patient.feature</u>	<u>Check if user able to create a patient with "post_patient_invalid_endpoint" endpoint and request body.</u>	6	5	1	0	0.546 s
33		<u>Check if user able to create a patient with "post_patient_invalid_token" endpoint and request body.</u>	6	6	0	0	0.556 s
34		<u>Check if user able to create a patient with "post_patient_patient_token" endpoint and request body.</u>	6	5	1	0	0.563 s
35	<u>Patient Login</u>	<u>Check if the user is able to log in with valid credentials for patient</u>	6	6	0	0	0.557 s
36	<u>Title of your feature</u>	<u>Check if the user is able to log out successfully for patient role</u>	6	6	0	0	0.647 s
37	<u>Putpatient.feature</u>	<u>Check if user able to update a patient with "put_patient_valid" endpoint and request body.</u>	6	6	0	0	1.015 s
38		<u>Check if user able to update a patient with "put_patient_incorrect_format_allery" endpoint and request *</u>	6	5	1	0	0.654 s



* The feature name and/or scenario name has been cropped to fit in the available space.





#	Feature Name	Scenario Name	T	P	F	S	Duration
39	<u>Putpatient.feature</u>	<u>Check if user able to update a patient with "put_patient_incorrect_format_foodcat" endpoint and *</u>	6	6	0	0	0.572 s
40		<u>Check if user able to update a patient with "put_patient_incorrect_format_dob" endpoint and request *</u>	6	5	1	0	0.520 s
41		<u>Check if user able to update a patient with "put_patient_incorrect_format_email" endpoint and request *</u>	6	6	0	0	0.562 s
42		<u>Check if user able to update a patient with "put_patient_incorrect_format_contactnumber" endpoint *</u>	6	5	1	0	0.536 s
43		<u>Check if user able to update a patient with "put_patient_invalid_endpoint" endpoint and request body.</u>	6	5	1	0	0.608 s
44		<u>Check if user able to update a patient with "put_patient_invalid_token" endpoint and request body.</u>	6	6	0	0	0.548 s
45		<u>Check if user able to update a patient with "put_patient_patient_token" endpoint and request body.</u>	6	5	1	0	0.626 s

* The feature name and/or scenario name has been cropped to fit in the available space.

GetAllMorbidities.feature


FAILED	DURATION - 8.560 s	Scenarios		Steps	
/ 12:48:46.479 PM // 12:48:55.039 PM /		Total - 4		Total - 24	
		Pass - 3		Pass - 23	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Check if user as Dietician able to retrieve all morbidity details with "get_all_morbidity_valid" endpoint and request body.

<div>PASSED</div> <div>DURATION - 6.121 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 12:48:46.495 PM // 12:48:52.616 PM /				
GetAllMorbidities.feature				
@GetAllMorbidityModule				


#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	2.348 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	2.433 s
3	Then User receives Status with response body containing token information.	PASSED	0.727 s
4	Given Dietician creates GET Request for all Morbidity API endpoint with fields from "getmorbidity" with "get_all_morbidity_valid".	PASSED	0.137 s
5	When Dietician sends HTTPS Request for all Morbidity API "get_all_morbidity_valid".	PASSED	0.252 s
6	Then Dietician receives response for all Morbidity API "getmorbidity" with "get_all_morbidity_valid".	PASSED	0.016 s

Check if user as Dietician able to retrieve all morbidity details with "get_all_morbidity_invalid_endpoint" endpoint and request body.



#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.157 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.258 s
3	Then User receives Status with response body containing token information.	PASSED	0.022 s
4	Given Dietician creates GET Request for all Morbidity API endpoint with fields from "getmorbidity" with "get_all_morbidity_invalid_endpoint".	PASSED	0.102 s
5	When Dietician sends HTTPS Request for all Morbidity API "get_all_morbidity_invalid_endpoint".	PASSED	0.230 s
6	Then Dietician receives response for all Morbidity API "getmorbidity" with "get_all_morbidity_invalid_endpoint".	PASSED	0.003 s



Check if user as Dietician able to retrieve all morbidity details with "get_all_morbidity_invalid_token" endpoint and request body.



#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.087 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.238 s
3	Then User receives Status with response body containing token information.	PASSED	0.027 s
4	Given Dietician creates GET Request for all Morbidity API endpoint with fields from "getmorbidity" with "get_all_morbidity_invalid_token".	PASSED	0.131 s

#	Step / Hook Details	Status	Duration
5	When Dietician sends HTTPS Request for all Morbidity API "get_all_morbidity_invalid_token".	PASSED	0.181 s
6	Then Dietician receives response for all Morbidity API "getmorbidity" with "get_all_morbidity_invalid_token".	PASSED	0.003 s



Check if user as Dietician able to retrieve all morbidity details with "get_all_morbidity_patient_token" endpoint and request body.

FAILED DURATION - 0.701 s / 12:48:54.338 PM // 12:48:55.039 PM / GetAllMorbidity.feature @GetAllMorbidityModule		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
--	--	--	---



#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.096 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.251 s
3	Then User receives Status with response body containing token information.	PASSED	0.015 s
4	Given Dietician creates GET Request for all Morbidity API endpoint with fields from "getmorbidity" with "get_all_morbidity_patient_token".	PASSED	0.078 s
5	When Dietician sends HTTPS Request for all Morbidity API "get_all_morbidity_patient_token".	PASSED	0.206 s
6	Then Dietician receives response for all Morbidity API "getmorbidity" with "get_all_morbidity_patient_token". java.lang.AssertionError: 1 expectation failed. Expected status code <403> but was <200>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)	FAILED	0.045 s

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepdefinitions.GetAllMorbiditySteps.dietician_receives_response_for_all_morbidity_api_with(GetAllMorbiditySteps.java:137) at ?.Dietician receives response for all Morbidity API "getmorbidity" with "get_all_morbidity_patient_token".(file:///C:/Users/rashm/eclipse-workspace/Team5-Rest-Athon/Team5-Rest-Athon-main/Team5-Rest-Athon/src/test/resources/features/GetAllMorbidity.feature:30) </pre> <p>* Not displayable characters are replaced by '?'.</p>		

Getpatient.feature



FAILED	DURATION - 4.308 s	Scenarios		Steps	
/ 12:48:55.078 PM // 12:48:59.386 PM /		Total - 4		Total - 24	
		Pass - 3		Pass - 23	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Check if user able to retrieve all patients with "get_patient_valid" endpoint and request body.

<div>PASSED</div> <div>DURATION - 2.602 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 12:48:55.079 PM // 12:48:57.681 PM /				
Getpatient.feature				
@GetpatientModule				


#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.065 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.231 s
3	Then User receives Status with response body containing token information.	PASSED	0.016 s
4	Given User creates GET Request for the dietician/patient API endpoint with fields from "getpatient" with "get_patient_valid"	PASSED	2.048 s
5	When User sends HTTP Get patient Request "get_patient_valid"	PASSED	0.225 s
6	Then User receives response for Get patient "getpatient" with "get_patient_valid"	PASSED	0.007 s

Check if user able to retrieve all patients with "get_patient_invalid_endpoint" endpoint and request body.

PASSED		DURATION - 0.600 s			<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 12:48:57.709 PM // 12:48:58.309 PM /						
Getpatient.feature						
@GetpatientModule						


#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.110 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.232 s
3	Then User receives Status with response body containing token information.	PASSED	0.019 s
4	Given User creates GET Request for the dietician/patient API endpoint with fields from "getpatient" with "get_patient_invalid_endpoint"	PASSED	0.002 s
5	When User sends HTTP Get patient Request "get_patient_invalid_endpoint"	PASSED	0.211 s
6	Then User receives response for Get patient "getpatient" with "get_patient_invalid_endpoint"	PASSED	0.020 s

Check if user able to retrieve all patients with "get_patient_invalid_token" endpoint and request body.



#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.073 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.236 s
3	Then User receives Status with response body containing token information.	PASSED	0.012 s
4	Given User creates GET Request for the dietician/patient API endpoint with fields from "getpatient" with "get_patient_invalid_token"	PASSED	0.001 s
5	When User sends HTTP Get patient Request "get_patient_invalid_token"	PASSED	0.151 s
6	Then User receives response for Get patient "getpatient" with "get_patient_invalid_token"	PASSED	0.011 s



Check if user able to retrieve all patients with "get_patient_patient_token" endpoint and request body.





#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.072 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.245 s
3	Then User receives Status with response body containing token information.	PASSED	0.018 s
4	Given User creates GET Request for the dietician/patient API endpoint with fields from "getpatient" with "get_patient_patient_token"	PASSED	0.002 s
5	When User sends HTTP Get patient Request "get_patient_patient_token"	PASSED	0.170 s

#	Step / Hook Details	Status	Duration
6	<p>Then User receives response for Get patient "getpatient" with "get_patient_patient_token"</p> <pre> java.lang.AssertionError: 1 expectation failed. Expected status code <403> but was <200>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor165.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepdefinitions.PatientSteps.user_receives_response_for_get_patient_with(PatientSteps.java:548) at ?.User receives response for Get patient "getpatient" with "get_patient_patient_token"(file:///C:/Users/rashm/eclipse-workspace/Team5-Rest-Athon/Team5-Rest-Athon-main/Team5-Rest-Athon/src/test/resources/features/Getallpatients.feature:32) </pre> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.011 s

LOGIN MODULE



PASSED	DURATION - 1.497 s	Scenarios		Steps	
/ 12:48:59.422 PM // 12:49:00.919 PM /		Total - 6		Total - 18	
		Pass - 6		Pass - 18	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if the user is able to log in with valid credentials for dietician

<div>PASSED</div>	<div>DURATION - 0.317 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 12:48:59.422 PM // 12:48:59.739 PM /</div>				
<div>LOGIN MODULE</div>				
<div>@Loginmodule @01PostTag</div>				


#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the dietician API endpoint using "login_valid_dietician" and "login" from excel.	PASSED	0.063 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.242 s
3	Then User receives Status with response body "login_valid_dietician" and "login" from excel.	PASSED	0.007 s

Check if the user is able to log in with valid credentials for dietician

<div>PASSED</div> <div>DURATION - 0.225 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
<div>/ 12:48:59.768 PM // 12:48:59.993 PM /</div>		
<div>LOGIN MODULE</div>		
<div>@Loginmodule @01PostTag</div>		


#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the dietician API endpoint using "login_invalid_dietician" and "login" from excel.	PASSED	0.060 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.158 s
3	Then User receives Status with response body "login_invalid_dietician" and "login" from excel.	PASSED	0.004 s

Check if the user is able to log in with valid credentials for dietician





#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the dietician API endpoint using "login_invalidPass_dietician" and "login" from excel.	PASSED	0.081 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.242 s
3	Then User receives Status with response body "login_invalidPass_dietician" and "login" from excel.	PASSED	0.002 s

Check if the user is able to log in with valid credentials for dietician





#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the dietician API endpoint using "login_invalidEmail_dietician" and "login" from excel.	PASSED	0.073 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.226 s
3	Then User receives Status with response body "login_invalidEmail_dietician" and "login" from excel.	PASSED	0.004 s

Check if the user is able to log in with valid credentials for dietician

PASSED	DURATION - 0.068 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:49:00.684 PM // 12:49:00.752 PM /				
LOGIN MODULE				
@Loginmodule @01PostTag				



#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the dietician API endpoint using "login_missingCred_dietician" and "login" from excel.	PASSED	0.054 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.003 s
3	Then User receives Status with response body "login_missingCred_dietician" and "login" from excel.	PASSED	0.002 s

Check if the user is able to log in with invalid API endpoint



PASSED	DURATION - 0.153 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:49:00.766 PM // 12:49:00.919 PM /				
LOGIN MODULE				
@02PostTag @Loginmodule				

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the dietician API endpoint	PASSED	0.146 s
2	When User sends HTTPS Request with invalid end points	PASSED	0.001 s
3	Then User receives Status with response body	PASSED	0.003 s

Get Logout



PASSED	DURATION - 3.269 s	Scenarios Total - 5 Pass - 5 Fail - 0 Skip - 0		Steps Total - 30 Pass - 30 Fail - 0 Skip - 0	
/ 12:49:00.939 PM // 12:49:04.208 PM /					

Check if the user is able to log out sucessfully from dietician role

PASSED	DURATION - 0.599 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 12:49:00.940 PM // 12:49:01.539 PM /				
Get Logout				
@01GetTag @Logout				



#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.053 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.223 s
3	Then User receives Status with response body containing token information.	PASSED	0.011 s
4	Given User creates GET Request with API endpoint	PASSED	0.145 s
5	When User sends HTTPS Request	PASSED	0.153 s
6	Then Server should respond back with HTTP Status code 200 with message 'Logout successful'	PASSED	0.004 s

Check if the user is able to log out with invalid token

PASSED	DURATION - 0.617 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 12:49:01.573 PM // 12:49:02.190 PM /				
Get Logout				
@02GetTag @Logout				



#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.044 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.241 s
3	Then User receives Status with response body containing token information.	PASSED	0.016 s
4	Given User creates GET Request with API endpoint	PASSED	0.144 s
5	When User sends HTTPS Request with invalid token	PASSED	0.154 s
6	Then Server should respond back with HTTP Status code 401	PASSED	0.009 s

Check if the user is able to log out with missing token

PASSED	DURATION - 0.597 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0				
/ 12:49:02.228 PM // 12:49:02.825 PM /							
Get Logout							
@03GetTag @Logout							



#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.057 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.234 s
3	Then User receives Status with response body containing token information.	PASSED	0.011 s
4	Given User creates GET Request with API endpoint	PASSED	0.147 s
5	When User sends HTTPS Request with missing token	PASSED	0.130 s
6	Then Server should respond back with HTTP Status code 401	PASSED	0.010 s

Check if the user is able to log out with missing endpoint

PASSED	DURATION - 0.726 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 12:49:02.844 PM // 12:49:03.570 PM /				
Get Logout				
@04GetTag @Logout				



#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.048 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.254 s
3	Then User receives Status with response body containing token information.	PASSED	0.013 s
4	Given User creates GET Request with API endpoint	PASSED	0.168 s
5	When User sends HTTPS Request missing endpoint	PASSED	0.232 s
6	Then Server should respond back with HTTP Status code 404	PASSED	0.005 s

Check if the user is able to log out with invalid endpoint



<div>PASSED</div> <div>DURATION - 0.609 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 12:49:03.599 PM // 12:49:04.208 PM /				
Get Logout				
@Logout @05GetTag				

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.062 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.214 s
3	Then User receives Status with response body containing token information.	PASSED	0.012 s
4	Given User creates GET Request with API endpoint	PASSED	0.168 s
5	When User sends HTTPS Request invalid endpoint	PASSED	0.136 s
6	Then Server should respond back with HTTP Status code 404	PASSED	0.007 s

Patient.feature

FAILED	DURATION - 9.202 s	Scenarios Total - 15 Pass - 10 Fail - 5 Skip - 0		Steps Total - 90 Pass - 85 Fail - 5 Skip - 0					
/ 12:49:04.230 PM // 12:49:13.432 PM /									

Check if user able to create a patient with "post_patient_valid" endpoint and request body.

<div>FAILED</div> <div>DURATION - 0.661 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:49:04.230 PM // 12:49:04.891 PM /</div>				
<div>Patient.feature</div>				
<div>@PatientModule</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.051 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.220 s
3	Then User receives Status with response body containing token information.	PASSED	0.010 s
4	Given User creates POST Request for the dietician/patient API endpoint with fields from "patient" with "post_patient_valid"	PASSED	0.081 s
5	When User sends HTTP POST patient Request	PASSED	0.286 s
6	Then User receives response for POST patient "patient" with "post_patient_valid"	FAILED	0.002 s
	<pre> java.lang.AssertionError: 1 expectation failed. Expected status code <201> but was <400>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor165.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) </pre>		

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepdefinitions.PatientSteps.user_receives_response_for_post_patient_with(PatientSteps.java:168) at ?.User receives response for POST patient "patient" with "post_patient_valid"(file:///C:/Users/rashm/eclipse-workspace/Team5-Rest-Athon/Team5-Rest-Athon-main/Team5-Rest-Athon/src/test/resources/features/Patient.feature:30) * Not displayable characters are replaced by '?'.		

Check if user able to create a patient with "post_patient_duplicate" endpoint and request body.

<div>PASSED</div> <div>DURATION - 0.813 s</div>		<table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.05</td></tr><tr><td>2</td><td>0.45</td></tr><tr><td>3</td><td>0.01</td></tr><tr><td>4</td><td>0.04</td></tr><tr><td>5</td><td>0.23</td></tr><tr><td>6</td><td>0.02</td></tr></tbody></table>	Step	Duration (s)	1	0.05	2	0.45	3	0.01	4	0.04	5	0.23	6	0.02	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
Step	Duration (s)																	
1	0.05																	
2	0.45																	
3	0.01																	
4	0.04																	
5	0.23																	
6	0.02																	
/ 12:49:04.918 PM // 12:49:05.731 PM /																		
Patient.feature																		
@PatientModule																		



#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.055 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.449 s
3	Then User receives Status with response body containing token information.	PASSED	0.011 s
4	Given User creates POST Request for the dietician/patient API endpoint with fields from "patient" with "post_patient_duplicate"	PASSED	0.042 s
5	When User sends HTTP POST patient Request	PASSED	0.234 s
6	Then User receives response for POST patient "patient" with "post_patient_duplicate"	PASSED	0.016 s

Check if user able to create a patient with "post_patient_missing_mandatory_firstname" endpoint and request body.

<div>PASSED</div>	<div>DURATION - 0.572 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.05</td></tr><tr><td>2</td><td>0.22</td></tr><tr><td>3</td><td>0.01</td></tr><tr><td>4</td><td>0.04</td></tr><tr><td>5</td><td>0.23</td></tr><tr><td>6</td><td>0.01</td></tr></tbody></table></div>	Step	Duration (s)	1	0.05	2	0.22	3	0.01	4	0.04	5	0.23	6	0.01	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>6</div></div>
Step	Duration (s)																	
1	0.05																	
2	0.22																	
3	0.01																	
4	0.04																	
5	0.23																	
6	0.01																	
<div>/ 12:49:05.746 PM // 12:49:06.318 PM /</div>																		
<div>Patient.feature</div>																		
<div>@PatientModule</div>																		


#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.044 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.222 s
3	Then User receives Status with response body containing token information.	PASSED	0.014 s
4	Given User creates POST Request for the dietician/patient API endpoint with fields from "patient" with "post_patient_missing_mandatory_firstname"	PASSED	0.041 s
5	When User sends HTTP POST patient Request	PASSED	0.238 s
6	Then User receives response for POST patient "patient" with "post_patient_missing_mandatory_firstname"	PASSED	0.006 s

Check if user able to create a patient with "post_patient_missing_mandatory_lastname" endpoint and request body.

PASSED	DURATION - 0.629 s		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 12:49:06.326 PM // 12:49:06.955 PM /				
Patient.feature				
@PatientModule				


#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.041 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.215 s
3	Then User receives Status with response body containing token information.	PASSED	0.018 s
4	Given User creates POST Request for the dietician/patient API endpoint with fields from "patient" with "post_patient_missing_mandatory_lastname"	PASSED	0.043 s
5	When User sends HTTP POST patient Request	PASSED	0.300 s
6	Then User receives response for POST patient "patient" with "post_patient_missing_mandatory_lastname"	PASSED	0.007 s

Check if user able to create a patient with "post_patient_missing_mandatory_contactnumber" endpoint and request body.



#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.042 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.248 s
3	Then User receives Status with response body containing token information.	PASSED	0.020 s
4	Given User creates POST Request for the dietician/patient API endpoint with fields from "patient" with "post_patient_missing_mandatory_contactnumber"	PASSED	0.047 s
5	When User sends HTTP POST patient Request	PASSED	0.265 s
6	Then User receives response for POST patient "patient" with "post_patient_missing_mandatory_contactnumber"	PASSED	0.004 s



Check if user able to create a patient with "post_patient_missing_mandatory_email" endpoint and request body.



#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.043 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.220 s
3	Then User receives Status with response body containing token information.	PASSED	0.014 s
4	Given User creates POST Request for the dietician/patient API endpoint with fields from "patient" with "post_patient_missing_mandatory_email"	PASSED	0.039 s
5	When User sends HTTP POST patient Request	PASSED	0.247 s



#	Step / Hook Details	Status	Duration
6	Then User receives response for POST patient "patient" with "post_patient_missing_mandatory_email"	PASSED	0.004 s

Check if user able to create a patient with "post_patient_incorrect_format_allergy" endpoint and request body.

PASSED		DURATION - 0.600 s			Steps Total - 6 Pass - 6 Fail - 0 Skip - 0			
/ 12:49:08.229 PM // 12:49:08.829 PM /								
Patient.feature								
@PatientModule								

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.037 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.228 s
3	Then User receives Status with response body containing token information.	PASSED	0.010 s
4	Given User creates POST Request for the dietician/patient API endpoint with fields from "patient" with "post_patient_incorrect_format_allergy"	PASSED	0.039 s
5	When User sends HTTP POST patient Request	PASSED	0.271 s
6	Then User receives response for POST patient "patient" with "post_patient_incorrect_format_allergy"	PASSED	0.006 s



Check if user able to create a patient with "post_patient_incorrect_format_foodcat" endpoint and request body.

PASSED	DURATION - 0.590 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 12:49:08.849 PM // 12:49:09.439 PM /				
Patient.feature				
@PatientModule				

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.039 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.221 s



#	Step / Hook Details	Status	Duration
3	Then User receives Status with response body containing token information.	PASSED	0.011 s
4	Given User creates POST Request for the dietician/patient API endpoint with fields from "patient" with "post_patient_incorrect_format_foodcat"	PASSED	0.039 s
5	When User sends HTTP POST patient Request	PASSED	0.266 s
6	Then User receives response for POST patient "patient" with "post_patient_incorrect_format_foodcat"	PASSED	0.006 s

Check if user able to create a patient with "post_patient_missing_mandatory_dob" endpoint and request body.

PASSED	DURATION - 0.545 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 12:49:09.468 PM // 12:49:10.013 PM /				
Patient.feature				
@PatientModule				


#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.027 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.220 s
3	Then User receives Status with response body containing token information.	PASSED	0.011 s
4	Given User creates POST Request for the dietician/patient API endpoint with fields from "patient" with "post_patient_missing_mandatory_dob"	PASSED	0.042 s
5	When User sends HTTP POST patient Request	PASSED	0.237 s
6	Then User receives response for POST patient "patient" with "post_patient_missing_mandatory_dob"	PASSED	0.005 s

Check if user able to create a patient with "post_patient_incorrect_format_dob" endpoint and request body.

FAILED	DURATION - 0.559 s		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 12:49:10.025 PM // 12:49:10.584 PM /				
Patient.feature				
@PatientModule				


#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.019 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.226 s
3	Then User receives Status with response body containing token information.	PASSED	0.011 s
4	Given User creates POST Request for the dietician/patient API endpoint with fields from "patient" with "post_patient_incorrect_format_dob"	PASSED	0.031 s
5	When User sends HTTP POST patient Request	PASSED	0.262 s
6	Then User receives response for POST patient "patient" with "post_patient_incorrect_format_dob"	FAILED	0.003 s
	<pre> java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <500>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor165.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepdefinitions.PatientSteps.user_receives_response_for_post_patient_with(PatientSteps.java:212) at ?.User receives response for POST patient "patient" with "post_patient_incorrect_format_dob"(file:///C:/Users/rashm/eclipse-workspace/Team5-Rest-Athon/Team5-Rest-Athon-main/Team5-Rest-Athon/src/test/resources/features/Patient.feature:30) * Not displayable characters are replaced by '?'. </pre>		

Check if user able to create a patient with "post_patient_incorrect_format_email" endpoint and request body.



#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.032 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.204 s
3	Then User receives Status with response body containing token information.	PASSED	0.012 s
4	Given User creates POST Request for the dietician/patient API endpoint with fields from "patient" with "post_patient_incorrect_format_email"	PASSED	0.036 s
5	When User sends HTTP POST patient Request	PASSED	0.251 s
6	Then User receives response for POST patient "patient" with "post_patient_incorrect_format_email"	PASSED	0.005 s



Check if user able to create a patient with "post_patient_incorrect_format_contactnumber" endpoint and request body.



#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.037 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.221 s
3	Then User receives Status with response body containing token information.	PASSED	0.007 s
4	Given User creates POST Request for the dietician/patient API endpoint with fields from "patient" with "post_patient_incorrect_format_contactnumber"	PASSED	0.043 s

#	Step / Hook Details	Status	Duration
5	When User sends HTTP POST patient Request	PASSED	0.236 s
6	Then User receives response for POST patient "patient" with "post_patient_incorrect_format_contactnumber"	FAILED	0.003 s
	<pre> java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <500>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor165.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepdefinitions.PatientSteps.user_receives_response_for_post_patient_with(PatientSteps.java:212) at ?.User receives response for POST patient "patient" with "post_patient_incorrect_format_contactnumber"(file:///C:/Users/rashm/eclipse-workspace/Team5-Rest-Athon/Team5-Rest-Athon-main/Team5-Rest-Athon/src/test/resources/features/Patient.feature:30) * Not displayable characters are replaced by '?'. </pre>		



Check if user able to create a patient with "post_patient_invalid_endpoint" endpoint and request body.

<div>FAILED</div>	<div>DURATION - 0.546 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:49:11.731 PM // 12:49:12.277 PM /</div>				
<div>Patient.feature</div>				
<div>@PatientModule</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.042 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.215 s
3	Then User receives Status with response body containing token information.	PASSED	0.008 s
4	Given User creates POST Request for the dietician/patient API endpoint with fields from "patient" with "post_patient_invalid_endpoint"	PASSED	0.033 s
5	When User sends HTTP POST patient Request	PASSED	0.241 s
6	Then User receives response for POST patient "patient" with "post_patient_invalid_endpoint"	FAILED	0.002 s
	<pre> java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <400>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor165.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) </pre>		



#	Step / Hook Details	Status	Duration
	at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepdefinitions.PatientSteps.user_receives_response_for_post_patient_with(PatientSteps.java:224) at ?.User receives response for POST patient "patient" with "post_patient_invalid_endpoint"(file:///C:/Users/rashm/eclipse-workspace/Team5-Rest-Athon/Team5-Rest-Athon-main/Team5-Rest-Athon/src/test/resources/features/Patient.feature:30) * Not displayable characters are replaced by '?'.		

Check if user able to create a patient with "post_patient_invalid_token" endpoint and request body.

<div>PASSED</div> <div>DURATION - 0.556 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 12:49:12.290 PM // 12:49:12.846 PM /				
Patient.feature				
@PatientModule				

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.041 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.224 s
3	Then User receives Status with response body containing token information.	PASSED	0.011 s
4	Given User creates POST Request for the dietician/patient API endpoint with fields from "patient" with "post_patient_invalid_token"	PASSED	0.049 s
5	When User sends HTTP POST patient Request	PASSED	0.223 s
6	Then User receives response for POST patient "patient" with "post_patient_invalid_token"	PASSED	0.005 s



Check if user able to create a patient with "post_patient_patient_token" endpoint and request body.

<div>FAILED</div>	<div>DURATION - 0.563 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 12:49:12.869 PM // 12:49:13.432 PM /				
Patient.feature				
@PatientModule				



#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.051 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.217 s
3	Then User receives Status with response body containing token information.	PASSED	0.011 s
4	Given User creates POST Request for the dietician/patient API endpoint with fields from "patient" with "post_patient_patient_token"	PASSED	0.027 s
5	When User sends HTTP POST patient Request	PASSED	0.252 s
6	Then User receives response for POST patient "patient" with "post_patient_patient_token" <pre> java.lang.AssertionError: 1 expectation failed. Expected status code <403> but was <400>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor165.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) </pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepdefinitions.PatientSteps.user_receives_response_for_post_patient_with(PatientSteps.java:249) at ?.User receives response for POST patient "patient" with "post_patient_patient_token"(file:///C:/Users/rashm/eclipse-workspace/Team5-Rest-Athon/Team5-Rest-Athon-main/Team5-Rest-Athon/src/test/resources/features/Patient.feature:30) * Not displayable characters are replaced by '?'. </pre>		

Patient Login



PASSED	DURATION - 0.557 s	Scenarios		Steps	
/ 12:49:13.443 PM // 12:49:14.000 PM /		Total - 1		Total - 6	
		Pass - 1		Pass - 6	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if the user is able to log in with valid credentials for patient



PASSED	DURATION - 0.557 s		Steps	
/ 12:49:13.443 PM // 12:49:14.000 PM /				
Patient Login				
@PatientLogin @01PostTag				

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.044 s
2	When User sends HTTPS Request with credentials on the request Body.	PASSED	0.234 s
3	Then User receives Status with response body containing token information.	PASSED	0.010 s
4	Given User creates POST Request for the patient API endpoint	PASSED	0.027 s
5	When User sends HTTPS Request with valid credentials for patient on the request Body.	PASSED	0.221 s
6	Then User receives Status 200 with response body.	PASSED	0.013 s

Title of your feature



PASSED	DURATION - 0.647 s	Scenarios		Steps	
/ 12:49:14.027 PM // 12:49:14.674 PM /		Total - 1		Total - 6	
		Pass - 1		Pass - 6	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if the user is able to log out successfully for patient role



<div>PASSED</div> <div>DURATION - 0.647 s</div>		Steps	
/ 12:49:14.027 PM // 12:49:14.674 PM /		Total - 6	
Title of your feature		Pass - 6	
@tag @tag1		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the patient API endpoint	PASSED	0.057 s
2	When User sends HTTPS Request with valid credentials for patient on the request Body.	PASSED	0.250 s
3	Then User receives Status 200 with response body.	PASSED	0.006 s
4	Given User creates GET Request with API endpoint	PASSED	0.161 s
5	When User sends HTTPS Request	PASSED	0.156 s
6	Then Server should respond back with HTTP Status code 200 with message 'Logout successful'	PASSED	0.000 s

Putpatient.feature



FAILED	DURATION - 5.784 s	Scenarios		Steps	
/ 12:49:14.699 PM // 12:49:20.483 PM /		Total - 9		Total - 54	
		Pass - 4		Pass - 49	
		Fail - 5		Fail - 5	
		Skip - 0		Skip - 0	

Check if user able to update a patient with "put_patient_valid" endpoint and request body.

<div>PASSED</div> <div>DURATION - 1.015 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:49:14.699 PM // 12:49:15.714 PM /</div>				
<div>Putpatient.feature</div>				
<div>@PutpatientModule</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.035 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.240 s
3	Then User receives Status with response body containing token information.	PASSED	0.010 s
4	Given User creates Put Request for the dietician/patient API endpoint with fields from "putpatient" with "put_patient_valid"	PASSED	0.361 s
5	When User sends HTTP Put patient Request "put_patient_valid"	PASSED	0.320 s
6	Then User receives response for Put patient "putpatient" with "put_patient_valid"	PASSED	0.039 s


Check if user able to update a patient with "put_patient_incorrect_format_allery" endpoint and request body.

<div>FAILED</div> <div>DURATION - 0.654 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:49:15.721 PM // 12:49:16.375 PM /</div>				
<div>Putpatient.feature</div>				
<div>@PutpatientModule</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.046 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.214 s
3	Then User receives Status with response body containing token information.	PASSED	0.006 s
4	Given User creates Put Request for the dietician/patient API endpoint with fields from "putpatient" with "put_patient_incorrect_format_allery"	PASSED	0.050 s
5	When User sends HTTP Put patient Request "put_patient_incorrect_format_allery"	PASSED	0.332 s


#	Step / Hook Details	Status	Duration
6	<p>Then User receives response for Put patient "putpatient" with "put_patient_incorrect_format_allery"</p> <pre> java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <200>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor165.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepdefinitions.PatientSteps.user_receives_response_for_put_patient_with(PatientSteps.java:400) at ?.User receives response for Put patient "putpatient" with "put_patient_incorrect_format_allery"(file:///C:/Users/rashm/eclipse-workspace/Team5-Rest-Athon/Team5-Rest-Athon-main/Team5-Rest-Athon/src/test/resources/features/Putpatient.feature:32) </pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.003 s

Check if user able to update a patient with "put_patient_incorrect_format_foodcat" endpoint and request body.



#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.037 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.231 s
3	Then User receives Status with response body containing token information.	PASSED	0.005 s
4	Given User creates Put Request for the dietician/patient API endpoint with fields from "putpatient" with "put_patient_incorrect_format_foodcat"	PASSED	0.035 s
5	When User sends HTTP Put patient Request "put_patient_incorrect_format_foodcat"	PASSED	0.253 s
6	Then User receives response for Put patient "putpatient" with "put_patient_incorrect_format_foodcat"	PASSED	0.005 s

Check if user able to update a patient with "put_patient_incorrect_format_dob" endpoint and request body.



#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.027 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.216 s
3	Then User receives Status with response body containing token information.	PASSED	0.013 s
4	Given User creates Put Request for the dietician/patient API endpoint with fields from "putpatient" with "put_patient_incorrect_format_dob"	PASSED	0.031 s
5	When User sends HTTP Put patient Request "put_patient_incorrect_format_dob"	PASSED	0.225 s

#	Step / Hook Details	Status	Duration
6	<p>Then User receives response for Put patient "putpatient" with "put_patient_incorrect_format_dob"</p> <pre> java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <500>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor165.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepdefinitions.PatientSteps.user_receives_response_for_put_patient_with(PatientSteps.java:400) at ?.User receives response for Put patient "putpatient" with "put_patient_incorrect_format_dob"(file:///C:/Users/rashm/eclipse-workspace/Team5-Rest-Athon/Team5-Rest-Athon-main/Team5-Rest-Athon/src/test/resources/features/Putpatient.feature:32) </pre> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.003 s

Check if user able to update a patient with "put_patient_incorrect_format_email" endpoint and request body.

PASSED	DURATION - 0.562 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 12:49:17.531 PM // 12:49:18.093 PM /				
Putpatient.feature				
@PutpatientModule				

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.029 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.238 s
3	Then User receives Status with response body containing token information.	PASSED	0.009 s
4	Given User creates Put Request for the dietician/patient API endpoint with fields from "putpatient" with "put_patient_incorrect_format_email"	PASSED	0.031 s
5	When User sends HTTP Put patient Request "put_patient_incorrect_format_email"	PASSED	0.249 s
6	Then User receives response for Put patient "putpatient" with "put_patient_incorrect_format_email"	PASSED	0.004 s



Check if user able to update a patient with "put_patient_incorrect_format_contactnumber" endpoint and request body.

FAILED	DURATION - 0.536 s		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 12:49:18.106 PM // 12:49:18.642 PM /				
Putpatient.feature				
@PutpatientModule				

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.017 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.228 s
3	Then User receives Status with response body containing token information.	PASSED	0.006 s
4	Given User creates Put Request for the dietician/patient API endpoint with fields from "putpatient" with "put_patient_incorrect_format_contactnumber"	PASSED	0.040 s

#	Step / Hook Details	Status	Duration
5	When User sends HTTP Put patient Request "put_patient_incorrect_format_contactnumber"	PASSED	0.241 s
6	Then User receives response for Put patient "putpatient" with "put_patient_incorrect_format_contactnumber"	FAILED	0.002 s
	<pre> java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <500>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor165.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepdefinitions.PatientSteps.user_receives_response_for_put_patient_with(PatientSteps.java:400) at ?.User receives response for Put patient "putpatient" with "put_patient_incorrect_format_contactnumber"(file:///C:/Users/rashm/eclipse-workspace/Team5-Rest-Athon/Team5-Rest-Athon-main/Team5-Rest-Athon/src/test/resources/features/Putpatient.feature:32) * Not displayable characters are replaced by '?'. </pre>		



Check if user able to update a patient with "put_patient_invalid_endpoint" endpoint and request body.

<div>FAILED</div> <div>DURATION - 0.608 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 12:49:18.657 PM // 12:49:19.265 PM /				
Putpatient.feature				
@PutpatientModule				

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.031 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.222 s
3	Then User receives Status with response body containing token information.	PASSED	0.006 s
4	Given User creates Put Request for the dietician/patient API endpoint with fields from "putpatient" with "put_patient_invalid_endpoint"	PASSED	0.040 s
5	When User sends HTTP Put patient Request "put_patient_invalid_endpoint"	PASSED	0.302 s
6	Then User receives response for Put patient "putpatient" with "put_patient_invalid_endpoint"	FAILED	0.005 s
	<pre> java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <200>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor165.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) </pre>		



#	Step / Hook Details	Status	Duration
	at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepdefinitions.PatientSteps.user_receives_response_for_put_patient_with(PatientSteps.java:412) at ?.User receives response for Put patient "putpatient" with "put_patient_invalid_endpoint"(file:///C:/Users/rashm/eclipse-workspace/Team5-Rest-Athon/Team5-Rest-Athon-main/Team5-Rest-Athon/src/test/resources/features/Putpatient.feature:32) * Not displayable characters are replaced by '?'.		

Check if user able to update a patient with "put_patient_invalid_token" endpoint and request body.

<div>PASSED</div> <div>DURATION - 0.548 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:49:19.287 PM // 12:49:19.835 PM /</div>			
<div>Putpatient.feature</div>			
<div>@PutpatientModule</div>			

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.036 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.213 s
3	Then User receives Status with response body containing token information.	PASSED	0.014 s
4	Given User creates Put Request for the dietician/patient API endpoint with fields from "putpatient" with "put_patient_invalid_token"	PASSED	0.027 s
5	When User sends HTTP Put patient Request "put_patient_invalid_token"	PASSED	0.248 s
6	Then User receives response for Put patient "putpatient" with "put_patient_invalid_token"	PASSED	0.007 s

Check if user able to update a patient with "put_patient_patient_token" endpoint and request body.

<div>FAILED</div> <div>DURATION - 0.626 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 12:49:19.857 PM // 12:49:20.483 PM /				
Putpatient.feature				
@PutpatientModule				

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the login API.	PASSED	0.049 s
2	When User sends HTTPS Request with valid credentials on the request Body.	PASSED	0.209 s
3	Then User receives Status with response body containing token information.	PASSED	0.006 s
4	Given User creates Put Request for the dietician/patient API endpoint with fields from "putpatient" with "put_patient_patient_token"	PASSED	0.043 s
5	When User sends HTTP Put patient Request "put_patient_patient_token"	PASSED	0.310 s
6	Then User receives response for Put patient "putpatient" with "put_patient_patient_token"	FAILED	0.003 s
	<pre> java.lang.AssertionError: 1 expectation failed. Expected status code <403> but was <200>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor165.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) </pre>		

#	Step / Hook Details	Status	Duration
	<pre>at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepdefinitions.PatientSteps.user_receives_response_for_put_patient_with(PatientSteps.java:437) at ?.User receives response for Put patient "putpatient" with "put_patient_patient_token"(file:///C:/Users/rashm/eclipse-workspace/ Team5-Rest-Athon/Team5-Rest-Athon-main/Team5-Rest-Athon/src/test/resources/features/Putpatient.feature:32) * Not displayable characters are replaced by '?'.</pre>		