# Task 4: Firewall Setup and Configuration

---

## Objective

To configure firewall rules to block and allow specific network ports using Windows Defender Firewall.

---

## Tools Used

- Windows Defender Firewall

---

## Steps Performed

- Opened Windows Defender Firewall from Start menu.
- Clicked on Advanced Settings to access firewall configuration.
- Selected Inbound Rules to view existing firewall rules.




- Created a new rule to block a port:
  - Selected New Rule

- Chose Port
- Selected TCP
- Entered port number 23
- Selected Block the connection
- Named the rule Block Port 23

| Name | Group | Profile | Enabled | Action | Override | Program | Local Address |
|---|---|---|---|---|---|---|---|
| Allow Port 22 | | All | Yes | Allow | No | Any | Any |
| Block Port 23 | | All | Yes | Block | No | Any | Any |
| BlueStacks Service | | All | Yes | Allow | No | C:\Progra... | Any |

- Verified that the rule was successfully created in the Inbound Rules list.
- Created another rule to allow a port:
  - Selected New Rule
  - Chose Port
  - Selected TCP
  - Entered port number 22
  - Selected Allow the connection
  - Named the rule Allow Port 22

| Name | Group | Profile | Enabled | Action | Override | Program | Local Address |
|---|---|---|---|---|---|---|---|
| Allow Port 22 | | All | Yes | Allow | No | Any | Any |
| Block Port 23 | | All | Yes | Block | No | Any | Any |
| BlueStacks Service | | All | Yes | Allow | No | C:\Progra... | Any |

- Verified that the allow rule was successfully added.
- Deleted the test rule (Block Port 23) from the firewall settings.

---

## Result

Firewall rules were successfully created to block and allow specific ports.

---

## Conclusion

The firewall configuration was successfully performed, helping to control network traffic and improve system security.