

Laboratory Notebook

Dr. Leading van Author III Poet Laureate MSc, PhD^{1,2*}
and Second Author²

^{1*}Department, Organization, City, Country, 100190, State, Street.

^{2*}Other Organisation.

*Corresponding author(s). E-mail(s): abc@def;

Abstract

Purpose: The abstract serves both as a general introduction to the topic and as a brief, non-technical summary of the main results and their implications. The abstract must not include subheadings (unless expressly permitted in the journal's Instructions to Authors), equations or citations. As a guide the abstract should not exceed 200 words. Most journals do not set a hard limit however authors are advised to check the author instructions for the journal they are submitting to.

Methods: The abstract serves both as a general introduction to the topic and as a brief, non-technical summary of the main results and their implications. The abstract must not include subheadings (unless expressly permitted in the journal's Instructions to Authors), equations or citations. As a guide the abstract should not exceed 200 words. Most journals do not set a hard limit however authors are advised to check the author instructions for the journal they are submitting to.

Results: The abstract serves both as a general introduction to the topic and as a brief, non-technical summary of the main results and their implications. The abstract must not include subheadings (unless expressly permitted in the journal's Instructions to Authors), equations or citations. As a guide the abstract should not exceed 200 words. Most journals do not set a hard limit however authors are advised to check the author instructions for the journal they are submitting to.

Conclusion: The abstract serves both as a general introduction to the topic and as a brief, non-technical summary of the main results and their implications. The abstract must not include subheadings (unless expressly permitted in the journal's Instructions to Authors), equations or citations. As a guide the abstract should not exceed 200 words. Most journals do not set a hard limit however authors are advised to check the author instructions for the journal they are submitting to.}

Keywords: key, dictionary, word

JEL Classification: D8 , H51

MSC Classification: 35A01 , 65L10

1 Introduction

The Introduction section, of referenced text [Campbell and Gear \(1995\)](#) expands on the background of the work (some overlap with the Abstract is acceptable). The introduction should not include subheadings.

Springer Nature does not impose a strict layout as standard however authors are advised to check the individual requirements for the journal they are planning to submit to as there may be journal-level preferences. When preparing your text please also be aware that some stylistic choices are not supported in full text XML (publication version), including coloured font. These will not be replicated in the typeset article if it is accepted.

2 Results

Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text.

3 This is an example for first level head—section head

3.1 This is an example for second level head—subsection head

3.1.1 This is an example for third level head—subsubsection head

Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text.

4 Equations

Equations in L^AT_EX can either be inline or on-a-line by itself (“display equations”). For inline equations use the `$...$` commands. E.g.: The equation $H\psi = E\psi$ is written via the command `$H \psi = E \psi$`.

For display equations (with auto generated equation numbers) one can use the `equation` or `align` environments:

$$\|\tilde{X}(k)\|^2 \leq \frac{\sum_{i=1}^p \|\tilde{Y}_i(k)\|^2 + \sum_{j=1}^q \|\tilde{Z}_j(k)\|^2}{p+q}. \tag{1}$$

Table 1 Caption text

temperature	pressure
0	0.0002
20	0.0012
40	0.0060
60	0.0300
80	0.0900
100	0.2700

where,

$$\begin{aligned}
D_\mu &= \partial_\mu - ig \frac{\lambda^a}{2} A_\mu^a \\
F_{\mu\nu}^a &= \partial_\mu A_\nu^a - \partial_\nu A_\mu^a + gf^{abc} A_\mu^b A_\nu^c
\end{aligned}
\tag{2}$$

Notice the use of `\nonumber` in the align environment at the end of each line, except the last, so as not to produce equation numbers on lines where no equation numbers are required. The `\label{}` command should only be used at the last line of an align environment where `\nonumber` is not used.

$$Y_\infty = \left(\frac{m}{\text{GeV}}\right)^{-3} \left[1 + \frac{3 \ln(m/\text{GeV})}{15} + \frac{\ln(c_2/5)}{15}\right] \tag{3}$$

The class file also supports the use of `\mathbb{}`, `\mathscr{}` and `\mathcal{}` commands. As such `\mathbb{R}`, `\mathscr{R}` and `\mathcal{R}` produces \mathbb{R} , \mathscr{R} and \mathcal{R} respectively (refer Subsubsection 3.1.1).

5 Tables

Tables can be inserted via the normal `knitr::kable()` function or other table-generating packages.

Tables can also be inserted via the normal table and tabular environment. To put footnotes inside tables you should use `\footnotetext[...]` tag. The footnote appears just below the table itself (refer Tables 2 and 3). For the corresponding footnote mark use `\footnotemark[...]`

The input format for the above table is as follows:

```

\begin{table}[<placement-specifier>]
\caption{<table-caption>}\label{<table-label>}%
\begin{tabular}{@{}llll@{}}
\toprule
Column 1 & Column 2 & Column 3 & Column 4\\
\midrule
row 1 & data 1 & data 2 & data 3 \\
row 2 & data 4 & data 5\footnotemark[1] & data 6 \\
row 3 & data 7 & data 8 & data 9\footnotemark[2]\\
\botrule
\end{tabular}

```

Table 2 Caption text

Column 1	Column 2	Column 3	Column 4
row 1	data 1	data 2	data 3
row 2	data 4	data 5 ¹	data 6
row 3	data 7	data 8	data 9 ²

Source: This is an example of table footnote. This is an example of table footnote.

¹Example for a first table footnote. This is an example of table footnote.

²Example for a second table footnote. This is an example of table footnote.

```
\footnotetext{Source: This is an example of table footnote.
This is an example of table footnote.}
\footnotetext[1]{Example for a first table footnote.
This is an example of table footnote.}
\footnotetext[2]{Example for a second table footnote.
This is an example of table footnote.}
\end{table}
```

Table 3 Example of a lengthy table which is set to full textwidth

Project	Element 1 ¹			Element 2 ²		
	Energy	σ_{calc}	σ_{expt}	Energy	σ_{calc}	σ_{expt}
Element 3	990 A	1168	1547 ± 12	780 A	1166	1239 ± 100
Element 4	500 A	961	922 ± 10	900 A	1268	1092 ± 40

Note: This is an example of table footnote. This is an example of table footnote this is an example of table footnote this is an example of table footnote this is an example of table footnote.

¹Example for a first table footnote.

²Example for a second table footnote.




Fig. 1 This is an example of a caption

In case of double column layout, tables which do not fit in single column width should be set to full text width. For this, you need to use `\begin{table*} ... \end{table*}` instead of `\begin{table} ... \end{table}` environment. Lengthy tables which do not fit in textwidth should be set as rotated table. For this, you need to use `\begin{sidewaystable} ... \end{sidewaystable}` instead of `\begin{table*} ... \end{table*}` environment. This environment puts tables rotated to single column width. For tables rotated to double column width, use `\begin{sidewaystable*} ... \end{sidewaystable*}`.

6 Figures

As per the \LaTeX standards you need to use eps images for \LaTeX compilation and pdf/jpg/png images for PDFLaTeX compilation. Use the `dev knitr` option to use the appropriate format. This is one of the major difference between \LaTeX and PDFLaTeX . Each image should be from a single input .eps/vector image file. Avoid using subfigures. The command for inserting images for \LaTeX and PDFLaTeX can be generalized. The package used to insert images in LaTeX / PDFLaTeX is the `graphicx` package. Figures can be inserted via the normal figure environment as shown in the below example:

Table 4 Tables which are too long to fit, should be written using the "sidewaystable" environment as shown here

Projectile	Element 1 ¹			Element ²		
	Energy	σ_{calc}	σ_{expt}	Energy	σ_{calc}	σ_{expt}
Element 3	990 A	1168	1547 \pm 12	780 A	1166	1239 \pm 100
Element 4	500 A	961	922 \pm 10	900 A	1268	1092 \pm 40
Element 5	990 A	1168	1547 \pm 12	780 A	1166	1239 \pm 100
Element 6	500 A	961	922 \pm 10	900 A	1268	1092 \pm 40

Note: This is an example of table footnote this is an example of table footnote this is an example of table footnote
this is an example of table footnote.

¹This is an example of table footnote.

7 Algorithms, Program codes and Listings

Packages `algorithm`, `algorithmicx` and `algpseudocode` are used for setting algorithms in L^AT_EX using the format:

```
\begin{algorithm}
\caption{<alg-caption>}\label{<alg-label>}
\begin{algorithmic}[1]
. . .
\end{algorithmic}
\end{algorithm}
```

You may refer above listed package documentations for more details before setting `algorithm` environment. For program codes, the “program” package is required and the command to be used is `\begin{program} ... \end{program}`. A fast exponentiation procedure:

Similarly, for `listings`, use the `listings` package. `\begin{lstlisting} ... \end{lstlisting}` is used to set environments similar to `verbatim` environment. Refer to the `lstlisting` package documentation for more details.

A fast exponentiation procedure:

```
begin
  for i := 1 to 10 step 1 do
    expt(2,i);
    newline() od
where
proc expt(x,n) ≡
  z := 1;
  do if n = 0 then exit fi;
  do if odd(n) then exit fi;
    comment: This is a comment statement;
    n := n/2; x := x*x od;
  { n > 0 };
  n := n - 1; z := z*x od;
  print(z).
end
```

Comments will be set flush to the right margin

```
for i:=maxint to 0 do begin \{ do nothing \} end; Write('Case
insensitive '); -Write('Pascal-keywords.');
```

8 Cross referencing

Figures and tables are labeled with a prefix (fig or tab, respectively) plus the chunk label. Other environments such as equation and align can be labelled via the `\label{#label}` command inside or just below the `\caption{}` command. You can then use the label for cross-reference. As an example, consider the chunk label declared for Figure 1 which is fig1. To cross-reference it, use the command `Figure \ref{fig:fig1}`, for which it comes up as “Figure 1”.

Algorithm 1 Calculate $y = x^n$

Require: $n \geq 0 \vee x \neq 0$ **Ensure:** $y = x^n$

```
1:  $y \leftarrow 1$ 
2: if  $n < 0$  then
3:    $X \leftarrow 1/x$ 
4:    $N \leftarrow -n$ 
5: else
6:    $X \leftarrow x$ 
7:    $N \leftarrow n$ 
8: end if
9: while  $N \neq 0$  do
10:  if  $N$  is even then
11:     $X \leftarrow X \times X$ 
12:     $N \leftarrow N/2$ 
13:  else [ $N$  is odd]
14:     $y \leftarrow y \times X$ 
15:     $N \leftarrow N - 1$ 
16:  end if
17: end while
```

To reference line numbers in an algorithm, consider the label declared for the line number 2 of Algorithm 1 is `\label{algln2}`. To cross-reference it, use the command `\ref{algln2}` for which it comes up as line 2 of Algorithm 1.

8.1 Details on reference citations

For citations of references, use [Campbell and Gear \(1995\)](#) or [\(Slifka and Whitton, 2000\)](#).

9 Examples for theorem like environments

The documentclass for springer `sn-jnl.cls` contains 3 styling that you can use to set new default for theorems and proofs type

thmstyleone Numbered, theorem head in bold font and theorem text in italic style
thmstyletwo Numbered, theorem head in roman font and theorem text in italic style
thmstylethree Numbered, theorem head in bold font and theorem text in roman style

For mathematics journals, theorem styles can be included as shown in the following examples.

Theorem 1. *Example theorem text. Example theorem text. Example theorem text. Example theorem text. Example theorem text. Example theorem text. Example theorem text. Example theorem text. Example theorem text.*

To add labels and subheadings, use LaTeX notation

Theorem 2 (Theorem subhead). *Example theorem text. Example theorem text. Example theorem text. Example theorem text. Example theorem text. Example theorem text. Example theorem text. Example theorem text. Example theorem text. Example theorem text.*

Other environments are proposition, example, remark, definition, proof and quote

Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text.

Proposition 3. *Example proposition text. Example proposition text. Example proposition text. Example proposition text. Example proposition text. Example proposition text. Example proposition text. Example proposition text. Example proposition text.*

Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text.

Example 1. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem.

Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text.

Remark 1. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem.

Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text.

Definition 1 (Definition sub head). Example definition text. Example definition text. Example definition text. Example definition text. Example definition text. Example definition text.

Additionally a predefined “proof” environment is available. This prints a “Proof” head in italic font style and the “body text” in roman font style with an open square at the end of each proof environment.

Proof. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text.

□

Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text.

10 Methods

Topical subheadings are allowed. Authors must ensure that their Methods section includes adequate experimental and characterization data necessary for others in

the field to reproduce their work. Authors are encouraged to include RIIDs where appropriate.

Ethical approval declarations (only required where applicable) Any article reporting experiment/s carried out on (i)~live vertebrate (or higher invertebrates), (ii)~humans or (iii)~human samples must include an unambiguous statement within the methods section that meets the following requirements:

1. Approval: a statement which confirms that all experimental protocols were approved by a named institutional and/or licensing committee. Please identify the approving body in the methods section
2. Accordance: a statement explicitly saying that the methods were carried out in accordance with the relevant guidelines and regulations
3. Informed consent (for experiments involving humans or human tissue samples): include a statement confirming that informed consent was obtained from all participants and/or their legal guardian/s

If your manuscript includes potentially identifying patient/participant information, or if it describes human transplantation research, or if it reports results of a clinical trial then additional information will be required. Please visit (<https://www.nature.com/nature-research/editorial-policies>) for Nature Portfolio journals, (<https://www.springer.com/gp/authors-editors/journal-author/journal-author-helpdesk/publishing-ethics/14214>) for Springer Nature journals, or (<https://www.biomedcentral.com/getpublished/editorial-policies/#ethics+and+consent>) for BMC.

11 Discussion

Discussions should be brief and focused. In some disciplines use of Discussion or ‘Conclusion’ is interchangeable. It is not mandatory to use both. Some journals prefer a section ‘Results and Discussion’ followed by a section ‘Conclusion’. Please refer to Journal-level guidance for any specific requirements.

12 Conclusion

Conclusions may be used to restate your hypothesis or research question, restate your major findings, explain the relevance and the added value of your work, highlight any limitations of your study, describe future directions for research and recommendations.

In some disciplines use of Discussion or ‘Conclusion’ is interchangeable. It is not mandatory to use both. Please refer to Journal-level guidance for any specific requirements.

Supplementary information. If your article has accompanying supplementary file/s please state so here.

Authors reporting data from electrophoretic gels and blots should supply the full unprocessed scans for key as part of their Supplementary information. This may be requested by the editorial team/s if it is missing.

Please refer to Journal-level guidance for any specific requirements.

Acknowledgments. Acknowledgments are not compulsory. Where included they should be brief. Grant or contribution numbers may be acknowledged.

Please refer to Journal-level guidance for any specific requirements.

Declarations

Some journals require declarations to be submitted in a standardised format. Please check the Instructions for Authors of the journal to which you are submitting to see if you need to complete this section. If yes, your manuscript must contain the following sections under the heading ‘Declarations’:

- Funding
- Conflict of interest/Competing interests (check journal-specific guidelines for which heading to use)
- Ethics approval
- Consent to participate
- Consent for publication
- Availability of data and materials
- Code availability
- Authors’ contributions

If any of the sections are not relevant to your manuscript, please include the heading and write ‘Not applicable’ for that section.

Editorial Policies for:

Springer journals and proceedings: <https://www.springer.com/gp/editorial-policies>

Nature Portfolio journals: <https://www.nature.com/nature-research/editorial-policies>

Scientific Reports: <https://www.nature.com/srep/journal-policies/editorial-policies>

BMC journals: <https://www.biomedcentral.com/getpublished/editorial-policies>

Appendix A Section title of first appendix

An appendix contains supplementary information that is not an essential part of the text itself but which may be helpful in providing a more comprehensive understanding of the research problem or it is information that is too cumbersome to be included in the body of the paper.

For submissions to Nature Portfolio Journals please use the heading “Extended Data”.

References

Campbell SL, Gear CW (1995) The index of general nonlinear DAES. *Numer Math* 72(2):173–196

Slifka MK, Whitton JL (2000) Clinical implications of dysregulated cytokine production. *J Mol Med* 78:74–80. <https://doi.org/10.1007/s001090000086>