Last Session

- -> Eclipse
- -> First Java Project

Todays Agenda

-> return statement in JAVA

```
class Calculator {
           // Nandini
           double addition (double n1, double n2) {
                      double sum = n1 + n2; // 100
                      return\sum;
          // Pavan
           double average(double n1, double n2) {
                      Calculator c1 = new Calculator();
                 double result = c1.addition(n1,n2);
                      double avg = \frac{1}{2} result \frac{1}{2}; \frac{1}{150}
                      syso(avg);
                      return avg;
          // Anil
          void discount (double n1 , double n2) {
                      Calculator c1 = new Calculator();
                      double avg = c1.average(n1, n2);
                      double disc = avg*20/100;
                      syso(disc);
```

Mail :-> TL Nandini Reply :-> TL Mail **Good Job Nandini. Lets have Coffee** Mail :-> TL Pavan Reply:-> from TL ???? Call -> Unoficial Pavan -> Nandini Mail - ≯To Nandini ; CC :->\TL Hello Nandini Pls return your sum result from method. Anil -> Pavan\: CC\≯ TL Mail: Hello Pavan pls return average result from method.

Pavan -> Anil : CC-> TL
Hello Anil today i am on leave and sat and
sunday. so i will do that on manday.

Req1:-> Nandini


-> Calculator has addition operation which accepts two inputs from user and compute addition

Req2:-> Pavan

-> Calculator has average operation which accepts two inputs from user and compute its average.

Req3:-> Anil

-> Calculator has discount operation which accepts two inputs from user and compute 20% discount on its average.



sty:

returntype/OP MethodNAme (input parameters) {

}

return:->

- -> it is keyword
- -> to give / return output
- -> If some one asks output
- -> return statement is last statement of code.
- -> return will always return single value only.

Interview Questions

- Q. What is return in java?
- Q. When to use return?
- Q. if we use return then what modifications required in method signature.
- Q. Can we return multiple values using return statement?
- Q. Can we write multiple return statements?

Intermethod Communication

Interclass Communication.