Web_Programming_lab TKM20MCA-2029

Create a webportal for online booking for a Hotel

- a) All Hotel owner can enter their details (name, location, Rooms available (ac/non-ac), rate of ac/non-ac per day etc) in this portal (choose an attractive name for your portal)
- b) wher can book the hotel through this web portal
 by giving their name, contact details, named
 the hotel, arrival date, no: of rooms needed (achonse)
 (if the rooms are not available, display a message)

Display the details of all wers who booked has a particular hotel including no of room, rate, name of the wer ele.

DBConnection.php

```
<?php
define('DB_SERVER', 'localhost:3306');
define('DB USERNAME', 'root');
//Establishing connection with the database
define('DB_PASSWORD', ");
define('DB_DATABASE', 'HOTELS'); //where profile is the database
$db = mysqli_connect(DB_SERVER,DB_USERNAME,DB_PASSWORD,DB_DATABASE);
?>
H_Ownerform.php
<!DOCTYPE HTML>
<html>
<head>
<title>HOTEL</title>
k rel = "stylesheet" type = "text/css" href="Style.css"/>
<script>
function validate()
{
var fullname = document.register.fullname.value;
var location = document.register.location.value;
var ac = document.register.ac.value;
var nonac = document.register.nonac.value;
var acrate= document.register.acrate.value;
var nonacrate= document.register.nonacrate.value;
if (fullname==null | | fullname=="")
{
```

```
alert("Full Name can't be blank");
return false;
}
else if (location==null | | location=="")
alert("Location can't be blank");
return false;
else if (ac==null || ac=="")
{
alert("Please enter available ac rooms");
return false;
}
else if (nonac==null | | nonac=="")
{
alert("Please enter available nonac rooms");
return false;
}
else if (acrate==null || acrate=="")
alert("Please enter AC rate per day");
return false;
}
else if (nonacrate==null || nonacrate=="")
{
alert("Please enter NONAC rate per day");
return false;
}
}
```

```
</script>
</head>
<body>
<div style="text-align:center"><h1>HOTELS</h1></div>
<br>
<form name="register" method="post" action="H_Owner_Insert.php" onsubmit="return</pre>
validate();" >
Full Name
<input type="text" name="fullname" />
Location
<input type="text" name="location" />
AC Rooms Available
<input type="number" name="ac" />
NonAC Rooms Available
<input type="number" name="nonac" />
AC Room Rate per day
<input type="number" name="acrate" />
```

```
NonAC Room Rate per day
<input type="number" name="nonacrate" />
<input type="submit" value="Submit"></input><input type="reset"
value="Reset"></input>
</form>
</body>
</html>
H_Owner_Insert.php
<!DOCTYPE HTML>
<html>
<body>
<?php
include("DBConnection.php"); // include the connection object from the DBConnection.php
if ($_SERVER['REQUEST_METHOD'] == 'POST')
{
      $infullname = $_POST["fullname"]; // as the method type in the form is "post" we
are using $_POST otherwise it would be $_GET[]
```

```
$inlocation = $_POST["location"];
       $inac = $ POST["ac"];
       $innonac = $ POST["nonac"];
  $inacrate = $_POST["acrate"];
  $innonacrate = $_POST["nonacrate"];
       $stmt = $db->prepare("INSERT INTO
Newhotel(HOTELNAME,LOCATION,AC ROOM AVAILABLE,NON ACROOM AVAILABLE,ACRO
OM_RATE(perday), NONACROOM_RATE(perday) VALUES(?, ?, ?, ?,?,?)"); //Fetching all the
records with input credentials
       $stmt->bind param("ssssss",$infullname, $inlocation, $inac,
$innonac,$inacrate,$innonacrate);
       $stmt->execute();
       $result = $stmt->affected_rows;
       $stmt -> close();
       $db -> close();
       if(\$result > 0)
       {
              header("location: H Success.php"); // user will be taken to the success page
       }
       else
       {
              echo "Oops. Something went wrong. Please try again";
    ?>
              <a href="H_Owner_Insert.php">Try Login</a>
              <?php
       }
}
?>
```

```
</body>
</html>
Userform.php
<!DOCTYPE HTML>
<html>
<head>
<title>HOTEL</title>
<!-- <li>k rel = "stylesheet" type = "text/css" href="Style.css"/> -->
<script>
function validate()
{
var fullname = document.register.fullname.value;
var phone = document.register.phone.value;
var hname = document.register.hname.value;
var adate = document.register.adate.value;
var rooms= document.register.rooms.value;
if (fullname==null | | fullname=="")
{
alert("Full Name can't be blank");
return false;
}
else if (phone==null | | phone=="")
{
alert("Phone no can't be blank");
return false;
```

```
}
else if (hname==null | | hname=="")
{
alert("Please enter Hotel name");
return false;
}
else if (adate==null | | adate=="")
{
alert("Please enter arrival date");
return false;
}
else if (rooms==null | | rooms=="")
{
alert("Please number of rooms available");
return false;
}
}
</script>
</head>
<body>
<div style="text-align:center"><h1>HOTELS</h1></div>
<br>
<form name="register" method="post" action="Userinsert.php" onsubmit="return</pre>
validate();" >
Full Name
<input type="text" name="fullname" />
```

```
Phone no
<input type="text" name="phone" />
Hotel name
<input type="text" name="hname" />
Arrival date
<input type="date" name="adate" />
Number of rooms needed
<input type="number" name="rooms" />
<input type="submit" value="Submit"></input><input type="reset"
value="Reset"></input>
</form>
</body>
</html>
```

```
Userinsert.php
<!DOCTYPE HTML>
<html>
<body>
<?php
include("DBConnection.php"); // include the connection object from the DBConnection.php
if ($_SERVER['REQUEST_METHOD'] == 'POST')
{
       $fullname = $ POST["fullname"]; // as the method type in the form is "post" we are
using $ POST otherwise it would be $ GET[]
       $phone = $ POST["phone"];
       $hname = $ POST["hname"];
       $adate = $ POST["adate"];
  $rooms = $ POST["rooms"];
       $stmt = $db->prepare("INSERT INTO
USER(NAME, PHONE_NO, HOTELNAME, ARRIVAL_DATE, NO_ROOMS_NEEDED) VALUES(?, ?, ?,
?,?)"); //Fetching all the records with input credentials
       $stmt->bind param("sssss", $fullname, $phone, $hname, $adate,$rooms); //Where
s indicates string type. You can use i-integer, d-double
       $stmt->execute();
       $result = $stmt->affected_rows;
       $stmt -> close();
       $db -> close();
       if(\$result > 0)
       {
```

```
header("location: Regsuccess.php"); // user will be taken to the success page
       }
       else
       {
              echo "Oops. Something went wrong. Please try again";
              ?>
              <a href="Userform.php">Try Login</a>
              <?php
       }
}
?>
</body>
</html>
RegSuccess.php
<!DOCTYPE HTML>
<html>
<title>Success.php</title>
<body>
<div style="text-align:left"><h1>Registration Successful </h1></div>
<a href="displayuser.php"> To Display User details click here</a>
</body>
</html>
```

Displayuser.php

```
<!DOCTYPE HTML>
<html>
<body bgcolor="pink">
<center><h2>Simple Hotel Management System</h2></center>
<br>
<?php
include("DBConnection.php");
$query = "select NAME,PHONE_NO,HOTELNAME,ARRIVAL_DATE,NO_ROOMS_NEEDED from
USER"; //Display with a book name in the table book_info
$result = mysqli_query($db,$query);
if(mysqli_num_rows($result)>0)
{
?>
 Name 
 Phone no 
 Hotel name 
 Arrival_date 
 Number of rooms needed 
<?php while($row = mysqli fetch assoc($result))
{
?>
<?php echo $row["NAME"];?> 
<?php echo $row["PHONE NO"];?> 
<?php echo $row["HOTELNAME"];?>
```

Output

HOTELS

Full Name	Naz
Location	Kannur
AC Rooms Available	20
NonAC Rooms Available	20
AC Room Rate per day	2000
NonAC Room Rate per day	1500 \$
	Submit Reset

HOTELS




← → C ① localhost/CO3/Regsuccess.php

Registration Successful

To Display User details click here





Git link: https://github.com/rasikavv/Web_programming_LABEXAM.git