

Mathematical Modelling of Myeloproliferative Neoplasms and Hematopoietic Stem Cells

An overview of our recent work and a look to the future

Rasmus Kristoffer Pedersen

rakrpe@ruc.dk

Roskilde University, Denmark

2nd Nordic Biomathematics Days
May 10th, 2022



Introduction

Background

Purpose

The model

Description

Model behaviour

Relating to clinical data

Fitting to data

Hypothetical scenarios

Population modelling

Discussion

Our results

The future

► Who am I?

- ▶ Who am I?
 - ▶ Postdoc at the PandemiX Research Center, working on COVID-19 and historical epidemics.



► Who am I?

- Postdoc at the PandemiX Research Center, working on COVID-19 and historical epidemics.
- Ph.D. at Roskilde University: Mathematical modelling of blood cancers, with Johnny and Morten.



- ▶ Who am I?
 - ▶ Postdoc at the PandemiX Research Center, working on COVID-19 and historical epidemics.
 - ▶ Ph.D. at Roskilde University: Mathematical modelling of blood cancers, with Johnny and Morten.



- ▶ This talk:

► Who am I?

- Postdoc at the PandemiX Research Center, working on COVID-19 and historical epidemics.
- Ph.D. at Roskilde University: Mathematical modelling of blood cancers, with Johnny and Morten.



► This talk:

- Illustration of how mathematical modelling could contribute to clinical practice in the future.

► Who am I?

- Postdoc at the PandemiX Research Center, working on COVID-19 and historical epidemics.
- Ph.D. at Roskilde University: Mathematical modelling of blood cancers, with Johnny and Morten.



► This talk:

- Illustration of how mathematical modelling could contribute to clinical practice in the future.
- Focus on general aspects of mathematical modelling rather than mathematical details.

- **Myeloproliferative Neoplasms (MPNs):** Group of diseases characterized by overproduction of blood cells.

Introduction

Background

Purpose

The model

Description

Model behaviour

Relating to clinical data

Fitting to data

Hypothetical scenarios

Population modelling

Discussion

Our results

The future

- **Myeloproliferative Neoplasms (MPNs):** Group of diseases characterized by overproduction of blood cells. Believed to arise from mutations occurring in hematopoietic stem cells (HSC)

Introduction

Background

Purpose

The model

Description

Model behaviour

Relating to clinical data

Fitting to data

Hypothetical scenarios

Population modelling

Discussion

Our results

The future

- ▶ **Myeloproliferative Neoplasms (MPNs):** Group of diseases characterized by overproduction of blood cells. Believed to arise from mutations occurring in hematopoietic stem cells (HSC)
- ▶ **Clinicians from Zealand University Hospital:** MPN-patients treated with pegylated interferon- α obtain long-term normalization of cell-counts.

- ▶ **Myeloproliferative Neoplasms (MPNs):** Group of diseases characterized by overproduction of blood cells. Believed to arise from mutations occurring in hematopoietic stem cells (HSC)
- ▶ **Clinicians from Zealand University Hospital:** MPN-patients treated with pegylated interferon- α obtain long-term normalization of cell-counts.
- ▶ **Data:** Clinical trial with patients treated with interferon- α .

Our purpose and goal

Mathematical
Modelling of
MPNs and HSC

Rasmus Kristoffer
Pedersen

Introduction

Background

Purpose

The model

Description

Model behaviour

Relating to clinical data

Fitting to data



Hypothetical scenarios

Population modelling

Discussion


Our results

The future



- ▶ **Myeloproliferative Neoplasms (MPNs):** Group of diseases characterized by overproduction of blood cells. Believed to arise from mutations occurring in hematopoietic stem cells (HSC)
- ▶ **Clinicians from Zealand University Hospital:** MPN-patients treated with pegylated interferon- α obtain long-term normalization of cell-counts.
- ▶ **Data:** Clinical trial with patients treated with interferon- α .
- ▶ **Goal:** Can the effects of interferon- α be accurately described by a mathematical model?

Model description



(Pedersen et al, 2021)

Mathematical
Modelling of
MPNs and HSC

Rasmus Kristoffer
Pedersen

Introduction

Background

Purpose

The model

Description

Model behaviour

Relating to clinical data

Fitting to data

Hypothetical scenarios


Population modelling

Discussion

Our results

The future

Model description



(Pedersen et al, 2021)

Based on previous model of Andersen et al (2017), combined with a model of HSC developed together with Thomas Stiehl (Roskilde University & RWTH Aachen).

Mathematical
Modelling of
MPNs and HSC

Rasmus Kristoffer
Pedersen

Introduction

Background

Purpose

The model

Description

Model behaviour

Relating to clinical data

Fitting to data

Hypothetical scenarios

Population modelling

Discussion

Our results

The future

Introduction

Background

Purpose

The model

Description

Model behaviour

Relating to clinical data

Fitting to data

Hypothetical scenarios

Population modelling

Discussion

Our results

The future

- System of 6 ODEs, with about 16 parameters.

Introduction

Background

Purpose

The model

Description

Model behaviour

Relating to clinical data

Fitting to data

Hypothetical scenarios

Population modelling

Discussion

Our results

The future

- ▶ System of 6 ODEs, with about 16 parameters.
- ▶ Most parameters determined from the literature.

Introduction

Background

Purpose

The model

Description

Model behaviour

Relating to clinical data

Fitting to data

Hypothetical scenarios

Population modelling

Discussion

Our results

The future

- ▶ System of 6 ODEs, with about 16 parameters.
- ▶ Most parameters determined from the literature.
- ▶ General model behaviour in agreement with clinical intuition.

Introduction

Background

Purpose

The model

Description

Model behaviour

Relating to clinical data

Fitting to data

Hypothetical scenarios

Population modelling

Discussion

Our results

The future

- ▶ System of 6 ODEs, with about 16 parameters.
- ▶ Most parameters determined from the literature.
- ▶ General model behaviour in agreement with clinical intuition.
 - ▶ No mutations → long-term health.

Introduction

Background

Purpose

The model

Description

Model behaviour

Relating to clinical data

Fitting to data

Hypothetical scenarios

Population modelling

Discussion

Our results

The future

- ▶ System of 6 ODEs, with about 16 parameters.
- ▶ Most parameters determined from the literature.
- ▶ General model behaviour in agreement with clinical intuition.
 - ▶ No mutations \rightarrow long-term health.
 - ▶ Disease progression over a long period (15+ years).

- ▶ System of 6 ODEs, with about 16 parameters.
- ▶ Most parameters determined from the literature.
- ▶ General model behaviour in agreement with clinical intuition.
 - ▶ No mutations \rightarrow long-term health.
 - ▶ Disease progression over a long period (15+ years).
 - ▶ Chronic inflammation leads to faster disease progression.

- ▶ System of 6 ODEs, with about 16 parameters.
- ▶ Most parameters determined from the literature.
- ▶ General model behaviour in agreement with clinical intuition.
 - ▶ No mutations \rightarrow long-term health.
 - ▶ Disease progression over a long period (15+ years).
 - ▶ Chronic inflammation leads to faster disease progression.
- ▶ We can perturb specific model-parameters that relate to the biological effect of interferon- α treatment.

Treatment-specific perturbations

Mathematical
Modelling of
MPNs and HSC

Rasmus Kristoffer
Pedersen

Introduction

Background

Purpose

The model

Description

Model behaviour

Relating to clinical data

Fitting to data


Hypothetical scenarios

Population modelling

Discussion

Our results

The future



Typical disease progression in the model.

Treatment-specific perturbations

Mathematical
Modelling of
MPNs and HSC

Rasmus Kristoffer
Pedersen

Introduction

Background
Purpose

The model



Description
Model behaviour

Relating to clinical data

Fitting to data
Hypothetical scenarios
Population modelling

Discussion

Our results
The future



Zooming in on year 20 after original mutation.

Treatment-specific perturbations

Mathematical
Modelling of
MPNs and HSC

Rasmus Kristoffer
Pedersen

Introduction

Background
Purpose

The model



Description
Model behaviour

Relating to clinical data

Fitting to data
Hypothetical scenarios
Population modelling

Discussion

Our results
The future



Considering two years of treatment.

Treatment-specific perturbations

Mathematical
Modelling of
MPNs and HSC

Rasmus Kristoffer
Pedersen

Introduction

Background
Purpose

The model



Description
Model behaviour

Relating to clinical data

Fitting to data
Hypothetical scenarios
Population modelling

Discussion

Our results
The future



Considering two years of treatment.
Perturbing model-parameters related to treatment.

Fitting to data

Mathematical
Modelling of
MPNs and HSC

Rasmus Kristoffer
Pedersen

Introduction

Background

Purpose

The model

Description

Model behaviour

Relating to clinical data

Fitting to data



Hypothetical scenarios

Population modelling

Discussion

Our results

The future



Raw data

Fitting to data

Mathematical
Modelling of
MPNs and HSC

Rasmus Kristoffer
Pedersen

Introduction

Background

Purpose

The model

Description

Model behaviour

Relating to clinical data

Fitting to data


Hypothetical scenarios

Population modelling

Discussion

Our results

The future



Adding modelled scenario without treatment,
time-shifted to agree with baseline data
(and PK/PD-modelling of treatment)

Fitting to data

Mathematical
Modelling of
MPNs and HSC

Rasmus Kristoffer
Pedersen

Introduction

Background

Purpose

The model

Description

Model behaviour

Relating to clinical data

Fitting to data



Hypothetical scenarios

Population modelling

Discussion

Our results

The future



Dose-dependent fitting of model-parameters

Halting treatment

Mathematical
Modelling of
MPNs and HSC

Rasmus Kristoffer
Pedersen

Introduction

Background

Purpose

The model

Description

Model behaviour

Relating to clinical data

Fitting to data

Hypothetical scenarios


Population modelling

Discussion

Our results

The future

Actual treatment:




Halting treatment


Mathematical
Modelling of
MPNs and HSC

Rasmus Kristoffer
Pedersen

Actual treatment:



Hypothetical treatment:



Introduction

Background

Purpose

The model

Description

Model behaviour

Relating to clinical
data

Fitting to data

Hypothetical scenarios

Population modelling

Discussion

Our results

The future

Halting treatment

Mathematical
Modelling of
MPNs and HSC

Rasmus Kristoffer
Pedersen

Introduction

Background
Purpose

The model



Description
Model behaviour

Relating to clinical data

Fitting to data
Hypothetical scenarios
Population modelling

Discussion

Our results
The future



Population modelling

Mathematical
Modelling of
MPNs and HSC

Rasmus Kristoffer
Pedersen

Introduction

Background

Purpose

The model

Description

Model behaviour

Relating to clinical data

Fitting to data


Hypothetical scenarios

Population modelling

Discussion

Our results

The future



Introduction

Background

Purpose

The model

Description

Model behaviour

Relating to clinical data

Fitting to data


Hypothetical scenarios

Population modelling

Discussion

Our results

The future



Baseline data

Introduction

Background

Purpose

The model

Description

Model behaviour

Relating to clinical data

Fitting to data


Hypothetical scenarios

Population modelling

Discussion

Our results

The future



Estimating stage of disease progression and prediction in absence of treatment.

Introduction

Background
Purpose

The model


Description
Model behaviour

Relating to clinical data

Fitting to data
Hypothetical scenarios
Population modelling

Discussion

Our results
The future



Simulation 1000 virtual patients with same treatment-plan.

Introduction

Background

Purpose

The model

Description

Model behaviour

Relating to clinical data

Fitting to data


Hypothetical scenarios

Population modelling

Discussion

Our results

The future



Comparing to actual patient data

Introduction

Background

Purpose

The model

Description

Model behaviour

Relating to clinical data

Fitting to data


Hypothetical scenarios

Population modelling

Discussion

Our results

The future



Completely hypothetical patient: Baseline data from mean of cohort.

Introduction

Background

Purpose

The model

Description

Model behaviour

Relating to clinical data

Fitting to data

Hypothetical scenarios

Population modelling

Discussion

Our results

The future

- Mathematical modelling can relate mechanistic understanding of treatment to clinical measures.

Introduction

Background

Purpose

The model

Description

Model behaviour

Relating to clinical data

Fitting to data

Hypothetical scenarios

Population modelling

Discussion

Our results

The future

- ▶ Mathematical modelling can relate mechanistic understanding of treatment to clinical measures.
- ▶ Individual patients' response to treatment can be captured by the model.

Introduction

Background

Purpose

The model

Description

Model behaviour

Relating to clinical data

Fitting to data

Hypothetical scenarios

Population modelling

Discussion

Our results

The future

- ▶ Mathematical modelling can relate mechanistic understanding of treatment to clinical measures.
- ▶ Individual patients' response to treatment can be captured by the model.
- ▶ Combining the response of multiple patients could make forecasting possible.

Introduction

Background

Purpose

The model

Description

Model behaviour

Relating to clinical data

Fitting to data

Hypothetical scenarios

Population modelling

Discussion

Our results



The future

- ▶ Mathematical modelling can relate mechanistic understanding of treatment to clinical measures.
- ▶ Individual patients' response to treatment can be captured by the model.
- ▶ Combining the response of multiple patients could make forecasting possible.
- ▶ However, further validation is required before predictions can be used in the clinic.

- Highly complex diseases affecting the entire body can be modelled successfully.


Comments on the future

- ▶ Highly complex diseases affecting the entire body can be modelled successfully.
- ▶ Mathematical models as expert-assistance tool.




Comments on the future

- ▶ Highly complex diseases affecting the entire body can be modelled successfully.
- ▶ Mathematical models as expert-assistance tool.
- ▶ And as a tool for patient-communication.



Comments on the future

- ▶ Highly complex diseases affecting the entire body can be modelled successfully.
- ▶ Mathematical models as expert-assistance tool.
- ▶ And as a tool for patient-communication.
- ▶ Promising for the future of oncology and heamatology, but careful and thoughtful validation is important.



(Brady & Enderling, 2019)

Thank you for your attention.

Any questions?



rakrpe@ruc.dk
rasmuspedersen.com



Mathematical
Modelling of
MPNs and HSC

Rasmus Kristoffer
Pedersen

Introduction

Background

Purpose

The model

Description

Model behaviour

Relating to clinical
data

Fitting to data

Hypothetical scenarios

Population modelling

Discussion

Our results

The future

- ▶ Pedersen RK, et al (2021), Dose-dependent mathematical modeling of interferon- α -treatment for personalized treatment of myeloproliferative neoplasms. *Comp. Sys. Onco.*; 1:e1030. <https://doi.org/10.1002/cso2.1030>
- ▶ Pedersen RK, et al (2021), Mathematical modelling of the hematopoietic stem cell-niche system: Clonal dominance based on stem cell fitness. *Journal of Theoretical Biology*, Volume 518, 110620, <https://doi.org/10.1016/j.jtbi.2021.110620>
- ▶ Ottesen JT, Pedersen RK, et al (2020), Mathematical Modeling of MPNs Offers Understanding and Decision Support for Personalized Treatment. *Cancers*; 12(8):2119. <https://doi.org/10.3390/cancers12082119>
- ▶ Andersen M, Sajid Z, Pedersen RK, et al (2017), Mathematical modelling as a proof of concept for MPNs as a human inflammation model for cancer development. *PLoS ONE* 12(8): e0183620. <https://doi.org/10.1371/journal.pone.0183620>

Flowchart for prediction of "optimal" treatment from

- ▶ Brady, R., & Enderling, H. (2019). Mathematical Models of Cancer: When to Predict Novel Therapies, and When Not to. *Bulletin of Mathematical Biology*, 81(10), 3722-3731. <https://doi.org/10.1007/s11538-019-00640-x>