

HIV/AIDS in South Africa

H312 Term Paper

Torben Rasmussen

2/28/2011

1 Introduction

HIV/AIDS is known as *the* epidemic of the 21st century, and its impact is felt strongly on a global scale. However, different parts of the world are affected on different levels. South Africa, a modern, developed country, has felt the impact of HIV/AIDS in a huge way. HIV/AIDS has become a serious issue in South Africa because of its social and political climate, public perception of the disease, and infection vectors that are difficult to deal with.

2 Background

AIDS was first diagnosed in two patients in South Africa in 1983. The first reported death caused by AIDS was caused in the same year. The number of patients diagnosed with AIDS stepped up to 46 in 1986. [ADD MORE]

3 Prevalence and Infection

The prevalence of HIV/AIDS in South Africa is the highest of any country in the world, with 17.80% of the 49 million inhabitants diagnosed according to the CIA World Factbook. The group most likely to be infected with HIV, those aged 15-20, has actually seen a decline in incidence rates from 2002 to 2008, according to a study by For example, 20-year olds went from a 2.2% incidence rate in 2005, to a 1.7% incidence rate in 2008.

3.1 Co-infection of HIV and Tuberculosis

While HIV/AIDS has caused much suffering in South Africa, tuberculosis is still the leading cause of death. Still, HIV/AIDS and tuberculosis go hand-in-hand. A weakened immune system caused by HIV/AIDS increases the risk of a tuberculosis infection. Also, tuberculosis can accelerate the progress of HIV. South Africa has a prevalence of almost 75% of those infected with HIV who also have tuberculosis. Even though the country only accounts for 0.7% of the world's population, it accounts for 28% of those co-infected with tuberculosis and HIV.

3.2 Affected Demographics

4 Social Impacts

4.1 Children and Families

South Africa's HIV/AIDS epidemic has had a profound negative impact on children in various ways. In 2009, there were approximately 330,000 people under 15 living with AIDS, which is twice the number as in 2001. There are two main infection routes for HIV: heterosexual sex, and mother-to-child transmission.

4.2 Aids Awareness

South Africa currently has a number of large-scale communication-based campaigns that focus on awareness of HIV/AIDS, as well as more general health issues. The HIV Counseling and Testing campaign began in April 2010, and was aimed at improving AIDS awareness.

4.3 Children and Families

4.4 Condom Use

4.5 Gender Violence and Inequality

4.6 Orphaned Children

5 Political Efforts and Problems

5.1 Denial

Thabo Mbeki, the president of South Africa from 1999 to 2008 would seek advice of AIDS deniers when making policy decisions. He even went as far as to appoint a number of such people to his Presidential AIDS advisory panel. Both Mbeki and his health minister, Manto Tshabalala-Msimang questioned the effectiveness of antiretroviral therapies, and called for the consumption of beetroot and garlic as a way of fighting HIV infection.

6 Conclusion

In conclusion, stuff.

References

- [1] "HIV & "AIDS in South Africa.", AIDS & HIV Information from the AIDS Charity AVERT. Web. 28 Feb. 2011. <<http://www.avert.org/aidssouthafrica.htm>>.
- [2] "South African National HIV Prevalence, Incidence, Behaviour and Communication Survey, 2008" HSRC Press, 2009. Web. 28 Feb. 2011. <<http://www.hsrc.ac.za/Document-3238.phtml>>.
- [3] http://en.wikipedia.org/wiki/AIDS_in_South_Africa
- [4] http://en.wikipedia.org/wiki/South_africa
- [5] <http://www.doh.gov.za/docs/reports/2008/progress/part2.pdf>
- [6] <https://www.cia.gov/library/publications/the-world-factbook/rankorder/2155rank.html>