

NOM: RASOLONDRAIBE

PRENOM: Manantenaso Ravaka

NUM: 044125

1-Creation d'un base de donnee "cinema"

```
MariaDB [(none)]> CREATE DATABASE cinema;  
Query OK, 1 row affected (0.001 sec)
```

2-Creation de la table VILLE

```
MariaDB [cinema]> CREATE TABLE VILLE (  
->     CodePostal VARCHAR(10) PRIMARY KEY,  
->     NomVille VARCHAR(100) NOT NULL  
-> );  
Query OK, 0 rows affected (0.009 sec)
```

3-Creation de la table CINEMA

```
MariaDB [cinema]> CREATE TABLE CINEMA (  
->     NumCine INT PRIMARY KEY,  
->     NomCine VARCHAR(100) NOT NULL,  
->     Adresse VARCHAR(255) NOT NULL,  
->     CodePostal VARCHAR(10),  
->     FOREIGN KEY (CodePostal) REFERENCES VILLE(CodePostal)  
-> );
```

4-Creation de la table SALLE

```
MariaDB [cinema]> CREATE TABLE SALLE (  
->     NumSalle INT,  
->     Capacite INT NOT NULL,  
->     NumCine INT,  
->     PRIMARY KEY (NumSalle, NumCine),  
->     FOREIGN KEY (NumCine) REFERENCES CINEMA(NumCine)  
-> );
```

5-Creation de la table FILM

```
MariaDB [cinema]> CREATE TABLE FILM (  
->     NumExploit INT PRIMARY KEY,  
->     Titre VARCHAR(200) NOT NULL,  
->     Duree INT NOT NULL  
-> );  
Query OK, 0 rows affected (0.010 sec)
```

6-Creation de la table PROJECTION

```
MariaDB [cinema]> CREATE TABLE PROJECTION (  
  ->   NumExploit INT,  
  ->   NumSalle INT,  
  ->   NumSemaine INT,  
  ->   Nbentrees INT,  
  ->   PRIMARY KEY (NumExploit, NumSalle, NumSemaine),  
  ->   FOREIGN KEY (NumExploit) REFERENCES FILM(NumExploit),  
  ->   FOREIGN KEY (NumSalle) REFERENCES SALLE(NumSalle)  
  -> );  
Query OK, 0 rows affected (0.012 sec)
```

7-Insertion des donnees dans la table VILLE

```
MariaDB [cinema]> INSERT INTO VILLE VALUES ('101', 'Antananarivo');
Query OK, 1 row affected (0.004 sec)

MariaDB [cinema]> INSERT INTO VILLE VALUES ('102', 'Toamasina');
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO VILLE VALUES ('103', 'Fianarantsoa');
Query OK, 1 row affected (0.002 sec)

MariaDB [cinema]> INSERT INTO VILLE VALUES ('104', 'Mahajanga');
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO VILLE VALUES ('105', 'Toliara');
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO VILLE VALUES ('106', 'Antsirabe');
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO VILLE VALUES ('107', 'Nosy Be');
Query OK, 1 row affected (0.002 sec)

MariaDB [cinema]> INSERT INTO VILLE VALUES ('108', 'Morondava');
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO VILLE VALUES ('109', 'Sambava');
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO VILLE VALUES ('110', 'Manakara');
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO VILLE VALUES ('111', 'Ambanja');
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO VILLE VALUES ('112', 'Farafangana');
Query OK, 1 row affected (0.001 sec)

MariaDB [cinema]> INSERT INTO VILLE VALUES ('113', 'Ambositra');
Query OK, 1 row affected (0.001 sec)

MariaDB [cinema]> INSERT INTO VILLE VALUES ('114', 'Antalaha');
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO VILLE VALUES ('115', 'Tsiroanomandidy');
Query OK, 1 row affected (0.003 sec)
```

```
MariaDB [cinema]> INSERT INTO VILLE VALUES ('116', 'Maintirano');  
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [cinema]> INSERT INTO VILLE VALUES ('117', 'Moramanga');  
Query OK, 1 row affected (0.003 sec)
```

```
MariaDB [cinema]> INSERT INTO VILLE VALUES ('118', 'Ambatondrazaka');  
Query OK, 1 row affected (0.003 sec)
```

```
MariaDB [cinema]> INSERT INTO VILLE VALUES ('119', 'Amboasary');  
Query OK, 1 row affected (0.003 sec)
```

```
MariaDB [cinema]> INSERT INTO VILLE VALUES ('120', 'Betafo');  
Query OK, 1 row affected (0.003 sec)
```


8-Insertion des donnees dans la table CINEMA

```
MariaDB [cinema]> INSERT INTO CINEMA VALUES (1, 'Cine Tana 1', 'Analakely', '101');
Query OK, 1 row affected (0.004 sec)

MariaDB [cinema]> INSERT INTO CINEMA VALUES (2, 'Cine Tana 2', 'Behoririka', '101');
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO CINEMA VALUES (3, 'Cine Tamatave', 'Centre Ville', '102');
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO CINEMA VALUES (4, 'Cine Fianara', 'Tanambao', '103');
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO CINEMA VALUES (5, 'Cine Majunga', 'Mahabibo', '104');
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO CINEMA VALUES (6, 'Cine Tulear', 'Sanfil', '105');
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO CINEMA VALUES (7, 'Cine Antsirabe', 'Ville Haute', '106');
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> CINEMA VALUES (8, 'Cine Nosy Be', 'Ambatoloaka', '107');
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds
MariaDB [cinema]> INSERT INTO CINEMA VALUES (8, 'Cine Nosy Be', 'Ambatoloaka', '107');
Query OK, 1 row affected (0.004 sec)

MariaDB [cinema]> INSERT INTO CINEMA VALUES (9, 'Cine Morondava', 'Centre', '108');
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO CINEMA VALUES (10, 'Cine Sambava', 'Bazary', '109');
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO CINEMA VALUES (11, 'Cine Manakara', 'Ville Basse', '110');
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO CINEMA VALUES (12, 'Cine Ambanja', 'Centre', '111');
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO CINEMA VALUES (13, 'Cine Farafangana', 'Tanambao', '112');
Query OK, 1 row affected (0.002 sec)

MariaDB [cinema]> INSERT INTO CINEMA VALUES (14, 'Cine Ambositra', 'Centre', '113');
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO CINEMA VALUES (15, 'Cine Antalaha', 'Ville Haute', '114');
Query OK, 1 row affected (0.003 sec)
```

```
MariaDB [cinema]> INSERT INTO CINEMA VALUES (16, 'Cine Tsiroa', 'Centre', '115');  
Query OK, 1 row affected (0.003 sec)  
  
MariaDB [cinema]> INSERT INTO CINEMA VALUES (17, 'Cine Maintirano', 'Centre', '116');  
Query OK, 1 row affected (0.003 sec)  
  
MariaDB [cinema]> INSERT INTO CINEMA VALUES (18, 'Cine Moramanga', 'Ville Haute', '117');  
Query OK, 1 row affected (0.003 sec)  
  
MariaDB [cinema]> INSERT INTO CINEMA VALUES (19, 'Cine Ambato', 'Centre', '118');  
Query OK, 1 row affected (0.004 sec)  
  
MariaDB [cinema]> INSERT INTO CINEMA VALUES (20, 'Cine Amboasary', 'Centre', '119');  
Query OK, 1 row affected (0.003 sec)
```

9- Insertion des donnees dans la table SALLE

```
MariaDB [cinema]> INSERT INTO SALLE VALUES (1, 150, 1);
Query OK, 1 row affected (0.004 sec)

MariaDB [cinema]> INSERT INTO SALLE VALUES (2, 200, 1);
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO SALLE VALUES (3, 120, 2);
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO SALLE VALUES (4, 180, 3);
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO SALLE VALUES (5, 220, 4);
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO SALLE VALUES (6, 160, 5);
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO SALLE VALUES (7, 140, 6);
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO SALLE VALUES (8, 130, 7);
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO SALLE VALUES (9, 250, 8);
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO SALLE VALUES (10, 175, 9);
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO SALLE VALUES (11, 190, 10);
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO SALLE VALUES (12, 210, 11);
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO SALLE VALUES (13, 110, 12);
Query OK, 1 row affected (0.004 sec)
```



```
MariaDB [cinema]> INSERT INTO SALLE VALUES (14, 170, 13);  
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [cinema]> INSERT INTO SALLE VALUES (15, 230, 14);  
Query OK, 1 row affected (0.003 sec)
```

```
MariaDB [cinema]> INSERT INTO SALLE VALUES (16, 145, 15);  
Query OK, 1 row affected (0.003 sec)
```

```
MariaDB [cinema]> INSERT INTO SALLE VALUES (17, 155, 16);  
Query OK, 1 row affected (0.004 sec)
```

```
MariaDB [cinema]> INSERT INTO SALLE VALUES (18, 165, 17);  
Query OK, 1 row affected (0.003 sec)
```

```
MariaDB [cinema]> INSERT INTO SALLE VALUES (19, 185, 18);  
Query OK, 1 row affected (0.003 sec)
```

10- Insertion des donnees dans la table FILM

```
MariaDB [cinema]> INSERT INTO FILM VALUES (1, 'Avengers', 120);
Query OK, 1 row affected (0.004 sec)

MariaDB [cinema]> INSERT INTO FILM VALUES (2, 'Titanic', 195);
Query OK, 1 row affected (0.004 sec)

MariaDB [cinema]> INSERT INTO FILM VALUES (3, 'Inception', 148);
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO FILM VALUES (4, 'Interstellar', 169);
Query OK, 1 row affected (0.002 sec)

MariaDB [cinema]> INSERT INTO FILM VALUES (5, 'Gladiator', 155);
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO FILM VALUES (6, 'Joker', 122);
Query OK, 1 row affected (0.004 sec)

MariaDB [cinema]> INSERT INTO FILM VALUES (7, 'Avatar', 162);
Query OK, 1 row affected (0.001 sec)

MariaDB [cinema]> INSERT INTO FILM VALUES (8, 'The Matrix', 136);
Query OK, 1 row affected (0.002 sec)

MariaDB [cinema]> INSERT INTO FILM VALUES (9, 'Frozen', 102);
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO FILM VALUES (10, 'Coco', 105);
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO FILM VALUES (11, 'Black Panther', 134);
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO FILM VALUES (12, 'The Lion King', 118);
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO FILM VALUES (13, 'Fast & Furious', 130);
Query OK, 1 row affected (0.003 sec)
```

```
MariaDB [cinema]> INSERT INTO FILM VALUES (13, 'Fast & Furious', 130);  
Query OK, 1 row affected (0.003 sec)
```

```
MariaDB [cinema]> INSERT INTO FILM VALUES (14, 'Harry Potter', 152);  
Query OK, 1 row affected (0.003 sec)
```

```
MariaDB [cinema]> INSERT INTO FILM VALUES (15, 'Spider-Man', 140);  
Query OK, 1 row affected (0.004 sec)
```

```
MariaDB [cinema]> INSERT INTO FILM VALUES (16, 'Doctor Strange', 115);  
Query OK, 1 row affected (0.003 sec)
```

```
MariaDB [cinema]> INSERT INTO FILM VALUES (17, 'The Batman', 176);  
Query OK, 1 row affected (0.003 sec)
```

```
MariaDB [cinema]> INSERT INTO FILM VALUES (18, 'Top Gun', 131);  
Query OK, 1 row affected (0.003 sec)
```

```
MariaDB [cinema]> INSERT INTO FILM VALUES (19, 'Jurassic Park', 127);  
Query OK, 1 row affected (0.003 sec)
```

```
MariaDB [cinema]> INSERT INTO FILM VALUES (20, 'Mission Impossible', 147);  
Query OK, 1 row affected (0.003 sec)
```

11- Insertion des donnees dans la table PROJECTION

```
Query OK, 0 rows affected (0.012 sec)

MariaDB [cinema]> INSERT INTO PROJECTION VALUES (1, 1, 1, 120);
Query OK, 1 row affected (0.004 sec)

MariaDB [cinema]> INSERT INTO PROJECTION VALUES (2, 2, 1, 150);
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO PROJECTION VALUES (3, 3, 2, 90);
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO PROJECTION VALUES (4, 4, 2, 130);
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO PROJECTION VALUES (5, 5, 3, 200);
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO PROJECTION VALUES (6, 6, 3, 140);
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO PROJECTION VALUES (7, 7, 4, 160);
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO PROJECTION VALUES (8, 8, 4, 110);
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO PROJECTION VALUES (9, 9, 5, 220);
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO PROJECTION VALUES (10, 10, 5, 170);
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO PROJECTION VALUES (11, 11, 6, 180);
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO PROJECTION VALUES (12, 12, 6, 190);
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO PROJECTION VALUES (13, 13, 7, 100);
Query OK, 1 row affected (0.004 sec)

MariaDB [cinema]> INSERT INTO PROJECTION VALUES (14, 14, 7, 150);
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> INSERT INTO PROJECTION VALUES (15, 15, 8, 210);
Query OK, 1 row affected (0.004 sec)

MariaDB [cinema]> INSERT INTO PROJECTION VALUES (16, 16, 8, 130);
Query OK, 1 row affected (0.002 sec)

MariaDB [cinema]> INSERT INTO PROJECTION VALUES (17, 17, 9, 140);
Query OK, 1 row affected (0.003 sec)
```

```
MariaDB [cinema]> INSERT INTO PROJECTION VALUES (15, 15, 8, 210);  
Query OK, 1 row affected (0.004 sec)
```

```
MariaDB [cinema]> INSERT INTO PROJECTION VALUES (16, 16, 8, 130);  
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [cinema]> INSERT INTO PROJECTION VALUES (17, 17, 9, 140);  
Query OK, 1 row affected (0.003 sec)
```

```
MariaDB [cinema]> INSERT INTO PROJECTION VALUES (18, 18, 9, 160);  
Query OK, 1 row affected (0.003 sec)
```

```
MariaDB [cinema]> INSERT INTO PROJECTION VALUES (19, 19, 10, 175);  
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [cinema]> INSERT INTO PROJECTION VALUES (20, 20, 10, 185);
```

TP UPDATE

1. Mettre la capacité de la salle 1 à 300.

```
Database changed
MariaDB [cinema]> UPDATE SALLE SET Capacite = 300 WHERE NumSalle = 1;
Query OK, 1 row affected (0.007 sec)
Rows matched: 1  Changed: 1  Warnings: 0
```

2. Mettre la capacité de la salle 2 à 250.

```
MariaDB [cinema]> UPDATE SALLE SET Capacite = 250 WHERE NumSalle = 2;
Query OK, 1 row affected (0.003 sec)
Rows matched: 1  Changed: 1  Warnings: 0
```

3. Mettre la capacité de la salle 3 à 180.

```
MariaDB [cinema]> UPDATE SALLE SET Capacite = 180 WHERE NumSalle = 3;
Query OK, 1 row affected (0.003 sec)
Rows matched: 1  Changed: 1  Warnings: 0
```

4. Mettre la capacité à 200 pour toutes les salles ayant une capacité de 150.

```
MariaDB [cinema]> UPDATE SALLE SET Capacite = 200 WHERE Capacite = 150;
Query OK, 0 rows affected (0.001 sec)
Rows matched: 0  Changed: 0  Warnings: 0
```

5. Augmenter de 20 places la capacité de la salle 5.

```
MariaDB [cinema]> UPDATE SALLE SET Capacite = Capacite + 20 WHERE NumSalle = 5;
Query OK, 1 row affected (0.003 sec)
Rows matched: 1  Changed: 1  Warnings: 0
```

6. Diminuer de 10 places la capacité de la salle 6.

```
MariaDB [cinema]> UPDATE SALLE SET Capacite = Capacite - 10 WHERE NumSalle = 6;
Query OK, 1 row affected (0.003 sec)
Rows matched: 1  Changed: 1  Warnings: 0
```

7. Changer l'adresse du cinéma 3 en "Nouvelle Adresse".

```
MariaDB [cinema]> UPDATE CINEMA SET Adresse = 'Nouvelle Adresse' WHERE NumCine = 3;  
Query OK, 1 row affected (0.003 sec)  
Rows matched: 1  Changed: 1  Warnings: 0
```

8. Changer l'adresse du cinéma 4 en "Centre Ville".

```
MariaDB [cinema]> UPDATE CINEMA SET Adresse = 'Centre Ville' WHERE NumCine = 4;  
Query OK, 1 row affected (0.003 sec)  
Rows matched: 1  Changed: 1  Warnings: 0
```

9. Mettre le code postal du cinéma 10 à '101'.

```
MariaDB [cinema]> UPDATE CINEMA SET CodePostal = '101' WHERE NumCine = 10;  
Query OK, 1 row affected (0.002 sec)  
Rows matched: 1  Changed: 1  Warnings: 0
```

10. Mettre le code postal du cinéma 15 à '102'.

```
MariaDB [cinema]> UPDATE CINEMA SET CodePostal = '102' WHERE NumCine = 15;  
Query OK, 1 row affected (0.003 sec)  
Rows matched: 1  Changed: 1  Warnings: 0
```

11. Mettre la durée du film 1 à 130 minutes.

```
MariaDB [cinema]> UPDATE FILM SET Duree = 130 WHERE NumExploit = 1;  
Query OK, 1 row affected (0.003 sec)  
Rows matched: 1  Changed: 1  Warnings: 0
```

12. Mettre la durée du film 2 à 210 minutes.

```
MariaDB [cinema]> UPDATE FILM SET Duree = 210 WHERE NumExploit = 2;  
Query OK, 1 row affected (0.004 sec)  
Rows matched: 1  Changed: 1  Warnings: 0
```

13. Ajouter 5 minutes au film 3.

```
MariaDB [cinema]> UPDATE FILM SET Duree = Duree + 5 WHERE NumExploit = 3;  
Query OK, 1 row affected (0.003 sec)  
Rows matched: 1  Changed: 1  Warnings: 0
```

14. Diminuer de 10 minutes la durée du film 4.

```
MariaDB [cinema]> UPDATE FILM SET Duree = Duree - 10 WHERE NumExploit = 4;  
Query OK, 1 row affected (0.004 sec)  
Rows matched: 1  Changed: 1  Warnings: 0
```

15. Mettre toutes les durées des films à 120 minutes.

```
MariaDB [cinema]> UPDATE FILM SET Duree = 120;  
Query OK, 20 rows affected (0.003 sec)  
Rows matched: 20  Changed: 20  Warnings: 0
```

16. Changer le titre du film 5 en "Gladiator 2".

```
MariaDB [cinema]> UPDATE FILM SET Titre = 'Gladiator 2' WHERE NumExploit = 5;  
Query OK, 1 row affected (0.003 sec)  
Rows matched: 1  Changed: 1  Warnings: 0
```

17. Changer le titre du film 6 en "Joker 2".

```
MariaDB [cinema]> UPDATE FILM SET Titre = 'Joker 2' WHERE NumExploit = 6;  
Query OK, 1 row affected (0.003 sec)  
Rows matched: 1  Changed: 1  Warnings: 0
```

18. Renommer le film 7 en "Avatar 2".

```
MariaDB [cinema]> UPDATE FILM SET Titre = 'Avatar 2' WHERE NumExploit = 7;  
Query OK, 1 row affected (0.003 sec)  
Rows matched: 1  Changed: 1  Warnings: 0
```

19. Mettre le nombre d'entrées à 200 pour la projection du film 1.


```
MariaDB [cinema]> UPDATE PROJECTION SET NbEntrees = 200 WHERE NumExploit = 1;  
Query OK, 1 row affected (0.003 sec)  
Rows matched: 1  Changed: 1  Warnings: 0
```

20. Mettre le nombre d'entrées à 150 pour la salle 2.

```
MariaDB [cinema]> UPDATE PROJECTION SET NbEntrees = 150 WHERE NumSalle = 2;  
Query OK, 0 rows affected (0.001 sec)  
Rows matched: 1  Changed: 0  Warnings: 0
```

21. Ajouter 20 entrées à la projection du film 3.

```
MariaDB [cinema]> UPDATE PROJECTION SET NbEntrees = NbEntrees + 20 WHERE NumExploit = 3;  
Query OK, 1 row affected (0.003 sec)  
Rows matched: 1  Changed: 1  Warnings: 0
```

22. Ajouter 30 entrées aux projections de la semaine 2.

```
MariaDB [cinema]> UPDATE PROJECTION SET NbEntrees = NbEntrees + 30 WHERE NumSemaine = 2;  
Query OK, 2 rows affected (0.003 sec)  
Rows matched: 2  Changed: 2  Warnings: 0
```

TP DELETE

1. Supprimer la projection du film 1.

```
MariaDB [cinema]> DELETE FROM PROJECTION WHERE NumExploit = 1;  
Query OK, 1 row affected (0.003 sec)
```

2. Supprimer la projection de la salle 2.

```
MariaDB [cinema]> DELETE FROM PROJECTION WHERE NumSalle = 2;  
Query OK, 1 row affected (0.003 sec)
```

3. Supprimer toutes les projections de la semaine 5.

```
MariaDB [cinema]> DELETE FROM PROJECTION WHERE NumSemaine = 5;  
Query OK, 2 rows affected (0.003 sec)
```

4. Supprimer le film numéro 3.

```
MariaDB [cinema]> DELETE FROM PROJECTION WHERE NumExploit = 3;  
Query OK, 1 row affected (0.003 sec)  
  
MariaDB [cinema]> DELETE FROM FILM WHERE NumExploit = 3;  
Query OK, 1 row affected (0.003 sec)
```

5. Supprimer la salle numéro 4.

```
MariaDB [cinema]> DELETE FROM PROJECTION WHERE NumSalle = 4;  
Query OK, 1 row affected (0.003 sec)  
  
MariaDB [cinema]> DELETE FROM SALLE WHERE NumSalle = 4;  
Query OK, 1 row affected (0.003 sec)
```

6. Supprimer la ville "Ambatondrazaka".

```

MariaDB [cinema]> DELETE FROM PROJECTION
  -> WHERE NumSalle IN (SELECT NumSalle FROM SALLE
  ->                      WHERE NumCine IN (SELECT NumCine FROM CINEMA WHERE CodePostal = (SELECT CodePostal FROM VILLE WHERE NomVille = 'Ambatondrazaka')));
Query OK, 0 rows affected (0.004 sec)

MariaDB [cinema]> DELETE FROM SALLE
  -> WHERE NumCine IN (SELECT NumCine FROM CINEMA WHERE CodePostal = (SELECT CodePostal FROM VILLE WHERE NomVille = 'Ambatondrazaka'));
Query OK, 0 rows affected (0.002 sec)

MariaDB [cinema]> DELETE FROM CINEMA WHERE CodePostal = (SELECT CodePostal FROM VILLE WHERE NomVille = 'Ambatondrazaka');
Query OK, 1 row affected (0.004 sec)

MariaDB [cinema]> DELETE FROM VILLE WHERE NomVille = 'Ambatondrazaka';
Query OK, 1 row affected (0.003 sec)

```

7. Supprimer toutes les projections ayant moins de 150 entrées.

```

MariaDB [cinema]> DELETE FROM PROJECTION WHERE Nbentrees < 150;
Query OK, 5 rows affected (0.003 sec)

```

8. Supprimer toutes les projections et films de la semaine 10.

```

MariaDB [cinema]> DELETE FROM PROJECTION WHERE NumSemaine = 10;
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema]> DELETE FROM FILM
  -> WHERE NumExploit NOT IN (SELECT DISTINCT NumExploit FROM PROJECTION);
Query OK, 12 rows affected (0.004 sec)

```