

This is the sequence of actions learners should take to create their own cookie clicker clone like the one attached. Adding animation is the final polishing/challenge step and done after the project is stable.


Use authentic game design language, but maintain accessibility over jargon - the target audience is 10-14 years old.

Make the clicker


1. Add your 'pizza' sprite - cookie, car, whatever you want - upload one, paint one or use one in the library. I made this 32-bit style pizza.
2. Make a variable that counts how many things you have. Here it's called 'pizzas' but learner can use whatever they like.
3. Make a variable that tells how many pizzas you can make with a single click call it 'pizzas per click' or whatever the learner used instead.
4. Get the pizza sprite to detect a click Start a short sound from the effects menu to give audio feedback at the top of the script and change count by 1. Also size change to give visual feedback that it's been clicked.



5. When green flag clicked set drag mode not draggable. Set the win number:



6. Add this to the stage to reset the game to 0 when you click the green flag:




Add Equipment


7. Pick something that you will use as an upgrade that's lets the player make more things with a single click - in the pizza shop example we have a pizza cutter, a rolling pin and an oven. Learner can use things they want. Make a variable 'items

per click'. This is what 'buying' the equipment upgrade changes - how many things you make every time you click.

8. Add a sprite (draw/upload/library).
9. Duplicate the costume and change the second (new) one to show the item has been 'bought' - in the example we added a big green tick. You could make it black and white, add a cross, or change the colours in some way.
10. For your first piece of equipment add this (pick a number for the variable - this is the 'price' of the item, it will only show if it is affordable)



11. When sprite clicked (bought) change pizzas by click to 2, switch to your edited costume to show it is bought, stop all the other scripts so it can't hide again and then switch it off so it can't be clicked again. *Start* a sound to give the player audio feedback that it's been clicked at the top of the script.. Pick something short under 'Effects':



12. Do this all 2 more times (choose sprite, duplicate costume, drag and drop scripts from first example rather than drag all the individual blocks again) to make two more upgrades and make sure to change the 'cost' and the 'items per click' each time:




13. Add this to the stage to reset the game on green flag:




Add auto-clickers (chefs)


14. Pick a sprite that will 'work for you' to 'click' a number of times by themselves every second. We used a robot for ours.
15. Make a variable called 'people' or 'workers' or 'machines' or whatever defines the thing helping. We used 'chefs' because they're making pizzas. We're going to use this number to work out how many pizzas are automatically made every second.
16. Make a variable called 'chef price' - this is how many pizzas you need to buy an auto-clicker. It will need to change during the game because that's how endless clickers work - you need to slowly increase the price of auto-clickers as the player buys more of them.
17. Make the auto-clicker 'buyable', then add one to the count and change the price up when the player buys one:



18. Make the auto-clicker hide until they are affordable:



19. Update the Stage code:



Make a second auto-clicker

20. Add a new sprite that will represent your more efficient auto-clicker - a second upgrade that will make more per second. We used a granny because grannies are pizza pros.
21. Copy the code from the previous sprite by dragging and dropping. Make a new variable called something else: we used 'grannies'. You'll also need a 'granny price'.
22. Add the new variables into the copied scripts.