


Doc Technique

Telecommande Bluetooth




1 - Presentation

- Pico Wifi 1:
 - Micropython
 - Telecommande
 - Envoi des commandes
 - Recupere des status
- Pico Wifi 2:
 - SDK
 - Objet piloté: Exple Robot, Bras articulé
 - Recois des commandes
 - Envoie des infos
- Bluetooth: Transfer de data ou de chaine de caracteres
- Ecran TFT:
 - Creation de boutons "touch"
 - Affichage widgets: status...

2 - Liste des Composants

- 2x Pico Breadboard Kit
 - Ecran TFT
 - Buzzer
 - Joystick
 - 2x LEDs
 - RGB LED
 - 2x Boutons
- 2x Pico Wifi

3 - Schéma de montage



Module	GPIO Nb	Module	GPIO Nb
	GPIO#0	----	----
	GPIO#1	----	----
3.5 TFT Screen SCK (SPI0)	GPIO#2	----	----
3.5 TFT Screen DIN-MOSI (SPI0)	GPIO#3		GPIO#28
MISO Rx	GPIO#4	Joystick Y (ADC1)	GPIO#27
3.5 TFT Screen CS (SPI0)	GPIO#5	Joystick X (ADC0)	GPIO#26
3.5 TFT Screen DC (SPI0)	GPIO#6	----	----
3.5 TFT Screen RST (SPI0)	GPIO#7	----	----
Capacitive Touch Screen SDA	GPIO#8	----	----
Capacitive Touch Screen SCL	GPIO#9	Buzzer	GPIO#22
TPRST ?	GPIO#10		GPIO#21
TPINP ?	GPIO#11		GPIO#20
RGB LED WS2818 Neopixel	GPIO#12		GPIO#19
Buzzer	GPIO#13		GPIO#18
Bouton 1	GPIO#14	LED 2	GPIO#17
Bouton 2	GPIO#15	LED 1	GPIO#16

4 - Code Micropython

5 - Photos

