

SID No : 19006594


Branch : SKS HOSPITAL

Baby Of.JEEVITHA

Age / Sex: 17 D / Male

Ref. By : **SKS Hospital & Postgraduate Medical Institute**

Patient ID : 1900020015



Collected Date : 05/11/2022 / 08:48

Received Date : 07/11/2022 / 10:52

Reported Date : 09/11/2022 / 12:11

Final Test Report

Page 1 of 1

Specimen	Test Name	Result	Units	Reference Range / Method
----------	-----------	--------	-------	--------------------------

IMMUNOLOGY

Serum	PHENOBARBITONE	28.7	ug/ml	15 - 40 (CLIA) #
-------	----------------	------	-------	------------------

Note:

1. Alcohol, Carbamazepine, other barbiturates and Rifampicin may increase its metabolism leading to reduced serum concentration
2. Drugs like Chloramphenicol, Cimetidine, Disulfiram, Isoniazid, Omeprazole & Topiramate compete with Phenobarbital metabolism
3. Elimination of Phenobarbital metabolism is decreased in the presence of Valproic acid & Salicylates
4. Impaired renal and hepatic function can lead to reduced clearance of the drug

Comments : Phenobarbital is used for the treatment of Generalized tonic-clonic, Partial, Focal monitor, Temporal lobe and Febrile seizures. Its metabolism is age dependent. Elimination half life varies from 70 hrs in children to 100 hrs in elderly

Verified By
Mr.S.Eswaran

Dr.B Lakshmi Viniya MD, DCP
Consultant Pathologist

----- End of the Report -----