

PG64

BULLETIN #183@

METALS OPTION PRODUCTS

Wed, Sep 23, 2026

PG64

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY
R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY’S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES														
EXPIRATION:	SEP26	SEP26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27	MAY27	JUN27	JUL27	AUG27
COO OPT	09/30			10/30	11/30	12/31	01/29	02/26	03/31				07/30	08/31
ECG10 OP		09/22	09/23											
ECG11 OP		09/22	09/23											
ECG13 OP		09/22	09/23											
ECG15 OP		09/22	09/23											
ECG16 OP		09/22	09/23											
ECGC OOF		09/22	09/23											
ECHG OOF		09/22	09/23											
ECSI OOF		09/22	09/23											
EHO OPT	09/30			10/30	11/30	12/31								
FMG OPT	09/25													
GMW MON	09/28			10/19										
GWR THU				10/22										
GWT TUE	09/29			10/13										
GWV WED	09/30			10/14										
HMW MON	09/28			10/12										
HRO OPT	09/29			10/27	11/24	12/29	01/26	02/23	03/30	04/27	05/25	06/29	07/27	08/24
HWR THU				10/22										
HWT TUE	09/29			10/06										
HWV WED	09/30			10/14	11/04	12/02	01/06							
HX CALL				09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25		
HX PUT				09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25		
HXE CALL	09/25			10/16										
HXE PUT	09/25			10/16										
LHO OPT	09/30			10/30	11/30	12/31	01/29	02/26	03/31					
MMG MON	09/28													
OG CALL				09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27
OG PUT				09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27
OG1 CALL				10/02										
OG1 PUT				10/02										
OG2 CALL				10/09										
OG2 PUT				10/09										
OG3 CALL				10/16										
OG3 PUT				10/16										
OG4 CALL	09/25													
OG4 PUT	09/25													
OMG OPT				09/24	10/27	11/24	12/28					05/19		
PAO CALL					10/21	11/18			02/17					
PAO PUT					10/21	11/18			02/17					
PAW OOF	09/25			10/09										
PLW OOF	09/25			10/02										
PO CALL					10/21	11/18	12/16			03/17			06/16	
PO PUT					10/21	11/18	12/16			03/17			06/16	
RWS THU				10/22										
SMW MON	09/28			10/12										
SO CALL				09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27
SO PUT				09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	
SO1 CALL				10/02										
SO1 PUT				10/02										
SO2 CALL				10/09										
SO2 PUT				10/09										
SO3 CALL				10/16										
SO3 PUT				10/16										
SO4 CALL	09/25													
SO4 PUT	09/25													
SWW WED	09/30													
TWS TUE	09/29			10/07										
WMG WED	09/23			10/20										

GOLD OPTIONS ON FUTURES														
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
WMG WED SEP26 MICRO GOLD WEEKLY WED OPTION WEEK4														
4300	----	----	8.20B/----	8.20B/----	----	----	15.20 + 9.80	----	----	----	----	----	0 -	1
4320	----	----	----	10.10B/----	----	----	35.20 + 25.10	----	----	----	----	----	0 -	1
4335	----	----	----	15.60B/----	----	----	50.20 + 34.60	----	----	----	----	----	0 -	1
TOTAL														0 -
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OMG OPT OCT26 MICRO GOLD OPTIONS														
4000	----	----	----	----/1312.30A	----	----	0.10 - 0.10	----	----	----	----	----	1	UNCH
4200	----	----	----	0.10B/50.00A	----	----	1.90 + 0.50	----	----	----	----	----	1	UNCH
4275	----	----	----	----/1315.60A	----	----	15.80 + 9.60	----	----	----	----	----	0	UNCH
4400	----	----	----	----/1327.30A	----	----	0.70 - 7.80	----	----	----	----	----	2	UNCH
4495	----	----	----	----	----	----	210.30 + 56.60	----	----	----	----	----	4	UNCH
4600	----	----	----	----/1313.30A	----	----	0.10 - 0.30	----	----	----	----	----	3	UNCH
4680	----	----	----	----/1312.60A	----	----	0.10 - 0.10	----	----	----	----	----	1	UNCH
4750	----	----	----	----/1312.40A	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH
5000	----	----	----	----/1312.10A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH
5050	----	----	----	----/10.00A	----	----	0.10 UNCH	----	----	----	----	----	3	UNCH
TOTAL														18
NOV26														
3650	----	----	----	----	----	----	3.40 + 0.60	----	----	----	----	----	2	UNCH
3900	----	----	----	----	----	----	9.60 + 2.30	----	----	----	----	----	1	UNCH
4000	15.00	15.00	15.00/15.00	15.00/15.00	----	----	16.70 NEW	----	----	----	1	----	1 +	1
4000	----	----	----	----	----	----	334.20 - 53.40	----	----	----	----	----	1	UNCH
4005	----	----	----	----	----	----	329.70 - 53.30	----	----	----	----	----	1	UNCH
4025	----	----	----	----	----	----	19.30 + 5.20	----	----	----	----	----	1	UNCH
4185	----	----	----	----	----	----	50.30 + 12.90	----	----	----	----	----	1	UNCH
4300	----	----	----	----	----	----	94.90 + 21.50	----	----	----	----	----	1	UNCH
5810	----	----	----	----	----	----	1.00 - 0.20	----	----	----	----	----	2	UNCH
5850	----	----	----	----	----	----	1.00 - 0.10	----	----	----	----	----	3	UNCH
5900	----	----	----	----	----	----	0.90 - 0.10	----	----	----	----	----	5	UNCH
6500	----	----	----	----	----	----	0.60 + 0.10	----	----	----	----	----	4	UNCH
TOTAL														23 +
DEC26														
3900	----	----	----	----	----	----	26.00 + 4.80	----	----	----	----	----	1	UNCH
3990	30.00	30.00	30.00/30.00	30.00/30.00	----	----	38.70 + 7.10	----	----	----	1	----	2 +	1
4000	----	----	----	----	----	----	40.50 + 7.50	----	----	----	----	----	1	UNCH
4500	----	----	----	77.70B/----	----	----	261.80 + 33.60	----	----	----	----	----	3	UNCH
4650	----	----	----	----	----	----	47.30 - 16.60	----	----	----	----	----	1	UNCH
4700	----	----	----	----	----	----	39.40 - 14.40	----	----	----	----	----	10	UNCH
4800	----	----	----	----	----	----	27.50 - 10.80	----	----	----	----	----	1	UNCH
5000	----	----	----	----	----	----	14.10 - 5.80	----	----	----	----	----	1	UNCH
TOTAL														20 +
JAN27														
4010	----	----	----	----	----	----	401.40 - 49.80	----	----	----	----	----	1	UNCH
TOTAL														1
OCT27														

BULLETIN #183@														METALS OPTION PRODUCTS										Wed, Sep 23, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST												
OMG OPT	MICRO GOLD OPTIONS																											
OCT27																												
4410	----	----		----	----	----	----		460.10 - 34.40	----	----	----	----	----		1	UNCH											
TOTAL																1	0											
FEB28																												
4600	----	----		----	----	----	----		473.90 - 32.10	----	----	----	----	----		1	UNCH											
TOTAL																1	0											
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST												
OG4 PUT	GOLD OPTIONS																											
SEP26																												
3500	----	----		----	----	----/0.30A	----		0.10 UNCH	----	----	----	----	----		4	UNCH											
3700	----	----		----	----	----/0.30A	----		0.10 UNCH	----	----	----	----	----		16	UNCH											
3750	----	----		----	----	----/0.30A	----		0.10 UNCH	----	----	----	----	----		2	UNCH											
3800	----	----		----	----	----/0.30A	----		0.10 UNCH	----	----	----	----	----		114	UNCH											
3900	----	----		----	----	----/0.20A	----		0.10 UNCH	.0000	----	----	----	----		30	UNCH											
3925	----	----		----	----	----/0.20A	----		0.10 UNCH	.0000	----	----	----	----		1	UNCH											
3950	----	----		----	----	----/0.30A	----		0.10 UNCH	.0001	----	----	----	----		5	UNCH											
3975	----	----		----	----	0.10B/0.20A	----		0.20 UNCH	.0007	----	----	----	----		47	UNCH											
4000	----	----		----	----	0.20B/0.20A	----		0.30 + 0.10	.0012	----	----	----	----		62	UNCH											
4020	0.20	0.20		0.20/0.20	0.20/0.20	0.30B/0.20A	----		0.30 UNCH	.0013	----	----	1		1	+	1											
4025	----	----		----/0.20A	0.30B/0.20A	0.40B/0.30	----		0.30 UNCH	.0014	----	----	----	----		121	UNCH											
4050	0.30	0.30		0.40B/0.30	0.40B/0.30	0.50B/0.30A	----		0.40 + 0.10	.0021	----	----	30		68	+	30											
4075	----	----		0.50B/0.30A	0.50B/0.30A	0.60B/0.40A	----		0.50 + 0.10	.0031	----	----	2		21	-	1											
4085	----	----		----/0.40A	0.50B/0.40A	0.60B/0.40A	----		0.50 UNCH	.0032	----	----	----	----		6	UNCH											
4095	0.50	0.50		0.60B/0.40A	0.60B/0.40A	0.70B/0.50A	----		0.60 NEW	.0042	----	----	3		3	+	3											
4100	0.60	0.60		0.60/0.40A	0.60/0.40A	0.80B/0.50A	----		0.60 UNCH	.0043	----	----	3		317	UNCH												
4120	----	----		----/0.50A	0.70B/0.50A	0.80B/0.50A	----		0.70 UNCH	.0057	----	----	----	----		2	UNCH											
4125	----	----		0.80B/0.50A	0.80B/0.50A	0.90B/0.50	----		0.80 + 0.10	.0067	----	----	----	----		24	UNCH											
4135	0.50	0.50		0.90B/0.50	0.90B/0.50	1.00B/0.60A	----		0.90 NEW	.0081	----	----	1		1	+	1											
4140	0.90	0.90		1.00B/0.60A	1.00B/0.60A	1.10/0.30	----		0.90 NEW	.0083	----	----	2		2	+	2											
4150	0.30	0.30		1.10/0.30	1.10/0.30	1.20B/0.70A	----		1.10 + 0.20	.0110	----	----	7		110	+	1											
4155	----	----		1.20B/0.70A	1.20B/0.70A	1.30B/0.70A	----		1.10 + 0.10	.0113	----	----	----	----		100	UNCH											
4160	1.00	1.00		1.30B/0.70A	1.30B/0.70A	1.40B/0.80A	----		1.20 + 0.20	.0128	----	----	1		2	+	1											
4170	1.60	1.60		1.60/0.70A	1.60/0.70A	1.70B/0.80A	----		1.40 NEW	.0160	----	----	1		1	+	1											
4175	----	----		1.70B/0.80A	1.70B/0.80A	1.80B/0.80A	----		1.50 + 0.30	.0178	----	----	----	----		76	UNCH											
4180	1.60	1.60		1.80B/0.80A	1.80B/0.80A	2.00B/0.90A	----		1.60 NEW	.0196	----	----	26		26	+	26											
4185	1.30	1.30		2.00B/0.90A	2.00B/0.90A	2.10B/0.90A	----		1.80 NEW	.0228	----	----	3		3	+	3											
4190	1.30	1.30		2.10B/0.90A	2.10B/0.90A	2.40B/1.00A	----		1.90 NEW	.0250	----	----	2		2	+	2											
4195	1.30	1.30		2.40B/1.00A	2.40B/1.00A	2.70/1.00A	----		2.10 + 0.60	.0285	----	----	22		21	+	19											
4200	1.40	1.40		2.70/1.00A	2.70/1.00A	2.90B/1.10A	----		2.30 + 0.70	.0323	----	----	145		359	+	23											
4205	----	----		2.90B/1.10A	2.90B/1.10A	3.40/1.00A	----		2.50 + 0.80	.0363	----	----	----	----		1	UNCH											
4210	1.70	1.70		3.40/1.00A	3.40/1.00A	3.60B/1.00A	----		2.80 + 1.00	.0420	----	----	14		13	+	12											
4215	2.10	2.10		3.60B/1.00A	3.60B/1.00A	4.10/1.00	----		3.10 + 1.10	.0479	----	----	28		30	+	28											
4220	1.00	1.00		4.10/1.00	4.10/1.00	4.50B/1.40A	----		3.40 + 1.30	.0542	----	----	19		19	+	17											
4225	2.10	2.10		4.50B/1.40A	4.50B/1.40A	5.10B/1.40A	----		3.80 + 1.50	.0622	----	----	31		73	+	20											
4230	4.60	4.60		5.10B/1.40A	5.10B/1.40A	5.50B/1.50A	----		4.20 + 1.80	.0707	----	----	160		160	+	156											
4235	5.00	5.00		5.50B/1.50A	5.50B/1.50A	6.20/1.60A	----		4.70 + 2.10	.0811	----	----	144		143	+	114											
4240	3.60	3.60		6.20/1.60A	6.20/1.60A	6.90B/1.70A	----		5.30 + 2.50	.0934	----	----	53		59	+	46											
4245	6.20	6.20		6.90B/1.70A	6.90B/1.70A	7.80B/1.80A	----		5.90 + 2.80	.1062	----	----	26		58	+	19											
4250	2.20	2.20		7.80B/1.80A	7.80B/1.80A	8.70B/2.00A	----		6.60 + 3.20	.1210	----	----	42		233	+	4											
4255	6.00	6.00		8.70B/2.00A	8.70B/2.00A	9.70B/2.10A	----		7.40 + 3.70	.1377	----	----	21		38	+	17											
4260	6.60	6.60		9.70B/2.10A	9.70B/2.10A	10.80B/2.40A	----		8.30 + 4.30	.1564	----	----	164		278	+	117											
4265	5.30	5.30		10.80B/2.40A	10.80B/2.40A	12.10B/2.60A	----		9.20 + 4.80	.1758	----	----	31		50	+	20											
4270	5.50	5.50		12.10B/2.60A	12.10B/2.60A	13.60B/2.80A	----		10.30 + 5.50	.1982	----	----	20		35	+	5											
4275	3.00	3.00		13.60B/2.80A	13.60B/2.80A	15.10B/3.20A	----		11.50 + 6.30	.2225	----	----	447		214	+	84											
4280	8.50	8.50		15.10B/3.20A	15.10B/3.20A	16.70B/3.40A	----		12.90 + 7.20	.2493	----	----	134		94	+	57											
4285	5.00	5.00		16.70B/3.40A	16.70B/3.40A	18.40B/3.80A	----		14.30 + 8.00	.2768	----	----	302		322	+	287											
4290	4.20	4.20		18.40B/3.80A	18.40B/3.80A	20.30B/4.20A	----		15.90 + 9.00	.3066	----	----	15		15	+	10											
4295	10.00	10.00		20.30B/4.20A	20.30B/4.20A	22.60/4.70A	----		17.60 + 10.00	.3377	----	----	18		33	+	15											
4300	6.00	6.00		22.60/4.70A	22.60/4.70A	24.60B/5.20A	----		19.50 + 11.10	.3704	----	----	309		318	+	30											
4305	17.20	17.20		24.60B/5.20A	24.60B/5.20A	27.00B/5.70A	----		21.60 + 12.40	.4042	----	----	4		6	UNCH												
4310	9.50	9.50		27.00B/5.70A	27.00B/5.70A	29.50B/6.30A	----		23.70 + 13.60	.4384	----	----	39		28	-	4											
4315	11.40	11.40		29.50B/6.30A	29.50B/6.30A	32.10B/6.90A	----		26.10 + 14.90	.4735	----	----	44		43	+	12											
4320	10.50	10.50		32.10B/6.90A	32.10B/6.90A	35.20B/7.60A	----		28.50 + 16.20	.5086	----	----	17		10	+	6											
4325	10.50	10.50		35.20B/7.60A	35.20B/7.60A	37.90B/8.60A	----		31.20 + 17.70	.5435	----	----	28		117	-	9											
4330	9.00	9.00		37.90B/8.60A	37.90B/8.60A	41.00B/9.50A	----		33.90 + 19.10	.5784	----	----	38		14	+	3											
4335	22.60	22.60		41.00B/9.50A	41.00B/9.50A	44.20B/10.40A	----		36.90 + 20.60	.6121	----	----	8		29	-	4											
4340	17.40	17.40		44.20B/10.40A	44.20B/10.40A	47.60B/11.60A	----		39.90 + 22.10	.6455	----	----	51		26	-	9											
4345	18.20	18.20		47.60B/11.60A	47.60B/11.60A	51.20B/12.90A	----		43.10 + 23.60	.6775	----	----	38		14	+	1											
4350	17.60	17.60		51.20B/12.90A	51.20B/12.90A	54.80B/14.30A	----		46.50 + 25.20	.7077	----	----	49		155	+	7											
4355	21.10	21.10		54.80B/14.30A	54.80B/14.30A	58.60B/15.60A	----		50.00 + 26.80	.7364	----	----	45		25	-	1											
4360	23.50	23.50		58.60B/15.60A	58.60B/15.60A	62.50B/17.20A	----		53.60 + 28.30	.7637	----	----	6		25	UNCH												
4365	43.50	43.50		62.50B/17.20A	62.50B/17.20A	66.50B/18.80A	----		57.30 + 29.80	.7884	----	----	2		88	UNCH												
4370	28.60	28.60		66.50B/18.80A	66.50B/18.80A	70.70B/20.60A	----		61.20 + 31.40	.8124	----	----	2		24	+	1											
4375	31.00	31.00		70.70B/20.60A	70.70B/20.60A	74.90B/22.60A	----		65.20 + 32.90	.8355	----	----	4		66	-	2											
4380	47.00	47.00		74.90B/22.60A	74.90B/22.60A	79.00B/24.70A	----		69.30 + 34.40	.8527	----	----	32		13	-	5											
4385	----	----		79.00B/24.70A	79.00B/24.70A	83.50B/26.90A	----		73.40 + 35.80	.8712	----	----	----	----		3	UNCH											
4390	----	----		83.50B/26.90A	83.50B/26.90A	87.90B/29.20A	----		77.70 + 37.30	.8865	----	----	----	----		61	UNCH											
4395	----	----		87.90B/29.20A	87.90B/29.20A	92.40B/31.40A	----		82.00 + 38.60	.8998	----	----	----	----		6	UNCH											
4400	48.50	48.50		92.40B/31.40A	92.40B/31.40A	96.90B/34.10A	----		86.50 + 40.00	.9124	----	----	8		93	-	3											
4405	----	----		96.90B/34.10A	96.90B/34.10A	101.50B/36.80A	----		90.90 + 41.20	.9232	----	----	----	----		1	UNCH											
4410	----	----		101.50B/36.80A	101.50B/36.80A	106.10B/39.60A	----		95.50 NEW	.9334	----	----	1		1	+	1											
4415	----	----		106.10B/39.60A	106.10B/39.60A	110.80B/42.50A	----		100.10 + 43.70	.9418	----	----	----	----		0	UNCH											
4420	100.80	100.80		110.80B/42.50A	110.80B/42.50A	115.50B/45.60A	----		104.70 + 44.80	.9498	----	----	1		1	UNCH												
4425	----	----		115.50B/45.60A	115.50B/45.60A	130.00B/55.40A	----		109.40 + 45.80	.9559	----	----	1		17	-</												



BULLETIN #183@			METALS OPTION PRODUCTS										wed, Sep 23, 2026				PG64			
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE		OUTCRY RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG4 CALL		GOLD OPTIONS																		
SEP26																				
4405	20.00	20.00		33.70B/3.90A	33.70B/3.90A		----				4.40	-16.70	.0767	----	----	21	----		14 +	2
4410	20.70	20.70		31.30B/3.50A	31.30B/3.50A		----				3.90	-15.50	.0664	----	----	165	----		163 +	128
4415	10.50	10.50		29.20B/3.10A	29.20B/3.10A		----				3.50	-14.30	.0581	----	----	26	----		53 +	21
4420	9.10	9.10		27.10B/2.80A	27.10B/2.80A		----				3.10	-13.30	.0501	----	----	56	----		57 +	16
4425	14.00	14.00		25.20B/2.50A	25.20B/2.50A		----				2.80	-12.20	.0439	----	----	54	----		318 +	20
4430	22.20	22.20		23.40B/2.30A	23.40B/2.30A		----				2.60	-11.20	.0395	----	----	107	----		67 +	41
4435	5.50	5.50		21.60B/2.10A	21.60B/2.10A		----				2.30	-10.30	.0339	----	----	5	----		9 -	1
4440	3.00	3.00		20.00B/1.90	20.00B/1.90		----				2.10	-9.50	.0299	----	----	320	----		92 +	55
4445	4.40	4.40		18.50B/1.70A	18.50B/1.70A		----				1.90	-8.70	.0262	----	----	13	----		22 +	2
4450	16.30	16.30		17.10B/1.50	17.10B/1.50		----				1.70	-8.00	.0227	----	----	52	----		316 -	3
4455	3.60	3.60		15.80B/1.40A	15.80B/1.40A		----				1.50	-7.40	.0194	----	----	389	----		133 +	132
4460	14.30	14.30		14.50B/1.30A	14.50B/1.30A		----				1.40	-6.80	.0174	----	----	44	----		52 +	22
4465	3.00	3.00		13.40B/1.20A	13.40B/1.20A		----				1.30	-6.20	.0156	----	----	8	----		11 +	7
4470	2.40	2.40		12.40B/1.10A	12.40B/1.10A		----				1.10	-5.80	.0128	----	----	235	----		183 -	12
4475	7.00	7.00		11.40B/1.00A	11.40B/1.00A		----				1.00	-5.30	.0112	----	----	14	----		120 -	2
4480	2.50	2.50		10.50B/1.00	10.50B/1.00		----				1.00	-4.80	.0108	----	----	5	----		14 +	1
4485	----	----		9.70B/0.90A	9.70B/0.90A		----				0.90	-4.40	.0094	----	----	----	----		12	UNCH
4490	2.00	2.00		8.90B/0.80A	8.90B/0.80A		----				0.80	-4.10	.0080	----	----	12	----		17 -	7
4495	1.60	1.60		8.20B/0.80A	8.20B/0.80A		----				0.80	-3.70	.0078	----	----	3	----		5 +	1
4500	7.30	7.30		7.50B/0.70	7.50B/0.70		----				0.70	-3.50	.0066	----	----	51	----		391 +	16
4505	3.30	3.30		6.90B/0.70A	6.90B/0.70A		----				0.70	-3.10	.0064	----	----	6	----		7	UNCH
4515	1.40	1.40		5.90B/0.60A	5.90B/0.60A		----				0.60	NEW	.0051	----	----	1	----		1 +	1
4520	5.10	5.10		5.50B/0.50A	5.50B/0.50A		----				0.50	-2.50	.0040	----	----	4	----		8 +	2
4525	1.60	1.60		5.10B/0.50A	5.10B/0.50A		----				0.50	-2.30	.0039	----	----	17	----		63 +	4
4530	----	----		4.70B/0.50A	4.70B/0.50A		----				0.40	-2.20	.0030	----	----	----	----		9	UNCH
4535	----	----		4.40B/0.40A	4.40B/0.40A		----				0.40	-2.00	.0029	----	----	1	----		27	UNCH
4540	----	----		4.00B/0.40A	4.00B/0.40A		----				0.40	-1.90	.0028	----	----	----	----		13	UNCH
4545	0.40	0.40		3.70B/0.40	3.70B/0.40		----				0.30	-1.80	.0020	----	----	2	----		25 +	2
4550	1.60	1.60		3.50B/0.30	3.50B/0.30		----				0.30	-1.70	.0019	----	----	145	----		348 +	41
4555	----	----		3.30B/0.40A	3.30B/0.40A		----				0.30	-1.50	.0019	----	----	1	----		15 -	1
4560	1.10	1.10		3.00B/0.30A	3.00B/0.30A		----				0.20	-1.50	.0011	----	----	6	----		55 -	6
4565	----	----		2.80B/0.30A	2.80B/0.30A		----				0.20	-1.40	.0011	----	----	----	----		9	UNCH
4570	1.00	1.00		2.60B/0.30A	2.60B/0.30A		----				0.20	-1.30	.0011	----	----	4	----		18	UNCH
4575	1.30	1.30		2.40B/0.20	2.40B/0.20		----				0.20	-1.20	.0011	----	----	13	----		75 -	5
4580	0.70	0.70		2.20B/0.20	2.20B/0.20		----				0.20	-1.20	.0010	----	----	16	----		18 -	2
4590	----	----		2.00B/0.30A	2.00B/0.30A		----				0.20	-1.00	.0010	----	----	1	----		10 -	1
4600	1.10	1.10		1.70B/0.20	1.70B/0.20		----				0.10	-1.00	.0003	----	----	11	----		680 +	10
4610	0.70	0.70		1.50B/0.20A	1.50B/0.20A		----				0.10	-0.90	.0002	----	----	14	----		13 -	1
4625	0.60	0.60		1.30B/0.10	1.30B/0.10		----				0.10	-0.70	.0001	----	----	13	----		50 -	2
4630	----	----		1.10B/0.20A	1.10B/0.20A		----				0.10	-0.70	.0000	----	----	----	----		1	UNCH
4650	0.70	0.70		0.90B/0.20A	0.90B/0.20A		----				0.10	-0.60	.0000	----	----	27	----		191 -	1
4675	0.30	0.30		0.70B/0.20A	0.70B/0.20A		----				0.10	-0.40	.0000	----	----	6	----		83	UNCH
4680	----	----		0.60B/0.20A	0.60B/0.20A		----				0.10	-0.40	.0000	----	----	----	----		1	UNCH
4700	0.20	0.20		0.50B/0.10A	0.50B/0.10A		----				0.10	-0.30	----	----	----	55	----		222 -	18
4720	----	----		0.40B/0.10A	0.40B/0.10A		----				0.10	-0.20	----	----	----	----	----		5	UNCH
4725	----	----		0.40B/0.10A	0.40B/0.10A		----				0.10	-0.20	----	----	----	----	----		41	UNCH
4750	----	----		----/0.20A	0.30B/0.20A		----				0.10	-0.20	----	----	----	2	----		22 -	2
4775	----	----		----	----/0.20A		----				0.10	-0.10	----	----	----	----	----		15	UNCH
4800	0.20	0.20		0.20/0.20	0.20/0.20		----				0.10	-0.10	----	----	----	1	----		44	UNCH
4825	----	----		----	----/0.20A		----				0.10	-0.10	----	----	----	----	----		70	UNCH
4850	----	----		----	----/0.20A		----				0.10	UNCH	----	----	----	----	----		25	UNCH
4875	----	----		----	----/0.20A		----				0.10	UNCH	----	----	----	----	----		18	UNCH
4900	0.10	0.10		0.10/0.10	0.10/0.10		----				0.10	UNCH	----	----	----	2	----		21	UNCH
4925	----	----		----	----/0.20A		----				0.10	UNCH	----	----	----	----	----		2	UNCH
4950	----	----		----	----/0.10A		----				0.10	UNCH	----	----	----	----	----		11	UNCH
4975	----	----		----	----/0.20A		----				0.10	UNCH	----	----	----	----	----		13	UNCH
5000	----	----		----	----/0.10A		----				0.10	UNCH	----	----	----	----	----		103	UNCH
5100	----	----		----	----/0.30A		----				0.10	UNCH	----	----	----	----	----		102	UNCH
5200	----	----		----	----/0.30A		----				0.10	UNCH	----	----	----	----	----		23	UNCH
5250	----	----		----	----/0.20A		----				0.10	UNCH	----	----	----	----	----		15	UNCH
5400	----	----		----	----/0.20A		----				0.10	UNCH	----	----	----	----	----		5	UNCH
5750	----	----		----	----/0.20A		----				0.10	UNCH	----	----	----	----	----		2	UNCH
TOTAL																4306			5860 +	959
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE		OUTCRY RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG3 PUT		GOLD OPTIONS																		
OCT26																				
3750	----	----		2.30B/----	2.30B/2.20A		----				2.90	+ 1.20	.0217	----	----	----	----		1	UNCH
3800	----	----		3.10B/----	3.10B/2.70A		----				3.10	+ 0.90	.0247	----	----	1	----		7 +	1
4000	----	----		10.00B/6.30A	10.00B/6.30A		----				9.60	+ 2.50	.0794	----	----	1	----		17 +	1
4025	----	----		11.80B/7.30A	11.80B/7.30A		----				11.30	+ 3.20	.0931	----	----	1	----		20 +	1
4050	----	----		14.00B/8.40A	14.00B/8.40A		----				13.40	NEW	.1094	----	----	1	----		1 +	1
4075	----	----		16.80B/9.70A	16.80B/9.70A		----				16.00	+ 4.70	.1289	----	----	----	----		1	UNCH
4100	16.80	16.80		20.20B/11.50A	20.20B/11.50A		----				19.20	+ 5.80	.1517	----	----	18	----		62 +	18
4125	23.10	23.10		24.10B/13.90A	24.10B/13.90A		----				23.00	+ 7.00	.1779	----	----	2	----		6 +	2
4150	----	----		28.90B/16.40A	28.90B/16.40A		----				27.70	+ 8.60	.2083	----	----	----	----		5	UNCH
4175	----	----		34.70B/19.50A	34.70B/19.50A		----				33.20	+ 10.20	.2420	----	----	1	----		3	UNCH
4200	39.40	39.40		41.40B/23.90A	41.40B/23.90A		----				39.70	+ 12.10	.2794	----	----	3	----		4 +	3
4225	47.00	47.00		49.20B/28.70A	49.20B/28.70A		----				47.30	NEW	.3200	----	----	3	----		3 +	3
4250	----	----		58.30B/33.80A	58.30B/33.80A		----				56.00	+ 16.20	.3633	----	----	----	----		2	UNCH
4275	----	----		68.50B/40.60A	68.50B/40.60A		----				65.90	+ 18.40	.4086	----	----	----	----		2	UNCH
4300	----	----		79.80B/49.10A	79.80B/49.10A		----				77.10	NEW	.4552	----	----	2	----		2 +	2
4350	----	----		106.50B/68.30A	106.50B/68.30A		----				103.30	+ 25.90	.5491	----	----	2	----		6 +	1
4400	----	----		136.40B/90.30A	136.40B/90.30A		----				134.30	NEW	.6381	----	----	30	----		30 +	30
TOTAL																65			172 +	63
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE		OUTCRY RANGE	SETT.PRICE & PT.CHGE.		DELTA							

BULLETIN #183@										METALS OPTION PRODUCTS					Wed, Sep 23, 2026				PG64	
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST					
OG2 PUT	GOLD OPTIONS																			
OCT26																				
4200	23.70	23.70		29.00B/14.50A	29.00B/14.50A	----		27.30 + 9.60	.2412	----	----	13	----		57 +	13				
4225	28.50	28.50		35.90B/17.90A	35.90B/17.90A	----		33.80 + 11.70	.2870	----	----	4	----		22 +	4				
4250	36.50	36.50		44.10B/22.20A	44.10B/22.20A	----		41.70 + 14.10	.3378	----	----	4	----		11 +	2				
4275	----	----		53.70B/27.70A	53.70B/27.70A	----		50.90 + 16.80	.3922	----	----	19	----		64 +	19				
4300	59.50	59.50		64.80B/34.30A	64.80B/34.30A	----		61.70 + 19.70	.4492	----	----	5	----		25 +	5				
4325	68.00	68.00		77.50B/42.20A	77.50B/42.20A	----		74.00 + 22.80	.5071	----	----	6	----		16 +	5				
4350	----	----		91.70B/51.60A	91.70B/51.60A	----		87.80 + 26.00	.5646	----	----	----	----		16	UNCH				
4375	----	----		107.50B/62.20A	107.50B/62.20A	----		103.00 + 29.10	.6202	----	----	----	----		1	UNCH				
4400	----	----		124.40B/74.30A	124.40B/74.30A	----		119.70 + 32.20	.6725	----	----	----	----		25	UNCH				
4475	----	----		182.50B/119.60A	182.50B/119.60A	----		177.20 + 41.10	.8005	----	----	----	----		1	UNCH				
4500	----	----		203.80B/136.80A	203.80B/136.80A	----		198.30 + 43.60	.8333	----	----	----	----		1	UNCH				
4700	----	----		367.20B/305.50A	367.20B/305.50A	----		384.90 + 54.50	.9609	----	----	----	----		1	UNCH				
TOTAL												189			495 +	173				
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST					
OG2 CALL	GOLD OPTIONS																			
OCT26																				
4200	147.00	147.00		218.00B/140.90A	218.00B/140.90A	----		145.50 NEW	.7583	----	----	1	----		1 +	1				
4250	----	----		175.90B/106.00A	175.90B/106.00A	----		110.00 - 43.80	.6617	----	----	----	----		2	UNCH				
4275	----	----		156.50B/90.70A	156.50B/90.70A	----		94.30 - 41.10	.6073	----	----	----	----		1	UNCH				
4300	85.70	85.70		138.20B/76.90A	138.20B/76.90A	----		80.10 - 38.10	.5503	----	----	4	----		6 +	4				
4325	65.90	65.90		121.10B/64.60A	121.10B/64.60A	----		67.40 NEW	.4924	----	----	5	----		5 +	5				
4350	59.00	59.00		105.10B/53.70A	105.10B/53.70A	----		56.20 NEW	.4349	----	----	4	----		4 +	4				
4375	----	----		91.40B/44.40A	91.40B/44.40A	----		46.50 - 28.80	.3793	----	----	19	----		53 +	19				
4400	42.40	42.40		78.80B/36.70A	78.80B/36.70A	----		38.20 - 25.80	.3270	----	----	5	----		82	UNCH				
4425	31.90	31.90		67.10B/30.10A	67.10B/30.10A	----		31.30 - 22.60	.2792	----	----	6	----		20	UNCH				
4450	----	----		57.30B/24.50A	57.30B/24.50A	----		25.60 - 19.60	.2365	----	----	1	----		43 +	1				
4475	21.70	21.70		48.30B/20.00A	48.30B/20.00A	----		20.90 - 16.70	.1990	----	----	22	----		23 +	22				
4500	33.00	33.00		40.60B/16.30A	40.60B/16.30A	----		17.00 - 14.30	.1663	----	----	16	----		21 +	12				
4525	34.00	34.00		34.10B/13.20A	34.10B/13.20A	----		13.80 - 12.10	.1381	----	----	5	----		38	UNCH				
4550	----	----		28.70B/10.80A	28.70B/10.80A	----		11.30 - 10.10	.1149	----	----	----	----		13	UNCH				
4575	18.70	18.70		23.90B/8.90A	23.90B/8.90A	----		9.20 - 8.40	.0950	----	----	4	----		11 +	2				
4600	10.60	10.60		19.90B/7.30A	19.90B/7.30A	----		7.60 - 7.00	.0791	----	----	97	----		100 +	91				
4625	6.70	6.70		16.60B/6.10A	16.60B/6.10A	----		6.30 - 5.90	.0660	----	----	15	----		44 +	15				
4650	----	----		13.90B/5.10A	13.90B/5.10A	----		5.20 - 4.90	.0548	----	----	----	----		16	UNCH				
4675	6.40	6.40		11.60B/4.30	11.60B/4.30	----		4.40 - 4.10	.0462	----	----	16	----		28 +	16				
4700	----	----		9.70B/3.70A	9.70B/3.70A	----		3.70 - 3.50	.0388	----	----	----	----		22	UNCH				
4725	----	----		8.20B/3.20A	8.20B/3.20A	----		3.20 - 2.90	.0333	----	----	----	----		30	UNCH				
4750	----	----		6.90B/2.80A	6.90B/2.80A	----		2.80 - 2.40	.0288	----	----	----	----		20	UNCH				
4775	----	----		5.80B/2.50A	5.80B/2.50A	----		2.40 - 2.10	.0246	----	----	2	----		29 +	2				
4800	----	----		4.80B/2.20A	4.80B/2.20A	----		2.10 - 1.80	.0213	----	----	----	----		5	UNCH				
4850	----	----		3.70B/1.80A	3.70B/1.80A	----		1.60 NEW	.0159	----	----	4	----		4 +	4				
4900	----	----		2.80B/1.50A	2.80B/1.50A	----		1.40 - 0.90	.0134	----	----	6	----		19 +	6				
5000	0.90	0.90		1.70B/0.90	1.70B/0.90	----		1.00 - 0.60	.0090	----	----	2	----		176	UNCH				
5100	----	----		----/0.90A	0.90B/0.90A	----		0.70 - 0.50	.0060	----	----	----	----		96	UNCH				
5200	----	----		----/0.70A	0.80B/0.70A	----		0.50 - 0.40	.0041	----	----	----	----		41	UNCH				
5250	----	----		----/0.70A	0.60B/0.70A	----		0.50 NEW	.0039	----	----	6	----		6 +	6				
TOTAL												240			959 +	210				
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST					
OG1 PUT	GOLD OPTIONS																			
OCT26																				
3500	----	----		----	----/0.20A	----		0.10 UNCH	.0006	----	----	----	----		1	UNCH				
3700	----	----		----	0.30B/0.50A	----		0.40 UNCH	.0031	----	----	----	----		1	UNCH				
3800	----	----		----	0.60B/0.70A	----		0.70 + 0.10	.0061	----	----	----	----		2	UNCH				
3900	----	----		1.20B/----	1.20B/1.00A	----		1.20 + 0.20	.0119	----	----	----	----		11	UNCH				
3925	----	----		1.40B/----	1.40B/1.10A	----		1.30 + 0.20	.0134	----	----	----	----		6	UNCH				
3950	----	----		1.60B/----	1.60B/1.30A	----		1.50 + 0.30	.0160	----	----	----	----		2	UNCH				
3975	1.70	1.70		1.90B/1.70	1.90B/1.40A	----		1.80 + 0.40	.0197	----	----	4	----		6	UNCH				
4000	----	----		2.30B/----	2.30B/1.60A	----		2.20 + 0.60	.0247	----	----	----	----		27	UNCH				
4025	2.40	2.40		2.90B/1.70A	2.90B/1.70A	----		2.70 + 0.80	.0310	----	----	1	----		4 +	1				
4050	3.10	3.10		3.50B/2.00A	3.50B/2.00A	----		3.30 + 1.00	.0389	----	----	2	----		2	UNCH				
4075	2.70	2.70		4.50B/2.30A	4.50B/2.30A	----		4.10 + 1.30	.0492	----	----	52	----		52 +	47				
4100	3.60	3.60		5.60B/2.80A	5.60B/2.80A	----		5.30 + 1.90	.0641	----	----	81	----		90 +	35				
4125	----	----		7.30B/3.40A	7.30B/3.40A	----		6.80 + 2.50	.0829	----	----	34	----		106 +	34				
4150	7.70	7.70		9.60B/4.20A	9.60B/4.20A	----		8.90 + 3.50	.1081	----	----	4	----		48 +	3				
4175	5.00	5.00		12.70B/5.00	12.70B/5.00	----		11												

BULLETIN #183@				METALS OPTION PRODUCTS										wed, Sep 23, 2026		PG64
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT	COMEX GOLD OPTIONS															
OCT26																
3625	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	25	UNCH	
3630	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	19	UNCH	
3635	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	3	UNCH	
3640	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	57	UNCH	
3645	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	56	UNCH	
3650	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	413	UNCH	
3655	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	13	UNCH	
3660	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	42	UNCH	
3665	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	85	UNCH	
3670	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	36	UNCH	
3675	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	60	UNCH	
3680	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	72	UNCH	
3685	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	61	UNCH	
3690	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	39	UNCH	
3695	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	69	UNCH	
3700	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	813	UNCH	
3705	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	32	UNCH	
3710	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	15	UNCH	
3715	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	51	UNCH	
3720	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	42	UNCH	
3725	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	155	UNCH	
3730	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	32	UNCH	
3735	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	91	UNCH	
3740	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	38	UNCH	
3745	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	39	UNCH	
3750	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	574	UNCH	
3755	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	211	UNCH	
3760	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	211	UNCH	
3765	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	200	UNCH	
3770	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	36	UNCH	
3775	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	207	UNCH	
3780	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	17	UNCH	
3785	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	34	UNCH	
3790	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	24	UNCH	
3795	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	33	UNCH	
3800	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	1581	UNCH	
3805	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	308	UNCH	
3810	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	50	UNCH	
3815	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	61	UNCH	
3820	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	85	UNCH	
3825	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	76	UNCH	
3830	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	16	UNCH	
3835	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	19	UNCH	
3840	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	38	UNCH	
3845	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	35	UNCH	
3850	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	4	----	902	-	
3855	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	34	UNCH	
3860	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	92	UNCH	
3865	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	47	UNCH	
3870	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	23	UNCH	
3875	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	288	UNCH	
3880	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	49	UNCH	
3885	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	73	UNCH	
3890	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	53	UNCH	
3895	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	29	UNCH	
3900	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	1849	UNCH	
3905	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	42	UNCH	
3910	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	92	UNCH	
3915	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	13	UNCH	
3920	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	100	UNCH	
3925	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	103	UNCH	
3930	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	49	UNCH	
3935	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	56	UNCH	
3940	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	115	UNCH	
3945	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	66	UNCH	
3950	0.10	0.10	0.10/0.10	0.10/0.10	/0.10	----	----	0.10 UNCH	----	----	----	145	----	555	-	
3955	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	80	UNCH	
3960	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	502	UNCH	
3965	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	71	UNCH	
3970	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	136	UNCH	
3975	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	299	UNCH	
3980	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	55	UNCH	
3985	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	51	UNCH	
3990	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	80	UNCH	
3995	----	----	----	----	/0.20A	----	----	0.10 -	0.10	----	----	----	----	155	UNCH	
4000	0.20	0.20	0.20/0.20	0.20/0.20	/0.10A	----	----	0.10 -	0.10	----	----	29	----	1954	-	
4005	----	----	----	----	/0.10A	----	----	0.10 -	0.10	----	----	----	----	49	UNCH	
4010	----	----	----	----	/0.20A	----	----	0.10 -	0.10	----	----	----	----	71	UNCH	
4015	0.10	0.10	0.10/0.10	0.10/0.10	/0.10	----	----	0.10 -	0.10	----	----	1	----	30	UNCH	
4020	0.10	0.10	0.10/0.10	0.10/0.10	/0.20A	----	----	0.10 -	0.10	----	----	2	----	215	UNCH	
4025	----	----	----	----	0.10B/0.20A	----	----	0.10 -	0.10	.0000	----	----	----	242	UNCH	
4030	----	----	----	----	0.10B/0.20A	----	----	0.10 -	0.10	.0000	----	12	----	221	-	
4035	----	----	----	----	0.10B/0.20A	----	----	0.10 -	0.10	.0000	----	----	----	50	UNCH	
4040	----	----	----	----	0.10B/0.20A	----	----	0.10 -	0.20	.0000	----	----	----	135	UNCH	
4045	----	----	----	----	0.10B/0.20A	----	----	0.10 -	0.20	.0000	----	----	----	80	UNCH	
4050	0.20	0.20	0.20/0.20	0.20/0.20	0.10 -	0.20	----	0.10 -	0.20	.0000	----	12	----	1039	+	
4055	----	----	----	----	0.20B/0.20A	----	----	0.10 -	0.20	.0000	----	----	----	50	UNCH	
4060	----	----	----	----	0.20B/0.20A	----	----	0.10 -	0.20	.0000	----	----	----	128	UNCH	
4																

PG64		BULLETIN #183@										METALS OPTION PRODUCTS										wed, Sep 23, 2026		PG64	
		GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME			OPEN INTEREST									
OG PUT		COMEX GOLD OPTIONS																							
OCT26																									
4310	17.30	17.30		40.30B/6.90A	40.30B/6.90A	----	35.40	+ 21.60	.7560	----	----	28	----			121	+								
4315	20.00	20.00		44.10B/7.80A	44.10B/7.80A	----	39.00	+ 23.60	.7964	----	----	48	----			361	+								
4320	12.50	12.50		48.10B/8.80A	48.10B/8.80A	----	42.80	+ 25.70	.8315	----	----	33	----			257	+								
4325	10.30	10.30		52.30B/10.00A	52.30B/10.00A	----	46.70	+ 27.60	.8627	----	----	16	100			249	-								
4330	20.50	20.50		56.40B/11.20A	56.40B/11.20A	----	50.80	+ 29.70	.8884	----	----	12	----			125	-								
4335	23.10	23.10		60.70B/12.60A	60.70B/12.60A	----	55.00	+ 31.60	.9103	----	----	25	----			418	-								
4340	23.20	23.20		65.20B/14.20A	65.20B/14.20A	----	59.30	+ 33.50	.9286	----	----	3	----			103	+								
4345	24.70	24.70		69.80B/16.00A	69.80B/16.00A	----	63.70	+ 35.40	.9435	----	----	27	----			74	+								
4350	20.00	20.00		74.40B/17.70A	74.40B/17.70A	----	68.20	+ 37.20	.9554	----	----	73	----			2008	-								
4355	21.10	21.10		79.00B/19.90A	79.00B/19.90A	----	72.80	+ 38.90	.9645	----	----	8	----			151	-								
4360	75.80	75.80		83.80B/21.90A	83.80B/21.90A	----	77.40	+ 40.50	.9726	----	----	3	----			112	UNCH								
4365	----	----		88.50B/24.30A	88.50B/24.30A	----	82.10	+ 42.10	.9784	----	----	----	----			118	UNCH								
4370	38.70	38.70		93.30B/26.80A	93.30B/26.80A	----	86.80	+ 43.50	.9836	----	----	8	----			134	UNCH								
4375	41.00	41.00		98.20B/29.40A	98.20B/29.40A	----	91.60	+ 44.80	.9870	----	----	11	----			522	+								
4380	36.60	36.60		103.00B/32.40A	103.00B/32.40A	----	96.40	+ 46.00	.9899	----	----	7	----			180	-								
4385	----	----		107.90B/35.30A	107.90B/35.30A	----	101.30	+ 47.20	.9915	----	----	1	----			1086	UNCH								
4390	105.10	105.10		112.80B/38.40A	112.80B/38.40A	----	106.20	+ 48.30	.9929	----	----	3	----			136	UNCH								
4395	----	----		117.70B/41.60A	117.70B/41.60A	----	111.00	+ 49.20	.9950	----	----	5	----			76	UNCH								
4400	60.00	60.00		122.60B/44.90A	122.60B/44.90A	----	115.90	+ 50.10	.9961	----	----	97	----			2753	-								
4405	----	----		127.60B/48.40A	127.60B/48.40A	----	120.90	+ 51.00	.9963	----	----	3	----			75	UNCH								
4410	----	----		132.50B/52.00A	132.50B/52.00A	----	125.80	+ 51.70	.9971	----	----	----	----			135	UNCH								
4415	----	----		137.50B/55.80A	137.50B/55.80A	----	130.70	+ 52.30	.9979	----	----	----	----			76	UNCH								
4420	131.60	131.60		142.40B/59.60A	142.40B/59.60A	----	135.70	+ 52.90	.9980	----	----	7	----			105	-								
4425	138.90	138.90		147.40B/63.50A	147.40B/63.50A	----	140.60	+ 53.40	.9986	----	----	8	----			280	-								
4430	----	----		152.30B/67.60A	152.30B/67.60A	----	145.60	+ 53.90	.9987	----	----	----	----			107	UNCH								
4435	----	----		157.30B/71.70A	157.30B/71.70A	----	150.60	+ 54.30	.9987	----	----	----	----			56	UNCH								
4440	154.00	154.00		162.20B/75.90A	162.20B/75.90A	----	155.50	+ 54.60	.9992	----	----	7	----			194	-								
4445	----	----		167.30B/80.20A	167.30B/80.20A	----	160.50	+ 54.90	.9992	----	----	1	----			119	+								
4450	158.10	158.10		172.20B/84.50A	172.20B/84.50A	----	165.50	+ 55.10	.9993	----	----	4	----			1214	-								
4455	167.30	167.30		177.20B/88.90A	177.20B/88.90A	----	170.40	+ 55.30	.9996	----	----	2	----			75	-								
4460	----	----		182.10B/93.40A	182.10B/93.40A	----	175.40	+ 55.50	.9996	----	----	3	----			80	+								
4465	----	----		187.20B/97.90A	187.20B/97.90A	----	180.40	+ 55.80	.9997	----	----	----	----			129	UNCH								
4470	173.90	173.90		192.20B/102.50A	192.20B/102.50A	----	185.40	+ 56.00	.9997	----	----	3	----			31	-								
4475	186.00	186.00		197.10B/107.00A	197.10B/107.00A	----	190.30	+ 56.00	.9999	----	----	11	----			769	-								
4480	182.90	182.90		202.10B/111.70A	202.10B/111.70A	----	195.30	+ 56.20	1.0000	----	----	7	----			90	-								
4485	----	----		207.10B/116.40A	207.10B/116.40A	----	200.30	+ 56.30	1.0000	----	----	1	----			388	-								
4490	----	----		212.10B/121.10A	212.10B/121.10A	----	205.30	+ 56.50	1.0000	----	----	1	----			52	UNCH								
4495	----	----		217.10B/126.00A	217.10B/126.00A	----	210.30	+ 56.60	1.0000	----	----	3	----			58	-								
4500	172.40	172.40		222.00B/130.60A	222.00B/130.60A	----	215.30	+ 56.70	1.0000	----	----	13	----			1831	-								
4505	----	----		227.10B/135.50A	227.10B/135.50A	----	220.30	+ 56.80	1.0000	----	----	----	----			47	UNCH								
4510	----	----		232.10B/140.30A	232.10B/140.30A	----	225.30	+ 56.90	1.0000	----	----	----	----			135	UNCH								
4515	----	----		237.10B/145.10A	237.10B/145.10A	----	230.30	+ 56.90	1.0000	----	----	----	----			76	UNCH								
4520	227.90	227.90		242.00B/149.90A	242.00B/149.90A	----	235.30	+ 57.00	1.0000	----	----	1	----			40	UNCH								
4525	231.90	231.90		247.00B/154.80A	247.00B/154.80A	----	240.30	+ 57.10	1.0000	----	----	2	----			273	UNCH								
4530	236.90	236.90		252.00B/159.70A	252.00B/159.70A	----	245.30	+ 57.10	1.0000	----	----	2	----			21	-								
4535	244.90	244.90		257.00B/164.60A	257.00B/164.60A	----	250.30	+ 57.20	1.0000	----	----	7	----			42	-								
4540	----	----		262.00B/169.50A	262.00B/169.50A	----	255.30	+ 57.20	1.0000	----	----	2	----			84	-								
4545	----	----		267.00B/174.40A	267.00B/174.40A	----	260.30	+ 57.20	1.0000	----	----	1	----			40	-								
4550	188.00	188.00		272.00B/179.30A	272.00B/179.30A	----	265.30	+ 57.30	1.0000	----	----	3	----			924	-								
4555	----	----		277.00B/184.20A	277.00B/184.20A	----	270.30	+ 57.30	1.0000	----	----	8	----			291	-								
4560	----	----		282.00B/189.20A	282.00B/189.20A	----	275.30	+ 57.30	1.0000	----	----	2	----			104	-								
4565	277.90	277.90		287.00B/194.10A	287.00B/194.10A	----	280.30	+ 57.40	1.0000	----	----	1	----			32	UNCH								
4570	----	----		292.00B/199.00A	292.00B/199.00A	----	285.30	+ 57.40	1.0000	----	----	----	----			74	UNCH								
4575	----	----		297.00B/204.00A	297.00B/204.00A	----	290.30	+ 57.50	1.0000	----	----	4	----			259	-								
4580	----	----		302.00B/208.90A	302.00B/208.90A	----	295.30	+ 57.50	1.0000	----	----	1	----			730	-								
4585	----	----		307.00B/213.90A	307.00B/213.90A	----	300.30	+ 57.50	1.0000	----	----	1	----			50	-								
4590	----	----		312.00B/218.90A	312.00B/218.90A	----	305.30	+ 57.60	1.0000	----	----	1	----			42	-								
4595	----	----		317.00B/223.80A	317.00B/223.80A	----	310.30	+ 57.60	1.0000	----	----	----	----			33	UNCH								
4600	311.10	311.10		322.00B/228.80A	322.00B/228.80A	----	315.30	+ 57.60	1.0000	92	----	2	----			890	-								
4605	----	----		327.00B/243.40A	327.00B/243.40A	----	320.30	+ 57.60	1.0000	----	----	----	----			15	UNCH								
4610	----	----		332.00B/248.40A	332.00B/248.40A	----	325.30	+ 57.60	1.0000	29	----	----	----			98	-								
4615	----	----		336.90B/253.30A	336.90B/253.30A	----	330.30	+ 57.70	1.0000	16	----	----	----			30	-								
4620	----	----		341.90B/258.30A	341.90B/258.30A	----	335.30	+ 57.70	1.0000	4	----	----	----			82	-								
4625	----	----		346.90B/258.80A	346.90B/258.80A	----	340.30	+ 57.70	1.0000	33	----	----	----			86	-								
4630	----	----		351.90B/268.30A	351.90B/268.30A	----	345.30	+ 57.70	1.0000	29	----	----	----			119	-								
4635	----	----		356.90B/273.20A	356.90B/273.20A	----	350.30	+ 57.70	1.0000	8	----	----	----			9	-								
4640	----	----		361.90B/278.20A	361.90B/278.20A	----	355.30	+ 57.70	1.0000	----	----	----	----			153	UNCH								
4645	----	----		366.90B/283.20A	366.90B/283.20A	----	360.30	+ 57.80	1.0000	11	----	----	----			53	-								
4650	----	----		371.90B/283.70A	371.90B/283.70A	----	365.30	+ 57.80	1.0000	57	----	----	----			362	-								
4655	----	----		376.90B/293.10A	376.90B/293.10A	----	370.30	+ 57.80	1.0000	29	----	----	----			3	-								
4660	----	----		381.90B/298.10A	381.90B/298.10A	----	375.30	+ 57.80	1.0000	8	----	----	----			38	-								
4665	----	----		386.90B/303.10A	386.90B/303.10A	----	380.30	+ 57.80	1.0000	7	----	----	----			23	-								
4670	----	----		391.90B/308.10A	391.90B/308.10A	----	385.30	+ 57.80	1.0000	13	----	----	----			7	-								
4675	----	----		396.90B/308.60A	396.90B/308.60A	----	390.30	+ 57.80	1.0000	45	----	----	----			173	-								
4680	----	----		401.90B/318.10A	401.90B/318.10A	----	395.30	+ 57.80	1.0000	326	----	1	----			380	-								
4685	----	----		406.90B/323.00A	406.90B/323.00A	----	400.30	+ 57.80	1.0000	5	----	----	----			2	-								
4690	----	----		412.00B/328.00A	412.00B/328.00A	----	405.30	+ 57.80	1.0000	6	----	----	----			3	-								
4695	----	----		417.00B/333.00A	417.00B/333.00A	----	410.30	+ 57.80	1.0000	21	----	----	----												



BULLETIN #183@										METALS OPTION PRODUCTS										wed, Sep 23, 2026		PG64
GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST								
COMEX GOLD OPTIONS																						
NOV26																						
2800	----	----	----	----	----/0.20A	----	----	0.10	UNCH	.0003	----	----	----	----	92	UNCH						
2820	----	----	----	----	----/0.20A	----	----	0.10	UNCH	.0004	----	----	----	----	16	UNCH						
2825	0.10	0.10	0.10/0.10	0.10/0.10	0.10/0.10	----	----	0.10	UNCH	.0004	----	1	----	----	31 +	1						
2840	----	----	----	----	----/0.20A	----	----	0.10	- 0.10	.0004	----	----	----	----	1	UNCH						
2850	----	----	----	----	0.10B/0.20A	----	----	0.10	- 0.10	.0005	----	----	----	----	42	UNCH						
2860	----	----	----	----	----/0.20A	----	----	0.20	UNCH	.0010	----	----	----	----	1	UNCH						
2870	----	----	----	----	----/0.20A	----	----	0.20	UNCH	.0010	----	----	----	----	7	UNCH						
2895	----	----	----	----	0.10B/0.30A	----	----	0.20	UNCH	.0010	----	----	----	----	29	UNCH						
2900	----	----	----	----	0.20B/0.30A	----	----	0.20	UNCH	.0010	----	----	----	----	75	UNCH						
2910	----	----	----	----	0.20B/0.30A	----	----	0.20	UNCH	.0010	----	----	----	----	1	UNCH						
2925	----	----	----	----	0.20B/0.30A	----	----	0.20	UNCH	.0010	----	----	----	----	11	UNCH						
2935	----	----	----	----	0.20B/0.30A	----	----	0.20	UNCH	.0010	----	----	----	----	1	UNCH						
2940	----	----	----	----	0.20B/0.30A	----	----	0.20	UNCH	.0010	----	----	----	----	2	UNCH						
2945	----	----	----	----	0.20B/0.30A	----	----	0.20	UNCH	.0010	----	----	----	----	21	UNCH						
2950	----	----	----	----	0.20B/0.30A	----	----	0.20	UNCH	.0010	----	----	----	----	10	UNCH						
2965	----	----	----	----	0.20B/0.30A	----	----	0.20	- 0.10	.0010	----	----	----	----	138	UNCH						
2975	----	----	----	----	0.20B/0.40A	----	----	0.20	- 0.10	.0011	----	----	----	----	20	UNCH						
2995	----	----	----	----	0.20B/0.40A	----	----	0.30	UNCH	.0015	----	----	----	----	30	UNCH						
3000	0.30	0.30	0.30/0.30	0.30/0.30	0.30/0.30	----	----	0.30	UNCH	.0015	----	2	----	----	326 -	2						
3005	----	----	----	----	0.20B/0.40A	----	----	0.30	UNCH	.0015	----	----	----	----	1	UNCH						
3015	----	----	----	----	0.30B/0.40A	----	----	0.30	UNCH	.0016	----	----	----	----	2	UNCH						
3020	----	----	----	----	0.30B/0.40A	----	----	0.30	UNCH	.0016	----	----	----	----	505	UNCH						
3025	----	----	----	----	0.30B/0.40A	----	----	0.30	UNCH	.0016	----	----	----	----	35	UNCH						
3050	----	----	----	----	0.30B/0.40A	----	----	0.30	- 0.10	.0016	----	----	----	----	10	UNCH						
3075	----	----	----	----	0.30B/0.50A	----	----	0.40	UNCH	.0021	----	----	----	----	22	UNCH						
3080	----	----	----	----	0.30B/0.50A	----	----	0.40	UNCH	.0021	----	----	----	----	13	UNCH						
3085	----	----	----	----	0.30B/0.50A	----	----	0.40	UNCH	.0021	----	----	----	----	30	UNCH						
3090	----	----	----	----	0.40B/0.50A	----	----	0.40	UNCH	.0021	----	----	----	----	5	UNCH						
3100	----	----	----	----	0.40B/0.50A	----	----	0.40	UNCH	.0022	----	----	----	----	32	UNCH						
3110	----	----	----	----	0.40B/0.50A	----	----	0.40	UNCH	.0022	----	----	----	----	24	UNCH						
3120	----	----	----	----	0.40B/0.50A	----	----	0.40	- 0.10	.0022	----	----	----	----	15	UNCH						
3130	----	----	----	----	0.40B/0.50A	----	----	0.50	UNCH	.0027	----	----	----	----	1	UNCH						
3150	----	----	----	----	0.40B/0.60A	----	----	0.50	UNCH	.0027	----	----	----	----	37	UNCH						
3175	----	----	----	----	0.50B/0.60A	----	----	0.50	- 0.10	.0028	----	----	----	----	10	UNCH						
3180	----	----	----	----	0.50B/0.60A	----	----	0.60	UNCH	.0033	----	----	----	----	11	UNCH						
3185	----	----	----	----	0.50B/0.60A	----	----	0.60	UNCH	.0033	----	----	----	----	2	UNCH						
3190	----	----	----	----	0.50B/0.60A	----	----	0.60	UNCH	.0033	----	----	----	----	4	UNCH						
3195	----	----	----	----	0.50B/0.60A	----	----	0.60	UNCH	.0033	----	----	----	----	1	UNCH						
3200	----	----	----	----	0.50B/0.70A	----	----	0.60	UNCH	.0034	----	----	----	----	314	UNCH						
3210	----	----	----	----	0.60B/0.70A	----	----	0.60	UNCH	.0034	----	2	----	----	500	UNCH						
3215	----	----	----	----	0.60B/0.70A	----	----	0.60	- 0.10	.0034	----	----	----	----	1	UNCH						
3220	----	----	----	----	0.60B/0.70A	----	----	0.70	UNCH	.0039	----	----	----	----	9	UNCH						
3225	----	----	----	----	0.60B/0.70A	----	----	0.70	UNCH	.0039	----	----	----	----	9	UNCH						
3230	----	----	----	----	0.60B/0.70A	----	----	0.70	UNCH	.0039	----	----	----	----	13	UNCH						
3235	----	----	----	----	0.70B/0.80A	----	----	0.70	UNCH	.0039	----	----	----	----	5	UNCH						
3240	----	----	----	----	0.70B/0.80A	----	----	0.70	UNCH	.0040	----	----	----	----	5	UNCH						
3245	----	----	----	----	0.70B/0.80A	----	----	0.70	UNCH	.0040	----	----	----	----	20	UNCH						
3250	----	----	----	----	0.70B/0.80A	----	----	0.70	- 0.10	.0040	----	----	----	----	190	UNCH						
3255	----	----	----	----	0.70B/0.80A	----	----	0.80	UNCH	.0045	----	----	----	----	21	UNCH						
3260	----	----	----	----	0.70B/0.80A	----	----	0.80	UNCH	.0045	----	----	----	----	8	UNCH						
3265	----	----	----	----	0.80B/0.80A	----	----	0.80	UNCH	.0045	----	----	----	----	2	UNCH						
3270	----	----	----	----	0.80B/0.80A	----	----	0.80	UNCH	.0046	----	----	----	----	11	UNCH						
3275	----	----	----	----	0.80B/0.80A	----	----	0.80	UNCH	.0046	----	----	----	----	5	UNCH						
3280	----	----	----	----	0.80B/0.90A	----	----	0.80	UNCH	.0046	----	----	----	----	30	UNCH						
3285	----	----	----	----	0.80B/0.90A	----	----	0.80	- 0.10	.0046	----	----	----	----	4	UNCH						
3290	----	----	----	----	0.80B/0.90A	----	----	0.90	UNCH	.0051	----	----	----	----	2	UNCH						
3295	----	----	----	----	0.90B/0.90A	----	----	0.90	UNCH	.0052	----	----	----	----	10	UNCH						
3300	----	----	----	----	0.90B/0.90A	----	----	0.90	UNCH	.0052	----	----	----	----	270	UNCH						
3305	----	----	----	----	0.90B/0.90A	----	----	0.90	UNCH	.0052	----	----	----	----	1	UNCH						
3310	----	----	----	----	0.90B/1.00A	----	----	1.00	+ 0.10	.0057	----	----	----	----	4	UNCH						
3315	----	----	----	----	0.90B/1.00A	----	----	1.00	UNCH	.0057	----	----	----	----	11	UNCH						
3320	----	----	----	----	1.00B/1.00A	----	----	1.00	UNCH	.0058	----	----	----	----	41	UNCH						
3325	----	----	----	----	1.00B/1.00A	----	----	1.00	UNCH	.0058	----	----	----	----	20	UNCH						
3330	----	----	----	----	1.00B/1.00A	----	----	1.10	+ 0.10	.0063	----	----	----	----	3	UNCH						
3335	----	----	----	----	1.00B/1.10A	----	----	1.10	+ 0.10	.0063	----	----	----	----	23	UNCH						
3340	----	----	----	----	1.00B/1.10A	----	----	1.10	UNCH	.0064	----	----	----	----	20	UNCH						
3345	----	----	----	----	1.10B/1.10A	----	----	1.10	UNCH	.0064	----	----	----	----	5	UNCH						
3350	----	----	----	----	----/1.00A	----	----	1.10B/1.00A	----	.120 + 0.10	.0069	----	----	----	290	UNCH						
3355	----	----	----	----	1.10B/1.10A	----	----	1.20	+ 0.10	.0069	----	----	----	----	3	UNCH						
3360	1.00	1.00	1.20B/1.00	1.20B/1.00	1.20B/1.00	----	----	1.20	+ 0.10	.0070	----	5	----	----	20 +	5						
3375	----	----	----	----	1.20B/1.20A	----	----	1.30	+ 0.10	.0075	----	----	----	----	6	UNCH						
3380	----	----	1.30B/----	1.30B/1.20A	1.30B/1.20A	----	----	1.30	+ 0.10	.0076	----	----	----	----	20	UNCH						
3385	----	----	1.30B/----	1.30B/1.20A	1.30B/1.20A	----	----	1.30	+ 0.10	.0076	----	----	----	----	3	UNCH						
3390	----	----	1.30B/----	1.30B/1.20A	1.30B/1.20A	----	----	1.40	+ 0.20	.0081	----	----	----	----	11	UNCH						
3395	----	----	1.30B/----	1.30B/1.20A	1.30B/1.20A	----	----	1.40	+ 0.20	.0082	----	----	----	----	133	UNCH						
3400	----	----	1.40B/----	1.40B/1.30A	1.40B/1.30A	----	----	1.40	+ 0.10	.0083	----	----	----	----	159	UNCH						
3405	----	----	1.40B/----	1.40B/1.30A	1.40B/1.30A	----	----	1.40	+ 0.10	.0083	----	----	----	----	3	UNCH						
3410	----	----	1.40B/----	1.40B/1.30A	1.40B/1.30A	----	----	1.40	+ 0.10	.0083	----	----	----	----	3	UNCH						
3415	----	----	1.40B/----	1.40B/1.30A	1.40B/1.30A	----	----	1.50	+ 0.20	.0088	----	----	----	----	1	UNCH						
3420	----	----	1.50B/----	1.50B/1.30A	1.50B/1.30A	----	----	1.50	+ 0.20	.0089	----	----	----	----	21	UNCH						
3425	----	----	1.50B/----	1.50B/1.40A	1.50B/1.40A	----	----	1.50	+ 0.20	.0089	----	----	----	----	25	UNCH						
3430	----	----	1.50B/----	1.50B/1.40A	1.50B/1.40A	----	----	1.50	+ 0.10	.0090	----	----	----	----	32	UNCH						
3440	----	----	1.60B/----	1.60B/1.40A	1.60B/1.40A	----	----	1.60	+ 0.20	.0096	----	----	----	----	45	UNCH						
3445	----	----	1.60B/----	1.60B/1.40A	1.60B/1.40A	----	----	1.60	+ 0.20	.0096	----	----	----	----	11	UNCH						
3450	1.10	1.10	1.60B/1.10	1.60B/1.10	1.60B/1.10	----	----	1.60	+ 0.20	.0097	----	3	----	----	65	UNCH						
3455	----	----	1.70B/----	1.70B/1.50A	1.70B/1.50A	----	----	1.70	+ 0.20	.0102	----	----	----	----	1	UNCH						
3460	----	----	1.70B/----	1.70B/1.50A	1.70B/1.50A	----	----	1.70	+ 0.20	.0102	----	----	----	----	29	UNCH						
3465	----	----	1.70B/----	1.70B/1.50A	1.70B/1.50A	----	----	1.70	+ 0.20	.0103	----	----	----	----	5	UNCH						
3470	1.20	1.20	1.80B/1.20	1.80B/1.20	1.80B/1.20	----	----	1.80	+ 0.30	.0108	----	2	----	----	28 +	2						
3475	----	----	1.80B/----	1.80B/1.60A	1.80B/1.60A	----	----	1.80	+ 0.20	.0109	----	----	----	----	19	UNCH						
3480	----	----	1.80B/----	1.80B/1.60A	1.80B/1.60A	----	----	1.80	+ 0.20	.0110	----	----	----	----	57	UNCH						
3485	----	----	1.80B/----	1.80B/1.60A	1.80B/1.60A	----	----	1.90	+ 0.30	.0115	----	----	----	----	3	UNCH						
3490	----	----	1.90B/----	1.90B/1.60A	1.90B/1.60A	----	----	1.90	+ 0.30	.0116	----	----	----	----	12	UNCH						
3495	----	----	1.90B/----	1.90B/1.70A	1.90B/1.70A	----	----	1.90	+ 0.20	.0116	----	----	----	----	8	UNCH						
3500	1.40	1.40	1.90B/1.40	1.90B/1.40	1.90B/1.40	----	----	1.90	+ 0.20	.0117	----	155	----	----	2240 +	106						
3505	----	----	2.00B/----	2.00B/1.70A	2.00B/1.70A	----	----	2.00	+ 0.30	.0123	----	----	----	----	3	UNCH						
3510	----	----	2.00B/----	2.00B/1.70A	2.00B/1.70A	----	----	2.00	+ 0.30	.0123	----	----	----	----	27	UNCH						
3515	----	----	2.00B/----	2.00B/1.80A	2.00B/1.80A	----	----	2.10	+ 0.30	.0129	----											

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT	COMEX GOLD OPTIONS														
NOV26	----	----	----	4.40B/3.10A	4.40B/3.10A	----	----	----	4.40 + 0.90	.0292	----	----	----	----	7
3720	----	----	----	4.50B/3.30A	4.50B/3.30A	----	----	----	4.50 + 0.90	.0299	----	----	----	----	120
3725	----	----	----	4.60B/3.30A	4.60B/3.30A	----	----	----	4.60 + 0.90	.0306	----	----	----	----	31
3730	----	----	----	4.60B/3.40A	4.60B/3.40A	----	----	----	4.70 + 1.00	.0313	----	----	----	----	14
3735	4.40	4.40	----	4.70B/3.40A	4.70B/3.40A	----	----	----	4.80 + 1.00	.0320	----	1	----	----	54
3740	----	----	----	4.80B/3.50A	4.80B/3.50A	----	----	----	4.80 + 1.00	.0323	----	----	268	----	98
3745	----	----	----	4.90B/3.50A	4.90B/3.50A	----	----	----	4.90 + 1.00	.0330	----	----	----	----	106
3750	----	----	----	5.00B/3.60A	5.00B/3.60A	----	----	----	5.00 + 1.00	.0337	----	----	----	----	25
3755	----	----	----	5.20B/3.60A	5.20B/3.60A	----	----	----	5.10 + 1.00	.0345	----	1	----	----	40
3760	----	----	----	5.30B/3.60A	5.30B/3.60A	----	----	----	5.20 + 1.10	.0352	----	----	----	----	5
3765	----	----	----	5.40B/3.80A	5.40B/3.80A	----	----	----	5.30 + 1.10	.0360	----	----	----	----	71
3770	----	----	----	5.50B/3.80A	5.50B/3.80A	----	----	----	5.40 + 1.10	.0367	----	91	----	----	77
3775	----	----	----	5.60B/3.90A	5.60B/3.90A	----	----	----	5.60 + 1.20	.0380	----	----	----	----	13
3780	----	----	----	5.70B/4.00A	5.70B/4.00A	----	----	----	5.70 + 1.30	.0387	----	----	----	----	10
3785	----	----	----	5.90B/4.10A	5.90B/4.10A	----	----	----	5.80 + 1.30	.0395	----	----	----	----	13
3790	----	----	----	6.00B/4.10A	6.00B/4.10A	----	----	----	5.90 + 1.30	.0403	----	----	----	----	6
3795	4.30	4.30	----	6.10B/4.20A	6.10B/4.20A	----	----	----	6.00 + 1.30	.0411	----	135	----	1130	95
3800	----	----	----	6.30B/4.30A	6.30B/4.30A	----	----	----	6.10 + 1.30	.0419	----	----	----	----	17
3805	6.40	6.40	----	6.40/4.30A	6.40/4.30A	----	----	----	6.20 + 1.30	.0427	----	21	----	31	16
3810	----	----	----	6.60B/4.40A	6.60B/4.40A	----	----	----	6.40 + 1.50	.0440	----	----	----	----	76
3815	6.40	6.40	----	6.70B/4.50A	6.70B/4.50A	----	----	----	6.50 + 1.50	.0448	----	19	----	145	UNCH
3820	4.90	4.90	----	6.90B/4.60A	6.90B/4.60A	----	----	----	6.70 + 1.60	.0461	----	1	----	59	1
3825	----	----	----	7.10B/4.70A	7.10B/4.70A	----	----	----	6.80 + 1.60	.0470	----	----	----	45	UNCH
3830	----	----	----	7.20B/4.80A	7.20B/4.80A	----	----	----	7.00 + 1.70	.0483	----	1	----	169	UNCH
3835	----	----	----	7.40B/4.90A	7.40B/4.90A	----	----	----	7.10 + 1.60	.0492	----	1	----	37	1
3840	----	----	----	7.60B/5.00A	7.60B/5.00A	----	----	----	7.30 + 1.70	.0505	----	----	----	42	UNCH
3845	7.00	7.00	----	7.80B/5.10A	7.80B/5.10A	----	----	----	7.50 + 1.80	.0519	----	14	----	1118	1
3850	6.90	6.90	----	8.00B/5.20A	8.00B/5.20A	----	----	----	7.70 + 1.90	.0533	----	1	----	98	1
3855	6.90	6.90	----	8.20B/5.30A	8.20B/5.30A	----	----	----	7.90 + 2.00	.0547	----	5	----	72	1
3860	7.10	7.10	----	8.40B/5.40A	8.40B/5.40A	----	----	----	8.10 + 2.00	.0560	----	19	----	38	7
3865	8.10	8.10	----	8.60B/5.50A	8.60B/5.50A	----	----	----	8.20 + 2.00	.0570	----	8	----	46	1
3870	7.20	7.20	----	8.80B/5.70A	8.80B/5.70A	----	----	----	8.40 + 2.00	.0584	----	126	----	197	73
3875	7.40	7.40	----	9.10B/5.80A	9.10B/5.80A	----	----	----	8.60 + 2.10	.0598	----	11	----	31	2
3880	7.60	7.60	----	9.30B/5.90A	9.30B/5.90A	----	----	----	8.90 + 2.20	.0617	----	16	----	37	3
3885	9.10	9.10	----	9.60B/6.00A	9.60B/6.00A	----	----	----	9.10 + 2.20	.0632	----	25	----	193	25
3890	8.20	8.20	----	9.80B/6.20A	9.80B/6.20A	----	----	----	9.30 + 2.20	.0647	----	----	----	25	UNCH
3895	8.40	8.40	----	10.10B/6.40A	10.10B/6.40A	----	----	----	9.60 + 2.30	.0666	----	130	----	1674	87
3900	8.60	8.60	----	10.30B/6.50A	10.30B/6.50A	----	----	----	9.80 + 2.40	.0681	----	11	----	73	3
3905	10.20	10.20	----	10.60B/6.60A	10.60B/6.60A	----	----	----	10.10 + 2.50	.0701	----	5	----	128	5
3910	9.10	9.10	----	10.90B/6.80A	10.90B/6.80A	----	----	----	10.30 + 2.50	.0716	----	1	----	39	1
3915	10.30	10.30	----	11.20B/7.00A	11.20B/7.00A	----	----	----	10.60 + 2.70	.0736	----	6	----	218	5
3920	----	----	----	11.50B/7.10A	11.50B/7.10A	----	----	----	10.90 + 2.80	.0756	----	26	----	181	23
3925	----	----	----	11.80B/7.40A	11.80B/7.40A	----	----	----	11.20 + 2.90	.0776	----	2	----	182	2
3930	11.40	11.40	----	12.20B/7.50A	12.20B/7.50A	----	----	----	11.50 + 3.00	.0796	----	1	----	50	UNCH
3935	11.60	11.60	----	12.50B/7.70A	12.50B/7.70A	----	----	----	11.80 + 3.10	.0817	----	1	----	44	1
3940	11.90	11.90	----	12.90B/7.90A	12.90B/7.90A	----	----	----	12.20 + 3.20	.0842	----	8	----	39	5
3945	----	----	----	13.20B/8.10A	13.20B/8.10A	----	----	----	12.50 + 3.30	.0863	----	8	----	389	3
3950	13.10	13.10	----	13.60B/8.40A	13.60B/8.40A	----	----	----	12.90 + 3.40	.0888	----	----	----	132	UNCH
3955	13.50	13.50	----	14.00B/8.60A	14.00B/8.60A	----	----	----	13.30 + 3.60	.0913	----	11	----	249	7
3960	13.20	13.20	----	14.40B/8.80A	14.40B/8.80A	----	----	----	13.60 + 3.60	.0935	----	2	----	34	2
3965	10.20	10.20	----	14.80B/9.00A	14.80B/9.00A	----	----	----	14.00 + 3.70	.0961	----	7	----	41	2
3970	----	----	----	15.20B/9.30A	15.20B/9.30A	----	----	----	14.50 + 3.90	.0991	----	35	----	136	15
3975	14.80	14.80	----	15.70B/9.50A	15.70B/9.50A	----	----	----	14.90 + 4.00	.1017	----	2	----	171	2
3980	14.20	14.20	----	16.10B/9.80A	16.10B/9.80A	----	----	----	15.30 + 4.10	.1043	----	----	----	109	UNCH
3985	10.40	10.40	----	16.60B/10.10A	16.60B/10.10A	----	----	----	15.80 + 4.20	.1074	----	29	----	104	+
3990	15.60	15.60	----	17.10B/10.30A	17.10B/10.30A	----	----	----	16.20 + 4.30	.1100	----	2	----	49	UNCH
3995	17.70	17.70	----	17.60B/10.40	17.60B/10.40	----	----	----	16.70 + 4.50	.1131	----	1561	----	3142	+
4000	17.40	17.40	----	18.10B/10.90A	18.10B/10.90A	----	----	----	17.20 + 4.60	.1162	----	11	----	135	UNCH
4005	17.70	17.70	----	18.60B/11.20A	18.60B/11.20A	----	----	----	17.70 + 4.80	.1193	----	7	----	35	-
4010	16.90	16.90	----	19.20B/11.60A	19.20B/11.60A	----	----	----	18.20 + 4.90	.1225	----	8	----	21	6
4015	17.40	17.40	----	19.80B/11.80A	19.80B/11.80A	----	----	----	18.70 + 5.00	.1257	----	4	----	61	1
4020	----	----	----	20.40B/12.20A	20.40B/12.20A	----	----	----	19.30 + 5.20	.1292	----	13	----	193	2
4025	----	----	----	21.00B/12.60A	21.00B/12.60A	----	----	----	19.80 + 5.30	.1325	----	2	----	43	2
4030	20.00	20.00	----	21.60B/12.90A	21.60B/12.90A	----	----	----	20.40 + 5.50	.1361	----	1	----	78	1
4035	18.20	18.20	----	22.30B/13.30A	22.30B/13.30A	----	----	----	21.00 + 5.70	.1397	----	51	----	124	38
4040	21.50	21.50	----	22.90B/13.70A	22.90B/13.70A	----	----	----	21.70 + 5.90	.1437	----	25	----	44	20
4045	----	----	----	23.60B/14.10A	23.60B/14.10A	----	----	----	22.30 + 6.00	.1474	----	378	----	1056	173
4050	----	----	----	24.30B/14.50A	24.30B/14.50A	----	----	----	23.00 + 6.30	.1514	----	6	----	85	4
4055	24.60	24.60	----	25.10B/15.00A	25.10B/15.00A	----	----	----	23.70 + 6.40	.1555	----	1	----	39	1
4060	----	----	----	25.80B/15											

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS															
NOV26																
4405	----	----	----	159.10B/111.40A	159.10B/111.40A	----	----	----	154.50 + 30.40	.6177	----	----	----	----	57	UNCH
4410	----	----	----	162.40B/113.90A	162.40B/113.90A	----	----	----	157.80 + 30.90	.6248	----	----	2	----	66	-
4415	----	----	----	165.70B/116.60A	165.70B/116.60A	----	----	----	161.10 + 31.30	.6318	----	----	----	----	281	UNCH
4420	----	----	----	169.10B/119.30A	169.10B/119.30A	----	----	----	164.40 + 31.60	.6389	----	----	1	----	82	UNCH
4425	----	----	----	172.50B/122.00A	172.50B/122.00A	----	----	----	167.80 + 32.00	.6457	----	----	----	----	313	UNCH
4430	----	----	----	175.90B/124.90A	175.90B/124.90A	----	----	----	171.20 + 32.40	.6526	----	----	----	----	129	UNCH
4435	----	----	----	179.40B/127.70A	179.40B/127.70A	----	----	----	174.60 + 32.80	.6593	----	----	----	----	75	UNCH
4440	----	----	----	183.00B/130.60A	183.00B/130.60A	----	----	----	178.10 + 33.30	.6659	----	----	----	----	156	UNCH
4445	----	----	----	186.50B/133.50A	186.50B/133.50A	----	----	----	181.60 + 33.70	.6726	----	----	----	----	32	UNCH
4450	149.00	----	149.00	190.10B/136.50A	190.10B/136.50A	----	----	----	185.10 + 34.00	.6792	----	----	4	----	910	-
4455	188.50	----	188.50	193.70B/139.50A	193.70B/139.50A	----	----	----	188.70 + 34.40	.6857	----	----	2	----	29	+
4460	----	----	----	197.30B/142.40A	197.30B/142.40A	----	----	----	192.30 + 34.80	.6921	----	----	----	----	56	UNCH
4465	----	----	----	200.90B/145.50A	200.90B/145.50A	----	----	----	195.90 + 35.10	.6983	----	----	----	----	25	UNCH
4470	----	----	----	204.60B/148.60A	204.60B/148.60A	----	----	----	199.60 + 35.50	.7047	----	----	----	----	53	UNCH
4475	----	----	----	208.30B/151.70A	208.30B/151.70A	----	----	----	203.30 + 35.90	.7109	----	----	----	----	99	UNCH
4480	----	----	----	212.10B/154.90A	212.10B/154.90A	----	----	----	207.00 + 36.30	.7168	----	----	----	----	20	UNCH
4485	----	----	----	215.90B/158.10A	215.90B/158.10A	----	----	----	210.70 + 36.60	.7230	----	----	----	----	51	UNCH
4490	----	----	----	219.70B/161.20A	219.70B/161.20A	----	----	----	214.50 + 37.00	.7289	----	----	----	----	36	UNCH
4495	----	----	----	223.60B/164.60A	223.60B/164.60A	----	----	----	218.30 + 37.30	.7348	----	----	----	----	28	UNCH
4500	----	----	----	227.40B/167.90A	227.40B/167.90A	----	----	----	222.10 + 37.70	.7404	----	----	----	----	366	UNCH
4505	----	----	----	231.40B/171.20A	231.40B/171.20A	----	----	----	226.00 + 38.10	.7460	----	----	----	----	21	UNCH
4510	----	----	----	235.30B/174.60A	235.30B/174.60A	----	----	----	229.90 + 38.40	.7516	----	----	----	----	187	UNCH
4515	----	----	----	239.20B/177.90A	239.20B/177.90A	----	----	----	233.90 + 38.90	.7571	----	----	----	----	10	UNCH
4520	----	----	----	243.20B/181.30A	243.20B/181.30A	----	----	----	237.80 + 39.20	.7624	----	----	----	----	36	UNCH
4525	----	----	----	247.20B/184.80A	247.20B/184.80A	----	----	----	241.80 + 39.50	.7677	----	----	----	----	107	UNCH
4530	----	----	----	251.30B/188.30A	251.30B/188.30A	----	----	----	245.90 + 40.00	.7727	----	----	----	----	286	UNCH
4535	----	----	----	255.30B/191.70A	255.30B/191.70A	----	----	----	249.90 + 40.30	.7779	----	----	----	----	43	UNCH
4540	----	----	----	259.40B/195.30A	259.40B/195.30A	----	----	----	254.00 + 40.60	.7828	----	----	1	----	43	UNCH
4545	----	----	----	263.50B/198.90A	263.50B/198.90A	----	----	----	258.10 + 41.00	.7877	----	----	----	----	19	UNCH
4550	----	----	----	267.60B/202.50A	267.60B/202.50A	----	----	----	262.20 + 41.30	.7923	----	----	----	----	429	UNCH
4555	----	----	----	271.90B/206.10A	271.90B/206.10A	----	----	----	266.30 + 41.60	.7972	----	----	----	----	6	UNCH
4560	----	----	----	276.00B/209.70A	276.00B/209.70A	----	----	----	270.50 + 42.00	.8017	----	----	1	----	55	-
4565	----	----	----	280.20B/213.50A	280.20B/213.50A	----	----	----	274.70 + 42.30	.8062	----	----	----	----	57	UNCH
4570	----	----	----	284.40B/217.20A	284.40B/217.20A	----	----	----	278.90 + 42.60	.8108	----	----	----	----	39	UNCH
4575	----	----	----	288.60B/220.90A	288.60B/220.90A	----	----	----	283.10 + 42.90	.8152	----	----	----	----	11	UNCH
4580	----	----	----	292.90B/224.60A	292.90B/224.60A	----	----	----	287.30 + 43.20	.8194	----	----	----	----	22	UNCH
4585	----	----	----	297.20B/228.50A	297.20B/228.50A	----	----	----	291.60 + 43.60	.8235	----	----	----	----	159	UNCH
4590	----	----	----	301.50B/232.20A	301.50B/232.20A	----	----	----	295.90 + 43.90	.8280	----	----	----	----	87	UNCH
4595	----	----	----	305.80B/236.20A	305.80B/236.20A	----	----	----	300.20 + 44.20	.8317	----	----	----	----	15	UNCH
4600	----	----	----	310.10B/239.90A	310.10B/239.90A	----	----	----	304.50 + 44.50	.8358	----	----	----	----	196	UNCH
4605	----	----	----	314.50B/243.80A	314.50B/243.80A	----	----	----	308.80 + 44.70	.8398	----	----	----	----	12	UNCH
4610	----	----	----	318.90B/247.70A	318.90B/247.70A	----	----	----	313.20 + 45.00	.8435	----	----	----	----	8	UNCH
4615	----	----	----	323.30B/251.80A	323.30B/251.80A	----	----	----	317.50 + 45.20	.8472	----	----	----	----	15	UNCH
4620	----	----	----	327.70B/255.80A	327.70B/255.80A	----	----	----	321.90 + 45.50	.8508	----	----	----	----	17	UNCH
4625	----	----	----	332.10B/259.60A	332.10B/259.60A	----	----	----	326.30 + 45.80	.8544	----	----	----	----	23	UNCH
4630	----	----	----	336.50B/263.70A	336.50B/263.70A	----	----	----	330.70 + 46.00	.8581	----	----	----	----	22	UNCH
4635	----	----	----	341.00B/267.80A	341.00B/267.80A	----	----	----	335.20 + 46.40	.8617	----	----	----	----	23	UNCH
4640	296.30	----	296.30	345.50B/271.70A	345.50B/271.70A	----	----	----	339.60 + 46.60	.8649	----	----	2	----	91	UNCH
4645	----	----	----	349.90B/275.80A	349.90B/275.80A	----	----	----	344.10 + 46.80	.8681	----	----	1	----	28	-
4650	----	----	----	354.40B/279.90A	354.40B/279.90A	----	----	----	348.60 + 47.10	.8712	----	----	1	----	215	-
4655	----	----	----	359.00B/284.00A	359.00B/284.00A	----	----	----	353.10 + 47.30	.8744	----	----	----	----	55	UNCH
4660	----	----	----	363.50B/288.20A	363.50B/288.20A	----	----	----	357.60 + 47.60	.8775	----	----	1	----	5	-
4665	----	----	----	368.00B/292.30A	368.00B/292.30A	----	----	----	362.10 + 47.80	.8802	----	----	----	----	3	UNCH
4670	----	----	----	372.60B/296.50A	372.60B/296.50A	----	----	----	366.70 + 48.00	.8834	----	----	----	----	15	UNCH
4675	----	----	----	377.30B/300.80A	377.30B/300.80A	----	----	----	371.20 + 48.20	.8860	----	----	----	----	85	UNCH
4680	----	----	----	381.80B/304.90A	381.80B/304.90A	----	----	----	375.80 + 48.50	.8887	----	----	2	----	49	-
4685	----	----	----	386.40B/309.20A	386.40B/309.20A	----	----	----	380.40 + 48.70	.8913	----	----	----	----	12	UNCH
4690	----	----	----	391.00B/313.50A	391.00B/313.50A	----	----	----	385.00 + 48.90	.8940	----	----	----	----	8	UNCH
4695	----	----	----	395.70B/317.70A	395.70B/317.70A	----	----	----	389.60 + 49.10	.8966	----	----	----	----	10	UNCH
4700	----	----	----	400.20B/322.00A	400.20B/322.00A	----	----	----	394.20 + 49.30	.8992	----	----	----	----	222	UNCH
4710	----	----	----	409.60B/330.60A	409.60B/330.60A	----	----	----	403.50 + 49.70	.9040	----	----	----	----	2	UNCH
4715	----	----	----	414.20B/335.00A	414.20B/335.00A	----	----	----	408.20 + 49.90	.9061	----	----	----	----	2	UNCH
4720	----	----	----	418.80B/339.30A	418.80B/339.30A	----	----	----	412.80 + 50.10	.9082	----	----	----	----	4	UNCH
4725	----	----	----	423.50B/343.70A	423.50B/343.70A	----	----	----	417.50 + 50.30	.9103	----	----	----	----	12	UNCH
4730	----	----	----	428.20B/348.10A	428.20B/348.10A	----	----	----	422.20 + 50.50	.9124	----	----	----	----	4	UNCH
4735	----	----	----	432.90B/352.50A	432.90B/352.50A	----	----									

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS														
NOV26																
5350	----	----	----	1,034.80B/956.3	1034.80B/956.30A	----	----	----	1031.90 + 57.60	.9891	----	----	----	----	1	UNCH
5395	----	----	----	1,079.80B/1,001	1079.80B/1001.10A	----	----	----	1076.80 + 57.70	.9900	----	----	----	----	6	UNCH
5400	----	----	----	1,084.80B/1,006	1084.80B/1006.00A	----	----	----	1081.80 + 57.70	.9901	----	----	----	----	6	UNCH
5470	----	----	----	1,154.80B/1,075	1154.80B/1075.80A	----	----	----	1151.70 + 57.80	.9911	----	----	----	----	0 -	2
5475	----	----	----	1,159.80B/1,080	1159.80B/1080.70A	----	----	----	1156.70 + 57.80	.9911	----	----	----	----	0 -	1
5525	----	----	----	1,210.00B/1,130	1210.00B/1130.50A	----	----	----	1206.70 + 57.90	.9920	----	----	----	----	0 -	1
5565	----	----	----	1,249.90B/1,170	1249.90B/1170.30A	----	----	----	1246.60 + 57.90	.9928	----	----	----	----	0 -	1
5570	----	----	----	1,254.90B/1,175	1254.90B/1175.20A	----	----	----	1251.60 + 57.90	.9928	----	----	----	----	0 -	1
5630	----	----	----	1,314.90B/1,234	1314.90B/1234.80A	----	----	----	1311.60 + 57.90	.9937	----	----	----	----	0 -	1
TOTAL													7428	400	54534+	2263
DEC26																
1350	----	----	----	----	----/0.20A	----	----	----	0.10 UNCH	----	----	----	----	----	17	UNCH
1375	----	----	----	----	----/0.20A	----	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH
1400	----	----	----	----	----/0.20A	----	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH
1500	----	----	----	----	----/0.20A	----	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH
1600	----	----	----	----	----/0.20A	----	----	----	0.10 UNCH	----	----	----	----	----	219	UNCH
1700	----	----	----	----	----/0.20A	----	----	----	0.10 UNCH	.0000	----	----	----	----	200	UNCH
1740	----	----	----	----	----/0.20A	----	----	----	0.10 UNCH	.0000	----	----	----	----	5	UNCH
1750	----	----	----	----	----/0.20A	----	----	----	0.10 UNCH	.0000	----	----	----	----	3	UNCH
1845	----	----	----	----	----/0.20A	----	----	----	0.10 UNCH	.0000	----	----	----	----	60	UNCH
1850	----	----	----	----	----/0.20A	----	----	----	0.10 UNCH	.0000	----	----	----	----	3	UNCH
1870	----	----	----	----	----/0.20A	----	----	----	0.10 UNCH	.0000	----	----	----	----	3	UNCH
1875	----	----	----	----	----/0.20A	----	----	----	0.10 UNCH	.0000	----	----	----	----	3	UNCH
1900	----	----	----	----	----/0.20A	----	----	----	0.10 UNCH	.0000	----	----	----	----	6	UNCH
2000	----	----	----	----	----/0.20A	----	----	----	0.10 UNCH	.0002	----	----	----	----	10	UNCH
2100	----	----	----	----	0.10B/0.30A	----	----	----	0.20 UNCH	.0006	----	----	----	----	1	UNCH
2200	----	----	----	----	0.10B/0.30A	----	----	----	0.20 UNCH	.0006	----	----	----	----	12	UNCH
2210	----	----	----	----	0.10B/0.30A	----	----	----	0.20 UNCH	.0006	----	----	----	----	12	UNCH
2225	----	----	----	----	0.10B/0.30A	----	----	----	0.20 UNCH	.0006	----	----	----	----	14	UNCH
2235	----	----	----	----	0.10B/0.30A	----	----	----	0.20 UNCH	.0006	----	----	----	----	2	UNCH
2240	----	----	----	----	0.10B/0.30A	----	----	----	0.20 UNCH	.0006	----	----	----	----	1	UNCH
2245	----	----	----	----	0.10B/0.30A	----	----	----	0.20 UNCH	.0006	----	----	----	----	2	UNCH
2250	----	----	----	----	0.10B/0.30A	----	----	----	0.20 UNCH	.0007	----	----	----	----	3	UNCH
2260	----	----	----	----	0.10B/0.30A	----	----	----	0.20 UNCH	.0007	----	----	----	----	1	UNCH
2280	----	----	----	----	0.10B/0.30A	----	----	----	0.20 UNCH	.0007	----	----	----	----	13	UNCH
2300	----	----	----	----	0.10B/0.40A	----	----	----	0.20 UNCH	.0007	----	----	----	----	1	UNCH
2320	----	----	----	----	0.10B/0.30A	----	----	----	0.30 + 0.10	.0010	----	----	----	----	5	UNCH
2325	----	----	----	----	0.10B/0.30A	----	----	----	0.30 + 0.10	.0010	----	----	----	----	1	UNCH
2395	----	----	----	----	0.20B/0.30A	----	----	----	0.30 UNCH	.0010	----	----	----	----	15	UNCH
2400	----	----	----	----	0.20B/0.30A	----	----	----	0.30 UNCH	.0010	----	----	----	----	10	UNCH
2425	----	----	----	----	0.20B/0.30A	----	----	----	0.40 + 0.10	.0014	----	----	----	----	11	UNCH
2440	----	----	----	----	0.20B/0.30A	----	----	----	0.40 + 0.10	.0014	----	----	----	----	1	UNCH
2450	----	----	----	----	0.20B/0.40A	----	----	----	0.40 + 0.10	.0014	----	----	----	----	24	UNCH
2470	----	----	----	----	0.20B/0.40A	----	----	----	0.40 + 0.10	.0014	----	----	----	----	2	UNCH
2490	----	----	----	----	0.30B/0.40A	----	----	----	0.40 + 0.10	.0014	----	----	----	----	1	UNCH
2500	----	----	----	----	0.30B/0.40A	----	----	----	0.50 + 0.10	.0017	----	----	----	----	462	UNCH
2550	0.50	0.50		0.50/0.50	0.50/0.50	----	----	----	0.50 + 0.10	.0018	----	----	1	----	5 +	1
2560	----	----	----	----	0.30B/0.50A	----	----	----	0.50 + 0.10	.0018	----	----	----	----	20	UNCH
2565	----	----	----	----	0.30B/0.50A	----	----	----	0.50 + 0.10	.0018	----	----	----	----	32	UNCH
2575	----	----	----	----	0.30B/0.50A	----	----	----	0.50 UNCH	.0018	----	----	----	----	16	UNCH
2580	----	----	----	----	0.40B/0.50A	----	----	----	0.50 UNCH	.0018	----	----	----	----	5	UNCH
2590	----	----	----	----	0.40B/0.50A	----	----	----	0.50 UNCH	.0019	----	----	----	----	18	UNCH
2600	----	----	----	----	0.40B/0.50A	----	----	----	0.60 + 0.10	.0022	----	----	----	----	5	UNCH
2605	----	----	----	----	0.40B/0.60A	----	----	----	0.60 + 0.10	.0022	----	----	----	----	1	UNCH
2610	----	----	----	----	0.40B/0.50A	----	----	----	0.60 + 0.10	.0022	----	----	----	----	7	UNCH
2645	----	----	----	----	0.50B/0.60A	----	----	----	0.60 UNCH	.0023	----	----	----	----	25	UNCH
2650	----	----	----	----	0.50B/0.60A	----	----	----	0.60 UNCH	.0023	----	----	----	----	1	UNCH
2655	----	----	----	----	0.50B/0.60A	----	----	----	0.60 UNCH	.0023	----	----	----	----	2	UNCH
2660	----	----	----	----	0.50B/0.60A	----	----	----	0.60 UNCH	.0023	----	----	----	----	3	UNCH
2675	----	----	----	----	0.50B/0.70A	----	----	----	0.60 - 0.10	.0023	----	----	----	----	4	UNCH
2695	----	----	----	----	0.50B/0.70A	----	----	----	0.70 UNCH	.0027	----	----	----	----	14	UNCH
2700	----	----	----	----	0.60B/0.70A	----	----	----	0.70 UNCH	.0027	----	----	----	----	5	UNCH
2705	----	----	----	----	0.60B/0.70A	----	----	----	0.70 UNCH	.0027	----	----	----	----	10	UNCH
2710	----	----	----	----	0.60B/0.70A	----	----	----	0.70 UNCH	.0027	----	----	----	----	4	UNCH
2735	----	----	----	----	0.60B/0.80A	----	----	----	0.70 - 0.10	.0028	----	----	----	----	4	UNCH
2740	----	----	----	----	0.70B/0.80A	----	----	----	0.70 - 0.10	.0028	----	----	----	----	3	UNCH
2750	----	----	----	----	0.70B/0.80A	----	----	----	0.80 UNCH	.0031	----	----	----	----	49	UNCH
2795	----	----	----	----	0.80B/0.90A	----	----	----	0.90 UNCH	.0035	----	----	----	----	10	UNCH
2800	----	----	----	----	0.80B/1.00A	----	----	----	0.90 UNCH	.0036	----	----	----	----	82	UNCH
2850	----	----	----	----	1.00B/1.00A	----	----	----	1.00 UNCH	.0040	----	----	----	----	34	UNCH
2875	----	----	----	----	1.00B/1.20A	----	----	----	1.10 UNCH	.0044	----	----	----	----	1	UNCH
2900	1.30	1.30		1.30/1.30	1.30/1.20A	----	----	----	1.20 UNCH	.0049	----	----	2	----	75	UNCH
2915	----	----	----	----	1.20B/1.30A	----	----	----	1.20 UNCH	.0049	----	----	----	----	1	UNCH
2925	----	----	----	----	1.20B/1.30A	----	----	----	1.30 UNCH	.0053	----	----	----	----	300	UNCH
2945	----	----	----	----	1.30B/1.40A	----	----	----	1.40 + 0.10	.0057	----	----	----	----	2	UNCH
2950	----	----	----	----	1.30B/1.40A	----	----	----	1.40 + 0.10	.0057	----	----	----	----	56	UNCH
2965	----	----	----	----	1.40B/1.50A	----	----	----	1.50 + 0.10	.0061	----	----	----	----	3	UNCH
2975	----	----	----	----	1.40B/1.50A	----	----	----	1.50 + 0.10	.0062	----	----	----	----	950	UNCH
3000	1.50	1.50		1.50/1.50	1.50/1.50	----	----	----	1.60 + 0.10	.0066	----	----	1	----	2176	UNCH
3005	----	----	----	----	1.50B/1.60A	----	----	----	1.70 + 0.10	.0070	----	----	----	----	4	UNCH
3010	----	----	----	----	1.60B/1.60A	----	----	----	1.70 + 0.10	.0070	----	----	----	----	1	UNCH
3025	----	----	----	----	1.60B/1.70A	----	----	----	1.70 + 0.10	.0071	----	----	----	----	2	UNCH
3030	----	----	----	----	1.70B/1.70A	----	----	----	1.80 + 0.10	.0075	----	----	----	----	1	UNCH
3035	----	----	----	----	1.70B/1.70A	----	----	----	1.80 + 0.10	.0075	----	----	----	----	1	UNCH
3045	----	----	----	----	1.70B/1.80A	----	----	----	1.80 + 0.10	.0076	----	----	----	----	13	UNCH
3050	----	----	----	----	1.70B/1.80A	----	----	----	1.90 + 0.10	.0079	----	----	----	----	1	UNCH
3060	1.90	1.90		1.90/1.90	1.90/1.80A	----	----	----	1.90 + 0.10	.0080	----	----	1	----	205	UNCH
3075	----	----	----	----	1.90B/1.90A	----	----	----	2.00 + 0.10	.0084	----	----	----	----	3	UNCH
3080	----	----	----	----	1.90B/2.00A	----	----	----	2.00 + 0.10	.0085	----	----	----	----	1	UNCH
3085	----	----	----	----	1.90B/1.90A	----	----	----	2.00 + 0.10	.0085	----	----	----	----	2	UNCH
3100	2.10	2.10		2.10/2.10	2.10/2.00A	----	----	----	2.10 + 0.10	.0090	----	----	1	----	161	UNCH
3110	----	----	----	----	2.10B/2.10A	----	----	----	2.20 + 0.20	.0094	----	----	----	----	1	UNCH
3120	----	----	----	----	2.10B/2.10A	----	----	----	2.20 + 0.10	.0095	----	----	----	----	3	UNCH
3125	----	----	----	----	2.20B/2.10A	----	----	----	2.30 + 0.20	.0098	----	----	----	----	1	UNCH
3130	----	----	----	----	2.20B/2.20A	----	----	----	2.30 + 0.20	.0099	----	----	----	----	11	UNCH
3135	----	----	----	----	2.20B/2.20A	----	----	----	2.30 + 0.10	.0099	----	----	----	----	1	UNCH
3140	----	----	----	----	2.20B/2.20A	----	----	----	2.30 + 0.10	.0100	----	----	----	----	2	UNCH
3145	----	----	----	----	2.30B/2.20A	----	----	----	2.40 + 0.20	.0103	----	----	----	----	2	UNCH
3150	2.30	2.30		2.30/2.30	2.30/2.30	----	----	----	2.40 + 0.20	.0104	----	----	7	----	114 -	7
3155	----	----	----	----	2.30B/2.30A	----	----	----	2.40 + 0.10	.0104	----	----	----	----	6	UNCH
3160	----	----	----	----	2.40B/2.30A	----	----	----	2.50 + 0.20	.0108	----	----	----	----	4	UNCH
3170	----	----	----	----	2.40B/2.40A	----	----	----	2.50 + 0.20	.0109	----	----	----			

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS															
DEC26																
3410	----	----	----	4.60B/4.00A	4.60B/4.00A	----	----	----	4.60 + 0.40	.0217	----	----	----	----	63	UNCH
3420	----	----	----	4.80B/4.10A	4.80B/4.10A	----	----	----	4.70 + 0.40	.0222	----	----	----	----	3	UNCH
3425	----	----	----	4.80B/4.20A	4.80B/4.20A	----	----	----	4.80 + 0.50	.0227	----	----	----	----	382	UNCH
3430	----	----	----	4.90B/4.20A	4.90B/4.20A	----	----	----	4.90 + 0.50	.0232	----	----	----	----	2	UNCH
3435	----	----	----	5.00B/4.30A	5.00B/4.30A	----	----	----	4.90 + 0.50	.0233	----	----	----	----	18	UNCH
3440	----	----	----	5.00B/4.30A	5.00B/4.30A	----	----	----	5.00 + 0.50	.0238	----	----	----	----	11	UNCH
3445	4.20	4.20	----	5.10B/4.20	5.10B/4.20	----	----	----	5.10 + 0.60	.0242	----	----	1	----	4	UNCH
3450	----	----	----	5.20B/4.40A	5.20B/4.40A	----	----	----	5.10 + 0.50	.0243	----	----	----	----	1302	UNCH
3455	----	----	----	5.30B/4.50A	5.30B/4.50A	----	----	----	5.20 + 0.60	.0248	----	----	----	----	2	UNCH
3460	----	----	----	5.30B/4.50A	5.30B/4.50A	----	----	----	5.30 + 0.60	.0253	----	----	----	----	72	UNCH
3465	----	----	----	5.40B/4.60A	5.40B/4.60A	----	----	----	5.40 + 0.60	.0258	----	----	----	----	227	UNCH
3470	----	----	----	5.50B/4.70A	5.50B/4.70A	----	----	----	5.40 + 0.60	.0259	----	----	----	----	20	UNCH
3475	----	----	----	5.50B/4.70A	5.50B/4.70A	----	----	----	5.50 + 0.60	.0264	----	----	----	----	236	UNCH
3480	----	----	----	5.60B/4.80A	5.60B/4.80A	----	----	----	5.60 + 0.60	.0269	----	----	----	----	44	UNCH
3485	----	----	----	5.70B/4.80A	5.70B/4.80A	----	----	----	5.70 + 0.70	.0274	----	----	----	----	128	UNCH
3490	----	----	----	5.80B/4.90A	5.80B/4.90A	----	----	----	5.70 + 0.60	.0275	----	----	----	----	29	UNCH
3495	----	----	----	5.90B/5.00A	5.90B/5.00A	----	----	----	5.80 + 0.70	.0280	----	----	----	----	6	UNCH
3500	5.70	5.70	----	6.00/5.00A	6.00/5.00A	----	----	----	5.90 + 0.70	.0285	----	----	566	----	5630	-
3505	----	----	----	6.10B/5.10A	6.10B/5.10A	----	----	----	6.00 + 0.70	.0290	----	----	----	----	3	UNCH
3510	----	----	----	6.10B/5.20A	6.10B/5.20A	----	----	----	6.10 + 0.70	.0295	----	----	----	----	252	UNCH
3515	----	----	----	6.20B/5.20A	6.20B/5.20A	----	----	----	6.20 + 0.80	.0300	----	----	----	----	136	UNCH
3520	----	----	----	6.30B/5.30A	6.30B/5.30A	----	----	----	6.30 + 0.80	.0306	----	----	----	----	5	UNCH
3525	----	----	----	6.40B/5.30A	6.40B/5.30A	----	----	----	6.40 + 0.80	.0311	----	----	----	----	205	UNCH
3530	----	----	----	6.50B/5.40A	6.50B/5.40A	----	----	----	6.50 + 0.80	.0316	----	----	----	----	1	UNCH
3540	----	----	----	6.80B/5.60A	6.80B/5.60A	----	----	----	6.70 + 0.90	.0326	----	----	----	----	22	UNCH
3545	5.50	5.50	----	6.90B/5.50	6.90B/5.50	----	----	----	6.80 + 0.90	.0332	----	----	1	----	21	+
3550	----	----	----	7.00B/5.70A	7.00B/5.70A	----	----	----	6.90 + 0.90	.0337	----	----	2	----	2138	+
3555	----	----	----	7.10B/5.80A	7.10B/5.80A	----	----	----	7.00 + 0.90	.0342	----	----	----	----	2	UNCH
3560	----	----	----	7.20B/5.90A	7.20B/5.90A	----	----	----	7.10 + 0.90	.0348	----	----	----	----	85	UNCH
3565	----	----	----	7.30B/5.90A	7.30B/5.90A	----	----	----	7.20 + 1.00	.0353	----	----	----	----	34	UNCH
3570	----	----	----	7.40B/6.00A	7.40B/6.00A	----	----	----	7.30 + 1.00	.0358	----	----	----	----	4	UNCH
3575	7.40	7.40	----	7.60B/6.10A	7.60B/6.10A	----	----	----	7.40 + 1.00	.0364	----	1	----	----	11	-
3580	----	----	----	7.70B/6.20A	7.70B/6.20A	----	----	----	7.50 + 1.00	.0369	----	----	----	----	18	UNCH
3585	----	----	----	7.80B/6.30A	7.80B/6.30A	----	----	----	7.70 + 1.10	.0378	----	----	----	----	336	UNCH
3590	----	----	----	8.00B/6.30A	8.00B/6.30A	----	----	----	7.80 + 1.10	.0384	----	----	----	----	1	UNCH
3595	----	----	----	8.10B/6.50A	8.10B/6.50A	----	----	----	7.90 + 1.10	.0390	----	----	----	----	111	UNCH
3600	7.90	7.90	----	8.20B/6.50A	8.20B/6.50A	----	----	----	8.00 + 1.10	.0395	----	29	----	----	2192	+
3605	----	----	----	8.40B/6.70A	8.40B/6.70A	----	----	----	8.20 + 1.20	.0405	----	----	----	----	37	UNCH
3610	----	----	----	8.50B/6.80A	8.50B/6.80A	----	----	----	8.30 + 1.20	.0410	----	----	----	----	31	UNCH
3615	----	----	----	8.70B/6.80A	8.70B/6.80A	----	----	----	8.50 + 1.20	.0420	----	----	----	----	32	UNCH
3620	----	----	----	8.80B/7.00A	8.80B/7.00A	----	----	----	8.60 + 1.20	.0426	----	----	----	----	6	UNCH
3625	8.60	8.60	----	9.00B/7.10A	9.00B/7.10A	----	----	----	8.70 + 1.20	.0431	----	5	----	----	30	-
3635	----	----	----	9.30B/7.30A	9.30B/7.30A	----	----	----	9.00 + 1.30	.0447	----	----	----	----	47	UNCH
3640	9.30	9.30	----	9.40B/7.40A	9.40B/7.40A	----	----	----	9.20 + 1.30	.0456	----	5	----	----	14	+
3645	----	----	----	9.60B/7.50A	9.60B/7.50A	----	----	----	9.40 + 1.40	.0466	----	----	----	----	55	UNCH
3650	9.60	9.60	----	9.80B/7.60A	9.80B/7.60A	----	----	----	9.50 + 1.40	.0472	----	8	----	----	1444	UNCH
3655	----	----	----	10.00B/7.80A	10.00B/7.80A	----	----	----	9.70 + 1.40	.0482	----	----	----	----	232	UNCH
3660	----	----	----	10.10B/7.90A	10.10B/7.90A	----	----	----	9.90 + 1.50	.0491	----	----	----	----	39	UNCH
3665	----	----	----	10.30B/8.00A	10.30B/8.00A	----	----	----	10.10 + 1.60	.0501	----	----	----	----	16	UNCH
3670	----	----	----	10.50B/8.10A	10.50B/8.10A	----	----	----	10.20 + 1.50	.0507	----	----	----	----	128	UNCH
3675	10.30	10.30	----	10.70B/8.30A	10.70B/8.30A	----	----	----	10.40 + 1.60	.0517	----	2	----	----	157	UNCH
3680	----	----	----	10.90B/8.40A	10.90B/8.40A	----	----	----	10.60 + 1.60	.0527	----	----	----	----	52	UNCH
3685	----	----	----	11.10B/8.60A	11.10B/8.60A	----	----	----	10.80 + 1.70	.0537	----	----	----	----	13	UNCH
3690	----	----	----	11.30B/8.70A	11.30B/8.70A	----	----	----	11.00 + 1.70	.0547	----	----	----	----	14	UNCH
3695	----	----	----	11.60B/8.90A	11.60B/8.90A	----	----	----	11.20 + 1.70	.0557	----	----	----	----	14	UNCH
3700	11.10	11.10	----	11.70/9.00A	11.70/9.00A	----	----	----	11.40 + 1.80	.0567	----	559	----	----	2670	+
3705	----	----	----	12.00B/9.20A	12.00B/9.20A	----	----	----	11.60 + 1.80	.0577	----	----	----	----	38	UNCH
3710	----	----	----	12.20B/9.40A	12.20B/9.40A	----	----	----	11.90 + 1.90	.0591	----	----	----	----	110	UNCH
3715	----	----	----	12.50B/9.50A	12.50B/9.50A	----	----	----	12.10 + 1.90	.0601	----	----	----	----	167	UNCH
3720	----	----	----	12.70B/9.70A	12.70B/9.70A	----	----	----	12.30 + 2.00	.0612	----	----	----	----	84	UNCH
3725	11.70	11.70	----	13.00B/9.80A	13.00B/9.80A	----	----	----	12.60 + 2.10	.0625	----	1	----	----	253	+
3730	----	----	----	13.20B/10.00A	13.20B/10.00A	----	----	----	12.80 + 2.10	.0636	----	----	----	----	460	UNCH
3735	12.50	12.50	----	13.50B/10.10A	13.50B/10.10A	----	----	----	13.10 + 2.20	.0650	----	1	----	----	169	UNCH
3740	12.80	12.80	----	13.80B/10.40A	13.80B/10.40A	----	----	----	13.30 + 2.20	.0660	----	11	----	----	57	UNCH
3745	13.20	13.20	----	14.00B/10.60A	14.00B/10.60A	----	----	----	13.60 + 2.30	.0674	----	5	----	----	61	-
3750	13.50	13.50	----	14.30/10.80A	14.30/10.80A	----	----	----	13.80 + 2.20	.0685	----	7	----	----	1824	-
3755	----	----	----	14.60B/11.00A	14.60B/11.00A	----	----	----	14.10 + 2.30	.0699	----	----	----	----	36	UNCH
3760	----	----	----	14.90B/11.20A	14.90B/11.20A	----	----	----	14.40 + 2.40	.0713	----	----	----	----	196	UNCH
3765	----	----	----	15.20B/11.40A	15.20B/11.40A	----	----	----	14.70 + 2.50	.0727	----	----	----	----	21	UNCH
3770	----	----	----	15.50B/11.60A	15.50B/11.60A	----	----	----	15.00 + 2.50	.0742	----	----	----	----	14	UNCH
3775	15.40	15.40	----	15.80B/11.90A	15.80B/11.90A	----	----	----	15.30 + 2.60	.0756	----	2	----	----	53	UNCH
3780	----	----	----	16.20B/12.10A	16.20B/12.10A	----	----	----	15.60 + 2.60	.0770	----	----	----	----	31	UNCH
3785	----	----	----	16.50B/12.30A	16.50B/12.30A	----	----	----	15.90 + 2.70	.0785	----	----	----	----	53	UNCH
3790	----	----	----	16.90B/12.60A	16.90B/12.60A	----	----	----	16.30 + 2.80	.0803	----	----	----	----	32	UNCH
3795	----	----	----	17.20B/12.80A	17.20B/12.80A	----	----	----	16.60 + 2.90	.0817	----	----	----	----	42	UNCH
3800	15.50	15.50	----	17.60B/13.00A	17.60B/13.00A	----	----	----	16.90 + 2.90	.0832	----	25	----	----	1042	+
3805	----	----	----	18.00B/13.40A	18.00B/13.40A	----	----	----	17.30 + 3.00	.0850	----	----	----	----	19	UNCH
3810	17.20	17.20	----	18.30B/13.60A	18.30B/13.60A	----	----	----	17.70 + 3.10	.0868	----	5	----	----	114	+
3815	----	----	----	18.70B/13.80A	18.70B/13.80A	----	----	----	18.00 + 3.10	.0883	----	----	----	----	68	UNCH
3820	----	----	----	19.10B/14.20A	19.10B/14.20A	----	----	----	18.40 + 3.20	.0901	----	----	----	----	19	UNCH
3825	18.60	18.60	----	19.50B/14.30A	19.50B/14.30A	----	----	----	18.80 + 3.30	.0919	----	1	----	----	82	UNCH
3830	----	----	----	19.90B/14.70A	19.90B/14.70A	----	----	----	19.20 + 3.40	.0937	----	----	----	----	48	UNCH
3835	----	----	----	20.40B/15.00A	20.40B/15.00A	----	----	----	19.60 + 3.50	.0956	----	----	----	----	7	UNCH
3840	19.60	19.60	----	20.80B/15.30A	20.80B/15.30A	----	----	----	20.00 + 3.50	.0974	----	1	----	----	70	+
3845	20.00	20.00	----	21.30B/15.60A	21.30B/15.60A	----	----	----	20.50 + 3.70	.0996	----	1	----	----	11	+
3850	20.50	20.50	----	21.70B/15.90A	21.70B/15.90A	----	----	----	20.90 + 3.70	.1014	----	4	----	----	572	+
3855	21.60	21.60	----	22.20B/16.20A	22.20B/16.20A	----	----	----	21.40 + 3.90	.1036	----	6	----	----	66	+
3860	----	----	----	22.70B/16.50A	22.70B/16.50A	----	----	----	21.80 + 3.90	.1055	----	2	----	----	30	+
3865	22.00	22.00	----	23.20B/16.80A												

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS													
DEC26															
4110	65.00	65.00		67.90B/49.30A	67.90B/49.30A	----	----	65.70 + 11.60	.2694	----	----	7	----	40 +	3
4115	----	----		69.40B/50.50A	69.40B/50.50A	----	----	67.10 + 11.80	.2739	----	----	----	----	72	UNCH
4120	----	----		70.90B/51.50A	70.90B/51.50A	----	----	68.60 + 12.10	.2785	----	----	----	----	682	UNCH
4125	68.00	68.00		72.40B/52.70A	72.40B/52.70A	----	----	70.10 + 12.30	.2831	----	1	----	----	187	UNCH
4130	----	----		74.00B/53.90A	74.00B/53.90A	----	----	71.60 + 12.60	.2878	----	----	----	----	736	UNCH
4135	74.40	74.40		75.50B/55.20A	75.50B/55.20A	----	----	73.10 + 12.80	.2924	----	19	----	----	29 +	19
4140	73.90	73.90		77.20B/56.20A	77.20B/56.20A	----	----	74.70 + 13.00	.2972	----	12	----	----	77 +	1
4145	77.70	77.70		78.80B/57.60A	78.80B/57.60A	----	----	76.20 + 13.20	.3018	----	5	----	----	61 +	5
4150	58.30	58.30		80.50B/58.30	80.50B/58.30	----	----	77.90 + 13.50	.3067	----	17	----	1143 +	7	7
4155	----	----		82.10B/60.00A	82.10B/60.00A	----	----	79.50 + 13.70	.3115	----	----	----	----	34	UNCH
4160	----	----		83.80B/61.30A	83.80B/61.30A	----	----	81.20 + 14.00	.3164	----	----	----	----	357	UNCH
4165	80.20	80.20		85.60B/62.70A	85.60B/62.70A	----	----	82.90 + 14.30	.3213	----	5	----	----	84 +	2
4170	84.20	84.20		87.30B/64.10A	87.30B/64.10A	----	----	84.60 + 14.50	.3262	----	4	----	----	64	UNCH
4175	85.50	85.50		89.10B/65.40A	89.10B/65.40A	----	----	86.30 + 14.70	.3312	----	10	----	----	204	UNCH
4180	----	----		91.00B/66.90A	91.00B/66.90A	----	----	88.10 + 15.00	.3362	----	----	----	----	48	UNCH
4185	----	----		92.80B/68.30A	92.80B/68.30A	----	----	89.90 + 15.20	.3412	----	----	----	----	28	UNCH
4190	----	----		94.70B/69.90A	94.70B/69.90A	----	----	91.80 + 15.50	.3463	----	4	----	----	351 +	3
4195	----	----		96.60B/71.30A	96.60B/71.30A	----	----	93.60 + 15.70	.3513	----	----	----	----	34	UNCH
4200	72.90	72.90		98.60B/72.70A	98.60B/72.70A	----	----	95.50 + 16.00	.3565	----	1248	----	----	3123 +	264
4205	89.80	89.80		100.50B/74.30A	100.50B/74.30A	----	----	97.40 + 16.20	.3616	----	1	----	----	48 +	1
4210	----	----		102.50B/75.80A	102.50B/75.80A	----	----	99.40 + 16.60	.3668	----	----	----	----	103	UNCH
4215	101.60	101.60		104.50B/77.60A	104.50B/77.60A	----	----	101.40 + 16.80	.3720	----	1	----	----	163	UNCH
4220	97.20	97.20		106.50B/79.10A	106.50B/79.10A	----	----	103.40 + 17.10	.3772	----	14	----	----	52 +	12
4225	----	----		108.60B/80.70A	108.60B/80.70A	----	----	105.50 + 17.40	.3824	----	----	----	----	186	UNCH
4230	109.30	109.30		110.80B/82.40A	110.80B/82.40A	----	----	107.50 + 17.60	.3876	----	5	----	----	428 +	4
4235	----	----		112.90B/84.00A	112.90B/84.00A	----	----	109.60 + 17.90	.3929	----	----	----	----	93	UNCH
4240	105.30	105.30		115.00B/85.80A	115.00B/85.80A	----	----	111.80 + 18.20	.3982	----	2	----	----	53	UNCH
4245	----	----		117.30B/87.60A	117.30B/87.60A	----	----	114.00 + 18.50	.4035	----	----	----	----	37	UNCH
4250	117.20	117.20		119.50B/89.30A	119.50B/89.30A	----	----	116.20 + 18.80	.4088	----	1012	----	----	2883 +	628
4255	----	----		121.70B/91.20A	121.70B/91.20A	----	----	118.40 + 19.10	.4141	----	----	----	----	26	UNCH
4260	----	----		124.00B/93.10A	124.00B/93.10A	----	----	120.70 + 19.40	.4195	----	----	----	----	91	UNCH
4265	108.10	108.10		126.30B/94.90A	126.30B/94.90A	----	----	122.90 + 19.60	.4248	----	3	----	----	109 +	3
4270	----	----		128.70B/96.80A	128.70B/96.80A	----	----	125.30 + 20.00	.4302	----	----	----	----	20	UNCH
4275	112.30	112.30		131.10B/98.60A	131.10B/98.60A	----	----	127.60 + 20.20	.4355	----	4	----	----	150	UNCH
4280	----	----		133.40B/100.60A	133.40B/100.60A	----	----	130.00 + 20.50	.4409	----	----	----	----	167	UNCH
4285	116.50	116.50		135.90B/102.70A	135.90B/102.70A	----	----	132.40 + 20.80	.4462	----	6	----	----	41 +	2
4290	127.10	127.10		138.30B/104.60A	138.30B/104.60A	----	----	134.80 + 21.10	.4516	----	1	----	----	189	UNCH
4295	----	----		140.80B/106.60A	140.80B/106.60A	----	----	137.30 + 21.40	.4570	----	----	----	----	26	UNCH
4300	115.30	115.30		143.40B/108.60A	143.40B/108.60A	----	----	139.80 + 21.70	.4624	----	595	----	3562 +	105	UNCH
4305	----	----		145.90B/110.70A	145.90B/110.70A	----	----	142.30 + 22.00	.4677	----	----	----	----	19	UNCH
4310	121.10	121.10		148.50B/112.90A	148.50B/112.90A	----	----	144.90 + 22.30	.4731	----	17	----	----	25 -	3
4315	----	----		151.10B/115.00A	151.10B/115.00A	----	----	147.50 + 22.60	.4785	----	----	----	----	42	UNCH
4320	150.40	150.40		153.70B/117.30A	153.70B/117.30A	----	----	150.10 + 22.90	.4838	----	77	----	----	243 +	25
4325	150.50	150.50		156.30B/119.40A	156.30B/119.40A	----	----	152.70 + 23.20	.4892	----	16	----	----	904 -	1
4330	146.70	146.70		159.10B/121.50A	159.10B/121.50A	----	----	155.40 + 23.50	.4945	----	1	----	----	47	UNCH
4335	----	----		161.80B/123.80A	161.80B/123.80A	----	----	158.10 + 23.80	.4998	----	----	----	----	54	UNCH
4340	157.60	157.60		164.50B/126.10A	164.50B/126.10A	----	----	160.80 + 24.10	.5051	----	1	----	----	113 +	1
4345	----	----		167.30B/128.40A	167.30B/128.40A	----	----	163.60 + 24.50	.5105	----	5	----	----	24 +	2
4350	138.40	138.40		170.10B/130.70A	170.10B/130.70A	----	----	166.40 + 24.80	.5157	----	93	275	----	762 +	106
4355	142.90	142.90		173.00B/133.10A	173.00B/133.10A	----	----	169.20 + 25.10	.5210	----	2	----	----	29 -	1
4360	148.40	148.40		175.80B/135.50A	175.80B/135.50A	----	----	172.00 + 25.40	.5263	----	1	----	----	90 +	1
4365	----	----		178.70B/137.90A	178.70B/137.90A	----	----	174.90 + 25.70	.5315	----	1	----	----	235 +	1
4370	153.40	153.40		181.60B/140.30A	181.60B/140.30A	----	----	177.80 + 26.10	.5367	----	4	----	----	55 +	1
4375	----	----		184.60B/142.90A	184.60B/142.90A	----	----	180.70 + 26.40	.5420	----	14	----	----	190 -	3
4380	----	----		187.60B/145.50A	187.60B/145.50A	----	----	183.60 + 26.70	.5471	----	----	----	----	97	UNCH
4385	158.40	158.40		190.50B/147.90A	190.50B/147.90A	----	----	186.60 + 27.00	.5523	----	1	----	----	96	UNCH
4390	----	----		193.50B/150.40A	193.50B/150.40A	----	----	189.60 + 27.30	.5575	----	----	----	----	211	UNCH
4395	----	----		196.60B/153.00A	196.60B/153.00A	----	----	192.60 + 27.60	.5626	----	----	----	----	30	UNCH
4400	155.00	155.00		199.70B/155.00	199.70B/155.00	----	----	195.70 + 28.00	.5677	----	143	----	1196 -	109	UNCH
4405	----	----		202.70B/158.20A	202.70B/158.20A	----	----	198.70 + 28.20	.5728	----	----	----	----	74	UNCH
4410	175.50	175.50		205.80B/160.90A	205.80B/160.90A	----	----	201.80 + 28.50	.5779	----	1	----	----	91	UNCH
4415	----	----		209.00B/163.60A	209.00B/163.60A	----	----	205.00 + 28.90	.5829	----	----	----	----	10	UNCH
4420	----	----		212.30B/166.30A	212.30B/166.30A	----	----	208.10 + 29.10	.5879	----	----	----	----	49	UNCH
4425	----	----		215.50B/169.10A	215.50B/169.10A	----	----	211.30 + 29.40	.5929	----	----	----	----	256	UNCH
4430	213.70	213.70		218.70B/171.90A	218.70B/171.90A	----	----	214.50 + 29.70	.5978	----	1	----	----	172 +	1
4435	186.80	186.80		221.90B/174.70A	221.90B/174.70A	----	----	217.70 + 30.00	.6028	----	14	----	----	172 +	2
4440	----	----		225.20B/177.50A	225.20B/177.50A	----	----	220.90 + 30.20	.6077	----	----	----	----	74	UNCH
4445	----	----		228.50B/180.30A	228.50B/180.30A	----	----	224.20 + 30.50	.6125	----	----	----	----	197	UNCH
4450	222.10	222.10		231.80B/183.10A	231.80B/183.10A	----	----	227.50 + 30.80	.6174	----	1	----	----	592	UNCH
4455	----	----		235.10B/186.00A	235.10B/186.00A	----	----	230.80 + 31.10	.6222	----	----	----	----	51	UNCH
4460	225.70	225.70		238.50B/189.00A	238.50B/189.00A	----	----	234.20 + 31.40	.6270	----	10	----	----	73 -	4
4465	226.50	226.50		242.00B/192.00A	242.00B/192.00A	----	----	237.60 + 31.70	.6318	----	10	----	----	79 -	2
4470	----	----		245.30B/194.90A	245.30B/194.90A	----	----	240.90 + 31.90	.6364	----	----	----	----	178	UNCH
4475	----	----		248.80B/197.90A	248.80B/197.90A	----	----	244.40 + 32.20	.6411	----	----	----	----	222	UNCH
4480	----	----		252.20B/201.00A	252.20B/201.00A	----	----	247.80 + 32.50	.6457	----	----	----	----	47	UNCH
4485	----	----		255.80B/203.90A	255.80B/203.90A	----	----	251.30 + 32.80	.6503	----	----	----	----	41	UNCH
4490	----	----		259.30B/207.00A	259.30B/207.00A	----	----	254.80 + 33.10	.6549	----	----	----	----	31	UNCH
4495	----	----		262.80B/210.10A	262.80B/210.10A	----	----	258.30 + 33.30	.6595	----	----	----	----	40	UNCH
4500	244.50	244.50		266.30B/213.20A	266.30B/213.20A	----	----	261.80 + 33.60	.6639	----	5	----	1615 +	2	2
4505	----	----		269.90B/216.40A	269.90B/216.40A	----	----	265.40 + 33.90	.6685	----	----	----	----	17	UNCH
4510	----	----		273.40B/219.50A	273.40B/219.50A	----	----	268.90 + 34.10	.6728	----	----	----	----	17	UNCH
4515	----	----		277.10B/222.70A	277.10B/222.70A	----	----	272.50 + 34.30	.6773	----	----	10	----	269	UNCH
4520	----	----		280.70B/225.90A	280.70B/225.90A	----	----	276.20 + 34.70	.6817	----	----	----	----	44 -	2
4525	----	----		284.30B/229.20A	284.30B/229.20A	----	----	279.80 + 34.90	.6859	----	----	----	----	384	UNCH
4530	----	----		288.00B/232.50A	288.00B/232.50A	----	----	283.50 + 35.20	.6902	----	----	----	----	56	UNCH
4535	----	----		291.70B/											

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS														
DEC26																
4810	----	----	----	520.50B/446.20A	520.50B/446.20A	----	----	----	515.80 + 47.40	.8662	----	----	----	----	55	UNCH
4815	----	----	----	525.00B/450.50A	525.00B/450.50A	----	----	----	520.30 + 47.50	.8681	----	----	----	----	10	UNCH
4820	----	----	----	529.50B/454.80A	529.50B/454.80A	----	----	----	524.90 + 47.80	.8702	----	----	----	----	21	UNCH
4825	----	----	----	533.90B/459.10A	533.90B/459.10A	----	----	----	529.40 + 47.90	.8721	----	----	----	----	112	UNCH
4830	----	----	----	538.50B/463.40A	538.50B/463.40A	----	----	----	533.90 + 48.00	.8740	----	----	----	----	15	UNCH
4835	----	----	----	543.10B/467.80A	543.10B/467.80A	----	----	----	538.50 + 48.20	.8761	----	----	----	----	125	UNCH
4850	----	----	----	556.70B/480.90A	556.70B/480.90A	----	----	----	552.20 + 48.60	.8816	----	----	----	----	16	UNCH
4860	----	----	----	565.80B/489.60A	565.80B/489.60A	----	----	----	561.40 + 48.90	.8853	----	----	----	----	4	UNCH
4865	----	----	----	570.40B/493.80A	570.40B/493.80A	----	----	----	566.00 + 49.10	.8868	----	----	----	----	2	UNCH
4870	----	----	----	575.00B/498.20A	575.00B/498.20A	----	----	----	570.70 + 49.30	.8886	----	----	----	----	2	UNCH
4875	----	----	----	579.60B/502.80A	579.60B/502.80A	----	----	----	575.30 + 49.40	.8904	----	----	----	----	16	UNCH
4880	----	----	----	584.30B/507.10A	584.30B/507.10A	----	----	----	579.90 + 49.50	.8919	----	----	----	----	10	UNCH
4900	----	----	----	602.80B/525.00A	602.80B/525.00A	----	----	----	598.50 + 50.10	.8984	----	----	----	----	111	UNCH
4920	----	----	----	621.50B/542.90A	621.50B/542.90A	----	----	----	617.20 + 50.60	.9042	----	----	----	----	4	UNCH
4925	----	----	----	626.20B/547.30A	626.20B/547.30A	----	----	----	621.90 + 50.70	.9057	----	----	----	----	238	UNCH
4930	----	----	----	630.80B/551.90A	630.80B/551.90A	----	----	----	626.60 + 50.80	.9071	----	----	----	----	1	UNCH
4935	623.00	----	623.00	635.50B/556.50A	635.50B/556.50A	----	----	----	631.20 + 50.80	.9086	----	----	1	----	3	+
4940	----	----	----	640.20B/561.00A	640.20B/561.00A	----	----	----	635.90 + 50.90	.9100	----	----	----	----	29	UNCH
4950	----	----	----	649.70B/570.10A	649.70B/570.10A	----	----	----	645.40 + 51.20	.9128	----	----	----	----	24	UNCH
4975	----	----	----	673.30B/593.00A	673.30B/593.00A	----	----	----	669.00 + 51.70	.9189	----	----	----	----	42	UNCH
4980	----	----	----	678.00B/597.50A	678.00B/597.50A	----	----	----	673.80 + 51.80	.9203	----	----	----	----	5	UNCH
4995	----	----	----	692.30B/611.30A	692.30B/611.30A	----	----	----	688.00 + 52.00	.9237	----	----	----	----	32	UNCH
5000	----	----	----	697.00B/615.90A	697.00B/615.90A	----	----	----	692.80 + 52.20	.9248	----	----	----	----	551	UNCH
5015	690.30	----	690.30	711.10B/629.80A	711.10B/629.80A	----	----	----	707.10 NEW	.9279	----	----	1	----	1	+
5020	----	----	----	716.00B/634.50A	716.00B/634.50A	----	----	----	711.90 + 52.50	.9289	----	----	----	----	8	UNCH
5025	----	----	----	720.70B/639.20A	720.70B/639.20A	----	----	----	716.70 + 52.60	.9299	----	----	----	----	210	UNCH
5035	----	----	----	730.30B/648.70A	730.30B/648.70A	----	----	----	726.30 + 52.70	.9319	----	----	----	----	8	UNCH
5050	----	----	----	740.40B/662.90A	740.40B/662.90A	----	----	----	740.70 + 53.00	.9350	----	----	----	----	201	UNCH
5070	----	----	----	759.80B/681.70A	759.80B/681.70A	----	----	----	760.00 + 53.30	.9382	----	----	----	----	2	UNCH
5075	----	----	----	764.30B/686.00A	764.30B/686.00A	----	----	----	764.80 + 53.30	.9392	----	----	----	----	100	UNCH
5095	----	----	----	783.80B/705.30A	783.80B/705.30A	----	----	----	784.20 + 53.70	.9424	----	----	----	----	6	UNCH
5100	----	----	----	788.60B/710.10A	788.60B/710.10A	----	----	----	789.10 + 53.80	.9433	----	----	----	----	30	UNCH
5150	----	----	----	834.80B/757.70A	834.80B/757.70A	----	----	----	837.70 + 54.40	.9500	----	----	----	----	1	UNCH
5195	----	----	----	878.50B/800.90A	878.50B/800.90A	----	----	----	881.70 + 54.90	.9554	----	----	----	----	5	UNCH
5200	----	----	----	883.40B/805.70A	883.40B/805.70A	----	----	----	886.60 + 55.00	.9560	----	----	----	----	34	UNCH
5240	----	----	----	922.40B/844.30A	922.40B/844.30A	----	----	----	925.90 + 55.40	.9599	----	----	----	----	1	UNCH
5250	----	----	----	932.20B/878.60A	932.20B/878.60A	----	----	----	935.70 + 55.40	.9606	----	----	----	----	126	UNCH
5290	----	----	----	971.40B/918.50A	971.40B/918.50A	----	----	----	975.10 + 55.80	.9640	----	----	----	----	1	UNCH
5295	----	----	----	976.30B/923.50A	976.30B/923.50A	----	----	----	980.00 + 55.80	.9645	----	----	----	----	1	UNCH
5300	----	----	----	981.30B/----	981.30B/929.20A	----	----	----	985.00 + 55.90	.9646	----	----	----	----	4	UNCH
5350	----	----	----	1,030.50B/----	1030.50B/979.90A	----	----	----	1034.30 + 56.10	.9681	----	----	----	----	1	UNCH
5360	----	----	----	1,040.40B/----	1040.40B/989.90A	----	----	----	1044.20 + 56.20	.9691	----	----	----	----	100	UNCH
5370	----	----	----	1,050.30B/----	1050.30B/998.80A	----	----	----	1054.10 + 56.20	.9697	----	----	----	----	22	UNCH
5375	----	----	----	1,055.20B/----	1055.20B/1003.80A	----	----	----	1059.10 + 56.30	.9698	----	----	----	----	34	UNCH
5400	----	----	----	1,080.10B/----	1080.10B/1029.80A	----	----	----	1083.80 + 56.40	.9715	----	----	----	----	103	UNCH
5415	----	----	----	1,095.00B/----	1095.00B/1043.70A	----	----	----	1098.70 + 56.50	.9722	----	----	----	----	4	UNCH
5460	----	----	----	1,140.00B/----	1140.00B/1089.90A	----	----	----	1143.30 + 56.70	.9745	----	----	----	----	200	UNCH
5465	----	----	----	1,145.00B/----	1145.00B/1094.50A	----	----	----	1148.30 + 56.70	.9746	----	----	----	----	50	UNCH
5480	----	----	----	1,160.10B/----	1160.10B/1109.40A	----	----	----	1163.20 + 56.80	.9752	----	----	----	----	50	UNCH
5500	----	----	----	1,180.30B/----	1180.30B/1129.20A	----	----	----	1183.00 + 56.80	.9763	----	----	----	----	37	UNCH
5525	----	----	----	1,205.70B/----	1205.70B/1153.90A	----	----	----	1207.90 + 57.00	.9771	----	----	----	----	80	UNCH
5600	----	----	----	1,282.70B/----	1282.70B/1277.40A	----	----	----	1282.40 + 57.10	.9801	----	----	----	----	252	UNCH
5650	1310.50	----	1310.50	1,333.20B/1,274	1333.20B/1274.50A	----	----	----	1332.20 NEW	.9818	----	----	10	----	10	+
5700	1360.50	----	1360.50	1,383.80B/1,322	1383.80B/1322.20A	----	----	----	1382.10 + 57.50	.9827	1	----	5	----	5	+
5760	1421.00	----	1421.00	1,444.40B/1,378	1444.40B/1378.70A	----	----	----	1441.90 NEW	.9841	----	----	5	----	5	+
5800	1462.00	----	1462.00	1,484.50B/1,416	1484.50B/1416.60A	----	----	----	1481.80 + 57.60	.9852	----	----	5	----	31	+
5875	----	----	----	1,560.00B/1,487	1560.00B/1487.70A	----	----	----	1556.70 + 57.80	.9870	----	----	----	----	5	UNCH
5900	----	----	----	1,584.80B/1,511	1584.80B/1511.50A	----	----	----	1581.70 + 57.80	.9876	50	----	----	----	60	-
5925	----	----	----	1,610.10B/1,535	1610.10B/1535.50A	----	----	----	1606.60 + 57.80	.9878	----	----	----	----	0	-
6000	----	----	----	1,684.70B/1,608	1684.70B/1608.00A	----	----	----	1681.60 + 57.90	.9891	6	----	----	----	11	-
6100	----	----	----	1,784.50B/1,706	1784.50B/1706.60A	----	----	----	1781.60 + 58.00	.9905	----	----	----	----	0	-
6200	----	----	----	1,884.30B/1,807	1884.30B/1807.40A	----	----	----	1881.60 + 58.00	.9918	----	----	----	----	0	-
10000	----	----	----	----	----	----	----	----	5681.60 + 58.00	1.0000	----	----	20	----	0	UNCH
TOTAL	----	----	----	----	----	----	----	----	----	----	----	----	6703	275	87765+	1695+
JAN27																
2625	----	----	----	----	1.30B/1.40A	----	----	----	1.40 UNCH	.0045	----	----	----	----	37	UNCH
2650	----	----	----	----	1.40B/1.50A	----	----	----	1.50 UNCH	.0049	----	----	----	----	14	UNCH
2675	----	----	----	----	1.40B/1.60A	----	----	----	1.60 UNCH	.0052	----	----	----	----	1	UNCH
2700	----	----	----	----	1.50B/1.70A	----	----	----	1.70 + 0.10	.0056	----	----	----	----	30	UNCH
2800	----	----	----	----	1.90B/2.00A	----	----	----	1.90 - 0.10	.0065	----	----	----	----	34	UNCH
2850	----	----	----	----	2.10B/2.20A	----	----	----	2.10 UNCH	.0073	----	----	1	----	7	+
2870	----	----	----	----	2.20B/2.30A	----	----	----	2.20 UNCH	.0077	----	----	----	----	1	UNCH
2890	----	----	----	----	2.30B/2.40A	----	----	----	2.30 UNCH	.0081	----	----	----	----	2	UNCH
2900	----	----	----	----	2.30B/2.50A	----	----	----	2.30 UNCH	.0082	----	----	----	----	1	UNCH
2910	----	----	----	----	2.40B/2.50A	----	----	----	2.40 UNCH	.0085	----	----	----	----	2	UNCH
2915	----	----	----	----	2.40B/2.50A	----	----	----	2.40 UNCH	.0085	----	----	----	----	1	UNCH
2980	----	----	----	----	2.80B/2.90A	----	----	----	2.80 UNCH	.0101	----	----	----	----	1	UNCH
3000	----	----	----	----	2.90B/3.00A	----	----	----	2.90 UNCH	.0105	----	----	----	----	58	UNCH
3010	----	----	----	3.00B/----	3.00B/3.10A	----	----	----	3.00 + 0.10	.0109	----	----	----	----	16	UNCH
3060	----	----	----	----	3.30B/3.50A	----	----	----	3.40 + 0.10	.0125	----	----	----	----	2	UNCH
3065	----	----	----	3.40B/----	3.40B/3.50A	----	----	----	3.40 + 0.10	.0125	----	----	----	----	3	UNCH
3070	----	----	----	----	3.40B/3.50A	----	----	----	3.40 UNCH	.0126	----	----	----	----	4	UNCH
3080	----	----	----	3.50B/----	3.50B/3.60A	----	----	----	3.50 + 0.10	.0130	----	----	----	----	20	UNCH
3085	----	----	----	----	3.50B/3.60A	----	----	----	3.60 + 0.10	.0133	----	----	----	----	10	UNCH
3090	----	----	----	3.60B/----	3.60B/3.70A	----	----	----	3.60 + 0.10	.0134	----	----	----	----	21	UNCH
3095	----	----	----	3.60B/----	3.60B/3.70A	----	----	----	3.60 + 0.10	.0134	----	----	----	----	218	UNCH
3100	----	----	----	3.70B/3.50A	3.70B/3.50A	----	----	----	3.70 + 0.10	.0138	----	----	----	----	39	UNCH
3105	----	----	----	3.70B/----	3.70B/3.80A	----	----	----	3.70 + 0.10	.0138	----	----	----	----	16	UNCH
3110	----	----	----	3.80B/----	3.80B/3.80A	----	----	----	3.80 + 0.10	.0141	----	----	----	----	4	UNCH
3125	----	----	----	3.90B/----	3.90B/3.90A	----	----	----	3.90 + 0.10	.0146	----	----	----	----		

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT	COMEX GOLD OPTIONS															
JAN27																
3650	----	----	----	16.508/13.90A	16.508/13.90A	----	----	16.20 + 1.70	.0651	----	----	----	----	48	UNCH	
3670	----	----	----	17.708/14.80A	17.708/14.80A	----	----	17.30 + 1.90	.0693	----	----	----	----	2	UNCH	
3680	----	----	----	18.308/15.20A	18.308/15.20A	----	----	17.90 + 2.00	.0716	----	----	----	----	1	UNCH	
3685	----	----	----	18.608/15.50A	18.608/15.50A	----	----	18.20 + 2.00	.0728	----	----	----	----	2	UNCH	
3690	----	----	----	18.908/15.70A	18.908/15.70A	----	----	18.50 + 2.10	.0740	----	----	----	----	1	UNCH	
3695	----	----	----	19.308/16.00A	19.308/16.00A	----	----	18.80 + 2.10	.0751	----	----	----	----	9	UNCH	
3700	18.80	18.80	----	19.608/16.20A	19.608/16.20A	----	----	19.20 + 2.20	.0766	----	----	103	----	495	- 55	
3705	----	----	----	20.008/16.50A	20.008/16.50A	----	----	19.50 + 2.20	.0777	----	----	----	----	1	UNCH	
3715	----	----	----	20.708/17.10A	20.708/17.10A	----	----	20.20 + 2.30	.0804	----	----	----	----	1	UNCH	
3720	20.20	20.20	----	21.108/17.30A	21.108/17.30A	----	----	20.60 NEW	.0818	----	----	4	----	4	+	
3725	----	----	----	21.408/17.60A	21.408/17.60A	----	----	20.90 + 2.40	.0830	----	----	----	----	30	UNCH	
3730	----	----	----	21.808/17.90A	21.808/17.90A	----	----	21.30 + 2.50	.0844	----	----	----	----	3	UNCH	
3735	----	----	----	22.208/18.20A	22.208/18.20A	----	----	21.70 + 2.60	.0859	----	----	----	----	3	UNCH	
3740	----	----	----	22.608/18.50A	22.608/18.50A	----	----	22.10 + 2.70	.0874	----	----	----	----	20	UNCH	
3745	----	----	----	23.008/18.80A	23.008/18.80A	----	----	22.50 + 2.70	.0888	----	----	----	----	34	UNCH	
3750	----	----	----	23.508/19.10A	23.508/19.10A	----	----	22.90 + 2.80	.0903	----	----	----	----	44	UNCH	
3755	----	----	----	23.908/19.40A	23.908/19.40A	----	----	23.30 + 2.90	.0918	----	----	----	----	7	UNCH	
3760	----	----	----	24.408/19.70A	24.408/19.70A	----	----	23.70 + 2.90	.0933	----	----	----	----	11	UNCH	
3770	----	----	----	25.208/20.40A	25.208/20.40A	----	----	24.60 + 3.10	.0965	----	----	----	----	23	UNCH	
3775	----	----	----	25.608/20.80A	25.608/20.80A	----	----	25.00 + 3.10	.0980	----	----	----	----	9	UNCH	
3780	----	----	----	26.108/21.10A	26.108/21.10A	----	----	25.50 + 3.20	.0997	----	----	----	----	1	UNCH	
3790	----	----	----	27.108/21.90A	27.108/21.90A	----	----	26.40 + 3.30	.1030	----	----	----	----	1	UNCH	
3795	----	----	----	27.708/22.20A	27.708/22.20A	----	----	26.90 + 3.40	.1047	----	----	----	----	5	UNCH	
3800	24.20	24.20	----	28.108/22.60A	28.108/22.60A	----	----	27.40 + 3.50	.1065	----	----	1	----	717	+	
3805	----	----	----	28.608/23.00A	28.608/23.00A	----	----	27.90 + 3.60	.1082	----	----	----	----	4	UNCH	
3810	----	----	----	29.208/23.40A	29.208/23.40A	----	----	28.40 + 3.60	.1100	----	----	----	----	1	UNCH	
3815	----	----	----	29.708/23.80A	29.708/23.80A	----	----	28.90 + 3.70	.1118	----	----	----	----	2	UNCH	
3825	----	----	----	30.808/24.70A	30.808/24.70A	----	----	30.00 + 3.90	.1156	----	----	----	----	10	UNCH	
3830	----	----	----	31.408/25.10A	31.408/25.10A	----	----	30.50 + 3.90	.1174	----	----	----	----	2	UNCH	
3835	----	----	----	32.008/25.60A	32.008/25.60A	----	----	31.10 + 4.00	.1194	----	----	----	----	6	UNCH	
3840	----	----	----	32.608/25.90A	32.608/25.90A	----	----	31.70 + 4.10	.1214	----	----	----	----	2	UNCH	
3850	----	----	----	33.808/26.90A	33.808/26.90A	----	----	32.90 + 4.30	.1255	----	----	505	----	756	+	
3855	----	----	----	34.508/27.40A	34.508/27.40A	----	----	33.50 + 4.40	.1275	----	----	----	----	7	UNCH	
3860	----	----	----	35.108/27.90A	35.108/27.90A	----	----	34.10 + 4.50	.1296	----	----	----	----	110	UNCH	
3870	----	----	----	36.508/28.90A	36.508/28.90A	----	----	35.40 + 4.70	.1339	----	----	1	----	15	UNCH	
3875	----	----	----	37.208/29.50A	37.208/29.50A	----	----	36.00 + 4.70	.1360	----	----	----	----	6	UNCH	
3880	38.20	38.20	----	37.908/30.00A	37.908/30.00A	----	----	36.70 + 4.80	.1382	----	----	----	----	4	UNCH	
3885	----	----	----	38.608/30.60A	38.608/30.60A	----	----	37.40 + 5.00	.1405	----	----	9	----	10	+	
3890	----	----	----	39.308/31.10A	39.308/31.10A	----	----	38.10 + 5.10	.1428	----	----	----	----	34	UNCH	
3895	----	----	----	40.008/31.60A	40.008/31.60A	----	----	38.80 + 5.20	.1451	----	----	----	----	11	UNCH	
3900	37.00	37.00	----	40.808/32.20A	40.808/32.20A	----	----	39.50 + 5.20	.1474	----	----	16	----	78	+	
3905	----	----	----	41.608/32.80A	41.608/32.80A	----	----	40.30 + 5.40	.1499	----	----	----	----	26	UNCH	
3915	----	----	----	43.208/34.10A	43.208/34.10A	----	----	41.80 + 5.60	.1547	----	----	----	----	65	UNCH	
3920	----	----	----	44.008/34.60A	44.008/34.60A	----	----	42.60 + 5.70	.1572	----	----	----	----	4	UNCH	
3925	----	----	----	44.808/35.30A	44.808/35.30A	----	----	43.30 + 5.80	.1596	----	----	----	----	3	UNCH	
3930	43.90	43.90	----	45.608/35.90A	45.608/35.90A	----	----	44.20 + 6.00	.1623	----	----	6	----	6	+	
3935	----	----	----	46.508/36.60A	46.508/36.60A	----	----	45.00 + 6.00	.1648	----	----	----	----	12	UNCH	
3940	----	----	----	47.408/37.20A	47.408/37.20A	----	----	45.80 + 6.10	.1673	----	----	----	----	2	UNCH	
3945	----	----	----	48.308/37.90A	48.308/37.90A	----	----	46.70 + 6.30	.1701	----	----	----	----	50	UNCH	
3950	38.20	38.20	----	49.308/38.20	49.308/38.20	----	----	47.50 + 6.30	.1726	----	----	5	----	521	UNCH	
3960	48.80	48.80	----	51.108/40.00A	51.108/40.00A	----	----	49.30 + 6.60	.1781	----	----	9	----	33	+	
3965	----	----	----	52.008/40.70A	52.008/40.70A	----	----	50.30 + 6.80	.1810	----	----	----	----	10	UNCH	
3970	51.20	51.20	----	53.008/41.50A	53.008/41.50A	----	----	51.20 + 6.90	.1838	----	----	1	----	3	-	
3975	----	----	----	54.008/42.20A	54.008/42.20A	----	----	52.10 + 7.00	.1865	----	----	----	----	52	UNCH	
3980	53.10	53.10	----	55.008/43.10A	55.008/43.10A	----	----	53.10 + 7.10	.1895	----	----	1	----	23	UNCH	
3985	----	----	----	56.008/43.90A	56.008/43.90A	----	----	54.10 + 7.30	.1924	----	----	----	----	5	UNCH	
3990	----	----	----	57.108/44.60A	57.108/44.60A	----	----	55.10 + 7.40	.1953	----	----	----	----	18	UNCH	
3995	----	----	----	58.208/45.50A	58.208/45.50A	----	----	56.10 + 7.50	.1983	----	----	----	----	5	UNCH	
4000	58.30	58.30	----	59.308/46.00A	59.308/46.00A	----	----	57.20 + 7.70	.2014	----	----	8	50	512	+	
4005	----	----	----	60.308/47.20A	60.308/47.20A	----	----	58.20 + 7.80	.2044	----	----	----	----	3	UNCH	
4010	----	----	----	61.408/48.00A	61.408/48.00A	----	----	59.30 + 8.00	.2075	----	----	----	----	16	UNCH	
4020	60.30	60.30	----	63.708/49.80A	63.708/49.80A	----	----	61.50 NEW	.2137	----	----	8	----	8	+	
4025	----	----	----	64.908/50.70A	64.908/50.70A	----	----	62.70 + 8.50	.2170	----	----	----	----	13	UNCH	
4030	63.00	63.00	----	66.108/51.80A	66.108/51.80A	----	----	63.80 + 8.60	.2201	----	----	16	5	18	+	
4035	64.10	64.10	----	67.308/52.70A	67.308/52.70A	----	----	65.00 + 8.80	.2234	----	----	5	----	10	UNCH	
4040	65.30	65.30	----	68.608/53.70A	68.608/53.70A	----	----	66.20 + 8.90	.2267	----	----	2	----	5	-	
4045	67.40	67.40	----	69.808/54.70A	69.808/54.70A	----	----	67.40 + 9.10	.2300	----	----	1	----	6	+	
4050	58.20	58.20	----	71.108/55.60A	71.108/55.60A	----	----	68.60 + 9.20	.2333	----	----	6	----	28	+	
4055	69.00	69.00	----	72.408/56.60A	72.408/56.60A	----	----	69.90 + 9.40	.2368	----	----	1	----	3	+	
4060	69.10	69.10	----	73.708/57.60A	73.708/57.60A	----	----	71.20 + 9.60	.2402	----	----	5	----	3	-	
4065	72.40	72.40	----	75.008/58.70A	75.008/58.70A	----	----	72.40 + 9.70	.2435	----	----	7	----	9	+	
4070	----	----	----	76.408/59.70A	76.408/59.70A	----	----	73.80 + 9.90	.2471	----	----	----	----	45	UNCH	
4075	----	----	----	77.808/60.60A	77.808/60.60A	----	----	75.10 + 10.10	.2505	----	----	----	----	26	UNCH	
4080	----	----	----	79.108/61.90A	79.108/61.90A	----	----	76.40 + 10.20	.2540	----	----	----	----	209	UNCH	
4085	----	----	----	80.608/63.00A	80.608/63.00A	----	----	77.80 + 10.40	.2576	----	----	----	----	26	UNCH	
4090	76.00	76.00	----	82.008/64.20A	82.008/64.20A	----	----	79.20 + 10.60	.2612	----	----	1	----	7	+	
4095	79.60	79.60	----	83.508/65.50A	83.508/65.50A	----	----	80.60 + 10.70	.2648	----	----	1	----	7	UNCH	
4100	77.00	77.00	----	84.908/66.30A	84.908/66.30A	----	----	82.10 + 11.00	.2685	----	----	43	----	414	+	
4105	----	----	----	86.408/67.70A	86.408/67.70A	----	----	83.50 + 11.10	.2721	----	----	1	----	27	+	
4110	86.40	86.40	----	88.008/68.90A	88.008/68.90A	----	----	85.00 + 11.30	.2758	----	----	20	----	27	+	
4115	----	----	----	89.508/70.20A	89.508/70.20A	----	----	86.50 + 11.50	.2795	----	----	1	----	31	+	
4120	----	----	----	91.108/71.50A	91.108/71.50A	----	----	88.00 + 11.60	.2832	----	----	----	----	5	UNCH	
4125	----	----	----	92.708/72.40A	92.708/72.40A	----	----	89.60 + 11.90	.2870	----	----	----	----	374	UNCH	
4130	----	----	----	94.308/74.00A	94.308/74.00A	----	----	91.20 + 12.10	.2909	----	----	----	----	10	UNCH	
4135	----	----	----	95.908/75.30A	95.908/75.30A	----	----	92.70 + 12.20	.2946	----	----	----	----	43	UNCH	
4140	----	----	----	97.508/76.70A	97.508/76.70A	----	----	94.40 + 12.50	.2985	----	----	1	----	61	+	
4145	----	----	----	99.208/78.00A	99.208/78.00A	----	----	96.00 + 12.60	.3024	----	----	----	----	43	UNCH	
4150	----	----	----	101.008/79.20A	101.008/79.20A	----	----	97.60 + 12.80	.3062	----	----	2	----	113	UNCH	
4155	----	----	----	102.708/80.70A	102.708/80.70A	----	----	99.30 + 13.00	.3101	----	----	----	----	5	UNCH	
4160	----	----	----	104.408/82.10A	104.408/82.10A	----	----	101.00 + 13.20	.3141	----	----	----	----	209	UNCH	
4165	----	----	----	106.208/8												

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS													
JAN27															
4430	----	----	----	232.60B/191.10A	232.60B/191.10A	----	----	228.10 + 25.70	.5410	----	----	----	----	8	UNCH
4435	----	----	----	235.60B/193.60A	235.60B/193.60A	----	----	231.10 + 25.90	.5451	----	----	----	----	2	UNCH
4440	----	----	----	238.60B/196.20A	238.60B/196.20A	----	----	234.10 + 26.20	.5492	----	----	----	----	5	UNCH
4445	----	----	----	241.60B/198.80A	241.60B/198.80A	----	----	237.20 + 26.50	.5533	----	----	----	----	11	UNCH
4450	----	----	----	244.70B/201.30A	244.70B/201.30A	----	----	240.20 + 26.70	.5574	----	----	33	----	399 +	32
4455	----	----	----	247.80B/204.20A	247.80B/204.20A	----	----	243.30 + 27.00	.5614	----	----	----	----	14	UNCH
4460	----	----	----	250.90B/207.20A	250.90B/207.20A	----	----	246.40 + 27.20	.5654	----	----	----	----	7	UNCH
4465	----	----	----	254.00B/209.80A	254.00B/209.80A	----	----	249.50 + 27.40	.5695	----	----	----	----	8	UNCH
4470	----	----	----	257.10B/212.60A	257.10B/212.60A	----	----	252.70 + 27.70	.5735	----	1	----	----	3	UNCH
4475	----	----	----	260.30B/215.00A	260.30B/215.00A	----	----	255.80 + 27.90	.5775	----	----	----	----	91	UNCH
4480	----	----	----	263.50B/218.20A	263.50B/218.20A	----	----	259.00 + 28.20	.5815	----	1	----	----	112	UNCH
4485	----	----	----	266.40B/221.00A	266.40B/221.00A	----	----	262.20 + 28.50	.5854	----	----	----	----	11	UNCH
4490	----	----	----	269.60B/223.90A	269.60B/223.90A	----	----	265.40 + 28.70	.5893	----	----	----	----	20	UNCH
4495	----	----	----	272.90B/226.80A	272.90B/226.80A	----	----	268.70 + 29.00	.5932	----	----	----	----	13	UNCH
4500	264.20	----	264.20	276.20B/229.30A	276.20B/229.30A	----	----	271.90 + 29.20	.5971	----	1	----	----	291 +	1
4505	----	----	----	279.40B/232.60A	279.40B/232.60A	----	----	275.20 + 29.40	.6010	----	----	----	----	28	UNCH
4510	----	----	----	282.70B/235.70A	282.70B/235.70A	----	----	278.50 + 29.70	.6048	----	----	----	----	9	UNCH
4515	----	----	----	285.90B/238.50A	285.90B/238.50A	----	----	281.80 + 29.90	.6087	----	----	----	----	1	UNCH
4520	----	----	----	289.30B/241.50A	289.30B/241.50A	----	----	285.10 + 30.10	.6125	----	----	----	----	15	UNCH
4530	----	----	----	295.70B/247.60A	295.70B/247.60A	----	----	291.90 + 30.70	.6201	----	----	----	----	1	UNCH
4535	----	----	----	299.30B/250.60A	299.30B/250.60A	----	----	295.30 + 30.90	.6238	----	----	----	----	11	UNCH
4545	----	----	----	306.20B/256.70A	306.20B/256.70A	----	----	302.10 + 31.40	.6313	----	----	----	----	5	UNCH
4550	----	----	----	309.60B/259.80A	309.60B/259.80A	----	----	305.50 + 31.60	.6350	----	----	----	----	2	UNCH
4555	----	----	----	312.80B/262.90A	312.80B/262.90A	----	----	309.00 + 31.80	.6386	----	----	----	----	2	UNCH
4560	----	----	----	316.30B/266.10A	316.30B/266.10A	----	----	312.50 + 32.10	.6423	----	----	----	----	2	UNCH
4570	----	----	----	323.30B/272.40A	323.30B/272.40A	----	----	319.50 + 32.50	.6495	----	----	----	----	1	UNCH
4575	----	----	----	327.10B/275.40A	327.10B/275.40A	----	----	323.00 + 32.70	.6531	----	----	----	----	40	UNCH
4580	----	----	----	330.30B/278.80A	330.30B/278.80A	----	----	326.60 + 33.00	.6566	----	----	----	----	1	UNCH
4585	----	----	----	333.90B/282.10A	333.90B/282.10A	----	----	330.10 + 33.10	.6601	----	----	----	----	1	UNCH
4600	----	----	----	345.10B/291.50A	345.10B/291.50A	----	----	340.90 + 33.80	.6706	----	----	----	----	128	UNCH
4605	----	----	----	348.60B/295.10A	348.60B/295.10A	----	----	344.60 + 34.10	.6740	----	----	----	----	3	UNCH
4610	----	----	----	351.90B/298.40A	351.90B/298.40A	----	----	348.20 + 34.30	.6774	----	----	----	----	1	UNCH
4615	----	----	----	355.50B/301.80A	355.50B/301.80A	----	----	351.90 + 34.50	.6808	----	----	----	----	1	UNCH
4620	----	----	----	359.80B/305.20A	359.80B/305.20A	----	----	355.60 + 34.70	.6842	----	----	----	----	21	UNCH
4625	----	----	----	363.60B/308.50A	363.60B/308.50A	----	----	359.30 + 35.00	.6876	----	----	----	----	15	UNCH
4630	----	----	----	367.30B/311.90A	367.30B/311.90A	----	----	363.00 + 35.20	.6909	----	----	----	----	3	UNCH
4635	----	----	----	370.40B/315.40A	370.40B/315.40A	----	----	366.70 + 35.30	.6941	----	----	----	----	1	UNCH
4640	----	----	----	374.20B/322.60A	374.20B/322.60A	----	----	370.50 + 35.60	.6975	----	----	----	----	2	UNCH
4645	----	----	----	377.80B/326.10A	377.80B/326.10A	----	----	374.20 + 35.70	.7007	----	----	----	----	1	UNCH
4650	----	----	----	382.40B/329.60A	382.40B/329.60A	----	----	378.00 + 36.00	.7038	----	----	----	----	24	UNCH
4655	----	----	----	386.20B/333.10A	386.20B/333.10A	----	----	381.80 + 36.20	.7071	----	----	----	----	3	UNCH
4660	----	----	----	390.10B/336.60A	390.10B/336.60A	----	----	385.60 + 36.40	.7102	----	----	----	----	5	UNCH
4665	----	----	----	393.90B/340.20A	393.90B/340.20A	----	----	389.50 + 36.60	.7134	----	----	----	----	4	UNCH
4670	----	----	----	397.70B/343.70A	397.70B/343.70A	----	----	393.30 + 36.80	.7165	----	----	----	----	30	UNCH
4675	----	----	----	400.70B/347.30A	400.70B/347.30A	----	----	397.20 + 37.00	.7195	----	----	----	----	1	UNCH
4685	----	----	----	408.40B/354.50A	408.40B/354.50A	----	----	405.00 + 37.50	.7257	----	----	----	----	1	UNCH
4700	----	----	----	420.20B/365.40A	420.20B/365.40A	----	----	416.70 + 38.00	.7346	----	----	----	----	1	UNCH
4710	----	----	----	429.10B/372.80A	429.10B/372.80A	----	----	424.60 + 38.40	.7403	----	----	----	----	4	UNCH
4750	----	----	----	461.40B/402.80A	461.40B/402.80A	----	----	456.80 + 40.00	.7625	----	----	----	----	31	UNCH
4760	----	----	----	469.50B/410.50A	469.50B/410.50A	----	----	465.00 + 40.40	.7679	----	----	----	----	100	UNCH
4800	----	----	----	502.70B/441.70A	502.70B/441.70A	----	----	498.20 + 41.80	.7880	----	----	----	----	5	UNCH
4805	----	----	----	505.80B/445.60A	505.80B/445.60A	----	----	502.40 + 42.00	.7905	----	----	----	----	5	UNCH
4820	----	----	----	519.60B/457.60A	519.60B/457.60A	----	----	515.10 + 42.60	.7975	----	----	----	----	5	UNCH
4840	----	----	----	535.90B/473.70A	535.90B/473.70A	----	----	532.10 + 43.20	.8067	----	----	----	----	44	UNCH
4845	----	----	----	539.50B/477.80A	539.50B/477.80A	----	----	536.40 + 43.40	.8088	----	----	----	----	21	UNCH
4850	----	----	----	543.30B/481.90A	543.30B/481.90A	----	----	540.70 + 43.60	.8110	----	----	----	----	21	UNCH
4855	----	----	----	544.70B/485.90A	544.70B/485.90A	----	----	545.00 + 43.70	.8132	----	----	----	----	42	UNCH
4860	----	----	----	548.00B/490.00A	548.00B/490.00A	----	----	549.30 + 43.90	.8153	----	----	----	----	1	UNCH
4880	----	----	----	565.10B/506.60A	565.10B/506.60A	----	----	566.70 + 44.60	.8238	----	----	----	----	1	UNCH
4960	----	----	----	634.90B/574.30A	634.90B/574.30A	----	----	637.50 + 46.90	.8535	----	----	----	----	42	UNCH
4980	----	----	----	652.60B/605.40A	652.60B/605.40A	----	----	655.50 + 47.40	.8600	----	----	----	----	9	UNCH
4990	----	----	----	661.50B/614.30A	661.50B/614.30A	----	----	664.60 + 47.70	.8632	----	----	----	----	1	UNCH
5000	----	----	----	670.50B/623.30A	670.50B/623.30A	----	----	673.70 + 48.00	.8664	----	----	----	----	2	UNCH
5050	----	----	----	715.60B/669.70A	715.60B/669.70A	----	----	719.50 + 49.20	.8809	----	----	----	----	100	UNCH
5085	----	----	----	747.60B/----	747.60B/702.50A	----	----	751.90 + 49.90	.8899	----	----	----	----	2	UNCH
5150	----	----	----	807.30B/----	807.30B/766.20A	----	----	812.70 + 51.10	.9049	----	----	----	----	2	UNCH
5235	----	----	----	886.50B/----	886.50B/854.10A	----	----	893.40 + 52.40	.9211	----	----	----	----	2	UNCH
5245	----	----	----	895.90B/----	895.90B/864.10A	----	----	903.00 + 52.60	.9227	----	----	----	----	2	UNCH
5300	----	----	----	947.80B/----	947.80B/921.50A	----	----	955.80 + 53.30	.9310	----	----	----	----	45	UNCH
5950	----	----	----	1,595.70B/----	1595.70B/1573.50A	----	----	1595.80 + 57.50	.9765	----	----	----	----	1	UNCH
6000	----	----	----	1,646.50B/----	1646.50B/1601.60A	----	----	1645.60 + 57.60	.9781	----	----	----	----	6	UNCH
6500	----	----	----	----	----	----	----	2145.20 + 58.20	.9883	----	----	985	210	12343 +	846
TOTAL															
FEB27															
2700	----	----	----	----	2.40B/2.70A	----	----	2.60 + 0.10	.0079	----	----	----	----	8	UNCH
2775	----	----	----	----	2.70B/3.10A	----	----	2.90 UNCH	.0090	----	----	----	----	1	UNCH
2800	----	----	----	----	2.90B/3.20A	----	----	3.10 + 0.10	.0097	----	----	----	----	42	UNCH
2900	----	----	----	----	3.50B/3.90A	----	----	3.70 + 0.10	.0119	----	----	----	----	11	UNCH
2950	----	----	----	----	3.90B/4.30A	----	----	4.10 + 0.10	.0133	----	----	----	----	1	UNCH
2960	----	----	----	----	4.00B/4.30A	----	----	4.20 + 0.10	.0137	----	----	----	----	1	UNCH
2980	----	----	----	----	4.20B/4.50A	----	----	4.40 + 0.20	.0144	----	----	----	----	60	UNCH
3000	4.40	4.40	4.40/4.40	4.40/4.40	4.40/4.40	----	----	4.60 + 0.20	.0151	----	3	----	----	226 -	1
3005	----	----	----	----	4.40B/4.70A	----	----	4.60 + 0.20	.0152	----	----	----	----	15	UNCH
3050	----	----	----	----	4.80B/5.10A	----	----	5.10 + 0.30	.0170	----	----	----	----	5	UNCH
3100	----	----	----	----	5.40B/5.70A	----	----	5.60 + 0.20	.0189	----	----	----	----	8	UNCH
3110	----	----	----	----	5.50B/5.80A	----	----	5.70 + 0.20	.0193	----	----	----	----	4	UNCH
3160	----	----	----	6.20B/----	6.20B/6.40A	----	----	6.40 + 0.30	.0219	----	----	----	----	2	UNCH
3200	----	----	----	6.80B/----	6.80B/6.90A	----	----	7.00 + 0.30	.0241	----	----	----	----	211	UNCH
3225	----	----	----	7.30B/----	7.30B/7.30A	----	----	7.40 + 0.40	.0256	----	----	----	----	19	UNCH
3235	----	----	----	7.50B/----	7.50B/7.40A	----	----	7.60 + 0.40	.0263	----	----	----	----	6	UNCH
3250	----	----	----	7.70B/----	7.70B/7.70A	----	----	7.90 + 0.40	.0274	----	----	----	----	200	UNCH
3300	----	----	----	8.80B/----	8.80B/8.60A	----	----	8.90 + 0.50	.0311	----	----	----	----	16	UNCH
3350	----	----	----	10.10B/----	10.10B/9.60A	----	----	10.10 + 0.60	.0355	----	----	10	----	147	

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT	COMEX GOLD OPTIONS															
FEB27																
3890	----	----	----	54.80B/44.80A	54.80B/44.80A	----	----	53.20 + 5.80	.1686	----	----	----	----	8	UNCH	
3895	----	----	----	55.80B/45.60A	55.80B/45.60A	----	----	54.10 + 5.90	.1710	----	----	----	----	2	UNCH	
3900	----	----	----	56.80B/45.90A	56.80B/45.90A	----	----	55.00 + 6.00	.1734	----	----	----	----	208	UNCH	
3905	----	----	----	57.60B/47.10A	57.60B/47.10A	----	----	55.90 + 6.10	.1758	----	----	----	----	3	UNCH	
3925	----	----	----	61.60B/50.30A	61.60B/50.30A	----	----	59.70 + 6.60	.1857	----	----	----	----	1	UNCH	
3930	----	----	----	62.60B/50.90A	62.60B/50.90A	----	----	60.70 NEW	.1883	----	----	1	----	1	+	
3935	----	----	----	63.60B/51.80A	63.60B/51.80A	----	----	61.70 + 6.80	.1908	----	----	----	----	5	UNCH	
3940	----	----	----	64.70B/52.30A	64.70B/52.30A	----	----	62.70 + 6.90	.1934	----	----	----	----	1	UNCH	
3945	----	----	----	65.70B/53.50A	65.70B/53.50A	----	----	63.70 + 7.00	.1960	----	----	----	----	1	UNCH	
3950	----	----	----	66.90B/54.00A	66.90B/54.00A	----	----	64.80 + 7.20	.1987	----	----	----	----	130	UNCH	
3960	----	----	----	69.10B/56.00A	69.10B/56.00A	----	----	66.90 + 7.40	.2040	----	----	----	----	14	UNCH	
3965	----	----	----	70.10B/57.10A	70.10B/57.10A	----	----	68.00 + 7.50	.2067	----	----	----	----	6	UNCH	
3980	----	----	----	73.70B/60.00A	73.70B/60.00A	----	----	71.40 + 7.90	.2150	----	----	----	----	2	UNCH	
3990	----	----	----	76.10B/61.60A	76.10B/61.60A	----	----	73.70 + 8.10	.2206	----	----	----	----	6	UNCH	
3995	----	----	----	77.30B/62.80A	77.30B/62.80A	----	----	74.90 + 8.30	.2235	----	----	----	----	5	UNCH	
4000	63.50	63.50	----	78.60B/63.50	78.60B/63.50	----	----	76.10 + 8.40	.2264	----	----	2	----	578	+	
4005	----	----	----	79.70B/64.50A	79.70B/64.50A	----	----	77.40 + 8.60	.2294	----	----	----	----	32	UNCH	
4010	----	----	----	81.10B/66.00A	81.10B/66.00A	----	----	78.60 + 8.70	.2323	----	----	----	----	4	UNCH	
4015	----	----	----	82.40B/66.90A	82.40B/66.90A	----	----	79.90 + 8.90	.2353	----	----	----	----	2	UNCH	
4020	----	----	----	83.60B/67.70A	83.60B/67.70A	----	----	81.20 + 9.00	.2383	----	----	----	----	2	UNCH	
4025	----	----	----	85.00B/68.70A	85.00B/68.70A	----	----	82.50 + 9.20	.2413	----	----	----	----	36	UNCH	
4030	----	----	----	86.30B/70.20A	86.30B/70.20A	----	----	83.80 + 9.30	.2443	----	----	----	----	30	UNCH	
4035	----	----	----	87.70B/70.90A	87.70B/70.90A	----	----	85.10 + 9.40	.2473	----	----	----	----	19	UNCH	
4040	----	----	----	89.10B/72.40A	89.10B/72.40A	----	----	86.50 + 9.60	.2504	----	----	----	----	205	UNCH	
4050	----	----	----	92.00B/74.80A	92.00B/74.80A	----	----	89.20 + 9.90	.2566	----	----	----	----	638	UNCH	
4055	----	----	----	93.40B/75.70A	93.40B/75.70A	----	----	90.70 + 10.10	.2598	----	----	----	----	2	UNCH	
4060	----	----	----	94.90B/77.30A	94.90B/77.30A	----	----	92.10 + 10.30	.2630	----	----	----	----	4	UNCH	
4065	----	----	----	96.40B/77.90A	96.40B/77.90A	----	----	93.50 + 10.40	.2661	----	----	----	----	2	UNCH	
4070	----	----	----	97.80B/79.60A	97.80B/79.60A	----	----	95.00 + 10.60	.2694	----	----	----	----	20	UNCH	
4075	----	----	----	99.30B/80.40A	99.30B/80.40A	----	----	96.50 + 10.70	.2726	----	----	----	----	6	UNCH	
4085	----	----	----	102.40B/83.50A	102.40B/83.50A	----	----	99.50 + 11.00	.2791	----	----	----	----	1	UNCH	
4090	----	----	----	104.00B/84.50A	104.00B/84.50A	----	----	101.10 + 11.30	.2824	----	----	----	----	19	UNCH	
4095	----	----	----	105.60B/85.80A	105.60B/85.80A	----	----	102.60 + 11.40	.2857	----	----	----	----	20	UNCH	
4100	----	----	----	107.30B/87.00A	107.30B/87.00A	----	----	104.20 + 11.60	.2890	----	----	50	----	686	-	
4105	----	----	----	108.90B/88.70A	108.90B/88.70A	----	----	105.80 + 11.70	.2924	----	----	----	----	1	UNCH	
4110	----	----	----	110.50B/90.10A	110.50B/90.10A	----	----	107.40 + 11.90	.2957	----	----	1	----	25	+	
4120	----	----	----	113.90B/92.80A	113.90B/92.80A	----	----	110.70 + 12.20	.3025	----	----	----	----	2	UNCH	
4125	----	----	----	115.60B/94.10A	115.60B/94.10A	----	----	112.40 + 12.40	.3059	----	----	----	----	25	UNCH	
4135	----	----	----	119.10B/96.90A	119.10B/96.90A	----	----	115.80 + 12.70	.3128	----	----	----	----	13	UNCH	
4140	----	----	----	120.90B/98.60A	120.90B/98.60A	----	----	117.60 + 13.00	.3163	----	----	----	----	21	UNCH	
4145	----	----	----	122.70B/100.00A	122.70B/100.00A	----	----	119.30 + 13.10	.3197	----	----	----	----	50	UNCH	
4150	----	----	----	124.60B/101.30A	124.60B/101.30A	----	----	121.10 + 13.30	.3232	----	----	1	----	422	+	
4155	----	----	----	126.30B/103.00A	126.30B/103.00A	----	----	122.90 + 13.50	.3268	----	----	----	----	20	UNCH	
4160	----	----	----	128.20B/104.80A	128.20B/104.80A	----	----	124.80 + 13.70	.3303	----	----	----	----	200	UNCH	
4165	----	----	----	130.00B/106.10A	130.00B/106.10A	----	----	126.60 + 13.90	.3338	----	----	----	----	20	UNCH	
4170	----	----	----	131.90B/108.00A	131.90B/108.00A	----	----	128.50 + 14.10	.3374	----	----	----	----	4	UNCH	
4175	----	----	----	133.80B/109.70A	133.80B/109.70A	----	----	130.40 + 14.30	.3410	----	----	----	----	7	UNCH	
4195	140.10	140.10	----	141.70B/116.10A	141.70B/116.10A	----	----	138.10 NEW	.3554	----	----	2	----	2	+	
4200	----	----	----	143.80B/117.70A	143.80B/117.70A	----	----	140.10 + 15.20	.3590	----	----	----	----	475	UNCH	
4205	----	----	----	145.80B/119.60A	145.80B/119.60A	----	----	142.10 + 15.40	.3626	----	----	----	----	8	UNCH	
4210	----	----	----	147.80B/121.50A	147.80B/121.50A	----	----	144.10 + 15.50	.3663	----	----	----	----	2	UNCH	
4225	----	----	----	154.10B/126.90A	154.10B/126.90A	----	----	150.40 + 16.20	.3773	----	----	----	----	15	UNCH	
4230	155.50	155.50	----	156.20B/128.60A	156.20B/128.60A	----	----	152.50 + 16.40	.3810	----	----	----	----	18	UNCH	
4235	----	----	----	158.40B/130.10A	158.40B/130.10A	----	----	154.60 + 16.50	.3847	----	----	2	----	21	+	
4240	----	----	----	160.60B/132.40A	160.60B/132.40A	----	----	156.80 + 16.80	.3884	----	----	----	----	2	UNCH	
4250	----	----	----	165.10B/135.90A	165.10B/135.90A	----	----	161.10 + 17.10	.3958	----	----	----	----	450	UNCH	
4255	----	----	----	167.20B/138.10A	167.20B/138.10A	----	----	163.40 + 17.40	.3995	----	----	19	----	24	+	
4260	----	----	----	169.50B/140.20A	169.50B/140.20A	----	----	165.60 + 17.50	.4032	----	----	----	----	2	UNCH	
4265	----	----	----	171.70B/142.10A	171.70B/142.10A	----	----	167.90 + 17.80	.4070	----	----	----	----	5	UNCH	
4270	----	----	----	174.00B/144.00A	174.00B/144.00A	----	----	170.10 + 17.90	.4107	----	----	----	----	19	UNCH	
4275	----	----	----	176.60B/145.60A	176.60B/145.60A	----	----	172.50 + 18.20	.4144	----	----	----	----	43	UNCH	
4290	----	----	----	183.40B/151.70A	183.40B/151.70A	----	----	179.50 + 18.80	.4257	----	----	----	----	4	UNCH	
4300	----	----	----	188.50B/155.80A	188.50B/155.80A	----	----	184.30 + 19.20	.4332	----	----	35	----	195	+	
4315	----	----	----	195.70B/163.00A	195.70B/163.00A	----	----	191.70 + 19.90	.4445	----	----	----	----	113	UNCH	
4320	----	----	----	198.20B/165.10A	198.20B/165.10A	----	----	194.20 + 20.10	.4482	----	----	----	----	50	UNCH	
4325	----	----	----	200.80B/167.30A	200.80B/167.30A	----	----	196.70 + 20.40	.4520	----	----	----	----	19	UNCH	
4330	----	----	----	203.40B/169.60A	203.40B/169.60A	----	----	199.20 + 20.50	.4557	----	----	----	----	6	UNCH	
4335	----	----	----	206.00B/171.20A	206.00B/171.20A	----	----	201.80 + 20.80	.4595	----	----					

PG64		BULLETIN #183@										METALS OPTION PRODUCTS										wed, Sep 23, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG PUT		COMEX GOLD OPTIONS																						
FEB27																								
4900	----	----	----	----	603.70B/547.70A	603.70B/547.70A	----	----	----	600.80 + 42.80	.7971	----	----	----	----	4	UNCH							
4905	----	----	----	----	608.00B/552.50A	608.00B/552.50A	----	----	----	605.10 + 42.90	.7991	----	----	----	----	4	UNCH							
4950	----	----	----	----	636.00B/590.20A	636.00B/590.20A	----	----	----	643.80 + 44.10	.8160	----	----	----	----	1	UNCH							
4955	----	----	----	----	635.60B/594.40A	635.60B/594.40A	----	----	----	648.20 + 44.30	.8177	----	----	----	----	1	UNCH							
5000	650.00	650.00	650.00	650.00	665.00/650.00	665.00/649.80A	----	----	----	687.60 + 45.40	.8331	----	----	4	----	74 +	4							
5005	----	----	----	----	667.50B/----	667.50B/673.70A	----	----	----	692.10 + 45.60	.8346	----	----	----	----	3	UNCH							
5010	----	----	----	----	671.70B/----	671.70B/678.10A	----	----	----	696.50 + 45.70	.8363	----	----	----	----	1	UNCH							
5050	----	----	----	----	705.30B/----	705.30B/745.60A	----	----	----	732.20 + 46.60	.8485	----	----	----	----	4	UNCH							
5055	----	----	----	----	709.50B/----	709.50B/750.30A	----	----	----	736.70 + 46.70	.8500	----	----	----	----	4	UNCH							
5100	----	----	----	----	----	719.40B/801.50A	----	----	----	777.40 + 47.70	.8625	----	----	----	----	2	UNCH							
5150	----	----	----	----	----	739.20B/869.20A	----	----	----	823.20 + 48.80	.8750	----	----	----	----	1	UNCH							
5175	----	----	----	----	----	762.00B/892.00A	----	----	----	846.30 + 49.30	.8808	----	----	----	----	125	UNCH							
5200	----	----	----	----	----	785.10B/914.90A	----	----	----	869.50 + 49.70	.8862	----	----	----	----	1	UNCH							
5250	----	----	----	----	----	831.50B/960.60A	----	----	----	916.30 + 50.70	.8965	----	----	----	----	15	UNCH							
5320	----	----	----	----	----	897.10B/1025.40A	----	----	----	982.40 + 51.80	.9088	----	----	----	----	1	UNCH							
5500	----	----	----	----	1,107.50B/----	1107.50B/1165.60A	----	----	----	1155.10 + 53.90	.9332	----	----	----	----	2	UNCH							
5520	----	----	----	----	1,127.10B/----	1127.10B/1184.90A	----	----	----	1174.50 + 54.10	.9354	----	----	----	----	300	UNCH							
5530	----	----	----	----	1,136.80B/----	1136.80B/1194.50A	----	----	----	1184.20 + 54.20	.9365	----	----	----	----	100	UNCH							
5550	----	----	----	----	1,156.30B/----	1156.30B/1213.80A	----	----	----	1203.60 + 54.40	.9385	----	----	----	----	65	UNCH							
5565	----	----	----	----	1,171.00B/----	1171.00B/1228.30A	----	----	----	1218.20 + 54.50	.9400	----	----	----	----	50	UNCH							
6000	----	----	----	----	1,635.90B/----	1635.90B/1648.90A	----	----	----	1646.50 + 56.90	.9679	----	----	----	----	1	UNCH							
TOTAL																331	700	15752 +	860					
MAR27																								
3075	----	----	----	----	----	6.70B/7.50A	----	----	----	7.20 + 0.20	.0218	----	----	----	----	1	UNCH							
3170	----	----	----	----	----	8.40B/9.10A	----	----	----	8.90 + 0.40	.0273	----	----	----	----	1	UNCH							
3200	----	----	----	----	----	9.00B/9.70A	----	----	----	9.50 + 0.40	.0293	----	----	----	----	58	UNCH							
3300	----	----	----	----	11.60B/----	11.60B/12.20A	----	----	----	12.00 + 0.60	.0373	----	----	----	----	482	UNCH							
3325	----	----	----	----	12.40B/----	12.40B/12.90A	----	----	----	12.80 + 0.80	.0398	----	----	----	----	4	UNCH							
3400	----	----	----	----	15.00B/----	15.00B/15.60A	----	----	----	15.40 + 0.90	.0481	----	----	----	----	401	UNCH							
3425	----	----	----	----	16.10B/----	16.10B/16.60A	----	----	----	16.50 + 1.10	.0514	----	----	----	----	29	UNCH							
3450	----	----	----	----	17.30B/----	17.30B/17.50A	----	----	----	17.60 + 1.20	.0548	----	----	----	----	33	UNCH							
3500	----	----	----	----	19.90B/----	19.90B/20.10A	----	----	----	20.20 + 1.50	.0627	----	----	----	----	494	UNCH							
3525	----	----	----	----	21.40B/----	21.40B/21.60A	----	----	----	21.60 + 1.50	.0669	----	----	----	----	120	UNCH							
3540	----	----	----	----	22.40B/----	22.40B/22.50A	----	----	----	22.50 + 1.60	.0696	----	----	----	----	1	UNCH							
3545	----	----	----	----	22.70B/----	22.70B/22.80A	----	----	----	22.90 + 1.70	.0707	----	----	----	----	1	UNCH							
3550	----	----	----	----	23.00B/----	23.00B/23.20A	----	----	----	23.20 + 1.70	.0716	----	----	----	----	250	UNCH							
3565	----	----	----	----	24.50B/----	24.50B/24.10A	----	----	----	24.20 + 1.80	.0745	----	----	----	----	2	UNCH							
3575	----	----	----	----	25.30B/----	25.30B/24.90A	----	----	----	24.90 + 1.90	.0765	----	----	----	----	20	UNCH							
3580	----	----	----	----	25.60B/----	25.60B/25.00A	----	----	----	25.20 + 1.90	.0775	----	----	----	----	1	UNCH							
3600	----	----	----	----	27.20B/----	27.20B/26.10A	----	----	----	26.70 + 2.00	.0818	----	----	----	1491	UNCH								
3650	----	----	----	----	31.60B/----	31.60B/28.80A	----	----	----	30.90 + 2.50	.0936	----	----	----	128	UNCH								
3700	----	----	----	----	36.60B/32.40A	36.60B/32.40A	----	----	----	35.80 + 3.00	.1070	----	----	1	46 +	1								
3725	----	----	----	----	39.50B/----	39.50B/35.50A	----	----	----	38.60 + 3.40	.1144	----	----	----	17	UNCH								
3740	----	----	----	----	41.30B/----	41.30B/36.90A	----	----	----	40.40 + 3.60	.1191	----	----	----	29	UNCH								
3750	----	----	----	----	42.40B/----	42.40B/38.00A	----	----	----	41.60 + 3.70	.1223	----	----	----	10	UNCH								
3760	----	----	----	----	43.70B/----	43.70B/39.60A	----	----	----	42.90 + 3.90	.1256	----	----	----	1	UNCH								
3775	----	----	----	----	45.90B/----	45.90B/40.70A	----	----	----	44.80 + 4.10	.1306	----	----	----	1	UNCH								
3780	----	----	----	----	46.60B/----	46.60B/41.30A	----	----	----	45.50 + 4.20	.1323	----	----	----	25	UNCH								
3785	----	----	----	----	47.30B/----	47.30B/42.10A	----	----	----	46.20 + 4.30	.1341	----	----	----	1	UNCH								
3790	----	----	----	----	48.00B/----	48.00B/43.00A	----	----	----	46.90 + 4.30	.1359	----	----	----	1	UNCH								
3795	----	----	----	----	48.90B/----	48.90B/43.60A	----	----	----	47.60 + 4.40	.1376	----	----	----	1	UNCH								
3800	----	----	----	----	49.60B/----	49.60B/43.90A	----	----	----	48.30 + 4.50	.1394	----	----	----	94	UNCH								
3810	----	----	----	----	51.00B/----	51.00B/45.50A	----	----	----	49.80 + 4.70	.1431	----	----	----	1	UNCH								
3815	----	----	----	----	51.80B/----	51.80B/46.10A	----	----	----	50.50 + 4.70	.1449	----	----	----	1	UNCH								
3820	----	----	----	----	52.50B/45.90A	52.50B/45.90A	----	----	----	51.30 + 4.80	.1468	----	----	----	30	UNCH								
3825	----	----	----	----	53.40B/45.90A	53.40B/45.90A	----	----	----	52.10 + 5.00	.1488	----	----	----	1	UNCH								
3830	----	----	----	----	54.20B/47.60A	54.20B/47.60A	----	----	----	52.80 + 5.00	.1506	----	----	----	1	UNCH								
3840	----	----	----	----	55.80B/48.60A	55.80B/48.60A	----	----	----	54.40 + 5.20	.1545	----	----	----	2	UNCH								
3845	----	----	----	----	56.70B/49.40A	56.70B/49.40A	----	----	----	55.30 + 5.30	.1566	----	----	----	1	UNCH								
3850	----	----	----	----	57.60B/48.60A	57.60B/48.60A	----	----	----	56.10 + 5.40	.1585	----	----	----	48	UNCH								
3855	56.80	56.80	56.80	56.80	58.40B/49.10A	58.40B/49.10A	----	----	----	56.90 + 5.50	.1605	----	----	1	3 +	1								
3860	57.60	57.60	57.60	57.60	59.40B/49.60A	59.40B/49.60A	----	----	----	57.80 + 5.60	.1626	----	----	1	3 +	1								
3865	58.50	58.50	58.50	58.50	60.20B/50.40A	60.20B/50.40A	----	----	----	58.70 + 5.70	.1647	----	----	1	27 +	1								
3870	59.40	59.40	59.40	59.40	61.10B/51.20A	61.10B/51.20A	----	----	----	59.50 + 5.80	.1667	----	----	1	3 +	1								
3875	----	----	----	----	62.00B/51.90A	62.00B/51.90A	----	----	----	60.40 + 5.90	.1688	----	----	----	12	UNCH								
3885	----	----	----	----	63.90B/53.50A	63.90B/53.50A	----	----	----	62.20 + 6.10	.1731	----	----	----	1	UNCH								
3890	----	----	----	----	64.70B/54.20A	64.70B/54.20A	----	----	----	63.20 + 6.20	.1753	----	----	----	1	UNCH								
3900	----	----	----	----	66.80B/55.40A	66.80B/55.40A	----	----	----	65.10 + 6.50	.1797	----	----	----	412	UNCH								
3935	----	----	----	----	74.00B/61.90A	74.00B/61.90A	----	----	----	72.10 + 7.20	.1956	----	----	----	213	UNCH								
3945	----	----	----	----	76.30B/63.50A	76.30B/63.50A	----	----	----	74.30 + 7.50	.2004	----	----	----	25	UNCH								
3950	----	----	----	----	77.50B/64.60A	77.50B/64.60A	----	----	----	75.40 + 7.60	.2028	----	----	----	2	UNCH								
3975	----	----	----	----	83.20B/69.30A	83.20B/69.30A	----	----	----	81.10 + 8.30	.2152	----	----	----	1	UNCH								
4000	----	----	----	----	89.50B/74.10A	89.50B/74.10A	----	----	----	87.10 + 8.90	.2279	----	----	----	89	UNCH								
4020	----	----	----	----	94.50B/79.00A	94.50B/79.00A	----	----	----	92.20 + 9.40	.2385	----	----	----	40	UNCH								
4050	----	----	----	----	102.90B/85.80A	102.90B/85.80A	----	----	----	100.40 + 10.30	.2549	----	----	----	40	UNCH								
4070	----	----	----	----	108.90B/91.00A	108.90B/91.00A	----	----	----	106.20 + 10.90	.2663	----	----	----	1	UNCH								
4075	----	----	----	----	110.40B/91.80A	110.40B/91.80A	----	----	----	107.60 + 10.90	.2691	----	----	----	249	UNCH								
4100	----	----	----	----	118.30B/98.30A	118.30B/98.30A	----	----	----	115.30 + 11.70	.2836	----	----	----	340	UNCH								
4130	----	----	----	----	128.20B/107.40A	128.20B/107.40A	----	----	----	125.10 + 12.60	.3016	----	----	----	390	UNCH								
4140	----	----	----	----	131.70B/110.10A	131.70B/110.10A	----	----	----	130.20 + 12.80	.3077	----	----	----	2	UNCH								
4145	----	----	----	----	133.40B/111.70A	133.40B/111.70A	----	----	----	132.50 + 12.90	.3107	----	----	----	1	UNCH								
4150	----	----	----	----	135.20B/112.90A	135.20B/112.90A	----	----	----	131.90 + 13.00	.3138	----	1	----	11 +	1								
4155	----	----	----	----	137.10B/115.00A	137.10B/115.00A	----	----	----	133.70 + 13.20	.3169	----	----	----	20	UNCH								
4160	----	----	----	----	138.70B/116.50A	138.70B/116.50A	----	----	----	135.50 + 13.40	.3200	----	----	----	1	UNCH								
4170	----	----	----	----	142.60B/119.50A	142.60B/119.50A	----	----	----	139.10 + 13.60	.3263	----	----	----	4	UNCH								
4175	----	----	----	----	144.50B/121.30A	144.50B/121.30A	----	----	----	140.90 + 13.70	.3294	----	----	----	1	UNCH								
4200	----	----	----	----	154.10B/128.80A	154.10B/128.80A	----	----	----	150.30 + 14.40	.3452	----	----	----	577	UNCH								
4205	----	----	----	----	155.90B/131.20A	155.90B/131.20A	----	----	----	152.30 + 14.60	.3485	----	----	----	4	UNCH								

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS														
APR27																
3200	----	----	----	12.50B/----	12.50B/13.20A	----	----	----	13.10 + 0.70	.0367	----	----	----	----	126	UNCH
3225	----	----	----	13.30B/----	13.30B/14.00A	----	----	----	13.80 + 0.80	.0388	----	----	----	----	65	UNCH
3300	----	----	----	16.10B/----	16.10B/16.70A	----	----	----	16.40 + 1.00	.0462	----	----	----	----	1	UNCH
3350	----	----	----	18.30B/----	18.30B/18.70A	----	----	----	18.50 + 1.10	.0521	----	----	10	----	35	+
3375	----	----	----	19.50B/----	19.50B/19.90A	----	----	----	19.70 + 1.20	.0554	----	----	----	----	29	UNCH
3400	----	----	----	20.70B/----	20.70B/21.00A	----	----	----	20.90 + 1.20	.0588	----	----	----	----	9	UNCH
3450	----	----	----	23.70B/----	23.70B/23.90A	----	----	----	23.80 + 1.50	.0666	----	----	----	----	3	UNCH
3455	----	----	----	24.00B/----	24.00B/24.30A	----	----	----	24.10 + 1.50	.0674	----	----	----	----	1	UNCH
3460	----	----	----	24.30B/----	24.30B/24.40A	----	----	----	24.50 + 1.60	.0684	----	----	----	----	1	UNCH
3475	----	----	----	25.30B/----	25.30B/25.60A	----	----	----	25.40 + 1.60	.0708	----	----	----	----	300	UNCH
3480	----	----	----	25.60B/----	25.60B/25.80A	----	----	----	25.80 + 1.70	.0718	----	----	----	----	1	UNCH
3500	----	----	----	27.40B/----	27.40B/27.30A	----	----	----	27.20 + 1.80	.0755	----	----	----	----	216	UNCH
3545	----	----	----	31.00B/----	31.00B/29.20A	----	----	----	30.70 + 2.10	.0845	----	----	----	----	10	UNCH
3550	----	----	----	31.50B/----	31.50B/29.50A	----	----	----	31.20 + 2.30	.0857	----	----	----	----	500	UNCH
3555	----	----	----	32.00B/----	32.00B/30.80A	----	----	----	31.60 + 2.30	.0868	----	----	----	----	4	UNCH
3565	----	----	----	32.80B/----	32.80B/30.50A	----	----	----	32.50 + 2.40	.0890	----	----	----	----	20	UNCH
3590	----	----	----	35.20B/----	35.20B/32.40A	----	----	----	34.80 + 2.70	.0948	----	----	----	----	10	UNCH
3595	----	----	----	35.70B/32.20A	35.70B/32.20A	----	----	----	35.30 + 2.80	.0960	----	----	----	----	10	UNCH
3600	36.20	36.20	----	36.20/32.60A	36.20/32.60A	----	----	----	35.70 + 2.70	.0971	----	----	1	----	7	+
3650	40.80	40.80	----	41.60B/40.80	41.60B/37.80A	----	----	----	41.00 + 3.30	.1099	----	----	2	----	168	UNCH
3680	----	----	----	45.30B/----	45.30B/41.40A	----	----	----	44.60 + 3.80	.1184	----	----	----	----	20	UNCH
3690	----	----	----	46.60B/41.80A	46.60B/41.80A	----	----	----	45.80 + 3.90	.1213	----	----	----	----	32	UNCH
3700	46.00	46.00	----	47.90B/46.00	47.90B/43.40A	----	----	----	47.10 + 4.00	.1243	----	----	1	----	73	+
3725	----	----	----	51.50B/----	51.50B/46.60A	----	----	----	50.50 + 4.40	.1321	----	----	----	----	3	UNCH
3730	----	----	----	52.20B/----	52.20B/47.00A	----	----	----	51.20 + 4.40	.1337	----	----	----	----	20	UNCH
3735	----	----	----	52.90B/47.10A	52.90B/47.10A	----	----	----	51.90 + 4.50	.1353	----	----	----	----	42	UNCH
3750	----	----	----	55.10B/49.00A	55.10B/49.00A	----	----	----	54.10 + 4.70	.1403	----	----	----	----	77	UNCH
3755	----	----	----	55.90B/50.00A	55.90B/50.00A	----	----	----	54.90 + 4.80	.1420	----	----	----	----	20	UNCH
3780	----	----	----	59.90B/----	59.90B/54.10A	----	----	----	58.80 + 5.20	.1507	----	----	----	----	30	UNCH
3790	----	----	----	61.60B/54.70A	61.60B/54.70A	----	----	----	60.40 + 5.30	.1542	----	----	----	----	20	UNCH
3800	----	----	----	63.30B/54.80A	63.30B/54.80A	----	----	----	62.10 + 5.50	.1579	----	----	1	----	214	+
3815	----	----	----	65.90B/56.30A	65.90B/56.30A	----	----	----	64.70 + 5.70	.1635	----	----	----	----	20	UNCH
3820	----	----	----	66.90B/57.10A	66.90B/57.10A	----	----	----	65.60 + 5.80	.1654	----	----	----	----	1	UNCH
3825	----	----	----	67.90B/57.70A	67.90B/57.70A	----	----	----	66.50 + 5.90	.1673	----	----	----	----	50	UNCH
3845	72.10	72.10	----	71.70B/61.20A	71.70B/61.20A	----	----	----	70.20 + 6.20	.1751	----	----	10	----	37	+
3850	----	----	----	72.60B/62.00A	72.60B/62.00A	----	----	----	72.10 + 6.40	.1791	----	----	----	----	12	UNCH
3855	----	----	----	73.60B/62.80A	73.60B/62.80A	----	----	----	73.10 + 6.50	.1811	----	----	----	----	64	UNCH
3860	----	----	----	74.60B/63.80A	74.60B/63.80A	----	----	----	74.10 + 6.60	.1832	----	----	----	----	50	UNCH
3865	----	----	----	75.60B/64.30A	75.60B/64.30A	----	----	----	78.20 + 7.00	.1915	----	----	----	----	1	UNCH
3885	----	----	----	79.80B/67.80A	79.80B/67.80A	----	----	----	80.30 + 7.10	.1958	----	----	----	----	40	UNCH
3895	----	----	----	82.10B/69.90A	82.10B/69.90A	----	----	----	81.40 + 7.20	.1979	----	----	5	----	150	-
3900	----	----	----	83.10B/71.00A	83.10B/71.00A	----	----	----	82.50 + 7.40	.2001	----	----	----	----	20	UNCH
3905	----	----	----	84.30B/71.90A	84.30B/71.90A	----	----	----	83.60 + 7.50	.2023	----	----	----	----	1	UNCH
3910	----	----	----	85.40B/72.80A	85.40B/72.80A	----	----	----	86.90 + 7.70	.2089	----	----	----	----	2	UNCH
3925	----	----	----	88.90B/75.70A	88.90B/75.70A	----	----	----	88.10 + 7.80	.2112	----	----	----	----	20	UNCH
3930	----	----	----	90.10B/76.80A	90.10B/76.80A	----	----	----	89.20 + 7.90	.2134	----	----	----	----	6	UNCH
3935	----	----	----	91.30B/77.80A	91.30B/77.80A	----	----	----	92.80 + 8.20	.2203	----	----	----	----	4	UNCH
3950	----	----	----	95.00B/81.00A	95.00B/81.00A	----	----	----	95.30 + 8.40	.2250	----	----	----	----	2	UNCH
3960	----	----	----	97.50B/83.20A	97.50B/83.20A	----	----	----	97.80 + 8.60	.2298	----	----	----	----	13	UNCH
3970	----	----	----	100.10B/85.20A	100.10B/85.20A	----	----	----	100.40 + 8.90	.2346	----	----	----	----	1	UNCH
3980	----	----	----	102.80B/87.50A	102.80B/87.50A	----	----	----	105.70 + 9.30	.2444	----	----	----	----	271	UNCH
4000	----	----	----	108.30B/92.20A	108.30B/92.20A	----	----	----	120.20 + 10.60	.2700	----	----	----	----	5	UNCH
4050	----	----	----	122.90B/104.70A	122.90B/104.70A	----	----	----	123.30	.2753	----	----	----	----	1	UNCH
4060	----	----	----	126.00B/107.40A	126.00B/107.40A	----	----	----	124.80 + 11.00	.2779	----	----	----	----	26	UNCH
4065	----	----	----	127.60B/108.80A	127.60B/108.80A	----	----	----	129.60 + 11.40	.2859	----	----	----	----	1	UNCH
4080	----	----	----	132.50B/113.00A	132.50B/113.00A	----	----	----	134.60 + 11.90	.2941	----	----	----	----	5	UNCH
4095	----	----	----	137.40B/117.40A	137.40B/117.40A	----	----	----	136.30 + 12.10	.2969	----	----	----	----	818	UNCH
4100	----	----	----	139.10B/119.00A	139.10B/119.00A	----	----	----	144.90 + 12.80	.3107	----	----	----	----	353	UNCH
4125	----	----	----	147.90B/126.10A	147.90B/126.10A	----	----	----	152.10 + 13.40	.3220	----	----	----	----	1	UNCH
4145	----	----	----	155.10B/132.60A	155.10B/132.60A	----	----	----	153.90 + 13.50	.3248	----	----	----	----	139	UNCH
4150	----	----	----	157.10B/134.40A	157.10B/134.40A	----	----	----	157.60 + 13.80	.3305	----	----	----	----	30	UNCH
4160	----	----	----	160.70B/137.60A	160.70B/137.60A	----	----	----	173.10 + 15.00	.3537	----	----	----	----	137	UNCH
4200	----	----	----	176.50B/151.50A	176.50B/151.50A	----	----	----	177.20 + 15.30	.3596	----	----	----	----	6	UNCH
4210	----	----	----	180.50B/155.00A	180.50B/155.00A	----	----	----	185.50 + 16.00	.3714	----	----	----	----	105	UNCH
4230	----	----	----	188.90B/162.50A	188.90B/162.50A	----	----	----	194.00 + 16.50	.3833	----	----	----	----	120	UNCH
4250	----	----	----	197.60B/170.10A	197.60B/170.10A	----	----	----	205.10 + 17.30	.3983	----	----	----	----	20	UNCH
4275	----	----	----	208.60B/179.50A	208.60B/179.50A	----	----	----	209.70 + 17.70	.4043	----	----	----	----	50	UNCH
4285	----	----	----	213.30B/184.20A	213.30B/184.20A	----	----	----	212.00 + 17.80	.4073	----	----	----	----	1	UNCH
4290	----	----	----	215.70B/186.40A	215.70B/186.40A	----	----	----	216.70 + 18.20	.4133	----	----	----	----	256	UNCH
4300	----	----	----	220.50B/190.70A	220.50B/190.70A	----	----	----	231.10 + 19.10	.4315	----	----	----	----	5	UNCH
4330	----	----	----	235.00B/203.50A	235.00B/203.50A	----	----	----	238.50 + 19.60	.4406	----	----	----	----	6	UNCH
4345	----	----	----	242.40B/210.00A	242.40B/210.00A	----	----	----	241.10 + 19.80	.4436	----	----	----	----	83	UNCH
4350	----	----	----	244.90B/212.50A	244.90B/212.50A	----	----	----	248.70 + 20.30	.4527	----	----	----	----	1	UNCH
4365	----	----	----	252.60B/219.50A	252.60B/219.50A	----	----	----	251.30 + 20.50	.4557	----	----	----	----	1	UNCH
4370	----	----	----	255.30B/221.00A	255.30B/221.00A	----	----	----	253.90 + 20.60	.4588	----	----	----	----	8	UNCH
4375	----	----	----	257.90B/223.40A	257.90B/223.40A	----	----	----	259.20 + 21.00	.4648	----	----	----	----	3	UNCH
4385	----	----	----	263.20B/229.30A	263.20B/229.30A	----	----	----	264.50 + 21.40	.4708	----	----	----	----	2	UNCH
4395	----	----	----	268.50B/233.40A	268.50B/233.40A	----	----	----	267.20 + 21.60	.4739	----	----	----	----	28	UNCH
4400	----	----	----	271.30B/235.40A	271.30B/235.40A	----	----	----	269.90 + 21.70	.4768	----	----	----	----	1	UNCH
4405	----	----	----	274.00B/237.70A	274.00B/237.70A	----	----	----	272.60 + 21.90	.4798	----	----	----	----	1	UNCH
4410	----	----	----	276.90B/241.10A	276.90B/241.10A	----	----	----	280.90 + 22.50	.4888	----	----	----	----	5	UNCH
4425	----	----	----	284.80B/248.50A	284.80B/248.50A	----	----	----	283.70 + 22.80	.4918	----	----	----	----	1	UNCH
4430	----	----	----	287.70B/251.00A	287.70B/251.00A	----	----	----	286.50 + 23.00	.4947	----	----	----	----	13	UNCH
4435	----	----	----	290.40B/252.70A	290.40B/252.70A	----	----	----	289.30 + 23.10	.4977	----	----	----	----	50	UNCH
4440	----	----	----	293.20B/255.30A	293.20B/255.30A	----	----	----	295.00 + 23.60	.5036	----	----	----	----	138	UNCH
4450	----	----	----	298.90B/261.30A	298.90B/261.30A	----	----	----	297.90 + 23.80	.5066	----	----	----	----	2	UNCH
4455	----	----	----	301.80B/263.00A	301.80B/263.00A	----	----	----	300.80 + 24.10	.5095	----	----	----	----	2	UNCH
4460	----	----	----	304.30B/267.00A	304.30B/267.00A	----	----	----	303.70 + 24.30	.5124	----	----	----			

BULLETIN #183@																METALS OPTION PRODUCTS										wed, Sep 23, 2026				PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST														
OG PUT		COMEX GOLD OPTIONS																												
MAY27																														
3330	----	----	----	21.50B/----	21.50B/22.10A	----	----	21.90 + 1.10	.0556	----	----	----	----	----	----	10	UNCH													
3370	----	----	----	23.60B/----	23.60B/24.30A	----	----	24.10 + 1.30	.0610	----	----	----	----	----	----	20	UNCH													
3430	----	----	----	27.50B/----	27.50B/27.80A	----	----	27.90 + 1.70	.0701	----	----	----	----	----	----	20	UNCH													
3500	----	----	----	33.40B/----	33.40B/33.10A	----	----	33.30 + 2.30	.0827	----	----	----	----	----	----	30	UNCH													
3550	37.60	37.60	37.60	37.90B/37.60	37.90B/37.40A	----	----	37.60 NEW	.0926	----	----	----	----	1	----	1 +	1													
3600	----	----	----	43.10B/----	43.10B/42.30A	----	----	42.60 + 3.00	.1037	----	----	----	----	----	----	15	UNCH													
3700	----	----	----	55.90B/----	55.90B/53.60A	----	----	54.80 + 3.90	.1299	----	----	----	----	----	----	1	UNCH													
3725	----	----	----	59.70B/----	59.70B/56.60A	----	----	58.50 + 4.30	.1374	----	----	----	----	----	----	35	UNCH													
3750	----	----	----	63.60B/----	63.60B/60.50A	----	----	62.40 + 4.70	.1452	----	----	----	----	----	----	32	UNCH													
3780	----	----	----	68.60B/61.80A	68.60B/61.80A	----	----	67.40 + 5.20	.1551	----	----	----	----	----	----	1	UNCH													
3800	----	----	----	72.20B/63.00A	72.20B/63.00A	----	----	70.90 + 5.50	.1619	----	----	----	----	----	----	1	UNCH													
3815	----	----	----	75.00B/65.40A	75.00B/65.40A	----	----	73.60 + 5.70	.1671	----	----	----	----	----	----	25	UNCH													
3820	----	----	----	76.00B/66.10A	76.00B/66.10A	----	----	74.60 + 5.90	.1689	----	----	----	----	----	----	50	UNCH													
3850	70.70	70.70	70.70	82.00B/70.70	82.00B/70.70	----	----	80.40 + 6.40	.1799	----	----	----	----	1	----	4 +	1													
3870	----	----	----	86.20B/74.90A	86.20B/74.90A	----	----	84.50 + 6.70	.1874	----	----	----	----	----	----	20	UNCH													
3900	----	----	----	92.80B/80.60A	92.80B/80.60A	----	----	91.00 + 7.30	.1992	----	----	----	----	----	----	200	UNCH													
3980	----	----	----	112.60B/97.90A	112.60B/97.90A	----	----	110.40 + 8.80	.2328	----	----	----	----	----	----	1	UNCH													
4000	----	----	----	118.20B/102.70A	118.20B/102.70A	----	----	115.80 + 9.30	.2417	----	----	----	----	----	----	32	UNCH													
4035	----	----	----	128.20B/111.50A	128.20B/111.50A	----	----	125.70 + 10.00	.2578	----	----	----	----	----	----	1	UNCH													
4065	135.20	135.20	135.20	137.50B/119.60A	137.50B/119.60A	----	----	134.80 + 10.80	.2720	----	----	----	----	3	----	244 +	3													
4100	----	----	----	149.00B/130.10A	149.00B/130.10A	----	----	146.00 + 11.60	.2891	----	----	----	----	----	----	65	UNCH													
4115	----	----	----	154.00B/134.30A	154.00B/134.30A	----	----	151.00 + 12.00	.2965	----	----	----	----	----	----	2	UNCH													
4200	----	----	----	185.60B/162.20A	185.60B/162.20A	----	----	182.10 + 14.30	.3403	----	----	----	----	----	----	305	UNCH													
4250	----	----	----	206.00B/180.60A	206.00B/180.60A	----	----	202.40 + 15.60	.3669	----	----	----	----	----	----	1	UNCH													
4270	----	----	----	214.50B/188.10A	214.50B/188.10A	----	----	211.00 + 16.20	.3778	----	----	----	----	----	----	10	UNCH													
4300	----	----	----	228.10B/200.30A	228.10B/200.30A	----	----	224.30 + 17.00	.3941	----	----	----	----	----	----	7	UNCH													
4340	----	----	----	246.70B/217.40A	246.70B/217.40A	----	----	243.00 + 18.30	.4160	----	----	----	----	----	----	1	UNCH													
4350	----	----	----	251.50B/221.50A	251.50B/221.50A	----	----	247.80 + 18.60	.4215	----	----	----	----	----	----	20	UNCH													
4400	----	----	----	276.80B/244.30A	276.80B/244.30A	----	----	272.80 + 20.30	.4490	----	----	----	----	----	----	36	UNCH													
4450	----	----	----	303.30B/269.10A	303.30B/269.10A	----	----	299.40 + 22.30	.4764	----	----	----	----	----	----	15	UNCH													
4470	----	----	----	314.30B/278.60A	314.30B/278.60A	----	----	310.40 + 23.10	.4872	----	----	----	----	----	----	1	UNCH													
4490	----	----	----	325.40B/288.80A	325.40B/288.80A	----	----	321.70 + 23.90	.4979	----	----	----	----	----	----	1	UNCH													
4495	----	----	----	328.40B/291.60A	328.40B/291.60A	----	----	324.50 + 24.10	.5006	----	----	----	----	----	----	1	UNCH													
4500	----	----	----	331.10B/294.70A	331.10B/294.70A	----	----	327.40 + 24.30	.5033	----	----	----	----	----	----	24	UNCH													
4510	329.10	329.10	329.10	336.60B/300.00A	336.60B/300.00A	----	----	333.20 + 24.70	.5086	----	----	----	----	1	----	4	UNCH													
4550	----	----	----	359.40B/321.80A	359.40B/321.80A	----	----	357.00 + 26.20	.5297	----	----	----	----	----	----	1	UNCH													
4575	----	----	----	374.90B/335.60A	374.90B/335.60A	----	----	372.30 + 26.90	.5426	----	----	----	----	----	----	1	UNCH													
4600	----	----	----	390.40B/350.60A	390.40B/350.60A	----	----	388.00 + 27.70	.5553	----	----	----	----	----	----	6	UNCH													
4640	----	----	----	416.20B/381.30A	416.20B/381.30A	----	----	413.80 + 28.90	.5752	----	----	----	----	----	----	1	UNCH													
4650	----	----	----	422.70B/386.90A	422.70B/386.90A	----	----	420.40 + 29.20	.5801	----	----	----	----	----	----	100	UNCH													
4700	----	----	----	456.20B/418.80A	456.20B/418.80A	----	----	454.00 + 30.80	.6041	----	----	----	----	----	----	71	UNCH													
4725	----	----	----	473.40B/434.80A	473.40B/434.80A	----	----	471.20 + 31.60	.6157	----	----	----	----	----	----	1	UNCH													
4760	----	----	----	497.40B/458.10A	497.40B/458.10A	----	----	495.80 + 32.70	.6316	----	----	----	----	----	----	1	UNCH													
4775	----	----	----	506.50B/467.20A	506.50B/467.20A	----	----	506.50 + 33.20	.6382	----	----	----	----	----	----	3	UNCH													
5050	----	----	----	718.30B/----	718.30B/699.40A	----	----	718.20 + 40.40	.7443	----	----	----	----	----	----	1	UNCH													
5150	----	----	----	801.60B/----	801.60B/780.70A	----	----	801.40 + 42.80	.7751	----	----	----	----	----	----	339	UNCH													
TOTAL																	6	1763 +												
JUN27																														
2000	----	----	----	----	1.60B/2.60A	----	----	2.00 - 0.20	.0040	----	----	----	----	----	----	2	UNCH													
2100	----	----	----	----	2.00B/3.00A	----	----	2.50 - 0.10	.0051	----	----	----	----	----	----	1	UNCH													
2400	4.00	4.00	4.00	4.00/4.00	4.00/4.00	----	----	4.30 UNCH	.0093	----	----	----	----	1	----	1 +	1													
2600	5.80	5.80	5.80	5.80/5.80	5.80/5.80	----	----	6.10 UNCH	.0137	----	----	----	----	1	----	1 +	1													
2800	----	----	----	----	8.30B/9.30A	----	----	8.80 UNCH	.0204	----	----	----	----	----	----	200	UNCH													
2900	----	----	----	----	10.10B/11.20A	----	----	10.70 + 0.10	.0251	----	----	----	----	----	----	1	UNCH													
3000	----	----	----	----	12.60B/13.50A	----	----	13.10 + 0.30	.0310	----	----	----	----	----	----	126	UNCH													
3300	----	----	----	24.70B/----	24.70B/25.50A	----	----	25.30 + 1.30	.0596	----	----	----	----	----	----	110	UNCH													
3500	----	----	----	40.70B/----	40.70B/39.70A	----	----	40.50 + 2.70	.0926	----	----	----	----	----	----	542	UNCH													
3575	----	----	----	48.90B/----	48.90B/46.90A	----	----	48.50 + 3.40	.1091	----	----	----	----	----	----	1	UNCH													
3600	51.00	51.00	51.00	51.90B/51.00	51.90B/49.60A	----	----	51.50 + 3.70	.1151	----	----	----	----	1	----	62 -	1													
3625	55.00	55.00	55.00	55.20B/55.00	55.20B/52.40A	----	----	54.70 + 4.00	.1214	----	----	----	----	2	----	455 +	2													
3650	58.00	58.00	58.00	58.70B/58.00	58.70B/55.00A	----	----	58.10 + 4.30	.1280	----	----	----	----	1	----	2 -	1													
3675	----	----	----	62.40B/----	62.40B/58.40A	----	----	61.70 + 4.60	.1349	----	----	----	----	----	----	4	UNCH													
3700	----	----	----	66.30B/----	66.30B/61.80A	----	----	65.50 + 4.90	.1421	----	----	----	----	----	----	2384	UNCH													
3725	----	----	----	70.40B/----	70.40B/65.70A	----	----	69.50 + 5.20	.1495	----	----	----	----	----	----	6	UNCH													
3750	----	----	----	74.80B/67.20A	74.80B/67.20A	----	----	73.80 + 5.50	.1574	----	----	----	----	----	----	140	UNCH													
3775	----	----	----	79.40B/70.00A	79.40B/70.00A	----	----	78.20 + 5.80	.1654	----	----	----	----	----	----	13	UNCH													
3785	----	----	----	81.50B/71.80A	81.50B/71.80A	----	----	80.10 + 6.00	.1687	----	----	----	----	----	----	2	UNCH													
3800	----	----	----	84.40B/74.40A	84.40B/74.40A	----	----	83.00 + 6.20	.1738	----	----	----	----	----	----	574	UNCH													
3805	----	----	----	85.40B/75.30A	85.40B/75.30A	----	----	84.00 + 6.30	.1756	----	----	----	----	----	----	1	UNCH													
3850	----	----	----	94.90B/83.20A	94.90B/83.20A	----	----	93.30 + 7.00	.1916	----	----	----	----	----	----	150	UNCH													
3875	----	----	----	100.50B/88.50A	100.50B/88.50A	----	----	98.80 + 7.30	.2009	----	----	----	----	----	----	1	UNCH													
3900	----	----	----	106.50B/93.80A	106.50B/93.80A	----	----	104.70 + 7.80	.2105	----	----	----	----	----	----	550	UNCH													
3925	----	----	----	112.80B/99.30A	112.80B/99.30A	----	----	110.80 + 8.20	.2204	----	----	----	----	----	----	150	UNCH													
3950	----	----	----	119.30B/105.00A	119.30B/105.00A	----	----	117.20 + 8.60	.2305	----	----	----	----	----	----	651	UNCH													
3970	----	----	----	124.80B/109.60A	124.80B/109.60A	----	----	122.60 + 9.00	.2389	----	----	----	----	----	----	260	UNCH													
4000	----	----	----	133.50B/117.20A	133.50B/117.20A	----	----	131.10 + 9.60	.2518	----	----	----	----	----	----	1482	UNCH													
4025	----	----	----	141.00B/123.90A	141.00B/123.90A	----	----	138.50 + 10.00	.2628	----	----	----	----	----	----	1	UNCH													
4050	----	----	----	148.90B/130.90A	148.90B/130.90A	----	----	146.20 + 10.50	.2740	----	----	----	----	----	----	600	UNCH													
4075	----	----	----	157.10B/138.20A	157.10B/138.20A	----	----	154.30 + 11.00	.2854	----	----	----	----	----	----	325	UNCH													
4100	----	----	----	165.50B/145.70A	165.50B/145.70A	----	----	162.70 + 11.60	.2971	----	----	----	----	----	----	1	UNCH													
4110	----	----	----	169.20B/148.60A	169.20B/148.60A	----	----	166.20 + 11.80	.3018	----	----	----	----	----	----	44	UNCH													
4130	----	----	----	176.30B/155.10A	176.30B/155.10A	----	----	173.30 + 12.30	.3113	----	----	----	----	----	----	20	UNCH													
4140	----	----	----	179.90B/158.30A	179.90B/158.30A	----	----	176.90 + 12.50	.3161	----	----	----	----	----	----	1	UNCH													
4185	----	----	----	197.20B/173.50A	197.20B/173.50A	----	----	194.00 + 13.60	.3381	----	----	----	----	----	----	55	UNCH													
4190	----	----	----	199.10B/175.70A	199.10B/175.70A	----	----	196.00 + 13.80	.3406	----	----	----	----	----	----	1	UNCH													
4195	----	----	----	201.10B/177.90A	201.10B/177.9																									

PG64	BULLETIN #183@										METALS OPTION PRODUCTS										Wed, Sep 23, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST										
OG PUT	COMEX GOLD OPTIONS																						
JUL27																							
3300	----	----	----	----	27.50B/29.80A	----	28.80 + 1.30	.0629	----	----	----	----	1	UNCH									
3500	----	----	----	44.80B/----	44.80B/45.50A	----	45.30 + 2.70	.0958	----	----	----	----	1	UNCH									
4150	186.00	186.00		189.30B/167.80A	189.30B/167.80A	----	186.10 NEW	.3098	----	----	1	----	1	+									
4475	329.00	329.00		335.60B/301.50A	335.60B/301.50A	----	332.40 NEW	.4630	----	----	3	----	3	+									
4500	----	----	----	348.70B/314.20A	348.70B/314.20A	----	346.00 + 22.00	.4749	----	----	----	----	5	UNCH									
4535	----	----	----	367.50B/332.00A	367.50B/332.00A	----	365.60 + 23.00	.4913	----	----	----	----	3	UNCH									
4540	----	----	----	369.20B/334.60A	369.20B/334.60A	----	368.50 + 23.20	.4937	----	----	----	----	2	UNCH									
4565	----	----	----	383.60B/349.50A	383.60B/349.50A	----	382.90 + 23.90	.5053	----	----	----	----	1	UNCH									
TOTAL											4		17	+					4				
AUG27																							
3500	53.00	53.00		53.00/53.00	53.00/53.00	----	53.50 NEW	.1050	----	----	1	----	1	+					1				
4000	----	----	----	153.60B/----	153.60B/151.30A	----	153.60 + 10.60	.2545	----	----	----	----	3	UNCH									
4065	----	----	----	174.30B/----	174.30B/171.30A	----	174.10 + 11.90	.2803	----	----	----	----	300	UNCH									
4200	----	----	----	222.80B/----	222.80B/219.70A	----	222.80 + 14.60	.3370	----	----	----	----	3	UNCH									
4505	----	----	----	366.20B/----	366.20B/362.20A	----	368.00 NEW	.4738	----	----	2	----	2	+					2				
4535	----	----	----	383.10B/----	383.10B/378.50A	----	384.90 + 23.70	.4871	----	----	----	----	2	UNCH									
4555	----	----	----	390.90B/----	390.90B/389.50A	----	396.40 NEW	.4959	----	----	2	----	2	+					2				
4565	----	----	----	394.90B/----	394.90B/395.10A	----	402.20 + 24.50	.5002	----	----	----	----	1	UNCH									
4665	----	----	----	456.20B/----	456.20B/461.10A	----	463.00 + 27.40	.5428	----	----	----	----	1	UNCH									
TOTAL											5		315	+					5				
SEP27																							
4115	----	----	----	----	0.20B/388.90A	----	210.70 + 16.10	.2967	----	----	----	----	300	UNCH									
4150	----	----	----	----	5.90B/403.00A	----	220.70 + 16.80	.3092	----	----	----	----	50	UNCH									
4575	----	----	----	----	161.20B/641.30A	----	409.40 + 26.50	.4831	----	----	----	----	4	UNCH									
4585	----	----	----	----	166.20B/647.60A	----	415.20 + 26.80	.4872	----	----	----	----	5	UNCH									
TOTAL													359						0				
OCT27																							
3900	----	----	----	----	----	----	167.40 + 12.50	.2321	----	----	----	----	200	UNCH									
TOTAL													200						0				
DEC27																							
2800	----	----	----	----	----	----	40.90 + 2.80	.0540	----	----	----	----	16	UNCH									
3700	----	----	----	----	----	----	135.30 + 9.70	.1794	----	----	----	----	100	UNCH									
3715	----	----	----	----	----	----	138.30 + 9.90	.1829	----	----	----	----	150	UNCH									
3820	----	----	----	----	----	----	161.00 + 11.30	.2091	----	----	----	----	50	UNCH									
4130	----	----	----	----	----	----	251.40 + 16.40	.3014	----	----	----	----	168	UNCH									
4500	----	----	----	----	----	----	413.60 + 23.70	.4308	----	----	----	----	170	UNCH									
4630	----	----	----	----	----	----	484.90 + 26.20	.4768	----	----	----	----	284	UNCH									
4860	----	----	----	----	----	----	627.70 + 30.50	.5526	----	----	----	----	100	UNCH									
5000	----	----	----	----	----	----	723.90 + 33.00	.5944	----	----	----	----	50	UNCH									
5650	----	----	----	----	----	----	1236.30 + 42.10	.7416	----	----	----	----	200	UNCH									
5880	----	----	----	----	----	----	1434.90 + 44.50	.7785	----	----	----	----	200	UNCH									
TOTAL													1488						0				
JAN28																							
5000	----	----	----	----	----	----	721.30 + 31.70	.5729	----	----	----	----	1	UNCH									
5100	----	----	----	----	----	----	791.20 + 33.30	.6002	----	----	----	----	1	UNCH									
TOTAL													2						0				
FEB28																							
4400	----	----	----	----	----	----	386.50 + 20.90	.3822	----	----	----	----	11	UNCH									
TOTAL													11						0				
APR28																							
4400	----	----	----	----	---/-395.00A	----	404.40 + 20.30	.3711	----	----	5	----	5	-					5				
TOTAL											5		5	-					5				
MAY28																							
4500	----	----	----	----	----	----	446.20 + 21.30	.3899	----	----	----	----	20	UNCH									
TOTAL													20						0				
JUL28																							
4500	----	----	----	----	----	----	464.80 + 20.60	.3787	----	----	10	----	25	+					10				
TOTAL											10		25	+					10				
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST										
OG CALL	COMEX GOLD OPTIONS																						
OCT26																							
3800	----	----	----	562.30B/478.10A	562.30B/478.10A	----	484.90 - 57.90	1.0000	----	----	----	----	0	UNCH									
3870	----	----	----	492.40B/408.10A	492.40B/408.10A	----	414.90 - 57.90	1.0000	----	----	----	----	0	UNCH									
3900	----	----	----	462.40B/378.10A	462.40B/378.10A	----	384.90 - 57.90	1.0000	42	----	----	----	77	-					42				
3910	----	----	----	452.10B/368.10A	452.10B/368.10A	----	374.90 - 57.90	1.0000	----	----	----	----	0	-					1				
3935	----	----	----	427.40B/343.10A	427.40B/343.10A	----	349.90 - 57.90	1.0000	----	----	----	----	13	UNCH									
3940	----	----	----	422.00B/338.10A	422.00B/338.10A	----	344.90 - 57.90	1.0000	----	----	----	----	1	UNCH									
3945	----	----	----	417.40B/333.10A	417.40B/333.10A	----	339.90 - 57.90	1.0000	----	----	----	----	2	UNCH									
3950	----	----	----	412.40B/328.20A	412.40B/328.20A	----	334.90 - 57.90	1.0000	----	----	----	----	36	UNCH									
3955	----	----	----	407.00B/323.20A	407.00B/323.20A	----	329.90 - 57.90	1.0000	----	----	----	----	1	UNCH									

PG64 BULLETIN #183@												METALS OPTION PRODUCTS										wed, Sep 23, 2026 PG64											
GLOBEX OPEN		OPEN	OUTCRY OPEN	RANGE		GLOBEX HIGH/LOW	OPEN	OUTCRY HIGH/LOW	CLOSE RANGE		OPEN	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST														
OG CALL		COMEX GOLD OPTIONS																															
4250	42.70	42.70				123.60B/37.90A	123.60B/37.90A				42.70	- 53.50	.8280				3			431	-	1											
4255	----	----				118.70B/34.30A	118.70B/34.30A				38.90	- 52.70	.7931				----			56		UNCH											
4260	----	----				113.90B/31.00A	113.90B/31.00A				35.30	- 51.70	.7532				----			78		UNCH											
4265	30.00	30.00				109.10B/27.80A	109.10B/27.80A				31.90	- 50.70	.7085				4			148		UNCH											
4270	25.40	25.40				104.30B/24.80A	104.30B/24.80A				28.60	- 49.60	.6607				33			374	+	4											
4275	27.90	27.90				99.70B/22.00A	99.70B/22.00A				25.60	- 48.30	.6088				17			143	+	6											
4280	37.40	37.40				95.00B/19.20	95.00B/19.20				22.70	- 46.90	.5549				35			100	+	19											
4285	21.80	21.80				90.30B/16.80A	90.30B/16.80A				20.10	- 45.40	.4994				22			90	+	10											
4290	32.00	32.00				85.80B/15.00A	85.80B/15.00A				17.70	- 43.70	.4438				41			119	+	18											
4295	21.90	21.90				81.40B/13.00A	81.40B/13.00A				15.50	- 42.00	.3894				27			109	+	15											
4300	38.20	38.20				76.90B/11.30A	76.90B/11.30A				13.50	- 40.20	.3370				694	60		1593	+	234											
4305	23.50	23.50				72.60B/9.80A	72.60B/9.80A				11.80	- 38.20	.2889				182			152	+	100											
4310	20.70	20.70				68.40B/8.40A	68.40B/8.40A				10.20	- 36.30	.2438				47			160	+	7											
4315	20.70	20.70				64.30B/7.20A	64.30B/7.20A				8.80	- 34.30	.2035				79			237	+	10											
4320	19.40	19.40				60.30B/6.10A	60.30B/6.10A				7.60	- 32.20	.1684				184			183	+	105											
4325	52.70	52.70				56.30B/5.30A	56.30B/5.30A				6.50	- 30.30	.1372				257			288	+	137											
4330	15.50	15.50				52.60B/4.50A	52.60B/4.50A				5.60	- 28.20	.1115				43			348	+	18											
4335	12.00	12.00				49.00B/3.80A	49.00B/3.80A				4.80	- 26.30	.0896				142			385	+	72											
4340	23.80	23.80				45.60B/3.20A	45.60B/3.20A				4.10	- 24.40	.0713				34			93	+	5											
4345	24.50	24.50				42.40B/2.70A	42.40B/2.70A				3.50	- 22.50	.0564				48			115	+	16											
4350	24.60	24.60				39.20B/2.30A	39.20B/2.30A				3.00	- 20.70	.0445				1211			1903	+	50											
4355	18.90	18.90				36.10B/2.00A	36.10B/2.00A				2.60	- 19.00	.0354				80			180	-	18											
4360	9.90	9.90				33.40B/1.70A	33.40B/1.70A				2.20	- 17.40	.0273				66			178	+	8											
4365	15.40	15.40				30.80B/1.50A	30.80B/1.50A				1.90	- 15.80	.0214				25			213	+	4											
4370	6.20	6.20				28.10B/1.40	28.10B/1.40				1.60	- 14.40	.0163				73			296	+	37											
4375	14.60	14.60				26.00B/1.20	26.00B/1.20				1.40	- 13.10	.0129				96	150		679	+	28											
4380	10.50	10.50				23.60B/1.00A	23.60B/1.00A				1.20	- 11.90	.0100				44			266		UNCH											
4385	13.50	13.50				21.80B/1.00A	21.80B/1.00A				1.10	- 10.70	.0084				81			514	+	26											
4390	9.30	9.30				19.90B/0.90A	19.90B/0.90A				1.00	- 9.60	.0070				7			119		UNCH											
4395	1.30	1.30				18.00B/0.80A	18.00B/0.80A				0.80	- 8.70	.0049				2			97	+	1											
4400	15.20	15.20				16.30B/0.60	16.30B/0.60				0.70	- 7.80	.0038				321			2941	-	45											
4405	9.70	9.70				14.80B/0.60A	14.80B/0.60A				0.70	- 6.90	.0036				7			114	+	1											
4410	4.90	4.90				13.50B/0.60A	13.50B/0.60A				0.60	- 6.20	.0028				19			137	+	6											
4415	5.00	5.00				12.20B/0.60A	12.20B/0.60A				0.50	- 5.60	.0020				12			174	-	4											
4420	2.40	2.40				11.00B/0.40	11.00B/0.40				0.50	- 5.00	.0019				33			236	+	1											
4425	3.60	3.60				10.00B/0.50	10.00B/0.50				0.40	- 4.50	.0013				113			276	-	56											
4430	1.40	1.40				9.00B/0.40	9.00B/0.40				0.40	- 4.00	.0012				3			182	+	1											
4435	2.90	2.90				8.20B/0.40	8.20B/0.40				0.40	- 3.60	.0012				6			115		UNCH											
4440	3.80	3.80				7.40B/0.40	7.40B/0.40				0.30	- 3.30	.0007				143			371	+	25											
4445	3.40	3.40				6.70B/0.40	6.70B/0.40				0.30	- 3.00	.0007				54			230	-	5											
4450	3.00	3.00				6.00B/0.30	6.00B/0.30				0.30	- 2.80	.0007				169			2344	-	13											
4455	----	----				5.50B/0.30A	5.50B/0.30A				0.20	- 2.60	.0003				----			68		UNCH											
4460	0.90	0.90				5.10B/0.30A	5.10B/0.30A				0.20	- 2.40	.0003				3			217		UNCH											
4465	0.80	0.80				4.60B/0.20	4.60B/0.20				0.20	- 2.10	.0003				14			125	+	1											
4470	0.50	0.50				4.10B/0.30	4.10B/0.30				0.20	- 1.90	.0003				7			246	-	2											
4475	1.40	1.40				3.70B/0.30A	3.70B/0.30A				0.10	- 1.90	.0001				14			554	+	9											
4480	0.90	0.90				3.40B/0.20	3.40B/0.20				0.10	- 1.70	.0000				4			418	+	2											
4485	0.50	0.50				3.10B/0.20	3.10B/0.20				0.10	- 1.60	.0000				32			147	+	25											
4490	0.70	0.70				2.90B/0.20A	2.90B/0.20A				0.10	- 1.40	.0000				3			255	-	2											
4495	----	----				2.60B/0.20A	2.60B/0.20A				0.10	- 1.30	.0000				----			244		UNCH											
4500	1.60	1.60				2.40B/0.20	2.40B/0.20				0.10	- 1.20	.0000				216			3546	+	107											
4505	0.20	0.20				2.20B/0.20	2.20B/0.20				0.10	- 1.10	.0000				10			143		UNCH											
4510	1.00	1.00				2.00B/0.20	2.00B/0.20				0.10	- 1.00	.0000				36			274	+	15											
4515	1.00	1.00				1.90B/0.20A	1.90B/0.20A				0.10	- 1.00					1			529	+	1											
4520	0.40	0.40				1.70B/0.20A	1.70B/0.20A				0.10	- 0.90					2			201		UNCH											
4525	0.60	0.60				1.60B/0.20A	1.60B/0.20A				0.10	- 0.80					1			506		UNCH											
4530	0.10	0.10				1.50B/0.10	1.50B/0.10				0.10	- 0.80					17			120	-	1											
4535	0.90	0.90				1.40B/0.20	1.40B/0.20				0.10	- 0.70					5			115	-	4											
4540	0.50	0.50				1.30B/0.10	1.30B/0.10				0.10	- 0.70					40			230	-	6											
4545	0.30	0.30				1.20B/0.10A	1.20B/0.10A				0.10	- 0.70					23			133	+	13											
4550	0.10	0.10				1.10B/0.10	1.10B/0.10				0.10	- 0.60					67			2282	-	4											
4555	0.30	0.30				1.00B/0.10A	1.00B/0.10A				0.10	- 0.60					2			257	-	1											
4560	----	----				0.90B/0.10A	0.90B/0.10A				0.10	- 0.60					5			182	+	5											
4565	----	----				0.90B/0.10A	0.90B/0.10A				0.10	- 0.50					----			276		UNCH											
4570	----	----				0.80B/0.10A	0.80B/0.10A				0.10	- 0.50					----			247		UNCH											
4575	0.10	0.10				0.80B/0.10	0.80B/0.10				0.10	- 0.40					7			924		UNCH											
4580	----	----				0.70B/0.10A	0.70B/0.10A				0.10	- 0.40					----			796		UNCH											
4585	----	----				0.70B/0.10A	0.70B/0.10A				0.10	- 0.40					----			145		UNCH											
4590	0.10	0.10				0.60B/0.10	0.60B/0.10				0.10	- 0.30					1			242	-	1											
4595	----	----				0.60B/0.10A	0.60B/0.10A				0.10	- 0.30					----			176		UNCH											
4600	----	----				0.60B/0.10A	0.60B/0.10A				0.10	- 0.30					3			3895	-	1											
4605	----	----				0.50B/0.10A	0.50B/0.10A				0.10	- 0.30					1			79	-	1											
4610	----	----				0.50B/0.10A	0.50B/0.10A				0.10	- 0.30					----			394		UNCH											
4615	0.10	0.10				0.50B/0.10	0.50B/0.10				0.10	- 0.20					6			141		UNCH											
4620	----	----				0.40B/0.10A	0.40B/0.10A				0.10	- 0.20					----			100		UNCH											
4625	----	----				0.40B/0.10A	0.40B/0.10A				0.10	- 0.20					----			445		UNCH											

PG64 BULLETIN #183@										METALS OPTION PRODUCTS										wed, Sep 23, 2026			PG64
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST										
OG CALL		COMEX GOLD OPTIONS																					
NOV26																							
4295	----	----	172.50B/112.60A	172.50B/112.60A	----	115.80	-36.80	.5477	----	----	5	----	54	+	1								
4300	131.00	131.00	169.30B/110.10A	169.30B/110.10A	----	113.20	-36.40	.5399	----	----	20	----	1348	-	4								
4305	----	----	166.10B/107.60A	166.10B/107.60A	----	110.70	-35.90	.5322	----	----	----	----	22		UNCH								
4310	----	----	163.00B/105.20A	163.00B/105.20A	----	108.20	-35.50	.5244	----	66	----	----	108	+	49								
4315	105.60	105.60	159.90B/102.80A	159.90B/102.80A	----	105.70	-35.10	.5167	----	11	----	----	14	+	9								
4320	103.20	103.20	157.00B/100.40A	157.00B/100.40A	----	103.30	-34.70	.5089	----	100	----	----	137	+	89								
4325	103.40	103.40	153.90B/98.10A	153.90B/98.10A	----	100.90	-34.30	.5012	----	45	----	----	298	+	25								
4330	102.90	102.90	150.90B/95.80A	150.90B/95.80A	----	98.60	-33.80	.4935	----	166	----	----	154	+	132								
4335	96.60	96.60	148.00B/93.50A	148.00B/93.50A	----	96.30	-33.40	.4858	----	17	----	----	148	+	9								
4340	97.30	97.30	145.20B/91.30A	145.20B/91.30A	----	94.00	-33.00	.4781	----	6	----	----	25	+	1								
4345	108.90	108.90	142.30B/89.10A	142.30B/89.10A	----	91.80	-32.60	.4704	----	43	----	----	53	+	35								
4350	110.10	110.10	139.50B/87.00A	139.50B/87.00A	----	89.60	-32.20	.4628	----	110	----	----	509	-	3								
4355	----	----	136.80B/84.90A	136.80B/84.90A	----	87.50	-31.70	.4552	----	----	----	----	25		UNCH								
4360	89.90	89.90	134.10B/82.90A	134.10B/82.90A	----	85.40	-31.30	.4476	----	3	----	----	43	+	1								
4365	90.30	90.30	131.40B/80.90A	131.40B/80.90A	----	83.30	-30.90	.4400	----	1	----	----	16	+	1								
4370	----	----	128.80B/78.90A	128.80B/78.90A	----	81.30	-30.40	.4326	----	----	----	----	45		UNCH								
4375	----	----	126.10B/76.70A	126.10B/76.70A	----	79.30	-30.00	.4251	----	20	----	----	132		UNCH								
4380	79.60	79.60	123.70B/75.10A	123.70B/75.10A	----	77.40	-29.50	.4177	----	2	----	----	167		UNCH								
4385	107.90	107.90	121.10B/73.20A	121.10B/73.20A	----	75.50	-29.10	.4104	----	1	----	----	85	+	1								
4390	78.10	78.10	118.70B/71.40A	118.70B/71.40A	----	73.60	-28.70	.4030	----	8	----	----	51	+	1								
4395	74.90	74.90	116.10B/69.60A	116.10B/69.60A	----	71.70	-28.30	.3957	----	2	----	----	48	+	1								
4400	111.10	111.10	113.70B/67.90A	113.70B/67.90A	----	69.90	-27.90	.3885	----	553	----	----	1942	-	234								
4405	----	----	111.40B/66.10A	111.40B/66.10A	----	68.20	-27.40	.3814	----	----	----	----	45		UNCH								
4410	67.20	67.20	109.00B/64.50A	109.00B/64.50A	----	66.50	-26.90	.3743	----	12	----	----	76	+	8								
4415	68.30	68.30	106.90B/62.80A	106.90B/62.80A	----	64.80	-26.50	.3673	----	1	----	----	49	+	1								
4420	80.80	80.80	104.50B/61.20A	104.50B/61.20A	----	63.10	-26.20	.3602	----	2	----	----	389		UNCH								
4425	----	----	102.40B/59.60A	102.40B/59.60A	----	61.50	-25.80	.3534	----	36	----	----	273	+	35								
4430	62.70	62.70	100.10B/58.10A	100.10B/58.10A	----	59.90	-25.50	.3465	----	28	----	----	127	+	25								
4435	62.10	62.10	98.00B/56.60A	98.00B/56.60A	----	58.40	-25.00	.3398	----	1	----	----	34		UNCH								
4440	58.90	58.90	95.90B/55.10A	95.90B/55.10A	----	56.90	-24.50	.3332	----	1	----	----	212	+	1								
4445	57.20	57.20	93.80B/53.70A	93.80B/53.70A	----	55.40	-24.10	.3265	----	9	----	----	97	+	9								
4450	82.00	82.00	91.80B/52.20A	91.80B/52.20A	----	53.90	-23.80	.3199	----	69	----	----	998	+	39								
4455	53.30	53.30	89.80B/50.90A	89.80B/50.90A	----	52.50	-23.40	.3134	----	6	----	----	52		UNCH								
4460	----	----	87.90B/49.50A	87.90B/49.50A	----	51.10	-23.10	.3070	----	58	----	----	77	+	35								
4465	----	----	86.00B/48.20A	86.00B/48.20A	----	49.80	-22.70	.3008	----	----	----	----	64		UNCH								
4470	----	----	84.10B/46.90A	84.10B/46.90A	----	48.40	-22.40	.2944	----	----	----	----	42		UNCH								
4475	60.60	60.60	82.00B/45.70A	82.00B/45.70A	----	47.10	-22.00	.2882	----	66	----	----	268	+	43								
4480	50.00	50.00	80.40B/44.50A	80.40B/44.50A	----	45.90	-21.60	.2823	----	19	----	----	126	+	3								
4485	----	----	78.60B/43.30A	78.60B/43.30A	----	44.60	-21.30	.2762	----	----	----	----	41		UNCH								
4490	46.20	46.20	76.80B/42.10A	76.80B/42.10A	----	43.40	-20.90	.2703	----	6	----	----	50	-	3								
4495	44.70	44.70	75.00B/41.00A	75.00B/41.00A	----	42.20	-20.50	.2644	----	47	----	----	472	+	40								
4500	62.60	62.60	73.40B/39.80A	73.40B/39.80A	----	41.10	-20.10	.2588	----	222	----	----	1312	-	25								
4505	44.10	44.10	71.70B/38.80A	71.70B/38.80A	----	40.00	-19.70	.2532	----	4	----	----	77	-	3								
4510	43.00	43.00	70.10B/37.70A	70.10B/37.70A	----	38.90	-19.40	.2476	----	7	----	----	250	-	4								
4515	41.90	41.90	68.50B/36.70A	68.50B/36.70A	----	37.80	-19.10	.2420	----	3	----	----	49	-	1								
4520	----	----	66.90B/35.70A	66.90B/35.70A	----	36.80	-18.70	.2367	----	----	----	----	33		UNCH								
4525	----	----	65.40B/34.70A	65.40B/34.70A	----	35.80	-18.30	.2314	----	22	----	----	274	+	7								
4530	42.70	42.70	63.90B/33.50	63.90B/33.50	----	34.90	-17.90	.2265	----	4	----	----	77	+	4								
4535	34.60	34.60	62.40B/32.80A	62.40B/32.80A	----	33.90	-17.60	.2213	----	4	----	----	83	-	1								
4540	41.10	41.10	60.90B/31.90A	60.90B/31.90A	----	33.00	-17.30	.2163	----	137	----	----	170	+	89								
4545	31.80	31.80	59.50B/31.10A	59.50B/31.10A	----	32.10	-16.90	.2114	----	3	----	----	40	+	1								
4550	40.00	40.00	58.10B/30.20A	58.10B/30.20A	----	31.30	-16.50	.2069	----	508	----	----	834	+	331								
4555	----	----	56.80B/29.40A	56.80B/29.40A	----	30.40	-16.20	.2020	----	----	----	----	140		UNCH								
4560	40.10	40.10	55.40B/28.60A	55.40B/28.60A	----	29.60	-15.90	.1975	----	8	----	----	63	+	5								
4565	28.40	28.40	54.10B/27.80A	54.10B/27.80A	----	28.80	-15.50	.1929	----	34	----	----	64	+	18								
4570	----	----	52.80B/27.00A	52.80B/27.00A	----	28.00	-15.20	.1884	----	----	----	----	36		UNCH								
4575	34.50	34.50	51.60B/26.20A	51.60B/26.20A	----	27.20	-15.00	.1839	----	52	----	----	229	+	42								
4580	26.00	26.00	50.40B/25.50A	50.40B/25.50A	----	26.50	-14.60	.1798	----	1	----	----	93	-	1								
4585	----	----	49.20B/24.80A	49.20B/24.80A	----	25.80	-14.30	.1757	----	----	----	----	163		UNCH								
4590	31.60	31.60	48.10B/24.10A	48.10B/24.10A	----	25.00	-14.10	.1712	----	4	----	----	189	+	4								
4595	----	----	46.90B/23.50A	46.90B/23.50A	----	24.40	-13.70	.1675	----	----	----	----	85		UNCH								
4600	46.30	46.30	46.30/22.80A	46.30/22.80A	----	23.70	-13.40	.1634	----	1491	280	3714	-	472	UNCH								
4605	----	----	44.70B/22.20A	44.70B/22.20A	----	23.00	-13.20	.1594	----	----	----	----	129		UNCH								
4610	25.40	25.40	43.70B/21.60A	43.70B/21.60A	----	22.40	-12.90	.1557	----	8	----	----	135	-	2								
4615	----	----	42.60B/21.00A	42.60B/21.00A	----	21.80	-12.60	.1521	----	1	----	----	127	+	1								
4620	20.90	20.90	41.50B/20.40A	41.50B/20.40A	----	21.20	-12.30	.1484	----	17	----	----	238	+	16								
4625	21.70	21.70	40.50B/19.80A	40.50B/19.80A	----	20.60	-12.00	.1448	----	38	----	----	88	+	17								
4630	----	----	39.60B/19.30A	39.60B/19.30A	----	20.00	-11.80	.1412	----	----	----	----	67		UNCH								
4635	----	----	38.60B/18.70A	38.60B/18.70A	----	19.40	-11.60	.1376	----	----	----	----	90		UNCH								
4640	19.30	19.30	37.70B/18.20A	37.70B/18.20A	----	18.90	-11.30	.1344	----	7	----	----	214	+	4								
4645	----	----	36.80B/17.70A	36.80B/17.70A	----	18.40	-11.10	.1312	----	----	----	----	137		UNCH								
4650	33.70	33.70	35.80B/17.20A	35.80B/17.20A	----	17.90	-10.80	.1280	----	221	7	1484	+	4									
4655	23.00	23.00	35.00B/16.80A	35.00B/16.80A	----	17.40	-10.60	.1249	----	7	----	----	140	+	2								
4660	31.70	31.70	34.10B/16.30A	34.10B/16.30A	----	16.90	-10.40	.1217	----	45	55	2064	+	154									
4665	----	----	33.40B/15.90A	33.40B/15.90A	----	16.50	-10.10	.1190	----	2	----	----	186	+	5								
4670	----	----	32.60B/15.50A	32.60B/15.50A	----	16.00	-9.90	.1159	----	2	----	----	53	-	2								
4675	16.70	16.70	31.80B/15.00A	31.80B/15.00A	----	15.60	-9.70	.1133	----	26	----	----	743	+	8								
4680	17.60	17.60	31.00B/14.60A	31.00B/14.60A	----	15.20	-9.40	.1106	----	2	----	----	119		UNCH								
4685	15.80	15.80	30.30B/14.20A	30.30B/14.20A	----	14.80	-9.20	.1079	----	112	----	----	106	+	27								
4690	----	----	29.50B/13.90A	29.50B/13.90A	----	14.40	-9.00	.1053	----	13	----	----	202	+	13								
4695	14.00	14.00	28.80B/13.50A	28.80B/13.50A	----	14.00	-8.80	.1027	----	25	----	----	55	+	13								
4700	22.60	22.60	28.10B/13.10A	28.10B/13.10A	----	13.60	-8.70	.1001	----	655	250	2893	-	228									
4705	13.50	13.50	27.40B/12.80A	27.40B/12.80A	----	13.30	-8.40	.0979	----	10	----	----	38	+	4								
4710	----	----	26.80B/12.50A	26.80B/12.50A	----	12.90	-8.30	.0953	----	----	----	----	108		UNCH								
4715	----	----	26.10B/12.10A	26.10B/12.10A	----	12.60	-8.00	.0932	----	----	----	----	72	-	5								
4720	16.60	16.60	25.50B/11.80A</																				



PG64 BULLETIN #183@				METALS OPTION PRODUCTS								wed, Sep 23, 2026				PG64	
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST	
OG CALL NOV26	COMEX GOLD OPTIONS																
4980	----	----	----	7.80B/3.80A	7.80B/3.80A	7.80B/3.80A	----	----	4.00 - 2.20	.0302	----	----	----	----	35	UNCH	
4985	----	----	----	7.60B/3.80A	7.60B/3.80A	7.60B/3.80A	----	----	4.00 - 2.10	.0300	----	----	----	----	125	UNCH	
4990	----	----	----	7.50B/3.70A	7.50B/3.70A	7.50B/3.70A	----	----	3.90 - 2.10	.0293	----	----	----	----	32	UNCH	
4995	----	----	----	7.30B/3.60A	7.30B/3.60A	7.30B/3.60A	----	----	3.80 - 2.10	.0286	----	----	----	----	119	UNCH	
5000	6.50	6.50	----	7.20B/3.60	7.20B/3.60	7.20B/3.60	----	----	3.80 - 2.00	.0284	----	----	679	----	4198 -	127	
5005	----	----	----	7.10B/3.50A	7.10B/3.50A	7.10B/3.50A	----	----	3.70 - 2.00	.0277	----	----	----	----	47	UNCH	
5010	----	----	----	6.90B/3.50A	6.90B/3.50A	6.90B/3.50A	----	----	3.60 - 1.90	.0270	----	----	1	----	56	UNCH	
5015	----	----	----	6.70B/3.40A	6.70B/3.40A	6.70B/3.40A	----	----	3.60 - 1.80	.0269	----	----	----	----	31	UNCH	
5020	----	----	----	6.70B/3.40A	6.70B/3.40A	6.70B/3.40A	----	----	3.50 - 1.90	.0262	----	----	----	----	56	UNCH	
5025	3.50	3.50	----	6.50B/3.30A	6.50B/3.30A	6.50B/3.30A	----	----	3.50 - 1.80	.0261	----	----	208	----	494 +	208	
5030	----	----	----	6.40B/3.30A	6.40B/3.30A	6.40B/3.30A	----	----	3.40 - 1.80	.0254	----	----	----	----	70	UNCH	
5035	3.50	3.50	----	6.30B/3.20A	6.30B/3.20A	6.30B/3.20A	----	----	3.40 - 1.70	.0253	----	----	1	----	75 +	1	
5040	----	----	----	6.20B/3.20A	6.20B/3.20A	6.20B/3.20A	----	----	3.30 - 1.70	.0246	----	----	----	----	165	UNCH	
5045	----	----	----	6.10B/3.10A	6.10B/3.10A	6.10B/3.10A	----	----	3.30 - 1.60	.0244	----	----	----	----	42	UNCH	
5050	3.50	3.50	----	5.90B/3.10A	5.90B/3.10A	5.90B/3.10A	----	----	3.20 - 1.60	.0238	----	----	6	----	1059 -	1	
5055	3.10	3.10	----	5.80B/3.00A	5.80B/3.00A	5.80B/3.00A	----	----	3.20 - 1.50	.0237	----	----	3	----	114	UNCH	
5060	----	----	----	5.70B/3.00A	5.70B/3.00A	5.70B/3.00A	----	----	3.10 - 1.60	.0230	----	----	----	----	43	UNCH	
5065	3.20	3.20	----	5.60B/3.00A	5.60B/3.00A	5.60B/3.00A	----	----	3.10 - 1.50	.0229	----	----	2	----	46 +	2	
5070	----	----	----	5.50B/2.90A	5.50B/2.90A	5.50B/2.90A	----	----	3.00 - 1.50	.0222	----	----	----	----	170	UNCH	
5075	----	----	----	5.40B/2.90A	5.40B/2.90A	5.40B/2.90A	----	----	3.00 - 1.40	.0221	----	----	----	----	85	UNCH	
5080	----	----	----	5.30B/2.90A	5.30B/2.90A	5.30B/2.90A	----	----	2.90 - 1.50	.0214	----	----	----	----	42	UNCH	
5085	3.00	3.00	----	5.30B/2.80A	5.30B/2.80A	5.30B/2.80A	----	----	2.90 - 1.40	.0213	----	----	3	----	147 +	1	
5090	3.00	3.00	----	5.20B/2.80A	5.20B/2.80A	5.20B/2.80A	----	----	2.90 - 1.30	.0212	----	----	2	----	63 +	2	
5095	2.80	2.80	----	5.00B/2.80	5.00B/2.80	5.00B/2.80	----	----	2.80 - 1.40	.0206	----	----	1	----	198	UNCH	
5100	4.70	4.70	----	5.00B/2.70A	5.00B/2.70A	5.00B/2.70A	----	----	2.80 - 1.30	.0205	----	----	27	----	2603 -	5	
5105	----	----	----	4.90B/2.70A	4.90B/2.70A	4.90B/2.70A	----	----	2.80 - 1.30	.0204	----	----	----	----	45	UNCH	
5110	----	----	----	4.80B/2.70A	4.80B/2.70A	4.80B/2.70A	----	----	2.70 - 1.30	.0197	----	----	----	----	43	UNCH	
5115	----	----	----	4.80B/2.60A	4.80B/2.60A	4.80B/2.60A	----	----	2.70 - 1.20	.0197	----	----	----	----	137	UNCH	
5120	----	----	----	4.70B/2.60A	4.70B/2.60A	4.70B/2.60A	----	----	2.70 - 1.20	.0196	----	----	----	----	77	UNCH	
5125	----	----	----	4.60B/2.60A	4.60B/2.60A	4.60B/2.60A	----	----	2.60 - 1.20	.0189	----	----	----	----	91	UNCH	
5130	----	----	----	4.50B/2.50A	4.50B/2.50A	4.50B/2.50A	----	----	2.60 - 1.20	.0188	----	----	----	----	95	UNCH	
5135	----	----	----	4.40B/2.50A	4.40B/2.50A	4.40B/2.50A	----	----	2.60 - 1.10	.0188	----	----	----	----	18	UNCH	
5140	----	----	----	4.40B/2.50A	4.40B/2.50A	4.40B/2.50A	----	----	2.50 - 1.20	.0181	----	----	----	----	48	UNCH	
5145	----	----	----	4.30B/2.40A	4.30B/2.40A	4.30B/2.40A	----	----	2.50 - 1.10	.0180	----	----	----	----	25	UNCH	
5150	----	----	----	4.20B/2.40A	4.20B/2.40A	4.20B/2.40A	----	----	2.50 - 1.10	.0180	----	----	----	----	545	UNCH	
5155	3.10	3.10	----	4.10B/2.40A	4.10B/2.40A	4.10B/2.40A	----	----	2.40 - 1.10	.0173	----	----	3	----	11 +	3	
5160	2.50	2.50	----	4.10B/2.40A	4.10B/2.40A	4.10B/2.40A	----	----	2.40 - 1.10	.0173	----	----	7	----	34 +	7	
5165	----	----	----	4.00B/2.30A	4.00B/2.30A	4.00B/2.30A	----	----	2.40 - 1.00	.0172	----	----	----	----	79	UNCH	
5170	----	----	----	4.00B/2.30A	4.00B/2.30A	4.00B/2.30A	----	----	2.40 - 1.00	.0171	----	----	----	----	22	UNCH	
5175	----	----	----	3.90B/2.30A	3.90B/2.30A	3.90B/2.30A	----	----	2.30 - 1.00	.0165	----	----	14	----	310 +	14	
5180	2.70	2.70	----	3.90B/2.30A	3.90B/2.30A	3.90B/2.30A	----	----	2.30 - 1.00	.0164	----	----	1	----	87 -	1	
5185	----	----	----	3.80B/2.20A	3.80B/2.20A	3.80B/2.20A	----	----	2.30 - 0.90	.0163	----	----	----	----	14	UNCH	
5190	----	----	----	3.70B/2.30A	3.70B/2.30A	3.70B/2.30A	----	----	2.30 - 0.90	.0163	----	----	----	----	21	UNCH	
5195	----	----	----	3.60B/2.20A	3.60B/2.20A	3.60B/2.20A	----	----	2.30 - 0.80	.0162	----	----	----	----	90	UNCH	
5200	3.70	3.70	----	3.70/2.20	3.70/2.20	3.70/2.20	----	----	2.20 - 0.90	.0156	----	----	9	----	1866 -	4	
5205	----	----	----	3.60B/2.10A	3.60B/2.10A	3.60B/2.10A	----	----	2.20 - 0.90	.0155	----	----	----	----	7	UNCH	
5210	----	----	----	3.50B/2.20A	3.50B/2.20A	3.50B/2.20A	----	----	2.20 - 0.80	.0155	----	----	----	----	11	UNCH	
5215	----	----	----	3.50B/2.10A	3.50B/2.10A	3.50B/2.10A	----	----	2.20 - 0.80	.0154	----	----	----	----	51	UNCH	
5220	----	----	----	3.40B/2.10A	3.40B/2.10A	3.40B/2.10A	----	----	2.20 - 0.70	.0154	----	----	----	----	34	UNCH	
5225	----	----	----	3.40B/2.00A	3.40B/2.00A	3.40B/2.00A	----	----	2.10 - 0.80	.0147	----	----	----	----	26	UNCH	
5230	----	----	----	3.30B/2.10A	3.30B/2.10A	3.30B/2.10A	----	----	2.10 - 0.80	.0147	----	----	----	----	96	UNCH	
5235	----	----	----	3.30B/2.10A	3.30B/2.10A	3.30B/2.10A	----	----	2.10 - 0.70	.0146	----	----	----	----	21	UNCH	
5240	----	----	----	3.20B/2.00A	3.20B/2.00A	3.20B/2.00A	----	----	2.10 - 0.70	.0146	----	----	----	----	38	UNCH	
5245	----	----	----	3.20B/2.00A	3.20B/2.00A	3.20B/2.00A	----	----	2.10 - 0.70	.0145	----	----	----	----	9	UNCH	
5250	2.60	2.60	----	3.20B/2.00A	3.20B/2.00A	3.20B/2.00A	----	----	2.10 - 0.60	.0145	----	----	5	----	735 -	2	
5255	----	----	----	3.10B/2.00A	3.10B/2.00A	3.10B/2.00A	----	----	2.00 - 0.70	.0139	----	----	----	----	4	UNCH	
5260	2.20	2.20	----	3.10B/1.90A	3.10B/1.90A	3.10B/1.90A	----	----	2.00 - 0.70	.0138	----	----	1	----	11	UNCH	
5265	----	----	----	3.00B/2.00A	3.00B/2.00A	3.00B/2.00A	----	----	2.00 - 0.60	.0138	----	----	----	----	11	UNCH	
5270	----	----	----	3.00B/2.00A	3.00B/2.00A	3.00B/2.00A	----	----	2.00 - 0.60	.0137	----	----	----	----	15	UNCH	
5275	2.40	2.40	----	2.90B/1.90A	2.90B/1.90A	2.90B/1.90A	----	----	2.00 - 0.60	.0137	----	----	1	----	207 +	1	
5280	----	----	----	2.90B/1.90A	2.90B/1.90A	2.90B/1.90A	----	----	2.00 - 0.50	.0136	----	----	----	----	40	UNCH	
5285	2.40	2.40	----	2.90B/1.90A	2.90B/1.90A	2.90B/1.90A	----	----	1.90 - 0.60	.0130	----	----	5	----	27 +	5	
5290	----	----	----	2.80B/1.90A	2.80B/1.90A	2.80B/1.90A	----	----	1.90 - 0.60	.0130	----	----	----	----	21	UNCH	
5295	----	----	----	2.80B/1.90A	2.80B/1.90A	2.80B/1.90A	----	----	1.90 - 0.60	.0129	----	----	----	----	10	UNCH	
5300	2.10	2.10	----	2.80B/1.90A	2.80B/1.90A	2.80B/1.90A	----	----	1.90 - 0.50	.0129	----	----	107	----	1261 -	78	
5305	----	----	----	2.70B/1.90A	2.70B/1.90A	2.70B/1.90A	----	----	1.90 - 0.50	.0128	----	----	----	----	31	UNCH	
5310	----	----	----	2.70B/1.80A	2.70B/1.80A	2.70B/1.80A	----	----	1.90 - 0.50	.0128	----	----	----	----	10	UNCH	
5315	----	----	----	2.70B/1.80A	2.70B/1.80A	2.70B/1.80A	----	----	1.80 - 0.60	.0122	----	----	----	----	6	UNCH	
5320	----	----	----	2.60B/1.80A	2.60B/1.80A	2.60B/1.80A	----	----	1.80 - 0.50	.0121	----	----	----	----	19	UNCH	
5325	----	----	----	2.60B/1.80A	2.60B/1.80A	2.60B/1.80A	----	----	1.80 - 0.50	.0121	----	----	----	----	23	UNCH	
5330	----	----	----	2.60B/1.80A	2.60B/1.80A	2.60B/1.80A	----	----	1.80 - 0.50	.0121	----	----	----	----	13	UNCH	
5335	----	----	----	2.60B/1.80A	2.60B/1.80A	2.60B/1.80A	----	----	1.80 - 0.50	.0120	----	----	----	----	39	UNCH	
5340	----	----	----	2.50B/1.80A	2.50B/1.80A	2.50B/1.80A	----	----	1.80 - 0.50	.0120	----	----	----	----	6	UNCH	
5345	----	----	----	2.50B/1.80A	2.50B/1.80A	2.50B/1.80A	----	----	1.80 - 0.40	.0119	----	----	----	----	12	UNCH	
5350	----	----	----	2.50B/1.80A	2.50B/1.80A	2.50B/1.80A	----	----	1.70 - 0.50	.0114	----	----	1	----	120	UNCH	
5355	----	----	----	2.40B/1.70A	2.40B/1.70A	2.40B/1.70A	----	----	1.70 - 0.50	.0113	----	----	----	----	21	UNCH	
5360	----	----	----	2.40B/1.70A	2.40B/1.70A	2.40B/1.70A	----	----	1.70 - 0.50	.0113	----	----	----	----	13	UNCH	
5365	----	----	----	2.40B/1.70A	2.40B/1.70A	2.40B/1.70A	----	----	1.70 - 0.50	.0113	----	----	----	----	9	UNCH	
5370	----	----	----	2.40B/1.70A	2.40B/1.70A	2.40B/1.70A	----	----	1.70 - 0.40	.0112	----	----	----	----	13	UNCH	
5375	----	----	----	2.30B/1.70A	2.30B/1.70A	2.30B/1.70A	----	----	1.70 - 0.40	.0112	----	----	----	----	41	UNCH	
5380	----	----	----	2.30B/1.70A	2.30B/1.70A	2.30B/1.70A	----	----	1.60 - 0.50	.0106	----	----	----	----	33	UNCH	
5385	----	----	----	2.30B/1.70A	2.30B/1.70A	2.30B/1.70A	----	----	1.60 - 0.50	.0106	----	----	----	----	32	UNCH	
5390	----	----	----	2.30B/1.70A	2.30B/1.70A	2.30B/1.70A	----	----	1.60 - 0.50	.0105	----	----	----	----	10	UNCH	
5395	----	----	----	2													

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.

© Copyright CME Group Inc. All rights reserved.

BULLETIN #183@				METALS OPTION PRODUCTS										wed, Sep 23, 2026		PG64						
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE		OUTCRY RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG CALL		COMEX GOLD OPTIONS																				
NOV26																						
5665	----	----	----	/1.20A	1.40B/1.20A	----	1.20	- 0.20	.0071	----	----	----	----	----	----	----	----	14	UNCH			
5670	----	----	----	/1.20A	1.40B/1.20A	----	1.10	- 0.30	.0066	----	----	----	----	----	----	----	----	10	UNCH			
5675	----	----	----	/1.20A	1.40B/1.20A	----	1.10	- 0.30	.0066	----	----	----	----	----	----	----	----	7	UNCH			
5680	----	----	----	/1.20A	1.40B/1.20A	----	1.10	- 0.30	.0065	----	----	----	----	----	----	----	----	45	UNCH			
5685	----	----	----	/1.20A	1.30B/1.20A	----	1.10	- 0.30	.0065	----	----	----	----	----	----	----	----	8	UNCH			
5690	----	----	----	/1.20A	1.30B/1.20A	----	1.10	- 0.30	.0065	----	----	----	----	----	----	14	----	66	+			
5695	----	----	----	/1.20A	1.30B/1.20A	----	1.10	- 0.30	.0065	----	----	----	----	----	----	----	----	25	UNCH			
5700	----	----	----	/1.20A	1.30B/1.20A	----	1.10	- 0.30	.0065	----	----	----	----	----	----	----	----	126	UNCH			
5705	----	----	----	/1.20A	1.30B/1.20A	----	1.10	- 0.30	.0065	----	----	----	----	----	----	----	----	1	UNCH			
5710	----	----	----	/1.20A	1.30B/1.20A	----	1.10	- 0.30	.0064	----	----	----	----	----	----	----	----	2	UNCH			
5720	----	----	----	/1.10A	1.30B/1.10A	----	1.10	- 0.30	.0064	----	----	----	----	----	----	----	----	6	UNCH			
5725	----	----	----	/1.10A	1.30B/1.10A	----	1.10	- 0.30	.0064	----	----	----	----	----	----	----	----	3	UNCH			
5730	----	----	----	/1.10A	1.30B/1.10A	----	1.10	- 0.20	.0064	----	----	----	----	----	----	----	----	27	UNCH			
5740	----	----	----	/1.10A	1.20B/1.10A	----	1.00	- 0.30	.0059	----	----	----	----	----	----	----	----	4	UNCH			
5750	----	----	----	/1.10A	1.20B/1.10A	----	1.00	- 0.30	.0058	----	----	----	----	----	----	----	----	599	UNCH			
5770	----	----	----	/1.10A	1.20B/1.10A	----	1.00	- 0.30	.0058	----	----	----	----	----	----	----	----	11	UNCH			
5775	----	----	----	/1.10A	1.20B/1.10A	----	1.00	- 0.30	.0058	----	----	----	----	----	----	----	----	8	UNCH			
5780	----	----	----	/1.10A	1.20B/1.10A	----	1.00	- 0.30	.0057	----	----	----	----	----	----	----	----	6	UNCH			
5790	1.20	1.20	1.20	1.20/1.10A	1.20/1.10A	----	1.00	- 0.20	.0057	----	----	----	----	----	----	4	----	6	+			
5800	----	----	----	/1.10A	1.10B/1.10A	----	1.00	- 0.20	.0057	----	----	----	----	----	----	----	----	210	UNCH			
5810	1.00	1.00	1.00	1.00/1.00	1.10B/1.00	----	1.00	- 0.20	.0057	----	----	----	----	----	----	10	----	21	+			
5825	----	----	----	/1.00A	1.10B/1.00A	----	1.00	- 0.20	.0056	----	----	----	----	----	----	----	----	41	UNCH			
5850	----	----	----	/1.00A	1.00B/1.00A	----	1.00	- 0.10	.0056	----	----	----	----	----	----	----	----	40	UNCH			
5875	----	----	----	/1.00A	1.00B/1.00A	----	0.90	- 0.20	.0050	----	----	----	----	----	----	----	----	10	UNCH			
5900	----	----	----	----	1.00B/1.00A	----	0.90	- 0.10	.0050	----	----	----	----	----	----	----	----	285	UNCH			
5925	----	----	----	/0.90A	0.90B/0.90A	----	0.90	- 0.10	.0049	----	----	----	----	----	----	----	----	15	UNCH			
5950	----	----	----	/0.90A	0.90B/0.90A	----	0.90	- 0.10	.0049	----	----	----	----	----	----	----	----	10	UNCH			
5975	----	----	----	----	0.90B/0.90A	----	0.90	UNCH	.0048	----	----	----	----	----	----	----	----	34	UNCH			
6000	0.80	0.80	0.80	0.80/0.80	0.80/0.80	----	0.80	- 0.10	.0043	----	----	----	----	----	----	110	----	2462	+			
6100	----	----	----	----	0.70B/0.80A	----	0.80	UNCH	.0041	----	----	----	----	----	----	----	----	39	UNCH			
6200	----	----	----	----	0.70B/0.70A	----	0.70	UNCH	.0036	----	----	----	----	----	----	----	----	51	UNCH			
6250	----	----	----	----	0.60B/0.70A	----	0.70	+	0.10	.0035	----	----	----	----	----	----	----	35	UNCH			
6300	----	----	----	----	0.60B/0.70A	----	0.70	+	0.10	.0034	----	----	----	----	----	----	----	343	UNCH			
6400	----	----	----	----	0.50B/0.60A	----	0.60	+	0.10	.0029	----	----	----	----	----	----	----	123	UNCH			
6500	----	----	----	----	0.40B/0.60A	----	0.60	+	0.10	.0028	----	----	----	----	----	----	----	1916	UNCH			
8000	----	----	----	/0.30A	0.10B/0.30A	----	0.30	- 0.10	.0011	----	----	----	----	----	----	----	----	1002	UNCH			
9000	0.20	0.20	0.20	0.20/0.10	0.20/0.10	----	0.10	- 0.10	.0003	----	----	----	----	----	----	105	----	1591	+			
20000	----	----	----	----	/0.10A	----	0.10	UNCH		----	----	----	----	----	----	----	----	1346	UNCH			
TOTAL																10432	810	80150	+	1324		
DEC26																						
2495	----	----	----	----	1866.30B/1900.50A	----	1823.40	- 58.00	1.0000	----	----	----	----	----	----	150	----	0	UNCH			
2500	----	----	----	----	1861.30B/1894.20A	----	1818.40	- 58.00	1.0000	----	305	----	----	----	----	305	----	608	UNCH			
2505	----	----	----	----	1856.30B/1889.20A	----	1813.40	- 58.00	1.0000	----	----	----	----	----	----	150	----	0	UNCH			
3100	----	----	----	1,296.10B/1,214	1296.10B/1214.90A	----	1218.40	- 58.00	.9918	----	----	----	----	----	----	6	----	0	UNCH			
3150	----	----	----	1,245.70B/1,165	1245.70B/1165.10A	----	1168.50	- 57.90	.9902	----	----	----	----	----	----	----	----	0	-			
3200	----	----	----	1,194.90B/1,115	1194.90B/1115.80A	----	1118.70	- 57.80	.9885	----	----	----	----	----	----	----	52	UNCH				
3250	----	----	----	1,143.60B/1,066	1143.60B/1066.50A	----	1068.90	- 57.80	.9864	----	----	----	----	----	----	6	----	71	+			
3300	----	----	----	1,091.30B/1,017	1091.30B/1017.60A	----	1019.20	- 57.70	.9843	----	----	----	----	----	----	----	311	UNCH				
3350	----	----	----	1,038.30B/968.8	1038.30B/968.80A	----	969.60	- 57.70	.9819	----	----	----	----	----	----	----	0	UNCH				
3395	----	----	----	990.50B/924.90A	990.50B/924.90A	----	925.10	- 57.50	.9792	----	----	----	----	----	----	----	----	0	UNCH			
3405	----	----	----	979.70B/915.10A	979.70B/915.10A	----	915.20	- 57.50	.9787	----	----	----	----	----	----	----	1	UNCH				
3450	----	----	----	932.70B/870.80A	932.70B/870.80A	----	870.70	- 57.50	.9754	----	----	----	----	----	----	----	1	UNCH				
3500	----	----	----	882.00B/821.60A	882.00B/821.60A	----	821.50	- 57.30	.9711	----	----	----	----	----	----	----	13	UNCH				
3550	----	----	----	832.20B/772.50A	832.20B/772.50A	----	772.50	- 57.00	.9658	----	----	----	----	----	----	----	2	UNCH				
3570	----	----	----	812.30B/752.80A	812.30B/752.80A	----	752.90	- 57.00	.9636	----	----	----	----	----	----	----	1	UNCH				
3600	----	----	----	783.30B/723.50A	783.30B/723.50A	----	723.70	- 56.80	.9598	----	----	----	----	----	----	----	2	UNCH				
3700	----	----	----	687.80B/626.30A	687.80B/626.30A	----	627.20	- 56.10	.9424	----	----	----	----	----	----	----	51	UNCH				
3800	----	----	----	594.80B/526.70A	594.80B/526.70A	----	533.00	- 54.90	.9157	----	----	----	----	----	----	----	23	UNCH				
3840	----	----	----	575.80B/489.90A	575.80B/489.90A	----	496.20	- 54.20	.9014	----	----	----	----	----	----	----	1	UNCH				
3860	----	----	----	557.30B/471.90A	557.30B/471.90A	----	478.10	- 53.80	.8933	----	----	----	----	----	----	----	1	UNCH				
3900	----	----	----	520.70B/436.30A	520.70B/436.30A	----	442.30	- 53.10	.8751	----	----	----	----	----	----	----	41	UNCH				
3935	----	----	----	489.20B/405.90A	489.20B/405.90A	----	411.80	- 52.20	.8569	----	----	----	----	----	----	----	11	UNCH				
3950	----	----	----	475.60B/393.20A	475.60B/393.20A	----	398.90	- 51.80	.8484	----	----	----	----	----	----	----	1	UNCH				
3955	----	----	----	471.40B/388.90A	471.40B/388.90A	----	394.70	- 51.60	.8455	----	----	----	----	----	----	----	1	UNCH				
3960	----	----	----	467.00B/384.80A	467.00B/384.80A	----	390.50	- 51.50	.8424	----	----	----	----	----	----	----	1	UNCH				
3985	----	----	----	445.20B/364.10A	445.20B/364.10A	----	369.60	- 50.70	.8267	----	----	----	----	----	----	----	12	UNCH				
3995	----	----	----	436.50B/355.80A	436.50B/355.80A	----	361.30	- 50.50	.8201	----	----	----	----	----	----	----	4	UNCH				
4000	----	----	----	432.20B/351.90A	432.20B/351.90A	----	357.30	- 50.20	.8167</													



PG64 BULLETIN #183@				METALS OPTION PRODUCTS							Wed, Sep 23, 2026		PG64			
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL DEC26	COMEX GOLD OPTIONS															
4375	----	----	----	172.80B/121.70A	172.80B/121.70A	----	124.40	- 31.30	.4565	----	----	----	60	----	522 +	53
4380	153.50	153.50	----	170.30B/119.70A	170.30B/119.70A	----	122.40	- 31.00	.4513	----	----	----	1	----	114	UNCH
4385	----	----	----	167.90B/117.80A	167.90B/117.80A	----	120.40	- 30.60	.4461	----	----	----	----	----	21	UNCH
4390	----	----	----	165.50B/115.90A	165.50B/115.90A	----	118.40	- 30.30	.4410	----	----	----	----	----	77	UNCH
4395	116.20	116.20	----	163.10B/113.90A	163.10B/113.90A	----	116.40	- 30.10	.4358	----	----	----	12	----	104 +	12
4400	150.10	150.10	----	160.80B/112.10A	160.80B/112.10A	----	114.50	- 29.80	.4307	----	----	164	----	----	2368 -	99
4405	144.20	144.20	----	158.40B/110.20A	158.40B/110.20A	----	112.60	- 29.50	.4256	----	----	1	----	----	46 -	1
4410	----	----	----	156.00B/108.30A	156.00B/108.30A	----	110.70	- 29.20	.4206	----	----	----	----	----	91	UNCH
4415	138.20	138.20	----	153.80B/106.50A	153.80B/106.50A	----	108.90	- 28.80	.4156	----	----	1	----	----	88 +	1
4420	108.00	108.00	----	151.60B/104.70A	151.60B/104.70A	----	107.00	- 28.60	.4105	----	----	3	----	----	49 +	3
4425	136.00	136.00	----	149.40B/103.00A	149.40B/103.00A	----	105.20	- 28.30	.4053	----	----	3	----	----	257 -	1
4430	133.70	133.70	----	147.10B/101.20A	147.10B/101.20A	----	103.50	- 28.00	.4006	----	----	2	----	----	72 +	1
4435	133.10	133.10	----	145.00B/99.50A	145.00B/99.50A	----	101.70	- 27.70	.3957	----	----	17	----	----	51 +	1
4440	----	----	----	142.80B/97.80A	142.80B/97.80A	----	100.00	- 27.40	.3908	----	----	----	----	----	45	UNCH
4445	103.40	103.40	----	140.60B/96.20A	140.60B/96.20A	----	98.30	- 27.10	.3859	----	----	2	----	----	1016 +	36
4450	120.70	120.70	----	138.60B/94.50A	138.60B/94.50A	----	96.60	- 26.90	.3811	----	----	118	----	----	95	UNCH
4455	----	----	----	136.60B/92.90A	136.60B/92.90A	----	95.00	- 26.60	.3763	----	----	2	----	----	191 -	1
4460	106.10	106.10	----	134.40B/91.30A	134.40B/91.30A	----	93.30	- 26.40	.3714	----	----	12	----	----	92 -	2
4465	105.80	105.80	----	132.40B/89.80A	132.40B/89.80A	----	91.70	- 26.10	.3667	----	----	10	----	----	271 +	2
4470	96.20	96.20	----	130.50B/88.20A	130.50B/88.20A	----	90.20	- 25.70	.3621	----	----	2	----	----	296 -	1
4475	92.20	92.20	----	128.50B/86.70A	128.50B/86.70A	----	88.60	- 25.50	.3574	----	----	1	----	----	117 -	1
4480	92.80	92.80	----	126.60B/85.20A	126.60B/85.20A	----	87.10	- 25.20	.3528	----	----	11	----	----	23	UNCH
4485	----	----	----	124.60B/83.70A	124.60B/83.70A	----	85.60	- 24.90	.3482	----	----	----	----	----	52	UNCH
4490	84.80	84.80	----	122.60B/82.30A	122.60B/82.30A	----	84.10	- 24.60	.3436	----	----	4	----	----	26 +	4
4495	84.20	84.20	----	120.80B/80.80A	120.80B/80.80A	----	82.60	- 24.40	.3390	----	----	1	----	----	12612 +	193
4500	103.00	103.00	----	119.00B/79.40A	119.00B/79.40A	----	81.20	- 24.10	.3345	----	----	335	----	----	76	UNCH
4505	82.40	82.40	----	117.20B/78.00A	117.20B/78.00A	----	79.70	- 23.90	.3300	----	----	1	----	----	5039 -	13
4510	79.60	79.60	----	115.40B/76.60A	115.40B/76.60A	----	78.40	- 23.60	.3257	----	----	56	----	----	42	UNCH
4515	----	----	----	113.60B/75.30A	113.60B/75.30A	----	77.00	- 23.30	.3212	----	----	----	----	----	69 +	42
4520	----	----	----	111.80B/74.00A	111.80B/74.00A	----	75.60	- 23.10	.3168	----	----	42	----	----	302 +	1
4525	78.80	78.80	----	110.10B/72.70A	110.10B/72.70A	----	74.30	- 22.80	.3125	----	----	1	----	----	46	UNCH
4530	----	----	----	108.40B/71.40A	108.40B/71.40A	----	73.00	- 22.50	.3083	----	----	----	----	----	76	UNCH
4535	----	----	----	106.80B/70.10A	106.80B/70.10A	----	71.70	- 22.30	.3040	----	----	----	----	----	65	UNCH
4540	----	----	----	105.00B/68.90A	105.00B/68.90A	----	70.40	- 22.00	.2998	----	----	1	----	----	99 +	1
4545	72.10	72.10	----	103.40B/67.60A	103.40B/67.60A	----	69.20	- 21.70	.2957	----	----	1	----	----	1394 -	29
4550	81.50	81.50	----	101.80B/66.40A	101.80B/66.40A	----	68.00	- 21.40	.2916	----	----	86	----	----	62 +	19
4555	67.90	67.90	----	100.10B/65.30A	100.10B/65.30A	----	66.70	- 21.30	.2874	----	----	19	----	----	210 +	35
4560	97.00	97.00	----	98.60B/64.10A	98.60B/64.10A	----	65.60	- 20.90	.2835	----	----	48	----	----	55 +	15
4565	68.80	68.80	----	97.10B/62.90A	97.10B/62.90A	----	64.40	- 20.70	.2795	----	----	18	----	----	29	UNCH
4570	----	----	----	95.50B/61.80A	95.50B/61.80A	----	63.20	- 20.50	.2754	----	----	----	----	----	462 +	2
4575	64.40	64.40	----	94.10B/60.70A	94.10B/60.70A	----	62.10	- 20.20	.2715	----	----	3	----	----	222	UNCH
4580	----	----	----	92.50B/59.60A	92.50B/59.60A	----	61.00	- 19.90	.2677	----	----	----	----	----	295 -	41
4585	----	----	----	91.10B/58.50A	91.10B/58.50A	----	59.90	- 19.70	.2638	----	3	150	----	----	107	UNCH
4590	----	----	----	89.50B/57.50A	89.50B/57.50A	----	58.80	- 19.50	.2600	----	----	----	----	----	22	2
4595	60.60	60.60	----	88.10B/56.50A	88.10B/56.50A	----	57.80	- 19.20	.2563	----	----	2	----	230	4459 -	268
4600	66.00	66.00	----	86.70B/55.40A	86.70B/55.40A	----	56.70	- 19.00	.2525	----	----	112	----	----	38	UNCH
4605	----	----	----	85.30B/54.40A	85.30B/54.40A	----	55.70	- 18.70	.2489	----	----	----	----	----	65	UNCH
4610	----	----	----	84.10B/53.50A	84.10B/53.50A	----	54.70	- 18.50	.2452	----	3	----	----	----	53 +	3
4615	53.30	53.30	----	82.60B/52.50A	82.60B/52.50A	----	53.70	- 18.20	.2416	----	3	----	----	----	43 +	1
4620	61.50	61.50	----	81.30B/51.50A	81.30B/51.50A	----	52.80	- 17.90	.2382	----	2	----	----	----	415 +	23
4625	52.20	52.20	----	80.00B/50.60A	80.00B/50.60A	----	51.80	- 17.70	.2346	----	62	----	----	----	162	UNCH
4630	----	----	----	78.70B/49.70A	78.70B/49.70A	----	50.90	- 17.50	.2312	----	----	----	----	----	16	UNCH
4635	----	----	----	77.40B/48.80A	77.40B/48.80A	----	50.00	- 17.20	.2278	----	----	13	----	----	132 -	1
4640	52.20	52.20	----	76.10B/47.90A	76.10B/47.90A	----	49.10	- 17.00	.2244	----	3	----	----	----	13 +	1
4645	50.20	50.20	----	74.90B/47.00A	74.90B/47.00A	----	48.20	- 16.80	.2211	----	3	----	----	----	1458 +	14
4650	50.80	50.80	----	73.70B/46.20A	73.70B/46.20A	----	47.30	- 16.60	.2177	----	79	----	----	----	25 -	4
4655	47.90	47.90	----	72.50B/45.30A	72.50B/45.30A	----	46.40	- 16.40	.2143	----	5	----	----	----	137 -	1
4660	----	----	----	71.40B/44.50A	71.40B/44.50A	----	45.60	- 16.10	.2112	----	1	----	----	----	93 +	5
4665	54.00	54.00	----	70.20B/43.70A	70.20B/43.70A	----	44.80	- 15.90	.2081	----	5	----	----	----	103	UNCH
4670	----	----	----	69.10B/42.90A	69.10B/42.90A	----	44.00	- 15.60	.2050	----	----	----	----	----	116	UNCH
4675	----	----	----	67.90B/42.10A	67.90B/42.10A	----	43.20	- 15.40	.2019	----	2	----	----	----	206 +	14
4680	55.10	55.10	----	66.80B/41.40A	66.80B/41.40A	----	42.40	- 15.20	.1988	----	22	----	----	----	24	UNCH
4685	----	----	----	65.70B/40.60A	65.70B/40.60A	----	41.60	- 15.10	.1957	----	3	----	----	----	275 +	3
4690	44.90	44.90	----	64.50B/39.90A	64.50B/39.90A	----	40.80	- 14.90	.1926	----	----	----	----	----	324	UNCH
4695	----	----	----	63.60B/39.20A	63.60B/39.20A	----	40.10	- 14.60	.1897	----	----	1132	----	----	5104 +	128
4700	58.20	58.20	----	62.60B/38.50A	62.60B/38.50A	----	39.40	- 14.40	.1869	----	2	----	----	----	153 -	2
4705	49.70	49.70	----	61.40B/37.80A	61.40B/37.80A	----	38.70	- 14.20	.1841	----	----	----	----	----	57	UNCH
4710	----	----	----	60.50B/37.10A	60.50B/37.10A	----	38.00	- 14.00	.1812	----	----	5	----	----	124 +	5
4715	41.00	41.00	----	59.40B/36.40A	59.40B/36.40A	----	37.30	- 13.80	.1784	----	3	----	----	----	137	UNCH
4720	37.70	37.70	----	58.60B/35.70A	58.60B/35.70A	----	36.60	- 13.70	.1756	----	11	----	----	----	9602 +	1
4725	46.90	46.90	----	57.60B/35.10A	57.60B/35.10A	----	36.00	- 13.40	.1730	----	3	----	----	----	76 +	3
4730	----	----	----	56.70B/34.50A	56.70B/34.50A	----	35.30	- 13.30	.1702	----	25	----	----	----	70 +	22
4735	----	----	----	55.60B/33.80A	55.60B/33.80A	----	34.70	- 13.00	.1677	----	1	----	----	----	37 -	1
4740	----	----	----	54.80B/33.20A	54.80B/33.20A	----	34.00	- 12.90	.1649	----	----	----	----	----	65	UNCH
4745	----	----	----	53.90B/32.60A	53.90B/32.60A	----	33.40	- 12.70	.1624	----	2195	----	----	----	4709 +	941
4750	36.70	36.70	----	53.00B/32.00A	53.00B/32.00A	----	32.80	- 12.60	.1599	----	10	----	----	----	45 +	10
4755	35.30	35.30	----	52.20B/31.50A	52.20B/31.50A	----	32.30	- 12.30	.1576	----	----	----	----	----	161	UNCH
4760	----	----	----	51.30B/30.90A	51.30B/30.90A	----	31.70	- 12.10	.1551	----	20	----	----	----	87 +	10
4765	37.00	37.00	----	50.50B/30.30A	50.50B/30.30A	----	31.10	- 12.00	.1526	----	3	----	----	----	43 +	2
4770	31.20	31.20	----	49.60B/29.80A	49.60B/29.80A	----	30.60	- 11.80	.1504	----	1	----	----	----	217	UNCH
4775	30.30	30.30	----	48.80B/29.30A	48.80B/29.30A	----	30.00	- 11.70	.1479	----	----	----	----	----	38	UNCH
4780	----	----	----	48.00B/28.70A	48.00B/28.70A	----	29.50	- 11.50	.1457	----	2	----	----	----	63	UNCH
4785	32.6															

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.

PG64		BULLETIN #183@										METALS OPTION PRODUCTS										wed, Sep 23, 2026		PG64	
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME											
OG CALL		COMEX GOLD OPTIONS																							
DEC26																									
5060	----	----	----	----	19.708/11.50A	19.708/11.50A	----	----	11.80 - 4.80	.0627	----	----	----	----	49	UNCH									
5065	----	----	----	----	19.408/11.30A	19.408/11.30A	----	----	11.60 - 4.80	.0617	----	----	----	----	30	UNCH									
5070	----	----	----	----	19.108/11.20A	19.108/11.20A	----	----	11.50 - 4.60	.0611	----	----	----	----	21	UNCH									
5075	----	----	----	----	18.808/11.00A	18.808/11.00A	----	----	11.30 - 4.60	.0601	----	----	----	----	151	UNCH									
5080	----	----	----	----	18.508/10.90A	18.508/10.90A	----	----	11.10 - 4.60	.0592	----	----	----	----	23	UNCH									
5085	11.00	11.00	----	----	18.308/10.70A	18.308/10.70A	----	----	11.00 - 4.50	.0586	----	----	4	----	25	-	4								
5090	----	----	----	----	18.008/10.60A	18.008/10.60A	----	----	10.80 - 4.40	.0576	----	----	----	----	52	UNCH									
5095	----	----	----	----	17.708/10.40A	17.708/10.40A	----	----	10.70 - 4.30	.0570	----	----	----	----	62	UNCH									
5100	13.10	13.10	----	----	17.508/10.30A	17.508/10.30A	----	----	10.50 - 4.30	.0560	----	----	72	----	2117	-	34								
5105	----	----	----	----	17.208/10.20A	17.208/10.20A	----	----	10.40 - 4.20	.0555	----	----	----	----	37	UNCH									
5110	----	----	----	----	17.008/10.00A	17.008/10.00A	----	----	10.30 - 4.10	.0549	----	----	----	----	89	UNCH									
5115	----	----	----	----	16.808/9.90A	16.808/9.90A	----	----	10.10 - 4.10	.0539	----	----	----	----	110	UNCH									
5120	----	----	----	----	16.508/9.80A	16.508/9.80A	----	----	10.00 - 4.00	.0533	----	----	49	----	256	+	49								
5125	----	----	----	----	16.308/9.60A	16.308/9.60A	----	----	9.90 - 3.90	.0528	----	----	----	----	112	UNCH									
5130	11.90	11.90	----	----	16.108/9.50A	16.108/9.50A	----	----	9.70 - 3.90	.0518	----	----	12	----	63	+	12								
5135	----	----	----	----	15.908/9.40A	15.908/9.40A	----	----	9.60 - 3.90	.0512	----	----	----	----	126	UNCH									
5140	10.20	10.20	----	----	15.608/9.30A	15.608/9.30A	----	----	9.50 - 3.80	.0507	----	----	1	----	41	+	1								
5145	----	----	----	----	15.408/9.20A	15.408/9.20A	----	----	9.40 - 3.70	.0501	----	----	----	----	35	UNCH									
5150	----	----	----	----	15.208/9.10A	15.208/9.10A	----	----	9.30 - 3.60	.0495	----	----	----	----	962	UNCH									
5155	----	----	----	----	15.008/8.90A	15.008/8.90A	----	----	9.20 - 3.60	.0490	----	----	----	----	67	UNCH									
5160	----	----	----	----	14.808/8.80A	14.808/8.80A	----	----	9.00 - 3.60	.0480	----	----	----	----	96	UNCH									
5165	----	----	----	----	14.608/8.70A	14.608/8.70A	----	----	8.90 - 3.50	.0475	----	----	----	----	32	UNCH									
5170	----	----	----	----	14.408/8.60A	14.408/8.60A	----	----	8.80 - 3.50	.0469	----	----	----	----	27	UNCH									
5175	10.80	10.80	----	----	14.208/8.50A	14.208/8.50A	----	----	8.70 - 3.40	.0464	----	----	2	----	232	UNCH									
5180	----	----	----	----	14.008/8.40A	14.008/8.40A	----	----	8.60 - 3.30	.0458	----	----	----	----	64	UNCH									
5185	12.40	12.40	----	----	13.808/8.30A	13.808/8.30A	----	----	8.50 - 3.30	.0453	----	----	16	----	31	+	16								
5190	----	----	----	----	13.708/8.30A	13.708/8.30A	----	----	8.40 - 3.20	.0448	----	----	----	----	42	UNCH									
5195	----	----	----	----	13.508/8.20A	13.508/8.20A	----	----	8.30 - 3.20	.0442	----	----	----	----	57	UNCH									
5200	----	----	----	----	13.308/8.10A	13.308/8.10A	----	----	8.20 - 3.20	.0437	----	----	563	----	2419	-	149								
5205	----	----	----	----	13.108/8.00A	13.108/8.00A	----	----	8.10 - 3.10	.0431	----	----	----	----	23	UNCH									
5210	----	----	----	----	13.008/7.90A	13.008/7.90A	----	----	8.00 - 3.10	.0426	----	----	----	----	168	UNCH									
5215	----	----	----	----	12.808/7.80A	12.808/7.80A	----	----	8.00 - 2.90	.0425	----	----	----	----	125	UNCH									
5220	----	----	----	----	12.608/7.70A	12.608/7.70A	----	----	7.90 - 2.90	.0419	----	----	----	----	111	UNCH									
5225	----	----	----	----	12.508/7.60A	12.508/7.60A	----	----	7.80 - 2.90	.0414	----	----	----	----	9409	UNCH									
5230	----	----	----	----	12.308/7.60A	12.308/7.60A	----	----	7.70 - 2.80	.0409	----	----	----	----	61	UNCH									
5235	----	----	----	----	12.208/7.50A	12.208/7.50A	----	----	7.60 - 2.80	.0403	----	----	----	----	17	UNCH									
5240	----	----	----	----	12.008/7.40A	12.008/7.40A	----	----	7.50 - 2.80	.0398	----	----	----	----	16	UNCH									
5245	7.50	7.50	----	----	11.808/7.30A	11.808/7.30A	----	----	7.40 - 2.80	.0393	----	----	2	----	23	-	2								
5250	11.00	11.00	----	----	11.708/7.20A	11.708/7.20A	----	----	7.40 - 2.70	.0392	----	----	45	----	1848	-	15								
5255	----	----	----	----	11.508/7.20A	11.508/7.20A	----	----	7.30 - 2.60	.0387	----	----	----	----	56	UNCH									
5260	----	----	----	----	11.408/7.10A	11.408/7.10A	----	----	7.20 - 2.60	.0381	----	----	----	----	12	UNCH									
5265	----	----	----	----	11.308/7.00A	11.308/7.00A	----	----	7.10 - 2.60	.0376	----	----	----	----	19	UNCH									
5270	----	----	----	----	11.108/6.90A	11.108/6.90A	----	----	7.10 - 2.50	.0375	----	----	----	----	74	UNCH									
5275	----	----	----	----	11.008/6.90A	11.008/6.90A	----	----	7.00 - 2.50	.0370	----	----	----	----	41	UNCH									
5280	----	----	----	----	10.808/6.80A	10.808/6.80A	----	----	6.90 - 2.50	.0365	----	----	----	----	60	UNCH									
5285	----	----	----	----	10.708/6.70A	10.708/6.70A	----	----	6.90 - 2.40	.0364	----	----	----	----	27	UNCH									
5290	----	----	----	----	10.608/6.70A	10.608/6.70A	----	----	6.80 - 2.40	.0359	----	----	----	----	7	UNCH									
5295	----	----	----	----	10.508/6.60A	10.508/6.60A	----	----	6.70 - 2.40	.0354	----	----	----	----	25	UNCH									
5300	7.80	7.80	----	----	10.308/6.50A	10.308/6.50A	----	----	6.70 - 2.30	.0352	----	----	38	----	2522	+	24								
5305	----	----	----	----	10.208/6.50A	10.208/6.50A	----	----	6.60 - 2.30	.0347	----	----	----	----	48	UNCH									
5310	----	----	----	----	10.108/6.40A	10.108/6.40A	----	----	6.50 - 2.30	.0342	----	----	----	----	45	UNCH									
5315	----	----	----	----	10.008/6.30A	10.008/6.30A	----	----	6.50 - 2.20	.0341	----	----	----	----	38	UNCH									
5320	----	----	----	----	9.908/6.30A	9.908/6.30A	----	----	6.40 - 2.20	.0336	----	----	2	----	6	UNCH									
5325	6.10	6.10	----	----	9.808/6.10	9.808/6.10	----	----	6.30 - 2.20	.0331	----	----	----	----	30	UNCH									
5330	----	----	----	----	9.708/6.10A	9.708/6.10A	----	----	6.30 - 2.10	.0330	----	----	----	----	48	UNCH									
5335	----	----	----	----	9.508/6.10A	9.508/6.10A	----	----	6.20 - 2.10	.0325	----	----	----	----	46	UNCH									
5340	----	----	----	----	9.408/6.10A	9.408/6.10A	----	----	6.20 - 2.10	.0324	----	----	----	----	11	UNCH									
5345	----	----	----	----	9.308/5.90A	9.308/5.90A	----	----	6.10 - 2.10	.0320	----	----	----	----	38	UNCH									
5350	----	----	----	----	9.208/5.90A	9.208/5.90A	----	----	6.10 - 2.00	.0319	----	----	1	----	860	+	1								
5355	----	----	----	----	9.108/5.90A	9.108/5.90A	----	----	6.00 - 2.00	.0314	----	----	----	----	21	UNCH									
5360	----	----	----	----	9.008/5.80A	9.008/5.80A	----	----	5.90 - 2.00	.0309	----	----	----	----	119	UNCH									
5365	----	----	----	----	8.908/5.80A	8.908/5.80A	----	----	5.90 - 2.00	.0308	----	----	----	----	23	UNCH									
5370	----	----	----	----	8.808/5.70A	8.808/5.70A	----	----	5.80 - 2.00	.0303	----	----	----	----	43	UNCH									
5375	----	----	----	----	8.708/5.70A	8.708/5.70A	----	----	5.80 - 1.90	.0302	----	----	----	----	90	UNCH									
5380	----	----	----	----	8.608/5.60A	8.608/5.60A	----	----	5.70 - 1.90	.0297	----	----	----	----	44	UNCH									
5385	----	----	----	----	8.608/5.60A	8.608/5.60A	----	----	5.70 - 1.90	.0296	----	----	----	----	44	UNCH									
5390	----	----	----	----	8.508/5.50A	8.508/5.50A	----	----	5.60 - 1.90	.0292	----	----	----	----	214	UNCH									
5395	----	----	----	----	8.408/5.50A	8.408/5.50A	----	----	5.60 - 1.80	.0291	----	----	----	----	7	UNCH									
5400	6.90	6.90	----	----	8.308/5.40A	8.308/5.40A	----	----	5.50 - 1.80	.0286	----	----	159	----	3756	+	63								
5405	----	----	----	----	8.208/5.40A	8.208/5.40A	----	----	5.50 - 1.80	.0285	----	----	----	----	54	UNCH									
5410	----	----	----	----	8.108/5.40A	8.108/5.40A	----	----	5.40 - 1.80	.0280	----	----	----	----	25	UNCH									
5415	----	----	----	----	8.008/5.30A	8.008/5.30A	----	----	5.40 - 1.80	.0280	----	----	----	----	4	UNCH									
5420	----	----	----	----	7.908/5.30A	7.908/5.30A	----	----	5.40 - 1.70	.0279	----	----	----	----	11	UNCH									
5425	5.20																								



PG64 BULLETIN #183@				METALS OPTION PRODUCTS							Wed, Sep 23, 2026				PG64	
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST
OG CALL DEC26	COMEX GOLD OPTIONS															
5770	----	----	----	4.50B/3.40A	4.50B/3.40A	----	----	----	3.40 - 0.70	.0164	----	----	----	----	27	UNCH
5775	----	----	----	4.40B/3.30A	4.40B/3.30A	----	----	----	3.40 - 0.70	.0163	----	----	----	----	8	UNCH
5780	----	----	----	4.40B/3.30A	4.40B/3.30A	----	----	----	3.40 - 0.70	.0163	----	----	----	----	9	UNCH
5790	----	----	----	4.30B/3.30A	4.30B/3.30A	----	----	----	3.30 - 0.70	.0158	----	----	----	----	10	UNCH
5800	----	----	----	4.30B/3.30A	4.30B/3.30A	----	----	----	3.30 - 0.70	.0158	----	----	----	----	2168	UNCH
5810	----	----	----	4.20B/3.20A	4.20B/3.20A	----	----	----	3.30 - 0.60	.0157	----	----	----	----	66	UNCH
5825	----	----	----	4.10B/3.20A	4.10B/3.20A	----	----	----	3.20 - 0.60	.0152	----	----	----	----	16	UNCH
5850	----	----	----	4.00B/3.10A	4.00B/3.10A	----	----	----	3.10 - 0.60	.0147	----	----	----	----	216	UNCH
5875	----	----	----	3.90B/3.00A	3.90B/3.00A	----	----	----	3.00 - 0.60	.0142	----	----	1	----	22 +	1
5900	----	----	----	3.70B/3.00A	3.70B/3.00A	----	----	----	2.90 - 0.60	.0136	----	----	----	----	1094	UNCH
5925	----	----	----	3.60B/2.90A	3.60B/2.90A	----	----	----	2.90 - 0.50	.0135	----	----	----	----	19	UNCH
5950	----	----	----	3.50B/2.80A	3.50B/2.80A	----	----	----	2.80 - 0.50	.0130	----	----	----	----	119	UNCH
5975	----	----	----	3.40B/2.80A	3.40B/2.80A	----	----	----	2.80 - 0.50	.0129	----	----	----	----	80	UNCH
6000	3.40	3.40	----	3.40/2.70A	3.40/2.70A	----	----	----	2.70 - 0.50	.0124	----	----	624	----	17703 +	330
6025	----	----	----	3.20B/2.70A	3.20B/2.70A	----	----	----	2.60 - 0.50	.0119	----	----	----	----	9	UNCH
6050	2.80	2.80	----	3.10B/2.60A	3.10B/2.60A	----	----	----	2.60 - 0.40	.0118	----	----	6	----	64 +	6
6100	----	----	----	----/2.50A	2.90B/2.50A	----	----	----	2.50 - 0.40	.0117	----	----	----	----	163	UNCH
6150	----	----	----	----/2.40A	2.80B/2.40A	----	----	----	2.40 - 0.40	.0107	----	----	----	----	81	UNCH
6200	2.60	2.60	----	2.70B/2.30A	2.70B/2.30A	----	----	----	2.30 - 0.30	.0101	----	----	3	----	3068 -	2
6250	----	----	----	2.60B/2.30A	2.60B/2.30A	----	----	----	2.20 - 0.30	.0096	----	----	----	----	335	UNCH
6300	----	----	----	----/2.20A	2.40B/2.20A	----	----	----	2.20 - 0.20	.0095	----	----	----	----	872	UNCH
6400	----	----	----	----/2.00A	2.20B/2.00A	----	----	----	2.00 - 0.20	.0085	----	----	----	----	876	UNCH
6500	1.90	1.90	----	2.10B/1.70	2.10B/1.70	----	----	----	1.90 - 0.10	.0079	----	----	12	----	5081 -	10
6750	----	----	----	----/1.60A	1.70B/1.60A	----	----	----	1.50 - 0.20	.0061	----	----	----	----	130	UNCH
6775	----	----	----	----	1.60B/1.60A	----	----	----	1.50 - 0.10	.0060	----	----	----	----	230	UNCH
6800	1.40	1.40	----	1.40/1.30	1.60B/1.30	----	----	----	1.50 - 0.10	.0060	----	----	5	----	2019 +	1
6900	----	----	----	----/1.40A	1.50B/1.40A	----	----	----	1.40 - 0.10	.0055	----	----	----	----	141	UNCH
7000	1.40	1.40	----	1.40/1.20	1.40/1.20	----	----	----	1.30 - 0.10	.0051	----	----	204	----	6420 -	3
7100	----	----	----	----	1.20B/1.30A	----	----	----	1.20 - 0.10	.0046	----	----	6	----	8	UNCH
7125	----	----	----	----/1.20A	1.20B/1.20A	----	----	----	1.20 - 0.10	.0046	----	----	----	----	4	UNCH
7130	----	----	----	----/1.20A	1.20B/1.20A	----	----	----	1.20 - 0.10	.0046	----	----	----	----	201	UNCH
7150	----	----	----	----/1.20A	1.10B/1.20A	----	----	----	1.10 - 0.20	.0042	----	----	----	----	142	UNCH
7175	----	----	----	----	1.10B/1.20A	----	----	----	1.10 - 0.10	.0042	----	----	----	----	127	UNCH
7200	----	----	----	----/1.10A	1.10B/1.10A	----	----	----	1.10 - 0.10	.0042	----	----	----	----	66	UNCH
7250	----	----	----	----/1.10A	1.10B/1.10A	----	----	----	1.10 - 0.10	.0042	----	----	----	----	509	UNCH
7500	1.10	1.10	----	1.10/0.90A	1.10/0.90A	----	----	----	0.90 - 0.10	.0033	----	----	7	----	2439 +	1
8000	----	----	----	----	0.70B/0.70A	----	----	----	0.70 UNCH	.0025	----	----	----	----	17288	UNCH
8125	----	----	----	----	0.60B/0.70A	----	----	----	0.70 + 0.10	.0024	----	----	----	----	803	UNCH
8500	----	----	----	----	0.50B/0.60A	----	----	----	0.60 + 0.10	.0020	----	----	----	----	511	UNCH
8630	----	----	----	----	0.50B/0.50A	----	----	----	0.60 + 0.10	.0020	----	----	----	----	420	UNCH
8700	----	----	----	----	0.50B/0.50A	----	----	----	0.60 + 0.10	.0019	----	----	----	----	14	UNCH
8725	----	----	----	----	0.50B/0.50A	----	----	----	0.50 UNCH	.0016	----	----	----	----	217	UNCH
8750	----	----	----	----	0.50B/0.50A	----	----	----	0.50 UNCH	.0016	----	----	----	----	719	UNCH
8775	----	----	----	----	0.40B/0.50A	----	----	----	0.50 UNCH	.0016	----	----	----	----	49	UNCH
9000	0.40	0.40	----	0.40/0.40	0.40/0.40	----	----	----	0.50 + 0.10	.0016	----	----	2	----	591	UNCH
9250	----	----	----	----	0.40B/0.40A	----	----	----	0.50 + 0.10	.0015	----	----	----	----	2	UNCH
9500	----	----	----	----	0.30B/0.40A	----	----	----	0.40 UNCH	.0012	----	----	----	----	876	UNCH
9600	----	----	----	----	0.30B/0.40A	----	----	----	0.40 UNCH	.0012	----	----	----	----	22	UNCH
9750	----	----	----	----	0.30B/0.40A	----	----	----	0.40 + 0.10	.0012	----	----	----	----	11	UNCH
9900	----	----	----	----	0.30B/0.40A	----	----	----	0.30 UNCH	.0009	----	----	----	----	47	UNCH
10000	0.40	0.40	----	0.40/0.30	0.40/0.30	----	----	----	0.30 UNCH	.0009	----	----	5	----	11452 +	2
10500	----	----	----	----	0.20B/0.30A	----	----	----	0.20 UNCH	.0006	----	----	----	----	31	UNCH
11000	----	----	----	----	0.20B/0.30A	----	----	----	0.20 UNCH	.0006	----	----	----	----	809	UNCH
13000	----	----	----	----	----/0.20A	----	----	----	0.10 - 0.10	.0002	----	----	----	----	698	UNCH
15000	0.10	0.10	----	0.10/0.10	0.10/0.10	----	----	----	0.10 UNCH	.0000	----	----	4	----	36587	UNCH
17000	----	----	----	----	----/0.10A	----	----	----	0.10 UNCH	.0000	----	----	----	----	52	UNCH
19000	----	----	----	----	----/0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	350	UNCH
20000	----	----	----	----	----/0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	38018	UNCH
21000	----	----	----	----	----/0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	39	UNCH
23000	----	----	----	----	----/0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	5	UNCH
24000	----	----	----	----	----/0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	167	UNCH
TOTAL													12210	885	304664 +	3721
JAN27																
3100	----	----	----	----	----	----	----	----	1254.90 - 58.10	.9870	----	----	----	----	0	UNCH
3150	----	----	----	1,279.50B/1,203	1279.50B/1203.00A	----	----	----	1205.10 - 58.10	.9851	----	----	----	----	0	UNCH
3200	----	----	----	1,227.30B/1,154	1227.30B/1154.20A	----	----	----	1155.40 - 58.00	.9825	----	----	----	----	11	UNCH
3250	----	----	----	1,173.50B/1,106	1173.50B/1106.10A	----	----	----	1105.80 - 57.90	.9801	----	----	----	----	25	UNCH
3300	----	----	----	1,118.00B/1,058	1118.00B/1058.10A	----	----	----	1056.30 - 57.80	.9769	----	----	----	----	4	UNCH
3500	----	----	----	----/863.60A	894.50B/863.60A	----	----	----	860.30 - 57.30	.9586	----	----	----	----	1	UNCH
3900	503.00	503.00	----	546.60B/490.50A	546.60B/490.50A	----	----	----	491.00 NEW	.8507	----	----	1	----	1 +	1
4000	----	----	----	465.80B/405.80A	465.80B/405.80A	----	----	----	409.20 - 50.10	.7965	----	----	----	----	368	UNCH
4010	----	----	----	458.00B/397.30A	458.00B/397.30A	----	----	----	401.40 - 49.80	.7904	----	----	----	----	1	UNCH
4070	----	----	----	412.30B/352.40A	412.30B/352.40A	----	----	----	356.30 - 47.90	.7507	----	----	----	----	1	UNCH
4100	----	----	----	399.00B/331.10A	399.00B/331.10A	----	----	----	334.80 - 46.80	.7293	----	----	----	----	105	UNCH
4110	----	----	----	391.60B/324.20A	391.60B/324.20A	----	----	----	327.90 - 46.40	.7220	----	----	----	----	1	UNCH
4125	----	----	----	380.60B/314.00A	380.60B/314.00A	----	----	----	317.50 - 45.90	.7107	----	----	----	----	2	UNCH
4130	----	----	----	377.00B/310.60A	377.00B/310.60A	----	----	----	314.10 - 45.70	.7069	----	----	----	----	1	UNCH
4140	----	----	----	369.80B/303.90A	369.80B/303.90A	----	----	----	307.40 - 45.30	.6992	----	----	----	----	1	UNCH
4150	----	----	----	362.70B/297.40A	362.70B/297.40A	----	----	----	300.80 - 44.90	.6916	----	----	----	----	6	UNCH
4160	----	----	----	355.60B/290.90A	355.60B/290.90A	----	----	----	294.30 - 44.50	.6837	----	----	----	----	213	UNCH
4165	----	----	----	352.20B/287.70A	352.20B/287.70A	----	----	----	291.00 - 44.40	.6797	----	----	----	----	1	UNCH
4170	----	----	----	348.70B/284.50A	348.70B/284.50A	----	----	----	287.80 - 44.10	.6757	----	----	----	----	3	UNCH
4180	----	----	----	341.80B/278.20A	341.80B/278.20A	----	----	----	281.50 - 43.70	.6677	----	----	----	----	9	UNCH
4190	----	----	----	335.00B/272.00A	335.00B/272.00A	----	----	----	275.20 - 43.30	.6596	----	----	----	----	1	UNCH
4200	----	----	----	328.30B/265.90A	328.30B/265.90A	----	----	----	269.00 - 42.90	.6514	----	----	----	----	57	UNCH
4220	----	----	----	315.20B/253.90A	315.20B/253.90A	----	----	----	257.00 - 42.00	.6349	----	----	----	----	1	UNCH
4230	----	----	----	308.80B/248.10A	308.80B/248.10A	----	----	----	251.10 - 41.60	.6266	----	----	----	----	1	UNCH
4250	----	----	----	296.10B/235.90A	296.10B/235.90A	----	----	----	239.60 - 40.70	.6098	----	----	----	----	600	UNCH
4260	----	----	----	290.00B/230.40A	290.00B/230.40A	----	----	----	234.00 - 40.30	.6013	----	----	----	----	4	UNCH
4270	----	----	----	283.90B/225.00A	283.90B/225.00A	----	----	----	228.50 - 39.90	.5928	----	----	----	----	1	UNCH
4280	----	----	----	277.90B/219.70A	277.90B/219.70A	----	----	----	223.10 - 39.40	.5842	----	----	----	----	2	UNCH
4290	----	----	----	271.90B/214.50A	271.90B/214.50A	----	----	----	217.80 - 38.90	.5757	----	----	----	----	1	UNCH
4300	216.00	216.00	----	266.10B/209.20A	266.10											

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.

© Copyright CME Group Inc. All rights reserved.

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS													
JAN27															
4575	----	----	----	142.90B/102.70A	142.90B/102.70A	----	----	104.60	- 25.00	----	----	----	----	2	UNCH
4580	----	----	----	141.20B/101.40A	141.20B/101.40A	----	----	103.20	- 24.80	----	----	----	----	1	UNCH
4585	----	----	----	139.40B/99.90A	139.40B/99.90A	----	----	101.80	- 24.60	----	----	----	----	50	UNCH
4595	----	----	----	136.10B/97.30A	136.10B/97.30A	----	----	99.00	- 24.20	----	----	----	----	1	UNCH
4600	----	----	----	134.40B/95.90A	134.40B/95.90A	----	----	97.70	- 23.90	----	----	32	----	1192	+
4605	----	----	----	132.80B/94.60A	132.80B/94.60A	----	----	96.40	- 23.70	----	----	----	----	2	UNCH
4615	----	----	----	129.50B/92.10A	129.50B/92.10A	----	----	93.80	- 23.20	----	----	----	----	4	UNCH
4620	----	----	----	127.90B/90.80A	127.90B/90.80A	----	----	92.50	- 23.00	----	----	----	----	52	UNCH
4625	----	----	----	126.40B/89.60A	126.40B/89.60A	----	----	91.20	- 22.90	----	----	----	----	104	UNCH
4630	----	----	----	124.80B/88.40A	124.80B/88.40A	----	----	90.00	- 22.60	----	----	----	----	10	UNCH
4635	----	----	----	123.30B/87.20A	123.30B/87.20A	----	----	88.80	- 22.40	----	----	----	----	25	UNCH
4640	----	----	----	121.70B/86.00A	121.70B/86.00A	----	----	87.50	- 22.30	----	----	----	----	2	UNCH
4645	----	----	----	120.20B/84.90A	120.20B/84.90A	----	----	86.30	- 22.00	----	----	----	----	15	UNCH
4650	----	----	----	118.70B/83.70A	118.70B/83.70A	----	----	85.20	- 21.80	----	----	----	----	110	UNCH
4655	----	----	----	117.20B/82.60A	117.20B/82.60A	----	----	84.00	- 21.60	----	----	----	----	2	UNCH
4660	----	----	----	115.80B/81.40A	115.80B/81.40A	----	----	82.90	- 21.30	----	----	----	----	2	UNCH
4665	----	----	----	114.40B/80.30A	114.40B/80.30A	----	----	81.70	- 21.20	----	----	----	----	1	UNCH
4670	----	----	----	112.80B/79.20A	112.80B/79.20A	----	----	80.60	- 21.00	----	----	----	----	3	UNCH
4675	----	----	----	111.40B/78.10A	111.40B/78.10A	----	----	79.50	- 20.80	----	----	----	----	9	UNCH
4680	----	----	----	110.20B/77.10A	110.20B/77.10A	----	----	78.40	- 20.60	----	----	----	----	4	UNCH
4685	----	----	----	108.70B/76.00A	108.70B/76.00A	----	----	77.30	- 20.40	----	----	----	----	16	UNCH
4690	----	----	----	107.30B/75.00A	107.30B/75.00A	----	----	76.30	- 20.10	----	----	----	----	2	UNCH
4695	----	----	----	106.00B/74.00A	106.00B/74.00A	----	----	75.20	- 20.00	----	----	----	----	2	UNCH
4700	81.00	----	81.00	104.60B/73.00A	104.60B/73.00A	----	----	74.20	- 19.80	----	----	2	----	267	+
4705	----	----	----	103.30B/72.00A	103.30B/72.00A	----	----	73.20	- 19.60	----	----	----	----	1	UNCH
4710	----	----	----	102.10B/71.00A	102.10B/71.00A	----	----	72.20	- 19.40	----	----	----	----	3	UNCH
4720	----	----	----	99.50B/69.00A	99.50B/69.00A	----	----	70.20	- 19.00	----	----	----	----	24	UNCH
4725	----	----	----	98.30B/68.10A	98.30B/68.10A	----	----	69.30	- 18.80	----	----	----	----	50	UNCH
4730	----	----	----	97.00B/67.20A	97.00B/67.20A	----	----	68.30	- 18.60	----	----	----	----	4	UNCH
4735	----	----	----	95.80B/66.20A	95.80B/66.20A	----	----	67.40	- 18.40	----	----	----	----	10	UNCH
4740	70.80	----	70.80	94.60B/65.30A	94.60B/65.30A	----	----	66.50	- 18.20	----	----	1	----	5	+
4745	67.60	----	67.60	93.40B/64.40A	93.40B/64.40A	----	----	65.60	- 18.00	----	----	8	----	8	+
4750	----	----	----	92.20B/63.60A	92.20B/63.60A	----	----	64.70	- 17.80	----	----	42	----	224	+
4760	----	----	----	89.80B/61.80A	89.80B/61.80A	----	----	62.90	- 17.50	----	----	----	----	139	UNCH
4765	----	----	----	88.80B/61.00A	88.80B/61.00A	----	----	62.10	- 17.20	----	----	----	----	11	UNCH
4770	----	----	----	87.60B/60.10A	87.60B/60.10A	----	----	61.20	- 17.10	----	----	----	----	44	UNCH
4775	----	----	----	86.50B/59.30A	86.50B/59.30A	----	----	60.40	- 16.90	----	----	----	----	16	UNCH
4780	----	----	----	85.40B/58.50A	85.40B/58.50A	----	----	59.60	- 16.70	----	----	----	----	1	UNCH
4785	----	----	----	84.40B/57.70A	84.40B/57.70A	----	----	58.70	- 16.60	----	----	----	----	38	UNCH
4790	----	----	----	83.30B/56.90A	83.30B/56.90A	----	----	57.90	- 16.40	----	----	----	----	5	UNCH
4795	----	----	----	82.10B/56.10A	82.10B/56.10A	----	----	57.20	- 16.20	----	----	----	----	1	UNCH
4800	58.30	----	58.30	81.20B/55.40A	81.20B/55.40A	----	----	56.40	- 16.00	----	----	125	50	2753	-
4805	----	----	----	80.10B/54.60A	80.10B/54.60A	----	----	55.60	- 15.90	----	----	----	----	21	UNCH
4810	----	----	----	79.10B/53.90A	79.10B/53.90A	----	----	54.90	- 15.60	----	----	----	----	3	UNCH
4815	53.70	----	53.70	78.10B/53.10A	78.10B/53.10A	----	----	54.10	- 15.50	----	----	13	----	37	UNCH
4820	----	----	----	77.20B/52.40A	77.20B/52.40A	----	----	53.40	- 15.30	----	----	----	----	2	UNCH
4825	----	----	----	76.20B/51.70A	76.20B/51.70A	----	----	52.70	- 15.10	----	----	----	----	51	UNCH
4830	----	----	----	75.10B/51.00A	75.10B/51.00A	----	----	51.90	- 15.00	----	----	----	----	16	UNCH
4835	----	----	----	74.30B/50.30A	74.30B/50.30A	----	----	51.20	- 14.90	----	----	----	----	2	UNCH
4840	----	----	----	73.30B/49.60A	73.30B/49.60A	----	----	50.50	- 14.70	----	----	----	----	21	UNCH
4845	----	----	----	72.40B/49.00A	72.40B/49.00A	----	----	49.90	- 14.50	----	----	----	----	16	UNCH
4850	54.30	----	54.30	71.40B/48.30A	71.40B/48.30A	----	----	49.20	- 14.30	----	----	53	----	369	-
4860	----	----	----	69.60B/47.00A	69.60B/47.00A	----	----	47.90	- 14.00	----	----	----	----	2	UNCH
4865	----	----	----	68.70B/46.40A	68.70B/46.40A	----	----	47.20	- 13.90	----	----	----	----	1	UNCH
4870	45.90	----	45.90	67.80B/45.70A	67.80B/45.70A	----	----	46.60	- 13.70	----	----	9	----	219	+
4875	----	----	----	67.00B/45.10A	67.00B/45.10A	----	----	46.00	- 13.50	----	----	----	----	6	UNCH
4880	----	----	----	66.10B/44.50A	66.10B/44.50A	----	----	45.30	- 13.40	----	----	----	----	18	UNCH
4885	----	----	----	65.30B/43.90A	65.30B/43.90A	----	----	44.70	- 13.30	----	----	----	----	36	UNCH
4890	45.70	----	45.70	64.50B/43.30A	64.50B/43.30A	----	----	44.10	- 13.10	----	----	1	----	4	+
4895	----	----	----	63.50B/42.80A	63.50B/42.80A	----	----	43.60	- 12.90	----	----	----	----	8	UNCH
4900	----	----	----	62.80B/42.20A	62.80B/42.20A	----	----	43.00	- 12.70	----	----	----	----	717	UNCH
4905	----	----	----	61.90B/41.60A	61.90B/41.60A	----	----	42.40	- 12.60	----	----	----	----	21	UNCH
4910	----	----	----	61.30B/41.10A	61.30B/41.10A	----	----	41.80	- 12.50	----	----	----	----	95	UNCH
4915	40.10	----	40.10	60.50B/40.50A	60.50B/40.50A	----	----	41.30	- 12.30	----	----	5	----	7	+
4920	----	----	----	59.70B/40.00A	59.70B/40.00A	----	----	40.70	- 12.20	----	----	----	----	2	UNCH
4925	----	----	----	59.00B/39.40A	59.00B/39.40A	----	----	40.20	- 12.00	----	----	----	----	2	UNCH
4930	----	----	----	58.20B/38.90A	58.20B/38.90A	----	----	39.70	- 11.80	----	----	----	----	2	UNCH
4935	----	----	----	57.50B/38.40A	57.50B/38.40A	----	----	39.10	- 11.80	----	----	----	----	1	UNCH
4940	----	----	----	56.80B/37.90A	56.80B/37.90A	----	----	38.60	- 11.60	----	----	----	----	3	UNCH
4945	39.50	----	39.50	56.00B/37.40A	56.00B/37.40A	----	----	38.10	- 11.50	----	----	1	----	6	+
4950	39.70	----	39.70	55.20B/36.90A	55.20B/36.90A	----	----	37.60	- 11.30	----	----	1	----	256	+
4955	----	----	----	54.50B/36.40A	54.50B/36.40A	----	----	37.10	- 11.20	----	----	----	----	2	UNCH
4960	----	----	----	53.90B/35.90A	53.90B/35.90A	----	----	36.60	- 11.10	----	----	----	----	4	UNCH
4970	----	----	----	52.60B/35.00A	52.60B/35.00A	----	----	35.70	- 10.80	----	----	----	----	3	UNCH
4975	----	----	----	51.90B/34.60A	51.90B/34.60A	----	----	35.20	- 10.70	----	----	----	----	5	UNCH
4985	----	----	----	50.60B/33.70A	50.60B/33.70A	----	----	34.30	- 10.40	----	----	----	----	16	UNCH
4990	----	----	----	50.10B/33.20A	50.10B/33.20A	----	----	33.90	- 10.30	----	----	----	----	21	UNCH
4995	48.70	----	48.70	49.40B/32.80A	49.40B/32.80A	----	----	33.40	- 10.20	----	----	----	----	6	UNCH
5000	----	----	----	48.80B/32.30A	48.80B/32.30A	----	----	33.00	- 10.00	----	----	535	----	1156	-
5005	----	----	----	48.20B/31.90A	48.20B/31.90A	----	----	32.60	- 9.90	----	----	----	----	14	UNCH
5010	----	----	----	47.60B/31.50A	47.60B/31.50A	----	----	32.10	- 9.90	----	----	1	----	74	+
5015	----	----	----	47.00B/31.10A	47.00B/31.10A	----	----	31.70	- 9.70	----	----	----	----	3	UNCH
5020	----	----	----	46.40B/30.70A	46.40B/30.70A	----	----	31.30	- 9.60	----	----	----	----	2	UNCH
5025	----	----	----	45.70B/30.30A	45.70B/30.30A	----	----	30.90	- 9.50	----	----	----	----	9	UNCH
5030	----	----	----	45.20B/29.90A	45.20B/29.90A	----	----	30.50	- 9.40	----	----	----	----	5	UNCH
5035	30.60	----	30.60	44.70B/29.60A	44.70B/29.60A	----	----	30.10	- 9.30	----	----	----	----	30	UNCH
5040	----	----	----	44.10B/29.20A	44.10B/29.20A	----	----	29.80	- 9.10	----	----	1	----	14	+
5045	----	----	----	43.60B/28.80A	43.60B/28.80A	----	----	29.40	- 9.00	----	----	----	----	2	UNCH
5050	29.90	----	29.90	43.10B/28.50A	43.10B/28.50A	----	----	29.00	- 8.90	----	----	2	----	129	-
5055	28.50	----	28.50	42.50B/28.10A	42.50B/28.10A	----	----	28.70	- 8.80	----	----	10	----	12	+
5060	----	----	----	41.90B/27.70A	41.90B/27.70A	----	----	28.30	- 8.70	----	----	----	----	40	UNCH
5065	----	----	----	41.50B/27.40A	41.50B/27.40A	----	----	27.90	- 8.60	----	----	----	----	8	UNCH
5070	----	----	----	41.00B/27.10A	41.00B/27.10A	----	----	27.60	- 8.50	----	----	----	----	2	UNCH
5075	----	----	----	40.50B/26.70A	40.50B/26.70A	----	----								

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL		COMEX GOLD OPTIONS															
JAN27																	
5330	----	----	----	22.308/14.90A	22.308/14.90A	----	----	----	15.20 - 4.60	.0641	----	----	----	----	2	UNCH	
5340	----	----	----	21.808/14.70A	21.808/14.70A	----	----	----	14.90 - 4.50	.0629	----	----	----	----	2	UNCH	
5345	----	----	----	21.608/14.60A	21.608/14.60A	----	----	----	14.80 - 4.40	.0624	----	----	----	----	10	UNCH	
5350	16.10	16.10	----	21.408/14.40	21.408/14.40	----	----	----	14.60 - 4.40	.0616	----	----	324	----	2407 +	4	
5355	15.00	15.00	----	21.108/14.20A	21.108/14.20A	----	----	----	14.50 - 4.30	.0612	----	11	----	----	11 +	7	
5360	----	----	----	20.908/14.10A	20.908/14.10A	----	----	----	14.30 - 4.30	.0604	----	----	----	----	2	UNCH	
5365	14.90	14.90	----	20.708/14.00A	20.708/14.00A	----	----	----	14.20 - 4.20	.0599	----	----	10	----	15 +	10	
5370	----	----	----	20.508/13.80A	20.508/13.80A	----	----	----	14.00 - 4.20	.0592	----	----	----	----	13	UNCH	
5375	----	----	----	20.308/13.70A	20.308/13.70A	----	----	----	13.90 - 4.10	.0587	----	----	----	----	3	UNCH	
5380	----	----	----	20.108/13.60A	20.108/13.60A	----	----	----	13.80 - 4.10	.0583	----	----	----	----	3	UNCH	
5385	----	----	----	19.808/13.40A	19.808/13.40A	----	----	----	13.60 - 4.10	.0575	----	----	----	----	22	UNCH	
5390	----	----	----	19.608/13.30A	19.608/13.30A	----	----	----	13.50 - 4.00	.0570	----	----	----	----	5	UNCH	
5395	----	----	----	19.408/13.20A	19.408/13.20A	----	----	----	13.40 - 3.90	.0566	----	----	----	----	10	UNCH	
5400	14.80	14.80	----	19.208/13.00	19.208/13.00	----	----	----	13.30 - 3.90	.0561	----	----	14	----	447 +	3	
5410	----	----	----	18.808/12.80A	18.808/12.80A	----	----	----	13.00 - 3.80	.0549	----	----	----	----	23	UNCH	
5425	----	----	----	18.308/12.50A	18.308/12.50A	----	----	----	12.60 - 3.70	.0533	----	----	----	----	7	UNCH	
5430	----	----	----	18.108/12.30A	18.108/12.30A	----	----	----	12.50 - 3.70	.0529	----	----	----	----	17	UNCH	
5440	----	----	----	17.708/12.20A	17.708/12.20A	----	----	----	12.30 - 3.60	.0520	----	----	----	----	32	UNCH	
5445	----	----	----	17.608/12.00A	17.608/12.00A	----	----	----	12.20 - 3.50	.0515	----	----	----	----	14	UNCH	
5450	----	----	----	17.408/11.90A	17.408/11.90A	----	----	----	12.10 - 3.50	.0511	----	----	----	----	418	UNCH	
5460	----	----	----	17.008/11.70A	17.008/11.70A	----	----	----	11.90 - 3.40	.0502	----	----	----	----	16	UNCH	
5465	----	----	----	16.908/11.60A	16.908/11.60A	----	----	----	11.80 - 3.30	.0498	----	----	----	----	4	UNCH	
5470	----	----	----	16.708/11.50A	16.708/11.50A	----	----	----	11.70 - 3.30	.0494	----	----	----	----	6	UNCH	
5475	----	----	----	16.608/11.40A	16.608/11.40A	----	----	----	11.60 - 3.30	.0489	----	----	----	----	11	UNCH	
5480	----	----	----	16.408/11.30A	16.408/11.30A	----	----	----	11.50 - 3.20	.0485	----	----	----	----	5	UNCH	
5485	----	----	----	16.308/11.20A	16.308/11.20A	----	----	----	11.40 - 3.20	.0481	----	----	----	----	3	UNCH	
5490	----	----	----	16.108/11.10A	16.108/11.10A	----	----	----	11.30 - 3.20	.0477	----	----	----	----	10	UNCH	
5500	13.20	13.20	----	15.808/10.90A	15.808/10.90A	----	----	----	11.10 - 3.10	.0468	----	----	43	----	1609 -	11	
5510	----	----	----	15.508/10.80A	15.508/10.80A	----	----	----	10.90 - 3.00	.0460	----	----	----	----	28	UNCH	
5515	----	----	----	15.408/10.70A	15.408/10.70A	----	----	----	10.80 - 3.00	.0455	----	----	----	----	2	UNCH	
5520	----	----	----	15.208/10.60A	15.208/10.60A	----	----	----	10.70 - 3.00	.0451	----	----	----	----	15	UNCH	
5525	----	----	----	15.108/10.50A	15.108/10.50A	----	----	----	10.60 - 3.00	.0447	----	----	----	----	21	UNCH	
5530	----	----	----	14.908/10.40A	14.908/10.40A	----	----	----	10.50 - 2.90	.0443	----	----	----	----	5	UNCH	
5540	----	----	----	14.708/10.20A	14.708/10.20A	----	----	----	10.40 - 2.80	.0438	----	----	----	----	7	UNCH	
5545	----	----	----	14.508/10.20A	14.508/10.20A	----	----	----	10.30 - 2.80	.0434	----	----	----	----	5	UNCH	
5550	----	----	----	14.408/10.10A	14.408/10.10A	----	----	----	10.20 - 2.80	.0429	----	----	----	----	9	UNCH	
5555	----	----	----	14.308/10.00A	14.308/10.00A	----	----	----	10.10 - 2.80	.0425	----	----	----	----	4	UNCH	
5560	----	----	----	14.108/9.90A	14.108/9.90A	----	----	----	10.00 - 2.80	.0421	----	----	----	----	5	UNCH	
5570	----	----	----	13.908/9.80A	13.908/9.80A	----	----	----	9.90 - 2.60	.0416	----	----	----	----	2	UNCH	
5575	----	----	----	13.808/9.70A	13.808/9.70A	----	----	----	9.80 - 2.60	.0412	----	----	----	----	6	UNCH	
5580	----	----	----	13.608/9.60A	13.608/9.60A	----	----	----	9.70 - 2.60	.0408	----	----	----	----	1	UNCH	
5600	----	----	----	13.208/9.30A	13.208/9.30A	----	----	----	9.40 - 2.50	.0395	----	----	----	----	430	UNCH	
5605	----	----	----	13.008/9.30A	13.008/9.30A	----	----	----	9.30 - 2.50	.0391	----	----	----	----	14	UNCH	
5615	----	----	----	12.808/9.10A	12.808/9.10A	----	----	----	9.20 - 2.40	.0386	----	----	----	----	1	UNCH	
5620	----	----	----	12.708/9.10A	12.708/9.10A	----	----	----	9.10 - 2.40	.0382	----	----	----	----	2	UNCH	
5650	----	----	----	12.108/8.70A	12.108/8.70A	----	----	----	8.70 - 2.30	.0364	----	----	----	----	2	UNCH	
5655	----	----	----	12.008/8.60A	12.008/8.60A	----	----	----	8.70 - 2.20	.0364	----	----	----	----	3	UNCH	
5675	----	----	----	11.608/8.40A	11.608/8.40A	----	----	----	8.40 - 2.20	.0351	----	----	----	----	3	UNCH	
5690	----	----	----	11.308/8.20A	11.308/8.20A	----	----	----	8.30 - 2.00	.0346	----	----	----	----	3	UNCH	
5700	----	----	----	11.108/8.10A	11.108/8.10A	----	----	----	8.20 - 2.00	.0341	----	----	----	----	112	UNCH	
5705	----	----	----	11.008/8.10A	11.008/8.10A	----	----	----	8.10 - 2.00	.0337	----	----	----	----	13	UNCH	
5720	----	----	----	10.808/7.90A	10.808/7.90A	----	----	----	7.90 - 2.00	.0329	----	----	----	----	2	UNCH	
5725	----	----	----	10.708/7.80A	10.708/7.80A	----	----	----	7.90 - 1.90	.0328	----	----	----	----	6	UNCH	
5735	----	----	----	10.508/7.70A	10.508/7.70A	----	----	----	7.80 - 1.90	.0323	----	----	----	----	1	UNCH	
5745	----	----	----	10.408/7.60A	10.408/7.60A	----	----	----	7.70 - 1.80	.0319	----	----	----	----	2	UNCH	
5750	----	----	----	10.308/7.60A	10.308/7.60A	----	----	----	7.60 - 1.90	.0315	----	----	----	----	8	UNCH	
5760	----	----	----	10.108/7.50A	10.108/7.50A	----	----	----	7.50 - 1.80	.0311	----	----	----	----	2	UNCH	
5770	----	----	----	10.008/7.40A	10.008/7.40A	----	----	----	7.50 - 1.70	.0309	----	----	----	----	10	UNCH	
5775	----	----	----	9.908/7.40A	9.908/7.40A	----	----	----	7.40 - 1.70	.0306	----	----	----	----	215	UNCH	
5800	----	----	----	9.608/7.10A	9.608/7.10A	----	----	----	7.20 - 1.60	.0296	----	----	----	----	310	UNCH	
5820	----	----	----	9.208/7.00A	9.208/7.00A	----	----	----	7.00 - 1.60	.0288	----	----	----	----	7	UNCH	
5850	----	----	----	8.908/6.70A	8.908/6.70A	----	----	----	6.80 - 1.50	.0278	----	----	----	----	4	UNCH	
5875	----	----	----	8.608/6.50A	8.608/6.50A	----	----	----	6.60 - 1.40	.0269	----	----	----	----	5	UNCH	
5900	----	----	----	8.308/6.40A	8.308/6.40A	----	----	----	6.40 - 1.40	.0260	----	----	----	----	217	UNCH	
5925	6.90	6.90	----	8.108/6.20A	8.108/6.20A	----	----	----	6.20 - 1.30	.0252	----	----	6	----	8 +	6	
5950	----	----	----	7.808/6.00A	7.808/6.00A	----	----	----	6.10 - 1.20	.0246	----	----	----	----	1	UNCH	
5975	----	----	----	7.608/5.90A	7.608/5.90A	----	----	----	5.90 - 1.20	.0238	----	----	----	----	14	UNCH	
6000	6.50	6.50	----	7.408/5.70A	7.408/5.70A	----	----	----	5.80 - 1.10	.0232	----	----	66	----	930 +	18	
6025	6.30	6.30	----	7.108/5.60A	7.108/5.60A	----	----	----	5.70 - 1.00	.0227	----	----	14	----	253 +	14	
6250	5.50	5.50	----	5.608/4.70A	5.608/4.70A	----	----	----	4.70 - 0.70	.0181	----	----	16	----	86 +	16	
6300	4.60	4.60	----	5.308/4.50A	5.308/4.50A	----	----	----	4.50 - 0.70	.0172	----	----	1	----	562	UNCH	
6400	----	----	----	4.908/4.30A	4.908/4.30A	----	----	----	4.20 - 0.60	.0158	----	----	----	----	13	UNCH	
6500	4.40	4.40	----	4.508/3.90	4.508/3.90	----	----	----	3.90 - 0.50	.0145	----	----	77	----	1349 +	45	
6600	----	----	----	----/3.80A	4.108/3.80A	----	----	----	3.60 - 0.50	.0133	----	----	----	----	1	UNCH	
7000	----	----	----	----/3.00A	3.108/3.00A	----	----	----	2.90 - 0.30	.0101	----	----	----	----	132	UNCH	
7900	----	----	----	----	1.808/1.90A	----	----	----	1.80 - 0.10	.0057	----	----	----	----	12	UNCH	
8000	----	----	----	----	1.708/1.80A	----	----	----	1.70 - 0.10	.0054	----	----	----	----	1	UNCH	
9000	----	----	----	----	1.008/1.20A	----	----	----	1.20 + 0.10	.0035	----	----	----	----	61	UNCH	
10000	----	----	----	----	0.808/0.80A	----	----	----	0.90 + 0.10	.0025	----	----	----	----	189	UNCH	
20000	----	----	----	----	----/0.20A	----	----	----	0.20 UNCH	.0004	----	----	----	----	238	UNCH	
TOTAL												1839		260		27179 + 500	
FEB27																	
3500	----	----	----	----/885.30A	863.708/885.30A	----	----	----	863.90 - 56.80	.9446	----	----	----	----	2	UNCH	
3950	----	----	----	----/462.50A	485.308/462.50A	----	----	----	465.60 - 50.50	.7987	----	----	----	----	1	UNCH	
4000	----	----	----	----/424.40A	456.408/424.40A	----	----	----	427.40 - 49.20	.7709	----	----	----	----	8	UNCH	
4010	----	----	----	----/417.30A	448.808/417.30A	----	----	----	420.00 - 48.90	.7650	----	----	----	----	1	UNCH	
4100	----	----	----	414.308/354.20A	414.308/354.20A	----	----	----	356.40 - 46.00	.7081	----	----	----	----	211	UNCH	
4140	----	----	----	387.008/328.10A	387.008/328.10A	----	----	----	330.20 - 44.60	.6808	----	----	----	----	2	UNCH	
4150	----	----	----	380.308/321.80A	380.308/321.80A	----	----	----	323.80								

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS														
MAR27																
5180	----	----	----	65.708/49.10A	65.708/49.10A	----	----	----	49.60 - 11.00	.1521	----	----	----	----	2	UNCH
5185	----	----	----	65.108/48.60A	65.108/48.60A	----	----	----	49.20 - 10.80	.1510	----	----	----	----	1	UNCH
5190	----	----	----	64.508/48.30A	64.508/48.30A	----	----	----	48.70 - 10.80	.1496	----	----	----	----	362	UNCH
5195	----	----	----	64.308/47.80A	64.308/47.80A	----	----	----	48.20 - 10.70	.1483	----	----	----	----	2	UNCH
5200	----	----	----	63.308/47.20A	63.308/47.20A	----	----	----	47.70 - 10.70	.1470	----	----	----	----	272	UNCH
5205	----	----	----	62.708/46.90A	62.708/46.90A	----	----	----	47.30 - 10.50	.1459	----	----	----	----	2	UNCH
5210	----	----	----	62.208/46.40A	62.208/46.40A	----	----	----	46.80 - 10.50	.1445	----	----	----	----	2	UNCH
5215	----	----	----	61.508/46.10A	61.508/46.10A	----	----	----	46.40 - 10.40	.1434	----	----	----	----	4	UNCH
5220	----	----	----	61.008/45.60A	61.008/45.60A	----	----	----	45.90 - 10.30	.1421	----	----	----	----	17	UNCH
5225	----	----	----	60.408/45.10A	60.408/45.10A	----	----	----	45.50 - 10.20	.1410	----	----	----	----	6	UNCH
5230	----	----	----	59.808/44.90A	59.808/44.90A	----	----	----	45.00 - 10.20	.1396	----	----	----	----	6	UNCH
5235	----	----	----	59.308/44.50A	59.308/44.50A	----	----	----	44.60 - 10.10	.1385	----	----	----	----	8	UNCH
5240	----	----	----	58.708/43.80A	58.708/43.80A	----	----	----	44.20 - 10.00	.1374	----	----	----	----	10	UNCH
5245	----	----	----	58.108/43.50A	58.108/43.50A	----	----	----	43.70 - 10.00	.1361	----	----	----	----	12	UNCH
5250	----	----	----	57.708/43.00A	57.708/43.00A	----	----	----	43.30 - 9.90	.1350	----	----	10	----	112	+
5255	----	----	----	57.208/42.60A	57.208/42.60A	----	----	----	42.90 - 9.80	.1338	----	----	----	----	18	UNCH
5260	----	----	----	56.608/42.30A	56.608/42.30A	----	----	----	42.50 - 9.70	.1327	----	----	----	----	7	UNCH
5265	----	----	----	56.108/42.10A	56.108/42.10A	----	----	----	42.10 - 9.60	.1316	----	----	----	----	28	UNCH
5270	----	----	----	55.508/41.50A	55.508/41.50A	----	----	----	41.70 - 9.60	.1305	----	----	----	----	9	UNCH
5275	----	----	----	55.208/41.10A	55.208/41.10A	----	----	----	41.30 - 9.50	.1294	----	----	----	----	6	UNCH
5280	----	----	----	54.608/40.70A	54.608/40.70A	----	----	----	40.90 - 9.40	.1283	----	----	----	----	17	UNCH
5285	----	----	----	54.208/40.30A	54.208/40.30A	----	----	----	40.60 - 9.30	.1274	----	----	----	----	21	UNCH
5290	----	----	----	53.608/40.00A	53.608/40.00A	----	----	----	40.20 - 9.20	.1263	----	----	----	----	28	UNCH
5295	----	----	----	53.108/39.80A	53.108/39.80A	----	----	----	39.80 - 9.20	.1252	----	----	----	----	55	UNCH
5300	----	----	----	52.708/39.30A	52.708/39.30A	----	----	----	39.50 - 9.10	.1242	----	----	----	----	70	UNCH
5305	----	----	----	52.108/38.90A	52.108/38.90A	----	----	----	39.10 - 9.00	.1231	----	----	----	----	2	UNCH
5330	----	----	----	49.808/38.00A	49.808/38.00A	----	----	----	37.50 - 8.50	.1184	----	----	----	----	30	UNCH
5345	----	----	----	48.608/37.00A	48.608/37.00A	----	----	----	36.60 - 8.20	.1158	----	----	----	----	1	UNCH
5350	----	----	----	48.108/36.60A	48.108/36.60A	----	----	----	36.30 - 8.10	.1149	----	----	----	----	7	UNCH
5380	----	----	----	45.608/34.90A	45.608/34.90A	----	----	----	34.60 - 7.60	.1098	----	----	----	----	12	UNCH
5390	----	----	----	44.908/34.30A	44.908/34.30A	----	----	----	34.00 - 7.50	.1080	----	----	----	----	10	UNCH
5400	----	----	----	44.208/33.80A	44.208/33.80A	----	----	----	33.50 - 7.30	.1065	----	----	5	----	90	+
5420	----	----	----	42.608/32.60A	42.608/32.60A	----	----	----	32.40 - 7.00	.1032	----	----	----	----	20	UNCH
5430	----	----	----	41.908/32.10A	41.908/32.10A	----	----	----	31.90 - 6.90	.1017	----	----	----	----	10	UNCH
5435	33.90	33.90	33.90	41.508/31.90A	41.508/31.90A	----	----	----	31.60 - 6.90	.1008	----	----	2	----	9	+
5445	----	----	----	40.808/31.30A	40.808/31.30A	----	----	----	31.10 - 6.70	.0993	----	----	----	----	1	UNCH
5450	----	----	----	40.608/30.80A	40.608/30.80A	----	----	----	30.80 - 6.70	.0985	----	----	----	----	113	UNCH
5500	----	----	----	---/28.00A	34.308/28.00A	----	----	----	28.40 - 6.20	.0912	----	----	27	----	887	-
5505	----	----	----	34.608/27.80A	34.608/27.80A	----	----	----	28.10 - 6.30	.0904	----	----	----	----	123	UNCH
5550	----	----	----	32.508/25.90A	32.508/25.90A	----	----	----	26.20 - 5.80	.0845	----	----	----	----	4	UNCH
5555	----	----	----	32.308/25.70A	32.308/25.70A	----	----	----	26.00 - 5.70	.0839	----	----	----	----	13	UNCH
5600	----	----	----	30.108/23.90A	30.108/23.90A	----	----	----	24.30 - 5.30	.0786	----	----	----	----	1003	UNCH
5615	----	----	----	---/23.50A	27.708/23.50A	----	----	----	23.80 - 5.10	.0770	----	----	----	----	2	UNCH
5620	----	----	----	---/23.30A	28.108/23.30A	----	----	----	23.60 - 5.10	.0764	----	----	----	----	3	UNCH
5625	----	----	----	28.608/23.10A	28.608/23.10A	----	----	----	23.40 - 5.00	.0758	----	----	----	----	19	UNCH
5630	----	----	----	28.508/23.00A	28.508/23.00A	----	----	----	23.30 - 4.90	.0754	----	----	----	----	12	UNCH
5635	----	----	----	28.308/22.70A	28.308/22.70A	----	----	----	23.10 - 4.90	.0748	----	----	----	----	14	UNCH
5650	----	----	----	27.908/22.20A	27.908/22.20A	----	----	----	22.60 - 4.70	.0733	----	----	----	----	6	UNCH
5670	----	----	----	---/21.70A	25.608/21.70A	----	----	----	22.00 - 4.50	.0713	----	----	----	----	1	UNCH
5700	----	----	----	25.608/20.70A	25.608/20.70A	----	----	----	21.10 - 4.20	.0685	----	----	----	----	30	UNCH
5790	----	----	----	22.408/18.40A	22.408/18.40A	----	----	----	18.70 - 3.60	.0607	----	----	----	----	44	UNCH
5800	----	----	----	22.208/18.20A	22.208/18.20A	----	----	----	18.50 - 3.40	.0601	----	----	----	----	2	UNCH
5810	----	----	----	22.008/18.00A	22.008/18.00A	----	----	----	18.20 - 3.40	.0591	----	----	----	----	15	UNCH
5820	----	----	----	---/17.70A	19.908/17.70A	----	----	----	18.00 - 3.40	.0585	----	----	----	----	1	UNCH
5825	----	----	----	---/17.60A	20.308/17.60A	----	----	----	17.90 - 3.30	.0581	----	----	----	----	13	UNCH
5850	----	----	----	---/17.00A	19.608/17.00A	----	----	----	17.30 - 3.20	.0562	----	----	----	----	3	UNCH
5860	----	----	----	---/16.80A	19.008/16.80A	----	----	----	17.10 - 3.10	.0555	----	----	----	----	6	UNCH
5875	----	----	----	---/16.60A	18.208/16.60A	----	----	----	16.80 - 3.10	.0545	----	----	----	----	13	UNCH
5900	----	----	----	---/16.00A	17.608/16.00A	----	----	----	16.30 - 2.90	.0529	----	----	----	----	9	UNCH
5950	----	----	----	---/15.10A	16.408/15.10A	----	----	----	15.40 - 2.70	.0499	----	----	----	----	18	UNCH
5975	----	----	----	---/14.70A	16.308/14.70A	----	----	----	14.90 - 2.60	.0483	----	----	----	----	36	UNCH
6000	----	----	----	---/14.60A	15.908/14.60A	----	----	----	14.50 - 2.50	.0469	----	----	----	----	34	UNCH
6025	----	----	----	---/14.20A	15.508/14.20A	----	----	----	14.10 - 2.50	.0456	----	----	----	----	1	UNCH
6100	----	----	----	---/13.20A	14.308/13.20A	----	----	----	13.10 - 2.20	.0422	----	----	----	----	192	UNCH
6200	----	----	----	---/12.10A	12.708/12.10A	----	----	----	12.00 - 1.80	.0383	----	----	----	----	25	UNCH
6250	----	----	----	---/11.60A	12.208/11.60A	----	----	----	11.50 - 1.60	.0366	----	----	----	----	10	UNCH
6300	----	----	----	---/11.10A	11.508/11.10A	----	----	----	11.00 - 1.60	.0348	----	----	----	----	490	UNCH
6400	----	----	----	---/10.30A	10.608/10.30A	----	----	----	10.10 - 1.40	.0318	----	----	----	----	1	UNCH
6500	12.00	12.00	12.00	12.00/9.60A	12.00/9.60A	----	----	----	9.30 - 1.30	.0291	----	----	37	----	727	-
TOTAL													103		20349	-
APR27																
3000	----	----	----	---/941.50A	888.708/941.50A	----	----	----	1391.10 - 58.20	.9771	----	----	----	----	2	UNCH
3500	----	----	----	----	585.708/742.10A	----	----	----	908.00 - 56.20	.9223	----	----	----	----	7	UNCH
3800	----	----	----	----	557.708/524.50A	----	----	----	644.90 - 52.30	.8388	----	----	----	----	1	UNCH
3950	----	----	----	---/524.50A	554.708/524.50A	----	----	----	527.30 - 49.40	.7759	----	----	----	----	101	UNCH
4000	----	----	----	---/488.40A	517.608/488.40A	----	----	----	490.80 - 48.30	.7518	----	----	----	----	7	UNCH
4060	----	----	----	---/447.30A	475.208/447.30A	----	----	----	449.10 - 46.70	.7208	----	----	----	----	4	UNCH
4110	----	----	----	---/414.60A	441.408/414.60A	----	----	----	416.20 - 45.30	.6936	----	----	----	----	4	UNCH
4125	----	----	----	---/405.10A	431.608/405.10A	----	----	----	406.70 - 44.70	.6852	----	----	----	----	92	UNCH
4150	----	----	----	---/389.70A	415.608/389.70A	----	----	----	391.00 - 44.10	.6711	----	----	----	----	1	UNCH
4170	----	----	----	---/377.60A	403.108/377.60A	----	----	----	378.80 - 43.40	.6596	----	----	----	----	1	UNCH
4175	----	----	----	---/374.70A	400.108/374.70A	----	----	----	375.80 - 43.30	.6567	----	----	----	----	1	UNCH
4200	----	----	----	---/360.00A	384.708/360.00A	----	----	----	361.00 - 42.50	.6422	----	----	----	----	100	UNCH
4210	----	----	----	---/353.30A	378.908/353.30A	----	----	----	355.20 - 42.20	.6363	----	----	----	----	6	UNCH
4225	----	----	----	---/343.40A	370.108/343.40A	----	----	----	346.60 - 41.70	.6274	----	----	----	----	24	UNCH
4230	----	----	----	---/340.60A	367.208/340.60A	----	----	----	343.80 - 41.50	.6245	----	----	----	----	100	UNCH
4250	----	----	----	---/329.70A	358.308/329.70A	----	----	----	332.60 - 41.00	.6126	----	----	----	----	121	UNCH
4260	----	----	----	---/324.30A	354.408/324.30A	----	----	----	327.20 - 40.60	.6066	----	----	----	----	2	UNCH
4270	----	----	----	---/319.00A	354.808/319.00A	----	----	----	321.80 - 40.30	.6006	----	----	----	----	1	UNCH
4300	----	----	----	356.708/303.30A	356.708/303.30A	----	----	----	306.00 - 39.40	.5825	----	----	----	----	305	UNCH

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN VOLUME	OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL		COMEX GOLD OPTIONS																
APR27																		
4705	----	----	----	187.40B/149.20A	187.40B/149.20A	----	----	150.40	- 24.70	.3535	----	----	----	----	----	66	UNCH	
4710	----	----	----	185.90B/147.70A	185.90B/147.70A	----	----	149.00	- 24.60	.3510	----	----	----	----	----	2	UNCH	
4715	----	----	----	184.30B/146.40A	184.30B/146.40A	----	----	147.70	- 24.40	.3486	----	----	----	----	----	63	UNCH	
4720	----	----	----	182.80B/145.10A	182.80B/145.10A	----	----	146.40	- 24.30	.3462	----	----	----	----	----	4	UNCH	
4725	----	----	----	181.20B/144.00A	181.20B/144.00A	----	----	145.10	- 24.10	.3439	----	----	----	----	----	2	UNCH	
4750	----	----	----	173.80B/137.70A	173.80B/137.70A	----	----	138.70	- 23.30	.3320	----	----	----	----	----	111	UNCH	
4760	----	----	----	170.80B/135.20A	170.80B/135.20A	----	----	136.20	- 23.10	.3274	----	----	----	----	----	4	UNCH	
4765	----	----	----	169.20B/133.80A	169.20B/133.80A	----	----	135.00	- 22.90	.3251	----	----	----	----	----	2	UNCH	
4770	----	----	----	167.70B/132.80A	167.70B/132.80A	----	----	133.80	- 22.70	.3228	----	----	----	----	----	10	UNCH	
4775	----	----	----	166.50B/131.40A	166.50B/131.40A	----	----	132.60	- 22.60	.3205	----	----	----	----	----	40	UNCH	
4785	----	----	----	163.70B/129.30A	163.70B/129.30A	----	----	130.30	- 22.30	.3161	----	----	----	----	----	39	UNCH	
4795	----	----	----	160.80B/126.80A	160.80B/126.80A	----	----	127.90	- 22.00	.3115	----	----	----	----	----	40	UNCH	
4800	----	----	----	159.60B/125.80A	159.60B/125.80A	----	----	126.80	- 21.90	.3093	----	----	----	----	----	211	UNCH	
4805	----	----	----	158.10B/124.60A	158.10B/124.60A	----	----	125.70	- 21.70	.3072	----	----	----	----	----	1	UNCH	
4810	----	----	----	155.70B/123.50A	155.70B/123.50A	----	----	124.60	- 21.50	.3050	----	----	----	----	----	1	UNCH	
4820	----	----	----	154.10B/121.50A	154.10B/121.50A	----	----	122.30	- 21.30	.3006	----	----	----	----	----	2	UNCH	
4840	----	----	----	149.10B/117.00A	149.10B/117.00A	----	----	118.00	- 20.80	.2921	----	----	----	----	----	5	UNCH	
4850	----	----	----	145.00B/114.90A	145.00B/114.90A	----	----	115.90	- 20.50	.2879	----	----	----	----	----	100	UNCH	
4865	----	----	----	142.80B/111.90A	142.80B/111.90A	----	----	112.90	- 20.00	.2818	----	----	----	----	----	3	UNCH	
4870	----	----	----	141.60B/110.90A	141.60B/110.90A	----	----	111.90	- 19.90	.2798	----	----	----	----	----	25	UNCH	
4885	----	----	----	137.90B/107.90A	137.90B/107.90A	----	----	108.90	- 19.50	.2737	----	----	----	----	----	21	UNCH	
4900	----	----	----	133.60B/105.20A	133.60B/105.20A	----	----	106.00	- 19.20	.2678	----	----	----	1	----	50	-	
4905	----	----	----	133.40B/104.20A	133.40B/104.20A	----	----	105.10	- 19.00	.2659	----	----	----	----	----	10	UNCH	
4930	----	----	----	127.80B/99.50A	127.80B/99.50A	----	----	100.50	- 18.40	.2563	----	----	----	----	----	5	UNCH	
4970	----	----	----	119.40B/92.90A	119.40B/92.90A	----	----	93.60	- 17.30	.2416	----	----	----	----	----	10	UNCH	
5000	90.00	90.00	----	112.50B/88.10A	112.50B/88.10A	----	----	88.70	- 16.60	.2311	----	----	----	26	----	305	+	
5010	----	----	----	111.50B/86.50A	111.50B/86.50A	----	----	87.20	- 16.30	.2278	----	----	----	----	----	4	UNCH	
5020	86.10	86.10	----	109.70B/85.10A	109.70B/85.10A	----	----	85.60	NEW	.2243	----	----	----	2	----	2	+	
5045	84.60	84.60	----	104.90B/81.40A	104.90B/81.40A	----	----	82.00	NEW	.2163	----	----	----	30	----	30	+	
5050	----	----	----	103.40B/80.60A	103.40B/80.60A	----	----	81.20	- 15.40	.2145	----	----	----	----	----	115	UNCH	
5060	----	----	----	102.50B/79.20A	102.50B/79.20A	----	----	79.80	- 15.10	.2114	----	----	----	----	----	27	UNCH	
5070	----	----	----	100.80B/78.00A	100.80B/78.00A	----	----	78.50	- 14.80	.2084	----	----	----	----	----	6	UNCH	
5075	----	----	----	99.10B/77.20A	99.10B/77.20A	----	----	77.80	- 14.70	.2068	----	----	----	----	----	232	UNCH	
5100	----	----	----	95.00B/73.90A	95.00B/73.90A	----	----	74.50	- 14.20	.1993	----	----	----	----	----	888	UNCH	
5130	----	----	----	90.90B/70.20A	90.90B/70.20A	----	----	70.90	- 13.50	.1908	----	----	----	----	----	18	UNCH	
5140	----	----	----	89.00B/69.20A	89.00B/69.20A	----	----	69.70	- 13.40	.1881	----	----	----	----	----	11	UNCH	
5145	----	----	----	88.80B/68.40A	88.80B/68.40A	----	----	69.10	- 13.30	.1867	----	----	----	----	----	8	UNCH	
5150	----	----	----	87.50B/67.90A	87.50B/67.90A	----	----	68.50	- 13.20	.1853	----	----	----	----	----	105	UNCH	
5170	----	----	----	85.10B/65.60A	85.10B/65.60A	----	----	66.30	- 12.80	.1800	----	----	----	----	----	1	UNCH	
5180	----	----	----	83.20B/64.40A	83.20B/64.40A	----	----	65.20	- 12.70	.1774	----	----	----	----	----	18	UNCH	
5195	----	----	----	81.60B/62.80A	81.60B/62.80A	----	----	63.60	- 12.40	.1736	----	----	----	----	----	5	UNCH	
5200	66.50	66.50	----	80.50B/62.20A	80.50B/62.20A	----	----	63.00	- 12.30	.1722	----	----	----	23	----	1329	+	
5210	----	----	----	79.70B/61.40A	79.70B/61.40A	----	----	62.00	- 12.10	.1697	----	----	----	----	----	3	UNCH	
5215	----	----	----	79.20B/60.70A	79.20B/60.70A	----	----	61.40	- 12.10	.1684	----	----	----	----	----	29	UNCH	
5220	----	----	----	78.30B/60.20A	78.30B/60.20A	----	----	60.90	- 11.90	.1672	----	----	----	----	----	1	UNCH	
5225	----	----	----	78.00B/60.00A	78.00B/60.00A	----	----	60.40	- 11.80	.1659	----	----	----	----	----	12	UNCH	
5230	----	----	----	76.80B/59.20A	76.80B/59.20A	----	----	59.80	- 11.80	.1646	----	----	----	----	----	602	UNCH	
5250	----	----	----	74.10B/57.30A	74.10B/57.30A	----	----	57.80	- 11.40	.1597	----	----	----	----	----	401	UNCH	
5255	----	----	----	74.30B/56.80A	74.30B/56.80A	----	----	57.30	- 11.30	.1585	----	----	----	----	----	1	UNCH	
5275	----	----	----	71.10B/54.90A	71.10B/54.90A	----	----	55.30	- 11.00	.1537	----	----	----	----	----	353	UNCH	
5300	55.00	55.00	----	68.40B/52.80A	68.40B/52.80A	----	----	53.00	- 10.50	.1481	----	----	----	2	----	329	+	
5315	----	----	----	66.70B/51.40A	66.70B/51.40A	----	----	51.70	- 10.30	.1449	----	----	----	----	----	5	UNCH	
5330	----	----	----	65.30B/50.20A	65.30B/50.20A	----	----	50.40	- 10.10	.1417	----	----	----	----	----	8	UNCH	
5350	----	----	----	63.10B/48.60A	63.10B/48.60A	----	----	48.80	- 9.70	.1376	----	----	----	----	----	43	UNCH	
5370	----	----	----	61.30B/47.10A	61.30B/47.10A	----	----	47.30	- 9.40	.1338	----	----	----	----	----	20	UNCH	
5395	----	----	----	59.30B/45.60A	59.30B/45.60A	----	----	45.50	- 9.00	.1291	----	----	----	----	----	4	UNCH	
5400	----	----	----	58.30B/45.20A	58.30B/45.20A	----	----	45.10	- 9.00	.1281	----	----	----	1	----	322	+	
5425	----	----	----	56.40B/43.50A	56.40B/43.50A	----	----	43.40	- 8.70	.1237	----	----	----	----	----	2	UNCH	
5430	----	----	----	55.90B/43.10A	55.90B/43.10A	----	----	43.10	- 8.60	.1229	----	----	----	----	----	2	UNCH	
5450	----	----	----	54.50B/42.30A	54.50B/42.30A	----	----	41.80	- 8.40	.1195	----	----	----	----	----	5	UNCH	
5470	----	----	----	52.60B/41.00A	52.60B/41.00A	----	----	40.60	- 8.10	.1163	----	----	----	----	----	3	UNCH	
5480	----	----	----	51.70B/40.40A	51.70B/40.40A	----	----	40.00	- 8.00	.1147	----	----	----	----	----	1	UNCH	
5490	----	----	----	50.90B/39.80A	50.90B/39.80A	----	----	39.40	- 7.90	.1131	----	----	----	----	----	10	UNCH	
5495	----	----	----	50.50B/39.50A	50.50B/39.50A	----	----	39.20	- 7.70	.1125	----	----	----	----	----	4	UNCH	
5500	----	----	----	50.40B/39.20A	50.40B/39.20A	----	----	38.90	- 7.70									



BULLETIN #183@				METALS OPTION PRODUCTS							Wed, Sep 23, 2026				PG64	
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS														
MAY27																
5235	----	----	101.10B/80.60A	101.10B/80.60A	----				81.00 - 13.90	.1974	----	----	----	----	25 UNCH	
5240	----	----	100.40B/80.00A	100.40B/80.00A	----				80.40 - 13.80	.1961	----	----	----	----	29 UNCH	
5250	----	----	98.90B/79.10A	98.90B/79.10A	----				79.10 - 13.70	.1935	----	----	----	----	231 UNCH	
5275	----	----	95.40B/75.90A	95.40B/75.90A	----				76.10 - 13.30	.1872	----	----	----	----	25 UNCH	
5300	----	----	91.90B/73.20A	91.90B/73.20A	----				73.30 - 12.90	.1812	----	----	----	----	1 UNCH	
5365	----	----	83.60B/66.50A	83.60B/66.50A	----				66.80 - 11.70	.1668	----	----	----	----	3 UNCH	
5395	----	----	80.00B/63.70A	80.00B/63.70A	----				64.10 - 11.00	.1607	----	----	----	----	1 UNCH	
5400	----	----	79.60B/63.20A	79.60B/63.20A	----				63.60 - 11.00	.1596	----	----	----	----	29 UNCH	
5450	73.90	73.90	74.10B/58.80A	74.10B/58.80A	----				59.20 - 10.20	.1497	----	----	1	----	10 UNCH	
5500	----	----	69.00B/54.80A	69.00B/54.80A	----				55.10 - 9.50	.1404	----	----	----	----	6 UNCH	
5515	----	----	67.50B/53.80A	67.50B/53.80A	----				53.90 - 9.30	.1377	----	----	----	----	7 UNCH	
5550	54.20	54.20	64.50B/50.70A	64.50B/50.70A	----				51.30 - 8.90	.1317	----	----	3	----	243 + 3	
5630	----	----	57.70B/46.60A	57.70B/46.60A	----				46.00 - 8.00	.1193	----	----	----	----	2 UNCH	
5650	----	----	56.00B/45.40A	56.00B/45.40A	----				44.90 - 7.70	.1165	----	----	----	----	5 UNCH	
5665	----	----	55.00B/44.50A	55.00B/44.50A	----				44.00 - 7.60	.1144	----	----	----	----	1 UNCH	
5700	----	----	52.50B/42.60A	52.50B/42.60A	----				42.10 - 7.10	.1098	----	----	----	----	37 UNCH	
5800	----	----	43.40B/37.70A	43.40B/37.70A	----				37.20 - 6.10	.0977	----	----	----	----	2 UNCH	
5820	----	----	42.60B/36.80A	42.60B/36.80A	----				36.30 - 5.90	.0955	----	----	----	----	48 UNCH	
5840	----	----	41.40B/35.40A	41.40B/35.40A	----				35.40 - 5.80	.0933	----	----	----	----	1 UNCH	
5850	----	----	---/34.90A	40.60B/34.90A	----				35.00 - 5.70	.0922	----	----	----	----	57 UNCH	
5900	----	----	38.40B/33.00A	38.40B/33.00A	----				33.00 - 5.30	.0872	----	----	----	----	7 UNCH	
5910	----	----	---/32.60A	37.90B/32.60A	----				32.60 - 5.30	.0862	----	----	----	----	1 UNCH	
5950	----	----	36.20B/31.20A	36.20B/31.20A	----				31.20 - 4.90	.0826	----	----	----	----	1 UNCH	
5975	----	----	---/30.30A	35.10B/30.30A	----				30.30 - 4.80	.0803	----	----	----	----	1 UNCH	
6000	----	----	---/29.50A	33.90B/29.50A	----				29.50 - 4.60	.0782	----	----	----	----	122 UNCH	
6050	----	----	---/28.00A	32.10B/28.00A	----				27.90 - 4.40	.0741	----	----	----	----	1 UNCH	
6100	----	----	---/26.60A	29.90B/26.60A	----				26.50 - 4.10	.0705	----	----	----	----	2 UNCH	
6250	----	----	---/23.00A	25.30B/23.00A	----				22.80 - 3.40	.0607	----	----	----	----	50 UNCH	
6500	----	----	---/18.90A	19.20B/18.90A	----				18.20 - 2.60	.0483	----	----	----	----	5 UNCH	
8000	----	----	----	8.10B/9.50A	----				8.70 - 0.60	.0208	----	----	----	----	3 UNCH	
TOTAL													11		1939+ 1	
JUN27																
4000	----	----	---/550.90A	577.60B/550.90A	----				552.50 - 48.10	.7432	----	----	----	----	37 UNCH	
4100	----	----	---/485.10A	509.70B/485.10A	----				485.90 - 46.00	.6977	----	----	----	----	1 UNCH	
4150	----	----	---/454.20A	477.90B/454.20A	----				454.80 - 44.80	.6737	----	----	----	----	1 UNCH	
4285	----	----	---/376.40A	405.70B/376.40A	----				377.90 - 41.00	.6061	----	----	----	----	100 UNCH	
4300	----	----	---/367.60A	406.80B/367.60A	----				370.00 - 40.60	.5985	----	----	----	----	65 UNCH	
4315	----	----	408.50B/361.20A	408.50B/361.20A	----				362.20 - 40.10	.5907	----	----	----	----	1 UNCH	
4320	----	----	408.00B/358.70A	408.00B/358.70A	----				359.70 - 39.90	.5882	----	----	----	----	20 UNCH	
4325	----	----	403.90B/354.90A	403.90B/354.90A	----				357.10 - 39.80	.5856	----	----	----	----	50 UNCH	
4350	----	----	390.50B/341.60A	390.50B/341.60A	----				344.60 - 38.90	.5727	----	----	----	----	1 UNCH	
4355	----	----	388.20B/339.70A	388.20B/339.70A	----				342.20 - 38.70	.5701	----	----	----	----	1 UNCH	
4365	----	----	383.10B/334.90A	383.10B/334.90A	----				337.30 - 38.40	.5650	----	----	----	----	1 UNCH	
4370	----	----	380.20B/332.60A	380.20B/332.60A	----				334.90 - 38.20	.5624	----	----	----	----	2 UNCH	
4375	----	----	377.50B/330.20A	377.50B/330.20A	----				332.50 - 38.00	.5598	----	----	18	----	32 + 4	
4380	----	----	375.00B/327.80A	375.00B/327.80A	----				330.10 - 37.80	.5572	----	----	----	----	3 UNCH	
4400	----	----	364.80B/318.60A	364.80B/318.60A	----				320.80 - 37.00	.5469	----	----	----	----	5 UNCH	
4410	----	----	360.20B/314.00A	360.20B/314.00A	----				316.20 - 36.60	.5418	----	----	----	----	3 UNCH	
4415	----	----	357.70B/311.80A	357.70B/311.80A	----				313.90 - 36.40	.5392	----	----	----	----	1 UNCH	
4420	----	----	355.30B/309.50A	355.30B/309.50A	----				311.60 - 36.20	.5366	----	----	----	----	4 UNCH	
4435	305.00	305.00	348.00B/302.90A	348.00B/302.90A	----				304.90 - NEW	.5289	----	----	2	----	2 + 2	
4450	----	----	348.30B/296.40A	348.30B/296.40A	----				298.40 - 34.90	.5213	----	----	----	----	50 UNCH	
4470	----	----	339.00B/287.90A	339.00B/287.90A	----				289.80 - 34.20	.5111	----	----	----	----	2 UNCH	
4490	----	----	329.90B/279.60A	329.90B/279.60A	----				281.50 - 33.40	.5011	----	----	----	----	1 UNCH	
4495	----	----	327.50B/277.70A	327.50B/277.70A	----				279.50 - 33.20	.4986	----	----	----	----	2 UNCH	
4500	----	----	325.40B/275.60A	325.40B/275.60A	----				277.40 - 33.10	.4961	----	----	100	----	958 + 80	
4520	270.50	270.50	316.40B/267.20A	316.40B/267.20A	----				269.40 - NEW	.4861	----	----	100	----	100 + 100	
4545	----	----	305.70B/257.50A	305.70B/257.50A	----				259.80 - 31.70	.4738	----	----	----	----	25 UNCH	
4550	----	----	303.40B/256.20A	303.40B/256.20A	----				257.90 - 31.60	.4714	----	----	18	----	83 + 18	
4575	----	----	293.80B/247.00A	293.80B/247.00A	----				248.60 - 30.90	.4593	----	----	----	----	8 UNCH	
4600	----	----	283.20B/238.10A	283.20B/238.10A	----				239.60 - 30.30	.4473	----	----	----	----	102 UNCH	
4625	----	----	274.40B/229.00A	274.40B/229.00A	----				230.90 - 29.70	.4355	----	----	----	----	24 UNCH	
4630	----	----	271.50B/227.40A	271.50B/227.40A	----				229.20 - 29.60	.4332	----	----	----	----	2 UNCH	
4650	----	----	265.20B/221.20A	265.20B/221.20A	----				222.60 - 29.00	.4239	----	----	----	----	252 UNCH	
4680	----	----	253.60B/211.40A	253.60B/211.40A	----				212.90 - 28.30	.4102	----	----	----	----	1 UNCH	
4700	----	----	246.00B/205.10A	246.00B/205.10A	----				206.70 - 27.70	.4013	----	----	----	----	57 UNCH	
4750	----	----	230.60B/190.60A	230.60B/190.60A	----				192.00 - 26.40	.3795	----	----	----	----	35 UNCH	
4760	----	----	227.30B/188.10A	227.30B/188.10A	----				189.20 - 26.10	.3753	----	----	----	----	15 UNCH	
4790	----	----	217.80B/179.60A	217.80B/179.60A	----				181.00 - 25.30	.3627	----	----	----	----	30 UNCH	
4800	----	----	214.90B/176.90A	214.90B/176.90A	----				178.40 - 25.00	.3586	----	----	----	----	130 UNCH	
4810	----	----	211.70B/174.90A	211.70B/174.90A	----				175.80 - 24.70	.3546	----	----	----	----	1 UNCH	
4850	----	----	199.30B/164.40A	199.30B/164.40A	----				165.70 - 23.70	.3386	----	----	----	----	2 UNCH	
4865	----	----	196.10B/160.90A	196.10B/160.90A	----				162.10 - 23.30	.3328	----	----	----	----	75 UNCH	
4900	----	----	186.70B/153.00A	186.70B/153.00A	----				154.00 - 22.30	.3195	----	----	----	----	104 UNCH	
5000	----	----	162.30B/132.10A	162.30B/132.10A	----				133.10 - 19.80	.2841	----	----	280	----	1641 - 155	
5010	----	----	160.00B/130.70A	160.00B/130.70A	----				131.20 - 19.60	.2807	----	----	----	----	1 UNCH	
5020	----	----	157.70B/128.60A	157.70B/128.60A	----				129.30 - 19.40	.2774	----	----	----	----	2 UNCH	
5025	----	----	156.80B/127.50A	156.80B/127.50A	----				128.40 - 19.20	.2758	----	----	----	----	200 UNCH	
5050	----	----	151.20B/122.90A	151.20B/122.90A	----				123.80 - 18.70	.2677	----	----	----	----	500 UNCH	
5070	----	----	147.10B/119.70A	147.10B/119.70A	----				120.30 - 18.20	.2614	----	----	----	----	2 UNCH	
5085	----	----	144.10B/116.90A	144.10B/116.90A	----				117.80 - 17.80	.2568	----	----	----	----	150 UNCH	
5100	----	----	141.00B/114.50A	141.00B/114.50A	----				115.30 - 17.50	.2523	----	----	----	----	103 UNCH	
5150	----	----	131.40B/106.90A	131.40B/106.90A	----				107.40 - 16.40	.2377	----	----	----	----	650 UNCH	
5170	----	----	128.00B/103.60A	128.00B/103.60A	----				104.40 - 15.90	.2321	----	----	----	----	260 UNCH	
5180	----	----	126.30B/102.10A	126.30B/102.10A	----				102.90 - 15.80	.2293	----	----	----	----	3 UNCH	
5200	----	----	122.30B/99.30A	122.30B/99.30A	----				100.10 - 15.30	.2239	----	----	----	----	584 UNCH	
5210	----	----	121.20B/98.00A	121.20B/98.00A	----				98.70 - 15.10	.2213	----	----	----	----	3 UNCH	
5250	----	----	114.60B/92.80A	114.60B/92.80A	----				93.30 - 14.40	.2109	----	----	----	----	11 UNCH	
5300	----	----	107.10B/86.60A	107.10B/86.60A	----				87.10 - 13.40	.1987	----	----	----	----	4 UNCH	
5350	----	----	100.00B/81.00A	100.00B/81.00A	----				81.40 - 12.50	.1873	----	----	----	----	3 UNCH	
5360	----	----	98.90B/79.90A	98.90B/79.90A	----				80.30 - 12.30	.1851	----	----	----	----	325 UNCH	
5400	----	----	93.80B/75.60A	93.80B/75.60A	----				76.10 - 11.70	.1766	----	----	----	----		

BULLETIN #183@										METALS OPTION PRODUCTS				Wed, Sep 23, 2026				PG64	
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST				
OG CALL																			
AUG27																			
5300	----	----	----	----/125.50A	131.00B/125.50A	----	----	123.20 - 16.80	.2408	----	----	----	----		1				UNCH
5350	----	----	----	----/118.40A	123.30B/118.40A	----	----	116.10 - 16.00	.2290	----	----	----	----		1				UNCH
5500	----	----	----	----/99.70A	105.20B/99.70A	----	----	97.40 - 13.70	.1968	----	----	----	----		2000				UNCH
5505	----	----	----	----/99.10A	103.30B/99.10A	----	----	96.80 - 13.60	.1958	----	----	----	----		300				UNCH
5525	----	----	----	----/96.90A	100.70B/96.90A	----	----	94.70 - 13.20	.1920	----	----	----	----		59				UNCH
5550	----	----	----	----/94.20A	98.10B/94.20A	----	----	92.00 - 12.90	.1872	----	----	----	----		2000				UNCH
5925	----	----	----	----/63.10A	64.10B/63.10A	----	----	61.20 - 8.40	.1300	----	----	----	----		65				UNCH
6750	----	----	----	----/30.90A	30.10B/30.90A	----	----	28.40 - 4.10	.0632	----	----	----	----		30				UNCH
TOTAL															4618				0
SEP27																			
4500	----	----	----	----	147.50B/616.80A	----	----	375.40 - 32.40	.5407	----	----	----	----		1				UNCH
4560	----	----	----	----	123.30B/589.20A	----	----	350.50 - 31.00	.5157	----	----	----	----		4				UNCH
4575	----	----	----	----	117.60B/582.50A	----	----	344.50 - 30.60	.5095	----	----	----	----		4				UNCH
4585	----	----	----	----	339.00B/578.10A	----	----	340.50 - 30.40	.5054	----	----	----	----		5				UNCH
5225	----	----	----	----	0.20B/354.00A	----	----	171.90 - 18.20	.2941	----	----	----	----		2				UNCH
5580	----	----	----	----	0.20B/287.20A	----	----	139.70 - 14.60	.2338	----	----	----	----		300				UNCH
6000	----	----	----	----	0.20B/235.30A	----	----	103.10 - 11.00	.1752	----	----	----	----		2				UNCH
6100	----	----	----	----	0.20B/225.70A	----	----	95.20 - 10.30	.1630	----	----	----	----		4				UNCH
6200	----	----	----	----	0.20B/217.20A	----	----	88.10 - 9.60	.1519	----	----	----	----		2				UNCH
TOTAL															324				0
OCT27																			
5500	----	----	----	----	----	----	----	152.10 - 14.50	.2503	----	----	----	----		200				UNCH
TOTAL															200				0
DEC27																			
4500	----	----	----	----	----	----	----	459.10 - 33.20	.5601	----	----	----	----		75				UNCH
4860	----	----	----	----	----	----	----	325.10 - 26.40	.4386	----	----	----	----		100				UNCH
5000	----	----	----	----	----	----	----	285.60 - 24.10	.3970	----	----	----	----		50				UNCH
5650	----	----	----	----	----	----	----	165.70 - 15.50	.2514	----	----	----	----		200				UNCH
5700	----	----	----	----	----	----	----	159.40 - 15.10	.2429	----	----	----	----		150				UNCH
5800	----	----	----	----	----	----	----	147.80 - 14.10	.2271	----	----	----	----		200				UNCH
5880	----	----	----	----	----	----	----	139.20 - 13.40	.2153	----	----	----	----		125				UNCH
6300	----	----	----	----	----	----	----	103.10 - 10.30	.1639	----	----	----	----		18				UNCH
7500	----	----	----	----	----	----	----	50.30 - 5.00	.0831	----	----	----	----		70				UNCH
7800	----	----	----	----	----	----	----	43.40 - 4.10	.0719	----	----	----	----		284				UNCH
10000	20.00	20.00		20.00/20.00	20.00/20.00	----	----	20.00 - 0.70	.0324	----	----	1	----		103				UNCH
10500	----	----	----	----	----	----	----	17.60 - 0.50	.0283	----	----	----	----		10				UNCH
TOTAL												1	----		1385				0
FEB28																			
4400	----	----	----	----	----	----	----	565.70 - 35.70	.6076	----	----	----	----		2				UNCH
4450	----	----	----	----	----	----	----	541.30 - 34.80	.5912	----	----	----	----		2				UNCH
TOTAL															4				0
APR28																			
5000	----	----	----	----	----	----	----	374.80 - 26.30	.4413	----	----	5	----		5	-			5
TOTAL												5	----		5	-			5
MAY28																			
5000	----	----	----	----	----	----	----	399.30 - 27.00	.4545	----	----	----	----		20				UNCH
TOTAL															20				0
JUL28																			
5000	----	----	----	----	----	----	----	436.00 - 27.80	.4699	----	----	10	----		25	+			10
TOTAL												10	----		25	+			10
DEC28																			
5000	----	----	----	----	----	----	----	539.90 - 29.50	.5030	----	----	----	----		50				UNCH
5500	----	----	----	----	----	----	----	408.50 - 23.90	.4027	----	----	----	----		1				UNCH
5750	----	----	----	----	----	----	----	361.10 - 21.60	.3622	----	----	----	----		100				UNCH
TOTAL															151				0
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST				
MMG MON																			
SEP26																			
4350	45.00	45.00		54.80/45.00	54.80/45.00	----	----	52.40 NEW	.6530	----	----	2	----		2	+			2
4375	21.80	21.80		21.80/21.80	21.80/21.80	----	----	13.50 NEW	.2408	----	----	1	----		1	+			1
TOTAL												3	----		3	+			3
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST				
GMW WED																			
SEP26																			
3500	----	----	----	----	----/1.40A	----	----	0.10 UNCH	----	----	----	----	----		1				UNCH
3700	----	----	----	----	----/0.30A	----	----	0.10 UNCH	.0003	----	----	----	----		33				UNCH
3750	----	----	----	----	----/0.20A	----	----	0.00 - 0.10	----	----	----	----	----		0	-			2
3800	----	----	----	----	----/0.40A	----	----	0.20 UNCH	.0017	----	----	----	----		2				UNCH
3900	----	----	----	----	0.50B/0.60A	----	----	0.60 UNCH	.0060	----	----	----	----		2				UNCH
3900	----	----	----	----	----/0.20A	----	----	0.00 - 0.10	----	----	----	----	----		0	-			22
3925	----	----	----	----	0.60B/0.60A	----	----	0.60 UNCH	.0063	----	----	----	----		1				UNCH
3975	----	----	----	----	----/0.20A	----													

PG64 BULLETIN #183@										METALS OPTION PRODUCTS										wed, Sep 23, 2026		PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
GWW WED SEP26 GOLD WEEKLY WEDNESDAY OPTION WEEK4																						
4240	0.30	0.30		0.90B/0.10	0.90B/0.10	----	----		0.00	- 0.90	----	----	----	13	----	----	0 -					
4240	----	----		131.90B/39.30A	131.90B/39.30A	----	----		44.80	- 58.80	----	----	----	----	----	----	17					
4245	61.70	61.70		127.00B/34.50A	127.00B/34.50A	----	----		39.80	NEW	----	----	----	6	----	----	UNCH					
4245	0.50	0.50		1.10B/0.10	1.10B/0.10	----	----		0.00	- 1.10	----	----	----	15	----	----	15					
4250	8.30	8.30		20.30B/7.00A	20.30B/7.00A	----	----		18.40	+ 8.50	.2520	----	----	132	----	126 +	98					
4250	0.30	0.30		1.50B/0.10	1.50B/0.10	----	----		0.00	- 1.20	----	----	----	370	----	0 -	439					
4250	87.10	87.10		122.00B/29.40A	122.00B/29.40A	----	----		34.80	- 59.10	----	----	----	2	----	0 -	5					
4255	0.80	0.80		1.90B/0.10	1.90B/0.10	----	----		0.00	- 1.40	----	----	----	21	----	0 -	5					
4260	0.40	0.40		2.60B/0.10A	2.60B/0.10A	----	----		0.00	- 1.60	----	----	----	23	----	0 -	7					
4260	----	----		112.10B/19.50A	112.10B/19.50A	----	----		24.80	- 59.40	----	----	----	----	----	0 -	10					
4265	0.80	0.80		3.40B/0.10A	3.40B/0.10A	----	----		0.00	- 1.80	----	----	----	78	----	0 -	13					
4265	26.00	26.00		107.10B/14.50A	107.10B/14.50A	----	----		19.80	NEW	----	----	----	2	----	0	UNCH					
4270	0.50	0.50		4.50/0.10	4.50/0.10	----	----		0.00	- 2.10	----	----	----	48	----	0 -	11					
4270	----	----		102.20B/9.80A	102.20B/9.80A	----	----		14.80	NEW	----	----	----	2	----	0	UNCH					
4275	11.80	11.80		28.10B/9.70A	28.10B/9.70A	----	----		25.70	+ 11.90	.3327	----	----	17	----	52 +	6					
4275	1.00	1.00		6.30/0.10A	6.30/0.10A	----	----		0.00	- 2.40	----	----	----	272	----	0 -	45					
4280	9.80	9.80		92.40B/2.20A	92.40B/2.20A	----	----		4.80	NEW	----	----	----	54	----	0	UNCH					
4280	1.00	1.00		8.00/0.20	8.00/0.20	----	----		0.00	- 2.80	----	----	----	244	----	0 -	15					
4285	10.70	10.70		87.60B/0.70A	87.60B/0.70A	----	----		0.00	NEW	----	----	----	92	----	0	UNCH					
4285	1.00	1.00		10.20B/0.90A	10.20B/0.90A	----	----		0.20	- 3.10	----	----	----	152	----	0 -	101					
4290	1.50	1.50		13.10B/1.00	13.10B/1.00	----	----		5.20	+ 1.30	----	----	----	146	----	0 -	29					
4290	10.30	10.30		82.70B/0.20A	82.70B/0.20A	----	----		0.00	NEW	----	----	----	139	----	0	UNCH					
4295	7.20	7.20		77.80B/0.10A	77.80B/0.10A	----	----		0.00	- 52.30	----	----	----	218	----	0 -	1					
4295	3.40	3.40		16.70B/1.30A	16.70B/1.30A	----	----		10.20	+ 5.60	----	----	----	84	----	0 -	47					
4300	54.70	54.70		118.20B/50.20A	118.20B/50.20A	----	----		53.60	- 41.90	.5756	----	----	11	----	19 +	10					
4300	16.40	16.40		38.30B/13.50A	38.30B/13.50A	----	----		35.20	+	16.10	.4241	----	21	----	141	UNCH					
4300	15.50	15.50		73.10B/0.10A	73.10B/0.10A	----	----		0.00	- 48.10	----	----	----	120	----	0 -	9					
4300	1.50	1.50		20.70B/1.50	20.70B/1.50	----	----		15.20	+ 9.80	----	----	----	359	----	0 -	115					
4305	2.50	2.50		25.70B/1.80A	25.70B/1.80A	----	----		20.20	+ 13.90	----	----	----	213	----	0 -	10					
4305	12.60	12.60		68.20B/0.10	68.20B/0.10	----	----		0.00	- 44.00	----	----	----	86	----	0 -	2					
4310	14.20	14.20		63.70B/0.10	63.70B/0.10	----	----		0.00	- 40.10	----	----	----	107	----	0 -	5					
4310	2.50	2.50		30.70B/2.20	30.70B/2.20	----	----		25.20	+ 17.80	----	----	----	164	----	0 -	8					
4315	12.20	12.20		59.10B/0.10	59.10B/0.10	----	----		0.00	- 36.40	----	----	----	152	----	0 -	6					
4315	4.00	4.00		35.70B/2.90A	35.70B/2.90A	----	----		30.20	+ 21.50	----	----	----	86	----	0 -	56					
4320	3.40	3.40		40.70B/3.40	40.70B/3.40	----	----		35.20	+ 25.10	----	----	----	82	----	0 -	23					
4320	10.70	10.70		54.60B/0.10A	54.60B/0.10A	----	----		0.00	- 32.80	----	----	----	244	----	0 -	7					
4325	42.00	42.00		98.60B/37.80A	98.60B/37.80A	----	----		40.60	- 37.10	.4790	----	----	52	----	131 +	21					
4325	33.00	33.00		50.80B/19.00A	50.80B/19.00A	----	----		47.20	+ 20.80	.5207	----	----	83	----	24 +	19					
4325	13.10	13.10		50.20B/0.10A	50.20B/0.10A	----	----		0.00	- 29.40	----	----	----	101	----	0 -	55					
4325	5.10	5.10		45.70B/4.00A	45.70B/4.00A	----	----		40.20	+ 28.50	----	----	----	78	----	0 -	56					
4330	26.50	26.50		45.90B/0.10A	45.90B/0.10A	----	----		0.00	- 26.30	----	----	----	92	----	0 -	7					
4330	6.50	6.50		50.60B/4.60A	50.60B/4.60A	----	----		45.20	+ 31.60	----	----	----	15	----	0 -	21					
4335	18.00	18.00		41.80B/0.10	41.80B/0.10	----	----		0.00	- 23.30	----	----	----	18	----	0 -	6					
4335	5.80	5.80		55.70B/5.60A	55.70B/5.60A	----	----		50.20	+ 34.60	----	----	----	12	----	0 -	10					
4340	13.20	13.20		60.70B/6.80A	60.70B/6.80A	----	----		55.20	+ 37.30	----	----	----	67	----	0 -	44					
4340	13.90	13.90		37.80B/0.10	37.80B/0.10	----	----		0.00	- 20.60	----	----	----	285	----	0 -	10					
4345	18.50	18.50		34.00B/0.10A	34.00B/0.10A	----	----		0.00	- 18.10	----	----	----	30	----	0 -	12					
4345	----	----		65.70B/7.80A	65.70B/7.80A	----	----		60.20	+ 39.80	----	----	----	2	----	0 -	9					
4350	49.00	49.00		65.70B/26.20A	65.70B/26.20A	----	----		61.60	+ 25.90	.6156	----	----	3	----	44	UNCH					
4350	9.50	9.50		70.70B/9.20A	70.70B/9.20A	----	----		65.20	+ 42.00	----	----	----	87	----	0 -	76					
4350	50.50	50.50		80.80B/27.80A	80.80B/27.80A	----	----		30.00	- 32.10	.3841	----	----	3	----	15 +	2					
4350	16.60	16.60		30.40B/0.10A	30.40B/0.10A	----	----		0.00	- 15.90	----	----	----	50	----	0 -	103					
4355	11.60	11.60		75.70B/10.80A	75.70B/10.80A	----	----		70.20	+ 44.10	----	----	----	5	----	0 -	8					
4355	12.10	12.10		26.90B/0.10A	26.90B/0.10A	----	----		0.00	- 13.80	----	----	----	43	----	0 -	37					
4360	17.00	17.00		80.70B/12.80A	80.70B/12.80A	----	----		75.20	+ 45.90	----	----	----	19	----	0 -	9					
4360	10.30	10.30		24.00B/0.10A	24.00B/0.10A	----	----		0.00	- 12.00	----	----	----	39	----	0 -	57					
4365	19.10	19.10		21.30B/0.10	21.30B/0.10	----	----		0.00	- 10.40	----	----	----	40	----	0 -	10					
4365	17.80	17.80		85.70B/15.00A	85.70B/15.00A	----	----		80.20	+ 47.50	----	----	----	1	----	0 -	2					
4370	21.00	21.00		90.70B/17.40A	90.70B/17.40A	----	----		85.20	+ 48.90	----	----	----	5	----	0 -	7					
4370	17.40	17.40		18.70B/0.10	18.70B/0.10	----	----		0.00	- 9.00	----	----	----	109	----	0	134					
4375	38.90	38.90		65.00B/20.20A	65.00B/20.20A	----	----		21.80	- 26.90	.2978	----	----	19	----	147 +	17					
4375	45.80	45.80		83.00B/35.60A	83.00B/35.60A	----	----		78.30	+ 31.00	.7020	----	----	1	----	104	UNCH					
4375	14.70	14.70		16.20B/0.10A	16.20B/0.10A	----	----		0.00	- 7.80	----	----	----	89	----	0 -	126					
4375	43.30	43.30		95.70B/20.10A	95.70B/20.10A	----</																

G64 BULLETIN #183@			METALS OPTION PRODUCTS										wed, Sep 23, 2026			PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
GWW WED SEP26	GOLD WEEKLY WEDNESDAY OPTION WEEK5																
4675	----	----	2.70B/0.90A	2.70B/0.90A	----	0.80 - 1.10	.0098	----	----	----	----	1	UNCH				
4675	----	----	395.70B/303.50A	395.70B/303.50A	----	390.20 + 57.80	----	----	----	----	----	0 -	1				
4675	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -	28				
4700	0.70	0.70	2.20B/0.70	2.20B/0.70	----	0.70 - 0.90	.0082	----	----	9	----	20 +	9				
4700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -	1919				
4725	----	----	1.80B/0.70A	1.80B/0.70A	----	0.60 - 0.70	.0068	----	----	----	----	7	UNCH				
4725	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -	609				
4735	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -	11				
4745	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -	10				
4750	----	----	1.40B/0.60A	1.40B/0.60A	----	0.50 - 0.60	.0055	----	----	----	----	23	UNCH				
4750	----	----	470.80B/378.30A	470.80B/378.30A	----	465.20 + 57.80	----	----	----	----	----	0 -	11				
4750	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -	55				
4770	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -	10				
4775	----	----	1.10B/0.60A	1.10B/0.60A	----	0.40 - 0.50	.0043	----	----	----	----	6	UNCH				
4775	----	----	495.70B/403.40A	495.70B/403.40A	----	490.20 + 57.80	----	----	----	----	----	0 -	10				
4775	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -	15				
4800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -	52				
4825	----	----	0.80B/0.50A	0.80B/0.50A	----	0.30 - 0.40	.0030	----	----	----	----	1	UNCH				
4825	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -	46				
4850	----	----	----/0.40A	0.60B/0.40A	----	0.30 - 0.40	.0029	----	----	----	----	7	UNCH				
4850	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -	15				
4875	----	----	----/0.40A	0.50B/0.40A	----	0.30 - 0.30	.0028	----	----	----	----	15	UNCH				
4875	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -	7				
4900	----	----	----/0.40A	0.40B/0.40A	----	0.30 - 0.20	.0026	----	----	----	----	99	UNCH				
4900	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -	12				
4925	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -	45				
4925	----	----	----/0.30A	0.30B/0.30A	----	0.20 - 0.30	.0017	----	----	----	----	2	UNCH				
4950	----	----	----/0.30A	0.30B/0.30A	----	0.20 - 0.20	.0017	----	----	----	----	2	UNCH				
4950	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -	28				
4975	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -	7				
5000	----	----	----	0.20B/0.30A	----	0.10 - 0.20	.0008	----	----	----	----	1	UNCH				
5000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -	368				
5025	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -	3				
5050	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -	1				
5100	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	20	UNCH				
5200	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 -	4				
5300	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 -	2				
5500	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	33	UNCH				
5500	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 -	2				
5750	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 -	6				
TOTAL										6353		2651-	8948				
OCT26																	
3700	1.30	1.30	1.40B/1.30	1.40B/1.30	----	1.60 UNCH	.0125	----	----	2	----	2 +	2				
3750	----	----	----	0.90B/1.00A	----	1.00 + 0.10	.0086	----	----	----	----	0	UNCH				
3900	----	----	4.30B/3.10A	4.30B/3.10A	----	4.30 NEW	.0371	----	----	15	----	15 +	15				
3900	----	----	2.10B/----	2.10B/1.80A	----	2.10 + 0.30	.0206	----	----	----	----	2	UNCH				
3950	----	----	2.80B/2.10A	2.80B/2.10A	----	2.90 + 0.60	.0294	----	----	----	----	3	UNCH				
3975	----	----	6.90B/4.60A	6.90B/4.60A	----	6.70 NEW	.0590	----	----	15	----	15 +	15				
3975	----	----	3.40B/2.40A	3.40B/2.40A	----	3.40 + 0.80	.0350	----	----	1	----	1 +	1				
4000	----	----	4.10B/2.60A	4.10B/2.60A	----	4.00 + 1.00	.0419	----	----	1	----	2 +	1				
4000	7.30	7.30	8.20B/5.10A	8.20B/5.10A	----	7.90 NEW	.0696	----	----	3	----	3 +	3				
4025	----	----	9.80B/6.00A	9.80B/6.00A	----	9.40 + 2.70	.0825	----	----	----	----	2	UNCH				
4050	----	----	11.80B/7.00A	11.80B/7.00A	----	11.30 NEW	.0983	----	----	1	----	1 +	1				
4050	6.10	6.10	6.10/3.50A	6.10/3.50A	----	5.80 + 1.70	.0619	----	----	20	----	20 +	17				
4075	----	----	14.20B/8.20A	14.20B/8.20A	----	13.50 + 4.10	.1165	----	----	----	----	25	UNCH				
4075	7.00	7.00	7.70B/4.10A	7.70B/4.10A	----	7.20 + 2.40	.0768	----	----	20	----	22 +	20				
4100	----	----	17.20B/9.80A	17.20B/9.80A	----	16.30 + 5.10	.1385	----	----	1	----	351 +	1				
4100	8.00	8.00	9.50B/5.00A	9.50B/5.00A	----	8.90 + 3.10	.0948	----	----	3	----	22	UNCH				
4125	----	----	20.80B/11.60A	20.80B/11.60A	----	19.80 + 6.30	.1646	----	----	----	----	2	UNCH				
4125	7.00	7.00	11.90B/6.00A	11.90B/6.00A	----	11.20 + 4.00	.1179	----	----	19	----	33 +	16				
4150	11.70	11.70	15.10B/7.30A	15.10B/7.30A	----	14.10 + 5.20	.1462	----	----	7	----	10 +	7				
4150	----	----	25.30B/13.90A	25.30B/13.90A	----	24.10 + 7.80	.1950	----	----	----	----	52	UNCH				
4175	16.50	16.50	19.10B/9.00A	19.10B/9.00A	----	17.80 + 6.60	.1805	----	----	9	----	11 +	2				
4175	----	----	30.70B/16.80A	30.70B/16.80A	----	29.20 + 9.30	.2293	----	----	----	----	6	UNCH				
4200	19.30	19.30	24.20B/11.40A	24.20B/11.40A	----	22.60 + 8.40	.2219	----	----	7	----	16 +	7				
4200	----	----	37.00B/20.20A	37.00B/20.20A	----	35.40 + 11.20	.2680	----	----	----	----	2	UNCH				
4225	27.80	27.80	30.50B/14.20A	30.50B/14.20A	----	28.60 + 10.60	.2699	----	----	6	----	21 +	6				
4225	----	----	44.50B/25.10A	44.50B/25.10A	----	42.60 + 13.20	.3102	----	----	----	----	1	UNCH				
4250	21.50	21.50	38.40B/18.10A	38.40B/18.10A	----	36.00 + 13.10	.3240	----	----	27	----	33 +	20				
4250	----	----	53.50B/29.80A	53.50B/29.80A	----	51.10 + 15.50	.3558	----	----	1	----	4 +	1				
4275	----	----	47.70B/23.20A	47.70B/23.20A	----	44.90 + 15.90	.3831	----	----	----	----	9	UNCH				
4300	73.60	73.60	75.00B/43.50A	75.00B/43.50A	----	72.00 NEW	.4536	----	----	9	----	9 +	9				
4300	55.20	55.20	58.60B/29.10A	58.60B/29.10A	----	55.50 + 19.10	.4456	----	----	21	----	21 +	12				
4300	----	----	133.10B/70.70A	133.10B/70.70A	----	73.90 - 38.80	.5540	----	----	----	----	1	UNCH				
4325	86.00	86.00	87.60B/53.30A	87.60B/53.30A	----	84.40 + 23.30	.5038	----	----	5	----	105 +	5				
4325	----	----	124.90B/75.50A	124.90B/75.50A	----	77.90 NEW	.4956	----	----	213	----	213 +	213				
4325	----	----	71.30B/36.70A	71.30B/36.70A	----	67.80 + 22.50	.5094	----	----	----	----	7	UNCH				
4350	56.00	56.00	99.50B/47.80A	99.50B/47.80A	----	50.20 - 31.90	.4271	----	----	26	----	27 +	2				
4350	----	----	85.80B/45.60A	85.80B/45.60A	----	81.80 + 26.00	.5725	----	----	11	----	13 +	11				
4375	----	----	101.40B/54.90A	101.40B/54.90A	----												

BULLETIN #183@										METALS OPTION PRODUCTS										wed, Sep 23, 2026		PG64								
GLOBEX OPEN		OPEN OPEN		OUTCRY RANGE		GLOBEX HIGH/LOW		OPEN HIGH/LOW		OUTCRY HIGH/LOW		OPEN CLOSE		OUTCRY RANGE		SETT.PRICE & PT.CHGE.		DELTA		EXER CISES		OPEN OUTCRY VOLUME		GLOBEX® VOLUME		PNT VOLUME		OPEN INTEREST		
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week5																												
SEP26																														
3975	----	----	----	----	----	0.60B/0.60A	----	----	----	0.70	+	0.10	----	----	----	----	0.077	----	----	----	----	----	----	----	----	----	----	----	1	UNCH
4000	----	----	----	----	----	0.70B/0.60A	----	----	----	0.80	+	0.10	----	----	----	----	.0093	----	----	----	----	----	----	----	----	----	----	18	UNCH	
4050	----	----	----	----	----	1.10B/0.90A	----	----	----	1.10	+	0.20	----	----	----	----	.0143	----	----	----	----	----	----	----	----	----	----	1	UNCH	
4070	----	----	----	----	----	1.30B/1.00A	----	----	----	1.30	NEW	----	----	----	----	----	.0177	----	----	----	----	----	----	1	----	----	2	+	1	UNCH
4075	----	----	----	----	----	1.40B/1.10A	----	----	----	1.30	+	0.20	----	----	----	----	.0180	----	----	----	----	----	----	----	----	----	2	UNCH		
4100	----	----	----	----	----	1.90B/1.30A	----	----	----	1.80	+	0.50	----	----	----	----	.0259	----	----	----	----	----	----	1	----	----	19	UNCH		
4120	----	----	----	----	----	2.40B/1.40A	----	----	----	2.20	NEW	----	----	----	----	----	.0330	----	----	----	----	----	----	1	----	----	1	+	1	UNCH
4125	----	----	----	----	----	2.60B/1.50A	----	----	----	2.40	+	0.80	----	----	----	----	.0361	----	----	----	----	----	----	----	----	----	16	+	3	UNCH
4150	1.70	1.70	----	----	----	3.70B/1.70	----	----	----	3.30	+	1.20	----	----	----	----	.0514	----	----	----	----	----	----	5	----	----	14	+	3	UNCH
4175	----	----	----	----	----	5.30B/2.10A	----	----	----	4.80	+	2.00	----	----	----	----	.0759	----	----	----	----	----	----	1	----	----	11	UNCH		
4175	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4200	2.40	2.40	----	----	----	7.70B/2.40	----	----	----	6.90	+	3.10	----	----	----	----	.1102	----	----	----	----	----	----	16	----	----	34	+	11	UNCH
4205	----	----	----	----	----	8.30B/2.90A	----	----	----	7.50	NEW	----	----	----	----	----	.1194	----	----	----	----	----	----	2	----	----	2	+	2	UNCH
4210	----	----	----	----	----	9.00B/3.10A	----	----	----	8.10	NEW	----	----	----	----	----	.1288	----	----	----	----	----	----	2	----	----	2	+	2	UNCH
4215	----	----	----	----	----	9.70B/3.30A	----	----	----	8.70	NEW	----	----	----	----	----	.1383	----	----	----	----	----	----	2	----	----	2	+	2	UNCH
4220	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4220	7.00	7.00	----	----	----	10.40B/7.00	----	----	----	9.40	NEW	----	----	----	----	----	.1490	----	----	----	----	----	----	4	----	----	4	+	4	UNCH
4225	9.00	9.00	----	----	----	11.30B/3.80A	----	----	----	10.20	+	4.90	----	----	----	----	.1607	----	----	----	----	----	----	11	----	----	23	+	6	UNCH
4225	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4230	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4235	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4240	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4245	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4250	14.30	14.30	----	----	----	16.60B/5.20A	----	----	----	14.90	+	7.30	----	----	----	----	.2282	----	----	----	----	----	----	6	----	----	54	+	5	UNCH
4250	----	----	----	----	----	160.00B/78.50A	----	----	----	83.30	NEW	----	----	----	----	----	.7716	----	----	----	----	----	----	2	----	----	1	+	1	UNCH
4250	----	----	----	----	----	----	----	----	----	92.70	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4250	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4255	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4260	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4265	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4265	14.20	14.20	----	----	----	20.70B/14.20	----	----	----	18.70	NEW	----	----	----	----	----	.2780	----	----	----	----	----	----	2	----	----	2	+	2	UNCH
4270	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4275	10.30	10.30	----	----	----	23.90B/7.40A	----	----	----	21.60	+	10.70	----	----	----	----	.3144	----	----	----	----	----	----	2	----	----	15	+	1	UNCH
4275	----	----	----	----	----	----	----	----	----	67.70	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4275	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4280	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4285	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4285	----	----	----	----	----	----	----	----	----	57.70	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4290	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4295	----	----	----	----	----	----	----	----	----	47.70	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4295	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4300	27.40	27.40	----	----	----	33.80B/10.70A	----	----	----	30.70	+	15.00	----	----	----	----	.4157	----	----	----	----	----	----	81	----	----	87	+	75	UNCH
4300	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4300	----	----	----	----	----	----	----	----	----	42.70	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4305	----	----	----	----	----	----	----	----	----	37.70	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4305	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4310	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4310	----	----	----	----	----	----	----	----	----	32.70	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4315	----	----	----	----	----	----	----	----	----	27.70	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4315	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4320	----	----	----	----	----	----	----	----	----	22.70	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4320	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4325	----	----	----	----	----	46.30B/15.50A	----	----	----	42.50	+	20.10	----	----	----	----	.5247	----	----	----	----	----	----	----	----	----	19	UNCH		
4325	38.30	38.30	----	----	----	95.00B/33.20A	----	----	----	35.90	NEW	----	----	----	----	----	.4751	----	----	----	----	----	----	100	----	----	100	+	100	UNCH
4325	----	----	----	----	----	----	----	----	----	17.70	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4325	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4330	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4330	----	----	----	----	----	----	----	----	----	12.70	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4335	----	----	----	----	----	----	----	----	----	7.70	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4335	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4335	38.20	38.20	----	----	----	52.20B/38.20	----	----	----	48.00	NEW	----	----	----	----	----	.5682	----	----	----	----	----	----	26	----	----	26	+	26	UNCH
4340	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4340	40.60	40.60	----	----	----	55.20B/40.60	----	----	----	50.90	NEW	----	----	----	----	----	.5895	----	----	----	----	----	----	30	----	----	30	+	30	UNCH
4340	----	----	----	----	----	----	----	----	----	2.70	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4345	----	----	----	----	----	----	----	----	----	2.30	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4345	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH		
4345	39.20	39.20	----	----	----	39.30/25.50A	----	----	----	27.40	NEW	----	----	----	----	----	.3891	----	----	----	----	----	----	45	----	----	45	+	45	UNCH
4350	27.90	27.90	----	----	----	76.80B/23.60A	----	----	----	25.50	-	32.30	----	----	----	----	.3683	----	----	----	----	----	----	14	----	----	14	+	13	UNCH
4350	----	----	----	----	----	61.50B/22.30A	----	----	----	57.10	+	25.70	----	----	----	----	.6314	----	----	----	----	----	----	----	----	----	25	UNCH		
4350	----	----	----	----	----	----	----	----	----	7.30																				

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GOLD WEEKLY TUESDAY OPTION Week5																
SEP26																
GWT TUE	----	----	----	5.90B/1.20A	5.90B/1.20A	----	----	----	1.20 - 2.50	.0172	----	----	----	----	31	UNCH
4575	1.00	1.00	----	4.30B/1.00	4.30B/1.00	----	----	----	1.00 - 1.80	.0136	----	----	2	----	41	UNCH
4600	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH
4600	----	----	----	----	----	----	----	----	257.30 UNCH	----	----	----	----	----	0	UNCH
4625	----	----	----	3.30B/0.80A	3.30B/0.80A	----	----	----	0.80 - 1.40	.0104	----	----	----	----	22	UNCH
4650	----	----	----	2.60B/0.70A	2.60B/0.70A	----	----	----	0.60 - 1.10	.0076	----	----	----	----	21	UNCH
4650	2.30	2.30	----	----	----	----	----	----	307.30 UNCH	----	----	----	----	----	0	UNCH
4675	----	----	2.30	2.30/0.60A	2.30/0.60A	----	----	----	0.50 - 0.90	.0060	----	----	2	----	10	UNCH
4700	----	----	----	----	----	----	----	----	357.30 UNCH	----	----	----	----	----	0	UNCH
4700	----	----	----	1.50B/0.50A	1.50B/0.50A	----	----	----	0.40 - 0.70	.0046	----	----	----	----	30	UNCH
4725	----	----	----	1.20B/0.50A	1.20B/0.50A	----	----	----	0.40 - 0.60	.0044	----	----	----	----	24	UNCH
4750	----	----	----	0.90B/0.40A	0.90B/0.40A	----	----	----	0.30 - 0.50	.0032	----	----	----	----	21	UNCH
4750	----	----	----	----	----	----	----	----	407.30 UNCH	----	----	----	----	----	0	UNCH
4775	----	----	----	---/0.40A	0.70B/0.40A	----	----	----	0.30 - 0.40	.0030	----	----	----	----	10	UNCH
4800	----	----	----	---/0.30A	0.60B/0.30A	----	----	----	0.20 - 0.40	.0019	----	----	----	----	22	UNCH
4875	----	----	----	---/0.20A	0.30B/0.20A	----	----	----	0.10 - 0.30	.0008	----	----	----	----	2	UNCH
4900	----	----	----	---/0.20A	0.20B/0.20A	----	----	----	0.10 - 0.20	.0005	----	----	----	----	6	UNCH
4925	----	----	----	---/0.20A	0.20B/0.20A	----	----	----	0.10 - 0.20	.0003	----	----	----	----	2	UNCH
4950	----	----	----	---/0.20A	0.10B/0.20A	----	----	----	0.10 - 0.20	.0002	----	----	----	----	2	UNCH
4975	----	----	----	----	---/0.30A	----	----	----	0.10 - 0.10	.0001	----	----	----	----	14	UNCH
5000	----	----	----	----	---/0.30A	----	----	----	0.10 - 0.10	.0000	----	----	----	----	49	UNCH
5100	----	----	----	----	---/0.30A	----	----	----	0.10 UNCH	.0000	----	----	----	----	12	UNCH
5200	----	----	----	----	---/0.30A	----	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH
5400	----	----	----	----	---/2.20A	----	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH
5500	----	----	----	----	---/1.60A	----	----	----	0.10 UNCH	----	----	----	----	----	40	UNCH
TOTAL													447		1257 +	361
OCT26																
3750	----	----	----	----	0.70B/0.90A	----	----	----	0.80 UNCH	.0070	----	----	----	----	6	UNCH
3900	----	----	----	1.80B/----	1.80B/1.60A	----	----	----	1.80 + 0.30	.0180	----	----	----	----	3	UNCH
3950	----	----	----	4.90B/3.40A	4.90B/3.40A	----	----	----	4.80 NEW	.0442	----	----	1	----	1 +	1
3975	----	----	----	5.80B/3.90A	5.80B/3.90A	----	----	----	5.60 + 1.50	.0520	----	----	----	----	2	UNCH
4000	----	----	----	6.80B/4.30A	6.80B/4.30A	----	----	----	6.60 + 1.80	.0615	----	----	----	----	2	UNCH
4000	----	----	----	3.50B/2.20A	3.50B/2.20A	----	----	----	3.40 + 0.80	.0368	----	----	----	----	2	UNCH
4025	----	----	----	4.30B/2.60A	4.30B/2.60A	----	----	----	4.10 + 1.10	.0450	----	----	2	----	4 +	2
4025	7.80	7.80	----	8.30B/5.00A	8.30B/5.00A	----	----	----	7.90 NEW	.0735	----	----	35	----	35 +	35
4050	----	----	----	5.30B/3.00A	5.30B/3.00A	----	----	----	5.00 + 1.50	.0554	----	----	1	----	2	UNCH
4050	8.10	8.10	----	10.00B/5.90A	10.00B/5.90A	----	----	----	9.50 + 2.80	.0880	----	----	30	----	35 +	30
4075	11.80	11.80	----	12.10B/6.90A	12.10B/6.90A	----	----	----	11.50 + 3.60	.1057	----	----	30	----	45 +	30
4100	----	----	----	14.90B/8.20A	14.90B/8.20A	----	----	----	14.10 + 4.60	.1274	----	----	----	----	15	UNCH
4100	----	----	----	8.30B/4.30A	8.30B/4.30A	----	----	----	7.80 + 2.70	.0866	----	----	----	----	3	UNCH
4125	----	----	----	10.50B/5.20A	10.50B/5.20A	----	----	----	9.80 + 3.60	.1083	----	----	3	----	8 +	1
4150	----	----	----	22.40B/12.00A	22.40B/12.00A	----	----	----	21.10 + 7.00	.1827	----	----	----	----	1	UNCH
4150	10.60	10.60	----	13.40B/6.40A	13.40B/6.40A	----	----	----	12.50 + 4.80	.1361	----	----	3	----	4 +	1
4175	----	----	----	17.10B/7.80A	17.10B/7.80A	----	----	----	15.90 + 6.10	.1699	----	----	----	----	6	UNCH
4200	27.40	27.40	----	33.30B/17.60A	33.30B/17.60A	----	----	----	31.80 + 10.50	.2573	----	----	5	----	6 +	5
4200	----	----	----	21.90B/10.10A	21.90B/10.10A	----	----	----	20.40 + 7.90	.2114	----	----	----	----	15	UNCH
4225	27.20	27.20	----	28.00B/12.70A	28.00B/12.70A	----	----	----	26.20 + 10.10	.2607	----	----	8	----	16 +	8
4225	30.50	30.50	----	40.60B/21.40A	40.60B/21.40A	----	----	----	38.80 + 12.60	.3012	----	----	10	----	12 +	10
4250	38.70	38.70	----	49.10B/26.60A	49.10B/26.60A	----	----	----	47.00 + 14.90	.3488	----	----	13	----	60 +	13
4275	----	----	----	58.90B/32.50A	58.90B/32.50A	----	----	----	56.50 + 17.30	.3994	----	----	1	----	23 +	1
4275	----	----	----	44.70B/20.80A	44.70B/20.80A	----	----	----	42.10 + 15.60	.3781	----	----	----	----	4	UNCH
4300	92.90	92.90	----	137.00B/83.20A	137.00B/83.20A	----	----	----	85.80 NEW	.5476	----	----	5	----	5 +	5
4300	70.00	70.00	----	130.60B/67.70A	130.60B/67.70A	----	----	----	71.00 NEW	.5560	----	----	5	----	5 +	5
4300	51.40	51.40	----	55.60B/26.60A	55.60B/26.60A	----	----	----	52.60 + 18.90	.4436	----	----	4	----	19 +	4
4300	----	----	----	70.20B/39.50A	70.20B/39.50A	----	----	----	67.40 + 20.00	.4519	----	----	----	----	27	UNCH
4325	----	----	----	120.70B/71.20A	120.70B/71.20A	----	----	----	73.20 - 35.00	.4943	----	----	214	----	212 +	211
4325	----	----	----	112.80B/55.40A	112.80B/55.40A	----	----	----	58.20 - 35.50	.4889	----	----	----	----	182	UNCH
4325	63.70	63.70	----	68.30B/33.80A	68.30B/33.80A	----	----	----	64.80 NEW	.5107	----	----	4	----	4 +	4
4325	73.10	73.10	----	82.80B/48.00A	82.80B/48.00A	----	----	----	79.80 + 22.90	.5051	----	----	4	----	7 +	4
4350	----	----	----	97.00B/57.40A	97.00B/57.40A	----	----	----	93.60 + 25.90	.5580	----	----	----	----	17	UNCH
4350	68.00	68.00	----	105.60B/60.30A	105.60B/60.30A	----	----	----	62.00 NEW	.4415	----	----	180	----	46 +	46
4350	----	----	----	82.80B/42.70A	82.80B/42.70A	----	----	----	78.80 + 26.20	.5768	----	----	1	----	1	UNCH
4350	----	----	----	96.40B/44.90A	96.40B/44.90A	----	----	----	47.30 - 31.70	.4228	----	----	----	----	105	UNCH
4375	66.60	66.60	----	110.40B/66.60	110.40B/66.60	----	----	----	108.70 + 28.80	.6091	----	----	2	----	5	UNCH
4375	----	----	----	95.50B/50.60A	95.50B/50.60A	----	----	----	52.20 - 29.10	.3903	----	----	----	----	9	UNCH
4375	----	----	----	81.80B/36.10A	81.80B/36.10A	----	----	----	37.90 - 28.20	.3593	----	----	----	----	2	UNCH
4400	----	----	----	98.90B/53.00A	98.90B/53.00A	----	----	----	94.50 + 29.80	.6403	----	----	1	----	4	UNCH
44400	54.00	54.00	----	69.10B/28.70A	69.10B/28.70A	----	----	----	30.20 - 24.60	.3010	----	----	200	----	78 +	25
44400	----	----	----	126.50B/80.90A	126.50B/80.90A	----	----	----	125.20 + 31.70	.6576	----	----	1	----	54	UNCH
44400	----	----	----	84.20B/42.20A	84.20B/42.20A	----	----	----	43.70 - 26.20	.3418	----	----	2	----	11	UNCH
44425	----	----	----	144.30B/94.20A	144.30B/94.20A	----	----	----	142.80 + 34.50	.7028	----	----	1	----	1 -	1
44425	25.50	25.50	----	57.90B/22.60A	57.90B/22.60A	----	----	----	23.80 NEW	.2484	----	----	3	----	3 +	3
44425	40.20	40.20	----	71.80B/35.10A	71.80B/35.10A	----	----	----	36.40 NEW	.2966	----	----	2	----	2 +	2
44450	19.30	19.30	----	47.90B/17.70A	47.90B/17.70A	----	----	----	18.80 - 17.80	.2032	----	----	2	----	3 +	2
4450	----	----	----	61.90B/29.10A	61.90B/29.10A	----	----	----	30.10 - 20.80	.2551	----	----	----	----	1	UNCH
4475	----	----	----	53.10B/24.10A	53.10B/24.10A	----	----	----	24.90 - 18.20	.2181	----	----	1	----	4 -	1
4475	16.30	16.30	----	39.50B/14.00A	39.50B/14.00A	----	----	----	14.70 - 14.90	.1641	----	----	5	----	5 +	2
4500	12.00	12.00	----	32.40B/10.90A	32.40B/10.90A	----	----	----	11.60 - 12.30	.1324	----	----	2	----	6 +	2
4500	21.90	21.90	----	45.40B/19.90A	45.40B/19.90A	----	----	----	20.50 - 15.80	.1851	----	----	2	----	4	UNCH
4525	18.20	18.20	----	38.40B/16.40A	38.40B/16.40A	----	----	----	16.90 - 13.70	.1565	----	----	6	----	31 -	5
4525	----	----	----	26.50B/8.80A	26.50B/8.80A	----	----	----	9.20 - 10.00	.1066	----	----	----	----	4	UNCH
4550	----	----	----	21.50B/6.90A	21.50B/6.90A	----	----	----	7.30 - 8.10	.0856	----	----	1	----	8 +	1
4550	18.50	18.50	----	32.70B/13.60A	32.70B/13.60A	----	----	----	14.00 - 11.60	.1323	----	----	3	----	24 +	3
4575	----	----	----	17.40B/5.60A	17.40B/5.60A	----	----	----	5.90 - 6.50	.0694	----	----	----	----	2	UNCH
4575	15.40	15.40	----	27.60B/11.30A	27.60B/11.30A	----	----	----	11.60 - 9.90	.1115	----	----	3	----	1 -	3
4600	----	----	----	23.80B/9.50A	23.80B/9.50A	----	----	----	9.80 - 8.20	.0949	----	----	----	----	10	UNCH
4600	8.40	8.40	----	14.20B/4.60A	14.20B/4.60A	----	----	----	4.80 - 5.30	.0564	----	----	----	----	8	UNCH
4625	----	----	----	20.20B/8.10A	20.20B/8.10A	----	----	----	8.30 - 6.90	.0809	----	----	25	----	22 +	12
4625	----	----	----	11.60B/3.80A	11.60B/3.80A	----	----	----	3.90 - 4.30	.0458	----	----	----	----	1	UNCH
4650	7.20	7.20	----	9.50B/3.20A	9.50B/3.20A	----	----	----	3.20 - 4.30	.0374	----	----	----	----	19	UNCH
4650	----	----	----	17.10B/6.90A	17.10B/6.90A	----	----	----	7.10 - 5.70	.0693	----	----	10	----	8 +	3
4675	----	----	----	7.60B/2.70A	7.											

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GOLD WEEKLY THURSDAY OPTION week2															
3975	3.20	3.20		4.00B/2.70A	4.00B/2.70A	----	----		3.90 + 1.00	.0391	----	----	1	----	3 +
3975	----	----		7.60B/5.00A	7.60B/5.00A	----	----		7.40 + 1.90	.0633	----	----	----	----	8 +
4000	11.60	11.60		13.90B/8.70A	13.90B/8.70A	----	----		13.40 + 3.70	.0988	----	----	2	----	4 +
4000	----	----		1.50B/----	1.50B/1.20A	----	----		1.50 + 0.30	.0176	----	----	----	----	25 +
4000	4.90	4.90		4.90/3.00A	4.90/3.00A	----	----		4.60 + 1.20	.0467	----	----	1	----	26 +
4000	7.50	7.50		9.10B/5.70A	9.10B/5.70A	----	----		8.80 + 2.40	.0749	----	----	27	----	35 +
4025	----	----		16.20B/10.00A	16.20B/10.00A	----	----		15.60 + 4.30	.1140	----	----	----	----	1 UNCH
4025	----	----		10.80B/6.60A	10.80B/6.60A	----	----		10.40 + 3.00	.0882	----	----	----	----	2 UNCH
4025	----	----		5.90B/3.50A	5.90B/3.50A	----	----		5.60 + 1.70	.0570	----	----	----	----	5 UNCH
4025	----	----		1.80B/1.30A	1.80B/1.30A	----	----		1.80 + 0.40	.0219	----	----	1	----	11 +
4050	12.90	12.90		19.00B/11.60A	19.00B/11.60A	----	----		18.30 + 5.20	.1319	----	----	5	----	5 +
4050	6.30	6.30		7.20B/4.00A	7.20B/4.00A	----	----		6.80 + 2.20	.0694	----	----	15	----	64 +
4050	----	----		13.00B/7.70A	13.00B/7.70A	----	----		12.40 + 3.60	.1043	----	----	2	----	15 +
4050	----	----		2.30B/1.40A	2.30B/1.40A	----	----		2.20 + 0.60	.0277	----	----	----	----	14
4075	20.00	20.00		22.30B/13.50A	22.30B/13.50A	----	----		21.50 + 6.10	.1524	----	----	6	----	6 +
4075	----	----		2.90B/1.60A	2.90B/1.60A	----	----		2.80 + 0.80	.0362	----	----	1	----	2 +
4075	----	----		8.80B/4.80A	8.80B/4.80A	----	----		8.30 + 2.80	.0847	----	----	----	----	41
4075	----	----		15.50B/8.90A	15.50B/8.90A	----	----		14.90 + 4.50	.1235	----	----	1	----	13
4100	----	----		3.90B/1.90A	3.90B/1.90A	----	----		3.60 + 1.20	.0476	----	----	1	----	6 +
4100	----	----		26.20B/16.00A	26.20B/16.00A	----	----		25.20 + 7.20	.1754	----	----	3	----	4 +
4100	----	----		10.90B/5.80A	10.90B/5.80A	----	----		10.20 + 3.50	.1036	----	----	----	----	39
4100	12.00	12.00		308.20B/233.00A	308.20B/233.00A	----	----		235.90 - 52.30	.8535	----	----	----	----	50 UNCH
4100	----	----		18.70B/10.50A	18.70B/10.50A	----	----		17.90 + 5.50	.1460	----	----	6	----	58 +
4125	----	----		30.90B/18.70A	30.90B/18.70A	----	----		29.70 + 8.40	.2018	----	----	----	----	1 UNCH
4125	4.20	4.20		5.10B/2.40A	5.10B/2.40A	----	----		4.70 + 1.70	.0633	----	----	31	----	40 +
4125	11.20	11.20		13.60B/7.00A	13.60B/7.00A	----	----		12.70 + 4.50	.1274	----	----	3	----	38
4125	19.60	19.60		22.60B/12.80A	22.60B/12.80A	----	----		21.60 + 6.70	.1723	----	----	46	----	41 +
4150	----	----		36.20B/22.10A	36.20B/22.10A	----	----		35.00 + 9.80	.2312	----	----	----	----	4 UNCH
4150	----	----		246.40B/168.70A	246.40B/168.70A	----	----		174.50 - 55.60	.9153	----	----	----	----	1 UNCH
4150	----	----		17.10B/8.40A	17.10B/8.40A	----	----		15.90 + 5.70	.1565	----	----	----	----	21
4150	5.60	5.60		6.80B/3.00A	6.80B/3.00A	----	----		6.20 + 2.30	.0845	----	----	26	----	43 +
4150	----	----		27.20B/15.10A	27.20B/15.10A	----	----		25.90 + 8.00	.2018	----	----	100	----	113 +
4175	17.80	17.80		21.40B/10.40A	21.40B/10.40A	----	----		20.00 + 7.30	.1916	----	----	5	----	83 +
4175	----	----		9.20B/3.80A	9.20B/3.80A	----	----		8.50 + 3.40	.1151	----	----	----	----	6
4175	----	----		32.80B/18.30A	32.80B/18.30A	----	----		31.30 + 9.70	.2362	----	----	----	----	6 UNCH
4175	----	----		241.20B/172.20A	241.20B/172.20A	----	----		174.40 - 48.20	.7632	----	----	----	----	1 UNCH
4200	----	----		229.20B/164.60A	229.20B/164.60A	----	----		166.30 - 44.80	.7008	----	----	----	----	20
4200	----	----		209.70B/124.70A	209.70B/124.70A	----	----		129.90 - 53.10	.8449	----	----	----	----	1 UNCH
4200	10.70	10.70		12.70/4.90A	12.70/4.90A	----	----		11.60 + 4.90	.1549	----	----	46	----	123 -
4200	22.60	22.60		26.70B/13.00A	26.70B/13.00A	----	----		25.00 + 9.00	.2322	----	----	2	----	19 +
4200	----	----		39.30B/21.80A	39.30B/21.80A	----	----		37.60 + 11.50	.2740	----	----	----	----	4 UNCH
4225	----	----		58.10B/35.80A	58.10B/35.80A	----	----		56.30 + 14.90	.3359	----	----	----	----	1 UNCH
4225	14.60	14.60		17.40B/6.50A	17.40B/6.50A	----	----		15.90 + 6.90	.2065	----	----	16	----	137 +
4225	25.60	25.60		33.30B/16.50A	33.30B/16.50A	----	----		31.30 + 11.20	.2792	----	----	8	----	16 +
4225	----	----		47.00B/26.40A	47.00B/26.40A	----	----		45.10 + 13.60	.3156	----	----	----	----	1 UNCH
4225	----	----		199.90B/136.60A	199.90B/136.60A	----	----		138.30 - 44.30	.6838	----	----	----	----	1 UNCH
4250	----	----		67.60B/42.70A	67.60B/42.70A	----	----		65.50 + 17.00	.3753	----	----	----	----	1 UNCH
4250	10.70	10.70		23.70B/8.80A	23.70B/8.80A	----	----		21.80 + 9.60	.2709	----	----	25	----	176 +
4250	----	----		163.50B/85.70A	163.50B/85.70A	----	----		90.10 NEW	.7288	----	----	1	----	1 +
4250	25.00	25.00		41.40B/20.40A	41.40B/20.40A	----	----		38.90 + 13.60	.3314	----	----	2	----	25 +
4250	----	----		56.10B/31.80A	56.10B/31.80A	----	----		53.80 + 15.90	.3600	----	----	----	----	2 UNCH
4275	----	----		32.00B/11.90A	32.00B/11.90A	----	----		29.40 + 12.90	.3461	----	----	2	----	82 +
4275	----	----		50.80B/25.40A	50.80B/25.40A	----	----		48.00 + 16.30	.3880	----	----	----	----	20 UNCH
4275	----	----		66.20B/38.30A	66.20B/38.30A	----	----		63.60 + 18.20	.4065	----	----	----	----	59 UNCH
4300	----	----		157.40B/102.90A	157.40B/102.90A	----	----		105.50 - 36.60	.5414	----	----	----	----	2 UNCH
4300	62.40	62.40		120.90B/53.70A	120.90B/53.70A	----	----		57.50 - 41.20	.5696	----	----	5	----	5 +
4300	77.00	77.00		135.70B/74.00A	135.70B/74.00A	----	----		77.00 NEW	.5520	----	----	9	----	9 +
4300	54.20	54.20		61.90B/31.80A	61.90B/31.80A	----	----		58.70 + 19.40	.4475	----	----	6	----	29 +
4300	28.80	28.80		42.30B/16.30A	42.30B/16.30A	----	----		39.20 + 16.90	.4301	----	----	7	----	29 +
4300	----	----		77.60B/46.00A	77.60B/46.00A	----	----		74.70 + 20.70	.4545	----	----	101	----	100 +
4325	47.90	47.90		54.90B/22.20A	54.90B/22.20A	----	----		51.10 + 21.10	.5179	----	----	9	----	25 -
4325	44.20	44.20		101.80B/41.90A	101.80B/41.90A	----	----		44.60 - 36.70	.4818	----	----	18	----	15 +
4325	69.60	69.60		118.20B/61.70A	118.20B/61.70A	----	----		64.40 - 35.30	.4913	----	----	86	----	77 +
4325	66.40	66.40		74.70B/39.60A	74.70B/39.60A	----	----		71.00 + 22.60	.5082	----	----	5	----	126 UNCH
4325	----	----		90.30B/54.60A	90.30B/54.60A	----	----		87.10 + 23.30	.5030	----	----	1	----	17 UNCH
4350	----	----		130.00B/79.80A	130.00B/79.80A	----	----		81.90 - 32.10	.4579	----	----	----	----	1 UNCH
4350	----	----		116.70B/78.30A	116.70B/78.30A	----	----		113.40 + 25.70	.5413	----	----	----	----	1 UNCH
4350	32.80	32.80		84.50B/31.80A	84.50B/31.80A	----	----		33.80 - 32.10	.3951	----	----	5	----	42 -
4350	64.70	64.70		69.70B/29.80A	69.70B/29.80A	----	----		65.40 + 25.80	.6046	----	----	54	----	51 -
4350	----	----		102.40B/51.00A	102.40B/51.00A	----	----		53.30 - 32.00	.4313	----	----	----	----	70 UNCH
4350	80.00	80.00		89.00B/48.70A	89.00B/48.70A	----	----		84.90 + 25.90	.5683	----	----	7	----	13 +
4350	----	----		104.30B/66.20A	104.30B/66.20A										



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

FINAL

PG64 BULLETIN #183@												METALS OPTION PRODUCTS												wed, Sep 23, 2026 PG64																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								

BULLETIN #183@													METALS OPTION PRODUCTS													wed, Sep 23, 2026				PG64	
GLOBEX OPEN		OPEN	OUTCRY OPEN RANGE	GLOBEX HIGH/LOW		OPEN	OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST														
GMW MON OCT26		GOLD WEEKLY MONDAY OPTION WEEK1																													
4500	----	----		29.50B/9.40A	29.50B/9.40A	----				10.00	- 11.40	.1204	----	----	1	----	95	UNCH													
4500	48.90	48.90		48.90/18.20A	48.90/18.20A	----				18.80	- 15.40	.1766	----	----	3	----	104 +	3													
4525	----	----		23.80B/7.40A	23.80B/7.40A	----				7.80	- 9.10	.0953	----	----	----	----	31	UNCH													
4525	----	----		220.10B/145.10A	220.10B/145.10A	----				214.20	+ 48.90	.9044	----	----	----	----	9	UNCH													
4550	9.00	9.00		19.20B/5.90A	19.20B/5.90A	----				6.20	- 7.20	.0761	----	----	14	----	40 +	7													
4550	----	----		243.70B/165.40A	243.70B/165.40A	----				237.50	+ 50.70	.9236	----	----	----	----	1	UNCH													
4550	15.20	15.20		30.60B/12.40A	30.60B/12.40A	----				12.70	- 11.10	.1245	----	----	2	----	4 +	2													
4575	----	----		15.40B/4.70A	15.40B/4.70A	----				4.90	- 5.80	.0604	----	----	1	----	8 +	1													
4575	----	----		26.20B/10.30A	26.20B/10.30A	----				10.50	- 9.30	.1045	----	----	----	----	3	UNCH													
4600	----	----		12.40B/3.80A	12.40B/3.80A	----				4.00	- 4.50	.0490	----	----	14	----	82 +	14													
4600	----	----		287.10B/208.70A	287.10B/208.70A	----				285.30	+ 53.40	.9507	----	----	----	----	1	UNCH													
4600	----	----		22.00B/8.60A	22.00B/8.60A	----				8.80	- 7.70	.0883	----	----	----	----	3	UNCH													
4625	4.00	4.00		10.00B/3.20A	10.00B/3.20A	----				3.20	- 3.70	.0391	----	----	2	----	24	UNCH													
4625	7.70	7.70		18.50B/7.20A	18.50B/7.20A	----				7.30	- 6.50	.0740	----	----	15	----	15 +	12													
4650	4.00	4.00		7.90B/2.70A	7.90B/2.70A	----				2.70	- 2.90	.0325	----	----	2	----	12 -	1													
4650	7.10	7.10		15.60B/6.20A	15.60B/6.20A	----				6.20	- 5.40	.0629	----	----	2	----	2	UNCH													
4675	----	----		13.10B/5.30A	13.10B/5.30A	----				5.30	- 4.50	.0537	----	----	----	----	5	UNCH													
4675	----	----		6.50B/2.30A	6.50B/2.30A	----				2.20	- 2.40	.0263	----	----	----	----	10	UNCH													
4700	----	----		5.30B/1.90A	5.30B/1.90A	----				1.90	- 2.00	.0223	----	----	----	----	57	UNCH													
4700	----	----		11.00B/4.60A	11.00B/4.60A	----				4.50	- 3.80	.0456	----	----	----	----	5	UNCH													
4725	----	----		9.30B/4.00A	9.30B/4.00A	----				3.90	- 3.20	.0394	----	----	1	----	6 +	1													
4725	----	----		4.30B/1.70A	4.30B/1.70A	----				1.60	- 1.60	.0185	----	----	----	----	2	UNCH													
4750	----	----		434.60B/365.10A	434.60B/365.10A	----				432.70	+ 56.70	.9840	----	----	1	----	1	UNCH													
4750	----	----		3.60B/1.50A	3.60B/1.50A	----				1.40	- 1.40	.0158	----	----	----	----	17	UNCH													
4750	----	----		8.00B/3.50A	8.00B/3.50A	----				3.40	- 2.70	.0341	----	----	1	----	7 +	1													
4775	----	----		3.00B/1.30A	3.00B/1.30A	----				1.20	- 1.20	.0134	----	----	24	----	34 +	22													
4775	----	----		459.40B/389.10A	459.40B/389.10A	----				457.50	+ 56.90	.9865	----	----	1	----	1	UNCH													
4775	----	----		6.70B/3.10A	6.70B/3.10A	----				3.00	- 2.30	.0298	----	----	----	----	1	UNCH													
4800	----	----		5.60B/2.80A	5.60B/2.80A	----				2.70	- 1.90	.0265	----	----	----	----	1	UNCH													
4800	----	----		2.50B/1.20A	2.50B/1.20A	----				1.10	- 1.00	.0119	----	----	----	----	10	UNCH													
4825	----	----		2.10B/1.10A	2.10B/1.10A	----				1.00	- 0.80	.0106	----	----	----	----	1	UNCH													
4850	----	----		1.80B/1.00A	1.80B/1.00A	----				0.90	- 0.70	.0093	----	----	----	----	1	UNCH													
4900	----	----		----/0.80A	1.30B/0.80A	----				0.70	- 0.60	.0070	----	----	----	----	4	UNCH													
4900	----	----		3.20B/1.90A	3.20B/1.90A	----				1.70	- 1.10	.0161	----	----	----	----	7	UNCH													
4900	----	----		----/3.50A	5.60B/3.50A	----				3.30	- 2.90	.0279	----	----	----	----	7	UNCH													
4925	----	----		----/0.80A	1.10B/0.80A	----				0.70	- 0.50	.0068	----	----	----	----	2	UNCH													
4950	----	----		----/0.70A	0.80B/0.70A	----				0.60	- 0.40	.0058	----	----	----	----	1	UNCH													
4975	----	----		----/0.70A	0.80B/0.70A	----				0.50	- 0.40	.0048	----	----	----	----	2	UNCH													
5000	----	----		----/0.70A	0.50B/0.70A	----				0.50	- 0.40	.0046	----	----	----	----	12	UNCH													
5000	----	----		2.00B/1.40A	2.00B/1.40A	----				1.00	- 0.70	.0093	----	----	----	----	2	UNCH													
5100	----	----		----/0.50A	0.30B/0.50A	----				0.30	- 0.30	.0026	----	----	----	----	13	UNCH													
5100	----	----		1.10B/----	1.10B/1.20A	----				0.60	- 0.40	.0054	----	----	----	----	7	UNCH													
5200	----	----		----	----/0.60A	----				0.10	- 0.30	.0008	----	----	----	----	2	UNCH													
5250	----	----		----	----/0.50A	----				0.10	- 0.30	.0005	----	----	----	----	7	UNCH													
5300	----	----		----	----/0.40A	----				0.10	- 0.20	.0002	----	----	----	----	11	UNCH													
5400	----	----		----	----/0.40A	----				0.10	- 0.20	.0000	----	----	----	----	11	UNCH													
5500	----	----		----	----/0.40A	----				0.10	- 0.10	.0000	----	----	----	----	8	UNCH													
5750	----	----		----	----/0.40A	----				0.10		UNCH	----	----	----	----	40	UNCH													
TOTAL															162		1749 +	118													
GLOBEX OPEN		OPEN	OUTCRY OPEN RANGE	GLOBEX HIGH/LOW		OPEN	OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST														
FMG OPT SEP26		MICRO GOLD WEEKLY FRI OPTION WEEK4																													
4400	5.00	5.00		5.00/5.00	5.00/5.00	----				4.90	NEW	.0874	----	----	1	----	1 +	1													
TOTAL															1		1 +	1													
SILVER OPTIONS ON FUTURES																															
GLOBEX OPEN		OPEN	OUTCRY OPEN RANGE	GLOBEX HIGH/LOW		OPEN	OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST														
RWS THU OCT26		SILVER WEEKLY THURSDAY OPTION week2																													
5000	----	----		----	----/0.031A	----				0.012	+	0.002	.0042	----	----	----	----	1	UNCH												
5500	----	----		0.086B/----	0.086B/0.106A	----				0.100	+	0.021	.0352	----	----	----	----	1	UNCH												
5700	----	----		0.083B/----	0.083B/0.096A	----				0.099	+	0.032	.0405	----	----	----	----	1	UNCH												
5750	----	----		0.101B/----	0.101B/0.111A	----				0.118	+	0.040	.0484	----	----	----	----	1	UNCH												
5800	----	----		0.125B/----	0.125B/0.128A	----				0.142	+	0.052	.0581	----	----	----	----	0	UNCH												
5800	----	----		0.035B/----	0.035B/0.055A	----				0.047	+	0.015	.0231	----	----	----	----	1	UNCH												
5900	----	----		0.368B/----	0.368B/0.266A	----				0.370	+	0.135	.1211	----	----	----	----	1	UNCH												
5950	----	----		0.255B/----	0.255B/0.206A	----				0.250	+	0.103	.0999	----	----	----	----	1	UNCH												
6000	----	----		0.523B/----	0.523B/0.351A	----				0.520	+	0.198	.1625	----	----	----	----	1	UNCH												
6000	----	----		0.116B/----	0.116B/0.086A	----				0.120	+	0.056	.0617	----	----	----	----	1	UNCH												
6000	----	----		0.314B/----	0.314B/0.237A	----				0.304	+	0.129	.1195	----	----	----	----	2	UNCH												
6000	----	----		0.731B/----	0.731B/0.519A	----				0.720	+	0.229	.1911	----	----	----	----	2	UNCH												
6100	----	----		0.203B/----	0.203B/0																										

BULLETIN #183@				METALS OPTION PRODUCTS							Wed, Sep 23, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SMW MON	SILVER WEEKLY MONDAY OPTION WEEK4														
SEP26															
6000	----	----	----	0.0248/0.042A	----	0.043 + 0.017	.0249	----	----	----	----	4	UNCH		
6150	----	----	0.1018/----	0.1018/0.066A	----	0.099 + 0.048	.0643	----	----	----	----	1	UNCH		
6200	----	----	0.1488/----	0.1488/0.077A	----	0.138 + 0.072	.0911	----	----	----	----	1	UNCH		
6240	----	----	0.2008/----	0.2008/0.088A	----	0.182 + 0.100	.1203	----	----	----	----	1	UNCH		
6270	----	----	0.2478/----	0.2478/0.098A	----	0.225 + 0.128	.1477	----	----	----	----	1	UNCH		
6300	----	----	0.3078/0.110A	0.3078/0.110A	----	0.278 + 0.162	.1800	----	----	----	----	1	UNCH		
6400	----	----	0.5928/0.162A	0.5928/0.162A	----	0.546 + 0.328	.3228	----	----	----	----	7	UNCH		
6500	0.913	0.913	3.1648/0.835A	3.1648/0.835A	----	0.948 - 1.000	.5002	----	10	----	----	12 +	10		
6500	----	----	1.0578/0.259A	1.0578/0.259A	----	0.984 + 0.565	.4997	----	----	----	----	10	UNCH		
6600	----	----	1.7008/0.428A	1.7008/0.428A	----	1.599 + 0.833	.6687	----	----	----	----	25	UNCH		
6600	----	----	2.3438/0.488A	2.3438/0.488A	----	0.564 NEW	.3312	----	2	----	----	2 +	2		
6610	----	----	1.7758/0.458A	1.7758/0.458A	----	1.670 + 0.860	.6838	----	----	----	----	2	UNCH		
6610	----	----	2.2678/0.468A	2.2678/0.468A	----	0.534 NEW	.3161	----	1	----	----	1 +	1		
6620	----	----	2.1938/0.437A	2.1938/0.437A	----	0.506 NEW	.3016	----	1	----	----	1 +	1		
6660	----	----	2.1668/0.600A	2.1668/0.600A	----	2.042 + 0.986	.7519	----	----	----	----	4	UNCH		
6700	0.640	0.640	1.6488/0.284A	1.6488/0.284A	----	0.327 NEW	.2021	----	3	----	----	3 +	3		
6700	----	----	2.4988/0.735A	2.4988/0.735A	----	2.362 + 1.079	.7978	----	1	----	----	1	UNCH		
6750	----	----	2.9358/0.959A	2.9358/0.959A	----	2.784 + 1.180	.8449	----	1	----	----	2 -	1		
6790	----	----	1.2168/0.188A	1.2168/0.188A	----	0.201 - 0.316	.1249	----	----	----	----	4	UNCH		
6800	0.161	0.161	1.1718/0.161	1.1718/0.161	----	0.191 - 0.300	.1184	----	1	----	----	2 +	1		
6830	----	----	1.0098/0.156A	1.0098/0.156A	----	0.163 - 0.258	.1005	----	----	----	----	1	UNCH		
6890	----	----	0.7968/0.111A	0.7968/0.111A	----	0.121 - 0.188	.0730	----	----	----	----	2	UNCH		
6950	----	----	4.8228/2.206A	4.8228/2.206A	----	4.627 + 1.430	.9456	----	----	----	----	6	UNCH		
7000	----	----	5.2998/2.580A	5.2998/2.580A	----	5.110 + 1.462	.9570	----	----	----	----	2	UNCH		
7010	0.060	0.060	0.4758/0.060	0.4758/0.060	----	0.074 NEW	.0414	----	1	----	----	1 +	1		
7040	0.062	0.062	0.4038/0.062	0.4038/0.062	----	0.066 NEW	.0362	----	1	----	----	1 +	1		
7100	0.300	0.300	0.3078/0.065A	0.3078/0.065A	----	0.055 NEW	.0287	----	15	----	----	15 +	15		
7160	----	----	0.2268/0.059A	0.2268/0.059A	----	0.047 - 0.046	.0234	----	----	----	----	1	UNCH		
7200	----	----	0.1988/0.055A	0.1988/0.055A	----	0.043 - 0.038	.0207	----	----	----	----	1	UNCH		
7300	----	----	0.1308/0.048A	0.1308/0.048A	----	0.035 - 0.026	.0155	----	----	----	----	1	UNCH		
7400	----	----	0.0838/0.043A	0.0838/0.043A	----	0.028 - 0.021	.0116	----	----	----	----	2	UNCH		
8100	----	----	----	0.0038/0.027A	----	0.004 - 0.018	.0011	----	----	----	----	2	UNCH		
TOTAL										39	0	122 +	36		
OCT26															
5700	----	----	0.1158/----	0.1158/0.126A	----	0.138 + 0.050	.0524	----	----	----	----	2	UNCH		
5900	----	----	0.2648/----	0.2648/0.224A	----	0.274 + 0.110	.1009	----	----	----	----	3	UNCH		
5900	----	----	0.1158/----	0.1158/0.104A	----	0.129 + 0.050	.0597	----	----	----	----	1	UNCH		
6000	----	----	0.3948/----	0.3948/0.302A	----	0.392 + 0.161	.1394	----	----	----	----	2	UNCH		
6000	----	----	0.2018/----	0.2018/0.138A	----	0.202 + 0.089	.0918	----	----	----	----	2	UNCH		
6100	----	----	0.5788/----	0.5788/0.377A	----	0.560 + 0.231	.1896	----	----	----	----	2	UNCH		
6150	----	----	0.4198/----	0.4198/0.233A	----	0.394 + 0.191	.1686	----	----	----	----	2	UNCH		
6300	----	----	0.8038/0.333A	0.8038/0.333A	----	0.751 + 0.363	.2879	----	----	----	----	25	UNCH		
6350	0.638	0.638	0.9858/0.375A	0.9858/0.375A	----	0.920 + 0.435	.3361	----	7	----	----	7 +	7		
6400	----	----	1.1948/0.450A	1.1948/0.450A	----	1.116 + 0.513	.3870	----	2	----	----	2 +	2		
6500	----	----	3.4578/1.487A	3.4578/1.487A	----	1.559 NEW	.5078	----	4	----	----	4 +	4		
6750	2.080	2.080	2.080/0.682A	2.080/0.682A	----	0.722 - 0.486	.2777	----	1	----	----	0 -	1		
6950	----	----	1.2168/0.378A	1.2168/0.378A	----	0.392 - 0.260	.1599	----	----	----	----	5	UNCH		
7600	----	----	0.2358/0.104A	0.2358/0.104A	----	0.089 - 0.029	.0339	----	----	----	----	11	UNCH		
TOTAL										14	0	68 +	12		
SO CALL	COMEX SILVER OPTIONS														
OCT26															
5000	----	----	----/14.747A	15.6858/14.747A	----	14.964 - 1.566	.0000	----	----	----	----	5	UNCH		
5275	----	----	----/11.997A	12.3678/11.997A	----	12.214 - 1.566	.0000	----	----	----	----	0	UNCH		
5500	----	----	----/9.742A	10.6868/9.742A	----	9.965 - 1.566	.0000	1	----	----	----	2 -	1		
5600	----	----	----/8.743A	9.6878/8.743A	----	8.965 - 1.567	.0000	8	----	----	----	1 -	8		
5700	----	----	----/7.743A	8.6878/7.743A	----	7.965 - 1.569	.0000	----	----	----	----	15	UNCH		
5750	----	----	----/7.247A	8.1938/7.247A	----	7.465 - 1.570	.0000	----	----	----	----	1	UNCH		
5800	----	----	----/6.743A	7.7468/6.743A	----	6.965 - 1.571	.0000	----	----	----	----	55	UNCH		
5825	----	----	----/6.494A	6.8728/6.494A	----	6.715 - 1.571	.0000	----	----	----	----	0	UNCH		
5875	----	----	----/5.998A	6.9438/5.998A	----	6.215 - 1.571	.0000	----	----	----	----	1	UNCH		
5900	----	----	----/5.747A	6.7218/5.747A	----	5.965 - 1.572	.9999	----	----	----	----	32	UNCH		
5925	----	----	----/5.497A	6.4448/5.497A	----	5.715 - 1.572	.9999	----	----	----	----	0 -	2		
5950	----	----	----/5.243A	6.1948/5.243A	----	5.466 - 1.571	.9999	----	----	----	----	6	UNCH		
5975	----	----	----/4.993A	5.9458/4.993A	----	5.216 - 1.571	.9999	----	----	----	----	7	UNCH		
6000	----	----	----/4.749A	5.7478/4.749A	----	4.967 - 1.570	.9998	----	----	----	----	105	UNCH		
6025	----	----	----/4.495A	5.4468/4.495A	----	4.717 - 1.571	.9997	----	----	----	----	4	UNCH		
6050	----	----	----/4.246A	5.2018/4.246A	----	4.468 - 1.570	.9997	----	----	----	----	19	UNCH		
6075	----	----	----/3.997A	4.9488/3.997A	----	4.219 - 1.570	.9996	----	----	----	----	7	UNCH		
6100	----	----	----/3.752A	4.7478/3.752A	----	3.970 - 1.570	.9994	----	----	----	----	81	UNCH		
6125	----	----	----/3.499A	4.4558/3.499A	----	3.721 - 1.570	.9992	----	----	----	----	2	UNCH		
6150	----	----	----/3.255A	4.2058/3.255A	----	3.472 - 1.571	.9988	----	----	----	----	6	UNCH		
6175	----	----	----/3.008A	3.9598/3.008A	----	3.225 - 1.570	.9983	----	----	----	----	14	UNCH		
6200	----	----	----/2.760A	3.7348/2.760A	----	2.979 - 1.569	.9970	----	----	----	----	28	UNCH		
6225	----	----	----/2.522A	3.5708/2.522A	----	2.735 - 1.566	.9948	----	----	----	----	16	UNCH		
6250	----	----	----/2.283A	3.4958/2.283A	----	2.494 - 1.561	.9907	----	----	----	----	55	UNCH		
6275	----	----	----/2.045A	3.3368/2.045A	----	2.257 - 1.552	.9835	----	----	----	----	4	UNCH		
6300	----	----	----/1.813A	3.2988/1.813A	----	2.025 - 1.540	.9716	----							



PG64	BULLETIN #183@										METALS OPTION PRODUCTS					Wed, Sep 23, 2026			PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
SO CALL	COMEX SILVER OPTIONS																		
OCT26																			
6920	----	----	----	0.389B/0.015A	0.389B/0.015A	----	0.015	-	0.081	.0018	----	----	2	----	0	-	2		
6925	0.036	0.036	0.036	0.372B/0.014A	0.372B/0.014A	----	0.015	-	0.078	.0018	----	----	9	----	36	-	2		
6930	0.075	0.075	0.075	0.360B/0.014A	0.360B/0.014A	----	0.014	-	0.076	.0016	----	----	4	----	18	-	4		
6940	----	----	----	0.331B/0.013A	0.331B/0.013A	----	0.014	-	0.070	.0016	----	----	----	----	4	----	UNCH		
6950	----	----	----	0.309B/0.013A	0.309B/0.013A	----	0.013	-	0.065	.0014	----	----	4	----	176	-	4		
6960	----	----	----	0.288B/0.014A	0.288B/0.014A	----	0.013	-	0.061	.0013	----	----	----	----	2	----	UNCH		
6970	----	----	----	0.267B/0.012A	0.267B/0.012A	----	0.012	-	0.058	.0011	----	----	----	----	1	----	UNCH		
6975	0.060	0.060	0.060	0.258B/0.012A	0.258B/0.012A	----	0.012	-	0.056	.0011	----	----	12	----	41	-	1		
7000	0.085	0.085	0.085	0.222B/0.010	0.222B/0.010	----	0.011	-	0.048	.0009	----	----	95	----	774	+	22		
7025	0.074	0.074	0.074	0.187B/0.011A	0.187B/0.011A	----	0.011	-	0.040	.0008	----	----	33	----	94	-	7		
7050	0.046	0.046	0.046	0.153B/0.005	0.153B/0.005	----	0.010	-	0.034	.0007	----	----	34	----	91	-	21		
7075	----	----	----	0.127B/0.010A	0.127B/0.010A	----	0.009	-	0.031	.0005	----	----	----	----	73	----	UNCH		
7080	----	----	----	0.122B/0.008A	0.122B/0.008A	----	0.009	-	0.030	.0005	----	----	----	----	9	----	UNCH		
7090	----	----	----	0.114B/0.009A	0.114B/0.009A	----	0.009	-	0.029	.0005	----	----	----	----	2	----	UNCH		
7100	0.013	0.013	0.013	0.107B/0.009A	0.107B/0.009A	----	0.009	-	0.028	.0005	----	----	4	----	258	+	3		
7110	----	----	----	0.102B/0.008A	0.102B/0.008A	----	0.009	-	0.027	.0005	----	----	----	----	2	----	UNCH		
7120	0.012	0.012	0.012	0.095B/0.009A	0.095B/0.009A	----	0.009	-	0.026	.0005	----	----	3	----	5	----	UNCH		
7125	----	----	----	0.092B/0.009A	0.092B/0.009A	----	0.009	-	0.025	.0005	----	----	----	----	19	----	UNCH		
7140	----	----	----	0.082B/0.010A	0.082B/0.010A	----	0.008	-	0.025	.0004	----	----	----	----	1	----	UNCH		
7150	0.007	0.007	0.007	0.079B/0.005	0.079B/0.005	----	0.008	-	0.024	.0004	----	----	6	----	42	----	UNCH		
7160	----	----	----	0.065B/0.009A	0.065B/0.009A	----	0.008	-	0.023	.0004	----	----	----	----	1	----	UNCH		
7175	----	----	----	0.059B/0.009A	0.059B/0.009A	----	0.008	-	0.022	.0003	----	----	----	----	80	----	UNCH		
7190	----	----	----	0.059B/0.007A	0.059B/0.007A	----	0.008	-	0.021	.0003	----	----	----	----	2	----	UNCH		
7200	0.010	0.010	0.010	0.058B/0.009A	0.058B/0.009A	----	0.007	-	0.021	.0003	----	----	29	----	317	+	9		
7210	0.012	0.012	0.012	0.054B/0.008A	0.054B/0.008A	----	0.007	-	0.021	.0002	----	----	1	----	2	-	1		
7225	----	----	----	0.051B/0.007A	0.051B/0.007A	----	0.007	-	0.020	.0002	----	----	----	----	55	----	UNCH		
7230	----	----	----	0.050B/0.008A	0.050B/0.008A	----	0.007	-	0.020	.0002	----	----	----	----	5	----	UNCH		
7250	0.007	0.007	0.007	0.044B/0.007	0.044B/0.007	----	0.007	-	0.019	.0002	----	----	4	----	330	----	UNCH		
7275	----	----	----	0.039B/0.009A	0.039B/0.009A	----	0.006	-	0.019	.0002	----	----	----	----	15	----	UNCH		
7300	0.039	0.039	0.039	0.039/0.008A	0.039/0.008A	----	0.006	-	0.018	.0001	----	----	3	----	224	----	UNCH		
7325	----	----	----	0.033B/0.008A	0.033B/0.008A	----	0.005	-	0.018	.0001	----	----	----	----	8	----	UNCH		
7350	0.005	0.005	0.005	0.029B/0.005	0.029B/0.005	----	0.005	-	0.018	.0001	----	----	3	----	119	----	UNCH		
7375	----	----	----	0.027B/0.008A	0.027B/0.008A	----	0.005	-	0.017	.0001	----	----	----	----	12	----	UNCH		
7380	----	----	----	0.028B/0.008A	0.028B/0.008A	----	0.005	-	0.017	.0001	----	----	----	----	1	----	UNCH		
7400	0.008	0.008	0.008	0.026B/0.008	0.026B/0.008	----	0.005	-	0.017	.0001	----	----	1	----	205	----	UNCH		
7425	----	----	----	0.024B/0.008A	0.024B/0.008A	----	0.004	-	0.018	.0000	----	----	----	----	36	----	UNCH		
7450	----	----	----	0.022B/0.008A	0.022B/0.008A	----	0.004	-	0.017	.0000	----	----	----	----	43	----	UNCH		
7475	----	----	----	0.022B/0.013A	0.022B/0.013A	----	0.004	-	0.016	.0000	----	----	----	----	59	----	UNCH		
7500	0.020	0.020	0.020	0.020/0.010	0.020/0.010	----	0.003	-	0.016	.0000	----	----	5	----	917	----	UNCH		
7525	----	----	----	----/0.014A	0.013B/0.014A	----	0.003	-	0.016	.0000	----	----	----	----	21	----	UNCH		
7550	----	----	----	----/0.007A	0.012B/0.007A	----	0.003	-	0.015	.0000	----	----	----	----	36	----	UNCH		
7575	0.011	0.011	0.011	0.011/0.011	0.012B/0.011	----	0.003	-	0.015	.0000	----	----	1	----	39	----	UNCH		
7600	----	----	----	----/0.013A	0.010B/0.013A	----	0.003	-	0.015	.0000	----	----	----	----	180	----	UNCH		
7625	----	----	----	----/0.013A	0.010B/0.013A	----	0.003	-	0.015	.0000	----	----	----	----	21	----	UNCH		
7650	----	----	----	----/0.007A	0.010B/0.007A	----	0.003	-	0.015	.0000	----	----	----	----	11	----	UNCH		
7675	----	----	----	----/0.007A	0.009B/0.007A	----	0.003	-	0.014	.0000	----	----	----	----	10	----	UNCH		
7700	----	----	----	----/0.012A	0.009B/0.012A	----	0.002	-	0.015	.0000	----	----	----	----	95	----	UNCH		
7725	----	----	----	----/0.012A	0.009B/0.012A	----	0.002	-	0.015	.0000	----	----	----	----	8	----	UNCH		
7750	----	----	----	----/0.011A	0.009B/0.011A	----	0.002	-	0.015	.0000	----	----	----	----	166	----	UNCH		
7775	0.009	0.009	0.009	0.009/0.009	0.009/0.009	----	0.002	-	0.014	.0000	----	----	1	----	36	----	UNCH		
7800	----	----	----	----/0.011A	0.008B/0.011A	----	0.002	-	0.014	.0000	----	----	----	----	280	----	UNCH		
7825	----	----	----	----/0.013A	0.008B/0.013A	----	0.002	-	0.013	.0000	----	----	----	----	35	----	UNCH		
7850	----	----	----	----	0.004B/0.015A	----	0.002	-	0.012	.0000	----	----	----	----	57	----	UNCH		
7875	----	----	----	----	0.004B/0.015A	----	0.002	-	0.011	.0000	----	----	----	----	82	----	UNCH		
7900	----	----	----	----	0.004B/0.015A	----	0.001	-	0.012	----	----	----	----	----	106	----	UNCH		
7925	----	----	----	----	0.003B/0.015A	----	0.001	-	0.011	----	----	----	----	----	11	----	UNCH		
7950	----	----	----	----	0.003B/0.015A	----	0.001	-	0.010	----	----	----	----	----	61	----	UNCH		
7975	----	----	----	----	0.003B/0.016A	----	0.001	-	0.010	----	----	----	----	----	8	----	UNCH		
8000	0.005	0.005	0.005	0.005/0.005	0.005/0.005	----	0.001	-	0.009	----	----	----	1	----	1536	----	UNCH		
8025	----	----	----	----	0.002B/0.016A	----	0.001	-	0.009	----	----	----	----	----	3	----	UNCH		
8050	----	----	----	----	0.003B/0.016A	----	0.001	-	0.009	----	----	----	----	----	15	----	UNCH		
8075	----	----	----	----	0.003B/0.017A	----	0.001	-	0.008	----	----	----	----	----	14	----	UNCH		
8100	----	----	----	----	0.002B/0.017A	----	0.001	-	0.008	----	----	----	----	----	28	----	UNCH		
8125	----	----	----	----	0.002B/														

	BULLETIN #183@				METALS OPTION PRODUCTS						Wed, Sep 23, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL	COMEX SILVER OPTIONS														
OCT26															
10250	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	1	UNCH
10275	----	----	----	----	----/0.015A	----	----	0.001	UNCH	----	----	----	----	4	UNCH
10300	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	10	UNCH
10325	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	4	UNCH
10350	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	4	UNCH
10375	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	3	UNCH
10400	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	80	UNCH
10425	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	4	UNCH
10450	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	5	UNCH
10475	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	5	UNCH
10500	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	45	UNCH
10525	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	3	UNCH
10550	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	4	UNCH
10575	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	9	UNCH
10600	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	8	UNCH
10625	----	----	----	----	----/0.011A	----	----	0.001	UNCH	----	----	----	----	7	UNCH
10650	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	6	UNCH
10675	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	4	UNCH
10700	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	13	UNCH
10725	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	2	UNCH
10750	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	12	UNCH
10775	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	2	UNCH
10800	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	5	UNCH
10825	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	2	UNCH
10850	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	1	UNCH
10875	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	1	UNCH
10900	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	1	UNCH
10925	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	4	UNCH
10950	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	4	UNCH
10975	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	4	UNCH
11000	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	398	UNCH
11025	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	7	UNCH
11050	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	10	UNCH
11075	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	10	UNCH
11100	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	2	UNCH
11175	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	1	UNCH
11275	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	2	UNCH
11300	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	3	UNCH
11400	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	4	UNCH
11450	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	4	UNCH
11475	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	12	UNCH
11500	----	----	----	----	----/0.010A	----	----	0.001	UNCH	----	----	----	----	24	UNCH
11675	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	1	UNCH
11700	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	2	UNCH
11725	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	1	UNCH
11800	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	2	UNCH
12000	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	134	UNCH
12050	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	3	UNCH
12175	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	2	UNCH
12500	----	----	----	----	----/0.010A	----	----	0.001	UNCH	----	----	----	----	17	UNCH
12675	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	7	UNCH
12700	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	7	UNCH
12725	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	7	UNCH
12750	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	7	UNCH
12775	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	7	UNCH
12800	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	7	UNCH
12825	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	7	UNCH
13000	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	111	UNCH
14000	----	----	----	----	----/0.005A	----	----	0.001	UNCH	----	----	----	----	6	UNCH
15000	----	----	----	----	----/0.005A	----	----	0.001	UNCH	----	----	----	----	328	UNCH
16000	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	36	UNCH
17000	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	120	UNCH
18000	----	----	----	----	----/0.081A	----	----	0.001	UNCH	----	----	----	----	347	UNCH
20000	----	----	----	----	----/0.002A	----	----	0.001	UNCH	----	----	----	----	219	UNCH
TOTAL												2061	0	39999 +	199
NOV26															
5000	----	----	----	----/14.884A	15.738B/14.884A	----	----	15.000 -	1.557	.9816	----	1	----	12 +	1
5500	----	----	----	----/9.964A	11.187B/9.964A	----	----	10.146 -	1.517	.9400	----	----	----	5	UNCH
5575	----	----	----	11.760B/9.265A	11.760B/9.265A	----	----	9.443 -	1.503	.9274	----	----	----	1	UNCH
5725	----	----	----	10.932B/7.909A	10.932B/7.909A	----	----	8.078 -	1.458	.8937	----	----	----	2	UNCH
5900	----	----	----	9.317B/6.431A	9.317B/6.431A	----	----	6.587 -	1.372	.8359	----	----	----	1	UNCH
5975	----	----	----	8.653B/5.850A	8.653B/5.850A	----	----	5.990 -	1.325	.8050	----	----	----	1	UNCH
6000	----	----	----	8.435B/5.656A	8.435B/5.656A	----	----	5.797 -	1.308	.7938	----	----	----	10	UNCH
6050	----	----	----	7.997B/5.292A	7.997B/5.292A	----	----	5.422 -	1.272	.7705	----	----	----	2	UNCH
6100	----	----	----	7.578B/4.934A	7.578B/4.934A	----	----	5.061 -	1.233	.7458	----	----	----	5	UNCH
6200	----	----	----	6.770B/4.260A	6.770B/4.260A	----	----	4.387 -	1.145	.6925	----	1	----	17 +	1
6225	----	----	----	6.579B/4.100A	6.579B/4.100A	----	----	4.229 -	1.121	.6786	----	----	----	1	UNCH
6250	----	----	----	6.384B/3.950A	6.384B/3.950A	----	----	4.075 -	1.097	.6645	----	----	----	4	UNCH
6275	----	----	----	6.196B/3.806A	6.196B/3.806A	----	----	3.924 -	1.074	.6502	----	----	----	1	UNCH
6300	3.700	3.700		6.012B/3.660A	6.012B/3.660A	----	----	3.778 -	1.049	.6358					



PG64 BULLETIN #183@				METALS OPTION PRODUCTS							Wed, Sep 23, 2026 PG64				
GLOBEX OPEN		OPEN RANGE	OUTCRY HIGH/LOW	GLOBEX HIGH/LOW	OPEN RANGE	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS													
NOV26															
7775	0.434	0.434	0.815B/0.374A	0.815B/0.374A	----	0.375	-	0.135	.0942	----	----	----	2	----	13 +
7800	0.545	0.545	0.789B/0.363A	0.789B/0.363A	----	0.363	-	0.130	.0913	----	----	----	6	----	260 +
7825	----	----	0.764B/0.350A	0.764B/0.350A	----	0.351	-	0.126	.0883	----	----	----	----	----	2 UNCH
7850	0.614	0.614	0.739B/0.336	0.739B/0.336	----	0.340	-	0.122	.0856	----	----	----	10	----	515 +
7875	----	----	0.716B/0.329A	0.716B/0.329A	----	0.330	-	0.117	.0831	----	----	----	9	----	10 UNCH
7900	0.675	0.675	0.692B/0.313	0.692B/0.313	----	0.320	-	0.112	.0806	----	----	----	15	----	52 +
7950	0.367	0.367	0.649B/0.301A	0.649B/0.301A	----	0.302	-	0.104	.0760	----	----	----	2	----	6 +
7975	----	----	0.629B/0.291A	0.629B/0.291A	----	0.294	-	0.099	.0739	----	----	----	----	----	3 UNCH
8000	0.600	0.600	0.610B/0.282A	0.610B/0.282A	----	0.285	-	0.096	.0717	----	----	----	234	580	1077 +
8025	0.331	0.331	0.591B/0.274A	0.591B/0.274A	----	0.277	-	0.092	.0698	----	----	----	1	----	360 +
8050	----	----	0.573B/0.267A	0.573B/0.267A	----	0.270	-	0.088	.0678	----	----	----	----	----	6 +
8075	----	----	0.555B/0.261A	0.555B/0.261A	----	0.262	-	0.085	.0658	----	----	----	----	----	1 UNCH
8100	----	----	0.541B/0.253A	0.541B/0.253A	----	0.255	-	0.082	.0640	----	----	----	----	----	2 UNCH
8125	----	----	0.524B/0.246A	0.524B/0.246A	----	0.248	-	0.079	.0622	----	----	----	----	----	21 UNCH
8150	----	----	0.509B/0.239A	0.509B/0.239A	----	0.241	-	0.077	.0604	----	----	----	----	----	1 UNCH
8175	----	----	0.494B/0.233A	0.494B/0.233A	----	0.235	-	0.074	.0588	----	----	----	----	----	124 UNCH
8200	----	----	0.480B/0.227A	0.480B/0.227A	----	0.228	-	0.072	.0571	----	----	----	1	----	3 UNCH
8225	----	----	0.467B/0.221A	0.467B/0.221A	----	0.222	-	0.070	.0556	----	----	----	----	----	111 +
8250	----	----	0.452B/0.215A	0.452B/0.215A	----	0.216	-	0.067	.0540	----	----	----	----	----	4 UNCH
8275	----	----	0.439B/0.209A	0.439B/0.209A	----	0.210	-	0.066	.0525	----	----	----	----	----	9 UNCH
8300	----	----	0.425B/0.204A	0.425B/0.204A	----	0.205	-	0.063	.0512	----	----	----	----	----	5 UNCH
8325	----	----	0.412B/0.199A	0.412B/0.199A	----	0.200	-	0.061	.0499	----	----	----	----	----	89 UNCH
8350	----	----	0.401B/0.194A	0.401B/0.194A	----	0.194	-	0.060	.0484	----	----	----	----	----	3 UNCH
8375	----	----	0.390B/0.189A	0.390B/0.189A	----	0.190	-	0.057	.0473	----	----	----	----	----	2 UNCH
8400	----	----	0.379B/0.185A	0.379B/0.185A	----	0.185	-	0.056	.0460	----	----	----	----	----	4 UNCH
8425	----	----	0.369B/0.181A	0.369B/0.181A	----	0.180	-	0.055	.0448	----	----	----	----	----	176 UNCH
8450	0.179	0.179	0.359B/0.176A	0.359B/0.176A	----	0.176	-	0.053	.0437	----	----	----	5	----	5 UNCH
8500	0.300	0.300	0.340B/0.169A	0.340B/0.169A	----	0.167	-	0.051	.0414	----	----	----	7	----	7 UNCH
8600	----	----	0.306B/0.155A	0.306B/0.155A	----	0.153	-	0.045	.0377	----	----	----	----	----	527 +
8625	----	----	0.299B/0.152A	0.299B/0.152A	----	0.149	-	0.044	.0367	----	----	----	----	----	2 UNCH
8675	----	----	0.285B/0.146A	0.285B/0.146A	----	0.143	-	0.042	.0351	----	----	----	----	----	1 UNCH
8700	0.218	0.218	0.278B/0.143A	0.278B/0.143A	----	0.140	-	0.041	.0343	----	----	----	1	----	4 UNCH
8725	----	----	0.188B/0.141A	0.188B/0.141A	----	0.137	-	0.040	.0335	----	----	----	----	----	49 +
8750	----	----	0.251B/0.138A	0.251B/0.138A	----	0.135	-	0.038	.0329	----	----	----	----	----	1 UNCH
8800	0.176	0.176	0.198B/0.133A	0.198B/0.133A	----	0.129	-	0.037	.0314	----	----	----	3	----	2 UNCH
8850	----	----	0.191B/0.128A	0.191B/0.128A	----	0.125	-	0.034	.0303	----	----	----	----	----	103 UNCH
8900	----	----	0.193B/0.123A	0.193B/0.123A	----	0.120	-	0.033	.0290	----	----	----	----	----	2 UNCH
8925	----	----	0.194B/0.121A	0.194B/0.121A	----	0.118	-	0.032	.0284	----	----	----	----	----	13 UNCH
8950	----	----	0.194B/0.119A	0.194B/0.119A	----	0.115	-	0.032	.0277	----	----	----	----	----	8 UNCH
8975	----	----	0.194B/0.117A	0.194B/0.117A	----	0.113	-	0.031	.0272	----	----	----	----	----	1 UNCH
9000	0.126	0.126	0.193B/0.115A	0.193B/0.115A	----	0.111	-	0.031	.0266	----	----	----	1	----	3 UNCH
9025	----	----	0.195B/0.112A	0.195B/0.112A	----	0.109	-	0.030	.0261	----	----	----	----	----	2 UNCH
9050	----	----	0.195B/0.110A	0.195B/0.110A	----	0.107	-	0.029	.0256	----	----	----	----	----	200 UNCH
9100	----	----	0.188B/0.107A	0.188B/0.107A	----	0.103	-	0.029	.0245	----	----	----	----	----	1 UNCH
9150	----	----	0.181B/0.103A	0.181B/0.103A	----	0.099	-	0.028	.0235	----	----	----	----	----	1 UNCH
9200	----	----	0.171B/0.100A	0.171B/0.100A	----	0.096	-	0.027	.0227	----	----	----	----	----	5 UNCH
9225	----	----	0.168B/0.098A	0.168B/0.098A	----	0.094	-	0.027	.0222	----	----	----	----	----	6 UNCH
9250	----	----	0.165B/0.096A	0.165B/0.096A	----	0.092	-	0.027	.0217	----	----	----	----	----	10 UNCH
9300	----	----	0.157B/0.093A	0.157B/0.093A	----	0.089	-	0.026	.0209	----	----	----	----	----	7 UNCH
9325	----	----	0.156B/0.092A	0.156B/0.092A	----	0.087	-	0.026	.0205	----	----	----	----	----	12 UNCH
9350	----	----	0.151B/0.090A	0.151B/0.090A	----	0.086	-	0.025	.0202	----	----	----	----	----	7 UNCH
9400	----	----	0.146B/0.088A	0.146B/0.088A	----	0.083	-	0.025	.0194	----	----	----	----	----	1 UNCH
9450	----	----	0.140B/0.085A	0.140B/0.085A	----	0.080	-	0.024	.0186	----	----	----	----	----	11 UNCH
9500	----	----	0.134B/0.081A	0.134B/0.081A	----	0.078	-	0.023	.0181	----	----	----	----	----	77 UNCH
9550	----	----	0.130B/0.083A	0.130B/0.083A	----	0.076	-	0.022	.0175	----	----	----	----	----	5 UNCH
9600	----	----	0.125B/0.082A	0.125B/0.082A	----	0.074	-	0.021	.0170	----	----	----	----	----	366 UNCH
9625	----	----	0.123B/0.080A	0.123B/0.080A	----	0.073	-	0.021	.0167	----	----	----	----	----	3 UNCH
9700	----	----	0.115B/0.077A	0.115B/0.077A	----	0.071	-	0.019	.0161	----	----	----	----	----	1 UNCH
9775	----	----	0.109B/0.072A	0.109B/0.072A	----	0.069	-	0.017	.0156	----	----	----	----	----	1 UNCH
9800	----	----	0.108B/0.073A	0.108B/0.073A	----	0.068	-	0.017	.0153	----	----	----	----	----	6 UNCH
9850	----	----	0.105B/0.070A	0.105B/0.070A	----	0.067	-	0.016	.0150	----	----	----	----	----	1 UNCH
9900	----	----	0.101B/0.069A	0.101B/0.069A	----	0.065	-	0.015	.0145	----	----	----	----	----	10 UNCH
9950	----	----	0.098B/0.067A	0.098B/0.067A	----	0.064	-	0.014	.0142	----	----	----	----	----	1 UNCH
10000	0.063	0.063	0.095B/0.060	0.095B/0.060	----	0.063	-	0.013	.0139	----	----	----	4	----	263 UNCH
10100	----	----	0.089B/0.063A	0.089B/0.063A	----	0.061	-	0.011	.0133	----	----	----	----	----	5 UNCH
10200	----	----	0.084B/0.059A	0.084B/0.059A	----	0.058	-	0.010	.0126	----	----	----	----	----	9 UNCH
10300	----	----	0.079B/0.056A	0.079B/0.056A	----	0.056	-	0.009	.0120	----	----	----	----	----	5 UNCH
10400	----	----	0.072B/0.053A	0.072B/0.053A	----	0.054	-	0.008	.0115	----	----	----	----	----	5 UNCH
10500	0.041	0.041	0.068B/0.041	0.068B/0.041	----	0.052	-	0.007	.0110	----	----	----	1	----	206 -
10550	----	----	0.066B/0.052A	0.066B/0.052A	----	0.051	-	0.006	.0107	----	----	----	----	----	1 UNCH
10950	----	----	0.053B/0.042A	0.053B/0.042A	----	0.042	-	0.006	.0086	----	----	----	----	----	5 UNCH
11000	----	----	0.051B/0.043A	0.051B/0.043A	----	0.041	-	0.006	.0084	----	----	----	----	----	306 UNCH
11100	----	----	0.048B/0.039A	0.048B/0.039A	----	0.039	-	0.006	.0080	----	----	----	----	----	2 UNCH
11150	----	----	0.047B/0.041A	0.047B/0.041A	----	0.038	-	0.006	.0077	----	----	----	----	----	1 UNCH
11500	----	----	----/0.036A	0.038B/0.036A	----	0.032	-	0.006	.0064	----	----	----	----	----	1 UNCH
11600	----	----	----/0.035A	0.035B/0.035A	----	0.031	-	0.005	.0062	----	----	----	----	----	1 UNCH
11700	----	----	----/0.031A	0.034B/0.031A	----	0.029	-	0.006	.0058	----	----	----	----	----	27 UNCH
11725	----	----	----/0.031A	0.032B/0.031A	----	0.029	-	0.005	.0057	----	----	----	----	----	2 UNCH
11750	----	----	----/0.033A	0.032B/0.033A	----	0.028	-	0.006	.0056	----	----	----	----	----	2 UNCH
11825	----	----	----/0.031A	0.032B/0.031A	----	0.027	-	0.006	.0053	----	----	----	----	----	2 UNCH
12000	----	----	----/0.030A	0.017B/0.030A	----	0.025	-	0.006	.0049	----	----	----	----	----	73 UNCH
12125	----	----	----	0.015B/0.031A	----	0.023	-	0.007	.0045	----	----	----	----	----	20 UNCH
12500	----	----	----	0.009B/0.028A	----	0.019	-	0.007	.0037	----	----	----	----	----	11 UNCH
13000	----	----	----	0.005B/0.029A	----	0.016	-	0.006	.0030	----	----	----	----	----	9 UNCH
14000	----	----	----	0.001B/0.024A	----	0.012	-	0.004	.0022	----	----	----	----	----	7 UNCH
15000	----	----	----	----/0.027A	----	0.009	-	0.003	.0016	----	----	----	----	----	20 UNCH
16000	----	----	----	----/0.032A	----	0.007	-	0.002	.0012	----	----	----	----	----	14 UNCH
17000	----	----	----	----/0.091A	----	0.005	-	0.002	.0008	----	----	----	----	----	14 UNCH
18000	----	----	----	----/0.089A	----	0.004	-	0.001	.0006	----	----	----	----	----	10 UNCH
20000	----	----	----	----/0.088A	----	0.002	-	0.001	.0003	----	----	----	----	----	35 UNCH
21000	----	----	----	----/0.087A	----	0.002	-	UNCH	.0003	----	----	----	----	----	1 UNCH
25000	----	----	----	0.001B/0.086A	----	0.001	-	UNCH	.0001	----	----	----	----	----	60 UNCH
30000	----	----	----	----/0.002A	----	0.001	-	UNCH	.0000						

	BULLETIN #183@				METALS OPTION PRODUCTS				Wed, Sep 23, 2026				PG64		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL	COMEX SILVER OPTIONS														
DEC26															
6975	----	----	----	3. 7108/2. 300A	3. 7108/2. 300A	----	----	----	2. 345 -	0. 573 .3575	----	----	----	----	2
7000	3. 575	3. 575	3. 575	3. 6218/2. 240A	3. 6218/2. 240A	----	----	----	2. 282 -	0. 561 .3498	----	----	81	----	804 -
7025	----	----	----	3. 5378/2. 179A	3. 5378/2. 179A	----	----	----	2. 222 -	0. 547 .3423	----	----	----	----	3
7050	2. 215	2. 215	2. 215	3. 4538/2. 121A	3. 4538/2. 121A	----	----	----	2. 163 -	0. 535 .3348	----	----	1	----	37 +
7075	----	----	----	3. 3728/2. 064A	3. 3728/2. 064A	----	----	----	2. 107 -	0. 522 .3276	----	----	----	----	6
7100	----	----	----	3. 2938/2. 010A	3. 2938/2. 010A	----	----	----	2. 051 -	0. 510 .3205	----	----	3	----	37
7125	----	----	----	3. 2168/1. 956A	3. 2168/1. 956A	----	----	----	1. 997 -	0. 498 .3135	----	----	----	----	7
7150	----	----	----	3. 1408/1. 905A	3. 1408/1. 905A	----	----	----	1. 944 -	0. 486 .3066	----	----	----	----	2
7200	2. 081	2. 081	2. 081	2. 9958/1. 806A	2. 9958/1. 806A	----	----	----	1. 842 -	0. 465 .2932	----	----	80	----	221 +
7225	----	----	----	2. 9258/1. 758A	2. 9258/1. 758A	----	----	----	1. 793 -	0. 455 .2866	----	----	----	----	8
7250	----	----	----	2. 8578/1. 713A	2. 8578/1. 713A	----	----	----	1. 746 -	0. 445 .2803	----	----	----	----	13
7275	----	----	----	2. 7898/1. 668A	2. 7898/1. 668A	----	----	----	1. 701 -	0. 435 .2741	----	----	----	----	13
7300	----	----	----	2. 7268/1. 624A	2. 7268/1. 624A	----	----	----	1. 657 -	0. 425 .2681	----	----	16	----	104 +
7325	----	----	----	2. 6618/1. 583A	2. 6618/1. 583A	----	----	----	1. 614 -	0. 415 .2621	----	----	----	----	2
7350	----	----	----	2. 6008/1. 542A	2. 6008/1. 542A	----	----	----	1. 573 -	0. 405 .2564	----	----	----	----	11
7375	----	----	----	2. 5418/1. 502A	2. 5418/1. 502A	----	----	----	1. 532 -	0. 396 .2506	----	----	----	----	7
7400	----	----	----	2. 4818/1. 464A	2. 4818/1. 464A	----	----	----	1. 493 -	0. 387 .2451	----	----	----	----	66
7425	----	----	----	2. 4228/1. 427A	2. 4228/1. 427A	----	----	----	1. 455 -	0. 377 .2397	----	----	----	----	11
7450	----	----	----	2. 3688/1. 390A	2. 3688/1. 390A	----	----	----	1. 418 -	0. 368 .2344	----	----	----	----	1
7475	----	----	----	2. 3148/1. 355A	2. 3148/1. 355A	----	----	----	1. 382 -	0. 360 .2292	----	----	----	----	1
7500	1. 592	1. 592	1. 592	2. 2618/1. 307	2. 2618/1. 307	----	----	----	1. 347 -	0. 351 .2241	----	----	153	----	1429 -
7525	1. 467	1. 467	1. 467	2. 2108/1. 288A	2. 2108/1. 288A	----	----	----	1. 313 -	0. 343 .2191	----	----	15	----	20 +
7550	----	----	----	2. 1608/1. 255A	2. 1608/1. 255A	----	----	----	1. 280 -	0. 335 .2143	----	----	----	----	56
7575	----	----	----	2. 1108/1. 226A	2. 1108/1. 226A	----	----	----	1. 247 -	0. 328 .2094	----	----	----	----	1
7600	----	----	----	2. 0618/1. 194A	2. 0618/1. 194A	----	----	----	1. 216 -	0. 320 .2048	----	----	5	----	266
7650	----	----	----	1. 9688/1. 137A	1. 9688/1. 137A	----	----	----	1. 157 -	0. 305 .1959	----	----	----	----	3
7700	----	----	----	1. 8838/1. 082A	1. 8838/1. 082A	----	----	----	1. 100 -	0. 292 .1873	----	----	11	----	270 +
7750	1. 276	1. 276	1. 276	1. 8008/1. 029A	1. 8008/1. 029A	----	----	----	1. 047 -	0. 278 .1792	----	----	1	----	3
7775	----	----	----	1. 7608/1. 004A	1. 7608/1. 004A	----	----	----	1. 022 -	0. 271 .1753	----	----	----	----	10
7800	0. 993	0. 993	0. 993	1. 7218/0. 980A	1. 7218/0. 980A	----	----	----	0. 998 -	0. 265 .1715	----	----	3	----	203 +
7825	----	----	----	1. 6828/0. 958A	1. 6828/0. 958A	----	----	----	0. 974 -	0. 259 .1678	----	----	----	----	2
7850	----	----	----	1. 6458/0. 935A	1. 6458/0. 935A	----	----	----	0. 951 -	0. 252 .1642	----	----	----	----	7
7875	----	----	----	1. 6098/0. 913A	1. 6098/0. 913A	----	----	----	0. 928 -	0. 247 .1606	----	----	----	----	4
7900	----	----	----	1. 5728/0. 892A	1. 5728/0. 892A	----	----	----	0. 906 -	0. 242 .1571	----	----	----	----	56
7925	----	----	----	1. 5388/0. 871A	1. 5388/0. 871A	----	----	----	0. 885 -	0. 236 .1537	----	----	----	----	5
7950	----	----	----	1. 5058/0. 851A	1. 5058/0. 851A	----	----	----	0. 864 -	0. 231 .1504	----	----	----	----	59
7975	----	----	----	1. 4738/0. 831A	1. 4738/0. 831A	----	----	----	0. 844 -	NEW .1472	----	----	2	----	2 +
8000	1. 050	1. 050	1. 050	1. 4418/0. 812A	1. 4418/0. 812A	----	----	----	0. 825 -	0. 220 .1441	----	----	14	----	1146 +
8025	----	----	----	1. 4108/0. 795A	1. 4108/0. 795A	----	----	----	0. 806 -	0. 215 .1410	----	----	----	----	11
8050	----	----	----	1. 3798/0. 776A	1. 3798/0. 776A	----	----	----	0. 788 -	0. 210 .1381	----	----	----	----	23
8075	----	----	----	1. 3498/0. 758A	1. 3498/0. 758A	----	----	----	0. 770 -	0. 205 .1352	----	----	----	----	44
8100	----	----	----	1. 3218/0. 741A	1. 3218/0. 741A	----	----	----	0. 753 -	0. 200 .1324	----	----	----	----	51
8125	----	----	----	1. 2918/0. 724A	1. 2918/0. 724A	----	----	----	0. 736 -	0. 195 .1296	----	----	----	----	19
8150	----	----	----	1. 2658/0. 708A	1. 2658/0. 708A	----	----	----	0. 719 -	0. 192 .1268	----	----	----	----	11
8175	----	----	----	1. 2388/0. 694A	1. 2388/0. 694A	----	----	----	0. 703 -	0. 187 .1242	----	----	----	----	1
8200	0. 695	0. 695	0. 695	1. 2128/0. 678A	1. 2128/0. 678A	----	----	----	0. 688 -	0. 182 .1217	----	----	1	----	608
8225	0. 704	0. 704	0. 704	1. 1858/0. 664A	1. 1858/0. 664A	----	----	----	0. 673 -	0. 178 .1191	----	----	1	----	20
8250	----	----	----	1. 1628/0. 650A	1. 1628/0. 650A	----	----	----	0. 658 -	0. 175 .1167	----	----	----	----	2
8300	0. 659	0. 659	0. 659	1. 1138/0. 622A	1. 1138/0. 622A	----	----	----	0. 630 -	0. 167 .1120	----	----	52	----	56 -
8325	----	----	----	1. 0908/0. 608A	1. 0908/0. 608A	----	----	----	0. 617 -	0. 162 .1097	----	----	----	----	5
8375	----	----	----	1. 0478/0. 584A	1. 0478/0. 584A	----	----	----	0. 591 -	0. 155 .1053	----	----	----	----	7
8400	----	----	----	1. 0258/0. 572A	1. 0258/0. 572A	----	----	----	0. 578 -	0. 152 .1032	----	----	----	----	54
8425	----	----	----	1. 0058/0. 560A	1. 0058/0. 560A	----	----	----	0. 566 -	0. 149 .1011	----	----	----	----	5
8450	----	----	----	0. 9848/0. 548A	0. 9848/0. 548A	----	----	----	0. 554 -	0. 145 .0991	----	----	----	----	5
8475	----	----	----	0. 9658/0. 540A	0. 9658/0. 540A	----	----	----	0. 543 -	0. 142 .0972	----	----	----	----	5
8500	0. 940	0. 940	0. 940	0. 9458/0. 530	0. 9458/0. 530	----	----	----	0. 532 -	0. 138 .0953	----	----	110	----	1981 -
8525	----	----	----	0. 9278/0. 525A	0. 9278/0. 525A	----	----	----	0. 521 -	0. 135 .0934	----	----	----	----	2
8550	----	----	----	0. 9098/0. 516A	0. 9098/0. 516A	----	----	----	0. 510 -	0. 133 .0915	----	----	----	----	29
8575	----	----	----	0. 8918/0. 506A	0. 8918/0. 506A	----	----	----	0. 500 -	0. 129 .0898	----	----	----	----	2
8600	0. 515	0. 515	0. 515	0. 8738/0. 495A	0. 8738/0. 495A	----	----	----	0. 490 -	0. 126 .0880	----	----	1	----	245 -
8625	----	----	----	0. 8558/0. 485A	0. 8558/0. 485A	----	----	----	0. 480 -	0. 124 .0863	----	----	----	----	1
8675	----	----	----	0. 8238/0. 469A	0. 8238/0. 469A	----	----	----	0. 461 -	0. 119 .0830	----	----	----	----	1
8700	----	----	----	0. 8078/0. 460A											



PG64	BULLETIN #183@			METALS OPTION PRODUCTS							Wed, Sep 23, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL		COMEX SILVER OPTIONS												
DEC26														
11850	----	----	0.1428/0.100A	0.1428/0.100A	----	0.094 - 0.019	.0157	----	----	----	----	2	UNCH	
12000	0.150	0.150	0.150/0.092	0.150/0.092	----	0.089 - 0.018	.0148	----	----	24	----	596	UNCH	
12075	----	----	0.1318/0.094A	0.1318/0.094A	----	0.087 - 0.018	.0144	----	----	----	----	1	UNCH	
12100	----	----	0.1298/0.094A	0.1298/0.094A	----	0.087 - 0.017	.0144	----	----	----	----	13	UNCH	
12150	----	----	0.1278/0.091A	0.1278/0.091A	----	0.085 - 0.017	.0141	----	----	----	----	4	UNCH	
12175	----	----	0.1268/0.091A	0.1268/0.091A	----	0.085 - 0.016	.0140	----	----	----	----	10	UNCH	
12225	----	----	0.1248/0.089A	0.1248/0.089A	----	0.083 - 0.017	.0137	----	----	----	----	3	UNCH	
12250	----	----	0.1238/0.089A	0.1238/0.089A	----	0.083 - 0.016	.0137	----	----	----	----	1	UNCH	
12275	----	----	0.1218/0.089A	0.1218/0.089A	----	0.082 - 0.016	.0135	----	----	----	----	1	UNCH	
12300	----	----	0.1208/0.087A	0.1208/0.087A	----	0.081 - 0.016	.0133	----	----	----	----	2	UNCH	
12500	----	----	0.1128/0.082A	0.1128/0.082A	----	0.077 - 0.015	.0126	----	----	----	----	92	UNCH	
12550	----	----	0.1108/0.081A	0.1108/0.081A	----	0.075 - 0.015	.0123	----	----	----	----	19	UNCH	
12775	----	----	0.1018/0.076A	0.1018/0.076A	----	0.071 - 0.013	.0115	----	----	----	----	1	UNCH	
12800	----	----	0.1028/0.076A	0.1028/0.076A	----	0.070 - 0.014	.0113	----	----	----	----	7	UNCH	
12900	----	----	0.0988/0.074A	0.0988/0.074A	----	0.068 - 0.013	.0110	----	----	----	----	3	UNCH	
13000	----	----	0.0958/0.072A	0.0958/0.072A	----	0.066 - 0.013	.0106	----	----	----	----	366	UNCH	
13500	----	----	0.0818/0.063A	0.0818/0.063A	----	0.057 - 0.012	.0091	----	----	----	----	24	UNCH	
14000	----	----	0.0698/0.056A	0.0698/0.056A	----	0.050 - 0.010	.0079	----	----	----	----	118	UNCH	
14200	----	----	0.0648/0.053A	0.0648/0.053A	----	0.048 - 0.009	.0075	----	----	----	----	2	UNCH	
15000	----	----	0.0508/0.044A	0.0508/0.044A	----	0.040 - 0.006	.0061	----	----	2	----	1773	UNCH	
16000	0.033	0.033	0.033/0.033	0.033/0.033	----	0.032 - 0.004	.0048	----	----	3	----	1616	UNCH	
17000	----	----	----	0.0188/0.029A	----	0.024 - 0.003	.0036	----	----	----	----	87	UNCH	
18000	----	----	----	0.0088/0.027A	----	0.016 - 0.006	.0024	----	----	----	----	202	UNCH	
19000	----	----	----	0.0048/0.023A	----	0.014 - 0.004	.0020	----	----	----	----	6	UNCH	
20000	----	----	----	0.0028/0.021A	----	0.008 - 0.003	.0012	----	----	----	----	494	UNCH	
21000	----	----	----	0.0018/0.022A	----	0.005 - 0.002	.0007	----	----	----	----	7	UNCH	
22000	----	----	----	----/0.029A	----	0.005	UNCH	.0007	----	----	----	7	UNCH	
23000	----	----	----	----/0.030A	----	0.005	UNCH	.0007	----	2	----	37	UNCH	
24000	----	----	----	----/0.028A	----	0.005 + 0.001	.0007	----	----	----	----	2	UNCH	
25000	----	----	----	----/0.039A	----	0.004	UNCH	.0005	----	----	----	239	UNCH	
26000	----	----	----	----/0.095A	----	0.004 + 0.001	.0005	----	----	----	----	3	UNCH	
30000	----	----	----	----/0.093A	----	0.003 + 0.001	.0004	----	----	----	----	111	UNCH	
32000	----	----	----	----/0.092A	----	0.002	UNCH	.0002	----	----	----	12	UNCH	
35000	----	----	----	----/0.091A	----	0.001	UNCH	.0001	----	----	----	1	UNCH	
40000	----	----	----	----/0.090A	----	0.001	UNCH	.0000	----	----	----	25	UNCH	
90000	----	----	----	----/0.088A	----	0.001	UNCH	----	----	----	----	2	UNCH	
100000	----	----	----	----/0.002A	----	0.001	UNCH	----	----	----	----	10	UNCH	
TOTAL										789	0	24952 +	47	
JAN27														
5700	----	----	12.6908/10.128A	12.6908/10.128A	----	10.161 - 1.364	.8061	----	----	----	----	1	UNCH	
6100	----	----	9.6668/7.337A	9.6668/7.337A	----	7.447 - 1.144	.6908	----	----	----	----	3	UNCH	
6250	----	----	8.6718/6.501A	8.6718/6.501A	----	6.587 - 1.069	.6430	----	----	----	----	13	UNCH	
6400	----	----	7.7708/5.708A	7.7708/5.708A	----	5.815 - 0.990	.5946	----	----	----	----	100	UNCH	
6500	----	----	7.2008/5.255A	7.2008/5.255A	----	5.349 - 0.932	.5624	----	----	1	----	20 +	1	
6575	----	----	6.8008/4.942A	6.8008/4.942A	----	5.023 - 0.889	.5386	----	----	----	----	1	UNCH	
6600	----	----	6.6728/4.835A	6.6728/4.835A	----	4.919 - 0.875	.5308	----	----	----	----	36	UNCH	
6625	----	----	6.5448/4.739A	6.5448/4.739A	----	4.817 - 0.861	.5230	----	----	----	----	1	UNCH	
6650	----	----	6.4168/4.641A	6.4168/4.641A	----	4.717 - 0.848	.5153	----	----	----	----	1	UNCH	
6700	----	----	6.1768/4.454A	6.1768/4.454A	----	4.524 - 0.821	.5000	----	2	----	4 +	2		
6725	----	----	6.0648/4.356A	6.0648/4.356A	----	4.430 - 0.809	.4925	----	----	----	----	10	UNCH	
6775	----	----	5.8668/4.179A	5.8668/4.179A	----	4.250 - 0.783	.4776	----	----	----	----	1	UNCH	
6800	----	----	5.8738/4.101A	5.8738/4.101A	----	4.163 - 0.771	.4703	----	----	----	----	151	UNCH	
6900	----	----	5.4408/3.772A	5.4408/3.772A	----	3.836 - 0.721	.4419	----	----	----	----	2	UNCH	
7000	----	----	5.0578/3.475A	5.0578/3.475A	----	3.537 - 0.674	.4149	----	2	----	----	288	UNCH	
7050	----	----	4.8498/3.343A	4.8498/3.343A	----	3.395 - 0.652	.4018	----	----	----	----	1	UNCH	
7100	----	----	4.6898/3.200A	4.6898/3.200A	----	3.259 - 0.631	.3890	----	----	----	----	18	UNCH	
7150	----	----	4.5138/3.079A	4.5138/3.079A	----	3.129 - 0.610	.3766	----	----	----	----	10	UNCH	
7300	----	----	4.0308/2.732A	4.0308/2.732A	----	2.774 - 0.550	.3415	----	----	----	----	10	UNCH	
7400	----	----	3.7608/2.528A	3.7608/2.528A	----	2.565 - 0.511	.3200	----	----	----	----	1	UNCH	
7425	----	----	3.6658/2.480A	3.6658/2.480A	----	2.516 - 0.501	.3148	----	----	----	----	1	UNCH	
7475	----	----	3.5418/2.386A	3.5418/2.386A	----	2.420 - 0.483	.3047	----	----	----	----	30	UNCH	
7500	----	----	3.4968/2.339A	3.4968/2.339A	----	2.374 - 0.474	.2998	----	----	----	----	34	UNCH	
7550	----	----	3.3468/2.253A	3.3468/2.253A	----	2.284 - 0.459	.2901	----	----	----	----	4	UNCH	
7575	----	----	3.2868/2.210A	3.2868/2.210A	----	2.240 - 0.452	.2854	----	----	----	----	3	UNCH	
7600	----	----	3.2568/2.167A	3.2568/2.167A	----	2.198 - 0.445	.2807	----	----	----	----	2	UNCH	
7650	----	----	3.1068/2.089A	3.1068/2.089A	----	2.115 - 0.433	.2717	----	----	----	----	6	UNCH	
7675	----	----	3.0528/2.052A	3.0528/2.052A	----	2.075 - 0.427	.2672	----	----	----	----	4	UNCH	
7700	----	----	3.0288/2.011A	3.0288/2.011A	----	2.036 - 0.421	.2629	----	----	----	----	4	UNCH	
7800	----	----	2.7858/1.868A	2.7858/1.868A	----	1.890 - 0.393	.2464	----	----	5	----	12	UNCH	
7900	----	----	2.6378/1.739A	2.6378/1.739A	----	1.758 - 0.359	.2311	----	----	----	----	9	UNCH	
8000	2.118	2.118	2.4618/1.618A	2.4618/1.618A	----	1.637 - 0.335	.2168	----	5	----	----	308 +	3	
8100	----	----	2.3008/1.511A	2.3008/1.511A	----	1.526 - 0.314	.2036	----	----	----	----	2	UNCH	
8200	----	----	2.1478/1.413A	2.1478/1.413A	----	1.426	NEW	.1913	----	4	4 +	4		
8300	----	----	2.0058/1.321A	2.0058/1.321A	----	1.333 - 0.269	.1799	UNCH	----	----	----	47	UNCH	
8350	----	----	1.9358/1.277A	1.9358/1.277A	----	1.289 - 0.260	.1744	UNCH	----	----	----	2	UNCH	
8400	----	----	1.8418/1.237A	1.8418/1.237A	----	1.246 - 0.25								



	BULLETIN #183@				METALS OPTION PRODUCTS				wed, Sep 23, 2026				PG64		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL	COMEX SILVER OPTIONS														
FEB27															
9000	----	----	----	1.803B/1.278A	1.803B/1.278A	----	----	----	1.281 -	0.231 .1531	----	----	----	----	25
9200	1.304	1.304		1.633B/1.156A	1.633B/1.156A	----	----	----	1.159 -	0.208 .1393	----	----	1	----	89
9500	----	----	----	1.432B/1.004A	1.432B/1.004A	----	----	----	1.002 -	0.176 .1214	----	----	----	----	35
10000	----	----	----	1.140B/0.809A	1.140B/0.809A	----	----	----	0.803 -	0.137 .0980	----	----	----	----	112
10200	----	----	----	1.046B/0.744A	1.046B/0.744A	----	----	----	0.740 -	0.125 .0904	----	----	----	----	83
10225	----	----	----	1.035B/0.736A	1.035B/0.736A	----	----	----	0.732 -	0.124 .0895	----	----	----	----	10
10500	----	----	----	0.928B/0.660A	0.928B/0.660A	----	----	----	0.657 -	0.110 .0804	----	----	----	----	4
10725	0.616	0.616		0.848B/0.609A	0.848B/0.609A	----	----	----	0.603	NEW .0739	----	5	----	----	5 +
11000	----	----	----	0.767B/0.556A	0.767B/0.556A	----	----	----	0.546 -	0.090 .0669	----	----	----	----	14
11100	----	----	----	0.740B/0.542A	0.740B/0.542A	----	----	----	0.527 -	0.087 .0646	----	----	----	----	1
111500	----	----	----	0.639B/0.474A	0.639B/0.474A	----	----	----	0.460 -	0.076 .0563	----	----	----	----	2
11700	----	----	----	0.597B/0.446A	0.597B/0.446A	----	----	----	0.432 -	0.070 .0528	----	----	----	----	6
12000	----	----	----	0.541B/0.410A	0.541B/0.410A	----	----	----	0.393 -	0.064 .0480	----	----	----	----	20
12400	----	----	----	0.440B/0.365A	0.440B/0.365A	----	----	----	0.350 -	0.056 .0426	----	----	----	----	4
12500	----	----	----	----/0.356A	0.379B/0.356A	----	----	----	0.340 -	0.055 .0414	----	----	----	----	66
12950	----	----	----	----/0.319A	0.323B/0.319A	----	----	----	0.301 -	0.048 .0365	----	----	----	----	1
12975	----	----	----	----/0.317A	0.321B/0.317A	----	----	----	0.299 -	0.048 .0363	----	----	----	----	3
25000	----	----	----	----	0.034B/0.064A	----	----	----	0.049 -	0.008 .0053	----	----	----	----	2
30000	0.040	0.040		0.040/0.040	0.040/0.040	----	----	----	0.037 -	0.008 .0038	----	----	1	----	57 +
TOTAL													7	0	1972 +
MAR27															
6000	----	----	----	11.089B/9.203A	11.089B/9.203A	----	----	----	9.293 -	1.165 .6920	----	----	----	----	1
6175	----	----	----	10.023B/8.255A	10.023B/8.255A	----	----	----	8.331 -	1.084 .6485	----	----	----	----	1
6300	----	----	----	9.664B/7.605A	9.664B/7.605A	----	----	----	7.702 -	1.025 .6173	----	----	----	----	10
6400	----	----	----	9.112B/7.123A	9.112B/7.123A	----	----	----	7.233 -	0.979 .5924	----	----	----	----	1
6500	----	----	----	8.602B/6.694A	8.602B/6.694A	----	----	----	6.794 -	0.932 .5677	----	----	----	----	14
6600	----	----	----	8.109B/6.291A	8.109B/6.291A	----	----	----	6.382 -	0.889 .5435	----	----	----	----	1
6775	----	----	----	7.327B/5.654A	7.327B/5.654A	----	----	----	5.724 -	0.818 .5025	----	----	----	----	1
7000	5.180	5.180		6.580B/4.931A	6.580B/4.931A	----	----	----	4.984 -	0.737 .4531	----	2	----	----	177 +
7100	----	----	----	6.222B/4.643A	6.222B/4.643A	----	----	----	4.690 -	0.703 .4323	----	----	----	----	1
7225	----	----	----	5.798B/4.295A	5.798B/4.295A	----	----	----	4.351 -	0.662 .4076	----	----	----	----	12
7375	4.201	4.201		5.338B/3.935A	5.338B/3.935A	----	----	----	3.981	NEW .3797	----	10	----	----	10 +
7400	----	----	----	5.253B/3.875A	5.253B/3.875A	----	----	----	3.923 -	0.608 .3752	----	----	----	----	3
7475	----	----	----	5.040B/3.719A	5.040B/3.719A	----	----	----	3.755 -	0.586 .3621	----	----	----	----	1
7500	----	----	----	4.992B/3.671A	4.992B/3.671A	----	----	----	3.701 -	0.579 .3578	----	----	----	----	100
7550	----	----	----	4.832B/3.563A	4.832B/3.563A	----	----	----	3.596 -	0.564 .3494	----	----	----	----	2
7600	----	----	----	4.720B/3.472A	4.720B/3.472A	----	----	----	3.495 -	0.550 .3412	----	----	----	----	3
7700	----	----	----	4.448B/3.284A	4.448B/3.284A	----	----	----	3.302 -	0.523 .3255	----	----	----	----	8
7725	----	----	----	4.417B/3.234A	4.417B/3.234A	----	----	----	3.256 -	0.517 .3216	----	----	----	----	10
7750	----	----	----	4.337B/3.193A	4.337B/3.193A	----	----	----	3.211 -	0.510 .3179	----	----	----	----	1
7800	3.326	3.326		4.225B/3.090A	4.225B/3.090A	----	----	----	3.123 -	0.497 .3105	----	1	----	----	2 +
7900	----	----	----	3.945B/2.940A	3.945B/2.940A	----	----	----	2.955 -	0.473 .2962	----	----	----	----	6
7950	----	----	----	3.904B/2.845A	3.904B/2.845A	----	----	----	2.876 -	0.460 .2894	----	----	----	----	1
8000	----	----	----	3.819B/2.777A	3.819B/2.777A	----	----	----	2.799 -	0.449 .2827	----	----	----	----	246
8050	----	----	----	3.700B/2.704A	3.700B/2.704A	----	----	----	2.725 -	0.438 .2763	----	----	----	----	1
8125	----	----	----	3.489B/2.596A	3.489B/2.596A	----	----	----	2.619 -	0.421 .2669	----	----	----	----	1
8250	----	----	----	3.293B/2.429A	3.293B/2.429A	----	----	----	2.453	NEW .2520	----	5	----	----	5 +
8300	----	----	----	3.216B/2.377A	3.216B/2.377A	----	----	----	2.390 -	0.386 .2463	----	----	----	----	1
8500	----	----	----	2.921B/2.151A	2.921B/2.151A	----	----	----	2.161 -	0.348 .2252	----	----	----	----	18
8600	----	----	----	2.775B/2.051A	2.775B/2.051A	----	----	----	2.057 -	0.332 .2154	----	----	----	----	1
8650	----	----	----	2.752B/1.997A	2.752B/1.997A	----	----	----	2.008 -	0.323 .2107	----	----	----	----	10
8700	----	----	----	2.588B/1.954A	2.588B/1.954A	----	----	----	1.960 -	0.316 .2062	----	----	----	----	1
8775	----	----	----	2.616B/1.882A	2.616B/1.882A	----	----	----	1.891 -	0.305 .1996	----	----	----	----	0
8800	----	----	----	2.540B/1.859A	2.540B/1.859A	----	----	----	1.869 -	0.301 .1974	----	----	----	----	9
9000	----	----	----	2.343B/1.697A	2.343B/1.697A	----	----	----	1.704 -	0.273 .1814	----	----	----	----	781
9200	----	----	----	2.144B/1.551A	2.144B/1.551A	----	----	----	1.558 -	0.249 .1669	----	----	----	----	26
9500	----	----	----	1.864B/1.365A	1.864B/1.365A	----	----	----	1.369 -	0.219 .1479	----	----	----	----	52
9675	----	----	----	1.761B/1.275A	1.761B/1.275A	----	----	----	1.273 -	0.204 .1381	----	----	----	----	1
9700	----	----	----	1.730B/1.258A	1.730B/1.258A	----	----	----	1.260 -	0.202 .1367	----	----	----	----	87
9800	----	----	----	1.663B/1.211A	1.663B/1.211A	----	----	----	1.210 -	0.194 .1316	----	----	----	----	311
10000	1.141	1.141		1.538B/1.124A	1.538B/1.124A	----	----	----	1.117 -	0.180 .1220	----	1	----	----	458 +
10300	----	----	----	1.375B/1.001A	1.375B/1.001A	----	----	----	0.995 -	0.161 .1092	----	----	----	----	28
10500	----	----	----	1.277B/0.936A	1.277B/0.936A	----	----	----	0.923 -	0.150 .1016	----	----	----	----	35
10825	----	----	----	1.138B/0.832A	1.138B/0.832A	----	----	----	0.821 -	0.135 .0907	----	----	----	----	23
11000	----	----	----	1.076B/0.792A	1.076B/0.792A	----	----	----	0.773 -	0.127 .0856	----	----	----	----	212
11500	----	----	----	0.909B/0.677A	0.909B/0.677A	----	----	----	0.657 -	0.108 .0729	----	----	----	----	22
12000	----	----	----	0.781B/0.599A	0.781B/0.599A	----	----	----	0.570 -	0.090 .0632	----	----	----	----	217
12500	----	----	----	0.674B/0.525A	0.674B/0.525A	----	----	----	0.502 -	0.074 .0555	----	----	----	----	2
12650	----	----	----	0.648B/0.506A	0.648B/0.506A	----	----	----	0.484 -	0.071 .0534	----	----	----	----	5
13000	----	----	----	0.592B/0.466A	0.592B/0.466A	----	----	----	0.446 -	0.062 .0491	----	2	----	----	355

PG64	BULLETIN #183@				METALS OPTION PRODUCTS					Wed, Sep 23, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL	COMEX SILVER OPTIONS														
JUN27															
8000	----	----	----	5.901B/4.815A	5.901B/4.815A	----	----	----	4.821 -	0.603 .3645	----	----	----	----	136
8075	----	----	----	5.733B/4.672A	5.733B/4.672A	----	----	----	4.680 -	0.588 .3556	----	----	----	----	1
8500	----	----	----	4.880B/3.985A	4.880B/3.985A	----	----	----	3.977 -	0.510 .3097	----	----	----	----	200
8700	----	----	----	4.535B/3.704A	4.535B/3.704A	----	----	----	3.695 -	0.475 .2906	----	----	----	----	2
8800	----	----	----	4.373B/3.572A	4.373B/3.572A	----	----	----	3.563 -	0.460 .2815	----	----	----	----	1
9350	----	----	----	3.609B/2.960A	3.609B/2.960A	----	----	----	2.946 -	0.378 .2379	----	----	----	----	2
10000	----	----	----	2.919B/2.414A	2.919B/2.414A	----	----	----	2.394 -	0.302 .1970	----	----	----	----	10
11000	----	----	----	2.172B/1.822A	2.172B/1.822A	----	----	----	1.801 -	0.224 .1511	----	----	----	----	155
12000	----	----	----	1.666B/1.431A	1.666B/1.431A	----	----	----	1.415 -	0.176 .1197	----	----	----	----	6
12500	----	----	----	1.471B/1.286A	1.471B/1.286A	----	----	----	1.263 -	0.158 .1073	----	----	----	----	10
13000	----	----	----	1.306B/1.161A	1.306B/1.161A	----	----	----	1.124 -	0.141 .0960	----	----	----	----	6
13075	----	----	----	1.284B/1.144A	1.284B/1.144A	----	----	----	1.106 -	0.138 .0945	----	----	----	----	1
TOTAL														0	558
JUL27															
2000	----	----	----	----	----	----	----	----	46.965 -	1.631 .9940	----	----	----	----	1
6800	----	----	----	10.258B/8.683A	10.258B/8.683A	----	----	----	8.632 -	0.897 .5494	----	----	----	----	1
6900	----	----	----	9.844B/8.334A	9.844B/8.334A	----	----	----	8.280 -	0.865 .5330	----	----	----	----	1
7000	----	----	----	9.453B/8.010A	9.453B/8.010A	----	----	----	7.945 -	0.834 .5170	----	----	----	----	25
7800	----	----	----	6.946B/5.711A	6.946B/5.711A	----	----	----	5.774 -	0.646 .4038	----	----	----	----	1
7900	----	----	----	6.887B/5.507A	6.887B/5.507A	----	----	----	5.553 -	0.632 .3914	----	----	----	----	1
7950	----	----	----	6.556B/5.435A	6.556B/5.435A	----	----	----	5.446 -	0.626 .3854	----	----	----	----	1
10000	----	----	----	3.474B/2.871A	3.474B/2.871A	----	----	----	2.767 -	0.334 .2142	----	----	----	----	3
10100	----	----	----	3.378B/2.794A	3.378B/2.794A	----	----	----	2.690 -	0.324 .2087	----	----	----	----	2
10300	----	----	----	3.199B/2.650A	3.199B/2.650A	----	----	----	2.544 -	0.307 .1983	----	----	----	----	1
10500	----	----	----	2.895B/2.516A	2.895B/2.516A	----	----	----	2.410 -	0.290 .1886	----	----	----	----	1
10700	----	----	----	2.741B/2.392A	2.741B/2.392A	----	----	----	2.286 -	0.275 .1796	----	----	----	----	1
11000	----	----	----	2.530B/2.223A	2.530B/2.223A	----	----	----	2.117 -	0.254 .1672	----	----	----	----	2
11100	----	----	----	2.465B/2.171A	2.465B/2.171A	----	----	----	2.065 -	0.247 .1633	----	----	----	----	2
12000	----	----	----	1.971B/1.776A	1.971B/1.776A	----	----	----	1.677 -	0.201 .1340	----	----	----	----	2
12100	----	----	----	1.925B/1.739A	1.925B/1.739A	----	----	----	1.642 -	0.197 .1313	----	----	----	----	6
13000	----	----	----	1.571B/1.457A	1.571B/1.457A	----	----	----	1.376 -	0.165 .1104	----	----	----	----	2
13100	----	----	----	1.537B/1.430A	1.537B/1.430A	----	----	----	1.351 -	0.162 .1084	----	----	----	----	6
TOTAL														0	59
AUG27															
7500	----	----	----	8.592B/7.353A	8.592B/7.353A	----	----	----	7.221 -	0.770 .4619	----	----	----	----	8
8500	----	----	----	6.118B/5.219A	6.118B/5.219A	----	----	----	5.110 -	0.590 .3486	----	----	----	----	8
TOTAL														0	16
SEP27															
8500	----	----	----	6.601B/5.700A	6.601B/5.700A	----	----	----	5.567 -	0.599 .3616	----	----	----	----	25
TOTAL														0	25
DEC27															
4000	----	----	----	----	----	----	----	----	29.316 -	1.510 .9138	----	----	----	----	1
7175	----	----	----	----	----	----	----	----	11.027 -	0.913 .5484	----	----	----	----	80
20000	----	----	----	----	----	----	----	----	1.904 -	0.194 .1088	----	----	----	----	25
TOTAL														0	106
MAR28															
6900	----	----	----	----	----	----	----	----	13.480 -	0.988 .5991	----	----	----	----	1
TOTAL														0	1
SO PUT	COMEX SILVER OPTIONS														
OCT26															
2150	----	----	----	----	----/0.081A	----	----	----	0.001	UNCH	----	----	----	----	2
2500	----	----	----	----	----/0.081A	----	----	----	0.001	UNCH	----	----	----	----	1
2675	----	----	----	----	----/0.080A	----	----	----	0.001	UNCH	----	----	----	----	8
2800	----	----	----	----	----/0.081A	----	----	----	0.001	UNCH	----	----	----	----	1
3000	----	----	----	----	----/0.005A	----	----	----	0.001	UNCH	----	----	----	----	9
3200	----	----	----	----	----/0.080A	----	----	----	0.001	UNCH	----	----	----	----	1
3250	----	----	----	----	----/0.080A	----	----	----	0.001	UNCH	----	----	----	----	1
3500	----	----	----	----	----/0.080A	----	----	----	0.001	UNCH	----	----	----	----	7
3600	----	----	----	----	----/0.080A	----	----	----	0.001	UNCH	----	----	----	----	1
3650	----	----	----	----	----/0.080A	----	----	----	0.001	UNCH	----	----	----	----	2
3800	----	----	----	----	----/0.080A	----	----	----	0.001	UNCH	----	----	----	----	1
3975	----	----	----	----	----/0.080A	----	----	----	0.001	UNCH	----	----	----	----	1
4000	----	----	----	----	----/0.080A	----	----	----	0.001	UNCH	----	----	----	----	89
4100	----	----	----	----	----/0.080A	----	----	----	0.001	UNCH	----	----	----	----	7
4175	----	----	----	----	----/0.080A	----	----	----	0.001	UNCH	----	----	----	----	1
4200	----	----	----	----	----/0.080A	----	----	----	0.001	UNCH	----	----	----	----	2
4225	----	----	----	----	----/0.080A	----	----	----	0.001	UNCH	----	----	----	----	1
4250	----	----	----	----	----/0.080A	----	----	----	0.001	UNCH	----	----	----	----	3
4275	----	----	----	----	----/0.080A	----	----	----	0.001	UNCH	----	----	----	----	9
4300	----	----	----	----	----/0.080A	----	----	----	0.001	UNCH	----	----	----	----	22
4325	----	----	----	----	----/0.080A	----	----	----	0.001	UNCH	----	----	----	----	1
4350	----	----	----	----	----/0.080A	----	----	----	0.001	UNCH	----	----	----	----	1
4375	----	----	----	----	----/0.080A	----	----	----	0.001	UNCH	----	----	----	----	1
4400	----	----	----	----	----/0.080A	----	----	----	0.001	UNCH	----	----	----	----	13
4495	----	----	----	----	----/0.080A	----	----	----	0.001	UNCH	----	----	----	----	6
4500	----	----	----	----	----/0.080A	----	----	----	0.001	UNCH	----	----	----	----	345
4550	----	----	----	----	----/0.014A	----	----	----	0.001	UNCH	----	----	----	----	15
4575	----	----	----	----	----/0.080A	----	----	----	0.001	UNCH	----	----	----	----	1
4600	----	----	----	----	----/0.080A	----	----	----	0.001	UNCH	----	----	----	----	21
4650	----	----	----	----	----/0.080A	----	----	----	0.001	UNCH	----	----	----	----	13
4675	----	----	----	----	----/0.080A	----	----	----							



BULLETIN #183@				METALS OPTION PRODUCTS							Wed, Sep 23, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SO PUT	COMEX SILVER OPTIONS														
OCT26															
5960	----	----	----/0.006A	----/0.006A	----	0.002 - 0.006	.0000	----	----	----	----	3	UNCH		
5975	----	----	----/0.006A	----/0.006A	----	0.002 - 0.006	.0000	----	----	----	----	33	UNCH		
6000	0.019	0.019	0.019/0.001	0.019/0.001	----	0.003 - 0.005	.0001	----	----	38	----	526 -	4		
6025	----	----	----/0.005A	0.005B/0.005A	----	0.004 - 0.005	.0002	----	----	----	----	100	UNCH		
6030	----	----	----/0.007A	----/0.007A	----	0.004 - 0.005	.0002	----	----	----	----	4	UNCH		
6050	----	----	----/0.005A	0.005B/0.005A	----	0.004 - 0.005	.0002	----	----	----	----	104	UNCH		
6060	----	----	----/0.007A	----/0.007A	----	0.005 - 0.004	.0003	----	----	----	----	1	UNCH		
6075	----	----	----/0.008A	0.006B/0.008A	----	0.005 - 0.005	.0003	----	----	----	----	39	UNCH		
6100	0.007	0.007	0.009/0.005A	0.009/0.005A	----	0.006 - 0.005	.0005	----	----	8	----	241 +	2		
6125	----	----	----/0.006A	0.008B/0.006A	----	0.007 - 0.005	.0007	----	----	----	----	102	UNCH		
6140	----	----	----/0.006A	0.009B/0.006A	----	0.008 - 0.005	.0009	----	----	----	----	1	UNCH		
6150	0.006	0.006	0.010B/0.004	0.010B/0.004	----	0.009 - 0.005	.0011	----	----	11	----	111	UNCH		
6170	----	----	----/0.009A	0.013B/0.009A	----	0.011 - 0.004	.0016	----	----	----	----	3	UNCH		
6175	0.013	0.013	0.013/0.002	0.013/0.002	----	0.011 - 0.005	.0016	----	----	53	----	545 -	45		
6200	0.015	0.015	0.023/0.005	0.023/0.005	----	0.015 - 0.003	.0029	----	----	75	----	677 +	1		
6210	0.021	0.021	0.022B/0.011A	0.022B/0.011A	----	0.017 - NEW	.0036	----	----	9	----	9 +	9		
6225	----	----	0.029B/0.013A	0.029B/0.013A	----	0.021 - 0.001	.0051	----	----	----	----	22	UNCH		
6230	0.024	0.024	0.032B/0.015A	0.032B/0.015A	----	0.022 - UNCH	.0056	----	----	5	----	5 +	2		
6240	0.026	0.026	0.036B/0.017A	0.036B/0.017A	----	0.026 - NEW	.0073	----	----	2	----	2 +	2		
6250	0.035	0.035	0.047/0.018A	0.047/0.018A	----	0.030 + 0.005	.0092	----	----	18	----	103 -	1		
6275	----	----	0.061B/0.023A	0.061B/0.023A	----	0.043 + 0.013	.0164	----	----	----	----	14	UNCH		
6280	----	----	0.067B/0.025A	0.067B/0.025A	----	0.046 - NEW	.0183	----	----	8	----	5 +	5		
6300	0.027	0.027	0.086B/0.024A	0.086B/0.024A	----	0.061 + 0.025	.0283	----	----	55	----	746	UNCH		
6310	0.068	0.068	0.098B/0.028A	0.098B/0.028A	----	0.070 - NEW	.0349	----	----	3	----	3 +	3		
6320	----	----	0.110B/0.028A	0.110B/0.028A	----	0.079 + 0.038	.0421	----	----	----	----	1	UNCH		
6325	0.079	0.079	0.117B/0.026A	0.117B/0.026A	----	0.085 + 0.043	.0468	----	----	1	----	67	UNCH		
6340	----	----	0.139B/0.026A	0.139B/0.026A	----	0.102 + 0.055	.0615	----	----	8	----	8 +	5		
6350	0.020	0.020	0.156B/0.015	0.156B/0.015	----	0.116 + 0.066	.0740	----	----	14	----	61 +	2		
6375	0.133	0.133	0.208B/0.030A	0.208B/0.030A	----	0.156 + 0.095	.1125	----	----	37	----	39 +	7		
6400	0.029	0.029	0.272B/0.029	0.272B/0.029	----	0.208 + 0.132	.1653	----	----	81	----	160 +	18		
6420	----	----	0.329B/0.039A	0.329B/0.039A	----	0.260 + 0.169	.2189	----	----	10	----	5 +	4		
6425	0.224	0.224	0.350B/0.039A	0.350B/0.039A	----	0.274 + 0.179	.2336	----	----	37	----	62 +	14		
6430	0.038	0.038	0.366B/0.036	0.366B/0.036	----	0.290 - NEW	.2495	----	----	21	----	8 +	8		
6440	0.332	0.332	0.402B/0.044A	0.402B/0.044A	----	0.322 + 0.212	.2821	----	----	10	----	11 +	10		
6450	0.047	0.047	0.443B/0.047	0.443B/0.047	----	0.358 + 0.238	.3172	----	----	96	----	67 +	30		
6460	0.260	0.260	0.485B/0.051A	0.485B/0.051A	----	0.397 + 0.265	.3541	----	----	10	----	10 +	9		
6470	0.417	0.417	0.530B/0.056A	0.530B/0.056A	----	0.438 - NEW	.3922	----	----	8	----	5 +	5		
6475	0.200	0.200	0.552B/0.058A	0.552B/0.058A	----	0.461 + 0.310	.4118	----	----	10	----	20 +	4		
6480	0.210	0.210	0.577B/0.060A	0.577B/0.060A	----	0.483 + 0.325	.4315	----	----	14	----	11 +	6		
6490	0.600	0.600	0.628B/0.066A	0.628B/0.066A	----	0.532 - NEW	.4713	----	----	7	----	4 +	4		
6500	0.065	0.065	0.683B/0.061A	0.683B/0.061A	----	0.583 + 0.393	.5112	----	----	255	90	531 -	53		
6510	----	----	0.736B/0.077A	0.736B/0.077A	----	0.637 + 0.429	.5508	----	----	----	----	15	UNCH		
6520	0.700	0.700	0.794B/0.090A	0.794B/0.090A	----	0.695 + 0.467	.5894	----	----	6	----	3 +	1		
6525	0.666	0.666	0.825B/0.091A	0.825B/0.091A	----	0.725 + 0.486	.6083	----	----	8	----	49 -	6		
6530	0.550	0.550	0.853B/0.095A	0.853B/0.095A	----	0.756 - NEW	.6268	----	----	2	----	2 +	2		
6540	----	----	0.917B/0.100A	0.917B/0.100A	----	0.819 + 0.544	.6627	----	----	----	----	3	UNCH		
6550	0.130	0.130	0.993B/0.111A	0.993B/0.111A	----	0.885 + 0.583	.6968	----	----	23	----	56 +	9		
6560	0.172	0.172	1.061B/0.123A	1.061B/0.123A	----	0.954 + 0.623	.7287	----	----	9	----	4 +	4		
6570	0.505	0.505	1.140B/0.133A	1.140B/0.133A	----	1.025 + 0.663	.7586	----	----	7	----	7 +	5		
6575	----	----	1.179B/0.140A	1.179B/0.140A	----	1.061 + 0.683	.7725	----	----	17	----	68	UNCH		
6580	0.218	0.218	1.221B/0.147A	1.221B/0.147A	----	1.098 + 0.703	.7860	----	----	2	----	1 -	1		
6590	----	----	1.303B/0.164A	1.303B/0.164A	----	1.174 + 0.744	.8116	----	----	----	----	4	UNCH		
6600	0.190	0.190	1.387B/0.178A	1.387B/0.178A	----	1.252 + 0.784	.8345	----	----	133	25	244 +	10		
6610	0.230	0.230	1.473B/0.194A	1.473B/0.194A	----	1.332 + 0.824	.8551	----	----	2	----	17 -	1		
6620	----	----	1.561B/0.210A	1.561B/0.210A	----	1.413 + 0.862	.8740	----	----	----	----	1	UNCH		
6625	0.253	0.253	1.605B/0.216	1.605B/0.216	----	1.455 + 0.882	.8822	----	----	184	----	228 +	170		
6630	----	----	1.650B/0.228A	1.650B/0.228A	----	1.497 + 0.902	.8902	----	----	----	----	4	UNCH		
6640	0.813	0.813	1.741B/0.246A	1.741B/0.246A	----	1.583 + 0.940	.9042	----	----	1	----	4	UNCH		
6650	0.285	0.285	1.832B/0.269A	1.832B/0.269A	----	1.670 + 0.977	.9167	----	----	72	----	86 +	27		
6660	0.522	0.522	1.925B/0.289A	1.925B/0.289A	----	1.758 + 1.012	.9278	----	----	12	----	10 -	1		
6670	----	----	2.018B/0.313A	2.018B/0.313A	----	1.847 + 1.046	.9376	----	----	3	----	6 +	3		
6675	----	----	2.065B/0.326A	2.065B/0.326A	----	1.891 + 1.062	.9425	----	----	----	----	37	UNCH		
6680	----	----	2.112B/0.339A	2.112B/0.339A	----	1.936 + 1.078	.9466	----	----	----	----	4	UNCH		
6690	----	----	2.210B/0.368A	2.210B/0.368A	----	2.026 + 1.108	.9540	----	----	----	----	2	UNCH		
6700	0.596	0.596	2.302B/0.398A	2.302B/0.398A	----	2.118 + 1.138	.9609	----	----	11	----	110 -	6		
6710	----	----	2.398B/0.436A	2.398B/0.436A	----	2.210 + 1.166	.9662	----	----	----	----	3	UNCH		
6720	----	----	2.498B/0.469A	2.498B/0.469A	----	2.304 + 1.193	.9711	----	----	1	----	36 +	1		
6725	0.655	0.655	2.546B/0.488A	2.546B/0.488A	----	2.351 + 1.206	.9732	----	----	8	----	36 -	2		
6730	----	----	2.595B/0.506A	2.595B/0.506A	----	2.398 + 1.219	.9752	----	----	----	----	3	UNCH		
6740	----	----	2.687B/0.546A	2.687B/0.546A	----	2.493 + 1.243	.9785	----	----	----	----	4	UNCH		
6750	0.817	0.817	2.785B/0.587A	2.785B/0.587A	----	2.589 + 1.267	.9812								



PG64	BULLETIN #183@										METALS OPTION PRODUCTS										Wed, Sep 23, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST										
SO PUT	COMEX SILVER OPTIONS																								
NOV26																									
4875	----	----	----	----	0.0438/0.056A	----	----	----	0.049 +	0.002	----	----	----	----	2	UNCH									
4900	----	----	----	----	0.0458/0.059A	----	----	----	0.052 +	0.003	----	----	----	----	66	UNCH									
4950	----	----	----	----	0.0508/0.064A	----	----	----	0.057 +	0.004	----	----	----	----	1	UNCH									
4975	----	----	----	----	0.0538/0.066A	----	----	----	0.061 +	0.006	----	----	----	----	5	UNCH									
5000	----	----	----	0.0648/----	0.0648/0.069A	----	----	----	0.064 +	0.007	----	----	6	----	335	-									
5050	----	----	----	0.0668/----	0.0668/0.073A	----	----	----	0.071 +	0.008	----	----	----	----	1	UNCH									
5100	----	----	----	0.0748/----	0.0748/0.078A	----	----	----	0.080 +	0.011	----	----	1	----	209	UNCH									
5150	0.083	0.083		0.083/0.083	0.083/0.083	----	----	----	0.089 +	0.013	----	----	1	----	58	-									
5175	----	----	----	0.0888/----	0.0888/0.089A	----	----	----	0.094 +	0.014	----	----	----	----	11	UNCH									
5200	0.106	0.106		0.106/0.095	0.106/0.092A	----	----	----	0.099 +	0.014	----	----	6	----	48	UNCH									
5225	----	----	----	0.0998/----	0.0998/0.099A	----	----	----	0.105 +	0.016	----	----	----	----	11	UNCH									
5250	----	----	----	0.1078/----	0.1078/0.103A	----	----	----	0.111 +	0.017	----	----	----	----	9	UNCH									
5275	----	----	----	0.1148/----	0.1148/0.109A	----	----	----	0.118 +	0.019	----	----	----	----	2	UNCH									
5300	----	----	----	0.1218/----	0.1218/0.113A	----	----	----	0.125 +	0.020	----	7	----	83	+										
5325	----	----	----	0.1298/----	0.1298/0.120A	----	----	----	0.132 +	0.022	----	----	----	----	7	UNCH									
5350	----	----	----	0.1388/----	0.1388/0.126A	----	----	----	0.141 +	0.025	----	----	----	----	18	UNCH									
5375	----	----	----	0.1478/----	0.1478/0.128A	----	----	----	0.150 +	0.027	----	5	----	20	+										
5400	----	----	----	0.1568/----	0.1568/0.131A	----	----	----	0.159 +	0.030	----	14	----	79	+										
5425	----	----	----	0.1678/----	0.1678/0.137A	----	----	----	0.170 +	0.033	----	----	----	----	2	UNCH									
5450	----	----	----	0.1798/0.143A	0.1798/0.143A	----	----	----	0.181 +	0.037	----	----	----	----	8	UNCH									
5475	----	----	----	0.1928/0.149A	0.1928/0.149A	----	----	----	0.194 +	0.042	----	9	----	48	+										
5500	0.200	0.200		0.2068/0.155A	0.2068/0.155A	----	----	----	0.207 +	0.045	----	19	----	373	+										
5525	----	----	----	0.2148/0.165A	0.2148/0.165A	----	----	----	0.221 +	0.050	----	----	----	----	4	UNCH									
5550	----	----	----	0.2268/0.173A	0.2268/0.173A	----	----	----	0.236 +	0.054	----	----	----	----	15	UNCH									
5575	----	----	----	0.2638/0.183A	0.2638/0.183A	----	----	----	0.253 +	0.059	----	10	----	29	+										
5600	0.273	0.273		0.2838/0.193A	0.2838/0.193A	----	----	----	0.271 +	0.065	----	10	----	114	+										
5625	0.296	0.296		0.3038/0.204A	0.3038/0.204A	----	----	----	0.290 +	0.071	----	2	----	3	+										
5650	----	----	----	0.3288/0.216A	0.3288/0.216A	----	----	----	0.311 +	0.078	----	----	----	18	UNCH										
5675	----	----	----	0.3498/0.228A	0.3498/0.228A	----	----	----	0.334 +	0.086	----	6	----	44	+										
5700	0.357	0.357		0.3788/0.242A	0.3788/0.242A	----	----	----	0.358 +	0.094	----	19	----	317	+										
5725	0.371	0.371		0.4078/0.254A	0.4078/0.254A	----	----	----	0.385 +	0.104	----	1	----	16	+										
5750	0.360	0.360		0.4398/0.269A	0.4398/0.269A	----	----	----	0.415 +	0.115	----	7	----	14	+										
5775	0.384	0.384		0.4718/0.286A	0.4718/0.286A	----	----	----	0.446 +	0.125	----	9	----	50	+										
5800	0.440	0.440		0.5028/0.304A	0.5028/0.304A	----	----	----	0.480 +	0.136	----	40	----	175	+										
5825	0.496	0.496		0.5468/0.323A	0.5468/0.323A	----	----	----	0.517 +	0.148	----	6	----	8	+										
5850	0.466	0.466		0.5888/0.342A	0.5888/0.342A	----	----	----	0.555 +	0.161	----	6	----	15	+										
5875	0.561	0.561		0.6308/0.365A	0.6308/0.365A	----	----	----	0.596 +	0.175	----	13	----	171	+										
5900	0.540	0.540		0.6798/0.391A	0.6798/0.391A	----	----	----	0.640 +	0.189	----	71	----	197	-										
5925	----	----	----	0.7258/0.415A	0.7258/0.415A	----	----	----	0.688 +	0.205	----	----	----	5	UNCH										
5950	0.650	0.650		0.7808/0.442A	0.7808/0.442A	----	----	----	0.738 +	0.221	----	14	----	46	+										
5975	0.805	0.805		0.8358/0.472A	0.8358/0.472A	----	----	----	0.791 +	0.236	----	15	----	54	+										
6000	0.510	0.510		0.8988/0.499A	0.8988/0.499A	----	----	----	0.848 +	0.254	----	88	----	435	+										
6025	0.555	0.555		0.9568/0.533A	0.9568/0.533A	----	----	----	0.908 +	0.271	----	9	----	19	+										
6050	----	----	----	1.0238/0.568A	1.0238/0.568A	----	----	----	0.971 +	0.289	----	1	----	22	-										
6075	0.807	0.807		1.0958/0.607A	1.0958/0.607A	----	----	----	1.038 +	0.308	----	12	----	26	+										
6100	1.135	1.135		1.1738/0.647A	1.1738/0.647A	----	----	----	1.109 +	0.328	----	32	----	68	+										
6125	----	----	----	1.2498/0.691A	1.2498/0.691A	----	----	----	1.183 +	0.348	----	----	----	5	UNCH										
6150	1.114	1.114		1.3318/0.735A	1.3318/0.735A	----	----	----	1.262 +	0.370	----	3	----	9	+										
6175	----	----	----	1.4188/0.784A	1.4188/0.784A	----	----	----	1.345 +	0.393	----	----	----	10	UNCH										
6200	1.268	1.268		1.5118/0.835A	1.5118/0.835A	----	----	----	1.432 +	0.416	----	13	56	208	+										
6225	----	----	----	1.6008/0.889A	1.6008/0.889A	----	----	----	1.523 +	0.439	----	----	----	8	UNCH										
6250	----	----	----	1.7038/0.947A	1.7038/0.947A	----	----	----	1.618 +	0.463	----	----	----	18	UNCH										
6275	1.747	1.747		1.8068/1.008A	1.8068/1.008A	----	----	----	1.717 +	0.487	----	4	----	25	+										
6300	1.093	1.093		1.9138/1.072A	1.9138/1.072A	----	----	----	1.820 +	0.512	----	8	----	51	-										
6325	----	----	----	2.0248/1.142A	2.0248/1.142A	----	----	----	1.927 +	0.536	----	----	----	3	UNCH										
6350	----	----	----	2.1378/1.213A	2.1378/1.213A	----	----	----	2.039 +	0.561	----	----	----	14	UNCH										
6375	1.500	1.500		2.2558/1.287A	2.2558/1.287A	----	----	----	2.155 +	0.587	----	2	----	18	UNCH										
6400	2.001	2.001		2.3848/1.365A	2.3848/1.365A	----	----	----	2.275 +	0.612	----	27	----	81	+										
6425	2.207	2.207		2.5078/1.448A	2.5078/1.448A	----	----	----	2.399 +	0.638	----	2	----	3	UNCH										
6450	----	----	----	2.6388/1.534A	2.6388/1.534A	----	----	----	2.527 +	0.663	----	1	----	16	UNCH										
6475	----	----	----	2.7728/1.624A	2.7728/1.624A	----	----	----	2.658 +	0.686	----	10	----	22	+										
6500	2.349	2.349		2.9188/1.719A	2.9188/1.719A	----	----	----	2.794 +	0.711	----	8	----	342	+										
6525	2.894	2.894		3.0528/1.817A	3.0528/1.817A	----	----	----	2.933 +	0.734	----	1	----	1	UNCH										
6550	3.131	3.131		3.1978/1.923A	3.1978/1.923A	----	----	----	3.077 +	0.759	----	2	----	5	+										
6575	3.198	3.198		3.3508/2.013A	3.3508/2.013A	----	----	----	3.224 +	0.782	----	5	----	18	+										
6600	2.350	2.350		3.5088/2.123A	3.5088/2.123A	----	----	----	3.375 +	0.805	----	43	----	168	+										
6625	3.545	3.545		3.6628/2.236A	3.6628/2.236A	----	----	----	3.530 +	0.829	----	3	----	28	+										
6650	2.545	2.545		3.8258/2.352A	3.8258/2.352A	----	----	----	3.689 +	0.853	----	15	----	39	+										
6675	2.764	2.764		3.9938/2.474A	3.9938/2.474A	----	----	----	3.852 +	0.877	----	8	----	68	+										
6700	2.990																								

PG64	BULLETIN #183@				METALS OPTION PRODUCTS				Wed, Sep 23, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO PUT	COMEX SILVER OPTIONS													
DEC26														
4750	----	----	0.1348/----	0.1348/0.134A	----	0.138 + 0.014	.0287	----	----	----	----	8	UNCH	
4800	----	----	0.1478/----	0.1478/0.145A	----	0.150 + 0.015	.0313	----	----	----	----	446	UNCH	
4850	----	----	0.1618/----	0.1618/0.158A	----	0.164 + 0.017	.0342	----	----	----	----	9	UNCH	
4875	----	----	0.1698/----	0.1698/0.165A	----	0.171 + 0.017	.0357	----	----	----	----	4	UNCH	
4900	----	----	0.1788/----	0.1788/0.172A	----	0.179 + 0.018	.0374	----	35	----	----	46 +	34	
4925	----	----	0.1878/----	0.1878/0.178A	----	0.187 + 0.019	.0391	----	1	----	----	360 +	1	
4950	----	----	0.1978/----	0.1978/0.183A	----	0.196 + 0.020	.0410	----	----	----	----	17	UNCH	
4975	----	----	0.2068/----	0.2068/0.186A	----	0.205 + 0.021	.0429	----	----	----	----	74	UNCH	
5000	0.214	0.214	0.225/0.214	0.225/0.193A	----	0.215 + 0.023	.0449	----	6	----	----	610 +	1	
5025	----	----	0.2308/0.197A	0.2308/0.197A	----	0.226 + 0.025	.0471	----	----	----	----	33	UNCH	
5050	----	----	0.2428/0.205A	0.2428/0.205A	----	0.237 + 0.026	.0494	----	----	----	----	10	UNCH	
5075	----	----	0.2558/0.213A	0.2558/0.213A	----	0.250 + 0.029	.0519	----	----	----	----	5	UNCH	
5100	----	----	0.2678/0.222A	0.2678/0.222A	----	0.263 + 0.032	.0545	----	1	----	----	26	UNCH	
5125	----	----	0.2818/0.232A	0.2818/0.232A	----	0.277 + 0.035	.0572	----	----	----	----	5	UNCH	
5150	----	----	0.2978/0.242A	0.2978/0.242A	----	0.292 + 0.038	.0601	----	----	----	----	15	UNCH	
5175	----	----	0.3128/0.253A	0.3128/0.253A	----	0.307 + 0.041	.0630	----	----	----	----	2	UNCH	
5200	----	----	0.3268/0.264A	0.3268/0.264A	----	0.322 + 0.043	.0660	----	5	----	----	98 +	2	
5225	----	----	0.3328/0.276A	0.3328/0.276A	----	0.338 + 0.045	.0691	----	----	----	----	5	UNCH	
5250	----	----	0.3678/0.289A	0.3678/0.289A	----	0.356 + 0.049	.0725	----	----	----	----	51	UNCH	
5300	----	----	0.4128/0.315A	0.4128/0.315A	----	0.399 + 0.061	.0803	----	1	----	----	280	UNCH	
5325	----	----	0.4368/0.330A	0.4368/0.330A	----	0.422 + 0.067	.0844	----	----	----	----	8	UNCH	
5350	----	----	0.4608/0.345A	0.4608/0.345A	----	0.445 + 0.072	.0885	----	----	----	----	4	UNCH	
5375	----	----	0.4898/0.361A	0.4898/0.361A	----	0.470 + 0.079	.0929	----	----	----	----	2	UNCH	
5400	----	----	0.5168/0.379A	0.5168/0.379A	----	0.495 + 0.084	.0974	----	41	----	----	118 +	40	
5425	----	0.545	0.5418/0.396A	0.5418/0.396A	----	0.522 + 0.090	.1021	----	1	----	----	6	UNCH	
5450	0.545	0.545	0.5718/0.416A	0.5718/0.416A	----	0.551 + 0.097	.1070	----	2	----	----	9 +	2	
5500	0.610	0.610	0.650/0.458A	0.650/0.458A	----	0.614 + 0.111	.1176	----	33	26	----	694 +	19	
5525	----	----	0.6758/0.480A	0.6758/0.480A	----	0.648 + 0.119	.1231	----	----	----	----	8	UNCH	
5550	----	----	0.7158/0.503A	0.7158/0.503A	----	0.685 + 0.128	.1291	----	----	----	----	4	UNCH	
5575	0.697	0.697	0.7518/0.528A	0.7518/0.528A	----	0.723 + 0.136	.1351	----	2	----	----	174	UNCH	
5600	----	----	0.7968/0.555A	0.7968/0.555A	----	0.764 + 0.146	.1415	----	1	----	----	160	UNCH	
5625	----	----	0.8378/0.612A	0.8378/0.612A	----	0.806 + 0.155	.1479	----	----	----	----	2	UNCH	
5650	0.871	0.871	0.8838/0.673A	0.8838/0.673A	----	0.851 + 0.166	.1547	----	4	----	----	29	UNCH	
5675	0.927	0.927	0.9318/0.698A	0.9318/0.698A	----	0.898 + 0.177	.1617	----	1	----	----	2	UNCH	
5700	----	----	0.9848/0.703A	0.9848/0.703A	----	0.947 + 0.188	.1688	----	1	----	----	121	UNCH	
5725	----	----	1.0418/0.730A	1.0418/0.730A	----	0.998 + 0.199	.1761	----	----	----	----	106	UNCH	
5750	----	----	1.0968/0.740A	1.0968/0.740A	----	1.052 + 0.211	.1837	----	1	----	----	175 +	1	
5775	----	----	1.1488/0.779A	1.1488/0.779A	----	1.108 + 0.224	.1915	----	----	----	----	10	UNCH	
5800	----	----	1.2158/0.819A	1.2158/0.819A	----	1.167 + 0.237	.1995	----	3	----	----	213	UNCH	
5825	----	----	1.2738/0.860A	1.2738/0.860A	----	1.228 + 0.250	.2077	----	----	----	----	1	UNCH	
5850	1.228	1.228	1.3408/0.903A	1.3408/0.903A	----	1.292 + 0.264	.2160	----	10	----	----	23 +	9	
5875	----	----	1.4078/0.945A	1.4078/0.945A	----	1.358 + 0.278	.2245	----	----	----	----	7	UNCH	
5900	1.019	1.019	1.4848/0.991A	1.4848/0.991A	----	1.427 + 0.292	.2333	----	3	----	----	218	UNCH	
5925	----	----	1.5548/1.041A	1.5548/1.041A	----	1.499 + 0.307	.2421	----	----	----	----	2	UNCH	
5950	----	----	1.6318/1.097A	1.6318/1.097A	----	1.574 + 0.322	.2512	----	----	----	----	8	UNCH	
5975	----	----	1.7118/1.148A	1.7118/1.148A	----	1.652 + 0.338	.2604	----	----	----	----	1	UNCH	
6000	1.465	1.465	1.7998/1.202A	1.7998/1.202A	----	1.733 + 0.354	.2698	----	19	----	----	541 +	3	
6025	----	----	1.8868/1.263A	1.8868/1.263A	----	1.816 + 0.369	.2793	----	----	----	----	63	UNCH	
6050	----	----	1.9718/1.324A	1.9718/1.324A	----	1.903 + 0.386	.2889	----	----	----	----	2	UNCH	
6075	----	----	2.0638/1.388A	2.0638/1.388A	----	1.992 + 0.402	.2986	----	----	----	----	2	UNCH	
6100	----	----	2.1598/1.453A	2.1598/1.453A	----	2.085 + 0.419	.3084	----	----	----	----	29	UNCH	
6150	----	----	2.3588/1.593A	2.3588/1.593A	----	2.279 + 0.452	.3284	----	----	----	----	5	UNCH	
6175	----	----	2.4638/1.667A	2.4638/1.667A	----	2.381 + 0.470	.3384	----	----	----	----	1	UNCH	
6200	----	----	2.5718/1.740A	2.5718/1.740A	----	2.486 + 0.487	.3486	----	----	----	----	63	UNCH	
6275	----	----	2.9128/1.986A	2.9128/1.986A	----	2.818 + 0.539	.3793	----	----	----	----	8	UNCH	
6300	2.079	2.079	3.0328/2.075A	3.0328/2.075A	----	2.935 + 0.556	.3895	----	11	----	----	95 +	5	
6325	----	----	3.1548/2.166A	3.1548/2.166A	----	3.055 + 0.574	.3998	----	----	----	----	3	UNCH	
6350	----	----	3.2808/2.258A	3.2808/2.258A	----	3.177 + 0.590	.4101	----	----	----	----	50	UNCH	
6375	----	----	3.4078/2.357A	3.4078/2.357A	----	3.303 + 0.608	.4203	----	----	----	----	4	UNCH	
6400	----	----	3.5388/2.454A	3.5388/2.454A	----	3.431 + 0.625	.4306	----	----	----	----	28	UNCH	
6425	----	----	3.6728/2.555A	3.6728/2.555A	----	3.563 + 0.642	.4408	----	----	----	----	9	UNCH	
6450	----	----	3.8098/2.660A	3.8098/2.660A	----	3.697 + 0.659	.4510	----	----	----	----	14	UNCH	
6475	----	----	3.9498/2.770A	3.9498/2.770A	----	3.834 + 0.676	.4611	----	----	----	----	3	UNCH	
6500	3.098	3.098	4.0958/2.877A	4.0958/2.877A	----	3.974 + 0.692	.4711	----	2	----	----	943	UNCH	
6525	----	----	4.2378/2.993A	4.2378/2.993A	----	4.116 + 0.708	.4811	----	----	----	----	25	UNCH	
6550	3.988	3.988	4.3848/3.104A	4.3848/3.104A	----	4.262 + 0.726	.4910	----	5	----	----	34 +	5	
6575	----	----	4.5348/3.223A	4.5348/3.223A	----	4.410 + 0.742	.5008	----	1	----	----	2 +	1	
6600	----	----	4.6918/3.344A	4.6918/3.344A	----	4.561 + 0.759	.5106	----	----	----	----	97	UNCH	
6625	----	----	4.8448/3.469A	4.8448/3.469A	----	4.714 + 0.775	.5202	----	----	----	----	33	UNCH	
6650	----	----	5.0008/3.596A	5.0008/3.596A	----	4.870 + 0.791	.5297	----	----	----	----	20	UNCH	
6675	----	----	5.1608/3.725A	5.1608/3.725A	----	5.028 + 0.807	.5391	----	----	----	----	1	UNCH	
6700	4.201	4.201	5.3248/3.8											

BULLETIN #183@				METALS OPTION PRODUCTS							Wed, Sep 23, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO PUT	COMEX SILVER OPTIONS													
TOTAL											0	276	0	
MAY27														
4500	0.750	0.750	0.777B/0.740A	0.777B/0.740A	----	0.797 + 0.039	.0764	----	----	1	----	5 -	1	
4700	----	----	1.038B/----	1.038B/1.051A	----	1.033 + 0.061	.0962	----	----	----	----	5	UNCH	
4850	----	----	1.273B/----	1.273B/1.231A	----	1.254 + 0.084	.1137	----	----	----	----	5	UNCH	
6000	----	----	4.601B/3.889A	4.601B/3.889A	----	4.569 + 0.438	.3108	----	----	----	----	1	UNCH	
6500	----	----	7.111B/6.042A	7.111B/6.042A	----	7.036 + 0.600	.4132	----	----	----	----	64	UNCH	
6525	----	----	7.246B/6.193A	7.246B/6.193A	----	7.175 + 0.607	.4182	----	----	----	----	10	UNCH	
6675	----	----	8.145B/6.940A	8.145B/6.940A	----	8.046 + 0.653	.4481	----	----	----	----	2	UNCH	
6750	----	----	8.593B/7.379A	8.593B/7.379A	----	8.501 + 0.676	.4626	----	----	----	----	5	UNCH	
7300	----	----	12.275B/10.709A	12.275B/10.709A	----	12.176 + 0.836	.5602	----	----	----	----	10	UNCH	
7900	----	----	16.813B/14.915A	16.813B/14.915A	----	16.709 + 0.991	.6478	----	----	----	----	10	UNCH	
8300	----	----	20.070B/18.017A	20.070B/18.017A	----	19.963 + 1.078	.6956	----	----	----	----	5	UNCH	
8325	----	----	20.268B/18.215A	20.268B/18.215A	----	20.172 + 1.083	.6983	----	----	----	----	2	UNCH	
8350	----	----	20.484B/18.413A	20.484B/18.413A	----	20.381 + 1.088	.7009	----	----	----	----	2	UNCH	
8500	----	----	21.456B/19.800A	21.456B/19.800A	----	21.647 + 1.117	.7165	----	----	----	----	9	UNCH	
TOTAL										1	0	135 -	1	
JUN27														
4000	----	----	----	0.480B/0.544A	----	0.519 + 0.009	.0471	----	----	----	----	1	UNCH	
4500	----	----	0.921B/----	0.921B/0.984A	----	0.947 + 0.044	.0826	----	----	----	----	3	UNCH	
4700	----	----	1.183B/----	1.183B/1.235A	----	1.210 + 0.074	.1024	----	----	----	----	430	UNCH	
5500	----	----	2.989B/----	2.989B/2.759A	----	3.029 + 0.270	.2155	----	----	----	----	3	UNCH	
6000	----	----	4.848B/4.353A	4.848B/4.353A	----	4.866 + 0.409	.3054	----	----	----	----	5	UNCH	
6400	----	----	6.800B/6.050A	6.800B/6.050A	----	6.777 + 0.542	.3814	----	----	----	----	1	UNCH	
6500	----	----	7.344B/6.534A	7.344B/6.534A	----	7.316 + 0.578	.4003	----	----	----	----	10	UNCH	
6800	----	----	9.090B/8.118A	9.090B/8.118A	----	9.064 + 0.673	.4554	----	----	----	----	1	UNCH	
7000	----	----	10.374B/9.284A	10.374B/9.284A	----	10.330 + 0.736	.4902	----	----	----	----	16	UNCH	
7050	----	----	10.697B/9.570A	10.697B/9.570A	----	10.658 + 0.752	.4986	----	----	----	----	1	UNCH	
TOTAL											0	471	0	
JUL27														
5500	----	----	3.393B/3.052A	3.393B/3.052A	----	3.422 + 0.260	.2237	----	----	----	----	50	UNCH	
6500	----	----	7.758B/7.077A	7.758B/7.077A	----	7.877 + 0.595	.3984	----	----	----	----	1	UNCH	
6900	----	----	10.299B/9.246A	10.299B/9.246A	----	10.270 + 0.730	.4662	----	----	----	----	100	UNCH	
7000	----	----	10.945B/9.682A	10.945B/9.682A	----	10.913 + 0.761	.4822	----	----	----	----	25	UNCH	
TOTAL											0	176	0	
SEP27														
5500	----	----	3.969B/3.788A	3.969B/3.788A	----	4.076 + 0.275	.2294	----	----	----	----	10	UNCH	
TOTAL											0	10	0	
DEC27														
7175	----	----	----	----	----	14.231 + 0.685	.4504	----	----	----	----	25	UNCH	
TOTAL											0	25	0	
DEC28														
7175	----	----	----	----	----	16.878 + 0.566	.3792	----	----	----	----	40	UNCH	
TOTAL											0	40	0	
SO1 CALL		SILVER OPTIONS												
OCT26														
6100	----	----	7.035B/4.071A	7.035B/4.071A	----	4.221 - 1.440	.8784	----	----	----	----	5	UNCH	
6400	----	----	4.293B/1.858A	4.293B/1.858A	----	1.983 - 1.063	.6202	----	----	----	----	1	UNCH	
6450	1.670	1.670	3.882B/1.594A	3.882B/1.594A	----	1.706 - 0.971	.5636	----	----	4	----	4 +	2	
6650	----	----	2.446B/0.827A	2.446B/0.827A	----	0.885 - 0.619	.3468	----	----	----	----	8	UNCH	
6700	0.740	0.740	2.152B/0.699A	2.152B/0.699A	----	0.745 - 0.541	.3007	----	----	5	----	7	UNCH	
6750	----	----	1.920B/0.592A	1.920B/0.592A	----	0.628 - 0.467	.2594	----	----	----	----	5	UNCH	
6800	----	----	1.681B/0.501A	1.681B/0.501A	----	0.529 - 0.399	.2227	----	----	----	----	2	UNCH	
6900	0.480	0.480	1.291B/0.362A	1.291B/0.362A	----	0.380 - 0.282	.1635	----	----	4	----	9 +	4	
6950	----	----	1.111B/0.307A	1.111B/0.307A	----	0.324 - 0.234	.1401	----	----	----	----	1	UNCH	
7000	0.600	0.600	0.977B/0.265A	0.977B/0.265A	----	0.278 - 0.193	.1204	----	----	8	----	12 +	3	
7050	----	----	0.846B/0.230A	0.846B/0.230A	----	0.239 - 0.160	.1034	----	----	----	----	2	UNCH	
7100	0.230	0.230	0.722B/0.201A	0.722B/0.201A	----	0.207 - NEW	.0892	----	----	1	----	1 +	1	
7200	----	----	0.555B/0.161A	0.555B/0.161A	----	0.158 - 0.090	.0671	----	----	----	----	10	UNCH	
7250	----	----	0.479B/0.151A	0.479B/0.151A	----	0.139 - 0.076	.0585	----	----	----	----	2	UNCH	
7300	----	----	0.413B/0.138A	0.413B/0.138A	----	0.124 - 0.063	.0515	----	----	----	----	1	UNCH	
7400	----	----	0.314B/0.115A	0.314B/0.115A	----	0.100 - 0.046	.0404	----	----	----	----	4	UNCH	
7600	----	----	0.193B/0.088A	0.193B/0.088A	----	0.071 - 0.026	.0269	----	----	----	----	1	UNCH	
TOTAL										22	0	75 +	10	
SO1 PUT		SILVER OPTIONS												
OCT26														
5400	----	----	----	0.008B/0.032A	----	0.011 + 0.002	.0046	----	----	----	----	6	UNCH	
5500	----	----	0.015B/----	0.015B/0.037A	----	0.017 + 0.003	.0074	----	----	----	----	1	UNCH	
5600	----	----	----	0.020B/0.044A	----	0.026 + 0.006	.0117	----	----	----	----	12	UNCH	
5800	----	----	0.052B/----	0.052B/0.067A	----	0.063 + 0.022	.0298	----	----	----	----	10	UNCH	
5900	----	----	0.086B/----	0.086B/0.084A	----	0.101 + 0.040	.0483	----	----	----	----	1	UNCH	
5950	----	----	0.132B/----	0.132B/0.093A	----	0.128 + 0.054	.0612	----	----	----	----	1	UNCH	
6000	----	----	0.167B/----	0.167B/0.106A	----	0.162 + 0.072	.0771	----	----	----	----	6	UNCH	
6050	----	----	0.212B/----	0.212B/0.121A	----	0.205 + 0.095	.0969	----	----	----	----	20	UNCH	
6100	----	----	0.284B/----	0.284B/0.140A	----	0.261 + 0.126	.1215	----	----	----	----	7	UNCH	
6200	0.400	0.400	0.455B/0.192A	0.455B/0.192A	----	0.419 + 0.210	.1863	----	----	12	----	24 -	1	
6250	----	----	0.567B/0.243A	0.567B/0.243A	----	0.529 + 0.268	.2273	----	----	----	----	18	UNCH	
6300	0.584	0.584	0.703B/0.267A	0.703B/0.267A	----	0.664 + 0.336	.2738	----	----	3	----	17 +	3	
6350	----	----	0.880B/0.314A	0.880B/0.314A	----	0.827 + 0.414	.3250	----	----	----	----	5	UNCH	
6450	----	----	1.323B/0.484A	1.323B/0.484A	----	1.243 + 0.594	.4363	----	----	----	----	2	UNCH	
6500	----	----	1.585B/0.573A	1.585B/0.573A	----	1.495 + 0.686	.4932	----	----	----	----	2	UNCH	
6600	----	----	2.170B/0.866A	2.170B/0.866A	----	2.085 + 0.864	.6028	----	----	----	----	5	UNCH	
6650	----	----	2.513B/1.049A	2.513B/1.049A	----	2.420 + 0.946	.6531	----	----	----	----	4	UNCH	
6700	----	----	2.883B/1.274A	2.883B/1.274A										

BULLETIN #183@										METALS OPTION PRODUCTS										Wed, Sep 23, 2026		PG64
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
S03 PUT		SILVER OPTIONS																				
OCT26																						
6000	0.458	0.458	0.565B/0.328A	0.565B/0.328A	----	0.561	NEW .1689	----	----	----	5	----	5 +	5								
6100	0.784	0.784	0.788B/0.425A	0.788B/0.425A	----	0.774 +	0.278 .2198	----	----	----	3	----	23	UNCH								
6500	----	----	2.432B/1.338A	2.432B/1.338A	----	2.329 +	0.723 .4850	----	----	----	----	----	10	UNCH								
6600	----	----	3.025B/1.665A	3.025B/1.665A	----	2.907 +	0.838 .5537	----	----	----	----	----	5	UNCH								
6650	----	----	3.356B/1.889A	3.356B/1.889A	----	3.223 +	0.893 .5864	----	----	----	----	----	6	UNCH								
6700	----	----	3.697B/2.130A	3.697B/2.130A	----	3.556 +	0.945 .6178	----	----	----	----	----	20	UNCH								
TOTAL											8	0	69 +	5								
S04 CALL		SILVER OPTIONS																				
SEP26																						
6330	----	----	4.726B/1.679A	4.726B/1.679A	----	1.874 -	1.440 .8562	----	----	----	----	----	1	UNCH								
6400	----	----	4.047B/1.172A	4.047B/1.172A	----	1.342 -	1.325 .7348	----	----	----	----	----	7	UNCH								
6500	----	----	3.109B/0.626A	3.109B/0.626A	----	0.753 -	1.069 .4957	----	----	----	----	----	3	UNCH								
6530	0.787	0.787	2.844B/0.509A	2.844B/0.509A	----	0.620	NEW .4210	----	----	----	4	----	4 +	4								
6550	0.800	0.800	2.670B/0.441A	2.670B/0.441A	----	0.543 -	0.912 .3734	----	----	----	2	----	5 +	2								
6560	0.871	0.871	2.579B/0.412A	2.579B/0.412A	----	0.507	NEW .3505	----	----	----	----	----	2	UNCH								
6570	0.549	0.549	2.494B/0.384A	2.494B/0.384A	----	0.473 -	0.849 .3282	----	----	----	1	----	2 +	1								
6600	0.660	0.660	2.246B/0.301	2.246B/0.301	----	0.384 -	0.752 .2668	----	----	----	8	----	34 +	6								
6610	----	----	2.166B/0.290A	2.166B/0.290A	----	0.358 -	0.721 .2481	----	----	----	----	----	1	UNCH								
6620	----	----	2.090B/0.268A	2.090B/0.268A	----	0.334 -	0.689 .2305	----	----	----	----	----	1	UNCH								
6650	0.423	0.423	1.860B/0.218A	1.860B/0.218A	----	0.270 -	0.600 .1830	----	----	----	6	----	11 +	6								
6700	1.511	1.511	1.514B/0.148A	1.514B/0.148A	----	0.191 -	0.464 .1226	----	----	----	12	----	17 +	7								
6710	----	----	1.450B/0.146A	1.450B/0.146A	----	0.178 -	0.440 .1128	----	----	----	----	----	5	UNCH								
6720	----	----	1.387B/0.136A	1.387B/0.136A	----	0.166 -	0.416 .1038	----	----	----	----	----	1	UNCH								
6750	----	----	1.215B/0.112A	1.215B/0.112A	----	0.136 -	0.351 .0810	----	----	----	----	----	0	UNCH								
6760	----	----	1.170B/0.105A	1.170B/0.105A	----	0.128 -	0.331 .0749	----	----	----	----	----	3	UNCH								
6770	0.562	0.562	1.136B/0.100A	1.136B/0.100A	----	0.120	NEW .0690	----	----	----	2	----	2 +	2								
6790	0.930	0.930	1.025B/0.090A	1.025B/0.090A	----	0.106	NEW .0587	----	----	----	10	----	9 +	3								
6800	0.560	0.560	0.993B/0.085A	0.993B/0.085A	----	0.100 -	0.260 .0543	----	----	----	4	----	3 +	1								
6850	----	----	0.766B/0.068A	0.766B/0.068A	----	0.075 -	0.190 .0368	----	----	----	----	----	5	UNCH								
6900	0.330	0.330	0.601B/0.053A	0.601B/0.053A	----	0.058 -	0.137 .0256	----	----	----	8	----	10 -	1								
6950	0.260	0.260	0.457B/0.046A	0.457B/0.046A	----	0.045 -	0.100 .0179	----	----	----	5	----	16	UNCH								
7000	0.164	0.164	0.349B/0.035	0.349B/0.035	----	0.037 -	0.073 .0132	----	----	----	6	----	58 -	5								
7010	0.056	0.056	0.324B/0.038A	0.324B/0.038A	----	0.035	NEW .0122	----	----	----	1	----	1 +	1								
7050	----	----	0.259B/0.034A	0.259B/0.034A	----	0.030 -	0.055 .0097	----	----	----	----	----	2	UNCH								
7070	----	----	0.233B/0.034A	0.233B/0.034A	----	0.027 -	0.051 .0083	----	----	----	----	----	1	UNCH								
7100	0.050	0.050	0.201B/0.033A	0.201B/0.033A	----	0.024 -	0.044 .0070	----	----	----	2	----	11 -	2								
7150	----	----	0.150B/0.028A	0.150B/0.028A	----	0.019 -	0.038 .0050	----	----	----	----	----	1	UNCH								
7290	----	----	0.068B/0.021A	0.068B/0.021A	----	0.012 -	0.027 .0024	----	----	----	----	----	1	UNCH								
7300	0.019	0.019	0.065B/0.019	0.065B/0.019	----	0.012 -	0.026 .0024	----	----	----	1	----	2 +	1								
7350	----	----	0.053B/0.019A	0.053B/0.019A	----	0.011 -	0.023 .0020	----	----	----	----	----	3	UNCH								
7500	----	----	0.029B/0.016A	0.029B/0.016A	----	0.007 -	0.019 .0010	----	----	----	----	----	2	UNCH								
8000	----	----	----	0.001B/0.014A	----	0.002 -	0.008 .0001	----	----	----	----	----	1	UNCH								
TOTAL											74	0	225 +	28								
S04 PUT		SILVER OPTIONS																				
SEP26																						
5500	----	----	----	-----/0.012A	----	0.001	UNCH	----	----	----	----	----	3	UNCH								
5700	----	----	----	-----/0.011A	----	0.001	UNCH .0000	----	----	----	----	----	1	UNCH								
5800	----	----	----	-----/0.012A	----	0.002 -	0.001 .0003	----	----	----	----	----	3	UNCH								
5900	----	----	----	-----/0.016A	----	0.005 -	0.001 .0011	----	----	----	----	----	1	UNCH								
5950	----	----	----	0.002B/0.018A	----	0.008	UNCH .0021	----	----	----	----	----	1	UNCH								
6000	----	----	----	0.009B/0.020A	----	0.012 +	0.001 .0037	----	----	----	----	----	3	UNCH								
6050	----	----	----	0.015B/0.024A	----	0.018 +	0.003 .0065	----	----	----	----	----	1	UNCH								
6100	----	----	0.026B/----	0.026B/0.026A	----	0.027 +	0.007 .0113	----	----	----	----	----	12	UNCH								
6150	0.025	0.025	0.045B/0.025	0.045B/0.025	----	0.042 +	0.014 .0203	----	----	----	1	----	3 +	1								
6200	----	----	0.077B/----	0.077B/0.043A	----	0.066 +	0.029 .0362	----	----	----	----	----	9	UNCH								
6250	----	----	0.122B/0.044A	0.122B/0.044A	----	0.103 +	0.052 .0630	----	----	----	----	----	4	UNCH								
6280	0.152	0.152	0.159B/0.050A	0.159B/0.050A	----	0.135	NEW .0869	----	----	----	1	----	1 +	1								
6300	0.190	0.190	0.190/0.054A	0.190/0.054A	----	0.162 +	0.092 .1072	----	----	----	6	----	10 +	2								
6310	0.110	0.110	0.207B/0.057A	0.207B/0.057A	----	0.177	NEW .1185	----	----	----	1	----	1 +	1								
6330	----	----	0.243B/0.062A	0.243B/0.062A	----	0.210 +	0.125 .1437	----	----	----	----	----	20	UNCH								
6380	0.281	0.281	0.366B/0.079A	0.366B/0.079A	----	0.322	NEW .2257	----	----	----	3	----	3 +	3								
6400	0.200	0.200	0.427B/0.088A	0.427B/0.088A	----	0.378 +	0.240 .2651	----	----	----	2	----	13 +	1								
6430	----	----	0.541B/0.105A	0.541B/0.105A	----	0.478 +	0.306 .3312	----	----	----	----	----	20	UNCH								
6440	----	----	0.573B/0.114A	0.573B/0.114A	----	0.516 +	0.331 .3548	----	----	----	----	----	2	UNCH								
6450	----	----	0.621B/0.120A	0.621B/0.120A	----	0.556 +	0.356 .3789	----	----	----	----	----	1	UNCH								
6480	0.383	0.383	0.761B/0.138A	0.761B/0.138A	----	0.689	NEW .4536	----	----	----	20	20	10 +	10								
6500	0.706	0.706	0.870B/0.156A	0.870B/0.156A	----	0.789 +	0.496 .5042	----	----	----	5	----	7 +	3								
6520	0.734	0.734	0.981B/0.179A	0.981B/0.179A	----	0.898	NEW .5543	----	----	----	1	----	1 +	1								
6530	0.882	0.882	1.039B/0.191A	1.039B/0.191A	----	0.956	NEW .5789	----	----	----	1	----	1 +	1								
6540	0.938	0.938	1.103B/0.202A	1.103B/0.202A	----	1.016	NEW .6030	----	----	----	1	----	1 +	1								
6550	0.996	0.996	1.164B/0.216A	1.164B/0.216A	----	1.079 +	0.653 .6265	----	----	----	1	----	2 +	1								
6560	1.062	1.062	1.234B/0.231A	1.234B/0.231A	----	1.143	NEW .6494	----	----	----	2	----	1 +	1								
6570	----	----	1.312B/0.246A	1.312B/0.246A	----	1.209 +	0.717 .6717	----	----	----	----	----	1	UNCH								
6590	----	----	1.463B/0.281A	1.463B/0.281A	----	1.348 +	0.782 .7135	----	----													

PG64	BULLETIN #183@										METALS OPTION PRODUCTS				Wed, Sep 23, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST							
SWW WED SEP26 SILVER WEEKLY WEDNESDAY OPTION WEEK																			
6550	0.399	0.399	2.514B/0.005	2.514B/0.005	----	0.000 - 1.172	----	----	----	8	----	0 -	4						
6550	0.050	0.050	0.664/0.044A	0.664/0.044A	----	0.536 + 0.394	----	----	----	53	----	0	UNCH						
6560	----	----	2.410B/0.010A	2.410B/0.010A	----	0.000	NEW	----	----	2	----	0	UNCH						
6570	0.155	0.155	0.845B/0.053A	0.845B/0.053A	----	0.736	NEW	----	----	2	----	0	UNCH						
6570	0.036	0.036	2.313B/0.009A	2.313B/0.009A	----	0.000	NEW	----	----	1	----	0	UNCH						
6580	----	----	2.216B/0.010A	2.216B/0.010A	----	0.000	NEW	----	----	1	----	0	UNCH						
6580	----	----	0.943B/0.059A	0.943B/0.059A	----	0.836	NEW	----	----	20	----	0	UNCH						
6590	----	----	1.045B/0.065A	1.045B/0.065A	----	0.936 + 0.693	----	----	----	22	----	0 -	3						
6600	0.100	0.100	1.145B/0.071A	1.145B/0.071A	----	1.036 + 0.760	----	----	----	26	----	0 -	19						
6600	0.370	0.370	2.025B/0.010A	2.025B/0.010A	----	0.000 - 0.806	----	----	----	12	----	0 -	2						
6600	----	----	2.546B/0.736A	2.546B/0.736A	----	0.803 - 0.717	.3706	----	----	----	----	0	UNCH						
6610	----	----	1.244B/0.082A	1.244B/0.082A	----	1.136	NEW	----	----	10	----	0	UNCH						
6610	----	----	1.931B/0.010A	1.931B/0.010A	----	0.000 - 0.742	----	----	----	1	----	0 -	1						
6620	0.020	0.020	1.838B/0.010A	1.838B/0.010A	----	0.000 - 0.681	----	----	----	82	----	0 -	1						
6640	----	----	1.545B/0.105A	1.545B/0.105A	----	1.436 + 0.995	----	----	----	4	----	0 -	21						
6650	0.949	0.949	1.566B/0.002	1.566B/0.002	----	0.000 - 0.521	----	----	----	7	----	0 -	10						
6650	0.220	0.220	1.645B/0.118A	1.645B/0.118A	----	1.536 + 1.045	----	----	----	21	----	0 -	1						
6650	0.643	0.643	2.206B/0.604A	2.206B/0.604A	----	0.653	NEW	.3119	----	7	----	7 +	7						
6660	0.451	0.451	1.744B/0.130A	1.744B/0.130A	----	1.636 + 1.091	----	----	----	5	----	0 -	8						
6660	1.000	1.000	1.483B/0.010A	1.483B/0.010A	----	0.000 - 0.475	----	----	----	1	----	0 -	1						
6670	----	----	1.844B/0.147A	1.844B/0.147A	----	1.736 + 1.134	----	----	----	1	----	0 -	1						
6670	0.015	0.015	1.392B/0.010A	1.392B/0.010A	----	0.000	NEW	----	----	4	----	0	UNCH						
6680	0.331	0.331	1.308B/0.010A	1.308B/0.010A	----	0.000	NEW	----	----	2	----	0	UNCH						
6680	0.520	0.520	1.943B/0.163A	1.943B/0.163A	----	1.836	NEW	----	----	2	----	0	UNCH						
6690	1.812	1.812	2.043B/0.186A	2.043B/0.186A	----	1.936	NEW	----	----	10	----	0	UNCH						
6700	0.450	0.450	2.143B/0.203A	2.143B/0.203A	----	2.036 + 1.244	----	----	----	12	----	0 -	5						
6700	0.608	0.608	1.148B/0.011A	1.148B/0.011A	----	0.000 - 0.322	----	----	----	25	----	0 -	28						
6700	----	----	1.897B/0.487A	1.897B/0.487A	----	0.529 - 0.513	.2597	----	----	----	----	7	UNCH						
6710	----	----	1.071B/0.011A	1.071B/0.011A	----	0.000 - 0.292	----	----	----	----	----	0 -	2						
6710	----	----	2.243B/0.229A	2.243B/0.229A	----	2.136 + 1.274	----	----	----	----	----	0 -	2						
6720	0.253	0.253	2.344B/0.250	2.344B/0.250	----	2.236 + 1.302	----	----	----	5	----	0 -	7						
6720	----	----	0.997B/0.012A	0.997B/0.012A	----	0.000 - 0.264	----	----	----	----	----	0 -	3						
6730	----	----	0.926B/0.011A	0.926B/0.011A	----	0.000	NEW	----	----	2	----	0	UNCH						
6740	0.421	0.421	2.544B/0.328A	2.544B/0.328A	----	2.436 + 1.350	----	----	----	2	----	0 -	1						
6740	0.171	0.171	0.859B/0.010A	0.859B/0.010A	----	0.000 - 0.216	----	----	----	55	----	0 -	4						
6750	0.360	0.360	2.644B/0.340	2.644B/0.340	----	2.536 + 1.371	----	----	----	15	----	0 -	3						
6750	0.371	0.371	0.794B/0.001A	0.794B/0.001A	----	0.000 - 0.195	----	----	----	5	----	0 -	12						
6750	----	----	3.104B/1.216A	3.104B/1.216A	----	2.963 + 1.140	.7851	----	----	----	----	5	UNCH						
6750	----	----	1.635B/0.395A	1.635B/0.395A	----	0.429 - 0.425	.2148	----	----	----	----	6	UNCH						
6770	0.230	0.230	0.676B/0.008	0.676B/0.008	----	0.000 - 0.159	----	----	----	2	----	0 -	6						
6780	0.180	0.180	0.641B/0.010A	0.641B/0.010A	----	0.000 - 0.144	----	----	----	4	----	0 -	3						
6790	0.086	0.086	0.616B/0.010A	0.616B/0.010A	----	0.000 - 0.130	----	----	----	3	----	0 -	1						
6800	0.500	0.500	1.425B/0.317A	1.425B/0.317A	----	0.349 - 0.347	.1768	----	----	1	----	1	UNCH						
6800	0.489	0.489	0.561B/0.002	0.561B/0.002	----	0.000 - 0.117	----	----	----	6	----	0 -	55						
6810	----	----	0.496B/0.011A	0.496B/0.011A	----	0.000 - 0.106	----	----	----	----	----	0 -	1						
6820	----	----	0.451B/0.010A	0.451B/0.010A	----	0.000 - 0.096	----	----	----	----	----	0 -	33						
6840	0.390	0.390	0.390/0.011A	0.390/0.011A	----	0.000	NEW	----	----	25	----	0	UNCH						
6850	0.256	0.256	0.346B/0.011A	0.346B/0.011A	----	0.000 - 0.071	----	----	----	2	----	0 -	23						
6860	0.020	0.020	0.302B/0.013A	0.302B/0.013A	----	0.000 - 0.065	----	----	----	1	----	0 -	1						
6870	3.300	3.300	3.844B/1.043A	3.844B/1.043A	----	3.736 + 1.507	----	----	----	1	----	0 -	1						
6880	----	----	0.252B/0.013A	0.252B/0.013A	----	0.000 - 0.053	----	----	----	----	----	0 -	1						
6900	0.367	0.367	1.021B/0.218A	1.021B/0.218A	----	0.234 - 0.227	.1194	----	----	4	----	17 +	4						
6900	0.220	0.220	0.220/0.005	0.220/0.005	----	0.000 - 0.044	----	----	----	4	----	0 -	7						
6910	----	----	0.189B/0.013A	0.189B/0.013A	----	0.000 - 0.040	----	----	----	----	----	0 -	4						
6940	----	----	0.131B/0.013A	0.131B/0.013A	----	0.000 - 0.030	----	----	----	----	----	0 -	1						
6950	----	----	0.856B/0.181A	0.856B/0.181A	----	0.194 - 0.182	.0985	----	----	----	----	60	UNCH						
6950	----	----	0.116B/0.013A	0.116B/0.013A	----	0.000 - 0.028	----	----	----	----	----	0 -	7						
7000	----	----	0.070B/0.013A	0.070B/0.013A	----	0.000 - 0.017	----	----	----	----	----	0 -	22						
7010	----	----	0.057B/0.013A	0.057B/0.013A	----	0.000 - 0.016	----	----	----	----	----	0 -	1						
7050	----	----	0.031B/----	0.031B/0.015A	----	0.000 - 0.011	----	----	----	----	----	0 -	6						
7100	----	----	0.014B/----	0.014B/0.015A	----	0.000 - 0.007	----	----	----	----	----	0 -	2						
7100	----	----	0.503B/0.129A	0.503B/0.129A	----	0.118 - 0.093	.0575	----	----	----	----	3	UNCH						
7220	----	----	----/0.015A	----/0.015A	----	0.000 - 0.003	----	----	----	----	----	0 -	1						
7270	----	----	----/0.015A	----/0.015A	----	0.000 - 0.002	----	----	----	----	----	0 -	1						
7300	----	----	----/0.015A	----/0.015A	----	0.000 - 0.002	----	----	----	----	----	0 -	5						
7350	----	----	----/0.015A	----/0.015A	----	0.000 - 0.002	----	----	----	----	----	0 -	15						
7400	----	----	0.001B/0.013A	0.001B/0.013A	----	0.000 - 0.001	----	----	----	----	----	0 -	7						
7450	----	----	----/0.015A	----/0.015A	----	0.000 - 0.001	----	----	----	----	----	0 -	1						
7550	----	----	----/0.012A	----/0.012A	----	0.000 - 0.001	----	----	----	----	----	0 -	1						
7700	0.100	0.100	0.100/0.052A	0.100/0.052A	----	0.039	NEW	.0142	----	1	----	1 +	1						
8000	----	----	----/0.012A	----/0.012A	----	0.000 - 0.001	----	----	----	----	----	0 -	13						
TOTAL										589	0	153 -	515						
OCT26 SILVER WEEKLY TUESDAY OPTION Week5																			
5800	0.120	0.120	0.120/0.120	0.120/0.098A	----	0.120	NEW	.0513	----	2	----	2 +	2						
6350	----	----	1.129B/0.542A	1.129B/0.542A	----	1.072 + 0.452	.3494	----	----	----	----	2	UNCH						
6450	----	----	1.585B/0.756A	1.585B/0.756A	----	1.507 + 0.604	.4430	----	----	----	----	3	UNCH						
6500	----	----	3.612B/1.639A	3.612B/1.639A	----	1.728 - 0.880	.5095	----	----	----	----	3	UNCH						
6700	----	----	2.355B/0.955A	2.355B/0.955A	----	0.995	NEW	.3357	----	----	60	60 +	60						
6900																			

BULLETIN #183@										METALS OPTION PRODUCTS					Wed, Sep 23, 2026			PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
SILVER WEEKLY TUESDAY OPTION week5																			
TWS TUE																			
SEP26																			
6750	----	----	----	3.020B/1.094A	3.020B/1.094A	----	----	2.876 + 1.162	.8110	----	----	----	----	1	UNCH				
6750	----	----	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6770	----	----	----	----	----	----	----	1.170	UNCH	----	----	----	----	0	UNCH				
6770	----	----	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6800	----	----	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6800	----	----	----	1.297B/0.246A	1.297B/0.246A	----	----	0.272 - 0.322	.1511	----	----	----	----	6	UNCH				
6810	----	----	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6810	----	----	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6850	----	----	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6860	----	----	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6900	0.195	0.195		0.886B/0.159A	0.886B/0.159A	----	----	0.176 - 0.200	.0969	----	----	1	----	1	UNCH				
6950	----	----	----	0.721B/0.133A	0.721B/0.133A	----	----	0.145 - 0.155	.0786	----	----	----	----	13	UNCH				
7000	----	----	----	0.599B/0.118A	0.599B/0.118A	----	----	0.120 - 0.121	.0639	----	----	----	----	5	UNCH				
7100	----	----	----	0.406B/0.095A	0.406B/0.095A	----	----	0.086 - 0.075	.0436	----	----	----	----	1	UNCH				
7140	0.068	0.068		0.068/0.068	0.330B/0.068	----	----	0.077	NEW .0382	----	----	1	----	1 +	1				
7170	0.076	0.076		0.076/0.076	0.292B/0.076	----	----	0.071	NEW .0346	----	----	1	----	1 +	1				
7200	0.072	0.072		0.266B/0.072	0.266B/0.072	----	----	0.066	NEW .0316	----	----	1	----	1 +	1				
TOTAL												45	0	111 +	44				
COPPER WEEKLY MONDAY OPTION WEEK4																			
HMW MON																			
SEP26																			
525	----	----	----	----	-----/0.0035A	----	----	0.0005	UNCH	----	----	----	----	29	UNCH				
610	----	----	----	----	-----/0.0040A	----	----	0.0010	UNCH	.0053	----	----	----	15	UNCH				
615	----	----	----	----	-----/0.0040A	----	----	0.0010 - 0.0005	.0057	----	----	----	----	35	UNCH				
620	----	----	----	----	-----/0.0040A	----	----	0.0015 - 0.0005	.0091	----	----	----	----	20	UNCH				
625	----	----	----	----	-----/0.0045A	----	----	0.0025	UNCH	.0155	----	----	----	60	UNCH				
630	----	----	----	----	-----/0.0045A	----	----	0.0030	UNCH	.0200	----	----	----	25	UNCH				
635	----	----	----	----	-----/0.0045A	----	----	0.0035	UNCH	.0252	----	----	----	21	UNCH				
640	----	----	----	----	-----/0.0045A	----	----	0.0045	UNCH	.0346	----	----	----	1	UNCH				
645	----	----	----	-----/0.0050A	-----/0.0050A	----	----	0.0060 + 0.0005	.0491	----	----	----	----	15	UNCH				
650	----	----	----	-----/0.0060A	0.0025B/0.0060A	----	----	0.0080 + 0.0015	.0699	----	----	----	----	16	UNCH				
650	----	----	----	0.4050B/0.2520A	0.4050B/0.2520A	----	----	0.2615 - 0.0805	.9300	----	----	----	----	4	UNCH				
655	----	----	----	-----/0.0070A	0.0060B/0.0070A	----	----	0.0115 + 0.0030	.1047	----	----	----	----	17	UNCH				
655	----	----	----	0.3560B/0.2075A	0.3560B/0.2075A	----	----	0.2145 - 0.0795	.8951	----	----	----	----	11	UNCH				
660	0.0510	0.0510		0.0135B/0.0095A	0.0135B/0.0095A	----	----	0.0170 + 0.0050	.1585	----	----	----	----	31	UNCH				
680	0.0800	0.0800		0.1230B/0.0510	0.1230B/0.0510	----	----	0.0550	NEW .3994	----	----	5	----	5 +	5				
681	0.0800	0.0800		0.1035B/0.0520A	0.1035B/0.0520A	----	----	0.1080	NEW .6216	----	----	2	----	2 +	2				
685	----	----	----	0.1120B/0.0395A	0.1120B/0.0395A	----	----	0.0395 - 0.0395	.3000	----	----	20	----	50 +	20				
690	----	----	----	0.0865B/0.0315A	0.0865B/0.0315A	----	----	0.0280 - 0.0315	.2187	----	----	----	----	80	UNCH				
695	----	----	----	0.0655B/0.0240A	0.0655B/0.0240A	----	----	0.0195 - 0.0250	.1548	----	----	----	----	10	UNCH				
700	0.0260	0.0260		0.0495B/0.0160A	0.0495B/0.0160A	----	----	0.0135 - 0.0200	.1074	----	----	10	----	40 +	10				
705	0.0155	0.0155		0.0360B/0.0145A	0.0360B/0.0145A	----	----	0.0095 - 0.0155	.0745	----	----	10	----	25 +	10				
710	----	----	----	0.0265B/0.0130A	0.0265B/0.0130A	----	----	0.0070 - 0.0120	.0531	----	----	----	----	21	UNCH				
720	----	----	----	0.0135B/0.0100A	0.0135B/0.0100A	----	----	0.0035 - 0.0080	.0250	----	----	----	----	12	UNCH				
725	----	----	----	0.0095B/0.0085A	0.0095B/0.0085A	----	----	0.0030 - 0.0060	.0201	----	----	----	----	15	UNCH				
730	----	----	----	----	0.0065B/0.0075A	----	----	0.0020 - 0.0055	.0130	----	----	----	----	10	UNCH				
TOTAL												47		570 +	47				
COPPER WEEKLY THURSDAY OPT week2																			
HWR THU																			
OCT26																			
500	----	----	----	----	-----/0.0050A	----	----	0.0005	UNCH	.0000	----	----	----	19	UNCH				
525	----	----	----	----	-----/0.0060A	----	----	0.0005	UNCH	.0021	----	----	----	30	UNCH				
600	----	----	----	----	-----/0.0060A	----	----	0.0025	UNCH	.0128	----	----	----	1	UNCH				
635	----	----	----	----	0.0385B/0.0425A	----	----	0.0465 + 0.0070	.1739	----	----	----	----	1	UNCH				
640	----	----	----	0.0495B/-----	0.0495B/0.0490A	----	----	0.0570 + 0.0090	.2048	----	----	----	----	3	UNCH				
640	----	----	----	0.0425B/0.0330A	0.0425B/0.0330A	----	----	0.0435 + 0.0085	.1795	----	----	----	----	5	UNCH				
650	----	----	----	0.0670B/0.0490A	0.0670B/0.0490A	----	----	0.0695 + 0.0145	.2570	----	----	----	----	5	UNCH				
650	0.0165	0.0165		0.0220B/0.0165	0.0220B/0.0165	----	----	0.0240 + 0.0065	.1508	----	----	1	----	11	UNCH				
655	----	----	----	0.0320B/0.0215A	0.0320B/0.0215A	----	----	0.0335 + 0.0095	.2017	----	----	----	----	1	UNCH				
660	----	----	----	0.3590B/0.2590A	0.3590B/0.2590A	----	----	0.2580 - 0.0610	.6546	----	----	----	----	1	UNCH				
665	----	----	----	0.3275B/0.2310A	0.3275B/0.2310A	----	----	0.2290 - 0.0575	.6083	----	----	----	----	40	UNCH				
665	----	----	----	0.0655B/0.0375A	0.0655B/0.0375A	----	----	0.0645 + 0.0185	.3361	----	----	----	----	1	UNCH				
670	----	----	----	0.2945B/0.2060A	0.2945B/0.2060A	----	----	0.2025 - 0.0535	.5620	----	----	----	----	2	UNCH				
670	----	----	----	0.2410B/0.1435A	0.2410B/0.1435A	----	----	0.1400 - 0.0585	.5881	----	----	----	----	8	UNCH				
675	----	----	----	0.1490B/0.0970A	0.1490B/0.0970A	----	----	0.1485 + 0.0325	.4852	----	----	----	----	9	UNCH				
675	----	----	----	0.2385B/0.1520A	0.2385B/0.1520A	----	----	0.1520	NEW .5144	----	----	82	----	82 +	82				
675	----	----	----	0.1870B/0.1170A	0.1870B/0.1170A	----	----	0.1160 - 0.0530	.5130	----	----	----	----	20	UNCH				
680	0.1100	0.1100		0.1440B/0.0860A	0.1440B/0.0860A	----	----	0.1420 + 0.0350	.5581	----	----	1	----	11 +	1				
685	----	----	----	0.2140B/0.1405A	0.2140B/0.1405A	----	----	0.1360 - 0.0440	.4259	----	----	----	----	47	UNCH				
690	----	----	----	0.1905B/0.1225A	0.1905B/0.1225A	----	----	0.1185 - 0.0405	.3839	----	----	----	----	13	UNCH				
690	----	----	----	0.1280B/0.0655A	0.1280B/0.0655A	----	----	0.0640 - 0.0355	.3156	----	----	----	----	77	UNCH				
695	----	----	----	0.1675B/0.1065A	0.1675B/0.1065A	----	----	0.1035 - 0.0370	.3447	----	----	----	----	1	UNCH				
700	----	----	----	0.1490B/0.0930A	0.1490B/0.0930A	----	----	0.0915 - 0.0320	.3098	----	----</								

BULLETIN #183@				METALS OPTION PRODUCTS										Wed, Sep 23, 2026		PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
COPPER WEEKLY TUESDAY OPTION week4																	
HWT TUE SEP26																	
680	----		----	----	----	----	0.0360	UNCH	----	----	----	----	0	UNCH			
681	----		----	----	----	----	0.0260	UNCH	----	----	----	----	0	UNCH			
682	----		----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH			
685	----		----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH			
690	----		----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH			
692	----		----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH			
698	----		----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH			
TOTAL											10		49+	10			
OCT26																	
500	----		----	----	-----/0.0045A	----	0.0005	UNCH	.0002	----	----	----	19	UNCH			
645	----		----	0.0265B/0.0215A	0.0265B/0.0215A	----	0.0295	+ 0.0070	.1571	----	----	----	2	UNCH			
665	----		----	0.0885B/0.0550A	0.0885B/0.0550A	----	0.0890	+ 0.0230	.3657	----	----	----	1	UNCH			
700	----		----	0.1130B/0.0625A	0.1130B/0.0625A	----	0.0625	- 0.0280	.2648	----	----	----	15	UNCH			
720	----		----	0.0585B/0.0335A	0.0585B/0.0335A	----	0.0315	- 0.0155	.1427	----	----	----	1	UNCH			
TOTAL													38				
COPPER WEEKLY WEDNESDAY OPTION WEEK																	
HWW WED SEP26																	
525	----		----	----	-----/0.0040A	----	0.0005	UNCH	----	----	----	----	29	UNCH			
550	----		----	----	-----/0.0045A	----	0.0005	UNCH	.0000	----	----	----	1	UNCH			
625	----		----	----	-----/0.0030A	----	0.0000	- 0.0005	----	----	----	----	0	- 60			
625	----		----		0.0005B/0.0065A	----	0.0040	UNCH	.0259	----	----	----	1	UNCH			
630	----		----		0.0015B/0.0070A	----	0.0050	UNCH	.0337	----	----	----	1	UNCH			
635	----		----		-----/0.0030A	----	0.0000	- 0.0005	----	----	----	----	0	- 1			
635	----		----		0.0030B/0.0075A	----	0.0070	+ 0.0010	.0479	----	----	----	1	UNCH			
645	----		----		0.0085B/0.0110A	----	0.0125	+ 0.0025	.0889	----	----	----	1	UNCH			
650	----		----	0.0150B/----	0.0150B/0.0135A	----	0.0170	+ 0.0035	.1218	----	----	----	6	UNCH			
655	----		----	0.0230B/0.0170A	0.0230B/0.0170A	----	0.0260	+ 0.0075	.1761	----	----	----	5	UNCH			
658	----		----		-----/0.0035A	----	0.0000	- 0.0005	----	----	----	----	0	- 2			
660	----		----		-----/0.0030A	----	0.0000	- 0.0005	----	----	----	----	0	- 61			
660	0.0355	0.0355		0.0365B/0.0220A	0.0365B/0.0220A	----	0.0385	NEW	.2432	----	1	----	1	+			
665	----		----		-----/0.0030A	----	0.0000	- 0.0010	----	----	----	----	0	- 30			
665	0.0545	0.0545		0.0545/0.0290A	0.0545/0.0290A	----	0.0545	+ 0.0180	.3194	----	30	----	35	+			
665	----		----	0.2525B/0.1100A	0.2525B/0.1100A	----	0.1035	- 0.0835	----	----	----	----	0	- 53			
665	----		----	0.2730B/0.1600A	0.2730B/0.1600A	----	0.1580	- 0.0645	.6803	----	----	----	10	UNCH			
667	----		----	0.2330B/0.0905A	0.2330B/0.0905A	----	0.0835	- 0.0840	----	----	----	----	0	- 8			
670	----		----	0.0745B/0.0405A	0.0745B/0.0405A	----	0.0750	+ 0.0235	.4024	----	----	----	6	UNCH			
670	----		----	0.2030B/0.0620A	0.2030B/0.0620A	----	0.0535	- 0.0855	----	----	----	----	0	- 32			
671	0.0040	0.0040		0.0040/0.0035A	0.0040/0.0035A	----	0.0000	NEW	----	----	21	----	0	UNCH			
673	----		----	-----/0.0005A	0.0010B/0.0005A	----	0.0000	- 0.0060	----	----	----	----	0	- 1			
675	0.0050	0.0050		0.0105/0.0030A	0.0105/0.0030A	----	0.0000	- 0.0095	----	----	27	----	0	- 12			
675	0.0800	0.0800		0.1545B/0.0160A	0.1545B/0.0160A	----	0.0035	- 0.0920	----	----	325	----	0	- 310			
678	----		----	0.0205B/0.0055A	0.0205B/0.0055A	----	0.0265	+ 0.0090	----	----	1	----	0	- 30			
678	0.0070	0.0070		0.1255B/0.0070	0.1255B/0.0070	----	0.0000	NEW	----	----	17	----	0	UNCH			
679	0.0150	0.0150		0.0305B/0.0065A	0.0305B/0.0065A	----	0.0365	+ 0.0155	----	----	3	----	0	- 1			
680	0.0225	0.0225		0.0415B/0.0090A	0.0415B/0.0090A	----	0.0465	+ 0.0220	----	----	34	----	0	- 60			
680	0.0400	0.0400		0.1075B/0.0005	0.1075B/0.0005	----	0.0000	- 0.0605	----	----	720	----	0	- 771			
683	----		----	0.0810B/0.0085A	0.0810B/0.0085A	----	0.0000	- 0.0445	----	----	----	----	0	- 16			
684	----		----	0.0805B/0.0210A	0.0805B/0.0210A	----	0.0865	+ 0.0425	----	----	----	----	0	- 3			
684	0.0300	0.0300		0.0730B/0.0085A	0.0730B/0.0085A	----	0.0000	NEW	----	----	2	----	0	UNCH			
685	----		----	0.0655B/0.0085A	0.0655B/0.0085A	----	0.0000	- 0.0360	----	----	----	----	0	- 10			
690	0.0440	0.0440		0.1415B/0.0440	0.1415B/0.0440	----	0.1465	+ 0.0625	----	----	2	----	0	- 1			
690	0.0115	0.0115		0.0345B/0.0050A	0.0345B/0.0050A	----	0.0000	- 0.0200	----	----	27	----	0	- 73			
690	0.0545	0.0545		0.1155B/0.0525	0.1155B/0.0525	----	0.0520	- 0.0355	.2915	----	30	----	30	+			
692	----		----	0.0290B/0.0045A	0.0290B/0.0045A	----	0.0000	- 0.0160	----	----	----	----	0	- 1			
694	----		----	0.0220B/0.0045A	0.0220B/0.0045A	----	0.0000	- 0.0125	----	----	----	----	0	- 15			
695	----		----	0.0185B/0.0045A	0.0185B/0.0045A	----	0.0000	- 0.0110	----	----	----	----	0	- 30			
725	----		----	----	-----/0.0020A	----	0.0000	- 0.0005	----	----	----	----	0	- 1			
750	----		----	----	-----/0.0030A	----	0.0000	- 0.0005	----	----	----	----	0	- 100			
775	0.0050	0.0050		0.0050/0.0050	0.0050/0.0050	----	0.0020	NEW	.0092	----	1	----	1	+			
TOTAL											1241		128-	1620			
OCT26																	
500	----		----	----	-----/0.0045A	----	0.0005	UNCH	.0003	----	----	----	11	UNCH			
525	----		----	----	-----/0.0050A	----	0.0005	UNCH	.0019	----	----	----	19	UNCH			
565	----		----	----	-----/0.0060A	----	0.0020	- 0.0005	.0087	----	----	----	1	UNCH			
575	----		----		0.0005B/0.0065A	----	0.0030	- 0.0005	.0132	----	----	----	1	UNCH			
600	----		----		0.0020B/0.0085A	----	0.0050	- 0.0005	.0253	----	----	----	9	UNCH			
610	----		----		0.0080B/0.0120A	----	0.0115	+ 0.0010	.0543	----	----	----	1	UNCH			
625	----		----		0.0090B/0.0115A	----	0.0120	+ 0.0020	.0656	----	----	----	10	UNCH			
635	----		----		0.0150B/0.0170A	----	0.0195	+ 0.0040	.1046	----	----	----	1	UNCH			
650	0.0460	0.0460		0.0460/0.0295A	0.0460/0.0295A	----	0.0440	+ 0.0115	.2108	----	15	----	16	+			
660	0.0610	0.0610		0.0730B/0.0465A	0.0730B/0.0465A	----	0.0740	+ 0.0190	.3132	----	1	----	3	+			
670	0.1035	0.1035		0.1170B/0.0730A	0.1170B/0.0730A	----	0.1175	+ 0.0290	.4282	----	10	----	11	+			
675	0.1650	0.1650		0.2330B/0.1480A	0.2330B/0.1480A	----	0.1470	- 0.0485	.5142	----	83	----	81	+			
675	0.1350	0.1350		0.1445B/0.0910A	0.1445B/0.0910A	----	0.1440	NEW	.4854	----	35	----	35	+			
680	0.1220	0.1220		0.2085B/0.1210	0.2085B/0.1210	----	0.1265	NEW	.4589	----	20	----	20	+			
680	0.1400	0.1400		0.1720B/0.1120A	0.1720B/0.1120A	----	0.1730	NEW	.5406	----	22	----	22	+			
695	----		----	0.1370B/0.0805A	0.1370B/0.0805A	----	0.0785	- 0.0315	.3131	----	----	----	1	UNCH			
700	0.0620	0.0620		0.1175B/0.0620	0.1175B/0.0620	----	0.0665	- 0.0									



	BULLETIN #183@				METALS OPTION PRODUCTS				Wed, Sep 23, 2026				PG64	
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST		
HX CALL DEC26	COMEX COPPER OPTIONS													
665	----	----	0.4255B/0.3245A	0.4255B/0.3245A	----	0.3315 - 0.0535	.5797	----	----	----	----	35	UNCH	
670	----	----	0.4005B/0.3005A	0.4005B/0.3005A	----	0.3075 - 0.0505	.5510	----	----	1	----	357 -	1	
675	0.2930	0.2930	0.3725B/0.2785A	0.3725B/0.2785A	----	0.2850 - 0.0475	.5227	----	----	3	----	362 +	3	
680	0.2710	0.2710	0.3465B/0.2575A	0.3465B/0.2575A	----	0.2635 - 0.0450	.4948	----	----	3	----	797	UNCH	
685	----	----	0.3220B/0.2380A	0.3220B/0.2380A	----	0.2435 - 0.0425	.4675	----	240	----	----	380 +	213	
690	0.2325	0.2325	0.2985B/0.2200A	0.2985B/0.2200A	----	0.2250 - 0.0400	.4410	----	2	----	----	273 +	2	
695	----	----	0.2775B/0.2030A	0.2775B/0.2030A	----	0.2075 - 0.0380	.4153	----	----	----	----	136	UNCH	
700	0.2135	0.2135	0.2570B/0.1875A	0.2570B/0.1875A	----	0.1910 - 0.0360	.3903	----	78	----	----	3204 +	10	
705	0.2010	0.2010	0.2385B/0.1730A	0.2385B/0.1730A	----	0.1760 - 0.0340	.3664	----	2	----	----	144 +	2	
710	----	----	0.2210B/0.1595A	0.2210B/0.1595A	----	0.1620 - 0.0320	.3434	----	5	----	----	111	UNCH	
715	0.1500	0.1500	0.2050B/0.1480A	0.2050B/0.1480A	----	0.1495 - 0.0295	.3218	----	2	----	----	59 +	2	
720	----	----	0.1900B/0.1365A	0.1900B/0.1365A	----	0.1380 - 0.0275	.3014	----	----	----	----	107	UNCH	
725	----	----	0.1750B/0.1260A	0.1750B/0.1260A	----	0.1275 - 0.0250	.2821	----	1	----	----	1457	UNCH	
730	0.1205	0.1205	0.1620B/0.1160A	0.1620B/0.1160A	----	0.1175 - 0.0235	.2636	----	339	----	----	534 +	279	
735	----	----	0.1500B/0.1075A	0.1500B/0.1075A	----	0.1085 - 0.0215	.2464	----	1	----	----	57	UNCH	
740	0.1095	0.1095	0.1390B/0.0985A	0.1390B/0.0985A	----	0.1005 - 0.0195	.2304	----	4	----	----	107 -	4	
745	0.0910	0.0910	0.1275B/0.0910	0.1275B/0.0910	----	0.0930 - 0.0175	.2154	----	1	----	----	4	UNCH	
750	0.0875	0.0875	0.1180B/0.0850A	0.1180B/0.0850A	----	0.0860 - 0.0160	.2011	----	28	----	----	1106 -	10	
755	0.0810	0.0810	0.1090B/0.0785A	0.1090B/0.0785A	----	0.0795 - 0.0150	.1877	----	13	----	----	15 +	12	
770	0.0635	0.0635	0.0855B/0.0620A	0.0855B/0.0620A	----	0.0635 - 0.0110	.1533	----	27	----	----	1166 -	7	
775	0.0590	0.0590	0.0790B/0.0580A	0.0790B/0.0580A	----	0.0590 - 0.0100	.1433	----	3	----	----	634 -	2	
780	0.0545	0.0545	0.0725B/0.0540A	0.0725B/0.0540A	----	0.0545 - 0.0095	.1335	----	1	----	----	205 +	1	
800	0.0405	0.0405	0.0525B/0.0405	0.0525B/0.0405	----	0.0405 - 0.0070	.1016	----	2	----	----	1388 -	1	
825	----	----	0.0355B/0.0290A	0.0355B/0.0290A	----	0.0285 - 0.0050	.0729	----	479	----	----	479	UNCH	
850	----	----	0.0245B/0.0215A	0.0245B/0.0215A	----	0.0205 - 0.0035	.0531	----	----	----	----	311	UNCH	
875	----	----	----/0.0160A	0.0170B/0.0160A	----	0.0150 - 0.0025	.0392	----	----	----	----	23	UNCH	
900	0.0165	0.0165	0.0165B/0.0125A	0.0165B/0.0125A	----	0.0110 - 0.0020	.0289	----	10	----	----	514 +	6	
925	----	----	----	0.0090B/0.0100A	----	0.0085 - 0.0015	.0223	----	5	----	----	12	UNCH	
950	----	----	----	0.0065B/0.0085A	----	0.0065 - 0.0010	.0170	----	----	----	----	152	UNCH	
975	----	----	----	0.0050B/0.0075A	----	0.0055 - 0.0010	.0141	----	----	----	----	54	UNCH	
1000	----	----	----	0.0040B/0.0065A	----	0.0045 - 0.0010	.0114	----	----	----	----	12	UNCH	
1100	----	----	----	0.0015B/0.0045A	----	0.0030 - 0.0005	.0070	----	----	10	----	91 +	10	
TOTAL										943		17633+	467	
JAN27														
500	----	----	----	----	----	1.8605 - 0.0815	.9755	----	----	----	----	1	UNCH	
600	----	----	----	----	----	0.9185 - 0.0740	.8617	----	----	----	----	2	UNCH	
650	----	----	0.6545B/0.5495A	0.6545B/0.5495A	----	0.5465 - 0.0625	.6851	----	----	----	----	79	UNCH	
665	0.4840	0.4840	0.5570B/0.4645A	0.5570B/0.4645A	----	0.4595 - 0.0565	.6188	----	1	----	----	1 -	1	
675	----	----	0.4975B/0.4140A	0.4975B/0.4140A	----	0.4075 - 0.0530	.5737	----	----	----	----	1	UNCH	
680	----	----	0.4760B/0.3905A	0.4760B/0.3905A	----	0.3835 - 0.0510	.5512	----	----	----	----	3	UNCH	
685	----	----	0.4485B/0.3685A	0.4485B/0.3685A	----	0.3610 - 0.0490	.5289	----	----	----	----	47	UNCH	
690	----	----	0.4245B/0.3475A	0.4245B/0.3475A	----	0.3395 - 0.0470	.5069	----	----	----	----	15	UNCH	
695	----	----	0.3990B/0.3275A	0.3990B/0.3275A	----	0.3190 - 0.0450	.4852	----	----	----	----	5	UNCH	
700	----	----	0.3770B/0.3085A	0.3770B/0.3085A	----	0.3000 - 0.0425	.4640	----	----	----	----	58	UNCH	
710	----	----	0.3355B/0.2740A	0.3355B/0.2740A	----	0.2645 - 0.0390	.4230	----	----	----	----	5	UNCH	
715	----	----	0.3150B/0.2575A	0.3150B/0.2575A	----	0.2485 - 0.0370	.4034	----	----	----	----	800	UNCH	
720	----	----	0.2970B/0.2420A	0.2970B/0.2420A	----	0.2335 - 0.0350	.3844	----	----	----	----	12	UNCH	
725	----	----	0.2800B/0.2280A	0.2800B/0.2280A	----	0.2195 - 0.0325	.3662	----	----	----	----	132	UNCH	
730	----	----	0.2635B/0.2145A	0.2635B/0.2145A	----	0.2060 - 0.0310	.3484	----	----	----	----	505	UNCH	
740	----	----	0.2340B/0.1900A	0.2340B/0.1900A	----	0.1820 - 0.0270	.3153	----	----	----	----	101	UNCH	
750	0.1615	0.1615	0.2075B/0.1615	0.2075B/0.1615	----	0.1605 - 0.0240	.2845	----	2	----	----	790 +	2	
755	----	----	0.1950B/0.1580A	0.1950B/0.1580A	----	0.1510 - 0.0220	.2703	----	----	----	----	2	UNCH	
760	----	----	0.1835B/0.1490A	0.1835B/0.1490A	----	0.1420 - 0.0205	.2567	----	----	----	----	1	UNCH	
775	----	----	0.1590B/0.1250A	0.1590B/0.1250A	----	0.1185 - 0.0165	.2198	----	400	----	----	426 +	400	
800	----	----	0.1115B/0.0940A	0.1115B/0.0940A	----	0.0880 - 0.0110	.1692	----	----	----	----	1011	UNCH	
825	----	----	0.0825B/0.0725A	0.0825B/0.0725A	----	0.0655 - 0.0080	.1300	----	----	----	----	11	UNCH	
850	----	----	0.0610B/----	0.0610B/0.0570A	----	0.0490 - 0.0065	.0998	----	----	----	----	28	UNCH	
900	----	----	0.0350B/----	0.0350B/0.0375A	----	0.0280 - 0.0035	.0594	----	----	----	----	304	UNCH	
950	----	----	0.0210B/----	0.0210B/0.0260A	----	0.0170 - 0.0020	.0368	----	----	----	----	3	UNCH	
1000	----	----	0.0135B/----	0.0135B/0.0195A	----	0.0110 - 0.0015	.0240	----	400	3	----	4356+	401	
TOTAL														
FEB27														
600	----	----	----	----	----	0.9465 - 0.0760	.8339	----	----	----	----	2	UNCH	
610	----	----	----	----	----	0.8680 - 0.0740	.8057	----	----	----	----	1	UNCH	
620	----	----	----	----	----	0.7930 - 0.0720	.7750	----	----	----	----	0	UNCH	
625	----	----	----	----	----	0.7570 - 0.0705	.7587	----	----	----	----	2	UNCH	
640	----	----	0.7660B/0.6615A	0.7660B/0.6615A	----	0.6555 - 0.0660	.7059	----	----	----	----	1	UNCH	
650	----	----	0.6985B/0.6015A	0.6985B/0.6015A	----	0.5940 - 0.0620	.6686	----	----	----	----	41	UNCH	
655	0.4975	0.4975	0.6665B/0.5725A	0.6665B/0.5725A	----	0.5645 - 0.0610	.6494	----	----	----	----	1	UNCH	
670	----	----	0.5760B/0.4940A	0.5760B/0.4940A	----	0.4840 - NEW	.5909	----	1	----	----	1 +	1	
685	----	----	0.4985B/0.4240A	0.4985B/0.4240A	----	0.4135 - 0.0495	.5323	----	----	----	----	30	UNCH	
700	----	----	0.4270B/0.3640A	0.4270B/0.3640A	----	0.3520 - 0.0440	.4756	----	----	----	----	50	UNCH	
705	----	----	0.4055B/0.3455A	0.4055B/0.3455A	----	0.3335 - 0.0425	.4574	----	----					

PG64 BULLETIN #183@														METALS OPTION PRODUCTS										wed, Sep 23, 2026				PG64
GLOBEX OPEN		OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN	OUTCRY HIGH/LOW	OPEN		OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST										
HX CALL		COMEX COPPER OPTIONS																										
TOTAL																				562								
HX PUT		COMEX COPPER OPTIONS																										
OCT26																												
300	----	----	----	----	----	----	---/0.0035A	----	----	0.0005	UNCH	----	----	----	----	----	----	1	UNCH									
320	----	----	----	----	----	----	---/0.0030A	----	----	0.0005	UNCH	----	----	----	----	----	----	3	UNCH									
345	----	----	----	----	----	----	---/0.0035A	----	----	0.0005	UNCH	----	----	----	----	----	----	1	UNCH									
375	----	----	----	----	----	----	---/0.0035A	----	----	0.0005	UNCH	----	----	----	----	----	----	2	UNCH									
400	----	----	----	----	----	----	---/0.0035A	----	----	0.0005	UNCH	----	----	----	----	----	----	1	UNCH									
425	----	----	----	----	----	----	---/0.0035A	----	----	0.0005	UNCH	----	----	----	----	----	----	195	UNCH									
430	----	----	----	----	----	----	---/0.0035A	----	----	0.0005	UNCH	----	----	----	----	----	----	10	UNCH									
435	----	----	----	----	----	----	---/0.0035A	----	----	0.0005	UNCH	----	----	----	----	----	----	1	UNCH									
450	----	----	----	----	----	----	---/0.0035A	----	----	0.0005	UNCH	----	----	----	----	----	----	3	UNCH									
460	----	----	----	----	----	----	---/0.0035A	----	----	0.0005	UNCH	----	----	----	----	----	----	3	UNCH									
470	----	----	----	----	----	----	---/0.0035A	----	----	0.0005	UNCH	----	----	----	----	----	----	2	UNCH									
475	----	----	----	----	----	----	---/0.0035A	----	----	0.0005	UNCH	----	----	----	----	----	----	3	UNCH									
480	----	----	----	----	----	----	---/0.0035A	----	----	0.0005	UNCH	----	----	----	----	----	----	3	UNCH									
490	----	----	----	----	----	----	---/0.0035A	----	----	0.0005	UNCH	----	----	----	----	----	----	6	UNCH									
500	----	----	----	----	----	----	---/0.0035A	----	----	0.0005	UNCH	----	----	----	----	----	----	66	UNCH									
505	----	----	----	----	----	----	---/0.0035A	----	----	0.0005	UNCH	----	----	----	----	----	----	10	UNCH									
510	----	----	----	----	----	----	---/0.0035A	----	----	0.0005	UNCH	----	----	----	----	----	----	15	UNCH									
520	----	----	----	----	----	----	---/0.0035A	----	----	0.0005	UNCH	----	----	----	----	----	----	40	UNCH									
525	----	----	----	----	----	----	---/0.0035A	----	----	0.0005	UNCH	----	----	----	----	----	----	408	UNCH									
530	----	----	----	----	----	----	---/0.0035A	----	----	0.0005	UNCH	----	----	----	----	----	----	29	UNCH									
535	----	----	----	----	----	----	---/0.0035A	----	----	0.0005	UNCH	----	----	----	----	----	----	11	UNCH									
540	----	----	----	----	----	----	---/0.0030A	----	----	0.0005	UNCH	----	----	----	----	----	----	1	UNCH									
545	----	----	----	----	----	----	---/0.0010A	----	----	0.0005	UNCH	----	----	----	----	----	----	12	UNCH									
550	----	----	----	----	----	----	---/0.0035A	----	----	0.0005	UNCH	----	----	----	----	----	----	109	UNCH									
555	----	----	----	----	----	----	---/0.0025A	----	----	0.0005	UNCH	----	----	----	----	----	----	23	UNCH									
560	----	----	----	----	----	----	---/0.0030A	----	----	0.0005	UNCH	----	----	----	----	----	----	154	UNCH									
565	----	----	----	----	----	----	---/0.0030A	----	----	0.0005	UNCH	----	----	----	----	----	----	27	UNCH									
570	----	----	----	----	----	----	---/0.0030A	----	----	0.0005	UNCH	----	----	----	----	----	----	48	UNCH									
575	----	----	----	----	----	----	---/0.0010A	----	----	0.0005	UNCH	----	----	----	----	----	----	108	UNCH									
580	----	----	----	----	----	----	---/0.0020A	----	----	0.0005	UNCH	----	----	----	----	----	----	64	UNCH									
585	----	----	----	----	----	----	---/0.0020A	----	----	0.0005	UNCH	----	----	----	----	----	----	22	UNCH									
590	----	----	----	----	----	----	---/0.0005A	----	----	0.0005	UNCH	.0000	----	----	----	----	----	69	UNCH									
595	----	----	----	----	----	----	---/0.0010A	----	----	0.0005	UNCH	.0000	----	----	----	----	----	29	UNCH									
600	----	----	----	----	----	----	---/0.0020A	----	----	0.0005	UNCH	.0000	----	----	----	2	----	1148	UNCH									
601	----	----	----	----	----	----	---/0.0010A	----	----	0.0005	UNCH	.0000	----	----	----	----	----	3	UNCH									
604	----	----	----	----	----	----	---/0.0020A	----	----	0.0005	UNCH	.0001	----	----	----	----	----	5	UNCH									
605	----	----	----	----	----	----	---/0.0010A	----	----	0.0005	UNCH	.0001	----	----	----	----	----	50	UNCH									
606	----	----	----	----	----	----	---/0.0010A	----	----	0.0010	+	0.0005	.0004	----	----	----	----	6	UNCH									
609	----	----	----	----	----	----	---/0.0020A	----	----	0.0010	+	0.0005	.0005	----	----	----	----	7	UNCH									
610	0.0010	0.0010	0.0010	0.0010/0.0010	0.0010/0.0010	0.0010/0.0010	----	----	----	0.0015	+	0.0010	.0009	----	----	2	----	120	UNCH									
611	----	----	----	----	----	----	---/0.0010A	----	----	0.0015	+	0.0010	.0009	----	----	----	----	37	UNCH									
614	----	----	----	----	----	----	---/0.0010A	----	----	0.0015	+	0.0010	.0010	----	----	----	----	20	UNCH									
615	----	----	----	----	----	----	---/0.0025A	----	----	0.0015	+	0.0005	.0010	----	----	----	----	58	UNCH									
616	----	----	----	----	----	----	---/0.0010A	----	----	0.0015	+	0.0005	.0010	----	----	----	----	28	UNCH									
619	----	----	----	----	----	----	---/0.0025A	----	----	0.0015	+	0.0005	.0011	----	----	----	----	3	UNCH									
620	0.0005	0.0005	0.0005	0.0005/0.0005	0.0005/0.0005	0.0005/0.0005	----	----	----	0.0015	+	0.0005	.0011	----	----	1	----	255	- 1									
625	0.0015	0.0015	0.0015	0.0015/0.0010	0.0015/0.0010	0.0015/0.0010	----	----	----	0.0015	+	0.0005	.0013	----	----	2	----	274	UNCH									
626	----	----	----	----	----	----	---/0.0030A	----	----	0.0015	+	0.0005	.0014	----	----	----	----	1	UNCH									
628	----	----	----	----	----	----	---/0.0030A	----	----	0.0015	+	0.0005	.0014	----	----	----	----	13	UNCH									
630	0.0010	0.0010	0.0010	0.0010/0.0010	0.0010/0.0010	0.0010/0.0010	----	----	----	0.0015	UNCH	.0015	----	----	1	----	385	- 1										
632	----	----	----	----	----	----	---/0.0025A	----	----	0.0015	UNCH	.0016	----	----	----	----	----	3	UNCH									
635	----	----	----	----	----	----	---/0.0020A	----	----	0.0015	UNCH	.0018	----	----	----	----	----	437	UNCH									
640	----	----	----	----	----	----	---/0.0020A	----	----	0.0015	-	0.0005	.0022	----	----	----	----	321	UNCH									
641	----	----	----	---/0.0010A	----	---/0.0010A	----	----	----	0.0015	-	0.0005	.0023	----	----	----	----	5	UNCH									
644	----	----	----	---/0.0010A	----	---/0.0010A	----	----	----	0.0015	-	0.0005	.0026	----	----	----	----	4	UNCH									
645	----	----	----	---/0.0010A	----	---/0.0010A	----	----	----	0.0015	-	0.0005	.0028	----	----	----	----	419	UNCH									
648	----	----	----	---/0.0010A	----	---/0.0010A	----	----	----	0.0015	-	0.0010	.0032	----	----	----	----	3	UNCH									
650	0.0010	0.0010	0.0010	0.0010/0.0005	0.0010/0.0005	0.0010/0.0005	----	----	----	0.0015	-	0.0015	.0036	----	----	54	----	583	- 46									
651	----	----	----	---/0.0010A	----	---/0.0010A	----	----	----	0.0015	-	0.0015	.0038	----	----	----	----	1	UNCH									
652	----	----	----	---/0.0010A	----	---/0.0010A	----	----	----	0.0015	-	0.0015	.0040	----	----	----	----	4	UNCH									
654	0.0030	0.0030	0.0030	0.0030/0.0010A	0.0030/0.0010A	0.0030/0.0010A	----	----	----	0.0015	-	0.0020	.0045	----	----	3	----	3	UNCH									
655	----	----	----	---/0.0010A	----	---/0.0010A	----	----	----	0.0015	-	0.0020	.0048	----	----	----	----	275	UNCH									
656	----	----	----	---/0.0010A	----	---/0.0010A	----	----	----	0.0015	-	0.0025	.0052	----	----	----	----	6	UNCH									
657	----	----	----	---/0.0010A	----	---/0.0010A	----	----	----	0.0015	-	0.0025	.0055	----	----	----	----	3	UNCH									
658	----	----	----	---/0.0010A	----	---/0.0010A	----	----	----	0.0015	-	0.0030	.0060	----	----	----	----	1	UNCH									
659	----	----	----	---/0.0010A	0.0010B/0.0010A	0.0010B/0.0010A	----	----	----	0.0015	-	0.0030	.0065	----	----	----	----	3	UNCH									
660	0.0050	0.0050	0.0050	0.0050/0.0010	0.0050/0.0010	0.0050/0.0010	----	----	----	0.0020	-	0.0030	.0101	----	----	74	----	285	+									
661	0.0015	0.0015	0.0015	0.0015/0.0010A	0.0025B/0.0010A	0.0025B/0.0010A	----	----	----	0.0020	NEW	.0111	----	----	----	3	----	3	+									
662	0.0020	0.0020	0.0020	0.0020/0.0010A	0.0025B/0.0010A	0.0025B/0.0010A	----	----	----	0.0025	-	0.0030	.0159	----	----	33	----	33	+									
663	----	----	----	---/0.0015A	0.0025B/0.0015A	0.0025B/0.0015A	td																					

GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
COMEX COPPER OPTIONS												
NOV26												
640	0.0590	0.0590	0.0710B/0.0510A	0.0710B/0.0510A	----	0.0675 + 0.0100	.2210	----	----	66	----	477 +
645	0.0705	0.0705	0.0850B/0.0610A	0.0850B/0.0610A	----	0.0805 + 0.0115	.2535	----	----	59	----	89 +
650	0.0740	0.0740	0.1005B/0.0720A	0.1005B/0.0720A	----	0.0965 + 0.0145	.2893	----	----	50	----	71 +
655	0.0995	0.0995	0.1195B/0.0840A	0.1195B/0.0840A	----	0.1140 + 0.0175	.3263	----	----	34	----	807 +
660	0.1025	0.1025	0.1400B/0.0990A	0.1400B/0.0990A	----	0.1340 + 0.0205	.3648	----	----	53	----	154 +
665	0.1420	0.1420	0.1625B/0.1155A	0.1625B/0.1155A	----	0.1565 + 0.0240	.4040	----	----	3	----	31 +
670	0.1540	0.1540	0.1875B/0.1340A	0.1875B/0.1340A	----	0.1810 + 0.0275	.4432	----	----	18	----	124 -
675	0.1790	0.1790	0.2150B/0.1545A	0.2150B/0.1545A	----	0.2070 + 0.0310	.4820	----	111	----	----	106 +
680	0.2290	0.2290	0.2430B/0.1770A	0.2430B/0.1770A	----	0.2355 + 0.0345	.5200	----	6	----	----	63 +
685	-----	-----	0.2725B/0.2010A	0.2725B/0.2010A	----	0.2655 + 0.0375	.5569	----	2	----	----	88 +
690	0.2325	0.2325	0.3055B/0.2275A	0.3055B/0.2275A	----	0.2975 + 0.0410	.5924	----	3	----	----	8 +
695	-----	-----	0.3340B/0.2555A	0.3340B/0.2555A	----	0.3310 + 0.0440	.6265	----	-----	-----	-----	3
700	-----	-----	0.3730B/0.2850A	0.3730B/0.2850A	----	0.3665 + 0.0475	.6585	----	-----	-----	-----	26
735	-----	-----	0.6490B/0.5410A	0.6490B/0.5410A	----	0.6500 + 0.0655	.8252	----	-----	-----	-----	2
TOTAL										669		5347 +
DEC26												
350	-----	-----	-----	-----/0.0045A	-----	0.0005 UNCH	.0002	----	-----	-----	-----	46
360	-----	-----	-----	-----/0.0045A	-----	0.0005 UNCH	.0003	----	-----	-----	-----	31
380	-----	-----	-----	-----/0.0050A	-----	0.0005 UNCH	.0009	----	-----	-----	-----	22
385	-----	-----	-----	-----/0.0050A	-----	0.0005 UNCH	.0012	----	-----	-----	-----	1
390	-----	-----	-----	-----/0.0050A	-----	0.0010 UNCH	.0022	----	-----	-----	-----	45
395	-----	-----	0.0005B/0.0055A	0.0005B/0.0055A	-----	0.0010 UNCH	.0022	----	-----	-----	-----	3
400	-----	-----	0.0005B/0.0050A	0.0005B/0.0050A	-----	0.0015 UNCH	.0032	----	-----	-----	-----	31
420	-----	-----	0.0005B/0.0030A	0.0005B/0.0030A	-----	0.0020 UNCH	.0044	----	-----	-----	-----	2
425	-----	-----	0.0010B/0.0030A	0.0010B/0.0030A	-----	0.0020 UNCH	.0045	----	-----	-----	-----	60
450	-----	-----	0.0015B/0.0040A	0.0015B/0.0040A	-----	0.0035 + 0.0005	.0079	----	-----	-----	-----	37
460	-----	-----	0.0020B/0.0045A	0.0020B/0.0045A	-----	0.0040 + 0.0005	.0092	----	-----	-----	-----	2
470	-----	-----	0.0020B/0.0050A	0.0020B/0.0050A	-----	0.0045 + 0.0005	.0106	----	-----	-----	-----	36
475	-----	-----	0.0025B/0.0055A	0.0025B/0.0055A	-----	0.0045 + 0.0005	.0109	----	-----	-----	-----	34
480	-----	-----	0.0030B/0.0060A	0.0030B/0.0060A	-----	0.0050 + 0.0005	.0122	----	10	-----	-----	18 +
485	-----	-----	0.0030B/0.0060A	0.0030B/0.0060A	-----	0.0050 + 0.0005	.0125	----	-----	-----	-----	1
490	-----	-----	0.0035B/0.0065A	0.0035B/0.0065A	-----	0.0055 + 0.0005	.0138	----	-----	-----	-----	8
495	-----	-----	0.0040B/0.0065A	0.0040B/0.0065A	-----	0.0055 + 0.0005	.0142	----	-----	-----	-----	1
500	-----	-----	0.0040B/0.0070A	0.0040B/0.0070A	-----	0.0055 UNCH	.0146	----	-----	-----	-----	199
505	-----	-----	0.0045B/0.0075A	0.0045B/0.0075A	-----	0.0055 - 0.0005	.0150	----	-----	-----	-----	1
510	-----	-----	0.0050B/0.0080A	0.0050B/0.0080A	-----	0.0055 - 0.0010	.0154	----	-----	-----	-----	8
515	-----	-----	0.0055B/0.0085A	0.0055B/0.0085A	-----	0.0060 - 0.0010	.0169	----	-----	-----	-----	2
520	-----	-----	0.0060B/0.0085A	0.0060B/0.0085A	-----	0.0060 - 0.0015	.0174	----	2	-----	-----	8
525	-----	-----	0.0065B/0.0090A	0.0065B/0.0090A	-----	0.0065 - 0.0015	.0191	----	-----	-----	-----	32
530	-----	-----	0.0070B/0.0090A	0.0070B/0.0090A	-----	0.0070 - 0.0015	.0208	----	-----	-----	-----	89
535	-----	-----	0.0080B/0.0100A	0.0080B/0.0100A	-----	0.0075 - 0.0015	.0226	----	-----	-----	-----	1
540	-----	-----	0.0090B/0.0110A	0.0090B/0.0110A	-----	0.0085 - 0.0015	.0256	----	-----	-----	-----	8
545	-----	-----	0.0100B/0.0115A	0.0100B/0.0115A	-----	0.0095 - 0.0010	.0287	----	-----	-----	-----	49
550	0.0115	0.0115	0.0115/0.0110A	0.0115/0.0110A	----	0.0110 - 0.0005	.0330	----	1	-----	-----	617
555	-----	-----	-----	0.0125B/0.0140A	-----	0.0125 UNCH	.0374	----	-----	-----	-----	1
560	0.0150	0.0150	0.0170/0.0150	0.0170/0.0150	----	0.0145 + 0.0005	.0429	----	20	-----	-----	330 +
565	-----	-----	0.0160B/-----	0.0160B/0.0170A	----	0.0165 + 0.0010	.0486	----	2	-----	-----	28
570	-----	-----	-----	0.0175B/0.0185A	----	0.0190 + 0.0015	.0554	----	-----	-----	-----	18
575	-----	-----	0.0200B/-----	0.0200B/0.0210A	-----	0.0215 + 0.0020	.0625	----	-----	-----	-----	419
580	-----	-----	0.0225B/-----	0.0225B/0.0235A	-----	0.0245 + 0.0025	.0706	----	-----	-----	-----	215
585	-----	-----	0.0260B/-----	0.0260B/0.0265A	-----	0.0275 + 0.0025	.0790	----	-----	-----	-----	32
590	-----	-----	0.0300B/-----	0.0300B/0.0300A	-----	0.0315 + 0.0030	.0894	----	-----	-----	-----	242
595	0.0340	0.0340	0.0350B/0.0340	0.0350B/0.0335A	-----	0.0360 + 0.0035	.1010	----	2	-----	-----	111 +
600	-----	-----	0.0405B/-----	0.0405B/0.0375A	-----	0.0415 + 0.0040	.1144	----	-----	-----	-----	2016
605	-----	-----	0.0470B/0.0425A	0.0470B/0.0425A	-----	0.0480 + 0.0050	.1296	----	1	-----	-----	16
610	-----	-----	0.0550B/0.0480A	0.0550B/0.0480A	-----	0.0550 + 0.0060	.1457	----	-----	-----	-----	104
615	-----	-----	0.0630B/0.0545A	0.0630B/0.0545A	-----	0.0635 + 0.0070	.1641	----	1	-----	-----	140 +
620	-----	-----	0.0730B/0.0620A	0.0730B/0.0620A	-----	0.0730 + 0.0085	.1839	----	-----	-----	-----	133
625	-----	-----	0.0845B/0.0705A	0.0845B/0.0705A	-----	0.0840 + 0.0100	.2056	----	1	-----	-----	433
630	-----	-----	0.0975B/0.0800A	0.0975B/0.0800A	-----	0.0965 + 0.0120	.2289	----	16	-----	-----	386 +
635	-----	-----	0.1120B/0.0910A	0.1120B/0.0910A	-----	0.1105 + 0.0140	.2536	----	-----	-----	-----	286
640	-----	-----	0.1275B/0.1025A	0.1275B/0.1025A	-----	0.1260 + 0.0160	.2795	----	-----	-----	-----	151
645	-----	-----	0.1455B/0.1160A	0.1455B/0.1160A	-----	0.1430 + 0.0180	.3063	----	-----	-----	-----	433
650	0.1475	0.1475	0.1650B/0.1310A	0.1650B/0.1310A	----	0.1615 + 0.0200	.3340	----	7	-----	-----	640 +
655	-----	-----	0.1865B/0.1475A	0.1865B/0.1475A	-----	0.1820 + 0.0225	.3624	----	-----	-----	-----	617
660	0.2010	0.2010	0.2085B/0.1650A	0.2085B/0.1650A	----	0.2045 + 0.0255	.3912	----	25	-----	-----	120 +
665	0.2295	0.2295	0.2325B/0.1850A	0.2325B/0.1850A	----	0.2285 + 0.0285	.4200	----	50	-----	-----	255 +
670	0.2510	0.2510	0.2595B/0.2055A	0.2595B/0.2055A	----	0.2545 + 0.0315	.4487	----	1	-----	-----	1086 +
675	0.2800	0.2800	0.2870B/0.2275A	0.2870B/0.2275A	----	0.2815 + 0.0345	.4771	----	22	-----	-----	275 +
680	0.2800	0.2800	0.3150B/0.2515A	0.3150B/0.2515A	----	0.3100 + 0.0370	.5050	----	6	-----	-----	57 +
685	-----	-----	0.3455B/0.2765A	0.3455B/0.2765A	-----	0.3395 + 0.0395	.5322	----	-----	-----	-----	50
690	-----	-----	0.3750B/0.3035A	0.3750B/0.3035A	-----	0.3705 + 0.0415	.5587	----	-----	-----	-----	1
700	-----	-----	0.4420B/0.3615A	0.4420B/0.3615A	-----	0.4360 + 0.0460	.6095	----	-----	-----	-----	3
730	-----	-----	0.6620B/0.5685A	0.6620B/0.5685A	-----	0.6610 + 0.0585	.7362	----	-----	-----	-----	1
750	-----	-----	-----/0.7225A	0.7505B/0.7225A	----	0.8285 + 0.0660	.7986	----	-----	-----	-----	1
TOTAL										167		9992 +
JAN27												
370	-----	-----	-----	0.0010B/0.0070A	----	0.0045 + 0.0010	.0067	----	-----	-----	-----	1
390	-----	-----	-----	0.0010B/0.0075A	----	0.0055 + 0.0010	.0085	----	-----	-----	-----	40
400	-----	-----	-----	0.0010B/0.0080A	----	0.0060 + 0.0010	.0095	----	-----	-----	-----	12
425	-----	-----	-----	0.0020B/0.0090A	----	0.0075 + 0.0015	.0125	----	-----	-----	-----	30
430	-----	-----	-----	0.0020B/0.0095A	----	0.0075 + 0.0015	.0128	----	-----	-----	-----	1
435	-----	-----	-----	0.0025B/0.0095A	----	0.0080 + 0.0015	.0137	----	-----	-----	-----	1
440	-----	-----	-----	0.0025B/0.0100A	----	0.0080 + 0.0015	.0140	----	-----	-----	-----	10
450	-----	-----	-----	0.0030B/0.0105A	----	0.0085 + 0.0015	.0153	----	-----	-----	-----	1
465	-----	-----	-----	0.0040B/0.0115A	----	0.0090 + 0.0010	.0171	----	-----	-----	-----	2
510	-----	-----	-----	0.0085B/0.0160A	----	0.0130 + 0.0010	.0280	----	-----	-----	-----	4
515	-----	-----	-----	0.0095B/0.0160A	----	0.0135 + 0.0010	.0295	----	1	-----	-----	0 -
520	-----	-----	-----	0.105B/0.0170A	----	0.0145 + 0.0010	.0319	----	-----	-----	-----	2
525	-----	-----	-----	0.115B/0.0185A	----	0.0155 + 0.0010	.0343	----	-----	-----	-----	3
540	-----	-----	-----	0.155B/0.0215A	----	0.0195 + 0.0015	.0438	----	-----	-----	-----	2
550	-----	-----	-----	0.0200B/0.0250A	----	0.0235 + 0.0025	.0527	----	-----	-----	-----	208
555	-----	-----	-----	0.0210B/0.0270A	----	0.0255 + 0.0025	.0573	----	-----	-----	-----	1
560	-----	-----	-----	0.0235B/0.0290A	----	0.0285 + 0.0030	.0635	----	-----	-----	-----	3
570	-----	-----	-----	0.0295B/0.0345A	----	0.0350 + 0.0040	.0771	----	-----	-----	-----	1
590	-----	-----	-----	0.0475B/0.0505A	----	0.0540 + 0.0060	.1139	----	-----	-----	-----	11
595	-----	-----	-----	0.0530B/0.0555A	----	0.0605 + 0.0070	.1256	----	-----	-----	-----	2
600	-----	-----	-----	0.0600B/0.0615A	----	0.0675 + 0.0075	.1380	----	-----	-----	-----	359
605	-----	-----	-----	0.0670B/0.0680A	----	0.0755 + 0.0085	.1516	----	-----	-----	-----	1
610	-----	-----	0.0755B/-----	0.0755B/0.0750A	----	0.0840 + 0.0095	.1658	----	-----	-----	-----	3
620	-----	-----	0.0955B/0.0920A	0.0955B/0.0920A	----	0.1045 + 0.0115	.1979	----	-----	-----	-----	12
625	-----	-----	0.1075B/0.1020A	0.1075B/0.1020A	----	0.1160 + 0.0						



BULLETIN #183@										METALS OPTION PRODUCTS				wed, Sep 23, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
HX PUT		COMEX COPPER OPTIONS														
MAR27																
600	0.1200	0.1200		0.1200/0.1200	0.1200/0.1200	----		0.1275 + 0.0070	.1872	----	----	1	----	322 +	1	
620	----	----		----/0.1670A	0.1650B/0.1670A	----		0.1780 + 0.0105	.2435	----	----	1	----	65 +	1	
625	0.1940	0.1940		0.1940/0.1800A	0.1940/0.1800A	----		0.1930 + 0.0115	.2589	----	----	3	----	0 -	3	
640	----	----		0.2315B/0.2240A	0.2315B/0.2240A	----		0.2440 NEW	.3076	----	----	1	----	1 +	1	
660	----	----		0.3155B/0.2965A	0.3155B/0.2965A	----		0.3265 + 0.0210	.3765	----	----	----	----	3	UNCH	
675	----	----		0.3885B/0.3605A	0.3885B/0.3605A	----		0.3995 + 0.0255	.4292	----	----	----	----	8	UNCH	
TOTAL												6		903		
APR27																
400	----	----		----	0.0045B/0.0175A	----		0.0140 + 0.0030	.0178	----	----	----	----	8	UNCH	
540	----	----		----	0.0455B/0.0610A	----		0.0550 NEW	.0825	----	----	2	----	2 +	2	
680	----	----		0.4235B/0.4090A	0.4235B/0.4090A	----		0.4430 + 0.0260	.4237	----	----	----	----	5	UNCH	
TOTAL												2		15 +	2	
MAY27																
400	----	----		----	0.0055B/0.0220A	----		0.0175 + 0.0035	.0209	----	----	----	----	8	UNCH	
600	----	----		----	0.1615B/0.1800A	----		0.1795 + 0.0080	.2068	----	----	----	----	30	UNCH	
700	----	----		0.5800B/0.5665A	0.5800B/0.5665A	----		0.6120 + 0.0375	.4789	----	----	----	----	2	UNCH	
TOTAL														40		
JUN27																
500	----	----		----	0.0375B/0.0580A	----		0.0480 + 0.0005	.0610	----	----	----	----	40	UNCH	
570	----	----		----	0.1110B/0.1360A	----		0.1275 NEW	.1466	----	----	1	----	1 +	1	
620	----	----		----	0.2270B/0.2465A	----		0.2495 NEW	.2506	----	----	1	----	1 +	1	
TOTAL												2		42 +	2	
HXE CALL		COPPER OPTIONS														
SEP26																
655	----	----		0.3545B/0.1995A	0.3545B/0.1995A	----		0.2065 - 0.0830	.9750	----	----	----	----	1	UNCH	
660	----	----		0.3055B/0.1550A	0.3055B/0.1550A	----		0.1600 - 0.0820	.9356	----	----	----	----	2	UNCH	
665	----	----		0.2565B/0.1145A	0.2565B/0.1145A	----		0.1175 - 0.0795	.8485	----	----	----	----	1	UNCH	
670	----	----		0.2090B/0.0820A	0.2090B/0.0820A	----		0.0795 - 0.0755	.7070	----	----	----	----	3	UNCH	
675	0.0485	0.0485		0.1645B/0.0485	0.1645B/0.0485	----		0.0500 - 0.0675	.5170	----	----	16	----	18 +	16	
678	----	----		0.1255B/0.0435A	0.1255B/0.0435A	----		0.0375 NEW	.3999	----	----	5	----	5 +	5	
680	0.0345	0.0345		0.1250B/0.0345	0.1250B/0.0345	----		0.0310 - 0.0565	.3304	----	----	45	----	103 +	23	
685	0.0200	0.0200		0.0930B/0.0200	0.0930B/0.0200	----		0.0200 - 0.0470	.1996	----	----	20	----	61 +	20	
688	----	----		0.0755B/0.0205A	0.0755B/0.0205A	----		0.0160 - 0.0410	.1488	----	----	----	----	1	UNCH	
690	----	----		0.0660B/0.0140A	0.0660B/0.0140A	----		0.0135 - 0.0375	.1203	----	----	25	----	46 +	25	
692	0.0120	0.0120		0.0600B/0.0120	0.0600B/0.0120	----		0.0115 NEW	.0977	----	----	2	----	0	UNCH	
694	0.0090	0.0090		0.0520B/0.0090	0.0520B/0.0090	----		0.0095 NEW	.0772	----	----	1	----	1 +	1	
695	0.0655	0.0655		0.0655/0.0130A	0.0655/0.0130A	----		0.0085 NEW	.0677	----	----	2	----	1 +	1	
700	0.0125	0.0125		0.0345B/0.0055A	0.0345B/0.0055A	----		0.0050 - 0.0220	.0350	----	----	11	----	32 +	9	
705	----	----		0.0225B/0.0100A	0.0225B/0.0100A	----		0.0025 - 0.0165	.0150	----	----	----	----	16	UNCH	
710	----	----		0.0145B/0.0090A	0.0145B/0.0090A	----		0.0015 - 0.0115	.0075	----	----	----	----	6	UNCH	
720	----	----		----	0.0055B/0.0065A	----		0.0005 - 0.0060	.0009	----	----	----	----	1	UNCH	
750	----	----		----	----/0.0040A	----		0.0005 UNCH	----	----	----	----	----	11	UNCH	
TOTAL												127		309 +	100	
OCT26																
660	----	----		0.2915B/0.2130A	0.2915B/0.2130A	----		0.2120 - 0.0655	.7119	----	----	----	----	2	UNCH	
670	----	----		0.2505B/0.1550A	0.2505B/0.1550A	----		0.1535 - 0.0560	.5799	----	----	----	----	109	UNCH	
675	----	----		0.2170B/0.1260A	0.2170B/0.1260A	----		0.1295 - 0.0510	.5134	----	----	----	----	34	UNCH	
680	0.1185	0.1185		0.1915B/0.1065A	0.1915B/0.1065A	----		0.1090 - 0.0460	.4496	----	----	40	----	350	UNCH	
685	0.0985	0.0985		0.1640B/0.0900A	0.1640B/0.0900A	----		0.0910 - 0.0410	.3896	----	----	21	----	730 -	1	
690	----	----		0.1400B/0.0740A	0.1400B/0.0740A	----		0.0760 - 0.0360	.3350	----	----	----	----	100	UNCH	
690	----	----		0.1675B/0.1040A	0.1675B/0.1040A	----		0.1010 - 0.0380	.3674	----	----	----	----	10	UNCH	
695	----	----		0.1190B/0.0610A	0.1190B/0.0610A	----		0.0630 - 0.0310	.2854	----	----	----	----	440	UNCH	
700	0.0500	0.0500		0.1005B/0.0485A	0.1005B/0.0485A	----		0.0520 NEW	.2412	----	----	1	----	1 +	1	
700	----	----		0.1535B/0.0990A	0.1535B/0.0990A	----		0.0970 NEW	.3164	----	----	10	----	10 +	10	
710	0.0720	0.0720		0.1200B/0.0720	0.1200B/0.0720	----		0.0750 NEW	.2545	----	----	5	----	5 +	5	
725	0.0270	0.0270		0.0385B/0.0205A	0.0385B/0.0205A	----		0.0200 - 0.0115	.0981	----	----	1	----	441 +	1	
730	----	----		0.0320B/0.0180A	0.0320B/0.0180A	----		0.0165 - 0.0095	.0812	----	----	----	----	9	UNCH	
740	----	----		0.0220B/0.0135A	0.0220B/0.0135A	----		0.0115 - 0.0065	.0563	----	----	----	----	20	UNCH	
800	0.0070	0.0070		0.0070/0.0070	0.0070/0.0070	----		0.0040 - 0.0020	.0173	----	----	3	----	33 +	3	
TOTAL												81		2294 +	19	
HXE PUT		COPPER OPTIONS														
SEP26																
525	----	----		----	----/0.0030A	----		0.0005 UNCH	----	----	----	----	----	29	UNCH	
605	----	----		----	----/0.0030A	----		0.0005 UNCH	----	----	----	----	----	1	UNCH	
615	----	----		----	----/0.0030A	----		0.0005 UNCH	----	----	----	----	----	12	UNCH	
620	----	----		----	----/0.0030A	----		0.0005 UNCH	----	----	----	----	----	16	UNCH	
625	----	----		----	----/0.0030A	----		0.0005 UNCH	----	----	----	----	----	25	UNCH	
630	----	----		----	----/0.0030A	----		0.0005 UNCH	.0000	----	----	----	----	51	UNCH	
635	----	----		----	----/0.0030A	----		0.0005 - 0.0005	.0001	----	----	----	----	1	UNCH	
640	----	----		----	----/0.0035A	----		0.0005 - 0.0005	.0007	----	----	----	----	48	UNCH	
650	----	----		----	----/0.0035A	----		0.0015 - 0.0005	.0099	----	----	----	----	2	UNCH	
655	----	----		----	----/0.0045A	----		0.0030 - 0.0005	.0249	----	----	----	----	1	UNCH	
658	----	----		----	0.0015B/0.0050A	----		0.0050 UNCH	.0462	----	----	----	----	1	UNCH	
659	0.0005	0.0005		0.0025B/0.0005	0.0025B/0.0005	----		0.0060 NEW	.0570	----	----	1	----	1 +	1	
660	----	----		----/0.0055A	0.0030B/0.0055A	----		0.0065 + 0.0005	.0643	----	----	----	----	45	UNCH	
665	0.0150	0.0150		0.0150/0.0070A	0.0150/0.0070A	----		0.0140 + 0.0030	.1514							

PG64	BULLETIN #183@										METALS OPTION PRODUCTS				wed, Sep 23, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST				
PAO CALL																			
NYMEX PALLADIUM OPTIONS												15			206 +		2		
TOTAL																			
DEC26																			
1250	----	----		107.00B/83.10A	107.00B/83.10A	----		81.10 - 23.20	.5715	----	----	----	----		200		UNCH		
1300	----	----		79.80B/62.50A	79.80B/62.50A	----		60.50 - 19.00	.4634	----	----	----	----		6		UNCH		
1315	----	----		----/57.40A	72.80B/57.40A	----		55.40 - 17.80	.4333	----	----	----	----		90		UNCH		
1425	----	----		----/32.60A	36.80B/32.60A	----		30.40 - 10.30	.2613	----	----	----	----		39		UNCH		
1450	26.50	26.50		26.50/26.50	31.70B/26.50	----		26.90 - 9.10	.2336	----	----	10	----		65 +	10			
1500	----	----		----/24.60A	24.00B/24.60A	----		21.50 - 7.10	.1887	----	----	----	----		35		UNCH		
1550	----	----		----/20.90A	18.90B/20.90A	----		17.60 - 5.70	.1548	----	----	----	----		66		UNCH		
1585	----	----		----/18.80A	15.90B/18.80A	----		15.50 - 4.90	.1359	----	----	----	----		3		UNCH		
1600	----	----		----/17.90A	14.90B/17.90A	----		14.70 - 4.70	.1288	----	----	----	----		95		UNCH		
1650	----	----		----/15.30A	11.90B/15.30A	----		12.40 - 4.00	.1081	----	----	----	----		64		UNCH		
1700	----	----		----/13.20A	9.40B/13.20A	----		10.40 - 3.60	.0907	----	----	----	----		10		UNCH		
1775	----	----		----/10.60A	6.60B/10.60A	----		8.00 - 2.90	.0699	----	----	----	----		100		UNCH		
1800	----	----		----/9.90A	5.80B/9.90A	----		7.30 - 2.70	.0639	----	----	----	----		55		UNCH		
1925	----	----			2.90B/7.30A	----		4.70 - 1.90	.0416	----	----	----	----		46		UNCH		
1995	----	----			1.90B/6.40A	----		3.80 - 1.50	.0336	----	----	----	----		6		UNCH		
2000	----	----			1.80B/6.30A	----		3.70 - 1.50	.0328	----	----	----	----		1		UNCH		
3000	----	----			----/3.00A	----		1.30 - 0.50	.0091	----	----	----	----		1		UNCH		
TOTAL												10			882 +		10		
MAR27																			
1350	----	----		----/95.40A	85.20B/95.40A	----		104.90 - 18.50	.4752	----	----	----	----		75		UNCH		
1400	90.00	90.00		90.00/80.80A	90.00/80.80A	----		87.60 - 16.50	.4191	----	----	10	----		10		UNCH		
1600	----	----		----/45.70A	35.90B/45.70A	----		41.50 - 9.70	.2376	----	----	----	----		10		UNCH		
TOTAL												10			95		0		
JUN27																			
1375	----	----		----	----	----		137.80 - 18.90	.4961	----	----	----	----		50		UNCH		
TOTAL															50		0		
PAO PUT																			
NYMEX PALLADIUM OPTIONS																			
NOV26																			
1200	----	----		18.30B/----	18.30B/16.80A	----		20.40 + 7.00	.2596	----	----	----	----		24		UNCH		
1225	----	----		27.80B/----	27.80B/22.40A	----		29.70 + 9.50	.3377	----	----	----	----		11		UNCH		
1250	----	----		39.60B/----	39.60B/30.50A	----		41.10 + 12.10	.4181	----	----	----	----		108		UNCH		
1275	----	----		53.40B/----	53.40B/40.30A	----		54.50 + 14.80	.4971	----	----	----	----		16		UNCH		
1300	----	----		69.10B/----	69.10B/52.70A	----		69.80 + 17.50	.5718	----	----	----	----		13		UNCH		
1350	----	----		105.90B/81.50A	105.90B/81.50A	----		105.70 + 22.90	.6989	----	----	----	----		4		UNCH		
TOTAL															176		0		
DEC26																			
1050	----	----		----	3.70B/8.60A	----		6.20 + 1.80	.0730	----	----	----	----		5		UNCH		
1150	----	----		19.80B/----	19.80B/20.70A	----		22.30 + 5.80	.2112	----	----	----	----		15		UNCH		
1200	----	----		36.90B/----	36.90B/32.90A	----		38.90 + 9.10	.3158	----	----	----	----		53		UNCH		
1250	----	----		60.00B/----	60.00B/51.30A	----		61.70 + 13.00	.4283	----	----	----	----		5		UNCH		
1300	----	----		89.10B/----	89.10B/75.00A	----		90.80 + 17.20	.5364	----	----	----	----		100		UNCH		
1315	----	----		99.00B/----	99.00B/83.10A	----		100.70 + 18.40	.5664	----	----	----	----		90		UNCH		
1380	----	----		----/123.20A	114.80B/123.20A	----		148.40 + 23.30	.6786	----	----	----	----		1		UNCH		
1400	----	----		163.50B/137.20A	163.50B/137.20A	----		164.40 + 24.50	.7067	----	----	----	----		150		UNCH		
1500	----	----		251.70B/216.40A	251.70B/216.40A	----		251.00 + 29.30	.8111	----	----	----	----		40		UNCH		
TOTAL															459		0		
MAR27																			
1100	27.00	27.00		27.00/27.00	27.00/27.00	----		51.10 NEW	.2306	----	----	5	----		5 +		5		
1200	----	----		----/72.00A	62.00B/72.00A	----		88.60 + 11.40	.3448	----	----	----	----		10		UNCH		
1350	----	----		----	146.00B/155.80A	----		167.90 + 17.70	.5244	----	----	----	----		75		UNCH		
TOTAL												5			90 +		5		
PAW OOF																			
PALLADIUM WEEKLY FRIDAY OPTION week																			
SEP26																			
1335	----	----		----/5.50A	8.10B/5.50A	----		1.90 - 9.40	.0488	----	----	----	----		10		UNCH		
TOTAL															10		0		
OCT26																			
1300	32.50	32.50		47.20B/29.00	47.20B/29.00	----		28.40 NEW	.3975	----	----	12	----		12 +		12		
1350	----	----		----/12.90A	16.70B/12.90A	----		10.20 - 9.40	.1923	----	----	----	----		2		UNCH		
TOTAL												12			14 +		12		
PLW OOF																			
PLATINUM WEEKLY FRIDAY OPTION week4																			
SEP26																			
1765	19.00	19.00		21.00/19.00	21.30B/19.00	----		22.30 NEW	.5349	----	----	3	----		3 +		3		
1770	21.00	21.00		21.00/20.00A	21.80B/20.00A	----		19.80 NEW	.4878	----	----	1	----		1 +		1		
1805	----	----		61.90B/10.20A	61.90B/10.20A	----		8.10 - 44.50	.2074	----	----	----	----		8		UNCH		
1850	----	----		29.80B/5.20A	29.80B/5.20A	----		1.60 - 23.20	.0340	----	----	----	----		5		UNCH		
1850	----	----		18.90B/4.00A	18.90B/4.00A	----		0.60 - 14.80	.0099	----	----	----	----		28		UNCH		
1875	----	----		10.30B/3.40A	10.30B/3.40A	----		0.30 - 9.30	.0037	----	----	----	----		10		UNCH		
1900	----	----								----	----	----	----		10		UNCH		
TOTAL												4			55 +		4		
OCT26																			
1750	----	----		29.00B/----	29.00B/13.50A	----		30.80 + 19.30	.4123	----	----	----	----		5		UNCH		
1800	28.00	28.00		79.80B/28.00	79.80B/28.00	----		26.60 NEW	.3809	----	----	20	----		20 +		20		
TOTAL												20			25 +		20		
PO CALL																			
PLATINUM OPTIONS																			
NOV26																			
1800	55.00	55.00		104.00B/55.00	104.00B/55.00	----		54.30 - 43.20	.4445	----	----	1	----		1		UNCH		
1850	41.20	41.20		76.30B/39.00	76.30B/39.00	----		37.20 - 35.00	.3367	----	----	48	----		150 +		35		
1875	----	----		64.60B/33.70A	64.60B/33.70A	----		30.80 - 30.70	.2898	----	----	----	----		16		UNCH		
1900	----	----		54.30B/28.70A	54.30B/28.70A	----		25.70 - 26.50	.2490	----	----	----	----		164		UNCH		
1925	----	----		45.30B/24.60A	45.30B/24.60A	----		21.70 - 22.40	.2143	----	----	----	----		58		UNCH		
1950	19.00	19.00		37.50B/19.00	37.50B/19.00	----		18.50 - 18.80	.1851	----	----	1	----		117		UNCH		
2000	----	----		----/15.80A	25.80B/15.80A	----		13.50 - 13.30	.1380	----	----	----	----		180		UNCH		
2050	----	----		----/12.00A	19.40B/12.00A	----		9.90 - 9.60	.1028	----	----	----	----		15		UNCH		
2100	----	----		----/9.40A	11.90B/9.40A	----		7.20 - 7.20	.0761	----	----	----	----		52		UNCH		

PG64	BULLETIN #183@										METALS OPTION PRODUCTS										Wed, Sep 23, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST													
PO CALL	PLATINUM OPTIONS																								
JUL27																									
1930	----	----	----	----	----	176.80 - 38.60	.4777	----	----	----	----	110	UNCH												
TOTAL												110	0												
JUL28																									
1900	----	----	----	----	----	324.30 - 42.70	.5713	----	----	----	----	250	UNCH												
TOTAL												250	0												
PO PUT	PLATINUM OPTIONS																								
NOV26																									
1300	----	----	----	----	----/2.30A	0.10 UNCH	.0015	----	----	----	----	20	UNCH												
1400	----	----	----	----	----/3.00A	0.60 + 0.40	.0085	----	----	----	----	40	UNCH												
1475	----	----	----	----	----/4.10A	2.10 + 1.20	.0278	----	----	----	----	115	UNCH												
1600	10.00	10.00	10.00/10.00	10.00/8.80A	----	12.00 + 6.00	.1316	----	----	1	----	210 +	1												
1625	----	----	13.90B/----	13.90B/10.80A	----	16.00 + 7.70	.1681	----	----	----	----	22	UNCH												
1650	----	----	19.50B/----	19.50B/13.40A	----	21.20 + 9.90	.2117	----	----	----	----	26	UNCH												
1675	27.30	27.30	27.30/27.30	27.30/16.80A	----	27.80 + 12.80	.2617	----	----	10	----	29 +	10												
1700	24.00	24.00	36.20/24.00	36.20/21.00A	----	36.20 + 16.50	.3177	----	----	41	----	274 +	41												
1725	40.50	40.50	45.10B/24.90A	45.10B/24.90A	----	46.40 + 21.00	.3771	----	----	17	----	67 +	17												
1750	48.80	48.80	57.00B/48.80	57.00B/32.60A	----	58.30 + 25.80	.4375	----	----	20	----	100 +	20												
1775	----	----	70.60B/40.20A	70.60B/40.20A	----	71.50 + 30.50	.4972	----	----	----	----	79	UNCH												
1800	50.00	50.00	85.80B/49.30A	85.80B/49.30A	----	86.00 + 34.90	.5553	----	----	1	----	23 +	1												
1825	----	----	102.20B/60.00A	102.20B/60.00A	----	101.70 + 39.10	.6110	----	----	----	----	15	UNCH												
1850	----	----	120.10B/71.90A	120.10B/71.90A	----	118.80 + 43.30	.6632	----	----	----	----	100	UNCH												
TOTAL										90	----	1120 +	90												
DEC26																									
1650	44.70	44.70	44.70/44.70	44.70/30.40A	----	44.70 + 16.30	.2796	----	----	9	----	19 +	9												
1675	----	----	51.80B/----	51.80B/35.80A	----	53.50 + 19.10	.3187	----	----	----	----	9	UNCH												
1750	----	----	86.40B/57.90A	86.40B/57.90A	----	87.90 + 29.70	.4426	----	----	----	----	120	UNCH												
TOTAL										9	----	148 +	9												
JAN27																									
1400	----	----	7.60B/----	7.60B/10.90A	----	11.10 + 4.10	.0743	----	----	----	----	100	UNCH												
1500	----	----	20.60B/----	20.60B/18.50A	----	24.20 + 8.80	.1442	----	----	----	----	325	UNCH												
1600	----	----	44.20B/----	44.20B/33.90A	----	46.80 + 15.50	.2455	----	----	----	----	10	UNCH												
1650	----	----	61.30B/----	61.30B/45.20A	----	63.60 + 20.30	.3078	----	----	----	----	45	UNCH												
1700	85.00	85.00	85.00/85.00	85.00/59.40A	----	84.80 + 26.30	.3746	----	----	10	----	50	UNCH												
1750	----	----	107.70B/----	107.70B/77.30A	----	110.10 + 32.90	.4419	----	----	----	----	120	UNCH												
1800	----	----	136.70B/99.00A	136.70B/99.00A	----	138.70 + 39.10	.5073	----	----	----	----	5	UNCH												
1900	----	----	204.30B/153.10A	204.30B/153.10A	----	204.80 + 49.10	.6255	----	----	----	----	100	UNCH												
2000	----	----	281.80B/219.00A	281.80B/219.00A	----	281.50 + 56.70	.7210	----	----	----	----	200	UNCH												
TOTAL										10	----	955	0												
APR27																									
1400	24.00	24.00	25.60B/24.00	25.60B/24.00	----	30.10 + 8.40	.1262	----	----	10	----	30 +	10												
1500	----	----	46.80B/----	46.80B/41.90A	----	50.90 + 13.10	.1936	----	----	----	----	10	UNCH												
1600	----	----	78.00B/----	78.00B/65.00A	----	81.70 + 19.80	.2770	----	----	----	----	10	UNCH												
1790	169.40	169.40	169.90/169.10	169.90/136.50A	----	171.70 NEW	.4541	----	----	27	----	27 +	27												
TOTAL										37	----	77 +	37												
JUL27																									
1930	----	----	----	----	----	299.00 + 36.70	.5216	----	----	----	----	110	UNCH												
TOTAL												110	0												

OPTIONS EOO'S AND BLOCKS				
PRODUCT		STRIKE PRICE	EEO VOLUME	BLOCK VOLUME
OG CALL COMEX GOLD OPTIONS				
OCT26	CALL			
OG		4300	0	60
OG		4375	0	150
TOTALS			0	210
NOV26 CALL				
OG		4600	0	280
OG		4700	0	250
OG		4900	0	280
TOTALS			0	810
DEC26 CALL				
OG		4350	0	125
OG		4585	0	150
OG		4600	0	230
OG		4900	0	230
OG		5000	0	150
TOTALS			0	885
JAN27 CALL				
OG		4375	0	160
OG		4800	0	50
OG		5200	0	50
TOTALS			0	260
FEB27 CALL				
OG		4385	0	200
OG		5100	0	500
OG			0	
TOTALS			0	700
JUN27 CALL				
OG		4500	0	100
OG		5000	0	280
OG			0	
TOTALS			0	380
OG PUT COMEX GOLD OPTIONS				
OCT26	PUT			
OG		4300	0	100
OG		4325	0	100
TOTALS			0	200
NOV26 PUT				
OG		4150	0	250
OG		4350	0	150
OG			0	
TOTALS			0	400
DEC26 PUT				
OG		4350	0	275
OG			0	275
TOTALS				
JAN27 PUT				
OG		4000	0	50
OG		4375	0	160
OG			0	
TOTALS			0	210
FEB27 PUT				
OG		3825	0	500
OG		4385	0	200
OG			0	
TOTALS			0	700
JUN27 PUT				
OG		4500	0	100
OG			0	100
TOTALS				
SO CALL COMEX SILVER OPTIONS				
NOV26	CALL			
SO		7000	0	50
SO		7400	0	28
SO		8000	0	580
TOTALS			0	658
SO PUT COMEX SILVER OPTIONS				
OCT26	PUT			
SO		6500	0	90
SO		6600	0	25
SO			0	
TOTALS			0	115
NOV26 PUT				
SO		6200	0	56
SO			0	56
TOTALS				
DEC26 PUT				
SO		5500	0	26
SO			0	26
TOTALS				
MAR27 PUT				
SO		5500	0	55
SO			0	
TOTALS			0	55
HX CALL COMEX COPPER OPTIONS				
NOV26	CALL			
HX		695	0	120
HX		700	0	100
HX		725	0	100
TOTALS			0	320
JAN27 CALL				
HX		775	0	400
HX			0	
TOTALS			0	400
PO CALL PLATINUM OPTIONS				
JAN27	CALL			
PO		1900	0	200
PO		1950	0	200
TOTALS			0	400
SO4 PUT SILVER OPTIONS				
SEP26	PUT			
SO4		6480	0	20
TOTALS			0	20
HRO OPT U.S. MIDWEST DOMESTIC HOT-ROLLED CO				
JAN27	CALL			
HRO		130000	0	100
HRO		140000	0	200
TOTALS			0	300
FEB27 CALL				
HRO		130000	0	100
HRO		140000	0	200
HRO			0	
TOTALS			0	300
MAR27 CALL				
HRO		130000	0	100
HRO		140000	0	200
HRO			0	
TOTALS			0	300
APR27 CALL				

PG64	BULLETIN #183@			METALS OPTION PRODUCTS	wed, Sep 23, 2026	PG64
	HRO	132500	0	50		
	HRO	140000	0	150		
	TOTALS		0	200		
MAY27	CALL					
	HRO	132500	0	50		
	HRO	140000	0	150		
	TOTALS		0	200		
JUN27	CALL					
	HRO	132500	0	50		
	HRO	140000	0	150		
	TOTALS		0	200		
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK				
OCT26	CALL					
	WLS	6700	0	60		
	TOTALS		0	60		
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK4				
SEP26	CALL					
	G4M	4400	0	20		
	TOTALS		0	20		
EHO OPT		NORTH EURO HRC STEEL(ARGUS) APO				
NOV26	CALL					
	EHO	77500	0	250		
	TOTALS		0	250		
COO OPT		COBALT METAL (FASTMARKETS) APO				
JAN27	CALL					
	COO	2400	0	125		
	TOTALS		0	125		
FEB27	CALL					
	COO	2400	0	125		
	TOTALS		0	125		
MAR27	CALL					
	COO	2400	0	125		
	TOTALS		0	125		