

PG64

BULLETIN #185@

METALS OPTION PRODUCTS

Fri, Sep 25, 2026

PG64

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN
AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS,
CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY
R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN
THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU
DAY’S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES														
EXPIRATION:	SEP26	SEP26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27	MAY27	JUN27	JUL27	AUG27
COO OPT	09/30			10/30	11/30	12/31	01/29	02/26	03/31				07/30	08/31
ECG10 OP		09/24	09/25											
ECG11 OP		09/24	09/25											
ECG13 OP		09/24	09/25											
ECG15 OP		09/24	09/25											
ECG16 OP		09/24	09/25											
ECCG OOF		09/24	09/25											
ECHG OOF		09/24	09/25											
ECSI OOF		09/24	09/25											
EHO OPT	09/30			10/30	11/30	12/31								
FMG OPT	09/25													
GMW MON	09/28			10/19										
GWR THU				10/22										
GWT TUE	09/29			10/20										
GWW WED	09/30			10/21										
HMW MON	09/28			10/12										
HRO OPT	09/29			10/27	11/24	12/29	01/26	02/23	03/30	04/27	05/25	06/29	07/27	08/24
HWR THU				10/22										
HWT TUE	09/29			10/20										
HWW WED	09/30			10/21	11/04	12/02	01/06							
HX CALL				09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25		
HX PUT				09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25		
HXE CALL	09/25			10/16										
HXE PUT	09/25			10/16										
LHO OPT	09/30			10/30	11/30	12/31	01/29	02/26	03/31					
MMG MON	09/28													
OG CALL				09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27
OG PUT				09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27
OG1 CALL				10/02										
OG1 PUT				10/02										
OG2 CALL				10/09										
OG2 PUT				10/09										
OG3 CALL				10/16										
OG3 PUT				10/16										
OG4 CALL	09/25													
OG4 PUT	09/25													
OMG OPT				09/24	10/27	11/24	12/28					05/19		
PAO CALL					10/21	11/18			02/17					
PAO PUT					10/21	11/18			02/17					
PAW OOF	09/25			10/09										
PLW OOF	09/25			10/02										
PO CALL					10/21	11/18	12/16			03/17			06/16	
PO PUT					10/21	11/18	12/16			03/17			06/16	
RWS THU				10/22										
SMW MON	09/28			10/12										
SO CALL				09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27
SO PUT				09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	
SO1 CALL				10/02										
SO1 PUT				10/02										
SO2 CALL				10/09										
SO2 PUT				10/09										
SO3 CALL				10/16										
SO3 PUT				10/16										
SO4 CALL	09/25													
SO4 PUT	09/25													
SWW WED	09/30													
TWS TUE	09/29			10/21										
				10/20										

GOLD OPTIONS ON FUTURES														
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OMG OPT	MICRO GOLD OPTIONS													
OCT26														
4200	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH
4315	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH
4495	----	----	----	----	----	----	229.90 UNCH	----	----	----	----	----	0	UNCH
TOTAL													0	0
NOV26														
3650	----	----	----	----/15.00A	----	----	2.80 - 0.70	----	----	----	----	----	2	UNCH
3900	----	----	----	----/882.40A	----	----	7.90 - 2.60	----	----	----	----	----	1	UNCH
4000	----	----	----	----	----	----	334.30 + 18.90	----	----	----	----	----	1	UNCH
4000	----	----	----	----/25.00A	----	----	13.90 - 4.30	----	----	----	----	----	1	UNCH
4005	----	----	----	----	----	----	329.70 + 18.70	----	----	----	----	----	1	UNCH
4025	----	----	----	----/889.70A	----	----	16.20 - 4.90	----	----	----	----	----	1	UNCH
4185	----	----	----	----/915.30A	----	----	44.40 - 10.50	----	----	----	----	----	1	UNCH
4300	----	----	----	50.00B/1393.40A	----	----	87.20 - 15.30	----	----	----	----	----	1	UNCH
5810	----	----	----	----/865.80A	----	----	0.80 - 0.10	----	----	----	----	----	2	UNCH
5850	----	----	----	----/864.00A	----	----	0.80 UNCH	----	----	----	----	----	3	UNCH
5900	----	----	----	----/861.10A	----	----	0.70 - 0.10	----	----	----	----	----	5	UNCH
6500	----	----	----	----/861.10A	----	----	0.40 UNCH	----	----	----	----	----	4	UNCH
TOTAL													23	0
DEC26														
3900	----	----	----	----	----	----	24.30 - 4.20	----	----	----	----	----	1	UNCH
3990	----	----	----	20.00B/----	----	----	36.40 - 5.90	----	----	----	----	----	2	UNCH
4000	----	----	----	----	----	----	38.00 - 6.20	----	----	----	----	----	1	UNCH
4500	----	----	----	----	----	----	255.80 - 18.60	----	----	----	----	----	3	UNCH
4650	----	----	----	----	----	----	44.70 + 2.40	----	----	----	----	----	1	UNCH
4700	----	----	----	----	----	----	37.10 + 1.90	----	----	----	----	----	10	UNCH
4800	----	----	----	----	----	----	25.70 + 1.20	----	----	----	----	----	1	UNCH
5000	----	----	----	----	----	----	13.00 + 0.40	----	----	----	----	----	0	UNCH
TOTAL													19	0
JAN27														
4010	----	----	----	----	----	----	401.70 + 16.80	----	----	----	----	----	1	UNCH
TOTAL													1	0
OCT27														
4410	----	----	----	----	----	----	460.20 + 13.00	----	----	----	----	----	1	UNCH
TOTAL													1	0
FEB28														
4600	----	----	----	----	----	----	474.30 + 12.50	----	----	----	----	----	1	UNCH
TOTAL													1	0
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG4 PUT	GOLD OPTIONS													
SEP26														
3500	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0	- 4
3700	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0	- 23
3750	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0	- 12
3800	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0	- 114
3900	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0	- 31
3925	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0	- 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT
IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

BULLETIN #185@				METALS OPTION PRODUCTS								Fri, Sep 25, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	OPEN CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG4 PUT SEP26	GOLD OPTIONS															
3950	----	----	----	----	----/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 - 6	
3975	0.10	0.10	----	0.10/0.10	0.10/0.10	----	----	----	0.00 - 0.10	----	----	----	8	----	0 - 47	
3985	----	----	----	----	----/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 - 5	
4000	----	----	----	----	----/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 - 63	
4020	----	----	----	----	----/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 - 1	
4025	----	----	----	----	----/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 - 121	
4035	----	----	----	----	----/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 - 1	
4040	----	----	----	----	----/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 - 3	
4050	----	----	----	----	----/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 - 117	
4075	----	----	----	----/0.10A	----/0.10A	----	----	----	0.00 - 0.20	----	----	----	----	----	0 - 21	
4080	0.30	0.30	----	0.30/0.10A	0.30/0.10A	----	----	----	0.00 - 0.20	----	----	----	2	----	0 - 3	
4085	----	----	----	----/0.10A	----/0.10A	----	----	----	0.00 - 0.20	----	----	----	----	----	0 - 7	
4090	----	----	----	----/0.10A	----/0.10A	----	----	----	0.00 - 0.20	----	----	----	----	----	0 - 2	
4095	----	----	----	----/0.10A	----/0.10A	----	----	----	0.00 - 0.20	----	----	----	----	----	0 - 3	
4100	0.10	0.10	----	0.20/0.10	0.20/0.10	----	----	----	0.00 - 0.20	----	----	----	5	----	0 - 320	
4105	----	----	----	----/0.10A	----/0.10A	----	----	----	0.00 - 0.30	----	----	----	----	----	0 - 1	
4110	----	----	----	----/0.10A	----/0.10A	----	----	----	0.00 - 0.30	----	----	----	----	----	0 - 7	
4120	----	----	----	----/0.10A	----/0.10A	----	----	----	0.00 - 0.40	----	----	----	----	----	0 - 5	
4125	----	----	----	----/0.10A	----/0.10A	----	----	----	0.00 - 0.40	----	----	----	----	----	0 - 25	
4130	----	----	----	----/0.10A	----/0.10A	----	----	----	0.00 - 0.40	----	----	----	----	----	0 - 7	
4135	----	----	----	----/0.20A	----/0.20A	----	----	----	0.00 - 0.40	----	----	----	----	----	0 - 1	
4140	----	----	----	----/0.20A	----/0.20A	----	----	----	0.00 - 0.50	----	----	----	----	----	0 - 2	
4145	0.40	0.40	----	0.40/0.10	0.40/0.10	----	----	----	0.00 - 0.50	----	----	----	2	----	0 - 2	
4150	----	----	----	----/0.10A	----/0.10A	----	----	----	0.00 - 0.60	----	----	----	1	----	0 - 139	
4155	0.10	0.10	----	0.10/0.10	0.10/0.10	----	----	----	0.00 - 0.60	----	----	----	1	----	0 - 106	
4160	----	----	----	----/0.10A	----/0.10A	----	----	----	0.00 - 0.70	----	----	----	----	----	0 - 2	
4165	0.10	0.10	----	0.10/0.10	0.10/0.10	----	----	----	0.00 - 0.70	----	----	----	2	----	0 - 19	
4170	0.10	0.10	----	0.10/0.10	0.20B/0.10	----	----	----	0.00 - 0.80	----	----	----	1	----	0 - 3	
4175	0.10	0.10	----	0.10/0.10	0.30B/0.10	----	----	----	0.00 - 0.80	----	----	----	48	----	0 - 113	
4180	0.20	0.20	----	0.20/0.10A	0.30B/0.10A	----	----	----	0.00 - 0.90	----	----	----	2	----	0 - 34	
4185	0.30	0.30	----	0.30/0.10A	0.30/0.10A	----	----	----	0.00 - 1.00	----	----	----	1	----	0 - 6	
4190	0.10	0.10	----	0.10/0.10	0.40B/0.10	----	----	----	0.00 - 1.10	----	----	----	7	----	0 - 4	
4195	0.30	0.30	----	0.30/0.10	0.40B/0.10	----	----	----	0.00 - 1.20	----	----	----	7	----	0 - 41	
4200	0.80	0.80	----	0.80/0.10	0.80/0.10	----	----	----	0.00 - 1.40	----	----	----	63	----	0 - 428	
4205	0.50	0.50	----	0.60/0.10A	0.60/0.10A	----	----	----	0.00 - 1.50	----	----	----	11	----	0 - 11	
4210	0.70	0.70	----	0.70/0.10	0.70/0.10	----	----	----	0.00 - 1.70	----	----	----	8	----	0 - 19	
4215	0.50	0.50	----	0.50/0.10	0.70B/0.10	----	----	----	0.00 - 1.90	----	----	----	9	----	0 - 34	
4220	0.70	0.70	----	0.70/0.10	0.80B/0.10	----	----	----	0.00 - 2.20	----	----	----	8	----	0 - 24	
4225	1.10	1.10	----	1.10/0.10A	1.10/0.10A	----	----	----	0.00 - 2.50	----	----	----	11	----	0 - 97	
4230	1.20	1.20	----	1.50B/0.10	1.50B/0.10	----	----	----	0.00 - 2.90	----	----	----	41	----	0 - 180	
4235	1.80	1.80	----	1.80/0.10A	1.80/0.10A	----	----	----	0.00 - 3.30	----	----	----	31	----	0 - 168	
4240	1.20	1.20	----	2.20/0.10A	2.20/0.10A	----	----	----	0.00 - 3.80	----	----	----	16	----	0 - 78	
4245	1.10	1.10	----	1.10/0.10A	2.30B/0.10A	----	----	----	0.00 - 4.40	----	----	----	7	----	0 - 65	
4250	3.10	3.10	----	3.20B/0.10	3.20B/0.10	----	----	----	0.00 - 5.10	----	----	----	305	----	0 - 332	
4255	2.10	2.10	----	2.20/0.10	3.60B/0.10	----	----	----	0.00 - 5.90	----	----	----	136	----	0 - 54	
4260	2.40	2.40	----	4.60B/0.10	4.60B/0.10	----	----	----	0.00 - 6.80	----	----	----	150	----	0 - 289	
4265	2.80	2.80	----	5.60B/0.10	5.60B/0.10	----	----	----	0.00 - 7.90	----	----	----	35	----	0 - 53	
4270	5.80	5.80	----	6.80B/0.10A	6.80B/0.10A	----	----	----	0.00 - 9.20	----	----	----	114	----	0 - 85	
4275	6.40	6.40	----	8.40/0.10	8.40/0.10	----	----	----	0.00 -10.70	----	----	----	257	----	0 - 272	
4280	9.50	9.50	----	10.10B/0.10	10.10B/0.10	----	----	----	0.00 -12.30	----	----	----	428	----	0 - 136	
4285	5.00	5.00	----	12.10B/0.10	12.10B/0.10	----	----	----	0.00 -14.10	----	----	----	338	----	0 - 579	
4290	4.60	4.60	----	14.40B/0.10	14.40B/0.10	----	----	----	0.00 -16.20	----	----	----	361	----	0 - 120	
4295	10.00	10.00	----	17.10B/0.10	17.10B/0.10	----	----	----	0.00 -18.50	----	----	----	418	----	0 - 61	
4300	17.10	17.10	----	21.30/0.10	21.30/0.10	----	----	----	0.00 -21.00	----	----	----	908	----	0 - 318	
4305	12.00	12.00	----	22.80B/0.10A	22.80B/0.10A	----	----	----	0.00 -23.70	----	----	----	200	----	0 - 12	
4310	11.70	11.70	----	26.30B/0.10	26.30B/0.10	----	----	----	0.00 -26.60	----	----	----	449	----	0 - 35	
4315	10.50	10.50	----	29.90B/0.10A	29.90B/0.10A	----	----	----	0.00 -29.80	----	----	----	481	----	0 - 21	
4320	14.00	14.00	----	33.60B/0.10	33.60B/0.10	----	----	----	0.00 -33.10	----	----	----	375	----	0 - 50	
4325	26.80	26.80	----	37.60B/0.10	37.60B/0.10	----	----	----	3.80 -32.80	107	----	----	308	----	0 - 110	
4330	15.00	15.00	----	41.60B/3.00A	41.60B/3.00A	----	----	----	8.80 -31.50	96	----	----	438	----	0 - 12	
4335	10.60	10.60	----	45.90B/5.00	45.90B/5.00	----	----	----	13.80 -30.40	45	----	----	125	----	0 - 29	
4340	23.00	23.00	----	50.20B/8.20A	50.20B/8.20A	----	----	----	18.80 -29.40	64	----	----	168	----	0 - 38	
4345	15.80	15.80	----	54.90B/10.90	54.90B/10.90	----	----	----	23.80 -28.50	15	----	----	181	----	0 - 14	
4350	30.80	30.80	----	59.90B/13.30	59.90B/13.30	----	----	----	28.80 -27.80	152	----	----	73	----	0 - 152	
4355	----	----	----	64.70B/15.90A	64.70B/15.90A	----	----	----	33.80 -27.20	26	----	----	3	----	0 - 26	
4360	34.00	34.00	----	69.90B/19.00A	69.90B/19.00A	----	----	----	38.80 -26.60	28	----	----	4	----	0 - 26	
4365	----	----	----	74.60B/22.30A	74.60B/22.30A	----	----	----	43.80 -26.10	88	----	----	----	----	0 - 88	
4370	----	----	----	79.80B/26.00A	79.80B/26.00A	----	----	----	48.80 -25.70	23	----	----	1	----	0 - 24	
4375	----	----	----	84.60B/29.80A	84.60B/29.80A	----	----	----	53.80 -25.40	66	----	----	1	----	0 - 67	
4380	----	----	----	89.5												

GLOBEX OPEN			OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG4 CALL			GOLD OPTIONS														
SEP26																	
4390	0.70	0.70		2.20/0.10A	2.20/0.10A	----		----		0.00 - 1.40	----	----	----	61	----	0 -	92
4395	0.20	0.20		1.80B/0.10	1.80B/0.10	----		----		0.00 - 1.20	----	----	----	26	----	0 -	116
4400	1.20	1.20		1.50/0.10	1.50/0.10	----		----		0.00 - 1.10	----	----	----	155	----	0 -	264
4405	0.50	0.50		1.10B/0.10A	1.10B/0.10A	----		----		0.00 - 1.00	----	----	----	7	----	0 -	13
4410	0.50	0.50		0.90/0.10	0.90/0.10	----		----		0.00 - 0.80	----	----	----	168	----	0 -	151
4415	0.30	0.30		0.70/0.10	0.70/0.10	----		----		0.00 - 0.70	----	----	----	26	----	0 -	55
4420	0.20	0.20		0.60/0.10	0.60/0.10	----		----		0.00 - 0.70	----	----	----	14	----	0 -	48
4425	0.10	0.10		0.30/0.10	0.40B/0.10	----		----		0.00 - 0.60	----	----	----	13	----	0 -	327
4430	0.20	0.20		0.40/0.10A	0.40/0.10A	----		----		0.00 - 0.50	----	----	----	33	----	0 -	67
4435	----	----		----/0.10A	0.30B/0.10A	----		----		0.00 - 0.50	----	----	----	----	----	0 -	18
4440	0.10	0.10		0.10/0.10	0.30B/0.10	----		----		0.00 - 0.40	----	----	----	4	----	0 -	98
4445	0.10	0.10		0.10/0.10	0.10/0.10	----		----		0.00 - 0.40	----	----	----	1	----	0 -	18
4450	0.60	0.60		0.60/0.10	0.60/0.10	----		----		0.00 - 0.40	----	----	----	19	----	0 -	267
4455	----	----		----/0.10A	----/0.10A	----		----		0.00 - 0.30	----	----	----	1	----	0 -	133
4460	----	----		----/0.10A	----/0.10A	----		----		0.00 - 0.30	----	----	----	----	----	0 -	51
4465	----	----		----/0.10A	----/0.10A	----		----		0.00 - 0.30	----	----	----	----	----	0 -	13
4470	----	----		----/0.10A	----/0.10A	----		----		0.00 - 0.20	----	----	----	----	----	0 -	183
4475	0.20	0.20		0.20/0.10	0.20/0.10	----		----		0.00 - 0.20	----	----	----	3	----	0 -	117
4480	----	----		----/0.10A	----/0.10A	----		----		0.00 - 0.20	----	----	----	----	----	0 -	28
4485	----	----		----/0.10A	----/0.10A	----		----		0.00 - 0.20	----	----	----	----	----	0 -	14
4490	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	17
4495	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	6
4500	0.20	0.20		0.20/0.10A	0.20/0.10A	----		----		0.00 - 0.10	----	----	----	12	----	0 -	392
4505	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	2	----	0 -	7
4515	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	1
4520	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	1	----	0 -	8
4525	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	63
4530	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	9
4535	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	24
4540	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	13
4545	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	26
4550	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	343
4555	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	15
4560	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	55
4565	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	9
4570	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	18
4575	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	72
4580	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	18
4590	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	10
4600	0.30	0.30		0.30/0.10A	0.30/0.10A	----		----		0.00 - 0.10	----	----	----	4	----	0 -	680
4610	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	13
4625	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	50
4630	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	1
4650	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	191
4675	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	83
4680	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	1
4700	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	222
4720	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	5
4725	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	41
4750	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	22
4775	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	15
4800	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	44
4825	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	70
4850	0.10	0.10		0.10/0.10	0.10/0.10	----		----		0.00 - 0.10	----	----	----	1	----	0 -	25
4875	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	18
4900	----	----		----	----/0.20A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	17
4925	----	----		----	----/0.20A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	2
4950	----	----		----	----/0.20A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	11
4975	----	----		----	----/0.20A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	13
5000	----	----		----	----/0.10A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	103
5100	----	----		----	----/0.20A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	102
5200	----	----		----	----/0.20A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	23
5250	----	----		----	----/0.20A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	15
5400	----	----		----	----/0.20A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	5
5750	----	----		----	----/0.20A	----		----		0.00 - 0.10	----	----	----	----	----	0 -	2
TOTAL														7862		0 -	7110
GLOBEX OPEN			OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG3 PUT			GOLD OPTIONS														
OCT26																	
3500	0.70	0.70		0.70/0.70	0.70/0.70	----		----		0.50 - NEW	.0037	----	----	1	----	1 +	1
3600	----	----		----	0.90B/1.50A	----		----		0.90 - 0.20	.0068	----	----	----	----	5	UNCH
3700	1.30	1.30		1.70B/1.30	1.70B/1.30	----		----		1.70 - 0.30	.0131	----	----	1	----	3 +	1
3750	----	----		----/2.10A	2.10B/2.10A	----		----		2.20 - 0.40	.0173	----	----	----	----	1	UNCH
3800	----	----		----/2.60A	2.80B/2.60A	----		----		2.60 - 0.80	.0213	----	----	----	----	9	UNCH
3900	----	----		----/4.00A	4.80B/4.00A	----		----		4.20 - 1.40	.0363	----	----	----	----	3	UNCH
3950	----	----		----/5.10A	6.60B/5.10A	----		----									



BULLETIN #185@				METALS OPTION PRODUCTS										Fri, Sep 25, 2026				PG64
GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST				
OG2 PUT																		
OCT26																		
3250	----	----	----	----	/0.50A	----	----	0.10 UNCH	.0006	----	----	----	----	1	UNCH			
3500	----	----	----	----	/0.50A	----	----	0.20 - 0.20	.0015	----	----	----	----	1	UNCH			
3700	----	----	----	/0.90A	0.80B/0.90A	----	----	0.80 - 0.30	.0066	----	----	----	----	17	UNCH			
3750	----	----	----	/1.00A	1.00B/1.00A	----	----	1.00 - 0.40	.0086	----	----	----	----	7	UNCH			
3800	----	----	----	/1.20A	1.30B/1.20A	----	----	1.30 - 0.40	.0116	----	----	----	----	7	UNCH			
3900	----	----	----	/1.90A	2.30B/1.90A	----	----	2.10 - 0.70	.0205	----	----	----	----	5	UNCH			
3925	----	----	----	/2.20A	2.70B/2.20A	----	----	2.40 - 0.90	.0239	----	----	----	----	2	UNCH			
3950	----	----	----	/2.50A	3.20B/2.50A	----	----	2.70 - 1.10	.0276	----	----	5	----	14	+			
3975	----	----	----	/2.80A	3.80B/2.80A	----	----	3.20 - 1.40	.0333	----	----	----	----	4	UNCH			
4000	4.20	4.20	4.20/3.30A	4.60B/3.30A	----	----	----	3.70 - 1.80	.0393	----	----	3	----	9	+			
4025	----	----	----	/3.90A	5.60B/3.90A	----	----	4.50 - 2.10	.0482	----	----	----	----	1	UNCH			
4050	6.70	6.70	6.70/4.70A	7.00B/4.70A	----	----	----	5.40 - 2.70	.0585	----	----	86	----	96	+			
4075	8.00	8.00	8.30/5.70A	8.80B/5.70A	----	----	----	6.60 - 3.30	.0719	----	----	63	----	74	+			
4100	11.00	11.00	11.20B/7.00A	11.20B/7.00A	----	----	----	8.10 - 4.10	.0885	----	----	41	----	125	+			
4125	11.50	11.50	11.50/8.70A	14.10B/8.70A	----	----	----	10.10 - 5.10	.1099	----	----	10	----	42	+			
4150	14.40	14.40	16.10/10.80A	17.90B/10.80A	----	----	----	12.70 - 6.20	.1366	----	----	122	----	152	+			
4175	14.60	14.60	20.20/13.40A	22.90B/13.40A	----	----	----	16.10 - 7.60	.1698	----	----	20	----	98	+			
4200	18.00	18.00	27.90/17.20A	28.90B/17.20A	----	----	----	20.60 - 9.00	.2106	----	----	47	----	84	+			
4225	28.00	28.00	30.90/21.80A	36.30B/21.80A	----	----	----	26.20 -10.70	.2581	----	----	13	----	36	+			
4250	29.40	29.40	29.40/27.50A	45.30B/27.50A	----	----	----	33.30 -12.40	.3128	----	----	3	----	30	UNCH			
4275	----	----	----	/34.50A	55.80B/34.50A	----	----	41.90 -14.10	.3729	----	----	----	----	64	UNCH			
4300	----	----	68.40B/43.00A	68.40B/43.00A	----	----	----	52.20 -15.70	.4370	----	----	18	----	43	+			
4325	----	----	82.40B/53.10A	82.40B/53.10A	----	----	----	64.10 -17.40	.5029	----	----	10	----	25	+			
4350	----	----	97.90B/65.00A	97.90B/65.00A	----	----	----	77.80 -18.80	.5684	----	----	----	----	17	UNCH			
4375	----	----	115.00B/78.40A	115.00B/78.40A	----	----	----	93.20 -20.00	.6315	----	----	----	----	1	UNCH			
4400	----	----	133.60B/93.50A	133.60B/93.50A	----	----	----	110.20 -21.00	.6901	----	----	----	----	25	UNCH			
4475	----	----	196.40B/147.60A	196.40B/147.60A	----	----	----	169.10 -23.00	.8291	----	----	----	----	1	UNCH			
4500	----	----	218.90B/167.80A	218.90B/167.80A	----	----	----	190.80 -23.30	.8614	----	----	----	----	1	UNCH			
4550	----	----	265.40B/211.30A	265.40B/211.30A	----	----	----	236.20 -23.70	.9097	----	----	----	----	2	UNCH			
4575	----	----	289.40B/234.00A	289.40B/234.00A	----	----	----	259.70 -23.70	.9268	----	----	----	----	1	UNCH			
4700	----	----	----	/372.90A	387.40B/372.90A	----	----	380.80 -23.60	.9722	----	----	----	----	1	UNCH			
TOTAL												441		986	+			
GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST				
OG2 CALL																		
OCT26																		
4200	141.20	141.20	167.00B/119.10A	167.00B/119.10A	----	----	----	141.60 + 14.10	.7890	----	----	1	----	3	UNCH			
4250	----	----	127.30B/85.50A	127.30B/85.50A	----	----	----	104.40 + 10.80	.6868	----	----	----	----	2	UNCH			
4275	----	----	109.40B/71.00A	109.40B/71.00A	----	----	----	88.00 + 9.00	.6267	----	----	----	----	1	UNCH			
4300	59.00	59.00	93.00B/58.40A	93.00B/58.40A	----	----	----	73.30 + 7.40	.5626	----	----	10	----	16	+			
4325	48.80	48.80	78.10B/47.50A	78.10B/47.50A	----	----	----	60.30 + 5.80	.4967	----	----	47	----	48	+			
4350	48.70	48.70	65.10B/38.40A	65.10B/38.40A	----	----	----	49.10 + 4.40	.4311	----	----	25	----	48	+			
4375	31.50	31.50	53.40B/30.70A	53.40B/30.70A	----	----	----	39.50 + 3.20	.3681	----	----	25	----	71	+			
4400	37.50	37.50	43.60B/24.40A	43.60B/24.40A	----	----	----	31.50 + 2.20	.3095	----	----	144	----	161	+			
4425	24.80	24.80	35.30B/19.40A	35.30B/19.40A	----	----	----	24.90 + 1.30	.2564	----	----	15	----	44	+			
4450	21.60	21.60	28.40B/15.30A	28.40B/15.30A	----	----	----	19.60 + 0.60	.2100	----	----	19	----	99	+			
4475	20.40	20.40	22.70B/12.20A	22.70B/12.20A	----	----	----	15.40 + 0.10	.1705	----	----	61	----	82	+			
4500	16.90	16.90	18.00B/9.70A	18.00B/9.70A	----	----	----	12.20 - 0.20	.1382	----	----	33	----	55	+			
4525	11.80	11.80	14.40B/7.80A	14.40B/7.80A	----	----	----	9.60 - 0.40	.1110	----	----	11	----	41	UNCH			
4550	7.10	7.10	11.50B/6.30A	11.50B/6.30A	----	----	----	7.70 - 0.50	.0899	----	----	30	----	64	+			
4575	7.20	7.20	9.20B/5.20A	9.20B/5.20A	----	----	----	6.20 - 0.50	.0729	----	----	30	----	63	+			
4600	----	----	7.50B/4.30A	7.50B/4.30A	----	----	----	5.00 - 0.60	.0590	----	----	6	----	102	-			
4625	----	----	6.10B/3.60A	6.10B/3.60A	----	----	----	4.10 - 0.50	.0483	----	----	1	----	45	+			
4650	3.60	3.60	5.00B/3.00A	5.00B/3.00A	----	----	----	3.40 - 0.50	.0398	----	----	5	----	18	+			
4675	----	----	4.10B/2.60A	4.10B/2.60A	----	----	----	2.80 - 0.50	.0326	----	----	----	----	30	UNCH			
4700	----	----	3.40B/2.20A	3.40B/2.20A	----	----	----	2.40 - 0.40	.0276	----	----	----	----	22	UNCH			
4725	----	----	2.80B/1.90A	2.80B/1.90A	----	----	----	2.00 - 0.40	.0228	----	----	----	----	30	UNCH			
4750	----	----	2.40B/1.70A	2.40B/1.70A	----	----	----	1.80 - 0.30	.0201	----	----	----	----	20	UNCH			
4775	----	----	2.00B/1.50A	2.00B/1.50A	----	----	----	1.50 - 0.40	.0166	----	----	----	----	29	UNCH			
4800	----	----	1.70B/1.30A	1.70B/1.30A	----	----	----	1.40 - 0.30	.0151	----	----	1	----	6	+			
4850	----	----	1.30B/1.10A	1.30B/1.10A	----	----	----	1.10 - 0.30	.0115	----	----	----	----	4	UNCH			
4900	----	----	1.00B/0.90A	1.00B/0.90A	----	----	----	0.90 - 0.20	.0091	----	----	----	----	19	UNCH			
5000	----	----	0.60B/0.70A	0.60B/0.70A	----	----	----	0.60 - 0.20	.0057	----	----	2	----	177	+			
5100	----	----	0.40B/0.70A	0.40B/0.70A	----	----	----	0.50 - 0.10	.0043	----	----	----	----	97	UNCH			
5200	----	----	----	/0.70A	----	----	----	0.50 UNCH	.0039	----	----	----	----	41	UNCH			
5250	----	----	----	/0.60A	----	----	----	0.50 UNCH	.0038	----	----	----	----	6	UNCH			
TOTAL												466		1444	+			
GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST				
OG1 PUT																		
OCT26																		
3500	----	----	----	----	/0.30A	----	----	0.10 UNCH	.0001	----	----	----	----	1	UNCH			
3600	----	----	----	----	/0.30A	----	----	0.10 - 0.30	.0006	----	----	----	----	1	UNCH			
3700	----	----	----	----	/0.40A	----	----	0.20 - 0.20	.0014	----	----	----	----	1	UNCH			
3750	----	----	----	----	/0.40A	0.30B/0.40A	----	0.30 - 0.20	.0023	----	----	----	----	1	UNCH			

BULLETIN #185@				METALS OPTION PRODUCTS										Fri, Sep 25, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
OG1 CALL	GOLD OPTIONS																		
OCT26																			
4500	4.70	4.70		7.40B/3.40A	7.40B/3.40A	----		4.00 - 1.00	.0616	----	----	299	----	299 +	204				
4525	3.80	3.80		5.50B/2.60A	5.50B/2.60A	----		2.90 - 0.90	.0441	----	----	25	----	68 +	18				
4550	3.80	3.80		4.10B/2.00A	4.10B/2.00A	----		2.20 - 0.80	.0326	----	----	36	----	379 -	18				
4575	1.60	1.60		3.10B/1.60	3.10B/1.60	----		1.60 - 0.80	.0233	----	----	3	----	41	UNCH				
4600	2.30	2.30		2.30/1.20	2.30/1.20	----		1.30 - 0.60	.0182	----	----	9	----	318 +	4				
4625	1.70	1.70		1.80B/1.00A	1.80B/1.00A	----		1.00 - 0.60	.0136	----	----	5	----	29 +	3				
4650	----	----		1.40B/0.80A	1.40B/0.80A	----		0.80 - 0.50	.0105	----	----	1	----	76	UNCH				
4675	----	----		----/0.70A	1.10B/0.70A	----		0.70 - 0.40	.0088	----	----	3	----	16 +	3				
4700	----	----		----/0.60A	0.80B/0.60A	----		0.60 - 0.30	.0072	----	----	----	----	38	UNCH				
4725	----	----		----/0.50A	0.70B/0.50A	----		0.50 - 0.30	.0058	----	----	----	----	18	UNCH				
4750	----	----		----/0.50A	0.60B/0.50A	----		0.40 - 0.30	.0045	----	----	----	----	104	UNCH				
4775	----	----		----/0.40A	0.50B/0.40A	----		0.30 - 0.30	.0033	----	----	7	----	28 +	7				
4800	0.40	0.40		0.40/0.40	0.40/0.40	----		0.30 - 0.30	.0031	----	----	18	----	57 +	16				
4850	----	----		----/0.30A	0.30B/0.30A	----		0.30 - 0.20	.0029	----	----	----	----	101	UNCH				
4875	----	----		----/0.30A	----/0.30A	----		0.30 - 0.10	.0028	----	----	----	----	27	UNCH				
4900	----	----		----	----/0.50A	----		0.30 - 0.10	.0027	----	----	----	----	8	UNCH				
5000	----	----		----	----/0.40A	----		0.20 - 0.10	.0016	----	----	----	----	5	UNCH				
5100	----	----		----	----/0.40A	----		0.10 - 0.10	.0007	----	----	----	----	6	UNCH				
5200	----	----		----	----/0.30A	----		0.10	UNCH	.0001	----	----	----	15	UNCH				
TOTAL												1364	----	3401+	787				
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
OG PUT	COMEX GOLD OPTIONS																		
OCT26																			
3500	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
3700	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
3950	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4000	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4050	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4080	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4085	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4100	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4115	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4120	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4125	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4130	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4135	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4140	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4145	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4150	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4155	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4160	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4165	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4170	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4175	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4180	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4185	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4190	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4195	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4200	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4205	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4210	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4215	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4220	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4225	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4230	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4235	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4240	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4245	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4250	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4255	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4260	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4265	----	----		----	----	----		0.00	UNCH	----	----	----	----	0	UNCH				
4270	----	----		----	UNCH	----		4.90	UNCH	----	----	----	----	0	UNCH				
4275	----	----		----	9.90	----		9.90	UNCH	----	----	----	----	0	UNCH				
4280	----	----		----	14.90	----		14.90	UNCH	----	----	----	----	0	UNCH				
4285	----	----		----	19.90	----		19.90	UNCH	----	----	----	----	0	UNCH				
4290	----	----		----	24.90	----		24.90	UNCH	----	----	----	----	0	UNCH				
4295	----	----		----	29.90	----		29.90	UNCH	----	----	----	----	0	UNCH				
4300	----	----		----	34.90	----		34.90	UNCH	----	----	----	----	0	UNCH				
4305	----	----		----	39.90	----		39.90	UNCH	----	----	----	----	0	UNCH				
4310	----	----		----	44.90	----		44.90	UNCH	----	----	----	----	0	UNCH				
4315	----	----		----	49.90	----		49.90	UNCH	----	----	----	----	0	UNCH				
4320	----	----		----	54.90	----		54.90	UNCH	----	----	----	----	0	UNCH				
4325	----	----		----	59.90	----		59.90	UNCH	----	----	----	----	0	UNCH				
4330	----	----		----	64.90	----		64.90	UNCH	----	----	----	----	0	UNCH				
4335	----	----		----	69.90	----		69.90	UNCH	----	----	----	----	0	UNCH				
4340	----	----		----	74.90	----		74.90	UNCH	----	----	----	----	0	UNCH				
4345	----	----		----	79.90	----		79.90	UNCH	----	----	----	----	0	UNCH				
4350	----	----		----	84.90	----		84.90	UNCH	----	----	----	----	0	UNCH				
4355	----	----		----	89.90	----		89.90	UNCH	----	----	----	----	0	UNCH				
4360	----	----		----	94.90	----		94.90	UNCH	----	----	----	----	0	UNCH				
4365	----	----		----	99.90	----		99.90	UNCH	----	----	----	----	0	UNCH				
4370	----	----		----	104.90	----		104.90	UNCH	----	----	----	----	0	UNCH				
4375	----																		

BULLETIN #185@				METALS OPTION PRODUCTS										Fri, Sep 25, 2026			PG64	
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST				
OG PUT	COMEX GOLD OPTIONS																	
OCT26	----	----	----	----	----	----	----	354.90	UNCH	----	----	----	----	0	UNCH			
4620	----	----	----	----	----	----	----	359.90	UNCH	----	----	----	----	0	UNCH			
4625	----	----	----	----	----	----	----	364.90	UNCH	----	----	----	----	0	UNCH			
4630	----	----	----	----	----	----	----	369.90	UNCH	----	----	----	----	0	UNCH			
4635	----	----	----	----	----	----	----	374.90	UNCH	----	----	----	----	0	UNCH			
4640	----	----	----	----	----	----	----	379.90	UNCH	----	----	----	----	0	UNCH			
4645	----	----	----	----	----	----	----	384.90	UNCH	----	----	----	----	0	UNCH			
4650	----	----	----	----	----	----	----	389.90	UNCH	----	----	----	----	0	UNCH			
4655	----	----	----	----	----	----	----	394.90	UNCH	----	----	----	----	0	UNCH			
4660	----	----	----	----	----	----	----	399.90	UNCH	----	----	----	----	0	UNCH			
4665	----	----	----	----	----	----	----	404.90	UNCH	----	----	----	----	0	UNCH			
4670	----	----	----	----	----	----	----	409.90	UNCH	----	----	----	----	0	UNCH			
4675	----	----	----	----	----	----	----	414.90	UNCH	----	----	----	----	0	UNCH			
4680	----	----	----	----	----	----	----	419.90	UNCH	----	----	----	----	0	UNCH			
4685	----	----	----	----	----	----	----	424.90	UNCH	----	----	----	----	0	UNCH			
4690	----	----	----	----	----	----	----	429.90	UNCH	----	----	----	----	0	UNCH			
4695	----	----	----	----	----	----	----	434.90	UNCH	----	----	----	----	0	UNCH			
4700	----	----	----	----	----	----	----	444.90	UNCH	----	----	----	----	0	UNCH			
4710	----	----	----	----	----	----	----	449.90	UNCH	----	----	----	----	0	UNCH			
4715	----	----	----	----	----	----	----	454.90	UNCH	----	----	----	----	0	UNCH			
4720	----	----	----	----	----	----	----	459.90	UNCH	----	----	----	----	0	UNCH			
4725	----	----	----	----	----	----	----	484.90	UNCH	----	----	----	----	0	UNCH			
4750	----	----	----	----	----	----	----	489.90	UNCH	----	----	----	----	0	UNCH			
4755	----	----	----	----	----	----	----	504.90	UNCH	----	----	----	----	0	UNCH			
4770	----	----	----	----	----	----	----	509.90	UNCH	----	----	----	----	0	UNCH			
4775	----	----	----	----	----	----	----	514.90	UNCH	----	----	----	----	0	UNCH			
4800	----	----	----	----	----	----	----	534.90	UNCH	----	----	----	----	0	UNCH			
4810	----	----	----	----	----	----	----	544.90	UNCH	----	----	----	----	0	UNCH			
4815	----	----	----	----	----	----	----	549.90	UNCH	----	----	----	----	0	UNCH			
4820	----	----	----	----	----	----	----	554.90	UNCH	----	----	----	----	0	UNCH			
4850	----	----	----	----	----	----	----	584.90	UNCH	----	----	----	----	0	UNCH			
4875	----	----	----	----	----	----	----	609.90	UNCH	----	----	----	----	0	UNCH			
4900	----	----	----	----	----	----	----	634.90	UNCH	----	----	----	----	0	UNCH			
4920	----	----	----	----	----	----	----	654.90	UNCH	----	----	----	----	0	UNCH			
4925	----	----	----	----	----	----	----	659.90	UNCH	----	----	----	----	1	UNCH			
5200	----	----	----	----	----	----	----	934.90	UNCH	----	----	----	----	0	UNCH			
5250	----	----	----	----	----	----	----	984.90	UNCH	----	----	----	----	0	UNCH			
TOTAL														0	UNCH			
NOV26																		
2000	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	----	13	UNCH			
2100	----	----	----	----	----/0.20A	----	----	0.10	UNCH	----	----	----	----	107	UNCH			
2200	----	----	----	----	----/0.20A	----	----	0.10	UNCH	----	----	----	----	28	UNCH			
2300	----	----	----	----	----/0.20A	----	----	0.10	UNCH	----	----	----	----	3	UNCH			
2400	----	----	----	----	----/0.20A	----	----	0.10	UNCH	----	----	----	----	13	UNCH			
2500	----	----	----	----	----/0.20A	----	----	0.10	UNCH	----	----	----	----	12	UNCH			
2600	----	----	----	----	----/0.20A	----	----	0.10	UNCH	.0000	----	----	----	8	UNCH			
2625	----	----	----	----	----/0.30A	----	----	0.10	UNCH	.0000	----	----	----	60	UNCH			
2650	----	----	----	----	----/0.30A	----	----	0.10	UNCH	.0000	----	----	----	8	UNCH			
2675	----	----	----	----	----/0.30A	----	----	0.10	UNCH	.0000	----	----	----	153	UNCH			
2700	----	----	----	----	----/0.10A	----	----	0.10	UNCH	.0000	----	----	----	2	UNCH			
2725	----	----	----	----	----/0.30A	----	----	0.10	UNCH	.0000	----	----	----	26	UNCH			
2750	----	----	----	----	----/0.10A	----	----	0.10	UNCH	.0000	----	----	----	1	UNCH			
2775	----	----	----	----	----/0.30A	----	----	0.10	UNCH	.0000	----	----	----	92	UNCH			
2800	0.10	0.10		0.10/0.10	0.10/0.10	----	----	0.10	UNCH	.0001	----	1	----	17	+			
2820	----	----	----	----	----/0.20A	----	----	0.10	UNCH	.0001	----	----	----	31	UNCH			
2825	----	----	----	----	----/0.30A	----	----	0.10	UNCH	.0001	----	----	----	1	UNCH			
2840	----	----	----	----	0.10B/0.20A	----	----	0.10	UNCH	.0001	----	----	----	42	UNCH			
2850	----	----	----	----	----/0.30A	----	----	0.10	-	0.10	.0001	----	----	7	UNCH			
2860	----	----	----	----	----/0.30A	----	----	0.10	-	0.10	.0001	----	----	7	UNCH			
2870	----	----	----	----	----/0.30A	----	----	0.10	-	0.10	.0002	----	----	29	UNCH			
2895	----	----	----	----	0.10B/0.30A	----	----	0.10	-	0.10	.0002	----	----	75	UNCH			
2900	----	----	----	----	----/0.30A	----	----	0.10	-	0.10	.0003	----	----	1	UNCH			
2910	----	----	----	----	0.10B/0.30A	----	----	0.10	-	0.10	.0003	----	----	11	UNCH			
2925	----	----	----	----	0.10B/0.30A	----	----	0.10	-	0.10	.0003	----	----	1	UNCH			
2935	----	----	----	----	0.10B/0.30A	----	----	0.10	-	0.10	.0003	----	----	2	UNCH			
2940	----	----	----	----	0.10B/0.30A	----	----	0.10	-	0.10	.0004	----	----	2	UNCH			
2945	----	----	----	----	0.10B/0.30A	----	----	0.10	-	0.10	.0004	----	----	21	UNCH			
2950	0.10	0.10		0.10/0.10	0.10/0.10	----	----	0.10	-	0.10	.0004	1	----	10	UNCH			
2965	----	----	----	----	0.10B/0.30A	----	----	0.10	-	0.10	.0005	----	----	138	UNCH			
2975	----	----	----	----	0.10B/0.30A	----	----	0.10	-	0.10	.0005	----	----	20	UNCH			
2995	----	----	----	----	0.20B/0.30A	----	----	0.20	-	0.10	.0011	----	----	30	UNCH			
3000	----	----	----	----	0.20B/0.30A	----	----	0.20	-	0.10	.0011	1	----	326	UNCH			
3005	----	----	----	----	0.20B/0.30A	----	----	0.20	-	0.10	.0011	----	----	1	UNCH			
3015	----	----	----	----	0.20B/0.30A	----	----	0.20	-	0.10	.0011	----	----	2	UNCH			
3020	----	----	----	----	0.20B/0.30A	----	----	0.20	-	0.10	.0011	----	----	505	UNCH			
3025	----	----	----	----	0.20B/0.40A	----	----	0.20	-	0.10	.0011	----	----	35	UNCH			
3050	----	----	----	----	0.20B/0.40A	----	----	0.20	-	0.10	.0011	----	----	10	UNCH			
3075	----	----	----	----	0.20B/0.40A	----	----	0.20	-	0.20	.0011	----	----	22	UNCH			
3080	----	----	----	----	0.20B/0.40A	----	----	0.20	-	0.20	.0011	----	----	13	UNCH			
3085	----	----	----	----	0.20B/0.40A	----	----	0.20	-	0.20	.0011	----	----	30	UNCH			
3090	----	----	----	----	0.20B/0.40A	----	----	0.20	-	0.20	.0012	----	----	5	UNCH			
3100	----	----	----	----	0.30B/0.40A	----	----	0.30	-	0.10	.0017	----	----	32	UNCH			
3110	----	----	----	----	0.30B/0.40A	----	----	0.30	-	0.10	.0017	----	----	24	UNCH			
3120	----	----	----	----/0.40A	0.30B/0.40A	----	----	0.30	-	0.20	.0017	----	----	15	UNCH			
3130	----	----	----	----/0.40A	0.30B/0.40A	----	----	0.30	-	0.20	.							

BULLETIN #185@				METALS OPTION PRODUCTS										Fri, Sep 25, 2026		PG64
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT	COMEX GOLD OPTIONS															
NOV26																
3440	----	----	----/1.30A	1.20B/1.30A	----	1.30	- 0.40	.0080	----	----	----	----	----	45	UNCH	
3445	----	----	----/1.30A	1.30B/1.30A	----	1.30	- 0.40	.0081	----	----	----	40	----	11	UNCH	
3450	----	----	----/1.30A	1.30B/1.30A	----	1.30	- 0.40	.0081	----	----	----	----	----	182	+	
3455	----	----	----/1.30A	1.30B/1.30A	----	1.40	- 0.40	.0086	----	----	----	----	----	1	UNCH	
3460	----	----	----/1.40A	1.30B/1.40A	----	1.40	- 0.40	.0087	----	----	----	----	----	29	UNCH	
3465	----	----	----/1.40A	1.40B/1.40A	----	1.40	- 0.40	.0087	----	----	----	----	----	5	UNCH	
3470	----	----	----/1.40A	1.40B/1.40A	----	1.40	- 0.50	.0088	----	----	----	----	----	28	UNCH	
3475	----	----	----/1.40A	1.50B/1.40A	----	1.50	- 0.40	.0093	----	----	----	----	----	19	UNCH	
3480	----	----	----/1.50A	1.50B/1.50A	----	1.50	- 0.40	.0094	----	----	----	----	----	57	UNCH	
3485	----	----	----/1.50A	1.50B/1.50A	----	1.50	- 0.50	.0095	----	----	----	----	----	3	UNCH	
3490	----	----	----/1.50A	1.50B/1.50A	----	1.60	- 0.40	.0100	----	----	----	----	----	12	UNCH	
3495	----	----	----/1.50A	1.60B/1.50A	----	1.60	- 0.40	.0101	----	----	----	----	----	8	UNCH	
3500	1.60	1.60	1.60/1.40	1.60/1.40	----	1.60	- 0.50	.0101	----	----	13	----	----	2256	+	
3505	----	----	----/1.60A	1.60B/1.60A	----	1.60	- 0.50	.0102	----	----	----	----	----	3	UNCH	
3510	----	----	----/1.60A	1.70B/1.60A	----	1.70	- 0.50	.0107	----	----	----	----	----	26	UNCH	
3515	----	----	----/1.70A	1.70B/1.70A	----	1.70	- 0.50	.0108	----	----	----	----	----	161	UNCH	
3520	----	----	----/1.70A	1.70B/1.70A	----	1.70	- 0.50	.0109	----	----	----	----	----	36	UNCH	
3525	----	----	----/1.70A	1.80B/1.70A	----	1.80	- 0.50	.0114	----	----	1	----	----	110	+	
3530	----	----	----/1.70A	1.80B/1.70A	----	1.80	- 0.50	.0115	----	----	----	----	----	21	UNCH	
3535	----	----	----/1.80A	1.80B/1.80A	----	1.80	- 0.60	.0116	----	----	----	----	----	180	UNCH	
3540	----	----	----/1.80A	1.90B/1.80A	----	1.90	- 0.50	.0122	----	----	----	----	----	78	UNCH	
3545	----	----	----/1.80A	1.90B/1.80A	----	1.90	- 0.50	.0122	----	----	----	----	----	55	UNCH	
3550	----	----	----/1.90A	2.00B/1.90A	----	1.90	- 0.60	.0123	----	----	76	----	----	770	+	
3555	----	----	----/1.90A	2.00B/1.90A	----	2.00	- 0.50	.0129	----	----	----	----	----	4	UNCH	
3560	----	----	----/1.90A	2.00B/1.90A	----	2.00	- 0.60	.0130	----	----	----	----	----	34	UNCH	
3565	----	----	----/2.00A	2.10B/2.00A	----	2.00	- 0.60	.0130	----	----	----	----	----	12	UNCH	
3570	----	----	----/2.00A	2.10B/2.00A	----	2.10	- 0.60	.0136	----	----	----	----	----	1	UNCH	
3575	----	----	----/2.10A	2.20B/2.10A	----	2.10	- 0.60	.0137	----	----	----	----	----	176	UNCH	
3585	----	----	----/2.10A	2.20B/2.10A	----	2.20	- 0.60	.0144	----	----	----	----	----	7	UNCH	
3590	----	----	----/2.20A	2.30B/2.20A	----	2.20	- 0.60	.0145	----	----	----	----	----	10	UNCH	
3595	----	----	----/2.20A	2.30B/2.20A	----	2.30	- 0.60	.0151	----	----	----	----	----	33	UNCH	
3600	----	----	----/2.20A	2.40B/2.20A	----	2.30	- 0.60	.0152	----	----	51	----	----	1721	+	
3605	----	----	----/2.30A	2.40B/2.30A	----	2.40	- 0.60	.0158	----	----	----	----	----	3	UNCH	
3610	----	----	----/2.30A	2.50B/2.30A	----	2.40	- 0.70	.0159	----	----	----	----	----	1	UNCH	
3615	----	----	----/2.40A	2.50B/2.40A	----	2.40	- 0.70	.0160	----	----	----	----	----	2	UNCH	
3620	2.40	2.40	2.40/2.40	2.60B/2.40	----	2.50	- 0.70	.0166	----	----	1	----	----	7	UNCH	
3625	----	----	----/2.50A	2.60B/2.50A	----	2.50	- 0.70	.0167	----	----	----	----	----	5	UNCH	
3630	----	----	----/2.50A	2.70B/2.50A	----	2.60	- 0.70	.0173	----	----	----	----	----	10	UNCH	
3635	----	----	----/2.50A	2.70B/2.50A	----	2.60	- 0.70	.0174	----	----	----	----	----	12	UNCH	
3640	----	----	----/2.60A	2.80B/2.60A	----	2.70	- 0.70	.0181	----	----	----	----	----	16	UNCH	
3645	----	----	----/2.60A	2.80B/2.60A	----	2.70	- 0.80	.0182	----	----	----	----	----	17	UNCH	
3650	----	----	----/2.70A	2.90B/2.70A	----	2.80	- 0.70	.0188	----	----	----	----	----	209	UNCH	
3655	----	----	----/2.70A	3.00B/2.70A	----	2.80	- 0.80	.0189	----	----	----	----	----	37	UNCH	
3660	----	----	----/2.80A	3.00B/2.80A	----	2.90	- 0.80	.0196	----	----	----	----	----	109	UNCH	
3665	----	----	----/2.80A	3.10B/2.80A	----	2.90	- 0.80	.0197	----	----	----	----	----	35	UNCH	
3670	----	----	----/2.90A	3.20B/2.90A	----	3.00	- 0.80	.0204	----	----	----	----	----	70	UNCH	
3675	----	----	----/2.90A	3.20B/2.90A	----	3.00	- 0.90	.0205	----	----	5	----	----	286	+	
3680	----	----	----/3.00A	3.30B/3.00A	----	3.10	- 0.80	.0212	----	----	----	----	----	82	UNCH	
3685	----	----	----/3.00A	3.40B/3.00A	----	3.10	- 0.90	.0213	----	----	----	----	----	19	UNCH	
3690	----	----	----/3.10A	3.40B/3.10A	----	3.20	- 0.90	.0220	----	----	1	----	----	23	UNCH	
3695	----	----	----/3.20A	3.50B/3.20A	----	3.30	- 0.90	.0226	----	----	----	----	----	33	UNCH	
3700	3.60	3.60	3.60/3.10	3.60/3.10	----	3.30	- 1.00	.0228	----	----	20	----	----	2378	+	
3705	----	----	----/3.30A	3.70B/3.30A	----	3.40	- 0.90	.0235	----	----	----	----	----	42	UNCH	
3710	----	----	----/3.30A	3.80B/3.30A	----	3.40	- 1.00	.0236	----	----	----	----	----	34	UNCH	
3715	----	----	----/3.40A	3.80B/3.40A	----	3.50	- 1.00	.0243	----	----	----	----	----	18	UNCH	
3720	3.60	3.60	3.60/3.40A	3.90B/3.40A	----	3.60	- 1.00	.0250	----	----	2	----	----	7	-	
3725	----	----	----/3.50A	4.00B/3.50A	----	3.60	- 1.10	.0252	----	----	----	----	----	126	UNCH	
3730	----	----	----/3.60A	4.10B/3.60A	----	3.70	- 1.10	.0259	----	----	90	----	----	121	+	
3735	----	----	----/3.70A	4.20B/3.70A	----	3.80	- 1.10	.0266	----	----	----	----	----	14	UNCH	
3740	----	----	----/3.70A	4.30B/3.70A	----	3.90	- 1.10	.0273	----	----	----	----	----	54	UNCH	
3745	----	----	----/3.80A	4.50B/3.80A	----	3.90	- 1.20	.0275	----	----	----	----	----	98	UNCH	
3750	----	----	----/3.90A	4.50B/3.90A	----	4.00	- 1.20	.0282	----	----	89	----	----	644	+	
3755	----	----	----/3.90A	4.60B/3.90A	----	4.10	- 1.20	.0290	----	----	----	----	----	25	UNCH	
3760	----	----	----/4.00A	4.70B/4.00A	----	4.20	- 1.20	.0297	----	----	1	----	----	43	-	
3765	----	----	----/4.00A	4.80B/4.00A	----	4.20	- 1.30	.0299	----	----	----	----	----	5	UNCH	
3770	----	----	----/4.20A	4.90B/4.20A	----	4.30	- 1.40	.0307	----	----	1	----	----	72	+	
3775	----	----	----/4.30A	5.00B/4.30A	----	4.40	- 1.40	.0314	----	----	----	----	----	77	UNCH	
3780	----	----	----/4.30A	5.20B/4.30A	----	4.50	- 1.40	.0322	----	----	----	----	----	13	UNCH	
3785	----	----	----/4.40A	5.30B/4.40A	----	4.60	- 1.40	.0329	----	----	2	----	----	14	+	
3790	----	----	----/4.50A	5.40B/4.50A	----	4.70	- 1.50	.0337	----	----	2	----	----	13	UNCH	
3795	----	----	----/4.60A	5.60B/4.60A	----	4.80	- 1.50	.0345	----	----	----	----	----	6	UNCH	
3800	5.40	5.40	5.40/4.70A	5.70B/4.70A	----	4.90	- 1.60	.0353	----	----	15	----	----	1097	+	
3805	----	----	----/4.80A	5.90B/4.80A	----	5.00	- 1.60	.0361	----	----	----	----	----	17	UNCH	
3810	----	----	----/4.90A	6.00B/4.90A	----	5.10	- 1.70	.0369	----	----	13	----	----	43	UNCH	
3815	----	----	----/5.00A	6.20B/5.00A	----	5										

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS														
NOV26	29.00	29.00		29.00/27.90A	39.50B/27.90A	----	31.40	- 8.30	.2084	----	----	6	----	138	+	1
4130	37.30	37.30		37.30/28.80A	40.70B/28.80A	----	32.40	- 8.50	.2139	----	----	2	----	121		UNCH
4135	----	----		----/29.70A	42.00B/29.70A	----	33.40	- 8.70	.2196	----	----	----	----	155		UNCH
4140	----	----		----/30.60A	43.30B/30.60A	----	34.50	- 8.90	.2255	----	----	----	----	224		UNCH
4145	36.30	36.30		36.30/31.60A	44.50B/31.60A	----	35.60	- 9.10	.2314	----	120	----	1844	+	60	UNCH
4150	----	----		----/32.60A	46.00B/32.60A	----	36.80	- 9.20	.2377	----	8	----	38		UNCH	
4155	----	----		----/33.60A	47.40B/33.60A	----	37.90	- 9.50	.2437	----	10	----	265	+	6	
4160	41.50	41.50		45.50/34.70A	48.80B/34.70A	----	39.20	- 9.60	.2502	----	14	----	211	+	14	
4165	----	----		----/35.70A	50.30B/35.70A	----	40.40	- 9.90	.2565	----	10	----	182	-	4	
4170	38.50	38.50		38.50/36.90A	51.80B/36.90A	----	41.70	- 10.10	.2630	----	119	----	441	+	48	
4175	----	----		53.40B/38.00A	53.40B/38.00A	----	43.00	- 10.30	.2696	----	2	----	133	-	1	
4180	42.00	42.00		55.00B/39.20A	55.00B/39.20A	----	44.40	- 10.50	.2765	----	2	----	110		UNCH	
4185	----	----		56.60B/40.40A	56.60B/40.40A	----	45.80	- 10.70	.2833	----	2	----	227	+	1	
4190	52.20	52.20		58.30B/41.60A	58.30B/41.60A	----	47.20	- 11.00	.2902	----	1	----	49		UNCH	
4195	56.00	56.00		60.10B/42.90A	60.10B/42.90A	----	48.70	- 11.20	.2973	----	107	----	1295	-	15	
4200	53.10	53.10		61.80B/44.20A	61.80B/44.20A	----	50.20	- 11.40	.3044	----	1	----	211	-	1	
4205	----	----		63.70B/45.60A	63.70B/45.60A	----	51.80	- 11.60	.3117	----	----	----	164		UNCH	
4210	50.90	50.90		65.50B/47.00A	65.50B/47.00A	----	53.40	- 11.80	.3190	----	6	----	178		UNCH	
4215	52.30	52.30		67.40B/48.40A	67.40B/48.40A	----	55.00	- 12.10	.3263	----	6	----	45	+	1	
4220	54.00	54.00		69.40B/49.90A	69.40B/49.90A	----	56.70	- 12.30	.3338	----	6	----	121	+	2	
4225	58.00	58.00		71.40B/51.40A	71.40B/51.40A	----	58.40	- 12.50	.3414	----	2	----	60		UNCH	
4230	57.30	57.30		73.40B/52.90A	73.40B/52.90A	----	60.20	- 12.70	.3491	----	3	----	235		UNCH	
4235	74.30	74.30		75.50B/54.50A	75.50B/54.50A	----	62.00	- 13.00	.3568	----	12	----	135	+	10	
4240	----	----		77.60B/56.20A	77.60B/56.20A	----	63.90	- 13.10	.3646	----	2	----	38	+	2	
4245	71.20	71.20		79.70B/57.80A	79.70B/57.80A	----	65.70	- 13.40	.3723	----	187	----	987	-	41	
4250	70.50	70.50		81.90B/59.50A	81.90B/59.50A	----	67.70	- 13.60	.3803	----	----	----	50		UNCH	
4255	76.40	76.40		84.20B/61.30A	84.20B/61.30A	----	69.70	- 13.80	.3883	----	12	----	291	+	3	
4260	70.30	70.30		86.50B/63.10A	86.50B/63.10A	----	71.70	- 14.00	.3963	----	1	----	161		UNCH	
4265	81.90	81.90		88.90B/64.90A	88.90B/64.90A	----	73.70	- 14.30	.4043	----	11	----	72	+	6	
4270	89.80	89.80		91.20B/66.80A	91.20B/66.80A	----	75.90	- 14.40	.4124	----	20	----	442	+	8	
4275	84.60	84.60		93.70B/68.70A	93.70B/68.70A	----	78.00	- 14.60	.4205	----	1	----	174	+	1	
4280	89.00	89.00		96.10B/70.60A	96.10B/70.60A	----	80.20	- 14.80	.4287	----	----	----	203		UNCH	
4285	88.00	88.00		98.70B/72.60A	98.70B/72.60A	----	82.50	- 15.00	.4369	----	1	----	29		UNCH	
4290	84.60	84.60		101.10B/74.70A	101.10B/74.70A	----	84.80	- 15.20	.4452	----	15	----	219	-	1	
4295	89.00	89.00		103.70B/76.80A	103.70B/76.80A	----	87.20	- 15.30	.4534	----	54	----	2455	-	18	
4300	99.70	99.70		106.30B/78.90A	106.30B/78.90A	----	89.60	- 15.50	.4617	----	6	----	36	+	3	
4305	102.40	102.40		109.00B/81.10A	109.00B/81.10A	----	92.00	- 15.70	.4699	----	7	----	44	+	4	
4310	98.40	98.40		111.80B/83.30A	111.80B/83.30A	----	94.50	- 15.80	.4782	----	2	----	75		UNCH	
4315	93.40	93.40		114.50B/85.60A	114.50B/85.60A	----	97.00	- 16.00	.4865	----	25	----	238	+	22	
4320	91.40	91.40		117.30B/87.80A	117.30B/87.80A	----	99.60	- 16.20	.4947	----	38	----	264	+	11	
4325	100.60	100.60		120.20B/90.10A	120.20B/90.10A	----	102.20	- 16.40	.5030	----	43	----	281	+	18	
4330	----	----		123.10B/92.50A	123.10B/92.50A	----	104.80	- 16.60	.5112	----	11	----	53	+	3	
4335	120.90	120.90		126.00B/94.90A	126.00B/94.90A	----	107.50	- 16.80	.5195	----	3	----	190	+	1	
4340	123.00	123.00		129.00B/97.50A	129.00B/97.50A	----	110.20	- 17.00	.5277	----	5	----	53	+	5	
4345	----	----		132.00B/100.00A	132.00B/100.00A	----	113.00	- 17.10	.5358	----	45	----	1068	-	32	
4350	114.60	114.60		135.10B/102.60A	135.10B/102.60A	----	115.80	- 17.30	.5440	----	----	----	31		UNCH	
4355	134.70	134.70		138.00B/105.30A	138.00B/105.30A	----	118.70	- 17.50	.5521	----	5	----	79	+	3	
4360	136.50	136.50		141.30B/107.90A	141.30B/107.90A	----	121.60	- 17.70	.5602	----	----	----	95		UNCH	
4365	132.40	132.40		144.40B/110.70A	144.40B/110.70A	----	124.50	- 17.90	.5682	----	2	----	44	+	2	
4370	129.60	129.60		147.60B/113.30A	147.60B/113.30A	----	127.60	- 17.90	.5762	----	49	----	432	+	12	
4375	144.10	144.10		150.90B/116.10A	150.90B/116.10A	----	130.60	- 18.10	.5840	----	6	----	265		UNCH	
4380	140.10	140.10		154.20B/119.00A	154.20B/119.00A	----	133.70	- 18.30	.5919	----	----	----	85		UNCH	
4385	158.30	158.30		157.50B/121.80A	157.50B/121.80A	----	136.80	- 18.40	.5998	----	10	----	218	+	8	
4390	----	----		160.90B/124.80A	160.90B/124.80A	----	140.00	- 18.60	.6075	----	6	----	52	+	3	
4395	167.60	167.60		164.30B/127.80A	164.30B/127.80A	----	143.10	- 18.80	.6152	----	12	----	2241	-	4	
4400	171.10	171.10		167.60B/130.80A	167.60B/130.80A	----	146.40	- 18.90	.6229	----	1	----	57		UNCH	
4405	171.00	171.00		171.10B/133.80A	171.10B/133.80A	----	149.60	- 19.10	.6304	----	----	----	66		UNCH	
4410	167.70	167.70		174.60B/136.90A	174.60B/136.90A	----	152.90	- 19.30	.6380	----	----	----	281		UNCH	
4415	178.30	178.30		178.30B/139.90A	178.30B/139.90A	----	156.30	- 19.40	.6453	----	1	----	83	+	1	
4420	181.90	181.90		181.90B/143.20A	181.90B/143.20A	----	159.70	- 19.50	.6527	----	----	----	308		UNCH	
4425	185.50	185.50		185.50B/146.30A	185.50B/146.30A	----	163.10	- 19.60	.6600	----	16	----	134	+	5	
4430	189.00	189.00		189.00B/149.60A	189.00B/149.60A	----	166.60	- 19.70	.6671	----	29	----	75		UNCH	
4435	192.80	192.80		192.80B/152.80A	192.80B/152.80A	----	170.10	- 19.80	.6742	----	1	----	157	+	1	
4440	196.40	196.40		196.40B/156.10A	196.40B/156.10A	----	173.60	- 19.90	.6814	----	----	----	32		UNCH	
4445	200.30	200.30		200.30B/159.50A	200.30B/159.50A	----	177.10	- 20.10	.6882	----	5	----	919	-	5	
4450	204.10	204.10		204.10B/162.80A	204.10B/162.80A	----	180.70	- 20.30	.6951	----	----	----	29		UNCH	
4455	207.90	207.90		207.90B/166.20A	207.90B/166.20A	----	184.40	- 20.30	.7020	----	1	----	56		UNCH	
4460	211.70	211.70		211.70B/169.70A	211.70B/169.70A	----	188.00	- 20.50	.7086	----	----	----	25		UNCH	
4465	215.60	215.60		215.60B/173.20A	215.60B/173.20A	----	191.70	- 20.60	.7152	----	----	----	53		UNCH	
4470	219.50	219.50		219.50B/176.60A	219.50B/176.60A	----	195.40	- 20.80	.7215	----	----	----	99		UNCH	
4475	223.50	223.50		223.50B/180.20A	223.50B/180.20A	----	199.20	- 20.90	.7279	----	2	----	21	+	1	
4480	227.50	227.50		227.50B/183.80A	227.50B/183.80A	----	203.00	- 21.00	.7342	----	----	----	51		UNCH	
4485	231.50	231.50		231.50B/187.40A	231.50B/187.40A	----	206.90	- 21.00	.7405	----	----	----	36		UNCH	
4490	235.60	235.60		235.60B/191.20A	235.60B/191.20A	----	210.70	- 21.10	.7465	----	----	----	28		UNCH	
4495	239.60	239.60		239.60B/194.70A	239.60B/194.70A	----	214.60	- 21.20	.7525	----	----	----	366		UNCH	
4500	243.70	243.70		243.70B/198.50A	243.70B/198.50A	----	218.60	- 21.20	.7581	----	----	----	21		UNCH	
4505	247.90	247.90		247.90B/202.20A	247.90B/202.20A	----	222.50	- 21.40	.7641	----	----	----	187		UNCH	
4510	252.00	252.00		252.00B/206.00A	252.00B/206.00A	----	226.50	- 21.40	.7694	----	----	----	10		UNCH	
4515	256.20	256.20		256.20B/209.90A	256.20B/209.90A	----	230.50	- 21.50	.7750	----	----	----	36		UNCH	
4520	260.40	260.40		260.40B/213.70A	260.40B/213.70A	----	234.60	- 21.60	.7803	----	----	----	107		UNCH	
4525	264.60	264.60		264.60B/217.60A	264.60B/217.60A	----	238.70	- 21.60	.7859	----	6	----	286		UNCH	
4530	268.90	268.90		268.90B/221.50A	268.90B/221.50A	----	242.80	- 21.70	.7908	----	----	----	37	-	6	
4535	273.10	273.10		273												

BULLETIN #185@				METALS OPTION PRODUCTS										Fri, Sep 25, 2026				PG64	
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG PUT		COMEX GOLD OPTIONS																	
NOV26																			
4855	----	----	----	/529.30A	541.00B/529.30A	----	537.90	- 23.40	.9569	----	----	----	----	----	3	UNCH			
4860	----	----	----	/534.20A	546.20B/534.20A	----	542.80	- 23.40	.9578	----	----	----	----	----	2	UNCH			
4865	----	----	----	/539.50A	551.70B/539.50A	----	547.70	- 23.40	.9592	----	----	----	----	----	3	UNCH			
4875	----	----	----	/549.30A	561.50B/549.30A	----	557.50	- 23.40	.9609	----	----	----	----	----	10	UNCH			
4885	----	----	----	/558.60A	571.30B/558.60A	----	567.30	- 23.30	.9620	----	----	----	----	----	3	UNCH			
4895	----	----	----	/568.40A	580.50B/568.40A	----	577.10	- 23.40	.9636	----	----	----	----	----	2	UNCH			
4900	----	----	----	/573.30A	585.10B/573.30A	----	582.00	- 23.40	.9644	----	----	----	----	----	4	UNCH			
4915	----	----	----	/588.50A	600.70B/588.50A	----	596.70	- 23.40	.9668	----	----	----	----	----	3	UNCH			
4920	----	----	----	/593.20A	605.70B/593.20A	----	601.60	- 23.40	.9670	----	----	----	----	----	4	UNCH			
4925	----	----	----	/597.90A	610.00B/597.90A	----	606.60	- 23.30	.9678	----	----	----	----	----	1	UNCH			
4930	----	----	----	/602.80A	614.60B/602.80A	----	611.50	- 23.40	.9686	----	----	----	----	----	25	UNCH			
4935	----	----	----	/607.70A	620.40B/607.70A	----	616.40	- 23.40	.9694	----	----	----	----	----	1	UNCH			
4940	----	----	----	/613.10A	625.30B/613.10A	----	621.30	- 23.40	.9702	----	----	----	----	----	66	UNCH			
4950	----	----	----	/622.50A	635.00B/622.50A	----	631.20	- 23.40	.9711	----	----	----	----	----	1	UNCH			
4955	----	----	----	/627.90A	640.10B/627.90A	----	636.10	- 23.40	.9719	----	----	----	----	----	1	UNCH			
4960	----	----	----	/632.60A	644.20B/632.60A	----	641.00	- 23.40	.9720	----	----	----	----	----	4	UNCH			
4965	----	----	----	/637.30A	649.80B/637.30A	----	646.00	- 23.40	.9728	----	----	----	----	----	1	UNCH			
4970	----	----	----	/642.70A	654.40B/642.70A	----	650.90	- 23.40	.9735	----	----	----	----	----	2	UNCH			
4975	----	----	----	/647.20A	659.40B/647.20A	----	655.80	- 23.40	.9737	----	----	----	----	----	1	UNCH			
4995	----	----	----	/667.40A	678.80B/667.40A	----	675.60	- 23.40	.9761	----	----	----	----	----	1	UNCH			
5000	----	----	----	/671.90A	684.60B/671.90A	----	680.60	- 23.40	.9762	----	----	----	----	----	258	UNCH			
5010	----	----	----	/681.80A	694.50B/681.80A	----	690.50	- 23.40	.9771	----	----	----	----	----	1	UNCH			
5015	----	----	----	/687.20A	698.60B/687.20A	----	695.40	- 23.40	.9778	----	----	----	----	----	1	UNCH			
5020	----	----	----	/691.70A	703.90B/691.70A	----	700.40	- 23.40	.9779	----	----	----	----	----	33	UNCH			
5030	----	----	----	/701.60A	713.50B/701.60A	----	710.30	- 23.40	.9787	----	----	----	----	----	5	UNCH			
5055	----	----	----	/726.40A	738.30B/726.40A	----	735.10	- 23.40	.9805	----	----	----	----	----	9	UNCH			
5065	----	----	----	/736.30A	748.60B/736.30A	----	745.00	- 23.40	.9807	----	----	----	----	----	1	UNCH			
5070	----	----	----	/741.30A	753.20B/741.30A	----	750.00	- 23.30	.9814	----	----	----	----	----	5	UNCH			
5075	----	----	----	/746.70A	759.10B/746.70A	----	755.00	- 23.30	.9815	----	----	----	----	----	2	UNCH			
5080	----	----	----	/751.20A	763.50B/751.20A	----	759.90	- 23.40	.9816	----	----	----	----	----	1	UNCH			
5085	----	----	----	/756.20A	768.40B/756.20A	----	764.90	- 23.30	.9817	----	----	----	----	----	2	UNCH			
5090	----	----	----	/761.60A	773.90B/761.60A	----	769.90	- 23.30	.9824	----	----	----	----	----	1	UNCH			
5100	----	----	----	/771.10A	783.00B/771.10A	----	779.80	- 23.40	.9825	----	----	----	----	----	1	UNCH			
5105	----	----	----	/776.30A	788.30B/776.30A	----	784.80	- 23.30	.9833	----	----	----	----	----	2	UNCH			
5110	----	----	----	/781.00A	793.90B/781.00A	----	789.80	- 23.30	.9833	----	----	----	----	----	2	UNCH			
5125	----	----	----	/796.40A	808.70B/796.40A	----	804.70	- 23.30	.9836	----	----	----	----	----	1	UNCH			
5130	----	----	----	/800.90A	813.50B/800.90A	----	809.70	- 23.30	.9843	----	----	----	----	----	2	UNCH			
5140	----	----	----	/810.90A	822.80B/810.90A	----	819.60	- 23.30	.9844	----	----	----	----	----	2	UNCH			
5160	----	----	----	/830.80A	842.70B/830.80A	----	839.50	- 23.30	.9853	----	----	----	----	----	1	UNCH			
5185	----	----	----	/855.70A	867.60B/855.70A	----	864.40	- 23.30	.9862	----	----	----	----	----	1	UNCH			
5190	----	----	----	/860.90A	872.90B/860.90A	----	869.40	- 23.30	.9863	----	----	----	----	----	2	UNCH			
5200	----	----	----	/870.60A	883.40B/870.60A	----	879.40	- 23.30	.9870	----	----	----	----	----	82	UNCH			
5205	----	----	----	/875.60A	888.20B/875.60A	----	884.40	- 23.20	.9871	----	----	----	----	----	2	UNCH			
5215	----	----	----	/886.30A	897.50B/886.30A	----	894.30	- 23.30	.9872	----	----	----	----	----	1	UNCH			
5220	----	----	----	/890.80A	902.80B/890.80A	----	899.30	- 23.30	.9872	----	----	----	----	----	1	UNCH			
5225	----	----	----	/896.00A	908.10B/896.00A	----	904.30	- 23.30	.9879	----	----	----	----	----	1	UNCH			
5260	----	----	----	/930.90A	942.70B/930.90A	----	939.20	- 23.30	.9889	----	----	----	----	----	2	UNCH			
5265	----	----	----	/935.40A	948.00B/935.40A	----	944.20	- 23.30	.9889	----	----	----	----	----	2	UNCH			
5280	----	----	----	/950.40A	963.00B/950.40A	----	959.10	- 23.30	.9891	----	----	----	----	----	1	UNCH			
5295	----	----	----	/965.80A	977.30B/965.80A	----	974.10	- 23.30	.9898	----	----	----	----	----	3	UNCH			
5300	----	----	----	/970.80A	982.60B/970.80A	----	979.10	- 23.30	.9898	----	----	----	----	----	3	UNCH			
5310	----	----	----	/980.30A	992.90B/980.30A	----	989.10	- 23.20	.9899	----	----	----	----	----	2	UNCH			
5315	----	----	----	/985.30A	998.10B/985.30A	----	994.00	- 23.30	.9900	----	----	----	----	----	2	UNCH			
5320	----	----	----	/990.30A	1003.20B/990.30A	----	999.00	- 23.30	.9906	----	----	----	----	----	1	UNCH			
5325	----	----	----	/995.30A	1007.90B/995.30A	----	1004.00	- 23.30	.9907	----	----	----	----	----	1	UNCH			
5350	----	----	----	/1,020.20A	1032.20B/1020.20A	----	1029.00	- 23.20	.9908	----	----	----	----	----	1	UNCH			
5395	----	----	----	/1,065.40A	1077.50B/1065.40A	----	1073.90	- 23.30	.9918	----	----	----	----	----	6	UNCH			
5400	----	----	----	/1,070.60A	1082.10B/1070.60A	----	1078.90	- 23.30	.9918	----	----	----	----	----	2	UNCH			
TOTAL													3471		8 +	677			
DEC26																			
1350	----	----	----	----	/0.20A	----	0.10	UNCH	----	----	----	----	----	----	17	UNCH			
1375	----	----	----	----	/0.20A	----	0.10	UNCH	----	----	----	----	----	----	1	UNCH			
1400	----	----	----	----	/0.20A	----	0.10	UNCH	----	----	----	----	----	----	1	UNCH			
1500	----	----	----	----	/0.20A	----	0.10	UNCH	----	----	----	----	----	----	219	UNCH			
1600	----	----	----	----	/0.20A	----	0.10	UNCH	----	----	----	----	----	----	200	UNCH			
1700	----	----	----	----	/0.20A	----	0.10	UNCH	.0000	----	----	----	----	----	3	UNCH			
1740	----	----	----	----	/0.20A	----	0.10	UNCH	.0000	----	----	----	----	----	5	UNCH			
1750	----	----	----	----	/0.20A	----	0.10	UNCH	.0000	----	----	----	----	----	3	UNCH			
1845	----	----	----	----	/0.20A	----	0.10	UNCH	.0000	----	----	----	----	----	60	UNCH			
1850	----	----	----	----	/0.20A	----	0.10	UNCH	.0000	----	----	----	----	----	5	UNCH			
1870	----	----	----	----	/0.20A	----	0.10	UNCH	.0000	----	----	----	----	----	3	UNCH			
1875	----	----	----	----	/0.20A	----	0.10	UNCH	.0000	----	----	----	----	----	3	UNCH			
1900	----	----	----	----	/0.20A	----	0.10	UNCH	.0000	----	----	----	----	----	6	UNCH			
1930	0.10	0.10		0.10/0.10	0.10/0.10	----	0.10	UNCH	.0001	----	----	----	8	----	8 +	UNCH			
2000	----	----	----	----	/0.20A	----	0.10	UNCH	.0002	----	----	----	----	----	10	UNCH			
2100	----	----	----	----	/0.30A	----	0.20	UNCH	.0006	----	----	----	----	----	1	UNCH			
2125	----	----	----	----	0.10B/0.30A	----	0.20	UNCH	.0006	----	----	----	10	----	10 +	UNCH			
2200	----	----	----	----	0.10B/0.30A	----	0.20	UNCH	.0006	----	----	----	----	----	12	UNCH			
2210	----	----	----	----	0.10B/0.30A	----	0.20	UNCH	.0006	----	----	----	----	----	14	UNCH			
2225	----	----	----	----	0.10B/0.30A	----	0.20	UNCH	.0006	----	----	----	----	----	2	UNCH			
2235	----	----	----	----	0.10B/0.30A	----	0.20	UNCH	.0006	----	----	----	----	----	1	UNCH			
2240	----	----	----	----	0.10B/0.30A	----	0.20	UNCH	.0006	----	----	----	----	----	2	UNCH			
2245	----	----	----	----	0.10B/0.30A	----	0.20	UNCH	.0006	----	----	----	----	----	3	UNCH			
2250	----	----	----	----	0.10B/0.30A	----	0.20	UNCH	.0007	----	----	----	----	----	1	UNCH			
2260	----	----	----	----	0.10B/0.30A	----	0.20	UNCH	.0007	----	----	----	----	----	13	UNCH			
2280	----	----	----	----	0.10B/0.30A	----	0.20	UNCH	.0007	----	----	----	----	----	1	UNCH			
2300	----	----	----	----	0.10B/0.40A	----	0.20	UNCH	.0007	----	----	----	----	----	5	UNCH			
2320	----	----	----	----	0.10B/0.40A	----	0.20	UNCH	.0007	----	----	----	----	----	1	UNCH			
2325	----	----	----	----	0.10B/0.40A	----	0.20	UNCH	.0007	----	----	----	----	----	15	UNCH			
2395	----	----	----	----	0.20B/0.40A	----	0.30	UNCH	.0010	----	----	----	----	----	10	UNCH			
2400	----	----	----	----	0.20B/0.40A	----	0.30	UNCH	.0010	----	----	----	----	----	15	UNCH			
2425	----	----	----	----	0.20B/0.40A	----	0.30	UNCH	.0011	----	----	----	----	----	11	UNCH			
2440	----	----	----	----	0.20B/0.40A	----	0.30	UNCH	.0011	----	----	----	----	----	1	UNCH			
2450	----	----	----	----	0.20B/0.40A	----	0.30	- 0.10	.0011	----	----	----	----	----	24	UNCH			
2470	----	----	----	----	0.20B/0.40A	----	0.30	- 0.10	.0011	----	----	----	----	----	2	UNCH			
2490	----	----	----	----	0.20B/0.40A	----	0.30	- 0.10	.0011	----	----	----	----	----	11	UNCH			
2495	----	----	----	----	0.30B/0.40A	----	0.30	- 0.10	.0011	----	----	----							

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS														
DEC26																
3030	----	----	----	/1.50A	1.40B/1.50A	----	----	----	1.40 - 0.30	.0061	----	----	----	----	1	UNCH
3035	----	----	----	/1.50A	1.50B/1.50A	----	----	----	1.40 - 0.30	.0061	----	----	----	----	1	UNCH
3045	----	----	----	/1.60A	1.50B/1.60A	----	----	----	1.50 - 0.30	.0065	----	----	----	----	3	UNCH
3050	----	----	----	/1.60A	1.50B/1.60A	----	----	----	1.50 - 0.30	.0065	----	----	----	----	13	UNCH
3060	----	----	----	/1.60A	1.60B/1.60A	----	----	----	1.50 - 0.40	.0066	----	----	----	----	204	UNCH
3075	----	----	----	/1.70A	1.60B/1.70A	----	----	----	1.60 - 0.30	.0070	----	----	----	----	3	UNCH
3080	----	----	----	/1.70A	1.70B/1.70A	----	----	----	1.60 - 0.40	.0071	----	----	----	----	1	UNCH
3085	----	----	----	/1.70A	1.70B/1.70A	----	----	----	1.70 - 0.30	.0075	----	----	----	----	2	UNCH
3100	----	----	----	/1.80A	1.80B/1.80A	----	----	----	1.70 - 0.40	.0075	----	----	----	----	160	UNCH
3110	----	----	----	/1.90A	1.80B/1.90A	----	----	----	1.80 - 0.30	.0080	----	----	----	----	1	UNCH
3120	----	----	----	/1.90A	1.90B/1.90A	----	----	----	1.80 - 0.40	.0080	----	----	----	----	3	UNCH
3125	----	----	----	/1.90A	1.90B/1.90A	----	----	----	1.90 - 0.30	.0084	----	----	----	----	1	UNCH
3130	----	----	----	/2.00A	1.90B/2.00A	----	----	----	1.90 - 0.40	.0085	----	----	----	----	11	UNCH
3135	----	----	----	/2.00A	2.00B/2.00A	----	----	----	1.90 - 0.40	.0085	----	----	----	----	1	UNCH
3140	----	----	----	/2.00A	2.00B/2.00A	----	----	----	2.00 - 0.30	.0089	----	----	----	----	2	UNCH
3145	----	----	----	/2.00A	2.00B/2.00A	----	----	----	2.00 - 0.40	.0089	----	----	----	----	2	UNCH
3150	2.10	2.10		2.10/2.10	2.10/2.10	----	----	----	2.00 - 0.40	.0090	----	----	45	----	114	UNCH
3155	----	----	----	/2.10A	2.10B/2.10A	----	----	----	2.10 - 0.30	.0094	----	----	----	----	6	UNCH
3160	----	----	----	/2.10A	2.10B/2.10A	----	----	----	2.10 - 0.40	.0094	----	----	----	----	4	UNCH
3170	----	----	----	/2.20A	2.20B/2.20A	----	----	----	2.10 - 0.40	.0095	----	----	----	----	2	UNCH
3175	----	----	----	/2.20A	2.20B/2.20A	----	----	----	2.20 - 0.40	.0099	----	----	----	----	62	UNCH
3185	----	----	----	/2.30A	2.30B/2.30A	----	----	----	2.20 - 0.40	.0100	----	----	----	----	2	UNCH
3190	----	----	----	/2.30A	2.30B/2.30A	----	----	----	2.30 - 0.40	.0104	----	----	----	----	2	UNCH
3195	----	----	----	/2.30A	2.40B/2.30A	----	----	----	2.30 - 0.40	.0104	----	----	----	----	2	UNCH
3200	2.20	2.20		2.20/2.20	2.40B/2.20	----	----	----	2.40 - 0.40	.0108	----	----	1	----	104	UNCH
3210	----	----	----	/2.40A	2.50B/2.40A	----	----	----	2.40 - 0.40	.0109	----	----	----	----	1	UNCH
3215	----	----	----	/2.50A	2.50B/2.50A	----	----	----	2.50 - 0.40	.0113	----	----	----	----	20	UNCH
3225	----	----	----	/2.50A	2.60B/2.50A	----	----	----	2.50 - 0.40	.0114	----	----	----	----	4	UNCH
3235	----	----	----	/2.60A	2.60B/2.60A	----	----	----	2.60 - 0.40	.0119	----	----	----	----	12	UNCH
3240	----	----	----	/2.60A	2.70B/2.60A	----	----	----	2.60 - 0.50	.0119	----	----	----	----	11	UNCH
3245	----	----	----	/2.70A	2.70B/2.70A	----	----	----	2.70 - 0.40	.0123	----	----	----	----	19	UNCH
3250	----	----	----	/2.70A	2.80B/2.70A	----	----	----	2.70 - 0.40	.0124	----	----	----	----	559	UNCH
3260	----	----	----	/2.80A	2.90B/2.80A	----	----	----	2.80 - 0.40	.0128	----	----	----	----	1	UNCH
3265	----	----	----	/2.80A	2.90B/2.80A	----	----	----	2.80 - 0.50	.0129	----	----	----	----	27	UNCH
3270	----	----	----	/2.90A	3.00B/2.90A	----	----	----	2.90 - 0.40	.0133	----	----	----	----	17	UNCH
3275	----	----	----	/2.90A	3.00B/2.90A	----	----	----	2.90 - 0.40	.0134	----	----	----	----	11	UNCH
3280	----	----	----	/2.90A	3.10B/2.90A	----	----	----	3.00 - 0.40	.0138	----	----	----	----	5	UNCH
3285	----	----	----	/3.00A	3.10B/3.00A	----	----	----	3.00 - 0.40	.0139	----	----	----	----	11	UNCH
3290	----	----	----	/3.00A	3.10B/3.00A	----	----	----	3.00 - 0.50	.0139	----	----	----	----	7	UNCH
3295	----	----	----	/3.10A	3.20B/3.10A	----	----	----	3.10 - 0.40	.0143	----	----	----	----	1	UNCH
3300	----	----	----	/3.10A	3.20B/3.10A	----	----	----	3.10 - 0.50	.0144	----	----	----	----	647	UNCH
3315	----	----	----	/3.20A	3.30B/3.20A	----	----	----	3.30 - 0.40	.0153	----	----	----	----	11	UNCH
3325	----	----	----	/3.30A	3.50B/3.30A	----	----	----	3.30 - 0.50	.0155	----	----	----	----	70	UNCH
3330	----	----	----	/3.40A	3.50B/3.40A	----	----	----	3.40 - 0.50	.0159	----	----	----	----	2	UNCH
3345	----	----	----	/3.50A	3.70B/3.50A	----	----	----	3.50 - 0.50	.0165	----	----	----	----	3	UNCH
3350	----	----	----	/3.50A	3.70B/3.50A	----	----	----	3.60 - 0.50	.0169	----	----	----	----	27	UNCH
3360	----	----	----	/3.60A	3.90B/3.60A	----	----	----	3.70 - 0.50	.0175	----	----	----	----	16	UNCH
3365	----	----	----	/3.70A	3.90B/3.70A	----	----	----	3.70 - 0.50	.0175	----	----	----	----	7	UNCH
3370	----	----	----	/3.70A	4.00B/3.70A	----	----	----	3.80 - 0.50	.0180	----	----	----	----	3	UNCH
3375	----	----	----	/3.80A	4.00B/3.80A	----	----	----	3.80 - 0.60	.0181	----	----	----	----	266	UNCH
3380	----	----	----	/3.80A	4.00B/3.80A	----	----	----	3.90 - 0.50	.0185	----	----	----	----	12	UNCH
3385	----	----	----	/3.90A	4.10B/3.90A	----	----	----	3.90 - 0.60	.0186	----	----	----	----	35	UNCH
3390	----	----	----	/3.90A	4.10B/3.90A	----	----	----	4.00 - 0.50	.0191	----	----	----	----	101	UNCH
3400	4.00	4.00		4.00/4.00	4.30B/4.00	----	----	----	4.10 - 0.60	.0196	----	----	6	----	2154	UNCH
3410	----	----	----	/4.20A	4.40B/4.20A	----	----	----	4.20 - 0.60	.0202	----	----	----	----	63	UNCH
3420	----	----	----	/4.30A	4.60B/4.30A	----	----	----	4.30 - 0.70	.0207	----	----	----	----	3	UNCH
3425	----	----	----	/4.30A	4.60B/4.30A	----	----	----	4.40 - 0.60	.0212	----	----	----	----	382	UNCH
3430	----	----	----	/4.40A	4.70B/4.40A	----	----	----	4.50 - 0.60	.0217	----	----	----	----	2	UNCH
3435	----	----	----	/4.50A	4.80B/4.50A	----	----	----	4.50 - 0.70	.0218	----	----	----	----	18	UNCH
3440	----	----	----	/4.50A	4.90B/4.50A	----	----	----	4.60 - 0.70	.0222	----	----	----	----	11	UNCH
3445	----	----	----	/4.60A	4.90B/4.60A	----	----	----	4.70 - 0.60	.0227	----	----	----	----	4	UNCH
3450	5.10	5.10		5.10/4.60A	5.10/4.60A	5.10/4.70A	----	----	4.70 - 0.70	.0228	----	----	3	----	1302	UNCH
3455	----	----	----	/4.70A	5.10B/4.70A	----	----	----	4.80 - 0.70	.0233	----	----	----	----	2	UNCH
3460	----	----	----	/4.80A	5.10B/4.80A	----	----	----	4.90 - 0.70	.0238	----	----	----	----	72	UNCH
3465	----	----	----	/4.80A	5.20B/4.80A	----	----	----	4.90 - 0.80	.0239	----	----	----	----	227	UNCH
3470	----	----	----	/4.90A	5.30B/4.90A	----	----	----	5.00 - 0.80	.0244	----	----	----	----	20	UNCH
3475	----	----	----	/5.00A	5.40B/5.00A	----	----	----	5.10 - 0.80	.0249	----	----	----	----	236	UNCH
3480	----	----	----	/5.00A	5.50B/5.00A	----	----	----	5.20 - 0.70	.0254	----	----	----	----	44	UNCH
3485	----	----	----	/5.10A	5.50B/5.10A	----	----	----	5.20 - 0.80	.0255	----	----	----	----	128	UNCH
3490	----	----	----	/5.20A	5.70B/5.20A	----	----	----	5.30 - 0.80	.0260	----	----	----	----	29	UNCH
3495	----	----	----	/5.30A	5.70B/5.30A	----	----	----	5.40 - 0.80	.0265	----	----	----	----	6	UNCH
3500	5.70	5.70		5.70/5.40	5.80B/5.40	5.80B/5.40	----	----	5.50 - 0.80	.0270	----	----	54	----	5610	-
3505	----	----	----	/5.40A	5.90B/5.40A	----	----	----	5.60 - 0.80	.0275	----	----	----	----	3	UNCH
3510	----	----	----	/5.50A	6.00B/5.50A	----	----	----	5.60 - 0.90	.0276	----	----	----	----	252	UNCH
3515	----	----	----	/5.60A	6.10B/5.60A	----	----	----	5.70 - 0.90	.0282	----	----	----	----	136	UNCH
3520	----	----	----	/5.70A	6.20B/5.70A	----	----	----	5.80 - 0.90	.0287	----	----	----	----	5	UNCH
3525	----	----	----	/5.80A	6.30B/5.80A	----	----	----	5.90 - 1.00	.0292	----	----	----	----	205	UNCH
3530	----	----	----	/5.80A	6.40B/5.80A	----	----	----	6.00 - 1.00	.0297	----	----	----	----	1	UNCH
3540	----	----	----	/6.00A	6.70B/6.00A	----	----	----	6.20 - 1.00	.0307	----	----	----	----	23	UNCH
3545	----	----	----	/6.10A	6.80B/6.10A	----	----	----	6.30 - 1.00	.0313	----	----	----	----	21	UNCH
3550	----	----	----	/6.20A	6.90B/6.20A	----	----	----	6.40 - 1.00	.0318	----	----	----	----	2138	UNCH
3555	----	----	----	/6.30A	7.00B/6.30A	----	----	----	6.50 - 1.10	.0323	----	----	----	----	2	UNCH
3560	----	----	----	/6.40A	7.10B/6.40A	----	----	----	6.60 - 1.10	.0329	----	----	----	----	85	UNCH
3565	----	----	----	/6.50A	7.20B/6.50A	----	----	----	6.70 - 1.10	.0334	----	----	----	----	34	UNCH
3570	----	----	----	/6.60A	7.40B/6.60A	----	----	----	6.80 - 1.20	.0339	----	----	----	----	4	UNCH
3575	----	----	----	/6.70A	7.50B/6.70A	----	----	----	6.90 - 1.20	.0345	----	----	2	----	11	UNCH
3580	----	----	----	/6.80A	7.60B/6.80A	----	----	----	7.00 - 1.20	.0350	----	----	----	----	16	UNCH
3585	----	----	----	/6.90A	7.80B/6.90A	----	----	----	7.20 - 1.20	.0360	----	----	----	----	334	UNCH
3590	----	----	----	/7.00A	7.90B/7.00A	----	----	----	7.30 - 1.20	.0365	----	----	----	----	26	UNCH
3595	----	----	----	/7.10A	8.10B/7.10A	----	----	----	7.40 - 1.30	.0371	----	----	----	----	115	UNCH
3600	----	----	----	/7.20A	8.20B/7.20A	----	----	----	7.50 - 1.30	.0376	----	----	12	----	2158	-
3605	----	----	----	/7.40A	8.40B/7.40A	----	----	----	7.60 - 1.40	.0382	----	----	----	----	37	UNCH
3610	----	----	----	/7.50A	8.50B/7.50A	----	----	----	7.80 - 1.30	.0391	----	----	----	----	31	UNCH
3615	----	----	----	/7.60A	8.70B/7.60A	----	----	----	7.90 - 1.40	.0397	----	----	----	----	35	UNCH
3620	----	----	----	/7.70A	8.90B/7.70A	----	----	----	8.00 - 1.40	.0403	----	----	----	----	6	UNCH
3625	8.30	8.30		8.30/7.90A	9.00B/7.90A	9.00B/7.90A	----	----	8.20 - 1.40	.0412	----					

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT	COMEX GOLD OPTIONS														
DEC26	18.00	18.00		18.00/17.50A	21.60B/17.50A	----	18.80	- 3.30	.0935	----	----	9	----	67	-
3840	----	----	----	----/17.90A	22.00B/17.90A	----	19.20	- 3.30	.0953	----	----	----	----	11	UNCH
3845	----	----	----	----/18.30A	22.50B/18.30A	----	19.60	- 3.40	.0972	----	----	----	----	589	UNCH
3850	21.20	21.20		21.20/18.60A	23.10B/18.60A	----	20.00	- 3.50	.0991	----	----	1	----	66	+
3855	----	----	----	----/19.00A	23.60B/19.00A	----	20.40	- 3.60	.1010	----	----	----	----	30	UNCH
3860	20.30	20.30		20.30/19.40A	24.10B/19.40A	----	20.90	- 3.60	.1032	----	5	----	----	75	UNCH
3865	21.20	21.20		21.20/19.90A	24.70B/19.90A	----	21.30	- 3.80	.1051	----	4	----	----	17	+
3870	----	----	----	----/20.30A	25.20B/20.30A	----	21.80	- 3.80	.1073	----	1	----	----	94	UNCH
3875	22.20	22.20		22.20/20.70A	25.70B/20.70A	----	22.30	- 3.90	.1096	----	4	----	----	20	+
3880	22.90	22.90		22.90/21.10A	26.20B/21.10A	----	22.80	- 3.90	.1118	----	8	----	----	46	+
3885	----	----	----	----/21.60A	26.80B/21.60A	----	23.30	- 4.00	.1140	----	----	----	----	15	UNCH
3890	----	----	----	----/22.10A	27.40B/22.10A	----	23.80	- 4.10	.1163	----	----	----	----	253	UNCH
3895	27.20	27.20		27.20/22.50A	28.10B/22.50A	----	24.30	- 4.20	.1185	----	17	----	----	3920	-
3900	----	----	----	----/23.00A	28.70B/23.00A	----	24.90	- 4.30	.1211	----	----	----	----	26	UNCH
3905	----	----	----	----/23.50A	29.40B/23.50A	----	25.40	- 4.40	.1234	----	----	----	----	27	UNCH
3910	----	----	----	----/24.00A	30.00B/24.00A	----	26.00	- 4.50	.1259	----	----	----	----	230	UNCH
3915	27.70	27.70		27.70/25.10A	31.50B/25.10A	----	26.60	- 4.50	.1285	----	2	----	----	57	UNCH
3920	----	----	----	----/25.60A	32.10B/25.60A	----	27.20	- 4.60	.1311	----	----	----	----	455	UNCH
3925	----	----	----	----/26.20A	32.90B/26.20A	----	27.80	- 4.70	.1337	----	----	----	----	76	UNCH
3930	----	----	----	----/26.80A	33.60B/26.80A	----	28.40	- 4.80	.1363	----	----	----	----	184	UNCH
3935	----	----	----	----/27.40A	34.40B/27.40A	----	29.10	- 4.90	.1392	----	----	----	----	104	UNCH
3940	----	----	----	----/28.00A	35.20B/28.00A	----	29.70	- 5.00	.1418	----	----	----	----	46	UNCH
3945	----	----	----	----/28.60A	36.00B/28.60A	----	30.40	- 5.10	.1447	----	15	----	----	3263	-
3950	32.10	32.10		32.10/29.20A	36.80B/29.20A	----	31.10	- 5.20	.1476	----	----	----	----	51	UNCH
3955	32.30	32.30		32.30/29.90A	37.70B/29.90A	----	31.80	- 5.30	.1505	----	18	----	----	274	+
3960	33.70	33.70		33.70/30.50A	38.50B/30.50A	----	32.50	- 5.40	.1535	----	3	----	----	67	+
3965	----	----	----	----/31.20A	39.40B/31.20A	----	33.20	- 5.60	.1564	----	5	----	----	229	+
3970	----	----	----	----/31.90A	40.30B/31.90A	----	34.00	- 5.60	.1596	----	1	----	----	230	+
3975	34.60	34.60		34.60/32.60A	41.20B/32.60A	----	34.80	- 5.70	.1628	----	1	----	----	213	-
3980	----	----	----	----/33.30A	42.10B/33.30A	----	35.50	- 5.90	.1658	----	8	----	----	22	+
3985	37.20	37.20		37.20/34.10A	43.10B/34.10A	----	36.40	- 5.90	.1692	----	----	----	----	19	UNCH
3990	36.00	36.00		38.10/34.80A	44.00B/34.80A	----	37.20	- 6.10	.1724	----	2	----	----	19	+
3995	37.90	37.90		37.90/35.60A	45.00B/35.60A	----	38.00	- 6.20	.1757	----	164	----	----	4739	+
4000	39.80	39.80		39.80/36.40A	46.00B/36.40A	----	38.90	- 6.30	.1792	----	4	----	----	89	UNCH
4005	40.70	40.70		40.70/37.20A	47.10B/37.20A	----	39.80	- 6.40	.1827	----	1	----	----	36	+
4010	----	----	----	----/38.10A	48.10B/38.10A	----	40.70	- 6.50	.1861	----	1	----	----	65	UNCH
4015	----	----	----	----/38.90A	49.20B/38.90A	----	41.60	- 6.70	.1897	----	9	----	----	58	+
4020	47.30	47.30		47.30/42.50A	53.80B/42.50A	----	42.50	- 6.80	.1932	----	3	----	----	843	+
4025	53.80	53.80		54.90B/43.40A	54.90B/43.40A	----	43.50	- 6.90	.1969	----	----	----	----	88	UNCH
4030	----	----	----	----/40.70A	51.40B/40.70A	----	44.50	- 7.00	.2007	----	2	----	----	186	+
4035	----	----	----	----/41.60A	52.50B/41.60A	----	45.50	- 7.20	.2044	----	5	----	----	19	+
4040	59.10	59.10		59.10/56.50A	62.00B/56.50A	----	46.50	- 7.30	.2082	----	71	405	----	2318	+
4045	53.10	53.10		61.30B/48.50A	61.30B/48.50A	----	47.60	- 7.40	.2122	----	1	----	----	305	+
4050	----	----	----	----/44.40A	56.20B/44.40A	----	48.60	- 7.60	.2159	----	2	----	----	510	UNCH
4055	59.50	59.50		64.00B/50.60A	64.00B/50.60A	----	49.70	- 7.70	.2199	----	3	----	----	50	UNCH
4060	----	----	----	65.40B/51.80A	65.40B/51.80A	----	50.80	- 7.90	.2239	----	2	----	----	132	UNCH
4065	65.80	65.80		66.80B/52.90A	66.80B/52.90A	----	51.40	- 8.00	.2266	----	3	----	----	73	UNCH
4070	61.10	61.10		68.20B/54.10A	68.20B/54.10A	----	52.50	- 8.20	.2307	----	106	----	----	2197	-
4075	----	----	----	69.70B/55.30A	69.70B/55.30A	----	53.20	- 8.30	.2323	----	1	----	----	91	UNCH
4080	61.10	61.10		71.20B/56.50A	71.20B/56.50A	----	54.30	- 8.30	.2364	----	1	----	----	49	+
4085	----	----	----	72.70B/57.70A	72.70B/57.70A	----	55.60	- 8.50	.2407	----	1	----	----	77	+
4090	61.10	61.10		74.30B/59.00A	74.30B/59.00A	----	56.80	- 8.50	.2450	----	2	----	----	684	+
4095	100.50	100.50		75.90B/60.30A	75.90B/60.30A	----	58.10	- 8.60	.2494	----	1	----	----	190	+
4100	104.50	104.50		77.50B/61.60A	77.50B/61.60A	----	59.40	- 8.70	.2538	----	6	----	----	736	UNCH
4105	75.50	75.50		79.10B/62.90A	79.10B/62.90A	----	60.70	- 8.90	.2582	----	1	----	----	47	+
4110	----	----	----	80.80B/64.30A	80.80B/64.30A	----	61.30	- 9.00	.2626	----	5	----	----	77	UNCH
4115	67.90	67.90		82.50B/65.70A	82.50B/65.70A	----	62.00	- 9.10	.2662	----	71	----	----	65	+
4120	81.10	81.10		84.30B/67.10A	84.30B/67.10A	----	63.40	- 9.10	.2672	----	2	----	----	1137	-
4125	77.30	77.30		86.00B/68.60A	86.00B/68.60A	----	64.80	- 9.30	.2718	----	2	----	----	33	UNCH
4130	75.40	75.40		87.80B/70.00A	87.80B/70.00A	----	66.20	- 9.40	.2764	----	10	----	----	358	UNCH
4135	111.80	111.80		89.60B/71.50A	89.60B/71.50A	----	67.70	- 9.50	.2811	----	1	----	----	84	UNCH
4140	111.40	111.40		91.40B/73.00A	91.40B/73.00A	----	68.20	- 9.60	.2839	----	1	----	----	64	UNCH
4145	85.60	85.60		93.40B/74.60A	93.40B/74.60A	----	69.70	- 9.70	.2886	----	3	----	----	219	-
4150	92.00	92.00		95.30B/76.20A	95.30B/76.20A	----	70.70	- 9.80	.2907	----	1	----	----	48	UNCH
4155	89.30	89.30		97.20B/77.70A	97.20B/77.70A	----	72.20	- 10.00	.2954	----	11	----	----	35	+
4160	96.00	96.00		99.20B/79.30A	99.20B/79.30A	----	73.80	- 10.10	.3003	----	10	----	----	361	+
4165	100.50	100.50		101.20B/81.00A	101.20B/81.00A	----	75.30	- 10.30	.3051	----	2	----	----	37	+
4170	104.50	104.50		103.10B/82.80A	103.10B/82.80A	----	76.80	- 10.40	.3101	----	61	----	----	3077	-
4175	108.70	108.70		105.30B/84.40A	105.30B/84.40A	----	78.30	- 10.60	.3151	----	3	----	----	49	UNCH
4180	108.70	108.70		107.30B/86.10A	107.30B/86.10A	----	79.80	- 10.70	.3201	----	1	----	----	106	UNCH
4185	133.60	133.60		109.50B/87.90A	109.50B/87.90A	----	81.30	- 10.80	.3251	----	3	----	----	167	+
4190	133.30	133.30		111.70B/89.70A	111.70B/89.70A	----	82.80	- 10.90	.3302	----	6	----	----	60	+
4195	141.00	141.00		113.80B/91.50A	113.80B/91.50A	----	84.30	- 11.00	.3353	----	4	----	----	187	+
4200	141.00	141.00		115.90B/93.40A	115.90B/93.40A	----	85.80	- 11.10	.3405	----	3	----	----	47	UNCH
4205	128.80	128.80		118.30B/95.40A	118.30B/95.40A	----	87.30	- 11.20	.3456	----	5	----	----	65	+
4210	143.60	143.60		120.50B/97.30A	120.50B/97.30A	----	88.80	- 11.30	.3507	----	71	----	----	1137	-
4215	133.60	133.60		122.70B/99.20A	122.70B/99.20A	----	90.30	- 11.40	.3558	----	2	----	----	33	UNCH
4220	133.30	133.30		125.10B/101.20A	125.10B/101.20A	----	91.80	- 11.50	.3609	----	10	----	----	358	UNCH
4225	141.00	141.00		127.50B/103.10A	127.50B/103.10A	----	93.30	- 11.60	.3661	----	2	----	----	84	UNCH
4230	141.00	141.00		129.80B/105.20A	129.80B/105.20A	----	94.80	- 11.70	.3712	----	1	----	----	64	UNCH
4235	151.40	151.40		132.40B/107.30A	132.40B/107.30A	----	96.30	- 11.80	.3763	----	3	----	----	219	-
4240	153.90	153.90		134.60B/109.40A	134.60B/109.40A	----	97.80	- 11.90	.3814	----	1	----	----	48	UNCH
4245	124.60	124.60		137.30B/111.50A	137.30B/111.50A	----	99.30	- 12.00	.3865	----	11	----	----	35	+
4250	128.90	128.90		139.70B/113.70A	139.70B/113.70A	----	100.80	- 12.10	.3916	----	10	----	----	361	+
4255	128.80	128.80		142.20B/115.90A	142.20B/115.90A	----	102.30	- 12.20	.3967	----	2	----	----	37	+
4260	143.60	143.60		144.70B/118.10A	144.70B/118.10A	----	103.80	- 12.30	.4018	----	61	----	----	3077	-
4265	133.60	133.60		147.30B/120.30A	147.30B/120.30A	----	105.30	- 12.40	.4069	----	3	----	----	49	UNCH
4270	133.30	133.30		150.10B/122.60A	150.10B/122.60A	----	106.80	- 12.50	.4120	----	1	----	----	106	UNCH

BULLETIN #185@										METALS OPTION PRODUCTS										Fri, Sep 25, 2026		PG64
GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE		OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
OG PUT		COMEX GOLD OPTIONS																				
JAN27																						
2870	----	----	----	----	/2.10A	2.00B/2.10A	----	----	----	2.00 - 0.30	.0071	----	----	----	----	1	UNCH					
2890	----	----	----	----	/2.20A	2.10B/2.20A	----	----	----	2.10 - 0.30	.0075	----	----	----	----	2	UNCH					
2900	----	----	----	----	/2.20A	2.20B/2.20A	----	----	----	2.20 - 0.30	.0079	----	----	----	----	1	UNCH					
2910	----	----	----	----	/2.30A	2.20B/2.30A	----	----	----	2.20 - 0.30	.0079	----	----	----	----	2	UNCH					
2915	----	----	----	----	/2.30A	2.20B/2.30A	----	----	----	2.30 - 0.30	.0082	----	----	----	----	1	UNCH					
2950	----	----	----	----	/2.50A	2.40B/2.50A	----	----	----	2.40 - 0.40	.0087	----	----	----	----	2	UNCH					
2960	----	----	----	----	/2.60A	2.50B/2.60A	----	----	----	2.50 - 0.40	.0091	----	----	----	----	2	UNCH					
2980	----	----	----	----	/2.70A	2.60B/2.70A	----	----	----	2.60 - 0.40	.0095	----	----	----	----	1	UNCH					
3000	2.80	2.80	2.80	2.80	2.80/2.80	2.80/2.80	----	----	----	2.70 - 0.40	.0099	----	----	1	----	58	UNCH					
3010	----	----	----	----	/2.80A	2.80B/2.80A	----	----	----	2.80 - 0.40	.0103	----	----	----	----	16	UNCH					
3060	----	----	----	----	/3.20A	3.20B/3.20A	----	----	----	3.10 - 0.40	.0116	----	----	----	----	2	UNCH					
3065	----	----	----	----	/3.20A	3.20B/3.20A	----	----	----	3.20 - 0.40	.0119	----	----	----	----	3	UNCH					
3070	----	----	----	----	/3.30A	3.30B/3.30A	----	----	----	3.20 - 0.40	.0120	----	----	----	----	4	UNCH					
3080	----	----	----	----	/3.30A	3.30B/3.30A	----	----	----	3.30 - 0.40	.0124	----	----	----	----	20	UNCH					
3085	----	----	----	----	/3.40A	3.40B/3.40A	----	----	----	3.30 - 0.40	.0124	----	----	----	----	10	UNCH					
3090	----	----	----	----	/3.40A	3.40B/3.40A	----	----	----	3.30 - 0.50	.0125	----	----	----	----	21	UNCH					
3095	----	----	----	----	/3.40A	3.50B/3.40A	----	----	----	3.40 - 0.40	.0128	----	----	----	----	218	UNCH					
3100	----	----	----	----	/3.50A	3.50B/3.50A	----	----	----	3.40 - 0.50	.0129	----	----	1	----	40 +	1					
3105	----	----	----	----	/3.50A	3.50B/3.50A	----	----	----	3.50 - 0.40	.0132	----	----	----	----	16	UNCH					
3110	----	----	----	----	/3.60A	3.60B/3.60A	----	----	----	3.50 - 0.40	.0132	----	----	----	----	4	UNCH					
3125	----	----	----	----	/3.70A	3.70B/3.70A	----	----	----	3.60 - 0.50	.0137	----	----	----	----	7	UNCH					
3160	----	----	----	----	/4.00A	4.10B/4.00A	----	----	----	3.90 - 0.50	.0150	----	----	----	----	1	UNCH					
3200	4.30	4.30	4.30	4.30	4.30/4.30	4.50B/4.30	----	----	----	4.30 - 0.50	.0167	----	----	1	----	14 +	1					
3225	4.80	4.80	4.80	4.80	4.80/4.60A	4.80/4.60A	----	----	----	4.60 - NEW	.0179	----	13	13	13 +	13						
3240	----	----	----	----	/4.80A	5.00B/4.80A	----	----	----	4.80 - 0.50	.0187	----	----	----	----	15	UNCH					
3250	----	----	----	----	/4.90A	5.10B/4.90A	----	----	----	4.90 - 0.60	.0192	----	----	----	----	45	UNCH					
3280	----	----	----	----	/5.30A	5.50B/5.30A	----	----	----	5.30 - 0.60	.0209	----	----	----	----	1	UNCH					
3285	----	----	----	----	/5.40A	5.60B/5.40A	----	----	----	5.40 - 0.60	.0212	----	----	----	----	2	UNCH					
3295	----	----	----	----	/5.50A	5.70B/5.50A	----	----	----	5.50 - 0.60	.0217	----	----	----	----	6	UNCH					
3300	----	----	----	----	/5.60A	5.80B/5.60A	----	----	----	5.60 - 0.60	.0221	----	----	----	----	62	UNCH					
3305	5.70	5.70	5.70	5.70	5.70/5.60A	5.90B/5.60A	----	----	----	5.70 - 0.60	.0225	----	6	----	15	UNCH						
3310	----	----	----	----	/5.70A	6.00B/5.70A	----	----	----	5.70 - 0.70	.0226	----	----	----	----	2	UNCH					
3325	----	----	----	----	/5.90A	6.20B/5.90A	----	----	----	6.00 - 0.60	.0238	----	----	----	----	300	UNCH					
3350	----	----	----	----	/6.30A	6.60B/6.30A	----	----	----	6.40 - 0.70	.0255	----	----	----	----	4	UNCH					
3370	----	----	----	----	/6.60A	7.00B/6.60A	----	----	----	6.70 - 0.80	.0268	----	----	----	----	3	UNCH					
3380	----	----	----	----	/6.80A	7.20B/6.80A	----	----	----	6.90 - 0.80	.0276	----	----	----	----	56	UNCH					
3385	----	----	----	----	/6.90A	7.30B/6.90A	----	----	----	7.00 - 0.80	.0281	----	----	----	----	3	UNCH					
3395	----	----	----	----	/7.00A	7.50B/7.00A	----	----	----	7.20 - 0.80	.0289	----	----	----	----	2	UNCH					
3400	----	----	----	----	/7.10A	7.60B/7.10A	----	----	----	7.30 - 0.80	.0293	----	----	----	----	348	UNCH					
3420	----	----	----	----	/7.50A	8.10B/7.50A	----	----	----	7.70 - 0.90	.0310	----	----	----	----	6	UNCH					
3425	----	----	----	----	/7.60A	8.20B/7.60A	----	----	----	7.80 - 0.90	.0315	----	----	----	----	3	UNCH					
3430	----	----	----	----	/7.70A	8.30B/7.70A	----	----	----	7.90 - 0.90	.0319	----	----	----	----	5	UNCH					
3440	----	----	----	----	/7.90A	8.60B/7.90A	----	----	----	8.10 - 1.00	.0328	----	----	----	----	5	UNCH					
3445	----	----	----	----	/8.00A	8.70B/8.00A	----	----	----	8.20 - 1.00	.0332	----	----	----	----	1	UNCH					
3450	----	----	----	----	/8.10A	8.80B/8.10A	----	----	----	8.40 - 0.90	.0340	----	----	----	----	31	UNCH					
3455	----	----	----	----	/8.20A	9.00B/8.20A	----	----	----	8.50 - 1.00	.0344	----	----	----	----	2	UNCH					
3460	----	----	----	----	/8.40A	9.10B/8.40A	----	----	----	8.60 - 1.00	.0349	----	----	----	----	1	UNCH					
3480	----	----	----	----	/8.80A	9.70B/8.80A	----	----	----	9.10 - 1.10	.0370	----	----	----	----	2	UNCH					
3495	----	----	----	----	/9.20A	10.10B/9.20A	----	----	----	9.50 - 1.20	.0387	----	----	----	----	5	UNCH					
3500	----	----	----	----	/9.30A	10.30B/9.30A	----	----	----	9.70 - 1.10	.0394	----	----	----	----	94	UNCH					
3510	----	----	----	----	/9.60A	10.60B/9.60A	----	----	----	10.00 - 1.10	.0407	----	----	----	----	2	UNCH					
3520	----	----	----	----	/9.90A	10.90B/9.90A	----	----	----	10.30 - 1.20	.0419	----	----	----	----	1	UNCH					
3530	----	----	----	----	/10.20A	11.30B/10.20A	----	----	----	10.60 - 1.30	.0432	----	----	----	----	18	UNCH					
3540	10.80	10.80	10.80	10.80	10.80/10.50A	11.60B/10.50A	----	----	----	10.90 - NEW	.0444	----	2	----	2 +	2						
3545	----	----	----	----	/10.60A	11.80B/10.60A	----	----	----	11.10 - 1.30	.0452	----	----	----	----	1	UNCH					
3550	11.10	11.10	11.10	11.10	11.10/10.80A	12.00B/10.80A	----	----	----	11.20 - 1.40	.0457	----	1	----	1140	UNCH						
3560	----	----	----	----	/11.10A	12.40B/11.10A	----	----	----	11.60 - 1.40	.0473	----	----	----	----	6	UNCH					
3565	----	----	----	----	/11.30A	12.60B/11.30A	----	----	----	11.80 - 1.40	.0481	----	----	----	----	5	UNCH					
3570	----	----	----	----	/11.50A	12.80B/11.50A	----	----	----	12.00 - 1.50	.0489	----	----	----	----	3	UNCH					
3575	----	----	----	----	/11.60A	13.00B/11.60A	----	----	----	12.20 - 1.50	.0497	----	----	----	----	29	UNCH					
3580	----	----	----	----	/11.80A	13.20B/11.80A	----	----	----	12.40 - 1.50	.0505	----	----	----	----	8	UNCH					
3585	----	----	----	----	/12.00A	13.50B/12.00A	----	----	----	12.60 - 1.50	.0513	----	----	----	----	215	UNCH					
3595	----	----	----	----	/12.40A	13.90B/12.40A	----	----	----	13.00 - 1.60	.0530	----	----	----	----	10	UNCH					
3600	----	----	----	----	/12.60A	14.20B/12.60A	----	----	----	13.20 - 1.60	.0538	----	----	----	----	210	UNCH					
3605	----	----	----	----	/12.80A	14.40B/12.80A	----	----	----	13.40 - 1.70	.0546	----	----	----	----	16	UNCH					
3610	----	----	----	----	/13.00A	14.60B/13.00A	----	----	----	13.60 - 1.70	.0554	----	----	----	----	2	UNCH					
3615	----	----	----	----	/13.20A	14.90B/13.20A	----	----	----	13.80 - 1.80	.0563	----	----	----	----	26	UNCH					
3620	----	----	----	----	/13.40A	15.10B/13.40A	----	----	----	14.00 - 1.80	.0571	----	----	----	----	18	UNCH					
3625	----	----	----	----	/13.60A	15																

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
COMEX GOLD OPTIONS															
OG PUT															
JAN27															
4045	----	----	----	59.70A	71.90B/59.70A	----	----	64.50 - 7.50	.2251	----	----	----	----	6	UNCH
4050	71.00	71.00		73.20B/60.80A	73.20B/60.80A	----	----	65.70 - 7.60	.2285			6	----	88 -	1
4055	----	----	----	61.90A	74.60B/61.90A	----	----	66.90 - 7.70	.2318			----	----	3	UNCH
4060	----	----	----	63.00A	75.90B/63.00A	----	----	68.20 - 7.70	.2353			----	----	5	UNCH
4065	73.60	73.60		73.60/64.20A	77.30B/64.20A			69.40 - 7.90	.2387			15	----	24 +	15
4070	----	----	----	78.70B/65.30A	78.70B/65.30A			70.70 - 7.90	.2422				----	45	UNCH
4075	----	----	----	66.50A	80.00B/66.50A			72.00 - 8.00	.2457				----	26	UNCH
4080	----	----	----	67.70A	81.50B/67.70A			73.30 - 8.20	.2492				----	209	UNCH
4085	----	----	----	83.00B/68.90A	83.00B/68.90A			74.60 - 8.30	.2527				----	7	UNCH
4090	----	----	----	70.20A	84.40B/70.20A			76.00 - 8.40	.2564				----	7	UNCH
4095	----	----	----	85.90B/71.50A	85.90B/71.50A			77.30 - 8.50	.2599				----	7	UNCH
4100	----	----	----	87.50B/72.70A	87.50B/72.70A			78.70 - 8.60	.2636			224	----	537 +	121
4105	----	----	----	89.10B/74.00A	89.10B/74.00A			80.10 - 8.80	.2672				----	27	UNCH
4110	81.70	81.70		90.60B/75.40A	90.60B/75.40A			81.60 - 8.80	.2710			17	----	44 +	17
4115	----	----	----	92.20B/76.70A	92.20B/76.70A			83.00 - 9.00	.2746			----	----	31	UNCH
4120	----	----	----	93.80B/78.10A	93.80B/78.10A			84.50 - 9.10	.2784				----	5	UNCH
4125	87.90	87.90		95.50B/79.50A	95.50B/79.50A			86.00 - 9.20	.2822			1	----	374	UNCH
4130	----	----	----	97.10B/80.90A	97.10B/80.90A			87.60 - 9.20	.2861				----	11 +	1
4135	90.40	90.40		98.90B/82.40A	98.90B/82.40A			89.10 - 9.40	.2899			2	----	45 +	2
4140	----	----	----	100.50B/83.80A	100.50B/83.80A			90.70 - 9.50	.2938			----	----	61	UNCH
4145	----	----	----	102.20B/85.30A	102.20B/85.30A			92.30 - 9.60	.2977				----	43	UNCH
4150	----	----	----	104.00B/86.80A	104.00B/86.80A			93.90 - 9.70	.3016				----	113	UNCH
4155	95.50	95.50		105.80B/88.30A	105.80B/88.30A			95.50 - 9.90	.3055			1	----	6 +	1
4160	99.70	99.70		107.50B/89.80A	107.50B/89.80A			97.20 - 9.90	.3095			1	----	210 +	1
4165	----	----	----	109.40B/91.40A	109.40B/91.40A			98.90 - 10.00	.3135			----	----	20	UNCH
4170	----	----	----	111.30B/92.90A	111.30B/92.90A			100.60 - 10.20	.3175			1	----	3	UNCH
4175	----	----	----	113.20B/94.60A	113.20B/94.60A			102.30 - 10.30	.3215				----	6	UNCH
4180	----	----	----	115.00B/96.20A	115.00B/96.20A			104.10 - 10.40	.3256				----	3	UNCH
4185	----	----	----	116.90B/97.90A	116.90B/97.90A			105.90 - 10.50	.3297				----	35	UNCH
4195	109.90	109.90		120.80B/101.20A	120.80B/101.20A			109.50 - 10.80	.3379			1	----	11	UNCH
4200	----	----	----	122.90B/103.00A	122.90B/103.00A			111.30 - 10.90	.3420				----	219	UNCH
4205	----	----	----	124.90B/104.70A	124.90B/104.70A			113.20 - 11.00	.3462				----	5	UNCH
4210	----	----	----	126.90B/106.50A	126.90B/106.50A			115.10 - 11.10	.3503				----	6	UNCH
4220	----	----	----	131.00B/110.10A	131.00B/110.10A			119.00 - 11.30	.3587				----	1	UNCH
4225	----	----	----	133.20B/112.00A	133.20B/112.00A			121.00 - 11.40	.3630				----	5	UNCH
4230	----	----	----	135.30B/113.80A	135.30B/113.80A			123.00 - 11.50	.3672				----	22	UNCH
4235	----	----	----	137.50B/115.70A	137.50B/115.70A			125.00 - 11.70	.3714				----	72	UNCH
4240	----	----	----	139.60B/117.60A	139.60B/117.60A			127.00 - 11.80	.3757				----	3	UNCH
4245	----	----	----	141.90B/119.60A	141.90B/119.60A			129.10 - 11.90	.3800				----	4	UNCH
4250	139.50	139.50		144.10B/121.60A	144.10B/121.60A			131.20 - 12.00	.3843			15	----	122 -	1
4255	----	----	----	146.30B/123.50A	146.30B/123.50A			133.30 - 12.20	.3886				----	13	UNCH
4260	----	----	----	148.70B/125.60A	148.70B/125.60A			135.40 - 12.30	.3929			2	----	6 +	2
4265	----	----	----	150.90B/127.60A	150.90B/127.60A			137.60 - 12.40	.3972				----	16	UNCH
4270	----	----	----	153.40B/129.70A	153.40B/129.70A			139.80 - 12.50	.4015				----	24	UNCH
4275	----	----	----	155.70B/131.70A	155.70B/131.70A			142.00 - 12.60	.4059				----	86	UNCH
4280	136.50	136.50		158.10B/133.90A	158.10B/133.90A			144.30 - 12.70	.4102			6	----	11 +	4
4285	----	----	----	160.40B/136.00A	160.40B/136.00A			146.50 - 12.90	.4146				----	2	UNCH
4290	----	----	----	163.00B/138.10A	163.00B/138.10A			148.80 - 13.00	.4189				----	2	UNCH
4295	----	----	----	165.20B/140.40A	165.20B/140.40A			151.10 - 13.10	.4233				----	31	UNCH
4300	----	----	----	167.80B/142.50A	167.80B/142.50A			153.50 - 13.10	.4277				----	199	UNCH
4310	----	----	----	172.70B/147.10A	172.70B/147.10A			158.20 - 13.40	.4364				----	50	UNCH
4315	----	----	----	175.50B/149.30A	175.50B/149.30A			160.60 - 13.50	.4408				----	5	UNCH
4320	----	----	----	178.10B/151.60A	178.10B/151.60A			163.10 - 13.60	.4452				----	7	UNCH
4330	161.00	161.00		183.30B/156.20A	183.30B/156.20A			168.00 - 13.80	.4539			7	----	70 +	5
4335	170.70	170.70		185.90B/158.60A	185.90B/158.60A			170.50 - 13.90	.4583			1	----	2 +	1
4340	----	----	----	188.50B/161.00A	188.50B/161.00A			173.10 - 14.00	.4627				----	9	UNCH
4345	177.30	177.30		191.20B/163.40A	191.20B/163.40A			175.60 - 14.10	.4671			1	----	16	UNCH
4350	179.00	179.00		193.90B/165.80A	193.90B/165.80A			178.20 - 14.20	.4715			51	----	123 +	51
4355	----	----	----	196.60B/168.30A	196.60B/168.30A			180.80 - 14.30	.4758			50	----	65 +	45
4360	183.50	183.50		199.30B/170.80A	199.30B/170.80A			183.40 - 14.50	.4802			2	----	5 +	2
4365	188.00	188.00		202.00B/173.30A	202.00B/173.30A			186.10 - 14.50	.4846			20	----	22 +	5
4370	----	----	----	204.90B/175.90A	204.90B/175.90A			188.80 - 14.60	.4889				----	34	UNCH
4375	----	----	----	207.80B/178.40A	207.80B/178.40A			191.50 - 14.70	.4933			50	----	201 +	36
4380	198.20	198.20		210.60B/181.00A	210.60B/181.00A			194.20 - 14.80	.4976			7	----	27 +	5
4385	----	----	----	213.50B/183.70A	213.50B/183.70A			196.90 - 15.00	.5019				----	63	UNCH
4390	----	----	----	216.30B/186.40A	216.30B/186.40A			199.70 - 15.10	.5063				----	11	UNCH
4395	----	----	----	219.20B/188.80A	219.20B/188.80A			202.50 - 15.10	.5106				----	4	UNCH
4400	205.00	205.00		222.20B/191.60A	222.20B/191.60A			205.30 - 15.30	.5149			7	----	415 +	3
4405	203.90	203.90		225.10B/194.40A	225.10B/194.40A			208.20 - 15.30	.5191			5	----	7 +	5
4410	----	----	----	228.10B/197.10A	228.10B/197.10A			211.00 - 15.50	.5234				----	8	UNCH
4420	----	----	----	234.10B/202.60A	234.10B/202.60A			216.80 - 15.60	.5320				----	6	UNCH
4425	----	----	----	237.20B/205.40A	237.20B/205.40A			219.80 - 15.70	.5362				----	115	UNCH
4430	----	----	----	240.30B/208.20A	240.30B/208.20A			222.70 - 15.80	.5404				----	8	UNCH
4435	----	----	----	243.30B/211.10A	243.30B/211.10A			225.70 - 15.90	.5446				----	2	UNCH
4440	----	----	----	246.50B/213.90A	246.50B/213.90A			228.70 - 16.00	.5488				----	5	UNCH
4445	----	----	----	249.70B/216.70A	249.70B/216.70A			231.70 - 16.10	.5530				----	11	UNCH
4450	----	----	----	252.80B/219.70A	252.80B/219.70A			234.80 - 16.10	.5572			14	----	409 +	10
4455	----	----	----	255.90B/222.50A	255.90B/222.50A			237.80 - 16.30	.5613				----	14	UNCH
4460	----	----	----	258.90B/225.50A	258.90B/225.50A			240.90 - 16.30	.5655				----	7	UNCH
4465	----	----	----	262.10B/228.50A	262.10B/228.50A			244.00 - 16.40	.5695				----	8	UNCH
4470	----	----	----	265.40B/231.50A	265.40B/231.50A			247.20 - 16.40	.5736				----	3	UNCH
4475	----	----	----	268.60B/234.60A	268.60B/234.60A			250.30 - 16.60	.5777				----	91	UNCH
4480	----	----	----	271.20B/237.50A	271.20B/237.50A			253.50 - 16.60	.5818				----	112	UNCH
4485	----	----	----	274.50B/240.50A	274.50B/240.50A			256.70 - 16.70	.5858				----	11	UNCH
4490	----	----	----	277.90B/243.70A	277.90B/243.70A			259.90 - 16.80	.5898				----	20	UNCH
4495	----	----	----	281.20B/246.80A	281.20B/246.80A			263.10 - 16.90	.5939				----	13	UNCH
4500	263.00	263.00		284.70B/249.90A	284.70B/249.90A			266.40 - 16.90	.5978			1	----	290 -	1
4505	----	----	----	288.00B/253.00A	288.00B/253.00A			269.70 - 17.00	.6018				----	28	UNCH
4510	----	----	----	291.40B/256.20A	291.40B/256.20A			273.00 - 17.10	.6057				----	9	UNCH
4515	----	----	----	294.80B/259.40A	294.80B/259.40A.										

BULLETIN #185@				METALS OPTION PRODUCTS										Fri, Sep 25, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST			
OG PUT	COMEX GOLD OPTIONS																		
JAN27	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----			
5150	----	----	----	----/801.20A	809.40B/801.20A	----	----	----	809.10 - 22.40	.9072	----	----	----	----	----	2	UNCH		
5235	----	----	----	----/882.10A	890.20B/882.10A	----	----	----	889.90 - 22.70	.9232	----	----	----	----	----	2	UNCH		
5245	----	----	----	----/891.70A	899.20B/891.70A	----	----	----	899.50 - 22.70	.9249	----	----	----	----	----	2	UNCH		
5300	----	----	----	----/944.60A	952.30B/944.60A	----	----	----	952.40 - 22.90	.9332	----	----	----	----	----	45	UNCH		
5950	----	----	----	----	----	----	----	----	1592.90 - 23.50	.9778	----	----	----	----	----	1	UNCH		
6000	----	----	----	----	----	----	----	----	1642.70 - 23.50	.9794	----	----	----	----	----	6	UNCH		
6500	----	----	----	----	----	----	----	----	2142.40 - 23.60	.9893	----	----	----	----	----	0	UNCH		
TOTAL														943	13532 +	556			
FEB27	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----		
2700	----	----	----	----/2.40A	2.30B/2.40A	----	----	----	2.30 - 0.20	.0071	----	----	----	1	----	9 +	1		
2775	----	----	----	----/2.80A	2.60B/2.80A	----	----	----	2.70 - 0.20	.0085	----	----	----	----	----	1	UNCH		
2800	3.10	3.10	3.10	3.10/2.70	3.10/2.70	----	----	----	2.80 - 0.20	.0089	----	----	----	5	----	42	UNCH		
2900	3.30	3.30	3.30	3.40/3.30	3.40/3.30	----	----	----	3.50 - 0.20	.0114	----	----	----	4	----	15 +	4		
2950	----	----	----	----/4.00A	3.80B/4.00A	----	----	----	3.80 - 0.30	.0126	----	----	----	----	----	1	UNCH		
2960	----	----	----	----/4.00A	3.90B/4.00A	----	----	----	3.90 - 0.30	.0129	----	----	----	----	----	1	UNCH		
2980	----	----	----	----/4.20A	4.10B/4.20A	----	----	----	4.10 - 0.30	.0136	----	----	----	----	----	60	UNCH		
3000	4.00	4.00	4.00	4.20B/4.00	4.20B/4.00	----	----	----	4.30 - 0.30	.0143	----	----	----	2	----	228 +	1		
3005	----	----	----	----/4.40A	4.30B/4.40A	----	----	----	4.30 - 0.40	.0144	----	----	----	----	----	15	UNCH		
3050	----	----	----	----/4.80A	4.80B/4.80A	----	----	----	4.80 - 0.30	.0162	----	----	----	----	----	5	UNCH		
3100	5.40	5.40	5.40	5.40/5.40	5.40/5.40	----	----	----	5.30 - 0.40	.0181	----	----	1	----	----	9 +	1		
3110	----	----	----	----/5.50A	5.50B/5.50A	----	----	----	5.40 - 0.50	.0185	----	----	----	----	----	4	UNCH		
3160	----	----	----	----/6.10A	6.20B/6.10A	----	----	----	6.10 - 0.50	.0210	----	----	----	----	----	2	UNCH		
3200	----	----	----	----/6.70A	6.80B/6.70A	----	----	----	6.70 - 0.60	.0233	----	----	----	----	----	211	UNCH		
3225	----	----	----	----/7.10A	7.30B/7.10A	----	----	----	7.10 - 0.60	.0248	----	----	----	----	----	19	UNCH		
3235	----	----	----	----/7.20A	7.50B/7.20A	----	----	----	7.30 - 0.60	.0255	----	----	----	----	----	6	UNCH		
3250	----	----	----	----/7.50A	7.80B/7.50A	----	----	----	7.60 - 0.60	.0266	----	----	----	----	----	200	UNCH		
3300	8.70	8.70	8.70	8.90B/8.40A	8.90B/8.40A	----	----	----	8.60 - 0.80	.0303	----	----	2	----	----	18 +	2		
3350	----	----	----	----/9.50A	10.20B/9.50A	----	----	----	9.80 - 0.90	.0347	----	----	----	----	----	147	UNCH		
3400	----	----	----	----/10.90A	11.70B/10.90A	----	----	----	11.20 - 1.10	.0398	----	----	1	----	----	15 +	1		
3425	----	----	----	----/11.60A	12.60B/11.60A	----	----	----	12.00 - 1.20	.0427	----	----	----	----	----	42	UNCH		
3430	----	----	----	----/11.80A	12.80B/11.80A	----	----	----	12.20 - 1.20	.0433	----	----	----	----	----	20	UNCH		
3440	----	----	----	----/12.10A	13.10B/12.10A	----	----	----	12.50 - 1.30	.0445	----	----	----	----	----	5	UNCH		
3445	----	----	----	----/12.20A	13.30B/12.20A	----	----	----	12.70 - 1.30	.0451	----	----	----	----	----	1	UNCH		
3450	----	----	----	----/12.40A	13.50B/12.40A	----	----	----	12.90 - 1.30	.0458	----	----	----	----	----	54	UNCH		
3475	----	----	----	----/13.30A	14.60B/13.30A	----	----	----	13.80 - 1.40	.0491	----	----	----	----	----	250	UNCH		
3490	----	----	----	----/13.90A	15.20B/13.90A	----	----	----	14.40 - 1.50	.0512	----	----	----	----	----	20	UNCH		
3500	----	----	----	----/14.30A	15.70B/14.30A	----	----	----	14.90 - 1.50	.0529	----	----	----	----	----	214	UNCH		
3515	----	----	----	----/14.90A	16.40B/14.90A	----	----	----	15.50 - 1.60	.0551	----	----	----	----	----	3	UNCH		
3520	----	----	----	----/15.10A	16.70B/15.10A	----	----	----	15.80 - 1.60	.0560	----	----	----	----	----	22	UNCH		
3525	----	----	----	----/15.30A	16.90B/15.30A	----	----	----	16.00 - 1.60	.0568	----	----	----	----	----	6	UNCH		
3540	----	----	----	----/16.00A	17.70B/16.00A	----	----	----	16.70 - 1.80	.0592	----	----	----	----	----	20	UNCH		
3555	----	----	----	----/16.70A	18.60B/16.70A	----	----	----	17.50 - 1.80	.0619	----	----	----	----	----	8	UNCH		
3575	----	----	----	----/17.70A	19.80B/17.70A	----	----	----	18.60 - 1.90	.0657	----	----	----	----	----	205	UNCH		
3585	----	----	----	----/18.20A	20.40B/18.20A	----	----	----	19.10 - 2.10	.0675	----	----	----	----	----	1	UNCH		
3590	----	----	----	----/18.50A	20.70B/18.50A	----	----	----	19.40 - 2.10	.0685	----	----	----	----	----	19	UNCH		
3600	20.50	20.50	20.50	20.50/19.10A	21.40B/19.10A	----	----	----	20.10 - 2.10	.0708	----	----	1	----	----	1106	UNCH		
3610	----	----	----	----/19.70A	22.10B/19.70A	----	----	----	20.70 - 2.20	.0728	----	----	----	----	----	2	UNCH		
3625	----	----	----	----/20.60A	23.20B/20.60A	----	----	----	21.70 - 2.30	.0761	----	----	----	----	----	1	UNCH		
3650	----	----	----	----/22.20A	25.20B/22.20A	----	----	----	23.40 - 2.50	.0818	----	----	----	----	----	301	UNCH		
3660	----	----	----	----/22.90A	26.00B/22.90A	----	----	----	24.20 - 2.60	.0844	----	----	----	----	----	2	UNCH		
3680	----	----	----	----/24.40A	27.80B/24.40A	----	----	----	25.80 - 2.70	.0896	----	----	----	----	----	16	UNCH		
3695	----	----	----	----/25.60A	29.20B/25.60A	----	----	----	27.00 - 2.90	.0935	----	----	----	----	----	8	UNCH		
3700	----	----	----	----/26.00A	29.60B/26.00A	----	----	----	27.50 - 2.90	.0950	----	----	25	----	----	1040 -	23		
3725	----	----	----	----/28.10A	32.20B/28.10A	----	----	----	29.80 - 3.10	.1023	----	----	----	----	----	2	UNCH		
3745	----	----	----	----/30.00A	34.50B/30.00A	----	----	----	31.80 - 3.30	.1085	----	----	----	----	----	15	UNCH		
3750	----	----	----	----/30.40A	35.00B/30.40A	----	----	----	32.30 - 3.40	.1101	----	----	----	----	----	47	UNCH		
3780	----	----	----	----/33.50A	38.70B/33.50A	----	----	----	35.60 - 3.70	.1202	----	----	----	----	----	1	UNCH		
3790	35.10	35.10	35.10	35.10/34.60A	40.00B/34.60A	----	----	----	36.80 - 3.80	.1238	----	----	5	----	6 +	5			
3795	----	----	----	----/35.20A	40.70B/35.20A	----	----	----	37.40 - 3.90	.1256	----	----	----	----	----	5	UNCH		
3800	40.90	40.90	40.90	41.40B/35.80A	41.40B/35.80A	----	----	----	38.00 - 4.00	.1274	----	----	7	----	----	144	UNCH		
3805	----	----	----	----/36.40A	41.90B/36.40A	----	----	----	38.60 - 4.10	.1292	----	----	----	----	----	10	UNCH		
3815	----	----	----	----/37.60A	43.50B/37.60A	----	----	----	39.90 - 4.20	.1330	----	----	----	----	----	10	UNCH		
3820	----	----	----	----/38.20A	44.20B/38.20A	----	----	----	40.60 - 4.20	.1350	----	----	----	----	----	3	UNCH		
3825	----	----	----	----/38.80A	45.00B/38.80A	----	----	----	41.30 - 4.20	.1371	----	----	----	----	----	500	UNCH		
3835	----	----	----	----/40.10A	46.50B/40.10A	----	----	----	42.60 - 4.40	.1409	----	----	----	----	----	3	UNCH		
3845	43.80	43.80	43.80	43.80/41.40A	48.00B/41.40A	----	----	----	44.10 - NEW	.1452	----	----	6	----	6 +	6			
3850	----	----	----	----/42.10A	48.90B/42.10A	----	----	----	44.80 - 4.60	.1472	----	----	----	----	----	1341	UNCH		
3860	----	----	----	----/43.50A	50.60B/43.50A	----	----	----	46.30 - 4.70	.1515	----	----	----	----	----	10	UNCH		
3865	----	----	----	----/44.20A	51.30B/44.20A	----	----	----	47.10 - 4.70	.1537	----	----	----	----	----	12	UNCH		
3875	----	----	----	----/45.70A	53.20B/45.70A	----	----	----	48.60 - 5.00	.1580	----	----	----	----	----	12	UNCH		
3880	48.80	48.80	48.80	48															

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS													
FEB27															
4290	----	----	----	187.20B/163.40A	187.20B/163.40A	----	----	174.30 - 12.70	.4231	----	----	----	----	4	UNCH
4300	177.20	177.20		192.10B/167.90A	192.10B/167.90A	----	----	179.00 - 12.90	.4307	----	----	81		288 +	72
4315	----	----	----	199.80B/174.90A	199.80B/174.90A	----	----	186.30 - 13.20	.4422	----	----			113	UNCH
4320	----	----	----	202.20B/177.40A	202.20B/177.40A	----	----	188.80 - 13.20	.4461	----	----			50	UNCH
4325	----	----	----	204.90B/179.70A	204.90B/179.70A	----	----	191.30 - 13.30	.4499	----	----			19	UNCH
4330	----	----	----	207.50B/182.10A	207.50B/182.10A	----	----	193.80 - 13.40	.4537	----	----			6	UNCH
4335	----	----	----	210.10B/184.50A	210.10B/184.50A	----	----	196.30 - 13.60	.4575	----	----			136	UNCH
4340	204.90	204.90		212.70B/187.00A	212.70B/187.00A	----	----	198.90 - 13.60	.4614	----	----	2		23 +	2
4345	194.90	194.90		215.50B/189.20A	215.50B/189.20A	----	----	201.40 - 13.80	.4652	----	----	4		31	UNCH
4350	----	----	----	218.10B/191.70A	218.10B/191.70A	----	----	204.00 - 13.90	.4690	----	----			28	UNCH
4355	----	----	----	221.00B/194.30A	221.00B/194.30A	----	----	206.70 - 13.90	.4728	----	----			5	UNCH
4360	----	----	----	223.50B/196.90A	223.50B/196.90A	----	----	209.30 - 14.00	.4767	----	----			18	UNCH
4365	218.40	218.40		226.40B/199.40A	226.40B/199.40A	----	----	212.00 NEW	.4805	----	----	50		50 +	50
4370	----	----	----	229.10B/201.70A	229.10B/201.70A	----	----	214.60 - 14.20	.4843	----	----			37	UNCH
4375	----	----	----	231.90B/204.50A	231.90B/204.50A	----	----	217.30 - 14.30	.4881	----	----			25	UNCH
4380	229.50	229.50		234.70B/207.10A	234.70B/207.10A	----	----	220.10 - 14.30	.4919	----	----	12		20 +	12
4385	----	----	----	237.60B/209.80A	237.60B/209.80A	----	----	222.80 - 14.50	.4956	----	----			207	UNCH
4390	----	----	----	240.50B/212.30A	240.50B/212.30A	----	----	225.60 - 14.50	.4994	----	----			60	UNCH
4395	231.60	231.60		243.30B/214.90A	243.30B/214.90A	----	----	228.30 - 14.70	.5032	----	----	6		7 +	5
4400	230.40	230.40		246.40B/218.00A	246.40B/218.00A	----	----	231.20 - 14.70	.5070	----	----	12		576 +	12
4405	----	----	----	249.10B/220.30A	249.10B/220.30A	----	----	234.00 - 14.80	.5107	----	----	6		24 +	6
4410	----	----	----	252.20B/223.20A	252.20B/223.20A	----	----	236.80 - 14.90	.5144	----	----			18	UNCH
4425	----	----	----	261.10B/231.40A	261.10B/231.40A	----	----	245.50 - 15.10	.5256	----	----			10	UNCH
4430	----	----	----	264.30B/234.30A	264.30B/234.30A	----	----	248.40 - 15.30	.5293	----	----			255	UNCH
4435	----	----	----	267.20B/237.00A	267.20B/237.00A	----	----	251.30 - 15.40	.5330	----	----			5	UNCH
4440	----	----	----	270.30B/239.90A	270.30B/239.90A	----	----	254.30 - 15.40	.5367	----	----			6	UNCH
4445	----	----	----	273.40B/242.70A	273.40B/242.70A	----	----	257.30 - 15.50	.5404	----	----			11	UNCH
4450	----	----	----	276.60B/245.50A	276.60B/245.50A	----	----	260.30 - 15.60	.5440	----	----			193	UNCH
4455	----	----	----	279.60B/248.60A	279.60B/248.60A	----	----	263.30 - 15.70	.5477	----	----			9	UNCH
4460	----	----	----	282.80B/251.50A	282.80B/251.50A	----	----	266.30 - 15.80	.5513	----	----			74	UNCH
4465	----	----	----	286.00B/254.40A	286.00B/254.40A	----	----	269.40 - 15.80	.5549	----	----			13	UNCH
4470	----	----	----	289.20B/257.40A	289.20B/257.40A	----	----	272.50 - 15.90	.5585	----	----			6	UNCH
4475	----	----	----	292.40B/260.50A	292.40B/260.50A	----	----	275.60 - 16.00	.5621	----	----			25	UNCH
4480	----	----	----	295.60B/263.30A	295.60B/263.30A	----	----	278.70 - 16.10	.5657	----	----			8	UNCH
4490	----	----	----	302.10B/269.40A	302.10B/269.40A	----	----	285.00 - 16.20	.5728	----	----			24	UNCH
4495	----	----	----	305.30B/272.90A	305.30B/272.90A	----	----	288.20 - 16.30	.5764	----	----			29	UNCH
4500	----	----	----	308.60B/275.30A	308.60B/275.30A	----	----	291.40 - 16.30	.5799	----	----			126	UNCH
4505	----	----	----	312.00B/279.20A	312.00B/279.20A	----	----	294.60 - 16.40	.5834	----	----			15	UNCH
4510	----	----	----	315.30B/282.20A	315.30B/282.20A	----	----	297.80 - 16.50	.5869	----	----			5	UNCH
4515	----	----	----	318.60B/285.40A	318.60B/285.40A	----	----	301.00 - 16.60	.5904	----	----			20	UNCH
4520	----	----	----	322.00B/288.40A	322.00B/288.40A	----	----	304.30 - 16.70	.5938	----	----			50	UNCH
4550	----	----	----	342.30B/307.30A	342.30B/307.30A	----	----	324.20 - 17.20	.6143	----	----			109	UNCH
4555	----	----	----	345.30B/311.10A	345.30B/311.10A	----	----	327.60 - 17.20	.6176	----	----			1	UNCH
4570	----	----	----	356.20B/322.10A	356.20B/322.10A	----	----	337.90 - 17.40	.6275	----	----			19	UNCH
4575	----	----	----	360.00B/325.50A	360.00B/325.50A	----	----	341.30 - 17.50	.6308	----	----			32	UNCH
4580	----	----	----	363.50B/328.80A	363.50B/328.80A	----	----	344.80 - 17.50	.6341	----	----			3	UNCH
4585	----	----	----	366.90B/332.20A	366.90B/332.20A	----	----	348.30 - 17.60	.6373	----	----			18	UNCH
4600	----	----	----	377.70B/342.60A	377.70B/342.60A	----	----	358.90 - 17.70	.6468	----	----	5		165 +	4
4615	----	----	----	388.50B/353.10A	388.50B/353.10A	----	----	369.60 - 17.90	.6563	----	----			1	UNCH
4625	----	----	----	396.00B/360.50A	396.00B/360.50A	----	----	376.80 - 18.00	.6625	----	----			3	UNCH
4630	----	----	----	399.70B/363.50A	399.70B/363.50A	----	----	380.40 - 18.10	.6655	----	----			7	UNCH
4635	----	----	----	403.40B/369.40A	403.40B/369.40A	----	----	384.10 - 18.10	.6686	----	----			2	UNCH
4640	----	----	----	407.20B/371.20A	407.20B/371.20A	----	----	387.70 - 18.30	.6716	----	----			3	UNCH
4650	----	----	----	414.70B/380.20A	414.70B/380.20A	----	----	395.10 - 18.30	.6776	----	----			1	UNCH
4655	----	----	----	418.50B/383.80A	418.50B/383.80A	----	----	398.80 - 18.40	.6806	----	----			1	UNCH
4660	----	----	----	422.70B/385.70A	422.70B/385.70A	----	----	402.50 - 18.50	.6835	----	----			436	UNCH
4665	----	----	----	426.30B/390.40A	426.30B/390.40A	----	----	406.20 - 18.60	.6864	----	----			3	UNCH
4680	----	----	----	437.80B/401.50A	437.80B/401.50A	----	----	417.50 - 18.70	.6951	----	----			3	UNCH
4690	----	----	----	445.30B/409.70A	445.30B/409.70A	----	----	425.10 - 18.80	.7007	----	----			1	UNCH
4695	----	----	----	449.40B/412.70A	449.40B/412.70A	----	----	428.90 - 18.90	.7036	----	----			25	UNCH
4700	----	----	----	453.40B/416.60A	453.40B/416.60A	----	----	432.80 - 18.80	.7063	----	----			133	UNCH
4705	----	----	----	457.30B/420.40A	457.30B/420.40A	----	----	436.60 - 18.90	.7091	----	----			3	UNCH
4710	----	----	----	461.30B/424.10A	461.30B/424.10A	----	----	440.50 - 18.90	.7118	----	----			3	UNCH
4725	----	----	----	473.10B/436.20A	473.10B/436.20A	----	----	452.10 - 19.10	.7199	----	----			10	UNCH
4730	----	----	----	477.10B/440.00A	477.10B/440.00A	----	----	456.00 - 19.20	.7225	----	----			16	UNCH
4750	----	----	----	493.10B/454.40A	493.10B/454.40A	----	----	471.80 - 19.30	.7330	----	----			31	UNCH
4755	----	----	----	497.20B/458.30A	497.20B/458.30A	----	----	475.80 - 19.40	.7355	----	----			1	UNCH
4775	----	----	----	513.40B/474.10A	513.40B/474.10A	----	----	491.80 - 19.50	.7455	----	----			1	UNCH
478560</															

BULLETIN #185@				METALS OPTION PRODUCTS										Fri, Sep 25, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS															
MAR27	54.30	54.30		54.30/51.50A	57.80B/51.50A	----			54.00 - 4.80	.1552	----	----	1	----	49 +	
3850	----	----	----	---/52.10A	58.40B/52.10A	----			54.80 - 4.80	.1572	----	----	----	----	3	
3855	----	----	----	---/52.90A	59.30B/52.90A	----			55.60 - 4.90	.1591	----	----	----	----	3	
3860	----	----	----	---/53.80A	60.40B/53.80A	----			56.50 - 4.90	.1613	----	----	----	----	27	
3865	----	----	----	---/54.50A	61.30B/54.50A	----			57.30 - 5.00	.1633	----	----	----	----	3	
3870	----	----	----	---/55.40A	62.20B/55.40A	----			58.20 - 5.10	.1654	----	----	----	----	12	
3875	----	----	----	---/57.00A	64.10B/57.00A	----			59.90 - 5.20	.1696	----	----	----	----	1	
3885	----	----	----	---/57.90A	65.10B/57.90A	----			60.80 - 5.30	.1717	----	----	----	----	1	
3890	----	----	----	---/59.60A	67.10B/59.60A	----			62.60 - 5.50	.1760	----	----	8	----	420 +	
3900	----	----	----	---/65.80A	74.30B/65.80A	----			69.50 - 5.90	.1920	----	----	----	----	213	
3935	----	----	----	---/67.70A	76.40B/67.70A	----			71.50 - 6.10	.1966	----	----	----	----	25	
3945	----	----	----	---/68.70A	77.60B/68.70A	----			72.60 - 6.10	.1990	----	----	----	----	5	
3950	----	----	----	---/74.00A	83.50B/74.00A	----			78.10 - 6.50	.2113	----	----	----	----	1	
3975	----	----	----	---/79.30A	89.90B/79.30A	----			84.00 - 6.80	.2241	----	----	----	----	90	
4000	----	----	----	---/84.00A	95.20B/84.00A	----			88.90 - 7.20	.2346	----	----	----	----	40	
4020	----	----	----	---/91.30A	103.70B/91.30A	----			96.90 - 7.60	.2511	----	----	----	----	40	
4050	----	----	----	---/96.70A	109.50B/96.70A	----			102.50 - 8.00	.2624	----	----	----	----	1	
4070	----	----	----	---/97.90A	111.20B/97.90A	----			103.90 - 8.10	.2652	----	----	----	----	249	
4075	----	----	----	---/105.30A	119.20B/105.30A	----			111.40 - 8.50	.2798	----	----	----	----	340	
4100	----	----	----	---/114.20A	129.30B/114.20A	----			121.00 - 9.00	.2979	----	----	----	----	390	
4130	----	----	----	---/117.20A	132.70B/117.20A	----			124.30 - 9.20	.3040	----	----	----	----	2	
4140	----	----	----	---/118.70A	134.50B/118.70A	----			126.00 - 9.30	.3071	----	----	----	----	1	
4145	----	----	----	---/120.40A	136.40B/120.40A	----			127.70 - 9.40	.3102	----	----	----	----	11	
4150	----	----	----	---/122.30A	138.20B/122.30A	----			129.40 - 9.60	.3133	----	----	----	----	20	
4155	----	----	----	---/123.80A	140.20B/123.80A	----			131.20 - 9.60	.3165	----	----	----	----	1	
4160	----	----	----	---/127.10A	143.80B/127.10A	----			134.70 - 9.80	.3228	----	----	----	----	1	
4170	----	----	----	---/128.90A	145.80B/128.90A	----			136.50 - 9.90	.3259	----	----	----	----	4	
4175	140.20	140.20		155.60B/137.70A	155.60B/137.70A	----			145.80 - 10.40	.3420	----	----	1	----	577	
4200	----	----	----	---/139.40A	157.60B/139.40A	----			147.70 - 10.50	.3452	----	----	----	----	4	
4205	----	----	----	---/143.40A	161.80B/143.40A	----			151.60 - 10.70	.3517	----	----	----	----	50	
4215	----	----	----	---/150.90A	170.20B/150.90A	----			159.60 - 11.10	.3649	----	----	----	----	27	
4235	----	----	----	---/156.80A	176.80B/156.80A	----			165.80 - 11.40	.3748	----	----	----	----	18	
4250	----	----	----	---/160.80A	181.10B/160.80A	----			170.00 - 11.60	.3815	----	----	----	----	3	
4260	----	----	----	---/163.00A	183.40B/163.00A	----			172.20 - 11.70	.3848	----	----	----	----	1	
4265	----	----	----	---/165.00A	185.80B/165.00A	----			174.40 - 11.70	.3882	----	----	----	----	35	
4270	----	----	----	---/171.40A	192.60B/171.40A	----			181.00 - 12.00	.3982	----	----	----	----	100	
4285	----	----	----	---/177.90A	199.90B/177.90A	----			187.80 - 12.30	.4084	----	----	----	----	202	
4300	----	----	----	---/186.50A	209.40B/186.50A	----			197.10 - 12.70	.4219	----	----	----	----	2	
4320	----	----	----	---/188.80A	212.00B/188.80A	----			199.50 - 12.70	.4253	----	----	----	----	20	
4325	204.30	204.30		224.90B/200.30A	224.90B/200.30A	----			211.60 - 13.20	.4423	----	----	1	----	41 +	
4350	----	----	----	---/210.20A	235.20B/210.20A	----			221.70 - 13.50	.4559	----	----	----	----	270	
4370	229.90	229.90		237.80B/212.80A	237.80B/212.80A	----			224.20 - 13.70	.4593	----	----	1	----	1	
4375	233.00	233.00		234.50/222.70A	248.20B/222.70A	----			234.70 - 14.00	.4729	----	----	3	----	4 +	
4395	----	----	----	---/225.10A	251.40B/225.10A	----			237.30 - 14.10	.4763	----	----	----	----	27	
4400	----	----	----	---/235.40A	262.10B/235.40A	----			248.10 - 14.40	.4897	----	----	----	----	10	
4420	----	----	----	---/238.00A	264.80B/238.00A	----			250.90 - 14.40	.4931	----	----	----	----	4	
4425	----	----	----	---/246.20A	273.90B/246.20A	----			259.30 - NEW	.5031	----	----	----	52	52 +	
4440	----	----	----	---280.10B/251.60A	280.10B/251.60A	----			265.00 - 14.70	.5098	----	----	----	----	65	
4450	----	----	----	---/257.30A	285.30B/257.30A	----			270.70 - 14.90	.5164	----	----	----	----	1	
4460	----	----	----	---/259.80A	288.10B/259.80A	----			273.60 - 15.00	.5197	----	----	----	----	7	
4470	----	----	----	---/262.90A	291.10B/262.90A	----			276.50 - 15.10	.5230	----	----	----	----	4	
4475	----	----	----	---/265.70A	294.40B/265.70A	----			279.40 - 15.30	.5263	----	----	----	----	25	
4480	----	----	----	---/268.40A	297.70B/268.40A	----			282.40 - 15.30	.5295	----	----	----	----	37	
4490	----	----	----	---/274.40A	303.30B/274.40A	----			288.30 - 15.60	.5361	----	----	----	----	30	
4500	285.00	285.00		309.30B/279.90A	309.30B/279.90A	----			294.30 - 15.80	.5426	----	----	1	----	105 -	
4510	----	----	----	---/286.10A	315.80B/286.10A	----			300.40 - 16.00	.5490	----	----	----	----	10	
4515	----	----	----	---/291.20A	319.10B/291.20A	----			303.40 - 16.10	.5522	----	----	----	----	1	
4520	----	----	----	---/292.00A	322.20B/292.00A	----			306.50 - 16.20	.5554	----	----	----	----	1	
4525	----	----	----	---/297.10A	325.70B/297.10A	----			309.60 - 16.30	.5586	----	----	----	----	10	
4540	----	----	----	---/303.80A	335.10B/303.80A	----			319.00 - 16.50	.5681	----	----	----	----	4	
4585	----	----	----	---/332.20A	364.90B/332.20A	----			348.20 - 17.00	.5959	----	----	----	----	1	
4600	----	----	----	---/341.70A	375.00B/341.70A	----			358.20 - 17.20	.6049	----	----	----	----	26	
4610	----	----	----	---/353.50A	382.20B/353.50A	----			365.00 - 17.20	.6108	----	----	----	----	300	
4650	----	----	----	---/380.40A	409.60B/380.40A	----			392.60 - 17.60	.6340	----	----	----	----	1	
4660	----	----	----	---/387.30A	417.00B/387.30A	----			399.70 - 17.60	.6397	----	----	----	----	24	
4680	----	----	----	---/398.50A	431.60B/398.50A	----			413.90 - 17.90	.6508	----	----	----	----	1	
4700	----	----	----	---/416.10A	446.40B/416.10A	----			428.40 - 18.00	.6617	----	----	----	----	303	
4710	----	----	----	---/423.10A	453.70B/423.10A	----			435.70 - 18.10	.6671	----	----	----	----	2	
4750	----	----	----	---484.20B/452.10A	484.20B/452.10A	----			465.40 - 18.60	.6879	----	----	----	----	15	
4810	----	----	----	---531.30B/497.30A	531.30B/497.30A	----			511.50 - 19.10	.7172	----	----	----	----	21	
4850	----	----	----	---563.50B/528.40A	563.50B/528.40A	----			543.10 - 19.50	.7354	----	----	----	----	2	
4900	----	----	----	---604.60B/568.10A	604.60B/568.10A	----			583.50 - 19.90	.7569	----	----	----	----	12	
4905	----	----	----	---608.70B/572.20A	608.70B/572.20A	----			587.60 - 19.90	.7589	----	----	----	----	2	
5000	----	----	----	---688.10B/650.70A	688.10B/650.70A	----			667.30 - 20.40	.7949	----	----	----	----	75	
TOTAL													17	182	8397 +	
APR27				---/8.20A	7.80B/8.20A	----			8.20 - 0.30	.0227	----	----	----	----	103	
3000	----	----	----	---/10.10A	9.60B/10.10A	----			10.10 - 0.50	.0283	----	----	----	----	1	
3100	----	----	----	---/12.40A	12.20B/12.40A	----			12.50 - 0.90	.0354	----	----	----	----	126	
3200	----	----	----	---/13.10A	13.10B/13.10A	----			13.20 - 1.00	.0375	----	----	----	----	65	
3225	----	----	----	---/15.60A	15.70B/15.60A	----			15.80 -							

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS													
APR27															
4125	----	----	----	/133.40A	148.80B/133.40A	----	----	140.20 - 9.30	.3073	----	----	----	----	353	UNCH
4145	----	----	----	/140.10A	156.00B/140.10A	----	----	147.30 - 9.50	.3187	----	----	----	----	1	UNCH
4150	----	----	----	/141.80A	158.20B/141.80A	----	----	149.10 - 9.60	.3216	----	----	----	----	139	UNCH
4160	----	----	----	/145.30A	161.90B/145.30A	----	----	152.80 - 9.70	.3274	----	----	----	----	30	UNCH
4165	----	----	----	/147.10A	163.70B/147.10A	----	----	154.60 NEW	.3302	----	----	4	----	4	+
4200	----	----	----	/159.70A	178.00B/159.70A	----	----	168.00 - 10.50	.3508	----	----	----	----	137	UNCH
4210	----	----	----	/163.70A	181.90B/163.70A	----	----	172.00 - 10.60	.3567	----	----	----	----	6	UNCH
4230	----	----	----	/171.50A	190.70B/171.50A	----	----	180.20 - 11.00	.3687	----	----	----	----	105	UNCH
4250	----	----	----	/179.50A	199.70B/179.50A	----	----	188.70 - 11.30	.3808	----	----	----	----	120	UNCH
4275	----	----	----	/190.00A	211.10B/190.00A	----	----	199.60 - 11.80	.3960	----	----	----	----	20	UNCH
4285	----	----	----	/194.40A	215.60B/194.40A	----	----	204.10 - 12.00	.4021	----	----	----	----	50	UNCH
4290	----	----	----	/196.70A	217.80B/196.70A	----	----	206.40 - 12.10	.4051	----	----	----	----	1	UNCH
4300	----	----	----	/200.80A	223.10B/200.80A	----	----	211.00 - 12.20	.4113	----	----	----	----	256	UNCH
4330	----	----	----	/214.80A	237.80B/214.80A	----	----	225.30 - 12.70	.4297	----	----	----	----	5	UNCH
4345	----	----	----	/221.70A	245.30B/221.70A	----	----	232.60 - 13.00	.4390	----	----	----	----	6	UNCH
4350	----	----	----	/224.00A	248.10B/224.00A	----	----	235.10 - 13.00	.4421	----	----	----	----	83	UNCH
4365	----	----	----	/231.40A	255.90B/231.40A	----	----	242.70 - 13.20	.4513	----	----	----	----	1	UNCH
4370	----	----	----	/234.10A	258.50B/234.10A	----	----	245.20 - 13.40	.4544	----	----	----	----	1	UNCH
4375	----	----	----	/236.80A	261.10B/236.80A	----	----	247.80 - 13.40	.4575	----	----	----	----	8	UNCH
4385	----	----	----	/241.40A	266.40B/241.40A	----	----	253.00 - 13.60	.4637	----	----	----	----	3	UNCH
4395	----	----	----	/246.70A	271.20B/246.70A	----	----	258.20 - 13.80	.4698	----	----	----	----	2	UNCH
4400	259.50	259.50	259.50	260.00/249.00A	274.10B/249.00A	----	----	260.90 - 13.90	.4729	----	----	2	----	30	+
4405	----	----	----	/251.80A	276.90B/251.80A	----	----	263.60 - 13.90	.4760	----	----	----	----	1	UNCH
4410	----	----	----	/254.40A	280.00B/254.40A	----	----	266.30 - 14.00	.4790	----	----	----	----	2	UNCH
4415	----	----	----	/257.30A	282.70B/257.30A	----	----	269.00 - 14.10	.4821	----	----	----	----	4	UNCH
4420	----	----	----	/259.50A	285.10B/259.50A	----	----	271.70 - 14.20	.4851	----	----	----	----	53	UNCH
4425	----	----	----	/262.30A	288.10B/262.30A	----	----	274.40 - 14.30	.4882	----	----	----	----	5	UNCH
4430	----	----	----	/265.00A	290.30B/265.00A	----	----	277.20 - 14.30	.4912	----	----	----	----	1	UNCH
4435	----	----	----	/267.70A	293.40B/267.70A	----	----	280.00 - 14.40	.4942	----	----	----	----	13	UNCH
4440	----	----	----	/270.50A	296.00B/270.50A	----	----	282.80 - 14.50	.4973	----	----	----	----	50	UNCH
4450	----	----	----	/275.60A	302.60B/275.60A	----	----	288.40 - 14.70	.5033	----	----	----	----	138	UNCH
4455	----	----	----	/278.50A	304.70B/278.50A	----	----	291.30 - 14.70	.5063	----	----	----	----	2	UNCH
4460	----	----	----	/281.30A	308.10B/281.30A	----	----	294.10 - 14.80	.5093	----	----	----	----	2	UNCH
4465	----	----	----	/284.20A	311.10B/284.20A	----	----	297.00 - 14.90	.5123	----	----	----	----	3	UNCH
4470	----	----	----	/287.00A	314.60B/287.00A	----	----	299.90 - 15.00	.5153	----	----	----	----	4	UNCH
4475	----	----	----	/289.60A	317.20B/289.60A	----	----	302.80 - 15.10	.5183	----	----	----	----	2	UNCH
4480	----	----	----	/292.40A	319.80B/292.40A	----	----	305.80 - 15.10	.5212	----	----	----	----	1	UNCH
4490	----	----	----	/298.10A	326.30B/298.10A	----	----	311.70 - 15.30	.5272	----	----	----	----	31	UNCH
4495	----	----	----	/301.20A	328.90B/301.20A	----	----	314.70 - 15.30	.5301	----	----	----	----	11	UNCH
4500	----	----	----	/303.70A	333.00B/303.70A	----	----	317.70 - 15.40	.5331	----	----	----	----	258	UNCH
4510	----	----	----	/310.00A	338.30B/310.00A	----	----	323.70 - 15.60	.5389	----	----	----	----	1	UNCH
4515	----	----	----	/312.80A	341.30B/312.80A	----	----	326.80 - 15.60	.5418	----	----	----	----	1	UNCH
4535	----	----	----	/324.60A	354.40B/324.60A	----	----	339.10 - 16.00	.5534	----	----	----	----	13	UNCH
4540	----	----	----	/327.80A	357.00B/327.80A	----	----	342.20 - 16.10	.5563	----	----	----	----	100	UNCH
4545	----	----	----	/330.60A	360.30B/330.60A	----	----	345.40 - 16.10	.5592	----	----	----	----	1	UNCH
4550	----	----	----	/333.50A	363.90B/333.50A	----	----	348.50 - 16.20	.5620	----	----	----	----	100	UNCH
4565	----	----	----	/344.00A	373.90B/344.00A	----	----	358.10 - 16.40	.5705	----	----	----	----	10	UNCH
4575	----	----	----	/349.00A	379.80B/349.00A	----	----	364.50 - 16.60	.5761	----	----	----	----	50	UNCH
4590	----	----	----	/363.50A	390.20B/363.50A	----	----	374.30 - 16.70	.5845	----	----	----	----	4	UNCH
4600	----	----	----	/369.90A	397.10B/369.90A	----	----	380.80 - 16.80	.5900	----	----	----	----	229	UNCH
4610	----	----	----	/376.60A	403.80B/376.60A	----	----	387.40 - 16.90	.5955	----	----	----	----	4	UNCH
4620	----	----	----	/383.00A	411.00B/383.00A	----	----	394.10 - 17.00	.6009	----	----	----	----	1	UNCH
4650	----	----	----	/402.90A	430.70B/402.90A	----	----	414.40 - 17.40	.6170	----	----	----	----	3	UNCH
4695	----	----	----	/434.00A	462.90B/434.00A	----	----	445.90 - 17.90	.6402	----	----	----	----	1	UNCH
4700	----	----	----	/437.50A	466.60B/437.50A	----	----	449.40 - 18.10	.6428	----	----	----	----	14	UNCH
4705	----	----	----	/440.90A	470.20B/440.90A	----	----	453.00 - 18.10	.6452	----	----	----	----	2	UNCH
4720	----	----	----	/452.20A	481.30B/452.20A	----	----	463.80 - 18.30	.6527	----	----	----	----	9	UNCH
4725	----	----	----	/455.50A	485.00B/455.50A	----	----	467.50 - 18.30	.6551	----	----	----	----	5	UNCH
4730	----	----	----	/459.30A	488.60B/459.30A	----	----	471.10 - 18.40	.6576	----	----	----	----	4	UNCH
4750	----	----	----	/473.60A	503.70B/473.60A	----	----	485.80 - 18.60	.6671	----	----	----	----	1	UNCH
4765	----	----	----	/484.40A	515.00B/484.40A	----	----	497.00 NEW	.6742	----	----	1	----	1	+
4790	----	----	----	/503.00A	534.10B/503.00A	----	----	515.80 - 18.90	.6857	----	----	----	----	6	UNCH
4800	----	----	----	/510.40A	542.00B/510.40A	----	----	523.40 - 19.00	.6902	----	----	----	----	15	UNCH
4825	----	----	----	/529.20A	561.50B/529.20A	----	----	542.50 - 19.20	.7013	----	----	----	----	4	UNCH
4835	----	----	----	/536.60A	569.50B/536.60A	----	----	550.30 - 19.20	.7056	----	----	----	----	1	UNCH
4900	----	----	----	621.60B/587.20A	621.60B/587.20A	----	----	601.50 - 19.60	.7326	----	----	----	----	2	UNCH
4905	----	----	----	625.50B/591.10A	625.50B/591.10A	----	----	605.50 - 19.60	.7346	----	----	----	----	2	UNCH
5000	----	----	----	704.40B/667.80A	704.40B/667.80A	----	----	683.30 - 20.20	.7697	----	----	----	----	134	UNCH
5005	----	----	----	708.60B/671.90A	708.60B/671.90A	----	----	687.50 - 20.20	.7714	----	----	----	----	1	UNCH
5050	----	----	----	747.20B/709.20A	747.20B/709.20A	----	----	725.50 - 20.50	.7864	----	----	----	----	100	UNCH
5060	----	----	----	755.70B/717.60A	755.70B/717.60A	----	----	734.00 - 20.60	.7896	----	----	----	----	25	UNCH
5150	----	----	----	725.40B/897.60A	725.40B/897.60A	----	----	812.00 - 21.00	.8161	----	----	----	----	1	UNCH
5200	----	----	----	768.70B/942.70A	768.70B/942.70A	----	----	856.10 - 21.20	.8294	----	----	----	----	15	UNCH
5205	----	----	----	773.00B/947.30A	773.00B/947.30A	----	----	860.50 - 21.30	.8307	----	----	----	----	1	UNCH
5400	----	----	----	949.00B/1126.90A	949.00B/1126.90A	----	----	1037.70 - 22.00	.8731	----	----	----	----	2	UNCH
5500	----	----	----	1042.50B/1220.40A	1042.50B/1220.40A	----	----	1131.00 - 22.20	.8899	----	----	----	----	1	UNCH
5600	----	----	----	1213.00B/1283.10A	1213.00B/1283.10A	----	----	1225.50 NEW	.9041	----	----	6	----	5	+
5790	----	----	----	1395.90B/1444.90A	1395.90B/1444.90A	----	----	1407.80 - 22.80	.9254	----	----	----	----	1	UNCH
5800	----	----	----	1405.40B/1454.20A	1405.40B/1454.20A	----	----	1417.50 NEW	.9266	----	----	6	----	5	+
6000	----	----	----	1602.10B/1647.90A	1602.10B/1647.90A	----	----	1612.20 - 23.30	.9428	----	----	----	----	1	UNCH
TOTAL												52	6704+	45	
MAY27															
3000	----	----	----	/10.50A	9.80B/10.50A	----	----	10.20 - 0.40	.0259	----	----	----	----	1	UNCH
3250	----	----	----	/17.50A	17.40B/17.50A	----	----	17.90 - 0.40	.0457	----	----	----	----	1	UNCH
3330	----	----	----	/21.00A	21.40B/21.00A	----	----	21.40 - 0.60	.0547	----	----	----	----	10	UNCH
3370	----	----	----	/23.10A	23.60B/23.10A	----	----	23.50 - 0.80	.0599	----	----	----	----	20	UNCH
3430	----	----	----	/26.60A	27.40B/26.60A	----	----	27.00 - 1.30	.0686	----	----	----	----	20	UNCH
3500	----	----	----	/31.20A	33.20B/31.20A	----	----	32.00 - 2.10	.0806	----	----	----	----	30	UNCH
3550	----	----	----	/35.30A	37.70B/35.30A	----	----	36.20 - 2.60	.0904	----	----	----	----	1	UNCH
3600	----	----	----	/40.20A	42.80B/40.20A	----	----	41.20 - 2.90	.1016	----	----	5	----	15	UNCH
3700	----	----	----	/51.80A	55.70B/51.80A	----	----	53.10 - 3.70	.1275	----	----	----	----	1	UNCH
3725	----	----	----	/55.00A	59.40B/55.00A	----	----	60.30 - 3.90	.1348	----	----	----	----	35	UNCH
3750	----	----	----	/58.20A	63.30B/58.20A	----	----	66.60 - 4.10	.1425	----	----	----	----	32	UNCH
3780	----	----	----	/63.00A	68.40B/63.00A	----	----	65.00 - 4.50	.1521	----	----	----	----	1	UNCH
3790	----	----	----	/64.60A	70.10B/64.60A	----	----	66.70 - 4.50	.1555	----	----				

BULLETIN #185@				METALS OPTION PRODUCTS										Fri, Sep 25, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS															
JUN27																
2000	----	----	----	----	1.40B/2.50A	----	1.90	UNCH	.0038	----	----	----	----	----	2	UNCH
2100	----	----	----	----	1.90B/2.80A	----	2.30	- 0.10	.0047	----	----	----	----	----	1	UNCH
2400	----	----	----	----	3.50B/4.50A	----	4.00	- 0.20	.0088	----	----	----	----	----	1	UNCH
2600	----	----	----	----	5.30B/6.20A	----	5.80	- 0.30	.0132	----	----	----	----	----	1	UNCH
2800	----	----	----	----	8.10B/8.90A	----	8.60	- 0.30	.0200	----	----	----	----	----	200	UNCH
2900	----	----	----	-----/10.60A	9.90B/10.60A	----	10.40	- 0.40	.0245	----	----	----	----	----	1	UNCH
3000	----	----	----	-----/12.90A	12.30B/12.90A	----	12.80	- 0.40	.0304	----	----	----	----	----	126	UNCH
3300	----	----	----	----/24.20A	24.50B/24.20A	----	24.40	- 1.10	.0581	----	----	----	----	----	110	UNCH
3500	----	----	----	----/38.30A	40.40B/38.30A	----	39.10	- 2.00	.0906	----	----	----	----	----	542	UNCH
3575	----	----	----	----/45.80A	48.50B/45.80A	----	46.80	- 2.60	.1068	----	----	----	----	----	1	UNCH
3600	----	----	----	----/48.50A	51.60B/48.50A	----	49.80	- 2.70	.1128	----	----	----	----	----	62	UNCH
3625	----	----	----	----/51.70A	54.90B/51.70A	----	52.80	- 3.00	.1189	----	----	----	----	----	455	UNCH
3650	----	----	----	----/54.50A	58.40B/54.50A	----	56.10	- 3.30	.1255	----	----	----	----	----	2	UNCH
3675	----	----	----	----/58.10A	62.10B/58.10A	----	59.60	- 3.50	.1323	----	----	----	----	----	4	UNCH
3700	----	----	----	----/61.60A	66.00B/61.60A	----	63.30	- 3.70	.1394	----	----	----	----	----	2384	UNCH
3725	----	----	----	----/64.80A	70.20B/64.80A	----	67.20	- 4.00	.1468	----	----	----	----	----	6	UNCH
3750	----	----	----	----/68.90A	74.50B/68.90A	----	71.40	- 4.20	.1546	----	----	----	----	----	140	UNCH
3775	----	----	----	----/72.90A	79.10B/72.90A	----	75.70	- 4.60	.1626	----	----	----	----	----	13	UNCH
3785	----	----	----	----/74.60A	81.10B/74.60A	----	77.60	- 4.60	.1660	----	----	----	----	----	2	UNCH
3800	----	----	----	----/77.30A	84.00B/77.30A	----	80.40	- 4.80	.1710	----	----	----	----	----	576	UNCH
3805	----	----	----	----/78.10A	85.00B/78.10A	----	81.30	- 4.90	.1727	----	----	----	----	----	1	UNCH
3850	----	----	----	----/86.80A	94.60B/86.80A	----	90.40	- 5.40	.1887	----	----	----	----	----	150	UNCH
3875	----	----	----	----/92.00A	100.20B/92.00A	----	95.80	- 5.70	.1980	----	----	----	----	----	1	UNCH
3900	----	----	----	----/97.40A	106.40B/97.40A	----	101.50	- 6.10	.2075	----	----	----	----	----	550	UNCH
3925	----	----	----	----/103.20A	112.60B/103.20A	----	107.40	- 6.50	.2174	----	----	----	----	----	150	UNCH
3950	----	----	----	----/109.20A	119.20B/109.20A	----	113.70	- 6.80	.2276	----	----	----	----	----	651	UNCH
3970	----	----	----	----/114.40A	124.60B/114.40A	----	119.00	- 7.00	.2359	----	----	----	----	----	260	UNCH
4000	----	----	----	----/122.20A	133.40B/122.20A	----	127.20	- 7.50	.2488	----	----	----	----	----	1482	UNCH
4025	----	----	----	----/129.20A	140.90B/129.20A	----	134.40	- 7.90	.2598	----	----	----	----	----	1	UNCH
4050	----	----	----	----/136.50A	148.70B/136.50A	----	141.90	- 8.30	.2710	----	----	----	----	----	600	UNCH
4075	----	----	----	----/144.20A	157.10B/144.20A	----	149.80	- 8.70	.2825	----	----	----	----	----	325	UNCH
4100	----	----	----	----/152.10A	165.60B/152.10A	----	158.10	- 9.00	.2943	----	----	----	----	----	1	UNCH
4110	----	----	----	----/155.40A	169.00B/155.40A	----	161.40	- 9.20	.2990	----	----	----	----	----	44	UNCH
4130	----	----	----	----/162.20A	176.40B/162.20A	----	168.40	- 9.40	.3086	----	----	----	----	----	20	UNCH
4140	----	----	----	----/165.70A	180.10B/165.70A	----	171.90	- 9.60	.3134	----	----	----	----	----	1	UNCH
4185	----	----	----	----/181.80A	196.90B/181.80A	----	188.70	- 10.20	.3356	----	----	----	----	----	55	UNCH
4190	----	----	----	----/183.70A	199.60B/183.70A	----	190.60	- 10.30	.3381	----	----	----	----	----	1	UNCH
4195	----	----	----	----/185.60A	201.50B/185.60A	----	192.60	- 10.30	.3406	----	----	----	----	----	20	UNCH
4200	----	----	----	----/187.40A	203.60B/187.40A	----	194.50	- 10.50	.3431	----	----	----	----	----	301	UNCH
4205	----	----	----	----/189.50A	205.50B/189.50A	----	196.50	- 10.50	.3457	----	----	----	----	----	2	UNCH
4230	----	----	----	----/199.20A	216.10B/199.20A	----	206.60	- 10.90	.3583	----	----	----	----	----	44	UNCH
4240	----	----	----	----/203.20A	220.40B/203.20A	----	210.70	- 11.10	.3634	----	----	----	----	----	1	UNCH
4285	----	----	----	----/221.90A	240.40B/221.90A	----	230.10	- 11.70	.3866	----	----	----	----	----	100	UNCH
4300	----	----	----	----/228.30A	247.40B/228.30A	----	236.90	- 11.80	.3944	----	----	----	----	----	163	UNCH
4325	----	----	----	----/239.60A	259.30B/239.60A	----	248.40	- 12.10	.4074	----	----	----	----	----	50	UNCH
4350	----	----	----	----/251.20A	271.80B/251.20A	----	260.30	- 12.40	.4205	----	----	----	----	----	4	UNCH
4360	----	----	----	----/255.90A	276.70B/255.90A	----	265.20	- 12.50	.4258	----	----	----	----	----	1	UNCH
4365	----	----	----	----/258.40A	279.10B/258.40A	----	267.70	- 12.50	.4284	----	----	----	----	----	1	UNCH
4370	----	----	----	----/260.80A	281.70B/260.80A	----	270.20	- 12.60	.4310	----	----	----	----	----	1	UNCH
4375	----	----	----	----/263.00A	284.50B/263.00A	----	272.60	- 12.70	.4336	----	----	----	----	----	34	UNCH
4380	----	----	----	----/265.50A	286.90B/265.50A	----	275.10	- 12.80	.4363	----	----	----	----	----	3	UNCH
4385	----	----	----	----/268.10A	289.60B/268.10A	----	277.70	- 12.80	.4389	----	----	----	----	----	1	UNCH
4390	----	----	----	----/270.60A	292.10B/270.60A	----	280.20	- 12.80	.4415	----	----	----	----	----	1	UNCH
4400	----	----	----	----/275.40A	297.40B/275.40A	----	285.30	- 13.00	.4467	----	----	----	----	----	29	UNCH
4405	----	----	----	----/279.40A	300.10B/279.40A	----	287.90	- 13.00	.4494	----	----	----	----	----	1	UNCH
4410	----	----	----	----/280.60A	302.90B/280.60A	----	290.50	- 13.10	.4520	----	----	----	----	----	3	UNCH
4415	----	----	----	----/283.00A	305.30B/283.00A	----	293.10	- 13.10	.4546	----	----	----	----	----	3	UNCH
4420	----	----	----	----/285.70A	308.10B/285.70A	----	295.70	- 13.20	.4572	----	----	----	----	----	4	UNCH
4430	----	----	----	----/292.20A	313.40B/292.20A	----	301.00	- 13.30	.4625	----	----	----	----	----	1	UNCH
4435	300.00	300.00	----	300.00/294.80A	316.30B/294.80A	----	303.70	- 13.30	.4651	----	----	----	1	----	2 +	1
4450	----	----	----	----/301.20A	324.50B/301.20A	----	311.70	- 13.60	.4729	----	----	----	----	----	10	UNCH
4460	----	----	----	----/306.60A	328.80B/306.60A	----	317.20	- 13.70	.4781	----	----	----	----	----	2	UNCH
4470	----	----	----	----/311.90A	334.70B/311.90A	----	322.70	- 13.80	.4832	----	----	----	----	----	1	UNCH
4490	----	----	----	----/323.00A	346.30B/323.00A	----	333.90	- 14.10	.4935	----	----	----	----	----	3	UNCH
4495	----	----	----	----/325.70A	349.10B/325.70A	----	336.70	- 14.20	.4961	----	----	----	----	----	1	UNCH
4500	----	----	----	----/328.20A	352.00B/328.20A	----	339.60	- 14.20	.4986	----	----	----	----	----	1388	UNCH
4505	----	----	----	----/331.30A	355.00B/331.30A	----	342.50	- 14.20	.5012	----	----	----	----	----	1	UNCH
4515	----	----	----	----/336.90A	360.80B/336.90A	----	348.20	- 14.40	.5062	----	----	----	----	----	1	UNCH
4545	----	----	----	----/357.20A	379.00B/357.20A	----	365.90	- 14.8								



BULLETIN #185@				METALS OPTION PRODUCTS							Fri, Sep 25, 2026				PG64	
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT	COMEX GOLD OPTIONS															
JAN28																
5000	----	----		----	----	----		718.30 - 14.10	.5724	----	----	----	----	1	UNCH	
5100	----	----		----	----	----		788.10 - 14.80	.5998	----	----	----	----	1	UNCH	
TOTAL														2	0	
FEB28																
4400	----	----		----	----	----		384.20 - 9.60	.3813	----	----	----	----	11	UNCH	
TOTAL														11	0	
APR28																
4400	----	----		----	----	----		402.00 - 9.30	.3701	----	----	----	----	5	UNCH	
TOTAL														5	0	
MAY28																
4500	----	----		----	----	----		443.70 - 9.80	.3889	----	----	----	----	20	UNCH	
TOTAL														20	0	
JUL28																
4500	----	----		----	----	----		462.20 - 9.60	.3777	----	----	----	----	25	UNCH	
TOTAL														25	0	
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL	COMEX GOLD OPTIONS															
OCT26																
3900	----	----		----	----	----		365.10 UNCH	----	----	----	----	----	0	UNCH	
3935	----	----		----	----	----		330.10 UNCH	----	----	----	----	----	0	UNCH	
3940	----	----		----	----	----		325.10 UNCH	----	----	----	----	----	0	UNCH	
3945	----	----		----	----	----		320.10 UNCH	----	----	----	----	----	0	UNCH	
3950	----	----		----	----	----		315.10 UNCH	----	----	----	----	----	0	UNCH	
3955	----	----		----	----	----		310.10 UNCH	----	----	----	----	----	0	UNCH	
3960	----	----		----	----	----		305.10 UNCH	----	----	----	----	----	0	UNCH	
3965	----	----		----	----	----		300.10 UNCH	----	----	----	----	----	0	UNCH	
3975	----	----		----	----	----		290.10 UNCH	----	----	----	----	----	0	UNCH	
3980	----	----		----	----	----		285.10 UNCH	----	----	----	----	----	0	UNCH	
3985	----	----		----	----	----		280.10 UNCH	----	----	----	----	----	0	UNCH	
3990	----	----		----	----	----		275.10 UNCH	----	----	----	----	----	0	UNCH	
4000	----	----		----	----	----		265.10 UNCH	----	----	----	----	----	0	UNCH	
4005	----	----		----	----	----		260.10 UNCH	----	----	----	----	----	0	UNCH	
4015	----	----		----	----	----		250.10 UNCH	----	----	----	----	----	0	UNCH	
4020	----	----		----	----	----		245.10 UNCH	----	----	----	----	----	0	UNCH	
4025	----	----		----	----	----		240.10 UNCH	----	----	----	----	----	0	UNCH	
4030	----	----		----	----	----		235.10 UNCH	----	----	----	----	----	0	UNCH	
4035	----	----		----	----	----		230.10 UNCH	----	----	----	----	----	0	UNCH	
4040	----	----		----	----	----		225.10 UNCH	----	----	----	----	----	0	UNCH	
4045	----	----		----	----	----		220.10 UNCH	----	----	----	----	----	0	UNCH	
4050	----	----		----	----	----		215.10 UNCH	----	----	----	----	----	0	UNCH	
4055	----	----		----	----	----		210.10 UNCH	----	----	----	----	----	0	UNCH	
4060	----	----		----	----	----		205.10 UNCH	----	----	----	----	----	0	UNCH	
4065	----	----		----	----	----		200.10 UNCH	----	----	----	----	----	0	UNCH	
4070	----	----		----	----	----		195.10 UNCH	----	----	----	----	----	0	UNCH	
4075	----	----		----	----	----		190.10 UNCH	----	----	----	----	----	0	UNCH	
4080	----	----		----	----	----		185.10 UNCH	----	----	----	----	----	0	UNCH	
4085	----	----		----	----	----		180.10 UNCH	----	----	----	----	----	0	UNCH	
4090	----	----		----	----	----		175.10 UNCH	----	----	----	----	----	0	UNCH	
4095	----	----		----	----	----		170.10 UNCH	----	----	----	----	----	0	UNCH	
4100	----	----		----	----	----		165.10 UNCH	----	----	----	----	----	0	UNCH	
4105	----	----		----	----	----		160.10 UNCH	----	----	----	----	----	0	UNCH	
4110	----	----		----	----	----		155.10 UNCH	----	----	----	----	----	0	UNCH	
4115	----	----		----	----	----		150.10 UNCH	----	----	----	----	----	0	UNCH	
4120	----	----		----	----	----		145.10 UNCH	----	----	----	----	----	0	UNCH	
4125	----	----		----	----	----		140.10 UNCH	----	----	----	----	----	0	UNCH	
4130	----	----		----	----	----		135.10 UNCH	----	----	----	----	----	0	UNCH	
4135	----	----		----	----	----		130.10 UNCH	----	----	----	----	----	0	UNCH	
4140	----	----		----	----	----		125.10 UNCH	----	----	----	----	----	0	UNCH	
4145	----	----		----	----	----		120.10 UNCH	----	----	----	----	----	0	UNCH	
4150	----	----		----	----	----		115.10 UNCH	----	----	----	----	----	0	UNCH	
4155	----	----		----	----	----		110.10 UNCH	----	----	----	----	----	0	UNCH	
4160	----	----		----	----	----		105.10 UNCH	----	----	----	----	----	0	UNCH	
4165	----	----		----	----	----		100.10 UNCH	----	----	----	----	----	0	UNCH	
4170	----	----		----	----	----		95.10 UNCH	----	----	----	----	----	0	UNCH	
4175	----	----		----	----	----		90.10 UNCH	----	----	----	----	----	0	UNCH	
4180	----	----		----	----	----		85.10 UNCH	----	----	----	----	----	0	UNCH	
4185	----	----		----	----	----		80.10 UNCH	----	----	----	----	----	0	UNCH	
4190	----	----		----	----	----		75.10 UNCH	----	----	----	----	----	0	UNCH	
4195	----	----		----	----	----		70.10 UNCH	----	----	----	----	----	0	UNCH	
4200	----	----		----	----	----		65.10 UNCH	----	----	----	----	----	0	UNCH	
4205	----	----		----	----	----		60.10 UNCH	----	----	----	----	----	0	UNCH	
4210	----	----		----	----	----		55.10 UNCH	----	----	----	----	----	0	UNCH	
4215	----	----		----	----	----		50.10 UNCH	----	----	----	----	----	0	UNCH	
4220	----	----		----	----	----		45.10 UNCH	----	----	----	----	----	0	UNCH	
4225	----	----		----	----	----		40.10 UNCH	----	----	----	----	----	0	UNCH	
4230	----	----		----	----	----		35.10 UNCH	----	----	----	----	----	0	UNCH	
4235	----	----		----	----	----		30.10 UNCH	----	----	----	----	----	0	UNCH	
4240	----	----		----	----	----		25.10 UNCH	----	----	----	----	----	0	UNCH	
4245	----	----		----	----	----		20.10 UNCH	----	----	----	----	----	0	UNCH	
4250	----	----		----	----	----		15.10 UNCH	----	----	----	----	----	0	UNCH	
4255	----	----		----	----	----		10.10 UNCH	----	----	----	----	----	0	UNCH	
4260	----	----		----	----	----		5.10 UNCH	----	----	----	----	----	0	UNCH	
4265	----	----		----	----	----		0.10 UNCH	----	----	----	----	----	0	UNCH	
4270	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH	
4275	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH	
4280	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH	
4285	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH	
4290	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH	
4295	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH	
4300	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH	
4305	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH	
4310	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH	
4315	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH	
4320	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH	
4325	----	----		----	----	----		0.00 UNCH	----	----	----	----	----			

PG64 BULLETIN #185@												METALS OPTION PRODUCTS												Fri, Sep 25, 2026 PG64											
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE		GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW		OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																		
OG CALL		COMEX GOLD OPTIONS																																	
NOV26																																			
3300	----	----	----	1,029.70B/----	----	1029.70B/1009.40A	----	----	----	1021.20 + 23.20	----	----	----	----	----	----	0	UNCH																	
3350	----	----	----	979.70B/----	----	979.70B/958.70A	----	----	----	971.20 + 23.10	----	----	----	----	----	----	1	UNCH																	
3390	----	----	----	939.60B/----	----	939.60B/919.40A	----	----	----	931.30 + 23.10	----	----	----	----	----	----	1	UNCH																	
3400	----	----	----	930.10B/----	----	930.10B/909.10A	----	----	----	921.30 + 23.10	----	----	----	2	----	----	34 +	2																	
3445	----	----	----	885.20B/----	----	885.20B/864.80A	----	----	----	876.40 + 22.90	----	----	----	----	----	----	1	UNCH																	
3450	----	----	----	879.90B/----	----	879.90B/860.10A	----	----	----	871.40 + 22.90	----	----	----	----	----	----	161	UNCH																	
3500	----	----	----	830.10B/----	----	830.10B/809.80A	----	----	----	821.70 + 22.90	----	----	----	----	----	----	224	UNCH																	
3600	----	----	----	730.60B/----	----	730.60B/710.90A	----	----	----	722.30 + 22.60	----	----	----	----	----	----	3	UNCH																	
3700	----	----	----	631.80B/----	----	631.80B/612.40A	----	----	----	623.30 + 22.30	----	----	----	----	----	----	3	UNCH																	
3765	----	----	----	568.00B/----	----	568.00B/549.20A	----	----	----	559.30 + 22.00	----	----	----	----	----	----	1	UNCH																	
3780	----	----	----	553.30B/----	----	553.30B/534.30A	----	----	----	544.60 + 21.90	----	----	----	----	----	----	1	UNCH																	
3800	----	----	----	533.20B/----	----	533.20B/514.90A	----	----	----	525.00 + 21.70	----	----	----	----	----	----	3	UNCH																	
3830	----	----	----	504.40B/----	----	504.40B/486.10A	----	----	----	495.70 + 21.40	----	----	----	----	----	----	1	UNCH																	
3840	----	----	----	494.20B/----	----	494.20B/476.20A	----	----	----	486.00 + 21.30	----	----	----	----	----	----	3	UNCH																	
3850	----	----	----	484.70B/----	----	484.70B/466.60A	----	----	----	476.30 + 21.20	----	----	----	----	----	----	2	UNCH																	
3865	----	----	----	470.40B/----	----	470.40B/452.20A	----	----	----	461.80 + 21.10	----	----	----	----	----	----	4	UNCH																	
3870	----	----	----	465.10B/----	----	465.10B/447.70A	----	----	----	457.00 + 21.10	----	----	----	----	----	----	1	UNCH																	
3875	----	----	----	460.70B/----	----	460.70B/442.70A	----	----	----	452.20 + 21.00	----	----	----	----	----	----	1	UNCH																	
3885	----	----	----	450.80B/----	----	450.80B/433.20A	----	----	----	442.50 + 20.80	----	----	----	----	----	----	1	UNCH																	
3900	----	----	----	436.30B/----	----	436.30B/418.60A	----	----	----	428.10 + 20.60	----	----	----	----	----	----	4	UNCH																	
3905	----	----	----	431.40B/396.80A	----	431.40B/396.80A	----	----	----	423.30 + 20.60	----	----	----	----	----	----	1	UNCH																	
3910	----	----	----	426.60B/389.20A	----	426.60B/389.20A	----	----	----	418.60 + 20.60	----	----	----	----	----	----	1	UNCH																	
3915	----	----	----	425.10B/384.50A	----	425.10B/384.50A	----	----	----	413.80 + 20.40	----	----	----	----	----	----	1	UNCH																	
3920	----	----	----	420.50B/379.80A	----	420.50B/379.80A	----	----	----	409.10 + 20.40	----	----	----	----	----	----	5	UNCH																	
3925	----	----	----	428.00B/375.10A	----	428.00B/375.10A	----	----	----	404.30 + 20.30	----	----	----	----	----	----	1	UNCH																	
3930	----	----	----	428.00B/370.50A	----	428.00B/370.50A	----	----	----	399.60 + 20.20	----	----	----	----	----	----	2	UNCH																	
3935	----	----	----	423.50B/365.80A	----	423.50B/365.80A	----	----	----	394.80 + 20.10	----	----	----	----	----	----	2	UNCH																	
3940	----	----	----	418.70B/361.10A	----	418.70B/361.10A	----	----	----	390.10 + 20.00	----	----	----	----	----	----	14	UNCH																	
3945	----	----	----	413.90B/356.50A	----	413.90B/356.50A	----	----	----	385.40 + 19.90	----	----	----	----	----	----	1	UNCH																	
3950	----	----	----	409.30B/351.90A	----	409.30B/351.90A	----	----	----	380.70 + 19.90	----	----	----	----	----	----	1	UNCH																	
3955	----	----	----	404.50B/347.20A	----	404.50B/347.20A	----	----	----	376.00 + 19.80	----	----	----	----	----	----	1	UNCH																	
3960	----	----	----	399.70B/342.60A	----	399.70B/342.60A	----	----	----	371.30 + 19.70	----	----	----	----	----	----	2	UNCH																	
3985	----	----	----	376.40B/319.80A	----	376.40B/319.80A	----	----	----	348.10 + 19.20	----	----	----	----	----	----	1	UNCH																	
3990	----	----	----	371.60B/315.30A	----	371.60B/315.30A	----	----	----	343.50 + 19.10	----	----	----	----	----	----	3	UNCH																	
3995	----	----	----	367.10B/310.80A	----	367.10B/310.80A	----	----	----	338.90 + 19.00	----	----	----	----	2	----	1	UNCH																	
4000	----	----	----	362.30B/306.40A	----	362.30B/306.40A	----	----	----	334.30 + 18.90	----	----	----	----	----	----	38 +	1																	
4005	----	----	----	357.70B/301.90A	----	357.70B/301.90A	----	----	----	329.70 + 18.70	----	----	----	----	----	----	2	UNCH																	
4010	----	----	----	353.20B/297.50A	----	353.20B/297.50A	----	----	----	325.20 + 18.70	----	----	----	----	----	----	4	UNCH																	
4015	----	----	----	348.50B/293.00A	----	348.50B/293.00A	----	----	----	320.70 + 18.60	----	----	----	----	2	----	3 +	1																	
4020	----	----	----	343.90B/288.60A	----	343.90B/288.60A	----	----	----	316.10 + 18.40	----	----	----	----	----	----	2	UNCH																	
4030	----	----	----	334.90B/279.90A	----	334.90B/279.90A	----	----	----	307.20 + 18.20	----	----	----	----	----	----	174	UNCH																	
4035	----	----	----	330.40B/275.60A	----	330.40B/275.60A	----	----	----	302.70 + 18.00	----	----	----	----	----	----	2	UNCH																	
4040	----	----	----	325.80B/271.20A	----	325.80B/271.20A	----	----	----	298.30 + 17.90	----	----	----	----	----	----	4	UNCH																	
4045	----	----	----	321.20B/266.90A	----	321.20B/266.90A	----	----	----	293.80 + 17.70	----	----	----	----	----	----	1	UNCH																	
4050	----	----	----	316.90B/262.70A	----	316.90B/262.70A	----	----	----	289.40 + 17.60	----	----	----	----	----	----	369	UNCH																	
4065	----	----	----	303.50B/250.00A	----	303.50B/250.00A	----	----	----	276.30 + 17.10	----	----	----	----	----	----	15	UNCH																	
4070	----	----	----	298.90B/245.80A	----	298.90B/245.80A	----	----	----	272.00 + 17.00	----	----	----	----	----	----	5	UNCH																	
4075	----	----	----	294.60B/241.70A	----	294.60B/241.70A	----	----	----	267.70 + 16.80	----	----	----	----	----	----	7	UNCH																	
4080	----	----	----	290.30B/237.60A	----	290.30B/237.60A	----	----	----	263.40 + 16.60	----	----	----	----	----	----	39	UNCH																	
4085	----	----	----	285.90B/233.50A	----	285.90B/233.50A	----	----	----	259.20 + 16.50	----	----	----	----	----	----	89	UNCH																	
4090	----	----	----	281.60B/229.40A	----	281.60B/229.40A	----	----	----	254.90 + 16.30	----	----	----	----	----	----	11	UNCH																	
4095	----	----	----	277.20B/225.40A	----	277.20B/225.40A	----	----	----	250.70 + 16.10	----	----	----	----	----	----	16	UNCH																	
4100	----	----	----	272.90B/221.40A	----	272.90B/221.40A	----	----	----	246.60 + 16.00	----	----	----	----	----	----	327	UNCH																	
4105	----	----	----	268.70B/217.50A	----	268.70B/217.50A	----	----	----	242.40 + 15.80	----	----	----	----	----	----	16	UNCH																	
4110	----	----	----	264.40B/213.50A	----	264.40B/213.50A	----	----	----	238.30 + 15.60	----	----	----	----	----	----	27	UNCH																	
4115	----	----	----	260.10B/209.60A	----	260.10B/209.60A	----	----	----	234.20 + 15.50	----	----	----	----	----	----	20	UNCH																	
4120	----	----	----	256.10B/205.80A	----	256.10B/205.80A	----	----	----	230.10 + 15.20	----	----	----	----	----	----	21	UNCH																	
4125	----	----	----	251.90B/201.90A	----	251.90B/201.90A	----	----	----	226.10 + 15.10	----	----	----	----	----	----	110	UNCH																	
4130	----	----	----	247.70B/198.10A	----	247.70B/198.10A	----	----	----	222.10 + 14.90	----	----	----	----	----	----	16	UNCH																	
4135	----	----	----	243.70B/194.40A	----	243.70B/194.40A	----	----	----	218.10 + 14.70	----	----	----	----	----	----	63	UNCH																	
4140	----	----	----	239.50B/190.60A	----	239.50B/190.60A	----	----	----	214.10 + 14.40	----	----	----	----	----	----	15	UNCH																	
4145	----	----	----	235.50B/186.90A	----	235.50B/186.90A	----	----	----	210.20 + 14.30	----	----	----	----	----	----	12	UNCH																	
4150	----	----	----	231.40B/183.30A	----	231.40B/183.30A	----	----	----	206.40 + 14.10	----	----	----	----	----	----	550	UNCH																	
4155	----	----	----	227.40B/179.80A	----	227.40B/179.80A	----	----	----	202.50 + 13.90	----	----	----	----	----	----	47	UNCH																	
4160	----	----	----	223.50B/176.10A	----	223.50B/176.10A	----	----	----	198.70 + 13.70	----	----	----	----	----	----	14	UNCH																	
4165	----	----	----	219.40B/172.60A	----	219.40B/172.60A	----	----	----	194.90 + 13.50	----	----	----	----	----	----	17	UNCH																	
4170	----	----	----	215.60B/169.10A	----	215.60B/169.10A	----	----	----	191.20 + 13.30	----	----	----	----	----	----	9	UNCH																	
4175	----	----																																	

GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS											
NOV26													
4525	31.30	31.30	39.50B/26.10A	39.50B/26.10A	----	31.40 + 1.60	.2189	----	----	59	----	303 +	
4530	34.00	34.00	38.40B/25.40A	38.40B/25.40A	----	30.40 + 1.40	.2133	----	----	171	----	203 +	
4535	30.80	30.80	37.30B/24.60A	37.30B/24.60A	----	29.60 + 1.50	.2084	----	----	2	----	99 UNCH	
4540	29.90	29.90	36.30B/23.90A	36.30B/23.90A	----	28.70 + 1.40	.2032	----	----	14	----	183 +	
4545	27.20	27.20	35.30B/23.20A	35.30B/23.20A	----	27.90 + 1.30	.1983	----	----	4	----	46 +	
4550	27.70	27.70	34.30B/22.60A	34.30B/22.60A	----	27.00 + 1.20	.1931	----	----	41	----	875 +	
4555	----	----	33.40B/21.90A	33.40B/21.90A	----	26.20 + 1.10	.1883	----	----	7	----	143 +	
4560	----	----	32.40B/21.30A	32.40B/21.30A	----	25.50 + 1.10	.1838	----	----	----	----	65 UNCH	
4565	25.90	25.90	31.50B/20.60A	31.50B/20.60A	----	24.70 + 1.00	.1791	----	----	11	----	108 +	
4570	24.70	24.70	30.60B/20.10A	30.60B/20.10A	----	24.00 + 1.00	.1746	----	----	1	----	37 +	
4575	23.60	23.60	29.70B/19.50A	29.70B/19.50A	----	23.30 + 0.90	.1703	----	----	27	----	236 UNCH	
4580	23.20	23.20	28.90B/18.90A	28.90B/18.90A	----	22.60 + 0.80	.1659	----	----	2	----	94 UNCH	
4585	----	----	28.10B/18.40A	28.10B/18.40A	----	22.00 + 0.90	.1619	----	----	1	----	167 +	
4590	----	----	27.30B/17.90A	27.30B/17.90A	----	21.30 + 0.70	.1576	----	----	7	----	185 +	
4595	21.30	21.30	26.40B/17.40A	26.40B/17.40A	----	20.70 + 0.70	.1537	----	----	21	----	100 +	
4600	23.00	23.00	25.70B/16.90A	25.70B/16.90A	----	20.10 + 0.70	.1498	----	----	1427	----	4071 +	
4605	----	----	25.00B/16.40A	25.00B/16.40A	----	19.50 + 0.60	.1459	----	----	----	----	77 UNCH	
4610	----	----	24.30B/15.90A	24.30B/15.90A	----	18.90 + 0.50	.1420	----	----	1	----	131 UNCH	
4615	20.00	20.00	23.60B/15.50A	23.60B/15.50A	----	18.40 + 0.50	.1386	----	----	1	----	155 +	
4620	----	----	23.00B/15.00A	23.00B/15.00A	----	17.80 + 0.40	.1347	----	----	1	----	243 +	
4625	14.80	14.80	22.20B/14.60A	22.20B/14.60A	----	17.30 + 0.40	.1313	----	----	3	----	88 +	
4630	----	----	21.60B/14.20A	21.60B/14.20A	----	16.80 + 0.40	.1280	----	----	----	----	67 UNCH	
4635	----	----	21.10B/13.80A	21.10B/13.80A	----	16.30 + 0.30	.1246	----	----	----	----	93 UNCH	
4640	13.60	13.60	20.50B/13.40A	20.50B/13.40A	----	15.90 + 0.30	.1217	----	----	23	----	216 +	
4645	13.20	13.20	19.90B/13.10A	19.90B/13.10A	----	15.40 + 0.30	.1183	----	----	32	----	146 +	
4650	15.50	15.50	19.20B/12.70A	19.20B/12.70A	----	15.00 + 0.30	.1155	----	----	50	----	1584 +	
4655	12.50	12.50	18.80B/12.40A	18.80B/12.40A	----	14.50 + 0.20	.1122	----	----	74	----	204 +	
4660	16.50	16.50	18.30B/12.00A	18.30B/12.00A	----	14.10 + 0.10	.1093	----	----	87	----	114 +	
4665	13.10	13.10	17.80B/11.70A	17.80B/11.70A	----	13.70 + 0.10	.1065	----	----	85	----	250 +	
4670	12.70	12.70	17.20B/11.40A	17.20B/11.40A	----	13.30 + 0.10	.1037	----	----	99	----	140 +	
4675	12.40	12.40	16.70B/11.10A	16.70B/11.10A	----	13.00 + 0.10	.1014	----	----	71	----	774 +	
4680	12.00	12.00	16.30B/10.80A	16.30B/10.80A	----	12.60 + 0.10	.0986	----	----	82	----	220 +	
4685	12.20	12.20	15.90B/10.50A	15.90B/10.50A	----	12.30 + 0.10	.0963	----	----	56	----	241 +	
4690	11.40	11.40	15.50B/10.30A	15.50B/10.30A	----	11.90 UNCH	.0936	----	----	57	----	251 +	
4695	11.10	11.10	15.10B/10.00A	15.10B/10.00A	----	11.60 UNCH	.0913	----	----	49	----	164 +	
4700	11.60	11.60	14.60B/9.70A	14.60B/9.70A	----	11.30 UNCH	.0891	----	----	993	400	3865 +	
4705	11.10	11.10	14.20B/9.50A	14.20B/9.50A	----	11.00 UNCH	.0869	----	----	32	----	95 +	
4710	10.90	10.90	13.90B/9.30A	13.90B/9.30A	----	10.70 UNCH	.0847	----	----	18	----	150 +	
4715	10.40	10.40	13.50B/9.00A	13.50B/9.00A	----	10.40 - 0.10	.0825	----	----	18	----	84 +	
4720	9.60	9.60	13.10B/8.80A	13.10B/8.80A	----	10.10 - 0.10	.0803	----	----	8	----	119 +	
4725	12.40	12.40	12.80B/8.60A	12.80B/8.60A	----	9.80 - 0.20	.0781	----	----	3	----	289 UNCH	
4730	----	----	12.50B/8.40A	12.50B/8.40A	----	9.60 - 0.10	.0765	----	----	----	----	171 UNCH	
4735	----	----	12.10B/8.20A	12.10B/8.20A	----	9.30 - 0.20	.0743	----	----	1	----	135 -	
4740	----	----	11.80B/8.00A	11.80B/8.00A	----	9.10 - 0.10	.0727	----	----	1	----	137 UNCH	
4745	----	----	11.50B/7.80A	11.50B/7.80A	----	8.80 - 0.20	.0706	----	----	----	----	32 UNCH	
4750	9.80	9.80	11.20B/7.60A	11.20B/7.60A	----	8.60 - 0.20	.0690	----	----	109	----	1971 +	
4755	----	----	10.90B/7.40A	10.90B/7.40A	----	8.40 - 0.20	.0674	----	----	----	----	17 UNCH	
4760	----	----	10.60B/7.20A	10.60B/7.20A	----	8.20 - 0.20	.0658	----	----	----	----	71 UNCH	
4765	7.90	7.90	10.40B/7.10A	10.40B/7.10A	----	7.90 - 0.30	.0637	----	----	44	----	69 +	
4770	----	----	10.10B/6.90A	10.10B/6.90A	----	7.70 - 0.30	.0622	----	----	1	----	72 -	
4775	7.30	7.30	9.90B/6.80A	9.90B/6.80A	----	7.60 - 0.20	.0612	----	----	5	----	274 +	
4780	----	----	9.60B/6.60A	9.60B/6.60A	----	7.40 - 0.20	.0596	----	----	----	----	117 UNCH	
4785	----	----	9.30B/6.40A	9.30B/6.40A	----	7.20 - 0.30	.0581	----	----	1	----	64 UNCH	
4790	----	----	9.10B/6.30A	9.10B/6.30A	----	7.00 - 0.30	.0566	----	----	----	----	40 UNCH	
4795	----	----	8.90B/6.10A	8.90B/6.10A	----	6.80 - 0.30	.0551	----	----	2	----	130 UNCH	
4800	7.80	7.80	8.70B/6.00A	8.70B/6.00A	----	6.70 - 0.30	.0541	----	----	136	----	3573 +	
4805	----	----	8.50B/5.90A	8.50B/5.90A	----	6.50 - 0.30	.0526	----	----	15	----	84 UNCH	
4810	----	----	8.30B/5.70A	8.30B/5.70A	----	6.40 - 0.30	.0517	----	----	----	----	91 UNCH	
4815	----	----	8.10B/5.60A	8.10B/5.60A	----	6.20 - 0.30	.0502	----	----	11	----	65 +	
4820	6.80	6.80	7.80B/5.50A	7.80B/5.50A	----	6.10 - 0.30	.0493	----	----	3	----	357 +	
4825	----	----	7.70B/5.40A	7.70B/5.40A	----	6.00 - 0.30	.0485	----	----	----	----	266 UNCH	
4830	----	----	7.50B/5.20A	7.50B/5.20A	----	5.80 - 0.30	.0470	----	----	----	----	41 UNCH	
4835	----	----	7.30B/5.10A	7.30B/5.10A	----	5.70 - 0.30	.0461	----	----	----	----	112 UNCH	
4840	----	----	7.10B/5.00A	7.10B/5.00A	----	5.60 - 0.30	.0452	----	----	----	----	53 UNCH	
4845	----	----	7.00B/4.90A	7.00B/4.90A	----	5.50 - 0.30	.0444	----	----	----	----	69 UNCH	
4850	6.20	6.20	6.80B/4.80A	6.80B/4.80A	----	5.40 - 0.20	.0435	----	----	14	----	1510 +	
4855	5.30	5.30	6.60B/4.70A	6.60B/4.70A	----	5.30 - 0.20	.0427	----	----	12	----	66 +	
4860	----	----	6.50B/4.60A	6.50B/4.60A	----	5.20 - 0.20	.0418	----	----	----	----	177 UNCH	
4865	----	----	6.40B/4.50A	6.40B/4.50A	----	5.00 - 0.30	.0404	----	----	----	----	36 UNCH	
4870	----	----	6.20B/4.40A	6.20B/4.40A	----	4.90 - 0.30	.0396	----	----	----	----	43 UNCH	
4875	----	----	6.10B/4.40A	6.10B/4.40A	----	4.80 - 0.30	.0387	----	----	----	----	183 UNCH	
4880	----	----	5.90B/4.30A	5.90B/4.30A	----	4.80 - 0.20	.0385	----	----	301	200	522 +	
4885	----	----	5.80B/4.20A	5.80B/4.20A	----	4.70 - 0.20	.0377	----	----	----	----	56 UNCH	
4890	----	----	5.70B/4.10A	5.70B/4.10A	----	4.60 - 0.20	.0369	----	----	----	----	166 UNCH	
4895	----	----	5.60B/4.10A	5.60B/4.10A	----	4.50 - 0.20	.0361	----	----	1	----	88 -	
4900	4.30	4.30	5.40/4.00A	5.40/4.00A	----	4.40 - 0.20	.0353	----	----	64	----	7738 -	
4905	----	----	5.30B/3.90A	5.30B/3.90A	----	4.30 - 0.30	.0345	----	----	15	----	339 +	
4910	4.10	4.10	5.20B/3.80A	5.20B/3.80A	----	4.20 - 0.30	.0337	----	----	3	----	109 UNCH	
4915	----	----	5.10B/3.80A	5.10B/3.80A	----	4.10 - 0.30	.0329	----	----	----	----	15 UNCH	
4920	----	----	5.00B/3.70A	5.00B/3.70A	----	4.10 - 0.20	.0327	----	----	----	----	51 UNCH	
4925	----	----	4.90B/3.60A	4.90B/3.60A	----	4.00 - 0.20	.0319	----	----	----	----	73 UNCH	
4930	----	----	4.80B/3.60A	4.80B/3.60A	----	3.90 - 0.30	.0312	----	----	2	----	48 +	
4935	----	----	4.70B/3.50A	4.70B/3.50A	----	3.80 - 0.30	.0304	----	----	----	----	69 UNCH	
4940	----	----	4.60B/3.50A	4.60B/3.50A	----	3.70 - 0.30	.0296	----	----	----	----	80 UNCH	
4945	----	----	4.50B/3.40A	4.50B/3.40A	----	3.70 - 0.20	.0295	----	----	----	----	34 UNCH	
4950	3.60	3.60	4.40B/3.30A	4.40B/3.30A	----	3.60 - 0.30	.0287	----	----	63	----	541 -	
4955	3.60	3.60	4.30B/3.30A	4.30B/3.30A	----	3.50 - 0.30	.0279	----	----	3	----	40 -	
4960	3.50	3.50	4.30B/3.20A	4.30B/3.20A	----	3.50 - 0.20	.0278	----	----	2	----	51 UNCH	
4965	----	----	4.20B/3.20A	4.20B/3.20A	----	3.40 - 0.30	.0270	----	----	----	----	48 UNCH	
4970	3.40	3.40	4.10B/3.10A	4.10B/3.10A	----	3.30 - 0.30	.0263	----	----	1	----	28 +	
4975	----	----	4.00B/3.10A	4.00B/3.10A	----	3.30 - 0.30	.0262	----	----	----	----	129 UNCH	
4980	----	----	3.90B/3.00A	3.90B/3.00A	----	3.20 - 0.30	.0254	----	----	----	----	35 UNCH	
4985	----	----	3.90B/3.00A	3.90B/3.00A	----	3.20 - 0.30	.0253	----	----	1	----	125 -	
4990	----	----	3.80B/2.90A	3.80B/2.90A	----	3.10 - 0.30	.0246	----	----	----	----	33 UNCH	
4995	----	----	3.70B/2.90A	3.70B/2.90A	----	3.00 - 0.30	.0238	----	----	----	----	123 UNCH	
5000	3.60	3.60	3.70B/2.80	3.70B/2.80	----	3.00 - 0.30	.0237	----	----	414	----	3853 -	
5005	----	----	3.60B/2.80A	3.60B/2.80A	----	2.90 - 0.30	.0230	----	----	----	----	57 UNCH	
5010	----	----	3.50B/2.80A	3.50B/2.80A	----	2.90 - 0.30	.0229	----	----	----	----	56 UNCH	
5015	----	----	3.50B/2.70A	3.50B/2.70A	----	2.80 - 0.30	.0221	----	----	----	----	36 UNCH	
5020	----	----	3.40B/2.70A	3.40B/2.70A	----	2.80 - 0.30	.0220	----	----	----	----	57 UNCH	
5025	2.60	2.60	3.40B/2.60	3.40B/2.60	----	2.80 - 0.30	.0219	----					

GLOBEX OPEN		OPEN	OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN	OUTCRY HIGH/LOW	OPEN	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST							
OG CALL		COMEX GOLD OPTIONS																						
DEC26																								
2505	----	----	----	----	1,796.70B/----	1796.70B/1830.80A	----	----	1816.20	+ 23.20	1.0000	100	----	100	----	----	0	UNCH						
3200	----	----	----	----	1,129.50B/----	1129.50B/1117.40A	----	----	1121.30	+ 23.00	.9897	14	----	14	----	----	52	UNCH						
3250	----	----	----	----	1,079.80B/----	1079.80B/1068.40A	----	----	1071.60	+ 23.00	.9880	----	----	----	----	----	71	UNCH						
3300	----	----	----	----	1,029.40B/----	1029.40B/1017.60A	----	----	1021.80	+ 22.90	.9858	----	----	----	----	----	311	UNCH						
3405	----	----	----	----	924.90B/----	924.90B/913.50A	----	----	917.70	+ 22.70	.9798	----	----	----	----	----	1	UNCH						
3450	----	----	----	----	880.30B/----	880.30B/869.60A	----	----	873.30	+ 22.60	.9770	----	----	----	----	----	1	UNCH						
3500	----	----	----	----	831.00B/----	831.00B/814.80A	----	----	824.00	+ 22.40	.9727	----	----	2	----	15	+	2						
3550	----	----	----	----	781.90B/----	781.90B/770.30A	----	----	774.90	+ 22.20	.9677	----	----	----	----	----	2	UNCH						
3570	----	----	----	----	762.10B/----	762.10B/751.70A	----	----	755.40	+ 22.20	.9655	----	----	----	----	----	1	UNCH						
3600	----	----	----	----	733.10B/----	733.10B/721.90A	----	----	726.10	+ 22.00	.9618	----	----	----	----	----	2	UNCH						
3700	----	----	----	----	636.10B/----	636.10B/625.20A	----	----	629.40	+ 21.30	.9450	----	----	----	----	----	51	UNCH						
3750	573.20	573.20	----	----	608.80B/551.80A	608.80B/551.80A	----	----	581.80	NEW	.9334	----	----	7	----	7	+	7						
3755	594.00	594.00	----	----	604.00B/547.20A	604.00B/547.20A	----	----	577.10	NEW	.9324	----	----	3	----	3	+	3						
3760	569.50	569.50	----	----	599.30B/542.50A	599.30B/542.50A	----	----	572.30	NEW	.9309	----	----	2	----	2	+	2						
3765	587.10	587.10	----	----	594.60B/537.80A	594.60B/537.80A	----	----	567.60	NEW	.9295	----	----	8	----	8	+	8						
3770	543.50	543.50	----	----	589.90B/533.20A	589.90B/533.20A	----	----	562.90	NEW	.9284	----	----	1	----	1	+	1						
3775	541.70	541.70	----	----	585.20B/528.50A	585.20B/528.50A	----	----	558.20	+ 20.60	.9269	----	----	1	----	2	+	1						
3785	530.30	530.30	----	----	575.80B/519.20A	575.80B/519.20A	----	----	548.80	NEW	.9240	----	----	4	----	4	+	4						
3790	544.50	544.50	----	----	571.10B/514.60A	571.10B/514.60A	----	----	544.10	NEW	.9225	----	----	1	----	1	+	1						
3800	516.80	516.80	----	----	561.70B/505.40A	561.70B/505.40A	----	----	534.80	+ 20.40	.9192	----	----	1	----	23	UNCH							
3840	480.60	480.60	----	----	524.60B/468.90A	524.60B/468.90A	----	----	497.80	+ 19.90	.9054	----	----	1	----	1	UNCH							
3860	----	----	----	----	506.10B/450.90A	506.10B/450.90A	----	----	479.50	+ 19.60	.8979	----	----	----	----	1	UNCH							
3900	----	----	----	----	470.00B/415.60A	470.00B/415.60A	----	----	443.60	+ 19.00	.8803	----	----	----	----	41	UNCH							
3935	----	----	----	----	438.90B/385.50A	438.90B/385.50A	----	----	412.80	+ 18.30	.8624	----	----	----	----	11	UNCH							
3950	----	----	----	----	425.80B/372.80A	425.80B/372.80A	----	----	399.80	+ 18.00	.8540	----	----	----	----	1	UNCH							
3955	----	----	----	----	421.40B/368.70A	421.40B/368.70A	----	----	395.50	+ 17.90	.8511	----	----	----	----	1	UNCH							
3960	----	----	----	----	417.10B/364.50A	417.10B/364.50A	----	----	391.20	+ 17.80	.8482	----	----	----	----	1	UNCH							
3985	----	----	----	----	395.60B/343.90A	395.60B/343.90A	----	----	370.10	+ 17.30	.8329	----	----	----	----	12	UNCH							
3995	----	----	----	----	387.20B/335.90A	387.20B/335.90A	----	----	361.80	+ 17.10	.8262	----	----	----	----	4	UNCH							
4000	----	----	----	----	383.00B/331.90A	383.00B/331.90A	----	----	357.60	+ 16.90	.8230	----	----	1	----	245	UNCH							
4005	----	----	----	----	378.80B/327.90A	378.80B/327.90A	----	----	353.50	+ 16.80	.8195	----	----	----	----	2	UNCH							
4015	----	----	----	----	370.40B/320.00A	370.40B/320.00A	----	----	345.40	+ 16.60	.8125	----	----	----	----	1	UNCH							
4025	----	----	----	----	362.10B/312.10A	362.10B/312.10A	----	----	337.30	+ 16.40	.8055	----	----	----	----	2	UNCH							
4030	----	----	----	----	358.10B/308.30A	358.10B/308.30A	----	----	333.20	+ 16.20	.8017	----	----	----	----	13	UNCH							
4040	312.40	312.40	----	----	349.80B/300.60A	349.80B/300.60A	----	----	325.30	+ 16.00	.7942	----	----	4	----	43	+	2						
4045	----	----	----	----	345.90B/296.80A	345.90B/296.80A	----	----	321.30	+ 15.80	.7904	----	----	----	----	2	UNCH							
4050	317.70	317.70	----	----	341.90B/293.00A	341.90B/293.00A	----	----	317.40	+ 15.70	.7865	----	----	1	----	972	-	1						
4060	----	----	----	----	333.90B/285.50A	333.90B/285.50A	----	----	309.60	+ 15.40	.7787	----	----	----	----	105	UNCH							
4065	----	----	----	----	329.80B/281.80A	329.80B/281.80A	----	----	305.80	+ 15.30	.7747	----	----	----	----	15	UNCH							
4070	----	----	----	----	326.00B/278.10A	326.00B/278.10A	----	----	301.90	+ 15.10	.7705	----	----	----	----	38	UNCH							
4075	----	----	----	----	322.10B/274.50A	322.10B/274.50A	----	----	298.10	+ 15.00	.7663	----	----	----	----	24	UNCH							
4080	----	----	----	----	318.20B/270.90A	318.20B/270.90A	----	----	294.30	+ 14.90	.7622	----	----	----	----	136	UNCH							
4085	----	----	----	----	314.20B/267.30A	314.20B/267.30A	----	----	290.60	+ 14.80	.7578	----	----	----	----	8	UNCH							
4090	----	----	----	----	310.50B/263.70A	310.50B/263.70A	----	----	286.80	+ 14.60	.7536	----	----	----	----	41	UNCH							
4095	----	----	----	----	306.70B/260.20A	306.70B/260.20A	----	----	283.10	+ 14.50	.7492	----	----	----	----	9	UNCH							
4100	----	----	----	----	302.90B/256.60A	302.90B/256.60A	----	----	279.40	+ 14.30	.7448	----	----	1	----	1247	+	1						
4105	----	----	----	----	299.00B/253.10A	299.00B/253.10A	----	----	275.80	+ 14.30	.7404	----	----	----	----	15	UNCH							
4110	----	----	----	----	295.20B/249.70A	295.20B/249.70A	----	----	272.10	+ 14.00	.7359	----	----	----	----	170	UNCH							
4115	----	----	----	----	291.60B/246.20A	291.60B/246.20A	----	----	268.50	+ 13.90	.7313	----	----	----	----	18	UNCH							
4120	----	----	----	----	287.90B/242.80A	287.90B/242.80A	----	----	265.00	+ 13.90	.7267	----	----	----	----	35	UNCH							
4125	----	----	----	----	284.10B/239.50A	284.10B/239.50A	----	----	261.40	+ 13.70	.7221	----	----	----	----	21	UNCH							
4130	----	----	----	----	280.60B/236.10A	280.60B/236.10A	----	----	257.90	+ 13.50	.7174	----	----	----	----	701	UNCH							
4135	----	----	----	----	276.90B/232.90A	276.90B/232.90A	----	----	254.40	+ 13.40	.7128	----	----	----	----	49	UNCH							
4140	----	----	----	----	273.30B/229.50A	273.30B/229.50A	----	----	250.90	+ 13.20	.7079	----	----	----	----	69	UNCH							
4145	----	----	----	----	269.70B/226.30A	269.70B/226.30A	----	----	247.50	+ 13.10	.7031	----	----	----	----	38	UNCH							
4150	----	----	----	----	266.20B/223.10A	266.20B/223.10A	----	----	244.10	+ 13.00	.6982	----	----	----	----	224	UNCH							
4155	----	----	----	----	262.60B/219.90A	262.60B/219.90A	----	----	240.70	+ 12.80	.6934	----	----	----	----	17	UNCH							
4160	----	----	----	----	259.20B/216.60A	259.20B/216.60A	----	----	237.30	+ 12.70	.6884	----	----	----	----	120	UNCH							
4165	----	----	----	----	255.50B/213.40A	255.50B/213.40A	----	----	234.00	+ 12.50	.6835	----	----	----	----	44	UNCH							
4170	224.00	224.00	----	----	252.20B/210.30A	252.20B/210.30A	----	----	230.70	+ 12.40	.6784	----	----	1	----	69	UNCH							
4175	----	----	----	----	248.80B/207.30A	248.80B/207.30A	----	----	227.40	+ 12.20	.6734	----	----	----	----	826	UNCH							
4180	----	----	----	----	245.40B/204.30A	245.40B/204.30A	----	----	224.20	+ 12.10	.6683	----	----											

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS													
DEC26															
4560	66.00	66.00		71.408/54.90A	71.408/54.90A	----		62.50 + 3.50	.2792	----	----	4	----	227 +	
4565	----	----		70.108/53.90A	70.108/53.90A	----		61.40 + 3.50	.2752	----	----	----	----	55	
4570	----	----		68.808/52.90A	68.808/52.90A	----		60.20 + 3.40	.2710	----	----	----	----	29	
4575	60.70	60.70		67.608/51.90A	67.608/51.90A	----		59.10 + 3.30	.2670	----	1	----	----	462	
4580	56.10	56.10		66.408/50.90A	66.408/50.90A	----		58.00 + 3.20	.2631	----	20	----	----	233 +	
4585	54.60	54.60		65.208/50.00A	65.208/50.00A	----		57.00 + 3.20	.2593	----	13	----	----	288 -	
4590	----	----		64.008/49.00A	64.008/49.00A	----		55.90 + 3.10	.2554	----	----	----	----	111	
4595	54.70	54.70		62.908/48.10A	62.908/48.10A	----		54.90 + 3.10	.2516	----	----	----	----	23 +	
4600	52.00	52.00		61.708/47.20A	61.708/47.20A	----		53.90 + 3.00	.2479	----	88	----	4431	39	
4605	----	----		60.608/46.30A	60.608/46.30A	----		52.90 + 3.00	.2441	----	----	----	----	76 +	
4610	50.40	50.40		59.508/45.50A	59.508/45.50A	----		51.90 + 2.90	.2404	----	11	1	----	53	
4615	----	----		58.408/44.60A	58.408/44.60A	----		51.00 + 2.90	.2369	----	----	----	----	72 +	
4620	53.50	53.50		57.408/43.80A	57.408/43.80A	----		50.00 + 2.80	.2332	----	27	----	----	420	
4625	----	----		56.308/43.00A	56.308/43.00A	----		49.10 + 2.70	.2297	----	----	----	----	162	
4630	----	----		55.308/42.20A	55.308/42.20A	----		48.20 + 2.70	.2262	----	----	----	----	16	
4635	48.60	48.60		54.308/41.40A	54.308/41.40A	----		47.30 + 2.60	.2227	----	16	----	----	46 +	
4640	50.00	50.00		53.308/40.60A	53.308/40.60A	----		46.40 + 2.50	.2192	----	10	----	----	137 +	
4645	49.70	49.70		52.308/39.90A	52.308/39.90A	----		45.60 + 2.50	.2160	----	6	----	----	18 +	
4650	43.60	43.60		51.408/39.10A	51.408/39.10A	----		44.70 + 2.40	.2125	----	81	----	----	1455 +	
4655	44.80	44.80		50.408/38.40A	50.408/38.40A	----		43.90 + 2.40	.2093	----	15	----	----	36 +	
4660	----	----		49.508/37.70A	49.508/37.70A	----		43.10 + 2.40	.2061	----	----	----	----	138	
4665	----	----		48.608/37.00A	48.608/37.00A	----		42.30 + 2.30	.2029	----	----	----	----	93	
4670	----	----		47.708/36.30A	47.708/36.30A	----		41.50 + 2.20	.1997	----	----	----	----	106	
4675	----	----		46.808/35.60A	46.808/35.60A	----		40.80 + 2.30	.1968	----	----	----	----	119	
4680	40.00	40.00		46.008/34.90A	46.008/34.90A	----		40.00 + 2.20	.1936	----	1	----	----	202 +	
4685	----	----		45.208/34.30A	45.208/34.30A	----		39.30 + 2.10	.1907	----	----	----	----	24	
4690	----	----		44.308/33.70A	44.308/33.70A	----		38.60 + 2.10	.1877	----	1	----	----	277 +	
4695	----	----		43.508/33.10A	43.508/33.10A	----		37.80 + 2.00	.1846	----	----	----	----	326	
4700	36.50	36.50		42.708/32.40A	42.708/32.40A	----		37.10 + 1.90	.1817	----	460	----	----	5228 +	
4705	----	----		42.008/31.80A	42.008/31.80A	----		36.50 + 2.00	.1790	----	----	----	----	153	
4710	34.90	34.90		41.208/31.30A	41.208/31.30A	----		35.80 + 1.90	.1761	----	5	----	----	59 +	
4715	----	----		40.408/30.70A	40.408/30.70A	----		35.10 + 1.80	.1732	----	----	----	----	125	
4720	37.10	37.10		39.708/30.10A	39.708/30.10A	----		34.50 + 1.80	.1706	----	----	----	----	137	
4725	33.10	33.10		39.008/29.60A	39.008/29.60A	----		33.90 + 1.80	.1680	----	14	----	----	9596 +	
4730	33.10	33.10		38.308/29.00A	38.308/29.00A	----		33.20 + 1.70	.1651	----	4	----	----	79 +	
4735	----	----		37.608/28.50A	37.608/28.50A	----		32.60 + 1.70	.1625	----	----	----	----	71	
4740	----	----		36.908/28.00A	36.908/28.00A	----		32.00 + 1.60	.1600	----	1	----	----	38	
4745	30.60	30.60		36.208/27.50A	36.208/27.50A	----		31.40 + 1.60	.1574	----	4	----	----	65	
4750	----	----		35.608/27.00A	35.608/27.00A	----		30.90 + 1.60	.1551	----	166	----	----	3973 -	
4755	----	----		34.908/26.50A	34.908/26.50A	----		30.30 + 1.50	.1525	----	----	----	----	41	
4760	----	----		34.308/26.00A	34.308/26.00A	----		29.70 + 1.40	.1500	----	----	----	----	163	
4765	----	----		33.708/25.50A	33.708/25.50A	----		29.20 + 1.40	.1477	----	----	----	----	87	
4770	29.00	29.00		33.108/25.10A	33.108/25.10A	----		28.70 + 1.40	.1454	----	1	----	----	46	
4775	30.30	30.30		32.508/24.60A	32.508/24.60A	----		28.20 + 1.40	.1432	----	1	----	----	217	
4780	30.70	30.70		31.908/24.20A	31.908/24.20A	----		27.60 + 1.30	.1406	----	4	----	----	41 +	
4785	----	----		31.308/23.80A	31.308/23.80A	----		27.10 + 1.30	.1384	----	----	----	----	58	
4790	----	----		30.808/23.30A	30.808/23.30A	----		26.70 + 1.30	.1364	----	----	----	----	310	
4795	29.40	29.40		30.208/22.90A	30.208/22.90A	----		26.20 + 1.30	.1342	----	----	----	----	142	
4800	----	----		29.708/22.50A	29.708/22.50A	----		25.70 + 1.20	.1320	----	239	----	----	7658 +	
4805	----	----		29.108/22.10A	29.108/22.10A	----		25.30 + 1.30	.1300	----	----	----	----	47	
4810	----	----		28.608/21.70A	28.608/21.70A	----		24.80 + 1.20	.1278	----	----	----	----	87	
4815	24.30	24.30		28.108/21.30A	28.108/21.30A	----		24.40 + 1.20	.1259	----	----	----	----	33	
4820	----	----		27.608/21.00A	27.608/21.00A	----		23.90 + 1.10	.1237	----	2	----	----	197	
4825	----	----		27.108/20.60A	27.108/20.60A	----		23.50 + 1.10	.1218	----	2	----	----	263 -	
4830	----	----		26.608/20.30A	26.608/20.30A	----		23.10 + 1.10	.1199	----	----	----	----	28	
4835	----	----		26.208/19.90A	26.208/19.90A	----		22.70 + 1.10	.1181	----	----	----	----	169	
4840	20.30	20.30		25.708/19.60A	25.708/19.60A	----		22.30 + 1.10	.1162	----	----	----	----	162	
4845	----	----		25.308/19.20A	25.308/19.20A	----		21.90 + 1.00	.1143	----	21	----	----	43 +	
4850	20.80	20.80		24.808/18.90A	24.808/18.90A	----		21.50 + 1.00	.1125	----	50	----	2956	16	
4855	----	----		24.408/18.60A	24.408/18.60A	----		21.20 + 1.00	.1109	----	----	----	----	103	
4860	20.00	20.00		24.008/18.30A	24.008/18.30A	----		20.80 + 1.00	.1091	----	3	----	----	63	
4865	17.40	17.40		23.508/17.90A	23.508/17.90A	----		20.40 + 0.90	.1072	----	----	----	----	55	
4870	18.20	18.20		23.208/17.70A	23.208/17.70A	----		20.10 + 1.00	.1057	----	1	----	----	61 +	
4875	17.30	17.30		22.808/17.40	22.808/17.40	----		19.70 + 0.90	.1039	----	1	----	----	202 -	
4880	16.80	16.80		22.408/17.10A	22.408/17.10A	----		19.40 + 0.90	.1024	----	32	----	----	290 +	
4885	16.80	16.80		22.008/16.80A	22.008/16.80A	----		19.10 + 0.90	.1009	----	1	----	----	54 -	
4890	18.10	18.10		21.608/16.50A	21.608/16.50A	----		18.80 + 0.90	.0994	----	----	----	----	26	
4895	----	----		21.208/16.20A	21.208/16.20A	----		18.40 + 0.80	.0976	----	----	----	----	237	
4900	16.40	16.40		20.908/16.00A	20.908/16.00A	----		18.10 + 0.80	.0961	----	148	----	5139 +	23	
4905	----	----		20.508/15.70A	20.508/15.70A	----		17.80 + 0.80	.0946	----	2	----	----	31	
4910	15.70	15.70		20.208/15.50A	20.208/15.50A	----		17.50 + 0.80	.0931	----	2	----	2060	UNCH	
4915	16.80	16.80		19.808/15.20A	19.808/15.20A	----		17.20 + 0.70	.0917	----	----	----	----	55	
4920	----	----		19.508/15.00A	19.508/15.00A	----		16.90 + 0.70	.0902	----	30	----	147 -	2	
4925	----	----		19.208/14.70A	19.208/14.70A	----		16.70 + 0.80	.0891	----	1	----	463 -	1	
4930	----	----		18.908/14.50A	18.908/14.50A	----		16.40 + 0.70	.0876	----	----	----	----	37	
4935	----	----		18.608/14.30A	18.608/14.30A	----		16.10 + 0.70	.0862	----	----	----	----	18	
4940	----	----		18.208/14.00A	18.208/14.00A	----		15.80 + 0.60	.0847	----	----	----	----	64	
4945	----	----		17.908/13.80A	17.908/13.80A	----		15.60 + 0.60	.0837	----	----	----	----	31	
4950	----	----		17.708/13.60A	17.708/13.60A	----		15.30 + 0.60	.0822	----	----	----	----	785	
4955	----	----		17.308/13.40A	17.308/13.40A	----		15.10 + 0.60	.0811	----	----	----	----	27	
4960	13.60	13.60		17.108/13.20A	17.108/13.20A	----		14.80 + 0.50	.0797	----	----	----	----	158	
4965	----	----		16.808/13.00A	16.808/13.00A	----		14.60 + 0.60	.0786	----	----	----	----	135	
4970	----	----		16.508/12.80A	16.508/12.80A	----		14.30 + 0.50	.0772	----	----	----	----	70	
4975	----	----		16.308/12.60A	16.308/12.60A	----		14.10 + 0.50	.0761	----	1	----	----	72	
4980	----	----		16.008/12.40A	16.008/12.40A	----		13.90 + 0.50	.0751	----	----	----	----	82	
4985	----	----		15.708/12.20A	15.708/12.20A	----		13.70 + 0.50	.0740	----	----	----	----	89	
4990	13.30	13.30		15.508/12.00A	15.508/12.00A	----		13.40 + 0.40	.0726	----	----	----	----	437	
4995	----	----		15.208/11.90A	15.208/11.90A	----		13.20 + 0.40	.0716	----	----	----	----	60	
5000	----	----		15.008/11.70	15.008/11.70	----		13.00 + 0.40	.0705	----	601	----	9644 +	235	
5005	----	----		14.808/11.50A	14.808/11.50A	----		12.80 + 0.40	.0695	----	----	----	----	35	
5010	11.70	11.70		14.508/11.30A	14.508/11.30A	----		12.60 + 0.30	.0685	----	----	----	----	22	
5015	----	----		14.308/11.20A	14.308/11.20A	----		12.40 + 0.30	.0674	----	5	----	----	39 -	
5020	12.70	12.70		14.108/11.00A	14.108/11.00A	----		12.20 + 0.30	.0664	----	----	----	----	101	
5025	----	----		13.908/10.90A											

BULLETIN #185@				METALS OPTION PRODUCTS										Fri, Sep 25, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG CALL	COMEX GOLD OPTIONS																	
DEC26	----	----	----	7.50B/6.30A	7.50B/6.30A	7.50B/6.30A	----	----	6.80 + 0.20	.0370	----	----	----	----	----	23	UNCH	
5245	----	----	----	7.40B/6.20A	7.40B/6.20A	7.40B/6.20A	----	----	6.70 + 0.10	.0364	----	----	----	----	----	1859	UNCH	
5250	----	----	----	7.40B/6.20A	7.40B/6.20A	7.40B/6.20A	----	----	6.60 + 0.10	.0359	----	----	----	----	----	58	UNCH	
5255	----	----	----	7.30B/6.10A	7.30B/6.10A	7.30B/6.10A	----	----	6.60 + 0.20	.0358	----	----	----	----	----	12	UNCH	
5260	----	----	----	7.20B/6.10A	7.20B/6.10A	7.20B/6.10A	----	----	6.50 + 0.10	.0353	----	----	----	----	----	19	UNCH	
5265	----	----	----	7.10B/6.00A	7.10B/6.00A	7.10B/6.00A	----	----	6.40 + 0.10	.0348	----	----	----	----	----	74	UNCH	
5270	----	----	----	7.00B/5.90A	7.00B/5.90A	7.00B/5.90A	----	----	6.30 + 0.10	.0342	----	----	----	----	----	41	UNCH	
5275	----	----	----	6.90B/5.90A	6.90B/5.90A	6.90B/5.90A	----	----	6.30 + 0.20	.0341	----	----	----	----	----	60	UNCH	
5280	----	----	----	6.90B/5.80A	6.90B/5.80A	6.90B/5.80A	----	----	6.20 + 0.10	.0336	----	----	----	----	----	27	UNCH	
5285	----	----	----	6.80B/5.80A	6.80B/5.80A	6.80B/5.80A	----	----	6.20 + 0.20	.0335	----	----	----	----	----	7	UNCH	
5290	----	----	----	6.70B/5.70A	6.70B/5.70A	6.70B/5.70A	----	----	6.10 + 0.10	.0330	----	----	----	----	----	25	UNCH	
5295	----	----	----	6.70B/5.60A	6.70B/5.60A	6.70B/5.60A	----	----	6.00 + 0.10	.0325	----	----	10	----	----	2472	- 5	
5300	6.10	6.10	----	6.50B/5.60A	6.50B/5.60A	6.50B/5.60A	----	----	6.00 + 0.20	.0324	----	----	----	----	----	48	UNCH	
5305	----	----	----	6.50B/5.50A	6.50B/5.50A	6.50B/5.50A	----	----	5.90 + 0.10	.0319	----	----	----	----	----	45	UNCH	
5310	----	----	----	6.40B/5.50A	6.40B/5.50A	6.40B/5.50A	----	----	5.80 + 0.10	.0314	----	----	----	----	----	38	UNCH	
5315	----	----	----	6.30B/5.40A	6.30B/5.40A	6.30B/5.40A	----	----	5.80 + 0.10	.0313	----	----	----	----	----	6	UNCH	
5320	5.40	5.40	----	6.30B/5.40	6.30B/5.40	6.30B/5.40	----	----	5.70 + 0.10	.0308	----	----	1	----	----	30	UNCH	
5330	----	----	----	6.20B/5.30A	6.20B/5.30A	6.20B/5.30A	----	----	5.70 + 0.10	.0307	----	----	----	----	----	48	UNCH	
5335	----	----	----	6.10B/5.30A	6.10B/5.30A	6.10B/5.30A	----	----	5.60 + 0.10	.0302	----	----	----	----	----	11	UNCH	
5340	----	----	----	6.10B/5.20A	6.10B/5.20A	6.10B/5.20A	----	----	5.60 + 0.20	.0301	----	----	----	----	----	11	UNCH	
5345	5.50	5.50	----	6.00B/5.20A	6.00B/5.20A	6.00B/5.20A	----	----	5.50 + 0.10	.0296	----	----	1	----	----	38	UNCH	
5350	----	----	----	5.90B/5.10A	5.90B/5.10A	5.90B/5.10A	----	----	5.40 + 0.10	.0291	----	----	----	----	----	860	UNCH	
5355	----	----	----	5.90B/5.10A	5.90B/5.10A	5.90B/5.10A	----	----	5.40 + 0.10	.0290	----	----	----	----	----	21	UNCH	
5360	----	----	----	5.80B/5.00A	5.80B/5.00A	5.80B/5.00A	----	----	5.30 + 0.10	.0285	----	----	----	----	----	119	UNCH	
5365	----	----	----	5.70B/5.00A	5.70B/5.00A	5.70B/5.00A	----	----	5.30 + 0.10	.0284	----	----	----	----	----	23	UNCH	
5370	----	----	----	5.70B/4.90A	5.70B/4.90A	5.70B/4.90A	----	----	5.20 UNCH	.0279	----	----	----	----	----	43	UNCH	
5375	----	----	----	5.60B/4.90A	5.60B/4.90A	5.60B/4.90A	----	----	5.20 + 0.10	.0278	----	----	----	----	----	90	UNCH	
5380	----	----	----	5.60B/4.90A	5.60B/4.90A	5.60B/4.90A	----	----	5.10 UNCH	.0274	----	----	----	----	----	45	UNCH	
5385	----	----	----	5.50B/4.80A	5.50B/4.80A	5.50B/4.80A	----	----	5.10 + 0.10	.0273	----	----	----	----	----	44	UNCH	
5390	----	----	----	5.50B/4.80A	5.50B/4.80A	5.50B/4.80A	----	----	5.00 UNCH	.0268	----	----	----	----	----	214	UNCH	
5395	----	----	----	5.40B/4.70A	5.40B/4.70A	5.40B/4.70A	----	----	5.00 + 0.10	.0267	----	----	----	----	----	7	UNCH	
5400	5.50	5.50	----	5.50/4.70A	5.50/4.70A	5.50/4.70A	----	----	4.90 UNCH	.0262	----	----	47	----	----	3735	+ 3	
5405	----	----	----	5.30B/4.70A	5.30B/4.70A	5.30B/4.70A	----	----	4.90 + 0.10	.0261	----	----	----	----	----	54	UNCH	
5410	----	----	----	5.30B/4.60A	5.30B/4.60A	5.30B/4.60A	----	----	4.90 + 0.10	.0261	----	----	----	----	----	25	UNCH	
5415	----	----	----	5.20B/4.60A	5.20B/4.60A	5.20B/4.60A	----	----	4.80 UNCH	.0256	----	----	----	----	----	4	UNCH	
5420	----	----	----	5.10B/4.50A	5.10B/4.50A	5.10B/4.50A	----	----	4.80 + 0.10	.0255	----	----	----	----	----	11	UNCH	
5425	----	----	----	5.10B/4.50A	5.10B/4.50A	5.10B/4.50A	----	----	4.70 UNCH	.0250	----	----	----	----	----	259	UNCH	
5430	----	----	----	5.10B/4.50A	5.10B/4.50A	5.10B/4.50A	----	----	4.70 + 0.10	.0250	----	----	----	----	----	16	UNCH	
5435	----	----	----	5.00B/4.40A	5.00B/4.40A	5.00B/4.40A	----	----	4.70 + 0.10	.0249	----	----	----	----	----	23	UNCH	
5440	----	----	----	5.00B/4.40A	5.00B/4.40A	5.00B/4.40A	----	----	4.60 UNCH	.0244	----	----	----	----	----	12	UNCH	
5445	----	----	----	4.90B/4.40A	4.90B/4.40A	4.90B/4.40A	----	----	4.60 + 0.10	.0243	----	----	----	----	----	45	UNCH	
5450	----	----	----	5.00B/4.30A	5.00B/4.30A	5.00B/4.30A	----	----	4.50 UNCH	.0239	----	----	----	----	----	458	UNCH	
5455	----	----	----	4.80B/4.30A	4.80B/4.30A	4.80B/4.30A	----	----	4.50 UNCH	.0238	----	----	----	----	----	28	UNCH	
5460	----	----	----	4.80B/4.30A	4.80B/4.30A	4.80B/4.30A	----	----	4.50 + 0.10	.0237	----	----	----	----	----	48	UNCH	
5465	----	----	----	4.70B/4.20A	4.70B/4.20A	4.70B/4.20A	----	----	4.40 UNCH	.0233	----	----	----	----	----	66	UNCH	
5470	----	----	----	4.70B/4.20A	4.70B/4.20A	4.70B/4.20A	----	----	4.40 UNCH	.0232	----	----	----	----	----	18	UNCH	
5475	----	----	----	4.60B/4.20A	4.60B/4.20A	4.60B/4.20A	----	----	4.40 + 0.10	.0231	----	----	----	----	----	588	UNCH	
5480	----	----	----	4.60B/4.10A	4.60B/4.10A	4.60B/4.10A	----	----	4.30 UNCH	.0227	----	----	----	----	----	104	UNCH	
5485	----	----	----	4.60B/4.10A	4.60B/4.10A	4.60B/4.10A	----	----	4.30 UNCH	.0226	----	----	----	----	----	7	UNCH	
5490	----	----	----	4.50B/4.10A	4.50B/4.10A	4.50B/4.10A	----	----	4.30 + 0.10	.0225	----	----	----	----	----	25	UNCH	
5495	----	----	----	4.50B/4.00A	4.50B/4.00A	4.50B/4.00A	----	----	4.20 UNCH	.0221	----	----	----	----	----	100	UNCH	
5500	4.50	4.50	----	4.60B/3.90	4.60B/3.90	4.60B/3.90	----	----	4.20 UNCH	.0220	----	----	536	----	----	10117	+ 77	
5505	----	----	----	4.40B/4.00A	4.40B/4.00A	4.40B/4.00A	----	----	4.20 + 0.10	.0220	----	----	----	----	----	15	UNCH	
5510	----	----	----	4.40B/4.00A	4.40B/4.00A	4.40B/4.00A	----	----	4.20 + 0.10	.0219	----	----	----	----	----	37	UNCH	
5515	----	----	----	4.30B/3.90A	4.30B/3.90A	4.30B/3.90A	----	----	4.10 UNCH	.0214	----	----	----	----	----	13	UNCH	
5520	----	----	----	4.30B/3.90A	4.30B/3.90A	4.30B/3.90A	----	----	4.10 + 0.10	.0214	----	----	----	----	----	26	UNCH	
5525	----	----	----	4.30B/3.90A	4.30B/3.90A	4.30B/3.90A	----	----	4.10 + 0.10	.0213	----	----	----	----	----	125	UNCH	
5530	----	----	----	4.20B/3.90A	4.20B/3.90A	4.20B/3.90A	----	----	4.00 UNCH	.0209	----	----	----	----	----	3	UNCH	
5535	----	----	----	4.20B/3.80A	4.20B/3.80A	4.20B/3.80A	----	----	4.00 UNCH	.0208	----	----	----	----	----	6	UNCH	
5540	----	----	----	4.20B/3.80A	4.20B/3.80A	4.20B/3.80A	----	----	4.00 + 0.10	.0207	----	----	----	----	----	33	UNCH	
5545	----	----	----	4.10B/3.80A	4.10B/3.80A	4.10B/3.80A	----	----	4.00 + 0.10	.0207	----	----	----	----	----	5	UNCH	
5550	----	----	----	4.10B/3.70A	4.10B/3.70A	4.10B/3.70A	----	----	3.90 UNCH	.0202	----	----	----</					



BULLETIN #185@				METALS OPTION PRODUCTS										Fri, Sep 25, 2026		PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
OG CALL JAN27	COMEX GOLD OPTIONS																
4765	----	----	66.30B/53.60A	66.30B/53.60A	----	60.00 + 3.20	.2244	----	----	----	----	11	UNCH				
4770	----	----	65.30B/52.90A	65.30B/52.90A	----	59.20 + 3.20	.2219	----	----	----	----	44	UNCH				
4775	----	----	64.40B/52.10A	64.40B/52.10A	----	58.40 + 3.20	.2194	----	----	----	----	16	UNCH				
4780	----	----	63.60B/51.40A	63.60B/51.40A	----	57.60 + 3.20	.2169	----	----	----	----	1	UNCH				
4785	----	----	62.70B/50.70A	62.70B/50.70A	----	56.80 + 3.10	.2143	----	----	----	----	38	UNCH				
4790	----	----	61.70B/50.00A	61.70B/50.00A	----	56.00 + 3.10	.2118	----	----	----	----	5	UNCH				
4795	----	----	60.90B/49.30A	60.90B/49.30A	----	55.20 + 3.00	.2093	----	----	----	----	1	UNCH				
4800	57.00	57.00	60.10B/48.60A	60.10B/48.60A	----	54.40 + 2.90	.2068	----	73	2788	2	2788	UNCH				
4805	54.50	54.50	59.30B/47.90A	59.30B/47.90A	----	53.70 + 2.90	.2045	----	2	24	+	24	+				
4810	----	----	58.40B/47.20A	58.40B/47.20A	----	52.90 + 2.80	.2020	----	----	----	----	3	UNCH				
4815	52.00	52.00	57.60B/46.60A	57.60B/46.60A	----	52.20 + 2.80	.1997	----	7	42	+	42	+				
4820	----	----	56.80B/45.90A	56.80B/45.90A	----	51.50 + 2.80	.1974	----	----	----	----	2	UNCH				
4825	51.20	51.20	56.00B/45.30A	56.00B/45.30A	----	50.80 + 2.80	.1951	----	1	51	UNCH	51	UNCH				
4830	----	----	55.20B/44.70A	55.20B/44.70A	----	50.10 + 2.70	.1928	----	----	----	----	16	UNCH				
4835	----	----	54.50B/44.10A	54.50B/44.10A	----	49.40 + 2.70	.1905	----	----	----	----	2	UNCH				
4840	----	----	53.80B/43.50A	53.80B/43.50A	----	48.70 + 2.60	.1882	----	----	----	----	21	UNCH				
4845	47.70	47.70	53.00B/42.90A	53.00B/42.90A	----	48.10 + 2.60	.1862	----	1	16	UNCH	16	UNCH				
4850	47.20	47.20	52.30B/42.30A	52.30B/42.30A	----	47.40 + 2.60	.1839	----	45	375	+	375	+				
4860	----	----	50.90B/41.10A	50.90B/41.10A	----	46.10 + 2.50	.1796	----	----	----	----	2	UNCH				
4865	----	----	50.20B/40.50A	50.20B/40.50A	----	45.50 + 2.50	.1775	----	----	----	----	1	UNCH				
4870	43.80	43.80	49.50B/40.00A	49.50B/40.00A	----	44.90 + 2.50	.1755	----	18	237	+	237	+				
4875	41.20	41.20	48.80B/39.40A	48.80B/39.40A	----	44.30 + 2.40	.1734	----	1	6	UNCH	6	UNCH				
4880	----	----	48.20B/38.90A	48.20B/38.90A	----	43.70 + 2.40	.1714	----	----	----	----	18	UNCH				
4885	----	----	47.50B/38.40A	47.50B/38.40A	----	43.10 + 2.40	.1694	----	----	----	----	36	UNCH				
4890	----	----	46.80B/37.90A	46.80B/37.90A	----	42.50 + 2.30	.1673	----	----	----	----	4	UNCH				
4895	41.50	41.50	46.10B/37.40A	46.10B/37.40A	----	41.90 + 2.30	.1653	----	16	24	+	24	+				
4900	40.80	40.80	45.50B/36.80A	45.50B/36.80A	----	41.40 + 2.30	.1635	----	64	722	+	722	+				
4905	----	----	45.00B/36.30A	45.00B/36.30A	----	40.80 + 2.20	.1615	----	----	----	----	10	UNCH				
4910	40.80	40.80	44.30B/35.90A	44.30B/35.90A	----	40.30 + 2.20	.1597	----	2	25	+	25	+				
4915	----	----	43.70B/35.40A	43.70B/35.40A	----	39.70 + 2.20	.1577	----	----	----	----	95	UNCH				
4920	36.40	36.40	43.10B/34.90A	43.10B/34.90A	----	39.20 + 2.20	.1559	----	11	18	+	18	+				
4925	38.30	38.30	42.50B/34.40A	42.50B/34.40A	----	38.70 + 2.20	.1541	----	1	3	+	3	+				
4930	----	----	42.00B/34.00A	42.00B/34.00A	----	38.20 + 2.10	.1524	----	----	----	----	2	UNCH				
4935	----	----	41.40B/33.50A	41.40B/33.50A	----	37.70 + 2.10	.1506	----	----	----	----	1	UNCH				
4940	----	----	40.90B/33.10A	40.90B/33.10A	----	37.20 + 2.10	.1488	----	----	----	----	3	UNCH				
4945	----	----	40.30B/32.60A	40.30B/32.60A	----	36.70 + 2.10	.1471	----	----	----	----	6	UNCH				
4950	35.80	35.80	39.70B/32.20A	39.70B/32.20A	----	36.20 + 2.00	.1453	----	104	324	+	324	+				
4955	----	----	39.30B/31.80A	39.30B/31.80A	----	35.70 + 2.00	.1436	----	----	----	----	2	UNCH				
4960	----	----	38.70B/31.40A	38.70B/31.40A	----	35.20 + 1.90	.1418	----	----	----	----	4	UNCH				
4965	36.80	36.80	38.20B/31.00A	38.20B/31.00A	----	34.80 NEW	.1403	----	11	11	+	11	+				
4970	----	----	37.70B/30.60A	37.70B/30.60A	----	34.30 + 1.90	.1386	----	----	----	----	3	UNCH				
4975	----	----	37.20B/30.20A	37.20B/30.20A	----	33.90 + 1.90	.1371	----	----	----	----	3	UNCH				
4985	----	----	36.20B/29.40A	36.20B/29.40A	----	33.00 + 1.80	.1338	----	----	----	----	16	UNCH				
4990	33.00	33.00	35.70B/29.00A	35.70B/29.00A	----	32.50 + 1.70	.1321	----	2	23	+	23	+				
4995	----	----	35.20B/28.60A	35.20B/28.60A	----	32.10 + 1.70	.1306	----	----	----	----	6	UNCH				
5000	35.20	35.20	35.20/28.30A	35.20/28.30A	----	31.70 + 1.70	.1291	----	16	1153	+	1153	+				
5005	----	----	34.30B/27.90A	34.30B/27.90A	----	31.30 + 1.70	.1276	----	----	----	----	14	UNCH				
5010	31.30	31.30	33.90B/27.50A	33.90B/27.50A	----	30.90 + 1.70	.1262	----	4	74	UNCH	74	UNCH				
5015	----	----	33.40B/27.20A	33.40B/27.20A	----	30.50 + 1.70	.1247	----	----	----	----	3	UNCH				
5020	----	----	33.00B/26.80A	33.00B/26.80A	----	30.10 + 1.60	.1232	----	----	----	----	2	UNCH				
5025	----	----	32.60B/26.50A	32.60B/26.50A	----	29.70 + 1.60	.1218	----	----	----	----	9	UNCH				
5030	----	----	32.10B/26.10A	32.10B/26.10A	----	29.30 + 1.60	.1203	----	----	----	----	5	UNCH				
5035	----	----	31.70B/25.80A	31.70B/25.80A	----	29.00 + 1.60	.1191	----	----	----	----	30	UNCH				
5040	----	----	31.30B/25.50A	31.30B/25.50A	----	28.60 + 1.60	.1177	----	----	----	----	14	UNCH				
5045	----	----	30.90B/25.20A	30.90B/25.20A	----	28.20 + 1.50	.1162	----	----	----	----	2	UNCH				
5050	----	----	30.50B/24.90A	30.50B/24.90A	----	27.90 + 1.50	.1150	----	----	129	UNCH	129	UNCH				
5055	----	----	30.10B/24.50A	30.10B/24.50A	----	27.50 + 1.50	.1136	----	----	----	----	12	UNCH				
5060	----	----	29.70B/24.20A	29.70B/24.20A	----	27.20 + 1.50	.1124	----	64	40	UNCH	40	UNCH				
5065	----	----	29.40B/23.90A	29.40B/23.90A	----	26.80 + 1.40	.1109	----	----	----	----	2	UNCH				
5070	----	----	29.00B/23.70A	29.00B/23.70A	----	26.50 + 1.40	.1098	----	----	----	----	8	UNCH				
5075	----	----	28.60B/23.40A	28.60B/23.40A	----	26.20 + 1.40	.1086	----	----	----	----	4	UNCH				
5080	----	----	28.30B/23.10A	28.30B/23.10A	----	25.80 + 1.30	.1071	----	----	----	----	6	UNCH				
5085	----	----	27.90B/22.80A	27.90B/22.80A	----	25.50 + 1.30	.1060	----	----	----	----	33	UNCH				
5090	----	----	27.60B/22.50A	27.60B/22.50A	----	25.20 + 1.30	.1048	----	----	----	----	3	UNCH				
5095	----	----	27.20B/22.20A	27.20B/22.20A	----	24.90 + 1.30	.1036	----	----	----	----	3	UNCH				
5100	----	----	26.90B/22.00A	26.90B/22.00A	----	24.60 + 1.30	.1025	----	23	238	+	238	+				
5105	24.60	24.60	26.50B/21.70A	26.50B/21.70A	----	24.30 + 1.30	.1013	----	2	27	+	27	+				
5110	24.30	24.30	26.20B/21.50A	26.20B/21.50A	----	24.00 NEW	.1002	----	2	2	+	2	+				
5115	----	----	25.90B/21.20A	25.90B/21.20A	----	23.70 + 1.20	.0990	----	----	----	----	9	UNCH				
5120	----	----	25.60B/20.90A	25.60B/20.90A	----	23.40 + 1.20	.0979	----	----	----	----	3	UNCH				
5125	----	----	25.20B/20.70A	25.20B/20.70A	----	23.10 + 1.20	.0967	----	----	44	UNCH	44	UNCH				
5130	----	----	24.90B/20.50A	24.90B/20.50A	----	22.80 + 1.10	.0956	----	----	19	UNCH	19	UNCH				
5135	21.90	21.90	24.60B/20.20A	24.60B/20.20A	----	22.60 + 1.20	.0947	----	5	52	+	52	+				
5140	----	----	24.30B/20.00A	24.30B/20.00A	----	22.30 + 1.10	.0936	----	----	5	UNCH	5	UNCH				
5150	----	----	23.80B/19.50A	23.80B/19.50A	----	21.80 + 1.10	.0916	----	----	234	UNCH	234	UNCH				
5155	----	----	23.50B/19.30A	23.50B/19.30A	----	21.50 + 1.10	.0905	----	----	20	UNCH	20	UNCH				
5160	----	----	23.20B/19.10A	23.20B/19.10A	----	21.20 + 1.00	.0893	----	----	17	UNCH	17	UNCH				
5165	----	----	22.90B/18.90A	22.90B/18.90A	----	21.00 + 1.10	.0885	----	----	7	UNCH	7	UNCH				
5170	----	----	22.60B/18.60A	22.60B/18.60A	----	20.70 + 1.00	.0874	----	----	9	UNCH	9	UNCH				
5175	----	----	22.40B/18.40A	22.40B/18.40A	----	20.50 + 1.00	.0865	----	----	235	UNCH	235	UNCH				
5180	20.10	20.10	22.10B/18.20A	22.10B/18.20A	----	20.30 + 1.00	.0857	----	2	14	UNCH	14	UNCH				
5185	----	----	21.80B/18.00A	21.80B/18.00A	----	20.00 + 1.00	.0846	----	----	9	UNCH	9	UNCH				
5190	----	----	21.60B/17.80A	21.60B/17.80A	----	19.80 + 1.00	.0837	----	----	2	UNCH	2	UNCH				
5195	----	----	21.30B/17.60A	21.30B/17.60A	----	19.50 + 0.90	.0826	----	----	5	UNCH	5	UNCH				
5200	----	----	21.10B/17.40A	21.10B/17.40A	----	19.30 + 0.90	.0818	----	13	816	-	816	-				
5205	----	----	20.80B/17.20A	20.80B/17.20A	----	19.10 + 0.90	.0809	----	----	13	UNCH	13	UNCH				
5210	----	----	20.60B/17.00A	20.60B/17.00A	----	18.90 + 0.90	.0801	----	----	16	UNCH	16	UNCH				
5215	----	----	20.30B/16.80A	20.30B/16.80A	----	18.70 + 0.90	.0793	----	----	20	UNCH	20	UNCH				
5225	----	----	19.90B/16.50A	19.90B/16.50A	----	18.20 + 0.80	.0774	----	----	104	UNCH	104	UNCH				
5230	----	----	19.60B/16.30A	19.60B/16.30A	----	18.00 + 0.80	.0766	----	----	7	UNCH	7	UNCH				
5235	----	----	19.40B/16.10A	19.40B/16.10A	----	17.80 + 0.80	.0757	----	----	64	UNCH	64	UNCH				
5240	----	----	19.20B/16.00A	19.20B/16.00A	----	17.60 + 0.80	.0749	----	----	5	UNCH	5	UNCH				
5245	----	----	19.00B/15.80A	19.00B/15.80A	----	17.40 + 0.80	.0741	----	----	14	UNCH	14	UNCH				
5250	----	----	18.80B/15.60A	18.80B/15.60A	----	17.20 + 0.70	.0733	----	----	407	UNCH	407	UNCH				
5255	----	----	18.50B/15.50A	18.50B/15.50A	----	17.00 + 0.70	.0725	----	----	2	UNCH	2	UNCH				
5260	----	----	18.40B/15.30A	18.40B/15.30A	----	16.80 + 0.70	.0717	----	----	20	UNCH	20	UNCH				
5270	----	----	17.90B/15.00A	17.90B/15.00A	----	16.50 +											

BULLETIN #185@				METALS OPTION PRODUCTS										Fri, Sep 25, 2026		PG64	
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG CALL JAN27	COMEX GOLD OPTIONS																
5520	----	----	10.80B/9.40A	10.80B/9.40A	----	10.10	+ 0.40	.0433	----	----	----	----	----	15	UNCH		
5525	----	----	10.70B/9.40A	10.70B/9.40A	----	10.00	+ 0.30	.0429	----	----	----	----	----	21	UNCH		
5530	----	----	10.60B/9.30A	10.60B/9.30A	----	9.90	+ 0.30	.0425	----	----	----	----	----	5	UNCH		
5540	----	----	10.50B/9.10A	10.50B/9.10A	----	9.80	+ 0.40	.0420	----	----	----	----	----	7	UNCH		
5545	----	----	10.40B/9.10A	10.40B/9.10A	----	9.70	+ 0.30	.0415	----	----	----	----	----	5	UNCH		
5550	9.50	9.50	10.30B/9.00A	10.30B/9.00A	----	9.60	+ 0.30	.0411	----	----	----	2	----	11	+		
5555	----	----	10.20B/8.90A	10.20B/8.90A	----	9.50	+ 0.30	.0407	----	----	----	----	----	4	UNCH		
5560	----	----	10.10B/8.90A	10.10B/8.90A	----	9.50	+ 0.40	.0406	----	----	----	----	----	5	UNCH		
5570	----	----	9.90B/8.70A	9.90B/8.70A	----	9.30	+ 0.30	.0398	----	----	----	----	----	2	UNCH		
5575	----	----	9.90B/8.70A	9.90B/8.70A	----	9.20	+ 0.30	.0394	----	----	----	----	----	6	UNCH		
5580	----	----	9.80B/8.60A	9.80B/8.60A	----	9.20	+ 0.40	.0393	----	----	----	----	----	1	UNCH		
5600	----	----	9.50B/8.30A	9.50B/8.30A	----	8.90	+ 0.30	.0380	----	----	----	----	----	430	UNCH		
5605	----	----	9.40B/8.30A	9.40B/8.30A	----	8.80	+ 0.30	.0376	----	----	----	----	----	14	UNCH		
5615	----	----	9.20B/8.20A	9.20B/8.20A	----	8.70	+ 0.30	.0371	----	----	----	----	----	1	UNCH		
5620	----	----	9.20B/8.10A	9.20B/8.10A	----	8.60	+ 0.30	.0367	----	----	----	----	----	2	UNCH		
5650	----	----	8.70B/7.80A	8.70B/7.80A	----	8.20	+ 0.30	.0349	----	----	----	----	----	2	UNCH		
5655	----	----	8.70B/7.70A	8.70B/7.70A	----	8.20	+ 0.30	.0348	----	----	----	----	----	3	UNCH		
5675	----	----	8.40B/7.50A	8.40B/7.50A	----	7.90	+ 0.20	.0336	----	----	----	----	----	3	UNCH		
5690	----	----	8.20B/7.30A	8.20B/7.30A	----	7.80	+ 0.30	.0330	----	----	----	----	----	3	UNCH		
5700	----	----	8.10B/7.30A	8.10B/7.30A	----	7.70	+ 0.30	.0326	----	----	----	32	----	131	+		
5705	----	----	8.00B/7.20A	8.00B/7.20A	----	7.60	+ 0.20	.0322	----	----	----	----	----	13	UNCH		
5720	----	----	7.90B/7.10A	7.90B/7.10A	----	7.50	+ 0.30	.0316	----	----	----	----	----	2	UNCH		
5725	----	----	7.80B/7.00A	7.80B/7.00A	----	7.40	+ 0.20	.0313	----	----	----	----	----	6	UNCH		
5735	----	----	7.70B/6.90A	7.70B/6.90A	----	7.30	+ 0.20	.0308	----	----	----	----	----	1	UNCH		
5745	----	----	7.60B/6.80A	7.60B/6.80A	----	7.20	+ 0.20	.0304	----	----	----	----	----	2	UNCH		
5750	----	----	7.50B/6.80A	7.50B/6.80A	----	7.20	+ 0.30	.0303	----	----	----	----	----	8	UNCH		
5760	----	----	7.40B/6.70A	7.40B/6.70A	----	7.10	+ 0.30	.0298	----	----	----	----	----	2	UNCH		
5770	----	----	7.30B/6.60A	7.30B/6.60A	----	7.00	+ 0.20	.0294	----	----	----	----	----	10	UNCH		
5775	----	----	7.30B/6.60A	7.30B/6.60A	----	6.90	+ 0.20	.0290	----	----	----	----	----	215	UNCH		
5800	----	----	7.00B/6.40A	7.00B/6.40A	----	6.70	+ 0.20	.0281	----	----	----	30	----	310	UNCH		
5820	----	----	6.80B/6.30A	6.80B/6.30A	----	6.60	+ 0.20	.0275	----	----	----	----	----	7	UNCH		
5850	----	----	6.60B/6.00A	6.60B/6.00A	----	6.30	+ 0.20	.0263	----	----	----	----	----	4	UNCH		
5875	----	----	6.30B/5.90A	6.30B/5.90A	----	6.20	+ 0.20	.0257	----	----	----	----	----	5	UNCH		
5900	----	----	6.10B/5.70A	6.10B/5.70A	----	6.00	+ 0.20	.0248	----	----	----	8	----	216	-		
5925	----	----	6.00B/5.60A	6.00B/5.60A	----	5.80	+ 0.10	.0239	----	----	----	----	----	8	UNCH		
5950	----	----	5.80B/5.40A	5.80B/5.40A	----	5.70	+ 0.20	.0234	----	----	----	----	----	1	UNCH		
5975	----	----	5.60B/5.30A	5.60B/5.30A	----	5.50	+ 0.10	.0225	----	----	----	----	----	14	UNCH		
6000	5.40	5.40	5.50B/5.00	5.50B/5.00	----	5.40	+ 0.20	.0220	----	----	----	3	----	924	+		
6025	----	----	5.30B/----	5.30B/5.10A	----	5.30	+ 0.20	.0215	----	----	----	----	----	253	UNCH		
6250	----	----	4.40B/4.20A	4.40B/4.20A	----	4.30	UNCH	.0169	----	----	----	----	----	86	UNCH		
6300	----	----	4.20B/4.00A	4.20B/4.00A	----	4.10	UNCH	.0160	----	----	----	----	----	562	UNCH		
6400	----	----	3.90B/3.70A	3.90B/3.70A	----	3.90	+ 0.10	.0149	----	----	----	1	----	14	+		
6500	3.50	3.50	3.60B/3.50	3.60B/3.50	----	3.60	+ 0.10	.0136	----	----	----	7	----	1352	+		
6600	----	----	3.40B/----	3.40B/3.30A	----	3.40	+ 0.10	.0127	----	----	----	----	----	1	UNCH		
7000	----	----	----	2.60B/2.60A	----	2.60	UNCH	.0092	----	----	----	----	----	132	UNCH		
7700	----	----	1.70B/----	1.80B/1.90A	----	1.80	UNCH	.0059	----	----	----	----	----	8	UNCH		
7900	----	----	1.60B/----	1.70B/1.70A	----	1.60	UNCH	.0052	----	----	----	----	----	12	UNCH		
8000	----	----	1.60B/----	1.60B/1.70A	----	1.50	UNCH	.0049	----	----	----	5	----	6	+		
9000	----	----	----	0.90B/1.10A	----	0.90	- 0.10	.0027	----	----	----	----	----	61	UNCH		
10000	----	----	----	0.60B/0.80A	----	0.60	- 0.10	.0017	----	----	----	----	----	200	UNCH		
20000	----	----	----	----	----	0.10	UNCH	.0002	----	----	----	5	----	240	+		
TOTAL													984	675	28721	+	1136
FEB27																	
3500	----	----	----	828.00B/864.20A	----	866.30	+ 22.20	.9459	----	----	----	----	----	2	UNCH		
3950	----	----	469.90B/441.20A	469.90B/441.20A	----	465.80	+ 17.30	.8029	----	----	----	----	----	1	UNCH		
4000	----	----	443.70B/403.30A	443.70B/403.30A	----	427.20	+ 16.40	.7752	----	----	----	1	----	9	+		
4010	----	----	436.40B/395.80A	436.40B/395.80A	----	419.70	+ 16.30	.7693	----	----	----	----	----	1	UNCH		
4100	----	----	370.40B/333.50A	370.40B/333.50A	----	355.30	+ 14.50	.7125	----	----	----	----	----	211	UNCH		
4140	----	----	343.10B/307.90A	343.10B/307.90A	----	328.70	+ 13.60	.6850	----	----	----	----	----	2	UNCH		
4150	----	----	336.40B/301.70A	336.40B/301.70A	----	322.30	+ 13.40	.6780	----	----	----	----	----	102	UNCH		
4165	----	----	326.70B/292.60A	326.70B/292.60A	----	312.80	+ 13.10	.6673	----	----	----	----	----	2	UNCH		
4170	----	----	323.50B/289.60A	323.50B/289.60A	----	309.70	+ 13.10	.6637	----	----	----	----	----	20	UNCH		
4175	----	----	320.30B/286.60A	320.30B/286.60A	----	306.60	+ 13.00	.6601	----	----	----	----	----	1	UNCH		
4200	280.00	280.00	307.40/271.60A	307.40/271.60A	----	291.40	+ 12.40	.6418	----	----	----	7	----	259	-		
4205	----	----	301.60B/268.80A	301.60B/268.80A	----	288.40	+ 12.30	.6381	----	----	----	----	----	9	UNCH		
4220	----	----	292.70B/260.40A	292.70B/260.40A	----	279.60	+ 12.00	.6270	----	----	----	----	----	8	UNCH		
4225	----	----	289.60B/257.60A	289.60B/257.60A	----	276.70	+ 11.90	.6232	----	----	----	----	----	12	UNCH		
4250	----	----	279.40B/244.10A	279.40B/244.10A	----	262.60	+ 11.40	.6044	----	----	----	1	----	133	+		
4255	----	----	276.60B/241.50A	276.60B/241.50A	----	259.80	+ 11.30	.6006	----	----	----	----	----	110	UNCH		
4260	----	----	273.80B/238.90A	273.80B/238.90A	----	257.10	+ 11.20	.5969	----	----	----	----	----	10	UNCH		
4265	----	----	271.00B/236.30A	271.00B/236.30A	----	254.40	+ 11.10	.5930	----	----	----	----	----	65	UNCH		
4270	----	----	268.20B/233.70A	268.20B/233.70A	----	251.70	+ 11.00	.5893	----	----	----	----	----	10	UNCH		
4275	----	----	265.30B/231.20A	265.30B/231.20A	----	249.00	NEW	.5854	----	----	----	1	----	1	+		
4285	----	----	259.90B/226.20A	259.90B/226.20A	----	243.80	+ 10.80	.5778	----	----	----	----	----	50	UNCH		
4300	234.40	234.40	252.80B/218.80A	252.80B/218.80A	----	236.00	+ 10.40	.5663	----	----	----	3	----	341	+		
4325	----	----	240.00B/207.00A	240.00B/207.00A	----	223.50	+ 10.00	.5472	----	----	----	----					

PG64		BULLETIN #185@										METALS OPTION PRODUCTS										Fri, Sep 25, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
OG CALL	COMEX GOLD OPTIONS																							
FEB27																								
4665	----	----	----	110.80B/93.10A	110.80B/93.10A	----	----	----	102.00 + 4.90	.3109	----	----	----	----	19	UNCH								
4675	----	----	----	108.30B/90.90A	108.30B/90.90A	----	----	----	99.60 + 4.80	.3051	----	----	----	----	6	UNCH								
4680	----	----	----	107.00B/89.80A	107.00B/89.80A	----	----	----	98.40 + 4.70	.3022	----	----	----	----	23	UNCH								
4690	----	----	----	104.50B/87.60A	104.50B/87.60A	----	----	----	96.10 + 4.60	.2966	----	----	----	----	43	UNCH								
4695	----	----	----	103.20B/86.60A	103.20B/86.60A	----	----	----	94.90 + 4.50	.2937	----	----	1	----	26	UNCH								
4700	----	----	----	102.10B/85.50A	102.10B/85.50A	----	----	----	93.80 + 4.50	.2910	----	----	113	----	431	+								
4705	92.00	92.00	----	100.90B/84.50A	100.90B/84.50A	----	----	----	92.70 NEW	.2882	----	----	16	----	16	+								
4710	----	----	----	99.70B/83.50A	99.70B/83.50A	----	----	----	91.60 + 4.40	.2855	----	----	----	----	22	UNCH								
4715	----	----	----	98.50B/82.50A	98.50B/82.50A	----	----	----	90.50 + 4.30	.2828	----	----	----	----	18	UNCH								
4730	----	----	----	95.10B/79.60A	95.10B/79.60A	----	----	----	87.40 + 4.20	.2748	----	----	----	----	29	UNCH								
4740	87.20	87.20	----	92.90B/77.70A	92.90B/77.70A	----	----	----	85.30 + 4.10	.2696	----	17	----	----	17	+								
4745	----	----	----	91.70B/76.70A	91.70B/76.70A	----	----	----	84.30 + 4.10	.2670	----	----	----	----	15	UNCH								
4750	----	----	----	90.60B/75.80A	90.60B/75.80A	----	----	----	83.30 + 4.00	.2644	----	47	----	----	571	+								
4755	81.40	81.40	----	89.60B/74.90A	89.60B/74.90A	----	----	----	82.30 + 4.00	.2618	----	11	----	----	61	+								
4760	----	----	----	88.50B/74.00A	88.50B/74.00A	----	----	----	81.30 + 3.90	.2593	----	----	----	----	107	UNCH								
4775	----	----	----	85.50B/71.40A	85.50B/71.40A	----	----	----	78.50 + 3.80	.2519	----	----	----	----	14	UNCH								
4785	----	----	----	83.40B/69.70A	83.40B/69.70A	----	----	----	76.70 + 3.80	.2471	----	----	----	----	100	UNCH								
4790	----	----	----	82.50B/68.80A	82.50B/68.80A	----	----	----	75.80 + 3.70	.2447	----	----	----	----	19	UNCH								
4795	----	----	----	81.50B/68.00A	81.50B/68.00A	----	----	----	74.90 + 3.70	.2423	----	----	----	----	43	UNCH								
4800	74.50	74.50	----	80.50B/67.20A	80.50B/67.20A	----	----	----	74.00 + 3.60	.2399	----	15	----	2070	+									
4810	70.90	70.90	----	79.00/65.60A	79.00/65.60A	----	----	----	72.20 + 3.50	.2351	----	7	----	29	+									
4825	----	----	----	75.90B/63.30A	75.90B/63.30A	----	----	----	69.70 + 3.40	.2283	----	----	----	----	207	UNCH								
4830	----	----	----	75.00B/62.50A	75.00B/62.50A	----	----	----	68.90 + 3.40	.2261	----	----	----	----	47	UNCH								
4835	----	----	----	74.20B/61.80A	74.20B/61.80A	----	----	----	68.10 + 3.30	.2239	----	----	----	----	21	UNCH								
4845	66.80	66.80	----	72.40B/60.30A	72.40B/60.30A	----	----	----	66.50 NEW	.2195	----	3	----	3	+									
4850	----	----	----	71.50B/59.60A	71.50B/59.60A	----	----	----	65.70 + 3.20	.2173	----	----	----	----	99	UNCH								
4855	----	----	----	70.70B/58.90A	70.70B/58.90A	----	----	----	65.00 + 3.20	.2153	----	----	----	----	2	UNCH								
4860	----	----	----	69.90B/58.20A	69.90B/58.20A	----	----	----	64.20 + 3.10	.2131	----	----	----	----	12	UNCH								
4870	----	----	----	68.20B/56.80A	68.20B/56.80A	----	----	----	62.70 + 3.10	.2089	----	----	----	----	80	UNCH								
4875	----	----	----	67.40B/56.20A	67.40B/56.20A	----	----	----	62.00 + 3.10	.2069	----	----	----	----	233	UNCH								
4880	61.10	61.10	----	66.60B/55.50A	66.60B/55.50A	----	----	----	61.20 NEW	.2047	----	7	----	7	+									
4885	----	----	----	65.90B/54.90A	65.90B/54.90A	----	----	----	60.50 + 2.90	.2027	----	----	----	----	3	UNCH								
4900	----	----	----	63.60B/53.00A	63.60B/53.00A	----	----	----	58.40 + 2.80	.1967	----	----	----	----	353	UNCH								
4905	----	----	----	62.80B/52.30A	62.80B/52.30A	----	----	----	57.80 + 2.90	.1949	----	----	----	----	16	UNCH								
4920	----	----	----	60.70B/50.50A	60.70B/50.50A	----	----	----	55.80 + 2.70	.1891	----	2	----	6	+									
4925	----	----	----	60.00B/49.90A	60.00B/49.90A	----	----	----	55.10 + 2.70	.1872	----	----	----	----	5	UNCH								
4930	----	----	----	59.30B/49.40A	59.30B/49.40A	----	----	----	54.50 + 2.70	.1854	----	----	----	----	46	UNCH								
4935	----	----	----	58.60B/48.80A	58.60B/48.80A	----	----	----	53.90 + 2.70	.1836	----	----	----	----	2	UNCH								
4945	----	----	----	57.20B/47.70A	57.20B/47.70A	----	----	----	52.60 + 2.50	.1798	----	----	----	----	18	UNCH								
4950	----	----	----	56.60B/47.10A	56.60B/47.10A	----	----	----	52.00 + 2.50	.1780	----	1	----	40	UNCH									
4955	----	----	----	55.90B/46.60A	55.90B/46.60A	----	----	----	51.40 + 2.50	.1763	----	----	----	2	UNCH									
4960	----	----	----	55.30B/46.00A	55.30B/46.00A	----	----	----	50.90 + 2.50	.1747	----	----	----	8	UNCH									
4975	----	----	----	53.40B/44.50A	53.40B/44.50A	----	----	----	49.10 + 2.40	.1694	----	----	----	3	UNCH									
4995	49.50	49.50	----	50.90B/42.50A	50.90B/42.50A	----	----	----	46.90 + 2.30	.1627	----	20	----	20	UNCH									
5000	45.00	45.00	----	50.30B/42.00A	50.30B/42.00A	----	----	----	46.40 + 2.30	.1612	----	189	----	2963	+									
5005	----	----	----	49.80B/41.50A	49.80B/41.50A	----	----	----	45.90 + 2.30	.1596	----	----	----	23	UNCH									
5010	----	----	----	49.20B/41.10A	49.20B/41.10A	----	----	----	45.40 + 2.20	.1581	----	----	----	7	UNCH									
5020	----	----	----	48.10B/40.10A	48.10B/40.10A	----	----	----	44.40 + 2.20	.1550	----	----	----	5	UNCH									
5025	----	----	----	47.60B/39.70A	47.60B/39.70A	----	----	----	43.90 + 2.20	.1535	----	----	----	30	UNCH									
5030	----	----	----	47.00B/39.20A	47.00B/39.20A	----	----	----	43.40 + 2.20	.1519	----	----	----	6	UNCH									
5040	----	----	----	46.00B/38.40A	46.00B/38.40A	----	----	----	42.40 + 2.10	.1489	----	----	----	1	UNCH									
5045	----	----	----	45.40B/37.90A	45.40B/37.90A	----	----	----	41.90 + 2.00	.1473	----	----	----	50	UNCH									
5050	----	----	----	44.90B/37.50A	44.90B/37.50A	----	----	----	41.50 + 2.10	.1460	----	----	----	116	UNCH									
5060	----	----	----	43.90B/36.70A	43.90B/36.70A	----	----	----	40.60 + 2.00	.1432	----	----	----	1	UNCH									
5065	----	----	----	43.40B/36.30A	43.40B/36.30A	----	----	----	40.10 + 2.00	.1417	----	----	----	3	UNCH									
5075	----	----	----	42.40B/35.50A	42.40B/35.50A	----	----	----	39.20 + 1.90	.1389	----	----	----	157	UNCH									
5090	----	----	----	41.10B/34.40A	41.10B/34.40A	----	----	----	38.00 + 1.90	.1350	----	----	----	2	UNCH									
5095	----	----	----	40.60B/34.00A	40.60B/34.00A	----	----	----	37.60 + 1.90	.1337	----	----	----	9	UNCH									
5100	----	----	----	40.20B/33.60A	40.20B/33.60A	----	----	----	37.10 + 1.80	.1322	----	----	----	973	UNCH									
5105	----	----	----	39.70B/33.30A	39.70B/33.30A	----	----	----	36.70 + 1.80	.1309	----	----	----	40	UNCH									
5110	----	----	----	39.30B/32.90A	39.30B/32.90A	----	----	----	36.30 + 1.70	.1296	----	----	----	43	UNCH									
5115	36.60	36.60	----	38.90B/32.60A	38.90B/32.60A	----	----	----	36.00 + 1.80	.1285	----	2	----	77	+									
5120	----	----	----	38.40B/32.20A	38.40B/32.20A	----	----	----	35.60 + 1.80	.1273	----	----	----	6	UNCH									
5125	----	----	----	38.00B/31.90A	38.00B/31.90A	----	----	----	35.20 + 1.70	.1260	----	----	----	2	UNCH									
5130	----	----	----	37.60B/31.50A	37.60B/31.50A	----	----	----	34.80 + 1.70	.1247	----	----	----	1	UNCH									
5135	----	----	----	37.20B/31.20A	37.20B/31.20A	----	----	----	34.40 + 1.70	.1234	----	----	----	2	UNCH									
5140	----	----	----	36.80B/30.90A	36.80B/30.90A	----	----	----	34.10 + 1.70	.1224	----	----	----	4	UNCH									
5145	----	----	----	36.40B/30.50A	36.40B/30.50A	----	----	----	33.70 + 1.60	.1211	----	----	----	2	UNCH									
5150	----	----	----	35.90B/30.20A	35.90B/30.20A	----	----	----	33.30 + 1.60	.1199	----	----	----	64	UNCH									
5155	----	----	----	35.60B/29.90A	35.60B/29.90A	----	----	----	33.00 + 1.60	.1188	----	----	----	4	UNCH									
5160	----	----	----	35.20B/29.60A	35.20B/29.60A	----	----	----	32.60 + 1.60	.1176	----	----	----	6	UNCH									
5165	----	----	----	34.80B/29.30A	34.80B/29.30A	----	----	----	32.30 + 1.60	.1165	----	----	----	5	UNCH									
5170	----	----	----	34.40B/29.00A	34.40B/29.00A	----	----	----	32.00 + 1.60	.1155	----	----	----	5	UNCH									
5175	----	----	----	34.10B/28.70A	34.10B/28.70A	----	----	----	31.60 + 1.50	.1142	----	----	----	127	UNCH									
5180	----	----	----	33.70B/28.40A	33.70B/28.40A	----	----	----	31.30 + 1.50	.1132	----	----	----	1	UNCH									
5185	----	----	----	33.30B/28.10A	33.30B/28.10A	----	----	----	31.00 + 1.50	.1122	----	----	----	125	UNCH									
5190	----	----	----	33.00B/27.80A	33.00B/27.80A	----	----	----	30.60 + 1.50	.1109	----	----	----	3	UNCH									
5200	----	----	----	32.30B/27.20A	32.30B/27.20A	----	----	----	30.00 + 1.50	.1089	----	37	----	3049	-									
5210	----	----	----	31.60B/26.70A	31.60B/26.70A	----	----	----	29.40 + 1.40	.1069	----	----	----	1	UNCH									
5220	----	----	----	30.90B/26.20A	30.90B/26.20A	----	----	----	28.80 + 1.40	.1049	----	----	----	27	UNCH									
5225	----	----	----	30.60B/25.90A	30.60B/25.90A	----	----	----	28.50 + 1.40	.1039	----	----	----	10	UNCH									
5230	----	----	----	30.30B/25.60A	30.30B/25.60A	----	----	----	28.20 + 1.40	.1029	----	----	----	13	UNCH									
5235	----	----	----	30.00B/25.40A	30.00B/25.40A	----	----	----	27.90 + 1.30	.1019	----	----	----	0	UNCH									
5240	----	----	----	29.70B/25.10A	29.70B/25.10A	----	----	----	27.60 + 1.30	.1009	----	----	----	3	UNCH									
5245	----	----	----	29.40B/24.90A	29.40B/24.90A	----	----	----	27.40 + 1.40	.1001	----	----	----	9	UNCH									
5250	----	----	----	29.10B/24.60A	29.10B/24.60A	----	----	----	27.10 + 1.30	.0991	----	----	----	463	UNCH									
5255	----	----	----	28.80B/24.40A	28.80B/24.40A	----	----	----	26.80 + 1.30	.0981	----	----	----	1	UNCH									
5260	----	----	----	28.50B/24.20A	28.50B/24.20A	----	----	----	26.50 + 1.20	.0971	----	----	----	3	UNCH									
5265	----																							

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL		COMEX GOLD OPTIONS														
MAR27																
5255	----	----		43.908/38.50A	43.908/38.50A	----		41.20 + 1.90	.1308	----	----	----	----	18	UNCH	
5260	----	----		43.508/38.20A	43.508/38.20A	----		40.80 + 1.90	.1297	----	----	----	----	7	UNCH	
5265	----	----		43.108/37.90A	43.108/37.90A	----		40.50 + 1.90	.1288	----	----	----	----	28	UNCH	
5270	----	----		42.708/37.50A	42.708/37.50A	----		40.10 + 1.80	.1276	----	----	----	----	9	UNCH	
5275	----	----		42.308/37.30A	42.308/37.30A	----		39.70 + 1.80	.1265	----	----	----	130	136	+	130
5280	----	----		41.908/37.00A	41.908/37.00A	----		39.40 + 1.80	.1256	----	----	----	----	17	UNCH	
5285	----	----		41.508/36.50A	41.508/36.50A	----		39.00 + 1.70	.1245	----	----	----	----	21	UNCH	
5290	----	----		41.108/36.30A	41.108/36.30A	----		38.70 + 1.80	.1235	----	----	----	----	28	UNCH	
5295	----	----		40.708/35.90A	40.708/35.90A	----		38.30 + 1.70	.1224	----	----	----	----	55	UNCH	
5300	----	----		40.208/35.70A	40.208/35.70A	----		38.00 + 1.70	.1215	----	----	----	----	71	UNCH	
5305	----	----		40.008/35.40A	40.008/35.40A	----		37.60 + 1.60	.1204	----	----	----	----	2	UNCH	
5330	----	----		38.208/33.80A	38.208/33.80A	----		36.00 + 1.60	.1156	----	----	----	----	30	UNCH	
5345	----	----		36.808/33.00A	36.808/33.00A	----		35.10 + 1.60	.1129	----	----	----	----	7	UNCH	
5350	----	----		36.508/32.70A	36.508/32.70A	----		34.80 + 1.60	.1120	----	----	----	----	1	UNCH	
5380	----	----		34.708/31.00A	34.708/31.00A	----		33.00 + 1.50	.1067	----	----	----	----	12	UNCH	
5390	----	----		34.108/30.40A	34.108/30.40A	----		32.50 + 1.50	.1051	----	----	----	----	10	UNCH	
5400	----	----		33.508/30.00A	33.508/30.00A	----		31.90 + 1.40	.1033	----	----	----	----	87	UNCH	
5420	----	----		32.208/28.70A	32.208/28.70A	----		30.90 + 1.40	.1003	----	----	----	----	20	UNCH	
5430	----	----		31.708/28.30A	31.708/28.30A	----		30.40 + 1.40	.0987	----	----	----	----	10	UNCH	
5435	----	----		31.408/28.10A	31.408/28.10A	----		30.10 + 1.40	.0978	----	----	----	----	9	UNCH	
5445	----	----		30.908/27.60A	30.908/27.60A	----		29.60 + 1.30	.0963	----	----	----	----	1	UNCH	
5450	----	----		30.608/27.40A	30.608/27.40A	----		29.40 + 1.40	.0957	----	----	----	----	113	UNCH	
5500	----	----		28.208/25.20A	28.208/25.20A	----		27.10 + 1.20	.0886	----	----	----	----	887	UNCH	
5505	----	----		27.908/25.00A	27.908/25.00A	----		26.90 + 1.20	.0879	----	----	----	----	123	UNCH	
5550	----	----		25.708/23.30A	25.708/23.30A	----		25.00 + 1.10	.0820	----	----	----	----	4	UNCH	
5555	----	----		25.508/23.20A	25.508/23.20A	----		24.80 + 1.10	.0814	----	----	----	----	13	UNCH	
5600	----	----		23.708/21.60A	23.708/21.60A	----		23.10 + 1.00	.0761	----	----	----	1003	UNCH		
5615	----	----		23.208/21.20A	23.208/21.20A	----		22.60 + 1.00	.0745	----	----	----	----	2	UNCH	
5620	----	----		23.008/21.00A	23.008/21.00A	----		22.40 + 1.00	.0738	----	----	----	----	3	UNCH	
5625	----	----		22.708/20.90A	22.708/20.90A	----		22.20 + 1.00	.0732	----	----	----	----	19	UNCH	
5630	----	----		22.608/20.70A	22.608/20.70A	----		22.00 + 0.90	.0726	----	----	----	----	12	UNCH	
5635	----	----		22.508/20.60A	22.508/20.60A	----		21.90 + 1.00	.0722	----	----	----	----	14	UNCH	
5650	----	----		22.008/20.10A	22.008/20.10A	----		21.40 + 1.00	.0707	----	----	----	----	6	UNCH	
5670	----	----		21.408/19.60A	21.408/19.60A	----		20.70 + 0.90	.0685	----	----	----	----	1	UNCH	
5700	----	----		19.808/18.80A	19.808/18.80A	----		19.80 + 0.80	.0656	----	----	----	----	30	UNCH	
5790	----	----		17.408/16.70A	17.408/16.70A	----		17.50 + 0.70	.0580	----	----	----	----	44	UNCH	
5800	----	----		17.108/16.50A	17.108/16.50A	----		17.30 + 0.70	.0573	----	----	----	----	2	UNCH	
5810	----	----		16.908/16.30A	16.908/16.30A	----		17.00 + 0.60	.0564	----	----	----	----	15	UNCH	
5820	----	----		16.708/16.10A	16.708/16.10A	----		16.80 + 0.60	.0557	----	----	----	----	1	UNCH	
5825	----	----		16.608/----	16.608/16.00A	----		16.70 + 0.70	.0554	----	----	----	----	13	UNCH	
5850	----	----		16.008/----	16.008/15.70A	----		16.20 + 0.60	.0537	----	----	----	----	3	UNCH	
5860	----	----		15.808/----	15.808/15.50A	----		16.00 + 0.60	.0530	----	----	----	----	6	UNCH	
5875	----	----		15.508/----	15.508/15.40A	----		15.70 + 0.60	.0520	----	----	----	----	13	UNCH	
5900	----	----		15.108/----	15.108/14.90A	----		15.20 + 0.50	.0504	----	----	----	----	9	UNCH	
5950	----	----		14.208/----	14.208/14.00A	----		14.40 + 0.50	.0476	----	----	----	----	18	UNCH	
5975	----	----		13.808/----	13.808/13.70A	----		14.00 + 0.50	.0462	----	----	----	----	36	UNCH	
6000	----	----		13.408/----	13.408/13.30A	----		13.60 + 0.50	.0448	----	----	----	----	34	UNCH	
6025	----	----		13.008/----	13.008/13.00A	----		13.30 + 0.50	.0437	----	----	----	----	1	UNCH	
6100	----	----		12.008/----	12.008/12.20A	----		12.30 + 0.50	.0403	----	----	----	----	192	UNCH	
6200	----	----		11.008/----	11.008/11.10A	----		11.20 + 0.40	.0364	----	----	----	----	25	UNCH	
6250	----	----		10.508/----	10.508/10.70A	----		10.70 + 0.40	.0347	----	----	----	----	10	UNCH	
6300	----	----		9.908/----	9.908/10.30A	----		10.20 + 0.40	.0330	----	----	----	----	490	UNCH	
6400	----	----		----	9.108/9.50A	----		9.50 + 0.40	.0304	----	----	----	----	1	UNCH	
6500	----	----		----	8.408/8.80A	----		8.80 + 0.30	.0279	----	----	----	----	729	UNCH	
TOTAL												19	182	20640	+	189
APR27																
3000	----	----		----	----/1489.20A	----		1393.60 + 23.70	.9780	----	----	----	----	2	UNCH	
3385	1011.20	1011.20		1,011.20/1,011.	1011.20/1011.20	----		1018.00	NEW	.9429	----	----	1	1	+	1
3500	----	----		----	878.008/905.20A	----		909.90	+ 22.20	.9239	----	----	1	8	+	1
3700	----	----		----	646.508/807.70A	----		729.90	NEW	.8756	----	----	1	1	+	1
3800	----	----		----	562.108/722.00A	----		645.20	+ 19.20	.8422	----	----	----	1	UNCH	
3950	----	----		541.308/504.30A	541.308/504.30A	----		526.50	+ 16.90	.7798	----	----	101	UNCH		
4000	----	----		504.008/468.40A	504.008/468.40A	----		489.70	+ 16.00	.7556	----	----	7	UNCH		
4060	----	----		461.108/427.50A	461.108/427.50A	----		447.60	+ 15.20	.7245	----	----	1	UNCH		
4110	----	----		427.108/395.20A	427.108/395.20A	----		414.40	+ 14.60	.6972	----	----	4	UNCH		
4125	----	----		417.308/385.80A	417.308/385.80A	----		404.70	+ 14.40	.6887	----	----	92	UNCH		
4150	----	----		401.108/370.40A	401.108/370.40A	----		388.90	+ 14.00	.6744	----	----	1	UNCH		
4170	----	----		388.508/358.50A	388.508/358.50A	----		376.60	+ 13.70	.6628	----	----	1	UNCH		
4175	----	----		385.308/355.50A	385.308/355.50A	----		373.50	+ 13.50	.6599	----	----	1	UNCH		
4200	----	----		370.108/340.40A	370.108/340.40A	----		358.60	+ 13.20	.6452	----	----	100	UNCH		
4210	----	----		364.108/334.50A	364.108/334.50A	----		352.70	+ 13.00	.6392	----	----	6	UNCH		
4225	----	----		355.208/326.20A	355.208/326.20A	----		344.00	+ 12.70	.6302	----	----	24	UNCH		
4230	----	----		352.308/323												

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS													
APR27															
4805	----	----	----	129.70B/113.70A	129.70B/113.70A	----	----	121.50 + 4.50	.3037	----	----	----	----	1	UNCH
4810	----	----	----	128.60B/113.00A	128.60B/113.00A	----	----	120.40 + 4.50	.3015	----	----	----	----	1	UNCH
4820	----	----	----	126.30B/110.60A	126.30B/110.60A	----	----	118.20 + 4.40	.2971	----	----	----	----	2	UNCH
4840	----	----	----	121.70B/106.60A	121.70B/106.60A	----	----	114.00 + 4.40	.2885	----	----	----	----	5	UNCH
4845	117.00	117.00	----	120.50B/105.40A	120.50B/105.40A	----	----	112.90 NEW	.2863	----	----	75	75	75 +	75
4850	----	----	----	119.50B/104.60A	119.50B/104.60A	----	----	111.90 + 4.30	.2843	----	----	----	----	100	UNCH
4865	----	----	----	116.20B/101.90A	116.20B/101.90A	----	----	108.80 + 4.10	.2779	----	----	----	----	3	UNCH
4870	----	----	----	114.80B/100.90A	114.80B/100.90A	----	----	107.80 + 4.10	.2759	----	----	----	----	25	UNCH
4885	----	----	----	112.00B/98.10A	112.00B/98.10A	----	----	104.90 + 4.10	.2698	----	----	----	----	21	UNCH
4900	----	----	----	108.90B/95.50A	108.90B/95.50A	----	----	102.00 + 3.90	.2637	----	----	----	----	83	UNCH
4905	----	----	----	108.00B/94.60A	108.00B/94.60A	----	----	101.10 + 3.90	.2618	----	----	----	----	10	UNCH
4930	----	----	----	103.10B/90.40A	103.10B/90.40A	----	----	96.60 + 3.80	.2522	----	----	----	----	5	UNCH
4970	----	----	----	95.90B/84.20A	95.90B/84.20A	----	----	89.80 + 3.60	.2374	----	----	----	----	10	UNCH
5000	----	----	----	90.80B/79.50A	90.80B/79.50A	----	----	85.10 + 3.50	.2269	----	----	----	100	205 -	100
5010	----	----	----	89.00B/78.20A	89.00B/78.20A	----	----	83.60 + 3.40	.2235	----	----	----	----	4	UNCH
5020	----	----	----	87.50B/76.80A	87.50B/76.80A	----	----	82.10 + 3.30	.2201	----	----	----	----	7	UNCH
5025	----	----	----	86.70B/76.00A	86.70B/76.00A	----	----	81.40 + 3.30	.2185	----	----	----	----	1	UNCH
5030	----	----	----	85.90B/75.60A	85.90B/75.60A	----	----	80.60 + 3.20	.2167	----	----	----	----	1	UNCH
5035	----	----	----	85.20B/74.80A	85.20B/74.80A	----	----	79.90 + 3.20	.2151	----	----	----	----	2	UNCH
5040	----	----	----	84.40B/74.00A	84.40B/74.00A	----	----	79.20 + 3.20	.2135	----	----	----	----	3	UNCH
5045	----	----	----	83.60B/73.50A	83.60B/73.50A	----	----	78.50 + 3.20	.2119	----	----	----	----	30	UNCH
5050	----	----	----	82.90B/72.70A	82.90B/72.70A	----	----	77.80 + 3.10	.2103	----	----	----	----	119	UNCH
5055	----	----	----	82.10B/72.10A	82.10B/72.10A	----	----	77.10 + 3.10	.2087	----	----	----	----	67	UNCH
5060	----	----	----	81.40B/71.40A	81.40B/71.40A	----	----	76.40 + 3.10	.2071	----	----	----	----	27	UNCH
5070	----	----	----	79.90B/70.30A	79.90B/70.30A	----	----	75.10 + 3.00	.2040	----	----	----	----	6	UNCH
5075	----	----	----	79.30B/69.60A	79.30B/69.60A	----	----	74.40 + 3.00	.2024	----	----	----	----	232	UNCH
5100	----	----	----	75.90B/66.60A	75.90B/66.60A	----	----	71.20 + 2.80	.1949	----	----	----	----	940	UNCH
5130	----	----	----	71.80B/63.20A	71.80B/63.20A	----	----	67.60 + 2.70	.1863	----	----	----	----	18	UNCH
5140	----	----	----	70.50B/62.20A	70.50B/62.20A	----	----	66.40 + 2.60	.1835	----	----	----	----	11	UNCH
5145	----	----	----	69.90B/61.70A	69.90B/61.70A	----	----	65.90 + 2.70	.1822	----	----	----	----	8	UNCH
5150	----	----	----	69.50B/61.10A	69.50B/61.10A	----	----	65.30 + 2.60	.1808	----	----	----	----	105	UNCH
5170	----	----	----	66.90B/59.00A	66.90B/59.00A	----	----	63.10 + 2.60	.1755	----	----	----	----	1	UNCH
5180	----	----	----	65.80B/58.00A	65.80B/58.00A	----	----	62.00 + 2.50	.1728	----	----	----	----	18	UNCH
5195	----	----	----	64.10B/56.60A	64.10B/56.60A	----	----	60.40 + 2.40	.1689	----	----	----	----	5	UNCH
5200	----	----	----	63.70B/55.90A	63.70B/55.90A	----	----	59.90 + 2.40	.1676	----	----	----	1379	UNCH	
5210	----	----	----	62.40B/55.10A	62.40B/55.10A	----	----	58.90 + 2.40	.1652	----	----	----	----	3	UNCH
5215	----	----	----	61.80B/54.70A	61.80B/54.70A	----	----	58.40 + 2.40	.1639	----	----	----	----	29	UNCH
5220	----	----	----	61.40B/54.20A	61.40B/54.20A	----	----	57.90 + 2.40	.1627	----	----	----	----	1	UNCH
5225	----	----	----	60.80B/53.80A	60.80B/53.80A	----	----	57.40 + 2.30	.1615	----	----	----	----	12	UNCH
5230	----	----	----	60.30B/53.30A	60.30B/53.30A	----	----	56.90 + 2.30	.1602	----	----	----	----	602	UNCH
5250	----	----	----	58.30B/51.50A	58.30B/51.50A	----	----	55.00 + 2.20	.1555	----	----	----	----	401	UNCH
5255	----	----	----	57.80B/51.10A	57.80B/51.10A	----	----	54.50 + 2.10	.1543	----	----	----	----	1	UNCH
5275	----	----	----	56.00B/49.30A	56.00B/49.30A	----	----	52.70 + 2.10	.1497	----	----	----	----	353	UNCH
5300	----	----	----	53.70B/47.40A	53.70B/47.40A	----	----	50.50 + 1.90	.1442	----	----	----	----	330	UNCH
5315	----	----	----	52.10B/46.30A	52.10B/46.30A	----	----	49.30 + 1.90	.1411	----	----	----	----	5	UNCH
5330	----	----	----	50.90B/45.20A	50.90B/45.20A	----	----	48.10 + 1.90	.1380	----	----	----	----	8	UNCH
5350	----	----	----	49.40B/43.70A	49.40B/43.70A	----	----	46.60 + 1.90	.1340	----	----	----	----	43	UNCH
5370	----	----	----	47.70B/42.80A	47.70B/42.80A	----	----	45.10 + 1.80	.1301	----	----	----	----	20	UNCH
5395	----	----	----	45.70B/41.10A	45.70B/41.10A	----	----	43.30 + 1.70	.1254	----	----	----	----	4	UNCH
5400	----	----	----	45.40B/40.70A	45.40B/40.70A	----	----	43.00 + 1.70	.1246	----	----	----	323	UNCH	
5425	----	----	----	43.60B/39.30A	43.60B/39.30A	----	----	41.40 + 1.70	.1203	----	----	----	----	2	UNCH
5430	----	----	----	43.20B/38.90A	43.20B/38.90A	----	----	41.00 + 1.60	.1193	----	----	----	----	2	UNCH
5450	----	----	----	41.90B/37.80A	41.90B/37.80A	----	----	39.80 + 1.60	.1160	----	----	----	----	5	UNCH
5470	----	----	----	40.40B/36.70A	40.40B/36.70A	----	----	38.60 + 1.60	.1128	----	----	----	----	3	UNCH
5480	----	----	----	39.80B/36.10A	39.80B/36.10A	----	----	38.00 + 1.60	.1112	----	----	----	----	1	UNCH
5490	----	----	----	39.20B/35.70A	39.20B/35.70A	----	----	37.50 + 1.60	.1097	----	----	----	10	UNCH	
5495	----	----	----	38.90B/35.30A	38.90B/35.30A	----	----	37.20 + 1.60	.1089	----	----	----	4	UNCH	
5500	----	----	----	38.50B/35.10A	38.50B/35.10A	----	----	36.90 + 1.60	.1081	----	----	100	3819	UNCH	
5510	----	----	----	37.90B/34.60A	37.90B/34.60A	----	----	36.40 + 1.60	.1067	----	----	----	----	1	UNCH
5540	----	----	----	36.20B/33.10A	36.20B/33.10A	----	----	34.80 + 1.50	.1023	----	----	----	6	UNCH	
5550	----	----	----	35.70B/32.50A	35.70B/32.50A	----	----	34.30 + 1.50	.1010	----	----	----	1	UNCH	
5570	----	----	----	34.60B/31.50A	34.60B/31.50A	----	----	33.30 + 1.50	.0982	----	----	----	1	UNCH	
5575	----	----	----	34.30B/-----	34.30B/31.60A	----	----	33.10 + 1.50	.0976	----	----	----	3	UNCH	
5600	----	----	----	33.00B/30.20A	33.00B/30.20A	----	----	31.90 + 1.40	.0943	----	----	----	3320	UNCH	
5620	----	----	----	32.20B/29.20A	32.20B/29.20A	----	----	31.00 + 1.40	.0918	----	----	----	4	UNCH	
5625	----	----	----	31.80B/29.00A	31.80B/29.00A	----	----	30.80 + 1.40	.0912	----	----	----	2	UNCH	
5650	----	----	----	30.80B/28.10A	30.80B/28.10A	----	----	29.80 + 1.40	.0883	----	----	----	5	UNCH	
5680	----	----	----	29.40B/26.90A	29.40B/26.90A	----	----	28.50 + 1.30	.0847	----	----	----	5	UNCH	
5700	----	----	----	28.60B/26.30A	28.60B/26.30A	----	----	27.80 + 1.30	.0827	----	----	----	7	UNCH	
5750	----	----	----	26.70B/24.70A	26.70B/24.70A	----	----	26.00 + 1.20	.0775	----	----	----	505	UNCH	

BULLETIN #185@				METALS OPTION PRODUCTS										Fri, Sep 25, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG CALL	COMEX GOLD OPTIONS																	
MAY27																		
5400	----	----	----	62.108/57.40A	62.108/57.40A	----	----	----	60.70 + 2.60	.1556	----	----	----	----	29	UNCH		
5450	----	----	----	57.508/53.50A	57.508/53.50A	----	----	----	56.40 + 2.40	.1457	----	----	----	----	10	UNCH		
5500	----	----	----	53.508/49.90A	53.508/49.90A	----	----	----	52.60 + 2.40	.1367	----	----	----	----	4	UNCH		
5515	----	----	----	52.308/48.90A	52.308/48.90A	----	----	----	51.50 + 2.30	.1341	----	----	----	----	7	UNCH		
5550	----	----	----	49.708/46.60A	49.708/46.60A	----	----	----	49.00 + 2.20	.1282	----	----	5	----	248	+		
5630	----	----	----	44.308/41.90A	44.308/41.90A	----	----	----	43.70 + 1.70	.1156	----	----	----	----	2	UNCH		
5650	----	----	----	43.108/40.80A	43.108/40.80A	----	----	----	42.50 + 1.60	.1127	----	----	----	----	5	UNCH		
5665	----	----	----	42.208/40.00A	42.208/40.00A	----	----	----	41.70 + 1.60	.1107	----	----	----	----	1	UNCH		
5700	----	----	----	40.308/----	40.308/38.30A	----	----	----	39.80 + 1.50	.1060	----	----	----	----	37	UNCH		
5800	----	----	----	35.508/----	35.508/33.90A	----	----	----	35.20 + 1.30	.0943	----	----	----	----	2	UNCH		
5820	----	----	----	34.708/32.90A	34.708/32.90A	----	----	----	34.40 + 1.30	.0922	----	----	----	----	46	UNCH		
5840	----	----	----	33.608/----	33.608/32.30A	----	----	----	33.60 + 1.30	.0902	----	----	----	----	1	UNCH		
5850	----	----	----	33.208/----	33.208/31.90A	----	----	----	33.20 + 1.30	.0891	----	----	----	----	68	UNCH		
5900	----	----	----	31.308/----	31.308/30.10A	----	----	----	31.30 + 1.30	.0842	----	----	----	----	7	UNCH		
5910	----	----	----	30.808/----	30.808/29.80A	----	----	----	31.00 + 1.30	.0834	----	----	----	----	1	UNCH		
5950	----	----	----	29.408/----	29.408/28.40A	----	----	----	29.60 + 1.30	.0798	----	----	----	----	1	UNCH		
5975	----	----	----	28.708/----	28.708/27.70A	----	----	----	28.80 + 1.30	.0777	----	----	----	----	1	UNCH		
6000	----	----	----	27.808/----	27.808/26.90A	----	----	----	28.00 + 1.30	.0756	----	----	----	----	122	UNCH		
6050	----	----	----	26.308/----	26.308/25.50A	----	----	----	26.50 + 1.30	.0716	----	----	----	----	1	UNCH		
6100	----	----	----	24.508/----	24.508/24.30A	----	----	----	25.10 + 1.30	.0679	----	----	----	----	2	UNCH		
6250	----	----	----	21.008/----	21.008/21.10A	----	----	----	21.50 + 1.20	.0583	----	----	----	----	50	UNCH		
6500	----	----	----	16.708/----	16.708/17.40A	----	----	----	17.20 + 1.10	.0464	----	----	----	----	5	UNCH		
8000	----	----	----	----	7.508/8.80A	----	----	----	8.30 + 0.60	.0201	----	----	----	----	3	UNCH		
TOTAL														40	1963	+	17	
JUN27																		
4000	----	----	----	563.508/530.50A	563.508/530.50A	----	----	----	550.90 + 15.90	.7463	----	----	----	----	37	UNCH		
4100	----	----	----	495.208/465.00A	495.208/465.00A	----	----	----	483.50 + 14.40	.7006	----	----	----	----	1	UNCH		
4150	----	----	----	463.108/434.20A	463.108/434.20A	----	----	----	451.90 + 13.60	.6764	----	----	----	----	1	UNCH		
4250	----	----	----	403.308/376.60A	403.308/376.60A	----	----	----	393.20 + 12.10	.6261	----	----	----	----	2	UNCH		
4285	----	----	----	385.408/358.20A	385.408/358.20A	----	----	----	374.10 + 11.70	.6080	----	----	----	----	100	UNCH		
4300	----	----	----	377.208/350.30A	377.208/350.30A	----	----	----	366.20 + 11.60	.6002	----	----	----	----	65	UNCH		
4315	----	----	----	369.308/343.00A	369.308/343.00A	----	----	----	358.30 + 11.30	.5924	----	----	----	----	1	UNCH		
4320	----	----	----	366.608/340.30A	366.608/340.30A	----	----	----	355.80 + 11.30	.5898	----	----	----	----	1	UNCH		
4325	----	----	----	364.008/337.70A	364.008/337.70A	----	----	----	353.20 + 11.20	.5872	----	----	----	----	50	UNCH		
4350	----	----	----	351.208/325.80A	351.208/325.80A	----	----	----	340.60 + 10.90	.5741	----	----	----	----	1	UNCH		
4355	----	----	----	348.708/323.30A	348.708/323.30A	----	----	----	338.10 + 10.80	.5714	----	----	----	----	1	UNCH		
4365	----	----	----	347.208/318.70A	347.208/318.70A	----	----	----	333.20 + 10.70	.5662	----	----	----	----	1	UNCH		
4370	----	----	----	344.208/316.10A	344.208/316.10A	----	----	----	330.80 + 10.70	.5636	----	----	----	----	2	UNCH		
4375	----	----	----	342.208/314.10A	342.208/314.10A	----	----	----	328.40 + 10.60	.5609	----	----	----	----	32	UNCH		
4380	----	----	----	339.308/311.70A	339.308/311.70A	----	----	----	326.00 + 10.60	.5583	----	----	----	----	3	UNCH		
4400	----	----	----	331.908/302.60A	331.908/302.60A	----	----	----	316.60 + 10.40	.5478	----	----	----	----	5	UNCH		
4410	----	----	----	325.208/298.10A	325.208/298.10A	----	----	----	311.90 + 10.20	.5426	----	----	----	----	3	UNCH		
4415	----	----	----	322.808/295.90A	322.808/295.90A	----	----	----	309.60 + 10.10	.5400	----	----	----	----	1	UNCH		
4420	----	----	----	322.408/293.70A	322.408/293.70A	----	----	----	307.40 + 10.20	.5373	----	----	----	----	4	UNCH		
4435	303.00	----	303.00	315.608/287.20A	315.608/287.20A	----	----	----	300.60 + 9.90	.5295	----	----	1	----	3	+		
4450	----	----	----	306.708/280.90A	306.708/280.90A	----	----	----	294.00 + 9.80	.5217	----	----	8	----	60	+		
4470	----	----	----	297.408/272.60A	297.408/272.60A	----	----	----	285.40 + 9.50	.5114	----	----	----	----	2	UNCH		
4475	----	----	----	295.408/270.60A	295.408/270.60A	----	----	----	283.20 NEW	.5088	----	----	8	----	8	+		
4490	----	----	----	290.808/263.50A	290.808/263.50A	----	----	----	277.00 + 9.30	.5011	----	----	----	----	1	UNCH		
4495	----	----	----	286.608/261.60A	286.608/261.60A	----	----	----	274.90 + 9.20	.4985	----	----	----	----	2	UNCH		
4500	----	----	----	286.808/259.40A	286.808/259.40A	----	----	----	272.80 + 9.10	.4960	----	----	----	180	1190	+		
4520	----	----	----	277.508/251.80A	277.508/251.80A	----	----	----	264.80 + 8.90	.4858	----	----	----	----	100	UNCH		
4545	----	----	----	268.408/242.50A	268.408/242.50A	----	----	----	255.00 + 8.50	.4733	----	----	----	----	25	UNCH		
4550	----	----	----	266.408/240.70A	266.408/240.70A	----	----	----	253.10 + 8.50	.4708	----	----	----	----	83	UNCH		
4575	----	----	----	256.508/231.80A	256.508/231.80A	----	----	----	243.70 + 8.10	.4584	----	----	----	----	8	UNCH		
4600	----	----	----	247.308/223.00A	247.308/223.00A	----	----	----	234.70 + 7.80	.4462	----	----	----	----	102	UNCH		
4625	----	----	----	238.008/214.90A	238.008/214.90A	----	----	----	226.00 + 7.60	.4342	----	----	----	----	24	UNCH		
4630	----	----	----	236.308/213.10A	236.308/213.10A	----	----	----	224.30 + 7.50	.4318	----	----	----	----	2	UNCH		
4650	----	----	----	229.308/206.70A	229.308/206.70A	----	----	----	217.60 + 7.30	.4223	----	----	----	----	252	UNCH		
4680	----	----	----	219.208/197.60A	219.208/197.60A	----	----	----	207.90 + 6.90	.4084	----	----	----	----	1	UNCH		
4700	----	----	----	212.708/191.50A	212.708/191.50A	----	----	----	201.70 + 6.70	.3992	----	----	----	----	63	UNCH		
4750	----	----	----	197.308/177.60A	197.308/177.60A	----	----	----	187.00 + 6.20	.3771	----	----	----	----	35	UNCH		
4760	----	----	----	194.408/174.90A	194.408/174.90A	----	----	----	184.10 + 6.10	.3727	----	----	----	----	15	UNCH		
4790	----	----	----	185.708/167.10A	185.708/167.10A	----	----	----	176.00 + 5.90	.3599	----	----	----	----	30	UNCH		
4800	----	----	----	183.008/164.50A	183.008/164.50A	----	----	----	173.30 + 5.70	.3557	----	----	----	----	130	UNCH		
4810	----	----	----	180.208/162.20A	180.208/162.20A	----	----	----	170.70 + 5.60	.3516	----	----	----	----	1	UNCH		
4850	----	----	----	169.708/152.70A	169.708/152.70A	----	----	----	160.70 + 5.30	.3354	----	----	----	----	2	UNCH		
4865	----	----	----	165.708/149.20A	165.708/149.20A	----	----	----	157.20 + 5.30	.3295	----	----	----	----	75	UNCH		
4900	----	----	----	157.508/141.50A	157.508/141.50A	----	----	----	149.10 + 5.00	.3160	----	----	----	----	104	UNCH		
5000	----	----	----	135.408/122.00A	135.408/122.00A	----	----	----	128.50 + 4.30	.2802	----	----	37	180	1441	+		
5010	----	----	----	133.308/120.20A	133.308/120.20A	----	----	----	126.60 + 4.30	.2768	----	----	----	----	1	UNCH		
5020	----	----	----	131.308/118.40A	131.308/118.40A	----	----	----	124.70 + 4.20	.2734	----	----	----	----	2	UNCH		
5025	----	----	----	130.408/117.50A	130.408/117.50A	----	----	----	123.80 + 4.20	.2718	----	----	----	----	200	UNCH		
5050	----	----	----	125.708/113.30A	125.708/113.30A	----	----	----	119.40 + 4.10	.2637	----	----	----	----	500	UNCH		
5070	----	----	----	121.808/110.20A	121.808/110.20A	----	----	----	115.90 + 4.00	.2573	----	----	----	----	2	UNCH		
5085	----	----	----	119.008/107.80A	119.008/107.80A	----	----	----	113.40 + 3.90	.2527	----	----	----	----	150	UNCH		
5100	----	----	----	116.508/105.40A	116.508/105.40A	----	----	----	110.90 + 3.80	.24								

PG64	BULLETIN #185@				METALS OPTION PRODUCTS						Fri, Sep 25, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG CALL	COMEX GOLD OPTIONS														
AUG27															
5210	125.70	----	135.20B/----	135.20B/129.00A	----	134.00 + 5.60	.2611	----	----	----	----	3	UNCH		
5250		125.70	128.40B/125.60	128.40B/122.90A	----	127.50 + 5.40	.2505	----	----	20	----	20 +	19		
5300		----	120.10B/----	120.10B/115.60A	----	119.80 + 5.10	.2378	----	----	----	----	1	UNCH		
5350		----	112.60B/----	112.60B/108.90A	----	112.70 + 4.90	.2258	----	----	----	----	1	UNCH		
5500		----	94.10B/----	94.10B/91.40A	----	94.10 + 4.10	.1934	----	----	----	----	2000	UNCH		
5505		----	93.40B/----	93.40B/90.90A	----	93.50 + 4.00	.1923	----	----	----	----	300	UNCH		
5525		----	91.10B/----	91.10B/88.80A	----	91.40 + 4.00	.1885	----	----	----	----	59	UNCH		
5550		----	87.90B/----	87.90B/86.40A	----	88.70 + 3.90	.1837	----	----	----	----	2000	UNCH		
5925		----	56.30B/----	56.30B/58.70A	----	58.50 + 2.70	.1265	----	----	----	----	65	UNCH		
6750		----	26.70B/----	26.70B/28.90A	----	26.70 + 1.30	.0605	----	----	20	----	50 +	20		
TOTAL										40		4657 +	39		
SEP27															
4500	----	----	----	136.40B/599.60A	----	370.80 + 12.20	.5412	----	----	----	----	1	UNCH		
4560	----	----	----	112.00B/572.30A	----	345.50 + 11.60	.5157	----	----	----	----	4	UNCH		
4575	----	----	----	106.30B/565.70A	----	339.30 + 11.40	.5094	----	----	----	----	4	UNCH		
4585	----	----	----	102.50B/561.30A	----	335.30 + 11.30	.5053	----	----	----	----	5	UNCH		
5225	----	----	----	0.20B/342.20A	----	175.90 + 6.50	.2973	----	----	----	----	2	UNCH		
5580	----	----	----	0.20B/277.90A	----	141.70 + 5.00	.2356	----	----	----	----	300	UNCH		
6000	----	----	----	0.20B/228.90A	----	104.40 + 3.70	.1766	----	----	----	----	2	UNCH		
6100	----	----	----	0.20B/219.90A	----	96.50 + 3.50	.1644	----	----	----	----	4	UNCH		
6200	----	----	----	0.20B/211.90A	----	89.30 + 3.20	.1532	----	----	----	----	2	UNCH	0	
TOTAL												324			
OCT27															
5500	----	----	----	----	----	148.70 + 5.40	.2478	----	----	----	----	200	UNCH	0	
TOTAL												200			
DEC27															
4500	----	----	----	----	----	459.40 + 12.70	.5610	----	----	----	----	75	UNCH		
4860	----	----	----	----	----	325.10 + 9.90	.4391	----	----	----	----	100	UNCH		
5000	----	----	----	----	----	285.60 + 9.00	.3974	----	----	----	----	50	UNCH		
5650	----	----	----	----	----	165.40 + 5.50	.2513	----	----	----	----	200	UNCH		
5700	----	----	----	----	----	159.10 + 5.30	.2429	----	----	----	----	150	UNCH		
5800	----	----	----	----	----	147.40 + 4.90	.2270	----	----	----	----	200	UNCH		
5880	----	----	----	----	----	138.70 + 4.50	.2150	----	----	----	----	125	UNCH		
6300	----	----	----	----	----	102.30 + 3.10	.1633	----	----	----	----	18	UNCH		
7500	----	----	----	----	----	49.20 + 1.00	.0819	----	----	----	----	70	UNCH		
7800	----	----	----	----	----	42.50 + 0.90	.0709	----	----	----	----	284	UNCH		
10000	----	----	----	----	----	19.80 + 0.60	.0322	----	----	----	----	103	UNCH		
10500	----	----	----	----	----	17.50 + 0.60	.0282	----	----	----	----	10	UNCH	0	
TOTAL												1385			
FEB28															
4400	----	----	----	----	----	566.20 + 14.00	.6085	----	----	----	----	2	UNCH		
4450	----	----	----	----	----	541.70 + 13.60	.5922	----	----	----	----	2	UNCH		
TOTAL												4		0	
APR28															
5000	----	----	----	----	----	375.00 + 10.20	.4419	----	----	----	----	5	UNCH	0	
TOTAL												5			
MAY28															
5000	----	----	----	----	----	399.60 + 10.60	.4552	----	----	----	----	20	UNCH	0	
TOTAL												20			
JUL28															
5000	----	----	----	----	----	436.50 + 11.10	.4707	----	----	----	----	25	UNCH	0	
TOTAL												25			
DEC28															
5000	----	----	----	----	----	540.00 + 11.40	.5035	----	----	----	----	50	UNCH		
5500	----	----	----	----	----	408.40 + 9.00	.4030	----	----	----	----	1	UNCH		
5750	----	----	----	----	----	360.90 + 8.10	.3623	----	----	----	----	100	UNCH	0	
TOTAL												151			
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
MMG MON	MICRO GOLD WEEKLY MONDAY OPTION WEE														
SEP26															
4300	20.50	20.50	20.50/20.50	20.50/20.50	----	11.20 NEW	.3112	----	----	3	----	3 +	3		
4330	15.30	15.30	15.30/15.30	15.30/15.30	----	15.90 NEW	.4216	----	----	1	----	1 +	1		
4350	----	----	----	----	----	37.80 - 24.20	.7424	----	----	----	----	2	UNCH		
4350	10.10	10.10	10.10/10.10	10.10/10.10	----	9.00 NEW	.2575	----	----	1	----	1 +	1		
4370	10.50	10.50	10.50/10.50	10.50/10.50	----	4.90 NEW	.1410	----	----	3	----	3 +	3		
4375	----	----	----	----	----	4.20 - 1.60	.1199	----	----	----	----	1	UNCH		
TOTAL										8		11 +	8		
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
GMW WED	GOLD WEEKLY WEDNESDAY OPTION WEEK5														
SEP26															
3500	----	----	----	-----/1.50A	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
3700	----	----	----	-----/0.30A	----	0.10 UNCH	----	----	----	----	----	34	UNCH		
3800	----	----	----	-----/0.30A	----	0.10 - 0.10	.0000	----	----	----	----	2	UNCH		
3900	----	----	-----/0.30A	0.20B/0.30A	----	0.20 - 0.40	.0017	----	----	----	----	2	UNCH		
3925	----	----	-----/0.40A	0.30B/0.40A	----	0.20 - 0.40	.0018	----	----	----	----	1	UNCH		
3975	----	----	-----/0.50A	0.50B/0.50A	----	0.40 - 0.40	.0041	----	----	----	----	1	UNCH		
4000	----	----	-----/0.60A	0.60B/0.60A	----	0.50 - 0.40	.0055	----	----	----	----	54	UNCH		
4025	----	----	-----/0.70A	0.70B/0.70A	----	0.60 - 0.50	.0070	----	----	----	----	7	UNCH		
4050	----	----	-----/0.80A	0.90B/0.80A	----	0.80 - 0.60	.0099	----	----	----	----	5	UNCH		
4075	----	----	-----/0.90A	1.20B/0.90A	----	1.00 - 0.80	.0132	----	----	----	----	3	UNCH		
4100	----	----	-----/1.10A	1.60B/1.10A	----	1.20 - 1.10	.0170	----	----	----	----	41	UNCH		
4110	----	----	-----/1.20A	1.80B/1.20A	----	1.30 - 1.30	.0190	----	----	----	----	150	UNCH		
4125	----	----	-----/1.30A	2.20B/1.30A	----	1.50 - 1.60	.0229	----	3	----	----	24 -	1		
4135	1.70	1.70	1.70/1.50A	2.60B/1.50A	----	1.70 NEW	.0266	----	2	----	----	2 +	2		
4150	1.70	1.70	1.70/1.70	3.40B/1.70	----	2.00 - 2.40	.0326	----	1	----	----	96	UNCH		
4160	----	----	-----/1.80A	4.00B/1.80A	----	2.20 - 2.90	.0370	----	----	----	----	6	UNCH		
4175	----	----	156.50B/120.40A	156.50B/120.40A	----	148.80 + 19.50	.9528	----	----	----	----	1	UNCH		
4175	2.70	2.70	2.70/2.20A	5.10B/2.20A	----	2.70 - 3.60	.0470	----	3	----	----	33 -	2		
4180	2.90	2.90	2.90/2.40A	5.60B/2.40A	----	2.90 NEW	.0510	----	5	----	----	5 +	5		

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GOLD WEEKLY WEDNESDAY OPTION WEEK5															
SEP26															
4330	51.50	51.50		58.10B/26.70A	58.10B/26.70A	----	37.10	NEW	.5436	----	----	4	----	2	+
4330	----	----		46.60B/18.10A	46.60B/18.10A	----	28.30	NEW	.4562	----	----	5	----	4	+
4335	35.20	35.20		61.60B/28.80A	61.60B/28.80A	----	39.80	- 20.60	.5700	----	----	12	----	12	+
4335	29.00	29.00		43.80B/16.60A	43.80B/16.60A	----	26.10	+ 2.70	.4297	----	----	6	----	24	+
4340	55.50	55.50		65.10B/31.00A	65.10B/31.00A	----	42.80	NEW	.5962	----	----	20	----	12	+
4340	----	----		40.90B/15.20A	40.90B/15.20A	----	24.00	+ 2.20	.4036	----	----	8	----	9	+
4350	54.50	54.50		72.50B/35.70A	72.50B/35.70A	----	49.00	- 21.70	.6470	----	----	8	----	45	+
4350	21.90	21.90		35.80B/12.80A	35.80B/12.80A	----	20.20	+ 1.40	.3528	----	----	33	----	37	+
4355	----	----		33.20B/11.70A	33.20B/11.70A	----	18.50	NEW	.3285	----	----	5	----	4	+
4360	51.90	51.90		80.20B/40.90A	80.20B/40.90A	----	55.70	NEW	.6948	----	----	6	----	3	+
4370	----	----		26.70B/8.90A	26.70B/8.90A	----	14.10	NEW	.2612	----	----	10	----	5	+
4375	----	----		92.60B/49.70A	92.60B/49.70A	----	66.60	- 23.20	.7586	----	----	----	----	104	UNCH
4375	16.50	16.50		24.60B/8.20A	24.60B/8.20A	----	12.90	+ 0.10	.2412	----	----	5	100	257	+
4380	12.90	12.90		22.80B/7.50A	22.80B/7.50A	----	11.70	NEW	.2215	----	----	1	----	1	+
4385	----	----		21.00B/6.80A	21.00B/6.80A	----	10.70	NEW	.2038	----	----	2	----	2	+
4390	11.50	11.50		19.30B/6.30A	19.30B/6.30A	----	9.70	- 0.50	.1865	----	----	3	----	4	+
4395	86.70	86.70		110.00B/62.90A	110.00B/62.90A	----	82.60	NEW	.8294	----	----	13	----	13	+
4395	10.60	10.60		17.90B/5.70A	17.90B/5.70A	----	8.80	NEW	.1704	----	----	5	----	5	+
4400	12.30	12.30		16.50B/5.20A	16.50B/5.20A	----	8.00	- 0.70	.1556	----	----	109	----	245	+
4400	92.40	92.40		114.50B/66.50A	114.50B/66.50A	----	86.80	- 23.90	.8442	----	----	2	----	30	+
4405	----	----		15.20B/4.80A	15.20B/4.80A	----	7.30	NEW	.1423	----	----	2	----	1	+
4410	----	----		123.70B/74.00A	123.70B/74.00A	----	95.30	NEW	.8705	----	----	9	----	9	+
4410	10.30	10.30		13.90B/4.40A	13.90B/4.40A	----	6.60	NEW	.1293	----	----	9	----	9	+
4415	----	----		12.70B/4.00A	12.70B/4.00A	----	6.00	NEW	.1177	----	----	2	----	2	+
4420	6.10	6.10		11.70B/3.70A	11.70B/3.70A	----	5.40	NEW	.1063	----	----	3	----	3	+
4425	----	----		137.70B/85.80A	137.70B/85.80A	----	108.70	- 24.20	.9034	----	----	----	----	5	UNCH
4425	10.00	10.00		10.70B/3.40A	10.70B/3.40A	----	4.90	- 1.10	.0964	----	----	7	----	52	UNCH
4435	7.20	7.20		9.00B/2.90A	9.00B/2.90A	----	4.10	- 1.10	.0801	----	----	3	----	4	+
4450	----	----		160.50B/107.00A	160.50B/107.00A	----	131.80	- 24.30	.9400	----	----	----	----	4	UNCH
4450	----	----		6.90B/2.30A	6.90B/2.30A	----	3.10	- 1.10	.0598	----	----	7	----	200	+
4460	3.10	3.10		5.80B/2.00A	5.80B/2.00A	----	2.60	NEW	.0495	----	----	4	----	4	+
4470	----	----		4.90B/1.70A	4.90B/1.70A	----	2.20	NEW	.0412	----	----	5	----	5	+
4475	----	----		----/129.40A	168.30B/129.40A	----	155.70	- 24.20	.9626	----	----	----	----	2	UNCH
4475	----	----		4.60B/1.60A	4.60B/1.60A	----	2.00	- 1.00	.0372	----	----	1	----	44	-
4485	1.30	1.30		3.90B/1.30	3.90B/1.30	----	1.70	NEW	.0310	----	----	2	----	2	+
4500	1.30	1.30		3.00B/1.20A	3.00B/1.20A	----	1.30	- 0.90	.0231	----	----	56	----	215	+
4515	----	----		2.40B/1.00A	2.40B/1.00A	----	1.10	NEW	.0187	----	----	70	----	70	+
4525	----	----		2.00B/0.90A	2.00B/0.90A	----	0.90	- 0.70	.0151	----	----	1	----	29	UNCH
4525	----	----		232.10B/178.80A	232.10B/178.80A	----	204.70	- 23.80	.9848	----	----	----	----	3	UNCH
4550	----	----		1.40B/0.70A	1.40B/0.70A	----	0.70	- 0.50	.0109	----	----	1	----	89	-
4575	----	----		1.00B/0.50A	1.00B/0.50A	----	0.50	- 0.40	.0073	----	----	2	----	57	UNCH
4600	----	----		----/0.40A	0.70B/0.40A	----	0.40	- 0.40	.0055	----	----	----	----	92	UNCH
4625	----	----		----/0.40A	0.50B/0.40A	----	0.40	- 0.30	.0051	----	----	2	----	34	-
4650	----	----		----/0.30A	0.30B/0.30A	----	0.30	- 0.20	.0036	----	----	----	----	38	UNCH
4675	----	----		----/0.30A	0.20B/0.30A	----	0.20	- 0.20	.0023	----	----	----	----	1	UNCH
4700	----	----		----	0.20B/0.30A	----	0.20	- 0.10	.0021	----	----	----	----	20	UNCH
4725	----	----		----/0.20A	0.10B/0.20A	----	0.10	- 0.20	.0007	----	----	----	----	7	UNCH
4750	----	----		----	----/0.30A	----	0.10	- 0.10	.0003	----	----	----	----	23	UNCH
4775	----	----		----	----/0.40A	----	0.10	UNCH	.0001	----	----	----	----	6	UNCH
4800	----	----		----	----/0.40A	----	0.10	UNCH	.0000	----	----	----	----	1	UNCH
4825	----	----		----	----/0.40A	----	0.10	UNCH	.0000	----	----	----	----	1	UNCH
4850	----	----		----	----/0.40A	----	0.10	UNCH	.0000	----	----	----	----	7	UNCH
4875	----	----		----	----/0.30A	----	0.10	UNCH	.0000	----	----	----	----	15	UNCH
4900	----	----		----	----/0.30A	----	0.10	UNCH	----	----	----	----	----	99	UNCH
4925	----	----		----	----/0.30A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
4950	----	----		----	----/0.30A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
5000	----	----		----	----/0.30A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
5100	----	----		----	----/0.30A	----	0.10	UNCH	----	----	----	----	----	20	UNCH
5500	----	----		----	----/1.40A	----	0.10	UNCH	----	----	----	----	----	33	UNCH
TOTAL												890	100	3524+	548
OCT26															
3700	----	----		----/1.40A	1.20B/1.40A	----	1.20	- 0.40	.0098	----	----	----	----	15	UNCH
3750	0.60	0.60		0.70B/0.60	0.70B/0.60	----	0.80	- 0.10	.0069	----	----	3	----	3	+
3900	----	----		----/3.20A	3.80B/3.20A	----	3.20	- 1.30	.0294	----	----	----	----	15	UNCH
3900	----	----		----/1.40A	1.60B/1.40A	----	1.50	- 0.50	.0152	----	----	----	----	2	UNCH
3950	----	----		----/1.80A	2.20B/1.80A	----	1.90	- 0.90	.0205	----	----	----	----	3	UNCH
3975	----	----		----/4.70A	6.30B/4.70A	----	5.10	- 2.20	.0482	----	----	----	----	15	UNCH
3975	----	----		----/2.00A	2.60B/2.00A	----	2.20	- 1.10	.0244	----	----	----	----	1	UNCH
4000	----	----		----/2.40A	3.20B/2.40A	----	2.60	- 1.30	.0295	----	----	----	----	2	UNCH
4000	----	----		----/5.50A	7.60B/5.50A	----	6.10	- 2.50	.0577	----	----	----	----	3	UNCH
4025	----	----		----/6.50A	9.10B/6.50A	----	7.30	- 3.00	.0691	----	----	----	----	2	UNCH
4050	8.80	8.80		8.80B/7.70A	11.10B/7.70A	----	8.70	- 3.60	.0824	----	----	40	----	41	+
4050	----	----		----/3.30A	5.00B/3.30A	----	3.90	- 2.00	.0456	----	----	----	----	20	UNCH
4075	----	----		----/9.20A	13.50B/9.20A	----	10.50	- 4.20	.0990	----	----	----	----	25	UNCH
4075	5.30	5.30		5.30B/4.10A	6.30B/4.10A	----	4.80	- 2.60	.0569	----	----	15	----	50	+
4100	5.40	5.40		6.20B/5.00A	8.20B/5.00A	----	6.00	- 3.30	.0717	----	----	43	----	67	+
4100	----	----		----/11.10A	16.80B/11.10A	----	12.70	- 5.10	.1188	----	----	----	----	351	UNCH
4125	6.90	6.90		6.90B/6.30A	10.70B/6.30A	----	7.50	- 4.30	.0902	----	----	10	----	9	+
4125	14.50	14.50		14.50B/13.60A	20.70B/13.60A	----	15.60	- 6.10	.1434	----	----	2	----	4	+
4150	12.40	12.40		12.40B/8.00A	13.90B/8.00A	----	9.60	- 5.50	.1149	----	----	3	----	15	+
4150	21.40	21.40		25.50B/16.60A	25.50B/16.60A	----	19.10	- 7.30	.1721	----	----	5	----	51	-
4175	13.60	13.60		15.10B/10.20A	18.20B/10.20A	----	12.40	- 6.80	.1465	----	----	3	----	19	+
4175	27.20	27.20		27.20B/20.30A	31.00B/20.30A	----	23.50	- 8.70	.2061	----	----	2	----	10	+
4200	13.90	13.90		22.10B/13.30A	23.60B/13.30A	----	16.20	- 8.40	.1867	----	----	16	----	34	+
4200	----	----		----/24.90A	37.70B/24.90A	----	29.00	- 9.90	.2456	----	----	----	----	2	UNCH
4225	22.30	22.30		22.30B/17.30A	30.60B/17.30A	----	21.10	- 10.30	.2354	----	----	9	----	30	+
4225	----	----		----/30.50A	45.70B/30.50A	----	35.60	- 11.30	.2898	----	----	----	----	1	UNCH
4250	35.40	35.40		35.40B/22.40A	39.10B/22.40A	----	27.60	- 12.10	.2937	----	----	5	----	36	+
4250	----	----		----/37.20A	55.20B/37.20A	----	43.50	- 12.70	.3383	----	----	----	----	4	UNCH
4275	89.60	89.60		113.70B/82.60A	113.70B/82.60A	----	98.80	NEW	.6092	----	----	9	----	9	+
4275	35.80	35.80		35.80B/28.80A	49.50B/28.80A	----	35.70	- 14.10	.3594	----	----	3	----	162	+
4300	56.50	56.50		61.80B/36.90A	61.80B/36.90A	----	45.70	- 16.00	.4309	----	----	3	----	22	+
4300	70.30	70.30		98.80B/70.20A	98.80B/70.20A	----	84.50	NEW	.5550	----	----	3	----	3	+
4300	----	----		----/54.30A	78.80B/54.30A	----	63.30	- 15.70	.4445	----	----	----	----	9	UNCH
4300	53.20	53.20		86.80B/51.90A	86.80B/51.90A	----	66.90	+ 7.20	.5687	----	----	7	----	8	+
4325	54.20	54.20		71.60B/41.20A	71.60B/41.20A	----	53.80	+ 5.50	.4947	----	----	5	----	10	+
4325	74.50	74.50		92.60B/64.70A	92.60B/64.70A	----	75.50	- 16.90	.4999	----	----	3	----	108	+

BULLETIN #185@										METALS OPTION PRODUCTS										Fri, Sep 25, 2026		PG64		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
GWW WED OCT26	GOLD WEEKLY WEDNESDAY OPTION WEEK1																							
4675	----	----	----	2.70B/1.70A	2.70B/1.70A	----	----	----	1.90 - 0.40	.0236	----	----	----	----	21	UNCH								
4675	8.10	8.10	----	11.20B/7.90A	11.20B/7.90A	----	----	----	9.10 NEW	.0799	----	----	2	----	2	+								
4675	----	----	----	7.00B/4.60A	7.00B/4.60A	----	----	----	5.10 - 0.50	.0525	----	----	----	----	6	UNCH								
4700	----	----	----	2.20B/1.50A	2.20B/1.50A	----	----	----	1.60 - 0.40	.0195	----	----	----	----	37	UNCH								
4700	----	----	----	5.90B/3.90A	5.90B/3.90A	----	----	----	4.30 - 0.50	.0444	----	----	----	----	17	UNCH								
4725	----	----	----	5.00B/3.40A	5.00B/3.40A	----	----	----	3.70 - 0.50	.0380	----	----	----	----	5	UNCH								
4725	----	----	----	1.80B/1.30A	1.80B/1.30A	----	----	----	1.40 - 0.30	.0167	----	----	----	----	3	UNCH								
4750	----	----	----	----/1.10A	1.50B/1.10A	----	----	----	1.20 - 0.30	.0140	----	----	----	----	1	UNCH								
4775	----	----	----	3.70B/2.70A	3.70B/2.70A	----	----	----	2.80 - 0.40	.0284	----	----	----	----	2	UNCH								
4825	----	----	----	----/0.80A	0.90B/0.80A	----	----	----	0.80 - 0.30	.0088	----	----	----	----	1	UNCH								
4850	----	----	----	----/0.80A	0.80B/0.80A	----	----	----	0.70 - 0.30	.0076	----	----	----	----	5	UNCH								
4850	----	----	----	2.40B/2.00A	2.40B/2.00A	----	----	----	1.90 - 0.40	.0188	----	----	----	----	1	UNCH								
4900	----	----	----	----/1.60A	1.80B/1.60A	----	----	----	1.60 - 0.30	.0153	----	----	----	----	16	UNCH								
5100	----	----	----	----	----/0.60A	----	----	----	0.50 UNCH	.0041	----	----	----	----	8	UNCH								
5100	----	----	----	----	0.70B/1.10A	----	----	----	0.90 - 0.20	.0077	----	----	----	----	15	UNCH								
TOTAL																					399	100	3361+	456
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
GWT TUE SEP26	GOLD WEEKLY TUESDAY OPTION weeks																							
3700	----	----	----	----	----/0.30A	----	----	----	0.10 UNCH	----	----	----	----	----	53	UNCH								
3750	----	----	----	----	----/0.30A	----	----	----	0.10 UNCH	----	----	----	----	----	10	UNCH								
3800	----	----	----	----	----/0.30A	----	----	----	0.10 UNCH	.0000	----	----	----	----	3	UNCH								
3900	0.30	0.30	0.30/0.30	0.30/0.30	0.30/0.30	----	----	----	0.10 - 0.20	.0016	----	----	5	----	16	UNCH								
3945	----	----	----	----/0.30A	----/0.30A	----	----	----	0.20 - 0.20	.0017	----	----	----	----	5	UNCH								
3975	----	----	----	----/0.30A	0.20B/0.30A	0.20B/0.30A	----	----	0.20 - 0.30	.0028	----	----	----	----	1	UNCH								
4000	----	----	----	----/0.30A	0.30B/0.30A	0.30B/0.30A	----	----	0.30 - 0.30	.0045	----	----	----	----	13	UNCH								
4050	----	----	----	----/0.40A	0.50B/0.40A	0.50B/0.40A	----	----	0.40 - 0.50	.0060	----	----	----	----	1	UNCH								
4070	----	----	----	----/0.50A	0.70B/0.50A	0.70B/0.50A	----	----	0.50 - 0.60	.0061	----	----	----	----	2	UNCH								
4075	----	----	----	----/0.50A	0.70B/0.50A	0.70B/0.50A	----	----	0.50 - 0.60	.0081	----	----	----	----	15	UNCH								
4100	----	----	----	----/0.70A	0.90B/0.70A	0.90B/0.70A	----	----	0.60 - 0.90	.0096	----	----	----	----	2	UNCH								
4105	----	----	----	----/0.70A	1.00B/0.70A	1.00B/0.70A	----	----	0.70 - 0.90	.0116	----	----	----	----	1	UNCH								
4120	----	----	----	----/0.80A	1.20B/0.80A	1.20B/0.80A	----	----	0.80 - 1.10	.0118	----	----	----	----	6	UNCH								
4125	----	----	----	----/0.80A	1.30B/0.80A	1.30B/0.80A	----	----	0.80 - 1.30	.0135	----	----	----	----	2	UNCH								
4130	----	----	----	----/0.80A	1.40B/0.80A	1.40B/0.80A	----	----	0.90 - 1.30	.0138	----	----	----	----	12	+								
4135	1.00	1.00	1.40/0.90A	1.50B/0.90A	1.50B/0.90A	----	----	----	0.90 NEW	.0179	----	----	12	----	12	UNCH								
4150	1.40	1.40	1.40/1.00A	2.00B/1.00A	2.00B/1.00A	----	----	----	1.10 - 1.80	.0198	----	----	2	----	27	+								
4155	1.40	1.40	1.40/1.00A	2.30B/1.00A	2.30B/1.00A	----	----	----	1.20 NEW	.0240	----	----	2	----	2	+								
4165	1.70	1.70	1.70/1.20A	2.60B/1.20A	2.60B/1.20A	----	----	----	1.40 NEW	.0247	----	----	2	----	2	+								
4170	1.80	1.80	1.80/1.20A	3.00B/1.20A	3.00B/1.20A	----	----	----	1.40 NEW	.0269	----	----	5	----	5	+								
4175	2.00	2.00	3.30B/1.30	3.30B/1.30	3.30B/1.30	----	----	----	1.50 - 2.80	.0293	----	----	14	----	19	+								
4180	2.10	2.10	2.10/1.30	3.60B/1.30	3.60B/1.30	----	----	----	1.60 - 3.10	.0334	----	----	3	----	4	+								
4185	1.30	1.30	1.30/1.30	3.90B/1.30	3.90B/1.30	----	----	----	1.80 NEW	.0360	----	----	2	----	2	+								
4190	----	----	----/1.60A	4.30B/1.60A	4.30B/1.60A	----	----	----	1.90 - 3.60	.0433	----	----	----	----	2	UNCH								
4200	2.20	2.20	2.20/1.80A	5.30B/1.80A	5.30B/1.80A	----	----	----	2.20 - 4.30	.0480	----	----	48	----	63	+								
4205	4.70	4.70	4.70/1.90A	5.90B/1.90A	5.90B/1.90A	----	----	----	2.40 - 4.70	.0529	----	----	15	----	17	+								
4210	5.20	5.20	5.20/2.10A	6.50B/2.10A	6.50B/2.10A	----	----	----	2.60 - 5.10	.0581	----	----	6	----	8	+								
4215	----	----	----/2.30A	7.00B/2.30A	7.00B/2.30A	----	----	----	2.80 - 5.60	.0651	----	----	----	----	13	UNCH								
4220	----	----	----/2.50A	7.80B/2.50A	7.80B/2.50A	----	----	----	3.10 - 6.10	.0674	----	----	1	----	5	UNCH								
4225	4.10	4.10	4.10/2.70A	8.60B/2.70A	8.60B/2.70A	----	----	----	3.40 - 6.70	.0724	----	----	6	----	29	+								
4230	6.40	6.40	6.40/2.90A	9.50B/2.90A	9.50B/2.90A	----	----	----	3.80 - 7.20	.0816	----	----	1	----	4	+								
4235	7.10	7.10	7.10/3.20A	10.50B/3.20A	10.50B/3.20A	----	----	----	4.20 NEW	.0912	----	----	6	----	6	+								
4240	4.20	4.20	6.50/3.50A	11.70B/3.50A	11.70B/3.50A	----	----	----	4.60 - 8.50	.1012	----	----	29	----	23	+								
4245	4.50	4.50	4.50/3.90A	12.90B/3.90A	12.90B/3.90A	----	----	----	5.20 NEW	.1145	----	----	3	----	3	+								
4250	12.50	12.50	12.50/4.20A	14.20B/4.20A	14.20B/4.20A	----	----	----	5.80 - 9.80	.1283	----	----	63	----	57	+								
4250	----	----	104.70B/53.20A	104.70B/53.20A	104.70B/53.20A	----	----	----	77.00 + 13.40	.8715	----	----	----	----	2	UNCH								
4255	12.30	12.30	15.70B/4.70A	15.70B/4.70A	15.70B/4.70A	----	----	----	6.50 - 10.50	.1440	----	----	11	----	7	+								
4260	6.10	6.10	8.90/5.20A	17.20B/5.20A	17.20B/5.20A	----	----	----	7.30 - 11.30	.1615	----	----	11	----	26	+								
4265	17.60	17.60	19.00B/5.70A	19.00B/5.70A	19.00B/5.70A	----	----	----	8.10 - 12.10	.1795	----	----	5	----	11	+								
4270	7.50	7.50	12.00/6.40A	20.70B/6.40A	20.70B/6.40A	----	----	----	9.10 - 12.80	.2004	----	----	8	----	21	+								
4275	----	----	82.50B/36.60A	82.50B/36.60A	82.50B/36.60A	----	----	----	56.40 NEW	.7768	----	----	1	----	1	+								
4275	10.10	10.10	10.10/7.10A	22.60B/7.10A	22.60B/7.10A	----	----	----	10.20 - 13.60	.2230	----	----	13	----	23	+								
4280	12.90	12.90	12.90/7.90A	24.80B/7.90A	24.80B/7.90A	----	----	----	11.40 NEW	.2471	----	----	9	----	9	+								
4285	12.10	12.10	12.10/8.80A	26.90B/8.80A	26.90B/8.80A	----	----	----	12.70 - 15.20	.2727	----	----	3	----	5	+								
4290	11.30	11.30	11.30/9.80A	29.30B/9.80A	29.30B/9.80A	----	----	----	14.20 NEW	.3005	----	----	2	----	2	+								
4295	25.40	25.40	25.40/10.90A	32.10B/10.90A	32.10B/10.90A	----	----	----	15.80 - 16.70	.3293	----	----	1	----	2	+								
4295	49.00	49.00	65.90B/25.90A	65.90B/25.90A	65.90B/25.90A	----	----	----	42.00 + 6.50	.6705	----	----	1	----	6	+								
4300	----	----	62.00B/23.60A	62.00B/23.60A	62.00B/23.60A	----	----	----	38.80 + 5.80	.6400	----	----	----	----	1	UNCH								
4300	18.70	18.70	34.70B/12.10A	34.70B/12.10A	34.70B/12.10A	----	----	----	17.60 - 17.40	.3598	----	----	30	----	91	+								
4305	----	----	58.40B/21.30A	58.40B/21.30A	58.40B/21.30A	----	----	----	35.70 + 5.10	.6087	----	----	----	----	29	UNCH								
4305	31.50	31.50	31.50/13.40A	37.50B/13.40A	37.50B/13.40A	----	----	----	19.50 - 18.10	.3911	----	----	3	----	17	UNCH								
4310	----	----	40.50B/14.80A	40.50B/14.80A	40.50B/14.80A	----	----	----	21.50 - 18.80	.4231	----	----	4	----	7	+								
4310	----	----	54.60B/19.50A	54.60B/19.50A	54.60B/19.50A	----	----	----	32.70 + 4.40	.5767	----	----	----	----	5	UNCH								
4315	----	----	51.20B/17.50A	51.20B/17.50A	51.20B/17.50A	----	----	----	30.00 + 3.80	.5438	----	----	----	----	9	UNCH								
4320	25.10	25.10	46.60B/17.80A	46.60B/17.80A	46.60B/17.80A	----	----	----	26.10 NEW	.4891	----	----	12	----	10	+								
4320	----	----	47.80B/15.80A	47.80B/15.80A	47.80B/15.80A	----	----	----	27.30 + 3.10	.5107	----	----	----	----	1	+								
4325	31.90	31.90	44.50B/14.40A	44.50B/14.40A	44.50B/14.40A	----	----	----	24.90 + 2.60	.4774	----	----	115	----	255	+								
4325	30.10	30.10	49.90B/19.40A	49.90B/19.40A	49.90B/19.40A	----	----	----	28.70 - 20.60	.5224	----	----	172	----	147	+								
4330	24.20	24.20	53.40B/21.30A	53.40B/21.30A	53.40B/21.30A	----	----	----	31.40 NEW	.5554	----	----	3	----	3	+								
4330	24.20	24.20	41.10B/13.00A	41.10B/13.00A	41.10B/13.00A	----	----	----	22.60 + 2.10	.4444	----	----	1	----	9	UNCH								
4335	21.00	21.00	38.30B/11.70A	38.30B/11.70A	38.30B/11.70A	----	----	----	20.50 NEW	.4119	----	----	14	----	2	+								
4335	35.50	35.50	57.00B/23.30A	57.00B/23.30A	57.00B/23.30A	----	----	----	34.30 - 21.50	.5879	----	----	11	----	36	+								
4340	28.00	28.00	35.40B/10.50A	35.40B/10.50A	35.40B/10.50A	----	----	----	18.50 + 1.20	.3800	----	----	24	----	17	+								
4340	----	----	60.60B/25.60A	60.60B/25.60A	60.60B/25.60A	----	----	----	37.30 - 22.00	.6198	----	----	----	----	30	UNCH								
4345	25.60	25.60	32.80B/9.40A	32.80B/9.40A	32.80B/9.40A	----	----	----	16.70 + 0.80	.3493	----	----	50	----	62	+								
4350	----	----	68.40B/30.20A	68.40B/30.20A	68.40B/30.20A	----	----	----	43.80 - 22.70	.6803	----	----	----	----	25	UNCH								
4350	16.50	16.50	30.30B/8.50A	30.30B/8.50A	30.30B/8.50A	----	----																	

BULLETIN #185@				METALS OPTION PRODUCTS										Fri, Sep 25, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST		
GWT TUE	GOLD WEEKLY TUESDAY OPTION week5																	
SEP26																		
4775	----	----	----	----	----	/0.20A	----		0.10	UNCH	.0000	----	----	----	10	UNCH		
4800	----	----	----	----	----	/0.30A	----		0.10	UNCH	.0000	----	----	----	8	UNCH		
4875	----	----	----	----	----	/0.30A	----		0.10	UNCH		----	----	----	2	UNCH		
4900	----	----	----	----	----	/0.30A	----		0.10	UNCH		----	----	----	6	UNCH		
4925	----	----	----	----	----	/0.30A	----		0.10	UNCH		----	----	----	2	UNCH		
4950	----	----	----	----	----	/0.40A	----		0.10	UNCH		----	----	----	2	UNCH		
4975	----	----	----	----	----	/0.40A	----		0.10	UNCH		----	----	----	14	UNCH		
5000	----	----	----	----	----	/0.40A	----		0.10	UNCH		----	----	----	49	UNCH		
5100	----	----	----	----	----	/4.60A	----		0.10	UNCH		----	----	----	12	UNCH		
5200	----	----	----	----	----	/3.70A	----		0.10	UNCH		----	----	----	2	UNCH		
5400	----	----	----	----	----	/3.20A	----		0.10	UNCH		----	----	----	1	UNCH		
5500	----	----	----	----	----	/12.20A	----		0.10	UNCH		----	----	----	40	UNCH		
TOTAL													1120		2226+	680		
OCT26																		
3750	1.50	1.50		1.50/1.40A	1.50/1.40A		----		1.20	NEW	.0104	----	50	----	50 +	50		
3750	----	----	----	----/0.60A	0.60B/0.60A	----	----		0.50	- 0.30	.0045	----	----	----	6	UNCH		
3900	----	----	----	----/1.20A	1.30B/1.20A	----	----		1.30	- 0.40	.0133	----	----	----	3	UNCH		
3950	----	----	----	----/3.40A	4.30B/3.40A	----	----		3.60	- 1.50	.0353	----	----	----	2	UNCH		
3975	----	----	----	----/3.80A	5.10B/3.80A	----	----		4.20	- 1.80	.0418	----	----	----	2	UNCH		
4000	----	----	----	----/4.50A	6.20B/4.50A	----	----		5.00	- 2.20	.0501	----	----	----	2	UNCH		
4000	----	----	----	----/2.00A	2.60B/2.00A	----	----		2.20	- 1.20	.0256	----	----	----	3	UNCH		
4025	6.90	6.90		6.90/5.30A	7.50B/5.30A	----	----		5.90	- 2.70	.0596	----	15	----	50 +	15		
4025	----	----	----	----/2.30A	3.30B/2.30A	----	----		2.70	- 1.40	.0320	----	----	----	4	UNCH		
4050	8.60	8.60		8.60/6.30A	9.20B/6.30A	----	----		7.10	- 3.20	.0719	----	30	----	65 +	30		
4050	----	----	----	----/2.80A	4.20B/2.80A	----	----		3.20	- 1.90	.0390	----	----	----	2	UNCH		
4075	8.50	8.50		8.50/7.60A	11.30B/7.60A	----	----		8.60	- 3.90	.0871	----	15	----	60 +	15		
4100	----	----	----	----/9.20A	14.10B/9.20A	----	----		10.50	- 4.80	.1058	----	----	----	15	UNCH		
4100	6.50	6.50		6.50/4.20A	6.90B/4.20A	----	----		5.00	- 3.00	.0627	----	15	----	32 +	14		
4125	15.60	15.60		15.60/11.20A	17.60B/11.20A	----	----		13.00	NEW	.1292	----	2	----	2 +	2		
4125	5.90	5.90		5.90/5.30A	9.10B/5.30A	----	----		6.30	- 3.90	.0798	----	20	----	28 +	20		
4150	----	----	----	----/13.90A	21.60B/13.90A	----	----		16.10	- 6.90	.1573	----	----	----	29	UNCH		
4150	10.80	10.80		10.80/6.70A	12.00B/6.70A	----	----		8.10	- 5.00	.1028	----	4	----	14 +	4		
4175	24.10	24.10		24.10/17.30A	26.70B/17.30A	----	----		20.10	- 8.20	.1913	----	2	----	18	UNCH		
4175	14.10	14.10		14.10/8.70A	15.90B/8.70A	----	----		10.60	- 6.40	.1334	----	4	----	14 +	4		
4200	----	----	----	----/21.60A	33.80B/21.60A	----	----		25.20	- 9.50	.2316	----	----	----	7	UNCH		
4200	12.70	12.70		19.70/11.40A	21.10B/11.40A	----	----		14.10	- 8.00	.1734	----	21	----	38 +	21		
4225	16.30	16.30		21.30/15.10A	27.70B/15.10A	----	----		18.70	- 10.00	.2228	----	10	----	16	UNCH		
4225	----	----	----	----/26.70A	41.00B/26.70A	----	----		31.40	- 11.10	.2773	----	----	----	15	UNCH		
4225	----	----	----	----/39.70A	55.70B/39.70A	----	----		45.10	- 12.00	.3130	----	----	----	1	UNCH		
4250	----	----	----	----/32.90A	50.50B/32.90A	----	----		38.90	- 12.70	.3282	----	----	----	61	UNCH		
4275	40.50	40.50		41.70/26.10A	46.30B/26.10A	----	----		32.50	- 14.30	.3511	----	20	----	20 +	16		
4275	----	----	----	109.20B/77.70A	109.20B/77.70A	----	----		94.00	+ 8.90	.6160	----	----	----	7	UNCH		
4275	----	----	----	----/40.50A	61.70B/40.50A	----	----		47.90	- 14.20	.3835	----	----	----	23	UNCH		
4275	----	----	----	124.20B/95.10A	124.20B/95.10A	----	----		109.50	+ 8.40	.5970	----	----	----	1	UNCH		
4300	----	----	----	83.90B/48.80A	83.90B/48.80A	----	----		63.50	+ 7.00	.5727	----	----	----	10	UNCH		
4300	52.00	52.00		58.70B/33.90A	58.70B/33.90A	----	----		42.30	- 16.20	.4270	----	41	----	55 +	36		
4300	----	----	----	----/49.30A	73.70B/49.30A	----	----		58.40	- 15.80	.4416	----	----	----	27	UNCH		
4300	----	----	----	93.60B/65.30A	93.60B/65.30A	----	----		79.50	+ 7.30	.5579	----	----	----	93	UNCH		
4325	50.50	50.50		68.40B/38.10A	68.40B/38.10A	----	----		50.40	+ 5.20	.4935	----	4	----	186 +	4		
4325	----	----	----	----/59.60A	87.60B/59.60A	----	----		70.40	- 17.30	.5011	----	----	----	7	UNCH		
4325	----	----	----	84.00B/54.10A	84.00B/54.10A	----	----		66.60	+ 5.90	.4984	----	----	----	167	UNCH		
4325	----	----	----	72.90B/43.40A	72.90B/43.40A	----	----		54.20	- 18.00	.5061	----	----	----	4	UNCH		
4350	----	----	----	102.70B/71.60A	102.70B/71.60A	----	----		84.00	- 18.60	.5604	----	----	----	17	UNCH		
4350	----	----	----	71.30B/44.70A	71.30B/44.70A	----	----		55.20	+ 4.50	.4391	----	----	----	46	UNCH		
4350	----	----	----	----/89.50A	117.90B/89.50A	----	----		100.30	NEW	.5448	----	6	----	4 +	4		
4350	----	----	----	84.20B/60.00A	84.20B/60.00A	----	----		71.50	NEW	.4545	----	6	----	4 +	4		
4350	----	----	----	88.90B/55.00A	88.90B/55.00A	----	----		68.10	- 19.60	.5844	----	----	----	1	UNCH		
4350	49.80	49.80		55.20B/29.50A	55.20B/29.50A	----	----		39.40	+ 3.70	.4152	----	7	----	104 -	1		
4375	----	----	----	106.90B/68.60A	106.90B/68.60A	----	----		84.00	- 20.90	.6589	----	----	----	4	UNCH		
4375	35.50	35.50		43.60B/22.50A	43.60B/22.50A	----	----		30.20	+ 2.30	.3408	----	1	----	10	UNCH		
4375	----	----	----	119.30B/85.00A	119.30B/85.00A	----	----		99.10	- 19.70	.6177	----	1	----	5 -	1		
4375	----	----	----	59.70B/36.40A	59.70B/36.40A	----	----		45.40	+ 3.40	.3818	----	----	----	9	UNCH		
4400	----	----	----	137.30B/103.70A	137.30B/103.70A	----	----		115.80	- 20.60	.6716	----	----	----	54	UNCH		
4400	----	----	----	49.50B/29.60A	49.50B/29.60A	----	----		37.10	+ 2.60	.3279	----	----	----	14	UNCH		
4400	29.00	29.00		34.00B/17.00A	34.00B/17.00A	----	----		22.90	+ 1.20	.2736	----	10	----	83 +	5		
4425	14.80	14.80		26.30B/12.90A	26.30B/12.90A	----	----		17.20	+ 0.40	.2155	----	43	----	50 +	41		
4425	----	----	----	156.80B/120.50A	156.80B/120.50A	----	----		133.70	- 21.40	.7211	----	----	----	1	UNCH		
4425	----	----	----	41.10B/24.00A	41.10B/24.00A	----	----		30.10	+ 1.80	.2784	----	----	----	7	UNCH		
4450	----	----	----	20.10B/9.70A	20.10B/9.70A	----	----		12.80	- 0.20	.1669	----	34	----	56 +	34		
4450	23.70	23.70		33.70B/19.40A	33.70B/19.40A	----	----		24.30	+ 1.10	.2339	----	25	----	34 +	25		
4475	----	----	----	27.60B/15.70A	27.60B/15.70A	----	----		19.60	+ 0.60	.1952	----	----	----	5	UNCH		
4475	13.60	13.60		15.30B/7.40A	15.30B/7.40A	----	----		9.70	- 0.40	.1292	----	4	----	18 +	4		
4500	----	----	----	11.70B/5.70A	11.70B/5.70A	----	----		7.30	- 0.60	.0990	----	----	----	16	UNCH		
4500	----	----	----	22.40B/12.70A	22.40B/12.70A	----	----		15.80	+ 0.20	.1619	----	----	----	6	UNCH		
4525	6.00	6.00		9.00B/4.50A	9.00B/4.50A	----	----		5.60	- 0.70	.0764	----	15	----	45 +	15		
4525	----	----	----	18.20B/10.40A	18.20B/10.40A	----	----		12.70	- 0.20	.1334	----	----	----	31	UNCH		
4550	----	----	----	14.80B/8.60A	14.80B/8.60A	----	----		10.30	- 0.30	.1101	----	----	----	24	UNCH		
4550	----	----	----	6.90B/3.60A	6.90B/3.60A	----	----		4.40	- 0.60	.0598	----	----	----	8	UNCH		
4575	8.10	8.10		12.00B/7.10A	12.00B/7.10A	----	----		8.30	- 0.50	.0902	----	30	----	41 +	30		
4575	----	----	----	5.40B/2.90A	5.40B/2.90A	----	----		3.40	- 0.70	.0462	----	----	----	2	UNCH		
4600	----	----	----	4.20B/2.30A	4.20B/2.30A	----	----		2.70	- 0.60	.0363	----	1	----	8	UNCH		
4600	----	----	----	9.80B/5.90A	9.80B/5.90A	----	----		6.80	- 0.60	.0746	----	----	----	29	UNCH		
4600	13.00	13.00		17.60B/11.50A	17.60B/11.50A	----	----		13.10	NEW	.1157	----	3	----	3 +	3		
4625	----	----	----	8.00B/5.00A	8.00B/5.00A	----	----		4.60	- 0.60	.0618	----	----	----	22	UNCH		
4625	----	----	----	3.40B/1.90A	3.40B/1.90A	----	----		2.20	- 0.60	.0291	----	----	----	1	UNCH		
4650	----	----	----	2.70B/1.60A	2.70B/1.60A	----	----		1.80	- 0.50	.0234	----	----	----	19	UNCH		
4650	----	----	----	6.70B/4.30A	6.70B/4.30A	----	----		4.70	- 0.60	.0518	----	----	----	7	UNCH		
4650	----	----	----	12.70B/8.50A	12.70B/8.50A	----	----		9.30	- 0.60	.0846	----	----	----	3	UNCH		
4675	----	----	----	2.20B/1.40A	2.20B/1.40A	----	----		1.50	- 0.50	.0192	----	----	----	3	UNCH		
4675	----	----	----	5.60B/3.60A	5.60B/3.60A	----	----		3.90	- 0.60	.0431	----	----	----	3	UNCH		
4700	----	----	----	4.70B/3.20A	4.70B/3.20A	----	----		3.30	- 0.60	.0363	----	----	----	5	UNCH		
4700	----	----	----	1.80B/1.20A	1.80B/1.20A	----	----		1.20	- 0.50	.0151	----	----	----	11	UNCH		
4725	----	----	----	----/1.00A	1.50B/1.00A	----	----		1									

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN VOLUME	OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GOLD WEEKLY THURSDAY OPTION week2																	
OCT26																	
GWR THU																	
3975	----	----	----	2.40A	3.20B/2.40A	----	----	----	2.70 - 1.20	.0289	----	----	----	----	----	3	UNCH
4000	10.70	10.70	10.70/10.10A	13.30B/10.10A	----	----	----	----	10.90 - 3.80	.0862	----	----	----	6	----	9 +	4
4000	----	----	----	0.80A	0.90B/0.80A	----	----	----	0.80 - 0.50	.0092	----	----	----	5	----	44	UNCH
4000	3.80	3.80	3.80/2.80A	3.90B/2.80A	----	----	----	----	3.20 - 1.50	.0349	----	----	----	1	----	26	UNCH
4000	----	----	----	6.20A	8.40B/6.20A	----	----	----	6.80 - 2.70	.0624	----	----	----	5	----	36	UNCH
4025	----	----	----	0.90A	1.10B/0.90A	----	----	----	1.00 - 0.50	.0121	----	----	----	1	----	15	UNCH
4025	----	----	----	3.30A	4.80B/3.30A	----	----	----	3.80 - 1.90	.0423	----	----	----	1	----	15	UNCH
4025	----	----	----	11.70A	15.60B/11.70A	----	----	----	12.80 - 4.40	.1005	----	----	----	1	----	2	UNCH
4025	----	----	----	7.40A	10.30B/7.40A	----	----	----	8.10 - 3.20	.0742	----	----	----	1	----	3	UNCH
4050	----	----	----	13.60A	18.60B/13.60A	----	----	----	15.10 - 5.00	.1173	----	----	----	1	----	6 +	1
4050	1.00	1.00	1.40B/1.00	1.40B/1.00	----	----	----	----	1.10 - 0.80	.0142	----	----	----	9	----	22 +	5
4050	----	----	----	4.00A	6.00B/4.00A	----	----	----	4.60 - 2.40	.0519	----	----	----	1	----	74	UNCH
4050	----	----	----	8.70A	12.50B/8.70A	----	----	----	9.70 - 3.80	.0886	----	----	----	1	----	14	UNCH
4075	----	----	----	16.00A	21.90B/16.00A	----	----	----	17.80 - 5.80	.1365	----	----	----	1	----	2	UNCH
4075	----	----	----	1.30A	1.80B/1.30A	----	----	----	1.40 - 1.10	.0190	----	----	----	1	----	6	UNCH
4075	----	----	----	4.90A	7.60B/4.90A	----	----	----	5.60 - 3.00	.0639	----	----	----	1	----	41	UNCH
4075	----	----	----	10.40A	14.90B/10.40A	----	----	----	11.70 - 4.50	.1060	----	----	----	1	----	14	UNCH
4100	----	----	----	19.00A	26.10B/19.00A	----	----	----	21.10 - 6.60	.1590	----	----	----	1	----	4	UNCH
4100	----	----	----	1.60A	2.40B/1.60A	----	----	----	1.70 - 1.60	.0244	----	----	----	1	----	8	UNCH
4100	7.30	7.30	252.40B/212.00A	252.40B/212.00A	252.40B/212.00A	252.40B/212.00A	252.40B/212.00A	252.40B/212.00A	235.00 + 17.90	.8731	----	----	----	15	----	50	UNCH
4100	14.00	14.00	7.30/6.00A	9.60B/6.00A	7.30/6.00A	9.60B/6.00A	7.30/6.00A	9.60B/6.00A	7.00 - 3.80	.0801	----	----	----	1	----	51 +	15
4125	----	----	14.00/12.50A	18.10B/12.50A	14.00/12.50A	18.10B/12.50A	14.00/12.50A	18.10B/12.50A	14.10 - 5.40	.1264	----	----	----	1	----	60	UNCH
4125	----	----	22.40A	31.90B/22.40A	22.40A	31.90B/22.40A	22.40A	31.90B/22.40A	25.00 - 7.70	.1846	----	----	----	1	----	2 +	1
4125	----	----	15.20A	22.10B/15.20A	15.20A	22.10B/15.20A	15.20A	22.10B/15.20A	17.20 - 6.30	.1514	----	----	----	1	----	40	UNCH
4125	8.30	8.30	2.00A	3.40B/2.00A	2.00A	3.40B/2.00A	2.00A	3.40B/2.00A	2.30 - 2.10	.0345	----	----	----	2	----	41 +	1
4125	----	----	8.30/7.50A	12.40B/7.50A	8.30/7.50A	12.40B/7.50A	8.30/7.50A	12.40B/7.50A	8.80 - 4.70	.1004	----	----	----	10	----	44 +	10
4150	----	----	26.50A	36.70B/26.50A	26.50A	36.70B/26.50A	26.50A	36.70B/26.50A	29.80 - 8.70	.2141	----	----	----	1	----	4	UNCH
4150	13.80	13.80	13.80/9.40A	16.00B/9.40A	13.80/9.40A	16.00B/9.40A	13.80/9.40A	16.00B/9.40A	11.20 - 5.80	.1266	----	----	----	1	----	43 +	4
4150	3.40	3.40	181.80B/145.40A	181.80B/145.40A	181.80B/145.40A	181.80B/145.40A	181.80B/145.40A	181.80B/145.40A	174.10 + 20.10	.9526	----	----	----	7	----	1	UNCH
4150	22.50	22.50	3.40/2.50A	4.90B/2.50A	3.40/2.50A	4.90B/2.50A	3.40/2.50A	4.90B/2.50A	3.00 - 3.10	.0472	----	----	----	1	----	79 +	21
4175	4.80	4.80	22.50/18.40A	27.50B/18.40A	22.50/18.40A	27.50B/18.40A	22.50/18.40A	27.50B/18.40A	21.10 - 7.30	.1812	----	----	----	21	----	116 +	3
4175	----	----	31.40A	44.60B/31.40A	31.40A	44.60B/31.40A	31.40A	44.60B/31.40A	35.30 - 9.80	.2465	----	----	----	1	----	3	UNCH
4175	12.70	12.70	4.80/3.30A	7.30B/3.30A	4.80/3.30A	7.30B/3.30A	4.80/3.30A	7.30B/3.30A	4.20 - 4.40	.0681	----	----	----	36	----	41 +	35
4175	----	----	187.80B/150.70A	187.80B/150.70A	187.80B/150.70A	187.80B/150.70A	187.80B/150.70A	187.80B/150.70A	171.70 + 14.60	.7846	----	----	----	1	----	1	UNCH
4175	12.70	12.70	18.30/12.00A	20.60B/12.00A	18.30/12.00A	20.60B/12.00A	18.30/12.00A	20.60B/12.00A	14.40 - 7.20	.1596	----	----	----	8	----	101 +	8
4175	----	----	22.30A	33.50B/22.30A	22.30A	33.50B/22.30A	22.30A	33.50B/22.30A	25.70 - 8.70	.2148	----	----	----	1	----	4	UNCH
4200	----	----	37.20A	52.30B/37.20A	37.20A	52.30B/37.20A	37.20A	52.30B/37.20A	41.90 - 10.90	.2827	----	----	----	1	----	1	UNCH
4200	16.10	16.10	178.60B/144.30A	178.60B/144.30A	178.60B/144.30A	178.60B/144.30A	178.60B/144.30A	178.60B/144.30A	162.80 + 12.20	.7166	----	----	----	19	----	0	UNCH
4200	36.70	36.70	24.70/15.40A	26.30B/15.40A	24.70/15.40A	26.30B/15.40A	24.70/15.40A	26.30B/15.40A	18.50 - 8.80	.1998	----	----	----	2	----	48 +	13
4200	----	----	36.70/27.10A	40.10B/27.10A	36.70/27.10A	40.10B/27.10A	36.70/27.10A	40.10B/27.10A	31.40 - 10.00	.2536	----	----	----	1	----	6 +	2
4200	6.80	6.80	154.90B/100.80A	154.90B/100.80A	154.90B/100.80A	154.90B/100.80A	154.90B/100.80A	154.90B/100.80A	127.10 + 17.10	.9006	----	----	----	2	----	1	UNCH
4220	9.80	9.80	8.30/4.60A	10.70B/4.60A	8.30/4.60A	10.70B/4.60A	8.30/4.60A	10.70B/4.60A	6.00 - 6.10	.0992	----	----	----	22	----	234 +	20
4225	31.60	31.60	9.80/9.80	14.50B/6.20A	9.80/9.80	14.50B/6.20A	9.80/9.80	14.50B/6.20A	8.10 - NEW	.1343	----	----	----	21	----	21 +	21
4225	----	----	43.90A	61.00B/43.90A	43.90A	61.00B/43.90A	43.90A	61.00B/43.90A	49.50 - 12.10	.3216	----	----	----	1	----	1	UNCH
4225	7.50	7.50	31.60/19.70A	33.50B/19.70A	31.60/19.70A	33.50B/19.70A	31.60/19.70A	33.50B/19.70A	23.90 - 10.40	.2484	----	----	----	6	----	22 +	6
4225	----	----	32.80A	48.30B/32.80A	32.80A	48.30B/32.80A	32.80A	48.30B/32.80A	38.10 - 11.40	.2965	----	----	----	1	----	1	UNCH
4225	15.10	15.10	149.00B/116.20A	149.00B/116.20A	149.00B/116.20A	149.00B/116.20A	149.00B/116.20A	149.00B/116.20A	134.10 + 11.70	.7029	----	----	----	33	----	324 +	17
4235	29.70	29.70	14.90/6.70A	15.70B/6.70A	14.90/6.70A	15.70B/6.70A	14.90/6.70A	15.70B/6.70A	8.70 - 8.40	.1444	----	----	----	20	----	20 +	2
4250	60.70	60.70	15.10/15.10	18.20B/7.80A	15.10/15.10	18.20B/7.80A	15.10/15.10	18.20B/7.80A	10.20 - NEW	.1682	----	----	----	3	----	65	UNCH
4250	----	----	29.70/25.10A	42.30B/25.10A	29.70/25.10A	42.30B/25.10A	29.70/25.10A	42.30B/25.10A	30.60 - 12.20	.3043	----	----	----	10	----	62 +	1
4250	4.80	4.80	70.40B/51.60A	70.40B/51.60A	70.40B/51.60A	70.40B/51.60A	70.40B/51.60A	70.40B/51.60A	58.20 - 13.20	.3631	----	----	----	3	----	0	UNCH
4250	----	----	109.90B/62.60A	109.90B/62.60A	109.90B/62.60A	109.90B/62.60A	109.90B/62.60A	109.90B/62.60A	84.00 + 12.20	.7911	----	----	----	1	----	2	UNCH
4250	20.00	20.00	39.70A	57.90B/39.70A	39.70A	57.90B/39.70A	39.70A	57.90B/39.70A	46.10 - 12.90	.3435	----	----	----	1	----	1	UNCH
4250	40.00	40.00	131.30B/99.30A	131.30B/99.30A	131.30B/99.30A	131.30B/99.30A	131.30B/99.30A	131.30B/99.30A	117.20 + 10.30	.6559	----	----	----	35	----	204 +	25
4275	----	----	20.00/9.80A	22.70B/9.80A	20.00/9.80A	22.70B/9.80A	20.00/9.80A	22.70B/9.80A	12.80 - 11.00	.2087	----	----	----	1	----	6 +	1
4275	69.90	69.90	89.30B/46.80A	89.30B/46.80A	89.30B/46.80A	89.30B/46.80A	89.30B/46.80A	89.30B/46.80A	65.10 + 9.30	.7053	----	----	----	1	----	21 +	1
4275	15.70	15.70	40.00/31.90A	52.70B/31.90A	40.00/31.90A	52.70B/31.90A	40.00/31.90A	52.70B/31.90A	38.90 - 14.10	.3668	----	----	----	1	----	59	UNCH
4300	22.40	22.40	47.80A	69.10B/47.80A	47.80A	69.10B/47.80A	47.80A	69.10B/47.80A	55.40 - 14.30	.3936	----	----	----	5	----	5	UNCH
4300	77.30	77.30	106.80B/68.10A	106.80B/68.10A	106.80B/68.10A	106.80B/68.10A	106.80B/68.10A	106.80B/68.10A	85.10 - NEW	.6328	----	----	----	34	----	99 +	18
4300	46.40	46.40	26.60/14.20A	32.00B/14.20A	26.60/14.20A	32.00B/14.20A	26.60/14.20A	32.00B/14.20A	18.90 - 13.90	.2945	----	----	----	1	----	2	UNCH
4300	47.40	47.40	116.20B/85.80A	116.20B/85.80A	116.20B/85.80A	116.20B/85.80A	116.20B/85.80A	116.20B/85.80A	100.30 + 7.60	.5481	----	----	----	18	----	115 +	6
4300	80.20	80.20	44.30B/20.60A	44.30B/20.60A	44.30B/20.60A	44.30B/20.60A	44.30B/20.60A	44.30B/20.60A	27.40 - 16.80	.3986	----	----	----	1	----	2 +	1
4300	----	----	77.30/70.50A	94.20B/70.50A	77.30/70.50A	94.20B/70.50A	77.30/70.50A	94.20B/70.50A	79.20 - 15.50	.4512	----	----	----	23	----	72 +	23
4300	47.40	47.40	65.10B/40.10A	65.10B/40.10A	65.10B/40.10A	65.10B/40.10A	65.10B/40.10A	65.10B/40.10A	49.00 - 15.80	.4342	----	----	----	5	----	100 +	UNCH
4300	80.20	80.20	57.00A	81.50B/57.00A	57.00A	81.50B/57.00A	57.00A	81.50B/57.00A	66.10 - 15.70	.4459	----	----	----	1	----	17 +	5
4300	52.60	52.60	70.50B/33.90A	70.50B/33.90A	70.50B/33.90A	70.50B/33.90A	70.50B/33.90A	70.50B/33.90A	48.60 + 6.40	.6011	----	----	----	48	----	48 +	5
4300	62.00	62.00	101.40B/72.90A	101.40B/72.90A	101.40B/72.90A	101.40B/72.90A	101.40B/72.90A	101.40B/72.90A	87.30 - NEW	.5535	----	----	----	79	----	9	UNCH
4300	44.20	44.20	90.00B/55.30A	90.00B/55.30A	90.00B/55.30A	90.00B/55.30A	90.00B/55.30A	90.00B									



BULLETIN #185@				METALS OPTION PRODUCTS							Fri, Sep 25, 2026			PG64	
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GWR THU GOLD WEEKLY THURSDAY OPTION week1															
OCT26															
4560	----	----	2.00B/1.00A	2.00B/1.00A	----	1.10	- 0.70	.0170	----	----	----	----	----	2	UNCH
4575	18.50	18.50	24.10B/15.80A	24.10B/15.80A	----	18.50	+ 0.50	.1494	----	----	----	3	----	4	+
4575	----	----	1.70B/0.90A	1.70B/0.90A	----	0.90	- 0.60	.0136	----	----	----	----	----	28	UNCH
4575	----	----	15.90B/9.90A	15.90B/9.90A	----	11.80	- 0.30	.1134	----	----	----	----	----	10	UNCH
4575	5.00	5.00	7.80B/4.30A	7.80B/4.30A	----	5.20	- 0.70	.0640	----	----	20	----	----	44	+
4600	----	----	319.20B/277.00A	319.20B/277.00A	----	293.90	- 22.80	.8701	----	----	----	----	----	1	UNCH
4600	15.00	15.00	20.40B/13.50A	20.40B/13.50A	----	15.70	+ 0.30	.1293	----	----	5	----	----	8	+
4600	----	----	----/0.70A	1.20B/0.70A	----	0.80	- 0.40	.0113	----	----	----	----	----	34	UNCH
4600	12.00	12.00	13.50/8.40A	13.50/8.40A	----	9.80	- 0.40	.0955	----	----	16	----	----	124	UNCH
4600	4.50	4.50	6.30B/3.60A	6.30B/3.60A	----	4.20	- 0.70	.0516	----	----	3	----	----	30	+
4625	3.70	3.70	5.10B/3.00A	5.10B/3.00A	----	3.40	- 0.70	.0417	----	----	6	----	----	26	+
4625	----	----	17.50B/11.60A	17.50B/11.60A	----	13.40	+ 0.20	.1121	----	----	----	----	----	5	UNCH
4625	----	----	----/0.60A	0.90B/0.60A	----	0.60	- 0.40	.0081	----	----	8	----	----	47	+
4625	----	----	11.30B/7.10A	11.30B/7.10A	----	8.20	- 0.50	.0807	----	----	----	----	----	22	UNCH
4650	----	----	4.10B/2.50A	4.10B/2.50A	----	2.80	- 0.60	.0340	----	----	----	----	----	101	UNCH
4650	14.90	14.90	15.00B/10.00A	15.00B/10.00A	----	11.40	UNCH	.0968	----	----	5	----	----	13	+
4650	----	----	9.50B/6.00A	9.50B/6.00A	----	6.90	- 0.50	.0683	----	----	----	----	----	40	UNCH
4650	----	----	----/0.50A	0.70B/0.50A	----	0.50	- 0.30	.0064	----	----	----	----	----	19	UNCH
4675	8.90	8.90	12.90B/8.70A	12.90B/8.70A	----	9.80	- 0.10	.0840	----	----	2	----	----	7	UNCH
4675	----	----	----/0.50A	0.50B/0.50A	----	0.50	- 0.20	.0060	----	----	----	----	----	14	UNCH
4675	----	----	3.40B/2.10A	3.40B/2.10A	----	2.30	- 0.60	.0277	----	----	----	----	----	42	UNCH
4675	----	----	7.90B/5.20A	7.90B/5.20A	----	5.80	- 0.60	.0578	----	----	----	----	----	66	UNCH
4700	----	----	11.10B/7.60A	11.10B/7.60A	----	8.40	- 0.20	.0727	----	----	7	----	----	11	UNCH
4700	0.40	0.40	0.40/0.40	0.40/0.40	----	0.40	- 0.20	.0046	----	----	7	----	----	33	+
4700	2.40	2.40	2.80B/1.80A	2.80B/1.80A	----	1.90	- 0.60	.0227	----	----	19	----	----	56	+
4700	----	----	6.70B/4.40A	6.70B/4.40A	----	5.00	- 0.50	.0497	----	----	1	----	----	37	UNCH
4725	7.30	7.30	9.60B/6.60A	9.60B/6.60A	----	7.30	- 0.30	.0635	----	----	2	----	----	12	+
4725	----	----	5.70B/3.80A	5.70B/3.80A	----	4.30	- 0.50	.0427	----	----	----	----	----	15	UNCH
4725	----	----	2.30B/1.60A	2.30B/1.60A	----	1.70	- 0.50	.0198	----	----	----	----	----	47	UNCH
4725	5.60	5.60	----/0.40A	0.30B/0.40A	----	0.40	- 0.20	.0044	----	----	----	----	----	31	UNCH
4750	----	----	8.30B/5.50	8.30B/5.50	----	6.40	- 0.30	.0558	----	----	11	----	----	10	-
4750	----	----	----/0.30A	0.20B/0.30A	----	0.40	- 0.10	.0042	----	----	----	----	----	16	UNCH
4750	----	----	----/1.40A	1.90B/1.40A	----	1.40	- 0.50	.0162	----	----	----	----	----	10	UNCH
4750	----	----	4.90B/3.40A	4.90B/3.40A	----	3.70	- 0.50	.0367	----	----	----	----	----	7	UNCH
4775	----	----	----/1.20A	1.60B/1.20A	----	1.20	- 0.40	.0137	----	----	----	----	----	2	UNCH
4775	----	----	6.90B/5.10A	6.90B/5.10A	----	5.60	- 0.30	.0489	----	----	----	----	----	3	UNCH
4775	----	----	----/446.30A	462.00B/446.30A	----	454.00	- 23.30	.9970	----	----	----	----	----	2	UNCH
4775	----	----	----/0.30A	0.20B/0.30A	----	0.30	- 0.10	.0030	----	----	----	----	----	5	UNCH
4775	----	----	4.20B/3.00A	4.20B/3.00A	----	3.30	- 0.40	.0324	----	----	----	----	----	12	UNCH
4800	----	----	----/1.10A	1.40B/1.10A	----	1.10	- 0.40	.0122	----	----	----	----	----	8	UNCH
4800	----	----	6.20B/4.60A	6.20B/4.60A	----	5.00	- 0.30	.0435	----	----	----	----	----	1	UNCH
4800	3.00	3.00	----/0.50A	0.30	- 0.10	.0029	----	----	----	----	2	----	----	18	UNCH
4800	----	----	3.70B/2.70A	3.70B/2.70A	----	2.90	- 0.40	.0282	----	----	----	2	----	5	UNCH
4825	----	----	5.30B/4.40A	5.30B/4.40A	----	4.50	- 0.30	.0389	----	----	----	----	----	1	UNCH
4825	----	----	3.20B/2.40A	3.20B/2.40A	----	2.60	- 0.40	.0251	----	----	1	----	----	2	UNCH
4825	----	----	----/1.00A	1.20B/1.00A	----	1.00	- 0.30	.0108	----	----	----	----	----	2	UNCH
4825	----	----	----/0.40A	0.20	- 0.10	.0019	----	----	----	----	----	----	----	15	UNCH
4850	----	----	----/0.90A	1.00B/0.90A	----	0.90	- 0.30	.0096	----	----	----	----	----	3	UNCH
4850	----	----	----/0.40A	0.20	UNCH	.0018	----	----	----	----	----	----	----	1	UNCH
4850	----	----	4.80B/4.00A	4.80B/4.00A	----	4.00	- 0.40	.0345	----	----	----	----	----	1	UNCH
4875	----	----	----/0.90A	0.90B/0.90A	----	0.80	- 0.20	.0083	----	----	----	----	----	7	UNCH
4900	----	----	3.80B/3.30A	3.80B/3.30A	----	3.30	- 0.40	.0281	----	----	----	----	----	2	UNCH
4900	----	----	----/571.20A	586.70B/571.20A	----	578.80	- 23.20	.9998	----	----	----	----	----	2	UNCH
4900	----	----	----/0.40A	0.10	- 0.10	.0005	----	----	----	----	----	----	----	51	UNCH
4900	----	----	----/0.80A	0.80B/0.80A	----	0.70	- 0.20	.0072	----	----	----	----	----	2	UNCH
4900	----	----	2.30B/1.90A	2.30B/1.90A	----	2.00	- 0.20	.0185	----	----	----	----	----	11	UNCH
4925	----	----	----/0.40A	0.10	UNCH	.0003	----	----	----	----	----	----	----	3	UNCH
4925	0.80	0.80	0.80/0.70A	0.80/0.70A	----	0.70	- 0.20	.0070	----	----	1	----	----	1	UNCH
4950	----	----	----/0.40A	0.10	UNCH	.0002	----	----	----	----	----	----	----	7	UNCH
4950	----	----	----/0.70A	0.70B/0.70A	----	0.70	- 0.10	.0067	----	----	----	----	----	200	UNCH
4975	----	----	----/0.40A	0.10	UNCH	.0001	----	----	----	----	----	----	----	9	UNCH
4975	----	----	----/0.70A	0.60B/0.70A	----	0.60	- 0.20	.0057	----	----	----	----	----	1	UNCH
5000	----	----	----/2.50A	2.50B/2.50A	----	2.40	- 0.30	.0197	----	----	1	----	----	14	-
5000	----	----	----	----/0.30A	0.10	UNCH	.0000	----	----	----	----	----	----	3	UNCH
5000	----	----	----	0.50B/0.70A	0.60	- 0.10	.0056	----	----	----	----	----	----	45	UNCH
5000	----	----	----/1.20A	1.50B/1.20A	----	1.40	- 0.20	.0123	----	----	----	----	----	50	UNCH
5025	----	----	----/0.30A	0.10	UNCH	.0000	----	----	----	----	----	----	----	2	UNCH
5050	----	----	----	----/0.30A	0.10	UNCH	.0000	----	----	----	----	----	----	3	UNCH
5100	----	----	----	----/0.30A	0.10	UNCH	.0000	----	----	----	----	----	----	6	UNCH
5100	1.20	1.20	0.30B/0.60A	0.30B/0.60A	----	0.50	- 0.10	.0042	----	----	----	----	----	3	UNCH
5100	----	----	1.20/1.20	1.20/1.20	----	1.00	- 0.20	.0084	----	----	5	----	----	24	UNCH
5125	----	----	----	----/0.30A	0.10	UNCH	----	----	----	----	----	----	----	1	UNCH
5200	----	----	----	----/0.30A	0.10	UNCH	----	----	----	----	----	----	----	47	UNCH
5200	----	----	----	----/0.60A	0.40	UNCH	.0032	----	----	----	----	----	----	2	UNCH
5200	----	----	----	0.70B/1.10A	0.70	- 0.10	.0057	----	----	----	----	----	----	10	UNCH
5250	----	----	----	----/0.30A	0.10	UNCH	----	----	----	----	----	----	----	22	UNCH
5250	----	----	----	----/0.60A	0.30	UNCH	.0023	----	----	----	----	----	----	2	UNCH
5250	----	----	----	0.50B/1.20A	0.60	- 0.10	.0048	----	----	----	----	----	----	8	UNCH
5300	----	----	----	----/1.70A	0.10	UNCH	----	----	----	----	----	----	----	8	UNCH
5300	----	----	----	----/0.50A	0.20	UNCH	.0015	----	----	----	----	----	----	2	UNCH
5400	----	----	----	----/1.80A	0.10	UNCH	----	----	----	----	----	----	----	3	UNCH
5400	----	----	----	----/0.50A	0.10	UNCH	.0007	----	----	----	----	----	----	5	UNCH
5500	----	----	----	----/0.40A	0.10	UNCH	.0003	----	----	----	----	----	----	4	UNCH
5500	----	----	----	0.10B/0.80A	0.20	- 0.10	.0015	----	----	----	----	----	----	77	UNCH
5750	----	----	----	----/0.40A	0.10	UNCH	.0000	----	----	----	----	----	----	3	UNCH
5750	----	----	----	----/1.50A	0.10	- 0.10	.0007	----	----	----	----	----	----	4	UNCH
TOTAL												1204	7326	+	719
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GMW MON GOLD WEEKLY MONDAY OPTION WEEK4															
SEP26															
3750	----	----	----	----/0.40A	----	0.10	UNCH	----	----	----	----	----	----	10	UNCH
3800	----	----	----	----/0.30A	----	0.10	UNCH	----	----	----	----	----	----	12	UNCH
3900	----	----	----	0.10B/0.30A	----	0.10	- 0.10	----	----	----	----	----	----	20	UNCH
3925	----	----	----	----/0.30A	----	0.10	- 0.10	----	----	----	----	----	----	2	UNCH
3955	----	----	----	----/0.30A	----	0.10	- 0.20	----	----	----	----	----	----	1	UNCH
3960	----	----	----	----/0.30A	----	0.10	- 0.20	----	----	----	----	----	----	5	UNCH
3975	----	----	----	----/0.30A	----	0.10	- 0.20	.0000	----	----	----	----	----	3	UNCH
4000	----	----	----	----/0.20A	----	0.10	- 0.30	.0000	----	----	----	----	----	135	UNCH
4000	----	----	329.10B/----	329.10B/318.00A	----	321.30	+ 23.00	1.0000	----	----	----	----	----	1	UNCH
4025	----	----	----/0.20A	0.20B/0.20A	----	0.10	- 0.40	.0001	----	----	----	----	----	24	UNCH
4040	0.30	0.30	0.30/0.20A	0.30/0.20A	----	0.10	NEW	.0002	----	----	1	----	----	1	+
4045	0.30	0.30	0.30/0.20A	0.30/0.20A	----	0.10	NEW	.0003	----	----	1	----	----	1	+
4050	0.30	0.30	0.30/0.20	0.30/0.20	----	0									

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.

© Copyright CME Group Inc. All rights reserved.

PG64 BULLETIN #185@												METALS OPTION PRODUCTS										Fri, Sep 25, 2026 PG64											
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																	
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK4																															
SEP26																																	
4215	1.30	1.30		1.30/1.10A		4.20B/1.10A		----		1.30	- 4.10	.0274	----	----	6	----		8 +	6														
4220	2.20	2.20		2.20/1.20A		4.80B/1.20A		----		1.40	- 4.60	.0305	----	----	7	----		18 +	5														
4225	1.50	1.50		1.80/1.20A		5.30B/1.20A		----		1.60	- 5.10	.0358	----	----	15	----		108 +	5														
4230	1.70	1.70		1.70/1.30A		6.00B/1.30A		----		1.70	- 5.70	.0394	----	----	15	----		26 +	15														
4235	4.40	4.40		4.40/1.50A		6.70B/1.50A		----		1.90	- 6.30	.0454	----	----	5	----		37 +	2														
4240	4.00	4.00		7.70B/1.60A		7.70B/1.60A		----		2.10	- 7.00	.0518	----	----	10	----		24 +	5														
4245	2.30	2.30		5.20/1.80A		8.60B/1.80A		----		2.40	- 7.70	.0606	----	----	13	----		33 +	10														
4245	----	----		107.40B/52.00A		107.40B/52.00A		----		78.60	+ 15.50	.9392	----	----	----	----		1	UNCH														
4250	4.60	4.60		9.70B/2.00		9.70B/2.00		----		2.70	- 8.50	.0701	----	----	369	----		278 +	97														
4250	----	----		102.60B/48.10A		102.60B/48.10A		----		73.90	+ 14.70	.9298	----	----	3	----		34 +	1														
4255	----	----		-----/2.20A		11.00B/2.20A		----		3.00	- 9.40	.0802	----	----	10	----		13 +	8														
4260	10.00	10.00		12.40B/2.60A		12.40B/2.60A		----		3.50	NEW	.0950	----	----	60	----		60 +	60														
4265	8.50	8.50		8.50/2.90A		13.90B/2.90A		----		4.00	- 11.20	.1106	----	----	68	----		61 +	50														
4265	----	----		88.50B/36.90A		88.50B/36.90A		----		60.20	+ 12.00	.8892	----	----	----	----		5	UNCH														
4270	4.20	4.20		7.40/3.30A		15.60B/3.30A		----		4.60	- 12.20	.1292	----	----	35	----		39 +	29														
4270	----	----		83.80B/33.50A		83.80B/33.50A		----		55.80	+ 11.00	.8707	----	----	2	----		3	UNCH														
4275	4.40	4.40		9.40/3.80		17.40B/3.80		----		5.30	- 13.20	.1506	----	----	125	----		83 +	51														
4275	----	----		79.30B/30.20A		79.30B/30.20A		----		51.50	+ 10.00	.8492	----	----	14	----		5 +	1														
4280	4.60	4.60		11.50/4.20A		19.40B/4.20A		----		6.20	- 14.20	.1766	----	----	73	----		55 +	41														
4280	33.50	33.50		74.80B/27.10A		74.80B/27.10A		----		47.40	NEW	.8233	----	----	3	----		2 +	2														
4285	8.50	8.50		18.20/4.80A		21.50B/4.80A		----		7.20	- 15.20	.2052	----	----	49	----		43 +	41														
4285	53.80	53.80		70.20B/24.30A		70.20B/24.30A		----		43.40	+ 8.00	.7946	----	----	1	----		1	UNCH														
4290	----	----		66.00B/21.70A		66.00B/21.70A		----		39.50	+ 6.90	.7633	----	----	7	----		2	UNCH														
4290	12.50	12.50		23.90B/5.50A		23.90B/5.50A		----		8.30	- 16.30	.2365	----	----	1	----		7 +	4														
4295	10.60	10.60		17.30/6.30A		26.50B/6.30A		----		9.70	- 17.20	.2728	----	----	17	----		14 +	12														
4295	19.80	19.80		61.60B/19.30A		61.60B/19.30A		----		35.90	NEW	.7270	----	----	9	----		6 +	6														
4300	27.00	27.00		57.60B/17.10A		57.60B/17.10A		----		32.40	+ 5.00	.6887	----	----	18	----		12 +	7														
4300	22.50	22.50		29.20B/7.20A		29.20B/7.20A		----		11.20	- 18.20	.3112	----	----	24	----		114 +	4														
4305	17.10	17.10		53.40B/15.10A		53.40B/15.10A		----		29.10	+ 4.10	.6475	----	----	9	----		10 +	6														
4305	12.00	12.00		32.10B/8.30A		32.10B/8.30A		----		12.90	- 19.10	.3523	----	----	9	----		14 +	3														
4310	25.40	25.40		49.50B/13.20A		49.50B/13.20A		----		26.00	+ 3.30	.6041	----	----	10	----		11 +	3														
4310	26.30	26.30		34.80B/9.50A		34.80B/9.50A		----		14.80	- 19.90	.3957	----	----	15	----		56 +	8														
4315	25.10	25.10		45.70B/11.70A		45.70B/11.70A		----		23.20	+ 2.50	.5588	----	----	28	----		23 +	7														
4315	17.00	17.00		38.00B/10.80A		38.00B/10.80A		----		17.00	- 20.70	.4410	----	----	8	----		18 +	8														
4320	26.60	26.60		42.10B/10.20A		42.10B/10.20A		----		20.50	+ 1.70	.5130	----	----	87	----		82 +	65														
4320	19.70	19.70		41.30B/12.20A		41.30B/12.20A		----		19.30	- 21.40	.4868	----	----	84	25		107 +	100														
4325	18.40	18.40		44.90B/13.80A		44.90B/13.80A		----		21.90	- 22.10	.5329	----	----	39	----		533 +	6														
4325	16.20	16.20		38.60B/8.90A		38.60B/8.90A		----		18.10	+ 1.10	.4669	----	----	152	----		120 -	49														
4330	20.00	20.00		48.60B/15.50A		48.60B/15.50A		----		24.70	- 22.60	.5783	----	----	6	----		10 +	2														
4330	24.00	24.00		35.30B/7.80A		35.30B/7.80A		----		15.90	+ 0.60	.4215	----	----	47	----		26 +	25														
4335	20.90	20.90		52.30B/17.40A		52.30B/17.40A		----		27.70	- 23.10	.6224	----	----	22	----		21 +	20														
4335	19.20	19.20		32.30B/6.70A		32.30B/6.70A		----		13.90	+ 0.10	.3774	----	----	134	----		300 +	99														
4340	11.60	11.60		29.30B/5.80A		29.30B/5.80A		----		12.10	- 0.40	.3352	----	----	225	----		252 +	202														
4340	28.90	28.90		56.20B/19.30A		56.20B/19.30A		----		30.90	- 23.50	.6646	----	----	7	----		13 +	1														
4345	----	----		60.20B/21.60A		60.20B/21.60A		----		34.30	- 23.90	.7044	----	----	----	----		29	UNCH														
4345	18.00	18.00		26.50B/5.10A		26.50B/5.10A		----		10.50	- 0.70	.2954	----	----	56	----		46 +	31														
4350	14.80	14.80		23.90B/4.40		23.90B/4.40		----		9.00	- 1.10	.2574	----	----	352	----		130 +	107														
4350	29.60	29.60		64.30B/24.00A		64.30B/24.00A		----		37.80	- 24.20	.7424	----	----	3	----		46 -	1														
4355	6.00	6.00		21.60B/3.80A		21.60B/3.80A		----		7.80	- 1.20	.2241	----	----	35	----		38 +	33														
4355	----	----		68.50B/26.60A		68.50B/26.60A		----		41.60	NEW	.7757	----	----	1	----		1 +	1														
4360	----	----		72.80B/29.30A		72.80B/29.30A		----		45.50	- 24.60	.8066	----	----	41	25		11	UNCH														
4360	3.80	3.80		19.30B/3.30A		19.30B/3.30A		----		6.70	- 1.40	.1933	----	----	1	----		75 +	57														
4365	6.70	6.70		17.20B/2.90A		17.20B/2.90A		----		5.70	- 1.60	.1650	----	----	15	----		17 +	14														
4365	----	----		77.30B/32.20A		77.30B/32.20A		----		49.50	NEW	.8349	----	----	1	----		1 +	1														
4370	7.70	7.70		15.30B/2.50A		15.30B/2.50A		----		4.90	- 1.60	.1410	----	----	46	----		57 +	27														
4375	----	----		86.70B/38.70A		86.70B/38.70A		----		58.00	- 24.80	.8800	----	----	3	----		42 +	3														
4375	5.50	5.50		13.60B/2.20A		13.60B/2.20A		----		4.20	- 1.60	.1199	----	----	264	----		245 +	189														
4380	5.50	5.50		12.00B/1.90A		12.00B/1.90A		----		3.60	- 1.60	.1016	----	----	41	----		44 +	28														
4385	2.90	2.90		10.60B/1.70A		10.60B/1.70A		----		3.00	- 1.70	.0840	----	----	13	----		33 +	13														
4390	5.00	5.00		9.40B/1.50A		9.40B/1.50A		----		2.60	- 1.60	.0714	----	----	25	----		37 +	13														
4395	----	----		105.60B/53.20A		105.60B/53.20A		----		76.00	- 24.80	.9405	----	----	9	----		9	UNCH														
4395	5.40	5.40		8.20B/1.30A		8.20B/1.30A		----		2.20	- 1.60	.0594	----	----	5	----																	

BULLETIN #185@				METALS OPTION PRODUCTS										Fri, Sep 25, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
GMW MON	GOLD WEEKLY MONDAY OPTION WEEK4																		
SEP26	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	17	UNCH			
5400	----	----	----	----	----	----	----	----	----	----	----	----	3769	50	7230 +	2246			
TOTAL																			
OCT26	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	10	UNCH			
3000	----	----	----	----	----	----	----	----	0.10	UNCH	0.008	----	----	----	77	UNCH			
3600	----	----	----	----	----	----	----	----	0.20	-	0.30	0.017	----	----	3	UNCH			
3700	----	----	----	----	----	----	----	----	0.40	-	0.30	0.035	----	----	10	UNCH			
3750	----	----	----	----	----	----	----	----	1.40	UNCH	0.117	----	----	----	6	UNCH			
3750	----	----	----	----	----	----	----	----	1.70	-	0.10	0.149	----	----	1	UNCH			
3800	----	----	----	----	----	----	----	----	1.10	-	0.30	0.113	11	----	30 +	10			
3900	----	----	----	----	----	----	----	----	2.40	-	NEW	0.234	1	----	1 +	1			
3900	----	----	----	----	----	----	----	----	4.60	-	1.70	0.392	----	----	15	UNCH			
3925	----	----	----	----	----	----	----	----	1.20	-	0.40	0.128	----	----	1	UNCH			
3975	----	----	----	----	----	----	----	----	1.60	-	0.70	0.183	----	----	30	UNCH			
3975	----	----	----	----	----	----	----	----	3.70	-	1.70	0.379	----	----	2	UNCH			
3975	----	----	----	----	----	----	----	----	7.20	-	2.70	0.621	----	----	15	UNCH			
4000	----	----	----	----	----	----	----	----	1.80	-	0.90	0.214	----	----	1	UNCH			
4000	----	----	----	----	----	----	----	----	4.40	-	2.00	0.455	1	----	3 +	1			
4025	6.60	6.60	----	6.60/4.70A	----	6.60/4.70A	----	----	5.20	-	2.50	0.544	10	----	10 +	8			
4025	----	----	----	----	----	----	----	----	2.20	-	1.20	0.268	11	----	13 +	7			
4050	5.90	5.90	----	8.10B/5.60A	----	8.10B/5.60A	----	----	6.20	-	3.10	0.654	31	----	36 +	30			
4050	----	----	----	----	----	----	----	----	2.60	-	1.60	0.328	----	----	26	UNCH			
4075	3.10	3.10	----	3.20/2.70A	----	4.30B/2.70A	----	----	3.20	-	2.10	0.414	150	----	152 +	147			
4075	----	----	----	----	----	----	----	----	7.60	-	3.70	0.801	----	----	20	UNCH			
4075	----	----	----	----	----	----	----	----	14.20	-	NEW	1.197	1	----	1 +	1			
4100	4.40	4.40	----	4.40/3.40A	----	5.60B/3.40A	----	----	4.00	-	2.70	0.529	16	----	36 +	13			
4100	10.10	10.10	----	12.50B/8.20A	----	12.50B/8.20A	----	----	9.30	-	4.60	0.979	8	----	13 -	4			
4100	17.10	17.10	----	21.30B/15.00A	----	21.30B/15.00A	----	----	17.00	-	6.00	1.413	1	----	3	UNCH			
4125	5.70	5.70	----	5.70/4.30A	----	7.50B/4.30A	----	----	5.20	-	3.50	0.694	15	----	26 +	8			
4125	----	----	----	----	----	----	----	----	20.40	-	7.00	1.665	1	----	10 +	1			
4150	----	----	----	----	----	----	----	----	6.80	-	4.50	0.912	2	----	42 +	2			
4150	27.60	27.60	----	27.60/21.50A	----	31.30B/21.50A	----	----	24.60	-	8.00	1.959	2	----	3 +	1			
4150	----	----	----	----	----	----	----	----	14.50	-	6.60	1.484	----	----	10	UNCH			
4175	11.80	11.80	----	11.80/7.20A	----	13.60B/7.20A	----	----	9.00	-	5.80	1.203	30	----	37 +	25			
4175	----	----	----	----	----	----	----	----	18.20	-	8.00	1.820	----	----	27	UNCH			
4175	----	----	----	----	----	----	----	----	29.60	-	9.30	2.292	----	----	5	UNCH			
4200	10.00	10.00	----	15.10/9.60A	----	18.40B/9.60A	----	----	12.10	-	7.50	1.590	43	----	44 +	27			
4200	----	----	----	----	----	----	----	----	23.00	-	9.40	2.224	----	----	42	UNCH			
4225	13.70	13.70	----	18.80/12.90A	----	24.70B/12.90A	----	----	16.30	-	9.60	2.084	25	----	58 +	3			
4225	----	----	----	----	----	----	----	----	28.90	-	11.00	2.689	----	----	18	UNCH			
4225	----	----	----	----	----	----	----	----	42.80	-	11.90	3.081	----	----	2	UNCH			
4250	29.50	29.50	----	29.50/17.50A	----	32.90B/17.50A	----	----	22.00	-	11.80	2.697	16	----	62 +	10			
4250	----	----	----	----	----	----	----	----	93.20	+	11.50	7.299	----	----	1	UNCH			
4250	----	----	----	----	----	----	----	----	36.20	-	12.70	3.214	----	----	62	UNCH			
4250	----	----	----	----	----	----	----	----	51.20	-	13.10	3.527	----	----	1	UNCH			
4275	----	----	----	----	----	----	----	----	75.70	+	9.10	6.574	----	----	4	UNCH			
4275	33.90	33.90	----	40.60/23.30A	----	42.90B/23.30A	----	----	29.60	-	14.00	3.423	7	----	35 +	3			
4275	----	----	----	----	----	----	----	----	45.10	-	14.20	3.790	----	----	6	UNCH			
4275	----	----	----	----	----	----	----	----	60.90	-	14.30	3.999	----	----	11	UNCH			
4300	34.20	34.20	----	55.20B/30.70A	----	55.20B/30.70A	----	----	39.10	-	16.20	4.227	5	----	33 +	5			
4300	55.00	55.00	----	80.60B/45.70A	----	80.60B/45.70A	----	----	60.30	+	7.00	5.770	4	----	12 +	4			
4300	----	----	----	----	----	----	----	----	55.50	-	15.80	4.396	----	----	4	UNCH			
4325	42.80	42.80	----	65.40B/35.20A	----	65.40B/35.20A	----	----	47.10	+	5.10	4.923	38	----	49 +	36			
4325	----	----	----	81.60B/51.30A	----	81.60B/51.30A	----	----	63.80	+	5.90	4.977	----	----	5	UNCH			
4325	----	----	----	85.00B/56.80A	----	85.00B/56.80A	----	----	67.60	-	17.20	5.018	----	----	6	UNCH			
4325	----	----	----	----	----	----	----	----	84.10	-	16.60	4.979	----	----	1	UNCH			
4325	----	----	----	69.50B/40.20A	----	69.50B/40.20A	----	----	50.90	-	18.10	5.074	----	----	69	UNCH			
4350	----	----	----	86.00B/51.70A	----	86.00B/51.70A	----	----	64.90	-	19.60	5.914	5	----	14 +	3			
4350	46.50	46.50	----	51.90B/26.70A	----	51.90B/26.70A	----	----	36.10	+	3.50	4.083	11	----	32 +	5			
4350	----	----	----	----	----	----	----	----	81.20	-	18.70	5.636	7	----	52 +	7			
4350	----	----	----	84.60B/57.30A	----	84.60B/57.30A	----	----	68.90	-	NEW	4.524	12	----	12 +	12			
4350	----	----	----	68.40B/41.90A	----	68.40B/41.90A	----	----	52.50	-	NEW	4.359	7	----	7 +	7			
4350	100.00	100.00	----	100.00/85.10A	----	114.10B/85.10A	----	----	97.60	-	17.70	5.469	14	----	16 +	11			
4375	----	----	----	40.40B/19.90A	----	40.40B/19.90A	----	----	27.20	+	2.20	3.295	----	----	8	UNCH			
4375	----	----	----	104.20B/65.40A	----	104.20B/65.40A	----	----	81.00	-	20.90	6.702	----	----	39	UNCH			
4375	----	----	----	116.70B/82.10A	----	116.70B/82.10A	----	----	96.50	-	19.80	6.232	----	----	5	UNCH			
4375	----	----	----	----	----	----	----	----	112.50	-	18.60	5.947	----	----	5	UNCH			
4375	37.10	37.10	----	56.90B/34.00A	----	56.90B/34.00A	----	----	42.80	-	NEW	3.763	11	----	11 +	11			
4400	----	----	----	124.20B/80.90A	----	124.20B/80.90A	----	----	98.90	-	22.00	7.404	----	----	32	UNCH			
4400	----	----	----	135.00B/100.90A	----	135.00B/100.90A	----	----	113.20	-	20.90	6.791	----	----	10	UNCH			
4400	15.50	15.50	----	31.00B/14.70A	----	31.00B/14.70A	----	----	20.20	+	1.10	2.593	56	----	76 +	48			
4425	----	----	----	145.20B/98.40A	----	145.20B/98.40A	----	----	118.50	-	22.90	8.003	1	----	4 +	1			
4425	----	----	----	38.10B/21.80A	----	38.10B/21.80A	----	----	27.70	+	1.40	2.691	----	----	2	UNCH			
4425	17.20	17.20	----	23.30B/10.90A	----	23.30B/10.90A	----	----	14.80	+	0.30	1.994	2	----	10 +	2			
4450	10.80	10.80	----	17.70B/8.10A	----	17.70B/8.10A	----	----	10.80	-	0.30	1.509	13	----	108 +	9			
4450	----	----	----	30.70B/17.50A	----	30.70B/17.50A	----	----	22.10	+	0.80	2.237	----	----	20	UNCH			
4450	----	----	----	167.40B/117.40A	----	167.40B/117.40A	----	----	139.50	-	23.50	8.488	2	----	37 +	2			
4450	----	----	----	173.80B/136.00A	----	173.80B/136.00A	----	----	150.80	-	22.30	7.758	----	----	2	UNCH			
4475	8.70	8.70	----	13.10B/6.10A	----	13.10B/6.10A	----	----	7.90	-	0.60	1.131	3	----	18 +	3			
4500	10.00	10.00	----	10.00/4.60A	----	10.00/4.60A	----	----	5.90	-	0.70	0.852	31	----	127 +	24			
4500	----	----	----	213.80B/159.80A	----	213.80B/159.80A	----	----	184.50	-	23.90	9.145	----	----	4	UNCH			
4500	14.70	14.70	----	20.40B/11.30A	----	20.40B/11.30A	----	----	14.10	UNCH	1516	----	2	----	106	UNCH			
4525	----	----	----	236.60B/182.10A	----	236.60B/182.10A	----	----	208.00	-	23.90	9.359	----	----	9	UNCH			
4525	4.30	4.30	----	7.30B/3.60A	----	7.30B/3.60A	----	----	4.40	-	0.70	0.639	1	----	32 +	1			
4550	----	----	----	----	----	----	----	----	231.90	-	23.90	9.519	----	----	1	UNCH			
4550	15.00	15.00	----	23.00B/14.40A	----	23.00B/14.40A	----	----	17.30	-	NEW	1.513	2	----	2 +	2			
4550	3.60	3.60	----	5.50B/2.80A	----	5.50B/2.80A	----	----	3.30	-	0.80	0.479	4	----	49	UNCH			
4550	12.70	12.70	----	13.10B/7.50A	----	13.10B/7.50A	----	----	9.00	-	0.40	1.008	2	----	4	UNCH			
4575	2.80	2.80	----	4.20B/2.20A	----	4.20B/2.20A	----	----	2.50	-	0.70	0.361	4	----	6 -	2			
4575	10.00	10.00	----	10.50B/6.30A	----	10.50B/6.30A	----	----	7.30	-	0.50	0.826	18	----	20 +	17			
4600	----	----	----	----	----	----	----	----	280.60	-	23.80	9.715	----	----	1	UNCH			
4600	----	----	----	3.20B/1.80A	----	3.20B/1.80A	----	----	2.00	-	0.60	0.283	----	----	91	UNCH			
4600	15.40	15.40	----	16.00B/10.40A	----	16.00B/10.40A	----	----	12.10	-	NEW	1.100	2	----	2 +	2			
4600	----	----	----	8.70B/5.20A	----	8.70B/5.20A	----	----	5.90	-	0.50	0.674	----	----	3	UNCH			
4625	----	----	----	2.50B/1.50A	----	2.50B/1.50A	----	----	1.60	-	0.60	0.222	----	----	24	UNCH			
4625	10.00	10.00	----	13.60B/8.90A	----	13.60B/8.90A													



BULLETIN #185@				METALS OPTION PRODUCTS						Fri, Sep 25, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SMW MON	SILVER WEEKLY MONDAY OPTION WEEK4														
SEP26															
6640	0.137	0.137	0.2658/0.059A	0.2658/0.059A	----	0.087	NEW .0941	----	----	1	----	1 +	1		
6660	----	----	2.8228/1.375A	2.8228/1.375A	----	1.868	- 0.846 .9264	----	----	----	----	4	UNCH		
6670	0.057	0.057	0.1988/0.047A	0.1988/0.047A	----	0.063	- 0.046 .0651	----	----	1	----	0 -	1		
6700	----	----	3.2078/1.705A	3.2078/1.705A	----	2.245	- 0.842 .9541	----	----	----	----	1	UNCH		
6700	----	----	0.1498/0.039A	0.1498/0.039A	----	0.047	- 0.043 .0458	----	----	----	----	4	UNCH		
6730	0.089	0.089	0.1128/0.032A	0.1128/0.032A	----	0.036	NEW .0328	----	----	1	----	1 +	1		
6750	----	----	3.6978/2.142A	3.6978/2.142A	----	2.729	- 0.835 .9738	----	----	----	----	2	UNCH		
6760	----	----	0.0858/0.028A	0.0858/0.028A	----	0.028	- 0.035 .0238	----	----	----	----	1	UNCH		
6780	----	----	0.0718/0.026A	0.0718/0.026A	----	0.025	- 0.032 .0202	----	----	----	----	1	UNCH		
6790	----	----	0.0658/0.025A	0.0658/0.025A	----	0.023	- 0.031 .0182	----	----	----	----	4	UNCH		
6800	----	----	----/0.025A	0.0518/0.025A	----	0.022	- 0.029 .0169	----	----	----	----	2	UNCH		
6830	----	----	----/0.024A	0.0438/0.024A	----	0.018	- 0.026 .0129	----	----	----	----	1	UNCH		
6850	----	----	----/0.024A	0.0378/0.024A	----	0.016	- 0.025 .0110	----	----	----	----	1	UNCH		
6890	----	----	----/0.022A	0.0278/0.022A	----	0.014	- 0.020 .0087	----	----	----	----	2	UNCH		
6950	----	----	----/4.062A	4.8138/4.062A	----	4.709	- 0.814 .9939	----	----	----	----	6	UNCH		
7000	----	----	----/4.556A	5.3138/4.556A	----	5.207	- 0.812 .9955	----	----	----	----	2	UNCH		
7010	----	----	----/0.017A	0.0128/0.017A	----	0.009	- 0.013 .0044	----	----	----	----	1	UNCH		
7040	----	----	----/0.017A	0.0068/0.017A	----	0.008	- 0.011 .0037	----	----	----	----	1	UNCH		
7100	----	----	----	0.0038/0.016A	----	0.007	- 0.008 .0029	----	----	----	----	16	UNCH		
7160	----	----	----	0.0018/0.016A	----	0.006	- 0.006 .0022	----	----	----	----	1	UNCH		
7200	----	----	----	0.0018/0.015A	----	0.005	- 0.006 .0017	----	----	----	----	1	UNCH		
7300	----	----	----	----/0.016A	----	0.004	- 0.003 .0012	----	----	----	----	1	UNCH		
7400	----	----	----	----/0.017A	----	0.003	- 0.002 .0008	----	----	----	----	2	UNCH		
8100	----	----	----	----/0.081A	----	0.001	UNCH	----	----	----	----	2	UNCH		
TOTAL										141	0	376 +	93		
OCT26															
5700	----	----	----/0.117A	0.0398/0.117A	----	0.120	- 0.061 .0478	----	----	----	----	2	UNCH		
5850	----	----	----/0.225A	0.1348/0.225A	----	0.180	- 0.106 .0741	----	----	----	----	5	UNCH		
5900	----	----	----/0.256A	0.1848/0.256A	----	0.211	- 0.127 .0870	----	----	----	----	3	UNCH		
5900	----	----	----/0.075A	0.1018/0.075A	----	0.079	- 0.068 .0419	----	----	5	----	6	UNCH		
5950	----	----	----/0.295A	0.2808/0.295A	----	0.249	- 0.152 .1024	----	----	----	----	5	UNCH		
6000	----	----	----/0.112A	0.1868/0.112A	----	0.126	- 0.114 .0676	----	----	5	----	7	UNCH		
6000	----	----	----/0.337A	0.3508/0.337A	----	0.297	- 0.182 .1212	----	----	----	----	27	UNCH		
6100	----	----	----/0.395A	0.5518/0.395A	----	0.433	- 0.252 .1706	----	----	----	----	2	UNCH		
6150	----	----	----/0.225A	0.4338/0.225A	----	0.264	- 0.227 .1382	----	----	----	----	2	UNCH		
6250	----	----	----/0.373A	0.7168/0.373A	----	0.441	- 0.329 .2179	----	----	----	----	4	UNCH		
6300	----	----	----/0.472A	0.9038/0.472A	----	0.568	- 0.386 .2686	----	----	----	----	25	UNCH		
6350	----	----	----/0.597A	1.1368/0.597A	----	0.725	- 0.443 .3256	----	----	----	----	7	UNCH		
6400	----	----	----/0.751A	1.3788/0.751A	----	0.914	- 0.500 .3872	----	----	----	----	2	UNCH		
6500	1.183	1.183	1.5858/0.845A	1.5858/0.845A	----	1.193	+ 0.191 .4837	----	----	20	----	21 +	17		
6750	0.389	0.389	0.6138/0.316A	0.6138/0.316A	----	0.418	+ 0.010 .2107	----	----	3	----	3 +	3		
6900	----	----	0.3438/0.189A	0.3438/0.189A	----	0.221	- 0.024 .1171	----	----	----	----	2	UNCH		
6950	----	----	0.2858/0.169A	0.2858/0.169A	----	0.182	- 0.027 .0967	----	----	----	----	5	UNCH		
7150	----	----	0.1368/0.093A	0.1368/0.093A	----	0.094	- 0.029 .0483	----	----	----	----	1	UNCH		
7600	----	----	----/0.051A	0.0418/0.051A	----	0.040	- 0.025 .0171	----	----	----	----	11	UNCH		
TOTAL										33	0	140 +	20		
SO CALL	COMEX SILVER OPTIONS														
OCT26															
5000	----	----	----	----	----	14.002	UNCH	----	----	----	----	0	UNCH		
5500	----	----	----	----	----	9.002	UNCH	----	----	----	----	0	UNCH		
5600	----	----	----	----	----	8.002	UNCH	----	----	----	----	0	UNCH		
5700	----	----	----	----	----	7.002	UNCH	----	----	----	----	0	UNCH		
5750	----	----	----	----	----	6.502	UNCH	----	----	----	----	0	UNCH		
5800	----	----	----	----	----	6.002	UNCH	----	----	----	----	0	UNCH		
5875	----	----	----	----	----	5.252	UNCH	----	----	----	----	0	UNCH		
5900	----	----	----	----	----	5.002	UNCH	----	----	----	----	0	UNCH		
5950	----	----	----	----	----	4.502	UNCH	----	----	----	----	0	UNCH		
5975	----	----	----	----	----	4.252	UNCH	----	----	----	----	0	UNCH		
6000	----	----	----	----	----	4.002	UNCH	----	----	----	----	0	UNCH		
6025	----	----	----	----	----	3.752	UNCH	----	----	----	----	0	UNCH		
6050	----	----	----	----	----	3.502	UNCH	----	----	----	----	0	UNCH		
6075	----	----	----	----	----	3.252	UNCH	----	----	----	----	0	UNCH		
6100	----	----	----	----	----	3.002	UNCH	----	----	----	----	0	UNCH		
6125	----	----	----	----	----	2.752	UNCH	----	----	----	----	0	UNCH		
6150	----	----	----	----	----	2.502	UNCH	----	----	----	----	0	UNCH		
6175	----	----	----	----	----	2.252	UNCH	----	----	----	----	0	UNCH		
6200	----	----	----	----	----	2.002	UNCH	----	----	----	----	0	UNCH		
6225	----	----	----	----	----	1.752	UNCH	----	----	----	----	0	UNCH		
6250	----	----	----	----	----	1.502	UNCH	----	----	----	----	0	UNCH		
6275	----	----	----	----	----	1.252	UNCH	----	----	----	----	0	UNCH		
6300	----	----	----	----	----	1.002	UNCH	----	----	----	----	0	UNCH		
6325	----	----	----	----	----	0.752	UNCH	----	----	----	----	0	UNCH		
6350	----	----	----	----	----	0.502	UNCH	----	----	----	----	0	UNCH		
6360	----	----	----	----	----	0.402	UNCH	----	----	----	----	0	UNCH		
6370	----	----	----	----	----	0.302	UNCH	----	----	----	----	0	UNCH		
6375	----	----	----	----	----	0.252	UNCH	----	----	----	----	0	UNCH		
6380	----	----	----	----	----	0.202	UNCH	----	----	----	----	0	UNCH		
6390	----	----	----	----	----	0.102	UNCH	----	----	----	----	0	UNCH		
6400	----	----	----	----	----	0.002	UNCH	----	----	----	----	0	UNCH		
6410	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6420	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6425	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6430	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6440	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6450	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6460	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6470	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6475	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6480	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6490	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6500	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6520	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6525	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6550	----</														



BULLETIN #185@				METALS OPTION PRODUCTS								Fri, Sep 25, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL	COMEX SILVER OPTIONS															
NOV26																
5900	----	----	----	6.9238/5.549A	6.9238/5.549A	----	6.290	+	0.545	.8523	----	----	----	----	1	UNCH
5975	----	----	----	6.2908/4.972A	6.2908/4.972A	----	5.676	+	0.503	.8204	----	----	----	----	1	UNCH
6000	----	----	----	6.0928/4.789A	6.0928/4.789A	----	5.478	+	0.488	.8087	----	----	----	----	10	UNCH
6050	----	----	----	5.6968/4.434A	5.6968/4.434A	----	5.093	+	0.457	.7839	----	----	----	----	2	UNCH
6100	----	----	----	5.3148/4.099A	5.3148/4.099A	----	4.723	+	0.425	.7573	----	----	----	----	5	UNCH
6200	----	----	----	4.5928/3.477A	4.5928/3.477A	----	4.040	+	0.372	.6987	----	----	1	----	17	-
6225	----	----	----	4.4228/3.333A	4.4228/3.333A	----	3.880	+	0.359	.6833	----	----	----	----	1	UNCH
6250	----	----	----	4.2578/3.183A	4.2578/3.183A	----	3.723	+	0.343	.6678	----	----	----	----	7	UNCH
6275	----	----	----	4.1038/3.047A	4.1038/3.047A	----	3.570	+	0.327	.6520	----	----	----	----	2	UNCH
6300	3.410	3.410		3.9498/2.916A	3.9498/2.916A	----	3.421	+	0.310	.6361	----	----	1	----	30	UNCH
6325	----	----	----	3.7958/2.791A	3.7958/2.791A	----	3.277	+	0.294	.6199	----	----	----	----	2	UNCH
6350	2.712	2.712		3.6418/2.669A	3.6418/2.669A	----	3.139	+	0.281	.6037	----	----	8	----	48	+
6375	2.778	2.778		3.4878/2.551A	3.4878/2.551A	----	3.005	+	0.267	.5873	----	----	2	----	15	UNCH
6400	----	----	----	3.3558/2.437A	3.3558/2.437A	----	2.876	+	0.254	.5710	----	----	8	----	42	UNCH
6425	2.658	2.658		3.2238/2.327A	3.2238/2.327A	----	2.752	+	0.242	.5546	----	----	9	----	19	+
6450	----	----	----	3.0948/2.223A	3.0948/2.223A	----	2.631	+	0.229	.5384	----	----	----	----	58	UNCH
6475	2.880	2.880		2.9698/2.123A	2.9698/2.123A	----	2.515	+	0.216	.5221	----	----	5	----	14	+
6500	2.289	2.289		2.8448/2.027A	2.8448/2.027A	----	2.403	+	0.203	.5060	----	----	66	50	315	+
6525	2.650	2.650		2.7318/1.933A	2.7318/1.933A	----	2.294	+	0.189	.4901	----	----	4	----	10	UNCH
6550	----	----	----	2.6158/1.845A	2.6158/1.845A	----	2.190	+	0.176	.4743	----	----	6	----	32	+
6575	----	----	----	2.5038/1.760A	2.5038/1.760A	----	2.089	+	0.163	.4586	----	----	----	----	93	UNCH
6600	2.340	2.340		2.3978/1.679A	2.3978/1.679A	----	1.993	+	0.151	.4433	----	----	13	----	156	+
6625	----	----	----	2.2948/1.601A	2.2948/1.601A	----	1.902	+	0.142	.4282	----	----	----	----	7	UNCH
6650	2.186	2.186		2.1938/1.527A	2.1938/1.527A	----	1.814	+	0.132	.4133	----	----	2	----	39	UNCH
6675	----	----	----	2.0988/1.455A	2.0988/1.455A	----	1.730	+	0.123	.3988	----	----	----	----	42	UNCH
6700	1.850	1.850		2.0078/1.387A	2.0078/1.387A	----	1.651	+	0.116	.3846	----	----	11	----	116	+
6725	----	----	----	1.9178/1.324A	1.9178/1.324A	----	1.575	+	0.108	.3708	----	----	----	----	43	UNCH
6750	1.647	1.647		1.8338/1.262A	1.8338/1.262A	----	1.502	+	0.101	.3572	----	----	5	----	44	+
6775	1.381	1.381		1.7518/1.204A	1.7518/1.204A	----	1.433	+	0.094	.3441	----	----	1	----	38	UNCH
6800	1.547	1.547		1.6758/1.149A	1.6758/1.149A	----	1.366	+	0.085	.3312	----	----	40	----	312	+
6825	----	----	----	1.6008/1.093A	1.6008/1.093A	----	1.302	+	0.077	.3187	----	----	----	----	9	UNCH
6850	1.201	1.201		1.5298/1.042A	1.5298/1.042A	----	1.240	+	0.068	.3064	----	----	1	----	35	+
6875	----	----	----	1.4628/0.995A	1.4628/0.995A	----	1.182	+	0.061	.2946	----	----	----	----	126	UNCH
6900	1.050	1.050		1.3978/0.949A	1.3978/0.949A	----	1.125	+	0.052	.2830	----	----	10	----	71	+
6925	----	----	----	1.3348/0.906A	1.3348/0.906A	----	1.072	+	0.046	.2719	----	----	----	----	19	UNCH
6950	----	----	----	1.2738/0.865A	1.2738/0.865A	----	1.021	+	0.041	.2611	----	----	1	----	38	UNCH
6975	----	----	----	1.2198/0.824A	1.2198/0.824A	----	0.973	+	0.036	.2508	----	----	----	----	18	UNCH
7000	0.999	0.999		1.1648/0.787A	1.1648/0.787A	----	0.928	+	0.032	.2408	----	----	120	----	490	+
7025	0.981	0.981		1.1128/0.751A	1.1128/0.751A	----	0.885	+	0.028	.2312	----	----	1	----	13	+
7050	1.013	1.013		1.0648/0.717A	1.0648/0.717A	----	0.845	+	0.024	.2221	----	----	15	----	32	+
7075	----	----	----	1.0168/0.687A	1.0168/0.687A	----	0.805	+	0.019	.2130	----	----	----	----	16	UNCH
7100	0.717	0.717		0.9728/0.655A	0.9728/0.655A	----	0.768	+	0.015	.2045	----	----	21	----	348	-
7125	----	----	----	0.9308/0.628A	0.9308/0.628A	----	0.733	+	0.012	.1962	----	----	----	----	7	UNCH
7150	0.654	0.654		0.8898/0.600A	0.8898/0.600A	----	0.700	+	0.009	.1884	----	----	1	----	29	-
7175	----	----	----	0.8508/0.574A	0.8508/0.574A	----	0.669	+	0.007	.1809	----	----	----	----	42	UNCH
7200	0.625	0.625		0.8148/0.550A	0.8148/0.550A	----	0.638	+	0.003	.1734	----	----	18	----	120	+
7225	0.630	0.630		0.7788/0.527A	0.7788/0.527A	----	0.609	+	0.003	.1664	----	----	11	----	42	-
7250	0.591	0.591		0.7458/0.504A	0.7458/0.504A	----	0.583	+	0.003	.1598	----	----	1	----	21	UNCH
7275	----	----	----	0.7148/0.482A	0.7148/0.482A	----	0.557	-	0.002	.1534	----	----	----	----	29	UNCH
7300	0.525	0.525		0.6848/0.463A	0.6848/0.463A	----	0.533	-	0.003	.1473	----	----	16	----	255	+
7325	0.505	0.505		0.6558/0.442A	0.6558/0.442A	----	0.509	-	0.006	.1413	----	----	1	----	9	UNCH
7350	0.432	0.432		0.6288/0.424A	0.6288/0.424A	----	0.487	-	0.008	.1356	----	----	2	----	9	+
7375	0.415	0.415		0.6028/0.407A	0.6028/0.407A	----	0.466	-	0.009	.1302	----	----	2	----	33	+
7400	0.528	0.528		0.5768/0.393	0.5768/0.393	----	0.446	-	0.011	.1250	----	----	55	28	267	-
7425	0.388	0.388		0.5528/0.377A	0.5528/0.377A	----	0.428	-	0.011	.1202	----	----	7	----	21	+
7450	0.416	0.416		0.5318/0.362A	0.5318/0.362A	----	0.411	-	0.011	.1156	----	----	17	----	122	-
7475	0.403	0.403		0.5098/0.351A	0.5098/0.351A	----	0.394	-	0.013	.1111	----	----	8	----	43	+
7500	0.402	0.402		0.4898/0.336A	0.4898/0.336A	----	0.378	-	0.014	.1068	----	----	76	----	867	-
7525	0.376	0.376		0.4698/0.325A	0.4698/0.325A	----	0.362	-	0.016	.1026	----	----	12	----	27	+
7550	0.359	0.359		0.4508/0.315A	0.4508/0.315A	----	0.347	-	0.017	.0985	----	----	13	----	87	+
7575	0.342	0.342		0.4338/0.304A	0.4338/0.304A	----	0.333	-	0.018	.0947	----	----	4	----	17	+
7600	0.310	0.310		0.4178/0.290A	0.4178/0.290A	----	0.321	-	0.018	.0914	----	----	18	----	68	-
7625	0.408	0.408		0.408/0.282A	0.408/0.282A	----	0.309	-	0.017	.0880	----	----	1	----	5	+
7650	0.305	0.305		0.3868/0.271A	0.3868/0.28											

	BULLETIN #185@			METALS OPTION PRODUCTS						Fri, Sep 25, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL	COMEX SILVER OPTIONS														
NOV26															
10950	----	----	----	----/0.032A	0.022B/0.032A	----	0.025 -	0.008	.0055	----	----	----	----	----	5
11000	0.020	0.020		0.021B/0.020	0.021B/0.020	----	0.024 -	0.008	.0053	----	----	----	1	----	306
11100	----	----	----	0.020B/0.030A	0.020B/0.030A	----	0.023 -	0.007	.0050	----	----	----	----	----	2
11150	----	----	----	0.019B/0.030A	0.019B/0.030A	----	0.022 -	0.007	.0048	----	----	----	----	----	1
11500	----	----	----	0.015B/0.027A	0.015B/0.027A	----	0.018 -	0.006	.0039	----	----	----	----	----	1
11600	----	----	----	0.014B/0.026A	0.014B/0.026A	----	0.017 -	0.005	.0037	----	----	----	----	----	1
11700	----	----	----	0.013B/0.025A	0.013B/0.025A	----	0.016 -	0.005	.0034	----	----	----	----	----	27
11725	----	----	----	0.013B/0.025A	0.013B/0.025A	----	0.016 -	0.005	.0034	----	----	----	----	----	2
11750	----	----	----	0.013B/0.025A	0.013B/0.025A	----	0.016 -	0.004	.0034	----	----	----	----	----	2
11825	----	----	----	0.012B/0.024A	0.012B/0.024A	----	0.016 -	0.003	.0034	----	----	----	----	----	2
12000	0.020	0.020		0.020/0.020	0.020/0.020	----	0.015 -	0.002	.0031	----	----	5	----	----	73
12125	----	----	----	0.009B/0.023A	0.009B/0.023A	----	0.014 -	0.002	.0029	----	----	----	----	----	20
12500	----	----	----	0.006B/0.024A	0.006B/0.024A	----	0.014 +	0.001	.0028	----	----	----	----	----	11
13000	----	----	----	----/0.014A	----/0.014A	----	0.011	UNCH	.0022	----	----	----	----	----	9
14000	----	----	----	----/0.092A	----/0.092A	----	0.008	UNCH	.0015	----	----	----	----	----	7
15000	----	----	----	0.002B/0.010A	0.002B/0.010A	----	0.006	UNCH	.0011	----	----	----	----	----	20
16000	----	----	----	----/0.089A	----/0.089A	----	0.005 +	0.001	.0008	----	----	----	----	----	14
17000	----	----	----	----/0.088A	----/0.088A	----	0.003	UNCH	.0005	----	----	----	----	----	14
18000	----	----	----	----/0.087A	----/0.087A	----	0.003	UNCH	.0005	----	----	----	----	----	10
19000	0.002	0.002		0.002/0.002	0.002/0.002	----	0.002	UNCH	.0003	----	----	1	----	----	1 +
20000	----	----	----	----/0.086A	----/0.086A	----	0.001 -	0.001	.0001	----	----	----	----	----	35
21000	----	----	----	----/0.086A	----/0.086A	----	0.001	UNCH	.0000	----	----	----	----	----	1
25000	----	----	----	----/0.085A	----/0.085A	----	0.001	UNCH	.0000	----	----	----	----	----	60
30000	0.003	0.003		0.004/0.003	0.004/0.003	----	0.001	UNCH	----	----	----	2	----	----	15 +
TOTAL													798	78	10352 +
DEC26															
3875	----	----	----	26.617B/25.155A	26.617B/25.155A	----	26.051 +	0.799	.9945	----	----	----	----	----	1
4000	----	----	----	25.374B/23.907A	25.374B/23.907A	----	24.801 +	0.797	.9933	1	----	----	----	----	0 -
5000	----	----	----	15.536B/14.036A	15.536B/14.036A	----	14.922 +	0.738	.9602	----	----	----	----	----	35
5250	----	----	----	13.183B/11.688A	13.183B/11.688A	----	12.542 +	0.695	.9351	----	----	----	----	----	50
5500	----	----	----	10.907B/9.469A	10.907B/9.469A	----	10.268 +	0.621	.8924	----	----	----	----	----	1
5550	----	----	----	10.465B/9.046A	10.465B/9.046A	----	9.832 +	0.604	.8812	----	----	----	----	----	4
5600	----	----	----	10.032B/8.630A	10.032B/8.630A	----	9.402 +	0.584	.8690	----	----	----	----	----	1
5700	----	----	----	9.193B/7.832A	9.193B/7.832A	----	8.567 +	0.542	.8418	----	----	----	----	----	1
5800	----	----	----	8.386B/7.081A	8.386B/7.081A	----	7.774 +	0.501	.8103	----	----	----	----	----	100
5825	----	----	----	8.189B/6.896A	8.189B/6.896A	----	7.582 +	0.489	.8017	----	----	----	----	----	1
5900	----	----	----	7.622B/6.375A	7.622B/6.375A	----	7.025 +	0.457	.7748	----	----	----	----	----	2
5950	----	----	----	7.256B/6.039A	7.256B/6.039A	----	6.668 +	0.435	.7558	----	----	----	----	----	1
6000	----	----	----	6.899B/5.718A	6.899B/5.718A	----	6.323 +	0.412	.7360	----	----	----	----	----	68
6100	----	----	----	6.227B/5.115A	6.227B/5.115A	----	5.670 +	0.366	.6948	----	----	----	----	----	3
6150	----	----	----	5.907B/4.832A	5.907B/4.832A	----	5.362 +	0.343	.6734	----	----	----	----	----	8
6200	----	----	----	5.610B/4.562A	5.610B/4.562A	----	5.068 +	0.321	.6516	----	----	----	----	----	2
6225	----	----	----	5.456B/4.420A	5.456B/4.420A	----	4.926 +	0.310	.6406	----	----	----	----	----	1
6250	----	----	----	5.313B/4.293A	5.313B/4.293A	----	4.787 +	0.299	.6295	----	----	----	----	----	9
6300	4.741	4.741		5.038B/4.049A	5.038B/4.049A	----	4.519 +	0.278	.6074	----	----	----	3	----	170
6325	4.311	4.311		4.895B/3.932A	4.895B/3.932A	----	4.390	NEW	.5963	----	----	4	----	----	2 +
6350	----	----	----	4.763B/3.818A	4.763B/3.818A	----	4.264 +	0.258	.5851	----	----	----	----	----	84
6375	----	----	----	4.632B/3.706A	4.632B/3.706A	----	4.141 +	0.248	.5741	----	----	----	----	----	1
6400	3.624	3.624		4.511B/3.598A	4.511B/3.598A	----	4.022 +	0.239	.5630	----	----	3	----	----	236 +
6450	----	----	----	4.269B/3.389A	4.269B/3.389A	----	3.793 +	0.221	.5410	----	----	----	----	----	20
6475	----	----	----	4.154B/3.291A	4.154B/3.291A	----	3.683 +	0.213	.5301	----	----	3	----	----	1
6500	3.785	3.785		4.039B/3.194A	4.039B/3.194A	----	3.576 +	0.204	.5193	----	----	154	----	----	1090 -
6525	----	----	----	3.928B/3.097A	3.928B/3.097A	----	3.472 +	0.196	.5086	----	----	----	----	----	3
6550	----	----	----	3.818B/3.008A	3.818B/3.008A	----	3.371 +	0.188	.4979	----	----	----	----	----	1
6575	2.961	2.961		3.712B/2.918A	3.712B/2.918A	----	3.273 +	0.180	.4874	----	----	1	----	----	2 +
6600	3.378	3.378		3.610B/2.832A	3.610B/2.832A	----	3.178 +	0.173	.4770	----	----	27	----	----	37 -
6625	----	----	----	3.508B/2.750A	3.508B/2.750A	----	3.085 +	0.166	.4667	----	----	----	----	----	36
6650	----	----	----	3.409B/2.667A	3.409B/2.667A	----	2.995 +	0.159	.4566	----	----	----	----	----	4
6675	----	----	----	3.314B/2.588A	3.314B/2.588A	----	2.907 +	0.152	.4466	----	----	----	----	----	4
6700	----	----	----	3.221B/2.511A	3.221B/2.511A	----	2.821 +	0.146	.4366	----	----	18	----	----	144 +
6725	----	----	----	3.129B/2.438A	3.129B/2.438A	----	2.737 +	0.139	.4268	----	----	----	----	----	7
6750	2.600	2.600		3.042B/2.366A	3.042B/2.366A	----	2.656 +	0.134	.4172	----	----	1	----	----	37 +
6775	----	----	----	2.957B/2.296A	2.957B/2.296A	----	2.576 +	0.127	.4077	----	----	----	----	----	5
6800	----	----	----	2.874B/2.227A	2.874B/2.227A	----	2.500 +	0.122	.3983	----	----	3	----	----	501 +
6825	----	----	----	2.793B/2.161A	2.793B/2.161A	----	2.426 +	0.116	.3891	----	----	----	----	----	14
6850	----	----	----	2.714B/2.098A	2.714B/2.098A	----	2.355 +	0.110	.3802	----	----	----	----	----	6
6875	2.222	2.222		2.638B/2.037A	2.638B/2.037A	----	2.286 +	0.104	.3713	----	----	1	----	----	5
6900	2.220	2.220		2.564B/1.977A	2.564B/1.977A	----	2.220 +	0.099	.3627	----	----	2	----	----	226
6925	----	----	----												

	BULLETIN #185@				METALS OPTION PRODUCTS				Fri, Sep 25, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS													
DEC26														
8800	----	----	0.3748/0.300A	0.3748/0.300A	----	0.313 - 0.020	.0615	----	----	----	----	324	UNCH	
8850	----	----	0.3628/0.287A	0.3628/0.287A	----	0.301 - 0.020	.0591	----	----	----	----	2	UNCH	
8900	----	----	0.3228/0.276A	0.3228/0.276A	----	0.290 - 0.019	.0569	----	----	----	----	79	UNCH	
8925	----	----	0.3258/0.271A	0.3258/0.271A	----	0.284 - 0.020	.0558	----	----	----	----	10	UNCH	
8950	----	----	0.3288/0.266A	0.3288/0.266A	----	0.279 - 0.019	.0547	----	----	----	----	12	UNCH	
8975	----	----	0.3298/0.261A	0.3298/0.261A	----	0.274 - 0.019	.0538	----	----	----	----	15	UNCH	
9000	0.325	0.325	0.3288/0.257	0.3288/0.257	----	0.269 - 0.019	.0528	----	----	12	----	2150 -	2	
9025	----	----	0.3238/0.252A	0.3238/0.252A	----	0.264 - 0.019	.0518	----	----	----	----	6	UNCH	
9050	----	----	0.3188/0.248A	0.3188/0.248A	----	0.259 - 0.019	.0508	----	----	----	----	235	UNCH	
9075	0.243	0.243	0.3118/0.243	0.3118/0.243	----	0.254 NEW	.0498	----	----	7	----	7	+	
9100	----	----	0.3068/0.239A	0.3068/0.239A	----	0.250 - 0.019	.0490	----	----	----	----	21	UNCH	
9125	0.236	0.236	0.3008/0.234A	0.3008/0.234A	----	0.245 - 0.019	.0480	----	----	1	----	2	+	
9150	----	----	0.2958/0.230A	0.2958/0.230A	----	0.241 - 0.019	.0472	----	----	----	----	8	UNCH	
9200	----	----	0.2858/0.221A	0.2858/0.221A	----	0.233 - 0.019	.0456	----	----	----	----	5	UNCH	
9225	----	----	0.2808/0.217A	0.2808/0.217A	----	0.229 - 0.018	.0448	----	----	----	----	16	UNCH	
9250	----	----	0.2758/0.213A	0.2758/0.213A	----	0.225 - 0.019	.0440	----	----	----	----	20	UNCH	
9275	----	----	0.2708/0.210A	0.2708/0.210A	----	0.221 - 0.019	.0432	----	----	----	----	25	UNCH	
9300	----	----	0.2668/0.206A	0.2668/0.206A	----	0.217 - 0.019	.0424	----	----	3	----	185	+	
9350	----	----	0.2578/0.199A	0.2578/0.199A	----	0.210 - 0.019	.0410	----	----	----	----	6	UNCH	
9375	----	----	0.2538/0.195A	0.2538/0.195A	----	0.207 - 0.018	.0404	----	----	----	----	5	UNCH	
9400	----	----	0.2498/0.192A	0.2498/0.192A	----	0.204 - 0.018	.0398	----	----	----	----	63	UNCH	
9425	----	----	0.2458/0.189A	0.2458/0.189A	----	0.200 - 0.018	.0390	----	----	----	----	10	UNCH	
9450	----	----	0.2418/0.185A	0.2418/0.185A	----	0.197 - 0.018	.0384	----	----	----	----	10	UNCH	
9500	----	----	0.2338/0.179A	0.2338/0.179A	----	0.191 - 0.018	.0372	----	----	----	----	1293	UNCH	
9525	----	----	0.2298/0.176A	0.2298/0.176A	----	0.188 - 0.018	.0366	----	----	----	----	60	UNCH	
9550	----	----	0.2268/0.174A	0.2268/0.174A	----	0.185 - 0.018	.0360	----	----	----	----	8	UNCH	
9600	----	----	0.2198/0.169A	0.2198/0.169A	----	0.180 - 0.017	.0349	----	----	----	----	53	UNCH	
9625	----	----	0.2168/0.167A	0.2168/0.167A	----	0.177 - 0.017	.0343	----	----	----	----	20	UNCH	
9700	0.206	0.206	0.206/0.160A	0.206/0.160A	----	0.170 - 0.016	.0329	----	----	4	----	53	+	
9750	----	----	0.2018/0.156A	0.2018/0.156A	----	0.165 - 0.016	.0318	----	----	----	----	10	UNCH	
9800	----	----	0.1958/0.152A	0.1958/0.152A	----	0.160 - 0.016	.0309	----	----	----	----	58	UNCH	
9825	----	----	0.1928/0.150A	0.1928/0.150A	----	0.158 - 0.016	.0304	----	----	----	----	18	UNCH	
9875	----	----	0.1878/0.146A	0.1878/0.146A	----	0.154 - 0.015	.0296	----	----	----	----	1	UNCH	
9900	0.180	0.180	0.1848/0.144A	0.1848/0.144A	----	0.152 - 0.015	.0292	----	----	1	----	58	-	
9950	----	----	0.1798/0.141A	0.1798/0.141A	----	0.148 - 0.015	.0284	----	----	----	----	2	UNCH	
10000	0.143	0.143	0.1748/0.138A	0.1748/0.138A	----	0.144 - 0.015	.0276	----	----	4	----	1927	+	
10025	----	----	0.1728/0.136A	0.1728/0.136A	----	0.142 - 0.015	.0272	----	----	----	----	3	UNCH	
10050	----	----	0.1708/0.135A	0.1708/0.135A	----	0.140 - 0.015	.0268	----	----	----	----	11	UNCH	
10100	----	----	0.1658/0.132A	0.1658/0.132A	----	0.136 - 0.015	.0260	----	----	----	----	9	UNCH	
10125	----	----	0.1638/0.130A	0.1638/0.130A	----	0.135 - 0.015	.0257	----	----	----	----	2	UNCH	
10150	----	----	0.1618/0.129A	0.1618/0.129A	----	0.133 - 0.015	.0253	----	----	----	----	1	UNCH	
10175	----	----	0.1598/0.127A	0.1598/0.127A	----	0.131 - 0.015	.0249	----	----	----	----	4	UNCH	
10200	----	----	0.1578/0.126A	0.1578/0.126A	----	0.130 - 0.014	.0247	----	----	----	----	12	UNCH	
10250	----	----	0.1538/0.123A	0.1538/0.123A	----	0.127 - 0.014	.0241	----	----	----	----	2	UNCH	
10300	----	----	0.1498/0.121A	0.1498/0.121A	----	0.124 - 0.014	.0235	----	----	----	----	12	UNCH	
10350	----	----	0.1468/0.118A	0.1468/0.118A	----	0.121 - 0.014	.0228	----	----	----	----	2	UNCH	
10475	----	----	0.1378/0.112A	0.1378/0.112A	----	0.114 - 0.014	.0214	----	----	1	----	2	+	
10500	----	----	0.1368/0.111A	0.1368/0.111A	----	0.113 - 0.013	.0212	----	----	----	----	267	UNCH	
10550	----	----	0.1328/0.109A	0.1328/0.109A	----	0.110 - 0.014	.0206	----	----	----	----	3	UNCH	
10600	----	----	0.1298/0.107A	0.1298/0.107A	----	0.108 - 0.013	.0202	----	----	----	----	6	UNCH	
10700	----	----	0.1248/0.102A	0.1248/0.102A	----	0.103 - 0.013	.0192	----	----	----	----	86	UNCH	
10800	----	----	0.1188/0.099A	0.1188/0.099A	----	0.099 - 0.012	.0184	----	----	----	----	93	UNCH	
10975	----	----	0.1108/0.093A	0.1108/0.093A	----	0.092 - 0.012	.0169	----	----	----	----	5	UNCH	
11000	----	----	0.1098/0.092A	0.1098/0.092A	----	0.091 - 0.012	.0167	----	----	3	----	305	+	
11075	----	----	0.1058/0.090A	0.1058/0.090A	----	0.088 - 0.012	.0162	----	----	----	----	1	UNCH	
11150	----	----	0.1028/0.088A	0.1028/0.088A	----	0.085 - 0.012	.0156	----	----	----	----	1	UNCH	
11200	0.090	0.090	0.1008/0.086A	0.1008/0.086A	----	0.084 - 0.011	.0153	----	----	1	----	9	+	
11225	----	----	0.0998/0.086A	0.0998/0.086A	----	0.083 - 0.011	.0151	----	----	----	----	2	UNCH	
11250	----	----	0.0988/0.085A	0.0988/0.085A	----	0.082 - 0.011	.0150	----	----	----	----	2	UNCH	
11275	----	----	0.0978/0.084A	0.0978/0.084A	----	0.081 - 0.011	.0148	----	----	----	----	1	UNCH	
11300	0.085	0.085	0.0968/0.084A	0.0968/0.084A	----	0.081 - 0.011	.0147	----	----	1	----	5	+	
11350	----	----	0.0948/0.082A	0.0948/0.082A	----	0.079 - 0.011	.0144	----	----	----	----	5	UNCH	
11375	----	----	0.0938/0.082A	0.0938/0.082A	----	0.078 - 0.011	.0142	----	----	----	----	1	UNCH	
11400	----	----	0.0928/0.081A	0.0928/0.081A	----	0.077 - 0.011	.0140	----	----	----	----	11	UNCH	
11475	----	----	0.0908/0.079A	0.0908/0.079A	----	0.075 - 0.011	.0136	----	----	----	----	1	UNCH	
11500	----	----	0.0898/0.079A	0.0898/0.079A	----	0.075 - 0.010	.0135	----	----	----	----	14	UNCH	
11550	----	----	0.0878/0.077A	0.0878/0.077A	----	0.073 - 0.010	.0132	----	----	----	----	1	UNCH	
11600	----	----	0.0858/0.076A	0.0858/0.076A	----	0.072 - 0.010	.0130	----	----	----	----	1	UNCH	
11625	----	----	0.0858/0.075A	0.0858/0.075A	----	0.071 - 0.010	.0128	----	----	----	----	2	UNCH	
11675	----	----	0.0838/0.074A	0.0838/0.074A	----	0.070 - 0.010	.0126	----	----	----	----	2	UNCH	
11700	----	----	0.0828/0.073A	0.0828/0.073A	----	0.069 - 0.010	.0124	----	----	----	----	1	UNCH	
11775	----	----	0.0808/0.071A	0.0808/0.07										



BULLETIN #185@				METALS OPTION PRODUCTS								Fri, Sep 25, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS															
JAN27																
7600	----	----	----	2.152B/1.773A	2.152B/1.773A	----	----	1.905 + 0.049	.2620	----	----	----	----	2		
7650	----	----	----	2.051B/1.719A	2.051B/1.719A	----	----	1.829 + 0.043	.2529	----	----	----	----	7		
7700	----	----	----	2.017B/1.677A	2.017B/1.677A	----	----	1.793 + 0.040	.2485	----	----	----	----	4		
7800	----	----	----	1.979B/1.638A	1.979B/1.638A	----	----	1.757 + 0.037	.2441	----	----	----	----	4		
7900	----	----	----	1.828B/1.516A	1.828B/1.516A	----	----	1.620 + 0.024	.2274	----	----	----	----	62		
8000	----	----	----	1.701B/1.404A	1.701B/1.404A	----	----	1.496 + 0.013	.2119	----	----	----	----	9		
8100	----	----	----	1.579B/1.308A	1.579B/1.308A	----	----	1.385 + 0.008	.1978	----	50	----	----	331 +		
8200	----	----	----	1.460B/1.215A	1.460B/1.215A	----	----	1.283 + 0.007	.1846	----	----	----	----	2		
8300	----	----	----	1.353B/1.132A	1.353B/1.132A	----	----	1.190 + 0.009	.1724	----	----	----	----	6		
8350	----	----	----	1.254B/1.057A	1.254B/1.057A	----	----	1.105 + 0.008	.1611	----	1	----	----	48 +		
8400	----	----	----	1.215B/1.018A	1.215B/1.018A	----	----	1.067 + 0.005	.1559	----	----	1	----	2		
8500	----	----	----	1.171B/0.986A	1.171B/0.986A	----	----	1.030 + 0.003	.1508	----	----	----	----	1		
8600	----	----	----	1.097B/0.922A	1.097B/0.922A	----	----	0.962 + 0.014	.1414	----	----	----	----	2		
8700	----	----	----	1.026B/0.860A	1.026B/0.860A	----	----	0.898 + 0.017	.1326	----	----	----	----	1		
8800	----	----	----	0.956B/0.804A	0.956B/0.804A	----	----	0.839 + 0.018	.1244	----	----	----	----	2		
8825	----	----	----	0.887B/0.753A	0.887B/0.753A	----	----	0.785 + 0.018	.1168	----	----	----	----	3		
9000	0.720	0.720		0.874B/0.742A	0.874B/0.742A	----	----	0.772 + 0.019	.1150	----	----	----	----	1		
9100	----	----	----	0.794B/0.664A	0.794B/0.664A	----	----	0.690 + 0.019	.1033	----	2	----	----	332 +		
9200	----	----	----	0.751B/0.625A	0.751B/0.625A	----	----	0.649 + 0.020	.0973	----	----	----	----	4		
9400	----	----	----	0.708B/0.589A	0.708B/0.589A	----	----	0.612 + 0.020	.0919	----	----	----	----	3		
9450	----	----	----	0.624B/0.527A	0.624B/0.527A	----	----	0.546 + 0.023	.0821	----	----	----	----	1		
9475	----	----	----	0.613B/0.521A	0.613B/0.521A	----	----	0.531 + 0.023	.0799	----	----	----	----	2		
9500	----	----	----	0.606B/0.514A	0.606B/0.514A	----	----	0.524 + 0.023	.0788	----	----	----	----	1		
9525	----	----	----	0.597B/0.507A	0.597B/0.507A	----	----	0.517 + 0.023	.0778	----	----	----	----	35		
9600	----	----	----	0.585B/0.502A	0.585B/0.502A	----	----	0.510 + 0.024	.0768	----	----	----	----	1		
9700	----	----	----	0.549B/0.492A	0.549B/0.492A	----	----	0.490 + 0.024	.0738	----	----	----	----	1		
9900	----	----	----	----/0.478A	0.488B/0.478A	----	----	0.465 + 0.024	.0700	----	----	----	----	4		
9975	----	----	----	0.472B/0.415A	0.472B/0.415A	----	----	0.420 + 0.023	.0632	----	----	----	----	2		
10000	0.400	0.400		----/0.397A	0.413B/0.397A	----	----	0.404 + 0.023	.0608	----	----	----	----	1		
10100	----	----	----	0.412B/0.392A	0.412B/0.392A	----	----	0.400 + 0.022	.0602	----	3	----	----	748		
10200	----	----	----	----/0.376A	0.397B/0.376A	----	----	0.381 + 0.022	.0573	----	----	----	----	2		
10300	----	----	----	----/0.359A	0.384B/0.359A	----	----	0.363 + 0.022	.0546	----	----	----	----	1		
10375	----	----	----	----/0.345A	0.366B/0.345A	----	----	0.347 + 0.022	.0521	----	----	----	----	3		
10500	----	----	----	----/0.334A	0.354B/0.334A	----	----	0.335 + 0.022	.0503	----	----	----	----	3		
11000	----	----	----	----/0.319A	0.334B/0.319A	----	----	0.318 + 0.022	.0476	----	----	----	----	4		
11200	----	----	----	----/0.265A	0.272B/0.265A	----	----	0.264 + 0.020	.0391	----	----	----	----	119		
11400	----	----	----	----/0.249A	0.253B/0.249A	----	----	0.247 + 0.018	.0364	----	----	----	----	2		
12000	----	----	----	----/0.234A	0.235B/0.234A	----	----	0.231 + 0.017	.0338	----	----	----	----	4		
12100	----	----	----	----/0.197A	0.194B/0.197A	----	----	0.191 + 0.015	.0276	----	----	----	----	329		
12125	----	----	----	----/0.192A	0.188B/0.192A	----	----	0.185 + 0.015	.0267	----	----	----	----	1		
12500	----	----	----	----/0.191A	0.185B/0.191A	----	----	0.184 + 0.015	.0265	----	----	----	----	1		
12975	----	----	----	----/0.173A	0.167B/0.173A	----	----	0.166 + 0.014	.0237	----	----	----	----	3045		
13000	----	----	----	----/0.154A	0.146B/0.154A	----	----	0.146 + 0.014	.0206	----	----	----	----	25		
14000	----	----	----	----/0.154A	0.145B/0.154A	----	----	0.145 + 0.014	.0205	----	----	----	----	7		
14500	----	----	----	----/0.122A	0.109B/0.122A	----	----	0.112 + 0.013	.0155	----	----	----	----	25		
15000	----	----	----	----/0.110A	0.095B/0.110A	----	----	0.099 + 0.012	.0136	----	----	----	----	400		
TOTAL				----/0.099A	0.083B/0.099A	----	----	0.088 + 0.012	.0120	----	----	109	0	3451		
FEB27														9862 +		
6075	----	----	----	8.352B/7.440A	8.352B/7.440A	----	----	7.876 + 0.360	.6852	----	----	----	----	1		
6200	----	----	----	7.620B/6.720A	7.620B/6.720A	----	----	7.171 + 0.313	.6484	----	----	----	----	6		
6500	----	----	----	6.227B/5.352A	6.227B/5.352A	----	----	5.710 + 0.218	.5595	----	----	----	----	9		
6600	----	----	----	5.773B/4.967A	5.773B/4.967A	----	----	5.292 + 0.192	.5306	----	----	----	----	1		
6700	----	----	----	5.369B/4.596A	5.369B/4.596A	----	----	4.904 + 0.168	.5025	----	----	----	----	10		
6800	----	----	----	5.005B/4.259A	5.005B/4.259A	----	----	4.547 + 0.147	.4753	----	----	----	----	18		
6975	----	----	----	4.393B/3.744A	4.393B/3.744A	----	----	3.986 + NEW	.4301	----	1	----	1 +	1		
7000	----	----	----	4.332B/3.671A	4.332B/3.671A	----	----	3.912 + 0.109	.4240	----	1	----	----	8		
7200	----	----	----	3.756B/3.178A	3.756B/3.178A	----	----	3.374 + 0.080	.3772	----	----	----	----	460		
7225	----	----	----	3.661B/3.123A	3.661B/3.123A	----	----	3.313 + 0.077	.3717	----	----	----	----	5		
7300	----	----	----	3.504B/2.980A	3.504B/2.980A	----	----	3.137 + 0.068	.3556	----	----	----	----	1		
7475	----	----	----	3.047B/2.632A	3.047B/2.632A	----	----	2.770 + 0.056	.3208	----	----	----	----	10		
7500	----	----	----	2.984B/2.595A	2.984B/2.595A	----	----	2.721 + 0.053	.3161	----	----	----	----	278		
7550	----	----	----	2.912B/2.503A	2.912B/2.503A	----	----	2.628 + 0.051	.3069	----	----	----	----	334		
7600	----	----	----	2.821B/2.418A	2.821B/2.418A	----	----	2.539 + 0.048	.2980	----	----	----	----	5		
7700	----	----	----	2.612B/2.259A	2.612B/2.259A	----	----	2.371 + 0.043	.2811	----	----	----	----	61		
7800	----	----	----	2.465B/2.122A	2.465B/2.122A	----	----	2.217 + 0.037	.2652	----	----	----	----	25		
7900	----	----	----	2.312B/1.986A	2.312B/1.986A	----	----	2.075 + 0.030	.2503	----	----	----	----	1		
8000	----	----	----	2.164B/1.864A	2.164B/1.864A	----	----	1.944 + 0.021	.2363	----	----	----	----	24		
8050	----	----	----	2.098B/1.804A	2.098B/1.804A	----	----	1.882 + 0.016	.2296	----	----	----	----	50		
8200	----	----	----	1.908B/1.644A	1.908B/1.644A	----	----	1.710 + 0.001	.2108	----	----	----	----	2		
8300	----	----	----	1.798B/1.542A	1.798B/1.542A	----	----	1.607 + 0.007	.1993	----	----	----	----	20		
8400	----	----	----	1.690B/1.451A	1.690B/1.451A	----	----	1.511 + 0.013	.1885	----						

	BULLETIN #185@				METALS OPTION PRODUCTS						Fri, Sep 25, 2026				PG64
	LOBEX OPEN	OPEN OPEN	OUTCRY RANGE	LOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL	COMEX SILVER OPTIONS														
MAR27															
9700	----	----	----	1.188B/1.030A	1.188B/1.030A	----	----	1.055 -	0.041	.1220	----	----	----	87 UNCH	
9800	----	----	----	1.138B/0.988A	1.138B/0.988A	----	----	1.012 -	0.040	.1172	----	----	----	314 UNCH	
10000	----	----	----	1.050B/0.911A	1.050B/0.911A	----	----	0.933 -	0.036	.1083	----	----	----	458 UNCH	
10300	----	----	----	0.928B/0.813A	0.928B/0.813A	----	----	0.831 -	0.031	.0967	----	----	----	28 UNCH	
10500	----	----	----	0.862B/0.756A	0.862B/0.756A	----	----	0.772 -	0.028	.0899	----	----	----	35 UNCH	
10825	----	----	----	0.767B/0.681A	0.767B/0.681A	----	----	0.689 -	0.023	.0803	----	----	----	23 UNCH	
10875	0.671	0.671	----	0.752B/0.669A	0.752B/0.669A	----	----	0.678 -	NEW	.0790	----	20	----	20 +	
11000	----	----	----	0.721B/----	0.721B/0.671A	----	----	0.650 -	0.021	.0758	----	----	----	212 UNCH	
11125	0.612	0.612	----	0.690B/0.612	0.690B/0.612	----	----	0.625 -	NEW	.0728	----	1	----	1 +	
11175	0.602	0.602	----	0.681B/0.602	0.681B/0.602	----	----	0.615 -	NEW	.0716	----	1	----	1 +	
11200	0.597	0.597	----	0.664B/0.597	0.664B/0.597	----	----	0.610 -	NEW	.0711	----	1	----	1 +	
11225	0.593	0.593	----	0.658B/0.593	0.658B/0.593	----	----	0.605 -	NEW	.0705	----	1	----	1 +	
11500	----	----	----	0.612B/----	0.612B/0.574A	----	----	0.557 -	0.014	.0648	----	----	----	22 UNCH	
12000	----	----	----	0.501B/0.483A	0.501B/0.483A	----	----	0.484 -	0.010	.0561	----	----	----	217 UNCH	
12500	----	----	----	0.437B/0.428A	0.437B/0.428A	----	----	0.427 -	0.006	.0492	----	----	----	2 UNCH	
12650	----	----	----	0.420B/0.414A	0.420B/0.414A	----	----	0.411 -	0.006	.0473	----	----	----	5 UNCH	
13000	----	----	----	0.387B/0.382A	0.387B/0.382A	----	----	0.380 -	0.004	.0435	----	30	26	335 -	
14000	----	----	----	----	0.310B/0.315A	----	----	0.309 -	0.003	.0349	----	30	----	152 -	
15000	----	----	----	----	0.257B/0.265A	----	----	0.258 -	0.003	.0288	----	----	----	107 UNCH	
16000	----	----	----	----	0.217B/0.229A	----	----	0.220 -	0.003	.0242	----	----	----	22 UNCH	
17000	----	----	----	----	0.184B/0.200A	----	----	0.190 -	0.003	.0207	----	----	----	8 UNCH	
18000	----	----	----	----	0.159B/0.177A	----	----	0.166 -	0.003	.0179	----	----	----	1 UNCH	
20000	----	----	----	----	0.122B/0.141A	----	----	0.131 +	0.001	.0138	----	----	----	16 UNCH	
21000	----	----	----	----	0.103B/0.130A	----	----	0.118 +	0.003	.0123	----	----	----	1 UNCH	
25000	----	----	----	----	0.060B/0.099A	----	----	0.081 -	0.002	.0082	----	----	----	17 UNCH	
30000	----	----	----	----	0.040B/0.075A	----	----	0.059 +	0.001	.0058	----	----	----	10 UNCH	
TOTAL												117	26	3689 +	
APR27															
5300	----	----	----	----	0.142B/28.501A	----	----	14.662 +	0.547	.8428	----	----	----	1 UNCH	
6600	----	----	----	7.426B/6.566A	7.426B/6.566A	----	----	6.867 +	0.163	.5569	----	----	----	1 UNCH	
6775	6.403	6.403	----	6.735B/5.939A	6.735B/5.939A	----	----	6.188 -	NEW	.5172	----	9	----	9 +	
6800	----	----	----	6.637B/5.864A	6.637B/5.864A	----	----	6.097 +	0.124	.5116	----	----	----	1 UNCH	
7000	----	----	----	5.925B/5.208A	5.925B/5.208A	----	----	5.423 +	0.092	.4690	----	----	----	53 UNCH	
7075	5.000	5.000	----	5.685B/4.997A	5.685B/4.997A	----	----	5.193 -	NEW	.4537	----	10	----	10 +	
7200	4.749	4.749	----	5.307B/4.661A	5.307B/4.661A	----	----	4.834 -	NEW	.4292	----	5	----	5 +	
7275	----	----	----	5.097B/4.452A	5.097B/4.452A	----	----	4.634 +	0.060	.4151	----	----	----	5 UNCH	
7325	----	----	----	4.957B/4.326A	4.957B/4.326A	----	----	4.505 +	0.055	.4060	----	----	----	5 UNCH	
7375	----	----	----	4.803B/4.214A	4.803B/4.214A	----	----	4.381 +	0.050	.3970	----	----	----	5 UNCH	
7475	----	----	----	4.579B/4.004A	4.579B/4.004A	----	----	4.146 +	0.043	.3797	----	----	----	10 UNCH	
7500	----	----	----	4.509B/3.951A	4.509B/3.951A	----	----	4.089 +	0.041	.3754	----	----	----	9 UNCH	
8000	----	----	----	3.481B/3.086A	3.481B/3.086A	----	----	3.140 +	0.017	.3008	----	----	----	7 UNCH	
8400	----	----	----	2.847B/2.535A	2.847B/2.535A	----	----	2.576 +	0.007	.2531	----	----	----	4 UNCH	
8500	----	----	----	2.714B/2.417A	2.714B/2.417A	----	----	2.456 +	0.005	.2426	----	----	----	1 UNCH	
8525	----	----	----	2.686B/2.394A	2.686B/2.394A	----	----	2.427 +	0.004	.2401	----	----	----	9 UNCH	
8975	----	----	----	2.207B/1.953A	2.207B/1.953A	----	----	1.978 -	0.003	.1996	----	----	----	5 UNCH	
9000	----	----	----	2.158B/1.944A	2.158B/1.944A	----	----	1.956 -	0.004	.1976	----	----	----	10 UNCH	
10000	----	----	----	1.467B/1.304A	1.467B/1.304A	----	----	1.309 -	0.013	.1357	----	----	----	2 UNCH	
10500	----	----	----	1.193B/1.096A	1.193B/1.096A	----	----	1.096 -	0.017	.1144	----	----	----	18 UNCH	
10775	----	----	----	1.122B/1.011A	1.122B/1.011A	----	----	1.000 -	0.018	.1047	----	----	----	1 UNCH	
11000	----	----	----	1.046B/0.932A	1.046B/0.932A	----	----	0.930 -	0.019	.0975	----	----	----	20 UNCH	
11225	----	----	----	0.973B/0.870A	0.973B/0.870A	----	----	0.867 -	0.020	.0910	----	----	----	25 UNCH	
12000	----	----	----	0.777B/0.706A	0.777B/0.706A	----	----	0.694 -	0.023	.0730	----	----	----	3 UNCH	
13000	----	----	----	----	0.521B/0.626A	----	----	0.541 -	0.025	.0568	----	----	----	16 UNCH	
TOTAL												24	0	235 +	
MAY27															
6325	----	----	----	9.152B/8.448A	9.152B/8.448A	----	----	8.675 +	0.202	.6203	----	----	----	6 UNCH	
6700	----	----	----	7.681B/6.899A	7.681B/6.899A	----	----	7.145 +	0.192	.5405	----	----	----	1 UNCH	
7500	----	----	----	5.146B/4.577A	5.146B/4.577A	----	----	4.734 +	0.071	.3951	----	----	----	4 UNCH	
8000	----	----	----	4.079B/3.687A	4.079B/3.687A	----	----	3.726 +	0.005	.3242	----	----	----	30 UNCH	
8500	3.005	3.005	----	3.268B/2.937A	3.268B/2.937A	----	----	2.958 -	0.052	.2665	----	1	----	12 +	
8825	----	----	----	2.873B/2.582A	2.873B/2.582A	----	----	2.579 -	0.056	.2360	----	----	----	4 UNCH	
8875	----	----	----	2.814B/2.528A	2.814B/2.528A	----	----	2.527 -	0.055	.2318	----	----	----	1 UNCH	
9000	----	----	----	2.678B/2.387A	2.678B/2.387A	----	----	2.404 -	0.053	.2215	----	----	----	46 UNCH	
9150	----	----	----	2.497B/2.250A	2.497B/2.250A	----	----	2.269 -	0.048	.2101	----	----	----	1 UNCH	
9525	----	----	----	2.200B/1.982A	2.200B/1.982A	----	----	1.974 -	0.038	.1848	----	----	----	2 UNCH	
9650	----	----	----	2.103B/1.872A	2.103B/1.872A	----	----	1.888 -	0.035	.1772	----	----	----	1 UNCH	
9925	----	----	----	1.895B/1.704A	1.895B/1.704A	----	----	1.715 -	0.033	.1620	----	----	----	5 UNCH	
10000	----	----	----	1.862B/1.676A	1.862B/1.676A	----	----	1.672 -	0.032	.1581	----	----	----	3 UNCH	
10075	----	----	----	1.822B/1.645A	1.822B/1.645A	----	----	1.631 -	0.031	.1545	----	----	----	2 UNCH	
10225	----	----	----	1.726B/1.542A	1.726B/1.542A	----	----	1.551 -	0.032	.1473	----	----	----	1 UNCH	
10500	----	----	----	1.564B/1.424A	1.564B/1.424A	----	----	1.420 -	0.032	.1354	----	----	----	2 UNCH	
11000	----	----	----	1.338B/1.212A	1.338B/1.212A	----	----	1.219 -	0.034	.1170	----	----	----	26 UNCH	
11200	----	----	----	1.273B/1.164A	1.273B/1.164A	----	----	1.150 -	0.035	.1106	----	----	----	5 UNCH	
12000	----	----	----	1.015B/----	1.015B/1.011A	----	----	0.926 -	0.036	.0895	----	----	----	4 UNCH	
12200	----	----	----	----	0.886B/0.964A	----	----	0.881 -	0.035	.0852	----	----	----	1 UNCH	
15000	----	----	----	----	0.453B/0.584A	----	----	0.494 -	0.021	.0475	----	----	----	132 UNCH	
20000	----	----	----												

PG64	BULLETIN #185@			METALS OPTION PRODUCTS							Fri, Sep 25, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SO CALL		COMEX SILVER OPTIONS													
MAR28															
6900	----	----	----	----	----	13.451 + 0.552	.5990	----	----	----	----	1	UNCH		
TOTAL											0	1	0		
SO PUT		COMEX SILVER OPTIONS													
OCT26															
5075	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
5100	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
5850	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
5900	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6000	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6100	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6150	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6175	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6200	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6225	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6240	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6250	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6260	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6280	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6300	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6310	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6325	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6330	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6340	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6350	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6360	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6370	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6375	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6380	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6390	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6400	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6410	----	----	----	----	----	0.098	UNCH	----	----	----	----	0	UNCH		
6420	----	----	----	----	----	0.198	UNCH	----	----	----	----	0	UNCH		
6425	----	----	----	----	----	0.248	UNCH	----	----	----	----	0	UNCH		
6430	----	----	----	----	----	0.298	UNCH	----	----	----	----	0	UNCH		
6440	----	----	----	----	----	0.398	UNCH	----	----	----	----	0	UNCH		
6450	----	----	----	----	----	0.498	UNCH	----	----	----	----	0	UNCH		
6460	----	----	----	----	----	0.598	UNCH	----	----	----	----	0	UNCH		
6470	----	----	----	----	----	0.698	UNCH	----	----	----	----	0	UNCH		
6475	----	----	----	----	----	0.748	UNCH	----	----	----	----	0	UNCH		
6480	----	----	----	----	----	0.798	UNCH	----	----	----	----	0	UNCH		
6490	----	----	----	----	----	0.898	UNCH	----	----	----	----	0	UNCH		
6500	----	----	----	----	----	0.998	UNCH	----	----	----	----	0	UNCH		
6510	----	----	----	----	----	1.098	UNCH	----	----	----	----	0	UNCH		
6520	----	----	----	----	----	1.198	UNCH	----	----	----	----	0	UNCH		
6525	----	----	----	----	----	1.248	UNCH	----	----	----	----	0	UNCH		
6530	----	----	----	----	----	1.298	UNCH	----	----	----	----	0	UNCH		
6540	----	----	----	----	----	1.398	UNCH	----	----	----	----	0	UNCH		
6550	----	----	----	----	----	1.498	UNCH	----	----	----	----	0	UNCH		
6560	----	----	----	----	----	1.598	UNCH	----	----	----	----	0	UNCH		
6570	----	----	----	----	----	1.698	UNCH	----	----	----	----	0	UNCH		
6575	----	----	----	----	----	1.748	UNCH	----	----	----	----	0	UNCH		
6580	----	----	----	----	----	1.798	UNCH	----	----	----	----	0	UNCH		
6590	----	----	----	----	----	1.898	UNCH	----	----	----	----	0	UNCH		
6600	----	----	----	----	----	1.998	UNCH	----	----	----	----	0	UNCH		
6610	----	----	----	----	----	2.098	UNCH	----	----	----	----	0	UNCH		
6620	----	----	----	----	----	2.198	UNCH	----	----	----	----	0	UNCH		
6625	----	----	----	----	----	2.248	UNCH	----	----	----	----	0	UNCH		
6630	----	----	----	----	----	2.298	UNCH	----	----	----	----	0	UNCH		
6640	----	----	----	----	----	2.398	UNCH	----	----	----	----	0	UNCH		
6650	----	----	----	----	----	2.498	UNCH	----	----	----	----	0	UNCH		
6660	----	----	----	----	----	2.598	UNCH	----	----	----	----	0	UNCH		
6670	----	----	----	----	----	2.698	UNCH	----	----	----	----	0	UNCH		
6675	----	----	----	----	----	2.748	UNCH	----	----	----	----	0	UNCH		
6680	----	----	----	----	----	2.798	UNCH	----	----	----	----	0	UNCH		
6690	----	----	----	----	----	2.898	UNCH	----	----	----	----	0	UNCH		
6700	----	----	----	----	----	2.998	UNCH	----	----	----	----	0	UNCH		
6710	----	----	----	----	----	3.098	UNCH	----	----	----	----	0	UNCH		
6720	----	----	----	----	----	3.198	UNCH	----	----	----	----	0	UNCH		
6725	----	----	----	----	----	3.248	UNCH	----	----	----	----	0	UNCH		
6730	----	----	----	----	----	3.298	UNCH	----	----	----	----	0	UNCH		
6740	----	----	----	----	----	3.398	UNCH	----	----	----	----	0	UNCH		
6750	----	----	----	----	----	3.498	UNCH	----	----	----	----	0	UNCH		
6760	----	----	----	----	----	3.598	UNCH	----	----	----	----	0	UNCH		
6770	----	----	----	----	----	3.698	UNCH	----	----	----	----	0	UNCH		
6775	----	----	----	----	----	3.748	UNCH	----	----	----	----	0	UNCH		
6790	----	----	----	----	----	3.898	UNCH	----	----	----	----	0	UNCH		
6800	----	----	----	----	----	3.998	UNCH	----	----	----	----	0	UNCH		
6825	----	----	----	----	----	4.248	UNCH	----	----	----	----	0	UNCH		
6850	----	----	----	----	----	4.498	UNCH	----	----	----	----	0	UNCH		
6860	----	----	----	----	----	4.598	UNCH	----	----	----	----	0	UNCH		
6875	----	----	----	----	----	4.748	UNCH	----	----	----	----	0	UNCH		
6900	----	----	----	----	----	4.998	UNCH	----	----	----	----	0	UNCH		
6925	----	----	----	----	----	5.248	UNCH	----	----	----	----	0	UNCH		
6950	----	----	----	----	----	5.498	UNCH	----	----	----	----	0	UNCH		
6975	----	----	----	----	----	5.748	UNCH	----	----	----	----	0	UNCH		
7000	----	----	----	----	----	5.998	UNCH	----	----	----	----	0	UNCH		
7025	----	----	----	----	----	6.248	UNCH	----	----	----	----	0	UNCH		
7050	----	----	----	----	----	6.498	UNCH	----	----	----	----	0	UNCH		
7075	----	----	----	----	----	6.748	UNCH	----	----	----	----	0	UNCH		
7100	----	----	----	----	----	6.998	UNCH	----	----	----	----	0	UNCH		
7125	----	----	----	----	----	7.248	UNCH	----	----	----	----	0	UNCH		
7150	----	----	----	----	----	7.498	UNCH	----	----	----	----	0	UNCH		
7175	----	----	----	----	----	7.748	UNCH	----	----	----	----	0	UNCH		
7200	----	----	----	----	----	7.998	UNCH	----	----	----	----	0	UNCH		
7225	----	----	----	----	----	8.248	UNCH	----	----	----	----	0	UNCH		
7250	----	----	----	----	----	8.498	UNCH	----	----	----	----	0	UNCH		
7275	----	----	----	----	----	8.748	UNCH	----	----	----	----	0	UNCH		
7300	----	----	----	----	----	8.998	UNCH	----	----	----	----	0	UNCH		
7325	----	----	----	----	----	9.248	UNCH	----	----	----	----	0	UNCH		
7350	----	----	----	----	----	9.498	UNCH	----	----	----	----	0	UNCH		
7400	----	----	----	----	----	9.998	UNCH	----	----	----	----	0	UNCH		
7425	----	----	----	----	----	10.248	UNCH	----	----	----	----	0	UNCH		
7450	----	----	----	----	----	10.498	UNCH	----	----	----	----	0	UNCH		
7475	----	----	----	----	----	10.748	UNCH	----	----	----	----				



BULLETIN #185@				METALS OPTION PRODUCTS					Fri, Sep 25, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT NOV26	COMEX SILVER OPTIONS												
5150	----	----	----/0.070A	0.0828/0.070A	----	0.069 -	0.029 .0214	----	----	2	----	59	UNCH
5175	----	----	----/0.073A	0.0898/0.073A	----	0.073 -	0.030 .0228	----	----	----	----	11	UNCH
5200	0.070	0.070	0.070/0.070	0.0948/0.070	----	0.076 -	0.034 .0239	----	----	12	----	48 -	3
5225	----	----	----/0.079A	0.1018/0.079A	----	0.080 -	0.036 .0252	----	----	----	----	11	UNCH
5250	----	----	----/0.081A	0.1068/0.081A	----	0.084 -	0.040 .0266	----	----	----	----	9	UNCH
5275	----	----	----/0.085A	0.1148/0.085A	----	0.088 -	0.043 .0280	----	----	----	----	10	UNCH
5300	----	----	----/0.090A	0.1238/0.090A	----	0.092 -	0.048 .0295	----	6	----	----	95 +	6
5325	----	----	----/0.094A	0.1318/0.094A	----	0.097 -	0.052 .0312	----	----	----	----	7	UNCH
5350	----	----	----/0.099A	0.1418/0.099A	----	0.103 -	0.055 .0332	----	----	----	----	18	UNCH
5375	----	----	----/0.105A	0.1508/0.105A	----	0.110 -	0.059 .0355	----	6	----	----	31 +	6
5400	0.136	0.136	0.150/0.111A	0.1628/0.111A	----	0.117 -	0.063 .0378	----	8	----	----	80	UNCH
5425	----	----	----/0.117A	0.1748/0.117A	----	0.124 -	0.068 .0402	----	----	----	----	2	UNCH
5450	----	----	----/0.125A	0.1868/0.125A	----	0.133 -	0.072 .0430	----	----	----	----	8	UNCH
5475	----	----	----/0.133A	0.2008/0.133A	----	0.142 -	0.077 .0459	----	----	----	----	48	UNCH
5500	0.227	0.227	0.227/0.141A	0.227/0.141A	----	0.152 -	0.083 .0491	----	24	----	----	392 +	9
5525	----	----	----/0.151A	0.2318/0.151A	----	0.163 -	0.089 .0526	----	7	----	----	6 -	4
5550	----	----	----/0.161A	0.2398/0.161A	----	0.175 -	0.096 .0563	----	----	----	----	15	UNCH
5575	----	----	----/0.172A	0.2478/0.172A	----	0.187 -	0.104 .0601	----	5	----	----	42 +	5
5600	0.190	0.190	0.190/0.184A	0.2698/0.184A	----	0.201 -	0.112 .0644	----	8	----	----	157 +	6
5625	0.278	0.278	0.278/0.197A	0.3168/0.197A	----	0.216 -	0.121 .0690	----	5	----	----	20 +	5
5650	0.288	0.288	0.298/0.212A	0.3418/0.212A	----	0.232 -	0.132 .0738	----	16	----	----	32 +	11
5675	----	----	----/0.228A	0.3668/0.228A	----	0.251 -	0.141 .0794	----	5	----	----	65 +	5
5700	0.400	0.400	0.400/0.245A	0.400/0.245A	----	0.271 -	0.151 .0851	----	41	----	----	382 +	31
5725	0.360	0.360	0.397/0.265A	0.4288/0.265A	----	0.293 -	0.162 .0914	----	24	----	----	40 +	14
5750	0.380	0.380	0.431/0.286A	0.4628/0.286A	----	0.316 -	0.173 .0979	----	17	----	----	39 +	15
5775	0.418	0.418	0.456/0.307A	0.4998/0.307A	----	0.342 -	0.184 .1051	----	15	----	----	71 +	14
5800	0.366	0.366	0.507/0.331A	0.5378/0.331A	----	0.369 -	0.196 .1125	----	31	----	----	188 +	13
5825	0.450	0.450	0.506/0.358A	0.5798/0.358A	----	0.399 -	0.209 .1205	----	16	----	----	24 +	15
5850	0.525	0.525	0.528/0.387A	0.6248/0.387A	----	0.431 -	0.224 .1289	----	7	----	----	18 +	3
5875	----	----	----/0.419A	0.6738/0.419A	----	0.466 -	0.238 .1379	----	----	----	----	171	UNCH
5900	0.655	0.655	0.664/0.453A	0.7248/0.453A	----	0.505 -	0.252 .1476	----	23	----	----	221 -	1
5925	----	----	----/0.491A	0.7808/0.491A	----	0.546 -	0.266 .1576	----	----	----	----	5	UNCH
5950	----	----	----/0.531A	0.8418/0.531A	----	0.591 -	0.280 .1683	----	12	----	----	40 -	5
5975	----	----	----/0.575A	0.9048/0.575A	----	0.639 -	0.294 .1795	----	12	----	----	49 -	10
6000	0.914	0.914	0.914/0.622A	0.9718/0.622A	----	0.690 -	0.310 .1911	----	20	----	----	455 +	2
6025	----	----	----/0.673A	1.0418/0.673A	----	0.745 -	0.325 .2033	----	----	----	----	22	UNCH
6050	0.995	0.995	1.1188/0.726A	1.1188/0.726A	----	0.804 -	0.340 .2159	----	2	----	----	23 +	1
6075	----	----	----/0.787A	1.1968/0.787A	----	0.866 -	0.357 .2290	----	5	----	----	42 +	5
6100	----	----	----/0.848A	1.2818/0.848A	----	0.933 -	0.372 .2426	----	14	----	----	85 -	4
6125	0.988	0.988	0.988/0.913A	1.3668/0.913A	----	1.004 -	0.387 .2566	----	1	----	----	5	UNCH
6150	1.079	1.079	1.079/0.985A	1.4608/0.985A	----	1.081 -	0.400 .2711	----	4	----	----	105	UNCH
6175	1.127	1.127	1.127/1.060A	1.5578/1.060A	----	1.162 -	0.412 .2860	----	8	----	----	13 +	2
6200	1.550	1.550	1.6588/1.139A	1.6588/1.139A	----	1.247 -	0.425 .3011	----	7	----	----	246 -	7
6225	1.290	1.290	1.290/1.224A	1.7648/1.224A	----	1.336 -	0.438 .3165	----	3	----	----	12 +	3
6250	----	----	----/1.311A	1.8748/1.311A	----	1.428 -	0.454 .3321	----	----	----	----	100	UNCH
6275	1.475	1.475	1.475/1.405A	1.9888/1.405A	----	1.525 -	0.470 .3479	----	9	----	----	23 -	4
6300	1.920	1.920	1.920/1.499A	2.1088/1.499A	----	1.625 -	0.487 .3638	----	13	----	----	131 +	4
6325	1.956	1.956	1.956/1.596A	2.2318/1.596A	----	1.731 -	0.502 .3799	----	7	----	----	7 +	4
6350	2.091	2.091	2.3598/1.696A	2.3598/1.696A	----	1.841 -	0.517 .3961	----	7	----	----	86 +	1
6375	----	----	2.4918/1.801A	2.4918/1.801A	----	1.957 -	0.530 .4125	----	5	----	----	24 +	5
6400	2.441	2.441	2.6318/1.909A	2.6318/1.909A	----	2.077 -	0.543 .4288	----	9	----	----	164 +	5
6425	2.647	2.647	2.7688/2.020A	2.7688/2.020A	----	2.202 -	0.555 .4452	----	5	----	----	9 +	4
6450	2.718	2.718	2.9138/2.141A	2.9138/2.141A	----	2.331 -	0.568 .4615	----	3	----	----	18 +	2
6475	2.826	2.826	3.0638/2.261A	3.0638/2.261A	----	2.464 -	0.581 .4777	----	40	----	----	65 +	38
6500	2.811	2.811	3.2138/2.386A	3.2138/2.386A	----	2.601 -	0.594 .4938	----	85	----	----	348 +	9
6525	2.755	2.755	3.3698/2.517A	3.3698/2.517A	----	2.742 -	0.608 .5098	----	30	----	----	31 +	28
6550	2.646	2.646	3.5288/2.646	3.5288/2.646	----	2.887 -	0.621 .5256	----	26	----	----	31 +	26
6575	----	----	3.6898/2.787A	3.6898/2.787A	----	3.036 -	0.633 .5412	----	----	----	----	19	UNCH
6600	3.300	3.300	3.8408/2.929A	3.8408/2.929A	----	3.189 -	0.645 .5566	----	2	----	----	172 +	2
6625	----	----	4.0208/3.075A	4.0208/3.075A	----	3.346 -	0.656 .5716	----	----	----	----	28	UNCH
6650	----	----	4.1878/3.229A	4.1878/3.229A	----	3.508 -	0.665 .5865	----	----	----	----	39	UNCH
6675	3.551	3.551	4.3708/3.385A	4.3708/3.385A	----	3.674 -	0.673 .6011	----	1	----	----	68	UNCH
6700	3.609	3.609	4.5508/3.540A	4.5508/3.540A	----	3.844 -	0.680 .6152	----	3	----	----	132 -	1
6725	----	----	4.7338/3.704A	4.7338/3.704A	----	4.017 -	0.688 .6291	----	----	----	----	83	UNCH
6750	4.800	4.800	4.9288/3.869A	4.9288/3.869A	----	4.194 -	0.695 .6426	----	4	----	----	101 -	1
6775	4.840	4.840	5.1108/4.048A	5.1108/4.048A	----	4.374 -	0.703 .6558	----	2	----	----	21 +	2
6800	----	----	5.3058/4.224A	5.3058/4.224A	----	4.556 -	0.711 .6686	----	----	----	----	155	UNCH
6825	----	----	5.4998/4.389A	5.4998/4.389A	----	4.741 -	0.720 .6812	----	2	----	----	2	UNCH
6850	----	----	5.6998/4.565A	5.6998/4.565A	----	4.929 -	0.728 .6934	----	7	----	----	7	UNCH
6875	----	----	5.8988/4.752A	5.8988/4.752A	----	5.119 -	0.737 .7052	----	----	----	----	1	UNCH
6900	----	----	6.1018/4.938A	6.1018/4.938A	----	5.313 -	0.743 .7168	----	----	----	----	25	UNCH
6925	----	----	6.3068/5.124A	6.30680									

	BULLETIN #185@				METALS OPTION PRODUCTS				Fri, Sep 25, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT DEC26	COMEX SILVER OPTIONS												
4975	----	----	----/0.163A	0.2098/0.163A	----	0.169	- 0.059	.0378	----	----	----	74	UNCH
5000	0.193	0.193	0.193/0.170A	0.2218/0.170A	----	0.177	- 0.062	.0396	----	9	----	604 -	9
5025	----	----	----/0.178A	0.2328/0.178A	----	0.186	- 0.065	.0416	----	----	----	33	UNCH
5050	----	----	----/0.186A	0.2458/0.186A	----	0.195	- 0.068	.0436	----	----	----	10	UNCH
5075	----	----	----/0.195A	0.2598/0.195A	----	0.205	- 0.071	.0458	----	1	----	5	UNCH
5100	----	----	----/0.204A	0.2738/0.204A	----	0.216	- 0.073	.0482	----	4	----	24 -	2
5125	0.238	0.238	0.238/0.214A	0.2888/0.214A	----	0.227	- 0.076	.0506	----	1	----	6 +	1
5150	----	----	----/0.225A	0.3048/0.225A	----	0.239	- 0.079	.0532	----	----	----	15	UNCH
5175	----	----	----/0.236A	0.3218/0.236A	----	0.252	- 0.083	.0559	----	----	----	2	UNCH
5200	0.285	0.285	0.285/0.248A	0.3398/0.248A	----	0.264	- 0.090	.0586	----	3	----	99	UNCH
5225	----	----	----/0.260A	0.3588/0.260A	----	0.278	- 0.097	.0616	----	3	----	5	UNCH
5250	----	----	----/0.274A	0.3728/0.274A	----	0.293	- 0.104	.0647	----	----	----	51	UNCH
5300	----	----	----/0.303A	0.3888/0.303A	----	0.328	- 0.118	.0718	----	3	----	282 +	1
5325	----	----	----/0.320A	0.4028/0.320A	----	0.347	- 0.125	.0756	----	----	----	8	UNCH
5350	----	----	----/0.338A	0.4278/0.338A	----	0.365	- 0.133	.0793	----	----	----	4	UNCH
5375	----	----	----/0.359A	0.5038/0.359A	----	0.385	- 0.140	.0833	----	----	----	2	UNCH
5400	----	----	----/0.397A	0.5318/0.397A	----	0.406	- 0.148	.0875	----	----	----	119	UNCH
5425	----	----	----/0.422A	0.5618/0.422A	----	0.430	- 0.155	.0921	----	5	----	11 +	5
5450	----	----	----/0.438A	0.5958/0.438A	----	0.455	- 0.163	.0969	----	----	----	9	UNCH
5500	0.620	0.620	0.6658/0.472A	0.6658/0.472A	----	0.512	- 0.177	.1074	----	14	----	691 +	3
5525	----	----	----/0.500A	0.7038/0.500A	----	0.542	- 0.186	.1129	----	----	----	8	UNCH
5550	0.591	0.591	0.591/0.530A	0.7438/0.530A	----	0.574	- 0.194	.1186	----	4	----	8 +	4
5575	----	----	----/0.560A	0.7858/0.560A	----	0.608	- 0.203	.1246	----	----	----	174	UNCH
5600	----	----	----/0.593A	0.8308/0.593A	----	0.643	- 0.213	.1308	----	102	----	117 -	39
5625	----	----	----/0.628A	0.8778/0.628A	----	0.680	- 0.223	.1372	----	----	----	2	UNCH
5650	0.741	0.741	0.741/0.665A	0.9278/0.665A	----	0.719	- 0.233	.1438	----	1	----	31 +	1
5675	----	----	----/0.704A	0.9788/0.704A	----	0.760	- 0.244	.1507	----	1	----	2	UNCH
5700	----	----	----/0.746A	1.0338/0.746A	----	0.804	- 0.254	.1579	----	6	----	122 +	1
5725	----	----	----/0.790A	1.0918/0.790A	----	0.850	- 0.265	.1654	----	----	----	106	UNCH
5750	----	----	----/0.835A	1.1508/0.835A	----	0.900	- 0.275	.1732	----	----	----	175	UNCH
5775	0.936	0.936	0.936/0.883A	1.2148/0.883A	----	0.952	- 0.285	.1812	----	7	----	16 +	6
5800	1.045	1.045	1.045/0.934A	1.2788/0.934A	----	1.006	- 0.296	.1895	----	102	----	264 +	51
5825	----	----	----/0.989A	1.3488/0.989A	----	1.064	- 0.306	.1980	----	----	----	3	UNCH
5850	1.320	1.320	1.320/1.045A	1.4218/1.045A	----	1.124	- 0.317	.2068	----	9	----	32 +	7
5875	----	----	----/1.103A	1.4948/1.103A	----	1.188	- 0.327	.2158	----	----	----	7	UNCH
5900	----	----	----/1.166A	1.5748/1.166A	----	1.253	- 0.339	.2250	----	----	----	224	UNCH
5925	1.553	1.553	1.553/1.231A	1.6548/1.231A	----	1.322	- 0.350	.2344	----	5	----	7 +	5
5950	----	----	----/1.299A	1.7388/1.299A	----	1.394	- 0.361	.2440	----	----	----	9	UNCH
5975	----	----	----/1.370A	1.8268/1.370A	----	1.469	- 0.372	.2538	----	----	----	1	UNCH
6000	----	----	----/1.444A	1.9158/1.444A	----	1.547	- 0.383	.2637	----	2	----	548	UNCH
6025	----	----	----/1.522A	2.0088/1.522A	----	1.627	- 0.395	.2738	----	----	----	63	UNCH
6050	----	----	----/1.601A	2.1058/1.601A	----	1.711	- 0.406	.2841	----	----	----	8	UNCH
6075	----	----	----/1.685A	2.2058/1.685A	----	1.798	- 0.418	.2945	----	----	----	2	UNCH
6100	1.780	1.780	1.780/1.772A	2.3098/1.772A	----	1.888	- 0.429	.3050	----	1	----	45 -	1
6150	----	----	----/1.956A	2.5248/1.956A	----	2.078	- 0.452	.3264	----	----	----	5	UNCH
6175	----	----	----/2.053A	2.6368/2.053A	----	2.178	- 0.463	.3373	----	----	----	1	UNCH
6200	2.210	2.210	2.210/2.138	2.7528/2.138	----	2.282	- 0.474	.3482	----	6	----	65	UNCH
6275	----	----	3.1198/2.474A	3.1198/2.474A	----	2.611	- 0.506	.3813	----	----	----	8	UNCH
6300	----	----	3.2478/2.588A	3.2478/2.588A	----	2.727	- 0.517	.3924	----	1	----	95	UNCH
6325	----	----	3.3808/2.705A	3.3808/2.705A	----	2.847	- 0.527	.4035	----	----	----	3	UNCH
6350	----	----	3.5128/2.826A	3.5128/2.826A	----	2.970	- 0.536	.4146	----	----	----	51	UNCH
6375	----	----	3.6498/2.948A	3.6498/2.948A	----	3.096	- 0.546	.4257	----	----	----	4	UNCH
6400	----	----	3.7908/3.075A	3.7908/3.075A	----	3.225	- 0.556	.4368	----	----	----	29	UNCH
6425	3.599	3.599	3.9338/3.200A	3.9338/3.200A	----	3.358	- 0.565	.4478	----	13	----	15 +	6
6450	3.591	3.591	4.0808/3.326A	4.0808/3.326A	----	3.494	- 0.573	.4587	----	25	----	3	UNCH
6475	----	----	4.2298/3.457A	4.2298/3.457A	----	3.632	- 0.582	.4697	----	----	----	30	UNCH
6500	3.670	3.670	4.3818/3.590A	4.3818/3.590A	----	3.774	- 0.591	.4805	----	26	----	950 +	8
6525	----	----	4.5358/3.725A	4.5358/3.725A	----	3.919	- 0.599	.4912	----	----	----	25	UNCH
6550	----	----	4.6948/3.866A	4.6948/3.866A	----	4.067	- 0.606	.5018	----	----	----	35	UNCH
6575	----	----	4.8528/4.010A	4.8528/4.010A	----	4.217	- 0.615	.5123	----	----	----	1	UNCH
6600	----	----	5.0148/4.154A	5.0148/4.154A	----	4.371	- 0.621	.5227	----	----	----	97	UNCH
6625	----	----	5.1798/4.300A	5.1798/4.300A	----	4.526	- 0.629	.5330	----	----	----	33	UNCH
6650	----	----	5.3468/4.448A	5.3468/4.448A	----	4.685	- 0.636	.5432	----	----	----	20	UNCH
6675	----	----	5.5218/4.605A	5.5218/4.605A	----	4.845	- 0.643	.5532	----	----	----	1	UNCH
6700	----	----	5.6878/4.761A	5.6878/4.761A	----	5.008	- 0.649	.5631	----	----	----	40	UNCH
6725	----	----	5.8508/4.916A	5.8508/4.916A	----	5.173	- 0.656	.5729	----	----	----	5	UNCH
6750	----	----	6.0308/5.081A	6.0308/5.081A	----	5.341	- 0.661	.5825	----	----	----	7	UNCH
6775	----	----	6.2108/5.239A	6.2108/5.239A	----	5.510	- 0.667	.5921	----	----	----	4	UNCH
6800	----	----	6.3908/5.410A	6.3908/5.410A	----	5.682	- 0.673	.6014	----	----	----	147	UNCH
6825	----	----	6.5708/5.578A	6.5708/5.578A	----	5.857	- 0.679	.6106	----	----	----	1	UNCH
6850	----	----	6.7508/5.741A	6.7508/5.741A	----	6.035	- 0.684	.6196	----	----	----	78	UNCH
6875	----	----	6.9458/5.918A	6.9458/5.918A	----	6.215	- 0.690	.6284	----	----	----	2	UNCH
6900	----	----	7.1258/6.105A	7.1258/6.105A	----	6.397	- 0.696	.6371	----	----	----	20	UNCH
6950	----	----	7.5.										



	BULLETIN #185@				METALS OPTION PRODUCTS							Fri, Sep 25, 2026			PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT	COMEX SILVER OPTIONS															
JAN27																
5375	----	----	----	----/0.666A	0.800B/0.666A	----	0.701	- 0.183	.1125	----	----	----	----	----	1	UNCH
5400	----	----	----	----/0.697A	0.860B/0.697A	----	0.734	- 0.192	.1171	----	----	----	----	----	80	UNCH
5475	----	----	----	----/0.802A	0.987B/0.802A	----	0.845	NEW	.1320	----	----	----	1	----	1	+
5500	0.901	0.901		0.901/0.840A	1.041B/0.840A	----	0.885	- 0.224	.1372	----	----	----	1	----	12	UNCH
5550	1.047	1.047		1.047/0.922A	1.137B/0.922A	----	0.970	- 0.242	.1482	----	----	----	1	----	5	UNCH
5575	0.957	0.957		0.957/0.957	1.181B/0.957	----	1.014	NEW	.1538	----	----	----	4	----	4	+
5600	----	----	----	----/1.011A	1.247B/1.011A	----	1.061	- 0.262	.1597	----	----	----	----	----	1	UNCH
5625	1.051	1.051		1.051/1.051	1.298B/1.051	----	1.109	NEW	.1656	----	----	----	3	----	3	+
5700	1.350	1.350		1.350/1.213A	1.483B/1.213A	----	1.268	- 0.298	.1845	----	----	----	5	----	7	+
5800	1.440	1.440		1.440/1.440	1.768B/1.440	----	1.509	- 0.335	.2118	----	----	----	1	----	28	+
5850	----	----	----	----/1.573A	1.900B/1.573A	----	1.644	- 0.354	.2263	----	----	----	----	----	1	UNCH
5900	----	----	----	----/1.711A	2.084B/1.711A	----	1.788	- 0.374	.2412	----	----	----	----	----	18	UNCH
6000	2.275	2.275		2.275/2.020A	2.437B/2.020A	----	2.110	- 0.411	.2727	----	----	----	2	----	164	+
6100	2.395	2.395		2.395/2.370A	2.834B/2.370A	----	2.472	- 0.447	.3055	----	----	----	1	----	140	+
6125	----	----	----	----/2.463A	2.929B/2.463A	----	2.569	- 0.457	.3139	----	----	----	----	----	12	UNCH
6200	----	----	----	----/2.760A	3.279B/2.760A	----	2.873	- 0.488	.3393	----	----	----	----	----	16	UNCH
6275	----	----	----	----/3.084A	3.641B/3.084A	----	3.200	- 0.519	.3651	----	----	----	----	----	2	UNCH
6300	----	----	----	----/3.198A	3.763B/3.198A	----	3.315	- 0.529	.3738	----	----	----	----	----	1	UNCH
6325	----	----	----	----/3.311A	3.888B/3.311A	----	3.432	- 0.539	.3824	----	----	----	----	----	2	UNCH
6350	----	----	----	----/3.429A	4.032B/3.429A	----	3.552	- 0.549	.3911	----	----	----	----	----	9	UNCH
6375	----	----	----	----/3.550A	4.160B/3.550A	----	3.675	- 0.558	.3997	----	----	----	----	----	25	UNCH
6400	----	----	----	----/3.674A	4.291B/3.674A	----	3.800	- 0.567	.4084	----	----	----	----	----	33	UNCH
6500	----	----	----	----/4.193A	4.852B/4.193A	----	4.327	- 0.599	.4428	----	----	----	----	----	56	UNCH
6525	----	----	----	----/4.329A	4.992B/4.329A	----	4.464	- 0.607	.4513	----	----	----	----	----	1	UNCH
6575	----	----	----	----/4.612A	5.296B/4.612A	----	4.747	NEW	.4682	----	----	----	5	----	5	+
6700	----	----	----	----/5.339A	6.080B/5.339A	----	5.496	- 0.646	.5093	----	----	----	----	----	13	UNCH
6725	----	----	----	----/5.496A	6.256B/5.496A	----	5.652	- 0.651	.5173	----	----	----	----	----	15	UNCH
6800	----	----	----	----/5.951A	6.752B/5.951A	----	6.134	- 0.667	.5408	----	----	----	----	----	2	UNCH
6900	----	----	----	----/6.587A	7.440B/6.587A	----	6.803	- 0.693	.5709	----	----	----	----	----	16	UNCH
6925	----	----	----	----/6.803A	7.585B/6.803A	----	6.975	- 0.699	.5782	----	----	----	----	----	24	UNCH
6950	----	----	----	----/6.923A	7.777B/6.923A	----	7.149	- 0.705	.5854	----	----	----	----	----	1	UNCH
7000	----	----	----	----/7.259A	8.124B/7.259A	----	7.501	- 0.715	.5995	----	----	----	----	----	20	UNCH
7100	----	----	----	----/8.064A	8.856B/8.064A	----	8.226	- 0.722	.6265	----	----	----	----	----	27	UNCH
7125	----	----	----	----/8.253A	9.040B/8.253A	----	8.412	- 0.722	.6331	----	----	----	----	----	1	UNCH
7175	----	----	----	----/8.616A	9.424B/8.616A	----	8.786	- 0.726	.6458	----	----	----	----	----	1	UNCH
7200	----	----	----	----/8.808A	9.632B/8.808A	----	8.976	- 0.728	.6520	----	----	----	----	----	1	UNCH
7350	----	----	----	----/9.936A	10.815B/9.936A	----	10.140	- 0.754	.6873	----	----	----	----	----	1	UNCH
8600	----	----	----	----/20.824A	21.925B/20.824A	----	21.125	- 0.845	.8671	----	----	----	----	----	1	UNCH
8850	----	----	----	----/23.163A	24.285B/23.163A	----	23.475	- 0.847	.8866	----	----	----	----	----	9	UNCH
TOTAL													26	0	1218	+
FEB27																
3475	----	----	----	----	0.037B/0.087A	----	0.045	- 0.010	.0068	----	----	----	----	----	1	UNCH
4000	----	----	----	----	0.102B/0.149A	----	0.121	- 0.025	.0180	----	----	----	----	----	1	UNCH
5000	----	----	----	----/0.631A	0.649B/0.631A	----	0.574	- 0.127	.0819	----	----	----	----	----	17	UNCH
5100	----	----	----	----/0.677A	0.763B/0.677A	----	0.678	- 0.147	.0949	----	----	----	----	----	1	UNCH
5200	----	----	----	----/0.769A	0.912B/0.769A	----	0.800	- 0.170	.1098	----	----	----	----	----	1	UNCH
5225	----	----	----	----/0.804A	0.942B/0.804A	----	0.834	- 0.176	.1138	----	----	----	----	----	5	UNCH
5275	----	----	----	----/0.872A	1.034B/0.872A	----	0.906	- 0.189	.1221	----	----	----	----	----	20	UNCH
5300	----	----	----	----/0.909A	1.079B/0.909A	----	0.944	- 0.196	.1265	----	----	----	----	----	1	UNCH
5400	----	----	----	----/1.065A	1.271B/1.065A	----	1.112	- 0.224	.1451	----	----	----	----	----	3	UNCH
5500	----	----	----	----/1.254A	1.491B/1.254A	----	1.306	- 0.255	.1656	----	----	----	----	----	2	UNCH
5600	1.450	1.450		1.450/1.450	1.745B/1.450	----	1.529	- 0.288	.1880	----	----	----	1	----	7	UNCH
5700	----	----	----	----/1.710A	2.022B/1.710A	----	1.783	- 0.323	.2120	----	----	----	----	----	1	UNCH
5725	----	----	----	----/1.776A	2.103B/1.776A	----	1.852	- 0.332	.2183	----	----	----	----	----	1	UNCH
5800	----	----	----	----/1.993A	2.340B/1.993A	----	2.071	- 0.359	.2377	----	----	----	----	----	10	UNCH
5875	----	----	----	----/2.223A	2.601B/2.223A	----	2.308	- 0.389	.2578	----	----	----	----	----	10	UNCH
6000	----	----	----	----/2.650A	3.085B/2.650A	----	2.750	- 0.436	.2928	----	----	----	----	----	1	UNCH
6100	3.180	3.180		3.180/3.036A	3.519B/3.036A	----	3.143	NEW	.3217	----	----	----	2	----	1	+
6200	3.500	3.500		3.500/3.458A	3.997B/3.458A	----	3.574	- 0.512	.3512	----	----	----	1	----	1	UNCH
6400	----	----	----	----/4.416A	5.040B/4.416A	----	4.544	- 0.579	.4106	----	----	----	----	----	1	UNCH
6500	----	----	----	----/4.947A	5.605B/4.947A	----	5.082	- 0.607	.4401	----	----	----	----	----	21	UNCH
6600	----	----	----	----/5.510A	6.205B/5.510A	----	5.653	- 0.633	.4690	----	----	----	----	----	6	UNCH
6700	----	----	----	----/6.110A	6.829B/6.110A	----	6.255	- 0.657	.4971	----	----	----	----	----	11	UNCH
6825	----	----	----	----/6.889A	7.656B/6.889A	----	7.049	- 0.684	.5310	----	----	----	----	----	5	UNCH
7000	----	----	----	----/8.046A	8.880B/8.046A	----	8.232	- 0.716	.5756	----	----	----	----	----	5	UNCH
7225	----	----	----	----/9.723A	10.525B/9.723A	----	9.860	- 0.749	.6279	----	----	----	----	----	1	UNCH
7250	----	----	----	----/9.911A	10.688B/9.911A	----	10.048	- 0.751	.6333	----	----	----	----	----	1	UNCH
7400	----	----	----	----/11.037A	11.872B/11.037A	----	11.201	- 0.765	.6643	----	----	----	----	----	2	UNCH
7575	----	----	----	----/12.402A	13.236B/12.402A	----	12.597	- 0.776	.6972							

PG64	BULLETIN #185@				METALS OPTION PRODUCTS					Fri, Sep 25, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT	COMEX SILVER OPTIONS													
TOTAL											6	0	277	
MAY27														
4500	----	----	----/0.785A	0.682B/0.785A	----	0.697 -	0.129	.0710	----	----	----	----	5	
4700	----	----	----/0.923A	1.000B/0.923A	----	0.905 -	0.162	.0899	----	----	----	----	25	
4850	----	----	----/1.119A	1.212B/1.119A	----	1.102 -	0.190	.1069	----	----	----	----	5	
6000	----	----	----/4.184A	4.612B/4.184A	----	4.200 -	0.557	.3083	----	----	----	----	1	
6500	----	----	----/6.623A	7.239B/6.623A	----	6.645 -	0.681	.4171	----	----	----	----	64	
6525	----	----	----/6.791A	7.373B/6.791A	----	6.781 -	0.689	.4225	----	----	----	----	10	
6675	----	----	----/7.624A	8.241B/7.624A	----	7.701 -	0.665	.4538	----	----	----	----	2	
6750	----	----	----/8.079A	8.736B/8.079A	----	8.175 -	0.657	.4689	----	----	----	----	5	
7300	----	----	----/11.729A	12.496B/11.729A	----	11.815 -	0.777	.5723	----	----	----	----	10	
7900	----	----	----/16.362A	17.073B/16.362A	----	16.421 -	0.832	.6620	----	----	----	----	10	
8300	----	----	----/19.584A	19.958B/19.584A	----	19.686 -	0.893	.7115	----	----	----	----	5	
8325	----	----	----/19.800A	20.026B/19.800A	----	19.896 -	0.895	.7143	----	----	----	----	2	
8350	----	----	----/19.998A	20.111B/19.998A	----	20.106 -	0.897	.7171	----	----	----	----	2	
8500	----	----	----	----	----	21.381 -	0.906	.7329	----	----	----	----	9	
TOTAL												0	155	
JUN27														
4000	----	----	----	0.392B/0.549A	----	0.448 -	0.069	.0430	----	----	----	----	1	
4500	----	----	----/0.937A	0.833B/0.937A	----	0.840 -	0.148	.0774	----	----	----	----	3	
4700	----	----	----/1.174A	1.101B/1.174A	----	1.077 -	0.190	.0966	----	----	----	55	510 +	
5500	----	----	----/2.820A	2.945B/2.820A	----	2.735 -	0.388	.2091	----	----	----	----	3	
6000	----	----	----/4.598A	4.869B/4.598A	----	4.524 -	0.527	.3030	----	----	----	----	5	
6400	----	----	----/6.494A	6.846B/6.494A	----	6.418 -	0.632	.3830	----	----	----	----	1	
6500	----	----	----/7.038A	7.414B/7.038A	----	6.953 -	0.656	.4029	----	----	----	----	10	
6800	----	----	----/8.766A	9.223B/8.766A	----	8.698 -	0.714	.4609	----	----	----	----	1	
7000	----	----	----/10.026A	10.511B/10.026A	----	9.963 -	0.749	.4974	----	----	----	----	16	
7050	----	----	----/10.368A	10.833B/10.368A	----	10.291 -	0.757	.5062	----	----	----	----	1	
TOTAL												55	551 +	
JUL27														
5000	1.903	1.903	1.903/1.846A	2.018B/1.846A	----	1.869	NEW	.1440	----	----	20	----	20 +	
5500	----	----	----/3.109A	3.389B/3.109A	----	3.147 -	0.377	.2189	----	----	----	----	50	
6500	----	----	----/7.560A	7.912B/7.560A	----	7.495 -	0.628	.4012	----	----	----	----	1	
6900	----	----	----/9.803A	10.465B/9.803A	----	9.867 -	0.699	.4727	----	----	----	100	UNCH	
7000	----	----	----/10.412A	11.110B/10.412A	----	10.508 -	0.714	.4895	----	----	----	25	UNCH	
TOTAL											20	0	196 +	
SEP27														
5500	----	----	----/3.885A	4.007B/3.885A	----	3.802 -	0.395	.2256	----	----	----	----	10	
TOTAL												0	10	
DEC27														
7175	----	----	----	----	----	14.192 -	0.432	.4513	----	----	----	----	25	
TOTAL												0	25	
DEC28														
7175	----	----	----	----	----	16.820 -	0.372	.3791	----	----	----	----	40	
TOTAL												0	40	
SO1 CALL		SILVER OPTIONS												
OCT26														
6100	----	----	4.566B/3.140A	4.566B/3.140A	----	3.956 +	0.642	.9116	----	----	----	----	5	
6350	----	----	2.419B/1.361A	2.419B/1.361A	----	1.918 +	0.349	.6921	----	----	----	----	4	
6400	----	----	2.063B/1.112A	2.063B/1.112A	----	1.598 +	0.287	.6244	----	----	----	----	4	
6450	----	----	1.738B/0.904A	1.738B/0.904A	----	1.314 +	0.229	.5524	----	----	----	----	4	
6500	1.289	1.289	1.477B/0.726A	1.477B/0.726A	----	1.067 +	0.174	.4793	----	2	----	8 +	2	
6550	----	----	1.213B/0.585A	1.213B/0.585A	----	0.855 +	0.124	.4077	----	----	----	----	41	
6600	0.500	0.500	1.000/0.467A	1.000/0.467A	----	0.678 +	0.081	.3403	----	4	----	4 +	3	
6650	----	----	0.805B/0.374A	0.805B/0.374A	----	0.532 +	0.045	.2791	----	----	----	----	8	
6700	----	----	0.650B/0.301A	0.650B/0.301A	----	0.416 +	0.018	.2257	----	----	----	----	9	
6750	0.470	0.470	0.519B/0.243A	0.519B/0.243A	----	0.325 -	0.002	.1807	----	1	----	6	UNCH	
6800	----	----	0.419B/0.200A	0.419B/0.200A	----	0.255 -	0.014	.1438	----	12	----	12 +	10	
6850	0.244	0.244	0.335B/0.166A	0.335B/0.166A	----	0.201	NEW	.1142	----	2	----	2 +	2	
6900	0.150	0.150	0.271B/0.147A	0.271B/0.147A	----	0.161 -	0.026	.0912	----	2	----	9 +	2	
6950	----	----	0.219B/0.118A	0.219B/0.118A	----	0.130 -	0.028	.0731	----	----	----	----	1	
7000	----	----	0.179B/0.100A	0.179B/0.100A	----	0.107 -	0.028	.0593	----	----	----	----	25	
7050	----	----	0.147B/0.085A	0.147B/0.085A	----	0.089 -	0.028	.0485	----	----	----	----	3	
7100	----	----	0.113B/0.075A	0.113B/0.075A	----	0.076 -	0.026	.0404	----	----	----	----	1	
7150	----	----	0.100B/0.067A	0.100B/0.067A	----	0.066 -	0.024	.0342	----	----	----	----	1	
7200	0.045	0.045	0.085B/0.045	0.085B/0.045	----	0.058 -	0.023	.0293	----	3	----	11	UNCH	
7250	----	----	----/0.054A	0.072B/0.054A	----	0.052 -	0.021	.0255	----	----	----	----	2	
7300	----	----	----/0.049A	0.062B/0.049A	----	0.047 -	0.019	.0223	----	----	----	----	1	
7400	0.060	0.060	0.060/0.048A	0.060/0.048A	----	0.040 -	0.016	.0179	----	1	----	4	UNCH	
7500	0.054	0.054	0.054/0.035A	0.054/0.035A	----	0.035 -	0.013	.0147	----	1	----	2	UNCH	
7600	----	----	----/0.039A	0.029B/0.039A	----	0.031 -	0.011	.0123	----	----	----	----	1	
8750	0.010	0.010	0.010/0.010	0.010/0.010	----	0.006	NEW	.0015	----	10	----	10 +	10	
TOTAL										38	0	178 +	29	
SO1 PUT		SILVER OPTIONS												
OCT26														
5400	----	----	----	----/0.033A	----	0.009 -	0.016	.0035	----	----	----	----	6	
5500	----	----	----/0.025A	0.003B/0.025A	----	0.013 -	0.020	.0054	----	----	----	----	1	
5600	----	----	----/0.021A	0.019B/0.021A	----	0.018 -	0.023	.0080	----	----	----	----	13	
5800	----	----	----/0.039A	0.040B/0.039A	----	0.037 -	0.035	.0187	----	----	----	----	10	
5900	0.055	0.055	0.055/0.054	0.070B/0.054	----	0.057 -	0.053	.0304	----	6	----	7 +	6	
5950	----	----	----/0.067A	0.096B/0.067A	----	0.073 -	0.068	.0397	----	----	----	----	1	
6000	0.083	0.083	0.113/0.081	0.143B/0.081	----	0.093 -	0.090	.0515	----	51	----	63 +	41	
6050														



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

PG64	BULLETIN #185@										METALS OPTION PRODUCTS										Fri, Sep 25, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST											
S02 PUT OCT26		SILVER OPTIONS																							
6700	----	----	3.760B/2.669A	3.760B/2.669A	----	3.020	-	0.728	.6921	----	----	----	----	1	UNCH										
TOTAL											84	0		112 +	80										
S03 CALL OCT26		SILVER OPTIONS																							
6600	----	----	1.896B/1.253A	1.896B/1.253A	----	1.532	+	0.138	.4219	----	----	----	----	4	UNCH										
6650	----	----	1.692B/1.135A	1.692B/1.135A	----	1.357	+	0.112	.3853	----	----	----	----	8	UNCH										
6700	----	----	1.512B/1.001A	1.512B/1.001A	----	1.201	+	0.089	.3506	----	----	----	----	5	UNCH										
6800	----	----	1.197B/0.779A	1.197B/0.779A	----	0.938	+	0.050	.2874	----	----	----	----	2	UNCH										
6900	----	----	0.934B/0.628A	0.934B/0.628A	----	0.732	+	0.019	.2334	----	----	----	----	4	UNCH										
7000	0.555	0.555	0.752B/0.490A	0.752B/0.490A	----	0.574	+	0.001	.1886	----	2	----	----	9 +	2										
7050	----	----	0.671B/0.439A	0.671B/0.439A	----	0.509	-	0.008	.1693	----	----	----	----	2	UNCH										
7100	0.501	0.501	0.595B/0.397A	0.595B/0.397A	----	0.453	-	0.013	.1522	----	9	----	----	19 +	9										
7150	----	----	0.531B/0.375A	0.531B/0.375A	----	0.404	-	0.017	.1369	----	----	----	----	5	UNCH										
7200	0.436	0.436	0.480B/0.360A	0.480B/0.360A	----	0.362	NEW	.1233		----	6	----	----	6 +	6										
7400	----	----	0.315B/-----	0.315B/0.262A	----	0.240	-	0.021	.0826	----	----	----	----	5	UNCH										
TOTAL											17	0		69 +	17										
S03 PUT OCT26		SILVER OPTIONS																							
5700	----	----	-----/0.223A	0.171B/0.223A	----	0.153	-	0.094	.0575	----	----	----	----	1	UNCH										
5800	----	----	-----/0.227A	0.236B/0.227A	----	0.211	-	0.128	.0787	----	----	----	----	15	UNCH										
5900	----	----	-----/0.309A	0.391B/0.309A	----	0.300	-	0.173	.1090	----	----	----	----	15	UNCH										
5950	----	----	-----/0.361A	0.473B/0.361A	----	0.359	-	0.202	.1281	----	----	----	----	2	UNCH										
6000	----	----	-----/0.392A	0.566B/0.392A	----	0.431	-	0.233	.1501	----	20	----	----	35 +	20										
6050	0.571	0.571	0.571/0.465A	0.679B/0.465A	----	0.517	-	0.267	.1752	----	4	----	----	5 +	4										
6100	----	----	-----/0.557A	0.816B/0.557A	----	0.618	-	0.304	.2032	----	----	----	----	24	UNCH										
6150	----	----	-----/0.675A	0.970B/0.675A	----	0.736	-	0.343	.2340	----	----	----	----	2	UNCH										
6200	----	----	-----/0.806A	1.131B/0.806A	----	0.874	-	0.382	.2676	----	----	----	----	16	UNCH										
6250	1.023	1.023	1.364B/0.944A	1.364B/0.944A	----	1.031	NEW	.3034		----	10	----	----	10 +	10										
6300	----	----	-----/1.102A	1.572B/1.102A	----	1.209	-	0.463	.3411	----	----	----	----	5	UNCH										
6350	----	----	-----/1.269A	1.815B/1.269A	----	1.409	-	0.501	.3803	----	----	----	----	5	UNCH										
6500	----	----	-----/1.920A	2.677B/1.920A	----	2.137	-	0.604	.5005	----	----	----	----	10	UNCH										
6600	----	----	-----/2.459A	3.255B/2.459A	----	2.728	-	0.660	.5779	----	----	----	----	5	UNCH										
6650	----	----	-----/2.759A	3.615B/2.759A	----	3.053	-	0.685	.6146	----	----	----	----	6	UNCH										
6700	----	----	-----/3.071A	4.005B/3.071A	----	3.396	-	0.708	.6493	----	----	----	----	20	UNCH										
TOTAL											34	0		176 +	34										
S04 CALL SEP26		SILVER OPTIONS																							
6330	----	----	2.177B/0.615A	2.177B/0.615A	----	1.501	+	0.549	----	1	----	----	----	0 -	1										
6360	----	----	1.882B/0.386A	1.882B/0.386A	----	1.201	+	0.451	----	1	----	----	----	0 -	1										
6400	0.160	0.160	1.496B/0.160	1.496B/0.160	----	0.801	+	0.277	----	14	3	----	----	0 -	13										
6420	0.341	0.341	1.307B/0.112A	1.307B/0.112A	----	0.601	+	0.170	----	16	17	----	----	0 -	1										
6430	0.330	0.330	1.214B/0.089	1.214B/0.089	----	0.501	NEW	----	----	7	8	----	----	0	UNCH										
6440	0.065	0.065	1.125B/0.065	1.125B/0.065	----	0.401	+	0.050	----	16	16	----	----	0 -	1										
6450	0.292	0.292	1.033B/0.041	1.033B/0.041	----	0.301	-	0.015	----	41	45	----	----	0 -	1										
6460	0.290	0.290	0.944B/0.034	0.944B/0.034	----	0.201	NEW	----	----	12	12	----	----	0	UNCH										
6470	0.293	0.293	0.860B/0.034A	0.860B/0.034A	----	0.101	NEW	----	----	2	2	----	----	0	UNCH										
6480	0.288	0.288	0.781B/0.017A	0.781B/0.017A	----	0.001	-	0.228	----	4	16	----	----	0 -	2										
6490	0.289	0.289	0.697B/0.011A	0.697B/0.011A	----	0.000	NEW	----	----	1	1	----	----	0	UNCH										
6500	0.151	0.151	0.627B/0.013A	0.627B/0.013A	----	0.000	-	0.184	----	9	9	----	----	0 -	38										
6510	0.125	0.125	0.559B/0.010A	0.559B/0.010A	----	0.000	-	0.165	----	3	3	----	----	0 -	1										
6520	----	----	0.494B/0.007A	0.494B/0.007A	----	0.000	-	0.148	----	----	----	----	----	0 -	8										
6530	0.034	0.034	0.429B/0.008A	0.429B/0.008A	----	0.000	-	0.132	----	1	1	----	----	0 -	4										
6540	----	----	0.375B/0.008A	0.375B/0.008A	----	0.000	-	0.119	----	4	4	----	----	0 -	4										
6550	0.070	0.070	0.329/0.009A	0.329/0.009A	----	0.000	-	0.107	----	14	14	----	----	0 -	35										
6560	0.186	0.186	0.280B/0.008A	0.280B/0.008A	----	0.000	-	0.096	----	2	2	----	----	0 -	8										
6570	----	----	0.240B/0.008A	0.240B/0.008A	----	0.000	-	0.087	----	----	----	----	----	0 -	2										
6580	----	----	0.206B/0.009A	0.206B/0.009A	----	0.000	-	0.078	----	----	----	----	----	0 -	1										
6600	0.050	0.050	0.148B/0.009A	0.148B/0.009A	----	0.000	-	0.064	----	16	16	----	----	0 -	33										
6610	0.120	0.120	0.125B/0.002	0.125B/0.002	----	0.000	-	0.058	----	2	2	----	----	0 -	1										
6620	----	----	0.104B/0.010A	0.104B/0.010A	----	0.000	-	0.053	----	----	----	----	----	0 -	1										
6630	0.077	0.077	0.090/0.010A	0.090/0.010A	----	0.000	-	0.049	----	2	2	----	----	0 -	1										
6640	0.079	0.079	0.079/0.010A	0.079/0.010A	----	0.000	NEW	----	----	4	4	----	----	0	UNCH										
6650	----	----	0.062B/0.010A	0.062B/0.010A	----	0.000	-	0.041	----	----	----	----	----	0 -	12										
6670	0.054	0.054	0.054/0.010A	0.054/0.010A	----	0.000	NEW	----	----	1	1	----	----	0	UNCH										
6700	0.007	0.007	0.007/0.007	0.021B/0.007	----	0.000	-	0.028	----	1	1	----	----	0 -	18										
67																									

PG64	BULLETIN #185@										METALS OPTION PRODUCTS				Fri, Sep 25, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST					
S04 PUT SEP26	SILVER OPTIONS																			
6650	----	----	----	2.682B/1.109A	2.682B/1.109A	----	----	1.699 - 0.840	----	16	----	----	----	0 -	16					
6660	----	----	----	2.778B/1.198A	2.778B/1.198A	----	----	1.799 - 0.837	----	1	----	----	----	0 -	1					
6680	----	----	----	2.977B/1.381A	2.977B/1.381A	----	----	1.999 - 0.832	----	17	----	----	----	0 -	17					
6690	----	----	----	3.077B/1.475A	3.077B/1.475A	----	----	2.099 - 0.829	----	8	----	----	----	0 -	8					
6700	----	----	----	3.177B/1.569A	3.177B/1.569A	----	----	2.199 - 0.827	----	5	----	----	----	0 -	5					
6710	----	----	----	3.276B/1.665A	3.276B/1.665A	----	----	2.299 - 0.826	----	3	----	----	----	0 -	3					
6720	----	----	----	3.376B/1.760A	3.376B/1.760A	----	----	2.399 - 0.824	----	1	----	1	----	0 -	2					
6750	2.167	2.167		3.675B/2.052A	3.675B/2.052A	----	----	2.699 - 0.820	----	----	----	1	----	0 -	1					
6760	----	----	----	3.775B/2.151A	3.775B/2.151A	----	----	2.799 - 0.819	----	1	----	----	----	0 -	1					
6790	----	----	----	4.075B/2.445A	4.075B/2.445A	----	----	3.099 - 0.816	----	1	----	----	----	0 -	1					
7050	----	----	----	6.672B/5.034A	6.672B/5.034A	----	----	5.699 - 0.802	----	1	----	----	----	0 -	1					
TOTAL												260	0	0 -	291					
SWW WED SEP26	SILVER WEEKLY WEDNESDAY OPTION WEEK																			
5800	----	----	----	----/0.024A	0.007B/0.024A	----	----	0.019 - 0.015	.0092	----	----	----	----	2	UNCH					
6000	----	----	----	----/0.036A	0.052B/0.036A	----	----	0.039 - 0.062	.0237	----	----	----	----	12	UNCH					
6050	----	----	----	----/0.047A	0.075B/0.047A	----	----	0.050 - 0.085	.0319	----	----	----	----	1	UNCH					
6100	----	----	----	----/0.061A	0.125B/0.061A	----	----	0.066 - 0.117	.0441	----	----	----	----	9	UNCH					
6200	0.117	0.117		0.203/0.112A	0.270B/0.112A	----	----	0.128 - 0.209	.0901	----	----	10	----	18 -	2					
6210	0.211	0.211		0.277/0.116A	0.291B/0.116A	----	----	0.137 - NEW	.0967	----	----	6	----	6 +	6					
6230	0.253	0.253		0.253/0.132A	0.336B/0.132A	----	----	0.158 - NEW	.1118	----	----	1	----	1 +	1					
6240	0.316	0.316		0.316/0.141A	0.361B/0.141A	----	----	0.170 - NEW	.1203	----	----	3	----	3 +	3					
6250	----	----	----	----/0.150A	0.388B/0.150A	----	----	0.183 - 0.272	.1294	----	----	----	----	3	UNCH					
6300	----	----	----	----/0.208A	0.545B/0.208A	----	----	0.264 - 0.343	.1837	----	----	----	----	27	UNCH					
6350	----	----	----	----/0.292A	0.752B/0.292A	----	----	0.378 - 0.422	.2539	----	----	----	----	5	UNCH					
6400	----	----	----	1.847B/0.835A	1.847B/0.835A	----	----	1.332 + 0.295	.6611	----	----	----	----	6	UNCH					
6400	0.520	0.520		0.520/0.400A	1.008B/0.400A	----	----	0.532 - 0.503	.3388	----	----	2	----	6 +	2					
6440	0.986	0.986		0.986/0.517A	1.232B/0.517A	----	----	0.687 - NEW	.4144	----	----	4	----	4 +	4					
6500	0.865	0.865		1.636B/0.742A	1.636B/0.742A	----	----	0.977 - 0.654	.5335	----	----	1	----	4	UNCH					
6500	----	----	----	1.189B/0.471A	1.189B/0.471A	----	----	0.778 + 0.144	.4664	----	----	----	----	2	UNCH					
6650	0.272	0.272		0.527B/0.192A	0.527B/0.192A	----	----	0.294 + 0.002	.2090	----	----	5	----	12 +	5					
6700	----	----	----	0.392B/0.147A	0.392B/0.147A	----	----	0.209 - 0.018	.1515	----	----	----	----	7	UNCH					
6740	0.159	0.159		0.308B/0.127A	0.308B/0.127A	----	----	0.160 - 0.027	.1163	----	----	2	----	2 +	1					
6750	----	----	----	3.779B/2.349A	3.779B/2.349A	----	----	2.848 - 0.826	.8911	----	----	----	----	5	UNCH					
6750	----	----	----	0.290B/0.125A	0.290B/0.125A	----	----	0.150 - 0.028	.1088	----	----	----	----	6	UNCH					
6800	0.087	0.087		0.216B/0.087	0.216B/0.087	----	----	0.111 - 0.031	.0791	----	----	1	----	2	UNCH					
6830	----	----	----	0.182B/0.080A	0.182B/0.080A	----	----	0.094 - 0.031	.0659	----	----	----	----	1	UNCH					
6900	----	----	----	0.122B/0.061A	0.122B/0.061A	----	----	0.066 - 0.029	.0440	----	----	----	----	17	UNCH					
6920	0.055	0.055		0.110B/0.050	0.110B/0.050	----	----	0.061 - NEW	.0399	----	----	2	----	2 +	2					
6950	0.059	0.059		0.088B/0.052A	0.088B/0.052A	----	----	0.054 - 0.025	.0344	----	----	1	----	62 +	1					
6970	----	----	----	0.082B/0.049A	0.082B/0.049A	----	----	0.050 - 0.024	.0313	----	----	----	----	3	UNCH					
7100	----	----	----	----/0.038A	0.047B/0.038A	----	----	0.034 - 0.017	.0187	----	----	----	----	1	UNCH					
7700	----	----	----	----	0.004B/0.021A	----	----	0.014 - 0.005	.0047	----	----	----	----	1	UNCH					
TOTAL												38	0	230 +	23					
OCT26																				
4750	0.008	0.008		0.008/0.008	0.008/0.008	----	----	0.003 - NEW	.0012	----	----	34	----	34 +	34					
5800	----	----	----	----/0.073A	0.095B/0.073A	----	----	0.078 - 0.061	.0376	----	----	----	----	3	UNCH					
6300	----	----	----	----/1.021A	1.428B/1.021A	----	----	1.074 - 0.472	.3311	----	----	----	----	2	UNCH					
6350	----	----	----	----/0.756A	1.302B/0.756A	----	----	0.881 - 0.457	.3436	----	----	----	----	2	UNCH					
6450	----	----	----	----/1.103A	1.850B/1.103A	----	----	1.305 - 0.561	.4549	----	----	----	----	8	UNCH					
6500	----	----	----	1.765B/1.012A	1.765B/1.012A	----	----	1.365 + 0.191	.4882	----	----	----	----	3	UNCH					
6700	----	----	----	0.928B/0.511A	0.928B/0.511A	----	----	0.683 + 0.057	.2860	----	----	----	----	60	UNCH					
6900	----	----	----	0.470B/0.269A	0.470B/0.269A	----	----	0.341 - 0.002	.1538	----	----	----	----	2	UNCH					
6950	----	----	----	0.398B/0.233A	0.398B/0.233A	----	----	0.290 - 0.008	.1317	----	----	----	----	5	UNCH					
7400	----	----	----	0.110B/0.085A	0.110B/0.085A	----	----	0.089 - 0.020	.0384	----	----	----	----	1	UNCH					
TOTAL												34	0	120 +	34					
TWS TUE SEP26	SILVER WEEKLY TUESDAY OPTION Week5																			
4750	----	----	----	----/0.079A	0.017/0.014	----	----	0.001 - UNCH	----	----	----	----	----	34	UNCH					
5800	0.014	0.014		0.017/0.014	0.017/0.014	----	----	0.003 - NEW	.0013	----	----	2	----	2 +	2					
6000	0.019	0.019		0.019/0.019	0.025B/0.019	----	----	0.021 - 0.041	.0124	----	----	1	----	2 +	1					
6100	----	----	----	----/0.038A	0.055B/0.038A	----	----	0.041 - 0.081	.0277	----	----	----	----	1	UNCH					
6150	----	----	----	----/0.049A	0.115B/0.049A	----	----	0.057 - 0.117	.0410	----	----	----	----	5	UNCH					
6200	----	----	----	----/0.067A	0.182B/0.067A	----	----	0.080 - 0.167	.0610	----	----	----	----	5	UNCH					
6300	0.185	0.185		0.185/0.137A	0.421B/0.137A	----	----	0.175 - 0.315	.1418	----	----	2	----	12 +	2					
6340	0.270	0.270		0.270/0.184A	0.574B/0.184A	----	----	0.243 - NEW	.1964	----	----	2	----	2 +	2					
6370	----	----	----	1.977B/0.836A	1.977B/0.836A	----	----	1.412 + 0.350	.7523	----	----	----	----	3	UNCH					
6400	0.608	0.608		0.608/0.288A	0.864B/0.288A	----	----	0.396 - 0.508	.3072	----	----	10	----	20 +	10					
6420	----	----	----	----/0.334A	0.976B/0.334A	----	----	0.462 - NEW	.3507	----	----	----	35	35 +	35					
6430	0.647	0.647		0.647/0.360A	1.040B/0.360A	----	----	0.499 - 0.5												



GLOBEX			OPEN OUTCRY			GLOBEX			OPEN OUTCRY			SETT.PRICE			DELTA			EXER			OPEN			GLOBEX®			PNT			OPEN					
OPEN			OPEN RANGE			HIGH/LOW			HIGH/LOW			CLOSE RANGE			& PT.CHGE.						CISES			VOLUME			VOLUME			VOLUME			INTEREST		
HMM MON			COPPER WEEKLY MONDAY OPTION WEEK4																																
SEP26																																			
672	0.0400	0.0400	0.0400/0.0205A		0.0400/0.0205A		----	0.0190		NEW		.2844	----	----	----	4	----	4	+	4															
675	0.0385	0.0385	0.0400/0.0385		0.0635B/0.0385		----	0.0490		NEW		.5747	----	----	----	2	----	2	+	2															
676	0.0350	0.0350	0.0580B/0.0350		0.0580B/0.0350		----	0.0380		NEW		.4704	----	----	----	2	----	2	+	2															
677	0.0360	0.0360	0.0650B/0.0360		0.0650B/0.0360		----	0.0435		NEW		.5147	----	----	----	2	----	2	+	2															
677	0.0385	0.0385	0.0385/0.0360A		0.0555B/0.0360A		----	0.0400		NEW		.4851	----	----	----	2	----	2	+	2															
680	0.0565	0.0565	0.0870B/0.0565		0.0870B/0.0565		----	0.0625		NEW		.6382	----	----	----	1	----	1	+	1															
680	0.0260	0.0260	0.0285/0.0260		0.0450B/0.0260		----	0.0285		-		0.0325	.3616	----	33	----	32	+	17																
681	-----	-----	0.0950B/0.0690A		0.0950B/0.0690A		----	0.0695		-		0.0070	.6747	----	----	----	2	UNCH																	
682	-----	-----	----/0.0225A		0.0380B/0.0225A		----	0.0225		NEW		.2899	----	----	----	2	----	2	+	2															
685	-----	-----	----/0.0165A		0.0295B/0.0165A		----	0.0150		-		0.0275	.1973	----	----	----	35	UNCH																	
688	0.0110	0.0110	0.0110/0.0110		0.0220B/0.0110		----	0.0100		-		0.0240	.1298	----	1	----	4	+	1																
689	-----	-----	----/0.0125A		0.0200B/0.0125A		----	0.0090		NEW		.1146	----	----	4	----	4	+	4																
690	-----	-----	----/0.0115A		0.0180B/0.0115A		----	0.0080		-		0.0215	.1002	----	14	----	43	+	8																
695	-----	-----	----/0.0085A		0.0105B/0.0085A		----	0.0040		-		0.0165	.0462	----	----	----	10	UNCH																	
700	-----	-----	----/0.0080A		0.0060B/0.0080A		----	0.0020		-		0.0125	.0205	----	----	----	40	UNCH																	
705	-----	-----	----/0.0075A		0.0020B/0.0075A		----	0.0010		-		0.0090	.0089	----	----	----	25	UNCH																	
710	-----	-----	-----		0.0005B/0.0095A		----	0.0005		-		0.0060	.0024	----	----	----	21	UNCH																	
720	-----	-----	-----		----/0.0090A		----	0.0005		-		0.0030	.0001	----	----	----	12	UNCH																	
725	-----	-----	-----		----/0.0085A		----	0.0005		-		0.0020	.0000	----	----	----	15	UNCH																	
730	-----	-----	-----		----/0.0085A		----	0.0005		-		0.0015	.0000	----	----	----	10	UNCH																	
TOTAL																																			
OCT26																																			
525	-----	-----	-----		----/0.0090A		----	0.0005		UNCH		-----	----	----	----	----	----	30	UNCH																
615	-----	-----	-----		0.0005B/0.0115A		----	0.0010		-		0.0020	.0076	----	----	----	30	UNCH																	
625	-----	-----	-----		0.0010B/0.0075A		----	0.0020		-		0.0025	.0159	----	----	----	1	UNCH																	
630	-----	-----	-----		0.0025B/0.0080A		----	0.0030		-		0.0035	.0240	----	----	----	135	UNCH																	
635	-----	-----	-----		0.0045B/0.0090A		----	0.0045		-		0.0040	.0360	----	----	----	44	UNCH																	
640	-----	-----	-----		----/0.0110A		----	0.0070		-		0.0055	.0549	----	----	----	31	UNCH																	
645	-----	-----	-----		----/0.0145A		----	0.0115		-		0.0070	.0857	----	----	----	31	UNCH																	
650	0.0240	0.0240	0.0240/0.0205A		0.0240/0.0205A		----	0.0175		-		0.0085	.1246	----	1	----	51	+	1																
650	-----	-----	0.0420B/0.0355A		0.0420B/0.0355A		----	0.0335		-		0.0060	.1822	----	----	----	1	UNCH																	
655	-----	-----	----/0.0295A		0.0325B/0.0295A		----	0.0270		-		0.0090	.1783	----	----	----	1	UNCH																	
660	-----	-----	----/0.0415A		0.0490B/0.0415A		----	0.0405		-		0.0090	.2439	----	----	----	10	UNCH																	
675	-----	-----	0.1200B/0.1015A		0.1200B/0.1015A		----	0.1025		-		0.0085	.4679	----	----	----	1	UNCH																	
680	-----	-----	----/0.0935A		0.1085B/0.0935A		----	0.0975		-		0.0305	.4580	----	----	----	55	UNCH																	
690	-----	-----	----/0.0640A		0.0730B/0.0640A		----	0.0650		-		0.0270	.3281	----	----	----	46	UNCH																	
695	-----	-----	----/0.0530A		0.0600B/0.0530A		----	0.0530		-		0.0245	.2742	----	----	----	14	UNCH																	
700	-----	-----	----/0.0430A		0.0490B/0.0430A		----	0.0435		-		0.0220	.2285	----	----	----	26	UNCH																	
725	-----	-----	----/0.0295A		0.0290B/0.0295A		----	0.0265		-		0.0150	.1252	----	----	----	2	UNCH																	
730	-----	-----	----/0.0160A		0.0130B/0.0160A		----	0.0125		-		0.0085	.0689	----	----	----	0	UNCH																	
775	-----	-----	-----		0.0005B/0.0090A		----	0.0015		-		0.0020	.0082	----	----	----	1	UNCH																	
800	-----	-----	-----		----/0.0110A		----	0.0005		-		0.0005	.0026	----	----	----	29	UNCH																	
TOTAL																																			
OCT26																																			
500	-----	-----	-----		----/0.0095A		----	0.0005		UNCH		-----	----	----	----	----	----	19	UNCH																
525	-----	-----	-----		----/0.0105A		----	0.0005		UNCH		.0021	----	----	----	----	----	30	UNCH																
600	-----	-----	-----		0.0040B/0.0145A		----	0.0075		-		0.0005	.0361	----	----	----	1	UNCH																	
600	-----	-----	-----		----/0.0095A		----	0.0010		-		0.0005	.0050	----	----	----	1	UNCH																	
635	-----	-----	-----		0.0315B/0.0380A		----	0.0295		-		0.0050	.1346	----	----	----	1	UNCH																	
640	-----	-----	-----		0.0415B/0.0465A		----	0.0375		-		0.0060	.1645	----	----	----	3	UNCH																	
640	-----	-----	-----		----/0.0270A		----	0.0265		-		0.0035	.1355	----	----	----	5	UNCH																	
650	-----	-----	0.0535B/0.0450A		0.0535B/0.0450A		----	0.0465		-		0.0035	.2132	----	----	----	5	UNCH																	
650	-----	-----	----/0.0120A		0.0085B/0.0120A		----	0.0095		-		0.0065	.0790	----	----	----	11	UNCH																	
655	-----	-----	----/0.0170A		0.0165B/0.0170A		----	0.0135		-		0.0090	.1147	----	----	----	1	UNCH																	
660	0.0625	0.0625	0.0650B/0.0540A		0.0650B/0.0540A		----	0.0530		-		NEW	.2727	----	1	----	1	+	1																
660	-----	-----	----/0.2285A		0.2545B/0.2285A		----	0.2415		-		0.0290	.6902	----	----	----	1	UNCH																	
660	-----	-----	----/0.0250A		0.0300B/0.0250A		----	0.0210		-		0.0110	.1736	----	----	----	1	UNCH																	
665	-----	-----	----/0.1995A		0.2240B/0.1995A		----	0.0210		-		0.0305	.6376	----	----	----	40	UNCH																	
665	-----	-----	0.0485B/0.0380A		0.0485B/0.0380A		----	0.0345		-		0.0120	.2599	----	----	----	1	UNCH																	
670	-----	-----	----/0.1730A		0.0485B/0.1730A		----	0.1825		-		0.0315	.5827	----	----	----	2	UNCH																	
670	-----	-----	----/0.1165A		0.1385B/0.1165A		----	0.1205		-		0.0305	.6387	----	----	----	8	UNCH																	
675	-----	-----	0.1360B/0.1205A		0.1360B/0.1205A		----	0.1200		-		0.0295	.4700	----	----	----	9	UNCH																	
675	-----	-----	----/0.1320A		0.1455B/0.1320A		----	0.1360		-		0.0295	.5295	----	----	----	83	UNCH																	
675	-----	-----	----/0.0915A		0.1100B/0.0915A		----	0.0960		-		0.0340	.5372	----	----	----	20	UNCH																	
680	-----	-----	0.1325B/0.1150A		0.1325B/0.1150A		----	0.1100		-		0.0080	.5529	----	----	----	11	UNCH																	
685	-----	-----	----/0.1125A		0.1300B/0.1125A		----	0.1170		-		0.0300	.4232	----	----	----	47	UNCH																	
690	-----	-----	----/0.0975A		0.1120B/0.0975A		----	0.1005		-		0.0280	.3754	----	----	----	13	UNCH																	
690	-----	-----	----/0.0450A		0.0525B/0.0450A		----	0.0455		-		0.0275	.2840	----	----	----	77	UNCH																	
695	-----	-----	----/0.0840A		0.0960B/0.0840A		----	0.0860		-		0.0255	.3310	----	----	----	1	UNCH																	
695	0.0435	0.0435	0.0435/0.0370A		0.0435/0.0370A		----	0.0350		-		NEW	.2255	----	5	----	1	+	5																
700	-----	-----	----/0.0560A		0.0630B/0.0560A		----	0.0565		-		0.0180	.2591	----	----	----	1	UNCH																	
700	-----	-----	----/0.0720A		0.0835B/0.0720A		----	0.0735		-		0.0235	.2505	----	----	----	24	UNCH																	
700	0.0360	0.0360	0.0360/0.0280A		0.0360/0.0280A		----	0.0265		-		0.0215	.1712	----	8	----	12	+	8																
710	-----	-----	----/0.0190A		0.0180B/0.0190A		----	0.0145		-		0.0155	.0958	----	----	----	1	UNCH																	
720	-----	-----	----/0.0135A		0.0105B/0.0135A		----	0.0080		-		0.0115	.0523	----	----	----	1	UNCH																	
730	-----	-----	----/0.0435A		0.0390B/0.0435A		----	0.0365		-		0.0165	.1461	----	----	----	1	UNCH																	
750	-----	-----	----/0.0125A		0.0085B/0.0125A		----	0.0095		-		0.0065	.0474	----	----	----	6	UNCH																	
750	-----	-----	-----		0.0005B/0.0095A		----	0.0015		-		0.0035	.0086	----	----	----	1	UNCH																	
775	-----	-----	-----		0.0030B/0.0090A		----	0.0035		-		0.0035	.0178	----	----	----	1	UNCH																	
800	-----	-----	-----		0.0035B/0.0135A		----	0.0055		-		0.0045	.0238	----	----	----	30	UNCH																	
800	-----	-----	-----		0.0030B/0.0080A		----	0.0025		-		0.0030	.0123	----	----	----	19	UNCH																	
800	-----	-----	-----		----/0.0090A		----	0.0005		-		UNCH	.0002	----	----	----	495	+	14																
TOTAL																																			
OCT26																																			
500	0.0005	0.0005	0.0005/0.0005		0.0005/0.0005		----	0.0005		UNCH		.0000	----	----	----	30	----	30	+	30															
500	-----	-----	-----		----/0.0090A		----	0.0005		UNCH		-----	----	----	----	----	----	19	UNCH																
635	-----	-----	----/0.0175A		0.0155B/0.0175A		----	0.0155		-		0.0030	.0904	----	----	----	1	UNCH																	
645	-----	-----	----/0.0170A		0.0150B/0.0170A		----	0.0135		-		0.0060	.0960	----	----	----	2	UNCH																	
655	-----	-----	0.0380B/0.0325A		0.0380B/0.0325A		----	0.0320		-		0.0045	.1949	----	----	----	1	UNCH																	
665	-----	-----	0.0755B/0.0610A		0.0755B/0.0610A		----	0.0630		-		0.0045																							



BULLETIN #185@				METALS OPTION PRODUCTS							Fri, Sep 25, 2026			PG64	
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST			
HWW WED OCT26														COPPER WEEKLY WEDNESDAY OPTION WEEK	
600	----	----	----	----	----/0.0120A	0.0040 - 0.0020	.0205	----	----	----	----	9	UNCH		
610	----	----	----	0.0050B/0.0090A	----	0.0080	UNCH .0412	----	----	----	----	1	UNCH		
625	0.0050	0.0050	0.0050/0.0050	0.0050/0.0050	----	0.0060 - 0.0030	.0387	----	----	6	----	10	UNCH		
635	----	----	----/0.0110A	0.0070B/0.0110A	----	0.0075 - 0.0050	.0537	----	----	----	----	1	UNCH		
640	----	----	----/0.0140A	0.0115B/0.0140A	----	0.0105 - 0.0055	.0743	----	----	----	----	20	UNCH		
645	0.0200	0.0200	0.0200/0.0185A	0.0200/0.0185A	----	0.0155 - 0.0060	.1054	----	----	20	----	100 +	20		
650	----	----	0.0300B/0.0250A	0.0300B/0.0250A	----	0.0235 - 0.0060	.1492	----	----	----	----	16	UNCH		
660	0.0550	0.0550	0.0605B/0.0485A	0.0605B/0.0485A	----	0.0490 - 0.0060	.2644	----	----	1	----	4 +	1		
665	----	----	0.0820B/0.0665A	0.0820B/0.0665A	----	0.0665	NEW .3304	----	20	----	----	20 +	20		
670	----	----	0.1070B/0.0900A	0.1070B/0.0900A	----	0.0875 - 0.0065	.3995	----	----	----	----	11	UNCH		
675	----	----	----/0.1240A	0.1400B/0.1240A	----	0.1285 - 0.0300	.5303	----	----	----	----	81	UNCH		
675	----	----	0.1290B/0.1150A	0.1290B/0.1150A	----	0.1125 - 0.0065	.4693	----	----	----	----	35	UNCH		
680	----	----	----/0.1055A	0.1215B/0.1055A	----	0.1070 - 0.0295	.4629	----	----	----	----	20	UNCH		
680	----	----	0.1605B/----	0.1605B/0.1475A	----	0.1410 - 0.0055	.5367	----	----	----	----	22	UNCH		
690	0.0735	0.0735	0.0735/0.0735	0.0850B/0.0735	----	0.0740	NEW .3428	----	----	10	----	10 +	10		
695	----	----	----/0.0640A	0.0705B/0.0640A	----	0.0615 - 0.0235	.2920	----	----	----	----	1	UNCH		
700	----	----	----/0.0515A	0.0590B/0.0515A	----	0.0510 - 0.0210	.2473	----	----	----	----	11	UNCH		
705	----	----	----/0.0440A	0.0475B/0.0440A	----	0.0425 - 0.0185	.2091	----	----	----	----	5	UNCH		
730	----	----	----/0.0190A	0.0175B/0.0190A	----	0.0165 - 0.0110	.0852	----	----	----	----	3	UNCH		
740	----	----	----/0.0145A	0.0115B/0.0145A	----	0.0115 - 0.0090	.0594	----	----	----	----	1	UNCH		
750	----	----	----/0.0110A	0.0075B/0.0110A	----	0.0075 - 0.0070	.0393	----	----	----	----	2	UNCH		
800	----	----	----	----/0.0120A	----	0.0010 - 0.0015	.0051	----	----	----	----	1	UNCH		
850	----	----	----	----/0.0095A	----	0.0005	UNCH .0005	----	----	----	----	30	UNCH		
TOTAL											87	476 +	81		
NOV26															
610	----	----	----	0.0145B/0.0320A	----	0.0205 - 0.0035	.0808	----	----	----	----	2	UNCH		
615	----	----	----	0.0195B/0.0360A	----	0.0245 - 0.0040	.0952	----	----	----	----	40	UNCH		
625	----	----	----	0.0335B/0.0470A	----	0.0355 - 0.0060	.1321	----	----	----	----	1	UNCH		
660	----	----	----/0.2900A	0.3090B/0.2900A	----	0.2940 - 0.0325	.6441	----	----	----	----	1	UNCH		
670	----	----	----/0.2400A	0.2525B/0.2400A	----	0.2400 - 0.0320	.5659	----	----	----	----	1	UNCH		
675	----	----	----/0.2175A	0.2280B/0.2175A	----	0.2160 - 0.0315	.5270	----	----	----	----	1	UNCH		
675	----	----	0.2165B/----	0.2165B/0.2085A	----	0.2000 - 0.0075	.4719	----	----	----	----	1	UNCH		
685	----	----	----/0.1780A	0.1835B/0.1780A	----	0.1735 - 0.0310	.4515	----	----	----	----	2	UNCH		
700	----	----	----/0.1310A	0.1310B/0.1310A	----	0.1230 - 0.0285	.3483	----	----	----	----	1	UNCH		
720	----	----	----/0.0875A	0.0805B/0.0875A	----	0.0770 - 0.0235	.2376	----	----	----	----	1	UNCH		
755	----	----	----/0.0465A	0.0315B/0.0465A	----	0.0350 - 0.0130	.1176	----	----	----	----	1	UNCH		
850	----	----	----	0.0005B/0.0175A	----	0.0045 - 0.0025	.0167	----	----	----	----	1	UNCH		
TOTAL												53			
DEC26															
575	----	----	----	0.0070B/0.0280A	----	0.0145 - 0.0020	.0441	----	----	----	----	4	UNCH		
600	----	----	----	0.0235B/0.0425A	----	0.0300 - 0.0045	.0858	----	----	----	----	4	UNCH		
625	----	----	----	0.0590B/0.0735A	----	0.0605 - 0.0070	.1578	----	----	----	----	1	UNCH		
645	----	----	----	0.1095B/0.1185A	----	0.1060 - 0.0085	.2455	----	----	----	----	25	UNCH		
650	----	----	----	0.1255B/0.1330A	----	0.1210 - 0.0085	.2709	----	----	----	----	11	UNCH		
690	----	----	----/0.2745A	0.2770B/0.2745A	----	0.2700 - 0.0295	.5030	----	----	----	----	1	UNCH		
695	----	----	----/0.2550A	0.2560B/0.2550A	----	0.2495 - 0.0290	.4755	----	----	----	----	1	UNCH		
700	----	----	0.3750B/----	0.3750B/0.3685A	----	0.3590 - 0.0060	.5495	----	----	----	----	1	UNCH		
720	----	----	----/0.1755A	0.1700B/0.1755A	----	0.1660 - 0.0260	.3500	----	----	----	----	2	UNCH		
735	----	----	----/0.1400A	0.1315B/0.1400A	----	0.1290 - 0.0235	.2862	----	----	----	----	1	UNCH		
760	----	----	----/0.0980A	0.0840B/0.0980A	----	0.0850 - 0.0185	.2016	----	----	----	----	1	UNCH		
TOTAL												52			
JAN27															
800	----	----	----	0.0770B/0.0970A	----	0.0815 - 0.0140	.1627	----	----	----	----	0	UNCH		
TOTAL												0			
HX CALL COMEX COPPER OPTIONS															
OCT26															
500	----	----	----	----	----	1.7900	UNCH	----	----	----	----	0	UNCH		
600	----	----	----	----	----	0.7900	UNCH	----	----	----	----	0	UNCH		
605	----	----	----	----	----	0.7400	UNCH	----	----	----	----	0	UNCH		
610	----	----	----	----	----	0.6900	UNCH	----	----	----	----	0	UNCH		
615	----	----	----	----	----	0.6400	UNCH	----	----	----	----	0	UNCH		
625	----	----	----	----	----	0.5400	UNCH	----	----	----	----	0	UNCH		
635	----	----	----	----	----	0.4400	UNCH	----	----	----	----	0	UNCH		
640	----	----	----	----	----	0.3900	UNCH	----	----	----	----	0	UNCH		
645	----	----	----	----	----	0.3400	UNCH	----	----	----	----	0	UNCH		
650	----	----	----	----	----	0.2900	UNCH	----	----	----	----	0	UNCH		
655	----	----	----	----	----	0.2400	UNCH	----	----	----	----	0	UNCH		
660	----	----	----	----	----	0.1900	UNCH	----	----	----	----	0	UNCH		
665	----	----	----	----	----	0.1400	UNCH	----	----	----	----	0	UNCH		
666	----	----	----	----	----	0.1300	UNCH	----	----	----	----	0	UNCH		
670	----	----	----	----	----	0.0900	UNCH	----	----	----	----	0	UNCH		
675	----	----	----	----	----	0.0400	UNCH	----	----	----	----	0	UNCH		
676	----	----	----	----	----	0.0300	UNCH	----	----	----	----	0	UNCH		
677	----	----	----	----	----	0.0200	UNCH	----	----	----	----	0	UNCH		
678	----	----	----	----	----	0.0100	UNCH	----	----	----	----	0	UNCH		
679	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH		
680	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH		
682	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH		
683	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH		
685	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH		
690	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH		
694	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH		
701	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH		
710	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH		
720	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH		
730	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH		
950	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH		
TOTAL												0			
NOV26															
535	----	----	----	----	----	1.4175 - 0.0230	.9878	----	----	----	----	1	UNCH		
545	----	----	----	----	----	1.3175 - 0.0235	.9855	----	----	----	----	1	UNCH		
580	----	----	----	----	----	0.9705 - 0.0235	.9726	----	----	----	----	2	UNCH		
585	----	----	----	----	----	0.9210 - 0.0240	.9698	----	----	----	----	1	UNCH		
595	----	----	----/0.7920A	0.8200B/0.7920A	----	0.8230 - 0.0245	.9618	----	----	----	----	2	UNCH		
600	----	----	----/0.7425A	0.7805B/0.7425A	----	0.7740 - 0.0250	.9566	----	----	----	----	4	UNCH		
610	----	----	----/0.6470A	0.6885B/0.6470A	----	0.6775 - 0.0260	.9402	----	----	----	----	14	UNCH		
630	----	----	----/0.4665A	0.5050B/0.4665A	----	0.4935 - 0.0285	.8760	----	----	----	----	1	UNCH		
635	----	----	----/0.4250A	0.4620B/0.4250A	----	0.4505 - 0.0300	.8504	----	----	----	----	2	UNCH		
640	----	----	----/0.3855A	0.4210B/0.3855A	----	0.4095 - 0.0305	.8200	----	----	----	----	340	UNCH		
645	----	----	----/0.3490A	0.3815B/0.3490A	----	0.3705 - 0.0315	.7856	----	----	----	----	1	UNCH		
650	----	----	----/0.3135A	0.3530B/0.3135A	----	0.3340 - 0.0320	.7478	----	----	----	----	41	UNCH		
655	----	----	----/0.2810A	0.3180B/0.2810A	----	0.2995 - 0.0330	.7062	----	----	----	----	7	UNCH		
660	0.2650	0.2650	0.2650/0.2495A	0.2860B/0.2495A	----	0.2680 - 0.0330	.6629	----	----	1	----	240 -	1		
665	----	----	----/0.2225A												

BULLETIN #185@				METALS OPTION PRODUCTS										Fri, Sep 25, 2026				PG64		
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE				SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME				OPEN INTEREST
HX CALL																				
NOV26																				
975	----		----	----	0.0005B/0.0020A		----				0.0005	UNCH	.0018	----	----	----	----			31
TOTAL														40	834					5281+
DEC26																				
525	----		----	----/1.5050A	1.5150B/1.5050A		----				1.5185 - 0.0240	.9809	----	----	----	----				123
535	----		----	----	----		----				1.4195 - 0.0240	.9774	----	----	----	----				1
550	----		----	----	----		----				1.2710 - 0.0245	.9704	----	----	----	----				2
555	----		----	----	----		----				1.2220 - 0.0245	.9682	----	----	----	----				1
565	----		----	----/1.0940A	1.1210B/1.0940A		----				1.1240 - 0.0245	.9612	----	----	----	----				45
575	----		----	----/0.9975A	1.0365B/0.9975A		----				1.0270 - 0.0250	.9523	----	----	----	----				123
585	----		----	----/0.9025A	0.9405B/0.9025A		----				0.9310 - 0.0260	.9381	----	----	----	----				1
590	----		----	----/0.8550A	0.8930B/0.8550A		----				0.8840 - 0.0265	.9301	----	----	----	----				201
595	----		----	----/0.8090A	0.8470B/0.8090A		----				0.8370 - 0.0275	.9207	----	----	----	----				163
600	----		----	----/0.7635A	0.8015B/0.7635A		----				0.7915 - 0.0275	.9090	----	----	----	----				603
605	----		----	----/0.7200A	0.7555B/0.7200A		----				0.7465 - 0.0280	.8952	----	----	----	----				1
610	----		----	----/0.6760A	0.7110B/0.6760A		----				0.7025 - 0.0285	.8793	----	----	----	----				200
615	----		----	----/0.6340A	0.6680B/0.6340A		----				0.6595 - 0.0295	.8615	----	----	----	----				1
620	----		----	----/0.5930A	0.6270B/0.5930A		----				0.6180 - 0.0295	.8420	----	----	----	----				421
625	----		----	----/0.5545A	0.5860B/0.5545A		----				0.5775 - 0.0300	.8202	----	----	----	----				57
630	----		----	----/0.5160A	0.5470B/0.5160A		----				0.5385 - 0.0310	.7963	----	----	----	----				310
635	----		----	----/0.4805A	0.5095B/0.4805A		----				0.5015 - 0.0310	.7706	----	----	----	----				5
640	----		----	----/0.4455A	0.4830B/0.4455A		----				0.4660 - 0.0310	.7435	----	----	----	----				29
645	----		----	----/0.4125A	0.4485B/0.4125A		----				0.4320 - 0.0315	.7147	----	----	----	----				1
650	----		----	----/0.3820A	0.4155B/0.3820A		----				0.3995 - 0.0320	.6849	----	----	----	----				552
655	----		----	----/0.3500A	0.3850B/0.3500A		----				0.3695 - 0.0315	.6542	----	----	----	----				126
660	----		----	----/0.3225A	0.3555B/0.3225A		----				0.3410 - 0.0315	.6230	----	----	----	----				381
665	----		----	----/0.2980A	0.3395B/0.2980A		----				0.3140 - 0.0315	.5915	----	----	----	----				35
670	----		----	----/0.2735A	0.3140B/0.2735A		----				0.2890 - 0.0310	.5600	----	----	----	----				357
675	0.2700	0.2700		0.2900B/0.2520A	0.2900B/0.2520A		----				0.2655 - 0.0305	.5287	----	----	9	----				361 -
680	0.2640	0.2640		0.2680B/0.2315A	0.2680B/0.2315A		----				0.2435 - 0.0305	.4979	----	----	3	----				798 +
685	----		----	----/0.2125A	0.2475B/0.2125A		----				0.2235 - 0.0290	.4679	----	----	----	----				380
690	----		----	----/0.1950A	0.2275B/0.1950A		----				0.2045 - 0.0285	.4387	----	----	----	----				273
695	----		----	----/0.1790A	0.2095B/0.1790A		----				0.1870 - 0.0275	.4104	----	----	25	----				163 +
700	0.1805	0.1805		0.1930B/0.1630A	0.1930B/0.1630A		----				0.1715 - 0.0260	.3836	----	----	45	----				3217 -
705	0.1630	0.1630		0.1770B/0.1505A	0.1770B/0.1505A		----				0.1565 - 0.0250	.3575	----	----	2	----				146 +
710	----		----	----/0.1385A	0.1625B/0.1385A		----				0.1430 - 0.0240	.3329	----	----	8	----				119 +
715	----		----	----/0.1270A	0.1490B/0.1270A		----				0.1310 - 0.0225	.3098	----	----	----	----				59
720	----		----	----/0.1160A	0.1370B/0.1160A		----				0.1195 - 0.0220	.2876	----	----	----	----				107
725	----		----	----/0.1060A	0.1260B/0.1060A		----				0.1090 - 0.0210	.2666	----	----	----	----				1457
730	----		----	----/0.0970A	0.1155B/0.0970A		----				0.1000 - 0.0195	.2476	----	----	----	----				534
735	----		----	----/0.0895A	0.1060B/0.0895A		----				0.0910 - 0.0190	.2290	----	----	----	----				57
740	----		----	----/0.0820A	0.0960B/0.0820A		----				0.0835 - 0.0180	.2124	----	----	----	----				107
745	----		----	----/0.0755A	0.0885B/0.0755A		----				0.0765 - 0.0170	.1967	----	----	----	----				4
750	0.0695	0.0695		0.0695/0.0685A	0.0810B/0.0685A		----				0.0700 - 0.0165	.1820	----	----	14	----				1120 +
755	0.0695	0.0695		0.0695/0.0640A	0.0750B/0.0640A		----				0.0640 - 0.0160	.1682	----	----	3	----				18 +
770	----		----	----/0.0500A	0.0585B/0.0500A		----				0.0500 - 0.0130	.1342	----	----	1	----				1166
775	----		----	----/0.0460A	0.0535B/0.0460A		----				0.0460 - 0.0125	.1243	----	----	----	----				634
780	----		----	----/0.0425A	0.0490B/0.0425A		----				0.0425 - 0.0115	.1155	----	----	1	----				206 +
800	----		----	----/0.0315A	0.0360B/0.0315A		----				0.0310 - 0.0090	.0858	----	----	3	----				1387 -
825	----		----	----/0.0225A	0.0250B/0.0225A		----				0.0215 - 0.0065	.0603	----	----	----	----				479
850	----		----	----/0.0165A	0.0180B/0.0165A		----				0.0160 - 0.0045	.0446	----	----	----	----				311
875	----		----	----/0.0125A	0.0130B/0.0125A		----				0.0115 - 0.0035	.0322	----	----	----	----				23
900	----		----	----/0.0095A	0.0100B/0.0095A		----				0.0080 - 0.0030	.0227	----	----	----	----				514
925	----		----	----/0.0075A	0.0070B/0.0075A		----				0.0060 - 0.0020	.0170	----	----	----	----				12
950	----		----	----	0.0050B/0.0070A		----				0.0045 - 0.0020	.0127	----	----	----	----				152
975	----		----	----	0.0040B/0.0060A		----				0.0040 - 0.0010	.0109	----	----	----	----				54
1000	----		----	----	0.0030B/0.0050A		----				0.0030 - 0.0015	.0082	----	----	----	----				13
1100	----		----	----/0.0025A	0.0015B/0.0025A		----				0.0020 - 0.0010	.0050	----	----	----	----				91
TOTAL															114					17701+
JAN27																				
500	----		----	----	----		----				1.8730 - 0.0230									

	BULLETIN #185@				METALS OPTION PRODUCTS								Fri, Sep 25, 2026				PG64
	LOBEX OPEN	OPEN OPEN	OUTCRY RANGE	LOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME		OPEN INTEREST
HX CALL																	
MAR27																	
1000	----	----	----	----	0.0180B	/0.0415A	----	----	0.0235	- 0.0050	.0429	----	----	----	----	23	UNCH
TOTAL																3019	
APR27																	
675	----	----	----	----/0.5920A	0.5780B	/0.5920A	----	----	0.5825	- 0.0250	.5966	----	----	----	----	1	UNCH
680	----	----	----	----/0.5690A	0.5535B	/0.5690A	----	----	0.5585	- 0.0250	.5803	----	----	----	----	5	UNCH
720	----	----	----	----/0.4105A	0.3875B	/0.4105A	----	----	0.3955	- 0.0230	.4558	----	----	----	----	1	UNCH
740	----	----	----	----/0.3475A	0.3220B	/0.3475A	----	----	0.3310	- 0.0220	.3993	----	----	----	----	1	UNCH
775	----	----	----	----/0.2585A	0.2310B	/0.2585A	----	----	0.2410	- 0.0195	.3122	----	----	----	----	3	UNCH
1000	----	----	----	----	0.0260B	/0.0610A	----	----	0.0375	- 0.0055	.0608	----	----	----	----	2	UNCH
TOTAL																13	
MAY27																	
685	----	----	----	----/0.6050A	0.5765B	/0.6050A	----	----	0.5880	- 0.0240	.5651	----	----	----	----	2	UNCH
700	----	----	----	----/0.5445A	0.5120B	/0.5445A	----	----	0.5250	- 0.0230	.5222	----	----	----	----	13	UNCH
705	----	----	----	----/0.5255A	0.4910B	/0.5255A	----	----	0.5050	- 0.0230	.5082	----	----	----	----	2	UNCH
750	----	----	----	----	0.3395B	/0.3775A	----	----	0.3555	- 0.0205	.3921	----	----	----	----	10	UNCH
800	----	----	----	----	0.2215B	/0.2615A	----	----	0.2375	- 0.0175	.2859	----	----	----	----	40	UNCH
1000	----	----	----	----	0.0375B	/0.0820A	----	----	0.0570	- 0.0070	.0813	----	----	----	----	40	UNCH
TOTAL																107	
JUN27																	
700	----	----	----	----	0.5775B	/0.6220A	----	----	0.5985	- 0.0235	.5440	----	----	----	----	11	UNCH
750	----	----	----	----	0.4005B	/0.4495A	----	----	0.4230	- 0.0205	.4217	----	----	----	----	531	UNCH
770	----	----	----	----	0.3435B	/0.3935A	----	----	0.3665	- 0.0195	.3781	----	----	----	----	20	UNCH
TOTAL																562	
HX PUT																	
OCT26																	
590	----	----	----	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH
600	----	----	----	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH
645	----	----	----	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH
660	----	----	----	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH
668	----	----	----	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH
669	----	----	----	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH
670	----	----	----	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH
672	----	----	----	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH
673	----	----	----	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH
674	----	----	----	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH
675	----	----	----	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH
680	----	----	----	----	----	----	----	----	0.0100	UNCH	----	----	----	----	----	0	UNCH
681	----	----	----	----	----	----	----	----	0.0200	UNCH	----	----	----	----	----	0	UNCH
682	----	----	----	----	----	----	----	----	0.0300	UNCH	----	----	----	----	----	0	UNCH
683	----	----	----	----	----	----	----	----	0.0400	UNCH	----	----	----	----	----	0	UNCH
685	----	----	----	----	----	----	----	----	0.0600	UNCH	----	----	----	----	----	0	UNCH
688	----	----	----	----	----	----	----	----	0.0900	UNCH	----	----	----	----	----	0	UNCH
689	----	----	----	----	----	----	----	----	0.1000	UNCH	----	----	----	----	----	0	UNCH
690	----	----	----	----	----	----	----	----	0.1100	UNCH	----	----	----	----	----	0	UNCH
695	----	----	----	----	----	----	----	----	0.1600	UNCH	----	----	----	----	----	0	UNCH
700	----	----	----	----	----	----	----	----	0.2100	UNCH	----	----	----	----	----	0	UNCH
715	----	----	----	----	----	----	----	----	0.3600	UNCH	----	----	----	----	----	0	UNCH
720	----	----	----	----	----	----	----	----	0.4100	UNCH	----	----	----	----	----	0	UNCH
745	----	----	----	----	----	----	----	----	0.6600	UNCH	----	----	----	----	----	0	UNCH
750	----	----	----	----	----	----	----	----	0.7100	UNCH	----	----	----	----	----	0	UNCH
TOTAL																0	
NOV26																	
390	----	----	----	----	----/0.0010A	----	----	----	0.0005	UNCH	.0000	----	----	----	----	3	UNCH
400	----	----	----	----	----/0.0015A	----	----	----	0.0005	UNCH	.0000	----	----	----	----	17	UNCH
405	----	----	----	----	----/0.0015A	----	----	----	0.0005	UNCH	.0000	----	----	----	----	10	UNCH
410	----	----	----	----	----/0.0015A	----	----	----	0.0005	UNCH	.0001	----	----	----	----	57	UNCH
425	----	----	----	----	----/0.0015A	----	----	----	0.0005	UNCH	.0002	----	----	----	----	40	UNCH
430	----	----	----	----	----/0.0015A	----	----	----	0.0005	UNCH	.0003	----	----	----	----	4	UNCH
475	----	----	----	----	0.0005B	/0.0025A	----	----	0.0010	UNCH	.0030	----	----	----	----	52	UNCH
480	----	----	----	----	0.0005B	/0.0025A	----	----	0.0015	+ 0.0005	.0044	----	----	----	----	3	UNCH
490	----	----	----	----	0.0010B	/0.0030A	----	----	0.0015	UNCH	.0046	----	----	----	----	3	UNCH
500	0.0065	0.0065		0.0065/0.0030A	0.0065	/0.0030A	----	----	0.0020	+ 0.0005	.0062	----	----	1	----	117	+
510	----	----	----	----	0.0015B	/0.0035A	----	----	0.0025	+ 0.0005	.0079	----	----	----	----	10	UNCH
520	----	----	----	----	0.0020B	/0.0040A	----	----	0.0030	+ 0.0005	.0097	----	----	----	----	5	UNCH
525	----	----	----	----	0.0025B	/0.0045A	----	----	0.0030	+ 0.0005	.0100	----	----	----	----	8	UNCH
530	----	----	----	----	0.0025B	/0.0045A	----	----	0.0035	+ 0.0010	.0117	----	----	----	----	2	UNCH
535	----	----	----	----	0.0030B	/0.0050A	----	----	0.0035	+ 0.0005	.0121	----	----	----	----	32	UNCH
540	----	----	----	----	0.0030B	/0.0050A	----	----	0.0035	+ 0.0005	.0125	----	----	----	----	10	UNCH
550	----	----	----	----	0.0035B	/0.0055A	----	----	0.0040	+ 0.0005	.0149	----	----	----	----	175	UNCH
560	----	----	----	0.0050B	/0.0060A	----	----	----	0.0045	+ 0.0005	.0175	----	----	3	----	408	UNCH
565	----	----	----	0.0050B	/0.0065A	----	----	----	0.0050	+ 0.0005	.0198	----	----	----	----	27	UNCH
570	----	----	----	0.0055B	/0.0070A	----	----	----	0.0055	+ 0.0005	.0221	----	----	----	----	21	UNCH
575	0.0065	0.0065		0.0065/0.0065	0.0065	/0.0065	----	----	0.0060	+ 0.0005	.0246	----	----	1	----	66	-
580	----	----	----	0.0065B	/0.0080A	----	----	----	0.0065	+ 0.0005	.0272	----	----	3	----	102	-
585	----	----	----	0.0080B	/0.0085A												

BULLETIN #185@				METALS OPTION PRODUCTS										Fri, Sep 25, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST	
HX PUT DEC26	COMEX COPPER OPTIONS																	
565	----	----	----	----	0.0125B/0.0130A	----	0.0120	- 0.0010	.0386	----	----	----	----	----	----	28	UNCH	
570	----	----	----	----/0.0140A	0.0140B/0.0140A	----	0.0130	- 0.0015	.0424	----	----	----	----	2	----	18	UNCH	
575	----	----	----	----	0.0160B/0.0160A	----	0.0145	- 0.0015	.0475	----	----	----	----	1	----	419	UNCH	
580	----	----	----	----/0.0175A	0.0180B/0.0175A	----	0.0165	- 0.0020	.0540	----	----	----	----	2	----	216	+	
585	----	----	----	----/0.0200A	0.0210B/0.0200A	----	0.0190	- 0.0020	.0617	----	----	----	----	----	----	31	UNCH	
590	0.0250	0.0250	0.0250	0.0250/0.0225A	0.0250/0.0225A	0.0285	0.0215	- 0.0030	.0697	----	----	----	----	2	----	242	UNCH	
595	0.0285	0.0285	0.0285	0.0285/0.0260A	0.0285/0.0260A	0.0335B/0.0300A	0.0245	- 0.0035	.0791	----	----	----	----	2	----	111	UNCH	
600	----	----	----	0.0335B/0.0300A	0.0335B/0.0300A	0.0400B/0.0345A	0.0285	- 0.0040	.0907	----	----	----	----	1	----	2017	+	
605	0.0390	0.0390	0.0390	0.0400B/0.0345A	0.0400B/0.0345A	0.0470B/0.0400A	0.0335	- 0.0045	.1046	----	----	----	----	11	----	25	+	
610	0.0455	0.0455	0.0455	0.0470B/0.0400A	0.0470B/0.0400A	0.0565B/0.0465A	0.0395	- 0.0050	.1205	----	----	----	----	13	----	109	+	
615	----	----	----	0.0565B/0.0465A	0.0565B/0.0465A	0.0660B/0.0545A	0.0465	- 0.0055	.1382	----	----	----	----	1	----	141	+	
620	----	----	----	0.0660B/0.0545A	0.0660B/0.0545A	0.0770B/0.0630A	0.0545	- 0.0060	.1578	----	----	----	----	1	----	133	UNCH	
625	0.0695	0.0695	0.0695	0.0770B/0.0630A	0.0770B/0.0630A	0.0895B/0.0740A	0.0640	- 0.0065	.1796	----	----	----	----	11	----	441	+	
630	0.0845	0.0845	0.0845	0.0895B/0.0740A	0.0895B/0.0740A	0.1035B/0.0855A	0.0750	- 0.0070	.2035	----	----	----	----	2	330	717	+	
635	0.0980	0.0980	0.0980	0.1035B/0.0855A	0.1035B/0.0855A	0.1185B/0.0995A	0.0875	- 0.0070	.2291	----	----	----	----	3	----	303	+	
640	0.1130	0.1130	0.1130	0.1185B/0.0995A	0.1185B/0.0995A	0.1370B/0.1145A	0.1015	- 0.0075	.2563	----	----	----	----	9	----	159	+	
645	0.1170	0.1170	0.1170	0.1370B/0.1145A	0.1370B/0.1145A	0.1560B/0.1315A	0.1175	- 0.0075	.2851	----	----	----	----	2	----	435	+	
650	0.1450	0.1450	0.1450	0.1560B/0.1315A	0.1560B/0.1315A	0.1770B/0.1510A	0.1350	- 0.0080	.3149	----	----	----	----	58	----	632	-	
655	0.1685	0.1685	0.1685	0.1770B/0.1510A	0.1770B/0.1510A	0.1995B/0.1720A	0.1545	- 0.0080	.3456	----	----	----	----	2	----	617	UNCH	
660	----	----	----	0.1995B/0.1720A	0.1995B/0.1720A	0.2245B/0.1935A	0.1755	- 0.0080	.3768	----	----	----	----	20	----	122	-	
665	0.2150	0.2150	0.2150	0.2245B/0.1935A	0.2245B/0.1935A	0.2505B/0.2185A	0.1985	- 0.0075	.4083	----	----	----	----	32	----	306	+	
670	0.2345	0.2345	0.2345	0.2505B/0.2185A	0.2505B/0.2185A	0.2780B/0.2445A	0.2230	- 0.0075	.4398	----	----	----	----	1	----	1136	UNCH	
675	----	----	----	0.2780B/0.2445A	0.2780B/0.2445A	0.3035B/0.2715A	0.2495	- 0.0070	.4710	----	----	----	----	4	----	277	+	
680	0.2970	0.2970	0.2970	0.3035B/0.2715A	0.3035B/0.2715A	0.3335B/0.3015A	0.2775	- 0.0060	.5018	----	----	----	----	2	----	57	UNCH	
685	0.3260	0.3260	0.3260	0.3335B/0.3015A	0.3335B/0.3015A	0.3655B/0.3320A	0.3070	- 0.0055	.5318	----	----	----	----	3	----	47	-	
690	----	----	----	0.3655B/0.3320A	0.3655B/0.3320A	0.4285B/0.3985A	0.3380	- 0.0045	.5611	----	----	----	----	----	----	1	UNCH	
700	----	----	----	0.4285B/0.3985A	0.4285B/0.3985A	0.6590B/0.6255A	0.4040	- 0.0025	.6162	----	----	----	----	----	----	3	UNCH	
730	----	----	----	0.6590B/0.6255A	0.6590B/0.6255A	0.8310B/----	0.6310	+	.7521	----	----	----	----	----	----	1	UNCH	
750	----	----	----	0.8310B/----	0.8310B/0.7950A	----	0.8005	+	.8178	----	----	----	----	----	----	1	UNCH	
TOTAL													330	186		10489	+	
JAN27																		
370	----	----	----	----	----/0.0120A	----	0.0040	UNCH	.0061	----	----	----	----	----	----	1	UNCH	
390	----	----	----	----	0.0005B/0.0125A	----	0.0050	UNCH	.0079	----	----	----	----	----	----	40	UNCH	
400	----	----	----	----	0.0005B/0.0125A	----	0.0055	UNCH	.0088	----	----	----	----	----	----	12	UNCH	
425	----	----	----	----	0.0005B/0.0135A	----	0.0070	UNCH	.0118	----	----	----	----	----	----	30	UNCH	
430	----	----	----	----	0.0005B/0.0140A	----	0.0070	- 0.0005	.0120	----	----	----	----	----	----	1	UNCH	
435	----	----	----	----	0.0005B/0.0140A	----	0.0070	- 0.0005	.0123	----	----	----	----	----	----	1	UNCH	
440	----	----	----	----	0.0005B/0.0145A	----	0.0075	UNCH	.0133	----	----	----	----	----	----	10	UNCH	
450	----	----	----	----	0.0005B/0.0150A	----	0.0075	- 0.0005	.0139	----	----	----	----	----	----	1	UNCH	
465	----	----	----	----	0.0005B/0.0160A	----	0.0080	- 0.0005	.0156	----	----	----	----	----	----	2	UNCH	
510	----	----	----	----	0.0005B/0.0200A	----	0.0105	- 0.0005	.0238	----	----	----	----	----	----	4	UNCH	
520	----	----	----	----	0.0075B/0.0160A	----	0.0115	- 0.0005	.0268	----	----	----	----	----	----	2	UNCH	
525	----	----	----	----	0.0090B/0.0165A	----	0.0120	- 0.0005	.0284	----	----	----	----	----	----	3	UNCH	
540	----	----	----	----	0.0125B/0.0190A	----	0.0145	- 0.0015	.0354	----	----	----	----	----	----	2	UNCH	
550	----	----	----	----	0.0145B/0.0210A	----	0.0175	- 0.0015	.0428	----	----	----	----	----	----	208	UNCH	
555	----	----	----	----	0.0170B/0.0230A	----	0.0190	- 0.0020	.0467	----	----	----	----	----	----	1	UNCH	
560	----	----	----	----	0.0190B/0.0255A	----	0.0210	- 0.0020	.0516	----	----	----	----	----	----	3	UNCH	
570	----	----	----	----	0.0230B/0.0300A	----	0.0260	- 0.0030	.0633	----	----	----	----	----	----	1	UNCH	
590	----	----	----	----	0.0390B/0.0475A	----	0.0415	- 0.0040	.0970	----	----	----	----	----	----	11	UNCH	
595	----	----	----	----	0.0460B/0.0530A	----	0.0465	- 0.0050	.1075	----	----	----	----	----	----	2	UNCH	
600	----	----	----	----	0.0510B/0.0590A	----	0.0525	- 0.0050	.1194	----	----	----	----	----	----	359	UNCH	
605	----	----	----	----	0.0580B/0.0655A	----	0.0595	- 0.0050	.1327	----	----	----	----	----	----	1	UNCH	
610	----	----	----	----	0.0695B/0.0745A	----	0.0670	- 0.0055	.1468	----	----	----	----	----	----	3	UNCH	
620	----	----	----	----	0.0870B/0.0930A	----	0.0850	- 0.0060	.1786	----	----	----	----	----	----	12	UNCH	
625	----	----	----	----/0.1010A	0.0965B/0.1010A	----	0.0955	- 0.0060	.1961	----	----	----	----	----	----	2	UNCH	
630	----	----	----	----	0.1130B/0.1155A	----	0.1070	- 0.0065	.2147	----	----	----	----	----	----	1	UNCH	
640	----	----	----	----/0.1405A	0.1385B/0.1405A	----	0.1340	- 0.0070	.2551	----	----	----	----	----	----	3	UNCH	
645	----	----	----	----	0.1550B/0.1575A	----	0.1500	- 0.0065	.2770	----	----	----	----	----	----	3	UNCH	
650	----	----	----	----	0.1730B/0.1735A	----	0.1665	- 0.0070	.2992	----	----	----	----	----	----	40	UNCH	
660	----	----	----	0.2125B/----	0.2125B/0.2120A	----	0.2045	- 0.0070	.3457	----	----	----	----	----	----	1	UNCH	
670	----	----	----	0.2580B/----	0.2580B/0.2560A	----	0.2485	- 0.0070	.3937	----	----	----	----	----	----	2	UNCH	

PG64

BULLETIN #185@

METALS OPTION PRODUCTS

Fri, Sep 25, 2026

PG64

	LOBEX OPEN	OPEN OUTCRY OPEN RANGE	LOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HXE CALL		COPPER OPTIONS										
SEP26	----	----	----	----/0.0080A	----	0.0000 - 0.0005	----	----	----	76	----	0 - 11
TOTAL												0 - 411
OCT26												
660	----	----	----/0.2030A	0.2170B/0.2030A	----	0.1960 - 0.0370	.7897	----	----	1	----	3 + 1
670	----	----	----/0.1300A	0.1510B/0.1300A	----	0.1340 - 0.0355	.6200	----	----	----	----	109 UNCH
675	----	----	----/0.1040A	0.1250B/0.1040A	----	0.1100 - 0.0335	.5336	----	----	----	----	35 UNCH
680	0.0925	0.0925	0.0925B/0.0860A	0.1025B/0.0860A	----	0.0900 - 0.0310	.4528	----	----	12	----	350 UNCH
685	----	----	----/0.0700A	0.0830B/0.0700A	----	0.0730 - 0.0280	.3793	----	----	----	----	730 UNCH
690	----	----	----/0.0555A	0.0670B/0.0555A	----	0.0590 - 0.0245	.3143	----	----	----	----	100 UNCH
690	----	----	----/0.0840A	0.0950B/0.0840A	----	0.0850 - 0.0245	.3576	----	----	----	----	13 UNCH
695	----	----	----/0.0450A	0.0530B/0.0450A	----	0.0465 - 0.0225	.2557	----	----	----	----	440 UNCH
700	----	----	----/0.0365A	0.0415B/0.0365A	----	0.0365 - 0.0195	.2055	----	----	----	----	4 UNCH
700	0.0560	0.0560	0.0580/0.0560	0.0675B/0.0560	----	0.0600 - 0.0200	.2662	----	----	5	----	6 + 5
700	----	----	----/0.0760A	0.0870B/0.0760A	----	0.0745 - 0.0245	.2922	----	----	----	----	11 UNCH
710	----	----	----/0.0250A	0.0250B/0.0250A	----	0.0215 - 0.0155	.1263	----	----	----	----	16 UNCH
710	0.0665	0.0665	0.0665/0.0575A	0.0665/0.0575A	----	0.0540 - 0.0205	.2224	----	----	3	----	8 + 3
720	0.0150	0.0150	0.0150/0.0150	0.0160B/0.0150	----	0.0135 - NEW	.0790	----	----	2	----	2 + 2
725	----	----	----/0.0150A	0.0120B/0.0150A	----	0.0110 - 0.0095	.0634	----	----	1	----	441 UNCH
730	----	----	----/0.0125A	0.0095B/0.0125A	----	0.0095 - 0.0070	.0532	----	----	20	----	20 + 11
740	----	----	----/0.0095A	0.0050B/0.0095A	----	0.0080 - 0.0035	.0413	----	----	----	----	20 UNCH
740	----	----	----/0.0245A	0.0240B/0.0245A	----	0.0215 - 0.0110	.0953	----	----	----	----	10 UNCH
750	----	----	----/0.0135A	0.0100B/0.0135A	----	0.0090 - 0.0050	.0460	----	----	----	----	1 UNCH
775	----	----	----/0.0115A	0.0080B/0.0115A	----	0.0075 - 0.0055	.0344	----	----	2	----	2 UNCH
800	----	----	----	0.0020B/0.0080A	----	0.0050 - 0.0030	.0204	----	----	----	----	33 UNCH
825	0.0050	0.0050	0.0050/0.0050	0.0050/0.0050	----	0.0005 - UNCH	.0003	----	----	1	----	1 + 1
TOTAL										45		2355 + 23
HXE PUT		COPPER OPTIONS										
SEP26	----	----	----	----/0.0155A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 29
525	----	----	----	----/0.0080A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
605	----	----	----	----/0.0080A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 12
615	----	----	----	----/0.0080A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 16
620	----	----	----	----/0.0080A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 25
625	----	----	----	----/0.0080A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 51
630	0.0010	0.0010	0.0010/0.0010	0.0010/0.0010	----	0.0000 - 0.0005	----	----	----	1	----	0 - 1
635	----	----	----	----/0.0080A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 48
640	----	----	----	----/0.0080A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2
650	----	----	----	----/0.0080A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
655	----	----	----	----/0.0080A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
658	----	----	----	----/0.0080A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
659	----	----	----	----/0.0080A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 65
660	----	----	----	----/0.0080A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 15
662	----	----	----	----/0.0080A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 41
665	----	----	----	----/0.0080A	----	0.0000 - 0.0020	----	----	----	----	----	0 - 44
670	0.0150	0.0150	0.0150/0.0080A	0.0150/0.0080A	----	0.0000 - 0.0065	----	----	----	10	----	0 - UNCH
672	0.0130	0.0130	0.0255/0.0080A	0.0255/0.0080A	----	0.0000 - NEW	----	----	----	3	----	0 - 32
675	0.0025	0.0025	0.0275B/0.0025	0.0275B/0.0025	----	0.0000 - 0.0190	----	----	----	1	----	0 - 3
677	----	----	0.0420B/0.0150A	0.0420B/0.0150A	----	0.0040 - 0.0235	----	3	----	----	----	0 - UNCH
678	0.0250	0.0250	0.0500B/0.0220A	0.0500B/0.0220A	----	0.0140 - NEW	----	1	----	1	----	0 - 3
682	----	----	0.0840B/0.0540A	0.0840B/0.0540A	----	0.0540 - 0.0020	----	3	----	----	----	0 - 1
685	----	----	0.1135B/----	0.1135B/0.0810A	----	0.0840 + 0.0060	----	1	----	----	----	0 - 30
687	----	----	0.1335B/----	0.1335B/0.0970A	----	0.1040 + 0.0095	.0000	----	----	----	----	0 - 30
692	----	----	0.1840B/----	0.1840B/0.1415A	----	0.1540 + 0.0165	----	30	----	----	----	0 - 423
TOTAL										16		0 - 423
OCT26												
500	----	----	----	----/0.0090A	----	0.0005 - UNCH	.0000	----	----	----	----	19 UNCH
575	----	----	----	----/0.0105A	----	0.0010 - 0.0010	.0052	----	----	----	----	3 UNCH
605	----	----	----	----/0.0105A	----	0.0020 - UNCH	.0106	----	----	----	----	1 UNCH
610	----	----	0.0025B/0.0085A	0.0025B/0.0085A	----	0.0050 - 0.0020	.0281	----	----	----	----	1 UNCH
610	----	----	0.0060B/0.0095A	0.0060B/0.0095A	----	0.0070 - UNCH	.0377	----	----	----	----	2 UNCH
615	----	----	----/0.0110A	0.0030 + 0.0005	----	0.0030 + 0.0005	.0172	----	----	----	----	2 UNCH
620	----	----	0.0005B/0.0115A	0.0040 + 0.0010	----	0.0040 + 0.0010	.0234	----	----	----	----	11 UNCH
620	----	----	0.0040B/0.0090A	0.0065 - 0.0025	----	0.0065 - 0.0025	.0390	----	----	----	----	2 UNCH
625	----	----	----/0.0095A	0.0055B/0.0095A	----	0.0075 - 0.0030	.0464	----	----	----	----	11 UNCH
630	----	----	0.0015B/0.0085A	0.0015B/0.0085A	----	0.0065 + 0.0015	.0404	----	----	----	----	22 UNCH
640	0.0080	0.0080	0.0080/0.0080	0.0080/0.0080	----	0.0075 - NEW	.0543	----	----	2	----	2 + 2
640	0.0160	0.0160	0.0250B/0.0160	0.0250B/0.0160	----	0.0155 - NEW	.0968	----	----	1	----	1 + 1
645	----	----	----/0.0125A	0.0100B/0.0125A	----	0.0090 - 0.0060	.0691	----	----	----	----	3 UNCH
650	0.0235	0.0235	0.0235/0.0165A	0.0235/0.0165A	----	0.0125 - 0.0090	.0973	----	43	----	----	48 + 43
655	0.0235	0.0235	0.0260B/0.0235	0.0260B/0.0235	----	0.0190 - NEW	.1435	----	20	----	----	20 + 20
660	0.0310	0.0310	0.0310/0.0280	0.0415B/0.0280	----	0.0300 - 0.0130	.2100	----	8	----	----	26 + 8
660	----	----	0.0705B/0.0595A	0.0705B/0.0595A	----	0.0585 - 0.0055	.2828	----	----	----	----	10 UNCH
660	----	----	0.0915B/0.0810A	0.0915B/0.0810A	----	0.0755 - 0.0090	.3088	----	----	----	----	15 UNCH
665	----	----	0.0605B/0.0495A	0.0605B/0.0495A	----	0.0460 - 0.0135	.2911	----	----	----	----	17 UNCH
670	----	----	0.0855B/0.0695A	0.0855B/0.0695A	----	0.0680 - 0.0120	.3798	----	----	----	----	591 UNCH
670	----	----	0.1175B/0.0995A	0.1175B/0.0995A	----	0.0995 - 0.0055	.4076	----	----	----	----	1 UNCH
670	----	----	0.1390B/0.1210A	0.1390B/0.1210A	----	0.1195 - 0.0070	.4178	----	----	----	----	2 UNCH
675	----	----	0.1135B/0.0925A	0.1135B/0.0925A	----	0.0940 - 0.0100	.4661	----	----	----	----	593 UNCH
680	----	----	0.1460B/0.1260A	0.1460B/0.1260A	----	0.1240 - 0.0070	.5469	----	----	----	----	1360 UNCH
685	----	----	0.1800B/0.1580A	0.1800B/0.1580A	----	0.1570 - NEW	.6204	----	----	1	----	1 + 1
TOTAL										75		2764 + 75

ALUMINIUM OPTIONS ON FUTURES

	LOBEX OPEN	OPEN OUTCRY OPEN RANGE	LOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
NOV26	----	----	----	23.10B/22.00A	----	25.20 - 3.00	.3078	----	----	----	----	2 UNCH
1350	----	----	----/22.00A	14.70B/17.10A	----	16.90 - 2.10	.2138	----	----	----	----	93 UNCH
1400	----	----	----/17.10A	9.80B/12.90A	----	12.20 - 1.50	.1538	----	----	----	----	86 UNCH
1450	----	----	----/12.90A	6.30B/9.70A	----	8.60 - 1.30	.1095	----	----	----	----	5 UNCH
1500	----	----	----/9.70A	3.70B/7.30A	----	6.20 - 1.10	.0791	----	----	----	----	14 UNCH
1550	----	----	----	1.90B/5.70A	----	4.60 - 0.80	.0584	----	----	----	----	5 UNCH
1600	----	----	----	----/3.70A	----	1.90 - 0.40	.0239	----	----	----	----	1 UNCH
TOTAL												206 0
DEC26												
1250	----	----	----/76.70A	82.20B/76.70A	----	83.50 - 4.40	.5863	----	----	----	----	200 UNCH
1300	----	----	----/57.10A	59.70B/57.10A	----	62.10 - 3.70	.4758	----	----	----	----	6 UNCH
1315	----	----	----/52.30A	54.10B/52.30A	----	56.80 - 3.50	.4449	----	----	----	----	90 UNCH
1425	----	----	----/29.70A	27.30B/29.70A	----	30.60 - 2.20	.2658	----	----	----	----	39 UNCH
1450	----	----	----/26.90A	23.90B/26.90A	----	27.00 - 1.90	.2371	----	----	----	----	65 UNCH
1500	----	----	----/22.50A	18.80B/22.50A	----	21.40 - 1.50	.1903	----	----	----	----	35 UNCH
1550	----	----	----	15.10B/19.10A	----	17.30 - 1.30	.1547	----	----	----	----	66 UNCH
1585	----	----	----	12.90B/17.00A	----	15.20 - 1.20	.1355	----	----	----	----	3 UNCH
1600	----	----	----	12.10B/16.30A	----	14.40 - 1.10	.1282	----	----	----	----	95 UNCH
1650	----	----	----	9.60B/13.90A	----	12.00 - 1.10	.1066	----	----	----	----	64 UNCH
1700	----	----	----	7.50B/11.80A	----	10.10 - 1.00	.0894	----	----	----	----	10 UNCH
1775	----	----	----	5.00B/9.50A	----	7.70 - 0.80	.0684	----	----	----	----	100 UNCH
1800	----	----	----	4.40B/8.90A	----	7.10 - 0.70	.0630	----	----	----	----	55 UNCH
1925	----	----	----	2.00B/6.60A	----	4.50 - 0.50	.0404	----	----	----	----	46 UNCH
1995	----	----	----	1.10B/5.80A	----	3.60 - 0.40	.0323	----	----	----	----	6 UNCH

PG64	BULLETIN #185@										METALS OPTION PRODUCTS										Fri, Sep 25, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST											
PAO CALL	NYMEX PALLADIUM OPTIONS																								
TOTAL															95				0						
JUN27																									
1375	----	----		----	----	----		140.20 - 2.80	.5015	----	----	----	----		50			UNCH							
TOTAL															50			0							
PAO PUT	NYMEX PALLADIUM OPTIONS																								
NOV26																									
1200	----	----		18.70B/----	18.70B/18.90A	----		17.20 + 0.40	.2342	----	----	----	----		24			UNCH							
1225	----	----		28.70B/----	28.70B/27.20A	----		25.80 + 0.80	.3129	----	----	----	----		11			UNCH							
1250	----	----		41.20B/----	41.20B/38.00A	----		36.50 + 1.20	.3952	----	----	----	----		108			UNCH							
1275	----	----		55.70B/----	55.70B/50.90A	----		49.30 + 1.70	.4775	----	----	----	----		16			UNCH							
1300	----	----		72.10B/----	72.10B/65.50A	----		64.00 + 2.10	.5562	----	----	----	----		13			UNCH							
1350	----	----		110.70B/----	110.70B/99.50A	----		99.10 + 3.20	.6921	----	----	----	----		4			UNCH							
TOTAL															176			0							
DEC26																									
1050	----	----		----	3.60B/8.30A	----		5.20 + 0.10	.0638	----	----	----	----		5			UNCH							
1150	----	----		20.50B/----	20.50B/22.40A	----		19.90 + 0.60	.1959	----	----	----	----		15			UNCH							
1200	----	----		38.40B/----	38.40B/38.00A	----		35.70 + 1.10	.3001	----	----	----	----		53			UNCH							
1250	----	----		62.30B/----	62.30B/60.00A	----		57.70 + 1.70	.4135	----	----	----	----		5			UNCH							
1300	----	----		92.60B/----	92.60B/87.50A	----		86.00 + 2.40	.5240	----	----	----	----		100			UNCH							
1315	----	----		102.80B/----	102.80B/96.80A	----		95.60 + 2.60	.5549	----	----	----	----		90			UNCH							
1380	----	----		----	----	----		142.60 + 3.50	.6713	----	----	----	----		1			UNCH							
1400	----	----		169.20B/----	169.20B/158.10A	----		158.40 + 3.70	.7007	----	----	----	----		150			UNCH							
1500	----	----		258.70B/----	258.70B/244.40A	----		244.40 + 4.60	.8095	----	----	----	----		40			UNCH							
TOTAL															459			0							
MAR27																									
1100	----	----		----	28.30B/34.60A	----		30.10 + 0.70	.1866	----	----	----	----		5			UNCH							
1200	----	----		65.40B/----	65.40B/69.50A	----		65.20 + 1.30	.3236	----	----	----	----		10			UNCH							
1350	----	----		152.50B/----	152.50B/152.30A	----		147.80 + 2.30	.5335	----	----	----	----		75			UNCH							
TOTAL															90			0							
PAW OOF	PALLADIUM WEEKLY FRIDAY OPTION week																								
SEP26																									
1335	----	----		----	----/2.20A	----		0.00 - 0.80	----	----	----	----	----		0	-		10							
TOTAL															0	-		10							
OCT26																									
1300	----	----		----/25.00A	25.60B/25.00A	----		28.00 - 4.30	.4134	----	----	----	----		12			UNCH							
1350	----	----		----/9.10A	5.40B/9.10A	----		8.10 - 3.10	.1736	----	----	----	----		2			UNCH							
TOTAL															14			0							
PLW OOF	PLATINUM WEEKLY FRIDAY OPTION week4																								
SEP26																									
1765	----	----		17.50B/8.50A	17.50B/8.50A	----		32.70 + 17.10	----	3	----	----	----		0	-		3							
1770	----	----		14.70B/6.50A	14.70B/6.50A	----		27.70 + 14.30	----	1	----	----	----		0	-		1							
1800	----	----		6.40B/2.90A	6.40B/2.90A	----		0.00 - 4.40	----	----	----	----	----		0	-		20							
1805	----	----		3.70B/2.10A	3.70B/2.10A	----		0.00 - 3.60	----	----	----	----	----		0	-		8							
1850	----	----		----	----/2.10A	----		0.00 - 0.30	----	----	----	----	----		0	-		5							
1875	----	----		----	----/2.10A	----		0.00 - 0.10	----	----	----	----	----		0	-		28							
1900	----	----		----	----/2.10A	----		0.00 - 0.10	----	----	----	----	----		0	-		10							
TOTAL															0	-		75							
OCT26																									
1750	----	----		----/16.70A	27.20B/16.70A	----		15.70 - 14.50	.2696	----	----	----	----		5			UNCH							
1800	----	----		34.40B/23.20A	34.40B/23.20A	----		34.00 + 9.00	.4979	----	----	----	----		20			UNCH							
1825	20.00	20.00		25.00/16.70A	25.00/16.70A	----		23.70 NEW	.3809	----	NEW	16	----		16	+		16							
1875	10.50	10.50		10.50/10.50	10.50/9.70A	----		11.20 NEW	.1993	----	----	7	----		7	+		7							
TOTAL												23	----		48	+		23							
PO CALL	PLATINUM OPTIONS																								
NOV26																									
1775	----	----		79.20B/62.60A	79.20B/62.60A	----		77.90 NEW	.5734	----	----	1	----		1	+		1							
1800	----	----		66.50B/52.60A	66.50B/52.60A	----		65.80 + 12.10	.5126	----	----	----	----		1			UNCH							
1825	----	----		55.40B/43.80A	55.40B/43.80A	----		55.10 + 10.20	.4532	----	----	----	----		8			UNCH							
1850	45.40	45.40		45.70B/36.50A	45.70B/36.50A	----		45.60 + 8.30	.3960	----	----	9	----		158			UNCH							
1875	38.00	38.00		38.00/30.50A	38.00/30.50A	----		37.60 + 6.60	.3426	----	----	9	----		54	+		9							
1900	31.90	31.90		31.90/31.90	31.90/25.80A	----		31.00 + 5.30	.2942	----	----	9	----		173	+		9							
1925	27.00	27.00		27.00/27.00	27.00/22.00A	----		25.80 + 4.30	.2521	----	----	10	----		68	+		10							
1950	23.00	23.00		23.00/23.00	23.00/18.80A	----		21.70 + 3.60	.2164	----	----	10	----		119	+		3							
2000	----	----		13.70B/----	13.70B/14.00A	----		15.40 + 2.30	.1587	----	----	----	----		180			UNCH							
2050	----	----		----	9.20B/10.70A	----		10.60 + 1.10	.1135	----	----	----	----		15			UNCH							
2100	----	----		----	6.00B/8.30A	----		7.10 + 0.20	.0791	----	----	----	----		52			UNCH							
2200	----	----		----	2.30B/5.70A	----		3.60 - 0.10	.0412	----	UNCH	----	----		210			UNCH							
2250	----	----		----	1.30B/4.90A	----		2.60 - 0.10	.0299	----	----	----	----		40			UNCH							
TOTAL												48	----		1079	+		32							
DEC26																									
1900	----	----		61.10B/----	61.10B/53.10A	----		61.70 + 9.10	.3739	----	----	----	----		102			UNCH							
1950	----	----		47.70B/----	47.70B/42.20A	----		48.50 + 6.90	.3100	----	----	----	----		10			UNCH							
1975	44.10	44.10		44.10/44.10	44.10/37.90A	----		43.00 NEW	.2814	----	----	9	----		9	+		9							
2000	39.60	39.60		40.00/39.60	40.00/34.00A	----		38.20 + 5.10	.2551	----	----	12	----		122	+		2							
2200	----	----		13.90B/----	13.90B/15.60A	----		16.00 + 2.20	.1177	----	----	----	----		101										

PG64	BULLETIN #185@						METALS OPTION PRODUCTS						Fri, Sep 25, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
PO PUT	PLATINUM OPTIONS																
NOV26	----	----	----	/27.00A	34.10B/27.00A	----	26.20 - 11.00	.2512	----	----	----	----	254	UNCH			
1700	----	----	----	/27.00A	34.10B/27.00A	----	26.20 - 11.00	.2512	----	----	----	----	254	UNCH			
1725	39.40	39.40		43.20/34.40A	44.80B/34.40A	----	34.10 - 13.40	.3062	----	----	9	----	82 +	8			
1750	39.50	39.50		39.50/39.50	56.60B/39.50	----	43.80 - 15.70	.3654	----	----	23	----	123 +	23			
1775	----	----	----	/54.70A	70.30B/54.70A	----	55.20 - 17.90	.4264	----	----	----	----	79	UNCH			
1800	----	----	----	/67.20A	85.60B/67.20A	----	68.10 - 19.80	.4872	----	----	----	----	23	UNCH			
1825	----	----	----	/81.10A	101.70B/81.10A	----	82.30 - 21.80	.5466	----	----	----	----	15	UNCH			
1850	----	----	----	/96.30A	119.80B/96.30A	----	97.80 - 23.60	.6038	----	----	----	----	100	UNCH			
TOTAL											52		1159 +	51			
DEC26																	
1625	37.20	37.20		37.20/31.90A	37.20/31.90A	----	30.40 - NEW	.2057	----	----	10	----	10 +	10			
1650	----	----	----	/38.20A	42.60B/38.20A	----	36.90 - 8.10	.2393	----	----	----	----	19	UNCH			
1675	----	----	----	/45.50A	52.00B/45.50A	----	44.60 - 9.50	.2757	----	----	----	----	9	UNCH			
1750	----	----	----	/74.70A	86.40B/74.70A	----	74.60 - 15.00	.3949	----	----	10	----	120	UNCH			
TOTAL													158 +	10			
JAN27																	
1400	----	----	----		7.50B/11.40A	----	9.20 - 2.00	.0622	----	----	----	----	100	UNCH			
1500	----	----	----	/22.20A	20.60B/22.20A	----	20.10 - 4.20	.1226	----	----	----	----	325	UNCH			
1575	----	----	----	/36.20A	37.10B/36.20A	----	34.20 - 6.40	.1894	----	----	----	----	20	UNCH			
1600	----	----	----	/42.30A	44.20B/42.30A	----	40.40 - 7.30	.2159	----	----	----	----	10	UNCH			
1650	----	----	----	/56.70A	61.30B/56.70A	----	55.40 - 9.50	.2740	----	----	----	----	45	UNCH			
1700	----	----	----	/75.10A	82.30B/75.10A	----	74.20 - 12.10	.3375	----	----	----	----	50	UNCH			
1750	----	----	----	/97.50A	107.80B/97.50A	----	96.90 - 14.90	.4034	----	----	----	----	120	UNCH			
1800	----	----	----	/123.60A	136.80B/123.60A	----	123.30 - 17.70	.4691	----	----	----	----	5	UNCH			
1900	----	----	----	/185.60A	204.70B/185.60A	----	186.10 - 22.10	.5908	----	----	----	----	100	UNCH			
2000	----	----	----	/258.20A	282.60B/258.20A	----	259.80 - 24.70	.6922	----	----	----	----	200	UNCH			
TOTAL													975	0			
APR27																	
1400	----	----	----		25.50B/29.90A	----	26.40 - 3.00	.1119	----	----	----	----	30	UNCH			
1500	----	----	----	/49.00A	46.70B/49.00A	----	45.90 - 4.50	.1754	----	----	----	----	10	UNCH			
1600	----	----	----	/77.00A	77.80B/77.00A	----	74.30 - 7.90	.2540	----	----	----	----	10	UNCH			
1790	----	----	----	/160.60A	168.30B/160.60A	----	158.40 - 16.30	.4261	----	----	----	----	27	UNCH			
TOTAL													77	0			
JUL27																	
1930	----	----	----			----	282.20 - 16.80	.5000	----	----	----	----	110	UNCH			
TOTAL													110	0			

OPTIONS EOO'S AND BLOCKS				
PRODUCT		STRIKE PRICE	EEO VOLUME	BLOCK VOLUME
OG CALL COMEX GOLD OPTIONS				
NOV26	CALL			
OG		4300	0	350
OG		4350	0	70
OG		4500	0	200
OG		4700	0	400
OG		4880	0	200
TOTALS			0	1220
DEC26	CALL			
OG		4400	0	300
TOTALS			0	300
JAN27	CALL			
OG		4500	0	150
OG		4700	0	525
TOTALS			0	675
MAR27	CALL			
OG		4440	0	52
OG		5275	0	130
TOTALS			0	182
APR27	CALL			
OG		5000	0	100
OG		5500	0	100
TOTALS			0	200
JUN27	CALL			
OG		4500	0	180
OG		5000	0	180
TOTALS			0	360
OG PUT COMEX GOLD OPTIONS				
DEC26	PUT			
OG		3700	0	170
OG		4050	0	405
OG		4300	0	120
TOTALS			0	695
FEB27	PUT			
OG		4200	0	50
TOTALS			0	50
MAR27	PUT			
OG		3825	0	130
OG		4440	0	52
TOTALS			0	182
SO CALL COMEX SILVER OPTIONS				
NOV26	CALL			
SO		6500	0	50
SO		7400	0	28
TOTALS			0	78
MAR27	CALL			
SO		13000	0	26
TOTALS			0	26
SO PUT COMEX SILVER OPTIONS				
MAR27	PUT			
SO		5000	0	26
TOTALS			0	26
JUN27	PUT			
SO		4700	0	55
TOTALS			0	55
HX CALL COMEX COPPER OPTIONS				
NOV26	CALL			
HX		700	0	20
HX		720	0	20
TOTALS			0	40
HX PUT COMEX COPPER OPTIONS				
NOV26	PUT			
HX		670	0	20
TOTALS			0	20
DEC26	PUT			
HX		630	0	330
TOTALS			0	330
PO CALL PLATINUM OPTIONS				
JAN27	CALL			
PO		1900	0	30
PO		2200	0	30
TOTALS			0	60
GMW MON GOLD WEEKLY MONDAY OPTION WEEK4				
SEP26	PUT			
G4M		4320	0	25
TOTALS			0	25
GMW MON GOLD WEEKLY MONDAY OPTION WEEK4				
SEP26	CALL			
G4M		4360	0	25
TOTALS			0	25
GWW WED GOLD WEEKLY WEDNESDAY OPTION WEEK1				
OCT26	CALL			
G1W		4375	0	100
TOTALS			0	100
GWW WED GOLD WEEKLY WEDNESDAY OPTION WEEK5				
SEP26	CALL			
G5W		4375	0	100
TOTALS			0	100
RWS THU SILVER WEEKLY THURSDAY OPTION week1				
OCT26	CALL			
R1S		6540	0	49
TOTALS			0	49
TWS TUE SILVER WEEKLY TUESDAY OPTION week5				
SEP26	PUT			
S5T		6420	0	35
TOTALS			0	35