METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	OCT26	OCT26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27	MAY27	JUN27	JUL27	AUG27	SEP27
COO OPT	10/30			11/30	12/31	01/29	02/26	03/31				07/30	08/31	09/30
ECG10 OP		10/07	10/08											
ECG11 OP		10/07	10/08											
ECG13 OP		10/07	10/08											
ECG15 OP		10/07	10/08											
ECG16 OP		10/07	10/08											
ECGC OOF		10/07	10/08											
ECHG OOF		10/07	10/08											
ECSI OOF		10/07	10/08											
EHO OPT	10/30			11/30	12/31									
FMG OPT	10/16													
GMW MON	10/26			11/02										
GWR THU	10/29													
GWT TUE	10/20			11/10										
GWW WED	10/28			11/04										
HMW MON	10/26													
HRO OPT	10/27			11/24	12/29	01/26	02/23	03/30	04/27	05/25	06/29	07/27	08/24	09/28
HWR THU	10/29													
HWT TUE	10/20			11/10										
HWW WED	10/28			11/04	12/02	01/06								
HX CALL				10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25			
HX PUT				10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25			
HXE CALL	10/30													
HXE PUT	10/30													
LHO OPT	10/30			11/30	12/31	01/29	02/26	03/31						
MMG MON	10/19													
OG CALL				10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27	08/26
OG PUT				10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27	08/26
OG2 CALL	10/09													
OG2 PUT	10/09													
OG3 CALL	10/16													
OG3 PUT	10/16													
OG4 CALL	10/23													
OG4 PUT	10/23													
OG5 CALL	10/30													
OG5 PUT	10/30													
OMG OPT				10/27	11/24	12/28								
PAO CALL				10/21	11/18			02/17			05/19			
PAO PUT				10/21	11/18			02/17			05/19			
PAW OOF	10/16													
PLW OOF	10/16													
PO CALL				10/21	11/18	12/16			03/17			06/16		
PO PUT				10/21	11/18	12/16			03/17			06/16		
RWS THU	10/29													
SMW MON	10/26													
SO CALL				10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27	08/26
SO PUT				10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24		08/26
SO2 CALL	10/09													
SO2 PUT	10/09													
SO3 CALL	10/16													
SO3 PUT	10/16													
SO4 CALL	10/23													
SO4 PUT	10/23													
SO5 CALL	10/30													
SO5 PUT	10/30													
SWW WED	10/28													
TWS TUE	10/20			11/10										
WMG WED	10/07													

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED		MICRO GOLD WEEKLY WED OPTION WEEK1										
OCT26												
4150	----	----	----	----	----	9.30 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0 0
OMG OPT		MICRO GOLD OPTIONS										
NOV26												
3650	----	----	----	----/15.00A	----	1.80 - 0.40	----	----	----	----	----	2 UNCH
3900	----	----	----	----/1320.50A	----	8.90 - 2.40	----	----	----	----	----	1 UNCH
4000	----	----	----	----	----	177.00 + 11.10	----	----	----	----	----	1 UNCH
4000	----	----	----	----/1331.10A	----	20.30 - 5.20	----	----	----	----	----	2 UNCH
4005	----	----	----	----	----	172.90 + 10.90	----	----	----	----	----	1 UNCH
4025	----	----	----	----/1335.50A	----	25.00 - 6.20	----	----	----	----	----	1 UNCH
4185	----	----	----	----/2053.50A	----	85.50 - 13.50	----	----	----	----	----	1 UNCH
4275	----	----	----	----/1334.00A	----	28.10 + 0.30	----	----	----	----	----	4 UNCH
4300	----	----	----	----/916.90A	----	22.80 UNCH	----	----	----	----	----	1 UNCH
4300	----	----	----	----	----	165.60 - 16.20	----	----	----	----	----	1 UNCH
4400	----	----	----	----/16.00A	----	9.80 - 0.50	----	----	----	----	----	1 UNCH
5810	----	----	----	----/1301.30A	----	0.20 UNCH	----	----	----	----	----	2 UNCH
5850	----	----	----	----/1301.00A	----	0.20 UNCH	----	----	----	----	----	3 UNCH
5900	----	----	----	----/1301.20A	----	0.20 UNCH	----	----	----	----	----	5 UNCH
6500	----	----	----	----/1301.50A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
TOTAL												30 0
DEC26												
3900	----	----	----	----	----	35.50 - 4.30	----	----	----	----	----	1 UNCH
3990	----	----	----	20.00B/----	----	56.10 - 6.60	----	----	----	----	----	2 UNCH
4000	----	----	----	----	----	59.00 - 6.80	----	----	----	----	----	2 UNCH
4500	----	----	----	77.70B/----	----	367.90 - 16.70	----	----	----	----	----	3 UNCH
4650	----	----	----	----	----	13.40 - 0.80	----	----	----	----	----	1 UNCH
4700	----	----	----	----	----	10.90 - 0.80	----	----	----	----	----	10 UNCH
4800	----	----	----	----	----	7.40 - 0.80	----	----	----	----	----	1 UNCH
TOTAL												20 0
JAN27												
4010	----	----	----	----	----	263.80 + 9.00	----	----	----	----	----	1 UNCH
4600	460.00	460.00	460.00/460.00	460.00/460.00	----	448.50 - 17.00	----	----	----	2	----	3 UNCH
TOTAL										2		4 0
OCT27												
4410	----	----	----	----	----	328.30 + 7.80	----	----	----	----	----	1 UNCH
TOTAL												1 0
FEB28												
4325	----	----	----	----	----	482.80 + 9.20	----	----	----	----	----	1 UNCH
4600	----	----	----	----	----	363.40 + 7.60	----	----	----	----	----	1 UNCH
TOTAL												2 0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG5 PUT GOLD OPTIONS
OCT26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3400 ----	----	----	0.80B/1.00A	----	0.90 - 0.10	.0065	----	----	----	----	1 UNCH
3500 1.60	1.60	1.60/1.50A	1.60/1.50A	----	1.40 - 0.20	.0107	----	----	2	----	9 + 2
3700 ----	----	4.90B/3.90A	4.90B/3.90A	----	3.90 - 0.70	.0323	----	----	----	----	20 UNCH
3775 7.00	7.00	7.70B/5.80A	7.70B/5.80A	----	5.90 - 1.20	.0500	----	----	1	----	1 UNCH
3800 ----	----	9.00B/6.70A	9.00B/6.70A	----	6.90 - 1.50	.0585	----	----	----	----	42 UNCH
3850 ----	----	12.80B/9.30A	12.80B/9.30A	----	9.60 - 2.00	.0811	----	----	----	----	2 UNCH
3900 15.00	15.00	17.90B/13.00A	17.90B/13.00A	----	13.50 - 2.90	.1126	----	----	1	----	9 + 1
3950 ----	----	25.70B/18.50A	25.70B/18.50A	----	19.50 - 4.10	.1572	----	----	----	----	12 UNCH
4000 ----	----	36.50B/26.50A	36.50B/26.50A	----	28.10 - 5.70	.2162	----	----	----	----	5 UNCH
4025 ----	----	43.30B/31.70A	43.30B/31.70A	----	33.70 - 6.60	.2517	----	----	----	----	21 UNCH
4050 39.10	39.10	51.50B/37.80A	51.50B/37.80A	----	40.30 - 7.50	.2909	----	----	4	----	18 + 2
4075 ----	----	60.80B/45.10A	60.80B/45.10A	----	48.00 - 8.50	.3336	----	----	----	----	2 UNCH
4100 ----	----	71.30B/53.40A	71.30B/53.40A	----	56.90 - 9.60	.3792	----	----	----	----	1 UNCH
4125 67.20	67.20	82.50B/63.00A	82.50B/63.00A	----	67.10 - 10.80	.4270	----	----	3	----	15 + 2
4150 ----	----	96.10B/74.00A	96.10B/74.00A	----	78.70 - 11.90	.4762	----	----	----	----	1 UNCH
4175 ----	----	110.40B/86.60A	110.40B/86.60A	----	91.70 - 12.70	.5255	----	----	----	----	1 UNCH
4250 ----	----	155.40B/131.50A	155.40B/131.50A	----	138.10 - 14.70	.6655	----	----	----	----	1 UNCH
4300 ----	----	193.40B/167.30A	193.40B/167.30A	----	174.50 - 15.80	.7460	----	----	----	----	1 UNCH
4350 ----	----	234.50B/207.40A	234.50B/207.40A	----	214.80 - 16.50	.8114	----	----	----	----	1 UNCH
TOTAL									11		163 + 7

OG5 CALL GOLD OPTIONS
OCT26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4100 ----	----	119.50B/97.10A	119.50B/97.10A	----	113.80 + 6.70	.6202	----	----	----	----	1 UNCH
4125 ----	----	105.50B/83.80A	105.50B/83.80A	----	99.10 + 5.50	.5724	----	----	----	----	2 UNCH
4150 ----	----	91.40B/71.80A	91.40B/71.80A	----	85.70 + 4.40	.5232	----	----	----	----	2 UNCH
4175 ----	----	78.60B/61.00A	78.60B/61.00A	----	73.70 + 3.50	.4738	----	----	----	----	6 UNCH
4200 64.40	64.40	67.90B/51.60A	67.90B/51.60A	----	63.00 + 2.80	.4253	----	----	9	----	10 + 8
4225 58.50	58.50	58.50/43.50A	58.50/43.50A	----	53.50 + 2.10	.3783	----	----	2	----	5 UNCH
4250 ----	----	48.90B/36.40A	48.90B/36.40A	----	45.30 + 1.60	.3338	----	----	3	----	6 + 3
4275 ----	----	41.10B/30.40A	41.10B/30.40A	----	38.00 + 1.00	.2919	----	----	----	----	1 UNCH
4300 ----	----	34.70B/25.40A	34.70B/25.40A	----	31.80 + 0.50	.2534	----	----	----	----	1 UNCH
4325 29.60	29.60	30.00/21.20A	30.00/21.20A	----	26.60 + 0.10	.2189	----	----	22	----	19 - 6
4350 21.00	21.00	24.50B/17.60A	24.50B/17.60A	----	22.20 - 0.20	.1880	----	----	2	----	15 + 1
4375 19.00	19.00	20.60B/14.70A	20.60B/14.70A	----	18.50 - 0.50	.1608	----	----	3	----	13 - 1
4400 14.20	14.20	17.30B/12.30A	17.30B/12.30A	----	15.50 - 0.60	.1375	----	----	11	----	14 + 11
4425 12.20	12.20	13.90B/10.30A	13.90B/10.30A	----	12.90 NEW	.1168	----	----	10	----	10 + 10
4450 10.60	10.60	12.10B/8.70A	12.10B/8.70A	----	10.90 - 0.80	.0999	----	----	2	----	3 + 2
4500 7.50	7.50	7.50/6.30A	8.50B/6.30A	----	7.80 - 0.70	.0729	----	----	2	----	4 + 2
4525 6.20	6.20	6.20/5.40A	7.30B/5.40A	----	6.60 - 0.70	.0622	----	----	25	----	26 + 25
4550 ----	----	----/4.60A	6.00B/4.60A	----	5.60 - 0.70	.0531	----	----	----	----	2 UNCH
4750 ----	----	----/1.80A	1.90B/1.80A	----	2.00 - 0.30	.0184	----	----	----	----	4 UNCH
4800 ----	----	----/1.50A	1.50B/1.50A	----	1.70 - 0.20	.0153	----	----	----	----	6 UNCH
TOTAL									91		150 + 55

OG4 PUT GOLD OPTIONS
OCT26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3400 ----	----	----	0.30B/0.50A	----	0.30 - 0.10	.0023	----	----	----	----	1 UNCH
3500 ----	----	----/0.60A	0.50B/0.60A	----	0.60 - 0.10	.0049	----	----	----	----	10 UNCH
3600 ----	----	1.20B/1.00A	1.20B/1.00A	----	1.00 - 0.10	.0089	----	----	1	----	6 + 1
3700 ----	----	2.20B/1.70A	2.20B/1.70A	----	1.70 - 0.40	.0163	----	----	----	----	5 UNCH
3800 4.40	4.40	4.60B/3.10A	4.60B/3.10A	----	3.20 - 0.80	.0327	----	----	2	----	2 + 1
3825 ----	----	5.60B/3.60A	5.60B/3.60A	----	3.80 - 1.00	.0393	----	----	2	----	2 + 1
3850 ----	----	6.80B/4.30A	6.80B/4.30A	----	4.60 - 1.20	.0479	----	----	2	----	2 + 1
3875 ----	----	8.30B/5.20A	8.30B/5.20A	----	5.60 - 1.50	.0586	----	----	----	----	18 UNCH
3900 ----	----	10.20B/6.40A	10.20B/6.40A	----	6.80 - 2.00	.0715	----	----	----	----	12 UNCH
3925 ----	----	12.60B/7.80A	12.60B/7.80A	----	8.40 - 2.50	.0881	----	----	----	----	25 UNCH
3950 ----	----	15.60B/9.60A	15.60B/9.60A	----	10.50 - 3.10	.1090	----	----	----	----	5 UNCH
3975 ----	----	19.30B/12.00A	19.30B/12.00A	----	13.20 - 3.80	.1350	----	----	----	----	11 UNCH
4000 ----	----	24.10B/15.00A	24.10B/15.00A	----	16.50 - 4.70	.1657	----	----	----	----	116 UNCH
4025 ----	----	29.70B/18.80A	29.70B/18.80A	----	20.80 - 5.70	.2032	----	----	----	----	1 UNCH
4050 25.00	25.00	36.80B/23.60A	36.80B/23.60A	----	26.10 - 6.90	.2467	----	----	11	----	15 + 11
4075 34.00	34.00	45.20B/29.50A	45.20B/29.50A	----	32.70 NEW	.2967	----	----	9	----	9 + 9
4100 38.00	38.00	55.00B/36.70A	55.00B/36.70A	----	40.60 - 9.40	.3520	----	----	11	----	15 + 11
4125 52.50	52.50	66.40B/45.40A	66.40B/45.40A	----	50.10 - 10.70	.4118	----	----	1	----	7 UNCH
4150 ----	----	79.40B/55.60A	79.40B/55.60A	----	61.20 - 12.00	.4745	----	----	----	----	15 UNCH
4175 71.50	71.50	93.90B/67.60A	93.90B/67.60A	----	74.00 - 13.10	.5379	----	----	11	----	60 + 10
4200 89.60	89.60	109.80B/81.20A	109.80B/81.20A	----	88.50 - 14.10	.6001	----	----	28	----	16 - 10
4250 ----	----	146.30B/113.40A	146.30B/113.40A	----	122.20 NEW	.7134	----	----	1	----	1 + 1
TOTAL									79		354 + 36

OG4 CALL GOLD OPTIONS
OCT26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4100 ----	----	106.50B/79.50A	106.50B/79.50A	----	97.50 NEW	.6476	----	----	36	----	36 + 36
4125 ----	----	90.70B/65.80A	90.70B/65.80A	----	82.10 + 5.60	.5877	----	----	----	----	13 UNCH
4150 62.90	62.90	76.70B/53.80A	76.70B/53.80A	----	68.20 + 4.30	.5251	----	----	4	----	12 + 4
4175 56.40	56.40	64.00B/43.40A	64.00B/43.40A	----	56.10 + 3.20	.4616	----	----	11	----	44 + 11
4200 ----	----	52.90B/34.70A	52.90B/34.70A	----	45.60 + 2.20	.3994	----	----	25	----	15 - 11
4225 ----	----	43.30B/27.60A	43.30B/27.60A	----	36.70 + 1.30	.3403	----	----	1	----	18 + 1
4250 ----	----	35.10B/21.70A	35.10B/21.70A	----	29.40 + 0.70	.2861	----	----	----	----	1 UNCH
4300 20.60	20.60	22.80B/13.40A	22.80B/13.40A	----	18.50 - 0.20	.1952	----	----	4	----	8 + 4
4325 ----	----	18.10B/10.60A	18.10B/10.60A	----	14.70 - 0.30	.1596	----	----	6	----	15 + 1
4350 ----	----	14.50B/8.40A	14.50B/8.40A	----	11.60 - 0.50	.1292	----	----	1	----	2 + 1
4375 11.70	11.70	11.70/6.70A	11.70/6.70A	----	9.20 - 0.60	.1045	----	----	2	----	12 + 1
4400 ----	----	9.30B/5.40A	9.30B/5.40A	----	7.40 - 0.50	.0850	----	----	----	----	20 UNCH
4450 ----	----	6.10B/3.60A	6.10B/3.60A	----	4.80 - 0.50	.0559	----	----	----	----	53 UNCH
4500 ----	----	4.10B/2.50A	4.10B/2.50A	----	3.20 - 0.50	.0373	----	----	----	----	280 UNCH
4550 ----	----	2.90B/1.80A	2.90B/1.80A	----	2.30 - 0.40	.0263	----	----	----	----	1 UNCH
4575 ----	----	2.40B/1.60A	2.40B/1.60A	----	1.90 - 0.40	.0217	----	----	----	----	27 UNCH
4600 ----	----	2.10B/1.40A	2.10B/1.40A	----	1.70 - 0.30	.0190	----	----	----	----	25 UNCH
4650 ----	----	----/1.20A	1.60B/1.20A	----	1.30 - 0.30	.0141	----	----	----	----	1 UNCH
4675 ----	----	----/1.10A	1.40B/1.10A	----	1.10 - 0.30	.0119	----	----	----	----	29 UNCH
4700 ----	----	----/1.00A	1.20B/1.00A	----	1.00 - 0.30	.0106	----	----	----	----	1 UNCH
4800 ----	----	----/0.80A	0.80B/0.80A	----	0.70 - 0.20	.0069	----	----	----	----	140 UNCH
5000 ----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0034	----	----	----	----	70 UNCH
TOTAL									90		823 + 48

OG3 PUT GOLD OPTIONS
OCT26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3500 ----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0007	----	----	----	----	5 UNCH
3600 ----	----	----/0.40A	0.30B/0.40A	----	0.30 - 0.20	.0025	----	----	----	----	10 UNCH
3700 ----	----	----/0.60A	0.70B/0.60A	----	0.60 - 0.20	.0058	----	----	----	----	6 UNCH
3750 ----	----	----/0.80A	1.10B/0.80A	----	0.80 - 0.30	.0083	----	----	----	----	26 UNCH
3775 ----	----	1.40B/0.90A	1.40B/0.90A	----	1.00 - 0.30	.0106	----	----	----	----	1 UNCH
3800 ----	----	1.70B/1.10A	1.70B/1.10A	----	1.10 - 0.50	.0123	----	----	----	----	90 UNCH
3825 1.40	1.40	2.20B/1.30A	2.20B/1.30A	----	1.40 NEW	.0160	----	----	5	----	5 + 5
3850 ----	----	2.80B/1.60A	2.80B/1.60A	----	1.70 - 0.70	.0201	----	----	1	----	8 UNCH
3875 ----	----	3.50B/1.90A	3.50B/1.90A	----	2.20 - 0.90	.0266	----	----	----	----	4 UNCH
3900 4.50	4.50	4.60B/2.40A	4.60B/2.40A	----	2.80 - 1.10	.0346	----	----	13	----	33 + 4
3925 3.70	3.70	5.90B/3.10A	5.90B/3.10A	----	3.60 - 1.50	.0454	----	----	1	----	21 UNCH
3950 ----	----	7.80B/4.00A	7.80B/4.00A	----	4.60 - 2.10	.0592	----	----	5	----	48 - 2
3975 ----	----	10.40B/5.30A	10.40B/5.30A	----	6.10 - 2.70	.0791	----	----	3	----	48 UNCH
4000 12.70	12.70	13.80B/7.10A	13.80B/7.10A	----	8.10 - 3.60	.1052	----	----	28	----	251 + 8
4025 12.30	12.30	18.20B/9.60A	18.20B/9.60A	----	10.90 - 4.70	.1402	----	----	33	----	100 + 18
4050 ----	----	23.80B/12.90A	23.80B/12.90A	----	14.80 - 5.90	.1859	----	----	9	----	201 + 1
4075 22.00	22.00	31.10B/17.50A	31.10B/17.50A	----	19.90 - 7.40	.2422	----	----	12	----	84 - 2
4100 40.00	40.00	40.20B/23.50A	40.20B/23.50A	----	26.70 - 8.80	.3100	----	----	34	----	221 + 13
4125 40.70	40.70	51.00B/31.10A	51.00B/31.10A	----	35.30 - 10.50	.3870	----	----	12	----	28 + 6

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 PUT	GOLD OPTIONS										
OCT26											
4150 ----	----	64.10B/40.70A	64.10B/40.70A	----	46.00 - 12.00	.4704	----	----	----	----	30 UNCH
4175 59.90	59.90	78.80B/52.50A	78.80B/52.50A	----	58.90 - 13.30	.5556	----	----	2	----	21 - 1
4200 ----	----	95.90B/66.40A	95.90B/66.40A	----	73.90 - 14.50	.6381	----	----	1	----	157 + 1
4225 ----	----	114.80B/82.50A	114.80B/82.50A	----	91.00 - 15.40	.7134	----	----	----	----	61 UNCH
4250 ----	----	134.90B/100.50A	134.90B/100.50A	----	109.90 - 16.00	.7780	----	----	----	----	9 UNCH
4275 ----	----	156.30B/120.10A	156.30B/120.10A	----	130.30 - 16.50	.8318	----	----	----	----	5 UNCH
4300 ----	----	178.60B/141.10A	178.60B/141.10A	----	152.00 - 16.70	.8737	----	----	----	----	5 UNCH
4350 ----	----	225.10B/186.00A	225.10B/186.00A	----	197.80 - 16.90	.9295	----	----	----	----	36 UNCH
4400 ----	----	270.80B/234.80A	270.80B/234.80A	----	245.70 - 16.80	.9609	----	----	----	----	33 UNCH
4500 ----	----	369.70B/332.70A	369.70B/332.70A	----	344.00 - 16.60	.9859	----	----	----	----	3 UNCH
4600 ----	----	469.20B/432.10A	469.20B/432.10A	----	443.40 - 16.50	.9933	----	----	----	----	2 UNCH
4625 ----	----	494.20B/458.70A	494.20B/458.70A	----	468.30 - 16.50	.9936	----	----	----	----	1 UNCH
4725 ----	----	594.10B/558.70A	594.10B/558.70A	----	568.20 - 16.30	.9963	1	----	----	----	0 - 1
TOTAL									159		1553 + 50

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 CALL	GOLD OPTIONS										
OCT26											
3500 ----	----	666.70B/631.00A	666.70B/631.00A	----	657.00 + 16.30	.9996	----	----	----	----	1 UNCH
3800 ----	----	369.20B/332.10A	369.20B/332.10A	----	357.90 + 15.80	.9876	----	----	----	----	2 UNCH
3825 ----	----	344.50B/307.50A	344.50B/307.50A	----	333.20 + 15.80	.9838	----	----	----	----	3 UNCH
3850 ----	----	319.70B/282.90A	319.70B/282.90A	----	308.50 + 15.60	.9797	----	----	----	----	1 UNCH
4000 160.10	160.10	176.70B/140.40A	176.70B/140.40A	----	165.00 + 12.70	.8945	----	----	4	----	5 + 4
4075 ----	----	112.10B/81.10A	112.10B/81.10A	----	101.90 NEW	.7575	----	----	1	----	1 + 1
4100 ----	----	93.00B/64.80A	93.00B/64.80A	----	83.70 + 7.50	.6897	----	----	38	----	41 + 37
4125 59.10	59.10	75.80B/50.40A	75.80B/50.40A	----	67.30 + 5.90	.6127	----	----	13	----	19 + 13
4150 51.10	51.10	61.20B/38.40A	61.20B/38.40A	----	53.00 + 4.30	.5293	----	----	8	----	155 + 3
4175 40.90	40.90	48.30B/28.70A	48.30B/28.70A	----	40.90 + 2.90	.4441	----	----	4	----	67 - 4
4200 36.30	36.30	37.40B/21.00A	37.40B/21.00A	----	30.90 + 1.70	.3616	----	----	24	----	269 + 14
4225 19.00	19.00	28.60B/15.20A	28.60B/15.20A	----	23.00 + 0.80	.2863	----	----	8	----	73 + 3
4250 15.50	15.50	21.50B/11.00A	21.50B/11.00A	----	17.00 + 0.30	.2217	----	----	108	----	172 + 57
4275 11.60	11.60	16.00B/8.00A	16.00B/8.00A	----	12.40 - 0.20	.1680	----	----	165	----	210 + 146
4300 8.80	8.80	11.90B/5.80A	11.90B/5.80A	----	9.10 - 0.40	.1261	----	----	400	20	193 + 77
4325 7.30	7.30	8.90B/4.20	8.90B/4.20	----	6.70 - 0.60	.0940	----	----	80	----	117 + 41
4350 5.30	5.30	6.60B/3.20A	6.60B/3.20A	----	5.00 - 0.60	.0702	----	----	7	----	80 + 4
4375 ----	----	5.00B/2.50A	5.00B/2.50A	----	3.70 - 0.60	.0519	----	----	2	----	84 - 2
4400 3.10	3.10	3.80B/1.90A	3.80B/1.90A	----	2.80 - 0.60	.0389	----	----	133	----	239 + 33
4425 1.90	1.90	2.90B/1.60A	2.90B/1.60A	----	2.20 - 0.50	.0300	----	----	10	----	15 - 3
4450 1.50	1.50	2.30B/1.30A	2.30B/1.30A	----	1.70 - 0.50	.0227	----	----	4	----	211 UNCH
4475 1.20	1.20	1.20/1.10A	1.80B/1.10A	----	1.40 - 0.40	.0182	----	----	43	----	76 UNCH
4500 ----	----	----/0.90A	1.50B/0.90A	----	1.10 - 0.40	.0140	----	----	----	----	294 UNCH
4525 ----	----	----/0.80A	1.20B/0.80A	----	1.00 - 0.30	.0122	----	----	----	----	24 UNCH
4550 0.90	0.90	0.90/0.80A	1.00B/0.80A	----	0.80 - 0.30	.0095	----	----	1	----	18 UNCH
4575 ----	----	----/0.70A	0.80B/0.70A	----	0.70 - 0.30	.0081	----	----	----	----	14 UNCH
4600 ----	----	----/0.60A	0.70B/0.60A	----	0.60 - 0.20	.0067	----	----	----	----	524 UNCH
4625 ----	----	----/0.60A	0.60B/0.60A	----	0.60 - 0.10	.0064	----	----	----	----	21 UNCH
4650 ----	----	----/0.60A	0.50B/0.60A	----	0.50 - 0.20	.0052	----	----	----	----	20 UNCH
4675 ----	----	----/0.50A	0.40B/0.50A	----	0.50 - 0.10	.0050	----	----	----	----	27 UNCH
4700 ----	----	----/0.50A	0.40B/0.50A	----	0.40 - 0.20	.0039	----	----	----	----	22 UNCH
4725 ----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0038	----	----	----	----	1 UNCH
4750 ----	----	----/0.40A	0.30B/0.40A	----	0.40 - 0.10	.0036	----	----	----	----	1 UNCH
4775 ----	----	----/0.40A	0.30B/0.40A	----	0.40 - 0.10	.0035	----	----	----	----	2 UNCH
4800 ----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0026	----	----	----	----	8 UNCH
4825 0.30	0.30	0.30/0.30	0.30/0.30	----	0.30 - 0.10	.0025	----	----	5	----	7 + 5
4850 ----	----	----	0.20B/0.30A	----	0.30 UNCH	.0025	----	----	----	----	4 UNCH
4900 ----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0016	----	----	----	----	28 UNCH
5000 ----	----	----	----/0.40A	----	0.10 - 0.10	.0007	----	----	----	----	3 UNCH
5100 ----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	8 UNCH
5200 ----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
TOTAL									1058	20	3065 + 429

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG2 PUT	GOLD OPTIONS										
OCT26											
3000 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3250 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3500 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	133 UNCH
3600 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3700 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	48 UNCH
3750 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	41 UNCH
3775 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
3780 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3795 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
3800 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	93 UNCH
3810 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3825 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
3830 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
3850 ----	----	----	0.10B/0.10A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
3855 ----	----	----/0.10A	0.10B/0.10A	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
3865 ----	----	----/0.10A	0.20B/0.10A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
3875 0.30	0.30	0.30/0.10A	0.30/0.10A	----	0.10 - 0.10	----	----	----	3	----	3 + 3
3880 ----	----	----/0.10A	0.20B/0.10A	----	0.10 - 0.10	----	----	----	----	----	10 UNCH
3890 ----	----	----/0.10A	0.30B/0.10A	----	0.10 - 0.20	----	----	----	----	----	10 UNCH
3900 0.20	0.20	0.40B/0.20	0.40B/0.20	----	0.10 - 0.20	----	----	----	9	----	170 - 3
3915 ----	----	0.50B/0.20A	0.50B/0.20A	----	0.10 - 0.30	----	----	----	----	----	6 UNCH
3925 0.50	0.50	0.50/0.20A	0.50/0.20A	----	0.10 - 0.30	----	----	----	3	----	13 + 1
3930 0.20	0.20	0.60B/0.20	0.60B/0.20	----	0.10 - 0.30	----	----	----	2	----	5 UNCH
3945 0.40	0.40	0.70B/0.20A	0.70B/0.20A	----	0.10 - 0.40	.0000	----	----	1	----	3 + 1
3950 0.40	0.40	0.80B/0.20	0.80B/0.20	----	0.10 - 0.40	.0000	----	----	38	----	334 - 8
3955 ----	----	0.80B/0.20A	0.80B/0.20A	----	0.10 - 0.50	.0000	----	----	----	----	11 UNCH
3960 0.20	0.20	0.90B/0.20	0.90B/0.20	----	0.10 - 0.50	.0000	----	----	1	----	6 + 1
3965 0.20	0.20	1.00B/0.20	1.00B/0.20	----	0.10 NEW	.0000	----	----	20	----	20 + 20
3970 ----	----	1.10B/0.20A	1.10B/0.20A	----	0.10 - 0.60	.0000	----	----	----	----	4 UNCH
3975 1.30	1.30	1.30/0.20	1.30/0.20	----	0.10 - 0.70	.0001	----	----	102	----	239 + 92
3980 ----	----	1.30B/0.20A	1.30B/0.20A	----	0.20 - 0.70	.0003	----	----	----	----	2 UNCH
3985 0.50	0.50	1.50B/0.30A	1.50B/0.30A	----	0.20 - 0.80	.0003	----	----	2	----	13 + 2
3990 0.90	0.90	1.60B/0.30A	1.60B/0.30A	----	0.20 - 0.90	.0003	----	----	40	----	27 + 24
3995 ----	----	1.80B/0.30A	1.80B/0.30A	----	0.20 - 1.00	.0003	----	----	12	----	18 + 12
4000 2.10	2.10	2.10/0.30	2.10/0.30	----	0.30 - 1.00	.0007	----	----	32	----	851 + 10
4005 ----	----	2.20B/0.30A	2.20B/0.30A	----	0.30 - 1.10	.0007	----	----	----	----	22 UNCH
4010 0.50	0.50	2.40B/0.40	2.40B/0.40	----	0.40 - 1.20	.0012	----	----	7	----	12 + 7
4015 ----	----	2.60B/0.40A	2.60B/0.40A	----	0.40 - 1.30	.0012	----	----	----	----	4 UNCH
4020 0.40	0.40	3.00B/0.40	3.00B/0.40	----	0.50 - 1.40	.0018	----	----	50	----	45 + 42
4025 0.50	0.50	3.30B/0.40A	3.30B/0.40A	----	0.60 - 1.50	.0025	----	----	6	----	110 UNCH
4030 0.60	0.60	3.70B/0.50A	3.70B/0.50A	----	0.70 - 1.70	.0032	----	----	5	----	15 + 1
4035 0.70	0.70	4.00B/0.50A	4.00B/0.50A	----	0.70 - 1.90	.0034	----	----	3	----	17 + 2
4040 4.80	4.80	4.80/0.50	4.80/0.50	----	0.80 - 2.10	.0044	----	----	13	----	55 + 10
4045 5.20	5.20	5.20/0.50	5.20/0.50	----	0.90 - 2.40	.0054	----	----	11	----	17 + 5
4050 4.70	4.70	5.60B/0.60	5.60B/0.60	----	1.10 - 2.60	.0075	----	----	160	----	717 - 64
4055 2.30	2.30	6.50B/0.80A	6.50B/0.80A	----	1.20 - 2.90	.0089	----	----	22	----	25 + 14
4060 5.60	5.60	7.20B/0.80	7.20B/0.80	----	1.40 - 3.20	.0115	----	----	54	----	41 + 39
4065 1.90	1.90	8.00B/1.00A	8.00B/1.00A	----	1.60 - 3.60	.0145	----	----	20	----	29 + 14
4070 5.70	5.70	8.90B/1.10A	8.90B/1.10A	----	1.80 - 4.00	.0179	----	----	51	----	40 + 16
4075 4.30	4.30	9.90B/1.30A	9.90B/1.30A	----	2.00 - 4.60	.0217	----	----	157	----	330 - 23
4080 5.70	5.70	11.00B/1.50A	11.00B/1.50A	----	2.30 - 5.10	.0273	----	----	33	----	43 + 17
4085 5.70	5.70	12.20B/1.70A	12.20B/1.70A	----	2.70 - 5.60	.0351	----	----	32	----	22 + 9
4090 7.50	7.50	13.50B/2.00A	13.50B/2.00A	----	3.10 - 6.20	.0439	----	----	103	----	101 + 64
4095 4.50	4.50	14.90B/2.40A	14.90B/2.40A	----	3.60 - 6.90	.0553	----	----	39	----	26 + 13
4100 12.00	12.00	16.40B/2.80A	16.40B/2.80A	----	4.10 - 7.60	.0680	----	----	795	----	865 + 146
4105 17.60	17.60	18.10B/3.20A	18.10B/3.20A	----	4.80 - 8.30	.0855	----	----	51	----	39 + 24
4110 4.20	4.20	19.90B/3.80A	19.90B/3.80A	----	5.50 - 9.10	.1048	----	----	22	----	23 + 8
4115 13.50	13.50	21.80B/4.40A	21.80B/4.40A	----	6.40 - 9.90	.1293	----	----	27	----	43 + 12
4120 14.00	14.00	24.00B/5.10A	24.00B/5.10A	----	7.40 - 10.70	.1577	----	----	57	----	38 + 11
4125 7.10	7.10	26.20B/6.00A	26.20B/6.00A	----	8.50 - 11.50	.1901	----	----	170	----	176 + 66
4130 15.40	15.40	28.60B/7.00A	28.60B/7.00A	----	9.80 - 12.40	.2278	----	----	81	----	90 + 41
4135 11.30	11.30	31.10B/8.20A	31.10B/8.20A	----	11.30 - 13.10	.2704	----	----	36	----	17 + 11
4140 30.50	30.50	33.80B/9.40A	33.80B/9.40A	----	13.00 - 13.90	.3174	----	----	46	----	223 + 12
4145 20.00	20.00	36.70B/10.80A	36.70B/10.80A	----	14.80 - 14.60	.3673	----	----	25	----	17 + 15
4150 37.90	37.90	39.30B/12.30A	39.30B/12.30A	----	16.90 - 15.30	.4208	----	----	236	----	282 - 36
4155 20.00	20.00	42.50B/14.20A	42.50B/14.20A	----	19.20 - 15.90	.4759	----	----	25	----	21 + 14

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG2 PUT		GOLD OPTIONS										
OCT26												
4160	29.60	29.60	45.80B/16.10A	45.80B/16.10A	----	21.70 - 16.40	.5317	----	----	64	----	45 + 37
4165	23.60	23.60	49.30B/18.30A	49.30B/18.30A	----	24.50 - 16.80	.5865	----	----	4	----	10 + 1
4170	49.80	49.80	52.90B/20.80A	52.90B/20.80A	----	27.40 - 17.20	.6398	----	----	17	----	21 + 9
4175	55.00	55.00	56.60B/23.40A	56.60B/23.40A	----	30.60 - 17.50	.6896	----	----	10	----	210 - 4
4180	----	----	60.40B/26.30A	60.40B/26.30A	----	34.00 - 17.70	.7354	----	----	3	----	34 + 1
4185	51.80	51.80	64.40B/29.40A	64.40B/29.40A	----	37.50 - 18.00	.7778	----	----	5	----	15 + 5
4190	49.70	49.70	68.50B/32.80A	68.50B/32.80A	----	41.30 - 18.00	.8138	----	----	18	----	37 + 11
4195	52.90	52.90	72.70B/36.20A	72.70B/36.20A	----	45.10 - 18.20	.8459	----	----	1	----	5 - 1
4200	56.90	56.90	77.00B/39.80A	77.00B/39.80A	----	49.20 - 18.10	.8741	----	----	6	----	279 + 1
4205	----	----	81.30B/43.60A	81.30B/43.60A	----	53.40 - 18.10	.8969	----	----	----	----	9 UNCH
4215	----	----	90.30B/51.60A	90.30B/51.60A	----	62.00 NEW	.9334	----	----	1	----	1 + 1
4220	74.50	74.50	94.80B/55.70A	94.80B/55.70A	----	66.50 NEW	.9460	----	----	10	----	5 + 5
4225	----	----	99.30B/59.90A	99.30B/59.90A	----	71.10 - 17.80	.9558	----	----	10	----	71 - 2
4250	----	----	123.00B/82.50A	123.00B/82.50A	----	94.60 - 17.50	.9852	----	----	5	----	32 UNCH
4260	----	----	132.60B/92.10A	132.60B/92.10A	----	104.20 NEW	.9899	----	----	1	----	1 + 1
4275	----	----	147.20B/106.50A	147.20B/106.50A	----	118.90 - 17.10	.9947	----	----	----	----	49 UNCH
4285	----	----	156.90B/116.10A	156.90B/116.10A	----	128.70 - 17.10	.9966	----	----	----	----	1 UNCH
4300	----	----	171.70B/130.80A	171.70B/130.80A	----	143.50 - 16.90	.9981	----	----	----	----	23 UNCH
4315	----	----	186.50B/148.80A	186.50B/148.80A	----	158.30 - 16.90	.9988	----	----	----	----	1 UNCH
4320	----	----	191.50B/152.60A	191.50B/152.60A	----	163.30 - 16.90	.9993	----	----	1	----	1 UNCH
4325	----	----	196.40B/157.80A	196.40B/157.80A	----	168.30 - 16.80	.9993	----	----	----	----	25 UNCH
4330	----	----	201.40B/163.10A	201.40B/163.10A	----	173.20 - 16.80	.9993	----	----	1	----	1 UNCH
4340	----	----	209.10B/172.40A	209.10B/172.40A	----	183.20 - 16.70	.9997	----	----	1	----	1 UNCH
4350	----	----	219.20B/181.90A	219.20B/181.90A	----	193.20 - 16.70	.9997	----	----	----	----	16 UNCH
4375	----	----	244.20B/206.80A	244.20B/206.80A	----	218.10 - 16.60	1.0000	----	----	----	----	2 UNCH
4400	----	----	269.10B/232.50A	269.10B/232.50A	----	243.10 - 16.50	1.0000	----	----	----	----	25 UNCH
4500	----	----	369.10B/332.60A	369.10B/332.60A	----	343.10 - 16.30	1.0000	2	----	----	----	0 - 2
4550	----	----	419.20B/382.30A	419.20B/382.30A	----	393.10 - 16.30	1.0000	2	----	----	----	0 - 2
4575	----	----	444.00B/408.40A	444.00B/408.40A	----	418.10 - 16.30	1.0000	1	----	----	----	0 - 1
10000	----	----	5,867.70B/5,832	5867.70B/5832.70A	----	5843.00 - 16.30	1.0000	----	----	----	----	0 UNCH
TOTAL										2760		6540 + 705

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG2 CALL		GOLD OPTIONS										
OCT26												
3950	----	----	218.60B/181.00A	218.60B/181.00A	----	207.10 + 15.90	1.0000	----	----	----	----	2 UNCH
3975	----	----	193.60B/155.10A	193.60B/155.10A	----	182.10 + 15.60	.9999	----	----	----	----	3 UNCH
4000	----	----	167.40B/130.30A	167.40B/130.30A	----	157.30 + 15.30	.9992	----	----	----	----	4 UNCH
4060	86.10	86.10	110.70B/72.20A	110.70B/72.20A	----	98.40 NEW	.9884	----	----	1	----	1 + 1
4070	----	----	100.80B/63.10A	100.80B/63.10A	----	88.80 + 12.30	.9820	----	----	----	----	5 UNCH
4075	----	----	96.00B/58.60A	96.00B/58.60A	----	84.00 + 11.80	.9782	----	----	1	----	7 UNCH
4080	----	----	91.20B/54.20A	91.20B/54.20A	----	79.30 + 11.20	.9726	----	----	----	----	1 UNCH
4090	77.00	77.00	81.70B/45.90A	81.70B/45.90A	----	70.10 + 10.10	.9560	----	----	3	----	2 UNCH
4100	72.00	72.00	72.40B/38.10A	72.40B/38.10A	----	61.10 + 8.70	.9319	----	----	58	----	44 - 4
4110	40.00	40.00	64.00B/30.90A	64.00B/30.90A	----	52.50 + 7.20	.8951	----	----	2	----	1 - 1
4115	----	----	60.00B/27.60A	60.00B/27.60A	----	48.40 + 6.40	.8705	----	----	----	----	1 UNCH
4120	33.10	33.10	56.10B/24.40A	56.10B/24.40A	----	44.40 + 5.60	.8422	----	----	4	----	6 + 3
4125	22.10	22.10	52.40B/21.40A	52.40B/21.40A	----	40.50 + 4.80	.8098	----	----	6	----	39 + 2
4130	19.20	19.20	48.70B/18.80A	48.70B/18.80A	----	36.80 + 3.90	.7721	----	----	10	----	13 + 2
4135	30.00	30.00	45.20B/16.30A	45.20B/16.30A	----	33.30 + 3.20	.7295	----	----	39	----	15 + 5
4140	25.10	25.10	41.80B/14.10A	41.80B/14.10A	----	30.00 + 2.40	.6825	----	----	27	----	11 + 1
4145	24.30	24.30	38.50B/12.10A	38.50B/12.10A	----	26.80 + 1.70	.6326	----	----	75	----	24 + 16
4150	20.00	20.00	35.70B/10.30A	35.70B/10.30A	----	23.90 + 1.00	.5791	----	----	275	----	92 + 35
4155	12.20	12.20	32.90B/8.80A	32.90B/8.80A	----	21.20 + 0.40	.5239	----	----	52	----	35 + 31
4160	18.00	18.00	30.10B/7.50A	30.10B/7.50A	----	18.70 - 0.10	.4682	----	----	111	----	35 + 19
4165	19.00	19.00	27.70/6.40A	27.70/6.40A	----	16.50 - 0.50	.4134	----	----	73	----	50 + 22
4170	21.90	21.90	25.10B/5.40A	25.10B/5.40A	----	14.40 - 1.00	.3601	----	----	58	----	43 + 7
4175	16.50	16.50	22.80B/4.50A	22.80B/4.50A	----	12.60 - 1.20	.3103	----	----	297	----	277 + 165
4180	11.10	11.10	20.70B/3.90A	20.70B/3.90A	----	11.00 - 1.40	.2645	----	----	216	----	98 + 60
4185	13.50	13.50	18.50B/3.30A	18.50B/3.30A	----	9.50 - 1.70	.2221	----	----	45	----	67 + 20
4190	15.50	15.50	16.70B/2.80A	16.70B/2.80A	----	8.30 - 1.70	.1860	----	----	97	----	197 + 35
4195	7.40	7.40	15.00B/2.40A	15.00B/2.40A	----	7.20 - 1.80	.1540	----	----	83	----	115 + 49
4200	7.50	7.50	14.00/2.10A	14.00/2.10A	----	6.20 - 1.80	.1258	----	----	927	20	808 + 227
4205	6.80	6.80	12.00B/1.80A	12.00B/1.80A	----	5.40 - 1.80	.1030	----	----	59	----	38 + 32
4210	8.10	8.10	10.90B/1.60A	10.90B/1.60A	----	4.70 - 1.80	.0839	----	----	58	----	40 + 21
4215	6.00	6.00	9.70B/1.40A	9.70B/1.40A	----	4.00 - 1.80	.0665	----	----	27	----	23 + 5
4220	2.50	2.50	8.60B/1.20A	8.60B/1.20A	----	3.50 - 1.70	.0539	----	----	44	----	95 + 13
4225	7.30	7.30	7.70B/1.10A	7.70B/1.10A	----	3.10 - 1.60	.0441	----	----	60	----	121 + 8
4230	6.50	6.50	6.90B/1.00A	6.90B/1.00A	----	2.70 - 1.50	.0353	----	----	32	----	147 + 2
4235	2.00	2.00	6.10B/0.90A	6.10B/0.90A	----	2.40 - 1.40	.0289	----	----	26	----	20 + 15
4240	2.80	2.80	5.30B/0.80A	5.30B/0.80A	----	2.10 - 1.30	.0232	----	----	34	----	31 + 19
4245	1.50	1.50	4.80B/0.70A	4.80B/0.70A	----	1.80 - 1.30	.0181	----	----	11	----	38 + 4
4250	4.00	4.00	4.30B/0.60A	4.30B/0.60A	----	1.60 - 1.20	.0147	----	----	72	----	368 + 25
4255	2.40	2.40	4.10/0.50	4.10/0.50	----	1.40 - 1.10	.0117	----	----	9	----	19 + 1
4260	1.90	1.90	3.40B/0.50A	3.40B/0.50A	----	1.30 - 1.00	.0100	----	----	47	----	30 + 8
4265	1.00	1.00	3.00B/0.50A	3.00B/0.50A	----	1.10 - 1.00	.0076	----	----	8	----	23 + 8
4270	1.00	1.00	2.70B/0.40A	2.70B/0.40A	----	1.00 - 0.90	.0063	----	----	7	----	10 + 4
4275	0.50	0.50	2.40B/0.40A	2.40B/0.40A	----	0.90 - 0.90	.0052	----	----	33	----	269 - 1
4280	2.30	2.30	2.30/0.40	2.30/0.40	----	0.80 - 0.80	.0042	----	----	6	----	26 + 5
4285	0.80	0.80	1.90B/0.40A	1.90B/0.40A	----	0.70 - 0.80	.0033	----	----	43	----	49 + 36
4290	1.60	1.60	1.70B/0.30A	1.70B/0.30A	----	0.60 - 0.80	.0025	----	----	18	----	42 + 1
4295	0.60	0.60	1.50B/0.30A	1.50B/0.30A	----	0.60 NEW	.0024	----	----	13	----	13 + 13
4300	1.60	1.60	1.60/0.30A	1.60/0.30A	----	0.50 - 0.70	.0018	----	----	68	----	605 + 24
4305	----	----	1.30B/0.30A	1.30B/0.30A	----	0.50 - 0.60	.0017	----	----	----	----	9 UNCH
4310	1.10	1.10	1.20B/0.30A	1.20B/0.30A	----	0.40 - 0.60	.0012	----	----	16	----	11 + 5
4315	----	----	1.00B/0.30A	1.00B/0.30A	----	0.40 - 0.50	.0011	----	----	----	----	0 UNCH
4320	1.10	1.10	1.10/0.30A	1.10/0.30A	----	0.30 - 0.60	.0007	----	----	1	----	8 + 1
4325	0.60	0.60	0.90B/0.20A	0.90B/0.20A	----	0.30 - 0.50	.0006	----	----	6	----	135 UNCH
4330	----	----	----/0.20A	0.80B/0.20A	----	0.30 - 0.50	.0006	----	----	----	----	21 UNCH
4335	0.20	0.20	0.20/0.20	0.70B/0.20	----	0.20 NEW	.0003	----	----	1	----	1 + 1
4340	0.30	0.30	0.30/0.20A	0.70B/0.20A	----	0.20 - 0.50	.0003	----	----	1	----	8 + 1
4350	0.40	0.40	0.60/0.20	0.60/0.20	----	0.20 - 0.40	.0003	----	----	11	----	318 + 5
4355	0.20	0.20	0.20/0.20	0.50B/0.20	----	0.10 - 0.50	.0001	----	----	3	----	7 + 2
4360	----	----	----/0.20A	0.50B/0.20A	----	0.10 - 0.40	.0000	----	----	----	----	5 UNCH
4370	0.20	0.20	0.20/0.20	0.40B/0.20	----	0.10 - 0.40	.0000	----	----	7	----	7 + 6
4375	----	----	----/0.10A	0.40B/0.10A	----	0.10 - 0.30	.0000	----	----	----	----	64 UNCH
4380	0.20	0.20	0.20/0.10A	0.30B/0.10A	----	0.10 - 0.30	.0000	----	----	8	----	12 + 8
4400	0.20	0.20	0.20/0.10	0.20/0.10	----	0.10 - 0.20	----	----	----	17	----	632 - 2
4405	----	----	----/0.10A	0.20B/0.10A	----	0.10 - 0.20	----	----	----	----	----	0 UNCH
4425	----	----	----/0.10A	0.10B/0.10A	----	0.10 - 0.20	----	----	----	----	----	516 UNCH
4440	----	----	----/0.10A	0.10B/0.10A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
4450	----	----	----/0.10A	----/0.10A	----	0.10 - 0.10	----	----	----	----	----	100 UNCH
4465	----	----	----	----/0.20A	----	0.10 - 0.10	----	----	----	----	----	6 UNCH
4475	----	----	----	----/0.20A	----	0.10 - 0.10	----	----	----	----	----	429 UNCH
4500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	540 UNCH
4525	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	2	----	57 UNCH
4535	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
4550	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	72 UNCH
4575	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	----	----	----	14	----	69 + 3
4600	0.40	0.40	0.40/0.10A	0.40/0.10A	----	0.10 UNCH	----	----	----	1	----	79 UNCH
4625	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	----	----	----	3	----	45 UNCH
4650	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	27 UNCH
4675	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	32 UNCH
4700	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	23 UNCH
4725	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	30 UNCH
4750	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	45 UNCH
4775	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	29 UNCH
4800	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
4850	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
4900	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	19 UNCH
5000	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	172 UNCH
5100	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	97 UNCH
5200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	41 UNCH
5250	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
TOTAL										3226	20	7689 + 968

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
NOV26												
1000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1750 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT NOV26												
1500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	200 UNCH
2000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	38 UNCH
2100	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	132 UNCH
2200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	28 UNCH
2300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
2400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
2500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
2600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
2625	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
2650	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	60 UNCH
2675	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
2700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	154 UNCH
2725	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2750	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	27 UNCH
2775	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2800	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	----	----	----	1	----	91 UNCH
2820	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
2825	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	33 UNCH
2840	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2850	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
2860	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2870	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
2890	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2895	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	29 UNCH
2900	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	76 UNCH
2910	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2925	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	11 UNCH
2935	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2940	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
2945	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	21 UNCH
2950	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
2965	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	140 UNCH
2975	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	20 UNCH
2995	0.20	0.20	0.20/0.10	0.20/0.10	----	0.10 UNCH	.0000	----	----	2	----	29 - 1
3000	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	305 UNCH
3005	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3015	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
3020	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	506 UNCH
3025	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	35 UNCH
3030	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
3040	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
3050	----	----	----	----/0.10A	----	0.10 UNCH	.0001	----	----	----	----	10 UNCH
3070	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
3075	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	12 UNCH
3080	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	13 UNCH
3085	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	27 UNCH
3090	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	5 UNCH
3100	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	25 UNCH
3110	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	22 UNCH
3120	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	15 UNCH
3125	----	----	----	----/0.20A	----	0.10 - 0.10	.0003	----	----	----	----	10 UNCH
3130	----	----	----	----/0.20A	----	0.10 - 0.10	.0003	----	----	----	----	1 UNCH
3150	----	----	----	0.10B/0.20A	----	0.10 - 0.10	.0004	----	----	----	----	38 UNCH
3160	----	----	----	0.10B/0.20A	----	0.10 - 0.10	.0004	----	----	----	----	8 UNCH
3170	0.20	0.20	0.20/0.20	0.20/0.20	----	0.10 NEW	.0005	----	----	5	----	5 + 5
3175	0.20	0.20	0.20/0.20	0.20/0.20	----	0.10 - 0.10	.0005	----	----	7	----	12 + 2
3180	0.20	0.20	0.20/0.20	0.20/0.20	----	0.10 - 0.10	.0006	----	----	9	----	20 + 9
3185	----	----	----	0.20B/0.20A	----	0.10 - 0.10	.0006	----	----	----	----	2 UNCH
3190	----	----	----	0.20B/0.20A	----	0.10 - 0.10	.0007	----	----	----	----	5 UNCH
3195	----	----	----	0.20B/0.30A	----	0.10 - 0.10	.0007	----	----	----	----	1 UNCH
3200	----	----	----	0.20B/0.30A	----	0.20 UNCH	.0014	----	----	----	----	330 UNCH
3205	----	----	----	0.20B/0.30A	----	0.20 UNCH	.0014	----	----	----	----	1 UNCH
3210	----	----	----	0.20B/0.30A	----	0.20 UNCH	.0014	----	----	----	----	501 UNCH
3215	----	----	----	0.20B/0.30A	----	0.20 UNCH	.0014	----	----	----	----	1 UNCH
3220	----	----	----	0.20B/0.30A	----	0.20 UNCH	.0014	----	----	----	----	9 UNCH
3225	----	----	----	0.20B/0.30A	----	0.20 UNCH	.0014	----	----	----	----	9 UNCH
3230	----	----	----	0.20B/0.30A	----	0.20 UNCH	.0014	----	----	----	----	13 UNCH
3235	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0014	----	----	----	----	5 UNCH
3240	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0014	----	----	----	----	9 UNCH
3245	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0014	----	----	----	----	20 UNCH
3250	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0014	----	----	----	----	198 UNCH
3255	----	----	----	0.30B/0.30A	----	0.20 - 0.10	.0014	----	----	----	----	21 UNCH
3260	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0015	----	----	----	----	8 UNCH
3265	----	----	----	0.30B/0.30A	----	0.20 - 0.10	.0015	----	----	----	----	2 UNCH
3270	----	----	----	0.30B/0.40A	----	0.20 - 0.10	.0015	----	----	----	----	11 UNCH
3275	----	----	----	0.30B/0.40A	----	0.20 - 0.10	.0015	----	----	----	----	5 UNCH
3280	----	----	----	0.30B/0.40A	----	0.20 - 0.10	.0015	----	----	----	----	20 UNCH
3285	----	----	----	0.30B/0.40A	----	0.20 - 0.10	.0015	----	----	----	----	4 UNCH
3290	----	----	----	0.30B/0.40A	----	0.20 - 0.10	.0015	----	----	----	----	2 UNCH
3295	----	----	----	0.30B/0.40A	----	0.20 - 0.10	.0015	----	----	----	----	10 UNCH
3300	----	----	----	0.30B/0.30A	----	0.20 - 0.10	.0015	----	----	----	----	262 UNCH
3305	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0022	----	----	----	----	55 UNCH
3310	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0022	----	----	----	----	4 UNCH
3315	0.30	0.30	0.30/0.30	0.30/0.30	----	0.30 - 0.10	.0022	----	----	1	----	11 UNCH
3320	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0022	----	----	----	----	42 UNCH
3325	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0023	----	----	----	----	20 UNCH
3330	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0023	----	----	----	----	3 UNCH
3335	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0023	----	----	----	----	33 UNCH
3340	----	----	----	0.40B/0.40A	----	0.40 UNCH	.0030	----	----	----	----	20 UNCH
3345	----	----	----	0.40B/0.50A	----	0.40 UNCH	.0030	----	----	----	----	5 UNCH
3350	----	----	----	0.40B/0.50A	----	0.40 UNCH	.0030	----	----	----	----	386 UNCH
3355	----	----	----	0.40B/0.50A	----	0.40 UNCH	.0030	----	----	----	----	7 UNCH
3360	0.40	0.40	0.40/0.40	0.40/0.40	----	0.40 - 0.10	.0030	----	----	1	----	15 UNCH
3365	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0031	----	----	----	----	1 UNCH
3370	----	----	----	0.50B/0.50A	----	0.40 - 0.10	.0031	----	----	----	----	1 UNCH
3375	----	----	----	0.50B/0.50A	----	0.50 UNCH	.0037	----	----	----	----	7 UNCH
3380	----	----	----	0.50B/0.50A	----	0.50 UNCH	.0038	----	----	----	----	21 UNCH
3385	----	----	----	0.50B/0.50A	----	0.50 UNCH	.0038	----	----	----	----	3 UNCH
3390	----	----	----	0.50B/0.50A	----	0.50 UNCH	.0038	----	----	----	----	9 UNCH
3395	----	----	----	0.50B/0.60A	----	0.50 UNCH	.0038	----	----	----	----	132 UNCH
3400	----	----	----	0.60B/0.60A	----	0.50 - 0.10	.0039	----	----	----	----	319 UNCH
3405	----	----	----	0.60B/0.60A	----	0.60 UNCH	.0046	----	----	----	----	93 UNCH
3410	----	----	----	0.60B/0.60A	----	0.60 UNCH	.0046	----	----	----	----	58 UNCH
3415	----	----	----	0.60B/0.60A	----	0.60 UNCH	.0046	----	----	----	----	1 UNCH
3420	----	----	----	0.60B/0.60A	----	0.60 UNCH	.0046	----	----	----	----	21 UNCH
3425	----	----	----	0.60B/0.60A	----	0.60 UNCH	.0047	----	----	----	----	44 UNCH
3430	0.80	0.80	0.80/0.60A	0.80/0.60A	----	0.60 - 0.10	.0047	----	----	10	----	44 UNCH
3440	----	----	----	0.70B/0.70A	----	0.70 UNCH	.0054	----	----	----	----	45 UNCH
3445	----	----	----	0.70B/0.70A	----	0.70 UNCH	.0055	----	----	----	----	11 UNCH
3450	----	----	0.80B/----	0.80B/0.70A	----	0.70 UNCH	.0055	----	----	----	----	211 UNCH
3455	----	----	0.80B/----	0.80B/0.70A	----	0.70 UNCH	.0055	----	----	----	----	1 UNCH
3460	----	----	----/0.70A	0.80B/0.70A	----	0.80 UNCH	.0062	----	----	----	----	29 UNCH
3465	----	----	----	0.80B/0.80A	----	0.80 UNCH	.0063	----	----	----	----	9 UNCH
3470	----	----	0.90B/----	0.90B/0.80A	----	0.80 UNCH	.0063	----	----	----	----	28 UNCH
3475	----	----	0.90B/----	0.90B/0.80A	----	0.80 UNCH	.0064	----	----	----	----	30 UNCH
3480	0.90	0.90	0.90/0.80A	0.90/0.80A	----	0.80 - 0.10	.0064	----	----	16	----	72 + 15
3485	----	----	----/0.80A	0.90B/0.80A	----	0.90 UNCH	.0071	----	----	----	----	3 UNCH
3490	----	----	1.00B/----	1.00B/0.90A	----	0.90 UNCH	.0072	----	----	----	----	13 UNCH
3495	1.00	1.00	1.00/1.00	1.00/0.90A	----	0.90 UNCH	.0072	----	----	50	----	58 + 50
3500	0.90	0.90	1.00B/0.90	1.00B/0.90	----	0.90 UNCH	.0073	----	----	1	----	2057 - 1
3505	----	----	1.10B/0.90A	1.10B/0.90A	----	0.90 - 0.10	.0073	----	----	----	----	3 UNCH
3510	1.00	1.00	1.10B/1.00	1.10B/1.00	----	1.00 UNCH	.0081	----	----	16	----	41 + 15
3515	----	----	1.10B/----	1.10B/1.00A	----	1.00 UNCH	.0081	----	----	----	----	174 UNCH
3520	----	----	1.20B/1.00A	1.20B/1.00A	----	1.00 - 0.10	.0082	----	----	----	----	49 UNCH
3525	----	----	1.20B/1.00A	1.20B/1.00A	----	1.00 - 0.10	.0082	----	----	----	----	114 UNCH
3530	----	----	1.20B/1.00A	1.20B/1.00A	----	1.00 - 0.10	.0083	----	----	----	----	21 UNCH
3535	----	----	1.30B/----	1.30B/1.10A	----	1.10 UNCH	.0090	----	----	----	----	180 UNCH
3540	----	----	1.30B/1.10A	1.30B/1.10A	----	1.10 - 0.10	.0091	----	----	----	----	78 UNCH
3545	----	----	1.30B/1.10A	1.30B/1.10A	----	1.10 - 0.10	.0092	----	----	----	----	59 UNCH
3550	----	----	1.40B/----	1.40B/1.20A	----	1.10 - 0.10	.0092	----	----	----	----	731 UNCH
3555	----	----	1.40B/1.20A	1.40B/1.20A	----	1.20 - 0.10	.0100	----	----	----	----	4 UNCH
3560	----	----	1.50B/1.20A	1.50B/1.20A	----	1.20 - 0.10	.0101	----	----	----	----	34 UNCH
3565	----	----	1.50B/1.20A	1.50B/1.20A	----	1.20 - 0.20	.0102	----	----	----	----	52 UNCH
3570	----	----	1.50B/1.30A	1.50B/1.30A	----	1.20 - 0.20	.0102	----	----	----	----	12 UNCH
3575	----	----	1.60B/1.30A	1.60B/1.30A	----	1.30 - 0.10	.0110	----	----	----	----	308 UNCH
3585	----	----	1.70B/1.40A	1.70B/1.40A	----	1.30 - 0.20	.0112	----	----	----	----	9 UNCH
3590	----	----	1.70B/1.40A	1.70B/1.40A	----	1.40 - 0.20	.0120	----	----	----	----	11 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT												
NOV26												
3595	----	----	1.80B/1.40A	1.80B/1.40A	----	1.40 - 0.20	.0121	----	----	----	----	42 UNCH
3600	----	----	1.90B/1.50A	1.90B/1.50A	----	1.40 - 0.20	.0122	----	----	5	----	1742 + 5
3605	----	----	1.90B/1.50A	1.90B/1.50A	----	1.50 - 0.20	.0130	----	----	----	----	33 UNCH
3610	----	----	1.90B/1.50A	1.90B/1.50A	----	1.50 - 0.20	.0131	----	----	----	----	1 UNCH
3615	----	----	2.00B/1.60A	2.00B/1.60A	----	1.50 - 0.30	.0132	----	----	----	----	6 UNCH
3620	----	----	2.10B/1.60A	2.10B/1.60A	----	1.60 - 0.20	.0140	----	----	----	----	10 UNCH
3625	----	----	2.10B/1.60A	2.10B/1.60A	----	1.60 - 0.30	.0141	----	----	----	----	54 UNCH
3630	----	----	2.20B/1.70A	2.20B/1.70A	----	1.60 - 0.30	.0142	----	----	----	----	11 UNCH
3635	----	----	2.20B/1.70A	2.20B/1.70A	----	1.70 - 0.30	.0150	----	----	----	----	16 UNCH
3640	----	----	2.30B/1.80A	2.30B/1.80A	----	1.70 - 0.40	.0152	----	----	----	----	21 UNCH
3645	----	----	2.40B/1.80A	2.40B/1.80A	----	1.80 - 0.30	.0160	----	----	----	----	22 UNCH
3650	----	----	2.40B/1.80A	2.40B/1.80A	----	1.80 - 0.40	.0161	----	----	----	----	212 UNCH
3655	----	----	2.50B/1.90A	2.50B/1.90A	----	1.90 - 0.30	.0170	----	----	----	----	37 UNCH
3660	----	----	2.60B/1.90A	2.60B/1.90A	----	1.90 - 0.40	.0171	----	----	----	----	109 UNCH
3665	2.10	2.10	2.70B/2.00	2.70B/2.00	----	2.00 - 0.40	.0180	----	----	2	----	38 + 2
3670	----	----	2.80B/2.00A	2.80B/2.00A	----	2.00 - 0.40	.0181	----	----	----	----	76 UNCH
3675	----	----	2.90B/2.10A	2.90B/2.10A	----	2.10 - 0.40	.0190	----	----	----	----	314 UNCH
3680	----	----	2.90B/2.20A	2.90B/2.20A	----	2.10 - 0.50	.0192	----	----	----	----	84 UNCH
3685	----	----	3.00B/2.20A	3.00B/2.20A	----	2.20 - 0.50	.0201	----	----	----	----	20 UNCH
3690	----	----	3.10B/2.30A	3.10B/2.30A	----	2.20 - 0.50	.0203	----	----	----	----	22 UNCH
3695	----	----	3.20B/2.30A	3.20B/2.30A	----	2.30 - 0.50	.0211	----	----	----	----	36 UNCH
3700	2.40	2.40	3.30B/2.40	3.30B/2.40	----	2.40 - 0.50	.0221	----	----	7	----	2716 - 1
3705	----	----	3.40B/2.50A	3.40B/2.50A	----	2.40 - 0.60	.0223	----	----	----	----	120 UNCH
3710	----	----	3.50B/2.50A	3.50B/2.50A	----	2.50 - 0.60	.0232	----	----	----	----	40 UNCH
3715	----	----	3.60B/2.60A	3.60B/2.60A	----	2.60 - 0.60	.0241	----	----	----	----	22 UNCH
3720	----	----	3.80B/2.60A	3.80B/2.60A	----	2.70 - 0.50	.0251	----	----	----	----	6 UNCH
3725	----	----	3.90B/2.70A	3.90B/2.70A	----	2.70 - 0.60	.0253	----	----	----	----	97 UNCH
3730	----	----	4.00B/2.80A	4.00B/2.80A	----	2.80 - 0.60	.0263	----	----	----	----	75 UNCH
3735	2.80	2.80	4.10B/2.80	4.10B/2.80	----	2.90 - 0.70	.0272	----	----	2	----	14 - 1
3740	----	----	4.20B/3.00A	4.20B/3.00A	----	3.00 - 0.70	.0282	----	----	----	----	52 UNCH
3745	----	----	4.40B/3.00A	4.40B/3.00A	----	3.10 - 0.70	.0292	----	----	----	----	107 UNCH
3750	----	----	4.50B/3.10A	4.50B/3.10A	----	3.20 - 0.70	.0302	----	----	3	----	639 UNCH
3755	----	----	4.60B/3.20A	4.60B/3.20A	----	3.30 - 0.70	.0312	----	----	----	----	29 UNCH
3760	----	----	4.80B/3.30A	4.80B/3.30A	----	3.40 - 0.70	.0322	----	----	----	----	48 UNCH
3765	----	----	4.90B/3.40A	4.90B/3.40A	----	3.50 - 0.80	.0332	----	----	----	----	10 UNCH
3770	----	----	5.10B/3.50A	5.10B/3.50A	----	3.60 - 0.80	.0343	----	----	----	----	69 UNCH
3775	----	----	5.30B/3.60A	5.30B/3.60A	----	3.70 - 0.90	.0354	----	----	1	----	269 UNCH
3780	----	----	5.50B/3.70A	5.50B/3.70A	----	3.80 - 0.90	.0364	----	----	----	----	769 UNCH
3785	----	----	5.70B/3.80A	5.70B/3.80A	----	4.00 - 0.90	.0382	----	----	----	----	18 UNCH
3790	----	----	5.90B/3.90A	5.90B/3.90A	----	4.10 - 0.90	.0393	----	----	----	----	57 UNCH
3795	----	----	6.10B/4.10A	6.10B/4.10A	----	4.20 - 1.00	.0404	----	----	----	----	9 UNCH
3800	5.40	5.40	6.30B/4.20A	6.30B/4.20A	----	4.40 - 1.00	.0423	----	----	53	----	3529 - 23
3805	6.60	6.60	6.60/4.30A	6.60/4.30A	----	4.50 - 1.10	.0434	----	----	10	----	59 - 3
3810	----	----	6.70B/4.50A	6.70B/4.50A	----	4.70 - 1.10	.0453	----	----	----	----	45 UNCH
3815	----	----	6.90B/4.60A	6.90B/4.60A	----	4.80 - 1.20	.0465	----	----	70	----	381 + 65
3820	----	----	7.20B/4.70A	7.20B/4.70A	----	5.00 - 1.20	.0484	----	----	----	----	141 UNCH
3825	5.10	5.10	7.40B/4.90	7.40B/4.90	----	5.20 - 1.20	.0503	----	----	31	----	92 + 10
3830	----	----	7.70B/5.00A	7.70B/5.00A	----	5.30 - 1.30	.0516	----	----	----	----	96 UNCH
3835	----	----	8.00B/5.20A	8.00B/5.20A	----	5.50 - 1.40	.0535	----	----	----	----	241 UNCH
3840	----	----	8.30B/5.40A	8.30B/5.40A	----	5.70 - 1.40	.0555	----	----	----	----	191 UNCH
3845	----	----	8.60B/5.60A	8.60B/5.60A	----	5.90 - 1.50	.0575	----	----	----	----	114 UNCH
3850	6.50	6.50	8.90B/5.80A	8.90B/5.80A	----	6.10 - 1.60	.0595	----	----	5	----	1230 - 1
3855	6.50	6.50	9.20B/6.00A	9.20B/6.00A	----	6.40 - 1.60	.0623	----	----	1	----	155 UNCH
3860	----	----	9.60B/6.20A	9.60B/6.20A	----	6.60 - 1.70	.0643	----	----	----	----	158 UNCH
3865	----	----	9.90B/6.40A	9.90B/6.40A	----	6.80 - 1.80	.0665	----	----	----	----	95 UNCH
3870	6.90	6.90	10.30B/6.70A	10.30B/6.70A	----	7.10 - 1.80	.0692	----	----	5	----	143 + 3
3875	6.90	6.90	10.70B/6.90	10.70B/6.90	----	7.40 - 1.90	.0721	----	----	4	----	252 UNCH
3880	----	----	11.10B/7.20A	11.10B/7.20A	----	7.70 - 1.90	.0749	----	----	----	----	99 UNCH
3885	8.80	8.80	11.60B/7.40A	11.60B/7.40A	----	7.90 - 2.10	.0771	----	----	3	----	87 + 2
3890	9.90	9.90	12.00B/7.70A	12.00B/7.70A	----	8.30 - 2.10	.0807	----	----	1	----	247 UNCH
3895	----	----	12.50B/8.00A	12.50B/8.00A	----	8.60 - 2.20	.0836	----	----	----	----	83 UNCH
3900	10.80	10.80	13.00B/8.30A	13.00B/8.30A	----	8.90 - 2.40	.0866	----	----	197	----	1260 + 149
3905	----	----	13.50B/8.60A	13.50B/8.60A	----	9.30 - 2.40	.0902	----	----	----	----	130 UNCH
3910	----	----	14.00B/9.00A	14.00B/9.00A	----	9.70 - 2.50	.0939	----	----	----	----	181 UNCH
3915	11.40	11.40	14.60B/9.30A	14.60B/9.30A	----	10.10 - 2.60	.0976	----	----	7	----	100 + 6
3920	----	----	15.20B/9.70A	15.20B/9.70A	----	10.50 - 2.70	.1013	----	----	1	----	258 UNCH
3925	12.10	12.10	15.80B/10.10A	15.80B/10.10A	----	10.90 - 2.90	.1051	----	----	4	----	158 + 2
3930	13.10	13.10	16.40B/10.50A	16.40B/10.50A	----	11.40 - 3.00	.1095	----	----	8	----	182 + 2
3935	----	----	17.20B/10.90A	17.20B/10.90A	----	11.80 - 3.10	.1133	----	----	----	----	61 UNCH
3940	13.60	13.60	17.90B/11.30A	17.90B/11.30A	----	12.30 - 3.30	.1178	----	----	20	----	67 + 18
3945	16.30	16.30	18.70B/11.80A	18.70B/11.80A	----	12.80 - 3.40	.1223	----	----	4	----	45 - 1
3950	15.00	15.00	19.40B/12.30A	19.40B/12.30A	----	13.40 - 3.50	.1274	----	----	25	----	521 - 14
3955	16.90	16.90	20.10B/12.80A	20.10B/12.80A	----	13.90 - 3.70	.1320	----	----	16	----	149 - 1
3960	17.90	17.90	21.00B/13.40A	21.00B/13.40A	----	14.50 - 3.80	.1372	----	----	9	----	271 + 1
3965	----	----	21.80B/13.90A	21.80B/13.90A	----	15.10 - 4.00	.1424	----	----	----	----	66 UNCH
3970	17.30	17.30	22.70B/14.50A	22.70B/14.50A	----	15.80 - 4.10	.1482	----	----	2	----	61 - 1
3975	16.90	16.90	23.60B/15.10A	23.60B/15.10A	----	16.50 - 4.20	.1541	----	----	11	----	530 + 7
3980	16.90	16.90	24.60B/15.70A	24.60B/15.70A	----	17.20 - 4.40	.1600	----	----	3	----	178 - 1
3985	22.40	22.40	25.60B/16.40A	25.60B/16.40A	----	17.90 - 4.60	.1659	----	----	2	----	127 UNCH
3990	16.90	16.90	26.60B/16.90	26.60B/16.90	----	18.60 - 4.80	.1719	----	----	2	----	112 UNCH
3995	20.50	20.50	27.80B/17.80A	27.80B/17.80A	----	19.40 - 5.00	.1784	----	----	1	----	120 - 1
4000	29.00	29.00	29.00/18.60A	29.00/18.60A	----	20.30 - 5.20	.1854	----	----	436	----	3475 - 59
4005	20.20	20.20	30.10B/19.30A	30.10B/19.30A	----	21.10 - 5.40	.1921	----	----	9	----	124 UNCH
4010	23.20	23.20	31.30B/20.20A	31.30B/20.20A	----	22.10 - 5.50	.1996	----	----	2	----	57 + 1
4015	----	----	32.50B/21.00A	32.50B/21.00A	----	23.00 - 5.80	.2068	----	----	----	----	38 UNCH
4020	----	----	33.80B/21.90A	33.80B/21.90A	----	24.00 - 6.00	.2144	----	----	2	----	73 + 1
4025	24.80	24.80	35.20B/22.80A	35.20B/22.80A	----	25.00 - 6.20	.2221	----	----	3	----	217 UNCH
4030	30.80	30.80	36.50B/23.80A	36.50B/23.80A	----	26.10 - 6.40	.2302	----	----	3	----	57 + 3
4035	30.30	30.30	37.90B/24.80A	37.90B/24.80A	----	27.20 - 6.60	.2384	----	----	4	----	111 + 4
4040	28.10	28.10	39.40B/25.90A	39.40B/25.90A	----	28.40 - 6.80	.2470	----	----	1	----	168 + 1
4045	39.80	39.80	41.10B/27.00A	41.10B/27.00A	----	29.60 - 7.00	.2556	----	----	13	----	81 + 12
4050	41.60	41.60	42.50B/28.10A	42.50B/28.10A	----	30.80 - 7.30	.2643	----	----	154	120	1760 + 61
4055	31.50	31.50	44.20B/29.30A	44.20B/29.30A	----	32.10 - 7.50	.2734	----	----	2	----	72 + 1
4060	35.00	35.00	46.00B/30.50A	46.00B/30.50A	----	33.50 - 7.70	.2828	----	----	12	----	45 - 10
4065	----	----	47.60B/31.80A	47.60B/31.80A	----	34.80 - 8.00	.2919	----	----	----	----	53 UNCH
4070	43.40	43.40	49.50B/33.10A	49.50B/33.10A	----	36.30 - 8.20	.3017	----	----	6	----	109 + 1
4075	36.90	36.90	51.30B/34.20A	51.30B/34.20A	----	37.80 - 8.50	.3115	----	----	47	----	238 + 28
4080	39.70	39.70	53.30B/35.80	53.30B/35.80	----	39.30 - 8.80	.3214	----	----	25	----	456 + 3
4085	37.70	37.70	55.20B/37.40A	55.20B/37.40A	----	41.00 - 8.90	.3318	----	----	29	----	134 + 5
4090	44.70	44.70	57.10B/38.90A	57.10B/38.90A	----	42.60 - 9.20	.3420	----	----	22	----	175 + 12
4095	46.90	46.90	59.30B/40.50A	59.30B/40.50A	----	44.30 - 9.50	.3524	----	----	7	----	54 + 3
4100	61.20	61.20	61.20/42.00	61.20/42.00	----	46.10 - 9.70	.3631	----	----	268	----	2121 - 22
4105	47.30	47.30	63.60B/43.80A	63.60B/43.80A	----	48.00 - 9.90	.3740	----	----	3	----	33 UNCH
4110	54.60	54.60	65.90B/45.60A	65.90B/45.60A	----	49.90 - 10.10	.3849	----	----	27	----	102 + 13
4115	51.10	51.10	68.20B/47.40A	68.20B/47.40A	----	51.80 - 10.40	.3958	----	----	11	----	187 + 10
4120	54.40	54.40	70.50B/49.20A	70.50B/49.20A	----	53.80 - 10.70	.4069	----	----	12	----	100 + 3
4125	57.20	57.20	72.70B/51.10A	72.70B/51.10A	----	55.90 - 10.90	.4182	----	----	6	----	464 UNCH
4130	67.30	67.30	75.50B/53.10A	75.50B/53.10A	----	58.10 - 11.00	.4295	----	----	18	----	122 - 1
4135	71.90	71.90	78.00B/55.20A	78.00B/55.20A	----	60.30 - 11.20	.4409	----	----	12	----	140 - 1
4140	69.60	69.60	80.60B/57.30A	80.60B/57.30A	----	62.50 - 11.50	.4523	----	----	34	----	174 + 12
4145	71.90	71.90	83.30B/59.40A	83.30B/59.40A	----	64.80 - 11.70	.4638	----	----	17	----	208 - 2
4150	72.70	72.70	85.70B/61.60A	85.70B/61.60A	----	67.20 - 11.90	.4753	----	----	276	----	1834 + 6
4155	88.60	88.60	88.80B/63.90A	88.80B/63.90A	----	69.70 - 12.10	.4868	----	----	31	----	87 + 2
4160	79.70	79.70	91.60B/66.20A	91.60B/66.20A	----	72.20 - 12.30	.4984	----	----	27	----	290 + 3
4165	82.00	82.00	94.50B/68.60A	94.50B/68.60A	----	74.70 - 12.60	.5099	----	----	18	----	245 + 3
4170	82.80	82.80	97.40B/71.20A	97.40B/71.20A	----	77.30 - 12.80	.5215	----	----	15	----	194 + 8
4175	84.90	84.90	100.20B/73.70A	100.20B/73.70A	----	80.00 - 13.00	.5330	----	----	11	----	404 - 1
4180	92.60	92.60	103.20B/76.20A	103.20B/76.20A	----	82.70 - 13.30	.5445	----	----	10	----	280 + 6
4185	91.20	91.20	106.10B/78.90A	106.10B/78.90A	----	85.50 - 13.50	.5559	----	----	6	----	114 - 1
4190	94.40	94.40	109.30B/81.60A	109.30B/81.60A	----	88.40 - 13.60	.5673	----	----	15	----	239 - 4
4195	99.60	99.60	112.60B/84.40A	112.60B/84.40A	----	91.30 - 13.90	.5786	----	----	2	----	73 UNCH
4200	103.00	103.00	115.80B/87.20A	115.80B/87.20A	----	94.30 - 14.00	.5898	----	----	34	----	1312 + 9
4205	102.50	102.50	119.20B/90.10	119.20B/90.10	----	97.30 - 14.30	.6010	----	----	8	----	248 + 8
4210	105.70	105.70	122.60B/93.10A	122.60B/93.10A	----	100.40 - 14.50	.6120	----	----	1	----	176 UNCH
4215	114.50	114.50	126.00B/96.10A	126.00B/96.10A	----	103.60 - 14.60	.6228	----	----	16	----	200 + 6
4220	----	----	129.50B/99.10A	129.50B/99.10A	----	106.80 - 14.80	.6334	----	----	----	----	47 UNCH
4225	----	----	133.00B/102.40A	133.00B/102.40A	----	110.10 - 14.90	.6443	----	----	----	----	124 UNCH
4230	120.90	120.90	136.60B/105.60A	136.60B/105.60A	----	113.50 - 15.00	.6546	----	----	6	----	72 - 3
4235	----	----	140.30B/108.80A	140.30B/108.80A	----	116.90 - 15.10	.6649	----	----	----	----	262 UNCH
4240	118.80	118.80	143.90B/112.10A	143.90B/112.10A	----	120.30 - 15.30	.6749	----	----	1	----	134 - 1
4245	----	----	147.70B/115.40A	147.70B/115.40A	----	123.80 - 15.40	.6849	----	----	----	----	46 UNCH
4250	----	----	151.40B/118.80A	151.40B/118.80A	----	127.40 - 15.50	.6949	----	----	5	----	968 - 2
4255	----	----	155.30B/122.30A	155.30B/122.30A	----	131.00 - 15.60	.7042	----	----	----	----	54 UNCH
4260	----	----	159.10B/125.80A	159.10B/125.80A	----	134.70 - 15.60	.7139	----	----	----	----	291 UNCH
4265	----	----	163.00B/129.40A	163.00B/129.40A	----	138.40 - 15.70	.7228	----	----	----	----	156 UNCH
4270	----	----	166.90B/133.00A	166.90B/133.00A	----	142.10 - 15.90	.7320	----	----	----	----	75 UNCH
4275	----	----	170.90B/136.60A	170.90B/136.60A	----	145.90 - 15.90	.7408	----	----	----	----	432 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
NOV26												
4280	146.50	146.50	174.90B/140.30A	174.90B/140.30A	----	149.80 - 15.90	.7493	----	----	1	----	165 + 1
4285	----	----	179.00B/144.10A	179.00B/144.10A	----	153.70 - 16.00	.7577	----	----	----	----	200 UNCH
4290	----	----	183.10B/147.90A	183.10B/147.90A	----	157.60 - 16.10	.7660	----	----	2	----	27 UNCH
4295	155.60	155.60	187.20B/151.70A	187.20B/151.70A	----	161.60 - 16.10	.7739	----	----	3	----	219 + 3
4300	----	----	191.20B/155.60A	191.20B/155.60A	----	165.60 - 16.20	.7818	----	----	2	----	2388 - 2
4305	----	----	195.50B/159.60A	195.50B/159.60A	----	169.60 - 16.30	.7891	----	----	----	----	36 UNCH
4310	170.30	170.30	199.80B/163.50A	199.80B/163.50A	----	173.70 - 16.30	.7965	----	----	2	----	44 - 1
4315	183.50	183.50	204.00B/167.50A	204.00B/167.50A	----	177.80 - 16.40	.8038	----	----	6	----	71 - 3
4320	192.30	192.30	208.30B/171.60A	208.30B/171.60A	----	182.00 - 16.40	.8106	----	----	4	----	204 - 1
4325	----	----	212.60B/175.70A	212.60B/175.70A	----	186.20 - 16.40	.8173	----	----	4	----	251 - 3
4330	----	----	216.90B/179.80A	216.90B/179.80A	----	190.40 - 16.50	.8240	----	----	2	----	272 UNCH
4335	----	----	221.30B/184.00A	221.30B/184.00A	----	194.70 - 16.50	.8302	----	----	----	----	51 UNCH
4340	----	----	225.50B/188.10A	225.50B/188.10A	----	199.00 - 16.50	.8363	----	----	----	----	193 UNCH
4345	----	----	230.10B/192.40A	230.10B/192.40A	----	203.30 - 16.50	.8424	----	----	----	----	52 UNCH
4350	----	----	234.50B/196.60A	234.50B/196.60A	----	207.60 - 16.60	.8484	----	----	----	----	1019 UNCH
4355	----	----	238.90B/200.90A	238.90B/200.90A	----	212.00 - 16.60	.8539	----	----	3	----	28 - 3
4360	----	----	243.40B/205.20A	243.40B/205.20A	----	216.40 - 16.60	.8593	----	----	----	----	80 UNCH
4365	----	----	247.90B/209.60A	247.90B/209.60A	----	220.80 - 16.70	.8641	----	----	----	----	94 UNCH
4370	----	----	252.40B/213.90A	252.40B/213.90A	----	225.30 - 16.60	.8695	----	----	----	----	44 UNCH
4375	----	----	257.00B/218.30A	257.00B/218.30A	----	229.70 - 16.70	.8742	----	----	----	----	419 UNCH
4380	----	----	261.50B/222.80A	261.50B/222.80A	----	234.20 - 16.70	.8789	----	----	----	----	264 UNCH
4385	----	----	266.10B/227.20A	266.10B/227.20A	----	238.70 - 16.80	.8835	----	----	4	----	81 - 4
4390	252.40	252.40	270.70B/231.70A	270.70B/231.70A	----	243.30 - 16.70	.8875	----	----	3	----	219 - 2
4395	----	----	275.30B/236.20A	275.30B/236.20A	----	247.80 - 16.80	.8921	----	----	----	----	52 UNCH
4400	----	----	279.90B/240.70A	279.90B/240.70A	----	252.40 - 16.80	.8961	----	----	14	----	1207 - 14
4405	----	----	284.60B/245.20A	284.60B/245.20A	----	257.00 - 16.80	.9000	----	----	----	----	50 UNCH
4410	----	----	289.20B/249.80A	289.20B/249.80A	----	261.60 - 16.80	.9038	----	----	14	----	62 - 4
4415	----	----	293.90B/254.40A	293.90B/254.40A	----	266.20 - 16.80	.9077	----	----	----	----	279 UNCH
4420	----	----	298.60B/259.00A	298.60B/259.00A	----	270.90 - 16.80	.9108	----	----	----	----	81 UNCH
4425	----	----	303.30B/263.60A	303.30B/263.60A	----	275.50 - 16.90	.9147	----	----	----	----	335 UNCH
4430	----	----	308.00B/268.20A	308.00B/268.20A	----	280.20 - 16.90	.9177	----	----	----	----	133 UNCH
4435	----	----	312.70B/272.90A	312.70B/272.90A	----	284.90 - 16.90	.9208	----	----	----	----	73 UNCH
4440	----	----	317.50B/277.50A	317.50B/277.50A	----	289.60 - 16.90	.9238	----	----	----	----	156 UNCH
4445	----	----	322.20B/282.20A	322.20B/282.20A	----	294.30 - 16.90	.9269	----	----	3	----	31 - 1
4450	----	----	327.00B/286.90A	327.00B/286.90A	----	299.00 - 16.90	.9291	----	----	----	----	919 UNCH
4455	----	----	331.70B/291.60A	331.70B/291.60A	----	303.80 - 16.80	.9321	----	----	4	----	27 UNCH
4460	----	----	336.50B/296.30A	336.50B/296.30A	----	308.50 - 16.90	.9343	----	----	----	----	56 UNCH
4465	301.90	301.90	341.30B/301.00A	341.30B/301.00A	----	313.30 - 16.80	.9365	----	----	1	----	25 UNCH
4470	----	----	343.90B/305.80A	343.90B/305.80A	----	318.10 - 16.80	.9394	----	----	----	----	41 UNCH
4475	----	----	348.70B/310.50A	348.70B/310.50A	----	322.90 - 16.80	.9416	----	----	----	----	97 UNCH
4480	----	----	353.50B/315.30A	353.50B/315.30A	----	327.70 - 16.80	.9437	----	----	----	----	21 UNCH
4485	----	----	358.30B/322.60A	358.30B/322.60A	----	332.50 - 16.80	.9451	----	----	----	----	51 UNCH
4490	----	----	363.20B/327.40A	363.20B/327.40A	----	337.30 - 16.80	.9472	----	----	----	----	36 UNCH
4495	----	----	368.00B/331.00A	368.00B/331.00A	----	342.10 - 16.80	.9492	----	----	----	----	27 UNCH
4500	357.60	357.60	372.80B/335.80A	372.80B/335.80A	----	347.00 - 16.80	.9513	----	----	1	----	367 - 1
4505	----	----	377.70B/341.80A	377.70B/341.80A	----	351.80 - 16.80	.9526	----	----	----	----	21 UNCH
4510	----	----	382.50B/346.20A	382.50B/346.20A	----	356.60 - 16.90	.9546	----	----	----	----	188 UNCH
4515	----	----	387.40B/351.40A	387.40B/351.40A	----	361.50 - 16.80	.9559	----	----	----	----	9 UNCH
4520	----	----	392.30B/355.10A	392.30B/355.10A	----	366.30 - 16.80	.9571	----	----	----	----	34 UNCH
4525	----	----	397.10B/359.60A	397.10B/359.60A	----	371.20 - 16.80	.9591	----	----	----	----	107 UNCH
4530	----	----	402.00B/365.10A	402.00B/365.10A	----	376.10 - 16.70	.9603	----	----	----	----	287 UNCH
4535	----	----	406.90B/370.80A	406.90B/370.80A	----	381.00 - 16.70	.9614	----	----	----	----	38 UNCH
4540	----	----	411.80B/375.70A	411.80B/375.70A	----	385.80 - 16.80	.9626	----	----	----	----	40 UNCH
4545	----	----	416.70B/380.60A	416.70B/380.60A	----	390.70 - 16.80	.9646	----	----	----	----	19 UNCH
4550	----	----	421.60B/384.60A	421.60B/384.60A	----	395.60 - 16.70	.9657	----	----	----	----	260 UNCH
4555	----	----	426.50B/390.30A	426.50B/390.30A	----	400.50 - 16.70	.9668	----	----	----	----	4 UNCH
4560	----	----	431.40B/394.60A	431.40B/394.60A	----	405.40 - 16.70	.9680	----	----	----	----	46 UNCH
4565	----	----	436.30B/400.10A	436.30B/400.10A	----	410.30 - 16.70	.9691	----	----	----	----	55 UNCH
4570	----	----	441.20B/405.00A	441.20B/405.00A	----	415.20 - 16.70	.9693	----	----	----	----	39 UNCH
4575	----	----	446.10B/409.90A	446.10B/409.90A	----	420.10 - 16.70	.9704	----	----	----	----	11 UNCH
4580	----	----	451.00B/414.80A	451.00B/414.80A	----	425.00 - 16.70	.9715	----	----	----	----	21 UNCH
4585	----	----	456.00B/419.30A	456.00B/419.30A	----	430.00 - 16.70	.9726	----	----	----	----	159 UNCH
4590	----	----	460.90B/424.20A	460.90B/424.20A	----	434.90 - 16.70	.9736	----	----	----	----	87 UNCH
4595	----	----	465.80B/428.40A	465.80B/428.40A	----	439.80 - 16.70	.9739	----	----	----	----	15 UNCH
4600	----	----	470.70B/432.90A	470.70B/432.90A	----	444.70 - 16.70	.9749	----	----	----	----	195 UNCH
4605	----	----	475.70B/438.80A	475.70B/438.80A	----	449.70 - 16.70	.9760	----	----	----	----	12 UNCH
4610	----	----	480.60B/444.30A	480.60B/444.30A	----	454.60 - 16.70	.9762	----	----	----	----	7 UNCH
4615	----	----	485.60B/448.80A	485.60B/448.80A	----	459.60 - 16.70	.9772	----	----	----	----	15 UNCH
4620	----	----	490.50B/455.60A	490.50B/455.60A	----	464.50 - 16.70	.9774	----	----	----	----	17 UNCH
4625	----	----	495.40B/459.70A	495.40B/459.70A	----	469.40 - 16.70	.9784	----	----	----	----	23 UNCH
4630	----	----	500.40B/465.00A	500.40B/465.00A	----	474.40 - 16.70	.9786	----	----	----	----	22 UNCH
4635	----	----	505.30B/468.50A	505.30B/468.50A	----	479.30 - 16.70	.9796	----	----	----	----	22 UNCH
4640	----	----	510.30B/474.90A	510.30B/474.90A	----	484.30 - 16.70	.9797	----	----	----	----	90 UNCH
4645	----	----	515.20B/478.40A	515.20B/478.40A	----	489.20 - 16.70	.9807	----	----	----	----	28 UNCH
4650	----	----	520.20B/484.80A	520.20B/484.80A	----	494.20 - 16.70	.9809	----	----	----	----	216 UNCH
4655	----	----	525.20B/490.20A	525.20B/490.20A	----	499.20 - 16.60	.9819	----	----	----	----	55 UNCH
4660	----	----	530.10B/494.80A	530.10B/494.80A	----	504.10 - 16.70	.9820	----	----	----	----	6 UNCH
4665	----	----	535.10B/497.30A	535.10B/497.30A	----	509.10 - 16.60	.9830	----	----	----	----	2 UNCH
4670	----	----	540.00B/503.70A	540.00B/503.70A	----	514.00 - 16.70	.9831	----	----	----	----	15 UNCH
4675	----	----	545.00B/509.00A	545.00B/509.00A	----	519.00 - 16.60	.9832	----	----	----	----	83 UNCH
4680	----	----	550.00B/512.10A	550.00B/512.10A	----	524.00 - 16.60	.9842	----	----	----	----	48 UNCH
4685	----	----	554.90B/519.50A	554.90B/519.50A	----	528.90 - 16.60	.9843	----	----	----	----	12 UNCH
4690	----	----	559.90B/524.20A	559.90B/524.20A	----	533.90 - 16.60	.9844	----	----	----	----	8 UNCH
4695	----	----	564.90B/527.30A	564.90B/527.30A	----	538.90 - 16.60	.9854	----	----	----	----	4 UNCH
4700	----	----	569.90B/534.80A	569.90B/534.80A	----	543.80 - 16.60	.9855	----	----	----	----	224 UNCH
4710	----	----	579.80B/542.90A	579.80B/542.90A	----	553.80 - 16.50	.9857	----	----	----	----	2 UNCH
4715	----	----	584.70B/547.90A	584.70B/547.90A	----	558.70 - 16.60	.9866	----	----	----	----	2 UNCH
4720	----	----	589.70B/553.70A	589.70B/553.70A	----	563.70 - 16.60	.9867	----	----	----	----	4 UNCH
4725	----	----	594.80B/556.80A	594.80B/556.80A	----	568.70 - 16.50	.9868	----	----	----	----	12 UNCH
4730	----	----	599.70B/563.60A	599.70B/563.60A	----	573.70 - 16.50	.9869	----	----	----	----	10 UNCH
4735	----	----	604.70B/569.20A	604.70B/569.20A	----	578.60 - 16.60	.9878	----	----	----	----	4 UNCH
4740	----	----	609.60B/573.60A	609.60B/573.60A	----	583.60 - 16.60	.9879	----	----	----	----	4 UNCH
4745	----	----	614.60B/579.30A	614.60B/579.30A	----	588.60 - 16.50	.9880	----	----	----	----	9 UNCH
4750	----	----	619.60B/584.50A	619.60B/584.50A	----	593.60 - 16.50	.9881	----	----	----	----	201 UNCH
4755	----	----	624.70B/588.50A	624.70B/588.50A	----	598.60 - 16.50	.9881	----	----	----	----	6 UNCH
4760	----	----	629.50B/592.60A	629.50B/592.60A	----	603.50 - 16.60	.9891	----	----	----	----	10 UNCH
4770	----	----	639.90B/604.10A	639.90B/604.10A	----	613.50 - 16.50	.9892	----	----	----	----	5 UNCH
4775	----	----	644.50B/608.40A	644.50B/608.40A	----	618.50 - 16.50	.9893	----	----	----	----	12 UNCH
4790	----	----	659.40B/623.40A	659.40B/623.40A	----	633.40 - 16.50	.9903	----	----	----	----	11 UNCH
4800	----	----	669.80B/633.40A	669.80B/633.40A	----	643.40 - 16.50	.9904	----	----	----	----	120 UNCH
4805	----	----	674.60B/638.30A	674.60B/638.30A	----	648.40 - 16.50	.9905	----	----	----	----	11 UNCH
4810	----	----	679.50B/643.50A	679.50B/643.50A	----	653.40 - 16.50	.9905	----	----	----	----	1 UNCH
4820	----	----	689.30B/653.30A	689.30B/653.30A	----	663.30 - 16.50	.9915	----	----	----	----	3 UNCH
4825	----	----	694.30B/659.00A	694.30B/659.00A	----	668.30 - 16.50	.9915	----	----	----	----	30 UNCH
4830	----	----	699.40B/663.90A	699.40B/663.90A	----	673.30 - 16.50	.9916	----	----	----	----	5 UNCH
4840	----	----	709.70B/673.20A	709.70B/673.20A	----	683.30 - 16.50	.9917	----	----	----	----	4 UNCH
4845	----	----	714.30B/678.80A	714.30B/678.80A	----	688.30 - 16.50	.9917	----	----	----	----	10 UNCH
4850	----	----	719.30B/681.30A	719.30B/681.30A	----	693.30 - 16.40	.9918	----	----	----	----	133 UNCH
4855	----	----	724.30B/688.20A	724.30B/688.20A	----	698.30 - 16.40	.9918	----	----	----	----	3 UNCH
4860	----	----	729.30B/693.90A	729.30B/693.90A	----	703.30 - 16.40	.9927	----	----	----	----	1 UNCH
4865	----	----	734.50B/698.80A	734.50B/698.80A	----	708.20 - 16.50	.9927	----	----	----	----	2 UNCH
4875	----	----	744.50B/708.60A	744.50B/708.60A	----	718.20 - 16.50	.9928	----	----	----	----	3 UNCH
4885	----	----	754.30B/717.20A	754.30B/717.20A	----	728.20 - 16.50	.9929	2	----	----	----	8 - 2
4895	----	----	764.30B/726.20A	764.30B/726.20A	----	738.20 - 16.40	.9930	----	----	----	----	3 UNCH
4900	----	----	769.30B/733.10A	769.30B/733.10A	----	743.20 - 16.40	.9930	----	----	----	----	4 UNCH
4915	----	----	784.50B/748.30A	784.50B/748.30A	----	758.20 - 16.40	.9939	----	----	----	----	4 UNCH
4920	----	----	789.50B/753.50A	789.50B/753.50A	----	763.10 - 16.50	.9940	3	----	----	----	0 - 3
4925	----	----	794.50B/758.10A	794.50B/758.10A	----	768.10 - 16.50	.9940	1	----	----	----	3 - 1
4930	----	----	799.40B/763.60A	799.40B/763.60A	----	773.10 - 16.50	.9941	1	----	----	----	0 - 1
4935	----	----	804.40B/767.10A	804.40B/767.10A	----	778.10 - 16.40	.9941	----	----	----	----	25 UNCH
4940	----	----	809.50B/772.70A	809.50B/772.70A	----	783.10 - 16.40	.9941	1	----	----	----	0 - 1
4950	----	----	819.40B/781.40A	819.40B/781.40A	----	793.10 - 16.40	.9942	17	----	----	----	49 - 17
4955	----	----	824.40B/788.90A	824.40B/788.90A	----	798.10 - 16.40	.9942	1	----	----	----	0 - 1
4960	----	----	829.40B/793.40A	829.40B/793.40A	----	803.10 - 16.40	.9942	2	----	----	----	2 - 2
4965	----	----	834.50B/798.40A	834.50B/798.40A	----	808.10 - 16.40	.9951	1	----	----	----	0 - 1
4970	----	----	839.50B/803.40A	839.50B/803.40A	----	813.10 - 16.40	.9951	2	----	----	----	0 - 2
4975	----	----	844.30B/808.00A	844.30B/808.00A	----	818.10 - 16.40	.9951	1	----	----	----	0 - 1
4995	----	----	864.20B/828.00A	864.20B/828.00A	----	838.10 - 16.40	.9952	----	----	----	----	1 UNCH
5000	----	----	869.50B/832.60A	869.50B/832.60A	----	843.10 - 16.30	.9953	221	----	----	----	41 - 221
5010	----	----	879.20B/843.50A	879.20B/843.50A	----	853.10 - 16.30	.9953	1	----	----	----	0 - 1
5015	----	----	884.30B/848.50A	884.30B/848.50A	----	858.00 - 16.40	.9954	----	----	----	----	1 UNCH
5020	----	----	889.20B/853.50A	889.20B/853.50A	----	863.00 - 16.40	.9954	7	----	----	----	30 - 7
5030	----	----	899.10B/861.10A	899.10B/861.10A	----	873.00 - 16.40	.9954	----	----	----	----	4 UNCH
5055	----	----	924.10B/888.80A	924.10B/888.80A	----	898.00 - 16.40	.9963	----	----	----	----	9 UNCH
5075	----	----	944.10B/908.70A	944.10B/908.70A	----	918.00 - 16.40	.9964	----	----	----	----	1 UNCH
5080	----	----	949.30B/913.70A	949.30B/913.70A	----	923.00 - 16.40	.9964	----	----	----	----	1 UNCH
5085	----	----	954.10B/917.00A	954.10B/917.00A	----	928.00 - 16.40	.9965	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
NOV26												
5125	----	----	994.10B/958.80A	994.10B/958.80A	----	968.00 - 16.30	.9966	----	----	----	----	1 UNCH
5190	----	----	1,059.10B/1,023	1059.10B/1023.80A	----	1033.00 - 16.30	.9968	----	----	----	----	1 UNCH
5200	----	----	1,069.10B/1,033	1069.10B/1033.80A	----	1043.00 - 16.30	.9977	----	----	----	----	1 UNCH
5215	----	----	1,084.30B/1,048	1084.30B/1048.80A	----	1058.00 - 16.30	.9977	----	----	----	----	1 UNCH
5225	----	----	1,094.10B/1,058	1094.10B/1058.80A	----	1068.00 - 16.30	.9977	----	----	----	----	1 UNCH
5395	----	----	1,264.10B/1,228	1264.10B/1228.80A	----	1238.00 - 16.30	.9981	----	----	----	----	6 UNCH
5400	----	----	1,269.10B/1,233	1269.10B/1233.80A	----	1243.00 - 16.30	.9982	6	----	----	----	0 - 6
TOTAL										2374	120	64817 + 134
DEC26												
1350	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
1375	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1400	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1600	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	219 UNCH
1700	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	200 UNCH
1740	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
1750	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1800	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1845	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	60 UNCH
1850	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
1870	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1875	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1900	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
1930	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
2000	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
2100	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2125	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
2200	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	12 UNCH
2210	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	14 UNCH
2225	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
2235	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
2240	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	2 UNCH
2245	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	3 UNCH
2250	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0001	----	----	----	----	17 UNCH
2260	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0001	----	----	----	----	13 UNCH
2280	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
2300	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0001	----	----	----	----	4 UNCH
2320	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
2325	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0002	----	----	----	----	15 UNCH
2395	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0004	----	----	----	----	10 UNCH
2400	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0008	----	----	----	----	15 UNCH
2425	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0008	----	----	----	----	11 UNCH
2440	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0008	----	----	----	----	1 UNCH
2450	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0008	----	----	----	----	24 UNCH
2470	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0008	----	----	----	----	2 UNCH
2490	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0008	----	----	----	----	11 UNCH
2495	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0008	----	----	----	----	30 UNCH
2500	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0008	----	----	----	----	460 UNCH
2550	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0009	----	----	----	----	5 UNCH
2560	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0009	----	----	----	----	20 UNCH
2565	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0009	----	----	----	----	32 UNCH
2570	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0013	----	----	----	----	10 UNCH
2575	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0013	----	----	----	----	16 UNCH
2580	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0013	----	----	----	----	5 UNCH
2590	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0013	----	----	----	----	18 UNCH
2600	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0013	----	----	----	----	25 UNCH
2605	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0013	----	----	----	----	1 UNCH
2610	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0013	----	----	----	----	25 UNCH
2615	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0013	----	----	----	----	2 UNCH
2645	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0014	----	----	----	----	7 UNCH
2650	----	----	----/0.30A	0.30B/0.30A	----	0.30 - 0.10	.0014	----	----	----	----	1 UNCH
2655	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0014	----	----	----	----	2 UNCH
2660	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0014	----	----	----	----	3 UNCH
2675	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0014	----	----	----	----	4 UNCH
2695	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0014	----	----	----	----	14 UNCH
2700	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0014	----	----	----	----	25 UNCH
2705	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0018	----	----	----	----	10 UNCH
2710	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0018	----	----	----	----	4 UNCH
2725	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0019	----	----	----	----	2 UNCH
2735	----	----	----	0.30B/0.50A	----	0.40 - 0.10	.0019	----	----	----	----	4 UNCH
2740	----	----	----	0.30B/0.50A	----	0.40 - 0.10	.0019	----	----	----	----	3 UNCH
2750	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.10	.0019	----	----	----	----	47 UNCH
2755	0.40	0.40	0.40/0.40	0.40/0.40	----	0.40 NEW	.0019	----	----	8	----	8 + 8
2760	0.40	0.40	0.40/0.40	0.40/0.40	----	0.40 NEW	.0019	----	----	27	----	27 + 27
2775	0.40	0.40	0.40/0.40	0.40/0.40	----	0.40 NEW	.0019	----	----	40	----	40 + 40
2795	----	----	----	0.40B/0.50A	----	0.50 UNCH	.0024	----	----	----	----	10 UNCH
2800	0.50	0.50	0.50/0.50	0.50/0.50	----	0.50 - 0.10	.0024	----	----	1	----	86 - 1
2850	----	----	----	0.50B/0.60A	----	0.60 UNCH	.0029	----	----	----	----	37 UNCH
2875	----	----	----	0.60B/0.70A	----	0.60 - 0.10	.0030	----	----	----	----	1 UNCH
2880	----	----	----	0.60B/0.70A	----	0.60 - 0.10	.0030	----	----	----	----	1 UNCH
2900	----	----	----/0.70A	0.60B/0.70A	----	0.60 - 0.20	.0030	----	----	----	----	75 UNCH
2915	----	----	----/0.70A	0.70B/0.70A	----	0.70 - 0.10	.0035	----	----	----	----	1 UNCH
2925	----	----	----	0.70B/0.80A	----	0.70 - 0.10	.0035	----	----	----	----	300 UNCH
2945	----	----	----/0.80A	0.80B/0.80A	----	0.70 - 0.20	.0036	----	----	----	----	2 UNCH
2950	----	----	----/0.80A	0.80B/0.80A	----	0.80 - 0.10	.0040	----	----	----	----	56 UNCH
2960	----	----	----	0.80B/0.90A	----	0.80 - 0.10	.0041	----	----	----	----	8 UNCH
2965	----	----	----	0.80B/0.90A	----	0.80 - 0.10	.0041	----	----	----	----	3 UNCH
2975	----	----	----/0.90A	0.90B/0.90A	----	0.80 - 0.20	.0041	----	----	----	----	950 UNCH
3000	1.00	1.00	1.00/1.00	1.00/1.00	----	0.90 - 0.10	.0046	----	----	5	----	2195 + 2
3005	----	----	----/1.00A	1.00B/1.00A	----	0.90 - 0.20	.0047	----	----	----	----	5 UNCH
3010	----	----	----/1.00A	1.00B/1.00A	----	0.90 - 0.20	.0047	----	----	----	----	1 UNCH
3020	----	----	----	1.10B/1.10A	----	1.00 - 0.10	.0052	----	----	----	----	5 UNCH
3025	----	----	----	1.10B/1.10A	----	1.00 - 0.10	.0052	----	----	----	----	2 UNCH
3030	----	----	----/1.10A	1.10B/1.10A	----	1.00 - 0.20	.0052	----	----	----	----	1 UNCH
3035	----	----	----/1.10A	1.10B/1.10A	----	1.00 - 0.20	.0052	----	----	----	----	1 UNCH
3045	----	----	----	1.20B/1.20A	----	1.10 - 0.10	.0057	----	----	----	----	3 UNCH
3050	----	----	----	1.20B/1.20A	----	1.10 - 0.10	.0057	----	----	----	----	13 UNCH
3060	----	----	----/1.20A	1.20B/1.20A	----	1.10 - 0.20	.0058	----	----	----	----	201 UNCH
3075	----	----	----/1.30A	1.30B/1.30A	----	1.20 - 0.20	.0063	----	----	----	----	11 UNCH
3080	----	----	----/1.30A	1.30B/1.30A	----	1.20 - 0.20	.0063	----	----	----	----	1 UNCH
3085	----	----	----/1.30A	1.40B/1.30A	----	1.20 - 0.20	.0064	----	----	----	----	2 UNCH
3090	----	----	----/1.30A	1.40B/1.30A	----	1.20 - 0.20	.0064	----	----	----	----	5 UNCH
3095	----	----	----	1.40B/1.40A	----	1.30 - 0.10	.0068	----	----	----	----	4 UNCH
3100	----	----	----/1.40A	1.50B/1.40A	----	1.30 - 0.20	.0069	----	----	20	----	156 - 1
3110	----	----	----/1.40A	1.50B/1.40A	----	1.30 - 0.20	.0069	----	----	----	----	2 UNCH
3120	----	----	----/1.50A	1.60B/1.50A	----	1.40 - 0.20	.0074	----	----	----	----	3 UNCH
3125	----	----	----/1.50A	1.60B/1.50A	----	1.40 - 0.20	.0075	----	----	----	----	1 UNCH
3130	----	----	1.70B/1.50A	1.70B/1.50A	----	1.50 - 0.10	.0079	----	----	----	----	11 UNCH
3135	----	----	----/1.60A	1.60B/1.60A	----	1.50 - 0.20	.0080	----	----	----	----	1 UNCH
3140	----	----	----/1.60A	1.70B/1.60A	----	1.50 - 0.20	.0080	----	----	----	----	2 UNCH
3145	----	----	----/1.60A	1.70B/1.60A	----	1.50 - 0.20	.0081	----	----	----	----	11 UNCH
3150	----	----	----/1.60A	1.80B/1.60A	----	1.60 - 0.20	.0085	----	----	----	----	114 UNCH
3155	----	----	----/1.70A	1.80B/1.70A	----	1.60 - 0.20	.0086	----	----	----	----	6 UNCH
3160	----	----	----/1.70A	1.80B/1.70A	----	1.60 - 0.20	.0086	----	----	----	----	4 UNCH
3170	----	----	----/1.80A	1.90B/1.80A	----	1.70 - 0.20	.0091	----	----	----	----	2 UNCH
3175	----	----	----/1.80A	1.90B/1.80A	----	1.70 - 0.20	.0092	----	----	----	----	62 UNCH
3180	----	----	----/1.80A	1.90B/1.80A	----	1.80 - 0.20	.0096	----	----	----	----	1 UNCH
3185	----	----	----/1.80A	2.00B/1.80A	----	1.80 - 0.20	.0097	----	----	----	----	2 UNCH
3190	----	----	----/1.90A	2.00B/1.90A	----	1.80 - 0.20	.0097	----	----	----	----	3 UNCH
3195	----	----	----/1.90A	2.10B/1.90A	----	1.90 - 0.20	.0102	----	----	----	----	2 UNCH
3200	----	----	----/1.90A	2.10B/1.90A	----	1.90 - 0.20	.0103	----	----	----	----	130 UNCH
3210	----	----	----/2.00A	2.10B/2.00A	----	2.00 - 0.20	.0108	----	----	----	----	1 UNCH
3215	----	----	----/2.00A	2.20B/2.00A	----	2.00 - 0.20	.0109	----	----	----	----	20 UNCH
3225	----	----	----/2.10A	2.30B/2.10A	----	2.10 - 0.20	.0114	----	----	----	----	11 UNCH
3235	----	----	----/2.20A	2.40B/2.20A	----	2.10 - 0.30	.0115	----	----	----	----	12 UNCH
3240	----	----	----/2.20A	2.40B/2.20A	----	2.20 - 0.20	.0120	----	----	----	----	11 UNCH
3245	----	----	2.50B/2.30A	2.50B/2.30A	----	2.20 - 0.20	.0121	----	----	----	----	22 UNCH
3250	2.50	2.50	2.50/2.30A	2.50/2.30A	----	2.30 - 0.20	.0126	----	----	75	----	494 - 3
3260	2.40	2.40	2.40/2.40	2.50B/2.40	----	2.30 - 0.30	.0127	----	----	1	----	6 UNCH
3265	----	----	----/2.40A	2.60B/2.40A	----	2.40 - 0.20	.0132	----	----	----	----	27 UNCH
3270	----	----	----/2.50A	2.70B/2.50A	----	2.40 - 0.30	.0133	----	----	----	----	24 UNCH
3275	----	----	----/2.50A	2.70B/2.50A	----	2.50 - 0.20	.0138	----	----	----	----	10 UNCH
3280	----	----	2.80B/2.50A	2.80B/2.50A	----	2.50 - 0.20	.0138	----	----	----	----	5 UNCH
3285	----	----	----/2.60A	2.80B/2.60A	----	2.60 - 0.20	.0143	----	----	----	----	11 UNCH
3290	----	----	2.90B/2.60A	2.90B/2.60A	----	2.60 - 0.20	.0144	----	----	----	----	7 UNCH
3295	----	----	----/2.70A	2.90B/2.70A	----	2.60 - 0.30	.0145	----	----	----	----	11 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
3300	----	----	3.00B/2.70A	3.00B/2.70A	----	2.70 - 0.20	.0150	----	----	----	----	642 UNCH
3305	----	----	----/2.70A	3.00B/2.70A	----	2.70 - 0.30	.0151	----	----	----	----	4 UNCH
3310	----	----	----/2.80A	3.00B/2.80A	----	2.80 - 0.20	.0156	----	----	----	----	1 UNCH
3315	----	----	3.20B/2.80A	3.20B/2.80A	----	2.80 - 0.30	.0157	----	----	----	----	11 UNCH
3325	----	----	3.30B/2.90A	3.30B/2.90A	----	2.90 - 0.30	.0163	----	----	----	----	104 UNCH
3330	----	----	----/3.00A	3.30B/3.00A	----	3.00 - 0.30	.0168	----	----	----	----	2 UNCH
3335	----	----	3.40B/3.00A	3.40B/3.00A	----	3.00 - 0.30	.0169	----	----	----	----	1 UNCH
3345	----	----	3.50B/3.10A	3.50B/3.10A	----	3.10 - 0.30	.0175	----	----	----	----	14 UNCH
3350	----	----	3.60B/3.20A	3.60B/3.20A	----	3.20 - 0.30	.0180	----	----	----	----	36 UNCH
3360	----	----	3.70B/3.30A	3.70B/3.30A	----	3.30 - 0.30	.0187	----	----	----	----	16 UNCH
3365	----	----	3.80B/3.30A	3.80B/3.30A	----	3.40 - 0.30	.0192	----	----	----	----	7 UNCH
3370	----	----	3.90B/3.40A	3.90B/3.40A	----	3.40 - 0.30	.0193	----	----	----	----	3 UNCH
3375	----	----	4.00B/3.50A	4.00B/3.50A	----	3.50 - 0.30	.0199	----	----	----	----	266 UNCH
3380	----	----	4.00B/3.50A	4.00B/3.50A	----	3.50 - 0.40	.0200	----	----	----	----	13 UNCH
3385	----	----	4.10B/3.60A	4.10B/3.60A	----	3.60 - 0.30	.0205	----	----	----	----	35 UNCH
3390	----	----	4.20B/3.60A	4.20B/3.60A	----	3.70 - 0.30	.0211	----	----	----	----	101 UNCH
3395	----	----	4.30B/3.70A	4.30B/3.70A	----	3.70 - 0.40	.0212	----	----	----	----	5 UNCH
3400	4.00	4.00	4.40B/3.70	4.40B/3.70	----	3.80 - 0.40	.0217	----	----	33	----	2198 - 9
3410	----	----	4.50B/3.90A	4.50B/3.90A	----	3.90 - 0.40	.0224	----	----	----	----	69 UNCH
3420	----	----	4.70B/4.00A	4.70B/4.00A	----	4.10 - 0.40	.0235	----	----	----	----	5 UNCH
3425	4.10	4.10	4.80B/4.10	4.80B/4.10	----	4.20 - 0.40	.0241	----	----	5	----	387 + 5
3430	----	----	4.90B/4.20A	4.90B/4.20A	----	4.20 - 0.40	.0243	----	----	----	----	3 UNCH
3435	----	----	5.00B/4.30A	5.00B/4.30A	----	4.30 - 0.40	.0248	----	----	----	----	18 UNCH
3440	----	----	5.10B/4.40A	5.10B/4.40A	----	4.40 - 0.40	.0254	----	----	----	----	11 UNCH
3445	----	----	5.20B/4.40A	5.20B/4.40A	----	4.50 - 0.40	.0260	----	----	----	----	3 UNCH
3450	----	----	5.30B/4.50A	5.30B/4.50A	----	4.50 - 0.50	.0261	----	----	----	----	1368 UNCH
3455	----	----	5.40B/4.60A	5.40B/4.60A	----	4.60 - 0.50	.0267	----	----	----	----	2 UNCH
3460	5.20	5.20	5.50B/4.70A	5.50B/4.70A	----	4.70 - 0.50	.0273	----	----	1	----	73 + 1
3465	----	----	5.60B/4.80A	5.60B/4.80A	----	4.80 - 0.50	.0279	----	----	----	----	227 UNCH
3470	----	----	5.70B/4.80A	5.70B/4.80A	----	4.90 - 0.50	.0285	----	----	----	----	20 UNCH
3475	4.90	4.90	5.80B/4.90	5.80B/4.90	----	5.00 - 0.50	.0291	----	----	14	----	239 + 7
3480	----	----	5.90B/5.00A	5.90B/5.00A	----	5.10 - 0.50	.0297	----	----	----	----	1289 UNCH
3485	----	----	6.00B/5.10A	6.00B/5.10A	----	5.20 - 0.50	.0303	----	----	----	----	150 UNCH
3490	----	----	6.20B/5.20A	6.20B/5.20A	----	5.30 - 0.50	.0310	----	----	----	----	39 UNCH
3495	----	----	6.30B/5.30A	6.30B/5.30A	----	5.40 - 0.50	.0316	----	----	----	----	23 UNCH
3500	6.00	6.00	6.40/5.40	6.40/5.40	----	5.50 - 0.60	.0322	----	----	125	----	6356 - 42
3505	----	----	6.60B/5.50A	6.60B/5.50A	----	5.60 - 0.60	.0328	----	----	----	----	20 UNCH
3510	----	----	6.70B/5.60A	6.70B/5.60A	----	5.70 - 0.60	.0335	----	----	1	----	256 UNCH
3515	----	----	6.90B/5.70A	6.90B/5.70A	----	5.80 - 0.60	.0341	----	----	----	----	136 UNCH
3520	----	----	7.00B/5.80A	7.00B/5.80A	----	5.90 - 0.70	.0347	----	----	----	----	23 UNCH
3525	----	----	7.20B/5.90A	7.20B/5.90A	----	6.00 - 0.70	.0354	----	----	----	----	218 UNCH
3530	----	----	7.30B/6.10A	7.30B/6.10A	----	6.10 - 0.70	.0360	----	----	----	----	3 UNCH
3540	----	----	7.60B/6.30A	7.60B/6.30A	----	6.40 - 0.70	.0378	----	----	----	----	25 UNCH
3545	----	----	7.80B/6.40A	7.80B/6.40A	----	6.50 - 0.80	.0385	----	----	----	----	20 UNCH
3550	----	----	7.90B/6.50A	7.90B/6.50A	----	6.60 - 0.80	.0391	----	----	4	----	2141 - 2
3555	----	----	8.10B/6.70A	8.10B/6.70A	----	6.80 - 0.80	.0402	----	----	----	----	2 UNCH
3560	----	----	8.30B/6.80A	8.30B/6.80A	----	6.90 - 0.80	.0409	----	----	----	----	87 UNCH
3565	----	----	8.40B/7.00A	8.40B/7.00A	----	7.10 - 0.80	.0420	----	----	----	----	37 UNCH
3570	----	----	8.60B/7.10A	8.60B/7.10A	----	7.20 - 0.90	.0427	----	----	----	----	17 UNCH
3575	7.40	7.40	8.80B/7.20A	8.80B/7.20A	----	7.40 - 0.90	.0438	----	----	12	----	31 + 11
3580	7.30	7.30	9.00B/7.30	9.00B/7.30	----	7.50 - 0.90	.0446	----	----	3	----	16 UNCH
3585	----	----	9.30B/7.50A	9.30B/7.50A	----	7.70 - 0.90	.0457	----	----	----	----	335 UNCH
3590	----	----	9.50B/7.70A	9.50B/7.70A	----	7.80 - 1.00	.0464	----	----	----	----	46 UNCH
3595	----	----	9.70B/7.90A	9.70B/7.90A	----	8.00 - 1.00	.0476	----	----	----	----	115 UNCH
3600	8.50	8.50	10.00B/8.00A	10.00B/8.00A	----	8.20 - 1.00	.0487	----	----	19	----	1944 - 10
3605	----	----	10.20B/8.20A	10.20B/8.20A	----	8.40 - 1.00	.0499	----	----	----	----	72 UNCH
3610	----	----	10.40B/8.40A	10.40B/8.40A	----	8.50 - 1.10	.0506	----	----	----	----	35 UNCH
3615	----	----	10.60B/8.50A	10.60B/8.50A	----	8.70 - 1.10	.0518	----	----	----	----	40 UNCH
3620	----	----	10.90B/8.70A	10.90B/8.70A	----	8.90 - 1.10	.0530	----	----	----	----	6 UNCH
3625	----	----	11.10B/8.90A	11.10B/8.90A	----	9.10 - 1.20	.0542	----	----	----	----	54 UNCH
3630	----	----	11.40B/9.10A	11.40B/9.10A	----	9.30 - 1.20	.0554	----	----	----	----	19 UNCH
3635	----	----	11.70B/9.30A	11.70B/9.30A	----	9.50 - 1.20	.0566	----	----	----	----	47 UNCH
3640	----	----	11.90B/9.50A	11.90B/9.50A	----	9.70 - 1.30	.0578	----	----	----	----	18 UNCH
3645	----	----	12.20B/9.70A	12.20B/9.70A	----	10.00 - 1.20	.0594	----	----	1	----	58 UNCH
3650	----	----	12.50B/9.90A	12.50B/9.90A	----	10.20 - 1.30	.0606	----	----	9	----	1703 + 5
3655	----	----	12.70B/10.20A	12.70B/10.20A	----	10.40 - 1.40	.0619	----	----	----	----	244 UNCH
3660	----	----	13.00B/10.40A	13.00B/10.40A	----	10.70 - 1.30	.0635	----	----	----	----	61 UNCH
3665	----	----	13.40B/10.60A	13.40B/10.60A	----	10.90 - 1.40	.0648	----	----	1	----	27 UNCH
3670	----	----	13.70B/10.90A	13.70B/10.90A	----	11.20 - 1.40	.0664	----	----	----	----	129 UNCH
3675	----	----	13.90B/11.10A	13.90B/11.10A	----	11.40 - 1.50	.0677	----	----	----	----	138 UNCH
3680	----	----	14.30B/11.40A	14.30B/11.40A	----	11.70 - 1.50	.0694	----	----	----	----	52 UNCH
3685	----	----	14.70B/11.60A	14.70B/11.60A	----	12.00 - 1.50	.0711	----	----	----	----	407 UNCH
3690	----	----	14.90B/11.90A	14.90B/11.90A	----	12.30 - 1.60	.0728	----	----	----	----	24 UNCH
3695	----	----	15.40B/12.20A	15.40B/12.20A	----	12.60 - 1.60	.0745	----	----	----	----	19 UNCH
3700	15.00	15.00	15.80B/12.50A	15.80B/12.50A	----	12.90 - 1.60	.0762	----	----	614	290	2910 + 567
3705	----	----	16.10B/12.80A	16.10B/12.80A	----	13.20 - 1.70	.0779	----	----	----	----	56 UNCH
3710	----	----	16.50B/13.10A	16.50B/13.10A	----	13.50 - 1.80	.0796	----	----	----	----	129 UNCH
3715	----	----	16.90B/13.40A	16.90B/13.40A	----	13.80 - 1.80	.0814	----	----	----	----	165 UNCH
3720	----	----	17.30B/13.70A	17.30B/13.70A	----	14.20 - 1.80	.0835	----	----	----	----	55 UNCH
3725	15.40	15.40	17.80B/14.00A	17.80B/14.00A	----	14.50 - 1.90	.0853	----	----	4	----	224 - 3
3730	----	----	18.30B/14.40A	18.30B/14.40A	----	14.90 - 1.90	.0874	----	----	1	----	439 + 1
3735	----	----	18.70B/14.70A	18.70B/14.70A	----	15.30 - 1.90	.0896	----	----	----	----	165 UNCH
3740	----	----	19.20B/15.10A	19.20B/15.10A	----	15.70 - 2.00	.0917	----	----	2	----	82 UNCH
3745	16.90	16.90	19.60B/15.40A	19.60B/15.40A	----	16.00 - 2.10	.0936	----	----	1	----	69 + 1
3750	17.60	17.60	20.10B/15.80A	20.10B/15.80A	----	16.50 - 2.10	.0961	----	----	337	----	1893 + 23
3755	----	----	20.60B/16.20A	20.60B/16.20A	----	16.90 - 2.10	.0983	----	----	----	----	34 UNCH
3760	----	----	21.20B/16.60A	21.20B/16.60A	----	17.30 - 2.20	.1005	----	----	3	----	129 + 3
3765	----	----	21.70B/17.00A	21.70B/17.00A	----	17.70 - 2.30	.1028	----	----	1	----	32 + 1
3770	20.60	20.60	22.20B/17.50A	22.20B/17.50A	----	18.20 - 2.30	.1054	----	----	6	----	33 + 5
3775	----	----	22.80B/17.90A	22.80B/17.90A	----	18.70 - 2.30	.1080	----	----	1	----	64 UNCH
3780	----	----	23.30B/18.30A	23.30B/18.30A	----	19.10 - 2.50	.1102	----	----	4	----	63 UNCH
3785	----	----	23.90B/18.80A	23.90B/18.80A	----	19.60 - 2.50	.1129	----	----	----	----	87 UNCH
3790	----	----	24.50B/19.30A	24.50B/19.30A	----	20.10 - 2.60	.1155	----	----	2	----	166 UNCH
3795	----	----	25.20B/19.80A	25.20B/19.80A	----	20.60 - 2.70	.1182	----	----	----	----	55 UNCH
3800	22.50	22.50	25.80B/20.30A	25.80B/20.30A	----	21.20 - 2.60	.1211	----	----	55	----	1624 + 21
3805	23.60	23.60	26.40B/20.80A	26.40B/20.80A	----	21.70 - 2.80	.1238	----	----	4	----	40 + 1
3810	----	----	27.20B/21.30A	27.20B/21.30A	----	22.30 - 2.80	.1268	----	----	1	----	115 + 1
3815	----	----	27.80B/21.90A	27.80B/21.90A	----	22.90 - 2.80	.1299	----	----	6	----	58 + 2
3820	24.40	24.40	28.50B/22.40A	28.50B/22.40A	----	23.50 - 2.90	.1329	----	----	6	----	30 - 2
3825	25.40	25.40	29.20B/23.00A	29.20B/23.00A	----	24.10 - 3.00	.1360	----	----	4	----	104 + 3
3830	----	----	30.00B/23.60A	30.00B/23.60A	----	24.70 - 3.10	.1390	----	----	1	----	49 + 1
3835	----	----	30.80B/24.20A	30.80B/24.20A	----	25.40 - 3.10	.1424	----	----	1	----	11 + 1
3840	27.00	27.00	31.60B/24.80A	31.60B/24.80A	----	26.00 - 3.30	.1455	----	----	9	----	233 + 7
3845	27.00	27.00	32.50B/25.50A	32.50B/25.50A	----	26.70 - 3.30	.1490	----	----	2	----	31 + 1
3850	27.60	27.60	33.30B/26.10A	33.30B/26.10A	----	27.40 - 3.40	.1524	----	----	21	----	870 + 9
3855	----	----	34.20B/26.80A	34.20B/26.80A	----	28.10 - 3.50	.1558	----	----	----	----	65 UNCH
3860	----	----	35.00B/27.50A	35.00B/27.50A	----	28.90 - 3.50	.1596	----	----	5	----	47 + 5
3865	----	----	35.90B/28.20A	35.90B/28.20A	----	29.60 - 3.70	.1631	----	----	1	----	78 UNCH
3870	----	----	36.80B/29.00A	36.80B/29.00A	----	30.40 - 3.70	.1668	----	----	----	----	34 UNCH
3875	----	----	37.70B/29.70A	37.70B/29.70A	----	31.20 - 3.80	.1706	----	----	5	----	154 + 4
3880	----	----	38.80B/30.50A	38.80B/30.50A	----	32.00 - 3.90	.1744	----	----	----	----	32 UNCH
3885	34.50	34.50	39.80B/31.30A	39.80B/31.30A	----	32.80 - 4.10	.1783	----	----	15	----	50 + 3
3890	----	----	40.80B/32.10A	40.80B/32.10A	----	33.70 - 4.10	.1824	----	----	4	----	33 UNCH
3895	34.20	34.20	41.80B/32.90A	41.80B/32.90A	----	34.60 - 4.20	.1865	----	----	10	----	261 + 8
3900	39.90	39.90	42.80B/33.80A	42.80B/33.80A	----	35.50 - 4.30	.1906	----	----	205	----	4444 + 49
3905	38.40	38.40	44.00B/34.70A	44.00B/34.70A	----	36.40 - 4.50	.1947	----	----	4	----	86 + 4
3910	----	----	45.10B/35.60A	45.10B/35.60A	----	37.40 - 4.50	.1991	----	----	----	----	61 UNCH
3915	41.10	41.10	46.20B/36.50A	46.20B/36.50A	----	38.30 - 4.70	.2033	----	----	5	----	226 + 1
3920	----	----	47.40B/37.40A	47.40B/37.40A	----	39.30 - 4.80	.2078	----	----	2	----	67 + 1
3925	41.50	41.50	48.50B/38.40A	48.50B/38.40A	----	40.40 - 4.90	.2124	----	----	2	----	423 - 1
3930	----	----	49.80B/39.40A	49.80B/39.40A	----	41.40 - 5.00	.2169	----	----	----	----	91 UNCH
3935	44.60	44.60	51.10B/40.40A	51.10B/40.40A	----	42.50 - 5.10	.2216	----	----	4	----	207 + 2
3940	43.20	43.20	52.30B/41.40A	52.30B/41.40A	----	43.60 - 5.30	.2263	----	----	1	----	279 - 1
3945	43.50	43.50	53.70B/42.50A	53.70B/42.50A	----	44.70 - 5.40	.2311	----	----	1	----	76 UNCH
3950	49.00	49.00	54.90B/43.60A	54.90B/43.60A	----	45.80 - 5.60	.2358	----	----	8	----	2582 + 1
3955	----	----	56.40B/44.70A	56.40B/44.70A	----	47.00 - 5.70	.2408	----	----	----	----	64 UNCH
3960	46.80	46.80	57.80B/45.90A	57.80B/45.90A	----	48.20 - 5.80	.2458	----	----	14	----	433 - 10
3965	----	----	59.20B/47.00A	59.20B/47.00A	----	49.50 - 5.90	.2510	----	----	----	----	68 UNCH
3970	50.30	50.30	60.60B/48.20A	60.60B/48.20A	----	50.70 - 6.10	.2560	----	----	13	----	314 UNCH
3975	60.70	60.70	62.20B/49.50A	62.20B/49.50A	----	52.00 - 6.20	.2612	----	----	608	----	824 + 538
3980	62.00	62.00	63.70B/50.70A	63.70B/50.70A	----	53.40 - 6.30	.2666	----	----	7	----	212 - 3
3985	----	----	65.20B/52.00A	65.20B/52.00A	----	54.70 - 6.50	.2719	----	----	2	----	38 UNCH
3990	----	----	66.80B/53.30A	66.80B/53.30A	----	56.10 - 6.60	.2773	----	----	1	----	388 UNCH
3995	----	----	68.40B/54.70A	68.40B/54.70A	----	57.50 - 6.70	.2828	----	----	2	----	39 + 1
4000	68.00	68.00	70.00B/56.00A	70.00B/56.00A	----	59.00 - 6.80	.2884	----	----	96	----	4569 + 3
4005	65.30	65.30	71.70B/57.40A	71.70B/57.40A	----	60.40 - 7.00	.2939	----	----	3	----	185 - 1
4010	59.00	59.00	73.40B/58.80A	73.40B/58.80A	----	61.90 - 7.20	.2996	----	----	4	----	45 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG PUT — COMEX GOLD OPTIONS — DEC26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4015	----	----	75.30B/60.30A	75.30B/60.30A	----	63.50 - 7.20	.3054	----	----	1	----	81 + 1
4020	69.80	69.80	76.90B/61.80A	76.90B/61.80A	----	65.00 - 7.40	.3111	----	----	6	----	56 - 2
4025	----	----	78.70B/63.30A	78.70B/63.30A	----	66.70 - 7.50	.3170	----	----	----	----	876 UNCH
4030	----	----	80.70B/64.90A	80.70B/64.90A	----	68.30 - 7.70	.3229	----	----	1	----	36 + 1
4035	70.20	70.20	82.60B/66.50A	82.60B/66.50A	----	70.00 - 7.80	.3288	----	----	1	----	92 + 1
4040	80.40	80.40	84.50B/68.10A	84.50B/68.10A	----	71.70 - 7.90	.3348	----	----	5	----	106 UNCH
4045	----	----	86.40B/69.70A	86.40B/69.70A	----	73.40 - 8.10	.3408	----	----	----	----	80 UNCH
4050	----	----	88.40B/71.40A	88.40B/71.40A	----	75.20 - 8.20	.3470	----	----	4	----	2458 - 4
4055	79.70	79.70	90.50B/73.10A	90.50B/73.10A	----	77.00 - 8.30	.3531	----	----	2	----	22 + 2
4060	77.00	77.00	92.40B/74.90A	92.40B/74.90A	----	78.80 - 8.50	.3592	----	----	1	----	132 UNCH
4065	82.00	82.00	94.50B/76.70A	94.50B/76.70A	----	80.70 - 8.60	.3655	----	----	1	----	88 - 1
4070	----	----	96.70B/78.50A	96.70B/78.50A	----	82.60 - 8.80	.3718	----	----	1	----	37 + 1
4075	----	----	98.80B/80.40A	98.80B/80.40A	----	84.50 - 9.00	.3780	----	----	----	----	307 UNCH
4080	95.00	95.00	101.10B/82.30A	101.10B/82.30A	----	86.50 - 9.10	.3844	----	----	11	----	517 + 6
4085	92.00	92.00	103.30B/84.20A	103.30B/84.20A	----	88.50 - 9.20	.3907	----	----	1	----	61 UNCH
4090	99.10	99.10	105.50B/86.10A	105.50B/86.10A	----	90.60 - 9.30	.3972	----	----	4	----	286 UNCH
4095	----	----	107.90B/88.10A	107.90B/88.10A	----	92.70 - 9.50	.4036	----	----	----	----	79 UNCH
4100	99.10	99.10	110.10B/90.10A	110.10B/90.10A	----	94.80 - 9.60	.4101	----	----	61	----	2188 + 20
4105	----	----	112.50B/92.20A	112.50B/92.20A	----	96.90 - 9.80	.4165	----	----	----	----	99 UNCH
4110	102.50	102.50	114.90B/94.30A	114.90B/94.30A	----	99.10 - 10.00	.4231	----	----	1	----	71 UNCH
4115	112.70	112.70	117.40B/96.50A	117.40B/96.50A	----	101.30 - 10.10	.4296	----	----	5	----	76 UNCH
4120	115.00	115.00	119.90B/98.40A	119.90B/98.40A	----	103.60 - 10.20	.4361	----	----	3	----	601 UNCH
4125	113.40	113.40	122.40B/100.80A	122.40B/100.80A	----	105.90 - 10.40	.4427	----	----	6	----	300 + 3
4130	125.10	125.10	125.10/103.10A	125.10/103.10A	----	108.20 - 10.60	.4493	----	----	5	----	736 - 3
4135	127.10	127.10	127.50B/105.30A	127.50B/105.30A	----	110.60 - 10.70	.4559	----	----	12	----	36 + 6
4140	119.50	119.50	130.10B/107.60A	130.10B/107.60A	----	113.00 - 10.80	.4625	----	----	21	----	83 - 7
4145	122.00	122.00	132.80B/110.00A	132.80B/110.00A	----	115.40 - 11.00	.4691	----	----	9	----	96 UNCH
4150	122.70	122.70	135.50B/112.40A	135.50B/112.40A	----	117.90 - 11.10	.4757	----	----	29	----	1119 + 4
4155	127.30	127.30	138.30B/114.80A	138.30B/114.80A	----	120.40 - 11.30	.4823	----	----	9	----	37 + 3
4160	129.80	129.80	141.10B/117.20A	141.10B/117.20A	----	123.00 - 11.40	.4889	----	----	15	----	323 + 4
4165	131.20	131.20	143.80B/119.70A	143.80B/119.70A	----	125.60 - 11.50	.4955	----	----	3	----	91 UNCH
4170	135.10	135.10	146.70B/122.20A	146.70B/122.20A	----	128.20 - 11.70	.5021	----	----	3	----	255 - 2
4175	140.50	140.50	149.50B/124.80A	149.50B/124.80A	----	130.80 - 11.90	.5087	----	----	9	----	440 - 2
4180	139.30	139.30	152.40B/127.40A	152.40B/127.40A	----	133.50 - 12.00	.5153	----	----	1	----	67 UNCH
4185	----	----	155.40B/130.00A	155.40B/130.00A	----	136.20 - 12.20	.5218	----	----	1	----	75 - 1
4190	----	----	158.40B/132.70A	158.40B/132.70A	----	139.00 - 12.30	.5284	----	----	----	----	432 UNCH
4195	----	----	161.40B/135.40A	161.40B/135.40A	----	141.80 - 12.40	.5349	----	----	----	----	42 UNCH
4200	156.00	156.00	164.20B/138.10A	164.20B/138.10A	----	144.60 - 12.60	.5414	----	----	6	----	2425 + 1
4205	----	----	167.40B/140.90A	167.40B/140.90A	----	147.50 - 12.70	.5479	----	----	----	----	51 UNCH
4210	----	----	170.40B/143.80A	170.40B/143.80A	----	150.40 - 12.80	.5544	----	----	----	----	108 UNCH
4215	----	----	173.50B/146.60A	173.50B/146.60A	----	153.30 - 13.00	.5608	----	----	----	----	182 UNCH
4220	----	----	176.40B/149.40A	176.40B/149.40A	----	156.30 - 13.00	.5672	----	----	----	----	60 UNCH
4225	169.70	169.70	179.60B/152.30A	179.60B/152.30A	----	159.30 - 13.20	.5736	----	----	10	----	256 UNCH
4230	----	----	182.80B/155.30A	182.80B/155.30A	----	162.40 - 13.20	.5799	----	----	----	----	440 UNCH
4235	----	----	186.10B/158.30A	186.10B/158.30A	----	165.50 - 13.30	.5862	----	----	----	----	124 UNCH
4240	----	----	189.40B/161.30A	189.40B/161.30A	----	168.60 - 13.40	.5925	----	----	----	----	67 UNCH
4245	171.60	171.60	192.70B/164.40A	192.70B/164.40A	----	171.70 - 13.60	.5987	----	----	2	----	39 UNCH
4250	----	----	196.00B/167.50A	196.00B/167.50A	----	174.90 - 13.70	.6048	----	----	4	----	2657 + 4
4255	----	----	199.40B/170.60A	199.40B/170.60A	----	178.10 - 13.80	.6110	----	----	----	----	33 UNCH
4260	----	----	202.80B/173.70A	202.80B/173.70A	----	181.30 - 13.90	.6171	----	----	----	----	79 UNCH
4265	----	----	206.30B/177.00A	206.30B/177.00A	----	184.60 - 14.00	.6231	----	----	----	----	110 UNCH
4270	----	----	209.70B/180.20A	209.70B/180.20A	----	187.90 - 14.10	.6291	----	----	----	----	22 UNCH
4275	----	----	213.20B/183.40A	213.20B/183.40A	----	191.30 - 14.20	.6352	----	----	----	----	152 UNCH
4280	----	----	216.80B/186.70A	216.80B/186.70A	----	194.60 - 14.30	.6411	----	----	2	----	176 UNCH
4285	200.60	200.60	220.30B/190.00A	220.30B/190.00A	----	198.00 - 14.40	.6468	----	----	1	----	36 - 1
4290	----	----	223.90B/193.30A	223.90B/193.30A	----	201.50 - 14.40	.6527	----	----	----	----	249 UNCH
4295	----	----	227.50B/196.70A	227.50B/196.70A	----	204.90 - 14.60	.6584	----	----	----	----	88 UNCH
4300	----	----	231.20B/200.10A	231.20B/200.10A	----	208.40 - 14.70	.6641	----	----	----	----	3334 UNCH
4305	----	----	234.80B/203.50A	234.80B/203.50A	----	211.90 - 14.80	.6698	----	----	----	----	23 UNCH
4310	----	----	238.50B/207.00A	238.50B/207.00A	----	215.50 - 14.80	.6753	----	----	----	----	237 UNCH
4315	----	----	242.20B/210.50A	242.20B/210.50A	----	219.10 - 14.80	.6808	----	----	----	----	50 UNCH
4320	226.00	226.00	246.00B/214.00A	246.00B/214.00A	----	222.70 - 14.90	.6863	----	----	6	----	255 - 1
4325	----	----	249.70B/217.50A	249.70B/217.50A	----	226.30 - 15.00	.6917	----	----	40	----	870 - 30
4330	----	----	253.50B/221.10A	253.50B/221.10A	----	230.00 - 15.10	.6970	----	----	----	----	46 UNCH
4335	----	----	257.30B/224.70A	257.30B/224.70A	----	233.70 - 15.10	.7023	----	----	----	----	56 UNCH
4340	----	----	261.20B/228.40A	261.20B/228.40A	----	237.40 - 15.20	.7075	----	----	----	----	113 UNCH
4345	----	----	265.00B/232.00A	265.00B/232.00A	----	241.10 - 15.30	.7126	----	----	----	----	25 UNCH
4350	246.30	246.30	268.90B/235.70A	268.90B/235.70A	----	244.90 - 15.30	.7177	----	----	3	----	744 + 1
4355	----	----	272.80B/239.40A	272.80B/239.40A	----	248.70 - 15.40	.7227	----	----	----	----	30 UNCH
4360	----	----	276.80B/243.10A	276.80B/243.10A	----	252.50 - 15.50	.7278	----	----	----	----	100 UNCH
4365	----	----	280.70B/246.90A	280.70B/246.90A	----	256.30 - 15.60	.7326	----	----	----	----	243 UNCH
4370	----	----	284.70B/250.70A	284.70B/250.70A	----	260.20 - 15.60	.7376	----	----	----	----	57 UNCH
4375	----	----	288.70B/254.50A	288.70B/254.50A	----	264.10 - 15.60	.7424	----	----	5	----	198 UNCH
4380	----	----	292.70B/258.30A	292.70B/258.30A	----	268.00 - 15.70	.7470	----	----	----	----	155 UNCH
4385	----	----	296.70B/262.20A	296.70B/262.20A	----	271.90 - 15.80	.7517	----	----	----	----	95 UNCH
4390	----	----	300.70B/266.10A	300.70B/266.10A	----	275.90 - 15.80	.7563	----	----	----	----	209 UNCH
4395	----	----	304.70B/270.00A	304.70B/270.00A	----	279.80 - 15.90	.7608	----	----	----	----	30 UNCH
4400	----	----	308.90B/273.90A	308.90B/273.90A	----	283.80 - 16.00	.7653	----	----	----	----	1158 UNCH
4405	----	----	313.00B/277.90A	313.00B/277.90A	----	287.90 - 15.90	.7698	----	----	----	----	74 UNCH
4410	----	----	317.10B/281.90A	317.10B/281.90A	----	291.90 - 16.00	.7740	----	----	----	----	91 UNCH
4415	----	----	321.30B/285.90A	321.30B/285.90A	----	296.00 - 16.10	.7782	----	----	----	----	11 UNCH
4420	----	----	325.50B/289.90A	325.50B/289.90A	----	300.10 - 16.10	.7824	----	----	----	----	45 UNCH
4425	----	----	329.70B/293.90A	329.70B/293.90A	----	304.20 - 16.10	.7866	----	----	----	----	253 UNCH
4430	----	----	333.90B/298.00A	333.90B/298.00A	----	308.30 - 16.20	.7905	----	----	----	----	171 UNCH
4435	----	----	338.10B/302.10A	338.10B/302.10A	----	312.40 - 16.30	.7947	----	----	----	----	166 UNCH
4440	----	----	342.30B/306.20A	342.30B/306.20A	----	316.60 - 16.30	.7986	----	----	----	----	74 UNCH
4445	----	----	346.60B/310.30A	346.60B/310.30A	----	320.80 - 16.30	.8025	----	----	----	----	197 UNCH
4450	----	----	350.90B/314.50A	350.90B/314.50A	----	325.00 - 16.40	.8063	----	----	1	----	586 - 1
4455	----	----	355.10B/318.60A	355.10B/318.60A	----	329.20 - 16.40	.8102	----	----	----	----	47 UNCH
4460	----	----	359.50B/322.80A	359.50B/322.80A	----	333.40 - 16.50	.8138	----	----	----	----	73 UNCH
4465	----	----	363.80B/327.00A	363.80B/327.00A	----	337.70 - 16.50	.8173	----	----	5	----	84 + 5
4470	----	----	368.00B/331.20A	368.00B/331.20A	----	342.00 - 16.50	.8208	----	----	----	----	177 UNCH
4475	----	----	372.50B/335.50A	372.50B/335.50A	----	346.20 - 16.60	.8243	----	----	4	----	225 + 3
4480	----	----	376.80B/339.70A	376.80B/339.70A	----	350.60 - 16.50	.8279	----	----	----	----	52 UNCH
4485	----	----	381.30B/344.00A	381.30B/344.00A	----	354.90 - 16.60	.8314	----	----	----	----	41 UNCH
4490	----	----	385.60B/348.20A	385.60B/348.20A	----	359.20 - 16.70	.8345	----	----	----	----	31 UNCH
4495	----	----	390.10B/352.60A	390.10B/352.60A	----	363.60 - 16.60	.8377	----	----	----	----	40 UNCH
4500	----	----	394.50B/356.90A	394.50B/356.90A	----	367.90 - 16.70	.8412	----	----	----	----	1730 UNCH
4505	----	----	398.90B/361.20A	398.90B/361.20A	----	372.30 - 16.70	.8443	----	----	----	----	17 UNCH
4510	----	----	403.30B/365.50A	403.30B/365.50A	----	376.70 - 16.80	.8471	----	----	----	----	20 UNCH
4515	----	----	407.80B/369.90A	407.80B/369.90A	----	381.10 - 16.80	.8502	----	----	----	----	270 UNCH
4520	----	----	412.30B/374.30A	412.30B/374.30A	----	385.60 - 16.70	.8533	----	----	----	----	48 UNCH
4525	----	----	416.70B/378.70A	416.70B/378.70A	----	390.00 - 16.80	.8561	----	----	5	----	384 UNCH
4530	----	----	421.20B/383.10A	421.20B/383.10A	----	394.50 - 16.80	.8588	----	----	----	----	334 UNCH
4535	----	----	425.70B/387.60A	425.70B/387.60A	----	398.90 - 16.90	.8616	----	----	----	----	109 UNCH
4540	----	----	430.30B/392.00A	430.30B/392.00A	----	403.40 - 16.90	.8646	----	----	----	----	20 UNCH
4545	----	----	434.80B/396.50A	434.80B/396.50A	----	407.90 - 16.90	.8670	----	----	----	----	61 UNCH
4550	----	----	439.30B/401.00A	439.30B/401.00A	----	412.40 - 16.90	.8697	----	----	----	----	320 UNCH
4555	----	----	443.80B/405.40A	443.80B/405.40A	----	416.90 - 16.90	.8724	----	----	----	----	62 UNCH
4560	----	----	448.30B/409.90A	448.30B/409.90A	----	421.50 - 16.90	.8747	----	----	----	----	11 UNCH
4565	----	----	453.00B/414.40A	453.00B/414.40A	----	426.00 - 16.90	.8774	----	----	----	----	5 UNCH
4570	----	----	457.60B/418.90A	457.60B/418.90A	----	430.60 - 16.90	.8797	----	----	----	----	31 UNCH
4575	----	----	462.10B/423.40A	462.10B/423.40A	----	435.10 - 17.00	.8820	----	----	----	----	221 UNCH
4580	----	----	466.70B/428.00A	466.70B/428.00A	----	439.70 - 16.90	.8847	----	----	----	----	179 UNCH
4585	----	----	471.30B/432.50A	471.30B/432.50A	----	444.30 - 16.90	.8869	----	----	----	----	352 UNCH
4590	----	----	476.00B/437.10A	476.00B/437.10A	----	448.90 - 16.90	.8888	----	----	----	----	13 UNCH
4595	----	----	480.50B/441.70A	480.50B/441.70A	----	453.50 - 17.00	.8911	----	----	----	----	32 UNCH
4600	----	----	485.20B/446.20A	485.20B/446.20A	----	458.10 - 17.00	.8933	----	----	----	----	973 UNCH
4605	----	----	489.90B/450.80A	489.90B/450.80A	----	462.70 - 17.00	.8956	----	----	----	----	24 UNCH
4610	----	----	494.50B/455.40A	494.50B/455.40A	----	467.40 - 16.90	.8974	----	----	----	----	22 UNCH
4615	----	----	499.10B/460.10A	499.10B/460.10A	----	472.00 - 17.00	.8997	----	----	----	----	5 UNCH
4620	----	----	503.90B/464.60A	503.90B/464.60A	----	476.70 - 17.00	.9015	----	----	----	----	62 UNCH
4625	----	----	508.50B/469.20A	508.50B/469.20A	----	481.30 - 17.00	.9033	----	----	----	----	59 UNCH
4630	----	----	513.10B/473.90A	513.10B/473.90A	----	486.00 - 17.00	.9055	----	----	----	----	4 UNCH
4635	----	----	517.80B/478.60A	517.80B/478.60A	----	490.70 - 17.00	.9073	----	----	----	----	28 UNCH
4640	----	----	522.60B/483.30A	522.60B/483.30A	----	495.30 - 17.10	.9091	----	----	----	----	120 UNCH
4650	----	----	532.10B/492.60A	532.10B/492.60A	----	504.70 - 17.00	.9127	----	----	----	----	235 UNCH
4655	----	----	536.70B/497.20A	536.70B/497.20A	----	509.40 - 17.10	.9145	----	----	----	----	12 UNCH
4660	----	----	541.40B/501.90A	541.40B/501.90A	----	514.10 - 17.10	.9158	----	----	----	----	122 UNCH
4665	----	----	546.20B/506.60A	546.20B/506.60A	----	518.80 - 17.10	.9176	----	----	----	----	55 UNCH
4670	----	----	550.80B/511.30A	550.80B/511.30A	----	523.60 - 17.00	.9193	----	----	----	----	20 UNCH
4675	----	----	555.60B/516.00A	555.60B/516.00A	----	528.30 - 17.10	.9207	----	----	----	----	16 UNCH
4680	----	----	560.50B/520.70A	560.50B/520.70A	----	533.00 - 17.10	.9224	----	----	----	----	64 UNCH
4685	----	----	565.10B/525.60A	565.10B/525.60A	----	537.80 - 17.00	.9237	----	----	----	----	19 UNCH
4690	----	----	569.90B/530.30A	569.90B/530.30A	----	542.50 - 17.10	.9254	----	----	----	----	146 UNCH
4695	----	----	574.60B/534.90A	574.60B/534.90A	----	547.30 - 17.10	.9267	----	----	----	----	33 UNCH
4700	----	----	579.40B/539.80A	579.40B/539.80A	----	552.10 - 17.00	.9280	----	----	----	----	688 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
4705	----	----	584.20B/544.40A	584.20B/544.40A	----	556.80 - 17.10	.9297	----	----	----	----	17 UNCH
4710	----	----	589.00B/549.20A	589.00B/549.20A	----	561.60 - 17.10	.9310	----	----	----	----	21 UNCH
4715	----	----	593.70B/554.40A	593.70B/554.40A	----	566.40 - 17.10	.9323	----	----	----	----	12 UNCH
4720	----	----	598.50B/560.30A	598.50B/560.30A	----	571.20 - 17.00	.9336	----	----	----	----	15 UNCH
4725	----	----	603.30B/565.30A	603.30B/565.30A	----	576.00 - 17.00	.9348	----	----	----	----	142 UNCH
4730	----	----	608.20B/570.10A	608.20B/570.10A	----	580.80 - 17.00	.9361	----	----	----	----	8 UNCH
4735	----	----	609.70B/576.20A	609.70B/576.20A	----	585.60 - 17.00	.9373	----	----	----	----	7 UNCH
4740	----	----	614.50B/581.10A	614.50B/581.10A	----	590.40 - 17.00	.9381	----	----	----	----	7 UNCH
4745	----	----	619.30B/584.50A	619.30B/584.50A	----	595.20 - 17.10	.9394	----	----	----	----	5 UNCH
4750	----	----	624.10B/589.30A	624.10B/589.30A	----	600.00 - 17.10	.9406	----	----	2	----	74 UNCH
4755	----	----	628.90B/594.10A	628.90B/594.10A	----	604.80 - 17.10	.9418	----	----	----	----	18 UNCH
4760	----	----	633.70B/600.30A	633.70B/600.30A	----	609.70 - 17.00	.9426	----	----	----	----	25 UNCH
4765	----	----	639.00B/603.70A	639.00B/603.70A	----	614.50 - 17.10	.9438	----	----	----	----	2 UNCH
4770	----	----	643.40B/608.60A	643.40B/608.60A	----	619.30 - 17.10	.9446	----	----	----	----	1 UNCH
4775	----	----	648.20B/615.00A	648.20B/615.00A	----	624.20 - 17.00	.9458	----	----	----	----	6 UNCH
4780	----	----	653.10B/618.10A	653.10B/618.10A	----	629.00 - 17.10	.9465	----	----	----	----	2 UNCH
4790	----	----	662.80B/627.90A	662.80B/627.90A	----	638.70 - 17.00	.9485	----	----	----	----	73 UNCH
4795	----	----	667.70B/632.80A	667.70B/632.80A	----	643.60 - 17.00	.9497	----	----	----	----	1 UNCH
4800	----	----	672.60B/637.60A	672.60B/637.60A	----	648.40 - 17.10	.9504	----	----	----	----	362 UNCH
4805	----	----	677.40B/643.80A	677.40B/643.80A	----	653.30 - 17.00	.9511	----	----	----	----	2 UNCH
4810	----	----	682.50B/647.40A	682.50B/647.40A	----	658.20 - 17.00	.9523	----	----	----	----	61 UNCH
4815	----	----	687.30B/652.10A	687.30B/652.10A	----	663.00 - 17.00	.9530	----	----	----	----	9 UNCH
4820	----	----	692.00B/657.10A	692.00B/657.10A	----	667.90 - 17.00	.9537	----	----	----	----	24 UNCH
4825	----	----	697.00B/662.00A	697.00B/662.00A	----	672.80 - 17.00	.9544	----	----	----	----	114 UNCH
4830	----	----	701.80B/666.80A	701.80B/666.80A	----	677.70 - 16.90	.9551	----	----	----	----	15 UNCH
4835	----	----	706.70B/671.60A	706.70B/671.60A	----	682.60 - 16.90	.9563	----	----	----	----	126 UNCH
4850	----	----	721.40B/686.40A	721.40B/686.40A	----	697.20 - 16.90	.9584	----	----	----	----	15 UNCH
4855	----	----	726.30B/691.30A	726.30B/691.30A	----	702.10 - 16.90	.9591	----	----	----	----	3 UNCH
4860	----	----	731.20B/696.20A	731.20B/696.20A	----	707.00 - 16.90	.9597	----	----	----	----	6 UNCH
4865	----	----	736.10B/701.00A	736.10B/701.00A	----	711.90 - 16.90	.9604	----	----	----	----	2 UNCH
4870	----	----	741.00B/705.90A	741.00B/705.90A	----	716.80 - 16.90	.9611	----	----	----	----	2 UNCH
4875	----	----	745.90B/710.80A	745.90B/710.80A	----	721.70 - 16.90	.9618	----	----	----	----	16 UNCH
4880	----	----	750.80B/715.80A	750.80B/715.80A	----	726.60 - 16.90	.9624	----	----	----	----	11 UNCH
4885	----	----	755.70B/720.70A	755.70B/720.70A	----	731.50 - 16.90	.9626	----	----	----	----	1 UNCH
4895	----	----	765.50B/730.50A	765.50B/730.50A	----	741.30 - 16.90	.9639	----	----	----	----	2 UNCH
4900	----	----	770.40B/735.30A	770.40B/735.30A	----	746.30 - 16.80	.9646	----	----	----	----	107 UNCH
4905	----	----	775.40B/741.20A	775.40B/741.20A	----	751.20 - 16.80	.9652	----	----	----	----	1 UNCH
4920	----	----	790.10B/755.10A	790.10B/755.10A	----	765.90 - 16.90	.9667	----	----	----	----	4 UNCH
4925	----	----	795.10B/760.00A	795.10B/760.00A	----	770.80 - 16.90	.9673	----	----	----	----	240 UNCH
4930	----	----	800.00B/766.30A	800.00B/766.30A	----	775.80 - 16.80	.9680	----	----	----	----	2 UNCH
4935	----	----	804.90B/769.80A	804.90B/769.80A	----	780.70 - 16.80	.9686	----	----	----	----	5 UNCH
4940	----	----	809.80B/774.80A	809.80B/774.80A	----	785.60 - 16.90	.9688	----	----	----	----	30 UNCH
4945	----	----	814.80B/779.70A	814.80B/779.70A	----	790.50 - 16.90	.9694	----	----	----	----	1 UNCH
4950	----	----	819.70B/786.10A	819.70B/786.10A	----	795.50 - 16.80	.9700	----	----	----	----	25 UNCH
4955	----	----	824.70B/789.50A	824.70B/789.50A	----	800.40 - 16.80	.9702	----	----	----	----	1 UNCH
4965	----	----	834.50B/800.50A	834.50B/800.50A	----	810.30 - 16.80	.9714	----	----	----	----	1 UNCH
4970	----	----	839.50B/804.40A	839.50B/804.40A	----	815.20 - 16.80	.9716	----	----	----	----	1 UNCH
4975	----	----	844.40B/809.30A	844.40B/809.30A	----	820.10 - 16.90	.9722	----	----	----	----	42 UNCH
4980	----	----	849.40B/816.00A	849.40B/816.00A	----	825.10 - 16.80	.9723	----	----	----	----	6 UNCH
4985	----	----	854.30B/819.20A	854.30B/819.20A	----	830.00 - 16.90	.9729	----	----	----	----	2 UNCH
4990	----	----	859.30B/825.60A	859.30B/825.60A	----	835.00 - 16.80	.9736	----	----	----	----	2 UNCH
4995	----	----	864.20B/829.10A	864.20B/829.10A	----	839.90 - 16.80	.9737	----	----	----	----	37 UNCH
5000	----	----	869.20B/835.50A	869.20B/835.50A	----	844.90 - 16.80	.9743	----	----	----	----	555 UNCH
5010	----	----	879.10B/843.90A	879.10B/843.90A	----	854.80 - 16.80	.9750	----	----	----	----	3 UNCH
5015	----	----	884.00B/848.80A	884.00B/848.80A	----	859.70 - 16.80	.9751	----	----	----	----	4 UNCH
5020	----	----	889.00B/853.80A	889.00B/853.80A	----	864.70 - 16.80	.9757	----	----	----	----	10 UNCH
5025	----	----	893.90B/858.70A	893.90B/858.70A	----	869.60 - 16.80	.9758	----	----	----	----	217 UNCH
5030	----	----	898.90B/863.70A	898.90B/863.70A	----	874.60 - 16.80	.9764	----	----	----	----	3 UNCH
5035	----	----	903.90B/868.60A	903.90B/868.60A	----	879.50 - 16.80	.9765	----	----	----	----	13 UNCH
5040	----	----	908.80B/873.60A	908.80B/873.60A	----	884.50 - 16.80	.9771	----	----	----	----	2 UNCH
5045	----	----	913.80B/878.50A	913.80B/878.50A	----	889.40 - 16.80	.9772	----	----	----	----	3 UNCH
5050	----	----	918.80B/883.50A	918.80B/883.50A	----	894.40 - 16.80	.9779	----	----	----	----	201 UNCH
5070	----	----	938.70B/904.80A	938.70B/904.80A	----	914.20 - 16.80	.9787	----	----	----	----	2 UNCH
5075	----	----	943.60B/908.30A	943.60B/908.30A	----	919.20 - 16.80	.9793	----	----	----	----	100 UNCH
5095	----	----	963.50B/929.60A	963.50B/929.60A	----	939.00 - 16.80	.9802	----	----	----	----	6 UNCH
5100	----	----	968.50B/933.10A	968.50B/933.10A	----	944.00 - 16.80	.9808	----	----	----	----	30 UNCH
5150	----	----	1,018.40B/982.7	1018.40B/982.70A	----	993.70 - 16.70	.9830	----	----	----	----	1 UNCH
5195	----	----	1,063.70B/1,027	1063.70B/1027.30A	----	1038.50 - 16.70	.9846	----	----	----	----	5 UNCH
5200	----	----	1,068.70B/1,033	1068.70B/1033.80A	----	1043.50 - 16.70	.9847	----	----	----	----	174 UNCH
5240	----	----	1,109.00B/1,072	1109.00B/1072.00A	----	1083.40 - 16.60	.9862	1	----	----	----	0 - 1
5250	----	----	1,119.00B/1,083	1119.00B/1083.00A	----	1093.30 - 16.60	.9863	----	----	----	----	127 UNCH
5265	----	----	1,134.20B/1,096	1134.20B/1096.80A	----	1108.30 - 16.60	.9870	----	----	----	----	9 UNCH
5290	----	----	1,159.20B/1,123	1159.20B/1123.80A	----	1133.20 - 16.60	.9877	----	----	----	----	1 UNCH
5295	----	----	1,164.00B/1,126	1164.00B/1126.60A	----	1138.20 - 16.60	.9878	1	----	----	----	0 - 1
5300	----	----	1,169.10B/1,133	1169.10B/1133.00A	----	1143.20 - 16.60	.9878	4	----	----	----	1 - 4
5355	----	----	1,224.40B/1,186	1224.40B/1186.20A	----	1198.10 - 16.50	.9888	----	----	----	----	6 UNCH
5360	----	----	1,229.20B/1,192	1229.20B/1192.20A	----	1203.10 - 16.50	.9894	40	----	----	----	60 - 40
5370	----	----	1,239.40B/1,202	1239.40B/1202.20A	----	1213.10 - 16.50	.9894	----	----	----	----	20 UNCH
5375	----	----	1,244.20B/1,207	1244.20B/1207.70A	----	1218.10 - 16.40	.9895	----	----	----	----	34 UNCH
5400	----	----	1,269.30B/1,231	1269.30B/1231.10A	----	1243.10 - 16.40	.9897	136	----	100	----	78 - 36
5415	----	----	1,283.90B/1,248	1283.90B/1248.00A	----	1258.10 - 16.40	.9903	----	----	----	----	4 UNCH
5450	----	----	1,319.00B/1,283	1319.00B/1283.40A	----	1293.00 - 16.40	.9905	2	----	----	----	0 - 2
5465	----	----	1,334.00B/1,298	1334.00B/1298.50A	----	1308.00 - 16.40	.9911	150	----	150	----	50 UNCH
5480	----	----	1,349.00B/1,312	1349.00B/1312.00A	----	1323.00 - 16.40	.9912	175	----	150	----	25 - 25
5500	----	----	1,369.30B/1,333	1369.30B/1333.00A	----	1343.00 - 16.40	.9914	277	----	205	----	1 - 72
5525	----	----	1,394.00B/1,356	1394.00B/1356.80A	----	1368.00 - 16.30	.9920	----	----	----	----	1 UNCH
5600	----	----	1,469.20B/1,433	1469.20B/1433.80A	----	1443.00 - 16.30	.9930	----	----	----	----	5 UNCH
5900	----	----	1,769.20B/1,733	1769.20B/1733.30A	----	1743.00 - 16.30	.9958	----	----	----	----	0 UNCH
7000	----	----	----	2811.40B/2861.30A	----	2843.00 - 16.30	1.0000	25	----	25	----	0 UNCH
10000	----	----	----	----	----	5843.00 - 16.30	1.0000	10	----	10	----	0 UNCH
TOTAL										3481	290	96276 + 1117
JAN27												
2625	----	----	----	1.00B/1.00A	----	0.90 - 0.10	.0035	----	----	10	----	34 - 3
2650	----	----	----/1.00A	1.00B/1.00A	----	1.00 - 0.10	.0038	----	----	----	----	14 UNCH
2675	1.10	1.10	1.10/1.10	1.10/1.10	----	1.00 - 0.10	.0039	----	----	10	----	11 + 10
2700	----	----	----	1.10B/1.20A	----	1.00 - 0.10	.0040	----	----	----	----	35 UNCH
2725	1.10	1.10	1.10/1.10	1.20B/1.10	----	1.10 NEW	.0044	----	----	1	----	1 + 1
2750	----	----	----	1.30B/1.30A	----	1.20 - 0.10	.0048	----	----	----	----	3 UNCH
2800	----	----	----	1.50B/1.50A	----	1.40 - 0.10	.0057	----	----	----	----	38 UNCH
2850	----	----	----	1.70B/1.70A	----	1.60 - 0.10	.0066	----	----	----	----	10 UNCH
2870	----	----	----	1.80B/1.80A	----	1.70 - 0.10	.0070	----	----	----	----	1 UNCH
2890	----	----	----	1.80B/1.90A	----	1.80 - 0.10	.0074	----	----	----	----	2 UNCH
2900	----	----	----/1.90A	1.90B/1.90A	----	1.90 - 0.10	.0078	----	----	----	----	1 UNCH
2910	----	----	----	1.90B/2.00A	----	1.90 - 0.10	.0079	----	----	----	----	2 UNCH
2915	----	----	----	2.00B/2.00A	----	1.90 - 0.10	.0079	----	----	----	----	1 UNCH
2940	----	----	----/2.10A	2.10B/2.10A	----	2.10 - 0.10	.0088	----	----	----	----	10 UNCH
2950	----	----	----	2.20B/2.20A	----	2.10 - 0.10	.0088	----	----	----	----	2 UNCH
2960	----	----	----/2.20A	2.20B/2.20A	----	2.20 - 0.10	.0092	----	----	----	----	2 UNCH
2980	----	----	----/2.30A	2.30B/2.30A	----	2.30 - 0.10	.0097	----	----	----	----	1 UNCH
3000	----	----	----/2.50A	2.50B/2.50A	----	2.40 - 0.20	.0102	----	----	1	----	65 UNCH
3005	2.60	2.60	2.60/2.50A	2.60/2.50A	----	2.40 NEW	.0103	----	----	24	----	24 + 24
3010	----	----	----/2.50A	2.60B/2.50A	----	2.50 - 0.10	.0106	----	----	----	----	16 UNCH
3045	----	----	----/2.80A	2.90B/2.80A	----	2.70 - 0.20	.0116	----	----	----	----	14 UNCH
3060	----	----	----/2.90A	3.00B/2.90A	----	2.80 - 0.20	.0121	----	----	----	----	11 UNCH
3065	----	----	----/2.90A	3.00B/2.90A	----	2.80 - 0.20	.0122	----	----	----	----	11 UNCH
3070	----	----	----/3.00A	3.10B/3.00A	----	2.90 - 0.20	.0126	----	----	----	----	4 UNCH
3080	----	----	----/3.00A	3.20B/3.00A	----	3.00 - 0.20	.0130	----	----	20	----	20 UNCH
3085	----	----	----/3.10A	3.20B/3.10A	----	3.00 - 0.20	.0131	----	----	10	----	10 UNCH
3090	----	----	----/3.10A	3.30B/3.10A	----	3.00 - 0.30	.0131	----	----	----	----	21 UNCH
3095	----	----	----/3.20A	3.30B/3.20A	----	3.10 - 0.20	.0135	----	----	----	----	224 UNCH
3100	----	----	3.40B/3.20A	3.40B/3.20A	----	3.10 - 0.20	.0136	----	----	----	----	47 UNCH
3105	----	----	----/3.30A	3.40B/3.30A	----	3.20 - 0.20	.0140	----	----	----	----	24 UNCH
3110	----	----	3.50B/3.30A	3.50B/3.30A	----	3.20 - 0.20	.0141	----	----	----	----	5 UNCH
3125	----	----	----/3.40A	3.60B/3.40A	----	3.30 - 0.30	.0146	----	----	----	----	16 UNCH
3150	3.70	3.70	3.70/3.60	3.90B/3.60	----	3.60 - 0.30	.0159	----	----	21	----	36 + 21
3160	----	----	----/3.80A	3.90B/3.80A	----	3.70 - 0.30	.0164	----	----	----	----	1 UNCH
3175	----	----	4.20B/3.90A	4.20B/3.90A	----	3.80 - 0.30	.0170	----	----	----	----	7 UNCH
3200	----	----	4.60B/4.20A	4.60B/4.20A	----	4.10 - 0.40	.0184	----	----	----	----	24 UNCH
3215	----	----	----/4.40A	4.70B/4.40A	----	4.30 - 0.40	.0194	----	----	----	----	6 UNCH
3225	----	----	4.90B/4.50A	4.90B/4.50A	----	4.50 - 0.30	.0202	----	----	----	----	14 UNCH
3240	----	----	5.20B/4.70A	5.20B/4.70A	----	4.70 - 0.30	.0212	----	----	----	----	15 UNCH
3250	----	----	5.30B/4.90A	5.30B/4.90A	----	4.80 - 0.40	.0217	----	----	1	----	46 + 1
3270	----	----	5.70B/5.20A	5.70B/5.20A	----	5.10 - 0.40	.0232	----	----	----	----	22 UNCH
3280	----	----	5.80B/5.30A	5.80B/5.30A	----	5.30 - 0.40	.0241	----	----	----	----	1 UNCH
3285	----	----	6.00B/5.40A	6.00B/5.40A	----	5.40 - 0.40	.0245	----	----	----	----	2 UNCH
3295	----	----	6.20B/5.60A	6.20B/5.60A	----	5.50 - 0.40	.0251	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JAN27												
3300	----	----	6.30B/5.70A	6.30B/5.70A	----	5.60 - 0.40	.0255	----	----	----	----	62 UNCH
3305	----	----	6.40B/5.70A	6.40B/5.70A	----	5.70 - 0.40	.0260	----	----	----	----	15 UNCH
3310	----	----	6.50B/5.80A	6.50B/5.80A	----	5.80 - 0.40	.0265	----	----	----	----	6 UNCH
3320	----	----	6.70B/6.00A	6.70B/6.00A	----	6.00 - 0.40	.0274	----	----	----	----	10 UNCH
3325	----	----	6.80B/6.10A	6.80B/6.10A	----	6.10 - 0.40	.0279	----	----	----	----	302 UNCH
3330	6.70	6.70	6.90B/6.20A	6.90B/6.20A	----	6.20 NEW	.0284	----	----	2	----	2 + 2
3335	----	----	7.10B/6.30A	7.10B/6.30A	----	6.30 - 0.50	.0288	----	----	----	----	7 UNCH
3340	----	----	7.20B/6.40A	7.20B/6.40A	----	6.40 - 0.50	.0293	----	----	----	----	4 UNCH
3345	----	----	7.30B/6.50A	7.30B/6.50A	----	6.50 - 0.50	.0298	----	----	----	----	9 UNCH
3350	----	----	7.50B/6.60A	7.50B/6.60A	----	6.60 - 0.50	.0303	----	----	----	----	7 UNCH
3355	----	----	7.50B/6.70A	7.50B/6.70A	----	6.70 - 0.50	.0308	----	----	----	----	1 UNCH
3370	----	----	8.00B/7.00A	8.00B/7.00A	----	7.10 - 0.50	.0326	----	----	----	----	3 UNCH
3375	----	----	8.10B/7.20A	8.10B/7.20A	----	7.20 - 0.50	.0331	----	----	----	----	8 UNCH
3380	----	----	8.20B/7.30A	8.20B/7.30A	----	7.30 - 0.60	.0336	----	----	----	----	67 UNCH
3385	----	----	8.40B/7.40A	8.40B/7.40A	----	7.40 - 0.60	.0341	----	----	----	----	10 UNCH
3395	----	----	8.70B/7.60A	8.70B/7.60A	----	7.70 - 0.60	.0354	----	----	----	----	2 UNCH
3400	----	----	8.90B/7.80A	8.90B/7.80A	----	7.80 - 0.60	.0359	----	----	----	----	351 UNCH
3410	----	----	9.20B/8.00A	9.20B/8.00A	----	8.10 - 0.60	.0373	----	----	----	----	4 UNCH
3415	----	----	9.30B/8.10A	9.30B/8.10A	----	8.20 - 0.70	.0378	----	----	----	----	5 UNCH
3420	----	----	9.50B/8.30A	9.50B/8.30A	----	8.40 - 0.60	.0387	----	----	----	----	6 UNCH
3425	----	----	9.70B/8.40A	9.70B/8.40A	----	8.50 - 0.70	.0392	----	----	----	----	3 UNCH
3430	----	----	9.90B/8.60A	9.90B/8.60A	----	8.70 - 0.60	.0400	----	----	----	----	5 UNCH
3435	----	----	10.00B/8.70A	10.00B/8.70A	----	8.80 - 0.70	.0406	----	----	----	----	4 UNCH
3440	----	----	10.20B/8.90A	10.20B/8.90A	----	9.00 - 0.70	.0414	----	----	----	----	5 UNCH
3445	----	----	10.40B/9.00A	10.40B/9.00A	----	9.10 - 0.70	.0420	----	----	----	----	17 UNCH
3450	----	----	10.60B/9.20A	10.60B/9.20A	----	9.30 - 0.70	.0429	----	----	5	----	55 + 3
3455	----	----	10.80B/9.30A	10.80B/9.30A	----	9.50 - 0.70	.0437	----	----	----	----	3 UNCH
3460	----	----	11.00B/9.50A	11.00B/9.50A	----	9.60 - 0.80	.0443	----	----	----	----	1 UNCH
3470	----	----	11.40B/9.80A	11.40B/9.80A	----	10.00 - 0.80	.0461	----	----	----	----	7 UNCH
3475	----	----	11.60B/10.00A	11.60B/10.00A	----	10.10 - 0.90	.0466	----	----	----	----	6 UNCH
3480	----	----	11.80B/10.20A	11.80B/10.20A	----	10.30 - 0.90	.0475	----	----	----	----	2 UNCH
3495	----	----	12.50B/10.70A	12.50B/10.70A	----	10.90 - 0.90	.0502	----	----	----	----	54 UNCH
3500	11.70	11.70	12.70B/10.90A	12.70B/10.90A	----	11.10 - 0.90	.0511	----	----	155	----	624 + 149
3510	----	----	13.20B/11.30A	13.20B/11.30A	----	11.50 - 1.00	.0530	----	----	----	----	2 UNCH
3520	----	----	13.70B/11.70A	13.70B/11.70A	----	11.90 - 1.10	.0548	----	----	----	----	6 UNCH
3525	----	----	14.00B/12.00A	14.00B/12.00A	----	12.20 - 1.00	.0561	----	----	----	----	5 UNCH
3530	----	----	14.30B/12.20A	14.30B/12.20A	----	12.40 - 1.10	.0570	----	----	----	----	21 UNCH
3535	----	----	14.50B/12.40A	14.50B/12.40A	----	12.60 - 1.10	.0580	----	----	----	----	8 UNCH
3540	----	----	14.80B/12.60A	14.80B/12.60A	----	12.90 - 1.10	.0592	----	----	----	----	2 UNCH
3545	----	----	15.10B/12.90A	15.10B/12.90A	----	13.10 - 1.10	.0602	----	----	----	----	2 UNCH
3550	----	----	15.50B/13.10A	15.50B/13.10A	----	13.40 - 1.10	.0614	----	----	----	----	1140 UNCH
3555	----	----	15.80B/13.30A	15.80B/13.30A	----	13.60 - 1.20	.0624	----	----	----	----	7 UNCH
3560	----	----	16.00B/13.60A	16.00B/13.60A	----	13.90 - 1.20	.0637	----	----	----	----	6 UNCH
3565	----	----	16.30B/13.80A	16.30B/13.80A	----	14.10 - 1.30	.0647	----	----	----	----	6 UNCH
3570	----	----	16.60B/14.10A	16.60B/14.10A	----	14.40 - 1.30	.0659	----	----	----	----	3 UNCH
3575	----	----	16.90B/14.40A	16.90B/14.40A	----	14.70 - 1.30	.0672	----	----	----	----	29 UNCH
3580	----	----	17.20B/14.60A	17.20B/14.60A	----	15.00 - 1.30	.0685	----	----	----	----	8 UNCH
3585	----	----	17.60B/14.90A	17.60B/14.90A	----	15.30 - 1.30	.0698	----	----	----	----	215 UNCH
3590	----	----	18.00B/15.20A	18.00B/15.20A	----	15.60 - 1.30	.0711	----	----	----	----	1 UNCH
3595	16.10	16.10	18.30B/15.50A	18.30B/15.50A	----	15.90 - 1.40	.0724	----	----	1	----	12 + 1
3600	18.70	18.70	18.80/15.80A	18.80/15.80A	----	16.20 - 1.40	.0737	----	----	8	----	325 + 8
3605	----	----	19.10B/16.10A	19.10B/16.10A	----	16.50 - 1.50	.0751	----	----	----	----	17 UNCH
3610	----	----	19.40B/16.40A	19.40B/16.40A	----	16.80 - 1.50	.0764	----	----	----	----	5 UNCH
3615	----	----	19.80B/16.70A	19.80B/16.70A	----	17.20 - 1.50	.0780	----	----	----	----	28 UNCH
3620	----	----	20.30B/17.00A	20.30B/17.00A	----	17.50 - 1.60	.0794	----	----	----	----	28 UNCH
3625	----	----	20.60B/17.40A	20.60B/17.40A	----	17.80 - 1.60	.0807	----	----	----	----	25 UNCH
3630	----	----	21.00B/17.70A	21.00B/17.70A	----	18.20 - 1.60	.0823	----	----	----	----	18 UNCH
3635	18.80	18.80	21.50B/18.00A	21.50B/18.00A	----	18.60 - 1.60	.0840	----	----	1	----	1 UNCH
3640	----	----	22.00B/18.40A	22.00B/18.40A	----	18.90 - 1.70	.0854	----	----	----	----	11 UNCH
3645	----	----	22.30B/18.80A	22.30B/18.80A	----	19.30 - 1.80	.0870	----	----	----	----	6 UNCH
3650	----	----	22.80B/19.10A	22.80B/19.10A	----	19.70 - 1.80	.0887	----	----	5	----	108 + 5
3655	----	----	23.30B/19.50A	23.30B/19.50A	----	20.10 - 1.80	.0903	----	----	----	----	21 UNCH
3665	----	----	24.30B/20.30A	24.30B/20.30A	----	20.90 - 1.90	.0937	----	----	----	----	1 UNCH
3670	----	----	24.80B/20.70A	24.80B/20.70A	----	21.30 - 2.00	.0954	----	----	----	----	3 UNCH
3675	----	----	25.30B/21.10A	25.30B/21.10A	----	21.80 - 1.90	.0974	----	----	----	----	25 UNCH
3680	----	----	25.80B/21.50A	25.80B/21.50A	----	22.20 - 2.00	.0991	----	----	----	----	1 UNCH
3685	----	----	26.30B/21.90A	26.30B/21.90A	----	22.70 - 2.00	.1010	----	----	----	----	28 UNCH
3690	----	----	26.80B/22.40A	26.80B/22.40A	----	23.10 - 2.10	.1028	----	----	----	----	22 UNCH
3695	----	----	27.30B/22.80A	27.30B/22.80A	----	23.60 - 2.20	.1048	----	----	----	----	14 UNCH
3700	25.20	25.20	27.90B/23.30A	27.90B/23.30A	----	24.10 - 2.20	.1068	----	----	2	----	734 UNCH
3705	----	----	28.50B/23.80A	28.50B/23.80A	----	24.60 - 2.20	.1088	----	----	----	----	1 UNCH
3710	----	----	29.10B/24.20A	29.10B/24.20A	----	25.10 - 2.30	.1108	----	----	1	----	6 + 1
3715	----	----	29.70B/24.70A	29.70B/24.70A	----	25.60 - 2.30	.1128	----	----	----	----	17 UNCH
3720	----	----	30.30B/25.20A	30.30B/25.20A	----	26.10 - 2.40	.1148	----	----	----	----	9 UNCH
3725	----	----	30.90B/25.70A	30.90B/25.70A	----	26.60 - 2.50	.1169	----	----	----	----	35 UNCH
3730	----	----	31.60B/26.20A	31.60B/26.20A	----	27.20 - 2.50	.1191	----	----	----	----	7 UNCH
3735	----	----	32.10B/26.80A	32.10B/26.80A	----	27.80 - 2.50	.1214	----	----	----	----	3 UNCH
3740	----	----	32.80B/27.30A	32.80B/27.30A	----	28.30 - 2.60	.1235	----	----	----	----	20 UNCH
3745	----	----	33.60B/27.90A	33.60B/27.90A	----	28.90 - 2.70	.1258	----	----	----	----	34 UNCH
3750	----	----	34.10B/28.40A	34.10B/28.40A	----	29.50 - 2.70	.1281	----	----	----	----	104 UNCH
3755	----	----	34.90B/29.00A	34.90B/29.00A	----	30.10 - 2.80	.1305	----	----	----	----	5 UNCH
3760	----	----	35.60B/29.60A	35.60B/29.60A	----	30.70 - 2.90	.1328	----	----	----	----	46 UNCH
3765	----	----	36.40B/30.20A	36.40B/30.20A	----	31.40 - 2.90	.1354	----	----	----	----	24 UNCH
3770	----	----	37.10B/30.80A	37.10B/30.80A	----	32.00 - 3.00	.1378	----	----	----	----	25 UNCH
3775	----	----	37.80B/31.50A	37.80B/31.50A	----	32.70 - 3.00	.1404	----	----	----	----	16 UNCH
3780	----	----	38.70B/32.10A	38.70B/32.10A	----	33.30 - 3.10	.1427	----	----	----	----	4 UNCH
3785	----	----	39.40B/32.80A	39.40B/32.80A	----	34.00 - 3.20	.1453	----	----	----	----	8 UNCH
3790	----	----	40.30B/33.40A	40.30B/33.40A	----	34.70 - 3.30	.1480	----	----	----	----	33 UNCH
3795	----	----	41.10B/34.10A	41.10B/34.10A	----	35.40 - 3.40	.1506	----	----	----	----	11 UNCH
3800	----	----	41.80B/34.80A	41.80B/34.80A	----	36.20 - 3.40	.1535	----	----	1	----	848 UNCH
3805	----	----	42.70B/35.50A	42.70B/35.50A	----	36.90 - 3.50	.1561	----	----	----	----	24 UNCH
3810	----	----	43.60B/36.30A	43.60B/36.30A	----	37.70 - 3.50	.1590	----	----	----	----	8 UNCH
3815	----	----	44.60B/37.00A	44.60B/37.00A	----	38.50 - 3.60	.1619	----	----	----	----	16 UNCH
3820	----	----	45.50B/37.80A	45.50B/37.80A	----	39.20 - 3.70	.1645	----	----	----	----	6 UNCH
3825	----	----	46.30B/38.50A	46.30B/38.50A	----	40.10 - 3.70	.1676	----	----	----	----	11 UNCH
3830	----	----	47.30B/39.30A	47.30B/39.30A	----	40.90 - 3.80	.1705	----	----	----	----	17 UNCH
3835	----	----	48.20B/40.10A	48.20B/40.10A	----	41.70 - 4.00	.1735	----	----	----	----	9 UNCH
3840	----	----	49.20B/41.00A	49.20B/41.00A	----	42.60 - 4.00	.1766	----	----	----	----	19 UNCH
3850	----	----	51.20B/42.60A	51.20B/42.60A	----	44.30 - 4.20	.1827	----	----	1	----	770 + 1
3855	----	----	52.40B/43.50A	52.40B/43.50A	----	45.30 - 4.20	.1860	----	----	----	----	14 UNCH
3860	----	----	53.30B/44.40A	53.30B/44.40A	----	46.20 - 4.30	.1892	----	----	----	----	112 UNCH
3865	----	----	54.50B/45.30A	54.50B/45.30A	----	47.10 - 4.50	.1923	----	----	----	----	4 UNCH
3870	----	----	55.50B/46.20A	55.50B/46.20A	----	48.10 - 4.50	.1957	----	----	----	----	52 UNCH
3875	----	----	56.60B/47.20A	56.60B/47.20A	----	49.10 - 4.60	.1991	----	----	----	----	9 UNCH
3880	----	----	57.90B/48.10A	57.90B/48.10A	----	50.10 - 4.70	.2024	----	----	----	----	9 UNCH
3885	53.70	53.70	58.90B/49.10A	58.90B/49.10A	----	51.10 - 4.80	.2058	----	----	6	----	9 UNCH
3890	----	----	60.20B/50.10A	60.20B/50.10A	----	52.10 - 4.90	.2092	----	----	----	----	36 UNCH
3895	----	----	61.40B/51.10A	61.40B/51.10A	----	53.20 - 5.00	.2128	----	----	----	----	35 UNCH
3900	55.90	55.90	62.50B/52.20A	62.50B/52.20A	----	54.30 - 5.10	.2164	----	----	42	----	596 + 16
3905	----	----	63.90B/53.20A	63.90B/53.20A	----	55.40 - 5.20	.2200	----	----	----	----	32 UNCH
3910	----	----	65.20B/54.30A	65.20B/54.30A	----	56.50 - 5.30	.2236	----	----	----	----	9 UNCH
3915	----	----	66.50B/55.40A	66.50B/55.40A	----	57.60 - 5.40	.2272	----	----	----	----	81 UNCH
3920	----	----	67.80B/56.50A	67.80B/56.50A	----	58.80 - 5.50	.2310	----	----	----	----	5 UNCH
3925	----	----	69.10B/57.60A	69.10B/57.60A	----	60.00 - 5.60	.2348	----	----	----	----	6 UNCH
3930	63.30	63.30	70.50B/58.80A	70.50B/58.80A	----	61.20 - 5.70	.2386	----	----	2	----	6 UNCH
3935	----	----	71.80B/60.00A	71.80B/60.00A	----	62.40 - 5.80	.2424	----	----	----	----	15 UNCH
3940	----	----	73.30B/61.20A	73.30B/61.20A	----	63.60 - 6.00	.2462	----	----	----	----	4 UNCH
3945	----	----	74.70B/62.40A	74.70B/62.40A	----	64.90 - 6.00	.2502	----	----	----	----	52 UNCH
3950	----	----	76.00B/63.60A	76.00B/63.60A	----	66.20 - 6.10	.2542	----	----	7	----	552 - 2
3955	----	----	77.60B/64.90A	77.60B/64.90A	----	67.50 - 6.30	.2582	----	----	1	----	18 UNCH
3960	----	----	79.00B/66.20A	79.00B/66.20A	----	68.90 - 6.30	.2623	----	----	----	----	36 UNCH
3965	----	----	80.70B/67.50A	80.70B/67.50A	----	70.20 - 6.50	.2663	----	----	----	----	28 UNCH
3970	----	----	82.20B/68.80A	82.20B/68.80A	----	71.60 - 6.60	.2704	----	----	----	----	6 UNCH
3975	----	----	83.70B/70.20A	83.70B/70.20A	----	73.00 - 6.70	.2746	----	----	----	----	62 UNCH
3980	----	----	85.40B/71.50A	85.40B/71.50A	----	74.40 - 6.80	.2787	----	----	----	----	23 UNCH
3985	----	----	87.00B/72.90A	87.00B/72.90A	----	75.90 - 6.90	.2830	----	----	1	----	21 + 1
3990	----	----	88.70B/74.30A	88.70B/74.30A	----	77.40 - 7.00	.2873	----	----	----	----	22 UNCH
3995	----	----	90.40B/75.80A	90.40B/75.80A	----	78.90 - 7.10	.2916	----	----	----	----	64 UNCH
4000	82.40	82.40	91.90B/77.30A	91.90B/77.30A	----	80.40 - 7.30	.2959	----	----	4	----	670 + 3
4005	----	----	93.80B/78.80A	93.80B/78.80A	----	82.00 - 7.30	.3004	----	----	----	----	6 UNCH
4010	87.30	87.30	95.50B/80.30A	95.50B/80.30A	----	83.60 - 7.40	.3048	----	----	2	----	19 UNCH
4015	----	----	97.30B/81.80A	97.30B/81.80A	----	85.20 - 7.50	.3092	----	----	----	----	19 UNCH
4020	----	----	99.10B/83.40A	99.10B/83.40A	----	86.80 - 7.70	.3137	----	----	----	----	8 UNCH
4025	91.50	91.50	100.90B/85.00A	100.90B/85.00A	----	88.50 - 7.80	.3182	----	----	2	----	17 UNCH
4030	----	----	102.80B/86.60A	102.80B/86.60A	----	90.10 - 8.00	.3227	----	----	----	----	143 UNCH
4035	----	----	104.70B/88.20A	104.70B/88.20A	----	91.90 - 8.00	.3273	----	----	----	----	11 UNCH
4040	----	----	106.60B/89.90A	106.60B/89.90A	----	93.60 - 8.10	.3319	----	----	----	----	9 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JAN27												
4045	----	----	108.50B/91.60A	108.50B/91.60A	----	95.40 - 8.20	.3366	----	----	----	----	14 UNCH
4050	----	----	110.40B/93.40A	110.40B/93.40A	----	97.10 - 8.40	.3411	----	----	8	----	122 UNCH
4055	----	----	112.50B/95.10A	112.50B/95.10A	----	99.00 - 8.50	.3459	----	----	----	----	57 UNCH
4060	----	----	114.50B/96.90A	114.50B/96.90A	----	100.80 - 8.60	.3506	----	----	----	----	7 UNCH
4065	----	----	116.60B/98.70A	116.60B/98.70A	----	102.70 - 8.70	.3553	----	----	----	----	17 UNCH
4070	----	----	118.70B/100.50A	118.70B/100.50A	----	104.60 - 8.80	.3601	----	----	----	----	45 UNCH
4075	----	----	120.60B/102.40A	120.60B/102.40A	----	106.50 - 9.00	.3648	----	----	----	----	28 UNCH
4080	----	----	122.90B/104.30A	122.90B/104.30A	----	108.40 - 9.10	.3696	----	----	1	----	142 UNCH
4085	----	----	125.00B/106.20A	125.00B/106.20A	----	110.40 - 9.20	.3744	----	----	----	----	26 UNCH
4090	116.00	116.00	127.20B/108.10A	127.20B/108.10A	----	112.40 - 9.40	.3793	----	----	1	----	9 UNCH
4095	118.10	118.10	129.40B/110.10A	129.40B/110.10A	----	114.50 - 9.40	.3842	----	----	1	----	10 + 1
4100	120.20	120.20	131.70B/112.00A	131.70B/112.00A	----	116.50 - 9.60	.3890	----	----	8	----	528 - 1
4105	122.40	122.40	133.90B/114.10A	133.90B/114.10A	----	118.60 - 9.70	.3939	----	----	2	----	30 + 1
4110	----	----	136.20B/116.10A	136.20B/116.10A	----	120.70 - 9.80	.3988	----	----	----	----	46 UNCH
4115	126.70	126.70	138.50B/118.20A	138.50B/118.20A	----	122.90 - 9.90	.4038	----	----	3	----	31 - 1
4120	----	----	141.00B/120.30A	141.00B/120.30A	----	125.00 - 10.10	.4087	----	----	----	----	8 UNCH
4125	----	----	143.40B/122.40A	143.40B/122.40A	----	127.20 - 10.20	.4136	----	----	----	----	375 UNCH
4130	133.50	133.50	145.80B/124.50A	145.80B/124.50A	----	129.50 - 10.30	.4186	----	----	4	----	25 + 1
4135	----	----	148.20B/126.70A	148.20B/126.70A	----	131.70 - 10.40	.4236	----	----	----	----	45 UNCH
4140	----	----	150.50B/128.90A	150.50B/128.90A	----	134.00 - 10.50	.4286	----	----	----	----	61 UNCH
4145	140.50	140.50	153.10B/131.20A	153.10B/131.20A	----	136.30 - 10.70	.4335	----	----	1	----	44 + 1
4150	142.70	142.70	155.50B/133.40A	155.50B/133.40A	----	138.60 - 10.80	.4385	----	----	3	----	262 + 2
4155	142.60	142.60	158.20B/135.70A	158.20B/135.70A	----	141.00 - 10.90	.4435	----	----	1	----	6 UNCH
4160	----	----	160.80B/138.00A	160.80B/138.00A	----	143.40 - 11.00	.4486	----	----	----	----	226 UNCH
4165	----	----	163.40B/140.40A	163.40B/140.40A	----	145.80 - 11.20	.4536	----	----	----	----	74 UNCH
4170	157.60	157.60	166.00B/142.80A	166.00B/142.80A	----	148.30 - 11.20	.4586	----	----	3	----	58 + 3
4175	----	----	168.60B/145.20A	168.60B/145.20A	----	150.70 - 11.40	.4636	----	----	----	----	48 UNCH
4180	157.50	157.50	171.30B/147.70A	171.30B/147.70A	----	153.30 - 11.40	.4686	----	----	2	----	39 + 2
4185	----	----	174.00B/150.10A	174.00B/150.10A	----	155.80 - 11.60	.4736	----	----	----	----	37 UNCH
4190	----	----	176.70B/152.60A	176.70B/152.60A	----	158.30 - 11.80	.4787	----	----	----	----	22 UNCH
4195	166.50	166.50	179.40B/155.10A	179.40B/155.10A	----	160.90 - 11.90	.4837	----	----	2	----	13 + 2
4200	----	----	182.20B/157.70A	182.20B/157.70A	----	163.50 - 12.00	.4887	----	----	35	----	393 + 10
4205	----	----	185.00B/160.20A	185.00B/160.20A	----	166.20 - 12.10	.4937	----	----	----	----	20 UNCH
4210	175.60	175.60	187.90B/162.80A	187.90B/162.80A	----	168.90 - 12.20	.4987	----	----	7	----	16 + 6
4215	173.70	173.70	190.80B/165.50A	190.80B/165.50A	----	171.60 - 12.30	.5037	----	----	14	----	17 + 13
4220	----	----	193.60B/168.10A	193.60B/168.10A	----	174.30 - 12.40	.5086	----	----	----	----	2 UNCH
4225	----	----	196.40B/170.80A	196.40B/170.80A	----	177.00 - 12.60	.5136	----	----	----	----	13 UNCH
4230	----	----	199.50B/173.50A	199.50B/173.50A	----	179.80 - 12.70	.5186	----	----	----	----	43 UNCH
4235	----	----	202.40B/176.20A	202.40B/176.20A	----	182.60 - 12.80	.5235	----	----	----	----	82 UNCH
4240	----	----	205.50B/179.00A	205.50B/179.00A	----	185.50 - 12.80	.5284	----	----	----	----	57 UNCH
4245	----	----	208.40B/181.80A	208.40B/181.80A	----	188.30 - 13.00	.5333	----	----	----	----	14 UNCH
4250	----	----	211.40B/184.60A	211.40B/184.60A	----	191.20 - 13.10	.5382	----	----	----	----	253 UNCH
4255	----	----	214.50B/187.40A	214.50B/187.40A	----	194.10 - 13.20	.5431	----	----	----	----	26 UNCH
4260	----	----	217.60B/190.30A	217.60B/190.30A	----	197.10 - 13.30	.5480	----	----	----	----	20 UNCH
4265	----	----	220.80B/193.20A	220.80B/193.20A	----	200.00 - 13.40	.5529	----	----	----	----	54 UNCH
4270	----	----	223.90B/196.10A	223.90B/196.10A	----	203.00 - 13.50	.5576	----	----	----	----	32 UNCH
4275	----	----	226.90B/199.10A	226.90B/199.10A	----	206.00 - 13.70	.5625	----	----	----	----	89 UNCH
4280	----	----	230.00B/202.10A	230.00B/202.10A	----	209.10 - 13.70	.5673	----	----	----	----	11 UNCH
4285	----	----	232.90B/205.10A	232.90B/205.10A	----	212.20 - 13.80	.5720	----	----	----	----	9 UNCH
4290	----	----	236.20B/208.10A	236.20B/208.10A	----	215.30 - 13.90	.5768	----	----	----	----	9 UNCH
4295	----	----	239.20B/211.10A	239.20B/211.10A	----	218.40 - 14.00	.5815	----	----	----	----	31 UNCH
4300	----	----	242.40B/214.20A	242.40B/214.20A	----	221.50 - 14.10	.5862	----	----	----	----	211 UNCH
4310	----	----	249.00B/220.40A	249.00B/220.40A	----	227.90 - 14.30	.5955	----	----	----	----	50 UNCH
4315	----	----	252.40B/223.60A	252.40B/223.60A	----	231.10 - 14.40	.6001	----	----	----	----	5 UNCH
4320	----	----	256.10B/226.80A	256.10B/226.80A	----	234.40 - 14.40	.6048	----	----	----	----	7 UNCH
4325	----	----	259.50B/230.00A	259.50B/230.00A	----	237.60 - 14.60	.6093	----	----	1	----	9 + 1
4330	----	----	262.50B/233.30A	262.50B/233.30A	----	240.90 - 14.60	.6138	----	----	----	----	68 UNCH
4335	----	----	266.20B/236.40A	266.20B/236.40A	----	244.20 - 14.70	.6184	----	----	----	----	1 UNCH
4340	----	----	269.40B/240.00A	269.40B/240.00A	----	247.60 - 14.80	.6228	----	----	----	----	8 UNCH
4345	----	----	272.90B/243.30A	272.90B/243.30A	----	251.00 - 14.80	.6273	----	----	----	----	16 UNCH
4350	----	----	276.10B/246.60A	276.10B/246.60A	----	254.30 - 15.00	.6317	----	----	----	----	123 UNCH
4355	----	----	280.20B/250.00A	280.20B/250.00A	----	257.80 - 14.90	.6361	----	----	----	----	65 UNCH
4360	----	----	283.20B/253.40A	283.20B/253.40A	----	261.20 - 15.00	.6405	----	----	----	----	3 UNCH
4365	----	----	287.40B/256.70A	287.40B/256.70A	----	264.70 - 15.10	.6448	----	----	----	----	22 UNCH
4370	----	----	290.30B/260.20A	290.30B/260.20A	----	268.10 - 15.20	.6490	----	----	----	----	44 UNCH
4375	----	----	294.20B/263.60A	294.20B/263.60A	----	271.60 - 15.30	.6533	----	----	----	----	201 UNCH
4380	----	----	297.90B/267.10A	297.90B/267.10A	----	275.20 - 15.30	.6577	----	----	----	----	27 UNCH
4385	285.50	285.50	301.90B/270.60A	301.90B/270.60A	----	278.70 - 15.40	.6618	----	----	14	----	60 - 3
4390	291.80	291.80	304.80B/274.10A	304.80B/274.10A	----	282.30 - 15.40	.6660	----	----	7	----	9 - 3
4395	----	----	308.90B/277.60A	308.90B/277.60A	----	285.90 - 15.50	.6700	----	----	----	----	4 UNCH
4400	----	----	312.20B/281.10A	312.20B/281.10A	----	289.50 - 15.50	.6742	----	----	----	----	406 UNCH
4405	----	----	315.90B/284.70A	315.90B/284.70A	----	293.10 - 15.60	.6782	----	----	----	----	7 UNCH
4410	----	----	319.70B/288.30A	319.70B/288.30A	----	296.80 - 15.60	.6823	----	----	----	----	4 UNCH
4420	----	----	327.20B/295.50A	327.20B/295.50A	----	304.10 - 15.80	.6902	----	----	----	----	6 UNCH
4425	----	----	331.00B/299.20A	331.00B/299.20A	----	307.80 - 15.80	.6942	----	----	----	----	94 UNCH
4430	----	----	334.80B/302.90A	334.80B/302.90A	----	311.60 - 15.80	.6980	----	----	----	----	2 UNCH
4435	----	----	338.60B/306.60A	338.60B/306.60A	----	315.30 - 15.90	.7018	----	----	----	----	2 UNCH
4440	----	----	342.50B/310.30A	342.50B/310.30A	----	319.10 - 15.90	.7057	----	----	----	----	5 UNCH
4445	----	----	346.70B/314.00A	346.70B/314.00A	----	322.90 - 16.00	.7095	----	----	----	----	8 UNCH
4450	----	----	350.20B/317.80A	350.20B/317.80A	----	326.70 - 16.00	.7133	----	----	----	----	423 UNCH
4455	----	----	354.10B/321.50A	354.10B/321.50A	----	330.50 - 16.10	.7169	----	----	----	----	13 UNCH
4460	----	----	358.10B/325.30A	358.10B/325.30A	----	334.40 - 16.10	.7206	----	----	----	----	7 UNCH
4465	----	----	362.00B/329.10A	362.00B/329.10A	----	338.20 - 16.20	.7242	----	----	----	----	8 UNCH
4470	----	----	365.90B/333.00A	365.90B/333.00A	----	342.10 - 16.20	.7278	----	----	----	----	3 UNCH
4475	----	----	369.90B/336.80A	369.90B/336.80A	----	346.00 - 16.30	.7314	----	----	----	----	89 UNCH
4480	----	----	373.90B/340.70A	373.90B/340.70A	----	349.90 - 16.30	.7350	----	----	----	----	112 UNCH
4485	----	----	377.80B/344.60A	377.80B/344.60A	----	353.90 - 16.30	.7384	----	----	----	----	11 UNCH
4490	----	----	382.20B/348.50A	382.20B/348.50A	----	357.80 - 16.40	.7419	----	----	----	----	15 UNCH
4495	----	----	386.40B/352.40A	386.40B/352.40A	----	361.80 - 16.40	.7453	----	----	----	----	8 UNCH
4500	376.70	376.70	389.90B/356.30A	389.90B/356.30A	----	365.80 - 16.40	.7487	----	----	4	----	292 - 3
4505	----	----	394.00B/360.30A	394.00B/360.30A	----	369.80 - 16.40	.7521	----	----	----	----	24 UNCH
4510	----	----	398.50B/364.20A	398.50B/364.20A	----	373.80 - 16.50	.7553	----	----	----	----	8 UNCH
4515	----	----	402.80B/368.20A	402.80B/368.20A	----	377.80 - 16.50	.7587	----	----	----	----	1 UNCH
4520	----	----	406.20B/372.20A	406.20B/372.20A	----	381.80 - 16.60	.7618	----	----	----	----	15 UNCH
4530	----	----	414.50B/380.20A	414.50B/380.20A	----	390.00 - 16.60	.7682	----	----	----	----	1 UNCH
4535	----	----	418.60B/384.30A	418.60B/384.30A	----	394.10 - 16.60	.7714	----	----	----	----	11 UNCH
4545	----	----	426.90B/392.40A	426.90B/392.40A	----	402.30 - 16.70	.7775	----	----	----	----	5 UNCH
4550	----	----	431.50B/396.50A	431.50B/396.50A	----	406.40 - 16.80	.7804	----	----	----	----	2 UNCH
4555	----	----	433.00B/400.60A	433.00B/400.60A	----	410.60 - 16.80	.7836	----	----	----	----	2 UNCH
4560	----	----	437.20B/404.70A	437.20B/404.70A	----	414.70 - 16.90	.7865	----	----	----	----	2 UNCH
4570	----	----	445.10B/413.00A	445.10B/413.00A	----	423.10 - 16.90	.7921	----	----	----	----	1 UNCH
4575	----	----	449.30B/417.20A	449.30B/417.20A	----	427.30 - 16.90	.7950	----	----	----	----	40 UNCH
4580	----	----	453.90B/421.40A	453.90B/421.40A	----	431.50 - 16.90	.7979	----	----	----	----	1 UNCH
4585	----	----	457.80B/426.80A	457.80B/426.80A	----	435.80 - 16.90	.8006	----	----	----	----	1 UNCH
4600	458.00	458.00	470.90B/439.20A	470.90B/439.20A	----	448.50 - 17.00	.8088	----	----	3	----	130 UNCH
4605	----	----	475.30B/443.50A	475.30B/443.50A	----	452.80 - 17.00	.8115	----	----	----	----	3 UNCH
4610	----	----	479.60B/448.40A	479.60B/448.40A	----	457.10 - 17.00	.8141	----	----	----	----	1 UNCH
4615	----	----	483.90B/452.70A	483.90B/452.70A	----	461.40 - 17.10	.8165	----	----	----	----	1 UNCH
4620	----	----	488.20B/457.00A	488.20B/457.00A	----	465.70 - 17.10	.8192	----	----	----	----	21 UNCH
4625	----	----	492.10B/461.20A	492.10B/461.20A	----	470.00 - 17.10	.8216	----	----	----	----	15 UNCH
4630	----	----	496.40B/465.50A	496.40B/465.50A	----	474.40 - 17.10	.8242	----	----	----	----	3 UNCH
4635	----	----	501.20B/470.00A	501.20B/470.00A	----	478.70 - 17.20	.8266	----	----	----	----	1 UNCH
4640	----	----	505.60B/474.30A	505.60B/474.30A	----	483.10 - 17.10	.8289	----	----	----	----	2 UNCH
4645	----	----	509.90B/478.60A	509.90B/478.60A	----	487.50 - 17.10	.8313	----	----	----	----	1 UNCH
4650	----	----	514.30B/482.90A	514.30B/482.90A	----	491.80 - 17.20	.8337	----	----	----	----	24 UNCH
4655	----	----	518.70B/487.20A	518.70B/487.20A	----	496.20 - 17.20	.8360	----	----	----	----	3 UNCH
4660	----	----	523.10B/491.50A	523.10B/491.50A	----	500.60 - 17.20	.8384	----	----	----	----	5 UNCH
4665	----	----	527.50B/495.90A	527.50B/495.90A	----	505.00 - 17.30	.8405	----	----	----	----	4 UNCH
4670	----	----	531.90B/500.50A	531.90B/500.50A	----	509.50 - 17.20	.8428	----	----	----	----	30 UNCH
4675	----	----	536.30B/505.00A	536.30B/505.00A	----	513.90 - 17.20	.8449	----	----	----	----	1 UNCH
4685	----	----	545.00B/513.70A	545.00B/513.70A	----	522.80 - 17.30	.8493	----	----	----	----	1 UNCH
4700	----	----	558.50B/527.10A	558.50B/527.10A	----	536.20 - 17.30	.8554	----	----	----	----	1 UNCH
4710	----	----	567.30B/536.20A	567.30B/536.20A	----	545.20 - 17.30	.8595	----	----	----	----	4 UNCH
4750	----	----	603.30B/572.40A	603.30B/572.40A	----	581.50 - 17.30	.8743	----	----	----	----	31 UNCH
4760	----	----	612.40B/581.50A	612.40B/581.50A	----	590.60 - 17.40	.8777	----	----	----	----	100 UNCH
4800	----	----	649.00B/618.20A	649.00B/618.20A	----	627.50 - 17.30	.8907	----	----	----	----	5 UNCH
4805	----	----	653.60B/623.10A	653.60B/623.10A	----	632.10 - 17.40	.8921	----	----	----	----	2 UNCH
4820	----	----	667.70B/636.80A	667.70B/636.80A	----	646.10 - 17.30	.8965	----	----	----	----	5 UNCH
4840	----	----	686.10B/655.60A	686.10B/655.60A	----	664.80 - 17.30	.9022	----	----	----	----	44 UNCH
4845	----	----	691.10B/660.30A	691.10B/660.30A	----	669.40 - 17.40	.9036	----	----	----	----	21 UNCH
4850	----	----	695.50B/665.00A	695.50B/665.00A	----	674.10 - 17.40	.9049	----	----	----	----	21 UNCH
4855	----	----	700.50B/669.70A	700.50B/669.70A	----	678.80 - 17.40	.9063	----	----	----	----	42 UNCH
4860	----	----	704.70B/674.50A	704.70B/674.50A	----	683.50 - 17.40	.9076	----	----	----	----	1 UNCH
4880	----	----	723.60B/693.40A	723.60B/693.40A	----	702.40 - 17.30	.9126	----	----	----	----	1 UNCH
4960	----	----	799.60B/770.00A	799.60B/770.00A	----	778.50 - 17.40	.9295	----	----	----	----	42 UNCH
4980	----	----	818.70B/788.90A	818.70B/788.90A	----	797.70 - 17.40	.9333	----	----	----	----	9 UNCH
4990	----	----	828.30B/798.50A	828.30B/798.50A	----	807.30 - 17.40	.9348	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

PG64 BULLETIN #194@ METALS OPTION PRODUCTS Thu, Oct 08, 2026 PG64

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JAN27												
5000	----	----	837.90B/808.20A	837.90B/808.20A	----	817.00 - 17.30	.9367	----	----	----	----	2 UNCH
5050	----	----	886.20B/856.70A	886.20B/856.70A	----	865.30 - 17.30	.9442	----	----	----	----	100 UNCH
5085	----	----	920.10B/891.70A	920.10B/891.70A	----	899.40 - 17.20	.9491	----	----	----	----	2 UNCH
5150	----	----	983.50B/954.40A	983.50B/954.40A	----	962.90 - 17.20	.9563	----	----	----	----	2 UNCH
5235	----	----	1,067.20B/1,038	1067.20B/1038.90A	----	1046.40 - 17.10	.9642	----	----	----	----	2 UNCH
5245	----	----	1,077.00B/1,047	1077.00B/1047.80A	----	1056.20 - 17.20	.9652	----	----	----	----	2 UNCH
5300	----	----	1,131.60B/1,102	1131.60B/1102.00A	----	1110.60 - 17.00	.9691	----	----	----	----	45 UNCH
5500	----	----	1,334.20B/1,298	1334.20B/1298.60A	----	1309.10 - 16.80	.9793	----	----	----	----	2 UNCH
5950	----	----	1,784.90B/1,749	1784.90B/1749.00A	----	1758.50 - 16.60	.9906	----	----	----	----	1 UNCH
6000	----	----	1,834.90B/1,799	1834.90B/1799.00A	----	1808.50 - 16.60	.9913	----	----	----	----	6 UNCH
TOTAL										472		17325 + 274
FEB27												
2700	2.00	2.00	2.00/2.00	2.00/2.00	----	2.00 - 0.10	.0071	----	----	6	----	18 + 6
2725	----	----	----	2.20B/2.20A	----	2.10 - 0.10	.0075	----	----	----	----	9 UNCH
2775	----	----	----/2.40A	2.40B/2.40A	----	2.40 - 0.10	.0086	----	----	----	----	1 UNCH
2800	----	----	----/2.60A	2.60B/2.60A	----	2.50 - 0.20	.0091	----	----	----	----	40 UNCH
2850	----	----	----/2.90A	2.90B/2.90A	----	2.90 - 0.10	.0106	----	----	----	----	1 UNCH
2900	----	----	----/3.30A	3.30B/3.30A	----	3.20 - 0.20	.0119	----	----	----	----	15 UNCH
2950	----	----	----/3.70A	3.80B/3.70A	----	3.60 - 0.20	.0135	----	----	----	----	1 UNCH
2960	----	----	----/3.80A	3.90B/3.80A	----	3.70 - 0.20	.0139	----	----	----	----	1 UNCH
2980	----	----	----/4.00A	4.10B/4.00A	----	3.90 - 0.20	.0147	----	----	----	----	60 UNCH
3000	4.20	4.20	4.50/4.00	4.50/4.00	----	4.10 - 0.20	.0156	----	----	9	----	238 - 1
3005	----	----	----/4.30A	4.30B/4.30A	----	4.20 - 0.20	.0159	----	----	----	----	15 UNCH
3020	----	----	----/4.40A	4.50B/4.40A	----	4.30 - 0.20	.0164	----	----	----	----	14 UNCH
3025	----	----	----/4.50A	4.60B/4.50A	----	4.40 - 0.20	.0168	----	----	----	----	2 UNCH
3040	----	----	----/4.60A	4.80B/4.60A	----	4.60 - 0.20	.0175	----	----	----	----	300 UNCH
3050	----	----	----/4.80A	4.90B/4.80A	----	4.70 - 0.20	.0180	----	----	----	----	5 UNCH
3060	----	----	5.10B/4.90A	5.10B/4.90A	----	4.80 - 0.20	.0184	----	----	----	----	7 UNCH
3065	----	----	----/5.00A	5.10B/5.00A	----	4.90 - 0.20	.0188	----	----	----	----	10 UNCH
3085	----	----	----/5.20A	5.40B/5.20A	----	5.10 - 0.30	.0197	----	----	----	----	9 UNCH
3090	----	----	----/5.30A	5.50B/5.30A	----	5.20 - 0.30	.0201	----	----	----	----	15 UNCH
3095	----	----	----/5.40A	5.60B/5.40A	----	5.30 - 0.30	.0204	----	----	----	----	20 UNCH
3100	----	----	5.70B/5.40A	5.70B/5.40A	----	5.40 - 0.20	.0208	----	----	----	----	32 UNCH
3110	----	----	5.90B/5.60A	5.90B/5.60A	----	5.50 - 0.30	.0213	----	----	----	----	18 UNCH
3135	----	----	6.30B/6.00A	6.30B/6.00A	----	5.90 - 0.30	.0229	----	----	----	----	6 UNCH
3140	----	----	6.40B/6.00A	6.40B/6.00A	----	6.00 - 0.30	.0233	----	----	----	----	200 UNCH
3160	----	----	6.80B/6.40A	6.80B/6.40A	----	6.30 - 0.40	.0245	----	----	----	----	2 UNCH
3165	----	----	6.90B/6.50A	6.90B/6.50A	----	6.40 - 0.40	.0249	----	----	----	----	7 UNCH
3200	----	----	7.70B/7.10A	7.70B/7.10A	----	7.10 - 0.40	.0277	----	----	----	----	211 UNCH
3225	----	----	8.30B/7.60A	8.30B/7.60A	----	7.60 - 0.50	.0298	----	----	----	----	19 UNCH
3235	----	----	8.60B/7.90A	8.60B/7.90A	----	7.80 - 0.50	.0307	----	----	----	----	6 UNCH
3250	----	----	9.00B/8.20A	9.00B/8.20A	----	8.20 - 0.50	.0322	----	----	----	----	201 UNCH
3270	----	----	9.60B/8.70A	9.60B/8.70A	----	8.70 - 0.60	.0342	----	----	----	----	2 UNCH
3300	----	----	10.50B/9.50A	10.50B/9.50A	----	9.60 - 0.60	.0377	----	----	----	----	43 UNCH
3310	----	----	10.90B/9.80A	10.90B/9.80A	----	9.90 - 0.60	.0389	----	----	----	----	2 UNCH
3315	----	----	11.10B/10.00A	11.10B/10.00A	----	10.00 - 0.70	.0394	----	----	----	----	1 UNCH
3350	----	----	12.40B/11.10A	12.40B/11.10A	----	11.20 - 0.70	.0440	----	----	----	----	147 UNCH
3390	12.90	12.90	14.20B/12.60A	14.20B/12.60A	----	12.70 NEW	.0499	----	----	15	----	15 + 15
3400	----	----	14.60B/13.00A	14.60B/13.00A	----	13.10 - 1.00	.0515	----	----	----	----	37 UNCH
3410	13.80	13.80	15.10B/13.40A	15.10B/13.40A	----	13.60 NEW	.0533	----	----	9	----	9 + 9
3425	----	----	15.90B/14.00A	15.90B/14.00A	----	14.20 - 1.10	.0557	----	----	----	----	42 UNCH
3430	----	----	16.20B/14.30A	16.20B/14.30A	----	14.50 - 1.10	.0568	----	----	----	----	20 UNCH
3440	----	----	16.80B/14.70A	16.80B/14.70A	----	15.00 - 1.10	.0587	----	----	----	----	5 UNCH
3445	----	----	17.00B/15.00A	17.00B/15.00A	----	15.20 - 1.20	.0595	----	----	----	----	6 UNCH
3450	----	----	17.30B/15.20A	17.30B/15.20A	----	15.50 - 1.10	.0606	----	----	----	----	69 UNCH
3460	16.80	16.80	17.90B/15.70A	17.90B/15.70A	----	16.00 NEW	.0625	----	----	5	----	5 + 5
3465	----	----	18.20B/16.00A	18.20B/16.00A	----	16.30 - 1.20	.0636	----	----	----	----	6 UNCH
3475	----	----	18.90B/16.50A	18.90B/16.50A	----	16.80 - 1.30	.0655	----	----	----	----	250 UNCH
3480	----	----	19.20B/16.80A	19.20B/16.80A	----	17.10 - 1.30	.0666	----	----	----	----	17 UNCH
3490	----	----	19.90B/17.40A	19.90B/17.40A	----	17.70 - 1.40	.0688	----	----	----	----	20 UNCH
3500	----	----	20.60B/18.00A	20.60B/18.00A	----	18.30 - 1.40	.0711	----	----	----	----	285 UNCH
3515	----	----	21.70B/18.90A	21.70B/18.90A	----	19.30 - 1.50	.0747	----	----	----	----	3 UNCH
3520	----	----	22.10B/19.20A	22.10B/19.20A	----	19.60 - 1.60	.0758	----	----	----	----	28 UNCH
3525	----	----	22.40B/19.50A	22.40B/19.50A	----	20.00 - 1.50	.0772	----	----	----	----	6 UNCH
3540	----	----	23.60B/20.60A	23.60B/20.60A	----	21.00 - 1.70	.0809	----	----	----	----	20 UNCH
3550	----	----	24.50B/21.30A	24.50B/21.30A	----	21.80 - 1.70	.0837	----	----	----	----	11 UNCH
3555	----	----	25.00B/21.60A	25.00B/21.60A	----	22.20 - 1.70	.0852	----	----	----	----	25 UNCH
3565	----	----	25.90B/22.40A	25.90B/22.40A	----	23.00 - 1.70	.0880	----	----	----	----	1 UNCH
3575	----	----	26.80B/23.20A	26.80B/23.20A	----	23.80 - 1.80	.0908	----	----	----	----	205 UNCH
3585	----	----	27.70B/24.00A	27.70B/24.00A	----	24.60 - 1.90	.0937	----	----	----	----	1 UNCH
3590	----	----	28.20B/24.40A	28.20B/24.40A	----	25.10 - 1.90	.0954	----	----	----	----	19 UNCH
3600	----	----	29.20B/25.30A	29.20B/25.30A	----	26.00 - 2.00	.0985	----	----	----	----	1091 UNCH
3605	----	----	29.70B/25.70A	29.70B/25.70A	----	26.40 - 2.10	.1000	----	----	----	----	18 UNCH
3610	----	----	30.30B/26.10A	30.30B/26.10A	----	26.90 - 2.10	.1017	----	----	----	----	8 UNCH
3625	----	----	31.90B/27.50A	31.90B/27.50A	----	28.30 - 2.30	.1066	----	----	----	----	11 UNCH
3630	----	----	32.50B/28.00A	32.50B/28.00A	----	28.90 - 2.20	.1085	----	----	----	----	2 UNCH
3645	----	----	34.30B/29.50A	34.30B/29.50A	----	30.40 - 2.40	.1137	----	----	----	----	26 UNCH
3650	----	----	34.90B/30.00A	34.90B/30.00A	----	31.00 - 2.40	.1157	----	----	----	----	332 UNCH
3655	----	----	35.50B/30.60A	35.50B/30.60A	----	31.50 - 2.50	.1174	----	----	----	----	0 UNCH
3660	----	----	36.10B/31.10A	36.10B/31.10A	----	32.10 - 2.50	.1194	----	----	----	----	2 UNCH
3665	----	----	36.80B/31.70A	36.80B/31.70A	----	32.70 - 2.50	.1213	----	----	----	----	5 UNCH
3675	----	----	38.10B/32.80A	38.10B/32.80A	----	33.80 - 2.70	.1251	----	----	----	----	9 UNCH
3680	----	----	38.80B/33.40A	38.80B/33.40A	----	34.40 - 2.80	.1271	----	----	----	----	23 UNCH
3685	----	----	39.50B/34.00A	39.50B/34.00A	----	35.10 - 2.70	.1293	----	----	----	----	10 UNCH
3690	----	----	40.20B/34.60A	40.20B/34.60A	----	35.70 - 2.80	.1313	----	----	----	----	4 UNCH
3695	----	----	40.90B/35.20A	40.90B/35.20A	----	36.30 - 2.90	.1333	----	----	----	----	17 UNCH
3700	----	----	41.70B/35.80A	41.70B/35.80A	----	37.00 - 2.90	.1355	----	----	----	----	1217 UNCH
3705	----	----	42.40B/36.50A	42.40B/36.50A	----	37.60 - 3.00	.1375	----	----	----	----	10 UNCH
3710	----	----	43.20B/37.10A	43.20B/37.10A	----	38.30 - 3.00	.1397	----	----	----	----	9 UNCH
3715	----	----	44.00B/37.80A	44.00B/37.80A	----	39.00 - 3.10	.1419	----	----	----	----	16 UNCH
3720	----	----	44.70B/38.40A	44.70B/38.40A	----	39.70 - 3.10	.1442	----	----	----	----	29 UNCH
3725	----	----	45.60B/39.10A	45.60B/39.10A	----	40.40 - 3.20	.1464	----	----	----	----	31 UNCH
3730	----	----	46.40B/39.80A	46.40B/39.80A	----	41.10 - 3.30	.1486	----	----	----	----	7 UNCH
3745	----	----	48.90B/42.00A	48.90B/42.00A	----	43.40 - 3.40	.1558	----	----	----	----	25 UNCH
3750	----	----	49.70B/42.70A	49.70B/42.70A	----	44.10 - 3.60	.1581	----	----	----	----	69 UNCH
3755	46.40	46.40	50.60B/43.50A	50.60B/43.50A	----	44.90 NEW	.1605	----	----	3	----	3 + 3
3760	46.00	46.00	51.50B/44.20A	51.50B/44.20A	----	45.70 - 3.70	.1630	----	----	1	----	2 + 1
3765	48.70	48.70	52.40B/45.00A	52.40B/45.00A	----	46.50 - 3.80	.1655	----	----	3	----	22 + 3
3770	----	----	53.30B/45.80A	53.30B/45.80A	----	47.40 - 3.80	.1681	----	----	----	----	36 UNCH
3775	----	----	54.30B/46.60A	54.30B/46.60A	----	48.20 - 3.90	.1706	----	----	----	----	11 UNCH
3780	----	----	55.20B/47.50A	55.20B/47.50A	----	49.10 - 3.90	.1733	----	----	----	----	6 UNCH
3785	----	----	56.20B/48.30A	56.20B/48.30A	----	49.90 - 4.00	.1758	----	----	----	----	11 UNCH
3790	54.00	54.00	57.20B/49.20A	57.20B/49.20A	----	50.80 - 4.10	.1784	----	----	3	----	6 UNCH
3795	----	----	58.20B/50.00A	58.20B/50.00A	----	51.70 - 4.20	.1811	----	----	----	----	4 UNCH
3800	----	----	59.30B/50.90A	59.30B/50.90A	----	52.70 - 4.20	.1840	----	----	----	----	194 UNCH
3805	----	----	60.40B/51.80A	60.40B/51.80A	----	53.60 - 4.30	.1867	----	----	----	----	14 UNCH
3815	----	----	62.40B/53.70A	62.40B/53.70A	----	55.50 - 4.40	.1922	----	----	4	----	27 + 2
3820	----	----	63.50B/54.60A	63.50B/54.60A	----	56.50 - 4.50	.1951	----	----	----	----	22 UNCH
3825	55.60	55.60	64.70B/55.60	64.70B/55.60	----	57.50 - 4.60	.1980	----	----	2	----	501 UNCH
3835	----	----	66.90B/57.50A	66.90B/57.50A	----	59.50 - 4.80	.2038	----	----	----	----	20 UNCH
3840	----	----	68.20B/58.50A	68.20B/58.50A	----	60.60 - 4.80	.2068	----	----	----	----	11 UNCH
3845	----	----	69.40B/59.60A	69.40B/59.60A	----	61.60 - 5.00	.2097	----	----	----	----	11 UNCH
3850	----	----	70.60B/60.60A	70.60B/60.60A	----	62.70 - 5.00	.2128	----	----	----	----	1357 UNCH
3855	----	----	71.80B/61.70A	71.80B/61.70A	----	63.80 - 5.10	.2158	----	----	----	----	3 UNCH
3860	----	----	73.20B/62.80A	73.20B/62.80A	----	64.90 - 5.20	.2189	----	----	----	----	35 UNCH
3865	----	----	74.30B/63.80A	74.30B/63.80A	----	66.00 - 5.30	.2220	----	----	----	----	1 UNCH
3875	----	----	76.90B/66.10A	76.90B/66.10A	----	68.30 - 5.50	.2283	----	----	----	----	13 UNCH
3880	----	----	78.20B/67.20A	78.20B/67.20A	----	69.50 - 5.60	.2315	----	----	----	----	44 UNCH
3885	----	----	79.60B/68.40A	79.60B/68.40A	----	70.70 - 5.70	.2348	----	----	----	----	201 UNCH
3890	----	----	80.90B/69.60A	80.90B/69.60A	----	72.00 - 5.70	.2382	----	----	----	----	17 UNCH
3895	----	----	82.30B/70.80A	82.30B/70.80A	----	73.20 - 5.80	.2414	----	----	----	----	2 UNCH
3900	----	----	83.70B/72.00A	83.70B/72.00A	----	74.50 - 5.90	.2448	----	----	8	50	307 + 48
3905	77.70	77.70	85.10B/73.20A	85.10B/73.20A	----	75.70 - 6.10	.2481	----	----	2	----	15 UNCH
3915	----	----	87.90B/75.80A	87.90B/75.80A	----	78.40 - 6.20	.2550	----	----	----	----	5 UNCH
3920	----	----	89.50B/77.00A	89.50B/77.00A	----	79.70 - 6.30	.2584	----	----	----	----	406 UNCH
3925	80.30	80.30	91.00B/78.40A	91.00B/78.40A	----	81.10 - 6.40	.2619	----	----	1	----	3 UNCH
3930	----	----	92.60B/79.70A	92.60B/79.70A	----	82.40 - 6.60	.2653	----	----	----	----	6 UNCH
3935	----	----	94.00B/81.10A	94.00B/81.10A	----	83.80 - 6.70	.2689	----	----	----	----	22 UNCH
3940	----	----	95.50B/82.40A	95.50B/82.40A	----	85.20 - 6.80	.2724	----	----	----	----	19 UNCH
3945	----	----	97.20B/83.80A	97.20B/83.80A	----	86.70 - 6.80	.2761	----	----	----	----	5 UNCH
3950	89.10	89.10	98.80B/85.20A	98.80B/85.20A	----	88.10 - 7.00	.2796	----	----	3	----	189 - 2
3960	----	----	102.10B/88.10A	102.10B/88.10A	----	91.10 - 7.20	.2870	----	----	----	----	17 UNCH
3965	----	----	103.80B/89.60A	103.80B/89.60A	----	92.70 - 7.20	.2907	----	----	----	----	21 UNCH
3970	----	----	105.50B/91.10A	105.50B/91.10A	----	94.20 - 7.30	.2944	----	----	----	----	3 UNCH
3975	----	----	107.30B/92.60A	107.30B/92.60A	----	95.80 - 7.40	.2982	----	----	----	----	1 UNCH
3980	102.50	102.50	109.00B/94.10A	109.00B/94.10A	----	97.40 - 7.50	.3020	----	----	1	----	9 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

PG64 BULLETIN #194@ METALS OPTION PRODUCTS Thu, Oct 08, 2026 PG64

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
FEB27												
3985	----	----	110.70B/95.70A	110.70B/95.70A	----	99.00 - 7.60	.3058	----	----	----	----	5 UNCH
3990	----	----	112.50B/97.30A	112.50B/97.30A	----	100.60 - 7.70	.3096	----	----	----	----	6 UNCH
3995	106.30	106.30	114.30B/98.90A	114.30B/98.90A	----	102.20 - 7.90	.3134	----	----	2	----	55 - 2
4000	----	----	116.10B/100.50A	116.10B/100.50A	----	103.90 - 8.00	.3173	----	----	----	----	811 UNCH
4005	----	----	117.90B/102.10A	117.90B/102.10A	----	105.60 - 8.10	.3211	----	----	----	----	55 UNCH
4010	113.00	113.00	119.90B/103.80A	119.90B/103.80A	----	107.30 - 8.20	.3250	----	----	1	----	13 + 1
4015	107.10	107.10	121.70B/105.50A	121.70B/105.50A	----	109.10 - 8.30	.3290	----	----	1	----	3 - 1
4020	----	----	123.60B/107.20A	123.60B/107.20A	----	110.80 - 8.40	.3329	----	----	----	----	3 UNCH
4025	----	----	125.60B/108.90A	125.60B/108.90A	----	112.60 - 8.50	.3369	----	----	----	----	31 UNCH
4030	----	----	127.60B/110.70A	127.60B/110.70A	----	114.40 - 8.70	.3409	----	----	----	----	30 UNCH
4035	----	----	129.60B/112.50A	129.60B/112.50A	----	116.30 - 8.70	.3449	----	----	----	----	24 UNCH
4040	----	----	131.70B/114.30A	131.70B/114.30A	----	118.10 - 8.90	.3489	----	----	----	----	205 UNCH
4045	123.00	123.00	133.60B/116.10A	133.60B/116.10A	----	120.00 - 9.00	.3530	----	----	4	----	4 + 3
4050	----	----	135.70B/118.00A	135.70B/118.00A	----	121.90 - 9.10	.3571	----	----	----	----	630 UNCH
4055	----	----	137.80B/119.90A	137.80B/119.90A	----	123.80 - 9.20	.3611	----	----	----	----	6 UNCH
4060	----	----	140.00B/121.80A	140.00B/121.80A	----	125.80 - 9.30	.3653	----	----	----	----	7 UNCH
4065	----	----	142.00B/123.60A	142.00B/123.60A	----	127.80 - 9.30	.3694	----	----	----	----	7 UNCH
4070	----	----	144.20B/125.60A	144.20B/125.60A	----	129.80 - 9.50	.3735	----	----	----	----	20 UNCH
4075	----	----	146.40B/127.60A	146.40B/127.60A	----	131.80 - 9.60	.3777	----	----	----	----	9 UNCH
4080	----	----	148.50B/129.60A	148.50B/129.60A	----	133.80 - 9.70	.3818	----	----	----	----	4 UNCH
4085	----	----	150.80B/131.60A	150.80B/131.60A	----	135.90 - 9.80	.3860	----	----	2	----	6 + 2
4090	----	----	153.00B/133.60A	153.00B/133.60A	----	138.00 - 9.90	.3902	----	----	----	----	41 UNCH
4095	----	----	155.30B/135.70A	155.30B/135.70A	----	140.10 - 10.00	.3943	----	----	----	----	20 UNCH
4100	----	----	157.60B/137.70A	157.60B/137.70A	----	142.30 - 10.10	.3986	----	----	----	50	741 UNCH
4105	----	----	159.80B/139.80A	159.80B/139.80A	----	144.40 - 10.30	.4028	----	----	----	----	3 UNCH
4110	150.60	150.60	162.40B/142.00A	162.40B/142.00A	----	146.60 - 10.40	.4070	----	----	23	----	48 + 22
4115	154.60	154.60	164.60B/144.20A	164.60B/144.20A	----	148.80 - 10.50	.4112	----	----	1	----	2 UNCH
4120	----	----	167.00B/146.40A	167.00B/146.40A	----	151.10 - 10.50	.4155	----	----	----	----	22 UNCH
4125	----	----	169.40B/148.60A	169.40B/148.60A	----	153.30 - 10.70	.4197	----	----	----	----	25 UNCH
4135	162.00	162.00	174.30B/153.00A	174.30B/153.00A	----	157.90 - 10.90	.4283	----	----	2	----	39 UNCH
4140	----	----	176.80B/155.30A	176.80B/155.30A	----	160.30 - 11.00	.4325	----	----	----	----	23 UNCH
4145	----	----	179.30B/157.60A	179.30B/157.60A	----	162.60 - 11.10	.4368	----	----	----	----	96 UNCH
4150	----	----	181.80B/159.90A	181.80B/159.90A	----	165.00 - 11.20	.4411	----	----	----	----	454 UNCH
4155	----	----	184.30B/162.20A	184.30B/162.20A	----	167.40 - 11.30	.4454	----	----	----	----	20 UNCH
4160	----	----	187.00B/164.60A	187.00B/164.60A	----	169.80 - 11.50	.4497	----	----	----	----	206 UNCH
4165	----	----	189.50B/167.00A	189.50B/167.00A	----	172.30 - 11.50	.4539	----	----	----	----	51 UNCH
4170	----	----	192.10B/169.40A	192.10B/169.40A	----	174.80 - 11.60	.4582	----	----	2	----	14 UNCH
4175	----	----	194.70B/171.90A	194.70B/171.90A	----	177.30 - 11.70	.4625	----	----	----	----	16 UNCH
4180	----	----	197.40B/174.30A	197.40B/174.30A	----	179.80 - 11.90	.4668	----	----	----	----	1 UNCH
4185	183.20	183.20	200.10B/176.90A	200.10B/176.90A	----	182.40 - 11.90	.4711	----	----	1	----	6 UNCH
4190	----	----	202.90B/179.30A	202.90B/179.30A	----	185.00 - 12.00	.4754	----	----	----	----	5 UNCH
4195	----	----	205.50B/181.90A	205.50B/181.90A	----	187.60 - 12.10	.4797	----	----	----	----	33 UNCH
4200	----	----	208.40B/184.40A	208.40B/184.40A	----	190.20 - 12.20	.4839	----	----	15	----	469 + 8
4205	----	----	211.10B/187.00A	211.10B/187.00A	----	192.80 - 12.40	.4882	----	----	----	----	16 UNCH
4210	201.90	201.90	214.00B/189.60A	214.00B/189.60A	----	195.50 - 12.40	.4925	----	----	12	----	24 + 11
4215	205.30	205.30	216.70B/192.20A	216.70B/192.20A	----	198.20 - 12.50	.4968	----	----	13	----	12 + 11
4220	----	----	219.50B/194.90A	219.50B/194.90A	----	200.90 - 12.70	.5010	----	----	----	----	25 UNCH
4225	206.80	206.80	222.50B/197.50A	222.50B/197.50A	----	203.70 - 12.70	.5052	----	----	6	----	32 + 6
4230	213.90	213.90	225.40B/200.30A	225.40B/200.30A	----	206.50 - 12.80	.5095	----	----	32	----	49 + 21
4235	216.80	216.80	228.30B/203.00A	228.30B/203.00A	----	209.30 - 12.80	.5137	----	----	1	----	387 UNCH
4240	----	----	231.10B/205.90A	231.10B/205.90A	----	212.10 - 13.00	.5179	----	----	----	----	33 UNCH
4245	----	----	234.20B/208.50A	234.20B/208.50A	----	214.90 - 13.10	.5221	----	----	----	----	66 UNCH
4250	----	----	237.20B/211.30A	237.20B/211.30A	----	217.80 - 13.10	.5263	----	----	----	----	467 UNCH
4255	----	----	240.10B/214.10A	240.10B/214.10A	----	220.70 - 13.20	.5305	----	----	----	----	49 UNCH
4260	----	----	243.10B/217.00A	243.10B/217.00A	----	223.60 - 13.30	.5346	----	----	----	----	24 UNCH
4265	----	----	246.20B/219.90A	246.20B/219.90A	----	226.50 - 13.40	.5388	----	----	----	----	35 UNCH
4270	----	----	249.30B/222.70A	249.30B/222.70A	----	229.50 - 13.50	.5429	----	----	----	----	36 UNCH
4275	----	----	252.40B/225.60A	252.40B/225.60A	----	232.40 - 13.60	.5471	----	----	----	----	59 UNCH
4280	----	----	255.40B/228.60A	255.40B/228.60A	----	235.40 - 13.70	.5512	----	----	----	----	33 UNCH
4285	----	----	258.50B/231.60A	258.50B/231.60A	----	238.50 - 13.70	.5553	----	----	----	----	13 UNCH
4290	----	----	261.70B/234.50A	261.70B/234.50A	----	241.50 - 13.90	.5594	----	----	----	----	5 UNCH
4295	----	----	264.80B/237.50A	264.80B/237.50A	----	244.60 - 13.90	.5634	----	----	----	----	12 UNCH
4300	256.90	256.90	268.10B/240.50A	268.10B/240.50A	----	247.70 - 14.00	.5674	----	----	1	----	250 - 1
4305	----	----	271.30B/243.60A	271.30B/243.60A	----	250.80 - 14.10	.5715	----	----	----	----	9 UNCH
4315	----	----	277.00B/249.70A	277.00B/249.70A	----	257.10 - 14.20	.5795	----	----	----	----	113 UNCH
4320	----	----	280.10B/252.90A	280.10B/252.90A	----	260.20 - 14.30	.5835	----	----	----	----	50 UNCH
4325	----	----	283.30B/256.00A	283.30B/256.00A	----	263.40 - 14.40	.5874	----	----	----	----	19 UNCH
4330	----	----	286.50B/259.10A	286.50B/259.10A	----	266.70 - 14.40	.5914	----	----	----	----	17 UNCH
4335	----	----	289.80B/262.30A	289.80B/262.30A	----	269.90 - 14.50	.5953	----	----	----	----	136 UNCH
4340	----	----	293.20B/265.50A	293.20B/265.50A	----	273.20 - 14.50	.5992	----	----	----	----	23 UNCH
4345	----	----	296.50B/268.70A	296.50B/268.70A	----	276.40 - 14.70	.6031	----	----	----	----	31 UNCH
4350	----	----	299.90B/271.90A	299.90B/271.90A	----	279.70 - 14.80	.6069	----	----	----	----	28 UNCH
4355	----	----	303.30B/275.20A	303.30B/275.20A	----	283.10 - 14.70	.6108	----	----	----	----	5 UNCH
4360	----	----	306.70B/278.50A	306.70B/278.50A	----	286.40 - 14.80	.6146	----	----	----	----	19 UNCH
4365	----	----	310.10B/281.80A	310.10B/281.80A	----	289.80 - 14.90	.6184	----	----	----	----	50 UNCH
4370	----	----	313.60B/285.30A	313.60B/285.30A	----	293.10 - 15.00	.6222	----	----	----	----	37 UNCH
4375	----	----	317.00B/288.70A	317.00B/288.70A	----	296.50 - 15.10	.6259	----	----	----	----	25 UNCH
4380	298.70	298.70	320.50B/292.00A	320.50B/292.00A	----	299.90 - 15.20	.6296	----	----	31	----	45 + 24
4385	309.80	309.80	324.00B/295.40A	324.00B/295.40A	----	303.40 - 15.10	.6333	----	----	6	----	207 - 1
4390	312.90	312.90	327.50B/298.80A	327.50B/298.80A	----	306.80 - 15.30	.6370	----	----	24	----	49 - 11
4395	----	----	331.00B/302.20A	331.00B/302.20A	----	310.30 - 15.30	.6407	----	----	----	----	7 UNCH
4400	----	----	334.60B/305.80A	334.60B/305.80A	----	313.80 - 15.40	.6444	----	----	----	----	558 UNCH
4405	----	----	338.20B/309.30A	338.20B/309.30A	----	317.30 - 15.40	.6479	----	----	----	----	14 UNCH
4410	----	----	341.70B/312.60A	341.70B/312.60A	----	320.90 - 15.40	.6516	----	----	----	----	18 UNCH
4425	----	----	352.60B/323.10A	352.60B/323.10A	----	331.60 - 15.60	.6622	----	----	----	----	13 UNCH
4430	----	----	356.20B/326.90A	356.20B/326.90A	----	335.20 - 15.60	.6657	----	----	----	----	253 UNCH
4435	----	----	359.90B/330.40A	359.90B/330.40A	----	338.80 - 15.70	.6691	----	----	----	----	5 UNCH
4440	----	----	363.60B/334.00A	363.60B/334.00A	----	342.40 - 15.80	.6726	----	----	----	----	6 UNCH
4445	----	----	367.30B/337.60A	367.30B/337.60A	----	346.10 - 15.80	.6760	----	----	----	----	10 UNCH
4450	----	----	371.00B/341.20A	371.00B/341.20A	----	349.80 - 15.80	.6794	----	----	----	----	190 UNCH
4455	----	----	374.70B/344.90A	374.70B/344.90A	----	353.50 - 15.80	.6828	----	----	----	----	8 UNCH
4460	----	----	378.50B/348.50A	378.50B/348.50A	----	357.20 - 15.90	.6861	----	----	----	----	71 UNCH
4465	----	----	382.20B/352.20A	382.20B/352.20A	----	360.90 - 16.00	.6895	----	----	----	----	7 UNCH
4470	----	----	386.00B/355.90A	386.00B/355.90A	----	364.60 - 16.00	.6927	----	----	----	----	5 UNCH
4475	----	----	389.80B/359.60A	389.80B/359.60A	----	368.40 - 16.00	.6960	----	----	----	----	23 UNCH
4480	----	----	393.60B/363.30A	393.60B/363.30A	----	372.20 - 16.00	.6992	----	----	----	----	7 UNCH
4490	----	----	401.20B/370.80A	401.20B/370.80A	----	379.80 - 16.10	.7056	----	----	----	----	23 UNCH
4495	----	----	405.10B/374.60A	405.10B/374.60A	----	383.60 - 16.20	.7087	----	----	----	----	28 UNCH
4500	----	----	408.90B/378.40A	408.90B/378.40A	----	387.40 - 16.20	.7118	----	----	----	----	123 UNCH
4505	----	----	412.80B/382.20A	412.80B/382.20A	----	391.30 - 16.20	.7149	----	----	----	----	14 UNCH
4510	----	----	416.70B/386.00A	416.70B/386.00A	----	395.10 - 16.30	.7180	----	----	----	----	5 UNCH
4515	----	----	420.60B/389.90A	420.60B/389.90A	----	399.00 - 16.30	.7211	----	----	----	----	20 UNCH
4520	----	----	424.50B/393.70A	424.50B/393.70A	----	402.90 - 16.40	.7241	----	----	----	----	50 UNCH
4550	----	----	448.30B/417.10A	448.30B/417.10A	----	426.60 - 16.50	.7418	----	----	----	----	109 UNCH
4555	----	----	452.30B/421.00A	452.30B/421.00A	----	430.60 - 16.60	.7445	----	----	----	----	1 UNCH
4570	----	----	464.40B/434.40A	464.40B/434.40A	----	442.70 - 16.60	.7528	----	----	----	----	19 UNCH
4575	----	----	468.40B/438.40A	468.40B/438.40A	----	446.70 - 16.70	.7555	----	----	----	----	32 UNCH
4580	----	----	472.50B/442.40A	472.50B/442.40A	----	450.80 - 16.70	.7583	----	----	----	----	3 UNCH
4585	----	----	476.50B/446.50A	476.50B/446.50A	----	454.80 - 16.80	.7610	----	----	----	----	18 UNCH
4600	----	----	489.10B/458.60A	489.10B/458.60A	----	467.10 - 16.80	.7689	----	----	----	----	165 UNCH
4615	----	----	501.60B/470.90A	501.60B/470.90A	----	479.60 - 16.80	.7766	----	----	----	----	1 UNCH
4625	----	----	509.60B/479.10A	509.60B/479.10A	----	487.90 - 16.90	.7815	----	----	----	----	3 UNCH
4630	----	----	513.80B/483.20A	513.80B/483.20A	----	492.10 - 16.90	.7840	----	----	----	----	7 UNCH
4635	----	----	516.70B/487.40A	516.70B/487.40A	----	496.30 - 16.90	.7863	----	----	----	----	2 UNCH
4640	----	----	521.40B/491.60A	521.40B/491.60A	----	500.50 - 16.90	.7888	----	----	----	----	3 UNCH
4650	----	----	526.20B/500.00A	526.20B/500.00A	----	508.90 - 17.00	.7936	----	----	----	----	1 UNCH
4655	----	----	----/504.20A	528.40B/504.20A	----	513.10 - 17.00	.7958	----	----	----	----	1 UNCH
4660	----	----	537.20B/508.40A	537.20B/508.40A	----	517.40 - 17.00	.7981	----	----	----	----	443 UNCH
4665	----	----	540.60B/512.40A	540.60B/512.40A	----	521.70 - 17.00	.8004	----	----	----	----	3 UNCH
4680	----	----	553.40B/525.30A	553.40B/525.30A	----	534.50 - 17.10	.8071	----	----	----	----	3 UNCH
4690	----	----	----/533.80A	558.20B/533.80A	----	543.10 - 17.10	.8114	----	----	----	----	1 UNCH
4695	----	----	566.70B/540.10A	566.70B/540.10A	----	547.40 - 17.10	.8137	----	----	----	----	28 UNCH
4700	----	----	570.80B/544.60A	570.80B/544.60A	----	551.70 - 17.20	.8157	----	----	----	----	133 UNCH
4705	----	----	575.20B/548.90A	575.20B/548.90A	----	556.10 - 17.10	.8177	----	----	----	----	3 UNCH
4710	----	----	579.60B/553.10A	579.60B/553.10A	----	560.40 - 17.20	.8200	----	----	----	----	3 UNCH
4725	----	----	592.90B/566.30A	592.90B/566.30A	----	573.50 - 17.20	.8260	----	----	----	----	10 UNCH
4730	----	----	597.20B/570.70A	597.20B/570.70A	----	577.90 - 17.20	.8280	----	----	----	----	16 UNCH
4750	----	----	615.00B/588.30A	615.00B/588.30A	----	595.50 - 17.20	.8356	----	----	----	----	43 UNCH
4755	----	----	619.60B/592.50A	619.60B/592.50A	----	599.90 - 17.30	.8376	----	----	----	----	31 UNCH
4760	----	----	624.10B/597.00A	624.10B/597.00A	----	604.40 - 17.20	.8393	----	----	----	----	3 UNCH
4765	----	----	628.40B/601.50A	628.40B/601.50A	----	608.80 - 17.30	.8411	----	----	----	----	8 UNCH
4775	----	----	637.20B/610.30A	637.20B/610.30A	----	617.70 - 17.30	.8448	----	----	----	----	13 UNCH
4780	----	----	641.60B/614.90A	641.60B/614.90A	----	622.20 - 17.30	.8466	----	----	----	----	8 UNCH
4785	----	----	646.10B/619.40A	646.10B/619.40A	----	626.70 - 17.20	.8483	----	----	----	----	100 UNCH
4800	----	----	660.40B/631.90A	660.40B/631.90A	----	640.10 - 17.30	.8533	----	----	----	----	311 UNCH
4805	----	----	----/639.00A	658.90B/639.00A	----	644.60 - 17.30	.8551	----	----	----	----	2 UNCH
4810	----	----	668.80B/641.70A	668.80B/641.70A	----	649.10 - 17.30	.8568	----	----	----	----	20 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
FEB27												
4825	----	----	682.40B/654.90A	682.40B/654.90A	----	662.70 - 17.30	.8615	----	----	----	----	5 UNCH
4835	----	----	----/666.30A	685.80B/666.30A	----	671.80 - 17.30	.8647	----	----	----	----	1 UNCH
4840	----	----	----/670.90A	690.30B/670.90A	----	676.30 - 17.30	.8662	----	----	----	----	1 UNCH
4845	----	----	700.80B/673.20A	700.80B/673.20A	----	680.90 - 17.30	.8677	----	----	----	----	3 UNCH
4855	----	----	710.00B/682.40A	710.00B/682.40A	----	690.00 - 17.30	.8706	----	----	----	----	3 UNCH
4900	----	----	751.40B/723.70A	751.40B/723.70A	----	731.40 - 17.30	.8831	----	----	----	----	4 UNCH
4905	----	----	756.00B/728.30A	756.00B/728.30A	----	736.00 - 17.40	.8846	----	----	----	----	4 UNCH
4950	----	----	----/773.20A	790.90B/773.20A	----	777.90 - 17.30	.8956	----	----	----	----	1 UNCH
4955	----	----	----/777.90A	795.50B/777.90A	----	782.60 - 17.30	.8967	----	----	----	----	1 UNCH
5000	----	----	----/820.50A	837.40B/820.50A	----	824.90 - 17.30	.9065	----	----	----	----	76 UNCH
5005	----	----	----/825.30A	842.00B/825.30A	----	829.60 - 17.30	.9076	----	----	----	----	3 UNCH
5010	----	----	----/830.00A	846.70B/830.00A	----	834.30 - 17.40	.9087	----	----	----	----	1 UNCH
5050	----	----	----/868.20A	884.30B/868.20A	----	872.30 - 17.30	.9163	----	----	----	----	4 UNCH
5055	----	----	----/873.00A	889.00B/873.00A	----	877.00 - 17.30	.9171	----	----	----	----	4 UNCH
5100	----	----	----/916.30A	931.60B/916.30A	----	920.00 - 17.30	.9248	----	----	----	----	2 UNCH
5150	----	----	----/964.70A	979.40B/964.70A	----	968.10 - 17.30	.9322	----	----	----	----	1 UNCH
5175	----	----	----/988.90A	1003.40B/988.90A	----	992.30 - 17.20	.9356	----	----	----	----	125 UNCH
5200	----	----	----/1,013.20A	1027.50B/1013.20A	----	1016.50 - 17.20	.9389	----	----	----	----	1 UNCH
5250	----	----	----/1,061.90A	1076.10B/1061.90A	----	1065.10 - 17.10	.9446	----	----	----	----	15 UNCH
5320	----	----	----/1,130.30A	1145.00B/1130.30A	----	1133.40 - 17.10	.9516	----	----	----	----	1 UNCH
5400	----	----	----/1,208.20A	1225.20B/1208.20A	----	1211.90 - 17.10	.9583	----	----	----	----	50 UNCH
5500	----	----	1,329.40B/1,304	1329.40B/1304.40A	----	1310.60 - 17.00	.9652	----	----	----	----	31 UNCH
5520	----	----	1,350.00B/1,323	1350.00B/1323.50A	----	1330.40 - 16.90	.9666	----	----	----	----	300 UNCH
5530	----	----	1,360.40B/1,333	1360.40B/1333.20A	----	1340.30 - 16.90	.9671	----	----	----	----	100 UNCH
5550	----	----	1,380.90B/1,352	1380.90B/1352.50A	----	1360.10 - 16.90	.9681	----	----	----	----	65 UNCH
5565	----	----	1,396.30B/1,367	1396.30B/1367.40A	----	1374.90 - 17.00	.9690	----	----	----	----	50 UNCH
6000	----	----	----	----	----	1808.50 - 16.60	.9840	----	----	----	----	1 UNCH
TOTAL										255	100	19973 + 183
MAR27												
3000	----	----	----	6.20B/6.20A	----	5.90 - 0.30	.0200	----	----	----	----	20 UNCH
3075	----	----	----/7.50A	7.50B/7.50A	----	7.30 - 0.30	.0248	----	----	----	----	1 UNCH
3170	----	----	----/9.50A	9.80B/9.50A	----	9.40 - 0.50	.0322	----	----	----	----	1 UNCH
3200	----	----	----/10.30A	10.70B/10.30A	----	10.20 - 0.50	.0350	----	----	----	----	72 UNCH
3300	----	----	----/13.60A	14.30B/13.60A	----	13.60 - 0.70	.0465	----	----	----	----	486 UNCH
3325	----	----	----/14.60A	15.40B/14.60A	----	14.60 - 0.80	.0499	----	----	----	----	4 UNCH
3345	----	----	16.40B/15.40A	16.40B/15.40A	----	15.50 - 0.80	.0529	----	----	----	----	7 UNCH
3350	----	----	16.60B/15.60A	16.60B/15.60A	----	15.70 - 0.80	.0536	----	----	----	----	19 UNCH
3375	----	----	17.90B/16.80A	17.90B/16.80A	----	16.90 - 0.90	.0576	----	----	----	----	20 UNCH
3395	----	----	19.10B/17.80A	19.10B/17.80A	----	18.00 - 0.90	.0612	----	----	----	----	21 UNCH
3400	----	----	19.40B/18.10A	19.40B/18.10A	----	18.20 - 1.00	.0619	----	----	----	----	402 UNCH
3425	----	----	20.90B/19.50A	20.90B/19.50A	----	19.70 - 1.00	.0667	----	----	----	----	29 UNCH
3450	----	----	22.60B/21.00A	22.60B/21.00A	----	21.20 - 1.20	.0716	----	----	----	----	43 UNCH
3500	----	----	26.50B/24.40A	26.50B/24.40A	----	24.70 - 1.50	.0827	----	----	----	----	492 UNCH
3525	----	----	28.80B/26.40A	28.80B/26.40A	----	26.70 - 1.70	.0889	----	----	----	----	120 UNCH
3540	----	----	30.10B/27.60A	30.10B/27.60A	----	28.00 - 1.80	.0929	----	----	----	----	1 UNCH
3545	----	----	30.60B/28.00A	30.60B/28.00A	----	28.50 - 1.70	.0944	----	----	----	----	1 UNCH
3550	----	----	31.10B/28.50A	31.10B/28.50A	----	28.90 - 1.80	.0957	----	----	----	----	250 UNCH
3565	----	----	32.70B/29.80A	32.70B/29.80A	----	30.30 - 1.90	.0999	----	----	----	----	2 UNCH
3575	----	----	33.70B/30.80A	33.70B/30.80A	----	31.30 - 2.00	.1029	----	----	----	----	20 UNCH
3580	----	----	34.40B/31.30A	34.40B/31.30A	----	31.80 - 2.00	.1044	----	----	----	----	1 UNCH
3600	----	----	36.60B/33.30A	36.60B/33.30A	----	33.80 - 2.20	.1104	----	----	10	----	1683 UNCH
3650	----	----	43.70B/38.90A	43.70B/38.90A	----	39.60 - 2.70	.1272	----	----	----	----	129 UNCH
3700	47.50	47.50	51.20B/45.40A	51.20B/45.40A	----	46.40 - 3.20	.1463	----	----	50	----	38 - 16
3725	52.50	52.50	55.50B/49.10A	55.50B/49.10A	----	50.20 - 3.50	.1566	----	----	1	----	27 UNCH
3740	----	----	58.20B/51.50A	58.20B/51.50A	----	52.70 - 3.70	.1633	----	----	----	----	29 UNCH
3750	54.60	54.60	60.00B/53.10A	60.00B/53.10A	----	54.40 - 3.80	.1678	----	----	5	----	185 UNCH
3760	----	----	61.90B/54.90A	61.90B/54.90A	----	56.10 - 3.90	.1723	----	----	----	----	1 UNCH
3775	----	----	64.90B/57.50A	64.90B/57.50A	----	58.80 - 4.10	.1793	----	----	----	----	1 UNCH
3780	----	----	65.80B/58.40A	65.80B/58.40A	----	59.70 - 4.20	.1816	----	----	----	----	25 UNCH
3785	----	----	67.00B/59.20A	67.00B/59.20A	----	60.70 - 4.30	.1841	----	----	----	----	1 UNCH
3790	----	----	68.00B/60.20A	68.00B/60.20A	----	61.60 - 4.40	.1865	----	----	----	----	1 UNCH
3795	65.20	65.20	69.00B/61.10A	69.00B/61.10A	----	62.60 - 4.40	.1890	----	----	24	----	25 + 24
3800	63.70	63.70	70.10B/62.00A	70.10B/62.00A	----	63.60 - 4.50	.1915	----	----	2	----	113 UNCH
3810	----	----	72.30B/64.10A	72.30B/64.10A	----	65.60 - 4.60	.1965	----	----	----	----	1 UNCH
3815	----	----	73.60B/65.10A	73.60B/65.10A	----	66.60 - 4.70	.1991	----	----	----	----	1 UNCH
3820	----	----	74.50B/66.00A	74.50B/66.00A	----	67.70 - 4.70	.2017	----	----	----	----	30 UNCH
3825	----	----	75.70B/67.00A	75.70B/67.00A	----	68.70 - 4.90	.2043	----	----	----	----	131 UNCH
3830	----	----	77.20B/68.10A	77.20B/68.10A	----	69.80 - 4.90	.2069	----	----	----	----	1 UNCH
3840	----	----	79.30B/70.20A	79.30B/70.20A	----	72.00 - 5.00	.2123	----	----	----	----	2 UNCH
3845	----	----	80.40B/71.30A	80.40B/71.30A	----	73.10 - 5.10	.2150	----	----	----	----	1 UNCH
3850	----	----	81.70B/72.40A	81.70B/72.40A	----	74.30 - 5.10	.2178	----	----	----	----	142 UNCH
3855	----	----	83.00B/73.50A	83.00B/73.50A	----	75.40 - 5.30	.2205	----	----	----	----	3 UNCH
3860	----	----	84.40B/74.60A	84.40B/74.60A	----	76.60 - 5.30	.2233	----	----	----	----	2 UNCH
3865	----	----	85.50B/75.80A	85.50B/75.80A	----	77.80 - 5.40	.2261	----	----	----	----	26 UNCH
3870	----	----	86.90B/77.00A	86.90B/77.00A	----	79.00 - 5.40	.2289	----	----	----	----	4 UNCH
3875	----	----	88.20B/78.20A	88.20B/78.20A	----	80.20 - 5.50	.2317	----	----	----	----	12 UNCH
3885	----	----	90.90B/80.60A	90.90B/80.60A	----	82.70 - 5.60	.2375	----	----	----	----	1 UNCH
3890	----	----	92.30B/81.80A	92.30B/81.80A	----	84.00 - 5.70	.2405	----	----	----	----	1 UNCH
3900	----	----	95.10B/84.10A	95.10B/84.10A	----	86.50 - 5.90	.2463	----	----	----	143	1401 + 34
3905	91.60	91.60	96.60B/85.60A	96.60B/85.60A	----	87.90 NEW	.2493	----	----	10	----	10 + 10
3935	----	----	105.50B/93.50A	105.50B/93.50A	----	96.10 - 6.40	.2676	----	----	----	----	213 UNCH
3945	----	----	108.50B/96.30A	108.50B/96.30A	----	99.10 - 6.50	.2740	----	----	----	----	25 UNCH
3950	----	----	110.10B/97.70A	110.10B/97.70A	----	100.50 - 6.60	.2771	----	----	----	----	79 UNCH
3975	----	----	118.30B/105.10A	118.30B/105.10A	----	108.20 - 7.00	.2933	----	----	----	----	1 UNCH
3995	----	----	125.50B/111.30A	125.50B/111.30A	----	114.70 - 7.30	.3066	----	----	----	----	12 UNCH
4000	115.10	115.10	127.10B/113.10A	127.10B/113.10A	----	116.40 - 7.30	.3100	----	----	1	----	931 - 1
4020	----	----	134.30B/119.60A	134.30B/119.60A	----	123.20 - 7.70	.3236	----	----	----	----	40 UNCH
4050	----	----	146.20B/130.20A	146.20B/130.20A	----	134.10 - 8.20	.3445	----	----	----	----	40 UNCH
4055	----	----	148.20B/132.10A	148.20B/132.10A	----	136.00 NEW	.3480	----	----	2	----	2 + 2
4070	----	----	154.20B/137.60A	154.20B/137.60A	----	141.70 - 8.60	.3586	----	----	----	----	1 UNCH
4075	----	----	156.40B/139.50A	156.40B/139.50A	----	143.70 - 8.70	.3622	----	----	----	----	249 UNCH
4080	142.70	142.70	158.60B/141.50A	158.60B/141.50A	----	145.70 - 8.80	.3658	----	----	1	----	0 - 1
4095	----	----	164.90B/147.40A	164.90B/147.40A	----	151.70 NEW	.3767	----	----	2	----	2 + 2
4100	----	----	167.50B/149.40A	167.50B/149.40A	----	153.80 - 9.20	.3803	----	----	12	120	785 + 127
4110	----	----	171.40B/153.50A	171.40B/153.50A	----	158.00 - 9.30	.3876	----	----	----	----	1 UNCH
4130	----	----	180.70B/161.90A	180.70B/161.90A	----	166.50 - 9.90	.4023	----	----	----	----	390 UNCH
4135	172.00	172.00	183.20B/164.10A	183.20B/164.10A	----	168.70 - 10.00	.4060	----	----	2	----	42 + 2
4140	----	----	185.50B/166.30A	185.50B/166.30A	----	171.00 - 10.00	.4097	----	----	----	----	2 UNCH
4145	----	----	187.80B/168.50A	187.80B/168.50A	----	173.20 - 10.20	.4134	----	----	----	----	1 UNCH
4150	----	----	190.20B/170.70A	190.20B/170.70A	----	175.50 - 10.20	.4171	----	----	----	----	12 UNCH
4155	----	----	192.60B/173.00A	192.60B/173.00A	----	177.70 - 10.40	.4208	----	----	----	----	21 UNCH
4160	----	----	195.00B/175.30A	195.00B/175.30A	----	180.00 - 10.50	.4245	----	----	----	----	3 UNCH
4165	----	----	197.50B/177.60A	197.50B/177.60A	----	182.40 - 10.60	.4283	----	----	----	----	40 UNCH
4170	----	----	199.80B/179.90A	199.80B/179.90A	----	184.70 - 10.70	.4320	----	----	----	----	1 UNCH
4175	----	----	202.50B/182.20A	202.50B/182.20A	----	187.10 - 10.80	.4357	----	----	----	----	4 UNCH
4200	----	----	215.50B/194.30A	215.50B/194.30A	----	199.20 - 11.40	.4545	----	----	20	----	577 UNCH
4205	----	----	218.00B/196.70A	218.00B/196.70A	----	201.70 - 11.60	.4582	----	----	----	----	5 UNCH
4215	----	----	223.30B/201.70A	223.30B/201.70A	----	206.70 - 11.80	.4657	----	----	----	----	50 UNCH
4220	----	----	226.00B/204.20A	226.00B/204.20A	----	209.20 - 12.00	.4695	----	----	----	----	11 UNCH
4230	----	----	231.50B/209.30A	231.50B/209.30A	----	214.40 - 12.20	.4770	----	----	----	----	1 UNCH
4235	----	----	234.20B/211.90A	234.20B/211.90A	----	217.00 - 12.40	.4807	----	----	----	----	27 UNCH
4240	----	----	237.00B/214.50A	237.00B/214.50A	----	219.70 - 12.40	.4845	----	----	----	----	6 UNCH
4245	223.40	223.40	239.80B/217.10A	239.80B/217.10A	----	222.30 NEW	.4882	----	----	1	----	1 + 1
4250	----	----	242.50B/219.70A	242.50B/219.70A	----	225.00 - 12.70	.4919	----	----	----	110	127 + 108
4255	----	----	245.30B/222.40A	245.30B/222.40A	----	227.70 - 12.80	.4957	----	----	----	----	1 UNCH
4260	----	----	248.20B/225.10A	248.20B/225.10A	----	230.40 - 12.90	.4994	----	----	----	----	4 UNCH
4265	----	----	251.20B/227.90A	251.20B/227.90A	----	233.20 - 13.00	.5031	----	----	----	----	1 UNCH
4270	----	----	254.10B/230.70A	254.10B/230.70A	----	236.00 - 13.10	.5068	----	----	----	----	35 UNCH
4285	----	----	262.80B/239.10A	262.80B/239.10A	----	244.40 - 13.40	.5178	----	----	----	----	100 UNCH
4300	----	----	271.80B/247.60A	271.80B/247.60A	----	253.10 - 13.70	.5288	----	----	----	----	201 UNCH
4320	----	----	283.70B/259.00A	283.70B/259.00A	----	264.90 - 14.00	.5432	----	----	----	----	2 UNCH
4325	----	----	287.20B/262.10A	287.20B/262.10A	----	267.90 - 14.10	.5468	----	----	----	----	20 UNCH
4350	----	----	302.50B/277.20A	302.50B/277.20A	----	283.30 - 14.40	.5646	----	----	----	----	41 UNCH
4370	----	----	315.40B/289.60A	315.40B/289.60A	----	296.00 - 14.60	.5785	----	----	----	----	270 UNCH
4375	----	----	318.10B/292.70A	318.10B/292.70A	----	299.20 - 14.60	.5820	----	----	----	----	1 UNCH
4395	----	----	330.00B/305.40A	330.00B/305.40A	----	312.20 - 14.80	.5956	----	----	----	----	4 UNCH
4400	----	----	333.30B/308.70A	333.30B/308.70A	----	315.50 - 14.90	.5990	----	----	----	----	27 UNCH
4420	----	----	346.70B/321.90A	346.70B/321.90A	----	328.80 - 15.10	.6123	----	----	----	----	10 UNCH
4425	----	----	350.10B/325.20A	350.10B/325.20A	----	332.20 - 15.10	.6156	----	----	----	----	4 UNCH
4440	----	----	360.50B/336.00A	360.50B/336.00A	----	342.40 - 15.30	.6254	----	----	----	----	52 UNCH
4450	----	----	367.50B/342.80A	367.50B/342.80A	----	349.30 - 15.40	.6318	----	----	----	----	65 UNCH
4460	----	----	374.50B/349.70A	374.50B/349.70A	----	356.30 - 15.40	.6382	----	----	----	----	1 UNCH
4465	----	----	378.00B/353.20A	378.00B/353.20A	----	359.80 - 15.50	.6414	----	----	----	----	7 UNCH
4470	----	----	381.60B/356.60A	381.60B/356.60A	----	363.30 - 15.60	.6446	----	----	----	----	4 UNCH
4475	----	----	385.10B/360.20A	385.10B/360.20A	----	366.80 - 15.60	.6477	----	----	----	----	25 UNCH
4480	----	----	388.70B/363.70A	388.70B/363.70A	----	370.40 - 15.60	.6508	----	----	----	----	37 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

PG64 BULLETIN #194@ METALS OPTION PRODUCTS Thu, Oct 08, 2026 PG64

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAR27												
4490	----	----	395.90B/370.80A	395.90B/370.80A	----	377.50 - 15.80	.6569	----	----	----	----	30 UNCH
4500	----	----	403.10B/377.90A	403.10B/377.90A	----	384.70 - 15.90	.6630	----	----	----	----	103 UNCH
4510	----	----	410.40B/385.10A	410.40B/385.10A	----	392.00 - 16.00	.6690	----	----	----	----	10 UNCH
4515	----	----	414.10B/388.80A	414.10B/388.80A	----	395.60 - 16.10	.6720	----	----	----	----	1 UNCH
4520	----	----	417.80B/392.40A	417.80B/392.40A	----	399.30 - 16.10	.6749	----	----	----	----	1 UNCH
4525	----	----	421.50B/396.10A	421.50B/396.10A	----	403.00 - 16.10	.6779	----	----	----	----	10 UNCH
4540	----	----	432.60B/407.10A	432.60B/407.10A	----	414.20 - 16.20	.6866	----	----	----	----	4 UNCH
4585	----	----	466.70B/441.50A	466.70B/441.50A	----	448.40 - 16.60	.7114	----	----	----	----	1 UNCH
4600	----	----	478.30B/453.00A	478.30B/453.00A	----	460.10 - 16.60	.7194	----	----	----	----	26 UNCH
4610	----	----	486.10B/460.80A	486.10B/460.80A	----	467.90 - 16.70	.7246	----	----	----	----	300 UNCH
4650	----	----	518.40B/492.30A	518.40B/492.30A	----	499.80 - 16.80	.7445	----	----	----	----	1 UNCH
4660	----	----	526.70B/500.20A	526.70B/500.20A	----	507.90 - 16.80	.7492	----	----	----	----	24 UNCH
4680	----	----	543.20B/516.40A	543.20B/516.40A	----	524.20 - 16.90	.7587	----	----	----	----	1 UNCH
4700	----	----	559.90B/532.50A	559.90B/532.50A	----	540.60 - 17.00	.7676	----	----	----	----	303 UNCH
4710	----	----	568.30B/540.80A	568.30B/540.80A	----	548.90 - 17.10	.7722	----	----	----	----	2 UNCH
4750	----	----	602.30B/574.10A	602.30B/574.10A	----	582.40 - 17.30	.7890	----	----	----	----	15 UNCH
4810	----	----	----/625.00A	635.50B/625.00A	----	633.80 - 17.40	.8122	----	----	----	----	21 UNCH
4850	----	----	----/674.80A	669.00B/674.80A	----	668.80 - 17.50	.8261	----	----	----	----	2 UNCH
4900	----	----	----/720.70A	711.40B/720.70A	----	713.10 - 17.60	.8421	----	----	----	----	12 UNCH
4905	----	----	----/725.30A	715.60B/725.30A	----	717.60 - 17.50	.8436	----	----	----	----	2 UNCH
5000	----	----	----/814.50A	797.80B/814.50A	----	803.70 - 17.60	.8695	----	----	----	----	75 UNCH
TOTAL										143	373	11597 + 292
APR27												
3000	9.50	9.50	9.50/8.50	9.50/8.50	----	8.60 - 0.40	.0263	----	----	11	----	114 + 3
3100	11.50	11.50	11.60/11.50	11.60/11.50	----	11.20 - 0.50	.0344	----	----	2	----	10 + 2
3200	----	----	----/15.00A	15.10B/15.00A	----	14.60 - 0.70	.0447	----	----	----	----	126 UNCH
3225	----	----	----/16.00A	16.20B/16.00A	----	15.60 - 0.80	.0478	----	----	----	----	65 UNCH
3300	----	----	----/19.60A	20.00B/19.60A	----	19.10 - 1.00	.0583	----	----	----	----	26 UNCH
3350	----	----	----/22.40A	23.20B/22.40A	----	22.00 - 1.20	.0667	----	----	----	----	35 UNCH
3375	----	----	----/24.00A	24.90B/24.00A	----	23.60 - 1.30	.0713	----	----	----	----	46 UNCH
3400	----	----	----/25.50A	26.80B/25.50A	----	25.30 - 1.50	.0762	----	----	----	----	9 UNCH
3420	----	----	28.50B/27.00A	28.50B/27.00A	----	26.80 - 1.60	.0804	----	----	----	----	15 UNCH
3450	----	----	31.20B/29.20A	31.20B/29.20A	----	29.20 - 1.80	.0871	----	----	----	----	3 UNCH
3455	----	----	31.60B/29.80A	31.60B/29.80A	----	29.60 - 1.80	.0882	----	----	----	----	1 UNCH
3460	----	----	32.10B/30.10A	32.10B/30.10A	----	30.00 - 1.90	.0893	----	----	----	----	200 UNCH
3475	----	----	33.60B/31.40A	33.60B/31.40A	----	31.40 - 1.90	.0931	----	----	----	----	300 UNCH
3480	----	----	34.10B/31.80A	34.10B/31.80A	----	31.80 - 2.00	.0942	----	----	----	----	1 UNCH
3490	----	----	35.10B/32.70A	35.10B/32.70A	----	32.80 - 2.00	.0969	----	----	----	----	10 UNCH
3500	----	----	36.20B/33.80A	36.20B/33.80A	----	33.70 - 2.10	.0994	----	----	----	----	242 UNCH
3545	----	----	41.30B/38.40A	41.30B/38.40A	----	38.40 - 2.40	.1119	----	----	----	----	10 UNCH
3550	----	----	42.00B/38.90A	42.00B/38.90A	----	39.00 - 2.40	.1134	----	----	----	----	500 UNCH
3555	----	----	42.90B/39.40A	42.90B/39.40A	----	39.50 - 2.50	.1148	----	----	----	----	4 UNCH
3565	----	----	44.10B/40.60A	44.10B/40.60A	----	40.70 - 2.50	.1179	----	----	----	----	20 UNCH
3590	----	----	47.50B/43.60A	47.50B/43.60A	----	43.80 - 2.70	.1258	----	----	----	----	10 UNCH
3595	----	----	48.20B/44.20A	48.20B/44.20A	----	44.40 - 2.80	.1274	----	----	----	----	10 UNCH
3600	47.00	47.00	49.00B/44.90A	49.00B/44.90A	----	45.10 - 2.70	.1291	----	----	1	----	846 UNCH
3650	----	----	56.50B/51.40A	56.50B/51.40A	----	52.10 - 3.20	.1466	----	----	----	----	218 UNCH
3680	----	----	61.70B/56.10A	61.70B/56.10A	----	56.80 - 3.50	.1580	----	----	----	----	20 UNCH
3690	----	----	63.50B/57.70A	63.50B/57.70A	----	58.50 - 3.60	.1620	----	----	----	----	32 UNCH
3700	60.00	60.00	65.50B/59.20A	65.50B/59.20A	----	60.20 - 3.70	.1660	----	----	7	----	99 - 1
3725	----	----	70.20B/63.80A	70.20B/63.80A	----	64.70 - 4.00	.1765	----	----	----	----	3 UNCH
3730	----	----	71.20B/64.60A	71.20B/64.60A	----	65.60 - 4.10	.1786	----	----	----	----	20 UNCH
3735	----	----	72.20B/65.60A	72.20B/65.60A	----	66.60 - 4.10	.1809	----	----	----	----	42 UNCH
3750	----	----	75.60B/68.30A	75.60B/68.30A	----	69.50 - 4.20	.1875	----	----	----	----	77 UNCH
3755	----	----	76.50B/69.30A	76.50B/69.30A	----	70.50 - 4.30	.1897	----	----	----	----	20 UNCH
3780	----	----	82.10B/74.40A	82.10B/74.40A	----	75.60 - 4.70	.2012	----	----	----	----	30 UNCH
3790	----	----	84.40B/76.50A	84.40B/76.50A	----	77.80 - 4.80	.2060	----	----	----	----	20 UNCH
3800	----	----	86.90B/78.50A	86.90B/78.50A	----	80.00 - 4.90	.2108	----	----	1	----	219 + 1
3805	----	----	88.00B/79.80A	88.00B/79.80A	----	81.10 - 5.00	.2132	----	----	----	----	2 UNCH
3815	----	----	90.50B/82.00A	90.50B/82.00A	----	83.40 - 5.10	.2181	----	----	----	----	20 UNCH
3820	----	----	91.80B/83.10A	91.80B/83.10A	----	84.60 - 5.20	.2206	----	----	----	----	1 UNCH
3825	----	----	93.20B/84.10A	93.20B/84.10A	----	85.80 - 5.20	.2232	----	----	----	----	52 UNCH
3845	----	----	98.30B/88.90A	98.30B/88.90A	----	90.70 - 5.50	.2334	----	----	----	----	50 UNCH
3850	----	----	99.80B/90.10A	99.80B/90.10A	----	91.90 - 5.60	.2360	----	----	----	----	37 UNCH
3855	----	----	101.20B/91.30A	101.20B/91.30A	----	93.20 - 5.70	.2386	----	----	----	----	12 UNCH
3860	----	----	102.60B/92.70A	102.60B/92.70A	----	94.50 - 5.80	.2413	----	----	----	----	77 UNCH
3865	----	----	104.00B/94.00A	104.00B/94.00A	----	95.80 - 5.80	.2440	----	----	----	----	50 UNCH
3885	----	----	109.80B/99.20A	109.80B/99.20A	----	101.20 - 6.10	.2548	----	----	----	----	1 UNCH
3895	----	----	112.70B/101.90A	112.70B/101.90A	----	104.00 - 6.30	.2604	----	----	----	----	40 UNCH
3900	----	----	114.30B/103.20A	114.30B/103.20A	----	105.40 - 6.40	.2631	----	----	2	----	362 + 1
3905	----	----	115.90B/104.80A	115.90B/104.80A	----	106.80 - 6.50	.2659	----	----	----	----	20 UNCH
3910	----	----	117.50B/106.10A	117.50B/106.10A	----	108.30 - 6.50	.2688	----	----	----	----	1 UNCH
3925	----	----	122.20B/110.40A	122.20B/110.40A	----	112.80 - 6.70	.2774	----	----	----	----	5 UNCH
3930	----	----	123.80B/111.90A	123.80B/111.90A	----	114.30 - 6.80	.2803	----	----	----	----	20 UNCH
3935	----	----	125.50B/113.40A	125.50B/113.40A	----	115.80 - 6.90	.2831	----	----	----	----	6 UNCH
3950	----	----	130.60B/117.90A	130.60B/117.90A	----	120.50 - 7.20	.2920	----	----	----	----	3 UNCH
3960	----	----	134.00B/121.10A	134.00B/121.10A	----	123.70 - 7.30	.2979	----	----	----	----	2 UNCH
3970	----	----	137.50B/124.30A	137.50B/124.30A	----	127.00 - 7.50	.3039	----	----	----	----	13 UNCH
3980	----	----	141.10B/127.80A	141.10B/127.80A	----	130.40 - 7.60	.3100	----	----	----	----	1 UNCH
3995	----	----	146.60B/132.60A	146.60B/132.60A	----	135.60 - 7.80	.3192	----	----	----	----	4 UNCH
4000	----	----	148.40B/134.20A	148.40B/134.20A	----	137.30 - 8.00	.3223	----	----	----	----	361 UNCH
4050	----	----	168.20B/152.40A	168.20B/152.40A	----	155.90 - 8.80	.3539	----	----	----	----	5 UNCH
4055	----	----	170.20B/154.60A	170.20B/154.60A	----	157.80 - 8.90	.3571	----	----	----	----	50 UNCH
4060	----	----	172.40B/156.30A	172.40B/156.30A	----	159.80 - 9.00	.3603	----	----	----	----	1 UNCH
4065	----	----	174.40B/158.30A	174.40B/158.30A	----	161.80 - 9.10	.3635	----	----	----	----	36 UNCH
4080	----	----	181.00B/164.30A	181.00B/164.30A	----	167.90 - 9.30	.3733	----	----	----	----	1 UNCH
4095	----	----	187.60B/170.50A	187.60B/170.50A	----	174.10 - 9.60	.3831	----	----	----	----	5 UNCH
4100	----	----	189.90B/172.50A	189.90B/172.50A	----	176.20 - 9.70	.3864	----	----	----	----	818 UNCH
4125	----	----	201.40B/183.10A	201.40B/183.10A	----	187.10 - 10.20	.4030	----	----	----	----	353 UNCH
4145	197.80	197.80	210.90B/192.00A	210.90B/192.00A	----	196.20 - 10.50	.4163	----	----	2	----	3 + 2
4150	----	----	213.30B/194.40A	213.30B/194.40A	----	198.50 - 10.60	.4197	----	----	----	----	139 UNCH
4160	----	----	218.20B/198.90A	218.20B/198.90A	----	203.20 - 10.80	.4264	----	----	----	----	30 UNCH
4165	----	----	220.80B/201.30A	220.80B/201.30A	----	205.50 - 11.00	.4297	----	----	----	----	4 UNCH
4175	----	----	225.70B/206.10A	225.70B/206.10A	----	210.30 - 11.20	.4365	----	----	----	----	50 UNCH
4195	----	----	236.00B/215.70A	236.00B/215.70A	----	220.20 - 11.50	.4499	----	----	----	----	3 UNCH
4200	----	----	238.80B/218.20A	238.80B/218.20A	----	222.70 - 11.60	.4533	----	----	----	----	175 UNCH
4205	----	----	241.30B/220.60A	241.30B/220.60A	----	225.20 - 11.70	.4567	----	----	----	----	1 UNCH
4210	----	----	243.90B/223.10A	243.90B/223.10A	----	227.70 - 11.80	.4601	----	----	----	----	6 UNCH
4225	----	----	252.00B/230.80A	252.00B/230.80A	----	235.50 - 12.00	.4702	----	----	----	----	410 UNCH
4230	----	----	254.80B/233.30A	254.80B/233.30A	----	238.10 - 12.10	.4735	----	----	----	----	105 UNCH
4245	----	----	263.20B/241.10A	263.20B/241.10A	----	246.10 - 12.40	.4836	----	----	----	----	1 UNCH
4250	----	----	265.90B/243.70A	265.90B/243.70A	----	248.80 - 12.50	.4869	----	----	----	----	120 UNCH
4255	----	----	268.80B/246.50A	268.80B/246.50A	----	251.50 - 12.60	.4903	----	----	----	----	16 UNCH
4260	----	----	271.70B/249.10A	271.70B/249.10A	----	254.20 - 12.70	.4936	----	----	----	----	15 UNCH
4275	----	----	280.30B/257.90A	280.30B/257.90A	----	262.60 - 12.90	.5036	----	----	----	----	20 UNCH
4280	----	----	283.10B/260.50A	283.10B/260.50A	----	265.40 - 13.00	.5069	----	----	----	----	1 UNCH
4285	----	----	286.10B/263.50A	286.10B/263.50A	----	268.20 - 13.10	.5102	----	----	----	----	50 UNCH
4290	----	----	289.20B/266.30A	289.20B/266.30A	----	271.00 - 13.20	.5135	----	----	----	----	1 UNCH
4300	----	----	295.10B/271.90A	295.10B/271.90A	----	276.80 - 13.30	.5200	----	----	----	----	257 UNCH
4330	----	----	313.40B/289.20A	313.40B/289.20A	----	294.50 - 13.80	.5395	----	----	----	----	5 UNCH
4345	----	----	322.70B/298.20A	322.70B/298.20A	----	303.60 - 14.00	.5491	----	----	----	----	6 UNCH
4350	----	----	325.30B/301.40A	325.30B/301.40A	----	306.70 - 14.00	.5523	----	----	----	----	83 UNCH
4365	----	----	335.50B/310.50A	335.50B/310.50A	----	316.00 - 14.20	.5618	----	----	----	----	1 UNCH
4370	----	----	338.30B/313.60A	338.30B/313.60A	----	319.20 - 14.20	.5649	----	----	----	----	1 UNCH
4375	----	----	340.70B/316.70A	340.70B/316.70A	----	322.30 - 14.30	.5680	----	----	----	----	8 UNCH
4385	----	----	347.70B/322.80A	347.70B/322.80A	----	328.70 - 14.40	.5742	----	----	----	----	3 UNCH
4395	----	----	353.70B/329.40A	353.70B/329.40A	----	335.10 - 14.60	.5804	----	----	----	----	2 UNCH
4400	----	----	355.60B/332.50A	355.60B/332.50A	----	338.40 - 14.60	.5835	----	----	----	----	30 UNCH
4405	----	----	358.90B/335.50A	358.90B/335.50A	----	341.60 - 14.70	.5865	----	----	----	----	1 UNCH
4410	----	----	362.10B/339.00A	362.10B/339.00A	----	344.90 - 14.70	.5895	----	----	----	----	2 UNCH
4415	----	----	365.40B/342.10A	365.40B/342.10A	----	348.20 - 14.70	.5925	----	----	----	----	3 UNCH
4420	----	----	368.80B/345.20A	368.80B/345.20A	----	351.50 - 14.80	.5956	----	----	----	----	31 UNCH
4425	----	----	372.10B/348.80A	372.10B/348.80A	----	354.80 - 14.90	.5986	----	----	----	----	5 UNCH
4430	----	----	375.40B/352.30A	375.40B/352.30A	----	358.20 - 14.90	.6016	----	----	----	----	1 UNCH
4435	----	----	378.80B/355.60A	378.80B/355.60A	----	361.50 - 15.00	.6045	----	----	----	----	13 UNCH
4440	----	----	382.20B/358.90A	382.20B/358.90A	----	364.90 - 15.00	.6075	----	----	----	----	50 UNCH
4450	----	----	389.00B/365.60A	389.00B/365.60A	----	371.70 - 15.10	.6134	----	----	----	----	138 UNCH
4455	----	----	392.40B/368.90A	392.40B/368.90A	----	375.10 - 15.10	.6163	----	----	----	----	2 UNCH
4460	----	----	395.90B/372.30A	395.90B/372.30A	----	378.50 - 15.20	.6191	----	----	----	----	2 UNCH
4465	----	----	399.30B/376.30A	399.30B/376.30A	----	382.00 - 15.20	.6220	----	----	----	----	3 UNCH
4470	----	----	402.80B/379.70A	402.80B/379.70A	----	385.40 - 15.30	.6249	----	----	----	----	4 UNCH
4475	----	----	406.30B/383.20A	406.30B/383.20A	----	388.90 - 15.30	.6277	----	----	----	----	2 UNCH
4480	----	----	409.80B/386.60A	409.80B/386.60A	----	392.40 - 15.30	.6306	----	----	----	----	1 UNCH
4490	----	----	416.80B/393.50A	416.80B/393.50A	----	399.40 - 15.40	.6362	----	----	----	----	31 UNCH
4495	----	----	420.30B/397.00A	420.30B/397.00A	----	402.90 - 15.50	.6390	----	----	----	----	11 UNCH
4500	----	----	423.90B/400.50A	423.90B/400.50A	----	406.50 - 15.50	.6418	----	----	----	----	258 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT												
APR27												
4510	----	----	431.00B/407.50A	431.00B/407.50A	----	413.60 - 15.60	.6474	----	----	----	----	1 UNCH
4515	----	----	434.60B/411.10A	434.60B/411.10A	----	417.20 - 15.60	.6501	----	----	----	----	1 UNCH
4535	----	----	449.00B/425.40A	449.00B/425.40A	----	431.70 - 15.70	.6609	----	----	----	----	13 UNCH
4540	----	----	452.70B/429.00A	452.70B/429.00A	----	435.30 - 15.80	.6636	----	----	----	----	100 UNCH
4545	----	----	456.30B/432.60A	456.30B/432.60A	----	439.00 - 15.80	.6662	----	----	----	----	1 UNCH
4550	----	----	460.00B/436.20A	460.00B/436.20A	----	442.70 - 15.90	.6688	----	----	----	----	36 UNCH
4565	----	----	471.10B/447.20A	471.10B/447.20A	----	453.80 - 16.00	.6766	----	----	----	----	10 UNCH
4575	----	----	478.50B/454.60A	478.50B/454.60A	----	461.30 - 16.00	.6817	----	----	----	----	50 UNCH
4590	----	----	489.70B/465.80A	489.70B/465.80A	----	472.60 - 16.10	.6893	----	----	----	----	5 UNCH
4600	----	----	497.30B/473.30A	497.30B/473.30A	----	480.20 - 16.20	.6943	----	----	----	----	229 UNCH
4610	----	----	504.80B/480.90A	504.80B/480.90A	----	487.80 - 16.30	.6991	----	----	----	----	5 UNCH
4615	----	----	508.60B/484.70A	508.60B/484.70A	----	491.70 - 16.30	.7016	----	----	----	----	5 UNCH
4620	----	----	512.50B/488.60A	512.50B/488.60A	----	495.50 - 16.40	.7040	----	----	----	----	1 UNCH
4650	----	----	536.30B/511.70A	536.30B/511.70A	----	518.90 - 16.50	.7181	----	----	----	----	3 UNCH
4695	----	----	572.60B/547.00A	572.60B/547.00A	----	554.70 - 16.70	.7382	----	----	----	----	1 UNCH
4700	----	----	576.70B/551.00A	576.70B/551.00A	----	558.70 - 16.80	.7403	----	----	----	----	14 UNCH
4705	----	----	580.80B/555.00A	580.80B/555.00A	----	562.70 - 16.80	.7424	----	----	----	----	2 UNCH
4720	----	----	593.10B/567.10A	593.10B/567.10A	----	574.90 - 16.80	.7488	----	----	----	----	9 UNCH
4725	----	----	597.20B/571.10A	597.20B/571.10A	----	579.00 - 16.80	.7508	----	----	----	----	5 UNCH
4730	----	----	601.40B/575.20A	601.40B/575.20A	----	583.00 - 16.90	.7529	----	----	----	----	4 UNCH
4750	----	----	618.00B/591.40A	618.00B/591.40A	----	599.50 - 16.90	.7610	----	----	----	----	1 UNCH
4765	----	----	630.70B/603.70A	630.70B/603.70A	----	611.90 - 16.90	.7669	----	----	----	----	1 UNCH
4790	----	----	651.70B/624.40A	651.70B/624.40A	----	632.80 - 17.00	.7763	----	----	----	----	6 UNCH
4800	----	----	660.30B/632.70A	660.30B/632.70A	----	641.20 - 17.00	.7801	----	----	----	----	15 UNCH
4825	----	----	681.70B/653.80A	681.70B/653.80A	----	662.40 - 17.00	.7891	----	----	----	----	4 UNCH
4835	----	----	690.30B/662.20A	690.30B/662.20A	----	670.90 - 17.00	.7926	----	----	----	----	1 UNCH
4900	----	----	----	720.50B/750.10A	----	727.10 - 17.10	.8138	----	----	----	----	5 UNCH
4905	----	----	----	724.50B/754.70A	----	731.50 - 17.10	.8154	----	----	----	----	2 UNCH
5000	----	----	----	803.50B/843.40A	----	815.60 - 17.40	.8425	----	----	1	----	134 UNCH
5005	----	----	----	808.00B/848.30A	----	820.10 - 17.30	.8439	----	----	----	----	1 UNCH
5050	----	----	----	846.10B/891.30A	----	860.80 - 17.30	.8551	----	----	----	----	215 UNCH
5060	----	----	----	854.60B/901.00A	----	869.90 - 17.30	.8576	----	----	----	----	25 UNCH
5150	----	----	----	931.90B/988.70A	----	952.60 - 17.30	.8771	----	----	----	----	1 UNCH
5200	----	----	----	975.50B/1037.70A	----	999.10 - 17.30	.8864	----	----	----	----	15 UNCH
5205	----	----	----	979.80B/1042.60A	----	1003.80 - 17.30	.8873	----	----	----	----	1 UNCH
5400	----	----	----	1163.50B/1213.70A	----	1188.60 - 17.30	.9167	----	----	----	----	1 UNCH
5500	----	----	----	1260.60B/1309.60A	----	1284.90 - 17.20	.9282	----	----	----	----	2 UNCH
5590	----	----	----	1348.70B/1396.60A	----	1372.20 - 17.30	.9372	----	----	----	----	23 UNCH
5600	----	----	----	1358.50B/1405.40A	----	1381.90 - 17.30	.9382	----	----	----	----	5 UNCH
5790	----	----	----	1560.40B/1591.60A	----	1568.10 - 17.20	.9523	----	----	----	----	1 UNCH
5800	----	----	----	1571.40B/1601.20A	----	1577.90 - 17.30	.9530	----	----	----	----	5 UNCH
6000	----	----	----	----	----	1775.80 - 17.10	.9635	----	----	----	----	1 UNCH
TOTAL										27		8876 + 8
MAY27												
3000	----	----	----	10.80B/12.50A	----	11.50 - 0.50	.0316	----	----	----	----	1 UNCH
3250	----	----	----	21.20B/22.50A	----	21.40 - 1.00	.0583	----	----	----	----	1 UNCH
3330	----	----	----/27.40A	27.00B/27.40A	----	26.20 - 1.30	.0709	----	----	----	----	10 UNCH
3370	----	----	----/29.40A	30.00B/29.40A	----	29.00 - 1.50	.0781	----	----	----	----	20 UNCH
3430	----	----	----/34.30A	35.40B/34.30A	----	34.00 - 1.80	.0905	----	----	----	----	20 UNCH
3490	----	----	----/40.40A	41.60B/40.40A	----	39.90 - 2.30	.1048	----	----	----	----	4 UNCH
3500	----	----	----/41.40A	42.70B/41.40A	----	41.00 - 2.30	.1074	----	----	----	----	35 UNCH
3550	----	----	50.00B/47.00A	50.00B/47.00A	----	46.90 - 2.50	.1211	----	----	----	----	2 UNCH
3600	----	----	57.30B/53.60A	57.30B/53.60A	----	53.60 - 2.70	.1363	----	----	16	185	200 + 185
3700	----	----	74.70B/69.00A	74.70B/69.00A	----	69.70 - 3.50	.1711	----	----	----	----	1 UNCH
3725	----	----	79.80B/73.70A	79.80B/73.70A	----	74.40 - 3.80	.1808	----	----	----	----	35 UNCH
3750	----	----	85.10B/78.60A	85.10B/78.60A	----	79.40 - 4.10	.1910	----	----	----	----	32 UNCH
3760	----	----	87.40B/80.70A	87.40B/80.70A	----	81.50 - 4.20	.1952	----	----	----	----	2 UNCH
3780	----	----	91.60B/85.00A	91.60B/85.00A	----	85.80 - 4.50	.2037	----	----	----	----	1 UNCH
3790	----	----	94.40B/87.10A	94.40B/87.10A	----	88.00 - 4.70	.2080	----	----	----	----	2 UNCH
3800	----	----	96.80B/89.20A	96.80B/89.20A	----	90.30 - 4.80	.2125	----	----	----	----	29 UNCH
3815	----	----	100.70B/92.70A	100.70B/92.70A	----	93.80 - 5.00	.2192	----	----	----	----	25 UNCH
3820	----	----	101.90B/93.90A	101.90B/93.90A	----	95.00 - 5.10	.2215	----	----	----	----	50 UNCH
3850	----	----	110.00B/101.30A	110.00B/101.30A	----	102.50 - 5.50	.2355	----	----	----	----	4 UNCH
3870	----	----	115.60B/106.20A	115.60B/106.20A	----	107.80 - 5.70	.2451	----	----	----	----	20 UNCH
3900	----	----	124.40B/114.50A	124.40B/114.50A	----	116.10 - 6.20	.2600	----	----	----	----	200 UNCH
3980	----	----	150.70B/138.90A	150.70B/138.90A	----	140.80 - 7.30	.3020	----	----	----	----	1 UNCH
4000	----	----	157.80B/145.20A	157.80B/145.20A	----	147.50 - 7.70	.3129	----	----	----	----	22 UNCH
4035	----	----	171.00B/157.60A	171.00B/157.60A	----	160.00 - 8.20	.3326	----	----	----	----	1 UNCH
4050	----	----	177.00B/163.00A	177.00B/163.00A	----	165.60 - 8.40	.3412	----	----	----	----	10 UNCH
4065	175.10	175.10	183.20B/168.70A	183.20B/168.70A	----	171.30 - 8.60	.3498	----	----	3	----	287 + 2
4075	----	----	187.20B/172.90A	187.20B/172.90A	----	175.20 - 8.80	.3556	----	----	----	----	1 UNCH
4100	----	----	197.90B/182.40A	197.90B/182.40A	----	185.30 - 9.10	.3702	----	----	----	----	65 UNCH
4115	----	----	204.40B/188.60A	204.40B/188.60A	----	191.50 - 9.40	.3791	----	----	----	----	2 UNCH
4200	----	----	244.20B/226.40A	244.20B/226.40A	----	230.00 - 10.70	.4303	----	----	----	----	305 UNCH
4240	----	----	265.80B/245.90A	265.80B/245.90A	----	249.90 - 11.30	.4546	----	----	----	----	14 UNCH
4250	----	----	271.20B/251.20A	271.20B/251.20A	----	255.10 - 11.40	.4607	----	----	----	----	1 UNCH
4270	----	----	282.20B/261.30A	282.20B/261.30A	----	265.60 - 11.80	.4728	----	----	----	----	10 UNCH
4300	----	----	298.80B/277.20A	298.80B/277.20A	----	282.10 - 12.20	.4908	----	----	----	74	128 + 71
4340	----	----	322.40B/301.20A	322.40B/301.20A	----	304.90 - 12.80	.5146	----	----	----	----	1 UNCH
4350	----	----	328.20B/307.00A	328.20B/307.00A	----	310.80 - 12.90	.5204	----	----	----	----	24 UNCH
4400	----	----	----/336.70A	352.50B/336.70A	----	341.00 - 13.70	.5492	----	----	----	----	36 UNCH
4405	----	----	----/339.20A	355.70B/339.20A	----	344.10 - 13.70	.5521	----	----	----	----	32 UNCH
4410	----	----	----/342.70A	358.90B/342.70A	----	347.20 - 13.80	.5549	----	----	----	----	1 UNCH
4450	----	----	----/368.30A	384.70B/368.30A	----	372.60 - 14.30	.5773	----	----	----	----	15 UNCH
4470	----	----	----/381.20A	398.10B/381.20A	----	385.60 - 14.50	.5882	----	----	----	----	1 UNCH
4490	----	----	----/394.40A	411.70B/394.40A	----	398.80 - 14.80	.5990	----	----	----	----	1 UNCH
4495	----	----	----/397.70A	415.10B/397.70A	----	402.20 - 14.80	.6017	----	----	----	----	1 UNCH
4500	----	----	----/401.00A	418.60B/401.00A	----	405.50 - 14.90	.6043	----	----	----	----	24 UNCH
4510	----	----	----/407.70A	425.60B/407.70A	----	412.30 - 15.00	.6096	----	----	----	----	4 UNCH
4550	----	----	----/435.10A	453.80B/435.10A	----	440.00 - 15.30	.6302	----	----	----	----	1 UNCH
4575	----	----	----/452.60A	471.90B/452.60A	----	457.80 - 15.40	.6426	----	----	----	----	1 UNCH
4600	----	----	----/470.50A	490.30B/470.50A	----	476.00 - 15.50	.6546	----	----	----	----	6 UNCH
4640	----	----	----/499.50A	520.30B/499.50A	----	505.70 - 15.60	.6733	----	----	----	----	1 UNCH
4650	----	----	----/506.90A	527.90B/506.90A	----	513.20 - 15.70	.6778	----	----	----	----	100 UNCH
4700	----	----	----/544.70A	566.60B/544.70A	----	551.30 - 16.00	.6999	----	----	----	----	71 UNCH
4725	----	----	----/563.80A	586.30B/563.80A	----	570.70 - 16.20	.7104	----	----	----	----	1 UNCH
4760	----	----	----/591.20A	614.40B/591.20A	----	598.20 - 16.40	.7247	----	----	----	----	1 UNCH
4775	----	----	----/603.00A	626.50B/603.00A	----	610.20 - 16.40	.7306	----	----	----	----	3 UNCH
5050	----	----	----	686.00B/924.90A	----	842.60 - 16.90	.8196	----	----	----	----	1 UNCH
5150	----	----	----	695.00B/1194.40A	----	931.80 - 17.00	.8440	----	----	11	----	347 + 8
TOTAL										30	259	2214 + 266
JUN27												
2000	----	----	----	1.10B/2.40A	----	1.80 - 0.10	.0040	----	----	----	----	2 UNCH
2100	----	----	----	1.50B/2.90A	----	2.20 - 0.10	.0050	----	----	----	----	1 UNCH
2400	----	----	----	3.20B/4.90A	----	4.10 - 0.20	.0098	----	----	----	----	2 UNCH
2600	----	----	----	5.20B/7.10A	----	6.20 - 0.20	.0152	----	----	----	----	2 UNCH
2800	----	----	----	8.50B/10.50A	----	9.40 - 0.40	.0237	----	----	----	----	216 UNCH
2900	----	----	----	10.90B/12.90A	----	11.70 - 0.50	.0297	----	----	----	----	1 UNCH
3000	----	----	----	14.00B/15.90A	----	14.70 - 0.60	.0374	----	----	----	----	118 UNCH
3300	----	----	----/30.80A	31.10B/30.80A	----	30.20 - 1.40	.0754	----	----	----	----	119 UNCH
3500	51.20	51.20	52.80B/50.40A	52.80B/50.40A	----	49.80 - 2.50	.1193	----	----	1	----	797 + 1
3550	----	----	59.80B/56.90A	59.80B/56.90A	----	56.40 - 2.90	.1333	----	----	----	----	1 UNCH
3575	----	----	63.70B/59.90A	63.70B/59.90A	----	60.10 - 3.00	.1409	----	----	----	----	2 UNCH
3600	----	----	67.80B/63.70A	67.80B/63.70A	----	63.90 - 3.30	.1487	----	----	----	----	410 UNCH
3625	----	----	72.20B/67.80A	72.20B/67.80A	----	68.00 - 3.50	.1569	----	----	----	----	455 UNCH
3650	----	----	76.80B/72.20A	76.80B/72.20A	----	72.40 - 3.70	.1655	----	----	----	----	2 UNCH
3655	----	----	77.90B/73.00A	77.90B/73.00A	----	73.30 - 3.70	.1673	----	----	----	----	1 UNCH
3675	----	----	81.80B/76.60A	81.80B/76.60A	----	77.00 - 3.90	.1744	----	----	----	----	4 UNCH
3700	----	----	87.20B/81.30A	87.20B/81.30A	----	81.90 - 4.10	.1837	----	----	7	----	2414 + 7
3725	----	----	92.80B/86.30A	92.80B/86.30A	----	87.00 - 4.40	.1933	----	----	----	----	6 UNCH
3750	----	----	98.30B/91.70A	98.30B/91.70A	----	92.50 - 4.60	.2033	----	----	----	----	140 UNCH
3775	----	----	104.50B/97.50A	104.50B/97.50A	----	98.20 - 4.90	.2136	----	----	----	----	13 UNCH
3785	----	----	107.00B/99.60A	107.00B/99.60A	----	100.60 - 5.00	.2179	----	----	----	----	2 UNCH
3800	----	----	110.90B/103.20A	110.90B/103.20A	----	104.20 - 5.30	.2242	----	----	----	----	588 UNCH
3805	----	----	112.20B/104.60A	112.20B/104.60A	----	105.50 - 5.30	.2264	----	----	----	----	1 UNCH
3850	----	----	124.80B/116.20A	124.80B/116.20A	----	117.30 - 5.80	.2466	----	----	----	----	150 UNCH
3875	----	----	132.10B/123.10A	132.10B/123.10A	----	124.30 - 6.20	.2582	----	----	----	----	1 UNCH
3900	----	----	140.00B/130.10A	140.00B/130.10A	----	131.70 - 6.50	.2701	----	----	----	----	400 UNCH
3925	----	----	148.10B/138.00A	148.10B/138.00A	----	139.50 - 6.80	.2824	----	----	----	----	150 UNCH
3950	----	----	156.70B/145.80A	156.70B/145.80A	----	147.60 - 7.10	.2949	----	----	----	100	551 - 100
3970	----	----	163.70B/152.40A	163.70B/152.40A	----	154.30 - 7.40	.3050	----	----	----	----	260 UNCH
4000	----	----	174.70B/162.60A	174.70B/162.60A	----	164.90 - 7.80	.3206	----	----	----	----	1309 UNCH
4025	----	----	184.40B/171.70A	184.40B/171.70A	----	174.10 - 8.20	.3338	----	----	----	----	1 UNCH
4050	----	----	194.40B/180.80A	194.40B/180.80A	----	183.70 - 8.60	.3471	----	----	----	----	689 UNCH
4075	----	----	205.00B/190.60A	205.00B/190.60A	----	193.70 - 8.90	.3607	----	----	----	----	325 UNCH
4100	----	----	215.70B/201.00A	215.70B/201.00A	----	204.10 - 9.30	.3744	----	----	----	----	151 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN27												
4110	----	----	220.30B/205.10A	220.30B/205.10A	----	208.40 - 9.40	.3800	----	----	----	----	44 UNCH
4130	----	----	229.50B/213.50A	229.50B/213.50A	----	217.10 - 9.70	.3911	----	----	----	----	20 UNCH
4140	----	----	234.20B/217.90A	234.20B/217.90A	----	221.60 - 9.80	.3966	----	----	----	----	1 UNCH
4145	----	----	236.40B/220.50A	236.40B/220.50A	----	223.80 - 10.00	.3994	----	----	----	----	100 UNCH
4185	----	----	255.90B/238.50A	255.90B/238.50A	----	242.50 - 10.40	.4219	----	----	----	----	55 UNCH
4190	----	----	258.40B/240.70A	258.40B/240.70A	----	244.90 - 10.50	.4247	----	----	----	----	1 UNCH
4195	----	----	260.70B/243.00A	260.70B/243.00A	----	247.30 - 10.60	.4275	----	----	----	----	20 UNCH
4200	----	----	263.30B/245.60A	263.30B/245.60A	----	249.70 - 10.70	.4303	----	----	----	----	301 UNCH
4205	----	----	265.30B/247.80A	265.30B/247.80A	----	252.20 - 10.70	.4332	----	----	----	----	2 UNCH
4230	----	----	279.10B/260.10A	279.10B/260.10A	----	264.60 - 11.10	.4473	----	----	----	----	44 UNCH
4240	----	----	284.00B/265.00A	284.00B/265.00A	----	269.70 - 11.30	.4529	----	----	----	----	1 UNCH
4250	----	----	289.40B/270.30A	289.40B/270.30A	----	274.90 - 11.40	.4586	----	----	----	----	1 UNCH
4285	----	----	308.70B/288.60A	308.70B/288.60A	----	293.50 - 11.80	.4782	----	----	----	----	100 UNCH
4300	----	----	316.90B/296.50A	316.90B/296.50A	----	301.70 - 12.00	.4866	----	----	----	----	280 UNCH
4325	----	----	331.60B/311.40A	331.60B/311.40A	----	315.60 - 12.40	.5005	----	----	----	----	280 UNCH
4350	----	----	346.60B/326.10A	346.60B/326.10A	----	330.00 - 12.70	.5142	----	----	----	----	4 UNCH
4360	----	----	----/331.90A	348.60B/331.90A	----	335.80 - 12.80	.5196	----	----	----	----	1 UNCH
4365	----	----	----/335.20A	351.60B/335.20A	----	338.80 - 12.80	.5223	----	----	----	----	1 UNCH
4370	----	----	354.80B/338.20A	354.80B/338.20A	----	341.70 - 13.00	.5250	----	----	----	----	1 UNCH
4375	----	----	----/341.00A	357.70B/341.00A	----	344.70 - 13.00	.5277	----	----	----	----	34 UNCH
4380	----	----	360.90B/343.80A	360.90B/343.80A	----	347.70 - 13.00	.5304	----	----	----	----	3 UNCH
4385	----	----	363.90B/346.70A	363.90B/346.70A	----	350.70 - 13.10	.5331	----	----	----	----	1 UNCH
4390	----	----	367.00B/349.80A	367.00B/349.80A	----	353.70 - 13.20	.5358	----	----	----	----	1 UNCH
4400	----	----	373.30B/356.40A	373.30B/356.40A	----	359.80 - 13.30	.5411	----	----	----	----	29 UNCH
4405	----	----	376.30B/359.40A	376.30B/359.40A	----	362.90 - 13.30	.5438	----	----	----	----	1 UNCH
4410	----	----	379.50B/362.40A	379.50B/362.40A	----	366.00 - 13.30	.5464	----	----	----	----	3 UNCH
4415	----	----	382.70B/365.50A	382.70B/365.50A	----	369.10 - 13.40	.5491	----	----	----	----	3 UNCH
4420	----	----	385.80B/368.60A	385.80B/368.60A	----	372.20 - 13.50	.5517	----	----	----	----	4 UNCH
4430	----	----	392.30B/374.80A	392.30B/374.80A	----	378.40 - 13.60	.5569	----	----	----	----	1 UNCH
4435	----	----	395.40B/377.90A	395.40B/377.90A	----	381.60 - 13.60	.5595	----	----	----	----	1 UNCH
4450	----	----	405.20B/387.30A	405.20B/387.30A	----	391.10 - 13.80	.5673	----	----	----	----	10 UNCH
4460	----	----	411.80B/393.60A	411.80B/393.60A	----	397.60 - 13.90	.5725	----	----	----	----	2 UNCH
4470	----	----	418.30B/400.00A	418.30B/400.00A	----	404.10 - 13.90	.5775	----	----	----	----	1 UNCH
4490	----	----	431.70B/413.00A	431.70B/413.00A	----	417.20 - 14.20	.5876	----	----	----	----	3 UNCH
4495	----	----	435.10B/416.30A	435.10B/416.30A	----	420.50 - 14.20	.5901	----	----	----	----	1 UNCH
4500	----	----	438.50B/419.60A	438.50B/419.60A	----	423.90 - 14.20	.5926	----	----	----	----	1387 UNCH
4505	----	----	441.80B/422.90A	441.80B/422.90A	----	427.20 - 14.30	.5951	----	----	----	----	1 UNCH
4515	----	----	448.70B/429.60A	448.70B/429.60A	----	433.90 - 14.40	.6000	----	----	----	----	1 UNCH
4545	----	----	469.50B/449.80A	469.50B/449.80A	----	454.40 - 14.70	.6146	----	----	----	----	1 UNCH
4550	----	----	----/453.20A	470.90B/453.20A	----	457.90 - 14.70	.6170	----	----	----	----	92 UNCH
4600	----	----	----/488.10A	506.80B/488.10A	----	493.20 - 15.00	.6402	----	----	----	----	1 UNCH
4605	----	----	----/491.70A	510.50B/491.70A	----	496.80 - 15.00	.6425	----	----	----	----	1 UNCH
4620	----	----	----/502.40A	521.50B/502.40A	----	507.60 - 15.20	.6492	----	----	----	----	1 UNCH
4625	----	----	----/506.00A	525.20B/506.00A	----	511.20 - 15.30	.6515	----	----	----	----	38 UNCH
4650	----	----	----/524.10A	543.90B/524.10A	----	529.60 - 15.40	.6624	----	----	----	----	250 UNCH
4655	----	----	----/527.80A	547.60B/527.80A	----	533.30 - 15.40	.6646	----	----	----	----	5 UNCH
4680	----	----	----/546.20A	566.60B/546.20A	----	552.00 - 15.50	.6753	----	----	----	----	1 UNCH
4700	----	----	----/561.20A	581.90B/561.20A	----	567.10 - 15.60	.6835	----	----	----	----	75 UNCH
4760	----	----	----/607.10A	628.90B/607.10A	----	613.40 - 15.90	.7073	----	----	----	----	15 UNCH
4790	----	----	----/630.50A	652.90B/630.50A	----	637.10 - 16.00	.7186	----	----	----	----	30 UNCH
4850	----	----	701.70B/678.10A	701.70B/678.10A	----	685.40 - 16.10	.7400	----	----	----	----	59 UNCH
4865	----	----	714.00B/690.30A	714.00B/690.30A	----	697.60 - 16.20	.7451	----	----	----	----	75 UNCH
4900	----	----	743.10B/718.80A	743.10B/718.80A	----	726.50 - 16.20	.7567	----	----	----	----	1 UNCH
4905	----	----	747.30B/722.90A	747.30B/722.90A	----	730.70 - 16.20	.7583	----	----	----	----	1 UNCH
5000	----	----	828.30B/802.50A	828.30B/802.50A	----	810.90 - 16.40	.7869	----	----	----	----	3 UNCH
5085	----	----	----/875.50A	873.70B/875.50A	----	884.60 - 16.50	.8094	----	----	----	----	150 UNCH
5600	----	----	----	1340.80B/1413.00A	----	1357.80 - 16.80	.9013	----	----	----	----	1 UNCH
5800	----	----	----	1534.40B/1603.60A	----	1549.70 - 16.90	.9223	----	----	----	----	1 UNCH
TOTAL										8	100	12829 - 92
JUL27												
3000	----	----	----	15.90B/19.70A	----	17.60 - 0.50	.0412	----	----	----	----	1 UNCH
3300	----	----	----/35.50A	35.20B/35.50A	----	34.80 - 1.30	.0797	----	----	----	----	1 UNCH
3500	----	----	58.30B/57.20A	58.30B/57.20A	----	55.40 - 2.70	.1222	----	----	----	----	3 UNCH
3610	----	----	75.60B/71.80A	75.60B/71.80A	----	71.70 - 3.60	.1533	----	----	----	----	7 UNCH
3625	----	----	78.50B/74.20A	78.50B/74.20A	----	74.20 - 3.80	.1579	----	----	----	----	1 UNCH
3750	----	----	104.80B/98.50A	104.80B/98.50A	----	99.00 - 5.00	.2014	----	----	----	----	1 UNCH
3800	----	----	117.10B/110.10A	117.10B/110.10A	----	110.90 - 5.50	.2209	----	----	----	----	7 UNCH
3875	----	----	138.30B/129.70A	138.30B/129.70A	----	130.90 NEW	.2523	----	----	1	----	1 + 1
3900	----	----	145.90B/137.00A	145.90B/137.00A	----	138.20 - 6.40	.2633	----	----	----	----	15 UNCH
3905	----	----	147.60B/138.40A	147.60B/138.40A	----	139.70 - 6.50	.2655	----	----	----	----	3 UNCH
3930	147.00	147.00	155.50B/146.00A	155.50B/146.00A	----	147.30 NEW	.2767	----	----	14	----	14 + 14
4050	----	----	198.80B/186.70A	198.80B/186.70A	----	188.70 - 8.10	.3339	----	----	----	----	5 UNCH
4150	----	----	241.50B/227.10A	241.50B/227.10A	----	229.20 - 9.50	.3846	----	----	----	----	1 UNCH
4200	----	----	265.10B/249.40A	265.10B/249.40A	----	251.80 - 10.00	.4106	----	----	----	----	1 UNCH
4310	----	----	322.30B/303.90A	322.30B/303.90A	----	306.90 - 11.50	.4684	----	----	----	----	3 UNCH
4315	----	----	325.00B/305.90A	325.00B/305.90A	----	309.60 - 11.50	.4710	----	----	----	----	2 UNCH
4325	----	----	330.70B/311.20A	330.70B/311.20A	----	315.00 - 11.70	.4762	----	----	----	----	2 UNCH
4335	----	----	336.30B/316.70A	336.30B/316.70A	----	320.50 - 11.80	.4814	----	----	----	----	1 UNCH
4340	----	----	339.20B/320.20A	339.20B/320.20A	----	323.20 - 11.90	.4840	----	----	----	----	5 UNCH
4350	----	----	344.60B/325.40A	344.60B/325.40A	----	328.80 - 12.00	.4892	----	----	----	----	1 UNCH
4360	----	----	347.30B/331.00A	347.30B/331.00A	----	334.40 - 12.20	.4943	----	----	----	----	2 UNCH
4370	----	----	----/336.80A	348.80B/336.80A	----	340.10 - 12.30	.4994	----	----	----	----	3 UNCH
4375	----	----	----/340.40A	351.70B/340.40A	----	343.00 - 12.30	.5020	----	----	----	----	2 UNCH
4390	----	----	----/348.50A	360.60B/348.50A	----	351.70 - 12.50	.5096	----	----	----	----	5 UNCH
4400	----	----	----/355.10A	366.50B/355.10A	----	357.60 - 12.60	.5147	----	----	----	----	5 UNCH
4475	----	----	----/400.30A	412.90B/400.30A	----	403.40 - 13.40	.5517	----	----	----	----	3 UNCH
4500	----	----	----/418.00A	432.60B/418.00A	----	419.40 - 13.60	.5638	----	----	----	----	3 UNCH
4535	----	----	----/438.30A	452.10B/438.30A	----	442.30 - 13.90	.5802	----	----	----	----	3 UNCH
4540	----	----	----/441.70A	455.40B/441.70A	----	445.60 - 13.90	.5826	----	----	----	----	1 UNCH
4565	----	----	----/458.10A	472.40B/458.10A	----	462.30 - 14.20	.5940	----	----	----	----	1 UNCH
TOTAL										15		103 + 15
AUG27												
3000	----	----	----	19.70B/23.90A	----	21.50 + 0.10	.0470	----	----	----	----	1 UNCH
3400	----	----	----	52.20B/54.40A	----	52.50 - 1.90	.1091	----	----	----	----	1 UNCH
3500	----	----	----/66.60A	67.30B/66.60A	----	65.50 - 2.60	.1331	----	----	----	----	1 UNCH
3950	----	----	----/169.60A	175.30B/169.60A	----	169.60 - 6.80	.2930	----	----	----	----	100 UNCH
4000	----	----	----/186.90A	193.20B/186.90A	----	186.80 - 7.40	.3154	----	----	----	----	14 UNCH
4065	----	----	----/211.30A	218.50B/211.30A	----	211.30 - 8.10	.3457	----	----	----	----	300 UNCH
4185	----	----	----/261.90A	272.10B/261.90A	----	262.80 - 9.50	.4038	----	----	----	----	2 UNCH
4200	----	----	----/268.90A	279.20B/268.90A	----	269.90 - 9.60	.4112	----	----	----	----	3 UNCH
4220	----	----	----/278.40A	288.70B/278.40A	----	279.50 - 9.90	.4211	----	----	----	----	3 UNCH
4310	----	----	----/323.80A	336.00B/323.80A	----	325.60 - 11.10	.4656	----	----	----	----	2 UNCH
4315	----	----	----/326.40A	338.70B/326.40A	----	328.30 - 11.20	.4680	----	----	----	----	3 UNCH
4320	----	----	----/329.00A	341.10B/329.00A	----	331.10 - 11.20	.4704	----	----	----	----	1 UNCH
4350	----	----	----/345.30A	354.60B/345.30A	----	347.70 - 11.60	.4850	----	----	----	----	1 UNCH
4355	----	----	----/348.00A	357.50B/348.00A	----	350.50 - 11.70	.4875	----	----	----	----	1 UNCH
4360	----	----	----/350.70A	360.30B/350.70A	----	353.40 - 11.70	.4899	----	----	----	----	1 UNCH
4465	----	----	----/415.70A	423.70B/415.70A	----	416.00 - 13.00	.5392	----	----	----	----	1 UNCH
4505	----	----	----/440.50A	449.30B/440.50A	----	441.30 - 13.50	.5574	----	----	----	----	2 UNCH
4535	----	----	----/459.60A	469.00B/459.60A	----	460.80 - 13.70	.5706	----	----	----	----	2 UNCH
4555	----	----	----/472.50A	482.40B/472.50A	----	474.00 - 13.90	.5794	----	----	----	----	2 UNCH
4565	----	----	----/479.10A	489.10B/479.10A	----	480.70 - 13.90	.5837	----	----	----	----	1 UNCH
4600	----	----	----/502.40A	513.10B/502.40A	----	504.40 - 14.10	.5985	----	----	----	----	1 UNCH
4665	----	----	----/547.10A	559.10B/547.10A	----	549.70 - 14.50	.6252	----	----	----	----	1 UNCH
TOTAL												444 0
SEP27												
3825	----	----	----	28.20B/249.50A	----	150.30 - 5.00	.2424	----	----	----	----	1 UNCH
3850	----	----	----	34.00B/257.80A	----	156.50 - 5.20	.2511	----	----	----	----	1 UNCH
4115	----	----	----	108.00B/368.50A	----	240.30 - 7.70	.3567	----	----	----	----	300 UNCH
4150	----	----	----	120.30B/386.30A	----	254.20 - 8.10	.3723	----	----	----	----	50 UNCH
TOTAL												352 0
OCT27												
3900	----	----	----	----	----	177.70 - 5.00	.2723	----	----	----	----	200 UNCH
TOTAL												200 0
DEC27												
2800	----	----	----/45.00A	----/45.00A	----	44.70 - 1.20	.0623	----	----	----	----	16 UNCH
3700	----	----	----	----	----	156.70 - 3.90	.2144	----	----	----	----	100 UNCH
3715	----	----	----	----	----	160.20 - 4.00	.2185	----	----	----	----	150 UNCH
3820	----	----	----	----	----	187.00 - 4.50	.2496	----	----	----	----	50 UNCH
4130	----	----	----	----	----	292.50 - 6.30	.3564	----	----	----	----	68 UNCH
4500	----	----	----	----	----	476.10 - 8.60	.4979	----	----	----	----	170 UNCH
4630	----	----	----	----	----	555.20 - 9.40	.5451	----	----	----	----	284 UNCH
4860	----	----	----	----	----	711.50 - 10.60	.6208	----	----	----	----	100 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 20

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC27												
5000	----	----	----	----	----	815.50 - 11.20	.6612	----	----	----	----	50 UNCH
5650	----	----	----	----	----	1357.40 - 13.50	.7968	----	----	----	----	200 UNCH
5880	----	----	----	----	----	1564.00 - 14.10	.8294	----	----	----	----	200 UNCH
TOTAL												1388 0
JAN28												
5000	----	----	----	----	----	803.20 - 10.90	.6402	----	----	----	----	1 UNCH
5100	----	----	----	----	----	879.50 - 11.30	.6662	----	----	----	----	1 UNCH
TOTAL												2 0
FEB28												
4400	----	----	----	----	----	436.30 - 7.60	.4415	----	----	----	----	11 UNCH
TOTAL												11 0
MAY28												
4500	----	----	----	----	----	492.90 - 7.80	.4454	----	----	----	----	20 UNCH
TOTAL												20 0
JUL28												
4500	----	----	----	----	----	496.90 - 7.50	.4312	----	----	----	----	25 UNCH
TOTAL												25 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
NOV26												
3350	----	----	816.20B/780.60A	816.20B/780.60A	----	807.00 + 16.30	.9974	----	----	----	----	1 UNCH
3400	----	----	766.20B/730.70A	766.20B/730.70A	----	757.10 + 16.30	.9964	----	----	----	----	4 UNCH
3445	----	----	723.00B/686.10A	723.00B/686.10A	----	712.20 + 16.40	.9947	1	----	----	----	0 - 1
3450	----	----	716.20B/680.90A	716.20B/680.90A	----	707.20 + 16.30	.9947	154	----	----	----	0 - 154
3500	----	----	666.70B/630.90A	666.70B/630.90A	----	657.30 + 16.30	.9928	----	----	----	----	224 UNCH
3550	----	----	616.50B/581.40A	616.50B/581.40A	----	607.50 + 16.20	.9907	----	----	----	----	8 UNCH
3600	----	----	567.30B/531.80A	567.30B/531.80A	----	557.80 + 16.10	.9878	----	----	----	----	3 UNCH
3700	----	----	468.60B/433.30A	468.60B/433.30A	----	458.80 + 15.80	.9777	----	----	----	----	3 UNCH
3735	----	----	433.80B/398.50A	433.80B/398.50A	----	424.40 + 15.70	.9725	----	----	----	----	1 UNCH
3765	----	----	406.60B/369.40A	406.60B/369.40A	----	395.00 + 15.60	.9664	----	----	----	----	1 UNCH
3775	----	----	395.40B/359.40A	395.40B/359.40A	----	385.20 + 15.50	.9643	----	----	----	----	1 UNCH
3780	----	----	389.70B/355.10A	389.70B/355.10A	----	380.30 + 15.40	.9632	----	----	----	----	1 UNCH
3800	----	----	371.00B/335.40A	371.00B/335.40A	----	360.90 + 15.30	.9574	----	----	----	----	4 UNCH
3820	----	----	352.10B/316.00A	352.10B/316.00A	----	341.50 + 15.10	.9512	----	----	----	----	1 UNCH
3825	----	----	346.20B/311.60A	346.20B/311.60A	----	336.70 + 15.10	.9493	----	----	----	----	1 UNCH
3830	----	----	341.30B/306.40A	341.30B/306.40A	----	331.90 + 15.10	.9480	----	----	----	----	1 UNCH
3840	312.00	312.00	332.30B/297.00A	332.30B/297.00A	----	322.20 + 14.90	.9441	----	----	1	----	7 UNCH
3850	298.60	298.60	324.20B/287.40A	324.20B/287.40A	----	312.70 + 14.80	.9400	----	----	1	----	4 + 1
3865	----	----	310.90B/272.60A	310.90B/272.60A	----	298.40 + 14.60	.9331	----	----	----	----	4 UNCH
3870	----	----	306.10B/267.90A	306.10B/267.90A	----	293.70 + 14.50	.9303	----	----	----	----	2 UNCH
3875	----	----	301.30B/263.20A	301.30B/263.20A	----	288.90 + 14.40	.9275	----	----	----	----	1 UNCH
3880	277.10	277.10	296.60B/258.60A	296.60B/258.60A	----	284.20 + 14.30	.9247	----	----	1	----	2 UNCH
3885	----	----	291.90B/254.00A	291.90B/254.00A	----	279.50 + 14.20	.9224	----	----	----	----	1 UNCH
3890	----	----	287.20B/249.40A	287.20B/249.40A	----	274.80 + 14.10	.9189	----	----	----	----	2 UNCH
3900	----	----	277.80B/240.20A	277.80B/240.20A	----	265.50 + 13.90	.9130	----	----	----	----	4 UNCH
3905	----	----	273.10B/235.70A	273.10B/235.70A	----	260.90 + 13.90	.9093	----	----	----	----	2 UNCH
3910	----	----	268.50B/231.10A	268.50B/231.10A	----	256.30 + 13.80	.9057	----	----	----	----	1 UNCH
3915	----	----	263.80B/226.60A	263.80B/226.60A	----	251.70 + 13.70	.9020	----	----	----	----	1 UNCH
3920	----	----	259.20B/222.10A	259.20B/222.10A	----	247.10 + 13.50	.8982	----	----	----	----	5 UNCH
3925	----	----	254.60B/217.70A	254.60B/217.70A	----	242.50 + 13.40	.8945	----	----	----	----	51 UNCH
3930	----	----	250.00B/213.30A	250.00B/213.30A	----	238.00 + 13.30	.8901	----	----	----	----	1 UNCH
3935	----	----	245.40B/208.90A	245.40B/208.90A	----	233.50 + 13.20	.8862	----	----	----	----	2 UNCH
3940	----	----	240.90B/204.50A	240.90B/204.50A	----	229.00 + 13.10	.8817	----	----	----	----	13 UNCH
3945	----	----	236.30B/200.10A	236.30B/200.10A	----	224.50 + 12.90	.8772	----	----	----	----	1 UNCH
3950	----	----	231.80B/195.80A	231.80B/195.80A	----	220.00 + 12.70	.8721	----	----	----	----	1 UNCH
3955	----	----	227.40B/191.50A	227.40B/191.50A	----	215.60 + 12.60	.8675	----	----	----	----	1 UNCH
3960	----	----	222.90B/187.20A	222.90B/187.20A	----	211.20 + 12.50	.8623	----	----	----	----	2 UNCH
3980	----	----	205.30B/170.50A	205.30B/170.50A	----	193.90 + 11.90	.8395	----	----	----	----	1 UNCH
3985	----	----	201.00B/166.50A	201.00B/166.50A	----	189.60 + 11.70	.8336	----	----	----	----	1 UNCH
3990	----	----	196.70B/162.40A	196.70B/162.40A	----	185.40 + 11.50	.8276	----	----	----	----	3 UNCH
3995	----	----	192.40B/158.40A	192.40B/158.40A	----	181.20 + 11.30	.8211	----	----	----	----	2 UNCH
4000	----	----	188.20B/154.40A	188.20B/154.40A	----	177.00 + 11.10	.8140	----	----	----	----	408 UNCH
4005	----	----	184.00B/150.50A	184.00B/150.50A	----	172.90 + 10.90	.8074	----	----	----	----	3 UNCH
4010	----	----	179.80B/146.60A	179.80B/146.60A	----	168.80 + 10.70	.7999	----	----	----	----	4 UNCH
4015	----	----	175.70B/142.80A	175.70B/142.80A	----	164.80 + 10.50	.7927	----	----	----	----	3 UNCH
4020	----	----	171.60B/139.00A	171.60B/139.00A	----	160.80 + 10.30	.7850	----	----	----	----	3 UNCH
4030	----	----	163.50B/131.50A	163.50B/131.50A	----	152.90 + 9.90	.7692	----	----	----	----	174 UNCH
4035	----	----	159.50B/127.90A	159.50B/127.90A	----	149.00 + 9.70	.7611	----	----	----	----	2 UNCH
4040	----	----	155.50B/124.30A	155.50B/124.30A	----	145.20 + 9.50	.7525	----	----	----	----	4 UNCH
4045	----	----	151.60B/120.70A	151.60B/120.70A	----	141.40 + 9.30	.7438	----	----	----	----	1 UNCH
4050	133.20	133.20	147.80B/117.30A	147.80B/117.30A	----	137.60 + 9.00	.7352	----	----	1	----	368 - 1
4055	----	----	144.00B/113.90A	144.00B/113.90A	----	133.90 + 8.70	.7261	----	----	----	----	3 UNCH
4060	----	----	140.20B/110.50A	140.20B/110.50A	----	130.30 + 8.60	.7167	----	----	----	----	3 UNCH
4065	122.40	122.40	136.50B/107.10A	136.50B/107.10A	----	126.70 + 8.30	.7075	----	----	1	----	21 + 1
4070	119.10	119.10	132.80B/103.90A	132.80B/103.90A	----	123.10 + 8.00	.6977	----	----	5	----	10 + 5
4075	----	----	129.30B/100.70A	129.30B/100.70A	----	119.70 + 7.90	.6879	----	----	----	----	7 UNCH
4080	----	----	125.80B/97.50A	125.80B/97.50A	----	116.20 + 7.50	.6781	----	----	----	----	40 UNCH
4085	114.40	114.40	122.40B/94.40A	122.40B/94.40A	----	112.80 + 7.30	.6677	----	----	1	----	86 + 1
4090	----	----	119.00B/91.40A	119.00B/91.40A	----	109.50 + 7.10	.6575	----	----	----	----	20 UNCH
4095	105.50	105.50	115.70B/88.30A	115.70B/88.30A	----	106.20 + 6.80	.6470	----	----	3	----	20 + 1
4100	100.00	100.00	112.40B/85.40A	112.40B/85.40A	----	103.00 + 6.50	.6364	----	----	20	----	493 - 4
4105	92.10	92.10	109.20B/82.60A	109.20B/82.60A	----	99.90 + 6.40	.6255	----	----	9	----	21 + 4
4110	94.00	94.00	106.10B/79.80A	106.10B/79.80A	----	96.80 + 6.10	.6146	----	----	17	----	23 - 2
4115	89.10	89.10	103.00B/77.10A	103.00B/77.10A	----	93.70 + 5.80	.6036	----	----	13	----	23 UNCH
4120	87.30	87.30	99.90B/74.40A	99.90B/74.40A	----	90.80 + 5.70	.5925	----	----	6	----	37 + 5
4125	80.50	80.50	97.10B/71.80A	97.10B/71.80A	----	87.90 + 5.50	.5813	----	----	19	----	160 - 3
4130	78.40	78.40	94.20B/69.30A	94.20B/69.30A	----	85.00 + 5.20	.5699	----	----	16	----	30 + 5
4135	71.60	71.60	91.30B/66.80A	91.30B/66.80A	----	82.20 + 5.00	.5586	----	----	17	----	82 - 2
4140	74.80	74.80	88.50B/64.40A	88.50B/64.40A	----	79.50 + 4.80	.5472	----	----	79	----	39 + 3
4145	72.30	72.30	85.80B/62.00A	85.80B/62.00A	----	76.80 + 4.60	.5357	----	----	40	----	55 + 26
4150	75.80	75.80	83.00B/59.70A	83.00B/59.70A	----	74.20 + 4.40	.5242	----	----	58	----	616 UNCH
4155	75.00	75.00	80.50B/57.50A	80.50B/57.50A	----	71.70 + 4.20	.5126	----	----	72	----	79 + 4
4160	70.70	70.70	77.80B/55.40A	77.80B/55.40A	----	69.20 + 4.00	.5011	----	----	72	----	96 + 9
4165	68.40	68.40	75.30B/53.30A	75.30B/53.30A	----	66.70 + 3.70	.4895	----	----	22	----	45 + 4
4170	64.40	64.40	72.80B/51.20A	72.80B/51.20A	----	64.30 + 3.40	.4779	----	----	28	----	61 + 6
4175	64.00	64.00	70.40B/49.30A	70.40B/49.30A	----	62.00 + 3.20	.4664	----	----	42	----	135 - 6
4180	63.70	63.70	68.00B/47.40A	68.00B/47.40A	----	59.80 + 3.10	.4550	----	----	13	----	66 - 2
4185	----	----	65.70B/45.50A	65.70B/45.50A	----	57.60 + 2.80	.4435	----	----	1	----	101 - 1
4190	62.10	62.10	63.60B/43.70A	63.60B/43.70A	----	55.40 + 2.60	.4321	----	----	44	----	70 - 9
4195	54.10	54.10	61.30B/42.00A	61.30B/42.00A	----	53.40 + 2.40	.4209	----	----	19	----	62 + 7
4200	56.50	56.50	59.50/40.30A	59.50/40.30A	----	51.40 + 2.20	.4097	----	----	270	----	1117 + 47
4205	53.00	53.00	57.10B/38.70A	57.10B/38.70A	----	49.40 + 2.00	.3985	----	----	1	----	35 + 1
4210	47.10	47.10	55.00B/37.10A	55.00B/37.10A	----	47.50 + 1.80	.3874	----	----	11	----	155 + 1
4215	47.00	47.00	53.10B/35.60A	53.10B/35.60A	----	45.70 + 1.70	.3766	----	----	11	----	28 + 3
4220	45.30	45.30	51.20B/34.10A	51.20B/34.10A	----	44.00 + 1.60	.3660	----	----	17	----	73 + 8
4225	46.60	46.60	49.40B/32.70A	49.40B/32.70A	----	42.20 + 1.40	.3552	----	----	11	----	303 - 1
4230	45.50	45.50	47.50B/31.40A	47.50B/31.40A	----	40.60 + 1.30	.3448	----	----	24	----	62 + 7
4235	34.60	34.60	45.80B/30.10A	45.80B/30.10A	----	39.00 + 1.10	.3345	----	----	2	----	132 + 1
4240	37.00	37.00	44.20B/28.80A	44.20B/28.80A	----	37.50 + 1.00	.3245	----	----	27	----	50 + 12
4245	32.90	32.90	42.50B/27.60	42.50B/27.60	----	36.00 + 0.90	.3145	----	----	11	----	83 UNCH
4250	35.30	35.30	40.90B/26.40	40.90B/26.40	----	34.50 + 0.70	.3045	----	----	84	----	933 + 45
4255	31.60	31.60	39.30B/25.30A	39.30B/25.30A	----	33.20 + 0.70	.2952	----	----	16	----	40 + 2
4260	31.90	31.90	37.90B/24.20A	37.90B/24.20A	----	31.80 + 0.60	.2856	----	----	2	----	29 + 2
4265	33.20	33.20	36.40B/23.20A	36.40B/23.20A	----	30.60 + 0.60	.2767	----	----	4	----	57 + 2
4270	30.60	30.60	35.00B/22.20A	35.00B/22.20A	----	29.30 + 0.40	.2675	----	----	15	----	48 + 11
4275	28.50	28.50	33.70B/21.10	33.70B/21.10	----	28.10 + 0.30	.2586	----	----	34	----	219 + 8
4280	20.70	20.70	32.40B/20.40A	32.40B/20.40A	----	27.00 + 0.30	.2502	----	----	12	----	46 + 12
4285	27.10	27.10	31.20B/19.50A	31.20B/19.50A	----	25.90 + 0.20	.2418	----	----	35	----	60 + 25
4290	27.10	27.10	29.90B/18.60A	29.90B/18.60A	----	24.80 + 0.10	.2335	----	----	6	----	116 - 1
4295	----	----	28.80B/17.80A	28.80B/17.80A	----	23.80 + 0.10	.2256	----	----	----	----	83 UNCH
4300	27.00	27.00	27.60B/17.10A	27.60B/17.10A	----	22.80 UNCH	.2177	----	----	478	200	2547 + 308
4305	18.90	18.90	26.50B/16.30A	26.50B/16.30A	----	21.90 UNCH	.2103	----	----	2	----	113 + 2
4310	19.80	19.80	25.50B/15.60A	25.50B/15.60A	----	21.00 UNCH	.2030	----	----	34	----	261 + 2
4315	21.20	21.20	24.50B/15.00A	24.50B/15.00A	----	20.10 - 0.10	.1957	----	----	21	----	44 + 7
4320	18.00	18.00	23.50B/14.30A	23.50B/14.30A	----	19.30 - 0.10	.1889	----	----	27	----	219 + 1
4325	21.10	21.10	22.60B/13.70A	22.60B/13.70A	----	18.50 - 0.20	.1822	----	----	26	----	560 + 6
4330	20.30	20.30	21.70B/13.10	21.70B/13.10	----	17.70 - 0.20	.1755	----	----	152	----	232 - 22
4335	20.00	20.00	20.80B/12.60A	20.80B/12.60A	----	17.00 - 0.20	.1693	----	----	1	----	416 UNCH
4340	15.90	15.90	20.00B/12.00A	20.00B/12.00A	----	16.30 - 0.20	.1632	----	----	19	----	118 - 7

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
NOV26												
4345	----	----	19.20B/11.50A	19.20B/11.50A	----	15.60 - 0.30	.1571	----	----	----	----	136 UNCH
4350	14.60	14.60	18.40B/11.00A	18.40B/11.00A	----	14.90 - 0.40	.1511	----	----	11	----	804 - 5
4355	----	----	17.70B/10.60A	17.70B/10.60A	----	14.30 - 0.40	.1456	----	----	----	----	61 UNCH
4360	----	----	16.90B/10.10A	16.90B/10.10A	----	13.70 - 0.40	.1402	----	----	1	----	118 UNCH
4365	----	----	16.30B/9.70A	16.30B/9.70A	----	13.20 - 0.30	.1354	----	----	----	----	33 UNCH
4370	15.10	15.10	15.60B/9.30A	15.60B/9.30A	----	12.60 - 0.40	.1301	----	----	12	----	53 + 9
4375	----	----	15.00B/8.90A	15.00B/8.90A	----	12.10 - 0.40	.1253	----	----	1	----	642 UNCH
4380	11.30	11.30	14.40B/8.50A	14.40B/8.50A	----	11.60 - 0.40	.1207	----	----	6	----	227 + 1
4385	9.70	9.70	13.80B/8.20A	13.80B/8.20A	----	11.10 - 0.50	.1160	----	----	1	----	122 - 1
4390	10.80	10.80	13.20B/7.80A	13.20B/7.80A	----	10.70 - 0.40	.1120	----	----	17	----	103 + 5
4395	9.80	9.80	12.70B/7.50A	12.70B/7.50A	----	10.20 - 0.50	.1074	----	----	25	----	95 + 18
4400	12.10	12.10	12.20/7.10	12.20/7.10	----	9.80 - 0.50	.1035	----	----	1285	----	3712 - 29
4405	10.20	10.20	11.70B/6.90A	11.70B/6.90A	----	9.40 - 0.50	.0996	----	----	6	----	53 - 4
4410	9.20	9.20	11.30B/6.60A	11.30B/6.60A	----	9.00 - 0.50	.0957	----	----	10	----	183 + 5
4415	9.80	9.80	10.80B/6.40A	10.80B/6.40A	----	8.60 - 0.60	.0919	----	----	4	----	67 + 4
4420	----	----	10.40B/6.10A	10.40B/6.10A	----	8.30 - 0.60	.0887	----	----	1	----	248 + 1
4425	7.60	7.60	10.00B/5.90A	10.00B/5.90A	----	7.90 - 0.60	.0849	----	----	10	----	590 UNCH
4430	----	----	9.60B/5.60A	9.60B/5.60A	----	7.60 - 0.60	.0818	----	----	----	----	148 UNCH
4435	----	----	9.20B/5.40A	9.20B/5.40A	----	7.30 - 0.60	.0788	----	----	----	----	109 UNCH
4440	----	----	8.90B/5.20A	8.90B/5.20A	----	7.00 - 0.60	.0757	----	----	----	----	227 UNCH
4445	----	----	8.50B/5.00A	8.50B/5.00A	----	6.70 - 0.60	.0727	----	----	----	----	110 UNCH
4450	7.60	7.60	8.20B/4.80A	8.20B/4.80A	----	6.50 - 0.60	.0705	----	----	73	----	1154 - 33
4455	6.00	6.00	7.90B/4.70A	7.90B/4.70A	----	6.20 - 0.60	.0675	----	----	3	----	68 - 3
4460	----	----	7.60B/4.50A	7.60B/4.50A	----	6.00 - 0.60	.0653	----	----	----	----	141 UNCH
4465	----	----	7.30B/4.30A	7.30B/4.30A	----	5.80 - 0.50	.0631	----	----	----	----	87 UNCH
4470	----	----	7.00B/4.20A	7.00B/4.20A	----	5.50 - 0.60	.0602	----	----	----	----	182 UNCH
4475	5.60	5.60	6.80B/4.00A	6.80B/4.00A	----	5.30 - 0.60	.0580	----	----	6	----	492 UNCH
4480	----	----	6.50B/3.90A	6.50B/3.90A	----	5.10 - 0.60	.0559	----	----	----	----	171 UNCH
4485	----	----	6.30B/3.70A	6.30B/3.70A	----	5.00 - 0.50	.0546	----	----	70	----	185 + 26
4490	----	----	6.10B/3.60A	6.10B/3.60A	----	4.80 - 0.60	.0525	----	----	----	----	82 UNCH
4495	----	----	5.80B/3.50A	5.80B/3.50A	----	4.60 - 0.60	.0504	----	----	----	----	501 UNCH
4500	5.30	5.30	5.60/3.40	5.60/3.40	----	4.40 - 0.60	.0483	----	----	650	----	3330 + 194
4505	----	----	5.40B/3.30A	5.40B/3.30A	----	4.30 - 0.60	.0471	----	----	----	----	112 UNCH
4510	----	----	5.20B/3.20A	5.20B/3.20A	----	4.10 - 0.60	.0450	----	----	1	----	3323 - 1
4515	----	----	5.10B/3.10A	5.10B/3.10A	----	4.00 - 0.50	.0438	----	----	----	----	51 UNCH
4520	----	----	4.90B/3.00A	4.90B/3.00A	----	3.90 - 0.50	.0426	----	----	----	----	329 UNCH
4525	3.50	3.50	4.70B/2.90A	4.70B/2.90A	----	3.70 - 0.60	.0406	----	----	7	----	844 - 7
4530	----	----	4.60B/2.80A	4.60B/2.80A	----	3.60 - 0.50	.0394	----	----	1	----	190 - 1
4535	2.90	2.90	4.40B/2.70A	4.40B/2.70A	----	3.50 - 0.50	.0383	----	----	2	----	116 UNCH
4540	----	----	4.30B/2.60A	4.30B/2.60A	----	3.40 - 0.50	.0371	----	----	----	----	173 UNCH
4545	----	----	4.10B/2.50A	4.10B/2.50A	----	3.20 - 0.50	.0352	----	----	----	----	48 UNCH
4550	3.40	3.40	4.00B/2.40A	4.00B/2.40A	----	3.10 - 0.50	.0340	----	----	7	----	1229 - 4
4555	3.00	3.00	3.90B/2.40A	3.90B/2.40A	----	3.00 - 0.50	.0329	----	----	1	----	159 + 1
4560	2.40	2.40	3.70B/2.30A	3.70B/2.30A	----	2.90 - 0.50	.0318	----	----	2	----	64 + 2
4565	----	----	3.60B/2.20A	3.60B/2.20A	----	2.80 - 0.50	.0307	----	----	----	----	107 UNCH
4570	----	----	3.50B/2.20A	3.50B/2.20A	----	2.80 - 0.40	.0304	----	----	----	----	49 UNCH
4575	2.00	2.00	3.40B/2.00	3.40B/2.00	----	2.70 - 0.40	.0293	----	----	3	----	346 + 1
4580	2.10	2.10	3.30B/2.10	3.30B/2.10	----	2.60 - 0.50	.0283	----	----	2	----	112 + 1
4585	2.30	2.30	3.20B/2.00A	3.20B/2.00A	----	2.50 - 0.50	.0272	----	----	1	----	197 UNCH
4590	2.00	2.00	3.10B/1.90A	3.10B/1.90A	----	2.40 - 0.50	.0261	----	----	1	----	188 UNCH
4595	----	----	3.00B/1.90A	3.00B/1.90A	----	2.40 - 0.40	.0259	----	----	----	----	122 UNCH
4600	2.90	2.90	2.90/1.80A	2.90/1.80A	----	2.30 - 0.50	.0249	----	----	115	----	4520 - 20
4605	1.80	1.80	2.80B/1.80	2.80B/1.80	----	2.20 - 0.50	.0239	----	----	1	----	93 + 1
4610	2.30	2.30	2.70B/1.80A	2.70B/1.80A	----	2.20 - 0.40	.0237	----	----	1	----	152 UNCH
4615	----	----	2.70B/1.70A	2.70B/1.70A	----	2.10 - 0.50	.0226	----	----	----	----	88 UNCH
4620	----	----	2.60B/1.70A	2.60B/1.70A	----	2.10 - 0.40	.0225	----	----	----	----	250 UNCH
4625	1.70	1.70	1.70/1.60A	2.50B/1.60A	----	2.00 - 0.50	.0215	----	----	2	----	135 + 2
4630	----	----	2.50B/1.60A	2.50B/1.60A	----	2.00 - 0.40	.0213	----	----	----	----	73 UNCH
4635	----	----	----/1.60A	2.40B/1.60A	----	1.90 - 0.50	.0203	----	----	----	----	102 UNCH
4640	2.50	2.50	2.50/1.50A	2.50/1.50A	----	1.90 - 0.40	.0201	----	----	18	----	217 - 2
4645	1.50	1.50	1.50/1.40	2.30B/1.40	----	1.80 - 0.50	.0192	----	----	8	----	152 - 2
4650	2.30	2.30	2.40/1.40	2.40/1.40	----	1.80 - 0.40	.0190	----	----	115	----	1481 + 68
4655	----	----	----/1.40A	2.10B/1.40A	----	1.70 - 0.50	.0180	----	----	----	----	207 UNCH
4660	----	----	----/1.40A	2.10B/1.40A	----	1.70 - 0.40	.0179	----	----	----	----	165 UNCH
4665	----	----	----/1.40A	2.00B/1.40A	----	1.60 - 0.50	.0169	----	----	----	----	215 UNCH
4670	----	----	----/1.40A	2.00B/1.40A	----	1.60 - 0.40	.0168	----	----	----	----	141 UNCH
4675	----	----	----/1.30A	2.00B/1.30A	----	1.60 - 0.40	.0167	----	----	----	----	714 UNCH
4680	----	----	----/1.30A	1.90B/1.30A	----	1.50 - 0.40	.0157	----	----	----	----	213 UNCH
4685	----	----	----/1.30A	1.90B/1.30A	----	1.50 - 0.40	.0156	----	----	----	----	214 UNCH
4690	----	----	----/1.30A	1.80B/1.30A	----	1.50 - 0.40	.0155	----	----	----	----	260 UNCH
4695	----	----	----/1.20A	1.80B/1.20A	----	1.40 - 0.40	.0146	----	----	----	----	163 UNCH
4700	1.80	1.80	1.90/1.20	1.90/1.20	----	1.40 - 0.40	.0145	----	----	352	----	3852 - 107
4705	----	----	----/1.20A	1.70B/1.20A	----	1.40 - 0.30	.0144	----	----	----	----	106 UNCH
4710	----	----	----/1.20A	1.70B/1.20A	----	1.40 - 0.30	.0143	----	----	----	----	147 UNCH
4715	----	----	----/1.20A	1.70B/1.20A	----	1.30 - 0.40	.0134	----	----	----	----	89 UNCH
4720	----	----	----/1.10A	1.60B/1.10A	----	1.30 - 0.30	.0133	----	----	----	----	123 UNCH
4725	----	----	----/1.20A	1.60B/1.20A	----	1.30 - 0.30	.0132	----	----	----	----	293 UNCH
4730	----	----	----/1.10A	1.60B/1.10A	----	1.30 - 0.30	.0131	----	----	----	----	173 UNCH
4735	----	----	----/1.10A	1.50B/1.10A	----	1.20 - 0.40	.0122	----	----	----	----	136 UNCH
4740	----	----	----/1.10A	1.50B/1.10A	----	1.20 - 0.30	.0121	----	----	----	----	137 UNCH
4745	----	----	----/1.10A	1.50B/1.10A	----	1.20 - 0.30	.0120	----	----	----	----	30 UNCH
4750	----	----	----/1.10A	1.40B/1.10A	----	1.20 - 0.30	.0120	----	----	42	----	1780 UNCH
4755	----	----	----/1.10A	1.40B/1.10A	----	1.20 - 0.30	.0119	----	----	----	----	132 UNCH
4760	----	----	----/1.00A	1.40B/1.00A	----	1.10 - 0.30	.0110	----	----	----	----	73 UNCH
4765	----	----	----/1.00A	1.40B/1.00A	----	1.10 - 0.30	.0109	----	----	----	----	90 UNCH
4770	----	----	----/1.00A	1.30B/1.00A	----	1.10 - 0.30	.0109	----	----	----	----	71 UNCH
4775	----	----	----/1.00A	1.30B/1.00A	----	1.10 - 0.30	.0108	----	----	----	----	261 UNCH
4780	----	----	----/1.00A	1.30B/1.00A	----	1.10 - 0.20	.0107	----	----	----	----	116 UNCH
4785	----	----	----/1.00A	1.30B/1.00A	----	1.00 - 0.30	.0099	----	----	----	----	57 UNCH
4790	----	----	----/0.90A	1.20B/0.90A	----	1.00 - 0.30	.0098	----	----	----	----	39 UNCH
4795	----	----	----/0.90A	1.20B/0.90A	----	1.00 - 0.30	.0098	----	----	----	----	130 UNCH
4800	----	----	----/0.90A	1.20B/0.90A	----	1.00 - 0.30	.0097	----	----	2	----	3348 + 2
4805	----	----	----/0.90A	1.20B/0.90A	----	1.00 - 0.30	.0096	----	----	----	----	84 UNCH
4810	----	----	----/0.90A	1.20B/0.90A	----	1.00 - 0.20	.0096	----	----	----	----	87 UNCH
4815	----	----	----/0.90A	1.10B/0.90A	----	1.00 - 0.20	.0095	----	----	----	----	74 UNCH
4820	----	----	----/0.90A	1.10B/0.90A	----	0.90 - 0.30	.0087	----	----	----	----	343 UNCH
4825	----	----	----/0.90A	1.10B/0.90A	----	0.90 - 0.30	.0086	----	----	----	----	379 UNCH
4830	----	----	----/0.90A	1.10B/0.90A	----	0.90 - 0.30	.0086	----	----	1	----	141 - 1
4835	----	----	----/0.90A	1.10B/0.90A	----	0.90 - 0.30	.0085	----	----	----	----	112 UNCH
4840	----	----	----/0.80A	1.10B/0.80A	----	0.90 - 0.30	.0085	----	----	----	----	53 UNCH
4845	----	----	----/0.80A	1.00B/0.80A	----	0.90 - 0.20	.0084	----	----	----	----	74 UNCH
4850	1.00	1.00	1.00/0.80A	1.00/0.80A	----	0.90 - 0.20	.0084	----	----	2	----	1586 - 1
4855	----	----	----/0.80A	1.00B/0.80A	----	0.90 - 0.20	.0083	----	----	----	----	65 UNCH
4860	----	----	----/0.80A	1.00B/0.80A	----	0.80 - 0.30	.0075	----	----	----	----	176 UNCH
4865	----	----	----/0.80A	1.00B/0.80A	----	0.80 - 0.30	.0075	----	----	----	----	41 UNCH
4870	----	----	----/0.80A	1.00B/0.80A	----	0.80 - 0.30	.0074	----	----	----	----	41 UNCH
4875	----	----	----/0.80A	0.90B/0.80A	----	0.80 - 0.30	.0074	----	----	----	----	197 UNCH
4880	----	----	----/0.80A	0.90B/0.80A	----	0.80 - 0.20	.0074	----	----	----	----	519 UNCH
4885	----	----	----/0.80A	0.90B/0.80A	----	0.80 - 0.20	.0073	----	----	----	----	58 UNCH
4890	----	----	----/0.80A	0.90B/0.80A	----	0.80 - 0.20	.0073	----	----	----	----	159 UNCH
4895	----	----	----/0.80A	0.90B/0.80A	----	0.80 - 0.20	.0073	----	----	----	----	88 UNCH
4900	----	----	----/0.70A	0.90B/0.70A	----	0.80 - 0.20	.0072	----	----	47	----	7255 UNCH
4905	----	----	----/0.70A	0.90B/0.70A	----	0.70 - 0.30	.0064	----	----	----	----	326 UNCH
4910	----	----	----/0.70A	0.90B/0.70A	----	0.70 - 0.30	.0064	----	----	----	----	101 UNCH
4915	----	----	----/0.70A	0.80B/0.70A	----	0.70 - 0.30	.0063	----	----	----	----	15 UNCH
4920	----	----	----/0.70A	0.80B/0.70A	----	0.70 - 0.30	.0063	----	----	----	----	50 UNCH
4925	----	----	----/0.70A	0.80B/0.70A	----	0.70 - 0.20	.0063	----	----	----	----	74 UNCH
4930	----	----	----/0.70A	0.80B/0.70A	----	0.70 - 0.20	.0063	----	----	----	----	101 UNCH
4935	----	----	----/0.70A	0.80B/0.70A	----	0.70 - 0.20	.0062	----	----	----	----	70 UNCH
4940	----	----	----/0.70A	0.80B/0.70A	----	0.70 - 0.20	.0062	----	----	----	----	79 UNCH
4945	----	----	----/0.70A	0.80B/0.70A	----	0.70 - 0.20	.0062	----	----	----	----	34 UNCH
4950	----	----	----/0.70A	0.80B/0.70A	----	0.70 - 0.20	.0061	----	----	----	----	527 UNCH
4955	----	----	----/0.70A	0.70B/0.70A	----	0.70 - 0.20	.0061	----	----	----	----	40 UNCH
4960	----	----	----/0.70A	0.70B/0.70A	----	0.70 - 0.20	.0061	----	----	----	----	51 UNCH
4965	----	----	----/0.60A	0.70B/0.60A	----	0.60 - 0.30	.0053	----	----	----	----	42 UNCH
4970	----	----	----/0.60A	0.70B/0.60A	----	0.60 - 0.30	.0053	----	----	----	----	29 UNCH
4975	----	----	----/0.70A	0.70B/0.70A	----	0.60 - 0.30	.0053	----	----	----	----	137 UNCH
4980	----	----	----/0.70A	0.70B/0.70A	----	0.60 - 0.20	.0052	----	----	----	----	34 UNCH
4985	----	----	----/0.60A	0.70B/0.60A	----	0.60 - 0.20	.0052	----	----	----	----	125 UNCH
4990	----	----	----/0.60A	0.70B/0.60A	----	0.60 - 0.20	.0052	----	----	----	----	33 UNCH
4995	----	----	----/0.60A	0.70B/0.60A	----	0.60 - 0.20	.0052	----	----	----	----	123 UNCH
5000	----	----	----/0.60A	0.70B/0.60A	----	0.60 - 0.20	.0051	----	----	----	310	3448 UNCH
5005	----	----	----/0.60A	0.70B/0.60A	----	0.60 - 0.20	.0051	----	----	----	----	57 UNCH
5010	----	----	----/0.60A	0.70B/0.60A	----	0.60 - 0.20	.0051	----	----	----	----	56 UNCH
5015	----	----	----/0.60A	0.60B/0.60A	----	0.60 - 0.20	.0051	----	----	----	----	36 UNCH
5020	----	----	----/0.60A	0.60B/0.60A	----	0.60 - 0.20	.0050	----	----	----	----	58 UNCH
5025	----	----	----/0.60A	0.60B/0.60A	----	0.60 - 0.20	.0050	----	----	----	----	502 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL NOV26												
5030	----	----	----/0.60A	0.60B/0.60A	----	0.60 - 0.20	.0050	----	----	----	----	82 UNCH
5035	----	----	----/0.60A	0.60B/0.60A	----	0.60 - 0.10	.0050	----	----	----	----	81 UNCH
5040	----	----	----/0.60A	0.60B/0.60A	----	0.60 - 0.10	.0050	----	----	----	----	162 UNCH
5045	----	----	----/0.60A	0.60B/0.60A	----	0.60 - 0.10	.0049	----	----	----	----	42 UNCH
5050	0.60	0.60	0.60/0.60	0.60/0.60	----	0.50 - 0.20	.0042	----	----	1	----	1024 UNCH
5055	----	----	----/0.60A	0.60B/0.60A	----	0.50 - 0.20	.0042	----	----	----	----	120 UNCH
5060	----	----	----/0.60A	0.60B/0.60A	----	0.50 - 0.20	.0042	----	----	----	----	44 UNCH
5065	----	----	----/0.60A	0.60B/0.60A	----	0.50 - 0.20	.0041	----	----	----	----	45 UNCH
5070	----	----	----/0.60A	0.60B/0.60A	----	0.50 - 0.20	.0041	----	----	----	----	170 UNCH
5075	----	----	----/0.50A	0.60B/0.50A	----	0.50 - 0.20	.0041	----	----	----	----	82 UNCH
5080	----	----	----/0.50A	0.60B/0.50A	----	0.50 - 0.20	.0041	----	----	----	----	42 UNCH
5085	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.20	.0041	----	----	----	----	147 UNCH
5090	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.20	.0041	----	----	----	----	63 UNCH
5095	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.20	.0040	----	----	----	----	198 UNCH
5100	0.50	0.50	0.50/0.50	0.50/0.50	----	0.50 - 0.20	.0040	----	----	101	----	4904 + 66
5105	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0040	----	----	----	----	45 UNCH
5110	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0040	----	----	----	----	41 UNCH
5115	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0040	----	----	----	----	144 UNCH
5120	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0040	----	----	----	----	78 UNCH
5125	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0039	----	----	----	----	91 UNCH
5130	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0039	----	----	----	----	95 UNCH
5135	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0039	----	----	----	----	18 UNCH
5140	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0039	----	----	----	----	48 UNCH
5145	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0039	----	----	----	----	25 UNCH
5150	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0039	----	----	----	----	534 UNCH
5155	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0039	----	----	----	----	11 UNCH
5160	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0038	----	----	----	----	34 UNCH
5165	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0038	----	----	----	----	80 UNCH
5170	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0038	----	----	----	----	22 UNCH
5175	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0038	----	----	----	----	303 UNCH
5180	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0038	----	----	----	----	87 UNCH
5185	----	----	----/0.50A	0.40B/0.50A	----	0.50 - 0.10	.0038	----	----	----	----	14 UNCH
5190	----	----	----	0.40B/0.50A	----	0.50 UNCH	.0038	----	----	----	----	21 UNCH
5195	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0031	----	----	----	----	90 UNCH
5200	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0031	----	----	----	----	1900 UNCH
5205	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0031	----	----	----	----	7 UNCH
5210	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.10	.0030	----	----	----	----	11 UNCH
5215	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0030	----	----	----	----	51 UNCH
5220	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0030	----	----	----	----	33 UNCH
5225	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0030	----	----	----	----	26 UNCH
5230	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0030	----	----	----	----	95 UNCH
5235	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0030	----	----	----	----	21 UNCH
5240	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.10	.0030	----	----	----	----	38 UNCH
5245	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0030	----	----	----	----	9 UNCH
5250	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.10	.0030	----	----	----	----	691 UNCH
5255	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.10	.0029	----	----	----	----	4 UNCH
5260	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.10	.0029	----	----	----	----	11 UNCH
5265	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.10	.0029	----	----	----	----	11 UNCH
5270	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.10	.0029	----	----	----	----	24 UNCH
5275	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.10	.0029	----	----	----	----	214 UNCH
5280	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.10	.0029	----	----	----	----	40 UNCH
5285	----	----	----	0.40B/0.40A	----	0.40 UNCH	.0029	----	----	----	----	32 UNCH
5290	----	----	----	0.40B/0.40A	----	0.40 UNCH	.0029	----	----	----	----	21 UNCH
5295	----	----	----	0.40B/0.40A	----	0.40 UNCH	.0029	----	----	----	----	10 UNCH
5300	----	----	----	0.40B/0.40A	----	0.40 UNCH	.0029	----	----	----	----	1441 UNCH
5305	----	----	----	0.40B/0.40A	----	0.40 UNCH	.0029	----	----	----	----	31 UNCH
5310	----	----	----	0.40B/0.40A	----	0.40 UNCH	.0028	----	----	----	----	9 UNCH
5315	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0028	----	----	----	----	6 UNCH
5320	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0028	----	----	----	----	19 UNCH
5325	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0028	----	----	----	----	23 UNCH
5330	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0028	----	----	----	----	13 UNCH
5335	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0028	----	----	----	----	39 UNCH
5340	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0028	----	----	----	----	6 UNCH
5345	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0028	----	----	----	----	12 UNCH
5350	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0028	----	----	----	----	110 UNCH
5355	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0028	----	----	----	----	26 UNCH
5360	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0028	----	----	----	----	13 UNCH
5365	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0027	----	----	----	----	9 UNCH
5370	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0027	----	----	----	----	13 UNCH
5375	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0027	----	----	----	----	41 UNCH
5380	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0027	----	----	----	----	33 UNCH
5385	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0027	----	----	----	----	32 UNCH
5390	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0027	----	----	----	----	10 UNCH
5395	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0027	----	----	----	----	31 UNCH
5400	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0027	----	----	----	----	778 UNCH
5405	----	----	----	0.30B/0.40A	----	0.40 + 0.10	.0027	----	----	----	----	55 UNCH
5410	----	----	----	0.30B/0.40A	----	0.40 + 0.10	.0027	----	----	----	----	6 UNCH
5415	----	----	----	0.30B/0.30A	----	0.40 + 0.10	.0027	----	----	----	----	26 UNCH
5420	----	----	----	0.30B/0.30A	----	0.40 + 0.10	.0027	----	----	----	----	36 UNCH
5425	----	----	----	0.30B/0.40A	----	0.40 + 0.10	.0026	----	----	----	----	12 UNCH
5430	----	----	----	0.30B/0.40A	----	0.40 + 0.10	.0026	----	----	----	----	10 UNCH
5435	----	----	----	0.30B/0.30A	----	0.40 + 0.10	.0026	----	----	----	----	6 UNCH
5440	----	----	----	0.30B/0.30A	----	0.30 UNCH	.0020	----	----	----	----	3 UNCH
5445	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0020	----	----	----	----	33 UNCH
5450	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0020	----	----	----	----	572 UNCH
5455	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0020	----	----	----	----	43 UNCH
5460	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0020	----	----	----	----	20 UNCH
5465	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0020	----	----	----	----	6 UNCH
5470	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0020	----	----	----	----	8 UNCH
5475	0.30	0.30	0.30/0.30	0.30/0.30	----	0.30 UNCH	.0020	----	----	100	----	210 - 43
5480	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0020	----	----	----	----	39 UNCH
5485	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0020	----	----	----	----	30 UNCH
5490	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0020	----	----	----	----	29 UNCH
5495	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0020	----	----	----	----	3 UNCH
5500	0.30	0.30	0.30/0.30	0.30/0.30	----	0.30 UNCH	.0020	----	----	101	----	2698 + 96
5505	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0020	----	----	----	----	28 UNCH
5510	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0019	----	----	----	----	10 UNCH
5515	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0019	----	----	----	----	17 UNCH
5520	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0019	----	----	----	----	29 UNCH
5525	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0019	----	----	----	----	29 UNCH
5530	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0019	----	----	----	----	12 UNCH
5535	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0019	----	----	----	----	28 UNCH
5540	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0019	----	----	----	----	21 UNCH
5545	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0019	----	----	----	----	38 UNCH
5550	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0019	----	----	----	----	50 UNCH
5555	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0019	----	----	----	----	10 UNCH
5560	----	----	----	0.20B/0.30A	----	0.30 + 0.10	.0019	----	----	----	----	19 UNCH
5565	----	----	----	0.20B/0.30A	----	0.30 + 0.10	.0019	----	----	----	----	12 UNCH
5570	----	----	----	0.20B/0.30A	----	0.30 + 0.10	.0019	----	----	----	----	33 UNCH
5575	----	----	----	0.20B/0.30A	----	0.30 + 0.10	.0019	----	----	----	----	67 UNCH
5580	----	----	----	0.20B/0.30A	----	0.30 + 0.10	.0019	----	----	----	----	49 UNCH
5585	----	----	----	0.20B/0.30A	----	0.30 + 0.10	.0019	----	----	----	----	25 UNCH
5590	----	----	----	0.20B/0.30A	----	0.30 + 0.10	.0019	----	----	----	----	17 UNCH
5595	----	----	----	0.20B/0.30A	----	0.30 + 0.10	.0019	----	----	----	----	26 UNCH
5600	----	----	----	0.20B/0.30A	----	0.30 + 0.10	.0019	----	----	----	----	171 UNCH
5605	----	----	----	0.10B/0.30A	----	0.30 + 0.10	.0019	----	----	----	----	37 UNCH
5610	----	----	----	0.10B/0.30A	----	0.30 + 0.10	.0018	----	----	----	----	8 UNCH
5615	----	----	----	0.10B/0.20A	----	0.30 + 0.10	.0018	----	----	----	----	61 UNCH
5620	----	----	----	0.10B/0.30A	----	0.30 + 0.10	.0018	----	----	----	----	5 UNCH
5625	----	----	----	0.10B/0.20A	----	0.30 + 0.10	.0018	----	----	----	----	7 UNCH
5630	----	----	----	0.10B/0.30A	----	0.30 + 0.10	.0018	----	----	----	----	7 UNCH
5635	----	----	----	0.10B/0.30A	----	0.30 + 0.10	.0018	----	----	----	----	18 UNCH
5640	----	----	----	0.10B/0.20A	----	0.30 + 0.10	.0018	----	----	----	----	6 UNCH
5645	----	----	----	0.10B/0.20A	----	0.30 + 0.10	.0018	----	----	----	----	15 UNCH
5650	----	----	----	0.10B/0.20A	----	0.30 + 0.10	.0018	----	----	----	----	55 UNCH
5655	----	----	----	0.10B/0.20A	----	0.30 + 0.10	.0018	----	----	----	----	5 UNCH
5660	----	----	----	0.10B/0.20A	----	0.30 + 0.10	.0018	----	----	----	----	1 UNCH
5665	----	----	----	0.10B/0.20A	----	0.30 + 0.10	.0018	----	----	----	----	14 UNCH
5670	----	----	----	0.10B/0.20A	----	0.30 + 0.10	.0018	----	----	----	----	14 UNCH
5675	----	----	----	0.10B/0.20A	----	0.30 + 0.10	.0018	----	----	----	----	9 UNCH
5680	----	----	----	0.10B/0.20A	----	0.30 + 0.10	.0018	----	----	----	----	45 UNCH
5685	----	----	----	0.10B/0.20A	----	0.30 + 0.10	.0018	----	----	----	----	8 UNCH
5690	----	----	----	0.10B/0.20A	----	0.30 + 0.10	.0018	----	----	----	----	68 UNCH
5695	----	----	----	0.10B/0.20A	----	0.30 + 0.10	.0018	----	----	----	----	25 UNCH
5700	----	----	----	0.10B/0.20A	----	0.30 + 0.10	.0018	----	----	----	----	120 UNCH
5705	----	----	----	0.10B/0.20A	----	0.30 + 0.10	.0018	----	----	----	----	1 UNCH
5710	----	----	----	----/0.30A	----	0.20 UNCH	.0012	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

PG64 BULLETIN #194@ — METALS OPTION PRODUCTS — Thu, Oct 08, 2026 PG64

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS												
NOV26														
5720	----	----	----	----/0.30A	----	0.20	UNCH	.0012	----	----	----	----	6	UNCH
5725	----	----	----	----/0.30A	----	0.20	UNCH	.0012	----	----	----	----	3	UNCH
5730	----	----	----	----/0.30A	----	0.20	UNCH	.0012	----	----	----	----	27	UNCH
5740	----	----	----	----/0.30A	----	0.20	UNCH	.0012	----	----	----	----	4	UNCH
5750	----	----	----	----/0.30A	----	0.20	UNCH	.0012	----	----	----	----	599	UNCH
5770	----	----	----	----/0.30A	----	0.20	UNCH	.0012	----	----	----	----	11	UNCH
5775	----	----	----	----/0.30A	----	0.20	UNCH	.0012	----	----	----	----	8	UNCH
5780	----	----	----	----/0.30A	----	0.20	UNCH	.0012	----	----	----	----	6	UNCH
5790	----	----	----	----/0.30A	----	0.20	UNCH	.0012	----	----	----	----	6	UNCH
5800	----	----	----	0.20B/0.30A	----	0.20	UNCH	.0012	----	----	----	----	227	UNCH
5810	----	----	----	----/0.30A	----	0.20	UNCH	.0012	----	----	----	----	21	UNCH
5825	----	----	----	----/0.30A	----	0.20	UNCH	.0011	----	----	----	----	41	UNCH
5850	----	----	----	----/0.30A	----	0.20	UNCH	.0011	----	----	----	----	42	UNCH
5875	----	----	----	----/0.20A	----	0.20	UNCH	.0011	----	----	----	----	10	UNCH
5900	----	----	----	----/0.20A	----	0.20	UNCH	.0011	----	----	----	----	285	UNCH
5925	----	----	----	----/0.20A	----	0.20	+ 0.10	.0011	----	----	----	----	15	UNCH
5950	----	----	----	----/0.30A	----	0.10	UNCH	.0006	----	----	----	----	41	UNCH
5975	----	----	----	----/0.30A	----	0.10	UNCH	.0005	----	----	----	----	34	UNCH
6000	----	----	----	0.10B/0.10A	----	0.10	UNCH	.0004	----	----	----	----	2882	UNCH
6100	----	----	----	----/0.10A	----	0.10	UNCH	.0002	----	----	----	----	51	UNCH
6200	----	----	----	----/0.10A	----	0.10	UNCH	.0001	----	----	----	----	60	UNCH
6250	----	----	----	----/0.10A	----	0.10	UNCH	.0001	----	----	----	----	36	UNCH
6300	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----	344	UNCH
6400	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----	118	UNCH
6500	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----	1918	UNCH
8000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	994	UNCH
9000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1591	UNCH
20000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1346	UNCH
TOTAL											5203	510	103157 +	618
DEC26														
1500	----	----	----	----	----	2657.00	+ 16.30	1.0000	1400	----	1400	----	0	UNCH
2490	----	----	----	1611.30B/1678.70A	----	1667.00	NEW	1.0000	70	----	70	----	0	UNCH
2495	----	----	----	1606.30B/1673.70A	----	1662.00	+ 16.30	1.0000	360	----	360	----	0	UNCH
2500	----	----	----	1601.30B/1668.70A	----	1657.00	+ 16.30	1.0000	2900	----	2900	----	608	UNCH
2505	----	----	----	1596.30B/1663.70A	----	1652.00	+ 16.30	1.0000	360	----	360	----	0	UNCH
2510	----	----	----	1591.40B/1658.70A	----	1647.00	NEW	1.0000	70	----	70	----	0	UNCH
3200	----	----	968.70B/931.20A	968.70B/931.20A	----	957.20	+ 16.10	.9901	----	----	----	----	52	UNCH
3245	----	----	921.50B/886.70A	921.50B/886.70A	----	912.50	+ 16.20	.9881	----	----	----	----	1	UNCH
3250	----	----	916.30B/881.70A	916.30B/881.70A	----	907.50	+ 16.20	.9876	----	----	----	----	71	UNCH
3300	----	----	868.20B/832.30A	868.20B/832.30A	----	857.90	+ 16.20	.9851	----	----	----	----	311	UNCH
3405	----	----	764.20B/728.60A	764.20B/728.60A	----	754.00	+ 16.00	.9775	----	----	----	----	1	UNCH
3450	----	----	719.90B/684.30A	719.90B/684.30A	----	709.60	+ 15.80	.9735	----	----	----	----	1	UNCH
3500	----	----	669.90B/635.40A	669.90B/635.40A	----	660.60	+ 15.70	.9674	----	----	----	----	15	UNCH
3550	----	----	620.60B/586.70A	620.60B/586.70A	----	611.80	+ 15.50	.9603	----	----	----	----	2	UNCH
3570	----	----	602.90B/567.40A	602.90B/567.40A	----	592.40	+ 15.50	.9567	----	----	----	----	2	UNCH
3600	----	----	572.00B/538.50A	572.00B/538.50A	----	563.40	+ 15.30	.9506	----	----	----	----	6	UNCH
3620	----	----	553.00B/519.30A	553.00B/519.30A	----	544.20	+ 15.20	.9463	----	----	----	----	1	UNCH
3660	----	----	518.00B/480.20A	518.00B/480.20A	----	506.00	+ 14.90	.9357	----	----	----	----	2	UNCH
3670	----	----	508.70B/470.80A	508.70B/470.80A	----	496.50	+ 14.80	.9328	----	----	----	----	1	UNCH
3680	----	----	499.20B/461.40A	499.20B/461.40A	----	487.10	+ 14.80	.9298	----	----	----	----	1	UNCH
3685	----	----	494.40B/456.70A	494.40B/456.70A	----	482.40	+ 14.80	.9281	----	----	----	----	1	UNCH
3690	----	----	489.80B/452.00A	489.80B/452.00A	----	477.70	+ 14.70	.9264	----	----	----	----	1	UNCH
3695	----	----	485.10B/447.40A	485.10B/447.40A	----	473.00	+ 14.70	.9247	----	----	----	----	1	UNCH
3700	----	----	480.40B/442.70A	480.40B/442.70A	----	468.30	+ 14.60	.9230	----	----	----	----	52	UNCH
3710	----	----	470.90B/433.50A	470.90B/433.50A	----	459.00	+ 14.60	.9195	----	----	----	----	2	UNCH
3720	----	----	461.70B/424.30A	461.70B/424.30A	----	449.60	+ 14.40	.9156	----	----	----	----	6	UNCH
3750	----	----	433.90B/397.00A	433.90B/397.00A	----	422.00	+ 14.20	.9030	----	----	----	----	8	UNCH
3755	----	----	429.30B/392.50A	429.30B/392.50A	----	417.40	+ 14.10	.9008	----	----	----	----	3	UNCH
3760	----	----	424.60B/387.90A	424.60B/387.90A	----	412.90	+ 14.10	.8985	----	----	----	----	2	UNCH
3765	----	----	420.10B/383.50A	420.10B/383.50A	----	408.30	+ 14.00	.8963	----	----	----	----	8	UNCH
3770	----	----	415.60B/379.00A	415.60B/379.00A	----	403.80	+ 14.00	.8937	----	----	----	----	1	UNCH
3775	----	----	411.00B/374.50A	411.00B/374.50A	----	399.30	+ 14.00	.8911	----	----	----	----	2	UNCH
3785	----	----	401.90B/365.70A	401.90B/365.70A	----	390.30	+ 13.90	.8862	----	----	----	----	4	UNCH
3790	----	----	397.50B/361.30A	397.50B/361.30A	----	385.80	+ 13.80	.8835	----	----	----	----	1	UNCH
3800	----	----	388.50B/352.60A	388.50B/352.60A	----	376.90	+ 13.70	.8779	----	----	----	----	25	UNCH
3805	----	----	384.00B/348.10A	384.00B/348.10A	----	372.40	+ 13.50	.8752	----	----	----	----	1	UNCH
3825	----	----	366.30B/330.90A	366.30B/330.90A	----	354.80	+ 13.20	.8630	----	----	----	----	1	UNCH
3840	----	----	353.20B/318.20A	353.20B/318.20A	----	341.80	+ 13.00	.8534	----	----	----	----	1	UNCH
3850	----	----	344.50B/309.80A	344.50B/309.80A	----	333.20	+ 12.90	.8466	----	----	----	----	1	UNCH
3860	----	----	335.90B/301.50A	335.90B/301.50A	----	324.70	+ 12.70	.8394	----	----	----	----	1	UNCH
3885	----	----	314.80B/281.00A	314.80B/281.00A	----	303.80	+ 12.30	.8207	----	----	----	----	1	UNCH
3895	----	----	306.40B/273.10A	306.40B/273.10A	----	295.60	+ 12.10	.8124	----	----	----	----	1	UNCH
3900	----	----	302.30B/269.10A	302.30B/269.10A	----	291.50	+ 11.90	.8083	----	----	----	----	41	UNCH
3915	----	----	290.10B/257.40A	290.10B/257.40A	----	279.40	+ 11.60	.7956	----	----	----	----	4	UNCH
3930	----	----	278.00B/245.90A	278.00B/245.90A	----	267.50	+ 11.20	.7820	----	----	----	----	1	UNCH
3935	----	----	274.10B/242.20A	274.10B/242.20A	----	263.60	+ 11.10	.7773	----	----	----	----	12	UNCH
3940	----	----	270.10B/238.40A	270.10B/238.40A	----	259.70	+ 11.00	.7725	----	----	----	----	1	UNCH
3950	----	----	262.30B/231.00A	262.30B/231.00A	----	252.00	+ 10.70	.7630	----	----	----	----	7	UNCH
3955	----	----	258.50B/227.40A	258.50B/227.40A	----	248.20	+ 10.60	.7581	----	----	----	----	1	UNCH
3960	----	----	254.60B/223.70A	254.60B/223.70A	----	244.40	+ 10.40	.7531	----	----	----	----	1	UNCH
3965	243.50	243.50	250.80B/220.10A	250.80B/220.10A	----	240.70	NEW	.7479	----	----	1	----	1	+ 1
3985	----	----	235.90B/206.10A	235.90B/206.10A	----	226.00	+ 9.80	.7269	----	----	----	----	12	UNCH
3990	----	----	232.20B/202.60A	232.20B/202.60A	----	222.40	+ 9.70	.7215	----	----	----	----	2	UNCH
3995	----	----	228.60B/199.20A	228.60B/199.20A	----	218.80	+ 9.50	.7160	----	----	----	----	4	UNCH
4000	----	----	225.00B/195.80A	225.00B/195.80A	----	215.30	+ 9.40	.7104	----	----	1	----	259	UNCH
4005	196.10	196.10	221.40B/192.50A	221.40B/192.50A	----	211.80	+ 9.30	.7049	----	----	4	----	5	+ 3
4015	----	----	214.30B/185.90A	214.30B/185.90A	----	204.90	+ 9.00	.6934	----	----	----	----	1	UNCH
4020	----	----	210.80B/182.60A	210.80B/182.60A	----	201.50	+ 8.90	.6877	----	----	----	----	1	UNCH
4025	----	----	207.40B/179.40A	207.40B/179.40A	----	198.10	+ 8.70	.6818	----	----	----	----	2	UNCH
4030	----	----	204.00B/176.30A	204.00B/176.30A	----	194.80	+ 8.60	.6759	----	----	----	----	13	UNCH
4040	----	----	197.20B/170.00A	197.20B/170.00A	----	188.20	+ 8.30	.6640	----	----	----	----	43	UNCH
4045	----	----	193.90B/166.90A	193.90B/166.90A	----	184.90	+ 8.10	.6580	----	----	----	----	2	UNCH
4050	----	----	190.60B/163.90A	190.60B/163.90A	----	181.70	+ 8.00	.6518	----	----	2	----	972	UNCH
4055	----	----	187.30B/160.90A	187.30B/160.90A	----	178.60	+ 7.90	.6457	----	----	----	----	1	UNCH
4060	----	----	184.10B/157.90A	184.10B/157.90A	----	175.40	+ 7.70	.6395	----	----	----	----	105	UNCH
4065	----	----	180.90B/155.00A	180.90B/155.00A	----	172.30	+ 7.60	.6333	----	----	----	----	15	UNCH
4070	----	----	177.80B/152.10A	177.80B/152.10A	----	169.20	+ 7.40	.6270	----	----	----	----	38	UNCH
4075	----	----	174.60B/149.20A	174.60B/149.20A	----	166.20	+ 7.30	.6208	----	----	----	----	24	UNCH
4080	----	----	171.60B/146.40A	171.60B/146.40A	----	163.20	+ 7.20	.6144	----	----	----	----	136	UNCH
4085	----	----	168.50B/143.60A	168.50B/143.60A	----	160.20	+ 7.00	.6080	----	----	----	----	8	UNCH
4090	----	----	165.60B/140.80A	165.60B/140.80A	----	157.30	+ 6.90	.6016	----	----	----	----	41	UNCH
4095	----	----	162.60B/138.10A	162.60B/138.10A	----	154.40	+ 6.70	.5952	----	----	----	----	10	UNCH
4100	158.40	158.40	160.00B/135.50A	160.00B/135.50A	----	151.50	+ 6.50	.5887	----	----	6	----	1378	- 1
4105	148.80	148.80	157.20B/132.80A	157.20B/132.80A	----	148.70	+ 6.40	.5822	----	----	2	----	17	+ 2
4110	----	----	154.40B/130.20A	154.40B/130.20A	----	145.90	+ 6.30	.5757	----	----	----	----	186	UNCH
4115	----	----	151.60B/127.70A	151.60B/127.70A	----	143.20	+ 6.20	.5692	----	----	----	----	19	UNCH
4120	----	----	148.70B/125.10A	148.70B/125.10A	----	140.40	+ 5.90	.5626	----	----	----	----	32	UNCH
4125	----	----	146.10B/122.70A	146.10B/122.70A	----	137.80	+ 5.90	.5561	----	----	----	----	52	UNCH
4130	----	----	143.30B/120.20A	143.30B/120.20A	----	135.10	+ 5.70	.5495	----	----	5	----	709	+ 4
4135	127.10	127.10	140.80B/117.80A	140.80B/117.80A	----	132.50	+ 5.50	.5429	----	----	4	----	68	+ 1
4140	124.30	124.30	138.10B/115.40A	138.10B/115.40A	----	129.90	+ 5.40	.5363	----	----	6	----	73	+ 2
4145	121.80	121.80	135.60B/113.10A	135.60B/113.10A	----	127.40	+ 5.30	.5297	----	----	3	----	44	- 1
4150	119.40	119.40	132.90B/110.80A	132.90B/110.80A	----	124.90	+ 5.10	.5231	----	----	58	----	433	+ 24
4155	123.40	123.40	130.40B/108.50A	130.40B/108.50A	----	122.40	+ 4.90	.5165	----	----	5	----	22	+ 4
4160	120.90	120.90	127.90B/106.30A	127.90B/106.30A	----	120.00	+ 4.80	.5099	----	----	8	----	164	+ 7
4165	118.90	118.90	125.50B/104.10A	125.50B/104.10A	----	117.60	+ 4.70	.5033	----	----	4	----	57	+ 2
4170	116.40	116.40	123.10B/101.90A	123.10B/101.90A	----	115.20	+ 4.50	.4966	----	----	5	----	162	+ 1
4175	114.30	114.30	120.70B/99.80A	120.70B/99.80A	----	112.90	+ 4.40	.4901	----	----	8	----	1035	+ 2
4180	112.10	112.10	118.40B/97.70A	118.40B/97.70A	----	110.60	+ 4.20	.4835	----	----	5	----	24	UNCH
4185	109.70	109.70	116.10B/95.60A	116.10B/95.60A	----	108.40	+ 4.20	.4769	----	----	5	----	36	+ 2
4190	105.80	105.80	113.80B/93.60A	113.80B/93.60A	----	106.10	+ 3.90	.4704	----	----	17	----	470	UNCH
4195	105.50	105.50	111.60B/91.60A	111.60B/91.60A	----	104.00	+ 3.90	.4639	----	----	3	----	27	+ 1
4200	105.70	105.70	109.40B/89.70A	109.40B/89.70A	----	101.80	+ 3.70	.4573	----	----	35	----	1541	+ 16
4205	87.60	87.60	107.20B/87.60	107.20B/87.60	----	99.70	+ 3.60	.4509	----	----	74	----	300	+ 66
4210	----	----	105.10B/85.90A	105.10B/85.90A	----	97.60	+ 3.40	.4444	----	----	----	----	26	UNCH
4215	----	----	103.00B/84.00A	103.00B/84.00A	----	95.60	+ 3.30	.4380	----	----	----	----	26	UNCH
4220	----	----	100.90B/82.20A	100.90B/82.20A	----	93.60	+ 3.20	.4316	----	----	1	----	298	UNCH
4225	86.10	86.10	98.90B/80.40A	98.90B/80.40A	----	91.60	+ 3.10	.4252	----	----	35	----	389	+ 33
4230	----	----	96.80B/78.60A	96.80B/78.60A	----	89.70	+ 3.00	.4189	----	----	2	----	52	UNCH
4235	----	----	94.90B/76.90A	94.90B/76.90A	----	87.80	+ 2.90	.4126	----	----	1	----	13	+ 1
4240	86.00	86.00	93.00B/75.20A	93.00B/75.20A	----	85.90	+ 2.70	.4063	----	----	1	----	34	UNCH
4245	----	----	91.10B/73.60A	91.10B/73.60A	----	84.10	+ 2.70	.4001	----	----	----	----	213	UNCH
4250	82.30	82.30	89.30/72.00A	89.30/72.00A	----	82.30	+ 2.60	.3939	----	----	112	----	1047	+ 37
4255	75.80	75.80	87.40B/70.40A	87.40B/70.40A	----	80.50	+ 2.40	.3878	----	----	3	----	119	+ 3
4260	----	----	85.50B/68.80A	85.50B/68.80A	----	78.80	+ 2.40	.3817	----	----	----	----	185	UNCH
4265	74.90	74.90	83.80B/67.30A	83.80B/67.30A	----	77.10	+ 2.30	.3757	----	----	1	----	20	+ 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG CALL — COMEX GOLD OPTIONS

DEC26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4270	79.80	79.80	82.10B/65.80A	82.10B/65.80A	----	75.40 + 2.10	.3697	----	----	1	----	27 UNCH
4275	----	----	80.30B/64.30A	80.30B/64.30A	----	73.70 + 2.00	.3636	----	----	----	----	79 UNCH
4280	----	----	78.70B/62.90A	78.70B/62.90A	----	72.10 + 1.90	.3577	----	----	----	----	71 UNCH
4285	----	----	77.00B/61.40A	77.00B/61.40A	----	70.60 + 1.90	.3520	----	----	----	----	21 UNCH
4290	68.90	68.90	75.40B/60.00A	75.40B/60.00A	----	69.00 + 1.70	.3461	----	----	1	----	77 - 1
4295	65.40	65.40	73.80B/58.70A	73.80B/58.70A	----	67.50 + 1.70	.3404	----	----	1	----	95 - 1
4300	65.80	65.80	72.30B/57.40A	72.30B/57.40A	----	66.00 + 1.60	.3347	----	----	88	25	1889 - 32
4305	60.60	60.60	70.70B/56.10A	70.70B/56.10A	----	64.50 + 1.50	.3290	----	----	2	----	42 UNCH
4310	----	----	69.20B/54.80A	69.20B/54.80A	----	63.10 + 1.40	.3235	----	----	----	----	57 UNCH
4315	----	----	67.70B/53.50A	67.70B/53.50A	----	61.70 + 1.30	.3180	----	----	----	----	12 UNCH
4320	60.40	60.40	66.20B/52.30A	66.20B/52.30A	----	60.30 + 1.20	.3125	----	----	20	----	186 + 1
4325	56.60	56.60	64.80B/51.10A	64.80B/51.10A	----	59.00 + 1.20	.3072	----	----	21	----	208 + 15
4330	----	----	63.40B/50.00A	63.40B/50.00A	----	57.70 + 1.20	.3019	----	----	----	----	123 UNCH
4335	----	----	62.10B/48.80A	62.10B/48.80A	----	56.40 + 1.10	.2966	----	----	----	----	57 UNCH
4340	----	----	60.70B/47.70A	60.70B/47.70A	----	55.10 + 1.00	.2913	----	----	----	----	48 UNCH
4345	----	----	59.40B/46.60A	59.40B/46.60A	----	53.90 + 1.00	.2862	----	----	6	----	132 - 2
4350	----	----	58.10B/45.50A	58.10B/45.50A	----	52.70 + 0.90	.2812	----	----	8	----	1237 + 2
4355	----	----	56.90B/44.50A	56.90B/44.50A	----	51.50 + 0.80	.2761	----	----	----	----	24 UNCH
4360	49.00	49.00	55.60B/43.40A	55.60B/43.40A	----	50.30 + 0.70	.2711	----	----	2	----	24 UNCH
4365	48.10	48.10	54.50B/42.40A	54.50B/42.40A	----	49.20 + 0.70	.2663	----	----	2	----	20 UNCH
4370	----	----	53.30B/41.40A	53.30B/41.40A	----	48.00 + 0.60	.2612	----	----	----	----	68 UNCH
4375	----	----	52.10B/40.50A	52.10B/40.50A	----	46.90 + 0.50	.2565	----	----	4	----	549 UNCH
4380	----	----	51.00B/39.50A	51.00B/39.50A	----	45.90 + 0.50	.2519	----	----	----	----	119 UNCH
4385	----	----	49.80B/38.60A	49.80B/38.60A	----	44.80 + 0.40	.2471	----	----	----	----	34 UNCH
4390	----	----	48.80B/37.70A	48.80B/37.70A	----	43.80 + 0.40	.2426	----	----	----	----	79 UNCH
4395	----	----	47.70B/36.90A	47.70B/36.90A	----	42.80 + 0.30	.2381	----	----	2	----	109 UNCH
4400	44.50	44.50	46.60B/36.00A	46.60B/36.00A	----	41.80 + 0.30	.2336	----	----	164	----	2397 + 47
4405	40.30	40.30	45.60B/35.20A	45.60B/35.20A	----	40.80 + 0.20	.2291	----	----	6	----	138 - 4
4410	----	----	44.60B/34.40A	44.60B/34.40A	----	39.90 + 0.20	.2249	----	----	----	----	100 UNCH
4415	39.70	39.70	43.60B/33.60A	43.60B/33.60A	----	39.00 + 0.10	.2207	----	----	4	----	150 UNCH
4420	----	----	42.70B/32.80A	42.70B/32.80A	----	38.10 + 0.10	.2165	----	----	1	----	59 - 1
4425	----	----	41.70B/32.00A	41.70B/32.00A	----	37.20 UNCH	.2123	----	----	----	----	455 UNCH
4430	----	----	40.80B/31.30A	40.80B/31.30A	----	36.40 UNCH	.2084	----	----	1	----	124 UNCH
4435	36.40	36.40	39.90B/30.60A	39.90B/30.60A	----	35.50 - 0.10	.2042	----	----	11	----	62 + 9
4440	----	----	39.10B/29.80A	39.10B/29.80A	----	34.70 - 0.10	.2003	----	----	----	----	59 UNCH
4445	----	----	38.20B/29.20A	38.20B/29.20A	----	33.90 - 0.10	.1964	----	----	1	----	45 UNCH
4450	32.60	32.60	37.40B/28.50A	37.40B/28.50A	----	33.10 - 0.20	.1926	----	----	30	----	1538 - 2
4455	36.70	36.70	36.70/27.80A	36.70/27.80A	----	32.30 - 0.20	.1887	----	----	11	----	209 + 7
4460	31.50	31.50	35.70B/27.20A	35.70B/27.20A	----	31.60 - 0.20	.1852	----	----	5	----	202 UNCH
4465	----	----	34.90B/26.60A	34.90B/26.60A	----	30.90 - 0.20	.1816	----	----	----	----	144 UNCH
4470	28.30	28.30	34.10B/25.90A	34.10B/25.90A	----	30.20 - 0.30	.1781	----	----	10	----	298 + 10
4475	----	----	33.40B/25.30A	33.40B/25.30A	----	29.50 - 0.30	.1746	----	----	----	----	598 UNCH
4480	----	----	32.70B/24.80A	32.70B/24.80A	----	28.80 - 0.40	.1711	----	----	1	----	156 + 1
4485	----	----	31.90B/24.20A	31.90B/24.20A	----	28.10 - 0.40	.1676	----	----	----	----	36 UNCH
4490	27.60	27.60	31.20B/23.60A	31.20B/23.60A	----	27.50 - 0.40	.1644	----	----	5	----	54 - 2
4495	----	----	30.60B/23.10A	30.60B/23.10A	----	26.90 - 0.40	.1613	----	----	2	----	54 - 1
4500	29.00	29.00	29.90B/22.40	29.90B/22.40	----	26.20 - 0.50	.1578	----	----	922	----	10028 + 287
4505	----	----	29.20B/22.10A	29.20B/22.10A	----	25.60 - 0.50	.1547	----	----	----	----	91 UNCH
4510	23.40	23.40	28.60B/21.60A	28.60B/21.60A	----	25.10 - 0.50	.1519	----	----	2	----	5042 + 2
4515	----	----	27.90B/21.10A	27.90B/21.10A	----	24.50 - 0.50	.1488	----	----	1	----	105 + 1
4520	----	----	27.30B/20.60A	27.30B/20.60A	----	23.90 - 0.60	.1457	----	----	1	----	61 UNCH
4525	24.70	24.70	26.70B/20.00	26.70B/20.00	----	23.40 - 0.60	.1429	----	----	8	----	493 - 3
4530	22.80	22.80	26.20B/19.70A	26.20B/19.70A	----	22.90 - 0.60	.1402	----	----	9	----	57 - 3
4535	----	----	25.60B/19.20A	25.60B/19.20A	----	22.40 - 0.60	.1375	----	----	----	----	101 UNCH
4540	20.90	20.90	25.00B/18.80A	25.00B/18.80A	----	21.80 - 0.70	.1344	----	----	5	----	68 - 5
4545	21.00	21.00	24.50B/18.40A	24.50B/18.40A	----	21.40 - 0.60	.1320	----	----	14	----	118 + 14
4550	23.30	23.30	24.00B/18.00A	24.00B/18.00A	----	20.90 - 0.60	.1293	----	----	16	----	1712 - 9
4555	----	----	23.40B/17.60A	23.40B/17.60A	----	20.40 - 0.70	.1267	----	----	----	----	74 UNCH
4560	----	----	22.90B/17.20A	22.90B/17.20A	----	20.00 - 0.60	.1243	----	----	----	----	614 UNCH
4565	16.90	16.90	22.40B/16.80A	22.40B/16.80A	----	19.50 - 0.70	.1217	----	----	5	----	52 - 1
4570	19.10	19.10	22.00B/16.40A	22.00B/16.40A	----	19.10 - 0.70	.1194	----	----	6	----	46 + 5
4575	20.10	20.10	21.50B/16.10A	21.50B/16.10A	----	18.70 - 0.70	.1171	----	----	30	----	327 + 30
4580	----	----	21.00B/15.70A	21.00B/15.70A	----	18.20 - 0.80	.1144	----	----	2	----	303 + 2
4585	----	----	20.60B/15.40A	20.60B/15.40A	----	17.80 - 0.80	.1121	----	----	----	----	300 UNCH
4590	18.00	18.00	20.10B/15.00A	20.10B/15.00A	----	17.50 - 0.70	.1103	----	----	4	----	111 UNCH
4595	----	----	19.70B/14.70A	19.70B/14.70A	----	17.10 - 0.70	.1080	----	----	----	----	23 UNCH
4600	19.10	19.10	19.30B/14.40A	19.30B/14.40A	----	16.70 - 0.80	.1058	----	----	118	400	6239 + 339
4605	----	----	18.90B/14.10A	18.90B/14.10A	----	16.30 - 0.80	.1035	----	----	----	----	42 UNCH
4610	14.90	14.90	18.50B/13.80A	18.50B/13.80A	----	16.00 - 0.80	.1017	----	----	6	----	79 + 6
4615	----	----	18.10B/13.50A	18.10B/13.50A	----	15.60 - 0.80	.0995	----	----	----	----	63 UNCH
4620	----	----	17.70B/13.20A	17.70B/13.20A	----	15.30 - 0.80	.0977	----	----	----	----	84 UNCH
4625	15.10	15.10	17.40B/12.90A	17.40B/12.90A	----	15.00 - 0.80	.0959	----	----	31	----	437 + 13
4630	----	----	17.00B/12.60A	17.00B/12.60A	----	14.60 - 0.80	.0936	----	----	----	----	168 UNCH
4635	13.10	13.10	16.60B/12.40A	16.60B/12.40A	----	14.30 - 0.80	.0919	----	----	1	----	48 UNCH
4640	12.90	12.90	16.30B/12.10	16.30B/12.10	----	14.00 - 0.80	.0901	----	----	8	----	153 + 5
4645	----	----	16.00B/11.80A	16.00B/11.80A	----	13.70 - 0.80	.0883	----	----	----	----	23 UNCH
4650	15.30	15.30	15.60B/11.60A	15.60B/11.60A	----	13.40 - 0.80	.0865	----	----	77	----	1504 - 62
4655	13.10	13.10	15.30B/11.40A	15.30B/11.40A	----	13.10 - 0.90	.0848	----	----	10	----	36 - 10
4660	----	----	15.00B/11.10A	15.00B/11.10A	----	12.90 - 0.80	.0834	----	----	----	----	168 UNCH
4665	----	----	14.70B/10.90A	14.70B/10.90A	----	12.60 - 0.80	.0817	----	----	1	----	94 UNCH
4670	12.10	12.10	14.40B/10.70A	14.40B/10.70A	----	12.30 - 0.90	.0799	----	----	1	----	95 + 1
4675	12.30	12.30	14.10B/10.50A	14.10B/10.50A	----	12.10 - 0.80	.0786	----	----	23	----	371 + 1
4680	----	----	13.80B/10.30A	13.80B/10.30A	----	11.80 - 0.90	.0769	----	----	3	----	202 UNCH
4685	11.60	11.60	13.50B/10.10A	13.50B/10.10A	----	11.60 - 0.80	.0756	----	----	4	----	56 + 4
4690	11.10	11.10	13.30B/9.90A	13.30B/9.90A	----	11.30 - 0.90	.0738	----	----	2	----	278 UNCH
4695	----	----	13.00B/9.70A	13.00B/9.70A	----	11.10 - 0.90	.0726	----	----	----	----	325 UNCH
4700	12.50	12.50	12.70B/9.50	12.70B/9.50	----	10.90 - 0.80	.0713	----	----	466	40	6509 - 1
4705	----	----	12.50B/9.30A	12.50B/9.30A	----	10.60 - 0.90	.0696	----	----	----	----	160 UNCH
4710	----	----	12.20B/9.10A	12.20B/9.10A	----	10.40 - 0.90	.0683	----	----	----	----	63 UNCH
4715	----	----	12.00B/8.90A	12.00B/8.90A	----	10.20 - 0.90	.0670	----	----	----	----	135 UNCH
4720	----	----	11.80B/8.80A	11.80B/8.80A	----	10.00 - 0.90	.0658	----	----	----	----	143 UNCH
4725	----	----	11.50B/8.60A	11.50B/8.60A	----	9.80 - 0.90	.0645	----	----	1	----	9543 UNCH
4730	----	----	11.30B/8.40A	11.30B/8.40A	----	9.60 - 0.90	.0633	----	----	----	----	172 UNCH
4735	----	----	11.10B/8.30A	11.10B/8.30A	----	9.40 - 0.90	.0620	----	----	----	----	77 UNCH
4740	----	----	10.90B/8.10A	10.90B/8.10A	----	9.30 - 0.80	.0613	----	----	----	----	70 UNCH
4745	----	----	10.70B/8.00A	10.70B/8.00A	----	9.10 - 0.80	.0600	----	----	5	----	71 + 5
4750	10.20	10.20	10.50B/7.80A	10.50B/7.80A	----	8.90 - 0.90	.0588	----	----	103	----	3754 - 44
4755	8.30	8.30	10.30B/7.70A	10.30B/7.70A	----	8.70 - 0.90	.0576	----	----	2	----	45 + 2
4760	----	----	10.10B/7.50A	10.10B/7.50A	----	8.60 - 0.80	.0568	----	----	----	----	162 UNCH
4765	----	----	9.90B/7.40A	9.90B/7.40A	----	8.40 - 0.90	.0556	----	----	----	----	88 UNCH
4770	----	----	9.70B/7.30A	9.70B/7.30A	----	8.30 - 0.80	.0549	----	----	10	----	40 - 10
4775	----	----	9.60B/7.10A	9.60B/7.10A	----	8.10 - 0.90	.0537	----	----	----	----	352 UNCH
4780	----	----	9.40B/7.00A	9.40B/7.00A	----	8.00 - 0.80	.0529	----	----	----	----	52 UNCH
4785	----	----	9.20B/6.90A	9.20B/6.90A	----	7.80 - 0.90	.0517	----	----	----	----	77 UNCH
4790	----	----	9.10B/6.80A	9.10B/6.80A	----	7.70 - 0.80	.0510	----	----	----	----	310 UNCH
4795	----	----	8.90B/6.60A	8.90B/6.60A	----	7.50 - 0.90	.0498	----	----	----	----	142 UNCH
4800	8.50	8.50	8.70B/6.50A	8.70B/6.50A	----	7.40 - 0.80	.0491	----	----	164	----	8576 - 8
4805	----	----	8.60B/6.40A	8.60B/6.40A	----	7.30 - 0.80	.0484	----	----	----	----	45 UNCH
4810	----	----	8.40B/6.30A	8.40B/6.30A	----	7.10 - 0.90	.0472	----	----	----	----	86 UNCH
4815	----	----	8.30B/6.20A	8.30B/6.20A	----	7.00 - 0.80	.0465	----	----	----	----	33 UNCH
4820	----	----	8.10B/6.10A	8.10B/6.10A	----	6.90 - 0.80	.0458	----	----	----	----	210 UNCH
4825	6.70	6.70	8.00B/6.00A	8.00B/6.00A	----	6.80 - 0.80	.0451	----	----	2	----	255 + 2
4830	----	----	7.80B/5.90A	7.80B/5.90A	----	6.70 - 0.70	.0444	----	----	----	----	39 UNCH
4835	----	----	7.70B/5.80A	7.70B/5.80A	----	6.50 - 0.80	.0433	----	----	----	----	169 UNCH
4840	----	----	7.60B/5.70A	7.60B/5.70A	----	6.40 - 0.80	.0426	----	----	----	----	172 UNCH
4845	----	----	7.50B/5.60A	7.50B/5.60A	----	6.30 - 0.80	.0419	----	----	----	----	42 UNCH
4850	6.20	6.20	7.30B/5.50A	7.30B/5.50A	----	6.20 - 0.80	.0412	----	----	4	----	3317 UNCH
4855	----	----	7.20B/5.40A	7.20B/5.40A	----	6.10 - 0.80	.0406	----	----	----	----	114 UNCH
4860	----	----	7.10B/5.40A	7.10B/5.40A	----	6.00 - 0.80	.0399	----	----	----	----	86 UNCH
4865	----	----	7.00B/5.30A	7.00B/5.30A	----	5.90 - 0.80	.0392	----	----	----	----	55 UNCH
4870	----	----	6.80B/5.20A	6.80B/5.20A	----	5.80 - 0.70	.0386	----	----	----	----	65 UNCH
4875	----	----	6.70B/5.10A	6.70B/5.10A	----	5.70 - 0.70	.0379	----	----	----	----	227 UNCH
4880	----	----	6.60B/5.00A	6.60B/5.00A	----	5.60 - 0.80	.0373	----	----	----	----	313 UNCH
4885	----	----	6.50B/5.00A	6.50B/5.00A	----	5.60 - 0.70	.0371	----	----	----	----	65 UNCH
4890	----	----	6.40B/4.90A	6.40B/4.90A	----	5.50 - 0.70	.0364	----	----	----	----	28 UNCH
4895	----	----	6.30B/4.80A	6.30B/4.80A	----	5.40 - 0.70	.0358	----	----	----	----	253 UNCH
4900	6.10	6.10	6.20B/4.70A	6.20B/4.70A	----	5.30 - 0.70	.0352	----	----	276	----	5626 - 26
4905	----	----	6.10B/4.70A	6.10B/4.70A	----	5.20 - 0.70	.0345	----	----	----	----	48 UNCH
4910	----	----	6.00B/4.60A	6.00B/4.60A	----	5.10 - 0.70	.0339	----	----	----	----	2064 UNCH
4915	----	----	5.90B/4.50A	5.90B/4.50A	----	5.10 - 0.60	.0337	----	----	----	----	82 UNCH
4920	----	----	5.80B/4.50A	5.80B/4.50A	----	5.00 - 0.70	.0331	----	----	----	----	140 UNCH
4925	4.70	4.70	5.80B/4.40A	5.80B/4.40A	----	4.90 - 0.70	.0325	----	----	1	----	439 UNCH
4930	----	----	5.70B/4.40A	5.70B/4.40A	----	4.80 - 0.70	.0318	----	----	----	----	37 UNCH
4935	----	----	5.60B/4.30A	5.60B/4.30A	----	4.70 - 0.70	.0312	----	----	----	----	18 UNCH
4940	----	----	5.50B/4.20A	5.50B/4.20A	----	4.70 - 0.70	.0311	----	----	----	----	54 UNCH
4945	----	----	5.40B/4.20A	5.40B/4.20A	----	4.60 - 0.70	.0304	----	----	----	----	32 UNCH
4950	5.30	5.30	5.30/4.10A	5.30/4.10A	----	4.50 - 0.70	.0298	----	----	5	----	756 - 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
4955	----	----	5.30B/4.10A	5.30B/4.10A	----	4.50 - 0.70	.0297	----	----	----	----	27 UNCH
4960	----	----	5.20B/4.00A	5.20B/4.00A	----	4.40 - 0.70	.0291	----	----	----	----	158 UNCH
4965	----	----	5.10B/4.00A	5.10B/4.00A	----	4.30 - 0.70	.0285	----	----	----	----	153 UNCH
4970	----	----	----/3.90A	5.00B/3.90A	----	4.30 - 0.70	.0284	----	----	----	----	201 UNCH
4975	4.20	4.20	5.00B/3.90A	5.00B/3.90A	----	4.20 - 0.70	.0277	----	----	5	----	75 UNCH
4980	----	----	4.90B/3.80A	4.90B/3.80A	----	4.20 - 0.60	.0276	----	----	----	----	78 UNCH
4985	----	----	----/3.80A	4.80B/3.80A	----	4.10 - 0.70	.0270	----	----	----	----	89 UNCH
4990	----	----	4.80B/3.70A	4.80B/3.70A	----	4.00 - 0.70	.0264	----	----	----	----	431 UNCH
4995	----	----	----/3.70A	4.70B/3.70A	----	4.00 - 0.70	.0263	----	----	----	----	60 UNCH
5000	4.80	4.80	4.80/3.50	4.80/3.50	----	3.90 - 0.70	.0257	----	----	654	----	12107 + 34
5005	----	----	----/3.60A	4.60B/3.60A	----	3.90 - 0.70	.0256	----	----	----	----	40 UNCH
5010	4.30	4.30	4.30/3.50A	4.50B/3.50A	----	3.80 - 0.70	.0250	----	----	1	----	22 UNCH
5015	----	----	----/3.50A	4.50B/3.50A	----	3.80 - 0.70	.0249	----	----	----	----	39 UNCH
5020	----	----	----/3.50A	4.40B/3.50A	----	3.70 - 0.70	.0243	----	----	----	----	101 UNCH
5025	----	----	----/3.40A	4.30B/3.40A	----	3.70 - 0.70	.0242	----	----	----	----	428 UNCH
5030	----	----	----/3.40A	4.30B/3.40A	----	3.60 - 0.70	.0236	----	----	----	----	119 UNCH
5035	----	----	----/3.30A	4.20B/3.30A	----	3.60 - 0.70	.0235	----	----	----	----	98 UNCH
5040	----	----	----/3.30A	4.20B/3.30A	----	3.50 - 0.70	.0230	----	----	----	----	78 UNCH
5045	----	----	----/3.30A	4.10B/3.30A	----	3.50 - 0.70	.0229	----	----	----	----	77 UNCH
5050	4.10	4.10	4.10/3.20A	4.10/3.20A	----	3.40 - 0.70	.0223	----	----	1	----	747 UNCH
5055	----	----	----/3.20A	4.00B/3.20A	----	3.40 - 0.70	.0222	----	----	----	----	13 UNCH
5060	----	----	----/3.20A	4.00B/3.20A	----	3.40 - 0.60	.0221	----	----	----	----	55 UNCH
5065	----	----	----/3.10A	3.90B/3.10A	----	3.30 - 0.70	.0215	----	----	----	----	30 UNCH
5070	----	----	----/3.10A	3.90B/3.10A	----	3.30 - 0.60	.0215	----	----	----	----	22 UNCH
5075	----	----	----/3.10A	3.80B/3.10A	----	3.20 - 0.70	.0209	----	----	----	----	133 UNCH
5080	----	----	----/3.00A	3.80B/3.00A	----	3.20 - 0.70	.0208	----	----	----	----	23 UNCH
5085	----	----	----/3.00A	3.70B/3.00A	----	3.20 - 0.60	.0207	----	----	----	----	25 UNCH
5090	----	----	----/3.00A	3.70B/3.00A	----	3.10 - 0.70	.0201	----	----	----	----	52 UNCH
5095	----	----	----/2.90A	3.70B/2.90A	----	3.10 - 0.60	.0201	----	----	----	----	62 UNCH
5100	3.10	3.10	3.20/2.90A	3.60B/2.90A	----	3.00 - 0.70	.0195	----	----	8	----	4908 - 4
5105	----	----	----/2.90A	3.60B/2.90A	----	3.00 - 0.70	.0194	----	----	----	----	37 UNCH
5110	----	----	----/2.90A	3.50B/2.90A	----	3.00 - 0.60	.0194	----	----	----	----	89 UNCH
5115	----	----	----/2.80A	3.50B/2.80A	----	2.90 - 0.70	.0188	----	----	----	----	129 UNCH
5120	----	----	----/2.80A	3.50B/2.80A	----	2.90 - 0.70	.0187	----	----	----	----	130 UNCH
5125	2.80	2.80	2.80/2.80	3.40B/2.80	----	2.90 - 0.60	.0187	----	----	4	----	97 UNCH
5130	----	----	----/2.80A	3.40B/2.80A	----	2.90 - 0.60	.0186	----	----	----	----	62 UNCH
5135	----	----	----/2.70A	3.30B/2.70A	----	2.80 - 0.70	.0180	----	----	----	----	136 UNCH
5140	----	----	----/2.70A	3.30B/2.70A	----	2.80 - 0.60	.0180	----	----	----	----	41 UNCH
5145	----	----	----/2.70A	3.30B/2.70A	----	2.80 - 0.60	.0179	----	----	----	----	58 UNCH
5150	3.20	3.20	3.20/2.70A	3.20/2.70A	----	2.70 - 0.70	.0173	----	----	3	----	926 UNCH
5155	----	----	----/2.60A	3.20B/2.60A	----	2.70 - 0.60	.0173	----	----	----	----	67 UNCH
5160	----	----	----/2.60A	3.20B/2.60A	----	2.70 - 0.60	.0172	----	----	----	----	96 UNCH
5165	----	----	----/2.60A	3.10B/2.60A	----	2.70 - 0.60	.0172	----	----	----	----	37 UNCH
5170	----	----	----/2.60A	3.10B/2.60A	----	2.60 - 0.60	.0166	----	----	----	----	28 UNCH
5175	----	----	----/2.60A	3.10B/2.60A	----	2.60 - 0.60	.0166	----	----	----	----	231 UNCH
5180	----	----	----/2.50A	3.00B/2.50A	----	2.60 - 0.60	.0165	----	----	----	----	63 UNCH
5185	----	----	----/2.50A	3.00B/2.50A	----	2.60 - 0.60	.0164	----	----	----	----	28 UNCH
5190	----	----	----/2.50A	3.00B/2.50A	----	2.50 - 0.60	.0159	----	----	----	----	45 UNCH
5195	----	----	----/2.50A	3.00B/2.50A	----	2.50 - 0.60	.0158	----	----	----	----	57 UNCH
5200	2.60	2.60	2.60/2.50A	2.90B/2.50A	----	2.50 - 0.60	.0158	----	----	111	400	2881 + 37
5205	----	----	----/2.40A	2.90B/2.40A	----	2.50 - 0.60	.0157	----	----	----	----	21 UNCH
5210	----	----	----/2.40A	2.90B/2.40A	----	2.40 - 0.60	.0152	----	----	----	----	168 UNCH
5215	----	----	----/2.40A	2.80B/2.40A	----	2.40 - 0.60	.0151	----	----	----	----	125 UNCH
5220	----	----	----/2.40A	2.80B/2.40A	----	2.40 - 0.60	.0151	----	----	----	----	111 UNCH
5225	----	----	----/2.40A	2.80B/2.40A	----	2.40 - 0.60	.0150	----	----	----	----	9418 UNCH
5230	----	----	----/2.30A	2.80B/2.30A	----	2.40 - 0.50	.0150	----	----	----	----	67 UNCH
5235	----	----	----/2.30A	2.70B/2.30A	----	2.30 - 0.60	.0145	----	----	----	----	18 UNCH
5240	2.70	2.70	2.70/2.30A	2.70/2.30A	----	2.30 - 0.60	.0144	----	----	1	----	17 UNCH
5245	----	----	----/2.30A	2.70B/2.30A	----	2.30 - 0.60	.0144	----	----	----	----	23 UNCH
5250	2.60	2.60	2.60/2.30A	2.70B/2.30A	----	2.30 - 0.50	.0143	----	----	2	----	1843 + 2
5255	----	----	----/2.30A	2.60B/2.30A	----	2.30 - 0.50	.0143	----	----	----	----	58 UNCH
5260	----	----	----/2.20A	2.60B/2.20A	----	2.20 - 0.60	.0137	----	----	----	----	12 UNCH
5265	----	----	----/2.20A	2.60B/2.20A	----	2.20 - 0.60	.0137	----	----	----	----	19 UNCH
5270	----	----	----/2.20A	2.60B/2.20A	----	2.20 - 0.50	.0137	----	----	----	----	74 UNCH
5275	----	----	----/2.20A	2.50B/2.20A	----	2.20 - 0.50	.0136	----	----	----	----	41 UNCH
5280	----	----	----/2.20A	2.50B/2.20A	----	2.20 - 0.50	.0136	----	----	----	----	66 UNCH
5285	----	----	----/2.20A	2.50B/2.20A	----	2.20 - 0.50	.0135	----	----	----	----	32 UNCH
5290	----	----	----/2.10A	2.50B/2.10A	----	2.10 - 0.60	.0130	----	----	----	----	14 UNCH
5295	----	----	----/2.10A	2.50B/2.10A	----	2.10 - 0.50	.0130	----	----	----	----	25 UNCH
5300	2.40	2.40	2.40/2.10A	2.40/2.10A	----	2.10 - 0.50	.0129	----	----	24	----	2266 - 9
5305	----	----	----/2.10A	2.40B/2.10A	----	2.10 - 0.50	.0129	----	----	----	----	48 UNCH
5310	----	----	----/2.10A	2.40B/2.10A	----	2.10 - 0.50	.0128	----	----	----	----	44 UNCH
5315	----	----	----/2.10A	2.40B/2.10A	----	2.10 - 0.50	.0128	----	----	----	----	38 UNCH
5320	----	----	----/2.10A	2.40B/2.10A	----	2.10 - 0.40	.0128	----	----	----	----	6 UNCH
5325	----	----	----/2.00A	2.30B/2.00A	----	2.00 - 0.50	.0122	----	----	----	----	30 UNCH
5330	----	----	----/2.00A	2.30B/2.00A	----	2.00 - 0.50	.0122	----	----	----	----	48 UNCH
5335	----	----	----/2.00A	2.30B/2.00A	----	2.00 - 0.50	.0122	----	----	----	----	46 UNCH
5340	----	----	----/2.00A	2.30B/2.00A	----	2.00 - 0.50	.0121	----	----	----	----	11 UNCH
5345	2.00	2.00	2.00/2.00	2.30B/2.00	----	2.00 - 0.40	.0121	----	----	6	----	44 + 6
5350	2.00	2.00	2.00/2.00	2.20B/2.00	----	2.00 - 0.40	.0121	----	----	35	----	901 + 35
5355	----	----	----/2.00A	2.20B/2.00A	----	2.00 - 0.40	.0120	----	----	----	----	21 UNCH
5360	----	----	----/2.00A	2.20B/2.00A	----	1.90 - 0.50	.0115	----	----	----	----	119 UNCH
5365	----	----	----/1.90A	2.20B/1.90A	----	1.90 - 0.50	.0115	----	----	----	----	23 UNCH
5370	2.00	2.00	2.00/1.90A	2.20B/1.90A	----	1.90 - 0.50	.0115	----	----	40	----	83 + 40
5375	----	----	----/1.90A	2.20B/1.90A	----	1.90 - 0.40	.0114	----	----	----	----	90 UNCH
5380	----	----	----/1.90A	2.10B/1.90A	----	1.90 - 0.40	.0114	----	----	----	----	94 UNCH
5385	----	----	----/1.90A	2.10B/1.90A	----	1.90 - 0.40	.0114	----	----	----	----	44 UNCH
5390	----	----	----/1.90A	2.10B/1.90A	----	1.90 - 0.40	.0113	----	----	----	----	214 UNCH
5395	----	----	----/1.90A	2.10B/1.90A	----	1.90 - 0.40	.0113	----	----	----	----	13 UNCH
5400	2.10	2.10	2.10/1.90	2.10/1.90	----	1.90 - 0.40	.0113	----	----	31	----	4219 - 14
5405	----	----	----/1.80A	2.10B/1.80A	----	1.80 - 0.40	.0108	----	----	----	----	54 UNCH
5410	----	----	----/1.80A	2.00B/1.80A	----	1.80 - 0.40	.0107	----	----	----	----	28 UNCH
5415	2.00	2.00	2.00/1.80A	2.00/1.80A	----	1.80 - 0.40	.0107	----	----	1	----	4 UNCH
5420	----	----	----/1.80A	2.00B/1.80A	----	1.80 - 0.40	.0107	----	----	----	----	11 UNCH
5425	----	----	----/1.80A	2.00B/1.80A	----	1.80 - 0.40	.0106	----	----	----	----	269 UNCH
5430	----	----	----/1.80A	2.00B/1.80A	----	1.80 - 0.40	.0106	----	----	----	----	16 UNCH
5435	----	----	----/1.80A	2.00B/1.80A	----	1.80 - 0.30	.0106	----	----	----	----	23 UNCH
5440	----	----	----/1.80A	2.00B/1.80A	----	1.80 - 0.30	.0106	----	----	----	----	12 UNCH
5445	----	----	----/1.80A	1.90B/1.80A	----	1.80 - 0.30	.0105	----	----	----	----	45 UNCH
5450	----	----	----/1.70A	1.90B/1.70A	----	1.80 - 0.30	.0105	----	----	----	----	447 UNCH
5455	----	----	----/1.70A	1.90B/1.70A	----	1.80 - 0.30	.0105	----	----	----	----	28 UNCH
5460	----	----	----/1.70A	1.90B/1.70A	----	1.70 - 0.40	.0100	----	----	----	----	53 UNCH
5465	----	----	----/1.70A	1.90B/1.70A	----	1.70 - 0.40	.0099	----	----	----	----	70 UNCH
5470	----	----	----/1.70A	1.90B/1.70A	----	1.70 - 0.40	.0099	----	----	----	----	31 UNCH
5475	----	----	----/1.60A	1.90B/1.60A	----	1.70 - 0.30	.0099	----	----	----	----	588 UNCH
5480	----	----	----/1.60A	1.80B/1.60A	----	1.70 - 0.30	.0099	----	----	----	----	104 UNCH
5485	----	----	----/1.60A	1.80B/1.60A	----	1.70 - 0.30	.0098	----	----	----	----	7 UNCH
5490	----	----	----/1.60A	1.80B/1.60A	----	1.70 - 0.30	.0098	----	----	----	----	25 UNCH
5495	----	----	----/1.60A	1.80B/1.60A	----	1.70 - 0.30	.0098	----	----	----	----	100 UNCH
5500	2.00	2.00	2.00/1.60A	2.00/1.60A	----	1.70 - 0.30	.0098	----	----	261	----	17387 + 150
5505	----	----	----/1.60A	1.80B/1.60A	----	1.70 - 0.30	.0097	----	----	----	----	15 UNCH
5510	----	----	----/1.60A	1.80B/1.60A	----	1.70 - 0.30	.0097	----	----	----	----	37 UNCH
5515	----	----	----/1.60A	1.80B/1.60A	----	1.60 - 0.40	.0092	----	----	----	----	11 UNCH
5520	----	----	----/1.60A	1.80B/1.60A	----	1.60 - 0.30	.0092	----	----	----	----	26 UNCH
5525	----	----	----/1.50A	1.70B/1.50A	----	1.60 - 0.30	.0092	----	----	----	----	129 UNCH
5530	----	----	----/1.50A	1.70B/1.50A	----	1.60 - 0.30	.0092	----	----	----	----	7 UNCH
5535	----	----	----/1.50A	1.70B/1.50A	----	1.60 - 0.30	.0091	----	----	----	----	10 UNCH
5540	1.60	1.60	1.60/1.50A	1.70B/1.50A	----	1.60 - 0.30	.0091	----	----	15	----	47 + 14
5545	----	----	----/1.50A	1.70B/1.50A	----	1.60 - 0.30	.0091	----	----	----	----	5 UNCH
5550	----	----	----/1.50A	1.70B/1.50A	----	1.60 - 0.30	.0091	----	----	----	----	446 UNCH
5555	----	----	----/1.50A	1.70B/1.50A	----	1.60 - 0.30	.0091	----	----	----	----	9 UNCH
5560	----	----	----/1.50A	1.70B/1.50A	----	1.60 - 0.30	.0090	----	----	----	----	22 UNCH
5565	----	----	----/1.50A	1.70B/1.50A	----	1.60 - 0.30	.0090	----	----	----	----	27 UNCH
5570	----	----	----/1.50A	1.60B/1.50A	----	1.50 - 0.30	.0085	----	----	----	----	257 UNCH
5575	----	----	----/1.50A	1.60B/1.50A	----	1.50 - 0.30	.0085	----	----	----	----	28 UNCH
5580	----	----	----/1.50A	1.60B/1.50A	----	1.50 - 0.30	.0085	----	----	----	----	7 UNCH
5585	----	----	----/1.50A	1.60B/1.50A	----	1.50 - 0.30	.0085	----	----	----	----	9 UNCH
5590	----	----	----/1.50A	1.60B/1.50A	----	1.50 - 0.30	.0084	----	----	----	----	5 UNCH
5595	----	----	----/1.40A	1.60B/1.40A	----	1.50 - 0.30	.0084	----	----	----	----	10 UNCH
5600	1.50	1.50	1.50/1.40A	1.60B/1.40A	----	1.50 - 0.30	.0084	----	----	14	----	3091 - 2
5605	----	----	----/1.40A	1.60B/1.40A	----	1.50 - 0.30	.0084	----	----	----	----	41 UNCH
5610	----	----	----/1.40A	1.60B/1.40A	----	1.50 - 0.30	.0084	----	----	----	----	8 UNCH
5615	----	----	----/1.40A	1.60B/1.40A	----	1.50 - 0.30	.0083	----	----	----	----	34 UNCH
5620	----	----	----/1.40A	1.60B/1.40A	----	1.50 - 0.30	.0083	----	----	----	----	13 UNCH
5625	1.50	1.50	1.50/1.40A	1.50/1.40A	----	1.40 - 0.40	.0079	----	----	10	----	12 + 8
5630	----	----	----/1.40A	1.50B/1.40A	----	1.40 - 0.30	.0078	----	----	----	----	8 UNCH
5635	----	----	----/1.40A	1.50B/1.40A	----	1.40 - 0.30	.0078	----	----	----	----	35 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL												
DEC26												
5640	----	----	----/1.40A	1.50B/1.40A	----	1.40 - 0.30	.0078	----	----	----	----	8 UNCH
5645	----	----	----/1.40A	1.50B/1.40A	----	1.40 - 0.30	.0078	----	----	----	----	2 UNCH
5650	----	----	----/1.40A	1.50B/1.40A	----	1.40 - 0.30	.0078	----	----	----	----	352 UNCH
5655	----	----	----/1.40A	1.50B/1.40A	----	1.40 - 0.30	.0077	----	----	----	----	38 UNCH
5660	----	----	----/1.40A	1.50B/1.40A	----	1.40 - 0.30	.0077	----	----	----	----	28 UNCH
5665	----	----	----/1.40A	1.50B/1.40A	----	1.40 - 0.30	.0077	----	----	----	----	6 UNCH
5670	----	----	----/1.40A	1.50B/1.40A	----	1.40 - 0.30	.0077	----	----	----	----	161 UNCH
5675	----	----	----/1.40A	1.50B/1.40A	----	1.40 - 0.30	.0077	----	----	----	----	57 UNCH
5680	----	----	----/1.30A	1.50B/1.30A	----	1.40 - 0.30	.0077	----	----	----	----	40 UNCH
5685	----	----	----/1.30A	1.40B/1.30A	----	1.40 - 0.30	.0076	----	----	----	----	28 UNCH
5690	----	----	----/1.30A	1.40B/1.30A	----	1.40 - 0.30	.0076	----	----	----	----	63 UNCH
5695	----	----	----/1.30A	1.40B/1.30A	----	1.40 - 0.20	.0076	----	----	----	----	37 UNCH
5700	----	----	----/1.30A	1.40B/1.30A	----	1.40 - 0.20	.0076	----	----	----	----	830 UNCH
5705	----	----	----/1.30A	1.40B/1.30A	----	1.40 - 0.20	.0076	----	----	----	----	14 UNCH
5710	----	----	----/1.30A	1.40B/1.30A	----	1.40 - 0.20	.0076	----	----	----	----	58 UNCH
5720	1.30	1.30	1.30/1.30	1.40B/1.30	----	1.40 - 0.20	.0075	----	----	9	----	11 + 7
5725	----	----	----/1.30A	1.40B/1.30A	----	1.40 - 0.20	.0075	----	----	----	----	50 UNCH
5730	----	----	----/1.30A	1.40B/1.30A	----	1.40 - 0.20	.0075	----	----	----	----	14 UNCH
5740	----	----	----/1.30A	1.40B/1.30A	----	1.30 - 0.30	.0070	----	----	----	----	14 UNCH
5750	----	----	----/1.30A	1.40B/1.30A	----	1.30 - 0.30	.0070	----	----	----	----	533 UNCH
5760	----	----	----/1.30A	1.40B/1.30A	----	1.30 - 0.20	.0070	----	----	----	----	10 UNCH
5770	----	----	----/1.30A	1.30B/1.30A	----	1.30 - 0.20	.0069	----	----	----	----	27 UNCH
5775	----	----	----/1.20A	1.30B/1.20A	----	1.30 - 0.20	.0069	----	----	----	----	8 UNCH
5780	----	----	----/1.20A	1.30B/1.20A	----	1.30 - 0.20	.0069	----	----	----	----	9 UNCH
5790	----	----	----/1.20A	1.30B/1.20A	----	1.30 - 0.20	.0069	----	----	----	----	10 UNCH
5800	----	----	----/1.20A	1.30B/1.20A	----	1.30 - 0.20	.0068	----	----	----	----	2178 UNCH
5810	----	----	----/1.20A	1.30B/1.20A	----	1.30 - 0.20	.0068	----	----	----	----	66 UNCH
5825	----	----	----/1.20A	1.30B/1.20A	----	1.20 - 0.20	.0063	----	----	----	----	17 UNCH
5850	----	----	----/1.20A	1.20B/1.20A	----	1.20 - 0.20	.0063	----	----	----	----	217 UNCH
5875	----	----	----/1.20A	1.20B/1.20A	----	1.20 - 0.20	.0062	----	----	----	----	26 UNCH
5900	----	----	----/1.10A	1.20B/1.10A	----	1.20 - 0.10	.0062	----	----	----	----	1093 UNCH
5925	----	----	----/1.10A	1.10B/1.10A	----	1.10 - 0.20	.0057	----	----	----	----	19 UNCH
5950	----	----	----/1.10A	1.20B/1.10A	----	1.10 - 0.20	.0056	----	----	----	----	192 UNCH
5975	----	----	----/1.10A	1.10B/1.10A	----	1.10 - 0.20	.0056	----	----	----	----	80 UNCH
6000	1.10	1.10	1.20/1.10	1.20/1.10	----	1.10 - 0.20	.0055	----	----	375	----	14729 - 99
6025	----	----	----/1.10A	1.10B/1.10A	----	1.10 - 0.10	.0055	----	----	----	----	13 UNCH
6050	----	----	----/1.00A	1.00B/1.00A	----	1.10 - 0.10	.0054	----	----	----	----	56 UNCH
6100	1.20	1.20	1.20/1.00A	1.20/1.00A	----	1.00 - 0.20	.0049	----	----	1	----	171 UNCH
6150	----	----	----/1.00A	0.90B/1.00A	----	1.00 - 0.10	.0048	----	----	----	----	91 UNCH
6200	----	----	----/1.00A	0.90B/1.00A	----	1.00 - 0.10	.0048	----	----	1	----	3067 - 1
6250	----	----	----/0.90A	0.90B/0.90A	----	0.90 - 0.10	.0043	----	----	----	----	322 UNCH
6300	----	----	----/0.90A	0.90B/0.90A	----	0.90 - 0.10	.0042	----	----	----	----	892 UNCH
6400	----	----	----	0.80B/0.90A	----	0.90 UNCH	.0041	----	----	----	----	876 UNCH
6500	0.90	0.90	0.90/0.80	0.90/0.80	----	0.80 UNCH	.0036	----	----	283	----	5065 - 17
6750	----	----	----	0.70B/0.70A	----	0.70 UNCH	.0030	----	----	----	----	130 UNCH
6775	----	----	----	0.70B/0.70A	----	0.70 UNCH	.0030	----	----	----	----	240 UNCH
6800	0.80	0.80	0.80/0.80	0.80/0.70A	----	0.70 UNCH	.0030	----	----	4	----	2009 UNCH
6900	----	----	----	0.60B/0.70A	----	0.60 UNCH	.0025	----	----	----	----	141 UNCH
7000	----	----	----	0.60B/0.60A	----	0.60 UNCH	.0025	----	----	56	----	6188 + 6
7100	----	----	----	0.60B/0.60A	----	0.60 UNCH	.0024	----	----	----	----	13 UNCH
7125	----	----	----	0.60B/0.60A	----	0.60 UNCH	.0024	----	----	----	----	4 UNCH
7130	----	----	----	0.60B/0.60A	----	0.60 UNCH	.0024	----	----	----	----	201 UNCH
7150	----	----	----	0.60B/0.60A	----	0.60 UNCH	.0024	----	----	----	----	142 UNCH
7175	----	----	----	0.60B/0.60A	----	0.60 UNCH	.0024	----	----	----	----	127 UNCH
7200	----	----	----	0.60B/0.60A	----	0.60 UNCH	.0024	----	----	----	----	66 UNCH
7250	----	----	----	0.50B/0.60A	----	0.50 UNCH	.0020	----	----	----	----	509 UNCH
7500	----	----	----	0.50B/0.50A	----	0.50 UNCH	.0019	----	----	----	----	2417 UNCH
8000	0.40	0.40	0.40/0.40	0.40/0.40	----	0.50 UNCH	.0018	----	----	95	----	13230 + 8
8125	----	----	----	0.40B/0.40A	----	0.40 UNCH	.0014	----	----	----	----	803 UNCH
8500	0.40	0.40	0.40/0.40	0.40/0.40	----	0.40 UNCH	.0013	----	----	14	----	511 UNCH
8630	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0010	----	----	----	----	422 UNCH
8700	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0010	----	----	----	----	127 UNCH
8725	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0010	----	----	----	----	217 UNCH
8750	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0010	----	----	----	----	719 UNCH
8775	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0010	----	----	----	----	49 UNCH
9000	0.30	0.30	0.30/0.30	0.30/0.30	----	0.30 UNCH	.0010	----	----	103	----	635 UNCH
9250	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0009	----	----	----	----	102 UNCH
9500	----	----	----	0.20B/0.30A	----	0.20 UNCH	.0006	----	----	----	----	984 UNCH
9600	----	----	----	0.20B/0.30A	----	0.20 UNCH	.0006	----	----	----	----	137 UNCH
9750	----	----	----	0.20B/0.30A	----	0.20 UNCH	.0006	----	----	----	----	110 UNCH
9900	0.20	0.20	0.20/0.20	0.20/0.20	----	0.20 UNCH	.0006	----	----	6	----	139 UNCH
10000	0.30	0.30	0.30/0.20	0.30/0.20	----	0.20 UNCH	.0006	----	----	102	----	11390 + 2
10500	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0003	----	----	----	----	31 UNCH
11000	----	----	----	0.10B/0.20A	----	0.10 UNCH	.0001	----	----	----	----	809 UNCH
13000	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	697 UNCH
15000	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	----	----	----	7	----	36687 UNCH
17000	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	52 UNCH
19000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	350 UNCH
20000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	38042 UNCH
21000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	39 UNCH
23000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
24000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	167 UNCH
TOTAL										10619	865	320213 + 995
JAN27												
3050	----	----	1,150.80B/1,115	1150.80B/1115.30A	----	1141.60 + 16.60	.9891	21	----	21	----	0 UNCH
3150	----	----	1,050.40B/1,016	1050.40B/1016.80A	----	1042.00 + 16.50	.9844	----	----	21	----	35 + 21
3200	----	----	1,000.90B/967.9	1000.90B/967.90A	----	992.40 + 16.40	.9818	----	----	----	----	11 UNCH
3250	----	----	950.00B/918.80A	950.00B/918.80A	----	942.90 + 16.30	.9782	----	----	----	----	25 UNCH
3300	----	----	900.80B/869.70A	900.80B/869.70A	----	893.60 + 16.20	.9742	----	----	----	----	18 UNCH
3500	----	----	706.40B/675.30A	706.40B/675.30A	----	699.10 + 15.70	.9479	----	----	----	----	1 UNCH
3950	----	----	315.50B/285.60A	315.50B/285.60A	----	306.10 + 10.40	.7440	----	----	----	----	2 UNCH
4000	----	----	279.50B/251.40A	279.50B/251.40A	----	270.60 + 9.20	.7021	----	----	1	----	371 + 1
4010	----	----	272.60B/244.90A	272.60B/244.90A	----	263.80 + 9.00	.6933	----	----	----	----	1 UNCH
4035	----	----	255.80B/229.00A	255.80B/229.00A	----	247.30 + 8.50	.6707	----	----	----	----	1 UNCH
4070	----	----	233.50B/207.90A	233.50B/207.90A	----	225.20 + 7.60	.6380	----	----	----	----	1 UNCH
4090	----	----	221.40B/196.10A	221.40B/196.10A	----	213.20 + 7.10	.6187	----	----	----	----	1 UNCH
4100	196.80	196.80	215.70B/190.50A	215.70B/190.50A	----	207.40 + 6.90	.6090	----	----	2	----	109 - 1
4110	----	----	210.30B/185.10A	210.30B/185.10A	----	201.70 + 6.70	.5992	----	----	----	----	1 UNCH
4115	191.90	191.90	207.50B/182.40A	207.50B/182.40A	----	198.80 NEW	.5943	----	----	1	----	1 + 1
4125	----	----	201.90B/177.20A	201.90B/177.20A	----	193.30 + 6.30	.5844	----	----	----	----	2 UNCH
4130	----	----	199.10B/174.60A	199.10B/174.60A	----	190.50 + 6.20	.5794	----	----	----	----	1 UNCH
4140	----	----	193.70B/169.60A	193.70B/169.60A	----	185.10 + 5.90	.5695	----	----	----	----	1 UNCH
4145	----	----	191.00B/167.10A	191.00B/167.10A	----	182.50 + 5.90	.5645	----	----	----	----	1 UNCH
4150	----	----	188.40B/164.60A	188.40B/164.60A	----	179.90 + 5.80	.5595	----	----	----	----	6 UNCH
4155	----	----	185.70B/162.10A	185.70B/162.10A	----	177.30 + 5.60	.5545	----	----	----	----	3 UNCH
4160	----	----	183.20B/159.70A	183.20B/159.70A	----	174.70 + 5.50	.5494	----	----	----	----	230 UNCH
4165	----	----	180.60B/157.30A	180.60B/157.30A	----	172.10 + 5.30	.5444	----	----	----	----	8 UNCH
4170	162.90	162.90	178.10B/155.00A	178.10B/155.00A	----	169.60 + 5.20	.5394	----	----	1	----	3 UNCH
4175	----	----	175.60B/152.70A	175.60B/152.70A	----	167.10 + 5.10	.5344	----	----	----	----	11 UNCH
4180	156.60	156.60	173.10B/150.30A	173.10B/150.30A	----	164.70 + 5.00	.5294	----	----	9	----	48 + 4
4185	----	----	170.60B/148.00A	170.60B/148.00A	----	162.20 + 4.80	.5244	----	----	----	----	4 UNCH
4190	155.90	155.90	168.20B/145.70A	168.20B/145.70A	----	159.80 + 4.70	.5193	----	----	14	----	29 + 10
4195	----	----	165.80B/143.50A	165.80B/143.50A	----	157.50 + 4.70	.5143	----	----	----	----	7 UNCH
4200	145.00	145.00	163.40B/141.30A	163.40B/141.30A	----	155.10 + 4.50	.5093	----	----	33	100	263 + 105
4205	----	----	161.10B/139.30A	161.10B/139.30A	----	152.80 + 4.40	.5043	----	----	5	----	24 + 5
4210	----	----	158.70B/137.00A	158.70B/137.00A	----	150.50 + 4.30	.4993	----	----	----	----	214 UNCH
4215	----	----	156.50B/134.90A	156.50B/134.90A	----	148.20 + 4.10	.4943	----	----	----	----	84 UNCH
4220	140.20	140.20	154.20B/132.80A	154.20B/132.80A	----	146.00 + 4.10	.4894	----	----	2	----	28 + 2
4225	----	----	152.00B/130.80A	152.00B/130.80A	----	143.80 + 4.00	.4844	----	----	----	----	111 UNCH
4230	----	----	149.70B/128.70A	149.70B/128.70A	----	141.60 + 3.80	.4795	----	----	----	----	52 UNCH
4235	136.40	136.40	147.60B/126.70A	147.60B/126.70A	----	139.40 + 3.70	.4745	----	----	3	----	52 - 3
4240	----	----	145.40B/124.80A	145.40B/124.80A	----	137.30 + 3.60	.4696	----	----	----	----	51 UNCH
4245	----	----	143.30B/122.80A	143.30B/122.80A	----	135.20 + 3.50	.4647	----	----	----	----	8 UNCH
4250	133.50	133.50	141.10B/121.00A	141.10B/121.00A	----	133.10 + 3.40	.4598	----	----	7	----	748 UNCH
4255	----	----	139.10B/119.10A	139.10B/119.10A	----	131.10 + 3.30	.4549	----	----	----	----	10 UNCH
4260	----	----	137.00B/117.20A	137.00B/117.20A	----	129.00 + 3.10	.4500	----	----	----	----	20 UNCH
4265	----	----	135.00B/115.20A	135.00B/115.20A	----	127.00 + 3.00	.4452	----	----	----	----	4 UNCH
4270	----	----	133.00B/113.50A	133.00B/113.50A	----	125.10 + 3.00	.4404	----	----	----	----	8 UNCH
4275	----	----	131.00B/111.70A	131.00B/111.70A	----	123.10 + 2.80	.4355	----	----	----	----	30 UNCH
4280	----	----	129.00B/109.90A	129.00B/109.90A	----	121.20 + 2.80	.4308	----	----	----	----	10 UNCH
4285	----	----	127.10B/108.20A	127.10B/108.20A	----	119.30 + 2.70	.4260	----	----	----	----	1 UNCH
4290	----	----	125.20B/106.40A	125.20B/106.40A	----	117.40 + 2.50	.4212	----	----	----	----	2 UNCH
4300	----	----	121.30B/103.00A	121.30B/103.00A	----	113.80 + 2.40	.4119	----	----	10	----	147 + 10
4305	----	----	119.60B/101.40A	119.60B/101.40A	----	112.00 + 2.30	.4072	----	----	5	----	15 + 5
4310	----	----	117.80B/99.80A	117.80B/99.80A	----	110.20 + 2.20	.4025	----	----	----	----	3 UNCH
4315	----	----	116.00B/98.20A	116.00B/98.20A	----	108.50 + 2.20	.3979	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL JAN27												
4320	----	----	114.10B/96.60A	114.10B/96.60A	----	106.70 + 2.00	.3933	----	----	----	----	1 UNCH
4325	----	----	112.50B/95.00A	112.50B/95.00A	----	105.00 + 1.90	.3887	----	----	----	----	3 UNCH
4330	101.40	101.40	110.80B/93.50A	110.80B/93.50A	----	103.40 + 1.90	.3842	----	----	5	----	67 + 5
4335	----	----	109.10B/92.00A	109.10B/92.00A	----	101.70 + 1.80	.3797	----	----	----	----	3 UNCH
4340	----	----	107.30B/90.50A	107.30B/90.50A	----	100.10 + 1.70	.3752	----	----	----	----	3 UNCH
4345	----	----	105.70B/89.00A	105.70B/89.00A	----	98.50 + 1.60	.3708	----	----	----	----	9 UNCH
4350	94.70	94.70	104.00B/87.50A	104.00B/87.50A	----	96.90 + 1.50	.3663	----	----	7	----	1610 - 3
4355	90.40	90.40	102.40B/86.10A	102.40B/86.10A	----	95.40 + 1.50	.3620	----	----	14	----	65 - 8
4360	----	----	100.90B/84.70A	100.90B/84.70A	----	93.80 + 1.40	.3575	----	----	----	----	90 UNCH
4365	----	----	99.30B/83.30A	99.30B/83.30A	----	92.30 + 1.30	.3532	----	----	----	----	238 UNCH
4370	92.70	92.70	97.90B/82.00A	97.90B/82.00A	----	90.90 + 1.30	.3490	----	----	8	----	40 - 2
4375	87.40	87.40	96.30B/80.60A	96.30B/80.60A	----	89.40 + 1.20	.3447	----	----	1	----	205 UNCH
4380	----	----	94.80B/79.30A	94.80B/79.30A	----	87.90 + 1.10	.3404	----	----	----	----	1 UNCH
4385	84.60	84.60	93.30B/78.10A	93.30B/78.10A	----	86.50 + 1.10	.3362	----	----	1	----	24 UNCH
4390	84.80	84.80	91.90B/76.70A	91.90B/76.70A	----	85.10 + 1.00	.3321	----	----	1	----	9 + 1
4395	----	----	90.40B/75.50A	90.40B/75.50A	----	83.80 + 1.00	.3281	----	----	----	----	17 UNCH
4400	----	----	89.00B/74.30A	89.00B/74.30A	----	82.40 + 0.90	.3239	----	----	26	----	423 - 16
4405	----	----	87.60B/73.00A	87.60B/73.00A	----	81.10 + 0.90	.3199	----	----	----	----	6 UNCH
4410	81.00	81.00	86.30B/71.80A	86.30B/71.80A	----	79.70 + 0.80	.3157	----	----	1	----	33 + 1
4415	----	----	84.90B/70.70A	84.90B/70.70A	----	78.40 + 0.70	.3118	----	----	----	----	9 UNCH
4420	----	----	83.60B/69.50A	83.60B/69.50A	----	77.20 + 0.70	.3079	----	----	----	----	15 UNCH
4425	75.70	75.70	82.30B/68.40A	82.30B/68.40A	----	75.90 + 0.60	.3039	----	----	10	----	56 - 4
4430	78.60	78.60	81.00B/67.20A	81.00B/67.20A	----	74.70 + 0.60	.3001	----	----	2	----	19 + 2
4435	74.80	74.80	79.80B/66.10A	79.80B/66.10A	----	73.50 + 0.60	.2963	----	----	5	----	16 + 4
4440	----	----	78.40B/65.00A	78.40B/65.00A	----	72.30 + 0.60	.2925	----	----	----	----	95 UNCH
4445	----	----	77.20B/64.00A	77.20B/64.00A	----	71.10 + 0.50	.2886	----	----	----	----	22 UNCH
4450	65.50	65.50	76.00B/62.90A	76.00B/62.90A	----	69.90 + 0.40	.2848	----	----	110	----	400 + 79
4455	----	----	74.80B/61.90A	74.80B/61.90A	----	68.80 + 0.40	.2812	----	----	----	----	7 UNCH
4460	----	----	73.70B/60.90A	73.70B/60.90A	----	67.70 + 0.40	.2776	----	----	----	----	12 UNCH
4465	----	----	72.50B/59.90A	72.50B/59.90A	----	66.60 + 0.40	.2740	----	----	----	----	19 UNCH
4470	----	----	71.40B/58.90A	71.40B/58.90A	----	65.50 + 0.30	.2703	----	----	----	----	13 UNCH
4475	64.00	64.00	70.20B/57.90A	70.20B/57.90A	----	64.40 + 0.20	.2667	----	----	5	----	69 + 5
4480	----	----	69.20B/57.00A	69.20B/57.00A	----	63.30 + 0.10	.2631	----	----	----	----	113 UNCH
4485	----	----	68.00B/56.00A	68.00B/56.00A	----	62.30 + 0.10	.2597	----	----	----	----	6 UNCH
4490	----	----	67.00B/55.10A	67.00B/55.10A	----	61.30 + 0.10	.2563	----	----	----	----	15 UNCH
4495	----	----	65.90B/54.20A	65.90B/54.20A	----	60.30 + 0.10	.2529	----	----	----	----	7 UNCH
4500	56.70	56.70	64.90B/53.30A	64.90B/53.30A	----	59.30 UNCH	.2495	----	----	247	----	2109 + 216
4505	----	----	63.80B/52.40A	63.80B/52.40A	----	58.30 UNCH	.2461	----	----	----	----	5 UNCH
4510	----	----	62.80B/51.60A	62.80B/51.60A	----	57.40 UNCH	.2429	----	----	----	----	191 UNCH
4515	----	----	61.90B/50.70A	61.90B/50.70A	----	56.40 - 0.10	.2395	----	----	----	----	14 UNCH
4520	52.90	52.90	60.90B/49.90A	60.90B/49.90A	----	55.50 - 0.10	.2364	----	----	2	----	110 + 2
4525	----	----	59.90B/49.10A	59.90B/49.10A	----	54.60 - 0.10	.2332	----	----	----	----	1 UNCH
4530	----	----	58.90B/48.30A	58.90B/48.30A	----	53.70 - 0.20	.2300	----	----	----	----	4 UNCH
4535	----	----	58.00B/47.50A	58.00B/47.50A	----	52.80 - 0.20	.2269	----	----	----	----	12 UNCH
4540	----	----	57.10B/46.70A	57.10B/46.70A	----	52.00 - 0.20	.2239	----	----	----	----	16 UNCH
4545	----	----	56.20B/45.90A	56.20B/45.90A	----	51.10 - 0.30	.2208	----	----	----	----	9 UNCH
4550	47.20	47.20	55.30B/45.20A	55.30B/45.20A	----	50.30 - 0.20	.2178	----	----	10	----	90 - 8
4555	----	----	54.40B/44.40A	54.40B/44.40A	----	49.40 - 0.40	.2147	----	----	----	----	36 UNCH
4560	----	----	53.60B/43.70A	53.60B/43.70A	----	48.60 - 0.40	.2118	----	----	----	----	10 UNCH
4565	----	----	52.80B/43.00A	52.80B/43.00A	----	47.80 - 0.40	.2088	----	----	----	----	1 UNCH
4570	47.00	47.00	51.90B/42.30A	51.90B/42.30A	----	47.10 - 0.30	.2062	----	----	8	----	34 + 8
4575	44.10	44.10	51.10B/41.60A	51.10B/41.60A	----	46.30 - 0.40	.2032	----	----	3	----	11 UNCH
4580	----	----	50.30B/40.90A	50.30B/40.90A	----	45.50 - 0.50	.2004	----	----	----	----	1 UNCH
4585	----	----	49.50B/40.30A	49.50B/40.30A	----	44.80 - 0.50	.1977	----	----	----	----	42 UNCH
4590	----	----	48.70B/39.60A	48.70B/39.60A	----	44.10 - 0.40	.1950	----	----	----	----	1 UNCH
4595	----	----	47.90B/39.00A	47.90B/39.00A	----	43.30 - 0.50	.1921	----	----	----	----	1 UNCH
4600	44.20	44.20	47.20B/38.30A	47.20B/38.30A	----	42.60 - 0.60	.1895	----	----	11	----	1345 + 2
4605	----	----	46.40B/37.70A	46.40B/37.70A	----	41.90 - 0.60	.1868	----	----	----	----	11 UNCH
4610	----	----	45.70B/37.10A	45.70B/37.10A	----	41.20 - 0.60	.1842	----	----	----	----	1 UNCH
4615	----	----	45.00B/36.50A	45.00B/36.50A	----	40.60 - 0.60	.1818	----	----	----	----	6 UNCH
4620	----	----	44.30B/35.90A	44.30B/35.90A	----	39.90 - 0.60	.1792	----	----	----	----	176 UNCH
4625	----	----	43.60B/35.30A	43.60B/35.30A	----	39.30 - 0.60	.1768	----	----	----	----	128 UNCH
4630	----	----	42.90B/34.80A	42.90B/34.80A	----	38.60 - 0.70	.1742	----	----	----	----	10 UNCH
4635	----	----	42.20B/34.20A	42.20B/34.20A	----	38.00 - 0.70	.1718	----	----	----	----	25 UNCH
4640	----	----	41.60B/33.60A	41.60B/33.60A	----	37.40 - 0.70	.1694	----	----	----	----	6 UNCH
4645	----	----	40.90B/33.10A	40.90B/33.10A	----	36.80 - 0.70	.1671	----	----	----	----	15 UNCH
4650	----	----	40.30B/32.60A	40.30B/32.60A	----	36.20 - 0.70	.1647	----	----	----	----	116 UNCH
4655	----	----	39.70B/32.00A	39.70B/32.00A	----	35.60 - 0.70	.1624	----	----	----	----	7 UNCH
4660	33.50	33.50	39.00B/31.50A	39.00B/31.50A	----	35.00 - 0.80	.1600	----	----	3	----	19 + 1
4665	----	----	38.40B/31.00A	38.40B/31.00A	----	34.50 - 0.70	.1580	----	----	----	----	4 UNCH
4670	----	----	37.80B/30.50A	37.80B/30.50A	----	33.90 - 0.80	.1556	----	----	----	----	4 UNCH
4675	----	----	37.20B/30.00A	37.20B/30.00A	----	33.40 - 0.80	.1536	----	----	----	----	9 UNCH
4680	----	----	36.70B/29.60A	36.70B/29.60A	----	32.90 - 0.70	.1515	----	----	----	----	4 UNCH
4685	30.20	30.20	36.10B/29.10A	36.10B/29.10A	----	32.30 - 0.80	.1492	----	----	6	----	27 - 3
4690	----	----	35.50B/28.60A	35.50B/28.60A	----	31.80 - 0.80	.1471	----	----	----	----	3 UNCH
4695	----	----	35.00B/28.20A	35.00B/28.20A	----	31.30 - 0.80	.1451	----	----	----	----	8 UNCH
4700	32.00	32.00	34.50B/27.70A	34.50B/27.70A	----	30.80 - 0.80	.1431	----	----	46	----	1185 - 8
4705	----	----	33.90B/27.30A	33.90B/27.30A	----	30.30 - 0.80	.1410	----	----	----	----	2 UNCH
4710	----	----	33.40B/26.80A	33.40B/26.80A	----	29.80 - 0.90	.1390	----	----	----	----	20 UNCH
4715	----	----	32.90B/26.40A	32.90B/26.40A	----	29.40 - 0.80	.1372	----	----	----	----	14 UNCH
4720	----	----	32.40B/26.00A	32.40B/26.00A	----	28.90 - 0.80	.1352	----	----	----	----	34 UNCH
4725	----	----	31.90B/25.60A	31.90B/25.60A	----	28.50 - 0.80	.1335	----	----	1	----	63 UNCH
4730	25.50	25.50	31.40B/25.20A	31.40B/25.20A	----	28.00 - 0.90	.1315	----	----	11	----	29 + 10
4735	----	----	30.90B/24.80A	30.90B/24.80A	----	27.60 - 0.80	.1297	----	----	----	----	20 UNCH
4740	----	----	30.50B/24.40A	30.50B/24.40A	----	27.10 - 0.90	.1277	----	----	----	----	10 UNCH
4745	----	----	30.00B/24.00A	30.00B/24.00A	----	26.70 - 0.90	.1260	----	----	----	----	8 UNCH
4750	23.70	23.70	29.50B/23.70	29.50B/23.70	----	26.30 - 0.90	.1243	----	----	25	----	727 + 3
4755	25.80	25.80	29.10B/23.30A	29.10B/23.30A	----	25.90 NEW	.1226	----	----	15	----	15 + 15
4760	----	----	28.60B/22.90A	28.60B/22.90A	----	25.50 - 0.90	.1209	----	----	----	----	124 UNCH
4765	----	----	28.20B/22.60A	28.20B/22.60A	----	25.10 - 0.90	.1192	----	----	----	----	13 UNCH
4770	22.50	22.50	27.80B/22.20A	27.80B/22.20A	----	24.70 - 0.90	.1175	----	----	10	----	60 + 10
4775	25.10	25.10	27.40B/21.90A	27.40B/21.90A	----	24.30 - 0.90	.1158	----	----	4	----	20 + 4
4780	----	----	27.00B/21.60A	27.00B/21.60A	----	23.90 - 0.90	.1141	----	----	1	----	13 UNCH
4785	----	----	26.50B/21.20A	26.50B/21.20A	----	23.60 - 0.90	.1127	----	----	----	----	47 UNCH
4790	----	----	26.10B/20.90A	26.10B/20.90A	----	23.20 - 0.90	.1110	----	----	----	----	11 UNCH
4795	----	----	25.80B/20.60A	25.80B/20.60A	----	22.80 - 0.90	.1094	----	----	----	----	27 UNCH
4800	----	----	25.40B/20.30A	25.40B/20.30A	----	22.50 - 0.90	.1080	----	----	304	----	2765 - 69
4805	----	----	25.00B/20.00A	25.00B/20.00A	----	22.20 - 0.90	.1066	----	----	----	----	33 UNCH
4810	----	----	24.60B/19.70A	24.60B/19.70A	----	21.80 - 0.90	.1050	----	----	----	----	4 UNCH
4815	21.10	21.10	24.30B/19.40A	24.30B/19.40A	----	21.50 - 0.90	.1036	----	----	10	----	42 + 6
4820	20.80	20.80	23.90B/19.10A	23.90B/19.10A	----	21.20 - 0.90	.1022	----	----	10	----	14 + 6
4825	----	----	23.60B/18.80A	23.60B/18.80A	----	20.80 - 0.90	.1006	----	----	----	----	61 UNCH
4830	----	----	23.20B/18.50A	23.20B/18.50A	----	20.50 - 0.90	.0992	----	----	----	----	32 UNCH
4835	----	----	22.90B/18.20A	22.90B/18.20A	----	20.20 - 0.90	.0979	----	----	----	----	2 UNCH
4840	----	----	22.50B/18.00A	22.50B/18.00A	----	19.90 - 0.90	.0966	----	----	----	----	22 UNCH
4845	----	----	22.20B/17.70A	22.20B/17.70A	----	19.60 - 0.90	.0952	----	----	----	----	25 UNCH
4850	----	----	21.90B/17.40A	21.90B/17.40A	----	19.30 - 0.90	.0939	----	----	5	----	347 UNCH
4855	----	----	21.60B/17.20A	21.60B/17.20A	----	19.00 - 0.90	.0926	----	----	----	----	10 UNCH
4860	----	----	21.30B/16.90A	21.30B/16.90A	----	18.70 - 1.00	.0912	----	----	----	----	2 UNCH
4865	----	----	21.00B/16.70A	21.00B/16.70A	----	18.40 - 1.00	.0899	----	----	----	----	1 UNCH
4870	----	----	20.70B/16.40A	20.70B/16.40A	----	18.20 - 0.90	.0889	----	----	----	----	237 UNCH
4875	----	----	20.40B/16.20A	20.40B/16.20A	----	17.90 - 0.90	.0876	----	----	----	----	27 UNCH
4880	18.90	18.90	20.10B/16.00A	20.10B/16.00A	----	17.60 - 1.00	.0863	----	----	4	----	50 + 4
4885	----	----	19.80B/15.70A	19.80B/15.70A	----	17.40 - 0.90	.0853	----	----	----	----	42 UNCH
4890	----	----	19.50B/15.50A	19.50B/15.50A	----	17.10 - 1.00	.0840	----	----	----	----	5 UNCH
4895	----	----	19.20B/15.30A	19.20B/15.30A	----	16.90 - 0.90	.0830	----	----	----	----	27 UNCH
4900	----	----	18.90B/15.10A	18.90B/15.10A	----	16.60 - 1.00	.0817	----	----	----	----	2731 UNCH
4905	----	----	18.70B/14.90A	18.70B/14.90A	----	16.40 - 0.90	.0807	----	----	----	----	21 UNCH
4910	----	----	18.40B/14.60A	18.40B/14.60A	----	16.10 - 1.00	.0794	----	----	----	----	29 UNCH
4915	----	----	18.10B/14.40A	18.10B/14.40A	----	15.90 - 0.90	.0785	----	----	----	----	98 UNCH
4920	----	----	17.90B/14.20A	17.90B/14.20A	----	15.70 - 0.90	.0775	----	----	----	----	18 UNCH
4925	----	----	17.60B/14.00A	17.60B/14.00A	----	15.40 - 1.00	.0762	----	----	----	----	5 UNCH
4930	----	----	17.40B/13.80A	17.40B/13.80A	----	15.20 - 1.00	.0753	----	----	----	----	7 UNCH
4935	----	----	17.10B/13.60A	17.10B/13.60A	----	15.00 - 0.90	.0743	----	----	----	----	3 UNCH
4940	----	----	16.90B/13.50A	16.90B/13.50A	----	14.80 - 0.90	.0734	----	----	----	----	13 UNCH
4945	----	----	16.70B/13.30A	16.70B/13.30A	----	14.60 - 0.90	.0724	----	----	----	----	7 UNCH
4950	----	----	16.40B/13.10A	16.40B/13.10A	----	14.40 - 0.90	.0715	----	----	----	----	531 UNCH
4955	----	----	16.20B/12.90A	16.20B/12.90A	----	14.20 - 0.90	.0705	----	----	----	----	2 UNCH
4960	----	----	16.00B/12.70A	16.00B/12.70A	----	14.00 - 0.90	.0696	----	----	----	----	9 UNCH
4965	----	----	15.80B/12.60A	15.80B/12.60A	----	13.80 - 0.90	.0687	----	----	----	----	13 UNCH
4970	----	----	15.50B/12.40A	15.50B/12.40A	----	13.60 - 0.90	.0677	----	----	----	----	19 UNCH
4975	----	----	15.30B/12.20A	15.30B/12.20A	----	13.40 - 0.90	.0668	----	----	----	----	3 UNCH
4980	----	----	15.10B/12.10A	15.10B/12.10A	----	13.20 - 0.90	.0659	----	----	----	----	3 UNCH
4985	----	----	14.90B/11.90A	14.90B/11.90A	----	13.00 - 1.00	.0650	----	----	----	----	14 UNCH
4990	----	----	14.70B/11.70A	14.70B/11.70A	----	12.90 - 0.90	.0644	----	----	----	----	24 UNCH
4995	----	----	14.50B/11.60A	14.50B/11.60A	----	12.70 - 0.90	.0635	----	----	----	----	11 UNCH
5000	13.40	13.40	14.30B/11.40A	14.30B/11.40A	----	12.50 - 0.90	.0625	----	----	1058	----	5035 + 660

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JAN27												
5005	----	----	14.10B/11.30A	14.10B/11.30A	----	12.30 - 1.00	.0616	----	----	----	----	17 UNCH
5010	----	----	13.90B/11.10A	13.90B/11.10A	----	12.20 - 0.90	.0611	----	----	3	----	61 UNCH
5015	----	----	13.80B/11.00A	13.80B/11.00A	----	12.00 - 0.90	.0602	----	----	----	----	9 UNCH
5020	----	----	13.60B/10.90A	13.60B/10.90A	----	11.90 - 0.90	.0596	----	----	----	----	6 UNCH
5025	----	----	13.40B/10.70A	13.40B/10.70A	----	11.70 - 0.90	.0587	----	----	----	----	9 UNCH
5030	----	----	13.20B/10.60A	13.20B/10.60A	----	11.50 - 0.90	.0578	----	----	----	----	8 UNCH
5035	----	----	13.00B/10.40A	13.00B/10.40A	----	11.40 - 0.90	.0572	----	----	----	----	29 UNCH
5040	----	----	12.90B/10.30A	12.90B/10.30A	----	11.20 - 0.90	.0563	----	----	----	----	26 UNCH
5045	----	----	12.70B/10.20A	12.70B/10.20A	----	11.10 - 0.90	.0558	----	----	----	----	6 UNCH
5050	----	----	12.50B/10.10A	12.50B/10.10A	----	11.00 - 0.80	.0552	----	----	138	----	214 - 55
5055	----	----	12.40B/9.90A	12.40B/9.90A	----	10.80 - 0.90	.0543	----	----	----	----	18 UNCH
5060	----	----	12.20B/9.80A	12.20B/9.80A	----	10.70 - 0.90	.0538	----	----	----	----	44 UNCH
5065	----	----	12.10B/9.70A	12.10B/9.70A	----	10.50 - 0.90	.0529	----	----	----	----	2 UNCH
5070	----	----	11.90B/9.60A	11.90B/9.60A	----	10.40 - 0.90	.0524	----	----	----	----	11 UNCH
5075	9.80	9.80	11.80B/9.50A	11.80B/9.50A	----	10.30 - 0.80	.0518	----	----	7	----	16 + 7
5080	----	----	11.60B/9.30A	11.60B/9.30A	----	10.20 - 0.80	.0513	----	----	----	----	19 UNCH
5085	----	----	11.50B/9.20A	11.50B/9.20A	----	10.00 - 0.90	.0504	----	----	----	----	44 UNCH
5090	----	----	11.30B/9.10A	11.30B/9.10A	----	9.90 - 0.90	.0499	----	----	----	----	3 UNCH
5095	----	----	11.20B/9.00A	11.20B/9.00A	----	9.80 - 0.80	.0494	----	----	----	----	3 UNCH
5100	----	----	11.00B/8.90A	11.00B/8.90A	----	9.70 - 0.80	.0489	----	----	----	----	362 UNCH
5105	----	----	10.90B/8.80A	10.90B/8.80A	----	9.50 - 0.90	.0480	----	----	----	----	27 UNCH
5110	----	----	10.80B/8.70A	10.80B/8.70A	----	9.40 - 0.90	.0475	----	----	----	----	9 UNCH
5115	----	----	10.60B/8.60A	10.60B/8.60A	----	9.30 - 0.80	.0469	----	----	----	----	26 UNCH
5120	----	----	10.50B/8.50A	10.50B/8.50A	----	9.20 - 0.80	.0464	----	----	----	----	13 UNCH
5125	----	----	10.40B/8.40A	10.40B/8.40A	----	9.10 - 0.80	.0459	----	----	----	----	51 UNCH
5130	----	----	10.20B/8.30A	10.20B/8.30A	----	9.00 - 0.80	.0454	----	----	----	----	20 UNCH
5135	----	----	10.10B/8.20A	10.10B/8.20A	----	8.90 - 0.80	.0449	----	----	----	----	50 UNCH
5140	----	----	10.00B/8.10A	10.00B/8.10A	----	8.80 - 0.80	.0444	----	----	----	----	29 UNCH
5145	----	----	9.90B/8.00A	9.90B/8.00A	----	8.70 - 0.80	.0439	----	----	----	----	24 UNCH
5150	----	----	9.80B/7.90A	9.80B/7.90A	----	8.60 - 0.80	.0434	----	----	----	----	263 UNCH
5155	----	----	9.70B/7.90A	9.70B/7.90A	----	8.50 - 0.80	.0429	----	----	----	----	24 UNCH
5160	----	----	9.50B/7.80A	9.50B/7.80A	----	8.40 - 0.80	.0424	----	----	----	----	17 UNCH
5165	----	----	9.40B/7.70A	9.40B/7.70A	----	8.30 - 0.80	.0419	----	----	----	----	13 UNCH
5170	----	----	9.30B/7.60A	9.30B/7.60A	----	8.20 - 0.80	.0414	----	----	----	----	14 UNCH
5175	----	----	9.20B/7.50A	9.20B/7.50A	----	8.10 - 0.80	.0409	----	----	----	----	235 UNCH
5180	----	----	9.10B/7.40A	9.10B/7.40A	----	8.00 - 0.80	.0404	----	----	----	----	12 UNCH
5185	----	----	9.00B/7.40A	9.00B/7.40A	----	7.90 - 0.80	.0399	----	----	----	----	9 UNCH
5190	8.00	8.00	8.90B/7.30A	8.90B/7.30A	----	7.80 - 0.80	.0394	----	----	8	----	11 + 8
5195	----	----	8.80B/7.20A	8.80B/7.20A	----	7.70 - 0.80	.0389	----	----	----	----	5 UNCH
5200	----	----	8.70B/7.10A	8.70B/7.10A	----	7.60 - 0.80	.0384	----	----	----	----	946 UNCH
5205	----	----	8.60B/7.00A	8.60B/7.00A	----	7.60 - 0.70	.0383	----	----	----	----	29 UNCH
5210	----	----	8.50B/7.00A	8.50B/7.00A	----	7.50 - 0.70	.0378	----	----	----	----	17 UNCH
5215	----	----	8.40B/6.90A	8.40B/6.90A	----	7.40 - 0.80	.0374	----	----	----	----	20 UNCH
5220	----	----	8.30B/6.80A	8.30B/6.80A	----	7.30 - 0.80	.0369	----	----	----	----	4 UNCH
5225	----	----	8.20B/6.80A	8.20B/6.80A	----	7.20 - 0.80	.0364	----	----	----	----	108 UNCH
5230	----	----	8.10B/6.70A	8.10B/6.70A	----	7.20 - 0.70	.0363	----	----	----	----	7 UNCH
5235	----	----	8.00B/6.60A	8.00B/6.60A	----	7.10 - 0.70	.0358	----	----	----	----	64 UNCH
5240	----	----	8.00B/6.60A	8.00B/6.60A	----	7.00 - 0.80	.0353	----	----	----	----	5 UNCH
5245	----	----	7.90B/6.50A	7.90B/6.50A	----	6.90 - 0.80	.0349	----	----	----	----	15 UNCH
5250	6.80	6.80	7.80B/6.40A	7.80B/6.40A	----	6.90 - 0.70	.0347	----	----	4	----	842 UNCH
5255	----	----	7.70B/6.40A	7.70B/6.40A	----	6.80 - 0.70	.0343	----	----	----	----	2 UNCH
5260	----	----	7.60B/6.30A	7.60B/6.30A	----	6.70 - 0.80	.0338	----	----	----	----	25 UNCH
5270	----	----	7.50B/6.20A	7.50B/6.20A	----	6.60 - 0.70	.0332	----	----	----	----	26 UNCH
5275	----	----	7.40B/6.10A	7.40B/6.10A	----	6.50 - 0.70	.0328	----	----	----	----	18 UNCH
5280	----	----	7.30B/6.10A	7.30B/6.10A	----	6.50 - 0.70	.0327	----	----	----	----	29 UNCH
5285	----	----	7.20B/6.00A	7.20B/6.00A	----	6.40 - 0.70	.0322	----	----	----	----	13 UNCH
5290	----	----	7.20B/6.00A	7.20B/6.00A	----	6.30 - 0.70	.0317	----	----	----	----	38 UNCH
5300	----	----	7.00B/5.80A	7.00B/5.80A	----	6.20 - 0.70	.0312	----	----	----	----	855 UNCH
5305	----	----	6.90B/5.80A	6.90B/5.80A	----	6.20 - 0.60	.0311	----	----	----	----	33 UNCH
5310	----	----	6.90B/5.70A	6.90B/5.70A	----	6.10 - 0.70	.0306	----	----	----	----	15 UNCH
5320	----	----	----/5.60A	6.70B/5.60A	----	6.00 - 0.70	.0301	----	----	----	----	13 UNCH
5325	----	----	6.70B/5.60A	6.70B/5.60A	----	5.90 - 0.70	.0296	----	----	----	----	29 UNCH
5330	----	----	6.60B/5.50A	6.60B/5.50A	----	5.90 - 0.60	.0296	----	----	----	----	4 UNCH
5340	----	----	6.50B/5.40A	6.50B/5.40A	----	5.80 - 0.60	.0290	----	----	----	----	2 UNCH
5345	----	----	----/5.40A	6.40B/5.40A	----	5.70 - 0.70	.0286	----	----	----	----	10 UNCH
5350	6.10	6.10	6.40B/5.30A	6.40B/5.30A	----	5.70 - 0.60	.0285	----	----	6	----	2424 UNCH
5355	----	----	----/5.30A	6.30B/5.30A	----	5.60 - 0.70	.0280	----	----	----	----	12 UNCH
5360	----	----	----/5.20A	6.20B/5.20A	----	5.60 - 0.60	.0280	----	----	----	----	2 UNCH
5365	----	----	----/5.20A	6.20B/5.20A	----	5.50 - 0.70	.0275	----	----	----	----	15 UNCH
5370	----	----	----/5.20A	6.10B/5.20A	----	5.50 - 0.60	.0274	----	----	----	----	13 UNCH
5375	----	----	----/5.10A	6.10B/5.10A	----	5.40 - 0.70	.0270	----	----	----	----	3 UNCH
5380	----	----	----/5.10A	6.00B/5.10A	----	5.40 - 0.60	.0269	----	----	----	----	300 UNCH
5385	----	----	----/5.00A	5.90B/5.00A	----	5.30 - 0.60	.0265	----	----	----	----	22 UNCH
5390	----	----	----/5.00A	5.90B/5.00A	----	5.30 - 0.60	.0264	----	----	----	----	5 UNCH
5395	----	----	----/5.00A	5.80B/5.00A	----	5.30 - 0.60	.0263	----	----	----	----	10 UNCH
5400	5.00	5.00	5.00/4.90A	5.80B/4.90A	----	5.20 - 0.60	.0259	----	----	1	----	459 UNCH
5410	----	----	----/4.80A	5.70B/4.80A	----	5.10 - 0.60	.0254	----	----	----	----	23 UNCH
5420	----	----	----/4.80A	5.60B/4.80A	----	5.00 - 0.60	.0249	----	----	----	----	2 UNCH
5425	----	----	----/4.70A	5.50B/4.70A	----	5.00 - 0.60	.0248	----	----	----	----	18 UNCH
5430	----	----	----/4.70A	5.50B/4.70A	----	5.00 - 0.50	.0247	----	----	----	----	19 UNCH
5440	----	----	----/4.60A	5.40B/4.60A	----	4.90 - 0.50	.0242	----	----	----	----	32 UNCH
5445	----	----	----/4.60A	5.40B/4.60A	----	4.80 - 0.60	.0238	----	----	----	----	14 UNCH
5450	----	----	----/4.60A	5.30B/4.60A	----	4.80 - 0.60	.0237	----	----	----	----	423 UNCH
5455	----	----	----/4.50A	5.30B/4.50A	----	4.80 - 0.50	.0237	----	----	----	----	2 UNCH
5460	----	----	----/4.50A	5.20B/4.50A	----	4.70 - 0.60	.0232	----	----	----	----	16 UNCH
5465	----	----	----/4.50A	5.20B/4.50A	----	4.70 - 0.50	.0232	----	----	----	----	4 UNCH
5470	----	----	----/4.40A	5.10B/4.40A	----	4.60 - 0.60	.0227	----	----	----	----	6 UNCH
5475	----	----	----/4.40A	5.10B/4.40A	----	4.60 - 0.60	.0227	----	----	----	----	11 UNCH
5480	----	----	----/4.40A	5.10B/4.40A	----	4.60 - 0.50	.0226	----	----	----	----	5 UNCH
5485	----	----	----/4.30A	5.00B/4.30A	----	4.50 - 0.60	.0222	----	----	----	----	8 UNCH
5490	----	----	----/4.30A	5.00B/4.30A	----	4.50 - 0.50	.0221	----	----	----	----	10 UNCH
5495	----	----	----/4.30A	4.90B/4.30A	----	4.50 - 0.50	.0221	----	----	----	----	19 UNCH
5500	4.90	4.90	4.90/4.20A	4.90/4.20A	----	4.40 - 0.60	.0217	----	----	241	----	2417 + 68
5510	----	----	----/4.20A	4.80B/4.20A	----	4.40 - 0.50	.0216	----	----	----	----	28 UNCH
5515	----	----	----/4.10A	4.80B/4.10A	----	4.30 - 0.60	.0211	----	----	----	----	2 UNCH
5520	----	----	----/4.10A	4.70B/4.10A	----	4.30 - 0.50	.0211	----	----	----	----	15 UNCH
5525	----	----	----/4.00A	4.70B/4.00A	----	4.30 - 0.50	.0210	----	----	----	----	27 UNCH
5530	----	----	----/4.10A	4.70B/4.10A	----	4.20 - 0.60	.0206	----	----	----	----	12 UNCH
5540	----	----	----/4.00A	4.60B/4.00A	----	4.20 - 0.50	.0205	----	----	----	----	15 UNCH
5545	----	----	----/3.90A	4.60B/3.90A	----	4.10 - 0.60	.0201	----	----	----	----	5 UNCH
5550	----	----	----/4.00A	4.50B/4.00A	----	4.10 - 0.50	.0200	----	----	----	----	20 UNCH
5555	----	----	----/3.90A	4.50B/3.90A	----	4.10 - 0.50	.0200	----	----	----	----	4 UNCH
5560	----	----	----/3.90A	4.50B/3.90A	----	4.10 - 0.50	.0199	----	----	----	----	5 UNCH
5565	----	----	----/3.80A	4.40B/3.80A	----	4.00 - 0.50	.0195	----	----	----	----	16 UNCH
5570	----	----	----/3.80A	4.40B/3.80A	----	4.00 - 0.50	.0195	----	----	----	----	2 UNCH
5575	----	----	----/3.80A	4.40B/3.80A	----	4.00 - 0.50	.0194	----	----	----	----	6 UNCH
5580	----	----	----/3.80A	4.30B/3.80A	----	3.90 - 0.60	.0190	----	----	----	----	1 UNCH
5600	----	----	----/3.70A	4.20B/3.70A	----	3.80 - 0.50	.0185	----	----	----	----	452 UNCH
5605	----	----	----/3.70A	4.20B/3.70A	----	3.80 - 0.50	.0184	----	----	----	----	28 UNCH
5615	----	----	----/3.60A	4.10B/3.60A	----	3.80 - 0.50	.0183	----	----	----	----	1 UNCH
5620	----	----	----/3.60A	4.10B/3.60A	----	3.70 - 0.50	.0179	----	----	----	----	2 UNCH
5625	----	----	----/3.60A	4.10B/3.60A	----	3.70 - 0.50	.0179	----	----	----	----	7 UNCH
5650	----	----	----/3.50A	3.90B/3.50A	----	3.60 - 0.50	.0173	----	----	----	----	10 UNCH
5655	----	----	----/3.50A	3.90B/3.50A	----	3.60 - 0.50	.0173	----	----	----	----	4 UNCH
5675	----	----	----/3.40A	3.80B/3.40A	----	3.50 - 0.50	.0167	----	----	----	----	3 UNCH
5685	----	----	----/3.30A	3.80B/3.30A	----	3.40 - 0.50	.0163	----	----	----	----	19 UNCH
5690	----	----	----/3.30A	3.80B/3.30A	----	3.40 - 0.50	.0163	----	----	----	----	3 UNCH
5700	----	----	----/3.30A	3.70B/3.30A	----	3.40 - 0.50	.0162	----	----	----	----	134 UNCH
5705	----	----	----/3.30A	3.70B/3.30A	----	3.40 - 0.40	.0162	----	----	----	----	19 UNCH
5720	----	----	----/3.20A	3.60B/3.20A	----	3.30 - 0.50	.0157	----	----	----	----	2 UNCH
5725	----	----	----/3.20A	3.60B/3.20A	----	3.30 - 0.40	.0157	----	----	----	----	30 UNCH
5730	----	----	----/3.20A	3.60B/3.20A	----	3.30 - 0.40	.0156	----	----	----	----	4 UNCH
5735	----	----	----/3.10A	3.60B/3.10A	----	3.20 - 0.50	.0152	----	----	----	----	5 UNCH
5745	----	----	----/3.10A	3.50B/3.10A	----	3.20 - 0.50	.0152	----	----	----	----	6 UNCH
5750	----	----	----/3.10A	3.50B/3.10A	----	3.20 - 0.50	.0151	----	----	1	----	271 + 1
5760	----	----	----/3.20A	3.50B/3.20A	----	3.20 - 0.40	.0151	----	----	----	----	4 UNCH
5770	----	----	----/3.00A	3.40B/3.00A	----	3.10 - 0.50	.0146	----	----	----	----	32 UNCH
5775	----	----	----/3.00A	3.40B/3.00A	----	3.10 - 0.50	.0146	----	----	----	----	215 UNCH
5800	3.10	3.10	3.10/3.00A	3.30B/3.00A	----	3.00 - 0.50	.0141	----	----	2	----	311 + 2
5820	----	----	----/3.00A	3.20B/3.00A	----	3.00 - 0.40	.0140	----	----	----	----	7 UNCH
5840	----	----	----/2.80A	3.20B/2.80A	----	2.90 - 0.40	.0135	----	----	----	----	15 UNCH
5850	----	----	----/2.80A	3.10B/2.80A	----	2.90 - 0.40	.0135	----	----	----	----	4 UNCH
5875	----	----	----/2.80A	3.10B/2.80A	----	2.80 - 0.40	.0130	----	----	----	----	9 UNCH
5900	----	----	----/2.80A	3.00B/2.80A	----	2.70 - 0.50	.0125	----	----	----	----	251 UNCH
5925	----	----	----/2.60A	2.90B/2.60A	----	2.70 - 0.40	.0124	----	----	----	----	8 UNCH
5950	----	----	----/2.60A	2.80B/2.60A	----	2.60 - 0.40	.0119	----	----	----	----	1 UNCH
5975	----	----	----/2.50A	2.80B/2.50A	----	2.60 - 0.40	.0118	----	----	----	----	14 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JAN27												
6000	----	----	----/2.50A	2.70B/2.50A	----	2.50 - 0.40	.0113	----	----	3	----	935 + 3
6025	----	----	----/2.40A	2.60B/2.40A	----	2.50 - 0.30	.0112	----	----	----	----	253 UNCH
6100	----	----	----/2.40A	2.50B/2.40A	----	2.30 - 0.40	.0102	----	----	----	----	11 UNCH
6250	2.10	2.10	2.10/2.10	2.20B/2.10	----	2.10 - 0.30	.0091	----	----	13	----	82 - 8
6300	2.30	2.30	2.30/1.90	2.30/1.90	----	2.10 - 0.30	.0089	----	----	4	----	569 + 2
6400	----	----	----/1.90A	2.00B/1.90A	----	2.00 - 0.20	.0083	----	----	----	----	4 UNCH
6500	----	----	----/1.80A	1.90B/1.80A	----	1.90 - 0.20	.0078	----	----	----	----	1336 UNCH
6600	----	----	----/1.70A	1.80B/1.70A	----	1.80 - 0.20	.0072	----	----	----	----	9 UNCH
7000	----	----	----/1.40A	1.50B/1.40A	----	1.50 - 0.10	.0057	----	----	----	----	153 UNCH
7200	1.30	1.30	1.30/1.30	1.30/1.30	----	1.30 - 0.20	.0048	----	----	20	----	21 + 20
7700	----	----	----/1.10A	1.00B/1.10A	----	1.10 - 0.10	.0038	----	----	----	----	257 UNCH
7800	----	----	----/1.00A	1.00B/1.00A	----	1.00 - 0.10	.0035	----	----	----	----	271 UNCH
7900	1.00	1.00	1.00/1.00	1.00/1.00	----	1.00 - 0.10	.0034	----	----	10	----	44 + 10
8000	0.90	0.90	0.90/0.90	0.90/0.90	----	0.90 - 0.10	.0031	----	----	4	----	10 + 2
9000	----	----	----	0.60B/0.70A	----	0.60 - 0.10	.0019	----	----	----	----	569 UNCH
10000	0.60	0.60	0.60/0.50A	0.60/0.50A	----	0.50 UNCH	.0014	----	----	10	----	222 UNCH
20000	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	269 UNCH
TOTAL										2600	100	44241+ 1143
FEB27												
3500	----	----	705.70B/684.80A	705.70B/684.80A	----	704.90 + 15.20	.9274	----	----	----	----	2 UNCH
3855	----	----	406.10B/375.70A	406.10B/375.70A	----	397.30 + 11.30	.7818	----	----	----	----	1 UNCH
3860	----	----	402.20B/371.90A	402.20B/371.90A	----	393.50 + 11.30	.7787	----	----	----	----	1 UNCH
3900	----	----	372.10B/342.60A	372.10B/342.60A	----	363.40 + 10.60	.7528	----	----	----	----	4 UNCH
3950	----	----	335.50B/307.70A	335.50B/307.70A	----	327.50 + 9.60	.7179	----	----	----	----	1 UNCH
4000	----	----	301.50B/275.10A	301.50B/275.10A	----	293.70 + 8.50	.6802	----	----	1	----	10 + 1
4010	----	----	294.60B/268.90A	294.60B/268.90A	----	287.20 + 8.30	.6724	----	----	----	----	1 UNCH
4100	----	----	241.20B/216.50A	241.20B/216.50A	----	232.90 + 6.30	.5988	----	----	----	----	211 UNCH
4140	----	----	219.80B/196.00A	219.80B/196.00A	----	211.30 + 5.50	.5648	----	----	----	----	2 UNCH
4150	----	----	214.70B/191.10A	214.70B/191.10A	----	206.10 + 5.20	.5563	----	----	----	----	113 UNCH
4160	----	----	209.60B/186.30A	209.60B/186.30A	----	201.10 + 5.10	.5477	----	----	----	----	11 UNCH
4165	----	----	207.00B/184.00A	207.00B/184.00A	----	198.60 + 5.00	.5434	----	----	----	----	7 UNCH
4170	----	----	204.50B/181.60A	204.50B/181.60A	----	196.10 + 4.80	.5391	----	----	2	----	29 UNCH
4175	----	----	202.10B/179.40A	202.10B/179.40A	----	193.60 + 4.70	.5348	----	----	----	----	3 UNCH
4180	187.10	187.10	199.70B/177.00A	199.70B/177.00A	----	191.20 + 4.60	.5305	----	----	2	----	11 + 2
4185	191.10	191.10	197.30B/174.80A	197.30B/174.80A	----	188.80 + 4.50	.5263	----	----	1	----	7 + 1
4190	188.70	188.70	194.90B/172.50A	194.90B/172.50A	----	186.40 + 4.40	.5220	----	----	11	----	19 + 10
4195	175.70	175.70	192.60B/170.30A	192.60B/170.30A	----	184.10 + 4.30	.5177	----	----	12	----	15 + 12
4200	186.30	186.30	190.20B/168.20A	190.20B/168.20A	----	181.80 + 4.20	.5134	----	----	32	----	251 - 5
4205	----	----	187.90B/166.00A	187.90B/166.00A	----	179.50 + 4.20	.5091	----	----	----	----	15 UNCH
4210	175.00	175.00	185.60B/163.90A	185.60B/163.90A	----	177.20 + 4.00	.5049	----	----	6	----	12 + 3
4215	177.40	177.40	183.40B/161.70A	183.40B/161.70A	----	174.90 + 3.90	.5006	----	----	7	----	47 + 1
4220	175.20	175.20	181.10B/159.60A	181.10B/159.60A	----	172.70 + 3.80	.4964	----	----	1	----	46 UNCH
4225	----	----	178.90B/157.60A	178.90B/157.60A	----	170.50 + 3.70	.4921	----	----	----	----	25 UNCH
4230	167.90	167.90	176.70B/155.50A	176.70B/155.50A	----	168.30 + 3.60	.4879	----	----	1	----	45 + 1
4235	----	----	174.50B/153.50A	174.50B/153.50A	----	166.20 + 3.60	.4837	----	----	----	----	30 UNCH
4240	----	----	172.40B/151.40A	172.40B/151.40A	----	164.00 + 3.40	.4795	----	----	----	----	21 UNCH
4245	----	----	170.20B/149.50A	170.20B/149.50A	----	161.90 + 3.40	.4753	----	----	----	----	26 UNCH
4250	153.70	153.70	168.10B/147.50A	168.10B/147.50A	----	159.80 + 3.30	.4711	----	----	2	----	381 UNCH
4255	----	----	166.00B/145.60A	166.00B/145.60A	----	157.80 + 3.20	.4669	----	----	----	----	133 UNCH
4260	----	----	163.80B/143.70A	163.80B/143.70A	----	155.70 + 3.10	.4627	----	----	----	----	26 UNCH
4265	----	----	161.90B/141.80A	161.90B/141.80A	----	153.70 + 3.00	.4586	----	----	----	----	79 UNCH
4270	154.10	154.10	159.90B/139.90A	159.90B/139.90A	----	151.70 + 2.90	.4544	----	----	1	----	24 + 1
4275	149.30	149.30	157.90B/138.00A	157.90B/138.00A	----	149.70 + 2.80	.4503	----	----	2	----	20 + 2
4280	----	----	155.90B/136.20A	155.90B/136.20A	----	147.80 + 2.80	.4462	----	----	----	----	35 UNCH
4285	----	----	153.80B/134.40A	153.80B/134.40A	----	145.80 + 2.60	.4421	----	----	----	----	50 UNCH
4290	----	----	152.00B/132.60A	152.00B/132.60A	----	143.90 + 2.60	.4380	----	----	----	----	8 UNCH
4295	----	----	150.10B/130.80A	150.10B/130.80A	----	142.00 + 2.50	.4339	----	----	----	----	10 UNCH
4300	----	----	148.20B/129.10A	148.20B/129.10A	----	140.20 + 2.50	.4299	----	----	9	----	426 - 2
4305	----	----	146.20B/127.30A	146.20B/127.30A	----	138.30 + 2.30	.4259	----	----	2	----	3 + 2
4310	----	----	144.30B/125.60A	144.30B/125.60A	----	136.50 + 2.30	.4219	----	----	----	----	27 UNCH
4315	----	----	142.50B/123.90A	142.50B/123.90A	----	134.70 + 2.20	.4179	----	----	----	----	2 UNCH
4325	----	----	138.90B/120.60A	138.90B/120.60A	----	131.20 + 2.10	.4100	----	----	----	----	84 UNCH
4335	----	----	135.50B/117.40A	135.50B/117.40A	----	127.70 + 1.90	.4021	----	----	----	----	27 UNCH
4340	----	----	133.60B/115.80A	133.60B/115.80A	----	126.00 + 1.80	.3982	----	----	21	----	40 + 21
4345	125.20	125.20	131.90B/114.30A	131.90B/114.30A	----	124.30 + 1.70	.3943	----	----	4	----	7 + 2
4350	----	----	130.20B/112.70A	130.20B/112.70A	----	122.70 + 1.70	.3905	----	----	----	----	31 UNCH
4355	----	----	128.60B/111.20A	128.60B/111.20A	----	121.10 + 1.70	.3867	----	----	----	----	1 UNCH
4360	----	----	126.90B/109.70A	126.90B/109.70A	----	119.40 + 1.50	.3828	----	----	----	----	14 UNCH
4365	115.90	115.90	125.30B/108.20A	125.30B/108.20A	----	117.80 + 1.50	.3790	----	----	24	----	17 + 5
4370	115.20	115.20	123.70B/106.70A	123.70B/106.70A	----	116.30 + 1.50	.3753	----	----	24	----	28 - 11
4375	109.10	109.10	122.10B/105.30A	122.10B/105.30A	----	114.70 + 1.40	.3715	----	----	2	----	59 UNCH
4380	107.60	107.60	120.50B/103.90A	120.50B/103.90A	----	113.20 + 1.40	.3678	----	----	3	----	30 UNCH
4385	----	----	118.90B/102.40A	118.90B/102.40A	----	111.70 + 1.30	.3641	----	----	----	----	238 UNCH
4390	----	----	117.40B/101.10A	117.40B/101.10A	----	110.20 + 1.30	.3604	----	----	----	----	9 UNCH
4395	----	----	115.90B/99.70A	115.90B/99.70A	----	108.70 + 1.20	.3568	----	----	----	----	28 UNCH
4400	105.10	105.10	114.40B/98.30A	114.40B/98.30A	----	107.20 + 1.10	.3531	----	----	51	50	285 + 51
4405	----	----	112.90B/97.00A	112.90B/97.00A	----	105.80 + 1.10	.3495	----	----	----	----	4 UNCH
4410	----	----	111.40B/95.70A	111.40B/95.70A	----	104.30 + 0.90	.3458	----	----	----	----	30 UNCH
4415	----	----	110.00B/94.40A	110.00B/94.40A	----	102.90 + 0.90	.3423	----	----	----	----	244 UNCH
4420	----	----	108.60B/93.10A	108.60B/93.10A	----	101.60 + 0.90	.3389	----	----	----	----	5 UNCH
4425	----	----	107.10B/91.80A	107.10B/91.80A	----	100.20 + 0.90	.3353	----	----	----	----	30 UNCH
4430	----	----	105.80B/90.60A	105.80B/90.60A	----	98.80 + 0.80	.3318	----	----	----	----	261 UNCH
4435	----	----	104.30B/89.40A	104.30B/89.40A	----	97.50 + 0.70	.3283	----	----	----	----	9 UNCH
4440	----	----	103.00B/88.20A	103.00B/88.20A	----	96.20 + 0.70	.3249	----	----	----	----	7 UNCH
4445	----	----	101.60B/87.00A	101.60B/87.00A	----	94.90 + 0.70	.3215	----	----	----	----	18 UNCH
4450	----	----	100.30B/85.80A	100.30B/85.80A	----	93.60 + 0.60	.3181	----	----	1	----	189 + 1
4455	----	----	99.00B/84.60A	99.00B/84.60A	----	92.30 + 0.50	.3147	----	----	----	----	12 UNCH
4460	89.70	89.70	97.70B/83.40A	97.70B/83.40A	----	91.10 + 0.50	.3114	----	----	7	----	15 + 6
4465	----	----	96.40B/82.30A	96.40B/82.30A	----	89.80 + 0.40	.3081	----	----	----	----	4 UNCH
4470	----	----	95.20B/81.20A	95.20B/81.20A	----	88.60 + 0.40	.3048	----	----	----	----	10 UNCH
4475	----	----	93.90B/80.10A	93.90B/80.10A	----	87.40 + 0.40	.3015	----	----	----	----	57 UNCH
4480	----	----	92.70B/79.00A	92.70B/79.00A	----	86.20 + 0.30	.2983	----	----	----	----	18 UNCH
4485	----	----	91.50B/77.90A	91.50B/77.90A	----	85.10 + 0.30	.2952	----	----	----	----	15 UNCH
4490	----	----	90.30B/76.80A	90.30B/76.80A	----	83.90 + 0.20	.2919	----	----	----	----	54 UNCH
4495	----	----	89.20B/75.80A	89.20B/75.80A	----	82.80 + 0.20	.2888	----	----	----	----	5 UNCH
4500	83.60	83.60	88.00B/74.80A	88.00B/74.80A	----	81.70 + 0.20	.2857	----	----	190	----	894 + 69
4505	78.50	78.50	86.90B/73.70A	86.90B/73.70A	----	80.60 + 0.20	.2827	----	----	1	----	21 + 1
4510	75.90	75.90	85.70B/72.70A	85.70B/72.70A	----	79.50 + 0.20	.2796	----	----	6	----	12 + 5
4515	----	----	84.50B/71.70A	84.50B/71.70A	----	78.40 + 0.10	.2765	----	----	----	----	11 UNCH
4520	----	----	83.50B/70.80A	83.50B/70.80A	----	77.30 UNCH	.2734	----	----	----	----	62 UNCH
4525	78.10	78.10	82.30B/69.80A	82.30B/69.80A	----	76.30 + 0.10	.2705	----	----	4	----	47 + 4
4530	----	----	81.20B/68.80A	81.20B/68.80A	----	75.20 UNCH	.2675	----	----	----	----	2 UNCH
4535	----	----	80.20B/67.90A	80.20B/67.90A	----	74.20 - 0.10	.2645	----	----	----	----	2 UNCH
4540	71.40	71.40	79.10B/67.00A	79.10B/67.00A	----	73.20 - 0.10	.2616	----	----	2	----	134 + 2
4545	----	----	78.10B/66.10A	78.10B/66.10A	----	72.20 - 0.10	.2587	----	----	----	----	1 UNCH
4550	----	----	77.10B/65.20A	77.10B/65.20A	----	71.20 - 0.20	.2559	----	----	----	----	206 UNCH
4555	67.20	67.20	76.10B/64.30A	76.10B/64.30A	----	70.30 - 0.10	.2531	----	----	1	----	6 + 1
4560	----	----	75.10B/63.40A	75.10B/63.40A	----	69.30 - 0.20	.2502	----	----	64	----	78 + 60
4565	----	----	74.10B/62.60A	74.10B/62.60A	----	68.40 - 0.20	.2475	----	----	----	----	13 UNCH
4570	----	----	73.20B/61.70A	73.20B/61.70A	----	67.50 - 0.20	.2448	----	----	----	----	19 UNCH
4575	----	----	72.20B/60.90A	72.20B/60.90A	----	66.60 - 0.20	.2421	----	----	----	----	15 UNCH
4580	----	----	71.20B/60.00A	71.20B/60.00A	----	65.70 - 0.20	.2394	----	----	----	----	5 UNCH
4585	----	----	70.20B/59.20A	70.20B/59.20A	----	64.80 - 0.30	.2367	----	----	----	----	50 UNCH
4590	----	----	69.40B/58.40A	69.40B/58.40A	----	63.90 - 0.30	.2340	----	----	----	----	20 UNCH
4595	----	----	68.50B/57.60A	68.50B/57.60A	----	63.00 - 0.40	.2313	----	----	----	----	50 UNCH
4600	----	----	67.50B/56.90A	67.50B/56.90A	----	62.20 - 0.30	.2288	----	----	229	----	2444 + 43
4605	----	----	66.60B/56.10A	66.60B/56.10A	----	61.30 - 0.40	.2262	----	----	----	----	66 UNCH
4610	----	----	65.80B/55.30A	65.80B/55.30A	----	60.50 - 0.40	.2237	----	----	----	----	181 UNCH
4615	----	----	65.00B/54.60A	65.00B/54.60A	----	59.70 - 0.40	.2212	----	----	----	----	184 UNCH
4620	----	----	64.10B/53.90A	64.10B/53.90A	----	58.90 - 0.40	.2187	----	----	----	----	120 UNCH
4625	59.50	59.50	63.30B/53.10A	63.30B/53.10A	----	58.10 - 0.50	.2162	----	----	1	----	76 UNCH
4630	----	----	62.40B/52.40A	62.40B/52.40A	----	57.30 - 0.50	.2137	----	----	----	----	22 UNCH
4635	----	----	61.60B/51.70A	61.60B/51.70A	----	56.60 - 0.50	.2114	----	----	----	----	5 UNCH
4640	----	----	60.80B/51.00A	60.80B/51.00A	----	55.80 - 0.50	.2090	----	----	----	----	21 UNCH
4645	53.10	53.10	60.00B/50.30A	60.00B/50.30A	----	55.00 NEW	.2065	----	----	2	----	2 + 2
4650	----	----	59.30B/49.70A	59.30B/49.70A	----	54.30 - 0.60	.2042	----	----	----	----	145 UNCH
4655	----	----	58.50B/49.00A	58.50B/49.00A	----	53.60 - 0.50	.2020	----	----	----	----	18 UNCH
4660	----	----	57.70B/48.30A	57.70B/48.30A	----	52.90 - 0.50	.1997	----	----	----	----	453 UNCH
4665	----	----	56.90B/47.70A	56.90B/47.70A	----	52.20 - 0.60	.1974	----	----	----	----	19 UNCH
4670	----	----	56.20B/47.10A	56.20B/47.10A	----	51.50 - 0.60	.1952	----	----	----	----	3 UNCH
4675	----	----	55.60B/46.40A	55.60B/46.40A	----	50.80 - 0.60	.1929	----	----	8	----	15 + 6
4680	----	----	54.80B/45.80A	54.80B/45.80A	----	50.10 - 0.60	.1907	----	----	----	----	29 UNCH
4685	47.40	47.40	54.10B/45.20A	54.10B/45.20A	----	49.40 - 0.70	.1885	----	----	7	----	37 UNCH
4690	----	----	53.30B/44.60A	53.30B/44.60A	----	48.80 - 0.60	.1864	----	----	----	----	46 UNCH
4695	----	----	52.60B/44.00A	52.60B/44.00A	----	48.10 - 0.70	.1842	----	----	----	----	30 UNCH
4700	----	----	52.00B/43.40A	52.00B/43.40A	----	47.50 - 0.70	.1822	----	----	150	----	604 + 74

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
FEB27												
4705	45.70	45.70	51.30B/42.90A	51.30B/42.90A	----	46.90 - 0.70	.1802	----	----	6	----	22 + 6
4710	43.60	43.60	50.60B/42.30A	50.60B/42.30A	----	46.20 - 0.80	.1779	----	----	1	----	25 UNCH
4715	----	----	50.00B/41.70A	50.00B/41.70A	----	45.60 - 0.80	.1759	----	----	----	----	22 UNCH
4720	----	----	49.30B/41.20A	49.30B/41.20A	----	45.00 - 0.80	.1739	----	----	----	----	2 UNCH
4730	----	----	48.10B/40.10A	48.10B/40.10A	----	43.80 - 0.80	.1699	----	----	----	----	35 UNCH
4735	----	----	47.50B/39.60A	47.50B/39.60A	----	43.30 - 0.70	.1681	----	----	4	----	9 + 4
4740	----	----	46.80B/39.10A	46.80B/39.10A	----	42.70 - 0.80	.1661	----	----	----	----	19 UNCH
4745	----	----	46.20B/38.60A	46.20B/38.60A	----	42.10 - 0.80	.1642	----	----	----	----	27 UNCH
4750	40.10	40.10	45.70B/38.10A	45.70B/38.10A	----	41.60 - 0.80	.1624	----	----	2	----	550 UNCH
4755	----	----	45.10B/37.60A	45.10B/37.60A	----	41.00 - 0.90	.1604	----	----	----	----	62 UNCH
4760	----	----	44.60B/37.10A	44.60B/37.10A	----	40.50 - 0.80	.1587	----	----	----	----	111 UNCH
4765	39.00	39.00	43.90B/36.60A	43.90B/36.60A	----	40.00 - 0.80	.1569	----	----	4	----	12 + 4
4770	----	----	43.40B/36.10A	43.40B/36.10A	----	39.50 - 0.80	.1552	----	----	----	----	4 UNCH
4775	----	----	42.80B/35.70A	42.80B/35.70A	----	38.90 - 0.90	.1532	----	----	----	----	18 UNCH
4780	----	----	42.30B/35.20A	42.30B/35.20A	----	38.40 - 0.90	.1515	----	----	----	----	3 UNCH
4785	----	----	41.80B/34.70A	41.80B/34.70A	----	37.90 - 0.90	.1497	----	----	----	----	109 UNCH
4790	----	----	41.20B/34.30A	41.20B/34.30A	----	37.40 - 0.90	.1480	----	----	64	----	85 + 64
4795	37.80	37.80	40.80B/33.90A	40.80B/33.90A	----	37.00 - 0.80	.1465	----	----	13	----	60 + 9
4800	38.00	38.00	40.20B/33.40A	40.20B/33.40A	----	36.50 - 0.90	.1448	----	----	35	----	2223 + 11
4805	36.10	36.10	39.70B/33.00A	39.70B/33.00A	----	36.00 - 0.90	.1430	----	----	16	----	20 + 14
4810	35.60	35.60	39.20B/32.60A	39.20B/32.60A	----	35.50 - 0.90	.1413	----	----	28	----	36 + 8
4820	----	----	38.20B/31.80A	38.20B/31.80A	----	34.60 - 0.90	.1381	----	----	----	----	5 UNCH
4825	----	----	37.70B/31.40A	37.70B/31.40A	----	34.20 - 0.90	.1366	----	----	----	----	208 UNCH
4830	----	----	37.30B/31.00A	37.30B/31.00A	----	33.80 - 0.90	.1352	----	----	----	50	100 + 50
4835	----	----	36.80B/30.60A	36.80B/30.60A	----	33.30 - 0.90	.1335	----	----	----	----	23 UNCH
4840	----	----	36.30B/30.20A	36.30B/30.20A	----	32.90 - 0.90	.1320	----	----	----	----	15 UNCH
4845	----	----	35.90B/29.80A	35.90B/29.80A	----	32.50 - 0.90	.1306	----	----	----	----	26 UNCH
4850	----	----	35.40B/29.40A	35.40B/29.40A	----	32.10 - 0.90	.1291	----	----	----	----	163 UNCH
4855	----	----	35.00B/29.10A	35.00B/29.10A	----	31.70 - 0.90	.1276	----	----	----	----	2 UNCH
4860	----	----	34.60B/28.70A	34.60B/28.70A	----	31.30 - 0.90	.1262	----	----	----	----	9 UNCH
4870	----	----	33.70B/28.00A	33.70B/28.00A	----	30.50 - 0.90	.1233	----	----	----	----	86 UNCH
4875	----	----	33.30B/27.60A	33.30B/27.60A	----	30.10 - 0.90	.1219	----	----	----	----	233 UNCH
4880	----	----	32.90B/27.30A	32.90B/27.30A	----	29.70 - 0.90	.1204	----	----	----	----	9 UNCH
4885	30.20	30.20	32.50B/27.00A	32.50B/27.00A	----	29.30 - 1.00	.1190	----	----	5	----	7 + 4
4890	----	----	32.10B/26.60A	32.10B/26.60A	----	29.00 - 0.90	.1178	----	----	----	----	4 UNCH
4900	----	----	31.30B/26.00A	31.30B/26.00A	----	28.30 - 0.90	.1152	----	----	----	----	354 UNCH
4905	----	----	30.90B/25.70A	30.90B/25.70A	----	27.90 - 0.90	.1138	----	----	----	----	17 UNCH
4910	----	----	30.60B/25.30A	30.60B/25.30A	----	27.60 - 0.90	.1126	----	----	----	----	5 UNCH
4920	26.30	26.30	29.90B/24.70A	29.90B/24.70A	----	26.90 - 0.90	.1101	----	----	3	----	9 + 3
4925	----	----	29.50B/24.40A	29.50B/24.40A	----	26.60 - 0.90	.1089	----	----	----	----	10 UNCH
4930	----	----	29.20B/24.10A	29.20B/24.10A	----	26.20 - 1.00	.1075	----	----	----	----	50 UNCH
4935	----	----	28.80B/23.80A	28.80B/23.80A	----	25.90 - 1.00	.1064	----	----	----	----	2 UNCH
4940	25.50	25.50	28.50B/23.60A	28.50B/23.60A	----	25.60 - 0.90	.1052	----	----	2	----	16 - 2
4945	----	----	28.10B/23.30A	28.10B/23.30A	----	25.30 - 0.90	.1041	----	----	----	----	18 UNCH
4950	----	----	27.80B/23.00A	27.80B/23.00A	----	25.00 - 0.90	.1029	----	----	----	----	82 UNCH
4955	----	----	27.50B/22.70A	27.50B/22.70A	----	24.70 - 0.90	.1018	----	----	----	----	9 UNCH
4960	----	----	27.10B/22.50A	27.10B/22.50A	----	24.40 - 0.90	.1006	----	----	----	----	8 UNCH
4970	----	----	26.50B/21.90A	26.50B/21.90A	----	23.80 - 0.90	.0984	----	----	----	----	3 UNCH
4975	----	----	26.20B/21.70A	26.20B/21.70A	----	23.50 - 1.00	.0973	----	----	----	----	14 UNCH
4990	----	----	25.30B/20.90A	25.30B/20.90A	----	22.70 - 0.90	.0942	----	----	----	----	20 UNCH
4995	----	----	25.00B/20.70A	25.00B/20.70A	----	22.40 - 1.00	.0930	----	----	----	----	20 UNCH
5000	24.30	24.30	24.70B/20.40A	24.70B/20.40A	----	22.20 - 0.90	.0922	----	----	70	----	2931 + 54
5005	----	----	24.40B/20.20A	24.40B/20.20A	----	21.90 - 0.90	.0911	----	----	----	----	36 UNCH
5010	----	----	24.10B/20.00A	24.10B/20.00A	----	21.60 - 1.00	.0900	----	----	----	----	37 UNCH
5015	----	----	23.90B/19.70A	23.90B/19.70A	----	21.40 - 0.90	.0891	----	----	----	----	10 UNCH
5020	----	----	23.60B/19.50A	23.60B/19.50A	----	21.10 - 1.00	.0880	----	----	----	----	6 UNCH
5025	----	----	23.30B/19.30A	23.30B/19.30A	----	20.90 - 0.90	.0872	----	----	----	----	37 UNCH
5030	20.40	20.40	23.00B/19.10A	23.00B/19.10A	----	20.70 - 0.90	.0864	----	----	5	----	16 + 5
5040	20.00	20.00	22.50B/18.60A	22.50B/18.60A	----	20.20 - 0.90	.0844	----	----	5	----	11 + 5
5045	----	----	22.30B/18.40A	22.30B/18.40A	----	20.00 - 0.90	.0836	----	----	----	----	55 UNCH
5050	19.10	19.10	22.00B/18.20A	22.00B/18.20A	----	19.70 - 0.90	.0825	----	----	25	----	144 + 25
5055	----	----	21.80B/18.00A	21.80B/18.00A	----	19.50 - 0.90	.0817	----	----	----	----	2 UNCH
5060	----	----	21.50B/17.80A	21.50B/17.80A	----	19.30 - 0.90	.0809	----	----	----	----	1 UNCH
5065	----	----	21.30B/17.60A	21.30B/17.60A	----	19.10 - 0.90	.0801	----	----	----	----	3 UNCH
5075	----	----	20.80B/17.20A	20.80B/17.20A	----	18.60 - 0.90	.0782	----	----	----	----	157 UNCH
5090	----	----	20.10B/16.70A	20.10B/16.70A	----	18.00 - 0.90	.0758	----	----	----	----	2 UNCH
5095	----	----	19.90B/16.50A	19.90B/16.50A	----	17.80 - 0.90	.0750	----	----	----	----	13 UNCH
5100	----	----	19.70B/16.30A	19.70B/16.30A	----	17.60 - 0.90	.0742	----	----	----	----	971 UNCH
5105	----	----	19.50B/16.10A	19.50B/16.10A	----	17.40 - 0.90	.0734	----	----	----	----	40 UNCH
5110	----	----	19.30B/16.00A	19.30B/16.00A	----	17.20 - 0.90	.0726	----	----	----	----	56 UNCH
5115	----	----	19.00B/15.80A	19.00B/15.80A	----	17.10 - 0.80	.0721	----	----	----	----	82 UNCH
5120	----	----	18.80B/15.60A	18.80B/15.60A	----	16.90 - 0.90	.0713	----	----	----	----	3 UNCH
5125	----	----	18.60B/15.50A	18.60B/15.50A	----	16.70 - 0.90	.0705	----	----	----	----	6 UNCH
5130	----	----	18.40B/15.30A	18.40B/15.30A	----	16.50 - 0.90	.0697	----	----	----	----	2 UNCH
5135	----	----	18.20B/15.10A	18.20B/15.10A	----	16.30 - 0.90	.0690	----	----	----	----	1 UNCH
5140	----	----	18.00B/15.00A	18.00B/15.00A	----	16.20 - 0.80	.0685	----	----	----	----	2 UNCH
5145	----	----	17.80B/14.80A	17.80B/14.80A	----	16.00 - 0.90	.0677	----	----	----	----	4 UNCH
5150	----	----	17.70B/14.70A	17.70B/14.70A	----	15.80 - 0.90	.0669	----	----	8	----	67 + 3
5155	----	----	17.50B/14.50A	17.50B/14.50A	----	15.60 - 0.90	.0661	----	----	----	----	4 UNCH
5160	----	----	17.30B/14.40A	17.30B/14.40A	----	15.50 - 0.80	.0656	----	----	----	----	24 UNCH
5165	----	----	17.10B/14.20A	17.10B/14.20A	----	15.30 - 0.90	.0649	----	----	----	----	5 UNCH
5170	----	----	16.90B/14.10A	16.90B/14.10A	----	15.20 - 0.80	.0644	----	----	----	----	15 UNCH
5175	----	----	16.70B/13.90A	16.70B/13.90A	----	15.00 - 0.90	.0636	----	----	----	----	132 UNCH
5180	----	----	16.60B/13.80A	16.60B/13.80A	----	14.80 - 0.90	.0629	----	----	----	----	1 UNCH
5185	----	----	16.40B/13.70A	16.40B/13.70A	----	14.70 - 0.80	.0624	----	----	----	----	125 UNCH
5190	----	----	16.20B/13.50A	16.20B/13.50A	----	14.50 - 0.90	.0616	----	----	----	----	3 UNCH
5200	----	----	15.90B/13.30A	15.90B/13.30A	----	14.20 - 0.90	.0604	----	----	----	----	3060 UNCH
5205	----	----	15.70B/13.10A	15.70B/13.10A	----	14.10 - 0.80	.0599	----	----	----	----	3 UNCH
5210	----	----	15.60B/13.00A	15.60B/13.00A	----	14.00 - 0.80	.0595	----	----	----	----	1 UNCH
5215	----	----	15.40B/12.90A	15.40B/12.90A	----	13.80 - 0.80	.0587	----	----	----	----	5 UNCH
5220	----	----	15.30B/12.70A	15.30B/12.70A	----	13.70 - 0.80	.0582	----	----	----	----	27 UNCH
5225	----	----	15.10B/12.60A	15.10B/12.60A	----	13.50 - 0.90	.0575	----	----	----	----	10 UNCH
5230	----	----	15.00B/12.50A	15.00B/12.50A	----	13.40 - 0.80	.0570	----	----	----	----	13 UNCH
5240	12.50	12.50	14.70B/12.30A	14.70B/12.30A	----	13.10 - 0.90	.0558	----	----	1	----	3 UNCH
5245	----	----	14.50B/12.10A	14.50B/12.10A	----	13.00 - 0.80	.0554	----	----	----	----	9 UNCH
5250	----	----	14.40B/12.00A	14.40B/12.00A	----	12.90 - 0.80	.0549	----	----	----	----	460 UNCH
5255	----	----	14.20B/11.90A	14.20B/11.90A	----	12.80 - 0.80	.0545	----	----	----	----	1 UNCH
5260	----	----	14.10B/11.80A	14.10B/11.80A	----	12.60 - 0.80	.0537	----	----	----	----	7 UNCH
5265	----	----	13.90B/11.70A	13.90B/11.70A	----	12.50 - 0.80	.0533	----	----	----	----	10 UNCH
5270	----	----	13.80B/11.60A	13.80B/11.60A	----	12.40 - 0.80	.0528	----	----	----	----	13 UNCH
5275	----	----	13.70B/11.50A	13.70B/11.50A	----	12.30 - 0.80	.0524	----	----	----	----	26 UNCH
5280	----	----	13.50B/11.40A	13.50B/11.40A	----	12.20 - 0.70	.0520	----	----	----	----	17 UNCH
5285	----	----	13.40B/11.30A	13.40B/11.30A	----	12.00 - 0.80	.0512	----	----	----	----	4 UNCH
5290	----	----	13.30B/11.20A	13.30B/11.20A	----	11.90 - 0.80	.0508	----	----	----	----	4 UNCH
5295	----	----	13.20B/11.10A	13.20B/11.10A	----	11.80 - 0.80	.0503	----	----	----	----	34 UNCH
5300	----	----	13.00B/10.90A	13.00B/10.90A	----	11.70 - 0.80	.0499	----	----	----	----	921 UNCH
5305	----	----	12.90B/10.90A	12.90B/10.90A	----	11.60 - 0.80	.0495	----	----	----	----	14 UNCH
5310	----	----	12.80B/10.80A	12.80B/10.80A	----	11.50 - 0.80	.0490	----	----	----	----	5 UNCH
5315	----	----	12.70B/10.70A	12.70B/10.70A	----	11.40 - 0.80	.0486	----	----	----	----	3 UNCH
5320	----	----	12.50B/10.60A	12.50B/10.60A	----	11.30 - 0.70	.0482	----	----	----	----	8 UNCH
5330	----	----	12.30B/10.40A	12.30B/10.40A	----	11.10 - 0.70	.0473	----	----	----	----	18 UNCH
5335	----	----	12.20B/10.30A	12.20B/10.30A	----	11.00 - 0.70	.0469	----	----	----	----	13 UNCH
5340	----	----	12.10B/10.20A	12.10B/10.20A	----	10.90 - 0.70	.0465	----	----	----	----	9 UNCH
5345	----	----	12.00B/10.10A	12.00B/10.10A	----	10.80 - 0.70	.0460	----	----	----	----	1 UNCH
5350	----	----	11.90B/10.00A	11.90B/10.00A	----	10.70 - 0.70	.0456	----	----	----	----	423 UNCH
5355	----	----	11.80B/9.90A	11.80B/9.90A	----	10.60 - 0.70	.0452	----	----	----	----	25 UNCH
5360	----	----	11.70B/9.80A	11.70B/9.80A	----	10.50 - 0.70	.0448	----	----	----	----	1 UNCH
5365	----	----	11.60B/9.80A	11.60B/9.80A	----	10.40 - 0.70	.0444	----	----	----	----	1 UNCH
5370	----	----	11.40B/9.70A	11.40B/9.70A	----	10.30 - 0.70	.0439	----	----	----	----	4 UNCH
5375	----	----	11.30B/9.60A	11.30B/9.60A	----	10.20 - 0.70	.0435	----	----	----	----	1 UNCH
5385	----	----	11.10B/9.40A	11.10B/9.40A	----	10.00 - 0.80	.0427	----	----	----	----	11 UNCH
5390	----	----	11.00B/9.40A	11.00B/9.40A	----	9.90 - 0.80	.0423	----	----	----	----	8 UNCH
5400	----	----	10.90B/9.20A	10.90B/9.20A	----	9.80 - 0.70	.0418	----	----	----	----	1566 UNCH
5425	----	----	10.40B/8.80A	10.40B/8.80A	----	9.40 - 0.70	.0400	----	----	----	----	7 UNCH
5435	----	----	10.20B/8.70A	10.20B/8.70A	----	9.20 - 0.70	.0392	----	----	----	----	7 UNCH
5440	----	----	10.10B/8.60A	10.10B/8.60A	----	9.10 - 0.70	.0388	----	----	----	----	5 UNCH
5450	----	----	10.00B/8.50A	10.00B/8.50A	----	9.00 - 0.70	.0383	----	----	----	----	163 UNCH
5465	----	----	9.70B/8.30A	9.70B/8.30A	----	8.80 - 0.70	.0374	----	----	----	----	5 UNCH
5475	----	----	9.60B/8.20A	9.60B/8.20A	----	8.60 - 0.70	.0366	----	----	----	----	1 UNCH
5490	----	----	9.30B/8.00A	9.30B/8.00A	----	8.40 - 0.70	.0357	----	----	----	----	120 UNCH
5500	8.50	8.50	9.20B/7.90A	9.20B/7.90A	----	8.30 - 0.70	.0353	----	----	3	----	2145 UNCH
5510	----	----	9.00B/7.80A	9.00B/7.80A	----	8.20 - 0.60	.0348	----	----	----	----	3 UNCH
5520	----	----	8.90B/7.70A	8.90B/7.70A	----	8.00 - 0.70	.0340	----	----	----	----	300 UNCH
5525	----	----	8.80B/7.60A	8.80B/7.60A	----	8.00 - 0.70	.0339	----	----	----	----	2 UNCH
5530	----	----	8.80B/7.50A	8.80B/7.50A	----	7.90 - 0.70	.0335	----	----	----	----	105 UNCH
5540	----	----	8.60B/7.40A	8.60B/7.40A	----	7.80 - 0.70	.0331	----	----	----	----	3 UNCH
5550	----	----	8.50B/7.30A	8.50B/7.30A	----	7.70 - 0.60	.0326	----	----	----	----	74 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
FEB27												
5575	----	----	8.20B/7.10A	8.20B/7.10A	----	7.40 - 0.70	.0313	----	----	----	----	5 UNCH
5600	----	----	7.90B/6.90A	7.90B/6.90A	----	7.10 - 0.70	.0300	----	----	----	----	168 UNCH
5605	----	----	7.80B/6.80A	7.80B/6.80A	----	7.10 - 0.60	.0300	----	----	----	----	4 UNCH
5625	----	----	7.60B/6.60A	7.60B/6.60A	----	6.90 - 0.60	.0291	----	----	----	----	31 UNCH
5650	----	----	----/6.40A	7.30B/6.40A	----	6.70 - 0.60	.0282	----	----	----	----	2 UNCH
5680	----	----	7.10B/6.20A	7.10B/6.20A	----	6.40 - 0.60	.0269	----	----	----	----	1 UNCH
5700	----	----	----/6.10A	6.90B/6.10A	----	6.30 - 0.60	.0263	----	----	----	----	213 UNCH
5705	6.10	6.10	6.10/6.00A	6.80B/6.00A	----	6.20 NEW	.0260	----	----	5	----	5 + 5
5725	----	----	----/5.90A	6.60B/5.90A	----	6.10 - 0.60	.0254	----	----	----	----	311 UNCH
5735	----	----	----/5.80A	6.60B/5.80A	----	6.00 - 0.60	.0250	----	----	----	----	1 UNCH
5750	6.30	6.30	6.30/5.70A	6.40B/5.70A	----	5.90 - 0.60	.0246	----	----	2	----	2170 UNCH
5760	----	----	----/5.70A	6.40B/5.70A	----	5.80 - 0.60	.0241	----	----	----	----	1 UNCH
5775	----	----	----/5.60A	6.20B/5.60A	----	5.70 - 0.60	.0237	----	----	----	----	299 UNCH
5780	----	----	----/5.50A	6.20B/5.50A	----	5.70 - 0.50	.0236	----	----	----	----	6 UNCH
5790	----	----	----/5.50A	6.10B/5.50A	----	5.60 - 0.60	.0232	----	----	----	----	4 UNCH
5800	----	----	----/5.40A	6.10B/5.40A	----	5.60 - 0.50	.0232	----	----	----	----	321 UNCH
5820	----	----	----/5.30A	5.90B/5.30A	----	5.50 - 0.50	.0227	----	----	----	----	5 UNCH
5825	----	----	----/5.30A	5.90B/5.30A	----	5.40 - 0.50	.0223	----	----	----	----	2 UNCH
5830	----	----	----/5.20A	5.80B/5.20A	----	5.40 - 0.50	.0223	----	----	----	----	3 UNCH
5840	----	----	----/5.20A	5.80B/5.20A	----	5.30 - 0.50	.0219	----	----	----	----	9 UNCH
5850	----	----	----/5.10A	5.70B/5.10A	----	5.30 - 0.50	.0218	----	----	----	----	7 UNCH
5900	5.30	5.30	5.30/4.80	5.40B/4.80	----	5.00 - 0.50	.0205	----	----	3	----	60 + 2
5925	----	----	----/4.80A	5.30B/4.80A	----	4.90 - 0.50	.0200	----	----	----	----	9 UNCH
5950	----	----	----/4.60A	5.10B/4.60A	----	4.80 - 0.40	.0195	----	----	----	----	30 UNCH
5975	----	----	----/4.50A	5.00B/4.50A	----	4.70 - 0.40	.0190	----	----	----	----	1 UNCH
6000	4.50	4.50	4.50/4.40	4.90B/4.40	----	4.60 - 0.40	.0185	----	----	2	----	3516 + 1
6025	----	----	----/4.30A	4.80B/4.30A	----	4.50 - 0.40	.0181	----	----	----	----	13 UNCH
6100	----	----	----/4.00A	4.40B/4.00A	----	4.20 - 0.40	.0167	----	----	----	----	47 UNCH
6200	----	----	----/3.70A	4.10B/3.70A	----	3.90 - 0.40	.0153	----	----	----	----	9 UNCH
6250	----	----	----/3.70A	3.90B/3.70A	----	3.70 - 0.40	.0144	----	----	----	----	52 UNCH
6300	----	----	----/3.50A	3.80B/3.50A	----	3.60 - 0.40	.0139	----	----	----	----	2 UNCH
6400	----	----	----/3.30A	3.50B/3.30A	----	3.30 - 0.40	.0126	----	----	----	----	54 UNCH
6500	----	----	----/3.10A	3.30B/3.10A	----	3.10 - 0.40	.0117	----	----	1	----	1041 + 1
6600	3.00	3.00	3.00/2.90A	3.10B/2.90A	----	2.90 - 0.40	.0108	----	----	6	----	16 + 6
6700	----	----	----/2.80A	2.90B/2.80A	----	2.80 - 0.30	.0103	----	----	----	----	32 UNCH
6800	----	----	----/2.70A	2.70B/2.70A	----	2.60 - 0.40	.0094	----	----	----	----	18 UNCH
6900	----	----	----/2.50A	2.60B/2.50A	----	2.50 - 0.40	.0089	----	----	----	----	888 UNCH
7000	2.50	2.50	2.50/2.40A	2.50/2.40A	----	2.40 - 0.30	.0085	----	----	1	----	1002 + 1
7100	----	----	----/2.30A	2.30B/2.30A	----	2.30 - 0.30	.0080	----	----	----	----	56 UNCH
7200	2.20	2.20	2.20/2.20	2.20/2.20	----	2.20 - 0.30	.0076	----	----	7	----	71 + 7
7300	----	----	----/2.20A	2.10B/2.20A	----	2.10 - 0.30	.0072	----	----	----	----	9 UNCH
7400	----	----	----/2.10A	2.00B/2.10A	----	2.00 - 0.30	.0067	----	----	----	----	76 UNCH
7500	----	----	----/2.00A	2.00B/2.00A	----	2.00 - 0.20	.0066	----	----	----	----	591 UNCH
7600	----	----	----/1.90A	1.90B/1.90A	----	1.90 - 0.20	.0062	----	----	----	----	7 UNCH
7700	----	----	----/1.90A	1.80B/1.90A	----	1.80 - 0.20	.0059	----	----	----	----	1 UNCH
7800	----	----	----/1.80A	1.70B/1.80A	----	1.70 - 0.20	.0055	----	----	----	----	1 UNCH
7900	----	----	----/1.70A	1.60B/1.70A	----	1.70 - 0.20	.0054	----	----	----	----	1262 UNCH
8000	----	----	----/1.60A	1.60B/1.60A	----	1.60 - 0.20	.0051	----	----	1	----	1448 UNCH
8500	----	----	----	1.30B/1.40A	----	1.30 - 0.10	.0040	----	----	----	----	250 UNCH
8900	----	----	----	1.10B/1.20A	----	1.10 - 0.10	.0033	----	----	----	----	16 UNCH
9000	----	----	----	1.00B/1.20A	----	1.10 - 0.10	.0033	----	----	----	----	141 UNCH
9100	1.30	1.30	1.30/1.00	1.30/1.00	----	1.10 - 0.10	.0032	----	----	41	----	112 + 16
TOTAL										1263	100	44306 + 677
MAR27												
3480	----	----	----	743.20B/757.40A	----	762.00 + 15.70	.9199	----	----	----	----	1 UNCH
3500	----	----	----	725.70B/738.40A	----	743.50 + 15.50	.9154	----	----	----	----	1 UNCH
4080	----	----	294.80B/272.50A	294.80B/272.50A	----	289.30 + 8.00	.6310	----	----	----	----	2 UNCH
4100	----	----	283.20B/260.70A	283.20B/260.70A	----	277.60 + 7.60	.6165	----	----	----	----	12 UNCH
4130	----	----	267.10B/244.50A	267.10B/244.50A	----	260.80 + 7.00	.5945	----	----	----	----	30 UNCH
4150	----	----	256.40B/234.20A	256.40B/234.20A	----	249.90 + 6.50	.5797	----	----	----	----	2 UNCH
4195	----	----	233.50B/212.20A	233.50B/212.20A	----	226.70 + 5.50	.5460	----	----	----	----	10 UNCH
4200	----	----	231.10B/209.80A	231.10B/209.80A	----	224.20 + 5.40	.5423	----	----	----	----	51 UNCH
4210	----	----	226.00B/205.30A	226.00B/205.30A	----	219.30 + 5.10	.5348	----	----	----	----	1 UNCH
4215	----	----	223.70B/202.90A	223.70B/202.90A	----	216.90 + 5.00	.5310	----	----	----	----	3 UNCH
4220	208.80	208.80	221.20B/200.70A	221.20B/200.70A	----	214.50 + 4.90	.5273	----	----	2	----	6 + 2
4225	----	----	219.10B/198.50A	219.10B/198.50A	----	212.10 + 4.70	.5235	----	----	----	----	2 UNCH
4240	----	----	212.00B/191.90A	212.00B/191.90A	----	205.10 + 4.30	.5123	----	----	----	----	17 UNCH
4250	----	----	207.40B/187.70A	207.40B/187.70A	----	200.60 + 4.10	.5048	----	----	----	110	115 + 110
4270	----	----	198.60B/179.30A	198.60B/179.30A	----	191.80 + 3.70	.4900	----	----	----	----	1 UNCH
4275	----	----	196.80B/177.30A	196.80B/177.30A	----	189.60 + 3.50	.4863	----	----	----	----	130 UNCH
4280	----	----	194.40B/175.30A	194.40B/175.30A	----	187.50 + 3.50	.4826	----	----	----	----	3 UNCH
4285	184.50	184.50	192.20B/173.30A	192.20B/173.30A	----	185.40 NEW	.4789	----	----	30	----	30 + 30
4300	----	----	186.30B/167.40A	186.30B/167.40A	----	179.20 + 3.10	.4680	----	----	67	----	267 + 26
4325	----	----	176.10B/158.20A	176.10B/158.20A	----	169.40 + 2.70	.4499	----	----	----	----	20 UNCH
4340	165.90	165.90	170.40B/152.80A	170.40B/152.80A	----	163.70 + 2.50	.4393	----	----	25	----	29 + 25
4345	----	----	168.50B/151.00A	168.50B/151.00A	----	161.90 + 2.50	.4357	----	----	2	----	3 + 2
4350	----	----	166.70B/149.20A	166.70B/149.20A	----	160.00 + 2.30	.4322	----	----	----	----	53 UNCH
4370	----	----	159.40B/142.50A	159.40B/142.50A	----	152.90 + 2.20	.4183	----	----	----	----	273 UNCH
4380	----	----	155.90B/139.30A	155.90B/139.30A	----	149.50 + 2.10	.4114	----	----	----	----	1 UNCH
4385	----	----	154.10B/137.70A	154.10B/137.70A	----	147.80 NEW	.4080	----	----	2	----	2 + 2
4395	----	----	150.70B/134.50A	150.70B/134.50A	----	144.40 + 1.90	.4012	----	----	----	----	3 UNCH
4400	----	----	149.10B/132.90A	149.10B/132.90A	----	142.80 + 1.90	.3979	----	----	10	----	591 + 3
4420	----	----	142.50B/126.90A	142.50B/126.90A	----	136.30 + 1.70	.3845	----	----	----	----	1 UNCH
4425	----	----	140.90B/125.40A	140.90B/125.40A	----	134.80 + 1.70	.3812	----	----	----	----	1 UNCH
4440	----	----	136.10B/121.10A	136.10B/121.10A	----	130.20 + 1.60	.3715	----	----	----	----	53 UNCH
4450	----	----	133.10B/118.20A	133.10B/118.20A	----	127.20 + 1.50	.3650	----	----	----	----	235 UNCH
4460	----	----	130.20B/115.50A	130.20B/115.50A	----	124.20 + 1.30	.3586	----	----	----	----	5 UNCH
4465	----	----	128.70B/114.20A	128.70B/114.20A	----	122.80 + 1.30	.3555	----	----	----	----	120 UNCH
4470	----	----	127.20B/112.80A	127.20B/112.80A	----	121.30 + 1.20	.3523	----	----	----	----	6 UNCH
4475	----	----	125.90B/111.50A	125.90B/111.50A	----	119.90 + 1.10	.3492	----	----	----	----	2 UNCH
4480	----	----	124.40B/110.20A	124.40B/110.20A	----	118.50 + 1.10	.3461	----	----	----	----	50 UNCH
4495	----	----	120.20B/106.40A	120.20B/106.40A	----	114.40 + 0.90	.3369	----	----	----	----	1 UNCH
4500	----	----	118.80B/105.10A	118.80B/105.10A	----	113.10 + 0.90	.3339	----	----	38	----	625 + 38
4525	----	----	112.30B/99.10A	112.30B/99.10A	----	106.60 + 0.60	.3190	----	----	----	----	2 UNCH
4535	----	----	109.70B/96.80A	109.70B/96.80A	----	104.20 + 0.60	.3133	----	----	----	----	20 UNCH
4550	----	----	106.00B/93.40A	106.00B/93.40A	----	100.60 + 0.50	.3048	----	----	----	----	752 UNCH
4555	----	----	104.70B/92.30A	104.70B/92.30A	----	99.40 + 0.40	.3019	----	----	----	----	20 UNCH
4580	----	----	98.90B/87.10A	98.90B/87.10A	----	93.80 + 0.30	.2883	----	----	----	----	29 UNCH
4590	----	----	96.50B/85.00A	96.50B/85.00A	----	91.60 + 0.20	.2829	----	----	----	----	20 UNCH
4600	----	----	94.50B/83.10A	94.50B/83.10A	----	89.50 + 0.20	.2777	----	----	----	----	302 UNCH
4605	----	----	93.20B/82.10A	93.20B/82.10A	----	88.50 + 0.20	.2751	----	----	----	----	33 UNCH
4610	----	----	92.40B/81.10A	92.40B/81.10A	----	87.40 + 0.10	.2724	----	----	----	----	302 UNCH
4615	----	----	91.20B/80.20A	91.20B/80.20A	----	86.40 + 0.10	.2699	----	----	----	----	20 UNCH
4625	----	----	89.10B/78.30A	89.10B/78.30A	----	84.40 UNCH	.2648	----	----	----	----	100 UNCH
4635	----	----	87.20B/76.50A	87.20B/76.50A	----	82.50 UNCH	.2599	----	----	----	----	100 UNCH
4640	----	----	86.30B/75.70A	86.30B/75.70A	----	81.50 - 0.10	.2574	----	----	----	----	10 UNCH
4645	----	----	85.20B/74.80A	85.20B/74.80A	----	80.60 UNCH	.2550	----	----	----	----	2420 UNCH
4650	----	----	84.30B/73.90A	84.30B/73.90A	----	79.70 UNCH	.2526	----	----	----	143	164 + 143
4660	----	----	82.40B/72.20A	82.40B/72.20A	----	77.90 UNCH	.2479	----	----	----	----	2 UNCH
4670	----	----	80.30B/70.50A	80.30B/70.50A	----	76.10 - 0.10	.2432	----	----	----	----	4 UNCH
4675	----	----	79.60B/69.70A	79.60B/69.70A	----	75.20 - 0.10	.2408	----	----	----	----	2 UNCH
4680	----	----	78.70B/68.90A	78.70B/68.90A	----	74.30 - 0.20	.2385	----	----	----	----	2 UNCH
4685	----	----	77.70B/68.10A	77.70B/68.10A	----	73.50 - 0.20	.2363	----	----	----	----	1 UNCH
4690	----	----	76.80B/67.30A	76.80B/67.30A	----	72.60 - 0.20	.2339	----	----	----	----	10 UNCH
4700	----	----	75.20B/65.80A	75.20B/65.80A	----	71.00 - 0.20	.2296	----	----	----	240	1347 + 150
4705	----	----	74.20B/65.00A	74.20B/65.00A	----	70.20 - 0.20	.2274	----	----	----	----	119 UNCH
4710	----	----	73.40B/64.30A	73.40B/64.30A	----	69.30 - 0.30	.2251	----	----	----	----	21 UNCH
4725	----	----	71.00B/62.10A	71.00B/62.10A	----	67.00 - 0.30	.2187	----	----	----	----	30 UNCH
4735	----	----	69.40B/60.70A	69.40B/60.70A	----	65.50 - 0.30	.2146	----	----	----	----	4 UNCH
4745	----	----	67.80B/59.30A	67.80B/59.30A	----	64.00 - 0.40	.2104	----	----	----	----	1 UNCH
4750	----	----	67.10B/58.60A	67.10B/58.60A	----	63.20 - 0.50	.2083	----	----	----	----	213 UNCH
4755	----	----	66.30B/58.00A	66.30B/58.00A	----	62.50 - 0.50	.2063	----	----	----	----	2375 UNCH
4760	----	----	65.60B/57.30A	65.60B/57.30A	----	61.80 - 0.50	.2043	----	----	----	----	52 UNCH
4765	----	----	64.80B/56.70A	64.80B/56.70A	----	61.10 - 0.50	.2024	----	----	----	----	52 UNCH
4770	----	----	64.10B/56.00A	64.10B/56.00A	----	60.40 - 0.50	.2004	----	----	----	----	50 UNCH
4775	----	----	63.40B/55.40A	63.40B/55.40A	----	59.70 - 0.50	.1984	----	----	----	----	1 UNCH
4785	----	----	62.00B/54.20A	62.00B/54.20A	----	58.40 - 0.50	.1947	----	----	----	----	3 UNCH
4790	----	----	61.20B/53.60A	61.20B/53.60A	----	57.70 - 0.60	.1927	----	----	----	----	1 UNCH
4795	----	----	60.50B/52.90A	60.50B/52.90A	----	57.10 - 0.50	.1909	----	----	----	----	4 UNCH
4800	----	----	59.90B/52.40A	59.90B/52.40A	----	56.40 - 0.60	.1890	----	----	55	----	233 - 3
4810	----	----	58.60B/51.20A	58.60B/51.20A	----	55.10 - 0.70	.1853	----	----	----	----	31 UNCH
4820	----	----	57.30B/50.10A	57.30B/50.10A	----	53.90 - 0.60	.1818	----	----	----	----	20 UNCH
4830	52.00	52.00	55.90B/48.90A	55.90B/48.90A	----	52.70 - 0.70	.1783	----	----	2	----	68 + 2
4845	52.00	52.00	54.00B/47.30A	54.00B/47.30A	----	51.00 - 0.60	.1732	----	----	2	----	1 - 1
4850	51.20	51.20	53.50B/46.80A	53.50B/46.80A	----	50.40 - 0.70	.1715	----	----	1	----	14 + 1
4855	----	----	52.80B/46.30A	52.80B/46.30A	----	49.80 - 0.70	.1697	----	----	----	----	20 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL												
MAR27												
4880	----	----	50.00B/43.80A	50.00B/43.80A	----	47.10 - 0.80	.1617	----	----	----	----	10 UNCH
4890	----	----	49.00B/42.80A	49.00B/42.80A	----	46.10 - 0.70	.1586	----	----	----	----	7 UNCH
4895	----	----	48.50B/42.40A	48.50B/42.40A	----	45.60 - 0.70	.1571	----	----	----	----	9 UNCH
4900	----	----	47.90B/41.90A	47.90B/41.90A	----	45.10 - 0.70	.1556	----	----	----	----	18 UNCH
4920	----	----	45.90B/40.10A	45.90B/40.10A	----	43.20 - 0.70	.1497	----	----	----	----	7 UNCH
4925	----	----	45.40B/39.70A	45.40B/39.70A	----	42.70 - 0.80	.1482	----	----	----	----	16 UNCH
4950	----	----	43.10B/37.60A	43.10B/37.60A	----	40.40 - 0.80	.1412	----	----	----	----	319 UNCH
4955	----	----	42.60B/37.20A	42.60B/37.20A	----	40.00 - 0.80	.1399	----	----	----	----	1 UNCH
4965	----	----	41.70B/36.40A	41.70B/36.40A	----	39.20 - 0.70	.1373	----	----	----	----	14 UNCH
4980	----	----	40.40B/35.30A	40.40B/35.30A	----	37.90 - 0.80	.1333	----	----	----	----	2 UNCH
4995	----	----	38.90B/34.20A	38.90B/34.20A	----	36.70 - 0.80	.1295	----	----	----	----	72 UNCH
5000	37.40	37.40	38.70B/33.80A	38.70B/33.80A	----	36.40 - 0.70	.1284	----	----	22	----	4210 + 6
5010	----	----	37.90B/33.20A	37.90B/33.20A	----	35.60 - 0.80	.1259	----	----	----	----	11 UNCH
5015	----	----	37.30B/32.80A	37.30B/32.80A	----	35.20 - 0.80	.1247	----	----	----	----	1 UNCH
5050	----	----	34.60B/30.50A	34.60B/30.50A	----	32.80 - 0.70	.1168	----	----	----	----	751 UNCH
5060	----	----	34.00B/29.90A	34.00B/29.90A	----	32.10 - 0.70	.1146	----	----	----	----	1 UNCH
5100	----	----	31.30B/27.60A	31.30B/27.60A	----	29.60 - 0.70	.1064	----	----	----	----	379 UNCH
5105	----	----	31.00B/27.30A	31.00B/27.30A	----	29.30 - 0.70	.1054	----	----	----	----	5 UNCH
5125	----	----	29.80B/26.20A	29.80B/26.20A	----	28.10 - 0.80	.1014	----	----	----	----	21 UNCH
5145	----	----	28.60B/25.20A	28.60B/25.20A	----	27.00 - 0.80	.0978	----	----	----	----	44 UNCH
5150	----	----	28.30B/25.00A	28.30B/25.00A	----	26.80 - 0.70	.0970	----	----	----	----	41 UNCH
5155	----	----	28.00B/24.70A	28.00B/24.70A	----	26.50 - 0.70	.0960	----	----	----	----	25 UNCH
5160	----	----	27.70B/24.50A	27.70B/24.50A	----	26.20 - 0.80	.0951	----	----	----	----	13 UNCH
5165	----	----	27.50B/24.30A	27.50B/24.30A	----	26.00 - 0.70	.0943	----	----	----	----	118 UNCH
5175	----	----	26.90B/23.80A	26.90B/23.80A	----	25.50 - 0.70	.0926	----	----	----	----	1 UNCH
5180	----	----	26.70B/23.60A	26.70B/23.60A	----	25.20 - 0.80	.0917	----	----	----	----	2 UNCH
5185	----	----	26.40B/23.40A	26.40B/23.40A	----	25.00 - 0.70	.0909	----	----	----	----	1 UNCH
5190	----	----	26.10B/23.10A	26.10B/23.10A	----	24.70 - 0.80	.0900	----	----	----	----	363 UNCH
5195	----	----	25.90B/22.90A	25.90B/22.90A	----	24.50 - 0.80	.0893	----	----	----	----	2 UNCH
5200	----	----	25.60B/22.70A	25.60B/22.70A	----	24.30 - 0.70	.0885	----	----	30	----	301 + 29
5205	----	----	25.40B/22.50A	25.40B/22.50A	----	24.00 - 0.80	.0876	----	----	----	----	2 UNCH
5210	----	----	25.10B/22.30A	25.10B/22.30A	----	23.80 - 0.80	.0869	----	----	----	----	2 UNCH
5215	----	----	24.90B/22.10A	24.90B/22.10A	----	23.60 - 0.70	.0862	----	----	----	----	4 UNCH
5220	----	----	24.60B/21.90A	24.60B/21.90A	----	23.30 - 0.80	.0852	----	----	----	----	17 UNCH
5225	----	----	24.40B/21.70A	24.40B/21.70A	----	23.10 - 0.80	.0845	----	----	----	----	6 UNCH
5230	----	----	24.20B/21.50A	24.20B/21.50A	----	22.90 - 0.80	.0838	----	----	----	----	6 UNCH
5235	----	----	23.90B/21.30A	23.90B/21.30A	----	22.70 - 0.80	.0831	----	----	----	----	8 UNCH
5240	----	----	23.70B/21.10A	23.70B/21.10A	----	22.40 - 0.80	.0821	----	----	----	----	10 UNCH
5245	----	----	23.50B/20.90A	23.50B/20.90A	----	22.20 - 0.80	.0814	----	----	----	----	12 UNCH
5250	----	----	23.30B/20.70A	23.30B/20.70A	----	22.00 - 0.80	.0807	----	----	----	----	113 UNCH
5255	----	----	23.00B/20.50A	23.00B/20.50A	----	21.80 - 0.80	.0800	----	----	----	----	18 UNCH
5260	----	----	22.80B/20.30A	22.80B/20.30A	----	21.60 - 0.80	.0793	----	----	----	----	7 UNCH
5265	----	----	22.60B/20.10A	22.60B/20.10A	----	21.40 - 0.80	.0786	----	----	----	----	27 UNCH
5270	----	----	22.40B/19.90A	22.40B/19.90A	----	21.20 - 0.80	.0779	----	----	----	----	9 UNCH
5275	----	----	22.20B/19.80A	22.20B/19.80A	----	21.00 - 0.80	.0772	----	----	----	----	136 UNCH
5280	----	----	22.00B/19.60A	22.00B/19.60A	----	20.80 - 0.80	.0766	----	----	----	----	17 UNCH
5285	----	----	21.80B/19.40A	21.80B/19.40A	----	20.60 - 0.80	.0759	----	----	----	----	21 UNCH
5290	----	----	21.60B/19.20A	21.60B/19.20A	----	20.40 - 0.90	.0752	----	----	----	----	28 UNCH
5295	----	----	21.40B/19.10A	21.40B/19.10A	----	20.20 - 0.90	.0745	----	----	----	----	55 UNCH
5300	----	----	21.20B/18.90A	21.20B/18.90A	----	20.10 - 0.80	.0740	----	----	----	----	72 UNCH
5305	----	----	21.00B/18.70A	21.00B/18.70A	----	19.90 - 0.80	.0734	----	----	----	----	2 UNCH
5330	----	----	20.00B/17.90A	20.00B/17.90A	----	19.00 - 0.80	.0702	----	----	----	----	30 UNCH
5345	----	----	19.50B/17.50A	19.50B/17.50A	----	18.50 - 0.80	.0684	----	----	----	----	1 UNCH
5350	----	----	19.30B/17.30A	19.30B/17.30A	----	18.40 - 0.70	.0680	----	----	----	----	7 UNCH
5380	----	----	18.30B/16.50A	18.30B/16.50A	----	17.50 - 0.70	.0648	----	----	----	----	12 UNCH
5390	----	----	18.00B/16.20A	18.00B/16.20A	----	17.20 - 0.70	.0637	----	----	----	----	10 UNCH
5400	----	----	17.70B/15.90A	17.70B/15.90A	----	16.90 - 0.70	.0626	----	----	----	----	90 UNCH
5405	----	----	17.50B/15.80A	17.50B/15.80A	----	16.70 - 0.70	.0620	----	----	----	----	5 UNCH
5415	----	----	----/15.50A	17.20B/15.50A	----	16.50 - 0.70	.0612	----	----	----	----	16 UNCH
5420	----	----	17.10B/15.40A	17.10B/15.40A	----	16.30 - 0.70	.0605	----	----	----	----	20 UNCH
5430	----	----	----/15.20A	16.80B/15.20A	----	16.10 - 0.70	.0597	----	----	----	----	10 UNCH
5435	16.10	16.10	16.10/15.10A	16.60B/15.10A	----	15.90 - 0.70	.0590	----	----	10	----	12 UNCH
5445	----	----	----/14.80A	16.40B/14.80A	----	15.70 - 0.70	.0583	----	----	----	----	1 UNCH
5450	----	----	----/14.70A	16.20B/14.70A	----	15.60 - 0.60	.0579	----	----	----	----	146 UNCH
5455	----	----	----/14.60A	16.10B/14.60A	----	15.40 - 0.70	.0572	----	----	----	----	1 UNCH
5490	----	----	----/13.80A	15.20B/13.80A	----	14.60 - 0.70	.0542	----	----	----	----	12 UNCH
5500	14.50	14.50	14.50/13.60A	15.00B/13.60A	----	14.40 - 0.60	.0535	----	----	12	----	898 - 6
5505	----	----	----/13.50A	14.90B/13.50A	----	14.30 - 0.60	.0531	----	----	----	----	130 UNCH
5550	----	----	----/12.60A	13.90B/12.60A	----	13.30 - 0.70	.0495	----	----	----	----	4 UNCH
5555	----	----	----/12.60A	13.80B/12.60A	----	13.20 - 0.70	.0491	----	----	----	----	13 UNCH
5600	----	----	----/11.80A	12.90B/11.80A	----	12.40 - 0.60	.0460	----	----	----	----	1244 UNCH
5615	----	----	----/11.60A	12.60B/11.60A	----	12.20 - 0.50	.0452	----	----	----	----	1 UNCH
5620	----	----	----/11.50A	12.50B/11.50A	----	12.10 - 0.50	.0449	----	----	----	----	2 UNCH
5625	----	----	----/11.40A	12.40B/11.40A	----	12.00 - 0.50	.0445	----	----	----	----	19 UNCH
5630	----	----	----/11.30A	12.30B/11.30A	----	11.90 - 0.50	.0441	----	----	----	----	12 UNCH
5635	----	----	----/11.30A	12.30B/11.30A	----	11.80 - 0.60	.0438	----	----	----	----	13 UNCH
5650	----	----	----/11.00A	12.00B/11.00A	----	11.60 - 0.50	.0430	----	----	----	----	6 UNCH
5670	----	----	----/10.70A	11.70B/10.70A	----	11.30 - 0.50	.0418	----	----	----	----	1 UNCH
5700	----	----	----/10.30A	11.20B/10.30A	----	10.80 - 0.50	.0400	----	----	----	----	30 UNCH
5750	----	----	----/9.70A	10.50B/9.70A	----	10.20 - 0.40	.0376	----	----	----	----	3 UNCH
5755	----	----	----/9.70A	10.40B/9.70A	----	10.10 - 0.40	.0373	----	----	----	----	3 UNCH
5790	----	----	----/9.30A	10.00B/9.30A	----	9.70 - 0.40	.0357	----	----	----	----	49 UNCH
5800	----	----	----/9.20A	9.90B/9.20A	----	9.60 - 0.40	.0353	----	----	----	----	2 UNCH
5810	----	----	----/9.10A	9.70B/9.10A	----	9.40 - 0.50	.0346	----	----	----	----	15 UNCH
5820	----	----	----/9.00A	9.60B/9.00A	----	9.30 - 0.50	.0342	----	----	----	----	1 UNCH
5825	----	----	----/8.90A	9.60B/8.90A	----	9.30 - 0.40	.0342	----	----	----	----	13 UNCH
5850	----	----	----/8.70A	9.30B/8.70A	----	9.00 - 0.40	.0331	----	----	----	----	3 UNCH
5860	----	----	----/8.60A	9.20B/8.60A	----	8.90 - 0.40	.0327	----	----	----	----	6 UNCH
5875	----	----	----/8.40A	9.00B/8.40A	----	8.70 - 0.50	.0320	----	----	----	----	13 UNCH
5900	----	----	----/8.20A	8.80B/8.20A	----	8.50 - 0.50	.0311	----	----	----	----	29 UNCH
5950	7.90	7.90	7.90/7.80A	8.30B/7.80A	----	8.00 - 0.50	.0292	----	----	5	----	19 + 1
5975	----	----	----/7.60A	8.10B/7.60A	----	7.80 - 0.50	.0284	----	----	----	----	36 UNCH
6000	7.60	7.60	7.60/7.40A	7.90B/7.40A	----	7.60 - 0.50	.0277	----	----	1	----	56 - 1
6025	----	----	----/7.30A	7.70B/7.30A	----	7.40 - 0.50	.0269	----	----	----	----	1 UNCH
6100	----	----	----/6.80A	7.10B/6.80A	----	6.90 - 0.50	.0249	----	----	----	----	194 UNCH
6200	----	----	----/6.20A	6.50B/6.20A	----	6.30 - 0.50	.0225	----	----	----	----	25 UNCH
6250	----	----	----/6.30A	6.10B/6.30A	----	6.10 - 0.40	.0217	----	----	----	----	10 UNCH
6300	----	----	----/5.90A	5.70B/5.90A	----	5.80 - 0.50	.0205	----	----	----	----	490 UNCH
6400	----	----	----/5.50A	5.00B/5.50A	----	5.30 - 0.50	.0186	----	----	----	----	1 UNCH
6500	----	----	----/5.10A	4.60B/5.10A	----	4.90 - 0.50	.0171	----	----	----	----	749 UNCH
TOTAL										316	493	23534 + 559
APR27												
3000	----	----	----	----	----	1226.30 + 16.80	.9739	----	----	----	----	2 UNCH
3385	----	----	----	814.20B/863.90A	----	856.00 + 15.60	.9249	----	----	----	----	1 UNCH
3500	----	----	----	718.20B/754.10A	----	751.00 + 14.90	.8981	----	----	----	----	8 UNCH
3700	----	----	----	560.70B/575.70A	----	579.00 + 13.20	.8308	----	----	----	----	1 UNCH
3800	----	----	507.30B/479.10A	507.30B/479.10A	----	499.80 + 11.90	.7858	----	----	1	----	3 + 1
3850	----	----	469.50B/442.40A	469.50B/442.40A	----	462.30 + 11.20	.7605	----	----	----	----	1 UNCH
3950	----	----	398.40B/374.00A	398.40B/374.00A	----	392.10 + 9.60	.7044	----	----	----	----	14 UNCH
4000	----	----	365.50B/342.40A	365.50B/342.40A	----	359.60 + 8.90	.6740	----	----	2	----	9 + 2
4060	----	----	328.20B/307.00A	328.20B/307.00A	----	322.80 + 7.80	.6359	----	----	----	----	1 UNCH
4110	----	----	300.30B/278.40A	300.30B/278.40A	----	294.30 + 6.90	.6032	----	----	----	----	4 UNCH
4125	----	----	292.20B/270.60A	292.20B/270.60A	----	286.10 + 6.70	.5932	----	----	----	----	93 UNCH
4150	----	----	279.00B/257.70A	279.00B/257.70A	----	272.80 + 6.20	.5765	----	----	----	----	1 UNCH
4170	----	----	268.90B/247.80A	268.90B/247.80A	----	262.50 + 5.80	.5630	----	----	----	----	1 UNCH
4175	----	----	266.40B/245.50A	266.40B/245.50A	----	259.90 + 5.60	.5597	----	----	----	----	43 UNCH
4200	----	----	254.20B/233.60A	254.20B/233.60A	----	247.60 + 5.20	.5428	----	----	----	----	108 UNCH
4210	----	----	249.40B/229.10A	249.40B/229.10A	----	242.80 + 5.00	.5361	----	----	----	----	6 UNCH
4225	234.40	234.40	242.30B/222.30A	242.30B/222.30A	----	235.80 + 4.70	.5260	----	----	1	----	411 + 1
4230	237.20	237.20	240.10B/220.20A	240.10B/220.20A	----	233.50 + 4.70	.5226	----	----	1	----	101 + 1
4250	----	----	231.00B/211.40A	231.00B/211.40A	----	224.40 + 4.30	.5092	----	----	----	----	123 UNCH
4260	----	----	226.70B/207.40A	226.70B/207.40A	----	220.00 + 4.10	.5025	----	----	----	----	2 UNCH
4270	----	----	222.40B/203.20A	222.40B/203.20A	----	215.70 + 4.00	.4959	----	----	----	----	151 UNCH
4280	----	----	218.10B/199.20A	218.10B/199.20A	----	211.40 + 3.70	.4893	----	----	----	----	3 UNCH
4300	----	----	209.70B/191.20A	209.70B/191.20A	----	203.10 + 3.40	.4761	----	----	----	----	350 UNCH
4340	----	----	194.00B/176.40A	194.00B/176.40A	----	187.40 + 2.80	.4502	----	----	----	----	15 UNCH
4350	----	----	190.30B/172.80A	190.30B/172.80A	----	183.70 + 2.70	.4439	----	----	----	----	119 UNCH
4360	----	----	186.60B/169.30A	186.60B/169.30A	----	180.00 + 2.60	.4376	----	----	----	----	2 UNCH
4365	----	----	184.80B/167.60A	184.80B/167.60A	----	178.20 + 2.50	.4344	----	----	----	----	2 UNCH
4370	----	----	183.00B/165.90A	183.00B/165.90A	----	176.40 + 2.50	.4313	----	----	----	----	1 UNCH
4375	----	----	181.20B/164.20A	181.20B/164.20A	----	174.70 + 2.50	.4282	----	----	----	----	40 UNCH
4395	----	----	174.20B/157.60A	174.20B/157.60A	----	167.70 + 2.20	.4158	----	----	----	----	1 UNCH
4400	----	----	172.60B/156.00A	172.60B/156.00A	----	166.00 + 2.10	.4127	----	----	----	----	8 UNCH
4410	----	----	169.10B/152.90A	169.10B/152.90A	----	162.70 + 2.00	.4067	----	----	----	----	1 UNCH
4415	----	----	167.40B/151.30A	167.40B/151.30A	----	161.10 + 2.00	.4037	----	----	----	----	1 UNCH
4420	----	----	165.80B/149.70A	165.80B/149.70A	----	159.40 + 1.90	.4006	----	----	----	----	32 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
APR27												
4425	----	----	164.10B/148.20A	164.10B/148.20A	----	157.80 + 1.90	.3976	----	----	----	----	3 UNCH
4440	----	----	159.30B/143.70A	159.30B/143.70A	----	153.10 + 1.80	.3888	----	----	----	----	50 UNCH
4445	----	----	157.90B/142.30A	157.90B/142.30A	----	151.60 + 1.80	.3859	----	----	----	----	3 UNCH
4450	----	----	156.20B/140.80A	156.20B/140.80A	----	150.00 + 1.60	.3829	----	----	----	----	159 UNCH
4455	----	----	154.70B/139.40A	154.70B/139.40A	----	148.50 + 1.60	.3800	----	----	----	----	1 UNCH
4460	----	----	153.00B/137.90A	153.00B/137.90A	----	147.00 + 1.60	.3771	----	----	----	----	1 UNCH
4465	----	----	151.60B/136.50A	151.60B/136.50A	----	145.50 + 1.50	.3742	----	----	----	----	4 UNCH
4470	----	----	150.10B/135.10A	150.10B/135.10A	----	144.00 + 1.50	.3713	----	----	----	----	1 UNCH
4475	----	----	148.50B/133.70A	148.50B/133.70A	----	142.60 + 1.50	.3685	----	----	----	----	1 UNCH
4480	----	----	147.20B/132.40A	147.20B/132.40A	----	141.10 + 1.40	.3656	----	----	----	----	20 UNCH
4485	----	----	145.50B/131.00A	145.50B/131.00A	----	139.70 + 1.40	.3628	----	----	----	----	1 UNCH
4500	----	----	141.50B/127.10A	141.50B/127.10A	----	135.50 + 1.30	.3545	----	----	----	----	198 UNCH
4505	----	----	139.90B/125.70A	139.90B/125.70A	----	134.10 + 1.20	.3517	----	----	----	----	2 UNCH
4515	----	----	137.20B/123.10A	137.20B/123.10A	----	131.40 + 1.10	.3462	----	----	----	----	31 UNCH
4520	----	----	135.70B/121.90A	135.70B/121.90A	----	130.10 + 1.10	.3435	----	----	----	----	1 UNCH
4525	----	----	134.50B/120.60A	134.50B/120.60A	----	128.70 + 1.00	.3408	----	----	----	----	20 UNCH
4540	----	----	130.50B/117.00A	130.50B/117.00A	----	124.80 + 0.90	.3328	----	----	----	----	100 UNCH
4550	----	----	128.00B/114.60A	128.00B/114.60A	----	122.30 + 0.90	.3275	----	----	----	----	223 UNCH
4555	----	----	126.80B/113.50A	126.80B/113.50A	----	121.10 + 0.90	.3250	----	----	----	----	5 UNCH
4560	118.70	118.70	125.40B/112.30A	125.40B/112.30A	----	119.80 NEW	.3223	----	----	2	----	2 + 2
4565	----	----	124.00B/111.20A	124.00B/111.20A	----	118.60 + 0.80	.3197	----	----	----	----	21 UNCH
4575	117.60	117.60	121.70B/108.90A	121.70B/108.90A	----	116.20 + 0.70	.3146	----	----	1	----	59 + 1
4590	----	----	118.10B/105.70A	118.10B/105.70A	----	112.70 + 0.60	.3071	----	----	----	----	32 UNCH
4595	----	----	116.90B/104.60A	116.90B/104.60A	----	111.60 + 0.60	.3047	----	----	----	----	21 UNCH
4600	111.00	111.00	115.60B/103.60A	115.60B/103.60A	----	110.40 + 0.50	.3022	----	----	2	----	213 UNCH
4605	----	----	114.60B/102.50A	114.60B/102.50A	----	109.30 + 0.50	.2997	----	----	----	----	20 UNCH
4615	----	----	112.40B/100.40A	112.40B/100.40A	----	107.10 + 0.40	.2949	----	----	----	----	50 UNCH
4620	----	----	111.20B/99.40A	111.20B/99.40A	----	106.00 + 0.40	.2925	----	----	----	----	26 UNCH
4625	----	----	110.10B/98.40A	110.10B/98.40A	----	104.90 + 0.30	.2901	----	----	----	----	14 UNCH
4640	----	----	106.90B/95.40A	106.90B/95.40A	----	101.80 + 0.30	.2831	----	----	----	----	13 UNCH
4650	----	----	104.80B/93.40A	104.80B/93.40A	----	99.70 + 0.20	.2784	----	----	----	----	309 UNCH
4665	----	----	101.50B/90.70A	101.50B/90.70A	----	96.70 + 0.10	.2716	----	----	----	----	20 UNCH
4670	----	----	100.50B/89.80A	100.50B/89.80A	----	95.80 + 0.10	.2695	----	----	----	----	20 UNCH
4680	----	----	98.50B/88.00A	98.50B/88.00A	----	93.80 UNCH	.2649	----	----	----	----	11 UNCH
4685	----	----	97.60B/87.10A	97.60B/87.10A	----	92.90 UNCH	.2628	----	----	----	----	1 UNCH
4690	----	----	96.60B/86.30A	96.60B/86.30A	----	91.90 - 0.10	.2606	----	----	----	----	11 UNCH
4695	----	----	95.60B/85.40A	95.60B/85.40A	----	91.00 UNCH	.2584	----	----	----	----	40 UNCH
4700	----	----	94.60B/84.40A	94.60B/84.40A	----	90.10 - 0.10	.2563	----	----	2	----	140 UNCH
4705	----	----	93.80B/83.70A	93.80B/83.70A	----	89.20 - 0.10	.2542	----	----	----	----	66 UNCH
4710	----	----	92.80B/82.90A	92.80B/82.90A	----	88.30 - 0.10	.2521	----	----	----	----	2 UNCH
4715	----	----	91.90B/82.00A	91.90B/82.00A	----	87.40 - 0.10	.2500	----	----	----	----	63 UNCH
4720	----	----	91.10B/81.20A	91.10B/81.20A	----	86.50 - 0.10	.2479	----	----	----	----	7 UNCH
4725	----	----	90.00B/80.40A	90.00B/80.40A	----	85.70 - 0.10	.2459	----	----	----	----	2 UNCH
4730	----	----	89.10B/79.60A	89.10B/79.60A	----	84.80 - 0.10	.2438	----	----	----	----	2 UNCH
4750	----	----	85.70B/76.30A	85.70B/76.30A	----	81.40 - 0.20	.2357	----	----	----	----	151 UNCH
4760	----	----	83.90B/74.90A	83.90B/74.90A	----	79.80 - 0.20	.2318	----	----	----	----	8 UNCH
4765	----	----	83.10B/74.20A	83.10B/74.20A	----	79.00 - 0.20	.2298	----	----	----	----	2 UNCH
4770	----	----	82.40B/73.50A	82.40B/73.50A	----	78.20 - 0.30	.2279	----	----	----	----	15 UNCH
4775	----	----	81.60B/72.70A	81.60B/72.70A	----	77.50 - 0.20	.2261	----	----	----	----	40 UNCH
4785	----	----	80.00B/71.30A	80.00B/71.30A	----	75.90 - 0.30	.2222	----	----	----	----	39 UNCH
4795	----	----	78.30B/69.90A	78.30B/69.90A	----	74.40 - 0.30	.2185	----	----	----	----	40 UNCH
4800	68.80	68.80	77.50B/68.70	77.50B/68.70	----	73.70 - 0.20	.2168	----	----	200	----	404 - 159
4805	----	----	76.80B/68.60A	76.80B/68.60A	----	73.00 - 0.20	.2150	----	----	----	----	1 UNCH
4810	----	----	76.00B/67.90A	76.00B/67.90A	----	72.20 - 0.30	.2131	----	----	----	----	1 UNCH
4820	----	----	74.40B/66.60A	74.40B/66.60A	----	70.80 - 0.30	.2095	----	----	----	----	2 UNCH
4840	----	----	71.60B/64.00A	71.60B/64.00A	----	68.10 - 0.30	.2026	----	----	----	----	5 UNCH
4845	----	----	70.90B/63.40A	70.90B/63.40A	----	67.40 - 0.30	.2009	----	----	----	----	75 UNCH
4850	----	----	70.10B/62.70A	70.10B/62.70A	----	66.70 - 0.40	.1991	----	----	----	----	100 UNCH
4865	----	----	68.10B/60.90A	68.10B/60.90A	----	64.80 - 0.40	.1942	----	----	----	----	3 UNCH
4870	----	----	67.30B/60.40A	67.30B/60.40A	----	64.20 - 0.30	.1926	----	----	----	----	25 UNCH
4885	----	----	65.50B/58.60A	65.50B/58.60A	----	62.30 - 0.40	.1878	----	----	----	----	21 UNCH
4900	----	----	63.60B/56.80A	63.60B/56.80A	----	60.60 - 0.30	.1832	----	----	----	----	83 UNCH
4905	----	----	63.00B/56.40A	63.00B/56.40A	----	60.00 - 0.40	.1817	----	----	----	----	13 UNCH
4930	----	----	60.00B/53.70A	60.00B/53.70A	----	57.10 - 0.50	.1741	----	----	----	----	5 UNCH
4970	----	----	55.60B/49.80A	55.60B/49.80A	----	52.90 - 0.50	.1628	----	----	----	----	10 UNCH
5000	49.40	49.40	52.60B/46.90A	52.60B/46.90A	----	50.00 - 0.50	.1548	----	----	13	----	1005 + 3
5010	----	----	51.60B/46.10A	51.60B/46.10A	----	49.00 - 0.60	.1521	----	----	----	----	4 UNCH
5020	----	----	50.60B/45.30A	50.60B/45.30A	----	48.10 - 0.60	.1496	----	----	----	----	7 UNCH
5025	----	----	50.20B/44.90A	50.20B/44.90A	----	47.70 - 0.50	.1485	----	----	----	----	1 UNCH
5030	----	----	49.70B/44.50A	49.70B/44.50A	----	47.20 - 0.60	.1472	----	----	----	----	1 UNCH
5035	----	----	49.20B/44.00A	49.20B/44.00A	----	46.80 - 0.60	.1460	----	----	----	----	2 UNCH
5040	----	----	48.80B/43.60A	48.80B/43.60A	----	46.30 - 0.60	.1447	----	----	----	----	3 UNCH
5045	----	----	48.30B/43.20A	48.30B/43.20A	----	45.90 - 0.60	.1435	----	----	----	----	30 UNCH
5050	----	----	47.90B/42.80A	47.90B/42.80A	----	45.50 - 0.60	.1424	----	----	----	----	119 UNCH
5055	----	----	47.50B/42.50A	47.50B/42.50A	----	45.10 - 0.60	.1413	----	----	----	----	67 UNCH
5060	----	----	47.00B/42.00A	47.00B/42.00A	----	44.60 - 0.60	.1399	----	----	----	----	27 UNCH
5070	----	----	46.20B/41.40A	46.20B/41.40A	----	43.80 - 0.60	.1377	----	----	----	----	6 UNCH
5075	----	----	45.50B/41.00A	45.50B/41.00A	----	43.40 - 0.60	.1365	----	----	----	----	232 UNCH
5100	----	----	43.70B/39.20A	43.70B/39.20A	----	41.50 - 0.60	.1311	----	----	----	----	940 UNCH
5130	----	----	41.40B/37.20A	41.40B/37.20A	----	39.30 - 0.60	.1248	----	----	----	----	18 UNCH
5140	----	----	40.50B/36.60A	40.50B/36.60A	----	38.60 - 0.60	.1228	----	----	----	----	11 UNCH
5145	----	----	40.10B/36.20A	40.10B/36.20A	----	38.30 - 0.50	.1218	----	----	----	----	8 UNCH
5150	----	----	39.70B/35.90A	39.70B/35.90A	----	37.90 - 0.60	.1207	----	----	----	----	105 UNCH
5170	----	----	38.40B/34.70A	38.40B/34.70A	----	36.60 - 0.60	.1169	----	----	----	----	1 UNCH
5180	----	----	37.70B/34.10A	37.70B/34.10A	----	36.00 - 0.50	.1151	----	----	----	----	18 UNCH
5195	----	----	36.70B/33.20A	36.70B/33.20A	----	35.10 - 0.50	.1125	----	----	----	----	5 UNCH
5200	----	----	36.40B/33.00A	36.40B/33.00A	----	34.80 - 0.50	.1116	----	----	----	----	1429 UNCH
5210	----	----	35.80B/32.40A	35.80B/32.40A	----	34.20 - 0.50	.1098	----	----	----	----	3 UNCH
5215	----	----	35.50B/32.10A	35.50B/32.10A	----	33.90 - 0.50	.1089	----	----	----	----	29 UNCH
5220	----	----	35.20B/31.90A	35.20B/31.90A	----	33.60 - 0.50	.1080	----	----	----	----	1 UNCH
5225	----	----	34.80B/31.60A	34.80B/31.60A	----	33.30 - 0.50	.1071	----	----	----	----	12 UNCH
5230	----	----	34.50B/31.30A	34.50B/31.30A	----	33.10 - 0.40	.1065	----	----	----	----	601 UNCH
5250	----	----	33.40B/30.30A	33.40B/30.30A	----	32.00 - 0.40	.1032	----	----	----	----	401 UNCH
5255	----	----	33.10B/30.10A	33.10B/30.10A	----	31.70 - 0.50	.1023	----	----	----	----	1 UNCH
5275	----	----	32.00B/29.10A	32.00B/29.10A	----	30.70 - 0.40	.0992	----	----	----	----	353 UNCH
5300	----	----	30.60B/27.90A	30.60B/27.90A	----	29.40 - 0.50	.0954	----	----	----	----	327 UNCH
5315	----	----	29.90B/27.30A	29.90B/27.30A	----	28.70 - 0.50	.0932	----	----	----	----	5 UNCH
5330	----	----	29.10B/26.60A	29.10B/26.60A	----	28.00 - 0.50	.0911	----	----	----	----	8 UNCH
5350	----	----	28.20B/25.80A	28.20B/25.80A	----	27.20 - 0.40	.0885	----	----	----	----	40 UNCH
5370	----	----	27.30B/25.00A	27.30B/25.00A	----	26.30 - 0.50	.0858	----	----	----	----	20 UNCH
5395	----	----	26.20B/24.10A	26.20B/24.10A	----	25.30 - 0.40	.0827	----	----	----	----	4 UNCH
5400	----	----	26.00B/23.90A	26.00B/23.90A	----	25.10 - 0.40	.0821	----	----	----	----	768 UNCH
5425	----	----	25.00B/23.00A	25.00B/23.00A	----	24.10 - 0.50	.0790	----	----	----	----	2 UNCH
5430	----	----	24.80B/22.90A	24.80B/22.90A	----	24.00 - 0.40	.0786	----	----	----	----	2 UNCH
5450	----	----	24.00B/22.20A	24.00B/22.20A	----	23.20 - 0.50	.0762	----	----	----	----	5 UNCH
5470	----	----	23.30B/21.60A	23.30B/21.60A	----	22.50 - 0.50	.0739	----	----	----	----	3 UNCH
5480	----	----	22.90B/21.20A	22.90B/21.20A	----	22.20 - 0.50	.0730	----	----	----	----	1 UNCH
5490	----	----	22.60B/20.90A	22.60B/20.90A	----	21.90 - 0.40	.0720	----	----	----	----	10 UNCH
5495	----	----	22.40B/20.80A	22.40B/20.80A	----	21.70 - 0.50	.0714	----	----	----	----	4 UNCH
5500	21.70	21.70	22.30B/20.70A	22.30B/20.70A	----	21.60 - 0.40	.0710	----	----	7	----	4869 UNCH
5510	----	----	21.90B/20.40A	21.90B/20.40A	----	21.20 - 0.50	.0698	----	----	----	----	1 UNCH
5540	----	----	21.00B/19.50A	21.00B/19.50A	----	20.30 - 0.50	.0669	----	----	----	----	6 UNCH
5550	----	----	20.70B/19.30A	20.70B/19.30A	----	20.00 - 0.50	.0660	----	----	----	----	12 UNCH
5570	----	----	20.10B/18.80A	20.10B/18.80A	----	19.50 - 0.50	.0643	----	----	----	----	1 UNCH
5575	----	----	19.90B/18.60A	19.90B/18.60A	----	19.30 - 0.50	.0637	----	----	----	----	3 UNCH
5600	19.00	19.00	19.00/18.00A	19.20B/18.00A	----	18.60 - 0.60	.0615	----	----	1	----	4875 UNCH
5620	----	----	----/17.60A	18.70B/17.60A	----	18.10 - 0.60	.0599	----	----	----	----	4 UNCH
5625	----	----	----/17.40A	18.50B/17.40A	----	18.00 - 0.50	.0595	----	----	----	----	2 UNCH
5650	----	----	----/16.90A	17.90B/16.90A	----	17.40 - 0.50	.0576	----	----	----	----	5 UNCH
5680	----	----	----/16.30A	17.20B/16.30A	----	16.70 - 0.60	.0553	----	----	----	----	6 UNCH
5700	----	----	----/15.90A	16.70B/15.90A	----	16.30 - 0.50	.0539	----	----	----	----	6 UNCH
5750	----	----	----/14.90A	15.70B/14.90A	----	15.30 - 0.50	.0506	----	----	----	----	505 UNCH
5800	----	----	----/14.10A	14.70B/14.10A	----	14.40 - 0.50	.0476	----	----	----	----	70 UNCH
5820	----	----	----/13.80A	14.30B/13.80A	----	14.10 - 0.50	.0466	----	----	----	----	1 UNCH
5850	----	----	----/13.30A	13.80B/13.30A	----	13.60 - 0.50	.0449	----	----	----	----	17 UNCH
5900	----	----	----/12.60A	13.00B/12.60A	----	12.90 - 0.50	.0425	----	----	----	----	3 UNCH
5925	----	----	----/12.30A	12.70B/12.30A	----	12.60 - 0.40	.0414	----	----	----	----	194 UNCH
5950	----	----	----/12.00A	12.30B/12.00A	----	12.30 - 0.40	.0404	----	----	----	----	1 UNCH
5975	----	----	----/11.70A	12.00B/11.70A	----	11.90 - 0.50	.0391	----	----	----	----	1 UNCH
6000	11.70	11.70	11.70/11.40A	11.70/11.40A	----	11.60 - 0.50	.0381	----	----	10	----	850 UNCH
6025	----	----	----/11.20A	11.40B/11.20A	----	11.30 - 0.50	.0370	----	----	----	----	100 UNCH
6050	----	----	----/10.90A	11.10B/10.90A	----	11.00 - 0.50	.0360	----	----	----	----	52 UNCH
6100	----	----	----/10.40A	10.50B/10.40A	----	10.50 - 0.50	.0343	----	----	----	----	162 UNCH
6200	----	----	----/9.60A	9.60B/9.60A	----	9.60 - 0.50	.0311	----	----	----	----	2 UNCH
6250	----	----	----/9.20A	9.20B/9.20A	----	9.20 - 0.50	.0297	----	----	----	----	31 UNCH
6400	----	----	----/8.30A	8.10B/8.30A	----	8.10 - 0.40	.0259	----	----	----	----	1 UNCH
6500	----	----	----/7.70A	7.50B/7.70A	----	7.60 - 0.30	.0241	----	----	----	----	267 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 34

OG CALL COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
TOTAL										243		23377 - 148
MAY27												
4000	----	----	409.50B/388.10A	409.50B/388.10A	----	404.20 + 8.80	.6826	----	----	----	----	1 UNCH
4050	----	----	378.00B/357.90A	378.00B/357.90A	----	373.10 + 8.10	.6544	----	----	----	----	101 UNCH
4250	----	----	270.60B/252.90A	270.60B/252.90A	----	265.80 + 5.00	.5347	----	----	----	----	6 UNCH
4300	----	----	247.30B/231.40A	247.30B/231.40A	----	243.60 + 4.20	.5046	----	----	----	74	124 + 74
4400	----	----	208.50B/193.10A	208.50B/193.10A	----	204.20 + 2.80	.4462	----	----	----	----	6 UNCH
4420	----	----	201.00B/186.10A	201.00B/186.10A	----	197.00 + 2.50	.4349	----	----	----	----	1 UNCH
4470	----	----	184.00B/170.10A	184.00B/170.10A	----	179.90 + 1.90	.4073	----	----	----	----	1 UNCH
4500	----	----	174.30B/161.10A	174.30B/161.10A	----	170.30 + 1.50	.3912	----	----	----	----	1 UNCH
4505	----	----	172.50B/159.50A	172.50B/159.50A	----	168.70 + 1.40	.3885	----	----	----	----	18 UNCH
4510	----	----	171.10B/158.10A	171.10B/158.10A	----	167.20 + 1.40	.3859	----	----	----	----	2 UNCH
4520	----	----	168.00B/155.50A	168.00B/155.50A	----	164.20 + 1.30	.3807	----	----	----	----	1 UNCH
4550	----	----	159.10B/147.30A	159.10B/147.30A	----	155.50 + 1.10	.3654	----	----	----	----	129 UNCH
4555	----	----	157.70B/145.90A	157.70B/145.90A	----	154.20 + 1.10	.3629	----	----	----	----	18 UNCH
4600	----	----	145.30B/134.50A	145.30B/134.50A	----	142.30 + 0.90	.3410	----	----	----	----	9 UNCH
4650	----	----	132.90B/122.80A	132.90B/122.80A	----	130.20 + 0.70	.3179	----	----	----	----	10 UNCH
4665	----	----	129.40B/119.50A	129.40B/119.50A	----	126.80 + 0.60	.3113	----	----	----	----	1 UNCH
4700	----	----	121.50B/112.30A	121.50B/112.30A	----	119.00 + 0.30	.2960	----	----	----	----	57 UNCH
4785	----	----	104.30B/96.50A	104.30B/96.50A	----	102.10 - 0.10	.2614	----	----	----	----	20 UNCH
4800	----	----	101.60B/94.00A	101.60B/94.00A	----	99.50 - 0.10	.2559	----	----	----	----	72 UNCH
4810	----	----	99.80B/92.40A	99.80B/92.40A	----	97.70 - 0.10	.2521	----	----	----	----	1 UNCH
4850	----	----	92.90B/86.10A	92.90B/86.10A	----	91.10 - 0.10	.2378	----	----	----	----	5 UNCH
4855	----	----	92.10B/85.40A	92.10B/85.40A	----	90.30 - 0.10	.2360	----	----	----	----	2 UNCH
4860	----	----	91.40B/84.70A	91.40B/84.70A	----	89.50 - 0.10	.2343	----	----	----	----	20 UNCH
4900	----	----	85.10B/78.90A	85.10B/78.90A	----	83.50 - 0.10	.2209	----	----	----	----	115 UNCH
4920	----	----	82.20B/76.30A	82.20B/76.30A	----	80.70 UNCH	.2146	----	----	----	----	2 UNCH
4945	----	----	78.70B/73.20A	78.70B/73.20A	----	77.30 - 0.10	.2068	----	----	----	----	9 UNCH
4950	----	----	78.20B/72.50A	78.20B/72.50A	----	76.70 UNCH	.2054	----	----	----	----	2 UNCH
4955	----	----	77.30B/71.90A	77.30B/71.90A	----	76.00 - 0.10	.2038	----	----	----	----	9 UNCH
4970	----	----	75.40B/70.10A	75.40B/70.10A	----	74.10 - 0.10	.1994	----	----	----	----	9 UNCH
5000	----	----	71.40B/66.60A	71.40B/66.60A	----	70.40 - 0.20	.1908	----	----	----	----	152 UNCH
5040	----	----	66.80B/62.30A	66.80B/62.30A	----	65.70 - 0.50	.1797	----	----	----	----	1 UNCH
5070	----	----	63.80B/59.30A	63.80B/59.30A	----	62.50 - 0.50	.1720	----	----	----	----	37 UNCH
5100	----	----	60.50B/56.40A	60.50B/56.40A	----	59.40 - 0.60	.1646	----	----	----	----	10 UNCH
5130	----	----	57.60B/53.70A	57.60B/53.70A	----	56.60 - 0.60	.1576	----	----	----	----	7 UNCH
5140	----	----	56.70B/52.80A	56.70B/52.80A	----	55.60 - 0.70	.1552	----	----	----	----	1 UNCH
5145	----	----	56.20B/52.40A	56.20B/52.40A	----	55.20 - 0.60	.1542	----	----	----	----	2 UNCH
5150	53.30	53.30	55.70B/52.00A	55.70B/52.00A	----	54.70 - 0.70	.1530	----	----	11	----	13 + 11
5170	----	----	53.80B/50.30A	53.80B/50.30A	----	53.00 - 0.70	.1487	----	----	----	----	20 UNCH
5180	----	----	53.00B/49.50A	53.00B/49.50A	----	52.10 - 0.80	.1465	----	----	----	----	1 UNCH
5185	----	----	52.60B/49.10A	52.60B/49.10A	----	51.70 - 0.80	.1454	----	----	----	----	37 UNCH
5200	----	----	51.40B/48.10A	51.40B/48.10A	----	50.50 - 0.70	.1424	----	----	----	----	159 UNCH
5215	----	----	50.10B/46.90A	50.10B/46.90A	----	49.30 - 0.70	.1393	----	----	----	----	20 UNCH
5220	----	----	49.80B/46.50A	49.80B/46.50A	----	48.90 - 0.70	.1383	----	----	----	----	39 UNCH
5225	----	----	49.30B/46.60A	49.30B/46.60A	----	48.50 - 0.70	.1373	----	----	----	----	2 UNCH
5235	----	----	48.70B/45.90A	48.70B/45.90A	----	47.70 - 0.80	.1353	----	----	----	----	25 UNCH
5240	----	----	48.20B/45.50A	48.20B/45.50A	----	47.40 - 0.70	.1345	----	----	----	----	29 UNCH
5250	----	----	47.40B/44.80A	47.40B/44.80A	----	46.60 - 0.70	.1325	----	----	----	185	313 + 82
5275	----	----	45.60B/43.10A	45.60B/43.10A	----	44.90 - 0.60	.1280	----	----	----	----	25 UNCH
5300	----	----	43.80B/41.60A	43.80B/41.60A	----	43.20 - 0.50	.1236	----	----	----	----	1 UNCH
5345	----	----	----/38.90A	40.30B/38.90A	----	40.30 - 0.50	.1160	----	----	----	----	2 UNCH
5365	----	----	----/37.80A	39.20B/37.80A	----	39.10 - 0.50	.1128	----	----	----	----	3 UNCH
5395	----	----	----/36.20A	37.30B/36.20A	----	37.40 - 0.60	.1082	----	----	----	----	1 UNCH
5400	----	----	----/36.00A	37.00B/36.00A	----	37.20 - 0.50	.1076	----	----	----	----	29 UNCH
5430	----	----	----/34.50A	35.40B/34.50A	----	35.60 - 0.60	.1033	----	----	----	----	4 UNCH
5450	----	----	----/33.60A	34.20B/33.60A	----	34.60 - 0.60	.1006	----	----	----	----	10 UNCH
5500	----	----	----/31.40A	32.30B/31.40A	----	32.30 - 0.60	.0942	----	----	----	----	4 UNCH
5515	----	----	----/30.80A	31.60B/30.80A	----	31.70 - 0.60	.0925	----	----	----	----	7 UNCH
5550	30.60	30.60	30.60/28.40	30.60/28.40	----	30.20 - 0.60	.0884	----	----	3	----	286 + 3
5630	----	----	----/26.60A	27.00B/26.60A	----	27.20 - 0.60	.0799	----	----	----	----	1 UNCH
5650	----	----	----/25.90A	26.30B/25.90A	----	26.50 - 0.60	.0780	----	----	----	----	5 UNCH
5665	----	----	----/25.50A	25.70B/25.50A	----	26.00 - 0.50	.0765	----	----	----	----	1 UNCH
5700	----	----	----/24.40A	23.70B/24.40A	----	24.80 - 0.50	.0732	----	----	----	----	37 UNCH
5800	----	----	----/21.80A	20.80B/21.80A	----	21.90 - 0.40	.0649	----	----	----	----	2 UNCH
5820	----	----	----/21.30A	20.30B/21.30A	----	21.30 - 0.40	.0632	----	----	----	----	45 UNCH
5840	----	----	----/20.90A	19.80B/20.90A	----	20.80 - 0.40	.0617	----	----	----	----	1 UNCH
5850	----	----	----/20.70A	19.60B/20.70A	----	20.60 - 0.40	.0611	----	----	----	----	66 UNCH
5900	----	----	----/19.60A	18.40B/19.60A	----	19.40 - 0.40	.0576	----	----	----	----	6 UNCH
5910	----	----	----/19.40A	18.20B/19.40A	----	19.20 - 0.40	.0570	----	----	----	----	1 UNCH
5950	----	----	----/18.60A	17.30B/18.60A	----	18.30 - 0.40	.0544	----	----	----	----	1 UNCH
5975	----	----	----	16.90B/18.20A	----	17.80 - 0.40	.0529	----	----	----	----	1 UNCH
6000	----	----	----/17.70A	16.50B/17.70A	----	17.40 - 0.40	.0517	----	----	----	----	123 UNCH
6050	----	----	----	15.50B/16.90A	----	16.50 - 0.40	.0490	----	----	----	----	1 UNCH
6100	----	----	----	14.70B/16.10A	----	15.60 - 0.50	.0464	----	----	----	----	1 UNCH
6250	----	----	----	12.70B/14.20A	----	13.50 - 0.60	.0400	----	----	----	----	50 UNCH
6500	----	----	----	10.10B/11.80A	----	10.90 - 0.60	.0320	----	----	----	----	23 UNCH
8000	----	----	----	4.50B/6.10A	----	5.30 - 0.50	.0139	----	----	----	----	21 UNCH
TOTAL										14	259	2378 + 170
JUN27												
4000	----	----	425.90B/405.30A	425.90B/405.30A	----	421.00 + 8.60	.6744	----	----	----	----	37 UNCH
4100	----	----	366.00B/348.00A	366.00B/348.00A	----	362.10 + 7.20	.6205	----	----	----	----	1 UNCH
4150	----	----	338.50B/319.80A	338.50B/319.80A	----	335.00 + 6.50	.5926	----	----	----	----	4 UNCH
4165	----	----	330.60B/312.30A	330.60B/312.30A	----	327.20 + 6.30	.5842	----	----	----	----	7 UNCH
4250	----	----	289.10B/271.90A	289.10B/271.90A	----	285.60 + 5.00	.5363	----	----	----	----	2 UNCH
4260	----	----	284.30B/267.60A	284.30B/267.60A	----	281.00 + 4.90	.5306	----	----	----	----	6 UNCH
4270	----	----	279.40B/263.30A	279.40B/263.30A	----	276.50 + 4.70	.5250	----	----	----	----	1 UNCH
4280	----	----	275.10B/258.90A	275.10B/258.90A	----	272.00 + 4.60	.5194	----	----	----	----	3 UNCH
4285	----	----	273.00B/256.90A	273.00B/256.90A	----	269.80 + 4.50	.5166	----	----	----	----	100 UNCH
4300	----	----	266.80B/250.80A	266.80B/250.80A	----	263.30 + 4.30	.5082	----	----	----	----	190 UNCH
4305	----	----	264.30B/248.60A	264.30B/248.60A	----	261.10 + 4.20	.5055	----	----	----	----	152 UNCH
4315	----	----	260.00B/244.10A	260.00B/244.10A	----	256.90 + 4.10	.4999	----	----	----	----	1 UNCH
4320	----	----	257.60B/242.20A	257.60B/242.20A	----	254.80 + 4.10	.4972	----	----	----	----	1 UNCH
4325	----	----	256.20B/240.30A	256.20B/240.30A	----	252.70 + 4.00	.4944	----	----	----	----	283 UNCH
4350	----	----	245.90B/230.30A	245.90B/230.30A	----	242.50 + 3.70	.4807	----	----	----	----	1 UNCH
4355	----	----	245.10B/228.40A	245.10B/228.40A	----	240.50 + 3.60	.4780	----	----	----	----	1 UNCH
4365	----	----	240.70B/224.70A	240.70B/224.70A	----	236.60 + 3.50	.4725	----	----	----	----	1 UNCH
4370	----	----	239.10B/223.00A	239.10B/223.00A	----	234.70 + 3.50	.4698	----	----	----	----	2 UNCH
4375	----	----	237.20B/221.00A	237.20B/221.00A	----	232.70 + 3.40	.4671	----	----	----	----	32 UNCH
4380	----	----	235.00B/219.10A	235.00B/219.10A	----	230.80 + 3.30	.4644	----	----	----	----	3 UNCH
4400	----	----	227.60B/212.00A	227.60B/212.00A	----	223.30 + 3.10	.4538	----	----	----	----	6 UNCH
4410	----	----	223.80B/208.60A	223.80B/208.60A	----	219.60 + 3.00	.4485	----	----	----	----	3 UNCH
4415	----	----	222.10B/206.70A	222.10B/206.70A	----	217.80 + 2.90	.4458	----	----	----	----	1 UNCH
4420	----	----	220.10B/205.00A	220.10B/205.00A	----	216.00 + 2.90	.4432	----	----	----	----	4 UNCH
4435	----	----	214.90B/199.90A	214.90B/199.90A	----	210.70 + 2.70	.4354	----	----	----	----	3 UNCH
4450	----	----	209.60B/195.30A	209.60B/195.30A	----	205.50 + 2.60	.4276	----	----	----	----	60 UNCH
4470	----	----	202.70B/188.80A	202.70B/188.80A	----	198.80 + 2.40	.4174	----	----	----	----	2 UNCH
4475	----	----	201.00B/187.10A	201.00B/187.10A	----	197.20 + 2.40	.4149	----	----	----	----	8 UNCH
4490	----	----	196.20B/182.40A	196.20B/182.40A	----	192.30 + 2.20	.4073	----	----	----	----	1 UNCH
4495	----	----	194.50B/180.90A	194.50B/180.90A	----	190.70 + 2.10	.4048	----	----	----	----	2 UNCH
4500	----	----	192.90B/179.60A	192.90B/179.60A	----	189.10 + 2.10	.4023	----	----	----	----	1690 UNCH
4520	----	----	186.50B/173.50A	186.50B/173.50A	----	182.90 + 1.90	.3925	----	----	----	----	100 UNCH
4545	----	----	179.10B/166.50A	179.10B/166.50A	----	175.50 + 1.70	.3805	----	----	----	----	25 UNCH
4550	----	----	177.40B/165.20A	177.40B/165.20A	----	174.00 + 1.60	.3780	----	----	----	----	83 UNCH
4575	----	----	170.40B/158.70A	170.40B/158.70A	----	167.00 + 1.50	.3664	----	----	----	----	8 UNCH
4600	----	----	163.20B/152.10A	163.20B/152.10A	----	160.20 + 1.30	.3549	----	----	----	----	102 UNCH
4625	----	----	156.80B/146.10A	156.80B/146.10A	----	153.70 + 1.20	.3437	----	----	----	----	24 UNCH
4630	----	----	155.50B/144.80A	155.50B/144.80A	----	152.40 + 1.10	.3414	----	----	----	----	2 UNCH
4650	----	----	150.50B/140.10A	150.50B/140.10A	----	147.50 + 1.00	.3328	----	----	----	----	252 UNCH
4680	----	----	143.20B/133.20A	143.20B/133.20A	----	140.30 + 0.80	.3200	----	----	----	----	1 UNCH
4700	----	----	138.50B/129.10A	138.50B/129.10A	----	135.80 + 0.80	.3118	----	----	7	----	66 UNCH
4750	----	----	127.60B/118.90A	127.60B/118.90A	----	125.10 + 0.50	.2919	----	----	----	----	37 UNCH
4760	----	----	125.50B/116.80A	125.50B/116.80A	----	123.10 + 0.50	.2881	----	----	----	----	15 UNCH
4790	----	----	119.60B/111.30A	119.60B/111.30A	----	117.20 + 0.40	.2768	----	----	----	----	30 UNCH
4800	----	----	117.60B/109.70A	117.60B/109.70A	----	115.30 + 0.30	.2731	----	----	----	----	130 UNCH
4810	----	----	115.70B/107.80A	115.70B/107.80A	----	113.50 + 0.40	.2696	----	----	----	----	1 UNCH
4850	----	----	108.30B/101.10A	108.30B/101.10A	----	106.40 + 0.30	.2556	----	----	----	----	2 UNCH
4865	----	----	105.70B/98.70A	105.70B/98.70A	----	103.90 + 0.20	.2505	----	----	----	----	75 UNCH
4900	----	----	100.00B/93.30A	100.00B/93.30A	----	98.20 + 0.10	.2390	----	----	----	----	119 UNCH
4950	----	----	92.30B/86.30A	92.30B/86.30A	----	90.80 + 0.10	.2236	----	----	----	----	16 UNCH
5000	----	----	85.30B/79.80A	85.30B/79.80A	----	83.90 - 0.10	.2091	----	----	----	----	1595 UNCH
5010	----	----	83.80B/78.60A	83.80B/78.60A	----	82.70 UNCH	.2064	----	----	----	----	1 UNCH
5020	----	----	82.80B/77.40A	82.80B/77.40A	----	81.40 UNCH	.2037	----	----	----	----	2 UNCH
5025	----	----	82.00B/76.70A	82.00B/76.70A	----	80.80 UNCH	.2023	----	----	----	----	200 UNCH
5050	----	----	78.80B/73.80A	78.80B/73.80A	----	77.70 - 0.10	.1956	----	----	----	----	500 UNCH
5070	----	----	76.30B/71.70A	76.30B/71.70A	----	75.40 - 0.10	.1906	----	----	----	----	2 UNCH
5085	----	----	74.70B/70.00A	74.70B/70.00A	----	73.70 - 0.10	.1868	----	----	----	----	150 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN27												
5100	----	----	73.10B/68.40A	73.10B/68.40A	----	72.00 - 0.10	.1831	----	----	69	----	156 + 49
5150	----	----	67.70B/63.40A	67.70B/63.40A	----	66.80 - 0.20	.1714	----	----	----	----	650 UNCH
5170	----	----	66.00B/61.70A	66.00B/61.70A	----	64.80 - 0.20	.1668	----	----	----	----	260 UNCH
5180	----	----	64.70B/60.80A	64.70B/60.80A	----	63.90 - 0.20	.1647	----	----	----	----	3 UNCH
5200	----	----	62.80B/58.90A	62.80B/58.90A	----	62.00 - 0.20	.1604	----	----	----	----	584 UNCH
5210	----	----	61.90B/58.10A	61.90B/58.10A	----	61.10 - 0.20	.1583	----	----	----	----	3 UNCH
5250	----	----	58.20B/54.80A	58.20B/54.80A	----	57.70 - 0.20	.1504	----	----	----	----	94 UNCH
5300	----	----	54.30B/51.00A	54.30B/51.00A	----	53.70 - 0.20	.1410	----	----	----	----	347 UNCH
5350	----	----	50.50B/48.20A	50.50B/48.20A	----	50.00 - 0.30	.1321	----	----	----	----	3 UNCH
5360	----	----	49.70B/47.50A	49.70B/47.50A	----	49.30 - 0.30	.1305	----	----	----	----	325 UNCH
5400	----	----	----/45.00A	47.00B/45.00A	----	46.60 - 0.40	.1239	----	----	----	----	701 UNCH
5450	----	----	----/42.20A	43.30B/42.20A	----	43.60 - 0.40	.1165	----	----	----	----	4 UNCH
5470	----	----	----/41.10A	42.20B/41.10A	----	42.40 - 0.40	.1136	----	----	----	----	1 UNCH
5500	----	----	----/39.60A	40.50B/39.60A	----	40.70 - 0.50	.1094	----	----	----	----	1562 UNCH
5535	----	----	----/37.90A	38.60B/37.90A	----	38.90 - 0.40	.1049	----	----	----	----	1 UNCH
5545	----	----	----/37.40A	38.20B/37.40A	----	38.40 - 0.50	.1036	----	----	----	----	8 UNCH
5600	----	----	----/35.10A	35.50B/35.10A	----	35.80 - 0.50	.0970	----	----	138	----	239 + 138
5700	----	----	----/31.20A	31.60B/31.20A	----	31.60 - 0.50	.0862	----	----	----	----	1 UNCH
5750	----	----	----/29.50A	29.80B/29.50A	----	29.80 - 0.50	.0815	----	----	----	----	149 UNCH
5800	----	----	----/28.00A	28.00B/28.00A	----	28.10 - 0.50	.0770	----	----	----	----	3 UNCH
5840	----	----	----/26.80A	25.90B/26.80A	----	26.80 - 0.60	.0736	----	----	----	----	2 UNCH
5870	----	----	----/26.00A	25.00B/26.00A	----	25.90 - 0.60	.0712	----	----	----	----	3 UNCH
5875	----	----	----/25.80A	24.80B/25.80A	----	25.80 - 0.60	.0709	----	----	----	----	84 UNCH
5900	----	----	----/25.20A	24.10B/25.20A	----	25.10 - 0.60	.0690	----	----	----	----	26 UNCH
5975	----	----	----/23.40A	22.20B/23.40A	----	23.10 - 0.60	.0637	----	----	----	----	21 UNCH
6000	----	----	----/22.90A	21.60B/22.90A	----	22.50 - 0.60	.0620	----	----	----	----	749 UNCH
6025	----	----	----/22.30A	21.00B/22.30A	----	22.00 - 0.60	.0606	----	----	----	----	125 UNCH
6050	----	----	----/21.80A	20.40B/21.80A	----	21.40 - 0.60	.0590	----	----	----	----	3 UNCH
6100	----	----	----/20.90A	19.40B/20.90A	----	20.40 - 0.60	.0562	----	----	----	----	370 UNCH
6250	----	----	----	16.70B/18.40A	----	17.70 - 0.60	.0488	----	----	----	----	254 UNCH
6500	----	----	----	13.50B/15.20A	----	14.40 - 0.60	.0394	----	----	----	----	790 UNCH
7000	----	----	----	9.50B/11.40A	----	10.30 - 0.70	.0275	----	----	----	----	395 UNCH
7500	----	----	----	7.30B/9.20A	----	8.20 - 0.50	.0212	----	----	----	----	478 UNCH
8000	----	----	----	5.90B/7.80A	----	6.80 - 0.50	.0170	----	----	----	----	465 UNCH
8500	----	----	----	5.00B/6.80A	----	5.90 - 0.40	.0142	----	----	----	----	169 UNCH
9000	----	----	----	4.30B/6.10A	----	5.10 - 0.50	.0120	----	----	----	----	130 UNCH
9500	----	----	----	3.80B/5.50A	----	4.50 - 0.40	.0103	----	----	----	----	72 UNCH
10000	4.30	4.30	4.50/4.30	4.50/4.20A	----	4.20 UNCH	.0093	----	----	101	----	119 UNCH
TOTAL										315		15495 + 187
JUL27												
4310	----	----	298.30B/283.40A	298.30B/283.40A	----	295.60 + 4.70	.5258	----	----	----	----	2 UNCH
4315	----	----	295.50B/281.20A	295.50B/281.20A	----	293.40 + 4.70	.5232	----	----	----	----	2 UNCH
4325	----	----	291.60B/277.00A	291.60B/277.00A	----	289.00 + 4.50	.5180	----	----	----	----	2 UNCH
4335	----	----	287.00B/273.20A	287.00B/273.20A	----	284.70 + 4.40	.5128	----	----	----	----	3 UNCH
4340	----	----	285.10B/270.90A	285.10B/270.90A	----	282.60 + 4.40	.5102	----	----	----	----	2 UNCH
4350	----	----	281.00B/267.30A	281.00B/267.30A	----	278.40 + 4.30	.5051	----	----	----	----	12 UNCH
4360	----	----	276.50B/262.60A	276.50B/262.60A	----	274.20 + 4.10	.4999	----	----	----	----	27 UNCH
4370	----	----	272.70B/258.70A	272.70B/258.70A	----	270.10 + 4.00	.4948	----	----	----	----	2 UNCH
4375	----	----	270.60B/256.60A	270.60B/256.60A	----	268.10 + 3.90	.4923	----	----	----	----	2 UNCH
4475	----	----	234.20B/220.40A	234.20B/220.40A	----	230.60 + 2.90	.4425	----	----	----	----	1 UNCH
4500	----	----	225.50B/212.10A	225.50B/212.10A	----	222.00 + 2.60	.4305	----	----	----	----	2 UNCH
4505	----	----	223.80B/210.50A	223.80B/210.50A	----	220.40 + 2.60	.4282	----	----	----	----	2 UNCH
4535	----	----	213.60B/201.00A	213.60B/201.00A	----	210.60 + 2.30	.4141	----	----	----	----	38 UNCH
4540	----	----	212.20B/199.50A	212.20B/199.50A	----	209.00 + 2.20	.4118	----	----	----	----	2 UNCH
4565	----	----	204.50B/192.00A	204.50B/192.00A	----	201.30 + 2.00	.4004	----	----	----	----	1 UNCH
4600	----	----	193.70B/182.00A	193.70B/182.00A	----	190.90 + 1.80	.3847	----	----	----	----	40 UNCH
4700	----	----	166.40B/156.50A	166.40B/156.50A	----	164.10 + 1.20	.3424	----	----	----	----	24 UNCH
4750	----	----	154.40B/145.20A	154.40B/145.20A	----	152.20 + 1.10	.3227	----	----	----	----	10 UNCH
4800	----	----	142.90B/134.80A	142.90B/134.80A	----	141.10 NEW	.3038	----	----	1	----	1 + 1
4835	----	----	135.80B/128.00A	135.80B/128.00A	----	133.90 + 0.70	.2912	----	----	----	----	70 UNCH
4900	----	----	123.10B/116.40A	123.10B/116.40A	----	121.60 + 0.50	.2692	----	----	----	----	10 UNCH
4990	----	----	107.70B/102.10A	107.70B/102.10A	----	106.60 + 0.10	.2412	----	----	----	----	10 UNCH
5000	----	----	106.40B/100.60A	106.40B/100.60A	----	105.10 + 0.10	.2383	----	----	----	----	620 UNCH
5200	----	----	80.10B/76.10A	80.10B/76.10A	----	79.10 - 0.60	.1867	----	----	----	----	1 UNCH
5225	----	----	77.40B/73.60A	77.40B/73.60A	----	76.50 - 0.50	.1813	----	----	----	----	2 UNCH
5250	----	----	74.60B/71.10A	74.60B/71.10A	----	73.90 - 0.60	.1759	----	----	----	----	20 UNCH
5300	----	----	69.80B/66.50A	69.80B/66.50A	----	69.10 - 0.60	.1657	----	----	----	----	12 UNCH
5400	----	----	----/58.30A	61.10B/58.30A	----	60.50 - 0.70	.1471	----	----	----	----	17 UNCH
5495	----	----	----/52.70A	54.00B/52.70A	----	53.70 - 0.50	.1320	----	----	----	----	1 UNCH
5500	----	----	----/52.30A	53.70B/52.30A	----	53.30 - 0.60	.1311	----	----	----	----	39 UNCH
5620	----	----	----/45.60A	45.40B/45.60A	----	46.10 - 0.40	.1146	----	----	----	----	1 UNCH
5850	----	----	----/35.40A	35.10B/35.40A	----	35.60 - 0.20	.0898	----	----	----	----	20 UNCH
6750	----	----	----	14.30B/18.00A	----	16.10 - 0.60	.0408	----	----	----	----	9 UNCH
TOTAL										1		1007 + 1
AUG27												
4185	----	----	375.00B/364.50A	375.00B/364.50A	----	373.70 + 6.80	.5898	----	----	----	----	1 UNCH
4200	----	----	367.20B/357.10A	367.20B/357.10A	----	366.10 + 6.60	.5824	----	----	----	----	1 UNCH
4210	----	----	362.20B/351.40A	362.20B/351.40A	----	361.10 + 6.50	.5774	----	----	----	----	2 UNCH
4220	----	----	357.10B/346.90A	357.10B/346.90A	----	356.10 + 6.30	.5725	----	----	----	----	1 UNCH
4300	----	----	319.20B/310.50A	319.20B/310.50A	----	318.80 + 5.30	.5329	----	----	----	----	3 UNCH
4305	----	----	317.00B/307.80A	317.00B/307.80A	----	316.60 + 5.20	.5304	----	----	----	----	2 UNCH
4310	----	----	314.70B/306.90A	314.70B/306.90A	----	314.40 + 5.10	.5280	----	----	----	----	1 UNCH
4315	----	----	312.60B/304.00A	312.60B/304.00A	----	312.20 + 5.00	.5255	----	----	----	----	3 UNCH
4320	----	----	310.30B/301.80A	310.30B/301.80A	----	310.10 + 5.00	.5231	----	----	----	----	1 UNCH
4350	----	----	297.30B/289.40A	297.30B/289.40A	----	297.40 + 4.60	.5085	----	----	----	----	2 UNCH
4360	----	----	293.00B/285.30A	293.00B/285.30A	----	293.30 + 4.50	.5037	----	----	----	----	1 UNCH
4370	----	----	288.90B/278.90A	288.90B/278.90A	----	289.20 + 4.30	.4989	----	----	----	----	150 UNCH
4465	----	----	255.60B/243.70A	255.60B/243.70A	----	253.40 + 3.20	.4544	----	----	----	----	2 UNCH
4535	----	----	231.70B/221.10A	231.70B/221.10A	----	229.80 + 2.50	.4231	----	----	----	----	3 UNCH
5000	----	----	120.70B/115.60A	120.70B/115.60A	----	120.50 + 0.60	.2542	----	----	----	----	24 UNCH
5100	----	----	105.30B/101.40A	105.30B/101.40A	----	105.40 + 0.30	.2271	----	----	----	----	5 UNCH
5200	----	----	92.50B/89.10A	92.50B/89.10A	----	92.50 + 0.10	.2030	----	----	----	----	2 UNCH
5210	----	----	91.30B/87.80A	91.30B/87.80A	----	91.40 + 0.20	.2008	----	----	----	----	3 UNCH
5250	----	----	86.80B/83.50A	86.80B/83.50A	----	86.80 + 0.10	.1920	----	----	----	----	20 UNCH
5300	----	----	----/78.30A	81.30B/78.30A	----	81.50 UNCH	.1817	----	----	----	----	1 UNCH
5350	----	----	----/74.20A	76.40B/74.20A	----	76.50 - 0.10	.1719	----	----	----	----	1 UNCH
5400	----	----	----/69.50A	71.90B/69.50A	----	72.00 - 0.10	.1628	----	----	----	----	2 UNCH
5500	----	----	----/62.10A	63.40B/62.10A	----	63.80 - 0.20	.1461	----	----	----	----	2000 UNCH
5505	----	----	----/61.80A	62.90B/61.80A	----	63.40 - 0.20	.1453	----	----	----	----	300 UNCH
5525	----	----	----/60.40A	61.30B/60.40A	----	61.90 - 0.20	.1422	----	----	----	----	59 UNCH
5550	----	----	----/58.80A	59.50B/58.80A	----	60.10 - 0.20	.1384	----	----	----	----	2000 UNCH
5925	----	----	----	38.00B/40.80A	----	39.90 - 0.40	.0946	----	----	----	----	65 UNCH
6750	----	----	----	18.00B/22.10A	----	20.10 - 0.50	.0480	----	----	----	----	232 UNCH
TOTAL												4887 0
SEP27												
4500	----	----	----	130.70B/411.10A	----	275.10 + 4.20	.4620	----	----	----	----	1 UNCH
4560	----	----	----	113.00B/387.80A	----	254.50 + 3.70	.4366	----	----	----	----	4 UNCH
5225	----	----	----	1.20B/214.90A	----	115.90 + 0.70	.2288	----	----	----	----	2 UNCH
5580	----	----	----	0.10B/169.70A	----	87.60 - 0.20	.1728	----	----	----	----	300 UNCH
6000	----	----	----	0.10B/136.10A	----	65.70 - 0.90	.1287	----	----	----	----	2 UNCH
6100	----	----	----	0.10B/130.40A	----	60.20 - 0.90	.1187	----	----	----	----	4 UNCH
6200	----	----	----	0.10B/125.30A	----	55.30 - 0.90	.1097	----	----	----	----	2 UNCH
TOTAL												315 0
OCT27												
5250	----	----	----	----	----	121.50 + 3.40	.2318	----	----	----	----	1 UNCH
5295	----	----	----	----	----	115.60 + 3.30	.2221	----	----	----	----	1 UNCH
5350	----	----	----	----	----	109.10 + 3.10	.2111	----	----	----	----	1 UNCH
5395	----	----	----	----	----	104.20 + 3.00	.2027	----	----	----	----	1 UNCH
5500	----	----	----	----	----	92.90 + 2.70	.1834	----	----	----	----	200 UNCH
TOTAL												204 0
DEC27												
4500	----	----	----	----	----	353.10 + 7.70	.4934	----	----	----	----	175 UNCH
4860	----	----	----	----	----	239.50 + 5.70	.3709	----	----	----	----	100 UNCH
5000	----	----	----	----	----	207.40 + 5.10	.3308	----	----	----	----	53 UNCH
5650	----	----	----	----	----	113.80 + 2.90	.1975	----	----	----	----	200 UNCH
5700	----	----	----	----	----	109.10 + 2.90	.1901	----	----	----	----	150 UNCH
5800	----	----	----	----	----	100.30 + 2.60	.1763	----	----	----	----	200 UNCH
5880	----	----	----	----	----	93.80 + 2.40	.1659	----	----	----	----	125 UNCH
6300	----	----	----	----	----	67.10 + 1.80	.1221	----	----	----	----	18 UNCH
7500	----	----	----	----	----	32.40 + 0.80	.0601	----	----	----	----	70 UNCH
7800	----	----	----	----	----	29.00 + 0.70	.0532	----	----	----	----	284 UNCH
10000	----	----	----	15.80B/----	----	20.00 + 0.40	.0325	----	----	----	----	103 UNCH
10500	----	----	----	----	----	18.70 + 0.40	.0297	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
TOTAL												1488 0
FEB28												
4400	----	----	----	----	----	447.00 + 8.80	.5485	----	----	----	----	2 UNCH
4450	----	----	----	----	----	424.40 + 8.40	.5308	----	----	----	----	2 UNCH
TOTAL												4 0
MAY28												
5000	----	----	----	----	----	313.90 + 6.40	.3987	----	----	----	----	20 UNCH
TOTAL												20 0
JUL28												
5000	----	----	358.00B/----	358.00B/----	----	343.00 + 6.80	.4147	----	----	----	----	25 UNCH
TOTAL												25 0
DEC28												
5000	----	----	----	----	----	429.70 + 7.60	.4513	----	----	----	----	50 UNCH
5500	----	----	----	----	----	320.20 + 5.90	.3534	----	----	----	----	1 UNCH
5750	----	----	----	----	----	282.60 + 5.20	.3157	----	----	----	----	100 UNCH
TOTAL												151 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MMG MON		MICRO GOLD WEEKLY MONDAY OPTION WEE										
OCT26												
4050	----	----	----	----	----	3.40 - 3.80	.0668	----	----	----	----	1 UNCH
4300	----	----	----	----	----	11.10 - 0.30	.1459	----	----	----	----	3 UNCH
TOTAL												4 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK3										
OCT26												
3500	----	----	----	0.30B/0.50A	----	0.30 - 0.10	.0026	----	----	----	----	54 UNCH
3600	----	----	----/1.70A	1.50B/1.70A	----	1.50 - 0.30	.0129	----	----	----	----	18 UNCH
3700	----	----	----	0.30B/0.40A	----	0.20 - 0.20	.0018	----	----	----	----	15 UNCH
3775	----	----	----/4.20A	5.10B/4.20A	----	4.20 - 0.90	.0390	----	----	----	----	1 UNCH
3800	----	----	6.10B/4.80A	6.10B/4.80A	----	5.00 - 1.00	.0465	----	----	----	----	1 UNCH
3800	----	----	----/0.60A	0.80B/0.60A	----	0.60 - 0.20	.0064	----	----	----	----	2 UNCH
3825	----	----	----/0.70A	1.00B/0.70A	----	0.70 - 0.30	.0079	----	----	----	----	28 UNCH
3825	----	----	7.90B/5.70A	7.90B/5.70A	----	5.80 - 1.30	.0545	----	----	----	----	1 UNCH
3850	----	----	----/0.80A	1.30B/0.80A	----	0.90 - 0.40	.0106	----	----	----	----	4 UNCH
3850	----	----	9.50B/6.70A	9.50B/6.70A	----	6.90 - 1.60	.0650	----	----	----	----	1 UNCH
3875	----	----	6.40B/3.80A	6.40B/3.80A	----	4.10 - 1.40	.0463	----	----	----	----	10 UNCH
3875	----	----	11.50B/8.00A	11.50B/8.00A	----	8.30 - 1.90	.0779	----	----	----	----	8 UNCH
3900	----	----	13.80B/9.50A	13.80B/9.50A	----	10.00 - 2.30	.0934	----	----	----	----	2 UNCH
3900	----	----	7.90B/4.70A	7.90B/4.70A	----	5.10 - 1.70	.0580	----	----	----	----	111 UNCH
3900	----	----	2.50B/1.20A	2.50B/1.20A	----	1.40 - 0.80	.0183	----	----	----	----	12 UNCH
3915	1.40	1.40	1.40/1.40	2.80B/1.40	----	1.60 NEW	.0215	----	----	3	----	0 UNCH
3925	----	----	3.40B/1.50A	3.40B/1.50A	----	1.80 - 1.10	.0246	----	----	1	----	2 UNCH
3925	----	----	9.90B/5.90A	9.90B/5.90A	----	6.40 - 2.20	.0729	----	----	----	----	1 UNCH
3935	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3940	2.20	2.20	2.20/2.20	4.10B/1.80A	----	2.20 NEW	.0306	----	----	6	----	6 + 6
3945	2.40	2.40	2.40/2.40	4.30B/1.90A	----	2.30 NEW	.0323	----	----	3	----	3 + 3
3950	----	----	12.60B/7.40A	12.60B/7.40A	----	8.20 - 2.70	.0926	----	----	----	----	4 UNCH
3950	2.40	2.40	4.70B/2.00A	4.70B/2.00A	----	2.50 - 1.40	.0352	----	----	38	----	56 + 35
3950	----	----	20.30B/13.90A	20.30B/13.90A	----	14.60 - 3.60	.1340	----	----	1	----	5 + 1
3955	3.30	3.30	3.30/3.30	4.90B/2.20A	----	2.60 NEW	.0370	----	----	1	----	0 UNCH
3960	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3970	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3975	20.80	20.80	24.60B/16.90A	24.60B/16.90A	----	17.90 NEW	.1611	----	----	5	----	5 + 5
3975	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3975	----	----	6.50B/2.80A	6.50B/2.80A	----	3.40 - 2.00	.0494	----	----	6	----	37 UNCH
3975	----	----	15.90B/9.40A	15.90B/9.40A	----	10.40 - 3.40	.1165	----	----	----	----	8 UNCH
3990	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3990	----	----	----	----	----	150.70 UNCH	----	----	----	----	----	0 UNCH
4000	----	----	----	----	----	140.70 UNCH	----	----	----	----	----	0 UNCH
4000	----	----	30.00B/20.60A	30.00B/20.60A	----	21.90 - 5.30	.1926	----	----	----	----	21 UNCH
4000	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4000	----	----	9.10B/4.00A	9.10B/4.00A	----	4.70 - 2.90	.0700	----	----	1	----	31 + 1
4000	16.50	16.50	20.10B/12.00A	20.10B/12.00A	----	13.30 - 4.30	.1467	----	----	3	----	37 UNCH
4010	----	----	----	10.50B/4.60A	----	5.50 NEW	.0818	----	----	1	----	1 + 1
4010	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4020	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4025	30.60	30.60	36.40B/25.10A	36.40B/25.10A	----	26.80 - 6.30	.2291	----	----	1	----	2 + 1
4025	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4025	----	----	12.90B/5.70A	12.90B/5.70A	----	6.70 - 4.00	.1006	----	----	2	----	29 UNCH
4025	----	----	25.40B/15.30A	25.40B/15.30A	----	17.00 - 5.40	.1835	----	----	----	----	14 UNCH
4030	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4035	8.20	8.20	8.20/6.60A	14.60B/6.60A	----	7.80 NEW	.1167	----	----	4	----	4 + 4
4035	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4040	8.60	8.60	8.60/8.60	15.50B/7.10A	----	8.40 NEW	.1254	----	----	4	----	4 + 4
4040	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4045	9.00	9.00	12.70/7.60A	16.60B/7.60A	----	9.00 NEW	.1343	----	----	16	----	16 + 16
4045	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4050	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4050	----	----	31.90B/19.60A	31.90B/19.60A	----	21.80 - 6.60	.2280	----	----	1	----	128 UNCH
4050	----	----	17.80B/8.20A	17.80B/8.20A	----	9.70 - 5.30	.1442	----	----	17	----	172 + 5
4050	----	----	43.90B/30.70A	43.90B/30.70A	----	32.80 - 7.30	.2707	----	----	----	----	18 UNCH
4055	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4060	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4065	----	----	----	----	----	75.70 UNCH	----	----	----	----	----	0 UNCH
4065	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4070	----	----	----	----	----	70.70 UNCH	----	----	----	----	----	0 UNCH
4070	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4075	----	----	52.70B/37.40A	52.70B/37.40A	----	39.90 - 8.50	.3167	----	----	----	----	1 UNCH
4075	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4075	----	----	----	----	----	65.70 UNCH	----	----	----	----	----	0 UNCH
4075	75.00	75.00	106.30B/74.50A	106.30B/74.50A	----	95.90 + 9.40	.7975	----	----	3	----	4 + 3
4075	19.60	19.60	24.40B/11.90A	24.40B/11.90A	----	13.90 - 7.00	.2023	----	----	4	----	113 - 1
4075	----	----	39.90B/25.00A	39.90B/25.00A	----	27.90 - 7.80	.2804	----	----	----	----	100 UNCH
4080	17.10	17.10	17.10/12.80A	25.80B/12.80A	----	14.90 NEW	.2157	----	----	1	----	1 + 1
4080	----	----	----	----	----	60.70 UNCH	----	----	----	----	----	0 UNCH
4080	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4085	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4090	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4090	----	----	----	----	----	50.70 UNCH	----	----	----	----	----	0 UNCH
4095	----	----	----	----	----	45.70 UNCH	----	----	----	----	----	0 UNCH
4095	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4100	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4100	----	----	62.80B/45.30A	62.80B/45.30A	----	48.40 - 9.70	.3670	----	----	----	----	3 UNCH
4100	75.30	75.30	86.40B/57.60A	86.40B/57.60A	----	76.80 + 7.50	.7224	----	----	1	----	2 + 1
4100	----	----	----	----	----	40.70 UNCH	----	----	----	----	----	0 UNCH
4100	21.80	21.80	33.00B/17.10A	33.00B/17.10A	----	19.90 - 8.80	.2773	----	----	7	----	440 UNCH
4100	----	----	49.50B/31.80A	49.50B/31.80A	----	35.40 - 9.20	.3396	----	----	----	----	15 UNCH
4100	----	----	101.40B/74.00A	101.40B/74.00A	----	92.30 + 7.00	.6600	----	----	----	----	2 UNCH
4105	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4105	----	----	----	----	----	35.70 UNCH	----	----	----	----	----	0 UNCH
4110	----	----	----	----	----	30.70 UNCH	----	----	----	----	----	0 UNCH
4110	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4115	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4115	----	----	----	----	----	25.70 UNCH	----	----	----	----	----	0 UNCH
4120	----	----	----	----	----	20.70 UNCH	----	----	----	----	----	0 UNCH
4120	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4125	----	----	----	----	----	15.70 UNCH	----	----	----	----	----	0 UNCH
4125	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4125	30.30	30.30	43.80B/24.10A	43.80B/24.10A	----	28.00 - 10.60	.3670	----	----	14	----	167 + 2
4125	----	----	60.70B/40.10A	60.70B/40.10A	----	44.60 - 10.60	.4046	----	----	----	----	9 UNCH
4125	43.40	43.40	68.90B/42.90A	68.90B/42.90A	----	59.90 + 5.60	.6327	----	----	1	----	8 UNCH
4125	----	----	85.20B/60.10A	85.20B/60.10A	----	76.50 + 5.60	.5950	----	----	----	----	7 UNCH
4125	----	----	74.30B/54.40A	74.30B/54.40A	----	58.30 - 11.10	.4204	----	----	1	----	2 + 1
4130	43.20	43.20	48.80/40.30A	65.60B/40.30A	----	56.80 NEW	.6137	----	----	2	----	2 + 2
4130	----	----	----	----	----	10.70 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 37

GWW WED GOLD WEEKLY WEDNESDAY OPTION WEEK1
OCT26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4130	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4135	31.60	31.60	33.90/27.50A	48.80B/27.50A	----	31.80 NEW	.4058	----	----	2	----	2 + 2
4135	----	----	----	----	----	5.70 UNCH	----	----	----	----	----	0 UNCH
4135	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4140	37.20	37.20	37.20/37.20	59.70B/35.50A	----	50.90 NEW	.5739	----	----	28	----	28 + 28
4140	----	----	----	----	----	0.70 UNCH	----	----	----	----	----	0 UNCH
4140	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4145	----	----	----	----	----	4.30 UNCH	----	----	----	----	----	0 UNCH
4145	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4150	----	----	87.00B/65.10A	87.00B/65.10A	----	69.70 - 12.40	.4755	----	----	----	----	40 UNCH
4150	74.30	74.30	83.50B/62.80A	83.50B/62.80A	----	76.70 NEW	.5239	----	----	5	----	5 + 5
4150	----	----	----	----	----	9.30 UNCH	----	----	----	----	----	0 UNCH
4150	42.30	42.30	53.90B/31.10A	53.90B/31.10A	----	45.40 + 3.90	.5333	----	----	2	----	20 + 2
4150	39.50	39.50	57.00B/33.30A	57.00B/33.30A	----	38.40 - 12.40	.4665	----	----	4	----	59 UNCH
4150	----	----	71.00B/48.10A	71.00B/48.10A	----	62.50 NEW	.5262	----	----	2	----	2 + 2
4150	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4155	----	----	----	51.10B/29.00A	----	42.80 NEW	.5128	----	----	23	----	23 + 23
4155	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4155	----	----	----	----	----	14.30 UNCH	----	----	----	----	----	0 UNCH
4160	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4160	----	----	----	----	----	19.30 UNCH	----	----	----	----	----	0 UNCH
4165	44.80	44.80	47.20/40.00A	65.50B/40.00A	----	45.90 NEW	.5281	----	----	2	----	2 + 2
4165	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4165	----	----	----	----	----	24.30 UNCH	----	----	----	----	----	0 UNCH
4170	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4170	----	----	----	----	----	29.30 UNCH	----	----	----	----	----	0 UNCH
4175	----	----	88.10B/61.90A	88.10B/61.90A	----	68.30 - 13.30	.5434	----	----	----	----	14 UNCH
4175	----	----	----	----	----	34.30 UNCH	----	----	----	----	----	0 UNCH
4175	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4175	52.90	52.90	72.00B/45.00A	72.00B/45.00A	----	51.40 - 13.90	.5689	----	----	4	----	114 UNCH
4175	----	----	41.10B/21.90A	41.10B/21.90A	----	33.40 + 2.30	.4308	----	----	----	----	17 UNCH
4175	----	----	58.20B/37.90A	58.20B/37.90A	----	50.30 + 3.00	.4562	----	----	----	----	23 UNCH
4180	22.80	22.80	24.70/20.40A	38.80B/20.40A	----	31.30 NEW	.4107	----	----	2	----	1 + 1
4180	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4180	----	----	----	----	----	39.30 UNCH	----	----	----	----	----	0 UNCH
4185	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4185	----	----	----	----	----	44.30 UNCH	----	----	----	----	----	0 UNCH
4190	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4190	----	----	----	----	----	49.30 UNCH	----	----	----	----	----	0 UNCH
4195	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4195	----	----	----	----	----	54.30 UNCH	----	----	----	----	----	0 UNCH
4200	----	----	47.00B/29.50A	47.00B/29.50A	----	40.00 + 2.00	.3878	----	----	----	----	1 UNCH
4200	----	----	113.30B/90.70A	113.30B/90.70A	----	96.90 - 14.20	.5858	----	----	----	----	6 UNCH
4200	----	----	----	----	----	59.30 UNCH	----	----	----	----	----	0 UNCH
4200	21.40	21.40	30.50B/15.00A	30.50B/15.00A	----	23.90 + 1.10	.3334	----	----	13	----	251 UNCH
4200	----	----	59.30B/43.10A	59.30B/43.10A	----	54.00 + 2.00	.4136	----	----	----	----	28 UNCH
4200	----	----	89.70B/59.20A	89.70B/59.20A	----	66.90 - 15.10	.6663	----	----	1	----	13 + 1
4200	----	----	104.50B/75.60A	104.50B/75.60A	----	82.90 - 14.40	.6118	----	----	----	----	1 UNCH
4200	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4205	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4205	----	----	----	----	----	64.30 UNCH	----	----	----	----	----	0 UNCH
4210	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4210	----	----	----	----	----	69.30 UNCH	----	----	----	----	----	0 UNCH
4215	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4220	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4220	----	----	----	----	----	79.30 UNCH	----	----	----	----	----	0 UNCH
4225	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4225	----	----	----	----	----	84.30 UNCH	----	----	----	----	----	0 UNCH
4225	----	----	109.40B/76.00A	109.40B/76.00A	----	84.70 - 16.00	.7520	----	----	----	----	37 UNCH
4225	20.00	20.00	22.10B/10.20A	22.10B/10.20A	----	16.70 + 0.30	.2478	----	----	11	----	202 - 2
4225	----	----	37.60B/22.80A	37.60B/22.80A	----	31.40 + 1.10	.3235	----	----	----	----	207 UNCH
4230	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4235	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4235	----	----	----	----	----	94.30 UNCH	----	----	----	----	----	0 UNCH
4240	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4245	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4245	----	----	----	----	----	104.30 UNCH	----	----	----	----	----	0 UNCH
4250	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4250	----	----	----	----	----	109.30 UNCH	----	----	----	----	----	0 UNCH
4250	15.10	15.10	16.40/6.90A	16.40/6.90A	----	11.50 - 0.20	.1780	----	----	13	----	40 UNCH
4250	----	----	130.30B/94.80A	130.30B/94.80A	----	104.50 - 16.50	.8218	----	----	1	----	5 UNCH
4250	----	----	30.00B/17.50A	30.00B/17.50A	----	24.50 NEW	.2655	----	----	2	----	2 + 2
4255	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4260	----	----	----	----	----	119.30 UNCH	----	----	----	----	----	0 UNCH
4260	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4265	----	----	----	----	----	124.30 UNCH	----	----	----	----	----	0 UNCH
4265	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4270	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4275	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4275	----	----	----	----	----	134.30 UNCH	----	----	----	----	----	0 UNCH
4275	----	----	23.60B/13.40A	23.60B/13.40A	----	19.00 + 0.10	.2149	----	----	1	----	3 UNCH
4275	----	----	11.10B/4.60A	11.10B/4.60A	----	7.90 - 0.50	.1251	----	----	1	----	14 UNCH
4280	----	----	----	----	----	139.30 UNCH	----	----	----	----	----	0 UNCH
4280	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4285	7.20	7.20	7.20/7.20	9.70B/4.00A	----	6.80 NEW	.1081	----	----	9	----	9 + 9
4295	6.10	6.10	6.10/6.10	8.40B/3.40A	----	5.80 NEW	.0927	----	----	6	----	6 + 6
4295	----	----	----	----	----	154.30 UNCH	----	----	----	----	----	0 UNCH
4300	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4300	15.20	15.20	18.40B/10.20A	18.40B/10.20A	----	14.70 NEW	.1721	----	----	10	----	10 + 10
4300	----	----	----	----	----	159.30 UNCH	----	----	----	----	----	0 UNCH
4300	----	----	175.50B/137.20A	175.50B/137.20A	----	148.40 - 16.80	.9135	----	----	----	----	9 UNCH
4300	----	----	27.80B/19.20A	27.80B/19.20A	----	24.70 UNCH	.2262	----	----	----	----	2 UNCH
4300	6.10	6.10	7.80B/3.20A	7.80B/3.20A	----	5.40 - 0.60	.0863	----	----	2	----	152 + 1
4320	----	----	----	194.40B/155.40A	----	167.00 NEW	.9349	----	----	1	----	1 + 1
4320	----	----	----	----	----	179.30 UNCH	----	----	----	----	----	0 UNCH
4325	8.50	8.50	14.40B/7.90A	14.40B/7.90A	----	11.30 - 0.50	.1363	----	----	11	----	11 + 10
4325	----	----	22.10B/15.60A	22.10B/15.60A	----	20.20 NEW	.1909	----	----	1	----	1 + 1
4325	----	----	----	----	----	184.30 UNCH	----	----	----	----	----	0 UNCH
4325	----	----	5.50B/2.30A	5.50B/2.30A	----	3.80 - 0.60	.0601	----	----	1	----	263 + 1
4325	----	----	199.30B/159.90A	199.30B/159.90A	----	171.70 - 16.90	.9397	----	----	----	----	108 UNCH
4330	----	----	----	203.90B/164.70A	----	176.50 NEW	.9445	----	----	1	----	1 + 1
4330	----	----	----	----	----	189.30 UNCH	----	----	----	----	----	0 UNCH
4340	----	----	----	210.60B/174.10A	----	186.00 NEW	.9513	----	----	1	----	1 + 1
4350	----	----	----	----	----	209.30 UNCH	----	----	----	----	----	0 UNCH
4350	----	----	18.80B/12.70A	18.80B/12.70A	----	16.40 - 0.40	.1597	----	----	----	----	23 UNCH
4350	----	----	220.40B/183.70A	220.40B/183.70A	----	195.60 - 16.90	.9579	----	----	----	----	2 UNCH
4350	----	----	11.20B/6.10A	11.20B/6.10A	----	8.80 - 0.50	.1081	----	----	1	----	11 UNCH
4350	3.10	3.10	3.90B/1.70A	3.90B/1.70A	----	2.70 - 0.60	.0419	----	----	7	----	28 UNCH
4360	2.00	2.00	2.00/2.00	3.40B/1.50A	----	2.40 NEW	.0367	----	----	3	----	3 + 3
4370	1.40	1.40	1.40/1.40	2.90B/1.40	----	2.20 NEW	.0330	----	----	2	----	2 + 2
4375	----	----	8.70B/4.80A	8.70B/4.80A	----	6.80 - 0.60	.0850	----	----	----	----	2 UNCH
4375	----	----	----	----	----	234.30 UNCH	----	----	----	----	----	0 UNCH
4375	----	----	2.80B/1.30A	2.80B/1.30A	----	2.00 - 0.60	.0301	----	----	----	----	15 UNCH
4375	----	----	245.10B/209.10A	245.10B/209.10A	----	219.90 - 16.80	.9698	----	----	----	----	24 UNCH
4400	----	----	6.90B/3.80A	6.90B/3.80A	----	5.40 - 0.60	.0677	----	----	----	----	2 UNCH
4400	----	----	12.60B/8.50A	12.60B/8.50A	----	10.90 - 0.60	.1109	----	----	1	----	52 + 1
4400	----	----	269.80B/233.40A	269.80B/233.40A	----	244.50 - 16.70	.9769	----	----	----	----	15 UNCH
4400	----	----	----/1.00A	2.10B/1.00A	----	1.60 - 0.50	.0230	----	----	----	----	123 UNCH
4400	----	----	----	----	----	259.30 UNCH	----	----	----	----	----	0 UNCH
4425	9.00	9.00	9.80B/7.00A	9.80B/7.00A	----	9.00 - 0.60	.0927	----	----	2	----	2 + 1
4425	----	----	----/0.90A	1.60B/0.90A	----	1.20 - 0.50	.0166	----	----	----	----	26 UNCH
4425	----	----	5.50B/3.10A	5.50B/3.10A	----	4.20 - 0.60	.0531	----	----	----	----	50 UNCH
4425	----	----	294.60B/259.30A	294.60B/259.30A	----	269.10 - 16.70	.9832	----	----	----	----	9 UNCH
4450	----	----	319.60B/283.90A	319.60B/283.90A	----	293.90 - 16.60	.9867	----	----	----	----	14 UNCH
4450	----	----	8.40B/5.80A	8.40B/5.80A	----	7.40 - 0.70	.0772	----	----	----	----	10 UNCH
4450	----	----	----/0.80A	1.10B/0.80A	----	1.00 - 0.40	.0132	----	----	----	----	27 UNCH
4475	----	----	----/0.70A	0.90B/0.70A	----	0.80 - 0.40	.0101	----	----	----	----	12 UNCH
4475	----	----	3.50B/2.10A	3.50B/2.10A	----	2.80 - 0.50	.0349	----	----	----	----	1 UNCH
4500	----	----	----/4.10A	5.50B/4.10A	----	5.10 - 0.70	.0540	----	----	----	----	2 UNCH
4500	0.70	0.70	0.70/0.60A	0.70/0.60A	----	0.70 - 0.30	.0084	----	----	1	----	16 + 1
4525	----	----	----/0.60A	0.60B/0.60A	----	0.50 - 0.40	.0059	----	----	----	----	149 UNCH
4525	----	----	----/367.00A	377.90B/367.00A	----	369.60 - 16.70	.9766	----	----	----	----	1 UNCH
4550	----	----	----/3.00A	3.90B/3.00A	----	3.60 - 0.70	.0382	----	----	----	----	5 UNCH
4550	----	----	----/0.50A	0.40B/0.50A	----	0.50 - 0.30	.0055	----	----	----	----	2 UNCH
4575	----	----	----/1.20A	1.60B/1.20A	----	1.40 - 0.40	.0165	----	----	----	----	6 UNCH
4575	----	----	----/0.50A	0.40B/0.50A	----	0.40 - 0.30	.0043	----	----	----	----	7 UNCH
4600	----	----	----/1.00A	1.40B/1.00A	----	1.20 - 0.40	.0140	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK4										
OCT26												
4600	----	----	----/2.30A	2.90B/2.30A	----	2.60 - 0.50	.0275	----	----	----	----	1 UNCH
4600	----	----	----/0.40A	0.30B/0.40A	----	0.30 - 0.30	.0031	----	----	----	----	17 UNCH
4625	----	----	----/0.90A	1.20B/0.90A	----	1.10 - 0.30	.0124	----	----	----	----	1 UNCH
4625	----	----	----/0.40A	0.30B/0.40A	----	0.30 - 0.20	.0029	----	----	----	----	6 UNCH
4650	----	----	----/0.90A	1.00B/0.90A	----	1.00 - 0.30	.0110	----	----	----	----	5 UNCH
4650	----	----	----/0.40A	0.20B/0.40A	----	0.30 - 0.20	.0028	----	----	----	----	51 UNCH
4675	----	----	----/0.80A	0.90B/0.80A	----	0.90 - 0.20	.0097	----	----	----	----	2 UNCH
4675	----	----	----	0.20B/0.40A	----	0.20 - 0.20	.0018	----	----	----	----	6 UNCH
4700	----	----	----	0.20B/0.40A	----	0.20 - 0.20	.0017	----	----	----	----	17 UNCH
4700	----	----	----/0.70A	0.80B/0.70A	----	0.80 - 0.30	.0085	----	----	----	----	2 UNCH
4725	----	----	----	----/0.40A	----	0.20 - 0.10	.0017	----	----	----	----	5 UNCH
4750	----	----	----	----/0.40A	----	0.10 - 0.20	.0008	----	----	----	----	2 UNCH
4775	----	----	----	----/0.40A	----	0.10 - 0.20	.0005	----	----	----	----	2 UNCH
4800	----	----	----/0.60A	0.50B/0.60A	----	0.50 - 0.30	.0050	----	----	----	----	4 UNCH
4825	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	4 UNCH
4850	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
4900	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	16 UNCH
5100	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
TOTAL										325		4283+ 206
NOV26												
3975	30.20	30.20	30.20/30.20	30.70B/30.20	----	28.00 NEW	.2019	----	----	12	----	12 + 12
4225	60.00	60.00	60.00/60.00	60.50B/55.30A	----	59.50 NEW	.3884	----	----	9	----	9 + 9
TOTAL										21		21+ 21

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week2										
OCT26												
3500	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3600	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3700	----	----	----/1.00A	1.20B/1.00A	----	1.00 - 0.20	.0101	----	----	----	----	6 UNCH
3750	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0018	----	----	----	----	70 UNCH
3800	----	----	----/0.30A	0.40B/0.30A	----	0.20 - 0.20	.0020	----	----	----	----	10 UNCH
3800	----	----	2.70B/1.80A	2.70B/1.80A	----	1.90 - 0.60	.0212	----	----	3	----	4 + 3
3830	----	----	----/0.40A	0.60B/0.40A	----	0.30 NEW	.0033	----	----	21	----	21 + 21
3840	----	----	0.70B/0.40A	0.70B/0.40A	----	0.30 NEW	.0034	----	----	8	----	8 + 8
3850	----	----	0.80B/0.40A	0.80B/0.40A	----	0.40 - 0.30	.0046	----	----	----	----	1 UNCH
3875	----	----	5.40B/3.20A	5.40B/3.20A	----	3.50 - 1.10	.0408	----	----	3	----	13 + 1
3900	0.70	0.70	1.40B/0.60A	1.40B/0.60A	----	0.70 - 0.50	.0092	----	----	1	----	5 UNCH
3925	1.00	1.00	1.90B/0.80A	1.90B/0.80A	----	0.90 - 0.70	.0127	----	----	1	----	3 + 1
3925	----	----	8.70B/5.00A	8.70B/5.00A	----	5.40 - 2.00	.0644	----	----	----	----	1 UNCH
3930	----	----	2.00B/0.80A	2.00B/0.80A	----	1.00 NEW	.0142	----	----	21	----	21 + 21
3940	----	----	2.40B/0.90A	2.40B/0.90A	----	1.10 NEW	.0160	----	----	8	----	8 + 8
3950	7.90	7.90	11.10B/6.30A	11.10B/6.30A	----	6.90 - 2.60	.0823	----	----	12	----	12 + 8
3950	----	----	219.30B/182.50A	219.30B/182.50A	----	208.20 + 15.40	.9818	----	----	----	----	1 UNCH
3950	----	----	2.70B/1.00A	2.70B/1.00A	----	1.20 - 1.00	.0180	----	----	----	----	5 UNCH
3960	----	----	3.10B/1.10A	3.10B/1.10A	----	1.40 - 1.10	.0215	----	----	17	----	17 + 15
3965	1.50	1.50	3.40B/1.20A	3.40B/1.20A	----	1.50 NEW	.0233	----	----	4	----	4 + 4
3970	----	----	3.60B/1.30A	3.60B/1.30A	----	1.60 - 1.30	.0252	----	----	1	----	0 - 1
3975	----	----	14.20B/8.10A	14.20B/8.10A	----	8.90 - 3.30	.1054	----	----	----	----	2 UNCH
3975	1.60	1.60	3.90B/1.30A	3.90B/1.30A	----	1.70 - 1.40	.0271	----	----	2	----	7 + 2
3985	1.50	1.50	4.50B/1.50	4.50B/1.50	----	2.00 NEW	.0324	----	----	2	----	2 + 2
3990	2.00	2.00	4.90B/1.60A	4.90B/1.60A	----	2.10 - 1.80	.0346	----	----	1	----	2 + 1
4000	13.00	13.00	18.20B/10.50A	18.20B/10.50A	----	11.60 - 4.20	.1352	----	----	5	----	6 + 5
4000	4.10	4.10	5.70B/1.90A	5.70B/1.90A	----	2.40 - 2.10	.0404	----	----	3	----	55 + 2
4020	4.20	4.20	7.80B/2.50A	7.80B/2.50A	----	3.30 - 2.90	.0575	----	----	1	----	2 + 1
4025	----	----	23.20B/13.60A	23.20B/13.60A	----	15.10 - 5.20	.1722	----	----	----	----	16 UNCH
4025	----	----	8.40B/2.80A	8.40B/2.80A	----	3.60 - 3.10	.0631	----	----	----	----	77 UNCH
4030	4.10	4.10	9.10B/3.10A	9.10B/3.10A	----	3.90 NEW	.0688	----	----	6	----	5 + 5
4035	----	----	9.80B/3.30A	9.80B/3.30A	----	4.20 - 3.70	.0747	----	----	----	----	1 UNCH
4040	----	----	10.60B/3.70A	10.60B/3.70A	----	4.60 - 3.90	.0821	----	----	----	----	1 UNCH
4045	----	----	128.80B/92.30A	128.80B/92.30A	----	117.00 + 12.10	.9101	----	----	----	----	4 UNCH
4050	----	----	12.40B/4.40A	12.40B/4.40A	----	5.50 - 4.50	.0987	----	----	----	----	73 UNCH
4050	----	----	124.30B/88.10A	124.30B/88.10A	----	112.40 + 11.80	.9011	----	----	----	----	4 UNCH
4050	----	----	29.50B/17.60A	29.50B/17.60A	----	19.70 - 6.30	.2175	----	----	----	----	3 UNCH
4065	----	----	15.60B/5.70A	15.60B/5.70A	----	7.10 - 5.60	.1283	----	----	----	----	9 UNCH
4065	101.40	101.40	110.60B/75.60A	110.60B/75.60A	----	99.10 NEW	.8715	----	----	3	----	3 + 3
4070	9.40	9.40	16.90B/6.20A	16.90B/6.20A	----	7.80 NEW	.1405	----	----	10	----	10 + 10
4075	----	----	101.70B/67.70A	101.70B/67.70A	----	90.40 + 9.90	.8468	----	----	4	----	2 UNCH
4075	----	----	37.20B/22.70A	37.20B/22.70A	----	25.50 - 7.60	.2709	----	----	----	----	33 UNCH
4075	12.70	12.70	18.20B/6.80A	18.20B/6.80A	----	8.50 - 6.30	.1530	----	----	6	----	64 - 3
4090	15.00	15.00	22.60B/8.90A	22.60B/8.90A	----	11.10 NEW	.1974	----	----	1	----	1 + 1
4095	----	----	24.30B/9.80A	24.30B/9.80A	----	12.10 NEW	.2141	----	----	18	----	18 + 18
4100	----	----	98.80B/71.40A	98.80B/71.40A	----	89.80 NEW	.6670	----	----	2	----	2 + 2
4100	50.30	50.30	80.40B/49.80A	80.40B/49.80A	----	70.20 + 7.80	.7679	----	----	2	----	3 - 2
4100	----	----	46.70B/29.20A	46.70B/29.20A	----	32.90 - 9.00	.3326	----	----	----	----	5 UNCH
4100	12.00	12.00	26.10B/10.70A	26.10B/10.70A	----	13.20 - 8.50	.2319	----	----	57	----	108 + 11
4105	----	----	27.90B/11.70A	27.90B/11.70A	----	14.40 - 9.00	.2508	----	----	----	----	2 UNCH
4105	----	----	76.40B/46.50A	76.40B/46.50A	----	66.40 + 7.30	.7490	----	----	----	----	20 UNCH
4110	----	----	29.90B/12.80A	29.90B/12.80A	----	15.70 - 9.50	.2707	----	----	----	----	21 UNCH
4110	----	----	72.70B/43.40A	72.70B/43.40A	----	62.70 + 6.80	.7290	----	----	----	----	34 UNCH
4115	----	----	69.00B/40.30A	69.00B/40.30A	----	59.10 + 6.40	.7081	----	----	----	----	27 UNCH
4115	18.40	18.40	32.00B/14.00A	32.00B/14.00A	----	17.10 - 9.90	.2917	----	----	27	----	15 + 3
4120	50.00	50.00	65.50B/37.30A	65.50B/37.30A	----	55.60 + 5.90	.6863	----	----	1	----	5 + 1
4120	23.40	23.40	34.20B/15.30A	34.20B/15.30A	----	18.60 NEW	.3135	----	----	25	----	25 + 25
4125	44.00	44.00	57.80B/37.30A	57.80B/37.30A	----	41.80 NEW	.4003	----	----	1	----	1 + 1
4125	35.10	35.10	62.00B/34.60A	62.00B/34.60A	----	52.20 + 5.40	.6632	----	----	1	----	8 + 1
4125	24.10	24.10	36.50B/16.60A	36.50B/16.60A	----	20.30 - 10.80	.3366	----	----	35	50	261 + 52
4130	20.30	20.30	38.90B/18.20A	38.90B/18.20A	----	22.00 NEW	.3599	----	----	1	----	1 + 1
4140	32.00	32.00	44.10B/21.40A	44.10B/21.40A	----	25.80 - 12.20	.4088	----	----	52	----	60 + 30
4140	----	----	52.20B/27.30A	52.20B/27.30A	----	42.80 + 4.10	.5909	----	----	33	----	60 + 30
4145	----	----	49.50B/25.00A	49.50B/25.00A	----	39.90 NEW	.5656	----	----	6	----	2 + 2
4150	----	----	68.10B/45.20A	68.10B/45.20A	----	59.60 + 4.30	.5270	----	----	----	----	4 UNCH
4150	----	----	46.50B/23.00A	46.50B/23.00A	----	37.20 + 3.30	.5398	----	----	1	----	9 UNCH
4150	29.00	29.00	49.70B/25.10A	49.70B/25.10A	----	30.20 - 13.00	.4599	----	----	22	----	52 + 9
4150	----	----	70.80B/47.30A	70.80B/47.30A	----	52.60 - 12.00	.4727	----	----	----	----	21 UNCH
4155	35.10	35.10	52.30B/27.10A	52.30B/27.10A	----	32.50 - 13.50	.4858	----	----	13	----	15 + 11
4155	----	----	43.60B/21.10A	43.60B/21.10A	----	34.50 + 2.80	.5140	----	----	4	----	2 - 2
4160	32.00	32.00	40.90B/19.30A	40.90B/19.30A	----	32.00 NEW	.4879	----	----	9	----	3 + 3
4170	38.50	38.50	62.10B/34.00A	62.10B/34.00A	----	40.40 NEW	.5636	----	----	2	----	2 + 2
4175	41.00	41.00	65.40B/36.60	65.40B/36.60	----	43.30 - 14.80	.5890	----	----	7	----	82 + 2
4175	18.70	18.70	33.50B/14.60A	33.50B/14.60A	----	25.30 + 1.50	.4108	----	----	24	----	22 + 17
4175	----	----	85.40B/59.10A	85.40B/59.10A	----	65.40 - 13.30	.5465	----	----	----	----	1 UNCH
4175	----	----	55.30B/35.10A	55.30B/35.10A	----	47.40 + 2.90	.4531	----	----	----	----	3 UNCH
4180	----	----	31.30B/13.30A	31.30B/13.30A	----	23.30 + 1.20	.3857	----	----	----	----	1 UNCH
4185	15.90	15.90	29.00B/12.10A	29.00B/12.10A	----	21.50 + 1.00	.3615	----	----	6	----	3 + 2
4185	----	----	72.70B/42.10A	72.70B/42.10A	----	49.40 NEW	.6383	----	----	4	----	4 + 4
4190	----	----	76.30B/45.00A	76.30B/45.00A	----	52.70 - 15.60	.6624	----	----	5	----	6 + 5
4200	16.90	16.90	23.20B/8.90A	23.20B/8.90A	----	16.60 + 0.30	.2925	----	----	31	----	267 - 12
4200	----	----	44.30B/27.00A	44.30B/27.00A	----	37.20 + 1.90	.3811	----	----	----	----	17 UNCH
4200	----	----	84.00B/51.40A	84.00B/51.40A	----	59.50 - 16.10	.7073	----	----	----	----	138 UNCH
4210	11.70	11.70	19.90B/7.40A	19.90B/7.40A	----	13.90 UNCH	.2510	----	----	1	----	1 + 1
4215	----	----	18.40B/6.70A	18.40B/6.70A	----	12.70 NEW	.2317	----	----	2	----	2 + 2
4220	10.50	10.50	17.10B/6.10A	17.10B/6.10A	----	11.60 - 0.30	.2136	----	----	2	----	17 + 2
4225	----	----	120.20B/88.60A	120.20B/88.60A	----	96.90 - 15.10	.6853	----	----	----	----	1 UNCH
4225	----	----	34.90B/20.50A	34.90B/20.50A	----	28.90 + 1.10	.3143	----	----	----	----	17 UNCH
4225	----	----	104.70B/69.00A	104.70B/69.00A	----	78.50 - 16.70	.8032	----	----	1	----	25 UNCH
4225	7.10	7.10	15.70B/5.50A	15.70B/5.50A	----	10.60 - 0.40	.1966	----	----	52	----	187 - 3
4230	----	----	14.50B/5.00A	14.50B/5.00A	----	9.60 - 0.50	.1798	----	----	----	----	10 UNCH
4240	----	----	12.20B/4.10A	12.20B/4.10A	----	8.00 - 0.60	.1512	----	----	----	----	10 UNCH
4250	25.90	25.90	27.40B/15.50A	27.40B/15.50A	----	22.20 + 0.50	.2543	----	----	12	----	16 + 5
4250	103.50	103.50	126.60B/89.00A	126.60B/89.00A	----	99.60 - 17.00	.8729	----	----	7	----	68 + 7
4250	9.60	9.60	10.40B/3.40A	10.40B/3.40A	----	6.70 - 0.70	.1269	----	----	3	----	88 UNCH
4270	2.50	2.50	7.40B/2.40A	7.40B/2.40A	----	4.70 NEW	.0886	----	----	3	----	3 + 3
4275	20.20	20.20	21.20B/11.70A	21.20B/11.70A	----	17.00 + 0.10	.2030	----	----	3	----	5 + 3
4275	----	----	6.70B/2.20A	6.70B/2.20A	----	4.30 - 0.70	.0808	----	----	----	----	64 UNCH
4275	130.20	130.20	149.70B/110.60A	149.70B/110.60A	----	122.20 - 17.00	.9190	----	----	7	----	23 UNCH
4285	2.80	2.80	5.70B/1.90A	5.70B/1.90A	----	3.60 NEW	.0672	----	----	3	----	3 + 3
4300	----	----	16.40B/8.90A	16.40B/8.90A	----	12.90 - 0.30	.1596	----	----	----	----	16 UNCH
4300	----	----	173.40B/133.60A	173.40B/133.60A	----	145.70 - 17.00	.9485	----	----	----	----	27 UNCH
4300	2.30	2.30	4.40B/1.50	4.40B/1.50	----	2.80 - 0.70	.0513	----	----	5	----	179 UNCH
4315	----	----	3.50B/1.20A	3.50B/1.20A	----	2.20 - 0.60	.0394	----	----	----	----	4 UNCH
4320	1.60	1.60	3.20B/1.10A	3.20B/1.10A	----	2.00 NEW	.0356	----	----	4	----	4 + 4
4325	----	----	12.70B/6.70A	12.70B/6.70A	----	9.90 - 0.40	.1253	----	----	----	----	20 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 39

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week2										
OCT26												
4325	----	----	195.10B/158.80A	195.10B/158.80A	----	169.80 - 16.90	.9665	----	----	----	----	8 UNCH
4325	1.70	1.70	3.00B/1.10A	3.00B/1.10A	----	1.90 - 0.60	.0333	----	----	2	----	169 + 2
4335	----	----	2.60B/1.00A	2.60B/1.00A	----	1.60 NEW	.0276	----	----	21	----	21 + 21
4340	----	----	2.40B/0.90A	2.40B/0.90A	----	1.50 NEW	.0256	----	----	8	----	8 + 8
4350	----	----	2.10B/0.80A	2.10B/0.80A	----	1.30 - 0.50	.0217	----	----	1	----	140 UNCH
4350	----	----	219.70B/183.00A	219.70B/183.00A	----	194.20 - 16.80	.9781	----	----	----	----	17 UNCH
4350	----	----	227.60B/188.80A	227.60B/188.80A	----	200.40 - 16.80	.9018	----	----	----	----	4 UNCH
4350	----	----	9.70B/5.20A	9.70B/5.20A	----	7.60 - 0.50	.0978	----	----	1	----	12 + 1
4375	----	----	7.60B/4.00A	7.60B/4.00A	----	5.80 - 0.60	.0757	----	----	3	----	7 UNCH
4375	----	----	244.60B/207.60A	244.60B/207.60A	----	218.90 - 16.70	.9842	----	----	----	----	6 UNCH
4375	----	----	1.50B/0.70A	1.50B/0.70A	----	1.00 - 0.40	.0156	----	----	1	----	22 - 1
4395	----	----	----/0.60A	1.10B/0.60A	----	0.80 - 0.40	.0119	----	----	----	----	1 UNCH
4400	----	----	5.90B/3.20A	5.90B/3.20A	----	4.60 - 0.50	.0600	----	----	----	----	1 UNCH
4400	----	----	269.70B/232.20A	269.70B/232.20A	----	243.70 - 16.60	.9882	----	----	----	----	54 UNCH
4400	----	----	----/0.60A	1.10B/0.60A	----	0.80 - 0.30	.0117	----	----	----	----	101 UNCH
4425	----	----	4.70B/2.60A	4.70B/2.60A	----	3.60 - 0.50	.0470	----	----	2	----	3 + 2
4425	----	----	294.20B/257.20A	294.20B/257.20A	----	268.50 - 16.50	.9916	----	----	----	----	1 UNCH
4425	----	----	----/0.50A	0.80B/0.50A	----	0.60 - 0.20	.0083	----	----	----	----	28 UNCH
4440	----	----	----/0.40A	0.60B/0.40A	----	0.50 NEW	.0067	----	----	29	----	29 + 29
4450	----	----	----/0.40A	0.60B/0.40A	----	0.50 - 0.10	.0065	----	----	----	----	33 UNCH
4475	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.10	.0049	----	----	----	----	7 UNCH
4500	----	----	----/1.50A	2.40B/1.50A	----	1.90 - 0.50	.0241	----	----	----	----	1 UNCH
4500	----	----	----/0.30A	0.30B/0.30A	----	0.30 - 0.10	.0035	----	----	----	----	31 UNCH
4525	----	----	----/0.30A	0.30B/0.30A	----	0.20 - 0.20	.0022	----	----	----	----	31 UNCH
4550	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0021	----	----	----	----	24 UNCH
4550	----	----	----/1.10A	1.60B/1.10A	----	1.40 - 0.40	.0171	----	----	----	----	1 UNCH
4575	----	----	----/0.20A	0.20B/0.20A	----	0.20 - 0.10	.0019	----	----	----	----	35 UNCH
4600	----	----	----/0.90A	1.10B/0.90A	----	1.10 - 0.30	.0128	----	----	----	----	5 UNCH
4600	----	----	----	----/0.30A	----	0.10 - 0.10	.0006	----	----	----	----	14 UNCH
4625	----	----	----	----/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	22 UNCH
4625	----	----	----/0.80A	1.00B/0.80A	----	1.00 - 0.30	.0113	----	----	----	----	1 UNCH
4650	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	8 UNCH
4650	----	----	----/0.80A	0.80B/0.80A	----	0.90 - 0.20	.0099	----	----	----	----	7 UNCH
4675	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	4 UNCH
4700	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	38 UNCH
4725	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	20 UNCH
4750	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	45 UNCH
4775	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
4800	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
4800	----	----	----/0.60A	0.40B/0.60A	----	0.50 - 0.20	.0048	----	----	----	----	3 UNCH
4900	----	----	----	0.30B/0.50A	----	0.40 - 0.10	.0035	----	----	----	----	6 UNCH
4900	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
5000	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
5100	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
TOTAL										706	50	3708 + 423
NOV26												
3250	----	----	----	0.40B/0.90A	----	0.70 - 0.20	.0045	----	----	1	----	0 - 1
3400	----	----	----/1.30A	0.90B/1.30A	----	1.10 NEW	.0079	----	----	1	----	1 + 1
3600	3.30	3.30	3.30/2.70	3.30/2.70	----	2.80 - 0.40	.0217	----	----	2	----	9 + 1
3700	----	----	5.60B/4.80A	5.60B/4.80A	----	4.70 - 0.80	.0374	----	----	----	----	9 UNCH
3750	----	----	----/6.20A	7.30B/6.20A	----	6.30 - 1.80	.0504	----	----	----	----	6 UNCH
3775	----	----	----/7.10A	9.00B/7.10A	----	7.20 - 1.80	.0579	----	----	----	----	2 UNCH
3800	----	----	10.70B/8.20A	10.70B/8.20A	----	8.30 - 1.60	.0669	----	----	1	----	5 UNCH
3825	----	----	12.60B/9.40A	12.60B/9.40A	----	9.70 - 1.70	.0780	----	----	----	----	6 UNCH
3850	14.50	14.50	14.90B/11.00A	14.90B/11.00A	----	11.50 - 2.10	.0916	----	----	2	----	7 + 2
3850	----	----	20.60B/17.80A	20.60B/17.80A	----	17.00 - 2.80	.1166	----	----	----	----	1 UNCH
3875	15.20	15.20	17.70B/12.90A	17.70B/12.90A	----	13.50 - 2.60	.1068	----	----	8	----	7 - 1
3900	20.20	20.20	21.00B/15.20A	21.00B/15.20A	----	15.90 - 3.00	.1245	----	----	6	----	36 - 2
3900	----	----	28.20B/23.60A	28.20B/23.60A	----	23.10 NEW	.1535	----	----	----	200	200 + 200
3925	----	----	24.60B/18.00A	24.60B/18.00A	----	18.90 - 3.50	.1456	----	----	----	----	1 UNCH
3950	----	----	29.30B/21.30A	29.30B/21.30A	----	22.50 - 4.20	.1700	----	----	----	----	15 UNCH
3975	----	----	34.40B/25.30A	34.40B/25.30A	----	26.70 - 5.20	.1974	----	----	----	----	10 UNCH
4000	----	----	40.80B/29.90A	40.80B/29.90A	----	31.80 - 5.90	.2287	----	----	7	----	112 + 6
4000	----	----	51.10B/42.10A	51.10B/42.10A	----	42.30 NEW	.2566	----	----	----	200	200 + 200
4025	----	----	48.00B/35.50A	48.00B/35.50A	----	37.80 - 6.50	.2634	----	----	----	----	29 UNCH
4050	----	----	157.60B/134.10A	157.60B/134.10A	----	151.60 NEW	.6977	----	----	2	----	2 + 2
4050	----	----	169.90B/147.80A	169.90B/147.80A	----	163.70 + 11.10	.6755	----	----	----	----	1 UNCH
4075	----	----	66.00B/49.60A	66.00B/49.60A	----	53.20 - 7.90	.3427	----	----	----	----	2 UNCH
4100	----	----	76.60B/58.20A	76.60B/58.20A	----	62.50 - 9.00	.3859	----	----	----	----	1 UNCH
4100	----	----	123.90B/102.50A	123.90B/102.50A	----	119.30 + 7.20	.6134	----	----	----	----	5 UNCH
4125	----	----	88.20B/68.00A	88.20B/68.00A	----	72.50 - 10.90	.4304	----	----	3	----	4 + 3
4150	----	----	100.70B/79.50A	100.70B/79.50A	----	83.70 - 12.10	.4763	----	----	2	----	7 + 2
4150	----	----	96.30B/77.20A	96.30B/77.20A	----	90.70 + 4.20	.5229	----	----	3	----	12 - 1
4175	----	----	83.70B/66.40A	83.70B/66.40A	----	78.30 + 3.70	.4764	----	----	----	----	5 UNCH
4175	----	----	114.60B/91.70A	114.60B/91.70A	----	96.20 - 12.60	.5229	----	----	----	----	504 UNCH
4200	----	----	127.00B/105.10A	127.00B/105.10A	----	110.60 - 14.00	.5686	----	----	3	----	9 + 2
4200	138.00	138.00	141.30B/121.40A	141.30B/121.40A	----	125.90 NEW	.5546	----	----	1	----	1 + 1
4200	----	----	72.60B/56.80A	72.60B/56.80A	----	67.70 + 2.20	.4306	----	----	1	----	4 UNCH
4250	----	----	160.40B/136.40A	160.40B/136.40A	----	142.10 - 14.30	.6562	----	----	3	----	20 UNCH
4250	----	----	53.20B/41.00A	53.20B/41.00A	----	49.30 + 2.00	.3431	----	----	6	----	6 + 6
4275	----	----	45.20B/34.70A	45.20B/34.70A	----	42.20 + 1.50	.3038	----	----	----	----	8 UNCH
4275	----	----	178.80B/153.40A	178.80B/153.40A	----	159.90 - 14.80	.6955	----	----	----	----	9 UNCH
4300	----	----	39.20B/29.30A	39.20B/29.30A	----	35.80 + 0.80	.2669	----	----	3	----	16 - 1
4300	----	----	197.90B/171.50A	197.90B/171.50A	----	178.50 - 15.50	.7324	----	----	----	----	3 UNCH
4350	----	----	238.60B/210.30A	238.60B/210.30A	----	218.00 - 16.40	.7973	----	----	----	----	1 UNCH
4350	----	----	28.50B/20.90A	28.50B/20.90A	----	25.40 - 0.20	.2020	----	----	----	----	31 UNCH
4375	----	----	24.10B/17.60A	24.10B/17.60A	----	21.90 + 0.20	.1769	----	----	4	----	44 + 4
4400	17.30	17.30	19.70B/15.00A	19.70B/15.00A	----	18.60 UNCH	.1533	----	----	1	----	17 + 1
4400	28.00	28.00	28.20B/24.30A	28.20B/24.30A	----	28.00 NEW	.1917	----	----	1	----	1 + 1
4450	----	----	14.80B/10.70A	14.80B/10.70A	----	13.10 - 0.70	.1128	----	----	3	----	5 - 2
4475	----	----	12.60B/9.20A	12.60B/9.20A	----	11.20 - 0.60	.0976	----	----	3	----	152 + 2
4500	----	----	10.80B/8.00A	10.80B/8.00A	----	9.60 - 0.60	.0845	----	----	2	----	15 - 1
4525	----	----	----/7.00A	9.10B/7.00A	----	8.20 - 0.90	.0729	----	----	----	----	2 UNCH
4550	----	----	----/6.10A	7.70B/6.10A	----	7.10 - 1.00	.0634	----	----	----	----	350 UNCH
4600	----	----	----/4.70A	5.30B/4.70A	----	5.30 - 1.20	.0477	----	----	1	----	2 UNCH
4700	----	----	----/3.00A	3.30B/3.00A	----	3.20 - 0.90	.0287	----	----	----	----	1 UNCH
4800	----	----	----/2.00A	2.00B/2.00A	----	2.00 - 0.60	.0177	----	----	----	----	1 UNCH
4900	----	----	----/1.50A	1.20B/1.50A	----	1.40 - 0.30	.0120	----	----	----	----	1 UNCH
TOTAL										70	400	1898 + 425

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week3										
OCT26												
3500	----	----	----	----/0.20A	----	0.10 UNCH	.0007	----	----	----	----	8 UNCH
3500	----	----	----	0.40B/0.60A	----	0.50 UNCH	.0042	----	----	----	----	40 UNCH
3600	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0016	----	----	----	----	105 UNCH
3700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 11
3700	----	----	----/0.50A	0.40B/0.50A	----	0.40 - 0.20	.0038	----	----	1	----	6 UNCH
3750	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
3750	----	----	----/0.60A	0.70B/0.60A	----	0.60 - 0.20	.0061	----	----	----	----	14 UNCH
3775	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
3775	----	----	----/5.30A	6.30B/5.30A	----	5.30 - 1.20	.0462	----	----	----	----	1 UNCH
3800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 15
3800	----	----	----/0.90A	1.20B/0.90A	----	0.80 - 0.40	.0089	----	----	----	----	18 UNCH
3800	----	----	4.00B/2.70A	4.00B/2.70A	----	2.70 - 0.80	.0285	----	----	----	----	6 UNCH
3825	----	----	9.70B/7.20A	9.70B/7.20A	----	7.40 - 1.60	.0645	----	----	----	----	1 UNCH
3825	----	----	1.60B/1.00A	1.60B/1.00A	----	1.00 - 0.50	.0115	----	----	----	----	2 UNCH
3850	----	----	2.00B/1.20A	2.00B/1.20A	----	1.30 NEW	.0155	----	----	8	----	7 + 7
3855	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3875	----	----	14.00B/10.00A	14.00B/10.00A	----	10.40 - 2.30	.0902	----	----	----	----	2 UNCH
3875	----	----	2.70B/1.50A	2.70B/1.50A	----	1.60 - 0.70	.0198	----	----	----	----	5 UNCH
3875	----	----	7.40B/4.60A	7.40B/4.60A	----	4.80 - 1.50	.0523	----	----	----	----	255 UNCH
3875	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3890	254.70	254.70	279.70B/239.40A	279.70B/239.40A	----	267.00 NEW	----	1	----	1	----	0 UNCH
3900	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 32
3900	3.10	3.10	3.50B/1.80A	3.50B/1.80A	----	2.00 - 1.00	.0257	----	----	4	----	32 + 2
3900	----	----	16.80B/11.90A	16.80B/11.90A	----	12.40 - 2.80	.1068	----	----	----	----	8 UNCH
3900	----	----	9.20B/5.60A	9.20B/5.60A	----	6.00 - 1.90	.0653	----	----	----	----	2 UNCH
3925	----	----	11.30B/6.90A	11.30B/6.90A	----	7.50 - 2.30	.0814	----	----	----	----	6 UNCH
3925	----	----	4.70B/2.40A	4.70B/2.40A	----	2.60 - 1.40	.0344	----	----	1	----	59 UNCH
3925	----	----	20.30B/14.30A	20.30B/14.30A	----	15.00 - 3.30	.1273	----	----	----	----	4 UNCH
3925	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3930	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 5

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GWR THU GOLD WEEKLY THURSDAY OPTION Week2
OCT26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3940	----	----	----	0.10B/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3950	9.60	9.60	14.20B/8.60A	14.20B/8.60A	----	9.40 - 2.90	.1015	----	----	5	----	27 + 5
3950	0.10	0.10	0.30B/0.10	0.30B/0.10	----	0.00 - 0.10	----	----	----	2	----	0 - 47
3950	4.00	4.00	6.30B/3.10A	6.30B/3.10A	----	3.50 - 1.80	.0473	----	----	1	----	11 + 1
3955	----	----	0.20B/----	0.20B/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
3960	0.30	0.30	0.30/0.10A	0.30/0.10A	----	0.00 NEW	----	----	----	1	----	0 UNCH
3965	----	----	0.20B/----	0.20B/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
3970	----	----	0.30B/----	0.30B/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3975	0.10	0.10	0.50B/0.10	0.50B/0.10	----	0.00 - 0.20	----	----	----	2	----	0 - 16
3975	----	----	198.70B/161.00A	198.70B/161.00A	----	186.60 + 13.80	.9352	----	----	----	----	3 UNCH
3975	----	----	29.10B/20.60A	29.10B/20.60A	----	21.80 - 4.80	.1783	----	----	----	----	7 UNCH
3975	----	----	8.50B/4.10A	8.50B/4.10A	----	4.70 - 2.50	.0646	----	----	1	----	13 + 1
3975	12.60	12.60	17.70B/10.80A	17.70B/10.80A	----	11.80 - 3.70	.1261	----	----	11	----	28 + 11
3980	0.10	0.10	0.40B/0.10	0.40B/0.10	----	0.00 - 0.20	----	----	----	2	----	0 - 2
3985	----	----	0.40B/0.10A	0.40B/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 10
3990	0.50	0.50	0.50/0.10	0.50/0.10	----	0.00 - 0.30	----	----	----	4	----	0 - 8
3990	----	----	179.70B/139.80A	179.70B/139.80A	----	167.00 + 16.10	----	1	----	----	----	0 - 1
3995	0.10	0.10	0.50B/0.10	0.50B/0.10	----	0.00 - 0.30	----	----	----	4	----	0 - 17
4000	0.60	0.60	0.60/0.10	0.60/0.10	----	0.00 - 0.30	----	----	----	92	----	0 - 101
4000	150.00	150.00	169.70B/129.80A	169.70B/129.80A	----	157.00 + 16.00	----	----	----	2	----	0 UNCH
4000	7.50	7.50	11.50B/5.60A	11.50B/5.60A	----	6.50 - 3.30	.0897	----	----	85	----	145 + 18
4000	----	----	34.90B/24.80A	34.90B/24.80A	----	26.30 - 5.60	.2098	----	----	----	----	2 UNCH
4000	15.40	15.40	22.20B/13.60A	22.20B/13.60A	----	14.90 - 4.60	.1566	----	----	9	----	26 - 1
4005	0.10	0.10	0.70B/0.10	0.70B/0.10	----	0.00 - 0.40	----	----	----	6	----	0 - 7
4010	0.10	0.10	0.90B/0.10	0.90B/0.10	----	0.00 - 0.40	----	----	----	1	----	0 - 5
4015	1.00	1.00	1.00/0.10A	1.00/0.10A	----	0.00 NEW	----	----	----	1	----	0 UNCH
4020	----	----	1.10B/0.10A	1.10B/0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 6
4025	1.10	1.10	1.20B/0.10	1.20B/0.10	----	0.00 - 0.70	----	----	----	7	----	0 - 30
4025	10.00	10.00	15.50B/7.70A	15.50B/7.70A	----	9.00 - 4.30	.1235	----	----	3	----	76 + 1
4025	20.50	20.50	27.70B/17.20A	27.70B/17.20A	----	18.90 - 5.60	.1938	----	----	33	----	33 + 18
4030	0.40	0.40	1.40B/0.10	1.40B/0.10	----	0.00 - 0.80	----	----	----	7	----	0 - 13
4035	0.60	0.60	1.60B/0.10	1.60B/0.10	----	0.00 - 0.90	----	----	----	5	----	0 - 6
4035	----	----	134.70B/94.90A	134.70B/94.90A	----	122.00 NEW	----	----	----	2	----	0 UNCH
4040	1.60	1.60	1.80B/0.10A	1.80B/0.10A	----	0.00 - 1.00	----	----	----	15	----	0 - 18
4045	----	----	124.70B/84.90A	124.70B/84.90A	----	112.00 NEW	----	----	----	4	----	0 UNCH
4045	1.80	1.80	2.10B/0.10A	2.10B/0.10A	----	0.00 - 1.20	----	----	----	3	----	0 - 16
4050	24.90	24.90	34.40B/21.70A	34.40B/21.70A	----	24.00 - 6.70	.2380	----	----	19	----	13 - 2
4050	----	----	119.70B/79.90A	119.70B/79.90A	----	107.00 NEW	----	----	----	2	----	0 UNCH
4050	1.60	1.60	2.80/0.10	2.80/0.10	----	0.00 - 1.30	----	----	----	28	----	0 - 198
4050	13.50	13.50	20.90B/10.70A	20.90B/10.70A	----	12.40 - 5.60	.1679	----	----	3	----	857 UNCH
4050	----	----	49.80B/35.90A	49.80B/35.90A	----	38.20 - 7.40	.2856	----	----	----	----	2 UNCH
4055	105.80	105.80	114.70B/74.90A	114.70B/74.90A	----	102.00 NEW	----	1	----	1	----	0 UNCH
4055	0.30	0.30	2.90B/0.10A	2.90B/0.10A	----	0.00 - 1.50	----	----	----	9	----	0 - 28
4060	----	----	109.70B/69.90A	109.70B/69.90A	----	97.00 + 14.50	----	1	----	----	----	0 - 1
4060	0.30	0.30	3.40B/0.10A	3.40B/0.10A	----	0.00 - 1.80	----	----	----	51	----	0 - 14
4065	0.60	0.60	3.90B/0.10A	3.90B/0.10A	----	0.00 - 2.10	----	----	----	1	----	0 - 8
4070	4.50	4.50	4.50/0.10	4.50/0.10	----	0.00 - 2.40	----	----	----	32	----	0 - 19
4070	73.00	73.00	99.70B/59.90A	99.70B/59.90A	----	87.00 NEW	----	1	----	2	----	0 UNCH
4075	4.30	4.30	5.30/0.10A	5.30/0.10A	----	0.00 - 2.80	----	----	----	51	----	0 - 124
4075	----	----	28.10B/14.80A	28.10B/14.80A	----	17.20 - 7.10	.2258	----	----	1	----	57 + 1
4075	33.00	33.00	42.60B/27.40A	42.60B/27.40A	----	30.30 - 8.00	.2889	----	----	1	----	7 + 1
4080	1.40	1.40	6.00B/0.10A	6.00B/0.10A	----	0.00 - 3.30	----	----	----	26	----	0 - 59
4085	7.00	7.00	7.00/0.10A	7.00/0.10A	----	0.00 - 3.80	----	----	----	24	----	0 - 13
4090	63.50	63.50	79.70B/40.00A	79.70B/40.00A	----	67.00 NEW	----	1	----	2	----	0 UNCH
4090	3.00	3.00	8.00B/0.10A	8.00B/0.10A	----	0.00 - 4.50	----	----	----	19	----	0 - 51
4095	----	----	9.20B/0.10A	9.20B/0.10A	----	0.00 - 5.30	----	----	----	18	----	0 - 18
4095	57.00	57.00	74.70B/35.00A	74.70B/35.00A	----	62.00 NEW	----	5	----	20	----	0 UNCH
4100	9.50	9.50	11.20/0.10	11.20/0.10	----	0.00 - 6.20	----	----	----	635	----	0 - 457
4100	----	----	69.30B/51.10A	69.30B/51.10A	----	54.60 - 9.60	.3761	----	----	----	----	9 UNCH
4100	----	----	89.90B/61.40A	89.90B/61.40A	----	80.50 + 7.50	.7032	----	----	----	----	50 UNCH
4100	22.20	22.20	36.90B/20.50A	36.90B/20.50A	----	23.60 - 8.70	.2965	----	----	1	----	75 UNCH
4100	46.00	46.00	52.30B/34.40A	52.30B/34.40A	----	38.10 - 9.20	.3463	----	----	7	----	24 UNCH
4100	65.00	65.00	69.70B/30.10A	69.70B/30.10A	----	57.00 + 10.10	----	16	----	29	----	0 - 20
4105	----	----	64.70B/25.20A	64.70B/25.20A	----	52.00 + 9.10	----	----	----	1	----	0 - 1
4105	4.20	4.20	11.90B/0.10A	11.90B/0.10A	----	0.00 - 7.20	----	----	----	33	----	0 - 30
4110	----	----	59.70B/20.50A	59.70B/20.50A	----	47.00 + 7.90	----	14	----	1	----	0 - 15
4110	13.90	13.90	13.90/0.10	13.90/0.10	----	0.00 - 8.50	----	----	----	162	----	0 - 58
4115	4.90	4.90	15.30B/0.10A	15.30B/0.10A	----	0.00 - 9.80	----	----	----	84	----	0 - 84
4115	32.70	32.70	54.70B/15.90A	54.70B/15.90A	----	42.00 + 6.50	----	65	----	2	----	0 - 66
4120	5.40	5.40	17.30B/0.10A	17.30B/0.10A	----	0.00 - 11.40	----	----	----	200	----	0 - 46
4120	44.60	44.60	50.10B/11.60A	50.10B/11.60A	----	37.00 + 4.90	----	31	----	1	----	0 - 32
4125	----	----	63.70B/42.90A	63.70B/42.90A	----	47.40 - 10.70	.4085	----	----	----	----	10 UNCH
4125	17.30	17.30	19.40B/0.10A	19.40B/0.10A	----	0.00 - 13.20	----	----	----	343	99	0 - 149
4125	37.10	37.10	47.60B/27.80A	47.60B/27.80A	----	31.90 - 10.50	.3786	----	----	8	----	46 + 4
4125	----	----	80.80B/60.70A	80.80B/60.70A	----	64.60 - 11.30	.4253	----	----	----	----	4 UNCH
4125	53.50	53.50	72.40B/46.90A	72.40B/46.90A	----	63.90 + 5.80	.6211	----	----	10	----	10 UNCH
4125	10.00	10.00	45.90B/7.80A	45.90B/7.80A	----	32.00 + 3.10	----	34	----	35	----	0 - 33
4130	23.30	23.30	41.80B/4.30	41.80B/4.30	----	27.00 + 1.20	----	44	----	92	----	0 - 75
4130	19.10	19.10	21.80B/0.10A	21.80B/0.10A	----	0.00 - 15.10	----	----	----	242	----	0 - 85
4135	10.00	10.00	24.30B/0.10A	24.30B/0.10A	----	0.00 - 17.30	----	----	----	300	----	0 - 20
4135	21.30	21.30	38.00B/2.40A	38.00B/2.40A	----	22.00 - 1.00	----	69	----	64	----	0 - 56
4140	15.00	15.00	27.20B/0.10A	27.20B/0.10A	----	0.00 - 19.70	----	----	----	407	----	0 - 21
4140	17.00	17.00	34.20B/1.00A	34.20B/1.00A	----	17.00 - 3.40	----	158	----	337	----	0 - 24
4145	14.80	14.80	30.60B/0.40	30.60B/0.40	----	12.00 - 6.00	----	123	----	265	----	0 - 57
4145	18.40	18.40	29.70B/0.10	29.70B/0.10	----	0.00 - 22.30	----	----	----	377	----	0 - 10
4150	21.40	21.40	32.80B/0.10A	32.80B/0.10A	----	0.00 - 25.10	----	----	----	237	----	0 - 72
4150	----	----	76.60B/53.00A	76.60B/53.00A	----	58.50 - 12.00	.4740	----	----	----	----	16 UNCH
4150	13.00	13.00	27.30B/0.20	27.30B/0.20	----	7.00 - 8.80	----	199	----	564	66	0 - 109
4150	54.40	54.40	57.80B/35.00A	57.80B/35.00A	----	49.40 + 4.10	.5310	----	----	15	----	33 + 2
4150	49.10	49.10	60.60B/37.30A	60.60B/37.30A	----	42.40 - 12.20	.4687	----	----	4	----	164 + 1
4150	----	----	89.10B/69.30A	89.10B/69.30A	----	83.00 + 3.50	.5234	----	----	----	----	1 UNCH
4150	----	----	93.70B/71.50A	93.70B/71.50A	----	76.00 - 12.80	.4760	----	----	----	----	39 UNCH
4150	69.90	69.90	74.00B/51.10A	74.00B/51.10A	----	65.50 NEW	.5256	----	----	3	----	3 + 3
4155	20.50	20.50	24.50B/0.10A	24.50B/0.10A	----	2.00 - 11.80	----	134	----	201	----	0 - 83
4155	18.00	18.00	36.20B/0.10A	36.20B/0.10A	----	0.00 - 28.10	----	----	----	75	----	0 - 18
4160	18.50	18.50	39.70B/0.30	39.70B/0.30	----	3.00 - 28.30	----	54	----	127	----	0 - 32
4160	9.40	9.40	21.60B/0.10	21.60B/0.10	----	0.00 - 12.00	----	----	----	562	----	0 - 169
4165	21.50	21.50	43.50B/0.90A	43.50B/0.90A	----	8.00 - 26.70	----	12	----	6	----	0 - 10
4165	9.30	9.30	18.90B/0.10A	18.90B/0.10A	----	0.00 - 10.40	----	----	----	119	----	0 - 42
4170	28.60	28.60	47.30B/2.80A	47.30B/2.80A	----	13.00 - 25.30	----	26	----	6	----	0 - 22
4170	12.00	12.00	16.60B/0.10	16.60B/0.10	----	0.00 - 9.00	----	----	----	243	----	0 - 20
4175	13.80	13.80	14.30B/0.10A	14.30B/0.10A	----	0.00 - 7.80	----	----	----	401	----	0 - 46
4175	----	----	108.20B/83.80A	108.20B/83.80A	----	89.10 - 13.40	.5271	----	----	----	----	1 UNCH
4175	----	----	51.50B/6.40A	51.50B/6.40A	----	18.00 - 24.10	----	55	----	2	----	0 - 57
4175	----	----	44.80B/25.50A	44.80B/25.50A	----	37.30 + 2.60	.4383	----	----	----	----	6 UNCH
4175	----	----	75.40B/49.00A	75.40B/49.00A	----	55.30 - 13.60	.5614	----	----	----	----	6 UNCH
4175	50.30	50.30	61.30B/40.80A	61.30B/40.80A	----	53.30 + 3.10	.4591	----	----	3	----	8 UNCH
4175	----	----	91.00B/64.90A	91.00B/64.90A	----	71.30 - 13.20	.5404	----	----	----	----	3 UNCH
4180	32.80	32.80	55.70B/10.70A	55.70B/10.70A	----	23.00 - 23.00	----	10	----	17	----	0 - 4
4180	5.30	5.30	12.30B/0.10	12.30B/0.10	----	0.00 - 6.70	----	----	----	242	----	0 - 108
4185	50.90	50.90	59.90B/15.50A	59.90B/15.50A	----	28.00 - 22.00	----	6	----	3	----	0 - 6
4185	3.50	3.50	10.40B/0.10A	10.40B/0.10A	----	0.00 - 5.70	----	----	----	51	----	0 - 41
4190	----	----	64.40B/20.40A	64.40B/20.40A	----	33.00 - 21.20	----	18	----	2	----	0 - 17
4190	4.20	4.20	8.90B/0.10A	8.90B/0.10A	----	0.00 - 4.90	----	----	----	26	----	0 - 28
4195	1.90	1.90	7.50B/0.10A	7.50B/0.10A	----	0.00 - 4.20	----	----	----	21	----	0 - 20
4200	5.00	5.00	6.80/0.10	6.80/0.10	----	0.00 - 3.60	----	----	----	83	----	0 - 96
4200	43.90	43.90	73.40B/30.20A	73.40B/30.20A	----	43.00 - 19.90	----	109	----	10	----	0 - 110
4200	----	----	107.30B/78.60A	107.30B/78.60A	----	85.90 - 14.20	.6055	----	----	----	----	1 UNCH
4200	51.00	51.00	65.20B/49.30A	65.20B/49.30A	----	60.60 + 2.50	.4224	----	----	6	----	7 + 3
4200	----	----	92.70B/63.00A	92.70B/63.00A	----	70.50 - 14.80	.6502	----	----	----	----	8 UNCH
4200	----	----	34.00B/18.20A	34.00B/18.20A	----	27.60 + 1.50	.3495	----	----	----	----	229 UNCH
4200	----	----	121.00B/97.30A	121.00B/97.30A	----	103.50 - 13.80	.5770	----	----	----	----	5 UNCH
4200	----	----	50.20B/32.30A	50.20B/32.30A	----	42.90 + 2.00	.3941	----	----	----	----	15 UNCH
4205	----	----	78.20B/35.20A	78.20B/35.20A	----	48.00 - 19.40	----	4	----	----	----	0 - 4
4205	3.10	3.10	5.40B/0.10A	5.40B/0.10A	----	0.00 - 3.10	----	----	----	26	----	0 - 8
4210	----	----	82.80B/40.30A	82.80B/40.30A	----	53.00 - 19.00	----	20	----	----	----	0 - 20
4210	1.10	1.10	4.40B/0.10	4.40B/0.10	----	0.00 - 2.70	----	----	----	49	----	0 - 69
4215	----	----	87.50B/45.20A	87.50B/45.20A	----	58.00 - 18.60	----	3	----	1	----	0 - 3
4215	2.10	2.10	3.70B/0.10A	3.70B/0.10A	----	0.00 - 2.40	----	----	----	8	----	0 - 9
4220	----	----	92.30B/50.20A	92.30B/50.20A	----	63.00 - 18.30	----	9	----	----	----	0 - 9
4220	1.90	1.90	3.10B/0.10	3.10B/0.10	----	0.00 - 2.00	----	----	----	10	----	0 - 32
4225	----	----	55.60B/41.40A	55.60B/41.40A	----	51.20 + 2.00	.3740	----	----	----	----	5 UNCH
4225	16.50	16.50	25.30B/12.80A	25.30B/12.80A	----	20.00 + 0.60	.2696	----	----	21	----	30 + 19
4225	----	----	111.80B/79.50A	111.80B/79.50A	----	87.90 - 15.70	.7302	----	----	----	----	2 UNCH
4225	----	----	125.20B/94.00A	125.20B/94.00A	----	102.10 - 15.00	.6669	----	----	----	----	1 UNCH
4225	0.60	0.60	2.60B/0.10A	2.60B/0.10A	----	0.00 - 1.80	----	----	----	12	----	0 - 154
4225	67.00	67.00	97.00B/55.30A	97.00B/55.30A	----	68.00 - 18.10	----	17	----	1	----	0 - 18

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU OCT26		GOLD WEEKLY THURSDAY OPTION Week2										
4230	1.30	1.30	2.20B/0.10	2.20B/0.10	----	0.00 - 1.60	----	----	----	9	----	0 - 20
4230	----	----	101.90B/60.30A	101.90B/60.30A	----	73.00 - 17.90	----	10	----	----	----	0 - 10
4235	0.20	0.20	1.80B/0.10	1.80B/0.10	----	0.00 - 1.40	----	----	----	5	----	0 - 22
4240	----	----	111.70B/70.30A	111.70B/70.30A	----	83.00 - 17.50	----	1	----	----	----	0 - 1
4240	1.00	1.00	1.50B/0.10	1.50B/0.10	----	0.00 - 1.20	----	----	----	3	----	0 - 13
4245	----	----	116.60B/75.30A	116.60B/75.30A	----	88.00 - 17.40	----	1	----	1	----	0 - 1
4245	1.10	1.10	1.30B/0.10A	1.30B/0.10A	----	0.00 - 1.10	----	----	----	3	----	0 - 21
4250	110.50	110.50	121.50B/80.30A	121.50B/80.30A	----	93.00 - 17.30	----	66	----	1	----	0 - 67
4250	16.20	16.20	18.50B/9.00A	18.50B/9.00A	----	14.30 UNCH	.2021	----	----	2	----	30 + 2
4250	119.50	119.50	132.50B/97.70A	132.50B/97.70A	----	107.20 - 16.30	.7977	----	----	1	----	4 + 1
4250	0.70	0.70	1.10B/0.10	1.10B/0.10	----	0.00 - 1.00	----	----	----	62	----	0 - 87
4250	27.00	27.00	32.60B/19.70A	32.60B/19.70A	----	27.10 + 0.70	.2769	----	----	15	----	17 + 15
4250	----	----	144.10B/111.00A	144.10B/111.00A	----	119.90 - 15.70	.7227	----	----	----	----	62 UNCH
4255	----	----	----/0.10A	0.90B/0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 12
4260	----	----	131.40B/90.30A	131.40B/90.30A	----	103.00 - 17.10	----	----	----	1	----	0 - 1
4260	----	----	----/0.10A	0.70B/0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 6
4265	0.60	0.60	0.60/0.10A	0.60/0.10A	----	0.00 - 0.70	----	----	----	1	----	0 - 5
4270	0.40	0.40	0.40/0.10	0.50B/0.10	----	0.00 - 0.60	----	----	----	13	----	0 - 2
4275	----	----	13.40B/6.30A	13.40B/6.30A	----	10.20 - 0.30	.1486	----	----	----	----	24 UNCH
4275	----	----	154.30B/117.70A	154.30B/117.70A	----	128.10 - 16.60	.8512	----	----	----	----	61 UNCH
4275	----	----	39.60B/28.60A	39.60B/28.60A	----	35.80 + 0.80	.2852	----	----	----	----	10 UNCH
4275	19.90	19.90	26.10B/15.30A	26.10B/15.30A	----	21.30 NEW	.2273	----	----	4	----	4 + 4
4275	----	----	----/0.10A	0.40B/0.10A	----	0.00 - 0.60	----	----	----	10	----	0 - 30
4275	----	----	146.20B/105.30A	146.20B/105.30A	----	118.00 - 16.90	----	22	----	1	----	0 - 22
4280	----	----	----/0.10A	0.30B/0.10A	----	0.00 - 0.50	----	----	----	1	----	0 - 16
4280	----	----	151.20B/110.30A	151.20B/110.30A	----	123.00 - 16.80	----	1	----	----	----	0 - 1
4285	0.40	0.40	0.40/0.10A	0.40/0.10A	----	0.00 - 0.50	----	----	----	2	----	0 - 2
4290	0.50	0.50	0.50/0.10A	0.50/0.10A	----	0.00 NEW	----	----	----	4	----	0 UNCH
4295	0.40	0.40	0.40/0.10A	0.40/0.10A	----	0.00 - 0.40	----	----	----	1	----	0 - 17
4300	----	----	171.00B/130.30A	171.00B/130.30A	----	143.00 - 16.70	----	72	----	----	----	0 - 72
4300	10.00	10.00	10.00/4.50	10.00/4.50	----	7.20 - 0.60	.1071	----	----	4	----	169 + 2
4300	----	----	176.90B/139.00A	176.90B/139.00A	----	150.20 - 16.80	.8927	----	----	----	----	100 UNCH
4300	32.80	32.80	33.00/23.70A	33.00/23.70A	----	29.80 + 0.40	.2462	----	----	6	----	28 - 6
4300	0.20	0.20	0.20/0.10A	0.20/0.10A	----	0.00 - 0.40	----	----	----	2	----	0 - 92
4300	----	----	20.70B/11.90A	20.70B/11.90A	----	16.60 - 0.20	.1842	----	----	3	----	6 + 1
4300	----	----	185.50B/149.10A	185.50B/149.10A	----	159.50 - 16.40	.8154	----	----	----	----	2 UNCH
4305	----	----	----/0.10A	0.10B/0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 1
4310	----	----	----/0.10A	0.10B/0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 11
4315	----	----	----/0.10A	0.10B/0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 2
4320	----	----	----/0.10A	0.10B/0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 2
4325	----	----	----/0.10A	0.10B/0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 135
4325	----	----	196.00B/155.30A	196.00B/155.30A	----	168.00 - 16.60	----	127	----	----	----	0 - 127
4325	----	----	200.20B/161.40A	200.20B/161.40A	----	173.10 - 16.90	.9222	----	----	----	----	17 UNCH
4325	4.70	4.70	7.00B/3.30A	7.00B/3.30A	----	5.20 - 0.60	.0775	----	----	1	----	21 UNCH
4325	----	----	16.30B/9.30A	16.30B/9.30A	----	13.00 - 0.40	.1484	----	----	----	----	5 UNCH
4330	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
4335	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 3
4345	----	----	----/0.10A	----/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 11
4350	205.00	205.00	220.90B/180.30A	220.90B/180.30A	----	193.00 - 16.40	----	13	----	1	----	0 - 13
4350	----	----	230.00B/191.70A	230.00B/191.70A	----	203.00 - 16.80	.8805	----	----	----	----	1 UNCH
4350	----	----	224.00B/184.60A	224.00B/184.60A	----	196.70 - 16.90	.9435	----	----	----	----	1 UNCH
4350	----	----	5.20B/2.40A	5.20B/2.40A	----	3.80 - 0.60	.0563	----	----	1	----	21 + 1
4350	10.10	10.10	12.90B/7.30A	12.90B/7.30A	----	10.20 - 0.50	.1191	----	----	12	----	12 + 12
4350	----	----	----/0.10A	----/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 219
4355	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4365	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4375	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 246
4375	----	----	253.00B/214.20A	253.00B/214.20A	----	225.80 - 16.80	.9045	----	----	----	----	1 UNCH
4375	----	----	10.20B/5.80A	10.20B/5.80A	----	8.00 - 0.60	.0951	----	----	----	----	10 UNCH
4375	----	----	245.80B/209.90A	245.80B/209.90A	----	220.70 - 16.80	.9589	----	----	----	----	16 UNCH
4375	----	----	3.80B/1.90A	3.80B/1.90A	----	2.80 - 0.60	.0409	----	----	1	----	15 - 1
4375	----	----	18.60B/13.60A	18.60B/13.60A	----	17.00 - 0.50	.1532	----	----	----	----	9 UNCH
4375	----	----	245.90B/205.30A	245.90B/205.30A	----	218.00 - 16.40	----	4	----	----	----	0 - 4
4400	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 99
4400	----	----	270.90B/230.30A	270.90B/230.30A	----	243.00 - 16.40	----	76	----	----	----	0 - 76
4400	----	----	2.80B/1.50A	2.80B/1.50A	----	2.10 - 0.60	.0301	----	----	2	----	85 + 1
4400	----	----	270.30B/234.80A	270.30B/234.80A	----	245.00 - 16.80	.9698	----	----	----	----	19 UNCH
4400	----	----	16.00B/11.30A	16.00B/11.30A	----	14.20 - 0.50	.1303	----	----	----	----	60 UNCH
4400	5.90	5.90	8.20B/4.60A	8.20B/4.60A	----	6.40 - 0.60	.0767	----	----	2	----	5 UNCH
4425	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 36
4425	----	----	294.90B/258.20A	294.90B/258.20A	----	269.50 - 16.80	.9764	----	----	----	----	9 UNCH
4425	----	----	----/1.20A	2.10B/1.20A	----	1.70 - 0.40	.0235	----	----	----	----	15 UNCH
4425	12.30	12.30	13.50B/9.40A	13.50B/9.40A	----	11.80 - 0.60	.1103	----	----	3	----	3 UNCH
4425	4.80	4.80	6.50B/3.80A	6.50B/3.80A	----	5.10 - 0.60	.0615	----	----	6	----	9 + 6
4440	295.30	295.30	310.80B/270.30A	310.80B/270.30A	----	283.00 NEW	----	1	----	1	----	0 UNCH
4450	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 117
4450	----	----	----/1.00A	1.60B/1.00A	----	1.30 - 0.50	.0175	----	----	7	----	48 UNCH
4450	----	----	319.70B/283.80A	319.70B/283.80A	----	294.20 - 16.70	.9824	----	----	----	----	6 UNCH
4450	----	----	10.90B/7.90A	10.90B/7.90A	----	9.80 - 0.70	.0931	----	----	----	----	1 UNCH
4450	----	----	5.30B/3.10A	5.30B/3.10A	----	4.10 - 0.60	.0496	----	----	----	----	4 UNCH
4475	----	----	345.70B/305.30A	345.70B/305.30A	----	318.00 - 16.40	----	1	----	----	----	0 - 1
4475	----	----	346.00B/311.60A	346.00B/311.60A	----	321.10 - 16.80	.9589	----	----	----	----	1 UNCH
4475	----	----	----/0.90A	1.30B/0.90A	----	1.10 - 0.40	.0142	----	----	----	----	46 UNCH
4475	----	----	4.30B/2.60A	4.30B/2.60A	----	3.40 - 0.50	.0408	----	----	----	----	12 UNCH
4475	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
4500	0.70	0.70	0.70/0.70	1.10B/0.70	----	0.90 - 0.40	.0112	----	----	1	----	42 + 1
4500	----	----	7.90B/5.60A	7.90B/5.60A	----	6.90 - 0.60	.0669	----	----	----	----	3 UNCH
4500	----	----	370.60B/335.70A	370.60B/335.70A	----	345.50 - 16.70	.9663	----	----	----	----	2 UNCH
4500	----	----	3.50B/2.20A	3.50B/2.20A	----	2.80 - 0.50	.0334	----	----	----	----	17 UNCH
4500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 132
4525	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 44
4525	----	----	----/0.70A	0.90B/0.70A	----	0.80 - 0.30	.0096	----	----	----	----	125 UNCH
4525	----	----	2.90B/1.80A	2.90B/1.80A	----	2.40 - 0.40	.0282	----	----	----	----	18 UNCH
4550	----	----	----/1.60A	2.50B/1.60A	----	2.00 - 0.50	.0233	----	----	----	----	4 UNCH
4550	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 23
4550	0.40	0.40	0.40/0.40	0.70B/0.40	----	0.70 - 0.30	.0081	----	----	2	----	19 + 1
4550	----	----	419.20B/382.20A	419.20B/382.20A	----	393.50 - 16.50	.9919	----	----	1	----	0 - 1
4550	----	----	420.80B/380.30A	420.80B/380.30A	----	393.00 - 16.40	----	1	----	----	----	0 - 1
4550	----	----	420.00B/384.80A	420.00B/384.80A	----	394.70 NEW	.9765	----	----	1	----	1 + 1
4575	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 85
4575	----	----	----/0.50A	0.60B/0.50A	----	0.60 - 0.20	.0067	----	----	----	----	10 UNCH
4575	----	----	----/1.40A	2.10B/1.40A	----	1.80 - 0.30	.0205	----	----	----	----	4 UNCH
4600	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.20	.0054	----	----	----	----	94 UNCH
4600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 30
4600	----	----	----/1.30A	1.80B/1.30A	----	1.50 - 0.40	.0170	----	----	----	----	46 UNCH
4625	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 26
4625	----	----	----/0.50A	0.40B/0.50A	----	0.40 - 0.20	.0042	----	----	----	----	22 UNCH
4625	----	----	----/1.10A	1.50B/1.10A	----	1.40 - 0.30	.0154	----	----	----	----	5 UNCH
4650	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 101
4650	----	----	----/0.50A	0.30B/0.50A	----	0.40 - 0.20	.0040	----	----	----	----	35 UNCH
4650	----	----	----/1.00A	1.30B/1.00A	----	1.20 - 0.30	.0130	----	----	----	----	11 UNCH
4675	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 42
4675	----	----	----	0.30B/0.50A	----	0.30 - 0.20	.0029	----	----	----	----	66 UNCH
4675	----	----	----/1.00A	1.20B/1.00A	----	1.10 - 0.30	.0117	----	----	----	----	7 UNCH
4700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 57
4700	----	----	----/0.40A	0.30B/0.40A	----	0.30 - 0.20	.0028	----	----	----	----	35 UNCH
4700	----	----	----/0.90A	1.10B/0.90A	----	1.00 - 0.20	.0104	----	----	----	----	70 UNCH
4725	----	----	594.00B/558.30A	594.00B/558.30A	----	568.10 - 16.40	.9974	2	----	----	----	0 - 2
4725	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0027	----	----	----	----	15 UNCH
4725	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 47
4725	----	----	----/0.80A	0.90B/0.80A	----	0.90 - 0.20	.0092	----	----	----	----	12 UNCH
4750	----	----	----/0.80A	0.90B/0.80A	----	0.80 - 0.20	.0081	----	----	----	----	12 UNCH
4750	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
4750	----	----	----	0.20B/0.40A	----	0.20 - 0.20	.0018	----	----	----	----	7 UNCH
4775	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4775	----	----	----	0.20B/0.40A	----	0.20 - 0.20	.0017	----	----	----	----	14 UNCH
4775	----	----	----/0.70A	0.80B/0.70A	----	0.80 - 0.20	.0078	----	----	----	----	3 UNCH
4800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
4800	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0017	----	----	----	----	5 UNCH
4800	----	----	----/0.70A	0.70B/0.70A	----	0.70 - 0.20	.0068	----	----	----	----	1 UNCH
4825	----	----	----	----/0.40A	----	0.20 - 0.10	.0016	----	----	----	----	2 UNCH
4825	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4825	----	----	----/0.70A	0.60B/0.70A	----	0.60 - 0.20	.0057	----	----	----	----	1 UNCH
4850	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4850	----	----	719.00B/683.30A	719.00B/683.30A	----	693.00 - 16.40	.9996	2	----	----	----	0 - 2
4850	----	----	----	----/0.40A	----	0.10 - 0.20	.0008	----	----	----	----	4 UNCH
4850	----	----	----/0.70A	0.60B/0.70A	----	0.60 - 0.20	.0056	----	----	----	----	62 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GWR THU GOLD WEEKLY THURSDAY OPTION Week2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OCT26												
4875	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
4900	----	----	----	----/0.40A	----	0.10 - 0.10	.0003	----	----	----	----	11 UNCH
4900	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4900	----	----	----/0.60A	0.50B/0.60A	----	0.50 - 0.20	.0045	----	----	----	----	2 UNCH
4925	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4950	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 200
4975	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5000	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	50 UNCH
5000	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 45
5000	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0034	----	----	----	----	41 UNCH
5100	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	24 UNCH
5100	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
5200	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
5200	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5250	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5250	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
5300	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5400	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
5500	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
5500	----	----	----	----/3.10A	----	0.10 UNCH	----	----	----	----	----	77 UNCH
5750	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
5750	----	----	----	----/3.30A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
TOTAL										7623	165	4669 - 6131

GMW MON GOLD WEEKLY MONDAY OPTION WEEK2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OCT26												
3000	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
3500	----	----	----	0.60B/0.80A	----	0.60 - 0.20	.0051	----	----	----	----	1 UNCH
3600	----	----	----	1.20B/1.30A	----	1.10 - 0.20	.0099	----	----	----	----	1 UNCH
3700	----	----	----/0.80A	0.90B/0.80A	----	0.70 - 0.30	.0073	----	----	----	----	3 UNCH
3700	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
3750	----	----	----/1.10A	1.40B/1.10A	----	1.10 - 0.30	.0119	----	----	----	----	1 UNCH
3750	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	7 UNCH
3775	----	----	----/1.20A	1.70B/1.20A	----	1.30 - 0.40	.0145	----	----	----	----	1 UNCH
3800	----	----	----/3.70A	4.70B/3.70A	----	3.80 - 0.90	.0378	----	----	----	----	1 UNCH
3800	1.50	1.50	2.10B/1.40A	2.10B/1.40A	----	1.50 - 0.50	.0172	----	----	8	----	12 + 8
3800	----	----	----	0.20B/0.20A	----	0.10 - 0.10	.0002	----	----	----	----	32 UNCH
3825	----	----	2.70B/1.70A	2.70B/1.70A	----	1.90 - 0.60	.0221	----	----	----	----	1 UNCH
3850	----	----	7.60B/5.10A	7.60B/5.10A	----	5.30 - 1.50	.0538	----	----	----	----	1 UNCH
3860	0.20	0.20	0.50B/0.20	0.50B/0.20	----	0.20 NEW	.0021	----	----	10	----	10 + 10
3875	----	----	0.60B/0.30A	0.60B/0.30A	----	0.30 - 0.20	.0033	----	----	----	----	4 UNCH
3875	----	----	4.40B/2.50A	4.40B/2.50A	----	2.80 - 1.00	.0341	----	----	----	----	2 UNCH
3900	----	----	5.70B/3.20A	5.70B/3.20A	----	3.60 - 1.30	.0443	----	----	----	----	19 UNCH
3900	----	----	0.90B/0.40A	0.90B/0.40A	----	0.40 - 0.30	.0047	----	----	----	----	6 UNCH
3925	0.50	0.50	1.20B/0.40A	1.20B/0.40A	----	0.50 - 0.40	.0065	----	----	2	----	2 UNCH
3925	----	----	7.30B/4.00A	7.30B/4.00A	----	4.50 - 1.70	.0561	----	----	----	----	1 UNCH
3925	----	----	14.10B/9.10A	14.10B/9.10A	----	9.70 - 2.70	.0976	----	----	----	----	1 UNCH
3930	1.50	1.50	1.50/0.50	1.50/0.50	----	0.60 NEW	.0079	----	----	5	----	2 + 2
3940	----	----	1.50B/0.50A	1.50B/0.50A	----	0.60 - 0.50	.0082	----	----	----	----	10 UNCH
3950	----	----	1.80B/0.60A	1.80B/0.60A	----	0.70 - 0.60	.0099	----	----	----	----	10 UNCH
3950	----	----	9.50B/5.20A	9.50B/5.20A	----	5.80 - 2.30	.0727	----	----	----	----	6 UNCH
3950	----	----	17.40B/11.30A	17.40B/11.30A	----	12.10 - 3.30	.1198	----	----	----	----	2 UNCH
3960	----	----	2.10B/0.60A	2.10B/0.60A	----	0.80 - 0.70	.0118	----	----	----	----	2 UNCH
3965	----	----	2.30B/0.60A	2.30B/0.60A	----	0.80 - 0.80	.0121	----	----	----	----	1 UNCH
3970	1.50	1.50	2.40B/0.70A	2.40B/0.70A	----	0.90 NEW	.0138	----	----	3	----	3 + 3
3975	----	----	12.30B/6.70A	12.30B/6.70A	----	7.60 - 3.00	.0948	----	----	3	----	27 + 2
3975	1.70	1.70	2.60B/0.70A	2.60B/0.70A	----	0.90 - 1.00	.0141	----	----	1	----	16 UNCH
3975	----	----	21.40B/13.90A	21.40B/13.90A	----	15.00 - 4.00	.1461	----	----	----	----	1 UNCH
3980	----	----	2.90B/0.80A	2.90B/0.80A	----	1.00 - 1.00	.0159	----	----	3	----	50 - 3
3985	1.00	1.00	3.10B/0.80A	3.10B/0.80A	----	1.10 NEW	.0178	----	----	3	----	3 + 3
3990	1.60	1.60	3.30B/0.90A	3.30B/0.90A	----	1.20 NEW	.0197	----	----	4	----	4 + 4
3995	----	----	3.70B/0.90A	3.70B/0.90A	----	1.30 - 1.30	.0217	----	----	----	----	5 UNCH
4000	----	----	178.50B/142.60A	178.50B/142.60A	----	166.80 NEW	.8764	----	----	2	----	2 + 2
4000	----	----	26.40B/17.30A	26.40B/17.30A	----	18.60 - 4.90	.1773	----	----	----	----	2 UNCH
4000	11.00	11.00	16.00B/8.80A	16.00B/8.80A	----	10.00 - 3.80	.1233	----	----	22	----	25 + 18
4000	160.00	160.00	171.00B/131.70A	171.00B/131.70A	----	158.30 + 14.80	.9760	----	----	5	----	4 + 3
4000	4.20	4.20	4.20/1.00	4.20/1.00	----	1.40 - 1.50	.0238	----	----	253	----	273 + 222
4005	1.30	1.30	4.30B/1.10A	4.30B/1.10A	----	1.50 - 1.60	.0260	----	----	2	----	4 + 2
4010	2.40	2.40	4.80B/1.10A	4.80B/1.10A	----	1.60 NEW	.0283	----	----	6	----	6 + 6
4015	3.00	3.00	5.10B/1.10	5.10B/1.10	----	1.80 NEW	.0322	----	----	3	----	2 + 2
4020	2.80	2.80	5.80B/1.30A	5.80B/1.30A	----	1.90 - 2.20	.0347	----	----	50	----	102 UNCH
4025	----	----	20.70B/11.60A	20.70B/11.60A	----	13.10 - 5.00	.1590	----	----	----	----	11 UNCH
4025	3.00	3.00	6.20B/1.50A	6.20B/1.50A	----	2.10 - 2.40	.0388	----	----	5	----	90 - 4
4030	3.10	3.10	6.60B/1.60A	6.60B/1.60A	----	2.30 NEW	.0431	----	----	2	----	2 + 2
4035	3.90	3.90	7.30B/1.70A	7.30B/1.70A	----	2.50 NEW	.0476	----	----	5	----	5 + 5
4040	3.90	3.90	8.10B/1.90A	8.10B/1.90A	----	2.80 NEW	.0538	----	----	2	----	2 + 2
4050	22.10	22.10	26.90B/15.40A	26.90B/15.40A	----	17.40 - 6.10	.2048	----	----	10	----	30 UNCH
4050	9.60	9.60	9.70B/2.40A	9.70B/2.40A	----	3.40 - 3.80	.0668	----	----	11	----	153 + 2
4050	----	----	144.90B/115.50A	144.90B/115.50A	----	135.50 + 9.30	.7424	----	----	----	----	4 UNCH
4050	----	----	39.40B/26.50A	39.40B/26.50A	----	28.70 - 7.00	.2571	----	----	----	----	1 UNCH
4055	5.50	5.50	10.50B/2.70A	10.50B/2.70A	----	3.70 NEW	.0737	----	----	7	----	7 + 7
4060	5.00	5.00	11.50B/3.00A	11.50B/3.00A	----	4.10 NEW	.0823	----	----	8	----	8 + 8
4065	----	----	12.60B/3.30A	12.60B/3.30A	----	4.50 - 5.00	.0913	----	----	1	----	30 + 1
4070	5.50	5.50	13.60B/3.70A	13.60B/3.70A	----	5.00 - 5.40	.1020	----	----	16	----	19 + 11
4075	----	----	125.50B/98.70A	125.50B/98.70A	----	117.30 + 8.00	.6943	----	----	----	----	1 UNCH
4075	22.00	22.00	34.30B/20.30A	34.30B/20.30A	----	22.90 - 7.50	.2595	----	----	2	----	185 - 1
4075	5.80	5.80	14.80B/4.10A	14.80B/4.10A	----	5.60 - 5.80	.1144	----	----	3	----	23 + 3
4080	----	----	16.10B/4.50A	16.10B/4.50A	----	6.10 - 6.30	.1259	----	----	2	----	1 UNCH
4080	----	----	94.40B/59.80A	94.40B/59.80A	----	83.10 + 10.00	.8739	----	----	5	----	2 - 1
4085	----	----	17.50B/5.10A	17.50B/5.10A	----	6.80 - 6.80	.1405	----	----	3	----	3 - 1
4090	9.80	9.80	19.00B/5.70A	19.00B/5.70A	----	7.60 - 7.30	.1566	----	----	23	----	19 + 12
4095	----	----	20.60B/6.30A	20.60B/6.30A	----	8.40 NEW	.1733	----	----	40	----	10 + 10
4100	----	----	43.70B/26.60A	43.70B/26.60A	----	30.00 - 9.00	.3236	----	----	----	----	27 UNCH
4100	45.30	45.30	76.80B/45.00A	76.80B/45.00A	----	66.30 + 7.90	.8083	----	----	1	----	26 UNCH
4100	----	----	57.80B/40.20A	57.80B/40.20A	----	43.60 - 9.50	.3585	----	----	----	----	1 UNCH
4100	14.50	14.50	21.80B/7.10A	21.80B/7.10A	----	9.30 - 8.40	.1915	----	----	8	----	183 + 3
4105	----	----	23.90B/7.90A	23.90B/7.90A	----	10.30 - 8.90	.2114	----	----	3	----	4 + 3
4110	----	----	69.00B/38.40A	69.00B/38.40A	----	58.40 + 6.80	.7670	----	----	----	----	25 UNCH
4110	----	----	25.60B/8.80A	25.60B/8.80A	----	11.40 - 9.50	.2328	----	----	6	----	7 + 6
4115	15.50	15.50	27.60B/9.80A	27.60B/9.80A	----	12.60 NEW	.2556	----	----	3	----	3 + 3
4115	45.20	45.20	65.20B/35.10A	65.20B/35.10A	----	54.60 + 6.20	.7442	----	----	2	----	6 + 1
4120	30.50	30.50	30.50/11.00A	30.50/11.00A	----	13.90 - 10.70	.2798	----	----	12	----	7 + 6
4120	52.50	52.50	61.50B/32.30A	61.50B/32.30A	----	50.90 + 5.60	.7200	----	----	4	----	5 UNCH
4125	44.90	44.90	54.80B/34.40A	54.80B/34.40A	----	38.90 - 10.40	.3953	----	----	14	----	44 + 1
4125	30.10	30.10	57.90B/29.40A	57.90B/29.40A	----	47.40 + 5.00	.6938	----	----	3	----	104 + 2
4125	59.10	59.10	79.40B/54.00A	79.40B/54.00A	----	70.90 NEW	.6044	----	----	11	----	4 + 4
4125	20.40	20.40	32.30B/12.20A	32.30B/12.20A	----	15.40 - 11.30	.3061	----	----	83	----	180 + 52
4130	32.40	32.40	54.50B/26.90A	54.50B/26.90A	----	44.00 + 4.50	.6665	----	----	1	----	33 + 1
4130	15.80	15.80	34.60B/13.50A	34.60B/13.50A	----	17.00 - 11.80	.3334	----	----	105	----	57 + 44
4135	22.00	22.00	37.10B/14.90A	37.10B/14.90A	----	18.70 - 12.40	.3617	----	----	14	----	16 + 12
4135	----	----	51.10B/24.30A	51.10B/24.30A	----	40.70 + 3.90	.6381	----	----	6	----	14 UNCH
4140	29.40	29.40	39.80B/16.60A	39.80B/16.60A	----	20.60 - 12.90	.3913	----	----	5	----	3 + 3
4140	35.00	35.00	47.90B/22.10A	47.90B/22.10A	----	37.60 + 3.40	.6085	----	----	22	----	40 + 14
4145	43.40	43.40	43.40/18.30A	43.40/18.30A	----	22.70 - 13.40	.4219	----	----	9	----	6 + 5
4145	34.00	34.00	44.80B/20.00A	44.80B/20.00A	----	34.60 + 2.80	.5779	----	----	2	----	5 + 1
4150	48.00	48.00	67.80B/44.20A	67.80B/44.20A	----	49.70 - 11.90	.4718	----	----	5	----	29 UNCH
4150	----	----	78.20B/57.30A	78.20B/57.30A	----	71.70 + 4.50	.5245	----	----	----	----	9 UNCH
4150	----	----	81.40B/59.60A	81.40B/59.60A	----	64.70 - 11.80	.4750	----	----	----	----	11 UNCH
4150	----	----	65.00B/42.10A	65.00B/42.10A	----	56.70 + 4.40	.5278	----	----	----	----	9 UNCH
4150	31.90	31.90	42.10B/17.90	42.10B/17.90	----	31.80 + 2.40	.5471	----	----	25	----	26 + 7
4150	33.00	33.00	45.50B/20.00A	45.50B/20.00A	----	24.80 - 13.90	.4528	----	----	42	----	42 + 6
4155	25.40	25.40	48.10B/22.00A	48.10B/22.00A	----	27.20 - 14.30	.4843	----	----	10	----	11 + 1
4155	29.90	29.90	39.20B/16.10A	39.20B/16.10A	----	29.20 + 2.00	.5156	----	----	33	----	32 + 29
4160	29.50	29.50	36.50B/14.50A	36.50B/14.50A	----	26.70 + 1.60	.4840	----	----	23	----	15 + 8
4160	----	----	51.40B/24.00A	51.40B/24.00A	----	29.70 - 14.70	.5158	----	----	6	----	4 - 2
4165	22.10	22.10	33.90B/12.90A	33.90B/12.90A	----	24.30 + 1.10	.4524	----	----	14	----	18 + 11
4170	20.00	20.00	31.40B/11.60A	31.40B/11.60A	----	22.20 + 0.80	.4215	----	----	5	----	11 + 5
4175	----	----	82.40B/56.10A	82.40B/56.10A	----	62.60 - 13.10	.5499	----	----	----	----	12 UNCH
4175	42.90	42.90	52.10B/32.20A	52.10B/32.20A	----	44.60 + 3.10	.4497	----	----	2	----	7 + 1
4175	18.30	18.30	29.10B/10.30A	29.10B/10.30A	----	20.10 + 0.50	.3907	----	----	24	----	51 + 11
4175	31.40	31.40	61.70B/31.40	61.70B/31.40	----	38.10 - 15.80	.6091	----	----	15	----	82 - 11
4175	----	----	94.10B/71.60A	94.10B/71.60A	----	77.50 - 12.90	.5349	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 43

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON	GOLD WEEKLY MONDAY OPTION WEEK2										
OCT26											
4180 22.10	22.10	26.90B/9.20A	26.90B/9.20A	----	18.20 + 0.20	.3609	----	----	5	----	11 + 4
4180 39.90	39.90	65.20B/34.20A	65.20B/34.20A	----	41.20 - 16.10	.6389	----	----	7	----	10 + 7
4185 15.10	15.10	24.80B/8.20A	24.80B/8.20A	----	16.50 UNCH	.3323	----	----	4	----	4 + 3
4190 ----	----	72.90B/40.10A	72.90B/40.10A	----	47.90 NEW	.6951	----	----	8	----	4 + 4
4190 12.00	12.00	22.70B/7.30A	22.70B/7.30A	----	14.90 - 0.30	.3047	----	----	13	----	13 + 10
4195 ----	----	20.80B/6.50A	20.80B/6.50A	----	13.40 - 0.50	.2782	----	----	1	----	11 + 1
4195 ----	----	76.80B/43.30A	76.80B/43.30A	----	51.40 - 16.70	.7216	----	----	5	----	5 UNCH
4200 ----	----	41.10B/24.20A	41.10B/24.20A	----	34.50 + 2.00	.3739	----	----	----	----	18 UNCH
4200 ----	----	99.10B/69.90A	99.10B/69.90A	----	77.40 - 14.30	.6257	----	----	----	----	21 UNCH
4200 55.80	55.80	80.80B/46.70A	80.80B/46.70A	----	55.10 - 16.90	.7462	----	----	1	----	49 UNCH
4200 87.10	87.10	108.10B/85.00A	108.10B/85.00A	----	91.90 - 13.90	.5939	----	----	4	----	13 + 4
4200 8.40	8.40	19.10B/5.80A	19.10B/5.80A	----	12.10 - 0.60	.2537	----	----	14	160	199 + 154
4205 12.10	12.10	17.50B/5.10A	17.50B/5.10A	----	10.90 - 0.70	.2305	----	----	12	----	9 + 8
4210 9.70	9.70	16.10B/4.50A	16.10B/4.50A	----	9.80 - 0.80	.2088	----	----	3	----	9 + 2
4210 ----	----	89.10B/53.70A	89.10B/53.70A	----	62.80 - 17.10	.7911	----	----	----	----	8 UNCH
4215 ----	----	14.60B/4.00A	14.60B/4.00A	----	8.80 - 0.90	.1885	----	----	2	----	3 + 1
4220 ----	----	13.30B/3.60A	13.30B/3.60A	----	7.90 - 0.90	.1699	----	----	----	----	1 UNCH
4225 ----	----	44.50B/30.70A	44.50B/30.70A	----	39.90 + 1.50	.3494	----	----	----	----	23 UNCH
4225 ----	----	32.00B/18.10A	32.00B/18.10A	----	26.20 + 1.00	.3033	----	----	1	----	407 + 1
4225 ----	----	117.50B/85.70A	117.50B/85.70A	----	94.20 - 15.20	.6964	----	----	----	----	7 UNCH
4225 8.10	8.10	12.20B/3.20A	12.20B/3.20A	----	7.10 - 1.00	.1529	----	----	18	----	66 + 2
4225 ----	----	102.10B/65.10A	102.10B/65.10A	----	75.10 - 17.20	.8469	----	----	----	----	19 UNCH
4230 6.10	6.10	11.10B/2.90A	11.10B/2.90A	----	6.40 - 1.00	.1377	----	----	4	----	18 + 4
4235 ----	----	10.10B/2.60A	10.10B/2.60A	----	5.70 - 1.00	.1228	----	----	----	----	2 UNCH
4240 ----	----	115.50B/77.40A	115.50B/77.40A	----	88.10 NEW	.8901	----	----	1	----	1 + 1
4240 5.30	5.30	9.40B/2.30A	9.40B/2.30A	----	5.10 - 1.00	.1097	----	----	4	----	6 + 3
4245 ----	----	8.40B/2.10A	8.40B/2.10A	----	4.60 - 1.00	.0984	----	----	4	----	19 + 2
4250 ----	----	24.60B/13.40A	24.60B/13.40A	----	19.80 + 0.40	.2414	----	----	1	----	14 + 1
4250 ----	----	137.50B/103.40A	137.50B/103.40A	----	112.70 - 15.90	.7583	----	----	----	----	3 UNCH
4250 6.50	6.50	7.60B/1.80A	7.60B/1.80A	----	4.20 - 0.90	.0890	----	----	18	----	64 - 10
4250 ----	----	124.70B/86.00A	124.70B/86.00A	----	97.10 - 17.30	.9109	----	----	----	----	64 UNCH
4250 ----	----	143.40B/117.20A	143.40B/117.20A	----	125.10 - 15.40	.7026	----	----	----	----	5 UNCH
4250 ----	----	36.50B/24.60A	36.50B/24.60A	----	32.20 + 0.80	.2969	----	----	----	----	5 UNCH
4255 ----	----	7.00B/1.70A	7.00B/1.70A	----	3.70 NEW	.0783	----	----	2	----	1 + 1
4260 3.20	3.20	6.30B/1.50A	6.30B/1.50A	----	3.40 NEW	.0710	----	----	2	----	2 + 2
4265 ----	----	5.60B/1.40A	5.60B/1.40A	----	3.00 - 1.00	.0624	----	----	----	----	2 UNCH
4270 1.80	1.80	5.10B/1.20A	5.10B/1.20A	----	2.70 NEW	.0556	----	----	1	----	1 + 1
4275 ----	----	158.60B/122.70A	158.60B/122.70A	----	132.70 - 16.30	.8112	----	----	----	----	11 UNCH
4275 1.60	1.60	4.60B/1.10A	4.60B/1.10A	----	2.50 - 0.90	.0507	----	----	14	----	33 - 2
4275 ----	----	148.40B/108.60A	148.40B/108.60A	----	120.40 - 17.20	.9491	----	----	1	----	6 + 1
4275 ----	----	163.40B/135.20A	163.40B/135.20A	----	143.70 - 16.00	.7499	----	----	----	----	5 UNCH
4275 ----	----	29.80B/19.60A	29.80B/19.60A	----	25.90 + 0.30	.2496	----	----	----	----	24 UNCH
4275 ----	----	18.80B/9.90A	18.80B/9.90A	----	14.80 - 0.10	.1885	----	----	----	----	15 UNCH
4280 1.70	1.70	4.30B/1.10A	4.30B/1.10A	----	2.30 - 0.80	.0459	----	----	3	----	5 + 3
4285 1.90	1.90	3.90B/1.00A	3.90B/1.00A	----	2.00 NEW	.0398	----	----	2	----	2 + 2
4290 1.60	1.60	3.60B/0.90A	3.60B/0.90A	----	1.90 NEW	.0370	----	----	6	----	6 + 6
4295 1.50	1.50	3.20B/0.90A	3.20B/0.90A	----	1.70 NEW	.0327	----	----	2	----	2 + 2
4300 ----	----	14.30B/7.40A	14.30B/7.40A	----	11.10 - 0.30	.1458	----	----	1	----	32 + 1
4300 ----	----	172.50B/132.10A	172.50B/132.10A	----	144.50 - 17.00	.9696	----	----	----	----	4 UNCH
4300 1.00	1.00	3.00B/0.80A	3.00B/0.80A	----	1.60 - 0.70	.0302	----	----	43	----	57 - 21
4305 1.20	1.20	2.70B/0.80A	2.70B/0.80A	----	1.40 - 0.70	.0262	----	----	9	----	11 + 9
4315 1.10	1.10	2.30B/0.70A	2.30B/0.70A	----	1.20 - 0.70	.0217	----	----	9	----	11 + 9
4320 ----	----	2.10B/0.60A	2.10B/0.60A	----	1.10 - 0.60	.0196	----	----	----	----	2 UNCH
4325 ----	----	19.50B/12.50A	19.50B/12.50A	----	16.60 - 0.40	.1718	----	----	----	----	2 UNCH
4325 ----	----	203.10B/164.90A	203.10B/164.90A	----	176.20 - 16.70	.8880	----	----	----	----	1 UNCH
4325 10.00	10.00	10.80B/5.50A	10.80B/5.50A	----	8.30 - 0.50	.1117	----	----	8	----	108 + 3
4325 ----	----	197.00B/156.30A	197.00B/156.30A	----	169.00 - 16.80	.9823	----	----	----	----	7 UNCH
4325 ----	----	205.90B/174.60A	205.90B/174.60A	----	184.40 - 16.60	.8277	----	----	----	----	3 UNCH
4325 0.70	0.70	2.00B/0.60A	2.00B/0.60A	----	1.00 - 0.60	.0175	----	----	3	----	18 + 1
4350 ----	----	226.40B/187.40A	226.40B/187.40A	----	199.10 - 16.80	.9139	----	----	----	----	12 UNCH
4350 ----	----	8.30B/4.20A	8.30B/4.20A	----	6.30 - 0.60	.0858	----	----	1	----	24 - 1
4350 ----	----	221.60B/182.30A	221.60B/182.30A	----	193.70 - 16.70	.9887	----	----	----	----	53 UNCH
4350 1.00	1.00	1.30B/0.50A	1.30B/0.50A	----	0.70 - 0.50	.0112	----	----	2	----	15 + 1
4350 ----	----	15.70B/10.00A	15.70B/10.00A	----	13.30 - 0.50	.1413	----	----	----	----	1 UNCH
4360 ----	----	----/0.40A	1.10B/0.40A	----	0.70 - 0.40	.0107	----	----	----	----	4 UNCH
4365 ----	----	----/0.40A	1.00B/0.40A	----	0.60 - 0.40	.0091	----	----	----	----	2 UNCH
4370 0.50	0.50	0.50/0.40A	0.90B/0.40A	----	0.60 - 0.40	.0089	----	----	1	----	2 + 1
4375 ----	----	244.30B/207.00A	244.30B/207.00A	----	218.50 - 16.60	.9912	----	----	----	----	5 UNCH
4375 ----	----	6.30B/3.30A	6.30B/3.30A	----	4.80 - 0.60	.0658	----	----	----	----	6 UNCH
4375 ----	----	----/0.40A	0.90B/0.40A	----	0.60 - 0.30	.0087	----	----	----	----	42 UNCH
4395 ----	----	----/0.30A	0.70B/0.30A	----	0.50 - 0.20	.0068	----	----	----	----	4 UNCH
4400 ----	----	10.10B/6.50A	10.10B/6.50A	----	8.60 - 0.70	.0949	----	----	----	----	1 UNCH
4400 ----	----	4.90B/2.60A	4.90B/2.60A	----	3.70 - 0.60	.0507	----	----	----	----	715 UNCH
4400 ----	----	----/0.30A	0.60B/0.30A	----	0.50 - 0.20	.0066	----	----	1	----	20 - 1
4400 ----	----	269.30B/232.80A	269.30B/232.80A	----	243.40 - 16.50	.9933	----	----	----	----	12 UNCH
4425 ----	----	3.80B/2.10A	3.80B/2.10A	----	2.90 - 0.50	.0395	----	----	----	----	8 UNCH
4425 ----	----	----/0.30A	0.50B/0.30A	----	0.30 - 0.20	.0037	----	----	1	----	10 UNCH
4425 ----	----	294.10B/258.60A	294.10B/258.60A	----	268.30 - 16.50	.9963	----	----	----	----	1 UNCH
4450 ----	----	----/0.20A	0.30B/0.20A	----	0.20 - 0.20	.0023	----	----	----	----	29 UNCH
4450 ----	----	319.20B/282.70A	319.20B/282.70A	----	293.20 - 16.40	.9977	----	----	----	----	5 UNCH
4450 6.60	6.60	7.50/4.30A	7.50/4.30A	----	5.70 - 0.60	.0641	----	----	7	----	5 UNCH
4475 ----	----	----/0.20A	0.20B/0.20A	----	0.20 - 0.20	.0021	----	----	----	----	7 UNCH
4500 ----	----	369.80B/333.10A	369.80B/333.10A	----	344.30 - 16.70	.9791	----	----	----	----	1 UNCH
4500 ----	----	----/0.20A	0.20B/0.20A	----	0.10 - 0.20	.0009	----	----	----	----	113 UNCH
4500 ----	----	----/3.00A	4.10B/3.00A	----	3.90 - 0.50	.0441	----	----	1	----	6 UNCH
4500 ----	----	368.80B/333.70A	368.80B/333.70A	----	343.10 - 16.40	.9991	----	----	----	----	0 UNCH
4500 1.30	1.30	1.30/1.20A	1.90B/1.20A	----	1.60 - 0.40	.0207	----	----	7	----	8 + 7
4525 ----	----	----/1.10A	1.60B/1.10A	----	1.40 - 0.30	.0176	----	----	----	----	2 UNCH
4550 ----	----	----/0.90A	1.30B/0.90A	----	1.20 - 0.30	.0147	----	----	----	----	2 UNCH
4550 ----	----	----	----/0.20A	----	0.10 - 0.10	.0002	----	----	----	----	4 UNCH
4575 ----	----	----	----/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	20 UNCH
4600 ----	----	----/0.80A	0.90B/0.80A	----	0.90 - 0.20	.0106	----	----	----	----	2 UNCH
4600 ----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH
4625 ----	----	----/0.70A	0.80B/0.70A	----	0.80 - 0.20	.0092	----	----	----	----	8 UNCH
4625 ----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	15 UNCH
4650 0.60	0.60	0.60/0.60	0.70B/0.60	----	0.70 NEW	.0078	----	----	6	----	6 + 6
4650 ----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	18 UNCH
4675 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
4700 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
4700 ----	----	----/1.20A	1.30B/1.20A	----	1.30 - 0.30	.0135	----	----	----	----	50 UNCH
4725 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
4750 ----	----	----/1.00A	1.10B/1.00A	----	1.10 - 0.20	.0110	----	----	----	----	2 UNCH
4750 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
4775 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
4800 ----	----	----	0.30B/0.50A	----	0.40 - 0.10	.0039	----	----	----	----	3 UNCH
4800 ----	----	----/0.90A	0.90B/0.90A	----	0.90 NEW	.0088	----	----	1	----	1 + 1
4800 ----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
4850 ----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
4900 ----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
4900 ----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0018	----	----	----	----	13 UNCH
5000 ----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5100 ----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
TOTAL									1312	160	5256 + 801
NOV26											
3775 ----	----	8.30B/6.60A	8.30B/6.60A	----	6.60 - 1.40	.0544	----	----	----	----	6 UNCH
3900 ----	----	19.60B/14.20A	19.60B/14.20A	----	14.70 - 3.10	.1189	----	----	----	----	1 UNCH
3950 ----	----	27.70B/20.00A	27.70B/20.00A	----	21.00 - 4.40	.1640	----	----	----	----	3 UNCH
4000 ----	----	39.10B/28.30A	39.10B/28.30A	----	30.10 - 5.90	.2233	----	----	----	----	3 UNCH
4050 ----	----	53.90B/40.20A	53.90B/40.20A	----	42.50 NEW	.2963	----	----	1	----	1 + 1
4100 ----	----	74.40B/56.40A	74.40B/56.40A	----	59.20 NEW	.3822	----	----	1	----	1 + 1
4300 ----	----	37.40B/27.50A	37.40B/27.50A	----	34.10 + 0.80	.2615	----	----	----	----	2 UNCH
4325 ----	----	31.10B/23.10A	31.10B/23.10A	----	28.60 NEW	.2270	----	----	1	----	1 + 1
4350 ----	----	26.80B/19.40A	26.80B/19.40A	----	24.10 NEW	.1966	----	----	2	----	2 + 2
4375 ----	----	22.60B/16.20A	22.60B/16.20A	----	20.30 NEW	.1697	----	----	1	----	1 + 1
4450 ----	----	13.60B/9.80A	13.60B/9.80A	----	12.20 - 0.50	.1078	----	----	----	----	2 UNCH
5500 ----	----	----/0.50A	0.20B/0.50A	----	0.60 - 0.20	.0038	----	----	----	----	3 UNCH
TOTAL									6		26 + 6

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FMG OPT	MICRO GOLD WEEKLY FRI OPTION WEEK3										
OCT26											
4000 10.00	10.00	10.00/10.00	10.00/10.00	----	8.10 NEW	.1052	----	----	1	----	1 + 1
4110 ----	----	----/11.00A	----/11.00A	----	5.50 - 9.10	.1048	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FMG OPT		MICRO GOLD WEEKLY FRI OPTION WEEK2										
OCT26												
4120	10.50	10.50	10.50/10.50	10.50/10.50	----	7.40 NEW	.1577	----	----	1	----	1 + 1
4200	----	----	----	----/10.00A	----	6.20 - 1.80	.1258	----	----	----	----	2 UNCH
4250	----	----	----	----	----	1.60 - 1.20	.0147	----	----	----	----	1 UNCH
TOTAL										2		6+ 2

SILVER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week4										
OCT26												
4750	----	----	----	0.020B/0.030A	----	0.022 - 0.001	.0086	----	----	----	----	1 UNCH
5000	----	----	----	----/0.008A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
5000	----	----	0.057B/----	0.057B/0.048A	----	0.042 + 0.003	.0180	----	----	----	----	34 UNCH
5200	----	----	0.122B/----	0.122B/0.078A	----	0.081 + 0.011	.0365	----	----	----	----	1 UNCH
5500	0.150	0.150	0.177B/0.150	0.177B/0.090A	----	0.100 + 0.011	.0575	----	----	1	----	7 + 1
5500	----	----	----	----/0.008A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
5600	----	----	5.034B/3.297A	5.034B/3.297A	----	3.813 - 0.796	.8298	----	----	----	----	1 UNCH
5600	----	----	----	0.002B/0.007A	----	0.000 - 0.005	----	----	----	----	----	0 - 2
5600	----	----	0.301B/0.138A	0.301B/0.138A	----	0.170 + 0.026	.0995	----	----	----	----	1 UNCH
5650	----	----	0.393B/0.167A	0.393B/0.167A	----	0.225 + 0.039	.1311	----	----	----	----	25 UNCH
5700	----	----	0.022B/0.008A	0.022B/0.008A	----	0.000 - 0.018	----	----	----	----	----	0 - 1
5750	0.045	0.045	0.061B/0.006A	0.061B/0.006A	----	0.000 - 0.027	----	----	----	10	----	0 - 15
5760	----	----	0.080B/0.006A	0.080B/0.006A	----	0.000 - 0.030	----	----	----	----	----	0 - 8
5780	----	----	0.099B/0.004A	0.099B/0.004A	----	0.000 - 0.036	----	----	----	----	----	0 - 6
5790	0.069	0.069	0.118B/0.006A	0.118B/0.006A	----	0.000 - 0.039	----	----	----	1	----	0 - 3
5800	0.022	0.022	0.137B/0.003A	0.137B/0.003A	----	0.000 - 0.043	----	----	----	12	----	0 - 3
5800	0.560	0.560	0.826B/0.336A	0.826B/0.336A	----	0.525 + 0.124	.2817	----	----	3	----	6 + 2
5810	----	----	0.158B/0.006A	0.158B/0.006A	----	0.000 - 0.048	----	----	----	----	----	0 - 8
5820	----	----	0.184B/0.004A	0.184B/0.004A	----	0.000 - 0.053	----	----	----	15	----	0 - 17
5830	0.125	0.125	0.212B/0.004A	0.212B/0.004A	----	0.000 NEW	----	----	----	2	----	0 UNCH
5840	0.117	0.117	0.244B/0.006A	0.244B/0.006A	----	0.000 - 0.065	----	----	----	8	----	0 - 2
5850	----	----	1.035B/0.432A	1.035B/0.432A	----	0.687 + 0.172	.3504	----	----	----	----	4 UNCH
5850	0.170	0.170	0.281B/0.004	0.281B/0.004	----	0.000 - 0.073	----	----	----	29	----	0 - 9
5860	0.335	0.335	0.335/0.006A	0.335/0.006A	----	0.000 NEW	----	----	----	52	----	0 UNCH
5870	0.250	0.250	0.364B/0.007A	0.364B/0.007A	----	0.000 - 0.091	----	----	----	4	----	0 - 2
5880	0.085	0.085	0.413B/0.008A	0.413B/0.008A	----	0.000 - 0.102	----	----	----	94	----	0 - 3
5890	0.310	0.310	0.470B/0.008A	0.470B/0.008A	----	0.000 - 0.114	----	----	----	4	----	0 - 5
5890	0.450	0.450	1.942B/0.048A	1.942B/0.048A	----	0.524 NEW	----	1	----	1	----	0 UNCH
5900	1.155	1.155	1.848B/0.022A	1.848B/0.022A	----	0.424 - 0.998	----	25	----	54	----	0 - 10
5900	0.280	0.280	0.528B/0.009A	0.528B/0.009A	----	0.000 - 0.128	----	----	----	77	----	0 - 16
5900	1.021	1.021	1.299B/0.557A	1.299B/0.557A	----	0.887 + 0.229	.4254	----	----	20	----	26 + 20
5910	0.380	0.380	0.590B/0.012A	0.590B/0.012A	----	0.000 - 0.144	----	----	----	15	----	0 UNCH
5910	0.043	0.043	1.755B/0.012A	1.755B/0.012A	----	0.324 NEW	----	10	----	20	----	0 UNCH
5920	0.481	0.481	1.663B/0.007A	1.663B/0.007A	----	0.224 NEW	----	3	----	3	----	0 UNCH
5920	0.500	0.500	0.656B/0.011A	0.656B/0.011A	----	0.000 - 0.161	----	----	----	13	----	0 - 7
5930	0.056	0.056	0.725B/0.007A	0.725B/0.007A	----	0.000 - 0.181	----	----	----	3	----	0 - 79
5930	0.399	0.399	1.572B/0.006A	1.572B/0.006A	----	0.124 NEW	----	4	----	15	----	0 UNCH
5940	0.173	0.173	1.481B/0.004A	1.481B/0.004A	----	0.024 NEW	----	2	----	2	----	0 UNCH
5940	0.558	0.558	0.798B/0.011A	0.798B/0.011A	----	0.000 - 0.203	----	----	----	2	----	0 - 5
5950	0.271	0.271	0.876B/0.027A	0.876B/0.027A	----	0.076 - 0.152	----	9	----	3	----	0 - 10
5950	0.190	0.190	1.393B/0.003A	1.393B/0.003A	----	0.000 NEW	----	----	----	25	----	0 UNCH
5960	0.120	0.120	1.307B/0.004A	1.307B/0.004A	----	0.000 - 0.949	----	----	----	35	----	0 - 1
5970	----	----	1.039B/0.154A	1.039B/0.154A	----	0.276 - 0.009	----	2	----	----	----	0 - 2
5970	0.100	0.100	1.221B/0.004A	1.221B/0.004A	----	0.000 NEW	----	----	----	11	----	0 UNCH
5990	----	----	1.208B/0.192A	1.208B/0.192A	----	0.476 NEW	----	1	----	1	----	0 UNCH
5990	0.038	0.038	1.057B/0.004A	1.057B/0.004A	----	0.000 NEW	----	----	----	3	----	0 UNCH
6000	0.180	0.180	0.978B/0.004A	0.978B/0.004A	----	0.000 - 0.686	----	----	----	98	----	0 - 6
6000	----	----	1.879B/0.889A	1.879B/0.889A	----	1.409 + 0.364	.5801	----	----	----	----	1 UNCH
6000	0.863	0.863	1.299B/0.217A	1.299B/0.217A	----	0.576 + 0.184	----	14	----	5	----	0 - 13
6010	0.584	0.584	0.899B/0.004A	0.899B/0.004A	----	0.000 - 0.629	----	----	----	19	----	0 - 31
6010	0.393	0.393	1.390B/0.242A	1.390B/0.242A	----	0.676 + 0.241	----	25	----	15	----	0 - 25
6020	1.042	1.042	1.482B/0.269A	1.482B/0.269A	----	0.776 + 0.296	----	1	----	1	----	0 - 1
6030	----	----	1.576B/0.300A	1.576B/0.300A	----	0.876 + 0.347	----	1	----	----	----	0 - 1
6030	----	----	0.756B/0.004A	0.756B/0.004A	----	0.000 - 0.523	----	----	----	74	----	0 - 2
6040	0.090	0.090	0.686B/0.004A	0.686B/0.004A	----	0.000 - 0.475	----	----	----	2	----	0 - 2
6040	----	----	1.670B/0.336A	1.670B/0.336A	----	0.976 + 0.395	----	1	----	----	----	0 - 1
6050	----	----	1.783B/0.785A	1.783B/0.785A	----	1.035 - 0.446	.3961	----	----	----	----	1 UNCH
6050	0.460	0.460	1.765B/0.375A	1.765B/0.375A	----	1.076 + 0.439	----	5	----	1	----	0 - 4
6050	0.170	0.170	0.624B/0.004A	0.624B/0.004A	----	0.000 - 0.431	----	----	----	1	----	0 - 6
6070	----	----	0.520B/0.006A	0.520B/0.006A	----	0.000 - 0.352	----	----	----	----	----	0 - 2
6080	----	----	0.468B/0.004A	0.468B/0.004A	----	0.000 - 0.317	----	----	----	----	----	0 - 3
6090	----	----	0.416B/0.003A	0.416B/0.003A	----	0.000 - 0.285	----	----	----	----	----	0 - 4
6100	----	----	1.105B/0.333A	1.105B/0.333A	----	0.510 - 0.361	.2828	----	----	----	----	1 UNCH
6100	----	----	2.251B/0.611A	2.251B/0.611A	----	1.576 + 0.614	----	15	----	----	----	0 - 15
6100	0.132	0.132	0.377B/0.003	0.377B/0.003	----	0.000 - 0.256	----	----	----	16	----	0 - 30
6100	----	----	2.622B/1.352A	2.622B/1.352A	----	2.085 + 0.508	.7171	----	----	----	----	4 UNCH
6110	----	----	0.325B/0.006A	0.325B/0.006A	----	0.000 - 0.229	----	----	----	----	----	0 - 11
6120	----	----	0.286B/0.005A	0.286B/0.005A	----	0.000 - 0.205	----	----	----	----	----	0 - 3
6130	----	----	0.265B/0.006A	0.265B/0.006A	----	0.000 - 0.184	----	----	----	----	----	0 - 4
6140	----	----	0.229B/0.006A	0.229B/0.006A	----	0.000 - 0.164	----	----	----	----	----	0 - 1
6150	----	----	2.743B/0.933A	2.743B/0.933A	----	2.076 + 0.723	----	5	----	----	----	0 - 5
6150	0.171	0.171	0.195/0.007A	0.195/0.007A	----	0.000 - 0.147	----	----	----	3	----	0 - 1
6150	----	----	3.033B/1.638A	3.033B/1.638A	----	2.471 + 0.573	.7728	----	----	----	----	4 UNCH
6150	----	----	3.344B/2.044A	3.344B/2.044A	----	2.797 + 0.525	.6999	----	----	----	----	1 UNCH
6150	----	----	3.608B/2.595A	3.608B/2.595A	----	3.176 + 0.505	.6517	----	----	----	----	0 UNCH
6160	0.151	0.151	0.180B/0.005A	0.180B/0.005A	----	0.000 - 0.132	----	----	----	7	----	0 - 6
6170	----	----	0.161B/0.005A	0.161B/0.005A	----	0.000 - 0.118	----	----	----	----	----	0 - 4
6180	----	----	0.129B/0.007A	0.129B/0.007A	----	0.000 - 0.106	----	----	----	----	----	0 - 30
6190	----	----	0.116B/0.006A	0.116B/0.006A	----	0.000 - 0.095	----	----	----	----	----	0 UNCH
6200	0.307	0.307	0.713B/0.198A	0.713B/0.198A	----	0.310 NEW	.1808	----	----	50	----	50 + 50
6200	----	----	3.739B/2.378A	3.739B/2.378A	----	3.176 + 0.572	.7415	----	----	----	----	1 UNCH
6200	0.085	0.085	0.113B/0.002	0.113B/0.002	----	0.000 - 0.085	----	----	----	10	----	0 - 8
6200	----	----	3.241B/1.327A	3.241B/1.327A	----	2.576 + 0.785	----	6	----	----	----	0 - 6
6230	----	----	0.067B/0.007A	0.067B/0.007A	----	0.000 - 0.062	----	----	----	----	----	0 - 2
6250	----	----	----/0.006A	0.046B/0.006A	----	0.000 - 0.051	----	----	----	----	----	0 - 2
6250	----	----	0.564B/0.157A	0.564B/0.157A	----	0.244 - 0.186	.1437	----	----	----	----	6 UNCH
6250	----	----	3.739B/1.770A	3.739B/1.770A	----	3.076 + 0.819	----	5	----	1	----	0 - 4
6250	----	----	4.155B/2.712A	4.155B/2.712A	----	3.575 + 0.614	.7785	----	----	----	----	6 UNCH
6270	----	----	----/0.008A	0.032B/0.008A	----	0.000 - 0.042	----	----	----	----	----	0 - 25
6290	----	----	----/0.008A	0.023B/0.008A	----	0.000 - 0.035	----	----	----	1	----	0 - 1
6300	----	----	4.238B/2.244A	4.238B/2.244A	----	3.576 + 0.838	----	6	----	----	----	0 - 6
6300	----	----	4.582B/3.068A	4.582B/3.068A	----	3.992 + 0.652	.8109	----	----	----	----	2 UNCH
6300	0.002	0.002	0.002/0.002	0.020B/0.002	----	0.000 - 0.032	----	----	----	1	----	0 - 5
6300	----	----	0.797B/0.311A	0.797B/0.311A	----	0.420 - 0.217	.1890	----	----	----	----	1 UNCH
6300	----	----	0.443B/0.126A	0.443B/0.126A	----	0.194 - 0.143	.1143	----	----	----	----	4 UNCH
6350	----	----	4.737B/2.729A	4.737B/2.729A	----	4.076 + 0.849	----	1	----	----	----	0 - 1
6350	0.014	0.014	0.014/0.008A	0.014/0.008A	----	0.000 - 0.021	----	----	----	1	----	0 - 4
6350	----	----	5.018B/3.443A	5.018B/3.443A	----	4.423 + 0.685	.8388	----	----	----	----	1 UNCH
6350	----	----	0.345B/0.108A	0.345B/0.108A	----	0.156 - 0.110	.0913	----	----	----	----	3 UNCH
6370	----	----	----/0.008A	0.004B/0.008A	----	0.000 - 0.016	----	----	----	----	----	0 - 1
6400	----	----	5.237B/3.222A	5.237B/3.222A	----	4.576 + 0.858	----	2	----	----	----	0 - 2
6400	0.120	0.120	0.272B/0.091A	0.272B/0.091A	----	0.127 - 0.083	.0735	----	----	1	----	5 + 1
6400	0.001	0.001	0.001/0.001	0.001/0.001	----	0.000 - 0.012	----	----	----	1	----	0 - 6
6450	----	----	----	----/0.008A	----	0.000 - 0.007	----	----	----	----	----	0 - 5
6500	----	----	----	----/0.008A	----	0.000 - 0.004	----	----	----	----	----	0 - 6
6500	----	----	0.579B/0.347A	0.579B/0.347A	----	0.426 - 0.140	.1559	----	----	----	----	1 UNCH
6500	----	----	0.394B/0.178A	0.394B/0.178A	----	0.214 - 0.110	.1005	----	----	----	----	1 UNCH
6500	----	----	6.235B/4.213A	6.235B/4.213A	----	5.576 + 0.866	----	1	----	----	----	0 - 1
6500	----	----	0.166B/0.066A	0.166B/0.066A	----	0.087 - 0.048	.0486	----	----	----	----	1 UNCH
6550	----	----	6.770B/4.901A	6.770B/4.901A	----	6.146 + 0.834	.9595	----	----	----	----	9 UNCH
6550	----	----	----	----/0.008A	----	0.000 - 0.003	----	----	----	----	----	0 - 3
6560	----	----	----	----/0.008A	----	0.000 - 0.003	----	----	----	----	----	0 - 3
6570	----	----	----	----/0.008A	----	0.000 - 0.002	----	----	----	----	----	0 - 1
6600	----	----	0.100B/0.053A	0.100B/0.053A	----	0.063 - 0.027	.0336	----	----	----	----	3 UNCH
6600	----	----	7.234B/5.210A	7.234B/5.210A	----	6.576 + 0.868	----	1	----	----	----	0 - 1
6650	----	----	7.699B/5.855A	7.699B/5.855A	----	7.127 + 0.850	.9718	----	----	----	----	13 UNCH
6700	----	----	8.237B/6.208A	8.237B/6.208A	----	7.576 + 0.869	----	1	----	----	----	0 - 1
6700	----	----	----	----/0.006A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
6700	----	----	0.067B/0.042A	0.067B/0.042A	----	0.047 - 0.017	.0239	----	----	----	----	3 UNCH
6800	----	----	----	----/0.008A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
6800	----	----	----/0.037A	0.046B/0.037A	----	0.037 - 0.011	.0178	----	----	----	----	2 UNCH
7000	----	----	----/0.058A	0.081B/0.058A	----	0.062 - 0.022	.0273	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week3										
OCT26												
7100	----	----	----/0.024A	0.009B/0.024A	----	0.018 - 0.009	.0075	----	----	----	----	2 UNCH
7200	----	----	----/0.021A	0.006B/0.021A	----	0.014 - 0.009	.0056	----	----	----	----	1 UNCH
7200	----	----	----/0.045A	0.046B/0.045A	----	0.043 - 0.013	.0181	----	----	----	----	3 UNCH
7250	----	----	----/0.020A	0.005B/0.020A	----	0.013 - 0.008	.0051	----	----	----	----	8 UNCH
7500	----	----	----	0.001B/0.014A	----	0.007 - 0.004	.0025	----	----	----	----	3 UNCH
7700	----	----	----	----/0.008A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
8000	----	----	----	----/0.051A	----	0.001 - 0.001	.0001	----	----	----	----	1 UNCH
8100	----	----	----	----/0.008A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
8250	----	----	----	----/0.050A	----	0.001 UNCH	.0000	----	----	----	----	1 UNCH
TOTAL										846	0	254 - 454
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK4										
OCT26												
5400	0.240	0.240	0.310B/0.240	0.310B/0.230A	----	0.237 NEW	.0977	----	----	4	----	4 + 4
5500	----	----	0.051B/----	0.051B/0.030A	----	0.021 - 0.005	.0134	----	----	----	----	2 UNCH
5600	0.075	0.075	0.108B/0.040	0.108B/0.040	----	0.048 - 0.003	.0344	----	----	2	----	2 + 1
5650	0.080	0.080	0.155B/0.064A	0.155B/0.064A	----	0.067 NEW	.0513	----	----	10	----	10 + 10
5650	----	----	0.536B/0.236A	0.536B/0.236A	----	0.334 + 0.068	.1688	----	----	----	----	1 UNCH
5650	----	----	4.483B/2.745A	4.483B/2.745A	----	3.255 - 0.801	.8311	----	----	----	----	1 UNCH
5700	0.185	0.185	0.227B/0.083A	0.227B/0.083A	----	0.096 + 0.004	.0777	----	----	9	----	13 + 3
5730	0.148	0.148	0.287B/0.105A	0.287B/0.105A	----	0.122 NEW	.1009	----	----	3	----	3 + 3
5750	----	----	0.824B/0.364A	0.824B/0.364A	----	0.539 + 0.119	.2565	----	----	----	----	1 UNCH
5760	0.185	0.185	0.355B/0.118A	0.355B/0.118A	----	0.156 NEW	.1309	----	----	3	----	3 + 3
5800	0.200	0.200	0.474B/0.148A	0.474B/0.148A	----	0.220 + 0.041	.1846	----	----	2	----	2 + 1
5830	0.359	0.359	0.584B/0.176A	0.584B/0.176A	----	0.285 NEW	.2358	----	----	10	----	10 + 10
5840	0.301	0.301	0.627B/0.188A	0.627B/0.188A	----	0.310 NEW	.2548	----	----	2	----	2 + 2
5850	----	----	0.671B/0.202A	0.671B/0.202A	----	0.338 + 0.083	.2751	----	----	2	----	7 UNCH
5850	1.090	1.090	2.465B/0.828A	2.465B/0.828A	----	1.261 NEW	.7248	----	----	2	----	0 UNCH
5890	----	----	2.125B/0.617A	2.125B/0.617A	----	0.994 - 0.738	.6353	----	----	----	----	1 UNCH
5900	----	----	1.485B/0.700A	1.485B/0.700A	----	1.064 + 0.247	.4343	----	----	----	----	1 UNCH
5900	1.503	1.503	2.446B/1.131A	2.446B/1.131A	----	1.488 NEW	.5656	----	----	4	----	4 + 4
5900	0.726	0.726	0.914B/0.281A	0.914B/0.281A	----	0.510 + 0.147	.3886	----	----	11	----	13 + 6
5930	0.750	0.750	1.090B/0.342A	1.090B/0.342A	----	0.642 NEW	.4633	----	----	2	----	2 + 2
5940	0.717	0.717	1.152B/0.365A	1.152B/0.365A	----	0.691 NEW	.4886	----	----	1	----	1 + 1
5950	----	----	1.217B/0.388A	1.217B/0.388A	----	0.743 + 0.233	.5138	----	----	----	----	7 UNCH
5980	----	----	1.431B/0.296A	1.431B/0.296A	----	0.537 - 0.577	.4117	----	----	2	----	3 + 2
6000	----	----	1.572B/0.539A	1.572B/0.539A	----	1.039 + 0.335	.6354	----	----	1	----	21 - 1
6000	----	----	1.820B/0.735A	1.820B/0.735A	----	1.010 NEW	.4355	----	----	12	----	12 + 12
6000	0.425	0.425	1.296B/0.248A	1.296B/0.248A	----	0.463 - 0.535	.3645	----	----	21	----	25 + 14
6050	----	----	1.969B/0.741A	1.969B/0.741A	----	1.391 + 0.442	.7396	----	----	----	----	4 UNCH
6050	0.319	0.319	0.991B/0.163A	0.991B/0.163A	----	0.316 NEW	.2603	----	----	1	----	1 + 1
6090	0.205	0.205	0.783B/0.118A	0.783B/0.118A	----	0.231 NEW	.1934	----	----	1	----	1 + 1
6100	----	----	2.395B/0.975A	2.395B/0.975A	----	1.790 + 0.544	.8207	----	----	----	----	2 UNCH
6100	0.182	0.182	0.736B/0.109A	0.736B/0.109A	----	0.214 - 0.327	.1792	----	----	6	----	15 + 6
6150	2.120	2.120	2.846B/1.279A	2.846B/1.279A	----	2.223 + 0.630	.8776	----	----	2	----	2 UNCH
6200	0.123	0.123	0.377B/0.057A	0.377B/0.057A	----	0.104 - 0.172	.0833	----	----	3	----	7 + 1
6220	0.200	0.200	0.325B/0.051A	0.325B/0.051A	----	0.092 NEW	.0722	----	----	20	----	20 + 20
6230	----	----	0.303B/0.048A	0.303B/0.048A	----	0.086 - 0.139	.0669	----	----	----	----	4 UNCH
6250	----	----	0.730B/0.244A	0.730B/0.244A	----	0.352 - 0.219	.1830	----	----	----	----	1 UNCH
6250	----	----	3.869B/----	3.869B/3.702A	----	3.695 + 0.598	.7536	----	----	----	----	6 UNCH
6280	----	----	0.211B/0.038A	0.211B/0.038A	----	0.064 - 0.097	.0472	----	----	----	----	1 UNCH
6300	----	----	0.595B/0.200A	0.595B/0.200A	----	0.286 - 0.178	.1511	----	----	----	----	52 UNCH
6300	----	----	0.183B/0.035A	0.183B/0.035A	----	0.057 - 0.085	.0411	----	----	----	----	10 UNCH
6350	----	----	0.129B/0.029A	0.129B/0.029A	----	0.044 - 0.060	.0299	----	----	----	----	5 UNCH
6400	----	----	0.390B/0.141A	0.390B/0.141A	----	0.193 - 0.116	.1035	----	----	----	----	4 UNCH
6410	----	----	----/0.026A	0.069B/0.026A	----	0.033 - 0.040	.0208	----	----	----	----	1 UNCH
6420	0.033	0.033	0.033/0.024A	0.069B/0.024A	----	0.031 NEW	.0194	----	----	5	----	5 + 5
6450	0.016	0.016	0.064B/0.016	0.064B/0.016	----	0.027 NEW	.0162	----	----	2	----	2 + 2
6450	----	----	0.318B/0.119A	0.318B/0.119A	----	0.161 - 0.093	.0863	----	----	----	----	5 UNCH
6490	0.026	0.026	0.026/0.019A	0.049B/0.019A	----	0.023 NEW	.0132	----	----	17	----	17 + 17
6530	0.012	0.012	0.012/0.012	0.037B/0.012	----	0.019 NEW	.0104	----	----	1	----	1 + 1
6560	----	----	----/0.017A	0.031B/0.017A	----	0.016 - 0.020	.0085	----	----	----	----	1 UNCH
6610	----	----	----/0.015A	0.022B/0.015A	----	0.012 - 0.017	.0060	----	----	----	----	1 UNCH
6700	----	----	----/0.011A	0.013B/0.011A	----	0.007 - 0.014	.0031	----	----	----	----	5 UNCH
6750	----	----	0.097B/0.058A	0.097B/0.058A	----	0.065 - 0.030	.0328	----	----	----	----	50 UNCH
7000	----	----	----	----/0.012A	----	0.001 - 0.008	.0003	----	----	----	----	5 UNCH
7000	----	----	----/0.080A	0.074B/0.080A	----	0.085 - 0.026	.0359	----	----	----	----	1 UNCH
TOTAL										161	0	380 + 131
SO CALL		COMEX SILVER OPTIONS										
NOV26												
5000	----	----	10.723B/8.872A	10.723B/8.872A	----	9.480 - 0.860	.9727	----	----	----	----	13 UNCH
5450	----	----	6.507B/4.674A	6.507B/4.674A	----	5.225 - 0.815	.8778	----	----	----	----	1 UNCH
5500	----	----	6.043B/4.256A	6.043B/4.256A	----	4.788 - 0.804	.8556	----	----	----	----	4 UNCH
5575	----	----	5.380B/3.646A	5.380B/3.646A	----	4.157 - 0.780	.8156	----	----	----	----	1 UNCH
5700	----	----	4.338B/2.722A	4.338B/2.722A	----	3.188 - 0.725	.7305	----	----	----	----	1 UNCH
5750	2.500	2.500	3.947B/2.400A	3.947B/2.400A	----	2.835 NEW	.6903	----	----	1	----	1 + 1
5775	2.367	2.367	3.758B/2.239A	3.758B/2.239A	----	2.668 NEW	.6690	----	----	1	----	1 + 1
5800	2.225	2.225	3.570B/2.092A	3.570B/2.092A	----	2.506 NEW	.6471	----	----	10	----	9 + 9
5825	----	----	3.390B/1.952A	3.390B/1.952A	----	2.350 - 0.648	.6246	----	----	----	----	1 UNCH
5850	2.210	2.210	3.216B/1.819A	3.216B/1.819A	----	2.201 - 0.629	.6016	----	----	14	----	30 + 4
5875	2.085	2.085	3.050B/1.687A	3.050B/1.687A	----	2.057 NEW	.5781	----	----	10	----	8 + 8
5900	1.940	1.940	2.880B/1.567A	2.880B/1.567A	----	1.921 - 0.591	.5544	----	----	16	----	10 + 8
5925	1.813	1.813	2.725B/1.453A	2.725B/1.453A	----	1.791 - 0.570	.5306	----	----	10	----	7 + 5
5950	1.850	1.850	2.571B/1.346A	2.571B/1.346A	----	1.667 - 0.550	.5066	----	----	62	----	32 + 26
5975	1.686	1.686	2.422B/1.243A	2.422B/1.243A	----	1.550 - 0.529	.4828	----	----	15	----	12 + 5
6000	1.823	1.823	2.296B/1.142A	2.296B/1.142A	----	1.440 - 0.506	.4591	----	----	94	----	93 + 30
6025	2.001	2.001	2.158B/1.055	2.158B/1.055	----	1.336 - 0.485	.4357	----	----	112	----	63 + 55
6050	1.590	1.590	2.026B/0.979A	2.026B/0.979A	----	1.239 - 0.462	.4128	----	----	94	----	40 + 17
6075	1.883	1.883	1.900B/0.900A	1.900B/0.900A	----	1.147 - 0.440	.3902	----	----	5	----	9 + 2
6100	1.763	1.763	1.780B/0.829A	1.780B/0.829A	----	1.062 - 0.418	.3684	----	----	23	----	138 + 11
6125	1.649	1.649	1.664B/0.763A	1.664B/0.763A	----	0.982 - 0.396	.3472	----	----	116	----	55 + 11
6150	1.536	1.536	1.567/0.703A	1.567/0.703A	----	0.908 - 0.374	.3267	----	----	37	----	80 - 3
6175	1.185	1.185	1.453B/0.647A	1.453B/0.647A	----	0.840 - 0.352	.3071	----	----	15	----	93 - 4
6200	1.029	1.029	1.355B/0.597A	1.355B/0.597A	----	0.776 - 0.331	.2882	----	----	87	100	269 + 9
6225	----	----	1.262B/0.550A	1.262B/0.550A	----	0.717 - 0.311	.2703	----	----	----	----	84 UNCH
6250	0.954	0.954	1.175B/0.507A	1.175B/0.507A	----	0.663 - 0.291	.2532	----	----	16	----	41 + 3
6275	0.623	0.623	1.093B/0.468A	1.093B/0.468A	----	0.613 - 0.272	.2371	----	----	6	----	12 + 2
6300	0.790	0.790	1.012B/0.432A	1.012B/0.432A	----	0.567 - 0.253	.2218	----	----	28	----	121 + 3
6325	0.537	0.537	0.942B/0.399A	0.942B/0.399A	----	0.525 - 0.235	.2075	----	----	18	----	65 + 5
6350	0.672	0.672	0.874B/0.369A	0.874B/0.369A	----	0.486 - 0.219	.1939	----	----	24	----	77 + 15
6375	0.453	0.453	0.812B/0.341A	0.812B/0.341A	----	0.451 - 0.202	.1814	----	----	3	----	29 + 3
6400	0.686	0.686	0.755B/0.317A	0.755B/0.317A	----	0.418 - 0.188	.1695	----	----	34	----	110 + 12
6425	0.378	0.378	0.698B/0.295A	0.698B/0.295A	----	0.388 - 0.173	.1584	----	----	5	----	34 + 5
6450	0.512	0.512	0.648B/0.274A	0.648B/0.274A	----	0.361 - 0.160	.1482	----	----	22	----	91 + 11
6475	0.383	0.383	0.601B/0.255A	0.601B/0.255A	----	0.336 - 0.147	.1387	----	----	1	----	45 - 1
6500	0.400	0.400	0.560B/0.238A	0.560B/0.238A	----	0.313 - 0.135	.1297	----	----	498	----	741 + 352
6525	0.304	0.304	0.519B/0.224A	0.519B/0.224A	----	0.292 - 0.125	.1215	----	----	36	----	56 + 34
6550	0.253	0.253	0.481B/0.211A	0.481B/0.211A	----	0.272 - 0.115	.1136	----	----	3	----	50 - 1
6575	----	----	0.449B/0.198A	0.449B/0.198A	----	0.255 - 0.105	.1067	----	----	----	----	98 UNCH
6600	0.250	0.250	0.418B/0.186A	0.418B/0.186A	----	0.238 - 0.097	.0999	----	----	12	----	202 + 6
6625	0.197	0.197	0.390B/0.174A	0.390B/0.174A	----	0.223 - 0.089	.0937	----	----	1	----	36 + 1
6650	----	----	0.363B/0.164A	0.363B/0.164A	----	0.210 - 0.081	.0882	----	----	----	----	34 UNCH
6675	----	----	0.339B/0.155A	0.339B/0.155A	----	0.197 - 0.075	.0828	----	----	----	----	43 UNCH
6700	0.183	0.183	0.312B/0.146A	0.312B/0.146A	----	0.185 - 0.069	.0778	----	----	19	100	198 + 1
6725	----	----	0.291B/0.139A	0.291B/0.139A	----	0.175 - 0.063	.0735	----	----	----	----	46 UNCH
6750	0.133	0.133	0.273B/0.131A	0.273B/0.131A	----	0.165 - 0.058	.0692	----	----	1	----	52 - 1
6775	0.155	0.155	0.255B/0.125A	0.255B/0.125A	----	0.156 - 0.053	.0654	----	----	1	----	48 UNCH
6800	0.204	0.204	0.239B/0.119A	0.239B/0.119A	----	0.147 - 0.050	.0616	----	----	8	----	349 - 1
6825	----	----	0.223B/0.113A	0.223B/0.113A	----	0.139 - 0.046	.0581	----	----	----	----	12 UNCH
6850	----	----	0.206B/0.108A	0.206B/0.108A	----	0.132 - 0.042	.0551	----	----	----	----	74 UNCH
6875	----	----	0.192B/0.103A	0.192B/0.103A	----	0.125 - 0.039	.0520	----	----	----	----	132 UNCH
6900	0.118	0.118	0.182B/0.098A	0.182B/0.098A	----	0.119 - 0.036	.0494	----	----	1	----	105 UNCH
6925	----	----	0.171B/0.094A	0.171B/0.094A	----	0.113 - 0.034	.0468	----	----	14	----	8 - 14
6950	----	----	0.161B/0.090A	0.161B/0.090A	----	0.107 - 0.032	.0442	----	----	23	----	30 - 17
6975	----	----	0.151B/0.086A	0.151B/0.086A	----	0.102 - 0.029	.0420	----	----	----	----	24 UNCH
7000	0.097	0.097	0.143B/0.082A	0.143B/0.082A	----	0.097 - 0.028	.0399	----	----	267	----	681 + 119
7025	----	----	0.134B/0.079A	0.134B/0.079A	----	0.093 - 0.026	.0380	----	----	----	----	13 UNCH
7050	----	----	0.126B/0.076A	0.126B/0.076A	----	0.088 - 0.025	.0359	----	----	----	----	44 UNCH
7075	----	----	0.119B/0.073A	0.119B/0.073A	----	0.084 - 0.023	.0342	----	----	----	----	28 UNCH
7100	0.071	0.071	0.113B/0.070A	0.113B/0.070A	----	0.081 - 0.021	.0328	----	----	16	----	358 UNCH
7125	0.071	0.071	0.107B/0.067A	0.107B/0.067A	----	0.077 - 0.021	.0311	----	----	5	----	29 + 1
7150	0.070	0.070	0.102B/0.065A	0.102B/0.065A	----	0.074 - 0.019	.0298	----	----	2	----	25 UNCH
7175	----	----	0.097B/0.062A	0.097B/0.062A	----	0.070 - 0.019	.0281	----	----	----	----	48 UNCH
7200	----	----	0.092B/0.060A	0.092B/0.060A	----	0.067 - 0.018	.0268	----	----	----	----	167 UNCH
7225	0.056	0.056	0.086B/0.056	0.086B/0.056	----	0.065 - 0.017	.0259	----	----	1	----	39 UNCH
7250	0.059	0.059	0.081B/0.056A	0.081B/0.056A	----	0.062 - 0.016	.0246	----	----	1	----	48 UNCH
7275	----	----	0.078B/0.054A	0.078B/0.054A	----	0.060 - 0.015	.0237	----	----	----	----	43 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

COMEX SILVER OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL												
NOV26												
7300	----	----	0.074B/0.052A	0.074B/0.052A	----	0.057 - 0.015	.0225	----	----	----	----	272 UNCH
7325	----	----	0.070B/0.050A	0.070B/0.050A	----	0.055 - 0.014	.0216	----	----	----	----	16 UNCH
7350	----	----	----/0.048A	0.067B/0.048A	----	0.053 - 0.014	.0207	----	----	----	----	19 UNCH
7375	----	----	----/0.046A	0.064B/0.046A	----	0.051 - 0.013	.0198	----	----	----	----	37 UNCH
7400	0.052	0.052	0.052/0.045A	0.061B/0.045A	----	0.049 - 0.013	.0190	----	----	1	----	251 UNCH
7425	----	----	----/0.044A	0.058B/0.044A	----	0.047 - 0.013	.0182	----	----	----	----	23 UNCH
7450	0.040	0.040	0.040/0.040	0.055B/0.040	----	0.045 - 0.012	.0173	----	----	1	----	114 UNCH
7475	----	----	----/0.041A	0.053B/0.041A	----	0.044 - 0.011	.0168	----	----	----	----	43 UNCH
7500	0.044	0.044	0.044/0.037	0.050B/0.037	----	0.042 - 0.011	.0160	----	----	11	----	1314 + 1
7525	----	----	----/0.038A	0.048B/0.038A	----	0.041 - 0.011	.0156	----	----	----	----	27 UNCH
7550	----	----	----/0.037A	0.046B/0.037A	----	0.039 - 0.011	.0148	----	----	----	----	86 UNCH
7575	----	----	----/0.039A	0.043B/0.039A	----	0.038 - 0.010	.0143	----	----	----	----	13 UNCH
7600	----	----	----/0.035A	0.041B/0.035A	----	0.036 - 0.010	.0136	----	----	----	----	78 UNCH
7625	----	----	----/0.037A	0.038B/0.037A	----	0.035 - 0.010	.0131	----	----	----	----	5 UNCH
7650	----	----	----/0.036A	0.037B/0.036A	----	0.034 - 0.009	.0127	----	----	----	----	11 UNCH
7675	----	----	----/0.035A	0.030B/0.035A	----	0.033 - 0.009	.0122	----	----	----	----	16 UNCH
7700	----	----	----/0.034A	0.029B/0.034A	----	0.032 - 0.008	.0118	----	----	----	----	221 UNCH
7725	----	----	----/0.033A	0.028B/0.033A	----	0.031 - 0.008	.0114	----	----	----	----	3 UNCH
7750	----	----	----/0.032A	0.027B/0.032A	----	0.030 - 0.008	.0110	----	----	1	----	15 UNCH
7775	----	----	----/0.028A	0.026B/0.028A	----	0.029 - 0.008	.0106	----	----	----	----	13 UNCH
7800	0.032	0.032	0.032/0.030A	0.032/0.030A	----	0.028 - 0.007	.0102	----	----	1	----	267 - 1
7825	----	----	----/0.029A	0.024B/0.029A	----	0.027 - 0.007	.0098	----	----	----	----	2 UNCH
7850	----	----	----/0.028A	0.023B/0.028A	----	0.026 - 0.007	.0094	----	----	----	----	105 UNCH
7875	----	----	----/0.027A	0.022B/0.027A	----	0.025 - 0.007	.0090	----	----	----	----	9 UNCH
7900	----	----	----/0.025A	0.021B/0.025A	----	0.024 - 0.007	.0086	----	----	----	----	53 UNCH
7950	----	----	----/0.025A	0.019B/0.025A	----	0.023 - 0.006	.0082	----	----	----	----	7 UNCH
7975	----	----	----/0.025A	0.019B/0.025A	----	0.022 - 0.006	.0078	----	----	----	----	2 UNCH
8000	0.027	0.027	0.027/0.022A	0.027/0.022A	----	0.021 - 0.006	.0075	----	----	6	----	1570 - 6
8025	----	----	----/0.023A	0.018B/0.023A	----	0.021 - 0.005	.0074	----	----	----	----	6 UNCH
8050	----	----	----/0.022A	0.018B/0.022A	----	0.020 - 0.006	.0070	----	----	----	----	1 UNCH
8075	----	----	----/0.020A	0.016B/0.020A	----	0.019 - 0.006	.0067	----	----	----	----	2 UNCH
8100	0.024	0.024	0.024/0.021A	0.024/0.021A	----	0.019 - 0.005	.0066	----	----	3	----	19 - 2
8125	----	----	----/0.021A	0.015B/0.021A	----	0.018 - 0.005	.0063	----	----	----	----	1 UNCH
8150	----	----	----/0.020A	0.014B/0.020A	----	0.017 - 0.006	.0059	----	----	----	----	124 UNCH
8175	----	----	----/0.019A	0.015B/0.019A	----	0.017 - 0.005	.0059	----	----	----	----	3 UNCH
8200	0.018	0.018	0.018/0.018	0.018/0.018	----	0.016 - 0.005	.0055	----	----	1	----	109 - 1
8225	----	----	----/0.020A	0.014B/0.020A	----	0.016 - 0.005	.0055	----	----	----	----	4 UNCH
8250	----	----	----/0.018A	0.012B/0.018A	----	0.015 - 0.006	.0052	----	----	4	----	9 UNCH
8275	----	----	----	0.011B/0.019A	----	0.015 - 0.004	.0051	----	----	----	----	5 UNCH
8300	----	----	----/0.016A	0.011B/0.016A	----	0.014 - 0.005	.0048	----	----	----	----	87 UNCH
8325	----	----	----/0.016A	0.010B/0.016A	----	0.014 - 0.004	.0048	----	----	----	----	3 UNCH
8350	----	----	----/0.016A	0.010B/0.016A	----	0.013 - 0.005	.0044	----	----	----	----	2 UNCH
8375	----	----	----/0.015A	0.010B/0.015A	----	0.013 - 0.004	.0044	----	----	----	----	11 UNCH
8400	----	----	----/0.016A	0.010B/0.016A	----	0.013 - 0.004	.0044	----	----	----	----	125 UNCH
8425	----	----	----/0.015A	0.009B/0.015A	----	0.012 - 0.004	.0040	----	----	4	----	5 UNCH
8450	----	----	----/0.014A	0.008B/0.014A	----	0.012 - 0.004	.0040	----	----	----	----	7 UNCH
8500	0.020	0.020	0.020/0.020	0.020/0.016A	----	0.011 - 0.004	.0037	----	----	5	----	532 - 5
8600	----	----	----	0.005B/0.016A	----	0.010 - 0.003	.0033	----	----	----	----	81 UNCH
8625	0.008	0.008	0.010/0.008	0.010/0.008	----	0.009 - 0.004	.0030	----	----	6	----	6 + 5
8675	----	----	----	0.003B/0.016A	----	0.009 - 0.003	.0029	----	----	----	----	4 UNCH
8700	----	----	----	0.003B/0.014A	----	0.009 - 0.003	.0029	----	----	----	----	59 UNCH
8725	----	----	----	0.003B/0.013A	----	0.008 - 0.004	.0026	----	----	----	----	1 UNCH
8750	----	----	----	0.002B/0.016A	----	0.008 - 0.003	.0026	----	----	----	----	2 UNCH
8800	----	----	----	0.002B/0.015A	----	0.007 - 0.004	.0023	----	----	----	----	103 UNCH
8850	----	----	----	0.001B/0.016A	----	0.007 - 0.003	.0022	----	----	----	----	14 UNCH
8900	----	----	----	----/0.016A	----	0.007 - 0.003	.0022	----	----	----	----	8 UNCH
8925	----	----	----	----/0.015A	----	0.006 - 0.003	.0019	----	----	----	----	1 UNCH
8950	----	----	----	----/0.015A	----	0.006 - 0.003	.0019	----	----	----	----	3 UNCH
8975	----	----	----	----/0.015A	----	0.006 - 0.003	.0019	----	----	----	----	1 UNCH
9000	----	----	----	----/0.015A	----	0.006 - 0.003	.0019	----	----	----	----	247 UNCH
9025	----	----	----	----/0.015A	----	0.006 - 0.002	.0019	----	----	----	----	1 UNCH
9050	----	----	----	----/0.014A	----	0.005 - 0.003	.0016	----	----	----	----	1 UNCH
9100	----	----	----	----/0.014A	----	0.005 - 0.003	.0016	----	----	----	----	5 UNCH
9150	----	----	----	----/0.014A	----	0.005 - 0.002	.0015	----	----	----	----	1 UNCH
9200	----	----	----	----/0.013A	----	0.004 - 0.003	.0012	----	----	----	----	6 UNCH
9225	----	----	----	----/0.013A	----	0.004 - 0.003	.0012	----	----	----	----	10 UNCH
9250	----	----	----	----/0.013A	----	0.004 - 0.003	.0012	----	----	----	----	7 UNCH
9300	----	----	----	----/0.010A	----	0.004 - 0.002	.0012	----	----	----	----	12 UNCH
9325	----	----	----	----/0.013A	----	0.004 - 0.002	.0012	----	----	----	----	1 UNCH
9350	----	----	----	----/0.013A	----	0.004 - 0.002	.0012	----	----	----	----	11 UNCH
9400	----	----	----	----/0.013A	----	0.003 - 0.003	.0009	----	----	----	----	77 UNCH
9450	----	----	----	----/0.013A	----	0.003 - 0.003	.0009	----	----	----	----	5 UNCH
9500	----	----	----	----/0.008A	----	0.003 - 0.002	.0009	----	----	----	----	365 UNCH
9550	----	----	----	----/0.018A	----	0.003 - 0.002	.0009	----	----	----	----	3 UNCH
9575	----	----	----	----/0.017A	----	0.003 - 0.002	.0009	----	----	----	----	24 UNCH
9600	----	----	----	----/0.044A	----	0.003 - 0.002	.0009	----	----	----	----	1 UNCH
9625	----	----	----	----/0.048A	----	0.003 - 0.002	.0009	----	----	----	----	9 UNCH
9700	----	----	----	----/0.048A	----	0.002 - 0.003	.0006	----	----	----	----	1 UNCH
9775	----	----	----	----/0.048A	----	0.002 - 0.002	.0006	----	----	----	----	1 UNCH
9800	----	----	----	----/0.048A	----	0.002 - 0.002	.0006	----	----	----	----	6 UNCH
9850	----	----	----	----/0.047A	----	0.002 - 0.002	.0006	----	----	----	----	1 UNCH
9900	----	----	----	----/0.047A	----	0.002 - 0.002	.0006	----	----	----	----	10 UNCH
9950	----	----	----	----/0.047A	----	0.002 - 0.002	.0006	----	----	----	----	1 UNCH
10000	----	----	----	----/0.047A	----	0.002 - 0.002	.0005	----	----	----	----	258 UNCH
10100	----	----	----	----/0.047A	----	0.002 - 0.001	.0005	----	----	----	----	5 UNCH
10200	----	----	----	----/0.047A	----	0.002 - 0.001	.0005	----	----	----	----	5 UNCH
10300	----	----	----	----/0.046A	----	0.002 - 0.001	.0005	----	----	----	----	4 UNCH
10400	----	----	----	----/0.046A	----	0.002 - 0.001	.0005	----	----	----	----	5 UNCH
10450	----	----	----	----/0.046A	----	0.002 - 0.001	.0005	----	----	----	----	1 UNCH
10500	0.005	0.005	0.005/0.005	0.005/0.005	----	0.001 - 0.001	.0002	----	----	96	----	286 + 81
10550	----	----	----	----/0.046A	----	0.001 - 0.001	.0002	----	----	----	----	1 UNCH
10950	----	----	----	----/0.045A	----	0.001 - 0.001	.0001	----	----	----	----	5 UNCH
11000	----	----	----	----/0.045A	----	0.001 - 0.001	.0001	----	----	----	----	297 UNCH
11100	----	----	----	----/0.045A	----	0.001 UNCH	.0000	----	----	----	----	2 UNCH
11150	----	----	----	----/0.045A	----	0.001 UNCH	.0000	----	----	----	----	1 UNCH
11500	----	----	----	----/0.045A	----	0.001 UNCH	.0000	----	----	----	----	1 UNCH
11600	----	----	----	----/0.045A	----	0.001 UNCH	.0000	----	----	----	----	1 UNCH
11700	----	----	----	----/0.045A	----	0.001 UNCH	.0000	----	----	----	----	27 UNCH
11725	----	----	----	----/0.045A	----	0.001 UNCH	.0000	----	----	----	----	2 UNCH
11750	----	----	----	----/0.045A	----	0.001 UNCH	.0000	----	----	----	----	2 UNCH
11825	----	----	----	----/0.045A	----	0.001 UNCH	.0000	----	----	----	----	2 UNCH
12000	----	----	----	----/0.045A	----	0.001 UNCH	.0000	----	----	----	----	74 UNCH
12125	----	----	----	----/0.045A	----	0.001 UNCH	.0000	----	----	----	----	20 UNCH
12500	----	----	----	----/0.044A	----	0.001 UNCH	----	----	----	----	----	11 UNCH
13000	----	----	----	----/0.044A	----	0.001 UNCH	----	----	----	----	----	9 UNCH
14000	----	----	----	----/0.001A	----	0.001 UNCH	----	----	----	----	----	7 UNCH
15000	----	----	----	----/0.044A	----	0.001 UNCH	----	----	----	----	----	20 UNCH
16000	----	----	----	----/0.044A	----	0.001 UNCH	----	----	----	----	----	14 UNCH
17000	----	----	----	----/0.012A	----	0.001 UNCH	----	----	----	----	----	14 UNCH
18000	----	----	----	----/0.044A	----	0.001 UNCH	----	----	----	----	----	10 UNCH
19000	----	----	----	----/0.044A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
20000	----	----	----	----/0.044A	----	0.001 UNCH	----	----	----	----	----	35 UNCH
21000	----	----	----	----/0.044A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
25000	----	----	----	----/0.044A	----	0.001 UNCH	----	----	----	----	----	60 UNCH
30000	----	----	----	----/0.002A	----	0.001 UNCH	----	----	----	----	----	15 UNCH
TOTAL										1928	200	13473 + 805
DEC26												
3875	----	----	22.018B/20.052A	22.018B/20.052A	----	20.679 - 0.866	.9909	----	----	----	----	1 UNCH
5000	----	----	11.030B/9.169A	11.030B/9.169A	----	9.745 - 0.828	.9121	----	----	----	----	35 UNCH
5250	----	----	8.764B/7.006A	8.764B/7.006A	----	7.541 - 0.785	.8497	----	----	----	----	50 UNCH
5500	----	----	6.673B/5.087A	6.673B/5.087A	----	5.566 - 0.706	.7545	----	----	----	----	1 UNCH
5550	----	----	6.295B/4.738A	6.295B/4.738A	----	5.207 - 0.686	.7316	----	----	----	----	4 UNCH
5600	----	----	5.913B/4.399A	5.913B/4.399A	----	4.862 - 0.665	.7075	----	----	----	----	1 UNCH
5700	----	----	5.198B/3.783A	5.198B/3.783A	----	4.216 - 0.619	.6565	----	----	1	----	2 + 1
5800	----	----	4.548B/3.231A	4.548B/3.231A	----	3.630 - 0.572	.6027	----	----	1	----	103 + 1
5825	----	----	4.392B/3.103A	4.392B/3.103A	----	3.493 - 0.560	.5890	----	----	----	----	1 UNCH
5900	3.198	3.198	3.952B/2.743A	3.952B/2.743A	----	3.107 - 0.522	.5475	----	----	6	----	9 + 6
5925	3.483	3.483	3.809B/2.631A	3.809B/2.631A	----	2.986 NEW	.5337	----	----	1	----	1 + 1
5950	3.004	3.004	3.687B/2.525A	3.687B/2.525A	----	2.868 - 0.498	.5199	----	----	4	----	5 + 4
5975	----	----	3.554B/2.420A	3.554B/2.420A	----	2.755 - 0.485	.5061	----	----	1	----	11 + 1
6000	2.847	2.847	3.424B/2.320A	3.424B/2.320A	----	2.646 - 0.472	.4925	----	----	18	----	91 + 7
6025	2.562	2.562	3.299B/2.225A	3.299B/2.225A	----	2.540 NEW	.4789	----	----	3	----	3 + 3
6050	2.724	2.724	3.176B/2.132A	3.176B/2.132A	----	2.438 - 0.447	.4655	----	----	6	----	5 + 3
6075	2.947	2.947	3.057B/2.036A	3.057B/2.036A	----	2.339 - 0.435	.4522	----	----	4	----	8 + 4
6100	2.792	2.792	2.943B/1.951A	2.943B/1.951A	----	2.245 - 0.422	.4391	----	----	2	----	39 + 1
6125	2.715	2.715	2.832B/1.869A	2.832B/1.869A	----	2.153 - 0.411	.4262	----	----	13	----	18 + 9
6150	2.623	2.623	2.724B/1.790A	2.724B/1.790A	----	2.065 - 0.399	.4134	----	----	1	----	49 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

SO CALL COMEX SILVER OPTIONS
DEC26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
6175	2.480	2.480	2.620B/1.715A	2.620B/1.715A	----	1.981 - 0.387	.4009	----	----	4	----	10 + 4
6200	2.424	2.424	2.520B/1.642A	2.520B/1.642A	----	1.900 - 0.375	.3886	----	----	22	----	29 + 13
6225	----	----	2.422B/1.573A	2.422B/1.573A	----	1.822 - 0.363	.3765	----	----	5	----	13 + 5
6250	----	----	2.329B/1.510A	2.329B/1.510A	----	1.747 - 0.352	.3647	----	----	----	----	12 UNCH
6275	----	----	2.238B/1.446A	2.238B/1.446A	----	1.676 - 0.340	.3532	----	----	----	----	4 UNCH
6300	1.820	1.820	2.151B/1.386A	2.151B/1.386A	----	1.607 - 0.330	.3419	----	----	26	----	170 - 2
6325	1.508	1.508	2.063B/1.327A	2.063B/1.327A	----	1.541 - 0.319	.3308	----	----	3	----	10 + 3
6350	----	----	1.982B/1.270A	1.982B/1.270A	----	1.478 - 0.309	.3200	----	----	----	----	85 UNCH
6375	1.387	1.387	1.908B/1.217A	1.908B/1.217A	----	1.418 - 0.298	.3096	----	----	3	----	11 UNCH
6400	1.389	1.389	1.833B/1.166A	1.833B/1.166A	----	1.360 - 0.288	.2994	----	----	5	----	258 UNCH
6425	----	----	1.760B/1.117A	1.760B/1.117A	----	1.305 - 0.278	.2895	----	----	----	----	13 UNCH
6450	1.278	1.278	1.691B/1.071A	1.691B/1.071A	----	1.252 - 0.268	.2798	----	----	4	----	67 - 4
6475	1.226	1.226	1.625B/1.026A	1.625B/1.026A	----	1.201 - 0.259	.2704	----	----	4	----	8 + 4
6500	1.180	1.180	1.561B/0.984A	1.561B/0.984A	----	1.153 - 0.250	.2614	----	----	37	----	1147 - 9
6525	1.129	1.129	1.499B/0.945A	1.499B/0.945A	----	1.107 - 0.241	.2526	----	----	6	----	5 + 1
6550	----	----	1.439B/0.907A	1.439B/0.907A	----	1.063 - 0.232	.2441	----	----	1	----	6 + 1
6575	0.999	0.999	1.383B/0.870A	1.383B/0.870A	----	1.021 - 0.224	.2358	----	----	2	----	3 + 1
6600	0.954	0.954	1.330B/0.836A	1.330B/0.836A	----	0.981 - 0.215	.2279	----	----	10	----	83 + 7
6625	0.923	0.923	1.277B/0.803A	1.277B/0.803A	----	0.943 - 0.207	.2202	----	----	3	----	39 + 3
6650	0.912	0.912	1.227B/0.772A	1.227B/0.772A	----	0.906 - 0.200	.2128	----	----	5	----	32 - 1
6675	----	----	1.181B/0.742A	1.181B/0.742A	----	0.871 - 0.192	.2056	----	----	----	----	5 UNCH
6700	1.043	1.043	1.135B/0.714A	1.135B/0.714A	----	0.838 - 0.185	.1987	----	----	4	----	205 + 2
6725	----	----	1.091B/0.687A	1.091B/0.687A	----	0.806 - 0.178	.1920	----	----	5	----	13 + 5
6750	0.750	0.750	1.049B/0.661A	1.049B/0.661A	----	0.776 - 0.171	.1856	----	----	1	----	38 + 1
6775	----	----	1.009B/0.637A	1.009B/0.637A	----	0.747 - 0.164	.1794	----	----	----	----	55 UNCH
6800	0.745	0.745	0.971B/0.613A	0.971B/0.613A	----	0.719 - 0.158	.1734	----	----	13	----	535 + 6
6825	----	----	0.934B/0.591A	0.934B/0.591A	----	0.693 - 0.152	.1676	----	----	10	----	29 + 10
6850	----	----	0.900B/0.570A	0.900B/0.570A	----	0.668 - 0.146	.1621	----	----	----	----	8 UNCH
6875	----	----	0.866B/0.549A	0.866B/0.549A	----	0.644 - 0.140	.1568	----	----	----	----	5 UNCH
6900	0.765	0.765	0.835B/0.530A	0.835B/0.530A	----	0.621 - 0.134	.1517	----	----	11	----	241 + 10
6925	----	----	0.802B/0.511A	0.802B/0.511A	----	0.599 - 0.129	.1467	----	----	----	----	25 UNCH
6950	----	----	0.774B/0.493A	0.774B/0.493A	----	0.578 - 0.124	.1419	----	----	----	----	232 UNCH
6975	----	----	0.745B/0.477A	0.745B/0.477A	----	0.558 - 0.119	.1374	----	----	----	----	3 UNCH
7000	0.550	0.550	0.718B/0.461A	0.718B/0.461A	----	0.539 - 0.114	.1330	----	----	246	----	1090 + 94
7025	----	----	0.693B/0.446A	0.693B/0.446A	----	0.521 - 0.109	.1288	----	----	----	----	4 UNCH
7050	----	----	0.668B/0.431A	0.668B/0.431A	----	0.504 - 0.105	.1248	----	----	----	----	42 UNCH
7075	----	----	0.644B/0.417A	0.644B/0.417A	----	0.487 - 0.101	.1208	----	----	----	----	6 UNCH
7100	----	----	0.621B/0.404A	0.621B/0.404A	----	0.471 - 0.097	.1170	----	----	10	----	118 + 4
7125	----	----	0.599B/0.392A	0.599B/0.392A	----	0.456 - 0.092	.1134	----	----	----	----	8 UNCH
7150	----	----	0.580B/0.383A	0.580B/0.383A	----	0.441 - 0.089	.1099	----	----	----	----	9 UNCH
7175	----	----	0.560B/0.370A	0.560B/0.370A	----	0.427 - 0.085	.1065	----	----	----	----	1 UNCH
7200	0.445	0.445	0.540B/0.360A	0.540B/0.360A	----	0.414 - 0.082	.1034	----	----	76	52	288 + 50
7225	----	----	0.522B/0.349A	0.522B/0.349A	----	0.401 - 0.078	.1002	----	----	----	----	9 UNCH
7250	0.378	0.378	0.505B/0.339A	0.505B/0.339A	----	0.389 - 0.075	.0973	----	----	5	----	26 + 4
7275	----	----	0.488B/0.329A	0.488B/0.329A	----	0.377 - 0.072	.0944	----	----	----	----	13 UNCH
7300	----	----	0.472B/0.320A	0.472B/0.320A	----	0.366 - 0.069	.0917	----	----	----	----	103 UNCH
7325	----	----	0.457B/0.311A	0.457B/0.311A	----	0.355 - 0.066	.0890	----	----	----	----	2 UNCH
7350	----	----	0.442B/0.300A	0.442B/0.300A	----	0.345 - 0.063	.0865	----	----	----	----	9 UNCH
7375	----	----	0.429B/0.292A	0.429B/0.292A	----	0.335 - 0.060	.0840	----	----	----	----	13 UNCH
7400	----	----	0.415B/0.284A	0.415B/0.284A	----	0.326 - 0.057	.0817	----	----	----	----	67 UNCH
7425	----	----	0.402B/0.276A	0.402B/0.276A	----	0.317 - 0.054	.0795	----	----	----	----	11 UNCH
7450	----	----	0.390B/0.269A	0.390B/0.269A	----	0.308 - 0.052	.0772	----	----	----	----	2 UNCH
7475	----	----	0.377B/0.262A	0.377B/0.262A	----	0.299 - 0.051	.0750	----	----	----	----	1 UNCH
7500	0.283	0.283	0.364B/0.255A	0.364B/0.255A	----	0.291 - 0.048	.0730	----	----	5	----	1397 + 1
7525	----	----	0.352B/0.249A	0.352B/0.249A	----	0.283 - 0.046	.0710	----	----	----	----	23 UNCH
7550	----	----	0.343B/0.243A	0.343B/0.243A	----	0.276 - 0.044	.0692	----	----	----	----	56 UNCH
7575	----	----	----/0.236A	0.280B/0.236A	----	0.269 - 0.042	.0674	----	----	----	----	7 UNCH
7600	0.266	0.266	0.266/0.231A	0.300B/0.231A	----	0.262 - 0.040	.0656	----	----	5	----	265 - 3
7625	0.251	0.251	0.251/0.225A	0.281B/0.225A	----	0.255 - 0.039	.0638	----	----	1	----	5 + 1
7650	----	----	----/0.220A	0.281B/0.220A	----	0.248 - 0.038	.0621	----	----	----	----	3 UNCH
7675	----	----	0.282B/0.215A	0.282B/0.215A	----	0.242 - 0.036	.0605	----	----	----	----	1 UNCH
7700	0.220	0.220	0.281B/0.210A	0.281B/0.210A	----	0.236 - 0.034	.0590	----	----	1	----	277 UNCH
7725	----	----	0.279B/0.205A	0.279B/0.205A	----	0.230 - 0.033	.0575	----	----	----	----	2 UNCH
7750	----	----	0.273B/0.200A	0.273B/0.200A	----	0.225 - 0.031	.0561	----	----	----	----	8 UNCH
7775	----	----	0.263B/0.195A	0.263B/0.195A	----	0.220 - 0.029	.0548	----	----	----	----	10 UNCH
7800	----	----	0.256B/0.191A	0.256B/0.191A	----	0.214 - 0.029	.0533	----	----	----	----	247 UNCH
7825	----	----	0.249B/0.187A	0.249B/0.187A	----	0.209 - 0.028	.0520	----	----	----	----	6 UNCH
7850	----	----	0.244B/0.183A	0.244B/0.183A	----	0.205 - 0.026	.0509	----	----	----	----	9 UNCH
7875	----	----	0.237B/0.179A	0.237B/0.179A	----	0.200 - 0.025	.0497	----	----	----	----	9 UNCH
7900	----	----	0.231B/0.175A	0.231B/0.175A	----	0.195 - 0.024	.0484	----	----	4	----	44 - 4
7925	----	----	0.225B/0.172A	0.225B/0.172A	----	0.191 - 0.023	.0473	----	----	----	----	6 UNCH
7950	0.173	0.173	0.219B/0.168A	0.219B/0.168A	----	0.187 - 0.022	.0463	----	----	3	----	60 UNCH
7975	----	----	0.214B/0.165A	0.214B/0.165A	----	0.183 - 0.021	.0452	----	----	----	----	1 UNCH
8000	0.179	0.179	0.209B/0.160	0.209B/0.160	----	0.179 - 0.020	.0442	----	----	9	----	1183 - 6
8025	----	----	0.204B/0.158A	0.204B/0.158A	----	0.175 - 0.019	.0432	----	----	----	----	11 UNCH
8050	----	----	0.199B/0.155A	0.199B/0.155A	----	0.171 - 0.019	.0422	----	----	----	----	22 UNCH
8075	----	----	0.194B/0.152A	0.194B/0.152A	----	0.168 - 0.017	.0413	----	----	----	----	46 UNCH
8100	----	----	0.188B/0.149A	0.188B/0.149A	----	0.164 - 0.017	.0403	----	----	----	----	62 UNCH
8125	----	----	0.184B/0.146A	0.184B/0.146A	----	0.161 - 0.016	.0395	----	----	----	----	19 UNCH
8150	----	----	0.179B/0.143A	0.179B/0.143A	----	0.158 - 0.015	.0387	----	----	----	----	11 UNCH
8175	----	----	0.175B/0.141A	0.175B/0.141A	----	0.154 - 0.015	.0377	----	----	----	----	1 UNCH
8200	0.139	0.139	0.171B/0.138A	0.171B/0.138A	----	0.151 - 0.015	.0370	----	----	2	----	608 - 1
8225	----	----	0.167B/0.136A	0.167B/0.136A	----	0.148 - 0.014	.0362	----	----	----	----	20 UNCH
8250	----	----	0.163B/0.133A	0.163B/0.133A	----	0.145 - 0.014	.0354	----	----	----	----	2 UNCH
8275	----	----	0.160B/0.131A	0.160B/0.131A	----	0.143 - 0.012	.0348	----	----	----	----	5 UNCH
8300	0.132	0.132	0.156B/0.128A	0.156B/0.128A	----	0.140 - 0.012	.0341	----	----	1	----	56 - 1
8325	----	----	0.153B/0.126A	0.153B/0.126A	----	0.137 - 0.012	.0333	----	----	----	----	7 UNCH
8375	----	----	0.146B/0.122A	0.146B/0.122A	----	0.132 - 0.011	.0320	----	----	----	----	7 UNCH
8400	----	----	0.143B/0.119A	0.143B/0.119A	----	0.130 - 0.010	.0314	----	----	----	----	58 UNCH
8425	----	----	0.140B/0.117A	0.140B/0.117A	----	0.127 - 0.010	.0307	----	----	----	----	9 UNCH
8450	----	----	0.137B/0.115A	0.137B/0.115A	----	0.125 - 0.010	.0302	----	----	----	----	5 UNCH
8475	----	----	0.134B/0.113A	0.134B/0.113A	----	0.123 - 0.009	.0296	----	----	----	----	5 UNCH
8500	0.110	0.110	0.130B/0.110	0.130B/0.110	----	0.121 - 0.008	.0291	----	----	179	----	1862 - 176
8525	----	----	0.128B/0.110A	0.128B/0.110A	----	0.118 - 0.009	.0284	----	----	----	----	1 UNCH
8550	----	----	0.126B/0.108A	0.126B/0.108A	----	0.116 - 0.008	.0278	----	----	----	----	29 UNCH
8575	----	----	0.123B/0.106A	0.123B/0.106A	----	0.114 - 0.008	.0273	----	----	----	----	3 UNCH
8600	----	----	----/0.104A	0.120B/0.104A	----	0.112 - 0.008	.0268	----	----	----	----	244 UNCH
8625	----	----	----/0.102A	0.117B/0.102A	----	0.110 - 0.008	.0263	----	----	----	----	2 UNCH
8675	----	----	----/0.099A	0.113B/0.099A	----	0.107 - 0.006	.0255	----	----	----	----	4 UNCH
8700	----	----	----/0.097A	0.109B/0.097A	----	0.105 - 0.006	.0250	----	----	----	----	30 UNCH
8725	----	----	----/0.096A	0.108B/0.096A	----	0.103 - 0.006	.0245	----	----	----	----	5 UNCH
8750	----	----	----/0.094A	0.106B/0.094A	----	0.101 - 0.006	.0240	----	----	----	----	1 UNCH
8775	----	----	----/0.093A	0.103B/0.093A	----	0.100 - 0.005	.0237	----	----	----	----	51 UNCH
8800	----	----	----/0.091A	0.101B/0.091A	----	0.098 - 0.005	.0232	----	----	----	----	327 UNCH
8850	----	----	----/0.088A	0.097B/0.088A	----	0.095 - 0.005	.0224	----	----	----	----	2 UNCH
8900	----	----	----/0.085A	0.093B/0.085A	----	0.092 - 0.004	.0216	----	----	----	----	79 UNCH
8925	----	----	----/0.084A	0.091B/0.084A	----	0.090 - 0.005	.0211	----	----	----	----	10 UNCH
8950	----	----	----/0.083A	0.089B/0.083A	----	0.089 - 0.004	.0209	----	----	----	----	12 UNCH
8975	----	----	----/0.082A	0.088B/0.082A	----	0.087 - 0.005	.0204	----	----	----	----	15 UNCH
9000	0.080	0.080	0.089/0.080	0.089/0.080	----	0.086 - 0.004	.0201	----	----	233	----	1981 - 135
9025	----	----	----/0.080A	0.083B/0.080A	----	0.085 - 0.003	.0198	----	----	----	----	6 UNCH
9050	----	----	----/0.079A	0.082B/0.079A	----	0.083 - 0.004	.0194	----	----	----	----	235 UNCH
9075	----	----	----/0.079A	0.080B/0.079A	----	0.082 - 0.003	.0191	----	----	----	----	7 UNCH
9100	----	----	----/0.079A	0.079B/0.079A	----	0.081 - 0.003	.0188	----	----	----	----	22 UNCH
9125	----	----	----/0.076A	0.078B/0.076A	----	0.079 - 0.004	.0184	----	----	----	----	1 UNCH
9150	----	----	----/0.075A	0.075B/0.075A	----	0.078 - 0.003	.0181	----	----	----	----	8 UNCH
9200	----	----	----/0.074A	0.072B/0.074A	----	0.076 - 0.003	.0176	----	----	----	----	5 UNCH
9225	----	----	----/0.073A	0.071B/0.073A	----	0.075 - 0.002	.0173	----	----	----	----	16 UNCH
9250	----	----	----/0.072A	0.070B/0.072A	----	0.074 - 0.002	.0171	----	----	----	----	20 UNCH
9275	----	----	----/0.071A	0.068B/0.071A	----	0.073 - 0.002	.0168	----	----	----	----	25 UNCH
9300	----	----	----/0.070A	0.067B/0.070A	----	0.072 - 0.001	.0165	----	----	----	----	185 UNCH
9350	----	----	----/0.068A	0.064B/0.068A	----	0.069 - 0.002	.0159	----	----	----	----	6 UNCH
9375	----	----	----/0.067A	0.063B/0.067A	----	0.068 - 0.002	.0156	----	----	----	----	5 UNCH
9400	----	----	----/0.066A	0.060B/0.066A	----	0.068 - 0.001	.0155	----	----	----	----	63 UNCH
9425	----	----	----/0.065A	0.059B/0.065A	----	0.067 - 0.001	.0153	----	----	----	----	10 UNCH
9450	----	----	----/0.064A	0.058B/0.064A	----	0.066 - 0.001	.0150	----	----	----	----	10 UNCH
9475	----	----	----/0.063A	0.057B/0.063A	----	0.065 UNCH	.0148	----	----	----	----	1 UNCH
9500	----	----	----/0.062A	0.055B/0.062A	----	0.064 UNCH	.0146	----	----	27	----	1270 UNCH
9525	----	----	----/0.061A	0.055B/0.061A	----	0.063 UNCH	.0143	----	----	----	----	60 UNCH
9550	----	----	----/0.060A	0.054B/0.060A	----	0.062 UNCH	.0141	----	----	----	----	8 UNCH
9600	----	----	----/0.059A	0.052B/0.059A	----	0.060 UNCH	.0136	----	----	----	----	53 UNCH
9625	----	----	----/0.058A	0.051B/0.058A	----	0.060 + 0.001	.0135	----	----	----	----	18 UNCH
9700	----	----	----/0.055A	0.049B/0.055A	----	0.057 + 0.001	.0128	----	----	----	----	54 UNCH
9750	----	----	----/0.053A	0.047B/0.053A	----	0.056 + 0.001	.0126	----	----	----	----	10 UNCH
9800	----	----	----/0.052A	0.046B/0.052A	----	0.054 + 0.001	.0121	----	----	----	----	57 UNCH
9825	----	----	----	0.045B/0.052A	----	0.053 + 0.001	.0119	----	----	----	----	18 UNCH
9875	----	----	----	0.043B/0.050A	----	0.052 + 0.002	.0116	----	----	----	----	1 UNCH
9900	----	----	----	0.043B/0.049A	----	0.051 + 0.002	.0114	----	----	----	----	58 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

COMEX SILVER OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL												
DEC26												
9950	----	----	----	0.041B/0.048A	----	0.050 +	0.002 .0111	----	----	----	----	2 UNCH
10000	----	----	----	0.040B/0.047A	----	0.049 +	0.003 .0109	----	----	----	----	1919 UNCH
10025	----	----	----	0.040B/0.046A	----	0.048 +	0.003 .0106	----	----	----	----	3 UNCH
10050	----	----	----	0.039B/0.046A	----	0.048 +	0.004 .0106	----	----	----	----	11 UNCH
10100	----	----	----	0.038B/0.044A	----	0.047 +	0.004 .0104	----	----	----	----	12 UNCH
10125	----	----	----	0.037B/0.044A	----	0.046 +	0.004 .0101	----	----	----	----	2 UNCH
10150	----	----	----	0.036B/0.043A	----	0.045 +	0.004 .0099	----	----	----	----	1 UNCH
10175	----	----	----	0.036B/0.043A	----	0.045 +	0.004 .0099	----	----	----	----	4 UNCH
10200	----	----	----	0.035B/0.042A	----	0.044 +	0.004 .0097	----	----	----	----	14 UNCH
10250	----	----	----	0.034B/0.042A	----	0.043 +	0.004 .0094	----	----	----	----	2 UNCH
10300	----	----	----	0.033B/0.040A	----	0.042 +	0.005 .0092	----	----	----	----	12 UNCH
10350	----	----	----	0.032B/0.039A	----	0.041 +	0.005 .0089	----	----	----	----	2 UNCH
10475	----	----	----	0.030B/0.037A	----	0.039 +	0.006 .0084	----	----	----	----	2 UNCH
10500	----	----	----	0.029B/0.036A	----	0.039 +	0.006 .0084	----	----	7	----	259 UNCH
10550	----	----	----	0.028B/0.035A	----	0.038 +	0.007 .0082	----	----	----	----	3 UNCH
10600	----	----	----	0.027B/0.035A	----	0.037 +	0.007 .0080	----	----	----	----	6 UNCH
10700	----	----	----	0.026B/0.033A	----	0.035 +	0.006 .0075	----	----	----	----	86 UNCH
10800	----	----	----	0.024B/0.031A	----	0.034 +	0.007 .0072	----	----	----	----	93 UNCH
10975	----	----	----	0.021B/0.029A	----	0.031 +	0.006 .0066	----	----	----	----	5 UNCH
11000	----	----	----	0.021B/0.028A	----	0.031 +	0.007 .0065	----	----	----	----	299 UNCH
11075	----	----	----	0.020B/0.027A	----	0.030 +	0.006 .0063	----	----	----	----	1 UNCH
11150	----	----	----	0.019B/0.026A	----	0.029 +	0.006 .0061	----	----	----	----	1 UNCH
11200	----	----	----	0.019B/0.026A	----	0.029 +	0.006 .0061	----	----	----	----	9 UNCH
11225	----	----	----	0.018B/0.026A	----	0.029 +	0.007 .0060	----	----	----	----	2 UNCH
11250	----	----	----	0.018B/0.025A	----	0.028 +	0.006 .0058	----	----	----	----	2 UNCH
11275	----	----	----	0.018B/0.025A	----	0.028 +	0.006 .0058	----	----	----	----	1 UNCH
11300	----	----	----	0.017B/0.025A	----	0.028 +	0.006 .0058	----	----	----	----	5 UNCH
11350	----	----	----	0.017B/0.024A	----	0.027 +	0.005 .0056	----	----	----	----	5 UNCH
11375	----	----	----	0.017B/0.024A	----	0.027 +	0.005 .0056	----	----	----	----	1 UNCH
11400	----	----	----	0.016B/0.023A	----	0.027 +	0.006 .0056	----	----	----	----	11 UNCH
11475	----	----	----	0.015B/0.022A	----	0.026 +	0.005 .0054	----	----	----	----	1 UNCH
11500	----	----	----	0.015B/0.022A	----	0.026 +	0.005 .0054	----	----	----	----	14 UNCH
11550	----	----	----	0.015B/0.022A	----	0.025 +	0.004 .0052	----	----	----	----	1 UNCH
11600	----	----	----	0.014B/0.021A	----	0.025 +	0.004 .0051	----	----	----	----	1 UNCH
11625	----	----	----	0.014B/0.021A	----	0.025 +	0.004 .0051	----	----	----	----	2 UNCH
11675	0.020	0.020	0.020/0.020	0.020/0.020	----	0.024 +	0.003 .0049	----	----	4	----	4 + 2
11700	----	----	----/0.020A	0.013B/0.020A	----	0.024 +	0.003 .0049	----	----	----	----	1 UNCH
11775	----	----	----	0.013B/0.021A	----	0.023 +	0.002 .0047	----	----	----	----	3 UNCH
11800	----	----	----/0.020A	0.012B/0.020A	----	0.023 +	0.002 .0047	----	----	----	----	30 UNCH
11850	----	----	----/0.020A	0.012B/0.020A	----	0.023 +	0.002 .0047	----	----	----	----	2 UNCH
12000	----	----	----/0.020A	0.011B/0.020A	----	0.022 +	0.001 .0044	----	----	20	----	551 UNCH
12075	----	----	----/0.019A	0.010B/0.019A	----	0.021	UNCH .0042	----	----	----	----	1 UNCH
12100	----	----	----/0.019A	0.010B/0.019A	----	0.021	UNCH .0042	----	----	----	----	13 UNCH
12150	----	----	----/0.019A	0.010B/0.019A	----	0.021	UNCH .0042	----	----	----	----	4 UNCH
12175	----	----	----/0.019A	0.015B/0.019A	----	0.021	UNCH .0042	----	----	----	----	10 UNCH
12200	0.015	0.015	0.015/0.015	0.015/0.015	----	0.021	UNCH .0042	----	----	25	----	25 + 25
12225	----	----	----/0.018A	0.009B/0.018A	----	0.020 -	0.001 .0040	----	----	----	----	3 UNCH
12250	----	----	----/0.018A	0.008B/0.018A	----	0.020 -	0.001 .0040	----	----	----	----	26 UNCH
12275	----	----	----/0.020A	0.007B/0.020A	----	0.020 -	0.001 .0040	----	----	----	----	1 UNCH
12300	0.015	0.015	0.015/0.015	0.015/0.015	----	0.020 -	0.001 .0040	----	----	20	----	30 + 20
12400	----	----	----	0.001B/0.058A	----	0.020 -	0.001 .0039	----	----	----	----	25 UNCH
12500	----	----	----	0.001B/0.057A	----	0.019 -	0.002 .0037	----	----	----	----	113 UNCH
12550	----	----	----	0.001B/0.057A	----	0.019 -	0.002 .0037	----	----	----	----	19 UNCH
12600	----	----	----/0.018A	0.001B/0.018A	----	0.019 -	0.002 .0037	----	----	----	----	25 UNCH
12700	0.015	0.015	0.015/0.015	0.015/0.015	----	0.018	NEW .0035	----	----	25	----	25 + 25
12775	----	----	----	0.001B/0.056A	----	0.018 -	0.003 .0035	----	----	----	----	1 UNCH
12800	----	----	----	0.001B/0.056A	----	0.018 -	0.003 .0035	----	----	----	----	7 UNCH
12900	----	----	----	0.001B/0.056A	----	0.018 -	0.003 .0035	----	----	----	----	3 UNCH
13000	----	----	----	0.001B/0.055A	----	0.018 -	0.003 .0034	----	----	----	----	370 UNCH
13500	----	----	----	----/0.053A	----	0.017 -	0.003 .0031	----	----	----	----	24 UNCH
14000	----	----	----	----/0.052A	----	0.016 -	0.003 .0029	----	----	----	----	118 UNCH
14200	----	----	----	----/0.052A	----	0.016 -	0.002 .0028	----	----	----	----	2 UNCH
15000	----	----	----	----/0.050A	----	0.013 -	0.002 .0023	----	----	----	----	1773 UNCH
16000	----	----	----	----/0.049A	----	0.009 -	0.002 .0015	----	----	----	----	1615 UNCH
17000	----	----	----	----/0.048A	----	0.007 -	0.001 .0012	----	----	----	----	87 UNCH
18000	----	----	----	----/0.047A	----	0.004 -	0.001 .0007	----	----	----	----	202 UNCH
19000	----	----	----	----/0.047A	----	0.003	UNCH .0005	----	----	----	----	6 UNCH
20000	----	----	----	----/0.046A	----	0.002	UNCH .0003	----	----	----	----	544 UNCH
21000	----	----	----	----/0.046A	----	0.001	UNCH .0001	----	----	----	----	7 UNCH
22000	----	----	----	----/0.046A	----	0.001	UNCH .0001	----	----	----	----	7 UNCH
23000	----	----	----	----/0.046A	----	0.001	UNCH .0000	----	----	----	----	37 UNCH
24000	----	----	----	----/0.046A	----	0.001	UNCH .0000	----	----	----	----	2 UNCH
25000	----	----	----	----/0.005A	----	0.001	UNCH .0000	----	----	----	----	239 UNCH
26000	----	----	----	----/0.045A	----	0.001	UNCH .0000	----	----	----	----	3 UNCH
30000	----	----	----	----/0.045A	----	0.001	UNCH ----	----	----	----	----	111 UNCH
32000	----	----	----	----/0.045A	----	0.001	UNCH ----	----	----	----	----	12 UNCH
35000	----	----	----	----/0.045A	----	0.001	UNCH ----	----	----	----	----	1 UNCH
40000	----	----	----	----/0.045A	----	0.001	UNCH ----	----	----	----	----	25 UNCH
90000	----	----	----	----/0.045A	----	0.001	UNCH ----	----	----	----	----	2 UNCH
10000(	----	----	----	----/0.002A	----	0.001	UNCH ----	----	----	----	----	10 UNCH
TOTAL										1153	52	26034 + 1
JAN27												
4000	----	----	21.532B/19.578A	21.532B/19.578A	----	20.183 -	0.880 .9797	----	----	----	----	3 UNCH
4500	----	----	16.659B/14.725A	16.659B/14.725A	----	15.323 -	0.859 .9513	----	----	----	----	2 UNCH
5700	----	----	6.443B/5.023A	6.443B/5.023A	----	5.449 -	0.640 .6632	----	----	----	----	1 UNCH
5900	4.367	4.367	5.226B/3.967A	5.226B/3.967A	----	4.338 -	0.567 .5798	----	----	1	----	2 + 1
6000	3.697	3.697	4.698B/3.511A	4.698B/3.511A	----	3.856 -	0.528 .5375	----	----	8	----	14 + 8
6025	3.745	3.745	4.569B/3.407A	4.569B/3.407A	----	3.744	NEW .5270	----	----	1	----	1 + 1
6075	----	----	4.322B/3.207A	4.322B/3.207A	----	3.527 -	0.498 .5062	----	----	1	----	2 + 1
6100	----	----	4.203B/3.111A	4.203B/3.111A	----	3.423 -	0.489 .4959	----	----	----	----	3 UNCH
6175	----	----	3.862B/2.839A	3.862B/2.839A	----	3.128 -	0.460 .4656	----	----	----	----	7 UNCH
6200	----	----	3.754B/2.751A	3.754B/2.751A	----	3.036 -	0.450 .4557	----	----	4	----	28 + 2
6225	----	----	3.649B/2.671A	3.649B/2.671A	----	2.946 -	0.440 .4459	----	----	----	----	50 UNCH
6250	----	----	3.546B/2.591A	3.546B/2.591A	----	2.858 -	0.431 .4361	----	----	----	----	34 UNCH
6275	----	----	3.447B/2.511A	3.447B/2.511A	----	2.774 -	0.421 .4266	----	----	1	----	2 + 1
6300	----	----	3.350B/2.437A	3.350B/2.437A	----	2.692 -	0.412 .4172	----	----	----	----	32 UNCH
6325	----	----	3.255B/2.359A	3.255B/2.359A	----	2.612 -	0.403 .4079	----	----	----	----	13 UNCH
6350	2.487	2.487	3.163B/2.291A	3.163B/2.291A	----	2.535 -	0.394 .3988	----	----	2	----	4 + 2
6375	----	----	3.074B/2.223A	3.074B/2.223A	----	2.460	NEW .3898	----	----	9	----	9 + 9
6400	2.358	2.358	2.987B/2.156A	2.987B/2.156A	----	2.388 -	0.375 .3809	----	----	4	----	100 UNCH
6425	----	----	2.902B/2.092A	2.902B/2.092A	----	2.318 -	0.366 .3722	----	----	----	----	1 UNCH
6450	----	----	2.817B/2.027A	2.817B/2.027A	----	2.250 -	0.358 .3637	----	----	9	----	11 + 3
6475	----	----	2.741B/1.969A	2.741B/1.969A	----	2.184 -	0.349 .3553	----	----	----	----	1 UNCH
6500	2.460	2.460	2.663B/1.910A	2.663B/1.910A	----	2.120 -	0.341 .3471	----	----	22	----	104 + 17
6525	----	----	2.588B/1.853A	2.588B/1.853A	----	2.058 -	0.333 .3390	----	----	----	----	2 UNCH
6575	----	----	2.445B/1.747A	2.445B/1.747A	----	1.941 -	0.317 .3234	----	----	----	----	1 UNCH
6600	----	----	2.376B/1.696A	2.376B/1.696A	----	1.885 -	0.309 .3158	----	----	----	----	230 UNCH
6625	1.842	1.842	2.309B/1.647A	2.309B/1.647A	----	1.831 -	0.302 .3084	----	----	10	----	15 + 10
6650	----	----	2.245B/1.599A	2.245B/1.599A	----	1.779 -	0.294 .3011	----	----	----	----	1 UNCH
6700	1.757	1.757	2.122B/1.510A	2.122B/1.510A	----	1.679 -	0.280 .2870	----	----	13	----	25 + 12
6725	1.708	1.708	2.060B/1.467A	2.060B/1.467A	----	1.632 -	0.272 .2803	----	----	2	----	26 + 1
6750	----	----	2.003B/1.424A	2.003B/1.424A	----	1.586	NEW .2737	----	----	4	----	4 + 4
6775	----	----	1.947B/1.385A	1.947B/1.385A	----	1.542 -	0.259 .2672	----	----	----	----	1 UNCH
6800	1.520	1.520	1.897B/1.348A	1.897B/1.348A	----	1.500 -	0.251 .2610	----	----	6	----	203 + 2
6825	----	----	1.842B/1.309A	1.842B/1.309A	----	1.458	NEW .2547	----	----	4	----	4 + 4
6850	1.301	1.301	1.795B/1.274A	1.795B/1.274A	----	1.418 -	0.239 .2487	----	----	2	----	2 + 2
6875	1.302	1.302	1.745B/1.239A	1.745B/1.239A	----	1.380 -	0.232 .2429	----	----	5	----	11 + 5
6900	1.380	1.380	1.697B/1.205A	1.697B/1.205A	----	1.342 -	0.227 .2372	----	----	28	----	15 + 5
6925	1.318	1.318	1.652B/1.173A	1.652B/1.173A	----	1.306	NEW .2316	----	----	2	----	2 + 2
6950	----	----	1.608B/1.141A	1.608B/1.141A	----	1.271 -	0.215 .2262	----	----	4	----	10 + 4
7000	----	----	1.524B/1.082A	1.524B/1.082A	----	1.205 -	0.204 .2158	----	----	16	----	187 UNCH
7050	----	----	1.443B/1.026A	1.443B/1.026A	----	1.143 -	0.193 .2059	----	----	----	----	1 UNCH
7075	----	----	1.406B/1.000A	1.406B/1.000A	----	1.113	NEW .2011	----	----	5	----	5 + 5
7100	1.221	1.221	1.369B/0.974A	1.369B/0.974A	----	1.085 -	0.183 .1965	----	----	2	----	38 + 2
7150	----	----	1.299B/0.926A	1.299B/0.926A	----	1.030 -	0.174 .1876	----	----	----	----	10 UNCH
7200	----	----	1.236B/0.881A	1.236B/0.881A	----	0.980 -	0.164 .1792	----	----	1	----	141 + 1
7250	----	----	1.174B/0.839A	1.174B/0.839A	----	0.932 -	0.155 .1712	----	----	----	----	94 UNCH
7300	----	----	1.117B/0.799A	1.117B/0.799A	----	0.887 -	0.147 .1636	----	----	----	----	32 UNCH
7350	0.755	0.755	1.063B/0.755	1.063B/0.755	----	0.845 -	0.140 .1564	----	----	1	----	3 + 1
7375	----	----	1.037B/0.744A	1.037B/0.744A	----	0.826 -	0.135 .1531	----	----	----	----	2 UNCH
7400	----	----	1.012B/0.727A	1.012B/0.727A	----	0.806 -	0.132 .1496	----	----	----	----	3 UNCH
7425	0.809	0.809	0.988B/0.711A	0.988B/0.711A	----	0.788 -	0.128 .1465	----	----	1	----	1 - 1
7450	----	----	0.965B/0.695A	0.965B/0.695A	----	0.769 -	0.125 .1432	----	----	12	----	10 + 9
7475	----	----	0.942B/0.681A	0.942B/0.681A	----	0.752 -	0.122 .1402	----	----	----	----	37 UNCH
7500	0.909	0.909	0.920B/0.664A	0.920B/0.664A	----	0.735 -	0.118 .1372	----	----	12	----	93 + 3
7525	----	----	0.899B/0.651A	0.899B/0.651A	----	0.718 -	0.116 .1342	----	----	----	----	1 UNCH
7550	----	----	0.878B/0.637A	0.878B/0.637A	----	0.702 -	0.113 .1314	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JAN27												
7575	0.698	0.698	0.859B/0.623A	0.859B/0.623A	----	0.687 - 0.109	.1287	----	----	1	----	8 + 1
7600	----	----	0.839B/0.610A	0.839B/0.610A	----	0.672 - 0.107	.1260	----	----	----	----	1 UNCH
7650	----	----	0.802B/0.585A	0.802B/0.585A	----	0.643 - 0.102	.1208	----	----	----	----	6 UNCH
7675	----	----	0.783B/0.573A	0.783B/0.573A	----	0.630 - 0.098	.1184	----	----	----	----	4 UNCH
7700	----	----	0.767B/0.561A	0.767B/0.561A	----	0.617 - 0.096	.1160	----	----	1	----	83 - 1
7725	----	----	0.749B/0.550A	0.749B/0.550A	----	0.604 - 0.093	.1137	----	----	----	----	1 UNCH
7800	----	----	0.702B/0.520A	0.702B/0.520A	----	0.567 - 0.087	.1069	----	----	----	----	63 UNCH
7900	----	----	0.644B/0.483A	0.644B/0.483A	----	0.524 - 0.078	.0989	----	----	----	----	22 UNCH
7925	0.524	0.524	0.630B/0.475A	0.630B/0.475A	----	0.514 - 0.076	.0970	----	----	3	----	5 UNCH
7950	----	----	0.618B/0.466A	0.618B/0.466A	----	0.504 - 0.075	.0952	----	----	----	----	1 UNCH
7975	----	----	0.606B/0.457A	0.606B/0.457A	----	0.494 - 0.073	.0933	----	----	----	----	7 UNCH
8000	0.498	0.498	0.595B/0.448A	0.595B/0.448A	----	0.485 - 0.071	.0916	----	----	2	----	154 + 1
8075	----	----	0.559B/0.430A	0.559B/0.430A	----	0.459 - 0.066	.0867	----	----	----	----	6 UNCH
8100	----	----	0.549B/0.428A	0.549B/0.428A	----	0.450 - 0.065	.0850	----	----	----	----	2 UNCH
8200	----	----	0.507B/0.389A	0.507B/0.389A	----	0.419 - 0.060	.0791	----	----	1	----	11 + 1
8300	----	----	0.461B/0.364A	0.461B/0.364A	----	0.392 - 0.054	.0739	----	----	----	----	53 UNCH
8325	----	----	----/0.358A	0.394B/0.358A	----	0.385 - 0.053	.0726	----	----	----	----	1 UNCH
8350	----	----	----/0.353A	0.387B/0.353A	----	0.379 - 0.052	.0714	----	----	----	----	2 UNCH
8400	----	----	----/0.342A	0.381B/0.342A	----	0.367 - 0.049	.0691	----	----	----	----	1 UNCH
8500	----	----	----/0.321A	0.380B/0.321A	----	0.344 - 0.046	.0646	----	----	----	----	26 UNCH
8550	----	----	0.381B/0.312A	0.381B/0.312A	----	0.333 - 0.044	.0625	----	----	9	----	13 UNCH
8600	----	----	0.380B/0.303A	0.380B/0.303A	----	0.323 - 0.043	.0606	----	----	----	----	1 UNCH
8700	----	----	0.356B/0.286A	0.356B/0.286A	----	0.305 - 0.039	.0570	----	----	----	----	2 UNCH
8750	----	----	0.346B/0.279A	0.346B/0.279A	----	0.296 - 0.038	.0553	----	----	----	----	2 UNCH
8800	----	----	0.335B/0.271A	0.335B/0.271A	----	0.288 - 0.036	.0537	----	----	----	----	5 UNCH
8825	----	----	0.330B/0.268A	0.330B/0.268A	----	0.284 - 0.036	.0529	----	----	----	----	1 UNCH
8975	----	----	0.302B/0.247A	0.302B/0.247A	----	0.261 - 0.033	.0484	----	----	----	----	1 UNCH
9000	0.240	0.240	0.296B/0.240	0.296B/0.240	----	0.258 - 0.032	.0478	----	----	8	----	325 UNCH
9025	----	----	0.293B/0.241A	0.293B/0.241A	----	0.255 - 0.031	.0472	----	----	----	----	1 UNCH
9100	----	----	0.281B/0.233A	0.281B/0.233A	----	0.245 - 0.029	.0453	----	----	----	----	3 UNCH
9125	----	----	0.277B/0.230A	0.277B/0.230A	----	0.242 - 0.029	.0447	----	----	----	----	3 UNCH
9200	----	----	0.266B/0.222A	0.266B/0.222A	----	0.233 - 0.027	.0429	----	----	----	----	4 UNCH
9300	----	----	0.251B/0.212A	0.251B/0.212A	----	0.222 - 0.025	.0407	----	----	----	----	1 UNCH
9325	----	----	0.248B/0.209A	0.248B/0.209A	----	0.219 - 0.025	.0402	----	----	----	----	2 UNCH
9400	----	----	0.238B/0.202A	0.238B/0.202A	----	0.211 - 0.024	.0386	----	----	----	----	1 UNCH
9450	----	----	0.232B/0.198A	0.232B/0.198A	----	0.207 - 0.023	.0378	----	----	----	----	2 UNCH
9475	----	----	0.229B/0.196A	0.229B/0.196A	----	0.204 - 0.023	.0372	----	----	----	----	1 UNCH
9500	0.199	0.199	0.227B/0.193A	0.227B/0.193A	----	0.202 - 0.022	.0368	----	----	3	----	38 + 2
9525	----	----	0.224B/0.191A	0.224B/0.191A	----	0.200 - 0.021	.0364	----	----	----	----	1 UNCH
9600	----	----	0.216B/0.185A	0.216B/0.185A	----	0.193 - 0.021	.0350	----	----	----	----	1 UNCH
9700	----	----	0.205B/0.178A	0.205B/0.178A	----	0.185 - 0.019	.0334	----	----	----	----	4 UNCH
9900	----	----	0.187B/0.164A	0.187B/0.164A	----	0.170 - 0.016	.0305	----	----	----	----	2 UNCH
9950	----	----	0.183B/0.160A	0.183B/0.160A	----	0.166 - 0.016	.0297	----	----	----	----	2 UNCH
9975	----	----	----/0.159A	0.179B/0.159A	----	0.164 - 0.016	.0294	----	----	----	----	4 UNCH
10000	0.154	0.154	0.154/0.154	0.178B/0.154	----	0.163 - 0.015	.0291	----	----	6	----	758 - 2
10050	----	----	----/0.154A	0.174B/0.154A	----	0.160 - 0.014	.0285	----	----	----	----	6 UNCH
10100	----	----	----/0.151A	0.170B/0.151A	----	0.156 - 0.015	.0278	----	----	----	----	2 UNCH
10200	----	----	----/0.146A	0.163B/0.146A	----	0.150 - 0.014	.0266	----	----	----	----	1 UNCH
10300	----	----	----/0.140A	0.156B/0.140A	----	0.144 - 0.013	.0255	----	----	----	----	3 UNCH
10375	----	----	----/0.136A	0.151B/0.136A	----	0.140 - 0.012	.0247	----	----	----	----	3 UNCH
10500	----	----	----/0.130A	0.143B/0.130A	----	0.134 - 0.011	.0235	----	----	----	----	4 UNCH
10950	----	----	----/0.111A	0.119B/0.111A	----	0.113 - 0.008	.0196	----	----	----	----	4 UNCH
11000	----	----	----/0.109A	0.116B/0.109A	----	0.111 - 0.008	.0192	----	----	----	----	115 UNCH
11200	----	----	----/0.102A	0.106B/0.102A	----	0.104 - 0.006	.0179	----	----	----	----	2 UNCH
11400	----	----	----/0.097A	0.098B/0.097A	----	0.097 - 0.004	.0166	----	----	----	----	4 UNCH
11500	----	----	----/0.095A	0.095B/0.095A	----	0.094 - 0.004	.0160	----	----	----	----	1 UNCH
11825	----	----	----/0.084A	0.077B/0.084A	----	0.084 - 0.002	.0142	----	----	----	----	4 UNCH
12000	0.079	0.079	0.079/0.079	0.079/0.079	----	0.079 - 0.002	.0133	----	----	2	----	333 + 2
12050	----	----	----/0.078A	0.071B/0.078A	----	0.077 - 0.002	.0130	----	----	----	----	4 UNCH
12100	----	----	----	0.071B/0.078A	----	0.076 - 0.002	.0128	----	----	----	----	1 UNCH
12125	----	----	----/0.076A	0.069B/0.076A	----	0.076 - 0.001	.0128	----	----	----	----	1 UNCH
12500	----	----	----	0.061B/0.069A	----	0.066 - 0.002	.0111	----	----	----	----	3045 UNCH
12600	----	----	----/0.065A	0.059B/0.065A	----	0.064 - 0.002	.0107	----	----	----	----	4 UNCH
12975	----	----	----	0.052B/0.059A	----	0.057 - 0.001	.0095	----	----	----	----	25 UNCH
13000	----	----	----	0.052B/0.059A	----	0.056 - 0.001	.0093	----	----	----	----	7 UNCH
14000	----	----	----	0.039B/0.043A	----	0.042 UNCH	.0068	----	----	----	----	25 UNCH
14500	----	----	----	0.032B/0.037A	----	0.037 UNCH	.0060	----	----	----	----	400 UNCH
15000	0.030	0.030	0.030/0.030	0.030/0.030	----	0.033 UNCH	.0053	----	----	2	----	3467 + 2
TOTAL										230	0	10734 + 122
FEB27												
5950	4.785	4.785	5.572B/4.391A	5.572B/4.391A	----	4.736 NEW	.5599	----	----	2	----	2 + 2
6075	----	----	4.984B/3.873A	4.984B/3.873A	----	4.186 - 0.505	.5154	----	----	----	----	1 UNCH
6100	3.944	3.944	4.859B/3.776A	4.859B/3.776A	----	4.084 NEW	.5067	----	----	23	----	23 + 23
6150	----	----	4.635B/3.591A	4.635B/3.591A	----	3.886 - 0.482	.4894	----	----	----	----	3 UNCH
6200	----	----	4.425B/3.415A	4.425B/3.415A	----	3.698 - 0.466	.4724	----	----	----	----	6 UNCH
6250	----	----	4.228B/3.247A	4.228B/3.247A	----	3.519 - 0.450	.4558	----	----	----	----	9 UNCH
6275	----	----	4.130B/3.167A	4.130B/3.167A	----	3.433 - 0.443	.4476	----	----	----	----	1 UNCH
6300	----	----	4.032B/3.088A	4.032B/3.088A	----	3.349 - 0.435	.4395	----	----	----	----	10 UNCH
6350	----	----	3.850B/2.939A	3.850B/2.939A	----	3.188 - 0.420	.4236	----	----	----	----	7 UNCH
6450	----	----	3.500B/2.660A	3.500B/2.660A	----	2.890 - 0.390	.3931	----	----	----	----	5 UNCH
6500	----	----	3.332B/2.533A	3.332B/2.533A	----	2.752 - 0.376	.3784	----	----	1	----	13 UNCH
6550	----	----	3.179B/2.413A	3.179B/2.413A	----	2.622 - 0.362	.3643	----	----	----	----	5 UNCH
6575	----	----	3.108B/2.355A	3.108B/2.355A	----	2.560 - 0.354	.3574	----	----	----	----	3 UNCH
6600	----	----	3.038B/2.298A	3.038B/2.298A	----	2.499 - 0.348	.3506	----	----	----	----	1 UNCH
6625	----	----	2.968B/2.244A	2.968B/2.244A	----	2.440 - 0.341	.3439	----	----	----	----	3 UNCH
6700	----	----	2.769B/2.088A	2.769B/2.088A	----	2.273 - 0.321	.3247	----	----	----	----	10 UNCH
6800	1.985	1.985	2.520B/1.902A	2.520B/1.902A	----	2.071 - 0.295	.3006	----	----	1	----	37 - 1
6900	----	----	2.304B/1.735A	2.304B/1.735A	----	1.889 - 0.273	.2782	----	----	----	----	1 UNCH
6925	----	----	2.251B/1.696A	2.251B/1.696A	----	1.847 - 0.267	.2729	----	----	----	----	1 UNCH
7000	----	----	2.110B/1.586A	2.110B/1.586A	----	1.727 - 0.252	.2576	----	----	----	----	8 UNCH
7200	1.421	1.421	1.772B/1.333A	1.772B/1.333A	----	1.453 - 0.213	.2214	----	----	2	----	454 UNCH
7225	----	----	1.737B/1.306A	1.737B/1.306A	----	1.423 - 0.209	.2173	----	----	----	----	71 UNCH
7300	----	----	1.629B/1.227A	1.629B/1.227A	----	1.337 - 0.196	.2055	----	----	----	----	1 UNCH
7325	----	----	1.598B/1.202A	1.598B/1.202A	----	1.309 - 0.193	.2017	----	----	----	----	2 UNCH
7350	----	----	1.565B/1.178A	1.565B/1.178A	----	1.283 - 0.188	.1980	----	----	----	----	1 UNCH
7450	----	----	1.442B/1.088A	1.442B/1.088A	----	1.184 - 0.173	.1841	----	----	----	----	3 UNCH
7475	----	----	1.415B/1.067A	1.415B/1.067A	----	1.161 - 0.169	.1808	----	----	----	----	10 UNCH
7500	1.131	1.131	1.387B/1.047A	1.387B/1.047A	----	1.139 - 0.165	.1776	----	----	1	----	282 + 1
7550	----	----	1.331B/1.008A	1.331B/1.008A	----	1.095 - 0.159	.1713	----	----	----	----	334 UNCH
7600	----	----	1.281B/0.971A	1.281B/0.971A	----	1.054 - 0.152	.1653	----	----	----	----	5 UNCH
7700	----	----	1.186B/0.903A	1.186B/0.903A	----	0.978 - 0.139	.1542	----	----	----	----	61 UNCH
7775	----	----	1.123B/0.855A	1.123B/0.855A	----	0.926 - 0.130	.1464	----	----	----	----	2 UNCH
7800	----	----	1.100B/0.841A	1.100B/0.841A	----	0.910 - 0.127	.1440	----	----	----	----	25 UNCH
7900	----	----	1.023B/0.785A	1.023B/0.785A	----	0.848 - 0.117	.1347	----	----	----	----	1 UNCH
7975	----	----	0.970B/0.747A	0.970B/0.747A	----	0.806 - 0.109	.1282	----	----	----	----	1 UNCH
8000	----	----	0.953B/0.735A	0.953B/0.735A	----	0.792 - 0.107	.1261	----	----	----	----	177 UNCH
8050	----	----	0.919B/0.711A	0.919B/0.711A	----	0.766 - 0.103	.1221	----	----	----	----	50 UNCH
8200	----	----	0.830B/0.647A	0.830B/0.647A	----	0.695 - 0.091	.1111	----	----	----	----	7 UNCH
8300	----	----	0.779B/0.609A	0.779B/0.609A	----	0.653 - 0.085	.1045	----	----	----	----	20 UNCH
8400	----	----	0.730B/0.575A	0.730B/0.575A	----	0.614 - 0.081	.0984	----	----	----	----	2 UNCH
8500	----	----	0.686B/0.543A	0.686B/0.543A	----	0.579 - 0.078	.0928	----	----	----	----	122 UNCH
8550	----	----	0.665B/0.531A	0.665B/0.531A	----	0.563 - 0.075	.0902	----	----	----	----	20 UNCH
8800	----	----	0.565B/0.466A	0.565B/0.466A	----	0.491 - 0.065	.0786	----	----	----	----	12 UNCH
9000	----	----	----/0.421A	0.449B/0.421A	----	0.442 - 0.056	.0707	----	----	----	----	77 UNCH
9200	----	----	----/0.384A	0.435B/0.384A	----	0.401 - 0.049	.0639	----	----	----	----	89 UNCH
9275	----	----	0.435B/0.371A	0.435B/0.371A	----	0.387 - 0.047	.0617	----	----	----	----	3 UNCH
9425	----	----	0.413B/0.348A	0.413B/0.348A	----	0.362 - 0.044	.0575	----	----	----	----	22 UNCH
9500	----	----	0.398B/0.337A	0.398B/0.337A	----	0.350 - 0.042	.0555	----	----	----	----	84 UNCH
9650	----	----	0.372B/0.316A	0.372B/0.316A	----	0.328 - 0.039	.0519	----	----	----	----	3 UNCH
9800	----	----	0.348B/0.298A	0.348B/0.298A	----	0.309 - 0.035	.0487	----	----	----	----	2 UNCH
10000	----	----	0.320B/0.277A	0.320B/0.277A	----	0.285 - 0.032	.0447	----	----	----	----	114 UNCH
10200	----	----	----/0.257A	0.294B/0.257A	----	0.265 - 0.029	.0414	----	----	----	----	83 UNCH
10225	----	----	----/0.255A	0.291B/0.255A	----	0.262 - 0.030	.0409	----	----	----	----	10 UNCH
10500	----	----	----/0.232A	0.262B/0.232A	----	0.238 - 0.027	.0369	----	----	----	----	20 UNCH
10725	----	----	----/0.216A	0.241B/0.216A	----	0.221 - 0.023	.0341	----	----	----	----	5 UNCH
11000	----	----	----/0.198A	0.219B/0.198A	----	0.202 - 0.019	.0309	----	----	----	----	25 UNCH
11100	----	----	----/0.192A	0.211B/0.192A	----	0.196 - 0.017	.0299	----	----	----	----	1 UNCH
11400	----	----	----/0.176A	0.191B/0.176A	----	0.179 - 0.014	.0271	----	----	----	----	4 UNCH
11500	----	----	----/0.171A	0.185B/0.171A	----	0.173 - 0.015	.0262	----	----	----	----	3 UNCH
11700	----	----	----/0.162A	0.172B/0.162A	----	0.163 - 0.014	.0246	----	----	----	----	6 UNCH
12000	----	----	----/0.149A	0.158B/0.149A	----	0.150 - 0.012	.0225	----	----	----	----	24 UNCH
12400	----	----	----/0.135A	0.140B/0.135A	----	0.134 - 0.011	.0199	----	----	----	----	4 UNCH
12500	----	----	----/0.131A	0.135B/0.131A	----	0.131 - 0.010	.0194	----	----	----	----	66 UNCH
12950	----	----	----/0.118A	0.118B/0.118A	----	0.116 - 0.009	.0171	----	----	----	----	1 UNCH
12975	----	----	----/0.117A	0.117B/0.117A	----	0.115 - 0.009	.0169	----	----	----	----	3 UNCH
14000	----	----	----/0.095A	0.084B/0.095A	----	0.089 - 0.007	.0129	----	----	----	----	4 UNCH
25000	----	----	----	0.005B/0.060A	----	0.032 + 0.009	.0038	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

COMEX SILVER OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL												
FEB27												
30000	----	----	----	----/0.057A	----	0.017 -	0.003 .0020	----	----	----	----	57 UNCH
TOTAL										30	0	2524 + 25
MAR27												
6000	----	----	5.890B/4.741A	5.890B/4.741A	----	5.065 -	0.534 .5460	----	----	1	----	3 + 1
6025	----	----	5.758B/4.639A	5.758B/4.639A	----	4.958 -	0.526 .5381	----	----	----	----	1 UNCH
6050	----	----	5.643B/4.539A	5.643B/4.539A	----	4.852 -	0.520 .5303	----	----	----	----	1 UNCH
6075	----	----	5.530B/4.442A	5.530B/4.442A	----	4.749 -	0.512 .5225	----	----	----	----	76 UNCH
6125	4.384	4.384	5.320B/4.253A	5.320B/4.253A	----	4.550	NEW .5071	----	----	14	----	14 + 14
6175	4.203	4.203	5.093B/4.073A	5.093B/4.073A	----	4.358 -	0.484 .4919	----	----	15	----	15 + 14
6200	----	----	4.997B/3.986A	4.997B/3.986A	----	4.266 -	0.476 .4844	----	----	----	----	30 UNCH
6250	----	----	4.788B/3.818A	4.788B/3.818A	----	4.087 -	0.462 .4696	----	----	----	----	11 UNCH
6300	----	----	4.598B/3.656A	4.598B/3.656A	----	3.916 -	0.448 .4551	----	----	----	----	11 UNCH
6325	----	----	4.503B/3.578A	4.503B/3.578A	----	3.833 -	0.442 .4480	----	----	----	----	1 UNCH
6350	----	----	4.409B/3.502A	4.409B/3.502A	----	3.753 -	0.434 .4410	----	----	----	----	10 UNCH
6400	----	----	4.237B/3.356A	4.237B/3.356A	----	3.596 -	0.422 .4271	----	----	----	----	57 UNCH
6425	----	----	4.161B/3.286A	4.161B/3.286A	----	3.521 -	0.415 .4203	----	----	----	----	1 UNCH
6450	----	----	4.066B/3.217A	4.066B/3.217A	----	3.448 -	0.408 .4136	----	----	----	----	20 UNCH
6475	----	----	3.990B/3.149A	3.990B/3.149A	----	3.376 -	0.402 .4069	----	----	----	----	1 UNCH
6500	----	----	3.914B/3.083A	3.914B/3.083A	----	3.305 -	0.396 .4003	----	----	----	----	12 UNCH
6600	----	----	3.599B/2.835A	3.599B/2.835A	----	3.040 -	0.372 .3750	----	----	1	----	18 + 1
6775	----	----	3.133B/2.455A	3.133B/2.455A	----	2.633 -	0.332 .3341	----	----	----	----	16 UNCH
6800	----	----	3.070B/2.407A	3.070B/2.407A	----	2.580 -	0.327 .3286	----	----	----	----	41 UNCH
6825	----	----	3.010B/2.359A	3.010B/2.359A	----	2.529 -	0.322 .3232	----	----	----	----	5 UNCH
6875	----	----	2.898B/2.267A	2.898B/2.267A	----	2.429 -	0.312 .3126	----	----	----	----	1 UNCH
6900	----	----	2.840B/2.222A	2.840B/2.222A	----	2.381 -	0.307 .3075	----	----	----	----	2 UNCH
6925	----	----	2.787B/2.179A	2.787B/2.179A	----	2.335 -	0.301 .3025	----	----	----	----	1 UNCH
6975	----	----	2.679B/2.095A	2.679B/2.095A	----	2.244 -	0.292 .2926	----	----	----	----	1 UNCH
7000	----	----	2.631B/2.055A	2.631B/2.055A	----	2.201 -	0.287 .2878	----	----	2	----	187 + 1
7100	----	----	2.439B/1.905A	2.439B/1.905A	----	2.038 -	0.268 .2695	----	----	----	----	1 UNCH
7175	----	----	2.306B/1.800A	2.306B/1.800A	----	1.926 -	0.254 .2567	----	----	----	----	3 UNCH
7200	----	----	2.264B/1.767A	2.264B/1.767A	----	1.891 -	0.249 .2526	----	----	----	----	219 UNCH
7225	----	----	2.219B/1.735A	2.219B/1.735A	----	1.856 -	0.245 .2485	----	----	----	----	12 UNCH
7275	----	----	2.141B/1.672A	2.141B/1.672A	----	1.789 -	0.237 .2406	----	----	----	----	1 UNCH
7300	----	----	2.103B/1.642A	2.103B/1.642A	----	1.757 -	0.232 .2368	----	----	----	----	1 UNCH
7375	----	----	1.992B/1.556A	1.992B/1.556A	----	1.665 -	0.220 .2257	----	----	----	----	10 UNCH
7400	----	----	1.957B/1.530A	1.957B/1.530A	----	1.635 -	0.216 .2221	----	----	----	----	41 UNCH
7450	----	----	1.889B/1.476A	1.889B/1.476A	----	1.579 -	0.208 .2153	----	----	----	----	5 UNCH
7475	----	----	1.856B/1.452A	1.856B/1.452A	----	1.552 -	0.204 .2120	----	----	----	----	1 UNCH
7500	1.556	1.556	1.823B/1.427A	1.823B/1.427A	----	1.525 -	0.201 .2086	----	----	1	----	192 UNCH
7525	1.479	1.479	1.790B/1.403A	1.790B/1.403A	----	1.499 -	0.197 .2054	----	----	1	----	77 + 1
7550	1.438	1.438	1.761B/1.372	1.761B/1.372	----	1.474 -	0.193 .2023	----	----	34	----	36 + 33
7600	1.454	1.454	1.701B/1.334A	1.701B/1.334A	----	1.425 -	0.186 .1962	----	----	1	----	4 + 1
7625	1.430	1.430	1.671B/1.312A	1.671B/1.312A	----	1.401 -	0.183 .1932	----	----	1	----	4 + 1
7650	----	----	1.643B/1.290A	1.643B/1.290A	----	1.378 -	0.180 .1902	----	----	----	----	1 UNCH
7675	1.389	1.389	1.617B/1.270A	1.617B/1.270A	----	1.356 -	0.176 .1874	----	----	1	----	4 + 1
7700	----	----	1.589B/1.249A	1.589B/1.249A	----	1.334 -	0.173 .1846	----	----	----	----	40 UNCH
7725	----	----	1.562B/1.229A	1.562B/1.229A	----	1.312 -	0.170 .1818	----	----	----	----	29 UNCH
7750	1.310	1.310	1.536B/1.209A	1.536B/1.209A	----	1.291 -	0.167 .1791	----	----	2	----	3 + 2
7800	----	----	1.487B/1.171A	1.487B/1.171A	----	1.250 -	0.161 .1738	----	----	----	----	5 UNCH
7850	----	----	1.439B/1.135A	1.439B/1.135A	----	1.211 -	0.155 .1688	----	----	----	----	1 UNCH
7875	----	----	1.417B/1.118A	1.417B/1.118A	----	1.192 -	0.153 .1663	----	----	----	----	1 UNCH
7900	----	----	1.393B/1.101A	1.393B/1.101A	----	1.173 -	0.151 .1639	----	----	4	----	19 + 3
7925	----	----	1.372B/1.084A	1.372B/1.084A	----	1.155 -	0.148 .1615	----	----	----	----	9 UNCH
7950	----	----	1.350B/1.068A	1.350B/1.068A	----	1.138 -	0.145 .1592	----	----	----	----	1 UNCH
8000	1.110	1.110	1.307B/1.036A	1.307B/1.036A	----	1.103 -	0.141 .1547	----	----	18	----	285 + 4
8050	----	----	1.267B/1.006A	1.267B/1.006A	----	1.070 -	0.136 .1503	----	----	----	----	1 UNCH
8075	----	----	1.247B/0.992A	1.247B/0.992A	----	1.054 -	0.134 .1482	----	----	----	----	61 UNCH
8100	----	----	1.228B/0.977A	1.228B/0.977A	----	1.039 -	0.131 .1461	----	----	2	----	26 + 2
8125	----	----	1.210B/0.964A	1.210B/0.964A	----	1.023 -	0.130 .1440	----	----	----	----	1 UNCH
8225	----	----	1.140B/0.909A	1.140B/0.909A	----	0.965 -	0.122 .1362	----	----	----	----	1 UNCH
8250	----	----	1.122B/0.897A	1.122B/0.897A	----	0.952 -	0.119 .1344	----	----	----	----	5 UNCH
8300	----	----	1.091B/0.873A	1.091B/0.873A	----	0.925 -	0.116 .1308	----	----	----	----	1 UNCH
8450	----	----	1.001B/0.805A	1.001B/0.805A	----	0.851 -	0.106 .1207	----	----	----	----	2 UNCH
8500	----	----	0.975B/0.784A	0.975B/0.784A	----	0.828 -	0.103 .1175	----	----	----	----	23 UNCH
8600	----	----	0.922B/0.745A	0.922B/0.745A	----	0.786 -	0.096 .1117	----	----	----	----	1 UNCH
8625	----	----	0.910B/0.736A	0.910B/0.736A	----	0.775 -	0.096 .1102	----	----	----	----	1 UNCH
8650	----	----	0.898B/0.727A	0.898B/0.727A	----	0.765 -	0.095 .1088	----	----	----	----	10 UNCH
8700	----	----	0.874B/0.709A	0.874B/0.709A	----	0.746 -	0.092 .1061	----	----	----	----	4 UNCH
8800	----	----	0.830B/0.676A	0.830B/0.676A	----	0.710 -	0.086 .1011	----	----	----	----	9 UNCH
9000	----	----	0.751B/0.616A	0.751B/0.616A	----	0.644 -	0.078 .0918	----	----	500	----	953 + 163
9200	----	----	0.684B/0.573A	0.684B/0.573A	----	0.588 -	0.071 .0837	----	----	----	----	26 UNCH
9425	----	----	----/0.515A	0.523B/0.515A	----	0.533 -	0.064 .0758	----	----	----	----	3 UNCH
9500	----	----	----/0.499A	0.505B/0.499A	----	0.517 -	0.061 .0735	----	----	----	----	52 UNCH
9675	----	----	----/0.465A	0.495B/0.465A	----	0.482 -	0.057 .0684	----	----	----	----	1 UNCH
9700	----	----	----/0.461A	0.490B/0.461A	----	0.477 -	0.056 .0677	----	----	----	----	87 UNCH
9800	----	----	----/0.444A	0.480B/0.444A	----	0.459 -	0.054 .0650	----	----	----	----	314 UNCH
10000	0.424	0.424	0.483B/0.414A	0.483B/0.414A	----	0.426 -	0.050 .0602	----	----	514	----	849 + 375
10300	----	----	0.432B/0.374A	0.432B/0.374A	----	0.383 -	0.044 .0539	----	----	----	----	33 UNCH
10375	----	----	0.421B/0.364A	0.421B/0.364A	----	0.373 -	0.044 .0524	----	----	----	----	3 UNCH
10500	----	----	0.403B/0.349A	0.403B/0.349A	----	0.358 -	0.042 .0502	----	----	----	----	35 UNCH
10825	----	----	0.362B/0.317A	0.362B/0.317A	----	0.323 -	0.037 .0450	----	----	----	----	23 UNCH
10875	----	----	0.355B/0.312A	0.355B/0.312A	----	0.318 -	0.036 .0443	----	----	----	----	20 UNCH
11000	----	----	0.342B/0.301A	0.342B/0.301A	----	0.306 -	0.035 .0426	----	----	----	----	213 UNCH
11125	----	----	----/0.291A	0.329B/0.291A	----	0.295 -	0.034 .0409	----	----	----	----	1 UNCH
11175	----	----	----/0.287A	0.324B/0.287A	----	0.291 -	0.033 .0403	----	----	----	----	1 UNCH
11200	----	----	----/0.285A	0.321B/0.285A	----	0.289 -	0.032 .0400	----	----	----	----	1 UNCH
11225	----	----	----/0.283A	0.318B/0.283A	----	0.287 -	0.032 .0397	----	----	----	----	1 UNCH
11500	----	----	----/0.263A	0.293B/0.263A	----	0.266 -	0.029 .0366	----	----	----	----	22 UNCH
12000	----	----	----/0.231A	0.254B/0.231A	----	0.233 -	0.024 .0318	----	----	----	----	218 UNCH
12500	----	----	----/0.206A	0.223B/0.206A	----	0.207 -	0.020 .0280	----	----	----	----	8 UNCH
12650	----	----	----/0.199A	0.214B/0.199A	----	0.199 -	0.020 .0269	----	----	----	----	5 UNCH
12825	0.196	0.196	0.196/0.192A	0.205B/0.192A	----	0.191	NEW .0257	----	----	2	----	2 + 2
13000	----	----	----/0.185A	0.195B/0.185A	----	0.184 -	0.018 .0247	----	----	----	----	335 UNCH
14000	0.155	0.155	0.155/0.151A	0.155/0.151A	----	0.149 -	0.013 .0197	----	----	4	----	144 UNCH
15000	----	----	----/0.126A	0.125B/0.126A	----	0.124 -	0.009 .0161	----	----	----	----	128 UNCH
16000	----	----	----/0.110A	0.097B/0.110A	----	0.107 -	0.008 .0137	----	----	----	----	22 UNCH
17000	----	----	----/0.096A	0.081B/0.096A	----	0.091 -	0.006 .0115	----	----	----	----	8 UNCH
18000	----	----	----	0.069B/0.083A	----	0.077 -	0.005 .0097	----	----	----	----	1 UNCH
20000	----	----	----	0.051B/0.066A	----	0.058 -	0.003 .0071	----	----	----	----	18 UNCH
21000	----	----	----	0.044B/0.059A	----	0.051 -	0.003 .0062	----	----	----	----	1 UNCH
25000	----	----	----	0.025B/0.042A	----	0.035 -	0.002 .0041	----	----	----	----	19 UNCH
30000	----	----	----	0.013B/0.032A	----	0.017 -	0.004 .0020	----	----	----	----	10 UNCH
TOTAL										1118	0	5244 + 619
APR27												
5300	----	----	----	----/21.364A	----	9.832 -	0.749 .7582	----	----	----	----	1 UNCH
6400	----	----	4.972B/4.129A	4.972B/4.129A	----	4.377 -	0.458 .4571	----	----	----	----	9 UNCH
6600	----	----	4.290B/3.561A	4.290B/3.561A	----	3.777 -	0.415 .4088	----	----	----	----	2 UNCH
6775	----	----	3.822B/3.145A	3.822B/3.145A	----	3.328 -	0.375 .3701	----	----	----	----	9 UNCH
6800	----	----	3.738B/3.080A	3.738B/3.080A	----	3.269 -	0.370 .3649	----	----	----	----	1 UNCH
7000	----	----	3.260B/2.671A	3.260B/2.671A	----	2.840 -	0.327 .3254	----	----	----	----	113 UNCH
7075	----	----	3.064B/2.538A	3.064B/2.538A	----	2.698 -	0.311 .3118	----	----	----	----	10 UNCH
7200	----	----	2.808B/2.333A	2.808B/2.333A	----	2.480 -	0.288 .2904	----	----	----	----	20 UNCH
7275	----	----	2.681B/2.219A	2.681B/2.219A	----	2.360 -	0.274 .2784	----	----	----	----	5 UNCH
7300	----	----	2.630B/2.184A	2.630B/2.184A	----	2.321 -	0.271 .2745	----	----	----	----	1 UNCH
7325	----	----	2.582B/2.148A	2.582B/2.148A	----	2.284 -	0.266 .2707	----	----	----	----	5 UNCH
7350	----	----	2.550B/2.115A	2.550B/2.115A	----	2.247 -	0.262 .2669	----	----	----	----	1 UNCH
7375	----	----	2.504B/2.082A	2.504B/2.082A	----	2.211 -	0.258 .2632	----	----	----	----	5 UNCH
7475	----	----	2.335B/1.955A	2.335B/1.955A	----	2.075 -	0.242 .2490	----	----	----	----	10 UNCH
7500	----	----	2.303B/1.926A	2.303B/1.926A	----	2.043 -	0.238 .2456	----	----	----	----	9 UNCH
7800	----	----	----/1.610A	1.870B/1.610A	----	1.704 -	0.197 .2089	----	----	----	----	100 UNCH
7900	----	----	1.798B/1.521A	1.798B/1.521A	----	1.608 -	0.186 .1981	----	----	----	----	24 UNCH
8000	----	----	1.696B/1.438A	1.696B/1.438A	----	1.520 -	0.175 .1882	----	----	----	----	13 UNCH
8350	----	----	----/1.193A	1.379B/1.193A	----	1.258 -	0.145 .1578	----	----	----	----	1 UNCH
8400	----	----	----/1.163A	1.364B/1.163A	----	1.226 -	0.141 .1541	----	----	----	----	4 UNCH
8425	----	----	----/1.160A	1.346B/1.160A	----	1.211 -	0.139 .1523	----	----	----	----	1 UNCH
8500	----	----	----/1.107A	1.291B/1.107A	----	1.166 -	0.134 .1469	----	----	----	----	1 UNCH
8525	----	----	----/1.107A	1.257B/1.107A	----	1.151 -	0.133 .1451	----	----	----	----	9 UNCH
8550	----	----	----/1.091A	1.249B/1.091A	----	1.137 -	0.131 .1434	----	----	----	----	5 UNCH
8975	----	----	----/0.897A	0.944B/0.897A	----	0.931 -	0.107 .1183	----	----	----	----	5 UNCH
10000	----	----	----/0.611A	0.653B/0.611A	----	0.620 -	0.072 .0790	----	----	----	----	7 UNCH
10500	----	----	----/0.520A	0.505B/0.520A	----	0.525 -	0.060 .0666	----	----	----	----	18 UNCH
10775	----	----	----/0.479A	0.463B/0.479A	----	0.483 -	0.054 .0611	----	----	----	----	1 UNCH
11000	----	----	----/0.449A	0.431B/0.449A	----	0.453 -	0.048 .0571	----	----	----	----	1 UNCH
11225	----	----	----/0.420A	0.403B/0.420A	----	0.426 -	0.044 .0536	----	----	----	----	25 UNCH
12000	----	----	----/0.351A	0.328B/0.351A	----	0.350 -	0.031 .0435	----	----	----	----	3 UNCH
13000	----	----	----/0.288A	0.260B/0.288A	----	0.281 -	0.021 .0344	----	----	----	----	14 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 51

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
TOTAL											0	433 0
MAY27												
6325	----	----	5.856B/4.943A	5.856B/4.943A	----	5.204 -	0.487 .4875	----	----	----	----	6 UNCH
6600	----	----	4.922B/4.128A	4.922B/4.128A	----	4.351 -	0.422 .4261	----	----	----	----	20 UNCH
6700	4.079	4.079	4.601B/3.871A	4.601B/3.871A	----	4.081 -	0.400 .4054	----	----	1	----	7 + 1
6900	----	----	4.071B/3.405A	4.071B/3.405A	----	3.599 -	0.359 .3668	----	----	----	----	15 UNCH
7000	----	----	3.828B/3.206A	3.828B/3.206A	----	3.383 -	0.342 .3488	----	----	----	----	24 UNCH
7300	----	----	3.189B/2.685A	3.189B/2.685A	----	2.826 -	0.294 .3003	----	----	----	----	3 UNCH
7500	----	----	2.833B/2.406A	2.833B/2.406A	----	2.518 -	0.268 .2721	----	----	----	----	5 UNCH
7600	----	----	----/2.270A	2.633B/2.270A	----	2.381 -	0.255 .2592	----	----	----	----	20 UNCH
8000	----	----	2.154B/1.837A	2.154B/1.837A	----	1.923 -	0.213 .2144	----	----	----	----	31 UNCH
8500	----	----	1.687B/1.449A	1.687B/1.449A	----	1.509 -	0.172 .1716	----	----	----	----	12 UNCH
8825	----	----	----/1.259A	1.455B/1.259A	----	1.306 -	0.151 .1498	----	----	----	----	4 UNCH
8875	----	----	----/1.234A	1.424B/1.234A	----	1.278 -	0.149 .1468	----	----	----	----	1 UNCH
9000	----	----	----/1.172A	1.346B/1.172A	----	1.213 -	0.141 .1397	----	----	----	----	47 UNCH
9150	----	----	----/1.106A	1.162B/1.106A	----	1.141 -	0.134 .1317	----	----	----	----	1 UNCH
9525	----	----	----/0.970A	0.989B/0.970A	----	0.988 -	0.115 .1145	----	----	----	----	2 UNCH
9550	----	----	----/0.953A	0.985B/0.953A	----	0.979 -	0.114 .1135	----	----	----	----	1 UNCH
9650	----	----	----/0.928A	0.939B/0.928A	----	0.944 -	0.110 .1095	----	----	----	----	1 UNCH
9925	----	----	----/0.840A	0.858B/0.840A	----	0.857 -	0.099 .0995	----	----	----	----	5 UNCH
10000	----	----	----/0.816A	0.915B/0.816A	----	0.836 -	0.096 .0971	----	----	----	----	3 UNCH
10075	----	----	----/0.801A	0.814B/0.801A	----	0.815 -	0.094 .0947	----	----	----	----	2 UNCH
10225	----	----	----/0.764A	0.774B/0.764A	----	0.776 -	0.089 .0902	----	----	----	----	1 UNCH
10500	----	----	----/0.698A	0.709B/0.698A	----	0.712 -	0.080 .0827	----	----	----	----	2 UNCH
11000	----	----	----/0.622A	0.589B/0.622A	----	0.614 -	0.068 .0712	----	----	----	----	27 UNCH
11200	----	----	----/0.591A	0.555B/0.591A	----	0.581 -	0.064 .0673	----	----	----	----	5 UNCH
12000	----	----	----/0.490A	0.450B/0.490A	----	0.474 -	0.050 .0546	----	----	----	----	4 UNCH
12200	----	----	----/0.469A	0.429B/0.469A	----	0.452 -	0.047 .0520	----	----	----	----	1 UNCH
15000	----	----	----/0.291A	0.251B/0.291A	----	0.276 -	0.023 .0306	----	----	----	----	112 UNCH
20000	----	----	----	0.129B/0.169A	----	0.151 -	0.012 .0159	----	----	----	----	169 UNCH
25000	----	----	----	0.080B/0.119A	----	0.101 -	0.008 .0102	----	----	----	----	15 UNCH
TOTAL										1	0	546 + 1
JUN27												
5450	----	----	----/9.785A	9.786B/9.785A	----	10.033 -	0.727 .7123	----	----	----	----	1 UNCH
5700	----	----	9.360B/8.283A	9.360B/8.283A	----	8.627 -	0.673 .6536	----	----	----	----	1 UNCH
5825	----	----	8.684B/7.657A	8.684B/7.657A	----	7.995 -	0.644 .6237	----	----	----	----	1 UNCH
6225	----	----	6.838B/6.022A	6.838B/6.022A	----	6.273 -	0.549 .5296	----	----	----	----	22 UNCH
6400	----	----	----/5.414A	6.136B/5.414A	----	5.649 -	0.508 .4910	----	----	----	----	1 UNCH
6500	----	----	----/5.110A	5.798B/5.110A	----	5.324 -	0.485 .4699	----	----	----	----	2 UNCH
6600	----	----	----/4.806A	5.460B/4.806A	----	5.020 -	0.463 .4495	----	----	----	----	1 UNCH
7050	----	----	----/3.706A	4.175B/3.706A	----	3.885 -	0.371 .3672	----	----	----	----	1 UNCH
7575	----	----	----/2.830A	3.121B/2.830A	----	2.934 -	0.280 .2905	----	----	----	----	1 UNCH
8000	----	----	----/2.290A	2.496B/2.290A	----	2.374 -	0.221 .2416	----	----	----	----	136 UNCH
8075	----	----	----/2.212A	2.403B/2.212A	----	2.291 -	0.212 .2341	----	----	----	----	1 UNCH
8500	----	----	----/1.832A	1.955B/1.832A	----	1.889 -	0.169 .1967	----	----	----	----	200 UNCH
8700	----	----	----/1.685A	1.783B/1.685A	----	1.736 -	0.151 .1820	----	----	----	----	2 UNCH
8800	----	----	----/1.624A	1.705B/1.624A	----	1.666 -	0.144 .1751	----	----	----	----	1 UNCH
9350	----	----	----/1.316A	1.349B/1.316A	----	1.350 -	0.112 .1435	----	----	----	----	2 UNCH
10000	----	----	----/1.068A	1.074B/1.068A	----	1.083 -	0.090 .1159	----	----	----	----	10 UNCH
11000	----	----	----/0.802A	0.774B/0.802A	----	0.808 -	0.074 .0867	----	----	----	----	155 UNCH
12000	----	----	----/0.640A	0.597B/0.640A	----	0.621 -	0.060 .0667	----	----	----	----	5 UNCH
12500	----	----	----/0.579A	0.530B/0.579A	----	0.547 -	0.053 .0588	----	----	----	----	10 UNCH
13000	----	----	----	0.477B/0.526A	----	0.480 -	0.046 .0518	----	----	----	----	6 UNCH
13075	----	----	----	0.470B/0.519A	----	0.471 -	0.045 .0508	----	----	----	----	1 UNCH
TOTAL											0	560 0
JUL27												
2000	----	----	----	----	----	41.177 -	0.930 .9949	----	----	----	----	1 UNCH
5700	9.120	9.120	9.744B/8.715A	9.744B/8.715A	----	9.047	NEW .6508	----	----	1	----	1 + 1
6800	----	----	5.481B/4.739A	5.481B/4.739A	----	4.947 -	0.413 .4241	----	----	----	----	1 UNCH
6900	----	----	5.191B/4.499A	5.191B/4.499A	----	4.694 -	0.394 .4070	----	----	----	----	1 UNCH
7000	----	----	4.929B/4.260A	4.929B/4.260A	----	4.457 -	0.374 .3906	----	----	----	----	25 UNCH
7400	----	----	4.024B/3.510A	4.024B/3.510A	----	3.648 -	0.306 .3315	----	----	----	----	20 UNCH
7800	----	----	3.278B/2.920A	3.278B/2.920A	----	3.022 -	0.250 .2824	----	----	----	----	21 UNCH
7900	----	----	3.151B/2.771A	3.151B/2.771A	----	2.889 -	0.238 .2715	----	----	----	----	1 UNCH
7950	----	----	3.077B/2.711A	3.077B/2.711A	----	2.826 -	0.232 .2663	----	----	----	----	1 UNCH
8900	1.894	1.894	1.894/1.873A	2.071B/1.873A	----	1.941	NEW .1891	----	----	5	----	5 + 5
10000	----	----	----/1.308A	1.299B/1.308A	----	1.343 -	0.107 .1334	----	----	----	----	4 UNCH
10100	----	----	----/1.268A	1.261B/1.268A	----	1.302 -	0.104 .1295	----	----	----	----	2 UNCH
10300	----	----	----/1.204A	1.186B/1.204A	----	1.226 -	0.098 .1222	----	----	----	----	1 UNCH
10500	----	----	----/1.144A	1.093B/1.144A	----	1.155 -	0.093 .1154	----	----	----	----	1 UNCH
10700	----	----	----/1.087A	1.032B/1.087A	----	1.091 -	0.088 .1092	----	----	----	----	1 UNCH
11000	----	----	----/1.008A	0.950B/1.008A	----	1.006 -	0.080 .1008	----	----	----	----	2 UNCH
11100	----	----	----/0.984A	0.925B/0.984A	----	0.980 -	0.078 .0983	----	----	----	----	2 UNCH
12000	----	----	----/0.803A	0.741B/0.803A	----	0.786 -	0.063 .0790	----	----	----	----	3 UNCH
12100	----	----	----/0.786A	0.724B/0.786A	----	0.769 -	0.061 .0772	----	----	----	----	21 UNCH
13000	----	----	----/0.668A	0.598B/0.668A	----	0.638 -	0.050 .0639	----	----	----	----	2 UNCH
13100	----	----	----/0.657A	0.586B/0.657A	----	0.626 -	0.049 .0627	----	----	----	----	21 UNCH
TOTAL										6	0	137 + 6
AUG27												
6600	6.360	6.360	6.360/5.979A	6.603B/5.979A	----	6.176	NEW .4799	----	----	1	----	1 + 1
7500	----	----	----/3.945A	4.234B/3.945A	----	4.039 -	0.346 .3424	----	----	1	----	39 + 1
8500	----	----	----/2.616A	2.740B/2.616A	----	2.667 -	0.211 .2394	----	----	1	----	9 + 1
TOTAL										3	0	49 + 3
SEP27												
6000	----	----	----/8.775A	9.405B/8.775A	----	8.846 -	0.602 .5983	----	----	----	----	21 UNCH
8500	----	----	----/3.092A	3.114B/3.092A	----	3.033 -	0.241 .2562	----	----	----	----	25 UNCH
TOTAL											0	46 0
DEC27												
4000	----	----	----	----	----	23.988 -	0.841 .8830	----	----	----	----	1 UNCH
7175	----	----	----	----	----	7.882 -	0.457 .4670	----	----	----	----	80 UNCH
20000	----	----	----	----	----	1.182 -	0.084 .0791	----	----	----	----	25 UNCH
TOTAL											0	106 0
MAR28												
6900	----	----	----	----	----	10.058 -	0.512 .5258	----	----	----	----	1 UNCH
TOTAL											0	1 0
SO PUT		COMEX SILVER OPTIONS										
NOV26												
2900	----	----	----	----/0.010A	----	0.003	UNCH .0005	----	----	----	----	1 UNCH
3000	----	----	----	0.001B/0.004A	----	0.004	UNCH .0007	----	----	----	----	340 UNCH
3500	----	----	----	0.004B/0.013A	----	0.007	UNCH .0016	----	----	----	----	1 UNCH
3975	----	----	----	----/0.017A	----	0.011	UNCH .0030	----	----	----	----	2 UNCH
4000	----	----	----	----/0.017A	----	0.011	UNCH .0030	----	----	----	----	6 UNCH
4075	----	----	----	----/0.018A	----	0.012	UNCH .0034	----	----	----	----	7 UNCH
4100	----	----	----	0.002B/0.019A	----	0.013 +	0.001 .0037	----	----	----	----	1 UNCH
4150	----	----	----	0.003B/0.016A	----	0.013	UNCH .0038	----	----	----	----	1 UNCH
4175	----	----	----	0.005B/0.017A	----	0.014 +	0.001 .0042	----	----	----	----	10 UNCH
4200	----	----	----	0.007B/0.018A	----	0.014	UNCH .0042	----	----	----	----	1 UNCH
4400	----	----	----	0.018B/0.021A	----	0.019 +	0.001 .0062	----	----	----	----	10 UNCH
4500	----	----	----	0.021B/0.024A	----	0.022 +	0.001 .0075	----	----	99	----	76 UNCH
4550	----	----	0.023B/----	0.023B/0.026A	----	0.024 +	0.002 .0083	----	----	----	----	2 UNCH
4600	----	----	0.026B/----	0.026B/0.029A	----	0.026 +	0.002 .0092	----	----	----	----	6 UNCH
4625	----	----	0.027B/----	0.027B/0.030A	----	0.027 +	0.002 .0097	----	----	----	----	1 UNCH
4650	----	----	0.028B/----	0.028B/0.031A	----	0.029 +	0.002 .0105	----	----	----	----	2 UNCH
4700	----	----	0.036B/----	0.036B/0.035A	----	0.032 +	0.003 .0118	----	----	----	----	23 UNCH
4750	----	----	0.043B/----	0.043B/0.039A	----	0.036 +	0.004 .0134	----	----	----	----	1 UNCH
4800	----	----	0.050B/----	0.050B/0.043A	----	0.040 +	0.004 .0152	----	----	----	----	26 UNCH
4825	----	----	0.054B/----	0.054B/0.045A	----	0.043 +	0.005 .0164	----	----	----	----	4 UNCH
4850	----	----	0.059B/----	0.059B/0.046A	----	0.045 +	0.004 .0174	----	----	----	----	8 UNCH
4875	----	----	0.064B/----	0.064B/0.049A	----	0.048 +	0.005 .0187	----	----	----	----	2 UNCH
4900	----	----	0.069B/----	0.069B/0.052A	----	0.052 +	0.006 .0203	----	----	6	----	68 - 1
4950	0.064	0.064	0.082B/0.064	0.082B/0.053A	----	0.059 +	0.007 .0233	----	----	5	----	14 + 5
4975	----	----	0.090B/----	0.090B/0.058A	----	0.063 +	0.007 .0251	----	----	----	----	5 UNCH
5000	0.073	0.073	0.098B/0.072	0.098B/0.061A	----	0.068 +	0.008 .0272	----	----	149	----	1016 + 80
5025	0.080	0.080	0.105B/0.080	0.105B/0.064A	----	0.073	NEW .0293	----	----	4	----	4 + 4
5050	----	----	0.116B/0.068A	0.116B/0.068A	----	0.079 +	0.010 .0318	----	----	----	----	1 UNCH
5075	0.090	0.090	0.126B/0.073A	0.126B/0.073A	----	0.085	NEW .0344	----	----	1	----	1 + 1
5100	0.082	0.082	0.137B/0.078A	0.137B/0.078A	----	0.092 +	0.012 .0373	----	----	2	----	201 UNCH
5150	0.114	0.114	0.155B/0.089A	0.155B/0.089A	----	0.108 +	0.015 .0440	----	----	1	----	59 UNCH
5175	----	----	0.175B/0.096A	0.175B/0.096A	----	0.117 +	0.016 .0477	----	----	----	----	31 UNCH
5200	0.175	0.175	0.194/0.104A	0.194/0.104A	----	0.127 +	0.018 .0518	----	----	14	----	61 + 7
5225	----	----	0.213B/0.113A	0.213B/0.113A	----	0.139 +	0.021 .0566	----	----	----	----	11 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
NOV26												
5250	----	----	0.233B/0.122A	0.233B/0.122A	----	0.151 + 0.023	.0616	----	----	----	----	23 UNCH
5275	----	----	0.254B/0.130A	0.254B/0.130A	----	0.165 + 0.026	.0671	----	----	----	----	19 UNCH
5300	0.245	0.245	0.277B/0.141A	0.277B/0.141A	----	0.180 + 0.028	.0731	----	----	22	----	607 + 7
5325	0.213	0.213	0.302B/0.152A	0.302B/0.152A	----	0.196 + 0.031	.0795	----	----	1	----	11 UNCH
5350	0.224	0.224	0.330B/0.165A	0.330B/0.165A	----	0.215 + 0.035	.0868	----	----	4	----	25 + 4
5375	0.297	0.297	0.361B/0.297	0.361B/0.199A	----	0.235 + 0.038	.0945	----	----	1	----	54 - 1
5400	0.205	0.205	0.394B/0.202A	0.394B/0.202A	----	0.257 + 0.042	.1029	----	----	191	----	647 + 147
5425	----	----	0.431B/0.217A	0.431B/0.217A	----	0.282 + 0.047	.1121	----	----	43	----	46 + 37
5450	0.473	0.473	0.473/0.229A	0.473/0.229A	----	0.309 + 0.053	.1220	----	----	5	----	22 + 5
5475	----	----	0.512B/0.250A	0.512B/0.250A	----	0.339 + 0.059	.1328	----	----	----	----	64 UNCH
5500	0.354	0.354	0.557B/0.272A	0.557B/0.272A	----	0.371 + 0.064	.1442	----	----	224	----	1109 + 106
5525	0.431	0.431	0.606B/0.297A	0.606B/0.297A	----	0.407 + 0.072	.1567	----	----	10	----	18 + 7
5550	0.554	0.554	0.660B/0.323A	0.660B/0.323A	----	0.446 + 0.079	.1700	----	----	31	----	45 + 21
5575	----	----	0.717B/0.353A	0.717B/0.353A	----	0.489 + 0.088	.1842	----	----	----	----	74 UNCH
5600	0.570	0.570	0.780B/0.386A	0.780B/0.386A	----	0.536 + 0.097	.1994	----	----	58	----	152 - 25
5625	----	----	0.847B/0.419A	0.847B/0.419A	----	0.587 + 0.107	.2155	----	----	----	----	25 UNCH
5650	0.681	0.681	0.918B/0.457A	0.918B/0.457A	----	0.643 + 0.119	.2326	----	----	6	----	36 UNCH
5675	0.768	0.768	0.995B/0.499A	0.995B/0.499A	----	0.703 + 0.130	.2505	----	----	2	----	81 UNCH
5700	0.705	0.705	1.079B/0.545A	1.079B/0.545A	----	0.768 + 0.143	.2693	----	----	22	----	322 - 2
5725	1.022	1.022	1.165B/0.595A	1.165B/0.595A	----	0.839 + 0.157	.2891	----	----	3	----	75 + 2
5750	0.669	0.669	1.260B/0.651A	1.260B/0.651A	----	0.915 + 0.171	.3096	----	----	35	----	400 + 25
5775	1.061	1.061	1.359B/0.709A	1.359B/0.709A	----	0.997 + 0.187	.3309	----	----	5	----	101 - 2
5800	0.848	0.848	1.464B/0.773A	1.464B/0.773A	----	1.084 + 0.203	.3527	----	----	169	----	322 + 18
5825	0.993	0.993	1.575B/0.841A	1.575B/0.841A	----	1.178 + 0.220	.3753	----	----	48	----	78 + 3
5850	1.000	1.000	1.692B/0.916A	1.692B/0.916A	----	1.278 + 0.239	.3983	----	----	24	----	50 + 4
5875	1.655	1.655	1.817B/0.994A	1.817B/0.994A	----	1.385 + 0.258	.4217	----	----	10	----	165 + 1
5900	1.693	1.693	1.945B/1.076A	1.945B/1.076A	----	1.498 + 0.278	.4454	----	----	43	----	195 + 4
5925	1.675	1.675	2.081B/1.165A	2.081B/1.165A	----	1.617 + 0.298	.4693	----	----	28	----	55 + 19
5950	1.363	1.363	2.217B/1.265A	2.217B/1.265A	----	1.743 + 0.319	.4932	----	----	56	----	82 + 38
5975	1.698	1.698	2.364B/1.367A	2.364B/1.367A	----	1.876 + 0.340	.5171	----	----	52	----	72 UNCH
6000	1.778	1.778	2.510B/1.472A	2.510B/1.472A	----	2.015 + 0.362	.5408	----	----	61	----	459 + 9
6025	1.649	1.649	2.670B/1.586A	2.670B/1.586A	----	2.161 + 0.384	.5642	----	----	6	----	31 + 1
6050	1.726	1.726	2.830B/1.705A	2.830B/1.705A	----	2.313 + 0.406	.5871	----	----	12	----	33 - 3
6075	1.927	1.927	3.000B/1.834A	3.000B/1.834A	----	2.471 + 0.429	.6096	----	----	1	----	36 UNCH
6100	1.980	1.980	3.177B/1.966A	3.177B/1.966A	----	2.635 + 0.450	.6315	----	----	39	----	235 - 12
6125	----	----	3.357B/2.105A	3.357B/2.105A	----	2.805 + 0.473	.6527	----	----	----	----	20 UNCH
6150	3.280	3.280	3.534B/2.249A	3.534B/2.249A	----	2.981 + 0.495	.6732	----	----	2	----	122 - 1
6175	----	----	3.721B/2.398A	3.721B/2.398A	----	3.162 + 0.517	.6927	----	----	----	----	33 UNCH
6200	3.120	3.120	3.914B/2.567A	3.914B/2.567A	----	3.348 + 0.538	.7116	----	----	61	----	276 - 38
6225	----	----	4.116B/2.731A	4.116B/2.731A	----	3.539 + 0.559	.7296	----	----	----	----	28 UNCH
6250	----	----	4.312B/2.892A	4.312B/2.892A	----	3.734 + 0.578	.7466	----	----	----	----	108 UNCH
6275	----	----	4.520B/3.072A	4.520B/3.072A	----	3.934 + 0.597	.7628	----	----	----	----	41 UNCH
6300	----	----	4.729B/3.250A	4.729B/3.250A	----	4.137 + 0.616	.7781	----	----	1	----	142 - 1
6325	----	----	4.937B/3.420A	4.937B/3.420A	----	4.345 + 0.634	.7924	----	----	----	----	8 UNCH
6350	5.080	5.080	5.152B/3.612A	5.152B/3.612A	----	4.556 + 0.651	.8059	----	----	1	----	87 - 1
6375	----	----	5.372B/3.801A	5.372B/3.801A	----	4.770 + 0.667	.8185	----	----	----	----	45 UNCH
6400	5.212	5.212	5.592B/3.994A	5.592B/3.994A	----	4.987 + 0.682	.8304	----	----	1	----	149 - 1
6425	----	----	5.811B/4.190A	5.811B/4.190A	----	5.206 + 0.696	.8414	----	----	----	----	8 UNCH
6450	----	----	6.040B/4.390A	6.040B/4.390A	----	5.429 + 0.709	.8516	----	----	----	----	17 UNCH
6475	----	----	6.264B/4.594A	6.264B/4.594A	----	5.653 + 0.722	.8612	----	----	----	----	62 UNCH
6500	----	----	6.492B/4.801A	6.492B/4.801A	----	5.880 + 0.734	.8701	----	----	3	----	333 - 3
6525	----	----	6.725B/5.011A	6.725B/5.011A	----	6.108 + 0.744	.8784	----	----	----	----	31 UNCH
6550	----	----	6.957B/5.224A	6.957B/5.224A	----	6.339 + 0.755	.8862	----	----	----	----	31 UNCH
6575	----	----	7.189B/5.439A	7.189B/5.439A	----	6.571 + 0.764	.8932	----	----	----	----	19 UNCH
6600	----	----	7.428B/5.658A	7.428B/5.658A	----	6.804 + 0.773	.9000	----	----	----	----	172 UNCH
6625	----	----	7.657B/5.879A	7.657B/5.879A	----	7.039 + 0.781	.9062	----	----	----	----	28 UNCH
6650	----	----	7.894B/6.094A	7.894B/6.094A	----	7.275 + 0.788	.9117	----	----	1	----	38 - 1
6675	----	----	8.136B/6.326A	8.136B/6.326A	----	7.512 + 0.795	.9170	----	----	----	----	68 UNCH
6700	----	----	8.375B/6.555A	8.375B/6.555A	----	7.750 + 0.801	.9220	----	----	4	----	135 - 3
6725	----	----	8.615B/6.774A	8.615B/6.774A	----	7.989 + 0.806	.9264	----	----	----	----	83 UNCH
6750	----	----	8.853B/7.004A	8.853B/7.004A	----	8.229 + 0.812	.9306	----	----	2	----	106 UNCH
6775	----	----	9.097B/7.236A	9.097B/7.236A	----	8.469 + 0.816	.9345	----	----	----	----	21 UNCH
6800	----	----	9.338B/7.469A	9.338B/7.469A	----	8.710 + 0.819	.9383	----	----	----	----	150 UNCH
6825	----	----	9.580B/7.715A	9.580B/7.715A	----	8.952 + 0.824	.9417	----	----	----	----	2 UNCH
6850	----	----	9.824B/7.939A	9.824B/7.939A	----	9.195 + 0.828	.9448	----	----	----	----	7 UNCH
6875	----	----	10.067B/8.176A	10.067B/8.176A	----	9.438 + 0.831	.9478	----	----	----	----	1 UNCH
6900	----	----	10.311B/8.414A	10.311B/8.414A	----	9.681 + 0.833	.9505	----	----	----	----	26 UNCH
6925	----	----	10.551B/8.652A	10.551B/8.652A	----	9.925 + 0.836	.9531	----	----	----	----	1 UNCH
6950	----	----	10.800B/8.892A	10.800B/8.892A	----	10.169 + 0.838	.9556	----	----	----	----	10 UNCH
6975	----	----	11.046B/9.132A	11.046B/9.132A	----	10.414 + 0.841	.9579	----	----	----	----	5 UNCH
7000	----	----	11.291B/9.371A	11.291B/9.371A	----	10.659 + 0.842	.9600	----	----	----	----	79 UNCH
7025	----	----	11.493B/9.614A	11.493B/9.614A	----	10.904 + 0.844	.9618	----	----	----	----	8 UNCH
7050	----	----	11.739B/9.856A	11.739B/9.856A	----	11.149 + 0.845	.9639	----	----	----	----	84 UNCH
7075	----	----	11.985B/10.099A	11.985B/10.099A	----	11.395 + 0.847	.9657	----	----	----	----	1 UNCH
7100	----	----	12.228B/10.340A	12.228B/10.340A	----	11.641 + 0.848	.9671	----	----	----	----	4 UNCH
7125	----	----	12.475B/10.584A	12.475B/10.584A	----	11.888 + 0.850	.9688	----	----	----	----	1 UNCH
7150	----	----	12.716B/10.829A	12.716B/10.829A	----	12.134 + 0.851	.9701	----	----	----	----	2 UNCH
7175	----	----	12.969B/11.074A	12.969B/11.074A	----	12.381 + 0.852	.9718	----	----	----	----	1 UNCH
7200	----	----	13.216B/11.318A	13.216B/11.318A	----	12.628 + 0.853	.9731	----	----	----	----	2 UNCH
7225	----	----	13.467B/11.563A	13.467B/11.563A	----	12.875 + 0.853	.9740	----	----	----	----	2 UNCH
7275	----	----	13.953B/12.054A	13.953B/12.054A	----	13.369 + 0.855	.9762	----	----	----	----	1 UNCH
7300	----	----	14.210B/12.298A	14.210B/12.298A	----	13.617 + 0.856	.9774	----	----	----	----	4 UNCH
7400	----	----	15.201B/13.357A	15.201B/13.357A	----	14.608 + 0.857	.9809	----	----	----	----	25 UNCH
7500	----	----	16.193B/14.345A	16.193B/14.345A	----	15.601 + 0.860	.9839	----	----	----	----	22 UNCH
7525	----	----	16.445B/14.622A	16.445B/14.622A	----	15.850 + 0.860	.9843	----	----	----	----	1 UNCH
7650	----	----	17.687B/15.855A	17.687B/15.855A	----	17.093 + 0.862	.9872	----	----	----	----	1 UNCH
7700	----	----	18.185B/16.357A	18.185B/16.357A	----	17.591 + 0.863	.9881	----	----	----	----	52 UNCH
7725	----	----	18.435B/16.605A	18.435B/16.605A	----	17.840 + 0.863	.9885	----	----	----	----	1 UNCH
7750	----	----	18.684B/16.851A	18.684B/16.851A	----	18.089 + 0.863	.9889	----	----	----	----	1 UNCH
7775	----	----	18.936B/17.096A	18.936B/17.096A	----	18.338 + 0.863	.9893	----	----	----	----	1 UNCH
7800	----	----	19.185B/17.344A	19.185B/17.344A	----	18.587 + 0.864	.9897	----	----	----	----	1 UNCH
7825	----	----	19.425B/17.596A	19.425B/17.596A	----	18.836 + 0.864	.9901	----	----	----	----	2 UNCH
7900	----	----	20.175B/18.338A	20.175B/18.338A	----	19.584 + 0.865	.9913	----	----	----	----	3 UNCH
7975	----	----	20.929B/19.072A	20.929B/19.072A	----	20.332 + 0.866	.9921	----	----	----	----	1 UNCH
8475	----	----	25.917B/24.067A	25.917B/24.067A	----	25.326 NEW	.9962	20	----	20	----	0 UNCH
8500	----	----	26.173B/24.292A	26.173B/24.292A	----	25.576 + 0.870	.9963	40	----	40	----	66 UNCH
8525	----	----	26.425B/24.565A	26.425B/24.565A	----	25.826 NEW	.9963	20	----	20	----	0 UNCH
9000	----	----	31.171B/29.307A	31.171B/29.307A	----	30.576 + 0.870	.9981	----	----	----	----	5 UNCH
TOTAL										1649	0	10556 + 460
DEC26												
1500	----	----	----	----/0.006A	----	0.001 UNCH	----	----	----	----	----	180 UNCH
2000	----	----	----	----/0.010A	----	0.001 UNCH	.0000	----	----	----	----	10 UNCH
2500	----	----	----	----/0.013A	----	0.003 - 0.001	.0005	----	----	----	----	32 UNCH
3000	----	----	----	----/0.019A	----	0.008 - 0.009	.0016	----	----	----	----	95 UNCH
3100	----	----	----	0.001B/0.021A	----	0.010 - 0.008	.0020	----	----	----	----	1 UNCH
3150	----	----	----	0.001B/0.023A	----	0.011 - 0.007	.0022	----	----	----	----	1 UNCH
3200	----	----	----	0.002B/0.023A	----	0.012 - 0.006	.0025	----	----	----	----	1 UNCH
3500	----	----	----	0.014B/0.028A	----	0.021 UNCH	.0045	----	----	----	----	38 UNCH
3600	----	----	----	0.023B/0.031A	----	0.025 + 0.002	.0055	----	----	----	----	1 UNCH
3700	----	----	0.029B/----	0.029B/0.034A	----	0.029 + 0.004	.0065	----	----	----	----	2 UNCH
3800	0.036	0.036	0.036/0.036	0.036/0.036	----	0.035 + 0.007	.0079	----	----	2	----	2 UNCH
3850	----	----	0.037B/----	0.037B/0.042A	----	0.038 + 0.008	.0087	----	----	----	----	1 UNCH
3925	----	----	0.041B/----	0.041B/0.046A	----	0.043 + 0.009	.0100	----	----	----	----	1 UNCH
4000	----	----	0.049B/----	0.049B/0.052A	----	0.049 + 0.008	.0115	----	----	----	----	125 UNCH
4100	----	----	0.058B/----	0.058B/0.061A	----	0.058 + 0.012	.0138	----	----	----	----	3 UNCH
4200	0.076	0.076	0.076/0.076	0.076/0.072A	----	0.069 + 0.014	.0167	----	----	10	----	201 + 4
4250	----	----	0.080B/----	0.080B/0.078A	----	0.075 + 0.014	.0183	----	----	----	----	1 UNCH
4300	----	----	0.090B/----	0.090B/0.083A	----	0.082 + 0.014	.0202	----	----	----	----	20 UNCH
4400	----	----	0.111B/----	0.111B/0.092A	----	0.099 + 0.016	.0246	----	----	----	----	2 UNCH
4500	0.128	0.128	0.141/0.125	0.141/0.110A	----	0.120 + 0.016	.0301	----	----	15	----	452 + 13
4575	0.145	0.145	0.163B/0.145	0.163B/0.126A	----	0.140 NEW	.0352	----	----	3	----	3 + 3
4600	0.165	0.165	0.173B/0.165	0.173B/0.132A	----	0.147 + 0.018	.0371	----	----	1	----	19 UNCH
4650	----	----	0.194B/----	0.194B/0.145A	----	0.163 + 0.019	.0412	----	----	----	----	4 UNCH
4675	----	----	0.205B/----	0.205B/0.152A	----	0.172 + 0.020	.0434	----	----	1	----	5 + 1
4700	0.186	0.186	0.217B/0.160A	0.217B/0.160A	----	0.181 + 0.020	.0457	----	----	1	----	53 + 1
4725	----	----	0.230B/0.169A	0.230B/0.169A	----	0.191 NEW	.0483	----	----	1	----	1 + 1
4750	----	----	0.244B/0.177A	0.244B/0.177A	----	0.202 + 0.022	.0510	----	----	----	----	8 UNCH
4800	0.219	0.219	0.268B/0.196A	0.268B/0.196A	----	0.225 + 0.024	.0567	----	----	1	----	462 - 1
4850	0.260	0.260	0.298B/0.218A	0.298B/0.218A	----	0.252 + 0.027	.0633	----	----	1	----	24 UNCH
4875	----	----	0.307B/0.230A	0.307B/0.230A	----	0.266 + 0.028	.0667	----	----	----	----	9 UNCH
4900	----	----	0.327B/0.242A	0.327B/0.242A	----	0.282 + 0.030	.0706	----	----	6	----	151 + 6
4925	----	----	0.369B/0.256A	0.369B/0.256A	----	0.298 + 0.031	.0744	----	----	5	----	371 + 5
4950	----	----	0.392B/0.270A	0.392B/0.270A	----	0.316 + 0.034	.0787	----	----	----	----	17 UNCH
4975	----	----	0.416B/0.286A	0.416B/0.286A	----	0.335 + 0.036	.0831	----	----	----	----	73 UNCH
5000	0.418	0.418	0.441B/0.313A	0.441B/0.313A	----	0.355 + 0.039	.0878	----	----	11	----	623 UNCH
5025	----	----	0.467B/0.324A	0.467B/0.324A	----	0.376 + 0.041	.0926	----	----	11	----	46 + 11
5050	----	----	0.496B/0.342A	0.496B/0.342A	----	0.399 + 0.044	.0978	----	----	----	----	16 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

PG64 BULLETIN #194@ — METALS OPTION PRODUCTS — Thu, Oct 08, 2026 PG64

SO PUT — COMEX SILVER OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
DEC26												
5075	----	----	0.527B/0.362A	0.527B/0.362A	----	0.423 +	0.048 .1032	----	----	1	----	6 + 1
5100	0.438	0.438	0.560B/0.381A	0.560B/0.381A	----	0.449 +	0.051 .1090	----	----	13	----	200 UNCH
5125	----	----	0.594B/0.397A	0.594B/0.397A	----	0.477 +	0.056 .1151	----	----	----	----	5 UNCH
5150	----	----	0.630B/0.420A	0.630B/0.420A	----	0.506 +	0.060 .1214	----	----	----	----	18 UNCH
5175	----	----	0.668B/0.445A	0.668B/0.445A	----	0.538 +	0.065 .1282	----	----	----	----	3 UNCH
5200	0.485	0.485	0.708B/0.472A	0.708B/0.472A	----	0.571 +	0.070 .1352	----	----	3	----	107 + 1
5225	----	----	0.751B/0.500A	0.751B/0.500A	----	0.606 +	0.075 .1425	----	----	5	----	26 + 5
5250	0.656	0.656	0.797B/0.530A	0.797B/0.530A	----	0.643 +	0.081 .1501	----	----	1	----	152 + 1
5275	0.750	0.750	0.843B/0.561A	0.843B/0.561A	----	0.683 +	0.087 .1581	----	----	5	----	6 + 4
5300	----	----	0.894B/0.594A	0.894B/0.594A	----	0.725 +	0.094 .1664	----	----	5	----	75 + 5
5325	----	----	0.948B/0.629A	0.948B/0.629A	----	0.770 +	0.101 .1751	----	----	----	----	55 UNCH
5350	----	----	1.003B/0.665A	1.003B/0.665A	----	0.817 +	0.108 .1841	----	----	----	----	14 UNCH
5375	----	----	1.062B/0.707A	1.062B/0.707A	----	0.867 +	0.116 .1935	----	----	----	----	3 UNCH
5400	----	----	1.124B/0.748A	1.124B/0.748A	----	0.919 +	0.124 .2031	----	----	----	----	117 UNCH
5425	----	----	1.188B/0.792A	1.188B/0.792A	----	0.975 +	0.133 .2132	----	----	5	----	24 + 5
5450	----	----	1.256B/0.838A	1.256B/0.838A	----	1.033 +	0.141 .2235	----	----	----	----	11 UNCH
5475	----	----	1.327B/0.886A	1.327B/0.886A	----	1.095 +	0.151 .2343	----	----	----	----	1 UNCH
5500	1.027	1.027	1.402B/0.939A	1.402B/0.939A	----	1.160 +	0.161 .2453	----	----	120	26	863 - 31
5525	----	----	1.481B/0.993A	1.481B/0.993A	----	1.228 +	0.171 .2566	----	----	5	----	13 UNCH
5550	1.190	1.190	1.561B/1.052A	1.561B/1.052A	----	1.299 +	0.180 .2682	----	----	16	----	13 + 5
5575	1.462	1.462	1.646B/1.112A	1.646B/1.112A	----	1.374 +	0.191 .2801	----	----	111	----	99 - 36
5600	1.203	1.203	1.735B/1.173A	1.735B/1.173A	----	1.452 +	0.201 .2923	----	----	6	----	157 + 5
5625	----	----	1.827B/1.242A	1.827B/1.242A	----	1.534 +	0.212 .3047	----	----	6	----	22 + 6
5650	----	----	1.924B/1.310A	1.924B/1.310A	----	1.619 +	0.223 .3173	----	----	----	----	32 UNCH
5675	----	----	2.024B/1.383A	2.024B/1.383A	----	1.709 +	0.235 .3302	----	----	----	----	5 UNCH
5700	----	----	2.127B/1.462A	2.127B/1.462A	----	1.802 +	0.247 .3433	----	----	6	----	241 + 5
5725	----	----	2.234B/1.541A	2.234B/1.541A	----	1.898 +	0.258 .3565	----	----	1	----	88 + 1
5750	----	----	2.345B/1.621A	2.345B/1.621A	----	1.999 +	0.270 .3699	----	----	4	----	154 + 1
5775	----	----	2.460B/1.709A	2.460B/1.709A	----	2.103 +	0.282 .3834	----	----	----	----	41 UNCH
5800	2.039	2.039	2.579B/1.797A	2.579B/1.797A	----	2.212 +	0.294 .3971	----	----	5	----	289 + 3
5825	----	----	2.701B/1.891A	2.701B/1.891A	----	2.324 +	0.306 .4108	----	----	----	----	11 UNCH
5850	2.566	2.566	2.826B/1.987A	2.826B/1.987A	----	2.440 +	0.319 .4246	----	----	36	----	55 + 30
5875	2.089	2.089	2.957B/2.089	2.957B/2.089	----	2.560 +	0.331 .4384	----	----	2	----	12 UNCH
5900	2.918	2.918	3.092B/2.194A	3.092B/2.194A	----	2.684 +	0.344 .4523	----	----	8	----	199 - 1
5925	2.761	2.761	3.232B/2.303A	3.232B/2.303A	----	2.812 +	0.356 .4661	----	----	1	----	10 + 1
5950	3.169	3.169	3.372B/2.415A	3.372B/2.415A	----	2.944 +	0.369 .4799	----	----	3	----	12 UNCH
5975	----	----	3.513B/2.531A	3.513B/2.531A	----	3.080 +	0.382 .4937	----	----	----	----	13 UNCH
6000	3.411	3.411	3.662B/2.651A	3.662B/2.651A	----	3.219 +	0.394 .5073	----	----	3	----	584 UNCH
6025	2.862	2.862	3.811B/2.774A	3.811B/2.774A	----	3.362 +	0.406 .5208	----	----	5	----	48 UNCH
6050	2.992	2.992	3.971B/2.901A	3.971B/2.901A	----	3.509 +	0.419 .5343	----	----	4	----	15 + 1
6075	3.158	3.158	4.130B/3.032A	4.130B/3.032A	----	3.660 +	0.432 .5476	----	----	2	----	7 + 2
6100	3.247	3.247	4.280B/3.166A	4.280B/3.166A	----	3.814 +	0.444 .5606	----	----	2	----	78 UNCH
6125	3.438	3.438	4.450B/3.303A	4.450B/3.303A	----	3.972 +	0.456 .5736	----	----	3	----	17 + 3
6150	----	----	4.610B/3.445A	4.610B/3.445A	----	4.133 +	0.468 .5864	----	----	----	----	44 UNCH
6175	----	----	4.780B/3.590A	4.780B/3.590A	----	4.297 +	0.479 .5989	----	----	----	----	4 UNCH
6200	----	----	4.960B/3.741A	4.960B/3.741A	----	4.465 +	0.491 .6112	----	----	----	----	74 UNCH
6225	----	----	5.140B/3.889A	5.140B/3.889A	----	4.636 +	0.503 .6232	----	----	----	----	3 UNCH
6250	----	----	5.310B/4.044A	5.310B/4.044A	----	4.811 +	0.515 .6351	----	----	----	----	5 UNCH
6275	----	----	5.500B/4.203A	5.500B/4.203A	----	4.988 +	0.526 .6466	----	----	----	----	13 UNCH
6300	----	----	5.690B/4.364A	5.690B/4.364A	----	5.168 +	0.536 .6579	----	----	4	----	82 - 1
6325	----	----	5.870B/4.537A	5.870B/4.537A	----	5.352 +	0.548 .6690	----	----	----	----	10 UNCH
6350	----	----	6.070B/4.706A	6.070B/4.706A	----	5.538 +	0.558 .6797	----	----	----	----	49 UNCH
6375	----	----	6.252B/4.875A	6.252B/4.875A	----	5.726 +	0.568 .6902	----	----	----	----	6 UNCH
6400	----	----	6.449B/5.057A	6.449B/5.057A	----	5.917 +	0.578 .7004	----	----	----	----	28 UNCH
6425	----	----	6.647B/5.232A	6.647B/5.232A	----	6.111 +	0.588 .7103	----	----	----	----	15 UNCH
6450	----	----	6.847B/5.412A	6.847B/5.412A	----	6.308 +	0.599 .7200	----	----	----	----	39 UNCH
6475	----	----	7.048B/5.592A	7.048B/5.592A	----	6.506 +	0.608 .7294	----	----	----	----	3 UNCH
6500	5.900	5.900	7.253B/5.784A	7.253B/5.784A	----	6.707 +	0.617 .7384	----	----	2	----	944 - 1
6525	----	----	7.460B/5.964A	7.460B/5.964A	----	6.910 +	0.626 .7472	----	----	----	----	25 UNCH
6550	----	----	7.667B/6.156A	7.667B/6.156A	----	7.115 +	0.635 .7557	----	----	----	----	35 UNCH
6575	----	----	7.877B/6.355A	7.877B/6.355A	----	7.322 +	0.643 .7639	----	----	----	----	1 UNCH
6600	----	----	8.089B/6.550A	8.089B/6.550A	----	7.531 +	0.652 .7719	----	----	----	----	97 UNCH
6625	----	----	8.305B/6.752A	8.305B/6.752A	----	7.742 +	0.660 .7796	----	----	----	----	33 UNCH
6650	----	----	8.520B/6.948A	8.520B/6.948A	----	7.954 +	0.667 .7870	----	----	----	----	20 UNCH
6675	----	----	8.735B/7.150A	8.735B/7.150A	----	8.169 +	0.676 .7942	----	----	----	----	1 UNCH
6700	----	----	8.956B/7.353A	8.956B/7.353A	----	8.384 +	0.682 .8011	----	----	----	----	40 UNCH
6725	----	----	9.174B/7.559A	9.174B/7.559A	----	8.602 +	0.690 .8078	----	----	----	----	5 UNCH
6750	----	----	9.394B/7.766A	9.394B/7.766A	----	8.821 +	0.697 .8142	----	----	----	----	7 UNCH
6775	----	----	9.618B/7.975A	9.618B/7.975A	----	9.041 +	0.704 .8204	----	----	----	----	4 UNCH
6800	----	----	9.840B/8.187A	9.840B/8.187A	----	9.263 +	0.711 .8264	----	----	----	----	147 UNCH
6825	----	----	10.066B/8.398A	10.066B/8.398A	----	9.485 +	0.715 .8322	----	----	----	----	1 UNCH
6850	----	----	10.293B/8.606A	10.293B/8.606A	----	9.709 +	0.721 .8377	----	----	----	----	78 UNCH
6875	----	----	10.520B/8.829A	10.520B/8.829A	----	9.935 +	0.728 .8430	----	----	----	----	2 UNCH
6900	10.428	10.428	10.746B/9.038A	10.746B/9.038A	----	10.161 +	0.734 .8481	----	----	2	----	22 + 2
6950	----	----	11.205B/9.476A	11.205B/9.476A	----	10.617 +	0.745 .8579	----	----	----	----	24 UNCH
7000	11.085	11.085	11.668B/9.930A	11.668B/9.930A	----	11.076 +	0.754 .8668	----	----	2	----	253 + 1
7050	----	----	12.133B/10.368A	12.133B/10.368A	----	11.539 +	0.763 .8750	----	----	----	----	1 UNCH
7075	----	----	12.367B/10.593A	12.367B/10.593A	----	11.772 +	0.768 .8790	----	----	----	----	21 UNCH
7100	----	----	12.601B/10.821A	12.601B/10.821A	----	12.005 +	0.771 .8828	----	----	----	----	5 UNCH
7150	----	----	13.074B/11.276A	13.074B/11.276A	----	12.474 +	0.780 .8899	----	----	----	----	1 UNCH
7200	----	----	13.547B/11.737A	13.547B/11.737A	----	12.946 +	0.787 .8964	----	----	1	----	15 + 1
7225	----	----	13.788B/11.979A	13.788B/11.979A	----	13.182 +	0.791 .8996	----	----	----	----	2 UNCH
7250	----	----	14.026B/12.200A	14.026B/12.200A	----	13.420 +	0.795 .9025	----	----	----	----	49 UNCH
7300	----	----	14.503B/12.665A	14.503B/12.665A	----	13.895 +	0.800 .9081	----	----	----	----	3 UNCH
7425	----	----	15.705B/13.841A	15.705B/13.841A	----	15.093 +	0.815 .9204	----	----	----	----	1 UNCH
7500	----	----	16.429B/14.554A	16.429B/14.554A	----	15.816 +	0.822 .9268	----	----	----	----	33 UNCH
7550	----	----	16.913B/15.031A	16.913B/15.031A	----	16.300 +	0.826 .9307	----	----	----	----	2 UNCH
7600	----	----	17.399B/15.510A	17.399B/15.510A	----	16.785 +	0.830 .9342	----	----	----	----	2 UNCH
7700	----	----	18.377B/16.473A	18.377B/16.473A	----	17.757 +	0.836 .9408	----	----	----	----	14 UNCH
7750	----	----	18.866B/16.956A	18.866B/16.956A	----	18.245 +	0.839 .9437	----	----	----	----	6 UNCH
7800	----	----	19.356B/17.441A	19.356B/17.441A	----	18.734 +	0.841 .9465	----	----	----	----	21 UNCH
7850	----	----	19.847B/17.929A	19.847B/17.929A	----	19.223 +	0.843 .9489	----	----	----	----	12 UNCH
7875	----	----	20.092B/18.172A	20.092B/18.172A	----	19.468 +	0.845 .9502	----	----	----	----	1 UNCH
7900	----	----	20.337B/18.413A	20.337B/18.413A	----	19.713 +	0.846 .9514	----	----	----	----	19 UNCH
8000	----	----	21.321B/19.390A	21.321B/19.390A	----	20.696 +	0.850 .9556	----	----	----	----	57 UNCH
8100	----	----	22.304B/20.368A	22.304B/20.368A	----	21.680 +	0.854 .9595	----	----	----	----	1 UNCH
8200	----	----	23.284B/21.351A	23.284B/21.351A	----	22.666 +	0.856 .9629	----	----	----	----	42 UNCH
8250	----	----	23.772B/21.844A	23.772B/21.844A	----	23.160 +	0.857 .9644	----	----	----	----	1 UNCH
8350	----	----	24.761B/22.826A	24.761B/22.826A	----	24.149 +	0.860 .9671	----	----	----	----	9 UNCH
8400	----	----	25.262B/23.320A	25.262B/23.320A	----	24.643 +	0.860 .9684	----	----	----	----	60 UNCH
8500	----	----	26.251B/24.306A	26.251B/24.306A	----	25.634 +	0.863 .9708	----	----	----	----	166 UNCH
8550	----	----	26.746B/24.822A	26.746B/24.822A	----	26.129 +	0.863 .9720	----	----	----	----	25 UNCH
8600	----	----	27.247B/25.312A	27.247B/25.312A	----	26.625 +	0.863 .9731	----	----	----	----	9 UNCH
8800	----	----	29.230B/27.295A	29.230B/27.295A	----	28.611 +	0.866 .9767	----	----	----	----	12 UNCH
8900	----	----	30.229B/28.287A	30.229B/28.287A	----	29.605 +	0.867 .9783	----	----	----	----	30 UNCH
9000	----	----	31.224B/29.278A	31.224B/29.278A	----	30.600 +	0.867 .9798	----	----	----	----	3 UNCH
9050	----	----	31.719B/29.776A	31.719B/29.776A	----	31.097 +	0.867 .9805	----	----	----	----	110 UNCH
9500	----	----	36.207B/34.250A	36.207B/34.250A	----	35.582 +	0.870 .9853	1	----	----	----	1 - 1
9800	----	----	39.203B/37.241A	39.203B/37.241A	----	38.577 +	0.870 .9878	----	----	----	----	1 UNCH
9850	----	----	39.706B/37.740A	39.706B/37.740A	----	39.077 +	0.870 .9881	3	----	----	----	2 - 3
10000	----	----	41.206B/39.242A	41.206B/39.242A	----	40.576 +	0.870 .9891	----	----	----	----	3 UNCH
10025	----	----	41.456B/39.487A	41.456B/39.487A	----	40.826 +	0.870 .9893	----	----	----	----	3 UNCH
10125	----	----	42.453B/40.490A	42.453B/40.490A	----	41.826 +	0.870 .9898	----	----	----	----	1 UNCH
TOTAL										467	26	9813 + 59
JAN27												
3000	----	----	----	0.016B/0.031A	----	0.019 -	0.001 .0033	----	----	----	----	2 UNCH
3500	----	----	0.047B/----	0.047B/0.055A	----	0.046 +	0.004 .0085	----	----	----	----	1 UNCH
3800	----	----	0.077B/----	0.077B/0.084A	----	0.075 +	0.009 .0142	----	----	----	----	1 UNCH
4000	----	----	0.110B/----	0.110B/0.108A	----	0.104 +	0.013 .0201	----	----	8	----	8 + 6
4100	----	----	0.132B/----	0.132B/0.120A	----	0.123 +	0.013 .0239	----	----	----	----	1 UNCH
4200	----	----	0.157B/----	0.157B/0.138A	----	0.146 +	0.019 .0285	----	----	----	----	2 UNCH
4300	----	----	0.188B/----	0.188B/0.162A	----	0.174 +	0.022 .0340	----	----	----	----	3 UNCH
4500	----	----	0.274B/----	0.274B/0.224A	----	0.248 +	0.030 .0484	----	----	----	----	35 UNCH
4675	----	----	0.373B/----	0.373B/0.305A	----	0.342 +	0.040 .0661	----	----	----	----	3 UNCH
4700	0.350	0.350	0.400B/0.350	0.400B/0.317A	----	0.358 +	0.041 .0691	----	----	9	----	9 + 7
4725	----	----	0.418B/----	0.418B/0.333A	----	0.375 +	0.042 .0722	----	----	----	----	3 UNCH
4775	----	----	0.469B/0.363A	0.469B/0.363A	----	0.412 +	0.046 .0789	----	----	----	----	1 UNCH
4800	----	----	0.492B/0.380A	0.492B/0.380A	----	0.432 +	0.048 .0825	----	----	----	----	9 UNCH
4900	0.510	0.510	0.599B/0.510	0.599B/0.467A	----	0.523 +	0.057 .0985	----	----	3	----	6 + 2
5000	----	----	0.729B/0.548A	0.729B/0.548A	----	0.635 +	0.070 .1173	----	----	3	----	195 UNCH
5075	----	----	0.844B/0.631A	0.844B/0.631A	----	0.734 +	0.080 .1334	----	----	3	----	13 + 3
5100	0.788	0.788	0.887B/0.661A	0.887B/0.661A	----	0.770	NEW .1391	----	----	14	----	10 + 10
5125	----	----	0.931B/0.692A	0.931B/0.692A	----	0.808	NEW .1451	----	----	10	----	10 + 10
5150	0.871	0.871	0.977B/0.726A	0.977B/0.726A	----	0.848	NEW .1512	----	----	1	----	1 + 1
5200	0.952	0.952	1.075B/0.799A	1.075B/0.799A	----	0.934 +	0.102 .1642	----	----	15	----	27 + 11
5250	----	----	1.182B/0.876A	1.182B/0.876A	----	1.027	NEW .1780	----	----	8	----	8 + 8
5275	----	----	1.238B/0.919A	1.238B/0.919A	----	1.078 +	0.118 .1853	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

COMEX SILVER OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT												
JAN27												
5300	----	----	1.297B/0.963A	1.297B/0.963A	----	1.130 + 0.124	.1927	----	----	----	----	21 UNCH
5325	----	----	1.359B/1.008A	1.359B/1.008A	----	1.185 + 0.130	.2003	----	----	8	----	9 + 8
5350	----	----	1.423B/1.056A	1.423B/1.056A	----	1.242 + 0.137	.2082	----	----	----	----	3 UNCH
5375	----	----	1.490B/1.106A	1.490B/1.106A	----	1.301 + 0.143	.2162	----	----	4	----	9 + 4
5400	1.397	1.397	1.559B/1.157A	1.559B/1.157A	----	1.363 + 0.149	.2244	----	----	7	----	270 + 7
5425	1.320	1.320	1.631B/1.212A	1.631B/1.212A	----	1.428 + 0.157	.2329	----	----	16	----	246 + 3
5450	1.636	1.636	1.706B/1.269A	1.706B/1.269A	----	1.495 + 0.164	.2415	----	----	9	----	29 + 3
5475	----	----	1.783B/1.329A	1.783B/1.329A	----	1.564 + 0.170	.2503	----	----	----	----	196 UNCH
5500	1.674	1.674	1.863B/1.388A	1.863B/1.388A	----	1.637 + 0.179	.2593	----	----	10	----	104 + 2
5525	----	----	1.947B/1.452A	1.947B/1.452A	----	1.712 + 0.186	.2684	----	----	----	----	8 UNCH
5550	----	----	2.032B/1.518A	2.032B/1.518A	----	1.790 + 0.194	.2777	----	----	----	----	13 UNCH
5575	1.923	1.923	2.121B/1.588A	2.121B/1.588A	----	1.871 + 0.202	.2872	----	----	5	----	6 + 1
5600	1.981	1.981	2.213B/1.658A	2.213B/1.658A	----	1.955 + 0.211	.2968	----	----	5	----	148 + 4
5625	----	----	2.308B/1.733A	2.308B/1.733A	----	2.041 + 0.219	.3066	----	----	1	----	2 - 1
5675	2.259	2.259	2.507B/1.890A	2.507B/1.890A	----	2.223 + 0.236	.3264	----	----	1	----	1 UNCH
5700	----	----	2.611B/1.969A	2.611B/1.969A	----	2.319 + 0.245	.3365	----	----	----	----	10 UNCH
5775	----	----	2.942B/2.235A	2.942B/2.235A	----	2.624 + 0.272	.3674	----	----	----	----	11 UNCH
5800	----	----	3.059B/2.326A	3.059B/2.326A	----	2.732 + 0.281	.3778	----	----	----	----	66 UNCH
5850	----	----	3.300B/2.522A	3.300B/2.522A	----	2.957 + 0.300	.3988	----	----	1	----	2 UNCH
5900	----	----	3.554B/2.730A	3.554B/2.730A	----	3.194 + 0.318	.4199	----	----	----	----	24 UNCH
5975	----	----	3.960B/3.063A	3.960B/3.063A	----	3.573 + 0.347	.4516	----	----	----	----	1 UNCH
6000	----	----	4.094B/3.180A	4.094B/3.180A	----	3.705 + 0.357	.4622	----	----	7	----	166 UNCH
6075	----	----	4.534B/3.549A	4.534B/3.549A	----	4.121 + 0.387	.4935	----	----	----	----	1 UNCH
6100	4.527	4.527	4.687B/3.678A	4.687B/3.678A	----	4.265 + 0.396	.5038	----	----	3	----	46 + 1
6125	----	----	4.841B/3.810A	4.841B/3.810A	----	4.412 + 0.405	.5140	----	----	----	----	18 UNCH
6150	----	----	4.995B/3.945A	4.995B/3.945A	----	4.562 + 0.415	.5241	----	----	----	----	1 UNCH
6200	----	----	5.317B/4.222A	5.317B/4.222A	----	4.871 + 0.435	.5440	----	----	----	----	26 UNCH
6225	----	----	5.481B/4.365A	5.481B/4.365A	----	5.029 + 0.444	.5539	----	----	----	----	61 UNCH
6250	----	----	5.643B/4.511A	5.643B/4.511A	----	5.190 + 0.454	.5636	----	----	----	----	2 UNCH
6275	----	----	5.808B/4.659A	5.808B/4.659A	----	5.354 + 0.464	.5731	----	----	----	----	3 UNCH
6300	----	----	5.984B/4.810A	5.984B/4.810A	----	5.520 + 0.473	.5825	----	----	----	----	1 UNCH
6325	5.792	5.792	6.149B/4.964A	6.149B/4.964A	----	5.689 + 0.482	.5918	----	----	1	----	3 + 1
6350	----	----	6.325B/5.120A	6.325B/5.120A	----	5.860 + 0.491	.6009	----	----	----	----	9 UNCH
6375	----	----	6.512B/5.277A	6.512B/5.277A	----	6.034 + 0.501	.6100	----	----	----	----	25 UNCH
6400	----	----	6.688B/5.440A	6.688B/5.440A	----	6.209 + 0.510	.6188	----	----	----	----	33 UNCH
6425	----	----	6.875B/5.604A	6.875B/5.604A	----	6.388 + 0.519	.6275	----	----	----	----	1 UNCH
6475	----	----	7.238B/5.939A	7.238B/5.939A	----	6.751 + 0.537	.6444	----	----	----	----	1 UNCH
6500	----	----	7.436B/6.118A	7.436B/6.118A	----	6.935 + 0.544	.6526	----	----	----	----	56 UNCH
6525	----	----	7.623B/6.286A	7.623B/6.286A	----	7.122 + 0.553	.6607	----	----	----	----	1 UNCH
6575	----	----	8.008B/6.643A	8.008B/6.643A	----	7.501 + 0.568	.6764	----	----	----	----	5 UNCH
6700	----	----	8.999B/7.566A	8.999B/7.566A	----	8.482 + 0.607	.7127	----	----	----	----	13 UNCH
6725	----	----	9.203B/7.748A	9.203B/7.748A	----	8.683 + 0.614	.7194	----	----	----	----	15 UNCH
6800	----	----	9.825B/8.333A	9.825B/8.333A	----	9.296 + 0.635	.7388	----	----	----	----	2 UNCH
6825	----	----	10.037B/8.540A	10.037B/8.540A	----	9.503 + 0.641	.7450	----	----	----	----	1 UNCH
6900	----	----	10.677B/9.135A	10.677B/9.135A	----	10.133 + 0.660	.7625	----	----	----	----	16 UNCH
6925	----	----	10.889B/9.344A	10.889B/9.344A	----	10.345 + 0.666	.7681	----	----	----	----	24 UNCH
6950	----	----	11.105B/9.549A	11.105B/9.549A	----	10.559 + 0.672	.7735	----	----	----	----	1 UNCH
7000	----	----	11.540B/9.961A	11.540B/9.961A	----	10.989 + 0.682	.7839	----	----	----	----	20 UNCH
7100	----	----	12.424B/10.802A	12.424B/10.802A	----	11.864 + 0.704	.8032	----	----	----	----	27 UNCH
7125	----	----	12.648B/11.015A	12.648B/11.015A	----	12.085 + 0.709	.8078	----	----	----	----	1 UNCH
7175	----	----	13.096B/11.445A	13.096B/11.445A	----	12.530 + 0.719	.8164	----	----	----	----	1 UNCH
7200	----	----	13.320B/11.662A	13.320B/11.662A	----	12.753 + 0.723	.8205	----	----	----	----	1 UNCH
7350	----	----	14.685B/12.979A	14.685B/12.979A	----	14.112 + 0.749	.8433	----	----	----	----	1 UNCH
8050	----	----	21.307B/19.464A	21.307B/19.464A	----	20.706 + 0.823	.9115	----	----	----	----	1 UNCH
8200	----	----	22.758B/20.893A	22.758B/20.893A	----	22.154 + 0.832	.9206	----	----	----	----	1 UNCH
8600	----	----	26.661B/24.759A	26.661B/24.759A	----	26.048 + 0.849	.9392	----	----	----	----	1 UNCH
8850	----	----	29.114B/27.197A	29.114B/27.197A	----	28.500 + 0.857	.9477	----	----	----	----	9 UNCH
10000	----	----	40.485B/38.554A	40.485B/38.554A	----	39.881 + 0.881	.9707	----	----	----	----	7 UNCH
TOTAL										152	0	2130 + 91
FEB27												
3200	0.064	0.064	0.064/0.064	0.064/0.062A	----	0.054 NEW	.0084	----	----	20	----	20 + 20
3225	----	----	----	0.049B/0.064A	----	0.055 + 0.003	.0087	----	----	----	----	10 UNCH
3275	0.070	0.070	0.070/0.070	0.070/0.068A	----	0.058 + 0.003	.0092	----	----	5	----	10 + 5
3475	----	----	0.074B/----	0.074B/0.086A	----	0.076 + 0.005	.0124	----	----	----	----	1 UNCH
3625	----	----	0.093B/----	0.093B/0.106A	----	0.094 + 0.007	.0156	----	----	----	----	12 UNCH
3750	0.128	0.128	0.128/0.125A	0.128/0.125A	----	0.114 NEW	.0191	----	----	5	----	5 + 5
3825	0.140	0.140	0.140/0.140	0.140/0.134A	----	0.129 NEW	.0217	----	----	5	----	5 + 5
3850	----	----	0.140B/----	0.140B/0.136A	----	0.134 + 0.010	.0226	----	----	----	----	3 UNCH
3900	----	----	0.152B/----	0.152B/0.145A	----	0.146 + 0.012	.0246	----	----	----	----	20 UNCH
3975	----	----	0.172B/----	0.172B/0.161A	----	0.164 + 0.013	.0277	----	----	----	----	3 UNCH
4000	----	----	0.179B/----	0.179B/0.166A	----	0.171 + 0.014	.0289	----	----	----	----	31 UNCH
4200	----	----	0.253B/----	0.253B/0.222A	----	0.238 + 0.019	.0402	----	----	----	----	10 UNCH
4500	----	----	0.426B/0.355A	0.426B/0.355A	----	0.392 + 0.031	.0653	----	----	8	----	8 + 5
4750	----	----	0.674B/----	0.674B/0.577A	----	0.602 + 0.051	.0974	----	----	----	----	1 UNCH
4950	----	----	0.964B/0.752A	0.964B/0.752A	----	0.856 + 0.076	.1331	----	----	----	----	1 UNCH
5000	----	----	1.052B/0.819A	1.052B/0.819A	----	0.934 + 0.083	.1435	----	----	----	----	132 UNCH
5100	----	----	1.252B/0.971A	1.252B/0.971A	----	1.112 + 0.101	.1664	----	----	----	----	1 UNCH
5200	----	----	1.484B/1.148A	1.484B/1.148A	----	1.319 + 0.120	.1916	----	----	----	----	1 UNCH
5225	1.443	1.443	1.548B/1.197A	1.548B/1.197A	----	1.376 + 0.125	.1984	----	----	10	----	15 + 10
5275	----	----	1.681B/1.300A	1.681B/1.300A	----	1.496 + 0.136	.2122	----	----	----	----	20 UNCH
5300	----	----	1.752B/1.355A	1.752B/1.355A	----	1.559 + 0.141	.2193	----	----	----	----	75 UNCH
5325	----	----	1.826B/1.414A	1.826B/1.414A	----	1.625 + 0.148	.2267	----	----	----	----	49 UNCH
5375	----	----	1.975B/1.531A	1.975B/1.531A	----	1.763 + 0.160	.2416	----	----	----	----	44 UNCH
5400	----	----	2.056B/1.594A	2.056B/1.594A	----	1.835 + 0.165	.2493	----	----	----	----	6 UNCH
5425	----	----	2.139B/1.660A	2.139B/1.660A	----	1.911 + 0.173	.2572	----	----	----	----	59 UNCH
5500	2.190	2.190	2.400B/1.868A	2.400B/1.868A	----	2.151 + 0.193	.2813	----	----	1	----	52 UNCH
5525	----	----	2.493B/1.945A	2.493B/1.945A	----	2.236 + 0.200	.2896	----	----	----	----	5 UNCH
5600	----	----	2.783B/2.181A	2.783B/2.181A	----	2.508 + 0.223	.3150	----	----	----	----	17 UNCH
5650	2.763	2.763	3.003B/2.352A	3.003B/2.352A	----	2.702 NEW	.3324	----	----	1	----	1 + 1
5700	----	----	3.223B/2.536A	3.223B/2.536A	----	2.906 + 0.254	.3499	----	----	----	----	1 UNCH
5725	----	----	3.333B/2.627A	3.333B/2.627A	----	3.013 + 0.263	.3588	----	----	----	----	1 UNCH
5800	----	----	3.685B/2.926A	3.685B/2.926A	----	3.348 + 0.287	.3857	----	----	----	----	10 UNCH
5825	----	----	3.816B/3.031A	3.816B/3.031A	----	3.465 + 0.295	.3947	----	----	----	----	12 UNCH
5875	----	----	4.068B/3.248A	4.068B/3.248A	----	3.707 + 0.312	.4127	----	----	----	----	10 UNCH
6000	----	----	4.753B/3.830A	4.753B/3.830A	----	4.358 + 0.353	.4576	----	----	----	----	12 UNCH
6025	----	----	4.896B/3.960A	4.896B/3.960A	----	4.495 + 0.361	.4666	----	----	----	----	1 UNCH
6050	----	----	5.041B/4.087A	5.041B/4.087A	----	4.636 + 0.370	.4754	----	----	----	----	18 UNCH
6100	----	----	5.352B/4.346A	5.352B/4.346A	----	4.924 + 0.386	.4929	----	----	----	----	7 UNCH
6200	5.753	5.753	5.976B/4.900A	5.976B/4.900A	----	5.529 + 0.417	.5272	----	----	2	----	9 + 2
6250	----	----	6.300B/5.191A	6.300B/5.191A	----	5.845 + 0.432	.5439	----	----	----	----	9 UNCH
6275	----	----	6.468B/5.340A	6.468B/5.340A	----	6.007 + 0.440	.5520	----	----	----	----	1 UNCH
6400	----	----	7.296B/6.123A	7.296B/6.123A	----	6.847 + 0.478	.5915	----	----	----	----	1 UNCH
6500	----	----	8.028B/6.779A	8.028B/6.779A	----	7.556 + 0.508	.6212	----	----	----	----	21 UNCH
6600	----	----	8.772B/7.490A	8.772B/7.490A	----	8.294 + 0.536	.6490	----	----	----	----	6 UNCH
6700	----	----	9.552B/8.218A	9.552B/8.218A	----	9.060 + 0.564	.6750	----	----	----	----	11 UNCH
6825	----	----	10.548B/9.156A	10.548B/9.156A	----	10.050 + 0.595	.7049	----	----	----	----	5 UNCH
7000	----	----	12.006B/10.528A	12.006B/10.528A	----	11.490 + 0.634	.7420	----	----	----	----	5 UNCH
7225	----	----	13.945B/12.392A	13.945B/12.392A	----	13.418 + 0.677	.7823	----	----	----	----	1 UNCH
7250	----	----	14.169B/12.604A	14.169B/12.604A	----	13.637 + 0.682	.7864	----	----	----	----	1 UNCH
7400	----	----	15.502B/13.900A	15.502B/13.900A	----	14.965 + 0.706	.8088	----	----	----	----	2 UNCH
7575	----	----	17.089B/15.434A	17.089B/15.434A	----	16.546 + 0.732	.8313	----	----	----	----	20 UNCH
8075	----	----	21.756B/20.015A	21.756B/20.015A	----	21.197 + 0.789	.8795	----	----	----	----	5 UNCH
8150	----	----	22.475B/20.716A	22.475B/20.716A	----	21.908 + 0.795	.8850	----	----	----	----	10 UNCH
8225	----	----	23.191B/21.421A	23.191B/21.421A	----	22.621 + 0.800	.8903	----	----	----	----	10 UNCH
8250	----	----	23.429B/21.656A	23.429B/21.656A	----	22.859 + 0.802	.8920	----	----	----	----	10 UNCH
TOTAL										57	0	816 + 53
MAR27												
3500	----	----	0.120B/----	0.120B/0.133A	----	0.121 NEW	.0178	----	----	32	----	32 + 32
3550	----	----	0.134B/----	0.134B/0.142A	----	0.129 + 0.005	.0191	----	----	----	----	5 UNCH
4000	----	----	0.269B/----	0.269B/0.247A	----	0.252 + 0.014	.0379	----	----	----	----	299 UNCH
4200	----	----	0.372B/----	0.372B/0.327A	----	0.344 + 0.021	.0514	----	----	----	----	1 UNCH
4300	----	----	0.438B/----	0.438B/0.378A	----	0.404 + 0.027	.0599	----	----	----	----	5 UNCH
4500	0.570	0.570	0.591B/0.510A	0.591B/0.510A	----	0.556 + 0.039	.0809	----	----	1	----	51 + 1
4750	----	----	0.917B/0.749A	0.917B/0.749A	----	0.832 + 0.063	.1165	----	----	----	----	15 UNCH
4775	----	----	0.955B/0.776A	0.955B/0.776A	----	0.866 + 0.066	.1206	----	----	----	----	15 UNCH
4800	----	----	0.995B/0.809A	0.995B/0.809A	----	0.901 + 0.069	.1249	----	----	----	----	5 UNCH
4900	----	----	1.168B/0.944A	1.168B/0.944A	----	1.057 + 0.082	.1435	----	----	----	----	5 UNCH
5000	1.280	1.280	1.370B/1.101A	1.370B/1.101A	----	1.238 + 0.097	.1641	----	----	1	----	578 + 1
5050	----	----	1.481B/1.191A	1.481B/1.191A	----	1.339 + 0.106	.1751	----	----	----	----	9 UNCH
5075	----	----	1.540B/1.237A	1.540B/1.237A	----	1.393 + 0.111	.1809	----	----	----	----	1 UNCH
5100	1.488	1.488	1.600B/1.285A	1.600B/1.285A	----	1.448 + 0.115	.1868	----	----	2	----	4 + 2
5150	----	----	1.728B/1.388A	1.728B/1.388A	----	1.564 + 0.125	.1988	----	----	----	----	6 UNCH
5175	----	----	1.793B/1.440A	1.793B/1.440A	----	1.625 + 0.130	.2051	----	----	----	----	1 UNCH
5200	----	----	1.864B/1.496A	1.864B/1.496A	----	1.688 + 0.135	.2114	----	----	----	----	11 UNCH
5225	----	----	1.933B/1.552A	1.933B/1.552A	----	1.753 + 0.140	.2179	----	----	----	----	2 UNCH
5250	1.872	1.872	2.008B/1.612A	2.008B/1.612A	----	1.820 + 0.145	.2244	----	----	2	----	4 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAR27												
5275	----	----	2.083B/1.672A	2.083B/1.672A	----	1.890 +	0.151 .2311	----	----	----	----	11 UNCH
5300	----	----	2.160B/1.735A	2.160B/1.735A	----	1.961 +	0.156 .2379	----	----	----	----	5 UNCH
5350	----	----	2.323B/1.865A	2.323B/1.865A	----	2.111 +	0.167 .2518	----	----	----	----	8 UNCH
5400	----	----	2.492B/2.006A	2.492B/2.006A	----	2.270 +	0.179 .2661	----	----	----	----	23 UNCH
5425	----	----	2.583B/2.078A	2.583B/2.078A	----	2.353 +	0.186 .2734	----	----	----	----	2 UNCH
5500	----	----	2.862B/2.309A	2.862B/2.309A	----	2.615 +	0.204 .2956	----	----	----	----	895 UNCH
5550	----	----	3.061B/2.475A	3.061B/2.475A	----	2.802 +	0.217 .3109	----	----	----	----	1 UNCH
5600	----	----	3.268B/2.652A	3.268B/2.652A	----	2.998 +	0.230 .3263	----	----	----	----	270 UNCH
5675	----	----	3.612B/2.932A	3.612B/2.932A	----	3.311 +	0.252 .3499	----	----	----	----	1 UNCH
5700	----	----	3.724B/3.033A	3.724B/3.033A	----	3.420 +	0.259 .3578	----	----	----	----	3 UNCH
5800	----	----	4.215B/3.447A	4.215B/3.447A	----	3.881 +	0.288 .3897	----	----	----	----	43 UNCH
5900	----	----	4.740B/3.901A	4.740B/3.901A	----	4.379 +	0.317 .4218	----	----	----	----	9 UNCH
5950	----	----	5.010B/4.142A	5.010B/4.142A	----	4.642 +	0.331 .4377	----	----	----	----	1 UNCH
6000	----	----	5.296B/4.392A	5.296B/4.392A	----	4.915 +	0.347 .4536	----	----	----	----	112 UNCH
6075	----	----	5.745B/4.784A	5.745B/4.784A	----	5.340 +	0.368 .4771	----	----	----	----	76 UNCH
6100	----	----	5.895B/4.921A	5.895B/4.921A	----	5.487 +	0.376 .4848	----	----	----	----	3 UNCH
6200	----	----	6.525B/5.483A	6.525B/5.483A	----	6.093 +	0.405 .5151	----	----	----	----	6 UNCH
6300	----	----	7.185B/6.078A	7.185B/6.078A	----	6.731 +	0.432 .5444	----	----	----	----	14 UNCH
6350	----	----	7.500B/6.381A	7.500B/6.381A	----	7.062 +	0.446 .5586	----	----	----	----	4 UNCH
6375	----	----	7.665B/6.542A	7.665B/6.542A	----	7.231 +	0.454 .5656	----	----	----	----	1 UNCH
6400	----	----	7.845B/6.702A	7.845B/6.702A	----	7.401 +	0.460 .5725	----	----	----	----	29 UNCH
6450	----	----	8.175B/7.029A	8.175B/7.029A	----	7.746 +	0.473 .5860	----	----	----	----	1 UNCH
6500	----	----	8.535B/7.353A	8.535B/7.353A	----	8.098 +	0.485 .5992	----	----	----	----	20 UNCH
6775	----	----	10.620B/9.319A	10.620B/9.319A	----	10.147 +	0.550 .6655	----	----	----	----	1 UNCH
6800	----	----	10.815B/9.500A	10.815B/9.500A	----	10.341 +	0.555 .6710	----	----	----	----	1 UNCH
6825	----	----	11.010B/9.690A	11.010B/9.690A	----	10.537 +	0.561 .6764	----	----	----	----	3 UNCH
6850	----	----	11.205B/9.880A	11.205B/9.880A	----	10.734 +	0.566 .6817	----	----	----	----	0 UNCH
6950	----	----	12.018B/10.640A	12.018B/10.640A	----	11.535 +	0.587 .7021	----	----	----	----	2 UNCH
7000	----	----	12.427B/11.039A	12.427B/11.039A	----	11.942 +	0.596 .7118	----	----	----	----	3 UNCH
7225	----	----	14.323B/12.860A	14.323B/12.860A	----	13.825 +	0.639 .7511	----	----	----	----	10 UNCH
7500	----	----	16.734B/15.186A	16.734B/15.186A	----	16.220 +	0.685 .7910	----	----	----	----	3 UNCH
7575	----	----	17.399B/15.836A	17.399B/15.836A	----	16.888 +	0.696 .8004	----	----	----	----	1 UNCH
7600	----	----	17.626B/16.055A	17.626B/16.055A	----	17.112 +	0.700 .8034	----	----	----	----	1 UNCH
7625	----	----	17.848B/16.275A	17.848B/16.275A	----	17.336 +	0.703 .8065	----	----	----	----	10 UNCH
7750	----	----	18.984B/17.378A	18.984B/17.378A	----	18.466 +	0.720 .8205	----	----	----	----	10 UNCH
8000	----	----	21.285B/19.630A	21.285B/19.630A	----	20.760 +	0.748 .8450	----	----	----	----	1 UNCH
8100	----	----	22.214B/20.544A	22.214B/20.544A	----	21.688 +	0.756 .8535	----	----	----	----	6 UNCH
8300	----	----	24.093B/22.392A	24.093B/22.392A	----	23.562 +	0.773 .8688	----	----	----	----	50 UNCH
8500	----	----	25.989B/24.257A	25.989B/24.257A	----	25.454 +	0.787 .8821	----	----	----	----	3 UNCH
8600	----	----	26.944B/25.206A	26.944B/25.206A	----	26.407 +	0.794 .8880	----	----	----	----	1 UNCH
10500	----	----	45.516B/43.636A	45.516B/43.636A	----	44.939 +	0.861 .9496	----	----	----	----	10 UNCH
TOTAL										38	0	2703 + 37
APR27												
3400	----	----	----	0.131B/0.161A	----	0.144 -	0.002 .0190	----	----	----	----	1 UNCH
3500	----	----	----	0.155B/0.182A	----	0.165 -	0.002 .0219	----	----	----	----	1 UNCH
4000	----	----	0.339B/----	0.339B/0.354A	----	0.339 +	0.010 .0452	----	----	----	----	1 UNCH
4100	----	----	0.397B/----	0.397B/0.407A	----	0.395 +	0.017 .0523	----	----	----	----	15 UNCH
4200	----	----	0.464B/----	0.464B/0.470A	----	0.460 +	0.026 .0604	----	----	----	----	10 UNCH
4500	----	----	0.759B/----	0.759B/0.723A	----	0.726 +	0.058 .0920	----	----	----	----	36 UNCH
4800	----	----	1.185B/----	1.185B/1.112A	----	1.127 +	0.088 .1360	----	----	----	----	2 UNCH
5000	----	----	1.602B/----	1.602B/1.470A	----	1.497 +	0.107 .1733	----	----	----	----	62 UNCH
5400	----	----	2.753B/----	2.753B/2.428A	----	2.581 +	0.172 .2669	----	----	----	----	1 UNCH
5500	----	----	3.127B/----	3.127B/2.763A	----	2.936 +	0.196 .2936	----	----	----	----	101 UNCH
5600	----	----	3.533B/3.092A	3.533B/3.092A	----	3.327 +	0.225 .3212	----	----	----	----	11 UNCH
6000	----	----	5.562B/4.808A	5.562B/4.808A	----	5.240 +	0.345 .4347	----	----	----	----	174 UNCH
6200	6.579	6.579	6.750B/5.873A	6.750B/5.873A	----	6.392 +	0.397 .4901	----	----	7	----	7 + 7
6225	6.663	6.663	6.912B/6.005A	6.912B/6.005A	----	6.544	NEW .4968	----	----	7	----	7 + 7
6275	7.002	7.002	7.236B/6.335A	7.236B/6.335A	----	6.854	NEW .5101	----	----	4	----	4 + 4
6400	----	----	8.064B/7.083A	8.064B/7.083A	----	7.660 +	0.441 .5424	----	----	----	----	1 UNCH
6500	----	----	8.671B/7.700A	8.671B/7.700A	----	8.334 +	0.463 .5670	----	----	----	----	3 UNCH
6600	----	----	9.376B/8.381A	9.376B/8.381A	----	9.033 +	0.485 .5907	----	----	----	----	1 UNCH
7000	----	----	12.436B/11.374A	12.436B/11.374A	----	12.045 +	0.574 .6741	----	----	----	----	5 UNCH
8000	----	----	----	7.411B/33.883A	----	20.618 +	0.731 .8114	----	----	----	----	2 UNCH
8725	----	----	----	13.885B/41.137A	----	27.336 +	0.790 .8674	----	----	----	----	3 UNCH
TOTAL										18	0	448 + 18
MAY27												
4500	----	----	0.973B/----	0.973B/0.880A	----	0.918 +	0.042 .1047	----	----	----	----	6 UNCH
4700	----	----	1.285B/1.152A	1.285B/1.152A	----	1.230 +	0.075 .1346	----	----	----	----	25 UNCH
4850	----	----	1.583B/----	1.583B/1.411A	----	1.516 +	0.105 .1604	----	----	----	----	5 UNCH
5000	----	----	1.945B/----	1.945B/1.728A	----	1.852 +	0.135 .1890	----	----	----	----	20 UNCH
5500	----	----	3.598B/----	3.598B/3.214A	----	3.433 +	0.232 .3033	----	----	----	----	2 UNCH
5700	----	----	4.536B/3.952A	4.536B/3.952A	----	4.284 +	0.269 .3543	----	----	----	----	5 UNCH
6000	----	----	6.140B/5.358A	6.140B/5.358A	----	5.799 +	0.331 .4318	----	----	----	----	1 UNCH
6500	----	----	9.324B/8.232A	9.324B/8.232A	----	8.899 +	0.452 .5518	----	----	----	----	65 UNCH
6525	----	----	9.492B/8.423A	9.492B/8.423A	----	9.070 +	0.458 .5572	----	----	----	----	16 UNCH
6675	----	----	10.456B/9.431A	10.456B/9.431A	----	10.127 +	0.492 .5890	----	----	----	----	2 UNCH
6750	----	----	11.000B/9.959A	11.000B/9.959A	----	10.672 +	0.508 .6040	----	----	----	----	5 UNCH
7300	----	----	15.246B/14.232A	15.246B/14.232A	----	14.963 +	0.605 .6992	----	----	----	----	10 UNCH
7900	----	----	----	----	----	20.087 +	0.681 .7748	----	----	----	----	10 UNCH
8300	----	----	----	----	----	23.675 +	0.719 .8123	----	----	----	----	5 UNCH
8325	----	----	----	----	----	23.903 +	0.721 .8143	----	----	----	----	2 UNCH
8350	----	----	----	----	----	24.131 +	0.723 .8163	----	----	----	----	2 UNCH
8500	----	----	----	----	----	25.507 +	0.735 .8279	----	----	----	----	9 UNCH
TOTAL											0	190 0
JUN27												
4000	0.605	0.605	0.605/0.580A	0.605/0.580A	----	0.552 +	0.031 .0604	----	----	1	----	0 - 1
4300	0.880	0.880	0.880/0.880	0.880/0.853A	----	0.831	NEW .0881	----	----	3	----	3 + 3
4500	----	----	1.105B/----	1.105B/1.108A	----	1.086 +	0.059 .1118	----	----	----	----	3 UNCH
4700	----	----	1.451B/----	1.451B/1.432A	----	1.411 +	0.076 .1403	----	----	----	----	510 UNCH
5500	3.840	3.840	3.840/3.840	3.840/3.568A	----	3.671 +	0.196 .2986	----	----	1	----	2 - 1
6000	----	----	6.270B/----	6.270B/5.800A	----	6.032 +	0.310 .4174	----	----	----	----	5 UNCH
6400	----	----	8.700B/----	8.700B/8.060A	----	8.420 +	0.406 .5083	----	----	----	----	1 UNCH
6500	----	----	9.380B/----	9.380B/8.667A	----	9.076 +	0.428 .5295	----	----	----	----	10 UNCH
6800	----	----	11.481B/10.665A	11.481B/10.665A	----	11.171 +	0.494 .5884	----	----	----	----	1 UNCH
7000	----	----	12.981B/12.069A	12.981B/12.069A	----	12.659 +	0.535 .6238	----	----	----	----	16 UNCH
7050	----	----	13.378B/12.447A	13.378B/12.447A	----	13.041 +	0.545 .6321	----	----	----	----	1 UNCH
TOTAL										5	0	552 + 1
JUL27												
4600	----	----	1.534B/----	1.534B/1.416A	----	1.430 +	0.061 .1344	----	----	----	----	8 UNCH
4650	1.604	1.604	1.623B/1.585A	1.623B/1.585A	----	1.523	NEW .1418	----	----	5	----	5 + 5
4700	----	----	1.730B/----	1.730B/1.608A	----	1.622 +	0.070 .1495	----	----	----	----	13 UNCH
4900	----	----	2.202B/----	2.202B/2.059A	----	2.076 +	0.092 .1829	----	----	----	----	5 UNCH
5000	----	----	2.478B/----	2.478B/2.268A	----	2.339 +	0.104 .2011	----	----	----	----	20 UNCH
5500	----	----	4.255B/3.841A	4.255B/3.841A	----	4.066 +	0.190 .3041	----	----	----	----	50 UNCH
6200	----	----	8.000B/----	8.000B/7.337A	----	7.651 +	0.359 .4588	----	----	----	----	1 UNCH
6500	----	----	9.925B/8.969A	9.925B/8.969A	----	9.552 +	0.432 .5198	----	----	----	----	1 UNCH
6900	----	----	12.651B/11.655A	12.651B/11.655A	----	12.358 +	0.519 .5923	----	----	----	----	100 UNCH
7000	----	----	13.409B/12.555A	13.409B/12.555A	----	13.102 +	0.540 .6087	----	----	----	----	25 UNCH
TOTAL										5	0	228 + 5
SEP27												
5500	----	----	4.796B/----	4.796B/4.674A	----	4.745 +	0.223 .3033	----	----	----	----	10 UNCH
5800	----	----	6.210B/----	6.210B/5.995A	----	6.133 +	0.282 .3618	----	----	----	----	1 UNCH
5900	----	----	6.720B/----	6.720B/6.510A	----	6.646 +	0.302 .3814	----	----	----	----	1 UNCH
TOTAL											0	12 0
DEC27												
7175	----	----	----	----	----	16.821 +	0.477 .5320	----	----	----	----	25 UNCH
TOTAL											0	25 0
DEC28												
7175	----	----	----	----	----	19.026 +	0.403 .4356	----	----	----	----	40 UNCH
TOTAL											0	40 0
SO2 CALL		SILVER OPTIONS										
OCT26												
5870	----	----	2.206B/0.519A	2.206B/0.519A	----	0.950 -	0.834 .7915	----	----	----	----	1 UNCH
5880	----	----	2.118B/0.471A	2.118B/0.471A	----	0.877 -	0.824 .7595	----	----	----	----	1 UNCH
5890	----	----	2.029B/0.423A	2.029B/0.423A	----	0.807 -	0.812 .7245	----	----	----	----	2 UNCH
5900	0.770	0.770	1.941B/0.375A	1.941B/0.375A	----	0.740 -	0.800 .6866	----	----	23	----	12 + 11
5910	0.694	0.694	1.855B/0.335A	1.855B/0.335A	----	0.676	NEW .6461	----	----	16	----	16 + 16
5920	0.493	0.493	1.769B/0.296A	1.769B/0.296A	----	0.617 -	0.769 .6032	----	----	15	----	16 + 15
5930	0.400	0.400	1.684B/0.259A	1.684B/0.259A	----	0.560	NEW .5590	----	----	2	----	1 + 1
5940	0.461	0.461	1.603B/0.226A	1.603B/0.226A	----	0.508 -	0.731 .5138	----	----	3	----	4 + 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO2 CALL		SILVER OPTIONS										
OCT26												
5960	0.450	0.450	1.438B/0.174A	1.438B/0.174A	----	0.415 - 0.686	.4238	----	----	7	----	7 + 6
5970	0.261	0.261	1.362B/0.152A	1.362B/0.152A	----	0.374 - 0.662	.3805	----	----	2	----	4 + 2
5980	0.232	0.232	1.289B/0.133A	1.289B/0.133A	----	0.336 NEW	.3389	----	----	6	----	2 + 2
5990	0.181	0.181	1.215B/0.116A	1.215B/0.116A	----	0.302 NEW	.2999	----	----	14	----	6 + 6
6000	0.252	0.252	1.142B/0.101A	1.142B/0.101A	----	0.272 - 0.582	.2640	----	----	49	----	33 + 18
6010	0.183	0.183	1.075B/0.089A	1.075B/0.089A	----	0.244 - 0.554	.2307	----	----	4	----	41 + 3
6020	0.184	0.184	1.005B/0.078A	1.005B/0.078A	----	0.219 NEW	.2006	----	----	2	----	2 + 2
6030	0.531	0.531	0.942B/0.069A	0.942B/0.069A	----	0.197 - 0.497	.1739	----	----	23	----	11 + 10
6040	0.121	0.121	0.882B/0.060A	0.882B/0.060A	----	0.177 NEW	.1500	----	----	6	----	2 + 2
6050	0.244	0.244	0.822B/0.054A	0.822B/0.054A	----	0.160 - 0.440	.1295	----	----	14	----	10 + 3
6060	0.115	0.115	0.765B/0.047A	0.765B/0.047A	----	0.144 - 0.413	.1111	----	----	3	----	3 + 2
6070	0.650	0.650	0.710B/0.042A	0.710B/0.042A	----	0.130 - 0.386	.0953	----	----	2	----	8 UNCH
6080	----	----	0.658B/0.038A	0.658B/0.038A	----	0.117 - 0.361	.0813	----	----	----	----	2 UNCH
6090	0.051	0.051	0.609B/0.033A	0.609B/0.033A	----	0.106 - 0.336	.0696	----	----	3	----	3 - 1
6100	0.136	0.136	0.560B/0.030A	0.560B/0.030A	----	0.096 - 0.313	.0595	----	----	9	----	37 + 3
6110	0.045	0.045	0.517B/0.027A	0.517B/0.027A	----	0.087 - 0.290	.0507	----	----	2	----	0 - 2
6120	----	----	0.476B/0.024A	0.476B/0.024A	----	0.080 - 0.268	.0439	----	----	----	----	7 UNCH
6130	0.065	0.065	0.434B/0.023A	0.434B/0.023A	----	0.072 - 0.249	.0371	----	----	2	----	7 + 2
6140	0.057	0.057	0.398B/0.020A	0.398B/0.020A	----	0.066 - 0.230	.0319	----	----	2	----	4 + 2
6150	0.320	0.320	0.365B/0.019A	0.365B/0.019A	----	0.060 - 0.213	.0272	----	----	4	----	13 + 2
6160	0.050	0.050	0.335B/0.019A	0.335B/0.019A	----	0.055 - 0.196	.0234	----	----	1	----	5 UNCH
6170	0.034	0.034	0.306B/0.016A	0.306B/0.016A	----	0.051 - 0.180	.0203	----	----	5	----	7 + 5
6180	----	----	0.280B/0.015A	0.280B/0.015A	----	0.046 - 0.167	.0171	----	----	----	----	5 UNCH
6190	0.040	0.040	0.255B/0.014A	0.255B/0.014A	----	0.043 - 0.153	.0150	----	----	1	----	2 - 1
6200	0.225	0.225	0.234B/0.013A	0.234B/0.013A	----	0.039 - 0.142	.0127	----	----	3	----	68 + 1
6220	----	----	0.195B/0.011A	0.195B/0.011A	----	0.033 - 0.120	.0094	----	----	----	----	20 UNCH
6230	----	----	0.177B/0.010A	0.177B/0.010A	----	0.031 - 0.111	.0083	----	----	----	----	2 UNCH
6240	----	----	0.162B/0.011A	0.162B/0.011A	----	0.028 - 0.103	.0070	----	----	----	----	2 UNCH
6250	----	----	0.148B/0.008A	0.148B/0.008A	----	0.026 - 0.095	.0061	----	----	----	----	17 UNCH
6260	0.017	0.017	0.135B/0.008A	0.135B/0.008A	----	0.024 - 0.087	.0052	----	----	3	----	6 + 2
6270	0.120	0.120	0.123B/0.008A	0.123B/0.008A	----	0.022 - 0.081	.0045	----	----	2	----	6 UNCH
6280	----	----	0.112B/0.008A	0.112B/0.008A	----	0.020 - 0.075	.0038	----	----	----	----	4 UNCH
6300	0.030	0.030	0.095B/0.009A	0.095B/0.009A	----	0.017 - 0.065	.0028	----	----	6	----	17 + 3
6330	0.010	0.010	0.010/0.009A	0.055B/0.009A	----	0.013 NEW	.0017	----	----	3	----	3 + 3
6350	----	----	----/0.008A	0.054B/0.008A	----	0.011 - 0.046	.0012	----	----	----	----	9 UNCH
6400	0.011	0.011	0.011/0.008A	0.037B/0.008A	----	0.007 - 0.033	.0005	----	----	3	----	8 UNCH
6450	----	----	----/0.008A	0.025B/0.008A	----	0.005 - 0.025	.0002	----	----	----	----	1 UNCH
6500	0.016	0.016	0.016/0.008A	0.016/0.008A	----	0.003 - 0.019	.0001	----	----	4	----	17 UNCH
6550	----	----	----/0.008A	0.008B/0.008A	----	0.002 - 0.014	.0000	----	----	----	----	10 UNCH
6570	0.009	0.009	0.009/0.009	0.009/0.009	----	0.002 NEW	.0000	----	----	1	----	1 + 1
6600	----	----	----/0.008A	0.002B/0.008A	----	0.001 - 0.010	.0000	----	----	----	----	11 UNCH
6650	----	----	----	0.001B/0.008A	----	0.001 - 0.007	----	----	----	----	----	42 UNCH
6700	----	----	----	----/0.012A	----	0.001 - 0.005	----	----	----	----	----	4 UNCH
6750	----	----	----	----/0.012A	----	0.001 - 0.004	----	----	----	----	----	31 UNCH
6900	----	----	----	----/0.011A	----	0.001 - 0.002	----	----	----	----	----	8 UNCH
6950	----	----	----	----/0.011A	----	0.001 - 0.001	----	----	----	----	----	5 UNCH
7000	----	----	----	----/0.010A	----	0.001 UNCH	----	----	----	----	----	19 UNCH
7050	----	----	----	----/0.010A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
7100	----	----	----	----/0.015A	----	0.001 UNCH	----	----	----	----	----	11 UNCH
7150	----	----	----	----/0.043A	----	0.001 UNCH	----	----	----	----	----	6 UNCH
7200	----	----	----	----/0.042A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
7300	----	----	----	----/0.041A	----	0.001 UNCH	----	----	----	----	----	6 UNCH
7400	----	----	----	----/0.040A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
8000	----	----	----	----/0.041A	----	0.001 UNCH	----	----	----	----	----	3 UNCH
8500	----	----	----	----/0.042A	----	0.001 UNCH	----	----	----	----	----	3 UNCH
TOTAL										245	0	618 + 122
SO2 PUT		SILVER OPTIONS										
OCT26												
5100	----	----	----	----/0.010A	----	0.001 UNCH	----	----	----	----	----	3 UNCH
5200	----	----	----	----/0.010A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
5400	----	----	----	0.002B/0.008A	----	0.001 - 0.001	----	----	----	----	----	1 UNCH
5500	----	----	0.013B/0.008A	0.013B/0.008A	----	0.005 - 0.006	.0003	----	----	----	----	6 UNCH
5510	0.020	0.020	0.020/0.009A	0.020/0.009A	----	0.006 NEW	.0004	----	----	5	----	5 + 5
5580	0.018	0.018	0.033B/0.010A	0.033B/0.010A	----	0.012 NEW	.0016	----	----	5	----	5 + 5
5590	0.018	0.018	0.038B/0.011A	0.038B/0.011A	----	0.013 NEW	.0018	----	----	1	----	1 + 1
5600	0.014	0.014	0.041B/0.012A	0.041B/0.012A	----	0.014 - 0.014	.0021	----	----	10	----	21 + 6
5640	----	----	0.065B/0.015A	0.065B/0.015A	----	0.020 - 0.017	.0041	----	----	----	----	1 UNCH
5650	----	----	0.072B/0.017A	0.072B/0.017A	----	0.022 - 0.017	.0049	----	----	----	----	6 UNCH
5670	0.026	0.026	0.088B/0.021A	0.088B/0.021A	----	0.027 NEW	.0071	----	----	2	----	2 + 2
5680	0.028	0.028	0.098B/0.020A	0.098B/0.020A	----	0.030 - 0.017	.0085	----	----	9	----	5 + 2
5690	0.050	0.050	0.108B/0.023A	0.108B/0.023A	----	0.033 NEW	.0101	----	----	6	----	6 + 6
5700	0.048	0.048	0.120B/0.025A	0.120B/0.025A	----	0.036 - 0.017	.0118	----	----	11	----	43 + 4
5710	0.061	0.061	0.132B/0.029A	0.132B/0.029A	----	0.040 - 0.016	.0142	----	----	7	----	5 + 4
5720	----	----	0.146B/0.030A	0.146B/0.030A	----	0.044 - 0.016	.0168	----	----	----	----	5 UNCH
5730	0.066	0.066	0.161B/0.034A	0.161B/0.034A	----	0.049 - 0.015	.0201	----	----	2	----	2 UNCH
5740	0.097	0.097	0.177B/0.038A	0.177B/0.038A	----	0.054 - 0.014	.0238	----	----	19	----	15 + 10
5750	0.090	0.090	0.195B/0.042A	0.195B/0.042A	----	0.060 - 0.013	.0284	----	----	7	----	13 UNCH
5760	0.104	0.104	0.215B/0.044A	0.215B/0.044A	----	0.067 NEW	.0341	----	----	31	----	23 + 23
5770	0.105	0.105	0.236B/0.049A	0.236B/0.049A	----	0.074 - 0.010	.0402	----	----	23	----	13 + 11
5780	0.091	0.091	0.261B/0.055A	0.261B/0.055A	----	0.082 - 0.008	.0477	----	----	12	----	14 + 8
5790	0.133	0.133	0.286B/0.062A	0.286B/0.062A	----	0.092 NEW	.0570	----	----	7	----	3 + 3
5800	0.080	0.080	0.314B/0.069A	0.314B/0.069A	----	0.103 - 0.003	.0679	----	----	60	----	35 + 13
5810	0.107	0.107	0.345B/0.078A	0.345B/0.078A	----	0.115 UNCH	.0804	----	----	13	----	2 - 1
5820	0.096	0.096	0.377B/0.088A	0.377B/0.088A	----	0.128 + 0.004	.0947	----	----	39	----	23 + 17
5830	0.194	0.194	0.411B/0.095A	0.411B/0.095A	----	0.143 + 0.008	.1116	----	----	19	----	7 + 2
5840	0.190	0.190	0.452B/0.101A	0.452B/0.101A	----	0.161 + 0.014	.1318	----	----	9	----	3 + 1
5850	0.215	0.215	0.491B/0.111A	0.491B/0.111A	----	0.180 + 0.020	.1541	----	----	37	----	29 + 12
5860	0.210	0.210	0.535B/0.120A	0.535B/0.120A	----	0.202 + 0.028	.1798	----	----	34	----	27 + 25
5870	0.180	0.180	0.584B/0.131A	0.584B/0.131A	----	0.226 + 0.036	.2085	----	----	10	----	3 + 1
5880	0.272	0.272	0.632B/0.142A	0.632B/0.142A	----	0.253 + 0.046	.2404	----	----	3	----	4 + 1
5890	0.279	0.279	0.683B/0.154A	0.683B/0.154A	----	0.283 + 0.058	.2754	----	----	6	----	7 + 6
5900	0.624	0.624	0.740B/0.166A	0.740B/0.166A	----	0.316 + 0.070	.3133	----	----	14	----	29 + 5
5910	----	----	0.796B/0.180A	0.796B/0.180A	----	0.352 + 0.084	.3538	----	----	----	----	3 UNCH
5940	0.505	0.505	0.986B/0.231A	0.986B/0.231A	----	0.484 + 0.139	.4861	----	----	9	----	10 + 9
5950	0.695	0.695	1.055B/0.250A	1.055B/0.250A	----	0.535 + 0.160	.5315	----	----	3	----	8 + 1
5960	0.654	0.654	1.127B/0.271A	1.127B/0.271A	----	0.591 NEW	.5761	----	----	1	----	1 + 1
5970	----	----	1.201B/0.295A	1.201B/0.295A	----	0.650 + 0.208	.6194	----	----	----	----	2 UNCH
6000	1.147	1.147	1.435B/0.375A	1.435B/0.375A	----	0.848 + 0.288	.7359	----	----	11	----	41 + 3
6020	----	----	1.597B/0.440A	1.597B/0.440A	----	0.995 + 0.344	.7993	----	----	1	----	20 + 1
6030	----	----	1.681B/0.479A	1.681B/0.479A	----	1.073 + 0.373	.8260	----	----	----	----	1 UNCH
6050	----	----	1.859B/0.554A	1.859B/0.554A	----	1.236 + 0.430	.8704	----	----	----	----	2 UNCH
6070	1.480	1.480	2.038B/0.645A	2.038B/0.645A	----	1.406 + 0.484	.9046	----	----	20	----	20 UNCH
6100	----	----	2.313B/0.793A	2.313B/0.793A	----	1.672 + 0.557	.9404	----	----	----	----	11 UNCH
6150	----	----	2.782B/1.099A	2.782B/1.099A	----	2.136 + 0.657	.9727	----	----	----	----	8 UNCH
6200	----	----	3.268B/1.461A	3.268B/1.461A	----	2.615 + 0.728	.9872	----	----	----	----	4 UNCH
6220	----	----	3.462B/1.620A	3.462B/1.620A	----	2.809 + 0.750	.9905	----	----	----	----	1 UNCH
6250	----	----	3.757B/1.871A	3.757B/1.871A	----	3.102 + 0.775	.9939	----	----	1	----	4 + 1
6300	----	----	4.250B/2.315A	4.250B/2.315A	----	3.593 + 0.805	.9971	----	----	----	----	1 UNCH
6360	----	----	4.776B/2.873A	4.776B/2.873A	----	4.186 + 0.827	.9989	----	----	----	----	1 UNCH
6400	----	----	5.178B/3.255A	5.178B/3.255A	----	4.583 + 0.837	.9994	----	----	----	----	2 UNCH
6500	----	----	6.178B/4.233A	6.178B/4.233A	----	5.579 + 0.851	.9998	----	----	----	----	5 UNCH
6550	----	----	6.677B/4.725A	6.677B/4.725A	----	6.078 + 0.856	.9999	----	----	----	----	5 UNCH
6700	----	----	8.180B/6.313A	8.180B/6.313A	----	7.577 + 0.865	.0000	----	----	----	----	1 UNCH
6950	----	----	10.676B/8.814A	10.676B/8.814A	----	10.077 + 0.869	.0000	----	----	----	----	0 UNCH
TOTAL										447	0	519 + 188
SO3 CALL		SILVER OPTIONS										
OCT26												
5700	2.561	2.561	3.998B/2.282A	3.998B/2.282A	----	2.784 NEW	.8092	----	----	1	----	1 + 1
5800	----	----	3.146B/1.587A	3.146B/1.587A	----	2.026 - 0.722	.7033	----	----	----	----	1 UNCH
5850	1.585	1.585	2.754B/1.289A	2.754B/1.289A	----	1.695 NEW	.6391	----	----	2	----	2 + 2
5900	1.200	1.200	2.382B/1.036A	2.382B/1.036A	----	1.400 NEW	.5698	----	----	3	----	3 + 3
6000	----	----	1.729B/0.646A	1.729B/0.646A	----	0.923 - 0.492	.4279	----	----	----	----	6 UNCH
6050	----	----	1.457B/0.506A	1.457B/0.506A	----	0.740 NEW	.3612	----	----	7	----	7 + 7
6100	0.572	0.572	1.207B/0.395A	1.207B/0.395A	----	0.590 - 0.359	.3005	----	----	10	----	12 + 9
6200	0.300	0.300	0.800B/0.246A	0.800B/0.246A	----	0.373 - 0.244	.2013	----	----	6	----	13 + 6
6250	0.273	0.273	0.645B/0.198A	0.645B/0.198A	----	0.297 - 0.198	.1631	----	----	1	----	2 + 1
6300	0.491	0.491	0.520B/0.165A	0.520B/0.165A	----	0.239 - 0.158	.1322	----	----	3	----	10 + 3
6350	----	----	0.416B/0.133A	0.416B/0.133A	----	0.193 - 0.126	.1071	----	----	----	----	3 UNCH
6400	----	----	0.333B/0.111A	0.333B/0.111A	----	0.158 - 0.101	.0873	----	----	----	----	7 UNCH
6500	0.123	0.123	0.216B/0.083A	0.216B/0.083A	----	0.109 - 0.065	.0591	----	----	4	----	29 + 1
6550	0.084	0.084	0.174B/0.072A	0.174B/0.072A	----	0.092 NEW	.0491	----	----	6	----	6 + 6
6600	----	----	0.131B/0.064A	0.131B/0.064A	----	0.079 - 0.043	.0414	----	----	----	----	10 UNCH
6650	0.090	0.090	0.113B/0.055	0.113B/0.055	----	0.068 - 0.035	.0350	----	----	5	----	13 + 5
6700	----	----	0.096B/0.051A	0.096B/0.051A	----	0.058 - 0.030	.0293	----	----	----	----	9 UNCH
6800	----	----	0.067B/0.044A	0.067B/0.044A	----	0.044 - 0.021	.0214	----	----	----	----	2 UNCH
6900	0.050	0.050	0.050/0.038A	0.050/0.038A	----	0.035 - 0.015	.0163	----	----	1	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 57

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO3 CALL		SILVER OPTIONS										
OCT26												
7000	----	----	----/0.032A	0.034B/0.032A	----	0.028 - 0.011	.0125	----	----	----	----	10 UNCH
7050	0.020	0.020	0.020/0.020	0.029B/0.020	----	0.025 - 0.011	.0109	----	----	1	----	2 UNCH
7100	----	----	----/0.027A	0.026B/0.027A	----	0.023 - 0.010	.0098	----	----	----	----	20 UNCH
7150	----	----	----/0.025A	0.015B/0.025A	----	0.022 - 0.008	.0092	----	----	----	----	5 UNCH
7200	----	----	----/0.023A	0.013B/0.023A	----	0.020 - 0.008	.0082	----	----	----	----	6 UNCH
7400	----	----	----/0.018A	0.008B/0.018A	----	0.014 - 0.006	.0053	----	----	----	----	5 UNCH
TOTAL										50	0	189 + 44
SO3 PUT		SILVER OPTIONS										
OCT26												
5000	----	----	0.017B/----	0.017B/0.027A	----	0.011 + 0.001	.0050	----	----	----	----	1 UNCH
5200	0.020	0.020	0.057/0.020	0.057/0.020	----	0.028 + 0.002	.0142	----	----	3	----	3 + 2
5500	0.150	0.150	0.222B/0.106A	0.222B/0.106A	----	0.129 + 0.020	.0704	----	----	2	----	5 UNCH
5550	0.186	0.186	0.283B/0.128A	0.283B/0.128A	----	0.166 NEW	.0908	----	----	3	----	3 + 3
5600	0.250	0.250	0.362B/0.166A	0.362B/0.166A	----	0.215 + 0.040	.1170	----	----	21	----	33 + 20
5650	0.201	0.201	0.460B/0.194A	0.460B/0.194A	----	0.279 NEW	.1500	----	----	22	----	21 + 21
5700	0.477	0.477	0.589B/0.244A	0.589B/0.244A	----	0.362 + 0.080	.1907	----	----	24	----	66 + 22
5750	0.476	0.476	0.739B/0.310A	0.739B/0.310A	----	0.468 + 0.109	.2395	----	----	6	----	10 + 3
5800	0.622	0.622	0.921B/0.390A	0.921B/0.390A	----	0.603 + 0.147	.2966	----	----	3	----	25 + 2
5850	----	----	1.145B/0.491A	1.145B/0.491A	----	0.771 + 0.193	.3608	----	----	----	----	3 UNCH
5900	----	----	1.387B/0.621A	1.387B/0.621A	----	0.976 + 0.249	.4301	----	----	----	----	17 UNCH
5950	----	----	1.672B/0.779A	1.672B/0.779A	----	1.218 + 0.311	.5015	----	----	----	----	3 UNCH
6000	----	----	1.971B/0.966A	1.971B/0.966A	----	1.498 + 0.377	.5719	----	----	----	----	36 UNCH
6050	----	----	2.319B/1.190A	2.319B/1.190A	----	1.815 + 0.445	.6386	----	----	----	----	5 UNCH
6100	----	----	2.698B/1.443A	2.698B/1.443A	----	2.164 + 0.510	.6994	----	----	----	----	55 UNCH
6150	----	----	3.099B/1.726A	3.099B/1.726A	----	2.543 + 0.571	.7529	----	----	----	----	2 UNCH
6200	----	----	3.519B/2.066A	3.519B/2.066A	----	2.947 + 0.626	.7986	----	----	1	----	20 UNCH
6250	----	----	3.959B/2.405A	3.959B/2.405A	----	3.371 + 0.672	.8368	----	----	----	----	10 UNCH
6300	----	----	4.410B/2.775A	4.410B/2.775A	----	3.812 + 0.712	.8677	----	----	----	----	7 UNCH
6350	----	----	4.872B/3.176A	4.872B/3.176A	----	4.266 + 0.743	.8928	----	----	----	----	7 UNCH
6500	----	----	6.300B/4.470A	6.300B/4.470A	----	5.682 + 0.805	.9408	----	----	----	----	10 UNCH
6600	----	----	7.276B/5.396A	7.276B/5.396A	----	6.650 + 0.826	.9585	----	----	----	----	5 UNCH
6650	----	----	7.713B/5.872A	7.713B/5.872A	----	7.139 + 0.834	.9649	----	----	----	----	6 UNCH
6700	----	----	8.213B/6.350A	8.213B/6.350A	----	7.630 + 0.841	.9705	----	----	----	----	20 UNCH
TOTAL										85	0	373 + 73
SO4 CALL		SILVER OPTIONS										
OCT26												
5800	2.242	2.242	3.446B/1.952A	3.446B/1.952A	----	2.373 NEW	.6583	----	----	1	----	1 + 1
5900	1.714	1.714	2.728B/1.427A	2.728B/1.427A	----	1.778 NEW	.5572	----	----	5	----	5 + 5
6000	----	----	2.139B/1.015A	2.139B/1.015A	----	1.298 NEW	.4524	----	----	2	----	2 + 2
6100	----	----	1.620B/0.708A	1.620B/0.708A	----	0.930 NEW	.3539	----	----	2	----	2 + 2
6300	0.430	0.430	0.871B/0.348A	0.871B/0.348A	----	0.469 - 0.225	.2005	----	----	7	----	17 + 7
6350	----	----	0.740B/0.295A	0.740B/0.295A	----	0.396 - 0.191	.1725	----	----	----	----	5 UNCH
6400	0.297	0.297	0.627B/0.252A	0.627B/0.252A	----	0.337 NEW	.1486	----	----	14	----	10 + 10
6450	----	----	0.529B/0.216A	0.529B/0.216A	----	0.287 - 0.135	.1279	----	----	----	----	8 UNCH
6500	0.230	0.230	0.447B/0.193A	0.447B/0.193A	----	0.246 - 0.114	.1104	----	----	6	----	9 + 5
6700	0.105	0.105	0.237B/0.105	0.237B/0.105	----	0.141 NEW	.0633	----	----	2	----	2 + 2
7500	0.036	0.036	0.036/0.034A	0.036/0.034A	----	0.031 - 0.008	.0120	----	----	1	----	1 UNCH
TOTAL										40	0	62 + 34
SO4 PUT		SILVER OPTIONS										
OCT26												
5200	----	----	0.136B/0.085A	0.136B/0.085A	----	0.101 + 0.010	.0432	----	----	----	----	2 UNCH
5450	0.232	0.232	0.378B/0.211A	0.378B/0.211A	----	0.248 NEW	.1060	----	----	54	----	52 + 52
5500	0.315	0.315	0.453B/0.220A	0.453B/0.220A	----	0.300 NEW	.1269	----	----	21	----	19 + 19
5550	0.388	0.388	0.548B/0.264A	0.548B/0.264A	----	0.365 NEW	.1520	----	----	6	----	6 + 6
5600	0.471	0.471	0.658B/0.318A	0.658B/0.318A	----	0.443 + 0.077	.1810	----	----	7	----	9 + 7
5650	----	----	0.788B/0.384A	0.788B/0.384A	----	0.538 + 0.098	.2145	----	----	----	----	1 UNCH
5700	0.629	0.629	0.938B/0.461A	0.938B/0.461A	----	0.653 + 0.123	.2527	----	----	4	----	11 + 4
5750	1.058	1.058	1.115B/0.553A	1.115B/0.553A	----	0.789 + 0.152	.2951	----	----	3	----	5 UNCH
5800	----	----	1.313B/0.666A	1.313B/0.666A	----	0.951 + 0.187	.3415	----	----	----	----	1 UNCH
5900	----	----	1.789B/0.955A	1.789B/0.955A	----	1.355 + 0.268	.4427	----	----	----	----	9 UNCH
6000	1.500	1.500	2.365B/1.343A	2.365B/1.343A	----	1.873 + 0.362	.5474	----	----	1	----	6 + 1
6100	----	----	3.036B/1.833A	3.036B/1.833A	----	2.504 + 0.464	.6460	----	----	----	----	1 UNCH
6200	----	----	3.799B/2.431A	3.799B/2.431A	----	3.232 + 0.560	.7311	----	----	----	----	3 UNCH
6250	----	----	4.205B/2.775A	4.205B/2.775A	----	3.627 + 0.604	.7673	----	----	----	----	1 UNCH
TOTAL										96	0	126 + 89
SO5 CALL		SILVER OPTIONS										
OCT26												
6200	0.856	0.856	1.521B/0.813A	1.521B/0.813A	----	1.006 NEW	.3178	----	----	2	----	2 + 2
6300	----	----	1.170B/0.618A	1.170B/0.618A	----	0.770 - 0.276	.2558	----	----	----	----	5 UNCH
6750	----	----	0.352B/0.209A	0.352B/0.209A	----	0.253 - 0.081	.0931	----	----	----	----	2 UNCH
6800	----	----	0.309B/0.206A	0.309B/0.206A	----	0.226 - 0.071	.0835	----	----	----	----	2 UNCH
7000	0.126	0.126	0.126/0.126	0.145B/0.126	----	0.151 NEW	.0557	----	----	1	----	1 + 1
TOTAL										3	0	12 + 3
SO5 PUT		SILVER OPTIONS										
OCT26												
5500	----	----	0.705B/0.405A	0.705B/0.405A	----	0.516 + 0.086	.1717	----	----	----	----	1 UNCH
6000	----	----	2.662B/1.768A	2.662B/1.768A	----	2.277 + 0.374	.5311	----	----	----	----	3 UNCH
6150	----	----	3.663B/2.646A	3.663B/2.646A	----	3.221 + 0.486	.6472	----	----	----	----	5 UNCH
TOTAL											0	9 0
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
OCT26												
4750	----	----	0.015B/----	0.015B/0.026A	----	0.008 UNCH	.0035	----	----	----	----	34 UNCH
5450	----	----	0.101B/----	0.101B/0.066A	----	0.059 + 0.003	.0342	----	----	----	----	5 UNCH
5600	----	----	5.001B/3.246A	5.001B/3.246A	----	3.769 - 0.802	.8404	----	----	----	----	1 UNCH
5600	0.443	0.443	0.540B/0.252A	0.540B/0.252A	----	0.349 NEW	.1594	----	----	2	----	2 + 2
5600	----	----	0.246B/----	0.246B/0.115A	----	0.132 + 0.019	.0822	----	----	----	----	1 UNCH
5700	0.595	0.595	0.804B/0.377A	0.804B/0.377A	----	0.538 NEW	.2331	----	----	2	----	2 + 2
5700	----	----	4.129B/2.488A	4.129B/2.488A	----	2.959 - 0.759	.7668	----	----	----	----	1 UNCH
5700	0.307	0.307	0.433B/0.172A	0.433B/0.172A	----	0.240 NEW	.1499	----	----	1	----	1 + 1
5750	----	----	0.568B/0.224A	0.568B/0.224A	----	0.327 + 0.073	.2003	----	----	----	----	35 UNCH
5800	----	----	0.748B/0.284A	0.748B/0.284A	----	0.444 + 0.108	.2629	----	----	----	----	14 UNCH
5800	----	----	1.167B/0.562A	1.167B/0.562A	----	0.820 + 0.174	.3283	----	----	----	----	1 UNCH
5800	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5810	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5850	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5860	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5870	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5880	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5890	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5900	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5900	----	----	----	----	----	1.294 UNCH	----	----	----	----	----	0 UNCH
5900	0.953	0.953	2.234B/0.856A	2.234B/0.856A	----	1.214 NEW	.5809	----	----	1	----	1 + 1
5910	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5920	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5920	0.836	0.836	0.836/0.836	1.299B/0.540A	----	0.880 NEW	.4534	----	----	2	----	2 + 2
5930	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5940	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5950	----	----	----	----	----	0.794 UNCH	----	----	----	----	----	0 UNCH
5960	----	----	----	----	----	0.000 UNCH	.0000	----	----	----	----	0 UNCH
5970	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5980	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5990	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6000	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6000	----	----	1.546B/0.485A	1.546B/0.485A	----	0.737 - 0.515	.4093	----	----	----	----	3 UNCH
6000	----	----	----	----	----	0.294 UNCH	----	----	----	----	----	0 UNCH
6000	----	----	1.810B/0.793A	1.810B/0.793A	----	1.313 + 0.355	.5906	----	----	----	----	5 UNCH
6010	----	----	----	----	----	0.194 UNCH	----	----	----	----	----	0 UNCH
6010	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6020	----	----	----	----	----	0.094 UNCH	----	----	----	----	----	0 UNCH
6020	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6030	----	----	----	----	----	0.006 UNCH	----	----	----	----	----	0 UNCH
6030	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6040	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6040	----	----	----	----	----	0.106 UNCH	----	----	----	----	----	0 UNCH
6050	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6050	----	----	----	----	----	0.206 UNCH	----	----	----	----	----	0 UNCH
6060	----	----	----	----	----	0.306 UNCH	----	----	----	----	----	0 UNCH
6070	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6070	----	----	----	----	----	0.406 UNCH	----	----	----	----	----	0 UNCH
6080	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6090	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6100	0.273	0.273	1.002B/0.268	1.002B/0.268	----	0.430 NEW	.2617	----	----	3	----	3 + 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
OCT26												
6100	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6100	----	----	----	----	----	0.706 UNCH	----	----	----	----	----	0 UNCH
6110	----	----	----	----	----	0.806 UNCH	----	----	----	----	----	0 UNCH
6110	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6120	----	----	----	----	----	0.906 UNCH	----	----	----	----	----	0 UNCH
6120	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6130	----	----	----	----	----	1.006 UNCH	----	----	----	----	----	0 UNCH
6130	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6140	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6140	----	----	----	----	----	1.106 UNCH	----	----	----	----	----	0 UNCH
6150	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6150	----	----	----	----	----	1.206 UNCH	----	----	----	----	----	0 UNCH
6150	----	----	2.991B/1.547A	2.991B/1.547A	----	2.402 + 0.584	.7958	----	----	----	----	6 UNCH
6150	----	----	3.487B/2.460A	3.487B/2.460A	----	3.037 + 0.498	.6663	----	----	----	----	0 UNCH
6170	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6180	----	----	----	----	----	1.506 UNCH	----	----	----	----	----	0 UNCH
6180	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6190	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6200	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6200	----	----	0.615B/0.154A	0.615B/0.154A	----	0.250 - 0.222	.1580	----	----	----	----	4 UNCH
6230	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6250	----	----	0.876B/0.330A	0.876B/0.330A	----	0.452 NEW	.2096	----	----	2	----	2 + 2
6250	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6250	----	----	0.477B/0.120A	0.477B/0.120A	----	0.193 - 0.169	.1220	----	----	----	----	5 UNCH
6260	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6300	----	----	4.351B/2.619A	4.351B/2.619A	----	3.724 + 0.742	.9056	----	----	----	----	2 UNCH
6300	----	----	----	----	----	2.706 UNCH	----	----	----	----	----	0 UNCH
6300	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6300	----	----	0.362B/0.099A	0.362B/0.099A	----	0.150 - 0.128	.0942	----	----	----	----	2 UNCH
6350	----	----	----	----	----	3.206 UNCH	----	----	----	----	----	0 UNCH
6400	----	----	0.213B/0.070A	0.213B/0.070A	----	0.094 - 0.072	.0572	----	----	----	----	1 UNCH
6450	----	----	----	----	----	4.206 UNCH	----	----	----	----	----	0 UNCH
6500	----	----	0.125B/0.051A	0.125B/0.051A	----	0.063 - 0.041	.0364	----	----	----	----	10 UNCH
6650	----	----	----/0.038A	0.056B/0.038A	----	0.038 - 0.021	.0200	----	----	----	----	3 UNCH
6700	0.160	0.160	0.160/0.088A	0.160/0.088A	----	0.103 NEW	.0497	----	----	2	----	2 + 2
6800	----	----	0.124B/0.071A	0.124B/0.071A	----	0.079 - 0.034	.0375	----	----	----	----	1 UNCH
TOTAL										15	0	149 + 15
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week3										
OCT26												
4750	----	----	0.014B/----	0.014B/0.023A	----	0.009 UNCH	.0038	----	----	----	----	34 UNCH
5500	0.070	0.070	0.077B/0.050	0.077B/0.050	----	0.048 NEW	.0300	----	----	2	----	2 + 2
5550	----	----	0.118B/----	0.118B/0.061A	----	0.062 + 0.002	.0408	----	----	----	----	1 UNCH
5600	0.337	0.337	0.489B/0.223A	0.489B/0.223A	----	0.308 NEW	.1485	----	----	3	----	3 + 3
5700	0.157	0.157	0.314B/0.119A	0.314B/0.119A	----	0.155 + 0.028	.1125	----	----	22	----	24 + 8
5700	----	----	0.741B/0.338A	0.741B/0.338A	----	0.487 + 0.102	.2229	----	----	----	----	2 UNCH
5700	----	----	4.091B/2.427A	4.091B/2.427A	----	2.908 - 0.767	.7769	----	----	----	----	1 UNCH
5720	0.266	0.266	0.358B/0.131A	0.358B/0.131A	----	0.179 + 0.036	.1301	----	----	1	----	3 + 1
5750	----	----	0.431B/0.152A	0.431B/0.152A	----	0.221 + 0.049	.1606	----	----	----	----	10 UNCH
5800	0.607	0.607	0.607/0.202A	0.607/0.202A	----	0.317 + 0.081	.2257	----	----	3	----	23 + 3
5840	0.551	0.551	0.748B/0.253A	0.748B/0.253A	----	0.421 NEW	.2904	----	----	1	----	1 + 1
5850	0.552	0.552	0.782B/0.267A	0.782B/0.267A	----	0.452 NEW	.3083	----	----	1	----	1 + 1
5880	0.968	0.968	2.286B/0.793A	2.286B/0.793A	----	1.179 NEW	.6348	----	----	1	----	1 + 1
5900	0.585	0.585	1.035B/0.360A	1.035B/0.360A	----	0.634 + 0.187	.4053	----	----	8	----	9 + 8
5900	----	----	2.519B/1.214A	2.519B/1.214A	----	1.573 - 0.611	.5626	----	----	----	----	2 UNCH
5910	0.944	0.944	2.048B/0.654A	2.048B/0.654A	----	1.001 NEW	.5740	----	----	5	----	5 + 5
5920	0.894	0.894	1.971B/0.613A	1.971B/0.613A	----	0.946 NEW	.5533	----	----	3	----	3 + 3
5950	----	----	2.188B/0.998A	2.188B/0.998A	----	1.317 - 0.558	.5016	----	----	----	----	2 UNCH
5980	----	----	1.531B/0.405A	1.531B/0.405A	----	0.661 - 0.555	.4283	----	----	----	----	2 UNCH
6000	----	----	1.672B/0.648A	1.672B/0.648A	----	1.159 + 0.350	.6116	----	----	----	----	2 UNCH
6000	----	----	1.898B/0.812A	1.898B/0.812A	----	1.093 NEW	.4410	----	----	4	----	4 + 4
6050	----	----	2.053B/0.845A	2.053B/0.845A	----	1.498 + 0.442	.7033	----	----	----	----	11 UNCH
6100	----	----	1.375B/0.533A	1.375B/0.533A	----	0.739 NEW	.3284	----	----	2	----	2 + 2
6100	----	----	0.851B/0.176A	0.851B/0.176A	----	0.304 - 0.339	.2206	----	----	----	----	5 UNCH
6100	----	----	2.467B/1.092A	2.467B/1.092A	----	1.879 + 0.530	.7793	----	----	----	----	27 UNCH
6150	----	----	2.904B/1.389A	2.904B/1.389A	----	2.295 + 0.610	.8384	----	----	----	----	26 UNCH
6150	----	----	1.159B/0.431A	1.159B/0.431A	----	0.604 NEW	.2790	----	----	1	----	1 + 1
6150	0.205	0.205	0.643B/0.128A	0.643B/0.128A	----	0.220 - 0.260	.1615	----	----	1	----	10 + 1
6200	0.156	0.156	0.476B/0.097A	0.476B/0.097A	----	0.161 - 0.193	.1177	----	----	2	----	27 + 2
6200	----	----	3.632B/2.237A	3.632B/2.237A	----	3.067 + 0.592	.7647	----	----	----	----	1 UNCH
6200	----	----	3.359B/1.719A	3.359B/1.719A	----	2.736 + 0.676	.8822	----	----	----	----	27 UNCH
6250	----	----	0.804B/0.286A	0.804B/0.286A	----	0.403 - 0.232	.1972	----	----	----	----	6 UNCH
6250	----	----	0.353B/0.076A	0.353B/0.076A	----	0.121 - 0.140	.0866	----	----	----	----	15 UNCH
6300	----	----	0.257B/0.061A	0.257B/0.061A	----	0.093 - 0.101	.0646	----	----	----	----	20 UNCH
6370	0.060	0.060	0.167B/0.047A	0.167B/0.047A	----	0.066 NEW	.0436	----	----	1	----	1 + 1
6400	----	----	0.142B/0.042A	0.142B/0.042A	----	0.058 - 0.052	.0373	----	----	----	----	1 UNCH
6500	----	----	0.303B/0.124A	0.303B/0.124A	----	0.161 - 0.085	.0821	----	----	----	----	1 UNCH
6500	----	----	0.077B/0.033A	0.077B/0.033A	----	0.039 - 0.029	.0230	----	----	----	----	3 UNCH
6590	0.025	0.025	0.025/0.025	0.048B/0.025	----	0.028 - 0.020	.0153	----	----	4	----	14 + 4
7700	----	----	----	----/0.048A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
8750	----	----	----	----/0.049A	----	0.001 - 0.002	.0003	----	----	----	----	34 UNCH
TOTAL										65	0	368 + 51
NOV26												
5900	2.581	2.581	3.080B/2.034A	3.080B/2.034A	----	2.284 - 0.575	.5502	----	----	2	----	3 UNCH
5950	----	----	2.772B/1.809A	2.772B/1.809A	----	2.041 - 0.536	.5112	----	----	----	----	0 UNCH
6300	1.030	1.030	1.030/1.030	1.030/1.030	----	1.147 NEW	.3024	----	----	1	----	1 + 1
6550	----	----	0.635B/0.438A	0.635B/0.438A	----	0.481 - 0.150	.1611	----	----	----	----	1 UNCH
6800	----	----	----/0.264A	0.324B/0.264A	----	0.277 - 0.082	.0963	----	----	----	----	3 UNCH
7000	0.260	0.260	0.260/0.180	0.260/0.180	----	0.183 - 0.055	.0645	----	----	3	----	4 + 3
7200	0.190	0.190	0.190/0.148A	0.190/0.148A	----	0.124 - 0.038	.0439	----	----	1	----	2 + 1
7750	----	----	----	0.048B/0.074A	----	0.049 - 0.016	.0171	----	----	----	----	1 UNCH
TOTAL										7	0	15 + 5

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK3										
OCT26												
500	----	----	----	----/0.0050A	----	0.0005 UNCH	----	----	----	----	----	19 UNCH
625	----	----	0.0235B/----	0.0235B/0.0200A	----	0.0240 + 0.0075	.1386	----	----	----	----	10 UNCH
630	----	----	0.0305B/----	0.0305B/0.0240A	----	0.0315 + 0.0105	.1760	----	----	----	----	5 UNCH
635	----	----	0.0165B/----	0.0165B/0.0145A	----	0.0185 + 0.0055	.1456	----	----	----	----	4 UNCH
635	----	----	----	0.0010B/0.0050A	----	0.0020 + 0.0005	.0244	----	----	----	----	1 UNCH
645	----	----	0.0680B/0.0405A	0.0680B/0.0405A	----	0.0695 + 0.0225	.3339	----	----	----	----	2 UNCH
645	----	----	0.0060B/----	0.0060B/0.0075A	----	0.0095 + 0.0040	.1269	----	----	35	----	57 + 35
647	0.0145	0.0145	0.0145/0.0145	0.0145/0.0085A	----	0.0125 NEW	.1671	----	----	1	----	1 + 1
650	0.0260	0.0260	0.0565B/0.0260	0.0565B/0.0260	----	0.0590 + 0.0220	.3680	----	----	1	----	2 + 1
650	0.0100	0.0100	0.0165B/0.0100	0.0165B/0.0100	----	0.0195 + 0.0105	.2500	----	----	10	----	12 + 10
655	----	----	0.0795B/0.0375A	0.0795B/0.0375A	----	0.0825 + 0.0295	.4596	----	----	----	----	1 UNCH
655	0.0100	0.0100	0.0415/0.0100	0.0415/0.0100	----	0.0380 + 0.0215	.4266	----	----	11	----	12 + 11
660	0.0545	0.0545	0.1080B/0.0495A	0.1080B/0.0495A	----	0.1105 NEW	.5486	----	----	1	----	1 + 1
660	0.0150	0.0150	0.0650/0.0150	0.0650/0.0150	----	0.0650 + 0.0335	.6129	----	----	5	----	5 + 3
660	0.0350	0.0350	0.1600B/0.0340A	0.1600B/0.0340A	----	0.0335 NEW	.3870	----	----	5	----	5 + 5
661	0.0485	0.0485	0.1165B/0.0300A	0.1165B/0.0300A	----	0.0300 NEW	.3526	----	----	10	----	10 + 10
665	0.0200	0.0200	0.1175B/0.0200	0.1175B/0.0200	----	0.0190 NEW	.2335	----	----	39	----	39 + 39
666	0.0440	0.0440	0.0780B/0.0195A	0.0780B/0.0195A	----	0.0165 NEW	.2063	----	----	1	----	1 + 1
675	----	----	0.1240B/0.0635A	0.1240B/0.0635A	----	0.0570 - 0.0260	.2880	----	----	----	----	1 UNCH
675	0.0105	0.0105	0.0540B/0.0100A	0.0540B/0.0100A	----	0.0065 NEW	.0755	----	----	10	----	10 + 10
678	----	----	0.0400B/0.0080A	0.0400B/0.0080A	----	0.0055 NEW	.0596	----	----	35	----	35 + 35
690	----	----	0.0455B/0.0215A	0.0455B/0.0215A	----	0.0190 - 0.0105	.1232	----	----	----	----	3 UNCH
690	----	----	0.0105B/0.0050A	0.0105B/0.0050A	----	0.0040 - 0.0045	.0325	----	----	----	----	1 UNCH
695	----	----	0.0535B/0.0300A	0.0535B/0.0300A	----	0.0250 - 0.0120	.1384	----	----	----	----	1 UNCH
700	----	----	0.0430B/0.0260A	0.0430B/0.0260A	----	0.0205 - 0.0100	.1148	----	----	----	----	5 UNCH
700	----	----	0.0255B/0.0150A	0.0255B/0.0150A	----	0.0125 - 0.0060	.0801	----	----	----	----	1 UNCH
700	----	----	----/0.0035A	0.0030B/0.0035A	----	0.0020 - 0.0025	.0142	----	----	----	----	1 UNCH
710	----	----	0.0270B/0.0180A	0.0270B/0.0180A	----	0.0145 - 0.0070	.0812	----	----	----	----	10 UNCH
725	----	----	----	----/0.0025A	----	0.0005 - 0.0005	.0010	----	----	----	----	2 UNCH
850	----	----	----	----/0.0050A	----	0.0005 UNCH	.0000	----	----	----	----	19 UNCH
TOTAL										164		276+ 162
HWR THU		COPPER WEEKLY THURSDAY OPT Week4										

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 59

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWR THU		COPPER WEEKLY THURSDAY OPT Week4										
OCT26												
500	----	----	----	----/0.0055A	----	0.0005 UNCH	.0002	----	----	----	----	9 UNCH
500	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 19
525	----	----	----	----/0.0020A	----	0.0005 UNCH	----	----	----	----	----	30 UNCH
600	----	----	----	0.0035B/0.0095A	----	0.0060 + 0.0015	.0365	----	----	----	----	1 UNCH
625	0.0375	0.0375	0.0375/0.0375	0.0375/0.0280A	----	0.0365 + 0.0125	.1737	----	----	1	----	1 UNCH
635	0.0210	0.0210	0.0285B/0.0210	0.0285B/0.0210	----	0.0325 + 0.0115	.1970	----	----	1	----	1 UNCH
635	0.0105	0.0105	0.0105/0.0105	0.0105/0.0105	----	0.0125 NEW	.1108	----	----	1	----	1 + 1
640	----	----	0.0160B/----	0.0160B/0.0130A	----	0.0190 + 0.0075	.1655	----	----	----	----	10 UNCH
645	----	----	----	----/0.0015A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 10
645	0.0140	0.0140	0.0265B/0.0140	0.0265B/0.0140	----	0.0295 + 0.0120	.2435	----	----	10	----	15 + 10
650	0.0020	0.0020	0.0020/0.0015A	0.0020/0.0015A	----	0.0000 - 0.0005	----	----	----	7	----	0 - 15
650	----	----	0.0445B/0.0210A	0.0445B/0.0210A	----	0.0455 + 0.0185	.3430	----	----	----	----	6 UNCH
650	0.1075	0.1075	0.1075/0.0630A	0.1075/0.0630A	----	0.1080 + 0.0325	.4101	----	----	1	----	1 UNCH
651	----	----	----	----/0.0015A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 1
652	----	----	----	----/0.0020A	----	0.0000 - 0.0015	----	----	----	----	----	0 - 1
655	0.0040	0.0040	0.0040/0.0015	0.0040/0.0015	----	0.0000 - 0.0040	----	----	----	10	----	0 - 27
655	----	----	0.0675B/0.0275A	0.0675B/0.0275A	----	0.0670 + 0.0265	.4531	----	----	----	----	2 UNCH
656	----	----	----/0.0020A	0.0030B/0.0020A	----	0.0000 - 0.0055	----	----	----	----	----	0 - 2
657	----	----	----/0.0025A	0.0050B/0.0025A	----	0.0015 - 0.0055	----	10	----	----	----	0 - 10
658	0.0065	0.0065	0.0065/0.0045	0.0075B/0.0045	----	0.0115 NEW	----	3	----	4	----	0 UNCH
660	0.0250	0.0250	0.0265B/0.0075A	0.0265B/0.0075A	----	0.0315 + 0.0180	----	23	----	1	----	0 - 23
660	----	----	0.0930B/0.0385A	0.0930B/0.0385A	----	0.0945 + 0.0360	.5625	----	----	----	----	1 UNCH
660	----	----	0.1775B/0.0625A	0.1775B/0.0625A	----	0.0635 - 0.0445	.4372	----	----	----	----	1 UNCH
661	0.0205	0.0205	0.0365B/0.0085A	0.0365B/0.0085A	----	0.0415 + 0.0250	----	4	----	5	----	0 - 1
662	0.0100	0.0100	0.0465B/0.0095A	0.0465B/0.0095A	----	0.0515 NEW	----	12	----	12	----	0 UNCH
663	0.0390	0.0390	0.0565B/0.0105A	0.0565B/0.0105A	----	0.0615 NEW	----	1	----	1	----	0 UNCH
663	----	----	0.1225B/0.0015A	0.1225B/0.0015A	----	0.0000 - 0.0435	----	----	----	----	----	0 - 9
665	0.0100	0.0100	0.0765B/0.0100	0.0765B/0.0100	----	0.0815 + 0.0480	----	11	----	11	----	0 - 1
665	----	----	0.1200B/0.0470A	0.1200B/0.0470A	----	0.0465 - 0.0355	.3386	----	----	----	----	40 UNCH
666	0.0200	0.0200	0.0865B/0.0135A	0.0865B/0.0135A	----	0.0915 NEW	----	1	----	1	----	0 UNCH
666	----	----	0.0945B/0.0015A	0.0945B/0.0015A	----	0.0000 - 0.0290	----	----	----	----	----	0 - 27
668	0.0245	0.0245	0.1065B/0.0165A	0.1065B/0.0165A	----	0.1115 NEW	----	1	----	1	----	0 UNCH
668	0.0030	0.0030	0.0765B/0.0015A	0.0765B/0.0015A	----	0.0000 NEW	----	----	----	2	----	0 UNCH
670	0.0230	0.0230	0.1265B/0.0185A	0.1265B/0.0185A	----	0.1315 NEW	----	1	----	1	----	0 UNCH
670	----	----	0.0600B/0.0015A	0.0600B/0.0015A	----	0.0000 - 0.0165	----	----	----	----	----	0 - 29
670	----	----	0.1095B/0.0365A	0.1095B/0.0365A	----	0.0340 - 0.0280	.2565	----	----	----	----	2 UNCH
671	0.0020	0.0020	0.0525B/0.0015A	0.0525B/0.0015A	----	0.0000 NEW	----	----	----	1	----	0 UNCH
672	0.0025	0.0025	0.0455B/0.0015A	0.0455B/0.0015A	----	0.0000 - 0.0125	----	----	----	1	----	0 - 1
675	----	----	0.1765B/0.0360A	0.1765B/0.0360A	----	0.1815 + 0.0730	----	9	----	----	----	0 - 9
675	0.0220	0.0220	0.0270B/0.0015A	0.0270B/0.0015A	----	0.0000 - 0.0080	----	----	----	2	----	0 - 103
680	----	----	0.0085B/0.0015A	0.0085B/0.0015A	----	0.0000 - 0.0045	----	----	----	----	----	0 - 10
681	----	----	0.0060B/0.0015A	0.0060B/0.0015A	----	0.0000 - 0.0040	----	----	----	----	----	0 - 1
685	0.0060	0.0060	0.0060/0.0015A	0.0060/0.0015A	----	0.0000 - 0.0020	----	----	----	7	----	0 - 12
685	----	----	0.0455B/0.0180A	0.0455B/0.0180A	----	0.0145 - 0.0130	.1093	----	----	----	----	47 UNCH
690	----	----	0.0340B/0.0145A	0.0340B/0.0145A	----	0.0115 - 0.0100	.0844	----	----	----	----	15 UNCH
695	0.0090	0.0090	0.0240B/0.0090	0.0240B/0.0090	----	0.0090 - 0.0075	.0646	----	----	1	----	2 + 1
700	----	----	----	----/0.0015A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
700	----	----	0.0180B/0.0105A	0.0180B/0.0105A	----	0.0075 - 0.0055	.0519	----	----	----	----	24 UNCH
710	----	----	----/0.0080A	0.0085B/0.0080A	----	0.0050 - 0.0035	.0326	----	----	----	----	2 UNCH
730	----	----	----	0.0085B/0.0105A	----	0.0065 - 0.0035	.0362	----	----	----	----	1 UNCH
750	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 6
775	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
800	----	----	----	----/0.0055A	----	0.0005 UNCH	.0026	----	----	----	----	1 UNCH
800	----	----	----	----/0.0025A	----	0.0005 UNCH	.0003	----	----	----	----	30 UNCH
850	----	----	----	----/0.0050A	----	0.0005 UNCH	.0001	----	----	----	----	9 UNCH
TOTAL										82		252 - 307
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week3										
OCT26												
500	----	----	----	----/0.0050A	----	0.0005 UNCH	----	----	----	----	----	30 UNCH
635	----	----	0.0025B/----	0.0025B/0.0060A	----	0.0025 + 0.0015	.0322	----	----	----	----	1 UNCH
640	----	----	0.0310B/----	0.0310B/0.0215A	----	0.0330 + 0.0125	.2236	----	----	----	----	2 UNCH
640	----	----	0.0055B/----	0.0055B/0.0080A	----	0.0070 + 0.0035	.0855	----	----	----	----	1 UNCH
645	0.0100	0.0100	0.0125B/0.0100	0.0125B/0.0100	----	0.0150 NEW	.1713	----	----	10	----	10 + 10
650	0.0100	0.0100	0.0265B/0.0100	0.0265B/0.0100	----	0.0260 + 0.0110	.2843	----	----	10	----	11 + 9
655	0.0505	0.0505	0.0860B/0.0420A	0.0860B/0.0420A	----	0.0890 NEW	.4614	----	----	1	----	1 + 1
655	----	----	0.0480B/0.0180A	0.0480B/0.0180A	----	0.0470 + 0.0210	.4384	----	----	----	----	4 UNCH
685	0.0470	0.0470	0.0640B/0.0310A	0.0640B/0.0310A	----	0.0270 NEW	.1661	----	----	5	----	5 + 5
TOTAL										26		65 + 25
NOV26												
630	0.3600	0.3600	0.4650B/0.3545A	0.4650B/0.3545A	----	0.3400 NEW	.7438	----	----	1	----	1 + 1
660	----	----	0.2380B/0.1425A	0.2380B/0.1425A	----	0.1385 - 0.0390	.4779	----	----	----	----	7 UNCH
690	----	----	0.0925B/0.0550A	0.0925B/0.0550A	----	0.0525 - 0.0170	.2215	----	----	----	----	5 UNCH
TOTAL										1		13 + 1
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
OCT26												
500	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	30 UNCH
610	----	----	----	----/0.0040A	----	0.0010 UNCH	.0080	----	----	----	----	1 UNCH
620	0.0170	0.0170	0.0240B/0.0170	0.0240B/0.0170	----	0.0260 NEW	.1334	----	----	20	----	20 + 20
620	----	----	0.0080B/----	0.0080B/0.0110A	----	0.0110 + 0.0035	.0768	----	----	----	----	5 UNCH
625	0.0180	0.0180	0.0285B/0.0175	0.0285B/0.0175	----	0.0325 NEW	.1636	----	----	20	----	20 + 20
625	----	----	----	0.0010B/0.0055A	----	0.0025 UNCH	.0249	----	----	----	----	5 UNCH
625	----	----	0.0115B/----	0.0115B/0.0130A	----	0.0145 + 0.0050	.1012	----	----	----	----	15 UNCH
630	0.0250	0.0250	0.0390B/0.0250	0.0390B/0.0250	----	0.0410 NEW	.2004	----	----	30	----	30 + 30
630	----	----	----	0.0030B/0.0065A	----	0.0050 + 0.0010	.0494	----	----	----	----	10 UNCH
630	----	----	0.0160B/----	0.0160B/0.0155A	----	0.0195 + 0.0070	.1343	----	----	----	----	31 UNCH
635	0.0050	0.0050	0.0055B/0.0050	0.0055B/0.0050	----	0.0095 + 0.0020	.0907	----	----	20	----	20 UNCH
635	----	----	0.0250B/----	0.0250B/0.0190A	----	0.0270 + 0.0100	.1795	----	----	----	----	20 UNCH
640	----	----	0.0110B/----	0.0110B/0.0105A	----	0.0140 + 0.0045	.1371	----	----	----	----	15 UNCH
640	0.0190	0.0190	0.0360B/0.0185	0.0360B/0.0185	----	0.0375 NEW	.2367	----	----	20	----	20 + 20
640	----	----	0.3545B/0.1785A	0.3545B/0.1785A	----	0.1825 - 0.0765	.8627	----	----	----	----	1 UNCH
645	----	----	0.0205B/----	0.0205B/0.0135A	----	0.0240 + 0.0105	.2203	----	----	----	----	1 UNCH
650	0.0100	0.0100	0.0360B/0.0100	0.0360B/0.0100	----	0.0390 + 0.0185	.3272	----	----	15	----	16 + 15
650	----	----	0.0685B/0.0365A	0.0685B/0.0365A	----	0.0715 + 0.0250	.3832	----	----	----	----	1 UNCH
653	----	----	----	----	----	0.1195 UNCH	----	----	----	----	----	0 UNCH
655	----	----	0.0585B/0.0235A	0.0585B/0.0235A	----	0.0605 + 0.0280	.4493	----	----	----	----	11 UNCH
656	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
660	0.0800	0.0800	0.0850B/0.0325A	0.0850B/0.0325A	----	0.0880 + 0.0375	.5706	----	----	2	----	22 + 2
660	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
661	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
663	----	----	----	----	----	0.0195 UNCH	----	----	----	----	----	0 UNCH
665	----	----	----	----	----	0.0005 UNCH	----	----	----	----	----	0 UNCH
665	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
665	----	----	0.1085B/0.0410A	0.1085B/0.0410A	----	0.0400 - 0.0350	.3214	----	----	----	----	1 UNCH
666	----	----	----	----	----	0.0105 UNCH	----	----	----	----	----	0 UNCH
670	----	----	----	----	----	0.0505 UNCH	.0000	----	----	----	----	0 UNCH
670	0.0460	0.0460	0.1025B/0.0295A	0.1025B/0.0295A	----	0.0285 - 0.0270	.2351	----	----	10	----	16 - 5
675	----	----	----	----	----	0.1005 UNCH	----	----	----	----	----	0 UNCH
675	----	----	0.0755B/0.0230A	0.0755B/0.0230A	----	0.0205 - 0.0205	.1701	----	----	----	----	1 UNCH
680	----	----	----	----	----	0.1505 UNCH	.0000	----	----	----	----	0 UNCH
685	----	----	0.0380B/0.0135A	0.0380B/0.0135A	----	0.0110 - 0.0115	.0888	----	----	----	----	6 UNCH
690	----	----	0.0555B/0.0285A	0.0555B/0.0285A	----	0.0245 - 0.0115	.1450	----	----	----	----	2 UNCH
700	0.0060	0.0060	0.0130B/0.0060	0.0130B/0.0060	----	0.0045 - 0.0055	.0336	----	----	5	----	6 + 5
710	----	----	----/0.0060A	0.0060B/0.0060A	----	0.0035 - 0.0040	.0233	----	----	----	----	5 UNCH
715	----	----	0.0155B/0.0120A	0.0155B/0.0120A	----	0.0090 - 0.0040	.0534	----	----	----	----	5 UNCH
800	----	----	----	----/0.0055A	----	0.0005 UNCH	.0025	----	----	----	----	9 UNCH
TOTAL										142		345 + 107
NOV26												
610	----	----	0.0230B/----	0.0230B/0.0235A	----	0.0280 + 0.0085	.1213	----	----	----	----	12 UNCH
615	----	----	0.0290B/----	0.0290B/0.0260A	----	0.0340 + 0.0105	.1446	----	----	----	----	45 UNCH
620	----	----	0.0360B/----	0.0360B/0.0300A	----	0.0410 + 0.0125	.1712	----	----	----	----	45 UNCH
625	----	----	0.0445B/----	0.0445B/0.0355A	----	0.0500 + 0.0150	.2028	----	----	----	----	1 UNCH
640	----	----	0.0835B/0.0550A	0.0835B/0.0550A	----	0.0885 + 0.0245	.3220	----	----	----	----	22 UNCH
660	----	----	0.2450B/0.1500A	0.2450B/0.1500A	----	0.1455 - 0.0400	.4799	----	----	----	----	1 UNCH
670	----	----	0.1855B/0.1120A	0.1855B/0.1120A	----	0.1070 - 0.0310	.3840	----	----	----	----	1 UNCH
675	----	----	0.2700B/0.1745A	0.2700B/0.1745A	----	0.2725 + 0.0535	.6591	----	----	----	----	1 UNCH
675	----	----	0.1595B/0.0960A	0.1595B/0.0960A	----	0.0915 - 0.0270	.3402	----	----	----	----	1 UNCH
685	----	----	0.1170B/0.0710A	0.1170B/0.0710A	----	0.0665 - 0.0200	.2628	----	----	----	----	2 UNCH
700	----	----	0.0725B/0.0465A	0.0725B/0.0465A	----	0.0415 - 0.0125	.1747	----	----	----	----	1 UNCH
720	----	----	0.0350B/0.0270A	0.0350B/0.0270A	----	0.0230 - 0.0070	.1011	----	----	----	----	1 UNCH
755	----	----	----	0.0090B/0.0125A	----	0.0095 - 0.0030	.0420	----	----	----	----	1 UNCH
850	----	----	----	----/0.0065A	----	0.0005 UNCH	.0024	----	----	----	----	1 UNCH
TOTAL												135
DEC26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
DEC26												
575	----	----	0.0175B/----	0.0175B/0.0245A	----	0.0225 + 0.0060	.0681	----	----	----	----	4 UNCH
600	----	----	0.0400B/----	0.0400B/0.0410A	----	0.0470 + 0.0110	.1311	----	----	----	----	4 UNCH
605	0.0410	0.0410	0.0465B/0.0410	0.0465B/0.0410	----	0.0535 NEW	.1471	----	----	12	----	12 + 12
625	----	----	0.0830B/0.0700A	0.0830B/0.0700A	----	0.0900 + 0.0195	.2291	----	----	----	----	1 UNCH
645	----	----	0.1420B/0.1095A	0.1420B/0.1095A	----	0.1485 + 0.0290	.3385	----	----	----	----	25 UNCH
650	----	----	0.1605B/0.1220A	0.1605B/0.1220A	----	0.1675 + 0.0320	.3693	----	----	----	----	11 UNCH
690	----	----	0.2245B/0.1650A	0.2245B/0.1650A	----	0.1585 - 0.0280	.3782	----	----	----	----	1 UNCH
695	----	----	0.2035B/0.1495A	0.2035B/0.1495A	----	0.1435 - 0.0255	.3505	----	----	----	----	1 UNCH
700	----	----	0.4500B/0.3460A	0.4500B/0.3460A	----	0.4545 + 0.0570	.6744	----	----	----	----	1 UNCH
720	0.1170	0.1170	0.1225B/0.0925A	0.1225B/0.0925A	----	0.0865 - 0.0160	.2329	----	----	5	----	4 + 1
745	----	----	0.0710B/0.0585A	0.0710B/0.0585A	----	0.0520 - 0.0100	.1504	----	----	3	----	0 - 3
TOTAL										20		64 + 10
JAN27												
700	----	----	0.2590B/0.2055A	0.2590B/0.2055A	----	0.1985 - 0.0270	.3711	----	----	----	----	1 UNCH
800	----	----	0.0530B/----	0.0530B/0.0525A	----	0.0435 - 0.0070	.1034	----	----	----	----	1 UNCH
825	----	----	0.0360B/----	0.0360B/0.0400A	----	0.0295 - 0.0050	.0730	----	----	----	----	1 UNCH
TOTAL												3
HX CALL		COMEX COPPER OPTIONS										
NOV26												
535	----	----	----	----	----	1.2205 - 0.0805	.9868	----	----	----	----	1 UNCH
545	----	----	----	----	----	1.1210 - 0.0805	.9842	----	----	----	----	1 UNCH
580	----	----	----	----	----	0.7735 - 0.0795	.9702	----	----	----	----	2 UNCH
585	----	----	----/0.7285A	0.7155B/0.7285A	----	0.7245 - 0.0790	.9648	----	----	----	----	1 UNCH
595	----	----	----/0.6165A	0.6690B/0.6165A	----	0.6270 - 0.0780	.9507	----	----	----	----	2 UNCH
600	----	----	----/0.5680A	0.6465B/0.5680A	----	0.5785 - 0.0775	.9419	----	----	----	----	4 UNCH
610	----	----	----/0.4720A	0.5535B/0.4720A	----	0.4835 - 0.0755	.9146	----	----	----	----	14 UNCH
630	----	----	0.4580B/0.2980A	0.4580B/0.2980A	----	0.3060 - 0.0680	.8067	----	----	----	----	1 UNCH
635	----	----	0.4120B/0.2585A	0.4120B/0.2585A	----	0.2670 - 0.0635	.7627	----	----	----	----	2 UNCH
640	----	----	0.3675B/0.2200A	0.3675B/0.2200A	----	0.2300 - 0.0595	.7116	----	----	----	----	340 UNCH
645	----	----	0.3250B/0.1895A	0.3250B/0.1895A	----	0.1965 - 0.0545	.6557	----	----	----	----	2 UNCH
650	0.3310	0.3310	0.3310/0.1575A	0.3310/0.1575A	----	0.1655 - 0.0500	.5957	----	----	3	----	44 + 2
655	----	----	0.2550B/0.1310A	0.2550B/0.1310A	----	0.1380 - 0.0450	.5329	----	----	200	----	212 + 200
660	----	----	0.2190B/0.1060A	0.2190B/0.1060A	----	0.1140 - 0.0400	.4697	----	----	----	----	336 UNCH
664	----	----	0.1865B/0.0925A	0.1865B/0.0925A	----	0.0975 - 0.0355	.4204	----	----	30	----	59 + 20
665	0.0955	0.0955	0.1855B/0.0885A	0.1855B/0.0885A	----	0.0935 - 0.0345	.4082	----	----	4	----	103 + 2
666	----	----	0.1740B/0.0860A	0.1740B/0.0860A	----	0.0900 - 0.0335	.3964	----	----	----	----	8 UNCH
670	0.1145	0.1145	0.1600B/0.0720A	0.1600B/0.0720A	----	0.0765 - 0.0295	.3506	----	----	17	----	454 + 2
675	0.0790	0.0790	0.1380B/0.0590A	0.1380B/0.0590A	----	0.0625 - 0.0250	.2983	----	----	5	----	574 UNCH
680	0.1055	0.1055	0.1180/0.0490A	0.1180/0.0490A	----	0.0515 - 0.0200	.2530	----	----	25	----	170 + 12
685	0.0500	0.0500	0.0965B/0.0390	0.0965B/0.0390	----	0.0425 - 0.0160	.2137	----	----	18	----	381 + 14
690	0.0805	0.0805	0.0805/0.0330A	0.0805/0.0330A	----	0.0350 - 0.0130	.1797	----	----	21	----	322 + 2
695	0.0275	0.0275	0.0670B/0.0275	0.0670B/0.0275	----	0.0290 - 0.0110	.1511	----	----	2	----	291 - 1
700	0.0375	0.0375	0.0565B/0.0240A	0.0565B/0.0240A	----	0.0240 - 0.0090	.1267	----	----	262	----	911 + 170
705	0.0190	0.0190	0.0475B/0.0190	0.0475B/0.0190	----	0.0200 - 0.0080	.1065	----	----	1	----	322 - 1
710	0.0225	0.0225	0.0395B/0.0155	0.0395B/0.0155	----	0.0165 - 0.0070	.0888	----	----	8	----	311 - 1
714	----	----	0.0340B/0.0150A	0.0340B/0.0150A	----	0.0145 - 0.0060	.0780	----	----	----	----	15 UNCH
715	----	----	0.0325B/0.0145A	0.0325B/0.0145A	----	0.0140 - 0.0060	.0753	----	----	----	----	224 UNCH
716	----	----	0.0310B/0.0140A	0.0310B/0.0140A	----	0.0135 - 0.0055	.0727	----	----	----	----	10 UNCH
719	----	----	0.0285B/0.0130A	0.0285B/0.0130A	----	0.0125 - 0.0050	.0669	----	----	----	----	5 UNCH
720	----	----	0.0275B/0.0125A	0.0275B/0.0125A	----	0.0120 - 0.0045	.0644	----	----	20	----	548 + 2
721	----	----	0.0260B/0.0120A	0.0260B/0.0120A	----	0.0115 - 0.0045	.0619	----	----	----	----	19 UNCH
724	----	----	0.0235B/0.0110A	0.0235B/0.0110A	----	0.0105 - 0.0040	.0563	----	----	----	----	12 UNCH
725	0.0200	0.0200	0.0230B/0.0110A	0.0230B/0.0110A	----	0.0105 - 0.0035	.0558	----	----	5	----	345 UNCH
726	----	----	0.0220B/0.0105A	0.0220B/0.0105A	----	0.0100 - 0.0035	.0534	----	----	----	----	12 UNCH
730	----	----	0.0195B/0.0095A	0.0195B/0.0095A	----	0.0090 - 0.0030	.0477	----	----	----	----	274 UNCH
735	----	----	0.0165B/0.0080A	0.0165B/0.0080A	----	0.0080 - 0.0025	.0419	----	----	----	----	73 UNCH
740	----	----	0.0140B/0.0075A	0.0140B/0.0075A	----	0.0070 - 0.0020	.0364	----	----	----	----	154 UNCH
745	----	----	0.0120B/0.0065A	0.0120B/0.0065A	----	0.0060 - 0.0020	.0311	----	----	----	----	30 UNCH
750	----	----	0.0105B/0.0060A	0.0105B/0.0060A	----	0.0055 - 0.0015	.0280	----	----	21	----	272 - 11
755	----	----	0.0090B/0.0050A	0.0090B/0.0050A	----	0.0050 - 0.0010	.0251	----	----	----	----	45 UNCH
760	----	----	0.0080B/0.0045A	0.0080B/0.0045A	----	0.0045 - 0.0010	.0223	----	----	----	----	22 UNCH
765	----	----	0.0070B/0.0045A	0.0070B/0.0045A	----	0.0040 - 0.0010	.0197	----	----	----	----	4 UNCH
770	----	----	0.0065B/0.0040A	0.0065B/0.0040A	----	0.0035 - 0.0010	.0171	----	----	----	----	4 UNCH
775	0.0035	0.0035	0.0055B/0.0035	0.0055B/0.0035	----	0.0030 - 0.0010	.0147	----	----	3	----	390 - 1
800	0.0025	0.0025	0.0030B/0.0025	0.0030B/0.0025	----	0.0020 - 0.0005	.0092	----	----	28	----	240 + 17
825	0.0010	0.0010	0.0010/0.0010	0.0015B/0.0010	----	0.0010 - 0.0005	.0045	----	----	14	----	91 + 9
850	----	----	----	0.0005B/0.0020A	----	0.0010 UNCH	.0041	----	----	20	----	88 - 3
875	----	----	----	----/0.0020A	----	0.0005 UNCH	.0020	----	----	----	----	21 UNCH
900	----	----	----	----/0.0010A	----	0.0005 UNCH	.0008	----	----	----	----	21 UNCH
925	----	----	----	----/0.0010A	----	0.0005 UNCH	.0003	----	----	----	----	43 UNCH
950	----	----	----	----/0.0010A	----	0.0005 UNCH	.0001	----	----	----	----	3 UNCH
975	----	----	----	----/0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	31 UNCH
TOTAL										707		7864 + 434
DEC26												
525	----	----	----/1.3240A	1.3720B/1.3240A	----	1.3230 - 0.0795	.9763	----	----	----	----	123 UNCH
535	----	----	----	----	----	1.2245 - 0.0790	.9698	----	----	----	----	1 UNCH
550	----	----	----/1.0660A	1.1365B/1.0660A	----	1.0775 - 0.0785	.9591	----	----	----	----	2 UNCH
555	----	----	----/1.0195A	1.1030B/1.0195A	----	1.0295 - 0.0780	.9540	----	----	----	----	1 UNCH
565	----	----	----/0.9230A	1.0060B/0.9230A	----	0.9330 - 0.0770	.9420	----	----	----	----	45 UNCH
575	----	----	----/0.8290A	0.9090B/0.8290A	----	0.8385 - 0.0755	.9246	----	----	----	----	123 UNCH
585	----	----	----/0.7360A	0.8155B/0.7360A	----	0.7460 - 0.0735	.9018	----	----	----	----	1 UNCH
590	----	----	0.7870B/0.6905A	0.7870B/0.6905A	----	0.7010 - 0.0720	.8883	----	----	----	----	201 UNCH
595	----	----	0.7875B/0.6455A	0.7875B/0.6455A	----	0.6565 - 0.0710	.8726	----	----	----	----	163 UNCH
600	----	----	0.7415B/0.6010A	0.7415B/0.6010A	----	0.6130 - 0.0690	.8556	----	----	----	----	603 UNCH
605	----	----	0.6960B/0.5615A	0.6960B/0.5615A	----	0.5705 - 0.0675	.8356	----	----	----	----	1 UNCH
610	----	----	0.6515B/0.5195A	0.6515B/0.5195A	----	0.5290 - 0.0655	.8136	----	----	----	----	200 UNCH
615	----	----	0.6075B/0.4810A	0.6075B/0.4810A	----	0.4885 - 0.0635	.7898	----	----	----	----	1 UNCH
620	----	----	0.5650B/0.4405A	0.5650B/0.4405A	----	0.4500 - 0.0610	.7636	----	----	----	----	421 UNCH
625	----	----	0.5230B/0.4040A	0.5230B/0.4040A	----	0.4125 - 0.0585	.7356	----	----	----	----	57 UNCH
630	----	----	0.4830B/0.3695A	0.4830B/0.3695A	----	0.3765 - 0.0565	.7052	----	----	----	----	310 UNCH
635	----	----	0.4440B/0.3365A	0.4440B/0.3365A	----	0.3425 - 0.0540	.6726	----	----	----	----	5 UNCH
640	----	----	0.4370B/0.3040A	0.4370B/0.3040A	----	0.3105 - 0.0510	.6384	----	----	----	----	29 UNCH
645	----	----	0.4005B/0.2750A	0.4005B/0.2750A	----	0.2810 - 0.0480	.6030	----	----	----	----	3 UNCH
650	----	----	0.3655B/0.2475A	0.3655B/0.2475A	----	0.2535 - 0.0445	.5666	----	----	----	----	567 UNCH
655	0.3025	0.3025	0.3320B/0.2225A	0.3320B/0.2225A	----	0.2285 - 0.0410	.5300	----	----	202	----	277 + 148
660	----	----	0.3010B/0.1980A	0.3010B/0.1980A	----	0.2055 - 0.0375	.4936	----	----	----	----	418 UNCH
665	0.1900	0.1900	0.2800B/0.1790A	0.2800B/0.1790A	----	0.1840 - 0.0340	.4577	----	----	1	----	65 + 1
670	0.1885	0.1885	0.2480B/0.1590A	0.2480B/0.1590A	----	0.1650 - 0.0310	.4230	----	----	4	----	563 UNCH
675	0.2300	0.2300	0.2300/0.1420A	0.2300/0.1420A	----	0.1475 - 0.0280	.3895	----	----	42	----	401 + 28
680	0.1540	0.1540	0.2055B/0.1270A	0.2055B/0.1270A	----	0.1315 - 0.0250	.3574	----	----	3	----	769 + 3
685	----	----	0.1855B/0.1130A	0.1855B/0.1130A	----	0.1170 - 0.0230	.3268	----	----	----	----	410 UNCH
690	----	----	0.1665B/0.1010A	0.1665B/0.1010A	----	0.1045 - 0.0205	.2986	----	----	----	----	271 UNCH
695	----	----	0.1490B/0.0915A	0.1490B/0.0915A	----	0.0930 - 0.0185	.2718	----	----	----	----	186 UNCH
700	0.0860	0.0860	0.1345B/0.0800	0.1345B/0.0800	----	0.0830 - 0.0165	.2473	----	----	203	----	3482 + 146
705	0.0805	0.0805	0.1200B/0.0725A	0.1200B/0.0725A	----	0.0740 - 0.0145	.2246	----	----	4	----	162 + 4
710	----	----	0.1080B/0.0655A	0.1080B/0.0655A	----	0.0660 - 0.0130	.2037	----	----	----	----	132 UNCH
715	----	----	0.0965B/0.0580A	0.0965B/0.0580A	----	0.0590 - 0.0115	.1848	----	----	16	----	85 + 8
720	0.0525	0.0525	0.0865B/0.0510	0.0865B/0.0510	----	0.0530 - 0.0100	.1679	----	----	264	----	369 + 161
725	0.0695	0.0695	0.0775B/0.0460	0.0775B/0.0460	----	0.0475 - 0.0090	.1523	----	----	6	----	1461 + 1
730	----	----	0.0695B/0.0420A	0.0695B/0.0420A	----	0.0425 - 0.0080	.1379	----	----	2	----	644 + 2
735	0.0520	0.0520	0.0620B/0.0380A	0.0620B/0.0380A	----	0.0380 - 0.0075	.1247	----	----	1	----	140 UNCH
740	0.0395	0.0395	0.0560B/0.0340A	0.0560B/0.0340A	----	0.0340 - 0.0070	.1127	----	----	3	----	154 - 2
745	----	----	0.0500B/0.0305A	0.0500B/0.0305A	----	0.0305 - 0.0065	.1020	----	----	1	----	17 - 1
750	0.0455	0.0455	0.0455/0.0275	0.0455/0.0275	----	0.0275 - 0.0060	.0926	----	----	10	----	1073 + 1
755	0.0240	0.0240	0.0400B/0.0240	0.0400B/0.0240	----	0.0245 - 0.0055	.0834	----	----	5	----	35 - 5
770	----	----	0.0290B/0.0185A	0.0290B/0.0185A	----	0.0180 - 0.0045	.0623	----	----	1	----	1171 - 1
775	0.0255	0.0255	0.0260B/0.0170	0.0260B/0.0170	----	0.0165 - 0.0045	.0571	----	----	5	----	646 UNCH
780	0.0155	0.0155	0.0235B/0.0145	0.0235B/0.0145	----	0.0145 - 0.0045	.0509	----	----	231	----	524 + 208
800	----	----	0.0155B/0.0110A	0.0155B/0.0110A	----	0.0105 - 0.0035	.0367	----	----	4	----	1428 UNCH
825	----	----	----/0.0075A	0.0090B/0.0075A	----	0.0075 - 0.0020	.0257	----	----	----	----	481 UNCH
850	----	----	----/0.0065A	0.0065B/0.0065A	----	0.0055 - 0.0020	.0185	----	----	1	----	312 + 1
875	----	----	----/0.0050A	0.0040B/0.0050A	----	0.0050 - 0.0005	.0158	----	----	----	----	23 UNCH
900	0.0040	0.0040	0.0040/0.0040	0.0040/0.0040	----	0.0035 - 0.0010	.0111	----	----	2	----	509 - 2
925	----	----	----	0.0020B/0.0035A	----	0.0025 - 0.0005	.0079	----	----	----	----	12 UNCH
950	0.0020	0.0020	0.0020/0.0020	0.0020/0.0020	----	0.0020 - 0.0005	.0062	----	----	1	----	151 - 1
975	----	----	----	0.0010B/0.0030A	----	0.0015 - 0.0005	.0046	----	----	----	----	54 UNCH
1000	----	----	----	0.0010B/0.0025A	----	0.0015 UNCH	.0044	----	----	----	----	13 UNCH
1100	----	----	----	0.0005B/0.0020A	----	0.0005 - 0.0005	.0014	----	----	----	----	97 UNCH
TOTAL										1012		19392 + 700
JAN27												
500	----	----	----	----	----	1.6775 - 0.0790	.9758	----	----	----	----	1 UNCH
600	----	----	----	----	----	0.7440 - 0.0675	.8330	----	----	----	----	2 UNCH
650	----	----	0.5050B/0.3935A	0.5050B/0.3935A	----	0.3915 - 0.0480	.6142	----	----	----	----	79 UNCH
655	----	----	0.4715B/0.3660A	0.4715B/0.3660A	----	0.3640 - 0.0450	.5880	----	----	1	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 61

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
JAN27												
660	----	----	0.4400B/0.3405A	0.4400B/0.3405A	----	0.3380 NEW	.5615	----	----	1	----	1 + 1
665	----	----	0.4100B/0.3160A	0.4100B/0.3160A	----	0.3130 - 0.0405	.5350	----	----	----	----	1 UNCH
670	----	----	0.3815B/0.2930A	0.3815B/0.2930A	----	0.2900 - 0.0380	.5086	----	----	3	----	3 + 3
675	----	----	0.3545B/0.2715A	0.3545B/0.2715A	----	0.2685 - 0.0360	.4826	----	----	----	----	1 UNCH
680	----	----	0.3285B/0.2515A	0.3285B/0.2515A	----	0.2485 - 0.0340	.4570	----	----	----	----	3 UNCH
685	----	----	0.3050B/0.2330A	0.3050B/0.2330A	----	0.2295 - 0.0320	.4320	----	----	2	----	49 + 1
690	----	----	0.2825B/0.2160A	0.2825B/0.2160A	----	0.2120 - 0.0305	.4077	----	----	4	----	19 + 4
695	----	----	0.2610B/0.2000A	0.2610B/0.2000A	----	0.1960 - 0.0285	.3843	----	----	----	----	5 UNCH
700	----	----	0.2415B/0.1845A	0.2415B/0.1845A	----	0.1810 - 0.0270	.3617	----	----	3	----	162 + 1
710	----	----	0.2065B/0.1580A	0.2065B/0.1580A	----	0.1540 - 0.0245	.3191	----	----	----	----	5 UNCH
720	----	----	0.1765B/0.1350A	0.1765B/0.1350A	----	0.1310 - 0.0215	.2803	----	----	4	----	15 + 2
725	----	----	0.1625B/0.1250A	0.1625B/0.1250A	----	0.1210 - 0.0200	.2626	----	----	----	----	132 UNCH
730	0.1110	0.1110	0.1500B/0.1110	0.1500B/0.1110	----	0.1115 - 0.0185	.2456	----	----	5	----	506 UNCH
740	----	----	0.1275B/0.0990A	0.1275B/0.0990A	----	0.0950 - 0.0155	.2146	----	----	----	----	200 UNCH
750	----	----	0.1080B/0.0850A	0.1080B/0.0850A	----	0.0815 - 0.0130	.1878	----	----	----	----	763 UNCH
755	----	----	0.0995B/0.0790A	0.0995B/0.0790A	----	0.0755 - 0.0120	.1757	----	----	1	----	2 UNCH
760	----	----	0.0910B/0.0735A	0.0910B/0.0735A	----	0.0700 - 0.0105	.1643	----	----	----	----	1 UNCH
765	----	----	0.0830B/0.0680A	0.0830B/0.0680A	----	0.0645 - 0.0105	.1531	----	----	----	----	1 UNCH
770	0.0620	0.0620	0.0765B/0.0620	0.0765B/0.0620	----	0.0600 NEW	.1433	----	----	2	----	2 + 2
775	----	----	0.0700B/0.0590A	0.0700B/0.0590A	----	0.0560 - 0.0085	.1345	----	----	----	----	421 UNCH
800	----	----	0.0460B/0.0425A	0.0460B/0.0425A	----	0.0395 - 0.0060	.0973	----	----	2	----	290 + 2
825	----	----	----/0.0315A	0.0310B/0.0315A	----	0.0285 - 0.0045	.0714	----	----	----	----	11 UNCH
850	----	----	----	0.0210B/0.0240A	----	0.0205 - 0.0035	.0522	----	----	----	----	28 UNCH
875	----	----	----	0.0150B/0.0190A	----	0.0145 - 0.0020	.0377	----	----	----	----	2 UNCH
900	----	----	----	0.0105B/0.0165A	----	0.0105 - 0.0015	.0276	----	----	----	----	304 UNCH
950	----	----	----	0.0060B/0.0125A	----	0.0055 - 0.0010	.0148	----	----	----	----	3 UNCH
1000	----	----	----	0.0030B/0.0105A	----	0.0035 - 0.0005	.0093	----	----	2	----	15 + 2
TOTAL										30		3028 + 18
FEB27												
600	----	----	----	----	----	0.7790 - 0.0630	.7997	----	----	----	----	2 UNCH
610	----	----	----	----	----	0.7040 - 0.0595	.7658	----	----	----	----	1 UNCH
625	----	----	0.6830B/0.6005A	0.6830B/0.6005A	----	0.5985 - 0.0545	.7096	----	----	----	----	2 UNCH
640	----	----	0.6195B/0.5060A	0.6195B/0.5060A	----	0.5030 - 0.0500	.6475	----	----	----	----	1 UNCH
650	----	----	0.5540B/0.4500A	0.5540B/0.4500A	----	0.4455 - 0.0470	.6040	----	----	----	----	41 UNCH
655	----	----	0.5230B/0.4240A	0.5230B/0.4240A	----	0.4190 - 0.0450	.5818	----	----	----	----	1 UNCH
660	----	----	0.4925B/0.3985A	0.4925B/0.3985A	----	0.3935 - 0.0430	.5595	----	----	----	----	2 UNCH
670	----	----	0.4370B/0.3525A	0.4370B/0.3525A	----	0.3465 - 0.0400	.5150	----	----	----	----	1 UNCH
685	----	----	0.3630B/0.2915A	0.3630B/0.2915A	----	0.2865 - 0.0335	.4506	----	----	----	----	30 UNCH
700	----	----	0.3000B/0.2410A	0.3000B/0.2410A	----	0.2360 - 0.0280	.3905	----	----	2	----	51 UNCH
705	----	----	0.2815B/0.2240A	0.2815B/0.2240A	----	0.2210 - 0.0265	.3716	----	----	----	----	1 UNCH
725	----	----	0.2160B/0.1725A	0.2160B/0.1725A	----	0.1695 - 0.0215	.3021	----	----	----	----	9 UNCH
735	----	----	0.1890B/0.1515A	0.1890B/0.1515A	----	0.1480 - 0.0195	.2711	----	----	----	----	30 UNCH
740	----	----	0.1770B/0.1425A	0.1770B/0.1425A	----	0.1380 - 0.0185	.2563	----	----	----	----	10 UNCH
745	----	----	0.1655B/0.1335A	0.1655B/0.1335A	----	0.1290 - 0.0175	.2425	----	----	----	----	2 UNCH
750	----	----	0.1545B/0.1255A	0.1545B/0.1255A	----	0.1205 - 0.0165	.2292	----	----	----	----	129 UNCH
765	----	----	0.1250B/0.1045A	0.1250B/0.1045A	----	0.0990 - 0.0135	.1940	----	----	----	----	2 UNCH
775	----	----	0.1090B/0.0925A	0.1090B/0.0925A	----	0.0870 - 0.0115	.1734	----	----	1	----	7 + 1
800	----	----	0.0765B/0.0695A	0.0765B/0.0695A	----	0.0640 NEW	.1319	----	----	1	----	1 + 1
850	----	----	----	0.0400B/0.0420A	----	0.0360 - 0.0050	.0775	----	----	----	----	120 UNCH
900	----	----	----	0.0220B/0.0285A	----	0.0225 - 0.0030	.0489	----	----	----	----	49 UNCH
925	----	----	----	0.0160B/0.0240A	----	0.0185 - 0.0025	.0401	----	----	----	----	6 UNCH
950	----	----	----	0.0125B/0.0210A	----	0.0155 - 0.0020	.0333	----	----	----	----	2 UNCH
1000	----	----	----	0.0075B/0.0165A	----	0.0105 - 0.0015	.0226	----	----	----	----	57 UNCH
TOTAL										4		557 + 2
MAR27												
580	----	----	----	----	----	0.9650 - 0.0660	.8343	----	----	----	----	1 UNCH
595	----	----	----	----	----	0.8475 - 0.0625	.7928	----	----	----	----	2 UNCH
600	----	----	----	----	----	0.8100 - 0.0615	.7778	----	----	----	----	2 UNCH
605	----	----	----	----	----	0.7740 - 0.0595	.7620	----	----	----	----	1 UNCH
625	----	----	0.7605B/0.6405A	0.7605B/0.6405A	----	0.6380 - 0.0530	.6933	----	----	----	----	16 UNCH
640	----	----	0.6590B/0.5510A	0.6590B/0.5510A	----	0.5470 - 0.0490	.6371	----	----	----	----	1 UNCH
645	----	----	0.6270B/0.5235A	0.6270B/0.5235A	----	0.5190 - 0.0475	.6178	----	----	----	----	1 UNCH
650	----	----	0.5960B/0.4970A	0.5960B/0.4970A	----	0.4920 - 0.0460	.5983	----	----	----	----	7 UNCH
660	----	----	0.5385B/0.4470A	0.5385B/0.4470A	----	0.4415 - 0.0430	.5591	----	----	1	----	16 UNCH
670	----	----	0.4845B/0.4020A	0.4845B/0.4020A	----	0.3955 - 0.0400	.5201	----	----	----	----	1 UNCH
675	----	----	0.4590B/0.3805A	0.4590B/0.3805A	----	0.3745 - 0.0380	.5009	----	----	1	----	41 UNCH
680	----	----	0.4355B/0.3605A	0.4355B/0.3605A	----	0.3540 - 0.0365	.4819	----	----	----	----	30 UNCH
690	----	----	0.3905B/0.3225A	0.3905B/0.3225A	----	0.3165 - 0.0330	.4449	----	----	----	----	2 UNCH
700	----	----	0.3490B/0.2890A	0.3490B/0.2890A	----	0.2825 - 0.0300	.4095	----	----	----	----	741 UNCH
710	----	----	0.3120B/0.2585A	0.3120B/0.2585A	----	0.2520 - 0.0270	.3758	----	----	----	----	10 UNCH
725	----	----	0.2640B/0.2180A	0.2640B/0.2180A	----	0.2120 - 0.0235	.3289	----	----	----	----	39 UNCH
740	----	----	0.2220B/0.1845A	0.2220B/0.1845A	----	0.1785 - 0.0200	.2867	----	----	----	----	21 UNCH
750	----	----	0.1975B/0.1650A	0.1975B/0.1650A	----	0.1590 - 0.0180	.2610	----	----	----	----	225 UNCH
755	----	----	0.1860B/0.1560A	0.1860B/0.1560A	----	0.1500 - 0.0175	.2489	----	----	----	----	1 UNCH
770	----	----	0.1560B/0.1330A	0.1560B/0.1330A	----	0.1265 - 0.0150	.2158	----	----	----	----	575 UNCH
775	----	----	0.1470B/0.1260A	0.1470B/0.1260A	----	0.1195 - 0.0140	.2057	----	----	----	----	619 UNCH
800	----	----	0.1090B/0.0975A	0.1090B/0.0975A	----	0.0910 - 0.0105	.1623	----	----	----	----	87 UNCH
850	----	----	----/0.0610A	0.0615B/0.0610A	----	0.0545 - 0.0070	.1021	----	----	----	----	544 UNCH
875	----	----	----	0.0470B/0.0500A	----	0.0445 - 0.0055	.0838	----	----	----	----	39 UNCH
900	----	----	----	0.0365B/0.0415A	----	0.0360 - 0.0045	.0684	----	----	----	----	26 UNCH
950	----	----	----	0.0215B/0.0305A	----	0.0230 - 0.0025	.0448	----	----	----	----	3 UNCH
1000	----	----	----	0.0125B/0.0235A	----	0.0140 - 0.0015	.0283	----	----	----	----	23 UNCH
TOTAL										2		3074
APR27												
665	----	----	0.5955B/0.5140A	0.5955B/0.5140A	----	0.5035 - 0.0430	.5658	----	----	----	----	2 UNCH
675	----	----	0.5430B/0.4690A	0.5430B/0.4690A	----	0.4580 - 0.0400	.5313	----	----	----	----	1 UNCH
680	----	----	0.5180B/0.4475A	0.5180B/0.4475A	----	0.4365 - 0.0385	.5143	----	----	----	----	5 UNCH
720	----	----	0.3530B/0.3065A	0.3530B/0.3065A	----	0.2955 - 0.0290	.3878	----	----	----	----	2 UNCH
775	----	----	0.2030B/0.1805A	0.2030B/0.1805A	----	0.1700 - 0.0185	.2507	----	----	----	----	3 UNCH
1000	----	----	----	0.0220B/0.0365A	----	0.0230 - 0.0030	.0415	----	----	----	----	2 UNCH
TOTAL												15
MAY27												
680	----	----	0.5650B/0.5045A	0.5650B/0.5045A	----	0.4885 - 0.0385	.5201	----	----	----	----	10 UNCH
685	----	----	0.5420B/0.4840A	0.5420B/0.4840A	----	0.4680 - 0.0375	.5050	----	----	----	----	2 UNCH
700	----	----	0.4775B/0.4280A	0.4775B/0.4280A	----	0.4120 - 0.0340	.4611	----	----	10	----	23 + 10
705	----	----	0.4575B/0.4105A	0.4575B/0.4105A	----	0.3945 - 0.0330	.4469	----	----	----	----	2 UNCH
750	----	----	0.3080B/0.2815A	0.3080B/0.2815A	----	0.2660 - 0.0250	.3316	----	----	10	----	20 + 5
800	----	----	0.1955B/0.1855A	0.1955B/0.1855A	----	0.1715 - 0.0175	.2325	----	----	20	----	60 + 20
1000	----	----	----	0.0325B/0.0525A	----	0.0365 - 0.0045	.0581	----	----	20	----	60 + 20
TOTAL										60		177 + 55
JUN27												
635	----	----	0.8870B/0.8035A	0.8870B/0.8035A	----	0.7835 - 0.0535	.6710	----	----	----	----	1 UNCH
700	----	----	0.5495B/0.5045A	0.5495B/0.5045A	----	0.4825 - 0.0390	.4877	----	----	----	----	11 UNCH
750	----	----	0.3730B/0.3480A	0.3730B/0.3480A	----	0.3275 - 0.0290	.3652	----	----	----	----	532 UNCH
770	----	----	0.3175B/0.2990A	0.3175B/0.2990A	----	0.2795 - 0.0255	.3228	----	----	----	----	38 UNCH
TOTAL												582
HX PUT		COMEX COPPER OPTIONS										
NOV26												
390	----	----	----	----/0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	3 UNCH
400	----	----	----	----/0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	18 UNCH
405	----	----	----	----/0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	10 UNCH
410	----	----	----	----/0.0010A	----	0.0005 UNCH	.0001	----	----	----	----	57 UNCH
425	----	----	----	----/0.0010A	----	0.0005 UNCH	.0003	----	----	----	----	40 UNCH
430	----	----	----	----/0.0010A	----	0.0005 UNCH	.0004	----	----	----	----	4 UNCH
435	----	----	----	----/0.0015A	----	0.0005 UNCH	.0006	----	----	----	----	215 UNCH
475	----	----	----	----/0.0020A	----	0.0015 + 0.0005	.0044	----	----	----	----	52 UNCH
480	----	----	----	----/0.0020A	----	0.0015 UNCH	.0045	----	----	----	----	3 UNCH
490	----	----	----	----/0.0020A	----	0.0020 + 0.0005	.0061	----	----	----	----	3 UNCH
500	----	----	----	0.0010B/0.0025A	----	0.0020 + 0.0005	.0065	----	----	----	----	117 UNCH
510	----	----	----	0.0010B/0.0025A	----	0.0025 + 0.0005	.0083	----	----	----	----	10 UNCH
520	----	----	----	0.0010B/0.0030A	----	0.0025 + 0.0005	.0089	----	----	----	----	5 UNCH
525	----	----	----	0.0015B/0.0030A	----	0.0030 + 0.0005	.0107	----	----	----	----	8 UNCH
530	----	----	----	0.0015B/0.0035A	----	0.0030 + 0.0005	.0111	----	----	----	----	2 UNCH
535	----	----	----	0.0015B/0.0035A	----	0.0035 + 0.0005	.0131	----	----	----	----	32 UNCH
540	----	----	----	0.0020B/0.0040A	----	0.0035 + 0.0005	.0136	----	----	----	----	19 UNCH
550	----	----	----	0.0025B/0.0045A	----	0.0040 + 0.0005	.0164	----	----	----	----	174 UNCH
560	----	----	----	0.0035B/0.0050A	----	0.0045 + 0.0010	.0196	----	----	1	----	399 UNCH
565	----	----	----	0.0035B/0.0055A	----	0.0045 + 0.0005	.0205	----	----	----	----	27 UNCH
570	----	----	----	0.0040B/0.0050A	----	0.0050 + 0.0010	.0233	----	----	----	----	30 UNCH
575	----	----	0.0050B/----	0.0050B/0.0060A	----	0.0055 + 0.0010	.0264	----	----	----	----	65 UNCH
580	0.0050	0.0050	0.0055/0.0045	0.0055/0.0045	----	0.0060 + 0.0015	.0297	----	----	3	----	64 + 2
585	----	----	0.0065B/----	0.0065B/0.0065A	----	0.0070 + 0.0020	.0351	----	----	----	----	61 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
NOV26												
590	----	----	0.0075B/----	0.0075B/0.0065A	----	0.0080 + 0.0025	.0410	----	----	----	----	291 UNCH
595	----	----	0.0090B/----	0.0090B/0.0070A	----	0.0095 + 0.0030	.0492	----	----	----	----	198 UNCH
600	----	----	0.0105B/----	0.0105B/0.0080A	----	0.0110 + 0.0035	.0580	----	----	1	----	1209 UNCH
605	----	----	0.0130B/----	0.0130B/0.0090A	----	0.0130 + 0.0045	.0694	----	----	----	----	101 UNCH
610	----	----	0.0165B/----	0.0165B/0.0105A	----	0.0160 + 0.0055	.0853	----	----	3	----	327 + 2
615	----	----	0.0195B/0.0125A	0.0195B/0.0125A	----	0.0195 + 0.0065	.1040	----	----	----	----	95 UNCH
620	0.0225	0.0225	0.0240B/0.0145A	0.0240B/0.0145A	----	0.0240 + 0.0080	.1273	----	----	6	----	337 UNCH
624	----	----	0.0290B/0.0165A	0.0290B/0.0165A	----	0.0285 + 0.0095	.1498	----	----	----	----	8 UNCH
625	----	----	0.0305B/0.0170A	0.0305B/0.0170A	----	0.0300 + 0.0105	.1567	----	----	103	----	298 - 32
626	----	----	0.0325B/0.0175A	0.0325B/0.0175A	----	0.0315 + 0.0110	.1636	----	----	----	----	4 UNCH
629	----	----	0.0380B/0.0195A	0.0380B/0.0195A	----	0.0365 + 0.0125	.1860	----	----	----	----	13 UNCH
630	0.0195	0.0195	0.0400/0.0195	0.0400/0.0195	----	0.0380 + 0.0130	.1932	----	----	201	----	640 + 148
631	0.0385	0.0385	0.0415B/0.0210A	0.0415B/0.0210A	----	0.0400 + 0.0140	.2017	----	----	3	----	24 - 1
634	----	----	0.0480B/0.0235A	0.0480B/0.0235A	----	0.0465 + 0.0165	.2285	----	----	----	----	15 UNCH
635	0.0230	0.0230	0.0505B/0.0230	0.0505B/0.0230	----	0.0485 + 0.0170	.2372	----	----	128	----	234 + 58
636	0.0485	0.0485	0.0525B/0.0255A	0.0525B/0.0255A	----	0.0510 + 0.0175	.2470	----	----	13	----	120 - 2
640	0.0605	0.0605	0.0645B/0.0300A	0.0645B/0.0300A	----	0.0620 + 0.0215	.2882	----	----	23	50	977 + 68
645	0.0340	0.0340	0.0815B/0.0340	0.0815B/0.0340	----	0.0780 + 0.0260	.3441	----	----	10	----	283 + 1
650	0.0500	0.0500	0.1020B/0.0460A	0.1020B/0.0460A	----	0.0970 + 0.0310	.4042	----	----	46	----	535 - 8
655	0.0635	0.0635	0.1260B/0.0575A	0.1260B/0.0575A	----	0.1195 + 0.0360	.4669	----	----	9	----	943 + 2
660	0.0800	0.0800	0.1525B/0.0720A	0.1525B/0.0720A	----	0.1455 + 0.0410	.5302	----	----	6	----	370 UNCH
664	----	----	0.1755B/0.0855A	0.1755B/0.0855A	----	0.1685 + 0.0450	.5795	----	----	----	----	32 UNCH
665	----	----	0.1815B/0.0895A	0.1815B/0.0895A	----	0.1750 + 0.0465	.5917	----	----	----	----	53 UNCH
666	0.1400	0.1400	0.1885B/0.0935A	0.1885B/0.0935A	----	0.1810 + 0.0470	.6034	----	----	2	----	8 + 1
670	0.2020	0.2020	0.2160B/0.1105A	0.2160B/0.1105A	----	0.2075 + 0.0510	.6493	----	----	1	----	215 UNCH
675	----	----	0.2525B/0.1350A	0.2525B/0.1350A	----	0.2435 + 0.0560	.7015	----	----	1	----	97 + 1
680	----	----	0.2915B/0.1635A	0.2915B/0.1635A	----	0.2825 + 0.0605	.7469	----	----	----	----	74 UNCH
685	----	----	0.3325B/0.1975A	0.3325B/0.1975A	----	0.3235 + 0.0645	.7862	----	----	2	----	87 UNCH
690	----	----	0.3765B/0.2315A	0.3765B/0.2315A	----	0.3660 + 0.0680	.8202	----	----	----	----	8 UNCH
695	----	----	0.4195B/0.2675A	0.4195B/0.2675A	----	0.4100 + 0.0700	.8488	----	----	----	----	3 UNCH
700	----	----	0.4665B/0.3055A	0.4665B/0.3055A	----	0.4550 + 0.0720	.8732	----	----	----	----	27 UNCH
720	----	----	0.6535B/0.4960A	0.6535B/0.4960A	----	0.6425 + 0.0760	.9355	----	----	----	----	1 UNCH
725	----	----	0.7030B/0.5415A	0.7030B/0.5415A	----	0.6910 + 0.0775	.9441	----	----	----	----	3 UNCH
735	----	----	0.7995B/0.6345A	0.7995B/0.6345A	----	0.7885 + 0.0785	.9580	----	----	----	----	2 UNCH
TOTAL									50	562		9050 + 240
DEC26												
350	----	----	----	----/0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	46 UNCH
360	----	----	----	----/0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	31 UNCH
380	----	----	----	----/0.0015A	----	0.0005 UNCH	.0002	----	----	----	----	22 UNCH
385	----	----	----	----/0.0015A	----	0.0005 UNCH	.0002	----	----	----	----	1 UNCH
390	----	----	----	----/0.0015A	----	0.0005 UNCH	.0003	----	----	----	----	45 UNCH
395	----	----	----	----/0.0015A	----	0.0005 UNCH	.0005	----	----	----	----	3 UNCH
400	----	----	----	----/0.0015A	----	0.0005 UNCH	.0006	----	----	----	----	31 UNCH
420	----	----	----	0.0005B/0.0020A	----	0.0010 + 0.0005	.0026	----	----	----	----	2 UNCH
425	----	----	----	0.0005B/0.0020A	----	0.0010 UNCH	.0027	----	----	----	----	60 UNCH
435	----	----	----	0.0005B/0.0025A	----	0.0015 UNCH	.0039	----	----	----	----	4 UNCH
450	----	----	----	0.0015B/0.0030A	----	0.0025 + 0.0005	.0065	----	----	----	----	37 UNCH
460	----	----	----	0.0015B/0.0035A	----	0.0030 + 0.0005	.0079	----	----	----	----	2 UNCH
470	----	----	----	0.0025B/0.0040A	----	0.0035 + 0.0005	.0094	----	----	----	----	36 UNCH
475	----	----	----	0.0025B/0.0045A	----	0.0035 UNCH	.0097	----	----	----	----	34 UNCH
480	----	----	----	0.0030B/0.0050A	----	0.0040 + 0.0005	.0111	----	----	----	----	18 UNCH
485	----	----	----	0.0030B/0.0050A	----	0.0040 + 0.0005	.0114	----	----	----	----	1 UNCH
490	----	----	----	0.0035B/0.0055A	----	0.0045 + 0.0005	.0128	----	----	1	----	19 + 1
495	----	----	----	0.0040B/0.0060A	----	0.0050 + 0.0005	.0143	----	----	----	----	1 UNCH
500	----	----	----	0.0045B/0.0060A	----	0.0050 + 0.0005	.0148	----	----	----	----	221 UNCH
505	----	----	----	0.0045B/0.0065A	----	0.0055 + 0.0005	.0164	----	----	----	----	1 UNCH
510	----	----	----	0.0050B/0.0070A	----	0.0060 + 0.0005	.0181	----	----	----	----	8 UNCH
515	----	----	----	0.0055B/0.0075A	----	0.0065 + 0.0010	.0198	----	----	----	----	2 UNCH
520	----	----	----	0.0060B/0.0075A	----	0.0070 + 0.0010	.0216	----	----	----	----	11 UNCH
525	----	----	0.0070B/----	0.0070B/0.0085A	----	0.0075 + 0.0010	.0236	----	----	----	----	280 UNCH
530	----	----	0.0075B/----	0.0075B/0.0090A	----	0.0085 + 0.0015	.0267	----	----	----	----	89 UNCH
535	----	----	0.0085B/----	0.0085B/0.0095A	----	0.0095 + 0.0020	.0300	----	----	----	----	6 UNCH
540	----	----	0.0095B/----	0.0095B/0.0100A	----	0.0100 + 0.0015	.0323	----	----	----	----	8 UNCH
545	----	----	0.0105B/----	0.0105B/0.0110A	----	0.0115 + 0.0025	.0370	----	----	----	----	49 UNCH
550	----	----	0.0120B/----	0.0120B/0.0120A	----	0.0125 + 0.0025	.0407	----	----	31	----	1304 + 31
555	----	----	0.0135B/----	0.0135B/0.0130A	----	0.0140 + 0.0030	.0458	----	----	----	----	3 UNCH
560	----	----	0.0150B/----	0.0150B/0.0135A	----	0.0155 + 0.0030	.0511	----	----	4	----	341 UNCH
565	----	----	0.0170B/----	0.0170B/0.0145A	----	0.0175 + 0.0035	.0578	----	----	----	----	19 UNCH
570	----	----	0.0200B/----	0.0200B/0.0160A	----	0.0200 + 0.0045	.0658	----	----	----	----	20 UNCH
575	----	----	0.0230B/0.0170A	0.0230B/0.0170A	----	0.0230 + 0.0055	.0752	----	----	31	----	457 + 29
580	----	----	0.0270B/0.0185A	0.0270B/0.0185A	----	0.0265 + 0.0065	.0859	----	----	4	----	224 UNCH
585	----	----	0.0310B/0.0210A	0.0310B/0.0210A	----	0.0305 + 0.0075	.0980	----	----	----	----	57 UNCH
590	0.0305	0.0305	0.0355B/0.0235A	0.0355B/0.0235A	----	0.0350 + 0.0085	.1115	----	----	9	----	479 + 2
595	----	----	0.0415B/0.0265A	0.0415B/0.0265A	----	0.0405 + 0.0100	.1272	----	----	----	----	280 UNCH
600	0.0360	0.0360	0.0485/0.0300A	0.0485/0.0300A	----	0.0465 + 0.0115	.1442	----	----	300	----	2697 + 160
605	0.0330	0.0330	0.0550B/0.0330	0.0550B/0.0330	----	0.0540 + 0.0135	.1642	----	----	1	----	37 - 1
610	----	----	0.0640B/0.0395A	0.0640B/0.0395A	----	0.0625 + 0.0155	.1861	----	----	6	----	244 + 1
615	0.0630	0.0630	0.0730B/0.0455A	0.0730B/0.0455A	----	0.0720 + 0.0175	.2100	----	----	1	----	149 + 1
620	----	----	0.0850B/0.0525A	0.0850B/0.0525A	----	0.0830 + 0.0200	.2362	----	----	5	----	193 UNCH
625	0.0800	0.0800	0.0985B/0.0600A	0.0985B/0.0600A	----	0.0950 + 0.0220	.2642	----	----	7	----	467 - 1
630	0.0655	0.0655	0.1130B/0.0655	0.1130B/0.0655	----	0.1090 + 0.0240	.2946	----	----	17	----	963 - 1
635	0.1105	0.1105	0.1300B/0.0795A	0.1300B/0.0795A	----	0.1250 + 0.0270	.3272	----	----	2	----	414 UNCH
640	0.1020	0.1020	0.1490B/0.0910A	0.1490B/0.0910A	----	0.1430 + 0.0300	.3614	----	----	106	----	360 + 97
645	0.1370	0.1370	0.1700B/0.1045A	0.1700B/0.1045A	----	0.1630 + 0.0330	.3968	----	----	31	----	496 + 30
650	0.1580	0.1580	0.1930B/0.1195A	0.1930B/0.1195A	----	0.1855 + 0.0365	.4332	----	----	5	----	763 UNCH
655	0.1825	0.1825	0.2180B/0.1370A	0.2180B/0.1370A	----	0.2100 + 0.0395	.4698	----	----	56	----	814 + 54
660	----	----	0.2435B/0.1565A	0.2435B/0.1565A	----	0.2370 + 0.0435	.5062	----	----	----	----	159 UNCH
665	----	----	0.2730B/0.1780A	0.2730B/0.1780A	----	0.2655 + 0.0470	.5421	----	----	----	----	670 UNCH
670	----	----	0.3025B/0.2015A	0.3025B/0.2015A	----	0.2960 + 0.0500	.5768	----	----	----	----	1182 UNCH
675	0.2640	0.2640	0.3355B/0.2270A	0.3355B/0.2270A	----	0.3280 + 0.0525	.6103	----	----	3	----	280 + 3
680	----	----	0.3700B/0.2545A	0.3700B/0.2545A	----	0.3620 + 0.0555	.6424	----	----	----	----	56 UNCH
685	----	----	0.4055B/0.2840A	0.4055B/0.2840A	----	0.3975 + 0.0580	.6730	----	----	----	----	47 UNCH
690	----	----	0.4425B/0.3155A	0.4425B/0.3155A	----	0.4345 + 0.0600	.7012	----	----	----	----	3 UNCH
700	----	----	0.5210B/0.3860A	0.5210B/0.3860A	----	0.5125 + 0.0640	.7525	----	----	----	----	3 UNCH
725	----	----	0.7360B/0.5950A	0.7360B/0.5950A	----	0.7265 + 0.0720	.8475	----	----	----	----	3 UNCH
730	----	----	0.7810B/0.6370A	0.7810B/0.6370A	----	0.7710 + 0.0725	.8619	----	----	1	----	1 UNCH
750	----	----	0.9665B/0.8120A	0.9665B/0.8120A	----	0.9555 + 0.0750	.9072	----	----	----	----	1 UNCH
TOTAL									621			14254 + 406
JAN27												
370	----	----	----	0.0005B/0.0075A	----	0.0035 + 0.0005	.0058	----	----	----	----	1 UNCH
390	----	----	----	0.0005B/0.0080A	----	0.0040 + 0.0005	.0070	----	----	----	----	40 UNCH
400	----	----	----	0.0005B/0.0080A	----	0.0045 + 0.0005	.0081	----	----	----	----	12 UNCH
425	----	----	----	0.0005B/0.0090A	----	0.0050 + 0.0005	.0098	----	----	----	----	30 UNCH
430	----	----	----	0.0005B/0.0095A	----	0.0050 + 0.0005	.0100	----	----	----	----	1 UNCH
435	----	----	----	0.0005B/0.0095A	----	0.0050 UNCH	.0102	----	----	----	----	1 UNCH
440	----	----	----	0.0005B/0.0095A	----	0.0055 + 0.0005	.0113	----	----	----	----	10 UNCH
450	----	----	----	0.0005B/0.0105A	----	0.0055 + 0.0005	.0118	----	----	----	----	1 UNCH
465	----	----	----	0.0015B/0.0110A	----	0.0065 + 0.0010	.0145	----	----	----	----	2 UNCH
510	----	----	----	0.0060B/0.0155A	----	0.0115 + 0.0020	.0280	----	----	----	----	4 UNCH
515	----	----	----	0.0095B/0.0165A	----	0.0125 + 0.0020	.0307	----	----	----	----	4 UNCH
520	----	----	----	0.0105B/0.0165A	----	0.0135 + 0.0025	.0333	----	----	----	----	2 UNCH
525	----	----	----	0.0120B/0.0170A	----	0.0145 + 0.0025	.0361	----	----	----	----	3 UNCH
540	----	----	0.0165B/----	0.0165B/0.0210A	----	0.0195 + 0.0035	.0486	----	----	----	----	3 UNCH
550	----	----	0.0210B/----	0.0210B/0.0230A	----	0.0235 + 0.0040	.0588	----	----	----	----	258 UNCH
555	----	----	0.0235B/----	0.0235B/0.0250A	----	0.0265 + 0.0045	.0658	----	----	----	----	1 UNCH
560	----	----	0.0265B/----	0.0265B/0.0270A	----	0.0295 + 0.0050	.0729	----	----	----	----	3 UNCH
570	----	----	0.0340B/----	0.0340B/0.0330A	----	0.0370 + 0.0065	.0900	----	----	----	----	2 UNCH
580	----	----	0.0440B/----	0.0440B/0.0405A	----	0.0465 + 0.0080	.1108	----	----	----	----	3 UNCH
590	----	----	0.0560B/----	0.0560B/0.0495A	----	0.0590 + 0.0100	.1365	----	----	----	----	15 UNCH
595	----	----	0.0630B/----	0.0630B/0.0550A	----	0.0660 + 0.0110	.1506	----	----	----	----	3 UNCH
600	0.0600	0.0600	0.0715B/0.0550	0.0715B/0.0550	----	0.0745 + 0.0125	.1667	----	----	10	----	408 - 1
605	----	----	0.0805B/0.0675A	0.0805B/0.0675A	----	0.0835 + 0.0140	.1836	----	----	----	----	5 UNCH
610	----	----	0.0905B/0.0740A	0.0905B/0.0740A	----	0.0935 + 0.0150	.2016	----	----	----	----	4 UNCH
615	0.1060	0.1060	0.1060/0.0825A	0.1060/0.0825A	----	0.1050 NEW	.2213	----	----	1	----	1 + 1
620	0.1055	0.1055	0.1140B/0.0915A	0.1140B/0.0915A	----	0.1175 + 0.0190	.2420	----	----	14	----	22 + 7
625	----	----	0.1270B/0.0990A	0.1270B/0.0990A	----	0.1310 + 0.0210	.2636	----	----	----	----	251 UNCH
630	----	----	0.1420B/0.1110A	0.1420B/0.1110A	----	0.1455 + 0.0230	.2862	----	----	3	----	5 + 3
635	----	----	0.1585B/0.1230A	0.1585B/0.1230A	----	0.1620 + 0.0255	.3100	----	----	----	----	2 UNCH
640	----	----	0.1760B/0.1355A	0.1760B/0.1355A	----	0.1795 + 0.0275	.3345	----	----	----	----	3 UNCH
645	----	----	0.1950B/0.1495A	0.1950B/0.1495A	----	0.1985 + 0.0300	.3597	----	----	----	----	3 UNCH
650	----	----	0.2150B/0.1655A	0.2150B/0.1655A	----	0.2190 + 0.0325	.3855	----	----	3	----	74 + 1
660	----	----	0.2605B/0.2005A	0.2605B/0.2005A	----	0.2645 + 0.0375	.4382	----	----	----	----	1 UNCH
670	----	----	0.3120B/0.2420A	0.3120B/0.2420A	----	0.3160 + 0.0420	.4911	----	----	----	----	2 UNCH
685	----	----	0.3990B/0.3140A	0.3990B/0.3140A	----	0.4045 + 0.0480	.5677	----	----	----	----	1 UNCH
690	----	----	0.4315B/0.3420A	0.4315B/0.3420A	----	0.4365 + 0.0495	.5920	----	----	----	----	2 UNCH
695	----	----	0.4650B/0.3700A	0.4650B/0.3700A	----	0.4700 + 0.0510	.6154	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

PG64 BULLETIN #194@ METALS OPTION PRODUCTS Thu, Oct 08, 2026 PG64

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JAN27												
730	----	----	0.7295B/0.6050A	0.7295B/0.6050A	----	0.7335 + 0.0615	.7542	----	----	----	----	1 UNCH
800	----	----	----	----	----	1.3580 + 0.0745	.9024	----	----	----	----	1 UNCH
TOTAL										31		1186 + 11
FEB27												
300	----	----	----	----/0.0070A	----	0.0015 UNCH	.0022	----	----	----	----	1 UNCH
400	----	----	----	0.0005B/0.0100A	----	0.0055 UNCH	.0095	----	----	----	----	10 UNCH
450	----	----	----	0.0025B/0.0140A	----	0.0090 + 0.0015	.0173	----	----	----	----	3 UNCH
480	----	----	----	0.0060B/0.0175A	----	0.0125 + 0.0020	.0255	----	----	----	----	4 UNCH
500	----	----	0.0160B/----	0.0160B/0.0200A	----	0.0170 + 0.0030	.0352	----	----	----	----	8 UNCH
520	----	----	----	0.0180B/0.0250A	----	0.0230 + 0.0045	.0484	----	----	----	----	2 UNCH
560	----	----	0.0445B/----	0.0445B/0.0445A	----	0.0480 + 0.0075	.0981	----	----	----	----	50 UNCH
565	----	----	0.0505B/----	0.0505B/0.0490A	----	0.0535 NEW	.1079	----	----	2	----	2 + 2
585	----	----	0.0775B/----	0.0775B/0.0700A	----	0.0815 NEW	.1551	----	----	1	----	1 + 1
595	----	----	0.0955B/0.0840A	0.0955B/0.0840A	----	0.1005 + 0.0155	.1843	----	----	----	----	1 UNCH
600	----	----	0.1060B/0.0920A	0.1060B/0.0920A	----	0.1110 + 0.0170	.1999	----	----	----	----	80 UNCH
620	----	----	0.1580B/0.1310A	0.1580B/0.1310A	----	0.1625 + 0.0235	.2705	----	----	----	----	2 UNCH
630	----	----	0.1895B/0.1560A	0.1895B/0.1560A	----	0.1950 + 0.0270	.3103	----	----	----	----	1 UNCH
650	----	----	0.2670B/0.2190A	0.2670B/0.2190A	----	0.2730 + 0.0330	.3956	----	----	----	----	60 UNCH
660	----	----	0.3155B/0.2580A	0.3155B/0.2580A	----	0.3200 + 0.0365	.4401	----	----	----	----	1 UNCH
TOTAL										3		226 + 3
MAR27												
400	----	----	----	0.0005B/0.0125A	----	0.0075 + 0.0005	.0121	----	----	----	----	8 UNCH
500	----	----	----	0.0150B/0.0265A	----	0.0220 + 0.0025	.0422	----	----	----	----	200 UNCH
525	----	----	----	0.0270B/0.0360A	----	0.0345 + 0.0050	.0649	----	----	----	----	10 UNCH
550	----	----	0.0490B/----	0.0490B/0.0535A	----	0.0560 + 0.0085	.1007	----	----	----	----	240 UNCH
575	----	----	0.0840B/----	0.0840B/0.0805A	----	0.0910 + 0.0125	.1529	----	----	----	----	15 UNCH
580	----	----	0.0930B/----	0.0930B/0.0875A	----	0.1000 + 0.0135	.1653	----	----	----	----	10 UNCH
595	----	----	0.1240B/0.1115A	0.1240B/0.1115A	----	0.1315 + 0.0170	.2068	----	----	----	----	561 UNCH
600	----	----	0.1360B/0.1210A	0.1360B/0.1210A	----	0.1435 + 0.0185	.2218	----	----	----	----	403 UNCH
620	----	----	0.1945B/0.1670A	0.1945B/0.1670A	----	0.2015 + 0.0245	.2883	----	----	----	----	64 UNCH
625	----	----	0.2110B/0.1800A	0.2110B/0.1800A	----	0.2185 + 0.0260	.3063	----	----	----	----	390 UNCH
640	----	----	0.2685B/0.2275A	0.2685B/0.2275A	----	0.2760 + 0.0305	.3625	----	----	----	----	1 UNCH
660	----	----	0.3615B/0.3050A	0.3615B/0.3050A	----	0.3685 + 0.0370	.4404	----	----	----	----	3 UNCH
675	----	----	0.4425B/0.3745A	0.4425B/0.3745A	----	0.4495 + 0.0415	.4987	----	----	----	----	8 UNCH
720	----	----	0.7370B/0.6375A	0.7370B/0.6375A	----	0.7450 + 0.0555	.6553	----	----	----	----	1 UNCH
730	----	----	0.8115B/0.7060A	0.8115B/0.7060A	----	0.8195 + 0.0580	.6853	----	----	----	----	1 UNCH
TOTAL												1915
APR27												
400	----	----	----	0.0005B/0.0175A	----	0.0100 + 0.0005	.0147	----	----	----	----	8 UNCH
500	----	----	----	0.0200B/0.0360A	----	0.0300 + 0.0030	.0503	----	----	----	----	6 UNCH
530	----	----	----	0.0395B/0.0525A	----	0.0495 + 0.0060	.0805	----	----	----	----	1 UNCH
540	----	----	----	0.0490B/0.0605A	----	0.0590 + 0.0075	.0943	----	----	----	----	2 UNCH
550	----	----	----	0.0600B/0.0700A	----	0.0705 + 0.0090	.1103	----	----	----	----	4 UNCH
620	----	----	0.2110B/0.1935A	0.2110B/0.1935A	----	0.2220 + 0.0235	.2819	----	----	----	----	4 UNCH
680	----	----	0.4815B/0.4255A	0.4815B/0.4255A	----	0.4935 + 0.0420	.4852	----	----	----	----	5 UNCH
700	----	----	0.6020B/0.5335A	0.6020B/0.5335A	----	0.6135 + 0.0470	.5509	----	----	----	----	1 UNCH
TOTAL												31
MAY27												
400	----	----	----	0.0005B/0.0240A	----	0.0130 + 0.0005	.0179	----	----	----	----	8 UNCH
575	----	----	----	0.1235B/0.1325A	----	0.1385 + 0.0145	.1782	----	----	----	----	5 UNCH
600	----	----	0.1845B/----	0.1845B/0.1840A	----	0.2000 + 0.0195	.2391	----	----	----	----	80 UNCH
660	----	----	0.4195B/0.3865A	0.4195B/0.3865A	----	0.4370 + 0.0365	.4176	----	----	----	----	1 UNCH
680	----	----	0.5275B/0.4835A	0.5275B/0.4835A	----	0.5450 + 0.0415	.4793	----	----	----	----	10 UNCH
700	----	----	0.6475B/0.5925A	0.6475B/0.5925A	----	0.6650 + 0.0460	.5383	----	----	----	----	2 UNCH
TOTAL												106
JUN27												
500	----	----	----	0.0335B/0.0605A	----	0.0500 + 0.0045	.0676	----	----	----	----	40 UNCH
570	----	----	----	0.1215B/0.1390A	----	0.1405 + 0.0135	.1683	----	----	----	----	1 UNCH
620	----	----	0.2570B/----	0.2570B/0.2550A	----	0.2775 + 0.0250	.2869	----	----	----	----	1 UNCH
TOTAL												42
HXE CALL		COPPER OPTIONS										
OCT26												
655	----	----	0.2035B/0.0380A	0.2035B/0.0380A	----	0.0450 - 0.0650	.6191	----	----	----	----	3 UNCH
655	----	----	0.2230B/0.0900A	0.2230B/0.0900A	----	0.0935 NEW	.5430	----	----	1	----	1 + 1
656	0.0350	0.0350	0.1930B/0.0340A	0.1930B/0.0340A	----	0.0390 NEW	.5562	----	----	5	----	5 + 5
657	0.0395	0.0395	0.1835B/0.0280	0.1835B/0.0280	----	0.0340 NEW	.4921	----	----	8	----	8 + 8
659	0.0230	0.0230	0.1645B/0.0220A	0.1645B/0.0220A	----	0.0250 NEW	.3650	----	----	1	----	1 + 1
660	----	----	0.1545B/0.0190A	0.1545B/0.0190A	----	0.0210 - 0.0515	.3047	----	----	1	----	30 - 1
660	----	----	0.1835B/0.0680A	0.1835B/0.0680A	----	0.0710 - 0.0435	.4442	----	----	1	----	16 + 1
661	0.0195	0.0195	0.1455B/0.0165A	0.1455B/0.0165A	----	0.0175 NEW	.2490	----	----	1	----	1 + 1
662	0.0150	0.0150	0.1360B/0.0145A	0.1360B/0.0145A	----	0.0145 NEW	.1995	----	----	1	----	1 + 1
665	0.0265	0.0265	0.1095B/0.0090	0.1095B/0.0090	----	0.0085 - 0.0355	.0966	----	----	169	----	182 + 140
665	0.0760	0.0760	0.1330B/0.0530A	0.1330B/0.0530A	----	0.0540 - 0.0350	.3548	----	----	10	----	20 UNCH
667	0.0110	0.0110	0.0935B/0.0085A	0.0935B/0.0085A	----	0.0065 NEW	.0620	----	----	7	----	7 + 7
668	----	----	0.0855B/0.0080A	0.0855B/0.0080A	----	0.0055 - 0.0265	.0478	----	----	----	----	1 UNCH
670	0.0225	0.0225	0.0710B/0.0045	0.0710B/0.0045	----	0.0045 - 0.0215	.0325	----	----	67	----	236 - 14
670	----	----	0.1170B/0.0415A	0.1170B/0.0415A	----	0.0410 - 0.0280	.2785	----	----	----	----	10 UNCH
671	0.0030	0.0030	0.0645B/0.0030	0.0645B/0.0030	----	0.0045 NEW	.0300	----	----	2	----	2 + 2
675	0.0150	0.0150	0.0410B/0.0025	0.0410B/0.0025	----	0.0035 - 0.0125	.0169	----	----	93	----	488 + 36
675	0.0415	0.0415	0.0915B/0.0325A	0.0915B/0.0325A	----	0.0315 - 0.0215	.2173	----	----	48	----	48 + 40
680	0.0060	0.0060	0.0205B/0.0035A	0.0205B/0.0035A	----	0.0020 - 0.0085	.0062	----	----	27	----	320 + 2
680	0.0445	0.0445	0.0700B/0.0265A	0.0700B/0.0265A	----	0.0245 - 0.0165	.1695	----	----	26	----	32 + 19
680	----	----	0.1220B/0.0695A	0.1220B/0.0695A	----	0.0655 - 0.0210	.2797	----	----	----	----	1 UNCH
683	----	----	0.0130B/0.0030A	0.0130B/0.0030A	----	0.0015 - 0.0070	.0036	----	----	----	----	10 UNCH
685	----	----	0.0090B/0.0025A	0.0090B/0.0025A	----	0.0010 - 0.0065	.0018	----	----	----	----	35 UNCH
685	----	----	0.0530B/0.0210A	0.0530B/0.0210A	----	0.0190 - 0.0130	.1314	----	----	1	----	6 + 1
690	0.0040	0.0040	0.0040/0.0025A	0.0040/0.0025A	----	0.0010 - 0.0045	.0014	----	----	1	----	98 - 1
690	----	----	0.0405B/0.0170A	0.0405B/0.0170A	----	0.0150 - 0.0100	.1028	----	----	2	----	4 UNCH
690	0.0355	0.0355	0.0635B/0.0330A	0.0635B/0.0330A	----	0.0300 NEW	.1637	----	----	4	----	4 + 4
690	----	----	0.0860B/0.0505A	0.0860B/0.0505A	----	0.0465 - 0.0145	.2082	----	----	----	----	1 UNCH
694	0.0015	0.0015	0.0015/0.0015	0.0020B/0.0015	----	0.0005 NEW	.0002	----	----	10	----	10 + 10
695	----	----	0.0295B/0.0140A	0.0295B/0.0140A	----	0.0120 - 0.0080	.0810	----	----	1	----	42 UNCH
698	----	----	----/0.0020A	0.0010B/0.0020A	----	0.0005 - 0.0035	.0000	----	----	----	----	25 UNCH
700	0.0010	0.0010	0.0010/0.0010	0.0010/0.0010	----	0.0005 - 0.0030	.0000	----	----	1	----	72 UNCH
700	----	----	0.0230B/0.0120A	0.0230B/0.0120A	----	0.0100 - 0.0060	.0657	----	----	----	----	34 UNCH
700	----	----	0.0595B/0.0375A	0.0595B/0.0375A	----	0.0330 - 0.0105	.1532	----	----	----	----	1 UNCH
705	----	----	0.0170B/0.0105A	0.0170B/0.0105A	----	0.0080 - 0.0050	.0518	----	----	----	----	58 UNCH
710	----	----	0.0120B/0.0090A	0.0120B/0.0090A	----	0.0070 - 0.0040	.0437	----	----	----	----	9 UNCH
710	----	----	0.0410B/0.0285A	0.0410B/0.0285A	----	0.0235 - 0.0080	.1120	----	----	----	----	1 UNCH
715	----	----	----	----/0.0015A	----	0.0005 - 0.0010	----	----	----	----	----	21 UNCH
715	----	----	----/0.0080A	0.0090B/0.0080A	----	0.0060 - 0.0030	.0363	----	----	----	----	25 UNCH
720	----	----	----	----/0.0015A	----	0.0005 - 0.0005	----	----	----	----	----	20 UNCH
720	----	----	----/0.0070A	0.0065B/0.0070A	----	0.0050 - 0.0030	.0296	----	----	----	----	111 UNCH
725	----	----	----/0.0065A	0.0045B/0.0065A	----	0.0045 - 0.0025	.0257	----	----	----	----	116 UNCH
730	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	34 UNCH
740	----	----	----	0.0025B/0.0050A	----	0.0025 - 0.0015	.0136	----	----	----	----	10 UNCH
750	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
750	----	----	----	0.0030B/0.0090A	----	0.0040 - 0.0015	.0212	----	----	----	----	1 UNCH
775	----	----	0.0010B/----	0.0010B/0.0030A	----	0.0005 UNCH	.0024	----	----	----	----	2 UNCH
800	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	33 UNCH
TOTAL										488		2197 + 263
HXE PUT		COPPER OPTIONS										
OCT26												
500	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	19 UNCH
575	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	3 UNCH
610	----	----	----	----/0.0020A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
610	----	----	----	0.0015B/0.0050A	----	0.0035 + 0.0005	.0256	----	----	----	----	2 UNCH
620	----	----	----	----/0.0025A	----	0.0005 UNCH	----	----	----	----	----	3 UNCH
620	----	----	----	0.0035B/0.0060A	----	0.0060 + 0.0015	.0470	----	----	----	----	10 UNCH
620	----	----	0.0145B/----	0.0145B/0.0145A	----	0.0170 + 0.0060	.1025	----	----	----	----	1 UNCH
625	----	----	----	----/0.0025A	----	0.0005 UNCH	.0000	----	----	----	----	18 UNCH
630	----	----	----	----/0.0030A	----	0.0005 - 0.0005	.0003	----	----	----	----	28 UNCH
630	0.0190	0.0190	0.0260B/0.0190	0.0260B/0.0190	----	0.0290 NEW	.1676	----	----	1	----	1 + 1
635	----	----	----	0.0005B/0.0035A	----	0.0010 UNCH	.0025	----	----	----	----	1 UNCH
635	0.0345	0.0345	0.0550B/0.0345	0.0550B/0.0345	----	0.0600 + 0.0195	.2583	----	----	1	----	1 UNCH
640	0.0020	0.0020	0.0020/0.0015	0.0020/0.0015	----	0.0020 + 0.0005	.0090	----	----	13	----	47 + 8
640	0.0150	0.0150	0.0225B/0.0150	0.0225B/0.0150	----	0.0240 + 0.0090	.1887	----	----	10	----	30 + 10
642	0.0030	0.0030	0.0030/0.0020	0.0030/0.0020	----	0.0025 NEW	.0139	----	----	25	----	25 + 25
645	----	----	0.0035B/----	0.0035B/0.0045A	----	0.0045 + 0.0020	.0356	----	----	----	----	13 UNCH
645	0.0150	0.0150	0.0360B/0.0150	0.0360B/0.0150	----	0.0355 + 0.0135	.2640	----	----	10	----	12 + 10
650	0.0125	0.0125	0.0125/0.0125	0.0125/0.0065A	----	0.0110 + 0.0065	.1345	----	----	5	----	56 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HXE PUT		COPPER OPTIONS										
OCT26												
650	----	----	0.0535B/0.0245A	0.0535B/0.0245A	----	0.0525 + 0.0205	.3566	----	----	5	----	5 + 1
650	0.0600	0.0600	0.0815B/0.0445A	0.0815B/0.0445A	----	0.0840 + 0.0280	.3946	----	----	5	----	8 + 5
651	0.0040	0.0040	0.0110B/0.0040	0.0110B/0.0040	----	0.0135 NEW	.1737	----	----	20	----	20 + 20
652	----	----	0.0140B/----	0.0140B/0.0075A	----	0.0160 + 0.0095	.2160	----	----	----	----	2 UNCH
654	0.0255	0.0255	0.0255/0.0085A	0.0255/0.0085A	----	0.0225 NEW	.3208	----	----	1	----	1 + 1
655	0.0100	0.0100	0.0270B/0.0075A	0.0270B/0.0075A	----	0.0265 + 0.0160	.3808	----	----	128	----	132 - 10
655	0.0370	0.0370	0.0785B/0.0320A	0.0785B/0.0320A	----	0.0750 + 0.0290	.4567	----	----	1	----	3 + 1
656	0.0145	0.0145	0.0345/0.0100A	0.0345/0.0100A	----	0.0310 NEW	.4437	----	----	4	----	4 + 4
657	0.0355	0.0355	0.0355/0.0110A	0.0355/0.0110A	----	0.0355 NEW	.5078	----	----	11	----	10 + 10
659	0.0215	0.0215	0.0475B/0.0125A	0.0475B/0.0125A	----	0.0465 + 0.0265	.6349	----	----	3	----	4 + 3
660	0.0150	0.0150	0.0550/0.0100	0.0550/0.0100	----	0.0525 + 0.0295	.6952	----	----	20	----	127 + 10
660	----	----	0.1050B/0.0440A	0.1050B/0.0440A	----	0.1025 + 0.0375	.5555	----	----	----	----	34 UNCH
663	----	----	0.0785B/0.0165A	0.0785B/0.0165A	----	0.0735 + 0.0390	.8427	----	----	----	----	5 UNCH
664	----	----	0.0875B/0.0180A	0.0875B/0.0180A	----	0.0815 + 0.0420	.8770	----	----	----	----	5 UNCH
665	0.0295	0.0295	0.0965B/0.0195A	0.0965B/0.0195A	----	0.0900 + 0.0455	.9032	----	----	30	----	43 + 30
670	----	----	0.1435B/0.0315A	0.1435B/0.0315A	----	0.1360 + 0.0595	.9674	----	----	----	----	1 UNCH
670	----	----	0.1765B/0.0790A	0.1765B/0.0790A	----	0.1725 + 0.0530	.7212	----	----	----	----	1 UNCH
TOTAL										293		676 + 130

ALUMINIUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST

PLATINUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
NOV26												
1200	10.30	10.30	10.30/10.30	10.30/10.30	----	9.30 - 1.10	.1951	----	----	20	----	40 + 20
1250	----	----	----	2.40B/7.00A	----	4.70 - 0.80	.0998	----	----	----	----	10 UNCH
1300	----	----	----	----/4.50A	----	2.40 - 0.50	.0509	----	----	----	----	21 UNCH
1350	----	----	----	----/3.40A	----	1.40 - 0.30	.0286	----	----	----	----	2 UNCH
1400	----	----	----	----/2.90A	----	0.70 - 0.20	.0142	----	----	----	----	93 UNCH
1450	----	----	----	----/2.60A	----	0.30 - 0.20	.0061	----	----	----	----	86 UNCH
1500	----	----	----	----/2.40A	----	0.20 - 0.10	.0039	----	----	----	----	5 UNCH
1550	----	----	----	----/2.30A	----	0.10 - 0.10	.0012	----	----	----	----	14 UNCH
1600	----	----	----	----/2.30A	----	0.10 UNCH	.0004	----	----	----	----	5 UNCH
1750	----	----	----	----/2.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
TOTAL										20		277 + 20
DEC26												
1125	----	----	58.40B/54.70A	58.40B/54.70A	----	54.00 NEW	.5247	----	----	1	----	1 + 1
1200	----	----	----	28.40B/29.90A	----	28.50 - 0.90	.3250	----	----	1	----	0 - 1
1250	----	----	----	17.30B/21.00A	----	18.90 - 0.70	.2293	----	----	----	----	200 UNCH
1300	----	----	----	10.80B/15.50A	----	13.20 - 0.40	.1644	----	----	----	----	6 UNCH
1315	----	----	----	9.50B/14.30A	----	11.90 - 0.40	.1491	----	----	----	----	90 UNCH
1385	----	----	----	5.10B/9.80A	----	7.60 - 0.40	.0965	----	----	----	----	13 UNCH
1400	----	----	----	4.30B/9.10A	----	6.90 - 0.40	.0879	----	----	----	----	1 UNCH
1425	----	----	----	3.40B/8.10A	----	5.90 - 0.50	.0755	----	----	----	----	39 UNCH
1440	----	----	----	2.80B/7.50A	----	5.30 - 0.60	.0682	----	----	----	----	16 UNCH
1450	----	----	----	2.50B/7.20A	----	5.00 - 0.60	.0644	----	----	----	----	65 UNCH
1500	----	----	----	1.30B/6.00A	----	3.70 - 0.60	.0479	----	----	----	----	35 UNCH
1550	----	----	----	0.50B/5.10A	----	2.80 - 0.40	.0363	----	----	----	----	66 UNCH
1585	----	----	----	0.10B/4.70A	----	2.30 - 0.40	.0299	----	----	----	----	3 UNCH
1600	----	----	----	----/4.60A	----	2.10 - 0.40	.0273	----	----	----	----	95 UNCH
1650	----	----	----	----/4.10A	----	1.60 - 0.30	.0208	----	----	----	----	64 UNCH
1700	----	----	----	----/3.80A	----	1.30 - 0.30	.0168	----	----	----	----	10 UNCH
1775	----	----	----	----/3.40A	----	1.00 - 0.20	.0126	----	----	----	----	100 UNCH
1800	----	----	----	----/3.30A	----	0.90 - 0.20	.0113	----	----	----	----	55 UNCH
1925	----	----	----	----/3.00A	----	0.60 - 0.20	.0073	----	----	----	----	46 UNCH
1995	----	----	----	----/2.80A	----	0.50 - 0.20	.0060	----	----	----	----	6 UNCH
2000	----	----	----	----/2.80A	----	0.50 - 0.10	.0060	----	----	----	----	1 UNCH
3000	----	----	----	----/2.30A	----	0.30 UNCH	.0025	----	----	----	----	1 UNCH
TOTAL										2		913 0
MAR27												
1350	----	----	----	32.70B/40.20A	----	37.30 + 0.40	.2631	----	----	----	----	80 UNCH
1400	----	----	----	25.70B/33.90A	----	30.60 + 0.30	.2213	----	----	----	----	10 UNCH
1600	----	----	----	11.10B/19.30A	----	15.50 + 0.10	.1177	----	----	----	----	10 UNCH
TOTAL												100 0
JUN27												
1250	----	----	----	----	----	96.60 - 11.30	.4484	----	----	----	----	25 UNCH
1375	----	----	----	----	----	62.00 - 10.30	.3248	----	----	----	----	50 UNCH
TOTAL												75 0
PAO PUT		NYMEX PALLADIUM OPTIONS										
NOV26												
1200	----	----	85.20B/74.30A	85.20B/74.30A	----	83.80 + 0.50	.8048	----	----	----	----	24 UNCH
1225	----	----	107.90B/95.00A	107.90B/95.00A	----	106.20 + 0.70	.8590	----	----	----	----	11 UNCH
1250	----	----	131.20B/117.00A	131.20B/117.00A	----	129.20 + 0.90	.9001	----	----	----	----	108 UNCH
1275	----	----	155.00B/139.70A	155.00B/139.70A	----	152.80 + 1.10	.9294	----	----	----	----	16 UNCH
1300	----	----	179.20B/162.80A	179.20B/162.80A	----	176.80 + 1.10	.9490	----	----	----	----	11 UNCH
1350	----	----	228.40B/210.40A	228.40B/210.40A	----	225.80 + 1.30	.9713	----	----	----	----	4 UNCH
TOTAL												174 0
DEC26												
1050	----	----	----	18.60B/22.30A	----	20.90 + 0.10	.2520	----	----	----	----	5 UNCH
1110	----	----	----/44.30A	43.80B/44.30A	----	45.60 + 0.40	.4300	----	----	----	----	10 UNCH
1150	----	----	----/65.00A	67.00B/65.00A	----	68.30 + 0.60	.5475	----	----	----	----	15 UNCH
1200	----	----	102.70B/96.20A	102.70B/96.20A	----	102.90 + 0.70	.6748	----	----	----	----	3 UNCH
1250	----	----	144.00B/133.50A	144.00B/133.50A	----	143.10 + 1.00	.7705	----	----	----	----	5 UNCH
1300	----	----	188.70B/175.80A	188.70B/175.80A	----	187.20 + 1.20	.8354	----	----	----	----	100 UNCH
1315	----	----	----	----	----	200.90 + 1.30	.8507	----	----	----	----	90 UNCH
1380	----	----	----	----	----	261.70 + 1.30	.8999	----	----	----	----	1 UNCH
1400	----	----	282.70B/267.10A	282.70B/267.10A	----	280.70 + 1.20	.9119	----	----	----	----	150 UNCH
1500	----	----	379.90B/362.50A	379.90B/362.50A	----	377.30 + 1.10	.9519	----	----	----	----	40 UNCH
TOTAL												419 0
MAR27												
1100	----	----	----	66.90B/72.30A	----	71.30 + 1.20	.3908	----	----	----	----	5 UNCH
1145	----	----	----	91.50B/95.70A	----	95.80 + 1.50	.4684	----	----	----	----	8 UNCH
1150	----	----	----	94.50B/98.50A	----	98.70 + 1.50	.4767	----	----	----	----	8 UNCH
1160	----	----	----	100.50B/104.10A	----	104.80 + 1.60	.4932	----	----	----	----	13 UNCH
1200	----	----	----/128.40A	126.30B/128.40A	----	130.50 + 1.80	.5561	----	----	----	----	10 UNCH
1350	----	----	----/237.50A	242.60B/237.50A	----	245.50 + 2.20	.7365	----	----	----	----	75 UNCH
TOTAL												119 0
JUN27												
1250	----	----	----	----	----	190.90 - 10.30	.5509	----	----	----	----	25 UNCH
TOTAL												25 0
PAW OOF		PALLADIUM WEEKLY FRIDAY OPTION Week										
OCT26												
1150	----	----	29.10B/23.10A	29.10B/23.10A	----	26.90 - 1.90	.9081	----	----	----	----	15 UNCH
1175	----	----	----	8.50B/12.10A	----	10.00 - 1.60	.2364	----	----	----	----	3 UNCH
1250	----	----	----	----/2.30A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
1300	----	----	----	----/2.20A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
TOTAL												34 0
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week3										
OCT26												
1650	----	----	40.20B/32.00A	40.20B/32.00A	----	38.90 + 1.20	.5288	----	----	----	----	5 UNCH
1725	----	----	----	----/3.80A	----	0.10 - 1.30	.0003	----	----	----	----	1 UNCH
1725	----	----	96.10B/75.50A	96.10B/75.50A	----	92.50 + 4.30	.8199	----	----	----	----	26 UNCH
1725	----	----	----	12.00B/13.00A	----	9.60 - 3.40	.1799	----	----	----	----	39 UNCH
1740	----	----	----	----	----	98.10 + 7.20	.9999	----	----	----	----	13 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week2										
OCT26												
1750	----	----	----	----/3.30A	----	0.10 - 0.40	.0000	----	----	----	----	1 UNCH
1750	----	----	----	6.90B/10.20A	----	6.30 - 2.70	.1221	----	----	----	----	9 UNCH
1775	----	----	----	----/3.00A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
1805	----	----	----	----/2.80A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
TOTAL												105 0
PO CALL		PLATINUM OPTIONS										
NOV26												
1600	----	----	85.30B/65.40A	85.30B/65.40A	----	65.90 - 7.50	.6733	----	----	----	----	7 UNCH
1650	----	----	52.40B/40.30A	52.40B/40.30A	----	38.70 - 6.70	.4814	----	----	----	----	144 UNCH
1675	----	----	39.70B/30.90A	39.70B/30.90A	----	28.80 - 5.90	.3882	----	----	----	----	3 UNCH
1700	----	----	27.80B/23.40A	27.80B/23.40A	----	21.10 - 5.00	.3044	----	----	100	----	101 + 100
1725	13.50	13.50	20.10B/13.50	20.10B/13.50	----	15.60 NEW	.2354	----	----	4	----	4 + 4
1750	----	----	16.00B/----	16.00B/14.50A	----	11.60 - 2.40	.1804	----	----	----	----	32 UNCH
1775	----	----	----	9.00B/11.70A	----	8.80 - 1.70	.1388	----	----	----	----	20 UNCH
1800	----	----	----	6.00B/9.50A	----	6.60 - 1.50	.1056	----	----	100	----	170 - 47
1825	----	----	----	3.60B/7.90A	----	5.00 - 1.40	.0806	----	----	----	----	66 UNCH
1850	----	----	----	2.00B/6.70A	----	3.90 - 1.20	.0626	----	----	----	----	149 UNCH
1875	----	----	----	0.70B/5.90A	----	3.00 - 1.00	.0481	----	----	----	----	88 UNCH
1900	----	----	----	----/5.20A	----	2.30 - 0.80	.0369	----	----	----	----	239 UNCH
1925	----	----	----	----/4.80A	----	1.80 - 0.60	.0286	----	----	----	----	68 UNCH
1950	----	----	----	----/4.40A	----	1.40 - 0.50	.0221	----	----	----	----	119 UNCH
2000	----	----	----	----/3.90A	----	0.80 - 0.40	.0126	----	----	----	----	200 UNCH
2050	----	----	----	----/3.50A	----	0.50 - 0.20	.0077	----	----	----	----	10 UNCH
2100	----	----	----	----/3.20A	----	0.30 - 0.10	.0045	----	----	----	----	54 UNCH
2200	----	----	----	----/2.90A	----	0.10 - 0.10	.0014	----	----	----	----	210 UNCH
2250	----	----	----	----/2.80A	----	0.10 UNCH	.0006	----	----	----	----	40 UNCH
2500	----	----	----	----/2.70A	----	0.10 UNCH	.0000	----	----	----	----	20 UNCH
TOTAL										204		1744 + 57
DEC26												
1700	----	----	60.50B/53.30A	60.50B/53.30A	----	51.10 - 4.60	.4017	----	----	----	----	1 UNCH
1750	45.00	45.00	45.00/39.20A	45.00/39.20A	----	36.50 NEW	.3107	----	----	4	----	4 + 4
1825	----	----	----	23.90B/25.80A	----	22.10 - 3.30	.2051	----	----	----	----	8 UNCH
1850	----	----	----	20.00B/22.80A	----	18.80 - 3.10	.1781	----	----	----	----	18 UNCH
1875	----	----	----	16.70B/20.10A	----	16.20 - 2.80	.1555	----	----	----	----	18 UNCH
1900	----	----	----	13.90B/17.60A	----	14.00 - 2.50	.1359	----	----	----	----	120 UNCH
1925	----	----	----	11.60B/15.80A	----	12.30 - 2.00	.1199	----	----	----	----	20 UNCH
1950	----	----	----	9.60B/14.10A	----	10.80 - 1.60	.1058	----	----	----	----	65 UNCH
1975	----	----	----	7.80B/12.70A	----	9.50 - 1.30	.0934	----	----	----	----	9 UNCH
2000	----	----	----	6.30B/11.40A	----	8.30 - 1.10	.0821	----	----	----	----	122 UNCH
2200	----	----	----	0.30B/6.30A	----	2.80 - 0.50	.0290	----	----	----	----	101 UNCH
2250	----	----	----	----/5.80A	----	2.20 - 0.30	.0229	----	----	----	----	51 UNCH
2500	----	----	----	----/4.20A	----	0.70 - 0.10	.0073	----	----	----	----	50 UNCH
TOTAL										4		587 + 4
JAN27												
1650	----	----	102.70B/93.60A	102.70B/93.60A	----	91.20 NEW	.5151	----	----	1	----	1 + 1
1700	----	----	80.20B/74.60A	80.20B/74.60A	----	71.30 - 5.40	.4340	----	----	----	----	1 UNCH
1745	----	----	63.40B/60.50A	63.40B/60.50A	----	57.10 - 4.80	.3674	----	----	----	----	2 UNCH
1800	45.00	45.00	45.00/45.00	47.70B/45.00	----	43.80 - 3.90	.2971	----	----	10	----	11 + 8
1850	----	----	----	36.70B/38.10A	----	34.80 - 3.00	.2445	----	----	----	----	40 UNCH
1900	----	----	----	28.40B/31.20A	----	27.90 - 2.40	.2013	----	----	----	----	575 UNCH
1950	----	----	----	21.90B/25.80A	----	22.60 - 1.80	.1664	----	----	----	----	886 UNCH
2000	20.40	20.40	21.00/19.80A	21.00/19.80A	----	18.30 - 1.50	.1373	----	----	210	----	838 - 210
2050	----	----	----	13.20B/18.20A	----	14.80 - 1.30	.1131	----	----	----	----	250 UNCH
2100	----	----	----	10.00B/15.40A	----	12.10 - 1.10	.0937	----	----	----	----	81 UNCH
2150	----	----	----	7.60B/13.30A	----	9.90 - 1.00	.0777	----	----	----	----	461 UNCH
2200	----	----	----	5.60B/11.60A	----	8.20 - 0.80	.0649	----	----	----	----	214 UNCH
2300	----	----	----	3.00B/9.20A	----	5.80 - 0.60	.0464	----	----	----	----	108 UNCH
2350	----	----	----	2.10B/8.30A	----	5.00 - 0.50	.0399	----	----	----	----	693 UNCH
2360	----	----	----	1.90B/8.20A	----	4.90 - 0.40	.0390	----	----	----	----	100 UNCH
2400	----	----	----	1.40B/7.70A	----	4.30 - 0.50	.0343	----	----	----	----	57 UNCH
2500	----	----	----	0.30B/6.70A	----	3.30 - 0.30	.0262	----	----	----	----	439 UNCH
2600	----	----	----	----/6.00A	----	2.60 - 0.20	.0205	----	----	----	----	100 UNCH
2650	----	----	----	----/5.70A	----	2.20 - 0.30	.0174	----	----	----	----	100 UNCH
3000	----	----	----	----/4.40A	----	0.70 - 0.10	.0058	----	----	----	----	1 UNCH
TOTAL										221		4958 - 201
APR27												
1700	----	----	135.60B/131.20A	135.60B/131.20A	----	128.10 - 4.40	.5025	----	----	----	----	100 UNCH
1750	----	----	115.60B/113.20A	115.60B/113.20A	----	109.70 - 4.10	.4505	----	----	----	----	12 UNCH
1775	----	----	106.60B/105.30A	106.60B/105.30A	----	101.50 - 3.90	.4257	----	----	----	----	100 UNCH
1790	----	----	101.50B/----	101.50B/100.70A	----	96.90 - 3.70	.4113	----	----	----	----	12 UNCH
1800	----	----	98.40B/----	98.40B/97.70A	----	93.90 NEW	.4018	----	----	----	547	547 + 547
1900	----	----	75.00B/----	75.00B/73.00A	----	69.20 - 2.90	.3168	----	----	----	1229	639 - 600
2000	----	----	----	51.70B/56.30A	----	52.10 - 2.30	.2498	----	----	----	----	30 UNCH
2100	----	----	----	38.60B/44.70A	----	40.20 - 1.80	.1986	----	----	----	----	30 UNCH
2200	----	----	----	29.20B/36.30A	----	31.80 - 1.50	.1601	----	----	----	----	30 UNCH
2300	----	----	----	22.40B/29.90A	----	25.40 - 1.20	.1299	----	----	----	----	20 UNCH
2400	----	----	----	17.20B/24.80A	----	20.40 - 1.10	.1058	----	----	----	----	20 UNCH
2600	----	----	----	9.80B/17.90A	----	13.60 - 0.70	.0720	----	----	----	----	50 UNCH
2700	----	----	----	7.50B/15.60A	----	11.10 - 0.60	.0595	----	----	----	----	50 UNCH
TOTAL									1776			1640 - 53
JUL27												
1930	----	----	----	----	----	119.00 - 3.30	.3851	----	----	----	----	110 UNCH
TOTAL												110 0
JUL28												
1900	----	----	----	----	----	261.40 - 4.20	.5173	----	----	----	----	250 UNCH
TOTAL												250 0
PO PUT		PLATINUM OPTIONS										
NOV26												
1300	----	----	----	----/2.70A	----	0.10 UNCH	.0017	----	----	----	----	20 UNCH
1400	----	----	----	----/3.40A	----	0.30 - 0.10	.0062	----	----	----	----	40 UNCH
1475	----	----	----	----/5.10A	----	2.00 - 0.50	.0393	----	----	----	----	125 UNCH
1525	----	----	----	3.90B/7.40A	----	6.20 - 0.60	.1091	----	----	----	----	8 UNCH
1550	----	----	----/10.50A	8.10B/10.50A	----	10.30 - 0.40	.1676	----	----	----	----	1 UNCH
1575	----	----	----/14.00A	16.10B/14.00A	----	16.10 - 0.10	.2408	----	----	----	----	5 UNCH
1600	----	----	----/20.00A	22.60B/20.00A	----	23.90 + 0.20	.3266	----	----	----	----	221 UNCH
1625	----	----	34.00B/30.50A	34.00B/30.50A	----	34.10 + 0.60	.4213	----	----	----	----	26 UNCH
1650	----	----	48.00B/39.80A	48.00B/39.80A	----	46.70 + 1.20	.5185	----	----	----	----	92 UNCH
1675	----	----	63.30B/52.20A	63.30B/52.20A	----	61.70 + 1.80	.6117	----	----	----	----	85 UNCH
1700	----	----	80.80B/66.30A	80.80B/66.30A	----	79.10 + 2.90	.6954	----	----	----	----	300 UNCH
1725	----	----	101.40B/82.90A	101.40B/82.90A	----	98.50 + 4.20	.7645	----	----	----	----	87 UNCH
1750	----	----	122.50B/101.20A	122.50B/101.20A	----	119.50 + 5.40	.8195	----	----	----	----	123 UNCH
1775	----	----	145.00B/121.80A	145.00B/121.80A	----	141.60 + 6.10	.8610	----	----	----	----	79 UNCH
1800	----	----	168.20B/143.10A	168.20B/143.10A	----	164.40 + 6.30	.8942	----	----	----	----	23 UNCH
1825	----	----	191.80B/165.20A	191.80B/165.20A	----	187.80 + 6.40	.9193	----	----	----	----	15 UNCH
1850	----	----	215.90B/187.90A	215.90B/187.90A	----	211.70 + 6.60	.9373	----	----	----	----	100 UNCH
TOTAL												1350 0
DEC26												
1250	----	----	----	----/4.20A	----	0.80 UNCH	.0103	----	----	----	----	20 UNCH
1550	----	----	----/33.50A	32.60B/33.50A	----	34.90 + 1.10	.2831	----	----	----	----	5 UNCH
1600	----	----	----/49.30A	52.10B/49.30A	----	53.60 + 1.50	.3863	----	----	----	----	31 UNCH
1625	----	----	64.60B/59.40A	64.60B/59.40A	----	65.40 + 2.00	.4407	----	----	----	----	28 UNCH
1650	----	----	78.50B/71.00A	78.50B/71.00A	----	78.60 + 2.50	.4948	----	----	----	----	55 UNCH
1675	----	----	93.20B/83.70A	93.20B/83.70A	----	93.10 + 2.80	.5476	----	----	----	----	27 UNCH
1750	----	----	145.60B/129.60A	145.60B/129.60A	----	144.10 + 3.80	.6891	----	----	----	----	20 UNCH
TOTAL												186 0
JAN27												
1400	----	----	----	12.60B/18.00A	----	15.90 + 0.50	.1225	----	----	----	----	100 UNCH
1450	----	----	----	21.60B/26.00A	----	24.80 + 0.80	.1765	----	----	----	----	200 UNCH
1500	----	----	----	34.00B/37.00A	----	37.00 + 1.30	.2421	----	----	----	----	225 UNCH
1550	----	----	----	50.70B/51.50A	----	53.20 + 1.70	.3179	----	----	----	----	200 UNCH
1575	----	----	----/60.30A	60.90B/60.30A	----	63.00 + 1.90	.3586	----	----	----	----	20 UNCH
1600	----	----	72.20B/70.40A	72.20B/70.40A	----	73.90 + 1.90	.4003	----	----	----	----	10 UNCH
1650	----	----	98.60B/93.60A	98.60B/93.60A	----	99.10 + 2.00	.4846	----	----	----	----	45 UNCH
1700	----	----	129.40B/121.30A	129.40B/121.30A	----	129.00 + 2.40	.5657	----	----	----	----	71 UNCH
1750	----	----	164.20B/152.70A	164.20B/152.70A	----	163.10 + 3.10	.6393	----	----	----	----	120 UNCH
1800	----	----	202.50B/187.20A	202.50B/187.20A	----	200.90 + 3.90	.7026	----	----	----	----	5 UNCH
1900	----	----	286.70B/265.90A	286.70B/265.90A	----	284.50 + 5.40	.7984	----	----	----	----	100 UNCH
2000	----	----	377.30B/353.00A	377.30B/353.00A	----	374.40 + 6.20	.8625	----	----	----	----	200 UNCH
TOTAL												1296 0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
PO PUT		PLATINUM OPTIONS											
APR27													
1400	----	----	----	35.80B/42.50A	----	40.10 + 0.90	.1829	----	----	----	----	30	UNCH
1500	----	----	----	65.30B/69.70A	----	69.20 + 1.50	.2782	----	----	----	----	40	UNCH
1600	----	----	----	107.30B/108.80A	----	110.90 + 2.20	.3870	----	----	----	----	10	UNCH
1750	----	----	193.40B/189.20A	193.40B/189.20A	----	195.80 + 3.40	.5490	----	----	----	----	21	UNCH
1790	----	----	----	----	----	222.40 + 3.60	.5882	----	----	----	----	27	UNCH
TOTAL												128	0
JUL27													
1930	----	----	----	----	----	360.90 + 4.20	.6142	----	----	----	----	110	UNCH
TOTAL												110	0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000
PRELIMINARY

64
Side 67

OPTIONS EOO'S AND BLOCKS

PRODUCT		STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL		COMEX GOLD OPTIONS		
NOV26	CALL			
OG		4300	0	200
OG		5000	0	310
TOTALS			0	510
DEC26	CALL			
OG		4300	0	25
OG		4600	0	400
OG		4700	0	40
OG		5200	0	400
TOTALS			0	865
JAN27	CALL			
OG		4200	0	100
TOTALS			0	100
FEB27	CALL			
OG		4400	0	50
OG		4830	0	50
TOTALS			0	100
MAR27	CALL			
OG		4250	0	110
OG		4650	0	143
OG		4700	0	240
TOTALS			0	493
MAY27	CALL			
OG		4300	0	74
OG		5250	0	185
TOTALS			0	259
OG PUT		COMEX GOLD OPTIONS		
NOV26	PUT			
OG		4050	0	120
TOTALS			0	120
DEC26	PUT			
OG		3700	0	290
TOTALS			0	290
FEB27	PUT			
OG		3900	0	50
OG		4100	0	50
TOTALS			0	100
MAR27	PUT			
OG		3900	0	143
OG		4100	0	120
OG		4250	0	110
TOTALS			0	373
MAY27	PUT			
OG		3600	0	185
OG		4300	0	74
TOTALS			0	259
JUN27	PUT			
OG		3950	0	100
TOTALS			0	100
SO CALL		COMEX SILVER OPTIONS		
NOV26	CALL			
SO		6200	0	100
SO		6700	0	100
TOTALS			0	200
DEC26	CALL			
SO		7200	0	52
TOTALS			0	52
SO PUT		COMEX SILVER OPTIONS		
DEC26	PUT			
SO		5500	0	26
TOTALS			0	26
HX PUT		COMEX COPPER OPTIONS		
NOV26	PUT			
HX		640	0	50
TOTALS			0	50
PO CALL		PLATINUM OPTIONS		
APR27	CALL			
PO		1800	0	547
PO		1900	0	1229
TOTALS			0	1776
OG2 CALL		GOLD OPTIONS		
OCT26	CALL			
OG2		4200	0	20
TOTALS			0	20
OG3 CALL		GOLD OPTIONS		
OCT26	CALL			
OG3		4300	0	20
TOTALS			0	20
HRO OPT		U.S. MIDWEST DOMESTIC HOT-ROLLED CO		
DEC26	CALL			
HRO		135000	0	125
TOTALS			0	125
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK2		
OCT26	CALL			
G2M		4200	0	160
TOTALS			0	160
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week2		
OCT26	PUT			
G2T		4125	0	50
TOTALS			0	50
NOV26	PUT			
G2T		3900	0	200
G2T		4000	0	200
TOTALS			0	400
GWR THU		GOLD WEEKLY THURSDAY OPTION Week2		
OCT26	PUT			
G2R		4125	0	99
TOTALS			0	99
GWR THU		GOLD WEEKLY THURSDAY OPTION Week2		
OCT26	CALL			

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.



2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 68



G2R	4150	0	66
TOTALS		0	66

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.