

PG64

BULLETIN #191@

METALS OPTION PRODUCTS

Mon, Oct 05, 2026

PG64

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX ( OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN  
AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS,  
CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN  
THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU  
DAY’S SETTLEMENT PRICE.

| METAL FUTURES CONTRACTS LAST TRADE DATES |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
|------------------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| EXPIRATION:                              | SEP26 | OCT26 | OCT26 | OCT26 | NOV26 | DEC26 | JAN27 | FEB27 | MAR27 | APR27 | MAY27 | JUN27 | JUL27 | AUG27 |
| COO OPT                                  | 09/30 | 10/30 |       |       | 11/30 | 12/31 | 01/29 | 02/26 | 03/31 |       |       |       | 07/30 | 08/31 |
| ECG10 OP                                 |       |       | 10/02 | 10/05 |       |       |       |       |       |       |       |       |       |       |
| ECG11 OP                                 |       |       | 10/02 | 10/05 |       |       |       |       |       |       |       |       |       |       |
| ECG13 OP                                 |       |       | 10/02 | 10/05 |       |       |       |       |       |       |       |       |       |       |
| ECG15 OP                                 |       |       | 10/02 | 10/05 |       |       |       |       |       |       |       |       |       |       |
| ECG16 OP                                 |       |       | 10/02 | 10/05 |       |       |       |       |       |       |       |       |       |       |
| ECGC OOF                                 |       |       | 10/02 | 10/05 |       |       |       |       |       |       |       |       |       |       |
| ECHG OOF                                 |       |       | 10/02 | 10/05 |       |       |       |       |       |       |       |       |       |       |
| ECSI OOF                                 |       |       | 10/02 | 10/05 |       |       |       |       |       |       |       |       |       |       |
| EHO OPT                                  | 09/30 | 10/30 |       |       | 11/30 | 12/31 |       |       |       |       |       |       |       |       |
| FMG OPT                                  |       | 10/16 |       |       |       |       |       |       |       |       |       |       |       |       |
| GMW MON                                  |       | 10/26 |       |       |       |       |       |       |       |       |       |       |       |       |
| GWR THU                                  |       | 10/29 |       |       |       |       |       |       |       |       |       |       |       |       |
| GWT TUE                                  |       | 10/20 |       |       | 11/03 |       |       |       |       |       |       |       |       |       |
| GWW WED                                  |       | 10/28 |       |       |       |       |       |       |       |       |       |       |       |       |
| HMW MON                                  |       | 10/26 |       |       |       |       |       |       |       |       |       |       |       |       |
| HRO OPT                                  |       | 10/27 |       |       | 11/24 | 12/29 | 01/26 | 02/23 | 03/30 | 04/27 | 05/25 | 06/29 | 07/27 | 08/24 |
| HWR THU                                  |       | 10/22 |       |       |       |       |       |       |       |       |       |       |       |       |
| HWT TUE                                  |       | 10/20 |       |       | 11/03 |       |       |       |       |       |       |       |       |       |
| HWW WED                                  |       | 10/21 |       |       | 11/04 | 12/02 | 01/06 | 02/23 | 03/24 | 04/27 | 05/25 |       |       |       |
| HX CALL                                  |       |       |       |       | 10/27 | 11/24 | 12/28 | 01/26 | 02/23 | 03/24 | 04/27 | 05/25 |       |       |
| HX PUT                                   |       |       |       |       | 10/27 | 11/24 | 12/28 | 01/26 | 02/23 | 03/24 | 04/27 | 05/25 |       |       |
| HXE CALL                                 |       | 10/23 |       |       |       |       |       |       |       |       |       |       |       |       |
| HXE PUT                                  |       | 10/30 |       |       |       |       |       |       |       |       |       |       |       |       |
| LHO OPT                                  | 09/30 | 10/30 |       |       | 11/30 | 12/31 | 01/29 | 02/26 | 03/31 |       |       |       |       |       |
| MMG MON                                  |       | 10/05 |       |       |       |       |       |       |       |       |       |       |       |       |
| OG CALL                                  |       |       |       |       | 10/27 | 11/24 | 12/28 | 01/26 | 02/23 | 03/24 | 04/27 | 05/25 | 06/24 | 07/27 |
| OG PUT                                   |       |       |       |       | 10/27 | 11/24 | 12/28 | 01/26 | 02/23 | 03/24 | 04/27 | 05/25 | 06/24 | 07/27 |
| OG1 CALL                                 |       | 10/02 |       |       |       |       |       |       |       |       |       |       |       |       |
| OG1 PUT                                  |       | 10/02 |       |       |       |       |       |       |       |       |       |       |       |       |
| OG2 CALL                                 |       | 10/09 |       |       |       |       |       |       |       |       |       |       |       |       |
| OG2 PUT                                  |       | 10/09 |       |       |       |       |       |       |       |       |       |       |       |       |
| OG3 CALL                                 |       | 10/16 |       |       |       |       |       |       |       |       |       |       |       |       |
| OG3 PUT                                  |       | 10/16 |       |       |       |       |       |       |       |       |       |       |       |       |
| OG4 CALL                                 |       | 10/23 |       |       |       |       |       |       |       |       |       |       |       |       |
| OG4 PUT                                  |       | 10/23 |       |       |       |       |       |       |       |       |       |       |       |       |
| OG5 CALL                                 |       | 10/30 |       |       |       |       |       |       |       |       |       |       |       |       |
| OG5 PUT                                  |       | 10/30 |       |       |       |       |       |       |       |       |       |       |       |       |
| OMG OPT                                  |       |       |       |       | 10/27 | 11/24 | 12/28 |       |       |       |       | 05/19 |       |       |
| PAO CALL                                 |       |       |       |       | 10/21 | 11/18 |       |       | 02/17 |       |       |       |       |       |
| PAO PUT                                  |       |       |       |       | 10/21 | 11/18 |       |       | 02/17 |       |       |       |       |       |
| PAW OOF                                  |       | 10/09 |       |       |       |       |       |       |       |       |       |       |       |       |
| PLW OOF                                  |       | 10/16 |       |       |       |       |       |       |       |       |       |       |       |       |
| PO CALL                                  |       |       |       |       | 10/21 | 11/18 | 12/16 |       |       | 03/17 |       |       | 06/16 |       |
| PO PUT                                   |       |       |       |       | 10/21 | 11/18 | 12/16 |       |       | 03/17 |       |       | 06/16 |       |
| RWS THU                                  |       | 10/29 |       |       |       |       |       |       |       |       |       |       |       |       |
| SMW MON                                  |       | 10/26 |       |       |       |       |       |       |       |       |       |       |       |       |
| SO CALL                                  |       |       |       |       | 10/27 | 11/24 | 12/28 | 01/26 | 02/23 | 03/24 | 04/27 | 05/25 | 06/24 | 07/27 |
| SO PUT                                   |       |       |       |       | 10/27 | 11/24 | 12/28 | 01/26 | 02/23 | 03/24 | 04/27 | 05/25 | 06/24 |       |
| SO1 CALL                                 |       | 10/02 |       |       |       |       |       |       |       |       |       |       |       |       |
| SO1 PUT                                  |       | 10/02 |       |       |       |       |       |       |       |       |       |       |       |       |
| SO2 CALL                                 |       | 10/09 |       |       |       |       |       |       |       |       |       |       |       |       |
| SO2 PUT                                  |       | 10/09 |       |       |       |       |       |       |       |       |       |       |       |       |
| SO3 CALL                                 |       | 10/16 |       |       |       |       |       |       |       |       |       |       |       |       |
| SO3 PUT                                  |       | 10/16 |       |       |       |       |       |       |       |       |       |       |       |       |
| SO4 CALL                                 |       | 10/23 |       |       |       |       |       |       |       |       |       |       |       |       |
| SO4 PUT                                  |       | 10/23 |       |       |       |       |       |       |       |       |       |       |       |       |
| SO5 CALL                                 |       | 10/30 |       |       |       |       |       |       |       |       |       |       |       |       |
| SO5 PUT                                  |       | 10/30 |       |       |       |       |       |       |       |       |       |       |       |       |
| SWW WED                                  |       | 10/21 |       |       |       |       |       |       |       |       |       |       |       |       |
| TWS TUE                                  |       | 10/20 |       |       | 11/03 |       |       |       |       |       |       |       |       |       |
| WMG WED                                  |       | 10/07 |       |       |       |       |       |       |       |       |       |       |       |       |

GOLD OPTIONS ON FUTURES

| GLOBEX<br>OPEN                                   | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |
|--------------------------------------------------|---------------------------|--------------------|-------------------------|----------------------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|
| WMG WED OCT26 MICRO GOLD WEEKLY WED OPTION WEEK1 |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |
| 4100                                             | 5.00                      | 5.00/5.00          | 5.00/5.00               | ----                       | 6.60                     | NEW   | .1374         | ----                     | 1                 | ----          | 1 +              |
| 4150                                             | 14.50                     | 14.50/14.50        | 14.50/14.50             | ----                       | 20.90                    | NEW   | .4429         | ----                     | 1                 | ----          | 1 +              |
| TOTAL                                            |                           |                    |                         |                            |                          |       |               |                          | 2                 |               | 2 +              |
| OMG OPT NOV26 MICRO GOLD OPTIONS                 |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |
| 3650                                             | ----                      | ----               | ----                    | ----/15.00A                | 2.90 - 0.80              | ----  | ----          | ----                     | ----              | ----          | 2                |
| 3900                                             | ----                      | ----               | ----                    | ----/886.10A               | 12.40 - 2.30             | ----  | ----          | ----                     | ----              | ----          | 1                |
| 4000                                             | ----                      | ----               | ----                    | ----                       | 182.40 - 8.70            | ----  | ----          | ----                     | ----              | ----          | 2                |
| 4005                                             | ----                      | ----               | ----                    | ----/897.50A               | 25.90 - 3.20             | ----  | ----          | ----                     | ----              | ----          | 1                |
| 4025                                             | ----                      | ----               | ----                    | ----                       | 178.40 - 8.70            | ----  | ----          | ----                     | ----              | ----          | 1                |
| 4185                                             | ----                      | ----               | ----                    | ----/901.80A               | 31.30 - 3.30             | ----  | ----          | ----                     | ----              | ----          | 1                |
| 4300                                             | ----                      | ----               | ----                    | ----/1393.90A              | 94.10 - 2.30             | ----  | ----          | ----                     | ----              | ----          | 1                |
| 4300                                             | ----                      | ----               | ----                    | ----/904.70A               | 29.20 - 5.70             | ----  | ----          | ----                     | ----              | ----          | 1                |
| 4300                                             | ----                      | ----               | ----                    | ----                       | 172.10 - 0.20            | ----  | ----          | ----                     | ----              | ----          | 1                |
| 5810                                             | ----                      | ----               | ----                    | ----/859.40A               | 0.20 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 2                |
| 5850                                             | ----                      | ----               | ----                    | ----/860.00A               | 0.20                     | UNCH  | ----          | ----                     | ----              | ----          | 3                |
| 5900                                             | ----                      | ----               | ----                    | ----/859.70A               | 0.10 - 0.10              | UNCH  | ----          | ----                     | ----              | ----          | 5                |
| 6500                                             | ----                      | ----               | ----                    | ----/859.70A               | 0.10                     | UNCH  | ----          | ----                     | ----              | ----          | 4                |
| TOTAL                                            |                           |                    |                         |                            |                          |       |               |                          |                   |               | 25               |
| DEC26                                            |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |
| 3900                                             | ----                      | ----               | 33.00B/----             | ----                       | 40.80 - 2.80             | ----  | ----          | ----                     | ----              | ----          | 1                |
| 3990                                             | ----                      | ----               | ----                    | ----                       | 62.70 - 2.80             | ----  | ----          | ----                     | ----              | ----          | 2                |
| 4000                                             | ----                      | ----               | ----                    | ----                       | 65.70 - 2.80             | ----  | ----          | ----                     | ----              | ----          | 2                |
| 4500                                             | ----                      | ----               | ----                    | ----                       | 373.40 + 1.30            | ----  | ----          | ----                     | ----              | ----          | 3                |
| 4650                                             | ----                      | ----               | ----                    | ----                       | 16.90 - 2.70             | ----  | ----          | ----                     | ----              | ----          | 1                |
| 4700                                             | ----                      | ----               | ----                    | ----                       | 13.80 - 2.40             | ----  | ----          | ----                     | ----              | ----          | 10               |
| 4800                                             | ----                      | ----               | ----                    | ----                       | 9.60 - 1.80              | ----  | ----          | ----                     | ----              | ----          | 1                |
| TOTAL                                            |                           |                    |                         |                            |                          |       |               |                          |                   |               | 20               |
| JAN27                                            |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |
| 4010                                             | ----                      | ----               | ----                    | ----                       | 270.60 - 8.10            | ----  | ----          | ----                     | ----              | ----          | 1                |
| 4600                                             | ----                      | ----               | ----                    | ----                       | 454.30 + 1.70            | ----  | ----          | ----                     | ----              | ----          | 3                |
| TOTAL                                            |                           |                    |                         |                            |                          |       |               |                          |                   |               | 4                |
| OCT27                                            |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |
| 4410                                             | ----                      | ----               | ----                    | ----                       | 330.80 - 4.10            | ----  | ----          | ----                     | ----              | ----          | 1                |
| TOTAL                                            |                           |                    |                         |                            |                          |       |               |                          |                   |               | 1                |
| FEB28                                            |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |
| 4600                                             | ----                      | ----               | ----                    | ----                       | 365.80 - 3.70            | ----  | ----          | ----                     | ----              | ----          | 1                |
| TOTAL                                            |                           |                    |                         |                            |                          |       |               |                          |                   |               | 1                |



| BULLETIN #191@ |                |              |                | METALS OPTION PRODUCTS |                  |                |       |                          |       |               | Mon, Oct 05, 2026 PG64  |                   |               |                  |   |      |
|----------------|----------------|--------------|----------------|------------------------|------------------|----------------|-------|--------------------------|-------|---------------|-------------------------|-------------------|---------------|------------------|---|------|
|                | GLOBAL<br>OPEN | OPEN<br>OPEN | UTCRY<br>RANGE | GLOBAL<br>HIGH/LOW     | OPEN<br>HIGH/LOW | UTCRY<br>CLOSE | RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>UTCRY<br>VOLUME | GLOBAL®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |   |      |
| OG5 PUT        |                |              |                |                        |                  |                |       |                          |       |               |                         |                   |               |                  |   |      |
| OCT26          |                |              |                |                        |                  |                |       |                          |       |               |                         |                   |               |                  |   |      |
| 3500           | ----           | ----         | ----           | ----                   | 2.10B/2.80A      |                | ----  | 2.30                     | NEW   | .0161         | ----                    | 1                 | ----          | 1                | + | 1    |
| 3850           | 11.80          | 11.80        | 11.80          | 11.80/11.60A           | 13.70B/11.60A    |                | ----  | 12.90                    | NEW   | .0982         | ----                    | 1                 | ----          | 1                | + | 1    |
| 3900           | ----           | ----         | ----           | ----                   | 18.80B/16.00A    |                | ----  | 17.60                    | NEW   | .1317         | ----                    | 5                 | ----          | 5                | + | 5    |
| 3950           | 22.00          | 22.00        | 22.00          | 22.00/22.00            | 26.10B/22.00     |                | ----  | 24.30                    | NEW   | .1765         | ----                    | 1                 | ----          | 1                | + | 1    |
| 4000           | ----           | ----         | ----           | ----                   | 36.20B/30.00A    |                | ----  | 33.90                    | NEW   | .2347         | ----                    | 2                 | ----          | 2                | + | 2    |
| 4025           | 34.00          | 34.00        | 34.00          | 37.70/34.00            | 42.20B/34.00     |                | ----  | 40.00                    | NEW   | .2688         | ----                    | 11                | ----          | 9                | + | 9    |
| 4050           | ----           | ----         | ----           | ----                   | 50.80B/41.00A    |                | ----  | 47.10                    | NEW   | .3061         | ----                    | 1                 | ----          | 1                | + | 1    |
| 4100           | ----           | ----         | ----           | ----                   | 66.90B/55.60A    |                | ----  | 64.50                    | NEW   | .3882         | ----                    | 1                 | ----          | 1                | + | 1    |
| 4175           | ----           | ----         | ----           | ----                   | 101.70B/85.40A   |                | ----  | 99.40                    | NEW   | .5218         | ----                    | 1                 | ----          | 1                | + | 1    |
| TOTAL          |                |              |                |                        |                  |                |       |                          |       |               |                         | 24                |               | 22               | + | 22   |
| OG5 CALL       |                |              |                |                        |                  |                |       |                          |       |               |                         |                   |               |                  |   |      |
| OCT26          |                |              |                |                        |                  |                |       |                          |       |               |                         |                   |               |                  |   |      |
| 4100           | ----           | ----         | ----           | ----                   | 145.30B/122.00A  |                | ----  | 121.20                   | NEW   | .6111         | ----                    | 1                 | ----          | 1                | + | 1    |
| 4375           | 25.00          | 25.00        | 25.00          | 25.00/25.00            | 33.50B/23.80A    |                | ----  | 23.20                    | NEW   | .1820         | ----                    | 5                 | ----          | 5                | + | 5    |
| 4500           | ----           | ----         | ----           | ----                   | 15.30B/10.90A    |                | ----  | 10.70                    | NEW   | .0904         | ----                    | 3                 | ----          | 3                | + | 3    |
| 4525           | 10.10          | 10.10        | 10.10          | 10.10/9.40A            | 13.00B/9.40A     |                | ----  | 9.20                     | NEW   | .0785         | ----                    | 1                 | ----          | 1                | + | 1    |
| TOTAL          |                |              |                |                        |                  |                |       |                          |       |               |                         | 10                |               | 10               | + | 10   |
| OG4 PUT        |                |              |                |                        |                  |                |       |                          |       |               |                         |                   |               |                  |   |      |
| OCT26          |                |              |                |                        |                  |                |       |                          |       |               |                         |                   |               |                  |   |      |
| 3500           | ----           | ----         | ----           | ----                   | 1.00B/1.10A      |                | ----  | 1.00 - 0.30              | .0079 | ----          | ----                    | 1                 | ----          | 2                | + | 1    |
| 3700           | ----           | ----         | ----           | ----                   | 3.20B/2.70A      |                | ----  | 2.80 - 0.90              | .0247 | ----          | ----                    | ----              | ----          | 5                |   | UNCH |
| 3800           | ----           | ----         | ----           | ----                   | 5.50B/4.50A      |                | ----  | 5.10 - 1.30              | .0468 | ----          | ----                    | ----              | ----          | 1                |   | UNCH |
| 3825           | ----           | ----         | ----           | ----                   | 6.60B/5.20A      |                | ----  | 6.00 - 1.50              | .0554 | ----          | ----                    | ----              | ----          | 1                |   | UNCH |
| 3875           | ----           | ----         | ----           | ----                   | 9.70B/7.30A      |                | ----  | 8.40 - 1.90              | .0780 | ----          | ----                    | ----              | ----          | 11               |   | UNCH |
| 3900           | ----           | ----         | ----           | ----                   | 11.60B/8.80A     |                | ----  | 10.10 - 2.10             | .0935 | ----          | ----                    | 1                 | ----          | 3                | + | 1    |
| 3925           | ----           | ----         | ----           | ----                   | 14.10B/10.60A    |                | ----  | 12.10 - 2.50             | .1116 | ----          | ----                    | ----              | ----          | 21               |   | UNCH |
| 3950           | ----           | ----         | ----           | ----                   | 17.20B/12.90A    |                | ----  | 14.80 - 2.60             | .1345 | ----          | ----                    | ----              | ----          | 5                |   | UNCH |
| 3975           | ----           | ----         | ----           | ----                   | 20.70B/15.60A    |                | ----  | 18.00 - 2.90             | .1611 | ----          | ----                    | ----              | ----          | 2                |   | UNCH |
| 4000           | 22.50          | 22.50        | 22.50          | 22.50/18.90A           | 24.80B/18.90A    |                | ----  | 22.10 - 2.90             | .1930 | ----          | ----                    | 10                | ----          | 14               | + | 10   |
| 4025           | ----           | ----         | ----           | 30.20B/22.60A          | 30.20B/22.60A    |                | ----  | 27.00 - 3.00             | .2294 | ----          | ----                    | ----              | ----          | 1                |   | UNCH |
| 4125           | ----           | ----         | ----           | 62.90B/47.60A          | 62.90B/47.60A    |                | ----  | 58.60 - 2.70             | .4208 | ----          | ----                    | ----              | ----          | 1                |   | UNCH |
| 4150           | 69.50          | 69.50        | 69.50          | 74.30B/56.50A          | 74.30B/56.50A    |                | ----  | 69.90 - NEW              | .4760 | ----          | ----                    | 6                 | ----          | 6                | + | 6    |
| 4175           | 80.80          | 80.80        | 80.80          | 87.10B/67.20A          | 87.10B/67.20A    |                | ----  | 82.70 - 2.30             | .5318 | ----          | ----                    | 1                 | ----          | 48               |   | UNCH |
| 4200           | ----           | ----         | ----           | 101.00B/78.90A         | 101.00B/78.90A   |                | ----  | 96.90 - 1.90             | .5867 | ----          | ----                    | ----              | ----          | 26               |   | UNCH |
| TOTAL          |                |              |                |                        |                  |                |       |                          |       |               |                         | 19                |               | 147              | + | 18   |
| OG4 CALL       |                |              |                |                        |                  |                |       |                          |       |               |                         |                   |               |                  |   |      |
| OCT26          |                |              |                |                        |                  |                |       |                          |       |               |                         |                   |               |                  |   |      |
| 4175           | ----           | ----         | ----           | 88.80B/63.70A          | 88.80B/63.70A    |                | ----  | 64.50 - 7.80             | .4677 | ----          | ----                    | ----              | ----          | 28               |   | UNCH |
| 4200           | ----           | ----         | ----           | 75.90B/53.30A          | 75.90B/53.30A    |                | ----  | 53.80 - 7.40             | .4128 | ----          | ----                    | ----              | ----          | 25               |   | UNCH |
| 4350           | ----           | ----         | ----           | 25.50B/16.30A          | 25.50B/16.30A    |                | ----  | 16.10 - 4.20             | .1573 | ----          | ----                    | ----              | ----          | 1                |   | UNCH |
| 4375           | 20.00          | 20.00        | 20.00          | 20.80B/13.20A          | 20.80B/13.20A    |                | ----  | 13.10 - 3.70             | .1310 | ----          | ----                    | 5                 | ----          | 10               | + | 5    |
| 4400           | 16.80          | 16.80        | 16.80          | 17.10B/10.80A          | 17.10B/10.80A    |                | ----  | 10.70 - 3.30             | .1089 | ----          | ----                    | 10                | ----          | 13               | + | 10   |
| 4450           | ----           | ----         | ----           | 11.40B/7.40A           | 11.40B/7.40A     |                | ----  | 7.20 - 2.50              | .0752 | ----          | ----                    | ----              | ----          | 2                |   | UNCH |
| 4500           | 8.00           | 8.00         | 8.00           | 8.00/5.10A             | 8.00/5.10A       |                | ----  | 5.00 - 1.90              | .0527 | ----          | ----                    | 401               | ----          | 280              | - | 151  |
| 4550           | ----           | ----         | ----           | 5.20B/3.80A            | 5.20B/3.80A      |                | ----  | 3.50 - 1.50              | .0370 | ----          | ----                    | ----              | ----          | 1                |   | UNCH |
| 4575           | 3.40           | 3.40         | 3.40           | 4.40B/3.20A            | 4.40B/3.20A      |                | ----  | 3.00 - 1.30              | .0316 | ----          | ----                    | 27                | ----          | 27               | + | 26   |
| 4600           | ----           | ----         | ----           | 3.80B/2.80A            | 3.80B/2.80A      |                | ----  | 2.60 - NEW               | .0272 | ----          | ----                    | 25                | ----          | 25               | + | 25   |
| 4650           | ----           | ----         | ----           | ----/2.20A             | 2.80B/2.20A      |                | ----  | 2.00 - 0.80              | .0205 | ----          | ----                    | ----              | ----          | 1                |   | UNCH |
| 4675           | 1.80           | 1.80         | 1.80           | 1.80/1.80              | 2.50B/1.80       |                | ----  | 1.80 - 0.70              | .0182 | ----          | ----                    | 25                | ----          | 29               | + | 25   |
| 4700           | ----           | ----         | ----           | ----/1.80A             | 2.10B/1.80A      |                | ----  | 1.60 - 0.60              | .0160 | ----          | ----                    | ----              | ----          | 1                |   | UNCH |
| 4800           | ----           | ----         | ----           | ----/1.30A             | 1.30B/1.30A      |                | ----  | 1.10 - 0.40              | .0104 | ----          | ----                    | ----              | ----          | 140              |   | UNCH |
| 5000           | ----           | ----         | ----           | ----                   | 0.50B/0.80A      |                | ----  | 0.50 - 0.20              | .0043 | ----          | ----                    | 493               | ----          | 70               |   | UNCH |
| TOTAL          |                |              |                |                        |                  |                |       |                          |       |               |                         | 493               |               | 653              | - | 60   |
| OG3 PUT        |                |              |                |                        |                  |                |       |                          |       |               |                         |                   |               |                  |   |      |
| OCT26          |                |              |                |                        |                  |                |       |                          |       |               |                         |                   |               |                  |   |      |
| 3500           | ----           | ----         | ----           | ----/0.50A             | 0.50B/0.50A      |                | ----  | 0.50 - 0.20              | .0039 | ----          | ----                    | ----              | ----          | 5                |   | UNCH |
| 3600           | ----           | ----         | ----           | ----/0.70A             | 0.90B/0.70A      |                | ----  | 0.80 - 0.30              | .0068 | ----          | ----                    | ----              | ----          | 5                |   | UNCH |
| 3700           | 1.20           | 1.20         | 1.20           | 1.20/1.10A             | 1.60B/1.10A      |                | ----  | 1.30 - 0.50              | .0123 | ----          | ----                    | 2                 | ----          | 5                | + | 2    |
| 3750           | 1.50           | 1.50         | 1.50           | 1.60/1.40A             | 2.20B/1.40A      |                | ----  | 1.60 - 0.80              | .0162 | ----          | ----                    | 21                | ----          | 25               | + | 21   |
| 3775           | ----           | ----         | ----           | ----/1.60A             | 2.60B/1.60A      |                | ----  | 1.90 - 0.90              | .0197 | ----          | ----                    | ----              | ----          | 1                |   | UNCH |
| 3800           | ----           | ----         | ----           | ----/1.90A             | 3.00B/1.90A      |                | ----  | 2.20 - 1.00              | .0234 | ----          | ----                    | ----              | ----          | 19               |   | UNCH |
| 3850           | ----           | ----         | ----           | ----/2.60A             | 4.40B/2.60A      |                | ----  | 3.20 - 1.30              | .0353 | ----          | ----                    | 1                 | ----          | 5                | + | 1    |
| 3875           | ----           | ----         | ----           | ----/3.20A             | 5.30B/3.20A      |                | ----  | 3.90 - 1.50              | .0437 | ----          | ----                    | ----              | ----          | 3                |   | UNCH |
| 3900           | 4.50           | 4.50         | 4.50           | 5.00/3.90A             | 6.50B/3.90A      |                | ----  | 4.80 - NEW               | .0545 | ----          | ----                    | 7                 | ----          | 27               | + | 3    |
| 3925           | 7.60           | 7.60         | 7.60           | 8.00B/4.80A            | 8.00B/4.80A      |                | ----  | 6.00 - 1.80              | .0686 | ----          | ----                    | 12                | ----          | 12               | + | 12   |
| 3950           | 9.90           | 9.90         | 9.90           | 10.50/6.10A            | 10.50/6.10A      |                | ----  | 7.60 - 2.40              | .0869 | ----          | ----                    | 33                | ----          | 53               | + | 27   |
| 3975           | 10.00          | 10.00        | 10.00          | 12.60B/7.90A           | 12.60B/7.90A     |                | ----  | 9.80 - 2.60              | .1111 | ----          | ----                    | 8                 | ----          | 37               | + | 2    |
| 4000           | 14.20          | 14.20        | 14.20          | 16.00B/10.20A          | 16.00B/10.20A    |                | ----  | 12.50 - 3.00             | .1403 | ----          | ----                    | 112               | ----          | 171              | + | 61   |
| 4025           | 16.10          | 16.10        | 16.10          | 20.10B/13.30A          | 20.10B/13.30A    |                | ----  | 16.20 - 3.20             | .1778 | ----          | ----                    | 6                 | ----          | 75               |   | UNCH |
| 4050           | 20.50          | 20.50        | 20.50          | 25.40B/16.90A          | 25.40B/16.90A    |                | ----  | 21.00 - 3.40             | .2232 | ----          | ----                    | 158               | ----          | 188              | + | 152  |
| 4075           | ----           | ----         | ----           | 31.80B/21.30A          | 31.80B/21.30A    |                | ----  | 27.00 - 3.60             | .2762 | ----          | ----                    | ----              | ----          | 22               |   | UNCH |
| 4100           | 27.30          | 27.30        | 27.30          | 39.70B/26.80A          | 39.70B/26.80A    |                | ----  | 34.60 - 3.60             | .3370 | ----          | ----                    | 3                 | ----          | 173              |   | UNCH |
| 4125           | ----           | ----         | ----           | 49.40B/33.50A          | 49.40B/33.50A    |                | ----  | 43.70 - 3.60             | .4033 | ----          | ----                    | ----              | ----          | 16               |   | UNCH |
| 4150           | ----           | ----         | ----           | 60.70B/41.80A          | 60.70B/41.80A    |                | ----  | 54.50 - 3.50             | .4736 | ----          | ----                    | ----              | ----          | 15               |   | UNCH |
| 4175           | ----           | ----         | ----           | 73.60B/51.70A          | 73.60B/51.70A    |                | ----  | 67.30 - 3.10             | .5455 | ----          | ----                    | ----              | ----          | 21               |   | UNCH |
| 4200           | 77.00          | 77.00        | 77.00          | 88.40B/63.30A          | 88.40B/63.30A    |                | ----  | 82.00 - 2.60             | .6154 | ----          | ----                    | 89                | ----          | 150              | + | 83   |
| 4225           | ----           | ----         | ----           | 105.00B/76.80A         | 105.00B/76.80A   |                | ----  | 98.50 - 1.90             | .6810 | ----          | ----                    | ----              | ----          | 55               |   | UNCH |
| 4250           | ----           | ----         | ----           | 123.10B/92.00A         | 123.10B/92.00A   |                | ----  | 116.60 - 1.10            | .7402 | ----          | ----                    | ----              | ----          | 2                |   | UNCH |
| 4275           | ----           | ----         | ----           | 142.30B/108.80A        | 142.30B/108.80A  |                | ----  | 136.20 - 0.30            | .7914 | ----          | ----                    | ----              | ----          | 5                |   | UNCH |
| 4300           | ----           | ----         | ----           | 163.00B/127.10A        | 163.00B/127.10A  |                | ----  | 156.90 + 0.40            | .8344 | ----          | ----                    | ----              | ----          | 5                |   | UNCH |
| 4350           | ----           | ----         | ----           | 206.90B/167.50A        | 206.90B/167.50A  |                | ----  | 201.20 + 1.90            | .8978 | ----          | ----                    | ----              | ----          | 36               |   | UNCH |
| 4400           | ----           | ----         | ----           | 253.60B/211.40A        | 253.60B/211.40A  |                | ----  | 248.00 + 3.10            | .9359 | ----          | ----                    | ----              | ----          | 3                |   | UNCH |
| 4500           | ----           | ----         | ----           | 346.40B/308.40A        | 346.40B/308.40A  |                | ----  | 345.10 + 4.40            | .9731 | ----          | ----                    | ----              | ----          | 3                |   | UNCH |
| 4600           | ----           | ----         | ----           | 445.20B/406.20A        | 445.20B/406.20A  |                | ----  | 444.10 + 5.00            | .9865 | ----          | ----                    | ----              | ----          | 2                |   | UNCH |
| 4625           | ----           | ----         | ----           | 470.20B/431.10A        | 470.20B/431.10A  |                | ----  | 469.00 + 5.10            | .9879 | ----          | ----                    | ----              | ----          | 1                |   | UNCH |
| 4725           | ----           | ----         | ----           | 569.70B/530.40A        | 569.70B/530.40A  |                | ----  | 568.60 + 5.30            | .9930 | ----          | ----                    | ----              | ----          | 1                |   | UNCH |
| 4900           | 739.30         | 739.30       | 739.30         | 744.40B/704.90A        | 744.40B/704.90A  |                | ----  | 743.30                   | NEW   | .9960         | 1                       | 1                 | ----          | 0                |   | UNCH |
| TOTAL          |                |              |                |                        |                  |                |       |                          |       |               |                         | 453               |               | 1171             | + | 364  |
| OG3 CALL       |                |              |                |                        |                  |                |       |                          |       |               |                         |                   |               |                  |   |      |
| OCT26          |                |              |                |                        |                  |                |       |                          |       |               |                         |                   |               |                  |   |      |
| 3500           | ----           | ----         | ----           | 695.60B/655.90A        | 695.60B/655.90A  |                | ----  | 656.90 - 5.70            | .9962 | ----          | ----                    | ----              | ----          | 2                |   | UNCH |
| 4100           | ----           | ----         | ----           | 124.30B/89.20A         | 124.30B/89.20A   |                | ----  | 91.30 - 9.10             | .6627 | ----          | ----                    | ----              | ----          | 2                |   | UNCH |
| 4150           | ----           | ----         | ----           | 89.40B/60.20A          | 89.40B/60.20A    |                | ----  | 61.30 - 9.00             | .5260 | ----          | ----                    | ----              | ----          | 0                |   | UNCH |
| 4175           | 62.00          | 62.00        | 62.00          | 74.30B/48.40A          | 74.30B/48.40A    |                | ----  | 49.10 - 8.60             | .4542 | ----          | 11                      | ----              | ----          | 37               | + | 4    |
| 4200           | 51.70          | 51.70        | 51.70          | 61.00B/38.40A          | 61.00B/38.40A    |                | ----  | 38.90 - 8.00             | .3843 | ----          | 224                     | ----              | ----          | 233              | + | 163  |
| 4225           | 36.00          | 36.00        | 36.00          | 49.50B/30.10A          | 49.50B/30.10A    |                | ----  | 30.40 - 7.30             | .3187 | ----          | 39                      | ----              | ----          | 53               | + | 34   |
| 4250           | 35.40          | 35.40        | 35.40          | 39.60B/23.40A          | 39.60B/23.40A    |                | ----  | 23.50 - 6.60             | .2594 | ----          | 10                      | ----              | ----          | 90               | + | 10   |
| 4275           | ----           | ----         | ----           | 31.60B/18.10A          | 31.60B/18.10A    |                | ----  | 18.10 - 5.80             | .2083 | ----          | 37                      | ----              | ----          | 54               | + | 37   |
| 4300           | 22.00          | 22.00        | 22.00          | 24.90B/13.90A          | 24.90B/13.90A    |                | ----  | 13.90 - 5.00             | .1653 | ----          | 9                       | ----              | ----          | 78               | + | 9    |
| 4325           | 11.50          | 11.50        | 11.50          | 19.50B/10.70A          | 19.50B/10.70A    |                | ----  | 10.70 - 4.30             | .1303 | ----          | 7                       | ----              | ----          | 41               | + | 5    |
| 4350           | ----           | ----         | ----           | 15.20B/8.30A           | 15.20B/8.30A     |                | ----  | 8.20 - 3.60              | .1019 | ----          | 3                       | ----              | ----          | 64               | + | 3    |
| 4375           | 10.30          | 10.30        | 10.30          | 11.90B/6.50A           | 11.90B/6.50A     |                | ----  | 6.40 - 3.00              | .0802 | ----          | 28                      |                   |               |                  |   |      |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.  
© Copyright CME Group Inc. All rights reserved.





| BULLETIN #191@ |  |                    |                 | METALS OPTION PRODUCTS |                    |                    |               |                 |                          |        |               |                          |                   | Mon, Oct 05, 2026 |                  |      |      | PG64 |  |
|----------------|--|--------------------|-----------------|------------------------|--------------------|--------------------|---------------|-----------------|--------------------------|--------|---------------|--------------------------|-------------------|-------------------|------------------|------|------|------|--|
| GLOBEX<br>OPEN |  | OPEN<br>OPEN       | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>HIGH/LOW   | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA  | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME     | OPEN<br>INTEREST |      |      |      |  |
| OG1 CALL       |  | GOLD OPTIONS       |                 |                        |                    |                    |               |                 |                          |        |               |                          |                   |                   |                  |      |      |      |  |
| OCT26          |  |                    |                 |                        |                    |                    |               |                 |                          |        |               |                          |                   |                   |                  |      |      |      |  |
| 4175           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4180           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4185           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4190           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4195           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4200           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4205           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4210           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4215           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4220           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4225           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4230           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4235           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4240           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4245           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4250           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4255           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4260           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4265           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4270           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4275           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4280           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4285           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4290           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4295           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4300           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4305           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4310           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4315           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4320           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4325           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4330           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4335           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4340           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4350           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4355           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4360           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4365           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4370           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4375           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4380           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4385           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4390           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4395           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4400           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4425           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4450           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4510           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4550           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| 4625           |  | ----               | ----            | ----                   | ----               | ----               | ----          | ----            | 0.00                     | UNCH   | ----          | ----                     | ----              | ----              | ----             | 0    | UNCH |      |  |
| TOTAL          |  |                    |                 |                        |                    |                    |               |                 | 0.00                     | UNCH   |               |                          |                   |                   |                  | 0    | UNCH |      |  |
|                |  | GLOBEX<br>OPEN     | OPEN<br>OPEN    | OUTCRY<br>RANGE        | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW   | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA  | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME     | OPEN<br>INTEREST |      |      |      |  |
| OG PUT         |  | COMEX GOLD OPTIONS |                 |                        |                    |                    |               |                 |                          |        |               |                          |                   |                   |                  |      |      |      |  |
| NOV26          |  |                    |                 |                        |                    |                    |               |                 |                          |        |               |                          |                   |                   |                  |      |      |      |  |
| 1000           |  | ----               | ----            | ----                   | ----               | ---/0.10A          | ----          | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----              | 1750             | UNCH |      |      |  |
| 1500           |  | ----               | ----            | ----                   | ----               | ---/0.10A          | ----          | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----              | 200              | UNCH |      |      |  |
| 2000           |  | ----               | ----            | ----                   | ----               | ---/0.10A          | ----          | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----              | 38               | UNCH |      |      |  |
| 2100           |  | ----               | ----            | ----                   | ----               | ---/0.10A          | ----          | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----              | 132              | UNCH |      |      |  |
| 2200           |  | ----               | ----            | ----                   | ----               | ---/0.10A          | ----          | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----              | 28               | UNCH |      |      |  |
| 2300           |  | ----               | ----            | ----                   | ----               | ---/0.10A          | ----          | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----              | 3                | UNCH |      |      |  |
| 2400           |  | ----               | ----            | ----                   | ----               | ---/0.10A          | ----          | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----              | 13               | UNCH |      |      |  |
| 2500           |  | ----               | ----            | ----                   | ----               | ---/0.10A          | ----          | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----              | 12               | UNCH |      |      |  |
| 2600           |  | ----               | ----            | ----                   | ----               | ---/0.10A          | ----          | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----              | 11               | UNCH |      |      |  |
| 2625           |  | ----               | ----            | ----                   | ----               | ---/0.20A          | ----          | ----            | 0.10                     | UNCH   | .0000         | ----                     | ----              | ----              | 8                | UNCH |      |      |  |
| 2650           |  | ----               | ----            | ----                   | ----               | ---/0.20A          | ----          | ----            | 0.10                     | UNCH   | .0000         | ----                     | ----              | ----              | 60               | UNCH |      |      |  |
| 2675           |  | ----               | ----            | ----                   | ----               | ---/0.20A          | ----          | ----            | 0.10                     | UNCH   | .0000         | ----                     | ----              | ----              | 8                | UNCH |      |      |  |
| 2700           |  | ----               | ----            | ----                   | ----               | ---/0.10A          | ----          | ----            | 0.10                     | UNCH   | .0000         | ----                     | ----              | ----              | 154              | UNCH |      |      |  |
| 2725           |  | ----               | ----            | ----                   | ----               | ---/0.20A          | ----          | ----            | 0.10                     | UNCH   | .0000         | ----                     | ----              | ----              | 2                | UNCH |      |      |  |
| 2750           |  | ----               | ----            | ----                   | ----               | ---/0.10A          | ----          | ----            | 0.10                     | UNCH   | .0000         | ----                     | ----              | ----              | 27               | UNCH |      |      |  |
| 2775           |  | ----               | ----            | ----                   | ----               | ---/0.20A          | ----          | ----            | 0.10                     | UNCH   | .0000         | ----                     | ----              | ----              | 1                | UNCH |      |      |  |
| 2800           |  | ----               | ----            | ----                   | ----               | ---/0.10A          | ----          | ----            | 0.10                     | UNCH   | .0000         | ----                     | ----              | ----              | 91               | UNCH |      |      |  |
| 2820           |  | ----               | ----            | ----                   | ----               | ---/0.10A          | ----          | ----            | 0.10                     | UNCH   | .0001         | ----                     | ----              | ----              | 20               | UNCH |      |      |  |
| 2825           |  | ----               | ----            | ----                   | ----               | ---/0.10A          | ----          | ----            | 0.10                     | UNCH   | .0001         | ----                     | ----              | ----              | 33               | UNCH |      |      |  |
| 2840           |  | ----               | ----            | ----                   | ----               | ---/0.20A          | ----          | ----            | 0.10                     | UNCH   | .0001         | ----                     | ----              | ----              | 1                | UNCH |      |      |  |
| 2850           |  | ----               | ----            | ----                   | ----               | ---/0.20A          | ----          | ----            | 0.10                     | UNCH   | .0001         | ----                     | ----              | ----              | 40               | UNCH |      |      |  |
| 2860           |  | ----               | ----            | ----                   | ----               | ---/0.20A          | ----          | ----            | 0.10                     | UNCH   | .0001         | ----                     | ----              | ----              | 1                | UNCH |      |      |  |
| 2870           |  | ----               | ----            | ----                   | ----               | ---/0.20A          | ----          | ----            | 0.10                     | UNCH   | .0002         | ----                     | ----              | ----              | 7                | UNCH |      |      |  |
| 2890           |  | ----               | ----            | ----                   | ----               | ---/0.20A          | ----          | ----            | 0.10                     | UNCH   | .0002         | ----                     | ----              | ----              | 1                | UNCH |      |      |  |
| 2895           |  | ----               | ----            | ----                   | ----               | ---/0.10A          | ----          | ----            | 0.10                     | - 0.10 | .0002         | ----                     | ----              | ----              | 29               | UNCH |      |      |  |
| 2900           |  | ----               | ----            | ----                   | ----               | ---/0.20A          | ----          | ----            | 0.10                     | - 0.10 | .0003         | ----                     | ----              | ----              | 76               | UNCH |      |      |  |
| 2910           |  | ----               | ----            | ----                   | ----               | ---/0.20A          | ----          | ----            | 0.10                     | - 0.10 | .0003         | ----                     | ----              | ----              | 1                | UNCH |      |      |  |
| 2925           |  | ----               | ----            | ----                   | ----               | ---/0.10A          | ----          | ----            | 0.10                     | - 0.10 | .0004         | ----                     | ----              | ----              | 11               | UNCH |      |      |  |
| 2935           |  | ----               | ----            | ----                   | ----               | ---/0.20A          | ----          | ----            | 0.10                     | - 0.10 | .0004         | ----                     | ----              | ----              | 1                | UNCH |      |      |  |
| 2940           |  | ----               | ----            | ----                   | ----               | ---/0.20A          | ----          | ----            | 0.10                     | - 0.10 | .0004         | ----                     | ----              | ----              | 2                | UNCH |      |      |  |
| 2945           |  | ----               | ----            | ----                   | ----               | ---/0.20A          | ----          | ----            | 0.10                     | - 0.10 | .0005         | ----                     | ----              | ----              | 21               | UNCH |      |      |  |
| 2950           |  | ----               | ----            | ----                   | ----               | ---/0.20A          | ----          | ----            | 0.10                     | - 0.10 | .0005         | ----                     | ----              | ----              | 10               | UNCH |      |      |  |
| 2965           |  | ----               | ----            | ----                   | ----               | ---/0.20A          | ----          | ----            | 0.20                     | UNCH   | .0011         | ----                     | ----              | ----              | 140              | UNCH |      |      |  |
| 2975           |  | ----               | ----            | ----                   | ----               | ---/0.20A          | ----          | ----            | 0.20                     | UNCH   | .0011         | ----                     | ----              | ----              | 20               | UNCH |      |      |  |
| 2995           |  | ----               | ----            | ----                   | ----               | ---/0.20A          | ----          | ----            | 0.20                     | - 0.10 | .0011         | ----                     | ----              | ----              | 30               | UNCH |      |      |  |
| 3000           |  | ----               | ----            | ----                   | ----               | 0.10B/0.20A        | ----          | ----            | 0.20                     | - 0.10 | .0011         | ----                     | 1                 | ----              | 325              | UNCH |      |      |  |
| 3005           |  | ----               | ----            | ----                   | ----               | ---/0.20A          | ----          | ----            | 0.20                     | - 0.10 | .0011         | ----                     | ----              | ----              | 1                | UNCH |      |      |  |
| 3015           |  | ----               | ----            | ----                   | ----               | ---/0.20A          | ----          | ----            | 0.20                     | - 0.10 | .0012         | ----                     | ----              | ----              | 2                | UNCH |      |      |  |
| 3020           |  | ----               | ----            | ----                   | ----               | ---/0.20A          | ----          | ----            | 0.20                     | - 0.10 | .0012         | ----                     | ----              | ----              | 506              | UNCH |      |      |  |
| 3025           |  | ----               | ----            | ----                   | ----               | ---/0.20A          | ----          | ----            | 0.20                     | - 0.10 | .0012         | ----                     | ----              | ----              | 35               | UNCH |      |      |  |
| 3030           |  | ----               | ----            | ----                   | ----               | 0.10B/0.20A        | ----          | ----            | 0.20                     | - 0.10 | .0012         | ----                     | ----              | ----              | 2                | UNCH |      |      |  |
| 3040           |  | ----               | ----            | ----                   | ----               | 0.10B/0.30A        | ----          | ----            | 0.20                     | - 0.10 | .0012         | ----                     | ----              | ----              | 10               | UNCH |      |      |  |
| 3050           |  | ----               | ----            | ----                   | ----               | 0.10B/0.30A        | ----          | ----            | 0.20                     | - 0.10 | .0012         | ----                     | ----              | ----              | 10               | UNCH |      |      |  |
| 3070           |  | ----               | ----            | ----                   | ----               | 0.20B/0.30A        | ----          | ----            | 0.20                     | - 0.10 | .0012         | ----                     | ----              | ----              | 1                | UNCH |      |      |  |
| 3075           |  | ----               | ----            | ----                   | ----               | 0.20B/0.30A        | ----          | ----            | 0.20                     | - 0.10 | .0012         | ----                     | ----              | ----              | 12               | UNCH |      |      |  |
| 3080           |  | ----               | ----            | ----                   | ----               | 0.20B/0.30A        | ----          | ----            | 0.20                     | - 0.20 | .0012         | ----                     | ----              | ----              | 13               | UNCH |      |      |  |
| 3085           |  | ----               | ----            | ----                   | ----               | 0.20B/0.30A        | ----          | ----            | 0.20                     | - 0.20 | .0012         | ----                     | ----              | ----              | 27               | UNCH |      |      |  |
| 3090           |  | ----               | ----            | ----                   | ----               | 0.20B/0.30A        | ----          | ----            | 0.20                     | - 0.20 | .0012         | ----                     | ----              | ----              | 5                | UNCH |      |      |  |
| 3100           |  | ----               | ----            | ----                   | ----               | 0.20B/0.30A        | ----          | ----            | 0.30                     | - 0.10 | .0018         | ----                     | ----              | ----              | 25               | UNCH |      |      |  |
| 3110           |  | ----               | ----            | ----                   | ----               | 0.20B/0.30A        | ----          | ----            | 0.30                     | - 0.10 | .0018         | ----                     | ----              | ----              | 22               | UNCH |      |      |  |
| 3120           |  | ----               | ----            | ----                   | ----               | 0.20B/0.30A        | ----          | ----            | 0.30                     | - 0.10 | .0019         | ----                     | ----              | ----              | 15               | UNCH |      |      |  |
| 3130           |  | ----               | ----            | ----                   | ----               | 0.20B/0.30A        | ----          | ----            | 0.30                     | - 0.10 | .0019         | ----                     | ----              | ----              | 1                | UNCH |      |      |  |
| 3150           |  | ----               | ----            | ----                   | ----               | 0.30B/0.40A        | ----          | ----            | 0.30                     | - 0.20 | .0019         | ----                     | ----              | ----              | 38               | UNCH |      |      |  |
| 3160           |  | ----               | ----            | ----                   | ----               | 0.30B/0.40A        | ----          | ----            | 0.30                     | - 0.20 | .0019         | ----                     | ----              | ----              | 8                | UNCH |      |      |  |
| 3175           |  | ----               | ----            | ----                   | ----               | 0.30B/0.40A        | ----          | ----            | 0.40                     | - 0.10 | .0025         | ----                     | ----              | ----              | 10               | UNCH |      |      |  |
| 3180           |  | ----               | ----            | ----                   | ----               | 0.30B/0.40A        | ----          | ----            | 0.40                     | - 0.10 | .0025         | ----                     | ----              | ----              | 11               | UNCH |      |      |  |
| 3185           |  | ----               | ----            | ----                   | ----               | 0.30B/0.40A        | ----          | ----            | 0.40                     | - 0.10 | .0026         | ----                     | ----              | ----              | 2                | UNCH |      |      |  |
| 3190           |  | ----               | ----            | ----                   | ----               | 0.30B/0.40A        | ----          | ----            | 0.40                     | - 0.10 | .0026         | ----                     | ----              | ----              | 5                | UNCH |      |      |  |
| 3195           |  | ----               | ----            | ----                   | ----               | 0.30B/0.40A        | ----          | ----            | 0.4                      |        |               |                          |                   |                   |                  |      |      |      |  |

| GLOBEX<br>OPEN |                    | OPEN<br>OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
|----------------|--------------------|------------------------------|--------------------|----------------------------|-------------------------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
| OG PUT         | COMEX GOLD OPTIONS |                              |                    |                            |                               |                          |       |               |                          |                   |               |                  |      |
| NOV26          | -----              | -----                        | -----/0.50A        | 0.60B/0.50A                | -----                         | 0.60 - 0.20              | .0041 | -----         | -----                    | -----             | -----         | 10               | UNCH |
| 3295           | 0.50               | 0.50                         | 0.50/0.50          | 0.60B/0.50                 | -----                         | 0.60 - 0.20              | .0041 | -----         | -----                    | 1                 | -----         | 262              | UNCH |
| 3300           | -----              | -----                        | -----/0.60A        | 0.60B/0.60A                | -----                         | 0.60 - 0.20              | .0041 | -----         | -----                    | -----             | -----         | 55               | UNCH |
| 3305           | -----              | -----                        | -----/0.60A        | 0.70B/0.60A                | -----                         | 0.60 - 0.20              | .0042 | -----         | -----                    | -----             | -----         | 4                | UNCH |
| 3310           | -----              | -----                        | -----/0.60A        | 0.70B/0.60A                | -----                         | 0.70 - 0.20              | .0048 | -----         | -----                    | -----             | -----         | 11               | UNCH |
| 3315           | -----              | -----                        | -----/0.60A        | 0.70B/0.60A                | -----                         | 0.70 - 0.20              | .0048 | -----         | -----                    | -----             | -----         | 42               | UNCH |
| 3320           | -----              | -----                        | -----/0.60A        | 0.70B/0.60A                | -----                         | 0.70 - 0.20              | .0048 | -----         | -----                    | -----             | -----         | 3                | UNCH |
| 3325           | -----              | -----                        | -----/0.60A        | 0.70B/0.60A                | -----                         | 0.70 - 0.20              | .0049 | -----         | -----                    | -----             | -----         | 33               | UNCH |
| 3330           | -----              | -----                        | -----/0.60A        | 0.80B/0.60A                | -----                         | 0.70 - 0.20              | .0049 | -----         | -----                    | -----             | -----         | 20               | UNCH |
| 3335           | -----              | -----                        | -----/0.60A        | 0.80B/0.60A                | -----                         | 0.80 - 0.20              | .0055 | -----         | -----                    | -----             | -----         | 5                | UNCH |
| 3340           | -----              | -----                        | -----/0.60A        | 0.80B/0.60A                | -----                         | 0.80 - 0.20              | .0056 | -----         | -----                    | -----             | -----         | 386              | UNCH |
| 3345           | -----              | -----                        | -----/0.70A        | 0.90B/0.70A                | -----                         | 0.80 - 0.20              | .0056 | -----         | -----                    | -----             | -----         | 3                | UNCH |
| 3350           | -----              | -----                        | -----/0.70A        | 0.90B/0.70A                | -----                         | 0.80 - 0.20              | .0056 | -----         | -----                    | -----             | -----         | 15               | UNCH |
| 3355           | -----              | -----                        | -----/0.70A        | 0.90B/0.70A                | -----                         | 0.90 - 0.20              | .0057 | -----         | -----                    | -----             | -----         | 1                | UNCH |
| 3360           | -----              | -----                        | -----/0.70A        | 0.90B/0.70A                | -----                         | 0.90 - 0.20              | .0063 | -----         | -----                    | -----             | -----         | 7                | UNCH |
| 3365           | -----              | -----                        | -----/0.80A        | 1.00B/0.80A                | -----                         | 0.90 - 0.20              | .0064 | -----         | -----                    | -----             | -----         | 21               | UNCH |
| 3370           | -----              | -----                        | -----/0.80A        | 1.00B/0.80A                | -----                         | 0.90 - 0.20              | .0064 | -----         | -----                    | -----             | -----         | 3                | UNCH |
| 3375           | -----              | -----                        | -----/0.80A        | 1.10B/0.80A                | -----                         | 1.00 - 0.20              | .0070 | -----         | -----                    | -----             | -----         | 9                | UNCH |
| 3380           | -----              | -----                        | -----/0.80A        | 1.10B/0.80A                | -----                         | 1.00 - 0.20              | .0071 | -----         | -----                    | -----             | -----         | 132              | UNCH |
| 3385           | -----              | -----                        | -----/0.80A        | 1.10B/0.80A                | -----                         | 1.00 - 0.20              | .0071 | -----         | -----                    | -----             | -----         | 321              | UNCH |
| 3390           | -----              | -----                        | -----/0.90A        | 1.20B/0.90A                | -----                         | 1.00 - 0.20              | .0072 | -----         | -----                    | -----             | -----         | 93               | UNCH |
| 3395           | -----              | -----                        | -----/0.90A        | 1.20B/0.90A                | -----                         | 1.00 - 0.30              | .0072 | -----         | -----                    | -----             | -----         | 58               | UNCH |
| 3400           | 1.00               | 1.00                         | 1.00/0.90A         | 1.30B/0.90A                | -----                         | 1.10 - 0.20              | .0078 | -----         | 1                        | -----             | -----         | 1                | UNCH |
| 3405           | -----              | -----                        | -----/1.00A        | 1.30B/1.00A                | -----                         | 1.10 - 0.30              | .0079 | -----         | -----                    | 1                 | -----         | 21               | UNCH |
| 3410           | -----              | -----                        | -----/1.00A        | 1.30B/1.00A                | -----                         | 1.10 - 0.30              | .0080 | -----         | -----                    | -----             | -----         | 44               | UNCH |
| 3415           | -----              | -----                        | -----/1.00A        | 1.40B/1.00A                | -----                         | 1.20 - 0.20              | .0087 | -----         | -----                    | -----             | -----         | 45               | UNCH |
| 3420           | -----              | -----                        | -----/1.00A        | 1.40B/1.00A                | -----                         | 1.20 - 0.30              | .0088 | -----         | -----                    | -----             | -----         | 11               | UNCH |
| 3425           | -----              | -----                        | -----/1.10A        | 1.50B/1.10A                | -----                         | 1.30 - 0.20              | .0094 | -----         | -----                    | -----             | -----         | 212              | UNCH |
| 3430           | -----              | -----                        | -----/1.10A        | 1.50B/1.10A                | -----                         | 1.30 - 0.20              | .0095 | -----         | -----                    | -----             | -----         | 1                | UNCH |
| 3435           | -----              | -----                        | -----/1.10A        | 1.50B/1.10A                | -----                         | 1.30 - 0.30              | .0095 | -----         | -----                    | -----             | -----         | 29               | UNCH |
| 3440           | 1.40               | 1.40                         | 1.40/1.10A         | 1.60B/1.10A                | -----                         | 1.30 - 0.30              | .0096 | -----         | 1                        | -----             | -----         | 9                | UNCH |
| 3445           | -----              | -----                        | -----/1.20A        | 1.60B/1.20A                | -----                         | 1.40 - 0.30              | .0103 | -----         | -----                    | -----             | -----         | 28               | UNCH |
| 3450           | -----              | -----                        | -----/1.20A        | 1.60B/1.20A                | -----                         | 1.40 - 0.30              | .0103 | -----         | -----                    | -----             | -----         | 30               | UNCH |
| 3455           | -----              | -----                        | -----/1.20A        | 1.70B/1.20A                | -----                         | 1.40 - 0.30              | .0104 | -----         | -----                    | -----             | -----         | 57               | UNCH |
| 3460           | -----              | -----                        | -----/1.20A        | 1.70B/1.20A                | -----                         | 1.50 - 0.30              | .0111 | -----         | -----                    | -----             | -----         | 3                | UNCH |
| 3465           | 1.30               | 1.30                         | 1.30/1.30          | 1.80B/1.30                 | -----                         | 1.50 - 0.30              | .0111 | -----         | -----                    | 1                 | -----         | 13               | UNCH |
| 3470           | -----              | -----                        | -----/1.30A        | 1.80B/1.30                 | -----                         | 1.50 - 0.30              | .0112 | -----         | -----                    | 1                 | -----         | 8                | UNCH |
| 3475           | -----              | -----                        | -----/1.30A        | 1.80B/1.30A                | -----                         | 1.60 - 0.30              | .0119 | -----         | -----                    | -----             | -----         | 2146             | UNCH |
| 3480           | -----              | -----                        | -----/1.40A        | 1.90B/1.40A                | -----                         | 1.60 - 0.30              | .0120 | -----         | -----                    | -----             | -----         | 3                | UNCH |
| 3485           | -----              | -----                        | -----/1.40A        | 1.90B/1.40A                | -----                         | 1.60 - 0.40              | .0121 | -----         | -----                    | -----             | -----         | 26               | UNCH |
| 3490           | -----              | -----                        | -----/1.40A        | 2.00B/1.40A                | -----                         | 1.70 - 0.30              | .0127 | -----         | -----                    | -----             | -----         | 159              | UNCH |
| 3495           | -----              | -----                        | -----/1.40A        | 2.00B/1.40A                | -----                         | 1.70 - 0.40              | .0128 | -----         | 1                        | -----             | -----         | 32               | UNCH |
| 3500           | -----              | -----                        | -----/1.50A        | 2.10B/1.50A                | -----                         | 1.70 - 0.40              | .0129 | -----         | 1                        | -----             | -----         | 114              | UNCH |
| 3505           | -----              | -----                        | -----/1.50A        | 2.10B/1.50A                | -----                         | 1.80 - 0.40              | .0136 | -----         | -----                    | -----             | -----         | 21               | UNCH |
| 3510           | -----              | -----                        | -----/1.50A        | 2.20B/1.50A                | -----                         | 1.80 - 0.40              | .0137 | -----         | -----                    | -----             | -----         | 180              | UNCH |
| 3515           | -----              | -----                        | -----/1.60A        | 2.20B/1.60A                | -----                         | 1.80 - 0.50              | .0138 | -----         | -----                    | -----             | -----         | 78               | UNCH |
| 3520           | -----              | -----                        | -----/1.60A        | 2.30B/1.60A                | -----                         | 1.90 - 0.40              | .0145 | -----         | -----                    | -----             | -----         | 59               | UNCH |
| 3525           | -----              | -----                        | -----/1.60A        | 2.30B/1.60A                | -----                         | 1.90 - 0.50              | .0146 | -----         | 1                        | -----             | -----         | 731              | UNCH |
| 3530           | -----              | -----                        | -----/1.70A        | 2.40B/1.70A                | -----                         | 2.00 - 0.40              | .0154 | -----         | -----                    | -----             | -----         | 4                | UNCH |
| 3535           | -----              | -----                        | -----/1.70A        | 2.40B/1.70A                | -----                         | 2.00 - 0.50              | .0155 | -----         | -----                    | -----             | -----         | 34               | UNCH |
| 3540           | -----              | -----                        | -----/1.70A        | 2.50B/1.70A                | -----                         | 2.00 - 0.50              | .0156 | -----         | -----                    | -----             | -----         | 12               | UNCH |
| 3545           | -----              | -----                        | -----/1.80A        | 2.60B/1.80A                | -----                         | 2.10 - 0.50              | .0163 | -----         | -----                    | -----             | -----         | 1                | UNCH |
| 3550           | -----              | -----                        | -----/1.80A        | 2.60B/1.80A                | -----                         | 2.10 - 0.60              | .0164 | -----         | -----                    | -----             | -----         | 308              | UNCH |
| 3555           | 2.20               | 2.20                         | 2.20/1.90A         | 2.70B/1.90A                | -----                         | 2.20 - 0.60              | .0173 | -----         | 1                        | -----             | -----         | 7                | UNCH |
| 3560           | -----              | -----                        | -----/2.00A        | 2.80B/2.00A                | -----                         | 2.30 - 0.50              | .0180 | -----         | -----                    | -----             | -----         | 11               | UNCH |
| 3565           | -----              | -----                        | -----/2.00A        | 2.80B/2.00A                | -----                         | 2.30 - 0.60              | .0182 | -----         | -----                    | -----             | -----         | 42               | UNCH |
| 3570           | 2.50               | 2.50                         | 2.60/2.10          | 2.90B/2.10                 | -----                         | 2.40 - 0.60              | .0189 | -----         | -----                    | 22                | -----         | 1765             | UNCH |
| 3575           | 2.70               | 2.70                         | 2.70/2.10A         | 3.00B/2.10A                | -----                         | 2.40 - 0.60              | .0191 | -----         | 30                       | 30                | -----         | 33 +             | UNCH |
| 3580           | -----              | -----                        | -----/2.20A        | 3.10B/2.20A                | -----                         | 2.50 - 0.60              | .0199 | -----         | -----                    | -----             | -----         | 1                | UNCH |
| 3585           | -----              | -----                        | -----/2.20A        | 3.10B/2.20A                | -----                         | 2.50 - 0.70              | .0200 | -----         | -----                    | -----             | -----         | 3                | UNCH |
| 3590           | 2.30               | 2.30                         | 2.30/2.30          | 3.20B/2.30                 | -----                         | 2.60 - 0.70              | .0208 | -----         | 5                        | -----             | -----         | 10 +             | UNCH |
| 3595           | 2.40               | 2.40                         | 2.40/2.30A         | 3.30B/2.30A                | -----                         | 2.60 - 0.70              | .0210 | -----         | 1                        | -----             | -----         | 56 -             | UNCH |
| 3600           | -----              | -----                        | -----/2.40A        | 3.40B/2.40A                | -----                         | 2.70 - 0.70              | .0217 | -----         | -----                    | -----             | -----         | 11               | UNCH |
| 3605           | -----              | -----                        | -----/2.40A        | 3.50B/2.40A                | -----                         | 2.70 - 0.80              | .0219 | -----         | -----                    | -----             | -----         | 16               | UNCH |
| 3610           | -----              | -----                        | -----/2.50A        | 3.50B/2.50A                | -----                         | 2.80 - 0.80              | .0227 | -----         | -----                    | -----             | -----         | 21               | UNCH |
| 3615           | 2.60               | 2.60                         | 2.60/2.60          | 3.60B/2.60                 | -----                         | 2.90 - 0.70              | .0235 | -----         | 10                       | -----             | -----         | 22 +             | UNCH |
| 3620           | -----              | -----                        | -----/2.60A        | 3.70B/2.60A                | -----                         | 2.90 - 0.80              | .0237 | -----         | 4                        | -----             | -----         | 212 -            | UNCH |
| 3625           | -----              | -----                        | -----/2.70A        | 3.80B/2.70A                | -----                         | 3.00 - 0.80              | .0246 | -----         | -----                    | -----             | -----         | 37               | UNCH |
| 3630           | -----              | -----                        | -----/2.70A        | 3.90B/2.70A                | -----                         | 3.10 - 0.80              | .0254 | -----         | -----                    | -----             | -----         | 111              | UNCH |
| 3635           | -----              | -----                        | -----/2.80A        | 4.00B/2.80A                | -----                         | 3.10 - 0.90              | .0256 | -----         | -----                    | -----             | -----         | 35               | UNCH |
| 3640           | -----              | -----                        | -----/2.90A        | 4.10B/2.90A                | -----                         | 3.20 - 0.90              | .0264 | -----         | -----                    | -----             | -----         | 70               | UNCH |
| 3645           | -----              | -----                        | -----/3.00A        | 4.20B/3.00A                | -----                         | 3.30 - 0.90              | .0273 | -----         | 6                        | -----             | -----         | 315              | UNCH |
| 3650           | -----              | -----                        | -----/3.00A        | 4.30B/3.00A                | -----                         | 3.40 - 0.90              | .0281 | -----         | -----                    | -----             | -----         | 82               | UNCH |
| 3655           | -----              | -----                        | -----/3.10A        | 4.40B/3.10A                | -----                         | 3.50 - 0.90              | .0290 | -----         | -----                    | -----             | -----         | 20               | UNCH |
| 3660           | -----              | -----                        | -----/3.20A        | 4.50B/3.20A                | -----                         | 3.50 - 1.00              | .0293 | -----         | -----                    | -----             | -----         | 22               | UNCH |
| 3665           | 4.00               | 4.00                         | 4.60B/3.20A        | 4.60B/3.20A                | -----                         | 3.60 - 1.00              | .0301 | -----         | -----                    | -----             | -----         | 36               | UNCH |
| 3670           | -----              | -----                        | 4.10B/3.20         | 4.70B/3.20                 | -----                         | 3.70 - 1.00              | .0310 | -----         | 366                      | -----             | -----         | 2602 +           | UNCH |
| 3675           | -----              | -----                        | 4.90B/3.40A        | 4.90B/3.40A                | -----                         | 3.80 - 1.00              | .0319 | -----         | -----                    | -----             | -----         | 162              | UNCH |
| 3680           | -----              | -----                        | -----/3.50A        | 5.00B/3.50A                | -----                         | 3.90 - 1.10              | .0328 | -----         | -----                    | -----             | -----         | 39               | UNCH |
| 3685           | -----              | -----                        | -----/3.60A        | 5.10B/3.60A                | -----                         | 4.00 - 1.10              | .0338 | -----         | -----                    | -----             | -----         | 6                | UNCH |
| 3690           | -----              | -----                        | 5.30B/3.70A        | 5.30B/3.70A                | -----                         | 4.10 - 1.10              | .0347 | -----         | -----                    | -----             | -----         | 97               | UNCH |
| 3695           | -----              | -----                        | 5.40B/3.80A        | 5.40B/3.80A                | -----                         | 4.20 - 1.10              | .0356 | -----         | -----                    | -----             | -----         | 9                | UNCH |
| 3700           | -----              | -----                        | -----/3.80A        | 5.50B/3.80A                | -----                         | 4.30 - 1.20              | .0366 | -----         | -----                    | -----             | -----         | 64               | UNCH |
| 3705           | -----              | -----                        | 5.70B/3.90A        | 5.70B/3.90A                | -----                         | 4.50 - 1.10              | .0382 | -----         | -----                    | -----             | -----         | 16               | UNCH |
| 3710           | -----              | -----                        | -----/4.00A        | 5.80B/4.00A                | -----                         | 4.60 - 1.20              | .0392 | -----         | -----                    | -----             | -----         | 52               | UNCH |
| 3715           | -----              | -----                        | 6.00B/4.20A        | 6.00B/4.20A                | -----                         | 4.70 - 1.20              | .0401 | -----         | -----                    | -----             | -----         | 107              | UNCH |
| 3720           | 5.10               | 5.10                         | 6.20B/4.30A        | 6.20B/4.30A                | -----                         | 4.80 - 1.30              | .0411 | -----         | 27                       | -----             | -----         | 639 -            | UNCH |
| 3725           | 5.90               | 5.90                         | 6.30B/4.40A        | 6.30B/4.40A                | -----                         | 5.00 - 1.30              | .0428 | -----         | 1                        | -----             | -----         | 29               | UNCH |
| 3730           | 5.60               | 5.60                         | 6.50B/4.50A        | 6.50B/4.50A                | -----                         | 5.10 - 1.30              | .0438 | -----         | 2                        | -----             | -----         | 46               | UNCH |
| 3735           | 5.50               | 5.50                         | 6.70B/4.60A        | 6.70B/4.60A                | -----                         | 5.30 - 1.30              | .0455 | -----         | 6                        | -----             | -----         | 10 +             | UNCH |
| 3740           | 5.60               | 5.60                         | 6.90B/4.70A        | 6.90B/4.70A                | -----                         | 5.40 - 1.40              | .0465 | -----         | 2                        | -----             | -----         | 69 +             | UNCH |
| 3745           | -----              | -----                        | 7.10B/4.90A        | 7.10B/4.90A                | -----                         | 5.60 - 1.40              | .0482 | -----         | 132                      | -----             | -----         | 279 +            | UNCH |
| 3750           | -----              | -----                        | 7.30B/5.00A        | 7.30B/5.00A                | -----                         | 5.70 - 1.50              | .0493 | -----         | 750                      | -----             | -----         | 770 +            | UNCH |
| 3755           | -----              | -----                        | 7.50B/5.20A        | 7.50B/5.20A                | -----                         | 5.90 - 1.50              | .0510 | -----         | -----                    | -----             | -----         | 18               | UNCH |
| 3760           | -----              | -----                        | 7.70B/5.30A        | 7.70B/5.30A                | -----                         | 6.10 - 1.50              | .0527 | -----         | -----                    | -----             | -----         | 8                | UNCH |
| 3765           | 8.00               | 8.00                         | 7.90B/5.50A        | 7.90B/5.50A                | -----                         | 6.20 - 1.60              | .0539 | -----         | -----                    | -----             | -----         | 57               | UNCH |
| 3770           | -----              | -----                        | 8.20B/5.60A        | 8.20B/5.60A                | -----                         | 6.40 - 1.60              | .0556 | -----         | 759                      | -----             | -----         | 3568 -           | UNCH |
| 3775           | -----              | -----                        | 8.40B/5.80A        | 8.40B/5.80A                | -----                         | 6.60 - 1.70              | .0574 | -----         | -----                    | -----             | -----         | 47               | UNCH |
| 3780           | -----              | -----                        | 8.70B/6.00A        | 8.70B/6.00A                | -----                         | 6.80 - 1.70              | .0592 | -----         | -----                    | -----             | -----         | 4                |      |

| GLOBEX<br>OPEN |        | OPEN<br>OUTCRY<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |       |
|----------------|--------|------------------------|-----------------|--------------------|----------------------------|-------------------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|-------|
| OG             | PUT    | COMEX GOLD OPTIONS     |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |       |
| NOV26          |        |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |       |
| 3990           | 25.50  | 25.50                  |                 | 28.60B/20.90A      | 28.60B/20.90A              | ----                    |                 | 24.10 - 3.10             | .1959 | ----          | ----                     | 9                 | ----          | 103              | UNCH  |
| 3995           | 23.00  | 23.00                  |                 | 29.70B/21.60A      | 29.70B/21.60A              | ----                    |                 | 25.00 - 3.10             | .2023 | ----          | ----                     | 1                 | ----          | 128              | - 1   |
| 4000           | 27.90  | 27.90                  |                 | 30.60/22.30A       | 30.60/22.30A               | ----                    |                 | 25.90 - 3.20             | .2087 | ----          | ----                     | 578               | ----          | 3561             | - 138 |
| 4005           | ----   | ----                   |                 | 31.70B/23.10A      | 31.70B/23.10A              | ----                    |                 | 26.90 - 3.20             | .2155 | ----          | ----                     | ----              | ----          | 123              | UNCH  |
| 4010           | 27.90  | 27.90                  |                 | 32.90B/23.90A      | 32.90B/23.90A              | ----                    |                 | 28.00 - 3.20             | .2228 | ----          | 3                        | ----              | 60            | UNCH             |       |
| 4015           | 29.30  | 29.30                  |                 | 34.00B/24.80A      | 34.00B/24.80A              | ----                    |                 | 29.10 - 3.20             | .2300 | ----          | 1                        | ----              | 36            | - 1              |       |
| 4020           | ----   | ----                   |                 | 35.20B/25.60A      | 35.20B/25.60A              | ----                    |                 | 30.20 - 3.20             | .2373 | ----          | 3                        | ----              | 74            | + 1              |       |
| 4025           | 32.40  | 32.40                  |                 | 36.50B/26.50A      | 36.50B/26.50A              | ----                    |                 | 31.30 - 3.30             | .2447 | ----          | 1                        | ----              | 212           | + 3              |       |
| 4030           | 27.60  | 27.60                  |                 | 37.80B/27.50A      | 37.80B/27.50A              | ----                    |                 | 32.50 - 3.30             | .2524 | ----          | 7                        | ----              | 48            | + 3              |       |
| 4035           | ----   | ----                   |                 | 39.10B/28.40A      | 39.10B/28.40A              | ----                    |                 | 33.70 - 3.30             | .2601 | ----          | ----                     | ----              | 98            | UNCH             |       |
| 4040           | 36.10  | 36.10                  |                 | 40.40B/29.50A      | 40.40B/29.50A              | ----                    |                 | 35.00 - 3.30             | .2682 | ----          | 15                       | ----              | 165           | + 5              |       |
| 4045           | 37.30  | 37.30                  |                 | 41.80B/30.50A      | 41.80B/30.50A              | ----                    |                 | 36.40 - 3.20             | .2766 | ----          | 9                        | ----              | 66            | - 9              |       |
| 4050           | 38.70  | 38.70                  |                 | 43.20B/31.60A      | 43.20B/31.60A              | ----                    |                 | 37.70 - 3.30             | .2847 | ----          | 106                      | ----              | 1890          | + 44             |       |
| 4055           | ----   | ----                   |                 | 44.70B/32.70A      | 44.70B/32.70A              | ----                    |                 | 39.10 - 3.30             | .2932 | ----          | ----                     | ----              | 86            | UNCH             |       |
| 4060           | ----   | ----                   |                 | 46.40B/33.90A      | 46.40B/33.90A              | ----                    |                 | 40.60 - 3.30             | .3019 | ----          | ----                     | ----              | 60            | UNCH             |       |
| 4065           | 37.90  | 37.90                  |                 | 47.80B/35.10A      | 47.80B/35.10A              | ----                    |                 | 42.10 - 3.30             | .3107 | ----          | 2                        | ----              | 55            | UNCH             |       |
| 4070           | 41.90  | 41.90                  |                 | 49.50B/36.30A      | 49.50B/36.30A              | ----                    |                 | 43.70 - 3.20             | .3197 | ----          | 5                        | ----              | 90            | UNCH             |       |
| 4075           | 38.50  | 38.50                  |                 | 51.20B/37.60A      | 51.20B/37.60A              | ----                    |                 | 45.30 - 3.20             | .3287 | ----          | 6                        | ----              | 243           | - 4              |       |
| 4080           | 39.20  | 39.20                  |                 | 52.90B/38.90       | 52.90B/38.90               | ----                    |                 | 47.00 - 3.10             | .3380 | ----          | 324                      | ----              | 424           | + 240            |       |
| 4085           | 43.90  | 43.90                  |                 | 54.60B/40.30A      | 54.60B/40.30A              | ----                    |                 | 48.70 - 3.10             | .3473 | ----          | 2                        | ----              | 124           | - 1              |       |
| 4090           | 50.00  | 50.00                  |                 | 56.50B/41.70A      | 56.50B/41.70A              | ----                    |                 | 50.40 - 3.20             | .3566 | ----          | 7                        | ----              | 153           | - 1              |       |
| 4095           | 50.80  | 50.80                  |                 | 58.40B/43.10A      | 58.40B/43.10A              | ----                    |                 | 52.20 - 3.20             | .3661 | ----          | 5                        | ----              | 56            | + 1              |       |
| 4100           | 54.50  | 54.50                  |                 | 60.40B/44.50A      | 60.40B/44.50A              | ----                    |                 | 54.10 - 3.10             | .3758 | ----          | 186                      | ----              | 2224          | + 41             |       |
| 4105           | 52.10  | 52.10                  |                 | 62.30B/46.10A      | 62.30B/46.10A              | ----                    |                 | 56.00 - 3.10             | .3856 | ----          | 7                        | ----              | 33            | - 1              |       |
| 4110           | 55.80  | 55.80                  |                 | 64.40B/47.70A      | 64.40B/47.70A              | ----                    |                 | 58.00 - 3.10             | .3954 | ----          | 1                        | ----              | 79            | UNCH             |       |
| 4115           | 53.70  | 53.70                  |                 | 66.50B/49.30A      | 66.50B/49.30A              | ----                    |                 | 60.00 - 3.10             | .4053 | ----          | 4                        | ----              | 173           | - 4              |       |
| 4120           | ----   | ----                   |                 | 68.60B/51.10A      | 68.60B/51.10A              | ----                    |                 | 62.10 - 3.00             | .4154 | ----          | 1                        | ----              | 80            | - 1              |       |
| 4125           | 67.30  | 67.30                  |                 | 70.80B/52.70A      | 70.80B/52.70A              | ----                    |                 | 64.20 - 3.00             | .4254 | ----          | 35                       | ----              | 448           | - 10             |       |
| 4130           | 61.20  | 61.20                  |                 | 73.10B/54.50A      | 73.10B/54.50A              | ----                    |                 | 66.40 - 3.00             | .4355 | ----          | 3                        | ----              | 110           | - 2              |       |
| 4135           | 61.10  | 61.10                  |                 | 75.40B/56.30A      | 75.40B/56.30A              | ----                    |                 | 68.60 - 3.00             | .4457 | ----          | 30                       | ----              | 137           | + 5              |       |
| 4140           | 62.00  | 62.00                  |                 | 77.70B/58.30A      | 77.70B/58.30A              | ----                    |                 | 70.90 - 3.00             | .4559 | ----          | 6                        | ----              | 154           | + 4              |       |
| 4145           | 67.00  | 67.00                  |                 | 80.10B/60.20A      | 80.10B/60.20A              | ----                    |                 | 73.30 - 2.90             | .4661 | ----          | 27                       | ----              | 200           | - 5              |       |
| 4150           | 72.60  | 72.60                  |                 | 82.50B/62.20A      | 82.50B/62.20A              | ----                    |                 | 75.70 - 2.80             | .4764 | ----          | 109                      | ----              | 2072          | - 39             |       |
| 4155           | 71.50  | 71.50                  |                 | 85.00B/64.20A      | 85.00B/64.20A              | ----                    |                 | 78.10 - 2.80             | .4867 | ----          | 23                       | ----              | 71            | + 19             |       |
| 4160           | 83.90  | 83.90                  |                 | 87.60B/66.30A      | 87.60B/66.30A              | ----                    |                 | 80.70 - 2.70             | .4970 | ----          | 21                       | ----              | 283           | + 5              |       |
| 4165           | 80.10  | 80.10                  |                 | 90.20B/68.40A      | 90.20B/68.40A              | ----                    |                 | 83.20 - 2.70             | .5072 | ----          | 33                       | ----              | 244           | + 8              |       |
| 4170           | 82.10  | 82.10                  |                 | 92.80B/70.60A      | 92.80B/70.60A              | ----                    |                 | 85.90 - 2.60             | .5175 | ----          | 11                       | ----              | 186           | + 7              |       |
| 4175           | 79.90  | 79.90                  |                 | 95.50B/72.90A      | 95.50B/72.90A              | ----                    |                 | 88.60 - 2.50             | .5278 | ----          | 22                       | ----              | 418           | - 2              |       |
| 4180           | 83.60  | 83.60                  |                 | 98.30B/75.20A      | 98.30B/75.20A              | ----                    |                 | 91.30 - 2.40             | .5380 | ----          | 8                        | ----              | 272           | - 3              |       |
| 4185           | ----   | ----                   |                 | 101.10B/77.50A     | 101.10B/77.50A             | ----                    |                 | 94.10 - 2.30             | .5481 | ----          | 4                        | ----              | 111           | - 1              |       |
| 4190           | 81.30  | 81.30                  |                 | 104.10B/79.90A     | 104.10B/79.90A             | ----                    |                 | 96.90 - 2.30             | .5583 | ----          | 41                       | ----              | 258           | - 3              |       |
| 4195           | 82.90  | 82.90                  |                 | 107.00B/82.30A     | 107.00B/82.30A             | ----                    |                 | 99.90 - 2.10             | .5684 | ----          | 1                        | ----              | 70            | + 1              |       |
| 4200           | 91.50  | 91.50                  |                 | 110.00B/84.90A     | 110.00B/84.90A             | ----                    |                 | 102.80 - 2.10            | .5783 | ----          | 23                       | ----              | 1316          | + 10             |       |
| 4205           | 95.90  | 95.90                  |                 | 113.00B/87.40A     | 113.00B/87.40A             | ----                    |                 | 105.80 - 2.00            | .5883 | ----          | 1                        | ----              | 229           | UNCH             |       |
| 4210           | 103.20 | 103.20                 |                 | 116.00B/90.00A     | 116.00B/90.00A             | ----                    |                 | 108.90 - 1.90            | .5981 | ----          | 5                        | ----              | 174           | UNCH             |       |
| 4215           | 108.00 | 108.00                 |                 | 119.10B/92.70A     | 119.10B/92.70A             | ----                    |                 | 112.00 - 1.80            | .6079 | ----          | 1                        | ----              | 194           | - 1              |       |
| 4220           | 107.90 | 107.90                 |                 | 122.20B/95.40A     | 122.20B/95.40A             | ----                    |                 | 115.10 - 1.80            | .6175 | ----          | 1                        | ----              | 52            | UNCH             |       |
| 4225           | ----   | ----                   |                 | 125.40B/98.20A     | 125.40B/98.20A             | ----                    |                 | 118.40 - 1.60            | .6271 | ----          | 1                        | ----              | 123           | UNCH             |       |
| 4230           | 110.40 | 110.40                 |                 | 128.70B/101.00A    | 128.70B/101.00A            | ----                    |                 | 121.60 - 1.60            | .6365 | ----          | 5                        | ----              | 76            | + 5              |       |
| 4235           | 111.60 | 111.60                 |                 | 132.00B/104.00A    | 132.00B/104.00A            | ----                    |                 | 124.90 - 1.50            | .6459 | ----          | 9                        | ----              | 262           | - 1              |       |
| 4240           | ----   | ----                   |                 | 135.30B/106.80A    | 135.30B/106.80A            | ----                    |                 | 128.30 - 1.40            | .6553 | ----          | ----                     | ----              | 136           | UNCH             |       |
| 4245           | ----   | ----                   |                 | 138.70B/109.80A    | 138.70B/109.80A            | ----                    |                 | 131.70 - 1.30            | .6642 | ----          | ----                     | ----              | 46            | UNCH             |       |
| 4250           | 126.90 | 126.90                 |                 | 142.20B/112.90A    | 142.20B/112.90A            | ----                    |                 | 135.10 - 1.30            | .6734 | ----          | 3                        | ----              | 970           | + 1              |       |
| 4255           | ----   | ----                   |                 | 145.60B/115.90A    | 145.60B/115.90A            | ----                    |                 | 138.60 - 1.20            | .6823 | ----          | ----                     | ----              | 55            | UNCH             |       |
| 4260           | 140.30 | 140.30                 |                 | 149.20B/119.10A    | 149.20B/119.10A            | ----                    |                 | 142.20 - 1.00            | .6909 | ----          | 1                        | ----              | 293           | + 1              |       |
| 4265           | 137.00 | 137.00                 |                 | 152.70B/122.20A    | 152.70B/122.20A            | ----                    |                 | 145.80 - 0.90            | .6995 | ----          | 1                        | ----              | 156           | + 1              |       |
| 4270           | 148.00 | 148.00                 |                 | 156.30B/125.50A    | 156.30B/125.50A            | ----                    |                 | 149.40 - 0.90            | .7080 | ----          | 2                        | ----              | 75            | UNCH             |       |
| 4275           | 137.20 | 137.20                 |                 | 160.10B/128.70A    | 160.10B/128.70A            | ----                    |                 | 153.10 - 0.70            | .7163 | ----          | 2                        | ----              | 434           | - 1              |       |
| 4280           | ----   | ----                   |                 | 163.80B/132.10A    | 163.80B/132.10A            | ----                    |                 | 156.80 - 0.60            | .7245 | ----          | ----                     | ----              | 164           | UNCH             |       |
| 4285           | ----   | ----                   |                 | 167.50B/135.40A    | 167.50B/135.40A            | ----                    |                 | 160.60 - 0.50            | .7324 | ----          | ----                     | ----              | 203           | UNCH             |       |
| 4290           | ----   | ----                   |                 | 171.30B/138.80A    | 171.30B/138.80A            | ----                    |                 | 164.40 - 0.40            | .7403 | ----          | 1                        | ----              | 28            | UNCH             |       |
| 4295           | ----   | ----                   |                 | 175.10B/142.30A    | 175.10B/142.30A            | ----                    |                 | 168.20 - 0.30            | .7478 | ----          | ----                     | ----              | 219           | UNCH             |       |
| 4300           | ----   | ----                   |                 | 178.80B/145.80A    | 178.80B/145.80A            | ----                    |                 | 172.10 - 0.20            | .7552 | ----          | 3                        | ----              | 2400          | - 3              |       |
| 4305           | ----   | ----                   |                 | 182.80B/149.30A    | 182.80B/149.30A            | ----                    |                 | 176.00 - 0.10            | .7627 | ----          | ----                     | ----              | 36            | UNCH             |       |
| 4310           | ----   | ----                   |                 | 186.70B/152.90A    | 186.70B/152.90A            | ----                    |                 | 180.00 + 0.10            | .7701 | ----          | ----                     | ----              | 45            | UNCH             |       |
| 4315           | ----   | ----                   |                 | 190.70B/156.50A    | 190.70B/156.50A            | ----                    |                 | 183.90 + 0.20            | .7771 | ----          | ----                     | ----              | 75            | UNCH             |       |
| 4320           | ----   | ----                   |                 | 194.70B/160.20A    | 194.70B/160.20A            | ----                    |                 | 188.00 + 0.40            | .7837 | ----          | ----                     | ----              | 205           | UNCH             |       |
| 4325           | ----   | ----                   |                 | 198.70B/163.90A    | 198.70B/163.90A            | ----                    |                 | 192.00 + 0.40            | .7907 | ----          | 3                        | ----              | 256           | - 3              |       |
| 4330           | ----   | ----                   |                 | 202.70B/167.60A    | 202.70B/167.60A            | ----                    |                 | 196.10 + 0.50            | .7972 | ----          | ----                     | ----              | 279           | UNCH             |       |
| 4335           | ----   | ----                   |                 | 206.80B/171.40A    | 206.80B/171.40A            | ----                    |                 | 200.20 + 0.60            | .8033 | ----          | ----                     | ----              | 52            | UNCH             |       |
| 4340           | ----   | ----                   |                 | 210.90B/175.20A    | 210.90B/175.20A            | ----                    |                 | 204.40 + 0.80            | .8098 | ----          | ----                     | ----              | 194           | UNCH             |       |
| 4345           | 197.80 | 197.80                 |                 | 214.90B/179.00A    | 214.90B/179.00A            | ----                    |                 | 208.60 + 0.90            | .8158 | ----          | ----                     | ----              | 52            | - 1              |       |
| 4350           | ----   | ----                   |                 | 219.20B/182.90A    | 219.20B/182.90A            | ----                    |                 | 212.80 + 1.00            | .8218 | ----          | 1                        | ----              | 1016          | UNCH             |       |
| 4355           | ----   | ----                   |                 | 223.40B/186.80A    | 223.40B/186.80A            | ----                    |                 | 217.00 + 1.10            | .8274 | ----          | ----                     | ----              | 31            | UNCH             |       |
| 4360           | ----   | ----                   |                 | 227.60B/190.80A    | 227.60B/190.80A            | ----                    |                 | 221.30 + 1.20            | .8328 | ----          | ----                     | ----              | 80            | UNCH             |       |
| 4365           | 205.60 | 205.60                 |                 | 231.90B/194.80A    | 231.90B/194.80A            | ----                    |                 | 225.60 + 1.30            | .8383 | ----          | 2                        | ----              | 94            | UNCH             |       |
| 4370           | ----   | ----                   |                 | 236.10B/198.80A    | 236.10B/198.80A            | ----                    |                 | 229.90 + 1.40            | .8437 | ----          | ----                     | ----              | 44            | UNCH             |       |
| 4375           | ----   | ----                   |                 | 240.40B/202.80A    | 240.40B/202.80A            | ----                    |                 | 234.20 + 1.50            | .8491 | ----          | ----                     | ----              | 421           | UNCH             |       |
| 4380           | ----   | ----                   |                 | 244.70B/206.90A    | 244.70B/206.90A            | ----                    |                 | 238.60 + 1.60            | .8540 | ----          | 5                        | ----              | 264           | - 5              |       |
| 4385           | ----   | ----                   |                 | 249.00B/211.00A    | 249.00B/211.00A            | ----                    |                 | 243.00 + 1.70            | .8589 | ----          | ----                     | ----              | 85            | UNCH             |       |
| 4390           | 237.80 | 237.80                 |                 | 253.40B/215.20A    | 253.40B/215.20A            | ----                    |                 | 247.40 + 1.80            | .8637 | ----          | 7                        | ----              | 225           | - 2              |       |
| 4395           | 251.60 | 251.60                 |                 | 257.80B/219.30A    | 257.80B/219.30A            | ----                    |                 | 251.80 + 1.80            | .8680 | ----          | 2                        | ----              | 52            | UNCH             |       |
| 4400           | 251.90 | 251.90                 |                 | 262.20B/223.50A    | 262.20B/223.50A            | ----                    |                 | 256.30 + 1.90            | .8722 | ----          | 8                        | ----              | 1221          | - 1              |       |
| 4405           | ----   | ----                   |                 | 266.60B/227.80A    | 266.60B/227.80A            | ----                    |                 | 260.80 + 2.00            | .8770 | ----          | ----                     | ----              | 50            | UNCH             |       |
| 4410           | ----   | ----                   |                 | 271.10B/232.00A    | 271.10B/232.00A            | ----                    |                 | 265.30 + 2.10            | .8806 | ----          | ----                     | ----              | 66            | UNCH             |       |
| 4415           | ----   | ----                   |                 | 275.70B/236.30A    | 275.70B/236.30A            | ----                    |                 | 269.80 + 2.20            | .8848 | ----          | ----                     | ----              | 280           | UNCH             |       |
| 4420           | ----   | ----                   |                 | 280.20B/240.50A    | 280.20B/240.50A            | ----                    |                 | 274.30 + 2.20            | .8890 | ----          | ----                     | ----              | 82            | UNCH             |       |
| 4425           | ----   | ----                   |                 | 284.80B/244.90A    | 284.80B/244.90A            | ----                    |                 | 278.90 + 2.30            | .8925 | ----          | ----                     | ----              | 343           | UNCH             |       |
| 4430           | ----   | ----                   |                 | 289.30B/249.20A    | 289.30B/249.20A            | ----                    |                 | 283.50 + 2.40            | .8960 | ----          | ----                     | ----              | 133           | UNCH             |       |
| 4435           | 279.00 | 279.00                 |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |       |



| GLOBEX<br>OPEN |      | OPEN<br>OPEN       | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |
|----------------|------|--------------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|
| OG PUT         |      | COMEX GOLD OPTIONS |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |
| DEC26          | ---- | ----               | ----            | ----               | ----             | ----               | ----          | ----            | ----                     | ----  | ----          | ----                     | ----              | ----          | ----             |
| 2915           | ---- | ----               | ----            | /1.10A             | 1.10B/1.10A      | ----               | ----          | ----            | 1.10 - 0.20              | .0051 | ----          | ----                     | ----              | ----          | 1                |
| 2925           | ---- | ----               | ----            | /1.10A             | 1.20B/1.10A      | ----               | ----          | ----            | 1.10 - 0.20              | .0052 | ----          | ----                     | ----              | ----          | 300              |
| 2945           | ---- | ----               | ----            | /1.20A             | 1.30B/1.20A      | ----               | ----          | ----            | 1.20 - 0.20              | .0056 | ----          | ----                     | ----              | ----          | 2                |
| 2950           | 1.30 | 1.30               |                 | 1.30/1.20A         | 1.30/1.20A       | ----               | ----          | ----            | 1.20 - 0.20              | .0057 | ----          | ----                     | 1                 | ----          | 56               |
| 2960           | ---- | ----               | ----            | /1.30A             | 1.40B/1.30A      | ----               | ----          | ----            | 1.30 - 0.10              | .0061 | ----          | ----                     | ----              | ----          | 8                |
| 2965           | ---- | ----               | ----            | /1.30A             | 1.40B/1.30A      | ----               | ----          | ----            | 1.30 - 0.20              | .0061 | ----          | ----                     | ----              | ----          | 3                |
| 2975           | ---- | ----               | ----            | /1.30A             | 1.40B/1.30A      | ----               | ----          | ----            | 1.30 - 0.20              | .0062 | ----          | ----                     | ----              | ----          | 950              |
| 3000           | ---- | ----               | ----            | /1.50A             | 1.60B/1.50A      | ----               | ----          | ----            | 1.40 - 0.20              | .0067 | ----          | ----                     | ----              | ----          | 2192             |
| 3005           | ---- | ----               | ----            | /1.50A             | 1.60B/1.50A      | ----               | ----          | ----            | 1.50 - 0.10              | .0071 | ----          | ----                     | 1                 | ----          | 5 +              |
| 3010           | ---- | ----               | ----            | /1.50A             | 1.60B/1.50A      | ----               | ----          | ----            | 1.50 - 0.20              | .0071 | ----          | ----                     | ----              | ----          | 1                |
| 3025           | ---- | ----               | ----            | /1.60A             | 1.80B/1.60A      | ----               | ----          | ----            | 1.60 - 0.20              | .0076 | ----          | ----                     | ----              | ----          | 2                |
| 3030           | ---- | ----               | ----            | /1.60A             | 1.70B/1.60A      | ----               | ----          | ----            | 1.60 - 0.20              | .0077 | ----          | ----                     | ----              | ----          | 1                |
| 3035           | ---- | ----               | ----            | /1.60A             | 1.80B/1.60A      | ----               | ----          | ----            | 1.60 - 0.20              | .0077 | ----          | ----                     | ----              | ----          | 1                |
| 3045           | ---- | ----               | ----            | /1.70A             | 1.80B/1.70A      | ----               | ----          | ----            | 1.70 - 0.20              | .0081 | ----          | ----                     | ----              | ----          | 3                |
| 3050           | ---- | ----               | ----            | /1.70A             | 1.90B/1.70A      | ----               | ----          | ----            | 1.70 - 0.20              | .0082 | ----          | ----                     | ----              | ----          | 13               |
| 3060           | 1.70 | 1.70               |                 | 1.70/1.70          | 1.90B/1.70       | ----               | ----          | ----            | 1.70 - 0.30              | .0083 | ----          | ----                     | 19                | ----          | 201 -            |
| 3075           | ---- | ----               | ----            | /1.90A             | 2.10B/1.90A      | ----               | ----          | ----            | 1.80 - 0.30              | .0088 | ----          | ----                     | ----              | ----          | 3                |
| 3080           | ---- | ----               | ----            | /1.90A             | 2.10B/1.90A      | ----               | ----          | ----            | 1.90 - 0.20              | .0092 | ----          | ----                     | ----              | ----          | 1                |
| 3085           | ---- | ----               | ----            | /1.90A             | 2.10B/1.90A      | ----               | ----          | ----            | 1.90 - 0.30              | .0092 | ----          | ----                     | ----              | ----          | 2                |
| 3095           | 1.90 | 1.90               |                 | 1.90/1.90          | 2.20B/1.90       | ----               | ----          | ----            | 1.90 NEW                 | .0093 | ----          | ----                     | 4                 | ----          | 4 +              |
| 3100           | 2.10 | 2.10               |                 | 2.10/2.00A         | 2.20B/2.00A      | ----               | ----          | ----            | 2.00 - 0.30              | .0097 | ----          | ----                     | 5                 | ----          | 159              |
| 3110           | ---- | ----               | ----            | /2.10A             | 2.30B/2.10A      | ----               | ----          | ----            | 2.00 - 0.40              | .0098 | ----          | ----                     | ----              | ----          | 2                |
| 3120           | ---- | ----               | ----            | /2.10A             | 2.40B/2.10A      | ----               | ----          | ----            | 2.10 - 0.30              | .0103 | ----          | ----                     | ----              | ----          | 3                |
| 3125           | ---- | ----               | ----            | /2.20A             | 2.40B/2.20A      | ----               | ----          | ----            | 2.10 - 0.40              | .0104 | ----          | ----                     | ----              | ----          | 1                |
| 3130           | ---- | ----               | ----            | /2.20A             | 2.50B/2.20A      | ----               | ----          | ----            | 2.20 - 0.30              | .0108 | ----          | ----                     | ----              | ----          | 11               |
| 3135           | ---- | ----               | ----            | /2.20A             | 2.50B/2.20A      | ----               | ----          | ----            | 2.20 - 0.40              | .0109 | ----          | ----                     | ----              | ----          | 1                |
| 3140           | ---- | ----               | ----            | /2.20A             | 2.50B/2.20A      | ----               | ----          | ----            | 2.20 - 0.40              | .0109 | ----          | ----                     | ----              | ----          | 2                |
| 3145           | 2.20 | 2.20               |                 | 2.20/2.20          | 2.60B/2.20       | ----               | ----          | ----            | 2.30 - 0.40              | .0114 | ----          | ----                     | 9                 | ----          | 11 +             |
| 3150           | 2.40 | 2.40               |                 | 2.40/2.30A         | 2.60B/2.30A      | ----               | ----          | ----            | 2.30 - 0.40              | .0114 | ----          | ----                     | 1                 | ----          | 114 +            |
| 3155           | ---- | ----               | ----            | /2.30A             | 2.70B/2.30A      | ----               | ----          | ----            | 2.40 - 0.40              | .0119 | ----          | ----                     | ----              | ----          | 6                |
| 3160           | ---- | ----               | ----            | /2.40A             | 2.70B/2.40A      | ----               | ----          | ----            | 2.40 - 0.40              | .0119 | ----          | ----                     | ----              | ----          | 4                |
| 3170           | ---- | ----               | ----            | /2.40A             | 2.80B/2.40A      | ----               | ----          | ----            | 2.50 - 0.40              | .0124 | ----          | ----                     | ----              | ----          | 2                |
| 3175           | ---- | ----               | ----            | /2.50A             | 2.90B/2.50A      | ----               | ----          | ----            | 2.50 - 0.50              | .0125 | ----          | ----                     | ----              | ----          | 62               |
| 3180           | ---- | ----               | ----            | /2.50A             | 2.90B/2.50A      | ----               | ----          | ----            | 2.50 - 0.50              | .0125 | ----          | ----                     | ----              | ----          | 1                |
| 3185           | ---- | ----               | ----            | /2.60A             | 2.90B/2.60A      | ----               | ----          | ----            | 2.60 - 0.50              | .0130 | ----          | ----                     | ----              | ----          | 2                |
| 3190           | ---- | ----               | ----            | /2.60A             | 3.00B/2.60A      | ----               | ----          | ----            | 2.60 - 0.50              | .0131 | ----          | ----                     | ----              | ----          | 3                |
| 3195           | ---- | ----               | ----            | /2.60A             | 3.00B/2.60A      | ----               | ----          | ----            | 2.70 - 0.50              | .0135 | ----          | ----                     | ----              | ----          | 2                |
| 3200           | ---- | ----               | ----            | /2.70A             | 3.10B/2.70A      | ----               | ----          | ----            | 2.70 - 0.50              | .0136 | ----          | ----                     | ----              | ----          | 104              |
| 3210           | ---- | ----               | ----            | /2.70A             | 3.20B/2.70A      | ----               | ----          | ----            | 2.80 - 0.50              | .0141 | ----          | ----                     | ----              | ----          | 1                |
| 3215           | ---- | ----               | ----            | /2.80A             | 3.20B/2.80A      | ----               | ----          | ----            | 2.80 - 0.60              | .0142 | ----          | ----                     | ----              | ----          | 20               |
| 3225           | ---- | ----               | ----            | /2.90A             | 3.30B/2.90A      | ----               | ----          | ----            | 2.90 - 0.60              | .0147 | ----          | ----                     | ----              | ----          | 11               |
| 3235           | ---- | ----               | ----            | /2.90A             | 3.40B/2.90A      | ----               | ----          | ----            | 3.00 - 0.60              | .0152 | ----          | ----                     | ----              | ----          | 12               |
| 3240           | ---- | ----               | ----            | /3.00A             | 3.50B/3.00A      | ----               | ----          | ----            | 3.10 - 0.50              | .0157 | ----          | ----                     | ----              | ----          | 11               |
| 3245           | ---- | ----               | ----            | /3.00A             | 3.60B/3.00A      | ----               | ----          | ----            | 3.10 - 0.60              | .0158 | ----          | ----                     | ----              | ----          | 22               |
| 3250           | ---- | ----               | ----            | /3.10A             | 3.60B/3.10A      | ----               | ----          | ----            | 3.20 - 0.50              | .0163 | ----          | ----                     | ----              | ----          | 503              |
| 3260           | ---- | ----               | ----            | /3.20A             | 3.70B/3.20A      | ----               | ----          | ----            | 3.30 - 0.50              | .0168 | ----          | ----                     | ----              | ----          | 1                |
| 3265           | ---- | ----               | ----            | /3.20A             | 3.80B/3.20A      | ----               | ----          | ----            | 3.30 - 0.60              | .0169 | ----          | ----                     | ----              | ----          | 27               |
| 3270           | ---- | ----               | ----            | /3.20A             | 3.80B/3.20A      | ----               | ----          | ----            | 3.40 - 0.60              | .0174 | ----          | ----                     | ----              | ----          | 24               |
| 3275           | 3.40 | 3.40               |                 | 3.40/3.30A         | 3.90B/3.30A      | ----               | ----          | ----            | 3.40 - 0.60              | .0175 | ----          | ----                     | 1                 | ----          | 10 -             |
| 3280           | ---- | ----               | ----            | /3.30A             | 4.00B/3.30A      | ----               | ----          | ----            | 3.50 - 0.60              | .0180 | ----          | ----                     | ----              | ----          | 5                |
| 3285           | 4.00 | 4.00               |                 | 4.00/3.40A         | 4.00/3.40A       | ----               | ----          | ----            | 3.50 - 0.60              | .0181 | ----          | ----                     | 1                 | ----          | 11               |
| 3290           | ---- | ----               | ----            | /3.40A             | 4.10B/3.40A      | ----               | ----          | ----            | 3.60 - 0.60              | .0185 | ----          | ----                     | ----              | ----          | 7                |
| 3295           | ---- | ----               | ----            | /3.50A             | 4.20B/3.50A      | ----               | ----          | ----            | 3.60 - 0.70              | .0186 | ----          | ----                     | ----              | ----          | 1                |
| 3300           | ---- | ----               | ----            | /3.60A             | 4.20B/3.60A      | ----               | ----          | ----            | 3.70 - 0.60              | .0191 | ----          | ----                     | ----              | ----          | 643              |
| 3305           | 3.90 | 3.90               |                 | 3.90/3.60A         | 4.30B/3.60A      | ----               | ----          | ----            | 3.70 NEW                 | .0192 | ----          | ----                     | 4                 | ----          | 4 +              |
| 3310           | ---- | ----               | ----            | /3.70A             | 4.40B/3.70A      | ----               | ----          | ----            | 3.80 - 0.60              | .0197 | ----          | ----                     | ----              | ----          | 1                |
| 3315           | ---- | ----               | ----            | /3.70A             | 4.40B/3.70A      | ----               | ----          | ----            | 3.90 - 0.60              | .0202 | ----          | ----                     | ----              | ----          | 11               |
| 3325           | ---- | ----               | ----            | /3.80A             | 4.60B/3.80A      | ----               | ----          | ----            | 4.00 - 0.60              | .0208 | ----          | ----                     | ----              | ----          | 104              |
| 3330           | ---- | ----               | ----            | /3.90A             | 4.60B/3.90A      | ----               | ----          | ----            | 4.00 - 0.70              | .0209 | ----          | ----                     | ----              | ----          | 2                |
| 3335           | 4.70 | 4.70               |                 | 4.70/4.00A         | 4.70/4.00A       | ----               | ----          | ----            | 4.10 NEW                 | .0214 | ----          | ----                     | 1                 | 1 +           | 1                |
| 3345           | ---- | ----               | ----            | /4.10A             | 4.90B/4.10A      | ----               | ----          | ----            | 4.20 - 0.70              | .0221 | ----          | ----                     | ----              | ----          | 3                |
| 3350           | 5.20 | 5.20               |                 | 5.20/4.10A         | 5.20/4.10A       | ----               | ----          | ----            | 4.30 - 0.70              | .0226 | ----          | ----                     | 1                 | ----          | 36 +             |
| 3360           | 4.40 | 4.40               |                 | 4.40/4.30A         | 5.10B/4.30A      | ----               | ----          | ----            | 4.40 - 0.80              | .0232 | ----          | ----                     | 1                 | ----          | 16 -             |
| 3365           | ---- | ----               | ----            | /4.30A             | 5.20B/4.30A      | ----               | ----          | ----            | 4.50 - 0.70              | .0238 | ----          | ----                     | ----              | ----          | 7                |
| 3370           | ---- | ----               | ----            | /4.40A             | 5.30B/4.40A      | ----               | ----          | ----            | 4.60 - 0.70              | .0243 | ----          | ----                     | ----              | ----          | 3                |
| 3375           | ---- | ----               | ----            | /4.50A             | 5.40B/4.50A      | ----               | ----          | ----            | 4.70 - 0.70              | .0248 | ----          | ----                     | 2                 | ----          | 266              |
| 3380           | ---- | ----               | ----            | /4.60A             | 5.50B/4.60A      | ----               | ----          | ----            | 4.70 - 0.80              | .0249 | ----          | ----                     | 1                 | ----          | 13 +             |
| 3385           | ---- | ----               | ----            | /4.60A             | 5.50B/4.60A      | ----               | ----          | ----            | 4.80 - 0.80              | .0255 | ----          | ----                     | ----              | ----          | 35               |
| 3390           | ---- | ----               | ----            | /4.70A             | 5.60B/4.70A      | ----               | ----          | ----            | 4.90 - 0.80              | .0260 | ----          | ----                     | ----              | ----          | 101              |
| 3395           | ---- | ----               | ----            | /4.80A             | 5.70B/4.80A      | ----               | ----          | ----            | 5.00 - 0.70              | .0266 | ----          | ----                     | ----              | ----          | 5                |
| 3400           | 5.20 | 5.20               |                 | 5.20/4.90          | 5.80B/4.90       | ----               | ----          | ----            | 5.10 - 0.70              | .0271 | ----          | ----                     | 2                 | ----          | 2207 +           |
| 3410           | ---- | ----               | ----            | /5.00A             | 6.00B/5.00A      | ----               | ----          | ----            | 5.20 - 0.80              | .0278 | ----          | ----                     | ----              | ----          | 63               |
| 3420           | ---- | ----               | ----            | /5.20A             | 6.20B/5.20A      | ----               | ----          | ----            | 5.40 - 0.80              | .0289 | ----          | ----                     | ----              | ----          | 5                |
| 3425           | ---- | ----               | ----            | /5.30A             | 6.30B/5.30A      | ----               | ----          | ----            | 5.50 - 0.80              | .0295 | ----          | ----                     | ----              | ----          | 382              |
| 3430           | ---- | ----               | ----            | /5.40A             | 6.40B/5.40A      | ----               | ----          | ----            | 5.60 - 0.80</            |       |               |                          |                   |               |                  |

| GLOBEX<br>OPEN |                    | OPEN<br>OPEN  | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE |        | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
|----------------|--------------------|---------------|-----------------|--------------------|------------------|--------------------|---------------|--------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
| OG PUT         | COMEX GOLD OPTIONS |               |                 |                    |                  |                    |               |        |                 |                          |       |               |                          |                   |               |                  |      |
| DEC26          | 22.00              | 22.00         |                 | 22.708/18.60A      | 22.708/18.60A    | ----               | 19.90         | - 2.20 | .1075           | ----                     | ----  | ----          | 111                      | ----              | ----          | 1865             | -    |
| 3750           | ----               | ----          |                 | 23.208/19.00A      | 23.208/19.00A    | ----               | 20.40         | - 2.20 | .1100           | ----                     | ----  | ----          | ----                     | ----              | ----          | 40               | UNCH |
| 3755           | 20.60              | 20.60         |                 | 23.708/19.50A      | 23.708/19.50A    | ----               | 20.80         | - 2.30 | .1121           | ----                     | ----  | ----          | 5                        | ----              | ----          | 127              | +    |
| 3760           | 21.00              | 21.00         |                 | 24.208/19.90A      | 24.208/19.90A    | ----               | 21.30         | - 2.30 | .1146           | ----                     | ----  | ----          | 5                        | ----              | ----          | 26               | +    |
| 3765           | 21.40              | 21.40         |                 | 24.808/20.40A      | 24.808/20.40A    | ----               | 21.80         | - 2.30 | .1171           | ----                     | ----  | ----          | 4                        | ----              | ----          | 25               | +    |
| 3770           | 24.00              | 24.00         |                 | 25.308/20.90A      | 25.308/20.90A    | ----               | 22.40         | - 2.30 | .1199           | ----                     | ----  | ----          | 2                        | ----              | ----          | 63               | UNCH |
| 3775           | ----               | ----          |                 | 25.908/21.30A      | 25.908/21.30A    | ----               | 22.90         | - 2.30 | .1224           | ----                     | ----  | ----          | ----                     | ----              | ----          | 68               | UNCH |
| 3780           | 21.70              | 21.70         |                 | 26.508/21.70       | 26.508/21.70     | ----               | 23.40         | - 2.40 | .1249           | ----                     | 5     | ----          | ----                     | ----              | ----          | 87               | +    |
| 3785           | ----               | ----          |                 | 27.108/22.30A      | 27.108/22.30A    | ----               | 24.00         | - 2.40 | .1277           | ----                     | ----  | ----          | ----                     | ----              | ----          | 143              | UNCH |
| 3790           | 26.80              | 26.80         |                 | 27.708/22.80A      | 27.708/22.80A    | ----               | 24.60         | - 2.40 | .1306           | ----                     | ----  | ----          | 350                      | ----              | ----          | 54               | UNCH |
| 3795           | ----               | ----          |                 | 28.408/23.10       | 28.408/23.10     | ----               | 25.20         | - 2.40 | .1334           | ----                     | ----  | ----          | ----                     | ----              | ----          | 1649             | +    |
| 3800           | 25.50              | 25.50         |                 | 29.008/23.80A      | 29.008/23.80A    | ----               | 25.80         | - 2.40 | .1363           | ----                     | ----  | ----          | 2                        | ----              | ----          | 37               | UNCH |
| 3805           | ----               | ----          |                 | 29.708/24.40A      | 29.708/24.40A    | ----               | 26.40         | - 2.50 | .1392           | ----                     | ----  | ----          | 6                        | ----              | ----          | 121              | +    |
| 3810           | 30.10              | 30.10         |                 | 30.408/24.90A      | 30.408/24.90A    | ----               | 27.10         | - 2.40 | .1424           | ----                     | 2     | ----          | ----                     | ----              | ----          | 57               | -    |
| 3815           | ----               | ----          |                 | 31.108/25.50A      | 31.108/25.50A    | ----               | 27.70         | - 2.50 | .1453           | ----                     | ----  | ----          | 2                        | ----              | ----          | 35               | UNCH |
| 3820           | 28.70              | 28.70         |                 | 31.808/26.10A      | 31.808/26.10A    | ----               | 28.40         | - 2.50 | .1485           | ----                     | ----  | ----          | ----                     | ----              | ----          | 83               | UNCH |
| 3825           | 29.00              | 29.00         |                 | 32.508/26.70A      | 32.508/26.70A    | ----               | 29.10         | - 2.50 | .1517           | ----                     | 1     | ----          | ----                     | ----              | ----          | 48               | UNCH |
| 3830           | ----               | ----          |                 | 33.308/27.30A      | 33.308/27.30A    | ----               | 29.80         | - 2.50 | .1550           | ----                     | 1     | ----          | ----                     | ----              | ----          | 10               | +    |
| 3835           | 33.40              | 33.40         |                 | 34.108/27.90A      | 34.108/27.90A    | ----               | 30.50         | - 2.60 | .1582           | ----                     | ----  | ----          | 1                        | ----              | ----          | 208              | UNCH |
| 3840           | 32.20              | 32.20         |                 | 34.908/28.60A      | 34.908/28.60A    | ----               | 31.30         | - 2.60 | .1617           | ----                     | 1     | ----          | 167                      | ----              | ----          | 30               | +    |
| 3845           | ----               | ----          |                 | 35.708/29.20A      | 35.708/29.20A    | ----               | 32.00         | - 2.60 | .1650           | ----                     | 4     | ----          | ----                     | ----              | ----          | 614              | -    |
| 3850           | 36.70              | 36.70         |                 | 36.508/29.90A      | 36.508/29.90A    | ----               | 32.80         | - 2.60 | .1686           | ----                     | 2     | ----          | ----                     | ----              | ----          | 65               | +    |
| 3855           | 33.60              | 33.60         |                 | 37.308/30.60A      | 37.308/30.60A    | ----               | 33.60         | - 2.70 | .1721           | ----                     | 6     | ----          | ----                     | ----              | ----          | 39               | +    |
| 3860           | 37.00              | 37.00         |                 | 38.208/31.30A      | 38.208/31.30A    | ----               | 34.50         | - 2.60 | .1760           | ----                     | 3     | ----          | ----                     | ----              | ----          | 72               | -    |
| 3865           | 35.70              | 35.70         |                 | 39.108/32.00A      | 39.108/32.00A    | ----               | 35.30         | - 2.70 | .1796           | ----                     | 1     | ----          | ----                     | ----              | ----          | 32               | +    |
| 3870           | 36.70              | 36.70         |                 | 40.008/32.70A      | 40.008/32.70A    | ----               | 36.20         | - 2.60 | .1834           | ----                     | 2     | ----          | ----                     | ----              | ----          | 148              | UNCH |
| 3875           | 40.908/33.50A      | 40.908/33.50A |                 | 42.008/34.30A      | 42.008/34.30A    | ----               | 37.10         | - 2.60 | .1873           | ----                     | 10    | ----          | ----                     | ----              | ----          | 24               | -    |
| 3880           | 37.70              | 37.70         |                 | 42.908/35.10A      | 42.908/35.10A    | ----               | 38.00         | - 2.70 | .1912           | ----                     | ----  | ----          | 4                        | ----              | ----          | 47               | UNCH |
| 3885           | 43.908/35.90A      | 43.908/35.90A |                 | 44.908/36.70       | 44.908/36.70     | ----               | 38.90         | - 2.70 | .1951           | ----                     | 1     | ----          | ----                     | ----              | ----          | 33               | UNCH |
| 3890           | 43.00              | 43.00         |                 | 45.908/37.60A      | 45.908/37.60A    | ----               | 39.80         | - 2.80 | .1990           | ----                     | 269   | ----          | 4067                     | ----              | ----          | 253              | UNCH |
| 3895           | 39.70              | 39.70         |                 | 47.108/38.50A      | 47.108/38.50A    | ----               | 40.80         | - 2.80 | .2031           | ----                     | 23    | ----          | ----                     | ----              | ----          | 67               | +    |
| 3900           | 42.10              | 42.10         |                 | 48.108/39.40A      | 48.108/39.40A    | ----               | 41.80         | - 2.80 | .2073           | ----                     | 2     | ----          | ----                     | ----              | ----          | 55               | +    |
| 3905           | 43.60              | 43.60         |                 | 49.308/40.30A      | 49.308/40.30A    | ----               | 42.80         | - 2.80 | .2115           | ----                     | 1     | ----          | ----                     | ----              | ----          | 225              | -    |
| 3910           | 42.40              | 42.40         |                 | 50.308/41.20A      | 50.308/41.20A    | ----               | 43.90         | - 2.80 | .2159           | ----                     | 14    | ----          | ----                     | ----              | ----          | 66               | +    |
| 3915           | 45.70              | 45.70         |                 | 51.508/42.20A      | 51.508/42.20A    | ----               | 46.10         | - 2.70 | .2247           | ----                     | 5     | ----          | ----                     | ----              | ----          | 422              | -    |
| 3920           | 45.90              | 45.90         |                 | 52.808/43.20A      | 52.808/43.20A    | ----               | 47.20         | - 2.80 | .2292           | ----                     | 12    | ----          | ----                     | ----              | ----          | 92               | +    |
| 3925           | 47.50              | 47.50         |                 | 54.008/44.20A      | 54.008/44.20A    | ----               | 48.30         | - 2.80 | .2336           | ----                     | 14    | ----          | ----                     | ----              | ----          | 194              | +    |
| 3930           | 47.90              | 47.90         |                 | 55.208/45.20A      | 55.208/45.20A    | ----               | 49.50         | - 2.80 | .2383           | ----                     | 140   | ----          | ----                     | ----              | ----          | 221              | +    |
| 3935           | 49.20              | 49.20         |                 | 56.408/46.30A      | 56.408/46.30A    | ----               | 50.70         | - 2.80 | .2430           | ----                     | 10    | ----          | ----                     | ----              | ----          | 76               | +    |
| 3940           | 50.40              | 50.40         |                 | 57.808/47.30A      | 57.808/47.30A    | ----               | 51.90         | - 2.80 | .2477           | ----                     | 16    | ----          | 2566                     | +                 | ----          | 2                | +    |
| 3945           | ----               | ----          |                 | 59.008/48.50A      | 59.008/48.50A    | ----               | 53.20         | - 2.80 | .2525           | ----                     | ----  | ----          | 60                       |                   | UNCH          |                  |      |
| 3950           | 57.50              | 57.50         |                 | 60.508/49.60A      | 60.508/49.60A    | ----               | 54.50         | - 2.80 | .2574           | ----                     | ----  | ----          | 346                      |                   | UNCH          |                  |      |
| 3955           | 60.80              | 60.80         |                 | 61.808/50.70A      | 61.808/50.70A    | ----               | 55.80         | - 2.80 | .2623           | ----                     | ----  | ----          | 68                       |                   | UNCH          |                  |      |
| 3960           | 58.30              | 58.30         |                 | 63.208/51.90A      | 63.208/51.90A    | ----               | 57.10         | - 2.80 | .2673           | ----                     | 5     | ----          | ----                     | ----              | ----          | 314              | UNCH |
| 3965           | 62.10              | 62.10         |                 | 64.708/53.10A      | 64.708/53.10A    | ----               | 58.50         | - 2.80 | .2724           | ----                     | 15    | ----          | 287                      | +                 | ----          | 1                | +    |
| 3970           | 69.00              | 69.00         |                 | 66.108/54.40A      | 66.108/54.40A    | ----               | 59.80         | - 2.90 | .2773           | ----                     | ----  | ----          | 217                      | +                 | ----          | 5                | +    |
| 3975           | 67.10              | 67.10         |                 | 67.608/55.60A      | 67.608/55.60A    | ----               | 61.30         | - 2.80 | .2826           | ----                     | 5     | ----          | 26                       |                   | UNCH          |                  |      |
| 3980           | 69.00              | 69.00         |                 | 69.108/56.90A      | 69.108/56.90A    | ----               | 62.70         | - 2.80 | .2877           | ----                     | 11    | ----          | 29                       | +                 | ----          | 8                | +    |
| 3985           | 72.208/59.60A      | 72.208/59.60A |                 | 70.708/58.20A      | 70.708/58.20A    | ----               | 64.20         | - 2.80 | .2930           | ----                     | 142   | ----          | 4654                     | +                 | ----          | 34               | +    |
| 3990           | 73.808/60.90A      | 73.808/60.90A |                 | 72.208/59.60A      | 72.208/59.60A    | ----               | 65.70         | - 2.80 | .2983           | ----                     | 1     | ----          | 89                       |                   | UNCH          |                  |      |
| 3995           | 67.60              | 67.60         |                 | 73.808/60.90A      | 73.808/60.90A    | ----               | 67.30         | - 2.80 | .3038           | ----                     | 1     | ----          | 43                       | +                 | ----          | 1                | +    |
| 4000           | 75.608/62.30A      | 75.608/62.30A |                 | 75.608/62.30A      | 75.608/62.30A    | ----               | 68.80         | - 2.80 | .3091           | ----                     | 1     | ----          | 79                       | -                 | ----          | 1                | +    |
| 4005           | 77.208/63.70A      | 77.208/63.70A |                 | 77.208/63.70A      | 77.208/63.70A    | ----               | 70.40         | - 2.80 | .3146           | ----                     | ----  | ----          | 56                       |                   | UNCH          |                  |      |
| 4010           | 78.908/65.20A      | 78.908/65.20A |                 | 78.908/65.20A      | 78.908/65.20A    | ----               | 72.10         | - 2.80 | .3202           | ----                     | 2     | ----          | 845                      |                   | UNCH          |                  |      |
| 4015           | 80.708/66.70A      | 80.708/66.70A |                 | 80.708/66.70A      | 80.708/66.70A    | ----               | 73.70         | - 2.80 | .3257           | ----                     | ----  | ----          | 36                       |                   | UNCH          |                  |      |
| 4020           | 82.408/68.20A      | 82.408/68.20A |                 | 82.408/68.20A      | 82.408/68.20A    | ----               | 75.40         | - 2.80 | .3313           | ----                     | 2     | ----          | 91                       | +                 | ----          | 1                | +    |
| 4025           | 84.208/69.70A      | 84.208/69.70A |                 | 84.208/69.70A      | 84.208/69.70A    | ----               | 77.10         | - 2.80 | .3369           | ----                     | 2     | ----          | 106                      | -                 | ----          | 1                | +    |
| 4030           | 86.108/71.30A      | 86.108/71.30A |                 | 86.108/71.30A      | 86.108/71.30A    | ----               | 78.90         | - 2.80 | .3427           | ----                     | ----  | ----          | 25                       |                   | UNCH          |                  |      |
| 4035           | 87.908/72.90A      | 87.908/72.90A |                 | 87.908/72.90A      | 87.908/72.90A    | ----               | 80.70         | - 2.70 | .3484           | ----                     | 2     | ----          | 2450                     | -                 | ----          | 1                | +    |
| 4040           | 89.708/74.50A      | 89.708/74.50A |                 | 89.708/74.50A      | 89.708/74.50A    | ----               | 82.50         | - 2.80 | .3542           | ----                     | 1     | ----          | 20                       |                   | UNCH          |                  |      |
| 4045           | 91.708/76.10A      | 91.708/76.10A |                 | 91.708/76.10A      | 91.              |                    |               |        |                 |                          |       |               |                          |                   |               |                  |      |

| GLOBEX<br>OPEN |        | OPEN<br>OUTCRY<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
|----------------|--------|------------------------|-----------------|--------------------|----------------------------|-------------------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
| OG PUT         |        | COMEX GOLD OPTIONS     |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |
| 4435           | ----   | ----                   | ----            | 324.80B/290.40A    | 324.80B/290.40A            | ----                    | ----            | 318.70 + 0.60            | .7781 | ----          | ----                     | ----              | ----          | 166              | UNCH |
| 4440           | ----   | ----                   | ----            | 328.90B/294.30A    | 328.90B/294.30A            | ----                    | ----            | 322.80 + 0.60            | .7820 | ----          | ----                     | ----              | ----          | 73               | UNCH |
| 4445           | ----   | ----                   | ----            | 333.20B/298.20A    | 333.20B/298.20A            | ----                    | ----            | 326.90 + 0.70            | .7859 | ----          | ----                     | ----              | ----          | 197              | UNCH |
| 4450           | ----   | ----                   | ----            | 337.30B/302.10A    | 337.30B/302.10A            | ----                    | ----            | 331.10 + 0.80            | .7895 | ----          | ----                     | ----              | ----          | 587              | UNCH |
| 4455           | ----   | ----                   | ----            | 341.50B/306.10A    | 341.50B/306.10A            | ----                    | ----            | 335.20 + 0.80            | .7932 | ----          | ----                     | ----              | ----          | 47               | UNCH |
| 4460           | ----   | ----                   | ----            | 345.60B/310.10A    | 345.60B/310.10A            | ----                    | ----            | 339.40 + 0.90            | .7971 | ----          | ----                     | ----              | ----          | 73               | UNCH |
| 4465           | ----   | ----                   | ----            | 349.70B/314.10A    | 349.70B/314.10A            | ----                    | ----            | 343.60 + 0.90            | .8007 | ----          | ----                     | ----              | ----          | 79               | UNCH |
| 4470           | ----   | ----                   | ----            | 354.00B/318.10A    | 354.00B/318.10A            | ----                    | ----            | 347.80 + 1.00            | .8040 | ----          | ----                     | ----              | ----          | 177              | UNCH |
| 4475           | ----   | ----                   | ----            | 358.20B/322.10A    | 358.20B/322.10A            | ----                    | ----            | 352.00 + 1.00            | .8076 | ----          | ----                     | ----              | ----          | 223              | UNCH |
| 4480           | ----   | ----                   | ----            | 362.50B/326.20A    | 362.50B/326.20A            | ----                    | ----            | 356.20 + 1.00            | .8109 | ----          | ----                     | ----              | ----          | 47               | UNCH |
| 4485           | ----   | ----                   | ----            | 366.70B/330.30A    | 366.70B/330.30A            | ----                    | ----            | 360.50 + 1.10            | .8145 | ----          | ----                     | ----              | ----          | 41               | UNCH |
| 4490           | ----   | ----                   | ----            | 370.90B/334.40A    | 370.90B/334.40A            | ----                    | ----            | 364.80 + 1.20            | .8178 | ----          | ----                     | ----              | ----          | 31               | UNCH |
| 4495           | ----   | ----                   | ----            | 375.20B/338.50A    | 375.20B/338.50A            | ----                    | ----            | 369.00 + 1.20            | .8211 | ----          | ----                     | ----              | ----          | 40               | UNCH |
| 4500           | ----   | ----                   | ----            | 379.50B/342.60A    | 379.50B/342.60A            | ----                    | ----            | 373.40 + 1.30            | .8244 | ----          | ----                     | ----              | 1729          | UNCH             |      |
| 4505           | ----   | ----                   | ----            | 383.80B/346.70A    | 383.80B/346.70A            | ----                    | ----            | 377.70 + 1.40            | .8273 | ----          | ----                     | ----              | ----          | 17               | UNCH |
| 4510           | ----   | ----                   | ----            | 388.20B/350.90A    | 388.20B/350.90A            | ----                    | ----            | 382.00 + 1.40            | .8306 | ----          | ----                     | ----              | ----          | 17               | UNCH |
| 4515           | ----   | ----                   | ----            | 392.60B/355.10A    | 392.60B/355.10A            | ----                    | ----            | 386.30 + 1.40            | .8336 | ----          | ----                     | ----              | ----          | 270              | UNCH |
| 4520           | ----   | ----                   | ----            | 396.90B/359.20A    | 396.90B/359.20A            | ----                    | ----            | 390.70 + 1.50            | .8365 | ----          | ----                     | ----              | ----          | 44               | UNCH |
| 4525           | ----   | ----                   | ----            | 401.30B/363.50A    | 401.30B/363.50A            | ----                    | ----            | 395.10 + 1.60            | .8394 | ----          | ----                     | ----              | ----          | 384              | UNCH |
| 4530           | ----   | ----                   | ----            | 405.70B/367.70A    | 405.70B/367.70A            | ----                    | ----            | 399.50 + 1.60            | .8424 | ----          | ----                     | 280               | ----          | 334 + 278        | UNCH |
| 4535           | ----   | ----                   | ----            | 410.10B/372.00A    | 410.10B/372.00A            | ----                    | ----            | 403.90 + 1.70            | .8453 | ----          | ----                     | ----              | ----          | 109              | UNCH |
| 4540           | ----   | ----                   | ----            | 414.50B/376.20A    | 414.50B/376.20A            | ----                    | ----            | 408.30 + 1.70            | .8482 | ----          | ----                     | ----              | ----          | 20               | UNCH |
| 4545           | ----   | ----                   | ----            | 418.90B/380.40A    | 418.90B/380.40A            | ----                    | ----            | 412.70 + 1.70            | .8511 | ----          | ----                     | ----              | ----          | 61               | UNCH |
| 4550           | ----   | ----                   | ----            | 423.40B/384.80A    | 423.40B/384.80A            | ----                    | ----            | 417.10 + 1.70            | .8537 | ----          | ----                     | ----              | ----          | 320              | UNCH |
| 4555           | ----   | ----                   | ----            | 427.80B/389.10A    | 427.80B/389.10A            | ----                    | ----            | 421.60 + 1.80            | .8562 | ----          | ----                     | ----              | ----          | 62               | UNCH |
| 4560           | ----   | ----                   | ----            | 432.30B/393.30A    | 432.30B/393.30A            | ----                    | ----            | 426.10 + 1.90            | .8591 | ----          | ----                     | ----              | ----          | 11               | UNCH |
| 4565           | ----   | ----                   | ----            | 436.70B/397.70A    | 436.70B/397.70A            | ----                    | ----            | 430.50 + 1.90            | .8617 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 4570           | ----   | ----                   | ----            | 441.20B/402.10A    | 441.20B/402.10A            | ----                    | ----            | 435.00 + 2.00            | .8642 | ----          | ----                     | ----              | ----          | 25               | UNCH |
| 4575           | ----   | ----                   | ----            | 445.70B/406.40A    | 445.70B/406.40A            | ----                    | ----            | 439.50 + 2.00            | .8667 | ----          | ----                     | ----              | ----          | 221              | UNCH |
| 4580           | ----   | ----                   | ----            | 450.20B/410.80A    | 450.20B/410.80A            | ----                    | ----            | 444.00 + 2.10            | .8689 | ----          | ----                     | ----              | ----          | 179              | UNCH |
| 4585           | ----   | ----                   | ----            | 454.70B/415.20A    | 454.70B/415.20A            | ----                    | ----            | 448.50 + 2.10            | .8714 | ----          | ----                     | ----              | ----          | 352              | UNCH |
| 4590           | ----   | ----                   | ----            | 459.20B/419.60A    | 459.20B/419.60A            | ----                    | ----            | 453.10 + 2.20            | .8736 | ----          | ----                     | ----              | ----          | 13               | UNCH |
| 4595           | ----   | ----                   | ----            | 463.80B/424.00A    | 463.80B/424.00A            | ----                    | ----            | 457.60 + 2.20            | .8761 | ----          | ----                     | ----              | ----          | 32               | UNCH |
| 4600           | ----   | ----                   | ----            | 468.30B/428.30A    | 468.30B/428.30A            | ----                    | ----            | 462.20 + 2.30            | .8782 | ----          | ----                     | ----              | ----          | 973              | UNCH |
| 4605           | ----   | ----                   | ----            | 472.80B/432.80A    | 472.80B/432.80A            | ----                    | ----            | 466.70 + 2.30            | .8804 | ----          | ----                     | ----              | ----          | 24               | UNCH |
| 4610           | ----   | ----                   | ----            | 477.40B/437.30A    | 477.40B/437.30A            | ----                    | ----            | 471.30 + 2.40            | .8829 | ----          | ----                     | ----              | ----          | 22               | UNCH |
| 4615           | ----   | ----                   | ----            | 481.90B/441.70A    | 481.90B/441.70A            | ----                    | ----            | 475.90 + 2.50            | .8850 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 4620           | ----   | ----                   | ----            | 486.50B/446.10A    | 486.50B/446.10A            | ----                    | ----            | 480.50 + 2.50            | .8871 | ----          | ----                     | ----              | ----          | 62               | UNCH |
| 4625           | ----   | ----                   | ----            | 491.10B/450.70A    | 491.10B/450.70A            | ----                    | ----            | 485.10 + 2.60            | .8889 | ----          | ----                     | ----              | ----          | 59               | UNCH |
| 4630           | ----   | ----                   | ----            | 495.70B/455.20A    | 495.70B/455.20A            | ----                    | ----            | 489.70 + 2.60            | .8910 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 4635           | ----   | ----                   | ----            | 500.30B/459.70A    | 500.30B/459.70A            | ----                    | ----            | 494.30 + 2.70            | .8931 | ----          | ----                     | 1                 | ----          | 28               | UNCH |
| 4640           | ----   | ----                   | ----            | 504.90B/464.20A    | 504.90B/464.20A            | ----                    | ----            | 498.90 + 2.70            | .8948 | ----          | ----                     | ----              | ----          | 120              | UNCH |
| 4650           | ----   | ----                   | ----            | 514.20B/473.20A    | 514.20B/473.20A            | ----                    | ----            | 508.20 + 2.80            | .8986 | ----          | ----                     | ----              | ----          | 235              | UNCH |
| 4655           | ----   | ----                   | ----            | 518.80B/477.80A    | 518.80B/477.80A            | ----                    | ----            | 512.90 + 2.90            | .9007 | ----          | ----                     | ----              | ----          | 12               | UNCH |
| 4660           | ----   | ----                   | ----            | 523.50B/482.40A    | 523.50B/482.40A            | ----                    | ----            | 517.50 + 2.90            | .9024 | ----          | ----                     | ----              | ----          | 122              | UNCH |
| 4665           | ----   | ----                   | ----            | 528.10B/486.90A    | 528.10B/486.90A            | ----                    | ----            | 522.20 + 3.00            | .9041 | ----          | ----                     | ----              | ----          | 55               | UNCH |
| 4670           | ----   | ----                   | ----            | 532.80B/491.40A    | 532.80B/491.40A            | ----                    | ----            | 526.90 + 3.10            | .9057 | ----          | ----                     | ----              | ----          | 20               | UNCH |
| 4675           | ----   | ----                   | ----            | 537.40B/496.00A    | 537.40B/496.00A            | ----                    | ----            | 531.60 + 3.10            | .9074 | ----          | ----                     | ----              | ----          | 16               | UNCH |
| 4680           | ----   | ----                   | ----            | 542.10B/500.50A    | 542.10B/500.50A            | ----                    | ----            | 536.30 + 3.20            | .9091 | ----          | ----                     | ----              | ----          | 64               | UNCH |
| 4685           | ----   | ----                   | ----            | 546.80B/505.20A    | 546.80B/505.20A            | ----                    | ----            | 541.00 + 3.20            | .9107 | ----          | ----                     | ----              | ----          | 19               | UNCH |
| 4690           | 526.00 | 526.00                 | ----            | 551.50B/509.70A    | 551.50B/509.70A            | ----                    | ----            | 545.70 + 3.30            | .9124 | ----          | ----                     | 3                 | ----          | 146              | UNCH |
| 4695           | 543.10 | 543.10                 | ----            | 556.20B/514.40A    | 556.20B/514.40A            | ----                    | ----            | 550.40 + 3.30            | .9140 | ----          | ----                     | 1                 | ----          | 33               | -    |
| 4700           | ----   | ----                   | ----            | 560.90B/519.00A    | 560.90B/519.00A            | ----                    | ----            | 555.10 + 3.30            | .9157 | ----          | ----                     | ----              | ----          | 688 + 1          | UNCH |
| 4705           | ----   | ----                   | ----            | 565.60B/523.60A    | 565.60B/523.60A            | ----                    | ----            | 559.80 + 3.30            | .9169 | ----          | ----                     | ----              | ----          | 16               | UNCH |
| 4710           | ----   | ----                   | ----            | 570.30B/528.30A    | 570.30B/528.30A            | ----                    | ----            | 564.50 + 3.30            | .9186 | ----          | ----                     | ----              | ----          | 21               | UNCH |
| 4715           | ----   | ----                   | ----            | 575.00B/532.90A    | 575.00B/532.90A            | ----                    | ----            | 569.30 + 3.40            | .9198 | ----          | ----                     | ----              | ----          | 12               | UNCH |
| 4720           | 573.50 | 573.50                 | ----            | 579.80B/537.50A    | 579.80B/537.50A            | ----                    | ----            | 574.00 + 3.40            | .9214 | ----          | ----                     | 1                 | ----          | 15               | -    |
| 4725           | 566.00 | 566.00                 | ----            | 584.50B/542.20A    | 584.50B/542.20A            | ----                    | ----            | 578.80 + 3.50            | .9226 | ----          | ----                     | 1                 | ----          | 142 + 1          | UNCH |
| 4730           | 552.40 | 552.40                 | ----            | 589.20B/546.90A    | 589.20B/546.90A            | ----                    | ----            | 583.50 + 3.50            | .9243 | ----          | ----                     | 1                 | ----          | 8                | -    |
| 4735           | ----   | ----                   | ----            | 594.00B/551.60A    | 594.00B/551.60A            | ----                    | ----            | 588.30 + 3.50            | .9255 | ----          | ----                     | ----              | ----          | 7                | UNCH |
| 4740           | ----   | ----                   | ----            | 598.70B/556.20A    | 598.70B/556.20A            | ----                    | ----            | 593.00 + 3.50            | .9267 | ----          | ----                     | ----              | ----          | 7                | UNCH |
| 4745           | ----   | ----                   | ----            | 603.50B/560.90A    | 603.50B/560.90A            | ----                    | ----            | 597.80 + 3.50            | .9279 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 4750           | ----   | ----                   | ----            | 608.20B/565.60A    | 608.20B/565.60A            | ----                    | ----            | 602.60 + 3.60            | .9291 | ----          | ----                     | ----              | ----          | 74               | UNCH |
| 4755           | ----   | ----                   | ----            | 613.00B/570.30A    | 613.00B/570.30A            | ----                    | ----            | 607.40 + 3.60            | .9307 | ----          | ----                     | ----              | ----          | 18               | UNCH |
| 4760           | 597.40 | 597.40                 | ----            | 617.80B/575.00A    | 617.80B/575.00A            | ----                    | ----            | 612.20 + 3.70            | .9318 | ----          | ----                     | 1                 | ----          | 25               | UNCH |
| 4765           | ----   | ----                   | ----            | 622.60B/579.70A    | 622.60B/579.70A            | ----                    | ----            | 616.90 + 3.60            | .9330 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 4770           | ----   | ----                   | ----            | 627.30B/584.50A    | 627.30B/584.50A            | ----                    | ----            | 621.70 + 3.60            | .9342 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4775           | ----   | ----                   | ----            | 632.10B/589.20A    | 632.10B/589.20A            | ----                    | ----            | 626.50 + 3.70            | .9349 | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 4780           | ----   | ----                   | ----            | 636.90B/593.90A    | 636.90B/593.90A            | ----                    | ----            | 631.40 + 3.80            | .9361 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 4790           | ----   | ----                   | ----            | 646.50B/603.40A    | 646.50B/603.40A            | ----                    | ----            | 641.00 + 3.80            | .9384 | ----          | ----                     | ----              | ----          | 73               | UNCH |
| 4795           | ----   | ----                   | ----            | 651.30B/608.20A    | 651.30B/608.20A            | ----                    | ----            | 645.80 + 3.80            | .9396 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4800           | ----   | ----                   | ----            | 656.10B/612.80A    | 656.10B/612.80A            | ----                    | ----            | 650.60 + 3.80            | .9403 | ----          | ----                     | ----              | ----          | 362              | UNCH |
| 4805           | ----   | ----                   | ----            | 660.90B/617.70A    | 660.90B/617.70A            | ----                    | ----            | 655.40 + 3.80            | .9414 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 4810           | ----   | ----                   | ----            | 665.70B/622.40A    | 665.70B/622.40A            | ----                    | ----            | 660.30 + 3.90            | .9426 | ----          | ----                     | ----              | ----          | 61               | UNCH |
| 4815           | ----   | ----                   | ----            | 670.70B/627.10A    | 670.70B/627.10A            | ----                    | ----            | 665.10 + 3.90            | .9433 | ----          | ----                     | ----              | ----          | 9                | UNCH |
| 4820           | ----   | ----                   | ----            | 675.50B/634.90A    | 675.50B/634.90A            | ----                    | ----            | 669.90 + 3.90            | .9444 | ----          | ----                     | ----              | ----          | 24               | UNCH |
| 4825           | ----   | ----                   | ----            | 680.20B/644.50A    | 680.20B/644.50A            | ----                    | ----            | 674.80 + 4.00            | .9451 | ----          | ----                     | ----              | ----          | 114              | UNCH |
| 4830           | ----   | ----                   | ----            | 685.00B/649.30A    | 685.00B/649.30A            | ----                    | ----            | 679.60 + 4.00            | .9462 | ----          | ----                     | ----              | ----          | 15               | UNCH |
| 4835           | ----   | ----                   | ----            | 689.50B/663.70A    | 689.50B/663.70A            | ----                    | ----            | 684.50 + 4.10            | .9469 | ----          | ----                     |                   |               |                  |      |

| GLOBEX<br>OPEN |                    | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW  | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA  | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |  |
|----------------|--------------------|--------------|-----------------|--------------------|-------------------|--------------------|---------------|-----------------|--------------------------|--------|---------------|--------------------------|-------------------|---------------|------------------|------|--|
| OG PUT         | COMEX GOLD OPTIONS |              |                 |                    |                   |                    |               |                 |                          |        |               |                          |                   |               |                  |      |  |
| DEC26          | ----               | ----         | ----            | 1,344.90B/1,305    | 1344.90B/1305.00A | ----               | ----          | ----            | 1343.30 + 5.50           | .9899  | ----          | ----                     | ----              | ----          | 76               | UNCH |  |
| 5500           | ----               | ----         | ----            | 1,369.90B/1,329    | 1369.90B/1329.80A | ----               | ----          | ----            | 1368.20 + 5.40           | .9900  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 5525           | ----               | ----         | ----            | 1,445.00B/1,404    | 1445.00B/1404.40A | ----               | ----          | ----            | 1443.20 + 5.50           | .9915  | ----          | ----                     | ----              | ----          | 5                | UNCH |  |
| 5600           | ----               | ----         | ----            | 1,645.10B/1,604    | 1645.10B/1604.30A | ----               | ----          | ----            | 1643.20 + 5.50           | .9940  | ----          | ----                     | ----              | ----          | 0                | UNCH |  |
| 5800           | ----               | ----         | ----            | 1,743.00B/1,703    | 1743.00B/1703.90A | ----               | ----          | ----            | 1743.20 + 5.50           | .9954  | 10            | ----                     | 10                | ----          | 60               | UNCH |  |
| 5900           | ----               | ----         | ----            | ----               | ----              | ----               | ----          | ----            | 5843.20 + 5.50           | 1.0000 | ----          | ----                     | ----              | ----          | 0                | UNCH |  |
| 10000          | ----               | ----         | ----            | ----               | ----              | ----               | ----          | ----            | ----                     | ----   | ----          | ----                     | 2475              | ----          | 94042+           | 736  |  |
| TOTAL          |                    |              |                 |                    |                   |                    |               |                 |                          |        |               |                          |                   |               |                  |      |  |
| JAN27          | ----               | ----         | ----            | ----/1.20A         | 1.20B/1.20A       | ----               | ----          | ----            | 1.20 - 0.10              | .0044  | ----          | ----                     | ----              | ----          | 37               | UNCH |  |
| 2625           | ----               | ----         | ----            | ----/1.30A         | 1.20B/1.30A       | ----               | ----          | ----            | 1.30 - 0.10              | .0048  | ----          | ----                     | ----              | ----          | 14               | UNCH |  |
| 2650           | ----               | ----         | ----            | ----/1.40A         | 1.30B/1.40A       | ----               | ----          | ----            | 1.40 - 0.10              | .0052  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 2675           | ----               | ----         | ----            | ----/1.40A         | 1.40B/1.40A       | ----               | ----          | ----            | 1.40 - 0.10              | .0053  | ----          | ----                     | ----              | ----          | 33               | UNCH |  |
| 2700           | ----               | ----         | ----            | ----/1.60A         | 1.60B/1.60A       | ----               | ----          | ----            | 1.60 - 0.10              | .0061  | ----          | ----                     | 1                 | ----          | 3                | +    |  |
| 2750           | ----               | ----         | ----            | ----/1.80A         | 1.90B/1.80A       | ----               | ----          | ----            | 1.90 - 0.10              | .0072  | ----          | ----                     | ----              | ----          | 37               | UNCH |  |
| 2800           | ----               | ----         | ----            | ----/2.10A         | 2.20B/2.10A       | ----               | ----          | ----            | 2.10 - 0.20              | .0082  | ----          | ----                     | ----              | ----          | 10               | UNCH |  |
| 2850           | ----               | ----         | ----            | ----/2.20A         | 2.30B/2.20A       | ----               | ----          | ----            | 2.20 - 0.20              | .0086  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 2870           | ----               | ----         | ----            | ----/2.30A         | 2.40B/2.30A       | ----               | ----          | ----            | 2.30 - 0.20              | .0090  | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 2890           | ----               | ----         | ----            | ----/2.40A         | 2.50B/2.40A       | ----               | ----          | ----            | 2.40 - 0.20              | .0094  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 2900           | ----               | ----         | ----            | ----/2.40A         | 2.60B/2.40A       | ----               | ----          | ----            | 2.40 - 0.30              | .0095  | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 2910           | ----               | ----         | ----            | ----/2.40A         | 2.60B/2.40A       | ----               | ----          | ----            | 2.50 - 0.20              | .0099  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 2915           | ----               | ----         | ----            | ----/2.60A         | 2.80B/2.60A       | ----               | ----          | ----            | 2.60 - 0.30              | .0104  | ----          | ----                     | ----              | ----          | 10               | UNCH |  |
| 2940           | ----               | ----         | ----            | ----/2.70A         | 2.90B/2.70A       | ----               | ----          | ----            | 2.70 - 0.30              | .0108  | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 2950           | ----               | ----         | ----            | ----/2.70A         | 3.00B/2.70A       | ----               | ----          | ----            | 2.80 - 0.20              | .0112  | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 2960           | ----               | ----         | ----            | ----/2.90A         | 3.10B/2.90A       | ----               | ----          | ----            | 2.90 - 0.30              | .0117  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 2980           | ----               | ----         | ----            | ----/3.10A         | 3.30B/3.10A       | ----               | ----          | ----            | 3.10 - 0.30              | .0125  | ----          | ----                     | ----              | ----          | 64               | UNCH |  |
| 3000           | ----               | ----         | ----            | ----/3.10A         | 3.40B/3.10A       | ----               | ----          | ----            | 3.10 - 0.40              | .0126  | ----          | ----                     | ----              | ----          | 16               | UNCH |  |
| 3010           | ----               | ----         | ----            | ----/3.40A         | 3.80B/3.40A       | ----               | ----          | ----            | 3.50 - 0.30              | .0142  | ----          | ----                     | ----              | ----          | 14               | UNCH |  |
| 3045           | ----               | ----         | ----            | ----/3.60A         | 4.00B/3.60A       | ----               | ----          | ----            | 3.60 - 0.40              | .0147  | ----          | ----                     | ----              | ----          | 11               | UNCH |  |
| 3060           | ----               | ----         | ----            | ----/3.60A         | 4.00B/3.60A       | ----               | ----          | ----            | 3.70 - 0.30              | .0151  | ----          | ----                     | ----              | ----          | 11               | UNCH |  |
| 3065           | ----               | ----         | ----            | ----/3.70A         | 4.00B/3.70A       | ----               | ----          | ----            | 3.70 - 0.40              | .0152  | ----          | ----                     | ----              | ----          | 4                | UNCH |  |
| 3070           | ----               | ----         | ----            | ----/3.80A         | 4.20B/3.80A       | ----               | ----          | ----            | 3.80 - 0.40              | .0156  | ----          | ----                     | ----              | ----          | 20               | UNCH |  |
| 3080           | ----               | ----         | ----            | ----/3.80A         | 4.20B/3.80A       | ----               | ----          | ----            | 3.90 - 0.40              | .0160  | ----          | ----                     | ----              | ----          | 10               | UNCH |  |
| 3085           | ----               | ----         | ----            | ----/3.90A         | 4.30B/3.90A       | ----               | ----          | ----            | 3.90 - 0.40              | .0161  | ----          | ----                     | ----              | ----          | 21               | UNCH |  |
| 3090           | ----               | ----         | ----            | ----/3.90A         | 4.40B/3.90A       | ----               | ----          | ----            | 4.00 - 0.40              | .0165  | ----          | ----                     | ----              | ----          | 218              | UNCH |  |
| 3095           | ----               | ----         | ----            | ----/4.00A         | 4.40B/4.00A       | ----               | ----          | ----            | 4.00 - 0.50              | .0165  | ----          | ----                     | ----              | ----          | 46               | UNCH |  |
| 3100           | ----               | ----         | ----            | ----/4.10A         | 4.50B/4.10A       | ----               | ----          | ----            | 4.10 - 0.40              | .0169  | ----          | ----                     | ----              | ----          | 24               | UNCH |  |
| 3105           | ----               | ----         | ----            | ----/4.20A         | 4.70B/4.20A       | ----               | ----          | ----            | 4.20 - 0.40              | .0173  | ----          | ----                     | ----              | ----          | 5                | UNCH |  |
| 3110           | ----               | ----         | ----            | ----/4.20A         | 4.70B/4.20A       | ----               | ----          | ----            | 4.30 - 0.50              | .0178  | ----          | ----                     | ----              | ----          | 16               | UNCH |  |
| 3125           | ----               | ----         | ----            | ----/4.50A         | 5.10B/4.50A       | ----               | ----          | ----            | 4.70 - 0.40              | .0195  | ----          | ----                     | ----              | ----          | 15               | UNCH |  |
| 3150           | ----               | ----         | ----            | ----/4.70A         | 5.20B/4.70A       | ----               | ----          | ----            | 4.80 - 0.50              | .0200  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 3160           | ----               | ----         | ----            | ----/4.80A         | 5.40B/4.80A       | ----               | ----          | ----            | 5.00 - 0.50              | .0209  | ----          | ----                     | ----              | ----          | 7                | UNCH |  |
| 3175           | ----               | ----         | ----            | ----/5.20A         | 5.80B/5.20A       | ----               | ----          | ----            | 5.40 - 0.50              | .0226  | ----          | ----                     | ----              | ----          | 24               | UNCH |  |
| 3200           | ----               | ----         | ----            | ----/5.60A         | 6.30B/5.60A       | ----               | ----          | ----            | 5.70 - 0.60              | .0241  | ----          | ----                     | ----              | ----          | 14               | UNCH |  |
| 3225           | ----               | ----         | ----            | ----/5.80A         | 6.60B/5.80A       | ----               | ----          | ----            | 6.00 - 0.60              | .0254  | ----          | ----                     | ----              | ----          | 15               | UNCH |  |
| 3240           | ----               | ----         | ----            | 6.80B/6.00A        | 6.80B/6.00A       | ----               | ----          | ----            | 6.20 - 0.50              | .0262  | ----          | ----                     | ----              | ----          | 45               | UNCH |  |
| 3250           | ----               | ----         | ----            | 7.20B/6.30A        | 7.20B/6.30A       | ----               | ----          | ----            | 6.50 - 0.60              | .0277  | ----          | ----                     | ----              | ----          | 22               | UNCH |  |
| 3270           | ----               | ----         | ----            | ----/6.50A         | 7.40B/6.50A       | ----               | ----          | ----            | 6.70 - 0.70              | .0286  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 3280           | ----               | ----         | ----            | ----/6.60A         | 7.50B/6.60A       | ----               | ----          | ----            | 6.80 - 0.70              | .0290  | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 3285           | ----               | ----         | ----            | ----/6.80A         | 7.70B/6.80A       | ----               | ----          | ----            | 7.00 - 0.70              | .0299  | ----          | ----                     | ----              | ----          | 6                | UNCH |  |
| 3295           | ----               | ----         | ----            | ----/6.80A         | 7.80B/6.80A       | ----               | ----          | ----            | 7.10 - 0.70              | .0304  | ----          | ----                     | ----              | ----          | 62               | UNCH |  |
| 3300           | ----               | ----         | ----            | 8.00B/6.90A        | 8.00B/6.90A       | ----               | ----          | ----            | 7.20 - 0.70              | .0308  | ----          | ----                     | ----              | ----          | 15               | UNCH |  |
| 3305           | ----               | ----         | ----            | 8.10B/7.10A        | 8.10B/7.10A       | ----               | ----          | ----            | 7.30 - 0.70              | .0313  | ----          | ----                     | ----              | ----          | 6                | UNCH |  |
| 3310           | ----               | ----         | ----            | 8.50B/7.40A        | 8.50B/7.40A       | ----               | ----          | ----            | 7.70 - 0.70              | .0330  | ----          | ----                     | ----              | ----          | 302              | UNCH |  |
| 3325           | ----               | ----         | ----            | 9.00B/7.80A        | 9.00B/7.80A       | ----               | ----          | ----            | 8.10 - 0.80              | .0349  | ----          | ----                     | ----              | ----          | 9                | UNCH |  |
| 3345           | ----               | ----         | ----            | 9.20B/7.90A        | 9.20B/7.90A       | ----               | ----          | ----            | 8.30 - 0.80              | .0357  | ----          | ----                     | ----              | ----          | 4                | UNCH |  |
| 3350           | ----               | ----         | ----            | 9.70B/8.40A        | 9.70B/8.40A       | ----               | ----          | ----            | 8.80 - 0.80              | .0379  | ----          | ----                     | ----              | ----          | 3                | UNCH |  |
| 3370           | ----               | ----         | ----            | 10.10B/8.70A       | 10.10B/8.70A      | ----               | ----          | ----            | 9.10 - 0.80              | .0392  | ----          | ----                     | ----              | ----          | 67               | UNCH |  |
| 3380           | ----               | ----         | ----            | 10.20B/8.80A       | 10.20B/8.80A      | ----               | ----          | ----            | 9.20 - 0.90              | .0397  | ----          | ----                     | ----              | ----          | 10               | UNCH |  |
| 3385           | ----               | ----         | ----            | 10.60B/9.10A       | 10.60B/9.10A      | ----               | ----          | ----            | 9.50 - 0.90              | .0410  | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 3395           | ----               | ----         | ----            | 10.70B/9.20A       | 10.70B/9.20A      | ----               | ----          | ----            | 9.70 - 0.90              | .0418  | ----          | ----                     | ----              | ----          | 350              | UNCH |  |
| 3400           | ----               | ----         | ----            | 11.10B/9.50A       | 11.10B/9.50A      | ----               | ----          | ----            | 10.00 - 0.90             | .0432  | ----          | ----                     | ----              | ----          | 4                | UNCH |  |
| 3410           | ----               | ----         | ----            | 11.30B/9.70A       | 11.30B/9.70A      | ----               | ----          | ----            | 10.10 - 1.00             | .0437  | ----          | ----                     | ----              | ----          | 5                | UNCH |  |
| 3415           | ----               | ----         | ----            | 11.40B/9.90A       | 11.40B/9.90A      | ----               | ----          | ----            | 10.30 - 1.00             | .0455  | ----          | ----                     | 1                 | ----          | 7                | +    |  |
| 3420           | ----               | ----         | ----            | 11.60B/10.00A      | 11.60B/10.00A     | ----               | ----          | ----            | 10.50 - 1.00             | .0454  | ----          | ----                     | ----              | ----          | 3                | +    |  |
| 3425           | ----               | ----         | ----            | 11.80B/10.20A      | 11.80B/10.20A     | ----               | ----          | ----            | 10.60 - 1.00             | .0459  | ----          | ----                     | ----              | ----          | 3                | UNCH |  |
| 3430           | ----               | ----         | ----            | 12.20B/10.50A      | 12.20B/10.50A     | ----               | ----          | ----            | 11.00 - 1.00             | .0476  | ----          | ----                     | ----              | ----          | 5                | UNCH |  |
| 3440           | ----               | ----         | ----            | 12.40B/10.70A      | 12.40B/10.70A     | ----               | ----          | ----            | 11.20 - 1.00             | .0484  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 3445           | ----               | ----         | ----            | 12.60B/10.90A      | 12.60B/10.90A     | ----               | ----          | ----            | 11.40 - 1.00             | .0493  | ----          | ----                     | 45                | ----          | 47               | -    |  |
| 3450           | 11.20              | 11.20        | ----            | 12.80B/11.00A      | 12.80B/11.00A     | ----               | ----          | ----            | 11.50 - 1.10             | .0498  | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 3455           | ----               | ----         | ----            | 13.10B/11.20A      | 13.10B/11.20A     | ----               | ----          | ----            | 11.70 - 1.10             | .0507  | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 3460           | ----               | ----         | ----            | 14.00B/12.00A      | 14.00B/12.00A     | ----               | ----          | ----            | 12.60 - 1.10             | .0545  | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 3480           | ----               | ----         | ----            | 14.70B/12.60A      | 14.70B/12.60A     | ----               | ----          | ----            | 13.20 - 1.20             | .0571  | ----          | ----                     | ----              | ----          | 54               | UNCH |  |
| 3495           | ----               | ----         | ----            | 14.90B/12.80A      | 14.90B/12.80A     | ----               | ----          | ----            | 13.40 - 1.30             | .0580  | ----          | ----                     | 7                 | ----          | 265              | -    |  |
| 3500           | 13.50              | 13.50        | ----            | 15.50B/13.30A      | 15.50B/13.30A     | ----               | ----          | ----            | 13.90 - 1.30             | .0601  | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 3510           | ----               | ----         | ----            | 16.00B/13.70A      | 16.00B/13.70A     | ----               | ----          | ----            | 14.40 - 1.30             | .0622  | ----          | ----                     | ----              | ----          | 5                | UNCH |  |
| 3520           | ----               | ----         | ----            | 16.60B/14.20A      | 16.60B/14.20A     | ----               | ----          | ----            | 14.90 - 1.30             | .0643  | ----          | ----                     | ----              | ----          | 21               | UNCH |  |
| 3530           | ----               | ----         | ----            | 16.80B/14.50A      | 16.80B/14.50A     | ----               | ----          | ----            | 15.20 - 1.30             | .0655  | ----          | ----                     | ----              | ----          | 7                | UNCH |  |
| 3535           | ----               | ----         | ----            | 17.10B/14.70A      | 17.10B/14.70A     | ----               | ----          | ----            | 15.40 - 1.40             | .0665  | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 3540           | ----               | ----         | ----            | 17.40B/15.00A      | 17.40B/15.00A     | ----               | ----          | ----            | 15.70 - 1.40             | .0677  | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 3545           | ----               | ----         | ----            | 17.70B/15.20A      | 17.70B/15.20A     | ----               | ----          | ----            | 16.00 - 1.40             | .0689  | ----          | ----                     | 1                 | ----          | 1140             | UNCH |  |
| 3550           | 15.60              | 15.60        | ----            | 18.40B/15.80A      | 18.40B/15.80A     | ----               | ----          | ----            | 16.60 - 1.40             | .0714  | ----          | ----                     | ----              | ----          | 6                | UNCH |  |
| 3560           | ----               | ----         | ----            | 18.70B/16.10A      | 18.70B/16.10A     | ----               | ----          | ----            | 16.90 - 1.40             | .0726  | ----          | ----                     | ----              | ----          | 3                | UNCH |  |
| 3565           | ----               | ----         | ----            | 19.00B/16.40A      | 19.00B/16.40A     | ----               | ----          | ----            | 17.20 - 1.40             | .0739  | ----          | ----                     | ----              | ----          | 3                | UNCH |  |
| 3570           | ----               | ----         | ----            | 19.40B/16.60A      | 19.40B/16.60A     | ----               | ----          | ----            | 17.50 - 1.50             | .0751  | ----          | ----                     | ----              | ----          | 29               | UNCH |  |
| 3575           | ----               | ----         | ----            | 19.70B/16.90A      | 19.70B/16.90A     | ----               | ----          | ----            | 17.80 - 1.50             | .0764  | ----          | ----                     | ----              | ----          | 8                | UNCH |  |
| 3580           | ----               | ----         | ----            | 20.10B/17.20A      | 20.10B/17.20A     | ----               | ----          | ----            | 18.10 - 1.60             | .0776  | ----          | ----                     | ----              | ----          | 215              | UNCH |  |
| 3585           | ----               | ----         | ----            | 20.80B/17.90A      | 20.80B/17.90A     | ----               | ----          | ----            | 18.80 - 1.60             | .0805  | ----          | ----                     | ----              | ----          | 11               | UNCH |  |
| 3595           | 19.00              | 19.00        | ----            | 21.20B/18.20A      | 21.20B/18.20A     | ----               | ----          | ----            | 19.20 - 1.50             | .0820  | ----          | ----                     | 23                | ----          | 232              | -    |  |
| 3600           | ----               | ----         | ----            | 21.60B/18.50A      | 21.60B/18.50A     | ----               | ----          | ----            | 19.50 - 1.60             | .0833  | ----          | ----                     | ----              | ----          | 17               | UNCH |  |
| 3605           | ----               | ----         | ----            | 21.90B/18.90A      | 21.90B/18.90A     | ----               | ----          | ----            | 19.90 - 1.60             | .0849  | ----          | ----                     | ----              | ----          | 5                | UNCH |  |
| 3610           | ----               | ----         | ----            | 22.30B/19.20A      | 22.30B/19.20A     | ----               | ----          | ----            | 20.20 - 1.70             | .0862  | ----          | ----                     | ----              | ----          | 28               | UNCH |  |
| 3615           | 20.60              | 20.60        | ----            | 22.80B/19.60A      | 22.80B/19.60A     | ----               | ----          | ----            | 20.60 - 1.70             | .0877  | ----          | ----                     | 9                 | ----          | 28               | +    |  |
| 3620           | ----               | ----         | ----            | 23.20B/19.90A      | 23.20B/19.90A     | ----               | ----          | ----            | 21.00 - 1.70             |        |               |                          |                   |               |                  |      |  |

| PG64   |        | BULLETIN #191@     |                        |                 |                    |                            |                         |                 |                          |       |               | METALS OPTION PRODUCTS   |                   |               |                  |      |  |  |  |  |  | Mon, Oct 05, 2026 |  | PG64 |
|--------|--------|--------------------|------------------------|-----------------|--------------------|----------------------------|-------------------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|--|--|--|--|--|-------------------|--|------|
|        |        | GLOBEX<br>OPEN     | OPEN<br>OUTCRY<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |  |  |  |  |  |                   |  |      |
| OG PUT |        | COMEX GOLD OPTIONS |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |  |  |  |  |  |                   |  |      |
| JAN27  |        |                    |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |  |  |  |  |  |                   |  |      |
| 3860   | ----   | ----               | ----                   | ----            | 55.30B/47.40A      | 55.30B/47.40A              | ----                    | ----            | 51.50 - 2.40             | .1986 | ----          | ----                     | 2                 | ----          | 112 +            | 2    |  |  |  |  |  |                   |  |      |
| 3870   | ----   | ----               | ----                   | ----            | 57.40B/49.20A      | 57.40B/49.20A              | ----                    | ----            | 53.60 - 2.40             | .2052 | ----          | ----                     | ----              | ----          | 29               | UNCH |  |  |  |  |  |                   |  |      |
| 3875   | ----   | ----               | ----                   | ----            | 58.40B/50.10A      | 58.40B/50.10A              | ----                    | ----            | 54.60 - 2.40             | .2085 | ----          | ----                     | ----              | ----          | 9                | UNCH |  |  |  |  |  |                   |  |      |
| 3880   | 51.90  | 51.90              | 51.90                  | 51.90           | 59.50B/51.00A      | 59.50B/51.00A              | ----                    | ----            | 55.70 - 2.40             | .2119 | ----          | ----                     | 2                 | ----          | 9 +              | 1    |  |  |  |  |  |                   |  |      |
| 3885   | ----   | ----               | ----                   | ----            | 60.60B/52.00A      | 60.60B/52.00A              | ----                    | ----            | 56.80 - 2.40             | .2153 | ----          | ----                     | ----              | ----          | 10               | UNCH |  |  |  |  |  |                   |  |      |
| 3890   | ----   | ----               | ----                   | ----            | 61.80B/53.00A      | 61.80B/53.00A              | ----                    | ----            | 57.90 - 2.40             | .2187 | ----          | ----                     | ----              | ----          | 35               | UNCH |  |  |  |  |  |                   |  |      |
| 3895   | ----   | ----               | ----                   | ----            | 62.90B/53.90A      | 62.90B/53.90A              | ----                    | ----            | 59.00 - 2.40             | .2221 | ----          | ----                     | ----              | ----          | 35               | UNCH |  |  |  |  |  |                   |  |      |
| 3900   | ----   | ----               | ----                   | ----            | 64.10B/55.00A      | 64.10B/55.00A              | ----                    | ----            | 60.10 - 2.40             | .2256 | ----          | ----                     | 1                 | ----          | 182              | UNCH |  |  |  |  |  |                   |  |      |
| 3905   | ----   | ----               | ----                   | ----            | 65.30B/56.00A      | 65.30B/56.00A              | ----                    | ----            | 61.30 - 2.40             | .2292 | ----          | ----                     | 1                 | ----          | 27 +             | 1    |  |  |  |  |  |                   |  |      |
| 3910   | ----   | ----               | ----                   | ----            | 66.60B/57.10A      | 66.60B/57.10A              | ----                    | ----            | 62.40 - 2.50             | .2326 | ----          | ----                     | ----              | ----          | 8                | UNCH |  |  |  |  |  |                   |  |      |
| 3915   | ----   | ----               | ----                   | ----            | 67.80B/58.20A      | 67.80B/58.20A              | ----                    | ----            | 63.60 - 2.50             | .2362 | ----          | ----                     | ----              | ----          | 81               | UNCH |  |  |  |  |  |                   |  |      |
| 3920   | ----   | ----               | ----                   | ----            | 69.10B/59.20A      | 69.10B/59.20A              | ----                    | ----            | 64.90 - 2.40             | .2400 | ----          | ----                     | ----              | ----          | 5                | UNCH |  |  |  |  |  |                   |  |      |
| 3925   | ----   | ----               | ----                   | ----            | 70.30B/60.40A      | 70.30B/60.40A              | ----                    | ----            | 66.10 - 2.50             | .2436 | ----          | ----                     | ----              | ----          | 6                | UNCH |  |  |  |  |  |                   |  |      |
| 3930   | ----   | ----               | ----                   | ----            | 71.60B/61.40A      | 71.60B/61.40A              | ----                    | ----            | 67.40 - 2.40             | .2474 | ----          | ----                     | ----              | ----          | 6                | UNCH |  |  |  |  |  |                   |  |      |
| 3935   | 66.50  | 66.50              | 66.50                  | 66.50           | 72.90B/62.60A      | 72.90B/62.60A              | ----                    | ----            | 68.60 - 2.50             | .2511 | ----          | ----                     | 1                 | ----          | 15 +             | 1    |  |  |  |  |  |                   |  |      |
| 3940   | ----   | ----               | ----                   | ----            | 74.30B/63.70A      | 74.30B/63.70A              | ----                    | ----            | 70.00 - 2.40             | .2550 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |  |  |  |  |                   |  |      |
| 3945   | ----   | ----               | ----                   | ----            | 75.70B/64.90A      | 75.70B/64.90A              | ----                    | ----            | 71.30 - 2.40             | .2588 | ----          | ----                     | ----              | ----          | 52               | UNCH |  |  |  |  |  |                   |  |      |
| 3950   | 68.70  | 68.70              | 68.70                  | 68.70           | 77.00B/66.10A      | 77.00B/66.10A              | ----                    | ----            | 72.60 - 2.50             | .2626 | ----          | ----                     | 11                | ----          | 518 +            | 2    |  |  |  |  |  |                   |  |      |
| 3955   | ----   | ----               | ----                   | ----            | 78.40B/67.40A      | 78.40B/67.40A              | ----                    | ----            | 74.00 - 2.50             | .2665 | ----          | ----                     | ----              | ----          | 15               | UNCH |  |  |  |  |  |                   |  |      |
| 3960   | ----   | ----               | ----                   | ----            | 79.90B/68.60A      | 79.90B/68.60A              | ----                    | ----            | 75.40 - 2.40             | .2705 | ----          | ----                     | ----              | ----          | 36               | UNCH |  |  |  |  |  |                   |  |      |
| 3965   | ----   | ----               | ----                   | ----            | 81.30B/69.90A      | 81.30B/69.90A              | ----                    | ----            | 76.80 - 2.50             | .2744 | ----          | ----                     | ----              | ----          | 12               | UNCH |  |  |  |  |  |                   |  |      |
| 3970   | ----   | ----               | ----                   | ----            | 82.80B/71.20A      | 82.80B/71.20A              | ----                    | ----            | 78.30 - 2.40             | .2785 | ----          | ----                     | ----              | ----          | 13               | UNCH |  |  |  |  |  |                   |  |      |
| 3975   | ----   | ----               | ----                   | ----            | 84.30B/72.50A      | 84.30B/72.50A              | ----                    | ----            | 79.70 - 2.50             | .2825 | ----          | ----                     | ----              | ----          | 53               | UNCH |  |  |  |  |  |                   |  |      |
| 3980   | ----   | ----               | ----                   | ----            | 85.80B/73.90A      | 85.80B/73.90A              | ----                    | ----            | 81.20 - 2.40             | .2866 | ----          | ----                     | ----              | ----          | 23               | UNCH |  |  |  |  |  |                   |  |      |
| 3985   | ----   | ----               | ----                   | ----            | 87.20B/75.20A      | 87.20B/75.20A              | ----                    | ----            | 82.70 - 2.40             | .2907 | ----          | ----                     | ----              | ----          | 20               | UNCH |  |  |  |  |  |                   |  |      |
| 3990   | ----   | ----               | ----                   | ----            | 88.80B/76.60A      | 88.80B/76.60A              | ----                    | ----            | 84.20 - 2.50             | .2948 | ----          | ----                     | ----              | ----          | 22               | UNCH |  |  |  |  |  |                   |  |      |
| 3995   | 78.30  | 78.30              | 78.30                  | 78.30           | 90.50B/78.00A      | 90.50B/78.00A              | ----                    | ----            | 85.80 - 2.40             | .2990 | ----          | ----                     | 93                | ----          | 92 +             | 87   |  |  |  |  |  |                   |  |      |
| 4000   | 83.80  | 83.80              | 83.80                  | 83.80           | 92.10B/79.40A      | 92.10B/79.40A              | ----                    | ----            | 87.40 - 2.40             | .3032 | ----          | ----                     | 38                | ----          | 566 +            | 28   |  |  |  |  |  |                   |  |      |
| 4005   | ----   | ----               | ----                   | ----            | 93.60B/80.90A      | 93.60B/80.90A              | ----                    | ----            | 89.00 - 2.40             | .3074 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |  |  |  |  |                   |  |      |
| 4010   | ----   | ----               | ----                   | ----            | 95.40B/82.30A      | 95.40B/82.30A              | ----                    | ----            | 90.60 - 2.40             | .3117 | ----          | ----                     | ----              | ----          | 19               | UNCH |  |  |  |  |  |                   |  |      |
| 4015   | ----   | ----               | ----                   | ----            | 97.00B/83.80A      | 97.00B/83.80A              | ----                    | ----            | 92.30 - 2.40             | .3160 | ----          | ----                     | 1                 | ----          | 19 +             | 1    |  |  |  |  |  |                   |  |      |
| 4020   | ----   | ----               | ----                   | ----            | 98.70B/85.30A      | 98.70B/85.30A              | ----                    | ----            | 94.00 - 2.30             | .3203 | ----          | ----                     | ----              | ----          | 8                | UNCH |  |  |  |  |  |                   |  |      |
| 4025   | ----   | ----               | ----                   | ----            | 100.40B/86.80A     | 100.40B/86.80A             | ----                    | ----            | 95.70 - 2.30             | .3247 | ----          | ----                     | ----              | ----          | 14               | UNCH |  |  |  |  |  |                   |  |      |
| 4030   | ----   | ----               | ----                   | ----            | 102.30B/88.40A     | 102.30B/88.40A             | ----                    | ----            | 97.40 - 2.30             | .3290 | ----          | ----                     | ----              | ----          | 142              | UNCH |  |  |  |  |  |                   |  |      |
| 4035   | ----   | ----               | ----                   | ----            | 104.10B/90.00A     | 104.10B/90.00A             | ----                    | ----            | 99.10 - 2.40             | .3333 | ----          | ----                     | ----              | ----          | 11               | UNCH |  |  |  |  |  |                   |  |      |
| 4040   | ----   | ----               | ----                   | ----            | 105.90B/91.50A     | 105.90B/91.50A             | ----                    | ----            | 100.90 - 2.40            | .3378 | ----          | ----                     | ----              | ----          | 9                | UNCH |  |  |  |  |  |                   |  |      |
| 4045   | ----   | ----               | ----                   | ----            | 107.60B/93.20A     | 107.60B/93.20A             | ----                    | ----            | 102.70 - 2.40            | .3422 | ----          | ----                     | ----              | ----          | 14               | UNCH |  |  |  |  |  |                   |  |      |
| 4050   | ----   | ----               | ----                   | ----            | 109.50B/94.90A     | 109.50B/94.90A             | ----                    | ----            | 104.60 - 2.30            | .3467 | ----          | ----                     | 1                 | ----          | 119 +            | 1    |  |  |  |  |  |                   |  |      |
| 4055   | ----   | ----               | ----                   | ----            | 111.40B/96.50A     | 111.40B/96.50A             | ----                    | ----            | 106.40 - 2.30            | .3512 | ----          | ----                     | ----              | ----          | 57               | UNCH |  |  |  |  |  |                   |  |      |
| 4060   | ----   | ----               | ----                   | ----            | 113.30B/98.20A     | 113.30B/98.20A             | ----                    | ----            | 108.30 - 2.30            | .3557 | ----          | ----                     | ----              | ----          | 3                | UNCH |  |  |  |  |  |                   |  |      |
| 4065   | 110.10 | 110.10             | 110.10                 | 110.10          | 115.30B/100.00A    | 115.30B/100.00A            | ----                    | ----            | 110.20 - 2.30            | .3603 | ----          | ----                     | 1                 | ----          | 24               | UNCH |  |  |  |  |  |                   |  |      |
| 4070   | ----   | ----               | ----                   | ----            | 117.10B/101.60A    | 117.10B/101.60A            | ----                    | ----            | 112.10 - 2.30            | .3648 | ----          | ----                     | ----              | ----          | 45               | UNCH |  |  |  |  |  |                   |  |      |
| 4075   | 111.70 | 111.70             | 111.70                 | 111.70          | 119.20B/103.50A    | 119.20B/103.50A            | ----                    | ----            | 114.10 - 2.20            | .3694 | ----          | ----                     | 1                 | ----          | 28 +             | 1    |  |  |  |  |  |                   |  |      |
| 4080   | ----   | ----               | ----                   | ----            | 121.20B/105.30A    | 121.20B/105.30A            | ----                    | ----            | 116.10 - 2.20            | .3740 | ----          | ----                     | ----              | ----          | 210              | UNCH |  |  |  |  |  |                   |  |      |
| 4085   | ----   | ----               | ----                   | ----            | 123.30B/107.10A    | 123.30B/107.10A            | ----                    | ----            | 118.10 - 2.20            | .3786 | ----          | ----                     | ----              | ----          | 26               | UNCH |  |  |  |  |  |                   |  |      |
| 4090   | ----   | ----               | ----                   | ----            | 125.30B/108.90A    | 125.30B/108.90A            | ----                    | ----            | 120.10 - 2.20            | .3832 | ----          | ----                     | ----              | ----          | 9                | UNCH |  |  |  |  |  |                   |  |      |
| 4095   | ----   | ----               | ----                   | ----            | 127.40B/110.80A    | 127.40B/110.80A            | ----                    | ----            | 122.20 - 2.20            | .3879 | ----          | ----                     | ----              | ----          | 9                | UNCH |  |  |  |  |  |                   |  |      |
| 4100   | 112.90 | 112.90             | 112.90                 | 112.90          | 129.50B/112.70A    | 129.50B/112.70A            | ----                    | ----            | 124.30 - 2.20            | .3925 | ----          | ----                     | 21                | ----          | 528 +            | 9    |  |  |  |  |  |                   |  |      |
| 4105   | ----   | ----               | ----                   | ----            | 131.70B/114.60A    | 131.70B/114.60A            | ----                    | ----            | 126.40 - 2.20            | .3972 | ----          | ----                     | ----              | ----          | 29               | UNCH |  |  |  |  |  |                   |  |      |
| 4110   | ----   | ----               | ----                   | ----            | 133.80B/116.70A    | 133.80B/116.70A            | ----                    | ----            | 128.60 - 2.10            | .4019 | ----          | ----                     | ----              | ----          | 45               | UNCH |  |  |  |  |  |                   |  |      |
| 4115   | ----   | ----               | ----                   | ----            | 136.00B/118.60A    | 136.00B/118.60A            | ----                    | ----            | 130.70 - 2.10            | .4066 | ----          | ----                     | ----              | ----          | 32               | UNCH |  |  |  |  |  |                   |  |      |
| 4120   | 133.10 | 133.10             | 133.10                 | 133.10          | 138.20B/120.70A    | 138.20B/120.70A            | ----                    | ----            | 132.90 - 2.10            | .4113 | ----          | ----                     | 3                 | ----          | 7 +              | 1    |  |  |  |  |  |                   |  |      |
| 4125   | ----   | ----               | ----                   | ----            | 140.50B/122.70A    | 140.50B/122.70A            | ----                    | ----            | 135.20 - 2.00            | .4160 | ----          | ----                     | ----              | ----          | 375              | UNCH |  |  |  |  |  |                   |  |      |
| 4130   | ----   | ----               | ----                   | ----            | 142.70B/124.70A    | 142.70B/124.70A            | ----                    | ----            | 137.40 - 2.00            | .4207 | ----          | ----                     | ----              | ----          | 24               | UNCH |  |  |  |  |  |                   |  |      |
| 4135   | ----   | ----               | ----                   | ----            | 145.00B/126.70A    | 145.00B/126.70A            | ----                    | ----            | 139.70 - 2.00            | .4255 | ----          | ----                     | ----              | ----          | 45               | UNCH |  |  |  |  |  |                   |  |      |
| 4140   | ----   | ----               | ----                   | ----            | 147.40B/128.80A    | 147.40B/128.80A            | ----                    | ----            | 142.00 - 2.00            | .4302 | ----          | ----                     | ----              | ----          | 61               | UNCH |  |  |  |  |  |                   |  |      |
| 4145   | ----   | ----               | ----                   | ----            | 149.70B/131.10A    | 149.70B/131.10A            | ----                    | ----            | 144.30 - 2.00            | .4350 | ----          | ----                     | ----              | ----          | 43               | UNCH |  |  |  |  |  |                   |  |      |
| 4150   | 143.00 | 143.00             | 143.00                 | 143.00          | 152.10B/133.10A    | 152.10B/133.10A            | ----                    | ----            | 146.70 - 1.90            | .4398 | ----          | ----                     | 1                 | ----          | 260 +            | 1    |  |  |  |  |  |                   |  |      |
| 4155   | ----   | ----               | ----                   | ----            | 154.60B/135.30A    | 154.60B/135.30A            | ----                    | ----            | 149.10 - 1.90            | .4445 | ----          | ----                     | ----              | ----          | 6                | UNCH |  |  |  |  |  |                   |  |      |
| 4160   | ----   | ----               | ----                   | ----            | 156.90B/137.50A    | 156.90B/137.50A            | ----                    | ----            | 151.50 - 1.90            | .4493 | ----          | ----                     | ----              | ----          | 211              | UNCH |  |  |  |  |  |                   |  |      |
| 4165   | ----   | ----               | ----                   | ----            | 159.30B/139.80A    | 159.30B/139.80A            | ----                    | ----            | 154.00 - 1.80            | .4541 | ----          | ----                     | ----              | ----          | 74               | UNCH |  |  |  |  |  |                   |  |      |
| 4170   | ----   | ----               | ----                   | ----            | 161.90B/142.00A    | 161.90B/142.00A            | ----                    | ----            | 156.40 - 1.80            | .4588 | ----          | ----                     | ----              | ----          | 3                | UNCH |  |  |  |  |  |                   |  |      |
| 4175   | ----   | ----               | ----                   | ----            | 164.40B/144.30A    | 164.40B/144.30A            | ----                    | ----            | 158.90 - 1.80            | .4636 | ----          | ----                     | ----              | ----          | 46               | UNCH |  |  |  |  |  |                   |  |      |
| 4180   | ----   | ----               | ----                   | ----            | 166.90B/146.60A    | 166.90B/146.60A            | ----                    | ----            | 161.40 - 1.80            | .4684 | ----          | ----                     | ----              | ----          | 20               | UNCH |  |  |  |  |  |                   |  |      |
| 4185   | ----   | ----               | ----                   | ----            | 169.50B/149.00A    | 169.50B/149.00A            | ----                    | ----            | 164.00 - 1.70            | .4732 | ----          | ----                     | ----              | ----          | 37               | UNCH |  |  |  |  |  |                   |  |      |
| 4190   | ----   | ----               | ----                   | ----            | 172.10B/151.30A    | 172.10B/151.30A            | ----                    | ----            | 166.60 - 1.70            | .4779 | ----          | ----                     | 8                 | ----          | 15 +             | 8    |  |  |  |  |  |                   |  |      |
| 4195   | ----   | ----               | ----                   | ----            | 174.70B/153.70A    | 174.70B/153.70A            | ----                    | ----            | 169.20 - 1.60            | .4827 | ----          | ----                     | ----              | ----          | 11               | UNCH |  |  |  |  |  |                   |  |      |
| 4200   | ----   | ----               | ----                   | ----            | 177.30B/156.10A    | 177.30B/156.10A            | ----                    | ----            | 171.80 - 1.60            | .4875 | ----          | ----                     | 10                | ----          | 380              | UNCH |  |  |  |  |  |                   |  |      |
| 4205   | ----   | ----               | ----                   | ----            | 180.00B/158.60A    | 180.00B/158.60A            | ----                    | ----            | 174.50 - 1.60            | .4922 | ----          | ----                     | 9                 | ----          | 15 +             | 9    |  |  |  |  |  |                   |  |      |
| 4210   | ----   | ----               | ----                   | ----            | 182.70B/161.10A    | 182.70B/161.10A            | ----                    | ----            | 177.10 - 1.60            | .4970 | ----          | ----                     | ----              | ----          | 7                | UNCH |  |  |  |  |  |                   |  |      |
| 4215   | ----   | ----               | ----                   | ----            | 185.40B/163.60A    | 185.40B/163.60A            | ----                    | ----            | 179.90 - 1.50            | .5017 | ----          | ----                     | 1                 | ----          | 4 +              | 1    |  |  |  |  |  |                   |  |      |
| 4220   | ----   | ----               | ----                   | ----            | 188.10B/166.10A    | 188.10B/166.10A            | ----                    | ----            | 182.60 - 1.50            | .5064 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |                   |  |      |
| 4225   | 186.90 | 186.90             | 186.90                 | 186.90          | 190.80B/168.60A    | 190.80B/168.60A            | ----                    | ----            | 185.40 - 1.40            | .5111 | ----          | ----                     | 7                 | ----          | 13 +             | 7    |  |  |  |  |  |                   |  |      |
| 4230   | 187.20 | 187.20             | 187.20                 | 187.20          | 193.60B/171.30A    | 193.60B/171.30A            | ----                    | ----            | 188.10 - 1.50            | .5158 | ----          | ----                     | 7                 | ----          | 42 +             | 7    |  |  |  |  |  |                   |  |      |
| 4235   | ----   | ----               | ----                   | ----            | 196.40B/173.90A    | 196.40B/173.90A            | ----                    | ----            | 191.00 - 1.30            | .5205 | ----          | ----                     | ----              | ----          | 80               | UNCH |  |  |  |  |  |                   |  |      |
| 4240   | 188.60 | 188.60             | 188.60                 | 188.60          | 199.30B/176.50A    | 199.30B/176.50A            | ----                    | ----            | 193.80 - 1.30            | .5252 | ----          | ----                     | 66                | ----          | 49 +             | 24   |  |  |  |  |  |                   |  |      |
| 4245   | ----   | ----               | ----                   | ----            | 202.10B/179.10A    | 202.10B/179.10A            | ----                    | ----            | 196.70 - 1.30            | .5299 | ----          | ----                     | ----              | ----          | 14               | UNCH |  |  |  |  |  |                   |  |      |
| 4250   | ----   | ----               | ----                   | ----            | 205.00B/181.80A    | 205.00B/181.80A            | ----                    | ----            | 199.50 - 1.30            | .5345 | ----          | ----                     | ----              | ----          | 246              | UNCH |  |  |  |  |  |                   |  |      |
| 4255   | ----   | ----               | ----                   | ----            | 207.90B/184.50A    | 207.90B/184.50A            | ----                    | ----            | 202.50 - 1.20            | .5392 | ----          | ----                     | ----              | ----          | 19               | UNCH |  |  |  |  |  |                   |  |      |
| 4260   | ----   | ----               | ----                   | ----            | 210.90B/187.20A    | 210.90B/187.20A            | ----                    | ----            | 205.40 - 1.20            | .5438 | ----          | ----                     | ----              | ----          | 13               | UNCH |  |  |  |  |  |                   |  |      |
| 4265   | ----   | ----               | ----                   | ----            | 213.80B/190.00A    | 213.80B/190.00A            | ----                    | ----            | 208.40 - 1.10            | .5484 | ----          | ----                     | ----              | ----          | 54               | UNCH |  |  |  |  |  |                   |  |      |
| 4270   | ----   | ----               | ----                   | ----            | 216.80B/192.70A    | 216.80B/192.70A            | ----                    | ----            | 211.40 - 1.10            | .5530 | ----          | ----                     | ----              | ----          | 32               | UNCH |  |  |  |  |  |                   |  |      |
| </     |        |                    |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |  |  |  |  |  |                   |  |      |

| GLOBEX<br>OPEN |                    | OPEN<br>OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |    |
|----------------|--------------------|------------------------------|--------------------|----------------------------|-------------------------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|----|
| OG PUT         | COMEX GOLD OPTIONS |                              |                    |                            |                               |                          |       |               |                          |                   |               |                  |      |    |
| JAN27          | ----               | ----                         | ----               | ----                       | ----                          | ----                     | ----  | ----          | ----                     | ----              | ----          | ----             |      |    |
| 4575           | ----               | ----                         | 437.70B/404.10A    | 437.70B/404.10A            | ----                          | 433.30 + 1.40            | .7826 | ----          | ----                     | ----              | ----          | 40               | UNCH |    |
| 4580           | ----               | ----                         | 441.80B/408.20A    | 441.80B/408.20A            | ----                          | 437.50 + 1.50            | .7854 | ----          | ----                     | ----              | ----          | 1                | UNCH |    |
| 4585           | ----               | ----                         | 445.80B/412.20A    | 445.80B/412.20A            | ----                          | 441.70 + 1.50            | .7881 | ----          | ----                     | ----              | ----          | 1                | UNCH |    |
| 4600           | ----               | ----                         | 457.90B/424.90A    | 457.90B/424.90A            | ----                          | 454.30 + 1.70            | .7962 | ----          | ----                     | ----              | ----          | 130              | UNCH |    |
| 4605           | ----               | ----                         | 462.70B/429.00A    | 462.70B/429.00A            | ----                          | 458.50 + 1.70            | .7990 | ----          | ----                     | ----              | ----          | 3                | UNCH |    |
| 4610           | ----               | ----                         | 466.90B/432.50A    | 466.90B/432.50A            | ----                          | 462.70 + 1.70            | .8015 | ----          | ----                     | ----              | ----          | 1                | UNCH |    |
| 4615           | ----               | ----                         | 471.10B/437.20A    | 471.10B/437.20A            | ----                          | 467.00 + 1.70            | .8040 | ----          | ----                     | ----              | ----          | 1                | UNCH |    |
| 4620           | ----               | ----                         | 472.50B/441.30A    | 472.50B/441.30A            | ----                          | 471.30 + 1.80            | .8066 | ----          | ----                     | ----              | ----          | 21               | UNCH |    |
| 4625           | ----               | ----                         | 475.80B/445.00A    | 475.80B/445.00A            | ----                          | 475.50 + 1.80            | .8091 | ----          | ----                     | ----              | ----          | 15               | UNCH |    |
| 4630           | ----               | ----                         | 480.00B/449.10A    | 480.00B/449.10A            | ----                          | 479.80 + 1.80            | .8116 | ----          | ----                     | ----              | ----          | 3                | UNCH |    |
| 4635           | ----               | ----                         | 484.30B/453.30A    | 484.30B/453.30A            | ----                          | 484.10 + 1.90            | .8141 | ----          | ----                     | ----              | ----          | 1                | UNCH |    |
| 4640           | ----               | ----                         | 488.60B/457.50A    | 488.60B/457.50A            | ----                          | 488.40 + 1.90            | .8164 | ----          | ----                     | ----              | ----          | 2                | UNCH |    |
| 4645           | ----               | ----                         | 492.90B/463.90A    | 492.90B/463.90A            | ----                          | 492.80 + 2.00            | .8189 | ----          | ----                     | ----              | ----          | 1                | UNCH |    |
| 4650           | ----               | ----                         | 497.20B/468.10A    | 497.20B/468.10A            | ----                          | 497.10 + 2.00            | .8212 | ----          | ----                     | ----              | ----          | 24               | UNCH |    |
| 4655           | ----               | ----                         | 501.50B/472.30A    | 501.50B/472.30A            | ----                          | 501.40 + 2.00            | .8236 | ----          | ----                     | ----              | ----          | 3                | UNCH |    |
| 4660           | ----               | ----                         | 505.80B/476.60A    | 505.80B/476.60A            | ----                          | 505.80 + 2.10            | .8259 | ----          | ----                     | ----              | ----          | 5                | UNCH |    |
| 4665           | ----               | ----                         | 510.10B/480.80A    | 510.10B/480.80A            | ----                          | 510.10 + 2.10            | .8282 | ----          | ----                     | ----              | ----          | 4                | UNCH |    |
| 4670           | ----               | ----                         | 514.50B/485.10A    | 514.50B/485.10A            | ----                          | 514.50 + 2.10            | .8304 | ----          | ----                     | ----              | ----          | 30               | UNCH |    |
| 4675           | ----               | ----                         | 518.80B/489.40A    | 518.80B/489.40A            | ----                          | 518.90 + 2.20            | .8326 | ----          | ----                     | ----              | ----          | 1                | UNCH |    |
| 4685           | ----               | ----                         | 527.60B/498.10A    | 527.60B/498.10A            | ----                          | 527.70 + 2.30            | .8369 | ----          | ----                     | ----              | ----          | 1                | UNCH |    |
| 4700           | ----               | ----                         | 540.70B/511.00A    | 540.70B/511.00A            | ----                          | 541.00 + 2.40            | .8433 | ----          | ----                     | ----              | ----          | 1                | UNCH |    |
| 4710           | ----               | ----                         | 549.50B/519.70A    | 549.50B/519.70A            | ----                          | 549.90 + 2.50            | .8472 | ----          | ----                     | ----              | ----          | 4                | UNCH |    |
| 4750           | ----               | ----                         | 585.10B/555.00A    | 585.10B/555.00A            | ----                          | 585.80 + 2.80            | .8625 | ----          | ----                     | ----              | ----          | 31               | UNCH |    |
| 4760           | ----               | ----                         | 594.10B/563.90A    | 594.10B/563.90A            | ----                          | 594.80 + 2.80            | .8661 | ----          | ----                     | ----              | ----          | 100              | UNCH |    |
| 4800           | ----               | ----                         | 630.40B/599.90A    | 630.40B/599.90A            | ----                          | 631.40 + 3.10            | .8794 | ----          | ----                     | ----              | ----          | 5                | UNCH |    |
| 4805           | ----               | ----                         | 634.90B/604.50A    | 634.90B/604.50A            | ----                          | 636.00 + 3.10            | .8810 | ----          | ----                     | ----              | ----          | 2                | UNCH |    |
| 4820           | ----               | ----                         | 648.60B/618.20A    | 648.60B/618.20A            | ----                          | 649.80 + 3.20            | .8856 | ----          | ----                     | ----              | ----          | 5                | UNCH |    |
| 4840           | ----               | ----                         | 667.00B/636.50A    | 667.00B/636.50A            | ----                          | 668.30 + 3.30            | .8914 | ----          | ----                     | ----              | ----          | 44               | UNCH |    |
| 4845           | ----               | ----                         | 671.60B/641.10A    | 671.60B/641.10A            | ----                          | 673.00 + 3.40            | .8930 | ----          | ----                     | ----              | ----          | 21               | UNCH |    |
| 4850           | ----               | ----                         | 676.20B/645.70A    | 676.20B/645.70A            | ----                          | 677.60 + 3.40            | .8943 | ----          | ----                     | ----              | ----          | 21               | UNCH |    |
| 4855           | ----               | ----                         | 680.80B/650.30A    | 680.80B/650.30A            | ----                          | 682.30 + 3.40            | .8956 | ----          | ----                     | ----              | ----          | 42               | UNCH |    |
| 4860           | ----               | ----                         | 685.40B/654.90A    | 685.40B/654.90A            | ----                          | 686.90 + 3.40            | .8969 | ----          | ----                     | ----              | ----          | 1                | UNCH |    |
| 4880           | ----               | ----                         | 702.70B/673.50A    | 702.70B/673.50A            | ----                          | 705.60 + 3.50            | .9023 | ----          | ----                     | ----              | ----          | 1                | UNCH |    |
| 4960           | ----               | ----                         | ----/748.80A       | 775.20B/748.80A            | ----                          | 781.30 + 4.00            | .9203 | ----          | ----                     | ----              | ----          | 42               | UNCH |    |
| 4980           | ----               | ----                         | ----/767.80A       | 794.00B/767.80A            | ----                          | 800.30 + 4.00            | .9243 | ----          | ----                     | ----              | ----          | 9                | UNCH |    |
| 4990           | ----               | ----                         | ----/777.50A       | 803.40B/777.50A            | ----                          | 809.90 + 4.10            | .9261 | ----          | ----                     | ----              | ----          | 1                | UNCH |    |
| 5000           | ----               | ----                         | ----/787.20A       | 812.80B/787.20A            | ----                          | 819.50 + 4.20            | .9279 | ----          | ----                     | ----              | ----          | 2                | UNCH |    |
| 5050           | ----               | ----                         | ----/835.20A       | 859.80B/835.20A            | ----                          | 867.60 + 4.40            | .9362 | ----          | ----                     | ----              | ----          | 100              | UNCH |    |
| 5085           | ----               | ----                         | ----/868.80A       | 893.00B/868.80A            | ----                          | 901.40 + 4.50            | .9413 | ----          | ----                     | ----              | ----          | 2                | UNCH |    |
| 5150           | ----               | ----                         | ----/932.40A       | 955.40B/932.40A            | ----                          | 964.60 + 4.70            | .9495 | ----          | ----                     | ----              | ----          | 2                | UNCH |    |
| 5235           | ----               | ----                         | ----/1,017.20A     | 1037.70B/1017.20A          | ----                          | 1047.80 + 5.00           | .9582 | ----          | ----                     | ----              | ----          | 2                | UNCH |    |
| 5245           | ----               | ----                         | ----/1,027.00A     | 1047.50B/1027.00A          | ----                          | 1057.70 + 5.10           | .9588 | ----          | ----                     | ----              | ----          | 2                | UNCH |    |
| 5300           | ----               | ----                         | ----/1,080.60A     | 1101.30B/1080.60A          | ----                          | 1111.80 + 5.20           | .9634 | ----          | ----                     | ----              | ----          | 45               | UNCH |    |
| 5500           | ----               | ----                         | ----/1,277.50A     | 1301.40B/1277.50A          | ----                          | 1309.70 + 5.40           | .9753 | ----          | ----                     | ----              | ----          | 2                | UNCH |    |
| 5950           | ----               | ----                         | 1,758.30B/1,719    | 1758.30B/1719.50A          | ----                          | 1758.70 + 5.70           | .9886 | ----          | ----                     | ----              | ----          | 1                | UNCH |    |
| 6000           | ----               | ----                         | 1,807.80B/1,769    | 1807.80B/1769.40A          | ----                          | 1808.70 + 5.70           | .9893 | ----          | ----                     | ----              | ----          | 6                | UNCH |    |
| TOTAL          |                    |                              |                    |                            |                               |                          |       |               |                          |                   | 463           | 15830+           | 203  |    |
| FEB27          |                    |                              |                    |                            |                               |                          |       |               |                          |                   |               |                  |      |    |
| 2700           | 2.40               | 2.40                         | 2.40/2.40          | 2.50B/2.40                 | ----                          | 2.50 - 0.20              | .0084 | ----          | ----                     | 1                 | ----          | 11               | +    | 1  |
| 2775           | ----               | ----                         | ----/3.00A         | 3.00B/3.00A                | ----                          | 3.00 - 0.20              | .0103 | ----          | ----                     | ----              | ----          | 1                | UNCH |    |
| 2800           | ----               | ----                         | ----/3.10A         | 3.20B/3.10A                | ----                          | 3.20 - 0.20              | .0110 | ----          | ----                     | ----              | ----          | 40               | UNCH |    |
| 2850           | ----               | ----                         | ----/3.50A         | 3.60B/3.50A                | ----                          | 3.50 - 0.30              | .0122 | ----          | ----                     | ----              | ----          | 1                | UNCH |    |
| 2900           | 3.90               | 3.90                         | 4.10/3.70          | 4.10/3.70                  | ----                          | 4.00 - 0.30              | .0140 | ----          | 20                       | ----              | ----          | 15               | +    | 2  |
| 2950           | ----               | ----                         | ----/4.40A         | 4.70B/4.40A                | ----                          | 4.50 - 0.40              | .0160 | ----          | ----                     | ----              | ----          | 1                | UNCH |    |
| 2960           | ----               | ----                         | ----/4.50A         | 4.80B/4.50A                | ----                          | 4.60 - 0.40              | .0164 | ----          | ----                     | ----              | ----          | 1                | UNCH |    |
| 2980           | ----               | ----                         | ----/4.70A         | 5.10B/4.70A                | ----                          | 4.80 - 0.40              | .0172 | ----          | ----                     | ----              | ----          | 60               | UNCH |    |
| 3000           | 5.10               | 5.10                         | 5.10/5.00          | 5.30B/5.00                 | ----                          | 5.10 - 0.40              | .0183 | ----          | 2                        | ----              | ----          | 238              | -    | 1  |
| 3005           | ----               | ----                         | ----/5.00A         | 5.40B/5.00A                | ----                          | 5.10 - 0.40              | .0184 | ----          | ----                     | ----              | ----          | 15               | UNCH |    |
| 3020           | ----               | ----                         | ----/5.20A         | 5.60B/5.20A                | ----                          | 5.30 - 0.50              | .0192 | ----          | ----                     | ----              | ----          | 14               | UNCH |    |
| 3025           | ----               | ----                         | ----/5.30A         | 5.70B/5.30A                | ----                          | 5.40 - 0.40              | .0195 | ----          | ----                     | ----              | ----          | 2                | UNCH |    |
| 3040           | ----               | ----                         | ----/5.50A         | 5.90B/5.50A                | ----                          | 5.60 - 0.50              | .0203 | ----          | ----                     | ----              | ----          | 300              | UNCH |    |
| 3050           | ----               | ----                         | ----/5.60A         | 6.10B/5.60A                | ----                          | 5.70 - 0.50              | .0208 | ----          | ----                     | ----              | ----          | 5                | UNCH |    |
| 3060           | ----               | ----                         | ----/5.70A         | 6.30B/5.70A                | ----                          | 5.90 - 0.50              | .0215 | ----          | ----                     | ----              | ----          | 5                | UNCH |    |
| 3065           | ----               | ----                         | ----/5.80A         | 6.40B/5.80A                | ----                          | 6.00 - 0.40              | .0218 | ----          | ----                     | ----              | ----          | 10               | UNCH |    |
| 3085           | ----               | ----                         | ----/6.10A         | 6.70B/6.10A                | ----                          | 6.30 - 0.50              | .0230 | ----          | ----                     | ----              | ----          | 9                | UNCH |    |
| 3090           | ----               | ----                         | ----/6.20A         | 6.80B/6.20A                | ----                          | 6.30 - 0.60              | .0231 | ----          | ----                     | ----              | ----          | 5                | UNCH |    |
| 3095           | ----               | ----                         | ----/6.30A         | 6.90B/6.30A                | ----                          | 6.40 - 0.60              | .0235 | ----          | ----                     | ----              | ----          | 20               | UNCH |    |
| 3100           | ----               | ----                         | ----/6.40A         | 7.00B/6.40A                | ----                          | 6.50 - 0.60              | .0238 | ----          | ----                     | ----              | ----          | 9                | UNCH |    |
| 3110           | ----               | ----                         | ----/6.50A         | 7.20B/6.50A                | ----                          | 6.70 - 0.50              | .0246 | ----          | ----                     | ----              | ----          | 18               | UNCH |    |
| 3135           | ----               | ----                         | ----/7.00A         | 7.70B/7.00A                | ----                          | 7.20 - 0.50              | .0265 | ----          | ----                     | ----              | ----          | 2                | UNCH |    |
| 3160           | ----               | ----                         | ----/7.50A         | 8.20B/7.50A                | ----                          | 7.60 - 0.70              | .0281 | ----          | ----                     | ----              | ----          | 2                | UNCH |    |
| 3200           | ----               | ----                         | ----/8.30A         | 9.20B/8.30A                | ----                          | 8.50 - 0.70              | .0316 | ----          | ----                     | ----              | ----          | 211              | UNCH |    |
| 3225           | ----               | ----                         | ----/8.90A         | 9.90B/8.90A                | ----                          | 9.20 - 0.70              | .0341 | ----          | ----                     | ----              | ----          | 19               | UNCH |    |
| 3235           | ----               | ----                         | ----/9.10A         | 10.20B/9.10A               | ----                          | 9.40 - 0.80              | .0350 | ----          | ----                     | ----              | ----          | 6                | UNCH |    |
| 3250           | ----               | ----                         | ----/9.50A         | 10.60B/9.50A               | ----                          | 9.80 - 0.80              | .0365 | ----          | ----                     | ----              | ----          | 201              | UNCH |    |
| 3270           | ----               | ----                         | ----/10.10A        | 11.20B/10.10A              | ----                          | 10.40 - 0.80             | .0388 | ----          | 1                        | ----              | ----          | 2                | +    | 1  |
| 3300           | ----               | ----                         | 12.30B/11.00A      | 12.30B/11.00A              | ----                          | 11.40 - 0.80             | .0425 | ----          | ----                     | ----              | ----          | 18               | UNCH |    |
| 3310           | ----               | ----                         | ----/11.30A        | 12.60B/11.30A              | ----                          | 11.70 - 0.90             | .0437 | ----          | ----                     | ----              | ----          | 2                | UNCH |    |
| 3315           | ----               | ----                         | ----/11.50A        | 12.80B/11.50A              | ----                          | 11.90 - 0.90             | .0444 | ----          | ----                     | ----              | ----          | 1                | UNCH |    |
| 3350           | ----               | ----                         | ----/12.70A        | 14.20B/12.70A              | ----                          | 13.20 - 1.00             | .0492 | ----          | ----                     | ----              | ----          | 147              | UNCH |    |
| 3400           | ----               | ----                         | 16.60B/14.80A      | 16.60B/14.80A              | ----                          | 15.40 - 1.10             | .0573 | ----          | ----                     | ----              | ----          | 34               | UNCH |    |
| 3425           | ----               | ----                         | 17.90B/15.90A      | 17.90B/15.90A              | ----                          | 16.60 - 1.20             | .0617 | ----          | ----                     | ----              | ----          | 42               | UNCH |    |
| 3430           | ----               | ----                         | 18.20B/16.20A      | 18.20B/16.20A              | ----                          | 16.90 - 1.20             | .0627 | ----          | ----                     | ----              | ----          | 20               | UNCH |    |
| 3440           | ----               | ----                         | 18.80B/16.70A      | 18.80B/16.70A              | ----                          | 17.40 - 1.20             | .0646 | ----          | ----                     | ----              | ----          | 5                | UNCH |    |
| 3445           | ----               | ----                         | 19.10B/17.00A      | 19.10B/17.00A              | ----                          | 17.70 - 1.20             | .0656 | ----          | ----                     | ----              | ----          | 6                | UNCH |    |
| 3450           | 17.60              | 17.60                        | 19.40B/17.20A      | 19.40B/17.20A              | ----                          | 18.00 - 1.20             | .0667 | ----          | 15                       | ----              | ----          | 69               | +    | 15 |
| 3465           | ----               | ----                         | 20.30B/18.10A      | 20.30B/18.10A              | ----                          | 18.90 - 1.20             | .0699 | ----          | ----                     | ----              | ----          | 6                | UNCH |    |
| 3475           | ----               | ----                         | 21.00B/18.60A      | 21.00B/18.60A              | ----                          | 19.50 - 1.30             | .0720 | ----          | ----                     | ----              | ----          | 250              | UNCH |    |
| 3480           | ----               | ----                         | 21.30B/18.90A      | 21.30B/18.90A              | ----                          | 19.80 - 1.30             | .0731 | ----          | ----                     | ----              | ----          | 2                | UNCH |    |
| 3490           | ----               | ----                         | 22.00B/19.60A      | 22.00B/19.60A              | ----                          | 20.50 - 1.30             | .0755 | ----          | ----                     | ----              | ----          | 20               | UNCH |    |
| 3500           | 20.80              | 20.80                        | 22.70B/20.20       | 22.70B/20.20               | ----                          | 21.10 - 1.40             | .0777 | ----          | 7                        | ----              | ----          | 274              | +    | 1  |
| 3515           | ----               | ----                         | 23.90B/21.20A      | 23.90B/21.20A              | ----                          | 22.20 - 1.40             | .0815 | ----          | ----                     | ----              | ----          | 3                | UNCH |    |
| 3520           | ----               | ----                         | 24.20B/21.50A      | 24.20B/21.50A              | ----                          | 22.50 - 1.40             | .0826 | ----          | ----                     | ----              | ----          | 22               | UNCH |    |
| 3525           | ----               | ----                         | 24.60B/21.90A      | 24.60B/21.90A              | ----                          | 22.90 - 1.40             | .0839 | ----          | ----                     | ----              | ----          | 6                | UNCH |    |
| 3540           | ----               | ----                         | 25.90B/22.90A      | 25.90B/22.90A              | ----                          | 24.10 - 1.40             | .0880 | ----          | ----                     | ----              | ----          | 20               | UNCH |    |
| 3550           | ----               | ----                         | 26.70B/23.70A      | 26.70B/23.70A              | ----                          | 24.90 - 1.50             | .0907 | ----          | ----                     | ----              | ----          | 7                | UNCH |    |
| 3555           | ----               | ----                         | 27.20B/24.10A      | 27.20B/24.10A              | ----                          | 25.30 - 1.50             | .0921 | ----          | ----                     | ----              | ----          | 25               | UNCH |    |
| 3565           | 26.40              | 26.40                        | 28.00B/24.80A      | 28.00B/24.80A              | ----                          | 26.10 NEW                | .0949 | ----          | 1                        | ----              | ----          | 1                | +    | 1  |
| 3575           | ----               | ----                         | 29.00B/25.60A      | 29.00B/25.60A              | ----                          | 27.00 - 1.60             | .0979 | ----          | ----                     | ----              | ----          | 205              | UNCH |    |
| 3585           | ----               | ----                         | 29.90B/26.50A      | 29.90B/26.50A              | ----                          | 27.90 - 1.60             | .1009 | ----          | ----                     | ----              | ----          | 19               | UNCH |    |
| 3590           | ----               | ----                         | 30.40B/26.90A      | 30.40B/26.90A              | ----                          | 28.40 - 1.60             | .1025 | ----          | ----                     | ----              | ----          | 1                | UNCH |    |
| 3600           |                    |                              |                    |                            |                               |                          |       |               |                          |                   |               |                  |      |    |

| PG64 BULLETIN #191@ |        |              |  |                 |  |                    |  |                  |  |                    |  |                 |  | METALS OPTION PRODUCTS |  |                          |  |        |   |               |  |                          |  |                   |  | Mon, Oct 05, 2026 PG64 |  |                  |  |      |   |      |  |  |  |  |  |  |  |  |  |
|---------------------|--------|--------------|--|-----------------|--|--------------------|--|------------------|--|--------------------|--|-----------------|--|------------------------|--|--------------------------|--|--------|---|---------------|--|--------------------------|--|-------------------|--|------------------------|--|------------------|--|------|---|------|--|--|--|--|--|--|--|--|--|
| GLOBEX<br>OPEN      |        | OPEN<br>OPEN |  | OUTCRY<br>RANGE |  | GLOBEX<br>HIGH/LOW |  | OPEN<br>HIGH/LOW |  | OUTCRY<br>HIGH/LOW |  | OPEN<br>CLOSE   |  | OUTCRY<br>RANGE        |  | SETT.PRICE<br>& PT.CHGE. |  | DELTA  |   | EXER<br>CISES |  | OPEN<br>OUTCRY<br>VOLUME |  | GLOBEX®<br>VOLUME |  | PNT<br>VOLUME          |  | OPEN<br>INTEREST |  |      |   |      |  |  |  |  |  |  |  |  |  |
| OG PUT              |        | COMEX        |  | GOLD            |  | OPTIONS            |  |                  |  |                    |  |                 |  |                        |  |                          |  |        |   |               |  |                          |  |                   |  |                        |  |                  |  |      |   |      |  |  |  |  |  |  |  |  |  |
| FEB27               |        |              |  |                 |  |                    |  |                  |  |                    |  |                 |  |                        |  |                          |  |        |   |               |  |                          |  |                   |  |                        |  |                  |  |      |   |      |  |  |  |  |  |  |  |  |  |
| 3845                |        |              |  |                 |  | 70.60B/62.00A      |  | 70.60B/62.00A    |  | ----               |  | 71.70B/63.00A   |  | 71.70B/63.00A          |  | ----                     |  | 67.00  | - | 2.20          |  | .2171                    |  | ----              |  | ----                   |  | ----             |  | 6    |   | UNCH |  |  |  |  |  |  |  |  |  |
| 3850                | 66.90  | 66.90        |  |                 |  | 71.70B/63.00A      |  | 71.70B/63.00A    |  | ----               |  | 74.10B/65.10A   |  | 74.10B/65.10A          |  | ----                     |  | 68.10  | - | 2.20          |  | .2201                    |  | ----              |  | 2                      |  | ----             |  | 1359 | - | 1    |  |  |  |  |  |  |  |  |  |
| 3860                |        |              |  |                 |  | 74.10B/65.10A      |  | 74.10B/65.10A    |  | ----               |  | 75.30B/66.20A   |  | 75.30B/66.20A          |  | ----                     |  | 70.40  | - | 2.20          |  | .2261                    |  | ----              |  | ----                   |  | ----             |  | 35   |   | UNCH |  |  |  |  |  |  |  |  |  |
| 3865                |        |              |  |                 |  | 75.30B/66.20A      |  | 75.30B/66.20A    |  | ----               |  | 77.70B/68.40A   |  | 77.70B/68.40A          |  | ----                     |  | 71.60  | - | 2.20          |  | .2292                    |  | ----              |  | ----                   |  | ----             |  | 13   |   | UNCH |  |  |  |  |  |  |  |  |  |
| 3875                |        |              |  |                 |  | 77.70B/68.40A      |  | 77.70B/68.40A    |  | ----               |  | 78.90B/69.50A   |  | 78.90B/69.50A          |  | ----                     |  | 74.00  | - | 2.20          |  | .2355                    |  | ----              |  | ----                   |  | ----             |  | 1    |   | UNCH |  |  |  |  |  |  |  |  |  |
| 3880                |        |              |  |                 |  | 78.90B/69.50A      |  | 78.90B/69.50A    |  | ----               |  | 80.30B/70.60A   |  | 80.30B/70.60A          |  | ----                     |  | 75.20  | - | 2.30          |  | .2386                    |  | ----              |  | ----                   |  | ----             |  | 44   |   | UNCH |  |  |  |  |  |  |  |  |  |
| 3885                |        |              |  |                 |  | 80.30B/70.60A      |  | 80.30B/70.60A    |  | ----               |  | 81.60B/71.80A   |  | 81.60B/71.80A          |  | ----                     |  | 76.50  | - | 2.20          |  | .2418                    |  | ----              |  | ----                   |  | ----             |  | 201  |   | UNCH |  |  |  |  |  |  |  |  |  |
| 3890                |        |              |  |                 |  | 81.60B/71.80A      |  | 81.60B/71.80A    |  | ----               |  | 82.80B/73.00A   |  | 82.80B/73.00A          |  | ----                     |  | 77.80  | - | 2.20          |  | .2451                    |  | ----              |  | ----                   |  | ----             |  | 17   |   | UNCH |  |  |  |  |  |  |  |  |  |
| 3895                |        |              |  |                 |  | 82.80B/73.00A      |  | 82.80B/73.00A    |  | ----               |  | 84.20B/74.20A   |  | 84.20B/74.20A          |  | ----                     |  | 79.10  | - | 2.20          |  | .2483                    |  | ----              |  | ----                   |  | ----             |  | 2    |   | UNCH |  |  |  |  |  |  |  |  |  |
| 3900                |        |              |  |                 |  | 84.20B/74.20A      |  | 84.20B/74.20A    |  | ----               |  | 85.60B/75.40A   |  | 85.60B/75.40A          |  | ----                     |  | 80.40  | - | 2.20          |  | .2516                    |  | ----              |  | ----                   |  | ----             |  | 243  |   | UNCH |  |  |  |  |  |  |  |  |  |
| 3905                |        |              |  |                 |  | 85.60B/75.40A      |  | 85.60B/75.40A    |  | ----               |  | 88.30B/77.90A   |  | 88.30B/77.90A          |  | ----                     |  | 81.70  | - | 2.20          |  | .2549                    |  | ----              |  | ----                   |  | ----             |  | 5    |   | UNCH |  |  |  |  |  |  |  |  |  |
| 3915                |        |              |  |                 |  | 88.30B/77.90A      |  | 88.30B/77.90A    |  | ----               |  | 89.80B/79.10A   |  | 89.80B/79.10A          |  | ----                     |  | 84.40  | - | 2.20          |  | .2615                    |  | ----              |  | ----                   |  | ----             |  | 5    |   | UNCH |  |  |  |  |  |  |  |  |  |
| 3920                |        |              |  |                 |  | 89.80B/79.10A      |  | 89.80B/79.10A    |  | ----               |  | 91.20B/80.40A   |  | 91.20B/80.40A          |  | ----                     |  | 85.80  | - | 2.20          |  | .2649                    |  | ----              |  | ----                   |  | ----             |  | 206  |   | UNCH |  |  |  |  |  |  |  |  |  |
| 3925                |        |              |  |                 |  | 91.20B/80.40A      |  | 91.20B/80.40A    |  | ----               |  | 92.60B/81.70A   |  | 92.60B/81.70A          |  | ----                     |  | 87.20  | - | 2.20          |  | .2683                    |  | ----              |  | ----                   |  | ----             |  | 2    |   | UNCH |  |  |  |  |  |  |  |  |  |
| 3930                |        |              |  |                 |  | 92.60B/81.70A      |  | 92.60B/81.70A    |  | ----               |  | 94.10B/83.00A   |  | 94.10B/83.00A          |  | ----                     |  | 88.60  | - | 2.20          |  | .2718                    |  | ----              |  | ----                   |  | ----             |  | 6    |   | UNCH |  |  |  |  |  |  |  |  |  |
| 3935                |        |              |  |                 |  | 94.10B/83.00A      |  | 94.10B/83.00A    |  | ----               |  | 95.60B/84.30A   |  | 95.60B/84.30A          |  | ----                     |  | 90.10  | - | 2.20          |  | .2753                    |  | ----              |  | ----                   |  | ----             |  | 22   |   | UNCH |  |  |  |  |  |  |  |  |  |
| 3940                |        |              |  |                 |  | 95.60B/84.30A      |  | 95.60B/84.30A    |  | ----               |  | 97.00B/85.70A   |  | 97.00B/85.70A          |  | ----                     |  | 91.50  | - | 2.30          |  | .2787                    |  | ----              |  | ----                   |  | ----             |  | 22   |   | UNCH |  |  |  |  |  |  |  |  |  |
| 3945                |        |              |  |                 |  | 97.00B/85.70A      |  | 97.00B/85.70A    |  | ----               |  | 98.60B/87.10A   |  | 98.60B/87.10A          |  | ----                     |  | 93.00  | - | 2.20          |  | .2822                    |  | ----              |  | ----                   |  | ----             |  | 2    |   | UNCH |  |  |  |  |  |  |  |  |  |
| 3950                | 89.80  | 89.80        |  |                 |  | 98.60B/87.10A      |  | 98.60B/87.10A    |  | ----               |  | 101.70B/89.90A  |  | 101.70B/89.90A         |  | ----                     |  | 94.50  | - | 2.20          |  | .2857                    |  | ----              |  | 1                      |  | ----             |  | 189  |   | UNCH |  |  |  |  |  |  |  |  |  |
| 3960                |        |              |  |                 |  | 101.70B/89.90A     |  | 101.70B/89.90A   |  | ----               |  | 103.30B/91.30A  |  | 103.30B/91.30A         |  | ----                     |  | 97.60  | - | 2.20          |  | .2929                    |  | ----              |  | ----                   |  | ----             |  | 18   | + | 1    |  |  |  |  |  |  |  |  |  |
| 3965                | 96.90  | 96.90        |  |                 |  | 103.30B/91.30A     |  | 103.30B/91.30A   |  | ----               |  | 104.90B/92.80A  |  | 104.90B/92.80A         |  | ----                     |  | 99.20  | - | 2.20          |  | .2965                    |  | ----              |  | 1                      |  | ----             |  | 21   | + | 1    |  |  |  |  |  |  |  |  |  |
| 3970                |        |              |  |                 |  | 104.90B/92.80A     |  | 104.90B/92.80A   |  | ----               |  | 106.50B/94.20A  |  | 106.50B/94.20A         |  | ----                     |  | 100.80 | - | 2.20          |  | .3001                    |  | ----              |  | ----                   |  | ----             |  | 3    |   | UNCH |  |  |  |  |  |  |  |  |  |
| 3975                |        |              |  |                 |  | 106.50B/94.20A     |  | 106.50B/94.20A   |  | ----               |  | 108.20B/95.70A  |  | 108.20B/95.70A         |  | ----                     |  | 102.40 | - | 2.20          |  | .3038                    |  | ----              |  | ----                   |  | ----             |  | 1    |   | UNCH |  |  |  |  |  |  |  |  |  |
| 3980                |        |              |  |                 |  | 108.20B/95.70A     |  | 108.20B/95.70A   |  | ----               |  | 109.90B/97.20A  |  | 109.90B/97.20A         |  | ----                     |  | 104.00 | - | 2.20          |  | .3074                    |  | ----              |  | ----                   |  | ----             |  | 7    |   | UNCH |  |  |  |  |  |  |  |  |  |
| 3985                |        |              |  |                 |  | 109.90B/97.20A     |  | 109.90B/97.20A   |  | ----               |  | 111.50B/98.80A  |  | 111.50B/98.80A         |  | ----                     |  | 105.60 | - | 2.20          |  | .3111                    |  | ----              |  | ----                   |  | ----             |  | 5    |   | UNCH |  |  |  |  |  |  |  |  |  |
| 3990                |        |              |  |                 |  | 111.50B/98.80A     |  | 111.50B/98.80A   |  | ----               |  | 113.30B/100.30A |  | 113.30B/100.30A        |  | ----                     |  | 107.30 | - | 2.20          |  | .3148                    |  | ----              |  | ----                   |  | ----             |  | 6    |   | UNCH |  |  |  |  |  |  |  |  |  |
| 3995                |        |              |  |                 |  | 113.30B/100.30A    |  | 113.30B/100.30A  |  | ----               |  | 115.00B/101.90A |  | 115.00B/101.90A        |  | ----                     |  | 109.00 | - | 2.20          |  | .3185                    |  | ----              |  | ----                   |  | ----             |  | 57   |   | UNCH |  |  |  |  |  |  |  |  |  |
| 4000                |        |              |  |                 |  | 115.00B/101.90A    |  | 115.00B/101.90A  |  | ----               |  | 116.90B/103.50A |  | 116.90B/103.50A        |  | ----                     |  | 110.70 | - | 2.20          |  | .3223                    |  | ----              |  | ----                   |  | ----             |  | 806  |   | UNCH |  |  |  |  |  |  |  |  |  |
| 4005                |        |              |  |                 |  | 116.90B/103.50A    |  | 116.90B/103.50A  |  | ----               |  | 118.50B/105.10A |  | 118.50B/105.10A        |  | ----                     |  | 112.50 | - | 2.10          |  | .3261                    |  | ----              |  | ----                   |  | ----             |  | 55   |   | UNCH |  |  |  |  |  |  |  |  |  |
| 4010                |        |              |  |                 |  | 118.50B/105.10A    |  | 118.50B/105.10A  |  | ----               |  | 120.30B/106.70A |  | 120.30B/106.70A        |  | ----                     |  | 114.20 | - | 2.20          |  | .3299                    |  | ----              |  | ----                   |  | ----             |  | 12   |   | UNCH |  |  |  |  |  |  |  |  |  |
| 4015                |        |              |  |                 |  | 120.30B/106.70A    |  | 120.30B/106.70A  |  | ----               |  | 122.30B/108.40A |  | 122.30B/108.40A        |  | ----                     |  | 116.00 | - | 2.10          |  | .3337                    |  | ----              |  | ----                   |  | ----             |  | 4    |   | UNCH |  |  |  |  |  |  |  |  |  |
| 4020                | 115.50 | 115.50       |  |                 |  | 122.30B/108.40A    |  | 122.30B/108.40A  |  | ----               |  | 124.00B/110.00A |  | 124.00B/110.00A        |  | ----                     |  | 117.80 | - | 2.10          |  | .3375                    |  | ----              |  | 1                      |  | ----             |  | 3    | + | 1    |  |  |  |  |  |  |  |  |  |
| 4025                |        |              |  |                 |  | 124.00B/110.00A    |  | 124.00B/110.00A  |  | ----               |  | 126.00B/111.70A |  | 126.00B/111.70A        |  | ----                     |  | 119.60 | - | 2.20          |  | .3413                    |  | ----              |  | ----                   |  | ----             |  | 31   |   | UNCH |  |  |  |  |  |  |  |  |  |
| 4030                |        |              |  |                 |  | 126.00B/111.70A    |  | 126.00B/111.70A  |  | ----               |  | 127.90B/113.40A |  | 127.90B/113.40A        |  | ----                     |  | 121.50 | - | 2.10          |  | .3452                    |  | ----              |  | ----                   |  | ----             |  | 30   |   | UNCH |  |  |  |  |  |  |  |  |  |
| 4035                |        |              |  |                 |  | 127.90B/113.40A    |  | 127.90B/113.40A  |  | ----               |  | 129.80B/115.20A |  | 129.80B/115.20A        |  | ----                     |  | 123.40 | - | 2.10          |  | .3491                    |  | ----              |  | ----                   |  | ----             |  | 24   |   | UNCH |  |  |  |  |  |  |  |  |  |
| 4040                |        |              |  |                 |  | 129.80B/115.20A    |  | 129.80B/115.20A  |  | ----               |  | 131.60B/116.90A |  | 131.60B/116.90A        |  | ----                     |  | 125.30 | - | 2.00          |  | .3530                    |  | ----              |  | ----                   |  | ----             |  | 205  |   | UNCH |  |  |  |  |  |  |  |  |  |
| 4045                |        |              |  |                 |  | 131.60B/116.90A    |  | 131.60B/116.90A  |  | ----               |  | 133.70B/118.70A |  | 133.70B/118.70A        |  | ----                     |  | 127.20 | - | 2.00          |  | .3569                    |  | ----              |  | ----                   |  | ----             |  | 1    |   | UNCH |  |  |  |  |  |  |  |  |  |
| 4050                | 119.50 | 119.50       |  |                 |  | 133.70B/118.70A    |  | 133.70B/118.70A  |  | ----               |  | 135.50B/120.50A |  | 135.50B/120.50A        |  | ----                     |  | 129.10 | - | 2.10          |  | .3608                    |  | ----              |  | 2                      |  | ----             |  | 630  |   | UNCH |  |  |  |  |  |  |  |  |  |
| 4055                |        |              |  |                 |  | 135.50B/120.50A    |  | 135.50B/120.50A  |  | ----               |  | 137.50B/122.40A |  | 137.50B/122.40A        |  | ----                     |  | 131.10 | - | 2.00          |  | .3648                    |  | ----              |  | ----                   |  | ----             |  | 4    |   | UNCH |  |  |  |  |  |  |  |  |  |
| 4060                | 130.40 | 130.40       |  |                 |  | 137.50B/122.40A    |  | 137.50B/122.40A  |  | ----               |  | 139.70B/124.20A |  | 139.70B/124.20A        |  | ----                     |  | 133.10 | - | 2.00          |  | .3688                    |  | ----              |  | 1                      |  | ----             |  | 7    | + | 1    |  |  |  |  |  |  |  |  |  |
| 4065                |        |              |  |                 |  | 139.70B/124.20A    |  | 139.70B/124.20A  |  | ----               |  | 141.70B/126.10A |  | 141.70B/126.10A        |  | ----                     |  | 135.10 | - | 2.00          |  | .3727                    |  | ----              |  | ----                   |  | ----             |  | 7    |   | UNCH |  |  |  |  |  |  |  |  |  |
| 4070                |        |              |  |                 |  | 141.70B/126.10A    |  | 141.70B/126.10A  |  | ----               |  | 143.80B/128.00A |  | 143.80B/128.00A        |  | ----                     |  | 137.10 | - | 2.00          |  | .3767                    |  | ----              |  | ----                   |  | ----             |  | 19   |   | UNCH |  |  |  |  |  |  |  |  |  |
| 4075                |        |              |  |                 |  | 143.80B/128.00A    |  | 143.80B/128.00A  |  | ----               |  | 145.90B/129.90A |  | 145.90B/129.90A        |  | ----                     |  | 139.10 | - | 2.00          |  | .3807                    |  | ----              |  | ----                   |  | ----             |  | 9    |   | UNCH |  |  |  |  |  |  |  |  |  |



**2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>**

*CME Group, Inc.*

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

**PRELIMINARY**

| GLOBEX |       |       | OPEN OUTCRY        |                   |      | GLOBEX   |     |       | OPEN OUTCRY |      |      | SETT.PRICE  |      |      | DELTA      |    |    | EXER   |  |  | OPEN  |  |  | GLOBEX®       |  |  | PNT    |  |  | OPEN   |  |  |          |  |  |
|--------|-------|-------|--------------------|-------------------|------|----------|-----|-------|-------------|------|------|-------------|------|------|------------|----|----|--------|--|--|-------|--|--|---------------|--|--|--------|--|--|--------|--|--|----------|--|--|
| OPEN   |       |       | OPEN RANGE         |                   |      | HIGH/LOW |     |       | HIGH/LOW    |      |      | CLOSE RANGE |      |      | & PT.CHGE. |    |    |        |  |  | CISES |  |  | OUTCRY VOLUME |  |  | VOLUME |  |  | VOLUME |  |  | INTEREST |  |  |
| OG PUT |       |       | COMEX GOLD OPTIONS |                   |      |          |     |       |             |      |      |             |      |      |            |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| FEB27  |       |       |                    |                   |      |          |     |       |             |      |      |             |      |      |            |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 4640   | ----  | ----  | 509.40B/477.00A    | 509.40B/477.00A   | ---- | 506.00   | +   | 1.80  | .7788       | ---- | ---- | ----        | ---- | 3    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 4650   | ----  | ----  | 517.30B/485.20A    | 517.30B/485.20A   | ---- | 514.40   | +   | 1.90  | .7836       | ---- | ---- | ----        | ---- | 1    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 4655   | ----  | ----  | 522.00B/489.20A    | 522.00B/489.20A   | ---- | 518.60   | +   | 1.90  | .7860       | ---- | ---- | ----        | ---- | 1    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 4660   | ----  | ----  | 526.40B/493.30A    | 526.40B/493.30A   | ---- | 522.80   | +   | 2.00  | .7882       | ---- | ---- | ----        | ---- | 443  | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 4665   | ----  | ----  | 530.60B/497.40A    | 530.60B/497.40A   | ---- | 527.00   | +   | 2.00  | .7906       | ---- | ---- | ----        | ---- | 3    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 4680   | ----  | ----  | 543.10B/509.80A    | 543.10B/509.80A   | ---- | 539.70   | +   | 2.10  | .7973       | ---- | ---- | ----        | ---- | 3    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 4690   | ----  | ----  | 551.60B/518.10A    | 551.60B/518.10A   | ---- | 548.20   | +   | 2.10  | .8017       | ---- | ---- | ----        | ---- | 1    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 4695   | ----  | ----  | 555.90B/522.30A    | 555.90B/522.30A   | ---- | 552.50   | +   | 2.20  | .8038       | ---- | ---- | ----        | ---- | 28   | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 4700   | ----  | ----  | 560.20B/526.60A    | 560.20B/526.60A   | ---- | 556.80   | +   | 2.20  | .8058       | ---- | ---- | ----        | ---- | 133  | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 4705   | ----  | ----  | 560.80B/530.80A    | 560.80B/530.80A   | ---- | 561.10   | +   | 2.20  | .8080       | ---- | ---- | ----        | ---- | 3    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 4710   | ----  | ----  | 562.60B/535.00A    | 562.60B/535.00A   | ---- | 565.40   | +   | 2.30  | .8101       | ---- | ---- | ----        | ---- | 3    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 4725   | ----  | ----  | 573.80B/550.70A    | 573.80B/550.70A   | ---- | 578.30   | +   | 2.30  | .8162       | ---- | ---- | ----        | ---- | 10   | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 4730   | ----  | ----  | 577.90B/555.00A    | 577.90B/555.00A   | ---- | 582.70   | +   | 2.40  | .8181       | ---- | ---- | ----        | ---- | 16   | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 4750   | ----  | ----  | 595.50B/572.00A    | 595.50B/572.00A   | ---- | 600.10   | +   | 2.50  | .8259       | ---- | ---- | ----        | ---- | 43   | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 4755   | ----  | ----  | 599.60B/576.90A    | 599.60B/576.90A   | ---- | 604.50   | +   | 2.50  | .8278       | ---- | ---- | ----        | ---- | 31   | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 4760   | ----  | ----  | 603.80B/581.00A    | 603.80B/581.00A   | ---- | 608.90   | +   | 2.50  | .8297       | ---- | ---- | ----        | ---- | 3    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 4765   | ----  | ----  | 608.30B/585.40A    | 608.30B/585.40A   | ---- | 613.30   | +   | 2.60  | .8316       | ---- | ---- | ----        | ---- | 8    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 4775   | ----  | ----  | 617.10B/594.10A    | 617.10B/594.10A   | ---- | 622.10   | +   | 2.60  | .8353       | ---- | ---- | ----        | ---- | 13   | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 4780   | ----  | ----  | 621.50B/598.40A    | 621.50B/598.40A   | ---- | 626.60   | +   | 2.70  | .8370       | ---- | ---- | ----        | ---- | 8    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 4785   | ----  | ----  | 625.90B/602.90A    | 625.90B/602.90A   | ---- | 631.00   | +   | 2.70  | .8389       | ---- | ---- | ----        | ---- | 100  | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 4800   | ----  | ----  | 639.80B/615.60A    | 639.80B/615.60A   | ---- | 644.40   | +   | 2.90  | .8439       | ---- | ---- | ----        | ---- | 311  | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 4805   | ----  | ----  | 626.60A            | 624.20B/626.60A   | ---- | 648.80   | +   | 2.80  | .8456       | ---- | ---- | ----        | ---- | 2    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 4810   | ----  | ----  | 624.60A            | 647.90B/624.60A   | ---- | 653.30   | +   | 2.90  | .8473       | ---- | ---- | ----        | ---- | 20   | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 4825   | ----  | ----  | 638.00A            | 661.50B/638.00A   | ---- | 666.80   | +   | 3.00  | .8523       | ---- | ---- | ----        | ---- | 5    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 4835   | ----  | ----  | 654.70A            | 648.80B/654.70A   | ---- | 675.80   | +   | 3.10  | .8554       | ---- | ---- | ----        | ---- | 1    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 4840   | ----  | ----  | 658.00A            | 653.10B/658.00A   | ---- | 680.30   | +   | 3.10  | .8569       | ---- | ---- | ----        | ---- | 1    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 4845   | ----  | ----  | 655.70A            | 679.20B/655.70A   | ---- | 684.80   | +   | 3.10  | .8585       | ---- | ---- | ----        | ---- | 3    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 4855   | ----  | ----  | 664.50A            | 688.00B/664.50A   | ---- | 693.90   | +   | 3.20  | .8616       | ---- | ---- | ----        | ---- | 3    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 4900   | ----  | ----  | 704.90A            | 728.80B/704.90A   | ---- | 735.00   | +   | 3.40  | .8743       | ---- | ---- | ----        | ---- | 4    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 4905   | ----  | ----  | 709.50A            | 733.30B/709.50A   | ---- | 739.60   | +   | 3.50  | .8757       | ---- | ---- | ----        | ---- | 4    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 4950   | ----  | ----  | ----               | 749.10B/789.20A   | ---- | 781.20   | +   | 3.70  | .8871       | ---- | ---- | ----        | ---- | 1    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 4955   | ----  | ----  | ----               | 753.60B/794.00A   | ---- | 785.80   | +   | 3.70  | .8883       | ---- | ---- | ----        | ---- | 1    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 5000   | ----  | ----  | ----               | 793.80B/836.00A   | ---- | 827.90   | +   | 3.90  | .8985       | ---- | ---- | ----        | ---- | 76   | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 5005   | ----  | ----  | 812.70A            | 798.30B/812.70A   | ---- | 832.60   | +   | 3.90  | .8996       | ---- | ---- | ----        | ---- | 3    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 5010   | ----  | ----  | ----               | 802.80B/845.60A   | ---- | 837.30   | +   | 4.00  | .9007       | ---- | ---- | ----        | ---- | 1    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 5050   | ----  | ----  | ----               | 839.00B/----      | ---- | 875.00   | +   | 4.10  | .9086       | ---- | ---- | ----        | ---- | 4    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 5055   | ----  | ----  | ----               | 843.50B/895.50A   | ---- | 879.70   | +   | 4.10  | .9094       | ---- | ---- | ----        | ---- | 4    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 5100   | ----  | ----  | ----               | 894.20B/951.90A   | ---- | 922.50   | +   | 4.30  | .9175       | ---- | ---- | ----        | ---- | 2    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 5150   | ----  | ----  | ----               | 942.10B/992.20A   | ---- | 970.30   | +   | 4.40  | .9253       | ---- | ---- | ----        | ---- | 1    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 5175   | ----  | ----  | ----               | 966.20B/1016.10A  | ---- | 994.40   | +   | 4.50  | .9289       | ---- | ---- | ----        | ---- | 125  | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 5200   | ----  | ----  | ----               | 990.20B/1040.10A  | ---- | 1018.50  | +   | 4.60  | .9325       | ---- | ---- | ----        | ---- | 1    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 5250   | ----  | ----  | ----               | 1039.50B/1088.10A | ---- | 1066.90  | +   | 4.70  | .9386       | ---- | ---- | ----        | ---- | 15   | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 5320   | ----  | ----  | ----               | 1106.90B/1156.00A | ---- | 1135.00  | +   | 4.90  | .9464       | ---- | ---- | ----        | ---- | 1    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 5400   | ----  | ----  | ----               | 1186.20B/1233.80A | ---- | 1213.30  | +   | 5.10  | .9536       | ---- | ---- | ----        | ---- | 50   | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 5500   | ----  | ----  | ----               | 1284.00B/1331.60A | ---- | 1311.60  | +   | 5.20  | .9607       | ---- | ---- | ----        | ---- | 31   | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 5520   | ----  | ----  | ----               | 1303.80B/1351.20A | ---- | 1331.40  | +   | 5.30  | .9620       | ---- | ---- | ----        | ---- | 300  | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 5530   | ----  | ----  | ----               | 1313.90B/1361.00A | ---- | 1341.20  | +   | 5.20  | .9629       | ---- | ---- | ----        | ---- | 100  | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 5550   | ----  | ----  | ----               | 1334.40B/1380.70A | ---- | 1361.00  | +   | 5.30  | .9638       | ---- | ---- | ----        | ---- | 65   | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 5565   | ----  | ----  | ----               | 1348.40B/1389.10A | ---- | 1375.80  | +   | 5.30  | .9647       | ---- | ---- | ----        | ---- | 50   | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 6000   | ----  | ----  | ----               | ----              | ---- | 1808.70  | +   | 5.70  | .9816       | ---- | ---- | ----        | ---- | 1    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| TOTAL  |       |       |                    |                   |      |          |     |       |             |      |      |             |      |      | 272        |    |    | 18969+ |  |  | 133   |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| MAR27  |       |       |                    |                   |      |          |     |       |             |      |      |             |      |      |            |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 3000   | 7.60  | 7.60  | 7.60/7.30A         | 7.60/7.30A        | ---- | 7.20     | -   | 0.50  | .0231       | ---- | ---- | ----        | 20   | ---- | 20         | +  | 19 |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 3075   | ----  | ----  | 8.60A              | 8.50B/8.60A       | ---- | 8.60     | -   | 0.70  | .0279       | ---- | ---- | ----        | ---- | 1    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 3170   | ----  | ----  | 10.90A             | 11.00B/10.90A     | ---- | 11.00    | -   | 0.80  | .0359       | ---- | ---- | ----        | ---- | 1    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 3200   | ----  | ----  | 11.80A             | 12.00B/11.80A     | ---- | 11.90    | -   | 0.80  | .0389       | ---- | ---- | ----        | ---- | 72   | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 3300   | ----  | ----  | 15.30A             | 15.90B/15.30A     | ---- | 15.50    | -   | 1.00  | .0508       | ---- | ---- | ----        | ---- | 482  | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 3325   | ----  | ----  | 16.40A             | 17.10B/16.40A     | ---- | 16.60    | -   | 1.10  | .0544       | ---- | ---- | ----        | ---- | 4    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 3345   | ----  | ----  | 17.30A             | 18.10B/17.30A     | ---- | 17.60    | -   | 1.10  | .0575       | ---- | ---- | ----        | ---- | 7    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 3350   | ----  | ----  | 17.50A             | 18.40B/17.50A     | ---- | 17.80    | -   | 1.10  | .0582       | ---- | ---- | ----        | ---- | 19   | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 3375   | 19.10 | 19.10 | 19.10/18.90A       | 19.80B/18.90A     | ---- | 19.10    | NEW | .0624 | ----        | ---- | ---- | 20          | ---- | 20   | +          | 20 |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 3395   | ----  | ----  | 19.90A             | 20.90B/19.90A     | ---- | 20.30    | -   | 1.20  | .0661       | ---- | ---- | ----        | ---- | 21   | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 3400   | ----  | ----  | 20.10A             | 21.30B/20.10A     | ---- | 20.60    | -   | 1.20  | .0670       | ---- | ---- | ----        | ---- | 401  | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 3425   | ----  | ----  | 21.60A             | 22.90B/21.60A     | ---- | 22.10    | -   | 1.30  | .0717       | ---- | ---- | ----        | ---- | 29   | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 3450   | ----  | ----  | 23.10A             | 24.60B/23.10A     | ---- | 23.80    | -   | 1.30  | .0769       | ---- | ---- | ----        | ---- | 43   | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 3500   | ----  | ----  | 26.60A             | 28.60B/26.60A     | ---- | 27.60    | -   | 1.40  | .0884       | ---- | ---- | ----        | ---- | 492  | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 3525   | ----  | ----  | 28.60A             | 30.80B/28.60A     | ---- | 29.80    | -   | 1.40  | .0949       | ---- | ---- | ----        | ---- | 120  | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |
| 3540   | ----  | ----  | 29.90A             | 32.30B/29.90A     | ---- | 31.20    | -   | 1.50  | .0990       | ---- | ---- | ----        | ---- | 1    | UNCH       |    |    |        |  |  |       |  |  |               |  |  |        |  |  |        |  |  |          |  |  |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.  
© Copyright CME Group Inc. All rights reserved.



| PG64   |      | BULLETIN #191@     |              |                 |                    |                   |                    |               |                 |                          |       | METALS OPTION PRODUCTS |                |                  |                   |               |      |       |                  |      |  | Mon, Oct 05, 2026 |  | PG64 |
|--------|------|--------------------|--------------|-----------------|--------------------|-------------------|--------------------|---------------|-----------------|--------------------------|-------|------------------------|----------------|------------------|-------------------|---------------|------|-------|------------------|------|--|-------------------|--|------|
|        |      | GLOBEX<br>OPEN     | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW  | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES          | OPEN<br>VOLUME | OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME |      |       | OPEN<br>INTEREST |      |  |                   |  |      |
| OG PUT |      | COMEX GOLD OPTIONS |              |                 |                    |                   |                    |               |                 |                          |       |                        |                |                  |                   |               |      |       |                  |      |  |                   |  |      |
| APR27  |      |                    |              |                 |                    |                   |                    |               |                 |                          |       |                        |                |                  |                   |               |      |       |                  |      |  |                   |  |      |
| 4430   | ---- | ----               | ----         | ----            | 366.60B/346.60A    | 366.60B/346.60A   | ----               | ----          | ----            | 365.00 + 0.30            | .5972 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 1                | UNCH |  |                   |  |      |
| 4435   | ---- | ----               | ----         | ----            | 369.90B/350.10A    | 369.90B/350.10A   | ----               | ----          | ----            | 368.30 + 0.30            | .6001 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 13               | UNCH |  |                   |  |      |
| 4440   | ---- | ----               | ----         | ----            | 372.90B/353.40A    | 372.90B/353.40A   | ----               | ----          | ----            | 371.70 + 0.40            | .6030 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 50               | UNCH |  |                   |  |      |
| 4450   | ---- | ----               | ----         | ----            | 379.60B/359.90A    | 379.60B/359.90A   | ----               | ----          | ----            | 378.40 + 0.40            | .6087 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 138              | UNCH |  |                   |  |      |
| 4455   | ---- | ----               | ----         | ----            | 383.00B/363.10A    | 383.00B/363.10A   | ----               | ----          | ----            | 381.80 + 0.50            | .6115 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 2                | UNCH |  |                   |  |      |
| 4460   | ---- | ----               | ----         | ----            | 386.60B/366.40A    | 386.60B/366.40A   | ----               | ----          | ----            | 385.20 + 0.50            | .6144 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 3                | UNCH |  |                   |  |      |
| 4465   | ---- | ----               | ----         | ----            | 389.90B/369.70A    | 389.90B/369.70A   | ----               | ----          | ----            | 388.70 + 0.60            | .6172 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 2                | UNCH |  |                   |  |      |
| 4470   | ---- | ----               | ----         | ----            | 393.30B/373.00A    | 393.30B/373.00A   | ----               | ----          | ----            | 392.10 + 0.60            | .6200 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 4                | UNCH |  |                   |  |      |
| 4475   | ---- | ----               | ----         | ----            | 396.80B/376.30A    | 396.80B/376.30A   | ----               | ----          | ----            | 395.60 + 0.70            | .6228 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 2                | UNCH |  |                   |  |      |
| 4480   | ---- | ----               | ----         | ----            | 400.40B/379.70A    | 400.40B/379.70A   | ----               | ----          | ----            | 399.00 + 0.60            | .6256 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 1                | UNCH |  |                   |  |      |
| 4490   | ---- | ----               | ----         | ----            | 407.20B/386.40A    | 407.20B/386.40A   | ----               | ----          | ----            | 406.00 + 0.70            | .6310 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 31               | UNCH |  |                   |  |      |
| 4495   | ---- | ----               | ----         | ----            | 411.00B/389.80A    | 411.00B/389.80A   | ----               | ----          | ----            | 409.50 + 0.70            | .6338 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 11               | UNCH |  |                   |  |      |
| 4500   | ---- | ----               | ----         | ----            | 413.90B/393.20A    | 413.90B/393.20A   | ----               | ----          | ----            | 413.10 + 0.90            | .6366 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 258              | UNCH |  |                   |  |      |
| 4510   | ---- | ----               | ----         | ----            | 421.30B/400.00A    | 421.30B/400.00A   | ----               | ----          | ----            | 420.20 + 0.90            | .6419 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 1                | UNCH |  |                   |  |      |
| 4515   | ---- | ----               | ----         | ----            | 424.90B/403.50A    | 424.90B/403.50A   | ----               | ----          | ----            | 423.70 + 0.90            | .6446 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 1                | UNCH |  |                   |  |      |
| 4535   | ---- | ----               | ----         | ----            | 439.00B/420.00A    | 439.00B/420.00A   | ----               | ----          | ----            | 438.10 + 1.10            | .6552 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 13               | UNCH |  |                   |  |      |
| 4540   | ---- | ----               | ----         | ----            | 443.20B/423.50A    | 443.20B/423.50A   | ----               | ----          | ----            | 441.70 + 1.10            | .6578 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 100              | UNCH |  |                   |  |      |
| 4545   | ---- | ----               | ----         | ----            | 446.70B/427.00A    | 446.70B/427.00A   | ----               | ----          | ----            | 445.40 + 1.20            | .6604 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 1                | UNCH |  |                   |  |      |
| 4550   | ---- | ----               | ----         | ----            | 450.60B/430.60A    | 450.60B/430.60A   | ----               | ----          | ----            | 449.00 + 1.20            | .6629 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 100              | UNCH |  |                   |  |      |
| 4565   | ---- | ----               | ----         | ----            | 460.90B/441.30A    | 460.90B/441.30A   | ----               | ----          | ----            | 460.10 + 1.40            | .6706 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 10               | UNCH |  |                   |  |      |
| 4575   | ---- | ----               | ----         | ----            | 468.80B/448.50A    | 468.80B/448.50A   | ----               | ----          | ----            | 467.50 + 1.40            | .6757 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 50               | UNCH |  |                   |  |      |
| 4590   | ---- | ----               | ----         | ----            | 480.00B/459.40A    | 480.00B/459.40A   | ----               | ----          | ----            | 478.70 + 1.50            | .6831 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 4                | UNCH |  |                   |  |      |
| 4600   | ---- | ----               | ----         | ----            | 487.70B/466.70A    | 487.70B/466.70A   | ----               | ----          | ----            | 486.20 + 1.50            | .6880 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 229              | UNCH |  |                   |  |      |
| 4610   | ---- | ----               | ----         | ----            | 495.30B/474.10A    | 495.30B/474.10A   | ----               | ----          | ----            | 493.80 + 1.60            | .6928 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 4                | UNCH |  |                   |  |      |
| 4615   | ---- | ----               | ----         | ----            | 499.10B/477.80A    | 499.10B/477.80A   | ----               | ----          | ----            | 497.60 + 1.60            | .6952 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 5                | UNCH |  |                   |  |      |
| 4620   | ---- | ----               | ----         | ----            | 502.80B/481.50A    | 502.80B/481.50A   | ----               | ----          | ----            | 501.40 + 1.60            | .6977 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 1                | UNCH |  |                   |  |      |
| 4650   | ---- | ----               | ----         | ----            | 526.30B/504.00A    | 526.30B/504.00A   | ----               | ----          | ----            | 524.60 + 1.80            | .7116 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 3                | UNCH |  |                   |  |      |
| 4695   | ---- | ----               | ----         | ----            | 561.20B/538.60A    | 561.20B/538.60A   | ----               | ----          | ----            | 560.00 + 1.90            | .7316 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 1                | UNCH |  |                   |  |      |
| 4700   | ---- | ----               | ----         | ----            | 565.30B/542.50A    | 565.30B/542.50A   | ----               | ----          | ----            | 564.00 + 2.00            | .7338 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 14               | UNCH |  |                   |  |      |
| 4705   | ---- | ----               | ----         | ----            | 569.80B/546.40A    | 569.80B/546.40A   | ----               | ----          | ----            | 568.00 + 2.00            | .7358 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 2                | UNCH |  |                   |  |      |
| 4720   | ---- | ----               | ----         | ----            | 581.40B/558.20A    | 581.40B/558.20A   | ----               | ----          | ----            | 580.10 + 2.10            | .7421 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 9                | UNCH |  |                   |  |      |
| 4725   | ---- | ----               | ----         | ----            | 586.10B/562.10A    | 586.10B/562.10A   | ----               | ----          | ----            | 584.10 + 2.10            | .7441 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 5                | UNCH |  |                   |  |      |
| 4730   | ---- | ----               | ----         | ----            | 590.00B/566.10A    | 590.00B/566.10A   | ----               | ----          | ----            | 588.20 + 2.20            | .7462 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 4                | UNCH |  |                   |  |      |
| 4750   | ---- | ----               | ----         | ----            | 606.40B/582.00A    | 606.40B/582.00A   | ----               | ----          | ----            | 604.50 + 2.30            | .7543 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 1                | UNCH |  |                   |  |      |
| 4765   | ---- | ----               | ----         | ----            | 618.80B/594.00A    | 618.80B/594.00A   | ----               | ----          | ----            | 616.80 + 2.40            | .7601 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 1                | UNCH |  |                   |  |      |
| 4790   | ---- | ----               | ----         | ----            | 639.50B/614.30A    | 639.50B/614.30A   | ----               | ----          | ----            | 637.60 + 2.70            | .7696 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 6                | UNCH |  |                   |  |      |
| 4800   | ---- | ----               | ----         | ----            | 647.60B/622.50A    | 647.60B/622.50A   | ----               | ----          | ----            | 646.00 + 2.80            | .7733 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 15               | UNCH |  |                   |  |      |
| 4825   | ---- | ----               | ----         | ----            | 668.70B/643.00A    | 668.70B/643.00A   | ----               | ----          | ----            | 667.00 + 2.90            | .7823 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 4                | UNCH |  |                   |  |      |
| 4835   | ---- | ----               | ----         | ----            | 677.10B/651.20A    | 677.10B/651.20A   | ----               | ----          | ----            | 675.50 + 3.00            | .7857 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 1                | UNCH |  |                   |  |      |
| 4900   | ---- | ----               | ----         | ----            | 730.10B/705.80A    | 730.10B/705.80A   | ----               | ----          | ----            | 731.20 + 3.30            | .8074 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 5                | UNCH |  |                   |  |      |
| 4905   | ---- | ----               | ----         | ----            | 732.30B/710.10A    | 732.30B/710.10A   | ----               | ----          | ----            | 735.50 + 3.30            | .8089 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 2                | UNCH |  |                   |  |      |
| 5000   | ---- | ----               | ----         | ----            | ----               | 721.20B/891.90A   | ----               | ----          | ----            | 819.10 + 3.50            | .8363 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 134              | UNCH |  |                   |  |      |
| 5005   | ---- | ----               | ----         | ----            | ----               | 725.50B/896.40A   | ----               | ----          | ----            | 823.60 + 3.60            | .8377 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 1                | UNCH |  |                   |  |      |
| 5050   | ---- | ----               | ----         | ----            | ----               | 764.80B/937.50A   | ----               | ----          | ----            | 864.00 + 3.80            | .8492 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 169              | UNCH |  |                   |  |      |
| 5060   | ---- | ----               | ----         | ----            | ----               | 773.60B/946.70A   | ----               | ----          | ----            | 873.00 + 3.70            | .8515 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 25               | UNCH |  |                   |  |      |
| 5150   | ---- | ----               | ----         | ----            | ----               | 854.40B/1029.80A  | ----               | ----          | ----            | 955.30 + 4.20            | .8714 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 1                | UNCH |  |                   |  |      |
| 5200   | ---- | ----               | ----         | ----            | ----               | 900.00B/1076.40A  | ----               | ----          | ----            | 1001.70 + 4.40           | .8812 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 15               | UNCH |  |                   |  |      |
| 5205   | ---- | ----               | ----         | ----            | ----               | 904.60B/1081.10A  | ----               | ----          | ----            | 1006.30 + 4.40           | .8821 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 1                | UNCH |  |                   |  |      |
| 5400   | ---- | ----               | ----         | ----            | ----               | 1154.40B/1222.00A | ----               | ----          | ----            | 1190.30 + 4.70           | .9127 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 1                | UNCH |  |                   |  |      |
| 5500   | ---- | ----               | ----         | ----            | ----               | 1250.70B/1317.50A | ----               | ----          | ----            | 1286.30 + 5.00           | .9245 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 2                | UNCH |  |                   |  |      |
| 5590   | ---- | ----               | ----         | ----            | ----               | 1338.20B/1404.00A | ----               | ----          | ----            | 1373.40 + 5.20           | .9336 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 17               | UNCH |  |                   |  |      |
| 5600   | ---- | ----               | ----         | ----            | ----               | 1348.00B/1413.60A | ----               | ----          | ----            | 1383.20 + 5.30           | .9346 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 5                | UNCH |  |                   |  |      |
| 5790   | ---- | ----               | ----         | ----            | ----               | 1534.50B/1598.10A | ----               | ----          | ----            | 1569.00 + 5.50           | .9493 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 1                | UNCH |  |                   |  |      |
| 5800   | ---- | ----               | ----         | ----            | ----               | 1544.40B/1607.90A | ----               | ----          | ----            | 1578.80 + 5.50           | .9500 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 5                | UNCH |  |                   |  |      |
| 6000   | ---- | ----               | ----         | ----            | ----               | 1730.70B/1803.80A | ----               | ----          | ----            | 1776.30 + 5.60           | .9612 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 1                | UNCH |  |                   |  |      |
| TOTAL  |      |                    |              |                 |                    |                   |                    |               |                 |                          |       |                        |                |                  |                   | 63            |      | 7286+ | 37               |      |  |                   |  |      |
| MAY27  |      |                    |              |                 |                    |                   |                    |               |                 |                          |       |                        |                |                  |                   |               |      |       |                  |      |  |                   |  |      |
| 3000   | ---- | ----               | ----         | ----            | ----/13.10A        | 12.30B/13.10A     | ----               | ----          | ----            | 12.80 - 0.40             | .0340 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 1                | UNCH |  |                   |  |      |
| 3250   | ---- | ----               | ----         | ----            | ----/23.30A        | 22.70B/23.30A     | ----               | ----          | ----            | 23.40 - 0.80             | .0617 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 1                | UNCH |  |                   |  |      |
| 3330   | ---- | ----               | ----         | ----            | ----/28.30A        | 27.90B/28.30A     | ----               | ----          | ----            | 28.60 - 0.90             | .0747 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 10               | UNCH |  |                   |  |      |
| 3370   | ---- | ----               | ----         | ----            | ----/31.20A        | 31.00B/31.20A     | ----               | ----          | ----            | 31.60 - 1.00             | .0822 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 20               | UNCH |  |                   |  |      |
| 3430   | ---- | ----               | ----         | ----            | ----/36.20A        | 36.50B/36.20A     | ----               | ----          | ----            | 36.80 - 1.20             | .0947 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 20               | UNCH |  |                   |  |      |
| 3490   | ---- | ----               | ----         | ----            | ----/42.00A        | 42.60B/42.00A     | ----               | ----          | ----            | 43.00 - 1.40             | .1091 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 4                | UNCH |  |                   |  |      |
| 3500   | ---- | ----               | ----         | ----            | ----/43.00A        | 43.70B/43.00A     | ----               | ----          | ----            | 44.10 - 1.40             | .1117 | ----                   | ----           | ----             | ----              | ----          | ---- | ----  | 30               | UNCH |  |                   |  |      |
| 3550   | ---- | ----               | ----         | ----            | ----/48.70A        | 49.90B/48.70A     | ----               | ----          | ----            | 50.10 - 1.50             | .1253 | ----                   | ----           | ----             | ----</            |               |      |       |                  |      |  |                   |  |      |

| GLOBEX<br>OPEN |        | OPEN<br>OPEN       | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |       |   |     |
|----------------|--------|--------------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|-------|---|-----|
| OG PUT         |        | COMEX GOLD OPTIONS |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |       |   |     |
| JUN27          |        |                    |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |       |   |     |
| 3800           | ----   | ----               | ----            | /104.30A           | 109.40B/104.30A  | ----               | 109.30        | - 1.40          | .2279                    | ----  | ----          | ----                     | ----              | ----          | 588              | UNCH  |   |     |
| 3805           | ----   | ----               | ----            | /105.20A           | 110.70B/105.20A  | ----               | 110.50        | - 1.50          | .2300                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH  |   |     |
| 3850           | ----   | ----               | ----            | /116.60A           | 122.80B/116.60A  | ----               | 122.60        | - 1.40          | .2499                    | ----  | ----          | ----                     | ----              | ----          | 150              | UNCH  |   |     |
| 3875           | ----   | ----               | ----            | /123.30A           | 130.00B/123.30A  | ----               | 129.70        | - 1.40          | .2613                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH  |   |     |
| 3900           | ----   | ----               | ----            | /130.20A           | 137.40B/130.20A  | ----               | 137.20        | - 1.40          | .2731                    | ----  | ----          | ----                     | ----              | ----          | 400              | UNCH  |   |     |
| 3925           | ----   | ----               | ----            | /137.60A           | 145.30B/137.60A  | ----               | 145.10        | - 1.30          | .2851                    | ----  | ----          | ----                     | ----              | ----          | 150              | UNCH  |   |     |
| 3950           | ----   | ----               | ----            | /145.30A           | 153.60B/145.30A  | ----               | 153.20        | - 1.30          | .2973                    | ----  | ----          | ----                     | ----              | ----          | 651              | UNCH  |   |     |
| 3970           | ----   | ----               | ----            | /152.00A           | 160.50B/152.00A  | ----               | 160.00        | - 1.30          | .3073                    | ----  | ----          | ----                     | ----              | ----          | 260              | UNCH  |   |     |
| 4000           | ----   | ----               | ----            | /162.20A           | 171.00B/162.20A  | ----               | 170.70        | - 1.20          | .3225                    | ----  | ----          | ----                     | ----              | ----          | 1309             | UNCH  |   |     |
| 4025           | ----   | ----               | ----            | /170.90A           | 180.50B/170.90A  | ----               | 180.00        | - 1.20          | .3354                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH  |   |     |
| 4050           | ----   | ----               | ----            | /180.10A           | 190.00B/180.10A  | ----               | 189.60        | - 1.20          | .3485                    | ----  | ----          | ----                     | ----              | ----          | 689              | UNCH  |   |     |
| 4075           | ----   | ----               | ----            | /189.60A           | 200.30B/189.60A  | ----               | 199.70        | - 1.10          | .3618                    | ----  | ----          | ----                     | ----              | ----          | 325              | UNCH  |   |     |
| 4100           | ----   | ----               | ----            | /199.10A           | 210.80B/199.10A  | ----               | 210.10        | - 1.10          | .3752                    | ----  | ----          | ----                     | ----              | ----          | 151              | UNCH  |   |     |
| 4110           | ----   | ----               | ----            | /203.60A           | 215.10B/203.60A  | ----               | 214.40        | - 1.00          | .3806                    | ----  | ----          | ----                     | ----              | ----          | 44               | UNCH  |   |     |
| 4130           | ----   | ----               | ----            | /211.70A           | 223.80B/211.70A  | ----               | 223.10        | - 1.00          | .3915                    | ----  | ----          | ----                     | ----              | ----          | 20               | UNCH  |   |     |
| 4140           | ----   | ----               | ----            | /215.80A           | 228.20B/215.80A  | ----               | 227.60        | - 1.00          | .3969                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH  |   |     |
| 4145           | ----   | ----               | ----            | /218.20A           | 230.60B/218.20A  | ----               | 229.80        | - 1.00          | .3996                    | ----  | ----          | ----                     | ----              | ----          | 100              | UNCH  |   |     |
| 4185           | ----   | ----               | ----            | /235.90A           | 249.20B/235.90A  | ----               | 248.50        | - 0.80          | .4216                    | ----  | ----          | ----                     | ----              | ----          | 55               | UNCH  |   |     |
| 4190           | ----   | ----               | ----            | 251.80B/238.10A    | 251.80B/238.10A  | ----               | 250.90        | - 0.80          | .4243                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH  |   |     |
| 4195           | ----   | ----               | ----            | /240.40A           | 254.10B/240.40A  | ----               | 253.30        | - 0.80          | .4271                    | ----  | ----          | ----                     | ----              | ----          | 20               | UNCH  |   |     |
| 4200           | ----   | ----               | ----            | /242.80A           | 256.40B/242.80A  | ----               | 255.70        | - 0.80          | .4299                    | ----  | ----          | ----                     | ----              | ----          | 301              | UNCH  |   |     |
| 4205           | ----   | ----               | ----            | /244.90A           | 259.00B/244.90A  | ----               | 258.10        | - 0.90          | .4326                    | ----  | ----          | ----                     | ----              | ----          | 2                | UNCH  |   |     |
| 4230           | ----   | ----               | ----            | 271.70B/256.80A    | 271.70B/256.80A  | ----               | 270.60        | - 0.80          | .4464                    | ----  | ----          | ----                     | ----              | ----          | 44               | UNCH  |   |     |
| 4240           | ----   | ----               | ----            | 276.60B/261.70A    | 276.60B/261.70A  | ----               | 275.70        | - 0.70          | .4519                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH  |   |     |
| 4250           | ----   | ----               | ----            | 281.90B/266.80A    | 281.90B/266.80A  | ----               | 280.80        | - 0.70          | .4575                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH  |   |     |
| 4285           | ----   | ----               | ----            | 300.80B/284.20A    | 300.80B/284.20A  | ----               | 299.40        | - 0.60          | .4767                    | ----  | ----          | ----                     | ----              | ----          | 100              | UNCH  |   |     |
| 4300           | ----   | ----               | ----            | 308.90B/292.30A    | 308.90B/292.30A  | ----               | 307.60        | - 0.50          | .4848                    | ----  | ----          | ----                     | ----              | ----          | 264              | UNCH  |   |     |
| 4325           | ----   | ----               | ----            | /305.90A           | 321.50B/305.90A  | ----               | 321.50        | - 0.40          | .4984                    | ----  | ----          | ----                     | ----              | 230           | 280              | +     |   |     |
| 4350           | ----   | ----               | ----            | /319.20A           | 336.00B/319.20A  | ----               | 335.80        | - 0.30          | .5118                    | ----  | ----          | ----                     | ----              | ----          | 4                | UNCH  |   |     |
| 4360           | ----   | ----               | ----            | /324.50A           | 341.90B/324.50A  | ----               | 341.60        | - 0.30          | .5171                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH  |   |     |
| 4365           | ----   | ----               | ----            | /327.30A           | 344.80B/327.30A  | ----               | 344.60        | - 0.30          | .5198                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH  |   |     |
| 4370           | ----   | ----               | ----            | /330.50A           | 347.70B/330.50A  | ----               | 347.50        | - 0.30          | .5225                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH  |   |     |
| 4375           | ----   | ----               | ----            | /333.80A           | 350.40B/333.80A  | ----               | 350.50        | - 0.20          | .5251                    | ----  | ----          | ----                     | ----              | ----          | 34               | UNCH  |   |     |
| 4380           | ----   | ----               | ----            | /335.70A           | 353.40B/335.70A  | ----               | 353.50        | - 0.20          | .5277                    | ----  | ----          | ----                     | ----              | ----          | 3                | UNCH  |   |     |
| 4385           | ----   | ----               | ----            | /338.80A           | 356.10B/338.80A  | ----               | 356.50        | - 0.20          | .5304                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH  |   |     |
| 4390           | ----   | ----               | ----            | /341.10A           | 359.20B/341.10A  | ----               | 359.50        | - 0.20          | .5330                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH  |   |     |
| 4400           | ----   | ----               | ----            | /349.60A           | 365.50B/349.60A  | ----               | 365.50        | - 0.20          | .5382                    | ----  | ----          | ----                     | ----              | ----          | 29               | UNCH  |   |     |
| 4405           | ----   | ----               | ----            | /353.70A           | 368.30B/353.70A  | ----               | 368.60        | - 0.10          | .5408                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH  |   |     |
| 4410           | ----   | ----               | ----            | /356.60A           | 371.50B/356.60A  | ----               | 371.70        | - 0.10          | .5434                    | ----  | ----          | ----                     | ----              | ----          | 3                | UNCH  |   |     |
| 4415           | ----   | ----               | ----            | /359.70A           | 374.40B/359.70A  | ----               | 374.80        | UNCH            | .5460                    | ----  | ----          | ----                     | ----              | ----          | 3                | UNCH  |   |     |
| 4420           | ----   | ----               | ----            | /362.60A           | 377.60B/362.60A  | ----               | 377.90        | UNCH            | .5486                    | ----  | ----          | ----                     | ----              | ----          | 4                | UNCH  |   |     |
| 4430           | ----   | ----               | ----            | /368.60A           | 384.10B/368.60A  | ----               | 384.10        | UNCH            | .5537                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH  |   |     |
| 4435           | ----   | ----               | ----            | /371.60A           | 387.00B/371.60A  | ----               | 387.20        | UNCH            | .5563                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH  |   |     |
| 4450           | ----   | ----               | ----            | /380.70A           | 396.50B/380.70A  | ----               | 396.70        | UNCH            | .5639                    | ----  | ----          | ----                     | ----              | ----          | 10               | UNCH  |   |     |
| 4460           | ----   | ----               | ----            | /387.00A           | 403.00B/387.00A  | ----               | 403.20        | +               | .020                     | .5689 | ----          | ----                     | ----              | ----          | 2                | UNCH  |   |     |
| 4470           | ----   | ----               | ----            | 409.80B/393.20A    | 409.80B/393.20A  | ----               | 409.60        | +               | .010                     | .5739 | ----          | ----                     | ----              | ----          | 1                | UNCH  |   |     |
| 4490           | ----   | ----               | ----            | 422.70B/405.90A    | 422.70B/405.90A  | ----               | 422.70        | +               | .020                     | .5838 | ----          | ----                     | ----              | ----          | 3                | UNCH  |   |     |
| 4495           | ----   | ----               | ----            | 426.20B/409.00A    | 426.20B/409.00A  | ----               | 426.00        | +               | .030                     | .5862 | ----          | ----                     | ----              | ----          | 1                | UNCH  |   |     |
| 4500           | ----   | ----               | ----            | 429.50B/412.30A    | 429.50B/412.30A  | ----               | 429.40        | +               | .040                     | .5887 | ----          | ----                     | ----              | ----          | 1387             | UNCH  |   |     |
| 4505           | ----   | ----               | ----            | 432.80B/415.50A    | 432.80B/415.50A  | ----               | 432.70        | +               | .040                     | .5911 | ----          | ----                     | ----              | ----          | 1                | UNCH  |   |     |
| 4515           | ----   | ----               | ----            | 439.50B/421.90A    | 439.50B/421.90A  | ----               | 439.40        | +               | .040                     | .5960 | ----          | ----                     | ----              | ----          | 1                | UNCH  |   |     |
| 4545           | ----   | ----               | ----            | 459.80B/441.50A    | 459.80B/441.50A  | ----               | 459.80        | +               | .050                     | .6103 | ----          | ----                     | ----              | ----          | 1                | UNCH  |   |     |
| 4550           | ----   | ----               | ----            | 463.30B/444.90A    | 463.30B/444.90A  | ----               | 463.30        | +               | .060                     | .6126 | ----          | ----                     | ----              | ----          | 92               | UNCH  |   |     |
| 4600           | ----   | ----               | ----            | 498.10B/478.80A    | 498.10B/478.80A  | ----               | 498.40        | +               | .090                     | .6355 | ----          | ----                     | ----              | ----          | 1                | UNCH  |   |     |
| 4605           | ----   | ----               | ----            | 501.70B/482.40A    | 501.70B/482.40A  | ----               | 501.90        | +               | .080                     | .6377 | ----          | ----                     | ----              | ----          | 1                | UNCH  |   |     |
| 4620           | ----   | ----               | ----            | 512.50B/492.80A    | 512.50B/492.80A  | ----               | 512.70        | +               | .090                     | .6443 | ----          | ----                     | ----              | ----          | 1                | UNCH  |   |     |
| 4625           | ----   | ----               | ----            | 516.40B/499.90A    | 516.40B/499.90A  | ----               | 516.30        | +               | .090                     | .6465 | ----          | ----                     | ----              | ----          | 38               | UNCH  |   |     |
| 4650           | ----   | ----               | ----            | 534.40B/517.60A    | 534.40B/517.60A  | ----               | 534.60        | +               | .110                     | .6574 | ----          | ----                     | ----              | ----          | 250              | UNCH  |   |     |
| 4655           | ----   | ----               | ----            | 538.10B/521.20A    | 538.10B/521.20A  | ----               | 538.30        | +               | .120                     | .6595 | ----          | ----                     | ----              | ----          | 5                | UNCH  |   |     |
| 4680           | ----   | ----               | ----            | 556.90B/539.20A    | 556.90B/539.20A  | ----               | 556.80        | +               | .130                     | .6700 | ----          | ----                     | ----              | ----          | 1                | UNCH  |   |     |
| 4700           | ----   | ----               | ----            | 571.70B/553.80A    | 571.70B/553.80A  | ----               | 571.80        | +               | .130                     | .6783 | ----          | ----                     | ----              | ----          | 75               | UNCH  |   |     |
| 4760           | ----   | ----               | ----            | 617.70B/598.70A    | 617.70B/598.70A  | ----               | 617.80        | +               | .170                     | .7019 | ----          | ----                     | ----              | ----          | 15               | UNCH  |   |     |
| 4790           | ----   | ----               | ----            | 641.50B/621.60A    | 641.50B/621.60A  | ----               | 641.30        | +               | .180                     | .7131 | ----          | ----                     | ----              | ----          | 30               | UNCH  |   |     |
| 4850           | ----   | ----               | ----            | 689.20B/668.40A    | 689.20B/668.40A  | ----               | 689.20        | +               | .210                     | .7345 | ----          | ----                     | ----              | ----          | 59               | UNCH  |   |     |
| 4865           | ----   | ----               | ----            | 701.40B/680.40A    | 701.40B/680.40A  | ----               | 701.40        | +               | .220                     | .7396 | ----          | ----                     | ----              | ----          | 75               | UNCH  |   |     |
| 4900           | ----   | ----               | ----            | 730.00B/708.40A    | 730.00B/708.40A  | ----               | 730.10        | +               | .250                     | .7511 | ----          | ----                     | ----              | ----          | 1                | UNCH  |   |     |
| 4905           | ----   | ----               | ----            | 734.10B/712.40A    | 734.10B/712.40A  | ----               | 734.20        | +               | .250                     | .7528 | ----          | ----                     | ----              | ----          | 1                | UNCH  |   |     |
| 5000           | ----   | ----               | ----            | 813.90B/790.50A    | 813.90B/790.50A  | ----               | 813.80        | +               | .290                     | .7816 | ----          | ----                     | ----              | ----          | 3                | UNCH  |   |     |
| 5085           | ----   | ----               | ----            | 887.10B/862.40A    | 887.10B/862.40A  | ----               | 887.10        | +               | .330                     | .8044 | ----          | ----                     | ----              | ----          | 150              | UNCH  |   |     |
| TOTAL          |        |                    |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               | 575              | 12894 | + | 575 |
| JUL27          |        |                    |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |       |   |     |
| 3000           | ----   | ----               | ----            | /19.20A            | 18.10B/19.20A    | ----               | 19.00         | - 0.40          | .0433                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH  |   |     |
| 3300           | ----   | ----               | ----            | /36.80A            | 36.10B/36.80A    | ----               | 36.80         | - 0.90          | .0823                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH  |   |     |
| 3500           | ----   | ----               | ----            | /57.70A            | 57.90B/57.70A    | ----               | 58.30         | - 1.30          | .1253                    | ----  | ----          | ----                     | ----              | ----          | 3                | UNCH  |   |     |
| 3610           | 71.00  | 71.00              | ----            | 74.70B/71.00       | 74.70B/71.00     | ----               | 75.30         | NEW             | .1566                    | ----  | ----          | ----                     | 7                 | ----          | 7                | +     |   |     |
| 3625           | 73.00  | 73.00              | ----            | 77.40B/73.00       | 77.40B/73.00     | ----               | 77.90         | NEW             | .1612                    | ----  | ----          | ----                     | 1                 | ----          | 1                | +     |   |     |
| 3750           | ----   | ----               | ----            | /99.00A            | 102.80B/99.00A   | ----               | 103.60        | - 1.10          | .2046                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH  |   |     |
| 3800           | ----   | ----               | ----            | /110.40A           | 115.00B/110.40A  | ----               | 115.70        | - 1.10          | .2239                    | ----  | ----          | ----                     | ----              | ----          | 7                | UNCH  |   |     |
| 3905           | ----   | ----               | ----            | /138.20A           | 144.10B/138.20A  | ----               | 145.10        | - 0.80          | .2680                    | ----  | ----          | ----                     | ----              | ----          | 3                | UNCH  |   |     |
| 4050           | ----   | ----               | ----            | /185.10A           | 193.80B/185.10A  | ----               | 194.80        | - 0.60          | .3351                    | ----  | ----          | ----                     | 3                 | ----          | 6                | -     |   |     |
| 4150           | ----   | ----               | ----            | /224.40A           | 235.00B/224.40A  | ----               | 235.50        | - 0.80          | .3847                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH  |   |     |
| 4200           | ----   | ----               | ----            | /246.10A           | 257.80B/246.10A  | ----               | 258.00        | - 0.80          | .4101                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH  |   |     |
| 4310           | ----   | ----               | ----            | /298.70A           | 313.30B/298.70A  | ----               | 312.80        | - 0.90          | .4665                    | ----  | ----          | ----                     | ----              | ----          | 3                | UNCH  |   |     |
| 4315           | ----   | ----               | ----            | /301.10A           | 316.00B/301.10A  | ----               | 315.40        | - 0.90          | .4691                    | ----  | ----          | ----                     | ----              | ----          | 2                | UNCH  |   |     |
| 4325           | ----   | ----               | ----            | /305.90A           | 321.30B/305.90A  | ----               | 320.80        | - 0.90          | .4742                    | ----  | ----          | ----                     | ----              | ----          | 2                | UNCH  |   |     |
| 4335           | 312.00 | 312.00             | ----            | 326.90B/311.20A    | 326.90B/311.20A  | ----               | 326.20        | - 0.90          | .4793                    | ----  | ----          | ----                     | 1                 | ----          | 1                | UNCH  |   |     |
| 4340           | ----   | ----               | ----            | /313.70A           | 329.60B/313.70A  | ----               | 329.00        | - 0.90          | .4818                    | ----  | ----          | ----                     | ----              | ----          | 5                | UNCH  |   |     |
| 4350           | ----   | ----               | ----            | /319.50A           | 335.30B/319.50A  | ----               | 334.50        | - 0.90          | .4869                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH  |   |     |
| 4360           | ----   | ----               | ----            | /324.80A           | 340.00B/324.80A  | ----               | 340.10        | - 0.80          | .4919                    | ----  | ----          | ----                     | ----              | ----          | 2                | UNCH  |   |     |
| 4370           | ----   | ----               | ----            | /329.40A           | 345.70B/329.40A  | ----               | 345.70        | - 0.90          | .4969                    | ----  | ----          | ----                     | ----              | ----          | 3                | UNCH  |   |     |
| 4375           | ----   | ----               | ----            | /332.50A           | 348.50B/332.50A  | ----               | 348.60        | - 0.80          | .4994                    | ----  | ----          | ----                     | ----              | ----          | 2                | UNCH  |   |     |
| 4390           | ----   | ----               | ----            | /340.80A           | 356.60B/340.80A  | ----               | 357.20        | - 0.80          | .5069                    | ----  | ----          | ----</                   |                   |               |                  |       |   |     |

| BULLETIN #191@ |                    |              |                 | METALS OPTION PRODUCTS |                  |                 |                 |  |                          |       |               |                          |                   | Mon, Oct 05, 2026 |  |  |                  | PG64 |
|----------------|--------------------|--------------|-----------------|------------------------|------------------|-----------------|-----------------|--|--------------------------|-------|---------------|--------------------------|-------------------|-------------------|--|--|------------------|------|
|                | GLOBAL<br>OPEN     | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBAL<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>CLOSE | OUTCRY<br>RANGE |  | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBAL®<br>VOLUME | PNT<br>VOLUME     |  |  | OPEN<br>INTEREST |      |
| OG PUT         | COMEX GOLD OPTIONS |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |  |  |                  |      |
| DEC27          |                    |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |  |  |                  |      |
| 2800           | ----               |              | ----            | ----                   | ----             | ----            |                 |  | 45.30 - 0.80             | .0627 | ----          | ----                     | ----              | ----              |  |  | 16               | UNCH |
| 3700           | ----               |              | ----            | ----                   | ----             | ----            |                 |  | 157.40 - 0.30            | .2143 | ----          | ----                     | ----              | ----              |  |  | 100              | UNCH |
| 3715           | ----               |              | ----            | ----                   | ----             | ----            |                 |  | 160.90 - 0.30            | .2185 | ----          | ----                     | ----              | ----              |  |  | 150              | UNCH |
| 3820           | ----               |              | ----            | ----                   | ----             | ----            |                 |  | 187.60 - 0.30            | .2493 | ----          | ----                     | ----              | ----              |  |  | 50               | UNCH |
| 4130           | ----               |              | ----            | ----                   | ----             | ----            |                 |  | 292.80 + 0.40            | .3556 | ----          | ----                     | ----              | ----              |  |  | 168              | UNCH |
| 4500           | ----               |              | ----            | ----                   | ----             | ----            |                 |  | 476.10 + 1.00            | .4966 | ----          | ----                     | ----              | ----              |  |  | 170              | UNCH |
| 4630           | ----               |              | ----            | ----                   | ----             | ----            |                 |  | 555.20 + 1.30            | .5437 | ----          | ----                     | ----              | ----              |  |  | 284              | UNCH |
| 4860           | ----               |              | ----            | ----                   | ----             | ----            |                 |  | 711.20 + 1.60            | .6192 | ----          | ----                     | ----              | ----              |  |  | 100              | UNCH |
| 5000           | ----               |              | ----            | ----                   | ----             | ----            |                 |  | 814.90 + 1.90            | .6596 | ----          | ----                     | ----              | ----              |  |  | 50               | UNCH |
| 5650           | ----               |              | ----            | ----                   | ----             | ----            |                 |  | 1356.20 + 3.00           | .7951 | ----          | ----                     | ----              | ----              |  |  | 200              | UNCH |
| 5880           | ----               |              | ----            | ----                   | ----             | ----            |                 |  | 1562.50 + 3.20           | .8278 | ----          | ----                     | ----              | ----              |  |  | 200              | UNCH |
| TOTAL          |                    |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |  |  | 1488             | 0    |
| JAN28          |                    |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |  |  |                  |      |
| 5000           | ----               | ----         | ----            | ----                   | ----             | ----            |                 |  | 802.60 + 1.70            | .6387 | ----          | ----                     | ----              | ----              |  |  | 1                | UNCH |
| 5100           | ----               | ----         | ----            | ----                   | ----             | ----            |                 |  | 878.80 + 1.90            | .6646 | ----          | ----                     | ----              | ----              |  |  | 1                | UNCH |
| TOTAL          |                    |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |  |  | 2                | 0    |
| FEB28          |                    |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |  |  |                  |      |
| 4400           | ----               | ----         | ----            | ----                   | ----             | ----            |                 |  | 436.30 + 0.70            | .4405 | ----          | ----                     | ----              | ----              |  |  | 11               | UNCH |
| TOTAL          |                    |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |  |  | 11               | 0    |
| APR28          |                    |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |  |  |                  |      |
| 4400           | ----               | ----         | ----            | ----                   | ----             | ----            |                 |  | 446.80 + 0.70            | .4249 | ----          | ----                     | ----              | ----              |  |  | 5                | UNCH |
| TOTAL          |                    |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |  |  | 5                | 0    |
| MAY28          |                    |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |  |  |                  |      |
| 4500           | ----               | ----         | ----            | ----                   | ----             | ----            |                 |  | 492.80 + 0.80            | .4445 | ----          | ----                     | ----              | ----              |  |  | 20               | UNCH |
| TOTAL          |                    |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |  |  | 20               | 0    |
| JUL28          |                    |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |  |  |                  |      |
| 4500           | ----               | ----         | ----            | ----                   | ----             | ----            |                 |  | 496.70 + 0.80            | .4303 | ----          | ----                     | ----              | ----              |  |  | 25               | UNCH |
| TOTAL          |                    |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |  |  | 25               | 0    |
|                | GLOBAL<br>OPEN     | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBAL<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>CLOSE | OUTCRY<br>RANGE |  | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBAL®<br>VOLUME | PNT<br>VOLUME     |  |  | OPEN<br>INTEREST |      |
| OG CALL        | COMEX GOLD OPTIONS |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |  |  |                  |      |
| NOV26          |                    |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |  |  |                  |      |
| 3350           | ----               | ----         |                 | 845.80B/805.20A        | 845.80B/805.20A  | ----            |                 |  | 806.90 - 5.60            | .9947 | ----          | ----                     | ----              | ----              |  |  | 1                | UNCH |
| 3390           | ----               | ----         |                 | 805.90B/765.30A        | 805.90B/765.30A  | ----            |                 |  | 767.00 - 5.60            | .9931 | ----          | ----                     | ----              | ----              |  |  | 1                | UNCH |
| 3400           | ----               | ----         |                 | 796.20B/755.30A        | 796.20B/755.30A  | ----            |                 |  | 757.10 - 5.60            | .9930 | ----          | ----                     | 4                 | ----              |  |  | 40               | +    |
| 3445           | ----               | ----         |                 | 751.10B/710.50A        | 751.10B/710.50A  | ----            |                 |  | 712.30 - 5.60            | .9913 | ----          | ----                     | ----              | ----              |  |  | 1                | UNCH |
| 3450           | ----               | ----         |                 | 745.90B/705.60A        | 745.90B/705.60A  | ----            |                 |  | 707.30 - 5.60            | .9906 | ----          | ----                     | ----              | ----              |  |  | 161              | UNCH |
| 3500           | ----               | ----         |                 | 696.70B/655.90A        | 696.70B/655.90A  | ----            |                 |  | 657.60 - 5.70            | .9880 | ----          | ----                     | ----              | ----              |  |  | 224              | UNCH |
| 3550           | ----               | ----         |                 | 647.10B/606.20A        | 647.10B/606.20A  | ----            |                 |  | 607.90 - 5.90            | .9852 | ----          | ----                     | ----              | ----              |  |  | 8                | UNCH |
| 3600           | ----               | ----         |                 | 597.30B/556.70A        | 597.30B/556.70A  | ----            |                 |  | 558.40 - 6.00            | .9809 | ----          | ----                     | ----              | ----              |  |  | 3                | UNCH |
| 3700           | ----               | ----         |                 | 499.10B/458.10A        | 499.10B/458.10A  | ----            |                 |  | 459.80 - 6.40            | .9686 | ----          | ----                     | ----              | ----              |  |  | 3                | UNCH |
| 3735           | ----               | ----         |                 | 464.50B/424.00A        | 464.50B/424.00A  | ----            |                 |  | 425.60 - 6.50            | .9615 | ----          | ----                     | ----              | ----              |  |  | 1                | UNCH |
| 3765           | ----               | ----         |                 | 435.70B/394.80A        | 435.70B/394.80A  | ----            |                 |  | 396.40 - 6.80            | .9542 | ----          | ----                     | ----              | ----              |  |  | 1                | UNCH |
| 3775           | ----               | ----         |                 | 426.00B/385.10A        | 426.00B/385.10A  | ----            |                 |  | 386.70 - 6.80            | .9514 | ----          | ----                     | ----              | ----              |  |  | 1                | UNCH |
| 3780           | ----               | ----         |                 | 420.70B/380.30A        | 420.70B/380.30A  | ----            |                 |  | 381.90 - 6.80            | .9503 | ----          | ----                     | ----              | ----              |  |  | 1                | UNCH |
| 3800           | ----               | ----         |                 | 401.80B/361.10A        | 401.80B/361.10A  | ----            |                 |  | 362.60 - 7.00            | .9439 | ----          | ----                     | ----              | ----              |  |  | 4                | UNCH |
| 3820           | ----               | ----         |                 | 382.10B/342.00A        | 382.10B/342.00A  | ----            |                 |  | 343.50 - 7.10            | .9361 | ----          | ----                     | ----              | ----              |  |  | 1                | UNCH |
| 3825           | ----               | ----         |                 | 379.70B/337.20A        | 379.70B/337.20A  | ----            |                 |  | 338.70 - 7.20            | .9342 | ----          | ----                     | ----              | ----              |  |  | 1                | UNCH |
| 3830           | ----               | ----         |                 | 374.90B/329.40A        | 374.90B/329.40A  | ----            |                 |  | 334.00 - 7.20            | .9323 | ----          | ----                     | ----              | ----              |  |  | 1                | UNCH |
| 3840           | ----               | ----         |                 | 365.40B/320.00A        | 365.40B/320.00A  | ----            |                 |  | 324.50 - 7.30            | .9279 | ----          | ----                     | ----              | ----              |  |  | 7                | UNCH |
| 3850           | 324.20             | 324.20       |                 | 356.00B/310.60A        | 356.00B/310.60A  | ----            |                 |  | 315.10 - 7.30            | .9228 | ----          | ----                     | 1                 | ----              |  |  | 3                | +    |
| 3865           | ----               | ----         |                 | 341.70B/296.60A        | 341.70B/296.60A  | ----            |                 |  | 301.00 - 7.50            | .9149 | ----          | ----                     | ----              | ----              |  |  | 4                | UNCH |
| 3870           | ----               | ----         |                 | 336.90B/292.00A        | 336.90B/292.00A  | ----            |                 |  | 296.30 - 7.60            | .9123 | ----          | ----                     | ----              | ----              |  |  | 2                | UNCH |
| 3875           | ----               | ----         |                 | 332.20B/287.40A        | 332.20B/287.40A  | ----            |                 |  | 291.70 - 7.60            | .9090 | ----          | ----                     | ----              | ----              |  |  | 1                | UNCH |
| 3880           | 302.60             | 302.60       |                 | 327.50B/282.80A        | 327.50B/282.80A  | ----            |                 |  | 287.10 - NEW             | .9058 | ----          | ----                     | 1                 | ----              |  |  | 1                | +    |
| 3885           | ----               | ----         |                 | 323.00B/278.20A        | 323.00B/278.20A  | ----            |                 |  | 282.40 - 7.70            | .9030 | ----          | ----                     | ----              | ----              |  |  | 1                | UNCH |
| 3890           | 306.10             | 306.10       |                 | 318.20B/273.70A        | 318.20B/273.70A  | ----            |                 |  | 277.80 - 7.80            | .8997 | ----          | ----                     | 1                 | ----              |  |  | 2                | +    |
| 3900           | ----               | ----         |                 | 308.90B/264.60A        | 308.90B/264.60A  | ----            |                 |  | 268.70 - 7.80            | .8924 | ----          | ----                     | ----              | ----              |  |  | 4                | UNCH |
| 3905           | ----               | ----         |                 | 304.30B/260.10A        | 304.30B/260.10A  | ----            |                 |  | 264.10 - 7.90            | .8890 | ----          | ----                     | ----              | ----              |  |  | 2                | UNCH |
| 3910           | ----               | ----         |                 | 299.70B/255.60A        | 299.70B/255.60A  | ----            |                 |  | 259.60 - 7.90            | .8850 | ----          | ----                     | ----              | ----              |  |  | 1                | UNCH |
| 3915           | ----               | ----         |                 | 295.10B/251.20A        | 295.10B/251.20A  | ----            |                 |  | 255.10 - 8.00            | .8810 | ----          | ----                     | ----              | ----              |  |  | 1                | UNCH |
| 3920           | ----               | ----         |                 | 290.50B/246.70A        | 290.50B/246.70A  | ----            |                 |  | 250.60 - 8.00            | .8769 | ----          | ----                     | ----              | ----              |  |  | 5                | UNCH |
| 3925           | ----               | ----         |                 | 285.90B/242.30A        | 285.90B/242.30A  | ----            |                 |  | 246.20 - 8.00            | .8729 | ----          | ----                     | ----              | ----              |  |  | 51               | UNCH |
| 3930           | 266.10             | 266.10       |                 | 281.40B/237.80A        | 281.40B/237.80A  | ----            |                 |  | 241.70 - 8.10            | .8687 | ----          | ----                     | 1                 | ----              |  |  | 1                | -    |
| 3935           | ----               | ----         |                 | 276.80B/233.50A        | 276.80B/233.50A  | ----            |                 |  | 237.30 - 8.10            | .8641 | ----          | ----                     | ----              | ----              |  |  | 2                | UNCH |
| 3940           | ----               | ----         |                 | 272.30B/229.20A        | 272.30B/229.20A  | ----            |                 |  | 232.90 - 8.20            | .8594 | ----          | ----                     | ----              | ----              |  |  | 14               | UNCH |
| 3945           | ----               | ----         |                 | 267.80B/224.90A        | 267.80B/224.90A  | ----            |                 |  | 228.60 - 8.20            | .8542 | ----          | ----                     | ----              | ----              |  |  | 1                | UNCH |
| 3950           | ----               | ----         |                 | 263.30B/220.60A        | 263.30B/220.60A  | ----            |                 |  | 224.20 - 8.30            | .8495 | ----          | ----                     | ----              | ----              |  |  | 1                | UNCH |
| 3955           | ----               | ----         |                 | 258.90B/216.20A        | 258.90B/216.20A  | ----            |                 |  | 219.90 - 8.30            | .8443 | ----          | ----                     | ----              | ----              |  |  | 1                | UNCH |
| 3960           | ----               | ----         |                 | 254.50B/212.10A        | 254.50B/212.10A  | ----            |                 |  | 215.60 - 8.40            | .8390 | ----          | ----                     | ----              | ----              |  |  | 2                | UNCH |
| 3980           | 217.30             | 217.30       |                 | 236.90B/195.50A        | 236.90B/195.50A  | ----            |                 |  | 198.80 - NEW             | .8162 | ----          | ----                     | 1                 | ----              |  |  |                  |      |



| PG64             |                | BULLETIN #191@ |                    | METALS OPTION PRODUCTS |                  |                 |               |                 |                          |       |               |                          |                   | Mon, Oct 05, 2026 |        | PG64             |  |
|------------------|----------------|----------------|--------------------|------------------------|------------------|-----------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|-------------------|--------|------------------|--|
|                  | GLOBAL<br>OPEN | OPEN<br>OPEN   | OUTCRY<br>RANGE    | GLOBAL<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>RANGE | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBAL®<br>VOLUME | PNT<br>VOLUME     |        | OPEN<br>INTEREST |  |
| OG CALL<br>NOV26 |                |                | COMEX GOLD OPTIONS |                        |                  |                 |               |                 |                          |       |               |                          |                   |                   |        |                  |  |
| 4290             | 36.00          | 36.00          |                    | 46.90B/31.00A          | 46.90B/31.00A    | ----            |               |                 | 31.40 - 6.00             | .2591 | ----          | ----                     | 9                 | ----              | 117 +  | 5                |  |
| 4295             | 34.00          | 34.00          |                    | 45.40B/29.90A          | 45.40B/29.90A    | ----            |               |                 | 30.30 - 5.80             | .2516 | ----          | ----                     | 15                | ----              | 88     | UNCH             |  |
| 4300             | 37.10          | 37.10          |                    | 44.00/28.80A           | 44.00/28.80A     | ----            |               |                 | 29.20 - 5.70             | .2442 | ----          | ----                     | 225               | ----              | 2071 + | 93               |  |
| 4305             | ----           | ----           |                    | 42.40B/27.80A          | 42.40B/27.80A    | ----            |               |                 | 28.10 - 5.60             | .2367 | ----          | ----                     | 2                 | ----              | 103 +  | 2                |  |
| 4310             | ----           | ----           |                    | 41.00B/26.70A          | 41.00B/26.70A    | ----            |               |                 | 27.00 - 5.50             | .2293 | ----          | ----                     | ----              | ----              | 257    | UNCH             |  |
| 4315             | ----           | ----           |                    | 39.70B/25.70A          | 39.70B/25.70A    | ----            |               |                 | 26.00 - 5.40             | .2223 | ----          | ----                     | ----              | ----              | 31     | UNCH             |  |
| 4320             | 30.00          | 30.00          |                    | 38.30B/24.80A          | 38.30B/24.80A    | ----            |               |                 | 25.10 - 5.20             | .2157 | ----          | ----                     | 1                 | ----              | 212 +  | 1                |  |
| 4325             | 31.70          | 31.70          |                    | 37.10/23.90A           | 37.10/23.90A     | ----            |               |                 | 24.10 - 5.10             | .2087 | ----          | ----                     | 20                | ----              | 538 +  | 3                |  |
| 4330             | 29.90          | 29.90          |                    | 35.80B/23.00A          | 35.80B/23.00A    | ----            |               |                 | 23.20 - 5.00             | .2022 | ----          | ----                     | 85                | ----              | 247 +  | 20               |  |
| 4335             | ----           | ----           |                    | 34.60B/22.10A          | 34.60B/22.10A    | ----            |               |                 | 22.40 - 4.80             | .1961 | ----          | ----                     | ----              | ----              | 414    | UNCH             |  |
| 4340             | 27.80          | 27.80          |                    | 33.50/21.30A           | 33.50/21.30A     | ----            |               |                 | 21.50 - 4.80             | .1896 | ----          | ----                     | 59                | ----              | 103 +  | 21               |  |
| 4345             | ----           | ----           |                    | 32.20B/20.40A          | 32.20B/20.40A    | ----            |               |                 | 20.70 - 4.70             | .1836 | ----          | ----                     | ----              | ----              | 135    | UNCH             |  |
| 4350             | 26.00          | 26.00          |                    | 31.10B/19.60           | 31.10B/19.60     | ----            |               |                 | 19.90 - 4.60             | .1776 | ----          | ----                     | 103               | ----              | 1062 + | 30               |  |
| 4355             | 19.80          | 19.80          |                    | 30.10B/19.00A          | 30.10B/19.00A    | ----            |               |                 | 19.20 - 4.40             | .1721 | ----          | ----                     | 9                 | ----              | 61 -   | 1                |  |
| 4360             | 20.20          | 20.20          |                    | 29.00B/18.30A          | 29.00B/18.30A    | ----            |               |                 | 18.50 - 4.30             | .1666 | ----          | ----                     | 1                 | ----              | 117    | UNCH             |  |
| 4365             | ----           | ----           |                    | 28.00B/17.50A          | 28.00B/17.50A    | ----            |               |                 | 17.80 - 4.20             | .1612 | ----          | ----                     | ----              | ----              | 33     | UNCH             |  |
| 4370             | ----           | ----           |                    | 27.10B/16.90A          | 27.10B/16.90A    | ----            |               |                 | 17.10 - 4.10             | .1557 | ----          | ----                     | ----              | ----              | 46 -   | 1                |  |
| 4375             | ----           | ----           |                    | 26.10B/16.30A          | 26.10B/16.30A    | ----            |               |                 | 16.40 - 4.10             | .1503 | ----          | ----                     | 3                 | ----              | 525    | UNCH             |  |
| 4380             | 17.10          | 17.10          |                    | 25.20B/15.70A          | 25.20B/15.70A    | ----            |               |                 | 15.80 - 4.00             | .1454 | ----          | ----                     | 1                 | ----              | 223    | UNCH             |  |
| 4385             | 18.20          | 18.20          |                    | 24.30B/15.10A          | 24.30B/15.10A    | ----            |               |                 | 15.20 - 3.90             | .1406 | ----          | ----                     | 8                 | ----              | 111 -  | 3                |  |
| 4390             | 20.00          | 20.00          |                    | 23.50B/14.50A          | 23.50B/14.50A    | ----            |               |                 | 14.60 - 3.80             | .1351 | ----          | ----                     | 7                 | ----              | 100 -  | 2                |  |
| 4395             | 14.30          | 14.30          |                    | 22.60B/13.90A          | 22.60B/13.90A    | ----            |               |                 | 14.10 - 3.70             | .1315 | ----          | ----                     | 3                 | ----              | 67 -   | 1                |  |
| 4400             | 19.10          | 19.10          |                    | 21.80B/13.30           | 21.80B/13.30     | ----            |               |                 | 13.60 - 3.60             | .1273 | ----          | ----                     | 144               | ----              | 3530 + | 4                |  |
| 4405             | ----           | ----           |                    | 21.10B/12.90A          | 21.10B/12.90A    | ----            |               |                 | 13.00 - 3.60             | .1225 | ----          | ----                     | ----              | ----              | 43     | UNCH             |  |
| 4410             | ----           | ----           |                    | 20.30B/12.40A          | 20.30B/12.40A    | ----            |               |                 | 12.60 - 3.40             | .1189 | ----          | ----                     | ----              | ----              | 180    | UNCH             |  |
| 4415             | ----           | ----           |                    | 19.60B/12.00A          | 19.60B/12.00A    | ----            |               |                 | 12.10 - 3.40             | .1147 | ----          | ----                     | ----              | ----              | 65     | UNCH             |  |
| 4420             | 14.80          | 14.80          |                    | 18.90B/11.50A          | 18.90B/11.50A    | ----            |               |                 | 11.60 - 3.30             | .1105 | ----          | ----                     | 7                 | ----              | 238 +  | 2                |  |
| 4425             | 14.60          | 14.60          |                    | 18.20B/11.10A          | 18.20B/11.10A    | ----            |               |                 | 11.20 - 3.20             | .1070 | ----          | ----                     | 9                 | ----              | 583 -  | 1                |  |
| 4430             | 11.40          | 11.40          |                    | 17.60B/10.70A          | 17.60B/10.70A    | ----            |               |                 | 10.80 - 3.10             | .1035 | ----          | ----                     | 2                 | ----              | 146 +  | 1                |  |
| 4435             | 11.00          | 11.00          |                    | 17.00B/10.30A          | 17.00B/10.30A    | ----            |               |                 | 10.40 - 3.00             | .1000 | ----          | ----                     | 1                 | ----              | 109    | UNCH             |  |
| 4440             | 10.20          | 10.20          |                    | 16.40B/9.90A           | 16.40B/9.90A     | ----            |               |                 | 10.00 - 3.00             | .0965 | ----          | ----                     | 3                 | ----              | 229    | UNCH             |  |
| 4445             | 10.20          | 10.20          |                    | 15.80B/9.60A           | 15.80B/9.60A     | ----            |               |                 | 9.60 - 2.90              | .0930 | ----          | ----                     | 3                 | ----              | 111 +  | 3                |  |
| 4450             | 12.80          | 12.80          |                    | 15.20B/9.20A           | 15.20B/9.20A     | ----            |               |                 | 9.30 - 2.70              | .0902 | ----          | ----                     | 39                | ----              | 1062 + | 12               |  |
| 4455             | 12.30          | 12.30          |                    | 14.70B/8.90A           | 14.70B/8.90A     | ----            |               |                 | 8.90 - 2.70              | .0868 | ----          | ----                     | 3                 | ----              | 67 +   | 3                |  |
| 4460             | 10.90          | 10.90          |                    | 14.20B/8.50A           | 14.20B/8.50A     | ----            |               |                 | 8.60 - 2.60              | .0840 | ----          | ----                     | 11                | ----              | 123 +  | 9                |  |
| 4465             | 8.60           | 8.60           |                    | 13.70B/8.20A           | 13.70B/8.20A     | ----            |               |                 | 8.30 - 2.50              | .0812 | ----          | ----                     | 2                 | ----              | 87     | UNCH             |  |
| 4470             | 9.90           | 9.90           |                    | 13.20B/7.90A           | 13.20B/7.90A     | ----            |               |                 | 8.00 - 2.40              | .0785 | ----          | ----                     | 5                 | ----              | 182    | UNCH             |  |
| 4475             | ----           | ----           |                    | 12.80B/7.70A           | 12.80B/7.70A     | ----            |               |                 | 7.70 - 2.30              | .0757 | ----          | ----                     | 11                | ----              | 498 -  | 2                |  |
| 4480             | 8.40           | 8.40           |                    | 12.30B/7.40A           | 12.30B/7.40A     | ----            |               |                 | 7.40 - 2.30              | .0730 | ----          | ----                     | 20                | ----              | 170 +  | 19               |  |
| 4485             | 7.10           | 7.10           |                    | 11.80B/7.10            | 11.80B/7.10      | ----            |               |                 | 7.20 - 2.20              | .0710 | ----          | ----                     | 30                | ----              | 111 +  | 21               |  |
| 4490             | ----           | ----           |                    | 11.40B/6.90A           | 11.40B/6.90A     | ----            |               |                 | 6.90 - 2.20              | .0683 | ----          | ----                     | 1                 | ----              | 78     | UNCH             |  |
| 4495             | 10.50          | 10.50          |                    | 11.00B/6.60A           | 11.00B/6.60A     | ----            |               |                 | 6.70 - 2.10              | .0663 | ----          | ----                     | 1                 | ----              | 502 -  | 1                |  |
| 4500             | 9.60           | 9.60           |                    | 10.70/6.30             | 10.70/6.30       | ----            |               |                 | 6.50 - 2.00              | .0643 | ----          | ----                     | 356               | ----              | 2882 + | 3                |  |
| 4505             | 6.50           | 6.50           |                    | 10.30B/6.20A           | 10.30B/6.20A     | ----            |               |                 | 6.20 - 2.00              | .0617 | ----          | ----                     | 3                 | ----              | 110 +  | 2                |  |
| 4510             | 6.20           | 6.20           |                    | 10.00B/6.00A           | 10.00B/6.00A     | ----            |               |                 | 6.00 - 1.90              | .0598 | ----          | ----                     | 7                 | ----              | 3324   | UNCH             |  |
| 4515             | 6.70           | 6.70           |                    | 9.60B/5.80A            | 9.60B/5.80A      | ----            |               |                 | 5.80 - 1.90              | .0578 | ----          | ----                     | 6                 | ----              | 52 +   | 1                |  |
| 4520             | 5.70           | 5.70           |                    | 9.30B/5.60A            | 9.30B/5.60A      | ----            |               |                 | 5.60 - 1.80              | .0559 | ----          | ----                     | 1                 | ----              | 329 +  | 1                |  |
| 4525             | 6.80           | 6.80           |                    | 9.00B/5.40A            | 9.00B/5.40A      | ----            |               |                 | 5.40 - 1.80              | .0540 | ----          | ----                     | 6                 | ----              | 844 -  | 6                |  |
| 4530             | 5.40           | 5.40           |                    | 8.60B/5.20A            | 8.60B/5.20A      | ----            |               |                 | 5.20 - 1.70              | .0521 | ----          | ----                     | 1                 | ----              | 193 +  | 1                |  |
| 4535             | ----           | ----           |                    | 8.40B/5.10A            | 8.40B/5.10A      | ----            |               |                 | 5.10 - 1.60              | .0510 | ----          | ----                     | ----              | ----              | 105    | UNCH             |  |
| 4540             | 5.80           | 5.80           |                    | 8.10B/4.90A            | 8.10B/4.90A      | ----            |               |                 | 4.90 - 1.60              | .0491 | ----          | ----                     | 5                 | ----              | 174 +  | 2                |  |
| 4545             | 5.00           | 5.00           |                    | 7.80B/4.70A            | 7.80B/4.70A      | ----            |               |                 | 4.70 - 1.60              | .0472 | ----          | ----                     | 1                 | ----              | 47 +   | 1                |  |
| 4550             | 5.90           | 5.90           |                    | 7.60B/4.60A            | 7.60B/4.60A      | ----            |               |                 | 4.60 - 1.50              | .0461 | ----          | ----                     | 61                | ----              | 1231 - | 34               |  |
| 4555             | ----           | ----           |                    | 7.30B/4.50A            | 7.30B/4.50A      | ----            |               |                 | 4.40 - 1.50              | .0443 | ----          | ----                     | 20                | ----              | 159 +  | 6                |  |
| 4560             | ----           | ----           |                    | 7.10B/4.30A            | 7.10B/4.30A      | ----            |               |                 | 4.30 - 1.40              | .0432 | ----          | ----                     | ----              | ----              | 64     | UNCH             |  |
| 4565             | ----           | ----           |                    | 6.80B/4.20A            | 6.80B/4.20A      | ----            |               |                 | 4.10 - 1.40              | .0413 | ----          | ----                     | ----              | ----              | 107    | UNCH             |  |
| 4570             | 5.80           | 5.80           |                    | 6.60B/4.10A            | 6.60B/4.10A      | ----            |               |                 | 4.00 - 1.30              | .0403 | ----          | ----                     | 1                 | ----              | 47 -   | 1                |  |
| 4575             | 5.10           | 5.10           |                    | 6.40B/3.90A            | 6.40B/3.90A      | ----            |               |                 | 3.90 - 1.30              | .0392 | ----          | ----                     | 24                | ----              | 348 -  | 1                |  |
| 4580             | ----           | ----           |                    | 6.20B/3.80A            | 6.20B/3.80A      | ----            |               |                 | 3.80 - 1.20              | .0381 | ----          | ----                     | 3                 | ----              | 112 +  | 1                |  |
| 4585             | ----           | ----           |                    | 6.00B/3.70A            | 6.00B/3.70A      | ----            |               |                 | 3.70 - 1.20              | .0371 | ----          | ----                     | ----              | ----              | 196    | UNCH             |  |
| 4590             | ----           | ----           |                    | 5.80B/3.60A            | 5.80B/3.60A      | ----            |               |                 | 3.50 - 1.20              | .0353 | ----          | ----                     | ----              | ----              | 189    | UNCH             |  |
| 4595             | 5.50           | 5.50           |                    | 5.60B/3.50A            | 5.60B/3.50A      | ----            |               |                 | 3.40 - 1.20              | .0343 | ----          | ----                     | 1                 | ----              | 118 +  | 1                |  |
| 4600             | 4.80           | 4.80           |                    | 5.70/3.40              | 5.70/3.40        | ----            |               |                 | 3.30 - 1.20              | .0333 | ----          | ----                     | 49                | ----              | 4569 + | 10               |  |
| 4605             | ----           | ----           |                    | 5.30B/3.30A            | 5.30B/3.30A      | ----            |               |                 | 3.20 - 1.10              | .0323 | ----          | ----                     | 1                 | ----              | 92     | UNCH             |  |
| 4610             | ----           | ----           |                    | 5.10B/3.20A            | 5.10B/3.20A      | ----            |               |                 | 3.20 - 1.00              | .0320 | ----          | ----                     | ----              | ----              | 149    | UNCH             |  |
| 4615             | ----           | ----           |                    | 5.00B/3.10A            | 5.00B/3.10A      | ----            |               |                 | 3.10 - 1.00              | .0310 | ----          | ----                     | ----              | ----              | 123    | UNCH             |  |
| 4620             | 4.20           | 4.20           |                    | 4.80B/3.00A            | 4.80B/3.00A      | ----            |               |                 | 3.00 - 1.00              | .0300 | ----          | ----                     | 2                 | ----              | 249    | UNCH             |  |
| 4625             | ----           | ----           |                    | 4.70B/2.90A            | 4.70B/2.90A      | ----            |               |                 | 2.90 - 1.00              | .0290 | ----          | ----                     | 11                | ----              | 128 -  | 6                |  |
| 4630             | ----           | ----           |                    | 4.50B/2.90A            | 4.50B/2.90A      | ----            |               |                 | 2.80 - 1.00              | .0281 | ----          | ----                     | ----              | ----              | 73     | UNCH             |  |
| 4635             | ----           | ----           |                    | 4.40B/2.80A            | 4.40B/2.80A      | ----            |               |                 | 2.70 - 1.00              | .0271 | ----          | ----                     | ----              | ----              | 102    | UNCH             |  |
| 4640             | 3.50           | 3.50           |                    | 4.30B/2.70A            | 4.30B/2.70A      | ----            |               |                 | 2.70 - 0.90              | .0269 | ----          | ----                     | 5                 | ----              | 217 -  | 4                |  |
| 4645             | 2.70           | 2.70           |                    | 4.20B/2.60A            | 4.20B/2.60A      | ----            |               |                 | 2.60 - 0.90              | .0259 | ----          | ----                     | 12                | ----              | 155 +  | 5                |  |
| 4650             | 3.30           | 3.30           |                    | 4.00B/2.60A            | 4.00B/2.60A      | ----            |               |                 | 2.50 - 0.90              | .0250 | ----          | ----                     | 117               | ----              | 1446 + | 22               |  |
| 4655             | ----           | ----           |                    | 3.90B/2.50A            | 3.90B/2.50A      | ----            |               |                 | 2.50 - 0.80              | .0248 | ----          | ----                     | ----              | ----              | 200    | UNCH             |  |
| 4660             | 2.40           | 2.40           |                    | 3.80B/2.40             | 3.80B/2.40       | ----            |               |                 | 2.40 - 0.80              | .0239 | ----          | ----                     | 1                 | ----              | 165    | UNCH             |  |
| 4665             | ----           | ----           |                    | 3.70B/2.40A            | 3.70B/2.40A      | ----            |               |                 | 2.30 - 0.90              | .0229 | ----          | ----                     | ----              | ----              | 232    | UNCH             |  |
| 4670             | ----           | ----           |                    | 3.60B/2.30A            | 3.60B/2.30A      | ----            |               |                 | 2.30 - 0.80              | .0228 | ----          | ----                     | ----              | ----              | 140    | UNCH             |  |
| 4675             | ----           | ----           |                    | 3.50B/2.30A            | 3.50B/2.30A      | ----            |               |                 | 2.20 - 0.80              | .0218 | ----          | ----                     | 3                 | ----              | 752 -  | 1                |  |
| 4680             | 3.30           | 3.30           |                    | 3.40B/2.20A            | 3.40B/2.20A      | ----            |               |                 | 2.20 - 0.70              | .0217 | ----          | ----                     | 6                 | ----              | 213 -  | 5                |  |
| 4685             | 2.10           | 2.10           |                    | 3.30B/2.10             | 3.30B/2.10       | ----            |               |                 | 2.10 - 0.80              | .0208 | ----          | ----                     | 1                 | ----              | 214 +  | 1                |  |
| 4690             | 2.30           | 2.30           |                    | 3.20B/2.10A            | 3.20B/2.10A      | ----            |               |                 | 2.10 - 0.70              | .0206 | ----          | ----                     | 3                 | ----              | 260 -  | 1                |  |
| 4695             | 2.00           | 2.00           |                    | 3.20B/2.00             | 3.20B/2.00       | ----            |               |                 | 2.00 - 0.80              | .0197 | ----          | ----                     | 1                 | ----              | 163 +  | 1                |  |
| 4700             | 2.90           | 2.90           |                    | 3.20/1.90              | 3.20/1.90        | ----            |               |                 | 2.00 - 0.70              | .0196 | ----          | ----                     | 42                | ----              | 3810 - | 13               |  |
| 4705             | 2.80           | 2.80           |                    | 3.00B/1.90             | 3.00B/1.90       | ----            |               |                 | 1.90 - 0.70              | .0187 | ----          | ----                     | 17                | ----              | 106 +  | 6                |  |
| 4710             | 2.40           | 2.40           |                    | 2.90B/1.90             | 2.90B/1.90       | ----            |               |                 | 1.90 - 0.70              | .0186 | ----          | ----                     | 9                 | ----              | 147 -  | 5                |  |
| 4715             | 2.00           | 2.00           |                    | 2.80B/1.90A            | 2.80B/1.90A      | ----            |               |                 | 1.80 - 0.70              | .0177 | ----          | ----                     | 1                 | ----              | 89 +   | 1                |  |
| 4720             | ----           | ----           |                    | 2.80B/1.90A            | 2.80B/1.90A      | ----            |               |                 | 1.80 - 0.70              | .0176 | ----          | ----                     | ----              | ----              | 124</  |                  |  |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.

© Copyright CME Group Inc. All rights reserved.

| BULLETIN #191@ |                    |                              |                    | METALS OPTION PRODUCTS     |                               |                          |       |               |                          |                   |               |                  |      | Mon, Oct 05, 2026 |  | PG64 |
|----------------|--------------------|------------------------------|--------------------|----------------------------|-------------------------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|-------------------|--|------|
|                | GLOBEX<br>OPEN     | OPEN<br>OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |                   |  |      |
| OG CALL        | COMEX GOLD OPTIONS |                              |                    |                            |                               |                          |       |               |                          |                   |               |                  |      |                   |  |      |
| NOV26          |                    |                              |                    |                            |                               |                          |       |               |                          |                   |               |                  |      |                   |  |      |
| 4975           | ----               | ----                         | ----/0.80A         | 1.10B/0.80A                | ----                          | 0.80 - 0.30              | .0069 | ----          | ----                     | ----              | ----          | 137              | UNCH |                   |  |      |
| 4980           | ----               | ----                         | ----/0.80A         | 1.10B/0.80A                | ----                          | 0.80 - 0.30              | .0068 | ----          | ----                     | ----              | ----          | 36               | UNCH |                   |  |      |
| 4985           | ----               | ----                         | ----/0.80A         | 1.00B/0.80A                | ----                          | 0.80 - 0.30              | .0068 | ----          | ----                     | ----              | ----          | 125              | UNCH |                   |  |      |
| 4990           | ----               | ----                         | ----/0.80A         | 1.00B/0.80A                | ----                          | 0.80 - 0.30              | .0068 | ----          | ----                     | ----              | ----          | 33               | UNCH |                   |  |      |
| 4995           | ----               | ----                         | ----/0.80A         | 1.00B/0.80A                | ----                          | 0.80 - 0.20              | .0068 | ----          | ----                     | ----              | ----          | 123              | UNCH |                   |  |      |
| 5000           | 0.80               | 0.80                         | 0.80/0.80          | 1.00B/0.80                 | ----                          | 0.80 - 0.20              | .0067 | ----          | ----                     | 15                | ----          | 3585             | UNCH |                   |  |      |
| 5005           | ----               | ----                         | ----/0.80A         | 1.00B/0.80A                | ----                          | 0.70 - 0.30              | .0060 | ----          | ----                     | ----              | ----          | 57               | UNCH |                   |  |      |
| 5010           | ----               | ----                         | ----/0.80A         | 1.00B/0.80A                | ----                          | 0.70 - 0.30              | .0060 | ----          | ----                     | ----              | ----          | 56               | UNCH |                   |  |      |
| 5015           | ----               | ----                         | ----/0.80A         | 1.00B/0.80A                | ----                          | 0.70 - 0.30              | .0059 | ----          | ----                     | ----              | ----          | 36               | UNCH |                   |  |      |
| 5020           | ----               | ----                         | ----/0.80A         | 1.00B/0.80A                | ----                          | 0.70 - 0.30              | .0059 | ----          | ----                     | ----              | ----          | 58               | UNCH |                   |  |      |
| 5025           | ----               | ----                         | ----/0.70A         | 0.90B/0.70A                | ----                          | 0.70 - 0.30              | .0059 | ----          | ----                     | ----              | ----          | 502              | UNCH |                   |  |      |
| 5030           | ----               | ----                         | ----/0.80A         | 0.90B/0.80A                | ----                          | 0.70 - 0.30              | .0058 | ----          | ----                     | ----              | ----          | 82               | UNCH |                   |  |      |
| 5035           | ----               | ----                         | ----/0.80A         | 0.90B/0.80A                | ----                          | 0.70 - 0.30              | .0058 | ----          | ----                     | ----              | ----          | 82               | UNCH |                   |  |      |
| 5040           | ----               | ----                         | ----/0.70A         | 0.90B/0.70A                | ----                          | 0.70 - 0.20              | .0058 | ----          | ----                     | ----              | ----          | 162              | UNCH |                   |  |      |
| 5045           | ----               | ----                         | ----/0.70A         | 0.90B/0.70A                | ----                          | 0.70 - 0.20              | .0058 | ----          | ----                     | ----              | ----          | 42               | UNCH |                   |  |      |
| 5050           | 0.90               | 0.90                         | 1.00B/0.70A        | 1.00B/0.70A                | ----                          | 0.70 - 0.20              | .0058 | ----          | ----                     | 11                | ----          | 1023 -           | 1    |                   |  |      |
| 5055           | ----               | ----                         | ----/0.70A         | 0.90B/0.70A                | ----                          | 0.70 - 0.20              | .0057 | ----          | ----                     | ----              | ----          | 120              | UNCH |                   |  |      |
| 5060           | ----               | ----                         | ----/0.70A         | 0.80B/0.70A                | ----                          | 0.70 - 0.20              | .0057 | ----          | ----                     | ----              | ----          | 43               | UNCH |                   |  |      |
| 5065           | ----               | ----                         | ----/0.70A         | 0.80B/0.70A                | ----                          | 0.60 - 0.30              | .0050 | ----          | ----                     | ----              | ----          | 45               | UNCH |                   |  |      |
| 5070           | ----               | ----                         | ----/0.70A         | 0.80B/0.70A                | ----                          | 0.60 - 0.30              | .0050 | ----          | ----                     | ----              | ----          | 170              | UNCH |                   |  |      |
| 5075           | ----               | ----                         | ----/0.70A         | 0.80B/0.70A                | ----                          | 0.60 - 0.30              | .0049 | ----          | ----                     | ----              | ----          | 82               | UNCH |                   |  |      |
| 5080           | ----               | ----                         | ----/0.70A         | 0.80B/0.70A                | ----                          | 0.60 - 0.20              | .0049 | ----          | ----                     | ----              | ----          | 42               | UNCH |                   |  |      |
| 5085           | ----               | ----                         | ----/0.70A         | 0.80B/0.70A                | ----                          | 0.60 - 0.20              | .0049 | ----          | ----                     | ----              | ----          | 147              | UNCH |                   |  |      |
| 5090           | ----               | ----                         | ----/0.70A         | 0.80B/0.70A                | ----                          | 0.60 - 0.20              | .0049 | ----          | ----                     | ----              | ----          | 63               | UNCH |                   |  |      |
| 5095           | ----               | ----                         | ----/0.70A         | 0.80B/0.70A                | ----                          | 0.60 - 0.20              | .0049 | ----          | ----                     | ----              | ----          | 198              | UNCH |                   |  |      |
| 5100           | 0.70               | 0.70                         | 0.70/0.70          | 0.80B/0.70                 | ----                          | 0.60 - 0.20              | .0048 | ----          | ----                     | 1                 | ----          | 4838 -           | 1    |                   |  |      |
| 5105           | ----               | ----                         | ----/0.70A         | 0.70B/0.70A                | ----                          | 0.60 - 0.20              | .0048 | ----          | ----                     | ----              | ----          | 45               | UNCH |                   |  |      |
| 5110           | ----               | ----                         | ----/0.70A         | 0.70B/0.70A                | ----                          | 0.60 - 0.20              | .0048 | ----          | ----                     | ----              | ----          | 43               | UNCH |                   |  |      |
| 5115           | ----               | ----                         | ----/0.60A         | 0.70B/0.60A                | ----                          | 0.60 - 0.20              | .0048 | ----          | ----                     | ----              | ----          | 136              | UNCH |                   |  |      |
| 5120           | ----               | ----                         | 0.80B/0.60A        | 0.80B/0.60A                | ----                          | 0.60 - 0.10              | .0048 | ----          | ----                     | ----              | ----          | 78               | UNCH |                   |  |      |
| 5125           | ----               | ----                         | ----/0.60A         | 0.70B/0.60A                | ----                          | 0.60 - 0.10              | .0047 | ----          | ----                     | ----              | ----          | 91               | UNCH |                   |  |      |
| 5130           | ----               | ----                         | ----/0.60A         | 0.70B/0.60A                | ----                          | 0.60 - 0.10              | .0047 | ----          | ----                     | ----              | ----          | 95               | UNCH |                   |  |      |
| 5135           | 0.60               | 0.60                         | 0.60/0.60          | 0.70B/0.60                 | ----                          | 0.60 - 0.10              | .0047 | ----          | 3                        | ----              | ----          | 18               | UNCH |                   |  |      |
| 5140           | ----               | ----                         | ----/0.60A         | 0.70B/0.60A                | ----                          | 0.50 - 0.20              | .0040 | ----          | ----                     | ----              | ----          | 48               | UNCH |                   |  |      |
| 5145           | ----               | ----                         | ----/0.60A         | 0.70B/0.60A                | ----                          | 0.50 - 0.20              | .0040 | ----          | ----                     | ----              | ----          | 25               | UNCH |                   |  |      |
| 5150           | 0.50               | 0.50                         | 0.50/0.50          | 0.70B/0.50                 | ----                          | 0.50 - 0.20              | .0040 | ----          | 1                        | ----              | ----          | 534 +            | 1    |                   |  |      |
| 5155           | ----               | ----                         | ----/0.60A         | 0.70B/0.60A                | ----                          | 0.50 - 0.20              | .0040 | ----          | ----                     | ----              | ----          | 11               | UNCH |                   |  |      |
| 5160           | ----               | ----                         | 0.70B/----         | 0.70B/0.60A                | ----                          | 0.50 - 0.10              | .0040 | ----          | ----                     | ----              | ----          | 34               | UNCH |                   |  |      |
| 5165           | ----               | ----                         | 0.70B/----         | 0.70B/0.60A                | ----                          | 0.50 - 0.10              | .0039 | ----          | ----                     | ----              | ----          | 79               | UNCH |                   |  |      |
| 5170           | ----               | ----                         | ----               | 0.60B/0.60A                | ----                          | 0.50 - 0.10              | .0039 | ----          | ----                     | ----              | ----          | 22               | UNCH |                   |  |      |
| 5175           | ----               | ----                         | 0.70B/0.50A        | 0.70B/0.50A                | ----                          | 0.50 - 0.10              | .0039 | ----          | ----                     | ----              | ----          | 303              | UNCH |                   |  |      |
| 5180           | ----               | ----                         | ----               | 0.60B/0.60A                | ----                          | 0.50 - 0.10              | .0039 | ----          | ----                     | ----              | ----          | 87               | UNCH |                   |  |      |
| 5185           | ----               | ----                         | ----               | 0.60B/0.60A                | ----                          | 0.50 - 0.10              | .0039 | ----          | ----                     | ----              | ----          | 14               | UNCH |                   |  |      |
| 5190           | ----               | ----                         | ----               | 0.60B/0.60A                | ----                          | 0.50 - 0.10              | .0039 | ----          | ----                     | ----              | ----          | 21               | UNCH |                   |  |      |
| 5195           | ----               | ----                         | ----               | 0.60B/0.60A                | ----                          | 0.50 - 0.10              | .0039 | ----          | ----                     | ----              | ----          | 90               | UNCH |                   |  |      |
| 5200           | ----               | ----                         | ----/0.50A         | 0.60B/0.50A                | ----                          | 0.50 - 0.10              | .0038 | ----          | ----                     | ----              | ----          | 1900             | UNCH |                   |  |      |
| 5205           | ----               | ----                         | ----               | 0.60B/0.60A                | ----                          | 0.50 - 0.10              | .0038 | ----          | ----                     | ----              | ----          | 7                | UNCH |                   |  |      |
| 5210           | ----               | ----                         | ----               | 0.60B/0.60A                | ----                          | 0.50 - 0.10              | .0038 | ----          | ----                     | ----              | ----          | 11               | UNCH |                   |  |      |
| 5215           | ----               | ----                         | ----/0.50A         | 0.60B/0.50A                | ----                          | 0.50 - 0.10              | .0038 | ----          | ----                     | ----              | ----          | 51               | UNCH |                   |  |      |
| 5220           | ----               | ----                         | 0.60B/----         | 0.60B/0.50A                | ----                          | 0.50 UNCH                | .0038 | ----          | ----                     | ----              | ----          | 33               | UNCH |                   |  |      |
| 5225           | ----               | ----                         | 0.60B/----         | 0.60B/0.50A                | ----                          | 0.50 UNCH                | .0038 | ----          | ----                     | ----              | ----          | 26               | UNCH |                   |  |      |
| 5230           | ----               | ----                         | ----               | 0.50B/0.50A                | ----                          | 0.40 - 0.10              | .0031 | ----          | ----                     | ----              | ----          | 95               | UNCH |                   |  |      |
| 5235           | ----               | ----                         | ----               | 0.50B/0.50A                | ----                          | 0.40 - 0.10              | .0031 | ----          | ----                     | ----              | ----          | 21               | UNCH |                   |  |      |
| 5240           | ----               | ----                         | ----               | 0.50B/0.50A                | ----                          | 0.40 - 0.10              | .0031 | ----          | ----                     | ----              | ----          | 38               | UNCH |                   |  |      |
| 5245           | ----               | ----                         | ----               | 0.50B/0.50A                | ----                          | 0.40 - 0.10              | .0031 | ----          | ----                     | ----              | ----          | 9                | UNCH |                   |  |      |
| 5250           | 0.40               | 0.40                         | 0.40/0.40          | 0.50B/0.40                 | ----                          | 0.40 - 0.10              | .0030 | ----          | 1                        | ----              | ----          | 701              | UNCH |                   |  |      |
| 5255           | ----               | ----                         | ----               | 0.50B/0.50A                | ----                          | 0.40 - 0.10              | .0030 | ----          | ----                     | ----              | ----          | 4                | UNCH |                   |  |      |
| 5260           | ----               | ----                         | ----               | 0.50B/0.50A                | ----                          | 0.40 - 0.10              | .0030 | ----          | ----                     | ----              | ----          | 11               | UNCH |                   |  |      |
| 5265           | ----               | ----                         | ----               | 0.50B/0.50A                | ----                          | 0.40 - 0.10              | .0030 | ----          | ----                     | ----              | ----          | 11               | UNCH |                   |  |      |
| 5270           | ----               | ----                         | ----               | 0.50B/0.50A                | ----                          | 0.40 - 0.10              | .0030 | ----          | ----                     | ----              | ----          | 24               | UNCH |                   |  |      |
| 5275           | ----               | ----                         | ----               | 0.50B/0.50A                | ----                          | 0.40 - 0.10              | .0030 | ----          | ----                     | ----              | ----          | 214              | UNCH |                   |  |      |
| 5280           | ----               | ----                         | ----               | 0.50B/0.50A                | ----                          | 0.40 - 0.10              | .0030 | ----          | ----                     | ----              | ----          | 40               | UNCH |                   |  |      |
| 5285           | ----               | ----                         | ----               | 0.50B/0.50A                | ----                          | 0.40 - 0.10              | .0030 | ----          | ----                     | ----              | ----          | 32               | UNCH |                   |  |      |
| 5290           | ----               | ----                         | ----               | 0.50B/0.50A                | ----                          | 0.40 - 0.10              | .0030 | ----          | ----                     | ----              | ----          | 21               | UNCH |                   |  |      |
| 5295           | ----               | ----                         | ----               | 0.50B/0.50A                | ----                          | 0.40 - 0.10              | .0030 | ----          | ----                     | ----              | ----          | 10               | UNCH |                   |  |      |
| 5300           | ----               | ----                         | ----               | 0.50B/0.50A                | ----                          | 0.40 - 0.10              | .0029 | ----          | 250                      | ----              | ----          | 1506 -           | 250  |                   |  |      |
| 5305           | ----               | ----                         | ----               | 0.50B/0.50A                | ----                          | 0.40 - 0.10              | .0029 | ----          | ----                     | ----              | ----          | 31               | UNCH |                   |  |      |
| 5310           | ----               | ----                         | ----               | 0.50B/0.50A                | ----                          | 0.40 - 0.10              | .0029 | ----          | ----                     | ----              | ----          | 10               | UNCH |                   |  |      |
| 5315           | ----               | ----                         | ----               | 0.50B/0.50A                | ----                          | 0.40 - 0.10              | .0029 | ----          | ----                     | ----              | ----          | 6                | UNCH |                   |  |      |
| 5320           | ----               | ----                         | ----               | 0.50B/0.50A                | ----                          | 0.40 - 0.10              | .0029 | ----          | ----                     | ----              | ----          | 19               | UNCH |                   |  |      |
| 5325           | ----               | ----                         | 0.50B/----         | 0.50B/0.40A                | ----                          | 0.40 UNCH                | .0029 | ----          | ----                     | ----              | ----          | 23               | UNCH |                   |  |      |
| 5330           | ----               | ----                         | 0.50B/----         | 0.50B/0.40A                | ----                          | 0.40 UNCH                | .0029 | ----          | ----                     | ----              | ----          | 13               | UNCH |                   |  |      |
| 5335           | ----               | ----                         | 0.50B/----         | 0.50B/0.40A                | ----                          | 0.30 - 0.10              | .0022 | ----          | ----                     | ----              | ----          | 39               | UNCH |                   |  |      |
| 5340           | ----               | ----                         | ----               | 0.40B/0.40A                | ----                          | 0.30 - 0.10              | .0022 | ----          | ----                     | ----              | ----          | 6                | UNCH |                   |  |      |
| 5345           | ----               | ----                         | ----               | 0.40B/0.40A                | ----                          | 0.30 - 0.10              | .0022 | ----          | ----                     | ----              | ----          | 12               | UNCH |                   |  |      |
| 5350           | ----               | ----                         | ----               | 0.40B/0.40A                | ----                          | 0.30 - 0.10              | .0022 | ----          | ----                     | ----              | ----          | 110              | UNCH |                   |  |      |
| 5355           | ----               | ----                         | 0.50B/----         | 0.50B/0.40A                | ----                          | 0.30 - 0.10              | .0022 | ----          | ----                     | ----              | ----          | 26               | UNCH |                   |  |      |
| 5360           | ----               | ----                         | ----               | 0.40B/0.40A                | ----                          | 0.30 - 0.10              | .0022 | ----          | ----                     | ----              | ----          | 13               | UNCH |                   |  |      |
| 5365           | ----               | ----                         | ----               | 0.40B/0.40A                | ----                          | 0.30 - 0.10              | .0022 | ----          | ----                     | ----              | ----          | 9                | UNCH |                   |  |      |
| 5370           | ----               | ----                         | 0.50B/----         | 0.50B/0.40A                | ----                          | 0.30 - 0.10              | .0022 | ----          | ----                     | ----              | ----          | 13               | UNCH |                   |  |      |
| 5375           | ----               | ----                         | ----               | 0.40B/0.40A                | ----                          | 0.30 - 0.10              | .0022 | ----          | ----                     | ----              | ----          | 41               | UNCH |                   |  |      |
| 5380           | ----               | ----                         | ----               | 0.40B/0.40A                |                               |                          |       |               |                          |                   |               |                  |      |                   |  |      |

| BULLETIN #191@ |        |                        |                 | METALS OPTION PRODUCTS |                            |                         |                 |                          |        |               |                          |                   |               | Mon, Oct 05, 2026 |      |  |  | PG64 |  |
|----------------|--------|------------------------|-----------------|------------------------|----------------------------|-------------------------|-----------------|--------------------------|--------|---------------|--------------------------|-------------------|---------------|-------------------|------|--|--|------|--|
| GLOBEX<br>OPEN |        | OPEN<br>OUTCRY<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA  | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST  |      |  |  |      |  |
| OG CALL        |        | COMEX GOLD OPTIONS     |                 |                        |                            |                         |                 |                          |        |               |                          |                   |               |                   |      |  |  |      |  |
| NOV26          |        |                        |                 |                        |                            |                         |                 |                          |        |               |                          |                   |               |                   |      |  |  |      |  |
| 5660           | ----   | ----                   | ----            | /0.20A                 | 0.20B/0.20A                | ----                    | ----            | 0.20 - 0.10              | .0013  | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |  |      |  |
| 5665           | ----   | ----                   | ----            | /0.20A                 | 0.20B/0.20A                | ----                    | ----            | 0.20 - 0.10              | .0013  | ----          | ----                     | ----              | ----          | 14                | UNCH |  |  |      |  |
| 5670           | ----   | ----                   | ----            | /0.20A                 | 0.20B/0.20A                | ----                    | ----            | 0.20 - 0.10              | .0013  | ----          | ----                     | ----              | ----          | 14                | UNCH |  |  |      |  |
| 5675           | ----   | ----                   | ----            | /0.20A                 | 0.20B/0.20A                | ----                    | ----            | 0.20 - 0.10              | .0013  | ----          | ----                     | ----              | ----          | 9                 | UNCH |  |  |      |  |
| 5680           | ----   | ----                   | ----            | /0.20A                 | 0.20B/0.20A                | ----                    | ----            | 0.20 - 0.10              | .0013  | ----          | ----                     | ----              | ----          | 45                | UNCH |  |  |      |  |
| 5685           | ----   | ----                   | ----            | /0.20A                 | 0.20B/0.20A                | ----                    | ----            | 0.20 - 0.10              | .0013  | ----          | ----                     | ----              | ----          | 8                 | UNCH |  |  |      |  |
| 5690           | ----   | ----                   | ----            | /0.20A                 | 0.20B/0.20A                | ----                    | ----            | 0.20 - 0.10              | .0013  | ----          | ----                     | ----              | ----          | 68                | UNCH |  |  |      |  |
| 5695           | ----   | ----                   | ----            | /0.20A                 | 0.30B/0.20A                | ----                    | ----            | 0.20 - 0.10              | .0013  | ----          | ----                     | ----              | ----          | 25                | UNCH |  |  |      |  |
| 5700           | ----   | ----                   | ----            | /0.20A                 | 0.20B/0.20A                | ----                    | ----            | 0.20 - 0.10              | .0013  | ----          | ----                     | ----              | ----          | 120               | UNCH |  |  |      |  |
| 5705           | ----   | ----                   | ----            | /0.20A                 | 0.20B/0.20A                | ----                    | ----            | 0.20 - 0.10              | .0013  | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |  |      |  |
| 5710           | ----   | ----                   | ----            | /0.20A                 | 0.20B/0.20A                | ----                    | ----            | 0.20 - 0.10              | .0013  | ----          | ----                     | ----              | ----          | 2                 | UNCH |  |  |      |  |
| 5720           | ----   | ----                   | ----            | /0.20A                 | 0.20B/0.20A                | ----                    | ----            | 0.20 - 0.10              | .0012  | ----          | ----                     | ----              | ----          | 6                 | UNCH |  |  |      |  |
| 5725           | ----   | ----                   | ----            | /0.20A                 | 0.20B/0.20A                | ----                    | ----            | 0.20 - 0.10              | .0012  | ----          | ----                     | ----              | ----          | 3                 | UNCH |  |  |      |  |
| 5730           | ----   | ----                   | ----            | /0.20A                 | 0.10B/0.20A                | ----                    | ----            | 0.20 - 0.10              | .0012  | ----          | ----                     | ----              | ----          | 27                | UNCH |  |  |      |  |
| 5740           | ----   | ----                   | ----            | /0.20A                 | 0.10B/0.20A                | ----                    | ----            | 0.20 - 0.10              | .0012  | ----          | ----                     | ----              | ----          | 4                 | UNCH |  |  |      |  |
| 5750           | ----   | ----                   | ----            | /0.20A                 | 0.10B/0.20A                | ----                    | ----            | 0.20 - 0.10              | .0012  | ----          | ----                     | ----              | ----          | 599               | UNCH |  |  |      |  |
| 5770           | ----   | ----                   | ----            | /0.20A                 | 0.10B/0.20A                | ----                    | ----            | 0.20 - 0.10              | .0012  | ----          | ----                     | ----              | ----          | 11                | UNCH |  |  |      |  |
| 5775           | ----   | ----                   | ----            | /0.20A                 | 0.10B/0.20A                | ----                    | ----            | 0.20 - 0.10              | .0012  | ----          | ----                     | ----              | ----          | 8                 | UNCH |  |  |      |  |
| 5780           | ----   | ----                   | ----            | /0.20A                 | 0.10B/0.20A                | ----                    | ----            | 0.20 - 0.10              | .0012  | ----          | ----                     | ----              | ----          | 6                 | UNCH |  |  |      |  |
| 5790           | ----   | ----                   | ----            | /0.20A                 | 0.10B/0.20A                | ----                    | ----            | 0.20 - 0.10              | .0012  | ----          | ----                     | ----              | ----          | 6                 | UNCH |  |  |      |  |
| 5800           | ----   | ----                   | ----            | /0.20A                 | 0.10B/0.20A                | ----                    | ----            | 0.20 - 0.10              | .0012  | ----          | ----                     | ----              | ----          | 208               | UNCH |  |  |      |  |
| 5810           | ----   | ----                   | ----            | /0.20A                 | 0.10B/0.20A                | ----                    | ----            | 0.20 - 0.10              | .0012  | ----          | ----                     | ----              | ----          | 21                | UNCH |  |  |      |  |
| 5825           | ----   | ----                   | ----            | /0.20A                 | 0.20B/0.20A                | ----                    | ----            | 0.20 - 0.10              | .0012  | ----          | ----                     | ----              | ----          | 41                | UNCH |  |  |      |  |
| 5850           | ----   | ----                   | ----            | ----                   | 0.20B/0.20A                | ----                    | ----            | 0.20 UNCH                | .0012  | ----          | ----                     | ----              | ----          | 42                | UNCH |  |  |      |  |
| 5875           | ----   | ----                   | ----            | ----                   | 0.10B/0.20A                | ----                    | ----            | 0.20 UNCH                | .0012  | ----          | ----                     | ----              | ----          | 10                | UNCH |  |  |      |  |
| 5900           | ----   | ----                   | ----            | ----                   | 0.10B/0.20A                | ----                    | ----            | 0.10 - 0.10              | .0006  | ----          | ----                     | ----              | ----          | 285               | UNCH |  |  |      |  |
| 5925           | ----   | ----                   | ----            | ----                   | 0.10B/0.20A                | ----                    | ----            | 0.10 - 0.10              | .0005  | ----          | ----                     | ----              | ----          | 15                | UNCH |  |  |      |  |
| 5950           | ----   | ----                   | ----            | ----                   | 0.20B/0.20A                | ----                    | ----            | 0.10 - 0.10              | .0004  | ----          | ----                     | ----              | ----          | 41                | UNCH |  |  |      |  |
| 5975           | ----   | ----                   | ----            | ----                   | 0.10B/0.20A                | ----                    | ----            | 0.10 - 0.10              | .0004  | ----          | ----                     | ----              | ----          | 34                | UNCH |  |  |      |  |
| 6000           | 0.20   | 0.20                   | ----            | 0.20/0.10              | 0.20/0.10                  | ----                    | ----            | 0.10 - 0.10              | .0003  | ----          | ----                     | 3                 | ----          | 2770              | +    |  |  |      |  |
| 6100           | ----   | ----                   | ----            | ----                   | /0.20A                     | ----                    | ----            | 0.10 - 0.10              | .0002  | ----          | ----                     | ----              | ----          | 47                | UNCH |  |  |      |  |
| 6200           | ----   | ----                   | ----            | ----                   | /0.20A                     | ----                    | ----            | 0.10 UNCH                | .0001  | ----          | ----                     | ----              | ----          | 60                | UNCH |  |  |      |  |
| 6250           | 0.20   | 0.20                   | ----            | 0.20/0.20              | 0.20/0.20                  | ----                    | ----            | 0.10 UNCH                | .0000  | ----          | ----                     | 1                 | ----          | 36                | -    |  |  |      |  |
| 6300           | ----   | ----                   | ----            | ----                   | /0.20A                     | ----                    | ----            | 0.10 UNCH                | .0000  | ----          | ----                     | ----              | ----          | 344               | UNCH |  |  |      |  |
| 6400           | ----   | ----                   | ----            | ----                   | /0.20A                     | ----                    | ----            | 0.10 UNCH                | .0000  | ----          | ----                     | ----              | ----          | 118               | UNCH |  |  |      |  |
| 6500           | ----   | ----                   | ----            | ----                   | 0.10B/0.20A                | ----                    | ----            | 0.10 UNCH                | .0000  | ----          | ----                     | ----              | ----          | 1918              | UNCH |  |  |      |  |
| 8000           | ----   | ----                   | ----            | ----                   | /0.10A                     | ----                    | ----            | 0.10 UNCH                | ----   | ----          | ----                     | ----              | ----          | 995               | UNCH |  |  |      |  |
| 9000           | ----   | ----                   | ----            | ----                   | /0.10A                     | ----                    | ----            | 0.10 UNCH                | ----   | ----          | ----                     | ----              | ----          | 1591              | UNCH |  |  |      |  |
| 20000          | ----   | ----                   | ----            | ----                   | /0.10A                     | ----                    | ----            | 0.10 UNCH                | ----   | ----          | ----                     | ----              | ----          | 1346              | UNCH |  |  |      |  |
| TOTAL          |        |                        |                 |                        |                            |                         |                 |                          |        |               |                          | 3084              | 101206+       |                   | 348  |  |  |      |  |
| DEC26          |        |                        |                 |                        |                            |                         |                 |                          |        |               |                          |                   |               |                   |      |  |  |      |  |
| 1500           | ----   | ----                   | ----            | ----                   | ----                       | ----                    | ----            | 2656.80 - 5.50           | 1.0000 | ----          | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |  |
| 2000           | ----   | ----                   | ----            | ----                   | ----                       | ----                    | ----            | 2156.80 - 5.50           | 1.0000 | ----          | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |  |
| 2450           | ----   | ----                   | ----            | ----                   | 1674.00B/1756.90A          | ----                    | ----            | 1706.80 - 5.50           | 1.0000 | ----          | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |  |
| 2495           | ----   | ----                   | ----            | ----                   | 1642.40B/1683.20A          | ----                    | ----            | 1661.80 - 5.50           | 1.0000 | 75            | ----                     | 75                | ----          | 0                 | UNCH |  |  |      |  |
| 2500           | ----   | ----                   | ----            | ----                   | 1637.40B/1678.20A          | ----                    | ----            | 1656.80 - 5.50           | 1.0000 | 163           | ----                     | 163               | ----          | 608               | UNCH |  |  |      |  |
| 2505           | ----   | ----                   | ----            | ----                   | 1634.70B/1673.20A          | ----                    | ----            | 1651.80 - 5.50           | 1.0000 | 75            | ----                     | 75                | ----          | 0                 | UNCH |  |  |      |  |
| 2550           | ----   | ----                   | ----            | ----                   | 1590.30B/1628.20A          | ----                    | ----            | 1606.80 - 5.50           | 1.0000 | ----          | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |  |
| 3000           | ----   | ----                   | ----            | 1,195.90B/1,155.00A    | 1195.90B/1155.00A          | ----                    | ----            | 1156.80 - 5.50           | .9941  | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |  |      |  |
| 3200           | ----   | ----                   | ----            | 995.10B/956.20A        | 995.10B/956.20A            | ----                    | ----            | 957.50 - 5.70            | .9866  | ----          | ----                     | ----              | ----          | 52                | UNCH |  |  |      |  |
| 3245           | ----   | ----                   | ----            | 950.20B/911.70A        | 950.20B/911.70A            | ----                    | ----            | 912.80 - 5.90            | .9842  | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |  |      |  |
| 3250           | ----   | ----                   | ----            | 945.20B/906.70A        | 945.20B/906.70A            | ----                    | ----            | 907.90 - 5.80            | .9837  | ----          | ----                     | ----              | ----          | 71                | UNCH |  |  |      |  |
| 3300           | ----   | ----                   | ----            | 895.60B/857.20A        | 895.60B/857.20A            | ----                    | ----            | 858.40 - 5.90            | .9808  | ----          | ----                     | ----              | ----          | 311               | UNCH |  |  |      |  |
| 3405           | ----   | ----                   | ----            | 792.00B/753.70A        | 792.00B/753.70A            | ----                    | ----            | 754.80 - 6.10            | .9724  | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |  |      |  |
| 3450           | ----   | ----                   | ----            | 747.90B/709.50A        | 747.90B/709.50A            | ----                    | ----            | 710.70 - 6.20            | .9672  | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |  |      |  |
| 3500           | ----   | ----                   | ----            | 699.20B/660.60A        | 699.20B/660.60A            | ----                    | ----            | 661.80 - 6.40            | .9607  | ----          | ----                     | ----              | ----          | 15                | UNCH |  |  |      |  |
| 3550           | ----   | ----                   | ----            | 650.80B/612.10A        | 650.80B/612.10A            | ----                    | ----            | 613.30 - 6.60            | .9522  | ----          | ----                     | ----              | ----          | 2                 | UNCH |  |  |      |  |
| 3570           | ----   | ----                   | ----            | 631.60B/592.70A        | 631.60B/592.70A            | ----                    | ----            | 594.10 - 6.60            | .9486  | ----          | ----                     | ----              | ----          | 2                 | UNCH |  |  |      |  |
| 3600           | ----   | ----                   | ----            | 602.80B/563.90A        | 602.80B/563.90A            | ----                    | ----            | 565.30 - 6.70            | .9419  | ----          | ----                     | ----              | ----          | 6                 | UNCH |  |  |      |  |
| 3660           | ----   | ----                   | ----            | 548.40B/503.60A        | 548.40B/503.60A            | ----                    | ----            | 508.30 - 7.10            | .9259  | ----          | ----                     | ----              | ----          | 2                 | UNCH |  |  |      |  |
| 3680           | 490.10 | 490.10                 | ----            | 529.60B/484.90A        | 529.60B/484.90A            | ----                    | ----            | 489.50 - NEW             | .9944  | ----          | ----                     | 1                 | ----          | 1                 | +    |  |  |      |  |
| 3685           | ----   | ----                   | ----            | 524.90B/480.30A        | 524.90B/480.30A            | ----                    | ----            | 484.90 - 7.20            | .9178  | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |  |      |  |
| 3695           | ----   | ----                   | ----            | 515.50B/471.00A        | 515.50B/471.00A            | ----                    | ----            | 475.60 - 7.20            | .9141  | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |  |      |  |
| 3700           | ----   | ----                   | ----            | 510.90B/466.40A        | 510.90B/466.40A            | ----                    | ----            | 470.90 - 7.30            | .9125  | ----          | ----                     | ----              | ----          | 52                | UNCH |  |  |      |  |
| 3710           | ----   | ----                   | ----            | 501.50B/457.20A        | 501.50B/457.20A            | ----                    | ----            | 461.70 - 7.30            | .9084  | ----          | ----                     | ----              | ----          | 2                 | UNCH |  |  |      |  |
| 3720           | ----   | ----                   | ----            | 492.20B/448.00A        | 492.20B/448.00A            | ----                    | ----            | 452.50 - 7.40            | .9047  | ----          | ----                     | ----              | ----          | 6                 | UNCH |  |  |      |  |
| 3750           | 432.70 | 432.70                 | ----            | 464.50B/420.80A        | 464.50B/420.80A            | ----                    | ----            | 425.10 - 7.60            | .8915  | ----          | ----                     | 1                 | ----          | 8                 | +    |  |  |      |  |
| 3755           | ----   | ----                   | ----            | 460.00B/416.30A        | 460.00B/416.30A            | ----                    | ----            | 420.60 - 7.60            | .8890  | ----          | ----                     | ----              | ----          | 3                 | UNCH |  |  |      |  |
| 3760           | ----   | ----                   | ----            | 455.40B/411.80A        | 455.40B/411.80A            | ----                    | ----            | 416.10 - 7.60            | .8869  | ----          | ----                     | ----              | ----          | 2                 | UNCH |  |  |      |  |
| 3765           | ----   | ----                   | ----            | 450.80B/407.40A        | 450.80B/407.40A            | ----                    | ----            | 411.60 - 7.60            | .8844  | ----          | ----                     | ----              | ----          | 8                 | UNCH |  |  |      |  |
| 3770           | ----   | ----                   | ----            | 446.30B/402.90A        | 446.30B/402.90A            | ----                    | ----            | 407.10 - 7.70            | .8819  | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |  |      |  |
| 3775           | ----   | ----                   | ----            | 441.80B/398.40A        | 441.80B/398.40A            | ----                    | ----            | 402.70 - 7.60            | .8791  | ----          | ----                     | ----              | ----          | 2                 | UNCH |  |  |      |  |
| 3785           | ----   | ----                   | ----            | 432.70B/389.70A        | 432.70B/389.70A            | ----                    | ----            | 393.80 - 7.70            | .8740  | ----          | ----                     | ----              | ----          | 4                 | UNCH |  |  |      |  |
| 3790           | ----   | ----                   | ----            | 428.20B/385.30A        | 428.20B/385.30A            | ----                    | ----            | 389.40 - 7.70            | .8712  | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |  |      |  |
| 3800           | ----   | ----                   | ----            | 419.30B/376.50A        | 419.30B/376.50A            | ----                    | ----            | 380.60 - NEW             | .8655  | ----          | ----                     | 1                 | ----          | 25                | UNCH |  |  |      |  |
| 3825           | 369.00 | 369.00                 | ----            | 397.10B/355.00A        | 397.10B/355.00A            | ----                    | ----            | 358.90 - NEW             | .8504  | ----          | ----                     | 1                 | ----          | 1                 | +    |  |  |      |  |
| 3840           | ----   | ----                   | ----            | 384.00B/342.20A        | 384.00B/342.20A            | ----                    | ----            | 346.00 - 8.00            | .8407  | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |  |      |  |
| 3850           | ----   | ----                   | ----            | 375.40B/333.80A        | 375.40B/333.80A            | ----                    | ----            | 337.60 - 8.00            | .8339  | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |  |      |  |
| 3860           | ----   | ----                   | ----            | 366.80B/325.60A        | 366.80B/325.60A            | ----                    | ----            | 329.20 - 8.00            | .8267  | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |  |      |  |
| 3885           | ----   | ----                   | ----            | 345.60B/305.20A        | 345.60B/305.20A            | ----                    | ----            | 308.60 - 8.10            | .8077  | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |  |      |  |
| 3895           | ----   | ----                   | ----            | 337.30B/297.20A        | 337.30B/297.20A            | ----                    | ----            | 300.60 - 8.10            | .7999  | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |  |      |  |
| 3900           | ----   | ----                   | ----            | 333.10B/293.20A        | 333.10B/293.20A            | ----                    | ----            | 296.60 - 8.10            | .7957  | ----          | ----                     | ----              | ----          | 42                | UNCH |  |  |      |  |
| 3915           | ----   | ----                   | ----            | 320.80B/281.40A        | 320.80B/281.40A            | ----                    | ----            | 284.70 - 8.20            | .7829  | ----          | ----                     | ----              | ----          | 4                 | UNCH |  |  |      |  |
| 3930           | ----   | ----                   | ----            | 308.70B/269.90A        | 308.70B/269.90A            | ----                    | ----            | 273.00 - 8.20            | .7696  | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |  |      |  |
| 3935           | 299.40 | 299.40                 | ----            | 304.70B/266.10A        | 304.70B/266.10A            | ----                    | ----            | 269.20 - 8.20            | .7652  | ----          | ----                     | 1                 | ----          | 12                | +    |  |  |      |  |
| 3940           | 297.50 | 297.50                 | ----            | 300.80B/262.40A        | 300.80B/262.40A            | ----                    | ----            | 265.40 - NEW             | .7605  | ----          | ----                     | 1                 | ----          | 1                 | +    |  |  |      |  |
| 3950           | ----   | ----                   | ----            | 292.90B/254.90A        | 292.90B/254.90A            | ----                    | ----            | 257.80 - 8.30            | .7511  | ----          | ----                     | ----              | ----          | 6                 | UNCH |  |  |      |  |
| 3955           | ----   | ----                   | ----            | 289.00B/251.20A        | 289.00B/251.20A            | ----                    | ----            | 254.10 - 8.30            | .7462  | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |  |      |  |
| 3960           | ----   | ----                   | ----            | 285.10B/247.50A        | 285.10B/247.50A            | ----                    | ----            | 250.40 - 8.30            | .7413  | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |  |      |  |
| 3985           | ----   | ----                   | ----            | 266.20B/229.70A        | 266.20B/229.70A            | ----                    | ----            | 232.30 - 8.30            | .7162  | ----          | ----                     | ----              | ----          | 12                | UNCH |  |  |      |  |
| 3990           | ----   | ----                   | ----            | 262.40B/226.30A        | 262.40B/226.30A            | ----                    | ----            | 228.80 - 8.30            | .7110  | ----          | ----                     | ----              | ----          | 2                 | UNCH |  |  |      |  |
| 3995           | ----   | ----                   | ----            | 258.80B/222.80A        | 258.80B/222.80A            | ----                    | ----            | 225.30 - 8.30            | .7057  | ----          | ----                     | ----              | ----          | 4                 | UNCH |  |  |      |  |
| 4000           | ----   | ----                   | ----            | 255.10B/219.40A        | 255.10B/219.40A            | ----                    | ----            | 221.80 - 8.30            | .7004  | ----          | ----                     | ----              | ----          | 256               | UNCH |  |  |      |  |
| 4005           | ----   | ----                   | ----            | 251.50B/216.00A        | 251.50B/216.00A            | ----                    | ----            | 218.40 - 8.20            | .6950  | ----          | ----                     | ----              | ----          | 2                 | UNCH |  |  |      |  |
| 4015           | ----   | ----                   | ----            | 244.30B/209.30A        | 244.30B/209.30A            | ----                    | ----            | 211.60 - 8.30            | .6841  | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |  |      |  |
| 4020           | ----   | ----                   | ----            | 240.70B/206.00A        | 240.70B/206.00A            | ----                    | ----            | 208.30 - 8.20            | .6785  | ----          | ----                     |                   |               |                   |      |  |  |      |  |

| GLOBEX<br>OPEN |       | OPEN<br>OPEN       | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
|----------------|-------|--------------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
| OG CALL        |       | COMEX GOLD OPTIONS |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |      |
| DEC26          | ----  | ----               | ----            | 120.00B/96.90A     | 120.00B/96.90A   | ----               | 97.80         | - 7.10          | .4257                    | ----  | ----          | ----                     | ----              | ----          | 50               | UNCH |
| 4230           | ----  | ----               | ----            | 117.90B/95.00A     | 117.90B/95.00A   | ----               | 95.90         | - 7.00          | .4198                    | ----  | ----          | ----                     | ----              | ----          | 12               | UNCH |
| 4235           | 99.00 | 99.00              | ----            | 115.70B/93.20A     | 115.70B/93.20A   | ----               | 94.00         | - 7.00          | .4139                    | ----  | ----          | 3                        | ----              | ----          | 32               | -    |
| 4240           | 92.10 | 92.10              | ----            | 113.60B/91.30A     | 113.60B/91.30A   | ----               | 92.10         | - 7.00          | .4080                    | ----  | ----          | 1                        | ----              | ----          | 213              | +    |
| 4245           | 94.30 | 94.30              | ----            | 111.50B/89.50A     | 111.50B/89.50A   | ----               | 90.30         | - 6.90          | .4022                    | ----  | 22            | ----                     | ----              | ----          | 1039             | -    |
| 4250           | 93.10 | 93.10              | ----            | 109.50B/87.80A     | 109.50B/87.80A   | ----               | 88.50         | - 6.90          | .3965                    | ----  | 1             | ----                     | ----              | ----          | 118              | +    |
| 4255           | 94.30 | 94.30              | ----            | 107.40B/86.00A     | 107.40B/86.00A   | ----               | 86.80         | - 6.70          | .3908                    | ----  | 5             | ----                     | ----              | ----          | 185              | +    |
| 4260           | 89.20 | 89.20              | ----            | 105.50B/84.30A     | 105.50B/84.30A   | ----               | 85.00         | - 6.80          | .3850                    | ----  | 1             | ----                     | ----              | ----          | 9                | +    |
| 4265           | ----  | ----               | ----            | 103.50B/82.60A     | 103.50B/82.60A   | ----               | 83.30         | - 6.70          | .3794                    | ----  | 2             | ----                     | ----              | ----          | 27               | +    |
| 4270           | 93.20 | 93.20              | ----            | 101.60B/81.00A     | 101.60B/81.00A   | ----               | 81.60         | - 6.70          | .3737                    | ----  | 4             | ----                     | ----              | ----          | 90               | +    |
| 4275           | ----  | ----               | ----            | 99.70B/79.40A      | 99.70B/79.40A    | ----               | 80.00         | - 6.60          | .3682                    | ----  | 1             | ----                     | ----              | ----          | 67               | UNCH |
| 4280           | 92.50 | 92.50              | ----            | 97.90B/77.80A      | 97.90B/77.80A    | ----               | 78.40         | - 6.50          | .3627                    | ----  | ----          | ----                     | ----              | ----          | 21               | UNCH |
| 4285           | 79.20 | 79.20              | ----            | 96.00B/76.20A      | 96.00B/76.20A    | ----               | 76.80         | - 6.50          | .3572                    | ----  | 2             | ----                     | ----              | ----          | 66               | -    |
| 4290           | 77.90 | 77.90              | ----            | 94.20B/74.70A      | 94.20B/74.70A    | ----               | 75.20         | - 6.50          | .3517                    | ----  | 1             | ----                     | ----              | ----          | 95               | +    |
| 4295           | ----  | ----               | ----            | 92.40B/73.20A      | 92.40B/73.20A    | ----               | 73.70         | - 6.40          | .3464                    | ----  | 148           | ----                     | ----              | ----          | 1607             | +    |
| 4300           | ----  | ----               | ----            | 90.70B/71.70A      | 90.70B/71.70A    | ----               | 72.20         | - 6.30          | .3411                    | ----  | ----          | ----                     | ----              | ----          | 41               | UNCH |
| 4305           | ----  | ----               | ----            | 89.00B/70.20A      | 89.00B/70.20A    | ----               | 70.70         | - 6.30          | .3357                    | ----  | ----          | ----                     | ----              | ----          | 52               | UNCH |
| 4310           | 68.50 | 68.50              | ----            | 87.30B/68.80A      | 87.30B/68.80A    | ----               | 69.30         | - 6.20          | .3306                    | ----  | ----          | ----                     | ----              | ----          | 12               | UNCH |
| 4315           | ----  | ----               | ----            | 85.60B/67.30A      | 85.60B/67.30A    | ----               | 67.90         | - 6.10          | .3254                    | ----  | ----          | ----                     | ----              | ----          | 177              | UNCH |
| 4320           | ----  | ----               | ----            | 84.00B/66.00A      | 84.00B/66.00A    | ----               | 66.50         | - 6.10          | .3203                    | ----  | 16            | ----                     | ----              | ----          | 117              | +    |
| 4325           | ----  | ----               | ----            | 82.40B/64.60A      | 82.40B/64.60A    | ----               | 65.10         | - 6.00          | .3151                    | ----  | ----          | ----                     | ----              | ----          | 111              | UNCH |
| 4330           | 64.90 | 64.90              | ----            | 80.80B/63.30A      | 80.80B/63.30A    | ----               | 63.70         | - 6.00          | .3100                    | ----  | 2             | ----                     | ----              | ----          | 58               | UNCH |
| 4335           | 64.80 | 64.80              | ----            | 79.20B/61.90A      | 79.20B/61.90A    | ----               | 62.40         | - 6.00          | .3050                    | ----  | ----          | ----                     | ----              | ----          | 39               | UNCH |
| 4340           | 59.90 | 59.90              | ----            | 77.70B/60.70A      | 77.70B/60.70A    | ----               | 61.10         | - 5.90          | .3001                    | ----  | 1             | ----                     | ----              | ----          | 23               | +    |
| 4345           | 67.30 | 67.30              | ----            | 76.20B/59.40A      | 76.20B/59.40A    | ----               | 59.80         | - 5.90          | .2952                    | ----  | 3             | ----                     | ----              | ----          | 1163             | +    |
| 4350           | 61.50 | 61.50              | ----            | 74.70B/58.10A      | 74.70B/58.10A    | ----               | 58.60         | - 5.80          | .2904                    | ----  | 3             | ----                     | ----              | ----          | 20               | +    |
| 4355           | ----  | ----               | ----            | 73.30B/56.90A      | 73.30B/56.90A    | ----               | 57.40         | - 5.70          | .2857                    | ----  | 2             | ----                     | ----              | ----          | 25               | +    |
| 4360           | ----  | ----               | ----            | 71.90B/55.70A      | 71.90B/55.70A    | ----               | 56.20         | - 5.70          | .2810                    | ----  | 5             | ----                     | ----              | ----          | 17               | +    |
| 4365           | 66.00 | 66.00              | ----            | 70.50B/54.60A      | 70.50B/54.60A    | ----               | 55.00         | - 5.60          | .2763                    | ----  | 1             | ----                     | ----              | ----          | 72               | +    |
| 4370           | ----  | ----               | ----            | 69.10B/53.40A      | 69.10B/53.40A    | ----               | 53.80         | - 5.60          | .2716                    | ----  | 13            | ----                     | ----              | ----          | 535              | -    |
| 4375           | 62.30 | 62.30              | ----            | 67.80B/52.30A      | 67.80B/52.30A    | ----               | 52.70         | - 5.50          | .2671                    | ----  | 2             | ----                     | ----              | ----          | 117              | -    |
| 4380           | ----  | ----               | ----            | 66.40B/51.20A      | 66.40B/51.20A    | ----               | 51.60         | - 5.50          | .2626                    | ----  | ----          | ----                     | ----              | ----          | 27               | UNCH |
| 4385           | 55.10 | 55.10              | ----            | 65.10B/50.10A      | 65.10B/50.10A    | ----               | 50.50         | - 5.40          | .2581                    | ----  | 4             | ----                     | ----              | ----          | 77               | UNCH |
| 4390           | 47.60 | 47.60              | ----            | 63.90B/49.10A      | 63.90B/49.10A    | ----               | 49.50         | - 5.30          | .2539                    | ----  | ----          | ----                     | 203               | ----          | 109              | UNCH |
| 4395           | ----  | ----               | ----            | 62.60B/48.00A      | 62.60B/48.00A    | ----               | 48.40         | - 5.30          | .2494                    | ----  | ----          | ----                     | ----              | ----          | 2199             | +    |
| 4400           | ----  | ----               | ----            | 61.40B/47.10A      | 61.40B/47.10A    | ----               | 47.40         | - 5.30          | .2452                    | ----  | 1             | ----                     | ----              | ----          | 54               | -    |
| 4405           | 44.70 | 44.70              | ----            | 60.20B/46.00A      | 60.20B/46.00A    | ----               | 46.40         | - 5.20          | .2410                    | ----  | ----          | ----                     | ----              | ----          | 91               | UNCH |
| 4410           | ----  | ----               | ----            | 59.00B/45.10A      | 59.00B/45.10A    | ----               | 45.40         | - 5.20          | .2368                    | ----  | 1             | ----                     | ----              | ----          | 150              | UNCH |
| 4415           | 50.10 | 50.10              | ----            | 57.80B/44.10A      | 57.80B/44.10A    | ----               | 44.40         | - 5.20          | .2326                    | ----  | ----          | ----                     | ----              | ----          | 53               | UNCH |
| 4420           | 47.60 | 47.60              | ----            | 56.70B/43.20A      | 56.70B/43.20A    | ----               | 43.50         | - 5.10          | .2286                    | ----  | 1             | ----                     | ----              | ----          | 454              | UNCH |
| 4425           | ----  | ----               | ----            | 55.60B/42.30A      | 55.60B/42.30A    | ----               | 42.60         | - 5.00          | .2247                    | ----  | 1             | ----                     | ----              | ----          | 75               | +    |
| 4430           | 34.30 | 34.30              | ----            | 54.50B/41.40A      | 54.50B/41.40A    | ----               | 41.70         | - 4.90          | .2208                    | ----  | 2             | ----                     | ----              | ----          | 55               | +    |
| 4435           | 31.00 | 31.00              | ----            | 53.40B/40.50A      | 53.40B/40.50A    | ----               | 40.80         | - 4.90          | .2169                    | ----  | ----          | ----                     | ----              | ----          | 52               | UNCH |
| 4440           | 22.00 | 22.00              | ----            | 52.30B/39.60A      | 52.30B/39.60A    | ----               | 39.90         | - 4.90          | .2130                    | ----  | 3             | ----                     | ----              | ----          | 43               | UNCH |
| 4445           | 20.20 | 20.20              | ----            | 51.30B/38.80A      | 51.30B/38.80A    | ----               | 39.10         | - 4.80          | .2093                    | ----  | 80            | ----                     | ----              | ----          | 1540             | -    |
| 4450           | 18.60 | 18.60              | ----            | 50.30B/38.00A      | 50.30B/38.00A    | ----               | 38.30         | - 4.70          | .2057                    | ----  | 9             | ----                     | ----              | ----          | 120              | UNCH |
| 4455           | 18.10 | 18.10              | ----            | 49.30B/37.20A      | 49.30B/37.20A    | ----               | 37.40         | - 4.70          | .2018                    | ----  | 1             | ----                     | ----              | ----          | 213              | +    |
| 4460           | 18.00 | 18.00              | ----            | 48.30B/36.40A      | 48.30B/36.40A    | ----               | 36.60         | - 4.70          | .1982                    | ----  | 5             | ----                     | ----              | ----          | 95               | +    |
| 4465           | 18.30 | 18.30              | ----            | 47.40B/35.60A      | 47.40B/35.60A    | ----               | 35.90         | - 4.60          | .1948                    | ----  | 3             | ----                     | ----              | ----          | 272              | +    |
| 4470           | 18.70 | 18.70              | ----            | 46.40B/34.80       | 46.40B/34.80     | ----               | 35.10         | - 4.60          | .1913                    | ----  | 4             | ----                     | ----              | ----          | 302              | +    |
| 4475           | 18.80 | 18.80              | ----            | 45.50B/34.10A      | 45.50B/34.10A    | ----               | 34.40         | - 4.50          | .1879                    | ----  | 8             | ----                     | ----              | ----          | 152              | UNCH |
| 4480           | 18.90 | 18.90              | ----            | 44.60B/33.40A      | 44.60B/33.40A    | ----               | 33.60         | - 4.50          | .1844                    | ----  | 1             | ----                     | ----              | ----          | 36               | +    |
| 4485           | 19.00 | 19.00              | ----            | 43.70B/32.70A      | 43.70B/32.70A    | ----               | 32.90         | - 4.40          | .1811                    | ----  | ----          | ----                     | ----              | ----          | 56               | UNCH |
| 4490           | 19.10 | 19.10              | ----            | 42.80B/32.00A      | 42.80B/32.00A    | ----               | 32.20         | - 4.40          | .1778                    | ----  | ----          | ----                     | ----              | ----          | 49               | UNCH |
| 4495           | 19.20 | 19.20              | ----            | 42.00/31.30A       | 42.00/31.30A     | ----               | 31.50         | - 4.30          | .1745                    | ----  | 1482          | 185                      | ----              | ----          | 9908             | -    |
| 4500           | 19.30 | 19.30              | ----            | 41.10B/30.70A      | 41.10B/30.70A    | ----               | 30.90         | - 4.20          | .1716                    | ----  | 1             | ----                     | ----              | ----          | 85               | +    |
| 4505           | 19.40 | 19.40              | ----            | 40.30B/30.00A      | 40.30B/30.00A    | ----               | 30.20         | - 4.20          | .1683                    | ----  | ----          | ----                     | ----              | ----          | 5039             | +    |
| 4510           | 19.50 | 19.50              | ----            | 39.50B/29.40A      | 39.50B/29.40A    | ----               | 29.60         | - 4.10          | .1654                    | ----  | 6             | ----                     | ----              | ----          | 58               | +    |
| 4515           | 19.60 | 19.60              | ----            | 38.70B/28.80A      | 38.70B/28.80A    | ----               | 29.00         | - 4.10          | .1624                    | ----  | 6             | ----                     | ----              | ----          | 64               | UNCH |
| 4520           | 19.70 | 19.70              | ----            | 38.00B/28.20A      | 38.00B/28.20A    | ----               | 28.40         | - 4.00          | .1595                    | ----  | 6             | ----                     | ----              | ----          | 374              | -    |
| 4525           | 19.80 | 19.80              | ----            | 37.20B/27.60A      | 37.20B/27.60A    | ----               | 27.80         | - 4.00          | .1566                    | ----  | ----          | ----                     | ----              | ----          | 55               | UNCH |
| 4530           | 19.90 | 19.90              | ----            | 36.50B/27.00A      | 36.50B/27.00A    | ----               | 27.20         | - 3.90          | .1537                    | ----  | 5             | ----                     | ----              | ----          | 84               | -    |
| 4535           | 20.00 | 20.00              | ----            | 35.70B/26.40A      | 35.70B/26.40A    | ----               | 26.60         | - 3.90          | .1508                    | ----  | 1             | ----                     | ----              | ----          | 61               | UNCH |
| 4540           | 20.10 | 20.10              | ----            | 35.00B/25.90A      | 35.00B/25.90A    | ----               | 26.00         | - 3.90          | .1479                    | ----  | ----          | ----                     | ----              | ----          | 99               | UNCH |
| 4545           | 20.20 | 20.20              | ----            | 34.30B/25.40A      | 34.30B/25.40A    | ----               | 25.50         | - 3.80          | .1453                    | ----  | 83            | ----                     | ----              | ----          | 1448             | -    |
| 4550           | 20.30 | 20.30              | ----            | 33.60B/24.80A      | 33.60B/24.80A    | ----               | 25.00         | - 3.70          | .1427                    | ----  | ----          | ----                     | ----              | ----          | 67               | UNCH |
| 4555           | 20.40 | 20.40              | ----            | 33.00B/24.30A      | 33.00B/24.30A    | ----               | 24.40         | - 3.70          | .1399                    | ----  | ----          | ----                     | ----              | ----          | 614              | UNCH |
| 4560           | 20.50 | 20.50              | ----            | 32.30B/23.80A      | 32.30B/23.80A    | ----               | 23.90         | - 3.70          | .1373                    | ----  | 1             | ----                     | ----              | ----          | 51               | UNCH |
| 4565           | 20.60 | 20.60              | ----            | 31.70B/23.30A      | 31.70B/23.30A    | ----               | 23.40         | - 3.60          | .1348                    | ----  | 1             | ----                     | ----              | ----          | 39               | -    |
| 4570           | 20.70 | 20.70              | ----            | 31.00B/22.80A      | 31.00B/22.80A    | ----               | 22.90         | - 3.60          | .1323                    | ----  | 4             | ----                     | ----              | ----          | 297              | UNCH |
| 4575           | 20.80 | 20.80              | ----            | 30.40B/22.40       | 30.40B/22.40     | ----               | 22.50         | - 3.50          | .1301                    | ----  | 2             | ----                     | ----              | ----          | 285              | +    |
| 4580           | 20.90 | 20.90              | ----            | 29.80B/21.90A      | 29.80B/21.90A    | ----               | 22.00         | - 3.50          | .1276                    | ----  | 2             | ----                     | ----              | ----          | 298              | +    |
| 4585           | 21.00 | 21.00              | ----            | 29.20B/21.40A      | 29.20B/21.40A    | ----               | 21.60         | - 3.40          | .1254                    | ----  | ----          | ----                     | ----              | ----          | 111              | UNCH |
| 4590           | 21.10 | 21.10              | ----            | 28.70B/21.00A      | 28.70B/21.00A    | ----               | 21.10         | - 3.40          | .1229                    | ----  | ----          | ----                     | ----              | ----          | 24               | UNCH |
| 4595           | 21.20 | 21.20              | ----            | 28.10B/20.60       | 28.10B/20.60     | ----               | 20.70         | - 3.30          | .1208                    | ----  | 203           | ----                     | ----              | ----          | 5718             | -    |
| 4600           | 21.30 | 21.30              | ----            | 27.50B/20.20       | 27.50B/20.20     | ----               | 20.30         | - 3.20          | .1186                    | ----  | 3             | ----                     | ----              | ----          | 42               | +    |
| 4605           | 21.40 | 21.40              | ----            | 27.00B/19.70A      | 27.00B/19.70A    | ----               | 19.80         | - 3.20          | .1162                    | ----  | ----          | ----                     | ----              | ----          | 74               | UNCH |
| 4610           | 21.50 | 21.50              | ----            | 26.50B/19.30A      | 26.50B/19.30A    | ----               | 19.40         | - 3.20          | .1140                    | ----  | 4             | ----                     | ----              | ----          | 59               | UNCH |
| 4615           | 21.60 | 21.60              | ----            | 26.00B/18.90A      | 26.00B/18.90A    | ----               | 19.00         | - 3.10          | .1119                    | ----  | 5             | ----                     | ----              | ----          | 80               | -    |
| 4620           | 21.70 | 21.70              | ----            | 25.50B/18.60       | 25.50B/18.60     | ----               | 18.70         | - 3.00          | .1102                    | ----  | 2             | ----                     | ----              | ----          | 423              | +    |
| 4625           | 21.80 | 21.80              | ----            | 25.00B/18.20A      | 25.00B/18.20A    | ----               | 18.30         | - 3.00          | .1081                    | ----  | ----          | ----                     | ----              | ----          | 164              | UNCH |
| 4630           | 21.90 | 21.90              | ----            | 24.50B/17.80A      | 24.50B/17.80A    | ----               | 17.90         | - 2.90          | .1060                    | ----  | ----          | ----                     | ----              | ----          | 47               | UNCH |
| 4635           | 22.00 | 22.00              | ----            | 24.00B/17.50A      | 24.00B/17.50A    | ----               | 17.60         | - 2.80          | .1043                    | ----  | 11            | ----                     | ----              | ----          | 146              | +    |
| 4640           | 22.10 | 22.10              | ----            | 23.50B/17.10A      | 23.50B/17.10A    | ----               | 17.20         | - 2.80          | .1022                    | ----  | ----          | ----                     | ----              | ----          | 23               | UNCH |
| 4645           | 22.   |                    |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |      |

| PG64 BULLETIN #191@ |      |                    |              |                 |             |                      |  |                         |  |                       |       | METALS OPTION PRODUCTS |            |                    |                |            |               |      |     |  |  |  |  | Mon, Oct 05, 2026 PG64 |  |  |  |  |  |  |  |  |  |  |  |
|---------------------|------|--------------------|--------------|-----------------|-------------|----------------------|--|-------------------------|--|-----------------------|-------|------------------------|------------|--------------------|----------------|------------|---------------|------|-----|--|--|--|--|------------------------|--|--|--|--|--|--|--|--|--|--|--|
| GLOBEX OPEN         |      | OPEN               | OUTCRY RANGE | GLOBEX HIGH/LOW |             | OPEN OUTCRY HIGH/LOW |  | OPEN OUTCRY CLOSE RANGE |  | SETT.PRICE & PT.CHGE. |       | DELTA                  | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |      |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| OG CALL             |      | COMEX GOLD OPTIONS |              |                 |             |                      |  |                         |  |                       |       |                        |            |                    |                |            |               |      |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| DEC26               |      |                    |              |                 |             |                      |  |                         |  |                       |       |                        |            |                    |                |            |               |      |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4915                | ---- | ----               |              | 8.90B/6.60A     | 8.90B/6.60A | ----                 |  |                         |  | 6.60 - 1.20           | .0409 | ----                   | ----       | ----               | ----           | ----       | 82            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4920                | ---- | ----               |              | 8.80B/6.50A     | 8.80B/6.50A | ----                 |  |                         |  | 6.50 - 1.10           | .0402 | ----                   | ----       | ----               | ----           | ----       | 140           | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4925                | ---- | ----               |              | 8.60B/6.40A     | 8.60B/6.40A | ----                 |  |                         |  | 6.40 - 1.10           | .0396 | ----                   | ----       | ----               | ----           | ----       | 465           | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4930                | ---- | ----               |              | 8.50B/6.30A     | 8.50B/6.30A | ----                 |  |                         |  | 6.30 - 1.10           | .0390 | ----                   | ----       | ----               | ----           | ----       | 37            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4935                | ---- | ----               |              | 8.40B/6.20A     | 8.40B/6.20A | ----                 |  |                         |  | 6.20 - 1.10           | .0384 | ----                   | ----       | ----               | ----           | ----       | 18            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4940                | ---- | ----               |              | 8.30B/6.20A     | 8.30B/6.20A | ----                 |  |                         |  | 6.10 - 1.10           | .0378 | ----                   | ----       | ----               | ----           | ----       | 55            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4945                | ---- | ----               |              | 8.10B/6.10A     | 8.10B/6.10A | ----                 |  |                         |  | 6.00 - 1.10           | .0372 | ----                   | ----       | ----               | ----           | ----       | 31            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4950                | ---- | ----               |              | 8.00B/6.00A     | 8.00B/6.00A | ----                 |  |                         |  | 5.90 - 1.10           | .0366 | ----                   | ----       | ----               | 4              |            | 813           | -    | 2   |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4955                | ---- | ----               |              | 7.90B/5.90A     | 7.90B/5.90A | ----                 |  |                         |  | 5.90 - 1.00           | .0364 | ----                   | ----       | ----               | ----           | ----       | 27            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4960                | ---- | ----               |              | 7.80B/5.80A     | 7.80B/5.80A | ----                 |  |                         |  | 5.80 - 1.00           | .0358 | ----                   | ----       | ----               | ----           | ----       | 158           | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4965                | 5.90 | 5.90               |              | 7.60B/5.70A     | 7.60B/5.70A | ----                 |  |                         |  | 5.70 - 1.00           | .0352 | ----                   | ----       | ----               | 4              |            | 153           | -    | 3   |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4970                | ---- | ----               |              | 7.50B/5.70A     | 7.50B/5.70A | ----                 |  |                         |  | 5.60 - 1.00           | .0346 | ----                   | ----       | ----               | ----           | ----       | 70            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4975                | 6.50 | 6.50               |              | 7.40B/5.60A     | 7.40B/5.60A | ----                 |  |                         |  | 5.50 - 1.00           | .0340 | ----                   | ----       | ----               | 4              |            | 75            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4980                | ---- | ----               |              | 7.30B/5.50A     | 7.30B/5.50A | ----                 |  |                         |  | 5.50 - 0.90           | .0339 | ----                   | ----       | ----               | ----           | ----       | 81            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4985                | ---- | ----               |              | 7.20B/5.40A     | 7.20B/5.40A | ----                 |  |                         |  | 5.40 - 0.90           | .0333 | ----                   | ----       | ----               | ----           | ----       | 89            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4990                | ---- | ----               |              | 7.10B/5.40A     | 7.10B/5.40A | ----                 |  |                         |  | 5.30 - 1.00           | .0327 | ----                   | ----       | ----               | ----           | ----       | 431           | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4995                | ---- | ----               |              | 7.00B/5.30A     | 7.00B/5.30A | ----                 |  |                         |  | 5.20 - 1.00           | .0321 | ----                   | ----       | ----               | ----           | ----       | 60            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5000                | 6.90 | 6.90               |              | 6.90/5.20A      | 6.90/5.20A  | ----                 |  |                         |  | 5.20 - 0.90           | .0320 | ----                   | ----       | ----               | 864            |            | 12384         | +    | 183 |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5005                | 5.70 | 5.70               |              | 6.80B/5.10A     | 6.80B/5.10A | ----                 |  |                         |  | 5.10 - 0.90           | .0314 | ----                   | ----       | ----               | 5              |            | 40            | +    | 5   |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5010                | 5.60 | 5.60               |              | 6.70B/5.10A     | 6.70B/5.10A | ----                 |  |                         |  | 5.00 - 0.90           | .0309 | ----                   | ----       | ----               | 1              |            | 23            | +    | 1   |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5015                | ---- | ----               |              | 6.60B/5.00A     | 6.60B/5.00A | ----                 |  |                         |  | 5.00 - 0.90           | .0307 | ----                   | ----       | ----               | ----           | ----       | 39            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5020                | ---- | ----               |              | 6.50B/5.00A     | 6.50B/5.00A | ----                 |  |                         |  | 4.90 - 0.90           | .0302 | ----                   | ----       | ----               | ----           | ----       | 101           | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5025                | ---- | ----               |              | 6.40B/4.90A     | 6.40B/4.90A | ----                 |  |                         |  | 4.90 - 0.80           | .0301 | ----                   | ----       | ----               | 2              |            | 428           | -    | 2   |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5030                | ---- | ----               |              | 6.30B/4.80A     | 6.30B/4.80A | ----                 |  |                         |  | 4.80 - 0.80           | .0295 | ----                   | ----       | ----               | ----           | ----       | 119           | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5035                | ---- | ----               |              | 6.30B/4.80A     | 6.30B/4.80A | ----                 |  |                         |  | 4.70 - 0.90           | .0289 | ----                   | ----       | ----               | ----           | ----       | 98            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5040                | ---- | ----               |              | 6.20B/4.70A     | 6.20B/4.70A | ----                 |  |                         |  | 4.70 - 0.80           | .0288 | ----                   | ----       | ----               | ----           | ----       | 78            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5045                | ---- | ----               |              | 6.10B/4.70A     | 6.10B/4.70A | ----                 |  |                         |  | 4.60 - 0.80           | .0282 | ----                   | ----       | ----               | ----           | ----       | 77            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5050                | ---- | ----               |              | 6.00B/4.60A     | 6.00B/4.60A | ----                 |  |                         |  | 4.60 - 0.80           | .0281 | ----                   | ----       | ----               | ----           | ----       | 736           | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5055                | ---- | ----               |              | 5.90B/4.50A     | 5.90B/4.50A | ----                 |  |                         |  | 4.50 - 0.80           | .0276 | ----                   | ----       | ----               | ----           | ----       | 13            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5060                | ---- | ----               |              | 5.80B/4.50A     | 5.80B/4.50A | ----                 |  |                         |  | 4.50 - 0.70           | .0275 | ----                   | ----       | ----               | ----           | ----       | 49            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5065                | ---- | ----               |              | 5.80B/4.40A     | 5.80B/4.40A | ----                 |  |                         |  | 4.40 - 0.80           | .0269 | ----                   | ----       | ----               | ----           | ----       | 30            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5070                | ---- | ----               |              | 5.70B/4.40A     | 5.70B/4.40A | ----                 |  |                         |  | 4.40 - 0.70           | .0268 | ----                   | ----       | ----               | ----           | ----       | 22            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5075                | ---- | ----               |              | 5.60B/4.30A     | 5.60B/4.30A | ----                 |  |                         |  | 4.30 - 0.70           | .0263 | ----                   | ----       | ----               | ----           | ----       | 133           | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5080                | ---- | ----               |              | 5.50B/4.30A     | 5.50B/4.30A | ----                 |  |                         |  | 4.30 - 0.70           | .0262 | ----                   | ----       | ----               | ----           | ----       | 23            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5085                | ---- | ----               |              | 5.50B/4.20A     | 5.50B/4.20A | ----                 |  |                         |  | 4.20 - 0.70           | .0256 | ----                   | ----       | ----               | ----           | ----       | 25            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5090                | ---- | ----               |              | 5.40B/4.20A     | 5.40B/4.20A | ----                 |  |                         |  | 4.20 - 0.70           | .0255 | ----                   | ----       | ----               | ----           | ----       | 52            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5095                | ---- | ----               |              | 5.30B/4.10A     | 5.30B/4.10A | ----                 |  |                         |  | 4.10 - 0.70           | .0250 | ----                   | ----       | ----               | ----           | ----       | 62            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5100                | 4.10 | 4.10               |              | 5.30B/4.10      | 5.30B/4.10  | ----                 |  |                         |  | 4.10 - 0.70           | .0249 | ----                   | ----       | ----               | 5              |            | 4913          | +    | 3   |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5105                | ---- | ----               |              | 5.20B/4.10A     | 5.20B/4.10A | ----                 |  |                         |  | 4.00 - 0.70           | .0243 | ----                   | ----       | ----               | ----           | ----       | 37            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5110                | ---- | ----               |              | 5.20B/4.00A     | 5.20B/4.00A | ----                 |  |                         |  | 4.00 - 0.70           | .0243 | ----                   | ----       | ----               | ----           | ----       | 89            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5115                | ---- | ----               |              | 5.10B/4.00A     | 5.10B/4.00A | ----                 |  |                         |  | 3.90 - 0.70           | .0237 | ----                   | ----       | ----               | ----           | ----       | 129           | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5120                | ---- | ----               |              | 5.00B/3.90A     | 5.00B/3.90A | ----                 |  |                         |  | 3.90 - 0.70           | .0236 | ----                   | ----       | ----               | ----           | ----       | 130           | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5125                | ---- | ----               |              | 5.00B/3.90A     | 5.00B/3.90A | ----                 |  |                         |  | 3.90 - 0.60           | .0235 | ----                   | ----       | ----               | ----           | ----       | 97            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5130                | 3.90 | 3.90               |              | 4.90B/3.80A     | 4.90B/3.80A | ----                 |  |                         |  | 3.80 - 0.70           | .0230 | ----                   | ----       | ----               | 1              |            | 62            | -    | 1   |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5135                | ---- | ----               |              | 4.80B/3.80A     | 4.80B/3.80A | ----                 |  |                         |  | 3.80 - 0.60           | .0229 | ----                   | ----       | ----               | ----           | ----       | 136           | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5140                | ---- | ----               |              | 4.80B/3.80A     | 4.80B/3.80A | ----                 |  |                         |  | 3.70 - 0.70           | .0224 | ----                   | ----       | ----               | ----           | ----       | 41            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5145                | ---- | ----               |              | 4.70B/3.70A     | 4.70B/3.70A | ----                 |  |                         |  | 3.70 - 0.60           | .0223 | ----                   | ----       | ----               | ----           | ----       | 52            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5150                | ---- | ----               |              | 4.70B/3.70A     | 4.70B/3.70A | ----                 |  |                         |  | 3.70 - 0.60           | .0222 | ----                   | ----       | ----               | ----           | ----       | 985           | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5155                | ---- | ----               |              | 4.60B/3.70A     | 4.60B/3.70A | ----                 |  |                         |  | 3.60 - 0.60           | .0217 | ----                   | ----       | ----               | ----           | ----       | 67            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5160                | ---- | ----               |              | 4.60B/3.60A     | 4.60B/3.60A | ----                 |  |                         |  | 3.60 - 0.60           | .0216 | ----                   | ----       | ----               | ----           | ----       | 96            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5165                | 4.20 | 4.20               |              | 4.50B/3.60A     | 4.50B/3.60A | ----                 |  |                         |  | 3.50 - 0.60           | .0211 | ----                   | ----       | ----               | 9              |            | 37            | +    | 5   |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5170                | ---- | ----               |              | 4.50B/3.50A     | 4.50B/3.50A | ----                 |  |                         |  | 3.50 - 0.60           | .0210 | ----                   | ----       | ----               | ----           | ----       | 28            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5175                | ---- | ----               |              | 4.40B/3.50A     | 4.40B/3.50A | ----                 |  |                         |  | 3.50 - 0.60           | .0210 | ----                   | ----       | ----               | ----           | ----       | 231           | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5180                | ---- | ----               |              | 4.40B/3.50A     | 4.40B/3.50A | ----                 |  |                         |  | 3.40 - 0.60           | .0204 | ----                   | ----       | ----               | ----           | ----       | 63            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5185                | ---- | ----               |              | 4.30B/3.40A     | 4.30B/3.40A | ----                 |  |                         |  | 3.40 - 0.60           | .0204 | ----                   | ----       | ----               | ----           | ----       | 28            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5190                | ---- | ----               |              | 4.30B/3.40A     | 4.30B/3.40A | ----                 |  |                         |  | 3.40 - 0.50           | .0203 | ----                   | ----       | ----               | ----           | ----       | 45            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5195                | ---- | ----               |              | 4.20B/3.40A     | 4.20B/3.40A | ----                 |  |                         |  | 3.30 - 0.60           | .0198 | ----                   | ----       | ----               | ----           | ----       | 57            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5200                | 4.00 | 4.00               |              | 4.20B/3.30A     | 4.20B/3.30A | ----                 |  |                         |  | 3.30 - 0.60           | .0197 | ----                   | ----       | ----               | 3              |            | 2763          | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5205                | ---- | ----               |              | 4.10B/3.30A     | 4.10B/3.30A | ----                 |  |                         |  | 3.30 - 0.50           | .0196 | ----                   | ----       | ----               | ----           | ----       | 21            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5210                | ---- | ----               |              | 4.10B/3.30A     | 4.10B/3.30A | ----                 |  |                         |  | 3.20 - 0.60           | .0191 | ----                   | ----       | ----               | ----           | ----       | 168           | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5215                | ---- | ----               |              | 4.00B/3.30A     | 4.00B/3.30A | ----                 |  |                         |  | 3.20 - 0.50           | .0191 | ----                   | ----       | ----               | ----           | ----       | 125           | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5220                | ---- | ----               |              | 4.00B/3.20A     | 4.00B/3.20A | ----                 |  |                         |  | 3.20 - 0.50           | .0190 | ----                   | ----       | ----               | ----           | ----       | 111           | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5225                | ---- | ----               |              | 3.90B/3.20A     | 3.90B/3.20A | ----                 |  |                         |  | 3.10 - 0.60           | .0185 | ----                   | ----       | ----               | 21             |            | 9417          | +    | 4   |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5230                | ---- | ----               |              | 3.90B/3.20A     | 3.90B/3.20A | ----                 |  |                         |  | 3.10 - 0.50           | .0184 | ----                   | ----       | ----               | ----           | ----       | 67            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5235                | ---- | ----               |              | 3.90B/3.10A     | 3.90B/3.10A | ----                 |  |                         |  | 3.10 - 0.50           | .0184 | ----                   | ----       | ----               | ----           | ----       | 18            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5240                | ---- | ----               |              | 3.80B/3.10A     | 3.80B/3.10A | ----                 |  |                         |  | 3.10 - 0.50           | .0183 | ----                   | ----       | ----               | ----           | ----       | 17            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5245                | ---- | ----               |              | 3.80B/3.10A     | 3.80B/3.10A | ----                 |  |                         |  | 3.00 - 0.50           | .0178 | ----                   | ----       | ----               | ----           | ----       | 23            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5250                | ---- | ----               |              | 3.80B/3.10A     | 3.80B/3.10A | ----                 |  |                         |  | 3.00 - 0.50           | .0177 | ----                   | ----       | ----               | ----           | ----       | 1840          | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5255                | ---- | ----               |              | 3.70B/3.00A     | 3.70B/3.00A | ----                 |  |                         |  | 3.00 - 0.50           | .0177 | ----                   | ----       | ----               | ----           | ----       | 58            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5260                | ---- | ----               |              | 3.70B/3.00A     | 3.70B/3.00A | ----                 |  |                         |  | 3.00 - 0.40           | .0176 | ----                   | ----       | ----               | ----           | ----       | 12            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5265                | ---- | ----               |              | 3.60B/3.00A     | 3.60B/3.00A | ----                 |  |                         |  | 2.90 - 0.50           | .0171 | ----                   | ----       | ----               | ----           | ----       | 19            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5270                | ---- | ----               |              | 3.60B/2.90A     | 3.60B/2.90A | ----                 |  |                         |  | 2.90 - 0.50           | .0171 | ----                   | ----       | ----               | ----           | ----       | 74            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5275                | ---- | ----               |              | 3.60B/2.90A     | 3.60B/2.90A | ----                 |  |                         |  | 2.90 - 0.40           | .0170 | ----                   | ----       | ----               | ----           | ----       | 41            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5280                | ---- | ----               |              | 3.50B/2.90A     | 3.50B/2.90A | ----                 |  |                         |  | 2.80 - 0.50           | .0165 | ----                   | ----       | ----               | ----           | ----       | 66            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5285                | ---- | ----               |              | 3.50B/2.90A     | 3.50B/2.90A | ----                 |  |                         |  | 2.80 - 0.50           | .0164 | ----                   | ----       | ----               | ----           | ----       | 32            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5290                | ---- | ----               |              | 3.50B/2.80A     | 3.50B/2.80A | ----                 |  |                         |  | 2.80 - 0.40           | .0164 | ----                   | ----       | ----               | ----           | ----       | 14            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5295                | ---- | ----               |              | 3.40B/2.80A     | 3.40B/2.80A | ----                 |  |                         |  | 2.80 - 0.40           | .0164 | ----                   | ----       | ----               | ----           | ----       | 25            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5300                | 3.40 | 3.40               |              | 3.40/2.80A      | 3.40/2.80A  | ----                 |  |                         |  | 2.70 - 0.50           | .0158 | ----                   | ----       | ----               | 2              |            | 2270          | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5305                | ---- | ----               |              | 3.40B/2.80A     | 3.40B/2.80A | ----                 |  |                         |  | 2.70 - 0.50           | .0158 | ----                   | ----       | ----               | ----           | ----       | 48            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5310                | ---- | ----               |              | 3.30B/2.80A     | 3.30B/2.80A | ----                 |  |                         |  | 2.70 - 0.40           | .0158 | ----                   | ----       | ----               | ----           | ----       | 44            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5315                | ---- | ----               |              | 3.30B/2.70A     | 3.30B/2.70A | ----                 |  |                         |  | 2.70 - 0.40           | .0157 | ----                   | ----       | ----               | ----           | ----       | 38            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5320                | ---- | ----               |              | 3.30B/2.70A     | 3.30B/2.70A | ----                 |  |                         |  | 2.60 - 0.50           | .0152 | ----                   | ----       | ----               | ----           | ----       | 6             | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5325                | ---- | ----               |              | 3.30B/2.70A     | 3.30B/2.70A | ----                 |  |                         |  | 2.60 - 0.50           | .0152 | ----                   | ----       | ----               | ----           | ----       | 30            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 5330                | ---- | ----               |              | 3.20B/2.70A     | 3.20B/2.70A | ----                 |  |                         |  | 2.60 - 0.40           | .0151 | ----                   | ----       | ----               | ----           | ----       | 48            | UNCH |     |  |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |

| BULLETIN #191@ |      |                              |                    | METALS OPTION PRODUCTS     |                               |                          |          |       |               |                          |                   |               |                  | Mon, Oct 05, 2026 |  |  |  | PG64 |  |
|----------------|------|------------------------------|--------------------|----------------------------|-------------------------------|--------------------------|----------|-------|---------------|--------------------------|-------------------|---------------|------------------|-------------------|--|--|--|------|--|
| GLOBEX<br>OPEN |      | OPEN<br>OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. |          | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |                   |  |  |  |      |  |
| OG CALL        |      | COMEX GOLD OPTIONS           |                    |                            |                               |                          |          |       |               |                          |                   |               |                  |                   |  |  |  |      |  |
| DEC26          |      |                              |                    |                            |                               |                          |          |       |               |                          |                   |               |                  |                   |  |  |  |      |  |
| 5600           | 2.00 | 2.00                         | 2.20B/1.90A        | 2.20B/1.90A                | ----                          | 1.80                     | - 0.30   | .0098 | ----          | ----                     | 8                 | ----          | 3093             | UNCH              |  |  |  |      |  |
| 5605           | ---- | ----                         | 2.20B/1.80A        | 2.20B/1.80A                | ----                          | 1.80                     | - 0.30   | .0098 | ----          | ----                     | ----              | ----          | 31               | UNCH              |  |  |  |      |  |
| 5610           | ---- | ----                         | 2.20B/1.80A        | 2.20B/1.80A                | ----                          | 1.80                     | - 0.20   | .0098 | ----          | ----                     | ----              | ----          | 8                | UNCH              |  |  |  |      |  |
| 5615           | ---- | ----                         | 2.20B/1.80A        | 2.20B/1.80A                | ----                          | 1.80                     | - 0.20   | .0097 | ----          | ----                     | ----              | ----          | 13               | UNCH              |  |  |  |      |  |
| 5620           | ---- | ----                         | 2.10B/1.80A        | 2.10B/1.80A                | ----                          | 1.80                     | - 0.20   | .0097 | ----          | ----                     | ----              | ----          | 4                | UNCH              |  |  |  |      |  |
| 5625           | ---- | ----                         | 2.10B/1.80A        | 2.10B/1.80A                | ----                          | 1.70                     | - 0.30   | .0092 | ----          | ----                     | ----              | ----          | 8                | UNCH              |  |  |  |      |  |
| 5630           | ---- | ----                         | 2.10B/1.80A        | 2.10B/1.80A                | ----                          | 1.70                     | - 0.30   | .0092 | ----          | ----                     | ----              | ----          | 35               | UNCH              |  |  |  |      |  |
| 5635           | ---- | ----                         | 2.10B/1.80A        | 2.10B/1.80A                | ----                          | 1.70                     | - 0.20   | .0092 | ----          | ----                     | ----              | ----          | 2                | UNCH              |  |  |  |      |  |
| 5640           | ---- | ----                         | 2.00B/1.80A        | 2.00B/1.80A                | ----                          | 1.70                     | - 0.20   | .0092 | ----          | ----                     | ----              | ----          | 352              | UNCH              |  |  |  |      |  |
| 5645           | ---- | ----                         | 2.00B/1.80A        | 2.00B/1.80A                | ----                          | 1.70                     | - 0.20   | .0091 | ----          | ----                     | ----              | ----          | 38               | UNCH              |  |  |  |      |  |
| 5650           | ---- | ----                         | 2.00B/1.80A        | 2.00B/1.80A                | ----                          | 1.70                     | - 0.20   | .0091 | ----          | ----                     | ----              | ----          | 28               | UNCH              |  |  |  |      |  |
| 5655           | ---- | ----                         | 2.10B/1.80A        | 2.10B/1.80A                | ----                          | 1.70                     | - 0.20   | .0091 | ----          | ----                     | ----              | ----          | 6                | UNCH              |  |  |  |      |  |
| 5660           | ---- | ----                         | 2.00B/1.70A        | 2.00B/1.70A                | ----                          | 1.70                     | - 0.20   | .0091 | ----          | ----                     | ----              | ----          | 161              | UNCH              |  |  |  |      |  |
| 5665           | ---- | ----                         | 2.00B/1.70A        | 2.00B/1.70A                | ----                          | 1.70                     | - 0.20   | .0090 | ----          | ----                     | ----              | ----          | 57               | UNCH              |  |  |  |      |  |
| 5670           | ---- | ----                         | 2.00B/1.70A        | 2.00B/1.70A                | ----                          | 1.70                     | - 0.20   | .0090 | ----          | ----                     | ----              | ----          | 40               | UNCH              |  |  |  |      |  |
| 5675           | ---- | ----                         | 2.00B/1.70A        | 2.00B/1.70A                | ----                          | 1.60                     | - 0.20   | .0086 | ----          | ----                     | ----              | ----          | 28               | UNCH              |  |  |  |      |  |
| 5680           | ---- | ----                         | 2.00B/1.70A        | 2.00B/1.70A                | ----                          | 1.60                     | - 0.20   | .0085 | ----          | ----                     | ----              | ----          | 63               | UNCH              |  |  |  |      |  |
| 5685           | ---- | ----                         | 2.00B/1.70A        | 2.00B/1.70A                | ----                          | 1.60                     | - 0.20   | .0085 | ----          | ----                     | ----              | ----          | 37               | UNCH              |  |  |  |      |  |
| 5690           | ---- | ----                         | 1.90B/1.70A        | 1.90B/1.70A                | ----                          | 1.60                     | - 0.20   | .0085 | ----          | ----                     | 3                 | ----          | 830              | - 3               |  |  |  |      |  |
| 5695           | ---- | ----                         | 1.90B/1.70A        | 1.90B/1.70A                | ----                          | 1.60                     | - 0.20   | .0085 | ----          | ----                     | ----              | ----          | 14               | UNCH              |  |  |  |      |  |
| 5700           | ---- | ----                         | 1.90B/1.70A        | 1.90B/1.70A                | ----                          | 1.60                     | - 0.20   | .0085 | ----          | ----                     | ----              | ----          | 58               | UNCH              |  |  |  |      |  |
| 5705           | ---- | ----                         | 1.90B/1.70A        | 1.90B/1.70A                | ----                          | 1.60                     | - 0.20   | .0084 | ----          | ----                     | ----              | ----          | 4                | UNCH              |  |  |  |      |  |
| 5710           | ---- | ----                         | 1.90B/1.60A        | 1.90B/1.60A                | ----                          | 1.60                     | - 0.20   | .0084 | ----          | ----                     | ----              | ----          | 50               | UNCH              |  |  |  |      |  |
| 5720           | ---- | ----                         | 1.90B/1.60A        | 1.90B/1.60A                | ----                          | 1.60                     | - 0.20   | .0084 | ----          | ----                     | ----              | ----          | 14               | UNCH              |  |  |  |      |  |
| 5725           | ---- | ----                         | 1.90B/1.60A        | 1.90B/1.60A                | ----                          | 1.60                     | - 0.20   | .0084 | ----          | ----                     | ----              | ----          | 14               | UNCH              |  |  |  |      |  |
| 5730           | ---- | ----                         | 1.90B/1.60A        | 1.90B/1.60A                | ----                          | 1.60                     | - 0.20   | .0084 | ----          | ----                     | 3                 | ----          | 533              | - 3               |  |  |  |      |  |
| 5740           | ---- | ----                         | 1.80B/1.60A        | 1.80B/1.60A                | ----                          | 1.50                     | - 0.20   | .0079 | ----          | ----                     | ----              | ----          | 10               | UNCH              |  |  |  |      |  |
| 5750           | ---- | ----                         | 1.80B/1.60A        | 1.80B/1.60A                | ----                          | 1.50                     | - 0.20   | .0078 | ----          | ----                     | ----              | ----          | 27               | UNCH              |  |  |  |      |  |
| 5760           | ---- | ----                         | 1.80B/1.60A        | 1.80B/1.60A                | ----                          | 1.50                     | - 0.20   | .0078 | ----          | ----                     | ----              | ----          | 8                | UNCH              |  |  |  |      |  |
| 5775           | ---- | ----                         | 1.80B/1.60A        | 1.80B/1.60A                | ----                          | 1.50                     | - 0.20   | .0078 | ----          | ----                     | ----              | ----          | 9                | UNCH              |  |  |  |      |  |
| 5780           | ---- | ----                         | 1.80B/1.60A        | 1.80B/1.60A                | ----                          | 1.50                     | - 0.20   | .0078 | ----          | ----                     | ----              | ----          | 10               | UNCH              |  |  |  |      |  |
| 5790           | ---- | ----                         | 1.80B/1.50A        | 1.80B/1.50A                | ----                          | 1.50                     | - 0.20   | .0077 | ----          | ----                     | ----              | ----          | 2168             | UNCH              |  |  |  |      |  |
| 5800           | ---- | ----                         | ----/1.50A         | 1.70B/1.50A                | ----                          | 1.50                     | - 0.20   | .0077 | ----          | ----                     | ----              | ----          | 66               | UNCH              |  |  |  |      |  |
| 5810           | ---- | ----                         | 1.70B/1.50A        | 1.70B/1.50A                | ----                          | 1.40                     | - 0.20   | .0072 | ----          | ----                     | ----              | ----          | 17               | UNCH              |  |  |  |      |  |
| 5825           | ---- | ----                         | 1.70B/1.50A        | 1.70B/1.50A                | ----                          | 1.40                     | - 0.20   | .0072 | ----          | ----                     | ----              | ----          | 217              | UNCH              |  |  |  |      |  |
| 5850           | ---- | ----                         | 1.70B/1.40A        | 1.70B/1.40A                | ----                          | 1.40                     | - 0.20   | .0071 | ----          | ----                     | ----              | ----          | 26               | UNCH              |  |  |  |      |  |
| 5875           | 1.50 | 1.50                         | 1.60B/1.40A        | 1.60B/1.40A                | ----                          | 1.30                     | - 0.20   | .0066 | ----          | ----                     | 1                 | ----          | 1094             | +                 |  |  |  |      |  |
| 5900           | ---- | ----                         | 1.60B/1.40A        | 1.60B/1.40A                | ----                          | 1.30                     | - 0.20   | .0066 | ----          | ----                     | ----              | ----          | 19               | UNCH              |  |  |  |      |  |
| 5925           | ---- | ----                         | 1.60B/1.40A        | 1.60B/1.40A                | ----                          | 1.30                     | - 0.20   | .0065 | ----          | ----                     | ----              | ----          | 192              | UNCH              |  |  |  |      |  |
| 5950           | ---- | ----                         | 1.50B/1.30A        | 1.50B/1.30A                | ----                          | 1.30                     | - 0.10   | .0064 | ----          | ----                     | ----              | ----          | 80               | UNCH              |  |  |  |      |  |
| 5975           | ---- | ----                         | 1.50B/1.30A        | 1.50B/1.30A                | ----                          | 1.30                     | - 0.10   | .0064 | ----          | ----                     | 55                | ----          | 14691            | +                 |  |  |  |      |  |
| 6000           | ---- | ----                         | 1.50B/1.30A        | 1.50B/1.30A                | ----                          | 1.30                     | - 0.10   | .0063 | ----          | ----                     | ----              | ----          | 13               | UNCH              |  |  |  |      |  |
| 6025           | 1.40 | 1.40                         | 1.40/1.30A         | 1.40/1.30A                 | ----                          | 1.30                     | UNCH     | .0063 | ----          | ----                     | 13                | ----          | 56               | - 8               |  |  |  |      |  |
| 6050           | 1.30 | 1.30                         | 1.40B/1.20A        | 1.40B/1.20A                | ----                          | 1.20                     | - 0.10   | .0058 | ----          | ----                     | 10                | ----          | 169              | +                 |  |  |  |      |  |
| 6100           | ---- | ----                         | ----/1.20A         | 1.30B/1.20A                | ----                          | 1.20                     | - 0.10   | .0057 | ----          | ----                     | ----              | ----          | 91               | UNCH              |  |  |  |      |  |
| 6150           | ---- | ----                         | 1.30B/1.10A        | 1.30B/1.10A                | ----                          | 1.10                     | - 0.10   | .0052 | ----          | ----                     | ----              | ----          | 3068             | UNCH              |  |  |  |      |  |
| 6200           | ---- | ----                         | ----/1.10A         | 1.20B/1.10A                | ----                          | 1.10                     | - 0.10   | .0051 | ----          | ----                     | ----              | ----          | 322              | UNCH              |  |  |  |      |  |
| 6250           | ---- | ----                         | ----/1.10A         | 1.20B/1.10A                | ----                          | 1.00                     | - 0.20   | .0046 | ----          | ----                     | ----              | ----          | 892              | UNCH              |  |  |  |      |  |
| 6300           | ---- | ----                         | ----/1.00A         | 1.10B/1.00A                | ----                          | 0.90                     | - 0.20   | .0041 | ----          | ----                     | ----              | ----          | 876              | UNCH              |  |  |  |      |  |
| 6400           | 1.00 | 1.00                         | 1.00/0.90A         | 1.00/0.90A                 | ----                          | 0.90                     | - 0.10   | .0040 | ----          | ----                     | 10                | ----          | 4988             | +                 |  |  |  |      |  |
| 6500           | ---- | ----                         | ----/0.80A         | 0.80B/0.80A                | ----                          | 0.70                     | - 0.20   | .0030 | ----          | ----                     | ----              | ----          | 130              | UNCH              |  |  |  |      |  |
| 6750           | ---- | ----                         | ----               | 0.80B/0.80A                | ----                          | 0.70                     | - 0.10   | .0030 | ----          | ----                     | ----              | ----          | 240              | UNCH              |  |  |  |      |  |
| 6775           | 1.00 | 1.00                         | 1.00/0.80          | 1.00/0.80                  | ----                          | 0.70                     | - 0.10   | .0030 | ----          | ----                     | 11                | ----          | 2013             | - 5               |  |  |  |      |  |
| 6800           | 0.70 | 0.70                         | 0.70/0.70          | 0.70/0.70                  | ----                          | 0.70                     | - 0.10   | .0029 | ----          | ----                     | 10                | ----          | 141              | UNCH              |  |  |  |      |  |
| 6900           | 0.80 | 0.80                         | 0.80/0.70A         | 0.80/0.70A                 | ----                          | 0.60                     | - 0.10   | .0025 | ----          | ----                     | 41                | ----          | 6174             | +                 |  |  |  |      |  |
| 7000           | ---- | ----                         | 0.70B/----         | 0.70B/0.70A                | ----                          | 0.60                     | - 0.10   | .0024 | ----          | ----                     | ----              | ----          | 13               | UNCH              |  |  |  |      |  |
| 7100           | ---- | ----                         | 0.70B/----         | 0.70B/0.70A                | ----                          | 0.60                     | UNCH     | .0024 | ----          | ----                     | ----              | ----          | 4                | UNCH              |  |  |  |      |  |
| 7125           | ---- | ----                         | 0.70B/----         | 0.70B/0.70A                | ----                          | 0.60                     | UNCH     | .0024 | ----          | ----                     | ----              | ----          | 201              | UNCH              |  |  |  |      |  |
| 7130           | ---- | ----                         | 0.70B/----         | 0.70B/0.70A                | ----                          | 0.60                     | UNCH     | .0024 | ----          | ----                     | ----              | ----          | 142              | UNCH              |  |  |  |      |  |
| 7150           | ---- | ----                         | 0.70B/----         | 0.70B/0.70A                | ----                          | 0.60                     | UNCH     | .0024 | ----          | ----                     | ----              | ----          | 127              | UNCH              |  |  |  |      |  |
| 7175           | ---- | ----                         | 0.70B/----         | 0.70B/0.70A                | ----                          | 0.60                     | UNCH     | .0024 | ----          | ----                     | ----              | ----          | 66               | UNCH              |  |  |  |      |  |
| 7200           | ---- | ----                         | 0.70B/----         | 0.70B/0.70A                | ----                          | 0.50                     | - 0.10   | .0020 | ----          | ----                     | ----              | ----          | 509              | UNCH              |  |  |  |      |  |
| 7250           | 0.60 | 0.60                         | 0.60/0.60          | 0.60/0.60                  | ----                          | 0.50                     | UNCH     | .0019 | ----          | ----                     | 16                | ----          | 2417             | - 6               |  |  |  |      |  |
| 7500           | 0.50 | 0.50                         | 0.50/0.50          | 0.50/0.50                  | ----                          | 0.40                     | UNCH     | .0014 | ----          | ----                     | 28                | ----          | 13272            | - 1               |  |  |  |      |  |
| 8000           | ---- | ----                         | 0.40B/0.40A        | 0.40B/0.40A                | ----                          | 0.40                     | UNCH     | .0014 | ----          | ----                     | ----              | ----          | 803              | UNCH              |  |  |  |      |  |
| 8125           | ---- | ----                         | 0.30B/0.40A        | 0.30B/0.40A                | ----                          | 0.40                     | +        | 0.10  | .0013         | ----                     | ----              | ----          | 511              | UNCH              |  |  |  |      |  |
| 8500           | ---- | ----                         | 0.30B/0.40A        | 0.30B/0.40A                | ----                          | 0.30                     | UNCH     | .0010 | ----          | ----                     | ----              | ----          | 422              | UNCH              |  |  |  |      |  |
| 8630           | ---- | ----                         | 0.30B/0.40A        | 0.30B/0.40A                | ----                          | 0.30                     | UNCH     | .0010 | ----          | ----                     | ----              | ----          | 127              | UNCH              |  |  |  |      |  |
| 8700           | ---- | ----                         | 0.30B/0.40A        | 0.30B/0.40A                | ----                          | 0.30                     | UNCH     | .0010 | ----          | ----                     | ----              | ----          | 217              | UNCH              |  |  |  |      |  |
| 8725           | ---- | ----                         | 0.30B/0.40A        | 0.30B/0.40A                | ----                          | 0.30                     | UNCH     | .0010 | ----          | ----                     | ----              | ----          | 719              | UNCH              |  |  |  |      |  |
| 8750           | ---- | ----                         | 0.30B/0.40A        | 0.30B/0.40A                | ----                          | 0.30                     | UNCH     | .0010 | ----          | ----                     | ----              | ----          | 49               | UNCH              |  |  |  |      |  |
| 8775           | ---- | ----                         | 0.30B/0.40A        | 0.30B/0.40A                | ----                          | 0.30                     | UNCH     | .0010 | ----          | ----                     | 6                 | ----          | 635              | UNCH              |  |  |  |      |  |
| 9000           | ---- | ----                         | 0.30B/0.30A        | 0.30B/0.30A                | ----                          | 0.30                     | +        | 0.10  | .0009         | ----                     | ----              | ----          | 102              | UNCH              |  |  |  |      |  |
| 9250           | 0.20 | 0.20                         | 0.30/0.20          | 0.30/0.20                  | ----                          | 0.20                     | UNCH     | .0006 | ----          | ----                     | 199               | ----          | 996              | +                 |  |  |  |      |  |
| 9500           | 0.30 | 0.30                         | 0.30/0.30          | 0.30/0.30                  | ----                          | 0.20                     | UNCH     | .0006 | ----          | ----                     | 111               | ----          | 133              | +                 |  |  |  |      |  |
| 9600           | 0.30 | 0.30                         | 0.30/0.30          | 0.30/0.30                  | ----                          | 0.20                     | UNCH     | .0006 | ----          | ----                     | 100               | ----          | 110              | +                 |  |  |  |      |  |
| 9750           | 0.30 | 0.30                         | 0.30/0.30          | 0.30/0.30                  | ----                          | 0.20                     | UNCH     | .0006 | ----          | ----                     | 100               | ----          | 138              | +                 |  |  |  |      |  |
| 9900           | 0.30 | 0.30                         | 0.30/0.30          | 0.30/0.30                  | ----                          | 0.20                     | UNCH     | .0006 | ----          | ----                     | 28                | ----          | 11378            | UNCH              |  |  |  |      |  |
| 10000          | ---- | ----                         | 0.20B/----         | 0.20B/0.30A                | ----                          | 0.10                     | UNCH     | .0003 | ----          | ----                     | ----              | ----          | 31               | UNCH              |  |  |  |      |  |
| 10500          | ---- | ----                         | 0.10B/0.30A        | 0.10B/0.30A                | ----                          | 0.10                     | UNCH     | .0001 | ----          | ----                     | ----              | ----          | 809              | UNCH              |  |  |  |      |  |
| 11000          | ---- | ----                         | ----/0.20A         | 0.10                       | UNCH                          | .0000                    | ----     | ----  | ----          | ----                     | ----              | ----          | 697              | UNCH              |  |  |  |      |  |
| 13000          | 0.20 | 0.20                         | 0.20/0.20          | 0.20/0.20                  | ----                          | 0.10                     | UNCH     | ----  | ----          | ----                     | 50                | ----          | 36637            | +                 |  |  |  |      |  |
| 15000          | ---- | ----                         | ----/0.20A         | 0.10                       | UNCH                          | ----                     | ----     | ----  | ----          | ----                     | ----              | ----          | 52               | UNCH              |  |  |  |      |  |
| 17000          | ---- | ----                         | ----/0.10A         | 0.10                       | UNCH                          | ----                     | ----     | ----  | ----          | ----                     | ----              | ----          | 350              | UNCH              |  |  |  |      |  |
| 19000          | ---- | ----                         | ----/0.10A         | 0.10                       | UNCH                          | ----                     | ----     | ----  | ----          | ----                     | ----              | ----          | 38042            | UNCH              |  |  |  |      |  |
| 20000          | ---- | ----                         | ----/0.10A         | 0.10                       | UNCH                          | ----                     | ----     | ----  | ----          | ----                     | ----              | ----          | 39               | UNCH              |  |  |  |      |  |
| 21000          | ---- | ----                         | ----/0.10A         | 0.10                       | UNCH                          | ----                     | ----     | ----  | ----          | ----                     | ----              | ----          | 5                | UNCH              |  |  |  |      |  |
| 23000          | ---- | ----                         | ----               | 0.10                       | UNCH                          | ----                     | ----     | ----  | ----          | ----                     | ----              | ----          | 167              | UNCH              |  |  |  |      |  |
| 24000          | ---- | ----                         | ----               | ----/0.10A                 | ----                          | 0.10                     | UNCH     | ----  | ----          | ----                     | 6940              | 870           | 315617           | +                 |  |  |  |      |  |
| TOTAL          |      |                              |                    |                            |                               |                          |          |       |               |                          |                   |               |                  |                   |  |  |  |      |  |
| JAN27          |      |                              |                    |                            |                               |                          |          |       |               |                          |                   |               |                  |                   |  |  |  |      |  |
| 3050           | ---- | ----                         | 1.179.60B/1.140    | 1179.60B/1140.40A          | ----                          | 1141.60                  | - 5.80   | .9862 | ----          | ----                     | ----              | ----          | 0                | UNCH              |  |  |  |      |  |
| 3150           | ---- | ----                         | 1.077.40B/1.043    | 1077.40B/1043.80A          | ----                          | 1042.30                  | - 5.90   | .9806 | ----          | ----                     | ----              | ----          | 14               | UNCH              |  |  |  |      |  |
| 3200           | ---- | ----                         | 1.026.70B/----     | 1026.70B/999.70A           | ----                          | 992.90                   | - 6.00   | .9773 | ----          | ----                     | ----              | ----          | 11               | UNCH              |  |  |  |      |  |
| 3250           | ---- | ----                         | 976.80B/----       | 976.80B/950.70A            | ----                          | 943.60                   | - 6.10   | .9735 | ----          | ----                     | ----              | ----          | 25               | UNCH              |  |  |  |      |  |
| 3300           | ---- | ----                         | 927.50B/----       | 927.50B/901.70A            | ----                          | 894.50                   | - 6.20   | .9692 | ----          | ----                     | ----              | ----          | 18               | UNCH              |  |  |  |      |  |
| 3500           | ---- | ----                         | 734.90B/701.20A    | 734.90B/701.20A            | ----                          | 701.00                   | - 6.80   | .9409 | ----          | ----                     | ----              | ----          | 2                | UNCH              |  |  |  |      |  |
| 3950           | ---- | ----                         | 345.90B/309.90A    | 345.90B/309.90A            | ----                          | 312.30                   | - 8.00   | .7355 | ----          | ----                     | ----              | ----          | 2                | UNCH              |  |  |  |      |  |
| 4000           | ---- | ----                         | 309.50B/275.30A    | 309.50B/275.30A            | ----                          | 277.30                   | - 8.10   | .6948 | ----          | ----                     | 1                 | ----          | 370              | +                 |  |  |  |      |  |
| 4010           | ---- | ----                         | 302.60B/268.60A    | 302.60B/268.60A            | ----                          | 270.60                   | - 8.10   | .6863 | ----          | ----                     | ----              | ----          | 1                | UNCH              |  |  |  |      |  |
| 4070           | ---- | ----                         | 262.50B/231.00A    | 262.50B/231.00A            | ----                          | 232.60                   | - 7.90   | .6332 | ----          | ----                     | ----              | ----          | 1                | UNCH              |  |  |  |      |  |
| 4100           | ---- | ----                         | 243.70B/213.00A    | 243.70B/213.00A            | ----                          | 214.90                   | - 7.80</ |       |               |                          |                   |               |                  |                   |  |  |  |      |  |

| GLOBEX<br>OPEN |        | OPEN<br>OUTCRY<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
|----------------|--------|------------------------|-----------------|--------------------|----------------------------|-------------------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
| OG CALL        |        | COMEX GOLD OPTIONS     |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |
| JAN27          |        |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |
| 4310           | ----   | ----                   | ----            | 139.20B/117.60A    | 139.20B/117.60A            | ----                    | ----            | 118.30 - 6.50            | .4089 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 4315           | ----   | ----                   | ----            | 137.30B/115.90A    | 137.30B/115.90A            | ----                    | ----            | 116.50 - 6.50            | .4045 | ----          | ----                     | ----              | ----          | 10               | UNCH |
| 4320           | ----   | ----                   | ----            | 135.40B/114.20A    | 135.40B/114.20A            | ----                    | ----            | 114.80 - 6.40            | .4002 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 4325           | ----   | ----                   | ----            | 133.50B/112.50A    | 133.50B/112.50A            | ----                    | ----            | 113.10 - 6.30            | .3958 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4330           | ----   | ----                   | ----            | 131.60B/110.80A    | 131.60B/110.80A            | ----                    | ----            | 111.40 - 6.30            | .3915 | ----          | ----                     | ----              | ----          | 61               | UNCH |
| 4335           | ----   | ----                   | ----            | 129.70B/109.10A    | 129.70B/109.10A            | ----                    | ----            | 109.70 - 6.30            | .3871 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 4340           | ----   | ----                   | ----            | 127.90B/107.50A    | 127.90B/107.50A            | ----                    | ----            | 108.10 - 6.20            | .3829 | ----          | ----                     | ----              | ----          | 7                | UNCH |
| 4345           | ----   | ----                   | ----            | 126.00B/105.90A    | 126.00B/105.90A            | ----                    | ----            | 106.40 - 6.20            | .3786 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 4350           | ----   | ----                   | ----            | 124.20B/104.20A    | 124.20B/104.20A            | ----                    | ----            | 104.80 - 6.20            | .3743 | ----          | ----                     | ----              | 1608          | UNCH             |      |
| 4355           | ----   | ----                   | ----            | 122.40B/102.70A    | 122.40B/102.70A            | ----                    | ----            | 103.30 - 6.10            | .3702 | ----          | ----                     | ----              | 71            | UNCH             |      |
| 4360           | ----   | ----                   | ----            | 120.70B/101.20A    | 120.70B/101.20A            | ----                    | ----            | 101.70 - 6.10            | .3660 | ----          | ----                     | ----              | 90            | UNCH             |      |
| 4365           | ----   | ----                   | ----            | 118.90B/99.60A     | 118.90B/99.60A             | ----                    | ----            | 100.20 - 6.00            | .3619 | ----          | ----                     | ----              | 244           | UNCH             |      |
| 4370           | 109.10 | 109.10                 | ----            | 117.20B/98.10A     | 117.20B/98.10A             | ----                    | ----            | 98.60 - 6.00             | .3577 | ----          | ----                     | 1                 | 40            | UNCH             |      |
| 4375           | ----   | ----                   | ----            | 115.50B/96.60A     | 115.50B/96.60A             | ----                    | ----            | 97.10 - 6.00             | .3536 | ----          | ----                     | ----              | 204           | UNCH             |      |
| 4380           | ----   | ----                   | ----            | 113.90B/95.20A     | 113.90B/95.20A             | ----                    | ----            | 95.70 - 5.90             | .3496 | ----          | ----                     | ----              | 1             | UNCH             |      |
| 4385           | ----   | ----                   | ----            | 112.20B/93.70A     | 112.20B/93.70A             | ----                    | ----            | 94.20 - 5.90             | .3455 | ----          | ----                     | ----              | 24            | UNCH             |      |
| 4390           | ----   | ----                   | ----            | 110.60B/92.30A     | 110.60B/92.30A             | ----                    | ----            | 92.80 - 5.80             | .3415 | ----          | ----                     | ----              | 8             | UNCH             |      |
| 4395           | ----   | ----                   | ----            | 109.00B/90.90A     | 109.00B/90.90A             | ----                    | ----            | 91.40 - 5.70             | .3376 | ----          | ----                     | ----              | 5             | UNCH             |      |
| 4400           | 90.70  | 90.70                  | ----            | 107.40B/89.50A     | 107.40B/89.50A             | ----                    | ----            | 90.00 - 5.70             | .3336 | ----          | 3                        | ----              | 435           | -                |      |
| 4405           | ----   | ----                   | ----            | 105.90B/88.10A     | 105.90B/88.10A             | ----                    | ----            | 88.60 - 5.70             | .3297 | ----          | ----                     | ----              | 5             | UNCH             |      |
| 4410           | ----   | ----                   | ----            | 104.30B/86.80A     | 104.30B/86.80A             | ----                    | ----            | 87.20 - 5.70             | .3257 | ----          | ----                     | ----              | 22            | UNCH             |      |
| 4415           | ----   | ----                   | ----            | 102.80B/85.50A     | 102.80B/85.50A             | ----                    | ----            | 85.90 - 5.60             | .3219 | ----          | ----                     | ----              | 8             | UNCH             |      |
| 4420           | 85.80  | 85.80                  | ----            | 101.30B/84.20A     | 101.30B/84.20A             | ----                    | ----            | 84.60 - 5.60             | .3181 | ----          | 2                        | ----              | 20            | UNCH             |      |
| 4425           | 89.50  | 89.50                  | ----            | 99.90B/82.90A      | 99.90B/82.90A              | ----                    | ----            | 83.30 - 5.50             | .3143 | ----          | 7                        | ----              | 58            | -                |      |
| 4430           | 83.20  | 83.20                  | ----            | 98.40B/81.60A      | 98.40B/81.60A              | ----                    | ----            | 82.00 - 5.50             | .3106 | ----          | 14                       | ----              | 14            | +                |      |
| 4435           | 81.40  | 81.40                  | ----            | 97.00B/80.40A      | 97.00B/80.40A              | ----                    | ----            | 80.70 - 5.50             | .3068 | ----          | 7                        | ----              | 12            | UNCH             |      |
| 4440           | ----   | ----                   | ----            | 95.60B/79.10A      | 95.60B/79.10A              | ----                    | ----            | 79.50 - 5.40             | .3031 | ----          | ----                     | ----              | 60            | UNCH             |      |
| 4445           | ----   | ----                   | ----            | 94.20B/77.90A      | 94.20B/77.90A              | ----                    | ----            | 78.30 - 5.30             | .2995 | ----          | ----                     | ----              | 22            | UNCH             |      |
| 4450           | ----   | ----                   | ----            | 92.80B/76.70A      | 92.80B/76.70A              | ----                    | ----            | 77.10 - 5.30             | .2959 | ----          | 6                        | ----              | 278           | -                |      |
| 4455           | ----   | ----                   | ----            | 91.40B/75.50A      | 91.40B/75.50A              | ----                    | ----            | 75.90 - 5.30             | .2923 | ----          | ----                     | ----              | 7             | UNCH             |      |
| 4460           | ----   | ----                   | ----            | 90.10B/74.40A      | 90.10B/74.40A              | ----                    | ----            | 74.70 - 5.30             | .2886 | ----          | ----                     | ----              | 10            | UNCH             |      |
| 4465           | 77.00  | 77.00                  | ----            | 88.70B/73.20A      | 88.70B/73.20A              | ----                    | ----            | 73.50 - 5.30             | .2850 | ----          | 18                       | ----              | 19            | +                |      |
| 4470           | ----   | ----                   | ----            | 87.40B/72.10A      | 87.40B/72.10A              | ----                    | ----            | 72.40 - 5.20             | .2816 | ----          | ----                     | ----              | 13            | UNCH             |      |
| 4475           | ----   | ----                   | ----            | 86.20B/71.00A      | 86.20B/71.00A              | ----                    | ----            | 71.30 - 5.10             | .2781 | ----          | ----                     | ----              | 64            | UNCH             |      |
| 4480           | 76.50  | 76.50                  | ----            | 84.90B/69.90A      | 84.90B/69.90A              | ----                    | ----            | 70.20 - 5.10             | .2747 | ----          | 1                        | ----              | 114           | UNCH             |      |
| 4485           | ----   | ----                   | ----            | 83.60B/68.80A      | 83.60B/68.80A              | ----                    | ----            | 69.10 - 5.10             | .2713 | ----          | ----                     | ----              | 6             | UNCH             |      |
| 4490           | ----   | ----                   | ----            | 82.40B/67.70A      | 82.40B/67.70A              | ----                    | ----            | 68.00 - 5.00             | .2679 | ----          | 1                        | ----              | 11            | +                |      |
| 4495           | ----   | ----                   | ----            | 81.20B/66.70A      | 81.20B/66.70A              | ----                    | ----            | 67.00 - 5.00             | .2646 | ----          | 3                        | ----              | 3             | UNCH             |      |
| 4500           | 67.10  | 67.10                  | ----            | 80.00B/65.60A      | 80.00B/65.60A              | ----                    | ----            | 65.90 - 5.00             | .2612 | ----          | 135                      | ----              | 1429          | -                |      |
| 4505           | ----   | ----                   | ----            | 78.80B/64.70A      | 78.80B/64.70A              | ----                    | ----            | 64.90 - 4.90             | .2580 | ----          | 5                        | ----              | 5             | UNCH             |      |
| 4510           | ----   | ----                   | ----            | 77.70B/63.70A      | 77.70B/63.70A              | ----                    | ----            | 63.90 - 4.90             | .2547 | ----          | 1                        | ----              | 191           | +                |      |
| 4515           | ----   | ----                   | ----            | 76.50B/62.70A      | 76.50B/62.70A              | ----                    | ----            | 62.90 - 4.80             | .2515 | ----          | ----                     | ----              | 14            | UNCH             |      |
| 4520           | 62.70  | 62.70                  | ----            | 75.40B/61.70A      | 75.40B/61.70A              | ----                    | ----            | 62.00 - 4.70             | .2484 | ----          | 2                        | ----              | 102           | +                |      |
| 4525           | ----   | ----                   | ----            | 74.30B/60.70A      | 74.30B/60.70A              | ----                    | ----            | 61.00 - 4.70             | .2452 | ----          | ----                     | ----              | 3             | UNCH             |      |
| 4530           | ----   | ----                   | ----            | 73.20B/59.80A      | 73.20B/59.80A              | ----                    | ----            | 60.10 - 4.60             | .2422 | ----          | ----                     | ----              | 4             | UNCH             |      |
| 4535           | 61.50  | 61.50                  | ----            | 72.10B/58.90A      | 72.10B/58.90A              | ----                    | ----            | 59.10 - NEW              | .2390 | ----          | 1                        | ----              | 1             | +                |      |
| 4540           | ----   | ----                   | ----            | 71.00B/58.00A      | 71.00B/58.00A              | ----                    | ----            | 58.20 - 4.60             | .2360 | ----          | ----                     | ----              | 16            | UNCH             |      |
| 4545           | ----   | ----                   | ----            | 70.00B/57.10A      | 70.00B/57.10A              | ----                    | ----            | 57.30 - 4.60             | .2330 | ----          | 7                        | ----              | 8             | +                |      |
| 4550           | 61.10  | 61.10                  | ----            | 69.00B/56.20A      | 69.00B/56.20A              | ----                    | ----            | 56.40 - 4.50             | .2300 | ----          | 3                        | ----              | 94            | -                |      |
| 4555           | ----   | ----                   | ----            | 67.90B/55.30A      | 67.90B/55.30A              | ----                    | ----            | 55.50 - 4.50             | .2270 | ----          | ----                     | ----              | 36            | UNCH             |      |
| 4560           | ----   | ----                   | ----            | 66.90B/54.50A      | 66.90B/54.50A              | ----                    | ----            | 54.70 - 4.40             | .2242 | ----          | ----                     | ----              | 10            | UNCH             |      |
| 4565           | ----   | ----                   | ----            | 65.90B/53.60A      | 65.90B/53.60A              | ----                    | ----            | 53.80 - 4.50             | .2212 | ----          | ----                     | ----              | 2             | UNCH             |      |
| 4570           | 59.10  | 59.10                  | ----            | 65.00B/52.80A      | 65.00B/52.80A              | ----                    | ----            | 53.00 - 4.40             | .2184 | ----          | 3                        | ----              | 20            | +                |      |
| 4575           | ----   | ----                   | ----            | 64.00B/52.00A      | 64.00B/52.00A              | ----                    | ----            | 52.20 - 4.30             | .2156 | ----          | ----                     | ----              | 11            | UNCH             |      |
| 4580           | ----   | ----                   | ----            | 63.00B/51.20A      | 63.00B/51.20A              | ----                    | ----            | 51.40 - 4.30             | .2128 | ----          | ----                     | ----              | 1             | UNCH             |      |
| 4585           | ----   | ----                   | ----            | 62.10B/50.40A      | 62.10B/50.40A              | ----                    | ----            | 50.60 - 4.20             | .2101 | ----          | ----                     | ----              | 42            | UNCH             |      |
| 4590           | ----   | ----                   | ----            | 61.20B/49.60A      | 61.20B/49.60A              | ----                    | ----            | 49.80 - 4.20             | .2073 | ----          | ----                     | ----              | 1             | UNCH             |      |
| 4595           | ----   | ----                   | ----            | 60.30B/48.90A      | 60.30B/48.90A              | ----                    | ----            | 49.00 - 4.20             | .2046 | ----          | ----                     | ----              | 1             | UNCH             |      |
| 4600           | 49.10  | 49.10                  | ----            | 59.40B/48.10A      | 59.40B/48.10A              | ----                    | ----            | 48.30 - 4.10             | .2020 | ----          | 5                        | ----              | 1276          | UNCH             |      |
| 4605           | 48.50  | 48.50                  | ----            | 58.50B/47.40A      | 58.50B/47.40A              | ----                    | ----            | 47.50 - 4.10             | .1993 | ----          | 7                        | ----              | 9             | +                |      |
| 4610           | ----   | ----                   | ----            | 57.70B/46.70A      | 57.70B/46.70A              | ----                    | ----            | 46.80 - 4.10             | .1967 | ----          | ----                     | ----              | 1             | UNCH             |      |
| 4615           | 46.70  | 46.70                  | ----            | 56.80B/45.90A      | 56.80B/45.90A              | ----                    | ----            | 46.10 - 4.00             | .1942 | ----          | 2                        | ----              | 6             | +                |      |
| 4620           | ----   | ----                   | ----            | 56.00B/45.20A      | 56.00B/45.20A              | ----                    | ----            | 45.40 - 4.00             | .1917 | ----          | ----                     | ----              | 176           | UNCH             |      |
| 4625           | ----   | ----                   | ----            | 55.10B/44.50A      | 55.10B/44.50A              | ----                    | ----            | 44.70 - 3.90             | .1892 | ----          | ----                     | ----              | 111           | UNCH             |      |
| 4630           | ----   | ----                   | ----            | 54.30B/43.90A      | 54.30B/43.90A              | ----                    | ----            | 44.00 - 3.90             | .1867 | ----          | ----                     | ----              | 10            | UNCH             |      |
| 4635           | ----   | ----                   | ----            | 53.50B/43.20A      | 53.50B/43.20A              | ----                    | ----            | 43.30 - 3.90             | .1842 | ----          | ----                     | ----              | 25            | UNCH             |      |
| 4640           | 49.90  | 49.90                  | ----            | 52.70B/42.50A      | 52.70B/42.50A              | ----                    | ----            | 42.70 - 3.80             | .1819 | ----          | 3                        | ----              | 6             | +                |      |
| 4645           | ----   | ----                   | ----            | 51.90B/41.90A      | 51.90B/41.90A              | ----                    | ----            | 42.00 - 3.80             | .1794 | ----          | ----                     | ----              | 15            | UNCH             |      |
| 4650           | 50.50  | 50.50                  | ----            | 51.20B/41.20A      | 51.20B/41.20A              | ----                    | ----            | 41.40 - 3.70             | .1772 | ----          | 13                       | ----              | 116           | +                |      |
| 4655           | ----   | ----                   | ----            | 50.40B/40.60A      | 50.40B/40.60A              | ----                    | ----            | 40.70 - 3.80             | .1747 | ----          | ----                     | ----              | 5             | UNCH             |      |
| 4660           | ----   | ----                   | ----            | 49.70B/40.00A      | 49.70B/40.00A              | ----                    | ----            | 40.10 - 3.70             | .1724 | ----          | ----                     | ----              | 18            | UNCH             |      |
| 4665           | ----   | ----                   | ----            | 48.90B/39.40A      | 48.90B/39.40A              | ----                    | ----            | 39.50 - 3.70             | .1702 | ----          | ----                     | ----              | 4             | UNCH             |      |
| 4670           | ----   | ----                   | ----            | 48.20B/38.80A      | 48.20B/38.80A              | ----                    | ----            | 38.90 - 3.60             | .1679 | ----          | ----                     | ----              | 4             | UNCH             |      |
| 4675           | ----   | ----                   | ----            | 47.50B/38.20A      | 47.50B/38.20A              | ----                    | ----            | 38.30 - 3.60             | .1657 | ----          | ----                     | ----              | 9             | UNCH             |      |
| 4680           | ----   | ----                   | ----            | 46.80B/37.60A      | 46.80B/37.60A              | ----                    | ----            | 37.70 - 3.60             | .1635 | ----          | ----                     | ----              | 4             | UNCH             |      |
| 4685           | ----   | ----                   | ----            | 46.10B/37.10A      | 46.10B/37.10A              | ----                    | ----            | 37.20 - 3.50             | .1615 | ----          | ----                     | ----              | 18            | UNCH             |      |
| 4690           | ----   | ----                   | ----            | 45.40B/36.50A      | 45.40B/36.50A              | ----                    | ----            | 36.60 - 3.50             | .1593 | ----          | ----                     | 4                 | 3             | UNCH             |      |
| 4695           | 43.30  | 43.30                  | ----            | 44.80B/35.90A      | 44.80B/35.90A              | ----                    | ----            | 36.10 - 3.40             | .1573 | ----          | ----                     | 15                | 6             | +                |      |
| 4700           | 36.40  | 36.40                  | ----            | 44.10B/35.40       | 44.10B/35.40               | ----                    | ----            | 35.50 - 3.40             | .1551 | ----          | 3                        | ----              | 1186          | -                |      |
| 4705           | ----   | ----                   | ----            | 43.50B/34.90A      | 43.50B/34.90A              | ----                    | ----            | 35.00 - 3.40             | .1531 | ----          | ----                     | ----              | 2             | UNCH             |      |
| 4710           | ----   | ----                   | ----            | 42.80B/34.30A      | 42.80B/34.30A              | ----                    | ----            | 34.50 - 3.30             | .1512 | ----          | ----                     | ----              | 20            | UNCH             |      |
| 4715           | ----   | ----                   | ----            | 42.20B/33.80A      | 42.20B/33.80A              | ----                    | ----            | 33.90 - 3.30             | .1490 | ----          | ----                     | ----              | 14            | UNCH             |      |
| 4720           | ----   | ----                   | ----            | 41.60B/33.30A      | 41.60B/33.30A              | ----                    | ----            | 33.40 - 3.30             | .1471 | ----          | ----                     | ----              | 33            | UNCH             |      |
| 4725           | ----   | ----                   | ----            | 41.00B/32.80A      | 41.00B/32.80A              | ----                    | ----            | 32.90 - 3.30             | .1451 | ----          | ----                     | ----              | 63            | UNCH             |      |
| 4730           | ----   | ----                   | ----            | 40.40B/32.30A      | 40.40B/32.30A              | ----                    | ----            | 32.40 - 3.20             | .1432 | ----          | ----                     | ----              | 18            | UNCH             |      |
| 4735           | ----   | ----                   | ----            | 39.80B/31.90A      | 39.80B/31.90A              | ----                    | ----            | 32.00 - 3.10             | .1415 | ----          | ----                     | ----              | 12            | UNCH             |      |
| 4740           | ----   | ----                   | ----            | 39.20B/31.40A      | 39.20B/31.40A              | ----                    | ----            | 31.50 - 3.10             | .1396 | ----          | ----                     | ----              | 10            | UNCH             |      |
| 4745           | ----   | ----                   | ----            | 38.70B/30.90A      | 38.70B/30.90A              | ----                    | ----            | 31.00 - 3.10             | .1377 | ----          | ----                     | ----              | 8             | UNCH             |      |
| 4750           | ----   | ----                   | ----            | 38.10B/30.50A      | 38.10B/30.50A              | ----                    | ----            | 30.60 - 3.00             | .1360 | ----          | 2                        | ----              | 712           | +                |      |
| 4760           | 32.70  | 32.70                  | ----            | 37.00B/29.50A      | 37.00B/29.50A              | ----                    | ----            | 29.70 - 3.00             | .1324 | ----          | 5                        | ----              | 124           | UNCH             |      |
| 4765           | ----   | ----                   | ----            | 36.50B/29.10A      | 36.50B/29.10A              | ----                    | ----            | 29.20 - 3.00             | .1305 | ----          | ----                     | ----              | 13            | UNCH             |      |
| 4770           | ----   | ----                   | ----            | 35.90B/28.70A      | 35.90B/28.70A              | ----                    | ----            | 28.80 - 2.90             | .1289 | ----          | ----                     | ----              | 46            | UNCH             |      |
| 4775           | ----   | ----                   | ----            | 35.40B/28.30A      | 35.40B/28.30A              | ----                    |                 |                          |       |               |                          |                   |               |                  |      |



| BULLETIN #191@     |       |        |               |               |          |      |        |              |       | METALS OPTION PRODUCTS |        |         |        |        |          |      |  |  |  | Mon, Oct 05, 2026 |  | PG64 |
|--------------------|-------|--------|---------------|---------------|----------|------|--------|--------------|-------|------------------------|--------|---------|--------|--------|----------|------|--|--|--|-------------------|--|------|
| OG CALL            | OPEN  | OUTCRY | GLOBEX        | OPEN          | OUTCRY   | OPEN | OUTCRY | SETT.PRICE   | DELTA | EXER                   | OPEN   | GLOBEX® | PNT    |        |          | OPEN |  |  |  |                   |  |      |
| JAN27              | OPEN  | RANGE  | HIGH/LOW      | OPEN          | HIGH/LOW | OPEN | CLOSE  | & PT.CHGE.   |       | CISES                  | OUTCRY | VOLUME  | VOLUME | VOLUME | INTEREST |      |  |  |  |                   |  |      |
| COMEX GOLD OPTIONS |       |        |               |               |          |      |        |              |       |                        |        |         |        |        |          |      |  |  |  |                   |  |      |
| 5000               | ----  | ----   | 19.008/15.10A | 19.008/15.10A | ----     | ---- | ----   | 15.10 - 1.70 | .0712 | ----                   | ----   | 133     | ----   | ----   | 4290 -   | 101  |  |  |  |                   |  |      |
| 5005               | ----  | ----   | 18.708/14.90A | 18.708/14.90A | ----     | ---- | ----   | 14.90 - 1.70 | .0703 | ----                   | ----   | ----    | ----   | ----   | 15       | UNCH |  |  |  |                   |  |      |
| 5010               | ----  | ----   | 18.508/14.70A | 18.508/14.70A | ----     | ---- | ----   | 14.70 - 1.70 | .0694 | ----                   | ----   | ----    | ----   | ----   | 62       | UNCH |  |  |  |                   |  |      |
| 5015               | ----  | ----   | 18.208/14.50A | 18.208/14.50A | ----     | ---- | ----   | 14.50 - 1.70 | .0685 | ----                   | ----   | ----    | ----   | ----   | 9        | UNCH |  |  |  |                   |  |      |
| 5020               | ----  | ----   | 18.008/14.30A | 18.008/14.30A | ----     | ---- | ----   | 14.30 - 1.70 | .0677 | ----                   | ----   | ----    | ----   | ----   | 2        | UNCH |  |  |  |                   |  |      |
| 5025               | ----  | ----   | 17.808/14.20A | 17.808/14.20A | ----     | ---- | ----   | 14.20 - 1.60 | .0671 | ----                   | ----   | ----    | ----   | ----   | 9        | UNCH |  |  |  |                   |  |      |
| 5030               | ----  | ----   | 17.508/14.00A | 17.508/14.00A | ----     | ---- | ----   | 14.00 - 1.60 | .0662 | ----                   | ----   | ----    | ----   | ----   | 5        | UNCH |  |  |  |                   |  |      |
| 5035               | ----  | ----   | 17.308/13.80A | 17.308/13.80A | ----     | ---- | ----   | 13.80 - 1.60 | .0653 | ----                   | ----   | ----    | ----   | ----   | 29       | UNCH |  |  |  |                   |  |      |
| 5040               | ----  | ----   | 17.108/13.60A | 17.108/13.60A | ----     | ---- | ----   | 13.60 - 1.60 | .0645 | ----                   | ----   | ----    | ----   | ----   | 19       | UNCH |  |  |  |                   |  |      |
| 5045               | ----  | ----   | 16.908/13.50A | 16.908/13.50A | ----     | ---- | ----   | 13.50 - 1.50 | .0639 | ----                   | ----   | ----    | ----   | ----   | 3        | UNCH |  |  |  |                   |  |      |
| 5050               | ----  | ----   | 16.708/13.30A | 16.708/13.30A | ----     | ---- | ----   | 13.30 - 1.50 | .0631 | ----                   | ----   | 8       | ----   | ----   | 267      | UNCH |  |  |  |                   |  |      |
| 5055               | ----  | ----   | 16.508/13.10A | 16.508/13.10A | ----     | ---- | ----   | 13.10 - 1.50 | .0622 | ----                   | ----   | ----    | ----   | ----   | 18       | UNCH |  |  |  |                   |  |      |
| 5060               | 15.70 | 15.70  | 16.208/13.00A | 16.208/13.00A | ----     | ---- | ----   | 13.00 - 1.50 | .0617 | ----                   | ----   | 1       | ----   | ----   | 40       | UNCH |  |  |  |                   |  |      |
| 5065               | ----  | ----   | 16.008/12.80A | 16.008/12.80A | ----     | ---- | ----   | 12.80 - 1.50 | .0608 | ----                   | ----   | ----    | ----   | ----   | 2        | UNCH |  |  |  |                   |  |      |
| 5070               | ----  | ----   | 15.808/12.70A | 15.808/12.70A | ----     | ---- | ----   | 12.70 - 1.40 | .0603 | ----                   | ----   | ----    | ----   | ----   | 8        | UNCH |  |  |  |                   |  |      |
| 5075               | ----  | ----   | 15.608/12.50A | 15.608/12.50A | ----     | ---- | ----   | 12.50 - 1.40 | .0594 | ----                   | ----   | ----    | ----   | ----   | 9        | UNCH |  |  |  |                   |  |      |
| 5080               | ----  | ----   | 15.408/12.40A | 15.408/12.40A | ----     | ---- | ----   | 12.40 - 1.40 | .0589 | ----                   | ----   | ----    | ----   | ----   | 19       | UNCH |  |  |  |                   |  |      |
| 5085               | ----  | ----   | 15.308/12.20A | 15.308/12.20A | ----     | ---- | ----   | 12.20 - 1.40 | .0580 | ----                   | ----   | ----    | ----   | ----   | 33       | UNCH |  |  |  |                   |  |      |
| 5090               | ----  | ----   | 15.108/12.10A | 15.108/12.10A | ----     | ---- | ----   | 12.10 - 1.40 | .0575 | ----                   | ----   | ----    | ----   | ----   | 3        | UNCH |  |  |  |                   |  |      |
| 5095               | ----  | ----   | 14.908/11.90A | 14.908/11.90A | ----     | ---- | ----   | 11.90 - 1.40 | .0567 | ----                   | ----   | ----    | ----   | ----   | 3        | UNCH |  |  |  |                   |  |      |
| 5100               | ----  | ----   | 14.708/11.80A | 14.708/11.80A | ----     | ---- | ----   | 11.80 - 1.30 | .0561 | ----                   | ----   | 8       | ----   | ----   | 361 +    | 8    |  |  |  |                   |  |      |
| 5105               | ----  | ----   | 14.508/11.70A | 14.508/11.70A | ----     | ---- | ----   | 11.60 - 1.40 | .0553 | ----                   | ----   | ----    | ----   | ----   | 27       | UNCH |  |  |  |                   |  |      |
| 5110               | ----  | ----   | 14.308/11.50A | 14.308/11.50A | ----     | ---- | ----   | 11.50 - 1.30 | .0548 | ----                   | ----   | ----    | ----   | ----   | 2        | UNCH |  |  |  |                   |  |      |
| 5115               | ----  | ----   | 14.208/11.40A | 14.208/11.40A | ----     | ---- | ----   | 11.40 - 1.30 | .0543 | ----                   | ----   | ----    | ----   | ----   | 19       | UNCH |  |  |  |                   |  |      |
| 5120               | ----  | ----   | 14.008/11.30A | 14.008/11.30A | ----     | ---- | ----   | 11.20 - 1.30 | .0534 | ----                   | ----   | ----    | ----   | ----   | 13       | UNCH |  |  |  |                   |  |      |
| 5125               | ----  | ----   | 13.808/11.10A | 13.808/11.10A | ----     | ---- | ----   | 11.10 - 1.30 | .0529 | ----                   | ----   | ----    | ----   | ----   | 44       | UNCH |  |  |  |                   |  |      |
| 5130               | ----  | ----   | 13.708/11.00A | 13.708/11.00A | ----     | ---- | ----   | 11.00 - 1.20 | .0524 | ----                   | ----   | ----    | ----   | ----   | 20       | UNCH |  |  |  |                   |  |      |
| 5135               | ----  | ----   | 13.508/10.90A | 13.508/10.90A | ----     | ---- | ----   | 10.90 - 1.20 | .0519 | ----                   | ----   | ----    | ----   | ----   | 52       | UNCH |  |  |  |                   |  |      |
| 5140               | ----  | ----   | 13.308/10.80A | 13.308/10.80A | ----     | ---- | ----   | 10.70 - 1.30 | .0511 | ----                   | ----   | ----    | ----   | ----   | 29       | UNCH |  |  |  |                   |  |      |
| 5145               | ----  | ----   | 13.208/10.70A | 13.208/10.70A | ----     | ---- | ----   | 10.60 - 1.20 | .0506 | ----                   | ----   | ----    | ----   | ----   | 24       | UNCH |  |  |  |                   |  |      |
| 5150               | ----  | ----   | 13.008/10.50A | 13.008/10.50A | ----     | ---- | ----   | 10.50 - 1.20 | .0501 | ----                   | ----   | 8       | ----   | ----   | 262 +    | 8    |  |  |  |                   |  |      |
| 5155               | 10.50 | 10.50  | 12.908/10.40A | 12.908/10.40A | ----     | ---- | ----   | 10.40 - 1.20 | .0496 | ----                   | ----   | 2       | ----   | ----   | 24       | +    |  |  |  |                   |  |      |
| 5160               | ----  | ----   | 12.708/10.30A | 12.708/10.30A | ----     | ---- | ----   | 10.30 - 1.10 | .0491 | ----                   | ----   | ----    | ----   | ----   | 17       | UNCH |  |  |  |                   |  |      |
| 5165               | 10.30 | 10.30  | 12.608/10.20A | 12.608/10.20A | ----     | ---- | ----   | 10.20 - 1.10 | .0486 | ----                   | ----   | 6       | ----   | ----   | 11       | +    |  |  |  |                   |  |      |
| 5170               | ----  | ----   | 12.408/10.10A | 12.408/10.10A | ----     | ---- | ----   | 10.00 - 1.20 | .0478 | ----                   | ----   | ----    | ----   | ----   | 14       | UNCH |  |  |  |                   |  |      |
| 5175               | 10.30 | 10.30  | 12.308/10.00A | 12.308/10.00A | ----     | ---- | ----   | 9.90 - 1.10  | .0473 | ----                   | ----   | 1       | ----   | ----   | 235      | UNCH |  |  |  |                   |  |      |
| 5180               | ----  | ----   | 12.108/9.90A  | 12.108/9.90A  | ----     | ---- | ----   | 9.80 - 1.10  | .0468 | ----                   | ----   | ----    | ----   | ----   | 14       | UNCH |  |  |  |                   |  |      |
| 5185               | ----  | ----   | 12.008/9.80A  | 12.008/9.80A  | ----     | ---- | ----   | 9.70 - 1.10  | .0463 | ----                   | ----   | ----    | ----   | ----   | 9        | UNCH |  |  |  |                   |  |      |
| 5190               | ----  | ----   | 11.908/9.70A  | 11.908/9.70A  | ----     | ---- | ----   | 9.60 - 1.10  | .0458 | ----                   | ----   | ----    | ----   | ----   | 3        | UNCH |  |  |  |                   |  |      |
| 5195               | ----  | ----   | 11.708/9.60A  | 11.708/9.60A  | ----     | ---- | ----   | 9.50 - 1.10  | .0454 | ----                   | ----   | ----    | ----   | ----   | 5        | UNCH |  |  |  |                   |  |      |
| 5200               | 11.00 | 11.00  | 11.608/9.50A  | 11.608/9.50A  | ----     | ---- | ----   | 9.40 - 1.10  | .0449 | ----                   | ----   | 1       | ----   | ----   | 936      | UNCH |  |  |  |                   |  |      |
| 5205               | 9.60  | 9.60   | 11.508/9.40A  | 11.508/9.40A  | ----     | ---- | ----   | 9.30 - 1.00  | .0444 | ----                   | ----   | 4       | ----   | ----   | 29       | +    |  |  |  |                   |  |      |
| 5210               | ----  | ----   | 11.308/9.30A  | 11.308/9.30A  | ----     | ---- | ----   | 9.20 - 1.00  | .0439 | ----                   | ----   | ----    | ----   | ----   | 16       | UNCH |  |  |  |                   |  |      |
| 5215               | ----  | ----   | 11.208/9.20A  | 11.208/9.20A  | ----     | ---- | ----   | 9.10 - 1.00  | .0435 | ----                   | ----   | ----    | ----   | ----   | 20       | UNCH |  |  |  |                   |  |      |
| 5220               | ----  | ----   | 11.108/9.10A  | 11.108/9.10A  | ----     | ---- | ----   | 9.00 - 1.00  | .0430 | ----                   | ----   | ----    | ----   | ----   | 12       | UNCH |  |  |  |                   |  |      |
| 5225               | ----  | ----   | 11.008/9.00A  | 11.008/9.00A  | ----     | ---- | ----   | 8.90 - 1.00  | .0425 | ----                   | ----   | ----    | ----   | ----   | 108      | UNCH |  |  |  |                   |  |      |
| 5230               | ----  | ----   | 10.808/8.90A  | 10.808/8.90A  | ----     | ---- | ----   | 8.80 - 1.00  | .0421 | ----                   | ----   | ----    | ----   | ----   | 7        | UNCH |  |  |  |                   |  |      |
| 5235               | ----  | ----   | 10.708/8.80A  | 10.708/8.80A  | ----     | ---- | ----   | 8.70 - 1.00  | .0416 | ----                   | ----   | ----    | ----   | ----   | 64       | UNCH |  |  |  |                   |  |      |
| 5240               | ----  | ----   | 10.608/8.70A  | 10.608/8.70A  | ----     | ---- | ----   | 8.60 - 1.00  | .0411 | ----                   | ----   | ----    | ----   | ----   | 5        | UNCH |  |  |  |                   |  |      |
| 5245               | ----  | ----   | 10.508/8.60A  | 10.508/8.60A  | ----     | ---- | ----   | 8.60 - 0.90  | .0410 | ----                   | ----   | ----    | ----   | ----   | 15       | UNCH |  |  |  |                   |  |      |
| 5250               | 8.60  | 8.60   | 10.408/8.50A  | 10.408/8.50A  | ----     | ---- | ----   | 8.50 - 0.90  | .0405 | ----                   | ----   | 2       | ----   | ----   | 855 +    | 1    |  |  |  |                   |  |      |
| 5255               | ----  | ----   | 10.308/8.50A  | 10.308/8.50A  | ----     | ---- | ----   | 8.40 - 0.90  | .0401 | ----                   | ----   | ----    | ----   | ----   | 2        | UNCH |  |  |  |                   |  |      |
| 5260               | ----  | ----   | 10.208/8.40A  | 10.208/8.40A  | ----     | ---- | ----   | 8.30 - 0.90  | .0396 | ----                   | ----   | ----    | ----   | ----   | 25       | UNCH |  |  |  |                   |  |      |
| 5270               | ----  | ----   | 10.008/8.20A  | 10.008/8.20A  | ----     | ---- | ----   | 8.10 - 0.90  | .0387 | ----                   | ----   | ----    | ----   | ----   | 26       | UNCH |  |  |  |                   |  |      |
| 5275               | ----  | ----   | 9.808/8.10A   | 9.808/8.10A   | ----     | ---- | ----   | 8.10 - 0.80  | .0386 | ----                   | ----   | ----    | ----   | ----   | 18       | UNCH |  |  |  |                   |  |      |
| 5280               | ----  | ----   | 9.708/8.00A   | 9.708/8.00A   | ----     | ---- | ----   | 8.00 - 0.80  | .0381 | ----                   | ----   | ----    | ----   | ----   | 29       | UNCH |  |  |  |                   |  |      |
| 5285               | ----  | ----   | 9.608/8.00A   | 9.608/8.00A   | ----     | ---- | ----   | 7.90 - 0.80  | .0377 | ----                   | ----   | ----    | ----   | ----   | 13       | UNCH |  |  |  |                   |  |      |
| 5290               | ----  | ----   | 9.608/7.90A   | 9.608/7.90A   | ----     | ---- | ----   | 7.80 - 0.80  | .0372 | ----                   | ----   | ----    | ----   | ----   | 36       | UNCH |  |  |  |                   |  |      |
| 5300               | ----  | ----   | 9.408/7.70A   | 9.408/7.70A   | ----     | ---- | ----   | 7.70 - 0.80  | .0367 | ----                   | ----   | 2       | ----   | ----   | 790      | UNCH |  |  |  |                   |  |      |
| 5305               | ----  | ----   | 9.208/7.70A   | 9.208/7.70A   | ----     | ---- | ----   | 7.60 - 0.80  | .0362 | ----                   | ----   | ----    | ----   | ----   | 33       | UNCH |  |  |  |                   |  |      |
| 5310               | ----  | ----   | 9.108/7.60A   | 9.108/7.60A   | ----     | ---- | ----   | 7.50 - 0.80  | .0358 | ----                   | ----   | ----    | ----   | ----   | 15       | UNCH |  |  |  |                   |  |      |
| 5320               | ----  | ----   | 9.008/7.50A   | 9.008/7.50A   | ----     | ---- | ----   | 7.40 - 0.80  | .0352 | ----                   | ----   | ----    | ----   | ----   | 6        | UNCH |  |  |  |                   |  |      |
| 5325               | ----  | ----   | 8.908/7.40A   | 8.908/7.40A   | ----     | ---- | ----   | 7.30 - 0.80  | .0348 | ----                   | ----   | ----    | ----   | ----   | 29       | UNCH |  |  |  |                   |  |      |
| 5330               | ----  | ----   | 8.808/7.30A   | 8.808/7.30A   | ----     | ---- | ----   | 7.20 - 0.80  | .0343 | ----                   | ----   | ----    | ----   | ----   | 2        | UNCH |  |  |  |                   |  |      |
| 5340               | ----  | ----   | 8.608/7.20A   | 8.608/7.20A   | ----     | ---- | ----   | 7.10 - 0.80  | .0338 | ----                   | ----   | ----    | ----   | ----   | 2        | UNCH |  |  |  |                   |  |      |
| 5345               | ----  | ----   | 8.508/7.10A   | 8.508/7.10A   | ----     | ---- | ----   | 7.00 - 0.80  | .0333 | ----                   | ----   | ----    | ----   | ----   | 10       | UNCH |  |  |  |                   |  |      |
| 5350               | ----  | ----   | 8.508/7.10A   | 8.508/7.10A   | ----     | ---- | ----   | 7.00 - 0.70  | .0333 | ----                   | ----   | 2       | ----   | ----   | 2419 +   | 2    |  |  |  |                   |  |      |
| 5355               | ----  | ----   | 8.408/7.00A   | 8.408/7.00A   | ----     | ---- | ----   | 6.90 - 0.70  | .0328 | ----                   | ----   | ----    | ----   | ----   | 12       | UNCH |  |  |  |                   |  |      |
| 5360               | ----  | ----   | 8.308/6.90A   | 8.308/6.90A   | ----     | ---- | ----   | 6.90 - 0.70  | .0327 | ----                   | ----   | ----    | ----   | ----   | 2        | UNCH |  |  |  |                   |  |      |
| 5365               | ----  | ----   | 8.208/6.90A   | 8.208/6.90A   | ----     | ---- | ----   | 6.80 - 0.70  | .0323 | ----                   | ----   | ----    | ----   | ----   | 13       | UNCH |  |  |  |                   |  |      |
| 5370               | ----  | ----   | 8.108/6.80A   | 8.108/6.80A   | ----     | ---- | ----   | 6.70 - 0.70  | .0319 | ----                   | ----   | ----    | ----   | ----   | 13       | UNCH |  |  |  |                   |  |      |
| 5375               | ----  | ----   | 8.008/6.80A   | 8.008/6.80A   | ----     | ---- | ----   | 6.70 - 0.70  | .0318 | ----                   | ----   | ----    | ----   | ----   | 3        | UNCH |  |  |  |                   |  |      |
| 5380               | ----  | ----   | 8.008/6.70A   | 8.008/6.70A   | ----     | ---- | ----   | 6.60 - 0.70  | .0313 | ----                   | ----   | ----    | ----   | ----   | 3        | UNCH |  |  |  |                   |  |      |
| 5385               | ----  | ----   | 7.908/6.60A   | 7.908/6.60A   | ----     | ---- | ----   | 6.60 - 0.60  | .0313 | ----                   | ----   | ----    | ----   | ----   | 22       | UNCH |  |  |  |                   |  |      |
| 5390               | ----  | ----   | 7.808/6.60A   | 7.808/6.60A   | ----     | ---- | ----   | 6.50 - 0.70  | .0308 | ----                   | ----   | ----    | ----   | ----   | 5        | UNCH |  |  |  |                   |  |      |
| 5395               | ----  | ----   | 7.708/6.50A   | 7.708/6.50A   | ----     | ---- | ----   | 6.40 - 0.70  | .0304 | ----                   | ----   | ----    | ----   | ----   | 10       | UNCH |  |  |  |                   |  |      |
| 5400               | ----  | ----   | 7.708/6.50A   | 7.708/6.50A   | ----     | ---- | ----   | 6.40 - 0.60  | .0303 | ----                   | ----   | ----    | ----   | ----   | 461      | UNCH |  |  |  |                   |  |      |
| 5410               | ----  | ----   | 7.508/6.40A   | 7.508/6.40A   | ----     | ---- | ----   | 6.30 - 0.60  | .0298 | ----                   | ----   | ----    | ----   | ----   | 23       | UNCH |  |  |  |                   |  |      |
| 5420               | ----  | ----   | 7.408/6.30A   | 7.408/6.30A   | ----     | ---- | ----   | 6.20 - 0.60  | .0293 | ----                   | ----   | ----    | ----   | ----   | 2        | UNCH |  |  |  |                   |  |      |
| 5425               | ----  | ----   | 7.308/6.20A   | 7.308/6.20A   | ----     | ---- | ----   | 6.10 - 0.60  | .0289 | ----                   | ----   | ----    | ----   | ----   | 7        | UNCH |  |  |  |                   |  |      |
| 5430               | ----  | ----   | 7.308/6.20A   | 7.308/6.20A   | ----     | ---- | ----   | 6.10 - 0.60  | .0288 | ----                   | ----   | ----    | ----   | ----   | 17       | UNCH |  |  |  |                   |  |      |
| 5440               | ----  | ----   | 7.108/6.10A   | 7.108/6.10A   | ----     | ---- | ----   | 6.00 - 0.60  | .0283 | ----                   | ----   | ----    | ----   | ----   |          |      |  |  |  |                   |  |      |

| BULLETIN #191@ |                    |                           | METALS OPTION PRODUCTS |                         |                            |                           |       |               |                          |                   |               |                  | Mon, Oct 05, 2026 |  |  | PG64 |  |
|----------------|--------------------|---------------------------|------------------------|-------------------------|----------------------------|---------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|-------------------|--|--|------|--|
|                | GLOBEX<br>OPEN     | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW     | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETTL.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |                   |  |  |      |  |
| OG CALL        | COMEX GOLD OPTIONS |                           |                        |                         |                            |                           |       |               |                          |                   |               |                  |                   |  |  |      |  |
| JAN27          |                    |                           |                        |                         |                            |                           |       |               |                          |                   |               |                  |                   |  |  |      |  |
| 6000           | 3.00               | 3.00                      | 3.40B/3.00             | 3.40B/3.00              | ----                       | 3.00 - 0.30               | .0131 | ----          | ----                     | 8                 | ----          | 932 +            | 7                 |  |  |      |  |
| 6025           | ----               | ----                      | 3.30B/3.00A            | 3.30B/3.00A             | ----                       | 2.90 - 0.30               | .0126 | ----          | ----                     | ----              | ----          | 253              | UNCH              |  |  |      |  |
| 6100           | ----               | ----                      | 3.10B/2.80A            | 3.10B/2.80A             | ----                       | 2.80 - 0.20               | .0120 | ----          | ----                     | ----              | ----          | 11               | UNCH              |  |  |      |  |
| 6250           | ----               | ----                      | 2.80B/2.50A            | 2.80B/2.50A             | ----                       | 2.50 - 0.20               | .0104 | ----          | ----                     | ----              | ----          | 90               | UNCH              |  |  |      |  |
| 6300           | ----               | ----                      | 2.70B/2.50A            | 2.70B/2.50A             | ----                       | 2.40 - 0.20               | .0100 | ----          | ----                     | ----              | ----          | 567              | UNCH              |  |  |      |  |
| 6400           | ----               | ----                      | 2.50B/2.30A            | 2.50B/2.30A             | ----                       | 2.20 - 0.20               | .0090 | ----          | ----                     | ----              | ----          | 14               | UNCH              |  |  |      |  |
| 6500           | ----               | ----                      | ----/2.20A             | 2.30B/2.20A             | ----                       | 2.10 - 0.20               | .0084 | ----          | ----                     | ----              | ----          | 1336             | UNCH              |  |  |      |  |
| 6600           | 2.20               | 2.20                      | 2.20/2.10A             | 2.20/2.10A              | ----                       | 2.00 - 0.20               | .0079 | ----          | ----                     | 1                 | ----          | 8 +              | 1                 |  |  |      |  |
| 7000           | 1.80               | 1.80                      | 1.80/1.70A             | 1.80/1.70A              | ----                       | 1.60 - 0.20               | .0060 | ----          | ----                     | 10                | ----          | 153 +            | 3                 |  |  |      |  |
| 7200           | ----               | ----                      | ----                   | 1.60B/1.60A             | ----                       | 1.40 - 0.20               | .0051 | ----          | ----                     | ----              | ----          | 1                | UNCH              |  |  |      |  |
| 7700           | ----               | ----                      | ----                   | 1.20B/1.30A             | ----                       | 1.10 - 0.20               | .0038 | ----          | ----                     | ----              | ----          | 257              | UNCH              |  |  |      |  |
| 7800           | ----               | ----                      | ----                   | 1.20B/1.20A             | ----                       | 1.00 - 0.20               | .0035 | ----          | ----                     | ----              | ----          | 271              | UNCH              |  |  |      |  |
| 7900           | ----               | ----                      | ----                   | 1.10B/1.20A             | ----                       | 1.00 - 0.20               | .0034 | ----          | ----                     | ----              | ----          | 12               | UNCH              |  |  |      |  |
| 8000           | ----               | ----                      | ----                   | 1.00B/1.10A             | ----                       | 1.00 - 0.10               | .0034 | ----          | ----                     | ----              | ----          | 8                | UNCH              |  |  |      |  |
| 9000           | 0.70               | 0.70                      | 0.70/0.70              | 0.70/0.70               | ----                       | 0.70 UNCH                 | .0022 | ----          | ----                     | 1                 | ----          | 569 +            | 1                 |  |  |      |  |
| 10000          | 0.50               | 0.50                      | 0.60B/0.50             | 0.60B/0.50              | ----                       | 0.50 UNCH                 | .0015 | ----          | ----                     | 10                | ----          | 222 +            | 10                |  |  |      |  |
| 20000          | 0.20               | 0.20                      | 0.20/0.20              | 0.20/0.20               | ----                       | 0.10 UNCH                 | .0002 | ----          | ----                     | 1                 | ----          | 269 +            | 1                 |  |  |      |  |
| TOTAL          |                    |                           |                        |                         |                            |                           |       |               |                          | 654               | 25            | 41090 +          | 78                |  |  |      |  |
| FEB27          |                    |                           |                        |                         |                            |                           |       |               |                          |                   |               |                  |                   |  |  |      |  |
| 3500           | ----               | ----                      | ----                   | 699.50B/734.80A         | ----                       | 707.30 - 6.80             | .9207 | ----          | ----                     | ----              | ----          | 2                | UNCH              |  |  |      |  |
| 3855           | ----               | ----                      | 434.80B/399.90A        | 434.80B/399.90A         | ----                       | 402.50 - 7.80             | .7745 | ----          | ----                     | ----              | ----          | 1                | UNCH              |  |  |      |  |
| 3860           | ----               | ----                      | 431.00B/396.10A        | 431.00B/396.10A         | ----                       | 398.70 - 7.80             | .7714 | ----          | ----                     | ----              | ----          | 1                | UNCH              |  |  |      |  |
| 3900           | ----               | ----                      | 401.20B/366.50A        | 401.20B/366.50A         | ----                       | 369.00 - NEW              | .7459 | ----          | 4                        | ----              | 4 +           | 4                |                   |  |  |      |  |
| 3950           | ----               | ----                      | 364.40B/331.40A        | 364.40B/331.40A         | ----                       | 333.60 - 7.80             | .7117 | ----          | ----                     | ----              | ----          | 1                | UNCH              |  |  |      |  |
| 4000           | ----               | ----                      | 329.60B/298.30A        | 329.60B/298.30A         | ----                       | 300.20 - 7.80             | .6751 | ----          | ----                     | ----              | ----          | 9                | UNCH              |  |  |      |  |
| 4010           | ----               | ----                      | 322.90B/292.00A        | 322.90B/292.00A         | ----                       | 293.80 - 7.80             | .6675 | ----          | ----                     | ----              | ----          | 1                | UNCH              |  |  |      |  |
| 4100           | ----               | ----                      | 267.70B/238.30A        | 267.70B/238.30A         | ----                       | 240.20 - 7.50             | .5965 | ----          | ----                     | ----              | ----          | 211              | UNCH              |  |  |      |  |
| 4140           | ----               | ----                      | 245.70B/217.20A        | 245.70B/217.20A         | ----                       | 218.70 - 7.30             | .5638 | ----          | ----                     | ----              | ----          | 2                | UNCH              |  |  |      |  |
| 4150           | ----               | ----                      | 240.30B/212.20A        | 240.30B/212.20A         | ----                       | 213.60 - 7.30             | .5556 | ----          | ----                     | ----              | ----          | 103              | UNCH              |  |  |      |  |
| 4165           | ----               | ----                      | 232.30B/204.90A        | 232.30B/204.90A         | ----                       | 206.10 - 7.20             | .5432 | ----          | ----                     | ----              | ----          | 2                | UNCH              |  |  |      |  |
| 4170           | ----               | ----                      | 229.70B/202.40A        | 229.70B/202.40A         | ----                       | 203.60 - 7.20             | .5391 | ----          | ----                     | ----              | ----          | 20               | UNCH              |  |  |      |  |
| 4175           | 201.80             | 201.80                    | 227.10B/200.00A        | 227.10B/200.00A         | ----                       | 201.20 - 7.10             | .5350 | ----          | 2                        | ----              | 3 +           | 2                |                   |  |  |      |  |
| 4185           | ----               | ----                      | 222.00B/195.20A        | 222.00B/195.20A         | ----                       | 196.40 - 7.10             | .5267 | ----          | ----                     | ----              | ----          | 6                | UNCH              |  |  |      |  |
| 4190           | 196.10             | 196.10                    | 219.40B/192.90A        | 219.40B/192.90A         | ----                       | 194.10 - 7.00             | .5226 | ----          | 1                        | ----              | 2 +           | 1                |                   |  |  |      |  |
| 4195           | 197.10             | 197.10                    | 216.90B/190.60A        | 216.90B/190.60A         | ----                       | 191.70 - NEW              | .5185 | ----          | 2                        | ----              | 0             | UNCH             |                   |  |  |      |  |
| 4200           | 194.30             | 194.30                    | 214.50B/188.30A        | 214.50B/188.30A         | ----                       | 189.40 - 7.00             | .5144 | ----          | 9                        | ----              | 257 +         | 5                |                   |  |  |      |  |
| 4205           | 196.10             | 196.10                    | 212.00B/186.10A        | 212.00B/186.10A         | ----                       | 187.10 - 6.90             | .5103 | ----          | 4                        | ----              | 15 +          | 3                |                   |  |  |      |  |
| 4210           | 194.10             | 194.10                    | 209.60B/183.80A        | 209.60B/183.80A         | ----                       | 184.90 - 6.90             | .5062 | ----          | 7                        | ----              | 9 +           | 1                |                   |  |  |      |  |
| 4215           | 183.80             | 183.80                    | 207.10B/181.60A        | 207.10B/181.60A         | ----                       | 182.60 - 6.90             | .5022 | ----          | 6                        | ----              | 39 +          | 6                |                   |  |  |      |  |
| 4220           | 186.70             | 186.70                    | 204.70B/179.40A        | 204.70B/179.40A         | ----                       | 180.40 - 6.80             | .4981 | ----          | 6                        | ----              | 46 +          | 4                |                   |  |  |      |  |
| 4225           | 186.10             | 186.10                    | 202.40B/177.20A        | 202.40B/177.20A         | ----                       | 178.20 - 6.80             | .4940 | ----          | 3                        | ----              | 25 +          | 3                |                   |  |  |      |  |
| 4230           | ----               | ----                      | 200.00B/175.10A        | 200.00B/175.10A         | ----                       | 176.00 - 6.80             | .4899 | ----          | ----                     | ----              | ----          | 38               | UNCH              |  |  |      |  |
| 4235           | 197.10             | 197.10                    | 197.70B/173.00A        | 197.70B/173.00A         | ----                       | 173.90 - 6.70             | .4859 | ----          | 1                        | ----              | 21 -          | 1                |                   |  |  |      |  |
| 4240           | ----               | ----                      | 195.40B/170.90A        | 195.40B/170.90A         | ----                       | 171.70 - 6.70             | .4818 | ----          | ----                     | ----              | ----          | 9                | UNCH              |  |  |      |  |
| 4245           | ----               | ----                      | 193.10B/168.80A        | 193.10B/168.80A         | ----                       | 169.60 - 6.70             | .4778 | ----          | ----                     | ----              | ----          | 14               | UNCH              |  |  |      |  |
| 4250           | 179.40             | 179.40                    | 190.80B/166.70A        | 190.80B/166.70A         | ----                       | 167.50 - 6.70             | .4738 | ----          | 29                       | ----              | 178 -         | 10               |                   |  |  |      |  |
| 4255           | ----               | ----                      | 188.50B/164.60A        | 188.50B/164.60A         | ----                       | 165.50 - 6.60             | .4698 | ----          | ----                     | ----              | ----          | 133              | UNCH              |  |  |      |  |
| 4260           | ----               | ----                      | 186.40B/162.60A        | 186.40B/162.60A         | ----                       | 163.40 - 6.60             | .4658 | ----          | ----                     | ----              | ----          | 29               | UNCH              |  |  |      |  |
| 4265           | ----               | ----                      | 184.20B/160.60A        | 184.20B/160.60A         | ----                       | 161.40 - 6.60             | .4618 | ----          | ----                     | ----              | ----          | 78               | UNCH              |  |  |      |  |
| 4270           | ----               | ----                      | 182.00B/158.60A        | 182.00B/158.60A         | ----                       | 159.40 - 6.50             | .4578 | ----          | ----                     | ----              | ----          | 13               | UNCH              |  |  |      |  |
| 4275           | ----               | ----                      | 179.90B/156.60A        | 179.90B/156.60A         | ----                       | 157.40 - 6.50             | .4539 | ----          | ----                     | ----              | ----          | 17               | UNCH              |  |  |      |  |
| 4280           | ----               | ----                      | 177.70B/154.70A        | 177.70B/154.70A         | ----                       | 155.50 - 6.40             | .4500 | ----          | ----                     | ----              | ----          | 35               | UNCH              |  |  |      |  |
| 4285           | ----               | ----                      | 175.60B/152.70A        | 175.60B/152.70A         | ----                       | 153.60 - 6.30             | .4460 | ----          | ----                     | ----              | ----          | 50               | UNCH              |  |  |      |  |
| 4290           | ----               | ----                      | 173.50B/150.80A        | 173.50B/150.80A         | ----                       | 151.60 - 6.40             | .4421 | ----          | ----                     | ----              | ----          | 8                | UNCH              |  |  |      |  |
| 4295           | ----               | ----                      | 171.50B/148.90A        | 171.50B/148.90A         | ----                       | 149.70 - 6.40             | .4382 | ----          | ----                     | ----              | ----          | 10               | UNCH              |  |  |      |  |
| 4300           | ----               | ----                      | 169.40B/147.10A        | 169.40B/147.10A         | ----                       | 147.90 - 6.30             | .4343 | ----          | 7                        | ----              | 431           | UNCH             |                   |  |  |      |  |
| 4310           | 150.60             | 150.60                    | 165.40B/143.40A        | 165.40B/143.40A         | ----                       | 144.20 - 6.20             | .4266 | ----          | 2                        | ----              | 27            | UNCH             |                   |  |  |      |  |
| 4315           | 154.50             | 154.50                    | 163.40B/141.60A        | 163.40B/141.60A         | ----                       | 142.40 - 6.20             | .4228 | ----          | 1                        | ----              | 2 +           | 1                |                   |  |  |      |  |
| 4325           | 144.90             | 144.90                    | 159.50B/138.10A        | 159.50B/138.10A         | ----                       | 138.80 - 6.10             | .4151 | ----          | 15                       | ----              | 62 +          | 11               |                   |  |  |      |  |
| 4335           | 141.30             | 141.30                    | 155.70B/134.60A        | 155.70B/134.60A         | ----                       | 135.30 - 6.10             | .4075 | ----          | 1                        | ----              | 20 +          | 1                |                   |  |  |      |  |
| 4340           | ----               | ----                      | 153.80B/132.90A        | 153.80B/132.90A         | ----                       | 133.60 - 6.00             | .4038 | ----          | ----                     | ----              | ----          | 19               | UNCH              |  |  |      |  |
| 4345           | ----               | ----                      | 151.90B/131.20A        | 151.90B/131.20A         | ----                       | 131.90 - 6.00             | .4000 | ----          | ----                     | ----              | ----          | 2                | UNCH              |  |  |      |  |
| 4350           | 136.10             | 136.10                    | 150.10B/129.50A        | 150.10B/129.50A         | ----                       | 130.20 - 6.00             | .3963 | ----          | 1                        | ----              | 28 -          | 1                |                   |  |  |      |  |
| 4355           | ----               | ----                      | 148.30B/127.90A        | 148.30B/127.90A         | ----                       | 128.60 - 5.90             | .3926 | ----          | ----                     | ----              | ----          | 1                | UNCH              |  |  |      |  |
| 4360           | ----               | ----                      | 146.40B/126.30A        | 146.40B/126.30A         | ----                       | 126.90 - 5.90             | .3889 | ----          | ----                     | ----              | ----          | 14               | UNCH              |  |  |      |  |
| 4365           | ----               | ----                      | 144.70B/124.70A        | 144.70B/124.70A         | ----                       | 125.30 - 5.90             | .3853 | ----          | ----                     | ----              | ----          | 12               | UNCH              |  |  |      |  |
| 4370           | ----               | ----                      | 142.90B/123.10A        | 142.90B/123.10A         | ----                       | 123.70 - 5.80             | .3816 | ----          | ----                     | ----              | ----          | 39               | UNCH              |  |  |      |  |
| 4375           | ----               | ----                      | 141.10B/121.50A        | 141.10B/121.50A         | ----                       | 122.10 - 5.80             | .3780 | ----          | ----                     | ----              | ----          | 37               | UNCH              |  |  |      |  |
| 4380           | ----               | ----                      | 139.40B/120.00A        | 139.40B/120.00A         | ----                       | 120.60 - 5.70             | .3744 | ----          | ----                     | ----              | ----          | 30               | UNCH              |  |  |      |  |
| 4385           | ----               | ----                      | 137.70B/118.40A        | 137.70B/118.40A         | ----                       | 119.00 - 5.70             | .3708 | ----          | ----                     | ----              | ----          | 243              | UNCH              |  |  |      |  |
| 4390           | ----               | ----                      | 136.00B/116.90A        | 136.00B/116.90A         | ----                       | 117.50 - 5.70             | .3673 | ----          | ----                     | ----              | ----          | 9                | UNCH              |  |  |      |  |
| 4395           | 126.70             | 126.70                    | 134.20B/115.40A        | 134.20B/115.40A         | ----                       | 116.00 - 5.60             |       |               |                          |                   |               |                  |                   |  |  |      |  |

| GLOBEX<br>OPEN |       | OPEN<br>OPEN       | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
|----------------|-------|--------------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
| OG CALL        |       | COMEX GOLD OPTIONS |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |      |
| FEB27          |       |                    |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |      |
| 4740           | ----  | ----               | ----            | 56.50B/47.20A      | 56.50B/47.20A    | ----               | ----          | ----            | 47.30 - 3.40             | .1757 | ----          | ----                     | ----              | ----          | 19               | UNCH |
| 4745           | ----  | ----               | ----            | 55.80B/46.60A      | 55.80B/46.60A    | ----               | ----          | ----            | 46.70 - 3.40             | .1737 | ----          | ----                     | ----              | ----          | 16               | UNCH |
| 4750           | ----  | ----               | ----            | 55.10B/46.00A      | 55.10B/46.00A    | ----               | ----          | ----            | 46.20 - 3.30             | .1720 | ----          | ----                     | 20                | ----          | 548 +            | 2    |
| 4755           | 49.40 | 49.40              | 49.10           | 54.40B/45.50A      | 54.40B/45.50A    | ----               | ----          | ----            | 45.60 - 3.20             | .1701 | ----          | ----                     | 7                 | ----          | 62 +             | 1    |
| 4760           | 49.10 | 49.10              | 48.60           | 53.80B/44.90A      | 53.80B/44.90A    | ----               | ----          | ----            | 45.00 - 3.20             | .1682 | ----          | ----                     | 5                 | ----          | 111 +            | 4    |
| 4765           | 48.40 | 48.40              | 48.10           | 53.10B/44.30A      | 53.10B/44.30A    | ----               | ----          | ----            | 44.40 - 3.20             | .1663 | ----          | ----                     | 8                 | ----          | 8 +              | 4    |
| 4770           | ----  | ----               | ----            | 52.50B/43.80A      | 52.50B/43.80A    | ----               | ----          | ----            | 43.90 - 3.20             | .1646 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 4775           | ----  | ----               | ----            | 51.80B/43.20A      | 51.80B/43.20A    | ----               | ----          | ----            | 43.30 - 3.20             | .1627 | ----          | ----                     | ----              | ----          | 14               | UNCH |
| 4785           | 42.30 | 42.30              | 42.00           | 50.60B/42.10A      | 50.60B/42.10A    | ----               | ----          | ----            | 42.20 - 3.10             | .1591 | ----          | ----                     | 2                 | ----          | 109              | UNCH |
| 4790           | ----  | ----               | ----            | 49.90B/41.60A      | 49.90B/41.60A    | ----               | ----          | ----            | 41.70 - 3.10             | .1574 | ----          | ----                     | ----              | ----          | 21 +             | 2    |
| 4795           | ----  | ----               | ----            | 49.30B/41.10A      | 49.30B/41.10A    | ----               | ----          | ----            | 41.20 - 3.00             | .1557 | ----          | ----                     | ----              | ----          | 47               | UNCH |
| 4800           | ----  | ----               | ----            | 48.70B/40.60A      | 48.70B/40.60A    | ----               | ----          | ----            | 40.70 - 3.00             | .1541 | ----          | ----                     | 60                | ----          | 2210 +           | 58   |
| 4805           | ----  | ----               | ----            | 48.10B/40.10A      | 48.10B/40.10A    | ----               | ----          | ----            | 40.20 - 3.00             | .1524 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 4810           | ----  | ----               | ----            | 47.50B/39.60A      | 47.50B/39.60A    | ----               | ----          | ----            | 39.70 - 2.90             | .1507 | ----          | ----                     | ----              | ----          | 29               | UNCH |
| 4820           | ----  | ----               | ----            | 46.40B/38.60A      | 46.40B/38.60A    | ----               | ----          | ----            | 38.70 - 2.90             | .1474 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 4825           | ----  | ----               | ----            | 45.80B/38.20A      | 45.80B/38.20A    | ----               | ----          | ----            | 38.20 - 2.90             | .1457 | ----          | ----                     | ----              | ----          | 207              | UNCH |
| 4830           | 42.90 | 42.90              | 42.60           | 45.30B/37.70A      | 45.30B/37.70A    | ----               | ----          | ----            | 37.80 - 2.80             | .1443 | ----          | ----                     | 2                 | ----          | 50               | UNCH |
| 4835           | 39.50 | 39.50              | 39.20           | 44.70B/37.20A      | 44.70B/37.20A    | ----               | ----          | ----            | 37.30 - 2.80             | .1427 | ----          | ----                     | 15                | ----          | 23               | UNCH |
| 4840           | 38.20 | 38.20              | 37.90           | 44.20B/36.80A      | 44.20B/36.80A    | ----               | ----          | ----            | 36.90 - NEW              | .1412 | ----          | ----                     | 16                | ----          | 15 +             | 15   |
| 4845           | 38.20 | 38.20              | 38.20           | 43.60B/36.30A      | 43.60B/36.30A    | ----               | ----          | ----            | 36.40 - 2.80             | .1396 | ----          | ----                     | 57                | ----          | 22 +             | 16   |
| 4850           | ----  | ----               | ----            | 43.10B/35.90       | 43.10B/35.90     | ----               | ----          | ----            | 36.00 - 2.70             | .1382 | ----          | ----                     | ----              | ----          | 158 +            | 34   |
| 4855           | ----  | ----               | ----            | 42.60B/35.40A      | 42.60B/35.40A    | ----               | ----          | ----            | 35.50 - 2.70             | .1365 | ----          | ----                     | ----              | ----          | 9                | UNCH |
| 4860           | 35.80 | 35.80              | 35.50           | 42.10B/35.00A      | 42.10B/35.00A    | ----               | ----          | ----            | 35.10 - 2.70             | .1351 | ----          | ----                     | 15                | ----          | 6                | UNCH |
| 4870           | ----  | ----               | ----            | 41.10B/34.20A      | 41.10B/34.20A    | ----               | ----          | ----            | 34.30 - 2.60             | .1323 | ----          | ----                     | ----              | ----          | 86 +             | 6    |
| 4875           | ----  | ----               | ----            | 40.60B/33.80A      | 40.60B/33.80A    | ----               | ----          | ----            | 33.80 - 2.60             | .1307 | ----          | ----                     | ----              | ----          | 233              | UNCH |
| 4880           | ----  | ----               | ----            | 40.10B/33.30A      | 40.10B/33.30A    | ----               | ----          | ----            | 33.40 - 2.60             | .1293 | ----          | ----                     | ----              | ----          | 8                | UNCH |
| 4885           | ----  | ----               | ----            | 39.60B/32.90A      | 39.60B/32.90A    | ----               | ----          | ----            | 33.00 - 2.60             | .1279 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 4890           | ----  | ----               | ----            | 39.10B/32.50A      | 39.10B/32.50A    | ----               | ----          | ----            | 32.60 - 2.50             | .1265 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 4900           | ----  | ----               | ----            | 38.20B/31.80A      | 38.20B/31.80A    | ----               | ----          | ----            | 31.90 - 2.40             | .1240 | ----          | 1                        | ----              | ----          | 353              | UNCH |
| 4905           | ----  | ----               | ----            | 37.80B/31.40A      | 37.80B/31.40A    | ----               | ----          | ----            | 31.50 - 2.40             | .1226 | ----          | ----                     | ----              | ----          | 17               | UNCH |
| 4910           | ----  | ----               | ----            | 37.30B/31.00A      | 37.30B/31.00A    | ----               | ----          | ----            | 31.10 - 2.40             | .1212 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 4920           | 30.30 | 30.30              | 30.00           | 36.40B/30.30A      | 36.40B/30.30A    | ----               | ----          | ----            | 30.40 - 2.30             | .1187 | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 4925           | ----  | ----               | ----            | 36.00B/29.90A      | 36.00B/29.90A    | ----               | ----          | ----            | 30.00 - 2.30             | .1173 | ----          | ----                     | 2                 | ----          | 5                | UNCH |
| 4930           | ----  | ----               | ----            | 35.60B/29.60A      | 35.60B/29.60A    | ----               | ----          | ----            | 29.70 - 2.30             | .1162 | ----          | ----                     | ----              | ----          | 50               | UNCH |
| 4935           | ----  | ----               | ----            | 35.20B/29.20A      | 35.20B/29.20A    | ----               | ----          | ----            | 29.30 - 2.30             | .1148 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 4940           | ----  | ----               | ----            | 34.80B/28.90A      | 34.80B/28.90A    | ----               | ----          | ----            | 29.00 - 2.20             | .1137 | ----          | ----                     | ----              | ----          | 14               | UNCH |
| 4945           | ----  | ----               | ----            | 34.30B/28.50A      | 34.30B/28.50A    | ----               | ----          | ----            | 28.60 - 2.30             | .1124 | ----          | ----                     | ----              | ----          | 18               | UNCH |
| 4950           | ----  | ----               | ----            | 33.90B/28.20A      | 33.90B/28.20A    | ----               | ----          | ----            | 28.30 - 2.20             | .1112 | ----          | ----                     | ----              | ----          | 40               | UNCH |
| 4955           | ----  | ----               | ----            | 33.60B/27.90A      | 33.60B/27.90A    | ----               | ----          | ----            | 28.00 - 2.20             | .1101 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 4960           | ----  | ----               | ----            | 33.20B/27.60A      | 33.20B/27.60A    | ----               | ----          | ----            | 27.70 - 2.10             | .1090 | ----          | ----                     | ----              | ----          | 8                | UNCH |
| 4970           | ----  | ----               | ----            | 32.40B/26.90A      | 32.40B/26.90A    | ----               | ----          | ----            | 27.00 - 2.10             | .1066 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 4975           | ----  | ----               | ----            | 32.00B/26.60A      | 32.00B/26.60A    | ----               | ----          | ----            | 26.70 - 2.10             | .1055 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 4990           | ----  | ----               | ----            | 30.90B/25.70A      | 30.90B/25.70A    | ----               | ----          | ----            | 25.80 - 2.00             | .1022 | ----          | ----                     | ----              | ----          | 20               | UNCH |
| 4995           | 27.80 | 27.80              | 27.50           | 30.60B/25.40A      | 30.60B/25.40A    | ----               | ----          | ----            | 25.50 - 2.00             | .1011 | ----          | ----                     | 68                | ----          | 20               | UNCH |
| 5000           | 28.60 | 28.60              | 28.30           | 30.40/25.10A       | 30.40/25.10A     | ----               | ----          | ----            | 25.20 - 2.00             | .1000 | ----          | ----                     | 4                 | ----          | 2889 -           | 14   |
| 5005           | ----  | ----               | ----            | 29.90B/24.80A      | 29.90B/24.80A    | ----               | ----          | ----            | 24.90 - 2.00             | .0989 | ----          | ----                     | ----              | ----          | 36 +             | 4    |
| 5010           | ----  | ----               | ----            | 29.60B/24.60A      | 29.60B/24.60A    | ----               | ----          | ----            | 24.60 - 2.00             | .0979 | ----          | ----                     | ----              | ----          | 13               | UNCH |
| 5020           | 24.20 | 24.20              | 23.90           | 28.90B/24.00A      | 28.90B/24.00A    | ----               | ----          | ----            | 24.10 - 1.90             | .0960 | ----          | ----                     | 4                 | ----          | 5                | UNCH |
| 5025           | ----  | ----               | ----            | 28.60B/23.80A      | 28.60B/23.80A    | ----               | ----          | ----            | 23.80 - 1.90             | .0949 | ----          | ----                     | ----              | ----          | 32 +             | 2    |
| 5030           | ----  | ----               | ----            | 28.20B/23.50A      | 28.20B/23.50A    | ----               | ----          | ----            | 23.60 - 1.80             | .0941 | ----          | ----                     | ----              | ----          | 10               | UNCH |
| 5040           | ----  | ----               | ----            | 27.60B/23.00A      | 27.60B/23.00A    | ----               | ----          | ----            | 23.00 - 1.90             | .0919 | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 5045           | 22.90 | 22.90              | 22.60           | 27.30B/22.70A      | 27.30B/22.70A    | ----               | ----          | ----            | 22.80 - 1.80             | .0911 | ----          | ----                     | 5                 | ----          | 55               | UNCH |
| 5050           | ----  | ----               | ----            | 27.00B/22.50A      | 27.00B/22.50A    | ----               | ----          | ----            | 22.50 - 1.80             | .0901 | ----          | ----                     | ----              | ----          | 127 +            | 5    |
| 5055           | ----  | ----               | ----            | 26.70B/22.20A      | 26.70B/22.20A    | ----               | ----          | ----            | 22.30 - 1.80             | .0893 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 5060           | ----  | ----               | ----            | 26.40B/22.00A      | 26.40B/22.00A    | ----               | ----          | ----            | 22.00 - 1.80             | .0882 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5065           | ----  | ----               | ----            | 26.10B/21.70A      | 26.10B/21.70A    | ----               | ----          | ----            | 21.80 - 1.80             | .0874 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 5075           | ----  | ----               | ----            | 25.50B/21.30A      | 25.50B/21.30A    | ----               | ----          | ----            | 21.30 - 1.70             | .0855 | ----          | ----                     | ----              | ----          | 157              | UNCH |
| 5090           | ----  | ----               | ----            | 24.70B/20.60A      | 24.70B/20.60A    | ----               | ----          | ----            | 20.60 - 1.70             | .0829 | ----          | ----                     | ----              | ----          | 9                | UNCH |
| 5095           | ----  | ----               | ----            | 24.40B/20.40A      | 24.40B/20.40A    | ----               | ----          | ----            | 20.40 - 1.70             | .0821 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 5100           | ----  | ----               | ----            | 24.20B/20.20A      | 24.20B/20.20A    | ----               | ----          | ----            | 20.20 - 1.60             | .0814 | ----          | ----                     | ----              | ----          | 975              | UNCH |
| 5105           | ----  | ----               | ----            | 23.90B/19.90A      | 23.90B/19.90A    | ----               | ----          | ----            | 20.00 - 1.60             | .0806 | ----          | ----                     | ----              | ----          | 40               | UNCH |
| 5110           | ----  | ----               | ----            | 23.60B/19.70A      | 23.60B/19.70A    | ----               | ----          | ----            | 19.80 - 1.60             | .0798 | ----          | ----                     | ----              | ----          | 56               | UNCH |
| 5115           | ----  | ----               | ----            | 23.40B/19.50A      | 23.40B/19.50A    | ----               | ----          | ----            | 19.60 - 1.60             | .0790 | ----          | ----                     | ----              | ----          | 82               | UNCH |
| 5120           | ----  | ----               | ----            | 23.10B/19.30A      | 23.10B/19.30A    | ----               | ----          | ----            | 19.40 - 1.50             | .0783 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 5125           | ----  | ----               | ----            | 22.90B/19.10A      | 22.90B/19.10A    | ----               | ----          | ----            | 19.10 - 1.60             | .0772 | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 5130           | ----  | ----               | ----            | 22.60B/18.90A      | 22.60B/18.90A    | ----               | ----          | ----            | 18.90 - 1.60             | .0765 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 5135           | ----  | ----               | ----            | 22.40B/18.70A      | 22.40B/18.70A    | ----               | ----          | ----            | 18.80 - 1.50             | .0760 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5140           | ----  | ----               | ----            | 22.20B/18.50A      | 22.20B/18.50A    | ----               | ----          | ----            | 18.60 - 1.50             | .0752 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 5145           | ----  | ----               | ----            | 21.90B/18.30A      | 21.90B/18.30A    | ----               | ----          | ----            | 18.40 - 1.50             | .0744 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 5150           | 19.40 | 19.40              | 19.10           | 21.70B/18.10A      | 21.70B/18.10A    | ----               | ----          | ----            | 18.20 - 1.50             | .0737 | ----          | ----                     | ----              | ----          | 64               | UNCH |
| 5155           | ----  | ----               | ----            | 21.50B/18.00A      | 21.50B/18.00A    | ----               | ----          | ----            | 18.00 - 1.50             | .0729 | ----          | ----                     | 10                | ----          | 4                | UNCH |
| 5160           | ----  | ----               | ----            | 21.20B/17.80A      | 21.20B/17.80A    | ----               | ----          | ----            | 17.80 - 1.50             | .0722 | ----          | ----                     | ----              | ----          | 14 +             | 8    |
| 5165           | ----  | ----               | ----            | 21.00B/17.60A      | 21.00B/17.60A    | ----               | ----          | ----            | 17.60 - 1.50             | .0714 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 5170           | ----  | ----               | ----            | 20.80B/17.40A      | 20.80B/17.40A    | ----               | ----          | ----            | 17.40 - 1.50             | .0706 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 5175           | ----  | ----               | ----            | 20.60B/17.20A      | 20.60B/17.20A    | ----               | ----          | ----            | 17.30 - 1.40             | .0702 | ----          | ----                     | ----              | ----          | 127              | UNCH |
| 5180           | ----  | ----               | ----            | 20.40B/17.10A      | 20.40B/17.10A    | ----               | ----          | ----            | 17.10 - 1.40             | .0694 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5185           | ----  | ----               | ----            | 20.20B/16.90A      | 20.20B/16.90A    | ----               | ----          | ----            | 16.90 - 1.40             | .0687 | ----          | ----                     | ----              | ----          | 125              | UNCH |
| 5190           | 19.70 | 19.70              | 19.40           | 20.00B/16.70A      | 20.00B/16.70A    | ----               | ----          | ----            | 16.70 - 1.40             | .0679 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 5200           | ----  | ----               | ----            | 19.70/16.40        | 19.70/16.40      | ----               | ----          | ----            | 16.40 - 1.40             | .0667 | ----          | ----                     | 16                | ----          | 3056 +           | 10   |
| 5210           | ----  | ----               | ----            | 19.20B/16.10A      | 19.20B/16.10A    | ----               | ----          | ----            | 16.10 - 1.30             | .0655 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5215           | ----  | ----               | ----            | 19.00B/15.90A      | 19.00B/15.90A    | ----               | ----          | ----            | 15.90 - 1.40             | .0648 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 5220           | ----  | ----               | ----            | 18.80B/15.80A      | 18.80B/15.80A    | ----               | ----          | ----            | 15.80 - 1.30             | .0643 | ----          | ----                     | ----              | ----          | 27               | UNCH |
| 5225           | ----  | ----               | ----            | 18.60B/15.60A      | 18.60B/15.60A    | ----               | ----          | ----            | 15.60 - 1.30             | .0636 | ----          | ----                     | ----              | ----          | 10               | UNCH |
| 5230           | ----  | ----               | ----            | 18.40B/15.50A      | 18.40B/15.50A    | ----               | ----          | ----            | 15.50 - 1.30             | .0631 | ----          | ----                     | ----              | ----          | 13               | UNCH |
| 5240           | ----  | ----               | ----            | 18.00B/15.20A      | 18.00B/15.20A    | ----               | ----          | ----            | 15.20 - 1.20             | .0619 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 5245           | ----  | ----               | ----            | 17.80B/15.00A      | 17.80B/15.00A    | ----               | ----          | ----            | 15.00 - 1.30             | .0612 | ----          | ----                     | ----              | ----          | 3                | UNCH |
|                |       |                    |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |      |

| BULLETIN #191@ |                    |              |                 |                    |                  |                    |               |                 |                          | METALS OPTION PRODUCTS |               |                          |                   |               |  |                  |      |  |  | Mon, Oct 05, 2026 |  | PG64 |
|----------------|--------------------|--------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|--------------------------|------------------------|---------------|--------------------------|-------------------|---------------|--|------------------|------|--|--|-------------------|--|------|
|                | GLOBEX<br>OPEN     | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA                  | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME |  | OPEN<br>INTEREST |      |  |  |                   |  |      |
| OG CALL        | COMEX GOLD OPTIONS |              |                 |                    |                  |                    |               |                 |                          |                        |               |                          |                   |               |  |                  |      |  |  |                   |  |      |
| FEB27          |                    |              |                 |                    |                  |                    |               |                 |                          |                        |               |                          |                   |               |  |                  |      |  |  |                   |  |      |
| 5750           | 6.90               | 6.90         |                 | 7.80B/6.90         | 7.80B/6.90       | ----               | ----          | ----            | 6.90 - 0.50              | .0277                  | ----          | ----                     | 4                 | ----          |  | 2126 +           | 1    |  |  |                   |  |      |
| 5760           | ----               | ----         |                 | 7.70B/6.90A        | 7.70B/6.90A      | ----               | ----          | ----            | 6.80 - 0.50              | .0273                  | ----          | ----                     | ----              | ----          |  | 1                | UNCH |  |  |                   |  |      |
| 5775           | ----               | ----         |                 | 7.60B/6.80A        | 7.60B/6.80A      | ----               | ----          | ----            | 6.70 - 0.40              | .0268                  | ----          | ----                     | ----              | ----          |  | 299              | UNCH |  |  |                   |  |      |
| 5780           | ----               | ----         |                 | 7.50B/6.70A        | 7.50B/6.70A      | ----               | ----          | ----            | 6.70 - 0.40              | .0268                  | ----          | ----                     | ----              | ----          |  | 6                | UNCH |  |  |                   |  |      |
| 5790           | ----               | ----         |                 | 7.40B/6.70A        | 7.40B/6.70A      | ----               | ----          | ----            | 6.60 - 0.40              | .0264                  | ----          | ----                     | ----              | ----          |  | 4                | UNCH |  |  |                   |  |      |
| 5800           | ----               | ----         |                 | 7.30B/6.60A        | 7.30B/6.60A      | ----               | ----          | ----            | 6.50 - 0.40              | .0260                  | ----          | ----                     | ----              | ----          |  | 240              | UNCH |  |  |                   |  |      |
| 5820           | ----               | ----         |                 | 7.20B/6.40A        | 7.20B/6.40A      | ----               | ----          | ----            | 6.40 - 0.40              | .0255                  | ----          | ----                     | ----              | ----          |  | 5                | UNCH |  |  |                   |  |      |
| 5825           | ----               | ----         |                 | 7.10B/6.40A        | 7.10B/6.40A      | ----               | ----          | ----            | 6.30 - 0.40              | .0251                  | ----          | ----                     | ----              | ----          |  | 2                | UNCH |  |  |                   |  |      |
| 5850           | 7.00               | 7.00         |                 | 7.00/6.20A         | 7.00/6.20A       | ----               | ----          | ----            | 6.20 NEW                 | .0246                  | ----          | ----                     | 7                 | ----          |  | 7 +              | 7    |  |  |                   |  |      |
| 5900           | 5.80               | 5.80         |                 | 6.50B/5.80         | 6.50B/5.80       | ----               | ----          | ----            | 5.80 - 0.40              | .0230                  | ----          | ----                     | 3                 | ----          |  | 56 +             | 1    |  |  |                   |  |      |
| 5925           | ----               | ----         |                 | 6.30B/5.80A        | 6.30B/5.80A      | ----               | ----          | ----            | 5.70 - 0.30              | .0225                  | ----          | ----                     | ----              | ----          |  | 9                | UNCH |  |  |                   |  |      |
| 5950           | ----               | ----         |                 | 6.20B/5.60A        | 6.20B/5.60A      | ----               | ----          | ----            | 5.50 - 0.40              | .0217                  | ----          | ----                     | ----              | ----          |  | 30               | UNCH |  |  |                   |  |      |
| 5975           | ----               | ----         |                 | 6.00B/5.50A        | 6.00B/5.50A      | ----               | ----          | ----            | 5.40 - 0.30              | .0212                  | ----          | ----                     | ----              | ----          |  | 1                | UNCH |  |  |                   |  |      |
| 6000           | 5.20               | 5.20         |                 | 5.90B/5.20         | 5.90B/5.20       | ----               | ----          | ----            | 5.30 - 0.30              | .0207                  | ----          | ----                     | 16                | ----          |  | 3469 +           | 3    |  |  |                   |  |      |
| 6025           | ----               | ----         |                 | 5.70B/5.20A        | 5.70B/5.20A      | ----               | ----          | ----            | 5.20 - 0.30              | .0202                  | ----          | ----                     | ----              | ----          |  | 13               | UNCH |  |  |                   |  |      |
| 6100           | ----               | ----         |                 | 5.30B/4.90A        | 5.30B/4.90A      | ----               | ----          | ----            | 4.80 - 0.30              | .0186                  | ----          | ----                     | ----              | ----          |  | 47               | UNCH |  |  |                   |  |      |
| 6200           | 4.60               | 4.60         |                 | 4.90B/4.50A        | 4.90B/4.50A      | ----               | ----          | ----            | 4.40 - 0.30              | .0168                  | ----          | ----                     | 1                 | ----          |  | 9 +              | 1    |  |  |                   |  |      |
| 6250           | 4.60               | 4.60         |                 | 4.70B/4.40A        | 4.70B/4.40A      | ----               | ----          | ----            | 4.30 - 0.20              | .0163                  | ----          | ----                     | 10                | ----          |  | 52 +             | 10   |  |  |                   |  |      |
| 6300           | ----               | ----         |                 | 4.50B/4.20A        | 4.50B/4.20A      | ----               | ----          | ----            | 4.10 - 0.20              | .0154                  | ----          | ----                     | ----              | ----          |  | 2                | UNCH |  |  |                   |  |      |
| 6400           | ----               | ----         |                 | 4.20B/3.90A        | 4.20B/3.90A      | ----               | ----          | ----            | 3.80 - 0.20              | .0142                  | ----          | ----                     | ----              | ----          |  | 12               | UNCH |  |  |                   |  |      |
| 6500           | 3.70               | 3.70         |                 | 3.90B/3.70         | 3.90B/3.70       | ----               | ----          | ----            | 3.60 - 0.20              | .0132                  | ----          | ----                     | 2                 | ----          |  | 1009 +           | 1    |  |  |                   |  |      |
| 6600           | ----               | ----         |                 | ----/3.50A         | 3.60B/3.50A      | ----               | ----          | ----            | 3.40 - 0.20              | .0123                  | ----          | ----                     | ----              | ----          |  | 10               | UNCH |  |  |                   |  |      |
| 6700           | ----               | ----         |                 | ----/3.30A         | 3.40B/3.30A      | ----               | ----          | ----            | 3.20 - 0.20              | .0114                  | ----          | ----                     | ----              | ----          |  | 31               | UNCH |  |  |                   |  |      |
| 6800           | 3.30               | 3.30         |                 | 3.30/3.10A         | 3.30/3.10A       | ----               | ----          | ----            | 3.00 NEW                 | .0106                  | ----          | ----                     | 18                | ----          |  | 18 +             | 18   |  |  |                   |  |      |
| 6900           | 3.00               | 3.00         |                 | 3.00/3.00          | 3.10B/3.00       | ----               | ----          | ----            | 2.90 - 0.20              | .0101                  | ----          | ----                     | 17                | ----          |  | 888 +            | 17   |  |  |                   |  |      |
| 7000           | 2.70               | 2.70         |                 | 2.70/2.70          | 2.90B/2.70       | ----               | ----          | ----            | 2.70 - 0.20              | .0093                  | ----          | ----                     | 5                 | ----          |  | 1000             | UNCH |  |  |                   |  |      |
| 7100           | 2.60               | 2.60         |                 | 2.60/2.60          | 2.80B/2.60       | ----               | ----          | ----            | 2.60 - 0.20              | .0089                  | ----          | ----                     | ----              | ----          |  | 47 +             | 4    |  |  |                   |  |      |
| 7200           | 2.70               | 2.70         |                 | 2.70/2.60A         | 2.70/2.60A       | ----               | ----          | ----            | 2.50 - 0.20              | .0084                  | ----          | ----                     | 14                | ----          |  | 38 +             | 14   |  |  |                   |  |      |
| 7300           | 2.50               | 2.50         |                 | 2.50/2.50          | 2.50/2.50        | ----               | ----          | ----            | 2.40 NEW                 | .0080                  | ----          | ----                     | 9                 | ----          |  | 9 +              | 9    |  |  |                   |  |      |
| 7400           | 2.40               | 2.40         |                 | 2.40/2.40          | 2.40/2.40        | ----               | ----          | ----            | 2.30 - 0.20              | .0076                  | ----          | ----                     | 39                | ----          |  | 76 +             | 39   |  |  |                   |  |      |
| 7500           | 2.30               | 2.30         |                 | 2.30/2.30          | 2.30/2.30        | ----               | ----          | ----            | 2.20 - 0.10              | .0072                  | ----          | ----                     | 115               | ----          |  | 591 -            | 115  |  |  |                   |  |      |
| 7600           | ----               | ----         |                 | ----               | 2.20B/2.20A      | ----               | ----          | ----            | 2.10 - 0.10              | .0068                  | ----          | ----                     | ----              | ----          |  | 7                | UNCH |  |  |                   |  |      |
| 7700           | ----               | ----         |                 | ----/2.10A         | 2.10B/2.10A      | ----               | ----          | ----            | 2.00 - 0.20              | .0064                  | ----          | ----                     | ----              | ----          |  | 1                | UNCH |  |  |                   |  |      |
| 7800           | ----               | ----         |                 | ----/2.00A         | 2.00B/2.00A      | ----               | ----          | ----            | 1.90 - 0.20              | .0061                  | ----          | ----                     | ----              | ----          |  | 1                | UNCH |  |  |                   |  |      |
| 7900           | ----               | ----         |                 | ----/1.90A         | 1.90B/1.90A      | ----               | ----          | ----            | 1.80 - 0.20              | .0057                  | ----          | ----                     | ----              | ----          |  | 1262             | UNCH |  |  |                   |  |      |
| 8000           | 1.90               | 1.90         |                 | 1.90/1.90          | 1.90/1.90        | ----               | ----          | ----            | 1.80 - 0.10              | .0056                  | ----          | ----                     | 1                 | ----          |  | 1454             | UNCH |  |  |                   |  |      |
| 8500           | ----               | ----         |                 | ----               | 1.50B/1.50A      | ----               | ----          | ----            | 1.40 - 0.10              | .0042                  | ----          | ----                     | 105               | ----          |  | 312              | UNCH |  |  |                   |  |      |
| 8900           | ----               | ----         |                 | ----               | 1.20B/1.30A      | ----               | ----          | ----            | 1.20 - 0.10              | .0035                  | ----          | ----                     | ----              | ----          |  | 16               | UNCH |  |  |                   |  |      |
| 9000           | 1.20               | 1.20         |                 | 1.20/1.10          | 1.20/1.10        | ----               | ----          | ----            | 1.20 UNCH                | .0035                  | ----          | ----                     | 11                | ----          |  | 141 -            | 6    |  |  |                   |  |      |
| 9100           | 1.00               | 1.00         |                 | 1.00/1.00          | 1.10B/1.00       | ----               | ----          | ----            | 1.20 UNCH                | .0035                  | ----          | ----                     | 2                 | ----          |  | 83               | UNCH |  |  |                   |  |      |
| TOTAL          |                    |              |                 |                    |                  |                    |               |                 |                          |                        |               |                          | 1010              |               |  | 42628 +          | 215  |  |  |                   |  |      |
| MAR27          |                    |              |                 |                    |                  |                    |               |                 |                          |                        |               |                          |                   |               |  |                  |      |  |  |                   |  |      |
| 3480           | ----               | ----         |                 | ----               | 758.30B/791.90A  | ----               | ----          | ----            | 764.30 - 6.90            | .9144                  | ----          | ----                     | ----              | ----          |  | 1                | UNCH |  |  |                   |  |      |
| 3500           | ----               | ----         |                 | ----               | 711.90B/791.60A  | ----               | ----          | ----            | 746.00 - 7.00            | .9095                  | ----          | ----                     | ----              | ----          |  | 1                | UNCH |  |  |                   |  |      |
| 4080           | ----               | ----         |                 | 322.00B/294.50A    | 322.00B/294.50A  | ----               | ----          | ----            | 295.60 - 7.60            | .6283                  | ----          | ----                     | ----              | ----          |  | 2                | UNCH |  |  |                   |  |      |
| 4100           | ----               | ----         |                 | 309.90B/283.10A    | 309.90B/283.10A  | ----               | ----          | ----            | 284.00 - 7.60            | .6143                  | ----          | ----                     | ----              | ----          |  | 12               | UNCH |  |  |                   |  |      |
| 4130           | ----               | ----         |                 | 292.20B/266.10A    | 292.20B/266.10A  | ----               | ----          | ----            | 267.30 - 7.40            | .5929                  | ----          | ----                     | ----              | ----          |  | 30               | UNCH |  |  |                   |  |      |
| 4150           | ----               | ----         |                 | 281.20B/255.50A    | 281.20B/255.50A  | ----               | ----          | ----            | 256.50 - 7.40            | .5785                  | ----          | ----                     | ----              | ----          |  | 2                | UNCH |  |  |                   |  |      |
| 4195           | ----               | ----         |                 | 258.80B/232.80A    | 258.80B/232.80A  | ----               | ----          | ----            | 233.60 - 7.00            | .5459                  | ----          | ----                     | ----              | ----          |  | 10               | UNCH |  |  |                   |  |      |
| 4200           | ----               | ----         |                 | 256.40B/230.40A    | 256.40B/230.40A  | ----               | ----          | ----            | 231.10 - 7.00            | .5423                  | ----          | ----                     | ----              | ----          |  | 51               | UNCH |  |  |                   |  |      |
| 4210           | ----               | ----         |                 | 251.20B/225.60A    | 251.20B/225.60A  | ----               | ----          | ----            | 226.30 - 6.90            | .5351                  | ----          | ----                     | ----              | ----          |  | 1                | UNCH |  |  |                   |  |      |
| 4215           | ----               | ----         |                 | 248.70B/223.30A    | 248.70B/223.30A  | ----               | ----          | ----            | 223.90 - 6.90            | .5314                  | ----          | ----                     | ----              | ----          |  | 3                | UNCH |  |  |                   |  |      |
| 4220           | ----               | ----         |                 | 246.30B/220.90A    | 246.30B/220.90A  | ----               | ----          | ----            | 221.50 - 6.90            | .5278                  | ----          | ----                     | ----              | ----          |  | 4                | UNCH |  |  |                   |  |      |
| 4225           | ----               | ----         |                 | 243.70B/218.60A    | 243.70B/218.60A  | ----               | ----          | ----            | 219.20 - 6.80            | .5242                  | ----          | ----                     | ----              | ----          |  | 2                | UNCH |  |  |                   |  |      |
| 4240           | 217.50             | 217.50       |                 | 236.30B/211.80A    | 236.30B/211.80A  | ----               | ----          | ----            | 212.30 NEW               | .5133                  | ----          | ----                     | 5                 | ----          |  | 5 +              | 5    |  |  |                   |  |      |
| 4250           | ----               | ----         |                 | 231.50B/207.30A    | 231.50B/207.30A  | ----               | ----          | ----            | 207.80 - 6.60            | .5061                  | ----          | ----                     | ----              | ----          |  | 5                | UNCH |  |  |                   |  |      |
| 4270           | ----               | ----         |                 | 222.10B/198.60A    | 222.10B/198.60A  | ----               | ----          | ----            | 199.00 - 6.60            | .4918                  | ----          | ----                     | ----              | ----          |  | 1                | UNCH |  |  |                   |  |      |
| 4275           | ----               | ----         |                 | 220.00B/196.60A    | 220.00B/196.60A  | ----               | ----          | ----            | 196.90 - 6.50            | .4882                  | ----          | ----                     | ----              | ----          |  | 130              | UNCH |  |  |                   |  |      |
| 4280           | ----               | ----         |                 | 217.80B/194.20A    | 217.80B/194.20A  | ----               | ----          | ----            | 194.80 - 6.50            | .4847                  | ----          | ----                     | ----              | ----          |  | 3                | UNCH |  |  |                   |  |      |
| 4300           | ----               | ----         |                 | 208.80B/186.20A    | 208.80B/186.20A  | ----               | ----          | ----            | 186.60 - 6.40            | .4706                  | ----          | ----                     | ----              | ----          |  | 241              | UNCH |  |  |                   |  |      |
| 4340           | ----               | ----         |                 | 191.90B/170.50A    | 191.90B/170.50A  | ----               | ----          | ----            | 171.00 - 6.20            | .4428                  | ----          | ----                     | ----              | ----          |  | 4                | UNCH |  |  |                   |  |      |
| 4345           | ----               | ----         |                 | 189.90B/168.70A    | 189.90B/168.70A  | ----               | ----          | ----            | 169.10 - 6.20            | .4393                  | ----          | ----                     | ----              | ----          |  | 1                | UNCH |  |  |                   |  |      |
| 4350           | ----               | ----         |                 | 187.90B/167.00A    | 187.90B/167.00A  | ----               | ----          | ----            | 167.30 - 6.10            | .4360                  | ----          | ----                     | ----              | ----          |  | 30               | UNCH |  |  |                   |  |      |
| 4370           | ----               | ----         |                 | 180.00B/159.70A    | 180.00B/159.70A  | ----               | ----          | ----            | 160.00 - 6.00            | .4224                  | ----          | ----                     | ----              | ----          |  | 273              | UNCH |  |  |                   |  |      |
| 4380           | ----               | ----         |                 | 176.20B/156.20A    | 176.20B/156.20A  | ----               | ----          | ----            | 156.40 - 6.00            | .4156                  | ----          | ----                     | ----              | ----          |  | 1                | UNCH |  |  |                   |  |      |
| 4395           | ----               | ----         |                 | 170.60B/151.30A    | 170.60B/151.30A  |                    |               |                 |                          |                        |               |                          |                   |               |  |                  |      |  |  |                   |  |      |

| GLOBEX<br>OPEN |       | OPEN<br>OPEN       | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |
|----------------|-------|--------------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|
| OG CALL        |       | COMEX GOLD OPTIONS |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |
| MAR27          |       |                    |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |
| 5145           | 30.20 | 30.20              |                 | 33.90B/30.20       | 33.90B/30.20     | ----               | ----          | 29.70           | - 1.50                   | .1039 | ----          | ----                     | 6                 | ----          | 44 +             |
| 5150           | ----  | ----               | ----            | 33.50B/29.90A      | 33.50B/29.90A    | ----               | ----          | 29.40           | - 1.50                   | .1029 | ----          | ----                     | ----              | ----          | 41               |
| 5155           | ----  | ----               | ----            | 33.20B/29.60A      | 33.20B/29.60A    | ----               | ----          | 29.10           | - 1.50                   | .1020 | ----          | ----                     | ----              | ----          | 25               |
| 5160           | ----  | ----               | ----            | 32.90B/29.30A      | 32.90B/29.30A    | ----               | ----          | 28.80           | - 1.50                   | .1010 | ----          | ----                     | ----              | ----          | 13               |
| 5165           | ----  | ----               | ----            | 32.50B/29.10A      | 32.50B/29.10A    | ----               | ----          | 28.60           | - 1.50                   | .1003 | ----          | ----                     | ----              | ----          | 118              |
| 5175           | ----  | ----               | ----            | 31.90B/28.50A      | 31.90B/28.50A    | ----               | ----          | 28.00           | - 1.50                   | .0984 | ----          | ----                     | ----              | ----          | 1                |
| 5180           | ----  | ----               | ----            | 31.60B/28.20A      | 31.60B/28.20A    | ----               | ----          | 27.80           | - 1.40                   | .0977 | ----          | ----                     | ----              | ----          | 2                |
| 5185           | ----  | ----               | ----            | 31.30B/28.00A      | 31.30B/28.00A    | ----               | ----          | 27.50           | - 1.40                   | .0967 | ----          | ----                     | ----              | ----          | 1                |
| 5190           | ----  | ----               | ----            | 31.00B/27.70A      | 31.00B/27.70A    | ----               | ----          | 27.20           | - 1.50                   | .0958 | ----          | ----                     | ----              | ----          | 363              |
| 5195           | ----  | ----               | ----            | 30.70B/27.50A      | 30.70B/27.50A    | ----               | ----          | 27.00           | - 1.40                   | .0951 | ----          | ----                     | ----              | ----          | 2                |
| 5200           | ----  | ----               | ----            | 30.40B/27.20A      | 30.40B/27.20A    | ----               | ----          | 26.70           | - 1.40                   | .0942 | ----          | ----                     | ----              | ----          | 272              |
| 5205           | ----  | ----               | ----            | 30.10B/27.00A      | 30.10B/27.00A    | ----               | ----          | 26.50           | - 1.40                   | .0934 | ----          | ----                     | ----              | ----          | 2                |
| 5210           | ----  | ----               | ----            | 29.80B/26.60A      | 29.80B/26.60A    | ----               | ----          | 26.30           | - 1.30                   | .0927 | ----          | ----                     | ----              | ----          | 2                |
| 5215           | ----  | ----               | ----            | 29.50B/26.50A      | 29.50B/26.50A    | ----               | ----          | 26.00           | - 1.40                   | .0918 | ----          | ----                     | ----              | ----          | 4                |
| 5220           | ----  | ----               | ----            | 29.30B/26.20A      | 29.30B/26.20A    | ----               | ----          | 25.80           | - 1.30                   | .0911 | ----          | ----                     | ----              | ----          | 17               |
| 5225           | ----  | ----               | ----            | 29.00B/26.00A      | 29.00B/26.00A    | ----               | ----          | 25.50           | - 1.40                   | .0902 | ----          | ----                     | ----              | ----          | 6                |
| 5230           | ----  | ----               | ----            | 28.70B/25.70A      | 28.70B/25.70A    | ----               | ----          | 25.30           | - 1.30                   | .0895 | ----          | ----                     | ----              | ----          | 6                |
| 5235           | ----  | ----               | ----            | 28.40B/25.60A      | 28.40B/25.60A    | ----               | ----          | 25.10           | - 1.30                   | .0888 | ----          | ----                     | ----              | ----          | 8                |
| 5240           | ----  | ----               | ----            | 28.20B/25.30A      | 28.20B/25.30A    | ----               | ----          | 24.90           | - 1.20                   | .0881 | ----          | ----                     | ----              | ----          | 10               |
| 5245           | ----  | ----               | ----            | 27.90B/25.00A      | 27.90B/25.00A    | ----               | ----          | 24.60           | - 1.30                   | .0872 | ----          | ----                     | ----              | ----          | 12               |
| 5250           | ----  | ----               | ----            | 27.60B/24.80A      | 27.60B/24.80A    | ----               | ----          | 24.40           | - 1.30                   | .0865 | ----          | ----                     | ----              | ----          | 114              |
| 5255           | ----  | ----               | ----            | 27.40B/24.70A      | 27.40B/24.70A    | ----               | ----          | 24.20           | - 1.20                   | .0858 | ----          | ----                     | ----              | ----          | 18               |
| 5260           | ----  | ----               | ----            | 27.10B/24.40A      | 27.10B/24.40A    | ----               | ----          | 24.00           | - 1.20                   | .0851 | ----          | ----                     | ----              | ----          | 7                |
| 5265           | ----  | ----               | ----            | 26.90B/24.20A      | 26.90B/24.20A    | ----               | ----          | 23.80           | - 1.20                   | .0844 | ----          | ----                     | ----              | ----          | 27               |
| 5270           | ----  | ----               | ----            | 26.60B/24.00A      | 26.60B/24.00A    | ----               | ----          | 23.60           | - 1.20                   | .0837 | ----          | ----                     | ----              | ----          | 9                |
| 5275           | ----  | ----               | ----            | 26.40B/23.80A      | 26.40B/23.80A    | ----               | ----          | 23.40           | - 1.10                   | .0830 | ----          | ----                     | ----              | ----          | 136              |
| 5280           | ----  | ----               | ----            | 26.10B/23.50A      | 26.10B/23.50A    | ----               | ----          | 23.10           | - 1.20                   | .0821 | ----          | ----                     | ----              | ----          | 17               |
| 5285           | ----  | ----               | ----            | 25.90B/23.30A      | 25.90B/23.30A    | ----               | ----          | 22.90           | - 1.20                   | .0814 | ----          | ----                     | ----              | ----          | 21               |
| 5290           | ----  | ----               | ----            | 25.60B/23.20A      | 25.60B/23.20A    | ----               | ----          | 22.70           | - 1.20                   | .0808 | ----          | ----                     | ----              | ----          | 28               |
| 5295           | ----  | ----               | ----            | 25.40B/23.00A      | 25.40B/23.00A    | ----               | ----          | 22.50           | - 1.20                   | .0801 | ----          | ----                     | ----              | ----          | 55               |
| 5300           | ----  | ----               | ----            | 25.20B/22.80A      | 25.20B/22.80A    | ----               | ----          | 22.40           | - 1.10                   | .0796 | ----          | ----                     | ----              | ----          | 71               |
| 5305           | ----  | ----               | ----            | 25.00B/22.50A      | 25.00B/22.50A    | ----               | ----          | 22.20           | - 1.10                   | .0790 | ----          | ----                     | ----              | ----          | 2                |
| 5330           | ----  | ----               | ----            | 23.80B/21.70A      | 23.80B/21.70A    | ----               | ----          | 21.20           | - 1.10                   | .0756 | ----          | ----                     | ----              | ----          | 30               |
| 5345           | ----  | ----               | ----            | 23.20B/21.10A      | 23.20B/21.10A    | ----               | ----          | 20.70           | - 1.00                   | .0739 | ----          | ----                     | ----              | ----          | 1                |
| 5350           | ----  | ----               | ----            | 23.00B/21.00A      | 23.00B/21.00A    | ----               | ----          | 20.50           | - 1.00                   | .0732 | ----          | ----                     | ----              | ----          | 7                |
| 5380           | ----  | ----               | ----            | 21.80B/20.00A      | 21.80B/20.00A    | ----               | ----          | 19.50           | - 0.90                   | .0698 | ----          | ----                     | ----              | ----          | 12               |
| 5390           | ----  | ----               | ----            | 21.40B/19.60A      | 21.40B/19.60A    | ----               | ----          | 19.20           | - 0.90                   | .0687 | ----          | ----                     | ----              | ----          | 10               |
| 5400           | ----  | ----               | ----            | 21.10B/19.30A      | 21.10B/19.30A    | ----               | ----          | 18.90           | - 0.90                   | .0677 | ----          | ----                     | 3                 | ----          | 90 +             |
| 5405           | ----  | ----               | ----            | 20.90B/19.20A      | 20.90B/19.20A    | ----               | ----          | 18.70           | - 0.90                   | .0670 | ----          | ----                     | ----              | ----          | 5                |
| 5415           | ----  | ----               | ----            | 20.50B/18.90A      | 20.50B/18.90A    | ----               | ----          | 18.40           | - 0.90                   | .0660 | ----          | ----                     | ----              | ----          | 16               |
| 5420           | ----  | ----               | ----            | 20.40B/18.70A      | 20.40B/18.70A    | ----               | ----          | 18.30           | - 0.80                   | .0656 | ----          | ----                     | ----              | ----          | 20               |
| 5430           | ----  | ----               | ----            | 20.00B/18.40A      | 20.00B/18.40A    | ----               | ----          | 18.00           | - 0.80                   | .0645 | ----          | ----                     | ----              | ----          | 10               |
| 5435           | ----  | ----               | ----            | 19.90B/18.30A      | 19.90B/18.30A    | ----               | ----          | 17.80           | - 0.80                   | .0639 | ----          | ----                     | ----              | ----          | 12               |
| 5445           | ----  | ----               | ----            | 19.50B/18.00A      | 19.50B/18.00A    | ----               | ----          | 17.50           | - 0.80                   | .0628 | ----          | ----                     | ----              | ----          | 1                |
| 5450           | ----  | ----               | ----            | 19.40B/17.80A      | 19.40B/17.80A    | ----               | ----          | 17.40           | - 0.80                   | .0625 | ----          | ----                     | ----              | ----          | 146              |
| 5455           | ----  | ----               | ----            | 19.20B/17.70A      | 19.20B/17.70A    | ----               | ----          | 17.30           | - 0.80                   | .0621 | ----          | ----                     | ----              | ----          | 1                |
| 5490           | ----  | ----               | ----            | 18.10B/16.80A      | 18.10B/16.80A    | ----               | ----          | 16.30           | - 0.80                   | .0586 | ----          | ----                     | ----              | ----          | 12               |
| 5500           | ----  | ----               | ----            | 17.80B/16.60A      | 17.80B/16.60A    | ----               | ----          | 16.10           | - 0.70                   | .0579 | ----          | ----                     | 3                 | ----          | 892 +            |
| 5505           | ----  | ----               | ----            | 17.70B/16.40A      | 17.70B/16.40A    | ----               | ----          | 16.00           | - 0.70                   | .0575 | ----          | ----                     | ----              | ----          | 130              |
| 5550           | ----  | ----               | ----            | 16.50B/15.30A      | 16.50B/15.30A    | ----               | ----          | 14.90           | - 0.70                   | .0536 | ----          | ----                     | ----              | ----          | 4                |
| 5555           | ----  | ----               | ----            | 16.40B/15.20A      | 16.40B/15.20A    | ----               | ----          | 14.80           | - 0.70                   | .0533 | ----          | ----                     | ----              | ----          | 13               |
| 5600           | ----  | ----               | ----            | 15.20B/14.30A      | 15.20B/14.30A    | ----               | ----          | 13.90           | - 0.60                   | .0500 | ----          | ----                     | ----              | ----          | 1244             |
| 5615           | ----  | ----               | ----            | 15.00B/14.00A      | 15.00B/14.00A    | ----               | ----          | 13.60           | - 0.70                   | .0489 | ----          | ----                     | ----              | ----          | 1                |
| 5620           | ----  | ----               | ----            | 14.80B/13.90A      | 14.80B/13.90A    | ----               | ----          | 13.50           | - 0.70                   | .0486 | ----          | ----                     | ----              | ----          | 2                |
| 5625           | ----  | ----               | ----            | 14.70B/13.90A      | 14.70B/13.90A    | ----               | ----          | 13.40           | - 0.70                   | .0482 | ----          | ----                     | ----              | ----          | 19               |
| 5630           | ----  | ----               | ----            | 14.60B/13.80A      | 14.60B/13.80A    | ----               | ----          | 13.40           | - 0.60                   | .0481 | ----          | ----                     | ----              | ----          | 12               |
| 5635           | ----  | ----               | ----            | 14.50B/13.70A      | 14.50B/13.70A    | ----               | ----          | 13.30           | - 0.60                   | .0478 | ----          | ----                     | ----              | ----          | 13               |
| 5650           | ----  | ----               | ----            | 14.20B/13.40A      | 14.20B/13.40A    | ----               | ----          | 13.00           | - 0.60                   | .0467 | ----          | ----                     | ----              | ----          | 6                |
| 5670           | ----  | ----               | ----            | 13.80B/13.10A      | 13.80B/13.10A    | ----               | ----          | 12.70           | - 0.50                   | .0456 | ----          | ----                     | ----              | ----          | 1                |
| 5700           | ----  | ----               | ----            | 13.30B/12.60A      | 13.30B/12.60A    | ----               | ----          | 12.20           | - 0.50                   | .0437 | ----          | ----                     | ----              | ----          | 30               |
| 5750           | ----  | ----               | ----            | 12.40B/11.80A      | 12.40B/11.80A    | ----               | ----          | 11.50           | - 0.40                   | .0411 | ----          | ----                     | ----              | ----          | 3                |
| 5755           | ----  | ----               | ----            | 12.30B/----        | 12.30B/11.80A    | ----               | ----          | 11.40           | - 0.40                   | .0408 | ----          | ----                     | ----              | ----          | 3                |
| 5790           | ----  | ----               | ----            | 11.80B/----        | 11.80B/11.30A    | ----               | ----          | 10.90           | - 0.40                   | .0389 | ----          | ----                     | ----              | ----          | 49               |
| 5800           | ----  | ----               | ----            | 11.60B/11.10A      | 11.60B/11.10A    | ----               | ----          | 10.80           | - 0.40                   | .0385 | ----          | ----                     | ----              | ----          | 2                |
| 5810           | ----  | ----               | ----            | 11.50B/11.00A      | 11.50B/11.00A    | ----               | ----          | 10.70           | - 0.40                   | .0381 | ----          | ----                     | ----              | ----          | 15               |
| 5820           | ----  | ----               | ----            | 11.40B/----        | 11.40B/10.90A    | ----               | ----          | 10.50           | - 0.40                   | .0375 | ----          | ----                     | ----              | ----          | 1                |
| 5825           | ----  | ----               | ----            | 11.20B/10.80A      | 11.20B/10.80A    | ----               | ----          | 10.50           | - 0.40                   | .0374 | ----          | ----                     | ----              | ----          | 13               |
| 5850           | ----  | ----               | ----            | 11.00B/----        | 11.00B/10.50A    | ----               | ----          | 10.20           | - 0.30                   | .0363 | ----          | ----                     | ----              | ----          | 3                |
| 5860           | ----  | ----               | ----            | 10.80B/----        | 10.80B/10.40A    | ----               | ----          | 10.10           | - 0.30                   | .0359 | ----          | ----                     | ----              | ----          | 6                |
| 5875           | ----  | ----               | ----            | 10.60B/----        | 10.60B/10.30A    | ----               | ----          | 9.90            | - 0.30                   | .0352 | ----          | ----                     | ----              | ----          | 13               |
| 5900           | ----  | ----               | ----            | 10.30B/----        | 10.30B/10.00A    | ----               | ----          | 9.60            | - 0.30                   | .0341 | ----          | ----                     | 20                | ----          | 29 +             |
| 5950           | ----  | ----               | ----            | 9.80B/----         | 9.80B/9.50A      | ----               | ----          | 9.10            | - 0.30                   | .0322 | ----          | ----                     | ----              | ----          | 18               |
| 5975           | ----  | ----               | ----            | 9.40B/----         | 9.40B/9.20A      | ----               | ----          | 8.90            | - 0.30                   | .0314 | ----          | ----                     | ----              | ----          | 36               |
| 6000           | ----  | ----               | ----            | 9.20B/----         | 9.20B/9.00A      | ----               | ----          | 8.70            |                          |       |               |                          |                   |               |                  |

| BULLETIN #191@ |                        |                 |                    |                            |                         |                 |                          |       |               | METALS OPTION PRODUCTS   |                   |               |                  |                    |  |  |  |  |  | Mon, Oct 05, 2026 |  | PG64 |
|----------------|------------------------|-----------------|--------------------|----------------------------|-------------------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|--------------------|--|--|--|--|--|-------------------|--|------|
| GLOBAL<br>OPEN | OPEN<br>OUTCRY<br>OPEN | OUTCRY<br>RANGE | GLOBAL<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBAL®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |                    |  |  |  |  |  |                   |  |      |
| OG CALL        |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  | COMEX GOLD OPTIONS |  |  |  |  |  |                   |  |      |
| APR27          |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |                    |  |  |  |  |  |                   |  |      |
| 4565           | ----                   | ----            | 139.20B/124.70A    | 139.20B/124.70A            | ----                    | ----            | 124.80 - 4.40            | .3257 | ----          | ----                     | ----              | ----          | 21               | UNCH               |  |  |  |  |  |                   |  |      |
| 4575           | ----                   | ----            | 136.40B/122.60A    | 136.40B/122.60A            | ----                    | ----            | 122.30 - 4.40            | .3206 | ----          | ----                     | ----              | ----          | 58               | UNCH               |  |  |  |  |  |                   |  |      |
| 4590           | ----                   | ----            | 132.60B/118.90A    | 132.60B/118.90A            | ----                    | ----            | 118.70 - 4.30            | .3132 | ----          | ----                     | ----              | ----          | 32               | UNCH               |  |  |  |  |  |                   |  |      |
| 4595           | ----                   | ----            | 131.00B/117.60A    | 131.00B/117.60A            | ----                    | ----            | 117.60 - 4.20            | .3108 | ----          | ----                     | ----              | ----          | 21               | UNCH               |  |  |  |  |  |                   |  |      |
| 4600           | 118.60                 | 118.60          | 129.90B/116.60A    | 129.90B/116.60A            | ----                    | ----            | 116.40 - 4.20            | .3084 | ----          | ----                     | 2                 | ----          | 210              | UNCH               |  |  |  |  |  |                   |  |      |
| 4605           | ----                   | ----            | 128.60B/115.30A    | 128.60B/115.30A            | ----                    | ----            | 115.20 - 4.20            | .3059 | ----          | ----                     | ----              | ----          | 20               | UNCH               |  |  |  |  |  |                   |  |      |
| 4615           | ----                   | ----            | 126.00B/113.00A    | 126.00B/113.00A            | ----                    | ----            | 113.00 - 4.10            | .3012 | ----          | ----                     | ----              | ----          | 50               | UNCH               |  |  |  |  |  |                   |  |      |
| 4620           | ----                   | ----            | 125.10B/111.80A    | 125.10B/111.80A            | ----                    | ----            | 111.80 - 4.20            | .2987 | ----          | ----                     | ----              | ----          | 26               | UNCH               |  |  |  |  |  |                   |  |      |
| 4625           | ----                   | ----            | 123.90B/110.70A    | 123.90B/110.70A            | ----                    | ----            | 110.70 - 4.10            | .2964 | ----          | ----                     | ----              | ----          | 13               | UNCH               |  |  |  |  |  |                   |  |      |
| 4640           | ----                   | ----            | 120.20B/107.70A    | 120.20B/107.70A            | ----                    | ----            | 107.50 - 4.00            | .2895 | ----          | ----                     | ----              | ----          | 13               | UNCH               |  |  |  |  |  |                   |  |      |
| 4650           | ----                   | ----            | 117.80B/105.60A    | 117.80B/105.60A            | ----                    | ----            | 105.30 - 4.10            | .2848 | ----          | ----                     | ----              | ----          | 295              | UNCH               |  |  |  |  |  |                   |  |      |
| 4665           | ----                   | ----            | 114.50B/102.50A    | 114.50B/102.50A            | ----                    | ----            | 102.20 - 4.00            | .2780 | ----          | ----                     | ----              | ----          | 20               | UNCH               |  |  |  |  |  |                   |  |      |
| 4670           | ----                   | ----            | 113.50B/101.30A    | 113.50B/101.30A            | ----                    | ----            | 101.20 - 4.00            | .2758 | ----          | ----                     | ----              | ----          | 20               | UNCH               |  |  |  |  |  |                   |  |      |
| 4680           | ----                   | ----            | 110.90B/99.30A     | 110.90B/99.30A             | ----                    | ----            | 99.20 - 4.00             | .2714 | ----          | ----                     | ----              | ----          | 11               | UNCH               |  |  |  |  |  |                   |  |      |
| 4690           | ----                   | ----            | 109.00B/97.50A     | 109.00B/97.50A             | ----                    | ----            | 97.30 - 3.90             | .2671 | ----          | ----                     | ----              | ----          | 11               | UNCH               |  |  |  |  |  |                   |  |      |
| 4695           | ----                   | ----            | 108.00B/96.60A     | 108.00B/96.60A             | ----                    | ----            | 96.30 - 3.90             | .2649 | ----          | ----                     | ----              | ----          | 40               | UNCH               |  |  |  |  |  |                   |  |      |
| 4700           | 99.90                  | 99.90           | 107.90/95.70A      | 107.90/95.70A              | ----                    | ----            | 95.30 - 3.90             | .2628 | ----          | ----                     | 6                 | ----          | 134 +            | 1                  |  |  |  |  |  |                   |  |      |
| 4705           | ----                   | ----            | 105.70B/94.70A     | 105.70B/94.70A             | ----                    | ----            | 94.40 - 3.90             | .2607 | ----          | ----                     | ----              | ----          | 66               | UNCH               |  |  |  |  |  |                   |  |      |
| 4710           | ----                   | ----            | 104.60B/93.80A     | 104.60B/93.80A             | ----                    | ----            | 93.50 - 3.80             | .2586 | ----          | ----                     | ----              | ----          | 2                | UNCH               |  |  |  |  |  |                   |  |      |
| 4715           | ----                   | ----            | 104.00B/92.70A     | 104.00B/92.70A             | ----                    | ----            | 92.60 - 3.80             | .2566 | ----          | ----                     | ----              | ----          | 63               | UNCH               |  |  |  |  |  |                   |  |      |
| 4720           | ----                   | ----            | 102.80B/92.00A     | 102.80B/92.00A             | ----                    | ----            | 91.70 - 3.70             | .2545 | ----          | ----                     | ----              | ----          | 7                | UNCH               |  |  |  |  |  |                   |  |      |
| 4725           | ----                   | ----            | 101.80B/90.90A     | 101.80B/90.90A             | ----                    | ----            | 90.80 - 3.70             | .2525 | ----          | ----                     | ----              | ----          | 2                | UNCH               |  |  |  |  |  |                   |  |      |
| 4730           | ----                   | ----            | 100.80B/90.00A     | 100.80B/90.00A             | ----                    | ----            | 89.90 - 3.70             | .2504 | ----          | ----                     | ----              | ----          | 2                | UNCH               |  |  |  |  |  |                   |  |      |
| 4750           | ----                   | ----            | 96.70B/86.80A      | 96.70B/86.80A              | ----                    | ----            | 86.40 - 3.50             | .2424 | ----          | ----                     | ----              | ----          | 151              | UNCH               |  |  |  |  |  |                   |  |      |
| 4760           | ----                   | ----            | 94.80B/85.10A      | 94.80B/85.10A              | ----                    | ----            | 84.70 - 3.50             | .2384 | ----          | ----                     | ----              | ----          | 8                | UNCH               |  |  |  |  |  |                   |  |      |
| 4765           | ----                   | ----            | 94.20B/84.20A      | 94.20B/84.20A              | ----                    | ----            | 83.90 - 3.40             | .2365 | ----          | ----                     | ----              | ----          | 2                | UNCH               |  |  |  |  |  |                   |  |      |
| 4770           | ----                   | ----            | 93.30B/83.40A      | 93.30B/83.40A              | ----                    | ----            | 83.10 - 3.40             | .2346 | ----          | ----                     | ----              | ----          | 15               | UNCH               |  |  |  |  |  |                   |  |      |
| 4775           | ----                   | ----            | 92.20B/82.70A      | 92.20B/82.70A              | ----                    | ----            | 82.30 - 3.30             | .2327 | ----          | ----                     | ----              | ----          | 40               | UNCH               |  |  |  |  |  |                   |  |      |
| 4785           | ----                   | ----            | 90.60B/81.00A      | 90.60B/81.00A              | ----                    | ----            | 80.70 - 3.30             | .2289 | ----          | ----                     | ----              | ----          | 39               | UNCH               |  |  |  |  |  |                   |  |      |
| 4795           | ----                   | ----            | 88.70B/79.50A      | 88.70B/79.50A              | ----                    | ----            | 79.20 - 3.10             | .2253 | ----          | ----                     | ----              | ----          | 40               | UNCH               |  |  |  |  |  |                   |  |      |
| 4800           | ----                   | ----            | 87.80B/78.70A      | 87.80B/78.70A              | ----                    | ----            | 78.40 - 3.10             | .2234 | ----          | ----                     | 1                 | ----          | 363 -            | 1                  |  |  |  |  |  |                   |  |      |
| 4805           | ----                   | ----            | 87.20B/77.90A      | 87.20B/77.90A              | ----                    | ----            | 77.70 - 3.00             | .2217 | ----          | ----                     | ----              | ----          | 1                | UNCH               |  |  |  |  |  |                   |  |      |
| 4810           | ----                   | ----            | 86.10B/76.90A      | 86.10B/76.90A              | ----                    | ----            | 76.90 - 3.10             | .2198 | ----          | ----                     | ----              | ----          | 1                | UNCH               |  |  |  |  |  |                   |  |      |
| 4820           | ----                   | ----            | 84.70B/75.70A      | 84.70B/75.70A              | ----                    | ----            | 75.40 - 3.00             | .2162 | ----          | ----                     | ----              | ----          | 2                | UNCH               |  |  |  |  |  |                   |  |      |
| 4840           | ----                   | ----            | 81.20B/72.80A      | 81.20B/72.80A              | ----                    | ----            | 72.60 - 2.80             | .2093 | ----          | ----                     | ----              | ----          | 5                | UNCH               |  |  |  |  |  |                   |  |      |
| 4845           | ----                   | ----            | 80.40B/72.20A      | 80.40B/72.20A              | ----                    | ----            | 71.90 - 2.80             | .2076 | ----          | ----                     | ----              | ----          | 75               | UNCH               |  |  |  |  |  |                   |  |      |
| 4850           | ----                   | ----            | 79.70B/71.50A      | 79.70B/71.50A              | ----                    | ----            | 71.20 - 2.80             | .2059 | ----          | ----                     | ----              | ----          | 100              | UNCH               |  |  |  |  |  |                   |  |      |
| 4865           | ----                   | ----            | 77.30B/69.40A      | 77.30B/69.40A              | ----                    | ----            | 69.10 - 2.80             | .2008 | ----          | ----                     | ----              | ----          | 3                | UNCH               |  |  |  |  |  |                   |  |      |
| 4870           | ----                   | ----            | 76.60B/68.70A      | 76.60B/68.70A              | ----                    | ----            | 68.50 - 2.70             | .1993 | ----          | ----                     | ----              | ----          | 25               | UNCH               |  |  |  |  |  |                   |  |      |
| 4885           | ----                   | ----            | 74.70B/66.80A      | 74.70B/66.80A              | ----                    | ----            | 66.50 - 2.70             | .1943 | ----          | ----                     | ----              | ----          | 21               | UNCH               |  |  |  |  |  |                   |  |      |
| 4900           | ----                   | ----            | 72.40B/65.00A      | 72.40B/65.00A              | ----                    | ----            | 64.60 - 2.70             | .1896 | ----          | ----                     | 1                 | ----          | 83               | UNCH               |  |  |  |  |  |                   |  |      |
| 4905           | ----                   | ----            | 71.60B/64.30A      | 71.60B/64.30A              | ----                    | ----            | 64.00 - 2.60             | .1880 | ----          | ----                     | ----              | ----          | 13               | UNCH               |  |  |  |  |  |                   |  |      |
| 4930           | ----                   | ----            | 68.40B/61.30A      | 68.40B/61.30A              | ----                    | ----            | 61.00 - 2.60             | .1804 | ----          | ----                     | ----              | ----          | 5                | UNCH               |  |  |  |  |  |                   |  |      |
| 4970           | ----                   | ----            | 63.50B/56.80A      | 63.50B/56.80A              | ----                    | ----            | 56.60 - 2.40             | .1690 | ----          | ----                     | ----              | ----          | 10               | UNCH               |  |  |  |  |  |                   |  |      |
| 5000           | ----                   | ----            | 59.90B/53.80A      | 59.90B/53.80A              | ----                    | ----            | 53.50 - 2.30             | .1609 | ----          | ----                     | ----              | ----          | 267              | UNCH               |  |  |  |  |  |                   |  |      |
| 5010           | ----                   | ----            | 58.80B/52.80A      | 58.80B/52.80A              | ----                    | ----            | 52.50 - 2.30             | .1583 | ----          | ----                     | ----              | ----          | 4                | UNCH               |  |  |  |  |  |                   |  |      |
| 5020           | ----                   | ----            | 57.70B/51.80A      | 57.70B/51.80A              | ----                    | ----            | 51.50 - 2.30             | .1556 | ----          | ----                     | ----              | ----          | 7                | UNCH               |  |  |  |  |  |                   |  |      |
| 5025           | ----                   | ----            | 57.20B/51.30A      | 57.20B/51.30A              | ----                    | ----            | 51.00 - 2.30             | .1543 | ----          | ----                     | ----              | ----          | 1                | UNCH               |  |  |  |  |  |                   |  |      |
| 5030           | ----                   | ----            | 56.70B/50.90A      | 56.70B/50.90A              | ----                    | ----            | 50.60 - 2.20             | .1532 | ----          | ----                     | ----              | ----          | 1                | UNCH               |  |  |  |  |  |                   |  |      |
| 5035           | ----                   | ----            | 56.10B/50.50A      | 56.10B/50.50A              | ----                    | ----            | 50.10 - 2.20             | .1519 | ----          | ----                     | ----              | ----          | 2                | UNCH               |  |  |  |  |  |                   |  |      |
| 5040           | ----                   | ----            | 55.60B/49.90A      | 55.60B/49.90A              | ----                    | ----            | 49.60 - 2.30             | .1506 | ----          | ----                     | ----              | ----          | 3                | UNCH               |  |  |  |  |  |                   |  |      |
| 5045           | ----                   | ----            | 55.10B/49.60A      | 55.10B/49.60A              | ----                    | ----            | 49.20 - 2.20             | .1494 | ----          | ----                     | ----              | ----          | 30               | UNCH               |  |  |  |  |  |                   |  |      |
| 5050           | ----                   | ----            | 54.60B/49.20A      | 54.60B/49.20A              | ----                    | ----            | 48.70 - 2.20             | .1481 | ----          | ----                     | ----              | ----          | 119              | UNCH               |  |  |  |  |  |                   |  |      |
| 5055           | ----                   | ----            | 54.10B/48.50A      | 54.10B/48.50A              | ----                    | ----            | 48.30 - 2.20             | .1470 | ----          | ----                     | ----              | ----          | 67               | UNCH               |  |  |  |  |  |                   |  |      |
| 5060           | ----                   | ----            | 53.60B/48.20A      | 53.60B/48.20A              | ----                    | ----            | 47.90 - 2.10             | .1459 | ----          | ----                     | ----              | ----          | 27               | UNCH               |  |  |  |  |  |                   |  |      |
| 5070           | ----                   | ----            | 52.60B/47.30A      | 52.60B/47.30A              | ----                    | ----            | 47.00 - 2.10             | .1435 | ----          | ----                     | ----              | ----          | 6                | UNCH               |  |  |  |  |  |                   |  |      |
| 5075           | ----                   | ----            | 52.10B/46.80A      | 52.10B/46.80A              | ----                    | ----            | 46.60 - 2.10             | .1424 | ----          | ----                     | ----              | ----          | 232              | UNCH               |  |  |  |  |  |                   |  |      |
| 5100           | ----                   | ----            | 49.70B/45.00A      | 49.70B/45.00A              | ----                    | ----            | 44.50 - 2.00             | .1367 | ----          | ----                     | ----              | ----          | 940              | UNCH               |  |  |  |  |  |                   |  |      |
| 5130           | ----                   | ----            | 47.20B/42.50A      | 47.20B/42.50A              | ----                    | ----            | 42.20 - 1.90             | .1303 | ----          | ----                     | ----              | ----          | 18               | UNCH               |  |  |  |  |  |                   |  |      |
| 5140           | 41.70                  | 41.70           | 46.20B/41.60       | 46.20B/41.60               | ----                    | ----            | 41.50 - 1.80             | .1283 | ----          | ----                     | 2                 | ----          | 11               | UNCH               |  |  |  |  |  |                   |  |      |
| 5145           | 41.40                  | 41.40           | 46.00B/41.10       | 46.00B/41.10               | ----                    | ----            | 41.10 - 1.80             | .1272 | ----          | ----                     | 4                 | ----          | 8                | UNCH               |  |  |  |  |  |                   |  |      |
| 5150           | ----                   | ----            | 45.50B/41.30A      | 45.50B/41.30A              | ----                    | ----            | 40.80 - 1.70             | .1263 | ----          | ----                     | ----              | ----          | 105              | UNCH               |  |  |  |  |  |                   |  |      |
| 5170           | ----                   | ----            | 43.90B/39.90A      | 43.90B/39.90A              | ----                    | ----            | 39.40 - 1.60             | .1224 | ----          | ----                     | ----              | ----          | 1                | UNCH               |  |  |  |  |  |                   |  |      |
| 5180           | ----                   | ----            | 43.10B/39.20A      | 43.10B/39.20A              | ----                    | ----            | 38.70 - 1.60             | .1204 | ----          | ----                     | ----              | ----          | 18               | UNCH               |  |  |  |  |  |                   |  |      |
| 5195           | ----                   | ----            | 42.00B/38.20A      | 42.00B/38.20A              | ----                    | ----            | 37.70 - 1.60             | .1176 | ----          | ----                     | ----              | ----          | 5                | UNCH               |  |  |  |  |  |                   |  |      |
| 5200           | 37.60                  | 37.60           | 41.60B/37.60       | 41.60B/37.60               | ----                    | ----            | 37.40 - 1.60             | .1167 | ----          | ----                     | 2                 | ----          | 1429             | UNCH               |  |  |  |  |  |                   |  |      |
| 5210           | ----                   | ----            | 40.90B/37.30A      | 40.90B/37.30A              | ----                    | ----            | 36.80 - 1.50             | .1149 | ----          | ----                     | ----              | ----          | 3                | UNCH               |  |  |  |  |  |                   |  |      |
| 5215           | ----                   | ----            | 40.40B/37.00A      | 40.40B/37.00A              | ----                    | ----            | 36.50 - 1.50             | .1141 | ----          | ----                     | ----              | ----          | 29               | UNCH               |  |  |  |  |  |                   |  |      |
| 5220           | ----                   | ----            | 39.70B/36.70A      | 39.70B/36.70A              | ----                    | ----            | 36.20 - 1.50             | .1132 | ----          | ----                     | ----              | ----          | 1                | UNCH               |  |  |  |  |  |                   |  |      |
| 5225           | ----                   | ----            | 39.40B/36.40A      | 39.40B/36.40A              | ----                    | ----            | 35.90 - 1.50             | .1123 | ----          | ----                     | ----              | ----          | 12               | UNCH               |  |  |  |  |  |                   |  |      |
| 5230           | 39.00                  | 39.00           | 39.00/36.10A       | 39.00/36.10A               | ----                    | ----            | 35.50 - 1.60             | .1113 | ----          | ----                     | 1                 | ----          | 601 -            | 1                  |  |  |  |  |  |                   |  |      |
| 5250           | ----                   | ----            | 37.70B/34.90A      | 37.70B/34.90A              | ----                    | ----            | 34.40 - 1.50             | .1080 | ----          | ----                     | ----              | ----          | 401              | UNCH               |  |  |  |  |  |                   |  |      |
| 5255           | ----                   | ----            | 37.60B/34.60A      | 37.60B/34.60A              | ----                    | ----            | 34.10 - 1.50             | .1072 | ----          | ----                     | ----              | ----          | 1                | UNCH               |  |  |  |  |  |                   |  |      |
| 5275           | ----                   | ----            | 36.40B/33.50A      | 36.40B/33.50A              | ----                    | ----            | 33.00 - 1.50             | .1039 | ----          | ----                     | ----              | ----          | 353              | UNCH               |  |  |  |  |  |                   |  |      |
| 5300           | ----                   | ----            | 34.90B/32.10A      | 34.90B/32.10A              | ----                    | ----            | 31.60 - 1.60             | .0999 | ----          | ----                     | ----              | ----          | 331              | UNCH               |  |  |  |  |  |                   |  |      |
| 5315           | ----                   | ----            | 33.80B/31.40A      | 33.80B/31.40A              | ----                    | ----            | 30.90 - 1.50             | .0978 | ----          | ----                     | ----              | ----          | 5                | UNCH               |  |  |  |  |  |                   |  |      |
| 5330           | ----                   | ----            | 33.00B/30.60A      | 33.00B/30.60A              | ----                    | ----            | 30.10 - 1.50             | .0955 | ----          | ----                     | ----              | ----          | 8                | UNCH               |  |  |  |  |  |                   |  |      |
| 5350           | ----                   | ----            | 31.90B/29.70A      | 31.90B/29.70A              | ----                    | ----            | 29.20 - 1.40             | .0927 | ----          | ----                     | ----              | ----          | 43               | UNCH               |  |  |  |  |  |                   |  |      |
| 5370           | ----                   | ----            | 30.90B/28.80A      | 30.90B/28.80A              | ----                    | ----            | 28.20 - 1.50             | .0898 | ----          | ----                     | ----              | ----          | 20               | UNCH               |  |  |  |  |  |                   |  |      |
| 5395           | ----                   | ----            | 29.70B/27.70A      | 29.70B/27.70A              | ----                    | ----            | 27.10 - 1.40             | .0865 | ----          | ----                     | ----              | ----          | 4                | UNCH               |  |  |  |  |  |                   |  |      |
| 5400           | 27.10                  | 27.10           | 29.40B/27.10       | 29.40B/27.10               | ----                    | ----            | 26.90 - 1.40             | .0859 | ----          | ----                     | 4                 | ----          | 768 -            | 3                  |  |  |  |  |  |                   |  |      |
| 5425           | ----                   | ----            | 28.30B/26.50A      | 28.30B/26.50A              | ----                    | ----            | 25.90 - 1.30             | .0829 | ----          | ----                     | ----              | ----          | 2                | UNCH               |  |  |  |  |  |                   |  |      |
| 5430           | ----                   | ----            | 28.10B/26.30A      | 28.10B/26.30A              | ----                    | ----            | 25.70 - 1.30             | .0823 | ----          | ----                     | ----              | ----          | 2                | UNCH               |  |  |  |  |  |                   |  |      |
| 5450           | ----                   | ----            | 27.20B/25.50A      | 27.20B/25.50A              | ----                    | ----            | 24.90 - 1.30             | .0799 | ----          | ----                     | ----              | ----          | 5                | UNCH               |  |  |  |  |  |                   |  |      |
| 5470           | ----                   | ----            | 26.40B/24.80A      | 26.40B/24.80A              | ----                    | ----            | 24.20 - 1.20             | .0777 | ----          | ----                     | ----              | ----          | 3                | UNCH               |  |  |  |  |  |                   |  |      |
| 5480           | ----                   | ----            | 26.00B/24.40A      | 26.00B/24.40A              | ----                    | ----            | 23.80 - 1.20             | .0765 | ----          | ----                     | ----              | ----          | 1                | UNCH               |  |  |  |  |  |                   |  |      |
| 5490           | ----                   | ----            | 25.60B/24.10A      | 25.60B/24.10A              | ----                    | ----            | 23.50 - 1.10             | .0755 | ----          | ----                     | ----              | ----          | 10               | UNCH               |  |  |  |  |  |                   |  |      |
| 5495           | ----                   | ----            | 25.30B/23.90A      | 25.30B/23.90A              | ----                    | ----            | 23.30 - 1.10             | .0749 | ----          | ----                     | ----              | ----          | 4                | UNCH               |  |  |  |  |  |                   |  |      |
| 5500           | ----                   | ----            | 25.10B/23.70A      | 25.10B/23.70A              | ----                    | ----            | 23.20 - 1.00             | .0746 | ----          | ----                     | ----              | ----          | 4869             | UNCH               |  |  |  |  |  |                   |  |      |
| 5510           | ----                   | ----            | 24.80B/23.40A      | 24.80B/23.40A              | ----                    | ----            | 22.80 - 1.10             | .0734 | ----          | ----                     | ----              | ----          | 1                | UNCH               |  |  |  |  |  |                   |  |      |
| 5540           | ----                   | ----            | 23.80B/22.40A      | 23.80B/22.40A              | ----                    | ----            | 21.90 - 0.90             | .0705 | ----          | ----                     | ----              | ----          | 6                | UNCH               |  |  |  |  |  |                   |  |      |
| 5550           | ----                   | ----            | 23.40B/22.10A      | 23.40B/22.10A              | ----                    | ----            | 21.60 - 0.90             | .0696 |               |                          |                   |               |                  |                    |  |  |  |  |  |                   |  |      |

| GLOBEX<br>OPEN |        | OPEN<br>OPEN       | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |      |      |  |  |  |  |
|----------------|--------|--------------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|------|------|--|--|--|--|
| OG CALL        |        | COMEX GOLD OPTIONS |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |      |      |      |  |  |  |  |
| MAY27          |        |                    |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |      |      |      |  |  |  |  |
| 4810           | ----   | ----               | ----            | 113.70B/103.30A    | 113.70B/103.30A  | ----               | ----          | 102.80          | - 3.90                   | .2581 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |      |  |  |  |  |
| 4850           | ----   | ----               | ----            | 106.30B/96.50A     | 106.30B/96.50A   | ----               | ----          | 95.90           | - 3.70                   | .2437 | ----          | ----                     | ----              | ----          | 5                | UNCH |      |      |  |  |  |  |
| 4855           | ----   | ----               | ----            | 105.50B/95.60A     | 105.50B/95.60A   | ----               | ----          | 95.10           | - 3.70                   | .2420 | ----          | ----                     | ----              | ----          | 2                | UNCH |      |      |  |  |  |  |
| 4860           | ----   | ----               | ----            | 104.70B/94.80A     | 104.70B/94.80A   | ----               | ----          | 94.30           | - 3.60                   | .2403 | ----          | ----                     | ----              | ----          | 20               | UNCH |      |      |  |  |  |  |
| 4900           | ----   | ----               | ----            | 97.00B/88.60A      | 97.00B/88.60A    | ----               | ----          | 88.10           | - 3.40                   | .2270 | ----          | ----                     | ----              | ----          | 115              | UNCH |      |      |  |  |  |  |
| 4920           | ----   | ----               | ----            | 94.20B/85.60A      | 94.20B/85.60A    | ----               | ----          | 85.10           | - 3.30                   | .2205 | ----          | ----                     | ----              | ----          | 2                | UNCH |      |      |  |  |  |  |
| 4945           | ----   | ----               | ----            | 90.10B/82.10A      | 90.10B/82.10A    | ----               | ----          | 81.60           | - 3.20                   | .2127 | ----          | ----                     | ----              | ----          | 9                | UNCH |      |      |  |  |  |  |
| 4950           | ----   | ----               | ----            | 89.60B/81.50A      | 89.60B/81.50A    | ----               | ----          | 80.90           | - 3.10                   | .2112 | ----          | ----                     | ----              | ----          | 2                | UNCH |      |      |  |  |  |  |
| 4955           | ----   | ----               | ----            | 88.60B/80.80A      | 88.60B/80.80A    | ----               | ----          | 80.20           | - 3.10                   | .2096 | ----          | ----                     | ----              | ----          | 9                | UNCH |      |      |  |  |  |  |
| 4970           | ----   | ----               | ----            | 86.60B/78.80A      | 86.60B/78.80A    | ----               | ----          | 78.20           | - 3.10                   | .2052 | ----          | ----                     | ----              | ----          | 9                | UNCH |      |      |  |  |  |  |
| 5000           | ----   | ----               | ----            | 82.40B/75.00A      | 82.40B/75.00A    | ----               | ----          | 74.40           | - 2.90                   | .1965 | ----          | ----                     | ----              | ----          | 151              | UNCH |      |      |  |  |  |  |
| 5040           | ----   | ----               | ----            | 77.00B/70.20A      | 77.00B/70.20A    | ----               | ----          | 69.60           | - 2.70                   | .1855 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |      |  |  |  |  |
| 5070           | ----   | ----               | ----            | 73.20B/66.80A      | 73.20B/66.80A    | ----               | ----          | 66.20           | - 2.60                   | .1777 | ----          | ----                     | ----              | ----          | 37               | UNCH |      |      |  |  |  |  |
| 5100           | ----   | ----               | ----            | 69.60B/63.80A      | 69.60B/63.80A    | ----               | ----          | 63.10           | - 2.40                   | .1703 | ----          | ----                     | ----              | ----          | 10               | UNCH |      |      |  |  |  |  |
| 5130           | ----   | ----               | ----            | 66.50B/60.70A      | 66.50B/60.70A    | ----               | ----          | 60.10           | - 2.30                   | .1632 | ----          | ----                     | ----              | ----          | 7                | UNCH |      |      |  |  |  |  |
| 5140           | ----   | ----               | ----            | 65.40B/59.90A      | 65.40B/59.90A    | ----               | ----          | 59.10           | - 2.30                   | .1608 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |      |  |  |  |  |
| 5145           | ----   | ----               | ----            | 64.90B/59.30A      | 64.90B/59.30A    | ----               | ----          | 58.70           | - 2.20                   | .1598 | ----          | ----                     | ----              | ----          | 2                | UNCH |      |      |  |  |  |  |
| 5150           | ----   | ----               | ----            | 64.30B/58.90A      | 64.30B/58.90A    | ----               | ----          | 58.20           | - 2.20                   | .1586 | ----          | ----                     | ----              | ----          | 2                | UNCH |      |      |  |  |  |  |
| 5170           | ----   | ----               | ----            | 62.30B/57.00A      | 62.30B/57.00A    | ----               | ----          | 56.40           | - 2.10                   | .1542 | ----          | ----                     | ----              | ----          | 20               | UNCH |      |      |  |  |  |  |
| 5180           | ----   | ----               | ----            | 61.30B/56.20A      | 61.30B/56.20A    | ----               | ----          | 55.50           | - 2.10                   | .1520 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |      |  |  |  |  |
| 5185           | ----   | ----               | ----            | 60.70B/55.70A      | 60.70B/55.70A    | ----               | ----          | 55.00           | - 2.20                   | .1509 | ----          | ----                     | ----              | ----          | 37               | UNCH |      |      |  |  |  |  |
| 5200           | ----   | ----               | ----            | 59.00B/54.50A      | 59.00B/54.50A    | ----               | ----          | 53.80           | - 2.00                   | .1478 | ----          | ----                     | ----              | ----          | 159              | UNCH |      |      |  |  |  |  |
| 5215           | ----   | ----               | ----            | 57.90B/53.20A      | 57.90B/53.20A    | ----               | ----          | 52.50           | - 2.00                   | .1447 | ----          | ----                     | ----              | ----          | 20               | UNCH |      |      |  |  |  |  |
| 5220           | ----   | ----               | ----            | 57.40B/52.80A      | 57.40B/52.80A    | ----               | ----          | 52.10           | - 2.00                   | .1437 | ----          | ----                     | ----              | ----          | 39               | UNCH |      |      |  |  |  |  |
| 5225           | ----   | ----               | ----            | 56.90B/52.40A      | 56.90B/52.40A    | ----               | ----          | 51.70           | - 1.90                   | .1427 | ----          | ----                     | ----              | ----          | 2                | UNCH |      |      |  |  |  |  |
| 5235           | ----   | ----               | ----            | 56.00B/51.60A      | 56.00B/51.60A    | ----               | ----          | 50.90           | - 1.90                   | .1407 | ----          | ----                     | ----              | ----          | 25               | UNCH |      |      |  |  |  |  |
| 5240           | ----   | ----               | ----            | 55.60B/51.20A      | 55.60B/51.20A    | ----               | ----          | 50.50           | - 1.90                   | .1397 | ----          | ----                     | ----              | ----          | 29               | UNCH |      |      |  |  |  |  |
| 5250           | ----   | ----               | ----            | 54.80B/50.40A      | 54.80B/50.40A    | ----               | ----          | 49.80           | - 1.80                   | .1379 | ----          | ----                     | ----              | ----          | 231              | UNCH |      |      |  |  |  |  |
| 5275           | ----   | ----               | ----            | 52.60B/48.50A      | 52.60B/48.50A    | ----               | ----          | 47.90           | - 1.70                   | .1332 | ----          | ----                     | ----              | ----          | 25               | UNCH |      |      |  |  |  |  |
| 5300           | ----   | ----               | ----            | 50.60B/46.90A      | 50.60B/46.90A    | ----               | ----          | 46.10           | - 1.60                   | .1286 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |      |  |  |  |  |
| 5345           | ----   | ----               | ----            | 47.20B/43.90A      | 47.20B/43.90A    | ----               | ----          | 43.10           | - 1.50                   | .1210 | ----          | ----                     | ----              | ----          | 2                | UNCH |      |      |  |  |  |  |
| 5365           | ----   | ----               | ----            | 45.90B/42.60A      | 45.90B/42.60A    | ----               | ----          | 41.80           | - 1.50                   | .1176 | ----          | ----                     | ----              | ----          | 3                | UNCH |      |      |  |  |  |  |
| 5395           | ----   | ----               | ----            | 43.10B/40.90A      | 43.10B/40.90A    | ----               | ----          | 40.00           | - 1.40                   | .1130 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |      |  |  |  |  |
| 5400           | 40.10  | ----               | 40.10           | 42.90B/39.90       | 42.90B/39.90     | ----               | ----          | 39.70           | - 1.40                   | .1122 | ----          | ----                     | 3                 | ----          | 29               | UNCH |      |      |  |  |  |  |
| 5430           | ----   | ----               | ----            | 41.00B/38.90A      | 41.00B/38.90A    | ----               | ----          | 38.10           | - 1.30                   | .1079 | ----          | ----                     | ----              | ----          | 4                | UNCH |      |      |  |  |  |  |
| 5450           | ----   | ----               | ----            | 39.80B/37.10A      | 39.80B/37.10A    | ----               | ----          | 37.00           | - 1.30                   | .1051 | ----          | ----                     | ----              | ----          | 10               | UNCH |      |      |  |  |  |  |
| 5500           | ----   | ----               | ----            | 37.10B/35.30A      | 37.10B/35.30A    | ----               | ----          | 34.60           | - 1.00                   | .0986 | ----          | ----                     | ----              | ----          | 4                | UNCH |      |      |  |  |  |  |
| 5515           | ----   | ----               | ----            | 36.20B/34.60A      | 36.20B/34.60A    | ----               | ----          | 33.90           | - 1.00                   | .0967 | ----          | ----                     | ----              | ----          | 7                | UNCH |      |      |  |  |  |  |
| 5550           | 33.00  | 33.00              | ----            | 34.40B/32.40       | 34.40B/32.40     | ----               | ----          | 32.30           | - 1.00                   | .0924 | ----          | ----                     | 22                | ----          | 280              | + 16 |      |      |  |  |  |  |
| 5630           | 29.30  | 29.30              | 29.30           | 30.90B/29.10       | 30.90B/29.10     | ----               | ----          | 29.00           | - 0.90                   | .0835 | ----          | ----                     | 2                 | ----          | 1                | - 1  |      |      |  |  |  |  |
| 5650           | ----   | ----               | ----            | 30.00B/28.90A      | 30.00B/28.90A    | ----               | ----          | 28.30           | - 0.80                   | .0815 | ----          | ----                     | ----              | ----          | 5                | UNCH |      |      |  |  |  |  |
| 5665           | ----   | ----               | ----            | 29.40B/28.30A      | 29.40B/28.30A    | ----               | ----          | 27.70           | - 0.90                   | .0799 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |      |  |  |  |  |
| 5700           | ----   | ----               | ----            | 28.10B/27.10A      | 28.10B/27.10A    | ----               | ----          | 26.50           | - 0.80                   | .0766 | ----          | ----                     | ----              | ----          | 37               | UNCH |      |      |  |  |  |  |
| 5800           | ----   | ----               | ----            | 24.70B/24.10A      | 24.70B/24.10A    | ----               | ----          | 23.30           | - 0.90                   | .0677 | ----          | ----                     | ----              | ----          | 2                | UNCH |      |      |  |  |  |  |
| 5820           | 23.20  | 23.20              | ----            | 24.10B/23.20       | 24.10B/23.20     | ----               | ----          | 22.80           | - 0.80                   | .0663 | ----          | ----                     | 2                 | ----          | 45               | - 1  |      |      |  |  |  |  |
| 5840           | ----   | ----               | ----            | 23.50B/23.00A      | 23.50B/23.00A    | ----               | ----          | 22.30           | - 0.80                   | .0648 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |      |  |  |  |  |
| 5850           | 22.90  | 22.90              | ----            | 23.20B/22.40       | 23.20B/22.40     | ----               | ----          | 22.00           | - 0.80                   | .0640 | ----          | ----                     | 2                 | ----          | 66               | - 2  |      |      |  |  |  |  |
| 5900           | ----   | ----               | ----            | 21.90B/----        | 21.90B/21.60A    | ----               | ----          | 20.80           | - 0.80                   | .0605 | ----          | ----                     | ----              | ----          | 6                | UNCH |      |      |  |  |  |  |
| 5910           | ----   | ----               | ----            | 21.60B/----        | 21.60B/21.40A    | ----               | ----          | 20.60           | - 0.70                   | .0599 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |      |  |  |  |  |
| 5950           | ----   | ----               | ----            | 20.70B/----        | 20.70B/20.50A    | ----               | ----          | 19.70           | - 0.70                   | .0574 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |      |  |  |  |  |
| 5975           | ----   | ----               | ----            | 20.10B/----        | 20.10B/19.90A    | ----               | ----          | 19.20           | - 0.70                   | .0559 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |      |  |  |  |  |
| 6000           | ----   | ----               | ----            | 19.60B/----        | 19.60B/19.50A    | ----               | ----          | 18.70           | - 0.70                   | .0544 | ----          | ----                     | ----              | ----          | 123              | UNCH |      |      |  |  |  |  |
| 6050           | ----   | ----               | ----            | 18.50B/----        | 18.50B/18.60A    | ----               | ----          | 17.80           | - 0.60                   | .0518 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |      |  |  |  |  |
| 6100           | ----   | ----               | ----            | 17.60B/----        | 17.60B/17.70A    | ----               | ----          | 16.90           | - 0.60                   | .0491 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |      |  |  |  |  |
| 6250           | ----   | ----               | ----            | 15.30B/----        | 15.30B/15.50A    | ----               | ----          | 14.70           | - 0.50                   | .0426 | ----          | ----                     | ----              | ----          | 50               | UNCH |      |      |  |  |  |  |
| 6500           | ----   | ----               | ----            | ----               | 12.20B/12.90A    | ----               | ----          | 12.00           | - 0.40                   | .0344 | ----          | ----                     | ----              | ----          | 23               | UNCH |      |      |  |  |  |  |
| 8000           | ----   | ----               | ----            | 6.80B/----         | 6.80B/6.30A      | ----               | ----          | 5.90            | - 0.10                   | .0151 | ----          | ----                     | ----              | ----          | 21               | UNCH |      |      |  |  |  |  |
| TOTAL          |        |                    |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  | 32   | 2128 | + 12 |  |  |  |  |
| JUN27          |        |                    |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |      |      |      |  |  |  |  |
| 4000           | ----   | ----               | ----            | 448.60B/428.30A    | 448.60B/428.30A  | ----               | ----          | 427.70          | - 7.00                   | .6724 | ----          | ----                     | ----              | ----          | 37               | UNCH |      |      |  |  |  |  |
| 4100           | ----   | ----               | ----            | 388.00B/368.30A    | 388.00B/368.30A  | ----               | ----          | 368.90          | - 6.80                   | .6196 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |      |  |  |  |  |
| 4150           | ----   | ----               | ----            | 363.50B/340.70A    | 363.50B/340.70A  | ----               | ----          | 341.80          | - 6.80                   | .5924 | ----          | ----                     | ----              | ----          | 4                | UNCH |      |      |  |  |  |  |
| 4165           | ----   | ----               | ----            | 355.50B/333.30A    | 355.50B/333.30A  | ----               | ----          | 334.00          | - 6.70                   | .5842 | ----          | ----                     | ----              | ----          | 7                | UNCH |      |      |  |  |  |  |
| 4250           | ----   | ----               | ----            | 316.40B/291.80A    | 316.40B/291.80A  | ----               | ----          | 292.40          | - 6.50                   | .5373 | ----          | ----                     | ----              | ----          | 2                | UNCH |      |      |  |  |  |  |
| 4260           | 288.90 | 288.90             | ----            | 311.70B/286.70     | 311.70B/286.70   | ----               | ----          | 287.80          | NEW                      | .5318 | ----          | ----                     | 6                 | ----          | 6                | +    |      |      |  |  |  |  |
| 4270           | 287.60 | 287.60             | ----            | 306.90B/283.00A    | 306.90B/283.00A  | ----               | ----          | 283.30          | NEW                      | .5263 | ----          | ----                     | 1                 | ----          | 1                | +    |      |      |  |  |  |  |
| 4280           | ----   | ----               | ----            | 301.70B/278.70A    | 301.70B/278.70A  | ----               | ----          | 278.80          | - 6.40                   | .5208 | ----          | ----                     | ----              | ----          | 3                | UNCH |      |      |  |  |  |  |
| 4285           | ----   | ----               | ----            | 299.40B/276.10A    | 299.40B/276.10A  | ----               | ----          | 276.60          | - 6.40                   | .5181 | ----          | ----                     | ----              | ----          | 100              | UNCH |      |      |  |  |  |  |
| 4300           | ----   | ----               | ----            | 292.50B/270.10A    | 292.50B/270.10A  | ----               | ----          | 270.10          | - 6.30                   | .5099 | ----          | ----                     | ----              | ----          | 165              | UNCH |      |      |  |  |  |  |
| 4305           | ----   | ----               | ----            | 290.30B/267.50A    | 290.30B/267.50A  | ----               | ----          | 267.90          | - 6.30                   | .5072 | ----          | ----                     | ----              | ----          | 2                | UNCH |      |      |  |  |  |  |
| 4315           | ----   | ----               | ----            | 285.50B/263.30A    | 285.50B/263.30A  | ----               | ----          | 263.70          | - 6.20                   | .5018 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |      |  |  |  |  |
| 4320           | ----   | ----               | ----            | 283.40B/261.30A    | 283.40B/261.30A  | ----               | ----          | 261.60          | - 6.20                   | .4991 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |      |  |  |  |  |

| PG64    | BULLETIN #191@     |              |                 |                    |                  |                    |               |                 |                          |       | METALS OPTION PRODUCTS |                          |                   |               |                  |         |     |  |  |  | Mon, Oct 05, 2026 |  |  |  | PG64 |
|---------|--------------------|--------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|------------------------|--------------------------|-------------------|---------------|------------------|---------|-----|--|--|--|-------------------|--|--|--|------|
|         | GLOBEX<br>OPEN     | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES          | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |         |     |  |  |  |                   |  |  |  |      |
| OG CALL | COMEX GOLD OPTIONS |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                  |         |     |  |  |  |                   |  |  |  |      |
| JUN27   | ----               | ----         | ----            | 29.90B/----        | 29.90B/29.10A    | ----               | ----          | ----            | 28.60 - 0.50             | .0769 | ----                   | ----                     | ----              | ----          | 2                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 5840    | ----               | ----         | ----            | 29.10B/----        | 29.10B/28.20A    | ----               | ----          | ----            | 27.70 - 0.50             | .0746 | ----                   | ----                     | ----              | ----          | 3                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 5870    | ----               | ----         | ----            | 28.80B/----        | 28.80B/28.00A    | ----               | ----          | ----            | 27.60 - 0.40             | .0743 | ----                   | ----                     | ----              | ----          | 84               | UNCH    |     |  |  |  |                   |  |  |  |      |
| 5875    | ----               | ----         | ----            | 28.10B/----        | 28.10B/27.30A    | ----               | ----          | ----            | 26.80 - 0.50             | .0722 | ----                   | ----                     | ----              | ----          | 26               | UNCH    |     |  |  |  |                   |  |  |  |      |
| 5900    | ----               | ----         | ----            | 25.80B/----        | 25.80B/25.30A    | ----               | ----          | ----            | 24.80 - 0.30             | .0669 | ----                   | ----                     | ----              | ----          | 21               | UNCH    |     |  |  |  |                   |  |  |  |      |
| 5975    | ----               | ----         | ----            | 25.10B/----        | 25.10B/24.50A    | ----               | ----          | ----            | 24.20 - 0.30             | .0653 | ----                   | ----                     | ----              | ----          | 749              | UNCH    |     |  |  |  |                   |  |  |  |      |
| 6000    | ----               | ----         | ----            | 24.40B/----        | 24.40B/23.90A    | ----               | ----          | ----            | 23.60 - 0.20             | .0637 | ----                   | ----                     | ----              | ----          | 125              | UNCH    |     |  |  |  |                   |  |  |  |      |
| 6025    | ----               | ----         | ----            | 23.80B/----        | 23.80B/23.50A    | ----               | ----          | ----            | 23.00 - 0.20             | .0621 | ----                   | ----                     | ----              | ----          | 3                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 6050    | ----               | ----         | ----            | 22.60B/----        | 22.60B/22.40A    | ----               | ----          | ----            | 22.00 - 0.10             | .0593 | ----                   | ----                     | ----              | ----          | 370              | UNCH    |     |  |  |  |                   |  |  |  |      |
| 6100    | ----               | ----         | ----            | 19.40B/----        | 19.40B/19.50A    | ----               | ----          | ----            | 19.20 UNCH               | .0517 | ----                   | ----                     | 5                 | ----          | 254              | UNCH    |     |  |  |  |                   |  |  |  |      |
| 6250    | ----               | ----         | ----            | 15.90B/----        | 15.90B/16.20A    | ----               | ----          | ----            | 15.70 + 0.20             | .0420 | ----                   | ----                     | ----              | ----          | 790              | UNCH    |     |  |  |  |                   |  |  |  |      |
| 6500    | 11.50              | 11.50        | 11.50           | 11.80/11.50        | 11.80/11.50      | ----               | ----          | ----            | 11.50 + 0.30             | .0300 | ----                   | ----                     | 18                | ----          | 395 +            | 1       |     |  |  |  |                   |  |  |  |      |
| 7000    | 9.50               | 9.50         | 9.50            | 9.60/9.50          | 9.60/9.50        | ----               | ----          | ----            | 9.20 + 0.30              | .0231 | ----                   | ----                     | 50                | ----          | 478 -            | 50      |     |  |  |  |                   |  |  |  |      |
| 7500    | ----               | ----         | ----            | ----               | 7.20B/8.00A      | ----               | ----          | ----            | 7.70 + 0.20              | .0187 | ----                   | ----                     | ----              | ----          | 465              | UNCH    |     |  |  |  |                   |  |  |  |      |
| 8000    | 6.80               | 6.80         | 6.80            | 6.80/6.80          | 6.80/6.80        | ----               | ----          | ----            | 6.50 UNCH                | .0154 | ----                   | ----                     | 25                | ----          | 169 +            | 25      |     |  |  |  |                   |  |  |  |      |
| 8500    | ----               | ----         | ----            | ----               | 5.30B/6.00A      | ----               | ----          | ----            | 5.60 - 0.10              | .0129 | ----                   | ----                     | ----              | ----          | 130              | UNCH    |     |  |  |  |                   |  |  |  |      |
| 9000    | ----               | ----         | ----            | ----               | 4.70B/5.30A      | ----               | ----          | ----            | 5.00 UNCH                | .0112 | ----                   | ----                     | ----              | ----          | 72               | UNCH    |     |  |  |  |                   |  |  |  |      |
| 9500    | 5.00               | 5.00         | 5.00            | 5.10/4.50          | 5.10/4.50        | ----               | ----          | ----            | 4.70 + 0.20              | .0102 | ----                   | ----                     | 13                | ----          | 34 +             | 3       |     |  |  |  |                   |  |  |  |      |
| 10000   | ----               | ----         | ----            | ----               | ----             | ----               | ----          | ----            | ----                     | ----  | ----                   | ----                     | 146               | 575           | 15045 +          | 585     |     |  |  |  |                   |  |  |  |      |
| TOTAL   |                    |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   | 146           | 575              | 15045 + | 585 |  |  |  |                   |  |  |  |      |
| JUL27   | ----               | ----         | ----            | 326.40B/303.20A    | 326.40B/303.20A  | ----               | ----          | ----            | 303.30 - 6.40            | .5276 | ----                   | ----                     | ----              | ----          | 2                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4310    | ----               | ----         | ----            | 323.70B/301.00A    | 323.70B/301.00A  | ----               | ----          | ----            | 301.00 - 6.40            | .5251 | ----                   | ----                     | ----              | ----          | 2                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4315    | ----               | ----         | ----            | 319.80B/296.70A    | 319.80B/296.70A  | ----               | ----          | ----            | 296.60 - 6.40            | .5200 | ----                   | ----                     | ----              | ----          | 2                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4325    | ----               | ----         | ----            | 315.00B/292.20A    | 315.00B/292.20A  | ----               | ----          | ----            | 292.30 - 6.40            | .5149 | ----                   | ----                     | ----              | ----          | 3                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4335    | ----               | ----         | ----            | 313.00B/290.10A    | 313.00B/290.10A  | ----               | ----          | ----            | 290.10 - 6.40            | .5123 | ----                   | ----                     | ----              | ----          | 2                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4340    | ----               | ----         | ----            | 307.90B/286.10A    | 307.90B/286.10A  | ----               | ----          | ----            | 285.90 - 6.30            | .5073 | ----                   | ----                     | ----              | ----          | 12               | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4350    | ----               | ----         | ----            | 303.50B/282.20A    | 303.50B/282.20A  | ----               | ----          | ----            | 281.70 - 6.30            | .5023 | ----                   | ----                     | ----              | ----          | 2                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4360    | ----               | ----         | ----            | 298.90B/277.70A    | 298.90B/277.70A  | ----               | ----          | ----            | 277.50 - 6.30            | .4972 | ----                   | ----                     | ----              | ----          | 2                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4370    | ----               | ----         | ----            | 297.40B/275.60A    | 297.40B/275.60A  | ----               | ----          | ----            | 275.50 - 6.30            | .4947 | ----                   | ----                     | ----              | ----          | 2                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4375    | ----               | ----         | ----            | 256.90B/237.90A    | 256.90B/237.90A  | ----               | ----          | ----            | 237.40 - 5.90            | .4459 | ----                   | ----                     | ----              | ----          | 1                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4475    | ----               | ----         | ----            | 247.40B/229.20A    | 247.40B/229.20A  | ----               | ----          | ----            | 228.70 - 5.90            | .4340 | ----                   | ----                     | ----              | ----          | 2                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4500    | 232.20             | 232.20       | 232.20          | 245.50B/227.60A    | 245.50B/227.60A  | ----               | ----          | ----            | NEW                      | .4317 | ----                   | ----                     | 2                 | ----          | 2 +              | 2       |     |  |  |  |                   |  |  |  |      |
| 4505    | ----               | ----         | ----            | 235.10B/218.30A    | 235.10B/218.30A  | ----               | ----          | ----            | 217.10 - 5.70            | .4178 | ----                   | ----                     | ----              | ----          | 38               | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4535    | ----               | ----         | ----            | 233.90B/216.00A    | 233.90B/216.00A  | ----               | ----          | ----            | 215.50 - 5.60            | .4156 | ----                   | ----                     | ----              | ----          | 2                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4540    | ----               | ----         | ----            | 224.90B/208.80A    | 224.90B/208.80A  | ----               | ----          | ----            | 207.70 - 5.40            | .4043 | ----                   | ----                     | ----              | ----          | 1                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4565    | ----               | ----         | ----            | 213.30B/197.70A    | 213.30B/197.70A  | ----               | ----          | ----            | 197.20 - 5.20            | .3889 | ----                   | ----                     | ----              | ----          | 40               | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4600    | ----               | ----         | ----            | 184.60B/170.70A    | 184.60B/170.70A  | ----               | ----          | ----            | 170.20 - 4.50            | .3472 | ----                   | ----                     | ----              | ----          | 24               | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4700    | ----               | ----         | ----            | 171.60B/158.90A    | 171.60B/158.90A  | ----               | ----          | ----            | 158.20 - 4.10            | .3278 | ----                   | ----                     | 3                 | ----          | 11               | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4750    | ----               | ----         | ----            | 151.80B/140.60A    | 151.80B/140.60A  | ----               | ----          | ----            | 139.70 - 3.70            | .2967 | ----                   | ----                     | ----              | ----          | 70               | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4835    | ----               | ----         | ----            | 138.30B/127.80A    | 138.30B/127.80A  | ----               | ----          | ----            | 127.10 - 3.50            | .2747 | ----                   | ----                     | ----              | ----          | 10               | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4900    | ----               | ----         | ----            | 121.50B/112.30A    | 121.50B/112.30A  | ----               | ----          | ----            | 111.40 - 3.40            | .2465 | ----                   | ----                     | ----              | ----          | 10               | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4990    | ----               | ----         | ----            | 118.80B/110.60A    | 118.80B/110.60A  | ----               | ----          | ----            | 109.80 - 3.40            | .2436 | ----                   | ----                     | ----              | ----          | 443              | UNCH    |     |  |  |  |                   |  |  |  |      |
| 5000    | ----               | ----         | ----            | 89.90B/83.80A      | 89.90B/83.80A    | ----               | ----          | ----            | 82.90 - 2.60             | .1917 | ----                   | ----                     | ----              | ----          | 1                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 5200    | ----               | ----         | ----            | 86.70B/81.00A      | 86.70B/81.00A    | ----               | ----          | ----            | 80.10 - 2.50             | .1860 | ----                   | ----                     | ----              | ----          | 2                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 5225    | 79.10              | 79.10        | 79.10           | 84.10B/78.20       | 84.10B/78.20     | ----               | ----          | ----            | 77.50 - 2.30             | .1807 | ----                   | ----                     | 10                | ----          | 20 +             | 10      |     |  |  |  |                   |  |  |  |      |
| 5250    | ----               | ----         | ----            | 78.70B/73.40A      | 78.70B/73.40A    | ----               | ----          | ----            | 72.50 - 2.10             | .1704 | ----                   | ----                     | ----              | ----          | 12               | UNCH    |     |  |  |  |                   |  |  |  |      |
| 5300    | ----               | ----         | ----            | 68.60B/64.50A      | 68.60B/64.50A    | ----               | ----          | ----            | 63.70 - 1.70             | .1518 | ----                   | ----                     | ----              | ----          | 17               | UNCH    |     |  |  |  |                   |  |  |  |      |
| 5400    | ----               | ----         | ----            | 60.50B/57.40A      | 60.50B/57.40A    | ----               | ----          | ----            | 56.50 - 1.50             | .1362 | ----                   | ----                     | ----              | ----          | 1                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 5495    | ----               | ----         | ----            | 60.20B/57.00A      | 60.20B/57.00A    | ----               | ----          | ----            | 56.10 - 1.50             | .1353 | ----                   | ----                     | ----              | ----          | 39               | UNCH    |     |  |  |  |                   |  |  |  |      |
| 5500    | ----               | ----         | ----            | 51.60B/49.60A      | 51.60B/49.60A    | ----               | ----          | ----            | 48.50 - 1.40             | .1184 | ----                   | ----                     | ----              | ----          | 1                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 5620    | 37.90              | 37.90        | 37.90           | 39.30B/37.90       | 39.30B/37.90     | ----               | ----          | ----            | NEW                      | .0928 | ----                   | ----                     | 20                | ----          | 20 +             | 20      |     |  |  |  |                   |  |  |  |      |
| 5850    | ----               | ----         | ----            | ----               | 16.90B/18.10A    | ----               | ----          | ----            | 17.20 - 0.10             | .0428 | ----                   | ----                     | ----              | ----          | 9                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 6750    | ----               | ----         | ----            | ----               | ----             | ----               | ----          | ----            | ----                     | ----  | ----                   | ----                     | 35                | ----          | 805 +            | 32      |     |  |  |  |                   |  |  |  |      |
| TOTAL   |                    |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   | 35            |                  | 805 +   | 32  |  |  |  |                   |  |  |  |      |
| AUG27   | ----               | ----         | ----            | 399.00B/385.70A    | 399.00B/385.70A  | ----               | ----          | ----            | 381.10 - 7.20            | .5902 | ----                   | ----                     | ----              | ----          | 4                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4185    | ----               | ----         | ----            | 386.10B/373.20A    | 386.10B/373.20A  | ----               | ----          | ----            | 368.60 - 7.10            | .5781 | ----                   | ----                     | ----              | ----          | 2                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4210    | ----               | ----         | ----            | 381.10B/368.50A    | 381.10B/368.50A  | ----               | ----          | ----            | 363.60 - 7.10            | .5733 | ----                   | ----                     | ----              | ----          | 1                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4220    | ----               | ----         | ----            | 342.50B/327.70A    | 342.50B/327.70A  | ----               | ----          | ----            | 326.20 - 6.60            | .5345 | ----                   | ----                     | ----              | ----          | 2                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4300    | ----               | ----         | ----            | 341.50B/325.40A    | 341.50B/325.40A  | ----               | ----          | ----            | 324.00 - 6.60            | .5321 | ----                   | ----                     | ----              | ----          | 2                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4305    | ----               | ----         | ----            | 337.90B/322.30A    | 337.90B/322.30A  | ----               | ----          | ----            | 321.70 - 6.60            | .5297 | ----                   | ----                     | ----              | ----          | 1                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4310    | 325.00             | 325.00       | 325.00          | 336.80B/320.40A    | 336.80B/320.40A  | ----               | ----          | ----            | 319.50 - NEW             | .5273 | ----                   | ----                     | 4                 | ----          | 2 +              | 2       |     |  |  |  |                   |  |  |  |      |
| 4315    | ----               | ----         | ----            | 333.40B/319.10A    | 333.40B/319.10A  | ----               | ----          | ----            | 317.40 - 6.50            | .5249 | ----                   | ----                     | ----              | ----          | 1                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4320    | ----               | ----         | ----            | 321.20B/306.00A    | 321.20B/306.00A  | ----               | ----          | ----            | 304.50 - 6.30            | .5106 | ----                   | ----                     | ----              | ----          | 2                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4350    | 303.00             | 303.00       | 303.00          | 316.60B/301.40A    | 316.60B/301.40A  | ----               | ----          | ----            | 300.40 - 6.20            | .5058 | ----                   | ----                     | 1                 | ----          | 1 -              | 1       |     |  |  |  |                   |  |  |  |      |
| 4360    | ----               | ----         | ----            | 312.40B/298.20A    | 312.40B/298.20A  | ----               | ----          | ----            | 296.20 - 6.20            | .5011 | ----                   | ----                     | ----              | ----          | 150              | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4370    | ----               | ----         | ----            | 303.30B/290.20A    | 303.30B/290.20A  | ----               | ----          | ----            | 288.20 - 5.90            | .4917 | ----                   | ----                     | ----              | ----          | 0                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4390    | ----               | ----         | ----            | 275.80B/260.80A    | 275.80B/260.80A  | ----               | ----          | ----            | 259.70 - 5.30            | .4572 | ----                   | ----                     | ----              | ----          | 2                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4465    | ----               | ----         | ----            | 250.10B/236.90A    | 250.10B/236.90A  | ----               | ----          | ----            | 235.60 - 4.90            | .4262 | ----                   | ----                     | ----              | ----          | 3                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4535    | ----               | ----         | ----            | 133.20B/126.60A    | 133.20B/126.60A  | ----               | ----          | ----            | 125.10 - 3.20            | .2589 | ----                   | ----                     | ----              | ----          | 24               | UNCH    |     |  |  |  |                   |  |  |  |      |
| 5000    | ----               | ----         | ----            | 117.50B/111.50A    | 117.50B/111.50A  | ----               | ----          | ----            | 109.80 - 2.70            | .2319 | ----                   | ----                     | ----              | ----          | 5                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 5100    | ----               | ----         | ----            | 102.50B/98.30A     | 102.50B/98.30A   | ----               | ----          | ----            | 96.50 - 2.40             | .2077 | ----                   | ----                     | ----              | ----          | 2                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 5200    | ----               | ----         | ----            | 101.70B/97.10A     | 101.70B/97.10A   | ----               | ----          | ----            | 95.30 - 2.40             | .2055 | ----                   | ----                     | ----              | ----          | 3                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 5250    | ----               | ----         | ----            | 96.80B/92.50A      | 96.80B/92.50A    | ----               | ----          | ----            | 90.60 - 2.30             | .1966 | ----                   | ----                     | ----              | ----          | 20               | UNCH    |     |  |  |  |                   |  |  |  |      |
| 5300    | ----               | ----         | ----            | 90.30B/87.00A      | 90.30B/87.00A    | ----               | ----          | ----            | 85.10 - 2.10             | .1862 | ----                   | ----                     | ----              | ----          | 1                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 5350    | ----               | ----         | ----            | 84.70B/81.80A      | 84.70B/81.80A    | ----               | ----          | ----            | 80.00 - 1.90             | .1764 | ----                   | ----                     | ----              | ----          | 1                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 5400    | ----               | ----         | ----            | 79.60B/----        | 79.60B/77.00A    | ----               | ----          | ----            | 75.20 - 1.80             | .1670 | ----                   | ----                     | ----              | ----          | 2                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 5500    | ----               | ----         | ----            | 70.40B/----        | 70.40B/68.40A    | ----               | ----          | ----            | 66.70 - 1.50             | .1501 | ----                   | ----                     | ----              | ----          | 2000             | UNCH    |     |  |  |  |                   |  |  |  |      |
| 5505    | ----               | ----         | ----            | 70.00B/----        | 70.00B/68.10A    | ----               | ----          | ----            | 66.30 - 1.50             | .1493 | ----                   | ----                     | ----              | ----          | 300              | UNCH    |     |  |  |  |                   |  |  |  |      |
| 5525    | ----               | ----         | ----            | 68.30B/----        | 68.30B/66.60A    | ----               | ----          | ----            | 64.70 - 1.50             | .1460 | ----                   | ----                     | ----              | ----          | 59               | UNCH    |     |  |  |  |                   |  |  |  |      |
| 5550    | ----               | ----         | ----            | 66.30B/----        | 66.30B/64.80A    | ----               | ----          | ----            | 62.90 - 1.40             | .1423 | ----                   | ----                     | ----              | ----          | 2000             | UNCH    |     |  |  |  |                   |  |  |  |      |
| 5925    | 21.60              | 21.60        | 21.60           | 43.80B/----        | 43.80B/44.20A    | ----               | ----          | ----            | 41.60 - 1.00             | .0973 | ----                   | ----                     | ----              | ----          | 65               | UNCH    |     |  |  |  |                   |  |  |  |      |
| 6750    | ----               | ----         | ----            | 21.60/21.60        | 21.60/21.60      | ----               | ----          | ----            | 21.70 + 0.20             | .0508 | ----                   | ----                     | 12                | ----          | 232 +            | 12      |     |  |  |  |                   |  |  |  |      |
| TOTAL   |                    |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   | 17            |                  | 4887 +  | 13  |  |  |  |                   |  |  |  |      |
| SEP27   | ----               | ----         | ----            | ----               | 83.70B/495.20A   | ----               | ----          | ----            | 280.90 - 14.10           | .4645 | ----                   | ----                     | ----              | ----          | 1                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4500    | ----               | ----         | ----            | ----               | 65.60B/470.70A   | ----               | ----          | ----            | 262.80 - 15.90           | .4404 | ----                   | ----                     | ----              | ----          | 4                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 4560    | ----               | ----         | ----            | ----               | 0.20B/277.90A    | ----               | ----          | ----            | 166.10 - 11.20           | .2725 | ----                   | ----                     | ----              | ----          | 2                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 5225    | ----               | ----         | ----            | ----               | 0.20B/226.80A    | ----               | ----          | ----            | 136.90 - 11.00           | .2210 | ----                   | ----                     | ----              | ----          | 300              | UNCH    |     |  |  |  |                   |  |  |  |      |
| 5580    | ----               | ----         | ----            | ----               | 0.20B/186.80A    | ----               | ----          | ----            | 107.70 - 11.20           | .1736 | ----                   | ----                     | ----              | ----          | 2                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 6000    | ----               | ----         | ----            | ----               | 0.20B/179.90A    | ----               | ----          | ----            | 100.30 - 10.70           | .1627 | ----                   | ----                     | ----              | ----          | 4                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 6100    | ----               | ----         | ----            | ----               | 0.10B/173.60A    | ----               | ----          | ----            | 93.50 - 10.30            | .1526 | ----                   | ----                     | ----              | ----          | 2                | UNCH    |     |  |  |  |                   |  |  |  |      |
| 6200    | ----               | ----         | ----            | ----               | ----             | ----               | ----          | ----            | ----                     | ----  | ----                   | ----                     | ----              |               |                  |         |     |  |  |  |                   |  |  |  |      |

| BULLETIN #191@                    |                                    |              |                 | METALS OPTION PRODUCTS |                  |                    |               |                 |                          |       |               |                          |                   | Mon, Oct 05, 2026 |                  |           |  | PG64 |  |
|-----------------------------------|------------------------------------|--------------|-----------------|------------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|-------------------|------------------|-----------|--|------|--|
|                                   | GLOBAL<br>OPEN                     | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBAL<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBAL®<br>VOLUME | PNT<br>VOLUME     | OPEN<br>INTEREST |           |  |      |  |
| OG CALL<br>DEC28<br>5750<br>TOTAL | ----                               | ----         | ----            | ----                   | ----             | ----               | ----          | ----            | 284.30 - 2.70            | .3167 | ----          | ----                     | ----              | ----              | 100<br>151       | UNCH<br>0 |  |      |  |
|                                   | GLOBAL<br>OPEN                     | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBAL<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBAL®<br>VOLUME | PNT<br>VOLUME     | OPEN<br>INTEREST |           |  |      |  |
| MMG MON<br>OCT26<br>4300<br>TOTAL | ----                               | ----         | ----            | ----                   | ----             | ----               | ----          | ----            | 0.00 - 0.50              | ----  | ----          | ----                     | ----              | ----              | 0 -<br>0 -       | 3<br>3    |  |      |  |
|                                   | GLOBAL<br>OPEN                     | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBAL<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBAL®<br>VOLUME | PNT<br>VOLUME     | OPEN<br>INTEREST |           |  |      |  |
| GMW WED<br>OCT26                  | GOLD WEEKLY WEDNESDAY OPTION WEEK3 |              |                 |                        |                  |                    |               |                 |                          |       |               |                          |                   |                   |                  |           |  |      |  |
| 3500                              | ----                               | ----         | ----            | ----/0.80A             | 0.60B/0.80A      | ----               | ----          | ----            | 0.60 - 0.30              | .0050 | ----          | ----                     | ----              | ----              | 54               | UNCH      |  |      |  |
| 3700                              | 0.90                               | 0.90         |                 | 0.90/0.70A             | 1.10B/0.70A      | ----               | ----          | ----            | 0.80 - 0.40              | .0077 | ----          | ----                     | 2                 | ----              | 15               | UNCH      |  |      |  |
| 3750                              | ----                               | ----         | ----            | ----/0.10A             | 0.10B/0.10A      | ----               | ----          | ----            | 0.10 - 0.20              | ----  | ----          | ----                     | ----              | 14                | UNCH             |           |  |      |  |
| 3775                              | ----                               | ----         | ----            | ----/5.70A             | 6.50B/5.70A      | ----               | ----          | ----            | 6.30 - 1.40              | .0525 | ----          | ----                     | ----              | 1                 | UNCH             |           |  |      |  |
| 3800                              | ----                               | ----         | ----            | ----/0.20A             | 0.20B/0.20A      | ----               | ----          | ----            | 0.10 - 0.30              | .0000 | ----          | ----                     | ----              | 11                | UNCH             |           |  |      |  |
| 3825                              | ----                               | ----         | ----            | ----/7.60A             | 9.30B/7.60A      | ----               | ----          | ----            | 8.50 - 1.30              | .0712 | ----          | ----                     | ----              | 1                 | UNCH             |           |  |      |  |
| 3830                              | ----                               | ----         | ----            | ----/0.20A             | 0.30B/0.20A      | ----               | ----          | ----            | 0.10 NEW                 | .0000 | ----          | ----                     | 4                 | +                 | 4                |           |  |      |  |
| 3850                              | ----                               | ----         | ----            | ----/8.80A             | 10.90B/8.80A     | ----               | ----          | ----            | 9.90 NEW                 | .0830 | ----          | ----                     | 1                 | +                 | 1                |           |  |      |  |
| 3875                              | ----                               | ----         | ----            | ----/5.70A             | 7.60B/5.70A      | ----               | ----          | ----            | 6.50 - 1.90              | .0653 | ----          | ----                     | ----              | 10                | UNCH             |           |  |      |  |
| 3875                              | ----                               | ----         | ----            | ----/10.30A            | 12.80B/10.30A    | ----               | ----          | ----            | 11.60 - 1.80             | .0970 | ----          | ----                     | ----              | 8                 | UNCH             |           |  |      |  |
| 3900                              | ----                               | ----         | ----            | ----/12.20A            | 15.10B/12.20A    | ----               | ----          | ----            | 13.60 - 2.20             | .1133 | ----          | ----                     | ----              | 2                 | UNCH             |           |  |      |  |
| 3900                              | ----                               | ----         | ----            | ----/2.50A             | 4.30B/2.50A      | ----               | ----          | ----            | 3.20 - 1.40              | .0393 | ----          | ----                     | ----              | 8                 | UNCH             |           |  |      |  |
| 3900                              | ----                               | ----         | ----            | ----/0.20A             | 0.70B/0.20A      | ----               | ----          | ----            | 0.20 - 0.70              | .0010 | ----          | ----                     | ----              | 4                 | UNCH             |           |  |      |  |
| 3910                              | ----                               | ----         | ----            | ----/0.30A             | 0.70B/0.30A      | ----               | ----          | ----            | 0.30 - 0.70              | .0017 | ----          | ----                     | ----              | 1                 | UNCH             |           |  |      |  |
| 3925                              | ----                               | ----         | ----            | ----/3.10A             | 5.40B/3.10A      | ----               | ----          | ----            | 4.00 - 1.80              | .0501 | ----          | ----                     | ----              | 1                 | UNCH             |           |  |      |  |
| 3925                              | ----                               | ----         | ----            | ----/0.30A             | 0.80B/0.30A      | ----               | ----          | ----            | 0.30 - 0.80              | .0018 | ----          | ----                     | ----              | 14                | UNCH             |           |  |      |  |
| 3950                              | ----                               | ----         | ----            | ----/17.30A            | 21.70B/17.30A    | ----               | ----          | ----            | 19.40 - 2.80             | .1571 | ----          | ----                     | ----              | 2                 | UNCH             |           |  |      |  |
| 3950                              | ----                               | ----         | ----            | ----/0.30A             | 1.00B/0.30A      | ----               | ----          | ----            | 0.50 - 0.90              | .0037 | ----          | ----                     | ----              | 3                 | UNCH             |           |  |      |  |
| 3950                              | ----                               | ----         | ----            | ----/4.00A             | 6.90B/4.00A      | ----               | ----          | ----            | 5.10 - 2.20              | .0649 | ----          | ----                     | ----              | 16                | UNCH             |           |  |      |  |
| 3955                              | 0.50                               | 0.50         |                 | 0.50/0.30A             | 1.10B/0.30A      | ----               | ----          | ----            | 0.50 NEW                 | .0038 | ----          | ----                     | 1                 | +                 | 1                |           |  |      |  |
| 3960                              | 1.00                               | 1.00         |                 | 1.00/0.40A             | 1.20B/0.40A      | ----               | ----          | ----            | 0.50 NEW                 | .0039 | ----          | ----                     | 10                | +                 | 10               |           |  |      |  |
| 3970                              | 0.50                               | 0.50         |                 | 0.50/0.40A             | 1.30B/0.40A      | ----               | ----          | ----            | 0.60 NEW                 | .0051 | ----          | ----                     | 2                 | +                 | 2                |           |  |      |  |
| 3975                              | ----                               | ----         | ----            | ----/0.40A             | 1.40B/0.40A      | ----               | ----          | ----            | 0.60 - 1.20              | .0053 | ----          | ----                     | ----              | 30                | UNCH             |           |  |      |  |
| 3975                              | 14.90                              | 14.90        |                 | 14.90/12.70A           | 17.10B/12.70A    | ----               | ----          | ----            | 14.80 NEW                | .1444 | ----          | ----                     | 6                 | +                 | 6                |           |  |      |  |
| 3975                              | 7.20                               | 7.20         |                 | 7.20/5.30A             | 9.00B/5.30A      | ----               | ----          | ----            | 6.70 - 2.60              | .0856 | ----          | ----                     | 5                 | +                 | 35               |           |  |      |  |
| 3995                              | ----                               | ----         | ----            | ----/0.50A             | 1.90B/0.50A      | ----               | ----          | ----            | 0.80 - 1.50              | .0082 | ----          | ----                     | ----              | 1                 | UNCH             |           |  |      |  |
| 4000                              | 18.50                              | 18.50        |                 | 18.50/15.70A           | 21.20B/15.70A    | ----               | ----          | ----            | 18.50 - 2.80             | .1762 | ----          | ----                     | 6                 | +                 | 9                |           |  |      |  |
| 4000                              | 25.00                              | 25.00        |                 | 27.50/24.30A           | 30.80B/24.30A    | ----               | ----          | ----            | 28.00 - 3.00             | .2162 | ----          | ----                     | 20                | +                 | 41               |           |  |      |  |
| 4000                              | ----                               | ----         | ----            | ----/7.00A             | 11.70B/7.00A     | ----               | ----          | ----            | 8.90 - 2.90              | .1131 | ----          | ----                     | ----              | 3                 | UNCH             |           |  |      |  |
| 4000                              | 1.80                               | 1.80         |                 | 1.80/0.50A             | 2.00B/0.50A      | ----               | ----          | ----            | 0.80 - 1.70              | .0085 | ----          | ----                     | 8                 | +                 | 9                |           |  |      |  |
| 4005                              | ----                               | ----         | ----            | ----/0.60A             | 2.10B/0.60A      | ----               | ----          | ----            | 0.90 - 1.80              | .0099 | ----          | ----                     | ----              | 1                 | UNCH             |           |  |      |  |
| 4010                              | ----                               | ----         | ----            | ----/0.60A             | 2.30B/0.60A      | ----               | ----          | ----            | 1.00 - 1.90              | .0115 | ----          | ----                     | 2                 | +                 | 5                |           |  |      |  |
| 4020                              | 1.30                               | 1.30         |                 | 1.30/0.70A             | 2.80B/0.70A      | ----               | ----          | ----            | 1.20 - 2.10              | .0149 | ----          | ----                     | 4                 | +                 | 13               |           |  |      |  |
| 4025                              | 23.00                              | 23.00        |                 | 23.00/19.20A           | 25.80B/19.20A    | ----               | ----          | ----            | 23.00 NEW                | .2133 | ----          | ----                     | 7                 | +                 | 7                |           |  |      |  |
| 4025                              | ----                               | ----         | ----            | 36.80B/28.70A          | 36.80B/28.70A    | ----               | ----          | ----            | 33.60 - 3.00             | .2517 | ----          | ----                     | ----              | 1                 | UNCH             |           |  |      |  |
| 4025                              | 11.80                              | 11.80        |                 | 11.80/9.50A            | 15.20B/9.50A     | ----               | ----          | ----            | 11.90 - 3.30             | .1489 | ----          | ----                     | 1                 | +                 | 26               |           |  |      |  |
| 4025                              | ----                               | ----         | ----            | ----/0.80A             | 3.00B/0.80A      | ----               | ----          | ----            | 1.30 - 2.30              | .0168 | ----          | ----                     | ----              | 8                 | UNCH             |           |  |      |  |
| 4035                              | 1.90                               | 1.90         |                 | 1.90/0.90A             | 3.70B/0.90A      | ----               | ----          | ----            | 1.60 NEW                 | .0223 | ----          | ----                     | 3                 | +                 | 3                |           |  |      |  |
| 4040                              | 1.70                               | 1.70         |                 | 1.70/1.00A             | 4.00B/1.00A      | ----               | ----          | ----            | 1.80 - 2.70              | .0260 | ----          | ----                     | 3                 | +                 | 3                |           |  |      |  |
| 4045                              | 1.30                               | 1.30         |                 | 1.30/1.10A             | 4.40B/1.10A      | ----               | ----          | ----            | 2.00 - 2.90              | .0299 | ----          | ----                     | 8                 | +                 | 13               |           |  |      |  |
| 4050                              | 28.50                              | 28.50        |                 | 32.00B/23.20A          | 32.00B/23.20A    | ----               | ----          | ----            | 28.50 - 3.20             | .2560 | ----          | ----                     | 102               | +                 | 102              |           |  |      |  |
| 4050                              | ----                               | ----         | ----            | 19.90B/12.70A          | 19.90B/12.70A    | ----               | ----          | ----            | 16.00 - 3.60             | .1949 | ----          | ----                     | ----              | 142               | UNCH             |           |  |      |  |
| 4050                              | 2.30                               | 2.30         |                 | 3.10/1.20A             | 4.80B/1.20A      | ----               | ----          | ----            | 2.20 - 3.10              | .0342 | ----          | ----                     | 29                | +                 | 40               |           |  |      |  |
| 4055                              | ----                               | ----         | ----            | ----/1.40A             | 5.30B/1.40A      | ----               | ----          | ----            | 2.40 NEW                 | .0387 | ----          | ----                     | 2                 | +                 | 2                |           |  |      |  |
| 4060                              | ----                               | ----         | ----            | ----/1.60A             | 5.90B/1.60A      | ----               | ----          | ----            | 2.70 - 3.60              | .0450 | ----          | ----                     | ----              | 8                 | UNCH             |           |  |      |  |
| 4065                              | 2.00                               | 2.00         |                 | 2.10/1.80A             | 6.50B/1.80A      | ----               | ----          | ----            | 3.00 NEW                 | .0517 | ----          | ----                     | 6                 | +                 | 6                |           |  |      |  |
| 4070                              | 2.70                               | 2.70         |                 | 2.70/2.00A             | 7.10B/2.00A      | ----               | ----          | ----            | 3.30 NEW                 | .0588 | ----          | ----                     | 7                 | +                 | 4                |           |  |      |  |
| 4075                              | ----                               | ----         | ----            | 51.40B/40.20A          | 51.40B/40.20A    | ----               | ----          | ----            | 47.90 - 2.80             | .3337 | ----          | ----                     | ----              | 1                 | UNCH             |           |  |      |  |
| 4075                              | ----                               | ----         | ----            | 39.10B/28.50A          | 39.10B/28.50A    | ----               | ----          | ----            | 35.30 - 3.20             | .3046 | ----          | ----                     | ----              | 2                 | UNCH             |           |  |      |  |
| 4075                              | 4.50                               | 4.50         |                 | 4.50/2.20A             | 7.90B/2.20A      | ----               | ----          | ----            | 3.70 - 4.40              | .0680 | ----          | ----                     | 56                | +                 | 80               |           |  |      |  |
| 4075                              | 106.30                             | 106.30       |                 | 139.00B/100.50A        | 139.00B/100.50A  | ----               | ----          | ----            | 103.00 NEW               | .7491 | ----          | ----                     | 1                 | +                 | 1                |           |  |      |  |
| 4075                              | ----                               | ----         | ----            | 25.90B/16.50A          | 25.90B/16.50A    | ----               | ----          | ----            | 21.30 - 4.00             | .2506 | ----          | ----                     | ----              | 80                | +                | 112       |  |      |  |
| 4085                              | ----                               | ----         | ----            | ----/2.90A             | 9.50B/2.90A      | ----               | ----          | ----            | 4.70 NEW                 | .0912 | ----          | ----                     | 5                 | +                 | 2                |           |  |      |  |
| 4090                              | 3.50                               | 3.50         |                 | 3.50/3.20A             | 10.40B/3.20A     | ----               | ----          | ----            | 5.20 - 5.20              | .1038 | ----          | ----                     | 8                 | +                 | 8                |           |  |      |  |
| 4100                              | ----                               | ----         | ----            | 47.40B/34.80A          | 47.40B/34.80A    | ----               | ----          | ----            | 43.50 - 3.20             | .3582 | ----          | ----                     | ----              | 14                | UNCH             |           |  |      |  |
| 4100                              | ----                               | ----         | ----            | 60.30B/47.50A          | 60.30B/47.50A    | ----               | ----          | ----            | 56.80 - 2.80             | .3794 | ----          | ----                     | ----              | 3                 | UNCH             |           |  |      |  |
| 4100                              | ----                               | ----         | ----            | 33.40B/21.50A          | 33.40B/21.50A    | ----               | ----          | ----            | 28.30 - 4.10             | .3170 | ----          | ----                     | ----              | 396               | UNCH             |           |  |      |  |
| 4100                              | 71.40                              | 71.40        |                 | 103.40B/60.60A         | 103.40B/60.60A   | ----               | ----          | ----            | 63.40 - 11.20            | .8625 | ----          | ----                     | 1                 | +                 | 2                |           |  |      |  |
| 4100                              | 10.30                              | 10.30        |                 | 12.60B/4.20A           | 12.60B/4.20A     | ----               | ----          | ----            | 6.60 - 5.80              | .1374 | ----          | ----                     | 195               | +                 | 289              |           |  |      |  |
| 4105                              | 4.80                               | 4.80         |                 | 13.80B/4.80            | 13.80B/4.80      | ----               | ----          | ----            | 7.50 NEW                 | .1583 | ----          | ----                     | 10                | +                 | 10               |           |  |      |  |
| 4110                              | ----                               | ----         | ----            | 15.10B/5.40A           | 15.10B/5.40A     | ----               | ----          | ----            | 8.40 - 6.20              | .1802 | ----          | ----                     | ----              | 2                 | UNCH             |           |  |      |  |
| 4115                              | ----                               | ----         | ----            | 16.50B/6.20A           | 16.50B/6.20A     | ----               | ----          | ----            | 9.50 - 6.40              | .2056 | ----          | ----                     | ----              | 8                 | UNCH             |           |  |      |  |
| 4120                              | 10.30                              | 10.30        |                 | 18.00B/7.00A           | 18.00B/7.00A     | ----               | ----          | ----            | 10.70 - 6.60             | .2331 | ----          | ----                     | 3                 | +                 | 21               |           |  |      |  |
| 4125                              | ----                               | ----         | ----            | 70.70B/55.80A          | 70.70B/55.80A    | ----               | ----          | ----            | 67.10 - 2.70             | .4274 | ----          | ----                     | ----              | 1                 | UNCH             |           |  |      |  |
| 4125                              | ----                               | ----         | ----            | 100.20B/67.50A         | 100.20B/67.50A   | ----               | ----          | ----            | 68.80 - 9.60             | .6080 | ----          | ----                     | ----              | 7                 | UNCH             |           |  |      |  |
| 4125                              | 13.60                              | 13.60        |                 | 19.60B/8.00A           | 19.60B/8.00A     | ----               | ----          | ----            | 12.00 - 6.80             | .2627 | ----          | ----                     | 18                | +                 | 32               |           |  |      |  |
| 4125                              | 36.00                              | 36.00        |                 | 42.70B/27.60A          | 42.70B/27.60A    | ----               | ----          | ----            | 37.10 - 4.00             | .3916 | ----          | ----                     | 20                | +                 | 166              |           |  |      |  |
| 4130                              | 16.50                              | 16.50        |                 | 21.50B/9.10A           | 21.50B/9.10A     | ----               | ----          | ----            | 13.40 NEW                | .2944 | ----          | ----                     | 9                 | +                 | 6                |           |  |      |  |
| 4130                              | ----                               | ----         | ----            | 77.40B/38.70A          | 77.40B/38.70A    | ----               | ----          | ----            | 40.20 NEW                | .7055 | ----          | ----                     | 1                 | +                 | 1                |           |  |      |  |
| 4135                              | ----                               | ----         | ----            | 23.40B/10.10A          | 23.40B/10.10A    | ----               | ----          | ----            | 15.10 - 6.90             | .3294 | ----          | ----                     | 7                 | +                 | 18               |           |  |      |  |
| 4140                              | ----                               | ----         | ----            | 69.30B/32.50A          | 69.30B/32.50A    | ----               | ----          | ----            | 33.70 - 12.40            | .6340 | ----          | ----                     | ----              | 1                 | UNCH             |           |  |      |  |
| 4140                              | ----                               | ----         | ----            | 25.40B/11.10A          | 25.40B/11.10A    | ----               | ----          | ----            | 16.90 NEW                | .3659 | ----          | ----                     | 2                 | +                 | 2                |           |  |      |  |
| 4150                              | 33.80                              | 33.80        |                 | 61.60B/26.80A          | 61.60B/26.80A    | ----               | ----          | ----            | 27.70 - 12.40            | .5570 | ----          | ----                     | 3                 | +                 | 4                |           |  |      |  |
| 4150                              | 22.40                              | 22.40        |                 | 29.80B/13.40A          | 29.80B/13.40A    | ----               | ----          | ----            | 20.90 - 7.00             | .4429 | ----          | ----                     | 31                | +                 | 50               |           |  |      |  |
| 4150                              | ----                               | ----         | ----            | 83.00B/53.60A          | 83.00B/53.60A    | ----               | ----          | ----            | 54.70 - 9.30             | .5279 | ----          | ----                     | ----              | 5                 | UNCH             |           |  |      |  |
| 4150                              | 42.60                              | 42.60        |                 | 53.80B/35.60A          | 53.80B/35.60A    | ----               | ----          | ----            | 47.90 - 3.80             | .4718 | ----          | ----                     | 10                | +                 | 54               |           |  |      |  |
| 4155                              | ----                               | ----         | ----            | 32.20B/14.80A          | 32.20B/14.80A    | ----               | ----          | ----            | 23.20 NEW                | .4830 | ----          | ----                     | 6                 | +                 | 3                |           |  |      |  |
| 4160                              | 22.80                              | 22.80        |                 | 34.80B/16.20A          | 34.80B/16.20A    | ----               | ----          | ----            | 25.70 - 6.60             | .5235 | ----          | ----                     | 2                 | +                 | 2                |           |  |      |  |
| 4160                              | 27.50                              | 27.50        |                 | 54.30B/21.90A          | 54.30B/21.90A    | ----               | ----          | ----            | 22.50 NEW                | .4764 | ----          | ----                     | 2                 | +                 | 2                |           |  |      |  |
| 4165                              | 29.50                              | 29.50        |                 | 50.80B/19.60A          | 50.80B/19.60A    | ----               | ----          | ----            | 20.20 NEW                | .4367 | ----          | ----                     | 3                 | +                 | 1                |           |  |      |  |
| 4165                              | 29.20                              | 29.20        |                 | 37.40B/17.70A          | 37.40B/17.70A    | ----               | ----          | ----            | 28.40 - 6.40             | .5637 | ----          | ----                     | 6                 | +                 | 4                |           |  |      |  |
| 4170                              | 28.90                              | 28.90        |                 | 47.40B/17.50A          | 47.40B/17.50A    | ----               | ----          | ----            | 18.10 - 11.60            | .3968 | ----          | ----                     | 2                 | +                 | 4                |           |  |      |  |
| 4170                              | 31.00                              | 31.00        |                 | 40.40B/19.30A          | 40.40B/19.30A    | ----               | ----          | ----            | 31.30 - 6.10             | .6030 | ----          | ----                     | 3                 | +                 | 2                |           |  |      |  |
| 4175                              | ----                               | ----         | ----            | 83.20B/58.20A          | 83.20B/58.20A    | ----               | ----          | ----            | 58.80 - 8.10             | .4635 | ----          | ----                     | ----              | 23                | UNCH             |           |  |      |  |
| 4175                              | ----                               | ----         | ----            | 81.50B/61.40A          | 81.50B/61.40A    | ----               | ----          | ----            | 77.00 - 2.60             | .5361 | ----          | ----                     | ----              | 14                | UNCH             |           |  |      |  |
| 4175                              | 44.10                              | 44.10        |                 | 67.60B/41.80A          | 67.60B/41.80A    | ----               | ----          | ----            | 42.60 - 8.80             | .4462 | ----          | ----                     | 2                 | +                 | 15               |           |  |      |  |
| 4175                              | 25.50                              | 25.50        |                 | 43.40B/21.10A          | 43.40B/21.10A    | ----               | ----          | ----            | 34.30 - 5.80             | .6416 | ----          | ----                     | 5                 | +                 | 51               |           |  |      |  |
| 4175                              | 30.70                              | 30.70        |                 | 44.10B/15.60A          | 44.10B/15.60A    | ----               | ----          | ----            | 16.10 - 11.30            | .3583 | ----          | ----                     | 15                |                   |                  |           |  |      |  |

| GLOBEX OPEN                        |       | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA  | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |      |
|------------------------------------|-------|------------------------|-----------------|----------------------|-------------------------|-----------------------|--------|------------|--------------------|----------------|------------|---------------|------|
| GOLD WEEKLY WEDNESDAY OPTION WEEK2 |       |                        |                 |                      |                         |                       |        |            |                    |                |            |               |      |
| 4250                               | 6.30  | 6.30                   | 117.60B/85.90A  | 117.60B/85.90A       | ----                    | 111.40 - 0.90         | .7690  | ----       | ----               | 60             | ----       | 5             | UNCH |
| 4250                               | 27.40 | 27.40                  | 11.70B/2.20     | 11.70B/2.20          | ----                    | 2.30 - 4.50           | .0415  | ----       | ----               | 53             | ----       | 318 +         | 12   |
| 4250                               | ----  | ----                   | 33.40B/18.10A   | 33.40B/18.10A        | ----                    | 18.30 - 6.40          | .2307  | ----       | ----               | 1              | ----       | 24 +          | 11   |
| 4250                               | 8.50  | 8.50                   | 101.60B/63.80A  | 101.60B/63.80A       | ----                    | 95.50 + 1.00          | .9584  | ----       | ----               | 3              | ----       | 40 -          | 1    |
| 4255                               | ----  | ----                   | 10.50B/1.90A    | 10.50B/1.90A         | ----                    | 2.00 - 4.20           | .0348  | ----       | ----               | 1              | ----       | 4 +           | 3    |
| 4260                               | 81.10 | 81.10                  | 9.40B/1.70A     | 9.40B/1.70A          | ----                    | 1.70 - 3.90           | .0286  | ----       | ----               | 1              | ----       | 17 +          | 1    |
| 4265                               | ----  | ----                   | 115.30B/75.70A  | 115.30B/75.70A       | ----                    | 109.70 NEW            | .9756  | ----       | ----               | 1              | ----       | 1 +           | 1    |
| 4270                               | ----  | ----                   | 7.60B/1.40A     | 7.60B/1.40A          | ----                    | 1.30 - 3.30           | .0202  | ----       | 6                  | ----           | ----       | 34 -          | 2    |
| 4275                               | ----  | ----                   | 40.00B/25.50A   | 40.00B/25.50A        | ----                    | 25.40 - 6.00          | .2466  | ----       | ----               | ----           | ----       | 2             | UNCH |
| 4275                               | 2.50  | 2.50                   | 25.70B/13.50A   | 25.70B/13.50A        | ----                    | 13.50 - 5.50          | .1773  | ----       | ----               | ----           | ----       | 9             | UNCH |
| 4275                               | 96.10 | 96.10                  | 6.80B/1.20A     | 6.80B/1.20A          | ----                    | 1.20 - 3.00           | .0179  | ----       | 18                 | ----           | ----       | 144 +         | 8    |
| 4280                               | ----  | ----                   | 124.80B/84.10A  | 124.80B/84.10A       | ----                    | 119.40 + 2.60         | .9820  | ----       | 3                  | ----           | ----       | 162 +         | 1    |
| 4280                               | ----  | ----                   | 6.20B/1.10A     | 6.20B/1.10A          | ----                    | 1.00 - 2.80           | .0143  | ----       | ----               | ----           | ----       | 10            | UNCH |
| 4295                               | 1.40  | 1.40                   | 144.40B/101.70A | 144.40B/101.70A      | ----                    | 138.90 + 3.40         | .9898  | ----       | 2                  | ----           | ----       | 2             | UNCH |
| 4295                               | 42.20 | 42.20                  | 4.40B/0.80A     | 4.40B/0.80A          | ----                    | 0.80 - 2.00           | .0101  | ----       | 2                  | ----           | ----       | 2 +           | 1    |
| 4300                               | ----  | ----                   | 45.50B/31.20A   | 45.50B/31.20A        | ----                    | 31.20 - 5.40          | .2515  | ----       | 2                  | ----           | ----       | 2 +           | 1    |
| 4300                               | 12.20 | 12.20                  | 158.80B/122.00A | 158.80B/122.00A      | ----                    | 153.10 + 0.90         | .8648  | ----       | ----               | ----           | ----       | 9             | UNCH |
| 4300                               | 0.90  | 0.90                   | 149.30B/106.20A | 149.30B/106.20A      | ----                    | 143.90 + 3.70         | .9915  | ----       | 1                  | ----           | ----       | 21            | UNCH |
| 4310                               | 0.50  | 0.50                   | 19.60B/10.00A   | 19.60B/10.00A        | ----                    | 10.00 - 4.60          | .1349  | ----       | 3                  | ----           | ----       | 34 +          | 1    |
| 4320                               | ----  | ----                   | 4.00B/0.70      | 4.00B/0.70           | ----                    | 0.70 - 1.90           | .0084  | ----       | 4                  | ----           | ----       | 70 -          | 1    |
| 4320                               | 2.00  | 2.00                   | 3.20B/0.60A     | 3.20B/0.60A          | ----                    | 0.60 - 1.50           | .0067  | ----       | ----               | 3              | ----       | 3             | UNCH |
| 4325                               | ----  | ----                   | 2.60B/0.50      | 2.60B/0.50           | ----                    | 0.50 NEW              | .0051  | ----       | 3                  | ----           | ----       | 3 +           | 3    |
| 4325                               | ----  | ----                   | 169.10B/124.80A | 169.10B/124.80A      | ----                    | 163.70 + 4.30         | .9948  | ----       | ----               | ----           | ----       | 1             | UNCH |
| 4325                               | 2.00  | 2.00                   | 174.00B/129.50A | 174.00B/129.50A      | ----                    | 168.60 + 4.30         | .9950  | ----       | ----               | ----           | ----       | 7             | UNCH |
| 4325                               | ----  | ----                   | 2.30B/0.50      | 2.30B/0.50           | ----                    | 0.50 - 1.10           | .0049  | ----       | 2                  | ----           | ----       | 15            | UNCH |
| 4325                               | ----  | ----                   | 181.10B/142.20A | 181.10B/142.20A      | ----                    | 175.50 + 1.80         | .8972  | ----       | ----               | ----           | ----       | 108           | UNCH |
| 4325                               | ----  | ----                   | 14.80B/7.50A    | 14.80B/7.50A         | ----                    | 7.50 - 3.70           | .1026  | ----       | ----               | ----           | ----       | 271           | UNCH |
| 4330                               | ----  | ----                   | 179.00B/134.30A | 179.00B/134.30A      | ----                    | 173.60 NEW            | .9962  | ----       | 1                  | ----           | ----       | 1 +           | 1    |
| 4330                               | ----  | ----                   | 2.10B/0.50A     | 2.10B/0.50A          | ----                    | 0.40 - 1.10           | .0037  | ----       | ----               | ----           | ----       | 9             | UNCH |
| 4335                               | ----  | ----                   | 1.90B/0.50A     | 1.90B/0.50A          | ----                    | 0.40 - 1.00           | .0036  | ----       | ----               | ----           | ----       | 4             | UNCH |
| 4345                               | 22.80 | 22.80                  | 1.50B/0.40A     | 1.50B/0.40A          | ----                    | 0.30 - 0.90           | .0024  | ----       | ----               | ----           | ----       | 6             | UNCH |
| 4350                               | ----  | ----                   | 32.50B/21.90A   | 32.50B/21.90A        | ----                    | 21.70 - 4.40          | .1860  | ----       | 17                 | ----           | ----       | 20 +          | 17   |
| 4350                               | ----  | ----                   | 11.10B/5.70A    | 11.10B/5.70A         | ----                    | 5.60 - 3.00           | .0773  | ----       | ----               | ----           | ----       | 20            | UNCH |
| 4350                               | 1.40  | 1.40                   | 204.20B/163.50A | 204.20B/163.50A      | ----                    | 198.70 + 2.60         | .9225  | ----       | ----               | ----           | ----       | 2             | UNCH |
| 4350                               | ----  | ----                   | 198.80B/153.60A | 198.80B/153.60A      | ----                    | 193.50 + 4.70         | .9976  | ----       | ----               | ----           | ----       | 13            | UNCH |
| 4350                               | 1.40  | 1.40                   | 1.50/0.40       | 1.50/0.40            | ----                    | 0.30 - 0.80           | .0024  | ----       | 9                  | ----           | ----       | 401 +         | 2    |
| 4365                               | ----  | ----                   | 1.00B/0.40A     | 1.00B/0.40A          | ----                    | 0.20 - 0.70           | .0014  | ----       | ----               | ----           | ----       | 1             | UNCH |
| 4375                               | ----  | ----                   | 223.70B/178.00A | 223.70B/178.00A      | ----                    | 218.40 + 5.00         | .9987  | ----       | ----               | ----           | ----       | 10            | UNCH |
| 4375                               | ----  | ----                   | ----/0.30A      | 0.80B/0.30A          | ----                    | 0.20 - 0.60           | .0013  | ----       | ----               | ----           | ----       | 115           | UNCH |
| 4375                               | ----  | ----                   | 227.80B/185.70A | 227.80B/185.70A      | ----                    | 222.30 + 3.20         | .9406  | ----       | ----               | ----           | ----       | 24            | UNCH |
| 4375                               | 4.00  | 4.00                   | 8.40B/4.30A     | 8.40B/4.30A          | ----                    | 4.30 - 2.30           | .0591  | ----       | ----               | ----           | ----       | 15            | UNCH |
| 4400                               | 0.50  | 0.50                   | 22.90B/15.20A   | 22.90B/15.20A        | ----                    | 15.00 - 3.60          | .1350  | ----       | ----               | ----           | ----       | 2             | UNCH |
| 4400                               | ----  | ----                   | 6.30B/3.40A     | 6.30B/3.40A          | ----                    | 3.30 - 1.80           | .0451  | ----       | 14                 | ----           | ----       | 118 +         | 4    |
| 4400                               | 0.50  | 0.50                   | 250.70B/208.60A | 250.70B/208.60A      | ----                    | 246.30 + 3.70         | .9547  | ----       | 2                  | ----           | ----       | 15            | UNCH |
| 4400                               | ----  | ----                   | 0.50/0.30A      | 0.50/0.30A           | ----                    | 0.10 - 0.50           | .0002  | ----       | ----               | ----           | ----       | 223           | UNCH |
| 4400                               | ----  | ----                   | 245.10B/205.20A | 245.10B/205.20A      | ----                    | 243.30 + 5.10         | .9998  | ----       | ----               | ----           | ----       | 45            | UNCH |
| 4425                               | ----  | ----                   | 11.20B/6.90A    | 11.20B/6.90A         | ----                    | 6.80 NEW              | .0759  | ----       | ----               | ----           | 50         | 50 +          | 50   |
| 4425                               | 2.80  | 2.80                   | ----/0.20A      | 0.30B/0.20A          | ----                    | 0.10 - 0.40           | .0000  | ----       | ----               | ----           | ----       | 9             | UNCH |
| 4425                               | ----  | ----                   | 270.70B/234.60A | 270.70B/234.60A      | ----                    | 270.60 + 4.10         | .9648  | ----       | ----               | ----           | ----       | 9             | UNCH |
| 4425                               | ----  | ----                   | 4.80B/2.70A     | 4.80B/2.70A          | ----                    | 2.60 - 1.40           | .0350  | ----       | 25                 | ----           | ----       | 26 +          | 17   |
| 4450                               | ----  | ----                   | 16.00B/10.70A   | 16.00B/10.70A        | ----                    | 10.50 - 2.70          | .0977  | ----       | ----               | ----           | ----       | 4             | UNCH |
| 4450                               | ----  | ----                   | 295.00B/258.50A | 295.00B/258.50A      | ----                    | 295.10 + 4.50         | .9721  | ----       | ----               | ----           | ----       | 14            | UNCH |
| 4450                               | ----  | ----                   | 294.40B/254.90A | 294.40B/254.90A      | ----                    | 293.30 + 5.30         | 1.0000 | ----       | ----               | ----           | ----       | 3             | UNCH |
| 4450                               | ----  | ----                   | 3.70B/2.20A     | 3.70B/2.20A          | ----                    | 2.10 - 1.10           | .0277  | ----       | ----               | ----           | ----       | 25            | UNCH |
| 4450                               | ----  | ----                   | ----/0.20A      | 0.30B/0.20A          | ----                    | 0.10 - 0.30           | .0000  | ----       | ----               | ----           | ----       | 29            | UNCH |
| 4475                               | 2.30  | 2.30                   | ----/0.20A      | 0.20B/0.20A          | ----                    | 0.10 - 0.20           | ----   | ----       | ----               | ----           | ----       | 37            | UNCH |
| 4475                               | ----  | ----                   | 2.90B/1.80A     | 2.90B/1.80A          | ----                    | 1.70 - 0.90           | .0220  | ----       | 1                  | ----           | ----       | 12 +          | 1    |
| 4500                               | ----  | ----                   | 11.20B/7.70A    | 11.20B/7.70A         | ----                    | 7.40 - 1.90           | .0705  | ----       | ----               | ----           | ----       | 2             | UNCH |
| 4500                               | ----  | ----                   | 2.30B/1.50A     | 2.30B/1.50A          | ----                    | 1.40 - 0.70           | .0177  | ----       | ----               | ----           | ----       | 15            | UNCH |
| 4500                               | 1.50  | 1.50                   | ----/0.30A      | 339.50B/371.80A      | ----                    | 0.10 - 0.20           | ----   | ----       | ----               | ----           | ----       | 172           | UNCH |
| 4525                               | ----  | ----                   | ----            | ----                 | ----                    | 371.00 + 4.40         | .9631  | ----       | ----               | ----           | ----       | 1             | UNCH |
| 4525                               | ----  | ----                   | 1.50/1.30A      | 1.80B/1.30A          | ----                    | 1.20 - 0.60           | .0147  | ----       | 25                 | ----           | ----       | 109 -         | 7    |
| 4525                               | ----  | ----                   | ----/0.10A      | 0.10B/0.10A          | ----                    | 0.10 - 0.10           | ----   | ----       | ----               | ----           | ----       | 53            | UNCH |
| 4550                               | ----  | ----                   | 7.90B/5.80A     | 7.90B/5.80A          | ----                    | 5.40 - 1.20           | .0519  | ----       | ----               | ----           | ----       | 2             | UNCH |
| 4550                               | ----  | ----                   | ----/1.10A      | 1.50B/1.10A          | ----                    | 1.00 - 0.50           | .0120  | ----       | ----               | ----           | ----       | 2             | UNCH |
| 4550                               | ----  | ----                   | ----/0.30A      | 0.10 - 0.10          | ----                    | 0.10 - 0.10           | ----   | ----       | ----               | ----           | ----       | 24            | UNCH |
| 4575                               | ----  | ----                   | 3.40B/2.40A     | 3.40B/2.40A          | ----                    | 2.40 - 0.90           | .0262  | ----       | ----               | ----           | ----       | 2             | UNCH |
| 4575                               | ----  | ----                   | ----/1.00A      | 1.20B/1.00A          | ----                    | 0.90 - 0.40           | .0104  | ----       | ----               | ----           | ----       | 7             | UNCH |
| 4575                               | ----  | ----                   | ----/0.30A      | 0.10 - 0.10          | ----                    | 0.10 - 0.10           | ----   | ----       | ----               | ----           | ----       | 47            | UNCH |
| 4600                               | ----  | ----                   | 5.50B/4.40A     | 5.50B/4.40A          | ----                    | 3.90 - 0.80           | .0378  | ----       | ----               | ----           | ----       | 1             | UNCH |
| 4600                               | ----  | ----                   | 2.90B/2.10A     | 2.90B/2.10A          | ----                    | 2.00 - 0.80           | .0218  | ----       | ----               | ----           | ----       | 3             | UNCH |
| 4600                               | ----  | ----                   | ----/0.90A      | 1.00B/0.90A          | ----                    | 0.80 - 0.30           | .0090  | ----       | ----               | ----           | ----       | 17            | UNCH |
| 4600                               | ----  | ----                   | ----/0.30A      | 0.10 UNCH            | ----                    | 0.10 UNCH             | ----   | ----       | ----               | ----           | ----       | 254           | UNCH |
| 4625                               | ----  | ----                   | 2.50B/1.90A     | 2.50B/1.90A          | ----                    | 1.80 - 0.60           | .0193  | ----       | ----               | ----           | ----       | 1             | UNCH |
| 4625                               | ----  | ----                   | ----/0.80A      | 0.90B/0.80A          | ----                    | 0.70 - 0.20           | .007   |            |                    |                |            |               |      |



PRELIMINARY



| PG64 BULLETIN #191@ |        |                                  |                 |                    |  |                  |                    |               |         |                 |                          | METALS OPTION PRODUCTS |       |               |                          |                   |               |                  |      |      |      |  |  | Mon, Oct 05, 2026 PG64 |  |  |  |  |  |  |  |  |  |  |  |
|---------------------|--------|----------------------------------|-----------------|--------------------|--|------------------|--------------------|---------------|---------|-----------------|--------------------------|------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|------|------|--|--|------------------------|--|--|--|--|--|--|--|--|--|--|--|
| GLOBEX<br>OPEN      |        | OPEN<br>OPEN                     | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW |  | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE |         | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. |                        | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |      |      |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| GWT TUE             |        | GOLD WEEKLY TUESDAY OPTION week1 |                 |                    |  |                  |                    |               |         |                 |                          |                        |       |               |                          |                   |               |                  |      |      |      |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| OCT26               |        |                                  |                 |                    |  |                  |                    |               |         |                 |                          |                        |       |               |                          |                   |               |                  |      |      |      |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4005                | 0.50   | 0.50                             |                 | 0.50/0.10A         |  | 1.20B/0.10A      | ----               | 0.20          | NEW     | .0004           | ----                     | ----                   | ----  | ----          | ----                     | 2                 | ----          | ----             | 2    | +    | 2    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4010                | 0.50   | 0.50                             |                 | 0.50/0.20          |  | 1.30B/0.20       | ----               | 0.20          | NEW     | .0004           | ----                     | ----                   | ----  | ----          | ----                     | 4                 | ----          | ----             | 4    | +    | 4    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4015                | 0.20   | 0.20                             |                 | 0.20/0.20          |  | 1.40B/0.20       | ----               | 0.30          | NEW     | .0008           | ----                     | ----                   | ----  | ----          | ----                     | 1                 | ----          | ----             | 1    | +    | 1    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4020                | 0.50   | 0.50                             |                 | 0.50/0.20A         |  | 1.50B/0.20A      | ----               | 0.30          | NEW     | .0009           | ----                     | ----                   | ----  | ----          | ----                     | 2                 | ----          | ----             | 2    | +    | 2    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4025                | 1.30   | 1.30                             |                 | 1.30/0.20A         |  | 1.60B/0.20A      | ----               | 0.30          | - 1.80  | .0009           | ----                     | ----                   | ----  | ----          | ----                     | 1                 | ----          | ----             | 30   |      | UNCH |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4025                | ----   | ----                             | ----            | ----/6.30A         |  | 11.40B/6.30A     | ----               | 8.30          | - 3.10  | .1195           | ----                     | ----                   | ----  | ----          | ----                     | 1                 | ----          | ----             | 76   | +    | 1    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4025                | ----   | ----                             | ----            | ----/17.30A        |  | 23.80B/17.30A    | ----               | 20.90         | - 3.00  | .2038           | ----                     | ----                   | ----  | ----          | ----                     | ----              | 1             | ----             | 16   |      | UNCH |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4030                | 1.10   | 1.10                             |                 | 1.10/0.20A         |  | 1.80B/0.20A      | ----               | 0.40          | NEW     | .0015           | ----                     | ----                   | ----  | ----          | ----                     | 4                 | ----          | ----             | 2    | +    | 2    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4035                | 0.40   | 0.40                             |                 | 0.40/0.20A         |  | 1.90B/0.20A      | ----               | 0.40          | - 2.10  | .0016           | ----                     | ----                   | ----  | ----          | ----                     | 1                 | ----          | ----             | 2    | +    | 1    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4045                | 0.70   | 0.70                             |                 | 0.70/0.20          |  | 2.40B/0.20       | ----               | 0.50          | - 2.40  | .0024           | ----                     | ----                   | ----  | ----          | ----                     | 12                | ----          | ----             | 24   | +    | 11   |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4050                | ----   | ----                             | ----            | 149.00B/102.70A    |  | 149.00B/102.70A  | ----               | 107.40        | - 8.00  | .9966           | ----                     | ----                   | ----  | ----          | ----                     | ----              | 2             |                  |      | UNCH |      |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4050                | 1.50   | 1.50                             |                 | 2.70B/0.20         |  | 2.70B/0.20       | ----               | 0.60          | - 2.60  | .0033           | ----                     | ----                   | ----  | ----          | ----                     | 51                | ----          | ----             | 65   | +    | 43   |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4050                | ----   | ----                             | ----            | 15.30B/8.90A       |  | 15.30B/8.90A     | ----               | 11.60         | - 3.50  | .1640           | ----                     | ----                   | ----  | ----          | ----                     | ----              | 2             |                  | 70   |      | UNCH |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4050                | 145.60 | 145.60                           |                 | 156.80B/115.00A    |  | 156.80B/115.00A  | ----               | 118.30        | - 9.00  | .8357           | ----                     | ----                   | ----  | ----          | ----                     | 2                 | ----          | ----             | 4    | +    | 2    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4050                | ----   | ----                             | ----            | ----/21.30A        |  | 29.30B/21.30A    | ----               | 26.20         | - 3.10  | .2473           | ----                     | ----                   | ----  | ----          | ----                     | ----              | 2             |                  | 3    |      | UNCH |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4055                | 0.80   | 0.80                             |                 | 0.90/0.40          |  | 3.00B/0.40       | ----               | 0.70          | - 2.80  | .0044           | ----                     | ----                   | ----  | ----          | ----                     | 7                 | ----          | ----             | 8    | +    | 4    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4060                | 1.00   | 1.00                             |                 | 1.00/0.40A         |  | 3.30B/0.40A      | ----               | 0.80          | - 3.00  | .0056           | ----                     | ----                   | ----  | ----          | ----                     | 49                | ----          | ----             | 84   | +    | 4    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4065                | 1.60   | 1.60                             |                 | 1.60/0.50A         |  | 3.70B/0.50A      | ----               | 0.90          | - 3.30  | .0071           | ----                     | ----                   | ----  | ----          | ----                     | 15                | ----          | ----             | 12   | +    | 12   |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4070                | ----   | ----                             | ----            | ----/0.50A         |  | 4.10B/0.50A      | ----               | 1.00          | - 3.60  | .0087           | ----                     | ----                   | ----  | ----          | ----                     | 42                | ----          | ----             | 39   | +    | 14   |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4070                | 86.50  | 86.50                            |                 | 129.50B/83.50A     |  | 129.50B/83.50A   | ----               | 87.80         | NEW     | .9912           | ----                     | ----                   | ----  | ----          | ----                     | 2                 | ----          | ----             | 1    | +    | 1    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4075                | 1.90   | 1.90                             |                 | 2.00/0.50          |  | 4.60B/0.50       | ----               | 1.20          | - 3.80  | .0118           | ----                     | ----                   | ----  | ----          | ----                     | 20                | ----          | ----             | 30   | +    | 8    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4075                | ----   | ----                             | ----            | 20.50B/12.20A      |  | 20.50B/12.20A    | ----               | 16.10         | - 3.90  | .2212           | ----                     | ----                   | ----  | ----          | ----                     | ----              | 2             |                  | 65   |      | UNCH |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4075                | 29.60  | 29.60                            |                 | 36.40B/26.30A      |  | 36.40B/26.30A    | ----               | 32.80         | - 3.20  | .2973           | ----                     | ----                   | ----  | ----          | ----                     | 30                | ----          | ----             | 33   | +    | 30   |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4080                | 5.50   | 5.50                             |                 | 5.50/0.60          |  | 5.50/0.60        | ----               | 1.40          | - 4.10  | .0154           | ----                     | ----                   | ----  | ----          | ----                     | 51                | ----          | ----             | 48   | +    | 33   |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4085                | 3.10   | 3.10                             |                 | 5.80B/0.80         |  | 5.80B/0.80       | ----               | 1.60          | - 4.50  | .0195           | ----                     | ----                   | ----  | ----          | ----                     | 18                | ----          | ----             | 17   | +    | 14   |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4090                | 84.30  | 84.30                            |                 | 110.20B/64.90A     |  | 110.20B/64.90A   | ----               | 68.70         | NEW     | .9740           | ----                     | ----                   | ----  | ----          | ----                     | 1                 | ----          | ----             | 1    | +    | 1    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4090                | 2.10   | 2.10                             |                 | 2.10/1.00          |  | 6.50B/1.00       | ----               | 1.90          | - 4.90  | .0259           | ----                     | ----                   | ----  | ----          | ----                     | 31                | ----          | ----             | 23   | -    | 15   |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4095                | 3.10   | 3.10                             |                 | 3.10/1.10          |  | 7.40B/1.10       | ----               | 2.20          | NEW     | .0332           | ----                     | ----                   | ----  | ----          | ----                     | 13                | ----          | ----             | 12   | +    | 12   |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4100                | ----   | ----                             | ----            | 100.70B/55.90A     |  | 100.70B/55.90A   | ----               | 59.40         | NEW     | .9564           | ----                     | ----                   | ----  | ----          | ----                     | 5                 | ----          | ----             | 4    | +    | 4    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4100                | 4.80   | 4.80                             |                 | 8.30B/1.30A        |  | 8.30B/1.30A      | ----               | 2.60          | - 5.70  | .0435           | ----                     | ----                   | ----  | ----          | ----                     | 289               | ----          | ----             | 302  | +    | 43   |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4100                | ----   | ----                             | ----            | 114.10B/76.80A     |  | 114.10B/76.80A   | ----               | 79.10         | - 9.60  | .7067           | ----                     | ----                   | ----  | ----          | ----                     | ----              | 1             |                  |      | UNCH |      |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4100                | ----   | ----                             | ----            | 27.40B/16.40A      |  | 27.40B/16.40A    | ----               | 22.40         | - 4.10  | .2931           | ----                     | ----                   | ----  | ----          | ----                     | ----              | 17            | ----             | ---- |      | UNCH |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4100                | ----   | ----                             | ----            | 44.80B/32.20A      |  | 44.80B/32.20A    | ----               | 40.80         | - 3.10  | .3527           | ----                     | ----                   | ----  | ----          | ----                     | ----              | 3             | ----             | ---- |      | UNCH |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4105                | 7.30   | 7.30                             |                 | 9.20B/1.60A        |  | 9.20B/1.60A      | ----               | 3.10          | - 6.00  | .0570           | ----                     | ----                   | ----  | ----          | ----                     | 6                 | ----          | ----             | 7    | +    | 1    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4110                | 2.60   | 2.60                             |                 | 10.30B/1.90A       |  | 10.30B/1.90A     | ----               | 3.70          | - 6.40  | .0744           | ----                     | ----                   | ----  | ----          | ----                     | 6                 | ----          | ----             | 12   | +    | 3    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4115                | 4.80   | 4.80                             |                 | 11.50B/2.30A       |  | 11.50B/2.30A     | ----               | 4.40          | - 6.80  | .0959           | ----                     | ----                   | ----  | ----          | ----                     | 15                | ----          | ----             | 14   | +    | 13   |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4120                | 10.00  | 10.00                            |                 | 12.90B/2.70A       |  | 12.90B/2.70A     | ----               | 5.20          | - 7.20  | .1221           | ----                     | ----                   | ----  | ----          | ----                     | 20                | ----          | ----             | 15   | +    | 9    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4125                | 6.20   | 6.20                             |                 | 14.40B/3.10        |  | 14.40B/3.10      | ----               | 6.10          | - 7.60  | .1533           | ----                     | ----                   | ----  | ----          | ----                     | 38                | ----          | 70               | 81   | -    | 20   |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4125                | 30.70  | 30.70                            |                 | 36.30B/21.80A      |  | 36.30B/21.80A    | ----               | 30.60         | - 4.10  | .3768           | ----                     | ----                   | ----  | ----          | ----                     | 50                | ----          | ----             | 215  | +    | 45   |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4130                | 6.80   | 6.80                             |                 | 16.10B/3.80A       |  | 16.10B/3.80A     | ----               | 7.20          | NEW     | .1916           | ----                     | ----                   | ----  | ----          | ----                     | 22                | ----          | ----             | 16   | +    | 16   |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4130                | ----   | ----                             | ----            | 73.40B/32.10A      |  | 73.40B/32.10A    | ----               | 34.00         | NEW     | .8083           | ----                     | ----                   | ----  | ----          | ----                     | 9                 | ----          | ----             | 4    | +    | 4    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4135                | 13.50  | 13.50                            |                 | 17.70B/4.60A       |  | 17.70B/4.60A     | ----               | 8.50          | - 8.20  | .2368           | ----                     | ----                   | ----  | ----          | ----                     | 2                 | ----          | ----             | 11   | +    | 8    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4135                | ----   | ----                             | ----            | 69.10B/28.80A      |  | 69.10B/28.80A    | ----               | 30.30         | NEW     | .7631           | ----                     | ----                   | ----  | ----          | ----                     | 2                 | ----          | ----             | 2    | +    | 2    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4140                | 7.00   | 7.00                             |                 | 19.70B/5.50A       |  | 19.70B/5.50A     | ----               | 10.00         | - 8.40  | .2884           | ----                     | ----                   | ----  | ----          | ----                     | 21                | ----          | ----             | 49   | +    | 9    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4140                | 55.60  | 55.60                            |                 | 64.80B/25.40A      |  | 64.80B/25.40A    | ----               | 26.80         | - 13.90 | .7115           | ----                     | ----                   | ----  | ----          | ----                     | 20                | ----          | ----             | 13   | +    | 12   |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4145                | 16.30  | 16.30                            |                 | 21.80B/6.50A       |  | 21.80B/6.50A     | ----               | 11.70         | - 8.50  | .3459           | ----                     | ----                   | ----  | ----          | ----                     | 27                | ----          | ----             | 23   | +    | 17   |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4150                | 53.80  | 53.80                            |                 | 56.60B/19.20A      |  | 56.60B/19.20A    | ----               | 20.40         | - 14.10 | .5917           | ----                     | ----                   | ----  | ----          | ----                     | 22                | ----          | ----             | 22   | +    | 18   |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4150                | 17.90  | 17.90                            |                 | 24.10B/7.80        |  | 24.10B/7.80      | ----               | 13.60         | - 8.60  | .4081           | ----                     | ----                   | ----  | ----          | ----                     | 110               | ----          | ----             | 73   | +    | 43   |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4150                | 55.00  | 55.00                            |                 | 76.90B/46.70A      |  | 76.90B/46.70A    | ----               | 47.90         | - 9.40  | .5307           | ----                     | ----                   | ----  | ----          | ----                     | 4                 | ----          | ----             | 5    | +    | 5    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4150                | ----   | ----                             | ----            | 47.20B/29.00A      |  | 47.20B/29.00A    | ----               | 41.10         | - 3.90  | .4690           | ----                     | ----                   | ----  | ----          | ----                     | ----              | 1             |                  | 43   |      | UNCH |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4150                | 59.40  | 59.40                            |                 | 91.50B/67.50A      |  | 91.50B/67.50A    | ----               | 68.20         | NEW     | .5246           | ----                     | ----                   | ----  | ----          | ----                     | 1                 | ----          | ----             | 1    | +    | 1    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4150                | 14.70  | 14.70                            |                 | 66.00B/48.40A      |  | 66.00B/48.40A    | ----               | 61.40         | - 2.90  | .4750           | ----                     | ----                   | ----  | ----          | ----                     | 3                 | ----          | ----             | 21   | +    | 2    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4155                | 45.50  | 45.50                            |                 | 26.40B/9.10A       |  | 26.40B/9.10A     | ----               | 15.70         | NEW     | .4741           | ----                     | ----                   | ----  | ----          | ----                     | 3                 | ----          | ----             | 3    | +    | 3    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4160                | 14.50  | 14.50                            |                 | 52.70B/16.30       |  | 52.70B/16.30     | ----               | 17.50         | - 14.20 | .5258           | ----                     | ----                   | ----  | ----          | ----                     | 8                 | ----          | ----             | 3    | +    | 3    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4160                | 19.00  | 19.00                            |                 | 29.10B/10.30A      |  | 29.10B/10.30A    | ----               | 18.20         | - 8.50  | .5420           | ----                     | ----                   | ----  | ----          | ----                     | 66                | ----          | ----             | 127  | +    | 47   |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4165                | 41.90  | 41.90                            |                 | 48.90B/14.10A      |  | 48.90B/14.10A    | ----               | 15.00         | - 14.00 | .4579           | ----                     | ----                   | ----  | ----          | ----                     | 23                | ----          | ----             | 22   | +    | 18   |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4165                | 41.90  | 41.90                            |                 | 45.20B/11.90A      |  | 45.20B/11.90A    | ----               | 12.70         | - 13.70 | .3907           | ----                     | ----                   | ----  | ----          | ----                     | 24                | ----          | ----             | 16   | +    | 11   |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4165                | 13.80  | 13.80                            |                 | 31.70B/11.60A      |  | 31.70B/11.60A    | ----               | 20.90         | - 8.20  | .6092           | ----                     | ----                   | ----  | ----          | ----                     | 120               | ----          | 170              | 230  | +    | 220  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4170                | 26.10  | 26.10                            |                 | 34.70B/13.10A      |  | 34.70B/13.10A    | ----               | 23.90         | - 7.80  | .6732           | ----                     | ----                   | ----  | ----          | ----                     | 36                | ----          | ----             | 9    | +    | 8    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4170                | 26.10  | 26.10                            |                 | 41.60B/9.80        |  | 41.60B/9.80      | ----               | 10.70         | NEW     | .3267           | ----                     | ----                   | ----  | ----          | ----                     | 304               | ----          | ----             | 55   | +    | 55   |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4175                | 19.40  | 19.40                            |                 | 37.80B/14.70A      |  | 37.80B/14.70A    | ----               | 27.10         | - 7.40  | .7329           | ----                     | ----                   | ----  | ----          | ----                     | 19                | ----          | ----             | 206  | -    | 5    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4175                | 24.70  | 24.70                            |                 | 38.20B/8.50A       |  | 38.20B/8.50A     | ----               | 8.90          | - 12.90 | .2670           | ----                     | ----                   | ----  | ----          | ----                     | 34                | ----          | 75               | 38   | -    | 50   |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4175                | 49.10  | 49.10                            |                 | 60.30B/38.30A      |  | 60.30B/38.30A    | ----               | 54.00         | - 3.40  | .5639           | ----                     | ----                   | ----  | ----          | ----                     | 5                 | ----          | ----             | 79   | +    | 5    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4175                | 57.10  | 57.10                            |                 | 61.20B/35.00A      |  | 61.20B/35.00A    | ----               | 35.80         | NEW     | .4358           | ----                     | ----                   | ----  | ----          | ----                     | 1                 | ----          | ----             | 1    | +    | 1    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4175                | 58.00  | 58.00                            |                 | 78.30B/58.00       |  | 78.30B/58.00     | ----               | 74.20         | NEW     | .5384           | ----                     | ----                   | ----  | ----          | ----                     | 1                 | ----          | ----             | 1    | +    | 1    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4180                | 22.80  | 22.80                            |                 | 35.00B/6.90A       |  | 35.00B/6.90A     | ----               | 7.40          | - 12.30 | .2143           | ----                     | ----                   | ----  | ----          | ----                     | 135               | ----          | ----             | 45   | +    | 4    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4180                | 22.00  | 22.00                            |                 | 40.90B/16.60A      |  | 40.90B/16.60A    | ----               | 30.60         | - 6.80  | .7856           | ----                     | ----                   | ----  | ----          | ----                     | 68                | ----          | ----             | 73   | +    | 65   |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4185                | 23.60  | 23.60                            |                 | 44.30B/18.50A      |  | 44.30B/18.50A    | ----               | 34.30         | NEW     | .8315           | ----                     | ----                   | ----  | ----          | ----                     | 7                 | ----          | ----             | 7    | +    | 7    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4185                | 20.00  | 20.00                            |                 | 31.90B/5.70A       |  | 31.90B/5.70A     | ----               | 6.10          | - 11.70 | .1684           | ----                     | ----                   | ----  | ----          | ----                     | 151               | ----          | ----             | 102  | +    | 93   |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4190                | 21.00  | 21.00                            |                 | 48.10B/20.60A      |  | 48.10B/20.60A    | ----               | 38.20         | - 5.50  | .8700           | ----                     | ----                   | ----  | ----          | ----                     | ----              | ----          | 2                |      | UNCH |      |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4190                | 23.10  | 23.10                            |                 | 28.80B/4.70A       |  | 28.80B/4.70A     | ----               | 5.00          | - 11.00 | .1299           | ----                     | ----                   | ----  | ----          | ----                     | 99                | ----          | 50               | 117  | +    | 115  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4195                | 23.10  | 23.10                            |                 | 26.30B/3.80A       |  | 26.30B/3.80A     | ----               | 4.10          | - 10.30 | .0988           | ----                     | ----                   | ----  | ----          | ----                     | 34                | ----          | ----             | 123  | +    | 12   |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4195                | 23.10  | 23.10                            |                 | 51.60B/22.80A      |  | 51.60B/22.80A    | ----               | 42.30         | - 4.80  | .9011           | ----                     | ----                   | ----  | ----          | ----                     | 4                 | ----          | ----             | 9    | +    | 4    |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |
| 4200                | 14.20  | 14.20                            |                 | 23.70B/3.20        |  | 23.7             |                    |               |         |                 |                          |                        |       |               |                          |                   |               |                  |      |      |      |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |

| PG64    |        | BULLETIN #191@                   |              |                 |                    |                  |                    |               |                 |                          |        | METALS OPTION PRODUCTS |                          |                   |               |                  |      |  |  |  |  | Mon, Oct 05, 2026 |  | PG64 |
|---------|--------|----------------------------------|--------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|--------------------------|--------|------------------------|--------------------------|-------------------|---------------|------------------|------|--|--|--|--|-------------------|--|------|
|         |        | GLOBEX<br>OPEN                   | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA  | EXER<br>CISES          | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |  |  |  |  |                   |  |      |
| GWT TUE |        | GOLD WEEKLY TUESDAY OPTION week3 |              |                 |                    |                  |                    |               |                 |                          |        |                        |                          |                   |               |                  |      |  |  |  |  |                   |  |      |
| OCT26   |        |                                  |              |                 |                    |                  |                    |               |                 |                          |        |                        |                          |                   |               |                  |      |  |  |  |  |                   |  |      |
| 4350    | ----   | ----                             |              |                 | 19.70B/11.70A      | 19.70B/11.70A    | ----               | ----          |                 | 11.50 - 3.90             | .1285  | ----                   | ----                     | ----              | ----          |                  | 6    |  |  |  |  |                   |  |      |
| 4355    | ----   | ----                             |              |                 | ----/0.10A         | 0.50B/0.10A      | ----               | ----          |                 | 0.10 - 0.50              | ----   | ----                   | ----                     | ----              | ----          |                  | 13   |  |  |  |  |                   |  |      |
| 4360    | ----   | ----                             |              |                 | ----/0.10A         | 0.50B/0.10A      | ----               | ----          |                 | 0.10 - 0.40              | ----   | ----                   | ----                     | ----              | ----          |                  | 11   |  |  |  |  |                   |  |      |
| 4365    | ----   | ----                             |              |                 | ----/0.10A         | 0.40B/0.10A      | ----               | ----          |                 | 0.10 - 0.40              | ----   | ----                   | ----                     | ----              | ----          |                  | 7    |  |  |  |  |                   |  |      |
| 4370    | ----   | ----                             |              |                 | ----/0.10A         | 0.40B/0.10A      | ----               | ----          |                 | 0.10 - 0.40              | ----   | ----                   | ----                     | ----              | ----          |                  | 9    |  |  |  |  |                   |  |      |
| 4375    | ----   | ----                             |              |                 | 219.60B/179.90A    | 219.60B/179.90A  | ----               | ----          |                 | 218.30 + 5.20            | 1.0000 | ----                   | ----                     | ----              | ----          |                  | 3    |  |  |  |  |                   |  |      |
| 4375    | 0.30   | 0.30                             |              |                 | 0.30/0.10A         | 0.40B/0.10A      | ----               | ----          |                 | 0.10 - 0.30              | ----   | ----                   | ----                     | 5                 | ----          |                  | 13   |  |  |  |  |                   |  |      |
| 4375    | ----   | ----                             |              |                 | 221.90B/182.70A    | 221.90B/182.70A  | ----               | ----          |                 | 220.60 + 3.70            | .9612  | ----                   | ----                     | ----              | ----          |                  | 5    |  |  |  |  |                   |  |      |
| 4375    | ----   | ----                             |              |                 | 5.50B/2.60A        | 5.50B/2.60A      | ----               | ----          |                 | 2.50 - 1.90              | .0386  | ----                   | ----                     | ----              | ----          |                  | 23   |  |  |  |  |                   |  |      |
| 4375    | ----   | ----                             |              |                 | 15.80B/9.30A       | 15.80B/9.30A     | ----               | ----          |                 | 9.10 - 3.30              | .1037  | ----                   | ----                     | ----              | ----          |                  | 1    |  |  |  |  |                   |  |      |
| 4380    | ----   | ----                             |              |                 | ----/0.10A         | 0.30B/0.10A      | ----               | ----          |                 | 0.10 - 0.30              | ----   | ----                   | ----                     | ----              | ----          |                  | 5    |  |  |  |  |                   |  |      |
| 4385    | ----   | ----                             |              |                 | ----/0.10A         | 0.30B/0.10A      | ----               | ----          |                 | 0.10 - 0.30              | ----   | ----                   | ----                     | ----              | ----          |                  | 2    |  |  |  |  |                   |  |      |
| 4390    | ----   | ----                             |              |                 | ----/0.10A         | 0.30B/0.10A      | ----               | ----          |                 | 0.10 NEW                 | ----   | ----                   | ----                     | 2                 | ----          |                  | 2    |  |  |  |  |                   |  |      |
| 4400    | 0.10   | 0.10                             |              |                 | 0.10/0.10          | 0.20B/0.10       | ----               | ----          |                 | 0.10 - 0.20              | ----   | ----                   | ----                     | 1                 | ----          |                  | 97   |  |  |  |  |                   |  |      |
| 4400    | ----   | ----                             |              |                 | 244.50B/204.80A    | 244.50B/204.80A  | ----               | ----          |                 | 243.30 + 5.30            | 1.0000 | ----                   | ----                     | ----              | ----          |                  | 1    |  |  |  |  |                   |  |      |
| 4400    | ----   | ----                             |              |                 | 246.30B/208.60A    | 246.30B/208.60A  | ----               | ----          |                 | 245.00 + 4.20            | .9711  | ----                   | ----                     | ----              | ----          |                  | 54   |  |  |  |  |                   |  |      |
| 4400    | ----   | ----                             |              |                 | 4.10B/2.00A        | 4.10B/2.00A      | ----               | ----          |                 | 1.90 - 1.40              | .0287  | ----                   | ----                     | 23                | ----          |                  | 101  |  |  |  |  |                   |  |      |
| 4410    | ----   | ----                             |              |                 | ----/0.10A         | 0.20B/0.10A      | ----               | ----          |                 | 0.10 - 0.20              | ----   | ----                   | ----                     | ----              | ----          |                  | 13   |  |  |  |  |                   |  |      |
| 4415    | ----   | ----                             |              |                 | ----/0.10A         | 0.20B/0.10A      | ----               | ----          |                 | 0.10 - 0.20              | ----   | ----                   | ----                     | ----              | ----          |                  | 5    |  |  |  |  |                   |  |      |
| 4425    | ----   | ----                             |              |                 | ----/0.10A         | 0.10B/0.10A      | ----               | ----          |                 | 0.10 - 0.20              | ----   | ----                   | ----                     | ----              | ----          |                  | 54   |  |  |  |  |                   |  |      |
| 4425    | ----   | ----                             |              |                 | 3.00B/1.60A        | 3.00B/1.60A      | ----               | ----          |                 | 1.50 - 1.10              | .0220  | ----                   | ----                     | ----              | ----          |                  | 27   |  |  |  |  |                   |  |      |
| 4425    | ----   | ----                             |              |                 | 270.70B/232.60A    | 270.70B/232.60A  | ----               | ----          |                 | 269.60 + 4.50            | .9778  | ----                   | ----                     | ----              | ----          |                  | 1    |  |  |  |  |                   |  |      |
| 4450    | ----   | ----                             |              |                 | 294.50B/254.70A    | 294.50B/254.70A  | ----               | ----          |                 | 293.30 + 5.40            | 1.0000 | ----                   | ----                     | ----              | ----          |                  | 1    |  |  |  |  |                   |  |      |
| 4450    | ----   | ----                             |              |                 | ----/0.20A         | ----             | ----               | ----          |                 | 0.10 - 0.10              | ----   | ----                   | ----                     | ----              | ----          |                  | 59   |  |  |  |  |                   |  |      |
| 4450    | ----   | ----                             |              |                 | 2.30B/1.30A        | 2.30B/1.30A      | ----               | ----          |                 | 1.20 - 0.80              | .0171  | ----                   | ----                     | ----              | ----          |                  | 33   |  |  |  |  |                   |  |      |
| 4475    | ----   | ----                             |              |                 | ----/0.20A         | ----             | ----               | ----          |                 | 0.10 - 0.10              | ----   | ----                   | ----                     | ----              | ----          |                  | 19   |  |  |  |  |                   |  |      |
| 4475    | ----   | ----                             |              |                 | 319.50B/280.30A    | 319.50B/280.30A  | ----               | ----          |                 | 318.30 + 5.50            | 1.0000 | 1                      | ----                     | ----              | ----          |                  | 0    |  |  |  |  |                   |  |      |
| 4475    | ----   | ----                             |              |                 | 1.80B/1.10A        | 1.80B/1.10A      | ----               | ----          |                 | 1.00 - 0.70              | .0137  | ----                   | ----                     | ----              | ----          |                  | 5    |  |  |  |  |                   |  |      |
| 4500    | ----   | ----                             |              |                 | ----/0.20A         | ----             | ----               | ----          |                 | 0.10 - 0.10              | ----   | ----                   | ----                     | ----              | ----          |                  | 22   |  |  |  |  |                   |  |      |
| 4500    | ----   | ----                             |              |                 | ----/1.00A         | 1.40B/1.00A      | ----               | ----          |                 | 0.90 - 0.50              | .0118  | ----                   | ----                     | ----              | ----          |                  | 31   |  |  |  |  |                   |  |      |
| 4515    | 351.00 | 351.00                           |              |                 | 359.50B/319.60A    | 359.50B/319.60A  | ----               | ----          |                 | 358.30 + 5.60            | 1.0000 | 2                      | ----                     | 2                 | ----          |                  | 0    |  |  |  |  |                   |  |      |
| 4525    | ----   | ----                             |              |                 | ----/0.10A         | ----             | ----               | ----          |                 | 0.10 UNCH                | ----   | ----                   | ----                     | 2                 | ----          |                  | 50   |  |  |  |  |                   |  |      |
| 4525    | ----   | ----                             |              |                 | ----/0.80A         | 1.10B/0.80A      | ----               | ----          |                 | 0.80 - 0.40              | .0101  | ----                   | ----                     | ----              | ----          |                  | 31   |  |  |  |  |                   |  |      |
| 4550    | ----   | ----                             |              |                 | ----/0.10A         | ----             | ----               | ----          |                 | 0.10 UNCH                | ----   | ----                   | ----                     | ----              | ----          |                  | 7    |  |  |  |  |                   |  |      |
| 4550    | ----   | ----                             |              |                 | ----/0.80A         | 0.90B/0.80A      | ----               | ----          |                 | 0.70 - 0.30              | .0085  | ----                   | ----                     | ----              | ----          |                  | 24   |  |  |  |  |                   |  |      |
| 4575    | ----   | ----                             |              |                 | 419.50B/379.60A    | 419.50B/379.60A  | ----               | ----          |                 | 418.30 + 5.60            | 1.0000 | 2                      | ----                     | ----              | ----          |                  | 0    |  |  |  |  |                   |  |      |
| 4575    | ----   | ----                             |              |                 | ----/0.10A         | ----             | ----               | ----          |                 | 0.10 UNCH                | ----   | ----                   | ----                     | ----              | ----          |                  | 2    |  |  |  |  |                   |  |      |
| 4575    | ----   | ----                             |              |                 | ----/0.70A         | 0.70B/0.70A      | ----               | ----          |                 | 0.60 - 0.30              | .0070  | ----                   | ----                     | ----              | ----          |                  | 35   |  |  |  |  |                   |  |      |
| 4600    | ----   | ----                             |              |                 | ----/0.10A         | ----             | ----               | ----          |                 | 0.10 UNCH                | ----   | ----                   | ----                     | ----              | ----          |                  | 28   |  |  |  |  |                   |  |      |
| 4600    | ----   | ----                             |              |                 | ----/0.60A         | 0.60B/0.60A      | ----               | ----          |                 | 0.50 - 0.30              | .0057  | ----                   | ----                     | ----              | ----          |                  | 14   |  |  |  |  |                   |  |      |
| 4600    | ----   | ----                             |              |                 | 2.50B/1.90A        | 2.50B/1.90A      | ----               | ----          |                 | 1.80 - 0.60              | .0199  | ----                   | ----                     | ----              | ----          |                  | 5    |  |  |  |  |                   |  |      |
| 4625    | ----   | ----                             |              |                 | ----/0.20A         | ----             | ----               | ----          |                 | 0.10 UNCH                | ----   | ----                   | ----                     | ----              | ----          |                  | 1    |  |  |  |  |                   |  |      |
| 4625    | ----   | ----                             |              |                 | ----/0.60A         | 0.60B/0.60A      | ----               | ----          |                 | 0.40 - 0.30              | .0045  | ----                   | ----                     | ----              | ----          |                  | 22   |  |  |  |  |                   |  |      |
| 4625    | ----   | ----                             |              |                 | ----/1.70A         | 2.10B/1.70A      | ----               | ----          |                 | 1.50 - 0.60              | .0165  | ----                   | ----                     | ----              | ----          |                  | 1    |  |  |  |  |                   |  |      |
| 4650    | ----   | ----                             |              |                 | ----/0.10A         | ----             | ----               | ----          |                 | 0.10 UNCH                | ----   | ----                   | ----                     | ----              | ----          |                  | 19   |  |  |  |  |                   |  |      |
| 4650    | ----   | ----                             |              |                 | ----/0.50A         | 0.50B/0.50A      | ----               | ----          |                 | 0.40 - 0.20              | .0043  | ----                   | ----                     | ----              | ----          |                  | 8    |  |  |  |  |                   |  |      |
| 4650    | ----   | ----                             |              |                 | ----/1.50A         | 1.80B/1.50A      | ----               | ----          |                 | 1.30 - 0.50              | .0141  | ----                   | ----                     | ----              | ----          |                  | 7    |  |  |  |  |                   |  |      |
| 4675    | ----   | ----                             |              |                 | ----/0.10A         | ----             | ----               | ----          |                 | 0.10 UNCH                | ----   | ----                   | ----                     | ----              | ----          |                  | 3    |  |  |  |  |                   |  |      |
| 4675    | ----   | ----                             |              |                 | ----               | 0.50B/0.50A      | ----               | ----          |                 | 0.30 - 0.20              | .0031  | ----                   | ----                     | ----              | ----          |                  | 4    |  |  |  |  |                   |  |      |
| 4700    | ----   | ----                             |              |                 | ----/0.10A         | ----             | ----               | ----          |                 | 0.10 UNCH                | ----   | ----                   | ----                     | ----              | ----          |                  | 12   |  |  |  |  |                   |  |      |
| 4700    | ----   | ----                             |              |                 | ----               | 0.40B/0.50A      | ----               | ----          |                 | 0.30 - 0.20              | .0030  | ----                   | ----                     | ----              | ----          |                  | 7    |  |  |  |  |                   |  |      |
| 4725    | ----   | ----                             |              |                 | ----/0.10A         | ----             | ----               | ----          |                 | 0.10 UNCH                | ----   | ----                   | ----                     | ----              | ----          |                  | 2    |  |  |  |  |                   |  |      |
| 4725    | ----   | ----                             |              |                 | ----               | 0.40B/0.40A      | ----               | ----          |                 | 0.20 - 0.20              | .0020  | ----                   | ----                     | ----              | ----          |                  | 20   |  |  |  |  |                   |  |      |
| 4750    | ----   | ----                             |              |                 | ----/0.10A         | ----             | ----               | ----          |                 | 0.10 UNCH                | ----   | ----                   | ----                     | ----              | ----          |                  | 2    |  |  |  |  |                   |  |      |
| 4750    | ----   | ----                             |              |                 | ----               | 0.30B/0.40A      | ----               | ----          |                 | 0.20 - 0.20              | .0019  | ----                   | ----                     | ----              | ----          |                  | 45   |  |  |  |  |                   |  |      |
| 4775    | ----   | ----                             |              |                 | ----               | 0.30B/0.40A      | ----               | ----          |                 | 0.20 - 0.10              | .0018  | ----                   | ----                     | ----              | ----          |                  | 2    |  |  |  |  |                   |  |      |
| 4775    | ----   | ----                             |              |                 | ----/0.10A         | ----             | ----               | ----          |                 | 0.10 UNCH                | ----   | ----                   | ----                     | ----              | ----          |                  | 2    |  |  |  |  |                   |  |      |
| 4800    | ----   | ----                             |              |                 | ----               | 0.30B/0.40A      | ----               | ----          |                 | 0.10 - 0.20              | .0009  | ----                   | ----                     | ----              | ----          |                  | 4    |  |  |  |  |                   |  |      |
| 4800    | ----   | ----                             |              |                 | ----               | 0.80B/1.00A      | ----               | ----          |                 | 0.70 NEW                 | .0069  | ----                   | ----                     | 3                 | ----          |                  | 3    |  |  |  |  |                   |  |      |
| 4850    | ----   | ----                             |              |                 | ----/0.10A         | ----             | ----               | ----          |                 | 0.10 UNCH                | ----   | ----                   | ----                     | ----              | ----          |                  | 1    |  |  |  |  |                   |  |      |
| 4850    | 689.20 | 689.20                           |              |                 | 694.40B/654.90A    | 694.40B/654.90A  | ----               | ----          |                 | 693.20 NEW               | 1.0000 | 1                      | ----                     | 1                 | ----          |                  | 0    |  |  |  |  |                   |  |      |
| 4900    | ----   | ----                             |              |                 | ----/0.10A         | ----             | ----               | ----          |                 | 0.10 UNCH                | ----   | ----                   | ----                     | ----              | ----          |                  | 2    |  |  |  |  |                   |  |      |
| 4900    | ----   | ----                             |              |                 | ----               | 0.10B/0.30A      | ----               | ----          |                 | 0.10 - 0.10              | .0001  | ----                   | ----                     | ----              | ----          |                  | 6    |  |  |  |  |                   |  |      |
| 4900    | 739.50 | 739.50                           |              |                 | 744.30B/704.70A    | 744.30B/704.70A  | ----               | ----          |                 | 743.20 NEW               | 1.0000 | 1                      | ----                     | 1                 | ----          |                  | 0    |  |  |  |  |                   |  |      |
| 4900    | ----   | ----                             |              |                 | ----               | 0.40B/0.70A      | ----               | ----          |                 | 0.40 NEW                 | .0038  | ----                   | ----                     | 6                 | ----          |                  | 6    |  |  |  |  |                   |  |      |
| 5000    | ----   | ----                             |              |                 | ----               | ----/0.40A       | ----               | ----          |                 | 0.10 UNCH                | .0000  | ----                   | ----                     | ----              | ----          |                  | 7    |  |  |  |  |                   |  |      |
| 5100    | ----   | ----                             |              |                 | ----               | ----/0.20A       | ----               | ----          |                 | 0.10 UNCH                | ----   | ----                   | ----                     | ----              | ----          |                  | 25   |  |  |  |  |                   |  |      |
| 5100    | ----   | ----                             |              |                 | ----               | ----/0.30A       | ----               | ----          |                 | 0.10 UNCH                | ----   | ----                   | ----                     | ----              | ----          |                  | 7    |  |  |  |  |                   |  |      |
| 5200    | ----   | ----                             |              |                 | ----               | ----/0.20A       | ----               | ----          |                 | 0.10 UNCH                | ----   | ----                   | ----                     | ----              | ----          |                  | 6    |  |  |  |  |                   |  |      |
| TOTAL   |        |                                  |              |                 |                    |                  |                    |               |                 |                          |        |                        |                          | 3027              | 485           | 7085             | 1480 |  |  |  |  |                   |  |      |
| NOV26   |        |                                  |              |                 |                    |                  |                    |               |                 |                          |        |                        |                          |                   |               |                  |      |  |  |  |  |                   |  |      |
| 3600    | 4.20   | 4.20                             |              |                 | 4.20/3.90A         | 4.20/3.90A       | ----               | ----          |                 | 4.20 - 0.70              | .0296  | ----                   | ----                     | 5                 | ----          |                  | 8    |  |  |  |  |                   |  |      |
| 3700    | ----   | ----                             |              |                 | ----/6.10A         | 6.80B/6.10A      | ----               | ----          |                 | 6.60 - 1.20              | .0479  | ----                   | ----                     | 4                 | ----          |                  | 5    |  |  |  |  |                   |  |      |
| 3750    | ----   | ----                             |              |                 | ----/7.90A         | 8.80B/7.90A      | ----               | ----          |                 | 8.40 - 1.50              | .0616  | ----                   | ----                     | ----              | ----          |                  | 2    |  |  |  |  |                   |  |      |
| 3775    | ----   | ----                             |              |                 | ----/9.00A         | 10.50B/9.00A     | ----               | ----          |                 | 9.70 NEW                 | .0710  | ----                   | ----                     | 2                 | ----          |                  | 2    |  |  |  |  |                   |  |      |
| 3800    | ----   | ----                             |              |                 | ----/10.30A        | 12.10B/10.30A    | ----               | ----          |                 | 11.20 - 1.80             | .0817  | ----                   | ----                     | 2                 | ----          |                  | 4    |  |  |  |  |                   |  |      |
| 3825    | ----   | ----                             |              |                 | ----/11.80A        | 14.00B/11.80A    | ----               | ----          |                 | 12.90 - 2.00             | .0937  | ----                   | ----                     | 4                 | ----          |                  | 5    |  |  |  |  |                   |  |      |
| 3850    | ----   | ----                             |              |                 | ----/13.60A        | 16.20B/13.60A    | ----               | ----          |                 | 15.00 - 2.10             | .1080  | ----                   | ----                     | ----              | ----          |                  | 1    |  |  |  |  |                   |  |      |
| 3875    | ----   | ----                             |              |                 | ----/16.00A        | 18.80B/16.00A    | ----               | ----          |                 | 17.40 - 2.30             | .1242  | ----                   | ----                     | 5                 | ----          |                  | 5    |  |  |  |  |                   |  |      |
| 3900    | ----   | ----                             |              |                 | ----/18.50A        | 21.90B/18.50A    | ----               | ----          |                 | 20.20 - 2.50             | .1427  | ----                   | ----                     | 5                 | ----          |                  | 7    |  |  |  |  |                   |  |      |
| 3925    | ----   | ----                             |              |                 | ----/21.50A        | 25.60B/21.50A    | ----               | ----          |                 | 23.70 NEW                | .1644  | ----                   | ----                     | 1                 | ----          |                  | 1    |  |  |  |  |                   |  |      |
| 3950    | ----   | ----                             |              |                 | ----/24.90A        | 29.80B/24.90A    | ----               | ----          |                 | 27.90 - 2.60             | .1892  | ----                   | ----                     | 1                 | ----          |                  | 6    |  |  |  |  |                   |  |      |
| 3975    | ----   | ----                             |              |                 | ----/28.80A        | 34.70B/28.80A    | ----               | ----          |                 | 32.70 - 2.70             | .2166  | ----                   | ----                     | ----              | ----          |                  | 3    |  |  |  |  |                   |  |      |
| 4000    | ----   | ----                             |              |                 | ----/33.40A        | 40.40B/33.40A    | ----               | ----          |                 | 38.20 - 2.90             | .2467  | ----                   | ----                     | 4                 | ----          |                  | 8    |  |  |  |  |                   |  |      |
| 4025    | 41.70  | 41.70                            |              |                 | 41.70/38.90A       | 46.90B/38.90A    | ----               | ----          |                 | 44.60 - 2.90             | .2797  | ----                   | ----                     | 4                 | ----          |                  | 28   |  |  |  |  |                   |  |      |
| 4075    | 51.80  | 51.80                            |              |                 | 51.80/51.80        | 62.90B/51.80     | ----               | ----          |                 | 60.50 NEW                | .3536  | ----                   | ----                     | 2                 | ----          |                  | 2    |  |  |  |  |                   |  |      |
| 4100    | ----   | ----                             |              |                 | 150.70B/129.10A    | 150.70B/129.10A  | ----               | ----          |                 | 126.70 - 8.10            | .6057  | ----                   | ----                     | ----              | ----          |                  | 4    |  |  |  |  |                   |  |      |
| 4100    | ----   | ----                             |              |                 | ----/59.90A        | 72.40B/59.90A    | ----               | ----          |                 | 70.00 - 2.70             | .3935  | ----                   | ----                     | ----              | ----          |                  | 1    |  |  |  |  |                   |  |      |
| 4150    | 93.80  | 93.80                            |              |                 | 94.90B/79.50A      | 94.90B/79.50A    | ----               | ----          |                 | 92.40 - 2.30             | .4768  | ----                   | ----                     | 3                 | ----          |                  | 5    |  |  |  |  |                   |  |      |
| 4150    | ----   | ----                             |              |                 | 125.10B/98.30A     | 125.10B/98.30A   | ----               | ----          |                 | 99.20 - 7.80             | .5224  | ----                   | ----                     | 2                 | ----          |                  | 12   |  |  |  |  |                   |  |      |
| 4175    | ----   | ----                             |              |                 | 108.10B/90.40A     | 108.10B/90.40A   | ----               | ----          |                 | 105.20 - 2.10            | .5190  | ----                   | ----                     | ----              | ----          |                  | 504  |  |  |  |  |                   |  |      |
| 4175    | 105.00 | 105.00                           |              |                 | 111.20B/86.30A     | 111.20B/86.30A   | ----               | ----          |                 | 87.10 NEW                | .4802  | ----                   | ----                     | 10                | ----          |                  | 3    |  |  |  |  |                   |  |      |
| 4200    | 116.00 | 116.00                           |              |                 | 122.20B/102.40A    | 122.20B/102.40A  | ----               | ----          |                 | 119.20 - 1.80            | .5607  | ----                   | ----                     | 6                 | ----          |                  | 5    |  |  |  |  |                   |  |      |
| 4200    | ----   | ----                             |              |                 | 98.20B/75.50A      | 98.20B/75.50A    | ----               | ----          |                 | 76.10 - 7.30             | .4385  | ----                   | ----                     | 1                 | ----          |                  | 2    |  |  |  |  |                   |  |      |
| 4250    | ----   | ----                             |              |                 | 152.90B/130.10A    | 152.90           |                    |               |                 |                          |        |                        |                          |                   |               |                  |      |  |  |  |  |                   |  |      |

| GLOBEX OPEN                       |       | OPEN  | OUTCRY RANGE | GLOBEX HIGH/LOW | OPEN           | OUTCRY HIGH/LOW | OPEN | OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |      |
|-----------------------------------|-------|-------|--------------|-----------------|----------------|-----------------|------|--------------------|-----------------------|-------|------------|--------------------|----------------|------------|---------------|------|
| GOLD WEEKLY THURSDAY OPTION week4 |       |       |              |                 |                |                 |      |                    |                       |       |            |                    |                |            |               |      |
| OCT26                             |       |       |              |                 |                |                 |      |                    |                       |       |            |                    |                |            |               |      |
| 3900                              | ----  | ----  | ----         | ----/7.80A      | 10.50B/7.80A   | ----            | ---- | 9.00 - 2.00        | .0867                 | ----  | ----       | ----               | ----           | ----       | 2             | UNCH |
| 3900                              | ----  | ----  | ----         | ----/3.20A      | 5.30B/3.20A    | ----            | ---- | 4.00 - 1.70        | .0471                 | ----  | ----       | ----               | ----           | ----       | 31            | UNCH |
| 3900                              | ----  | ----  | ----         | ----/0.40A      | 1.10B/0.40A    | ----            | ---- | 0.60 - 0.60        | .0056                 | ----  | ----       | ----               | ----           | ----       | 32            | UNCH |
| 3900                              | 17.40 | 17.40 | 17.40        | 17.80/14.80A    | 17.80/14.80A   | ----            | ---- | 16.50 - NEW        | .1269                 | ----  | ----       | ----               | 8              | ----       | 8 +           | 8    |
| 3925                              | ----  | ----  | ----         | ----/0.50A      | 1.30B/0.50A    | ----            | ---- | 0.70 - 0.90        | .0072                 | ----  | ----       | ----               | ----           | ----       | 2             | UNCH |
| 3925                              | ----  | ----  | ----         | ----/4.10A      | 6.70B/4.10A    | ----            | ---- | 5.00 - 2.00        | .0597                 | ----  | ----       | 2                  | ----           | ----       | 61            | UNCH |
| 3925                              | ----  | ----  | ----         | ----/9.50A      | 12.80B/9.50A   | ----            | ---- | 10.90 - 2.30       | .1045                 | ----  | ----       | ----               | ----           | ----       | 6             | UNCH |
| 3925                              | 19.50 | 19.50 | 19.50        | 19.50/17.40A    | 20.60B/17.40A  | ----            | ---- | 19.50 - NEW        | .1478                 | ----  | ----       | 2                  | ----           | ----       | 2 +           | 2    |
| 3950                              | ----  | ----  | ----         | ----/0.60A      | 1.70B/0.60A    | ----            | ---- | 0.90 - 1.10        | .0104                 | ----  | ----       | ----               | ----           | ----       | 29            | UNCH |
| 3950                              | ----  | ----  | ----         | ----/11.50A     | 15.40B/11.50A  | ----            | ---- | 13.40 - 2.50       | .1268                 | ----  | ----       | ----               | ----           | ----       | 2             | UNCH |
| 3950                              | ----  | ----  | ----         | ----/5.20A      | 8.40B/5.20A    | ----            | ---- | 6.40 - 2.30        | .0768                 | ----  | ----       | ----               | ----           | ----       | 10            | UNCH |
| 3975                              | ----  | ----  | ----         | ----/14.20A     | 18.80B/14.20A  | ----            | ---- | 16.40 - 2.70       | .1530                 | ----  | ----       | ----               | ----           | ----       | 17            | UNCH |
| 3975                              | ----  | ----  | ----         | ----/6.70A      | 10.80B/6.70A   | ----            | ---- | 8.30 - 2.60        | .0994                 | ----  | ----       | 4                  | ----           | ----       | 14 +          | 4    |
| 3975                              | 1.20  | 1.20  | 1.20         | 1.20/0.80A      | 2.20B/0.80A    | ----            | ---- | 1.20 - 1.50        | .0154                 | ----  | ----       | 7                  | ----           | ----       | 12 +          | 7    |
| 3975                              | 28.80 | 28.80 | 28.80        | 28.80/23.90A    | 28.80/23.90A   | ----            | ---- | 27.40 - NEW        | .1995                 | ----  | ----       | 7                  | ----           | ----       | 7 +           | 7    |
| 3990                              | 1.70  | 1.70  | 1.70         | 1.70/0.90A      | 2.80B/0.90A    | ----            | ---- | 1.40 - NEW         | .0193                 | ----  | ----       | 2                  | ----           | ----       | 2 +           | 2    |
| 3995                              | 1.80  | 1.80  | 1.80         | 1.80/1.00A      | 3.00B/1.00A    | ----            | ---- | 1.60 - NEW         | .0224                 | ----  | ----       | 4                  | ----           | ----       | 4 +           | 4    |
| 4000                              | 19.90 | 19.90 | 19.90        | 19.90/17.30A    | 22.90B/17.30A  | ----            | ---- | 20.20 - 3.00       | .1845                 | ----  | ----       | 20                 | ----           | ----       | 27 +          | 18   |
| 4000                              | 11.00 | 11.00 | 11.00        | 13.70B/8.70A    | 13.70B/8.70A   | ----            | ---- | 10.80 - 3.00       | .1281                 | ----  | ----       | 1                  | ----           | ----       | 121 +         | 1    |
| 4000                              | 31.50 | 31.50 | 31.50        | 31.50/28.10A    | 33.90B/28.10A  | ----            | ---- | 32.50 - NEW        | .2305                 | ----  | ----       | 1                  | ----           | ----       | 1 +           | 1    |
| 4000                              | 1.90  | 1.90  | 1.90         | 2.00/1.10A      | 3.20B/1.10A    | ----            | ---- | 1.70 - 2.10        | .0244                 | ----  | ----       | 15                 | ----           | ----       | 80 +          | 11   |
| 4010                              | 1.40  | 1.40  | 1.40         | 1.40/1.30A      | 3.80B/1.30A    | ----            | ---- | 2.00 - NEW         | .0299                 | ----  | ----       | 2                  | ----           | ----       | 2 +           | 2    |
| 4020                              | 2.50  | 2.50  | 2.50         | 2.50/1.50A      | 4.40B/1.50A    | ----            | ---- | 2.40 - 2.60        | .0372                 | ----  | ----       | 1                  | ----           | ----       | 2 +           | 1    |
| 4025                              | ----  | ----  | ----         | 28.10B/21.00A   | 28.10B/21.00A  | ----            | ---- | 24.90 - 3.10       | .2213                 | ----  | ----       | ----               | ----           | ----       | 15            | UNCH |
| 4025                              | 14.90 | 14.90 | 14.90        | 17.60B/11.40A   | 17.60B/11.40A  | ----            | ---- | 14.20 - 3.20       | .1651                 | ----  | ----       | 2                  | ----           | ----       | 73 +          | 2    |
| 4025                              | ----  | ----  | ----         | ----/1.70A      | 4.80B/1.70A    | ----            | ---- | 2.60 - 2.70        | .0411                 | ----  | ----       | 4                  | ----           | ----       | 22 +          | 1    |
| 4035                              | ----  | ----  | ----         | ----/2.00A      | 5.60B/2.00A    | ----            | ---- | 3.10 - 3.00        | .0508                 | ----  | ----       | ----               | ----           | ----       | 1             | UNCH |
| 4040                              | ----  | ----  | ----         | ----/2.20A      | 6.10B/2.20A    | ----            | ---- | 3.40 - 3.20        | .0566                 | ----  | ----       | 1                  | ----           | ----       | 5 +           | 1    |
| 4050                              | ----  | ----  | ----         | 34.40B/25.30A   | 34.40B/25.30A  | ----            | ---- | 30.70 - 3.20       | .2636                 | ----  | ----       | ----               | ----           | ----       | 15            | UNCH |
| 4050                              | ----  | ----  | ----         | 22.60B/14.90A   | 22.60B/14.90A  | ----            | ---- | 18.60 - 3.60       | .2104                 | ----  | ----       | ----               | ----           | ----       | 433           | UNCH |
| 4050                              | ----  | ----  | ----         | ----/2.70A      | 7.20B/2.70A    | ----            | ---- | 4.10 - 3.50        | .0703                 | ----  | ----       | 6                  | ----           | ----       | 164 +         | 1    |
| 4075                              | ----  | ----  | ----         | 41.70B/30.80A   | 41.70B/30.80A  | ----            | ---- | 37.80 - 3.10       | .3113                 | ----  | ----       | 1                  | ----           | ----       | 6             | UNCH |
| 4075                              | ----  | ----  | ----         | 28.70B/18.80A   | 28.70B/18.80A  | ----            | ---- | 24.30 - 3.80       | .2649                 | ----  | ----       | ----               | ----           | ----       | 16            | UNCH |
| 4075                              | ----  | ----  | ----         | ----/4.50A      | 11.00B/4.50A   | ----            | ---- | 6.70 - 4.40        | .1209                 | ----  | ----       | 2                  | ----           | ----       | 95            | UNCH |
| 4080                              | 8.40  | 8.40  | 8.40         | 12.00B/5.00A    | 12.00B/5.00A   | ----            | ---- | 7.40 - 4.50        | .1344                 | ----  | ----       | 27                 | ----           | ----       | 29 +          | 27   |
| 4085                              | ----  | ----  | ----         | 13.00B/5.50A    | 13.00B/5.50A   | ----            | ---- | 8.20 - NEW         | .1494                 | ----  | ----       | 2                  | ----           | ----       | 2 +           | 2    |
| 4090                              | ----  | ----  | ----         | 14.00B/6.10A    | 14.00B/6.10A   | ----            | ---- | 9.00 - 4.90        | .1649                 | ----  | ----       | 1                  | ----           | ----       | 1             | UNCH |
| 4095                              | 7.50  | 7.50  | 7.50         | 15.20B/6.80A    | 15.20B/6.80A   | ----            | ---- | 10.00 - 4.90       | .1830                 | ----  | ----       | 2                  | ----           | ----       | 4 +           | 1    |
| 4100                              | ----  | ----  | ----         | 121.50B/86.40A  | 121.50B/86.40A | ----            | ---- | 88.30 - 9.40       | .6715                 | ----  | ----       | ----               | ----           | ----       | 50            | UNCH |
| 4100                              | ----  | ----  | ----         | 36.40B/24.00A   | 36.40B/24.00A  | ----            | ---- | 31.60 - 3.90       | .3281                 | ----  | ----       | ----               | ----           | ----       | 72            | UNCH |
| 4100                              | ----  | ----  | ----         | 50.20B/37.10A   | 50.20B/37.10A  | ----            | ---- | 46.10 - 3.00       | .3631                 | ----  | ----       | 1                  | ----           | ----       | 16 +          | 1    |
| 4100                              | 9.00  | 9.00  | 9.00         | 16.40B/7.50A    | 16.40B/7.50A   | ----            | ---- | 11.00 - 5.10       | .2015                 | ----  | ----       | 14                 | ----           | ----       | 72 +          | 1    |
| 4100                              | 82.20 | 82.20 | 82.20        | ----/52.80A     | 65.00B/52.80A  | ----            | ---- | 62.70 - 2.80       | .3862                 | ----  | ----       | ----               | ----           | ----       | 1             | UNCH |
| 4100                              | ----  | ----  | ----         | 105.90B/65.10A  | 105.90B/65.10A | ----            | ---- | 67.80 - NEW        | .7983                 | ----  | ----       | 1                  | ----           | ----       | 1 +           | 1    |
| 4105                              | ----  | ----  | ----         | 17.80B/8.30A    | 17.80B/8.30A   | ----            | ---- | 12.10 - 5.20       | .2214                 | ----  | ----       | ----               | ----           | ----       | 5             | UNCH |
| 4110                              | 75.00 | 75.00 | 75.00        | 97.30B/57.70A   | 97.30B/57.70A  | ----            | ---- | 60.10 - NEW        | .7571                 | ----  | ----       | 1                  | ----           | ----       | 1 +           | 1    |
| 4115                              | ----  | ----  | ----         | 20.70B/10.20A   | 20.70B/10.20A  | ----            | ---- | 14.60 - 5.40       | .2654                 | ----  | ----       | ----               | ----           | ----       | 75            | UNCH |
| 4120                              | 13.00 | 13.00 | 13.00        | 22.40B/11.10A   | 22.40B/11.10A  | ----            | ---- | 16.00 - 5.50       | .2893                 | ----  | ----       | 10                 | ----           | ----       | 11 +          | 9    |
| 4120                              | 70.90 | 70.90 | 70.90        | 89.00B/50.80A   | 89.00B/50.80A  | ----            | ---- | 52.80 - NEW        | .7105                 | ----  | ----       | 1                  | ----           | ----       | 1 +           | 1    |
| 4125                              | 39.00 | 39.00 | 39.00        | 45.90B/30.50A   | 45.90B/30.50A  | ----            | ---- | 40.60 - 3.90       | .3982                 | ----  | ----       | 21                 | ----           | ----       | 44 +          | 4    |
| 4125                              | ----  | ----  | ----         | 60.10B/44.90A   | 60.10B/44.90A  | ----            | ---- | 55.90 - 2.90       | .4184                 | ----  | ----       | ----               | ----           | ----       | 10            | UNCH |
| 4125                              | 13.90 | 13.90 | 13.90        | 24.10B/12.00A   | 24.10B/12.00A  | ----            | ---- | 17.60 - 5.50       | .3150                 | ----  | ----       | 6                  | ----           | ----       | 145 +         | 1    |
| 4130                              | 17.10 | 17.10 | 17.10        | 26.10B/13.00A   | 26.10B/13.00A  | ----            | ---- | 19.20 - 5.60       | .3411                 | ----  | ----       | 102                | ----           | ----       | 45 +          | 44   |
| 4130                              | 61.00 | 61.00 | 61.00        | 80.90B/44.30A   | 80.90B/44.30A  | ----            | ---- | 46.00 - NEW        | .6588                 | ----  | ----       | 1                  | ----           | ----       | 1 +           | 1    |
| 4135                              | ----  | ----  | ----         | 28.10B/14.10A   | 28.10B/14.10A  | ----            | ---- | 21.00 - NEW        | .3686                 | ----  | ----       | 2                  | ----           | ----       | 2 +           | 2    |
| 4135                              | 70.50 | 70.50 | 70.50        | 76.90B/41.30A   | 76.90B/41.30A  | ----            | ---- | 42.80 - NEW        | .6312                 | ----  | ----       | 4                  | ----           | ----       | 1 +           | 1    |
| 4140                              | ----  | ----  | ----         | 30.10B/15.20A   | 30.10B/15.20A  | ----            | ---- | 23.00 - 5.50       | .3972                 | ----  | ----       | 2                  | ----           | ----       | 3 +           | 2    |
| 4140                              | 65.70 | 65.70 | 65.70        | 73.10B/38.40A   | 73.10B/38.40A  | ----            | ---- | 39.80 - NEW        | .6026                 | ----  | ----       | 3                  | ----           | ----       | 2 +           | 2    |
| 4150                              | ----  | ----  | ----         | 71.30B/53.90A   | 71.30B/53.90A  | ----            | ---- | 67.10 - 2.80       | .4757                 | ----  | ----       | ----               | ----           | ----       | 16            | UNCH |
| 4150                              | ----  | ----  | ----         | 86.10B/57.10A   | 86.10B/57.10A  | ----            | ---- | 58.30 - 9.10       | .5268                 | ----  | ----       | ----               | ----           | ----       | 28            | UNCH |
| 4150                              | 80.70 | 80.70 | 80.70        | 87.40B/71.10A   | 87.40B/71.10A  | ----            | ---- | 84.80 - NEW        | .4768                 | ----  | ----       | 1                  | ----           | ----       | 1 +           | 1    |
| 4150                              | 52.00 | 52.00 | 52.00        | 57.10B/38.60A   | 57.10B/38.60A  | ----            | ---- | 51.50 - 3.60       | .4729                 | ----  | ----       | ----               | ----           | ----       | 162 -         | 2    |
| 4150                              | 20.70 | 20.70 | 20.70        | 34.60B/17.90A   | 34.60B/17.90A  | ----            | ---- | 27.20 - 5.40       | .4558                 | ----  | ----       | 10                 | ----           | ----       | 48 +          | 4    |
| 4150                              | 58.30 | 58.30 | 58.30        | 65.70B/32.90A   | 65.70B/32.90A  | ----            | ---- | 34.00 - 10.90      | .5440                 | ----  | ----       | 2                  | ----           | ----       | 3 +           | 1    |
| 4155                              | ----  | ----  | ----         | 37.10B/19.30A   | 37.10B/19.30A  | ----            | ---- | 29.60 - 5.20       | .4859                 | ----  | ----       | 2                  | ----           | ----       | 3             | UNCH |
| 4160                              | ----  | ----  | ----         | 39.60B/20.70A   | 39.60B/20.70A  | ----            | ---- | 32.00 - 5.20       | .5161                 | ----  | ----       | 6                  | ----           | ----       | 27            | UNCH |
| 4165                              | ----  | ----  | ----         | 55.30B/25.60A   | 55.30B/25.60A  | ----            | ---- | 26.50 - 10.40      | .4537                 | ----  | ----       | ----               | ----           | ----       | 4             | UNCH |
| 4165                              | ----  | ----  | ----         | 42.30B/22.40A   | 42.30B/22.40A  | ----            | ---- | 34.70 - 4.90       | .5462                 | ----  | ----       | ----               | ----           | ----       | 4             | UNCH |
| 4170                              | 32.50 | 32.50 | 32.50        | 52.10B/23.40A   | 52.10B/23.40A  | ----            | ---- | 24.20 - NEW        | .4236                 | ----  | ----       | 3                  | ----           | ----       | 3 +           | 3    |
| 4175                              | 51.10 | 51.10 | 51.10        | 71.00B/45.40A   | 71.00B/45.40A  | ----            | ---- | 46.10 - 8.70       | .4507                 | ----  | ----       | 3                  | ----           | ----       | 1 +           | 3    |
| 4175                              | ----  | ----  | ----         | 99.80B/82.00A   | 99.80B/82.00A  | ----            | ---- | 97.60 - 2.00       | .5227                 | ----  | ----       | ----               | ----           | ----       | 6             | UNCH |
| 4175                              | ----  | ----  | ----         | 84.50B/64.20A   | 84.50B/64.20A  | ----            | ---- | 79.90 - 2.50       | .5337                 | ----  | ----       | ----               | ----           | ----       | 3             | UNCH |
| 4175                              | ----  | ----  | ----         | 86.00B/61.10A   | 86.00B/61.10A  | ----            | ---- | 61.80 - 7.90       | .4658                 | ----  | ----       | ----               | ----           | ----       | 8             | UNCH |
| 4175                              | ----  | ----  | ----         | 70.10B/48.30A   | 70.10B/48.30A  | ----            | ---- | 64.30 - 3.20       | .5489                 | ----  | ----       | ----               | ----           | ----       | 6             | UNCH |
| 4175                              | ----  | ----  | ----         | 48.90B/21.40A   | 48.90B/21.40A  | ----            | ---- | 22.10 - 10.10      | .3941                 | ----  | ----       | ----               | ----           | ----       | 20            | UNCH |
| 4175                              | 36.00 | 36.00 | 36.00        | 48.00B/26.00A   | 48.00B/26.00A  | ----            | ---- | 40.30 - 4.60       | .6057                 | ----  | ----       | 5                  | ----           | ----       | 51 +          | 1    |
| 4180                              | 24.30 | 24.30 | 24.30        | 45.90B/19.60A   | 45.90B/19.60A  | ----            | ---- | 20.20 - NEW        | .3655                 | ----  | ----       | 1                  | ----           | ----       | 1 +           | 1    |
| 4185                              | 34.80 | 34.80 | 34.80        | 54.30B/30.00A   | 54.30B/30.00A  | ----            | ---- | 46.60 - NEW        | .6622                 | ----  | ----       | 1                  | ----           | ----       | 1 +           | 1    |
| 4185                              | 32.90 | 32.90 | 32.90        | 43.00B/17.80A   | 43.00B/17.80A  | ----            | ---- | 18.40 - NEW        | .3376                 | ----  | ----       | 3                  | ----           | ----       | 1 +           | 1    |
| 4200                              | ----  | ----  | ----         | 98.20B/76.20A   | 98.20B/76.20A  | ----            | ---- | 94.30 - 2.00       | .5909                 | ----  | ----       | ----               | ----           | ----       | 15            | UNCH |
| 4200                              | ----  | ----  | ----         | 72.80B/50.70A   | 72.80B/50.70A  | ----            | ---- | 51.10 - 7.60       | .4086                 | ----  | ----       | ----               | ----           | ----       | 15            | UNCH |
| 4200                              | 52.00 | 52.00 | 52.00        | 57.60B/35.40A   | 57.60B/35.40A  | ----            | ---- | 35.90 - 8.20       | .3766                 | ----  | ----       | 410                | ----           | ----       | 257 +         | 62   |
| 4200                              | ----  | ----  | ----         | 85.20B/60.00A   | 85.20B/60.00A  | ----            | ---- | 79.10 - 2.70       | .6231                 | ----  | ----       | 2                  | ----           | ----       | 8 -           | 1    |
| 4200                              | 34.00 | 34.00 | 34.00        | 34.90B/13.30A   | 34.90B/13.30A  | ----            | ---- | 13.70 - 8.60       | .2600                 | ----  | ----       | 21                 | ----           | ----       | 31 +          | 18   |
| 4200                              | ----  | ----  | ----         | 90.70B/67.90A   | 90.70B/67.90A  | ----            | ---- | 68.50 - 7.20       | .4311                 | ----  | ----       | ----               | ----           | ----       | 8             | UNCH |
| 4200                              | ----  | ----  | ----         | 64.30B/37.00A   | 64.30B/37.00A  | ----            | ---- | 56.90 - 3.10       | .7398                 | ----  | ----       | ----               | ----           | ----       | 97            | UNCH |
| 4210                              | ----  | ----  | ----         | 30.10B/10.90A   | 30.10B/10.90A  |                 |      |                    |                       |       |            |                    |                |            |               |      |



| G6               | BULLETIN #191@                    |              |                 |                    |                         |                            |                          |       |               |                          | METALS OPTION PRODUCTS |               |                  |      |  |  |  |  |  |  | Mon, Oct 05, 2026 |  |  | PG64 |
|------------------|-----------------------------------|--------------|-----------------|--------------------|-------------------------|----------------------------|--------------------------|-------|---------------|--------------------------|------------------------|---------------|------------------|------|--|--|--|--|--|--|-------------------|--|--|------|
|                  | GLOBEX<br>OPEN                    | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME      | PNT<br>VOLUME | OPEN<br>INTEREST |      |  |  |  |  |  |  |                   |  |  |      |
| GWR THU<br>OCT26 | GOLD WEEKLY THURSDAY OPTION week4 |              |                 |                    |                         |                            |                          |       |               |                          |                        |               |                  |      |  |  |  |  |  |  |                   |  |  |      |
| 4375             | ----                              | ----         | ----            | 231.10B/204.50A    | 231.10B/204.50A         | ----                       | 229.60 + 1.90            | .8769 | ----          | ----                     | ----                   | ----          | 1                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4375             | 10.00                             | 10.00        | ----            | 10.20B/5.50A       | 10.20B/5.50A            | ----                       | 5.30 - 2.70              | .0696 | ----          | ----                     | 6                      | ----          | 15 +             | 4    |  |  |  |  |  |  |                   |  |  |      |
| 4375             | ----                              | ----         | ----            | 228.90B/187.40A    | 228.90B/187.40A         | ----                       | 223.30 + 2.80            | .9301 | ----          | ----                     | ----                   | ----          | 16               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4375             | ----                              | ----         | ----            | 1.70B/0.60A        | 1.70B/0.60A             | ----                       | 0.60 - 0.80              | .0070 | ----          | ----                     | 1                      | ----          | 246 -            | 1    |  |  |  |  |  |  |                   |  |  |      |
| 4375             | 29.50                             | 29.50        | ----            | 31.90B/22.20A      | 31.90B/22.20A           | ----                       | 22.00 NEW                | .1768 | ----          | ----                     | 2                      | ----          | 2 +              | 2    |  |  |  |  |  |  |                   |  |  |      |
| 4375             | ----                              | ----         | ----            | 219.90B/181.30A    | 219.90B/181.30A         | ----                       | 218.80 + 4.80            | .9929 | ----          | ----                     | ----                   | ----          | 5                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4400             | 15.00                             | 15.00        | ----            | 15.40B/9.40A       | 15.40B/9.40A            | ----                       | 9.50 - 3.10              | .1007 | ----          | ----                     | 4                      | ----          | 5 +              | 1    |  |  |  |  |  |  |                   |  |  |      |
| 4400             | ----                              | ----         | ----            | 7.90B/4.30A        | 7.90B/4.30A             | ----                       | 4.20 - 2.10              | .0548 | ----          | ----                     | 4                      | ----          | 76 -             | 2    |  |  |  |  |  |  |                   |  |  |      |
| 4400             | ----                              | ----         | ----            | 251.80B/210.00A    | 251.80B/210.00A         | ----                       | 247.20 + 3.40            | .9449 | ----          | ----                     | ----                   | ----          | 19               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4400             | 25.70                             | 25.70        | ----            | 27.20B/18.70A      | 27.20B/18.70A           | ----                       | 18.60 - 3.90             | .1529 | ----          | ----                     | 9                      | ----          | 16 +             | 9    |  |  |  |  |  |  |                   |  |  |      |
| 4400             | 0.90                              | 0.90         | ----            | 1.10/0.50A         | 1.10/0.50A              | ----                       | 0.40 - 0.60              | .0042 | ----          | ----                     | 4                      | ----          | 99               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4400             | ----                              | ----         | ----            | 245.40B/206.20A    | 245.40B/206.20A         | ----                       | 243.60 + 5.00            | .9957 | ----          | ----                     | ----                   | ----          | 76               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4425             | ----                              | ----         | ----            | 12.50B/7.90A       | 12.50B/7.90A            | ----                       | 7.80 - 2.60              | .0835 | ----          | ----                     | ----                   | ----          | 2                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4425             | ----                              | ----         | ----            | 6.10B/3.40A        | 6.10B/3.40A             | ----                       | 3.30 - 1.70              | .0428 | ----          | ----                     | ----                   | ----          | 15               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4425             | ----                              | ----         | ----            | 272.40B/233.20A    | 272.40B/233.20A         | ----                       | 271.30 + 3.80            | .9569 | ----          | ----                     | ----                   | ----          | 9                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4425             | ----                              | ----         | ----            | ----/0.40A         | 0.80B/0.40A             | ----                       | 0.40 - 0.40              | .0038 | ----          | ----                     | ----                   | ----          | 36               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4450             | ----                              | ----         | ----            | 10.20B/6.50A       | 10.20B/6.50A            | ----                       | 6.40 - 2.20              | .0691 | ----          | ----                     | ----                   | ----          | 4                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4450             | ----                              | ----         | ----            | 296.20B/259.40A    | 296.20B/259.40A         | ----                       | 295.60 + 4.20            | .9653 | ----          | ----                     | ----                   | ----          | 6                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4450             | ----                              | ----         | ----            | 4.80B/2.70A        | 4.80B/2.70A             | ----                       | 2.70 - 1.30              | .0345 | ----          | ----                     | 1                      | ----          | 49               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4450             | ----                              | ----         | ----            | ----/0.40A         | 0.50B/0.40A             | ----                       | 0.30 - 0.30              | .0026 | ----          | ----                     | ----                   | ----          | 118              | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4475             | ----                              | ----         | ----            | ----/294.30A       | 317.90B/294.30A         | ----                       | 323.10 + 3.80            | .9422 | ----          | ----                     | ----                   | ----          | 1                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4475             | ----                              | ----         | ----            | 8.30B/5.40A        | 8.30B/5.40A             | ----                       | 5.30 - 1.80              | .0575 | ----          | ----                     | ----                   | ----          | 12               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4475             | ----                              | ----         | ----            | 3.80B/2.30A        | 3.80B/2.30A             | ----                       | 2.20 - 1.10              | .0277 | ----          | ----                     | ----                   | ----          | 46               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4475             | ----                              | ----         | ----            | ----/0.40A         | 0.50B/0.40A             | ----                       | 0.20 - 0.30              | .0015 | ----          | ----                     | ----                   | ----          | 8                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4475             | ----                              | ----         | ----            | 319.50B/280.00A    | 319.50B/280.00A         | ----                       | 318.40 + 5.30            | .9985 | ----          | ----                     | ----                   | ----          | 1                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4500             | ----                              | ----         | ----            | ----/317.80A       | 321.70B/317.80A         | ----                       | 347.20 + 4.10            | .9511 | ----          | ----                     | ----                   | ----          | 2                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4500             | 5.00                              | 5.00         | ----            | 6.80B/4.60A        | 6.80B/4.60A             | ----                       | 4.50 - 1.40              | .0486 | ----          | ----                     | 3                      | ----          | 17 +             | 3    |  |  |  |  |  |  |                   |  |  |      |
| 4500             | ----                              | ----         | ----            | 3.10B/1.90A        | 3.10B/1.90A             | ----                       | 1.80 - 0.90              | .0223 | ----          | ----                     | ----                   | ----          | 41               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4500             | ----                              | ----         | ----            | ----/0.30A         | 0.30B/0.30A             | ----                       | 0.20 - 0.20              | .0014 | ----          | ----                     | 1                      | ----          | 134 -            | 1    |  |  |  |  |  |  |                   |  |  |      |
| 4500             | 13.20                             | 13.20        | ----            | 14.00B/9.80A       | 14.00B/9.80A            | ----                       | 9.70 NEW                 | .0847 | ----          | ----                     | 3                      | ----          | 3 +              | 3    |  |  |  |  |  |  |                   |  |  |      |
| 4525             | ----                              | ----         | ----            | 2.50B/1.60A        | 2.50B/1.60A             | ----                       | 1.60 - 0.60              | .0192 | ----          | ----                     | ----                   | ----          | 126              | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4525             | ----                              | ----         | ----            | 5.60B/3.80A        | 5.60B/3.80A             | ----                       | 3.80 - 1.10              | .0409 | ----          | ----                     | ----                   | ----          | 18               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4525             | ----                              | ----         | ----            | ----/0.20A         | 0.20B/0.20A             | ----                       | 0.10 - 0.30              | .0005 | ----          | ----                     | ----                   | ----          | 44               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4550             | ----                              | ----         | ----            | 4.60B/3.30A        | 4.60B/3.30A             | ----                       | 3.30 - 0.90              | .0352 | ----          | ----                     | ----                   | ----          | 4                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4550             | ----                              | ----         | ----            | 2.00B/1.40A        | 2.00B/1.40A             | ----                       | 1.30 - 0.60              | .0154 | ----          | ----                     | ----                   | ----          | 18               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4550             | ----                              | ----         | ----            | 394.70B/357.30A    | 394.70B/357.30A         | ----                       | 394.30 + 5.10            | .9845 | ----          | ----                     | ----                   | ----          | 1                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4550             | ----                              | ----         | ----            | ----/0.20A         | 0.20B/0.20A             | ----                       | 0.10 - 0.20              | .0002 | ----          | ----                     | ----                   | ----          | 23               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4550             | ----                              | ----         | ----            | 394.40B/354.80A    | 394.40B/354.80A         | ----                       | 393.20 + 5.30            | .9999 | ----          | ----                     | ----                   | ----          | 1                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4575             | ----                              | ----         | ----            | 3.90B/2.80A        | 3.90B/2.80A             | ----                       | 2.80 - 0.70              | .0298 | ----          | ----                     | ----                   | ----          | 4                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4575             | ----                              | ----         | ----            | 1.70B/1.30A        | 1.70B/1.30A             | ----                       | 1.20 - 0.40              | .0137 | ----          | ----                     | ----                   | ----          | 10               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4575             | ----                              | ----         | ----            | ----/0.20A         | 0.20B/0.20A             | ----                       | 0.10 - 0.20              | .0001 | ----          | ----                     | ----                   | ----          | 85               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4600             | ----                              | ----         | ----            | 3.40B/2.50A        | 3.40B/2.50A             | ----                       | 2.40 - 0.60              | .0254 | ----          | ----                     | 24                     | ----          | 46 +             | 22   |  |  |  |  |  |  |                   |  |  |      |
| 4600             | 1.10                              | 1.10         | ----            | 1.50B/1.10         | 1.50B/1.10              | ----                       | 1.00 - 0.30              | .0113 | ----          | ----                     | 1                      | ----          | 124              | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4600             | ----                              | ----         | ----            | ----/0.30A         | 0.30B/0.30A             | ----                       | 0.10 - 0.10              | .0000 | ----          | ----                     | ----                   | ----          | 30               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4625             | ----                              | ----         | ----            | 2.90B/2.20A        | 2.90B/2.20A             | ----                       | 2.20 - 0.40              | .0228 | ----          | ----                     | ----                   | ----          | 5                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4625             | ----                              | ----         | ----            | ----/1.00A         | 1.20B/1.00A             | ----                       | 0.90 - 0.30              | .0098 | ----          | ----                     | ----                   | ----          | 22               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4625             | ----                              | ----         | ----            | ----/0.30A         | 0.30B/0.30A             | ----                       | 0.10 - 0.10              | .0000 | ----          | ----                     | ----                   | ----          | 26               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4650             | ----                              | ----         | ----            | 2.50B/1.90A        | 2.50B/1.90A             | ----                       | 1.90 - 0.40              | .0195 | ----          | ----                     | 1                      | ----          | 14 -             | 1    |  |  |  |  |  |  |                   |  |  |      |
| 4650             | ----                              | ----         | ----            | ----/0.90A         | 1.00B/0.90A             | ----                       | 0.80 - 0.20              | .0085 | ----          | ----                     | ----                   | ----          | 35               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4650             | ----                              | ----         | ----            | ----/0.10A         | 0.10B/0.10A             | ----                       | 0.10 - 0.10              | .0000 | ----          | ----                     | ----                   | ----          | 101              | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4675             | ----                              | ----         | ----            | ----/0.80A         | 0.90B/0.80A             | ----                       | 0.80 - 0.10              | .0082 | ----          | ----                     | ----                   | ----          | 66               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4675             | ----                              | ----         | ----            | 2.10B/1.70A        | 2.10B/1.70A             | ----                       | 1.70 - 0.30              | .0172 | ----          | ----                     | ----                   | ----          | 7                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4675             | ----                              | ----         | ----            | ----/0.20A         | 0.20B/0.20A             | ----                       | 0.10 UNCH                | ----  | ----          | ----                     | ----                   | ----          | 42               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4700             | 1.80                              | 1.80         | ----            | 1.80/1.50A         | 1.80/1.50A              | ----                       | 1.50 - 0.30              | .0151 | ----          | ----                     | 1                      | ----          | 70               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4700             | 0.60                              | 0.60         | ----            | 0.60/0.60          | 0.80B/0.60              | ----                       | 0.70 - 0.10              | .0070 | ----          | ----                     | 2                      | ----          | 35 +             | 2    |  |  |  |  |  |  |                   |  |  |      |
| 4700             | ----                              | ----         | ----            | ----/0.30A         | 0.30B/0.30A             | ----                       | 0.10 UNCH                | ----  | ----          | ----                     | ----                   | ----          | 57               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4725             | ----                              | ----         | ----            | ----/1.40A         | 1.60B/1.40A             | ----                       | 1.40 - 0.20              | .0138 | ----          | ----                     | ----                   | ----          | 12               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4725             | 565.40                            | 565.40       | ----            | 568.90B/530.40A    | 568.90B/530.40A         | ----                       | 568.50 NEW               | .9941 | ----          | ----                     | 2                      | ----          | 2 +              | 2    |  |  |  |  |  |  |                   |  |  |      |
| 4725             | ----                              | ----         | ----            | ----/0.70A         | 0.70B/0.70A             | ----                       | 0.60 - 0.10              | .0059 | ----          | ----                     | ----                   | ----          | 15               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4725             | ----                              | ----         | ----            | ----/0.30A         | 0.30B/0.30A             | ----                       | 0.10 UNCH                | ----  | ----          | ----                     | ----                   | ----          | 47               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4750             | ----                              | ----         | ----            | ----/1.30A         | 1.40B/1.30A             | ----                       | 1.20 - 0.30              | .0118 | ----          | ----                     | 1                      | ----          | 10               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4750             | ----                              | ----         | ----            | ----/0.70A         | 0.70B/0.70A             | ----                       | 0.60 - 0.10              | .0057 | ----          | ----                     | ----                   | ----          | 7                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4750             | ----                              | ----         | ----            | ----/0.30A         | 0.30B/0.30A             | ----                       | 0.10 UNCH                | ----  | ----          | ----                     | ----                   | ----          | 10               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4775             | ----                              | ----         | ----            | ----/1.20A         | 1.20B/1.20A             | ----                       | 1.10 - 0.20              | .0106 | ----          | ----                     | ----                   | ----          | 3                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4775             | ----                              | ----         | ----            | ----/0.60A         | 0.60B/0.70A             | ----                       | 0.50 - 0.10              | .0047 | ----          | ----                     | ----                   | ----          | 14               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4775             | ----                              | ----         | ----            | ----/0.30A         | 0.30B/0.30A             | ----                       | 0.10 UNCH                | ----  | ----          | ----                     | ----                   | ----          | 2                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4800             | ----                              | ----         | ----            | ----/1.10A         | 1.10B/1.10A             | ----                       | 1.00 - 0.20              | .0095 | ----          | ----                     | ----                   | ----          | 1                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4800             | ----                              | ----         | ----            | ----/0.60A         | 0.60B/0.60A             | ----                       | 0.50 - 0.10              | .0046 | ----          | ----                     | ----                   | ----          | 5                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4800             | ----                              | ----         | ----            | ----/0.30A         | 0.30B/0.30A             | ----                       | 0.10 UNCH                | ----  | ----          | ----                     | ----                   | ----          | 8                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4825             | ----                              | ----         | ----            | ----/1.00A         | 0.90B/1.00A             | ----                       | 0.90 - 0.30              | .0085 | ----          | ----                     | ----                   | ----          | 1                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4825             | ----                              | ----         | ----            | ----/0.60A         | 0.60B/0.60A             | ----                       | 0.50 - 0.10              | .0044 | ----          | ----                     | ----                   | ----          | 2                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4825             | ----                              | ----         | ----            | ----/0.30A         | 0.30B/0.30A             | ----                       | 0.10 UNCH                | ----  | ----          | ----                     | ----                   | ----          | 2                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4850             | ----                              | ----         | ----            | ----/0.90A         | 0.80B/0.90A             | ----                       | 0.80 - 0.30              | .0075 | ----          | ----                     | ----                   | ----          | 58               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4850             | ----                              | ----         | ----            | ----/0.60A         | 0.50B/0.60A             | ----                       | 0.40 - 0.20              | .0035 | ----          | ----                     | ----                   | ----          | 4                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4850             | 690.20                            | 690.20       | ----            | 693.70B/655.10A    | 693.70B/655.10A         | ----                       | 693.30 NEW               | .9966 | ----          | ----                     | 2                      | ----          | 2 +              | 2    |  |  |  |  |  |  |                   |  |  |      |
| 4850             | ----                              | ----         | ----            | ----/0.30A         | 0.30B/0.30A             | ----                       | 0.10 UNCH                | ----  | ----          | ----                     | ----                   | ----          | 3                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4875             | ----                              | ----         | ----            | ----/0.30A         | 0.30B/0.30A             | ----                       | 0.10 UNCH                | ----  | ----          | ----                     | ----                   | ----          | 7                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4900             | ----                              | ----         | ----            | ----/0.80A         | 0.60B/0.80A             | ----                       | 0.60 - 0.40              | .0055 | ----          | ----                     | ----                   | ----          | 2                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4900             | ----                              | ----         | ----            | ----               | 0.40B/0.50A             | ----                       | 0.40 - 0.10              | .0033 | ----          | ----                     | ----                   | ----          | 11               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4900             | ----                              | ----         | ----            | ----               | ----/0.30A              | ----                       | 0.10 UNCH                | ----  | ----          | ----                     | ----                   | ----          | 2                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4925             | ----                              | ----         | ----            | ----               | ----/0.30A              | ----                       | 0.10 UNCH                | ----  | ----          | ----                     | ----                   | ----          | 1                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4950             | ----                              | ----         | ----            | ----               | ----/0.30A              | ----                       | 0.10 UNCH                | ----  | ----          | ----                     | ----                   | ----          | 200              | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 4975             | ----                              | ----         | ----            | ----               | ----/0.20A              | ----                       | 0.10 UNCH                | ----  | ----          | ----                     | ----                   | ----          | 1                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 5000             | ----                              | ----         | ----            | ----               | 0.40B/0.70A             | ----                       | 0.40 - 0.30              | .0035 | ----          | ----                     | 24                     | ----          | 41 +             | 16   |  |  |  |  |  |  |                   |  |  |      |
| 5000             | ----                              | ----         | ----            | 0.30B/----         | 0.30B/0.40A             | ----                       | 0.20 UNCH                | .0016 | ----          | ----                     | ----                   | ----          | 50               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 5000             | ----                              | ----         | ----            | ----               | ----/0.20A              | ----                       | 0.10 UNCH                | ----  | ----          | ----                     | ----                   | ----          | 45               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 5100             | ----                              | ----         | ----            | 0.30B/----         | 0.30B/0.30A             | ----                       | 0.10 - 0.10              | .0007 | ----          | ----                     | ----                   | ----          | 24               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 5100             | ----                              | ----         | ----            | ----               | ----/0.30A              | ----                       | 0.10 UNCH                | ----  | ----          | ----                     | ----                   | ----          | 3                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 5200             | ----                              | ----         | ----            | ----               | 0.10B/0.30A             | ----                       | 0.10 UNCH                | .0002 | ----          | ----                     | ----                   | ----          | 10               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 5200             | ----                              | ----         | ----            | ----               | ----/0.20A              | ----                       | 0.10 UNCH                | ----  | ----          | ----                     | ----                   | ----          | 2                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 5250             | ----                              | ----         | ----            | ----               | ----/0.40A              | ----                       | 0.10 UNCH                | .0001 | ----          | ----                     | ----                   | ----          | 8                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 5250             | ----                              | ----         | ----            | ----               | ----/0.20A              | ----                       | 0.10 UNCH                | ----  | ----          | ----                     | ----                   | ----          | 2                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 5300             | ----                              | ----         | ----            | ----               | ----/0.20A              | ----                       | 0.10 UNCH                | ----  | ----          | ----                     | ----                   | ----          | 2                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 5400             | ----                              | ----         | ----            | ----               | ----/0.20A              | ----                       | 0.10 UNCH                | ----  | ----          | ----                     | ----                   | ----          | 5                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 5500             | ----                              | ----         | ----            | ----               | ----/0.30A              | ----                       | 0.10 UNCH                | .0000 | ----          | ----                     | ----                   | ----          | 77               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 5500             | ----                              | ----         | ----            | ----               | ----/0.20A              | ----                       | 0.10 UNCH                | ----  | ----          | ----                     | ----                   | ----          | 4                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 5750             | ----                              | ----         | ----            | ----               | ----/0.40A              | ----                       | 0.10 UNCH                | ----  | ----          | ----                     | ----                   | ----          | 4                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 5750             | ----                              | ----         | ----            | ----               | ----/0.20A              | ----                       | 0.10 UNCH                | ----  | ----          | ----                     | ----                   | ----          | 3                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| TOTAL            |                                   |              |                 |                    |                         |                            |                          |       |               |                          | 1190                   | 60            | 7371 +           | 627  |  |  |  |  |  |  |                   |  |  |      |
|                  | GLOBEX<br>OPEN                    | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME      | PNT<br>VOLUME | OPEN<br>INTEREST |      |  |  |  |  |  |  |                   |  |  |      |
| GMW MON<br>OCT26 | GOLD WEEKLY MONDAY OPTION WEEK2   |              |                 |                    |                         |                            |                          |       |               |                          |                        |               |                  |      |  |  |  |  |  |  |                   |  |  |      |
| 3000             | ----                              | ----         | ----            | ----               | ----/1.40A              | ----                       | 0.10 UNCH                | ----  | ----          | ----                     | ----                   | ----          | 10               | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 3500             | ----                              | ----         | ----            | ----/1.30A         | 1.20B/1.30A             | ----                       | 1.20 - 0.50              | .0094 | ----          | ----                     | ----                   | ----          | 1                | UNCH |  |  |  |  |  |  |                   |  |  |      |
| 3600             | ----                              | ----         | ----            | ----               |                         |                            |                          |       |               |                          |                        |               |                  |      |  |  |  |  |  |  |                   |  |  |      |

| PG64 BULLETIN #191@ |       |                                 |        |                 |  |                 |        |          |  | METALS OPTION PRODUCTS |        |            |  |       |       |        |         |        |          | Mon, Oct 05, 2026 PG64 |      |  |  |  |  |  |  |  |  |
|---------------------|-------|---------------------------------|--------|-----------------|--|-----------------|--------|----------|--|------------------------|--------|------------|--|-------|-------|--------|---------|--------|----------|------------------------|------|--|--|--|--|--|--|--|--|
| GLOBEX              |       | OPEN                            | OUTCRY | GLOBEX          |  | OPEN            | OUTCRY | GLOBEX   |  | OPEN                   | OUTCRY | SETT.PRICE |  | DELTA | EXER  | OPEN   | GLOBEX® | PNT    | OPEN     |                        |      |  |  |  |  |  |  |  |  |
| OPEN                |       | OPEN                            | RANGE  | HIGH/LOW        |  | HIGH/LOW        |        | HIGH/LOW |  | CLOSE                  |        | & PT.CHGE. |  |       | CISES | OUTCRY | VOLUME  | VOLUME | INTEREST |                        |      |  |  |  |  |  |  |  |  |
| GMW MON             |       | GOLD WEEKLY MONDAY OPTION WEEK3 |        |                 |  |                 |        |          |  |                        |        |            |  |       |       |        |         |        |          |                        |      |  |  |  |  |  |  |  |  |
| OCT26               |       |                                 |        |                 |  |                 |        |          |  |                        |        |            |  |       |       |        |         |        |          |                        |      |  |  |  |  |  |  |  |  |
| 3925                | ----  | ----                            | ----   | ----/6.20A      |  | 8.80B/6.20A     |        | ----     |  | 7.50 - 2.00            |        | .0815      |  |       | ----  | ----   | ----    | ----   | 1        |                        | UNCH |  |  |  |  |  |  |  |  |
| 3925                | ----  | ----                            | ----   | ----/12.00A     |  | 14.90B/12.00A   |        | ----     |  | 13.70 NEW              |        | .1209      |  |       | ----  | ----   | 1       | ----   | 1 +      |                        | 1    |  |  |  |  |  |  |  |  |
| 3925                | ----  | ----                            | ----   | ----/0.20A      |  | ----/0.20A      |        | ----     |  | 0.00 - 0.30            |        | ----       |  |       | ----  | ----   | 1       | ----   | 0 -      |                        | 4    |  |  |  |  |  |  |  |  |
| 3925                | ----  | ----                            | ----   | ----/1.30A      |  | 2.80B/1.30A     |        | ----     |  | 1.80 - 1.40            |        | .0258      |  |       | ----  | ----   | ----    | ----   | 2 -      |                        | UNCH |  |  |  |  |  |  |  |  |
| 3935                | ----  | ----                            | ----   | ----/0.10A      |  | ----/0.10A      |        | ----     |  | 0.00 - 0.30            |        | ----       |  |       | ----  | ----   | ----    | ----   | 0 -      |                        | 2    |  |  |  |  |  |  |  |  |
| 3940                | ----  | ----                            | ----   | ----/0.10A      |  | 0.10B/0.10A     |        | ----     |  | 0.00 - 0.30            |        | ----       |  |       | ----  | ----   | ----    | ----   | 0        |                        | UNCH |  |  |  |  |  |  |  |  |
| 3950                | ----  | ----                            | ----   | ----/0.10A      |  | 0.20B/0.10A     |        | ----     |  | 0.00 - 0.30            |        | ----       |  |       | ----  | ----   | ----    | ----   | 0 -      |                        | 5    |  |  |  |  |  |  |  |  |
| 3950                | 1.90  | 1.90                            | ----   | 248.10B/201.60A |  | 248.10B/201.60A |        | ----     |  | 206.80 - 5.80          |        | ----       |  |       | 3     | ----   | ----    | ----   | 0 -      |                        | 3    |  |  |  |  |  |  |  |  |
| 3950                | ----  | ----                            | ----   | 1.90/1.70A      |  | 3.60B/1.70A     |        | ----     |  | 2.40 - 1.70            |        | .0355      |  |       | ----  | 3      | ----    | ----   | 8 +      |                        | 3    |  |  |  |  |  |  |  |  |
| 3950                | ----  | ----                            | ----   | ----/7.70A      |  | 11.00B/7.70A    |        | ----     |  | 9.30 - 2.30            |        | .1008      |  |       | ----  | ----   | ----    | ----   | 5        |                        | UNCH |  |  |  |  |  |  |  |  |
| 3950                | ----  | ----                            | ----   | ----/14.60A     |  | 17.90B/14.60A   |        | ----     |  | 16.60 - 2.40           |        | .1442      |  |       | ----  | ----   | ----    | ----   | 2        |                        | UNCH |  |  |  |  |  |  |  |  |
| 3955                | 0.20  | 0.20                            | ----   | 0.20/0.10A      |  | 0.20/0.10A      |        | ----     |  | 0.00 - 0.30            |        | ----       |  |       | ----  | 5      | ----    | ----   | 0 -      |                        | 2    |  |  |  |  |  |  |  |  |
| 3960                | ----  | ----                            | ----   | ----/0.10A      |  | 0.20B/0.10A     |        | ----     |  | 0.00 - 0.40            |        | ----       |  |       | ----  | ----   | ----    | ----   | 0 -      |                        | 3    |  |  |  |  |  |  |  |  |
| 3965                | ----  | ----                            | ----   | ----/0.10A      |  | 0.20B/0.10A     |        | ----     |  | 0.00 - 0.40            |        | ----       |  |       | ----  | 8      | ----    | ----   | 0 -      |                        | 3    |  |  |  |  |  |  |  |  |
| 3970                | 0.10  | 0.10                            | ----   | 0.10/0.10       |  | 0.20B/0.10      |        | ----     |  | 0.00 - 0.40            |        | ----       |  |       | ----  | ----   | ----    | ----   | 0 -      |                        | 7    |  |  |  |  |  |  |  |  |
| 3975                | 11.60 | 11.60                           | ----   | 11.60/9.70A     |  | 13.90B/9.70A    |        | ----     |  | 11.60 - 2.70           |        | .1249      |  |       | ----  | 10     | ----    | ----   | 25 +     |                        | 10   |  |  |  |  |  |  |  |  |
| 3975                | 3.50  | 3.50                            | ----   | 3.50/2.30A      |  | 4.80B/2.30A     |        | ----     |  | 3.20 - 2.10            |        | .0489      |  |       | ----  | ----   | 2       | ----   | 15 +     |                        | 2    |  |  |  |  |  |  |  |  |
| 3975                | 0.10  | 0.10                            | ----   | 0.10/0.10       |  | 0.20B/0.10      |        | ----     |  | 0.00 - 0.40            |        | ----       |  |       | ----  | 3      | ----    | ----   | 0 -      |                        | 55   |  |  |  |  |  |  |  |  |
| 3975                | ----  | ----                            | ----   | ----/17.50A     |  | 21.50B/17.50A   |        | ----     |  | 20.10 NEW              |        | .1713      |  |       | ----  | ----   | 1       | ----   | 1 +      |                        | 1    |  |  |  |  |  |  |  |  |
| 3980                | 0.20  | 0.20                            | ----   | 0.20/0.10       |  | 0.20/0.10       |        | ----     |  | 0.00 - 0.50            |        | ----       |  |       | ----  | 4      | ----    | ----   | 0 -      |                        | 2    |  |  |  |  |  |  |  |  |
| 3985                | 0.10  | 0.10                            | ----   | 0.10/0.10       |  | 0.30B/0.10      |        | ----     |  | 0.00 - 0.50            |        | ----       |  |       | ----  | 1      | ----    | ----   | 0 -      |                        | 16   |  |  |  |  |  |  |  |  |
| 3990                | 0.70  | 0.70                            | ----   | 0.70/0.10A      |  | 0.70/0.10A      |        | ----     |  | 0.00 NEW               |        | ----       |  |       | ----  | 1      | ----    | ----   | 0        |                        | UNCH |  |  |  |  |  |  |  |  |
| 3995                | 0.10  | 0.10                            | ----   | 0.10/0.10       |  | 0.30B/0.10      |        | ----     |  | 0.00 - 0.60            |        | ----       |  |       | ----  | 2      | ----    | ----   | 0 -      |                        | 6    |  |  |  |  |  |  |  |  |
| 4000                | ----  | ----                            | ----   | ----/12.40A     |  | 17.30B/12.40A   |        | ----     |  | 14.70 - 3.00           |        | .1556      |  |       | ----  | ----   | 59      | ----   | 4        |                        | UNCH |  |  |  |  |  |  |  |  |
| 4000                | 4.50  | 4.50                            | ----   | 6.60B/3.20A     |  | 6.60B/3.20A     |        | ----     |  | 4.50 - 2.50            |        | .0699      |  |       | ----  | 3      | ----    | ----   | 45 +     |                        | 10   |  |  |  |  |  |  |  |  |
| 4000                | 0.10  | 0.10                            | ----   | 0.10/0.10       |  | 0.30B/0.10      |        | ----     |  | 0.00 - 0.60            |        | ----       |  |       | ----  | ----   | ----    | ----   | 0 -      |                        | 57   |  |  |  |  |  |  |  |  |
| 4000                | ----  | ----                            | ----   | 198.10B/151.60A |  | 198.10B/151.60A |        | ----     |  | 156.80 - 6.10          |        | ----       |  |       | 2     | ----   | ----    | ----   | 2        |                        | 2    |  |  |  |  |  |  |  |  |
| 4000                | 24.60 | 24.60                           | ----   | 24.60/20.90A    |  | 25.90B/20.90A   |        | ----     |  | 24.40 - 2.70           |        | .2029      |  |       | ----  | 1      | ----    | ----   | 2 +      |                        | 1    |  |  |  |  |  |  |  |  |
| 4005                | 0.10  | 0.10                            | ----   | 0.10/0.10       |  | 0.40B/0.10      |        | ----     |  | 0.00 - 0.70            |        | ----       |  |       | ----  | 2      | ----    | ----   | 0 -      |                        | 6    |  |  |  |  |  |  |  |  |
| 4005                | ----  | ----                            | ----   | 193.20B/146.60A |  | 193.20B/146.60A |        | ----     |  | 151.80 - 6.10          |        | ----       |  |       | 2     | ----   | ----    | ----   | 0 -      |                        | 2    |  |  |  |  |  |  |  |  |
| 4010                | 0.40  | 0.40                            | ----   | 0.40/0.10       |  | 0.40/0.10       |        | ----     |  | 0.00 - 0.70            |        | ----       |  |       | ----  | 3      | ----    | ----   | 0 -      |                        | 34   |  |  |  |  |  |  |  |  |
| 4015                | ----  | ----                            | ----   | ----/0.10A      |  | 0.50B/0.10A     |        | ----     |  | 0.00 - 0.80            |        | ----       |  |       | ----  | ----   | ----    | ----   | 0 -      |                        | 1    |  |  |  |  |  |  |  |  |
| 4020                | ----  | ----                            | ----   | ----/0.10A      |  | 0.50B/0.10A     |        | ----     |  | 0.00 - 0.80            |        | ----       |  |       | ----  | ----   | ----    | ----   | 0 -      |                        | 5    |  |  |  |  |  |  |  |  |
| 4025                | 6.00  | 6.00                            | ----   | 6.00/4.60A      |  | 9.10B/4.60A     |        | ----     |  | 6.30 - 3.10            |        | .0989      |  |       | ----  | 62     | ----    | ----   | 93 +     |                        | 57   |  |  |  |  |  |  |  |  |
| 4025                | 15.80 | 15.80                           | ----   | 15.80/15.50A    |  | 21.40B/15.50A   |        | ----     |  | 18.80 - 3.10           |        | .1934      |  |       | ----  | 10     | ----    | ----   | 11 +     |                        | 10   |  |  |  |  |  |  |  |  |
| 4025                | 0.50  | 0.50                            | ----   | 0.70B/0.10A     |  | 0.70B/0.10A     |        | ----     |  | 0.00 - 0.90            |        | ----       |  |       | ----  | 6      | ----    | ----   | 0 -      |                        | 101  |  |  |  |  |  |  |  |  |
| 4030                | 0.60  | 0.60                            | ----   | 0.60/0.10A      |  | 0.60/0.10A      |        | ----     |  | 0.00 - 1.00            |        | ----       |  |       | ----  | 2      | ----    | ----   | 0 -      |                        | 13   |  |  |  |  |  |  |  |  |
| 4035                | 0.10  | 0.10                            | ----   | 0.10/0.10       |  | 0.60B/0.10      |        | ----     |  | 0.00 - 1.10            |        | ----       |  |       | ----  | 1      | ----    | ----   | 0 -      |                        | 12   |  |  |  |  |  |  |  |  |
| 4040                | 0.20  | 0.20                            | ----   | 0.20/0.10A      |  | 0.70B/0.10A     |        | ----     |  | 0.00 - 1.20            |        | ----       |  |       | ----  | 2      | ----    | ----   | 0 -      |                        | 9    |  |  |  |  |  |  |  |  |
| 4045                | 0.40  | 0.40                            | ----   | 0.40/0.10A      |  | 0.80B/0.10      |        | ----     |  | 0.00 - 1.30            |        | ----       |  |       | ----  | 1      | ----    | ----   | 10       |                        | 10   |  |  |  |  |  |  |  |  |
| 4050                | 20.20 | 20.20                           | ----   | 27.50B/19.20A   |  | 27.50B/19.20A   |        | ----     |  | 23.90 NEW              |        | .2378      |  |       | ----  | 10     | ----    | ----   | 10 +     |                        | 1    |  |  |  |  |  |  |  |  |
| 4050                | 8.20  | 8.20                            | ----   | 9.20/6.70A      |  | 12.60B/6.70A    |        | ----     |  | 9.10 - 3.60            |        | .1416      |  |       | ----  | 6      | ----    | ----   | 135 +    |                        | 1    |  |  |  |  |  |  |  |  |
| 4050                | 0.90  | 0.90                            | ----   | 0.90/0.10       |  | 0.90/0.10       |        | ----     |  | 0.00 - 1.40            |        | ----       |  |       | ----  | 11     | ----    | ----   | 0 -      |                        | 344  |  |  |  |  |  |  |  |  |
| 4055                | 1.00  | 1.00                            | ----   | 1.00/0.10A      |  | 1.00/0.10A      |        | ----     |  | 0.00 - 1.60            |        | ----       |  |       | ----  | 2      | ----    | ----   | 0 -      |                        | 7    |  |  |  |  |  |  |  |  |
| 4060                | ----  | ----                            | ----   | ----/0.10A      |  | 1.10B/0.10A     |        | ----     |  | 0.00 - 1.70            |        | ----       |  |       | ----  | ----   | ----    | ----   | 0 -      |                        | 1    |  |  |  |  |  |  |  |  |
| 4065                | 0.20  | 0.20                            | ----   | 0.20/0.10A      |  | 1.20B/0.10A     |        | ----     |  | 0.00 - 1.90            |        | ----       |  |       | ----  | 10     | ----    | ----   | 0 -      |                        | 1    |  |  |  |  |  |  |  |  |
| 4070                | 1.50  | 1.50                            | ----   | 1.50/0.10A      |  | 1.50/0.10A      |        | ----     |  | 0.00 - 2.20            |        | ----       |  |       | ----  | 10     | ----    | ----   | 0 -      |                        | 5    |  |  |  |  |  |  |  |  |
| 4075                | 30.90 | 30.90                           | ----   | 34.10B/24.00A   |  | 34.10B/24.00A   |        | ----     |  | 30.30 - 3.30           |        | .2892      |  |       | ----  | 2      | ----    | 80     | 188 +    |                        | 81   |  |  |  |  |  |  |  |  |
| 4075                | 14.40 | 14.40                           | ----   | 17.60B/9.90A    |  | 17.60B/9.90A    |        | ----     |  | 13.10 - 4.20           |        | .1991      |  |       | ----  | 1      | ----    | ----   | 21       |                        | UNCH |  |  |  |  |  |  |  |  |
| 4075                | 1.60  | 1.60                            | ----   | 1.60/0.10A      |  | 1.60/0.10A      |        | ----     |  | 0.00 - 2.40            |        | ----       |  |       | ----  | 9      | ----    | ----   | 0 -      |                        | 242  |  |  |  |  |  |  |  |  |
| 4080                | 1.70  | 1.70                            | ----   | 1.80B/0.10      |  | 1.80B/0.10      |        | ----     |  | 0.00 - 2.70            |        | ----       |  |       | ----  | 25     | ----    | ----   | 0 -      |                        | 10   |  |  |  |  |  |  |  |  |
| 4085                | 1.10  | 1.10                            | ----   | 1.10/0.10A      |  | 2.00B/0.10A     |        | ----     |  | 0.00 - 3.00            |        | ----       |  |       | ----  | 6      | ----    | ----   | 0 -      |                        | 22   |  |  |  |  |  |  |  |  |
| 4090                | 0.60  | 0.60                            | ----   | 0.60/0.10A      |  | 2.30B/0.10A     |        | ----     |  | 0.00 - 3.40            |        | ----       |  |       | ----  | 7      | ----    | ----   | 0 -      |                        | 22   |  |  |  |  |  |  |  |  |
| 4090                | 68.50 | 68.50                           | ----   | 108.40B/61.70A  |  | 108.40B/61.70A  |        | ----     |  | 66.80 NEW              |        | ----       |  |       | 3     | 10     | ----    | ----   | 0        |                        | UNCH |  |  |  |  |  |  |  |  |
| 4095                | 2.10  | 2.10                            | ----   | 2.10/0.10A      |  | 2.70B/0.10A     |        | ----     |  | 0.00 - 3.90            |        | ----       |  |       | ----  | 9      | ----    | ----   | 0 -      |                        | 5    |  |  |  |  |  |  |  |  |
| 4100                | 20.10 | 20.10                           | ----   | 24.10B/13.60A   |  | 24.10B/13.60A   |        | ----     |  | 18.90 - 4.50           |        | .2744      |  |       | ----  | 5      | ----    | ----   | 131 +    |                        | 2    |  |  |  |  |  |  |  |  |
| 4100                | ----  | ----                            | ----   | 41.80B/29.80A   |  | 41.80B/29.80A   |        | ----     |  | 38.10 - 3.30           |        | .3466      |  |       | ----  | 1      | ----    | ----   | 19 +     |                        | 1    |  |  |  |  |  |  |  |  |
| 4100                | 73.00 | 73.00                           | ----   | 98.60B/51.70A   |  | 98.60B/51.70A   |        | ----     |  | 56.80 - 9.90           |        | ----       |  |       | 5     | 9      | ----    | ----   | 0 -      |                        | 8    |  |  |  |  |  |  |  |  |
| 4100                | 2.40  | 2.40                            | ----   | 3.40/0.10       |  | 3.40/0.10       |        | ----     |  | 0.00 - 4.40            |        | ----       |  |       | ----  | 228    | ----    | ----   | 0 -      |                        | 237  |  |  |  |  |  |  |  |  |
| 4105                | ----  | ----                            | ----   | ----/0.10A      |  | 3.80B/0.10A     |        | ----     |  | 0.00 - 5.00            |        | ----       |  |       | ----  | 9      | ----    | ----   | 0 -      |                        | 13   |  |  |  |  |  |  |  |  |
| 4105                | ----  | ----                            | ----   | 93.70B/46.80A   |  | 93.70B/46.80A   |        | ----     |  | 51.80 - 10.50          |        | ----       |  |       | ----  | ----   | ----    | ----   | 0        |                        | UNCH |  |  |  |  |  |  |  |  |
| 4110                | 3.50  | 3.50                            | ----   | 3.50/0.10A      |  | 4.40B/0.10A     |        | ----     |  | 0.00 - 5.60            |        | ----       |  |       | ----  | 2      | ----    | ----   | 0 -      |                        | 3    |  |  |  |  |  |  |  |  |
| 4115                | 4.10  | 4.10                            | ----   | 4.10/0.10A      |  | 5.30B/0.10A     |        | ----     |  | 0.00 - 6.40            |        | ----       |  |       | ----  | 16     | ----    | ----   | 0 -      |                        | 1    |  |  |  |  |  |  |  |  |
| 4115                | 51.10 | 51.10                           | ----   | 84.00B/36.90A   |  | 84.00B/36.90A   |        | ----     |  | 41.80 NEW              |        | ----       |  |       | 1     | 4      | ----    | ----   | 0        |                        | UNCH |  |  |  |  |  |  |  |  |
| 4120                | ----  | ----                            | ----   | 79.10B/32.00A   |  | 79.10B/32.00A   |        | ----     |  | 36.80 - 12.80          |        | ----       |  |       | 2     | ----   | ----    | ----   | 0 -      |                        | 2    |  |  |  |  |  |  |  |  |
| 4120                | 5.00  | 5.00                            | ----   | 6.20B/0.10      |  | 6.20B/0.10      |        | ----     |  | 0.00 - 7.30            |        | ----       |  |       | ----  | 38     | ----    | ----   | 0 -      |                        | 19   |  |  |  |  |  |  |  |  |
| 4125                | ----  | ----                            | ----   | 51.60B/36.90A   |  | 51.60B/36.90A   |        | ----     |  | 47.40 - 3.20           |        | .4089      |  |       | ----  | ----   | ----    | ----   | 43       |                        | UNCH |  |  |  |  |  |  |  |  |
| 4125                | 23.00 | 23.00                           | ----   | 32.70B/18.80A   |  | 32.70B/18.80A   |        | ----     |  | 26.80 - 4.60           |        | .3652      |  |       | ----  | 13     | ----    | ----   | 14 +     |                        | 12   |  |  |  |  |  |  |  |  |
| 4125                | 83.00 | 83.00                           | ----   | 91.70B/57.10A   |  | 91.70B/57.10A   |        | ----     |  | 58.60 NEW              |        | .6346      |  |       | ----  | 8      | ----    | ----   | 1 +      |                        | 1    |  |  |  |  |  |  |  |  |
| 4125                | 4.90  | 4.90                            | ----   | 7.30B/0.10A     |  | 7.30B/0.10A     |        | ----     |  | 0.00 -                 |        |            |  |       |       |        |         |        |          |                        |      |  |  |  |  |  |  |  |  |

| GLOBEX<br>OPEN                  |        | OPEN<br>OUTCRY<br>OPEN<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |
|---------------------------------|--------|---------------------------------|--------------------|----------------------------|----------------------------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|
| GOLD WEEKLY MONDAY OPTION WEEK1 |        |                                 |                    |                            |                                  |                          |       |               |                          |                   |               |                  |
| 4245                            | 0.50   | 0.50                            | 93.40B/49.10A      | 93.40B/49.10A              | ----                             | 88.20 + 3.70             | ----  | 1             | ----                     | 1                 | ----          | 0 -              |
| 4245                            | ----   | ----                            | 2.50B/0.10A        | 2.50B/0.10A                | ----                             | 0.00 - 1.80              | ----  | ----          | ----                     | 1                 | ----          | 0 -              |
| 4250                            | 14.50  | 14.50                           | 23.80B/10.40A      | 23.80B/10.40A              | ----                             | 10.50 - 5.90             | .1717 | ----          | ----                     | 63                | ----          | 67 +             |
| 4250                            | 95.70  | 95.70                           | 98.40B/53.90A      | 98.40B/53.90A              | ----                             | 93.20 + 4.00             | ----  | 79            | ----                     | 4                 | ----          | 0 -              |
| 4250                            | ----   | ----                            | 109.90B/76.00A     | 109.90B/76.00A             | ----                             | 103.60 - 0.40            | .8280 | ----          | ----                     | ----              | ----          | 64 -             |
| 4250                            | 109.90 | 109.90                          | 122.40B/99.40A     | 122.40B/99.40A             | ----                             | 119.80 - 1.00            | .7245 | ----          | ----                     | 1                 | ----          | 4 +              |
| 4250                            | ----   | ----                            | 42.80B/26.70A      | 42.80B/26.70A              | ----                             | 26.70 - 6.50             | .2751 | ----          | ----                     | ----              | ----          | 1 -              |
| 4250                            | 2.20   | 2.20                            | 2.20/0.10          | 2.20/0.10                  | ----                             | 0.00 - 1.50              | ----  | ----          | 39                       | 5                 | ----          | 0 -              |
| 4250                            | 40.70  | 40.70                           | 55.30B/39.40A      | 55.30B/39.40A              | ----                             | 39.50 NEW                | .3191 | ----          | ----                     | 5                 | ----          | 5 +              |
| 4255                            | 0.70   | 0.70                            | 1.70B/0.10A        | 1.70B/0.10A                | ----                             | 0.00 - 1.30              | ----  | ----          | ----                     | 5                 | ----          | 0 -              |
| 4260                            | ----   | ----                            | 108.40B/63.30A     | 108.40B/63.30A             | ----                             | 103.20 + 4.40            | ----  | 7             | ----                     | ----              | ----          | 0 -              |
| 4260                            | 1.10   | 1.10                            | 1.50B/0.10A        | 1.50B/0.10A                | ----                             | 0.00 - 1.20              | ----  | ----          | ----                     | 40                | ----          | 0 -              |
| 4265                            | 1.00   | 1.00                            | 1.20B/0.10A        | 1.20B/0.10A                | ----                             | 0.00 - 1.00              | ----  | ----          | ----                     | 2                 | ----          | 0 -              |
| 4265                            | ----   | ----                            | 113.40B/68.00A     | 113.40B/68.00A             | ----                             | 108.20 + 4.50            | ----  | 1             | ----                     | 1                 | ----          | 0 -              |
| 4270                            | 1.00   | 1.00                            | 1.00/0.10A         | 1.00/0.10A                 | ----                             | 0.00 - 0.90              | ----  | ----          | ----                     | 3                 | ----          | 0 -              |
| 4275                            | ----   | ----                            | 34.50B/21.10A      | 34.50B/21.10A              | ----                             | 20.90 - 5.90             | .2252 | ----          | ----                     | ----              | ----          | 1 -              |
| 4275                            | ----   | ----                            | 131.10B/94.20A     | 131.10B/94.20A             | ----                             | 125.20 + 0.80            | .8805 | ----          | ----                     | ----              | ----          | 5 -              |
| 4275                            | 7.00   | 7.00                            | 141.70B/121.30A    | 141.70B/121.30A            | ----                             | 139.00 - 0.30            | .7744 | ----          | ----                     | ----              | ----          | 11 -             |
| 4275                            | ----   | ----                            | 17.00B/7.00        | 17.00B/7.00                | ----                             | 7.10 - 4.70              | .1193 | ----          | 22                       | ----              | ----          | 24 +             |
| 4275                            | ----   | ----                            | 123.40B/77.80A     | 123.40B/77.80A             | ----                             | 118.20 + 4.70            | ----  | 35            | ----                     | ----              | ----          | 0 -              |
| 4275                            | 1.00   | 1.00                            | 1.00/0.10          | 1.00/0.10                  | ----                             | 0.00 - 0.80              | ----  | ----          | 26                       | ----              | ----          | 0 -              |
| 4280                            | 1.00   | 1.00                            | 1.00/0.10A         | 1.00/0.10A                 | ----                             | 0.00 - 0.70              | ----  | ----          | 11                       | ----              | ----          | 0 -              |
| 4280                            | ----   | ----                            | 128.40B/82.70A     | 128.40B/82.70A             | ----                             | 123.20 + 4.80            | ----  | ----          | 1                        | ----              | ----          | 0 -              |
| 4285                            | 0.90   | 0.90                            | 0.90/0.10A         | 0.90/0.10A                 | ----                             | 0.00 - 0.60              | ----  | ----          | 3                        | ----              | ----          | 0 -              |
| 4290                            | 0.80   | 0.80                            | 0.80/0.10A         | 0.80/0.10A                 | ----                             | 0.00 - 0.60              | ----  | ----          | 11                       | 2                 | ----          | 0 -              |
| 4295                            | ----   | ----                            | 0.10A              | 0.50B/0.10A                | ----                             | 0.00 - 0.50              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4295                            | ----   | ----                            | 143.40B/97.50A     | 143.40B/97.50A             | ----                             | 138.20 + 5.00            | ----  | 2             | ----                     | 1                 | ----          | 0 -              |
| 4300                            | ----   | ----                            | 27.70B/16.50A      | 27.70B/16.50A              | ----                             | 16.40 - 5.00             | .1829 | ----          | ----                     | ----              | 30            | UNCH             |
| 4300                            | 9.50   | 9.50                            | 153.60B/114.20A    | 153.60B/114.20A            | ----                             | 148.00 + 2.00            | .9170 | ----          | ----                     | ----              | 4             | UNCH             |
| 4300                            | 0.60   | 0.60                            | 12.00B/4.80        | 12.00B/4.80                | ----                             | 4.90 - 3.60              | .0828 | ----          | 68                       | ----              | 77 +          | 52               |
| 4300                            | ----   | ----                            | 0.60/0.10          | 0.60/0.10                  | ----                             | 0.00 - 0.50              | ----  | ----          | 9                        | ----              | 0             | 164              |
| 4300                            | ----   | ----                            | 148.40B/102.40A    | 148.40B/102.40A            | ----                             | 143.20 + 5.00            | ----  | 51            | ----                     | ----              | 0             | 51               |
| 4305                            | 0.40   | 0.40                            | 0.40/0.10A         | 0.40/0.10A                 | ----                             | 0.00 - 0.50              | ----  | ----          | 1                        | ----              | 0             | 21               |
| 4310                            | 0.50   | 0.50                            | 0.50/0.10A         | 0.50/0.10A                 | ----                             | 0.00 - 0.40              | ----  | ----          | 1                        | ----              | 0             | 45               |
| 4315                            | ----   | ----                            | 0.10A              | 0.30B/0.10A                | ----                             | 0.00 - 0.40              | ----  | ----          | ----                     | ----              | 0             | 8                |
| 4320                            | 0.10   | 0.10                            | 168.40B/122.30A    | 168.40B/122.30A            | ----                             | 163.20 + 5.20            | ----  | 2             | 2                        | ----              | 0             | 2                |
| 4320                            | ----   | ----                            | 0.10/0.10          | 0.30B/0.10                 | ----                             | 0.00 - 0.40              | ----  | ----          | 12                       | ----              | 0             | 12               |
| 4325                            | ----   | ----                            | 33.70B/22.30A      | 33.70B/22.30A              | ----                             | 22.10 - 5.10             | .1998 | ----          | ----                     | ----              | 2             | UNCH             |
| 4325                            | 8.50   | 8.50                            | 183.50B/160.10A    | 183.50B/160.10A            | ----                             | 180.80 + 1.20            | .8526 | ----          | ----                     | 1                 | ----          | UNCH             |
| 4325                            | ----   | ----                            | 8.50/3.50          | 8.50/3.50                  | ----                             | 3.40 - 2.70              | .0571 | ----          | 4                        | 20 +              | 2             | 2                |
| 4325                            | 0.10   | 0.10                            | 177.00B/135.60A    | 177.00B/135.60A            | ----                             | 171.50 + 2.80            | .9426 | ----          | 1                        | 7 +               | 1             | 1                |
| 4325                            | ----   | ----                            | 0.10/0.10          | 0.30B/0.10                 | ----                             | 0.00 - 0.40              | ----  | ----          | 1                        | 0                 | 82            | 82               |
| 4325                            | 166.80 | 166.80                          | 21.90B/12.90A      | 21.90B/12.90A              | ----                             | 12.80 - 4.30             | .1470 | ----          | ----                     | 3                 | UNCH          |                  |
| 4325                            | 0.30   | 0.30                            | 173.40B/127.20A    | 173.40B/127.20A            | ----                             | 168.20 + 5.20            | 70    | 1             | 0                        | 69                | 5             | 5                |
| 4330                            | ----   | ----                            | 0.30/0.10          | 0.30/0.10                  | ----                             | 0.00 - 0.30              | ----  | 4             | 0                        | 5                 | 3             | 3                |
| 4330                            | ----   | ----                            | 178.40B/132.20A    | 178.40B/132.20A            | ----                             | 173.20 + 5.20            | ----  | 3             | 0                        | 3                 | 0             | 3                |
| 4335                            | ----   | ----                            | 0.10A              | 0.20B/0.10A                | ----                             | 0.00 - 0.30              | ----  | ----          | 2                        | 0                 | 2             | 2                |
| 4340                            | ----   | ----                            | 0.10A              | 0.20B/0.10A                | ----                             | 0.00 - 0.30              | ----  | ----          | 1                        | 0                 | 2             | 2                |
| 4340                            | 2.50   | 2.50                            | 188.40B/142.20A    | 188.40B/142.20A            | ----                             | 183.20 + 5.20            | ----  | ----          | 3                        | 15                | UNCH          |                  |
| 4350                            | ----   | ----                            | 5.90B/2.50         | 5.90B/2.50                 | ----                             | 2.40 - 2.10              | .0397 | ----          | ----                     | 1                 | 1             | 1                |
| 4350                            | 0.10   | 0.10                            | 28.10B/18.30A      | 28.10B/18.30A              | ----                             | 18.10 - 4.50             | .1686 | ----          | 1                        | 19                | UNCH          |                  |
| 4350                            | ----   | ----                            | 17.50B/10.30A      | 17.50B/10.30A              | ----                             | 10.00 - 3.70             | .1176 | ----          | 1                        | 373               | UNCH          |                  |
| 4350                            | ----   | ----                            | 0.10/0.10          | 0.10/0.10                  | ----                             | 0.00 - 0.30              | ----  | 4             | 0                        | 52                | UNCH          |                  |
| 4350                            | ----   | ----                            | 200.10B/158.00A    | 200.10B/158.00A            | ----                             | 195.50 + 3.50            | .9601 | ----          | ----                     | 12                | UNCH          |                  |
| 4350                            | 0.10   | 0.10                            | 205.70B/180.40A    | 205.70B/180.40A            | ----                             | 203.00 + 1.90            | .8820 | 14            | 0                        | 14                | UNCH          |                  |
| 4355                            | ----   | ----                            | 0.10/0.10          | 0.10/0.10                  | ----                             | 0.00 - 0.30              | ----  | 2             | 0                        | 2                 | 14            | 14               |
| 4360                            | ----   | ----                            | 0.10A              | 0.10A                      | ----                             | 0.00 - 0.20              | ----  | ----          | ----                     | 0                 | 2             | 2                |
| 4365                            | ----   | ----                            | 0.10A              | 0.10A                      | ----                             | 0.00 - 0.20              | ----  | ----          | ----                     | 0                 | 3             | 3                |
| 4370                            | 2.60   | 2.60                            | 4.20B/1.80A        | 4.20B/1.80A                | ----                             | 1.80 - 1.50              | .0289 | ----          | 2                        | 42                | UNCH          |                  |
| 4375                            | ----   | ----                            | 13.80B/8.10A       | 13.80B/8.10A               | ----                             | 7.90 - 3.10              | .0943 | 39            | 1                        | 35                | UNCH          |                  |
| 4375                            | ----   | ----                            | 223.40B/177.10A    | 223.40B/177.10A            | ----                             | 218.20 + 5.30            | ----  | ----          | ----                     | 0                 | 35            | 35               |
| 4375                            | 0.10   | 0.10                            | 221.10B/181.30A    | 221.10B/181.30A            | ----                             | 219.90 + 4.00            | .9710 | ----          | 5                        | 12                | UNCH          |                  |
| 4380                            | 0.10   | 0.10                            | 0.10/0.10          | 0.10/0.10                  | ----                             | 0.00 - 0.20              | ----  | 1             | 0                        | 12                | UNCH          |                  |
| 4385                            | 0.10   | 0.10                            | 0.10/0.10          | 0.10/0.10                  | ----                             | 0.00 - 0.20              | NEW   | ----          | 1                        | 0                 | 3             | 3                |
| 4390                            | ----   | ----                            | 0.10A              | 0.10A                      | ----                             | 0.00 - 0.20              | ----  | ----          | ----                     | 0                 | 2             | 2                |
| 4400                            | 7.60   | 7.60                            | 19.20B/12.30A      | 19.20B/12.30A              | ----                             | 12.30 - 3.30             | .1196 | 1             | 1                        | UNCH              |               |                  |
| 4400                            | 1.40   | 1.40                            | 10.90B/6.30        | 10.90B/6.30                | ----                             | 6.30 - 2.50              | .0758 | 5             | 710 +                    | 4                 | 4             | 4                |
| 4400                            | ----   | ----                            | 3.00B/1.40         | 3.00B/1.40                 | ----                             | 1.30 - 1.20              | .0203 | 3             | 18 +                     | 3                 | 18            | 18               |
| 4400                            | ----   | ----                            | 245.60B/207.70A    | 245.60B/207.70A            | ----                             | 244.40 + 4.30            | .9795 | 32            | 12 +                     | 2                 | 2             | 2                |
| 4400                            | 0.10   | 0.10                            | 248.40B/202.10A    | 248.40B/202.10A            | ----                             | 243.20 + 5.40            | ----  | 2             | 0                        | 34                | UNCH          |                  |
| 4400                            | ----   | ----                            | 0.10/0.10          | 0.10/0.10                  | ----                             | 0.00 - 0.10              | ----  | ----          | 2                        | 0                 | 378           | 378              |
| 4415                            | 5.20   | 5.20                            | 270.30B/231.90A    | 270.30B/231.90A            | ----                             | 269.10 NEW               | .9848 | 1             | 1 +                      | 1                 | 1             | 1                |
| 4425                            | 0.10   | 0.10                            | 8.70B/5.10A        | 8.70B/5.10A                | ----                             | 5.00 - 2.10              | .0606 | 2             | 8                        | 1                 | 1             | 1                |
| 4425                            | 0.10   | 0.10                            | 2.20B/1.10A        | 2.20B/1.10A                | ----                             | 1.00 - 1.00              | .0151 | 11            | 10 +                     | 1                 | 1             | 1                |
| 4430                            | ----   | ----                            | 0.10/0.10          | 0.10/0.10                  | ----                             | 0.00 - 0.10              | ----  | 3             | 0                        | 11                | UNCH          |                  |
| 4435                            | ----   | ----                            | 273.40B/227.10A    | 273.40B/227.10A            | ----                             | 268.20 + 5.40            | ----  | 1             | 0                        | 3                 | UNCH          |                  |
| 4440                            | 1.70   | 1.70                            | 0.10A              | 0.10A                      | ----                             | 0.00 - 0.10              | ----  | ----          | ----                     | 0                 | 10            | 10               |
| 4445                            | ----   | ----                            | 0.10A              | 0.10A                      | ----                             | 0.00 - 0.10              | ----  | ----          | ----                     | 0                 | 5             | 5                |
| 4450                            | ----   | ----                            | 0.10A              | 0.10A                      | ----                             | 0.00 - 0.10              | ----  | ----          | ----                     | 0                 | 5             | 5                |
| 4455                            | ----   | ----                            | 0.10A              | 0.10A                      | ----                             | 0.00 - 0.10              | ----  | ----          | ----                     | 0                 | 1             | 1                |
| 4460                            | 0.80   | 0.80                            | 1.70/1.00A         | 1.70/1.00A                 | ----                             | 0.80 - 0.80              | .0116 | 10            | 29 +                     | 8                 | 8             | 8                |
| 4465                            | ----   | ----                            | 295.10B/256.20A    | 295.10B/256.20A            | ----                             | 293.90 + 4.80            | .9883 | 35            | 4 +                      | 2                 | 4             | 4                |
| 4470                            | ----   | ----                            | 298.40B/252.00A    | 298.40B/252.00A            | ----                             | 293.20 + 5.40            | ----  | 2             | 0                        | 37                | UNCH          |                  |
| 4475                            | ----   | ----                            | 0.10A              | 0.10A                      | ----                             | 0.00 - 0.10              | .0842 | 5             | 0                        | 1                 | UNCH          |                  |
| 4480                            | ----   | ----                            | 0.10A              | 0.10A                      | ----                             | 0.00 - 0.10              | ----  | ----          | ----                     | 0                 | 1             | 1                |
| 4485                            | ----   | ----                            | 0.10A              | 0.10A                      | ----                             | 0.00 - 0.10              | ----  | ----          | ----                     | 0                 | 1             | 1                |
| 4490                            | 0.80   | 0.80                            | 0.10A              | 0.10A                      | ----                             | 0.00 - 0.10              | .0096 | 7             | 0                        | 5                 | UNCH          |                  |
| 4495                            | ----   | ----                            | 1.20B/0.80A        | 1.20B/0.80A                | ----                             | 0.70 - 0.60              | ----  | ----          | ----                     | 0                 | 20            | 20               |
| 4500                            | ----   | ----                            | 0.10A              | 0.10A                      | ----                             | 0.00 - 0.10              | ----  | ----          | ----                     | 0                 | 2             | 2                |
| 4505                            | 0.80   | 0.80                            | 0.80/0.70A         | 0.90B/0.70A                | ----                             | 0.60 - 0.40              | .0079 | 6             | 109 +                    | 6                 | 6             | 6                |
| 4510                            | ----   | ----                            | 344.80B/305.50A    | 344.80B/305.50A            | ----                             | 343.70 NEW               | .9921 | 1             | 1 +                      | 1                 | 1             | 1                |
| 4515                            | ----   | ----                            | 0.10A              | 0.10A                      | ----                             | 0.00 - 0.10              | ----  | ----          | ----                     | 0                 | 237           | 237              |
| 4520                            | ----   | ----                            | 348.40B/302.00A    | 348.40B/302.00A            | ----                             | 343.20 + 5.50            | ----  | 3             | 0                        | 4                 | UNCH          |                  |
| 4525                            | ----   | ----                            | 8.80B/6.00A        | 8.80B/6.00A                | ----                             | 5.80 - 1.70              | .0593 | ----          | 1                        | 9                 | UNCH          |                  |
| 4530                            | ----   | ----                            | 0.10A              | 0.10A                      | ----                             | 0.00 - 0.10              | ----  | ----          | ----                     | 0                 | 2             | 2                |
| 4535                            | ----   | ----                            | 368.40B/322.00A    | 368.40B/322.00A            | ----                             | 363.20 + 5.50            | ----  | ----          | ----                     | 0                 | UNCH          |                  |
| 4540                            | ----   | ----                            | 3.50B/2.40A        | 3.50B/2.40A                | ----                             | 2.30 - 1.00              | .0273 | 9             | 2                        | UNCH              |               |                  |
| 4545                            | ----   | ----                            | 0.10A              | 0.10A                      | ----                             | 0.00 - 0.10              | ----  | ----          | ----                     | 0                 | 32            | 32               |
| 4550                            | ----   | ----                            | 373.40B/327.00A    | 373.40B/327.00A            | ----                             | 368.20 + 5.50            | ----  | ----          | 4                        | 5                 | UNCH          |                  |
| 4555                            | ----   | ----                            | 0.70B/0.60A        | 0.70B/0.60A                | ----                             | 0.50 - 0.20              | .0060 | ----          | 2                        | UNCH              |               |                  |
| 4560                            | ----   | ----                            | 3.00B/2.10A        | 3.00B/2.10A                | ----                             | 1.90 - 0.90              | .0224 | 1             | 0                        | 45                | UNCH          |                  |
| 4565                            | ----   | ----                            | 0.10A              | 0.10A                      | ----                             | 0.00 - 0.10              | ----  | ----          | ----                     | 0                 | 1             | 1                |
| 4570                            | ----   | ----                            | 398.40B/352.00A    | 398.40B/352.00A            | ----                             | 393.20 + 5.50            | ----  | 20            | 0                        | 6                 | UNCH          |                  |
| 4575                            | ----   | ----                            | 0.50B/0.50A        | 0.50B/0.50A                | ----                             | 0.40 - 0.20              | .0046 | 3             | 0                        | 6                 | UNCH          |                  |
| 4580                            | ----   | ----                            | 0.10A              | 0.10A                      | ----                             | 0.00 - 0.10              | ----  | ----          | ----                     | 0                 | 1             | 1                |
| 4585                            | ----   | ----                            | 0.50B/0.50A        | 0.50B/0.50A                | ----                             | 0.30 - 0.30              | .0034 | 2             | 3                        | UNCH              |               |                  |
| 4590                            | ----   | ----                            | 2.10B/1.60A        | 2.10B/1.60A                | ----                             | 1.40 - 0.70              | .0160 | 1             | 2                        | UNCH              |               |                  |
| 4595                            | ----   | ----                            | 0.10A              | 0.10A                      | ----                             | 0.00 - 0.10              | ----  | ----          | ----                     | 0                 | 93            | 93               |
|                                 |        |                                 |                    |                            |                                  |                          |       |               |                          |                   |               |                  |

| BULLETIN #191@            |                                     |              |                 |                    |                  |                    |               |                 |  | METALS OPTION PRODUCTS   |       |               |                          |                   |               |      |                  |      |  | Mon, Oct 05, 2026 |  |  |  |  |  |  |  |  |  | PG64 |  |  |  |
|---------------------------|-------------------------------------|--------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|--|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------|------------------|------|--|-------------------|--|--|--|--|--|--|--|--|--|------|--|--|--|
|                           | GLOBAL<br>OPEN                      | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBAL<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE |  | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBAL®<br>VOLUME | PNT<br>VOLUME |      | OPEN<br>INTEREST |      |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| GMW MON<br>OCT26          | GOLD WEEKLY MONDAY OPTION WEEK1     |              |                 |                    |                  |                    |               |                 |  |                          |       |               |                          |                   |               |      |                  |      |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 4825                      | ----                                | ----         | ----            | ----               | ----             | /0.10A             | ----          |                 |  | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | ---- | 0 -              | 1    |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 4850                      | ----                                | ----         | ----            | ----               | ----             | /0.10A             | ----          |                 |  | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | ---- | 0 -              | 1    |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 4850                      | ----                                | ----         | ----            | ----               | ----             | /0.40A             | ----          |                 |  | 0.10 - 0.10              | .0002 | ----          | ----                     | ----              | ----          | ---- | 4                | UNCH |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 4900                      | ----                                | ----         | ----            | ----               | ----             | 0.40B/0.60A        | ----          |                 |  | 0.20 - 0.20              | .0020 | ----          | ----                     | ----              | ----          | ---- | 13               | UNCH |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 4900                      | ----                                | ----         | ----            | ----               | ----             | /0.40A             | ----          |                 |  | 0.10 - 0.10              | .0001 | ----          | ----                     | ----              | ----          | ---- | 7                | UNCH |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 4900                      | ----                                | ----         | ----            | ----               | ----             | /0.20A             | ----          |                 |  | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | ---- | 0 -              | 4    |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 4925                      | ----                                | ----         | ----            | ----               | ----             | /0.20A             | ----          |                 |  | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | ---- | 0 -              | 2    |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 4950                      | ----                                | ----         | ----            | ----               | ----             | /0.20A             | ----          |                 |  | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | ---- | 0 -              | 1    |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 4975                      | ----                                | ----         | ----            | ----               | ----             | /0.20A             | ----          |                 |  | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | ---- | 0 -              | 2    |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 5000                      | ----                                | ----         | ----            | ----               | ----             | /0.30A             | ----          |                 |  | 0.10 UNCH                | .0000 | ----          | ----                     | ----              | ----          | ---- | 2                | UNCH |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 5000                      | ----                                | ----         | ----            | ----               | ----             | /0.20A             | ----          |                 |  | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | ---- | 0 -              | 12   |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 5100                      | ----                                | ----         | ----            | ----               | ----             | /0.20A             | ----          |                 |  | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | ---- | 0 -              | 13   |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 5100                      | ----                                | ----         | ----            | ----               | ----             | /0.30A             | ----          |                 |  | 0.10 UNCH                | ----  | ----          | ----                     | ----              | ----          | ---- | 7                | UNCH |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 5200                      | ----                                | ----         | ----            | ----               | ----             | /0.20A             | ----          |                 |  | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | ---- | 0 -              | 2    |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 5250                      | ----                                | ----         | ----            | ----               | ----             | /0.20A             | ----          |                 |  | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | ---- | 0 -              | 7    |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 5300                      | ----                                | ----         | ----            | ----               | ----             | /0.20A             | ----          |                 |  | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | ---- | 0 -              | 11   |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 5400                      | ----                                | ----         | ----            | ----               | ----             | /0.20A             | ----          |                 |  | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | ---- | 0 -              | 11   |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 5500                      | ----                                | ----         | ----            | ----               | ----             | /0.20A             | ----          |                 |  | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | ---- | 0 -              | 8    |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 5750                      | ----                                | ----         | ----            | ----               | ----             | /0.10A             | ----          |                 |  | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | ---- | 0 -              | 40   |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| TOTAL                     |                                     |              |                 |                    |                  |                    |               |                 |  |                          |       |               |                          | 5139              | 230           |      | 3165 -           | 5964 |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
|                           | GLOBAL<br>OPEN                      | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBAL<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE |  | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBAL®<br>VOLUME | PNT<br>VOLUME |      | OPEN<br>INTEREST |      |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| FMG OPT<br>OCT26          | MICRO GOLD WEEKLY FRI OPTION WEEK1  |              |                 |                    |                  |                    |               |                 |  |                          |       |               |                          |                   |               |      |                  |      |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 4190                      | ----                                | ----         | ----            | ----               | ----             |                    | ----          |                 |  | 27.70                    | UNCH  | ----          | ----                     | ----              | ----          | ---- | 0                | UNCH |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 4200                      | ----                                | ----         | ----            | ----               | ----             |                    | ----          |                 |  | 37.70                    | UNCH  | ----          | ----                     | ----              | ----          | ---- | 0                | UNCH |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 4200                      | 33.00                               | 33.00        |                 | 33.00/33.00        | 33.00/33.00      |                    | ----          |                 |  | 18.10                    | NEW   | .2974         | ----                     | 2                 | ----          | ---- | 2 +              | 2    |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 4275                      | 20.00                               | 20.00        |                 | 20.00/20.00        | 20.00/20.00      |                    | ----          |                 |  | 18.10 - 5.80             | .2083 | ----          | ----                     | 4                 | ----          | ---- | 0 -              | 4    |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| TOTAL                     |                                     |              |                 |                    |                  |                    |               |                 |  |                          |       |               |                          | 6                 |               |      | 2 -              | 2    |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| SILVER OPTIONS ON FUTURES |                                     |              |                 |                    |                  |                    |               |                 |  |                          |       |               |                          |                   |               |      |                  |      |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
|                           | GLOBAL<br>OPEN                      | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBAL<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE |  | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBAL®<br>VOLUME | PNT<br>VOLUME |      | OPEN<br>INTEREST |      |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| RWS THU<br>OCT26          | SILVER WEEKLY THURSDAY OPTION week4 |              |                 |                    |                  |                    |               |                 |  |                          |       |               |                          |                   |               |      |                  |      |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 4750                      | ----                                | ----         | ----            | ----               | 0.011B/0.033A    | ----               |               |                 |  | 0.008 - 0.007            | .0033 | ----          | ----                     | ----              | ----          | ---- | 1                | UNCH |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 5000                      | ----                                | ----         | ----            | ----               | 0.028B/0.045A    | ----               |               |                 |  | 0.030 - 0.020            | .0121 | ----          | ----                     | ----              | ----          | ---- | 34               | UNCH |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 5000                      | ----                                | ----         | ----            | ----               | ----             | /0.023A            | ----          |                 |  | 0.001 - 0.001            | ----  | ----          | ----                     | ----              | ----          | ---- | 1                | UNCH |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 5500                      | ----                                | ----         | ----            | ----               | 0.012B/0.019A    | ----               |               |                 |  | 0.007 - 0.038            | .0025 | ----          | ----                     | ----              | ----          | ---- | 3                | UNCH |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 5500                      | 0.130                               | 0.130        |                 | 0.130/0.077A       | 0.130/0.077A     |                    | ----          |                 |  | 0.072 - 0.084            | .0365 | ----          | ----                     | 2                 | ----          | ---- | 6                | UNCH |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 5600                      | 5.676                               | 5.676        |                 | 5.811B/5.676       | 5.811B/5.676     |                    | ----          |                 |  | 5.548 + 0.727            | .8961 | ----          | ----                     | 2                 | ----          | 1 -  | 1                |      |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 5600                      | ----                                | ----         | ----            | ----               | 0.166B/0.112A    | ----               |               |                 |  | 0.112 - 0.126            | .0577 | ----          | ----                     | ----              | ----          | ---- | 1                | UNCH |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 5600                      | ----                                | ----         | ----            | ----               | 0.028B/0.023A    | ----               |               |                 |  | 0.015 - 0.058            | .0067 | ----          | ----                     | ----              | ----          | ---- | 2                | UNCH |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 5650                      | ----                                | ----         | ----            | ----               | 0.207B/0.144A    | ----               |               |                 |  | 0.141 - 0.154            | .0727 | ----          | ----                     | ----              | ----          | 25   | UNCH             |      |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 5700                      | ----                                | ----         | ----            | ----               | 0.057B/0.033A    | ----               |               |                 |  | 0.032 - 0.094            | .0170 | ----          | ----                     | ----              | ----          | ---- | 1                | UNCH |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 5750                      | ----                                | ----         | ----            | ----               | 0.092B/0.042A    | ----               |               |                 |  | 0.044 - 0.125            | .0255 | ----          | ----                     | ----              | ----          | ---- | 1                | UNCH |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 5800                      | ----                                | ----         | ----            | ----               | 0.413B/0.249A    | ----               |               |                 |  | 0.289 - 0.267            | .1451 | ----          | ----                     | 2                 | ----          | 0 -  | 2                |      |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 5850                      | ----                                | ----         | ----            | ----               | 0.183B/0.081A    | ----               |               |                 |  | 0.087 - 0.224            | .0589 | ----          | ----                     | ----              | ----          | 5    | UNCH             |      |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 5850                      | 0.344                               | 0.344        |                 | 0.344/0.305A       | 0.521B/0.305A    | ----               |               |                 |  | 0.367 NEW                | .1805 | ----          | 4                        | ----              | 4 +           | 4    |                  |      |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 5900                      | 0.472                               | 0.472        |                 | 0.472/0.375A       | 0.645B/0.375A    | ----               |               |                 |  | 0.466 - 0.369            | .2228 | ----          | 5                        | ----              | 4 +           | 1    |                  |      |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 5950                      | ----                                | ----         | ----            | ----               | 0.372B/0.146A    | ----               |               |                 |  | 0.190 - 0.374            | .1411 | ----          | ----                     | ----              | 6             | UNCH |                  |      |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 6000                      | ----                                | ----         | ----            | ----               | 0.525B/0.201A    | ----               |               |                 |  | 0.283 - 0.465            | .2123 | ----          | ----                     | ----              | 8             | UNCH |                  |      |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 6000                      | ----                                | ----         | ----            | ----               | 1.014B/0.570A    | ----               |               |                 |  | 0.737 - 0.485            | .3267 | ----          | ----                     | ----              | 1             | UNCH |                  |      |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 6050                      | ----                                | ----         | ----            | 2.703B/----        | 2.703B/2.027A    | ----               |               |                 |  | 2.081 + 0.347            | .5916 | ----          | ----                     | ----              | 1             | UNCH |                  |      |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 6100                      | ----                                | ----         | ----            | ----               | 1.456B/0.851A    | ----               |               |                 |  | 1.126 - 0.604            | .4507 | ----          | ----                     | ----              | 4             | UNCH |                  |      |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 6100                      | 0.505                               | 0.505        |                 | 0.505/0.379A       | 0.962B/0.379A    | ----               |               |                 |  | 0.591 - 0.661            | .4199 | ----          | 1                        | ----              | 3             | UNCH |                  |      |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |
| 6100                      | ----                                | ----         | ----            | 2.172B/----        | 2.172B/1.342A    | ----               |               |                 |  | 1.426 +                  |       |               |                          |                   |               |      |                  |      |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |



| BULLETIN #191@ |                                   |                           |                    | METALS OPTION PRODUCTS  |                            |                          |       |               |                          |                   | Mon, Oct 05, 2026 |                  |      | PG64 |
|----------------|-----------------------------------|---------------------------|--------------------|-------------------------|----------------------------|--------------------------|-------|---------------|--------------------------|-------------------|-------------------|------------------|------|------|
|                | GLOBEX<br>OPEN                    | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME     | OPEN<br>INTEREST |      |      |
| SMW MON        | SILVER WEEKLY MONDAY OPTION WEEK1 |                           |                    |                         |                            |                          |       |               |                          |                   |                   |                  |      |      |
| OCT26          |                                   |                           |                    |                         |                            |                          |       |               |                          |                   |                   |                  |      |      |
| 6050           | 0.188                             | 0.188                     | 0.188/0.006A       | 0.275B/0.006A           | ----                       | 0.000 - 0.560            | ----  | ----          | ----                     | 140               | ----              | 0 -              | 2    |      |
| 6050           | ----                              | ----                      | 1.877B/----        | 1.877B/0.646A           | ----                       | 0.800 + 0.324            | ----  | 2             | ----                     | ----              | ----              | 0 -              | 2    |      |
| 6070           | 0.100                             | 0.100                     | 0.205/0.006A       | 0.364B/0.006A           | ----                       | 0.000 NEW                | ----  | ----          | ----                     | 4                 | ----              | 0                | UNCH |      |
| 6080           | 0.060                             | 0.060                     | 0.060/0.007A       | 0.416B/0.007A           | ----                       | 0.000 - 0.731            | ----  | ----          | ----                     | 9                 | ----              | 0 -              | 6    |      |
| 6100           | ----                              | ----                      | -----/0.574A       | 1.188B/0.574A           | ----                       | 0.830 - 0.623            | .4403 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 6100           | ----                              | ----                      | 1.899B/----        | 1.899B/1.040A           | ----                       | 1.129 + 0.260            | .5596 | ----          | ----                     | ----              | ----              | 9                | UNCH |      |
| 6100           | 0.900                             | 0.900                     | 1.395B/0.240A      | 1.395B/0.240A           | ----                       | 0.300 + 0.024            | ----  | 12            | ----                     | 1                 | ----              | 0 -              | 13   |      |
| 6100           | 0.320                             | 0.320                     | 0.320/0.005A       | 0.500B/0.005A           | ----                       | 0.000 - 0.861            | ----  | ----          | ----                     | 17                | ----              | 0 -              | 7    |      |
| 6110           | ----                              | ----                      | 1.301B/0.149A      | 1.301B/0.149A           | ----                       | 0.200 - 0.046            | ----  | 1             | ----                     | ----              | ----              | 0 -              | 1    |      |
| 6110           | 0.490                             | 0.490                     | 0.490/0.004A       | 0.558B/0.004A           | ----                       | 0.000 NEW                | ----  | ----          | ----                     | 11                | ----              | 0                | UNCH |      |
| 6120           | ----                              | ----                      | 1.208B/0.069A      | 1.208B/0.069A           | ----                       | 0.100 - 0.119            | ----  | 1             | ----                     | ----              | ----              | 0 -              | 1    |      |
| 6120           | ----                              | ----                      | -----/0.009A       | 0.625B/0.009A           | ----                       | 0.000 - 1.003            | ----  | ----          | ----                     | ----              | ----              | 0 -              | 6    |      |
| 6130           | ----                              | ----                      | 1.115B/0.022A      | 1.115B/0.022A           | ----                       | 0.000 - 0.194            | ----  | 1             | ----                     | ----              | ----              | 0 -              | 1    |      |
| 6140           | ----                              | ----                      | -----/0.073A       | 0.778B/0.073A           | ----                       | 0.100 - 1.056            | ----  | 2             | ----                     | ----              | ----              | 0 -              | 2    |      |
| 6150           | 0.170                             | 0.170                     | 0.235/0.085A       | 0.855B/0.085A           | ----                       | 0.200 - 1.036            | ----  | 4             | ----                     | 6                 | ----              | 0 -              | 3    |      |
| 6150           | 0.870                             | 0.870                     | 0.870/0.734A       | 1.430B/0.734A           | ----                       | 1.073 NEW                | .5276 | ----          | ----                     | 2                 | ----              | 2 +              | 2    |      |
| 6150           | 0.717                             | 0.717                     | 0.938B/0.004A      | 0.938B/0.004A           | ----                       | 0.000 - 0.151            | ----  | ----          | ----                     | 3                 | ----              | 0                | 2    |      |
| 6160           | 0.240                             | 0.240                     | 0.851B/0.005A      | 0.851B/0.005A           | ----                       | 0.000 NEW                | ----  | ----          | ----                     | 4                 | ----              | 0                | UNCH |      |
| 6170           | 0.145                             | 0.145                     | 0.242/0.117A       | 1.018B/0.117A           | ----                       | 0.400 NEW                | ----  | 6             | ----                     | 14                | ----              | 0                | UNCH |      |
| 6170           | 0.185                             | 0.185                     | 0.766B/0.006A      | 0.766B/0.006A           | ----                       | 0.000 - 0.117            | ----  | ----          | ----                     | 18                | ----              | 0 -              | 12   |      |
| 6180           | 0.135                             | 0.135                     | 0.680B/0.006A      | 0.680B/0.006A           | ----                       | 0.000 NEW                | ----  | ----          | ----                     | 2                 | ----              | 0                | UNCH |      |
| 6180           | 0.307                             | 0.307                     | 0.378/0.137A       | 1.106B/0.137A           | ----                       | 0.500 NEW                | ----  | 2             | ----                     | 2                 | ----              | 0                | UNCH |      |
| 6190           | ----                              | ----                      | -----/0.161A       | 1.196B/0.161A           | ----                       | 0.600 - 0.975            | ----  | ----          | ----                     | ----              | ----              | 0                | UNCH |      |
| 6200           | 0.297                             | 0.297                     | 0.529B/0.005       | 0.529B/0.005            | ----                       | 0.000 - 0.079            | ----  | ----          | ----                     | 118               | ----              | 0 -              | 2    |      |
| 6210           | 0.101                             | 0.101                     | 0.460B/0.005A      | 0.460B/0.005A           | ----                       | 0.000 NEW                | ----  | ----          | ----                     | 6                 | ----              | 0                | UNCH |      |
| 6220           | 0.398                             | 0.398                     | 0.398/0.256A       | 1.469B/0.256A           | ----                       | 0.900 NEW                | ----  | 1             | ----                     | 1                 | ----              | 0                | UNCH |      |
| 6230           | 0.044                             | 0.044                     | 0.336B/0.005A      | 0.336B/0.005A           | ----                       | 0.000 - 0.050            | ----  | ----          | ----                     | 5                 | ----              | 0 -              | 2    |      |
| 6240           | 0.105                             | 0.105                     | 0.283B/0.006A      | 0.283B/0.006A           | ----                       | 0.000 NEW                | ----  | ----          | ----                     | 8                 | ----              | 0                | UNCH |      |
| 6250           | 0.200                             | 0.200                     | 0.236B/0.007A      | 0.236B/0.007A           | ----                       | 0.000 - 0.037            | ----  | ----          | ----                     | 1                 | ----              | 0 -              | 3    |      |
| 6250           | ----                              | ----                      | -----/2.195A       | 2.678B/2.195A           | ----                       | 2.482 - 0.685            | .5920 | ----          | ----                     | ----              | ----              | 6                | UNCH |      |
| 6250           | ----                              | ----                      | -----/0.399A       | 1.763B/0.399A           | ----                       | 1.200 - 0.921            | ----  | 4             | ----                     | ----              | ----              | 0 -              | 4    |      |
| 6260           | 0.104                             | 0.104                     | 0.198B/0.007A      | 0.198B/0.007A           | ----                       | 0.000 - 0.032            | ----  | ----          | ----                     | 7                 | ----              | 0 -              | 2    |      |
| 6270           | 0.130                             | 0.130                     | 0.157B/0.006A      | 0.157B/0.006A           | ----                       | 0.000 NEW                | ----  | ----          | ----                     | 1                 | ----              | 0                | UNCH |      |
| 6300           | 0.050                             | 0.050                     | 0.083B/0.010A      | 0.083B/0.010A           | ----                       | 0.000 - 0.017            | ----  | ----          | ----                     | 1                 | ----              | 0 -              | 8    |      |
| 6300           | ----                              | ----                      | 1.170B/----        | 1.170B/0.738A           | ----                       | 0.745 + 0.095            | .3227 | ----          | ----                     | ----              | ----              | 52               | UNCH |      |
| 6300           | ----                              | ----                      | -----/0.737A       | 2.252B/0.737A           | ----                       | 1.700 - 0.901            | ----  | 25            | ----                     | ----              | ----              | 0 -              | 25   |      |
| 6350           | ----                              | ----                      | 0.024B/----        | 0.024B/0.008A           | ----                       | 0.000 - 0.008            | ----  | ----          | ----                     | ----              | ----              | 0 -              | 3    |      |
| 6350           | ----                              | ----                      | 0.596B/0.246A      | 0.596B/0.246A           | ----                       | 0.260 + 0.013            | .1781 | ----          | ----                     | ----              | ----              | 5                | UNCH |      |
| 6350           | ----                              | ----                      | -----/1.169A       | 2.748B/1.169A           | ----                       | 2.200 - 0.892            | ----  | 7             | ----                     | ----              | ----              | 0 -              | 7    |      |
| 6370           | ----                              | ----                      | -----/1.355A       | 2.948B/1.355A           | ----                       | 2.400 - 0.890            | ----  | ----          | ----                     | 1                 | ----              | 0 -              | 1    |      |
| 6390           | ----                              | ----                      | 0.006B/----        | 0.006B/0.011A           | ----                       | 0.000 - 0.004            | ----  | ----          | ----                     | ----              | ----              | 0 -              | 9    |      |
| 6400           | 0.005                             | 0.005                     | 0.005/0.005        | 0.005/0.005             | ----                       | 0.000 - 0.004            | ----  | ----          | ----                     | 1                 | ----              | 0 -              | 2    |      |
| 6400           | ----                              | ----                      | -----/1.648A       | 3.253B/1.648A           | ----                       | 2.700 - 0.888            | ----  | 2             | ----                     | ----              | ----              | 0 -              | 2    |      |
| 6420           | ----                              | ----                      | ----               | 0.001B/0.011A           | ----                       | 0.000 - 0.003            | ----  | ----          | ----                     | ----              | ----              | 0 -              | 1    |      |
| 6500           | ----                              | ----                      | -----/2.633A       | 4.253B/2.633A           | ----                       | 3.700 - 0.885            | ----  | 4             | ----                     | ----              | ----              | 0 -              | 4    |      |
| 6500           | ----                              | ----                      | ----               | -----/0.011A            | ----                       | 0.000 - 0.001            | ----  | ----          | ----                     | ----              | ----              | 0 -              | 21   |      |
| 6510           | ----                              | ----                      | ----               | -----/0.010A            | ----                       | 0.000 - 0.001            | ----  | ----          | ----                     | ----              | ----              | 0 -              | 1    |      |
| 6650           | ----                              | ----                      | ----               | -----/0.011A            | ----                       | 0.000 - 0.001            | ----  | ----          | ----                     | ----              | ----              | 0 -              | 1    |      |
| 6700           | ----                              | ----                      | ----               | -----/0.011A            | ----                       | 0.000 - 0.001            | ----  | ----          | ----                     | ----              | ----              | 0 -              | 1    |      |
| 6700           | ----                              | ----                      | 0.082B/0.046A      | 0.082B/0.046A           | ----                       | 0.040 - 0.018            | .0259 | ----          | ----                     | ----              | ----              | 5                | UNCH |      |
| 6750           | ----                              | ----                      | 0.192B/----        | 0.192B/0.150A           | ----                       | 0.136 - 0.009            | .0694 | ----          | ----                     | ----              | ----              | 50               | UNCH |      |
| 6750           | ----                              | ----                      | ----               | -----/0.011A            | ----                       | 0.000 - 0.001            | ----  | ----          | ----                     | ----              | ----              | 0 -              | 3    |      |
| 6900           | ----                              | ----                      | ----               | -----/0.011A            | ----                       | 0.000 - 0.001            | ----  | ----          | ----                     | ----              | ----              | 0 -              | 2    |      |
| 6950           | ----                              | ----                      | ----               | -----/0.011A            | ----                       | 0.000 - 0.001            | ----  | ----          | ----                     | ----              | ----              | 0 -              | 5    |      |
| 7000           | ----                              | ----                      | -----/0.025A       | 0.017B/0.025A           | ----                       | 0.015 - 0.017            | .0080 | ----          | ----                     | ----              | ----              | 5                | UNCH |      |
| 7000           | 0.155                             | 0.155                     | 0.184B/0.155       | 0.184B/0.155            | ----                       | 0.147 NEW                | .0613 | ----          | ----                     | 1                 | ----              | 1 +              | 1    |      |
| 7600           | ----                              | ----                      | ----               | -----/0.011A            | ----                       | 0.000 - 0.001            | ----  | ----          | ----                     | ----              | ----              | 0 -              | 11   |      |
| TOTAL          |                                   |                           |                    |                         |                            |                          |       |               |                          | 424               | 0                 | 187 -            | 270  |      |
| SO CALL        | COMEX SILVER OPTIONS              |                           |                    |                         |                            |                          |       |               |                          |                   |                   |                  |      |      |
| NOV26          |                                   |                           |                    |                         |                            |                          |       |               |                          |                   |                   |                  |      |      |
| 5000           | ----                              | ----                      | 12.286B/----       | 12.286B/10.855A         | ----                       | 11.340 + 0.860           | .9798 | ----          | ----                     | ----              | ----              | 13               | UNCH |      |
| 5450           | ----                              | ----                      | 8.035B/----        | 8.035B/6.604A           | ----                       | 6.998 + 0.765            | .9215 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 5500           | ----                              | ----                      | 7.561B/----        | 7.561B/6.157A           | ----                       | 6.537 + 0.743            | .9081 | ----          | ----                     | ----              | ----              | 3                | UNCH |      |
| 5575           | ----                              | ----                      | 6.873B/----        | 6.873B/5.499A           | ----                       | 5.860 + 0.707            | .8836 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 5700           | ----                              | ----                      | 5.763B/----        | 5.763B/4.472A           | ----                       | 4.780 + 0.634            | .8297 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 5850           | ----                              | ----                      | 4.525B/----        | 4.525B/3.344A           | ----                       | 3.602 + 0.522            | .7401 | ----          | ----                     | ----              | ----              | 26               | UNCH |      |
| 5900           | ----                              | ----                      | 4.139B/----        | 4.139B/3.033A           | ----                       | 3.246 + 0.484            | .7043 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 5950           | ----                              | ----                      | 3.769B/----        | 3.769B/2.712A           | ----                       | 2.908 + 0.444            | .6661 | ----          | ----                     | ----              | ----              | 3                | UNCH |      |
| 5975           | ----                              | ----                      | 3.590B/----        | 3.590B/2.550A           | ----                       | 2.748 + 0.424            | .6461 | ----          | ----                     | ----              | ----              | 4                | UNCH |      |
| 6000           | 2.620                             | 2.620                     | 3.416B/2.620       | 3.416B/2.407A           | ----                       | 2.593 + 0.402            | .6257 | ----          | 1                        | ----              | ----              | 40               | UNCH |      |
| 6025           | ----                              | ----                      | 3.243B/----        | 3.243B/2.275A           | ----                       | 2.443 + 0.380            | .6049 | ----          | 2                        | ----              | ----              | 3 +              | 2    |      |
| 6050           | 2.535                             | 2.535                     | 3.078B/2.535       | 3.078B/2.138A           | ----                       | 2.299 + 0.359            | .5838 | ----          | 1                        | ----              | ----              | 11 -             | 1    |      |
| 6075           | 2.469                             | 2.469                     | 2.922B/2.469       | 2.922B/2.012A           | ----                       | 2.160 + 0.338            | .5624 | ----          | 1                        | ----              | ----              | 7                | UNCH |      |
| 6100           | 2.545                             | 2.545                     | 2.764B/2.545       | 2.764B/1.891A           | ----                       | 2.027 + 0.318            | .5409 | ----          | 2                        | ----              | ----              | 80               | UNCH |      |
| 6125           | ----                              | ----                      | 2.615B/----        | 2.615B/1.775A           | ----                       | 1.900 + 0.298            | .5192 | ----          | 5                        | ----              | ----              | 27               | UNCH |      |
| 6150           | 1.932                             | 1.932                     | 2.482B/1.797       | 2.482B/1.666A           | ----                       | 1.779 + 0.278            | .4975 | ----          | 37                       | ----              | ----              | 43 +             | 14   |      |
| 6175           | 1.911                             | 1.911                     | 2.343B/1.667       | 2.343B/1.562A           | ----                       | 1.663 + 0.258            | .4759 | ----          | 93                       | ----              | ----              | 87 +             | 48   |      |
| 6200           | 1.788                             | 1.788                     | 2.209B/1.530       | 2.209B/1.462A           | ----                       |                          |       |               |                          |                   |                   |                  |      |      |

|         | BULLETIN #191@       |              |                 |                    |                  |                    |               |                 |                          |       | METALS OPTION PRODUCTS |                          |                   |               |      | Mon, Oct 05, 2026 |      |  | PG64 |
|---------|----------------------|--------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|------------------------|--------------------------|-------------------|---------------|------|-------------------|------|--|------|
|         | GLOBEX<br>OPEN       | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES          | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME |      | OPEN<br>INTEREST  |      |  |      |
| SO CALL | COMEX SILVER OPTIONS |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |      |                   |      |  |      |
| NOV26   |                      |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |      |                   |      |  |      |
| 7700    | 0.053                | 0.053        |                 | 0.059B/0.051       | 0.059B/0.051     | ----               | 0.049         | -               | 0.005                    | .0183 | ----                   | ----                     | 34                | ----          | 221  | +                 | 28   |  |      |
| 7725    | ----                 | ----         |                 | 0.055B/----        | 0.055B/0.053A    | ----               | 0.047         | -               | 0.005                    | .0175 | ----                   | ----                     | ----              | ----          | 3    |                   | UNCH |  |      |
| 7750    | ----                 | ----         |                 | 0.054B/----        | 0.054B/0.052A    | ----               | 0.045         | -               | 0.006                    | .0168 | ----                   | ----                     | ----              | ----          | 15   |                   | UNCH |  |      |
| 7775    | ----                 | ----         |                 | 0.050B/0.048A      | 0.050B/0.048A    | ----               | 0.044         | -               | 0.005                    | .0163 | ----                   | ----                     | ----              | ----          | 13   |                   | UNCH |  |      |
| 7800    | ----                 | ----         |                 | 0.048B/0.046A      | 0.048B/0.046A    | ----               | 0.042         | -               | 0.005                    | .0155 | ----                   | ----                     | 3                 | ----          | 269  | +                 | 3    |  |      |
| 7825    | ----                 | ----         |                 | ----               | 0.046B/0.047A    | ----               | 0.041         | -               | 0.005                    | .0151 | ----                   | ----                     | ----              | ----          | 2    |                   | UNCH |  |      |
| 7850    | ----                 | ----         |                 | ----               | 0.044B/0.045A    | ----               | 0.039         | -               | 0.005                    | .0143 | ----                   | ----                     | ----              | ----          | 105  |                   | UNCH |  |      |
| 7875    | ----                 | ----         |                 | ----               | 0.036B/0.044A    | ----               | 0.038         | -               | 0.004                    | .0139 | ----                   | ----                     | ----              | ----          | 9    |                   | UNCH |  |      |
| 7900    | ----                 | ----         |                 | ----               | 0.035B/0.041A    | ----               | 0.036         | -               | 0.005                    | .0132 | ----                   | ----                     | ----              | ----          | 53   |                   | UNCH |  |      |
| 7950    | ----                 | ----         |                 | ----               | 0.031B/0.039A    | ----               | 0.034         | -               | 0.004                    | .0123 | ----                   | ----                     | ----              | ----          | 7    |                   | UNCH |  |      |
| 7975    | ----                 | ----         |                 | ----               | 0.030B/0.038A    | ----               | 0.033         | -               | 0.003                    | .0119 | ----                   | ----                     | ----              | ----          | 2    |                   | UNCH |  |      |
| 8000    | ----                 | ----         | ----/0.034A     | ----               | 0.035B/0.034A    | ----               | 0.032         | -               | 0.003                    | .0115 | ----                   | ----                     | 16                | ----          | 1582 |                   | UNCH |  |      |
| 8025    | ----                 | ----         | ----            | ----               | 0.034B/0.036A    | ----               | 0.031         | -               | 0.003                    | .0111 | ----                   | ----                     | ----              | ----          | 6    |                   | UNCH |  |      |
| 8050    | ----                 | ----         | ----            | ----               | 0.033B/0.035A    | ----               | 0.030         | -               | 0.003                    | .0107 | ----                   | ----                     | ----              | ----          | 1    |                   | UNCH |  |      |
| 8075    | ----                 | ----         | ----            | ----               | 0.025B/0.033A    | ----               | 0.029         | -               | 0.003                    | .0103 | ----                   | ----                     | ----              | ----          | 2    |                   | UNCH |  |      |
| 8100    | 0.026                | 0.026        |                 | 0.026/0.026        | 0.026/0.026      | ----               | 0.028         | -               | 0.002                    | .0100 | ----                   | ----                     | 5                 | ----          | 23   | +                 | 2    |  |      |
| 8125    | ----                 | ----         | ----            | ----               | 0.023B/0.032A    | ----               | 0.027         | -               | 0.003                    | .0096 | ----                   | ----                     | ----              | ----          | 1    |                   | UNCH |  |      |
| 8150    | ----                 | ----         | ----            | ----               | 0.022B/0.032A    | ----               | 0.026         | -               | 0.003                    | .0092 | ----                   | ----                     | ----              | ----          | 124  |                   | UNCH |  |      |
| 8175    | ----                 | ----         | ----            | ----               | 0.027B/0.031A    | ----               | 0.025         | -               | 0.003                    | .0088 | ----                   | ----                     | ----              | ----          | 3    |                   | UNCH |  |      |
| 8200    | ----                 | ----         | ----            | ----               | 0.018B/0.028A    | ----               | 0.024         | -               | 0.003                    | .0085 | ----                   | ----                     | ----              | ----          | 111  |                   | UNCH |  |      |
| 8225    | ----                 | ----         | ----            | ----               | 0.024B/0.029A    | ----               | 0.024         | -               | 0.002                    | .0084 | ----                   | ----                     | ----              | ----          | 4    |                   | UNCH |  |      |
| 8250    | ----                 | ----         | ----            | ----               | 0.018B/0.028A    | ----               | 0.023         | -               | 0.002                    | .0080 | ----                   | ----                     | ----              | ----          | 9    |                   | UNCH |  |      |
| 8275    | ----                 | ----         | ----            | ----               | 0.016B/0.028A    | ----               | 0.022         | -               | 0.003                    | .0077 | ----                   | ----                     | ----              | ----          | 5    |                   | UNCH |  |      |
| 8300    | ----                 | ----         | ----            | ----               | 0.016B/0.026A    | ----               | 0.022         | -               | 0.002                    | .0076 | ----                   | ----                     | ----              | ----          | 87   |                   | UNCH |  |      |
| 8325    | ----                 | ----         | ----            | ----               | 0.014B/0.026A    | ----               | 0.021         | -               | 0.002                    | .0073 | ----                   | ----                     | ----              | ----          | 3    |                   | UNCH |  |      |
| 8350    | ----                 | ----         | ----            | ----               | 0.015B/0.025A    | ----               | 0.020         | -               | 0.002                    | .0069 | ----                   | ----                     | ----              | ----          | 2    |                   | UNCH |  |      |
| 8375    | ----                 | ----         | ----            | ----               | 0.019B/0.025A    | ----               | 0.020         | -               | 0.002                    | .0069 | ----                   | ----                     | ----              | ----          | 11   |                   | UNCH |  |      |
| 8400    | ----                 | ----         | ----            | ----               | 0.019B/0.024A    | ----               | 0.019         | -               | 0.002                    | .0065 | ----                   | ----                     | ----              | ----          | 130  |                   | UNCH |  |      |
| 8425    | ----                 | ----         | ----            | ----               | 0.012B/0.024A    | ----               | 0.019         | -               | 0.001                    | .0065 | ----                   | ----                     | ----              | ----          | 5    |                   | UNCH |  |      |
| 8450    | ----                 | ----         | ----            | ----               | 0.012B/0.023A    | ----               | 0.018         | -               | 0.002                    | .0061 | ----                   | ----                     | ----              | ----          | 7    |                   | UNCH |  |      |
| 8500    | ----                 | ----         | ----            | ----               | 0.016B/0.022A    | ----               | 0.017         | -               | 0.001                    | .0058 | ----                   | ----                     | 16                | ----          | 513  | -                 | 13   |  |      |
| 8600    | ----                 | ----         | ----            | ----               | 0.008B/0.020A    | ----               | 0.015         | -               | 0.001                    | .0050 | ----                   | ----                     | ----              | ----          | 81   |                   | UNCH |  |      |
| 8625    | ----                 | ----         | ----            | ----               | 0.009B/0.018A    | ----               | 0.015         |                 | UNCH                     | .0050 | ----                   | ----                     | ----              | ----          | 1    |                   | UNCH |  |      |
| 8675    | ----                 | ----         | ----            | ----               | 0.007B/0.021A    | ----               | 0.014         |                 | UNCH                     | .0046 | ----                   | ----                     | ----              | ----          | 4    |                   | UNCH |  |      |
| 8700    | ----                 | ----         | ----            | ----               | 0.007B/0.020A    | ----               | 0.014         | +               | 0.001                    | .0046 | ----                   | ----                     | ----              | ----          | 59   |                   | UNCH |  |      |
| 8725    | ----                 | ----         | ----            | ----               | 0.006B/0.021A    | ----               | 0.014         | +               | 0.001                    | .0046 | ----                   | ----                     | ----              | ----          | 1    |                   | UNCH |  |      |
| 8750    | ----                 | ----         | ----            | ----               | 0.005B/0.019A    | ----               | 0.013         | +               | 0.001                    | .0043 | ----                   | ----                     | ----              | ----          | 2    |                   | UNCH |  |      |
| 8800    | ----                 | ----         | ----            | ----               | 0.006B/0.013A    | ----               | 0.012         |                 | UNCH                     | .0039 | ----                   | ----                     | ----              | ----          | 103  |                   | UNCH |  |      |
| 8850    | ----                 | ----         | ----            | ----               | 0.005B/0.017A    | ----               | 0.012         | +               | 0.001                    | .0039 | ----                   | ----                     | ----              | ----          | 13   |                   | UNCH |  |      |
| 8900    | ----                 | ----         | ----            | ----               | 0.004B/0.017A    | ----               | 0.011         | +               | 0.001                    | .0036 | ----                   | ----                     | ----              | ----          | 8    |                   | UNCH |  |      |
| 8925    | ----                 | ----         | ----            | ----               | ----/0.017A      | ----               | 0.010         |                 | UNCH                     | .0032 | ----                   | ----                     | ----              | ----          | 1    |                   | UNCH |  |      |
| 8950    | ----                 | ----         | ----            | ----               | ----/0.015A      | ----               | 0.010         | +               | 0.001                    | .0032 | ----                   | ----                     | ----              | ----          | 3    |                   | UNCH |  |      |
| 8975    | ----                 | ----         | ----            | ----               | ----/0.015A      | ----               | 0.010         | +               | 0.001                    | .0032 | ----                   | ----                     | ----              | ----          | 1    |                   | UNCH |  |      |
| 9000    | 0.011                | 0.011        |                 | 0.013B/0.011       | 0.013B/0.011     | ----               | 0.009         |                 | UNCH                     | .0029 | ----                   | ----                     | 1                 | ----          | 227  |                   | UNCH |  |      |
| 9025    | ----                 | ----         | ----            | ----               | ----/0.015A      | ----               | 0.009         |                 | UNCH                     | .0029 | ----                   | ----                     | ----              | ----          | 1    |                   | UNCH |  |      |
| 9050    | ----                 | ----         | ----            | ----               | ----/0.013A      | ----               | 0.009         |                 | UNCH                     | .0029 | ----                   | ----                     | ----              | ----          | 1    |                   | UNCH |  |      |
| 9100    | ----                 | ----         | ----            | ----               | ----/0.013A      | ----               | 0.009         | +               | 0.001                    | .0028 | ----                   | ----                     | ----              | ----          | 5    |                   | UNCH |  |      |
| 9150    | ----                 | ----         | ----            | ----               | ----/0.012A      | ----               | 0.008         |                 | UNCH                     | .0025 | ----                   | ----                     | ----              | ----          | 1    |                   | UNCH |  |      |
| 9200    | ----                 | ----         | ----            | ----               | ----/0.012A      | ----               | 0.008         |                 | UNCH                     | .0025 | ----                   | ----                     | ----              | ----          | 6    |                   | UNCH |  |      |
| 9225    | ----                 | ----         | ----            | ----               | ----/0.011A      | ----               | 0.008         |                 | UNCH                     | .0025 | ----                   | ----                     | ----              | ----          | 10   |                   | UNCH |  |      |
| 9250    | ----                 | ----         | ----            | ----               | ----/0.010A      | ----               | 0.008         |                 | UNCH                     | .0025 | ----                   | ----                     | ----              | ----          | 7    |                   | UNCH |  |      |
| 9300    | ----                 | ----         | ----            | ----               | ----/0.012A      | ----               | 0.007         |                 | UNCH                     | .0022 | ----                   | ----                     | ----              | ----          | 11   |                   | UNCH |  |      |
| 9325    | ----                 | ----         | ----            | ----               | ----/0.010A      | ----               | 0.007         |                 | UNCH                     | .0022 | ----                   | ----                     | ----              | ----          | 1    |                   | UNCH |  |      |
| 9350    | ----                 | ----         | ----            | ----               | ----/0.010A      | ----               | 0.007         |                 | UNCH                     | .0021 | ----                   | ----                     | ----              | ----          | 11   |                   | UNCH |  |      |
| 9400    | ----                 | ----         | ----            | ----               | ----/0.009A      | ----               | 0.007         |                 | UNCH                     | .0021 | ----                   | ----                     | ----              | ----          | 77   |                   | UNCH |  |      |
| 9450    | ----                 | ----         | ----            | ----               | ----/0.009A      | ----               | 0.007         |                 | UNCH                     | .0021 | ----                   | ----                     | ----              | ----          | 5    |                   | UNCH |  |      |
| 9500    | ----                 | ----         | ----            | ----               | ----/0.010A      | ----               | 0.007         |                 | UNCH                     | .0021 | ----                   | ----                     | 8                 | ----          | 365  |                   | UNCH |  |      |
| 9550    | ----                 | ----         | ----            | ----               | ----/0.009A      | ----               | 0.006         | -               | 0.001                    | .0018 | ----                   | ----                     | ----              | ----          | 3    |                   | UNCH |  |      |
| 9575    | ----                 | ----         | ----            | ----               | ----/0.008A      | ----               | 0.006         |                 | UNCH                     | .0018 | ----                   | ----                     | ----              | ----          | 24   |                   | UNCH |  |      |
| 9600    | ----                 | ----         | ----            | ----               | ----/0.011A      | ----               | 0.006         |                 | UNCH                     | .0018 | ----                   | ----                     | ----              | ----          | 1    |                   | UNCH |  |      |
| 9625    | ----                 | ----         | ----            | ----               | ----/0.013A      | ----               | 0.006         |                 | UNCH                     | .0018 | ----                   | ----                     | ----              | ----          | 9    |                   | UNCH |  |      |
| 9700    | ----                 | ----         | ----            | ----               | ----/0.012A      | ----               | 0.006         |                 | UNCH                     | .0017 | ----                   | ----                     | ----              | ----          | 1    |                   | UNCH |  |      |
| 9775    | ----                 | ----         | ----            | ----               | ----/0.012A      | ----               | 0.005         | -               | 0.001                    | .0015 | ----                   | ----                     | ----              | ----          | 1    |                   | UNCH |  |      |
| 9800    | ----                 | ----         | ----            | ----               | ----/0.012A      | ----               | 0.005         | -               | 0.001                    | .0014 | ----                   | ----                     | ----              | ----          | 6    |                   | UNCH |  |      |
| 9850    | ----                 | ----         | ----            | ----               | ----/0.012A      | ----               | 0.005         |                 | UNCH                     | .0014 | ----                   | ----                     | ----              | ----          | 1    |                   | UNCH |  |      |
| 9900    | ----                 | ----         | ----            | ----               | ----/0.012A      | ----               | 0.005         |                 | UNCH                     | .0014 | ----                   | ----                     | ----              | ----          | 10   |                   | UNCH |  |      |
| 9950    | ----                 | ----         | ----            | ----               | ----/0.013A      | ----               | 0.005         |                 | UNCH                     | .0014 | ----                   | ----                     | ----              | ----          | 1    |                   | UNCH |  |      |
| 10000   | 0.008                | 0.008        |                 | 0.008/0.007        | 0.008/0.007      | ----               | 0.005         |                 | UNCH                     | .0014 | ----                   | ----                     | 3                 | ----          | 258  | +                 | 3    |  |      |
| 10100   | ----                 | ----         | ----            | ----               | ----/0.012A      | ----               | 0.004         | -               | 0.001                    | .0011 | ----                   | ----                     | ----              | ----          | 5    |                   | UNCH |  |      |
| 10200   | ----                 | ----         | ----            | ----               | ----/0.012A      | ----               | 0.004         | -               | 0.001                    | .0011 | ----                   | ----                     | ----              | ----          | 5    |                   | UNCH |  |      |
| 10300   | ----                 | ----         | ----            | ----               | ----/0.078A      | ----               | 0.004         |                 | UNCH                     | .0011 | ----                   | ----                     | ----              | ----          | 4    |                   | UNCH |  |      |
| 10400   | ----                 | ----         | ----            | ----               | ----/0.078A      | ----               | 0.004         |                 | UNCH                     | .0011 | ----                   | ----                     | ----              | ----          | 5    |                   | UNCH |  |      |

| BULLETIN #191@ |                      |              |                 | METALS OPTION PRODUCTS |                  |                    |               |                 |                          |       |               |                          |                   | Mon, Oct 05, 2026 |                  |      | PG64 |
|----------------|----------------------|--------------|-----------------|------------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|-------------------|------------------|------|------|
|                | GLOBEX<br>OPEN       | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME     | OPEN<br>INTEREST |      |      |
| SO CALL        | COMEX SILVER OPTIONS |              |                 |                        |                  |                    |               |                 |                          |       |               |                          |                   |                   |                  |      |      |
| DEC26          |                      |              |                 |                        |                  |                    |               |                 |                          |       |               |                          |                   |                   |                  |      |      |
| 6650           | ----                 | ----         | ----            | 1.769B/----            | 1.769B/1.317A    | ----               | 1.344         | +               | 0.123                    | .2853 | ----          | ----                     | 1                 | ----              | 33               | UNCH |      |
| 6675           | 1.679                | 1.679        |                 | 1.705B/1.266A          | 1.705B/1.266A    | ----               | 1.292         | +               | 0.116                    | .2762 | ----          | ----                     | 1                 | ----              | 5                | UNCH |      |
| 6700           | 1.488                | 1.488        |                 | 1.644B/1.217A          | 1.644B/1.217A    | ----               | 1.241         | +               | 0.109                    | .2673 | ----          | ----                     | 7                 | ----              | 191              | +    |      |
| 6725           | ----                 | ----         | ----            | 1.584B/----            | 1.584B/1.170A    | ----               | 1.193         | +               | 0.102                    | .2587 | ----          | ----                     | ----              | ----              | 7                | UNCH |      |
| 6750           | ----                 | ----         | ----            | 1.525B/----            | 1.525B/1.126A    | ----               | 1.147         | +               | 0.096                    | .2503 | ----          | ----                     | ----              | ----              | 36               | UNCH |      |
| 6775           | ----                 | ----         | ----            | 1.469B/----            | 1.469B/1.083A    | ----               | 1.102         | +               | 0.089                    | .2421 | ----          | ----                     | ----              | ----              | 55               | UNCH |      |
| 6800           | 1.088                | 1.088        |                 | 1.417B/1.088           | 1.417B/1.041A    | ----               | 1.060         | +               | 0.084                    | .2343 | ----          | ----                     | 12                | ----              | 515              | +    |      |
| 6825           | ----                 | ----         | ----            | 1.365B/----            | 1.365B/1.002A    | ----               | 1.020         | +               | 0.079                    | .2267 | ----          | ----                     | ----              | ----              | 14               | UNCH |      |
| 6850           | ----                 | ----         | ----            | 1.315B/----            | 1.315B/0.965A    | ----               | 0.982         | +               | 0.075                    | .2194 | ----          | ----                     | ----              | ----              | 7                | UNCH |      |
| 6875           | ----                 | ----         | ----            | 1.269B/----            | 1.269B/0.929A    | ----               | 0.945         | +               | 0.070                    | .2123 | ----          | ----                     | ----              | ----              | 5                | UNCH |      |
| 6900           | 0.995                | 0.995        |                 | 1.222B/0.895A          | 1.222B/0.895A    | ----               | 0.910         | +               | 0.066                    | .2055 | ----          | ----                     | 14                | ----              | 225              | UNCH |      |
| 6925           | ----                 | ----         | ----            | 1.178B/----            | 1.178B/0.862A    | ----               | 0.876         | +               | 0.061                    | .1988 | ----          | ----                     | ----              | ----              | 20               | UNCH |      |
| 6950           | 1.030                | 1.030        |                 | 1.137B/0.830A          | 1.137B/0.830A    | ----               | 0.844         | +               | 0.058                    | .1924 | ----          | ----                     | 1                 | ----              | 232              | +    |      |
| 6975           | ----                 | ----         | ----            | 1.096B/----            | 1.096B/0.800A    | ----               | 0.813         | +               | 0.054                    | .1861 | ----          | ----                     | ----              | ----              | 3                | UNCH |      |
| 7000           | 0.886                | 0.886        |                 | 1.060/0.772A           | 1.060/0.772A     | ----               | 0.783         | +               | 0.050                    | .1801 | ----          | ----                     | 51                | ----              | 994              | -    |      |
| 7025           | ----                 | ----         | ----            | 1.020B/----            | 1.020B/0.744A    | ----               | 0.755         | +               | 0.047                    | .1743 | ----          | ----                     | ----              | ----              | 4                | UNCH |      |
| 7050           | ----                 | ----         | ----            | 0.983B/----            | 0.983B/0.718A    | ----               | 0.727         | +               | 0.043                    | .1686 | ----          | ----                     | ----              | ----              | 42               | UNCH |      |
| 7075           | ----                 | ----         | ----            | 0.950B/----            | 0.950B/0.694A    | ----               | 0.703         | +               | 0.042                    | .1634 | ----          | ----                     | ----              | ----              | 6                | UNCH |      |
| 7100           | ----                 | ----         | ----            | 0.916B/----            | 0.916B/0.669A    | ----               | 0.678         | +               | 0.039                    | .1582 | ----          | 7                        | 50                | 98                | +                |      |      |
| 7125           | ----                 | ----         | ----            | 0.884B/----            | 0.884B/0.646A    | ----               | 0.654         | +               | 0.036                    | .1531 | ----          | 1                        | ----              | 9                 | +                |      |      |
| 7150           | ----                 | ----         | ----            | 0.853B/----            | 0.853B/0.624A    | ----               | 0.632         | +               | 0.034                    | .1484 | ----          | ----                     | ----              | ----              | 9                | UNCH |      |
| 7175           | ----                 | ----         | ----            | 0.825B/----            | 0.825B/0.603A    | ----               | 0.610         | +               | 0.031                    | .1436 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 7200           | 0.760                | 0.760        |                 | 0.796B/0.584A          | 0.796B/0.584A    | ----               | 0.590         | +               | 0.030                    | .1392 | ----          | ----                     | 18                | ----              | 226              | -    |      |
| 7225           | ----                 | ----         | ----            | 0.769B/----            | 0.769B/0.564A    | ----               | 0.570         | +               | 0.028                    | .1349 | ----          | ----                     | ----              | ----              | 8                | UNCH |      |
| 7250           | ----                 | ----         | ----            | 0.744B/----            | 0.744B/0.546A    | ----               | 0.551         | +               | 0.026                    | .1307 | ----          | 1                        | ----              | 16                | +                |      |      |
| 7275           | ----                 | ----         | ----            | 0.719B/----            | 0.719B/0.529A    | ----               | 0.533         | +               | 0.024                    | .1267 | ----          | ----                     | ----              | ----              | 13               | UNCH |      |
| 7300           | ----                 | ----         | ----            | 0.695B/----            | 0.695B/0.513A    | ----               | 0.515         | +               | 0.021                    | .1227 | ----          | ----                     | ----              | ----              | 102              | UNCH |      |
| 7325           | ----                 | ----         | ----            | 0.673B/----            | 0.673B/0.497A    | ----               | 0.499         | +               | 0.020                    | .1191 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 7350           | 0.580                | 0.580        |                 | 0.650B/0.481A          | 0.650B/0.481A    | ----               | 0.483         | +               | 0.018                    | .1155 | ----          | 1                        | ----              | ----              | 9                | UNCH |      |
| 7375           | ----                 | ----         | ----            | 0.630B/----            | 0.630B/0.467A    | ----               | 0.468         | +               | 0.017                    | .1121 | ----          | ----                     | ----              | ----              | 13               | UNCH |      |
| 7400           | 0.530                | 0.530        |                 | 0.610B/0.452A          | 0.610B/0.452A    | ----               | 0.454         | +               | 0.016                    | .1088 | ----          | 1                        | ----              | ----              | 69               | UNCH |      |
| 7425           | ----                 | ----         | ----            | 0.591B/----            | 0.591B/0.439A    | ----               | 0.440         | +               | 0.015                    | .1056 | ----          | ----                     | ----              | ----              | 11               | UNCH |      |
| 7450           | 0.442                | 0.442        |                 | 0.572B/0.442           | 0.572B/0.426A    | ----               | 0.427         | +               | 0.014                    | .1026 | ----          | 2                        | ----              | ----              | 2                | +    |      |
| 7475           | ----                 | ----         | ----            | 0.554B/----            | 0.554B/0.415A    | ----               | 0.415         | +               | 0.014                    | .0997 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 7500           | 0.490                | 0.490        |                 | 0.538B/0.405A          | 0.538B/0.405A    | ----               | 0.404         | +               | 0.014                    | .0971 | ----          | 41                       | ----              | ----              | 1421             | -    |      |
| 7525           | 0.409                | 0.409        |                 | 0.522B/0.409           | 0.522B/0.394A    | ----               | 0.392         | +               | 0.013                    | .0943 | ----          | 2                        | ----              | ----              | 23               | +    |      |
| 7550           | ----                 | ----         | ----            | 0.504B/----            | 0.504B/0.383A    | ----               | 0.381         | +               | 0.013                    | .0917 | ----          | ----                     | ----              | ----              | 56               | UNCH |      |
| 7575           | ----                 | ----         | ----            | 0.491B/----            | 0.491B/0.372A    | ----               | 0.371         | +               | 0.013                    | .0893 | ----          | ----                     | ----              | ----              | 7                | UNCH |      |
| 7600           | ----                 | ----         | ----            | 0.475B/----            | 0.475B/0.362A    | ----               | 0.360         | +               | 0.011                    | .0867 | ----          | 1                        | ----              | ----              | 268              | +    |      |
| 7625           | 0.380                | 0.380        |                 | 0.461B/0.352A          | 0.461B/0.352A    | ----               | 0.350         | NEW             | .0843                    |       | ----          | 4                        | ----              | ----              | 4                | +    |      |
| 7650           | ----                 | ----         | ----            | 0.448B/----            | 0.448B/0.343A    | ----               | 0.341         | +               | 0.011                    | .0821 | ----          | ----                     | ----              | ----              | 3                | UNCH |      |
| 7675           | ----                 | ----         | ----            | 0.436B/----            | 0.436B/0.334A    | ----               | 0.332         | +               | 0.010                    | .0800 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 7700           | 0.360                | 0.360        |                 | 0.423B/0.324A          | 0.423B/0.324A    | ----               | 0.323         | +               | 0.010                    | .0778 | ----          | 1                        | ----              | ----              | 279              | +    |      |
| 7725           | ----                 | ----         | ----            | 0.411B/----            | 0.411B/0.316A    | ----               | 0.315         | +               | 0.010                    | .0759 | ----          | ----                     | ----              | ----              | 4                | UNCH |      |
| 7750           | ----                 | ----         | ----            | 0.399B/----            | 0.399B/0.308A    | ----               | 0.306         | +               | 0.008                    | .0737 | ----          | ----                     | ----              | ----              | 4                | UNCH |      |
| 7775           | ----                 | ----         | ----            | 0.388B/----            | 0.388B/0.300A    | ----               | 0.298         | +               | 0.008                    | .0718 | ----          | ----                     | ----              | ----              | 10               | UNCH |      |
| 7800           | ----                 | ----         | ----            | 0.354B/----            | 0.354B/0.293A    | ----               | 0.291         | +               | 0.008                    | .0701 | ----          | ----                     | ----              | ----              | 181              | UNCH |      |
| 7825           | ----                 | ----         | ----            | 0.345B/----            | 0.345B/0.286A    | ----               | 0.283         | +               | 0.007                    | .0682 | ----          | ----                     | ----              | ----              | 6                | UNCH |      |
| 7850           | ----                 | ----         | ----            | 0.336B/----            | 0.336B/0.279A    | ----               | 0.276         | +               | 0.007                    | .0665 | ----          | ----                     | ----              | ----              | 9                | UNCH |      |
| 7875           | ----                 | ----         | ----            | 0.326B/----            | 0.326B/0.272A    | ----               | 0.269         | +               | 0.006                    | .0648 | ----          | ----                     | ----              | ----              | 9                | UNCH |      |
| 7900           | ----                 | ----         | ----            | 0.318B/----            | 0.318B/0.265A    | ----               | 0.263         | +               | 0.007                    | .0633 | ----          | ----                     | 2                 | ----              | 50               | -    |      |
| 7925           | ----                 | ----         | ----            | 0.309B/----            | 0.309B/0.259A    | ----               | 0.256         | +               | 0.006                    | .0616 | ----          | ----                     | ----              | ----              | 6                | UNCH |      |
| 7950           | ----                 | ----         | ----            | 0.306B/----            | 0.306B/0.253A    | ----               | 0.250         | +               | 0.005                    | .0601 | ----          | ----                     | ----              | ----              | 59               | UNCH |      |
| 7975           | ----                 | ----         | ----            | 0.306B/----            | 0.306B/0.247A    | ----               | 0.244         | +               | 0.005                    | .0586 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 8000           | 0.243                | 0.243        |                 | 0.301B/0.237           | 0.301B/0.237     | ----               | 0.238         | +               | 0.004                    | .0572 | ----          | 7                        | ----              | ----              | 1161             | -    |      |
| 8025           | ----                 | ----         | ----            | 0.294B/----            | 0.294B/0.237A    | ----               | 0.232         | +               | 0.004                    | .0557 | ----          | ----                     | ----              | ----              | 11               | UNCH |      |
| 8050           | ----                 | ----         | ----            | 0.289B/----            | 0.289B/0.232A    | ----               | 0.227         | +               | 0.004                    | .0545 | ----          | ----                     | ----              | ----              | 22               | UNCH |      |
| 8075           | ----                 | ----         | ----            | 0.282B/----            | 0.282B/0.226A    | ----               | 0.222         | +               | 0.004                    | .0532 | ----          | ----                     | ----              | ----              | 46               | UNCH |      |
| 8100           | ----                 | ----         | ----            | 0.275B/----            | 0.275B/0.221A    | ----               | 0.217         | +               | 0.003                    | .0520 | ----          | ----                     | ----              | ----              | 62               | UNCH |      |
| 8125           | ----                 | ----         | ----            | 0.269B/----            | 0.269B/0.216A    | ----               | 0.212         | +               | 0.003                    | .0508 | ----          | ----                     | ----              | ----              | 19               | UNCH |      |
| 8150           | ----                 | ----         | ----            | 0.262B/----            | 0.262B/0.212A    | ----               | 0.207         | +               | 0.003                    | .0495 | ----          | ----                     | ----              | ----              | 11               | UNCH |      |
| 8175           | ----                 | ----         | ----            | 0.256B/----            | 0.256B/0.207A    | ----               | 0.202         | +               | 0.002                    | .0483 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 8200           | ----                 | ----         | ----            | 0.250B/----            | 0.250B/0.203A    | ----               | 0.198         | +               | 0.002                    | .0473 | ----          | ----                     | ----              | ----              | 609              | UNCH |      |
| 8225           | ----                 | ----         | ----            | 0.244B/----            | 0.244B/0.199A    | ----               | 0.194         | +               | 0.002                    | .0463 | ----          | ----                     | ----              | ----              | 20               | UNCH |      |
| 8250           | ----                 | ----         | ----            | 0.239B/----            | 0.239B/0.195A    | ----               | 0.190         | +               | 0.003                    | .0453 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 8275           | ----                 | ----         | ----            | 0.233B/----            | 0.233B/0.191A    | ----               | 0.186         | +               | 0.003                    | .0443 | ----          | ----                     | ----              | ----              | 5                | UNCH |      |
| 8300           | 0.195                | 0.           |                 |                        |                  |                    |               |                 |                          |       |               |                          |                   |                   |                  |      |      |



|                      | BULLETIN #191@ |              |                 |                    |                  |                    |               |                 |                          |       | METALS OPTION PRODUCTS |                          |                   |               |       |      |                  |      |  |  | Mon, Oct 05, 2026 |  | PG64 |
|----------------------|----------------|--------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|------------------------|--------------------------|-------------------|---------------|-------|------|------------------|------|--|--|-------------------|--|------|
|                      | GLOBEX<br>OPEN | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES          | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME |       |      | OPEN<br>INTEREST |      |  |  |                   |  |      |
| SO CALL              |                |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |       |      |                  |      |  |  |                   |  |      |
| COMEX SILVER OPTIONS |                |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |       |      |                  |      |  |  |                   |  |      |
| DEC26                |                |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |       |      |                  |      |  |  |                   |  |      |
| 11000                | ----           | ----         | ----            | ----               | 0.029B/0.038A    | ----               | 0.030         | - 0.003         | .0065                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 299              | UNCH |  |  |                   |  |      |
| 11075                | ----           | ----         | ----            | ----               | 0.027B/0.037A    | ----               | 0.029         | - 0.002         | .0062                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 1                | UNCH |  |  |                   |  |      |
| 11150                | ----           | ----         | ----            | ----               | 0.026B/0.035A    | ----               | 0.028         | - 0.002         | .0060                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 1                | UNCH |  |  |                   |  |      |
| 11200                | ----           | ----         | ----            | ----               | 0.025B/0.034A    | ----               | 0.027         | - 0.002         | .0058                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 9                | UNCH |  |  |                   |  |      |
| 11225                | ----           | ----         | ----            | ----               | 0.024B/0.035A    | ----               | 0.027         | - 0.002         | .0058                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 2                | UNCH |  |  |                   |  |      |
| 11250                | ----           | ----         | ----            | ----               | 0.025B/0.034A    | ----               | 0.026         | - 0.003         | .0056                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 2                | UNCH |  |  |                   |  |      |
| 11275                | ----           | ----         | ----            | ----               | 0.024B/0.033A    | ----               | 0.026         | - 0.002         | .0056                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 1                | UNCH |  |  |                   |  |      |
| 11300                | ----           | ----         | ----            | ----               | 0.023B/0.034A    | ----               | 0.026         | - 0.002         | .0056                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 5                | UNCH |  |  |                   |  |      |
| 11350                | ----           | ----         | ----            | ----               | 0.023B/0.032A    | ----               | 0.025         | - 0.002         | .0053                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 5                | UNCH |  |  |                   |  |      |
| 11375                | ----           | ----         | ----            | ----               | 0.022B/0.032A    | ----               | 0.025         | - 0.002         | .0053                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 1                | UNCH |  |  |                   |  |      |
| 11400                | ----           | ----         | ----            | ----               | 0.022B/0.032A    | ----               | 0.024         | - 0.003         | .0051                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 11               | UNCH |  |  |                   |  |      |
| 11475                | ----           | ----         | ----            | ----               | 0.021B/0.031A    | ----               | 0.023         | - 0.003         | .0049                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 1                | UNCH |  |  |                   |  |      |
| 11500                | ----           | ----         | ----            | ----               | 0.021B/0.031A    | ----               | 0.023         | - 0.003         | .0049                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 14               | UNCH |  |  |                   |  |      |
| 11550                | ----           | ----         | ----            | ----               | 0.020B/0.030A    | ----               | 0.023         | - 0.002         | .0049                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 1                | UNCH |  |  |                   |  |      |
| 11600                | ----           | ----         | ----            | ----               | 0.020B/0.029A    | ----               | 0.022         | - 0.003         | .0047                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 1                | UNCH |  |  |                   |  |      |
| 11625                | ----           | ----         | ----            | ----               | 0.019B/0.030A    | ----               | 0.022         | - 0.003         | .0047                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 2                | UNCH |  |  |                   |  |      |
| 11675                | ----           | ----         | ----            | ----               | 0.019B/0.028A    | ----               | 0.021         | - 0.003         | .0045                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 2                | UNCH |  |  |                   |  |      |
| 11700                | ----           | ----         | ----            | ----               | 0.019B/0.028A    | ----               | 0.021         | - 0.003         | .0044                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 1                | UNCH |  |  |                   |  |      |
| 11775                | ----           | ----         | ----            | ----               | 0.018B/0.027A    | ----               | 0.021         | - 0.002         | .0044                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 3                | UNCH |  |  |                   |  |      |
| 11800                | ----           | ----         | ----            | ----               | 0.017B/0.027A    | ----               | 0.020         | - 0.003         | .0042                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 30               | UNCH |  |  |                   |  |      |
| 11850                | ----           | ----         | ----            | ----               | 0.017B/0.027A    | ----               | 0.020         | - 0.002         | .0042                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 2                | UNCH |  |  |                   |  |      |
| 12000                | ----           | ----         | ----            | ----               | 0.015B/0.026A    | ----               | 0.019         | - 0.002         | .0040                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 551              | UNCH |  |  |                   |  |      |
| 12075                | ----           | ----         | ----            | ----               | 0.013B/0.025A    | ----               | 0.018         | - 0.002         | .0037                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 1                | UNCH |  |  |                   |  |      |
| 12100                | ----           | ----         | ----            | ----               | 0.012B/0.024A    | ----               | 0.018         | - 0.002         | .0037                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 13               | UNCH |  |  |                   |  |      |
| 12150                | ----           | ----         | ----            | ----               | 0.013B/0.026A    | ----               | 0.018         | - 0.002         | .0037                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 4                | UNCH |  |  |                   |  |      |
| 12175                | ----           | ----         | ----            | ----               | 0.013B/0.026A    | ----               | 0.018         | - 0.001         | .0037                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 10               | UNCH |  |  |                   |  |      |
| 12225                | ----           | ----         | ----            | ----               | 0.012B/0.023A    | ----               | 0.017         | - 0.002         | .0035                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 3                | UNCH |  |  |                   |  |      |
| 12250                | ----           | ----         | ----            | ----               | 0.016B/0.025A    | ----               | 0.017         | - 0.002         | .0035                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 1                | UNCH |  |  |                   |  |      |
| 12275                | ----           | ----         | ----            | ----               | 0.012B/0.025A    | ----               | 0.017         | - 0.001         | .0035                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 1                | UNCH |  |  |                   |  |      |
| 12300                | ----           | ----         | ----            | ----               | 0.011B/0.024A    | ----               | 0.017         | - 0.001         | .0035                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 2                | UNCH |  |  |                   |  |      |
| 12500                | ----           | ----         | ----            | ----               | 0.011B/0.027A    | ----               | 0.016         | - 0.001         | .0033                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 92               | UNCH |  |  |                   |  |      |
| 12550                | ----           | ----         | ----            | ----               | 0.011B/0.027A    | ----               | 0.016         | UNCH            | .0032                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 19               | UNCH |  |  |                   |  |      |
| 12775                | ----           | ----         | ----            | ----               | 0.009B/0.026A    | ----               | 0.014         | - 0.001         | .0028                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 1                | UNCH |  |  |                   |  |      |
| 12800                | ----           | ----         | ----            | ----               | 0.009B/0.026A    | ----               | 0.014         | - 0.001         | .0028                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 7                | UNCH |  |  |                   |  |      |
| 12900                | ----           | ----         | ----            | ----               | 0.004B/0.025A    | ----               | 0.014         | UNCH            | .0028                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 3                | UNCH |  |  |                   |  |      |
| 13000                | ----           | ----         | ----            | ----               | 0.002B/0.024A    | ----               | 0.013         | - 0.001         | .0026                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 370              | UNCH |  |  |                   |  |      |
| 13500                | ----           | ----         | ----            | ----               | -----/0.023A     | ----               | 0.011         | - 0.001         | .0022                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 24               | UNCH |  |  |                   |  |      |
| 14000                | ----           | ----         | ----            | ----               | -----/0.089A     | ----               | 0.010         | - 0.001         | .0019                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 118              | UNCH |  |  |                   |  |      |
| 14200                | ----           | ----         | ----            | ----               | -----/0.088A     | ----               | 0.009         | - 0.001         | .0017                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 2                | UNCH |  |  |                   |  |      |
| 15000                | ----           | ----         | ----            | ----               | -----/0.086A     | ----               | 0.008         | - 0.001         | .0015                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 1773             | UNCH |  |  |                   |  |      |
| 16000                | ----           | ----         | ----            | ----               | -----/0.084A     | ----               | 0.007         | - 0.001         | .0012                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 1615             | UNCH |  |  |                   |  |      |
| 17000                | ----           | ----         | ----            | ----               | 0.005B/0.082A    | ----               | 0.006         | + 0.001         | .0010                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 87               | UNCH |  |  |                   |  |      |
| 18000                | ----           | ----         | ----            | 0.005B/----        | 0.005B/0.081A    | ----               | 0.005         | + 0.002         | .0008                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 202              | UNCH |  |  |                   |  |      |
| 19000                | ----           | ----         | ----            | ----               | -----/0.081A     | ----               | 0.004         | + 0.001         | .0006                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 6                | UNCH |  |  |                   |  |      |
| 20000                | ----           | ----         | ----            | ----               | -----/0.080A     | ----               | 0.003         | UNCH            | .0005                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 544              | UNCH |  |  |                   |  |      |
| 21000                | ----           | ----         | ----            | ----               | 0.002B/0.080A    | ----               | 0.002         | - 0.001         | .0003                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 7                | UNCH |  |  |                   |  |      |
| 22000                | ----           | ----         | ----            | ----               | -----/0.079A     | ----               | 0.001         | - 0.002         | .0001                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 7                | UNCH |  |  |                   |  |      |
| 23000                | ----           | ----         | ----            | ----               | -----/0.079A     | ----               | 0.001         | - 0.002         | .0001                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 37               | UNCH |  |  |                   |  |      |
| 24000                | ----           | ----         | ----            | ----               | -----/0.079A     | ----               | 0.001         | - 0.002         | .0000                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 2                | UNCH |  |  |                   |  |      |
| 25000                | ----           | ----         | ----            | ----               | -----/0.005A     | ----               | 0.001         | - 0.001         | .0000                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 239              | UNCH |  |  |                   |  |      |
| 26000                | ----           | ----         | ----            | ----               | -----/0.078A     | ----               | 0.001         | - 0.001         | .0000                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 3                | UNCH |  |  |                   |  |      |
| 30000                | ----           | ----         | ----            | ----               | -----/0.078A     | ----               | 0.001         | UNCH            | ----                     | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 111              | UNCH |  |  |                   |  |      |
| 32000                | ----           | ----         | ----            | ----               | -----/0.078A     | ----               | 0.001         | UNCH            | ----                     | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 12               | UNCH |  |  |                   |  |      |
| 35000                | ----           | ----         | ----            | ----               | -----/0.078A     | ----               | 0.001         | UNCH            | ----                     | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 1                | UNCH |  |  |                   |  |      |
| 40000                | ----           | ----         | ----            | ----               | -----/0.049A     | ----               | 0.001         | UNCH            | ----                     | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 25               | UNCH |  |  |                   |  |      |
| 90000                | ----           | ----         | ----            | ----               | -----/0.078A     | ----               | 0.001         | UNCH            | ----                     | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 2                | UNCH |  |  |                   |  |      |
| 100000               | ----           | ----         | ----            | ----               | -----/0.002A     | ----               | 0.001         | UNCH            | ----                     | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 10               | UNCH |  |  |                   |  |      |
| TOTAL                |                |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          | 450               | 100           | 25771 | -    | 25               |      |  |  |                   |  |      |
| JAN27                |                |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |       |      |                  |      |  |  |                   |  |      |
| 4000                 | ----           | ----         | ----            | 23.127B/----       | 23.127B/21.631A  | ----               | 22.099        | + 0.904         | .9826                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 3                | UNCH |  |  |                   |  |      |
| 4500                 | ----           | ----         | ----            | 18.240B/----       | 18.240B/16.738A  | ----               | 17.208        | NEW             | .9602                    | ----  | ----                   | ----                     | 2                 | ----          | ----  | ---- | 2                | +    |  |  |                   |  |      |
| 5700                 | ----           | ----         | ----            | 7.770B/----        | 7.770B/6.631A    | ----               | 6.889         | + 0.598         | .7281                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 1                | UNCH |  |  |                   |  |      |
| 5900                 | ----           | ----         | ----            | 6.433B/----        | 6.433B/5.405A    | ----               | 5.619         | + 0.508         | .6539                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 1                | UNCH |  |  |                   |  |      |
| 6000                 | 5.190          | 5.190        |                 | 5.824B/5.190       | 5.824B/4.852A    | ----               | 5.055         | + 0.464         | .6147                    | ----  | ----                   | ----                     | 1                 | ----          | ----  | ---- | 2                | UNCH |  |  |                   |  |      |
| 6100                 | ----           | ----         | ----            | 5.268B/----        | 5.268B/4.363A    | ----               | 4.535         | + 0.417         | .5749                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 3                | UNCH |  |  |                   |  |      |
| 6175                 | ----           | ----         | ----            | 4.889B/----        | 4.889B/4.017A    | ----               | 4.172         | + 0.379         | .5451                    | ----  | ----                   | ----                     | ----              | ----          | ----  | ---- | 2                | UNCH |  |  |                   |  |      |
| 6200                 | ----           | ----         | ----            | 4.765B/----        | 4.765B/3.909A    | ----               | 4.05          |                 |                          |       |                        |                          |                   |               |       |      |                  |      |  |  |                   |  |      |

| BULLETIN #191@ |                      |                           |                    | METALS OPTION PRODUCTS  |                            |                           |             |               |                          |                   | Mon, Oct 05, 2026 |                  |      | PG64 |  |
|----------------|----------------------|---------------------------|--------------------|-------------------------|----------------------------|---------------------------|-------------|---------------|--------------------------|-------------------|-------------------|------------------|------|------|--|
|                | GLOBEX<br>OPEN       | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETTL.PRICE<br>& PT.CHGE. | DELTA       | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME     | OPEN<br>INTEREST |      |      |  |
| SO CALL        | COMEX SILVER OPTIONS |                           |                    |                         |                            |                           |             |               |                          |                   |                   |                  |      |      |  |
| JAN27          |                      |                           |                    |                         |                            |                           |             |               |                          |                   |                   |                  |      |      |  |
| 9525           | ----                 | ----                      | 0.300B/            | 0.300B/0.263A           | ----                       | 0.258 +                   | 0.004 .0450 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 9600           | ----                 | ----                      | 0.289B/            | 0.289B/0.254A           | ----                       | 0.249 +                   | 0.003 .0433 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 9700           | ----                 | ----                      | 0.276B/            | 0.276B/0.243A           | ----                       | 0.238 +                   | 0.004 .0413 | ----          | ----                     | ----              | ----              | 4                | UNCH |      |  |
| 9900           | ----                 | ----                      | 0.250B/            | 0.250B/0.223A           | ----                       | 0.218 +                   | 0.004 .0376 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |  |
| 9950           | ----                 | ----                      | 0.244B/            | 0.244B/0.218A           | ----                       | 0.213 +                   | 0.004 .0367 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |  |
| 9975           | ----                 | ----                      | 0.242B/            | 0.242B/0.216A           | ----                       | 0.211 +                   | 0.004 .0363 | ----          | ----                     | ----              | ----              | 4                | UNCH |      |  |
| 10000          | ----                 | ----                      | 0.239B/            | 0.239B/0.213A           | ----                       | 0.209 +                   | 0.005 .0359 | ----          | ----                     | 8                 | ----              | 760 +            | 8    |      |  |
| 10050          | ----                 | ----                      | 0.233B/            | 0.233B/0.209A           | ----                       | 0.205 +                   | 0.005 .0351 | ----          | ----                     | ----              | ----              | 6                | UNCH |      |  |
| 10100          | ----                 | ----                      | 0.228B/            | 0.228B/0.205A           | ----                       | 0.200 +                   | 0.004 .0343 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |  |
| 10200          | ----                 | ----                      | 0.219B/            | 0.219B/0.197A           | ----                       | 0.192 +                   | 0.004 .0328 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 10300          | ----                 | ----                      | 0.209B/            | 0.209B/0.189A           | ----                       | 0.184 +                   | 0.004 .0313 | ----          | ----                     | ----              | ----              | 3                | UNCH |      |  |
| 10375          | ----                 | ----                      | 0.203B/            | 0.203B/0.184A           | ----                       | 0.179 +                   | 0.004 .0304 | ----          | ----                     | ----              | ----              | 3                | UNCH |      |  |
| 10500          | ----                 | ----                      | 0.192B/            | 0.192B/0.175A           | ----                       | 0.170 +                   | 0.003 .0288 | ----          | ----                     | ----              | ----              | 4                | UNCH |      |  |
| 11000          | ----                 | ----                      | 0.158B/            | 0.158B/0.146A           | ----                       | 0.140 +                   | 0.002 .0234 | ----          | ----                     | 20                | ----              | 132 -            | 4    |      |  |
| 11200          | ----                 | ----                      | 0.146B/            | 0.146B/0.136A           | ----                       | 0.131 +                   | 0.003 .0217 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |  |
| 11400          | ----                 | ----                      | 0.136B/            | 0.136B/0.127A           | ----                       | 0.122 +                   | 0.002 .0201 | ----          | ----                     | ----              | ----              | 4                | UNCH |      |  |
| 11500          | 0.120                | 0.120                     | 0.131B/0.120       | 0.131B/0.120            | ----                       | 0.120                     | NEW .0197   | ----          | ----                     | 1                 | ----              | 1 +              | 1    |      |  |
| 11825          | ----                 | ----                      | 0.117B/            | 0.117B/0.110A           | ----                       | 0.106 +                   | 0.002 .0173 | ----          | ----                     | ----              | ----              | 4                | UNCH |      |  |
| 12000          | ----                 | ----                      | 0.110B/            | 0.110B/0.105A           | ----                       | 0.100 +                   | 0.002 .0163 | ----          | ----                     | ----              | ----              | 331              | UNCH |      |  |
| 12050          | ----                 | ----                      | 0.108B/            | 0.108B/0.104A           | ----                       | 0.098 +                   | 0.001 .0159 | ----          | ----                     | ----              | ----              | 4                | UNCH |      |  |
| 12100          | ----                 | ----                      | 0.107B/            | 0.107B/0.102A           | ----                       | 0.096 +                   | 0.001 .0156 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 12125          | ----                 | ----                      | 0.106B/            | 0.106B/0.101A           | ----                       | 0.096 +                   | 0.002 .0156 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 12500          | ----                 | ----                      | 0.088B/            | 0.088B/0.092A           | ----                       | 0.084                     | UNCH .0135  | ----          | ----                     | ----              | ----              | 3045             | UNCH |      |  |
| 12600          | ----                 | ----                      | 0.085B/            | 0.085B/0.090A           | ----                       | 0.082                     | UNCH .0132  | ----          | ----                     | ----              | ----              | 4                | UNCH |      |  |
| 12975          | ----                 | ----                      | 0.075B/            | 0.075B/0.081A           | ----                       | 0.073                     | UNCH .0116  | ----          | ----                     | ----              | ----              | 25               | UNCH |      |  |
| 13000          | ----                 | ----                      | 0.074B/            | 0.074B/0.081A           | ----                       | 0.072                     | UNCH .0115  | ----          | ----                     | ----              | ----              | 7                | UNCH |      |  |
| 14000          | ----                 | ----                      | ----               | 0.052B/0.062A           | ----                       | 0.054                     | UNCH .0085  | ----          | ----                     | ----              | ----              | 25               | UNCH |      |  |
| 14500          | ----                 | ----                      | ----               | 0.046B/0.055A           | ----                       | 0.047 -                   | 0.001 .0073 | ----          | ----                     | ----              | ----              | 400              | UNCH |      |  |
| 15000          | ----                 | ----                      | ----               | 0.039B/0.049A           | ----                       | 0.042                     | UNCH .0065  | ----          | ----                     | 7                 | ----              | 3465 +           | 7    |      |  |
| TOTAL          |                      |                           |                    |                         |                            |                           |             |               |                          | 122               | 0                 | 10258 +          | 14   |      |  |
| FEB27          |                      |                           |                    |                         |                            |                           |             |               |                          |                   |                   |                  |      |      |  |
| 6075           | ----                 | ----                      | 6.028B/            | 6.028B/5.169A           | ----                       | 5.320 +                   | 0.423 .5826 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 6150           | ----                 | ----                      | 5.671B/            | 5.671B/4.832A           | ----                       | 4.964 +                   | 0.394 .5571 | ----          | ----                     | ----              | ----              | 3                | UNCH |      |  |
| 6200           | ----                 | ----                      | 5.430B/            | 5.430B/4.617A           | ----                       | 4.739 +                   | 0.375 .5402 | ----          | ----                     | ----              | ----              | 6                | UNCH |      |  |
| 6250           | ----                 | ----                      | 5.198B/            | 5.198B/4.414A           | ----                       | 4.524 +                   | 0.357 .5235 | ----          | ----                     | ----              | ----              | 9                | UNCH |      |  |
| 6300           | 4.462                | 4.462                     | 4.975B/4.462       | 4.975B/4.219A           | ----                       | 4.318                     | NEW .5069   | ----          | ----                     | 10                | ----              | 10 +             | 10   |      |  |
| 6350           | ----                 | ----                      | 4.761B/            | 4.761B/4.032A           | ----                       | 4.122 +                   | 0.322 .4907 | ----          | ----                     | ----              | ----              | 7                | UNCH |      |  |
| 6450           | ----                 | ----                      | 4.358B/            | 4.358B/3.685A           | ----                       | 3.757 +                   | 0.289 .4590 | ----          | ----                     | ----              | ----              | 5                | UNCH |      |  |
| 6500           | ----                 | ----                      | 4.170B/            | 4.170B/3.522A           | ----                       | 3.587 +                   | 0.273 .4436 | ----          | ----                     | ----              | ----              | 11               | UNCH |      |  |
| 6550           | ----                 | ----                      | 3.992B/            | 3.992B/3.368A           | ----                       | 3.426 +                   | 0.259 .4286 | ----          | ----                     | ----              | ----              | 5                | UNCH |      |  |
| 6575           | ----                 | ----                      | 3.905B/            | 3.905B/3.293A           | ----                       | 3.349 +                   | 0.253 .4213 | ----          | ----                     | ----              | ----              | 3                | UNCH |      |  |
| 6600           | ----                 | ----                      | 3.820B/            | 3.820B/3.221A           | ----                       | 3.273 +                   | 0.245 .4140 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 6625           | ----                 | ----                      | 3.737B/            | 3.737B/3.150A           | ----                       | 3.199 +                   | 0.239 .4068 | ----          | ----                     | ----              | ----              | 3                | UNCH |      |  |
| 6700           | ----                 | ----                      | 3.499B/            | 3.499B/2.947A           | ----                       | 2.988 +                   | 0.219 .3858 | ----          | ----                     | ----              | ----              | 10               | UNCH |      |  |
| 6800           | ----                 | ----                      | 3.205B/            | 3.205B/2.699A           | ----                       | 2.730 +                   | 0.195 .3593 | ----          | ----                     | ----              | ----              | 38               | UNCH |      |  |
| 6925           | ----                 | ----                      | 2.877B/            | 2.877B/2.413A           | ----                       | 2.441 +                   | 0.167 .3283 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 6950           | ----                 | ----                      | 2.819B/            | 2.819B/2.363A           | ----                       | 2.388 +                   | 0.162 .3225 | ----          | ----                     | ----              | ----              | 0                | UNCH |      |  |
| 7000           | ----                 | ----                      | 2.701B/            | 2.701B/2.261A           | ----                       | 2.284 +                   | 0.151 .3109 | ----          | ----                     | ----              | ----              | 8                | UNCH |      |  |
| 7200           | ----                 | ----                      | 2.284B/            | 2.284B/1.906A           | ----                       | 1.921 +                   | 0.117 .2689 | ----          | ----                     | ----              | ----              | 454              | UNCH |      |  |
| 7225           | ----                 | ----                      | 2.238B/            | 2.238B/1.864A           | ----                       | 1.881 +                   | 0.114 .2641 | ----          | ----                     | ----              | ----              | 71               | UNCH |      |  |
| 7300           | ----                 | ----                      | 2.103B/            | 2.103B/1.754A           | ----                       | 1.766 +                   | 0.103 .2502 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 7350           | ----                 | ----                      | 2.018B/            | 2.018B/1.684A           | ----                       | 1.695 +                   | 0.097 .2414 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 7450           | ----                 | ----                      | 1.864B/            | 1.864B/1.555A           | ----                       | 1.563 +                   | 0.086 .2248 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 7475           | ----                 | ----                      | 1.828B/            | 1.828B/1.524A           | ----                       | 1.533 +                   | 0.084 .2209 | ----          | ----                     | ----              | ----              | 10               | UNCH |      |  |
| 7500           | ----                 | ----                      | 1.793B/            | 1.793B/1.494A           | ----                       | 1.503 +                   | 0.082 .2171 | ----          | ----                     | ----              | ----              | 280              | UNCH |      |  |
| 7550           | ----                 | ----                      | 1.724B/            | 1.724B/1.439A           | ----                       | 1.445 +                   | 0.077 .2096 | ----          | ----                     | ----              | ----              | 334              | UNCH |      |  |
| 7600           | ----                 | ----                      | 1.658B/            | 1.658B/1.384A           | ----                       | 1.391 +                   | 0.073 .2025 | ----          | ----                     | ----              | ----              | 5                | UNCH |      |  |
| 7700           | ----                 | ----                      | 1.538B/            | 1.538B/1.283A           | ----                       | 1.289 +                   | 0.065 .1890 | ----          | ----                     | ----              | ----              | 61               | UNCH |      |  |
| 7775           | ----                 | ----                      | 1.455B/            | 1.455B/1.214A           | ----                       | 1.220 +                   | 0.061 .1797 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |  |
| 7800           | ----                 | ----                      | 1.427B/            | 1.427B/1.191A           | ----                       | 1.198 +                   | 0.059 .1767 | ----          | ----                     | ----              | ----              | 25               | UNCH |      |  |
| 7900           | ----                 | ----                      | 1.328B/            | 1.328B/1.109A           | ----                       | 1.114 +                   | 0.052 .1653 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 8000           | ----                 | ----                      | 1.238B/            | 1.238B/1.036A           | ----                       | 1.038 +                   | 0.046 .1547 | ----          | ----                     | 4                 | ----              | 176              | UNCH |      |  |
| 8050           | ----                 | ----                      | 1.197B/            | 1.197B/1.002A           | ----                       | 1.003 +                   | 0.043 .1498 | ----          | ----                     | ----              | ----              | 50               | UNCH |      |  |
| 8200           | ----                 | ----                      | 1.078B/            | 1.078B/0.908A           | ----                       | 0.906 +                   | 0.035 .1361 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |  |
| 8300           | ----                 | ----                      | 1.011B/            | 1.011B/0.851A           | ----                       | 0.849 +                   | 0.030 .1280 | ----          | ----                     | ----              | ----              | 20               | UNCH |      |  |
| 8400           | ----                 | ----                      | 0.951B/            | 0.951B/0.803A           | ----                       | 0.797 +                   | 0.026 .1204 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |  |
| 8500           | ----                 | ----                      | 0.891B/            | 0.891B/0.755A           | ----                       | 0.751 +                   | 0.023 .1136 | ----          | ----                     | ----              | ----              | 122              | UNCH |      |  |
| 8550           | ----                 | ----                      | 0.865B/            | 0.865B/0.733A           | ----                       | 0.729 +                   | 0.022 .1104 | ----          | ----                     | ----              | ----              | 20               | UNCH |      |  |
| 8800           | ----                 | ----                      | 0.749B/            | 0.749B/0.637A           | ----                       | 0.633 +                   | 0.018 .0960 | ----          | ----                     | ----              | ----              | 12               | UNCH |      |  |
| 9000           | ----                 | ----                      | 0.671B/            | 0.671B/0.574A           | ----                       | 0.569 +                   | 0.017 .0863 | ----          | ----                     | ----              | ----              | 73               | UNCH |      |  |
| 9200           | ----                 | ----                      | 0.577B/            | 0.577B/0.519A           | ----                       | 0.515 +                   | 0.013 .0780 | ----          | ----                     | ----              | ----              | 89               | UNCH |      |  |
| 9425           | ----                 | ----                      | 0.515B/            | 0.515B/0.475A           | ----                       | 0.467 +                   | 0.009 .0704 | ----          | ----                     | ----              | ----              | 22               | UNCH |      |  |
| 9500           | ----                 | ----                      | 0.478B/            | 0.478B/0.459A           | ----                       | 0.452 +                   | 0.008 .0680 | ----          | ----                     | ----              | ----              | 86               | UNCH |      |  |
| 9800           | ----                 | ----                      | 0.456B/            | 0.456B/0.405A           | ----                       | 0.398 +                   | 0.007 .0596 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |  |
| 10000          | ----                 | ----                      | 0.419B/            | 0.419B/0.376A           | ----                       | 0.368 +                   | 0.008 .0549 | ----          | ----                     | ----              | ----              | 114              | UNCH |      |  |
| 10200          | ----                 | ----                      | 0.385B/            | 0.385B/0.348A           | ----                       | 0.341 +                   | 0.007 .0506 | ----          | ----                     | ----              | ----              | 83               | UNCH |      |  |
| 10225          | ----                 | ----                      | 0.383B/            | 0.383B/0.345A           | ----                       | 0.338 +                   | 0.008 .0502 | ----          | ----                     | ----              | ----              | 10               |      |      |  |

|         | BULLETIN #191@       |              |                 |                    | METALS OPTION PRODUCTS |                 |                 |                          |       |               | Mon, Oct 05, 2026        |                   |               |                  | PG64 |
|---------|----------------------|--------------|-----------------|--------------------|------------------------|-----------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
|         | GLOBEX<br>OPEN       | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW       | OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
| SO CALL | COMEX SILVER OPTIONS |              |                 |                    |                        |                 |                 |                          |       |               |                          |                   |               |                  |      |
| MAR27   |                      |              |                 |                    |                        |                 |                 |                          |       |               |                          |                   |               |                  |      |
| 8000    | ----                 | ----         | ----            | 1.664B/----        | 1.664B/1.415A          | ----            | ----            | 1.421 + 0.065            | .1857 | ----          | ----                     | 5                 | ----          | 277              | UNCH |
| 8050    | ----                 | ----         | ----            | 1.614B/----        | 1.614B/1.373A          | ----            | ----            | 1.378 + 0.062            | .1805 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 8075    | ----                 | ----         | ----            | 1.589B/----        | 1.589B/1.351A          | ----            | ----            | 1.358 + 0.062            | .1781 | ----          | ----                     | ----              | ----          | 61               | UNCH |
| 8100    | ----                 | ----         | ----            | 1.566B/----        | 1.566B/1.332A          | ----            | ----            | 1.337 + 0.060            | .1756 | ----          | ----                     | ----              | ----          | 23               | UNCH |
| 8125    | ----                 | ----         | ----            | 1.542B/----        | 1.542B/1.311A          | ----            | ----            | 1.317 + 0.058            | .1731 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 8225    | ----                 | ----         | ----            | 1.455B/----        | 1.455B/1.236A          | ----            | ----            | 1.241 + 0.053            | .1638 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 8250    | ----                 | ----         | ----            | 1.433B/----        | 1.433B/1.219A          | ----            | ----            | 1.223 + 0.052            | .1616 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 8300    | ----                 | ----         | ----            | 1.392B/----        | 1.392B/1.185A          | ----            | ----            | 1.189 + 0.050            | .1573 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 8450    | ----                 | ----         | ----            | 1.279B/----        | 1.279B/1.089A          | ----            | ----            | 1.092 + 0.043            | .1452 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 8500    | ----                 | ----         | ----            | 1.244B/----        | 1.244B/1.060A          | ----            | ----            | 1.063 + 0.042            | .1415 | ----          | ----                     | ----              | ----          | 15               | UNCH |
| 8600    | ----                 | ----         | ----            | 1.179B/----        | 1.179B/1.006A          | ----            | ----            | 1.007 + 0.038            | .1344 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 8625    | ----                 | ----         | ----            | 1.161B/----        | 1.161B/0.993A          | ----            | ----            | 0.994 + 0.037            | .1327 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 8650    | ----                 | ----         | ----            | 1.147B/----        | 1.147B/0.978A          | ----            | ----            | 0.980 + 0.036            | .1310 | ----          | ----                     | ----              | ----          | 10               | UNCH |
| 8700    | ----                 | ----         | ----            | 1.117B/----        | 1.117B/0.953A          | ----            | ----            | 0.955 + 0.034            | .1277 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 8800    | ----                 | ----         | ----            | 1.061B/----        | 1.061B/0.907A          | ----            | ----            | 0.908 + 0.032            | .1216 | ----          | ----                     | ----              | ----          | 9                | UNCH |
| 9000    | ----                 | ----         | ----            | 0.957B/----        | 0.957B/0.823A          | ----            | ----            | 0.822 + 0.026            | .1104 | ----          | ----                     | ----              | ----          | 789              | UNCH |
| 9200    | ----                 | ----         | ----            | 0.870B/----        | 0.870B/0.751A          | ----            | ----            | 0.749 + 0.022            | .1007 | ----          | ----                     | ----              | ----          | 26               | UNCH |
| 9500    | ----                 | ----         | ----            | 0.760B/----        | 0.760B/0.663A          | ----            | ----            | 0.657 + 0.017            | .0883 | ----          | ----                     | ----              | ----          | 52               | UNCH |
| 9675    | ----                 | ----         | ----            | 0.707B/----        | 0.707B/0.617A          | ----            | ----            | 0.611 + 0.015            | .0821 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 9700    | ----                 | ----         | ----            | 0.699B/----        | 0.699B/0.610A          | ----            | ----            | 0.605 + 0.014            | .0813 | ----          | ----                     | ----              | ----          | 87               | UNCH |
| 9800    | ----                 | ----         | ----            | 0.632B/----        | 0.632B/0.587A          | ----            | ----            | 0.582 + 0.014            | .0781 | ----          | ----                     | ----              | ----          | 314              | UNCH |
| 10000   | 0.550                | 0.550        |                 | 0.582B/0.550       | 0.582B/0.550           |                 |                 | 0.539 + 0.011            | .0723 |               |                          | 1                 |               | 470 +            | 1    |
| 10300   | ----                 | ----         | ----            | 0.510B/----        | 0.510B/0.491A          | ----            | ----            | 0.485 + 0.010            | .0648 | ----          | ----                     | ----              | ----          | 28               | UNCH |
| 10500   | ----                 | ----         | ----            | 0.513B/----        | 0.513B/0.460A          | ----            | ----            | 0.453 + 0.008            | .0603 | ----          | ----                     | ----              | ----          | 35               | UNCH |
| 10825   | ----                 | ----         | ----            | 0.462B/----        | 0.462B/0.415A          | ----            | ----            | 0.409 + 0.007            | .0542 | ----          | ----                     | ----              | ----          | 23               | UNCH |
| 10875   | ----                 | ----         | ----            | 0.455B/----        | 0.455B/0.411A          | ----            | ----            | 0.403 + 0.007            | .0533 | ----          | ----                     | ----              | ----          | 20               | UNCH |
| 11000   | ----                 | ----         | ----            | 0.438B/----        | 0.438B/0.396A          | ----            | ----            | 0.388 + 0.007            | .0512 | ----          | ----                     | ----              | ----          | 213              | UNCH |
| 11125   | ----                 | ----         | ----            | 0.420B/----        | 0.420B/0.382A          | ----            | ----            | 0.374 + 0.006            | .0493 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 11175   | ----                 | ----         | ----            | 0.414B/----        | 0.414B/0.376A          | ----            | ----            | 0.369 + 0.007            | .0486 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 11200   | ----                 | ----         | ----            | 0.411B/----        | 0.411B/0.373A          | ----            | ----            | 0.366 + 0.006            | .0482 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 11225   | ----                 | ----         | ----            | 0.408B/----        | 0.408B/0.371A          | ----            | ----            | 0.364 + 0.007            | .0479 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 11500   | ----                 | ----         | ----            | 0.376B/----        | 0.376B/0.345A          | ----            | ----            | 0.337 + 0.006            | .0441 | ----          | ----                     | ----              | ----          | 22               | UNCH |
| 12000   | ----                 | ----         | ----            | 0.329B/----        | 0.329B/0.303A          | ----            | ----            | 0.297 + 0.006            | .0385 | ----          | ----                     | ----              | ----          | 218              | UNCH |
| 12500   | ----                 | ----         | ----            | 0.290B/----        | 0.290B/0.269A          | ----            | ----            | 0.263 + 0.005            | .0338 | ----          | ----                     | ----              | ----          | 8                | UNCH |
| 12650   | ----                 | ----         | ----            | 0.280B/----        | 0.280B/0.260A          | ----            | ----            | 0.254 + 0.004            | .0326 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 13000   | ----                 | ----         | ----            | 0.257B/----        | 0.257B/0.242A          | ----            | ----            | 0.235 + 0.003            | .0299 | ----          | ----                     | ----              | ----          | 335              | UNCH |
| 14000   | ----                 | ----         | ----            | 0.207B/----        | 0.207B/0.198A          | ----            | ----            | 0.192 + 0.002            | .0241 | ----          | ----                     | ----              | ----          | 153              | UNCH |
| 15000   | ----                 | ----         | ----            | 0.171B/----        | 0.171B/0.165A          | ----            | ----            | 0.159 + 0.001            | .0196 | ----          | ----                     | ----              | ----          | 111              | UNCH |
| 16000   | ----                 | ----         | ----            | 0.144B/----        | 0.144B/0.141A          | ----            | ----            | 0.136 + 0.002            | .0165 | ----          | ----                     | ----              | ----          | 22               | UNCH |
| 17000   | ----                 | ----         | ----            | 0.119B/----        | 0.119B/0.126A          | ----            | ----            | 0.117 + 0.001            | .0141 | ----          | ----                     | ----              | ----          | 8                | UNCH |
| 18000   | ----                 | ----         | ----            | ----               | 0.098B/0.111A          | ----            | ----            | 0.102 + 0.001            | .0121 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 20000   | ----                 | ----         | ----            | ----               | 0.075B/0.088A          | ----            | ----            | 0.079 UNCH               | .0092 | ----          | ----                     | ----              | ----          | 18               | UNCH |
| 21000   | ----                 | ----         | ----            | ----               | 0.066B/0.080A          | ----            | ----            | 0.071 + 0.001            | .0082 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 25000   | ----                 | ----         | ----            | ----               | 0.041B/0.058A          | ----            | ----            | 0.049 UNCH               | .0055 | ----          | ----                     | ----              | ----          | 19               | UNCH |
| 30000   | ----                 | ----         | ----            | ----               | 0.025B/0.045A          | ----            | ----            | 0.035 + 0.001            | .0037 | ----          | ----                     | ----              | ----          | 10               | UNCH |
| TOTAL   |                      |              |                 |                    |                        |                 |                 |                          |       |               |                          | 28                | 0             | 4300 +           | 23   |
| APR27   |                      |              |                 |                    |                        |                 |                 |                          |       |               |                          |                   |               |                  |      |
| 5300    | ----                 | ----         | ----            | ----               | -----/25.286A          | ----            | ----            | 11.456 + 0.701           | .7941 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 6400    | 5.494                | 5.494        |                 | 5.929B/5.375A      | 5.929B/5.375A          |                 |                 | 5.377 NEW                | .5113 | ----          | ----                     | 9                 |               | 9 +              | 9    |
| 6600    | ----                 | ----         | ----            | 5.200B/----        | 5.200B/4.662A          | ----            | ----            | 4.668 + 0.284            | .4617 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 6775    | ----                 | ----         | ----            | 4.603B/----        | 4.603B/4.137A          | ----            | ----            | 4.137 + 0.252            | .4213 | ----          | ----                     | ----              | ----          | 9                | UNCH |
| 6800    | ----                 | ----         | ----            | 4.510B/----        | 4.510B/4.066A          | ----            | ----            | 4.067 + 0.248            | .4158 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 7000    | ----                 | ----         | ----            | 3.953B/----        | 3.953B/3.552A          | ----            | ----            | 3.556 + 0.221            | .3739 | ----          | ----                     | ----              | ----          | 113              | UNCH |
| 7075    | ----                 | ----         | ----            | 3.776B/----        | 3.776B/3.381A          | ----            | ----            | 3.385 + 0.211            | .3593 | ----          | ----                     | ----              | ----          | 10               | UNCH |
| 7200    | ----                 | ----         | ----            | 3.476B/----        | 3.476B/3.129A          | ----            | ----            | 3.120 + 0.193            | .3361 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 7275    | ----                 | ----         | ----            | 3.246B/----        | 3.246B/2.968A          | ----            | ----            | 2.974 + 0.182            | .3229 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 7300    | ----                 | ----         | ----            | 3.216B/----        | 3.216B/2.934A          | ----            | ----            | 2.927 + 0.179            | .3187 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 7325    | ----                 | ----         | ----            | 3.172B/----        | 3.172B/2.873A          | ----            | ----            | 2.881 + 0.175            | .3145 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 7350    | 2.954                | 2.954        |                 | 3.127B/2.833A      | 3.127B/2.833A          |                 |                 | 2.836 NEW                | .3103 | ----          | 1                        |                   |               | 1 +              | 1    |
| 7375    | ----                 | ----         | ----            | 3.079B/----        | 3.079B/2.785A          | ----            | ----            | 2.791 + 0.167            | .3062 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 7475    | ----                 | ----         | ----            | 2.888B/----        | 2.888B/2.629A          | ----            | ----            | 2.623 + 0.152            | .2905 | ----          | ----                     | ----              | ----          | 10               | UNCH |
| 7500    | ----                 | ----         | ----            | 2.850B/----        | 2.850B/2.577A          | ----            | ----            | 2.583 + 0.149            | .2867 | ----          | ----                     | ----              | ----          | 9                | UNCH |
| 7800    | ----                 | ----         | ----            | 2.381B/----        | 2.381B/2.167A          | ----            | ----            | 2.158 + 0.107            | .2452 | ----          | ----                     | ----              | ----          | 100              | UNCH |
| 7900    | ----                 | ----         | ----            | 2.245B/----        | 2.245B/2.033A          | ----            | ----            | 2.036 + 0.094            | .2330 | ----          | ----                     | ----              | ----          | 24               | UNCH |
| 8000    | ----                 | ----         | ----            | 2.123B/----        | 2.123B/1.924A          | ----            | ----            | 1.924 + 0.083            | .2215 | ----          | ----                     | ----              | ----          | 13               | UNCH |
| 8350    | ----                 | ----         | ----            | 1.755B/----        | 1.755B/1.596A          | ----            | ----            | 1.590 + 0.052            | .1864 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 8400    | ----                 | ----         | ----            | 1.714B/----        | 1.714B/1.561A          | ----            | ----            | 1.549 + 0.048            | .1819 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 8425    | ----                 | ----         | ----            | 1.667B/----        | 1.667B/1.545A          | ----            | ----            | 1.529 + 0.047            | .1798 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 8500    | ----                 | ----         | ----            | 1.628B/----        | 1.628B/1.479A          | ----            | ----            | 1.471 + 0.042            | .1735 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 8525    | ----                 | ----         | ----            | 1.576B/----        | 1.576B/1.469A          | ----            | ----            | 1.452 + 0.040            | .1714 | ----          | ----                     | ----              | ----          | 9                | UNCH |
| 8975    | ----                 | ----         | ----            | 1.279B/----        | 1.279B/1.194A          | ----            | ----            | 1.168 + 0.021            | .1397 | ----          | ----                     | ----              |               |                  |      |

| BULLETIN #191@ |                      |                           |                    | METALS OPTION PRODUCTS  |                            |                           |       |               |                          |                   | Mon, Oct 05, 2026 |                  |      |  | PG64 |  |
|----------------|----------------------|---------------------------|--------------------|-------------------------|----------------------------|---------------------------|-------|---------------|--------------------------|-------------------|-------------------|------------------|------|--|------|--|
|                | GLOBEX<br>OPEN       | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETTL.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME     | OPEN<br>INTEREST |      |  |      |  |
| SO CALL        | COMEX SILVER OPTIONS |                           |                    |                         |                            |                           |       |               |                          |                   |                   |                  |      |  |      |  |
| JUL27          |                      |                           |                    |                         |                            |                           |       |               |                          |                   |                   |                  |      |  |      |  |
| 6900           | ----                 | ----                      | 5.985B/----        | 5.985B/5.589A           | ----                       | 5.534 + 0.278             | .4473 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |  |
| 7000           | ----                 | ----                      | 5.679B/----        | 5.679B/5.303A           | ----                       | 5.255 + 0.256             | .4300 | ----          | ----                     | ----              | ----              | 25               | UNCH |  |      |  |
| 7400           | ----                 | ----                      | 4.705B/----        | 4.705B/4.349A           | ----                       | 4.297 + 0.183             | .3669 | ----          | ----                     | ----              | ----              | 20               | UNCH |  |      |  |
| 7800           | ----                 | ----                      | 3.804B/----        | 3.804B/3.659A           | ----                       | 3.546 + 0.123             | .3133 | ----          | ----                     | ----              | ----              | 21               | UNCH |  |      |  |
| 7900           | ----                 | ----                      | 3.637B/----        | 3.637B/3.500A           | ----                       | 3.385 + 0.110             | .3013 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |  |
| 7950           | ----                 | ----                      | 3.617B/----        | 3.617B/3.394A           | ----                       | 3.308 + 0.104             | .2955 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |  |
| 10000          | ----                 | ----                      |                    | 1.480B/1.735A           | ----                       | 1.546 + 0.047             | .1476 | ----          | ----                     | ----              | ----              | 4                | UNCH |  |      |  |
| 10100          | ----                 | ----                      |                    | 1.430B/1.687A           | ----                       | 1.499 + 0.045             | .1433 | ----          | ----                     | ----              | ----              | 2                | UNCH |  |      |  |
| 10300          | ----                 | ----                      |                    | 1.336B/1.597A           | ----                       | 1.411 + 0.041             | .1352 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |  |
| 10500          | ----                 | ----                      |                    | 1.251B/1.515A           | ----                       | 1.329 + 0.036             | .1277 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |  |
| 10700          | ----                 | ----                      |                    | 1.173B/1.440A           | ----                       | 1.255 + 0.032             | .1208 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |  |
| 11000          | ----                 | ----                      |                    | 1.069B/1.340A           | ----                       | 1.156 + 0.028             | .1115 | ----          | ----                     | ----              | ----              | 2                | UNCH |  |      |  |
| 11100          | ----                 | ----                      |                    | 1.037B/1.309A           | ----                       | 1.126 + 0.027             | .1087 | ----          | ----                     | ----              | ----              | 2                | UNCH |  |      |  |
| 12000          | 0.940                | 0.940                     | 0.941B/0.940       | 0.941B/0.940            | ----                       | 0.902 + 0.018             | .0873 | ----          | ----                     | 1                 | ----              | 3 +              | 1    |  |      |  |
| 12100          | ----                 | ----                      |                    | 0.780B/1.058A           | ----                       | 0.882 + 0.018             | .0854 | ----          | ----                     | ----              | ----              | 21               | UNCH |  |      |  |
| 13000          | 0.750                | 0.750                     | 0.751B/0.750       | 0.751B/0.750            | ----                       | 0.730 + 0.013             | .0705 | ----          | ----                     | 1                 | ----              | 2                | UNCH |  |      |  |
| 13100          | ----                 | ----                      |                    | 0.604B/0.886A           | ----                       | 0.716 + 0.012             | .0692 | ----          | ----                     | ----              | ----              | 21               | UNCH |  |      |  |
| TOTAL          |                      |                           |                    |                         |                            |                           |       |               |                          | 2                 | 0                 | 131 +            | 1    |  |      |  |
| AUG27          |                      |                           |                    |                         |                            |                           |       |               |                          |                   |                   |                  |      |  |      |  |
| 7500           | ----                 | ----                      | 4.862B/----        | 4.862B/5.018A           | ----                       | 4.868 + 0.302             | .3808 | ----          | ----                     | ----              | ----              | 8                | UNCH |  |      |  |
| 8500           | ----                 | ----                      | 3.161B/----        | 3.161B/3.368A           | ----                       | 3.229 + 0.205             | .2700 | ----          | ----                     | ----              | ----              | 8                | UNCH |  |      |  |
| TOTAL          |                      |                           |                    |                         |                            |                           |       |               |                          |                   | 0                 | 16               | 0    |  |      |  |
| SEP27          |                      |                           |                    |                         |                            |                           |       |               |                          |                   |                   |                  |      |  |      |  |
| 6000           | ----                 | ----                      | 10.476B/----       | 10.476B/10.380A         | ----                       | 10.176 + 0.534            | .6352 | ----          | ----                     | ----              | ----              | 21               | UNCH |  |      |  |
| 8500           | ----                 | ----                      | 3.561B/----        | 3.561B/3.778A           | ----                       | 3.641 + 0.222             | .2866 | ----          | ----                     | ----              | ----              | 25               | UNCH |  |      |  |
| TOTAL          |                      |                           |                    |                         |                            |                           |       |               |                          |                   | 0                 | 46               | 0    |  |      |  |
| DEC27          |                      |                           |                    |                         |                            |                           |       |               |                          |                   |                   |                  |      |  |      |  |
| 4000           | ----                 | ----                      | ----               | ----                    | ----                       | 25.801 + 0.807            | .8954 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |  |
| 7175           | ----                 | ----                      | ----               | ----                    | ----                       | 8.886 + 0.408             | .4958 | ----          | ----                     | ----              | ----              | 80               | UNCH |  |      |  |
| 20000          | ----                 | ----                      | ----               | ----                    | ----                       | 1.374 + 0.056             | .0875 | ----          | ----                     | ----              | ----              | 25               | UNCH |  |      |  |
| TOTAL          |                      |                           |                    |                         |                            |                           |       |               |                          |                   | 0                 | 106              | 0    |  |      |  |
| MAR28          |                      |                           |                    |                         |                            |                           |       |               |                          |                   |                   |                  |      |  |      |  |
| 6900           | ----                 | ----                      | ----               | ----                    | ----                       | 11.187 + 0.461            | .5524 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |  |
| TOTAL          |                      |                           |                    |                         |                            |                           |       |               |                          |                   | 0                 | 1                | 0    |  |      |  |
| SO PUT         | COMEX SILVER OPTIONS |                           |                    |                         |                            |                           |       |               |                          |                   |                   |                  |      |  |      |  |
| NOV26          |                      |                           |                    |                         |                            |                           |       |               |                          |                   |                   |                  |      |  |      |  |
| 2900           | ----                 | ----                      | ----               | -----/0.010A            | ----                       | 0.001                     | UNCH  | .0000         | ----                     | ----              | ----              | 1                | UNCH |  |      |  |
| 3500           | ----                 | ----                      | ----               | -----/0.014A            | ----                       | 0.002                     | UNCH  | .0005         | ----                     | ----              | ----              | 1                | UNCH |  |      |  |
| 3975           | ----                 | ----                      | ----               | -----/0.020A            | ----                       | 0.007 + 0.001             | .0019 | ----          | ----                     | ----              | ----              | 2                | UNCH |  |      |  |
| 4000           | ----                 | ----                      | ----               | -----/0.010A            | ----                       | 0.008 + 0.002             | .0022 | ----          | ----                     | ----              | ----              | 5                | UNCH |  |      |  |
| 4075           | ----                 | ----                      | ----               | -----/0.022A            | ----                       | 0.009 + 0.001             | .0025 | ----          | ----                     | ----              | ----              | 7                | UNCH |  |      |  |
| 4150           | ----                 | ----                      | ----               | -----/0.023A            | ----                       | 0.011                     | UNCH  | .0031         | ----                     | ----              | ----              | 1                | UNCH |  |      |  |
| 4175           | ----                 | ----                      | ----               | -----/0.024A            | ----                       | 0.011 - 0.001             | .0031 | ----          | ----                     | ----              | ----              | 10               | UNCH |  |      |  |
| 4200           | ----                 | ----                      | ----               | 0.010B/0.024A           | ----                       | 0.012 - 0.002             | .0034 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |  |
| 4400           | ----                 | ----                      | -----/0.022A       | 0.012B/0.022A           | ----                       | 0.018 - 0.006             | .0054 | ----          | ----                     | ----              | ----              | 10               | UNCH |  |      |  |
| 4500           | 0.020                | 0.020                     | 0.020/0.016        | 0.020/0.016             | ----                       | 0.021 - 0.008             | .0066 | ----          | ----                     | 3                 | ----              | 82 -             | 3    |  |      |  |
| 4550           | ----                 | ----                      | -----/0.026A       | 0.016B/0.026A           | ----                       | 0.023 - 0.008             | .0073 | ----          | ----                     | ----              | ----              | 2                | UNCH |  |      |  |
| 4600           | ----                 | ----                      | -----/0.029A       | 0.020B/0.029A           | ----                       | 0.025 - 0.009             | .0081 | ----          | ----                     | ----              | ----              | 6                | UNCH |  |      |  |
| 4625           | ----                 | ----                      | -----/0.029A       | 0.019B/0.029A           | ----                       | 0.026 - 0.009             | .0085 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |  |
| 4650           | ----                 | ----                      | -----/0.030A       | 0.021B/0.030A           | ----                       | 0.027 - 0.010             | .0089 | ----          | ----                     | ----              | ----              | 2                | UNCH |  |      |  |
| 4700           | ----                 | ----                      | -----/0.032A       | 0.024B/0.032A           | ----                       | 0.029 - 0.011             | .0097 | ----          | ----                     | ----              | ----              | 23               | UNCH |  |      |  |
| 4750           | ----                 | ----                      | -----/0.036A       | 0.027B/0.036A           | ----                       | 0.032 - 0.012             | .0109 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |  |
| 4800           | ----                 | ----                      | -----/0.039A       | 0.035B/0.039A           | ----                       | 0.035 - 0.014             | .0121 | ----          | ----                     | ----              | ----              | 30               | UNCH |  |      |  |
| 4825           | ----                 | ----                      | -----/0.040A       | 0.039B/0.040A           | ----                       | 0.036 - 0.016             | .0126 | ----          | ----                     | ----              | ----              | 4                | UNCH |  |      |  |
| 4850           | ----                 | ----                      | -----/0.042A       | 0.042B/0.042A           | ----                       | 0.038 - 0.018             | .0134 | ----          | ----                     | ----              | ----              | 8                | UNCH |  |      |  |
| 4875           | ----                 | ----                      | -----/0.044A       | 0.045B/0.044A           | ----                       | 0.040 - 0.019             | .0143 | ----          | ----                     | ----              | ----              | 2                | UNCH |  |      |  |
| 4900           | ----                 | ----                      | -----/0.046A       | 0.049B/0.046A           | ----                       | 0.042 - 0.021             | .0151 | ----          | ----                     | 13                | ----              | 67               | UNCH |  |      |  |
| 4950           | 0.050                | 0.050                     | 0.055/0.050        | 0.056B/0.050            | ----                       | 0.047 - 0.025             | .0171 | ----          | ----                     | 10                | ----              | 9 +              | 8    |  |      |  |
| 4975           | ----                 | ----                      | -----/0.053A       | 0.061B/0.053A           | ----                       | 0.050 - 0.027             | .0183 | ----          | ----                     | ----              | ----              | 5                | UNCH |  |      |  |
| 5000           | 0.058                | 0.058                     | 0.058/0.056A       | 0.066B/0.056A           | ----                       | 0.055 - 0.028             | .0201 | ----          | ----                     | 3                 | ----              | 630 -            | 3    |  |      |  |
| 5050           | ----                 | ----                      | -----/0.063A       | 0.076B/0.063A           | ----                       | 0.060 - 0.036             | .0224 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |  |
| 5100           | 0.078                | 0.078                     | 0.078/0.073A       | 0.089B/0.073A           | ----                       | 0.068 - 0.043             | .0256 | ----          | ----                     | 1                 | ----              | 231 +            | 1    |  |      |  |
| 5150           | ----                 | ----                      | -----/0.083A       | 0.104B/0.083A           | ----                       | 0.079 - 0.050             | .0299 | ----          | ----                     | ----              | ----              | 59               | UNCH |  |      |  |
| 5175           | ----                 | ----                      | -----/0.089A       | 0.113B/0.089A           | ----                       | 0.086 - 0.053             | .0325 | ----          | ----                     | ----              | ----              | 31               | UNCH |  |      |  |
| 5200           | 0.107                | 0.107                     | 0.111/0.094A       | 0.121B/0.094A           | ----                       | 0.093 - 0.056             | .0352 | ----          | ----                     | 6                 | ----              | 54 -             | 1    |  |      |  |
| 5225           | ----                 | ----                      | -----/0.102A       | 0.131B/0.102A           | ----                       | 0.100 - 0.060             | .0379 | ----          | ----                     | ----              | ----              | 11               | UNCH |  |      |  |
| 5250           | 0.150                | 0.150                     | 0.150/0.109A       | 0.150/0.109A            | ----                       | 0.109 - 0.063             | .0413 | ----          | ----                     | 9                 | ----              | 23               | UNCH |  |      |  |
| 5275           | ----                 | ----                      | -----/0.117A       | 0.155B/0.117A           | ----                       | 0.118 - 0.069             | .0447 | ----          | ----                     | ----              | ----              | 17               | UNCH |  |      |  |
| 5300           | 0.162                | 0.162                     | 0.162/0.126A       | 0.162/0.126A            | ----                       | 0.128 - 0.076             | .0484 | ----          | ----                     | 23                | ----              | 602 +            | 12   |  |      |  |
| 5325           | ----                 | ----                      | -----/0.136A       | 0.161B/0.136A           | ----                       | 0.138 - 0.081             | .0522 | ----          | ----                     | 1                 | ----              | 8                | UNCH |  |      |  |
| 5350           | ----                 | ----                      | -----/0.147A       | 0.176B/0.147A           | ----                       | 0.150 - 0.088             | .0567 | ----          | ----                     | ----              | ----              | 21               | UNCH |  |      |  |
| 5375           | ----                 | ----                      | -----/0.159A       | 0.216B/0.159A           | ----                       | 0.163 - 0.097             | .0614 | ----          | ----                     | 3                 | ----              | 49               | UNCH |  |      |  |
| 5400           | 0.188                | 0.188                     | 0.188/0.171A       | 0.235B/0.171A           | ----                       | 0.178 - 0.103             | .0668 | ----          | ----                     | 4                 | ----              | 500              | UNCH |  |      |  |
| 5425           | ----                 | ----                      | -----/0.186A       | 0.256B/0.186A           | ----                       | 0.193 - 0.111             | .0723 | ----          | ----                     | 1                 | ----              | 9 +              | 1    |  |      |  |
| 5450           | ----                 | ----                      | -----/0.201A       | 0.278B/0.201A           | ----                       | 0.210 - 0.120             | .0783 | ----          | ----                     | ----              | ----              | 13               | UNCH |  |      |  |
| 5475           | ----                 | ----                      | -----/0.217A       | 0.302B/0.217A           | ----                       | 0.228 - 0.131             | .0848 | ----          | ----                     | 3                 | ----              | 63 +             | 3    |  |      |  |
| 5500           | 0.320                | 0.320                     | 0.320/0.230        | 0.329B/0.230            | ----                       | 0.248 - 0.142             | .0918 | ----          | ----                     | 37                | ----              | 715 +            | 7    |  |      |  |
| 5525           | ----                 | ----                      | -----/0.249A       | 0.358B/0.249A           | ----                       | 0.271 - 0.152             | .0996 | ----          | ----                     | ----              | ----              | 11               | UNCH |  |      |  |
| 5550           | ----                 | ----                      | -----/0.269A       | 0.389B/0.269A           | ----                       | 0.295 - 0.164             | .1078 | ----          | ----                     | ----              | ----              | 23               | UNCH |  |      |  |
| 5575           | ----                 | ----                      | -----/0.291A       | 0.423B/0.291A           | ----                       | 0.320 - 0.178             | .1163 | ----          | ----                     | 7                 | ----              | 74 +             | 7    |  |      |  |
| 5600           | 0.375                | 0.375                     | 0.375/0.315A       | 0.457B/0.315A           | ----                       | 0.348 - 0.191             | .1256 | ----          | ----                     | 39                | ----              | 170 -            | 13   |  |      |  |
| 5625           | ----                 | ----                      | -----/0.340A       | 0.500B/0.340A           | ----                       | 0.379 - 0.204             | .1357 | ----          | ----                     | ----              | ----              | 24               | UNCH |  |      |  |
| 5650           | 0.422                |                           |                    |                         |                            |                           |       |               |                          |                   |                   |                  |      |  |      |  |

| BULLETIN #191@ |                      |                           |                    | METALS OPTION PRODUCTS  |                            |                          |       |               |                          |                   | Mon, Oct 05, 2026 |                  |      | PG64 |
|----------------|----------------------|---------------------------|--------------------|-------------------------|----------------------------|--------------------------|-------|---------------|--------------------------|-------------------|-------------------|------------------|------|------|
|                | GLOBEX<br>OPEN       | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME     | OPEN<br>INTEREST |      |      |
| SO PUT         | COMEX SILVER OPTIONS |                           |                    |                         |                            |                          |       |               |                          |                   |                   |                  |      |      |
| NOV26          |                      |                           |                    |                         |                            |                          |       |               |                          |                   |                   |                  |      |      |
| 6925           | ----                 | ----                      | ----/7.196A        | 8.636B/7.196A           | ----                       | 8.133 - 0.880            | .9204 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 6950           | ----                 | ----                      | ----/7.432A        | 8.875B/7.432A           | ----                       | 8.372 - 0.882            | .9248 | ----          | ----                     | ----              | ----              | 10               | UNCH |      |
| 6975           | ----                 | ----                      | ----/7.658A        | 9.107B/7.658A           | ----                       | 8.611 - 0.884            | .9289 | ----          | ----                     | ----              | ----              | 5                | UNCH |      |
| 7000           | ----                 | ----                      | ----/7.897A        | 9.356B/7.897A           | ----                       | 8.851 - 0.885            | .9329 | ----          | ----                     | ----              | ----              | 79               | UNCH |      |
| 7025           | ----                 | ----                      | ----/8.132A        | 9.590B/8.132A           | ----                       | 9.093 - 0.885            | .9363 | ----          | ----                     | ----              | ----              | 8                | UNCH |      |
| 7050           | ----                 | ----                      | ----/8.368A        | 9.838B/8.368A           | ----                       | 9.335 - 0.885            | .9396 | ----          | ----                     | ----              | ----              | 84               | UNCH |      |
| 7075           | ----                 | ----                      | ----/8.605A        | 10.075B/8.605A          | ----                       | 9.576 - 0.886            | .9428 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 7100           | ----                 | ----                      | ----/8.842A        | 10.318B/8.842A          | ----                       | 9.819 - 0.886            | .9457 | ----          | ----                     | ----              | ----              | 4                | UNCH |      |
| 7125           | ----                 | ----                      | ----/9.080A        | 10.562B/9.080A          | ----                       | 10.063 - 0.885           | .9483 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 7150           | ----                 | ----                      | ----/9.320A        | 10.806B/9.320A          | ----                       | 10.306 - 0.886           | .9511 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 7175           | ----                 | ----                      | ----/9.561A        | 11.051B/9.561A          | ----                       | 10.551 - 0.885           | .9533 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 7200           | ----                 | ----                      | ----/9.801A        | 11.296B/9.801A          | ----                       | 10.794 - 0.887           | .9557 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 7225           | ----                 | ----                      | ----/10.038A       | 11.542B/10.038A         | ----                       | 11.039 - 0.887           | .9578 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 7275           | 11.555               | 11.555                    | 11.555/10.529A     | 12.033B/10.529A         | ----                       | 11.530 - 0.886           | .9616 | ----          | ----                     | 1                 | ----              | 1                | UNCH |      |
| 7300           | ----                 | ----                      | ----/10.772A       | 12.280B/10.772A         | ----                       | 11.775 - 0.887           | .9636 | ----          | ----                     | ----              | ----              | 4                | UNCH |      |
| 7400           | ----                 | ----                      | ----/11.746A       | 13.075B/11.746A         | ----                       | 12.760 - 0.888           | .9695 | ----          | ----                     | ----              | ----              | 25               | UNCH |      |
| 7500           | ----                 | ----                      | ----/12.727A       | 14.064B/12.727A         | ----                       | 13.748 - 0.886           | .9742 | ----          | ----                     | ----              | ----              | 22               | UNCH |      |
| 7525           | ----                 | ----                      | ----/12.967A       | 14.260B/12.967A         | ----                       | 13.994 - 0.888           | .9754 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 7650           | ----                 | ----                      | ----/14.270A       | 15.500B/14.270A         | ----                       | 15.233 - 0.887           | .9800 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 7700           | ----                 | ----                      | ----/14.764A       | 15.996B/14.764A         | ----                       | 15.729 - 0.887           | .9816 | ----          | ----                     | ----              | ----              | 52               | UNCH |      |
| 7725           | ----                 | ----                      | ----/15.032A       | 16.232B/15.032A         | ----                       | 15.977 - 0.887           | .9824 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 7750           | ----                 | ----                      | ----/15.296A       | 16.491B/15.296A         | ----                       | 16.225 - 0.887           | .9831 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 7775           | ----                 | ----                      | ----/15.523A       | 16.737B/15.523A         | ----                       | 16.474 - 0.887           | .9836 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 7800           | ----                 | ----                      | ----/15.754A       | 16.977B/15.754A         | ----                       | 16.722 - 0.887           | .9844 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 7825           | ----                 | ----                      | ----/16.029A       | 17.227B/16.029A         | ----                       | 16.971 - 0.886           | .9848 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 7900           | ----                 | ----                      | ----/16.768A       | 17.969B/16.768A         | ----                       | 17.716 - 0.887           | .9867 | ----          | ----                     | ----              | ----              | 3                | UNCH |      |
| 7975           | ----                 | ----                      | ----/17.508A       | 18.719B/17.508A         | ----                       | 18.463 - 0.885           | .9880 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 8500           | ----                 | ----                      | ----/22.745A       | 23.963B/22.745A         | ----                       | 23.701 - 0.884           | .9942 | ----          | ----                     | ----              | ----              | 66               | UNCH |      |
| 8975           | ----                 | ----                      | ----/27.483A       | 28.717B/27.483A         | ----                       | 28.450 - 0.885           | .9967 | ----          | ----                     | ----              | ----              | 0                | UNCH |      |
| 9000           | ----                 | ----                      | ----/27.740A       | 28.955B/27.740A         | ----                       | 28.700 - 0.885           | .9970 | ----          | ----                     | ----              | ----              | 5                | UNCH |      |
| 9025           | ----                 | ----                      | ----/27.990A       | 29.205B/27.990A         | ----                       | 28.950 - 0.885           | .9971 | ----          | ----                     | ----              | ----              | 0                | UNCH |      |
| TOTAL          |                      |                           |                    |                         |                            |                          |       |               |                          | 430               | 0                 | 9336 +           | 128  |      |
| DEC26          |                      |                           |                    |                         |                            |                          |       |               |                          |                   |                   |                  |      |      |
| 1500           | ----                 | ----                      | ----               | ----/0.010A             | ----                       | 0.001                    | UNCH  | ----          | ----                     | ----              | ----              | 180              | UNCH |      |
| 2000           | ----                 | ----                      | ----               | ----/0.014A             | ----                       | 0.001                    | UNCH  | .0000         | ----                     | ----              | ----              | 10               | UNCH |      |
| 2500           | ----                 | ----                      | ----               | ----/0.014A             | ----                       | 0.001 - 0.001            | .0002 | ----          | ----                     | ----              | ----              | 32               | UNCH |      |
| 3000           | ----                 | ----                      | ----               | ----/0.020A             | ----                       | 0.006 - 0.001            | .0011 | ----          | ----                     | ----              | ----              | 95               | UNCH |      |
| 3100           | ----                 | ----                      | ----               | ----/0.022A             | ----                       | 0.008 - 0.001            | .0015 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 3150           | ----                 | ----                      | ----               | ----/0.024A             | ----                       | 0.009 - 0.001            | .0018 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 3200           | ----                 | ----                      | ----               | ----/0.025A             | ----                       | 0.010 - 0.002            | .0020 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 3500           | ----                 | ----                      | ----               | 0.012B/0.030A           | ----                       | 0.019 - 0.003            | .0039 | ----          | ----                     | ----              | ----              | 38               | UNCH |      |
| 3600           | ----                 | ----                      | ----               | 0.015B/0.030A           | ----                       | 0.023 - 0.003            | .0047 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 3700           | ----                 | ----                      | ----               | 0.023B/0.032A           | ----                       | 0.027 - 0.003            | .0057 | ----          | 1                        | ----              | -                 | 2                | 1    |      |
| 3800           | ----                 | ----                      | ----               | 0.027B/0.039A           | ----                       | 0.031 - 0.004            | .0067 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 3850           | ----                 | ----                      | ----               | 0.030B/0.038A           | ----                       | 0.034 - 0.003            | .0073 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 3925           | ----                 | ----                      | ----               | 0.034B/0.043A           | ----                       | 0.038 - 0.004            | .0083 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 4000           | ----                 | ----                      | ----/0.046A        | 0.039B/0.046A           | ----                       | 0.043 - 0.004            | .0095 | ----          | ----                     | ----              | ----              | 123              | UNCH |      |
| 4100           | ----                 | ----                      | ----/0.053A        | 0.046B/0.053A           | ----                       | 0.050 - 0.005            | .0113 | ----          | ----                     | ----              | ----              | 3                | UNCH |      |
| 4200           | ----                 | ----                      | ----/0.062A        | 0.055B/0.062A           | ----                       | 0.059 - 0.007            | .0135 | ----          | ----                     | ----              | ----              | 197              | UNCH |      |
| 4250           | ----                 | ----                      | ----/0.069A        | 0.060B/0.069A           | ----                       | 0.064 - 0.008            | .0148 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 4300           | ----                 | ----                      | ----/0.075A        | 0.067B/0.075A           | ----                       | 0.070 - 0.009            | .0163 | ----          | ----                     | ----              | ----              | 20               | UNCH |      |
| 4400           | ----                 | ----                      | ----/0.088A        | 0.087B/0.088A           | ----                       | 0.083 - 0.012            | .0195 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 4500           | ----                 | ----                      | ----/0.102A        | 0.107B/0.102A           | ----                       | 0.100 - 0.016            | .0237 | ----          | ----                     | ----              | ----              | 428              | UNCH |      |
| 4600           | ----                 | ----                      | ----/0.122A        | 0.131B/0.122A           | ----                       | 0.121 - 0.021            | .0289 | ----          | ----                     | ----              | ----              | 19               | UNCH |      |
| 4650           | ----                 | ----                      | ----/0.134A        | 0.144B/0.134A           | ----                       | 0.133 - 0.024            | .0319 | ----          | ----                     | ----              | ----              | 4                | UNCH |      |
| 4675           | ----                 | ----                      | ----/0.140A        | 0.153B/0.140A           | ----                       | 0.141 - 0.025            | .0338 | ----          | ----                     | ----              | ----              | 4                | UNCH |      |
| 4700           | ----                 | ----                      | ----/0.146A        | 0.162B/0.146A           | ----                       | 0.148 - 0.026            | .0355 | ----          | 2                        | ----              | ----              | 52               | UNCH |      |
| 4750           | ----                 | ----                      | ----/0.161A        | 0.180B/0.161A           | ----                       | 0.164 - 0.029            | .0393 | ----          | ----                     | ----              | ----              | 8                | UNCH |      |
| 4800           | ----                 | ----                      | ----/0.178A        | 0.199B/0.178A           | ----                       | 0.182 - 0.032            | .0436 | ----          | 2                        | ----              | ----              | 463 +            | 2    |      |
| 4850           | ----                 | ----                      | ----/0.196A        | 0.224B/0.196A           | ----                       | 0.202 - 0.036            | .0484 | ----          | ----                     | ----              | ----              | 24               | UNCH |      |
| 4875           | ----                 | ----                      | ----/0.206A        | 0.236B/0.206A           | ----                       | 0.213 - 0.038            | .0510 | ----          | ----                     | ----              | ----              | 9                | UNCH |      |
| 4900           | ----                 | ----                      | ----/0.217A        | 0.249B/0.217A           | ----                       | 0.225 - 0.040            | .0538 | ----          | 1                        | ----              | ----              | 148 +            | 1    |      |
| 4925           | ----                 | ----                      | ----/0.228A        | 0.263B/0.228A           | ----                       | 0.237 - 0.043            | .0566 | ----          | 5                        | ----              | ----              | 364 +            | 5    |      |
| 4950           | ----                 | ----                      | ----/0.240A        | 0.278B/0.240A           | ----                       | 0.249 - 0.046            | .0594 | ----          | ----                     | ----              | ----              | 17               | UNCH |      |
| 4975           | ----                 | ----                      | ----/0.253A        | 0.291B/0.253A           | ----                       | 0.263 - 0.050            | .0627 | ----          | ----                     | ----              | ----              | 73               | UNCH |      |
| 5000           | 0.281                | 0.281                     | 0.281/0.266A       | 0.291B/0.266A           | ----                       | 0.276 - 0.055            | .0658 | ----          | 7                        | ----              | ----              | 621 +            | 7    |      |
| 5025           | ----                 | ----                      | ----/0.280A        | 0.306B/0.280A           | ----                       | 0.290 - 0.061            | .0691 | ----          | ----                     | ----              | ----              | 35               | UNCH |      |
| 5050           | ----                 | ----                      | ----/0.295A        | 0.326B/0.295A           | ----                       | 0.305 - 0.068            | .0726 | ----          | 1                        | ----              | ----              | 14 +             | 1    |      |
| 5075           | ----                 | ----                      | ----/0.310A        | 0.370B/0.310A           | ----                       | 0.322 - 0.073            | .0764 | ----          | ----                     | ----              | ----              | 5                | UNCH |      |
| 5100           | 0.360                | 0.360                     | 0.360/0.321        | 0.392B/0.321            | ----                       | 0.340 - 0.078            | .0805 | ----          | 6                        | 54                | ----              | 154 +            | 58   |      |
| 5125           | ----                 | ----                      | ----/0.349A        | 0.414B/0.349A           | ----                       | 0.360 - 0.083            | .0849 | ----          | ----                     | ----              | ----              | 5                | UNCH |      |
| 5150           | ----                 | ----                      | ----/0.368A        | 0.440B/0.368A           | ----                       | 0.381 - 0.088            | .0895 | ----          | ----                     | ----              | ----              | 18               | UNCH |      |
| 5175           | ----                 | ----                      | ----/0.391A        | 0.467B/0.391A           | ----                       | 0.403 - 0.094            | .0942 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 5200           | 0.453                | 0.453                     | 0.453/0.406A       | 0.494B/0.406A           | ----                       | 0.428 - 0.098            | .0995 | ----          | 1                        | ----              | ----              | 103 +            | 1    |      |
| 5225           | ----                 | ----                      | ----/0.425A        | 0.522B/0.425A           | ----                       | 0.453 - 0.104            | .1048 | ----          | 6                        | ----              | ----              | 16 +             | 6    |      |
| 5250           | ----                 | ----                      | ----/0.448A        | 0.555B/0.448A           | ----                       | 0.479 - 0.112            | .1103 | ----          | ----                     | ----              | ----              | 150              | UNCH |      |
| 5300           | 0.665                | 0.665</                   |                    |                         |                            |                          |       |               |                          |                   |                   |                  |      |      |

| BULLETIN #191@ |                      |              |                 | METALS OPTION PRODUCTS |                  |                 |                 |                          |       |               | Mon, Oct 05, 2026        |                   |               |                  | PG64 |
|----------------|----------------------|--------------|-----------------|------------------------|------------------|-----------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
|                | GLOBEX<br>OPEN       | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
| SO PUT         | COMEX SILVER OPTIONS |              |                 |                        |                  |                 |                 |                          |       |               |                          |                   |               |                  |      |
| DEC26          |                      |              |                 |                        |                  |                 |                 |                          |       |               |                          |                   |               |                  |      |
| 6825           | ----                 | ----         | ----            | /7.243A                | 8.401B/7.243A    | ----            | ----            | 7.941 - 0.801            | .7731 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 6850           | ----                 | ----         | ----            | /7.443A                | 8.614B/7.443A    | ----            | ----            | 8.152 - 0.805            | .7804 | ----          | ----                     | ----              | ----          | 78               | UNCH |
| 6875           | ----                 | ----         | ----            | /7.644A                | 8.828B/7.644A    | ----            | ----            | 8.364 - 0.810            | .7875 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 6900           | ----                 | ----         | ----            | /7.848A                | 9.044B/7.848A    | ----            | ----            | 8.578 - 0.815            | .7943 | ----          | ----                     | ----              | ----          | 20               | UNCH |
| 6950           | ----                 | ----         | ----            | /8.263A                | 9.480B/8.263A    | ----            | ----            | 9.011 - 0.822            | .8074 | ----          | ----                     | ----              | ----          | 24               | UNCH |
| 7000           | ----                 | ----         | ----            | /8.678A                | 9.922B/8.678A    | ----            | ----            | 9.448 - 0.830            | .8197 | ----          | ----                     | ----              | ----          | 252              | UNCH |
| 7050           | ----                 | ----         | ----            | /9.103A                | 10.368B/9.103A   | ----            | ----            | 9.890 - 0.837            | .8312 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 7075           | ----                 | ----         | ----            | /9.317A                | 10.593B/9.317A   | ----            | ----            | 10.115 - 0.838           | .8364 | ----          | ----                     | ----              | ----          | 21               | UNCH |
| 7100           | ----                 | ----         | ----            | /9.533A                | 10.818B/9.533A   | ----            | ----            | 10.339 - 0.842           | .8416 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 7150           | 10.830               | 10.830       |                 | 10.830/9.969A          | 11.273B/9.969A   | ----            | ----            | 10.791 - NEW             | .8514 | ----          | ----                     | 1                 | ----          | 1                | +    |
| 7200           | ----                 | ----         | ----            | /10.415A               | 11.731B/10.415A  | ----            | ----            | 11.248 - 0.850           | .8606 | ----          | ----                     | ----              | ----          | 14               | UNCH |
| 7225           | ----                 | ----         | ----            | /10.633A               | 11.962B/10.633A  | ----            | ----            | 11.477 - 0.852           | .8649 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 7250           | ----                 | ----         | ----            | /10.856A               | 12.194B/10.856A  | ----            | ----            | 11.708 - 0.854           | .8691 | ----          | ----                     | ----              | ----          | 49               | UNCH |
| 7300           | ----                 | ----         | ----            | /11.311A               | 12.658B/11.311A  | ----            | ----            | 12.170 - 0.858           | .8771 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 7425           | ----                 | ----         | ----            | /12.448A               | 13.833B/12.448A  | ----            | ----            | 13.342 - 0.864           | .8942 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 7500           | ----                 | ----         | ----            | /13.143A               | 14.545B/13.143A  | ----            | ----            | 14.053 - 0.866           | .9027 | ----          | ----                     | ----              | ----          | 33               | UNCH |
| 7550           | ----                 | ----         | ----            | /13.610A               | 15.022B/13.610A  | ----            | ----            | 14.529 - 0.867           | .9081 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 7600           | ----                 | ----         | ----            | /14.083A               | 15.493B/14.083A  | ----            | ----            | 15.007 - 0.869           | .9131 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 7700           | ----                 | ----         | ----            | /15.024A               | 16.454B/15.024A  | ----            | ----            | 15.968 - 0.870           | .9220 | ----          | ----                     | ----              | ----          | 14               | UNCH |
| 7750           | ----                 | ----         | ----            | /15.506A               | 16.943B/15.506A  | ----            | ----            | 16.450 - 0.871           | .9261 | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 7800           | ----                 | ----         | ----            | /15.982A               | 17.428B/15.982A  | ----            | ----            | 16.934 - 0.871           | .9297 | ----          | ----                     | ----              | ----          | 21               | UNCH |
| 7850           | ----                 | ----         | ----            | /16.460A               | 17.919B/16.460A  | ----            | ----            | 17.418 - 0.873           | .9334 | ----          | ----                     | ----              | ----          | 12               | UNCH |
| 7875           | ----                 | ----         | ----            | /16.702A               | 18.156B/16.702A  | ----            | ----            | 17.660 - 0.874           | .9351 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 7900           | ----                 | ----         | ----            | /16.942A               | 18.391B/16.942A  | ----            | ----            | 17.904 - 0.873           | .9366 | ----          | ----                     | ----              | ----          | 19               | UNCH |
| 8000           | ----                 | ----         | ----            | /17.907A               | 19.374B/17.907A  | ----            | ----            | 18.877 - 0.876           | .9426 | ----          | ----                     | ----              | ----          | 57               | UNCH |
| 8100           | ----                 | ----         | ----            | /18.876A               | 20.351B/18.876A  | ----            | ----            | 19.855 - 0.876           | .9478 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 8200           | ----                 | ----         | ----            | /19.849A               | 21.341B/19.849A  | ----            | ----            | 20.835 - 0.877           | .9525 | ----          | ----                     | ----              | ----          | 42               | UNCH |
| 8250           | ----                 | ----         | ----            | /20.332A               | 21.833B/20.332A  | ----            | ----            | 21.326 - 0.877           | .9545 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 8350           | ----                 | ----         | ----            | /21.316A               | 22.818B/21.316A  | ----            | ----            | 22.311 - 0.876           | .9581 | ----          | ----                     | ----              | ----          | 9                | UNCH |
| 8400           | ----                 | ----         | ----            | /21.806A               | 23.311B/21.806A  | ----            | ----            | 22.803 - 0.877           | .9599 | ----          | ----                     | ----              | ----          | 60               | UNCH |
| 8500           | ----                 | ----         | ----            | /22.789A               | 24.286B/22.789A  | ----            | ----            | 23.789 - 0.878           | .9633 | ----          | ----                     | ----              | ----          | 166              | UNCH |
| 8550           | ----                 | ----         | ----            | /23.275A               | 24.759B/23.275A  | ----            | ----            | 24.281 - 0.881           | .9650 | ----          | ----                     | ----              | ----          | 25               | UNCH |
| 8600           | ----                 | ----         | ----            | /23.773A               | 25.246B/23.773A  | ----            | ----            | 24.775 - 0.881           | .9664 | ----          | ----                     | ----              | ----          | 9                | UNCH |
| 8800           | ----                 | ----         | ----            | /25.746A               | 27.230B/25.746A  | ----            | ----            | 26.755 - 0.880           | .9710 | ----          | ----                     | ----              | ----          | 12               | UNCH |
| 8900           | ----                 | ----         | ----            | /26.751A               | 28.223B/26.751A  | ----            | ----            | 27.747 - 0.879           | .9732 | ----          | ----                     | ----              | ----          | 30               | UNCH |
| 9000           | ----                 | ----         | ----            | /27.733A               | 29.221B/27.733A  | ----            | ----            | 28.739 - 0.880           | .9752 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 9050           | ----                 | ----         | ----            | /28.228A               | 29.712B/28.228A  | ----            | ----            | 29.236 - 0.880           | .9760 | ----          | ----                     | ----              | ----          | 110              | UNCH |
| 9500           | ----                 | ----         | ----            | /32.697A               | 34.190B/32.697A  | ----            | ----            | 33.711 - 0.883           | .9831 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 9800           | ----                 | ----         | ----            | /35.688A               | 37.188B/35.688A  | ----            | ----            | 36.703 - 0.885           | .9862 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 9850           | ----                 | ----         | ----            | /36.180A               | 37.689B/36.180A  | ----            | ----            | 37.202 - 0.885           | .9867 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 10000          | ----                 | ----         | ----            | /37.676A               | 39.188B/37.676A  | ----            | ----            | 38.701 - 0.885           | .9879 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 10025          | ----                 | ----         | ----            | /37.925A               | 39.438B/37.925A  | ----            | ----            | 38.950 - 0.886           | .9881 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 10125          | ----                 | ----         | ----            | /38.923A               | 40.438B/38.923A  | ----            | ----            | 39.950 - 0.885           | .9888 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| TOTAL          |                      |              |                 |                        |                  |                 |                 |                          |       |               |                          | 116               | 54            | 9538             | +    |
| JAN27          |                      |              |                 |                        |                  |                 |                 |                          |       |               |                          |                   |               |                  |      |
| 3000           | ----                 | ----         | ----            | ----                   | 0.009B/0.037A    | ----            | ----            | 0.020 - 0.004            | .0032 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 3500           | ----                 | ----         | ----            | ----                   | 0.042B/0.051A    | ----            | ----            | 0.047 - 0.004            | .0080 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 3800           | ----                 | ----         | ----            | ----                   | 0.067B/0.077A    | ----            | ----            | 0.072 - 0.004            | .0127 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4000           | ----                 | ----         | ----            | /0.101A                | 0.091B/0.101A    | ----            | ----            | 0.095 - 0.007            | .0172 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 4100           | ----                 | ----         | ----            | /0.117A                | 0.111B/0.117A    | ----            | ----            | 0.111 - 0.008            | .0203 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4200           | ----                 | ----         | ----            | /0.131A                | 0.132B/0.131A    | ----            | ----            | 0.130 - 0.010            | .0239 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 4300           | ----                 | ----         | ----            | /0.152A                | 0.157B/0.152A    | ----            | ----            | 0.153 - 0.013            | .0283 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4500           | ----                 | ----         | ----            | /0.209A                | 0.226B/0.209A    | ----            | ----            | 0.213 - 0.024            | .0396 | ----          | ----                     | ----              | ----          | 37               | UNCH |
| 4675           | ----                 | ----         | ----            | /0.279A                | 0.310B/0.279A    | ----            | ----            | 0.288 - 0.038            | .0533 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4725           | ----                 | ----         | ----            | /0.304A                | 0.340B/0.304A    | ----            | ----            | 0.315 - 0.043            | .0581 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 4775           | ----                 | ----         | ----            | /0.332A                | 0.370B/0.332A    | ----            | ----            | 0.344 - 0.049            | .0632 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4800           | ----                 | ----         | ----            | /0.346A                | 0.372B/0.346A    | ----            | ----            | 0.360 - 0.052            | .0660 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 4900           | ----                 | ----         | ----            | /0.418A                | 0.459B/0.418A    | ----            | ----            | 0.432 - 0.065            | .0784 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5000           | 0.563                | 0.563        |                 | 0.563/0.504A           | 0.574B/0.504A    | ----            | ----            | 0.518 - 0.083            | .0928 | ----          | ----                     | 8                 |               | 167              | -    |
| 5075           | ----                 | ----         | ----            | /0.563A                | 0.662B/0.563A    | ----            | ----            | 0.595 - 0.098            | .1053 | ----          | ----                     | ----              | ----          | 10               | UNCH |
| 5200           | ----                 | ----         | ----            | /0.706A                | 0.836B/0.706A    | ----            | ----            | 0.750 - 0.129            | .1294 | ----          | ----                     | ----              | ----          | 12               | UNCH |
| 5300           | ----                 | ----         | ----            | /0.844A                | 1.009B/0.844A    | ----            | ----            | 0.903 - 0.158            | .1520 | ----          | ----                     | ----              | ----          | 19               | UNCH |
| 5325           | ----                 | ----         | ----            | /0.883A                | 1.057B/0.883A    | ----            | ----            | 0.946 - 0.165            | .1582 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5350           | 0.940                | 0.940        |                 | 0.940/0.924A           | 1.106B/0.924A    | ----            | ----            | 0.991 - 0.172            | .1645 | ----          | ----                     | 2                 |               | 3                | UNCH |
| 5375           | ----                 | ----         | ----            | /0.967A                | 1.159B/0.967A    | ----            | ----            | 1.038 - 0.180            | .1710 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5400           | ----                 | ----         | ----            | /1.009A                | 1.211B/1.009A    | ----            | ----            | 1.086 - 0.188            | .1777 | ----          | ----                     | ----              | ----          | 252              | UNCH |
| 5425           | 1.107                | 1.107        |                 | 1.107/1.056A           | 1.266B/1.056A    | ----            | ----            | 1.137 - 0.196            | .1845 | ----          | ----                     | 5                 |               | 242              | +    |
| 5450           | 1.161                | 1.161        |                 | 1.161/1.104A           | 1.326B/1.104A    | ----            | ----            | 1.190 - 0.205            | .1916 | ----          | ----                     | 2                 |               | 23               | +    |
| 5475           | ----                 | ----         | ----            | /1.154A                | 1.385B/1.154A    | ----            | ----            | 1.244 - 0.214            | .1988 | ----          | ----                     | ----              | ----          | 196              | UNCH |
| 5500           | ----                 | ----         | ----            | /1.204A                | 1.450B/1.204A    | ----            | ----            | 1.301 - 0.223            | .2062 | ----          | ----                     | ----              | ----          | 93               | UNCH |
| 5525           | ----                 | ----         | ----            | /1.258A                |                  |                 |                 |                          |       |               |                          |                   |               |                  |      |

| BULLETIN #191@ |                      |              |                 | METALS OPTION PRODUCTS |                   |                 |                 |                          |       |               | Mon, Oct 05, 2026        |                   |               | PG64             |
|----------------|----------------------|--------------|-----------------|------------------------|-------------------|-----------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|
|                | GLOBEX<br>OPEN       | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>HIGH/LOW  | OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |
| SO PUT         | COMEX SILVER OPTIONS |              |                 |                        |                   |                 |                 |                          |       |               |                          |                   |               |                  |
| FEB27          |                      |              |                 |                        |                   |                 |                 |                          |       |               |                          |                   |               |                  |
| 5725           | ----                 | ----         | ----            | ----/2. 318A           | 2. 686B/2. 318A   | ----            | ----            | 2. 493 - 0. 336          | .3002 | ----          | ----                     | ----              | ----          | 1 UNCH           |
| 5800           | ----                 | ----         | ----            | ----/2. 583A           | 2. 987B/2. 583A   | ----            | ----            | 2. 776 - 0. 366          | .3245 | ----          | ----                     | ----              | ----          | 10 UNCH          |
| 5825           | ----                 | ----         | ----            | ----/2. 672A           | 3. 100B/2. 672A   | ----            | ----            | 2. 876 - 0. 375          | .3327 | ----          | ----                     | ----              | ----          | 12 UNCH          |
| 5875           | ----                 | ----         | ----            | ----/2. 863A           | 3. 321B/2. 863A   | ----            | ----            | 3. 082 - 0. 395          | .3493 | ----          | ----                     | ----              | ----          | 10 UNCH          |
| 6000           | ----                 | ----         | ----            | ----/3. 385A           | 3. 900B/3. 385A   | ----            | ----            | 3. 640 - 0. 445          | .3915 | ----          | ----                     | 1                 | ----          | 12 + 1           |
| 6025           | 3. 750               | 3. 750       |                 | 3. 750/3. 496A         | 4. 032B/3. 496A   | ----            | ----            | 3. 759 - NEW             | .4000 | ----          | ----                     | 1                 | ----          | 1 + 1            |
| 6050           | ----                 | ----         | ----            | ----/3. 604A           | 4. 158B/3. 604A   | ----            | ----            | 3. 880 - 0. 466          | .4085 | ----          | ----                     | ----              | ----          | 17 UNCH          |
| 6100           | ----                 | ----         | ----            | ----/3. 844A           | 4. 424B/3. 844A   | ----            | ----            | 4. 130 - 0. 486          | .4256 | ----          | ----                     | ----              | ----          | 6 UNCH           |
| 6200           | ----                 | ----         | ----            | ----/4. 342A           | 4. 968B/4. 342A   | ----            | ----            | 4. 661 - 0. 524          | .4594 | ----          | ----                     | ----              | ----          | 7 UNCH           |
| 6250           | ----                 | ----         | ----            | ----/4. 604A           | 5. 265B/4. 604A   | ----            | ----            | 4. 941 - 0. 542          | .4762 | ----          | ----                     | ----              | ----          | 9 UNCH           |
| 6400           | ----                 | ----         | ----            | ----/5. 446A           | 6. 183B/5. 446A   | ----            | ----            | 5. 838 - 0. 594          | .5250 | ----          | ----                     | ----              | ----          | 1 UNCH           |
| 6500           | ----                 | ----         | ----            | ----/6. 050A           | 6. 858B/6. 050A   | ----            | ----            | 6. 481 - 0. 625          | .5560 | ----          | ----                     | ----              | ----          | 21 UNCH          |
| 6600           | ----                 | ----         | ----            | ----/6. 686A           | 7. 488B/6. 686A   | ----            | ----            | 7. 157 - 0. 653          | .5857 | ----          | ----                     | ----              | ----          | 6 UNCH           |
| 6700           | ----                 | ----         | ----            | ----/7. 355A           | 8. 208B/7. 355A   | ----            | ----            | 7. 863 - 0. 679          | .6138 | ----          | ----                     | ----              | ----          | 11 UNCH          |
| 6825           | ----                 | ----         | ----            | ----/8. 246A           | 9. 152B/8. 246A   | ----            | ----            | 8. 783 - 0. 710          | .6467 | ----          | ----                     | ----              | ----          | 5 UNCH           |
| 7000           | ----                 | ----         | ----            | ----/9. 538A           | 10. 504B/9. 538A  | ----            | ----            | 10. 133 - 0. 746         | .6887 | ----          | ----                     | ----              | ----          | 5 UNCH           |
| 7225           | ----                 | ----         | ----            | ----/11. 310A          | 12. 350B/11. 310A | ----            | ----            | 11. 961 - 0. 785         | .7355 | ----          | ----                     | ----              | ----          | 1 UNCH           |
| 7250           | ----                 | ----         | ----            | ----/11. 519A          | 12. 561B/11. 519A | ----            | ----            | 12. 169 - 0. 789         | .7402 | ----          | ----                     | ----              | ----          | 1 UNCH           |
| 7400           | ----                 | ----         | ----            | ----/12. 750A          | 13. 843B/12. 750A | ----            | ----            | 13. 444 - 0. 807         | .7667 | ----          | ----                     | ----              | ----          | 2 UNCH           |
| 7575           | ----                 | ----         | ----            | ----/14. 237A          | 15. 378B/14. 237A | ----            | ----            | 14. 971 - 0. 823         | .7936 | ----          | ----                     | ----              | ----          | 20 UNCH          |
| 8075           | ----                 | ----         | ----            | ----/18. 686A          | 19. 929B/18. 686A | ----            | ----            | 19. 507 - 0. 857         | .8522 | ----          | ----                     | ----              | ----          | 5 UNCH           |
| 8150           | ----                 | ----         | ----            | ----/19. 373A          | 20. 628B/19. 373A | ----            | ----            | 20. 203 - 0. 862         | .8591 | ----          | ----                     | ----              | ----          | 10 UNCH          |
| 8225           | ----                 | ----         | ----            | ----/20. 064A          | 21. 331B/20. 064A | ----            | ----            | 20. 903 - 0. 866         | .8657 | ----          | ----                     | ----              | ----          | 10 UNCH          |
| 8250           | ----                 | ----         | ----            | ----/20. 307A          | 21. 566B/20. 307A | ----            | ----            | 21. 138 - 0. 866         | .8677 | ----          | ----                     | ----              | ----          | 10 UNCH          |
| TOTAL          |                      |              |                 |                        |                   |                 |                 |                          |       |               |                          | 2                 | 0             | 524 + 2          |
| MAR27          |                      |              |                 |                        |                   |                 |                 |                          |       |               |                          |                   |               |                  |
| 3550           | ----                 | ----         | ----            | ----                   | 0. 112B/0. 133A   | ----            | ----            | 0. 124 - 0. 003          | .0173 | ----          | ----                     | ----              | ----          | 5 UNCH           |
| 4000           | ----                 | ----         | ----            | ----/0. 231A           | 0. 229B/0. 231A   | ----            | ----            | 0. 229 - 0. 015          | .0327 | ----          | ----                     | ----              | ----          | 299 UNCH         |
| 4200           | ----                 | ----         | ----            | ----/0. 307A           | 0. 313B/0. 307A   | ----            | ----            | 0. 307 - 0. 024          | .0438 | ----          | ----                     | ----              | ----          | 1 UNCH           |
| 4300           | ----                 | ----         | ----            | ----/0. 353A           | 0. 368B/0. 353A   | ----            | ----            | 0. 357 - 0. 030          | .0507 | ----          | ----                     | ----              | ----          | 5 UNCH           |
| 4500           | ----                 | ----         | ----            | ----/0. 474A           | 0. 490B/0. 474A   | ----            | ----            | 0. 485 - 0. 046          | .0679 | ----          | ----                     | ----              | ----          | 50 UNCH          |
| 4750           | ----                 | ----         | ----            | ----/0. 696A           | 0. 756B/0. 696A   | ----            | ----            | 0. 714 - 0. 080          | .0970 | ----          | ----                     | ----              | ----          | 15 UNCH          |
| 4775           | ----                 | ----         | ----            | ----/0. 712A           | 0. 787B/0. 712A   | ----            | ----            | 0. 742 - 0. 085          | .1004 | ----          | ----                     | ----              | ----          | 15 UNCH          |
| 4800           | ----                 | ----         | ----            | ----/0. 740A           | 0. 820B/0. 740A   | ----            | ----            | 0. 771 - 0. 090          | .1039 | ----          | ----                     | ----              | ----          | 5 UNCH           |
| 4900           | ----                 | ----         | ----            | ----/0. 860A           | 0. 961B/0. 860A   | ----            | ----            | 0. 901 - 0. 108          | .1193 | ----          | ----                     | ----              | ----          | 5 UNCH           |
| 5000           | ----                 | ----         | ----            | ----/1. 002A           | 1. 125B/1. 002A   | ----            | ----            | 1. 052 - 0. 129          | .1365 | ----          | ----                     | ----              | ----          | 77 UNCH          |
| 5050           | ----                 | ----         | ----            | ----/1. 080A           | 1. 216B/1. 080A   | ----            | ----            | 1. 136 - 0. 141          | .1457 | ----          | ----                     | ----              | ----          | 9 UNCH           |
| 5075           | ----                 | ----         | ----            | ----/1. 119A           | 1. 264B/1. 119A   | ----            | ----            | 1. 180 - 0. 147          | .1505 | ----          | ----                     | ----              | ----          | 1 UNCH           |
| 5100           | ----                 | ----         | ----            | ----/1. 161A           | 1. 313B/1. 161A   | ----            | ----            | 1. 226 - 0. 153          | .1554 | ----          | ----                     | ----              | ----          | 2 UNCH           |
| 5150           | ----                 | ----         | ----            | ----/1. 251A           | 1. 418B/1. 251A   | ----            | ----            | 1. 323 - 0. 166          | .1657 | ----          | ----                     | ----              | ----          | 6 UNCH           |
| 5200           | ----                 | ----         | ----            | ----/1. 346A           | 1. 526B/1. 346A   | ----            | ----            | 1. 427 - 0. 179          | .1763 | ----          | ----                     | ----              | ----          | 3 UNCH           |
| 5300           | ----                 | ----         | ----            | ----/1. 559A           | 1. 774B/1. 559A   | ----            | ----            | 1. 657 - 0. 206          | .1991 | ----          | ----                     | ----              | ----          | 2 UNCH           |
| 5350           | ----                 | ----         | ----            | ----/1. 675A           | 1. 907B/1. 675A   | ----            | ----            | 1. 783 - 0. 220          | .2111 | ----          | ----                     | ----              | ----          | 8 UNCH           |
| 5400           | ----                 | ----         | ----            | ----/1. 797A           | 2. 050B/1. 797A   | ----            | ----            | 1. 917 - 0. 235          | .2235 | ----          | ----                     | ----              | ----          | 23 UNCH          |
| 5425           | ----                 | ----         | ----            | ----/1. 863A           | 2. 125B/1. 863A   | ----            | ----            | 1. 987 - 0. 243          | .2298 | ----          | ----                     | ----              | ----          | 2 UNCH           |
| 5500           | ----                 | ----         | ----            | ----/2. 069A           | 2. 362B/2. 069A   | ----            | ----            | 2. 211 - 0. 265          | .2495 | ----          | ----                     | ----              | 35            | 615 + 21         |
| 5550           | ----                 | ----         | ----            | ----/2. 217A           | 2. 531B/2. 217A   | ----            | ----            | 2. 370 - 0. 281          | .2630 | ----          | ----                     | ----              | ----          | 1 UNCH           |
| 5600           | ----                 | ----         | ----            | ----/2. 373A           | 2. 709B/2. 373A   | ----            | ----            | 2. 538 - 0. 297          | .2768 | ----          | ----                     | ----              | ----          | 270 UNCH         |
| 5675           | ----                 | ----         | ----            | ----/2. 626A           | 2. 993B/2. 626A   | ----            | ----            | 2. 807 - 0. 322          | .2981 | ----          | ----                     | ----              | ----          | 1 UNCH           |
| 5700           | ----                 | ----         | ----            | ----/2. 710A           | 3. 093B/2. 710A   | ----            | ----            | 2. 901 - 0. 330          | .3053 | ----          | ----                     | ----              | ----          | 3 UNCH           |
| 5800           | ----                 | ----         | ----            | ----/3. 079A           | 3. 512B/3. 079A   | ----            | ----            | 3. 301 - 0. 363          | .3346 | ----          | ----                     | ----              | ----          | 42 UNCH          |
| 5900           | ----                 | ----         | ----            | ----/3. 489A           | 3. 968B/3. 489A   | ----            | ----            | 3. 736 - 0. 397          | .3645 | ----          | ----                     | ----              | ----          | 9 UNCH           |
| 6000           | ----                 | ----         | ----            | ----/3. 934A           | 4. 464B/3. 934A   | ----            | ----            | 4. 208 - 0. 432          | .3947 | ----          | ----                     | 6                 | ----          | 112 - 4          |
| 6100           | ----                 | ----         | ----            | ----/4. 412A           | 4. 987B/4. 412A   | ----            | ----            | 4. 715 - 0. 467          | .4249 | ----          | ----                     | ----              | ----          | 2 UNCH           |
| 6200           | ----                 | ----         | ----            | ----/4. 924A           | 5. 550B/4. 924A   | ----            | ----            | 5. 258 - 0. 501          | .4549 | ----          | ----                     | 1                 | ----          | 1 - 1            |
| 6375           | ----                 | ----         | ----            | ----/5. 895A           | 6. 598B/5. 895A   | ----            | ----            | 6. 287 - 0. 559          | .5058 | ----          | ----                     | ----              | ----          | 1 UNCH           |
| 6400           | 6. 371               | 6. 371       |                 | 6. 371/6. 042A         | 6. 765B/6. 042A   | ----            | ----            | 6. 442 - 0. 567          | .5128 | ----          | ----                     | 30                | ----          | 29 + 28          |
| 6450           | ----                 | ----         | ----            | ----/6. 342A           | 7. 104B/6. 342A   | ----            | ----            | 6. 757 - 0. 583          | .5267 | ----          | ----                     | ----              | ----          | 1 UNCH           |
| 6500           | ----                 | ----         | ----            | ----/6. 650A           | 7. 437B/6. 650A   | ----            | ----            | 7. 081 - 0. 597          | .5404 | ----          | ----                     | ----              | ----          | 20 UNCH          |
| 6775           | ----                 | ----         | ----            | ----/8. 466A           | 9. 324B/8. 466A   | ----            | ----            | 8. 981 - 0. 669          | .6104 | ----          | ----                     | ----              | ----          | 1 UNCH           |
| 6800           | ----                 | ----         | ----            | ----/8. 640A           | 9. 504B/8. 640A   | ----            | ----            | 9. 163 - 0. 675          | .6163 | ----          | ----                     | ----              | ----          | 1 UNCH           |
| 6825           | ----                 | ----         | ----            | ----/8. 817A           | 9. 684B/8. 817A   | ----            | ----            | 9. 347 - 0. 680          | .6222 | ----          | ----                     | ----              | ----          | 3 UNCH           |
| 6850           | ----                 | ----         | ----            | ----/8. 994A           | 9. 864B/8. 994A   | ----            | ----            | 9. 532 - 0. 686          | .6279 | ----          | ----                     | ----              | ----          | 1 UNCH           |
| 6950           | ----                 | ----         | ----            | ----/9. 725A           | 10. 656B/9. 725A  | ----            | ----            | 10. 286 - 0. 706         | .6501 | ----          | ----                     | ----              | ----          | 2 UNCH           |
| 7000           | ----                 | ----         | ----            | ----/10. 100A          | 11. 016B/10. 100A | ----            | ----            | 10. 671 - 0. 715         | .6607 | ----          | ----                     | ----              | ----          | 3 UNCH           |
| 7225           | ----                 | ----         | ----            | ----/11. 832A          | 12. 816B/11. 832A | ----            | ----            | 12. 459 - 0. 753         | .7047 | ----          | ----                     | ----              | ----          | 10 UNCH          |
| 7500           | ----                 | ----         | ----            | ----/14. 070A          | 15. 115B/14. 070A | ----            | ----            | 14. 755 - 0. 788         | .7504 | ----          | ----                     | ----              | ----          | 3 UNCH           |
| 7575           | ----                 | ----         | ----            | ----/14. 709A          | 15. 761B/14. 709A | ----            | ----            | 15. 398 - 0. 797         | .7614 | ----          | ----                     | ----              | ----          | 1 UNCH           |
| 7600           | ----                 | ----         | ----            | ----/14. 908A          | 15. 978B/14. 908A | ----            | ----            | 15. 614 - 0. 799         | .7649 | ----          | ----                     | ----              | ----          | 1 UNCH           |
| 7625           | ----                 | ----         | ----            | ----/15. 120A          | 16. 204B/15. 120A | ----            | ----            | 15. 831 - 0. 802         | .7684 | ----          | ----                     | ----              | ----          | 10 UNCH          |
| 7750           | ----                 | ----         | ----            | ----/16. 202A          | 17. 287B/16. 202A | ----            | ----            | 16. 925 - 0. 813         | .7850 | ----          |                          |                   |               |                  |



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

| PG64     | BULLETIN #191@ |                      |                 |                    |                  |                    |               |                 |                          |       | METALS OPTION PRODUCTS |                          |                   |               | Mon, Oct 05, 2026 |      |  |  | PG64 |
|----------|----------------|----------------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|------------------------|--------------------------|-------------------|---------------|-------------------|------|--|--|------|
|          | GLOBEX<br>OPEN | OPEN<br>OPEN         | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES          | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST  |      |  |  |      |
| SO PUT   |                | COMEX SILVER OPTIONS |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                   |      |  |  |      |
| JUL27    |                |                      |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                   |      |  |  |      |
| 6500     | ----           | ----                 |                 | ----/8.329A        | 8.821B/8.329A    | ----               |               |                 | 8.627 -                  | 0.531 | .4771                  | ----                     | ----              | ----          |                   | 1    |  |  |      |
| 6900     | ----           | ----                 |                 | ----/10.850A       | 11.439B/10.850A  | ----               |               |                 | 11.247 -                 | 0.628 | .5520                  | ----                     | ----              | ----          | 100               | UNCH |  |  |      |
| 7000     | ----           | ----                 |                 | ----/11.584A       | 12.151B/11.584A  | ----               |               |                 | 11.947 -                 | 0.651 | .5693                  | ----                     | ----              | ----          | 25                | UNCH |  |  |      |
| TOTAL    |                |                      |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   | 0             | 196               | 0    |  |  |      |
| SEP27    |                |                      |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                   |      |  |  |      |
| 5500     | ----           | ----                 |                 | ----/4.411A        | 4.114B/4.411A    | ----               |               |                 | 4.295 -                  | 0.287 | .2718                  | ----                     | ----              | ----          | 10                | UNCH |  |  |      |
| 5800     | ----           | ----                 |                 | ----/5.633A        | 5.397B/5.633A    | ----               |               |                 | 5.573 -                  | 0.339 | .3267                  | ----                     | ----              | ----          | 1                 | UNCH |  |  |      |
| 5900     | ----           | ----                 |                 | ----/6.085A        | 5.842B/6.085A    | ----               |               |                 | 6.049 -                  | 0.356 | .3453                  | ----                     | ----              | ----          | 1                 | UNCH |  |  |      |
| TOTAL    |                |                      |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   | 0             | 12                | 0    |  |  |      |
| DEC27    |                |                      |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                   |      |  |  |      |
| 7175     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 15.829 -                 | 0.502 | .5031                  | ----                     | ----              | ----          | 25                | UNCH |  |  |      |
| TOTAL    |                |                      |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   | 0             | 25                | 0    |  |  |      |
| DEC28    |                |                      |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                   |      |  |  |      |
| 7175     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 18.166 -                 | 0.403 | .4144                  | ----                     | ----              | ----          | 40                | UNCH |  |  |      |
| TOTAL    |                |                      |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   | 0             | 40                | 0    |  |  |      |
| S01 CALL |                | SILVER OPTIONS       |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                   |      |  |  |      |
| OCT26    |                |                      |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                   |      |  |  |      |
| 6000     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.415                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6030     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.115                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6040     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.015                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6050     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6060     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6070     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6080     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6090     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6100     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6110     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6120     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6150     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6170     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6190     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6200     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6220     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6230     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6240     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6250     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6260     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6270     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6280     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6290     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6300     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6310     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6350     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6370     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6600     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| TOTAL    |                |                      |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   | 0             | 0                 | 0    |  |  |      |
| S01 PUT  |                | SILVER OPTIONS       |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                   |      |  |  |      |
| OCT26    |                |                      |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                   |      |  |  |      |
| 5890     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 5900     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 5950     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 5970     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 5980     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6000     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6010     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6020     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6030     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6040     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.000                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6050     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.085                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6060     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.185                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6070     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.285                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6080     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.385                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6090     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.485                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6100     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.585                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6110     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.685                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6120     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.785                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6130     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.885                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6140     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 0.985                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6150     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 1.085                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6160     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 1.185                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6170     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 1.285                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6180     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 1.385                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6190     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 1.485                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6200     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 1.585                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6210     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 1.685                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6220     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 1.785                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6230     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 1.885                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6250     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 2.085                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6300     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 2.585                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6350     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 3.085                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6370     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 3.285                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6400     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 3.585                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6450     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 4.085                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6500     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 4.585                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6600     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 5.585                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6650     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 6.085                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6700     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 6.585                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6750     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 7.085                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 6950     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 9.085                    | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 7050     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 10.085                   | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 7100     | ----           | ----                 |                 | ----               | ----             | ----               | ----          |                 | 10.585                   | UNCH  | ----                   | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| TOTAL    |                |                      |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   | 0             | 0                 | 0    |  |  |      |
| S02 CALL |                | SILVER OPTIONS       |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                   |      |  |  |      |
| OCT26    |                |                      |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                   |      |  |  |      |
| 5900     | ----           | ----                 |                 | 3.502B/----        | 3.502B/2.182A    | ----               | ----          |                 | 2.481 +                  | 0.570 | .8758                  | ----                     | ----              | ----          | 1                 | UNCH |  |  |      |
| 6000     | ----           | ----                 |                 | 2.614B/----        | 2.614B/1.474A    | ----               | ----          |                 | 1.665 +                  | 0.411 | .7540                  | ----                     | ----              | ----          | 2                 | UNCH |  |  |      |
| 6100     | 1.206          | 1.206                |                 | 1.817B/1.206       | 1.817B/0.918A    | ----               | ----          |                 | 1.001 +                  | 0.242 | .5691                  | ----                     | 1                 | ----          | 3 +               | 1    |  |  |      |
| 6200     | 0.567          | 0.567                |                 | 1.150B/0.496A      | 1.150B/0.496A    | ----               | ----          |                 | 0.527 +                  | 0.096 | .3591                  | ----                     | 1                 | ----          | 4                 | UNCH |  |  |      |
| 6250     | 0.469          | 0.469                |                 | 0.883B/0.346A      | 0.883B/0.346A    | ----               | ----          |                 | 0.366 +                  | 0.045 | .2649                  | ----                     | 2                 | ----          | 2 +               | 2    |  |  |      |
| 6300     | 0.450          | 0.450                |                 | 0.661B/0.240A      | 0.661B/0.240A    | ----               | ----          |                 | 0.251 +                  | 0.012 | .1878                  | ----                     | 1                 | ----          | 12 +              | 1    |  |  |      |
| 6350     | ----           | ----                 |                 | 0.484B/0.168A      | 0.484B/0.168A    | ----               | ----          |                 | 0.172 -                  | 0.008 | .1298                  | ----                     | ----              | ----          | 6                 | UNCH |  |  |      |
| 6400     | ----           | ----                 |                 | 0.348B/0.117A      | 0.348B/0.117A    | ----               | ----          |                 | 0.119 -                  | 0.018 | .0887                  | ----                     | 1                 | ----          | 6 -               | 1    |  |  |      |
| 6450     | ----           | ----                 |                 | 0.248B/0.086A      | 0.248B/0.086A    | ----               | ----          |                 | 0.084 -                  | 0.022 | .0608                  | ----                     | ----              | ----          | 1                 |      |  |  |      |

|          | BULLETIN #191@ |                           |                    |                         |                            |                          |       |               |                          |                   | METALS OPTION PRODUCTS |                  |      |  |  | Mon, Oct 05, 2026 |  |  | PG64 |
|----------|----------------|---------------------------|--------------------|-------------------------|----------------------------|--------------------------|-------|---------------|--------------------------|-------------------|------------------------|------------------|------|--|--|-------------------|--|--|------|
|          | GLOBEX<br>OPEN | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME          | OPEN<br>INTEREST |      |  |  |                   |  |  |      |
| S02 PUT  | SILVER OPTIONS |                           |                    |                         |                            |                          |       |               |                          |                   |                        |                  |      |  |  |                   |  |  |      |
| OCT26    |                |                           |                    |                         |                            |                          |       |               |                          |                   |                        |                  |      |  |  |                   |  |  |      |
| 5800     | 0.190          | 0.190                     | 0.190/0.083A       | 0.190/0.083A            | ----                       | 0.093 - 0.193            | .0599 | ----          | ----                     | 8                 | ----                   | 13 +             | 2    |  |  |                   |  |  |      |
| 5850     | 0.195          | 0.195                     | 0.195/0.112A       | 0.246B/0.112A           | ----                       | 0.129 - 0.248            | .0861 | ----          | ----                     | 8                 | ----                   | 15 +             | 4    |  |  |                   |  |  |      |
| 5900     | ----           | ----                      | -----/0.151A       | 0.339B/0.151A           | ----                       | 0.182 - 0.315            | .1241 | ----          | ----                     | 6                 | ----                   | 17 +             | 4    |  |  |                   |  |  |      |
| 5950     | ----           | ----                      | -----/0.198A       | 0.461B/0.198A           | ----                       | 0.258 - 0.391            | .1766 | ----          | ----                     | ----              | ----                   | 6                | UNCH |  |  |                   |  |  |      |
| 6000     | 0.425          | 0.425                     | 0.425/0.263A       | 0.625B/0.263A           | ----                       | 0.365 - 0.474            | .2459 | ----          | ----                     | 6                 | ----                   | 16 +             | 4    |  |  |                   |  |  |      |
| 6020     | 0.598          | 0.598                     | 0.598/0.295A       | 0.693B/0.295A           | ----                       | 0.419 - NEW              | .2786 | ----          | ----                     | 1                 | ----                   | 1 +              | 1    |  |  |                   |  |  |      |
| 6030     | 0.594          | 0.594                     | 0.594/0.311A       | 0.730B/0.311A           | ----                       | 0.448 - NEW              | .2958 | ----          | ----                     | 1                 | ----                   | 1 +              | 1    |  |  |                   |  |  |      |
| 6050     | ----           | ----                      | -----/0.350A       | 0.825B/0.350A           | ----                       | 0.511 - 0.559            | .3319 | ----          | ----                     | 1                 | ----                   | 2 +              | 1    |  |  |                   |  |  |      |
| 6070     | 0.495          | 0.495                     | 0.495/0.495        | 0.907B/0.393A           | ----                       | 0.582 - NEW              | .3703 | ----          | ----                     | 20                | ----                   | 20 +             | 20   |  |  |                   |  |  |      |
| 6100     | 0.540          | 0.540                     | 0.540/0.468A       | 1.066B/0.468A           | ----                       | 0.702 - 0.642            | .4308 | ----          | ----                     | 3                 | ----                   | 11 +             | 1    |  |  |                   |  |  |      |
| 6150     | ----           | ----                      | -----/0.616A       | 1.350B/0.616A           | ----                       | 0.939 - 0.721            | .5364 | ----          | ----                     | ----              | ----                   | 8                | UNCH |  |  |                   |  |  |      |
| 6200     | ----           | ----                      | -----/0.805A       | 1.685B/0.805A           | ----                       | 1.227 - 0.788            | .6408 | ----          | ----                     | ----              | ----                   | 4                | UNCH |  |  |                   |  |  |      |
| 6220     | 1.251          | 1.251                     | 1.251/1.251        | 1.829B/0.893A           | ----                       | 1.356 - NEW              | .6801 | ----          | ----                     | 1                 | ----                   | 1 +              | 1    |  |  |                   |  |  |      |
| 6250     | ----           | ----                      | -----/1.038A       | 2.054B/1.038A           | ----                       | 1.565 - 0.840            | .7350 | ----          | ----                     | ----              | ----                   | 2                | UNCH |  |  |                   |  |  |      |
| 6300     | ----           | ----                      | -----/1.316A       | 2.464B/1.316A           | ----                       | 1.950 - 0.873            | .8121 | ----          | ----                     | ----              | ----                   | 1                | UNCH |  |  |                   |  |  |      |
| 6360     | ----           | ----                      | ----               | 2.986B/1.708A           | ----                       | 2.459 - NEW              | .8794 | ----          | ----                     | 1                 | ----                   | 1 +              | 1    |  |  |                   |  |  |      |
| 6400     | ----           | ----                      | -----/2.002A       | 3.351B/2.002A           | ----                       | 2.818 - 0.902            | .9112 | ----          | ----                     | ----              | ----                   | 2                | UNCH |  |  |                   |  |  |      |
| 6500     | ----           | ----                      | -----/2.822A       | 4.296B/2.822A           | ----                       | 3.759 - 0.908            | .9582 | ----          | ----                     | ----              | ----                   | 5                | UNCH |  |  |                   |  |  |      |
| 6550     | ----           | ----                      | -----/3.276A       | 4.787B/3.276A           | ----                       | 4.242 - 0.909            | .9708 | ----          | ----                     | ----              | ----                   | 5                | UNCH |  |  |                   |  |  |      |
| 6700     | ----           | ----                      | -----/4.695A       | 5.976B/4.695A           | ----                       | 5.718 - 0.905            | .9887 | ----          | ----                     | ----              | ----                   | 1                | UNCH |  |  |                   |  |  |      |
| 6950     | ----           | ----                      | -----/7.261A       | 8.509B/7.261A           | ----                       | 8.206 - 0.896            | .9966 | ----          | ----                     | ----              | ----                   | 2                | UNCH |  |  |                   |  |  |      |
| TOTAL    |                |                           |                    |                         |                            |                          |       |               |                          | 56                | 0                      | 204 +            | 40   |  |  |                   |  |  |      |
| S03 CALL | SILVER OPTIONS |                           |                    |                         |                            |                          |       |               |                          |                   |                        |                  |      |  |  |                   |  |  |      |
| OCT26    |                |                           |                    |                         |                            |                          |       |               |                          |                   |                        |                  |      |  |  |                   |  |  |      |
| 5800     | ----           | ----                      | 4.620B/----        | 4.620B/3.353A           | ----                       | 3.627 + 0.602            | .8428 | ----          | ----                     | ----              | ----                   | 1                | UNCH |  |  |                   |  |  |      |
| 6100     | ----           | ----                      | 2.252B/----        | 2.252B/1.404A           | ----                       | 1.497 + 0.283            | .5475 | ----          | ----                     | ----              | ----                   | 2                | UNCH |  |  |                   |  |  |      |
| 6200     | 1.065          | 1.065                     | 1.664B/1.040       | 1.664B/0.987A           | ----                       | 1.023 - NEW              | .4243 | ----          | ----                     | 5                 | ----                   | 5 +              | 5    |  |  |                   |  |  |      |
| 6350     | ----           | ----                      | 0.975B/----        | 0.975B/0.523A           | ----                       | 0.541 + 0.072            | .2600 | ----          | ----                     | ----              | ----                   | 3                | UNCH |  |  |                   |  |  |      |
| 6400     | 0.690          | 0.690                     | 0.803B/0.419A      | 0.803B/0.419A           | ----                       | 0.432 - NEW              | .2155 | ----          | ----                     | 1                 | ----                   | 1 +              | 1    |  |  |                   |  |  |      |
| 6500     | ----           | ----                      | 0.536B/----        | 0.536B/0.274A           | ----                       | 0.275 + 0.006            | .1449 | ----          | ----                     | 1                 | ----                   | 22 +             | 1    |  |  |                   |  |  |      |
| 6600     | ----           | ----                      | 0.351B/0.185A      | 0.351B/0.185A           | ----                       | 0.179 - 0.013            | .0968 | ----          | ----                     | 1                 | ----                   | 5 +              | 1    |  |  |                   |  |  |      |
| 6650     | ----           | ----                      | 0.286B/0.154A      | 0.286B/0.154A           | ----                       | 0.147 - 0.017            | .0798 | ----          | ----                     | ----              | ----                   | 8                | UNCH |  |  |                   |  |  |      |
| 6700     | 0.130          | 0.130                     | 0.232B/0.128       | 0.232B/0.128            | ----                       | 0.122 - 0.020            | .0661 | ----          | ----                     | 4                 | ----                   | 9 +              | 2    |  |  |                   |  |  |      |
| 6800     | ----           | ----                      | 0.142B/0.099A      | 0.142B/0.099A           | ----                       | 0.089 - 0.020            | .0473 | ----          | ----                     | ----              | ----                   | 2                | UNCH |  |  |                   |  |  |      |
| 6900     | ----           | ----                      | 0.111B/0.077A      | 0.111B/0.077A           | ----                       | 0.069 - 0.017            | .0354 | ----          | ----                     | ----              | ----                   | 5                | UNCH |  |  |                   |  |  |      |
| 7000     | ----           | ----                      | 0.081B/0.062A      | 0.081B/0.062A           | ----                       | 0.055 - 0.014            | .0272 | ----          | ----                     | ----              | ----                   | 10               | UNCH |  |  |                   |  |  |      |
| 7050     | ----           | ----                      | 0.070B/0.055A      | 0.070B/0.055A           | ----                       | 0.050 - 0.012            | .0243 | ----          | ----                     | ----              | ----                   | 2                | UNCH |  |  |                   |  |  |      |
| 7100     | ----           | ----                      | 0.061B/0.051A      | 0.061B/0.051A           | ----                       | 0.045 - 0.011            | .0215 | ----          | ----                     | ----              | ----                   | 20               | UNCH |  |  |                   |  |  |      |
| 7150     | ----           | ----                      | 0.054B/0.050A      | 0.054B/0.050A           | ----                       | 0.040 - 0.011            | .0188 | ----          | ----                     | ----              | ----                   | 5                | UNCH |  |  |                   |  |  |      |
| 7200     | ----           | ----                      | 0.047B/0.042A      | 0.047B/0.042A           | ----                       | 0.036 - 0.010            | .0167 | ----          | ----                     | ----              | ----                   | 6                | UNCH |  |  |                   |  |  |      |
| 7400     | ----           | ----                      | ----               | 0.025B/0.034A           | ----                       | 0.025 - 0.008            | .0108 | ----          | ----                     | ----              | ----                   | 5                | UNCH |  |  |                   |  |  |      |
| TOTAL    |                |                           |                    |                         |                            |                          |       |               |                          | 12                | 0                      | 111 +            | 10   |  |  |                   |  |  |      |
| S03 PUT  | SILVER OPTIONS |                           |                    |                         |                            |                          |       |               |                          |                   |                        |                  |      |  |  |                   |  |  |      |
| OCT26    |                |                           |                    |                         |                            |                          |       |               |                          |                   |                        |                  |      |  |  |                   |  |  |      |
| 5000     | ----           | ----                      | -----/0.028A       | 0.015B/0.028A           | ----                       | 0.012 - 0.027            | .0051 | ----          | ----                     | ----              | ----                   | 1                | UNCH |  |  |                   |  |  |      |
| 5200     | ----           | ----                      | -----/0.039A       | 0.036B/0.039A           | ----                       | 0.026 - 0.039            | .0118 | ----          | ----                     | ----              | ----                   | 1                | UNCH |  |  |                   |  |  |      |
| 5700     | 0.248          | 0.248                     | 0.248/0.192A       | 0.311B/0.192A           | ----                       | 0.210 - 0.200            | .1026 | ----          | ----                     | 1                 | ----                   | 44               | UNCH |  |  |                   |  |  |      |
| 5750     | 0.274          | 0.274                     | 0.274/0.233A       | 0.388B/0.233A           | ----                       | 0.264 - NEW              | .1274 | ----          | ----                     | 2                 | ----                   | 2 +              | 2    |  |  |                   |  |  |      |
| 5800     | 0.344          | 0.344                     | 0.344/0.284A       | 0.482B/0.284A           | ----                       | 0.331 - 0.282            | .1571 | ----          | ----                     | 2                 | ----                   | 18 +             | 2    |  |  |                   |  |  |      |
| 5900     | 0.465          | 0.465                     | 0.475/0.422A       | 0.732B/0.422A           | ----                       | 0.519 - 0.382            | .2341 | ----          | ----                     | 2                 | ----                   | 18 +             | 1    |  |  |                   |  |  |      |
| 5950     | ----           | ----                      | -----/0.516A       | 0.900B/0.516A           | ----                       | 0.646 - 0.436            | .2815 | ----          | ----                     | ----              | ----                   | 3                | UNCH |  |  |                   |  |  |      |
| 6000     | 0.727          | 0.727                     | 0.727/0.629A       | 1.092B/0.629A           | ----                       | 0.800 - 0.492            | .3345 | ----          | ----                     | 2                 | ----                   | 36 -             | 1    |  |  |                   |  |  |      |
| 6050     | ----           | ----                      | -----/0.764A       | 1.300B/0.764A           | ----                       | 0.984 - 0.546            | .3920 | ----          | ----                     | ----              | ----                   | 5                | UNCH |  |  |                   |  |  |      |
| 6100     | ----           | ----                      | -----/0.923A       | 1.560B/0.923A           | ----                       | 1.198 - 0.600            | .4524 | ----          | ----                     | ----              | ----                   | 54               | UNCH |  |  |                   |  |  |      |
| 6150     | ----           | ----                      | -----/1.107A       | 1.825B/1.107A           | ----                       | 1.444 - 0.652            | .5143 | ----          | ----                     | ----              | ----                   | 2                | UNCH |  |  |                   |  |  |      |
| 6200     | ----           | ----                      | -----/1.316A       | 2.101B/1.316A           | ----                       | 1.723 - 0.699            | .5756 | ----          | ----                     | ----              | ----                   | 20               | UNCH |  |  |                   |  |  |      |
| 6250     | ----           | ----                      | -----/1.560A       | 2.435B/1.560A           | ----                       | 2.032 - 0.742            | .6346 | ----          | ----                     | ----              | ----                   | 10               | UNCH |  |  |                   |  |  |      |
| 6300     | ----           | ----                      | -----/1.826A       | 2.796B/1.826A           | ----                       | 2.372 - 0.779            | .6897 | ----          | ----                     | ----              | ----                   | 7                | UNCH |  |  |                   |  |  |      |
| 6350     | ----           | ----                      | -----/2.138A       | 3.180B/2.138A           | ----                       | 2.739 - 0.811            | .7399 | ----          | ----                     | ----              | ----                   | 5                | UNCH |  |  |                   |  |  |      |
| 6500     | ----           | ----                      | -----/3.198A       | 4.450B/3.198A           | ----                       | 3.972 - 0.876            | .8550 | ----          | ----                     | ----              | ----                   | 10               | UNCH |  |  |                   |  |  |      |
| 6600     | ----           | ----                      | -----/4.008A       | 5.364B/4.008A           | ----                       | 4.874 - 0.896            | .9030 | ----          | ----                     | ----              | ----                   | 5                | UNCH |  |  |                   |  |  |      |
| 6650     | ----           | ----                      | -----/4.442A       | 5.835B/4.442A           | ----                       | 5.342 - 0.900            | .9201 | ----          | ----                     | ----              | ----                   | 6                | UNCH |  |  |                   |  |  |      |
| 6700     | ----           | ----                      | -----/4.889A       | 6.308B/4.889A           | ----                       | 5.817 - 0.903            | .9338 | ----          | ----                     | ----              | ----                   | 20               | UNCH |  |  |                   |  |  |      |
| TOTAL    |                |                           |                    |                         |                            |                          |       |               |                          | 9                 | 0                      | 267 +            | 4    |  |  |                   |  |  |      |
| S04 CALL | SILVER OPTIONS |                           |                    |                         |                            |                          |       |               |                          |                   |                        |                  |      |  |  |                   |  |  |      |
| OCT26    |                |                           |                    |                         |                            |                          |       |               |                          |                   |                        |                  |      |  |  |                   |  |  |      |
| 6350     | ----           | ----                      | 1.327B/----        | 1.327B/0.858A           | ----                       | 0.867 + 0.110            | .3154 | ----          | ----                     | ----              | ----                   | 5                | UNCH |  |  |                   |  |  |      |
| 6450     | 0.780          | 0.780                     | 0.965B/0.609A      | 0.965B/0.609A           | ----                       | 0.618 + 0.060            | .2410 | ----          | ----                     | 2                 | ----                   | 8                | UNCH |  |  |                   |  |  |      |
| 6500     | ----           | ----                      | 0.826B/----        | 0.826B/0.516A           | ----                       | 0.522 + 0.043            | .2093 | ----          | ----                     | ----              | ----                   | 4                | UNCH |  |  |                   |  |  |      |
| 7500     | 0.044          | 0.044                     | 0.044/0.044        | 0.047B/0.044            | ----                       | 0.049 - NEW              | .0196 | ----          | ----                     | 1                 | ----                   | 1 +              | 1    |  |  |                   |  |  |      |
| TOTAL    |                |                           |                    |                         |                            |                          |       |               |                          | 3                 | 0                      | 18 +             | 1    |  |  |                   |  |  |      |
| S04 PUT  | SILVER OPTIONS |                           |                    |                         |                            |                          |       |               |                          |                   |                        |                  |      |  |  |                   |  |  |      |
| OCT26    |                |                           |                    |                         |                            |                          |       |               |                          |                   |                        |                  |      |  |  |                   |  |  |      |
| 5600     | 0.315          | 0.315                     | 0.315/0.269A       | 0.335B/0.269A           | ----                       | 0.286 - 0.177            | .1112 | ----          | ----                     | 1                 | ----                   | 2 +              | 1    |  |  |                   |  |  |      |
| 5650     | ----           | ----                      | -----/0.322A       | 0.412B/0.322A           | ----                       | 0.342 - 0.205            | .1313 | ----          | ----                     | ----              | ----                   | 1                | UNCH |  |  |                   |  |  |      |
| 5750     | ----           | ----                      | -----/0.439A       | 0.584B/0.439A           | ----                       | 0.491 - 0.270            | .1813 | ----          | ----                     | ----              | ----                   | 1                | UNCH |  |  |                   |  |  |      |
| 5900     | 0.850          | 0.850                     | 0.850/0.717A       | 0.972B/0.717A           | ----                       | 0.834 - 0.389            | .2828 | ----          | ----                     | 2                 | ----                   | 0 -              | 2    |  |  |                   |  |  |      |
| 6100     | 1.800          | 1.800                     | 1.824B/1.308A      | 1.824B/1.308A           | ----                       | 1.586 - 0.572            | .4579 | ----          | ----                     | 1                 | ----                   | 1                | UNCH |  |  |                   |  |  |      |
| 6200     | ----           | ----                      | -----/1.733A       | 2.370B/1.733A           | ----                       | 2.104 - 0.663            | .5522 | ----          | ----                     | ----              | ----                   | 2                | UNCH |  |  |                   |  |  |      |
| TOTAL    |                |                           |                    |                         |                            |                          |       |               |                          | 4                 | 0                      | 7 -              | 1    |  |  |                   |  |  |      |
| S05 CALL | SILVER OPTIONS |                           |                    |                         |                            |                          |       |               |                          |                   |                        |                  |      |  |  |                   |  |  |      |
| OCT26    |                |                           |                    |                         |                            |                          |       |               |                          |                   |                        |                  |      |  |  |                   |  |  |      |
| 6300     | 1.368          | 1.368                     | 1.368/1.368        | 1.871B/1.368            | ----                       | 1.419 - NEW              | .3909 | ----          | ----                     | 5                 | ----                   | 5 +              | 5    |  |  |                   |  |  |      |
| TOTAL    |                |                           |                    |                         |                            |                          |       |               |                          | 5                 | 0                      | 5 +              | 5    |  |  |                   |  |  |      |
| S05 PUT  | SILVER OPTIONS |                           |                    |                         |                            |                          |       |               |                          |                   |                        |                  |      |  |  |                   |  |  |      |
| OCT26    |                |                           |                    |                         |                            |                          |       |               |                          |                   |                        |                  |      |  |  |                   |  |  |      |
| 6150     | 2.124          | 2.124                     | 2.269B/2.124       |                         |                            |                          |       |               |                          |                   |                        |                  |      |  |  |                   |  |  |      |

| PG64    | BULLETIN #191@                      |                           |                    |                         | METALS OPTION PRODUCTS     |                          |       |               | Mon, Oct 05, 2026        |                   |               |                  | PG64 |
|---------|-------------------------------------|---------------------------|--------------------|-------------------------|----------------------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
|         | GLOBEX<br>OPEN                      | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
| SWW WED | SILVER WEEKLY WEDNESDAY OPTION WEEK |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |      |
| TOTAL   |                                     |                           |                    |                         |                            |                          |       |               |                          | 112               | 0             | 346 +            | 72   |
| TWS TUE | SILVER WEEKLY TUESDAY OPTION week3  |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |      |
| OCT26   |                                     |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |      |
| 4750    | ----                                | ----                      | ----               | ----/0.028A             | ----                       | 0.006 - 0.005            | .0025 | ----          | ----                     | ----              | ----          | 34               | UNCH |
| 5700    | 0.300                               | 0.300                     | 0.300/0.278A       | 0.326B/0.278A           | ----                       | 0.295 NEW                | .1282 | ----          | ----                     | 2                 | ----          | 2 +              | 2    |
| 5750    | 0.140                               | 0.140                     | 0.140/0.133A       | 0.224B/0.133A           | ----                       | 0.139 - 0.189            | .0828 | ----          | ----                     | 1                 | ----          | 6 +              | 1    |
| 5800    | 0.040                               | 0.040                     | 0.040/0.009A       | 0.040/0.009A            | ----                       | 0.007 NEW                | .0008 | ----          | ----                     | 2                 | ----          | 2 +              | 2    |
| 5800    | ----                                | ----                      | ----/0.161A        | 0.292B/0.161A           | ----                       | 0.183 - 0.233            | .1088 | ----          | ----                     | ----              | ----          | 10               | UNCH |
| 5830    | ----                                | ----                      | ----/0.011A        | 0.043B/0.011A           | ----                       | 0.012 - 0.122            | .0020 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 5900    | ----                                | ----                      | ----/0.254A        | 0.496B/0.254A           | ----                       | 0.322 - 0.341            | .1853 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5900    | ----                                | ----                      | ----/0.021A        | 0.097B/0.021A           | ----                       | 0.024 - 0.209            | .0076 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5930    | ----                                | ----                      | ----/0.028A        | 0.134B/0.028A           | ----                       | 0.033 - 0.263            | .0135 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 5940    | 0.035                               | 0.035                     | 0.035/0.032A       | 0.149B/0.032A           | ----                       | 0.038 NEW                | .0171 | ----          | ----                     | 3                 | ----          | 3 +              | 3    |
| 5950    | 0.037                               | 0.037                     | 0.037/0.036A       | 0.166B/0.036A           | ----                       | 0.042 - 0.305            | .0205 | ----          | ----                     | 3                 | ----          | 43 +             | 3    |
| 5970    | ----                                | ----                      | ----/0.045A        | 0.201B/0.045A           | ----                       | 0.054 NEW                | .0311 | ----          | ----                     | 10                | ----          | 10 +             | 10   |
| 5980    | ----                                | ----                      | ----/0.050A        | 0.222B/0.050A           | ----                       | 0.061 - 0.377            | .0381 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5990    | ----                                | ----                      | ----/0.056A        | 0.246B/0.056A           | ----                       | 0.070 NEW                | .0473 | ----          | ----                     | 1                 | ----          | 1 +              | 1    |
| 6000    | ----                                | ----                      | ----/0.408A        | 0.807B/0.408A           | ----                       | 0.556 - 0.474            | .2986 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 6000    | 0.067                               | 0.067                     | 0.067/0.060A       | 0.281B/0.060A           | ----                       | 0.079 - 0.432            | .0576 | ----          | ----                     | 4                 | ----          | 5 +              | 3    |
| 6030    | ----                                | ----                      | ----/0.085A        | 0.375B/0.085A           | ----                       | 0.118 NEW                | .1051 | ----          | ----                     | 10                | ----          | 10 +             | 10   |
| 6050    | 0.141                               | 0.141                     | 0.141/0.103A       | 0.450B/0.103A           | ----                       | 0.154 - 0.581            | .1531 | ----          | ----                     | 3                 | ----          | 4 +              | 2    |
| 6050    | ----                                | ----                      | ----/0.520A        | 1.014B/0.520A           | ----                       | 0.719 - 0.546            | .3682 | ----          | ----                     | ----              | ----          | 11               | UNCH |
| 6060    | 0.208                               | 0.208                     | 0.208/0.114A       | 0.494B/0.114A           | ----                       | 0.177 NEW                | .1838 | ----          | ----                     | 2                 | ----          | 2 +              | 2    |
| 6100    | ----                                | ----                      | ----/0.657A        | 1.269B/0.657A           | ----                       | 0.919 - 0.618            | .4443 | ----          | ----                     | ----              | ----          | 24               | UNCH |
| 6100    | ----                                | ----                      | 1.980B/----        | 1.980B/1.118A           | ----                       | 1.219 + 0.267            | .5556 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 6100    | ----                                | ----                      | 1.511B/----        | 1.511B/0.529A           | ----                       | 0.596 + 0.157            | .6555 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 6100    | 0.450                               | 0.450                     | 0.450/0.164A       | 0.702B/0.164A           | ----                       | 0.296 - 0.728            | .3444 | ----          | ----                     | 13                | ----          | 13 +             | 12   |
| 6130    | ----                                | ----                      | 1.263B/----        | 1.263B/0.376A           | ----                       | 0.424 + 0.082            | .5024 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 6150    | 0.460                               | 0.460                     | 1.107B/0.293A      | 1.107B/0.293A           | ----                       | 0.329 NEW                | .3968 | ----          | ----                     | 3                 | ----          | 3 +              | 3    |
| 6150    | ----                                | ----                      | ----/0.824A        | 1.525B/0.824A           | ----                       | 1.159 - 0.685            | .5238 | ----          | ----                     | ----              | ----          | 24               | UNCH |
| 6150    | 0.470                               | 0.470                     | 0.470/0.266A       | 1.000B/0.266A           | ----                       | 0.529 - 0.844            | .6032 | ----          | ----                     | 1                 | ----          | 23 +             | 1    |
| 6150    | ----                                | ----                      | 1.648B/----        | 1.648B/0.905A           | ----                       | 0.959 + 0.199            | .4761 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 6170    | 0.344                               | 0.344                     | 0.961B/0.222A      | 0.961B/0.222A           | ----                       | 0.250 NEW                | .2976 | ----          | ----                     | 2                 | ----          | 2 +              | 2    |
| 6180    | 0.190                               | 0.190                     | 0.892B/0.190       | 0.892B/0.190            | ----                       | 0.216 NEW                | .2525 | ----          | ----                     | 5                 | ----          | 3 +              | 3    |
| 6200    | ----                                | ----                      | ----/1.023A        | 1.819B/1.023A           | ----                       | 1.441 - 0.745            | .6027 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 6200    | ----                                | ----                      | ----/1.584A        | 2.040B/1.584A           | ----                       | 1.892 - 0.689            | .5636 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 6200    | ----                                | ----                      | 1.368B/----        | 1.368B/0.707A           | ----                       | 0.742 + 0.140            | .3972 | ----          | ----                     | ----              | ----          | 12               | UNCH |
| 6200    | 0.398                               | 0.398                     | 0.761B/0.146A      | 0.761B/0.146A           | ----                       | 0.160 - 0.027            | .1754 | ----          | ----                     | 28                | ----          | 27 +             | 26   |
| 6230    | 0.120                               | 0.120                     | 0.588B/0.093A      | 0.588B/0.093A           | ----                       | 0.098 - 0.046            | .0918 | ----          | ----                     | 4                 | ----          | 5 +              | 4    |
| 6240    | 0.127                               | 0.127                     | 0.533B/0.081A      | 0.533B/0.081A           | ----                       | 0.083 NEW                | .0726 | ----          | ----                     | 1                 | ----          | 1 +              | 1    |
| 6250    | 0.348                               | 0.348                     | 0.484B/0.070A      | 0.484B/0.070A           | ----                       | 0.070 - 0.051            | .0567 | ----          | ----                     | 14                | ----          | 16 +             | 11   |
| 6250    | ----                                | ----                      | ----/0.643A        | 1.821B/0.643A           | ----                       | 1.270 - 0.935            | .9432 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 6250    | ----                                | ----                      | 1.101B/----        | 1.101B/0.540A           | ----                       | 0.566 + 0.091            | .3231 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 6280    | 0.300                               | 0.300                     | 0.357B/0.041A      | 0.357B/0.041A           | ----                       | 0.042 NEW                | .0261 | ----          | ----                     | 3                 | ----          | 3 +              | 3    |
| 6290    | 0.252                               | 0.252                     | 0.324B/0.035A      | 0.324B/0.035A           | ----                       | 0.035 NEW                | .0196 | ----          | ----                     | 19                | ----          | 19 +             | 19   |
| 6300    | ----                                | ----                      | 0.875B/----        | 0.875B/0.407A           | ----                       | 0.427 + 0.053            | .2569 | ----          | ----                     | ----              | ----          | 10               | UNCH |
| 6300    | 0.190                               | 0.190                     | 0.290B/0.030A      | 0.290B/0.030A           | ----                       | 0.030 NEW                | .0152 | ----          | ----                     | 3                 | ----          | 3 +              | 3    |
| 6310    | 0.217                               | 0.217                     | 0.257B/0.026A      | 0.257B/0.026A           | ----                       | 0.026 NEW                | .0119 | ----          | ----                     | 1                 | ----          | 1 +              | 1    |
| 6320    | 0.092                               | 0.092                     | 0.229B/0.023A      | 0.229B/0.023A           | ----                       | 0.022 NEW                | .0090 | ----          | ----                     | 4                 | ----          | 4 +              | 4    |
| 6350    | 0.116                               | 0.116                     | 0.165B/0.016A      | 0.165B/0.016A           | ----                       | 0.014 - 0.039            | .0041 | ----          | ----                     | 1                 | ----          | 3 +              | 1    |
| 6370    | ----                                | ----                      | ----/1.476A        | 2.962B/1.476A           | ----                       | 2.411 NEW                | .9973 | ----          | ----                     | 1                 | ----          | 1 +              | 1    |
| 6370    | ----                                | ----                      | 0.128B/0.013A      | 0.128B/0.013A           | ----                       | 0.011 - 0.034            | .0026 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 6390    | ----                                | ----                      | ----/1.649A        | 3.158B/1.649A           | ----                       | 2.608 - 0.915            | .9984 | ----          | ----                     | 1                 | ----          | 0 -              | 1    |
| 6400    | ----                                | ----                      | 0.091B/0.010A      | 0.091B/0.010A           | ----                       | 0.007 - 0.029            | .0011 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 6400    | ----                                | ----                      | 0.531B/0.232A      | 0.531B/0.232A           | ----                       | 0.241 + 0.007            | .1551 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 6450    | 0.007                               | 0.007                     | 0.041B/0.007       | 0.041B/0.007            | ----                       | 0.003 - 0.022            | .0002 | ----          | ----                     | 3                 | ----          | 5 +              | 3    |
| 6500    | ----                                | ----                      | 0.026B/0.008A      | 0.026B/0.008A           | ----                       | 0.001 - 0.017            | .0000 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 6500    | ----                                | ----                      | 0.584B/----        | 0.584B/0.392A           | ----                       | 0.376 + 0.021            | .1757 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 6500    | ----                                | ----                      | 0.312B/0.141A      | 0.312B/0.141A           | ----                       | 0.139 - 0.013            | .0915 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 6700    | ----                                | ----                      | ----/4.754A        | 6.011B/4.754A           | ----                       | 5.701 - 0.888            | .0000 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 6700    | ----                                | ----                      | ----/0.013A        | ----                    | ----                       | 0.001 - 0.005            | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 6900    | ----                                | ----                      | ----               | ----/0.020A             | ----                       | 0.001 - 0.002            | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 7000    | ----                                | ----                      | ----               | ----/0.071A             | ----                       | 0.001 - 0.001            | ----  | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 7050    | ----                                | ----                      | ----               | ----/0.070A             | ----                       | 0.001 - 0.001            | ----  | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 7700    | ----                                | ----                      | ----               | ----/0.019A             | ----                       | 0.004 - 0.007            | .0015 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 8750    | ----                                | ----                      | ----               | ----/0.019A             | ----                       | 0.002 - 0.001            | .0007 | ----          | ----                     | ----              | ----          | 34               | UNCH |
| TOTAL   |                                     |                           |                    |                         |                            |                          |       |               |                          | 148               | 0             | 446 +            | 136  |
| NOV26   |                                     |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |      |
| 5400    | ----                                | ----                      | ----/0.318A        | 0.285B/0.318A           | ----                       | 0.296 - 0.120            | .0934 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 5500    | ----                                | ----                      | ----/0.416A        | 0.399B/0.416A           | ----                       | 0.394 - 0.160            | .1218 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 5900    | ----                                | ----                      | 3.990B/----        | 3.990B/3.564A           | ----                       | 3.553 + 0.496            | .6791 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 6550    | 0.861                               | 0.861                     | 1.063B/0.833A      | 1.063B/0.833A           | ----                       | 0.810 NEW                | .2466 | ----          | ----                     | 1                 | ----          | 1 +              | 1    |
| 6800    | ----                                | ----                      | 0.599B/----        | 0.599B/0.476A           | ----                       | 0.447 + 0.021            | .1474 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 7000    | 0.410                               | 0.410                     | 0.410/0.338A       | 0.410/0.338A            | ----                       | 0.297 NEW                | .1001 | ----          | ----                     | 1                 | ----          | 1 +              | 1    |
| 7200    | 0.280                               | 0.280                     | 0.280/0.238A       | 0.280/0.238A            | ----                       | 0.202 NEW                | .0688 | ----          | ----                     | 1                 | ----          | 1 +              | 1    |
| 7750    | 0.121                               | 0.121                     | 0.121/0.121        | 0.121/0.113A            | ----                       | 0.080 NEW                | .0270 | ----          | ----                     | 1                 | ----          | 1 +              | 1    |
| TOTAL   |                                     |                           |                    |                         |                            |                          |       |               |                          | 4                 | 0             | 12 +             | 4    |

| COPPER OPTIONS ON FUTURES |                                   |                           |                    |                         |                            |                           |       |               |                          |                   |               |                  |      |
|---------------------------|-----------------------------------|---------------------------|--------------------|-------------------------|----------------------------|---------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
|                           | GLOBEX<br>OPEN                    | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETTL.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
| HMW MON                   | COPPER WEEKLY MONDAY OPTION WEEK3 |                           |                    |                         |                            |                           |       |               |                          |                   |               |                  |      |
| OCT26                     |                                   |                           |                    |                         |                            |                           |       |               |                          |                   |               |                  |      |
| 500                       | ----                              | ----                      | ----               | ----/0.0120A            | ----                       | 0.0005 UNCH               | ----  | ----          | ----                     | ----              | ----          | 19               | UNCH |
| 525                       | ----                              | ----                      | ----               | ----/0.0010A            | ----                       | 0.0000 - 0.0005           | ----  | ----          | ----                     | ----              | ----          | 0 -              | 30   |
| 615                       | ----                              | ----                      | ----               | ----/0.0010A            | ----                       | 0.0000 - 0.0005           | ----  | ----          | ----                     | ----              | ----          | 0 -              | 30   |
| 625                       | ----                              | ----                      | ----               | ----/0.0010A            | ----                       | 0.0000 - 0.0005           | ----  | ----          | ----                     | ----              | ----          | 0 -              | 2    |
| 625                       | ----                              | ----                      | ----/0.0260A       | 0.0225B/0.0260A         | ----                       | 0.0220 - 0.0245           | .1172 | ----          | ----                     | ----              | ----          | 10               | UNCH |
| 630                       | ----                              | ----                      | ----               | ----/0.0015A            | ----                       | 0.0000 - 0.0005           | ----  | ----          | ----                     | ----              | ----          | 0 -              | 135  |
| 635                       | ----                              | ----                      | ----               | ----/0.0015A            | ----                       | 0.0000 - 0.0005           | ----  | ----          | ----                     | ----              | ----          | 0 -              | 59   |
| 635                       | ----                              | ----                      | ----/0.0225A       | 0.0285B/0.0225A         | ----                       | 0.0185 - 0.0270           | .1247 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 635                       | ----                              | ----                      | ----/0.0085A       | 0.0075B/0.0085A         | ----                       | 0.0025 - 0.0190           | .0281 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 639                       | ----                              | ----                      | ----               | ----/0.0015A            | ----                       | 0.0000 - 0.0005           | ----  | ----          | ----                     | ----              | ----          | 0 -              | 4    |
| 640                       | ----                              | ----                      | ----               | ----/0.0015A            | ----                       | 0.0000 - 0.0005           | ----  | ----          | ----                     | ----              | ----          | 0 -              | 20   |
| 645                       | ----                              | ----                      | ----/0.0015A       | ----/0.0015A            | ----                       | 0.0000 - 0.0025           | ----  | ----          | ----                     | ----              | ----          | 0 -              | 57   |
| 645                       | ----                              | ----                      | ----/0.0150A       | 0.0295B/0.0150A         | ----                       | 0.0120 - 0.0390           | .1178 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 646                       | ----                              | ----                      | ----/0.0015A       | ----/0.0015A            | ----                       | 0.0000 - 0.0040           | ----  | ----          | ----                     | ----              | ----          | 0 -              | 4    |
| 650                       | ----                              | ----                      | ----/0.0015A       | ----/0.0015A            | ----                       | 0.0000 - 0.0140           | ----  | ----          | ----                     | ----              | ----          | 0 -              | 52   |
| 650                       | 0.0305                            | 0.0305                    | 0.0305/0.0225A     | 0.0510B/0.0225A         | ----                       | 0.0225 - 0.0500           | .1985 | ----          | ----                     | 1                 | ----          | 2 +              | 1    |
| 652                       | ----                              | ----                      | ----/0.0015A       | 0.0010B/0.0015A         | ----                       | 0.0000 - 0.0215           | ----  | ----          | ----                     | ----              | ----          | 0 -              | 1    |
| 654                       | ----                              | ----                      | ----/0.0015A       | 0.0070B/0.0015A         | ----                       | 0.0000 - 0.0315           | ----  | ----          | ----                     | ----              | ----          | 0 -              | 1    |
| 655                       | ----                              | ----                      | ----/0.0015A       | 0.0115B/0.0015A         | ----                       | 0.0000 - 0.0370           | ----  | ----          | ----                     | ----              | ----          | 0 -              | 26   |
| 655                       | ----                              | ----                      | 0.0945B/----       | 0.0945B/0.0560A         | ----                       | 0.0910 + 0.0550           | ----  | 1             | ----                     | ----              | ----          | 0 -              | 1    |
| 655                       | 0.0320                            | 0.0320                    | 0.0320/0.0320      | 0.0760B/0.0320          | ----                       | 0.0380 NEW                | .2974 | ----          | ----                     | 1                 | ----          | 1 +              | 1    |
| 656                       | 0.0100                            | 0.0100                    | 0.0100/0.0015A     | 0.0160B/0.0015A         | ----                       | 0.0000 NEW                | ----  | ----          | ----                     | 10                | ----          | 0                | UNCH |
| 658                       | ----                              | ----                      | ----/0.0015A       | 0.0245B/0.0015A         | ----                       | 0.0000 - 0.0565           | ----  | ----          | ----                     | ----              | ----          | 0 -              | 10   |
| 658                       | ----                              | ----                      | 0.0640B/----       | 0.0640B/0.0335A         | ----                       | 0.0610 + 0.0355           | ----  | 10            | ----                     | ----              | ----          | 0 -              | 10   |
| 659                       | ----                              | ----                      | 0.0530B/----       | 0.0530B/0.0305A         | ----                       | 0.0510 + 0.0280           | ----  | 5             | ----                     | ----              | ----          | 0 -              | 5    |
| 660                       | 0.0150                            | 0.0150                    | 0.0150/0.0015A     | 0.0290B/0.0015A         | ----                       | 0.0000 - 0.0715           | ----  | ----          | ----                     | 2                 | ----          | 0 -              | 3    |
| 660                       | ----                              | ----                      | 0.0430B/----       | 0.0430B/0.0275A         | ----                       | 0.0410 + 0.0205           | ----  | 38            | ----                     | ----              | ----          | 0 -              | 38   |
| 660                       | ----                              | ----                      | ----/0.0515A       | 0.0920B/0.0515A         | ----                       | 0.0590 - 0.0715           | .4056 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 663                       | 0.0055                            | 0.0055                    | 0.0055/0.0020A     | 0.0505B/0.0020A         | ----                       | 0.0000 NEW                | ----  | ----          | ----                     | 2                 | ----          | 0                | UNCH |
| 664                       | 0.0055                            | 0.0055                    | 0.0255B/0.0050A    | 0.0255B/0.0050A         | ----                       | 0.0010 NEW                | ----  | 2             | ----                     | 2                 | ----          | 0                | UNCH |
| 665                       | 0.0150                            | 0.0150                    | 0.0150/0.0110A     | 0.0685B/0.0110A         | ----                       | 0.0090 NEW                | ----  | 3             | ----                     | 3                 | ----          | 0                | UNCH |
| 665                       | 0.0295                            | 0.0295                    | 0.0295/0.0025A     | 0.0295/0.0025A          | ----                       | 0.0000 - 0.0110           | ----  | ----          | ----                     | 2                 | ----          | 0 -              | 27   |
| 666                       | 0.0055                            | 0.0055                    | 0.0185B/0.0025A    | 0.0185B/0.0025A         | ----                       | 0.0000 NEW                | ----  | ----          | ----                     | 2                 | ----          | 0                | UNCH |
| 670                       | ----                              | ----                      | 0.0085B/0.0015A    | 0.0085B/0.0015A         | ----                       | 0.0000 - 0.0055           | ----  | ----          | ----                     | ----              | ----          | 0 -              | 29   |
| 673                       | ----                              | ----                      | 0.0040B/0.0015A    | 0.0040B/0.0015A         | ----                       | 0.0000 - 0.0035           | ----  | ----          | ----                     | ----              | ----          | 0 -              | 4    |
| 675                       | ----                              | ----                      | ----/0.1075A       | 0.1675B/0.1075A         | ----                       | 0.1090 - 0.0945           | ----  | 10            | ----                     | ----              | ----          | 0 -              | 10   |
| 675                       | ----                              | ----                      | 0.0990B/----       | 0.0990B/0.1005A         | ----                       | 0.1005 NEW                | .3925 | ----          | ----                     | 1                 | ----          | 1 +              | 1    |
| 680                       | ----                              | ----                      | ----/0.0010A       | ----/0.0010A            | ----                       | 0.0000 - 0.0015           | ----  | ----          | ----                     | ----              | ----          | 0                | 65   |
| 685                       | ----                              | ----                      | ----/0.0010A       | ----/0.0010A            | ----                       | 0.0000 - 0.0005           | ----  | ----          | ----                     | ----              | ----          | 0 -              | 30   |
| 690                       | ----                              | ----                      | ----/0.0010A       | ----/0.0010A            | ----                       | 0.0000 - 0.0005           | ----  | ----          | ----                     | ----              | ----          | 0 -              | 61   |
| 690                       | ----                              | ----                      | 0.0265B/0.0145A    | 0.0265B/0.0145A         | ----                       | 0.0210 NEW                | .1442 | ----          | ----                     | 1                 | ----          | 1 +              | 1    |
| 695                       | ----                              | ----                      | ----/0.0010A       | ----/0.0010A            | ----                       | 0.0000 - 0.0005           | ----  | ----          | ----                     | ----              | ----          | 0 +              | 14   |
| 695                       | ----                              | ----                      | ----               | 0.0490B/0.0520A         | ----                       | 0.0525 NEW                | .2271 | ----          | ----                     | 1                 | ----          | 1 +              | 1    |
| 700                       | ----                              | ----                      | ----/0.0010A       | ----/0.0010A            | ----                       | 0.0000 - 0.0005           | ----  | ----          | ----                     | ----              | ----          | 0 -              | 42   |
| 700                       | ----                              | ----                      | ----/0.0135A       | 0.0165B/0.0135A         | ----                       | 0.0140 NEW                | .0916 | ----          | ----                     | 1                 | ----          | 1 +              | 1    |
| 710                       | ----                              | ----                      | ----/0.0350A       | 0.0295B/0.0350A         | ----                       | 0.0335 - 0.0035           | .1493 | ----          | ----                     | ----              | ----          | 10               | UNCH |
| 725                       | ----                              | ----                      | ----               | 0.0035B/0.0090A         | ----                       | 0.0050 - 0.0030           | .0294 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 775                       | ----                              | ----                      | ----               | ----/0.0010A            | ----                       | 0.0000 - 0.0005           | ----  | ----          | ----                     | ----              | ----          | 0 -              |      |



| PG64             |        | BULLETIN #191@                      |                 |                 |                    |                  |                    |                 |                 |                          |          | METALS OPTION PRODUCTS |                          |                   |               |                  |       |    |  |  |  | Mon, Oct 05, 2026 |  | PG64 |  |
|------------------|--------|-------------------------------------|-----------------|-----------------|--------------------|------------------|--------------------|-----------------|-----------------|--------------------------|----------|------------------------|--------------------------|-------------------|---------------|------------------|-------|----|--|--|--|-------------------|--|------|--|
|                  |        | GLOBEX<br>OPEN                      | OPEN<br>OPEN    | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE   | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA    | EXER<br>CISES          | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |       |    |  |  |  |                   |  |      |  |
| HWM MON<br>OCT26 |        | COPPER WEEKLY MONDAY OPTION WEEK1   |                 |                 |                    |                  |                    |                 |                 |                          |          |                        |                          |                   |               |                  |       |    |  |  |  |                   |  |      |  |
| 800              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0010A           | ----            | ----            | 0.0000                   | - 0.0005 | ----                   | ----                     | ----              | ----          | 0 -              | 29    |    |  |  |  |                   |  |      |  |
| 850              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0120A           | ----            | ----            | 0.0005                   | UNCH     | .0021                  | ----                     | ----              | ----          | 19               | UNCH  |    |  |  |  |                   |  |      |  |
| TOTAL            |        |                                     |                 |                 |                    |                  |                    |                 |                 |                          |          |                        |                          |                   |               | 76 -             | 794   |    |  |  |  |                   |  |      |  |
| HWR THU<br>OCT26 |        | COPPER WEEKLY THURSDAY OPT week4    |                 |                 |                    |                  |                    |                 |                 |                          |          |                        |                          |                   |               |                  |       |    |  |  |  |                   |  |      |  |
| 500              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0125A           | ----            | ----            | 0.0005                   | - 0.0010 | .0018                  | ----                     | ----              | ----          | 9                | UNCH  |    |  |  |  |                   |  |      |  |
| 500              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0035A           | ----            | ----            | 0.0005                   | UNCH     | ----                   | ----                     | ----              | ----          | 19               | UNCH  |    |  |  |  |                   |  |      |  |
| 525              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0045A           | ----            | ----            | 0.0005                   | UNCH     | ----                   | ----                     | ----              | ----          | 30               | UNCH  |    |  |  |  |                   |  |      |  |
| 600              | ----   | ----                                | ----            | ----            | /0.0105A           | 0.0040B/0.0105A  | 0.0060             | - 0.0060        | .0340           | 0.0285                   | - 0.0300 | .1598                  | ----                     | ----              | ----          | 1                | UNCH  |    |  |  |  |                   |  |      |  |
| 635              | ----   | ----                                | ----            | ----            | /0.0310A           | 0.0405B/0.0310A  | 0.0285             | - 0.0300        | .1598           | 0.0200                   | - 0.0320 | .1427                  | ----                     | ----              | ----          | 1                | UNCH  |    |  |  |  |                   |  |      |  |
| 640              | ----   | ----                                | ----            | ----            | /0.0225A           | 0.0315B/0.0225A  | 0.0200             | - 0.0320        | .1427           | 0.0020                   | NEW      | .0238                  | ----                     | 10                | ----          | 10               | UNCH  |    |  |  |  |                   |  |      |  |
| 645              | 0.0100 | 0.0100                              | 0.0100/0.0095A  | 0.0120B/0.0095A | 0.0300             | - 0.0410         | .2000              | ----            | ----            | 0.0300                   | - 0.0410 | .2000                  | ----                     | ----              | ----          | 5                | UNCH  |    |  |  |  |                   |  |      |  |
| 645              | ----   | ----                                | ----            | ----            | /0.0310A           | 0.0490B/0.0310A  | 0.0065             | - 0.0460        | .0809           | 0.0065                   | - 0.0500 | .2682                  | ----                     | 10                | ----          | 15 +             | 10    |    |  |  |  |                   |  |      |  |
| 650              | ----   | ----                                | ----            | ----            | /0.0100A           | 0.0285B/0.0100A  | 0.0435             | - 0.0500        | .2682           | 0.0165                   | - 0.0620 | .1947                  | ----                     | ----              | ----          | 5                | UNCH  |    |  |  |  |                   |  |      |  |
| 650              | ----   | ----                                | ----            | ----            | /0.0430A           | 0.0715B/0.0430A  | 0.0165             | - 0.0620        | .1947           | 0.0360                   | - 0.0740 | .3600                  | ----                     | 1                 | ----          | 2 +              | 1     |    |  |  |  |                   |  |      |  |
| 655              | 0.0200 | 0.0200                              | 0.0200/0.0200   | 0.0515B/0.0200  | 0.0835             | - 0.0740         | .4262              | ----            | ----            | 0.0835                   | - 0.0670 | .4262                  | ----                     | ----              | ----          | 1                | UNCH  |    |  |  |  |                   |  |      |  |
| 660              | ----   | ----                                | ----            | ----            | /0.0370A           | 0.0695B/0.0370A  | 0.1240             | + 0.0245        | .5734           | 0.1095B/0.0825A          | 0.1240   | + 0.0245               | .5734                    | ----              | ----          | 1                | UNCH  |    |  |  |  |                   |  |      |  |
| 660              | ----   | ----                                | ----            | ----            | /0.0825A           | 0.1095B/0.0825A  | 0.1005             | + 0.0170        | .4930           | 0.1050B/0.0970A          | 0.1005   | + 0.0170               | .4930                    | ----              | ----          | 40               | UNCH  |    |  |  |  |                   |  |      |  |
| 665              | ----   | ----                                | ----            | ----            | 0.1240B/----       | 0.1240B/0.1145A  | 0.0815             | + 0.0110        | .4174           | 0.0865B/0.0785A          | 0.0815   | + 0.0110               | .4174                    | ----              | ----          | 2                | UNCH  |    |  |  |  |                   |  |      |  |
| 670              | ----   | ----                                | ----            | ----            | 0.1050B/----       | 0.1050B/0.0970A  | 0.1360             | - 0.0930        | .7662           | 0.0865B/0.0785A          | 0.1360   | - 0.0930               | .7662                    | ----              | ----          | 9                | UNCH  |    |  |  |  |                   |  |      |  |
| 675              | ----   | ----                                | ----            | ----            | /0.1380A           | 0.1885B/0.1380A  | 0.0270             | - 0.0010        | .2336           | 0.1885B/0.1380A          | 0.0270   | - 0.0010               | .2336                    | ----              | 20            | 103 +            | 20    |    |  |  |  |                   |  |      |  |
| 675              | 0.0315 | 0.0315                              | 0.0355B/0.0165A | 0.0355B/0.0165A | 0.0245B/0.0175A    | 0.0245B/0.0175A  | 0.0190             | - 0.0035        | .1584           | 0.0355B/0.0165A          | 0.0190   | - 0.0035               | .1584                    | ----              | ----          | 10               | UNCH  |    |  |  |  |                   |  |      |  |
| 680              | ----   | ----                                | ----            | ----            | /0.0175A           | 0.0245B/0.0175A  | 0.0135             | - 0.0045        | .1067           | 0.0245B/0.0175A          | 0.0135   | - 0.0045               | .1067                    | 7                 | ----          | 12 +             | 7     |    |  |  |  |                   |  |      |  |
| 685              | 0.0150 | 0.0150                              | 0.0150/0.0130A  | 0.0170B/0.0130A | 0.0485B/0.0425A    | 0.0485B/0.0425A  | 0.0445             | + 0.0015        | .2423           | 0.0150/0.0130A           | 0.0445   | + 0.0015               | .2423                    | ----              | ----          | 47               | UNCH  |    |  |  |  |                   |  |      |  |
| 685              | ----   | ----                                | ----            | ----            | 0.0485B/0.0425A    | 0.0485B/0.0425A  | 0.0370             | UNCH            | .2020           | 0.0485B/0.0425A          | 0.0370   | UNCH                   | .2020                    | 1                 | ----          | 14 +             | 1     |    |  |  |  |                   |  |      |  |
| 690              | ----   | ----                                | ----            | ----            | 0.0395B/0.0345A    | 0.0395B/0.0345A  | 0.0310             | - 0.0010        | .1688           | 0.0395B/0.0345A          | 0.0310   | - 0.0010               | .1688                    | ----              | ----          | 1                | UNCH  |    |  |  |  |                   |  |      |  |
| 695              | ----   | ----                                | ----            | ----            | /0.0285A           | 0.0320B/0.0285A  | 0.0045             | - 0.0050        | .0293           | 0.0320B/0.0285A          | 0.0045   | - 0.0050               | .0293                    | ----              | ----          | 1                | UNCH  |    |  |  |  |                   |  |      |  |
| 700              | ----   | ----                                | ----            | ----            | ----               | 0.0050B/0.0095A  | 0.0260             | - 0.0500        | .0293           | 0.0050B/0.0095A          | 0.0260   | - 0.0500               | .0293                    | ----              | ----          | 24               | UNCH  |    |  |  |  |                   |  |      |  |
| 700              | ----   | ----                                | ----            | ----            | /0.0245A           | 0.0270B/0.0245A  | 0.0185             | NEW             | .0990           | 0.0270B/0.0245A          | 0.0185   | NEW                    | .0990                    | 1                 | ----          | 1                | +     |    |  |  |  |                   |  |      |  |
| 710              | ----   | ----                                | ----            | ----            | /0.0180A           | 0.0180B/0.0180A  | 0.0165             | - 0.0025        | .0772           | 0.0180B/0.0180A          | 0.0165   | - 0.0025               | .0772                    | ----              | ----          | 1                | UNCH  |    |  |  |  |                   |  |      |  |
| 730              | ----   | ----                                | ----            | ----            | /0.0185A           | 0.0145B/0.0185A  | 0.0005             | - 0.0005        | .0000           | 0.0145B/0.0185A          | 0.0005   | - 0.0005               | .0000                    | ----              | ----          | 6                | UNCH  |    |  |  |  |                   |  |      |  |
| 750              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0045A           | ----            | ----            | 0.0005                   | - 0.0005 | .0000                  | ----                     | ----              | ----          | 1                | UNCH  |    |  |  |  |                   |  |      |  |
| 775              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0040A           | ----            | ----            | 0.0005                   | UNCH     | ----                   | ----                     | ----              | ----          | 1                | UNCH  |    |  |  |  |                   |  |      |  |
| 800              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0135A           | ----            | ----            | 0.0020                   | - 0.0010 | .0093                  | ----                     | ----              | ----          | 1                | UNCH  |    |  |  |  |                   |  |      |  |
| 800              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0055A           | ----            | ----            | 0.0005                   | - 0.0005 | .0024                  | ----                     | ----              | ----          | 30               | UNCH  |    |  |  |  |                   |  |      |  |
| 850              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0125A           | ----            | ----            | 0.0005                   | - 0.0005 | .0022                  | ----                     | ----              | ----          | 9                | UNCH  |    |  |  |  |                   |  |      |  |
| TOTAL            |        |                                     |                 |                 |                    |                  |                    |                 |                 |                          |          |                        |                          |                   |               | 50               | 422 + | 50 |  |  |  |                   |  |      |  |
| HWT TUE<br>OCT26 |        | COPPER WEEKLY TUESDAY OPTION week3  |                 |                 |                    |                  |                    |                 |                 |                          |          |                        |                          |                   |               |                  |       |    |  |  |  |                   |  |      |  |
| 500              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0125A           | ----            | ----            | 0.0005                   | UNCH     | ----                   | ----                     | ----              | ----          | 30               | UNCH  |    |  |  |  |                   |  |      |  |
| 500              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0020A           | ----            | ----            | 0.0005                   | UNCH     | ----                   | ----                     | ----              | ----          | 19               | UNCH  |    |  |  |  |                   |  |      |  |
| 635              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0120A           | 0.0105B/0.0120A | 0.0050          | - 0.0220                 | .0493    | ----                   | ----                     | ----              | ----          | 1                | UNCH  |    |  |  |  |                   |  |      |  |
| 640              | 0.0400 | 0.0400                              | 0.0470B/0.0330A | 0.0470B/0.0330A | 0.0305             | NEW              | .1823              | ----            | ----            | 0.0305                   | NEW      | .1823                  | ----                     | 2                 | ----          | 2 +              | 2     |    |  |  |  |                   |  |      |  |
| 640              | 0.0100 | 0.0100                              | 0.0100/0.0100   | 0.0205B/0.0100  | 0.0100             | NEW              | .0916              | ----            | ----            | 0.0100                   | NEW      | .0916                  | ----                     | 1                 | ----          | 1 +              | 1     |    |  |  |  |                   |  |      |  |
| 645              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0040A           | 0.0045/0.0040A  | 0.0005          | - 0.0115                 | .0000    | ----                   | ----                     | ----              | 24            | UNCH             |       |    |  |  |  |                   |  |      |  |
| 646              | 0.0045 | 0.0045                              | 0.0045/0.0040A  | 0.0045/0.0040A  | 0.0005             | NEW              | .0000              | ----            | ----            | 0.0005                   | NEW      | .0000                  | ----                     | 3                 | ----          | 3 +              | 3     |    |  |  |  |                   |  |      |  |
| 650              | 0.0100 | 0.0100                              | 0.0100/0.0015   | 0.0100/0.0015   | 0.0005             | - 0.0280         | .0009              | ----            | ----            | 0.0005                   | - 0.0280 | .0009                  | ----                     | 22                | ----          | 28 +             | 3     |    |  |  |  |                   |  |      |  |
| 650              | 0.0430 | 0.0430                              | 0.0430/0.0280A  | 0.0580B/0.0280A | 0.0300             | NEW              | .2286              | ----            | ----            | 0.0300                   | NEW      | .2286                  | ----                     | 1                 | ----          | 1 +              | 1     |    |  |  |  |                   |  |      |  |
| 655              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0080A           | 0.0260B/0.0080A | 0.0035          | - 0.0500                 | .0362    | ----                   | ----                     | ----              | 1             | UNCH             |       |    |  |  |  |                   |  |      |  |
| 655              | 0.0440 | 0.0440                              | 0.0440/0.0440   | 0.0835B/0.0440  | 0.0460             | NEW              | .3174              | ----            | ----            | 0.0460                   | NEW      | .3174                  | ----                     | 1                 | ----          | 1 +              | 1     |    |  |  |  |                   |  |      |  |
| 660              | ----   | ----                                | ----            | ----            | 0.0545B/----       | 0.0545B/0.0425A  | 0.0550             | + 0.0200        | .7795           | 0.0545B/0.0425A          | 0.0550   | + 0.0200               | .7795                    | ----              | ----          | 10               | UNCH  |    |  |  |  |                   |  |      |  |
| 662              | ----   | ----                                | ----            | ----            | 0.0450B/----       | 0.0450B/0.0370A  | 0.0425             | + 0.0125        | .6509           | 0.0450B/0.0370A          | 0.0425   | + 0.0125               | .6509                    | ----              | ----          | 3                | UNCH  |    |  |  |  |                   |  |      |  |
| 663              | 0.0365 | 0.0365                              | 0.0365/0.0260A  | 0.0670B/0.0260A | 0.0255             | NEW              | .4182              | ----            | ----            | 0.0255                   | NEW      | .4182                  | ----                     | 3                 | ----          | 2 +              | 2     |    |  |  |  |                   |  |      |  |
| 663              | 0.0525 | 0.0525                              | 0.0525/0.0330A  | 0.0525/0.0330A  | 0.0365             | NEW              | .5817              | ----            | ----            | 0.0365                   | NEW      | .5817                  | ----                     | 3                 | ----          | 3 +              | 3     |    |  |  |  |                   |  |      |  |
| 664              | 0.0260 | 0.0260                              | 0.0260/0.0260   | 0.0730B/0.0260  | 0.0310             | NEW              | .4911              | ----            | ----            | 0.0310                   | NEW      | .4911                  | ----                     | 7                 | ----          | 7 +              | 7     |    |  |  |  |                   |  |      |  |
| 664              | 0.0260 | 0.0260                              | 0.0415B/0.0250  | 0.0415B/0.0250  | 0.0320             | NEW              | .5088              | ----            | ----            | 0.0320                   | NEW      | .5088                  | ----                     | 4                 | ----          | 4 +              | 4     |    |  |  |  |                   |  |      |  |
| 665              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0355A           | 0.0810B/0.0355A | 0.0365          | - 0.0880                 | .5617    | ----                   | ----                     | ----              | ----          | 1                | UNCH  |    |  |  |  |                   |  |      |  |
| 670              | 0.0135 | 0.0135                              | 0.0230B/0.0090A | 0.0230B/0.0090A | 0.0130             | - 0.0030         | .1708              | ----            | ----            | 0.0130                   | - 0.0030 | .1708                  | ----                     | 10                | ----          | 26 +             | 5     |    |  |  |  |                   |  |      |  |
| 671              | 0.0065 | 0.0065                              | 0.0205B/0.0065  | 0.0205B/0.0065  | 0.0110             | NEW              | .1358              | ----            | ----            | 0.0110                   | NEW      | .1358                  | ----                     | 2                 | ----          | 2 +              | 2     |    |  |  |  |                   |  |      |  |
| 675              | 0.0100 | 0.0100                              | 0.0135B/0.0075  | 0.0135B/0.0075  | 0.0060             | - 0.0055         | .0534              | ----            | ----            | 0.0060                   | - 0.0055 | .0534                  | ----                     | 6                 | ----          | 20 +             | 6     |    |  |  |  |                   |  |      |  |
| 680              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0065A           | 0.0060B/0.0065A | 0.0025          | - 0.0060                 | .0132    | ----                   | ----                     | ----              | ----          | 15               | UNCH  |    |  |  |  |                   |  |      |  |
| 685              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0055A           | 0.0020B/0.0055A | 0.0010          | - 0.0060                 | .0028    | ----                   | ----                     | ----              | ----          | 1                | UNCH  |    |  |  |  |                   |  |      |  |
| 700              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0040A           | 0.0005          | - 0.0040        | ----                     | ----     | ----                   | ----                     | ----              | ----          | 15               | UNCH  |    |  |  |  |                   |  |      |  |
| 720              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0030A           | 0.0005B/0.0030A | 0.0005          | - 0.0035                 | ----     | ----                   | ----                     | ----              | ----          | 1                | UNCH  |    |  |  |  |                   |  |      |  |
| TOTAL            |        |                                     |                 |                 |                    |                  |                    |                 |                 |                          |          |                        |                          |                   |               | 65               | 221 + | 40 |  |  |  |                   |  |      |  |
| NOV26            |        |                                     |                 |                 |                    |                  |                    |                 |                 |                          |          |                        |                          |                   |               |                  |       |    |  |  |  |                   |  |      |  |
| 660              | ----   | ----                                | 0.1860B/----    | 0.1860B/0.1870A | 0.1910             | + 0.0250         | .5511              | ----            | ----            | 0.1910                   | + 0.0250 | .5511                  | ----                     | ----              | ----          | 7                | UNCH  |    |  |  |  |                   |  |      |  |
| 690              | 0.0800 | 0.0800                              | 0.0800/0.0800   | 0.0805B/0.0800  | 0.0825             | UNCH             | .2948              | ----            | ----            | 0.0825                   | UNCH     | .2948                  | ----                     | 5                 | ----          | 5 +              | 5     |    |  |  |  |                   |  |      |  |
| TOTAL            |        |                                     |                 |                 |                    |                  |                    |                 |                 |                          |          |                        |                          |                   |               | 5                | 12 +  | 5  |  |  |  |                   |  |      |  |
| HWM WED<br>OCT26 |        | COPPER WEEKLY WEDNESDAY OPTION WEEK |                 |                 |                    |                  |                    |                 |                 |                          |          |                        |                          |                   |               |                  |       |    |  |  |  |                   |  |      |  |
| 500              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0035A           | ----            | ----            | 0.0005                   | UNCH     | ----                   | ----                     | ----              | ----          | 11               | UNCH  |    |  |  |  |                   |  |      |  |
| 500              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0125A           | ----            | ----            | 0.0005                   | UNCH     | ----                   | ----                     | ----              | ----          | 30               | UNCH  |    |  |  |  |                   |  |      |  |
| 525              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0035A           | ----            | ----            | 0.0005                   | UNCH     | ----                   | ----                     | ----              | ----          | 19               | UNCH  |    |  |  |  |                   |  |      |  |
| 565              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0035A           | ----            | ----            | 0.0005                   | UNCH     | ----                   | ----                     | ----              | ----          | 1                | UNCH  |    |  |  |  |                   |  |      |  |
| 575              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0035A           | ----            | ----            | 0.0005                   | UNCH     | ----                   | ----                     | ----              | ----          | 1                | UNCH  |    |  |  |  |                   |  |      |  |
| 600              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0040A           | ----            | ----            | 0.0005                   | UNCH     | ----                   | ----                     | ----              | ----          | 9                | UNCH  |    |  |  |  |                   |  |      |  |
| 610              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0070A           | ----            | ----            | 0.0015                   | - 0.0070 | .0117                  | ----                     | ----              | ----          | 1                | UNCH  |    |  |  |  |                   |  |      |  |
| 620              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0145A           | 0.0125B/0.0145A | 0.0110          | - 0.0145                 | .0689    | ----                   | ----                     | ----              | 5             | UNCH             |       |    |  |  |  |                   |  |      |  |
| 625              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0045A           | 0.0005          | - 0.0020        | ----                     | ----     | ----                   | ----                     | ----              | ----          | 8                | UNCH  |    |  |  |  |                   |  |      |  |
| 625              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0095A           | 0.0045B/0.0095A | 0.0030          | - 0.0130                 | .0271    | ----                   | ----                     | ----              | 5             | UNCH             |       |    |  |  |  |                   |  |      |  |
| 625              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0175A           | 0.0185B/0.0175A | 0.0145          | - 0.0190                 | .0896    | ----                   | ----                     | ----              | 15            | UNCH             |       |    |  |  |  |                   |  |      |  |
| 630              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0115A           | 0.0085B/0.0115A | 0.0050          | - 0.0175                 | .0446    | ----                   | ----                     | ----              | 10            | UNCH             |       |    |  |  |  |                   |  |      |  |
| 630              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0220A           | 0.0255B/0.0220A | 0.0190          | - 0.0245                 | .1156    | ----                   | ----                     | ----              | 15            | UNCH             |       |    |  |  |  |                   |  |      |  |
| 635              | ----   | ----                                | ----            | ----            | ----               | ----             | ----               | /0.0050A        | 0.0005          | - 0.0045                 | ----     | ----                   | ----                     | ----              | 30            | UNCH             |       |    |  |  |  |                   |  |      |  |
| 635              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0130A           | 0.0155B/0.0130A | 0.0090          | - 0.0245                 | .0761    | ----                   | ----                     | ----              | 20            | UNCH             |       |    |  |  |  |                   |  |      |  |
| 640              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0060A           | 0.0005B/0.0060A | 0.0005          | - 0.0085                 | .0001    | ----                   | ----                     | ----              | 117           | UNCH             |       |    |  |  |  |                   |  |      |  |
| 645              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0060A           | 0.0030B/0.0060A | 0.0005          | - 0.0190                 | .0018    | ----                   | ----                     | ----              | 110           | UNCH             |       |    |  |  |  |                   |  |      |  |
| 648              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0080A           | 0.0100B/0.0080A | 0.0010          | - 0.0290                 | .0105    | ----                   | ----                     | ----              | 21            | UNCH             |       |    |  |  |  |                   |  |      |  |
| 650              | 0.0120 | 0.0120                              | 0.0120/0.0090A  | 0.0170B/0.0090A | 0.0020             | - 0.0360         | .0241              | ----            | ----            | 0.0020                   | - 0.0360 | .0241                  | 10                       | ----              | 31 +          | 6                |       |    |  |  |  |                   |  |      |  |
| 650              | ----   | ----                                | ----            | ----            | ----               | ----             | /0.0655A</         |                 |                 |                          |          |                        |                          |                   |               |                  |       |    |  |  |  |                   |  |      |  |

| BULLETIN #191@                      |                |                              |                    | METALS OPTION PRODUCTS     |                               |                          |       |               |                          |                   | Mon, Oct 05, 2026 |                  |      | PG64 |  |
|-------------------------------------|----------------|------------------------------|--------------------|----------------------------|-------------------------------|--------------------------|-------|---------------|--------------------------|-------------------|-------------------|------------------|------|------|--|
|                                     | GLOBAL<br>OPEN | OPEN<br>OUTCRY<br>OPEN RANGE | GLOBAL<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBAL®<br>VOLUME | PNT<br>VOLUME     | OPEN<br>INTEREST |      |      |  |
| COPPER WEEKLY WEDNESDAY OPTION WEEK |                |                              |                    |                            |                               |                          |       |               |                          |                   |                   |                  |      |      |  |
| HWW WED                             |                |                              |                    |                            |                               |                          |       |               |                          |                   |                   |                  |      |      |  |
| NOV26                               |                |                              |                    |                            |                               |                          |       |               |                          |                   |                   |                  |      |      |  |
| 850                                 | ----           | ----                         | ----               | ----/0.0145A               | ----                          | 0.0015 - 0.0010          | .0063 | ----          | ----                     | 22                | ----              | 1                | UNCH |      |  |
| TOTAL                               |                |                              |                    |                            |                               |                          |       |               |                          |                   |                   | 120 +            | 22   |      |  |
| DEC26                               |                |                              |                    |                            |                               |                          |       |               |                          |                   |                   |                  |      |      |  |
| 575                                 | ----           | ----                         | ----               | 0.0045B/0.0350A            | ----                          | 0.0170 - 0.0065          | .0537 | ----          | ----                     | ----              | ----              | 4                | UNCH |      |  |
| 600                                 | ----           | ----                         | ----               | 0.0230B/0.0530A            | ----                          | 0.0355 - 0.0140          | .1051 | ----          | ----                     | ----              | ----              | 4                | UNCH |      |  |
| 625                                 | ----           | ----                         | ----/0.0905A       | 0.0665B/0.0905A            | ----                          | 0.0720 - 0.0260          | .1934 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 645                                 | ----           | ----                         | ----/0.1440A       | 0.1290B/0.1440A            | ----                          | 0.1255 - 0.0390          | .2976 | ----          | ----                     | ----              | ----              | 25               | UNCH |      |  |
| 650                                 | ----           | ----                         | ----/0.1620A       | 0.1490B/0.1620A            | ----                          | 0.1435 - 0.0425          | .3275 | ----          | ----                     | ----              | ----              | 11               | UNCH |      |  |
| 670                                 | ----           | ----                         | 0.2610B/----       | 0.2610B/0.2750A            | ----                          | 0.2770 + 0.0360          | .5462 | ----          | ----                     | ----              | ----              | 0                | UNCH |      |  |
| 690                                 | ----           | ----                         | 0.1780B/----       | 0.1780B/0.2010A            | ----                          | 0.1945 + 0.0250          | .4251 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 695                                 | ----           | ----                         | 0.1620B/----       | 0.1620B/0.1855A            | ----                          | 0.1780 + 0.0230          | .3973 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 700                                 | ----           | ----                         | ----/0.4330A       | 0.4465B/0.4330A            | ----                          | 0.4160 - 0.0710          | .6281 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 720                                 | ----           | ----                         | ----               | 0.0975B/0.1260A            | ----                          | 0.1125 + 0.0130          | .2758 | ----          | ----                     | ----              | ----              | 3                | UNCH |      |  |
| 745                                 | ----           | ----                         | ----               | 0.0555B/0.0865A            | ----                          | 0.0710 + 0.0065          | .1865 | ----          | ----                     | ----              | ----              | 3                | UNCH |      |  |
| TOTAL                               |                |                              |                    |                            |                               |                          |       |               |                          |                   |                   | 54               |      |      |  |
| JAN27                               |                |                              |                    |                            |                               |                          |       |               |                          |                   |                   |                  |      |      |  |
| 700                                 | ----           | ----                         | 0.2165B/----       | 0.2165B/0.2430A            | ----                          | 0.2345 + 0.0275          | .4076 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 800                                 | ----           | ----                         | ----               | 0.0425B/0.0755A            | ----                          | 0.0570 + 0.0045          | .1257 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 825                                 | ----           | ----                         | ----               | 0.0275B/0.0600A            | ----                          | 0.0400 + 0.0025          | .0916 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| TOTAL                               |                |                              |                    |                            |                               |                          |       |               |                          |                   |                   | 3                |      |      |  |
| COMEX COPPER OPTIONS                |                |                              |                    |                            |                               |                          |       |               |                          |                   |                   |                  |      |      |  |
| HX CALL                             |                |                              |                    |                            |                               |                          |       |               |                          |                   |                   |                  |      |      |  |
| NOV26                               |                |                              |                    |                            |                               |                          |       |               |                          |                   |                   |                  |      |      |  |
| 535                                 | ----           | ----                         | ----               | ----                       | ----                          | 1.2925 + 0.0910          | .9887 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 545                                 | ----           | ----                         | ----               | ----                       | ----                          | 1.1930 + 0.0910          | .9863 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 580                                 | ----           | ----                         | ----               | ----                       | ----                          | 0.8455 + 0.0885          | .9719 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |  |
| 585                                 | ----           | ----                         | ----               | ----                       | ----                          | 0.7965 + 0.0880          | .9687 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 595                                 | ----           | ----                         | 0.6950B/----       | 0.6950B/0.6665A            | ----                          | 0.6980 + 0.0855          | .9594 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |  |
| 600                                 | ----           | ----                         | 0.6565B/----       | 0.6565B/0.6180A            | ----                          | 0.6495 + 0.0840          | .9515 | ----          | ----                     | ----              | ----              | 4                | UNCH |      |  |
| 610                                 | ----           | ----                         | 0.5605B/----       | 0.5605B/0.5070A            | ----                          | 0.5540 + 0.0805          | .9285 | ----          | ----                     | ----              | ----              | 14               | UNCH |      |  |
| 630                                 | ----           | ----                         | 0.3790B/----       | 0.3790B/0.3365A            | ----                          | 0.3715 + 0.0650          | .8443 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 635                                 | ----           | ----                         | 0.3365B/----       | 0.3365B/0.2990A            | ----                          | 0.3300 + 0.0600          | .8102 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |  |
| 640                                 | ----           | ----                         | 0.2975B/----       | 0.2975B/0.2650A            | ----                          | 0.2905 + 0.0535          | .7691 | ----          | ----                     | ----              | ----              | 340              | UNCH |      |  |
| 645                                 | ----           | ----                         | 0.2610B/----       | 0.2610B/0.2330A            | ----                          | 0.2545 + 0.0475          | .7217 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |  |
| 650                                 | ----           | ----                         | 0.2275B/----       | 0.2275B/0.1920A            | ----                          | 0.2210 + 0.0405          | .6690 | ----          | ----                     | ----              | ----              | 41               | UNCH |      |  |
| 655                                 | ----           | ----                         | 0.1990B/----       | 0.1990B/0.1675A            | ----                          | 0.1910 + 0.0345          | .6136 | ----          | ----                     | ----              | ----              | 12               | UNCH |      |  |
| 660                                 | 0.1530         | 0.1530                       | 0.1735B/0.1455     | 0.1735B/0.1455             | ----                          | 0.1645 + 0.0285          | .5568 | ----          | ----                     | 4                 | ----              | 335 +            | 4    |      |  |
| 664                                 | ----           | ----                         | 0.1530B/----       | 0.1530B/0.1310A            | ----                          | 0.1460 + 0.0240          | .5118 | ----          | ----                     | ----              | ----              | 39               | UNCH |      |  |
| 665                                 | 0.1515         | 0.1515                       | 0.1515/0.1375      | 0.1515/0.1270A             | ----                          | 0.1415 + 0.0230          | .5006 | ----          | ----                     | 13                | ----              | 94 +             | 13   |      |  |
| 666                                 | ----           | ----                         | 0.1435B/----       | 0.1435B/0.1230A            | ----                          | 0.1370 + 0.0220          | .4896 | ----          | ----                     | ----              | ----              | 8                | UNCH |      |  |
| 670                                 | 0.1240         | 0.1240                       | 0.1285B/0.1240     | 0.1285B/0.1095A            | ----                          | 0.1210 + 0.0180          | .4464 | ----          | ----                     | 13                | ----              | 416 +            | 6    |      |  |
| 675                                 | 0.1050         | 0.1050                       | 0.1105B/0.0975     | 0.1105B/0.0945A            | ----                          | 0.1030 + 0.0135          | .3950 | ----          | ----                     | 41                | ----              | .589 +           | 21   |      |  |
| 680                                 | 0.0935         | 0.0935                       | 0.0940B/0.0800A    | 0.0940B/0.0800A            | ----                          | 0.0875 + 0.0100          | .3472 | ----          | ----                     | 5                 | ----              | 131 +            | 2    |      |  |
| 685                                 | 0.0870         | 0.0870                       | 0.0870/0.0670      | 0.0870/0.0670              | ----                          | 0.0745 + 0.0080          | .3040 | ----          | ----                     | 13                | ----              | 372 -            | 12   |      |  |
| 690                                 | 0.0605         | 0.0605                       | 0.0695B/0.0575A    | 0.0695B/0.0575A            | ----                          | 0.0635 + 0.0065          | .2652 | ----          | ----                     | 16                | ----              | 217 +            | 12   |      |  |
| 695                                 | 0.0535         | 0.0535                       | 0.0600B/0.0495A    | 0.0600B/0.0495A            | ----                          | 0.0540 + 0.0045          | .2304 | ----          | ----                     | 1                 | ----              | 292 -            | 1    |      |  |
| 700                                 | 0.0445         | 0.0445                       | 0.0525B/0.0420A    | 0.0525B/0.0420A            | ----                          | 0.0460 + 0.0025          | .1998 | ----          | ----                     | 66                | ----              | 653 +            | 5    |      |  |
| 705                                 | 0.0355         | 0.0355                       | 0.0465B/0.0355     | 0.0465B/0.0355             | ----                          | 0.0400 + 0.0015          | .1748 | ----          | ----                     | 1                 | ----              | 307              | UNCH |      |  |
| 710                                 | ----           | ----                         | 0.0400B/0.0310A    | 0.0400B/0.0310A            | ----                          | 0.0345                   | UNCH  | .1521         | ----                     | 5                 | ----              | 312              | UNCH |      |  |
| 714                                 | ----           | ----                         | 0.0360B/0.0275A    | 0.0360B/0.0275A            | ----                          | 0.0310 - 0.0005          | .1370 | ----          | ----                     | ----              | ----              | 15               | UNCH |      |  |
| 715                                 | 0.0280         | 0.0280                       | 0.0350B/0.0265A    | 0.0350B/0.0265A            | ----                          | 0.0300 - 0.0005          | .1329 | ----          | ----                     | 2                 | ----              | 223 +            | 2    |      |  |
| 716                                 | ----           | ----                         | 0.0340B/0.0260A    | 0.0340B/0.0260A            | ----                          | 0.0290 - 0.0010          | .1289 | ----          | ----                     | ----              | ----              | 10               | UNCH |      |  |
| 719                                 | ----           | ----                         | 0.0310B/0.0240A    | 0.0310B/0.0240A            | ----                          | 0.0270 - 0.0010          | .1198 | ----          | ----                     | ----              | ----              | 5                | UNCH |      |  |
| 720                                 | 0.0275         | 0.0275                       | 0.0305B/0.0230     | 0.0305B/0.0230             | ----                          | 0.0260 - 0.0015          | .1159 | ----          | ----                     | 10                | ----              | 312 -            | 8    |      |  |
| 721                                 | ----           | ----                         | 0.0300B/0.0225A    | 0.0300B/0.0225A            | ----                          | 0.0255 - 0.0015          | .1134 | ----          | ----                     | ----              | ----              | 19               | UNCH |      |  |
| 724                                 | ----           | ----                         | 0.0275B/0.0210A    | 0.0275B/0.0210A            | ----                          | 0.0235 - 0.0015          | .1046 | ----          | ----                     | ----              | ----              | 12               | UNCH |      |  |
| 725                                 | ----           | ----                         | 0.0275B/0.0205A    | 0.0275B/0.0205A            | ----                          | 0.0230 - 0.0015          | .1022 | ----          | ----                     | 28                | ----              | 383              | UNCH |      |  |
| 726                                 | ----           | ----                         | 0.0265B/0.0200A    | 0.0265B/0.0200A            | ----                          | 0.0225 - 0.0015          | .0999 | ----          | ----                     | ----              | ----              | 12               | UNCH |      |  |
| 730                                 | 0.0180         | 0.0180                       | 0.0240B/0.0180     | 0.0240B/0.0180             | ----                          | 0.0200 - 0.0020          | .0892 | ----          | ----                     | 1                 | ----              | 274              | UNCH |      |  |
| 735                                 | ----           | ----                         | 0.0215B/0.0160A    | 0.0215B/0.0160A            | ----                          | 0.0180 - 0.0020          | .0797 | ----          | ----                     | ----              | ----              | 74               | UNCH |      |  |
| 740                                 | ----           | ----                         | 0.0190B/0.0145A    | 0.0190B/0.0145A            | ----                          | 0.0160 - 0.0020          | .0706 | ----          | ----                     | ----              | ----              | 148              | UNCH |      |  |
| 745                                 | ----           | ----                         | 0.0170B/0.0130A    | 0.0170B/0.0130A            | ----                          | 0.0140 - 0.0020          | .0619 | ----          | ----                     | 1                 | ----              | 31               | UNCH |      |  |
| 750                                 | ----           | ----                         | 0.0150B/0.0120A    | 0.0150B/0.0120A            | ----                          | 0.0130 - 0.0015          | .0565 | ----          | ----                     | 4                 | ----              | 283              | UNCH |      |  |
| 755                                 | ----           | ----                         | ---/0.0110A        | 0.0135B/0.0110A            | ----                          | 0.0115 - 0.0020          | .0500 | ----          | ----                     | ----              | ----              | 46               | UNCH |      |  |
| 760                                 | 0.0085         | 0.0085                       | 0.0085/0.0085      | 0.0115B/0.0085             | ----                          | 0.0105 - 0.0015          | .0452 | ----          | ----                     | 10                | ----              | 21 +             | 8    |      |  |
| 765                                 | ----           | ----                         | ---/0.0090A        | 0.0105B/0.0090A            | ----                          | 0.0095 - 0.0015          | .0406 | ----          | ----                     | ----              | ----              | 4                | UNCH |      |  |
| 770                                 | ----           | ----                         | ---/0.0080A        | 0.0090B/0.0080A            | ----                          | 0.0090 - 0.0010          | .0378 | ----          | ----                     | ----              | ----              | 4                | UNCH |      |  |
| 775                                 | ----           | ----                         | ---/0.0075A        | 0.0080B/0.0075A            | ----                          | 0.0080 - 0.0010          | .0336 | ----          | ----                     | ----              | ----              | 460              | UNCH |      |  |
| 800                                 | ----           | ----                         | ---/0.0050A        | 0.0050B/0.0050A            | ----                          | 0.0055 - 0.0005          | .0219 | ----          | ----                     | 13                | ----              | 240 -            | 6    |      |  |
| 825                                 | 0.0030         | 0.0030                       | 0.0030/0.0030      | 0.0030/0.0030              | ----                          | 0.0035                   | UNCH  | .0136         | ----                     | 1                 | ----              | 93 +             | 1    |      |  |
| 850                                 | 0.0030         | 0.0030                       | 0.0030/0.0030      | 0.0030/0.0030              | ----                          | 0.0025                   | UNCH  | .0093         | ----                     | 2                 | ----              | 93               | UNCH |      |  |
| 875                                 | 0.0015         | 0.0015                       | 0.0015/0.0010      | 0.0015/0.0010              | ----                          | 0.0015 - 0.0005          | .0056 | ----          | ----                     | 12                | ----              | 21 +             | 12   |      |  |
| 900                                 | ----           | ----                         | ----               | 0.0005B/0.0020A            | ----                          | 0.0015 + 0.0005          | .0051 | ----          | ----                     | ----              | ----              | 21               | UNCH |      |  |
| 925                                 | ----           | ----                         | ----               | 0.0005B/0.0015A            | ----                          | 0.0010                   | UNCH  | .0034         | ----                     | ----              | ----              | 43               | UNCH |      |  |
| 950                                 | ----           | ----                         | ----               | 0.0005B/0.0015A            | ----                          | 0.0005                   | UNCH  | .0017         | ----                     | ----              | ----              | 3                | UNCH |      |  |
| 975                                 | ----           | ----                         | ----               | ----/0.0015A               | ----                          | 0.0005                   | UNCH  | .0008         | ----                     | ----              | ----              | 31               | UNCH |      |  |
| TOTAL                               |                |                              |                    |                            |                               |                          |       |               |                          | 262               | </                |                  |      |      |  |

| BULLETIN #191@ |                      |                              |                    | METALS OPTION PRODUCTS     |                               |                          |          |               |                          |                   | Mon, Oct 05, 2026 |                  |      | PG64 |
|----------------|----------------------|------------------------------|--------------------|----------------------------|-------------------------------|--------------------------|----------|---------------|--------------------------|-------------------|-------------------|------------------|------|------|
|                | GLOBEX<br>OPEN       | OPEN<br>OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA    | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME     | OPEN<br>INTEREST |      |      |
| HX CALL        | COMEX COPPER OPTIONS |                              |                    |                            |                               |                          |          |               |                          |                   |                   |                  |      |      |
| JAN27          |                      |                              |                    |                            |                               |                          |          |               |                          |                   |                   |                  |      |      |
| 500            | ----                 | ----                         | ----               | ----                       | ----                          | 1.7495 + 0.0910          | .9734    | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 600            | ----                 | ----                         | ----               | ----                       | ----                          | 0.8030 + 0.0745          | .8549    | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 650            | ----                 | ----                         | 0.4240B/----       | 0.4240B/0.4215A            | ----                          | 0.4385 + 0.0475          | .6487    | ----          | ----                     | ----              | ----              | 79               | UNCH |      |
| 655            | ----                 | ----                         | 0.3950B/----       | 0.3950B/0.3960A            | ----                          | 0.4100 + 0.0445          | .6233    | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 665            | ----                 | ----                         | 0.3425B/----       | 0.3425B/0.3480A            | ----                          | 0.3575 + 0.0395          | .5717    | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 675            | ----                 | ----                         | 0.3000B/----       | 0.3000B/0.3055A            | ----                          | 0.3105 + 0.0345          | .5203    | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 680            | ----                 | ----                         | 0.2775B/----       | 0.2775B/0.2855A            | ----                          | 0.2890 + 0.0325          | .4952    | ----          | ----                     | ----              | ----              | 3                | UNCH |      |
| 685            | ----                 | ----                         | 0.2605B/----       | 0.2605B/0.2675A            | ----                          | 0.2690 + 0.0305          | .4705    | ----          | ----                     | ----              | ----              | 48               | UNCH |      |
| 690            | ----                 | ----                         | 0.2400B/----       | 0.2400B/0.2505A            | ----                          | 0.2505 + 0.0285          | .4465    | ----          | ----                     | ----              | ----              | 15               | UNCH |      |
| 695            | ----                 | ----                         | 0.2265B/----       | 0.2265B/0.2350A            | ----                          | 0.2330 + 0.0265          | .4231    | ----          | ----                     | ----              | ----              | 5                | UNCH |      |
| 700            | ----                 | ----                         | 0.2070B/----       | 0.2070B/0.2200A            | ----                          | 0.2165 + 0.0245          | .4004    | ----          | ----                     | ----              | ----              | 160              | UNCH |      |
| 710            | ----                 | ----                         | 0.1785B/----       | 0.1785B/0.1920A            | ----                          | 0.1870 + 0.0210          | .3576    | ----          | ----                     | ----              | ----              | 5                | UNCH |      |
| 715            | ----                 | ----                         | 0.1670B/----       | 0.1670B/0.1795A            | ----                          | 0.1740 + 0.0195          | .3376    | ----          | ----                     | ----              | ----              | 800              | UNCH |      |
| 720            | ----                 | ----                         | 0.1535B/----       | 0.1535B/0.1680A            | ----                          | 0.1615 + 0.0175          | .3182    | ----          | ----                     | ----              | ----              | 13               | UNCH |      |
| 725            | ----                 | ----                         | 0.1425B/----       | 0.1425B/0.1555A            | ----                          | 0.1500 + 0.0155          | .2997    | ----          | ----                     | 1                 | ----              | 132              | UNCH |      |
| 730            | ----                 | ----                         | 0.1350B/----       | 0.1350B/0.1455A            | ----                          | 0.1395 + 0.0140          | .2823    | ----          | ----                     | 1                 | ----              | 506 +            | 1    |      |
| 740            | ----                 | ----                         | 0.1150B/----       | 0.1150B/0.1265A            | ----                          | 0.1205 + 0.0115          | .2499    | ----          | ----                     | 100               | ----              | 200 +            | 99   |      |
| 750            | ----                 | ----                         | 0.0980B/----       | 0.0980B/0.1100A            | ----                          | 0.1045 + 0.0090          | .2212    | ----          | ----                     | ----              | ----              | 790              | UNCH |      |
| 755            | ----                 | ----                         | 0.0920B/----       | 0.0920B/0.1025A            | ----                          | 0.0975 + 0.0085          | .2082    | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 760            | ----                 | ----                         | 0.0845B/----       | 0.0845B/0.0955A            | ----                          | 0.0910 + 0.0075          | .1959    | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 775            | ----                 | ----                         | ----               | 0.0675B/0.0785A            | ----                          | 0.0740 + 0.0055          | .1630    | ----          | ----                     | ----              | ----              | 421              | UNCH |      |
| 800            | 0.0525               | 0.0525                       | 0.0525/0.0525      | 0.0525/0.0525              | ----                          | 0.0540 + 0.0040          | .1217    | ----          | ----                     | 125               | ----              | 1089 +           | 73   |      |
| 825            | ----                 | ----                         | ----               | 0.0330B/0.0440A            | ----                          | 0.0400 + 0.0030          | .0917    | ----          | ----                     | ----              | ----              | 11               | UNCH |      |
| 850            | ----                 | ----                         | ----               | 0.0250B/0.0345A            | ----                          | 0.0295 + 0.0020          | .0688    | ----          | ----                     | ----              | ----              | 28               | UNCH |      |
| 875            | 0.0220               | 0.0220                       | 0.0220/0.0220      | 0.0220/0.0220              | ----                          | 0.0210 + 0.0010          | .0503    | ----          | ----                     | 1                 | ----              | 2 +              | 1    |      |
| 900            | ----                 | ----                         | 0.0155B/----       | 0.0155B/0.0215A            | ----                          | 0.0155 + 0.0005          | .0377    | ----          | ----                     | ----              | ----              | 304              | UNCH |      |
| 950            | ----                 | ----                         | ----               | 0.0085B/0.0220A            | ----                          | 0.0090 + 0.0005          | .0222    | ----          | ----                     | ----              | ----              | 3                | UNCH |      |
| 1000           | ----                 | ----                         | ----               | 0.0050B/0.0180A            | ----                          | 0.0055                   | UNCH     | .0136         | ----                     | ----              | ----              | 13               | UNCH |      |
| TOTAL          |                      |                              |                    |                            |                               |                          |          |               |                          | 228               |                   | 4636 +           | 174  |      |
| FEB27          |                      |                              |                    |                            |                               |                          |          |               |                          |                   |                   |                  |      |      |
| 600            | ----                 | ----                         | ----               | ----                       | ----                          | 0.8360 + 0.0715          | .8205    | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 610            | ----                 | ----                         | ----               | ----                       | ----                          | 0.7585 + 0.0675          | .7889    | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 625            | ----                 | ----                         | 0.6350B/----       | 0.6350B/0.6250A            | ----                          | 0.6500 + 0.0615          | .7351    | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 640            | ----                 | ----                         | 0.5365B/----       | 0.5365B/0.5340A            | ----                          | 0.5520 + 0.0540          | .6752    | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 650            | ----                 | ----                         | 0.4775B/----       | 0.4775B/0.4800A            | ----                          | 0.4935 + 0.0495          | .6330    | ----          | ----                     | ----              | ----              | 41               | UNCH |      |
| 655            | ----                 | ----                         | 0.4505B/----       | 0.4505B/0.4545A            | ----                          | 0.4660 + 0.0475          | .6115    | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 660            | ----                 | ----                         | 0.4240B/----       | 0.4240B/0.4305A            | ----                          | 0.4395 + 0.0445          | .5898    | ----          | ----                     | 1                 | ----              | 2 +              | 1    |      |
| 670            | ----                 | ----                         | 0.3755B/----       | 0.3755B/0.3860A            | ----                          | 0.3910 + 0.0405          | .5465    | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 685            | ----                 | ----                         | 0.3105B/----       | 0.3105B/0.3260A            | ----                          | 0.3270 + 0.0350          | .4830    | ----          | ----                     | ----              | ----              | 30               | UNCH |      |
| 700            | ----                 | ----                         | 0.2560B/----       | 0.2560B/0.2760A            | ----                          | 0.2725 + 0.0300          | .4230    | ----          | ----                     | ----              | ----              | 50               | UNCH |      |
| 705            | ----                 | ----                         | 0.2400B/----       | 0.2400B/0.2605A            | ----                          | 0.2565 + 0.0290          | .4041    | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 725            | ----                 | ----                         | 0.1845B/----       | 0.1845B/0.2075A            | ----                          | 0.2005 + 0.0230          | .3339    | ----          | ----                     | ----              | ----              | 9                | UNCH |      |
| 735            | ----                 | ----                         | 0.1610B/----       | 0.1610B/0.1860A            | ----                          | 0.1765 + 0.0195          | .3020    | ----          | ----                     | ----              | ----              | 30               | UNCH |      |
| 740            | ----                 | ----                         | 0.1510B/----       | 0.1510B/0.1765A            | ----                          | 0.1660 + 0.0185          | .2873    | ----          | ----                     | ----              | ----              | 10               | UNCH |      |
| 745            | ----                 | ----                         | 0.1400B/----       | 0.1400B/0.1675A            | ----                          | 0.1560 + 0.0170          | .2731    | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 750            | ----                 | ----                         | 0.1310B/----       | 0.1310B/0.1580A            | ----                          | 0.1465 + 0.0160          | .2594    | ----          | ----                     | ----              | ----              | 129              | UNCH |      |
| 765            | ----                 | ----                         | 0.1055B/0.1350A    | 0.1055B/0.1350A            | ----                          | 0.1215 + 0.0120          | .2219    | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 850            | ----                 | ----                         | 0.0330B/0.0595A    | 0.0330B/0.0595A            | ----                          | 0.0435 + 0.0015          | .0897    | ----          | ----                     | ----              | ----              | 120              | UNCH |      |
| 900            | ----                 | ----                         | 0.0170B/0.0425A    | 0.0170B/0.0425A            | ----                          | 0.0250                   | UNCH     | .0536         | ----                     | ----              | ----              | 49               | UNCH |      |
| 925            | ----                 | ----                         | 0.0120B/0.0365A    | 0.0120B/0.0365A            | ----                          | 0.0200 + 0.0005          | .0430    | ----          | ----                     | ----              | ----              | 6                | UNCH |      |
| 950            | ----                 | ----                         | 0.0070B/0.0325A    | 0.0070B/0.0325A            | ----                          | 0.0160                   | UNCH     | .0346         | ----                     | ----              | ----              | 2                | UNCH |      |
| 1000           | ----                 | ----                         | 0.0040B/0.0265A    | 0.0040B/0.0265A            | ----                          | 0.0105                   | - 0.0005 | .0228         | ----                     | ----              | ----              | 57               | UNCH |      |
| TOTAL          |                      |                              |                    |                            |                               |                          |          |               |                          | 1                 |                   | 548 +            | 1    |      |
| MAR27          |                      |                              |                    |                            |                               |                          |          |               |                          |                   |                   |                  |      |      |
| 580            | ----                 | ----                         | ----               | ----                       | ----                          | 1.0260 + 0.0760          | .8490    | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 595            | ----                 | ----                         | ----               | ----                       | ----                          | 0.9055 + 0.0715          | .8106    | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 600            | ----                 | ----                         | ----               | ----                       | ----                          | 0.8670 + 0.0700          | .7965    | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 605            | ----                 | ----                         | ----               | ----                       | ----                          | 0.8295 + 0.0680          | .7817    | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 625            | ----                 | ----                         | 0.6730B/----       | 0.6730B/0.6690A            | ----                          | 0.6895 + 0.0605          | .7161    | ----          | ----                     | ----              | ----              | 16               | UNCH |      |
| 640            | ----                 | ----                         | 0.5790B/----       | 0.5790B/0.5825A            | ----                          | 0.5965 + 0.0545          | .6617    | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 645            | ----                 | ----                         | 0.5500B/----       | 0.5500B/0.5555A            | ----                          | 0.5675 + 0.0520          | .6430    | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 650            | ----                 | ----                         | 0.5220B/----       | 0.5220B/0.5300A            | ----                          | 0.5400 + 0.0500          | .6241    | ----          | ----                     | ----              | ----              | 7                | UNCH |      |
| 660            | ----                 | ----                         | 0.4710B/----       | 0.4710B/0.4815A            | ----                          | 0.4880 + 0.0460          | .5860    | ----          | ----                     | ----              | ----              | 16               | UNCH |      |
| 670            | ----                 | ----                         | 0.4225B/----       | 0.4225B/0.4370A            | ----                          | 0.4405 + 0.0425          | .5478    | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 675            | ----                 | ----                         | 0.4005B/----       | 0.4005B/0.4160A            | ----                          | 0.4180 + 0.0405          | .5289    | ----          | ----                     | ----              | ----              | 41               | UNCH |      |
| 680            | ----                 | ----                         | 0.3785B/----       | 0.3785B/0.3960A            | ----                          | 0.3970 + 0.0390          | .5103    | ----          | ----                     | ----              | ----              | 30               | UNCH |      |
| 690            | ----                 | ----                         | 0.3390B/----       | 0.3390B/0.3590A            | ----                          | 0.3570 + 0.0355          | .4737    | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 700            | 0.2875               | 0.2875                       | 0.3035B/----       | 0.3035B/0.3255A            | ----                          | 0.3210 + 0.0325          | .4386    | ----          | ----                     | ----              | ----              | 741              | UNCH |      |
| 710            | ----                 | 0.2875/0.2875                | 0.2875/0.2875      | 0.2875/0.2875              | ----                          | 0.2885                   | NEW      | .4050         | ----                     | 10                | ----              | 10 +             | 10   |      |
| 725            | ----                 | ----                         | 0.2275B/----       | 0.2275B/0.2540A            | ----                          | 0.2455 + 0.0260          | .3579    | ----          | ----                     | ----              | ----              | 38               | UNCH |      |
| 740            | ----                 | ----                         | 0.1910B/----       | 0.1910B/0.2185A            | ----                          | 0.2085 + 0.0225          | .3148    | ----          | ----                     | 4                 | ----              | 20 +             | 4    |      |
| 750            | ----                 | ----                         | 0.1700B/----       | 0.1700B/0.1990A            | ----                          | 0.1870 + 0.0200          | .2884    | ----          | ----                     | 4                 | ----              | 223 +            | 4    |      |
| 755            | ----                 | ----                         | 0.1605B/----       | 0.1605B/0.1895A            | ----                          | 0.1770 + 0.0185          | .2759    | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 770            | ----                 | ----                         | 0.1335B/0.1640A    | 0.1335B/0.1640A            | ----                          | 0.1505 + 0.0155          | .2413    | ----          | ----                     | ----              | ----              | 575              | UNCH |      |
| 775            | ----                 | ----                         | 0.1260B/0.1565A    | 0.1260B/0.1565A            | ----                          | 0.1425 + 0.0140          | .2305    | ----          | ----                     | ----              | ----              | 619              | UNCH |      |
| 800            | ----                 | ----                         | 0.0930B/0.1245A    | 0.0930B/0.1245A            | ----                          | 0.1095 + 0.0095          | .1840    | ----          |                          |                   |                   |                  |      |      |



| BULLETIN #191@ |                      |              |                 | METALS OPTION PRODUCTS |                  |                 |                 |  |                          |       |               |                          |                   | Mon, Oct 05, 2026 |  |  |  | PG64             |      |
|----------------|----------------------|--------------|-----------------|------------------------|------------------|-----------------|-----------------|--|--------------------------|-------|---------------|--------------------------|-------------------|-------------------|--|--|--|------------------|------|
|                | GLOBEX<br>OPEN       | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>CLOSE | OUTCRY<br>RANGE |  | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME     |  |  |  | OPEN<br>INTEREST |      |
| HX PUT         | COMEX COPPER OPTIONS |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |  |  |  |                  |      |
| FEB27          |                      |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |  |  |  |                  |      |
| 300            | ----                 | ----         | ----            | ----                   | ----/0.0145A     | ----            | ----            |  | 0.0025 - 0.0005          | .0033 | ----          | ----                     | ----              | ----              |  |  |  | 1                | UNCH |
| 400            | ----                 | ----         | ----            | ----                   | 0.0005B/0.0190A  | ----            | ----            |  | 0.0095 - 0.0005          | .0141 | ----          | ----                     | ----              | ----              |  |  |  | 10               | UNCH |
| 450            | ----                 | ----         | ----            | ----                   | 0.0005B/0.0240A  | ----            | ----            |  | 0.0120 - 0.0005          | .0208 | ----          | ----                     | ----              | ----              |  |  |  | 3                | UNCH |
| 480            | ----                 | ----         | ----            | ----                   | 0.0005B/0.0275A  | ----            | ----            |  | 0.0140 - 0.0010          | .0268 | ----          | ----                     | ----              | ----              |  |  |  | 4                | UNCH |
| 500            | ----                 | ----         | ----            | ----                   | 0.0030B/0.0305A  | ----            | ----            |  | 0.0165 - 0.0020          | .0333 | ----          | ----                     | ----              | ----              |  |  |  | 8                | UNCH |
| 520            | ----                 | ----         | ----            | ----                   | 0.0095B/0.0345A  | ----            | ----            |  | 0.0210 - 0.0040          | .0438 | ----          | ----                     | ----              | ----              |  |  |  | 2                | UNCH |
| 560            | ----                 | ----         | ----            | ----                   | 0.0310B/0.0585A  | ----            | ----            |  | 0.0430 - 0.0100          | .0880 | ----          | ----                     | ----              | ----              |  |  |  | 50               | UNCH |
| 595            | ----                 | ----         | ----            | ----/0.1050A           | 0.0800B/0.1050A  | ----            | ----            |  | 0.0880 - 0.0185          | .1646 | ----          | ----                     | ----              | ----              |  |  |  | 1                | UNCH |
| 600            | ----                 | ----         | ----            | ----/0.1145A           | 0.0895B/0.1145A  | ----            | ----            |  | 0.0975 - 0.0200          | .1792 | ----          | ----                     | ----              | ----              |  |  |  | 80               | UNCH |
| 620            | ----                 | ----         | ----            | ----/0.1625A           | 0.1425B/0.1625A  | ----            | ----            |  | 0.1450 - 0.0280          | .2459 | ----          | ----                     | ----              | ----              |  |  |  | 2                | UNCH |
| 630            | ----                 | ----         | ----            | ----/0.1920A           | 0.1765B/0.1920A  | ----            | ----            |  | 0.1750 - 0.0325          | .2838 | ----          | ----                     | ----              | ----              |  |  |  | 1                | UNCH |
| 650            | ----                 | ----         | ----            | ----/0.2670A           | 0.2575B/0.2670A  | ----            | ----            |  | 0.2505 - 0.0420          | .3666 | ----          | ----                     | ----              | ----              |  |  |  | 60               | UNCH |
| 660            | ----                 | ----         | ----            | ----/0.3125A           | 0.3060B/0.3125A  | ----            | ----            |  | 0.2960 - NEW             | .4098 | ----          | ----                     | ----              | ----              |  |  |  | 1 +              | 1    |
| TOTAL          |                      |              |                 |                        |                  |                 |                 |  |                          |       |               |                          | 1                 |                   |  |  |  | 223 +            | 1    |
| MAR27          |                      |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |  |  |  |                  |      |
| 400            | ----                 | ----         | ----            | ----                   | 0.0005B/0.0220A  | ----            | ----            |  | 0.0115 - 0.0005          | .0163 | ----          | ----                     | ----              | ----              |  |  |  | 8                | UNCH |
| 500            | ----                 | ----         | ----            | ----                   | 0.0095B/0.0375A  | ----            | ----            |  | 0.0230 - 0.0035          | .0420 | ----          | ----                     | ----              | ----              |  |  |  | 200              | UNCH |
| 525            | ----                 | ----         | ----            | ----                   | 0.0195B/0.0490A  | ----            | ----            |  | 0.0340 - 0.0055          | .0620 | ----          | ----                     | ----              | ----              |  |  |  | 10               | UNCH |
| 550            | ----                 | ----         | ----            | ----                   | 0.0380B/0.0690A  | ----            | ----            |  | 0.0525 - 0.0095          | .0932 | ----          | ----                     | ----              | ----              |  |  |  | 230              | UNCH |
| 575            | ----                 | ----         | ----            | ----                   | 0.0705B/0.1005A  | ----            | ----            |  | 0.0830 - 0.0145          | .1396 | ----          | ----                     | ----              | ----              |  |  |  | 30               | UNCH |
| 580            | ----                 | ----         | ----            | ----                   | 0.0795B/0.1090A  | ----            | ----            |  | 0.0905 - 0.0160          | .1506 | ----          | ----                     | ----              | ----              |  |  |  | 10               | UNCH |
| 595            | ----                 | ----         | ----            | ----/0.1370A           | 0.1100B/0.1370A  | ----            | ----            |  | 0.1190 - 0.0200          | .1890 | ----          | ----                     | ----              | ----              |  |  |  | 16               | UNCH |
| 600            | ----                 | ----         | ----            | ----/0.1485A           | 0.1220B/0.1485A  | ----            | ----            |  | 0.1300 - 0.0215          | .2030 | ----          | ----                     | ----              | ----              |  |  |  | 327              | UNCH |
| 620            | ----                 | ----         | ----            | ----/0.2030A           | 0.1810B/0.2030A  | ----            | ----            |  | 0.1840 - 0.0290          | .2662 | ----          | ----                     | ----              | ----              |  |  |  | 64               | UNCH |
| 640            | ----                 | ----         | ----            | ----/0.2745A           | 0.2570B/0.2745A  | ----            | ----            |  | 0.2555 - 0.0365          | .3379 | ----          | ----                     | ----              | ----              |  |  |  | 1                | UNCH |
| 660            | ----                 | ----         | ----            | ----/0.3640A           | 0.3520B/0.3640A  | ----            | ----            |  | 0.3445 - 0.0450          | .4136 | ----          | ----                     | ----              | ----              |  |  |  | 3                | UNCH |
| 675            | ----                 | ----         | ----            | ----/0.4425A           | 0.4345B/0.4425A  | ----            | ----            |  | 0.4230 - 0.0505          | .4706 | ----          | ----                     | ----              | ----              |  |  |  | 8                | UNCH |
| TOTAL          |                      |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |  |  |  | 907              |      |
| APR27          |                      |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |  |  |  |                  |      |
| 400            | ----                 | ----         | ----            | ----                   | 0.0005B/0.0310A  | ----            | ----            |  | 0.0155 - 0.0010          | .0198 | ----          | ----                     | ----              | ----              |  |  |  | 8                | UNCH |
| 500            | ----                 | ----         | ----            | ----                   | 0.0090B/0.0525A  | ----            | ----            |  | 0.0305 - 0.0040          | .0491 | ----          | ----                     | ----              | ----              |  |  |  | 6                | UNCH |
| 530            | ----                 | ----         | ----            | ----                   | 0.0265B/0.0710A  | ----            | ----            |  | 0.0475 - 0.0070          | .0757 | ----          | ----                     | ----              | ----              |  |  |  | 1                | UNCH |
| 540            | ----                 | ----         | ----            | ----                   | 0.0345B/0.0800A  | ----            | ----            |  | 0.0560 - 0.0085          | .0881 | ----          | ----                     | ----              | ----              |  |  |  | 2                | UNCH |
| 550            | ----                 | ----         | ----            | ----                   | 0.0445B/0.0910A  | ----            | ----            |  | 0.0660 - 0.0100          | .1023 | ----          | ----                     | ----              | ----              |  |  |  | 4                | UNCH |
| 680            | ----                 | ----         | ----            | ----/0.4970A           | 0.4675B/0.4970A  | ----            | ----            |  | 0.4675 - 0.0485          | .4601 | ----          | ----                     | ----              | ----              |  |  |  | 5                | UNCH |
| 700            | ----                 | ----         | ----            | ----/0.6140A           | 0.5885B/0.6140A  | ----            | ----            |  | 0.5845 - 0.0540          | .5249 | ----          | ----                     | ----              | ----              |  |  |  | 1                | UNCH |
| TOTAL          |                      |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |  |  |  | 27               |      |
| MAY27          |                      |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |  |  |  |                  |      |
| 400            | ----                 | ----         | ----            | ----                   | 0.0005B/0.0415A  | ----            | ----            |  | 0.0210 - 0.0005          | .0247 | ----          | ----                     | ----              | ----              |  |  |  | 8                | UNCH |
| 575            | ----                 | ----         | ----            | ----                   | 0.1015B/0.1660A  | ----            | ----            |  | 0.1300 - 0.0165          | .1664 | ----          | ----                     | ----              | ----              |  |  |  | 5                | UNCH |
| 600            | ----                 | ----         | ----            | ----                   | 0.1635B/0.2245A  | ----            | ----            |  | 0.1880 - 0.0230          | .2241 | ----          | ----                     | ----              | ----              |  |  |  | 80               | UNCH |
| 660            | ----                 | ----         | ----            | ----/0.4565A           | 0.4020B/0.4565A  | ----            | ----            |  | 0.4160 - 0.0420          | .3963 | ----          | ----                     | ----              | ----              |  |  |  | 1                | UNCH |
| 700            | ----                 | ----         | ----            | ----/0.6790A           | 0.6330B/0.6790A  | ----            | ----            |  | 0.6385 - 0.0525          | .5147 | ----          | ----                     | ----              | ----              |  |  |  | 2                | UNCH |
| TOTAL          |                      |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |  |  |  | 96               |      |
| JUN27          |                      |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |  |  |  |                  |      |
| 500            | ----                 | ----         | ----            | ----                   | 0.0170B/0.0835A  | ----            | ----            |  | 0.0490 - 0.0050          | .0647 | ----          | ----                     | ----              | ----              |  |  |  | 40               | UNCH |
| 570            | ----                 | ----         | ----            | ----                   | 0.0980B/0.1710A  | ----            | ----            |  | 0.1315 - 0.0150          | .1571 | ----          | ----                     | ----              | ----              |  |  |  | 1                | UNCH |
| 620            | ----                 | ----         | ----            | ----                   | 0.2325B/0.3025A  | ----            | ----            |  | 0.2605 - 0.0275          | .2699 | ----          | ----                     | ----              | ----              |  |  |  | 1                | UNCH |
| TOTAL          |                      |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |  |  |  | 42               |      |
| HXE CALL       | COPPER OPTIONS       |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |  |  |  |                  |      |
| OCT26          |                      |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |  |  |  |                  |      |
| 655            | ----                 | ----         | ----            | 0.1215B/----           | 0.1215B/0.1000A  | ----            | ----            |  | 0.1200 + 0.0305          | .7387 | ----          | ----                     | ----              | ----              |  |  |  | 3                | UNCH |
| 657            | ----                 | ----         | ----            | ----                   | ----             | ----            | ----            |  | 0.0000 UNCH              | ----  | ----          | ----                     | ----              | ----              |  |  |  | 0                | UNCH |
| 658            | ----                 | ----         | ----            | ----                   | ----             | ----            | ----            |  | 0.0000 UNCH              | ----  | ----          | ----                     | ----              | ----              |  |  |  | 0                | UNCH |
| 660            | ----                 | ----         | ----            | ----                   | ----             | ----            | ----            |  | 0.0000 UNCH              | ----  | ----          | ----                     | ----              | ----              |  |  |  | 0                | UNCH |
| 660            | 0.0845               | 0.0845       |                 | 0.0925B/0.0845         | 0.0925B/0.0810A  | ----            | ----            |  | 0.0900 + 0.0185          | .6110 | ----          | ----                     | 30                | ----              |  |  |  | 31 +             | 30   |
| 660            | ----                 | ----         | ----            | 0.1345B/----           | 0.1345B/0.1195A  | ----            | ----            |  | 0.1305 + 0.0265          | .5700 | ----          | ----                     | ----              | ----              |  |  |  | 15               | UNCH |
| 661            | ----                 | ----         | ----            | ----                   | ----             | ----            | ----            |  | 0.0000 UNCH              | ----  | ----          | ----                     | ----              | ----              |  |  |  | 0                | UNCH |
| 664            | ----                 | ----         | ----            | ----                   | ----             | ----            | ----            |  | 0.0000 UNCH              | ----  | ----          | ----                     | ----              | ----              |  |  |  | 0                | UNCH |
| 665            | ----                 | ----         | ----            | ----                   | ----             | ----            | ----            |  | 0.0000 UNCH              | ----  | ----          | ----                     | ----              | ----              |  |  |  | 0                | UNCH |
| 665            | ----                 | ----         | ----            | 0.0770B/----           | 0.0770B/0.0580A  | ----            | ----            |  | 0.0670 + 0.0095          | .4823 | ----          | ----                     | ----              | ----              |  |  |  | 7                | UNCH |
| 665            | ----                 | ----         | ----            | 0.1110B/----           | 0.1110B/0.1005A  | ----            | ----            |  | 0.1070 + 0.0190          | .4944 | ----          | ----                     | ----              | ----              |  |  |  | 20               | UNCH |
| 670            | 0.0540               | 0.0540       |                 | 0.0620/0.0390A         | 0.0620/0.0390A   | ----            | ----            |  | 0.0495 + 0.0025          | .3681 | ----          | ----                     | 67                | ----              |  |  |  | 240 -            | 60   |
| 670            | ----                 | ----         | ----            | 0.0915B/----           | 0.0915B/0.0825A  | ----            | ----            |  | 0.0880 + 0.0140          | .4234 | ----          | ----                     | ----              | ----              |  |  |  | 10               | UNCH |
| 675            | 0.0400               | 0.0400       |                 | 0.0485B/0.0240         | 0.0485B/0.0240   | ----            | ----            |  | 0.0370 - 0.0015          | .2760 | ----          | ----                     | 300               | ----              |  |  |  | 430 -            | 170  |
| 675            | ----                 | ----         | ----            | 0.0775B/----           | 0.0775B/0.0670A  | ----            | ----            |  | 0.0725 + 0.0095          | .3594 | ----          | ----                     | ----              | ----              |  |  |  | 8                | UNCH |
| 680            | ----                 | ----         | ----            | ----                   | ----             | ----            | ----            |  | 0.0000 UNCH              | ----  | ----          | ----                     | ----              | ----              |  |  |  | 0                | UNCH |
| 680            | 0.0320               | 0.0320       |                 | 0.0370B/0.0165         | 0.0370B/0.0165   | ----            | ----            |  | 0.0280 - 0.0040          | .2055 | ----          | ----                     | 50                | ----              |  |  |  | 278 -            | 29   |
| 680            | ----                 | ----         | ----            | 0.0635B/----           | 0.0635B/0.0550A  | ----            | ----            |  | 0.0595 + 0.0060</        |       |               |                          |                   |                   |  |  |  |                  |      |

|                              |                |                        |                   |      |
|------------------------------|----------------|------------------------|-------------------|------|
| PG64                         | BULLETIN #191@ | METALS OPTION PRODUCTS | Mon, Oct 05, 2026 | PG64 |
| ALUMINIUM OPTIONS ON FUTURES |                |                        |                   |      |

| GLOBAL | OPEN | OUTCRY | GLOBAL   | OPEN     | OUTCRY | SETT.PRICE | DELTA | EXER  | OPEN   | GLOBAL | PNT    | OPEN     |
|--------|------|--------|----------|----------|--------|------------|-------|-------|--------|--------|--------|----------|
| OPEN   | OPEN | RANGE  | HIGH/LOW | HIGH/LOW | CLOSE  | & PT.CHGE. |       | CISES | OUTCRY | VOLUME | VOLUME | INTEREST |

|                             |  |  |  |  |  |  |  |  |  |  |  |  |
|-----------------------------|--|--|--|--|--|--|--|--|--|--|--|--|
| PLATINUM OPTIONS ON FUTURES |  |  |  |  |  |  |  |  |  |  |  |  |
|-----------------------------|--|--|--|--|--|--|--|--|--|--|--|--|

| GLOBAL | OPEN | OPEN  | OUTCRY | GLOBAL   | OPEN     | OUTCRY | SETT.PRICE | DELTA | EXER  | OPEN   | GLOBAL | PNT    | OPEN     |
|--------|------|-------|--------|----------|----------|--------|------------|-------|-------|--------|--------|--------|----------|
| OPEN   | OPEN | RANGE | RANGE  | HIGH/LOW | HIGH/LOW | CLOSE  | & PT.CHGE. |       | CISES | OUTCRY | VOLUME | VOLUME | INTEREST |

| PAO CALL |      | NYMEX PALLADIUM OPTIONS |  |             |               |      |              |       |      |      |      |      |         |
|----------|------|-------------------------|--|-------------|---------------|------|--------------|-------|------|------|------|------|---------|
| NOV26    |      |                         |  |             |               |      |              |       |      |      |      |      |         |
| 1200     | ---- | ----                    |  | 28.40B/---- | 28.40B/30.50A | ---- | 27.90 + 1.00 | .4207 | ---- | ---- | ---- | ---- | 4 UNCH  |
| 1300     | ---- | ----                    |  |             | 7.20B/11.60A  | ---- | 8.90 - 0.20  | .1510 | ---- | ---- | ---- | ---- | 21 UNCH |
| 1350     | ---- | ----                    |  |             | 3.40B/7.90A   | ---- | 5.30 - 0.20  | .0908 | ---- | ---- | ---- | ---- | 2 UNCH  |
| 1400     | ---- | ----                    |  |             | 1.10B/5.50A   | ---- | 3.00 - 0.20  | .0524 | ---- | ---- | ---- | ---- | 93 UNCH |
| 1450     | ---- | ----                    |  |             | ----/4.20A    | ---- | 1.70 - 0.20  | .0300 | ---- | ---- | 8    | ---- | 86 UNCH |
| 1500     | ---- | ----                    |  |             | ----/3.50A    | ---- | 1.00 - 0.20  | .0176 | ---- | ---- | ---- | ---- | 5 UNCH  |
| 1550     | ---- | ----                    |  |             | ----/3.10A    | ---- | 0.70 - 0.10  | .0119 | ---- | ---- | ---- | ---- | 14 UNCH |
| 1600     | ---- | ----                    |  |             | ----/2.80A    | ---- | 0.40 - 0.20  | .0068 | ---- | ---- | ---- | ---- | 5 UNCH  |
| 1750     | ---- | ----                    |  |             | ----/2.40A    | ---- | 0.10 - 0.10  | .0016 | ---- | ---- | ---- | ---- | 1 UNCH  |
| TOTAL    |      |                         |  |             |               |      |              |       |      |      | 8    |      | 231     |

|       |       |       |  |             |               |      |              |       |      |      |      |      |          |
|-------|-------|-------|--|-------------|---------------|------|--------------|-------|------|------|------|------|----------|
| DEC26 |       |       |  |             |               |      |              |       |      |      |      |      |          |
| 1250  | ----  | ----  |  |             | 35.60B/39.00A | ---- | 36.90 + 0.90 | .3571 | ---- | ---- | ---- | ---- | 200 UNCH |
| 1300  | ----  | ----  |  |             | 24.40B/28.90A | ---- | 26.10 + 0.40 | .2672 | ---- | ---- | ---- | ---- | 6 UNCH   |
| 1315  | 12.40 | 12.40 |  | 12.40/12.40 | 21.80B/26.40A | ---- | 23.60 + 0.20 | .2448 | ---- | ---- | ---- | 90   | 13 UNCH  |
| 1385  | ----  | ----  |  |             | 13.60B/12.40  | ---- | 15.50 NEW    | .1659 | ---- | ---- | 13   | ---- | 13 UNCH  |
| 1425  | ----  | ----  |  |             | 10.70B/15.00A | ---- | 12.40 - 0.80 | .1341 | ---- | ---- | ---- | 39   | UNCH     |
| 1440  | ----  | ----  |  |             | 9.70B/13.90A  | ---- | 11.50 - 0.90 | .1244 | ---- | ---- | ---- | 16   | UNCH     |
| 1450  | ----  | ----  |  |             | 9.10B/13.40A  | ---- | 10.90 - 0.90 | .1181 | ---- | ---- | ---- | 65   | UNCH     |
| 1500  | ----  | ----  |  |             | 6.50B/10.70A  | ---- | 8.40 - 1.10  | .0917 | ---- | ---- | ---- | 35   | UNCH     |
| 1550  | ----  | ----  |  |             | 4.50B/8.70A   | ---- | 6.50 - 1.00  | .0714 | ---- | ---- | ---- | 66   | UNCH     |
| 1585  | ----  | ----  |  |             | 3.30B/7.60A   | ---- | 5.50 - 0.90  | .0605 | ---- | ---- | ---- | 3    | UNCH     |
| 1600  | ----  | ----  |  |             | 3.10B/7.20A   | ---- | 5.10 - 0.80  | .0563 | ---- | ---- | ---- | 95   | UNCH     |
| 1650  | ----  | ----  |  |             | 1.80B/6.20A   | ---- | 4.00 - 0.70  | .0443 | ---- | ---- | ---- | 64   | UNCH     |
| 1700  | ----  | ----  |  |             | 1.00B/5.50A   | ---- | 3.20 - 0.60  | .0355 | ---- | ---- | ---- | 10   | UNCH     |
| 1775  | ----  | ----  |  |             | 0.10B/4.70A   | ---- | 2.40 - 0.50  | .0264 | ---- | ---- | ---- | 100  | UNCH     |
| 1800  | ----  | ----  |  |             | ----/4.50A    | ---- | 2.20 - 0.50  | .0241 | ---- | ---- | ---- | 55   | UNCH     |
| 1925  | ----  | ----  |  |             | ----/3.80A    | ---- | 1.50 - 0.50  | .0160 | ---- | ---- | ---- | 46   | UNCH     |
| 1995  | ----  | ----  |  |             | ----/3.50A    | ---- | 1.30 - 0.40  | .0136 | ---- | ---- | ---- | 6    | UNCH     |
| 2000  | ----  | ----  |  |             | ----/3.50A    | ---- | 1.30 - 0.40  | .0135 | ---- | ---- | ---- | 1    | UNCH     |
| 3000  | ----  | ----  |  |             | ----/2.40A    | ---- | 0.70 - 0.30  | .0053 | ---- | ---- | ---- | 1    | UNCH     |
| TOTAL |       |       |  |             |               |      |              |       |      |      | 13   |      | 911      |

|       |      |      |  |  |               |      |              |       |      |      |      |      |         |
|-------|------|------|--|--|---------------|------|--------------|-------|------|------|------|------|---------|
| MAR27 |      |      |  |  |               |      |              |       |      |      |      |      |         |
| 1350  | ---- | ---- |  |  | 52.40B/60.60A | ---- | 55.80 + 1.20 | .3396 | ---- | ---- | ---- | ---- | 75 UNCH |
| 1400  | ---- | ---- |  |  | 43.00B/51.30A | ---- | 46.50 + 0.90 | .2912 | ---- | ---- | ---- | 10   | UNCH    |
| 1600  | ---- | ---- |  |  | 21.30B/29.60A | ---- | 24.90 - 0.60 | .1648 | ---- | ---- | ---- | 10   | UNCH    |
| TOTAL |      |      |  |  |               |      |              |       |      |      |      |      | 95      |

|       |      |      |  |  |      |      |              |       |      |      |      |      |         |
|-------|------|------|--|--|------|------|--------------|-------|------|------|------|------|---------|
| JUN27 |      |      |  |  |      |      |              |       |      |      |      |      |         |
| 1375  | ---- | ---- |  |  | ---- | ---- | 93.20 + 1.30 | .4024 | ---- | ---- | ---- | ---- | 50 UNCH |
| TOTAL |      |      |  |  |      |      |              |       |      |      |      |      | 50      |

| PAO PUT |      | NYMEX PALLADIUM OPTIONS |  |              |                 |      |               |       |      |      |      |       |         |
|---------|------|-------------------------|--|--------------|-----------------|------|---------------|-------|------|------|------|-------|---------|
| NOV26   |      |                         |  |              |                 |      |               |       |      |      |      |       |         |
| 1200    | ---- | ----                    |  | ----/49.70A  | 49.30B/49.70A   | ---- | 49.80 - 4.80  | .5792 | ---- | ---- | ---- | ----  | 24 UNCH |
| 1225    | ---- | ----                    |  | ----/65.50A  | 67.40B/65.50A   | ---- | 67.20 - 5.20  | .6742 | ---- | ---- | ---- | ----  | 11 UNCH |
| 1250    | ---- | ----                    |  | ----/83.50A  | 87.80B/83.50A   | ---- | 86.80 - 5.60  | .7502 | ---- | ---- | ---- | 108   | UNCH    |
| 1275    | ---- | ----                    |  | ----/104.00A | 109.70B/104.00A | ---- | 108.30 - 5.80 | .8066 | ---- | ---- | ---- | 16    | UNCH    |
| 1300    | ---- | ----                    |  | ----/125.90A | 132.60B/125.90A | ---- | 130.80 - 5.90 | .8489 | ---- | ---- | 8    | 11 -  | 2       |
| 1350    | ---- | ----                    |  | ----/171.30A | 179.50B/171.30A | ---- | 177.10 - 5.90 | .9091 | ---- | ---- | ---- | 4     | UNCH    |
| TOTAL   |      |                         |  |              |                 |      |               |       |      |      | 8    | 174 - |         |

|       |      |      |  |              |                 |      |               |       |      |      |      |      |        |
|-------|------|------|--|--------------|-----------------|------|---------------|-------|------|------|------|------|--------|
| DEC26 |      |      |  |              |                 |      |               |       |      |      |      |      |        |
| 1050  | ---- | ---- |  |              | 10.40B/15.40A   | ---- | 13.10 - 1.20  | .1585 | ---- | ---- | ---- | ---- | 5 UNCH |
| 1150  | ---- | ---- |  | ----/48.30A  | 45.30B/48.30A   | ---- | 47.00 - 3.30  | .4004 | ---- | ---- | ---- | 15   | UNCH   |
| 1200  | ---- | ---- |  | ----/74.50A  | 73.20B/74.50A   | ---- | 74.60 - 4.20  | .5297 | ---- | ---- | ---- | 53   | UNCH   |
| 1250  | ---- | ---- |  | ----/106.40A | 107.80B/106.40A | ---- | 108.60 - 4.80 | .6427 | ---- | ---- | ---- | 5    | UNCH   |
| 1300  | ---- | ---- |  | ----/144.00A | 148.10B/144.00A | ---- | 147.60 - 5.40 | .7326 | ---- | ---- | ---- | 100  | UNCH   |
| 1315  | ---- | ---- |  |              | ----            | ---- | 160.10 - 5.50 | .7550 | ---- | ---- | ---- | 90   | UNCH   |
| 1380  | ---- | ---- |  |              | ----            | ---- | 217.20 - 6.10 | .8296 | ---- | ---- | ---- | 1    | UNCH   |
| 1400  | ---- | ---- |  | ----/231.30A | 237.90B/231.30A | ---- | 235.50 - 6.30 | .8470 | ---- | ---- | ---- | 150  | UNCH   |
| 1500  | ---- | ---- |  | ----/324.40A | 332.50B/324.40A | ---- | 329.40 - 6.80 | .9081 | ---- | ---- | ---- | 40   | UNCH   |
| TOTAL |      |      |  |              |                 |      |               |       |      |      |      |      | 459    |

|       |      |      |  |              |                 |      |               |       |      |      |      |      |        |
|-------|------|------|--|--------------|-----------------|------|---------------|-------|------|------|------|------|--------|
| MAR27 |      |      |  |              |                 |      |               |       |      |      |      |      |        |
| 1100  | ---- | ---- |  |              | 51.40B/59.50A   | ---- | 56.00 - 2.10  | .3092 | ---- | ---- | ---- | ---- | 5 UNCH |
| 1145  | ---- | ---- |  |              | 72.00B/79.90A   | ---- | 76.40 - 2.70  | .3801 | ---- | ---- | ---- | 8    | UNCH   |
| 1150  | ---- | ---- |  |              | 74.50B/82.40A   | ---- | 78.90 - 2.70  | .3880 | ---- | ---- | ---- | 8    | UNCH   |
| 1160  | ---- | ---- |  |              | 79.60B/87.40A   | ---- | 84.00 - 2.90  | .4037 | ---- | ---- | ---- | 13   | UNCH   |
| 1200  | ---- | ---- |  | ----/109.30A | 101.90B/109.30A | ---- | 106.10 - 3.30 | .4656 | ---- | ---- | ---- | 10   | UNCH   |
| 1350  | ---- | ---- |  | ----/209.80A | 206.80B/209.80A | ---- | 209.80 - 4.40 | .6599 | ---- | ---- | ---- | 75   | UNCH   |
| TOTAL |      |      |  |              |                 |      |               |       |      |      |      |      | 119    |

| PAW OOF |      | PALLADIUM WEEKLY FRIDAY OPTION week |  |             |              |      |             |       |      |      |      |      |         |
|---------|------|-------------------------------------|--|-------------|--------------|------|-------------|-------|------|------|------|------|---------|
| OCT26   |      |                                     |  |             |              |      |             |       |      |      |      |      |         |
| 1150    | ---- | ----                                |  | ----/11.00A | 7.10B/11.00A | ---- | 7.80 - 5.30 | .2445 | ---- | ---- | ---- | ---- | 15 UNCH |
| 1175    | ---- | ----                                |  |             |              | ---- | 2.80 UNCH   | ----  | ---- | ---- | ---- | 0    | UNCH    |
| 1250    | ---- | ----                                |  |             | 2.60B/7.60A  | ---- | 3.10 - 1.80 | .0882 | ---- | ---- | ---- | 4    | UNCH    |
| 1300    | ---- | ----                                |  |             | ----/4.10A   | ---- | 0.80 - 1.10 | .0198 | ---- | ---- | ---- | 12   | UNCH    |
| TOTAL   |      |                                     |  |             |              |      |             |       |      |      |      | 31   |         |

| PLW OOF |       | PLATINUM WEEKLY FRIDAY OPTION week2 |  |              |               |      |              |       |      |      |      |      |         |
|---------|-------|-------------------------------------|--|--------------|---------------|------|--------------|-------|------|------|------|------|---------|
| OCT26   |       |                                     |  |              |               |      |              |       |      |      |      |      |         |
| 1725    | ----  | ----                                |  | 42.30B/----  | 42.30B/28.20A | ---- | 25.00 + 3.20 | .4976 | ---- | ---- | ---- | ---- | 1 UNCH  |
| 1725    | 35.40 | 35.40                               |  | 36.30/35.40  | 47.20B/35.40  | ---- | 40.20 NEW    | .4944 | ---- | ---- | 26   | ---- | 26 + 26 |
| 1725    | 41.30 | 41.30                               |  | 55.40B/40.40 | 55.40B/40.40  | ---- | 38.90 NEW    | .5055 | ---- | ---- | 39   | ---- | 39 + 39 |
| 1740    | 31.20 | 31.20                               |  | 31.20/31.20  | 31.60B/29.10A | ---- | 35.00 NEW    | .6034 | ---- | ---- | 13   | ---- | 13 + 13 |
| 1750    | ----  | ----                                |  | 28.30B/----  | 28.30B/18.10A | ---- | 15.30 + 0.90 | .3345 | ---- | ---- | ---- | ---- | 1 UNCH  |
| 1750    | ----  | ----                                |  | ----         | ----          | ---- | 50.00 UNCH   | ----  | ---- | ---- | ---- | ---- | 0 UNCH  |
| 1750    | 29.20 | 29.20                               |  | 42.30B/29.20 | 42.30B/29.20  | ---- | 28.30 NEW    | .4029 | ---- | ---- | 5    | ---- | 5 + 5   |
| 1775    | 9.50  | 9.50                                |  | 17.50B/9.50  | 17.50B/9.50   | ---- | 9.20 NEW     | .2085 | ---- | ---- | 1    | ---- | 1 + 1   |
| 1805    | 10.00 | 10.00                               |  | 10.00/8.00A  | 10.00/8.00A   | ---- | 5.20 NEW     | .1148 | ---- | ---- | 10   | ---- | 10 + 10 |
| TOTAL   |       |                                     |  |              |               |      |              |       |      |      | 94   |      | 96 + 94 |

| CALL  |       | PLATINUM OPTIONS |  |               |               |      |       |        |       |      |      |      |      |        |      |
|-------|-------|------------------|--|---------------|---------------|------|-------|--------|-------|------|------|------|------|--------|------|
| NOV26 |       |                  |  |               |               |      |       |        |       |      |      |      |      |        |      |
| 1675  | 81.00 | 81.00            |  | 94.30B/81.00  | 94.30B/74.30A | ---- | 73.20 | NEW    | .6840 | ---- | ---- | 3    | ---- | 3 +    | 3    |
| 1750  | 35.00 | 35.00            |  | 48.50B/35.00  | 48.50B/35.00  | ---- | 35.00 | NEW    | .4218 | ---- | ---- | 1    | ---- | 1 +    | 1    |
| 1775  | 30.50 | 30.50            |  | 37.60B/28.50A | 37.60B/28.50A | ---- | 26.80 | + 3.20 | .3429 | ---- | ---- | 3    | ---- | 20 +   | 3    |
| 1800  | ----  | ----             |  | 28.70B/----   | 28.70B/22.10A | ---- | 20.40 | + 2.00 | .2742 | ---- | ---- | ---- | ---- | 217    | UNCH |
| 1825  | ----  | ----             |  | 21.60B/----   | 21.60B/17.60A | ---- | 15.60 | + 1.10 | .2173 | ---- | ---- | ---- | ---- | 66     | UNCH |
| 1850  | ----  | ----             |  | 16.20B/----   | 16.20B/14.20A | ---- | 11.90 | + 0.40 | .1707 | ---- | ---- | ---- | ---- | 149    | UNCH |
| 1875  | ----  | ----             |  | 12.20B/----   | 12.20B/11.60A | ---- | 9.00  | - 0.10 | .1326 | ---- | ---- | ---- | ---- | 88     | UNCH |
| 1900  | ----  | ----             |  | 9.10B/----    | 9.10B/9.60A   | ---- | 7.00  | - 0.30 | .1043 | ---- | ---- | ---- | ---- | 239    | UNCH |
| 1925  | ----  | ----             |  | 6.80B/----    | 6.80B/8.00A   | ---- | 5.40  | - 0.40 | .0813 | ---- | ---- | ---- | ---- | 68     | UNCH |
| 1950  | ----  | ----             |  | 4.90B/----    | 4.90B/6.80A   | ---- | 4.30  | - 0.30 | .0647 | ---- | ---- | ---- | ---- | 119    | UNCH |
| 2000  | ----  | ----             |  | 2.30B/5.20A   | 2.30B/5.20A   | ---- | 2.60  | - 0.40 | .0395 | ---- | ---- | ---- | ---- | 200    | UNCH |
| 2050  | ----  | ----             |  | 0.70B/4.20A   | 0.70B/4.20A   | ---- | 1.60  | - 0.40 | .0243 | ---- | ---- | ---- | ---- | 15     | UNCH |
| 2100  | ----  | ----             |  | ----/1.20A    | ----/1.20A    | ---- | 0.90  | - 0.30 | .0139 | ---- | ---- | ---- | ---- | 54     | UNCH |
| 2200  | ----  | ----             |  | ----/2.90A    | ----/2.90A    | ---- | 0.40  | - 0.10 | .0059 | ---- | ---- | ---- | ---- | 210    | UNCH |
| 2250  | ----  | ----             |  | ----/2.60A    | ----/2.60A    | ---- | 0.20  | - 0.10 | .0030 | ---- | ---- | ---- | ---- | 40     | UNCH |
| 2500  | ----  | ----             |  | ----/2.20A    | ----/2.20A    | ---- | 0.10  | UNCH   | .0012 | ---- | ---- | ---- | ---- | 20     | UNCH |
| TOTAL |       |                  |  |               |               |      |       |        |       |      |      | 7    |      | 1509 + |      |

||
||
||

| PG64    | BULLETIN #191@   |                              |                   |                            |                               |                          |       |               |                          |                  | METALS OPTION PRODUCTS |                  |      |  | Mon, Oct 05, 2026 |  |  |  | PG64 |
|---------|------------------|------------------------------|-------------------|----------------------------|-------------------------------|--------------------------|-------|---------------|--------------------------|------------------|------------------------|------------------|------|--|-------------------|--|--|--|------|
|         | LOBEX<br>OPEN    | OPEN<br>OUTCRY<br>OPEN RANGE | LOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | LOBEX®<br>VOLUME | PNT<br>VOLUME          | OPEN<br>INTEREST |      |  |                   |  |  |  |      |
| PO CALL | PLATINUM OPTIONS |                              |                   |                            |                               |                          |       |               |                          |                  |                        |                  |      |  |                   |  |  |  |      |
| DEC26   |                  |                              |                   |                            |                               |                          |       |               |                          |                  |                        |                  |      |  |                   |  |  |  |      |
| 2200    | ----             | ----                         | ----              | 4.70B/8.20A                | ----                          | 5.50 + 0.30              | .0524 | ----          | ----                     | ----             | ----                   | 101              | UNCH |  |                   |  |  |  |      |
| 2250    | ----             | ----                         | ----              | 3.30B/7.00A                | ----                          | 4.20 + 0.10              | .0406 | ----          | ----                     | ----             | ----                   | 51               | UNCH |  |                   |  |  |  |      |
| 2500    | ----             | ----                         | ----              | ----/4.30A                 | ----                          | 1.30 UNCH                | .0129 | ----          | ----                     | ----             | ----                   | 50               | UNCH |  |                   |  |  |  |      |
| TOTAL   |                  |                              |                   |                            |                               |                          |       |               |                          | 25               |                        | 553 +            | 15   |  |                   |  |  |  |      |
| JAN27   |                  |                              |                   |                            |                               |                          |       |               |                          |                  |                        |                  |      |  |                   |  |  |  |      |
| 1700    | ----             | ----                         | 126.90B/----      | 126.90B/115.50A            | ----                          | 113.50 + 11.50           | .5664 | ----          | ----                     | ----             | ----                   | 1                | UNCH |  |                   |  |  |  |      |
| 1745    | ----             | ----                         | 104.70B/----      | 104.70B/96.50A             | ----                          | 93.50 + 9.70             | .4968 | ----          | ----                     | ----             | ----                   | 2                | UNCH |  |                   |  |  |  |      |
| 1800    |                  |                              | 82.10B/----       | 82.10B/76.40A              | ----                          | 73.60 + 8.10             | .4171 | ----          | ----                     | ----             | ----                   | 3                | UNCH |  |                   |  |  |  |      |
| 1850    | 62.00            | 62.00                        | 65.40B/61.60A     | 65.40B/61.60A              | ----                          | 59.10 + 6.70             | .3522 | ----          | ----                     | 10               | ----                   | 40 +             | 10   |  |                   |  |  |  |      |
| 1900    | ----             | ----                         | 52.00B/----       | 52.00B/49.90A              | ----                          | 47.50 + 5.50             | .2953 | ----          | ----                     | ----             | ----                   | 575              | UNCH |  |                   |  |  |  |      |
| 1950    | ----             | ----                         | 41.40B/----       | 41.40B/40.70A              | ----                          | 38.10 + 4.30             | .2461 | ----          | ----                     | ----             | ----                   | 886              | UNCH |  |                   |  |  |  |      |
| 2000    | ----             | ----                         | 33.00B/----       | 33.00B/33.50A              | ----                          | 30.60 + 3.20             | .2043 | ----          | ----                     | ----             | ----                   | 1049             | UNCH |  |                   |  |  |  |      |
| 2050    | ----             | ----                         | 26.20B/----       | 26.20B/27.80A              | ----                          | 24.70 + 2.40             | .1696 | ----          | ----                     | ----             | ----                   | 250              | UNCH |  |                   |  |  |  |      |
| 2100    | ----             | ----                         | 20.90B/----       | 20.90B/23.10A              | ----                          | 20.00 + 1.80             | .1406 | ----          | ----                     | ----             | ----                   | 81               | UNCH |  |                   |  |  |  |      |
| 2150    | ----             | ----                         | 16.60B/----       | 16.60B/19.40A              | ----                          | 16.40 + 1.50             | .1174 | ----          | ----                     | ----             | ----                   | 462              | UNCH |  |                   |  |  |  |      |
| 2200    | ----             | ----                         | 13.10B/----       | 13.10B/16.40A              | ----                          | 13.50 + 1.20             | .0981 | ----          | ----                     | ----             | ----                   | 214              | UNCH |  |                   |  |  |  |      |
| 2300    | ----             | ----                         | ----              | 8.20B/12.10A               | ----                          | 9.30 + 0.90              | .0692 | ----          | ----                     | ----             | ----                   | 108              | UNCH |  |                   |  |  |  |      |
| 2350    | ----             | ----                         | ----              | 6.40B/10.60A               | ----                          | 7.80 + 0.70              | .0585 | ----          | ----                     | ----             | ----                   | 693              | UNCH |  |                   |  |  |  |      |
| 2360    | ----             | ----                         | ----              | 6.10B/10.30A               | ----                          | 7.50 + 0.60              | .0564 | ----          | ----                     | ----             | ----                   | 100              | UNCH |  |                   |  |  |  |      |
| 2400    | ----             | ----                         | ----              | 5.00B/9.40A                | ----                          | 6.60 + 0.50              | .0498 | ----          | ----                     | ----             | ----                   | 57               | UNCH |  |                   |  |  |  |      |
| 2500    | ----             | ----                         | ----              | 3.00B/7.70A                | ----                          | 5.00 + 0.40              | .0376 | ----          | ----                     | ----             | ----                   | 439              | UNCH |  |                   |  |  |  |      |
| 2600    | ----             | ----                         | ----              | 1.70B/6.60A                | ----                          | 3.90 + 0.30              | .0292 | ----          | ----                     | ----             | ----                   | 100              | UNCH |  |                   |  |  |  |      |
| 2650    | ----             | ----                         | ----              | 1.20B/6.20A                | ----                          | 3.40 + 0.20              | .0255 | ----          | ----                     | ----             | ----                   | 100              | UNCH |  |                   |  |  |  |      |
| 3000    | ----             | ----                         | ----              | ----/4.40A                 | ----                          | 1.00 UNCH                | .0080 | ----          | ----                     | ----             | ----                   | 1                | UNCH |  |                   |  |  |  |      |
| TOTAL   |                  |                              |                   |                            |                               |                          |       |               |                          | 10               |                        | 5161 +           | 10   |  |                   |  |  |  |      |
| APR27   |                  |                              |                   |                            |                               |                          |       |               |                          |                  |                        |                  |      |  |                   |  |  |  |      |
| 1700    | 159.50           | 159.50                       | 183.90B/----      | 183.90B/174.20A            | ----                          | 174.70 + 15.70           | .5898 | ----          | ----                     | ----             | ----                   | 100              | UNCH |  |                   |  |  |  |      |
| 1750    |                  |                              | 159.80B/159.50    | 159.80B/152.90A            | ----                          | 152.30 NEW               | .5384 | ----          | ----                     | 12               | ----                   | 12 +             | 12   |  |                   |  |  |  |      |
| 1775    | ----             | ----                         | 148.90B/----      | 148.90B/143.00A            | ----                          | 142.10 + 13.70           | .5134 | ----          | ----                     | ----             | ----                   | 100              | UNCH |  |                   |  |  |  |      |
| 1790    | ----             | ----                         | 142.50B/----      | 142.50B/137.40A            | ----                          | 136.20 + 13.20           | .4986 | ----          | ----                     | ----             | ----                   | 12               | UNCH |  |                   |  |  |  |      |
| 1900    | ----             | ----                         | 103.60B/----      | 103.60B/102.40A            | ----                          | 100.10 + 10.50           | .3978 | ----          | ----                     | ----             | ----                   | 1139             | UNCH |  |                   |  |  |  |      |
| 2000    | ----             | ----                         | 77.70B/----       | 77.70B/78.90A              | ----                          | 76.20 + 8.30             | .3207 | ----          | ----                     | ----             | ----                   | 20               | UNCH |  |                   |  |  |  |      |
| 2100    | ----             | ----                         | 58.70B/----       | 58.70B/62.30A              | ----                          | 58.90 + 6.60             | .2585 | ----          | ----                     | ----             | ----                   | 30               | UNCH |  |                   |  |  |  |      |
| 2200    | ----             | ----                         | 45.10B/----       | 45.10B/50.30A              | ----                          | 46.30 + 5.20             | .2095 | ----          | ----                     | ----             | ----                   | 30               | UNCH |  |                   |  |  |  |      |
| 2300    | ----             | ----                         | 35.20B/----       | 35.20B/41.30A              | ----                          | 37.10 + 4.20             | .1714 | ----          | ----                     | ----             | ----                   | 20               | UNCH |  |                   |  |  |  |      |
| 2400    | ----             | ----                         | 27.70B/----       | 27.70B/34.10A              | ----                          | 30.20 + 3.60             | .1416 | ----          | ----                     | ----             | ----                   | 20               | UNCH |  |                   |  |  |  |      |
| 2600    | ----             | ----                         | ----              | 17.30B/23.90A              | ----                          | 20.30 + 2.70             | .0977 | ----          | ----                     | ----             | ----                   | 50               | UNCH |  |                   |  |  |  |      |
| 2700    | ----             | ----                         | ----              | 13.60B/20.30A              | ----                          | 16.60 + 2.20             | .0811 | ----          | ----                     | ----             | ----                   | 50               | UNCH |  |                   |  |  |  |      |
| TOTAL   |                  |                              |                   |                            |                               |                          |       |               |                          | 12               |                        | 1583 +           | 12   |  |                   |  |  |  |      |
| JUL27   |                  |                              |                   |                            |                               |                          |       |               |                          |                  |                        |                  |      |  |                   |  |  |  |      |
| 1930    | ----             | ----                         | ----              | ----                       | ----                          | 153.20 + 9.10            | .4449 | ----          | ----                     | ----             | ----                   | 110              | UNCH |  |                   |  |  |  |      |
| TOTAL   |                  |                              |                   |                            |                               |                          |       |               |                          |                  |                        | 110              | 0    |  |                   |  |  |  |      |
| JUL28   |                  |                              |                   |                            |                               |                          |       |               |                          |                  |                        |                  |      |  |                   |  |  |  |      |
| 1900    | ----             | ----                         | ----              | ----                       | ----                          | 301.20 + 12.20           | .5533 | ----          | ----                     | ----             | ----                   | 250              | UNCH |  |                   |  |  |  |      |
| TOTAL   |                  |                              |                   |                            |                               |                          |       |               |                          |                  |                        | 250              | 0    |  |                   |  |  |  |      |
| PO PUT  | PLATINUM OPTIONS |                              |                   |                            |                               |                          |       |               |                          |                  |                        |                  |      |  |                   |  |  |  |      |
| NOV26   |                  |                              |                   |                            |                               |                          |       |               |                          |                  |                        |                  |      |  |                   |  |  |  |      |
| 1300    | ----             | ----                         | ----              | ----/2.20A                 | ----                          | 0.10 UNCH                | .0000 | ----          | ----                     | ----             | ----                   | 20               | UNCH |  |                   |  |  |  |      |
| 1400    | ----             | ----                         | ----              | ----/2.30A                 | ----                          | 0.10 - 0.20              | .0019 | ----          | ----                     | ----             | ----                   | 40               | UNCH |  |                   |  |  |  |      |
| 1475    | ----             | ----                         | ----              | ----/3.00A                 | ----                          | 0.50 - 1.00              | .0098 | ----          | ----                     | ----             | ----                   | 115              | UNCH |  |                   |  |  |  |      |
| 1550    | ----             | ----                         | ----/5.10A        | 1.20B/5.10A                | ----                          | 3.10 - 3.20              | .0535 | ----          | ----                     | ----             | ----                   | 1                | UNCH |  |                   |  |  |  |      |
| 1600    | ----             | ----                         | ----/9.30A        | 6.60B/9.30A                | ----                          | 7.90 - 6.00              | .1233 | ----          | ----                     | ----             | ----                   | 220              | UNCH |  |                   |  |  |  |      |
| 1625    | ----             | ----                         | ----/12.80A       | 13.50B/12.80A              | ----                          | 11.70 - 8.20             | .1738 | ----          | ----                     | ----             | ----                   | 22               | UNCH |  |                   |  |  |  |      |
| 1650    | 17.50            | 17.50                        | 18.00B/17.30A     | 18.00B/17.30A              | ----                          | 17.20 - 10.70            | .2388 | ----          | ----                     | 26               | ----                   | 92 +             | 24   |  |                   |  |  |  |      |
| 1675    | ----             | ----                         | ----/23.30A       | 27.80B/23.30A              | ----                          | 24.60 - 13.40            | .3159 | ----          | ----                     | ----             | ----                   | 85               | UNCH |  |                   |  |  |  |      |
| 1700    | ----             | ----                         | ----/31.20A       | 39.20B/31.20A              | ----                          | 34.40 - 15.80            | .4022 | ----          | ----                     | ----             | 25                     | 280              | UNCH |  |                   |  |  |  |      |
| 1725    | ----             | ----                         | ----/41.40A       | 52.60B/41.40A              | ----                          | 46.60 - 17.80            | .4916 | ----          | ----                     | ----             | ----                   | 87               | UNCH |  |                   |  |  |  |      |
| 1750    | ----             | ----                         | ----/53.60A       | 68.00B/53.60A              | ----                          | 61.30 - 19.20            | .5781 | ----          | ----                     | ----             | ----                   | 123              | UNCH |  |                   |  |  |  |      |
| 1775    | ----             | ----                         | ----/67.40A       | 85.30B/67.40A              | ----                          | 78.00 - 20.50            | .6570 | ----          | ----                     | ----             | ----                   | 79               | UNCH |  |                   |  |  |  |      |
| 1800    | ----             | ----                         | ----/83.20A       | 104.40B/83.20A             | ----                          | 96.60 - 21.60            | .7257 | ----          | ----                     | ----             | ----                   | 23               | UNCH |  |                   |  |  |  |      |
| 1825    | ----             | ----                         | ----/100.50A      | 125.00B/100.50A            | ----                          | 116.70 - 22.60           | .7825 | ----          | ----                     | ----             | ----                   | 15               | UNCH |  |                   |  |  |  |      |
| 1850    | ----             | ----                         | ----/119.90A      | 145.40B/119.90A            | ----                          | 138.00 - 23.30           | .8292 | ----          | ----                     | ----             | ----                   | 100              | UNCH |  |                   |  |  |  |      |
| TOTAL   |                  |                              |                   |                            |                               |                          |       |               | 25                       | 26               |                        | 1302 +           | 24   |  |                   |  |  |  |      |
| DEC26   |                  |                              |                   |                            |                               |                          |       |               |                          |                  |                        |                  |      |  |                   |  |  |  |      |
| 1250    | ----             | ----                         | ----              | ----/3.00A                 | ----                          | 0.30 - 0.20              | .0039 | ----          | ----                     | ----             | ----                   | 20               | UNCH |  |                   |  |  |  |      |
| 1550    | ----             | ----                         | ----/18.70A       | 15.90B/18.70A              | ----                          | 18.40 - 5.20             | .1623 | ----          | ----                     | ----             | ----                   | 1                | UNCH |  |                   |  |  |  |      |
| 1600    | ----             | ----                         | ----/28.50A       | 28.50B/28.50A              | ----                          | 29.60 - 7.50             | .2377 | ----          | ----                     | ----             | ----                   | 11               | UNCH |  |                   |  |  |  |      |
| 1625    | ----             | ----                         | ----/34.80A       | 36.70B/34.80A              | ----                          | 36.90 - 8.90             | .2815 | ----          | ----                     | ----             | ----                   | 28               | UNCH |  |                   |  |  |  |      |
| 1650    | ----             | ----                         | ----/42.30A       | 46.30B/42.30A              | ----                          | 45.50 - 10.40            | .3286 | ----          | ----                     | ----             | ----                   | 55               | UNCH |  |                   |  |  |  |      |
| 1675    | ----             | ----                         | ----/51.20A       | 57.40B/51.20A              | ----                          | 55.60 - 12.00            | .3782 | ----          | ----                     | ----             | ----                   | 27               | UNCH |  |                   |  |  |  |      |
| 1750    | ----             | ----                         | ----/86.00A       | 98.50B/86.00A              | ----                          | 94.20 - 16.00            | .5295 | ----          | ----                     | ----             | ----                   | 20               | UNCH |  |                   |  |  |  |      |
| TOTAL   |                  |                              |                   |                            |                               |                          |       |               |                          |                  |                        | 162              | 0    |  |                   |  |  |  |      |
| JAN27   |                  |                              |                   |                            |                               |                          |       |               |                          |                  |                        |                  |      |  |                   |  |  |  |      |
| 1400    | ----             | ----                         | ----/11.20A       | 6.50B/11.20A               | ----                          | 9.50 - 1.90              | .0742 | ----          | ----                     | ----             | ----                   | 100              | UNCH |  |                   |  |  |  |      |
| 1450    | ----             | ----                         | ----/16.00A       | 11.90B/16.00A              | ----                          | 15.10 - 2.80             | .1103 | ----          | ----                     | ----             | ----                   | 200              | UNCH |  |                   |  |  |  |      |
| 1500    | ----             | ----                         | ----/23.10A       | 19.80B/23.10A              | ----                          | 22.90 - 3.90             | .1563 | ----          | ----                     | ----             | ----                   | 325              | UNCH |  |                   |  |  |  |      |
| 1550    | ----             | ----                         | ----/32.70A       | 30.50B/32.70A              | ----                          | 33.60 - 5.50             | .2132 | ----          | ----                     | ----             | ----                   | 200              | UNCH |  |                   |  |  |  |      |
| 1575    | ----             | ----                         | ----/38.70A       | 37.30B/38.70A              | ----                          | 40.20 - 6.50             | .2454 | ----          | ----                     | ----             | ----                   | 20               | UNCH |  |                   |  |  |  |      |
| 1600    | ----             | ----                         | ----/45.50A       | 45.20B/45.50A              | ----                          | 47.90 - 7.60             | .2801 | ----          | ----                     | ----             | ----                   | 10               | UNCH |  |                   |  |  |  |      |
| 1650    | ----             | ----                         | ----/62.10A       | 64.50B/62.10A              | ----                          | 66.60 - 9.90             | .3550 | ----          | ----                     | ----             | ----                   | 45               | UNCH |  |                   |  |  |  |      |
| 1700    | ----             | ----                         | ----/83.40A       | 88.70B/83.40A              | ----                          | 89.90 - 12.10            | .4333 | ----          | ----                     | ----             | ----                   | 61               | UNCH |  |                   |  |  |  |      |
| 1750    | ----             | ----                         | ----/108.90A      | 117.30B/108.90A            | ----                          | 117.70 - 13.90           | .5105 | ----          | ----                     | ----             | ----                   | 120              | UNCH |  |                   |  |  |  |      |
| 1800    | ----             | ----                         | ----/138.30A      | 149.90B/138.30A            | ----                          | 149.40 - 15.50           | .5826 | ----          | ----                     | ----             | ----                   | 5                | UNCH |  |                   |  |  |  |      |
| 1900    | ----             | ----                         | ----/206.90A      | 225.30B/206.90A            | ----                          | 222.70 - 18.10           | .7044 | ----          | ----                     | ----             | ----                   | 100              | UNCH |  |                   |  |  |  |      |
| 2000    | ----             | ----                         | ----/286.70A      | 309.70B/286.70A            | ----                          | 305.30 - 20.30           | .7954 | ----          | ----                     | ----             | ----                   | 200              | UNCH |  |                   |  |  |  |      |
| TOTAL   |                  |                              |                   |                            |                               |                          |       |               |                          |                  |                        | 1386             | 0    |  |                   |  |  |  |      |
| APR27   |                  |                              |                   |                            |                               |                          |       |               |                          |                  |                        |                  |      |  |                   |  |  |  |      |
| 1400    | ----             | ----                         | ----/29.90A       | 26.10B/29.90A              | ----                          | 30.00 - 1.50             | .1361 | ----          | ----                     | ----             | ----                   | 30               | UNCH |  |                   |  |  |  |      |
| 1500    | ----             | ----                         | ----/50.20A       | 48.60B/50.20A              | ----                          | 52.20 - 3.00             | .2127 | ----          | ----                     | ----             | ----                   | 10               | UNCH |  |                   |  |  |  |      |
| 1600    | ----             | ----                         | ----/80.20A       | 81.70B/80.20A              | ----                          | 85.40 - 5.20             | .3070 | ----          | ----                     | ----             | ----                   | 10               | UNCH |  |                   |  |  |  |      |
| 1750    | 160.00           | 160.00                       | 161.00B/148.00A   | 161.00B/148.00A            | ----                          | 157.60 NEW               | .4611 | ----          | ----                     | 21               | ----                   | 21 +             | 21   |  |                   |  |  |  |      |
| 1790    | ----             | ----                         | ----/170.50A      | 177.60B/170.50A            | ----                          | 181.00 - 10.10           | .5009 | ----          | ----                     | ----             | ----                   | 27               | UNCH |  |                   |  |  |  |      |
| TOTAL   |                  |                              |                   |                            |                               |                          |       |               |                          | 21               |                        | 98 +             | 21   |  |                   |  |  |  |      |
| JUL27   |                  |                              |                   |                            |                               |                          |       |               |                          |                  |                        |                  |      |  |                   |  |  |  |      |
| 1930    | ----             | ----                         | ----              | ----                       | ----                          | 316.00 - 14.40           | .5544 | ----          | ----                     | ----             | ----                   | 110              | UNCH |  |                   |  |  |  |      |
| TOTAL   |                  |                              |                   |                            |                               |                          |       |               |                          |                  |                        | 110              | 0    |  |                   |  |  |  |      |

| OPTIONS EOO'S AND BLOCKS                             |      |              |            |              |
|------------------------------------------------------|------|--------------|------------|--------------|
| PRODUCT                                              |      | STRIKE PRICE | EOO VOLUME | BLOCK VOLUME |
| OG CALL COMEX GOLD OPTIONS                           |      |              |            |              |
| OG DEC26                                             | CALL |              |            |              |
| OG                                                   |      | 4200         | 0          | 85           |
| OG                                                   |      | 4500         | 0          | 185          |
| OG                                                   |      | 4700         | 0          | 400          |
| OG                                                   |      | 4800         | 0          | 200          |
| TOTALS                                               |      |              | 0          | 870          |
| JAN27 CALL                                           |      |              |            |              |
| OG                                                   | CALL | 4275         | 0          | 25           |
| TOTALS                                               |      |              | 0          | 25           |
| MAR27 CALL                                           |      |              |            |              |
| OG                                                   | CALL | 4700         | 0          | 220          |
| OG                                                   |      | 5000         | 0          | 175          |
| TOTALS                                               |      |              | 0          | 395          |
| JUN27 CALL                                           |      |              |            |              |
| OG                                                   | CALL | 4325         | 0          | 230          |
| OG                                                   |      | 5300         | 0          | 345          |
| TOTALS                                               |      |              | 0          | 575          |
| OG PUT COMEX GOLD OPTIONS                            |      |              |            |              |
| OG NOV26                                             | PUT  | 3850         | 0          | 60           |
| TOTALS                                               |      |              | 0          | 60           |
| MAR27 PUT                                            |      |              |            |              |
| OG                                                   | PUT  | 3750         | 0          | 175          |
| TOTALS                                               |      |              | 0          | 175          |
| JUN27 PUT                                            |      |              |            |              |
| OG                                                   | PUT  | 3600         | 0          | 345          |
| OG                                                   |      | 4325         | 0          | 230          |
| TOTALS                                               |      |              | 0          | 575          |
| SO CALL COMEX SILVER OPTIONS                         |      |              |            |              |
| SO DEC26                                             | CALL |              |            |              |
| SO                                                   |      | 6600         | 0          | 50           |
| SO                                                   |      | 7100         | 0          | 50           |
| TOTALS                                               |      |              | 0          | 100          |
| SO PUT COMEX SILVER OPTIONS                          |      |              |            |              |
| SO DEC26                                             | PUT  | 5100         | 0          | 54           |
| SO                                                   |      |              | 0          | 54           |
| TOTALS                                               |      |              |            |              |
| MAR27 PUT                                            |      |              |            |              |
| SO                                                   | PUT  | 5500         | 0          | 35           |
| TOTALS                                               |      |              | 0          | 35           |
| HX PUT COMEX COPPER OPTIONS                          |      |              |            |              |
| NOV26                                                | PUT  | 650          | 0          | 80           |
| HX                                                   |      |              | 0          | 80           |
| TOTALS                                               |      |              |            |              |
| DEC26 PUT                                            |      |              |            |              |
| HX                                                   | PUT  | 650          | 0          | 40           |
| TOTALS                                               |      |              | 0          | 40           |
| PO PUT PLATINUM OPTIONS                              |      |              |            |              |
| NOV26                                                | PUT  | 1700         | 0          | 25           |
| PO                                                   |      |              | 0          | 25           |
| TOTALS                                               |      |              |            |              |
| GWW WED OCT26 G4W GOLD WEEKLY WEDNESDAY OPTION WEEK4 |      |              |            |              |
| TOTALS                                               | CALL | 4200         | 0          | 25           |
|                                                      |      |              | 0          | 25           |
| GWW WED OCT26 G3W GOLD WEEKLY WEDNESDAY OPTION WEEK3 |      |              |            |              |
| TOTALS                                               | CALL | 4425         | 0          | 50           |
|                                                      |      |              | 0          | 50           |
| GMW MON OCT26 G1M GOLD WEEKLY MONDAY OPTION WEEK1    |      |              |            |              |
| TOTALS                                               | CALL | 4220         | 0          | 150          |
|                                                      |      |              | 0          | 150          |
| GWW WED OCT26 G2W GOLD WEEKLY WEDNESDAY OPTION WEEK2 |      |              |            |              |
| TOTALS                                               | PUT  | 4075         | 0          | 80           |
|                                                      |      |              | 0          | 80           |
| GMW MON OCT26 G3M GOLD WEEKLY MONDAY OPTION WEEK3    |      |              |            |              |
| TOTALS                                               | PUT  | 4075         | 0          | 80           |
|                                                      |      |              | 0          | 80           |
| GWT TUE OCT26 G1T GOLD WEEKLY TUESDAY OPTION week1   |      |              |            |              |
| G1T                                                  | PUT  | 4125         | 0          | 70           |
| G1T                                                  |      | 4165         | 0          | 170          |
| TOTALS                                               |      |              | 0          | 240          |
| GWT TUE OCT26 G1T GOLD WEEKLY TUESDAY OPTION week1   |      |              |            |              |
| G1T                                                  | CALL | 4175         | 0          | 75           |
| G1T                                                  |      | 4190         | 0          | 50           |
| G1T                                                  |      | 4200         | 0          | 120          |
| TOTALS                                               |      |              | 0          | 245          |
| GWR THU OCT26 G2R GOLD WEEKLY THURSDAY OPTION week2  |      |              |            |              |
| TOTALS                                               | CALL | 4210         | 0          | 60           |
|                                                      |      |              | 0          | 60           |