METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	OCT26	OCT26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27	MAY27	JUN27	JUL27	AUG27	SEP27
COO OPT	10/30			11/30	12/31	01/29	02/26	03/31				07/30	08/31	09/30
ECG10 OP		10/08	10/09											
ECG11 OP		10/08	10/09											
ECG13 OP		10/08	10/09											
ECG15 OP		10/08	10/09											
ECG16 OP		10/08	10/09											
ECGC OOF		10/08	10/09											
ECHG OOF		10/08	10/09											
ECSI OOF		10/08	10/09											
EHO OPT	10/30			11/30	12/31	01/29	02/26	03/31						
FMG OPT	10/16													
GMW MON	10/26			11/02										
GWR THU	10/29													
GWT TUE	10/20			11/10										
GWW WED	10/28			11/04										
HMW MON	10/26			11/02										
HRO OPT	10/27			11/24	12/29	01/26	02/23	03/30	04/27	05/25	06/29	07/27	08/24	09/28
HWR THU	10/29													
HWT TUE	10/20			11/10										
HWW WED	10/28			11/04	12/02	01/06								
HX CALL				10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25			
HX PUT				10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25			
HXE CALL	10/30													
HXE PUT	10/30													
LHO OPT	10/30			11/30	12/31	01/29	02/26	03/31						
MMG MON	10/19													
OG CALL				10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27	08/26
OG PUT				10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27	08/26
OG2 CALL	10/09													
OG2 PUT	10/09													
OG3 CALL	10/16													
OG3 PUT	10/16													
OG4 CALL	10/23													
OG4 PUT	10/23													
OG5 CALL	10/30													
OG5 PUT	10/30													
OMG OPT				10/27	11/24	12/28								
PAO CALL				10/21	11/18			02/17			05/19			
PAO PUT				10/21	11/18			02/17			05/19			
PAW OOF	10/16													
PLW OOF	10/16													
PO CALL				10/21	11/18	12/16			03/17			06/16		
PO PUT				10/21	11/18	12/16			03/17			06/16		
RWS THU	10/29			11/05										
SMW MON	10/26													
SO CALL				10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27	08/26
SO PUT				10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24		08/26
SO2 CALL	10/09													
SO2 PUT	10/09													
SO3 CALL	10/16													
SO3 PUT	10/16													
SO4 CALL	10/23													
SO4 PUT	10/23													
SO5 CALL	10/30													
SO5 PUT	10/30													
SWW WED	10/28			11/04										
TWS TUE	10/20			11/10										

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
NOV26												
3650	----	----	----	----/15.00A	----	1.00 - 0.80	----	----	----	----	----	2 UNCH
3900	----	----	----	----/1315.90A	----	4.00 - 4.90	----	----	----	----	----	1 UNCH
4000	----	----	----	----/1321.20A	----	9.40 - 10.90	----	----	----	----	----	2 UNCH
4000	----	----	----	----	----	225.30 + 48.30	----	----	----	----	----	1 UNCH
4005	----	----	----	----	----	220.80 + 47.90	----	----	----	----	----	1 UNCH
4025	----	----	----	----/1323.40A	----	11.80 - 13.20	----	----	----	----	----	1 UNCH
4185	----	----	----	----/2018.80A	----	51.70 - 33.80	----	----	----	----	----	1 UNCH
4275	----	----	----	----/1340.80A	----	42.20 + 14.10	----	----	----	----	----	4 UNCH
4300	----	----	----	----/916.90A	----	34.40 + 11.60	----	----	----	----	----	1 UNCH
4300	----	----	----	50.00B/2089.90A	----	117.90 - 47.70	----	----	----	----	----	1 UNCH
4400	----	----	----	----/16.00A	----	14.30 + 4.50	----	----	----	----	----	1 UNCH
5810	----	----	----	----/1280.90A	----	0.20 UNCH	----	----	----	----	----	2 UNCH
5850	----	----	----	----/1282.40A	----	0.20 UNCH	----	----	----	----	----	3 UNCH
5900	----	----	----	----/1281.50A	----	0.10 - 0.10	----	----	----	----	----	5 UNCH
6500	----	----	----	----/1281.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
TOTAL												30 0
DEC26												
3900	----	----	----	----	----	24.90 - 10.60	----	----	----	----	----	1 UNCH
3990	----	----	----	----	----	40.30 - 15.80	----	----	----	----	----	2 UNCH
4000	----	----	----	----	----	42.50 - 16.50	----	----	----	----	----	2 UNCH
4500	----	----	----	----	----	317.80 - 50.10	----	----	----	----	----	3 UNCH
4650	----	----	----	----	----	18.00 + 4.60	----	----	----	----	----	1 UNCH
4700	----	----	----	----	----	14.50 + 3.60	----	----	----	----	----	10 UNCH
4800	9.40	9.40	9.40/9.40	9.40/9.40	----	9.80 + 2.40	----	----	----	1	----	1 UNCH
TOTAL										1		20 0
JAN27												
4010	----	----	----	----	----	306.70 + 42.90	----	----	----	----	----	1 UNCH
4600	----	----	----	----	----	400.70 - 47.80	----	----	----	----	----	3 UNCH
TOTAL												4 0
OCT27												
4410	----	----	----	----	----	359.70 + 31.40	----	----	----	----	----	1 UNCH
TOTAL												1 0
FEB28												
4325	----	----	----	----	----	518.70 + 35.90	----	----	----	----	----	1 UNCH
4600	----	----	----	----	----	393.40 + 30.00	----	----	----	----	----	1 UNCH
TOTAL												2 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG5 PUT		GOLD OPTIONS										
OCT26												
3400	----	----	----/0.60A	0.40B/0.60A	----	0.50 - 0.40	.0037	----	----	----	----	1 UNCH
3500	----	----	----/0.90A	0.80B/0.90A	----	0.80 - 0.60	.0062	----	----	----	----	9 UNCH
3600	----	----	----/1.40A	1.70B/1.40A	----	1.30 NEW	.0106	----	----	2	----	2 + 2
3700	----	----	----/2.20A	3.10B/2.20A	----	2.20 - 1.70	.0188	----	----	----	----	20 UNCH
3775	----	----	----/3.20A	5.10B/3.20A	----	3.20 - 2.70	.0286	----	----	----	----	1 UNCH
3800	----	----	----/3.70A	5.90B/3.70A	----	3.70 - 3.20	.0334	----	----	----	----	42 UNCH
3850	----	----	----/5.00A	8.30B/5.00A	----	5.00 - 4.60	.0458	----	----	1	----	3 + 1
3875	6.90	6.90	6.90/5.90A	9.80B/5.90A	----	6.00 NEW	.0549	----	----	21	----	21 + 21

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG5 PUT		GOLD OPTIONS										
OCT26												
3900	8.40	8.40	8.40/6.90A	12.00B/6.90A	----	7.10 - 6.40	.0651	----	----	1	----	9 UNCH
3950	----	----	----/9.90A	17.30B/9.90A	----	10.30 - 9.20	.0932	----	----	----	----	12 UNCH
4000	18.00	18.00	18.00/14.50A	25.00B/14.50A	----	15.30 - 12.80	.1343	----	----	5	----	10 + 5
4025	19.20	19.20	19.60/17.70A	30.30B/17.70A	----	18.70 - 15.00	.1606	----	----	13	----	33 + 12
4050	26.00	26.00	26.00/21.60A	37.10B/21.60A	----	22.90 - 17.40	.1914	----	----	25	----	19 + 1
4075	29.00	29.00	29.00/26.50A	44.60B/26.50A	----	28.00 - 20.00	.2266	----	----	20	----	11 + 9
4100	43.70	43.70	44.00/32.20A	53.20B/32.20A	----	34.10 - 22.80	.2660	----	----	20	----	14 + 13
4125	----	----	----/39.10A	63.10B/39.10A	----	41.40 - 25.70	.3096	----	----	----	----	15 UNCH
4150	----	----	----/47.20A	75.30B/47.20A	----	49.90 - 28.80	.3565	----	----	----	----	1 UNCH
4175	----	----	----/56.60A	85.40B/56.60A	----	59.70 - 32.00	.4059	----	----	----	----	1 UNCH
4200	----	----	----/67.20A	99.30B/67.20A	----	71.00 NEW	.4570	----	----	13	----	13 + 13
4225	86.10	86.10	86.10/79.30A	114.50B/79.30A	----	83.70 NEW	.5084	----	----	1	----	1 + 1
4250	----	----	----/92.70A	130.90B/92.70A	----	97.70 - 40.40	.5590	----	----	----	----	1 UNCH
4300	----	----	----/123.80A	167.10B/123.80A	----	129.30 - 45.20	.6548	----	----	----	----	1 UNCH
4350	----	----	----/159.20A	207.20B/159.20A	----	165.50 - 49.30	.7386	----	----	----	----	1 UNCH
TOTAL										122		241+ 78

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG5 CALL		GOLD OPTIONS										
OCT26												
4100	----	----	159.20B/----	159.20B/117.10A	----	150.20 + 36.40	.7334	----	----	----	----	1 UNCH
4125	137.60	137.60	141.30B/137.60	141.30B/102.10A	----	132.50 + 33.40	.6898	----	----	1	----	2 UNCH
4150	----	----	124.50B/----	124.50B/87.60A	----	116.00 + 30.30	.6429	----	----	----	----	2 UNCH
4175	----	----	108.90B/----	108.90B/75.80A	----	101.00 + 27.30	.5935	----	----	----	----	6 UNCH
4200	----	----	97.60B/----	97.60B/64.80A	----	87.30 + 24.30	.5424	----	----	13	----	23 + 13
4225	71.00	71.00	84.50B/71.00	84.50B/55.10A	----	75.00 + 21.50	.4910	----	----	3	----	4 - 1
4250	61.20	61.20	73.30B/61.10	73.30B/47.00A	----	64.10 + 18.80	.4404	----	----	37	----	41 + 35
4275	----	----	62.60B/----	62.60B/39.60A	----	54.30 + 16.30	.3912	----	----	----	----	1 UNCH
4300	48.20	48.20	53.70B/48.20	53.70B/33.30A	----	45.80 + 14.00	.3446	----	----	20	----	21 + 20
4325	37.50	37.50	45.50B/36.50	45.50B/27.90A	----	38.40 + 11.80	.3009	----	----	14	----	10 - 9
4350	31.00	31.00	38.20B/31.00	38.20B/23.40A	----	32.10 + 9.90	.2608	----	----	3	----	13 - 2
4375	27.90	27.90	32.30B/27.90	32.30B/19.60A	----	26.80 + 8.30	.2248	----	----	1	----	12 - 1
4400	22.50	22.50	27.20B/22.50	27.20B/16.40A	----	22.30 + 6.80	.1926	----	----	21	----	34 + 20
4425	----	----	22.70B/----	22.70B/13.80A	----	18.60 + 5.70	.1645	----	----	----	----	10 UNCH
4450	----	----	18.90B/----	18.90B/11.60A	----	15.50 + 4.60	.1400	----	----	----	----	3 UNCH
4475	12.80	12.80	15.90B/12.80	15.90B/9.80A	----	13.00 NEW	.1193	----	----	15	----	15 + 15
4500	----	----	13.20B/----	13.20B/8.30A	----	10.90 + 3.10	.1015	----	----	----	----	4 UNCH
4525	----	----	10.80B/----	10.80B/7.10A	----	9.10 + 2.50	.0859	----	----	----	----	26 UNCH
4550	7.90	7.90	9.30B/7.90	9.30B/6.10A	----	7.70 + 2.10	.0733	----	----	2	----	2 UNCH
4750	----	----	2.70B/----	2.70B/2.10A	----	2.50 + 0.50	.0235	----	----	----	----	4 UNCH
4800	----	----	2.10B/----	2.10B/1.70A	----	2.00 + 0.30	.0185	----	----	----	----	6 UNCH
5250	0.80	0.80	0.80/0.80	0.80/0.80	----	0.70 NEW	.0051	----	----	2	----	2 + 2
TOTAL										132		242+ 92

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 PUT		GOLD OPTIONS										
OCT26												
3400	----	----	----	----/0.30A	----	0.10 - 0.20	.0008	----	----	----	----	1 UNCH
3500	----	----	----/0.40A	0.30B/0.40A	----	0.20 - 0.40	.0017	----	----	1	----	10 UNCH
3600	0.60	0.60	0.60/0.50A	0.60/0.50A	----	0.40 - 0.60	.0036	----	----	10	----	16 + 10
3700	----	----	----/0.80A	1.30B/0.80A	----	0.80 - 0.90	.0078	----	----	----	----	5 UNCH
3750	1.50	1.50	1.50/1.00A	1.90B/1.00A	----	1.00 NEW	.0103	----	----	10	----	10 + 10
3800	----	----	----/1.40A	2.70B/1.40A	----	1.40 - 1.80	.0150	----	----	----	----	2 UNCH
3825	----	----	----/1.60A	3.20B/1.60A	----	1.60 - 2.20	.0176	----	----	----	----	2 UNCH
3850	----	----	----/1.90A	3.90B/1.90A	----	1.90 - 2.70	.0213	----	----	1	----	2 UNCH
3875	----	----	----/2.30A	4.80B/2.30A	----	2.30 - 3.30	.0262	----	----	----	----	18 UNCH
3900	----	----	----/2.70A	6.00B/2.70A	----	2.80 - 4.00	.0323	----	----	6	----	16 + 4
3925	5.20	5.20	5.20/3.30A	7.50B/3.30A	----	3.40 - 5.00	.0398	----	----	1	----	26 + 1
3950	----	----	----/4.10A	9.40B/4.10A	----	4.20 - 6.30	.0497	----	----	----	----	5 UNCH
3975	6.40	6.40	6.40/5.10A	12.00B/5.10A	----	5.30 - 7.90	.0628	----	----	14	----	14 + 3
4000	9.10	9.10	9.10/6.40A	15.20B/6.40A	----	6.80 - 9.70	.0802	----	----	14	----	119 + 3
4025	12.60	12.60	12.60/8.20A	19.30B/8.20A	----	8.80 - 12.00	.1026	----	----	14	----	15 + 14
4050	11.10	11.10	11.10/10.60A	24.40B/10.60A	----	11.50 - 14.60	.1313	----	----	1	----	16 + 1
4075	20.80	20.80	20.80/13.80A	30.80B/13.80A	----	14.90 - 17.80	.1661	----	----	1	----	10 + 1
4100	28.70	28.70	28.70/17.80A	38.60B/17.80A	----	19.50 - 21.10	.2094	----	----	355	----	349 + 334
4125	----	----	----/23.10A	48.00B/23.10A	----	25.20 - 24.90	.2596	----	----	----	----	7 UNCH
4150	31.10	31.10	31.10/29.80A	59.10B/29.80A	----	32.40 - 28.80	.3172	----	----	3	----	17 + 2
4175	42.70	42.70	43.30/38.00A	71.80B/38.00A	----	41.20 - 32.80	.3806	----	----	2	----	62 + 2
4200	55.50	55.50	57.60/47.90A	86.30B/47.90A	----	51.90 - 36.60	.4481	----	----	16	----	27 + 11
4225	69.90	69.90	69.90/59.50A	102.10B/59.50A	----	64.30 NEW	.5169	----	----	6	----	6 + 6
4250	----	----	----/73.10A	119.80B/73.10A	----	78.60 - 43.60	.5844	----	----	1	----	1 UNCH
TOTAL										456		756+ 402

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 CALL		GOLD OPTIONS										
OCT26												
4100	----	----	151.90B/----	151.90B/97.90A	----	135.60 + 38.10	.7902	----	----	----	----	36 UNCH
4125	----	----	132.40B/----	132.40B/82.40A	----	116.40 + 34.30	.7400	----	----	----	----	13 UNCH
4150	----	----	114.10B/----	114.10B/68.20A	----	98.60 + 30.40	.6824	----	----	----	----	12 UNCH
4175	----	----	97.20B/55.90A	97.20B/55.90A	----	82.50 + 26.40	.6189	----	----	----	----	44 UNCH
4200	----	----	82.20B/45.40A	82.20B/45.40A	----	68.10 + 22.50	.5514	----	----	----	----	15 UNCH
4225	53.80	53.80	68.60B/36.50A	68.60B/36.50A	----	55.60 + 18.90	.4827	----	----	6	----	22 + 4
4250	----	----	56.70B/29.20A	56.70B/29.20A	----	44.90 + 15.50	.4152	----	----	----	----	1 UNCH
4275	37.20	37.20	46.40B/23.30A	46.40B/23.30A	----	35.90 NEW	.3513	----	----	3	----	3 + 3
4300	30.80	30.80	37.70B/30.80	37.70B/18.50A	----	28.40 + 9.90	.2925	----	----	34	----	41 + 33
4325	20.00	20.00	30.40B/14.60A	30.40B/14.60A	----	22.30 + 7.60	.2402	----	----	10	----	22 + 7
4350	18.50	18.50	24.30B/18.50	24.30B/11.60A	----	17.50 + 5.90	.1954	----	----	12	----	13 + 11
4375	15.00	15.00	19.40B/13.90	19.40B/9.30A	----	13.60 + 4.40	.1569	----	----	13	----	21 + 9
4400	10.50	10.50	15.40B/10.50	15.40B/7.50A	----	10.70 + 3.30	.1261	----	----	23	----	40 + 20
4450	6.40	6.40	9.70B/6.40	9.70B/4.90A	----	6.60 + 1.80	.0802	----	----	43	----	79 + 26
4475	----	----	7.70B/----	7.70B/4.10A	----	5.20 NEW	.0638	----	----	1	----	1 + 1
4500	4.90	4.90	6.10B/4.30	6.10B/3.40A	----	4.20 + 1.00	.0515	----	----	331	----	523 + 243
4550	----	----	4.00B/----	4.00B/2.40A	----	2.80 + 0.50	.0341	----	----	----	----	1 UNCH
4575	----	----	3.30B/----	3.30B/2.10A	----	2.30 + 0.40	.0278	----	----	1	----	27 UNCH
4600	----	----	2.70B/----	2.70B/1.80A	----	2.00 + 0.30	.0237	----	----	1	----	26 + 1
4650	----	----	1.80B/----	1.80B/1.40A	----	1.50 + 0.20	.0172	----	----	----	----	1 UNCH
4675	----	----	1.50B/----	1.50B/1.30A	----	1.30 + 0.20	.0147	----	----	----	----	29 UNCH
4700	----	----	1.30B/----	1.30B/1.20A	----	1.10 + 0.10	.0123	----	----	----	----	1 UNCH
4800	0.90	0.90	0.90/0.90	0.90/0.90	----	0.80 + 0.10	.0082	----	----	32	----	172 + 32
5000	----	----	----	0.40B/0.60A	----	0.40 UNCH	.0036	----	----	----	----	70 UNCH
TOTAL										510		1213+ 390

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 PUT		GOLD OPTIONS										
OCT26												
3500	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	5 UNCH
3600	----	----	----/0.20A	----/0.20A	----	0.10 - 0.20	.0007	----	----	----	----	10 UNCH
3700	----	----	----/0.30A	0.30B/0.30A	----	0.20 - 0.40	.0017	----	----	----	----	6 UNCH
3750	0.30	0.30	0.30/0.30	0.50B/0.30	----	0.30 - 0.50	.0028	----	----	10	----	33 + 7
3775	----	----	----/0.40A	0.60B/0.40A	----	0.30 - 0.70	.0030	----	----	4	----	5 + 4
3800	----	----	----/0.40A	0.80B/0.40A	----	0.40 - 0.70	.0041	----	----	----	----	90 UNCH
3825	0.50	0.50	0.50/0.50	1.00B/0.50	----	0.50 - 0.90	.0054	----	----	30	----	30 + 25
3850	----	----	----/0.50A	1.20B/0.50A	----	0.50 - 1.20	.0057	----	----	----	----	8 UNCH
3875	0.90	0.90	0.90/0.60A	1.60B/0.60A	----	0.60 - 1.60	.0072	----	----	1	----	5 + 1
3900	----	----	----/0.70A	2.10B/0.70A	----	0.70 - 2.10	.0089	----	----	2	----	34 + 1
3925	----	----	----/0.90A	2.70B/0.90A	----	0.90 - 2.70	.0119	----	----	4	----	21 UNCH
3950	1.70	1.70	1.70/1.00	3.60B/1.00	----	1.20 - 3.40	.0164	----	----	89	----	123 + 75
3975	2.20	2.20	2.30/1.50A	4.90B/1.50A	----	1.50 - 4.60	.0215	----	----	5	----	48 UNCH
4000	3.80	3.80	3.80/1.90	6.70B/1.90	----	2.10 - 6.00	.0309	----	----	272	----	280 + 29
4025	4.10	4.10	5.00/2.70	9.40B/2.70	----	2.90 - 8.00	.0437	----	----	86	----	103 + 3
4050	11.50	11.50	11.50/3.80A	13.00B/3.80A	----	4.10 - 10.70	.0627	----	----	133	----	299 + 98
4075	6.20	6.20	6.20/5.40A	17.80B/5.40A	----	5.90 - 14.00	.0905	----	----	12	----	93 + 9

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

PG64 BULLETIN #195@ METALS OPTION PRODUCTS Fri, Oct 09, 2026 PG64

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 PUT	GOLD OPTIONS										
OCT26											
4100 15.70	15.70	15.70/7.70A	24.40B/7.70A	----	8.50 - 18.20	.1292	----	----	241	----	392 + 171
4125 18.50	18.50	18.50/11.10A	32.80B/11.10A	----	12.40 - 22.90	.1830	----	----	144	----	147 + 119
4150 21.90	21.90	23.20/15.80	43.20B/15.80	----	17.90 - 28.10	.2524	----	----	41	----	37 + 7
4175 28.80	28.80	28.80/22.60A	56.20B/22.60A	----	25.30 - 33.60	.3359	----	----	980	----	955 + 934
4200 41.50	41.50	44.00/31.30A	70.80B/31.30A	----	35.10 - 38.80	.4306	----	----	226	----	324 + 167
4225 51.40	51.40	55.00/42.50A	88.00B/42.50A	----	47.30 - 43.70	.5297	----	----	8	----	65 + 4
4250 ----	----	----/56.10A	107.20B/56.10A	----	62.00 - 47.90	.6260	----	----	4	----	9 UNCH
4275 ----	----	----/72.20A	127.90B/72.20A	----	79.00 - 51.30	.7133	----	----	3	----	6 + 1
4300 ----	----	----/90.40A	149.80B/90.40A	----	98.10 - 53.90	.7866	----	----	2	----	5 UNCH
4325 ----	----	----/110.10A	172.70B/110.10A	----	118.80 NEW	.8451	----	----	2	----	1 + 1
4350 157.10	157.10	157.10/130.40A	196.20B/130.40A	----	140.70 - 57.10	.8891	----	----	3	----	39 + 3
4400 ----	----	----/174.60A	241.40B/174.60A	----	187.20 - 58.50	.9438	----	----	----	----	33 UNCH
4500 ----	----	----/273.10A	340.30B/273.10A	----	284.70 - 59.30	.9831	----	----	----	----	3 UNCH
4600 ----	----	----/371.00A	440.10B/371.00A	----	384.10 - 59.30	.9928	----	----	----	----	2 UNCH
4625 ----	----	----/396.40A	465.00B/396.40A	----	409.00 - 59.30	.9942	----	----	----	----	1 UNCH
4725 ----	----	----/496.40A	564.80B/496.40A	----	508.90 - 59.30	.9961	----	----	----	----	0 UNCH
TOTAL									2302		3212 + 1659

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 CALL	GOLD OPTIONS										
OCT26											
3500 ----	----	729.50B/----	729.50B/661.50A	----	716.30 + 59.30	1.0000	----	----	----	----	1 UNCH
3800 ----	----	429.40B/----	429.40B/361.50A	----	416.50 + 58.60	.9958	----	----	----	----	2 UNCH
3825 ----	----	404.80B/----	404.80B/336.70A	----	391.60 + 58.40	.9946	----	----	----	----	3 UNCH
3850 ----	----	379.90B/----	379.90B/312.10A	----	366.70 + 58.20	.9942	----	----	----	----	1 UNCH
4000 ----	----	231.60B/----	231.60B/165.50A	----	218.30 + 53.30	.9690	----	----	1	----	4 - 1
4075 ----	----	163.70B/----	163.70B/102.20A	----	147.10 + 45.20	.9093	----	----	----	----	1 UNCH
4100 117.00	117.00	141.40B/117.00	141.40B/83.90A	----	124.80 + 41.10	.8705	----	----	4	----	42 + 1
4125 100.30	100.30	120.20B/99.70	120.20B/67.40A	----	103.70 + 36.40	.8167	----	----	5	----	18 - 1
4150 ----	----	100.30B/52.70A	100.30B/52.70A	----	84.10 + 31.10	.7473	----	----	5	----	151 - 4
4175 ----	----	82.00B/40.40A	82.00B/40.40A	----	66.60 + 25.70	.6638	----	----	3	----	67 UNCH
4200 35.70	35.70	65.60B/30.50A	65.60B/30.50A	----	51.40 + 20.50	.5691	----	----	107	----	330 + 61
4225 46.00	46.00	51.80B/22.60A	51.80B/22.60A	----	38.60 + 15.60	.4701	----	----	74	----	121 + 48
4250 18.60	18.60	39.80B/16.50A	39.80B/16.50A	----	28.30 + 11.30	.3737	----	----	96	----	244 + 72
4275 14.00	14.00	30.00/12.10A	30.00/12.10A	----	20.30 + 7.90	.2864	----	----	231	----	214 + 4
4300 9.70	9.70	22.20B/8.80A	22.20B/8.80A	----	14.40 + 5.30	.2131	----	----	430	----	456 + 263
4325 15.50	15.50	16.30B/6.50A	16.30B/6.50A	----	10.10 + 3.40	.1546	----	----	92	----	175 + 58
4350 5.50	5.50	11.80B/4.90A	11.80B/4.90A	----	7.10 + 2.10	.1106	----	----	20	----	90 + 10
4360 ----	----	----	7.80B/6.10A	----	6.20 NEW	----	----	----	121	----	121 + 121
4375 5.20	5.20	8.50B/5.20	8.50B/3.70A	----	5.00 + 1.30	.0784	----	----	271	----	322 + 238
4400 4.10	4.10	6.10B/3.50	6.10B/2.90A	----	3.60 + 0.80	.0560	----	----	80	----	234 - 5
4425 3.00	3.00	4.50B/2.60	4.50B/2.20A	----	2.60 + 0.40	.0399	----	----	23	----	35 + 20
4440 ----	----	----	2.70B/2.20A	----	2.20 NEW	----	----	----	121	----	121 + 121
4450 2.00	2.00	3.30B/2.00	3.30B/1.80A	----	1.90 + 0.20	.0286	----	----	17	----	226 + 15
4475 1.60	1.60	2.50B/1.60	2.50B/1.40A	----	1.50 + 0.10	.0218	----	----	33	----	109 + 33
4500 1.00	1.00	2.00/1.00	2.00/1.00	----	1.20 + 0.10	.0168	----	----	56	----	317 + 23
4525 1.10	1.10	1.40B/1.10	1.40B/1.00A	----	0.90 - 0.10	.0123	----	----	2	----	25 + 1
4550 ----	----	1.00B/----	1.00B/0.90A	----	0.80 UNCH	.0104	----	----	----	----	18 UNCH
4575 ----	----	0.80B/----	0.80B/0.80A	----	0.70 UNCH	.0087	----	----	----	----	14 UNCH
4600 0.70	0.70	0.70/0.70	0.70/0.70	----	0.60 UNCH	.0072	----	----	34	----	525 + 1
4625 ----	----	----	0.60B/0.60A	----	0.50 - 0.10	.0058	----	----	8	----	28 + 7
4650 0.50	0.50	0.50/0.50	0.50/0.50	----	0.50 UNCH	.0055	----	----	20	----	40 + 20
4675 ----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0043	----	----	----	----	27 UNCH
4700 ----	----	----	0.40B/0.50A	----	0.40 UNCH	.0041	----	----	----	----	22 UNCH
4725 ----	----	----	0.30B/0.40A	----	0.40 UNCH	.0039	----	----	----	----	1 UNCH
4750 ----	----	----	0.30B/0.40A	----	0.40 UNCH	.0037	----	----	----	----	1 UNCH
4775 ----	----	----	0.30B/0.40A	----	0.40 UNCH	.0036	----	----	4	----	6 + 4
4800 ----	----	----	0.20B/0.40A	----	0.30 UNCH	.0026	----	----	----	----	8 UNCH
4825 ----	----	----	0.20B/0.40A	----	0.30 UNCH	.0026	----	----	----	----	7 UNCH
4850 ----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0017	----	----	----	----	4 UNCH
4900 ----	----	----	----/0.40A	----	0.20 UNCH	.0016	----	----	1	----	29 + 1
5000 ----	----	----	----/0.40A	----	0.10 UNCH	.0007	----	----	----	----	3 UNCH
5100 ----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	8 UNCH
5200 ----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
TOTAL									1859		4176 + 1111

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG2 PUT	GOLD OPTIONS										
OCT26											
3000 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3250 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3500 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 133
3600 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
3700 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 48
3750 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 41
3775 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
3780 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3795 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
3800 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 93
3810 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
3825 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 17
3830 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
3850 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
3855 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3865 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3875 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
3880 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
3890 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
3900 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 170
3915 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
3925 0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 13
3930 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
3945 0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 3
3950 0.20	0.20	0.20/0.10	0.20/0.10	----	0.00 - 0.10	----	----	----	39	----	0 - 334
3955 ----	----	----	0.10B/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 11
3960 ----	----	----	0.10B/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
3965 ----	----	----	0.10B/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
3970 ----	----	----	0.10B/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
3975 0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	3	----	0 - 239
3980 ----	----	----/0.10A	0.10B/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 2
3985 0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.20	----	----	----	2	----	0 - 13
3990 ----	----	----/0.10A	0.10B/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 27
3995 ----	----	----/0.10A	0.10B/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 18
4000 ----	----	----/0.10A	0.20B/0.10A	----	0.00 - 0.30	----	----	----	1	----	0 - 851
4005 ----	----	----/0.10A	0.20B/0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 22
4010 0.20	0.20	0.20/0.10A	0.20/0.10A	----	0.00 - 0.40	----	----	----	8	----	0 - 12
4015 0.20	0.20	0.20/0.10A	0.20/0.10A	----	0.00 - 0.40	----	----	----	1	----	0 - 4
4020 0.20	0.20	0.20/0.10A	0.20/0.10A	----	0.00 - 0.50	----	----	----	1	----	0 - 45
4025 0.20	0.20	0.20/0.10A	0.20/0.10A	----	0.00 - 0.60	----	----	----	2	----	0 - 110
4030 0.30	0.30	0.30/0.10	0.30/0.10	----	0.00 - 0.70	----	----	----	2	----	0 - 15
4035 0.20	0.20	0.20/0.10A	0.30B/0.10A	----	0.00 - 0.70	----	----	----	4	----	0 - 17
4040 0.30	0.30	0.30/0.10A	0.40B/0.10A	----	0.00 - 0.80	----	----	----	2	----	0 - 55
4045 0.40	0.40	0.40/0.10A	0.40/0.10A	----	0.00 - 0.90	----	----	----	5	----	0 - 17
4050 0.20	0.20	0.20/0.10	0.50B/0.10	----	0.00 - 1.10	----	----	----	70	----	0 - 717
4055 0.60	0.60	0.60/0.10	0.60/0.10	----	0.00 - 1.20	----	----	----	7	----	0 - 25
4060 ----	----	----/0.10A	0.70B/0.10A	----	0.00 - 1.40	----	----	----	1	----	0 - 41
4065 0.90	0.90	0.90/0.10	0.90/0.10	----	0.00 - 1.60	----	----	----	4	----	0 - 29
4070 0.40	0.40	0.40/0.10A	0.90B/0.10A	----	0.00 - 1.80	----	----	----	9	----	0 - 40
4075 1.30	1.30	1.30/0.10	1.30/0.10	----	0.00 - 2.00	----	----	----	30	----	0 - 330
4080 0.70	0.70	0.70/0.10A	1.20B/0.10A	----	0.00 - 2.30	----	----	----	22	----	0 - 43
4085 0.30	0.30	0.30/0.10A	1.40B/0.10A	----	0.00 - 2.70	----	----	----	9	----	0 - 22
4090 1.70	1.70	1.70/0.10A	1.70/0.10A	----	0.00 - 3.10	----	----	----	22	----	0 - 101
4095 1.00	1.00	1.00/0.10A	1.90B/0.10A	----	0.00 - 3.60	----	----	----	10	----	0 - 26
4100 3.10	3.10	3.10/0.10A	3.10/0.10A	----	0.00 - 4.10	----	----	----	360	----	0 - 865
4105 ----	----	----/0.10A	3.20B/0.10A	----	0.00 - 4.80	----	----	----	4	----	0 - 39
4110 0.50	0.50	0.50/0.10A	3.40B/0.10A	----	0.00 - 5.50	----	----	----	13	----	0 - 23
4115 1.00	1.00	1.10/0.10A	4.00B/0.10A	----	0.00 - 6.40	----	----	----	13	----	0 - 43
4120 4.90	4.90	4.90/0.10	4.90/0.10	----	0.00 - 7.40	----	----	----	23	----	0 - 38
4125 5.20	5.20	5.20/0.10A	5.70B/0.10A	----	0.00 - 8.50	----	----	----	47	----	0 - 176
4130 3.90	3.90	3.90/0.10A	6.90B/0.10A	----	0.00 - 9.80	----	----	----	18	----	0 - 90

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG2 PUT		GOLD OPTIONS										
OCT26												
4135	8.70	8.70	8.70/0.10A	8.70/0.10A	----	0.00 - 11.30	----	----	----	18	----	0 - 17
4140	7.00	7.00	7.00/0.10A	9.60B/0.10A	----	0.00 - 13.00	----	----	----	87	----	0 - 223
4145	4.30	4.30	4.30/0.10A	11.30B/0.10A	----	0.00 - 14.80	----	----	----	37	----	0 - 17
4150	9.60	9.60	10.00/0.10A	13.30B/0.10A	----	0.00 - 16.90	----	----	----	151	----	0 - 282
4155	10.40	10.40	11.60/0.10	15.60B/0.10	----	0.00 - 19.20	----	----	----	96	----	0 - 21
4160	16.40	16.40	16.40/0.10	17.90B/0.10	----	0.00 - 21.70	----	----	----	324	----	0 - 45
4165	18.80	18.80	18.80/0.10A	20.60B/0.10A	----	0.00 - 24.50	----	----	----	23	----	0 - 10
4170	9.00	9.00	9.00/0.10	23.10B/0.10	----	0.00 - 27.40	----	----	----	74	----	0 - 21
4175	24.20	24.20	24.20/0.10A	26.40B/0.10A	----	0.00 - 30.60	----	----	----	136	----	0 - 210
4180	25.80	25.80	25.80/0.10	29.90B/0.10	----	0.00 - 34.00	----	----	----	150	----	0 - 34
4185	12.10	12.10	12.10/0.10A	33.60B/0.10A	----	0.00 - 37.50	----	----	----	70	----	0 - 15
4190	16.00	16.00	16.00/0.10	37.50B/0.10	----	0.00 - 41.30	----	----	----	106	----	0 - 37
4195	18.60	18.60	18.60/0.10A	41.50B/0.10A	----	0.00 - 45.10	----	----	----	65	----	0 - 5
4200	20.00	20.00	20.60/0.10	45.70B/0.10	----	0.00 - 49.20	----	----	----	475	----	0 - 279
4205	15.70	15.70	15.70/0.10A	50.10B/0.10A	----	0.00 - 53.40	----	----	----	435	----	0 - 9
4210	10.90	10.90	20.00/0.10A	54.60B/0.10A	----	0.00 NEW	----	----	----	276	----	0 UNCH
4215	12.20	12.20	18.30/0.10	59.30B/0.10	----	0.00 - 62.00	----	----	----	377	----	0 - 1
4220	62.70	62.70	64.00B/1.00	64.00B/1.00	----	3.70 - 62.80	----	50	----	80	----	0 - 5
4225	32.00	32.00	32.00/5.10A	68.70B/5.10A	----	8.70 - 62.40	----	56	----	58	----	0 - 71
4230	16.80	16.80	23.10/9.90A	73.50B/9.90A	----	13.70 NEW	----	3	----	8	----	0 UNCH
4235	27.70	27.70	27.70/15.00A	78.30B/15.00A	----	18.70 NEW	----	1	----	1	----	0 UNCH
4240	28.90	28.90	31.00/19.90A	83.10B/19.90A	----	23.70 NEW	----	2	----	5	----	0 UNCH
4250	27.10	27.10	44.50/27.10	92.90B/27.10	----	33.70 - 60.90	----	29	----	5	----	0 - 32
4260	----	----	----/35.60A	102.80B/35.60A	----	43.70 - 60.50	----	1	----	1	----	0 - 1
4275	62.30	62.30	62.30/47.60A	117.70B/47.60A	----	58.70 - 60.20	----	48	----	2	----	0 - 49
4285	----	----	----/56.30A	127.60B/56.30A	----	68.70 - 60.00	----	----	----	1	----	0 - 1
4300	----	----	----/70.10A	142.60B/70.10A	----	83.70 - 59.80	----	23	----	----	----	0 - 23
4310	90.00	90.00	97.20/79.50A	152.40B/79.50A	----	93.70 NEW	----	----	----	2	----	0 UNCH
4315	----	----	----/84.30A	157.50B/84.30A	----	98.70 - 59.60	----	1	----	1	----	0 - 1
4320	----	----	----/89.10A	162.50B/89.10A	----	103.70 - 59.60	----	1	----	----	----	0 - 1
4325	----	----	----/94.00A	167.40B/94.00A	----	108.70 - 59.60	----	25	----	----	----	0 - 25
4330	----	----	----/99.00A	172.50B/99.00A	----	113.70 - 59.50	----	1	----	----	----	0 - 1
4340	----	----	----/108.70A	182.40B/108.70A	----	123.70 - 59.50	----	1	----	----	----	0 - 1
4350	----	----	----/118.50A	192.50B/118.50A	----	133.70 - 59.50	----	16	----	----	----	0 - 16
4375	----	----	----/143.40A	217.50B/143.40A	----	158.70 - 59.40	----	2	----	----	----	0 - 2
4400	----	----	----/168.40A	242.50B/168.40A	----	183.70 - 59.40	----	25	----	----	----	0 - 25
4500	----	----	----/268.30A	342.30B/268.30A	----	283.70 - 59.40	----	----	----	----	----	0 UNCH
4550	----	----	----/318.10A	392.40B/318.10A	----	333.70 - 59.40	----	2	----	2	----	0 UNCH
4575	----	----	----/343.10A	417.40B/343.10A	----	358.70 - 59.40	----	----	----	----	----	0 UNCH
10000	----	----	----/5,772.80A	5837.70B/5772.80A	----	5783.70 - 59.30	----	370	----	370	----	0 UNCH
TOTAL										4170		0 - 6540

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG2 CALL		GOLD OPTIONS										
OCT26												
3950	----	----	282.00B/----	282.00B/207.90A	----	266.30 + 59.20	----	2	----	----	----	0 - 2
3975	----	----	257.00B/----	257.00B/183.00A	----	241.30 + 59.20	----	3	----	----	----	0 - 3
4000	----	----	232.00B/----	232.00B/158.10A	----	216.30 + 59.00	----	4	----	----	----	0 - 4
4060	----	----	172.10B/----	172.10B/98.70A	----	156.30 + 57.90	----	1	----	----	----	0 - 1
4070	----	----	162.10B/----	162.10B/89.20A	----	146.30 + 57.50	----	5	----	----	----	0 - 5
4075	----	----	157.10B/----	157.10B/84.40A	----	141.30 + 57.30	----	7	----	----	----	0 - 7
4080	----	----	152.00B/----	152.00B/79.50A	----	136.30 + 57.00	----	1	----	----	----	0 - 1
4090	----	----	142.20B/----	142.20B/70.40A	----	126.30 + 56.20	----	2	----	----	----	0 - 2
4100	71.00	71.00	132.20B/71.00	132.20B/61.20A	----	116.30 + 55.20	----	42	----	10	----	0 - 44
4110	----	----	122.30B/52.40A	122.30B/52.40A	----	106.30 + 53.80	----	1	----	----	----	0 - 1
4115	----	----	117.30B/48.10A	117.30B/48.10A	----	101.30 + 52.90	----	1	----	----	----	0 - 1
4120	88.10	88.10	112.40B/44.10A	112.40B/44.10A	----	96.30 + 51.90	----	3	----	4	----	0 - 6
4125	83.00	83.00	107.40B/40.10A	107.40B/40.10A	----	91.30 + 50.80	----	38	----	6	----	0 - 39
4130	80.00	80.00	102.50B/36.40A	102.50B/36.40A	----	86.30 + 49.50	----	10	----	6	----	0 - 13
4135	87.20	87.20	97.60B/32.80A	97.60B/32.80A	----	81.30 + 48.00	----	14	----	2	----	0 - 15
4140	----	----	92.60B/29.30A	92.60B/29.30A	----	76.30 + 46.30	----	11	----	3	----	0 - 11
4145	----	----	87.80B/26.10A	87.80B/26.10A	----	71.30 + 44.50	----	24	----	2	----	0 - 24
4150	21.90	21.90	82.90B/21.90	82.90B/21.90	----	66.30 + 42.40	----	86	----	44	----	0 - 92
4155	35.60	35.60	78.00B/19.70A	78.00B/19.70A	----	61.30 + 40.10	----	28	----	23	----	0 - 35
4160	18.80	18.80	73.20B/17.20A	73.20B/17.20A	----	56.30 + 37.60	----	28	----	34	----	0 - 35
4165	15.30	15.30	68.50B/14.90A	68.50B/14.90A	----	51.30 + 34.80	----	41	----	18	----	0 - 50
4170	17.10	17.10	64.00/13.10A	64.00/13.10A	----	46.30 + 31.90	----	36	----	17	----	0 - 43
4175	11.40	11.40	59.10B/11.10A	59.10B/11.10A	----	41.30 + 28.70	----	270	----	49	----	0 - 277
4180	12.60	12.60	54.60B/9.40A	54.60B/9.40A	----	36.30 + 25.30	----	89	----	47	----	0 - 98
4185	10.00	10.00	50.10B/8.10A	50.10B/8.10A	----	31.30 + 21.80	----	72	----	12	----	0 - 67
4190	7.90	7.90	45.70B/7.00A	45.70B/7.00A	----	26.30 + 18.00	----	184	----	108	----	0 - 197
4195	14.00	14.00	41.50B/5.90A	41.50B/5.90A	----	21.30 + 14.10	----	80	----	97	----	0 - 115
4200	5.00	5.00	37.30B/4.90A	37.30B/4.90A	----	16.30 + 10.10	----	764	----	340	----	0 - 808
4205	6.00	6.00	33.50B/4.30A	33.50B/4.30A	----	11.30 + 5.90	----	92	----	121	----	0 - 38
4210	5.50	5.50	29.80B/3.00	29.80B/3.00	----	6.30 + 1.60	----	160	----	300	----	0 - 40
4215	5.10	5.10	26.30B/1.00A	26.30B/1.00A	----	1.30 - 2.70	----	110	----	205	----	0 - 23
4220	3.30	3.30	23.10B/0.10A	23.10B/0.10A	----	0.00 - 3.50	----	----	----	291	----	0 - 95
4225	2.50	2.50	20.50B/0.10	20.50B/0.10	----	0.00 - 3.10	----	----	----	209	----	0 - 121
4230	6.70	6.70	17.80B/0.10	17.80B/0.10	----	0.00 - 2.70	----	----	----	139	----	0 - 147
4235	2.60	2.60	15.30B/0.10A	15.30B/0.10A	----	0.00 - 2.40	----	----	----	92	----	0 - 20
4240	2.50	2.50	13.10B/0.10	13.10B/0.10	----	0.00 - 2.10	----	----	----	111	----	0 - 31
4245	1.70	1.70	11.20B/0.10A	11.20B/0.10A	----	0.00 - 1.80	----	----	----	20	----	0 - 38
4250	1.40	1.40	9.90/0.10	9.90/0.10	----	0.00 - 1.60	----	----	----	235	----	0 - 368
4255	1.50	1.50	8.00B/0.10A	8.00B/0.10A	----	0.00 - 1.40	----	----	----	19	----	0 - 19
4260	1.00	1.00	6.70B/0.10	6.70B/0.10	----	0.00 - 1.30	----	----	----	58	----	0 - 30
4265	6.00	6.00	6.00/0.10A	6.00/0.10A	----	0.00 - 1.10	----	----	----	11	----	0 - 23
4270	1.90	1.90	4.60B/0.10A	4.60B/0.10A	----	0.00 - 1.00	----	----	----	12	----	0 - 10
4275	0.80	0.80	4.10B/0.10A	4.10B/0.10A	----	0.00 - 0.90	----	----	----	18	----	0 - 269
4280	1.50	1.50	3.40/0.10A	3.40/0.10A	----	0.00 - 0.80	----	----	----	10	----	0 - 26
4285	0.20	0.20	2.60B/0.10A	2.60B/0.10A	----	0.00 - 0.70	----	----	----	1	----	0 - 49
4290	0.50	0.50	2.20B/0.10A	2.20B/0.10A	----	0.00 - 0.60	----	----	----	23	----	0 - 42
4295	0.40	0.40	1.80B/0.10A	1.80B/0.10A	----	0.00 - 0.60	----	----	----	9	----	0 - 13
4300	0.60	0.60	1.50/0.20	1.50/0.20	----	0.00 - 0.50	----	----	----	66	----	0 - 605
4305	0.30	0.30	1.20B/0.10A	1.20B/0.10A	----	0.00 - 0.50	----	----	----	6	----	0 - 9
4310	0.30	0.30	1.00B/0.10A	1.00B/0.10A	----	0.00 - 0.40	----	----	----	20	----	0 - 11
4315	0.30	0.30	0.80B/0.20	0.80B/0.20	----	0.00 - 0.40	----	----	----	9	----	0 UNCH
4320	0.50	0.50	0.70B/0.10A	0.70B/0.10A	----	0.00 - 0.30	----	----	----	1	----	0 - 8
4325	0.50	0.50	0.50/0.10A	0.50/0.10A	----	0.00 - 0.30	----	----	----	3	----	0 - 135
4330	----	----	0.40B/0.10A	0.40B/0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 21
4335	0.10	0.10	0.40B/0.10	0.40B/0.10	----	0.00 - 0.20	----	----	----	1	----	0 - 1
4340	----	----	0.30B/0.10A	0.30B/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 8
4350	0.20	0.20	0.30B/0.10	0.30B/0.10	----	0.00 - 0.20	----	----	----	7	----	0 - 318
4355	0.30	0.30	0.30/0.10A	0.30/0.10A	----	0.00 - 0.10	----	----	----	1	----	0 - 7
4360	----	----	0.20B/----	0.20B/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4370	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	7	----	0 - 7
4375	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	11	----	0 - 64
4380	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 12
4400	0.20	0.20	0.20/0.10A	0.20/0.10A	----	0.00 - 0.10	----	----	----	3	----	0 - 632
4425	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 516
4440	0.20	0.20	0.20/0.10A	0.20/0.10A	----	0.00 - 0.10	----	----	----	2	----	0 - 1
4450	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 100
4465	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
4475	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 429
4500	----	----	----	0.10B/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 540
4525	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 57
4535	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4550	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 72
4575	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 69
4600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 79
4625	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	4	----	0 - 45
4650	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	7	----	0 - 27
4675	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 32
4700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 23
4725	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 30
4750	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 45
4775	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 29
4800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
4850	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4900	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 19
5000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 172
5100	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 97
5200	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 41
5250	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 6

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG2 CALL GOLD OPTIONS
TOTAL

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
									2855		0 - 7689

OG PUT COMEX GOLD OPTIONS
NOV26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
1000	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1750 UNCH
1500	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	200 UNCH
2000	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	38 UNCH
2100	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	132 UNCH
2200	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	28 UNCH
2300	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
2400	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
2500	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
2600	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
2625	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
2650	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	60 UNCH
2675	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
2700	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	154 UNCH
2725	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2750	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	27 UNCH
2775	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2800	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	----	----	----	3	---- 91 UNCH
2820	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	---- 20 UNCH
2825	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	---- 33 UNCH
2840	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	---- 1 UNCH
2850	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	---- 40 UNCH
2860	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	---- 1 UNCH
2870	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	---- 7 UNCH
2890	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	---- 1 UNCH
2895	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	---- 29 UNCH
2900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	---- 76 UNCH
2910	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	---- 1 UNCH
2925	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	---- 11 UNCH
2935	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	---- 1 UNCH
2940	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	---- 2 UNCH
2945	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	---- 21 UNCH
2950	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	---- 10 UNCH
2965	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	---- 140 UNCH
2975	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	---- 20 UNCH
2995	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	---- 29 UNCH
3000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	---- 305 UNCH
3005	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	---- 1 UNCH
3015	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	---- 2 UNCH
3020	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	---- 506 UNCH
3025	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	---- 35 UNCH
3030	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	---- 2 UNCH
3040	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	---- 10 UNCH
3050	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	---- 10 UNCH
3070	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	---- 1 UNCH
3075	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	---- 12 UNCH
3080	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	---- 13 UNCH
3085	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	---- 27 UNCH
3090	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	---- 5 UNCH
3100	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	---- 25 UNCH
3110	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	---- 22 UNCH
3120	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	---- 15 UNCH
3125	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	---- 10 UNCH
3130	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	---- 1 UNCH
3150	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	---- 38 UNCH
3160	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	---- 8 UNCH
3170	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	---- 5 UNCH
3175	----	----	----	----/0.10A	----	0.10 UNCH	.0001	----	----	----	---- 12 UNCH
3180	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	---- 20 UNCH
3185	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	---- 2 UNCH
3190	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	---- 5 UNCH
3195	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	---- 1 UNCH
3200	----	----	----/0.10A	----/0.10A	----	0.10 - 0.10	.0001	----	----	----	---- 330 UNCH
3205	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 - 0.10	.0001	----	----	1	---- 1 UNCH
3210	----	----	----	----/0.20A	----	0.10 - 0.10	.0001	----	----	----	---- 501 UNCH
3215	----	----	----	----/0.20A	----	0.10 - 0.10	.0001	----	----	----	---- 1 UNCH
3220	----	----	----	----/0.20A	----	0.10 - 0.10	.0002	----	----	----	---- 9 UNCH
3225	----	----	----	----/0.20A	----	0.10 - 0.10	.0002	----	----	----	---- 9 UNCH
3230	----	----	----	----/0.20A	----	0.10 - 0.10	.0002	----	----	----	---- 13 UNCH
3235	----	----	----	----/0.20A	----	0.10 - 0.10	.0002	----	----	----	---- 5 UNCH
3240	----	----	----	----/0.20A	----	0.10 - 0.10	.0002	----	----	----	---- 9 UNCH
3245	----	----	----	----/0.20A	----	0.10 - 0.10	.0003	----	----	----	---- 20 UNCH
3250	----	----	----	----/0.20A	----	0.10 - 0.10	.0003	----	----	----	---- 198 UNCH
3255	----	----	----	----/0.20A	----	0.10 - 0.10	.0003	----	----	----	---- 21 UNCH
3260	----	----	----	----/0.20A	----	0.10 - 0.10	.0003	----	----	----	---- 8 UNCH
3265	----	----	----	----/0.20A	----	0.10 - 0.10	.0004	----	----	----	---- 2 UNCH
3270	----	----	----	----/0.20A	----	0.10 - 0.10	.0004	----	----	----	---- 11 UNCH
3275	----	----	----	----/0.20A	----	0.10 - 0.10	.0004	----	----	----	---- 5 UNCH
3280	----	----	----	----/0.20A	----	0.10 - 0.10	.0004	----	----	----	---- 20 UNCH
3285	----	----	----	----/0.30A	----	0.10 - 0.10	.0005	----	----	----	---- 4 UNCH
3290	----	----	----	----/0.30A	----	0.10 - 0.10	.0005	----	----	----	---- 2 UNCH
3295	----	----	----	----/0.30A	----	0.10 - 0.10	.0006	----	----	----	---- 10 UNCH
3300	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 - 0.10	.0006	----	----	6	---- 262 UNCH
3305	----	----	----	----/0.30A	----	0.10 - 0.20	.0007	----	----	----	---- 55 UNCH
3310	----	----	----	0.10B/0.30A	----	0.10 - 0.20	.0007	----	----	----	---- 4 UNCH
3315	----	----	----	0.20B/0.30A	----	0.10 - 0.20	.0008	----	----	----	---- 11 UNCH
3320	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0014	----	----	----	---- 42 UNCH
3325	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0014	----	----	----	---- 20 UNCH
3330	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0015	----	----	----	---- 3 UNCH
3335	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0015	----	----	----	---- 33 UNCH
3340	----	----	----/0.30A	0.20B/0.30A	----	0.20 - 0.20	.0015	----	----	----	---- 20 UNCH
3345	----	----	----/0.30A	0.20B/0.30A	----	0.20 - 0.20	.0015	----	----	----	---- 5 UNCH
3350	----	----	----/0.30A	0.20B/0.30A	----	0.20 - 0.20	.0015	----	----	----	---- 386 UNCH
3355	----	----	----/0.30A	0.20B/0.30A	----	0.20 - 0.20	.0015	----	----	----	---- 7 UNCH
3360	----	----	----/0.30A	0.20B/0.30A	----	0.20 - 0.20	.0015	----	----	----	---- 15 UNCH
3365	----	----	----/0.30A	0.30B/0.30A	----	0.20 - 0.20	.0015	----	----	----	---- 1 UNCH
3370	----	----	----/0.30A	0.30B/0.30A	----	0.20 - 0.20	.0015	----	----	----	---- 1 UNCH
3375	----	----	----/0.40A	0.30B/0.40A	----	0.20 - 0.30	.0015	----	----	----	---- 7 UNCH
3380	----	----	----/0.40A	0.30B/0.40A	----	0.30 - 0.20	.0022	----	----	----	---- 21 UNCH
3385	----	----	----/0.30A	0.30B/0.30A	----	0.30 - 0.20	.0022	----	----	----	---- 3 UNCH
3390	----	----	----/0.30A	0.30B/0.30A	----	0.30 - 0.20	.0023	----	----	----	---- 9 UNCH
3395	----	----	----/0.40A	0.30B/0.40A	----	0.30 - 0.20	.0023	----	----	----	---- 132 UNCH
3400	0.40	0.40	0.40/0.40	0.40/0.40	----	0.30 - 0.20	.0023	----	----	2	---- 317 - 2
3405	----	----	----/0.40A	0.30B/0.40A	----	0.30 - 0.30	.0023	----	----	----	---- 93 UNCH
3410	----	----	----/0.40A	0.40B/0.40A	----	0.30 - 0.30	.0023	----	----	----	---- 58 UNCH
3415	----	----	----/0.40A	0.40B/0.40A	----	0.30 - 0.30	.0023	----	----	----	---- 1 UNCH
3420	----	----	----/0.40A	0.40B/0.40A	----	0.30 - 0.30	.0023	----	----	----	---- 21 UNCH
3425	----	----	----/0.40A	0.40B/0.40A	----	0.30 - 0.30	.0024	----	----	----	---- 44 UNCH
3430	----	----	----/0.40A	0.40B/0.40A	----	0.30 - 0.30	.0024	----	----	----	---- 44 UNCH
3440	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.30	.0031	----	----	----	---- 45 UNCH
3445	----	----	----/0.40A	0.50B/0.40A	----	0.40 - 0.30	.0031	----	----	----	---- 11 UNCH
3450	----	----	----/0.40A	0.50B/0.40A	----	0.40 - 0.30	.0031	----	----	----	---- 211 UNCH
3455	----	----	----/0.40A	0.50B/0.40A	----	0.40 - 0.30	.0031	----	----	----	---- 1 UNCH
3460	----	----	----/0.40A	0.50B/0.40A	----	0.40 - 0.40	.0032	----	----	----	---- 29 UNCH
3465	----	----	----/0.40A	0.50B/0.40A	----	0.40 - 0.40	.0032	----	----	----	---- 9 UNCH
3470	----	----	----/0.40A	0.50B/0.40A	----	0.40 - 0.40	.0032	----	----	----	---- 28 UNCH
3475	----	----	----/0.40A	0.60B/0.40A	----	0.40 - 0.40	.0032	----	----	----	---- 30 UNCH
3480	----	----	----/0.40A	0.60B/0.40A	----	0.40 - 0.40	.0033	----	----	----	---- 72 UNCH
3485	----	----	----/0.40A	0.60B/0.40A	----	0.50 - 0.40	.0040	----	----	----	---- 3 UNCH
3490	----	----	----/0.40A	0.60B/0.40A	----	0.50 - 0.40	.0040	----	----	----	---- 13 UNCH
3495	----	----	----/0.40A	0.60B/0.40A	----	0.50 - 0.40	.0040	----	----	----	---- 58 UNCH
3500	0.50	0.50	0.50/0.50	0.70B/0.50	----	0.50 - 0.40	.0040	----	----	1	---- 2056 - 1
3505	----	----	----/0.50A	0.70B/0.50A	----	0.50 - 0.40	.0041	----	----	----	---- 3 UNCH
3510	----	----	----/0.50A	0.70B/0.50A	----	0.50 - 0.50	.0041	----	----	----	---- 41 UNCH
3515	----	----	----/0.50A	0.70B/0.50A	----	0.50 - 0.50	.0041	----	----	----	---- 174 UNCH
3520	----	----	----/0.50A	0.80B/0.50A	----	0.50 - 0.50	.0042	----	----	----	---- 49 UNCH
3525	----	----	----/0.50A	0.80B/0.50A	----	0.50 - 0.50	.0042	----	----	----	---- 114 UNCH
3530	----	----	----/0.50A	0.80B/0.50A	----	0.60 - 0.40	.0049	----	----	----	---- 21 UNCH
3535	----	----	----/0.50A	0.80B/0.50A	----	0.60 - 0.50	.0050	----	----	----	---- 180 UNCH
3540	----	----	----/0.50A	0.90B/0.50A	----	0.60 - 0.50	.0050	----	----	2	---- 78 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

COMEX GOLD OPTIONS

OG PUT NOV26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3545	----	----	----/0.50A	0.90B/0.50A	----	0.60 - 0.50	.0050	----	----	----	----	59 UNCH
3550	----	----	----/0.60A	0.90B/0.60A	----	0.60 - 0.50	.0051	----	----	----	----	731 UNCH
3555	----	----	----/0.60A	0.90B/0.60A	----	0.60 - 0.60	.0051	----	----	----	----	4 UNCH
3560	----	----	----/0.60A	1.00B/0.60A	----	0.60 - 0.60	.0051	----	----	----	----	34 UNCH
3565	----	----	----/0.60A	1.00B/0.60A	----	0.70 - 0.50	.0059	----	----	----	----	52 UNCH
3570	----	----	----/0.60A	1.00B/0.60A	----	0.70 - 0.50	.0059	----	----	----	----	12 UNCH
3575	----	----	----/0.60A	1.00B/0.60A	----	0.70 - 0.60	.0060	----	----	----	----	308 UNCH
3585	----	----	----/0.60A	1.10B/0.60A	----	0.70 - 0.60	.0061	----	----	----	----	9 UNCH
3590	----	----	----/0.70A	1.10B/0.70A	----	0.70 - 0.70	.0061	----	----	----	----	11 UNCH
3595	----	----	----/0.70A	1.20B/0.70A	----	0.70 - 0.70	.0062	----	----	4	----	42 UNCH
3600	1.10	1.10	1.10/0.70A	1.20B/0.70A	----	0.80 - 0.60	.0070	----	----	9	----	1737 - 5
3605	----	----	----/0.70A	1.20B/0.70A	----	0.80 - 0.70	.0070	----	----	----	----	33 UNCH
3610	----	----	----/0.70A	1.30B/0.70A	----	0.80 - 0.70	.0071	----	----	----	----	1 UNCH
3615	----	----	----/0.80A	1.30B/0.80A	----	0.80 - 0.70	.0071	----	----	----	----	6 UNCH
3620	----	----	----/0.80A	1.30B/0.80A	----	0.80 - 0.80	.0072	----	----	----	----	10 UNCH
3625	----	----	----/0.80A	1.40B/0.80A	----	0.90 - 0.70	.0080	----	----	----	----	54 UNCH
3630	----	----	----/0.80A	1.40B/0.80A	----	0.90 - 0.70	.0080	----	----	----	----	11 UNCH
3635	----	----	----/0.80A	1.40B/0.80A	----	0.90 - 0.80	.0081	----	----	----	----	16 UNCH
3640	----	----	----/0.90A	1.50B/0.90A	----	0.90 - 0.80	.0082	----	----	----	----	21 UNCH
3645	1.20	1.20	1.20/0.90A	1.50B/0.90A	----	0.90 - 0.90	.0082	----	----	9	----	25 + 3
3650	----	----	----/0.90A	1.50B/0.90A	----	1.00 - 0.80	.0090	----	----	----	----	212 UNCH
3655	----	----	----/0.90A	1.60B/0.90A	----	1.00 - 0.90	.0091	----	----	----	----	37 UNCH
3660	----	----	----/0.90A	1.60B/0.90A	----	1.00 - 0.90	.0092	----	----	----	----	109 UNCH
3665	1.70	1.70	1.70/1.00A	1.70/1.00A	----	1.00 - 1.00	.0093	----	----	2	----	37 - 1
3670	----	----	----/1.00A	1.70B/1.00A	----	1.10 - 0.90	.0101	----	----	----	----	76 UNCH
3675	1.00	1.00	1.00/1.00	1.80B/1.00	----	1.10 - 1.00	.0102	----	----	1	----	314 UNCH
3680	----	----	----/1.00A	1.80B/1.00A	----	1.10 - 1.00	.0103	----	----	----	----	84 UNCH
3685	----	----	----/1.10A	1.90B/1.10A	----	1.20 - 1.00	.0111	----	----	----	----	20 UNCH
3690	----	----	----/1.10A	1.90B/1.10A	----	1.20 - 1.00	.0112	----	----	----	----	22 UNCH
3695	----	----	----/1.10A	2.00B/1.10A	----	1.20 - 1.10	.0113	----	----	----	----	36 UNCH
3700	2.20	2.20	2.20/1.20	2.20/1.20	----	1.20 - 1.20	.0114	----	----	29	----	2716 UNCH
3705	----	----	----/1.20A	2.10B/1.20A	----	1.30 - 1.10	.0123	----	----	1	----	120 UNCH
3710	----	----	----/1.20A	2.20B/1.20A	----	1.30 - 1.20	.0124	----	----	1	----	40 UNCH
3715	----	----	----/1.30A	2.30B/1.30A	----	1.30 - 1.30	.0125	----	----	----	----	22 UNCH
3720	----	----	----/1.30A	2.30B/1.30A	----	1.40 - 1.30	.0134	----	----	----	----	6 UNCH
3725	----	----	----/1.30A	2.40B/1.30A	----	1.40 - 1.30	.0135	----	----	----	----	97 UNCH
3730	1.50	1.50	1.50/1.40A	2.50B/1.40A	----	1.40 - 1.40	.0136	----	----	2	----	75 UNCH
3735	----	----	----/1.40A	2.60B/1.40A	----	1.50 - 1.40	.0145	----	----	----	----	14 UNCH
3740	1.70	1.70	1.70/1.40A	2.60B/1.40A	----	1.50 - 1.50	.0146	----	----	2	----	52 UNCH
3745	----	----	----/1.50A	2.70B/1.50A	----	1.60 - 1.50	.0156	----	----	----	----	107 UNCH
3750	2.00	2.00	2.00/1.50A	2.80B/1.50A	----	1.60 - 1.60	.0157	----	----	9	----	634 - 5
3755	----	----	----/1.60A	2.90B/1.60A	----	1.60 - 1.70	.0159	----	----	----	----	29 UNCH
3760	----	----	----/1.60A	3.00B/1.60A	----	1.70 - 1.70	.0168	----	----	----	----	48 UNCH
3765	----	----	----/1.60A	3.10B/1.60A	----	1.70 - 1.80	.0169	----	----	----	----	10 UNCH
3770	----	----	----/1.70A	3.20B/1.70A	----	1.80 - 1.80	.0179	----	----	2	----	70 + 1
3775	----	----	----/1.70A	3.30B/1.70A	----	1.80 - 1.90	.0181	----	----	11	----	263 - 6
3780	----	----	----/1.80A	3.40B/1.80A	----	1.90 - 1.90	.0190	----	----	----	----	769 UNCH
3785	----	----	----/1.80A	3.50B/1.80A	----	1.90 - 2.10	.0192	----	----	----	----	18 UNCH
3790	----	----	----/1.90A	3.70B/1.90A	----	2.00 - 2.10	.0202	----	----	----	----	57 UNCH
3795	----	----	----/1.90A	3.80B/1.90A	----	2.00 - 2.20	.0204	----	----	----	----	9 UNCH
3800	3.90	3.90	3.90/2.00	3.90/2.00	----	2.10 - 2.30	.0214	----	----	41	----	3515 - 14
3805	----	----	----/2.10A	4.10B/2.10A	----	2.20 - 2.30	.0224	----	----	1	----	58 - 1
3810	----	----	----/2.10A	4.20B/2.10A	----	2.20 - 2.50	.0226	----	----	----	----	45 UNCH
3815	----	----	----/2.20A	4.30B/2.20A	----	2.30 - 2.50	.0237	----	----	----	----	381 UNCH
3820	----	----	----/2.20A	4.50B/2.20A	----	2.30 - 2.70	.0239	----	----	----	----	141 UNCH
3825	3.00	3.00	3.00/2.30A	4.70B/2.30A	----	2.40 - 2.80	.0250	----	----	2	----	92 UNCH
3830	3.50	3.50	3.50/2.40A	4.80B/2.40A	----	2.50 - 2.80	.0260	----	----	2	----	95 - 1
3835	----	----	----/2.50A	5.00B/2.50A	----	2.60 - 2.90	.0271	----	----	----	----	241 UNCH
3840	3.30	3.30	3.30/2.60A	5.20B/2.60A	----	2.70 - 3.00	.0282	----	----	2	----	190 - 1
3845	----	----	----/2.60A	5.40B/2.60A	----	2.70 - 3.20	.0285	----	----	----	----	114 UNCH
3850	3.70	3.70	3.80/2.70	5.60B/2.70	----	2.80 - 3.30	.0296	----	----	37	----	1219 - 11
3855	----	----	----/2.80A	5.80B/2.80A	----	2.90 - 3.50	.0307	----	----	----	----	155 UNCH
3860	3.60	3.60	3.60/2.90A	6.10B/2.90A	----	3.00 - 3.60	.0319	----	----	2	----	156 - 2
3865	----	----	----/3.00A	6.30B/3.00A	----	3.10 - 3.70	.0330	----	----	----	----	95 UNCH
3870	----	----	----/3.10A	6.50B/3.10A	----	3.20 - 3.90	.0342	----	----	----	----	143 UNCH
3875	----	----	----/3.30A	6.80B/3.30A	----	3.40 - 4.00	.0362	----	----	2	----	253 + 1
3880	3.30	3.30	3.30/3.30	7.10B/3.30	----	3.50 - 4.20	.0374	----	----	5	----	98 - 1
3885	3.80	3.80	3.80/3.50A	7.30B/3.50A	----	3.60 - 4.30	.0386	----	----	1	----	86 - 1
3890	----	----	----/3.60A	7.60B/3.60A	----	3.70 - 4.60	.0398	----	----	3	----	248 + 1
3895	3.80	3.80	3.80/3.70A	8.00B/3.70A	----	3.90 - 4.70	.0419	----	----	3	----	85 + 2
3900	6.30	6.30	6.30/3.80	8.30B/3.80	----	4.00 - 4.90	.0432	----	----	37	----	1246 - 14
3905	5.60	5.60	5.60/4.00A	8.60B/4.00A	----	4.20 - 5.10	.0453	----	----	1	----	131 + 1
3910	----	----	----/4.20A	9.00B/4.20A	----	4.30 - 5.40	.0466	----	----	3	----	181 UNCH
3915	----	----	----/4.30A	9.40B/4.30A	----	4.50 - 5.60	.0487	----	----	1	----	100 UNCH
3920	5.80	5.80	6.00/4.50A	9.80B/4.50A	----	4.70 - 5.80	.0509	----	----	2	----	258 UNCH
3925	4.80	4.80	4.80/4.70A	10.20B/4.70A	----	4.90 - 6.00	.0530	----	----	2	----	159 + 1
3930	6.30	6.30	6.40/4.80A	10.60B/4.80A	----	5.10 - 6.30	.0552	----	----	4	----	181 - 1
3935	----	----	----/5.00A	11.00B/5.00A	----	5.30 - 6.50	.0575	----	----	----	----	61 UNCH
3940	6.60	6.60	6.60/5.20A	11.50B/5.20A	----	5.50 - 6.80	.0597	----	----	9	----	72 + 5
3945	6.90	6.90	6.90/5.50A	12.10B/5.50A	----	5.70 - 7.10	.0620	----	----	2	----	44 - 1
3950	7.40	7.40	7.90/5.70A	12.60B/5.70A	----	6.00 - 7.40	.0651	----	----	50	----	496 - 25
3955	7.70	7.70	7.70/5.90A	13.10B/5.90A	----	6.20 - 7.70	.0674	----	----	16	----	143 - 6
3960	----	----	----/6.20A	13.70B/6.20A	----	6.50 - 8.00	.0705	----	----	2	----	271 UNCH
3965	----	----	----/6.40A	14.30B/6.40A	----	6.80 - 8.30	.0737	----	----	4	----	65 - 1
3970	8.60	8.60	8.60/6.70A	14.90B/6.70A	----	7.10 - 8.70	.0769	----	----	3	----	61 UNCH
3975	10.00	10.00	10.20/7.00A	15.50B/7.00A	----	7.40 - 9.10	.0801	----	----	118	----	490 - 40
3980	10.30	10.30	10.30/7.30A	16.20B/7.30A	----	7.80 - 9.40	.0841	----	----	13	----	191 + 13
3985	----	----	----/7.70A	16.90B/7.70A	----	8.10 - 9.80	.0874	----	----	1	----	127 UNCH
3990	10.60	10.60	10.60/8.00A	17.60B/8.00A	----	8.50 - 10.10	.0914	----	----	14	----	109 - 3
3995	10.60	10.60	10.70/8.40A	18.40B/8.40A	----	8.90 - 10.50	.0955	----	----	24	----	125 + 5
4000	17.60	17.60	17.60/8.80	19.20B/8.80	----	9.40 - 10.90	.1002	----	----	818	100	3248 - 227
4005	----	----	----/9.20A	20.20B/9.20A	----	9.80 - 11.30	.1044	----	----	3	----	123 - 1
4010	12.80	12.80	12.80/9.60A	20.90B/9.60A	----	10.30 - 11.80	.1092	----	----	12	----	67 + 10
4015	17.80	17.80	17.80/10.00A	22.00B/10.00A	----	10.80 - 12.20	.1141	----	----	61	----	80 + 42
4020	18.60	18.60	18.60/10.50A	22.90B/10.50A	----	11.30 - 12.70	.1191	----	----	3	----	73 UNCH
4025	14.10	14.10	14.20/11.00A	23.90B/11.00A	----	11.80 - 13.20	.1240	----	----	15	----	207 - 10
4030	22.50	22.50	22.50/11.50A	25.00B/11.50A	----	12.40 - 13.70	.1297	----	----	18	----	70 + 13
4035	25.40	25.40	25.40/12.10A	26.10B/12.10A	----	13.00 - 14.20	.1354	----	----	28	----	123 + 12
4040	25.50	25.50	25.50/12.70A	27.20B/12.70A	----	13.60 - 14.80	.1411	----	----	19	----	169 + 1
4045	18.60	18.60	18.60/13.30A	28.30B/13.30A	----	14.30 - 15.30	.1475	----	----	6	----	79 - 2
4050	19.70	19.70	19.70/13.90A	29.50B/13.90A	----	15.00 - 15.80	.1539	----	----	66	----	1745 - 15
4055	----	----	----/14.60A	30.70B/14.60A	----	15.70 - 16.40	.1604	----	----	9	----	72 UNCH
4060	19.00	19.00	20.40/15.30A	32.20B/15.30A	----	16.50 - 17.00	.1674	----	----	4	----	43 - 2
4065	19.80	19.80	21.40/16.10A	33.50B/16.10A	----	17.30 - 17.50	.1745	----	----	20	----	57 + 4
4070	28.20	28.20	28.20/16.80A	35.00B/16.80A	----	18.10 - 18.20	.1817	----	----	5	----	111 + 2
4075	27.50	27.50	27.50/17.70A	36.40B/17.70A	----	19.00 - 18.80	.1894	----	----	30	----	235 - 3
4080	29.60	29.60	29.60/18.50A	37.90B/18.50A	----	19.90 - 19.40	.1971	----	----	131	----	455 - 1
4085	25.60	25.60	27.10/19.40A	39.50B/19.40A	----	20.90 - 20.10	.2054	----	----	16	----	142 + 8
4090	40.60	40.60	40.60/20.40A	41.20B/20.40A	----	21.90 - 20.70	.2137	----	----	12	----	178 + 3
4095	26.30	26.30	29.80/21.30A	42.80B/21.30A	----	23.00 - 21.30	.2225	----	----	25	----	54 UNCH
4100	32.10	32.10	32.20/22.40A	44.70B/22.40A	----	24.10 - 22.00	.2314	----	----	131	----	2078 - 43
4105	36.20	36.20	36.20/23.40A	46.40B/23.40A	----	25.30 - 22.70	.2407	----	----	1	----	34 + 1
4110	30.90	30.90	32.20/24.60A	48.40B/24.60A	----	26.50 - 23.40	.2501	----	----	20	----	95 - 7
4115	30.20	30.20	31.40/25.70A	50.40B/25.70A	----	27.80 - 24.00	.2598	----	----	2	----	186 - 1
4120	39.50	39.50	39.50/27.00A	52.20B/27.00A	----	29.10 - 24.70	.2696	----	----	18	----	104 + 4
4125	34.10	34.10	34.50/28.20A	54.30B/28.20A	----	30.50 - 25.40	.2798	----	----	23	50	516 + 52
4130	42.90	42.90	42.90/29.60A	56.40B/29.60A	----	31.90 - 26.20	.2900	----	----	28	----	126 + 4
4135	35.30	35.30	35.30/30.90A	58.60B/30.90A	----	33.40 - 26.90	.3006	----	----	2	----	142 + 2
4140	46.90	46.90	46.90/32.40A	60.90B/32.40A	----	34.90 - 27.60	.3112	----	----	27	----	176 + 2
4145	59.90	59.90	59.90/33.90A	63.20B/33.90A	----	36.50 - 28.30	.3221	----	----	2	----	208 UNCH
4150	50.00	50.00	50.60/35.40A	65.60B/35.40A	----	38.20 - 29.00	.3333	----	----	225	----	1843 + 9
4155	44.70	44.70	44.70/37.00A	68.10B/37.00A	----	39.90 - 29.80	.3446	----	----	12	----	88 + 1
4160	54.10	54.10	54.10/38.70A	70.60B/38.70A	----	41.70 - 30.50	.3560	----	----	25	----	298 + 8
4165	40.60	40.60	40.60/40.40A	73.20B/40.40A	----	43.60 - 31.10	.3677	----	----	6	----	245 UNCH
4170	58.10	58.10	58.20/42.20A	75.80B/42.20A	----	45.50 - 31.80	.3794	----	----	47	----	225 + 31
4175	62.40	62.40	62.40/44.10A	78.50B/44.10A	----	47.50 - 32.50	.3913	----	----	15	----	406 + 2
4180	64.70	64.70	64.70/46.00A	81.10B/46.00A	----	49.60 - 33.10	.4034	----	----	8	----	276 - 4
4185	67.10	67.10	67.10/48.00A	83.90B/48.00A	----	51.70 - 33.80	.4154	----	----	7	----	113 - 1
4190	67.50	67.50	67.50/50.00A	87.00B/50.00A	----	53.90 - 34.50	.4276	----	----	23	----	255 + 16
4195	69.00	69.00	69.00/52.10A	89.90B/52.10A	----	56.10 - 35.20	.4397	----	----	8	----	75 + 2
4200	74.70	74.70	74.70/54.30A	92.80B/54.30A	----	58.40 - 35.90	.4520	----	----	216	----	1316 + 4
4205	74.10	74.10	74.10/56.50A	95.70B/56.50A	----	60.80 - 36.50	.4643	----	----	45	----	273 + 25
4210	74.10	74.10	74.60/58.80A	98.60B/58.80A	----	63.20 - 37.20	.4766	----	----	27	----	178 + 2
4215	73.10	73.10	74.10/61.20A	101.80B/61.20A	----	65.80 - 37.80	.4889	----	----	34	----	211 + 11
4220	71.60	71.60	74.30/63.60A	105.00B/63.60A	----	68.30 - 38.50	.5012	----	----	214	50	177 + 130
4225	70.60	70.60	76.90/66.10A	108.30B/66.10A	----	71.00 - 39.10	.5134	----	----	39	----	133 + 9
4230	73.20	73.20	76.10/68.60A	111.70B/68.60A	----	73.70 - 39.80	.5256	----	----	4	----	71 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
NOV26												
4235	89.80	89.80	89.80/71.30A	115.10B/71.30A	----	76.40 - 40.50	.5378	----	----	12	----	266 + 4
4240	----	----	----/74.00A	118.60B/74.00A	----	79.30 - 41.00	.5499	----	----	3	----	136 + 2
4245	84.50	84.50	91.80/76.80A	122.10B/76.80A	----	82.20 - 41.60	.5619	----	----	24	----	61 + 15
4250	86.00	86.00	86.00/79.60A	125.60B/79.60A	----	85.10 - 42.30	.5738	----	----	28	----	966 - 2
4255	100.90	100.90	100.90/82.50A	129.30B/82.50A	----	88.10 - 42.90	.5856	----	----	12	----	51 - 3
4260	----	----	----/85.40A	132.90B/85.40A	----	91.20 - 43.50	.5973	----	----	5	----	290 - 1
4265	----	----	----/88.40A	136.70B/88.40A	----	94.40 - 44.00	.6089	----	----	5	----	159 + 3
4270	----	----	----/91.50A	140.40B/91.50A	----	97.60 - 44.50	.6202	----	----	----	----	75 UNCH
4275	105.80	105.80	108.50/94.70A	144.20B/94.70A	----	100.80 - 45.10	.6316	----	----	5	----	435 + 3
4280	113.70	113.70	113.70/97.90A	148.10B/97.90A	----	104.10 - 45.70	.6427	----	----	2	----	163 - 2
4285	----	----	----/101.10A	152.00B/101.10A	----	107.50 - 46.20	.6536	----	----	----	----	200 UNCH
4290	----	----	----/104.40A	156.00B/104.40A	----	110.90 - 46.70	.6642	----	----	----	----	27 UNCH
4295	118.40	118.40	118.40/107.70A	160.00B/107.70A	----	114.40 - 47.20	.6750	----	----	1	----	220 + 1
4300	121.70	121.70	122.00/111.20A	164.00B/111.20A	----	117.90 - 47.70	.6852	----	----	203	----	2249 - 139
4305	134.10	134.10	134.10/114.60A	168.20B/114.60A	----	121.50 - 48.10	.6953	----	----	2	----	37 + 1
4310	138.90	138.90	138.90/118.10A	172.20B/118.10A	----	125.20 - 48.50	.7054	----	----	8	----	44 UNCH
4315	139.00	139.00	139.00/121.70A	176.30B/121.70A	----	128.80 - 49.00	.7152	----	----	1	----	70 - 1
4320	136.80	136.80	136.80/125.30A	180.50B/125.30A	----	132.60 - 49.40	.7249	----	----	7	----	199 - 5
4325	----	----	----/129.00A	184.70B/129.00A	----	136.30 - 49.90	.7341	----	----	1	----	251 UNCH
4330	140.50	140.50	140.50/132.70A	189.10B/132.70A	----	140.10 - 50.30	.7434	----	----	4	----	269 - 3
4335	146.60	146.60	148.00/136.50A	193.30B/136.50A	----	144.00 - 50.70	.7522	----	----	2	----	51 UNCH
4340	----	----	----/140.30A	197.70B/140.30A	----	147.90 - 51.10	.7610	----	----	----	----	193 UNCH
4345	----	----	----/144.10A	201.90B/144.10A	----	151.90 - 51.40	.7693	----	----	----	----	52 UNCH
4350	----	----	----/148.00A	206.40B/148.00A	----	155.80 - 51.80	.7775	----	----	----	----	1019 UNCH
4355	160.10	160.10	163.10/151.80A	210.80B/151.80A	----	159.90 - 52.10	.7857	----	----	4	----	28 UNCH
4360	----	----	----/155.70A	215.10B/155.70A	----	163.90 - 52.50	.7934	----	----	----	----	80 UNCH
4365	182.60	182.60	182.60/159.60A	219.60B/159.60A	----	168.00 - 52.80	.8011	----	----	2	----	93 - 1
4370	----	----	----/163.50A	224.00B/163.50A	----	172.20 - 53.10	.8087	----	----	----	----	44 UNCH
4375	----	----	----/167.50A	228.50B/167.50A	----	176.30 - 53.40	.8158	----	----	1	----	419 UNCH
4380	----	----	----/171.50A	233.10B/171.50A	----	180.50 - 53.70	.8228	----	----	1	----	264 UNCH
4385	----	----	----/175.60A	237.60B/175.60A	----	184.80 - 53.90	.8293	----	----	----	----	81 UNCH
4390	184.80	184.80	185.30/179.60A	242.20B/179.60A	----	189.10 - 54.20	.8363	----	----	4	----	219 UNCH
4395	----	----	----/183.80A	246.80B/183.80A	----	193.40 - 54.40	.8426	----	----	----	----	52 UNCH
4400	198.50	198.50	198.50/188.00A	251.40B/188.00A	----	197.70 - 54.70	.8484	----	----	12	----	1207 UNCH
4405	----	----	----/192.20A	256.00B/192.20A	----	202.10 - 54.90	.8541	----	----	----	----	50 UNCH
4410	208.20	208.20	208.20/196.40A	260.60B/196.40A	----	206.50 - 55.10	.8598	----	----	1	----	62 UNCH
4415	----	----	----/200.60A	265.30B/200.60A	----	210.90 - 55.30	.8654	----	----	----	----	279 UNCH
4420	----	----	----/204.90A	269.90B/204.90A	----	215.40 - 55.50	.8704	----	----	----	----	81 UNCH
4425	----	----	----/209.20A	274.60B/209.20A	----	219.80 - 55.70	.8753	----	----	----	----	335 UNCH
4430	----	----	----/213.50A	279.30B/213.50A	----	224.30 - 55.90	.8802	----	----	1	----	133 UNCH
4435	231.00	231.00	231.00/217.90A	284.00B/217.90A	----	228.90 - 56.00	.8851	----	----	4	----	73 UNCH
4440	----	----	----/222.30A	288.80B/222.30A	----	233.40 - 56.20	.8899	----	----	----	----	156 UNCH
4445	----	----	----/226.70A	293.50B/226.70A	----	238.00 - 56.30	.8941	----	----	----	----	31 UNCH
4450	235.00	235.00	246.00/231.10A	298.20B/231.10A	----	242.60 - 56.40	.8982	----	----	5	----	916 - 3
4455	----	----	----/235.60A	303.00B/235.60A	----	247.20 - 56.60	.9022	----	----	----	----	27 UNCH
4460	----	----	----/239.90A	307.80B/239.90A	----	251.80 - 56.70	.9063	----	----	----	----	56 UNCH
4465	----	----	----/244.40A	310.40B/244.40A	----	256.40 - 56.90	.9096	----	----	----	----	25 UNCH
4470	----	----	----/249.00A	315.20B/249.00A	----	261.10 - 57.00	.9136	----	----	----	----	41 UNCH
4475	269.00	269.00	269.00/253.60A	320.00B/253.60A	----	265.70 - 57.20	.9168	----	----	2	----	97 UNCH
4480	279.40	279.40	279.40/258.10A	324.90B/258.10A	----	270.40 - 57.30	.9200	----	----	2	----	21 UNCH
4485	279.00	279.00	279.00/262.60A	329.70B/262.60A	----	275.10 - 57.40	.9232	----	----	1	----	51 UNCH
4490	278.00	278.00	278.00/267.20A	334.50B/267.20A	----	279.80 - 57.50	.9263	----	----	1	----	36 UNCH
4495	281.60	281.60	281.60/271.80A	339.40B/271.80A	----	284.50 - 57.60	.9295	----	----	1	----	27 UNCH
4500	----	----	----/276.60A	344.20B/276.60A	----	289.30 - 57.70	.9318	----	----	10	----	364 - 3
4505	----	----	----/281.10A	349.10B/281.10A	----	294.00 - 57.80	.9349	----	----	----	----	21 UNCH
4510	----	----	----/285.90A	353.90B/285.90A	----	298.80 - 57.80	.9372	----	----	3	----	186 - 2
4515	----	----	----/290.60A	358.80B/290.60A	----	303.60 - 57.90	.9395	----	----	1	----	8 - 1
4520	----	----	----/295.10A	363.70B/295.10A	----	308.30 - 58.00	.9417	----	----	----	----	34 UNCH
4525	----	----	----/299.80A	368.60B/299.80A	----	313.10 - 58.10	.9439	----	----	----	----	107 UNCH
4530	----	----	----/304.70A	373.50B/304.70A	----	317.90 - 58.20	.9461	----	----	----	----	287 UNCH
4535	----	----	----/309.40A	378.40B/309.40A	----	322.80 - 58.20	.9483	----	----	----	----	38 UNCH
4540	----	----	----/314.00A	383.30B/314.00A	----	327.60 - 58.20	.9505	----	----	1	----	40 UNCH
4545	----	----	----/318.90A	388.20B/318.90A	----	332.40 - 58.30	.9518	----	----	1	----	19 UNCH
4550	----	----	----/323.50A	393.10B/323.50A	----	337.30 - 58.30	.9540	----	----	----	----	260 UNCH
4555	----	----	----/330.60A	398.00B/330.60A	----	342.10 - 58.40	.9553	----	----	----	----	4 UNCH
4560	----	----	----/335.10A	402.90B/335.10A	----	347.00 - 58.40	.9574	----	----	2	----	45 - 1
4565	----	----	----/339.90A	407.80B/339.90A	----	351.80 - 58.50	.9586	----	----	----	----	55 UNCH
4570	----	----	----/344.70A	412.70B/344.70A	----	356.70 - 58.50	.9599	----	----	----	----	39 UNCH
4575	369.00	369.00	369.00/349.50A	417.70B/349.50A	----	361.60 - 58.50	.9611	----	----	3	----	9 - 2
4580	----	----	----/354.60A	422.60B/354.60A	----	366.50 - 58.50	.9632	----	----	----	----	21 UNCH
4585	380.00	380.00	384.50/359.50A	427.50B/359.50A	----	371.40 - 58.60	.9644	----	----	5	----	157 - 2
4590	----	----	----/364.30A	432.50B/364.30A	----	376.30 - 58.60	.9656	----	----	----	----	87 UNCH
4595	----	----	----/369.10A	437.40B/369.10A	----	381.10 - 58.70	.9667	----	----	----	----	15 UNCH
4600	----	----	----/373.60A	442.30B/373.60A	----	386.10 - 58.60	.9679	----	----	2	----	195 UNCH
4605	----	----	----/378.80A	447.30B/378.80A	----	391.00 - 58.70	.9691	----	----	----	----	12 UNCH
4610	400.00	400.00	400.00/382.90A	452.20B/382.90A	----	395.90 - 58.70	.9694	----	----	1	----	7 UNCH
4615	----	----	----/387.80A	457.20B/387.80A	----	400.80 - 58.80	.9705	----	----	----	----	15 UNCH
4620	----	----	----/393.40A	462.10B/393.40A	----	405.70 - 58.80	.9716	----	----	----	----	17 UNCH
4625	----	----	----/398.30A	467.10B/398.30A	----	410.60 - 58.80	.9727	----	----	----	----	23 UNCH
4630	----	----	----/402.40A	472.00B/402.40A	----	415.50 - 58.90	.9738	----	----	----	----	22 UNCH
4635	----	----	----/408.10A	477.00B/408.10A	----	420.50 - 58.80	.9741	----	----	----	----	22 UNCH
4640	----	----	----/412.60A	482.00B/412.60A	----	425.40 - 58.90	.9752	----	----	----	----	90 UNCH
4645	----	----	----/417.50A	486.90B/417.50A	----	430.30 - 58.90	.9762	----	----	----	----	28 UNCH
4650	----	----	----/422.40A	491.90B/422.40A	----	435.30 - 58.90	.9764	----	----	----	----	216 UNCH
4655	----	----	----/427.70A	496.90B/427.70A	----	440.20 - 59.00	.9775	----	----	----	----	55 UNCH
4660	----	----	----/432.60A	501.80B/432.60A	----	445.20 - 58.90	.9777	----	----	----	----	6 UNCH
4665	----	----	----/437.50A	506.80B/437.50A	----	450.10 - 59.00	.9788	----	----	----	----	2 UNCH
4670	----	----	----/442.40A	511.80B/442.40A	----	455.00 - 59.00	.9789	----	----	----	----	15 UNCH
4675	468.50	468.50	471.00/447.40A	516.70B/447.40A	----	460.00 - 59.00	.9800	----	----	4	----	81 - 2
4680	479.00	479.00	479.00/451.50A	521.70B/451.50A	----	464.90 - 59.10	.9801	----	----	3	----	46 - 2
4685	----	----	----/456.90A	526.70B/456.90A	----	469.90 - 59.00	.9812	----	----	----	----	12 UNCH
4690	----	----	----/462.10A	531.60B/462.10A	----	474.80 - 59.10	.9813	----	----	----	----	8 UNCH
4695	----	----	----/467.10A	536.60B/467.10A	----	479.80 - 59.10	.9823	----	----	----	----	4 UNCH
4700	----	----	----/471.70A	541.60B/471.70A	----	484.80 - 59.00	.9825	----	----	----	----	224 UNCH
4710	----	----	----/481.90A	551.60B/481.90A	----	494.70 - 59.10	.9836	----	----	----	----	2 UNCH
4715	----	----	----/486.80A	556.50B/486.80A	----	499.60 - 59.10	.9838	----	----	----	----	2 UNCH
4720	----	----	----/491.00A	561.50B/491.00A	----	504.60 - 59.10	.9848	----	----	----	----	4 UNCH
4725	----	----	----/496.70A	566.50B/496.70A	----	509.60 - 59.10	.9849	----	----	----	----	12 UNCH
4730	----	----	----/501.30A	571.50B/501.30A	----	514.50 - 59.20	.9850	----	----	----	----	10 UNCH
4735	----	----	----/506.60A	576.50B/506.60A	----	519.50 - 59.10	.9860	----	----	----	----	4 UNCH
4740	----	----	----/510.80A	581.40B/510.80A	----	524.50 - 59.10	.9861	----	----	----	----	4 UNCH
4745	----	----	----/516.50A	586.40B/516.50A	----	529.50 - 59.10	.9862	----	----	----	----	9 UNCH
4750	----	----	----/521.60A	591.40B/521.60A	----	534.40 - 59.20	.9863	----	----	----	----	201 UNCH
4755	----	----	----/526.50A	596.40B/526.50A	----	539.40 - 59.20	.9872	----	----	----	----	6 UNCH
4760	----	----	----/531.40A	601.40B/531.40A	----	544.40 - 59.10	.9873	----	----	----	----	10 UNCH
4770	----	----	----/541.30A	611.40B/541.30A	----	554.30 - 59.20	.9875	----	----	----	----	5 UNCH
4775	----	----	----/546.40A	616.30B/546.40A	----	559.30 - 59.20	.9876	----	----	----	----	12 UNCH
4790	----	----	----/560.90A	631.30B/560.90A	----	574.30 - 59.10	.9887	----	----	----	----	11 UNCH
4800	----	----	----/572.00A	641.30B/572.00A	----	584.20 - 59.20	.9889	----	----	----	----	120 UNCH
4805	----	----	----/575.30A	646.30B/575.30A	----	589.20 - 59.20	.9898	----	----	----	----	11 UNCH
4810	----	----	----/580.30A	651.30B/580.30A	----	594.20 - 59.20	.9899	----	----	----	----	1 UNCH
4820	----	----	----/591.00A	661.30B/591.00A	----	604.10 - 59.20	.9900	----	----	----	----	3 UNCH
4825	----	----	----/596.10A	666.20B/596.10A	----	609.10 - 59.20	.9901	----	----	----	----	30 UNCH
4830	----	----	----/601.00A	671.20B/601.00A	----	614.10 - 59.20	.9901	----	----	----	----	5 UNCH
4840	----	----	----/610.90A	681.20B/610.90A	----	624.10 - 59.20	.9911	----	----	----	----	4 UNCH
4845	----	----	----/615.90A	686.20B/615.90A	----	629.10 - 59.20	.9912	----	----	----	----	10 UNCH
4850	----	----	----/620.90A	691.20B/620.90A	----	634.10 - 59.20	.9912	----	----	----	----	133 UNCH
4855	----	----	----/625.90A	696.20B/625.90A	----	639.10 - 59.20	.9913	----	----	----	----	3 UNCH
4860	----	----	----/630.90A	701.20B/630.90A	----	644.00 - 59.30	.9913	----	----	----	----	1 UNCH
4865	----	----	----/635.80A	706.20B/635.80A	----	649.00 - 59.20	.9914	----	----	----	----	2 UNCH
4875	----	----	----/645.50A	716.20B/645.50A	----	659.00 - 59.20	.9915	----	----	----	----	3 UNCH
4885	----	----	----/655.40A	726.20B/655.40A	----	669.00 - 59.20	.9924	----	----	----	----	8 UNCH
4895	----	----	----/665.70A	736.20B/665.70A	----	679.00 - 59.20	.9925	----	----	----	----	3 UNCH
4900	----	----	----/670.70A	741.20B/670.70A	----	684.00 - 59.20	.9926	----	----	----	----	4 UNCH
4915	----	----	----/685.70A	756.10B/685.70A	----	698.90 - 59.30	.9927	----	----	----	----	4 UNCH
4920	----	----	----/690.30A	761.10B/690.30A	----	703.90 - 59.20	.9928	----	----	----	----	0 UNCH
4925	----	----	----/695.30A	766.10B/695.30A	----	708.90 - 59.20	.9928	----	----	3	----	3 UNCH
4930	----	----	----/700.60A	771.10B/700.60A	----	713.90 - 59.20	.9928	----	----	----	----	0 UNCH
4935	----	----	----/705.60A	776.10B/705.60A	----	718.90 - 59.20	.9937	----	----	----	----	25 UNCH
4940	----	----	----/710.60A	781.10B/710.60A	----	723.90 - 59.20	.9937	----	----	----	----	0 UNCH
4950	----	----	----/720.60A	791.10B/720.60A	----	733.90 - 59.20	.9938	----	----	----	----	49 UNCH
4955	----	----	----/726.50A	796.10B/726.50A	----	738.90 - 59.20	.9939	----	----	----	----	0 UNCH
4960	----	----	----/731.50A	801.10B/731.50A	----	743.90 - 59.20	.9939	----	----	----	----	2 UNCH
4965	----	----	----/735.70A	806.10B/735.70A	----	748.90 - 59.20	.9939	----	----	----	----	0 UNCH
4970	----	----	----/740.70A	811.10B/740.70A	----	753.90 - 59.20	.9940	----	----	----	----	0 UNCH
4975	----	----	----/745.30A	816.10B/745.30A	----	758.80 - 59.30	.9940	----	----	----	----	0 UNCH
4995	----	----	----/764.90A	836.10B/764.90A	----	778.80 - 59.30	.9941	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
NOV26												
5000	----	----	----/770.70A	841.10B/770.70A	----	783.80 - 59.30	.9942	----	----	10	----	51 + 10
5010	----	----	----/780.40A	851.10B/780.40A	----	793.80 - 59.30	.9942	----	----	----	----	0 UNCH
5015	----	----	----/785.40A	856.10B/785.40A	----	798.80 - 59.20	.9951	----	----	----	----	1 UNCH
5020	----	----	----/790.70A	861.10B/790.70A	----	803.80 - 59.20	.9951	----	----	----	----	30 UNCH
5030	----	----	----/800.70A	871.10B/800.70A	----	813.80 - 59.20	.9951	----	----	----	----	4 UNCH
5055	----	----	----/825.80A	896.00B/825.80A	----	838.80 - 59.20	.9953	----	----	----	----	9 UNCH
5075	----	----	----/845.50A	916.00B/845.50A	----	858.80 - 59.20	.9954	----	----	----	----	1 UNCH
5080	----	----	----/850.80A	921.00B/850.80A	----	863.80 - 59.20	.9954	----	----	----	----	1 UNCH
5085	----	----	----/855.80A	926.00B/855.80A	----	868.70 - 59.30	.9954	----	----	----	----	2 UNCH
5125	----	----	----/895.60A	965.80B/895.60A	----	908.70 - 59.30	.9964	----	----	----	----	1 UNCH
5190	----	----	----/960.70A	1030.60B/960.70A	----	973.70 - 59.30	.9974	----	----	----	----	1 UNCH
5200	----	----	----/970.80A	1040.60B/970.80A	----	983.70 - 59.30	.9975	----	----	----	----	1 UNCH
5215	----	----	----/986.10A	1055.50B/986.10A	----	998.70 - 59.30	.9975	----	----	----	----	1 UNCH
5225	----	----	----/996.10A	1065.50B/996.10A	----	1008.70 - 59.30	.9975	----	----	----	----	1 UNCH
5395	----	----	----/1,166.20A	1234.90B/1166.20A	----	1178.70 - 59.30	.9988	----	----	----	----	6 UNCH
5400	----	----	----/1,171.30A	1239.90B/1171.30A	----	1183.70 - 59.30	.9988	----	----	----	----	0 UNCH
TOTAL										3430	200	64663 - 154
DEC26												
1350	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
1375	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1400	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1600	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	219 UNCH
1700	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	200 UNCH
1740	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
1750	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1800	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1845	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	60 UNCH
1850	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
1870	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1875	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1900	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
1930	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
2000	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
2100	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2125	----	----	----	0.10B/0.20A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
2200	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0000	----	----	----	----	12 UNCH
2210	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0000	----	----	----	----	14 UNCH
2225	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
2235	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
2240	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0001	----	----	----	----	2 UNCH
2245	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0001	----	----	----	----	3 UNCH
2250	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0001	----	----	----	----	17 UNCH
2260	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0001	----	----	----	----	13 UNCH
2280	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
2300	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0001	----	----	----	----	4 UNCH
2320	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
2325	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0002	----	----	----	----	15 UNCH
2395	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0004	----	----	----	----	10 UNCH
2400	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0007	----	----	----	----	15 UNCH
2425	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0008	----	----	----	----	11 UNCH
2440	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0008	----	----	----	----	1 UNCH
2450	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0008	----	----	----	----	24 UNCH
2470	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0008	----	----	----	----	2 UNCH
2490	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0008	----	----	----	----	11 UNCH
2495	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0008	----	----	----	----	30 UNCH
2500	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0008	----	----	----	----	460 UNCH
2550	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0008	----	----	----	----	5 UNCH
2560	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0008	----	----	----	----	20 UNCH
2565	----	----	----	0.10B/0.30A	----	0.30 + 0.10	.0012	----	----	----	----	32 UNCH
2570	----	----	----	0.10B/0.30A	----	0.30 UNCH	.0012	----	----	----	----	10 UNCH
2575	----	----	----	0.10B/0.30A	----	0.30 UNCH	.0012	----	----	----	----	16 UNCH
2580	----	----	----	0.10B/0.30A	----	0.30 UNCH	.0012	----	----	----	----	5 UNCH
2590	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0012	----	----	----	----	18 UNCH
2600	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0013	----	----	----	----	25 UNCH
2605	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0013	----	----	----	----	1 UNCH
2610	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0013	----	----	----	----	25 UNCH
2615	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0013	----	----	----	----	2 UNCH
2645	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0013	----	----	----	----	7 UNCH
2650	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0013	----	----	----	----	1 UNCH
2655	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0013	----	----	----	----	2 UNCH
2660	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0013	----	----	----	----	3 UNCH
2675	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0013	----	----	----	----	4 UNCH
2695	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0013	----	----	----	----	14 UNCH
2700	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0014	----	----	----	----	25 UNCH
2705	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0014	----	----	----	----	10 UNCH
2710	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0014	----	----	----	----	4 UNCH
2725	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0014	----	----	----	----	2 UNCH
2735	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0018	----	----	----	----	4 UNCH
2740	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0018	----	----	----	----	3 UNCH
2750	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0018	----	----	----	----	47 UNCH
2755	----	----	----	0.30B/0.50A	----	0.40 UNCH	.0018	----	----	----	----	8 UNCH
2760	----	----	----	0.30B/0.50A	----	0.40 UNCH	.0018	----	----	----	----	27 UNCH
2775	----	----	----	0.30B/0.50A	----	0.40 UNCH	.0018	----	----	----	----	40 UNCH
2795	----	----	----/0.40A	0.30B/0.40A	----	0.40 - 0.10	.0019	----	----	----	----	10 UNCH
2800	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0019	----	----	----	----	86 UNCH
2850	----	----	----/0.50A	0.40B/0.50A	----	0.50 - 0.10	.0024	----	----	----	----	37 UNCH
2860	0.50	0.50	0.50/0.50	0.50/0.50	----	0.50 NEW	.0024	----	----	1	----	1 + 1
2875	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0024	----	----	----	----	1 UNCH
2880	----	----	----	0.50B/0.60A	----	0.50 - 0.10	.0024	----	----	----	----	1 UNCH
2900	----	----	----	0.50B/0.60A	----	0.50 - 0.10	.0025	----	----	----	----	75 UNCH
2915	----	----	----/0.60A	0.50B/0.60A	----	0.60 - 0.10	.0029	----	----	----	----	1 UNCH
2925	----	----	----/0.60A	0.50B/0.60A	----	0.60 - 0.10	.0029	----	----	----	----	300 UNCH
2945	----	----	----	0.60B/0.70A	----	0.60 - 0.10	.0030	----	----	----	----	2 UNCH
2950	----	----	----/0.70A	0.60B/0.70A	----	0.60 - 0.20	.0030	----	----	----	----	56 UNCH
2960	----	----	----/0.70A	0.60B/0.70A	----	0.70 - 0.10	.0035	----	----	----	----	8 UNCH
2965	----	----	----/0.70A	0.60B/0.70A	----	0.70 - 0.10	.0035	----	----	----	----	3 UNCH
2975	----	----	----/0.70A	0.70B/0.70A	----	0.70 - 0.10	.0035	----	----	----	----	950 UNCH
3000	0.80	0.80	0.90/0.80	0.90/0.80	----	0.80 - 0.10	.0040	----	----	10	----	2195 UNCH
3005	----	----	----/0.80A	0.70B/0.80A	----	0.80 - 0.10	.0040	----	----	----	----	5 UNCH
3010	----	----	----/0.80A	0.80B/0.80A	----	0.80 - 0.10	.0040	----	----	----	----	1 UNCH
3020	----	----	----/0.80A	0.80B/0.80A	----	0.80 - 0.20	.0041	----	----	----	----	5 UNCH
3025	----	----	----/0.90A	0.80B/0.90A	----	0.80 - 0.20	.0041	----	----	----	----	2 UNCH
3030	----	----	----/0.90A	0.80B/0.90A	----	0.80 - 0.20	.0041	----	----	----	----	1 UNCH
3035	----	----	----/0.90A	0.90B/0.90A	----	0.90 - 0.10	.0046	----	----	----	----	1 UNCH
3045	----	----	----/0.90A	0.90B/0.90A	----	0.90 - 0.20	.0046	----	----	----	----	3 UNCH
3050	----	----	----/0.90A	0.90B/0.90A	----	0.90 - 0.20	.0046	----	----	----	----	13 UNCH
3060	----	----	----/1.00A	1.00B/1.00A	----	0.90 - 0.20	.0047	----	----	----	----	201 UNCH
3075	----	----	----/1.00A	1.00B/1.00A	----	1.00 - 0.20	.0051	----	----	----	----	11 UNCH
3080	----	----	----/1.00A	1.00B/1.00A	----	1.00 - 0.20	.0052	----	----	----	----	1 UNCH
3085	----	----	----/1.10A	1.10B/1.10A	----	1.00 - 0.20	.0052	----	----	----	----	2 UNCH
3090	----	----	----/1.10A	1.10B/1.10A	----	1.00 - 0.20	.0052	----	----	----	----	5 UNCH
3095	----	----	----/1.10A	1.10B/1.10A	----	1.00 - 0.30	.0052	----	----	----	----	4 UNCH
3100	1.00	1.00	1.00/1.00	1.10B/1.00	----	1.10 - 0.20	.0057	----	----	2	----	156 UNCH
3110	----	----	----/1.20A	1.20B/1.20A	----	1.10 - 0.20	.0057	----	----	----	----	2 UNCH
3120	----	----	----/1.20A	1.20B/1.20A	----	1.10 - 0.30	.0058	----	----	----	----	3 UNCH
3125	----	----	----/1.20A	1.30B/1.20A	----	1.10 - 0.30	.0058	----	----	----	----	1 UNCH
3130	----	----	----/1.20A	1.30B/1.20A	----	1.20 - 0.30	.0063	----	----	----	----	11 UNCH
3135	----	----	----/1.20A	1.30B/1.20A	----	1.20 - 0.30	.0063	----	----	----	----	1 UNCH
3140	----	----	----/1.30A	1.30B/1.30A	----	1.20 - 0.30	.0063	----	----	----	----	2 UNCH
3145	----	----	----/1.30A	1.40B/1.30A	----	1.20 - 0.30	.0064	----	----	----	----	11 UNCH
3150	----	----	----/1.30A	1.40B/1.30A	----	1.20 - 0.40	.0064	----	----	----	----	114 UNCH
3155	----	----	----/1.30A	1.40B/1.30A	----	1.30 - 0.30	.0069	----	----	----	----	6 UNCH
3160	----	----	----/1.30A	1.40B/1.30A	----	1.30 - 0.30	.0069	----	----	----	----	4 UNCH
3170	----	----	----/1.40A	1.50B/1.40A	----	1.30 - 0.40	.0070	----	----	----	----	2 UNCH
3175	----	----	----/1.40A	1.50B/1.40A	----	1.30 - 0.40	.0070	----	----	----	----	62 UNCH
3180	1.50	1.50	1.50/1.40A	1.60B/1.40A	----	1.40 - 0.40	.0075	----	----	7	----	7 + 6
3185	----	----	----/1.40A	1.60B/1.40A	----	1.40 - 0.40	.0075	----	----	----	----	2 UNCH
3190	----	----	----/1.50A	1.60B/1.50A	----	1.40 - 0.40	.0075	----	----	----	----	3 UNCH
3195	----	----	----/1.50A	1.60B/1.50A	----	1.40 - 0.50	.0076	----	----	----	----	2 UNCH
3200	1.50	1.50	1.50/1.50	1.70B/1.50	----	1.40 - 0.50	.0076	----	----	1	----	130 UNCH
3210	----	----	----/1.60A	1.70B/1.60A	----	1.50 - 0.50	.0081	----	----	----	----	1 UNCH
3215	----	----	----/1.60A	1.80B/1.60A	----	1.50 - 0.50	.0082	----	----	----	----	20 UNCH
3225	----	----	----/1.60A	1.80B/1.60A	----	1.60 - 0.50	.0087	----	----	----	----	11 UNCH
3235	----	----	----/1.70A	1.90B/1.70A	----	1.60 - 0.50	.0088	----	----	----	----	12 UNCH
3240	----	----	----/1.70A	1.90B/1.70A	----	1.70 - 0.50	.0092	----	----	----	----	11 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT												
DEC26												
3245	----	----	----/1.70A	2.00B/1.70A	----	1.70 - 0.50	.0093	----	----	----	----	22 UNCH
3250	1.80	1.80	1.80/1.80	2.00B/1.80	----	1.70 - 0.60	.0093	----	----	2	----	493 - 1
3260	----	----	----/1.80A	2.10B/1.80A	----	1.80 - 0.50	.0099	----	----	----	----	6 UNCH
3265	----	----	----/1.80A	2.10B/1.80A	----	1.80 - 0.60	.0099	----	----	----	----	27 UNCH
3270	2.00	2.00	2.00/1.90A	2.10B/1.90A	----	1.80 - 0.60	.0100	----	----	6	----	24 UNCH
3275	2.00	2.00	2.00/1.90A	2.20B/1.90A	----	1.90 - 0.60	.0104	----	----	30	----	37 + 27
3280	----	----	----/1.90A	2.20B/1.90A	----	1.90 - 0.60	.0105	----	----	----	----	5 UNCH
3285	2.10	2.10	2.10/2.00A	2.20B/2.00A	----	1.90 - 0.70	.0106	----	----	5	----	16 + 5
3290	----	----	----/2.00A	2.30B/2.00A	----	2.00 - 0.60	.0110	----	----	----	----	7 UNCH
3295	----	----	----/2.00A	2.30B/2.00A	----	2.00 - 0.60	.0111	----	----	----	----	11 UNCH
3300	----	----	----/2.00A	2.40B/2.00A	----	2.00 - 0.70	.0112	----	----	20	----	662 + 20
3305	----	----	----/2.10A	2.40B/2.10A	----	2.10 - 0.60	.0117	----	----	----	----	4 UNCH
3310	2.10	2.10	2.10/2.10	2.40B/2.10	----	2.10 - 0.70	.0117	----	----	1	----	2 + 1
3315	----	----	----/2.10A	2.50B/2.10A	----	2.10 - 0.70	.0118	----	----	----	----	11 UNCH
3325	----	----	----/2.20A	2.60B/2.20A	----	2.20 - 0.70	.0123	----	----	----	----	104 UNCH
3330	----	----	----/2.30A	2.60B/2.30A	----	2.30 - 0.70	.0128	----	----	----	----	2 UNCH
3335	----	----	----/2.30A	2.70B/2.30A	----	2.30 - 0.70	.0129	----	----	----	----	1 UNCH
3345	----	----	----/2.40A	2.80B/2.40A	----	2.40 - 0.70	.0135	----	----	----	----	14 UNCH
3350	----	----	----/2.40A	2.80B/2.40A	----	2.40 - 0.80	.0136	----	----	----	----	36 UNCH
3360	----	----	----/2.50A	2.90B/2.50A	----	2.50 - 0.80	.0141	----	----	----	----	16 UNCH
3365	----	----	----/2.50A	3.00B/2.50A	----	2.50 - 0.90	.0142	----	----	----	----	7 UNCH
3370	----	----	----/2.50A	3.00B/2.50A	----	2.60 - 0.80	.0147	----	----	----	----	3 UNCH
3375	----	----	----/2.60A	3.10B/2.60A	----	2.60 - 0.90	.0148	----	----	----	----	266 UNCH
3380	----	----	----/2.60A	3.10B/2.60A	----	2.70 - 0.80	.0153	----	----	----	----	13 UNCH
3385	----	----	----/2.60A	3.20B/2.60A	----	2.70 - 0.90	.0154	----	----	----	----	35 UNCH
3390	----	----	----/2.70A	3.30B/2.70A	----	2.80 - 0.90	.0160	----	----	----	----	101 UNCH
3395	----	----	----/2.70A	3.30B/2.70A	----	2.80 - 0.90	.0160	----	----	----	----	5 UNCH
3400	3.10	3.10	3.10/2.80A	3.40B/2.80A	----	2.90 - 0.90	.0166	----	----	4	----	2197 - 1
3410	----	----	----/2.90A	3.50B/2.90A	----	2.90 - 1.00	.0168	----	----	----	----	69 UNCH
3420	----	----	----/3.00A	3.70B/3.00A	----	3.00 - 1.10	.0174	----	----	----	----	5 UNCH
3425	3.70	3.70	3.70/3.00A	3.70/3.00A	----	3.10 - 1.10	.0179	----	----	2	----	387 UNCH
3430	----	----	----/3.10A	3.80B/3.10A	----	3.20 - 1.00	.0185	----	----	----	----	3 UNCH
3435	----	----	----/3.10A	3.90B/3.10A	----	3.20 - 1.10	.0186	----	----	----	----	18 UNCH
3440	----	----	----/3.20A	4.00B/3.20A	----	3.30 - 1.10	.0191	----	----	----	----	11 UNCH
3445	----	----	----/3.20A	4.00B/3.20A	----	3.30 - 1.20	.0192	----	----	----	----	3 UNCH
3450	3.50	3.50	3.50/3.30A	4.10B/3.30A	----	3.40 - 1.10	.0198	----	----	1	----	1368 UNCH
3455	----	----	----/3.40A	4.20B/3.40A	----	3.40 - 1.20	.0199	----	----	----	----	2 UNCH
3460	----	----	----/3.40A	4.30B/3.40A	----	3.50 - 1.20	.0205	----	----	----	----	73 UNCH
3465	----	----	----/3.50A	4.40B/3.50A	----	3.60 - 1.20	.0210	----	----	----	----	227 UNCH
3470	----	----	----/3.50A	4.50B/3.50A	----	3.60 - 1.30	.0211	----	----	----	----	20 UNCH
3475	----	----	----/3.60A	4.50B/3.60A	----	3.70 - 1.30	.0217	----	----	----	----	239 UNCH
3480	----	----	----/3.70A	4.60B/3.70A	----	3.70 - 1.40	.0218	----	----	----	----	1289 UNCH
3485	----	----	----/3.70A	4.70B/3.70A	----	3.80 - 1.40	.0224	----	----	----	----	150 UNCH
3490	----	----	----/3.70A	4.80B/3.70A	----	3.90 - 1.40	.0230	----	----	1	----	40 + 1
3495	----	----	----/3.90A	4.90B/3.90A	----	3.90 - 1.50	.0231	----	----	----	----	23 UNCH
3500	4.50	4.50	4.50/3.80	5.00B/3.80	----	4.00 - 1.50	.0237	----	----	156	----	6354 - 2
3505	----	----	----/4.00A	5.10B/4.00A	----	4.10 - 1.50	.0243	----	----	1	----	20 UNCH
3510	----	----	----/4.10A	5.20B/4.10A	----	4.20 - 1.50	.0249	----	----	1	----	256 UNCH
3515	----	----	----/4.20A	5.30B/4.20A	----	4.20 - 1.60	.0250	----	----	1	----	137 + 1
3520	----	----	----/4.20A	5.40B/4.20A	----	4.30 - 1.60	.0256	----	----	----	----	23 UNCH
3525	----	----	----/4.30A	5.60B/4.30A	----	4.40 - 1.60	.0262	----	----	4	----	218 UNCH
3530	----	----	----/4.40A	5.70B/4.40A	----	4.50 - 1.60	.0268	----	----	----	----	3 UNCH
3540	----	----	----/4.50A	5.90B/4.50A	----	4.60 - 1.80	.0276	----	----	1	----	26 + 1
3545	----	----	----/4.60A	6.00B/4.60A	----	4.70 - 1.80	.0282	----	----	----	----	20 UNCH
3550	----	----	----/4.70A	6.20B/4.70A	----	4.80 - 1.80	.0288	----	----	41	----	2180 + 39
3555	----	----	----/4.80A	6.30B/4.80A	----	4.90 - 1.90	.0295	----	----	----	----	2 UNCH
3560	----	----	----/4.90A	6.40B/4.90A	----	5.00 - 1.90	.0301	----	----	----	----	87 UNCH
3565	----	----	----/5.00A	6.60B/5.00A	----	5.10 - 2.00	.0307	----	----	----	----	37 UNCH
3570	5.50	5.50	5.50/5.10A	6.70B/5.10A	----	5.20 - 2.00	.0314	----	----	8	----	25 + 8
3575	5.70	5.70	5.70/5.20A	6.90B/5.20A	----	5.30 - 2.10	.0320	----	----	2	----	32 + 1
3580	5.80	5.80	5.80/5.30A	7.00B/5.30A	----	5.40 - 2.10	.0327	----	----	5	----	21 + 5
3585	----	----	----/5.40A	7.20B/5.40A	----	5.50 - 2.20	.0333	----	----	----	----	335 UNCH
3590	----	----	----/5.50A	7.30B/5.50A	----	5.60 - 2.20	.0340	----	----	----	----	46 UNCH
3595	----	----	----/5.60A	7.50B/5.60A	----	5.70 - 2.30	.0346	----	----	----	----	115 UNCH
3600	7.30	7.30	7.30/5.70A	7.70B/5.70A	----	5.80 - 2.40	.0353	----	----	68	----	1919 - 25
3605	6.40	6.40	6.40/5.80A	7.90B/5.80A	----	6.00 - 2.40	.0364	----	----	5	----	72 UNCH
3610	----	----	----/5.90A	8.10B/5.90A	----	6.10 - 2.40	.0371	----	----	----	----	35 UNCH
3615	----	----	----/6.10A	8.20B/6.10A	----	6.20 - 2.50	.0377	----	----	----	----	40 UNCH
3620	----	----	----/6.20A	8.40B/6.20A	----	6.30 - 2.60	.0384	----	----	----	----	6 UNCH
3625	6.50	6.50	6.50/6.30A	8.60B/6.30A	----	6.50 - 2.60	.0396	----	----	3	----	54 UNCH
3630	----	----	----/6.40A	8.80B/6.40A	----	6.60 - 2.70	.0403	----	----	----	----	19 UNCH
3635	----	----	----/6.60A	9.00B/6.60A	----	6.70 - 2.80	.0410	----	----	----	----	47 UNCH
3640	----	----	----/6.70A	9.20B/6.70A	----	6.90 - 2.80	.0421	----	----	----	----	18 UNCH
3645	6.80	6.80	6.80/6.80	9.50B/6.80	----	7.00 - 3.00	.0428	----	----	6	----	63 + 5
3650	7.10	7.10	7.10/7.00A	9.70B/7.00A	----	7.20 - 3.00	.0440	----	----	42	----	1711 + 8
3655	7.90	7.90	7.90/7.10	9.90B/7.10	----	7.30 - 3.10	.0447	----	----	8	----	252 + 8
3660	8.40	8.40	8.40/7.30A	10.20B/7.30A	----	7.50 - 3.20	.0459	----	----	1	----	61 UNCH
3665	8.10	8.10	8.10/7.50A	10.40B/7.50A	----	7.70 - 3.20	.0471	----	----	1	----	27 UNCH
3670	8.30	8.30	8.30/7.60A	10.70B/7.60A	----	7.80 - 3.40	.0478	----	----	1	----	130 + 1
3675	7.90	7.90	7.90/7.80A	10.90B/7.80A	----	8.00 - 3.40	.0490	----	----	21	----	154 + 16
3680	----	----	----/8.00A	11.20B/8.00A	----	8.20 - 3.50	.0502	----	----	----	----	52 UNCH
3685	----	----	----/8.20A	11.50B/8.20A	----	8.40 - 3.60	.0514	----	----	----	----	407 UNCH
3690	----	----	----/8.40A	11.70B/8.40A	----	8.60 - 3.70	.0526	----	----	----	----	24 UNCH
3695	9.30	9.30	9.30/8.60A	12.00B/8.60A	----	8.80 - 3.80	.0538	----	----	1	----	19 UNCH
3700	11.00	11.00	11.00/8.80	12.30B/8.80	----	9.00 - 3.90	.0550	----	----	469	----	3276 + 366
3705	----	----	----/9.00A	12.60B/9.00A	----	9.20 - 4.00	.0563	----	----	----	----	56 UNCH
3710	----	----	----/9.20A	13.00B/9.20A	----	9.40 - 4.10	.0575	----	----	----	----	129 UNCH
3715	----	----	----/9.40A	13.30B/9.40A	----	9.60 - 4.20	.0588	----	----	----	----	165 UNCH
3720	----	----	----/9.60A	13.60B/9.60A	----	9.90 - 4.30	.0604	----	----	4	----	58 + 3
3725	12.70	12.70	12.70/9.90A	13.90B/9.90A	----	10.10 - 4.40	.0617	----	----	10	----	218 - 6
3730	----	----	----/10.10A	14.30B/10.10A	----	10.40 - 4.50	.0634	----	----	1	----	438 - 1
3735	----	----	----/10.30A	14.60B/10.30A	----	10.60 - 4.70	.0647	----	----	----	----	165 UNCH
3740	----	----	----/10.60A	15.00B/10.60A	----	10.90 - 4.80	.0664	----	----	----	----	82 UNCH
3745	----	----	----/10.90A	15.40B/10.90A	----	11.10 - 4.90	.0677	----	----	----	----	69 UNCH
3750	12.40	12.40	12.40/11.10A	15.80B/11.10A	----	11.40 - 5.10	.0694	----	----	44	----	1933 + 40
3755	----	----	----/11.40A	16.20B/11.40A	----	11.70 - 5.20	.0711	----	----	2	----	34 UNCH
3760	13.60	13.60	13.60/11.70A	16.70B/11.70A	----	12.00 - 5.30	.0729	----	----	1	----	128 - 1
3765	----	----	----/12.00A	17.10B/12.00A	----	12.30 - 5.40	.0746	----	----	3	----	33 + 1
3770	----	----	----/12.30A	17.50B/12.30A	----	12.60 - 5.60	.0764	----	----	1	----	32 - 1
3775	----	----	----/12.60A	18.00B/12.60A	----	12.90 - 5.80	.0781	----	----	----	----	64 UNCH
3780	----	----	----/12.90A	18.40B/12.90A	----	13.30 - 5.80	.0803	----	----	1	----	63 UNCH
3785	13.40	13.40	13.40/13.20A	18.90B/13.20A	----	13.60 - 6.00	.0821	----	----	1	----	87 UNCH
3790	----	----	----/13.60A	19.40B/13.60A	----	14.00 - 6.10	.0843	----	----	6	----	164 - 2
3795	16.10	16.10	16.10/13.90A	19.90B/13.90A	----	14.30 - 6.30	.0861	----	----	1	----	54 - 1
3800	17.50	17.50	17.50/14.30	20.40B/14.30	----	14.70 - 6.50	.0883	----	----	148	----	1571 - 53
3805	----	----	----/14.60A	21.00B/14.60A	----	15.10 - 6.60	.0905	----	----	----	----	40 UNCH
3810	----	----	----/15.00A	21.50B/15.00A	----	15.50 - 6.80	.0927	----	----	6	----	119 + 4
3815	17.10	17.10	17.10/15.40A	22.10B/15.40A	----	15.90 - 7.00	.0950	----	----	33	----	55 - 3
3820	----	----	----/15.80A	22.70B/15.80A	----	16.30 - 7.20	.0972	----	----	3	----	27 - 3
3825	----	----	----/16.20A	23.30B/16.20A	----	16.70 - 7.40	.0995	----	----	----	----	104 UNCH
3830	----	----	----/16.60A	23.90B/16.60A	----	17.20 - 7.50	.1021	----	----	3	----	51 + 2
3835	----	----	----/17.10A	24.50B/17.10A	----	17.60 - 7.80	.1044	----	----	1	----	12 + 1
3840	----	----	----/17.50A	25.10B/17.50A	----	18.10 - 7.90	.1070	----	----	11	----	238 + 5
3845	19.90	19.90	19.90/18.00A	25.80B/18.00A	----	18.60 - 8.10	.1097	----	----	49	----	73 + 42
3850	22.30	22.30	22.30/18.50A	26.50B/18.50A	----	19.10 - 8.30	.1124	----	----	55	----	884 + 14
3855	----	----	----/18.90A	27.20B/18.90A	----	19.60 - 8.50	.1151	----	----	----	----	65 UNCH
3860	----	----	----/19.40A	27.90B/19.40A	----	20.10 - 8.80	.1178	----	----	1	----	47 UNCH
3865	24.80	24.80	24.80/20.00A	28.80B/20.00A	----	20.70 - 8.90	.1208	----	----	2	----	77 - 1
3870	----	----	----/20.50A	29.40B/20.50A	----	21.20 - 9.20	.1235	----	----	5	----	34 UNCH
3875	23.00	23.00	23.00/21.00A	30.20B/21.00A	----	21.80 - 9.40	.1266	----	----	3	----	152 - 2
3880	----	----	----/21.60A	31.00B/21.60A	----	22.40 - 9.60	.1297	----	----	2	----	34 + 2
3885	----	----	----/22.20A	32.00B/22.20A	----	23.00 - 9.80	.1328	----	----	5	----	52 + 2
3890	----	----	----/22.80A	32.80B/22.80A	----	23.60 - 10.10	.1359	----	----	3	----	33 UNCH
3895	25.50	25.50	25.50/23.40A	33.70B/23.40A	----	24.30 - 10.30	.1394	----	----	2	----	262 + 1
3900	29.20	29.20	29.50/24.00A	34.60B/24.00A	----	24.90 - 10.60	.1425	----	----	234	----	4353 - 91
3905	30.30	30.30	30.30/24.70A	35.50B/24.70A	----	25.60 - 10.80	.1460	----	----	1	----	87 + 1
3910	28.00	28.00	28.20/25.30A	36.40B/25.30A	----	26.30 - 11.10	.1495	----	----	10	----	65 + 4
3915	28.20	28.20	28.20/26.00A	37.40B/26.00A	----	27.00 - 11.30	.1530	----	----	2	----	226 UNCH
3920	----	----	----/26.70A	38.30B/26.70A	----	27.70 - 11.60	.1565	----	----	2	----	66 - 1
3925	27.70	27.70	27.70/27.40A	39.30B/27.40A	----	28.50 - 11.90	.1603	----	----	4	----	424 + 1
3930	29.20	29.20	29.20/28.20A	40.40B/28.20A	----	29.30 - 12.10	.1641	----	----	11	----	92 + 1
3935	32.60	32.60	32.60/28.90A	41.50B/28.90A	----	30.00 - 12.50	.1677	----	----	5	----	210 + 3
3940	30.20	30.20	30.30/29.70A	42.60B/29.70A	----	30.90 - 12.70	.1718	----	----	2	----	280 + 1
3945	34.40	34.40	34.40/30.50A	43.70B/30.50A	----	31.70 - 13.00	.1757	----	----	1	----	77 + 1
3950	44.20	44.20	44.20/31.30A	44.80B/31.30A	----	32.60 - 13.20	.1799	----	----	75	----	2579 - 3
3955	40.10	40.10	40.10/32.20A	46.00B/32.20A	----	33.40 - 13.60	.1838	----	----	1	----	65 + 1
3960	41.10	41.10	41.10/33.00A	47.20B/33.00A	----	34.30 - 13.90	.1879	----	----	6	----	434 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
3965	42.10	42.10	42.10/33.90A	48.40B/33.90A	----	35.30 - 14.20	.1924	----	----	2	----	68 UNCH
3970	----	----	----/34.80A	49.70B/34.80A	----	36.20 - 14.50	.1966	----	----	----	----	314 UNCH
3975	38.70	38.70	39.00/35.80A	50.90B/35.80A	----	37.20 - 14.80	.2011	----	----	65	----	872 + 48
3980	40.40	40.40	40.60/36.70A	52.30B/36.70A	----	38.20 - 15.20	.2056	----	----	64	----	263 + 51
3985	----	----	----/37.70A	53.60B/37.70A	----	39.20 - 15.50	.2101	----	----	1	----	38 UNCH
3990	43.20	43.20	43.20/38.70A	54.90B/38.70A	----	40.30 - 15.80	.2149	----	----	19	----	394 + 6
3995	----	----	----/39.70A	56.30B/39.70A	----	41.40 - 16.10	.2196	----	----	1	----	39 UNCH
4000	57.20	57.20	57.20/40.80A	57.70B/40.80A	----	42.50 - 16.50	.2244	----	----	1395	----	4325 - 244
4005	43.00	43.00	43.00/41.90A	59.30B/41.90A	----	43.60 - 16.80	.2292	----	----	1	----	185 UNCH
4010	----	----	----/43.00A	60.80B/43.00A	----	44.80 - 17.10	.2342	----	----	----	----	45 UNCH
4015	49.00	49.00	49.00/44.10A	62.30B/44.10A	----	45.90 - 17.60	.2391	----	----	2	----	81 UNCH
4020	50.00	50.00	50.00/45.30A	63.90B/45.30A	----	47.20 - 17.80	.2443	----	----	19	----	64 + 8
4025	----	----	----/46.50A	65.50B/46.50A	----	48.40 - 18.30	.2494	----	----	23	----	883 + 7
4030	52.60	52.60	52.60/47.70A	67.10B/47.70A	----	49.70 - 18.60	.2547	----	----	16	----	44 + 8
4035	52.00	52.00	52.00/48.90A	68.70B/48.90A	----	51.00 - 19.00	.2600	----	----	4	----	92 UNCH
4040	55.50	55.50	55.50/50.20A	70.40B/50.20A	----	52.30 - 19.40	.2653	----	----	14	----	103 - 3
4045	56.90	56.90	56.90/51.50A	72.20B/51.50A	----	53.70 - 19.70	.2708	----	----	16	----	80 UNCH
4050	66.50	66.50	66.50/52.90A	73.80B/52.90A	----	55.10 - 20.10	.2763	----	----	13	----	2468 + 10
4055	60.30	60.30	60.30/54.20A	75.60B/54.20A	----	56.50 - 20.50	.2818	----	----	12	----	31 + 9
4060	----	----	----/55.60A	77.40B/55.60A	----	58.00 - 20.80	.2875	----	----	1	----	132 UNCH
4065	----	----	----/57.10A	79.40B/57.10A	----	59.50 - 21.20	.2932	----	----	----	----	88 UNCH
4070	----	----	----/58.50A	81.30B/58.50A	----	61.00 - 21.60	.2989	----	----	----	----	37 UNCH
4075	----	----	----/60.00A	83.10B/60.00A	----	62.50 - 22.00	.3046	----	----	2	----	307 UNCH
4080	----	----	----/61.50A	85.10B/61.50A	----	64.10 - 22.40	.3105	----	----	----	----	517 UNCH
4085	----	----	----/63.10A	87.10B/63.10A	----	65.70 - 22.80	.3164	----	----	----	----	61 UNCH
4090	75.20	75.20	75.20/64.70A	89.10B/64.70A	----	67.40 - 23.20	.3224	----	----	5	----	282 - 4
4095	73.10	73.10	73.10/66.30A	91.20B/66.30A	----	69.10 - 23.60	.3285	----	----	2	----	78 - 1
4100	79.60	79.60	80.90/68.00A	93.50B/68.00A	----	70.80 - 24.00	.3345	----	----	534	----	2064 - 124
4105	----	----	----/69.70A	95.50B/69.70A	----	72.60 - 24.30	.3407	----	----	4	----	98 - 1
4110	76.70	76.70	78.40/71.40A	97.70B/71.40A	----	74.40 - 24.70	.3469	----	----	2	----	69 - 2
4115	----	----	----/73.20A	99.90B/73.20A	----	76.20 - 25.10	.3531	----	----	2	----	76 UNCH
4120	----	----	----/75.00A	102.10B/75.00A	----	78.00 - 25.60	.3593	----	----	1	----	602 + 1
4125	----	----	----/76.80A	104.40B/76.80A	----	79.90 - 26.00	.3656	----	----	3	----	300 UNCH
4130	83.90	83.90	83.90/78.70A	106.80B/78.70A	----	81.90 - 26.30	.3720	----	----	2	----	736 UNCH
4135	----	----	----/80.60A	109.10B/80.60A	----	83.80 - 26.80	.3783	----	----	1	----	36 UNCH
4140	85.70	85.70	85.70/82.50A	111.60B/82.50A	----	85.80 - 27.20	.3848	----	----	43	----	121 + 38
4145	----	----	----/84.50A	114.00B/84.50A	----	87.90 - 27.50	.3912	----	----	----	----	96 UNCH
4150	109.60	109.60	109.60/86.50A	116.40B/86.50A	----	90.00 - 27.90	.3977	----	----	24	----	1125 + 6
4155	111.90	111.90	111.90/88.50A	119.00B/88.50A	----	92.10 - 28.30	.4042	----	----	3	----	38 + 1
4160	114.30	114.30	114.30/90.60A	121.50B/90.60A	----	94.20 - 28.80	.4107	----	----	4	----	324 + 1
4165	116.80	116.80	116.80/92.70A	124.10B/92.70A	----	96.40 - 29.20	.4173	----	----	2	----	91 UNCH
4170	119.30	119.30	119.30/94.80A	126.70B/94.80A	----	98.60 - 29.60	.4239	----	----	18	----	266 + 11
4175	121.40	121.40	121.40/97.00A	129.60B/97.00A	----	100.90 - 29.90	.4305	----	----	8	----	438 - 2
4180	124.00	124.00	124.00/99.30A	132.10B/99.30A	----	103.20 - 30.30	.4371	----	----	6	----	68 + 1
4185	127.00	127.00	127.00/101.50A	134.80B/101.50A	----	105.50 - 30.70	.4437	----	----	64	----	92 + 17
4190	129.70	129.70	129.70/103.80A	137.70B/103.80A	----	107.90 - 31.10	.4503	----	----	6	----	436 + 4
4195	132.40	132.40	132.40/106.10A	140.50B/106.10A	----	110.30 - 31.50	.4569	----	----	6	----	44 + 2
4200	134.60	134.60	134.60/108.40A	143.30B/108.40A	----	112.70 - 31.90	.4636	----	----	40	----	2445 + 20
4205	133.40	133.40	133.40/110.90A	146.20B/110.90A	----	115.20 - 32.30	.4702	----	----	5	----	53 + 2
4210	130.10	130.10	130.10/113.30A	149.00B/113.30A	----	117.70 - 32.70	.4769	----	----	45	----	113 + 5
4215	132.80	132.80	133.50/115.80A	151.90B/115.80A	----	120.30 - 33.00	.4835	----	----	69	----	227 + 45
4220	135.00	135.00	135.00/118.30A	155.10B/118.30A	----	122.90 - 33.40	.4901	----	----	15	----	59 - 1
4225	139.00	139.00	139.00/120.80A	157.90B/120.80A	----	125.50 - 33.80	.4968	----	----	11	----	259 + 3
4230	126.70	126.70	131.70/123.40A	161.00B/123.40A	----	128.10 - 34.30	.5034	----	----	57	----	447 + 7
4235	129.30	129.30	133.20/126.00A	164.00B/126.00A	----	130.80 - 34.70	.5100	----	----	4	----	127 + 3
4240	----	----	----/128.70A	167.00B/128.70A	----	133.60 - 35.00	.5165	----	----	----	----	67 UNCH
4245	134.60	134.60	134.60/131.40A	170.40B/131.40A	----	136.30 - 35.40	.5231	----	----	1	----	38 - 1
4250	137.40	137.40	147.40/134.20A	173.10B/134.20A	----	139.10 - 35.80	.5297	----	----	11	----	2652 - 5
4255	----	----	----/136.90A	176.30B/136.90A	----	142.00 - 36.10	.5362	----	----	----	----	33 UNCH
4260	----	----	----/139.70A	179.60B/139.70A	----	144.90 - 36.40	.5427	----	----	----	----	79 UNCH
4265	149.50	149.50	153.30/142.60A	182.80B/142.60A	----	147.80 - 36.80	.5491	----	----	6	----	108 - 2
4270	----	----	----/145.40A	186.10B/145.40A	----	150.70 - 37.20	.5556	----	----	----	----	22 UNCH
4275	167.00	167.00	167.00/148.30A	189.50B/148.30A	----	153.70 - 37.60	.5620	----	----	4	----	152 UNCH
4280	----	----	----/151.30A	192.80B/151.30A	----	156.70 - 37.90	.5683	----	----	----	----	176 UNCH
4285	161.50	161.50	162.10/154.20A	196.20B/154.20A	----	159.70 - 38.30	.5747	----	----	2	----	35 - 1
4290	----	----	----/157.20A	199.70B/157.20A	----	162.80 - 38.70	.5810	----	----	----	----	249 UNCH
4295	167.00	167.00	167.00/160.20A	203.10B/160.20A	----	165.90 - 39.00	.5873	----	----	11	----	90 + 2
4300	182.40	182.40	182.40/163.20A	206.60B/163.20A	----	169.10 - 39.30	.5935	----	----	90	----	3300 - 34
4305	173.30	173.30	173.30/166.20A	210.10B/166.20A	----	172.30 - 39.60	.5997	----	----	12	----	35 + 12
4310	176.50	176.50	176.50/169.30A	213.70B/169.30A	----	175.50 - 40.00	.6059	----	----	8	----	237 UNCH
4315	----	----	----/172.50A	217.30B/172.50A	----	178.70 - 40.40	.6119	----	----	----	----	50 UNCH
4320	----	----	----/175.60A	220.90B/175.60A	----	182.00 - 40.70	.6180	----	----	----	----	255 UNCH
4325	198.80	198.80	198.80/178.80A	224.50B/178.80A	----	185.30 - 41.00	.6240	----	----	1	----	870 UNCH
4330	----	----	----/182.20A	228.20B/182.20A	----	188.60 - 41.40	.6299	----	----	1	----	47 + 1
4335	----	----	----/185.50A	231.90B/185.50A	----	192.00 - 41.70	.6358	----	----	----	----	56 UNCH
4340	----	----	----/188.80A	235.60B/188.80A	----	195.40 - 42.00	.6417	----	----	----	----	113 UNCH
4345	----	----	----/192.10A	239.30B/192.10A	----	198.80 - 42.30	.6475	----	----	----	----	25 UNCH
4350	218.50	218.50	218.70/195.40A	243.10B/195.40A	----	202.30 - 42.60	.6533	----	----	21	----	747 + 3
4355	----	----	----/198.80A	246.90B/198.80A	----	205.70 - 43.00	.6589	----	----	----	----	30 UNCH
4360	----	----	----/202.20A	250.70B/202.20A	----	209.30 - 43.20	.6646	----	----	----	----	100 UNCH
4365	----	----	----/205.60A	254.50B/205.60A	----	212.80 - 43.50	.6702	----	----	----	----	243 UNCH
4370	----	----	----/209.00A	258.40B/209.00A	----	216.40 - 43.80	.6757	----	----	----	----	57 UNCH
4375	----	----	----/212.50A	262.30B/212.50A	----	220.00 - 44.10	.6812	----	----	----	----	198 UNCH
4380	----	----	----/216.00A	266.20B/216.00A	----	223.60 - 44.40	.6866	----	----	----	----	155 UNCH
4385	----	----	----/219.60A	270.20B/219.60A	----	227.20 - 44.70	.6919	----	----	----	----	95 UNCH
4390	----	----	----/223.10A	274.10B/223.10A	----	230.90 - 45.00	.6972	----	----	3	----	209 UNCH
4395	----	----	----/226.70A	278.10B/226.70A	----	234.60 - 45.20	.7025	----	----	----	----	30 UNCH
4400	254.40	254.40	254.40/230.30A	282.10B/230.30A	----	238.40 - 45.40	.7076	----	----	28	----	1172 + 14
4405	----	----	----/234.00A	286.20B/234.00A	----	242.10 - 45.80	.7126	----	----	----	----	74 UNCH
4410	----	----	----/237.60A	290.20B/237.60A	----	245.90 - 46.00	.7176	----	----	----	----	91 UNCH
4415	----	----	----/241.30A	294.30B/241.30A	----	249.70 - 46.30	.7227	----	----	----	----	11 UNCH
4420	----	----	----/245.10A	298.40B/245.10A	----	253.50 - 46.60	.7277	----	----	----	----	45 UNCH
4425	----	----	----/248.80A	302.50B/248.80A	----	257.40 - 46.80	.7325	----	----	----	----	253 UNCH
4430	----	----	----/252.60A	306.70B/252.60A	----	261.30 - 47.00	.7373	----	----	----	----	171 UNCH
4435	----	----	----/256.40A	310.80B/256.40A	----	265.20 - 47.20	.7420	----	----	----	----	166 UNCH
4440	----	----	----/260.20A	315.00B/260.20A	----	269.10 - 47.50	.7466	----	----	----	----	74 UNCH
4445	----	----	----/264.00A	319.10B/264.00A	----	273.00 - 47.80	.7513	----	----	----	----	197 UNCH
4450	----	----	----/267.90A	323.40B/267.90A	----	277.00 - 48.00	.7558	----	----	----	----	586 UNCH
4455	----	----	----/271.80A	327.60B/271.80A	----	281.00 - 48.20	.7603	----	----	----	----	47 UNCH
4460	----	----	----/275.70A	331.80B/275.70A	----	285.00 - 48.40	.7645	----	----	----	----	73 UNCH
4465	----	----	----/279.60A	336.10B/279.60A	----	289.00 - 48.70	.7690	----	----	----	----	84 UNCH
4470	----	----	----/283.60A	340.40B/283.60A	----	293.10 - 48.90	.7732	----	----	----	----	177 UNCH
4475	307.00	307.00	307.00/287.60A	344.70B/287.60A	----	297.20 - 49.00	.7774	----	----	3	----	222 - 3
4480	----	----	----/291.60A	349.00B/291.60A	----	301.30 - 49.30	.7815	----	----	----	----	52 UNCH
4485	----	----	----/295.60A	353.30B/295.60A	----	305.40 - 49.50	.7857	----	----	----	----	41 UNCH
4490	----	----	----/299.60A	357.70B/299.60A	----	309.50 - 49.70	.7896	----	----	----	----	31 UNCH
4495	----	----	----/303.70A	362.00B/303.70A	----	313.70 - 49.90	.7938	----	----	----	----	40 UNCH
4500	----	----	----/307.70A	366.40B/307.70A	----	317.80 - 50.10	.7976	----	----	----	----	1730 UNCH
4505	327.10	327.10	327.10/311.80A	370.80B/311.80A	----	322.00 - 50.30	.8015	----	----	1	----	18 + 1
4510	----	----	----/315.90A	375.20B/315.90A	----	326.20 - 50.50	.8050	----	----	----	----	20 UNCH
4515	----	----	----/320.10A	379.70B/320.10A	----	330.50 - 50.60	.8088	----	----	----	----	270 UNCH
4520	----	----	----/324.30A	384.20B/324.30A	----	334.70 - 50.90	.8124	----	----	----	----	48 UNCH
4525	----	----	----/328.50A	388.50B/328.50A	----	339.00 - 51.00	.8159	----	----	----	----	384 UNCH
4530	----	----	----/332.60A	393.10B/332.60A	----	343.30 - 51.20	.8197	----	----	----	----	334 UNCH
4535	----	----	----/336.90A	397.60B/336.90A	----	347.60 - 51.30	.8229	----	----	----	----	109 UNCH
4540	----	----	----/341.00A	401.90B/341.00A	----	351.90 - 51.50	.8263	----	----	----	----	20 UNCH
4545	----	----	----/345.30A	406.40B/345.30A	----	356.20 - 51.70	.8298	----	----	----	----	61 UNCH
4550	----	----	----/349.50A	411.10B/349.50A	----	360.50 - 51.90	.8330	----	----	----	----	320 UNCH
4555	----	----	----/353.90A	415.60B/353.90A	----	364.90 - 52.00	.8361	----	----	----	----	62 UNCH
4560	----	----	----/358.10A	420.00B/358.10A	----	369.30 - 52.20	.8395	----	----	----	----	11 UNCH
4565	----	----	----/362.40A	424.70B/362.40A	----	373.70 - 52.30	.8423	----	----	----	----	5 UNCH
4570	----	----	----/366.80A	429.10B/366.80A	----	378.10 - 52.50	.8454	----	----	----	----	31 UNCH
4575	----	----	----/371.10A	433.80B/371.10A	----	382.50 - 52.60	.8485	----	----	2	----	221 UNCH
4580	----	----	----/375.50A	438.30B/375.50A	----	386.90 - 52.80	.8516	----	----	----	----	179 UNCH
4585	----	----	----/379.80A	443.00B/379.80A	----	391.30 - 53.00	.8543	----	----	----	----	352 UNCH
4590	----	----	----/384.20A	447.60B/384.20A	----	395.80 - 53.10	.8570	----	----	----	----	13 UNCH
4595	----	----	----/388.60A	452.20B/388.60A	----	400.30 - 53.20	.8601	----	----	----	----	32 UNCH
4600	----	----	----/393.00A	456.60B/393.00A	----	404.70 - 53.40	.8628	----	----	5	----	973 UNCH
4605	----	----	----/397.40A	461.30B/397.40A	----	409.20 - 53.50	.8655	----	----	----	----	24 UNCH
4610	----	----	----/401.80A	466.10B/401.80A	----	413.70 - 53.70	.8678	----	----	----	----	22 UNCH
4615	----	----	----/406.30A	470.50B/406.30A	----	418.30 - 53.70	.8705	----	----	----	----	5 UNCH
4620	----	----	----/410.80A	475.20B/410.80A	----	422.80 - 53.90	.8732	----	----	----	----	62 UNCH
4625	----	----	----/415.20A	479.90B/415.20A	----	427.30 - 54.00	.8755	----	----	----	----	59 UNCH
4630	----	----	----/419.70A	484.70B/419.70A	----	431.90 - 54.10	.8781	----	----	----	----	4 UNCH
4635	----	----	----/424.20A	489.40B/424.20A	----	436.40 - 54.30	.8804	----	----	----	----	28 UNCH
4640	----	----	----/428.70A	494.00B/428.70A	----	441.00 - 54.30	.8827	----	----	----	----	120 UNCH
4650	----	----	----/437.70A	503.40B/437.70A	----	450.20 - 54.50	.8872	----	----	----	----	235 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT												
DEC26												
4655	----	----	----/442.30A	508.10B/442.30A	----	454.80 - 54.60	.8894	----	----	----	----	12 UNCH
4660	----	----	----/446.80A	512.70B/446.80A	----	459.40 - 54.70	.8916	----	----	----	----	122 UNCH
4665	----	----	----/451.40A	517.60B/451.40A	----	464.00 - 54.80	.8935	----	----	----	----	55 UNCH
4670	----	----	----/456.00A	522.10B/456.00A	----	468.60 - 55.00	.8957	----	----	----	----	20 UNCH
4675	----	----	----/460.50A	527.00B/460.50A	----	473.30 - 55.00	.8975	----	----	----	----	16 UNCH
4680	----	----	----/465.10A	531.80B/465.10A	----	477.90 - 55.10	.8997	----	----	----	----	64 UNCH
4685	----	----	----/469.70A	536.50B/469.70A	----	482.60 - 55.20	.9015	----	----	----	----	19 UNCH
4690	----	----	----/474.30A	541.30B/474.30A	----	487.20 - 55.30	.9033	----	----	----	----	146 UNCH
4695	485.00	485.00	485.00/479.00A	546.00B/479.00A	----	491.90 - 55.40	.9055	----	----	1	----	33 UNCH
4700	507.90	507.90	508.00/483.60A	550.60B/483.60A	----	496.60 - 55.50	.9073	----	----	12	----	682 - 6
4705	----	----	----/488.20A	555.60B/488.20A	----	501.30 - 55.50	.9091	----	----	----	----	17 UNCH
4710	----	----	----/492.90A	560.30B/492.90A	----	506.00 - 55.60	.9108	----	----	----	----	21 UNCH
4715	----	----	----/497.50A	565.10B/497.50A	----	510.70 - 55.70	.9122	----	----	----	----	12 UNCH
4720	----	----	----/502.20A	569.80B/502.20A	----	515.40 - 55.80	.9139	----	----	----	----	15 UNCH
4725	----	----	----/506.90A	574.60B/506.90A	----	520.10 - 55.90	.9157	----	----	----	----	142 UNCH
4730	----	----	----/511.50A	576.40B/511.50A	----	524.80 - 56.00	.9170	----	----	----	----	8 UNCH
4735	----	----	----/516.20A	581.20B/516.20A	----	529.60 - 56.00	.9187	----	----	----	----	7 UNCH
4740	----	----	----/520.90A	586.00B/520.90A	----	534.30 - 56.10	.9200	----	----	----	----	7 UNCH
4745	----	----	----/525.60A	590.80B/525.60A	----	539.10 - 56.10	.9217	----	----	----	----	5 UNCH
4750	----	----	----/530.30A	595.60B/530.30A	----	543.80 - 56.20	.9230	----	----	----	----	74 UNCH
4755	----	----	----/535.10A	600.40B/535.10A	----	548.60 - 56.20	.9243	----	----	----	----	18 UNCH
4760	----	----	----/539.80A	605.20B/539.80A	----	553.30 - 56.40	.9260	----	----	----	----	25 UNCH
4765	----	----	----/544.50A	610.00B/544.50A	----	558.10 - 56.40	.9273	----	----	----	----	2 UNCH
4770	----	----	----/549.20A	614.80B/549.20A	----	562.90 - 56.40	.9286	----	----	----	----	1 UNCH
4775	----	----	----/554.00A	619.70B/554.00A	----	567.70 - 56.50	.9298	----	----	----	----	6 UNCH
4780	----	----	----/558.70A	624.50B/558.70A	----	572.50 - 56.50	.9311	----	----	----	----	2 UNCH
4790	----	----	----/568.30A	634.20B/568.30A	----	582.10 - 56.60	.9335	----	----	----	----	73 UNCH
4795	----	----	----/573.10A	639.00B/573.10A	----	586.90 - 56.70	.9348	----	----	----	----	1 UNCH
4800	----	----	----/577.80A	643.80B/577.80A	----	591.70 - 56.70	.9360	----	----	----	----	362 UNCH
4805	----	----	----/582.60A	648.70B/582.60A	----	596.50 - 56.80	.9372	----	----	----	----	2 UNCH
4810	----	----	----/587.40A	653.50B/587.40A	----	601.30 - 56.90	.9380	----	----	----	----	61 UNCH
4815	----	----	----/592.10A	658.40B/592.10A	----	606.10 - 56.90	.9392	----	----	----	----	9 UNCH
4820	----	----	----/596.90A	663.30B/596.90A	----	610.90 - 57.00	.9404	----	----	----	----	24 UNCH
4825	----	----	----/601.70A	668.10B/601.70A	----	615.80 - 57.00	.9412	----	----	----	----	114 UNCH
4830	----	----	----/606.50A	673.00B/606.50A	----	620.60 - 57.10	.9424	----	----	----	----	15 UNCH
4835	----	----	----/611.40A	677.90B/611.40A	----	625.40 - 57.20	.9436	----	----	----	----	126 UNCH
4850	----	----	----/628.30A	692.50B/628.30A	----	640.00 - 57.20	.9463	----	----	----	----	15 UNCH
4855	----	----	----/633.60A	697.40B/633.60A	----	644.80 - 57.30	.9470	----	----	----	----	3 UNCH
4860	----	----	----/638.40A	702.20B/638.40A	----	649.70 - 57.30	.9482	----	----	----	----	6 UNCH
4865	----	----	----/643.30A	707.10B/643.30A	----	654.50 - 57.40	.9489	----	----	----	----	2 UNCH
4870	----	----	----/648.10A	712.00B/648.10A	----	659.40 - 57.40	.9496	----	----	----	----	2 UNCH
4875	----	----	----/653.00A	716.90B/653.00A	----	664.30 - 57.40	.9508	----	----	----	----	16 UNCH
4880	----	----	----/657.90A	721.80B/657.90A	----	669.10 - 57.50	.9515	----	----	----	----	11 UNCH
4885	----	----	----/662.30A	726.70B/662.30A	----	674.00 - 57.50	.9522	----	----	----	----	1 UNCH
4895	----	----	----/672.50A	736.50B/672.50A	----	683.80 - 57.50	.9540	----	----	----	----	2 UNCH
4900	----	----	----/677.30A	741.40B/677.30A	----	688.60 - 57.70	.9547	----	----	----	----	107 UNCH
4905	----	----	----/682.20A	746.30B/682.20A	----	693.50 - 57.70	.9554	----	----	----	----	1 UNCH
4920	----	----	----/696.70A	761.00B/696.70A	----	708.20 - 57.70	.9574	----	----	----	----	4 UNCH
4925	----	----	----/701.80A	765.90B/701.80A	----	713.10 - 57.70	.9581	----	----	----	----	240 UNCH
4930	----	----	----/706.20A	770.90B/706.20A	----	718.00 - 57.80	.9588	----	----	----	----	2 UNCH
4935	----	----	----/711.60A	775.80B/711.60A	----	722.90 - 57.80	.9594	----	----	----	----	5 UNCH
4940	----	----	----/716.50A	780.70B/716.50A	----	727.80 - 57.80	.9601	----	----	----	----	30 UNCH
4945	----	----	----/721.40A	785.60B/721.40A	----	732.70 - 57.80	.9603	----	----	----	----	1 UNCH
4950	----	----	----/725.80A	790.50B/725.80A	----	737.60 - 57.90	.9609	----	----	----	----	25 UNCH
4955	----	----	----/731.20A	795.50B/731.20A	----	742.50 - 57.90	.9616	----	----	----	----	1 UNCH
4965	----	----	----/741.00A	805.30B/741.00A	----	752.40 - 57.90	.9629	----	----	----	----	1 UNCH
4970	----	----	----/745.90A	810.30B/745.90A	----	757.30 - 57.90	.9635	----	----	----	----	1 UNCH
4975	----	----	----/750.80A	815.20B/750.80A	----	762.20 - 57.90	.9637	----	----	----	----	42 UNCH
4980	----	----	----/755.30A	820.20B/755.30A	----	767.10 - 58.00	.9643	----	----	----	----	6 UNCH
4985	----	----	----/760.60A	825.10B/760.60A	----	772.00 - 58.00	.9650	----	----	----	----	2 UNCH
4990	----	----	----/765.60A	830.00B/765.60A	----	777.00 - 58.00	.9651	----	----	----	----	2 UNCH
4995	----	----	----/770.50A	835.00B/770.50A	----	781.90 - 58.00	.9657	----	----	----	----	37 UNCH
5000	----	----	----/775.40A	839.90B/775.40A	----	786.80 - 58.10	.9664	----	----	----	----	555 UNCH
5010	----	----	----/785.30A	849.80B/785.30A	----	796.70 - 58.10	.9671	----	----	----	----	3 UNCH
5015	----	----	----/790.20A	854.80B/790.20A	----	801.60 - 58.10	.9678	----	----	----	----	4 UNCH
5020	----	----	----/794.70A	859.70B/794.70A	----	806.60 - 58.10	.9679	----	----	----	----	10 UNCH
5025	----	----	----/799.60A	864.70B/799.60A	----	811.50 - 58.10	.9685	----	----	----	----	217 UNCH
5030	----	----	----/805.00A	869.70B/805.00A	----	816.40 - 58.20	.9691	----	----	----	----	3 UNCH
5035	----	----	----/809.90A	874.60B/809.90A	----	821.40 - 58.10	.9693	----	----	----	----	13 UNCH
5040	----	----	----/814.90A	879.60B/814.90A	----	826.30 - 58.20	.9699	----	----	----	----	2 UNCH
5045	----	----	----/819.80A	884.50B/819.80A	----	831.20 - 58.20	.9700	----	----	----	----	3 UNCH
5050	----	----	----/824.80A	889.50B/824.80A	----	836.20 - 58.20	.9706	----	----	----	----	201 UNCH
5070	----	----	----/844.50A	909.40B/844.50A	----	856.00 - 58.20	.9720	----	----	----	----	2 UNCH
5075	----	----	----/849.50A	914.40B/849.50A	----	860.90 - 58.30	.9727	----	----	----	----	100 UNCH
5095	----	----	----/868.80A	934.30B/868.80A	----	880.70 - 58.30	.9736	----	----	----	----	6 UNCH
5100	----	----	----/874.20A	939.20B/874.20A	----	885.70 - 58.30	.9742	----	----	2	----	32 + 2
5150	----	----	----/923.30A	989.10B/923.30A	----	935.30 - 58.40	.9771	----	----	----	----	1 UNCH
5195	----	----	----/968.40A	1034.10B/968.40A	----	979.90 - 58.60	.9793	----	----	----	----	5 UNCH
5200	990.80	990.80	991.20/973.40A	1039.10B/973.40A	----	984.90 - 58.60	.9794	----	----	17	----	191 + 17
5240	----	----	----/1,013.10A	1079.20B/1013.10A	----	1024.70 - 58.70	.9814	----	----	----	----	0 UNCH
5250	----	----	----/1,023.00A	1089.20B/1023.00A	----	1034.60 - 58.70	.9815	----	----	----	----	127 UNCH
5265	----	----	----/1,037.90A	1104.30B/1037.90A	----	1049.60 - 58.70	.9822	----	----	----	----	9 UNCH
5290	----	----	----/1,062.70A	1129.30B/1062.70A	----	1074.40 - 58.80	.9830	----	----	----	----	1 UNCH
5295	----	----	----/1,067.70A	1134.30B/1067.70A	----	1079.40 - 58.80	.9836	----	----	----	----	0 UNCH
5300	1090.00	1090.00	1,090.00/1,072.	1139.40B/1072.70A	----	1084.40 - 58.80	.9836	----	----	2	----	3 + 2
5350	1142.10	1142.10	1,144.20/1,122.	1189.50B/1122.30A	----	1134.20 - 58.90	.9852	----	----	7	----	7 + 7
5355	----	----	----/1,127.30A	1194.50B/1127.30A	----	1139.20 - 58.90	.9852	----	----	----	----	6 UNCH
5360	----	----	----/1,132.30A	1199.60B/1132.30A	----	1144.20 - 58.90	.9853	----	----	----	----	60 UNCH
5370	----	----	----/1,142.20A	1209.60B/1142.20A	----	1154.20 - 58.90	.9853	----	----	----	----	20 UNCH
5375	----	----	----/1,146.70A	1214.60B/1146.70A	----	1159.20 - 58.90	.9859	----	----	----	----	34 UNCH
5400	----	----	----/1,172.00A	1239.70B/1172.00A	----	1184.10 - 59.00	.9861	----	----	----	----	78 UNCH
5415	----	----	----/1,186.90A	1254.70B/1186.90A	----	1199.00 - 59.10	.9867	----	----	----	----	4 UNCH
5450	----	----	----/1,221.70A	1289.80B/1221.70A	----	1234.00 - 59.00	.9875	----	----	----	----	0 UNCH
5465	----	----	----/1,236.60A	1304.80B/1236.60A	----	1248.90 - 59.10	.9877	----	----	----	----	50 UNCH
5480	----	----	----/1,251.20A	1319.70B/1251.20A	----	1263.90 - 59.10	.9883	----	----	----	----	25 UNCH
5500	----	----	----/1,271.70A	1339.40B/1271.70A	----	1283.90 - 59.10	.9884	----	----	----	----	1 UNCH
5525	----	----	----/1,296.70A	1364.50B/1296.70A	----	1308.80 - 59.20	.9891	----	----	----	----	1 UNCH
5600	----	----	----/1,371.90A	1439.30B/1371.90A	----	1383.80 - 59.20	.9906	----	----	----	----	5 UNCH
5700	----	----	----/1,472.10A	1539.00B/1472.10A	----	1483.70 - 59.30	.9921	25	----	25	----	0 UNCH
7000	----	----	----/2,774.70A	2835.10B/2774.70A	----	2783.70 - 59.30	1.0000	----	----	----	----	0 UNCH
10000	----	----	----	----	----	5783.70 - 59.30	1.0000	46	----	114	----	68 + 68
TOTAL										4746		96738+ 462
JAN27												
2625	----	----	----/0.80A	0.80B/0.80A	----	0.80 - 0.10	.0030	----	----	----	----	34 UNCH
2650	----	----	----/0.90A	0.80B/0.90A	----	0.80 - 0.20	.0031	----	----	----	----	14 UNCH
2675	----	----	----/0.90A	0.90B/0.90A	----	0.90 - 0.10	.0034	----	----	----	----	11 UNCH
2700	1.00	1.00	1.00/1.00	1.00/1.00	----	1.00 UNCH	.0038	----	----	2	----	35 UNCH
2725	----	----	----/1.00A	1.00B/1.00A	----	1.00 - 0.10	.0039	----	----	----	----	1 UNCH
2750	----	----	----/1.10A	1.10B/1.10A	----	1.10 - 0.10	.0043	----	----	----	----	3 UNCH
2800	----	----	----/1.20A	1.20B/1.20A	----	1.20 - 0.20	.0048	----	----	----	----	38 UNCH
2850	----	----	----/1.40A	1.40B/1.40A	----	1.40 - 0.20	.0056	----	----	----	----	10 UNCH
2870	----	----	----/1.50A	1.50B/1.50A	----	1.40 - 0.30	.0057	----	----	----	----	1 UNCH
2890	----	----	----/1.50A	1.50B/1.50A	----	1.50 - 0.30	.0061	----	----	----	----	2 UNCH
2900	----	----	----/1.60A	1.60B/1.60A	----	1.50 - 0.40	.0062	----	----	----	----	1 UNCH
2910	----	----	----/1.60A	1.60B/1.60A	----	1.60 - 0.30	.0066	----	----	----	----	2 UNCH
2915	----	----	----/1.60A	1.70B/1.60A	----	1.60 - 0.30	.0066	----	----	----	----	1 UNCH
2940	----	----	----/1.70A	1.80B/1.70A	----	1.70 - 0.40	.0071	----	----	----	----	10 UNCH
2950	----	----	----/1.80A	1.80B/1.80A	----	1.70 - 0.40	.0071	----	----	----	----	2 UNCH
2960	----	----	----/1.80A	1.90B/1.80A	----	1.80 - 0.40	.0075	----	----	----	----	2 UNCH
2980	----	----	----/1.90A	2.00B/1.90A	----	1.90 - 0.40	.0080	----	----	----	----	1 UNCH
3000	----	----	----/2.00A	2.10B/2.00A	----	2.00 - 0.40	.0084	----	----	----	----	65 UNCH
3005	----	----	----/2.00A	2.10B/2.00A	----	2.00 - 0.40	.0085	----	----	----	----	24 UNCH
3010	----	----	----/2.10A	2.20B/2.10A	----	2.00 - 0.50	.0085	----	----	----	----	16 UNCH
3045	----	----	----/2.30A	2.40B/2.30A	----	2.20 - 0.50	.0095	----	----	----	----	14 UNCH
3060	----	----	----/2.40A	2.60B/2.40A	----	2.30 - 0.50	.0099	----	----	----	----	11 UNCH
3065	----	----	----/2.40A	2.60B/2.40A	----	2.40 - 0.40	.0103	----	----	----	----	11 UNCH
3070	----	----	----/2.40A	2.60B/2.40A	----	2.40 - 0.50	.0103	----	----	----	----	4 UNCH
3080	----	----	----/2.50A	2.70B/2.50A	----	2.50 - 0.50	.0108	----	----	----	----	20 UNCH
3085	----	----	----/2.50A	2.70B/2.50A	----	2.50 - 0.50	.0108	----	----	----	----	10 UNCH
3090	----	----	----/2.60A	2.80B/2.60A	----	2.50 - 0.50	.0109	----	----	----	----	21 UNCH
3095	----	----	----/2.60A	2.80B/2.60A	----	2.60 - 0.50	.0112	----	----	----	----	224 UNCH
3100	3.00	3.00	3.00/2.60A	3.00/2.60A	----	2.60 - 0.50	.0113	----	----	1	----	48 + 1
3105	----	----	----/2.70A	2.90B/2.70A	----	2.60 - 0.60	.0113	----	----	----	----	24 UNCH
3110	----	----	----/2.70A	3.00B/2.70A	----	2.70 - 0.50	.0117	----	----	----	----	5 UNCH
3125	----	----	----/2.80A	3.10B/2.80A	----	2.80 - 0.50	.0122	----	----	----	----	16 UNCH
3150	----	----	----/3.00A	3.30B/3.00A	----	3.00 - 0.60	.0132	----	----	----	----	36 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JAN27												
3160	----	----	----/3.10A	3.40B/3.10A	----	3.00 - 0.70	.0133	----	----	----	----	1 UNCH
3175	----	----	----/3.20A	3.60B/3.20A	----	3.20 - 0.60	.0141	----	----	----	----	7 UNCH
3200	----	----	----/3.40A	3.90B/3.40A	----	3.40 - 0.70	.0152	----	----	----	----	24 UNCH
3215	----	----	----/3.60A	4.00B/3.60A	----	3.50 - 0.80	.0157	----	----	----	----	6 UNCH
3225	----	----	----/3.70A	4.10B/3.70A	----	3.60 - 0.90	.0162	----	----	----	----	14 UNCH
3240	----	----	----/3.80A	4.30B/3.80A	----	3.80 - 0.90	.0171	----	----	----	----	15 UNCH
3250	----	----	----/3.90A	4.50B/3.90A	----	3.90 - 0.90	.0176	----	----	----	----	46 UNCH
3270	----	----	----/4.20A	4.80B/4.20A	----	4.10 - 1.00	.0186	----	----	----	----	22 UNCH
3280	----	----	----/4.30A	4.90B/4.30A	----	4.30 - 1.00	.0195	----	----	----	----	1 UNCH
3285	----	----	----/4.30A	5.00B/4.30A	----	4.30 - 1.10	.0196	----	----	----	----	2 UNCH
3295	----	----	----/4.50A	5.10B/4.50A	----	4.50 - 1.00	.0204	----	----	----	----	6 UNCH
3300	----	----	----/4.50A	5.20B/4.50A	----	4.50 - 1.10	.0205	----	----	----	----	62 UNCH
3305	----	----	----/4.60A	5.30B/4.60A	----	4.60 - 1.10	.0210	----	----	----	----	15 UNCH
3310	----	----	----/4.70A	5.40B/4.70A	----	4.70 - 1.10	.0214	----	----	----	----	6 UNCH
3320	----	----	----/4.80A	5.60B/4.80A	----	4.80 - 1.20	.0220	----	----	----	----	10 UNCH
3325	----	----	----/4.90A	5.70B/4.90A	----	4.90 - 1.20	.0224	----	----	----	----	302 UNCH
3330	----	----	----/5.00A	5.70B/5.00A	----	5.00 - 1.20	.0229	----	----	----	----	2 UNCH
3335	----	----	----/5.00A	5.80B/5.00A	----	5.00 - 1.30	.0230	----	----	----	----	7 UNCH
3340	----	----	----/5.10A	5.90B/5.10A	----	5.10 - 1.30	.0234	----	----	----	----	4 UNCH
3345	----	----	----/5.20A	6.00B/5.20A	----	5.20 - 1.30	.0239	----	----	----	----	9 UNCH
3350	----	----	----/5.30A	6.10B/5.30A	----	5.30 - 1.30	.0243	----	----	----	----	7 UNCH
3355	----	----	----/5.30A	6.20B/5.30A	----	5.30 - 1.40	.0245	----	----	----	----	1 UNCH
3365	5.50	5.50	5.50/5.50	6.40B/5.50	----	5.50 NEW	.0254	----	----	1	----	1 + 1
3370	----	----	----/5.60A	6.60B/5.60A	----	5.60 - 1.50	.0259	----	----	----	----	3 UNCH
3375	----	----	----/5.70A	6.70B/5.70A	----	5.70 - 1.50	.0263	----	----	----	----	8 UNCH
3380	----	----	----/5.80A	6.80B/5.80A	----	5.80 - 1.50	.0268	----	----	----	----	67 UNCH
3385	----	----	----/5.90A	6.90B/5.90A	----	5.90 - 1.50	.0273	----	----	----	----	10 UNCH
3395	----	----	----/6.10A	7.20B/6.10A	----	6.10 - 1.60	.0282	----	----	----	----	2 UNCH
3400	----	----	----/6.10A	7.30B/6.10A	----	6.20 - 1.60	.0287	----	----	----	----	351 UNCH
3410	----	----	----/6.40A	7.50B/6.40A	----	6.40 - 1.70	.0297	----	----	----	----	4 UNCH
3415	----	----	----/6.40A	7.70B/6.40A	----	6.50 - 1.70	.0302	----	----	----	----	5 UNCH
3420	----	----	----/6.60A	7.80B/6.60A	----	6.60 - 1.80	.0306	----	----	----	----	6 UNCH
3425	----	----	----/6.70A	7.90B/6.70A	----	6.70 - 1.80	.0311	----	----	----	----	3 UNCH
3430	----	----	----/6.80A	8.10B/6.80A	----	6.80 - 1.90	.0316	----	----	----	----	5 UNCH
3435	----	----	----/6.90A	8.20B/6.90A	----	6.90 - 1.90	.0321	----	----	----	----	4 UNCH
3440	----	----	----/7.00A	8.40B/7.00A	----	7.00 - 2.00	.0326	----	----	----	----	5 UNCH
3445	----	----	----/7.10A	8.50B/7.10A	----	7.20 - 1.90	.0335	----	----	----	----	17 UNCH
3450	----	----	----/7.30A	8.70B/7.30A	----	7.30 - 2.00	.0340	----	----	----	----	55 UNCH
3455	----	----	----/7.40A	8.90B/7.40A	----	7.40 - 2.10	.0345	----	----	----	----	3 UNCH
3460	----	----	----/7.50A	9.00B/7.50A	----	7.50 - 2.10	.0350	----	----	----	----	1 UNCH
3470	----	----	----/7.80A	9.40B/7.80A	----	7.80 - 2.20	.0364	----	----	----	----	7 UNCH
3475	----	----	----/7.90A	9.50B/7.90A	----	7.90 - 2.20	.0369	----	----	----	----	6 UNCH
3480	----	----	----/8.00A	9.70B/8.00A	----	8.10 - 2.20	.0378	----	----	----	----	2 UNCH
3495	----	----	----/8.50A	10.30B/8.50A	----	8.50 - 2.40	.0397	----	----	----	----	54 UNCH
3500	10.00	10.00	10.00/8.60A	10.40B/8.60A	----	8.70 - 2.40	.0406	----	----	102	----	722 + 98
3510	----	----	----/8.90A	10.80B/8.90A	----	9.00 - 2.50	.0420	----	----	----	----	2 UNCH
3520	----	----	----/9.30A	11.30B/9.30A	----	9.30 - 2.60	.0434	----	----	----	----	6 UNCH
3525	----	----	----/9.40A	11.50B/9.40A	----	9.50 - 2.70	.0443	----	----	----	----	5 UNCH
3530	----	----	----/9.60A	11.70B/9.60A	----	9.70 - 2.70	.0452	----	----	----	----	21 UNCH
3535	----	----	----/9.80A	11.90B/9.80A	----	9.90 - 2.70	.0461	----	----	----	----	8 UNCH
3540	----	----	----/10.00A	12.20B/10.00A	----	10.10 - 2.80	.0470	----	----	----	----	2 UNCH
3545	----	----	----/10.10A	12.40B/10.10A	----	10.20 - 2.90	.0476	----	----	----	----	2 UNCH
3550	10.50	10.50	10.50/10.30A	12.60B/10.30A	----	10.40 - 3.00	.0485	----	----	7	----	1140 UNCH
3555	----	----	----/10.50A	12.90B/10.50A	----	10.60 - 3.00	.0494	----	----	----	----	7 UNCH
3560	----	----	----/10.70A	13.10B/10.70A	----	10.80 - 3.10	.0503	----	----	----	----	6 UNCH
3565	----	----	----/10.90A	13.40B/10.90A	----	11.00 - 3.10	.0512	----	----	2	----	8 + 2
3570	12.00	12.00	12.00/11.10A	13.70B/11.10A	----	11.30 - 3.10	.0524	----	----	8	----	11 + 8
3575	----	----	----/11.30A	13.90B/11.30A	----	11.50 - 3.20	.0534	----	----	----	----	29 UNCH
3580	12.30	12.30	12.30/11.50A	14.20B/11.50A	----	11.70 - 3.30	.0543	----	----	4	----	8 UNCH
3585	12.60	12.60	12.60/11.80A	14.50B/11.80A	----	11.90 - 3.40	.0552	----	----	5	----	220 + 5
3590	----	----	----/12.00A	14.80B/12.00A	----	12.20 - 3.40	.0565	----	----	----	----	1 UNCH
3595	----	----	----/12.20A	15.10B/12.20A	----	12.40 - 3.50	.0574	----	----	----	----	12 UNCH
3600	14.20	14.20	14.20/12.40A	15.40B/12.40A	----	12.60 - 3.60	.0584	----	----	24	----	331 + 6
3605	12.90	12.90	12.90/12.70A	15.90B/12.70A	----	12.90 - 3.60	.0597	----	----	1	----	18 + 1
3610	----	----	----/12.90A	16.30B/12.90A	----	13.10 - 3.70	.0606	----	----	----	----	5 UNCH
3615	----	----	----/13.20A	16.50B/13.20A	----	13.40 - 3.80	.0619	----	----	----	----	28 UNCH
3620	14.40	14.40	14.40/13.40A	16.90B/13.40A	----	13.60 - 3.90	.0629	----	----	3	----	31 + 3
3625	----	----	----/13.70A	17.10B/13.70A	----	13.90 - 3.90	.0642	----	----	----	----	25 UNCH
3630	----	----	----/13.90A	17.60B/13.90A	----	14.20 - 4.00	.0654	----	----	----	----	18 UNCH
3635	----	----	----/14.20A	17.80B/14.20A	----	14.50 - 4.10	.0667	----	----	----	----	1 UNCH
3640	14.50	14.50	14.50/14.50	18.30B/14.50	----	14.70 - 4.20	.0677	----	----	1	----	10 - 1
3645	----	----	----/14.80A	18.60B/14.80A	----	15.00 - 4.30	.0690	----	----	----	----	6 UNCH
3650	16.90	16.90	16.90/15.10A	19.00B/15.10A	----	15.30 - 4.40	.0703	----	----	15	----	123 + 15
3655	----	----	----/15.40A	19.40B/15.40A	----	15.60 - 4.50	.0717	----	----	----	----	21 UNCH
3665	----	----	----/16.00A	20.20B/16.00A	----	16.30 - 4.60	.0746	----	----	----	----	1 UNCH
3670	17.30	17.30	17.30/16.30A	20.60B/16.30A	----	16.60 - 4.70	.0759	----	----	1	----	4 + 1
3675	17.60	17.60	17.60/16.60A	21.10B/16.60A	----	16.90 - 4.90	.0773	----	----	1	----	26 + 1
3680	18.10	18.10	18.10/17.00	21.50B/17.00	----	17.30 - 4.90	.0789	----	----	4	----	3 + 2
3685	18.50	18.50	18.50/17.30A	21.90B/17.30A	----	17.60 - 5.10	.0803	----	----	2	----	28 UNCH
3690	----	----	----/17.60A	22.40B/17.60A	----	18.00 - 5.10	.0819	----	----	----	----	22 UNCH
3695	18.00	18.00	18.00/18.00	22.80B/18.00	----	18.30 - 5.30	.0833	----	----	2	----	16 + 2
3700	21.10	21.10	21.10/18.40A	23.30B/18.40A	----	18.70 - 5.40	.0849	----	----	288	250	983 + 249
3705	19.40	19.40	19.40/18.70A	23.70B/18.70A	----	19.10 - 5.50	.0866	----	----	10	----	11 + 10
3710	19.60	19.60	19.60/19.10A	24.20B/19.10A	----	19.50 - 5.60	.0882	----	----	3	----	6 UNCH
3715	----	----	----/19.50A	24.60B/19.50A	----	19.90 - 5.70	.0899	----	----	----	----	17 UNCH
3720	----	----	----/19.90A	25.30B/19.90A	----	20.30 - 5.80	.0916	----	----	----	----	9 UNCH
3725	20.40	20.40	20.60/20.30A	25.70B/20.30A	----	20.70 - 5.90	.0933	----	----	6	----	37 + 2
3730	----	----	----/20.70A	26.20B/20.70A	----	21.10 - 6.10	.0950	----	----	----	185	190 + 183
3735	----	----	----/21.10A	26.80B/21.10A	----	21.50 - 6.30	.0967	----	----	----	----	3 UNCH
3740	----	----	----/21.50A	27.40B/21.50A	----	22.00 - 6.30	.0987	----	----	----	----	20 UNCH
3745	----	----	----/22.00A	27.90B/22.00A	----	22.40 - 6.50	.1004	----	----	----	----	34 UNCH
3750	25.70	25.70	25.70/22.40A	28.50B/22.40A	----	22.90 - 6.60	.1024	----	----	12	----	103 - 1
3755	----	----	----/22.90A	29.10B/22.90A	----	23.40 - 6.70	.1044	----	----	----	----	5 UNCH
3760	----	----	----/23.40A	29.70B/23.40A	----	23.90 - 6.80	.1064	----	----	----	----	46 UNCH
3765	----	----	----/23.80A	30.40B/23.80A	----	24.40 - 7.00	.1084	----	----	----	----	24 UNCH
3770	25.70	25.70	25.70/24.30A	31.10B/24.30A	----	24.90 - 7.10	.1104	----	----	5	----	30 + 5
3775	26.40	26.40	27.70/24.80A	31.70B/24.80A	----	25.40 - 7.30	.1124	----	----	26	----	41 + 25
3780	----	----	----/25.40A	32.40B/25.40A	----	25.90 - 7.40	.1145	----	----	----	----	4 UNCH
3785	----	----	----/25.90A	33.00B/25.90A	----	26.50 - 7.50	.1167	----	----	----	----	8 UNCH
3790	29.30	29.30	29.30/26.40A	33.70B/26.40A	----	27.00 - 7.70	.1188	----	----	1	----	33 UNCH
3795	27.60	27.60	27.60/27.00A	34.40B/27.00A	----	27.60 - 7.80	.1211	----	----	2	----	13 + 2
3800	30.00	30.00	30.00/27.50A	35.20B/27.50A	----	28.10 - 8.10	.1232	----	----	5	----	850 + 2
3805	28.30	28.30	28.30/28.10A	35.90B/28.10A	----	28.70 - 8.20	.1255	----	----	4	----	28 + 4
3810	----	----	----/28.70A	36.70B/28.70A	----	29.30 - 8.40	.1278	----	----	----	----	8 UNCH
3815	31.30	31.30	31.30/29.30A	37.40B/29.30A	----	30.00 - 8.50	.1304	----	----	4	----	16 UNCH
3820	----	----	----/29.90A	38.20B/29.90A	----	30.60 - 8.60	.1327	----	----	----	----	6 UNCH
3825	----	----	----/30.50A	39.00B/30.50A	----	31.20 - 8.90	.1351	----	----	----	----	11 UNCH
3830	----	----	----/31.10A	39.70B/31.10A	----	31.90 - 9.00	.1377	----	----	----	----	17 UNCH
3835	34.80	34.80	35.00/31.80A	40.70B/31.80A	----	32.60 - 9.10	.1403	----	----	9	----	14 + 5
3840	----	----	----/32.50A	41.50B/32.50A	----	33.20 - 9.40	.1427	----	----	----	----	19 UNCH
3845	34.40	34.40	34.40/33.10A	42.30B/33.10A	----	33.90 - 9.50	.1453	----	----	4	----	4 + 4
3850	36.10	36.10	36.10/33.80A	43.30B/33.80A	----	34.60 - 9.70	.1479	----	----	6	----	769 - 1
3855	----	----	----/34.50A	44.20B/34.50A	----	35.40 - 9.90	.1508	----	----	----	----	14 UNCH
3860	----	----	----/35.30A	45.00B/35.30A	----	36.10 - 10.10	.1534	----	----	----	----	112 UNCH
3865	----	----	----/36.00A	45.90B/36.00A	----	36.90 - 10.20	.1563	----	----	----	----	4 UNCH
3870	38.70	38.70	38.70/36.70A	46.90B/36.70A	----	37.70 - 10.40	.1591	----	----	4	----	52 UNCH
3875	----	----	----/37.50A	47.90B/37.50A	----	38.40 - 10.70	.1618	----	----	2	----	9 UNCH
3880	----	----	----/38.30A	48.90B/38.30A	----	39.30 - 10.80	.1649	----	----	1	----	9 UNCH
3885	----	----	----/39.10A	49.90B/39.10A	----	40.10 - 11.00	.1678	----	----	----	----	9 UNCH
3890	----	----	----/39.90A	50.90B/39.90A	----	40.90 - 11.20	.1707	----	----	1	----	35 - 1
3895	----	----	----/40.70A	52.00B/40.70A	----	41.80 - 11.40	.1738	----	----	----	----	35 UNCH
3900	43.90	43.90	43.90/41.60A	53.10B/41.60A	----	42.70 - 11.60	.1770	----	----	11	----	596 UNCH
3905	----	----	----/42.40A	54.20B/42.40A	----	43.50 - 11.90	.1799	----	----	----	----	32 UNCH
3910	----	----	----/43.30A	55.30B/43.30A	----	44.50 - 12.00	.1832	----	----	----	----	9 UNCH
3915	47.30	47.30	47.30/44.20A	56.40B/44.20A	----	45.40 - 12.20	.1864	----	----	10	----	81 UNCH
3920	----	----	----/45.10A	57.60B/45.10A	----	46.30 - 12.50	.1895	----	----	----	----	5 UNCH
3925	----	----	----/46.10A	58.70B/46.10A	----	47.30 - 12.70	.1929	----	----	----	----	6 UNCH
3930	----	----	----/47.00A	59.90B/47.00A	----	48.30 - 12.90	.1962	----	----	----	----	6 UNCH
3935	----	----	----/48.00A	61.00B/48.00A	----	49.30 - 13.10	.1996	----	----	----	----	15 UNCH
3940	----	----	----/49.00A	62.30B/49.00A	----	50.30 - 13.30	.2030	----	----	----	----	4 UNCH
3945	----	----	----/50.00A	63.70B/50.00A	----	51.30 - 13.60	.2064	----	----	----	----	52 UNCH
3950	54.70	54.70	54.70/51.00A	64.90B/51.00A	----	52.40 - 13.80	.2099	----	----	17	----	566 + 14
3955	----	----	----/52.00A	66.20B/52.00A	----	53.50 - 14.00	.2135	----	----	----	----	18 UNCH
3960	----	----	----/53.10A	67.60B/53.10A	----	54.60 - 14.30	.2171	----	----	----	----	36 UNCH
3965	----	----	----/54.20A	68.90B/54.20A	----	55.70 - 14.50	.2207	----	----	1	----	29 + 1
3970	58.70	58.70	58.70/55.30A	70.20B/55.30A	----	56.90 - 14.70	.2244	----	----	3	----	9 + 3
3975	----	----	----/56.40A	71.70B/56.40A	----	58.00 - 15.00	.2281	----	----	----	----	62 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

PG64 BULLETIN #195@ METALS OPTION PRODUCTS Fri, Oct 09, 2026 PG64

OG PUT COMEX GOLD OPTIONS
JAN27

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3980	----	----	----/57.60A	73.00B/57.60A	----	59.20 - 15.20	.2318	----	----	----	----	23 UNCH
3985	----	----	----/58.70A	74.70B/58.70A	----	60.40 - 15.50	.2356	----	----	----	----	21 UNCH
3990	63.50	63.50	63.50/59.90A	76.10B/59.90A	----	61.60 - 15.80	.2394	----	----	10	----	23 + 1
3995	----	----	----/61.10A	77.40B/61.10A	----	62.90 - 16.00	.2433	----	----	1	----	65 + 1
4000	65.20	65.20	65.20/62.40A	79.10B/62.40A	----	64.20 - 16.20	.2473	----	----	44	----	679 + 9
4005	67.70	67.70	67.70/63.60A	80.70B/63.60A	----	65.50 - 16.50	.2512	----	----	9	----	11 + 5
4010	----	----	----/64.90A	82.30B/64.90A	----	66.80 - 16.80	.2552	----	----	----	----	19 UNCH
4015	----	----	----/66.20A	83.90B/66.20A	----	68.10 - 17.10	.2592	----	----	----	----	19 UNCH
4020	----	----	----/67.50A	85.50B/67.50A	----	69.50 - 17.30	.2633	----	----	----	----	8 UNCH
4025	73.60	73.60	73.60/68.90A	87.10B/68.90A	----	70.90 - 17.60	.2674	----	----	3	----	16 - 1
4030	----	----	----/70.20A	88.80B/70.20A	----	72.30 - 17.80	.2715	----	----	----	----	143 UNCH
4035	----	----	----/71.60A	90.50B/71.60A	----	73.70 - 18.20	.2757	----	----	----	----	11 UNCH
4040	----	----	----/73.10A	92.20B/73.10A	----	75.20 - 18.40	.2799	----	----	----	----	9 UNCH
4045	----	----	----/74.50A	94.00B/74.50A	----	76.70 - 18.70	.2842	----	----	----	----	14 UNCH
4050	----	----	----/76.00A	95.80B/76.00A	----	78.20 - 18.90	.2885	----	----	69	----	132 + 10
4055	82.60	82.60	82.60/77.40A	97.60B/77.40A	----	79.70 - 19.30	.2927	----	----	1	----	57 UNCH
4060	84.30	84.30	84.30/79.00A	99.20B/79.00A	----	81.30 - 19.50	.2971	----	----	3	----	7 UNCH
4065	----	----	----/80.50A	101.30B/80.50A	----	82.90 - 19.80	.3015	----	----	----	----	17 UNCH
4070	----	----	----/82.00A	103.10B/82.00A	----	84.50 - 20.10	.3059	----	----	----	----	45 UNCH
4075	----	----	----/83.60A	105.00B/83.60A	----	86.10 - 20.40	.3104	----	----	2	----	27 - 1
4080	----	----	----/85.20A	106.80B/85.20A	----	87.80 - 20.60	.3149	----	----	----	----	142 UNCH
4085	91.30	91.30	91.30/86.80A	108.90B/86.80A	----	89.50 - 20.90	.3194	----	----	1	----	26 UNCH
4090	----	----	----/88.50A	111.00B/88.50A	----	91.20 - 21.20	.3239	----	----	----	----	9 UNCH
4095	----	----	----/90.20A	113.00B/90.20A	----	92.90 - 21.60	.3284	----	----	----	----	10 UNCH
4100	97.90	97.90	97.90/91.90A	115.10B/91.90A	----	94.70 - 21.80	.3331	----	----	5	----	531 + 3
4105	98.60	98.60	98.60/93.60A	117.20B/93.60A	----	96.50 - 22.10	.3377	----	----	1	----	29 - 1
4110	101.70	101.70	101.70/95.30A	119.30B/95.30A	----	98.30 - 22.40	.3423	----	----	3	----	47 + 1
4115	102.20	102.20	102.20/97.10A	121.40B/97.10A	----	100.10 - 22.80	.3470	----	----	1	----	31 UNCH
4120	----	----	----/98.90A	123.60B/98.90A	----	102.00 - 23.00	.3517	----	----	2	----	9 + 1
4125	----	----	----/100.70A	125.70B/100.70A	----	103.90 - 23.30	.3564	----	----	----	----	375 UNCH
4130	----	----	----/102.50A	128.00B/102.50A	----	105.80 - 23.70	.3611	----	----	2	----	27 + 2
4135	----	----	----/104.40A	130.20B/104.40A	----	107.70 - 24.00	.3658	----	----	----	----	45 UNCH
4140	112.40	112.40	112.40/106.30A	132.50B/106.30A	----	109.70 - 24.30	.3706	----	----	3	----	62 + 1
4145	113.80	113.80	114.60/108.20A	134.80B/108.20A	----	111.70 - 24.60	.3754	----	----	2	----	45 + 1
4150	115.80	115.80	115.80/110.20A	137.10B/110.20A	----	113.80 - 24.80	.3803	----	----	39	----	291 + 29
4155	118.30	118.30	118.80/112.20A	139.50B/112.20A	----	115.80 - 25.20	.3851	----	----	2	----	5 - 1
4160	----	----	----/114.20A	141.80B/114.20A	----	117.90 - 25.50	.3899	----	----	----	----	226 UNCH
4165	----	----	----/116.20A	144.30B/116.20A	----	120.00 - 25.80	.3948	----	----	----	----	74 UNCH
4170	128.20	128.20	128.20/118.20A	146.70B/118.20A	----	122.10 - 26.20	.3996	----	----	68	----	44 - 14
4175	----	----	----/120.30A	149.20B/120.30A	----	124.30 - 26.40	.4045	----	----	----	----	48 UNCH
4180	128.90	128.90	128.90/122.50A	151.70B/122.50A	----	126.50 - 26.80	.4094	----	----	5	----	44 + 5
4185	131.20	131.20	131.60/124.70A	154.30B/124.70A	----	128.70 - 27.10	.4143	----	----	4	----	41 + 4
4190	134.10	134.10	134.10/126.80A	156.70B/126.80A	----	131.00 - 27.30	.4193	----	----	4	----	24 + 2
4195	----	----	----/129.00A	159.30B/129.00A	----	133.30 - 27.60	.4242	----	----	----	----	13 UNCH
4200	137.90	137.90	139.30/131.20A	161.90B/131.20A	----	135.60 - 27.90	.4292	----	----	20	----	396 + 3
4205	140.10	140.10	142.70/133.50A	164.60B/133.50A	----	137.90 - 28.30	.4341	----	----	5	----	19 - 1
4210	----	----	----/135.70A	167.20B/135.70A	----	140.30 - 28.60	.4391	----	----	----	----	16 UNCH
4215	146.90	146.90	146.90/138.00A	169.90B/138.00A	----	142.70 - 28.90	.4440	----	----	5	----	21 + 4
4220	----	----	----/140.40A	172.60B/140.40A	----	145.10 - 29.20	.4490	----	----	----	----	2 UNCH
4225	----	----	----/142.70A	175.40B/142.70A	----	147.50 - 29.50	.4539	----	----	----	----	13 UNCH
4230	----	----	----/145.10A	178.20B/145.10A	----	150.00 - 29.80	.4589	----	----	----	----	43 UNCH
4235	----	----	----/147.50A	181.00B/147.50A	----	152.50 - 30.10	.4639	----	----	2	----	82 UNCH
4240	159.30	159.30	159.30/150.00A	183.80B/150.00A	----	155.00 - 30.50	.4688	----	----	2	----	57 UNCH
4245	161.50	161.50	161.50/152.40A	186.70B/152.40A	----	157.60 - 30.70	.4738	----	----	7	----	21 + 7
4250	164.10	164.10	166.80/154.90A	189.60B/154.90A	----	160.20 - 31.00	.4787	----	----	17	----	259 + 6
4255	162.70	162.70	166.80/157.50A	192.50B/157.50A	----	162.80 - 31.30	.4837	----	----	21	----	33 + 7
4260	----	----	----/160.00A	195.40B/160.00A	----	165.50 - 31.60	.4886	----	----	----	----	20 UNCH
4265	----	----	----/162.60A	198.40B/162.60A	----	168.10 - 31.90	.4936	----	----	----	----	54 UNCH
4270	171.80	171.80	172.70/165.20A	201.60B/165.20A	----	170.80 - 32.20	.4985	----	----	5	74	101 + 69
4275	----	----	----/167.90A	204.40B/167.90A	----	173.60 - 32.40	.5034	----	----	----	----	89 UNCH
4280	177.80	177.80	177.80/170.50A	207.40B/170.50A	----	176.30 - 32.80	.5083	----	----	22	----	20 + 9
4285	179.30	179.30	179.30/173.20A	210.50B/173.20A	----	179.10 - 33.10	.5132	----	----	10	----	18 + 9
4290	----	----	----/176.00A	213.60B/176.00A	----	181.90 - 33.40	.5181	----	----	----	----	9 UNCH
4295	----	----	----/178.70A	216.70B/178.70A	----	184.80 - 33.60	.5229	----	----	----	----	31 UNCH
4300	----	----	----/181.50A	220.10B/181.50A	----	187.60 - 33.90	.5278	----	----	----	----	211 UNCH
4310	----	----	----/187.10A	226.40B/187.10A	----	193.50 - 34.40	.5374	----	----	----	----	50 UNCH
4315	----	----	----/189.90A	229.40B/189.90A	----	196.40 - 34.70	.5423	----	----	----	----	5 UNCH
4320	----	----	----/192.80A	232.30B/192.80A	----	199.40 - 35.00	.5471	----	----	----	----	7 UNCH
4325	----	----	----/195.70A	235.60B/195.70A	----	202.40 - 35.20	.5518	----	----	----	----	9 UNCH
4330	230.00	230.00	230.00/198.60A	238.80B/198.60A	----	205.40 - 35.50	.5565	----	----	1	----	68 UNCH
4335	----	----	----/201.60A	242.20B/201.60A	----	208.40 - 35.80	.5613	----	----	----	----	1 UNCH
4340	----	----	----/204.50A	245.50B/204.50A	----	211.50 - 36.10	.5660	----	----	----	----	8 UNCH
4345	----	----	----/207.50A	248.90B/207.50A	----	214.60 - 36.40	.5706	----	----	----	----	16 UNCH
4350	----	----	----/210.60A	252.30B/210.60A	----	217.70 - 36.60	.5753	----	----	----	----	123 UNCH
4355	----	----	----/213.60A	255.60B/213.60A	----	220.90 - 36.90	.5799	----	----	----	----	65 UNCH
4360	----	----	----/216.70A	259.10B/216.70A	----	224.00 - 37.20	.5845	----	----	----	----	3 UNCH
4365	----	----	----/219.80A	262.50B/219.80A	----	227.20 - 37.50	.5891	----	----	----	----	22 UNCH
4370	----	----	----/222.90A	266.00B/222.90A	----	230.50 - 37.60	.5936	----	----	----	----	44 UNCH
4375	----	----	----/226.00A	269.50B/226.00A	----	233.70 - 37.90	.5982	----	----	----	----	201 UNCH
4380	237.80	237.80	237.80/229.20A	272.90B/229.20A	----	237.00 - 38.20	.6027	----	----	7	----	27 UNCH
4385	----	----	----/232.40A	276.60B/232.40A	----	240.30 - 38.40	.6071	----	----	----	----	60 UNCH
4390	248.10	248.10	253.00/235.90A	280.00B/235.90A	----	243.60 - 38.70	.6116	----	----	2	----	7 - 2
4395	----	----	----/239.20A	283.60B/239.20A	----	246.90 - 39.00	.6160	----	----	----	----	4 UNCH
4400	250.00	250.00	250.00/242.40A	287.20B/242.40A	----	250.20 - 39.30	.6204	----	----	7	----	403 - 3
4405	----	----	----/245.70A	290.80B/245.70A	----	253.60 - 39.50	.6248	----	----	11	----	13 + 6
4410	----	----	----/249.00A	294.40B/249.00A	----	257.00 - 39.80	.6292	----	----	----	----	4 UNCH
4420	----	----	----/255.70A	301.70B/255.70A	----	263.90 - 40.20	.6378	----	----	----	----	6 UNCH
4425	----	----	----/259.10A	305.40B/259.10A	----	267.40 - 40.40	.6420	----	----	----	----	94 UNCH
4430	----	----	----/262.50A	309.10B/262.50A	----	270.80 - 40.80	.6462	----	----	----	----	2 UNCH
4435	----	----	----/265.90A	313.20B/265.90A	----	274.40 - 40.90	.6504	----	----	----	----	2 UNCH
4440	----	----	----/269.40A	316.60B/269.40A	----	277.90 - 41.20	.6545	----	----	----	----	5 UNCH
4445	----	----	----/272.80A	320.40B/272.80A	----	281.40 - 41.50	.6587	----	----	----	----	8 UNCH
4450	----	----	----/276.30A	324.20B/276.30A	----	285.00 - 41.70	.6628	----	----	10	----	433 + 10
4455	----	----	----/279.80A	328.00B/279.80A	----	288.60 - 41.90	.6668	----	----	----	----	13 UNCH
4460	----	----	----/283.40A	331.90B/283.40A	----	292.20 - 42.20	.6709	----	----	----	----	7 UNCH
4465	----	----	----/286.90A	335.60B/286.90A	----	295.80 - 42.40	.6748	----	----	----	----	8 UNCH
4470	----	----	----/290.50A	339.60B/290.50A	----	299.50 - 42.60	.6787	----	----	----	----	3 UNCH
4475	----	----	----/294.10A	343.50B/294.10A	----	303.20 - 42.80	.6827	----	----	----	----	89 UNCH
4480	----	----	----/297.70A	347.40B/297.70A	----	306.90 - 43.00	.6866	----	----	----	----	112 UNCH
4485	----	----	----/301.30A	351.30B/301.30A	----	310.60 - 43.30	.6905	----	----	----	----	11 UNCH
4490	----	----	----/305.00A	355.20B/305.00A	----	314.30 - 43.50	.6943	----	----	----	----	15 UNCH
4495	----	----	----/308.70A	359.20B/308.70A	----	318.00 - 43.80	.6980	----	----	----	----	8 UNCH
4500	338.00	338.00	338.00/312.30A	363.10B/312.30A	----	321.80 - 44.00	.7018	----	----	1	----	292 UNCH
4505	----	----	----/316.10A	367.20B/316.10A	----	325.60 - 44.20	.7055	----	----	----	----	24 UNCH
4510	----	----	----/319.80A	371.20B/319.80A	----	329.40 - 44.40	.7093	----	----	----	----	8 UNCH
4515	----	----	----/323.50A	375.20B/323.50A	----	333.20 - 44.60	.7128	----	----	----	----	1 UNCH
4520	----	----	----/327.30A	379.30B/327.30A	----	337.10 - 44.70	.7166	----	----	----	----	15 UNCH
4530	----	----	----/334.90A	387.30B/334.90A	----	344.80 - 45.20	.7237	----	----	----	----	1 UNCH
4535	----	----	----/338.70A	391.40B/338.70A	----	348.70 - 45.40	.7272	----	----	----	----	11 UNCH
4545	----	----	----/346.40A	399.60B/346.40A	----	356.50 - 45.80	.7341	----	----	----	----	5 UNCH
4550	----	----	----/350.30A	403.60B/350.30A	----	360.40 - 46.00	.7375	----	----	----	----	2 UNCH
4555	----	----	----/354.10A	407.70B/354.10A	----	364.40 - 46.20	.7408	----	----	----	----	2 UNCH
4560	----	----	----/358.10A	411.80B/358.10A	----	368.40 - 46.30	.7442	----	----	----	----	2 UNCH
4570	----	----	----/365.90A	416.90B/365.90A	----	376.40 - 46.70	.7508	----	----	----	----	1 UNCH
4575	----	----	----/369.90A	421.10B/369.90A	----	380.40 - 46.90	.7540	----	----	----	----	40 UNCH
4580	----	----	----/374.00A	425.30B/374.00A	----	384.40 - 47.10	.7571	----	----	----	----	1 UNCH
4585	----	----	----/377.80A	429.50B/377.80A	----	388.50 - 47.30	.7604	----	----	----	----	1 UNCH
4600	----	----	----/389.90A	442.20B/389.90A	----	400.70 - 47.80	.7696	----	----	----	----	130 UNCH
4605	----	----	----/393.90A	446.50B/393.90A	----	404.80 - 48.00	.7726	----	----	----	----	3 UNCH
4610	----	----	----/398.10A	450.70B/398.10A	----	408.90 - 48.20	.7757	----	----	----	----	1 UNCH
4615	----	----	----/402.10A	455.00B/402.10A	----	413.10 - 48.30	.7786	----	----	----	----	1 UNCH
4620	----	----	----/406.20A	459.30B/406.20A	----	417.20 - 48.50	.7815	----	----	----	----	21 UNCH
4625	----	----	----/410.30A	463.60B/410.30A	----	421.40 - 48.60	.7844	----	----	----	----	15 UNCH
4630	----	----	----/414.40A	467.90B/414.40A	----	425.60 - 48.80	.7872	----	----	----	----	3 UNCH
4635	----	----	----/418.50A	472.20B/418.50A	----	429.80 - 48.90	.7901	----	----	----	----	1 UNCH
4640	----	----	----/422.60A	476.50B/422.60A	----	434.00 - 49.10	.7929	----	----	----	----	2 UNCH
4645	----	----	----/426.80A	480.80B/426.80A	----	438.20 - 49.30	.7956	----	----	----	----	1 UNCH
4650	----	----	----/431.00A	485.20B/431.00A	----	442.40 - 49.40	.7984	----	----	----	----	24 UNCH
4655	----	----	----/438.40A	489.50B/438.40A	----	446.60 - 49.60	.8010	----	----	----	----	3 UNCH
4660	----	----	----/442.60A	493.90B/442.60A	----	450.90 - 49.70	.8036	----	----	----	----	5 UNCH
4665	----	----	----/446.50A	498.30B/446.50A	----	455.20 - 49.80	.8062	----	----	----	----	4 UNCH
4670	----	----	----/451.10A	502.70B/451.10A	----	459.40 - 50.10	.8088	----	----	----	----	30 UNCH
4675	----	----	----/455.00A	507.00B/455.00A	----	463.70 - 50.20	.8114	----	----	----	----	1 UNCH
4685	----	----	----/463.90A	515.90B/463.90A	----	472.30 - 50.50	.8164	----	----	----	----	1 UNCH
4700	----	----	----/476.50A	529.10B/476.50A	----	485.30 - 50.90	.8238	----	----	----	----	1 UNCH
4710	504.00	504.00	504.00/485.50A	538.00B/485.50A	----	494.10 - 51.10	.8285	----	----	1	----	4 UNCH
4750	----	----	----/520.30A	573.90B/520.30A	----	529.40 - 52.10	.8461	----	----	----	----	31 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT												
JAN27												
4760	----	----	----/529.20A	583.00B/529.20A	----	538.30 - 52.30	.8501	----	----	----	----	100 UNCH
4800	----	----	----/565.50A	619.40B/565.50A	----	574.30 - 53.20	.8655	----	----	----	----	5 UNCH
4805	----	----	----/569.70A	624.10B/569.70A	----	578.80 - 53.30	.8675	----	----	----	----	2 UNCH
4820	----	----	----/583.70A	637.90B/583.70A	----	592.50 - 53.60	.8728	----	----	----	----	5 UNCH
4840	----	----	----/602.10A	656.30B/602.10A	----	610.80 - 54.00	.8795	----	----	----	----	44 UNCH
4845	----	----	----/606.70A	661.00B/606.70A	----	615.40 - 54.00	.8809	----	----	----	----	21 UNCH
4850	----	----	----/611.30A	665.50B/611.30A	----	620.00 - 54.10	.8826	----	----	----	----	21 UNCH
4855	----	----	----/615.50A	670.10B/615.50A	----	624.60 - 54.20	.8842	----	----	----	----	42 UNCH
4860	----	----	----/620.10A	674.80B/620.10A	----	629.20 - 54.30	.8859	----	----	----	----	1 UNCH
4880	----	----	----/639.10A	693.40B/639.10A	----	647.80 - 54.60	.8919	----	----	----	----	1 UNCH
4960	----	----	----/714.30A	768.70B/714.30A	----	722.80 - 55.70	.9126	----	----	----	----	42 UNCH
4980	----	----	----/733.40A	787.70B/733.40A	----	741.80 - 55.90	.9167	----	----	----	----	9 UNCH
4990	----	----	----/742.50A	797.20B/742.50A	----	751.30 - 56.00	.9190	----	----	----	----	1 UNCH
5000	----	----	----/752.50A	806.80B/752.50A	----	760.80 - 56.20	.9212	----	----	----	----	2 UNCH
5050	----	----	----/800.60A	854.70B/800.60A	----	808.60 - 56.70	.9305	----	----	----	----	100 UNCH
5085	----	----	----/834.40A	888.40B/834.40A	----	842.30 - 57.10	.9362	----	----	----	----	2 UNCH
5150	----	----	----/897.70A	951.40B/897.70A	----	905.30 - 57.60	.9458	----	----	----	----	2 UNCH
5235	----	----	----/981.10A	1034.70B/981.10A	----	988.30 - 58.10	.9553	----	----	----	----	2 UNCH
5245	----	----	----/990.90A	1044.60B/990.90A	----	998.10 - 58.10	.9563	----	----	----	----	2 UNCH
5300	----	----	----/1,045.10A	1099.10B/1045.10A	----	1052.10 - 58.50	.9610	----	----	----	----	45 UNCH
5500	----	----	----/1,241.80A	1300.70B/1241.80A	----	1249.90 - 59.20	.9737	----	----	----	----	2 UNCH
5950	----	----	----/1,687.70A	1753.80B/1687.70A	----	1698.50 - 60.00	.9876	----	----	----	----	1 UNCH
6000	----	----	----/1,737.90A	1803.60B/1737.90A	----	1748.50 - 60.00	.9884	----	----	----	----	6 UNCH
TOTAL										1061	509	18157 + 832
FEB27												
2700	2.00	2.00	2.00/1.80A	2.00/1.80A	----	1.70 - 0.30	.0060	----	----	1	----	18 UNCH
2725	----	----	----/1.90A	1.90B/1.90A	----	1.90 - 0.20	.0066	----	----	----	----	9 UNCH
2750	----	----	----/2.00A	2.00B/2.00A	----	2.00 NEW	.0070	----	----	1	----	1 + 1
2775	----	----	----/2.10A	2.10B/2.10A	----	2.10 - 0.30	.0074	----	----	----	----	1 UNCH
2800	2.10	2.10	2.10/2.10	2.30B/2.10	----	2.20 - 0.30	.0079	----	----	1	----	41 + 1
2850	----	----	----/2.50A	2.50B/2.50A	----	2.50 - 0.40	.0090	----	----	----	----	1 UNCH
2900	----	----	----/2.80A	2.90B/2.80A	----	2.80 - 0.40	.0103	----	----	1	----	16 + 1
2950	----	----	----/3.20A	3.30B/3.20A	----	3.10 - 0.50	.0115	----	----	----	----	1 UNCH
2960	----	----	----/3.20A	3.40B/3.20A	----	3.20 - 0.50	.0119	----	----	----	----	1 UNCH
2980	----	----	----/3.40A	3.50B/3.40A	----	3.30 - 0.60	.0124	----	----	----	----	60 UNCH
3000	3.30	3.30	3.30/3.30	3.70B/3.30	----	3.50 - 0.60	.0132	----	----	2	----	239 + 1
3005	----	----	----/3.60A	3.80B/3.60A	----	3.60 - 0.60	.0135	----	----	----	----	15 UNCH
3020	----	----	----/3.70A	4.00B/3.70A	----	3.70 - 0.60	.0140	----	----	----	----	14 UNCH
3025	----	----	----/3.80A	4.00B/3.80A	----	3.70 - 0.70	.0140	----	----	----	----	2 UNCH
3040	----	----	----/3.90A	4.20B/3.90A	----	3.90 - 0.70	.0148	----	----	----	----	300 UNCH
3050	----	----	----/4.00A	4.30B/4.00A	----	4.00 - 0.70	.0152	----	----	----	----	5 UNCH
3060	----	----	----/4.10A	4.40B/4.10A	----	4.10 - 0.70	.0156	----	----	----	----	7 UNCH
3065	----	----	----/4.10A	4.50B/4.10A	----	4.10 - 0.80	.0157	----	----	----	----	10 UNCH
3085	----	----	----/4.40A	4.70B/4.40A	----	4.40 - 0.70	.0168	----	----	----	----	9 UNCH
3090	----	----	----/4.40A	4.80B/4.40A	----	4.40 - 0.80	.0169	----	----	----	----	15 UNCH
3095	----	----	----/4.50A	4.90B/4.50A	----	4.50 - 0.80	.0172	----	----	----	----	20 UNCH
3100	4.70	4.70	4.70/4.30	4.90B/4.30	----	4.50 - 0.90	.0173	----	----	4	----	34 + 2
3110	----	----	----/4.60A	5.10B/4.60A	----	4.70 - 0.80	.0180	----	----	----	----	18 UNCH
3135	----	----	----/5.00A	5.50B/5.00A	----	5.00 - 0.90	.0193	----	----	----	----	6 UNCH
3140	----	----	----/5.00A	5.50B/5.00A	----	5.00 - 1.00	.0194	----	----	----	----	200 UNCH
3160	----	----	----/5.30A	5.90B/5.30A	----	5.30 - 1.00	.0206	----	----	----	----	2 UNCH
3165	----	----	----/5.40A	6.00B/5.40A	----	5.40 - 1.00	.0209	----	----	----	----	7 UNCH
3200	----	----	----/5.90A	6.60B/5.90A	----	5.90 - 1.20	.0231	----	----	----	----	211 UNCH
3225	----	----	----/6.30A	7.10B/6.30A	----	6.40 - 1.20	.0250	----	----	----	----	19 UNCH
3235	----	----	----/6.50A	7.40B/6.50A	----	6.60 - 1.20	.0258	----	----	----	----	6 UNCH
3250	----	----	----/6.80A	7.70B/6.80A	----	6.90 - 1.30	.0270	----	----	----	----	201 UNCH
3270	----	----	----/7.20A	8.20B/7.20A	----	7.30 - 1.40	.0286	----	----	4	----	5 + 3
3300	----	----	----/7.90A	9.00B/7.90A	----	7.90 - 1.70	.0311	----	----	----	----	43 UNCH
3310	----	----	----/8.10A	9.30B/8.10A	----	8.20 - 1.70	.0323	----	----	----	----	2 UNCH
3315	----	----	----/8.20A	9.40B/8.20A	----	8.30 - 1.70	.0327	----	----	----	----	1 UNCH
3350	----	----	----/9.20A	10.60B/9.20A	----	9.30 - 1.90	.0366	----	----	----	----	147 UNCH
3390	----	----	----/10.40A	12.00B/10.40A	----	10.50 - 2.20	.0414	----	----	----	----	15 UNCH
3400	----	----	----/10.70A	12.40B/10.70A	----	10.80 - 2.30	.0426	----	----	----	----	37 UNCH
3410	----	----	----/11.00A	12.90B/11.00A	----	11.20 - 2.40	.0441	----	----	----	----	9 UNCH
3425	----	----	----/11.60A	13.60B/11.60A	----	11.70 - 2.50	.0461	----	----	----	----	42 UNCH
3430	----	----	----/11.80A	13.80B/11.80A	----	11.90 - 2.60	.0469	----	----	----	----	20 UNCH
3440	----	----	----/12.20A	14.30B/12.20A	----	12.30 - 2.70	.0485	----	----	----	----	5 UNCH
3445	----	----	----/12.30A	14.50B/12.30A	----	12.50 - 2.70	.0492	----	----	----	----	6 UNCH
3450	12.60	12.60	12.60/12.60	14.80B/12.60	----	12.70 - 2.80	.0500	----	----	4	----	73 + 4
3460	----	----	----/13.00A	15.30B/13.00A	----	13.20 - 2.80	.0518	----	----	----	----	5 UNCH
3465	13.30	13.30	13.30/13.20A	15.50B/13.20A	----	13.40 - 2.90	.0526	----	----	46	----	46 + 40
3475	----	----	----/13.60A	16.10B/13.60A	----	13.80 - 3.00	.0542	----	----	----	----	250 UNCH
3480	----	----	----/13.80A	16.40B/13.80A	----	14.10 - 3.00	.0553	----	----	----	----	17 UNCH
3490	----	----	----/14.30A	16.90B/14.30A	----	14.50 - 3.20	.0569	----	----	----	----	20 UNCH
3500	----	----	----/14.80A	17.50B/14.80A	----	15.00 - 3.30	.0588	----	----	----	----	285 UNCH
3515	----	----	----/15.60A	18.50B/15.60A	----	15.80 - 3.50	.0618	----	----	----	----	3 UNCH
3520	----	----	----/15.80A	18.80B/15.80A	----	16.10 - 3.50	.0629	----	----	----	----	28 UNCH
3525	----	----	----/16.10A	19.20B/16.10A	----	16.40 - 3.60	.0639	----	----	----	----	6 UNCH
3540	----	----	----/16.90A	20.20B/16.90A	----	17.20 - 3.80	.0670	----	----	----	----	20 UNCH
3550	----	----	----/17.50A	20.90B/17.50A	----	17.80 - 4.00	.0692	----	----	----	----	11 UNCH
3555	----	----	----/17.80A	21.30B/17.80A	----	18.10 - 4.10	.0703	----	----	----	----	25 UNCH
3560	19.30	19.30	19.30/18.10A	21.70B/18.10A	----	18.40 NEW	.0714	----	----	2	----	2 + 2
3565	----	----	----/18.40A	22.10B/18.40A	----	18.80 - 4.20	.0728	----	----	----	----	1 UNCH
3575	----	----	----/19.10A	22.90B/19.10A	----	19.40 - 4.40	.0751	----	----	----	----	205 UNCH
3585	----	----	----/19.80A	23.70B/19.80A	----	20.10 - 4.50	.0776	----	----	----	----	1 UNCH
3590	21.30	21.30	21.30/20.10A	24.10B/20.10A	----	20.50 - 4.60	.0790	----	----	2	----	21 + 2
3600	----	----	----/20.80A	25.00B/20.80A	----	21.20 - 4.80	.0815	----	----	1	----	1090 - 1
3605	----	----	----/21.20A	25.50B/21.20A	----	21.60 - 4.80	.0829	----	----	----	----	18 UNCH
3610	----	----	----/21.60A	25.90B/21.60A	----	22.00 - 4.90	.0843	----	----	----	----	8 UNCH
3625	----	----	----/22.70A	27.40B/22.70A	----	23.10 - 5.20	.0884	----	----	----	----	11 UNCH
3630	----	----	----/23.10A	27.90B/23.10A	----	23.60 - 5.30	.0900	----	----	----	----	2 UNCH
3645	----	----	----/24.40A	29.40B/24.40A	----	24.80 - 5.60	.0943	----	----	----	----	26 UNCH
3650	----	----	----/24.80A	29.90B/24.80A	----	25.30 - 5.70	.0960	----	----	----	----	332 UNCH
3660	----	----	----/25.70A	31.00B/25.70A	----	26.20 - 5.90	.0991	----	----	----	----	2 UNCH
3665	----	----	----/26.20A	31.70B/26.20A	----	26.70 - 6.00	.1008	----	----	----	----	5 UNCH
3675	----	----	----/27.10A	32.80B/27.10A	----	27.60 - 6.20	.1040	----	----	----	----	9 UNCH
3680	----	----	----/27.60A	33.40B/27.60A	----	28.10 - 6.30	.1057	----	----	----	----	23 UNCH
3685	----	----	----/28.10A	34.00B/28.10A	----	28.60 - 6.50	.1074	----	----	----	----	10 UNCH
3690	----	----	----/28.60A	34.60B/28.60A	----	29.10 - 6.60	.1091	----	----	----	----	4 UNCH
3695	----	----	----/29.10A	35.20B/29.10A	----	29.70 - 6.60	.1110	----	----	----	----	17 UNCH
3700	----	----	----/29.60A	35.90B/29.60A	----	30.20 - 6.80	.1128	----	----	6	----	1221 + 4
3705	----	----	----/30.10A	36.50B/30.10A	----	30.70 - 6.90	.1145	----	----	----	----	10 UNCH
3710	----	----	----/30.70A	37.20B/30.70A	----	31.30 - 7.00	.1165	----	----	----	----	9 UNCH
3715	32.20	32.20	32.20/31.20A	37.90B/31.20A	----	31.80 - 7.20	.1182	----	----	5	----	21 + 5
3720	----	----	----/31.80A	38.60B/31.80A	----	32.40 - 7.30	.1202	----	----	----	----	29 UNCH
3725	----	----	----/32.30A	39.30B/32.30A	----	33.00 - 7.40	.1221	----	----	----	----	31 UNCH
3730	----	----	----/32.90A	40.00B/32.90A	----	33.60 - 7.50	.1241	----	----	----	----	7 UNCH
3745	----	----	----/34.70A	42.20B/34.70A	----	35.50 - 7.90	.1302	----	----	----	----	25 UNCH
3750	----	----	----/35.40A	43.00B/35.40A	----	36.10 - 8.00	.1322	----	----	1	----	68 - 1
3755	----	----	----/36.00A	43.80B/36.00A	----	36.70 - 8.20	.1342	----	----	----	----	3 UNCH
3760	----	----	----/36.60A	44.50B/36.60A	----	37.40 - 8.30	.1364	----	----	----	----	2 UNCH
3765	----	----	----/37.30A	45.40B/37.30A	----	38.10 - 8.40	.1386	----	----	----	----	22 UNCH
3770	----	----	----/38.00A	46.20B/38.00A	----	38.80 - 8.60	.1408	----	----	----	----	36 UNCH
3775	----	----	----/38.70A	47.00B/38.70A	----	39.50 - 8.70	.1431	----	----	----	----	11 UNCH
3780	----	----	----/39.30A	47.90B/39.30A	----	40.20 - 8.90	.1453	----	----	----	----	6 UNCH
3785	----	----	----/40.10A	48.70B/40.10A	----	40.90 - 9.00	.1475	----	----	----	----	11 UNCH
3790	----	----	----/40.80A	49.60B/40.80A	----	41.60 - 9.20	.1497	----	----	----	----	6 UNCH
3795	----	----	----/41.50A	50.50B/41.50A	----	42.40 - 9.30	.1522	----	----	----	----	4 UNCH
3800	----	----	----/42.20A	51.40B/42.20A	----	43.20 - 9.50	.1546	----	----	----	----	194 UNCH
3805	----	----	----/43.00A	52.30B/43.00A	----	43.90 - 9.70	.1569	----	----	----	----	14 UNCH
3815	46.10	46.10	46.10/44.50A	54.20B/44.50A	----	45.50 - 10.00	.1618	----	----	3	----	24 - 3
3820	----	----	----/45.30A	55.20B/45.30A	----	46.30 - 10.20	.1642	----	----	----	----	22 UNCH
3825	----	----	----/46.20A	56.20B/46.20A	----	47.20 - 10.30	.1669	----	----	----	----	501 UNCH
3835	----	----	----/47.80A	58.20B/47.80A	----	48.90 - 10.60	.1720	----	----	2	----	20 UNCH
3840	----	----	----/48.70A	59.20B/48.70A	----	49.80 - 10.80	.1746	----	----	----	----	11 UNCH
3845	----	----	----/49.50A	60.30B/49.50A	----	50.70 - 10.90	.1773	----	----	----	----	11 UNCH
3850	----	----	----/50.40A	61.40B/50.40A	----	51.60 - 11.10	.1799	----	----	----	----	1357 UNCH
3855	----	----	----/51.30A	62.50B/51.30A	----	52.50 - 11.30	.1826	----	----	----	----	3 UNCH
3860	----	----	----/52.20A	63.60B/52.20A	----	53.40 - 11.50	.1853	----	----	----	----	35 UNCH
3865	----	----	----/53.20A	64.70B/53.20A	----	54.40 - 11.60	.1881	----	----	----	----	1 UNCH
3875	----	----	----/55.10A	67.00B/55.10A	----	56.30 - 12.00	.1937	----	----	----	----	13 UNCH
3880	----	----	----/56.00A	68.20B/56.00A	----	57.30 - 12.20	.1965	----	----	----	----	44 UNCH
3885	----	----	----/57.00A	69.40B/57.00A	----	58.40 - 12.30	.1995	----	----	----	----	201 UNCH
3890	----	----	----/58.00A	70.60B/58.00A	----	59.40 - 12.60	.2024	----	----	----	----	17 UNCH
3895	----	----	----/59.10A	71.80B/59.10A	----	60.40 - 12.80	.2053	----	----	----	----	2 UNCH
3900	63.00	63.00	63.00/60.10A	73.10B/60.10A	----	61.50 - 13.00	.2083	----	----	1	15	308 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT FEB27												
3905	----	----	----/61.20A	74.30B/61.20A	----	62.60 - 13.10	.2114	----	----	----	----	15 UNCH
3915	----	----	----/63.30A	76.90B/63.30A	----	64.80 - 13.60	.2174	----	----	----	----	5 UNCH
3920	67.60	67.60	67.70/64.40A	78.30B/64.40A	----	66.00 - 13.70	.2206	----	----	40	----	446 + 40
3925	----	----	----/65.60A	79.60B/65.60A	----	67.10 - 14.00	.2237	----	----	----	----	3 UNCH
3930	----	----	----/66.70A	81.00B/66.70A	----	68.30 - 14.10	.2269	----	----	----	----	6 UNCH
3935	70.80	70.80	70.80/67.90A	82.40B/67.90A	----	69.50 - 14.30	.2301	----	----	20	----	17 - 5
3940	----	----	----/69.00A	83.80B/69.00A	----	70.70 - 14.50	.2333	----	----	----	----	19 UNCH
3945	----	----	----/70.20A	85.20B/70.20A	----	71.90 - 14.80	.2365	----	----	----	----	5 UNCH
3950	----	----	----/71.40A	86.70B/71.40A	----	73.20 - 14.90	.2399	----	----	----	----	189 UNCH
3960	----	----	----/73.90A	89.60B/73.90A	----	75.70 - 15.40	.2465	----	----	----	----	17 UNCH
3965	----	----	----/75.20A	91.10B/75.20A	----	77.00 - 15.70	.2498	----	----	----	----	21 UNCH
3970	----	----	----/76.50A	92.70B/76.50A	----	78.40 - 15.80	.2533	----	----	----	----	3 UNCH
3975	----	----	----/77.80A	94.20B/77.80A	----	79.70 - 16.10	.2567	----	----	----	----	1 UNCH
3980	81.80	81.80	81.80/79.10A	95.90B/79.10A	----	81.10 - 16.30	.2602	----	----	1	----	10 + 1
3985	----	----	----/80.40A	97.50B/80.40A	----	82.50 - 16.50	.2637	----	----	----	----	5 UNCH
3990	----	----	----/81.80A	99.00B/81.80A	----	83.90 - 16.70	.2672	----	----	----	----	6 UNCH
3995	86.00	86.00	86.00/83.10A	100.80B/83.10A	----	85.30 - 16.90	.2707	----	----	1	----	55 UNCH
4000	89.10	89.10	89.10/84.50A	102.30B/84.50A	----	86.70 - 17.20	.2742	----	----	51	----	806 - 5
4005	----	----	----/86.00A	104.10B/86.00A	----	88.20 - 17.40	.2778	----	----	----	----	55 UNCH
4010	----	----	----/87.40A	105.80B/87.40A	----	89.70 - 17.60	.2815	----	----	----	----	13 UNCH
4015	----	----	----/88.80A	107.50B/88.80A	----	91.20 - 17.90	.2851	----	----	----	----	3 UNCH
4020	----	----	----/90.30A	109.30B/90.30A	----	92.70 - 18.10	.2887	----	----	----	----	3 UNCH
4025	----	----	----/91.80A	111.10B/91.80A	----	94.30 - 18.30	.2925	----	----	----	----	31 UNCH
4030	----	----	----/93.30A	112.90B/93.30A	----	95.90 - 18.50	.2962	----	----	----	----	30 UNCH
4035	----	----	----/94.90A	114.70B/94.90A	----	97.40 - 18.90	.2999	----	----	----	----	24 UNCH
4040	----	----	----/96.40A	116.60B/96.40A	----	99.10 - 19.00	.3037	----	----	----	----	205 UNCH
4045	----	----	----/98.00A	118.40B/98.00A	----	100.70 - 19.30	.3074	----	----	----	----	4 UNCH
4050	102.50	102.50	102.50/99.60A	120.20B/99.60A	----	102.40 - 19.50	.3113	----	----	5	----	633 + 3
4055	----	----	----/101.20A	122.20B/101.20A	----	104.00 - 19.80	.3150	----	----	----	----	6 UNCH
4060	----	----	----/102.90A	124.20B/102.90A	----	105.70 - 20.10	.3189	----	----	----	----	7 UNCH
4065	106.70	106.70	106.70/104.60A	126.10B/104.60A	----	107.50 - 20.30	.3228	----	----	1	----	7 UNCH
4070	----	----	----/106.20A	128.10B/106.20A	----	109.20 - 20.60	.3267	----	----	----	----	20 UNCH
4075	----	----	----/108.00A	130.10B/108.00A	----	111.00 - 20.80	.3306	----	----	----	----	9 UNCH
4080	----	----	----/109.70A	132.30B/109.70A	----	112.80 - 21.00	.3345	----	----	----	----	4 UNCH
4085	----	----	----/111.40A	134.20B/111.40A	----	114.60 - 21.30	.3385	----	----	----	----	6 UNCH
4090	----	----	----/113.20A	136.30B/113.20A	----	116.40 - 21.60	.3424	----	----	----	----	41 UNCH
4095	117.10	117.10	117.10/115.00A	138.40B/115.00A	----	118.30 - 21.80	.3464	----	----	29	----	32 + 12
4100	121.50	121.50	123.40/116.80A	140.70B/116.80A	----	120.20 - 22.10	.3504	----	----	25	----	716 - 25
4105	122.20	122.20	122.20/118.70A	142.70B/118.70A	----	122.10 - 22.30	.3545	----	----	2	----	5 + 2
4110	----	----	----/120.60A	145.00B/120.60A	----	124.00 - 22.60	.3585	----	----	2	----	50 + 2
4115	----	----	----/122.50A	147.20B/122.50A	----	126.00 - 22.80	.3626	----	----	----	----	2 UNCH
4120	----	----	----/124.40A	149.50B/124.40A	----	128.00 - 23.10	.3666	----	----	----	----	22 UNCH
4125	----	----	----/126.30A	151.70B/126.30A	----	130.00 - 23.30	.3707	----	----	----	----	25 UNCH
4135	----	----	----/130.20A	156.30B/130.20A	----	134.00 - 23.90	.3789	----	----	----	----	39 UNCH
4140	----	----	----/132.30A	158.60B/132.30A	----	136.10 - 24.20	.3830	----	----	----	----	23 UNCH
4145	----	----	----/134.30A	161.00B/134.30A	----	138.20 - 24.40	.3871	----	----	----	----	96 UNCH
4150	----	----	----/136.30A	163.40B/136.30A	----	140.30 - 24.70	.3913	----	----	8	----	458 + 4
4155	----	----	----/138.40A	165.60B/138.40A	----	142.50 - 24.90	.3954	----	----	----	----	20 UNCH
4160	----	----	----/140.50A	168.20B/140.50A	----	144.60 - 25.20	.3996	----	----	----	----	206 UNCH
4165	----	----	----/142.60A	170.50B/142.60A	----	146.80 - 25.50	.4038	----	----	----	----	51 UNCH
4170	----	----	----/144.80A	173.10B/144.80A	----	149.00 - 25.80	.4079	----	----	1	----	15 + 1
4175	----	----	----/147.00A	175.60B/147.00A	----	151.30 - 26.00	.4121	----	----	----	----	16 UNCH
4180	----	----	----/149.10A	178.10B/149.10A	----	153.50 - 26.30	.4163	----	----	----	----	1 UNCH
4185	----	----	----/151.40A	180.70B/151.40A	----	155.80 - 26.60	.4205	----	----	----	----	6 UNCH
4190	----	----	----/153.60A	183.10B/153.60A	----	158.10 - 26.90	.4247	----	----	3	----	7 + 2
4195	----	----	----/155.90A	185.70B/155.90A	----	160.50 - 27.10	.4289	----	----	----	----	33 UNCH
4200	172.70	172.70	173.20/158.20A	188.30B/158.20A	----	162.80 - 27.40	.4331	----	----	75	----	524 + 55
4205	----	----	----/160.50A	191.10B/160.50A	----	165.20 - 27.60	.4374	----	----	----	----	16 UNCH
4210	177.80	177.80	177.80/162.80A	193.60B/162.80A	----	167.60 - 27.90	.4416	----	----	2	----	25 + 1
4215	----	----	----/165.20A	196.30B/165.20A	----	170.10 - 28.10	.4458	----	----	----	----	12 UNCH
4220	----	----	----/167.50A	199.00B/167.50A	----	172.50 - 28.40	.4500	----	----	1	----	26 + 1
4225	----	----	----/169.90A	201.70B/169.90A	----	175.00 - 28.70	.4543	----	----	----	----	32 UNCH
4230	----	----	----/172.40A	204.60B/172.40A	----	177.50 - 29.00	.4585	----	----	1	----	50 + 1
4235	----	----	----/174.80A	207.40B/174.80A	----	180.10 - 29.20	.4627	----	----	----	----	387 UNCH
4240	----	----	----/177.30A	210.20B/177.30A	----	182.60 - 29.50	.4670	----	----	----	----	33 UNCH
4245	----	----	----/179.80A	213.00B/179.80A	----	185.20 - 29.70	.4712	----	----	----	----	66 UNCH
4250	----	----	----/182.30A	215.70B/182.30A	----	187.80 - 30.00	.4754	----	----	2	----	466 - 1
4255	----	----	----/184.90A	218.60B/184.90A	----	190.40 - 30.30	.4796	----	----	----	----	49 UNCH
4260	----	----	----/187.40A	221.70B/187.40A	----	193.10 - 30.50	.4838	----	----	----	----	24 UNCH
4265	----	----	----/190.00A	224.40B/190.00A	----	195.80 - 30.70	.4880	----	----	----	----	35 UNCH
4270	209.60	209.60	209.60/192.60A	227.50B/192.60A	----	198.50 - 31.00	.4922	----	----	1	----	36 UNCH
4275	----	----	----/195.30A	230.50B/195.30A	----	201.20 - 31.20	.4964	----	----	----	----	59 UNCH
4280	----	----	----/197.90A	233.30B/197.90A	----	203.90 - 31.50	.5006	----	----	20	----	48 + 15
4285	218.00	218.00	218.00/200.60A	236.30B/200.60A	----	206.70 - 31.80	.5048	----	----	92	----	89 + 76
4290	----	----	----/203.30A	239.50B/203.30A	----	209.50 - 32.00	.5089	----	----	----	----	5 UNCH
4295	----	----	----/206.10A	242.50B/206.10A	----	212.30 - 32.30	.5131	----	----	----	----	12 UNCH
4300	----	----	----/208.80A	245.50B/208.80A	----	215.10 - 32.60	.5172	----	----	----	----	250 UNCH
4305	----	----	----/211.60A	248.70B/211.60A	----	218.00 - 32.80	.5213	----	----	----	----	9 UNCH
4315	----	----	----/217.20A	254.90B/217.20A	----	223.80 - 33.30	.5295	----	----	----	----	113 UNCH
4320	----	----	----/220.00A	258.10B/220.00A	----	226.70 - 33.50	.5337	----	----	----	----	50 UNCH
4325	----	----	----/222.90A	261.30B/222.90A	----	229.70 - 33.70	.5377	----	----	----	----	19 UNCH
4330	----	----	----/225.80A	264.40B/225.80A	----	232.60 - 34.10	.5418	----	----	----	----	17 UNCH
4335	----	----	----/228.70A	267.50B/228.70A	----	235.60 - 34.30	.5458	----	----	----	----	136 UNCH
4340	----	----	----/231.60A	270.90B/231.60A	----	238.60 - 34.60	.5499	----	----	----	----	23 UNCH
4345	----	----	----/234.60A	273.00B/234.60A	----	241.70 - 34.70	.5539	----	----	----	----	31 UNCH
4350	----	----	----/237.60A	276.30B/237.60A	----	244.70 - 35.00	.5579	----	----	----	----	28 UNCH
4355	255.80	255.80	255.80/240.60A	279.70B/240.60A	----	247.80 - 35.30	.5619	----	----	1	----	4 - 1
4360	----	----	----/243.60A	283.00B/243.60A	----	250.90 - 35.50	.5659	----	----	----	----	19 UNCH
4365	----	----	----/246.60A	286.30B/246.60A	----	254.00 - 35.80	.5698	----	----	----	----	50 UNCH
4370	----	----	----/249.70A	289.60B/249.70A	----	257.20 - 35.90	.5737	----	----	----	----	37 UNCH
4375	----	----	----/252.80A	292.90B/252.80A	----	260.40 - 36.10	.5777	----	----	----	----	25 UNCH
4380	264.80	264.80	268.10/255.90A	296.30B/255.90A	----	263.50 - 36.40	.5816	----	----	59	----	91 + 46
4385	----	----	----/259.00A	299.70B/259.00A	----	266.80 - 36.60	.5854	----	----	----	----	207 UNCH
4390	----	----	----/262.10A	303.20B/262.10A	----	270.00 - 36.80	.5893	----	----	----	----	49 UNCH
4395	276.80	276.80	276.80/265.30A	306.60B/265.30A	----	273.20 - 37.10	.5932	----	----	6	----	6 - 1
4400	276.90	276.90	276.90/268.50A	310.00B/268.50A	----	276.50 - 37.30	.5969	----	----	33	----	565 + 7
4405	282.40	282.40	282.40/271.70A	313.50B/271.70A	----	279.80 - 37.50	.6008	----	----	18	----	23 + 9
4410	----	----	----/274.90A	317.00B/274.90A	----	283.10 - 37.80	.6045	----	----	----	----	18 UNCH
4425	----	----	----/285.20A	327.70B/285.20A	----	293.20 - 38.40	.6157	----	----	----	----	13 UNCH
4430	----	----	----/288.50A	331.20B/288.50A	----	296.60 - 38.60	.6195	----	----	----	----	253 UNCH
4435	----	----	----/291.80A	334.80B/291.80A	----	300.00 - 38.80	.6232	----	----	----	----	5 UNCH
4440	----	----	----/295.20A	338.40B/295.20A	----	303.40 - 39.00	.6268	----	----	----	----	6 UNCH
4445	----	----	----/298.50A	342.00B/298.50A	----	306.90 - 39.20	.6304	----	----	----	----	10 UNCH
4450	----	----	----/301.90A	345.60B/301.90A	----	310.30 - 39.50	.6340	----	----	----	----	190 UNCH
4455	----	----	----/305.30A	349.30B/305.30A	----	313.80 - 39.70	.6377	----	----	----	----	8 UNCH
4460	----	----	----/308.80A	353.00B/308.80A	----	317.30 - 39.90	.6412	----	----	----	----	71 UNCH
4465	----	----	----/312.20A	356.60B/312.20A	----	320.80 - 40.10	.6447	----	----	----	----	7 UNCH
4470	----	----	----/315.70A	360.30B/315.70A	----	324.40 - 40.20	.6483	----	----	----	----	5 UNCH
4475	----	----	----/319.10A	364.10B/319.10A	----	327.90 - 40.50	.6518	----	----	----	----	23 UNCH
4480	----	----	----/322.60A	367.80B/322.60A	----	331.50 - 40.70	.6552	----	----	----	----	7 UNCH
4490	----	----	----/329.70A	375.30B/329.70A	----	338.70 - 41.10	.6621	----	----	----	----	23 UNCH
4495	----	----	----/333.30A	379.10B/333.30A	----	342.30 - 41.30	.6655	----	----	----	----	28 UNCH
4500	----	----	----/336.80A	382.90B/336.80A	----	345.90 - 41.50	.6688	----	----	----	----	123 UNCH
4505	----	----	----/340.40A	386.70B/340.40A	----	349.60 - 41.70	.6722	----	----	----	----	14 UNCH
4510	----	----	----/344.00A	390.50B/344.00A	----	353.30 - 41.80	.6755	----	----	----	----	5 UNCH
4515	----	----	----/347.60A	394.30B/347.60A	----	357.00 - 42.00	.6788	----	----	----	----	20 UNCH
4520	----	----	----/351.30A	398.20B/351.30A	----	360.70 - 42.20	.6820	----	----	----	----	50 UNCH
4550	----	----	----/373.50A	421.60B/373.50A	----	383.20 - 43.40	.7012	----	----	----	----	109 UNCH
4555	----	----	----/377.20A	425.50B/377.20A	----	387.00 - 43.60	.7044	----	----	----	----	1 UNCH
4570	----	----	----/388.60A	437.40B/388.60A	----	398.50 - 44.20	.7135	----	----	----	----	19 UNCH
4575	----	----	----/392.40A	441.40B/392.40A	----	402.40 - 44.30	.7165	----	----	----	----	32 UNCH
4580	----	----	----/396.20A	445.40B/396.20A	----	406.30 - 44.50	.7195	----	----	----	----	3 UNCH
4585	----	----	----/400.10A	449.50B/400.10A	----	410.20 - 44.60	.7225	----	----	----	----	18 UNCH
4600	----	----	----/411.70A	461.60B/411.70A	----	422.00 - 45.10	.7312	----	----	----	----	165 UNCH
4615	----	----	----/423.50A	473.90B/423.50A	----	433.90 - 45.70	.7396	----	----	----	----	1 UNCH
4625	----	----	----/431.40A	482.10B/431.40A	----	441.90 - 46.00	.7453	----	----	----	----	3 UNCH
4630	----	----	----/435.40A	486.20B/435.40A	----	445.90 - 46.20	.7479	----	----	----	----	7 UNCH
4635	----	----	----/439.30A	490.40B/439.30A	----	450.00 - 46.30	.7506	----	----	----	----	2 UNCH
4640	----	----	----/443.30A	494.50B/443.30A	----	454.00 - 46.50	.7533	----	----	----	----	3 UNCH
4650	----	----	----/451.40A	495.40B/451.40A	----	462.10 - 46.80	.7586	----	----	----	----	1 UNCH
4655	----	----	----/455.40A	499.20B/455.40A	----	466.20 - 46.90	.7612	----	----	----	----	1 UNCH
4660	----	----	----/459.50A	503.40B/459.50A	----	470.30 - 47.10	.7638	----	----	----	----	443 UNCH
4665	----	----	----/463.60A	507.50B/463.60A	----	474.40 - 47.30	.7663	----	----	----	----	3 UNCH
4680	----	----	----/475.80A	519.90B/475.80A	----	486.80 - 47.70	.7738	----	----	----	----	3 UNCH
4690	----	----	----/484.10A	528.20B/484.10A	----	495.10 - 48.00	.7787	----	----	----	----	1 UNCH
4695	----	----	----/488.20A	532.40B/488.20A	----	499.30 - 48.10	.7811	----	----	----	----	28 UNCH
4700	----	----	----/492.40A	536.60B/492.40A	----	503.50 - 48.20	.7836	----	----	----	----	133 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT												
FEB27												
4705	----	----	----/496.50A	540.80B/496.50A	----	507.70 - 48.40	.7860	----	----	----	----	3 UNCH
4710	----	----	----/500.70A	545.00B/500.70A	----	511.90 - 48.50	.7882	----	----	----	----	3 UNCH
4725	----	----	----/513.30A	557.70B/513.30A	----	524.60 - 48.90	.7951	----	----	----	----	10 UNCH
4730	----	----	----/517.50A	561.90B/517.50A	----	528.80 - 49.10	.7973	----	----	----	----	16 UNCH
4750	----	----	----/538.80A	579.00B/538.80A	----	545.90 - 49.60	.8061	----	----	----	----	43 UNCH
4755	----	----	----/543.10A	583.20B/543.10A	----	550.20 - 49.70	.8081	----	----	----	----	31 UNCH
4760	----	----	----/547.30A	587.50B/547.30A	----	554.60 - 49.80	.8103	----	----	----	----	3 UNCH
4765	----	----	----/551.70A	591.80B/551.70A	----	558.90 - 49.90	.8125	----	----	----	----	8 UNCH
4775	----	----	----/563.10A	600.50B/563.10A	----	567.50 - 50.20	.8165	----	----	----	----	13 UNCH
4780	----	----	----/567.30A	604.80B/567.30A	----	571.90 - 50.30	.8185	----	----	----	----	8 UNCH
4785	----	----	----/571.50A	609.10B/571.50A	----	576.20 - 50.50	.8205	----	----	----	----	100 UNCH
4800	----	----	----/584.30A	622.10B/584.30A	----	589.40 - 50.70	.8264	----	----	----	----	311 UNCH
4805	----	----	----/589.90A	626.50B/589.90A	----	593.80 - 50.80	.8283	----	----	----	----	2 UNCH
4810	----	----	----/593.80A	630.90B/593.80A	----	598.20 - 50.90	.8303	----	----	----	----	20 UNCH
4825	----	----	----/606.80A	644.00B/606.80A	----	611.40 - 51.30	.8357	----	----	----	----	5 UNCH
4835	----	----	----/616.60A	652.80B/616.60A	----	620.30 - 51.50	.8394	----	----	----	----	1 UNCH
4840	----	----	----/621.10A	657.20B/621.10A	----	624.70 - 51.60	.8411	----	----	----	----	1 UNCH
4845	----	----	----/624.70A	661.60B/624.70A	----	629.20 - 51.70	.8428	----	----	----	----	3 UNCH
4855	----	----	----/633.50A	670.40B/633.50A	----	638.10 - 51.90	.8462	----	----	----	----	3 UNCH
4900	----	----	----/673.90A	710.50B/673.90A	----	678.70 - 52.70	.8607	----	----	----	----	4 UNCH
4905	----	----	----/678.40A	715.00B/678.40A	----	683.20 - 52.80	.8624	----	----	----	----	4 UNCH
4950	----	----	----/721.40A	755.60B/721.40A	----	724.30 - 53.60	.8753	----	----	----	----	1 UNCH
4955	----	----	----/726.00A	760.10B/726.00A	----	728.90 - 53.70	.8767	----	----	----	----	1 UNCH
5000	----	----	----/768.00A	801.20B/768.00A	----	770.60 - 54.30	.8881	----	----	----	----	76 UNCH
5005	----	----	----/772.60A	805.80B/772.60A	----	775.20 - 54.40	.8895	----	----	----	----	3 UNCH
5010	----	----	----/777.30A	810.40B/777.30A	----	779.90 - 54.40	.8906	----	----	----	----	1 UNCH
5050	----	----	----/815.00A	847.30B/815.00A	----	817.30 - 55.00	.8996	----	----	----	----	4 UNCH
5055	----	----	----/819.80A	852.00B/819.80A	----	822.00 - 55.00	.9007	----	----	----	----	4 UNCH
5100	----	----	----/862.60A	893.90B/862.60A	----	864.50 - 55.50	.9098	----	----	----	----	2 UNCH
5150	----	----	----/910.50A	941.00B/910.50A	----	912.00 - 56.10	.9188	----	----	----	----	1 UNCH
5175	----	----	----/934.50A	964.80B/934.50A	----	935.90 - 56.40	.9228	----	----	----	----	125 UNCH
5200	----	----	----/958.70A	988.70B/958.70A	----	959.90 - 56.60	.9267	----	----	----	----	1 UNCH
5250	----	----	----/1,007.10A	1036.80B/1007.10A	----	1008.10 - 57.00	.9336	----	----	----	----	15 UNCH
5320	----	----	----/1,075.30A	1105.30B/1075.30A	----	1075.90 - 57.50	.9420	----	----	----	----	1 UNCH
5400	----	----	----/1,153.40A	1185.70B/1153.40A	----	1154.00 - 57.90	.9500	----	----	----	----	50 UNCH
5500	----	----	----/1,251.30A	1289.60B/1251.30A	----	1252.10 - 58.50	.9583	----	----	----	----	31 UNCH
5520	----	----	----/1,270.90A	1310.70B/1270.90A	----	1271.80 - 58.60	.9597	----	----	----	----	300 UNCH
5530	----	----	----/1,280.60A	1321.30B/1280.60A	----	1281.60 - 58.70	.9605	----	----	----	----	100 UNCH
5550	----	----	----/1,300.20A	1342.40B/1300.20A	----	1301.40 - 58.70	.9618	----	----	----	----	65 UNCH
5565	----	----	----/1,314.80A	1358.20B/1314.80A	----	1316.20 - 58.70	.9628	----	----	----	----	50 UNCH
6000	----	----	----	----	----	1748.60 - 59.90	.9806	----	----	----	----	1 UNCH
TOTAL										587	15	20275 + 302
MAR27												
3000	----	----	----/5.40A	5.30B/5.40A	----	5.30 - 0.60	.0177	----	----	----	----	20 UNCH
3075	----	----	----/6.30A	6.50B/6.30A	----	6.40 - 0.90	.0215	----	----	----	----	1 UNCH
3170	----	----	----/8.00A	8.50B/8.00A	----	8.10 - 1.30	.0276	----	----	----	----	1 UNCH
3200	----	----	----/8.70A	9.30B/8.70A	----	8.70 - 1.50	.0298	----	----	----	----	72 UNCH
3300	----	----	----/11.40A	12.50B/11.40A	----	11.40 - 2.20	.0392	----	----	----	----	486 UNCH
3325	----	----	----/12.30A	13.50B/12.30A	----	12.20 - 2.40	.0420	----	----	----	----	4 UNCH
3345	----	----	----/13.00A	14.40B/13.00A	----	12.90 - 2.60	.0444	----	----	----	----	7 UNCH
3350	----	----	----/13.20A	14.60B/13.20A	----	13.10 - 2.60	.0450	----	----	----	----	19 UNCH
3375	----	----	----/14.20A	15.80B/14.20A	----	14.10 - 2.80	.0484	----	----	----	----	20 UNCH
3395	----	----	----/15.00A	16.80B/15.00A	----	15.00 - 3.00	.0514	----	----	----	----	21 UNCH
3400	----	----	----/15.20A	17.10B/15.20A	----	15.20 - 3.00	.0521	----	----	----	----	402 UNCH
3425	----	----	----/16.40A	18.50B/16.40A	----	16.40 - 3.30	.0560	----	----	----	----	29 UNCH
3450	----	----	----/17.70A	20.00B/17.70A	----	17.70 - 3.50	.0603	----	----	----	----	43 UNCH
3500	----	----	----/20.60A	23.50B/20.60A	----	20.70 - 4.00	.0699	----	----	----	----	492 UNCH
3525	----	----	----/22.20A	25.50B/22.20A	----	22.40 - 4.30	.0753	----	----	----	----	120 UNCH
3540	----	----	----/23.30A	26.70B/23.30A	----	23.50 - 4.50	.0787	----	----	----	----	1 UNCH
3545	----	----	----/23.60A	27.20B/23.60A	----	23.80 - 4.70	.0797	----	----	----	----	1 UNCH
3550	----	----	----/24.00A	27.60B/24.00A	----	24.20 - 4.70	.0810	----	----	----	----	250 UNCH
3565	----	----	----/25.10A	29.00B/25.10A	----	25.40 - 4.90	.0847	----	----	----	----	2 UNCH
3575	----	----	----/25.90A	29.90B/25.90A	----	26.20 - 5.10	.0871	----	----	----	----	20 UNCH
3580	----	----	----/26.40A	30.40B/26.40A	----	26.60 - 5.20	.0884	----	----	----	----	1 UNCH
3600	----	----	----/28.00A	32.60B/28.00A	----	28.40 - 5.40	.0938	----	----	5	----	1683 UNCH
3650	----	----	----/32.80A	38.30B/32.80A	----	33.30 - 6.30	.1084	----	----	----	----	129 UNCH
3700	----	----	----/38.40A	44.90B/38.40A	----	39.10 - 7.30	.1251	----	----	----	----	38 UNCH
3725	42.10	42.10	42.10/41.60A	48.70B/41.60A	----	42.30 - 7.90	.1341	----	----	1	----	28 + 1
3740	----	----	----/43.60A	51.10B/43.60A	----	44.40 - 8.30	.1399	----	----	----	----	29 UNCH
3750	44.80	44.80	44.80/44.80	52.80B/44.80	----	45.80 - 8.60	.1437	----	----	3	----	188 + 3
3760	----	----	----/46.40A	54.50B/46.40A	----	47.30 - 8.80	.1478	----	----	----	----	1 UNCH
3775	----	----	----/48.60A	57.20B/48.60A	----	49.60 - 9.20	.1540	----	----	----	----	1 UNCH
3780	----	----	----/49.50A	58.10B/49.50A	----	50.30 - 9.40	.1560	----	----	----	----	25 UNCH
3785	----	----	----/50.20A	59.00B/50.20A	----	51.20 - 9.50	.1583	----	----	----	----	1 UNCH
3790	52.50	52.50	52.50/51.00A	59.90B/51.00A	----	52.00 - 9.60	.1604	----	----	3	----	4 + 3
3795	----	----	----/51.80A	60.90B/51.80A	----	52.80 - 9.80	.1625	----	----	----	----	25 UNCH
3800	53.50	53.50	53.50/52.50	61.80B/52.50	----	53.60 - 10.00	.1647	----	----	2	----	111 - 2
3810	----	----	----/54.30A	63.90B/54.30A	----	55.30 - 10.30	.1692	----	----	----	----	1 UNCH
3815	----	----	----/55.20A	64.90B/55.20A	----	56.20 - 10.40	.1715	----	----	----	----	1 UNCH
3820	----	----	----/56.00A	65.90B/56.00A	----	57.10 - 10.60	.1738	----	----	----	----	30 UNCH
3825	----	----	----/56.90A	66.90B/56.90A	----	58.00 - 10.70	.1761	----	----	----	----	131 UNCH
3830	----	----	----/57.80A	68.00B/57.80A	----	58.90 - 10.90	.1784	----	----	----	----	1 UNCH
3835	----	----	----/58.70A	69.10B/58.70A	----	59.90 NEW	.1809	----	----	2	----	2 + 2
3840	----	----	----/59.60A	70.20B/59.60A	----	60.80 - 11.20	.1832	----	----	----	----	2 UNCH
3845	----	----	----/60.60A	71.30B/60.60A	----	61.80 - 11.30	.1857	----	----	----	----	1 UNCH
3850	62.80	62.80	62.80/61.60A	72.30B/61.60A	----	62.70 - 11.60	.1881	----	----	1	----	141 - 1
3855	----	----	----/62.50A	73.50B/62.50A	----	63.70 - 11.70	.1905	----	----	----	----	3 UNCH
3860	----	----	----/63.50A	74.70B/63.50A	----	64.70 - 11.90	.1930	----	----	----	----	2 UNCH
3865	----	----	----/64.50A	75.80B/64.50A	----	65.70 - 12.10	.1955	----	----	----	----	26 UNCH
3870	----	----	----/65.50A	77.00B/65.50A	----	66.80 - 12.20	.1982	----	----	----	----	4 UNCH
3875	----	----	----/66.50A	78.20B/66.50A	----	67.80 - 12.40	.2007	----	----	----	----	12 UNCH
3885	----	----	----/68.60A	80.70B/68.60A	----	69.90 - 12.80	.2058	----	----	----	----	1 UNCH
3890	----	----	----/69.60A	81.90B/69.60A	----	71.00 - 13.00	.2085	----	----	----	----	1 UNCH
3900	----	----	----/71.90A	84.40B/71.90A	----	73.30 - 13.20	.2139	----	----	----	----	1401 UNCH
3905	----	----	----/73.00A	85.80B/73.00A	----	74.40 - 13.50	.2166	----	----	----	----	10 UNCH
3935	----	----	----/79.90A	93.90B/79.90A	----	81.50 - 14.60	.2332	----	----	1	----	214 + 1
3945	----	----	----/82.40A	96.80B/82.40A	----	84.00 - 15.10	.2389	----	----	----	----	25 UNCH
3950	----	----	----/83.60A	98.30B/83.60A	----	85.30 - 15.20	.2419	----	----	----	----	79 UNCH
3970	90.60	90.60	90.60/88.70A	104.30B/88.70A	----	90.60 NEW	.2537	----	----	12	----	12 + 12
3975	----	----	----/90.10A	105.80B/90.10A	----	92.00 - 16.20	.2568	----	----	----	----	1 UNCH
3995	----	----	----/95.50A	112.20B/95.50A	----	97.60 - 17.10	.2690	----	----	----	----	12 UNCH
4000	101.40	101.40	101.80/96.90A	113.90B/96.90A	----	99.10 - 17.30	.2722	----	----	3	----	928 - 3
4020	----	----	----/102.80A	120.70B/102.80A	----	105.10 - 18.10	.2848	----	----	----	----	40 UNCH
4050	----	----	----/112.10A	131.50B/112.10A	----	114.60 - 19.50	.3044	----	----	6	----	46 + 6
4055	----	----	----/113.70A	133.30B/113.70A	----	116.30 - 19.70	.3077	----	----	----	----	2 UNCH
4070	----	----	----/118.60A	139.00B/118.60A	----	121.40 - 20.30	.3178	----	----	----	----	1 UNCH
4075	----	----	----/120.30A	141.00B/120.30A	----	123.10 - 20.60	.3212	----	----	----	----	249 UNCH
4080	----	----	----/122.00A	143.00B/122.00A	----	124.90 - 20.80	.3246	----	----	----	----	0 UNCH
4095	----	----	----/127.30A	149.00B/127.30A	----	130.30 - 21.40	.3349	----	----	----	----	2 UNCH
4100	----	----	----/129.10A	151.00B/129.10A	----	132.10 - 21.70	.3383	----	----	----	----	785 UNCH
4110	----	----	----/132.70A	155.20B/132.70A	----	135.80 - 22.20	.3453	----	----	1	----	1 UNCH
4115	137.90	137.90	137.90/134.60A	157.30B/134.60A	----	137.70 NEW	.3488	----	----	2	----	2 + 2
4130	----	----	----/140.20A	163.80B/140.20A	----	143.50 - 23.00	.3594	----	----	----	----	390 UNCH
4135	----	----	----/142.20A	166.00B/142.20A	----	145.50 - 23.20	.3629	----	----	----	----	42 UNCH
4140	----	----	----/144.10A	168.20B/144.10A	----	147.50 - 23.50	.3665	----	----	----	----	2 UNCH
4145	----	----	----/146.10A	170.50B/146.10A	----	149.50 - 23.70	.3701	----	----	----	----	1 UNCH
4150	----	----	----/148.10A	172.70B/148.10A	----	151.60 - 23.90	.3737	----	----	----	----	12 UNCH
4155	----	----	----/150.10A	175.00B/150.10A	----	153.60 - 24.10	.3772	----	----	----	----	21 UNCH
4160	----	----	----/152.10A	177.30B/152.10A	----	155.70 - 24.30	.3809	----	----	1	----	3 UNCH
4165	----	----	----/154.20A	179.60B/154.20A	----	157.80 - 24.60	.3845	----	----	----	----	40 UNCH
4170	----	----	----/156.20A	182.00B/156.20A	----	159.90 - 24.80	.3881	----	----	----	----	1 UNCH
4175	----	----	----/158.30A	184.30B/158.30A	----	162.10 - 25.00	.3917	----	----	----	----	4 UNCH
4200	----	----	----/169.10A	196.50B/169.10A	----	173.10 - 26.10	.4100	----	----	----	----	577 UNCH
4205	----	----	----/171.30A	199.00B/171.30A	----	175.30 - 26.40	.4136	----	----	----	----	5 UNCH
4215	----	----	----/175.80A	204.00B/175.80A	----	180.00 - 26.70	.4210	----	----	----	----	50 UNCH
4220	----	----	----/178.10A	206.80B/178.10A	----	182.30 - 26.90	.4247	----	----	----	----	11 UNCH
4230	----	----	----/182.70A	211.70B/182.70A	----	187.00 - 27.40	.4321	----	----	----	----	1 UNCH
4235	----	----	----/185.00A	214.40B/185.00A	----	189.40 - 27.60	.4357	----	----	----	----	27 UNCH
4240	----	----	----/187.40A	217.00B/187.40A	----	191.80 - 27.90	.4394	----	----	----	----	6 UNCH
4245	----	----	----/189.80A	219.60B/189.80A	----	194.30 - 28.00	.4431	----	----	----	----	1 UNCH
4250	----	----	----/192.20A	222.50B/192.20A	----	196.70 - 28.30	.4468	----	----	----	----	127 UNCH
4255	----	----	----/194.60A	225.20B/194.60A	----	199.20 - 28.50	.4505	----	----	----	----	1 UNCH
4260	----	----	----/197.10A	228.00B/197.10A	----	201.70 - 28.70	.4542	----	----	----	----	4 UNCH
4265	----	----	----/199.50A	230.50B/199.50A	----	204.30 - 28.90	.4579	----	----	----	----	1 UNCH
4270	----	----	----/202.00A	233.20B/202.00A	----	206.80 - 29.20	.4616	----	----	----	----	35 UNCH
4285	----	----	----/209.60A	241.50B/209.60A	----	214.60 - 29.80	.4727	----	----	----	----	100 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAR27												
4300	----	----	----/217.40A	250.10B/217.40A	----	222.60 - 30.50	.4838	----	----	----	----	201 UNCH
4320	----	----	----/228.00A	261.80B/228.00A	----	233.50 - 31.40	.4984	----	----	----	----	2 UNCH
4325	----	----	----/230.70A	264.70B/230.70A	----	236.30 - 31.60	.5020	----	----	----	----	20 UNCH
4350	254.50	254.50	254.50/244.50A	280.30B/244.50A	----	250.50 - 32.80	.5201	----	----	1	----	42 + 1
4370	----	----	----/256.00A	292.40B/256.00A	----	262.30 - 33.70	.5344	----	----	----	----	270 UNCH
4375	----	----	----/258.90A	295.90B/258.90A	----	265.20 - 34.00	.5380	----	----	----	----	1 UNCH
4395	282.20	282.20	282.60/270.70A	308.70B/270.70A	----	277.40 - 34.80	.5520	----	----	3	----	2 - 2
4400	----	----	----/273.70A	311.60B/273.70A	----	280.40 - 35.10	.5555	----	----	----	----	27 UNCH
4420	----	----	----/285.90A	323.50B/285.90A	----	293.00 - 35.80	.5693	----	----	----	----	10 UNCH
4425	----	----	----/289.00A	326.80B/289.00A	----	296.10 - 36.10	.5727	----	----	----	----	4 UNCH
4440	----	----	----/298.40A	336.90B/298.40A	----	305.80 - 36.60	.5829	----	----	----	----	52 UNCH
4450	----	----	----/304.80A	343.70B/304.80A	----	312.30 - 37.00	.5896	----	----	----	----	65 UNCH
4460	----	----	----/311.20A	350.60B/311.20A	----	318.80 - 37.50	.5962	----	----	----	----	1 UNCH
4465	----	----	----/314.40A	354.00B/314.40A	----	322.10 - 37.70	.5995	----	----	----	----	7 UNCH
4470	----	----	----/317.70A	357.50B/317.70A	----	325.50 - 37.80	.6028	----	----	----	----	4 UNCH
4475	----	----	----/321.00A	360.90B/321.00A	----	328.80 - 38.00	.6061	----	----	----	----	25 UNCH
4480	----	----	----/324.30A	364.40B/324.30A	----	332.20 - 38.20	.6094	----	----	----	----	37 UNCH
4490	----	----	----/331.90A	371.50B/331.90A	----	338.90 - 38.60	.6158	----	----	----	----	30 UNCH
4500	----	----	----/338.60A	378.50B/338.60A	----	345.70 - 39.00	.6223	----	----	----	----	103 UNCH
4510	----	----	----/345.40A	385.70B/345.40A	----	352.60 - 39.40	.6286	----	----	----	----	10 UNCH
4515	----	----	----/348.80A	389.30B/348.80A	----	356.10 - 39.50	.6317	----	----	----	----	1 UNCH
4520	----	----	----/352.30A	392.90B/352.30A	----	359.60 - 39.70	.6348	----	----	----	----	1 UNCH
4525	372.00	372.00	372.00/355.70A	396.50B/355.70A	----	363.10 - 39.90	.6380	----	----	1	----	10 UNCH
4540	----	----	----/366.20A	407.40B/366.20A	----	373.70 - 40.50	.6471	----	----	----	----	4 UNCH
4585	----	----	----/398.50A	441.00B/398.50A	----	406.30 - 42.10	.6738	----	----	----	----	1 UNCH
4600	----	----	----/409.50A	452.40B/409.50A	----	417.40 - 42.70	.6823	----	----	----	----	26 UNCH
4610	----	----	----/417.00A	460.00B/417.00A	----	424.90 - 43.00	.6879	----	----	----	----	300 UNCH
4650	----	----	----/447.30A	491.10B/447.30A	----	455.50 - 44.30	.7094	----	----	----	----	1 UNCH
4660	----	----	----/455.00A	499.00B/455.00A	----	463.20 - 44.70	.7147	----	----	----	----	24 UNCH
4680	----	----	----/470.60A	514.90B/470.60A	----	478.90 - 45.30	.7248	----	----	----	----	1 UNCH
4700	----	----	----/486.40A	530.70B/486.40A	----	494.80 - 45.80	.7347	----	----	----	----	303 UNCH
4710	----	----	----/494.30A	538.80B/494.30A	----	502.80 - 46.10	.7395	----	----	----	----	2 UNCH
4750	----	----	----/526.70A	571.50B/526.70A	----	535.20 - 47.20	.7580	----	----	----	----	15 UNCH
4810	----	----	----/576.60A	602.80B/576.60A	----	585.10 - 48.70	.7837	----	----	----	----	21 UNCH
4850	----	----	----/612.70A	635.20B/612.70A	----	619.10 - 49.70	.7992	----	----	----	----	2 UNCH
4900	----	----	----/669.60A	676.20B/669.60A	----	662.40 - 50.70	.8173	----	----	----	----	12 UNCH
4905	----	----	----/674.20A	680.40B/674.20A	----	666.80 - 50.80	.8190	----	----	----	----	2 UNCH
5000	----	----	----/761.50A	759.80B/761.50A	----	751.10 - 52.60	.8484	----	----	----	----	75 UNCH
TOTAL										48		11620+ 23
APR27												
3000	7.80	7.80	8.10/7.60	8.10/7.60	----	7.60 - 1.00	.0231	----	----	8	----	119 + 5
3100	10.00	10.00	10.10/10.00	10.10/10.00	----	9.90 - 1.30	.0301	----	----	2	----	12 + 2
3200	----	----	----/12.90A	13.40B/12.90A	----	12.70 - 1.90	.0388	----	----	----	200	326 + 200
3225	----	----	----/13.80A	14.40B/13.80A	----	13.60 - 2.00	.0415	----	----	----	----	65 UNCH
3300	----	----	----/16.80A	17.80B/16.80A	----	16.60 - 2.50	.0505	----	----	----	----	26 UNCH
3350	----	----	----/19.30A	20.60B/19.30A	----	19.10 - 2.90	.0578	----	----	----	----	35 UNCH
3375	----	----	----/20.60A	22.10B/20.60A	----	20.50 - 3.10	.0619	----	----	----	----	46 UNCH
3400	----	----	----/22.10A	23.80B/22.10A	----	22.00 - 3.30	.0662	----	----	----	----	9 UNCH
3420	----	----	----/23.40A	25.30B/23.40A	----	23.20 - 3.60	.0697	----	----	----	----	15 UNCH
3450	----	----	----/25.30A	27.60B/25.30A	----	25.30 - 3.90	.0756	----	----	----	----	3 UNCH
3455	----	----	----/25.60A	28.00B/25.60A	----	25.70 - 3.90	.0767	----	----	----	----	1 UNCH
3460	----	----	----/26.00A	28.40B/26.00A	----	26.10 - 3.90	.0777	----	----	----	----	200 UNCH
3475	----	----	----/27.10A	29.70B/27.10A	----	27.20 - 4.20	.0808	----	----	----	----	300 UNCH
3480	----	----	----/27.50A	30.10B/27.50A	----	27.60 - 4.20	.0819	----	----	----	----	1 UNCH
3490	----	----	----/28.30A	31.00B/28.30A	----	28.40 - 4.40	.0841	----	----	----	----	10 UNCH
3500	31.90	31.90	31.90/29.10A	32.00B/29.10A	----	29.20 - 4.50	.0864	----	----	2	----	242 UNCH
3545	----	----	----/33.00A	36.60B/33.00A	----	33.30 - 5.10	.0974	----	----	----	----	10 UNCH
3550	----	----	----/33.50A	37.10B/33.50A	----	33.80 - 5.20	.0987	----	----	----	----	500 UNCH
3555	----	----	----/34.00A	37.70B/34.00A	----	34.30 - 5.20	.1000	----	----	----	----	4 UNCH
3565	----	----	----/35.00A	38.70B/35.00A	----	35.30 - 5.40	.1027	----	----	----	----	20 UNCH
3590	----	----	----/37.60A	41.70B/37.60A	----	37.90 - 5.90	.1095	----	----	----	----	10 UNCH
3595	----	----	----/38.10A	42.30B/38.10A	----	38.50 - 5.90	.1110	----	----	----	----	10 UNCH
3600	----	----	----/38.60A	42.90B/38.60A	----	39.00 - 6.10	.1124	----	----	----	----	846 UNCH
3650	----	----	----/44.60A	49.80B/44.60A	----	45.10 - 7.00	.1279	----	----	----	----	218 UNCH
3680	----	----	----/48.40A	54.40B/48.40A	----	49.10 - 7.70	.1379	----	----	----	----	20 UNCH
3690	----	----	----/49.80A	56.00B/49.80A	----	50.50 - 8.00	.1414	----	----	----	----	32 UNCH
3700	----	----	----/51.20A	57.70B/51.20A	----	52.00 - 8.20	.1450	----	----	----	----	99 UNCH
3725	----	----	----/55.10A	62.00B/55.10A	----	55.80 - 8.90	.1542	----	----	----	----	3 UNCH
3730	----	----	----/55.90A	63.00B/55.90A	----	56.60 - 9.00	.1561	----	----	----	----	20 UNCH
3735	----	----	----/56.70A	63.90B/56.70A	----	57.50 - 9.10	.1582	----	----	----	----	42 UNCH
3750	----	----	----/59.10A	66.80B/59.10A	----	60.00 - 9.50	.1641	----	----	----	----	77 UNCH
3755	----	----	----/60.00A	67.80B/60.00A	----	60.80 - 9.70	.1660	----	----	----	----	20 UNCH
3780	----	----	----/64.40A	72.80B/64.40A	----	65.30 - 10.30	.1764	----	----	----	----	30 UNCH
3790	----	----	----/66.20A	75.00B/66.20A	----	67.20 - 10.60	.1807	----	----	----	----	20 UNCH
3800	74.00	74.00	74.00/68.20A	77.20B/68.20A	----	69.10 - 10.90	.1850	----	----	4	----	217 - 2
3805	73.00	73.00	73.00/69.10A	78.30B/69.10A	----	70.10 - 11.00	.1872	----	----	1	----	2 UNCH
3815	----	----	----/71.10A	80.60B/71.10A	----	72.10 - 11.30	.1917	----	----	----	----	20 UNCH
3820	----	----	----/72.00A	81.70B/72.00A	----	73.10 - 11.50	.1939	----	----	----	----	1 UNCH
3825	----	----	----/73.00A	82.90B/73.00A	----	74.20 - 11.60	.1963	----	----	----	----	52 UNCH
3845	----	----	----/77.30A	87.70B/77.30A	----	78.50 - 12.20	.2056	----	----	----	----	50 UNCH
3850	----	----	----/78.30A	89.00B/78.30A	----	79.60 - 12.30	.2080	----	----	----	----	37 UNCH
3855	----	----	----/79.40A	90.30B/79.40A	----	80.70 - 12.50	.2104	----	----	----	----	12 UNCH
3860	----	----	----/80.60A	91.50B/80.60A	----	81.80 - 12.70	.2128	----	----	----	----	77 UNCH
3865	----	----	----/81.60A	92.80B/81.60A	----	83.00 - 12.80	.2153	----	----	----	----	50 UNCH
3885	----	----	----/86.30A	98.20B/86.30A	----	87.70 - 13.50	.2252	----	----	----	----	1 UNCH
3895	88.30	88.30	88.70/88.30	101.10B/88.30	----	90.10 - 13.90	.2302	----	----	6	----	46 + 6
3900	----	----	----/89.90A	102.40B/89.90A	----	91.40 - 14.00	.2328	----	----	----	----	362 UNCH
3905	----	----	----/91.10A	103.80B/91.10A	----	92.60 - 14.20	.2353	----	----	----	----	20 UNCH
3910	----	----	----/92.40A	105.20B/92.40A	----	93.90 - 14.40	.2380	----	----	----	----	1 UNCH
3925	----	----	----/96.30A	109.80B/96.30A	----	97.90 - 14.90	.2459	----	----	----	----	5 UNCH
3930	----	----	----/97.60A	111.40B/97.60A	----	99.20 - 15.10	.2486	----	----	----	----	20 UNCH
3935	----	----	----/98.90A	112.70B/98.90A	----	100.50 - 15.30	.2512	----	----	----	----	6 UNCH
3950	----	----	----/103.00A	117.60B/103.00A	----	104.70 - 15.80	.2594	----	----	----	----	3 UNCH
3960	----	----	----/105.80A	120.80B/105.80A	----	107.60 - 16.10	.2650	----	----	----	----	2 UNCH
3970	----	----	----/108.80A	123.80B/108.80A	----	110.50 - 16.50	.2706	----	----	----	----	13 UNCH
3980	----	----	----/111.50A	127.40B/111.50A	----	113.50 - 16.90	.2762	----	----	----	----	1 UNCH
3995	----	----	----/116.20A	132.30B/116.20A	----	118.10 - 17.50	.2848	----	----	----	----	4 UNCH
4000	----	----	----/117.80A	134.30B/117.80A	----	119.60 - 17.70	.2877	----	----	----	----	361 UNCH
4050	----	----	----/134.00A	152.80B/134.00A	----	136.30 - 19.60	.3175	----	----	----	----	5 UNCH
4055	----	----	----/135.70A	154.70B/135.70A	----	138.00 - 19.80	.3206	----	----	----	----	50 UNCH
4060	----	----	----/137.40A	156.70B/137.40A	----	139.80 - 20.00	.3236	----	----	----	----	1 UNCH
4065	----	----	----/139.30A	158.70B/139.30A	----	141.60 - 20.20	.3267	----	----	----	----	36 UNCH
4080	----	----	----/144.60A	164.80B/144.60A	----	147.10 - 20.80	.3360	----	----	----	----	1 UNCH
4095	----	----	----/150.10A	170.90B/150.10A	----	152.70 - 21.40	.3454	----	----	----	----	5 UNCH
4100	----	----	----/151.90A	173.10B/151.90A	----	154.70 - 21.50	.3486	----	----	----	----	818 UNCH
4125	----	----	----/161.80A	184.00B/161.80A	----	164.60 - 22.50	.3645	----	----	----	----	353 UNCH
4145	----	----	----/169.90A	193.00B/169.90A	----	172.80 - 23.40	.3774	----	----	----	----	3 UNCH
4150	----	----	----/171.80A	195.30B/171.80A	----	174.90 - 23.60	.3806	----	----	----	----	139 UNCH
4160	----	----	----/176.20A	200.00B/176.20A	----	179.20 - 24.00	.3871	----	----	----	----	30 UNCH
4165	----	----	----/178.30A	202.00B/178.30A	----	181.40 - 24.10	.3904	----	----	----	----	4 UNCH
4175	----	----	----/182.60A	206.80B/182.60A	----	185.80 - 24.50	.3969	----	----	----	----	50 UNCH
4195	----	----	----/191.40A	216.60B/191.40A	----	194.80 - 25.40	.4101	----	----	----	----	3 UNCH
4200	----	----	----/193.60A	219.10B/193.60A	----	197.10 - 25.60	.4134	----	----	----	----	175 UNCH
4205	----	----	----/195.90A	221.60B/195.90A	----	199.40 - 25.80	.4167	----	----	----	----	1 UNCH
4210	----	----	----/198.10A	224.10B/198.10A	----	201.80 - 25.90	.4200	----	----	----	----	6 UNCH
4225	----	----	----/205.10A	232.00B/205.10A	----	208.90 - 26.60	.4299	----	----	----	----	410 UNCH
4230	----	----	----/207.40A	234.50B/207.40A	----	211.30 - 26.80	.4332	----	----	----	----	105 UNCH
4245	----	----	----/214.60A	242.40B/214.60A	----	218.70 - 27.40	.4431	----	----	----	----	1 UNCH
4250	----	----	----/217.00A	245.10B/217.00A	----	221.20 - 27.60	.4464	----	----	----	----	120 UNCH
4255	----	----	----/219.50A	247.90B/219.50A	----	223.70 - 27.80	.4498	----	----	----	----	16 UNCH
4260	----	----	----/221.90A	250.60B/221.90A	----	226.20 - 28.00	.4531	----	----	----	----	15 UNCH
4275	----	----	----/229.50A	258.80B/229.50A	----	234.00 - 28.60	.4630	----	----	----	----	20 UNCH
4280	----	----	----/232.00A	261.60B/232.00A	----	236.60 - 28.80	.4663	----	----	----	----	1 UNCH
4285	----	----	----/234.60A	264.60B/234.60A	----	239.20 - 29.00	.4696	----	----	----	----	50 UNCH
4290	237.90	237.90	237.90/237.10A	267.40B/237.10A	----	241.80 - 29.20	.4729	----	----	2	----	3 + 2
4300	----	----	----/242.40A	273.10B/242.40A	----	247.20 - 29.60	.4795	----	----	----	----	257 UNCH
4330	----	----	----/258.40A	290.70B/258.40A	----	263.60 - 30.90	.4992	----	----	----	----	5 UNCH
4345	----	----	----/266.70A	299.70B/266.70A	----	272.10 - 31.50	.5089	----	----	----	----	6 UNCH
4350	----	----	----/269.50A	302.80B/269.50A	----	275.00 - 31.70	.5121	----	----	1	----	83 UNCH
4365	----	----	----/278.00A	311.80B/278.00A	----	283.60 - 32.40	.5218	----	----	----	----	1 UNCH
4370	----	----	----/280.90A	314.90B/280.90A	----	286.60 - 32.60	.5250	----	----	----	----	1 UNCH
4375	----	----	----/283.80A	318.20B/283.80A	----	289.50 - 32.80	.5282	----	----	----	----	8 UNCH
4380	----	----	----/286.70A	321.20B/286.70A	----	292.50 NEW	.5313	----	----	1	----	1 + 1
4385	----	----	----/289.60A	324.40B/289.60A	----	295.50 - 33.20	.5345	----	----	----	----	3 UNCH
4395	----	----	----/295.50A	330.70B/295.50A	----	301.50 - 33.60	.5408	----	----	----	----	2 UNCH
4400	309.40	309.40	309.40/298.50A	333.90B/298.50A	----	304.50 - 33.90	.5440	----	----	2	----	28 - 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
APR27												
4405	----	----	----/301.50A	337.10B/301.50A	----	307.60 - 34.00	.5471	----	----	----	----	1 UNCH
4410	----	----	----/304.50A	340.50B/304.50A	----	310.60 - 34.30	.5503	----	----	----	----	2 UNCH
4415	----	----	----/307.60A	343.60B/307.60A	----	313.70 - 34.50	.5534	----	----	----	----	3 UNCH
4420	321.90	321.90	321.90/310.60A	346.90B/310.60A	----	316.80 - 34.70	.5564	----	----	4	----	27 - 4
4425	----	----	----/313.70A	350.40B/313.70A	----	320.00 - 34.80	.5595	----	----	----	----	5 UNCH
4430	----	----	----/316.80A	353.50B/316.80A	----	323.10 - 35.10	.5626	----	----	2	----	3 + 2
4435	----	----	----/319.90A	354.90B/319.90A	----	326.20 - 35.30	.5657	----	----	----	----	13 UNCH
4440	----	----	----/323.00A	358.20B/323.00A	----	329.40 - 35.50	.5688	----	----	----	----	50 UNCH
4450	----	----	----/329.30A	364.90B/329.30A	----	335.80 - 35.90	.5749	----	----	----	----	138 UNCH
4455	----	----	----/332.40A	368.30B/332.40A	----	339.00 - 36.10	.5779	----	----	----	----	2 UNCH
4460	----	----	----/335.60A	371.60B/335.60A	----	342.30 - 36.20	.5809	----	----	----	----	2 UNCH
4465	----	----	----/338.80A	375.00B/338.80A	----	345.50 - 36.50	.5839	----	----	----	----	3 UNCH
4470	----	----	----/342.00A	378.40B/342.00A	----	348.80 - 36.60	.5869	----	----	----	----	4 UNCH
4475	----	----	----/345.30A	381.80B/345.30A	----	352.10 - 36.80	.5899	----	----	----	----	2 UNCH
4480	----	----	----/348.70A	385.30B/348.70A	----	355.40 - 37.00	.5928	----	----	----	----	1 UNCH
4490	----	----	----/355.00A	392.20B/355.00A	----	362.00 - 37.40	.5987	----	----	----	----	31 UNCH
4495	----	----	----/358.30A	395.60B/358.30A	----	365.40 - 37.50	.6016	----	----	----	----	11 UNCH
4500	----	----	----/361.60A	399.10B/361.60A	----	368.70 - 37.80	.6045	----	----	----	----	258 UNCH
4510	----	----	----/368.30A	406.10B/368.30A	----	375.50 - 38.10	.6103	----	----	----	----	1 UNCH
4515	----	----	----/371.80A	409.60B/371.80A	----	378.90 - 38.30	.6132	----	----	----	----	1 UNCH
4535	----	----	----/386.90A	423.90B/386.90A	----	392.70 - 39.00	.6245	----	----	----	----	13 UNCH
4540	----	----	----/390.20A	427.40B/390.20A	----	396.20 - 39.10	.6273	----	----	----	----	100 UNCH
4545	----	----	----/393.70A	431.00B/393.70A	----	399.70 - 39.30	.6301	----	----	----	----	1 UNCH
4550	----	----	----/397.20A	434.60B/397.20A	----	403.20 - 39.50	.6328	----	----	----	----	36 UNCH
4565	----	----	----/407.70A	445.50B/407.70A	----	413.80 - 40.00	.6411	----	----	----	----	10 UNCH
4575	----	----	----/414.70A	452.90B/414.70A	----	421.00 - 40.30	.6464	----	----	----	----	50 UNCH
4590	----	----	----/425.50A	464.10B/425.50A	----	431.80 - 40.80	.6544	----	----	----	----	5 UNCH
4600	----	----	----/432.40A	471.50B/432.40A	----	439.20 - 41.00	.6596	----	----	----	----	229 UNCH
4610	----	----	----/439.70A	479.00B/439.70A	----	446.50 - 41.30	.6648	----	----	----	----	5 UNCH
4615	----	----	----/443.30A	482.80B/443.30A	----	450.20 - 41.50	.6673	----	----	----	----	5 UNCH
4620	----	----	----/447.00A	486.50B/447.00A	----	453.90 - 41.60	.6699	----	----	----	----	1 UNCH
4650	----	----	----/469.30A	509.40B/469.30A	----	476.40 - 42.50	.6848	----	----	----	----	3 UNCH
4695	----	----	----/503.70A	544.30B/503.70A	----	510.70 - 44.00	.7066	----	----	----	----	1 UNCH
4700	----	----	----/507.70A	548.20B/507.70A	----	514.60 - 44.10	.7088	----	----	----	----	14 UNCH
4705	----	----	----/511.30A	552.20B/511.30A	----	518.40 - 44.30	.7112	----	----	----	----	2 UNCH
4720	----	----	----/523.00A	564.00B/523.00A	----	530.20 - 44.70	.7180	----	----	----	----	9 UNCH
4725	----	----	----/526.90A	568.00B/526.90A	----	534.10 - 44.90	.7203	----	----	----	----	5 UNCH
4730	----	----	----/530.90A	572.00B/530.90A	----	538.10 - 44.90	.7225	----	----	----	----	4 UNCH
4750	----	----	----/546.70A	588.00B/546.70A	----	554.00 - 45.50	.7312	----	----	----	----	1 UNCH
4765	----	----	----/558.70A	600.10B/558.70A	----	566.10 - 45.80	.7376	----	----	----	----	1 UNCH
4790	----	----	----/579.00A	620.40B/579.00A	----	586.40 - 46.40	.7478	----	----	----	----	6 UNCH
4800	----	----	----/587.10A	628.60B/587.10A	----	594.50 - 46.70	.7518	----	----	----	----	15 UNCH
4825	----	----	----/607.70A	649.20B/607.70A	----	615.10 - 47.30	.7616	----	----	----	----	4 UNCH
4835	----	----	----/616.00A	657.40B/616.00A	----	623.40 - 47.50	.7654	----	----	----	----	1 UNCH
4900	----	----	----/670.90A	692.80B/670.90A	----	678.10 - 49.00	.7890	----	----	----	----	5 UNCH
4905	----	----	----/675.10A	697.10B/675.10A	----	682.40 - 49.10	.7908	----	----	----	----	2 UNCH
5000	----	----	----/776.40A	764.80B/776.40A	----	764.70 - 50.90	.8209	----	----	----	----	134 UNCH
5005	----	----	----/781.00A	768.80B/781.00A	----	769.10 - 51.00	.8223	----	----	----	----	1 UNCH
5050	----	----	----/822.50A	805.80B/822.50A	----	809.00 - 51.80	.8348	----	----	----	----	215 UNCH
5060	----	----	----/831.80A	814.20B/831.80A	----	817.90 - 52.00	.8374	----	----	----	----	25 UNCH
5150	----	----	----/916.60A	889.20B/916.60A	----	899.30 - 53.30	.8594	----	----	----	----	1 UNCH
5200	----	----	----/964.60A	931.50B/964.60A	----	945.20 - 53.90	.8702	----	----	----	----	15 UNCH
5205	----	----	----/969.40A	935.70B/969.40A	----	949.80 - 54.00	.8711	----	----	----	----	1 UNCH
5400	----	----	----/1,154.90A	1112.30B/1154.90A	----	1132.40 - 56.20	.9048	----	----	----	----	1 UNCH
5500	----	----	----/1,236.90A	1208.40B/1236.90A	----	1227.90 - 57.00	.9179	----	----	----	----	2 UNCH
5590	----	----	----/1,323.40A	1295.90B/1323.40A	----	1314.60 - 57.60	.9279	----	----	----	----	23 UNCH
5600	----	----	----/1,333.00A	1305.80B/1333.00A	----	1324.20 - 57.70	.9291	----	----	----	----	5 UNCH
5790	----	----	----/1,517.70A	1516.00B/1517.70A	----	1509.30 - 58.80	.9455	----	----	----	----	1 UNCH
5800	----	----	----/1,527.50A	1527.30B/1527.50A	----	1519.10 - 58.80	.9462	----	----	----	----	5 UNCH
6000	----	----	----/1,723.70A	1699.30B/1723.70A	----	1716.10 - 59.70	.9585	----	----	----	----	1 UNCH
TOTAL										35	200	9086 + 210
MAY27												
3000	----	----	----/11.00A	9.50B/11.00A	----	10.30 - 1.20	.0280	----	----	----	----	1 UNCH
3250	----	----	----/19.80A	18.40B/19.80A	----	18.90 - 2.50	.0513	----	----	----	----	1 UNCH
3330	----	----	----/24.20A	22.80B/24.20A	----	23.10 - 3.10	.0624	----	----	----	----	10 UNCH
3370	----	----	----/26.70A	25.40B/26.70A	----	25.60 - 3.40	.0688	----	----	----	----	20 UNCH
3430	----	----	----/30.10A	30.90B/30.10A	----	30.00 - 4.00	.0798	----	----	----	----	20 UNCH
3490	----	----	----/35.10A	36.30B/35.10A	----	35.30 - 4.60	.0926	----	----	----	----	4 UNCH
3500	----	----	----/36.00A	36.60B/36.00A	----	36.20 - 4.80	.0948	----	----	----	----	35 UNCH
3550	----	----	----/41.40A	42.10B/41.40A	----	41.20 - 5.70	.1068	----	----	----	----	2 UNCH
3600	----	----	----/47.10A	48.10B/47.10A	----	46.80 - 6.80	.1199	----	----	----	----	200 UNCH
3700	----	----	----/60.60A	66.80B/60.60A	----	60.90 - 8.80	.1512	----	----	----	----	1 UNCH
3725	----	----	----/64.70A	71.40B/64.70A	----	65.10 - 9.30	.1600	----	----	----	----	35 UNCH
3750	----	----	----/69.10A	76.20B/69.10A	----	69.60 - 9.80	.1693	----	----	----	----	32 UNCH
3760	----	----	----/70.90A	78.40B/70.90A	----	71.40 - 10.10	.1731	----	----	----	----	2 UNCH
3780	----	----	----/74.50A	82.50B/74.50A	----	75.30 - 10.50	.1809	----	----	----	----	1 UNCH
3790	----	----	----/76.50A	84.70B/76.50A	----	77.30 - 10.70	.1849	----	----	----	----	2 UNCH
3800	----	----	----/78.40A	86.90B/78.40A	----	79.40 - 10.90	.1890	----	----	----	----	29 UNCH
3815	----	----	----/81.50A	90.30B/81.50A	----	82.60 - 11.20	.1953	----	----	----	----	25 UNCH
3820	----	----	----/82.50A	91.50B/82.50A	----	83.60 - 11.40	.1973	----	----	----	----	50 UNCH
3850	----	----	----/89.00A	98.70B/89.00A	----	90.40 - 12.10	.2103	----	----	----	----	4 UNCH
3870	----	----	----/93.70A	103.90B/93.70A	----	95.10 - 12.70	.2191	----	----	----	----	20 UNCH
3900	----	----	----/101.00A	112.10B/101.00A	----	102.50 - 13.60	.2329	----	----	----	----	200 UNCH
3980	----	----	----/122.80A	136.20B/122.80A	----	124.60 - 16.20	.2719	----	----	----	----	1 UNCH
4000	----	----	----/128.80A	142.80B/128.80A	----	130.70 - 16.80	.2822	----	----	----	----	22 UNCH
4035	----	----	----/140.00A	155.20B/140.00A	----	142.00 - 18.00	.3007	----	----	----	----	1 UNCH
4050	----	----	----/144.90A	158.40B/144.90A	----	147.10 - 18.50	.3088	----	----	----	----	10 UNCH
4065	----	----	----/150.00A	163.90B/150.00A	----	152.30 - 19.00	.3170	----	----	2	----	289 + 2
4075	----	----	----/153.70A	170.20B/153.70A	----	155.90 - 19.30	.3226	----	----	----	----	1 UNCH
4100	----	----	----/162.60A	179.80B/162.60A	----	165.00 - 20.30	.3365	----	----	----	----	65 UNCH
4115	----	----	----/168.40A	186.50B/168.40A	----	170.70 - 20.80	.3450	----	----	----	----	2 UNCH
4200	----	----	----/203.10A	223.50B/203.10A	----	206.00 - 24.00	.3943	----	----	----	----	305 UNCH
4240	----	----	----/221.30A	243.20B/221.30A	----	224.30 - 25.60	.4181	----	----	----	----	14 UNCH
4250	----	----	----/225.90A	248.10B/225.90A	----	229.10 - 26.00	.4240	----	----	----	----	1 UNCH
4270	----	----	----/235.70A	258.10B/235.70A	----	238.80 - 26.80	.4360	----	----	----	----	10 UNCH
4300	----	----	----/250.60A	276.00B/250.60A	----	253.90 - 28.20	.4539	----	----	----	----	128 UNCH
4340	----	----	----/271.40A	296.00B/271.40A	----	275.00 - 29.90	.4777	----	----	----	----	1 UNCH
4350	----	----	----/276.70A	301.40B/276.70A	----	280.50 - 30.30	.4836	----	----	----	----	24 UNCH
4400	----	----	----/304.80A	331.40B/304.80A	----	308.80 - 32.20	.5128	----	----	----	----	36 UNCH
4405	----	----	----/307.60A	334.20B/307.60A	----	311.70 - 32.40	.5157	----	----	----	----	32 UNCH
4410	----	----	----/310.50A	337.30B/310.50A	----	314.60 - 32.60	.5186	----	----	----	----	1 UNCH
4450	----	----	----/334.30A	362.50B/334.30A	----	338.60 - 34.00	.5413	----	----	----	----	15 UNCH
4470	----	----	----/346.50A	375.50B/346.50A	----	351.00 - 34.60	.5525	----	----	----	----	1 UNCH
4490	----	----	----/359.30A	388.70B/359.30A	----	363.60 - 35.20	.5635	----	----	----	----	1 UNCH
4495	----	----	----/362.40A	392.00B/362.40A	----	366.80 - 35.40	.5663	----	----	----	----	1 UNCH
4500	----	----	----/365.60A	395.40B/365.60A	----	370.00 - 35.50	.5690	----	----	----	----	24 UNCH
4510	----	----	----/372.00A	402.10B/372.00A	----	376.50 - 35.80	.5744	----	----	----	----	4 UNCH
4550	----	----	----/398.10A	425.20B/398.10A	----	402.90 - 37.10	.5957	----	----	----	----	1 UNCH
4575	----	----	----/414.90A	428.70B/414.90A	----	419.80 - 38.00	.6086	----	----	----	----	1 UNCH
4600	----	----	----/432.00A	445.90B/432.00A	----	437.10 - 38.90	.6213	----	----	----	----	6 UNCH
4640	----	----	----/461.70A	474.60B/461.70A	----	465.30 - 40.40	.6410	----	----	----	----	1 UNCH
4650	----	----	----/468.80A	482.30B/468.80A	----	472.50 - 40.70	.6458	----	----	----	----	100 UNCH
4700	----	----	----/505.20A	519.30B/505.20A	----	509.20 - 42.10	.6690	----	----	----	----	71 UNCH
4725	----	----	----/523.70A	538.40B/523.70A	----	527.90 - 42.80	.6801	----	----	----	----	1 UNCH
4760	----	----	----/550.20A	565.40B/550.20A	----	554.60 - 43.60	.6952	----	----	----	----	1 UNCH
4775	----	----	----/561.70A	577.20B/561.70A	----	566.20 - 44.00	.7015	----	----	----	----	3 UNCH
5050	----	----	----/786.40A	805.30B/786.40A	----	792.50 - 50.10	.7978	----	----	----	----	1 UNCH
5150	877.00	877.00	884.20/876.90	884.20/876.90	----	880.10 - 51.70	.8245	----	----	9	----	347 UNCH
TOTAL										11		2216 + 2
JUN27												
2000	----	----	----	1.00B/2.00A	----	1.70 - 0.10	.0037	----	----	----	----	2 UNCH
2100	----	----	----	1.40B/2.40A	----	2.10 - 0.10	.0046	----	----	----	----	1 UNCH
2400	----	----	----	3.00B/4.40A	----	3.80 - 0.30	.0089	----	----	----	----	2 UNCH
2600	----	----	----	4.70B/6.20A	----	5.70 - 0.50	.0138	----	----	----	----	2 UNCH
2800	----	----	----/9.20A	7.60B/9.20A	----	8.50 - 0.90	.0212	----	----	----	----	216 UNCH
2900	----	----	----/11.40A	9.70B/11.40A	----	10.50 - 1.20	.0264	----	----	----	----	1 UNCH
3000	----	----	----/14.20A	12.40B/14.20A	----	13.20 - 1.50	.0333	----	----	20	----	138 + 20
3300	----	----	----/28.20A	26.70B/28.20A	----	27.00 - 3.20	.0671	----	----	----	----	119 UNCH
3500	45.50	45.50	45.50/44.50A	45.90B/44.50A	----	44.40 - 5.40	.1064	----	----	1	----	797 UNCH
3550	----	----	----/50.40A	52.40B/50.40A	----	50.30 - 6.10	.1190	----	----	----	----	1 UNCH
3575	----	----	----/53.60A	57.40B/53.60A	----	53.60 - 6.50	.1259	----	----	----	----	2 UNCH
3600	----	----	----/57.00A	61.30B/57.00A	----	57.00 - 6.90	.1329	----	----	----	----	410 UNCH
3625	----	----	----/60.10A	64.40B/60.10A	----	60.70 - 7.30	.1404	----	----	----	----	455 UNCH
3650	----	----	----/63.80A	68.50B/63.80A	----	64.60 - 7.80	.1482	----	----	----	----	2 UNCH
3655	----	----	----/64.60A	69.40B/64.60A	----	65.40 - 7.90	.1498	----	----	----	----	1 UNCH
3675	----	----	----/67.80A	74.00B/67.80A	----	68.70 - 8.30	.1563	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN27												
3700	----	----	----/72.10A	78.70B/72.10A	----	73.00 - 8.90	.1647	----	----	----	220	2634 + 220
3725	----	----	----/76.60A	83.80B/76.60A	----	77.60 - 9.40	.1734	----	----	----	----	6 UNCH
3750	----	----	----/81.30A	89.10B/81.30A	----	82.50 - 10.00	.1826	----	----	----	----	140 UNCH
3775	----	----	----/86.50A	94.70B/86.50A	----	87.60 - 10.60	.1920	----	----	----	----	13 UNCH
3785	----	----	----/88.50A	95.90B/88.50A	----	89.80 - 10.80	.1959	----	----	----	----	2 UNCH
3800	94.30	94.30	94.30/91.80A	100.60B/91.80A	----	93.00 - 11.20	.2018	----	----	1	----	589 + 1
3805	----	----	----/92.80A	100.80B/92.80A	----	94.20 - 11.30	.2039	----	----	----	----	1 UNCH
3850	----	----	----/103.30A	112.40B/103.30A	----	104.80 - 12.50	.2224	----	----	----	----	150 UNCH
3875	----	----	----/109.50A	120.20B/109.50A	----	111.10 - 13.20	.2332	----	----	----	----	1 UNCH
3900	----	----	----/116.00A	127.50B/116.00A	----	117.70 - 14.00	.2442	----	----	----	----	400 UNCH
3925	----	----	----/122.90A	134.20B/122.90A	----	124.70 - 14.80	.2557	----	----	----	----	150 UNCH
3950	----	----	----/130.20A	143.00B/130.20A	----	132.00 - 15.60	.2673	----	----	----	----	551 UNCH
3970	----	----	----/136.30A	149.60B/136.30A	----	138.10 - 16.20	.2769	----	----	----	----	260 UNCH
4000	----	----	----/145.50A	159.80B/145.50A	----	147.70 - 17.20	.2916	----	----	----	----	1309 UNCH
4025	----	----	----/154.00A	168.40B/154.00A	----	156.10 - 18.00	.3041	----	----	----	----	1 UNCH
4050	----	----	----/162.40A	178.30B/162.40A	----	164.80 - 18.90	.3168	----	----	----	----	689 UNCH
4075	----	----	----/171.30A	187.70B/171.30A	----	173.90 - 19.80	.3297	----	----	----	----	325 UNCH
4100	----	----	----/180.80A	198.00B/180.80A	----	183.40 - 20.70	.3428	----	----	----	----	151 UNCH
4110	----	----	----/184.60A	202.20B/184.60A	----	187.30 - 21.10	.3481	----	----	----	----	44 UNCH
4125	----	----	----/190.40A	208.90B/190.40A	----	193.30 NEW	.3561	----	----	----	25	25 + 25
4130	----	----	----/192.50A	211.10B/192.50A	----	195.30 - 21.80	.3588	----	----	----	----	20 UNCH
4140	----	----	----/196.50A	215.40B/196.50A	----	199.40 - 22.20	.3642	----	----	----	----	1 UNCH
4145	----	----	----/198.50A	217.60B/198.50A	----	201.50 - 22.30	.3669	----	----	----	----	100 UNCH
4185	----	----	----/215.30A	235.90B/215.30A	----	218.60 - 23.90	.3886	----	----	----	----	55 UNCH
4190	----	----	----/217.70A	238.30B/217.70A	----	220.80 - 24.10	.3914	----	----	----	----	1 UNCH
4195	----	----	----/219.80A	240.70B/219.80A	----	223.00 - 24.30	.3941	----	----	----	----	20 UNCH
4200	----	----	----/222.10A	243.10B/222.10A	----	225.30 - 24.40	.3969	----	----	22	----	282 - 19
4205	----	----	----/224.10A	245.50B/224.10A	----	227.50 - 24.70	.3996	----	----	----	----	2 UNCH
4230	----	----	----/235.60A	257.90B/235.60A	----	239.10 - 25.50	.4134	----	----	----	----	44 UNCH
4240	----	----	----/240.50A	262.90B/240.50A	----	243.80 - 25.90	.4190	----	----	----	----	1 UNCH
4250	----	----	----/245.10A	268.10B/245.10A	----	248.60 - 26.30	.4245	----	----	----	----	1 UNCH
4285	----	----	----/262.20A	286.50B/262.20A	----	265.90 - 27.60	.4440	----	----	----	----	100 UNCH
4300	----	----	----/269.90A	294.60B/269.90A	----	273.50 - 28.20	.4523	----	----	22	----	278 - 2
4310	282.00	282.00	283.00/274.80A	300.10B/274.80A	----	278.70 NEW	.4579	----	----	7	----	7 + 7
4315	282.00	282.00	286.00/277.40A	302.90B/277.40A	----	281.30 NEW	.4606	----	----	6	----	6 + 6
4325	----	----	----/282.80A	308.50B/282.80A	----	286.50 - 29.10	.4662	----	----	----	----	280 UNCH
4350	----	----	----/296.00A	322.80B/296.00A	----	300.00 - 30.00	.4800	----	----	----	----	4 UNCH
4360	----	----	----/301.50A	328.60B/301.50A	----	305.50 - 30.30	.4854	----	----	----	----	1 UNCH
4365	----	----	----/303.90A	331.50B/303.90A	----	308.20 - 30.60	.4882	----	----	----	----	1 UNCH
4370	----	----	----/306.70A	334.40B/306.70A	----	311.00 - 30.70	.4909	----	----	----	----	1 UNCH
4375	----	----	----/309.70A	337.40B/309.70A	----	313.80 - 30.90	.4936	----	----	----	----	34 UNCH
4380	----	----	----/312.90A	340.40B/312.90A	----	316.60 - 31.10	.4963	----	----	----	----	3 UNCH
4385	----	----	----/315.50A	343.40B/315.50A	----	319.50 - 31.20	.4991	----	----	----	----	1 UNCH
4390	----	----	----/318.20A	346.40B/318.20A	----	322.30 - 31.40	.5018	----	----	----	----	1 UNCH
4400	----	----	----/324.50A	352.40B/324.50A	----	328.10 - 31.70	.5072	----	----	----	----	29 UNCH
4405	----	----	----/326.80A	355.50B/326.80A	----	331.00 - 31.90	.5098	----	----	----	----	1 UNCH
4410	----	----	----/329.80A	358.50B/329.80A	----	333.90 - 32.10	.5125	----	----	----	----	3 UNCH
4415	----	----	----/332.50A	361.60B/332.50A	----	336.80 - 32.30	.5152	----	----	----	----	3 UNCH
4420	----	----	----/335.40A	364.70B/335.40A	----	339.70 - 32.50	.5179	----	----	----	----	4 UNCH
4430	----	----	----/341.30A	370.90B/341.30A	----	345.60 - 32.80	.5232	----	----	----	----	1 UNCH
4435	----	----	----/344.20A	374.10B/344.20A	----	348.60 - 33.00	.5259	----	----	----	----	1 UNCH
4450	----	----	----/354.70A	383.50B/354.70A	----	357.70 - 33.40	.5338	----	----	----	----	10 UNCH
4460	----	----	----/360.80A	389.90B/360.80A	----	363.80 - 33.80	.5390	----	----	----	----	2 UNCH
4470	----	----	----/366.90A	396.40B/366.90A	----	369.90 - 34.20	.5442	----	----	----	----	1 UNCH
4490	----	----	----/379.20A	409.50B/379.20A	----	382.40 - 34.80	.5546	----	----	----	----	3 UNCH
4495	----	----	----/382.30A	412.80B/382.30A	----	385.60 - 34.90	.5571	----	----	----	----	1 UNCH
4500	----	----	----/385.50A	416.10B/385.50A	----	388.80 - 35.10	.5597	----	----	----	----	1387 UNCH
4505	----	----	----/388.60A	419.40B/388.60A	----	392.00 - 35.20	.5622	----	----	----	----	1 UNCH
4515	----	----	----/395.00A	426.10B/395.00A	----	398.40 - 35.50	.5673	----	----	----	----	1 UNCH
4545	----	----	----/414.40A	446.50B/414.40A	----	418.00 - 36.40	.5823	----	----	----	----	1 UNCH
4550	----	----	----/417.70A	449.90B/417.70A	----	421.30 - 36.60	.5847	----	----	----	----	92 UNCH
4600	----	----	----/451.20A	468.90B/451.20A	----	455.00 - 38.20	.6088	----	----	----	----	1 UNCH
4605	----	----	----/454.60A	469.50B/454.60A	----	458.50 - 38.30	.6112	----	----	----	----	1 UNCH
4620	----	----	----/464.90A	477.90B/464.90A	----	468.90 - 38.70	.6182	----	----	----	----	1 UNCH
4625	----	----	----/468.40A	481.40B/468.40A	----	472.40 - 38.80	.6205	----	----	----	----	38 UNCH
4650	----	----	----/486.80A	499.30B/486.80A	----	490.00 - 39.60	.6320	----	----	----	----	250 UNCH
4655	----	----	----/490.50A	502.90B/490.50A	----	493.60 - 39.70	.6342	----	----	----	----	5 UNCH
4680	----	----	----/508.20A	521.00B/508.20A	----	511.60 - 40.40	.6453	----	----	----	----	1 UNCH
4700	----	----	----/522.70A	535.60B/522.70A	----	526.10 - 41.00	.6540	----	----	----	----	75 UNCH
4760	----	----	----/567.00A	581.10B/567.00A	----	570.90 - 42.50	.6792	----	----	----	----	15 UNCH
4790	----	----	----/589.70A	604.30B/589.70A	----	593.80 - 43.30	.6911	----	----	----	----	30 UNCH
4850	----	----	----/636.10A	651.70B/636.10A	----	640.60 - 44.80	.7139	----	----	----	----	59 UNCH
4865	----	----	----/647.90A	663.70B/647.90A	----	652.50 - 45.10	.7194	----	----	----	----	75 UNCH
4900	----	----	----/675.80A	692.10B/675.80A	----	680.60 - 45.90	.7317	----	----	----	----	1 UNCH
4905	----	----	----/679.80A	696.10B/679.80A	----	684.60 - 46.10	.7335	----	----	----	----	1 UNCH
5000	----	----	----/757.40A	775.10B/757.40A	----	762.90 - 48.00	.7643	----	----	----	----	3 UNCH
5085	----	----	----/828.90A	847.90B/828.90A	----	835.00 - 49.60	.7887	----	----	----	----	150 UNCH
5600	----	----	----	1284.30B/1378.30A	----	1302.20 - 55.60	.8888	----	----	----	----	1 UNCH
5800	----	----	----/1,515.80A	1478.90B/1515.80A	----	1492.50 - 57.20	.9120	----	----	----	----	1 UNCH
TOTAL										79	245	13087 + 258
JUL27												
3000	----	----	----	14.00B/17.80A	----	15.80 - 1.80	.0368	----	----	1	----	2 + 1
3250	----	----	----/30.10A	26.20B/30.10A	----	28.10 NEW	.0643	----	----	1	----	1 + 1
3300	----	----	----/33.60A	31.50B/33.60A	----	31.50 - 3.30	.0717	----	----	----	----	1 UNCH
3500	----	----	----/50.60A	50.90B/50.60A	----	49.90 - 5.50	.1099	----	----	----	----	3 UNCH
3610	----	----	----/63.80A	68.70B/63.80A	----	64.30 - 7.40	.1379	----	----	----	----	7 UNCH
3625	----	----	----/66.10A	71.20B/66.10A	----	66.60 - 7.60	.1421	----	----	----	----	1 UNCH
3750	----	----	----/88.10A	94.20B/88.10A	----	88.80 - 10.20	.1818	----	----	----	----	1 UNCH
3800	----	----	----/98.50A	105.60B/98.50A	----	99.50 - 11.40	.1998	----	----	----	----	7 UNCH
3875	----	----	----/116.40A	125.30B/116.40A	----	117.50 - 13.40	.2289	----	----	----	----	1 UNCH
3900	----	----	----/123.00A	133.60B/123.00A	----	124.20 - 14.00	.2393	----	----	----	----	15 UNCH
3905	----	----	----/124.30A	135.10B/124.30A	----	125.50 - 14.20	.2413	----	----	----	----	3 UNCH
3930	----	----	----/131.20A	142.70B/131.20A	----	132.50 - 14.80	.2519	----	----	----	----	14 UNCH
4050	----	----	----/168.60A	183.40B/168.60A	----	170.40 - 18.30	.3060	----	----	----	----	5 UNCH
4085	185.70	185.70	186.00/180.90A	196.70B/180.90A	----	182.80 NEW	.3226	----	----	50	----	50 + 50
4150	----	----	----/205.70A	223.50B/205.70A	----	207.80 - 21.40	.3545	----	----	----	----	1 UNCH
4200	----	----	----/226.40A	245.80B/226.40A	----	228.80 - 23.00	.3797	----	----	----	----	1 UNCH
4310	----	----	----/277.20A	298.60B/277.20A	----	280.20 - 26.70	.4362	----	----	----	----	3 UNCH
4315	----	----	----/279.50A	302.90B/279.50A	----	282.70 - 26.90	.4388	----	----	----	----	2 UNCH
4325	----	----	----/284.50A	308.30B/284.50A	----	287.80 - 27.20	.4440	----	----	----	----	2 UNCH
4335	----	----	----/289.70A	313.70B/289.70A	----	292.90 - 27.60	.4492	----	----	----	----	1 UNCH
4340	294.20	294.20	294.20/292.20A	316.40B/292.20A	----	295.50 - 27.70	.4517	----	----	4	----	4 - 1
4350	304.00	304.00	305.00/297.40A	321.90B/297.40A	----	300.80 - 28.00	.4569	----	----	3	----	4 + 3
4360	306.00	306.00	306.00/302.40A	327.50B/302.40A	----	306.10 - 28.30	.4621	----	----	1	----	3 + 1
4370	----	----	----/307.90A	333.10B/307.90A	----	311.40 - 28.70	.4672	----	----	----	----	3 UNCH
4375	----	----	----/310.30A	335.90B/310.30A	----	314.10 - 28.90	.4698	----	----	----	----	2 UNCH
4390	----	----	----/318.40A	344.50B/318.40A	----	322.30 - 29.40	.4774	----	----	----	----	5 UNCH
4400	----	----	----/323.90A	350.30B/323.90A	----	327.80 - 29.80	.4825	----	----	----	----	5 UNCH
4475	----	----	----/368.40A	395.50B/368.40A	----	371.10 - 32.30	.5200	----	----	----	----	3 UNCH
4500	----	----	----/383.20A	411.30B/383.20A	----	386.20 - 33.20	.5322	----	----	----	----	3 UNCH
4535	----	----	----/404.70A	433.90B/404.70A	----	407.90 - 34.40	.5491	----	----	----	----	3 UNCH
4540	----	----	----/407.80A	437.10B/407.80A	----	411.10 - 34.50	.5514	----	----	----	----	1 UNCH
4565	----	----	----/423.50A	453.70B/423.50A	----	427.00 - 35.30	.5632	----	----	----	----	1 UNCH
TOTAL										60		158 + 55
AUG27												
3000	----	----	----	17.50B/21.60A	----	19.50 - 2.00	.0424	----	----	----	----	1 UNCH
3400	----	----	----/49.30A	46.10B/49.30A	----	47.40 - 5.10	.0985	----	----	----	----	1 UNCH
3500	----	----	----/61.00A	58.50B/61.00A	----	59.10 - 6.40	.1202	----	----	----	----	1 UNCH
3600	73.90	73.90	73.90/73.40	74.70B/73.40	----	73.60 NEW	.1459	----	----	4	----	4 + 4
3750	102.00	102.00	102.50/101.50A	103.60B/101.50A	----	101.80 NEW	.1924	----	----	14	----	14 + 14
3760	103.50	103.50	103.50/103.00	105.80B/103.00	----	104.00 NEW	.1959	----	----	5	----	5 + 5
3950	----	----	----/153.90A	157.10B/153.90A	----	153.60 - 16.00	.2686	----	----	----	----	100 UNCH
4000	----	----	----/169.90A	173.70B/169.90A	----	169.50 - 17.30	.2899	----	----	----	----	14 UNCH
4065	----	----	----/192.10A	197.00B/192.10A	----	192.00 - 19.30	.3187	----	----	----	----	300 UNCH
4185	----	----	----/240.10A	245.40B/240.10A	----	239.90 - 22.90	.3748	----	----	----	----	2 UNCH
4200	----	----	----/246.60A	252.30B/246.60A	----	246.50 - 23.40	.3820	----	----	----	----	3 UNCH
4220	----	----	----/255.70A	261.40B/255.70A	----	255.50 - 24.00	.3916	----	----	----	----	3 UNCH
4310	----	----	----/298.10A	305.00B/298.10A	----	298.80 - 26.80	.4353	----	----	----	----	2 UNCH
4315	----	----	----/300.60A	307.80B/300.60A	----	301.40 - 26.90	.4377	----	----	----	----	3 UNCH
4320	----	----	----/303.20A	310.20B/303.20A	----	304.00 - 27.10	.4402	----	----	----	----	1 UNCH
4350	----	----	----/318.50A	325.90B/318.50A	----	319.70 - 28.00	.4548	----	----	----	----	1 UNCH
4355	----	----	----/320.90A	328.60B/320.90A	----	322.30 - 28.20	.4572	----	----	----	----	1 UNCH
4360	326.00	326.00	326.00/323.80A	331.20B/323.80A	----	325.00 - 28.40	.4596	----	----	5	----	5 + 4
4365	323.50	323.50	323.80/323.50	333.90B/323.50	----	327.70 NEW	.4620	----	----	3	----	3 + 3
4465	----	----	----/385.80A	387.00B/385.80A	----	384.60 - 31.40	.5093	----	----	----	----	1 UNCH
4505	----	----	----/409.40A	411.30B/409.40A	----	408.80 - 32.50	.5277	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG27												
4535	----	----	----/427.70A	430.10B/427.70A	----	427.40 - 33.40	.5411	----	----	----	----	2 UNCH
4555	----	----	----/440.10A	442.80B/440.10A	----	440.10 - 33.90	.5500	----	----	----	----	2 UNCH
4565	----	----	----/446.40A	449.30B/446.40A	----	446.50 - 34.20	.5544	----	----	----	----	1 UNCH
4600	----	----	----/468.80A	472.20B/468.80A	----	469.30 - 35.10	.5696	----	----	----	----	1 UNCH
4665	----	----	----/511.80A	516.10B/511.80A	----	512.90 - 36.80	.5969	----	----	----	----	1 UNCH
TOTAL										31		474 + 30
SEP27												
3825	----	----	----	20.20B/230.80A	----	137.70 - 12.60	.2232	----	----	----	----	1 UNCH
3850	----	----	----	25.40B/238.50A	----	143.40 - 13.10	.2313	----	----	----	----	1 UNCH
4115	----	----	----	93.70B/340.30A	----	220.20 - 20.10	.3311	----	----	----	----	300 UNCH
4150	----	----	----	104.70B/357.00A	----	233.00 - 21.20	.3460	----	----	----	----	50 UNCH
TOTAL												352 0
OCT27												
3900	----	----	----	----	----	161.20 - 16.50	.2508	----	----	----	----	200 UNCH
TOTAL												200 0
DEC27												
2800	----	----	----	----	----	40.70 - 4.00	.0570	----	----	----	----	16 UNCH
3700	----	----	----	----	----	143.40 - 13.30	.1983	----	----	----	----	100 UNCH
3715	----	----	----	----	----	146.70 - 13.50	.2023	----	----	----	----	150 UNCH
3820	----	----	----	----	----	171.60 - 15.40	.2317	----	----	----	----	50 UNCH
4130	----	----	----	----	----	270.70 - 21.80	.3343	----	----	----	68	0 - 68
4500	----	----	----	----	----	445.80 - 30.30	.4739	----	----	----	----	170 UNCH
4630	----	----	----	----	----	522.00 - 33.20	.5214	----	----	----	----	284 UNCH
4860	----	----	----	----	----	673.60 - 37.90	.5985	----	----	----	----	100 UNCH
5000	----	----	----	----	----	774.90 - 40.60	.6401	----	----	----	----	50 UNCH
5650	----	----	----	----	----	1307.60 - 49.80	.7816	----	----	----	----	200 UNCH
5880	----	----	----	----	----	1511.90 - 52.10	.8159	----	----	----	----	200 UNCH
TOTAL											68	1320 - 68
JAN28												
5000	----	----	----	----	----	763.80 - 39.40	.6194	----	----	----	----	1 UNCH
5100	----	----	----	----	----	838.40 - 41.10	.6462	----	----	----	----	1 UNCH
TOTAL												2 0
FEB28												
4400	----	----	----	----	----	409.30 - 27.00	.4193	----	----	----	----	11 UNCH
TOTAL												11 0
MAY28												
4500	----	----	----	----	----	465.50 - 27.40	.4250	----	----	----	----	20 UNCH
TOTAL												20 0
JUL28												
4500	----	----	----	----	----	470.30 - 26.60	.4117	----	----	----	----	25 UNCH
TOTAL												25 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
NOV26												
3350	----	----	880.20B/----	880.20B/809.20A	----	866.30 + 59.30	.9992	----	----	----	----	1 UNCH
3400	----	----	829.50B/----	829.50B/759.30A	----	816.30 + 59.20	.9982	3	----	----	----	1 - 3
3445	----	----	784.70B/----	784.70B/714.40A	----	771.30 + 59.10	.9973	----	----	----	----	0 UNCH
3450	----	----	779.80B/----	779.80B/709.40A	----	766.30 + 59.10	.9972	----	----	----	----	0 UNCH
3500	----	----	730.00B/----	730.00B/659.60A	----	716.30 + 59.00	.9962	----	----	10	----	234 + 10
3550	----	----	680.30B/----	680.30B/609.90A	----	666.40 + 58.90	.9951	----	----	----	----	8 UNCH
3600	----	----	630.40B/----	630.40B/560.20A	----	616.60 + 58.80	.9931	----	----	----	----	3 UNCH
3700	----	----	531.20B/----	531.20B/461.30A	----	517.00 + 58.20	.9885	----	----	----	----	3 UNCH
3735	----	----	496.60B/----	496.60B/426.90A	----	482.30 + 57.90	.9854	----	----	----	----	1 UNCH
3765	----	----	466.60B/----	466.60B/397.50A	----	452.50 + 57.50	.9829	----	----	----	----	1 UNCH
3775	----	----	456.70B/----	456.70B/387.70A	----	442.60 + 57.40	.9818	----	----	----	----	1 UNCH
3780	----	----	452.10B/----	452.10B/382.80A	----	437.70 + 57.40	.9808	----	----	----	----	1 UNCH
3800	----	----	432.00B/----	432.00B/363.40A	----	417.90 + 57.00	.9784	----	----	----	----	4 UNCH
3820	----	----	412.70B/----	412.70B/344.00A	----	398.20 + 56.70	.9759	----	----	----	----	1 UNCH
3825	----	----	407.40B/----	407.40B/339.20A	----	393.20 + 56.50	.9748	----	----	----	----	1 UNCH
3830	----	----	403.30B/----	403.30B/334.40A	----	388.30 + 56.40	.9737	----	----	----	----	1 UNCH
3840	----	----	393.50B/----	393.50B/324.80A	----	378.50 + 56.30	.9716	----	----	----	----	7 UNCH
3850	----	----	383.00B/----	383.00B/315.20A	----	368.70 + 56.00	.9701	----	----	----	----	4 UNCH
3865	----	----	368.30B/----	368.30B/301.00A	----	354.00 + 55.60	.9667	----	----	----	----	4 UNCH
3870	----	----	363.40B/----	363.40B/294.00A	----	349.10 + 55.40	.9655	----	----	----	----	2 UNCH
3875	----	----	358.60B/----	358.60B/289.30A	----	344.20 + 55.30	.9635	----	----	----	----	1 UNCH
3880	----	----	353.70B/----	353.70B/284.60A	----	339.30 + 55.10	.9623	----	----	----	----	2 UNCH
3885	----	----	348.90B/----	348.90B/279.90A	----	334.50 + 55.00	.9611	----	----	----	----	1 UNCH
3890	----	----	344.00B/----	344.00B/275.20A	----	329.60 + 54.80	.9598	----	----	----	----	2 UNCH
3900	----	----	334.70B/----	334.70B/265.80A	----	319.90 + 54.40	.9565	----	----	----	----	4 UNCH
3905	----	----	330.30B/----	330.30B/261.20A	----	315.00 + 54.10	.9544	----	----	----	----	2 UNCH
3910	----	----	324.70B/----	324.70B/256.60A	----	310.20 + 53.90	.9531	----	----	----	----	1 UNCH
3915	----	----	319.90B/----	319.90B/252.00A	----	305.40 + 53.70	.9509	----	----	----	----	1 UNCH
3920	----	----	315.40B/----	315.40B/247.40A	----	300.60 + 53.50	.9488	----	----	----	----	5 UNCH
3925	----	----	311.10B/----	311.10B/242.80A	----	295.80 + 53.30	.9466	----	----	----	----	51 UNCH
3930	----	----	305.50B/----	305.50B/238.30A	----	291.00 + 53.00	.9444	----	----	----	----	1 UNCH
3935	----	----	303.00B/----	303.00B/233.80A	----	286.20 + 52.70	.9422	----	----	----	----	2 UNCH
3940	----	----	298.40B/----	298.40B/229.30A	----	281.40 + 52.40	.9399	----	----	----	----	13 UNCH
3945	----	----	293.50B/----	293.50B/224.70A	----	276.60 + 52.10	.9376	----	----	----	----	1 UNCH
3950	----	----	288.80B/----	288.80B/220.20A	----	271.90 + 51.90	.9345	----	----	----	----	1 UNCH
3955	----	----	284.20B/----	284.20B/215.80A	----	267.20 + 51.60	.9322	----	----	----	----	1 UNCH
3960	----	----	279.50B/----	279.50B/211.50A	----	262.40 + 51.20	.9291	----	----	----	----	2 UNCH
3980	----	----	260.70B/----	260.70B/194.00A	----	243.70 + 49.80	.9155	----	----	----	----	1 UNCH
3985	----	----	256.10B/----	256.10B/190.00A	----	239.10 + 49.50	.9122	----	----	----	----	1 UNCH
3990	----	----	251.50B/----	251.50B/185.50A	----	234.50 + 49.10	.9082	----	----	----	----	3 UNCH
3995	----	----	246.90B/----	246.90B/181.30A	----	229.90 + 48.70	.9041	----	----	----	----	2 UNCH
4000	----	----	242.40B/----	242.40B/177.40A	----	225.30 + 48.30	.8993	----	----	----	----	408 UNCH
4005	----	----	237.80B/----	237.80B/173.00A	----	220.80 + 47.90	.8952	----	----	----	----	3 UNCH
4010	----	----	233.40B/----	233.40B/169.00A	----	216.30 + 47.50	.8903	----	----	----	----	4 UNCH
4015	----	----	228.80B/----	228.80B/165.00A	----	211.80 + 47.00	.8854	----	----	----	----	3 UNCH
4020	----	----	224.30B/----	224.30B/161.10A	----	207.30 + 46.50	.8805	----	----	----	----	3 UNCH
4030	----	----	215.40B/----	215.40B/153.20A	----	198.40 + 45.50	.8698	----	----	----	----	174 UNCH
4035	----	----	211.00B/----	211.00B/149.20A	----	194.00 + 45.00	.8642	----	----	----	----	2 UNCH
4040	----	----	206.80B/----	206.80B/145.30A	----	189.70 + 44.50	.8584	----	----	----	----	4 UNCH
4045	----	----	202.30B/----	202.30B/141.50A	----	185.30 + 43.90	.8520	----	----	----	----	1 UNCH
4050	----	----	198.00B/----	198.00B/137.80A	----	181.00 + 43.40	.8456	----	----	1	----	367 - 1
4055	----	----	193.70B/----	193.70B/134.10A	----	176.80 + 42.90	.8392	----	----	----	----	3 UNCH
4060	----	----	189.50B/----	189.50B/130.40A	----	172.50 + 42.20	.8321	----	----	----	----	3 UNCH
4065	----	----	185.40B/----	185.40B/126.80A	----	168.30 + 41.60	.8250	----	----	----	----	21 UNCH
4070	----	----	181.10B/----	181.10B/123.20A	----	164.20 + 41.10	.8178	----	----	----	----	10 UNCH
4075	----	----	177.10B/----	177.10B/119.70A	----	160.10 + 40.40	.8101	----	----	----	----	7 UNCH
4080	----	----	173.00B/----	173.00B/116.30A	----	156.00 + 39.80	.8024	----	----	----	----	40 UNCH
4085	147.50	147.50	168.80B/147.50	168.80B/112.90A	----	152.00 + 39.20	.7941	----	----	1	----	86 UNCH
4090	----	----	164.90B/----	164.90B/109.50A	----	148.00 + 38.50	.7858	----	----	----	----	20 UNCH
4095	----	----	160.90B/----	160.90B/106.30A	----	144.10 + 37.90	.7769	----	----	----	----	20 UNCH
4100	112.60	112.60	156.90B/112.60	156.90B/103.00A	----	140.20 + 37.20	.7681	----	----	55	----	511 + 18
4105	----	----	153.00B/----	153.00B/99.90A	----	136.40 + 36.50	.7588	----	----	----	----	21 UNCH
4110	----	----	149.20B/96.70A	149.20B/96.70A	----	132.60 + 35.80	.7494	----	----	----	----	23 UNCH
4115	122.40	122.40	145.40B/121.90	145.40B/93.70A	----	128.90 + 35.20	.7397	----	----	2	----	22 - 1
4120	118.00	118.00	141.60B/90.50A	141.60B/90.50A	----	125.20 + 34.40	.7299	----	----	14	----	27 - 10
4125	125.00	125.00	137.90B/87.50A	137.90B/87.50A	----	121.60 + 33.70	.7197	----	----	11	----	157 - 3
4130	114.50	114.50	134.20B/84.60A	134.20B/84.60A	----	118.10 + 33.10	.7095	----	----	11	----	23 - 7
4135	114.10	114.10	130.60B/81.80A	130.60B/81.80A	----	114.60 + 32.40	.6989	----	----	1	----	83 + 1
4140	123.00	123.00	127.00B/78.90A	127.00B/78.90A	----	111.10 + 31.60	.6883	----	----	7	----	34 - 5
4145	110.00	110.00	123.50B/76.40A	123.50B/76.40A	----	107.70 + 30.90	.6773	----	----	13	----	48 - 7
4150	99.80	99.80	120.10B/73.60A	120.10B/73.60A	----	104.40 + 30.20	.6661	----	----	37	----	613 - 3
4155	99.90	99.90	116.70B/71.20A	116.70B/71.20A	----	101.10 + 29.40	.6549	----	----	4	----	76 - 3
4160	92.50	92.50	113.30B/68.70A	113.30B/68.70A	----	97.90 + 28.70	.6434	----	----	19	----	83 - 13
4165	88.80	88.80	110.10B/66.20A	110.10B/66.20A	----	94.80 + 28.10	.6317	----	----	2	----	45 UNCH
4170	86.10	86.10	106.80B/63.90A	106.80B/63.90A	----	91.70 + 27.40	.6200	----	----	10	----	60 - 1
4175	86.90	86.90	103.70B/61.60A	103.70B/61.60A	----	88.70 + 26.70	.6081	----	----	10	----	134 - 1
4180	80.50	80.50	100.50B/59.30A	100.50B/59.30A	----	85.80 + 26.00	.5961	----	----	6	----	64 - 2
4185	78.10	78.10	97.50B/57.10A	97.50B/57.10A	----	82.90 + 25.30	.5841	----	----	6	----	105 + 4
4190	71.00	71.00	94.50B/55.00A	94.50B/55.00A	----	80.10 + 24.70	.5719	----	----	31	----	66 - 4
4195	68.60	68.60	91.80B/53.00A	91.80B/53.00A	----	77.40 + 24.00	.5597	----	----	25	----	70 + 8
4200	58.00	58.00	89.00B/51.00A	89.00B/51.00A	----	74.70 + 23.30	.5475	----	----	329	----	1017 - 100
4205	68.80	68.80	86.20B/49.00A	86.20B/49.00A	----	72.10 + 22.70	.5352	----	----	11	----	38 + 3
4210	61.50	61.50	83.40B/47.20A	83.40B/47.20A	----	69.50 + 22.00	.5229	----	----	13	----	157 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

PG64 BULLETIN #195@ METALS OPTION PRODUCTS Fri, Oct 09, 2026 PG64

COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL												
NOV26												
4215	64.10	64.10	80.70B/45.30A	80.70B/45.30A	----	67.10 + 21.40	.5106	----	----	43	----	31 + 3
4220	71.70	71.70	78.10B/43.50A	78.10B/43.50A	----	64.60 + 20.60	.4983	----	----	191	50	192 + 119
4225	59.70	59.70	75.50B/41.80A	75.50B/41.80A	----	62.30 + 20.10	.4860	----	----	38	----	296 - 7
4230	69.70	69.70	73.00B/40.20A	73.00B/40.20A	----	60.00 + 19.40	.4738	----	----	19	----	69 + 7
4235	50.00	50.00	70.60B/38.70A	70.60B/38.70A	----	57.80 + 18.80	.4617	----	----	10	----	135 + 3
4240	63.00	63.00	68.20B/37.10A	68.20B/37.10A	----	55.60 + 18.10	.4495	----	----	7	----	50 UNCH
4245	52.00	52.00	65.80B/35.60A	65.80B/35.60A	----	53.50 + 17.50	.4375	----	----	12	----	86 + 3
4250	46.40	46.40	63.70/34.10A	63.70/34.10A	----	51.50 + 17.00	.4257	----	----	58	----	937 + 4
4255	39.90	39.90	61.50B/32.80A	61.50B/32.80A	----	49.50 + 16.30	.4138	----	----	9	----	42 + 2
4260	50.50	50.50	59.30B/31.40A	59.30B/31.40A	----	47.60 + 15.80	.4022	----	----	8	----	35 + 6
4265	45.10	45.10	57.30B/30.20A	57.30B/30.20A	----	45.70 + 15.10	.3905	----	----	3	----	56 - 1
4270	44.00	44.00	55.20B/28.90A	55.20B/28.90A	----	44.00 + 14.70	.3793	----	----	8	----	49 + 1
4275	40.40	40.40	53.30B/27.70A	53.30B/27.70A	----	42.20 + 14.10	.3679	----	----	74	----	239 + 20
4280	37.90	37.90	51.40B/26.60A	51.40B/26.60A	----	40.50 + 13.50	.3568	----	----	29	----	45 - 1
4285	44.30	44.30	49.50B/25.60A	49.50B/25.60A	----	38.90 + 13.00	.3459	----	----	2	----	60 UNCH
4290	36.00	36.00	47.60B/24.50A	47.60B/24.50A	----	37.40 + 12.60	.3353	----	----	123	----	72 - 44
4295	34.80	34.80	46.00B/23.50A	46.00B/23.50A	----	35.80 + 12.00	.3245	----	----	4	----	84 + 1
4300	27.80	27.80	44.30B/22.50A	44.30B/22.50A	----	34.40 + 11.60	.3143	----	----	999	----	2546 - 1
4305	32.30	32.30	42.60B/21.60A	42.60B/21.60A	----	33.00 + 11.10	.3042	----	----	14	----	117 + 4
4310	35.50	35.50	41.00B/20.70A	41.00B/20.70A	----	31.60 + 10.60	.2941	----	----	14	----	262 + 1
4315	29.30	29.30	39.40B/19.70A	39.40B/19.70A	----	30.30 + 10.20	.2843	----	----	69	----	91 + 47
4320	28.50	28.50	37.90B/18.90A	37.90B/18.90A	----	29.00 + 9.70	.2746	----	----	75	----	231 + 12
4325	27.10	27.10	36.70/18.20A	36.70/18.20A	----	27.80 + 9.30	.2653	----	----	71	----	571 + 11
4330	25.80	25.80	35.30/17.30A	35.30/17.30A	----	26.60 + 8.90	.2561	----	----	92	----	220 - 12
4335	25.10	25.10	33.80B/16.70A	33.80B/16.70A	----	25.50 + 8.50	.2473	----	----	19	----	413 - 3
4340	25.80	25.80	32.50B/16.00A	32.50B/16.00A	----	24.40 + 8.10	.2385	----	----	1	----	118 UNCH
4345	25.90	25.90	31.20B/15.20A	31.20B/15.20A	----	23.40 + 7.80	.2302	----	----	1	----	136 UNCH
4350	21.90	21.90	30.10/14.70A	30.10/14.70A	----	22.40 + 7.50	.2220	----	----	168	----	841 + 37
4355	----	----	28.80B/14.00A	28.80B/14.00A	----	21.40 + 7.10	.2138	----	----	1	----	61 UNCH
4360	20.00	20.00	27.70B/13.40A	27.70B/13.40A	----	20.50 + 6.80	.2061	----	----	35	----	113 - 5
4365	23.70	23.70	26.60B/12.90A	26.60B/12.90A	----	19.60 + 6.40	.1984	----	----	11	----	40 + 7
4370	23.30	23.30	25.60B/12.30A	25.60B/12.30A	----	18.70 + 6.10	.1908	----	----	15	----	60 + 7
4375	15.20	15.20	24.50B/11.80A	24.50B/11.80A	----	17.90 + 5.80	.1837	----	----	49	----	643 + 1
4380	23.00	23.00	23.60B/11.30A	23.60B/11.30A	----	17.10 + 5.50	.1767	----	----	24	----	243 + 16
4385	18.10	18.10	22.60B/10.90A	22.60B/10.90A	----	16.40 + 5.30	.1702	----	----	17	----	113 - 9
4390	15.00	15.00	21.70B/10.40A	21.70B/10.40A	----	15.60 + 4.90	.1633	----	----	56	----	133 + 30
4395	15.10	15.10	20.80B/10.00A	20.80B/10.00A	----	14.90 + 4.70	.1569	----	----	181	----	236 + 141
4400	15.00	15.00	20.00B/9.60A	20.00B/9.60A	----	14.30 + 4.50	.1511	----	----	332	----	3681 - 31
4405	16.70	16.70	19.20B/9.20A	19.20B/9.20A	----	13.70 + 4.30	.1454	----	----	2	----	53 UNCH
4410	14.50	14.50	18.40B/8.80A	18.40B/8.80A	----	13.10 + 4.10	.1398	----	----	57	----	204 + 21
4415	13.90	13.90	17.70B/8.50A	17.70B/8.50A	----	12.50 + 3.90	.1341	----	----	54	----	116 + 49
4420	----	----	16.90B/8.10A	16.90B/8.10A	----	12.00 + 3.70	.1291	----	----	1	----	247 - 1
4425	8.50	8.50	16.30B/7.70A	16.30B/7.70A	----	11.50 + 3.60	.1242	----	----	27	----	588 - 2
4430	----	----	15.60B/7.40A	15.60B/7.40A	----	11.00 + 3.40	.1193	----	----	3	----	147 - 1
4435	----	----	15.00B/7.10A	15.00B/7.10A	----	10.50 + 3.20	.1145	----	----	----	----	109 UNCH
4440	10.10	10.10	14.30B/6.80A	14.30B/6.80A	----	10.00 + 3.00	.1096	----	----	180	----	133 - 94
4445	10.70	10.70	13.80B/6.60A	13.80B/6.60A	----	9.60 + 2.90	.1055	----	----	9	----	119 + 9
4450	8.00	8.00	13.20B/6.30A	13.20B/6.30A	----	9.20 + 2.70	.1014	----	----	346	----	1093 - 61
4455	----	----	12.70B/6.10A	12.70B/6.10A	----	8.80 + 2.60	.0973	----	----	1	----	68 UNCH
4460	9.10	9.10	12.10B/5.80A	12.10B/5.80A	----	8.40 + 2.40	.0933	----	----	34	----	141 UNCH
4465	10.60	10.60	11.60B/5.60A	11.60B/5.60A	----	8.10 + 2.30	.0900	----	----	9	----	87 UNCH
4470	8.70	8.70	11.20B/5.40A	11.20B/5.40A	----	7.70 + 2.20	.0860	----	----	14	----	173 - 9
4475	7.80	7.80	10.70B/7.80	10.70B/5.30A	----	7.40 + 2.10	.0828	----	----	6	----	493 + 1
4480	7.50	7.50	10.30B/7.50	10.30B/5.10A	----	7.10 + 2.00	.0796	----	----	9	----	171 UNCH
4485	----	----	9.80B/4.80A	9.80B/4.80A	----	6.80 + 1.80	.0764	----	----	----	----	185 UNCH
4490	----	----	9.40B/4.70A	9.40B/4.70A	----	6.50 + 1.70	.0733	----	----	----	----	82 UNCH
4495	----	----	9.10B/4.50A	9.10B/4.50A	----	6.20 + 1.60	.0701	----	----	----	----	501 UNCH
4500	4.50	4.50	8.80/4.30A	8.80/4.30A	----	6.00 + 1.60	.0678	----	----	140	----	3236 - 94
4505	5.60	5.60	8.40B/5.60	8.40B/4.30A	----	5.70 + 1.40	.0647	----	----	3	----	112 UNCH
4510	5.30	5.30	8.10B/4.00A	8.10B/4.00A	----	5.50 + 1.40	.0624	----	----	5	----	3322 - 1
4515	5.10	5.10	7.70B/5.10	7.70B/4.00A	----	5.30 + 1.30	.0602	----	----	21	----	54 + 3
4520	5.60	5.60	7.40B/3.80A	7.40B/3.80A	----	5.10 + 1.20	.0579	----	----	114	----	254 - 75
4525	5.80	5.80	7.10B/3.60A	7.10B/3.60A	----	4.90 + 1.20	.0557	----	----	2	----	844 UNCH
4530	----	----	6.90B/3.50A	6.90B/3.50A	----	4.70 + 1.10	.0535	----	----	----	----	190 UNCH
4535	4.70	4.70	6.60B/4.50	6.60B/3.50A	----	4.50 + 1.00	.0513	----	----	2	----	115 - 1
4540	5.00	5.00	6.30B/4.30	6.30B/3.40A	----	4.30 + 0.90	.0492	----	----	53	----	223 + 50
4545	4.10	4.10	6.10B/4.10	6.10B/3.30A	----	4.20 + 1.00	.0478	----	----	1	----	49 + 1
4550	5.40	5.40	5.90B/4.00	5.90B/3.20A	----	4.00 + 0.90	.0457	----	----	76	50	1274 + 45
4555	5.10	5.10	5.60B/5.10	5.60B/3.00A	----	3.90 + 0.90	.0444	----	----	1	----	158 - 1
4560	4.90	4.90	5.40B/3.70	5.40B/3.00A	----	3.70 + 0.80	.0423	----	----	21	----	69 + 5
4565	4.40	4.40	5.20B/3.60	5.20B/2.90A	----	3.60 + 0.80	.0411	----	----	3	----	106 - 1
4570	4.00	4.00	5.00B/4.00	5.00B/2.80A	----	3.50 + 0.70	.0398	----	----	1	----	49 UNCH
4575	3.30	3.30	4.80B/3.30	4.80B/2.70A	----	3.40 + 0.70	.0386	----	----	1	----	347 + 1
4580	3.20	3.20	4.70B/3.20	4.70B/2.70A	----	3.20 + 0.60	.0365	----	----	1	----	113 + 1
4585	3.30	3.30	4.50B/3.30	4.50B/2.60A	----	3.10 + 0.60	.0353	----	----	3	----	196 - 1
4590	3.60	3.60	4.40B/3.60	4.40B/2.50A	----	3.00 + 0.60	.0342	----	----	1	----	188 UNCH
4595	3.00	3.00	4.20B/3.00	4.20B/2.40A	----	2.90 + 0.50	.0330	----	----	2	----	122 UNCH
4600	3.30	3.30	4.00B/2.80	4.00B/2.40A	----	2.80 + 0.50	.0318	----	----	480	----	4394 - 126
4605	----	----	3.90B/----	3.90B/2.30A	----	2.70 + 0.50	.0307	----	----	----	----	93 UNCH
4610	2.60	2.60	3.80B/2.60	3.80B/2.20A	----	2.70 + 0.50	.0304	----	----	3	----	151 - 1
4615	2.70	2.70	3.60B/2.70	3.60B/2.20A	----	2.60 + 0.50	.0293	----	----	8	----	85 - 3
4620	----	----	3.50B/----	3.50B/2.10A	----	2.50 + 0.40	.0282	----	----	----	----	250 UNCH
4625	2.60	2.60	3.40B/2.60	3.40B/2.10A	----	2.40 + 0.40	.0271	----	----	60	----	128 - 7
4630	2.60	2.60	3.30B/2.30	3.30B/2.00A	----	2.30 + 0.30	.0260	----	----	3	----	74 + 1
4635	----	----	3.20B/----	3.20B/2.00A	----	2.30 + 0.40	.0257	----	----	----	----	102 UNCH
4640	2.00	2.00	3.30/2.00	3.30/1.90A	----	2.20 + 0.30	.0246	----	----	25	----	221 + 4
4645	----	----	3.00B/----	3.00B/1.90A	----	2.10 + 0.30	.0236	----	----	----	----	152 UNCH
4650	1.90	1.90	2.90B/1.90	2.90B/1.80A	----	2.10 + 0.30	.0234	----	----	178	----	1480 - 1
4655	----	----	2.80B/----	2.80B/1.80A	----	2.00 + 0.30	.0223	----	----	----	----	207 UNCH
4660	----	----	2.70B/----	2.70B/1.70A	----	2.00 + 0.30	.0221	----	----	----	----	165 UNCH
4665	----	----	2.60B/----	2.60B/1.70A	----	1.90 + 0.30	.0211	----	----	----	----	215 UNCH
4670	2.20	2.20	2.50B/2.20	2.50B/1.70A	----	1.90 + 0.30	.0209	----	----	8	----	149 + 8
4675	----	----	2.50B/----	2.50B/1.60A	----	1.80 + 0.20	.0199	----	----	1	----	714 UNCH
4680	----	----	2.40B/----	2.40B/1.60A	----	1.80 + 0.30	.0197	----	----	----	----	213 UNCH
4685	2.00	2.00	2.30B/1.80	2.30B/1.50A	----	1.70 + 0.20	.0187	----	----	4	----	213 - 1
4690	----	----	2.30B/----	2.30B/1.50A	----	1.70 + 0.20	.0186	----	----	----	----	260 UNCH
4695	----	----	2.20B/----	2.20B/1.50A	----	1.60 + 0.20	.0175	----	----	----	----	163 UNCH
4700	2.10	2.10	2.10/1.70	2.10/1.40A	----	1.60 + 0.20	.0174	----	----	394	----	3560 - 292
4705	----	----	2.10B/----	2.10B/1.40A	----	1.50 + 0.10	.0164	----	----	----	----	106 UNCH
4710	1.80	1.80	2.00B/1.80	2.00B/1.40A	----	1.50 + 0.10	.0163	----	----	1	----	147 UNCH
4715	----	----	1.90B/----	1.90B/1.40A	----	1.50 + 0.20	.0162	----	----	----	----	89 UNCH
4720	----	----	1.90B/----	1.90B/1.30A	----	1.40 + 0.10	.0152	----	----	1	----	123 UNCH
4725	----	----	1.80B/----	1.80B/1.30A	----	1.40 + 0.10	.0151	----	----	----	----	293 UNCH
4730	1.40	1.40	1.80B/1.40	1.80B/1.30A	----	1.40 + 0.10	.0150	----	----	2	----	174 + 1
4735	----	----	1.70B/----	1.70B/1.30A	----	1.30 + 0.10	.0140	----	----	----	----	136 UNCH
4740	----	----	1.70B/----	1.70B/1.20A	----	1.30 + 0.10	.0139	----	----	----	----	137 UNCH
4745	----	----	1.70B/----	1.70B/1.20A	----	1.30 + 0.10	.0138	----	----	1	----	31 + 1
4750	1.30	1.30	1.60B/1.20	1.60B/1.20	----	1.30 + 0.10	.0137	----	----	13	----	1775 - 5
4755	----	----	1.60B/----	1.60B/1.20A	----	1.20 UNCH	.0127	----	----	1	----	132 UNCH
4760	----	----	1.60B/----	1.60B/1.20A	----	1.20 + 0.10	.0127	----	----	----	----	73 UNCH
4765	----	----	1.50B/----	1.50B/1.20A	----	1.20 + 0.10	.0126	----	----	----	----	90 UNCH
4770	----	----	1.50B/----	1.50B/1.10A	----	1.20 + 0.10	.0125	----	----	----	----	71 UNCH
4775	----	----	1.50B/----	1.50B/1.10A	----	1.20 + 0.10	.0124	----	----	----	----	261 UNCH
4780	----	----	1.50B/----	1.50B/1.10A	----	1.10 UNCH	.0115	----	----	----	----	116 UNCH
4785	----	----	1.40B/----	1.40B/1.10A	----	1.10 + 0.10	.0114	----	----	----	----	57 UNCH
4790	----	----	1.40B/----	1.40B/1.10A	----	1.10 + 0.10	.0113	----	----	----	----	39 UNCH
4795	----	----	1.40B/----	1.40B/1.10A	----	1.10 + 0.10	.0112	----	----	----	----	130 UNCH
4800	----	----	1.30B/----	1.30B/1.00A	----	1.10 + 0.10	.0112	----	----	100	----	3348 UNCH
4805	----	----	1.30B/----	1.30B/1.00A	----	1.00 UNCH	.0103	----	----	1	----	83 - 1
4810	----	----	1.30B/----	1.30B/1.00A	----	1.00 UNCH	.0102	----	----	----	----	87 UNCH
4815	----	----	1.30B/----	1.30B/1.00A	----	1.00 UNCH	.0101	----	----	----	----	74 UNCH
4820	----	----	1.20B/----	1.20B/1.00A	----	1.00 + 0.10	.0101	----	----	----	----	343 UNCH
4825	----	----	1.20B/----	1.20B/1.00A	----	1.00 + 0.10	.0100	----	----	----	----	379 UNCH
4830	----	----	1.20B/----	1.20B/1.00A	----	1.00 + 0.10	.0099	----	----	----	----	141 UNCH
4835	----	----	1.20B/----	1.20B/1.00A	----	1.00 + 0.10	.0099	----	----	----	----	112 UNCH
4840	----	----	1.20B/----	1.20B/0.90A	----	0.90 UNCH	.0090	----	----	----	----	53 UNCH
4845	1.10	1.10	1.10/1.10	1.10/0.90A	----	0.90 UNCH	.0089	----	----	2	----	74 UNCH
4850	0.90	0.90	1.10B/0.90	1.10B/0.90	----	0.90 UNCH	.0089	----	----	31	----	1585 - 1
4855	----	----	1.10B/----	1.10B/0.90A	----	0.90 UNCH	.0088	----	----	----	----	65 UNCH
4860	----	----	1.10B/----	1.10B/0.90A	----	0.90 + 0.10	.0088	----	----	----	----	176 UNCH
4865	----	----	1.10B/----	1.10B/0.90A	----	0.90 + 0.10	.0087	----	----	----	----	41 UNCH
4870	----	----	1.00B/----	1.00B/0.90A	----	0.90 + 0.10	.0087	----	----	1	----	41 UNCH
4875	----	----	1.00B/----	1.00B/0.90A	----	0.90 + 0.10	.0086	----	----	----	----	197 UNCH
4880	----	----	1.00B/----	1.00B/0.80A	----	0.80 UNCH	.0078	----	----	----	----	519 UNCH
4885	----	----	1.00B/----	1.00B/0.80A	----	0.80 UNCH	.0077	----	----	----	----	58 UNCH
4890	----	----	1.00B/----	1.00B/0.80A	----	0.80 UNCH	.0077	----	----	----	----	159 UNCH
4895	----	----	1.00B/----	1.00B/0.80A	----	0.80 UNCH	.0076	----	----	----	----	88 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
NOV26												
4900	1.00	1.00	1.00/1.00	1.00/0.80A	----	0.80 UNCH	.0076	----	----	105	----	7251 - 4
4905	----	----	0.90B/----	0.90B/0.80A	----	0.80 + 0.10	.0076	----	----	----	----	326 UNCH
4910	----	----	0.90B/----	0.90B/0.80A	----	0.80 + 0.10	.0075	----	----	1	----	101 UNCH
4915	----	----	0.90B/----	0.90B/0.80A	----	0.80 + 0.10	.0075	----	----	----	----	15 UNCH
4920	----	----	0.90B/----	0.90B/0.80A	----	0.80 + 0.10	.0074	----	----	----	----	50 UNCH
4925	----	----	0.90B/----	0.90B/0.80A	----	0.80 + 0.10	.0074	----	----	----	----	74 UNCH
4930	----	----	0.90B/----	0.90B/0.80A	----	0.80 + 0.10	.0074	----	----	----	----	101 UNCH
4935	----	----	0.90B/----	0.90B/0.80A	----	0.70 UNCH	.0065	----	----	----	----	70 UNCH
4940	----	----	0.80B/----	0.80B/0.80A	----	0.70 UNCH	.0065	----	----	----	----	79 UNCH
4945	----	----	0.80B/----	0.80B/0.80A	----	0.70 UNCH	.0065	----	----	----	----	34 UNCH
4950	0.70	0.70	0.80B/0.70	0.80B/0.70	----	0.70 UNCH	.0064	----	----	1	----	526 - 1
4955	----	----	0.80B/----	0.80B/0.80A	----	0.70 UNCH	.0064	----	----	----	----	40 UNCH
4960	----	----	0.80B/----	0.80B/0.80A	----	0.70 UNCH	.0064	----	----	----	----	51 UNCH
4965	----	----	0.80B/----	0.80B/0.80A	----	0.70 + 0.10	.0063	----	----	----	----	42 UNCH
4970	----	----	0.80B/----	0.80B/0.80A	----	0.70 + 0.10	.0063	----	----	----	----	29 UNCH
4975	----	----	0.70B/----	0.70B/0.80A	----	0.70 + 0.10	.0063	----	----	----	----	137 UNCH
4980	----	----	0.70B/----	0.70B/0.70A	----	0.70 + 0.10	.0062	----	----	----	----	34 UNCH
4985	----	----	0.70B/----	0.70B/0.70A	----	0.70 + 0.10	.0062	----	----	----	----	125 UNCH
4990	----	----	0.70B/----	0.70B/0.80A	----	0.70 + 0.10	.0062	----	----	1	----	32 - 1
4995	----	----	0.70B/----	0.70B/0.70A	----	0.70 + 0.10	.0061	----	----	----	----	123 UNCH
5000	0.80	0.80	0.80/0.80	0.80/0.70A	----	0.70 + 0.10	.0061	----	----	111	60	3457 + 9
5005	----	----	0.70B/----	0.70B/0.70A	----	0.70 + 0.10	.0061	----	----	----	----	57 UNCH
5010	----	----	0.70B/----	0.70B/0.70A	----	0.70 + 0.10	.0061	----	----	----	----	56 UNCH
5015	----	----	0.70B/----	0.70B/0.70A	----	0.60 UNCH	.0053	----	----	----	----	36 UNCH
5020	----	----	0.70B/----	0.70B/0.70A	----	0.60 UNCH	.0053	----	----	----	----	58 UNCH
5025	----	----	----	0.60B/0.70A	----	0.60 UNCH	.0052	----	----	----	----	502 UNCH
5030	----	----	----	0.60B/0.70A	----	0.60 UNCH	.0052	----	----	----	----	82 UNCH
5035	----	----	----	0.60B/0.70A	----	0.60 UNCH	.0052	----	----	----	----	81 UNCH
5040	----	----	----	0.60B/0.70A	----	0.60 UNCH	.0052	----	----	----	----	162 UNCH
5045	----	----	----	0.60B/0.70A	----	0.60 UNCH	.0051	----	----	----	----	42 UNCH
5050	----	----	0.60B/----	0.60B/0.70A	----	0.60 + 0.10	.0051	----	----	----	----	1024 UNCH
5055	----	----	0.60B/----	0.60B/0.70A	----	0.60 + 0.10	.0051	----	----	----	----	120 UNCH
5060	----	----	0.60B/----	0.60B/0.70A	----	0.60 + 0.10	.0051	----	----	----	----	44 UNCH
5065	----	----	0.60B/----	0.60B/0.70A	----	0.60 + 0.10	.0050	----	----	----	----	45 UNCH
5070	----	----	0.60B/----	0.60B/0.60A	----	0.60 + 0.10	.0050	----	----	----	----	170 UNCH
5075	----	----	0.60B/----	0.60B/0.60A	----	0.60 + 0.10	.0050	----	----	----	----	82 UNCH
5080	----	----	0.60B/----	0.60B/0.60A	----	0.60 + 0.10	.0050	----	----	----	----	42 UNCH
5085	----	----	----	0.50B/0.60A	----	0.60 + 0.10	.0050	----	----	----	----	147 UNCH
5090	----	----	----	0.50B/0.60A	----	0.60 + 0.10	.0049	----	----	----	----	63 UNCH
5095	----	----	0.60B/----	0.60B/0.60A	----	0.60 + 0.10	.0049	----	----	----	----	198 UNCH
5100	0.50	0.50	0.50/0.50	0.50/0.50	----	0.60 + 0.10	.0049	----	----	23	----	4904 UNCH
5105	----	----	0.60B/----	0.60B/0.60A	----	0.50 UNCH	.0042	----	----	----	----	45 UNCH
5110	----	----	----	0.50B/0.60A	----	0.50 UNCH	.0041	----	----	----	----	41 UNCH
5115	----	----	0.60B/----	0.60B/0.60A	----	0.50 UNCH	.0041	----	----	----	----	144 UNCH
5120	----	----	0.60B/----	0.60B/0.60A	----	0.50 UNCH	.0041	----	----	----	----	78 UNCH
5125	----	----	0.60B/----	0.60B/0.60A	----	0.50 UNCH	.0041	----	----	----	----	91 UNCH
5130	----	----	0.60B/----	0.60B/0.60A	----	0.50 UNCH	.0041	----	----	----	----	95 UNCH
5135	----	----	----	0.50B/0.60A	----	0.50 UNCH	.0041	----	----	----	----	18 UNCH
5140	----	----	0.60B/----	0.60B/0.60A	----	0.50 UNCH	.0040	----	----	----	----	48 UNCH
5145	----	----	0.60B/----	0.60B/0.60A	----	0.50 UNCH	.0040	----	----	----	----	25 UNCH
5150	----	----	0.60B/----	0.60B/0.60A	----	0.50 UNCH	.0040	----	----	----	----	534 UNCH
5155	----	----	0.60B/----	0.60B/0.60A	----	0.50 UNCH	.0040	----	----	----	----	11 UNCH
5160	----	----	----	0.50B/0.60A	----	0.50 UNCH	.0040	----	----	----	----	34 UNCH
5165	----	----	0.60B/----	0.60B/0.70A	----	0.50 UNCH	.0040	----	----	----	----	80 UNCH
5170	----	----	----	0.40B/0.60A	----	0.50 UNCH	.0039	----	----	----	----	22 UNCH
5175	----	----	0.60B/----	0.60B/0.60A	----	0.50 UNCH	.0039	----	----	----	----	303 UNCH
5180	----	----	----	0.50B/0.60A	----	0.50 UNCH	.0039	----	----	----	----	87 UNCH
5185	----	----	----	0.50B/0.50A	----	0.50 UNCH	.0039	----	----	----	----	14 UNCH
5190	----	----	----	0.50B/0.50A	----	0.40 - 0.10	.0032	----	----	----	----	21 UNCH
5195	----	----	----	0.40B/0.50A	----	0.40 UNCH	.0032	----	----	----	----	90 UNCH
5200	----	----	0.50B/----	0.50B/0.50A	----	0.40 UNCH	.0032	----	----	----	----	1900 UNCH
5205	----	----	0.50B/----	0.50B/0.50A	----	0.40 UNCH	.0032	----	----	----	----	7 UNCH
5210	----	----	----	0.40B/0.50A	----	0.40 UNCH	.0031	----	----	----	----	11 UNCH
5215	----	----	0.50B/----	0.50B/0.50A	----	0.40 UNCH	.0031	----	----	----	----	51 UNCH
5220	----	----	0.50B/----	0.50B/0.50A	----	0.40 UNCH	.0031	----	----	----	----	33 UNCH
5225	----	----	----	0.40B/0.50A	----	0.40 UNCH	.0031	----	----	----	----	26 UNCH
5230	----	----	0.50B/----	0.50B/0.50A	----	0.40 UNCH	.0031	----	----	----	----	95 UNCH
5235	----	----	0.50B/----	0.50B/0.50A	----	0.40 UNCH	.0031	----	----	----	----	21 UNCH
5240	----	----	0.50B/----	0.50B/0.50A	----	0.40 UNCH	.0031	----	----	----	----	38 UNCH
5245	----	----	0.50B/----	0.50B/0.50A	----	0.40 UNCH	.0031	----	----	----	----	9 UNCH
5250	----	----	----	0.40B/0.50A	----	0.40 UNCH	.0030	----	----	----	----	691 UNCH
5255	----	----	0.50B/----	0.50B/0.50A	----	0.40 UNCH	.0030	----	----	----	----	4 UNCH
5260	----	----	0.50B/----	0.50B/0.50A	----	0.40 UNCH	.0030	----	----	----	----	11 UNCH
5265	----	----	0.50B/----	0.50B/0.50A	----	0.40 UNCH	.0030	----	----	----	----	11 UNCH
5270	----	----	0.50B/----	0.50B/0.50A	----	0.40 UNCH	.0030	----	----	----	----	24 UNCH
5275	----	----	----	0.40B/0.50A	----	0.40 UNCH	.0030	----	----	----	----	214 UNCH
5280	----	----	----	0.40B/0.50A	----	0.40 UNCH	.0030	----	----	----	----	40 UNCH
5285	----	----	----	0.40B/0.50A	----	0.40 UNCH	.0030	----	----	----	----	32 UNCH
5290	----	----	----	0.40B/0.50A	----	0.40 UNCH	.0030	----	----	----	----	21 UNCH
5295	----	----	----	0.40B/0.50A	----	0.40 UNCH	.0029	----	----	----	----	10 UNCH
5300	----	----	----	0.40B/0.40A	----	0.40 UNCH	.0029	----	----	----	----	1441 UNCH
5305	----	----	----	0.40B/0.40A	----	0.40 UNCH	.0029	----	----	----	----	31 UNCH
5310	----	----	----	0.40B/0.40A	----	0.40 UNCH	.0029	----	----	----	----	9 UNCH
5315	----	----	----	0.40B/0.50A	----	0.40 UNCH	.0029	----	----	----	----	6 UNCH
5320	----	----	----	0.40B/0.50A	----	0.40 UNCH	.0029	----	----	----	----	19 UNCH
5325	----	----	----	0.40B/0.50A	----	0.40 UNCH	.0029	----	----	----	----	23 UNCH
5330	----	----	----	0.40B/0.50A	----	0.30 - 0.10	.0022	----	----	----	----	13 UNCH
5335	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0022	----	----	----	----	39 UNCH
5340	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0022	----	----	----	----	6 UNCH
5345	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0022	----	----	----	----	12 UNCH
5350	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0022	----	----	26	----	114 + 4
5355	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0022	----	----	----	----	26 UNCH
5360	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0022	----	----	----	----	13 UNCH
5365	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0022	----	----	----	----	9 UNCH
5370	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0022	----	----	----	----	13 UNCH
5375	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0022	----	----	----	----	41 UNCH
5380	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0022	----	----	----	----	33 UNCH
5385	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0021	----	----	----	----	32 UNCH
5390	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0021	----	----	----	----	10 UNCH
5395	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0021	----	----	----	----	31 UNCH
5400	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0021	----	----	----	----	778 UNCH
5405	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0021	----	----	----	----	55 UNCH
5410	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0021	----	----	----	----	6 UNCH
5415	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0021	----	----	----	----	26 UNCH
5420	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0021	----	----	----	----	36 UNCH
5425	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0021	----	----	----	----	12 UNCH
5430	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0021	----	----	----	----	10 UNCH
5435	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0021	----	----	----	----	6 UNCH
5440	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0021	----	----	----	----	3 UNCH
5445	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0021	----	----	----	----	33 UNCH
5450	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0021	----	----	----	----	572 UNCH
5455	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0021	----	----	----	----	43 UNCH
5460	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0020	----	----	----	----	20 UNCH
5465	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0020	----	----	----	----	6 UNCH
5470	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0020	----	----	----	----	8 UNCH
5475	0.40	0.40	0.40/0.40	0.40/0.40	----	0.30 UNCH	.0020	----	----	91	----	196 - 14
5480	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0020	----	----	----	----	39 UNCH
5485	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0020	----	----	----	----	30 UNCH
5490	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0020	----	----	----	----	29 UNCH
5495	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0020	----	----	----	----	3 UNCH
5500	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0020	----	----	----	----	2698 UNCH
5505	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0020	----	----	----	----	28 UNCH
5510	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0020	----	----	----	----	10 UNCH
5515	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0020	----	----	----	----	17 UNCH
5520	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0020	----	----	----	----	29 UNCH
5525	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0020	----	----	----	----	29 UNCH
5530	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0020	----	----	----	----	12 UNCH
5535	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0020	----	----	----	----	28 UNCH
5540	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0020	----	----	----	----	21 UNCH
5545	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0019	----	----	----	----	38 UNCH
5550	0.30	0.30	0.30/0.20	0.30/0.20	----	0.30 UNCH	.0019	----	----	3	----	50 UNCH
5555	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0013	----	----	----	----	10 UNCH
5560	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0013	----	----	----	----	19 UNCH
5565	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	12 UNCH
5570	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	33 UNCH
5575	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	67 UNCH
5580	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	49 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
NOV26												
5585	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	25 UNCH
5590	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	17 UNCH
5595	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	26 UNCH
5600	0.30	0.30	0.30/0.30	0.30/0.30	----	0.20 - 0.10	.0013	----	----	10	----	161 - 10
5605	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	37 UNCH
5610	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	8 UNCH
5615	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	61 UNCH
5620	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	5 UNCH
5625	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	7 UNCH
5630	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	7 UNCH
5635	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	18 UNCH
5640	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0013	----	----	----	----	6 UNCH
5645	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0013	----	----	----	----	15 UNCH
5650	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0013	----	----	----	----	55 UNCH
5655	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	5 UNCH
5660	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	1 UNCH
5665	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	14 UNCH
5670	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	14 UNCH
5675	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0012	----	----	----	----	9 UNCH
5680	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0012	----	----	----	----	45 UNCH
5685	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0012	----	----	----	----	8 UNCH
5690	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0012	----	----	----	----	68 UNCH
5695	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0012	----	----	----	----	25 UNCH
5700	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0012	----	----	----	----	120 UNCH
5705	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0012	----	----	----	----	1 UNCH
5710	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0012	----	----	----	----	2 UNCH
5720	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0012	----	----	----	----	6 UNCH
5725	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0012	----	----	----	----	3 UNCH
5730	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0012	----	----	----	----	27 UNCH
5740	----	----	----	0.10B/0.20A	----	0.20 UNCH	.0012	----	----	----	----	4 UNCH
5750	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0012	----	----	----	----	599 UNCH
5770	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0012	----	----	----	----	11 UNCH
5775	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0012	----	----	----	----	8 UNCH
5780	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0012	----	----	----	----	6 UNCH
5790	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0012	----	----	----	----	6 UNCH
5800	----	----	----	0.20B/0.30A	----	0.20 UNCH	.0012	----	----	----	----	227 UNCH
5810	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0012	----	----	----	----	21 UNCH
5825	----	----	----	----/0.30A	----	0.20 UNCH	.0012	----	----	----	----	41 UNCH
5850	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0011	----	----	----	----	42 UNCH
5875	----	----	----	----/0.30A	----	0.10 - 0.10	.0006	----	----	----	----	10 UNCH
5900	----	----	----	----/0.30A	----	0.10 - 0.10	.0005	----	----	----	----	285 UNCH
5925	----	----	----	----/0.30A	----	0.10 - 0.10	.0004	----	----	----	----	15 UNCH
5950	----	----	----	----/0.30A	----	0.10 UNCH	.0004	----	----	----	----	41 UNCH
5975	----	----	----	----/0.30A	----	0.10 UNCH	.0003	----	----	----	----	34 UNCH
6000	0.20	0.20	0.20/0.20	0.20/0.20	----	0.10 UNCH	.0003	----	----	2	----	2884 + 2
6100	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	51 UNCH
6200	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	.0000	----	----	4	----	60 UNCH
6250	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	.0000	----	----	5	----	41 + 5
6300	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	26	----	344 UNCH
6400	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	118 UNCH
6500	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	.0000	----	----	12	----	1918 UNCH
8000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	994 UNCH
9000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1591 UNCH
20000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1346 UNCH
TOTAL										6453	160	102819 - 338
DEC26												
500	----	----	----	----	----	3716.30 + 59.30	1.0000	10	----	10	----	0 UNCH
1000	----	----	----	----	----	3216.30 + 59.30	1.0000	----	----	1	----	1 + 1
1500	----	----	----	----	----	2716.30 + 59.30	1.0000	402	----	406	----	2 + 2
2490	----	----	----	1652.00B/1707.00A	----	1726.30 + 59.30	1.0000	----	----	----	----	0 UNCH
2495	----	----	----	1649.00B/1702.00A	----	1721.30 + 59.30	1.0000	100	----	100	----	0 UNCH
2500	----	----	----	1640.70B/1697.00A	----	1716.30 + 59.30	1.0000	643	----	645	----	608 UNCH
2505	----	----	----	1639.00B/1692.00A	----	1711.30 + 59.30	1.0000	100	----	100	----	0 UNCH
2510	----	----	----	1633.90B/1687.00A	----	1706.30 + 59.30	1.0000	----	----	----	----	0 UNCH
3200	----	----	1,029.30B/----	1029.30B/960.80A	----	1016.30 + 59.10	.9930	52	----	----	----	0 - 52
3245	----	----	983.90B/----	983.90B/916.40A	----	971.50 + 59.00	.9911	----	----	----	----	1 UNCH
3250	----	----	978.90B/----	978.90B/911.40A	----	966.50 + 59.00	.9911	----	----	----	----	71 UNCH
3300	----	----	929.10B/----	929.10B/862.00A	----	916.70 + 58.80	.9891	----	----	----	----	311 UNCH
3405	----	----	824.40B/----	824.40B/758.20A	----	812.40 + 58.40	.9833	----	----	----	----	1 UNCH
3450	----	----	779.90B/----	779.90B/713.80A	----	767.90 + 58.30	.9801	----	----	----	----	1 UNCH
3500	----	----	730.60B/----	730.60B/664.60A	----	718.50 + 57.90	.9760	----	----	2	----	17 + 2
3550	----	----	681.60B/----	681.60B/615.70A	----	669.30 + 57.50	.9708	----	----	----	----	2 UNCH
3570	----	----	662.10B/----	662.10B/596.20A	----	649.70 + 57.30	.9682	----	----	----	----	2 UNCH
3600	----	----	632.90B/----	632.90B/567.10A	----	620.40 + 57.00	.9642	----	----	----	----	6 UNCH
3620	----	----	613.50B/----	613.50B/547.80A	----	600.90 + 56.70	.9610	----	----	----	----	1 UNCH
3660	----	----	574.90B/----	574.90B/509.50A	----	562.10 + 56.10	.9535	----	----	----	----	2 UNCH
3670	----	----	565.30B/----	565.30B/499.90A	----	552.40 + 55.90	.9516	----	----	----	----	1 UNCH
3680	----	----	555.70B/----	555.70B/487.70A	----	542.80 + 55.70	.9492	----	----	----	----	1 UNCH
3685	----	----	551.40B/----	551.40B/482.90A	----	538.00 + 55.60	.9479	----	----	----	----	1 UNCH
3690	----	----	546.20B/----	546.20B/478.30A	----	533.20 + 55.50	.9467	----	----	----	----	1 UNCH
3695	----	----	541.40B/----	541.40B/473.60A	----	528.40 + 55.40	.9455	----	----	----	----	1 UNCH
3700	----	----	536.60B/----	536.60B/468.80A	----	523.60 + 55.30	.9443	----	----	----	----	52 UNCH
3710	----	----	527.10B/----	527.10B/459.60A	----	514.10 + 55.10	.9418	----	----	----	----	2 UNCH
3720	----	----	517.60B/----	517.60B/450.20A	----	504.60 + 55.00	.9388	----	----	----	----	6 UNCH
3750	----	----	491.90B/----	491.90B/422.60A	----	476.20 + 54.20	.9298	----	----	----	----	8 UNCH
3755	----	----	487.20B/----	487.20B/417.80A	----	471.50 + 54.10	.9281	----	----	----	----	3 UNCH
3760	----	----	482.50B/----	482.50B/413.30A	----	466.80 + 53.90	.9263	----	----	----	----	2 UNCH
3765	----	----	477.80B/----	477.80B/408.70A	----	462.10 + 53.80	.9246	----	----	----	----	8 UNCH
3770	----	----	473.20B/----	473.20B/404.20A	----	457.40 + 53.60	.9228	----	----	----	----	1 UNCH
3775	----	----	468.50B/----	468.50B/399.60A	----	452.70 + 53.40	.9210	----	----	----	----	2 UNCH
3785	----	----	459.20B/----	459.20B/390.60A	----	443.40 + 53.10	.9171	----	----	----	----	4 UNCH
3790	----	----	454.50B/----	454.50B/386.10A	----	438.80 + 53.00	.9149	----	----	----	----	1 UNCH
3800	----	----	445.30B/----	445.30B/377.20A	----	429.50 + 52.60	.9108	----	----	----	----	25 UNCH
3805	----	----	440.70B/----	440.70B/372.80A	----	424.90 + 52.50	.9086	----	----	----	----	1 UNCH
3825	----	----	422.40B/----	422.40B/355.30A	----	406.60 + 51.80	.8996	----	----	----	----	1 UNCH
3840	----	----	408.70B/----	408.70B/342.10A	----	393.10 + 51.30	.8920	----	----	----	----	1 UNCH
3850	----	----	399.70B/----	399.70B/333.50A	----	384.10 + 50.90	.8867	----	----	----	----	1 UNCH
3860	----	----	390.70B/----	390.70B/325.00A	----	375.10 + 50.40	.8813	----	----	----	----	1 UNCH
3885	----	----	368.60B/----	368.60B/304.20A	----	353.10 + 49.30	.8662	----	----	----	----	1 UNCH
3895	----	----	359.90B/----	359.90B/296.00A	----	344.40 + 48.80	.8596	----	----	----	----	1 UNCH
3900	----	----	355.40B/----	355.40B/291.90A	----	340.00 + 48.50	.8565	----	----	----	----	41 UNCH
3915	----	----	342.60B/----	342.60B/279.80A	----	327.20 + 47.80	.8460	----	----	----	----	4 UNCH
3930	----	----	329.80B/----	329.80B/267.90A	----	314.50 + 47.00	.8348	----	----	----	----	1 UNCH
3935	----	----	325.50B/----	325.50B/264.00A	----	310.30 + 46.70	.8313	----	----	----	----	12 UNCH
3940	----	----	321.30B/----	321.30B/260.10A	----	306.10 + 46.40	.8271	----	----	----	----	1 UNCH
3950	----	----	313.00B/----	313.00B/252.40A	----	297.80 + 45.80	.8191	----	----	----	----	7 UNCH
3955	----	----	308.90B/----	308.90B/248.60A	----	293.70 + 45.50	.8152	----	----	----	----	1 UNCH
3960	----	----	304.80B/----	304.80B/244.80A	----	289.70 + 45.30	.8110	----	----	----	----	1 UNCH
3965	----	----	300.70B/----	300.70B/241.10A	----	285.60 + 44.90	.8065	----	----	----	----	1 UNCH
3985	----	----	284.50B/----	284.50B/226.40A	----	269.60 + 43.60	.7888	----	----	----	----	12 UNCH
3990	----	----	280.60B/----	280.60B/222.80A	----	265.70 + 43.30	.7840	----	----	----	----	2 UNCH
3995	----	----	276.70B/----	276.70B/219.20A	----	261.80 + 43.00	.7793	----	----	----	----	4 UNCH
4000	----	----	272.70B/----	272.70B/215.70A	----	257.90 + 42.60	.7745	----	----	1	----	259 UNCH
4005	----	----	268.90B/----	268.90B/212.10A	----	254.10 + 42.30	.7697	----	----	----	----	5 UNCH
4015	----	----	261.10B/----	261.10B/205.20A	----	246.50 + 41.60	.7598	----	----	----	----	1 UNCH
4020	----	----	257.30B/----	257.30B/201.80A	----	242.70 + 41.20	.7545	----	----	----	----	1 UNCH
4025	----	----	253.50B/----	253.50B/198.40A	----	239.00 + 40.90	.7495	----	----	----	----	2 UNCH
4030	----	----	249.80B/----	249.80B/195.10A	----	235.20 + 40.40	.7442	----	----	----	----	13 UNCH
4040	----	----	242.30B/----	242.30B/188.50A	----	227.90 + 39.70	.7336	----	----	----	----	43 UNCH
4045	----	----	238.60B/----	238.60B/185.20A	----	224.30 + 39.40	.7281	----	----	----	----	2 UNCH
4050	----	----	235.00B/----	235.00B/182.00A	----	220.70 + 39.00	.7226	----	----	----	----	972 UNCH
4055	----	----	231.40B/----	231.40B/178.80A	----	217.20 + 38.60	.7171	----	----	----	----	1 UNCH
4060	----	----	227.80B/----	227.80B/175.70A	----	213.60 + 38.20	.7114	----	----	----	----	105 UNCH
4065	----	----	224.20B/----	224.20B/172.60A	----	210.20 + 37.90	.7057	----	----	----	----	15 UNCH
4070	----	----	220.70B/----	220.70B/169.50A	----	206.70 + 37.50	.6999	----	----	----	----	38 UNCH
4075	----	----	217.20B/----	217.20B/166.40A	----	203.30 + 37.10	.6942	----	----	----	----	24 UNCH
4080	----	----	213.80B/----	213.80B/163.40A	----	199.90 + 36.70	.6883	----	----	----	----	136 UNCH
4085	----	----	210.30B/----	210.30B/160.50A	----	196.50 + 36.30	.6824	----	----	----	----	8 UNCH
4090	----	----	206.90B/----	206.90B/157.50A	----	193.20 + 35.90	.6764	----	----	----	----	41 UNCH
4095	----	----	203.60B/----	203.60B/154.60A	----	189.90 + 35.50	.6703	----	----	----	----	10 UNCH
4100	161.20	161.20	200.20B/151.20A	200.20B/151.20A	----	186.60 + 35.10	.6643	----	----	6	----	1373 - 5
4105	----	----	196.90B/148.60A	196.90B/148.60A	----	183.40 + 34.70	.6581	----	----	----	----	17 UNCH
4110	----	----	193.70B/145.80A	193.70B/145.80A	----	180.20 + 34.30	.6519	----	----	6	----	192 + 6
4115	168.70	168.70	190.40B/142.90A	190.40B/142.90A	----	177.10 + 33.90	.6457	----	----	1	----	18 - 1
4120	----	----	187.20B/140.10A	187.20B/140.10A	----	174.00 + 33.60	.6395	----	----	----	----	32 UNCH
4125	----	----	184.10B/137.50A	184.10B/137.50A	----	170.90 + 33.10	.6332	----	----	----	----	52 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 24

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
4130	160.00	160.00	180.90B/135.00A	180.90B/135.00A	----	167.80 + 32.70	.6268	----	----	2	----	709 UNCH
4135	----	----	177.80B/132.40A	177.80B/132.40A	----	164.80 + 32.30	.6205	----	----	----	----	68 UNCH
4140	----	----	174.80B/129.70A	174.80B/129.70A	----	161.80 + 31.90	.6141	----	----	1	----	72 - 1
4145	----	----	171.70B/127.10A	171.70B/127.10A	----	158.90 + 31.50	.6076	----	----	----	----	44 UNCH
4150	147.00	147.00	168.70B/124.60A	168.70B/124.60A	----	156.00 + 31.10	.6011	----	----	13	----	436 + 3
4155	----	----	165.80B/122.30A	165.80B/122.30A	----	153.10 + 30.70	.5946	----	----	1	----	22 UNCH
4160	----	----	162.80B/119.70A	162.80B/119.70A	----	150.30 + 30.30	.5881	----	----	11	----	172 + 8
4165	----	----	159.90B/117.30A	159.90B/117.30A	----	147.50 + 29.90	.5815	----	----	1	----	56 - 1
4170	123.40	123.40	157.30B/115.10A	157.30B/115.10A	----	144.70 + 29.50	.5749	----	----	26	----	162 UNCH
4175	120.90	120.90	154.50B/112.80A	154.50B/112.80A	----	142.00 + 29.10	.5683	----	----	10	----	1030 - 5
4180	122.40	122.40	151.70B/110.50A	151.70B/110.50A	----	139.30 + 28.70	.5617	----	----	3	----	25 + 1
4185	116.00	116.00	149.00B/108.20A	149.00B/108.20A	----	136.70 + 28.30	.5551	----	----	2	----	36 UNCH
4190	113.70	113.70	146.30B/106.00A	146.30B/106.00A	----	134.10 + 28.00	.5485	----	----	5	----	469 - 1
4195	111.40	111.40	143.60B/103.90A	143.60B/103.90A	----	131.50 + 27.50	.5419	----	----	7	----	27 UNCH
4200	109.10	109.10	140.90B/101.60A	140.90B/101.60A	----	129.00 + 27.20	.5352	----	----	110	----	1561 + 20
4205	106.90	106.90	138.30B/99.60A	138.30B/99.60A	----	126.50 + 26.80	.5286	----	----	66	----	361 + 61
4210	104.80	104.80	135.80B/97.50A	135.80B/97.50A	----	124.00 + 26.40	.5219	----	----	25	----	40 + 14
4215	102.50	102.50	133.20B/95.40A	133.20B/95.40A	----	121.60 + 26.00	.5153	----	----	91	----	88 + 62
4220	100.40	100.40	130.70B/93.50A	130.70B/93.50A	----	119.20 + 25.60	.5087	----	----	66	----	306 + 8
4225	101.60	101.60	128.30B/91.40A	128.30B/91.40A	----	116.80 + 25.20	.5020	----	----	18	----	391 + 2
4230	99.70	99.70	125.80B/89.60A	125.80B/89.60A	----	114.50 + 24.80	.4954	----	----	65	----	101 + 49
4235	107.10	107.10	123.50B/87.70A	123.50B/87.70A	----	112.20 + 24.40	.4888	----	----	8	----	16 + 3
4240	105.00	105.00	121.10B/85.80A	121.10B/85.80A	----	110.00 + 24.10	.4823	----	----	28	----	42 + 8
4245	102.90	102.90	118.80B/84.00A	118.80B/84.00A	----	107.80 + 23.70	.4757	----	----	7	----	214 + 1
4250	101.50	101.50	116.50B/82.10A	116.50B/82.10A	----	105.60 + 23.30	.4691	----	----	106	----	1113 + 66
4255	111.30	111.30	114.20B/80.40A	114.20B/80.40A	----	103.40 + 22.90	.4626	----	----	7	----	122 + 3
4260	109.00	109.00	111.90B/78.50A	111.90B/78.50A	----	101.30 + 22.50	.4561	----	----	11	----	192 + 7
4265	102.20	102.20	109.80B/76.80A	109.80B/76.80A	----	99.30 + 22.20	.4497	----	----	10	----	29 + 9
4270	104.80	104.80	107.70B/75.20A	107.70B/75.20A	----	97.20 + 21.80	.4432	----	----	16	----	38 + 11
4275	102.70	102.70	105.50B/73.50A	105.50B/73.50A	----	95.20 + 21.50	.4368	----	----	12	----	86 + 7
4280	----	----	103.50B/72.00A	103.50B/72.00A	----	93.30 + 21.20	.4305	----	----	----	----	71 UNCH
4285	91.20	91.20	101.30B/70.30A	101.30B/70.30A	----	91.30 + 20.70	.4241	----	----	1	----	22 + 1
4290	82.00	82.00	99.40B/68.70A	99.40B/68.70A	----	89.40 + 20.40	.4178	----	----	2	----	78 + 1
4295	87.60	87.60	97.40B/67.20A	97.40B/67.20A	----	87.50 + 20.00	.4115	----	----	106	----	103 + 8
4300	90.70	90.70	95.40B/65.70A	95.40B/65.70A	----	85.70 + 19.70	.4053	----	----	167	25	1924 + 35
4305	----	----	93.50B/64.10A	93.50B/64.10A	----	83.90 + 19.40	.3991	----	----	----	----	42 UNCH
4310	----	----	91.60B/62.80A	91.60B/62.80A	----	82.10 + 19.00	.3929	----	----	----	----	57 UNCH
4315	81.00	81.00	89.80B/61.50A	89.80B/61.50A	----	80.40 + 18.70	.3869	----	----	2	----	14 + 2
4320	79.00	79.00	87.90B/60.00A	87.90B/60.00A	----	78.70 + 18.40	.3808	----	----	1	----	187 + 1
4325	74.10	74.10	86.10B/58.70A	86.10B/58.70A	----	77.00 + 18.00	.3748	----	----	3	----	207 - 1
4330	73.80	73.80	84.40B/57.50A	84.40B/57.50A	----	75.40 + 17.70	.3689	----	----	5	----	123 UNCH
4335	71.10	71.10	82.60B/56.20A	82.60B/56.20A	----	73.80 + 17.40	.3630	----	----	1	----	58 + 1
4340	77.00	77.00	80.90B/54.80A	80.90B/54.80A	----	72.20 + 17.10	.3572	----	----	7	----	52 + 4
4345	69.40	69.40	79.20B/53.60A	79.20B/53.60A	----	70.60 + 16.70	.3513	----	----	2	----	132 UNCH
4350	61.00	61.00	77.50B/52.30A	77.50B/52.30A	----	69.10 + 16.40	.3456	----	----	42	----	1215 - 22
4355	----	----	75.90B/51.10A	75.90B/51.10A	----	67.60 + 16.10	.3399	----	----	----	----	24 UNCH
4360	66.40	66.40	74.30B/50.00A	74.30B/50.00A	----	66.10 + 15.80	.3342	----	----	1	----	24 UNCH
4365	----	----	72.80B/48.80A	72.80B/48.80A	----	64.70 + 15.50	.3287	----	----	----	----	20 UNCH
4370	----	----	71.30B/47.70A	71.30B/47.70A	----	63.30 + 15.30	.3232	----	----	20	----	68 UNCH
4375	63.80	63.80	69.80B/46.60A	69.80B/46.60A	----	61.90 + 15.00	.3177	----	----	21	----	537 - 12
4380	----	----	68.30B/45.60A	68.30B/45.60A	----	60.50 + 14.60	.3122	----	----	----	----	119 UNCH
4385	----	----	66.90B/44.50A	66.90B/44.50A	----	59.20 + 14.40	.3069	----	----	----	----	34 UNCH
4390	60.70	60.70	65.50B/43.50A	65.50B/43.50A	----	57.90 + 14.10	.3016	----	----	9	----	75 - 4
4395	59.60	59.60	64.10B/42.50A	64.10B/42.50A	----	56.60 + 13.80	.2964	----	----	3	----	108 - 1
4400	47.90	47.90	62.70B/41.60A	62.70B/41.60A	----	55.40 + 13.60	.2913	----	----	179	----	2491 + 94
4405	----	----	61.40B/40.50A	61.40B/40.50A	----	54.20 + 13.40	.2863	----	----	1	----	138 UNCH
4410	55.00	55.00	60.10B/39.60A	60.10B/39.60A	----	53.00 + 13.10	.2812	----	----	4	----	100 UNCH
4415	48.70	48.70	58.80B/38.80A	58.80B/38.80A	----	51.80 + 12.80	.2762	----	----	1	----	150 UNCH
4420	----	----	57.50B/37.90A	57.50B/37.90A	----	50.60 + 12.50	.2712	----	----	----	----	59 UNCH
4425	46.10	46.10	56.30B/36.90A	56.30B/36.90A	----	49.50 + 12.30	.2664	----	----	81	----	493 + 38
4430	----	----	55.10B/36.20A	55.10B/36.20A	----	48.40 + 12.00	.2616	----	----	----	----	124 UNCH
4435	45.70	45.70	53.90B/35.20A	53.90B/35.20A	----	47.30 + 11.80	.2569	----	----	5	----	65 + 3
4440	----	----	52.70B/34.50A	52.70B/34.50A	----	46.30 + 11.60	.2523	----	----	----	----	59 UNCH
4445	47.20	47.20	51.60B/33.60A	51.60B/33.60A	----	45.20 + 11.30	.2476	----	----	8	----	52 + 7
4450	42.50	42.50	50.50B/32.90A	50.50B/32.90A	----	44.20 + 11.10	.2431	----	----	23	----	1536 - 2
4455	34.50	34.50	49.40B/32.10A	49.40B/32.10A	----	43.20 + 10.90	.2386	----	----	43	----	196 - 13
4460	47.90	47.90	48.30B/31.30A	48.30B/31.30A	----	42.30 + 10.70	.2344	----	----	32	----	220 + 18
4465	----	----	47.30B/30.60A	47.30B/30.60A	----	41.30 + 10.40	.2299	----	----	----	----	144 UNCH
4470	----	----	46.20B/30.00A	46.20B/30.00A	----	40.40 + 10.20	.2257	----	----	----	----	298 UNCH
4475	41.70	41.70	45.20B/29.20A	45.20B/29.20A	----	39.50 + 10.00	.2215	----	----	7	----	597 - 1
4480	38.10	38.10	44.20B/28.60A	44.20B/28.60A	----	38.60 + 9.80	.2174	----	----	8	----	163 + 7
4485	40.30	40.30	43.30B/27.90A	43.30B/27.90A	----	37.70 + 9.60	.2132	----	----	6	----	33 - 3
4490	40.80	40.80	42.30B/27.20A	42.30B/27.20A	----	36.90 + 9.40	.2093	----	----	38	----	70 + 16
4495	39.00	39.00	41.40B/26.80A	41.40B/26.80A	----	36.00 + 9.10	.2052	----	----	28	----	60 + 6
4500	28.00	28.00	40.50B/26.10A	40.50B/26.10A	----	35.20 + 9.00	.2013	----	----	759	----	10148 + 120
4505	----	----	39.60B/25.50A	39.60B/25.50A	----	34.40 + 8.80	.1975	----	----	----	----	91 UNCH
4510	26.00	26.00	38.70B/24.90A	38.70B/24.90A	----	33.70 + 8.60	.1939	----	----	1	----	5043 + 1
4515	31.40	31.40	37.90B/24.20A	37.90B/24.20A	----	32.90 + 8.40	.1901	----	----	5	----	109 + 4
4520	31.60	31.60	37.10B/23.80A	37.10B/23.80A	----	32.20 + 8.30	.1866	----	----	2	----	62 + 1
4525	30.30	30.30	36.30B/23.10A	36.30B/23.10A	----	31.50 + 8.10	.1831	----	----	9	----	493 UNCH
4530	----	----	35.50B/22.70A	35.50B/22.70A	----	30.70 + 7.80	.1793	----	----	1	----	57 UNCH
4535	----	----	34.70B/22.20A	34.70B/22.20A	----	30.10 + 7.70	.1761	----	----	----	----	101 UNCH
4540	29.50	29.50	33.90B/21.70A	33.90B/21.70A	----	29.40 + 7.60	.1726	----	----	3	----	66 - 2
4545	----	----	33.20B/21.20A	33.20B/21.20A	----	28.70 + 7.30	.1692	----	----	----	----	118 UNCH
4550	27.10	27.10	32.50B/20.70A	32.50B/20.70A	----	28.10 + 7.20	.1660	----	----	134	----	1728 + 16
4555	27.60	27.60	31.80B/20.20A	31.80B/20.20A	----	27.50 + 7.10	.1629	----	----	7	----	80 + 6
4560	----	----	31.10B/19.80A	31.10B/19.80A	----	26.80 + 6.80	.1595	----	----	----	----	614 UNCH
4565	28.10	28.10	30.40B/19.30A	30.40B/19.30A	----	26.30 + 6.80	.1567	----	----	2	----	54 + 2
4570	----	----	29.70B/18.90A	29.70B/18.90A	----	25.70 + 6.60	.1536	----	----	----	----	46 UNCH
4575	23.80	23.80	29.10B/18.50A	29.10B/18.50A	----	25.10 + 6.40	.1505	----	----	10	----	327 UNCH
4580	24.90	24.90	28.40B/18.10A	28.40B/18.10A	----	24.50 + 6.30	.1474	----	----	21	----	295 - 8
4585	23.50	23.50	27.80B/17.70A	27.80B/17.70A	----	24.00 + 6.20	.1447	----	----	2	----	302 + 2
4590	----	----	27.20B/17.30A	27.20B/17.30A	----	23.50 + 6.00	.1420	----	----	1	----	111 UNCH
4595	22.70	22.70	26.60B/17.00A	26.60B/17.00A	----	22.90 + 5.80	.1389	----	----	2	----	23 UNCH
4600	19.70	19.70	26.70/16.50A	26.70/16.50A	----	22.40 + 5.70	.1362	----	----	1393	----	6988 + 749
4605	21.30	21.30	25.50B/16.20A	25.50B/16.20A	----	21.90 + 5.60	.1336	----	----	8	----	49 + 7
4610	21.10	21.10	24.90B/15.90A	24.90B/15.90A	----	21.50 + 5.50	.1312	----	----	9	----	80 + 1
4615	20.60	20.60	24.40B/15.50A	24.40B/15.50A	----	21.00 + 5.40	.1286	----	----	3	----	64 + 1
4620	20.50	20.50	23.90B/15.20A	23.90B/15.20A	----	20.50 + 5.20	.1259	----	----	31	----	105 + 21
4625	20.00	20.00	23.30B/14.80A	23.30B/14.80A	----	20.10 + 5.10	.1236	----	----	38	----	456 + 19
4630	20.40	20.40	22.80B/14.50A	22.80B/14.50A	----	19.60 + 5.00	.1210	----	----	5	----	164 - 4
4635	18.70	18.70	22.30B/14.20A	22.30B/14.20A	----	19.20 + 4.90	.1187	----	----	8	----	44 - 4
4640	18.40	18.40	21.90B/13.90A	21.90B/13.90A	----	18.80 + 4.80	.1164	----	----	29	----	163 + 10
4645	17.80	17.80	21.40B/13.60A	21.40B/13.60A	----	18.40 + 4.70	.1142	----	----	1	----	23 UNCH
4650	17.40	17.40	20.90B/13.30A	20.90B/13.30A	----	18.00 + 4.60	.1119	----	----	180	----	1588 + 84
4655	17.80	17.80	20.50B/13.00A	20.50B/13.00A	----	17.60 + 4.50	.1097	----	----	25	----	60 + 24
4660	16.50	16.50	20.00B/12.80A	20.00B/12.80A	----	17.20 + 4.30	.1075	----	----	12	----	168 UNCH
4665	----	----	19.60B/12.50A	19.60B/12.50A	----	16.90 + 4.30	.1057	----	----	----	----	94 UNCH
4670	16.00	16.00	19.20B/12.20A	19.20B/12.20A	----	16.50 + 4.20	.1034	----	----	2	----	93 - 2
4675	16.30	16.30	18.80B/12.00A	18.80B/12.00A	----	16.20 + 4.10	.1016	----	----	6	----	367 - 4
4680	----	----	18.40B/11.70A	18.40B/11.70A	----	15.80 + 4.00	.0994	----	----	----	----	202 UNCH
4685	15.30	15.30	18.00B/11.50A	18.00B/11.50A	----	15.50 + 3.90	.0976	----	----	6	----	57 + 1
4690	15.00	15.00	17.60B/15.00	17.60B/11.30A	----	15.20 + 3.90	.0959	----	----	9	----	277 - 1
4695	----	----	17.20B/11.00A	17.20B/11.00A	----	14.80 + 3.70	.0937	----	----	----	----	325 UNCH
4700	12.30	12.30	16.90B/10.80A	16.90B/10.80A	----	14.50 + 3.60	.0919	----	----	459	40	6679 + 175
4705	14.10	14.10	16.50B/14.10	16.50B/10.60A	----	14.20 + 3.60	.0901	----	----	8	----	152 - 8
4710	13.50	13.50	16.20B/10.30A	16.20B/10.30A	----	13.90 + 3.50	.0884	----	----	6	----	59 - 4
4715	----	----	15.80B/----	15.80B/10.20A	----	13.70 + 3.50	.0871	----	----	----	----	135 UNCH
4720	13.30	13.30	15.50B/13.30	15.50B/10.00A	----	13.40 + 3.40	.0853	----	----	5	----	148 + 5
4725	13.30	13.30	15.20B/13.30	15.20B/9.80A	----	13.10 + 3.30	.0836	----	----	5	----	9538 - 5
4730	----	----	14.90B/----	14.90B/9.60A	----	12.90 + 3.30	.0823	----	----	----	----	172 UNCH
4735	11.70	11.70	14.60B/11.70	14.60B/9.40A	----	12.60 + 3.20	.0805	----	----	5	----	76 - 1
4740	----	----	14.30B/9.20A	14.30B/9.20A	----	12.40 + 3.10	.0792	----	----	----	----	70 UNCH
4745	----	----	14.00B/9.00A	14.00B/9.00A	----	12.10 + 3.00	.0775	----	----	----	----	71 UNCH
4750	13.10	13.10	13.70B/11.80	13.70B/8.90A	----	11.90 + 3.00	.0763	----	----	272	----	3752 - 2
4755	----	----	13.40B/----	13.40B/8.70A	----	11.70 + 3.00	.0750	----	----	----	----	45 UNCH
4760	----	----	13.10B/8.50A	13.10B/8.50A	----	11.40 + 2.80	.0733	----	----	4	----	162 UNCH
4765	----	----	12.90B/----	12.90B/8.40A	----	11.20 + 2.80	.0720	----	----	----	----	88 UNCH
4770	----	----	12.60B/8.20A	12.60B/8.20A	----	11.00 + 2.70	.0708	----	----	4	----	40 UNCH
4775	----	----	12.40B/----	12.40B/8.10A	----	10.80 + 2.70	.0695	----	----	3	----	352 UNCH
4780	----	----	12.10B/7.90A	12.10B/7.90A	----	10.60 + 2.60	.0683	----	----	----	----	52 UNCH
4785	----	----	11.90B/----	11.90B/7.80A	----	10.40 + 2.60	.0670	----	----	----	----	77 UNCH
4790	----	----	11.70B/7.60A	11.70B/7.60A	----	10.20 + 2.50	.0658	----	----	----	----	310 UNCH
4795	10.20	10.20	11.40B/10.20	11.40B/7.50A	----	10.00 + 2.50	.0646	----	----	5	----	147 + 5
4800	7.50	7.50	11.20/7.50	11.20/7.40A	----	9.80 + 2.40	.0634	----	----	119	----	8519 - 57
4805	----	----	11.00B/7.20A	11.00B/7.20A	----	9.60 + 2.30	.0621	----	----	----	----	45 UNCH
4810	----	----	10.80B/----	10.80B/7.10A	----	9.50 + 2.40	.0614	----	----	----	----	86 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
4815	----	----	10.60B/----	10.60B/7.00A	----	9.30 + 2.30	.0602	----	----	----	----	33 UNCH
4820	----	----	10.40B/6.80A	10.40B/6.80A	----	9.10 + 2.20	.0590	----	----	----	----	210 UNCH
4825	----	----	10.20B/----	10.20B/6.80A	----	9.00 + 2.20	.0582	----	----	----	----	255 UNCH
4830	8.80	8.80	10.00B/6.60A	10.00B/6.60A	----	8.80 + 2.10	.0570	----	----	5	----	39 UNCH
4835	----	----	9.80B/----	9.80B/6.50A	----	8.60 + 2.10	.0558	----	----	----	----	169 UNCH
4840	----	----	9.60B/----	9.60B/6.40A	----	8.50 + 2.10	.0551	----	----	----	----	172 UNCH
4845	----	----	9.40B/----	9.40B/6.30A	----	8.30 + 2.00	.0539	----	----	----	----	42 UNCH
4850	8.00	8.00	9.30B/8.00	9.30B/6.20A	----	8.20 + 2.00	.0532	----	----	56	----	3317 UNCH
4855	8.10	8.10	9.10B/8.10	9.10B/6.10A	----	8.10 + 2.00	.0525	----	----	21	----	135 + 21
4860	----	----	8.90B/----	8.90B/6.00A	----	7.90 + 1.90	.0513	----	----	----	----	86 UNCH
4865	----	----	8.80B/----	8.80B/5.90A	----	7.80 + 1.90	.0506	----	----	----	----	55 UNCH
4870	7.70	7.70	8.60B/7.70	8.60B/5.80A	----	7.70 + 1.90	.0499	----	----	1	----	65 UNCH
4875	----	----	8.50B/----	8.50B/5.70A	----	7.50 + 1.80	.0487	----	----	----	----	227 UNCH
4880	7.50	7.50	8.30B/7.50	8.30B/5.60A	----	7.40 + 1.80	.0481	----	----	6	----	319 + 6
4885	----	----	8.20B/5.50A	8.20B/5.50A	----	7.30 + 1.70	.0474	----	----	----	----	65 UNCH
4890	----	----	8.00B/----	8.00B/5.50A	----	7.20 + 1.70	.0467	----	----	----	----	28 UNCH
4895	7.10	7.10	7.90B/7.10	7.90B/5.40A	----	7.00 + 1.60	.0455	----	----	2	----	254 + 1
4900	5.90	5.90	7.70B/5.90	7.70B/5.30A	----	6.90 + 1.60	.0449	----	----	763	----	5670 + 44
4905	----	----	7.60B/----	7.60B/5.20A	----	6.80 + 1.60	.0442	----	----	----	----	48 UNCH
4910	----	----	7.50B/----	7.50B/5.10A	----	6.70 + 1.60	.0435	----	----	1	----	2063 - 1
4915	----	----	7.40B/----	7.40B/5.10A	----	6.60 + 1.50	.0428	----	----	----	----	82 UNCH
4920	----	----	7.20B/----	7.20B/5.00A	----	6.50 + 1.50	.0422	----	----	----	----	140 UNCH
4925	----	----	7.10B/----	7.10B/4.90A	----	6.40 + 1.50	.0415	----	----	----	----	439 UNCH
4930	----	----	7.00B/----	7.00B/4.80A	----	6.30 + 1.50	.0409	----	----	----	----	37 UNCH
4935	----	----	6.90B/----	6.90B/4.80A	----	6.20 + 1.50	.0402	----	----	----	----	18 UNCH
4940	----	----	6.80B/----	6.80B/4.70A	----	6.10 + 1.40	.0396	----	----	----	----	54 UNCH
4945	----	----	6.70B/----	6.70B/4.60A	----	6.10 + 1.50	.0394	----	----	----	----	32 UNCH
4950	5.90	5.90	6.60B/5.90	6.60B/4.60A	----	6.00 + 1.50	.0387	----	----	78	----	689 - 67
4955	----	----	6.50B/----	6.50B/4.60A	----	5.90 + 1.40	.0381	----	----	----	----	27 UNCH
4960	----	----	6.40B/----	6.40B/4.50A	----	5.80 + 1.40	.0375	----	----	----	----	158 UNCH
4965	----	----	6.40B/----	6.40B/4.40A	----	5.70 + 1.40	.0368	----	----	----	----	153 UNCH
4970	----	----	6.30B/----	6.30B/4.40A	----	5.60 + 1.30	.0362	----	----	----	----	201 UNCH
4975	----	----	6.20B/----	6.20B/4.20A	----	5.60 + 1.40	.0360	----	----	----	----	75 UNCH
4980	5.80	5.80	6.10B/5.80	6.10B/4.20A	----	5.50 + 1.30	.0354	----	----	1	----	78 UNCH
4985	----	----	6.00B/----	6.00B/4.10A	----	5.40 + 1.30	.0348	----	----	----	----	89 UNCH
4990	----	----	5.90B/----	5.90B/4.00A	----	5.40 + 1.40	.0346	----	----	----	----	431 UNCH
4995	----	----	5.90B/----	5.90B/4.00A	----	5.30 + 1.30	.0340	----	----	----	----	60 UNCH
5000	5.00	5.00	5.80B/5.00	5.80B/4.10A	----	5.20 + 1.30	.0334	----	----	1087	----	12093 - 14
5005	----	----	5.70B/----	5.70B/4.00A	----	5.10 + 1.20	.0328	----	----	----	----	40 UNCH
5010	5.00	5.00	5.60B/5.00	5.60B/3.80A	----	5.10 + 1.30	.0327	----	----	1	----	23 + 1
5015	----	----	5.60B/----	5.60B/3.90A	----	5.00 + 1.20	.0320	----	----	----	----	39 UNCH
5020	----	----	5.50B/----	5.50B/3.90A	----	5.00 + 1.30	.0319	----	----	----	----	101 UNCH
5025	4.60	4.60	5.60/4.60	5.60/3.80A	----	4.90 + 1.20	.0313	----	----	53	----	455 + 27
5030	----	----	5.40B/----	5.40B/3.80A	----	4.80 + 1.20	.0307	----	----	----	----	119 UNCH
5035	----	----	5.30B/----	5.30B/3.60A	----	4.80 + 1.20	.0306	----	----	----	----	98 UNCH
5040	----	----	5.20B/----	5.20B/3.60A	----	4.70 + 1.20	.0300	----	----	----	----	78 UNCH
5045	----	----	5.20B/----	5.20B/3.60A	----	4.70 + 1.20	.0299	----	----	----	----	77 UNCH
5050	----	----	5.10B/----	5.10B/3.60A	----	4.60 + 1.20	.0293	----	----	----	----	747 UNCH
5055	----	----	5.00B/----	5.00B/3.60A	----	4.60 + 1.20	.0292	----	----	----	----	13 UNCH
5060	----	----	5.00B/----	5.00B/3.50A	----	4.50 + 1.10	.0286	----	----	----	----	55 UNCH
5065	----	----	4.90B/----	4.90B/3.50A	----	4.40 + 1.10	.0280	----	----	----	----	30 UNCH
5070	----	----	4.90B/----	4.90B/3.50A	----	4.40 + 1.10	.0279	----	----	----	----	22 UNCH
5075	----	----	4.80B/----	4.80B/3.40A	----	4.30 + 1.10	.0273	----	----	----	----	133 UNCH
5080	----	----	4.70B/----	4.70B/3.40A	----	4.30 + 1.10	.0272	----	----	----	----	23 UNCH
5085	----	----	4.70B/----	4.70B/3.30A	----	4.20 + 1.00	.0266	----	----	----	----	25 UNCH
5090	----	----	4.60B/----	4.60B/3.30A	----	4.20 + 1.10	.0265	----	----	----	----	52 UNCH
5095	----	----	4.60B/----	4.60B/3.10A	----	4.20 + 1.10	.0264	----	----	----	----	62 UNCH
5100	4.10	4.10	4.50B/4.10	4.50B/3.10A	----	4.10 + 1.10	.0258	----	----	3	----	4909 + 1
5105	----	----	4.50B/----	4.50B/3.20A	----	4.10 + 1.10	.0257	----	----	----	----	37 UNCH
5110	----	----	4.40B/----	4.40B/3.20A	----	4.00 + 1.00	.0252	----	----	----	----	89 UNCH
5115	----	----	4.40B/----	4.40B/3.10A	----	4.00 + 1.10	.0251	----	----	----	----	129 UNCH
5120	----	----	4.30B/----	4.30B/3.10A	----	3.90 + 1.00	.0245	----	----	----	----	130 UNCH
5125	----	----	4.30B/----	4.30B/3.10A	----	3.90 + 1.00	.0244	----	----	----	----	97 UNCH
5130	----	----	4.20B/----	4.20B/3.00A	----	3.80 + 0.90	.0238	----	----	----	----	62 UNCH
5135	----	----	4.20B/----	4.20B/3.00A	----	3.80 + 1.00	.0238	----	----	----	----	136 UNCH
5140	----	----	4.20B/----	4.20B/3.00A	----	3.80 + 1.00	.0237	----	----	----	----	41 UNCH
5145	----	----	4.10B/----	4.10B/3.00A	----	3.70 + 0.90	.0231	----	----	----	----	58 UNCH
5150	----	----	4.10B/----	4.10B/2.90A	----	3.70 + 1.00	.0230	----	----	----	----	926 UNCH
5155	----	----	4.00B/----	4.00B/2.90A	----	3.70 + 1.00	.0229	----	----	----	----	67 UNCH
5160	----	----	4.00B/----	4.00B/2.90A	----	3.60 + 0.90	.0224	----	----	----	----	96 UNCH
5165	----	----	4.00B/----	4.00B/2.90A	----	3.60 + 0.90	.0223	----	----	----	----	37 UNCH
5170	----	----	3.90B/----	3.90B/2.80A	----	3.50 + 0.90	.0218	----	----	----	----	28 UNCH
5175	----	----	3.90B/----	3.90B/2.80A	----	3.50 + 0.90	.0217	----	----	----	----	231 UNCH
5180	----	----	3.80B/----	3.80B/2.70A	----	3.50 + 0.90	.0216	----	----	----	----	63 UNCH
5185	----	----	3.80B/----	3.80B/2.80A	----	3.40 + 0.80	.0210	----	----	----	----	28 UNCH
5190	----	----	3.80B/----	3.80B/2.70A	----	3.40 + 0.90	.0210	----	----	----	----	45 UNCH
5195	----	----	3.70B/----	3.70B/2.70A	----	3.40 + 0.90	.0209	----	----	----	----	57 UNCH
5200	3.40	3.40	3.70/3.40	3.70/2.70A	----	3.40 + 0.90	.0208	----	----	15	----	2890 + 9
5205	----	----	3.70B/----	3.70B/2.70A	----	3.30 + 0.80	.0203	----	----	----	----	21 UNCH
5210	----	----	3.60B/----	3.60B/2.60A	----	3.30 + 0.90	.0202	----	----	----	----	168 UNCH
5215	----	----	3.60B/----	3.60B/2.60A	----	3.30 + 0.90	.0202	----	----	----	----	125 UNCH
5220	----	----	3.60B/----	3.60B/2.60A	----	3.20 + 0.80	.0196	----	----	----	----	111 UNCH
5225	----	----	3.60B/----	3.60B/2.60A	----	3.20 + 0.80	.0195	----	----	1	----	9418 UNCH
5230	----	----	3.50B/----	3.50B/2.50A	----	3.20 + 0.80	.0195	----	----	----	----	67 UNCH
5235	3.00	3.00	3.50B/3.00	3.50B/2.50A	----	3.10 + 0.80	.0189	----	----	1	----	17 - 1
5240	----	----	3.40B/----	3.40B/2.50A	----	3.10 + 0.80	.0189	----	----	----	----	17 UNCH
5245	----	----	3.40B/----	3.40B/2.50A	----	3.10 + 0.80	.0188	----	----	----	----	23 UNCH
5250	----	----	3.40B/----	3.40B/2.30A	----	3.10 + 0.80	.0188	----	----	----	----	1843 UNCH
5255	3.00	3.00	3.30B/3.00	3.30B/2.40A	----	3.00 + 0.70	.0182	----	----	5	----	55 - 3
5260	----	----	3.30B/----	3.30B/2.40A	----	3.00 + 0.80	.0182	----	----	----	----	12 UNCH
5265	----	----	3.30B/----	3.30B/2.40A	----	3.00 + 0.80	.0181	----	----	----	----	19 UNCH
5270	----	----	3.30B/----	3.30B/2.40A	----	3.00 + 0.80	.0181	----	----	----	----	74 UNCH
5275	----	----	3.30B/----	3.30B/2.40A	----	2.90 + 0.70	.0175	----	----	----	----	41 UNCH
5280	----	----	3.20B/----	3.20B/2.40A	----	2.90 + 0.70	.0175	----	----	----	----	66 UNCH
5285	----	----	3.20B/----	3.20B/2.30A	----	2.90 + 0.70	.0174	----	----	----	----	32 UNCH
5290	----	----	3.10B/----	3.10B/2.30A	----	2.90 + 0.80	.0174	----	----	----	----	14 UNCH
5295	----	----	3.10B/----	3.10B/2.30A	----	2.80 + 0.70	.0168	----	----	----	----	25 UNCH
5300	3.10	3.10	3.10/3.10	3.10/2.30A	----	2.80 + 0.70	.0168	----	----	37	----	2296 + 30
5305	----	----	3.10B/----	3.10B/2.30A	----	2.80 + 0.70	.0167	----	----	----	----	48 UNCH
5310	----	----	3.00B/----	3.00B/2.20A	----	2.80 + 0.70	.0167	----	----	----	----	44 UNCH
5315	----	----	3.00B/----	3.00B/2.20A	----	2.80 + 0.70	.0166	----	----	----	----	38 UNCH
5320	----	----	3.00B/----	3.00B/2.20A	----	2.70 + 0.60	.0161	----	----	----	----	6 UNCH
5325	----	----	3.00B/----	3.00B/2.20A	----	2.70 + 0.70	.0161	----	----	----	----	30 UNCH
5330	----	----	2.90B/----	2.90B/2.10A	----	2.70 + 0.70	.0160	----	----	----	----	48 UNCH
5335	----	----	2.90B/----	2.90B/2.20A	----	2.70 + 0.70	.0160	----	----	----	----	46 UNCH
5340	----	----	2.90B/----	2.90B/2.20A	----	2.70 + 0.70	.0159	----	----	----	----	11 UNCH
5345	2.60	2.60	2.90B/2.60	2.90B/2.10A	----	2.60 + 0.60	.0154	----	----	10	----	48 + 4
5350	----	----	2.90B/----	2.90B/2.10A	----	2.60 + 0.60	.0154	----	----	----	----	901 UNCH
5355	----	----	2.80B/----	2.80B/2.10A	----	2.60 + 0.60	.0153	----	----	----	----	21 UNCH
5360	----	----	2.80B/----	2.80B/2.10A	----	2.60 + 0.70	.0153	----	----	----	----	119 UNCH
5365	----	----	2.80B/----	2.80B/2.10A	----	2.60 + 0.70	.0152	----	----	----	----	23 UNCH
5370	----	----	2.80B/----	2.80B/2.10A	----	2.60 + 0.70	.0152	----	----	----	----	83 UNCH
5375	----	----	2.80B/----	2.80B/2.10A	----	2.50 + 0.60	.0147	----	----	----	----	90 UNCH
5380	----	----	2.70B/----	2.70B/2.00A	----	2.50 + 0.60	.0146	----	----	----	----	94 UNCH
5385	----	----	2.70B/----	2.70B/2.00A	----	2.50 + 0.60	.0146	----	----	----	----	44 UNCH
5390	----	----	2.70B/----	2.70B/2.00A	----	2.50 + 0.60	.0145	----	----	----	----	214 UNCH
5395	----	----	2.70B/----	2.70B/2.00A	----	2.50 + 0.60	.0145	----	----	----	----	13 UNCH
5400	2.50	2.50	2.70B/2.50	2.70B/2.00A	----	2.50 + 0.60	.0145	----	----	13	----	4219 UNCH
5405	----	----	2.60B/----	2.60B/2.00A	----	2.40 + 0.60	.0140	----	----	----	----	54 UNCH
5410	----	----	2.60B/----	2.60B/2.00A	----	2.40 + 0.60	.0139	----	----	----	----	28 UNCH
5415	----	----	2.60B/----	2.60B/2.00A	----	2.40 + 0.60	.0139	----	----	----	----	4 UNCH
5420	----	----	2.60B/----	2.60B/1.90A	----	2.40 + 0.60	.0138	----	----	----	----	11 UNCH
5425	----	----	2.60B/----	2.60B/1.90A	----	2.40 + 0.60	.0138	----	----	----	----	269 UNCH
5430	----	----	2.50B/----	2.50B/1.90A	----	2.40 + 0.60	.0138	----	----	----	----	16 UNCH
5435	----	----	2.50B/----	2.50B/1.90A	----	2.30 + 0.50	.0133	----	----	----	----	23 UNCH
5440	----	----	2.50B/----	2.50B/1.90A	----	2.30 + 0.50	.0132	----	----	----	----	12 UNCH
5445	----	----	2.50B/----	2.50B/1.90A	----	2.30 + 0.50	.0132	----	----	----	----	45 UNCH
5450	----	----	2.50B/----	2.50B/1.90A	----	2.30 + 0.50	.0132	----	----	12	----	442 - 5
5455	----	----	2.50B/----	2.50B/1.90A	----	2.30 + 0.50	.0131	----	----	----	----	28 UNCH
5460	----	----	2.40B/----	2.40B/1.90A	----	2.30 + 0.60	.0131	----	----	----	----	53 UNCH
5465	----	----	2.40B/----	2.40B/1.80A	----	2.30 + 0.60	.0131	----	----	----	----	70 UNCH
5470	----	----	2.40B/----	2.40B/1.80A	----	2.30 + 0.60	.0130	----	----	----	----	31 UNCH
5475	----	----	2.40B/----	2.40B/1.80A	----	2.20 + 0.50	.0125	----	----	----	----	588 UNCH
5480	----	----	2.40B/----	2.40B/1.80A	----	2.20 + 0.50	.0125	----	----	----	----	104 UNCH
5485	----	----	2.40B/----	2.40B/1.80A	----	2.20 + 0.50	.0125	----	----	----	----	7 UNCH
5490	----	----	2.30B/----	2.30B/1.80A	----	2.20 + 0.50	.0124	----	----	----	----	25 UNCH
5495	----	----	2.30B/----	2.30B/1.80A	----	2.20 + 0.50	.0124	----	----	----	----	100 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
5500	1.70	1.70	2.40/1.70	2.40/1.70	----	2.20 + 0.50	.0124	----	----	487	----	17195 - 192
5505	----	----	2.30B/----	2.30B/1.80A	----	2.20 + 0.50	.0123	----	----	----	----	15 UNCH
5510	----	----	2.30B/----	2.30B/1.80A	----	2.10 + 0.40	.0119	----	----	----	----	37 UNCH
5515	----	----	2.30B/----	2.30B/1.70A	----	2.10 + 0.50	.0118	----	----	----	----	11 UNCH
5520	----	----	2.30B/----	2.30B/1.70A	----	2.10 + 0.50	.0118	----	----	----	----	26 UNCH
5525	----	----	2.20B/----	2.20B/1.70A	----	2.10 + 0.50	.0118	----	----	----	----	129 UNCH
5530	----	----	2.20B/----	2.20B/1.70A	----	2.10 + 0.50	.0117	----	----	----	----	7 UNCH
5535	----	----	2.20B/----	2.20B/1.70A	----	2.10 + 0.50	.0117	----	----	----	----	10 UNCH
5540	----	----	2.20B/----	2.20B/1.70A	----	2.10 + 0.50	.0117	----	----	----	----	47 UNCH
5545	----	----	2.20B/----	2.20B/1.70A	----	2.10 + 0.50	.0116	----	----	----	----	5 UNCH
5550	----	----	2.20B/----	2.20B/1.70A	----	2.00 + 0.40	.0112	----	----	2	----	448 + 2
5555	----	----	2.20B/----	2.20B/1.70A	----	2.00 + 0.40	.0111	----	----	----	----	9 UNCH
5560	----	----	2.20B/----	2.20B/1.70A	----	2.00 + 0.40	.0111	----	----	----	----	22 UNCH
5565	----	----	2.10B/----	2.10B/1.70A	----	2.00 + 0.40	.0111	----	----	----	----	27 UNCH
5570	----	----	2.10B/----	2.10B/1.70A	----	2.00 + 0.50	.0111	----	----	----	----	257 UNCH
5575	----	----	2.10B/----	2.10B/1.70A	----	2.00 + 0.50	.0110	----	----	----	----	28 UNCH
5580	----	----	2.10B/----	2.10B/1.70A	----	2.00 + 0.50	.0110	----	----	----	----	7 UNCH
5585	----	----	2.10B/----	2.10B/1.60A	----	2.00 + 0.50	.0110	----	----	----	----	9 UNCH
5590	----	----	2.10B/----	2.10B/1.60A	----	1.90 + 0.40	.0105	----	----	----	----	5 UNCH
5595	----	----	2.10B/----	2.10B/1.60A	----	1.90 + 0.40	.0105	----	----	----	----	10 UNCH
5600	1.90	1.90	2.10B/1.90	2.10B/1.60A	----	1.90 + 0.40	.0105	----	----	26	----	3074 - 17
5605	----	----	2.10B/----	2.10B/1.60A	----	1.90 + 0.40	.0104	----	----	----	----	41 UNCH
5610	----	----	2.00B/----	2.00B/1.60A	----	1.90 + 0.40	.0104	----	----	----	----	8 UNCH
5615	----	----	2.00B/----	2.00B/1.60A	----	1.90 + 0.40	.0104	----	----	----	----	34 UNCH
5620	----	----	2.00B/----	2.00B/1.60A	----	1.90 + 0.40	.0104	----	----	----	----	13 UNCH
5625	----	----	2.00B/----	2.00B/1.60A	----	1.90 + 0.50	.0103	----	----	----	----	12 UNCH
5630	----	----	2.00B/----	2.00B/1.60A	----	1.90 + 0.50	.0103	----	----	----	----	8 UNCH
5635	----	----	2.00B/----	2.00B/1.60A	----	1.80 + 0.40	.0098	----	----	----	----	35 UNCH
5640	----	----	2.00B/----	2.00B/1.60A	----	1.80 + 0.40	.0098	----	----	----	----	8 UNCH
5645	----	----	2.00B/----	2.00B/1.60A	----	1.80 + 0.40	.0098	----	----	----	----	2 UNCH
5650	----	----	2.00B/----	2.00B/1.60A	----	1.80 + 0.40	.0098	----	----	----	----	352 UNCH
5655	----	----	2.00B/----	2.00B/1.60A	----	1.80 + 0.40	.0097	----	----	----	----	38 UNCH
5660	----	----	1.90B/----	1.90B/1.60A	----	1.80 + 0.40	.0097	----	----	----	----	28 UNCH
5665	----	----	1.90B/----	1.90B/1.60A	----	1.80 + 0.40	.0097	----	----	----	----	6 UNCH
5670	----	----	1.90B/----	1.90B/1.60A	----	1.80 + 0.40	.0097	----	----	----	----	161 UNCH
5675	----	----	1.90B/----	1.90B/1.50A	----	1.80 + 0.40	.0097	----	----	----	----	57 UNCH
5680	----	----	1.90B/----	1.90B/1.50A	----	1.80 + 0.40	.0096	----	----	----	----	40 UNCH
5685	----	----	1.90B/----	1.90B/1.50A	----	1.80 + 0.40	.0096	----	----	----	----	28 UNCH
5690	----	----	1.90B/----	1.90B/1.50A	----	1.70 + 0.30	.0092	----	----	----	----	63 UNCH
5695	----	----	1.90B/----	1.90B/1.50A	----	1.70 + 0.30	.0091	----	----	----	----	37 UNCH
5700	1.80	1.80	1.90B/1.80	1.90B/1.50A	----	1.70 + 0.30	.0091	----	----	5	----	830 UNCH
5705	----	----	1.90B/----	1.90B/1.50A	----	1.70 + 0.30	.0091	----	----	----	----	14 UNCH
5710	----	----	1.80B/----	1.80B/1.50A	----	1.70 + 0.30	.0091	----	----	----	----	58 UNCH
5720	----	----	1.80B/----	1.80B/1.50A	----	1.70 + 0.30	.0090	----	----	----	----	11 UNCH
5725	----	----	1.80B/----	1.80B/1.50A	----	1.70 + 0.30	.0090	----	----	----	----	50 UNCH
5730	----	----	1.80B/----	1.80B/1.50A	----	1.70 + 0.30	.0090	----	----	----	----	14 UNCH
5740	----	----	1.80B/----	1.80B/1.50A	----	1.70 + 0.40	.0090	----	----	----	----	14 UNCH
5750	----	----	1.80B/----	1.80B/1.50A	----	1.70 + 0.40	.0089	----	----	----	----	533 UNCH
5760	----	----	1.80B/----	1.80B/1.50A	----	1.70 + 0.40	.0089	----	----	----	----	10 UNCH
5770	----	----	1.70B/----	1.70B/1.50A	----	1.60 + 0.30	.0084	----	----	----	----	27 UNCH
5775	----	----	1.70B/----	1.70B/1.50A	----	1.60 + 0.30	.0084	----	----	----	----	8 UNCH
5780	----	----	1.70B/----	1.70B/1.50A	----	1.60 + 0.30	.0084	----	----	----	----	9 UNCH
5790	----	----	1.70B/----	1.70B/1.40A	----	1.60 + 0.30	.0083	----	----	----	----	10 UNCH
5800	----	----	1.70B/----	1.70B/1.40A	----	1.60 + 0.30	.0083	----	----	----	----	2178 UNCH
5810	----	----	1.70B/----	1.70B/1.40A	----	1.60 + 0.30	.0083	----	----	----	----	66 UNCH
5825	----	----	1.70B/----	1.70B/1.40A	----	1.60 + 0.40	.0082	----	----	----	----	17 UNCH
5850	----	----	1.70B/----	1.70B/1.40A	----	1.60 + 0.40	.0081	----	----	----	----	217 UNCH
5875	----	----	1.60B/----	1.60B/1.40A	----	1.50 + 0.30	.0076	----	----	----	----	26 UNCH
5900	1.40	1.40	1.60B/1.40	1.60B/1.40	----	1.50 + 0.30	.0076	----	----	10	----	1092 - 1
5925	1.40	1.40	1.50B/1.40	1.50B/1.30A	----	1.50 + 0.40	.0075	----	----	10	----	25 + 6
5950	----	----	1.50B/----	1.50B/1.30A	----	1.50 + 0.40	.0074	----	----	----	----	192 UNCH
5975	----	----	1.50B/----	1.50B/1.30A	----	1.40 + 0.30	.0069	----	----	----	----	80 UNCH
6000	1.40	1.40	1.50/1.40	1.50/1.30A	----	1.40 + 0.30	.0069	----	----	653	----	15007 + 353
6025	----	----	1.40B/----	1.40B/1.20A	----	1.40 + 0.30	.0068	----	----	----	----	13 UNCH
6050	----	----	1.40B/----	1.40B/1.20A	----	1.40 + 0.30	.0067	----	----	----	----	56 UNCH
6100	1.00	1.00	1.40B/1.00	1.40B/1.00	----	1.30 + 0.30	.0062	----	----	3	----	171 UNCH
6150	----	----	1.30B/----	1.30B/1.20A	----	1.30 + 0.30	.0061	----	----	----	----	91 UNCH
6200	----	----	1.20B/----	1.20B/1.10A	----	1.20 + 0.20	.0056	----	----	----	----	3067 UNCH
6250	----	----	1.10B/----	1.10B/1.10A	----	1.20 + 0.30	.0055	----	----	----	----	322 UNCH
6300	----	----	1.10B/----	1.10B/1.10A	----	1.10 + 0.20	.0051	----	----	----	----	892 UNCH
6400	----	----	1.00B/----	1.00B/1.00A	----	1.10 + 0.20	.0049	----	----	----	----	876 UNCH
6500	1.10	1.10	1.10/1.00	1.10/0.90A	----	1.00 + 0.20	.0044	----	----	862	----	5384 + 319
6750	----	----	0.80B/----	0.80B/0.90A	----	0.90 + 0.20	.0038	----	----	----	----	130 UNCH
6775	----	----	0.80B/----	0.80B/0.90A	----	0.90 + 0.20	.0037	----	----	----	----	240 UNCH
6800	----	----	0.80B/----	0.80B/0.90A	----	0.80 + 0.10	.0034	----	----	----	----	2009 UNCH
6900	----	----	0.70B/----	0.70B/0.80A	----	0.80 + 0.20	.0033	----	----	----	----	141 UNCH
7000	----	----	0.70B/----	0.70B/0.80A	----	0.80 + 0.20	.0032	----	----	413	----	6589 + 401
7100	----	----	----	0.60B/0.80A	----	0.70 + 0.10	.0028	----	----	----	----	13 UNCH
7125	----	----	0.70B/----	0.70B/0.70A	----	0.70 + 0.10	.0028	----	----	----	----	4 UNCH
7130	----	----	0.70B/----	0.70B/0.70A	----	0.70 + 0.10	.0028	----	----	----	----	201 UNCH
7150	0.70	0.70	0.70/0.70	0.70/0.70	----	0.70 + 0.10	.0028	----	----	5	----	137 - 5
7175	----	----	0.70B/----	0.70B/0.70A	----	0.70 + 0.10	.0027	----	----	----	----	127 UNCH
7200	----	----	0.70B/----	0.70B/0.70A	----	0.70 + 0.10	.0027	----	----	----	----	66 UNCH
7250	----	----	0.60B/----	0.60B/0.70A	----	0.70 + 0.20	.0027	----	----	----	----	509 UNCH
7500	0.60	0.60	0.60/0.60	0.60/0.60	----	0.60 + 0.10	.0023	----	----	1	----	2417 UNCH
8000	----	----	----	0.40B/0.50A	----	0.50 UNCH	.0018	----	----	----	----	13230 UNCH
8125	----	----	----	0.40B/0.50A	----	0.40 UNCH	.0014	----	----	----	----	803 UNCH
8500	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0010	----	----	----	----	511 UNCH
8630	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0010	----	----	----	----	422 UNCH
8700	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0010	----	----	----	----	127 UNCH
8725	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0010	----	----	----	----	217 UNCH
8750	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0010	----	----	----	----	719 UNCH
8775	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0010	----	----	----	----	49 UNCH
9000	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0010	----	----	----	----	635 UNCH
9250	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0006	----	----	----	----	102 UNCH
9500	----	----	----	0.20B/0.30A	----	0.20 UNCH	.0006	----	----	----	----	984 UNCH
9600	----	----	----	0.20B/0.30A	----	0.20 UNCH	.0006	----	----	----	----	137 UNCH
9750	----	----	----	0.20B/0.30A	----	0.20 UNCH	.0006	----	----	----	----	110 UNCH
9900	0.20	0.20	0.40/0.20	0.40/0.20	----	0.20 UNCH	.0006	----	----	3	----	142 + 3
10000	0.40	0.40	0.40/0.40	0.40/0.30A	----	0.20 UNCH	.0006	----	----	101	----	11390 UNCH
10500	0.20	0.20	0.20/0.20	0.20/0.20	----	0.10 UNCH	.0003	----	----	5	----	31 UNCH
11000	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0001	----	----	----	----	809 UNCH
13000	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	697 UNCH
15000	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	36687 UNCH
17000	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	52 UNCH
19000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	350 UNCH
20000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	100	----	38132 + 90
21000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	39 UNCH
23000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
24000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	167 UNCH
TOTAL										11340	65	322768+ 2635
JAN27												
3050	----	----	1,213.70B/----	1213.70B/1145.90A	----	1201.50 + 59.90	.9912	----	----	----	----	0 UNCH
3150	1095.00	1095.00	1,112.80B/1,092	1112.80B/1048.40A	----	1101.70 + 59.70	.9875	----	----	6	----	36 + 1
3200	----	----	1,061.70B/----	1061.70B/999.80A	----	1051.90 + 59.50	.9853	----	----	----	----	11 UNCH
3250	----	----	1,010.90B/----	1010.90B/951.00A	----	1002.20 + 59.30	.9826	----	----	----	----	25 UNCH
3300	----	----	960.50B/----	960.50B/902.00A	----	952.70 + 59.10	.9795	----	----	----	----	18 UNCH
3500	----	----	764.60B/----	764.60B/706.40A	----	756.70 + 57.60	.9587	----	----	----	----	1 UNCH
3950	----	----	362.40B/----	362.40B/307.00A	----	351.90 + 45.80	.7883	----	----	----	----	2 UNCH
4000	308.00	308.00	327.00B/307.10	327.00B/271.70A	----	314.00 + 43.40	.7509	----	----	4	----	372 + 1
4010	----	----	319.60B/----	319.60B/264.50A	----	306.70 + 42.90	.7429	----	----	----	----	1 UNCH
4035	----	----	301.40B/----	301.40B/248.20A	----	288.80 + 41.50	.7225	----	----	----	----	1 UNCH
4070	----	----	277.00B/----	277.00B/225.90A	----	264.70 + 39.50	.6921	----	----	----	----	1 UNCH
4090	----	----	263.50B/----	263.50B/213.90A	----	251.60 + 38.40	.6742	----	----	----	----	1 UNCH
4100	----	----	257.00B/----	257.00B/208.00A	----	245.10 + 37.70	.6650	----	----	----	----	109 UNCH
4110	----	----	250.50B/----	250.50B/202.30A	----	238.80 + 37.10	.6557	----	----	----	----	1 UNCH
4115	----	----	247.30B/----	247.30B/199.50A	----	235.70 + 36.90	.6511	----	----	----	----	1 UNCH
4125	----	----	241.00B/----	241.00B/193.50A	----	229.50 + 36.20	.6417	----	----	----	----	2 UNCH
4130	----	----	237.90B/----	237.90B/190.50A	----	226.50 + 36.00	.6370	----	----	----	----	1 UNCH
4140	----	----	231.70B/----	231.70B/185.10A	----	220.50 + 35.40	.6274	----	----	----	----	1 UNCH
4145	----	----	228.70B/----	228.70B/182.70A	----	217.50 + 35.00	.6226	----	----	----	----	1 UNCH
4150	----	----	225.70B/----	225.70B/180.00A	----	214.60 + 34.70	.6178	----	----	----	----	6 UNCH
4155	----	----	222.70B/----	222.70B/177.50A	----	211.70 + 34.40	.6130	----	----	----	----	3 UNCH
4160	----	----	219.80B/----	219.80B/174.90A	----	208.80 + 34.10	.6081	----	----	12	----	230 UNCH
4165	----	----	216.90B/----	216.90B/172.30A	----	205.90 + 33.80	.6033	----	----	----	----	8 UNCH
4170	196.60	196.60	214.00B/196.60	214.00B/169.80A	----	203.10 + 33.50	.5984	----	----	2	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG CALL COMEX GOLD OPTIONS
JAN27

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4175	----	----	211.10B/----	211.10B/167.30A	----	200.30 + 33.20	.5935	----	----	----	----	11 UNCH
4180	----	----	208.20B/----	208.20B/164.90A	----	197.50 + 32.80	.5886	----	----	----	----	48 UNCH
4185	----	----	205.40B/----	205.40B/162.50A	----	194.80 + 32.60	.5837	----	----	----	----	4 UNCH
4190	----	----	203.00B/----	203.00B/160.00A	----	192.10 + 32.30	.5787	----	----	----	----	29 UNCH
4195	----	----	200.20B/----	200.20B/157.70A	----	189.40 + 31.90	.5738	----	----	----	----	7 UNCH
4200	191.00	191.00	197.40B/181.60	197.40B/155.30A	----	186.70 + 31.60	.5689	----	----	6	----	258 - 5
4205	----	----	194.70B/----	194.70B/153.00A	----	184.10 + 31.30	.5639	----	----	----	----	24 UNCH
4210	----	----	192.10B/----	192.10B/150.70A	----	181.50 + 31.00	.5590	----	----	----	----	214 UNCH
4215	----	----	189.40B/----	189.40B/148.40A	----	178.90 + 30.70	.5540	----	----	----	----	84 UNCH
4220	----	----	186.80B/----	186.80B/146.20A	----	176.40 + 30.40	.5491	----	----	----	----	28 UNCH
4225	----	----	184.20B/----	184.20B/144.00A	----	173.80 + 30.00	.5441	----	----	----	----	111 UNCH
4230	----	----	181.60B/----	181.60B/141.80A	----	171.40 + 29.80	.5391	----	----	----	----	52 UNCH
4235	162.10	162.10	179.10B/162.10	179.10B/139.60A	----	168.90 + 29.50	.5342	----	----	4	----	54 + 2
4240	----	----	176.60B/----	176.60B/137.50A	----	166.50 + 29.20	.5292	----	----	----	----	51 UNCH
4245	----	----	174.10B/----	174.10B/135.40A	----	164.10 + 28.90	.5242	----	----	4	----	11 + 3
4250	166.20	166.20	171.60B/165.10	171.60B/133.30A	----	161.70 + 28.60	.5193	----	----	15	----	742 - 6
4255	159.50	159.50	169.20B/156.50	169.20B/131.20A	----	159.30 + 28.20	.5143	----	----	24	----	32 + 22
4260	152.40	152.40	166.80B/151.40	166.80B/129.20A	----	157.00 + 28.00	.5094	----	----	4	----	21 + 1
4265	----	----	164.40B/----	164.40B/127.20A	----	154.70 + 27.70	.5044	----	----	----	----	4 UNCH
4270	----	----	162.00B/----	162.00B/125.20A	----	152.50 + 27.40	.4995	----	----	----	74	82 + 74
4275	----	----	159.70B/----	159.70B/123.30A	----	150.20 + 27.10	.4946	----	----	2	----	32 + 2
4280	142.60	142.60	157.40B/142.60	157.40B/121.40A	----	148.00 + 26.80	.4897	----	----	1	----	10 UNCH
4285	138.60	138.60	155.10B/138.60	155.10B/119.50A	----	145.90 + 26.60	.4848	----	----	2	----	3 + 2
4290	----	----	152.90B/----	152.90B/117.60A	----	143.70 + 26.30	.4799	----	----	----	----	2 UNCH
4300	132.00	132.00	148.50B/132.00	148.50B/113.90A	----	139.50 + 25.70	.4702	----	----	282	250	299 + 152
4305	----	----	146.30B/----	146.30B/112.10A	----	137.40 + 25.40	.4654	----	----	----	----	15 UNCH
4310	129.50	129.50	144.20B/129.50	144.20B/110.40A	----	135.40 + 25.20	.4606	----	----	5	----	7 + 4
4315	131.00	131.00	142.00B/131.00	142.00B/108.60A	----	133.30 + 24.80	.4558	----	----	1	----	11 + 1
4320	126.30	126.30	140.00B/126.30	140.00B/106.90A	----	131.30 + 24.60	.4510	----	----	3	----	4 + 3
4325	127.90	127.90	137.90B/126.20	137.90B/105.20A	----	129.40 + 24.40	.4463	----	----	4	----	6 + 3
4330	122.50	122.50	135.90B/122.50	135.90B/103.50A	----	127.40 + 24.00	.4415	----	----	2	----	68 + 1
4335	118.40	118.40	133.80B/118.40	133.80B/101.90A	----	125.50 + 23.80	.4368	----	----	3	----	4 + 1
4340	118.70	118.70	131.90B/118.70	131.90B/100.30A	----	123.60 + 23.50	.4321	----	----	1	----	4 + 1
4345	119.60	119.60	129.90B/119.60	129.90B/98.70A	----	121.80 + 23.30	.4274	----	----	7	----	10 + 1
4350	115.10	115.10	128.00B/115.10	128.00B/97.10A	----	119.90 + 23.00	.4228	----	----	21	----	1629 + 19
4355	116.70	116.70	126.10B/116.10	126.10B/95.50A	----	118.10 + 22.70	.4181	----	----	2	----	67 + 2
4360	112.20	112.20	124.20B/112.20	124.20B/94.00A	----	116.30 + 22.50	.4135	----	----	85	----	62 - 28
4365	114.70	114.70	122.30B/114.60	122.30B/92.50A	----	114.50 + 22.20	.4089	----	----	7	----	234 - 4
4370	106.90	106.90	120.50B/106.90	120.50B/91.00A	----	112.80 + 21.90	.4044	----	----	14	----	45 + 5
4375	109.60	109.60	118.70B/108.30	118.70B/89.60A	----	111.00 + 21.60	.3998	----	----	4	----	209 + 4
4380	----	----	116.90B/----	116.90B/88.10A	----	109.30 + 21.40	.3953	----	----	13	----	13 + 12
4385	107.90	107.90	115.00B/107.90	115.00B/86.70A	----	107.70 + 21.20	.3909	----	----	1	----	24 UNCH
4390	----	----	113.40B/----	113.40B/85.30A	----	106.00 + 20.90	.3864	----	----	----	----	9 UNCH
4395	98.90	98.90	111.60B/98.90	111.60B/83.90A	----	104.40 + 20.60	.3820	----	----	2	----	17 UNCH
4400	97.70	97.70	109.90B/97.70	109.90B/82.60A	----	102.80 + 20.40	.3777	----	----	18	----	435 + 12
4405	100.50	100.50	108.30B/100.50	108.30B/81.20A	----	101.20 + 20.10	.3733	----	----	1	----	7 + 1
4410	98.40	98.40	106.60B/98.40	106.60B/79.90A	----	99.60 + 19.90	.3689	----	----	1	----	34 + 1
4415	95.00	95.00	105.00B/95.00	105.00B/78.70A	----	98.10 + 19.70	.3646	----	----	2	----	11 + 2
4420	----	----	103.40B/----	103.40B/77.30A	----	96.50 + 19.30	.3603	----	----	107	----	116 + 101
4425	97.20	97.20	101.80B/97.20	101.80B/76.10A	----	95.00 + 19.10	.3560	----	----	11	----	60 + 4
4430	93.70	93.70	100.20B/93.70	100.20B/74.80A	----	93.60 + 18.90	.3519	----	----	2	----	18 - 1
4435	----	----	98.70B/----	98.70B/73.60A	----	92.10 + 18.60	.3477	----	----	----	----	16 UNCH
4440	90.20	90.20	97.20B/90.20	97.20B/72.40A	----	90.70 + 18.40	.3436	----	----	6	----	97 + 2
4445	----	----	95.70B/----	95.70B/71.20A	----	89.20 + 18.10	.3394	----	----	1	----	22 UNCH
4450	86.40	86.40	94.20B/86.40	94.20B/70.10A	----	87.80 + 17.90	.3353	----	----	63	----	344 - 56
4455	----	----	92.70B/----	92.70B/68.90A	----	86.50 + 17.70	.3313	----	----	----	----	7 UNCH
4460	83.70	83.70	91.30B/83.70	91.30B/68.00A	----	85.10 + 17.40	.3272	----	----	3	----	15 + 3
4465	----	----	89.90B/----	89.90B/66.90A	----	83.80 + 17.20	.3233	----	----	----	----	19 UNCH
4470	82.20	82.20	88.50B/80.40	88.50B/65.80A	----	82.50 + 17.00	.3194	----	----	5	----	13 UNCH
4475	79.30	79.30	87.10B/79.30	87.10B/64.70A	----	81.20 + 16.80	.3154	----	----	22	----	55 - 14
4480	----	----	85.80B/----	85.80B/63.70A	----	79.90 + 16.60	.3115	----	----	----	----	113 UNCH
4485	----	----	84.30B/----	84.30B/62.40A	----	78.60 + 16.30	.3076	----	----	----	----	6 UNCH
4490	----	----	83.10B/----	83.10B/61.60A	----	77.40 + 16.10	.3038	----	----	----	----	15 UNCH
4495	----	----	81.80B/----	81.80B/60.60A	----	76.20 + 15.90	.3001	----	----	----	----	7 UNCH
4500	73.20	73.20	80.40B/70.20	80.40B/59.60A	----	75.00 + 15.70	.2963	----	----	353	50	2246 + 137
4505	----	----	79.30B/----	79.30B/58.60A	----	73.80 + 15.50	.2926	----	----	----	----	5 UNCH
4510	73.10	73.10	77.90B/73.10	77.90B/57.60A	----	72.60 + 15.20	.2889	----	----	14	----	191 UNCH
4515	----	----	76.70B/----	76.70B/56.70A	----	71.50 + 15.10	.2853	----	----	----	----	14 UNCH
4520	----	----	75.50B/----	75.50B/55.70A	----	70.30 + 14.80	.2816	----	----	----	----	110 UNCH
4525	68.20	68.20	74.30B/68.20	74.30B/54.80A	----	69.20 + 14.60	.2780	----	----	20	----	21 + 20
4530	----	----	73.20B/----	73.20B/54.00A	----	68.10 + 14.40	.2745	----	----	----	----	4 UNCH
4535	----	----	72.00B/----	72.00B/53.10A	----	67.00 + 14.20	.2709	----	----	----	----	12 UNCH
4540	68.70	68.70	70.90B/68.70	70.90B/52.10A	----	66.00 + 14.00	.2676	----	----	2	----	18 + 2
4545	----	----	69.80B/----	69.80B/51.40A	----	64.90 + 13.80	.2640	----	----	----	----	9 UNCH
4550	----	----	68.70B/----	68.70B/50.60A	----	63.90 + 13.60	.2607	----	----	10	----	95 + 5
4555	61.60	61.60	67.70B/61.60	67.70B/49.60A	----	62.90 + 13.50	.2573	----	----	16	----	49 + 13
4560	63.10	63.10	66.50B/63.10	66.50B/48.90A	----	61.90 + 13.30	.2540	----	----	1	----	11 + 1
4565	61.00	61.00	65.50B/61.00	65.50B/48.10A	----	60.90 + 13.10	.2507	----	----	3	----	4 + 3
4570	59.10	59.10	64.40B/59.10	64.40B/47.20A	----	59.90 + 12.80	.2474	----	----	10	----	37 + 3
4575	----	----	63.40B/----	63.40B/46.50A	----	59.00 + 12.70	.2442	----	----	----	----	11 UNCH
4580	----	----	62.40B/----	62.40B/45.70A	----	58.10 + 12.60	.2411	----	----	----	----	1 UNCH
4585	----	----	61.40B/----	61.40B/45.00A	----	57.10 + 12.30	.2378	----	----	----	----	42 UNCH
4590	----	----	60.60B/----	60.60B/44.20A	----	56.20 + 12.10	.2347	----	----	----	----	1 UNCH
4595	----	----	59.50B/----	59.50B/43.60A	----	55.30 + 12.00	.2316	----	----	----	----	1 UNCH
4600	52.60	52.60	58.70B/52.60	58.70B/42.80A	----	54.50 + 11.90	.2287	----	----	152	60	1480 + 135
4605	54.10	54.10	57.70B/54.10	57.70B/42.20A	----	53.60 + 11.70	.2256	----	----	1	----	11 UNCH
4610	----	----	56.70B/----	56.70B/41.50A	----	52.70 + 11.50	.2225	----	----	----	----	1 UNCH
4615	53.00	53.00	55.80B/53.00	55.80B/40.80A	----	51.90 + 11.30	.2196	----	----	8	----	11 + 5
4620	51.20	51.20	55.00B/51.20	55.00B/40.10A	----	51.10 + 11.20	.2168	----	----	3	----	176 UNCH
4625	----	----	54.10B/----	54.10B/39.50A	----	50.30 + 11.00	.2139	----	----	----	----	128 UNCH
4630	----	----	53.30B/----	53.30B/38.90A	----	49.50 + 10.90	.2111	----	----	----	----	10 UNCH
4635	46.80	46.80	52.40B/46.80	52.40B/38.10A	----	48.70 + 10.70	.2082	----	----	1	----	26 + 1
4640	----	----	51.60B/----	51.60B/37.50A	----	47.90 + 10.50	.2054	----	----	----	----	6 UNCH
4645	43.40	43.40	50.80B/43.40	50.80B/36.90A	----	47.20 + 10.40	.2027	----	----	16	----	16 + 1
4650	----	----	49.90B/----	49.90B/36.30A	----	46.40 + 10.20	.1999	----	----	----	----	116 UNCH
4655	44.70	44.70	49.20B/44.70	49.20B/35.80A	----	45.70 + 10.10	.1973	----	----	9	----	16 + 9
4660	41.20	41.20	48.40B/41.20	48.40B/35.20A	----	45.00 + 10.00	.1947	----	----	10	----	29 + 10
4665	----	----	47.60B/----	47.60B/34.70A	----	44.30 + 9.80	.1921	----	----	----	----	4 UNCH
4670	----	----	46.90B/----	46.90B/34.10A	----	43.60 + 9.70	.1895	----	----	----	----	4 UNCH
4675	39.30	39.30	46.20B/39.30	46.20B/33.60A	----	42.90 + 9.50	.1869	----	----	5	----	14 + 5
4680	40.80	40.80	45.40B/40.80	45.40B/33.00A	----	42.20 + 9.30	.1843	----	----	1	----	5 + 1
4685	40.70	40.70	44.70B/40.70	44.70B/32.50A	----	41.60 + 9.30	.1820	----	----	2	----	25 - 2
4690	40.20	40.20	44.00B/40.20	44.00B/32.00A	----	40.90 + 9.10	.1794	----	----	1	----	4 + 1
4695	39.50	39.50	43.30B/39.50	43.30B/31.50A	----	40.30 + 9.00	.1771	----	----	13	----	19 + 11
4700	37.80	37.80	42.70B/37.80	42.70B/31.00A	----	39.60 + 8.80	.1746	----	----	30	----	1190 + 5
4705	----	----	42.00B/----	42.00B/30.40A	----	39.00 + 8.70	.1722	----	----	----	----	2 UNCH
4710	39.60	39.60	41.30B/38.70	41.30B/30.00A	----	38.40 + 8.60	.1699	----	----	20	----	38 + 18
4715	----	----	40.70B/----	40.70B/29.50A	----	37.80 + 8.40	.1676	----	----	----	----	14 UNCH
4720	----	----	40.00B/----	40.00B/29.00A	----	37.20 + 8.30	.1653	----	----	----	----	34 UNCH
4725	36.00	36.00	39.40B/36.00	39.40B/28.60A	----	36.60 + 8.10	.1630	----	----	7	----	63 UNCH
4730	----	----	38.70B/----	38.70B/28.10A	----	36.10 + 8.10	.1610	----	----	----	----	29 UNCH
4735	----	----	38.20B/----	38.20B/27.60A	----	35.50 + 7.90	.1587	----	----	----	----	20 UNCH
4740	----	----	37.50B/----	37.50B/27.20A	----	35.00 + 7.90	.1567	----	----	----	----	10 UNCH
4745	----	----	37.00B/----	37.00B/26.80A	----	34.40 + 7.70	.1544	----	----	----	----	8 UNCH
4750	35.50	35.50	36.40B/33.00	36.40B/26.40A	----	33.90 + 7.60	.1524	----	----	31	----	727 UNCH
4755	33.80	33.80	35.80B/33.80	35.80B/26.00A	----	33.40 + 7.50	.1504	----	----	2	----	17 + 2
4760	----	----	35.30B/----	35.30B/25.60A	----	32.90 + 7.40	.1484	----	----	----	----	124 UNCH
4765	----	----	34.70B/----	34.70B/25.10A	----	32.40 + 7.30	.1464	----	----	----	----	13 UNCH
4770	----	----	34.20B/----	34.20B/24.80A	----	31.90 + 7.20	.1444	----	----	----	----	60 UNCH
4775	30.00	30.00	33.60B/30.00	33.60B/24.40A	----	31.40 + 7.10	.1424	----	----	2	----	22 + 2
4780	----	----	33.20B/----	33.20B/24.00A	----	30.90 + 7.00	.1404	----	----	1	----	12 - 1
4785	----	----	32.60B/----	32.60B/23.70A	----	30.40 + 6.80	.1384	----	----	----	----	47 UNCH
4790	----	----	32.10B/----	32.10B/23.30A	----	30.00 + 6.80	.1367	----	----	----	----	11 UNCH
4795	29.90	29.90	31.60B/29.90	31.60B/22.90A	----	29.50 + 6.70	.1348	----	----	2	----	29 + 2
4800	25.00	25.00	31.10B/25.00	31.10B/22.60A	----	29.10 + 6.60	.1331	----	----	18	----	2767 + 2
4805	----	----	30.70B/----	30.70B/22.20A	----	28.60 + 6.40	.1311	----	----	----	----	33 UNCH
4810	27.60	27.60	30.10B/27.60	30.10B/21.90A	----	28.20 + 6.40	.1294	----	----	2	----	6 + 2
4815	----	----	29.70B/----	29.70B/21.60A	----	27.80 + 6.30	.1277	----	----	----	----	42 UNCH
4820	----	----	29.30B/----	29.30B/21.20A	----	27.30 + 6.10	.1258	----	----	----	----	14 UNCH
4825	----	----	28.80B/----	28.80B/20.90A	----	26.90 + 6.10	.1241	----	----	----	----	61 UNCH
4830	----	----	28.40B/----	28.40B/20.60A	----	26.50 + 6.00	.1224	----	----	----	----	32 UNCH
4835	----	----	28.00B/----	28.00B/20.30A	----	26.10 + 5.90	.1208	----	----	----	----	2 UNCH
4840	----	----	27.50B/----	27.50B/20.00A	----	25.70 + 5.80	.1191	----	----	----	----	22 UNCH
4845	----	----	27.10B/----	27.10B/19.70A	----	25.40 + 5.80	.1177	----	----	----	----	25 UNCH
4850	----	----	26.70B/----	26.70B/19.40A	----	25.00 + 5.70	.1161	----	----	----	----	347 UNCH
4855	----	----	26.30B/----	26.30B/19.10A	----	24.60 + 5.60	.1145	----	----	----	----	10 UNCH
4860	----	----	25.90B/----	25.90B/18.80A	----	24.20 + 5.50	.1128	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG CALL COMEX GOLD OPTIONS
JAN27

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4865	----	----	25.50B/----	25.50B/18.60A	----	23.90 + 5.50	.1115	----	----	----	----	1 UNCH
4870	23.00	23.00	25.10B/23.00	25.10B/18.30A	----	23.50 + 5.30	.1098	----	----	5	----	242 + 5
4875	----	----	24.80B/----	24.80B/18.10A	----	23.20 + 5.30	.1085	----	----	----	----	27 UNCH
4880	----	----	24.40B/----	24.40B/17.80A	----	22.80 + 5.20	.1069	----	----	----	----	50 UNCH
4885	22.10	22.10	24.00B/22.10	24.00B/17.50A	----	22.50 + 5.10	.1055	----	----	4	----	46 + 4
4890	----	----	23.70B/----	23.70B/17.30A	----	22.20 + 5.10	.1042	----	----	----	----	5 UNCH
4895	----	----	23.40B/----	23.40B/17.00A	----	21.90 + 5.00	.1029	----	----	----	----	27 UNCH
4900	----	----	23.00B/----	23.00B/16.80A	----	21.50 + 4.90	.1013	----	----	107	----	2746 + 15
4905	21.00	21.00	22.70B/21.00	22.70B/16.50A	----	21.20 + 4.80	.1000	----	----	7	----	21 UNCH
4910	22.30	22.30	22.40B/22.30	22.40B/16.30A	----	20.90 + 4.80	.0986	----	----	5	----	29 UNCH
4915	----	----	22.10B/----	22.10B/16.10A	----	20.60 + 4.70	.0973	----	----	----	185	245 + 147
4920	----	----	21.80B/----	21.80B/15.80A	----	20.30 + 4.60	.0960	----	----	----	----	18 UNCH
4925	19.60	19.60	21.50B/19.60	21.50B/15.60A	----	20.00 + 4.60	.0947	----	----	6	----	10 + 5
4930	20.10	20.10	21.20B/19.50	21.20B/15.40A	----	19.80 + 4.60	.0937	----	----	16	----	18 + 11
4935	----	----	20.90B/----	20.90B/15.20A	----	19.50 + 4.50	.0925	----	----	----	----	3 UNCH
4940	----	----	20.60B/----	20.60B/14.90A	----	19.20 + 4.40	.0912	----	----	----	----	13 UNCH
4945	----	----	20.30B/----	20.30B/14.80A	----	18.90 + 4.30	.0899	----	----	----	----	7 UNCH
4950	18.40	18.40	20.00B/18.40	20.00B/14.60A	----	18.70 + 4.30	.0889	----	----	8	----	531 UNCH
4955	----	----	19.80B/----	19.80B/14.40A	----	18.40 + 4.20	.0876	----	----	----	----	2 UNCH
4960	18.30	18.30	19.50B/18.30	19.50B/14.20A	----	18.10 + 4.10	.0864	----	----	3	----	9 UNCH
4965	17.80	17.80	19.20B/17.80	19.20B/14.00A	----	17.90 + 4.10	.0854	----	----	5	----	9 - 4
4970	17.40	17.40	19.00B/17.40	19.00B/13.80A	----	17.60 + 4.00	.0841	----	----	9	----	19 UNCH
4975	----	----	18.70B/----	18.70B/13.60A	----	17.40 + 4.00	.0832	----	----	----	----	3 UNCH
4980	16.10	16.10	18.50B/16.10	18.50B/13.40A	----	17.20 + 4.00	.0822	----	----	6	----	9 + 6
4985	----	----	18.20B/----	18.20B/13.30A	----	16.90 + 3.90	.0810	----	----	----	----	14 UNCH
4990	----	----	18.00B/----	18.00B/13.00A	----	16.70 + 3.80	.0800	----	----	----	----	24 UNCH
4995	----	----	17.80B/----	17.80B/12.90A	----	16.50 + 3.80	.0791	----	----	----	----	11 UNCH
5000	15.30	15.30	17.50B/15.30	17.50B/12.70A	----	16.20 + 3.70	.0778	----	----	800	----	4918 - 117
5005	12.40	12.40	17.30B/12.40	17.30B/12.40	----	16.00 + 3.70	.0769	----	----	38	----	55 + 38
5010	----	----	17.10B/----	17.10B/12.40A	----	15.80 + 3.60	.0760	----	----	----	----	61 UNCH
5015	----	----	16.90B/----	16.90B/12.30A	----	15.60 + 3.60	.0750	----	----	----	----	9 UNCH
5020	----	----	16.60B/----	16.60B/12.10A	----	15.40 + 3.50	.0741	----	----	----	----	6 UNCH
5025	16.00	16.00	16.40B/16.00	16.40B/11.90A	----	15.20 + 3.50	.0732	----	----	5	----	14 + 5
5030	----	----	16.20B/----	16.20B/11.80A	----	15.00 + 3.50	.0723	----	----	----	----	8 UNCH
5035	----	----	16.00B/----	16.00B/11.60A	----	14.80 + 3.40	.0714	----	----	----	----	29 UNCH
5040	----	----	15.80B/----	15.80B/11.40A	----	14.60 + 3.40	.0704	----	----	----	----	26 UNCH
5045	----	----	15.60B/----	15.60B/11.30A	----	14.40 + 3.30	.0695	----	----	----	----	6 UNCH
5050	14.10	14.10	15.40B/14.10	15.40B/11.20A	----	14.20 + 3.20	.0686	----	----	7	----	214 UNCH
5055	----	----	15.20B/----	15.20B/11.10A	----	14.00 + 3.20	.0677	----	----	----	----	18 UNCH
5060	13.50	13.50	15.00B/13.50	15.00B/10.90A	----	13.80 + 3.10	.0668	----	----	2	----	46 + 2
5065	----	----	14.80B/----	14.80B/10.80A	----	13.60 + 3.10	.0659	----	----	----	----	2 UNCH
5070	----	----	14.70B/----	14.70B/10.70A	----	13.50 + 3.10	.0654	----	----	----	----	11 UNCH
5075	----	----	14.50B/----	14.50B/10.50A	----	13.30 + 3.00	.0645	----	----	----	----	16 UNCH
5080	13.00	13.00	14.30B/13.00	14.30B/10.40A	----	13.10 + 2.90	.0636	----	----	6	----	25 + 6
5085	12.90	12.90	14.10B/12.90	14.10B/10.30A	----	13.00 + 3.00	.0630	----	----	11	----	46 + 2
5090	----	----	14.00B/----	14.00B/10.10A	----	12.80 + 2.90	.0621	----	----	----	----	3 UNCH
5095	----	----	13.80B/----	13.80B/10.00A	----	12.60 + 2.80	.0612	----	----	----	----	3 UNCH
5100	12.70	12.70	13.60B/12.70	13.60B/9.80A	----	12.50 + 2.80	.0607	----	----	21	----	366 + 4
5105	----	----	13.50B/----	13.50B/9.80A	----	12.30 + 2.80	.0598	----	----	1	----	27 UNCH
5110	12.10	12.10	13.30B/12.10	13.30B/9.70A	----	12.20 + 2.80	.0593	----	----	6	----	15 + 6
5115	----	----	13.10B/----	13.10B/9.60A	----	12.00 + 2.70	.0584	----	----	----	----	26 UNCH
5120	----	----	13.00B/----	13.00B/9.40A	----	11.90 + 2.70	.0579	----	----	----	----	13 UNCH
5125	----	----	12.80B/----	12.80B/9.30A	----	11.70 + 2.60	.0570	----	----	----	----	51 UNCH
5130	----	----	12.70B/----	12.70B/9.20A	----	11.60 + 2.60	.0565	----	----	----	----	20 UNCH
5135	----	----	12.50B/----	12.50B/9.10A	----	11.40 + 2.50	.0556	----	----	----	----	50 UNCH
5140	----	----	12.40B/----	12.40B/9.00A	----	11.30 + 2.50	.0551	----	----	----	----	29 UNCH
5145	----	----	12.20B/----	12.20B/8.90A	----	11.20 + 2.50	.0545	----	----	----	----	24 UNCH
5150	----	----	12.10B/----	12.10B/8.80A	----	11.00 + 2.40	.0537	----	----	----	----	263 UNCH
5155	----	----	12.00B/----	12.00B/8.70A	----	10.90 + 2.40	.0531	----	----	----	----	24 UNCH
5160	----	----	11.80B/----	11.80B/8.60A	----	10.80 + 2.40	.0526	----	----	----	----	17 UNCH
5165	----	----	11.70B/----	11.70B/8.50A	----	10.70 + 2.40	.0521	----	----	----	----	13 UNCH
5170	----	----	11.60B/----	11.60B/8.40A	----	10.50 + 2.30	.0513	----	----	----	----	14 UNCH
5175	----	----	11.40B/----	11.40B/8.30A	----	10.40 + 2.30	.0507	----	----	----	----	235 UNCH
5180	----	----	11.30B/----	11.30B/8.30A	----	10.30 + 2.30	.0502	----	----	----	----	12 UNCH
5185	----	----	11.20B/----	11.20B/8.20A	----	10.20 + 2.30	.0497	----	----	----	----	9 UNCH
5190	----	----	11.10B/----	11.10B/8.10A	----	10.10 + 2.30	.0492	----	----	----	----	11 UNCH
5195	----	----	10.90B/----	10.90B/8.00A	----	9.90 + 2.20	.0484	----	----	----	----	5 UNCH
5200	9.40	9.40	10.80B/9.40	10.80B/7.90A	----	9.80 + 2.20	.0479	----	----	11	----	943 - 3
5205	----	----	10.70B/----	10.70B/7.80A	----	9.70 + 2.10	.0474	----	----	----	----	29 UNCH
5210	----	----	10.60B/----	10.60B/7.70A	----	9.60 + 2.10	.0469	----	----	----	----	17 UNCH
5215	----	----	10.50B/----	10.50B/7.60A	----	9.50 + 2.10	.0464	----	----	----	----	20 UNCH
5220	9.10	9.10	10.40B/9.10	10.40B/7.60A	----	9.40 + 2.10	.0459	----	----	4	----	8 + 4
5225	9.00	9.00	10.30B/9.00	10.30B/7.40A	----	9.30 + 2.10	.0454	----	----	10	----	113 + 5
5230	----	----	10.20B/----	10.20B/7.40A	----	9.20 + 2.00	.0449	----	----	----	----	7 UNCH
5235	----	----	10.10B/----	10.10B/7.30A	----	9.10 + 2.00	.0444	----	----	----	----	64 UNCH
5240	----	----	9.90B/----	9.90B/7.30A	----	9.00 + 2.00	.0439	----	----	----	----	5 UNCH
5245	----	----	9.80B/----	9.80B/7.20A	----	8.90 + 2.00	.0434	----	----	----	----	15 UNCH
5250	8.70	8.70	9.70B/8.70	9.70B/7.10A	----	8.80 + 1.90	.0429	----	----	4	----	840 - 2
5255	9.10	9.10	9.60B/9.10	9.60B/7.00A	----	8.70 + 1.90	.0425	----	----	2	----	4 + 2
5260	----	----	9.60B/----	9.60B/7.00A	----	8.60 + 1.90	.0420	----	----	----	----	25 UNCH
5270	8.30	8.30	9.40B/8.30	9.40B/6.80A	----	8.50 + 1.90	.0414	----	----	7	----	33 + 7
5275	8.30	8.30	9.30B/8.30	9.30B/6.80A	----	8.40 + 1.90	.0409	----	----	7	----	25 + 7
5280	----	----	9.20B/----	9.20B/6.70A	----	8.30 + 1.80	.0404	----	----	----	----	29 UNCH
5285	----	----	9.10B/----	9.10B/6.60A	----	8.20 + 1.80	.0400	----	----	----	----	13 UNCH
5290	----	----	9.00B/----	9.00B/6.60A	----	8.10 + 1.80	.0395	----	----	----	----	38 UNCH
5300	7.40	7.40	8.80B/7.40	8.80B/6.40A	----	8.00 + 1.80	.0389	----	----	1	----	856 + 1
5305	----	----	8.70B/----	8.70B/6.40A	----	7.90 + 1.70	.0384	----	----	----	----	33 UNCH
5310	----	----	8.70B/----	8.70B/6.30A	----	7.80 + 1.70	.0380	----	----	----	----	15 UNCH
5320	----	----	8.50B/----	8.50B/6.20A	----	7.70 + 1.70	.0374	----	----	----	----	13 UNCH
5325	----	----	8.40B/----	8.40B/6.10A	----	7.60 + 1.70	.0369	----	----	----	----	29 UNCH
5330	----	----	8.30B/----	8.30B/6.10A	----	7.50 + 1.60	.0365	----	----	----	----	4 UNCH
5340	----	----	8.20B/----	8.20B/6.00A	----	7.40 + 1.60	.0359	----	----	----	----	2 UNCH
5345	----	----	8.10B/----	8.10B/5.90A	----	7.30 + 1.60	.0354	----	----	----	----	10 UNCH
5350	----	----	8.00B/----	8.00B/5.90A	----	7.20 + 1.50	.0350	----	----	6	----	2419 - 5
5355	----	----	8.00B/----	8.00B/5.80A	----	7.20 + 1.60	.0349	----	----	----	----	12 UNCH
5360	----	----	7.90B/----	7.90B/5.80A	----	7.10 + 1.50	.0344	----	----	----	----	2 UNCH
5365	----	----	7.80B/----	7.80B/5.70A	----	7.00 + 1.50	.0340	----	----	----	----	15 UNCH
5370	----	----	7.80B/----	7.80B/5.70A	----	7.00 + 1.50	.0339	----	----	----	----	13 UNCH
5375	----	----	7.70B/----	7.70B/5.60A	----	6.90 + 1.50	.0334	----	----	----	----	3 UNCH
5380	----	----	7.60B/----	7.60B/5.60A	----	6.80 + 1.40	.0330	----	----	----	----	300 UNCH
5385	----	----	7.60B/----	7.60B/5.50A	----	6.80 + 1.50	.0329	----	----	----	----	22 UNCH
5390	----	----	7.50B/----	7.50B/5.50A	----	6.70 + 1.40	.0324	----	----	----	----	5 UNCH
5395	----	----	7.40B/----	7.40B/5.40A	----	6.70 + 1.40	.0323	----	----	----	----	10 UNCH
5400	----	----	7.40B/----	7.40B/5.40A	----	6.60 + 1.40	.0319	----	----	34	----	485 + 26
5410	----	----	7.20B/----	7.20B/5.30A	----	6.50 + 1.40	.0314	----	----	----	----	23 UNCH
5420	----	----	7.10B/----	7.10B/5.20A	----	6.40 + 1.40	.0308	----	----	----	----	2 UNCH
5425	----	----	7.10B/----	7.10B/5.20A	----	6.30 + 1.30	.0304	----	----	----	----	18 UNCH
5430	----	----	7.00B/----	7.00B/5.10A	----	6.30 + 1.30	.0303	----	----	----	----	19 UNCH
5440	----	----	6.90B/----	6.90B/5.00A	----	6.20 + 1.30	.0298	----	----	----	----	32 UNCH
5445	----	----	6.80B/----	6.80B/5.00A	----	6.10 + 1.30	.0294	----	----	----	----	14 UNCH
5450	----	----	6.80B/----	6.80B/5.00A	----	6.10 + 1.30	.0293	----	----	----	----	423 UNCH
5455	----	----	6.70B/----	6.70B/4.90A	----	6.00 + 1.20	.0289	----	----	----	----	2 UNCH
5460	----	----	6.70B/----	6.70B/4.90A	----	6.00 + 1.30	.0288	----	----	----	----	16 UNCH
5465	----	----	6.60B/----	6.60B/4.90A	----	5.90 + 1.20	.0283	----	----	----	----	4 UNCH
5470	----	----	6.60B/----	6.60B/4.80A	----	5.90 + 1.30	.0283	----	----	----	----	6 UNCH
5475	----	----	6.50B/----	6.50B/4.80A	----	5.80 + 1.20	.0278	----	----	----	----	11 UNCH
5480	----	----	6.50B/----	6.50B/4.70A	----	5.80 + 1.20	.0278	----	----	----	----	5 UNCH
5485	----	----	6.40B/----	6.40B/4.70A	----	5.70 + 1.20	.0273	----	----	----	----	8 UNCH
5490	----	----	6.40B/----	6.40B/4.70A	----	5.70 + 1.20	.0273	----	----	----	----	10 UNCH
5495	----	----	6.30B/----	6.30B/4.60A	----	5.60 + 1.10	.0268	----	----	----	----	19 UNCH
5500	5.50	5.50	6.30/5.50	6.30/4.60A	----	5.60 + 1.20	.0268	----	----	1310	----	1607 - 810
5510	----	----	6.20B/----	6.20B/4.50A	----	5.50 + 1.10	.0263	----	----	----	----	28 UNCH
5515	----	----	6.10B/----	6.10B/4.50A	----	5.50 + 1.20	.0262	----	----	----	----	2 UNCH
5520	----	----	6.10B/----	6.10B/4.50A	----	5.40 + 1.10	.0258	----	----	----	----	15 UNCH
5525	----	----	6.00B/----	6.00B/4.40A	----	5.40 + 1.10	.0257	----	----	----	----	27 UNCH
5530	----	----	6.00B/----	6.00B/4.40A	----	5.30 + 1.10	.0253	----	----	----	----	12 UNCH
5540	----	----	5.90B/----	5.90B/4.30A	----	5.30 + 1.10	.0252	----	----	----	----	15 UNCH
5545	----	----	5.90B/----	5.90B/4.30A	----	5.20 + 1.10	.0247	----	----	----	----	5 UNCH
5550	----	----	5.80B/----	5.80B/4.30A	----	5.20 + 1.10	.0247	----	----	----	----	20 UNCH
5555	----	----	5.80B/----	5.80B/4.30A	----	5.10 + 1.00	.0243	----	----	----	----	4 UNCH
5560	----	----	5.70B/----	5.70B/4.20A	----	5.10 + 1.00	.0242	----	----	----	----	5 UNCH
5565	----	----	5.70B/----	5.70B/4.20A	----	5.10 + 1.10	.0242	----	----	----	----	16 UNCH
5570	----	----	5.60B/----	5.60B/4.20A	----	5.00 + 1.00	.0237	----	----	----	----	2 UNCH
5575	----	----	5.60B/----	5.60B/4.10A	----	5.00 + 1.00	.0237	----	----	----	----	6 UNCH
5580	----	----	5.60B/----	5.60B/4.10A	----	5.00 + 1.10	.0236	----	----	----	----	1 UNCH
5600	----	----	5.40B/----	5.40B/4.00A	----	4.80 + 1.00	.0227	----	----	----	----	452 UNCH
5605	----	----	5.40B/----	5.40B/4.00A	----	4.80 + 1.00	.0226	----	----	----	----	28 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL												
JAN27												
5615	----	----	5.30B/----	5.30B/4.00A	----	4.70 + 0.90	.0222	----	----	----	----	1 UNCH
5620	----	----	5.30B/----	5.30B/3.90A	----	4.70 + 1.00	.0221	----	----	----	----	2 UNCH
5625	----	----	5.20B/----	5.20B/3.90A	----	4.70 + 1.00	.0221	----	----	----	----	7 UNCH
5630	4.50	4.50	5.20B/4.20	5.20B/3.90A	----	4.60 NEW	.0216	----	----	2	----	1 + 1
5650	----	----	5.10B/----	5.10B/3.80A	----	4.50 + 0.90	.0211	----	----	----	----	10 UNCH
5655	----	----	5.00B/----	5.00B/3.80A	----	4.50 + 0.90	.0210	----	----	----	----	4 UNCH
5675	----	----	4.90B/----	4.90B/3.70A	----	4.40 + 0.90	.0205	----	----	----	----	3 UNCH
5685	----	----	4.80B/----	4.80B/3.60A	----	4.30 + 0.90	.0200	----	----	----	----	19 UNCH
5690	----	----	4.80B/----	4.80B/3.60A	----	4.30 + 0.90	.0200	----	----	----	----	3 UNCH
5700	----	----	4.80B/----	4.80B/3.60A	----	4.20 + 0.80	.0196	----	----	----	----	134 UNCH
5705	----	----	4.70B/----	4.70B/3.60A	----	4.20 + 0.80	.0195	----	----	----	----	19 UNCH
5720	----	----	4.60B/----	4.60B/3.50A	----	4.10 + 0.80	.0190	----	----	----	----	2 UNCH
5725	----	----	4.60B/----	4.60B/3.50A	----	4.10 + 0.80	.0190	----	----	----	----	30 UNCH
5730	----	----	4.60B/----	4.60B/3.50A	----	4.10 + 0.80	.0189	----	----	----	----	4 UNCH
5735	----	----	4.60B/----	4.60B/3.40A	----	4.10 + 0.90	.0189	----	----	----	----	5 UNCH
5745	----	----	4.50B/----	4.50B/3.40A	----	4.00 + 0.80	.0185	----	----	----	----	6 UNCH
5750	----	----	4.50B/----	4.50B/3.40A	----	4.00 + 0.80	.0184	----	----	----	----	271 UNCH
5760	----	----	4.40B/----	4.40B/3.40A	----	3.90 + 0.70	.0180	----	----	----	----	4 UNCH
5770	----	----	4.40B/----	4.40B/3.30A	----	3.90 + 0.80	.0179	----	----	----	----	32 UNCH
5775	----	----	4.40B/----	4.40B/3.30A	----	3.90 + 0.80	.0179	----	----	----	----	215 UNCH
5800	----	----	4.20B/----	4.20B/3.20A	----	3.80 + 0.80	.0173	----	----	----	----	311 UNCH
5820	----	----	4.10B/----	4.10B/3.20A	----	3.70 + 0.70	.0169	----	----	----	----	7 UNCH
5840	----	----	4.00B/----	4.00B/3.10A	----	3.60 + 0.70	.0164	----	----	----	----	15 UNCH
5850	----	----	4.00B/----	4.00B/3.10A	----	3.60 + 0.70	.0163	----	----	----	----	4 UNCH
5875	----	----	3.90B/----	3.90B/3.00A	----	3.50 + 0.70	.0158	----	----	----	----	9 UNCH
5900	----	----	3.80B/----	3.80B/3.00A	----	3.40 + 0.70	.0153	----	----	----	----	251 UNCH
5925	----	----	3.70B/----	3.70B/2.90A	----	3.30 + 0.60	.0148	----	----	----	----	8 UNCH
5950	----	----	3.60B/----	3.60B/2.80A	----	3.20 + 0.60	.0143	----	----	----	----	1 UNCH
5975	----	----	3.50B/----	3.50B/2.80A	----	3.20 + 0.60	.0142	----	----	----	----	14 UNCH
6000	----	----	3.50B/----	3.50B/2.70A	----	3.10 + 0.60	.0137	----	----	----	----	935 UNCH
6025	----	----	3.40B/----	3.40B/2.70A	----	3.00 + 0.50	.0132	----	----	----	----	253 UNCH
6100	3.30	3.30	3.30/3.30	3.30/2.50A	----	2.90 + 0.60	.0125	----	----	1	----	11 UNCH
6250	----	----	2.90B/----	2.90B/2.30A	----	2.50 + 0.40	.0106	----	----	----	----	82 UNCH
6300	----	----	2.80B/----	2.80B/2.20A	----	2.50 + 0.40	.0104	----	----	----	----	569 UNCH
6400	----	----	2.60B/----	2.60B/2.10A	----	2.30 + 0.30	.0095	----	----	----	----	4 UNCH
6500	----	----	2.40B/----	2.40B/2.00A	----	2.20 + 0.30	.0089	----	----	----	----	1336 UNCH
6600	----	----	2.30B/----	2.30B/1.90A	----	2.00 + 0.20	.0080	----	----	----	----	9 UNCH
7000	----	----	1.80B/----	1.80B/1.60A	----	1.60 + 0.10	.0060	----	----	----	----	153 UNCH
7200	----	----	1.70B/----	1.70B/1.60A	----	1.50 + 0.20	.0055	----	----	----	----	21 UNCH
7700	----	----	1.30B/----	1.30B/1.30A	----	1.20 + 0.10	.0041	----	----	----	----	257 UNCH
7800	----	----	1.30B/----	1.30B/1.20A	----	1.10 + 0.10	.0038	----	----	----	----	271 UNCH
7900	----	----	1.20B/----	1.20B/1.20A	----	1.10 + 0.10	.0037	----	----	----	----	44 UNCH
8000	----	----	1.20B/----	1.20B/1.10A	----	1.00 + 0.10	.0034	----	----	----	----	10 UNCH
9000	0.70	0.70	0.80/0.70	0.80/0.70	----	0.70 + 0.10	.0022	----	----	21	----	581 + 12
10000	----	----	0.60B/----	0.60B/0.50A	----	0.60 + 0.10	.0017	----	----	----	----	222 UNCH
20000	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	269 UNCH
TOTAL										4049	619	44343 + 102
FEB27												
3500	----	----	760.40B/----	760.40B/720.50A	----	761.50 + 56.60	.9400	----	----	----	----	2 UNCH
3855	----	----	450.30B/----	450.30B/399.20A	----	445.60 + 48.30	.8151	----	----	----	----	1 UNCH
3860	----	----	445.90B/----	445.90B/395.40A	----	441.60 + 48.10	.8124	----	----	----	----	1 UNCH
3900	----	----	418.00B/----	418.00B/365.10A	----	410.00 + 46.60	.7893	----	----	----	----	4 UNCH
3950	----	----	382.90B/----	382.90B/329.00A	----	372.00 + 44.50	.7577	----	----	----	----	1 UNCH
4000	----	----	346.80B/----	346.80B/295.20A	----	336.00 + 42.30	.7233	----	----	----	----	10 UNCH
4010	----	----	339.80B/----	339.80B/288.60A	----	329.00 + 41.80	.7160	----	----	----	----	1 UNCH
4100	----	----	280.60B/----	280.60B/234.20A	----	270.30 + 37.40	.6470	----	----	----	----	211 UNCH
4140	----	----	256.60B/----	256.60B/211.80A	----	246.60 + 35.30	.6144	----	----	----	----	2 UNCH
4150	----	----	250.80B/----	250.80B/206.60A	----	240.90 + 34.80	.6061	----	----	----	----	113 UNCH
4160	----	----	245.10B/----	245.10B/201.60A	----	235.30 + 34.20	.5978	----	----	----	----	11 UNCH
4165	----	----	242.30B/----	242.30B/199.10A	----	232.50 + 33.90	.5936	----	----	----	----	7 UNCH
4170	----	----	239.90B/----	239.90B/196.50A	----	229.80 + 33.70	.5895	----	----	----	----	29 UNCH
4175	----	----	237.20B/----	237.20B/194.00A	----	227.10 + 33.50	.5853	----	----	----	----	3 UNCH
4180	----	----	234.40B/----	234.40B/191.80A	----	224.40 + 33.20	.5811	----	----	----	----	11 UNCH
4185	----	----	231.70B/----	231.70B/189.40A	----	221.70 + 32.90	.5769	----	----	----	----	7 UNCH
4190	----	----	229.00B/----	229.00B/186.90A	----	219.10 + 32.70	.5727	----	----	2	----	21 + 2
4195	----	----	226.30B/----	226.30B/184.70A	----	216.50 + 32.40	.5684	----	----	----	----	15 UNCH
4200	186.60	186.60	223.70B/186.60	223.70B/182.20A	----	213.90 + 32.10	.5642	----	----	3	----	250 - 1
4205	----	----	221.10B/----	221.10B/179.90A	----	211.30 + 31.80	.5600	----	----	----	----	15 UNCH
4210	----	----	218.50B/----	218.50B/177.60A	----	208.80 + 31.60	.5558	----	----	----	----	12 UNCH
4215	----	----	215.90B/----	215.90B/175.50A	----	206.20 + 31.30	.5516	----	----	----	----	47 UNCH
4220	----	----	213.30B/----	213.30B/173.30A	----	203.80 + 31.10	.5473	----	----	----	----	46 UNCH
4225	----	----	210.80B/----	210.80B/171.10A	----	201.30 + 30.80	.5431	----	----	----	----	25 UNCH
4230	----	----	208.30B/----	208.30B/168.90A	----	198.80 + 30.50	.5389	----	----	----	----	45 UNCH
4235	----	----	205.80B/----	205.80B/166.60A	----	196.40 + 30.20	.5347	----	----	----	----	30 UNCH
4240	----	----	203.30B/----	203.30B/164.60A	----	194.00 + 30.00	.5304	----	----	----	----	21 UNCH
4245	----	----	200.90B/----	200.90B/162.50A	----	191.60 + 29.70	.5262	----	----	----	----	26 UNCH
4250	180.80	180.80	198.50B/180.80	198.50B/160.30A	----	189.30 + 29.50	.5220	----	----	5	----	381 UNCH
4255	----	----	196.10B/----	196.10B/158.30A	----	187.00 + 29.20	.5178	----	----	----	----	133 UNCH
4260	177.10	177.10	193.70B/177.10	193.70B/156.30A	----	184.70 + 29.00	.5136	----	----	1	----	26 UNCH
4265	174.90	174.90	191.40B/174.90	191.40B/154.10A	----	182.40 + 28.70	.5094	----	----	7	----	86 + 7
4270	179.00	179.00	189.00B/178.20	189.00B/152.10A	----	180.10 + 28.40	.5052	----	----	30	----	36 + 12
4275	----	----	186.70B/----	186.70B/150.20A	----	177.90 + 28.20	.5010	----	----	----	----	20 UNCH
4280	167.40	167.40	184.50B/167.40	184.50B/148.30A	----	175.70 + 27.90	.4968	----	----	1	----	36 + 1
4285	----	----	182.20B/----	182.20B/146.40A	----	173.50 + 27.70	.4926	----	----	----	----	50 UNCH
4290	163.00	163.00	180.00B/163.00	180.00B/144.40A	----	171.30 + 27.40	.4885	----	----	1	----	8 UNCH
4295	----	----	177.80B/----	177.80B/142.60A	----	169.20 + 27.20	.4843	----	----	----	----	10 UNCH
4300	158.90	158.90	175.60B/158.90	175.60B/140.60A	----	167.10 + 26.90	.4802	----	----	10	----	424 - 2
4305	----	----	173.40B/----	173.40B/138.80A	----	165.00 + 26.70	.4761	----	----	----	----	3 UNCH
4310	----	----	171.30B/----	171.30B/136.90A	----	162.90 + 26.40	.4719	----	----	2	----	27 UNCH
4315	----	----	169.10B/----	169.10B/135.20A	----	160.90 + 26.20	.4679	----	----	----	----	2 UNCH
4325	----	----	165.00B/----	165.00B/131.70A	----	156.80 + 25.60	.4597	----	----	----	----	84 UNCH
4330	151.30	151.30	162.90B/151.30	162.90B/130.10A	----	154.80 NEW	.4556	----	----	1	----	1 + 1
4335	150.50	150.50	160.90B/150.50	160.90B/128.10A	----	152.90 + 25.20	.4516	----	----	1	----	28 + 1
4340	----	----	158.90B/----	158.90B/126.40A	----	150.90 + 24.90	.4475	----	----	----	----	40 UNCH
4345	----	----	156.90B/----	156.90B/125.00A	----	149.00 + 24.70	.4435	----	----	----	----	7 UNCH
4350	143.70	143.70	154.90B/143.70	154.90B/123.10A	----	147.10 + 24.40	.4395	----	----	2	----	29 - 2
4355	----	----	152.90B/----	152.90B/121.50A	----	145.30 + 24.20	.4355	----	----	----	----	1 UNCH
4360	142.80	142.80	151.00B/140.70	151.00B/119.80A	----	143.40 + 24.00	.4315	----	----	12	----	6 - 8
4365	----	----	149.10B/----	149.10B/118.40A	----	141.60 + 23.80	.4276	----	----	----	----	17 UNCH
4370	----	----	147.20B/----	147.20B/116.70A	----	139.80 + 23.50	.4237	----	----	----	----	28 UNCH
4375	137.00	137.00	145.40B/137.00	145.40B/115.10A	----	138.00 + 23.30	.4198	----	----	6	----	56 - 3
4380	137.40	137.40	143.50B/137.40	143.50B/113.60A	----	136.20 + 23.00	.4158	----	----	12	----	29 - 1
4385	133.00	133.00	141.70B/132.80	141.70B/112.20A	----	134.50 + 22.80	.4120	----	----	6	----	236 - 2
4390	----	----	139.90B/----	139.90B/110.70A	----	132.80 + 22.60	.4081	----	----	----	----	9 UNCH
4395	----	----	138.10B/----	138.10B/109.10A	----	131.00 + 22.30	.4042	----	----	----	----	28 UNCH
4400	113.00	113.00	136.40B/113.00	136.40B/107.70A	----	129.40 + 22.20	.4005	----	----	5	----	288 + 3
4405	----	----	134.60B/----	134.60B/106.30A	----	127.70 + 21.90	.3967	----	----	----	----	4 UNCH
4410	----	----	132.90B/----	132.90B/104.90A	----	126.10 + 21.80	.3929	----	----	----	----	30 UNCH
4415	----	----	131.20B/----	131.20B/103.50A	----	124.40 + 21.50	.3891	----	----	----	----	244 UNCH
4420	----	----	129.50B/----	129.50B/102.00A	----	122.80 + 21.20	.3854	----	----	2	----	7 + 2
4425	----	----	127.90B/----	127.90B/100.60A	----	121.30 + 21.10	.3817	----	----	----	----	30 UNCH
4430	----	----	126.20B/----	126.20B/99.30A	----	119.70 + 20.90	.3780	----	----	----	----	261 UNCH
4435	----	----	124.60B/----	124.60B/97.90A	----	118.10 + 20.60	.3743	----	----	----	----	9 UNCH
4440	----	----	123.00B/----	123.00B/96.60A	----	116.60 + 20.40	.3706	----	----	----	----	7 UNCH
4445	----	----	121.40B/----	121.40B/95.30A	----	115.10 + 20.20	.3670	----	----	----	----	18 UNCH
4450	----	----	119.80B/----	119.80B/94.10A	----	113.60 + 20.00	.3634	----	----	----	----	189 UNCH
4455	----	----	118.30B/----	118.30B/92.80A	----	112.10 + 19.80	.3598	----	----	----	----	12 UNCH
4460	----	----	116.80B/----	116.80B/91.50A	----	110.70 + 19.60	.3563	----	----	2	----	17 + 2
4465	----	----	115.20B/----	115.20B/90.40A	----	109.30 + 19.50	.3528	----	----	----	----	4 UNCH
4470	----	----	113.70B/----	113.70B/89.00A	----	107.80 + 19.20	.3492	----	----	----	----	10 UNCH
4475	----	----	112.30B/----	112.30B/87.80A	----	106.40 + 19.00	.3457	----	----	----	----	57 UNCH
4480	97.50	97.50	110.80B/97.40	110.80B/86.70A	----	105.00 + 18.80	.3422	----	----	101	----	111 + 93
4485	----	----	109.40B/----	109.40B/85.50A	----	103.70 + 18.60	.3389	----	----	----	----	15 UNCH
4490	----	----	107.90B/----	107.90B/84.30A	----	102.30 + 18.40	.3354	----	----	----	----	54 UNCH
4495	----	----	106.50B/----	106.50B/83.30A	----	101.00 + 18.20	.3320	----	----	----	----	5 UNCH
4500	96.90	96.90	105.20B/96.00	105.20B/82.10A	----	99.70 + 18.00	.3287	----	----	26	----	903 + 9
4505	----	----	103.80B/----	103.80B/81.00A	----	98.40 + 17.80	.3254	----	----	----	----	21 UNCH
4510	----	----	102.40B/----	102.40B/79.80A	----	97.10 + 17.60	.3220	----	----	----	----	12 UNCH
4515	----	----	101.10B/----	101.10B/78.90A	----	95.80 + 17.40	.3187	----	----	----	----	11 UNCH
4520	----	----	99.80B/----	99.80B/77.80A	----	94.60 + 17.30	.3155	----	----	1	----	63 + 1
4525	----	----	98.50B/----	98.50B/76.70A	----	93.30 + 17.00	.3121	----	----	----	----	47 UNCH
4530	----	----	97.20B/----	97.20B/75.60A	----	92.10 + 16.90	.3090	----	----	----	----	2 UNCH
4535	----	----	95.90B/----	95.90B/74.70A	----	90.90 + 16.70	.3058	----	----	----	----	2 UNCH
4540	----	----	94.70B/----	94.70B/73.70A	----	89.70 + 16.50	.3026	----	----	----	----	134 UNCH
4545	----	----	93.40B/----	93.40B/72.70A	----	88.50 + 16.30	.2994	----	----	----	----	1 UNCH
4550	88.60	88.60	92.20B/88.60	92.20B/71.70A	----	87.40 + 16.20	.2963	----	----	1	----	207 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL FEB27												
4555	85.70	85.70	91.00B/85.70	91.00B/70.70A	----	86.20 + 15.90	.2932	----	----	3	----	7 + 1
4560	----	----	89.80B/----	89.80B/69.80A	----	85.10 + 15.80	.2901	----	----	----	----	78 UNCH
4565	----	----	88.60B/----	88.60B/68.80A	----	84.00 + 15.60	.2871	----	----	----	----	13 UNCH
4570	----	----	87.40B/----	87.40B/67.90A	----	82.90 + 15.40	.2841	----	----	----	----	19 UNCH
4575	----	----	86.30B/----	86.30B/67.00A	----	81.80 + 15.20	.2811	----	----	----	----	15 UNCH
4580	----	----	85.20B/----	85.20B/66.10A	----	80.70 + 15.00	.2781	----	----	----	----	5 UNCH
4585	----	----	84.00B/----	84.00B/65.20A	----	79.60 + 14.80	.2751	----	----	----	----	50 UNCH
4590	----	----	82.90B/----	82.90B/64.30A	----	78.60 + 14.70	.2722	----	----	----	----	20 UNCH
4595	----	----	81.90B/----	81.90B/63.40A	----	77.60 + 14.60	.2694	----	----	----	----	50 UNCH
4600	78.20	78.20	80.80B/78.20	80.80B/62.60A	----	76.50 + 14.30	.2664	----	----	17	----	2439 - 5
4605	----	----	79.70B/----	79.70B/61.70A	----	75.50 + 14.20	.2635	----	----	----	----	66 UNCH
4610	----	----	78.70B/----	78.70B/60.90A	----	74.50 + 14.00	.2607	----	----	----	----	181 UNCH
4615	----	----	77.70B/----	77.70B/60.10A	----	73.60 + 13.90	.2580	----	----	----	----	184 UNCH
4620	----	----	76.60B/----	76.60B/59.30A	----	72.60 + 13.70	.2552	----	----	----	----	120 UNCH
4625	----	----	75.60B/----	75.60B/58.50A	----	71.60 + 13.50	.2524	----	----	----	----	76 UNCH
4630	----	----	74.60B/----	74.60B/57.70A	----	70.70 + 13.40	.2497	----	----	----	----	22 UNCH
4635	72.50	72.50	73.60B/71.40	73.60B/56.90A	----	69.80 + 13.20	.2471	----	----	100	----	100 + 95
4640	----	----	72.70B/----	72.70B/56.20A	----	68.90 + 13.10	.2444	----	----	----	----	21 UNCH
4645	----	----	71.70B/----	71.70B/55.40A	----	68.00 + 13.00	.2418	----	----	----	----	2 UNCH
4650	----	----	70.90B/----	70.90B/54.70A	----	67.10 + 12.80	.2391	----	----	122	----	267 + 122
4655	----	----	69.90B/----	69.90B/53.90A	----	66.20 + 12.60	.2365	----	----	----	----	18 UNCH
4660	----	----	68.90B/----	68.90B/53.20A	----	65.30 + 12.40	.2339	----	----	----	----	453 UNCH
4665	----	----	68.00B/----	68.00B/52.50A	----	64.50 + 12.30	.2314	----	----	----	----	19 UNCH
4670	----	----	67.20B/----	67.20B/51.80A	----	63.60 + 12.10	.2288	----	----	----	----	3 UNCH
4675	----	----	66.30B/----	66.30B/51.10A	----	62.80 + 12.00	.2263	----	----	----	----	15 UNCH
4680	----	----	65.40B/----	65.40B/50.40A	----	62.00 + 11.90	.2239	----	----	----	----	29 UNCH
4685	----	----	64.60B/----	64.60B/49.80A	----	61.20 + 11.80	.2215	----	----	1	----	36 - 1
4690	----	----	63.70B/----	63.70B/49.10A	----	60.40 + 11.60	.2190	----	----	----	----	46 UNCH
4695	----	----	62.90B/----	62.90B/48.50A	----	59.60 + 11.50	.2166	----	----	----	----	30 UNCH
4700	57.40	57.40	62.00B/55.40	62.00B/47.80A	----	58.80 + 11.30	.2142	----	----	44	----	613 + 9
4705	----	----	61.30B/----	61.30B/47.20A	----	58.00 + 11.10	.2118	----	----	----	----	22 UNCH
4710	54.90	54.90	60.40B/54.90	60.40B/46.60A	----	57.30 + 11.10	.2096	----	----	3	----	26 + 1
4715	----	----	59.60B/----	59.60B/46.00A	----	56.50 + 10.90	.2071	----	----	----	----	22 UNCH
4720	----	----	59.00B/----	59.00B/45.30A	----	55.80 + 10.80	.2049	----	----	----	----	2 UNCH
4730	----	----	57.30B/----	57.30B/44.10A	----	54.40 + 10.60	.2005	----	----	----	----	35 UNCH
4735	----	----	56.60B/----	56.60B/43.60A	----	53.70 + 10.40	.1983	----	----	----	----	9 UNCH
4740	----	----	56.00B/----	56.00B/43.00A	----	53.00 + 10.30	.1961	----	----	----	----	19 UNCH
4745	----	----	55.10B/----	55.10B/42.40A	----	52.30 + 10.20	.1939	----	----	----	----	27 UNCH
4750	----	----	54.40B/----	54.40B/41.90A	----	51.60 + 10.00	.1917	----	----	5	----	550 UNCH
4755	----	----	53.70B/----	53.70B/41.30A	----	51.00 + 10.00	.1897	----	----	----	----	62 UNCH
4760	----	----	53.00B/----	53.00B/40.80A	----	50.30 + 9.80	.1875	----	----	----	----	111 UNCH
4765	----	----	52.30B/----	52.30B/40.30A	----	49.60 + 9.60	.1854	----	----	----	----	12 UNCH
4770	----	----	51.70B/----	51.70B/39.70A	----	49.00 + 9.50	.1834	----	----	----	----	4 UNCH
4775	----	----	51.00B/----	51.00B/39.20A	----	48.40 + 9.50	.1814	----	----	----	----	18 UNCH
4780	----	----	50.30B/----	50.30B/38.70A	----	47.80 + 9.40	.1794	----	----	----	----	3 UNCH
4785	----	----	49.70B/----	49.70B/38.20A	----	47.20 + 9.30	.1775	----	----	----	----	109 UNCH
4790	----	----	49.00B/----	49.00B/37.70A	----	46.50 + 9.10	.1753	----	----	----	----	85 UNCH
4795	----	----	48.40B/----	48.40B/37.20A	----	46.00 + 9.00	.1735	----	----	2	----	60 UNCH
4800	----	----	47.80B/----	47.80B/36.80A	----	45.40 + 8.90	.1716	----	----	----	----	2223 UNCH
4805	----	----	47.20B/----	47.20B/36.30A	----	44.80 + 8.80	.1696	----	----	----	----	20 UNCH
4810	----	----	46.60B/----	46.60B/35.80A	----	44.20 + 8.70	.1677	----	----	----	----	36 UNCH
4820	----	----	45.40B/----	45.40B/34.90A	----	43.10 + 8.50	.1640	----	----	----	----	5 UNCH
4825	----	----	44.80B/----	44.80B/34.50A	----	42.60 + 8.40	.1623	----	----	----	----	208 UNCH
4830	----	----	44.20B/----	44.20B/34.00A	----	42.00 + 8.20	.1604	----	----	----	----	100 UNCH
4835	----	----	43.60B/----	43.60B/33.60A	----	41.50 + 8.20	.1587	----	----	----	----	23 UNCH
4840	----	----	43.10B/----	43.10B/33.20A	----	41.00 + 8.10	.1570	----	----	----	----	15 UNCH
4845	----	----	42.50B/----	42.50B/32.80A	----	40.50 + 8.00	.1553	----	----	----	----	26 UNCH
4850	39.70	39.70	41.90B/39.70	41.90B/32.40A	----	40.00 + 7.90	.1536	----	----	1	----	162 - 1
4855	----	----	41.50B/----	41.50B/31.90A	----	39.50 + 7.80	.1519	----	----	----	----	2 UNCH
4860	----	----	41.00B/----	41.00B/31.50A	----	39.00 + 7.70	.1502	----	----	----	----	9 UNCH
4870	----	----	39.90B/----	39.90B/30.80A	----	38.00 + 7.50	.1468	----	----	----	----	86 UNCH
4875	----	----	39.50B/----	39.50B/30.40A	----	37.50 + 7.40	.1451	----	----	----	----	233 UNCH
4880	35.20	35.20	38.90B/35.10	38.90B/30.00A	----	37.10 + 7.40	.1437	----	----	7	----	16 + 7
4885	34.70	34.70	38.40B/34.70	38.40B/29.60A	----	36.60 + 7.30	.1420	----	----	1	----	8 + 1
4890	----	----	38.00B/----	38.00B/29.20A	----	36.10 + 7.10	.1403	----	----	----	----	4 UNCH
4900	----	----	37.10B/----	37.10B/28.60A	----	35.30 + 7.00	.1374	----	----	----	----	354 UNCH
4905	----	----	36.60B/----	36.60B/28.20A	----	34.80 + 6.90	.1358	----	----	----	----	17 UNCH
4910	----	----	36.10B/----	36.10B/27.90A	----	34.40 + 6.80	.1343	----	----	----	----	5 UNCH
4920	----	----	35.30B/----	35.30B/27.20A	----	33.60 + 6.70	.1315	----	----	----	----	9 UNCH
4925	----	----	34.80B/----	34.80B/26.90A	----	33.10 + 6.50	.1298	----	----	----	----	10 UNCH
4930	34.10	34.10	34.40B/34.10	34.40B/26.60A	----	32.70 + 6.50	.1284	----	----	2	----	52 + 2
4935	----	----	34.00B/----	34.00B/26.20A	----	32.30 + 6.40	.1270	----	----	----	----	2 UNCH
4940	----	----	33.60B/----	33.60B/25.90A	----	32.00 + 6.40	.1258	----	----	----	----	16 UNCH
4945	----	----	33.20B/----	33.20B/25.60A	----	31.60 + 6.30	.1244	----	----	----	----	18 UNCH
4950	----	----	32.80B/----	32.80B/25.30A	----	31.20 + 6.20	.1230	----	----	183	----	265 + 183
4955	----	----	32.40B/----	32.40B/25.00A	----	30.80 + 6.10	.1216	----	----	----	----	9 UNCH
4960	----	----	32.00B/----	32.00B/24.70A	----	30.40 + 6.00	.1202	----	----	----	----	8 UNCH
4970	----	----	31.30B/----	31.30B/24.10A	----	29.70 + 5.90	.1177	----	----	----	----	3 UNCH
4975	----	----	30.90B/----	30.90B/23.80A	----	29.40 + 5.90	.1165	----	----	----	----	14 UNCH
4990	29.60	29.60	29.80B/29.60	29.80B/23.00A	----	28.30 + 5.60	.1126	----	----	10	----	26 + 6
4995	----	----	29.50B/----	29.50B/22.70A	----	28.00 + 5.60	.1115	----	----	----	----	20 UNCH
5000	27.90	27.90	29.10B/26.20	29.10B/22.50A	----	27.70 + 5.50	.1104	----	----	50	----	2953 + 22
5005	----	----	28.80B/----	28.80B/22.20A	----	27.30 + 5.40	.1090	----	----	----	----	36 UNCH
5010	----	----	28.50B/----	28.50B/22.00A	----	27.00 + 5.40	.1079	----	----	----	----	37 UNCH
5015	----	----	28.10B/----	28.10B/21.70A	----	26.70 + 5.30	.1067	----	----	----	----	10 UNCH
5020	25.70	25.70	27.80B/25.70	27.80B/21.40A	----	26.40 + 5.30	.1056	----	----	5	----	11 + 5
5025	----	----	27.50B/----	27.50B/21.20A	----	26.10 + 5.20	.1045	----	----	----	----	37 UNCH
5030	25.40	25.40	27.20B/25.40	27.20B/21.00A	----	25.80 + 5.10	.1034	----	----	25	----	41 + 25
5040	20.10	20.10	26.60B/20.10	26.60B/20.10	----	25.20 + 5.00	.1012	----	----	1	----	11 UNCH
5045	----	----	26.30B/----	26.30B/20.30A	----	24.90 + 4.90	.1001	----	----	----	----	55 UNCH
5050	----	----	26.00B/----	26.00B/20.00A	----	24.60 + 4.90	.0990	----	----	----	----	144 UNCH
5055	24.00	24.00	25.70B/24.00	25.70B/19.80A	----	24.30 + 4.80	.0979	----	----	15	----	17 + 15
5060	----	----	25.40B/----	25.40B/19.60A	----	24.00 + 4.70	.0968	----	----	----	----	1 UNCH
5065	----	----	25.10B/----	25.10B/19.30A	----	23.80 + 4.70	.0959	----	----	----	----	3 UNCH
5075	----	----	24.60B/----	24.60B/18.90A	----	23.20 + 4.60	.0938	----	----	----	----	157 UNCH
5090	22.20	22.20	23.70B/22.20	23.70B/18.30A	----	22.40 + 4.40	.0908	----	----	5	----	7 + 5
5095	----	----	23.50B/----	23.50B/18.10A	----	22.20 + 4.40	.0900	----	----	----	----	13 UNCH
5100	----	----	23.20B/----	23.20B/17.90A	----	21.90 + 4.30	.0889	----	----	4	----	974 + 3
5105	----	----	23.00B/----	23.00B/17.70A	----	21.70 + 4.30	.0881	----	----	----	----	40 UNCH
5110	----	----	22.70B/----	22.70B/17.50A	----	21.50 + 4.30	.0873	----	----	----	----	56 UNCH
5115	19.60	19.60	22.50B/19.60	22.50B/17.30A	----	21.20 + 4.10	.0862	----	----	2	----	84 + 2
5120	----	----	22.20B/----	22.20B/17.10A	----	21.00 + 4.10	.0854	----	----	----	----	3 UNCH
5125	----	----	22.00B/----	22.00B/16.90A	----	20.70 + 4.00	.0843	----	----	----	----	6 UNCH
5130	----	----	21.80B/----	21.80B/16.80A	----	20.50 + 4.00	.0835	----	----	----	----	2 UNCH
5135	----	----	21.50B/----	21.50B/16.60A	----	20.30 + 4.00	.0827	----	----	----	----	1 UNCH
5140	----	----	21.30B/----	21.30B/16.40A	----	20.10 + 3.90	.0819	----	----	----	----	2 UNCH
5145	----	----	21.10B/----	21.10B/16.20A	----	19.90 + 3.90	.0811	----	----	----	----	4 UNCH
5150	19.40	19.40	20.90B/19.40	20.90B/16.10A	----	19.60 + 3.80	.0801	----	----	9	----	71 + 4
5155	18.10	18.10	20.60B/18.10	20.60B/15.90A	----	19.40 + 3.80	.0793	----	----	6	----	6 + 2
5160	18.00	18.00	20.40B/17.90	20.40B/15.70A	----	19.20 + 3.70	.0785	----	----	14	----	16 - 8
5165	----	----	20.20B/----	20.20B/15.60A	----	19.00 + 3.70	.0777	----	----	----	----	5 UNCH
5170	----	----	20.00B/----	20.00B/15.40A	----	18.80 + 3.60	.0769	----	----	----	----	15 UNCH
5175	----	----	19.80B/----	19.80B/15.30A	----	18.60 + 3.60	.0762	----	----	----	----	132 UNCH
5180	----	----	19.60B/----	19.60B/15.10A	----	18.40 + 3.60	.0754	----	----	----	----	1 UNCH
5185	----	----	19.40B/----	19.40B/14.90A	----	18.20 + 3.50	.0746	----	----	----	----	125 UNCH
5190	----	----	19.20B/----	19.20B/14.80A	----	18.00 + 3.50	.0738	----	----	----	----	3 UNCH
5200	18.30	18.30	18.80B/18.30	18.80B/14.50A	----	17.60 + 3.40	.0723	----	----	11	----	3069 + 9
5205	----	----	18.60B/----	18.60B/14.40A	----	17.50 + 3.40	.0718	----	----	----	----	3 UNCH
5210	----	----	18.40B/----	18.40B/14.20A	----	17.30 + 3.30	.0710	----	----	----	----	1 UNCH
5215	----	----	18.20B/----	18.20B/14.10A	----	17.10 + 3.30	.0703	----	----	----	----	5 UNCH
5220	----	----	18.10B/----	18.10B/13.90A	----	16.90 + 3.20	.0695	----	----	----	----	27 UNCH
5225	----	----	17.90B/----	17.90B/13.80A	----	16.80 + 3.30	.0690	----	----	----	----	10 UNCH
5230	----	----	17.70B/----	17.70B/13.70A	----	16.60 + 3.20	.0683	----	----	----	----	13 UNCH
5240	----	----	17.30B/----	17.30B/13.40A	----	16.20 + 3.10	.0668	----	----	----	----	3 UNCH
5245	----	----	17.20B/----	17.20B/13.30A	----	16.10 + 3.10	.0663	----	----	----	----	9 UNCH
5250	----	----	17.00B/----	17.00B/13.10A	----	15.90 + 3.00	.0655	----	----	----	----	460 UNCH
5255	----	----	16.80B/----	16.80B/13.00A	----	15.80 + 3.00	.0651	----	----	----	----	1 UNCH
5260	----	----	16.70B/----	16.70B/12.90A	----	15.60 + 3.00	.0643	----	----	----	----	7 UNCH
5265	----	----	16.50B/----	16.50B/12.80A	----	15.40 + 2.90	.0636	----	----	----	----	10 UNCH
5270	----	----	16.40B/----	16.40B/12.60A	----	15.30 + 2.90	.0631	----	----	----	----	13 UNCH
5275	----	----	16.20B/----	16.20B/12.50A	----	15.10 + 2.80	.0624	----	----	----	----	26 UNCH
5280	----	----	16.00B/----	16.00B/12.40A	----	15.00 + 2.80	.0619	----	----	----	----	17 UNCH
5285	----	----	15.90B/----	15.90B/12.30A	----	14.80 + 2.80	.0612	----	----	----	----	4 UNCH
5290	----	----	15.70B/----	15.70B/12.20A	----	14.70 + 2.80	.0607	----	----	----	----	4 UNCH
5295	----	----	15.60B/----	15.60B/12.10A	----	14.60 + 2.80	.0603	----	----	----	----	34 UNCH
5300	----	----	15.40B/----	15.40B/12.00A	----	14.40 + 2.70	.0595	----	----	----	15	921 UNCH
5305	----	----	15.30B/----	15.30B/11.80A	----	14.30 + 2.70	.0591	----	----	----	----	14 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG CALL — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FEB27												
5310	----	----	15.20B/----	15.20B/11.70A	----	14.10 + 2.60	.0583	----	----	----	----	5 UNCH
5315	----	----	15.00B/----	15.00B/11.60A	----	14.00 + 2.60	.0579	----	----	----	----	3 UNCH
5320	----	----	14.90B/----	14.90B/11.50A	----	13.90 + 2.60	.0575	----	----	----	----	8 UNCH
5330	----	----	14.60B/----	14.60B/11.30A	----	13.60 + 2.50	.0563	----	----	----	----	18 UNCH
5335	----	----	14.50B/----	14.50B/11.20A	----	13.50 + 2.50	.0558	----	----	----	----	13 UNCH
5340	----	----	14.30B/----	14.30B/11.10A	----	13.40 + 2.50	.0554	----	----	----	----	9 UNCH
5345	----	----	14.20B/----	14.20B/11.00A	----	13.20 + 2.40	.0547	----	----	----	----	1 UNCH
5350	----	----	14.10B/----	14.10B/10.90A	----	13.10 + 2.40	.0542	----	----	----	----	423 UNCH
5355	----	----	13.90B/----	13.90B/10.80A	----	13.00 + 2.40	.0538	----	----	----	----	25 UNCH
5360	----	----	13.80B/----	13.80B/10.70A	----	12.90 + 2.40	.0534	----	----	----	----	1 UNCH
5365	----	----	13.70B/----	13.70B/10.60A	----	12.70 + 2.30	.0526	----	----	----	----	1 UNCH
5370	----	----	13.60B/----	13.60B/10.50A	----	12.60 + 2.30	.0522	----	----	----	----	4 UNCH
5375	----	----	13.50B/----	13.50B/10.50A	----	12.50 + 2.30	.0518	----	----	----	----	1 UNCH
5385	----	----	13.20B/----	13.20B/10.30A	----	12.30 + 2.30	.0509	----	----	----	----	11 UNCH
5390	----	----	13.10B/----	13.10B/10.20A	----	12.20 + 2.30	.0505	----	----	----	----	8 UNCH
5400	----	----	12.90B/----	12.90B/10.00A	----	12.00 + 2.20	.0497	----	----	----	----	1566 UNCH
5425	----	----	12.30B/----	12.30B/9.60A	----	11.50 + 2.10	.0476	----	----	----	----	7 UNCH
5435	----	----	12.10B/----	12.10B/9.40A	----	11.30 + 2.10	.0468	----	----	----	----	7 UNCH
5440	----	----	12.00B/----	12.00B/9.40A	----	11.20 + 2.10	.0463	----	----	----	----	5 UNCH
5450	----	----	11.80B/----	11.80B/9.20A	----	11.00 + 2.00	.0455	----	----	----	----	163 UNCH
5465	----	----	11.50B/----	11.50B/9.00A	----	10.70 + 1.90	.0443	----	----	----	----	5 UNCH
5475	----	----	11.40B/----	11.40B/8.80A	----	10.50 + 1.90	.0435	----	----	----	----	1 UNCH
5490	----	----	11.10B/----	11.10B/8.60A	----	10.30 + 1.90	.0426	----	----	----	----	120 UNCH
5500	10.00	10.00	10.90B/10.00	10.90B/8.50A	----	10.10 + 1.80	.0418	----	----	2111	----	3755 + 1610
5510	----	----	10.70B/----	10.70B/8.40A	----	9.90 + 1.70	.0410	----	----	----	----	3 UNCH
5520	----	----	10.60B/----	10.60B/8.30A	----	9.80 + 1.80	.0405	----	----	----	----	300 UNCH
5525	----	----	10.50B/----	10.50B/8.20A	----	9.70 + 1.70	.0401	----	----	----	----	2 UNCH
5530	----	----	10.40B/----	10.40B/8.10A	----	9.60 + 1.70	.0397	----	----	----	----	105 UNCH
5540	----	----	10.30B/----	10.30B/8.00A	----	9.50 + 1.70	.0392	----	----	4	----	6 + 3
5550	----	----	10.10B/----	10.10B/7.90A	----	9.30 + 1.60	.0384	----	----	----	----	74 UNCH
5575	----	----	9.70B/----	9.70B/7.60A	----	9.00 + 1.60	.0371	----	----	----	----	5 UNCH
5600	8.80	8.80	9.40B/8.80	9.40B/7.40A	----	8.70 + 1.60	.0358	----	----	3	----	171 + 3
5605	----	----	9.30B/----	9.30B/7.30A	----	8.60 + 1.50	.0354	----	----	----	----	4 UNCH
5625	----	----	9.10B/----	9.10B/7.10A	----	8.40 + 1.50	.0345	----	----	----	----	31 UNCH
5650	----	----	8.70B/----	8.70B/6.90A	----	8.10 + 1.40	.0332	----	----	1	----	3 + 1
5680	----	----	8.40B/----	8.40B/6.70A	----	7.80 + 1.40	.0319	----	----	----	----	1 UNCH
5700	----	----	8.20B/----	8.20B/6.50A	----	7.60 + 1.30	.0310	----	----	----	----	213 UNCH
5705	----	----	8.10B/----	8.10B/6.50A	----	7.50 + 1.30	.0306	----	----	----	----	5 UNCH
5725	----	----	7.90B/----	7.90B/6.30A	----	7.30 + 1.20	.0298	----	----	----	----	311 UNCH
5735	----	----	7.80B/----	7.80B/6.20A	----	7.20 + 1.20	.0294	----	----	----	----	1 UNCH
5750	7.00	7.00	7.70B/7.00	7.70B/6.10A	----	7.10 + 1.20	.0289	----	----	212	----	2196 + 26
5760	----	----	7.60B/----	7.60B/6.10A	----	7.00 + 1.20	.0285	----	----	----	----	1 UNCH
5775	----	----	7.40B/----	7.40B/6.00A	----	6.90 + 1.20	.0280	----	----	----	----	299 UNCH
5780	----	----	7.40B/----	7.40B/5.90A	----	6.80 + 1.10	.0276	----	----	----	----	6 UNCH
5790	----	----	7.30B/----	7.30B/5.80A	----	6.80 + 1.20	.0275	----	----	----	----	4 UNCH
5800	----	----	7.20B/----	7.20B/5.80A	----	6.70 + 1.10	.0271	----	----	----	----	321 UNCH
5820	----	----	7.00B/----	7.00B/5.70A	----	6.50 + 1.00	.0263	----	----	----	----	5 UNCH
5825	----	----	7.00B/----	7.00B/5.60A	----	6.50 + 1.10	.0262	----	----	----	----	2 UNCH
5830	----	----	7.00B/----	7.00B/5.60A	----	6.50 + 1.10	.0262	----	----	----	----	3 UNCH
5840	----	----	6.90B/----	6.90B/5.50A	----	6.40 + 1.10	.0258	----	----	----	----	9 UNCH
5850	----	----	6.80B/----	6.80B/5.50A	----	6.30 + 1.00	.0254	----	----	----	----	7 UNCH
5900	5.70	5.70	6.40B/5.70	6.40B/5.20A	----	6.00 + 1.00	.0240	----	----	1	----	61 + 1
5925	----	----	6.30B/----	6.30B/5.10A	----	5.80 + 0.90	.0232	----	----	----	----	9 UNCH
5950	----	----	6.10B/----	6.10B/5.00A	----	5.70 + 0.90	.0227	----	----	----	----	30 UNCH
5975	----	----	5.90B/----	5.90B/4.80A	----	5.50 + 0.80	.0219	----	----	----	----	1 UNCH
6000	5.20	5.20	5.80B/5.20	5.80B/4.70A	----	5.40 + 0.80	.0214	----	----	2034	----	2032 - 1484
6025	----	----	5.60B/----	5.60B/4.60A	----	5.30 + 0.80	.0209	----	----	----	----	13 UNCH
6100	----	----	5.30B/----	5.30B/4.40A	----	4.90 + 0.70	.0192	----	----	----	----	47 UNCH
6200	----	----	4.80B/----	4.80B/4.00A	----	4.50 + 0.60	.0174	----	----	----	----	9 UNCH
6250	----	----	4.60B/----	4.60B/3.90A	----	4.30 + 0.60	.0165	----	----	----	----	52 UNCH
6300	----	----	4.50B/----	4.50B/3.80A	----	4.20 + 0.60	.0160	----	----	----	----	2 UNCH
6400	----	----	4.10B/----	4.10B/3.50A	----	3.90 + 0.60	.0146	----	----	1	----	55 + 1
6500	----	----	3.90B/----	3.90B/3.30A	----	3.60 + 0.50	.0134	----	----	----	----	1041 UNCH
6600	----	----	3.60B/----	3.60B/3.10A	----	3.40 + 0.50	.0124	----	----	----	----	16 UNCH
6700	----	----	3.40B/----	3.40B/3.00A	----	3.20 + 0.40	.0116	----	----	----	----	32 UNCH
6800	----	----	3.20B/----	3.20B/2.80A	----	3.00 + 0.40	.0107	----	----	----	----	18 UNCH
6900	3.00	3.00	3.00/3.00	3.00/2.70A	----	2.90 + 0.40	.0102	----	----	9	----	897 + 9
7000	2.60	2.60	2.90B/2.60	2.90B/2.60	----	2.70 + 0.30	.0094	----	----	51	----	1002 UNCH
7100	2.50	2.50	2.80B/2.50	2.80B/2.50	----	2.60 + 0.30	.0089	----	----	8	----	61 + 5
7200	----	----	2.70B/----	2.70B/2.40A	----	2.50 + 0.30	.0085	----	----	----	----	71 UNCH
7300	2.60	2.60	2.60/2.60	2.60/2.30A	----	2.40 + 0.30	.0080	----	----	10	----	19 + 10
7400	2.40	2.40	2.40/2.40	2.40/2.20A	----	2.30 + 0.30	.0076	----	----	16	----	92 + 16
7500	2.40	2.40	2.40/2.40	2.40/2.20A	----	2.20 + 0.20	.0072	----	----	10	----	581 - 10
7600	----	----	2.30B/----	2.30B/2.10A	----	2.10 + 0.20	.0068	----	----	----	----	7 UNCH
7700	----	----	2.20B/----	2.20B/2.00A	----	2.00 + 0.20	.0064	----	----	----	----	1 UNCH
7800	----	----	2.10B/----	2.10B/1.90A	----	1.90 + 0.20	.0061	----	----	----	----	1 UNCH
7900	----	----	2.00B/----	2.00B/1.90A	----	1.90 + 0.20	.0060	----	----	----	----	1262 UNCH
8000	----	----	1.90B/----	1.90B/1.80A	----	1.80 + 0.20	.0056	----	----	----	----	1448 UNCH
8500	----	----	1.60B/----	1.60B/1.50A	----	1.50 + 0.20	.0045	----	----	----	----	250 UNCH
8900	----	----	1.30B/----	1.30B/1.30A	----	1.30 + 0.20	.0038	----	----	----	----	16 UNCH
9000	----	----	1.30B/----	1.30B/1.30A	----	1.30 + 0.20	.0038	----	----	1	----	140 - 1
9100	1.20	1.20	1.20/1.20	1.20/1.20	----	1.20 + 0.10	.0035	----	----	25	----	136 + 24
TOTAL										5385	15	45140 + 834
MAR27												
3480	----	----	804.30B/----	804.30B/797.90A	----	818.70 + 56.70	.9326	----	----	----	----	1 UNCH
3500	----	----	785.50B/----	785.50B/778.40A	----	800.00 + 56.50	.9284	----	----	----	----	1 UNCH
4080	----	----	336.60B/----	336.60B/291.40A	----	328.60 + 39.30	.6723	----	----	----	----	2 UNCH
4100	----	----	324.00B/----	324.00B/279.70A	----	316.00 + 38.40	.6585	----	----	----	----	12 UNCH
4130	----	----	305.80B/----	305.80B/261.90A	----	297.80 + 37.00	.6374	----	----	----	----	30 UNCH
4150	292.80	292.80	294.00B/292.80	294.00B/251.00A	----	286.00 + 36.10	.6231	----	----	2	----	2 UNCH
4195	----	----	268.80B/----	268.80B/227.90A	----	260.80 + 34.10	.5905	----	----	----	----	10 UNCH
4200	----	----	266.80B/----	266.80B/225.50A	----	258.10 + 33.90	.5868	----	----	----	----	51 UNCH
4210	----	----	261.40B/----	261.40B/220.60A	----	252.80 + 33.50	.5795	----	----	----	----	1 UNCH
4215	----	----	258.80B/----	258.80B/218.00A	----	250.10 + 33.20	.5758	----	----	----	----	3 UNCH
4220	----	----	256.10B/----	256.10B/215.90A	----	247.50 + 33.00	.5721	----	----	----	----	6 UNCH
4225	----	----	253.50B/----	253.50B/213.50A	----	244.90 + 32.80	.5684	----	----	----	----	2 UNCH
4240	----	----	245.80B/----	245.80B/206.50A	----	237.30 + 32.20	.5573	----	----	----	----	17 UNCH
4250	----	----	240.70B/----	240.70B/202.10A	----	232.30 + 31.70	.5499	----	----	----	----	115 UNCH
4270	----	----	230.90B/----	230.90B/193.20A	----	222.60 + 30.80	.5351	----	----	----	----	1 UNCH
4275	----	----	228.40B/----	228.40B/191.20A	----	220.30 + 30.70	.5314	----	----	----	----	130 UNCH
4280	----	----	226.00B/----	226.00B/189.10A	----	217.90 + 30.40	.5277	----	----	----	----	3 UNCH
4285	----	----	223.70B/----	223.70B/186.90A	----	215.60 + 30.20	.5241	----	----	----	----	30 UNCH
4300	----	----	216.70B/----	216.70B/180.80A	----	208.70 + 29.50	.5130	----	----	----	----	267 UNCH
4325	----	----	205.40B/----	205.40B/170.80A	----	197.70 + 28.30	.4947	----	----	----	----	20 UNCH
4340	----	----	198.80B/----	198.80B/165.00A	----	191.40 + 27.70	.4839	----	----	----	----	29 UNCH
4345	----	----	196.70B/----	196.70B/163.30A	----	189.30 + 27.40	.4803	----	----	----	----	3 UNCH
4350	----	----	194.60B/----	194.60B/161.30A	----	187.20 + 27.20	.4767	----	----	----	----	53 UNCH
4370	----	----	186.30B/----	186.30B/154.20A	----	179.20 + 26.30	.4624	----	----	----	----	273 UNCH
4380	----	----	182.30B/----	182.30B/150.70A	----	175.30 + 25.80	.4553	----	----	----	----	1 UNCH
4385	----	----	180.30B/----	180.30B/148.90A	----	173.40 + 25.60	.4518	----	----	----	----	2 UNCH
4395	164.20	164.20	176.40B/164.00	176.40B/145.60A	----	169.60 + 25.20	.4448	----	----	3	----	2 - 1
4400	----	----	174.40B/----	174.40B/143.90A	----	167.70 + 24.90	.4413	----	----	5	----	588 - 3
4420	----	----	166.90B/----	166.90B/137.50A	----	160.50 + 24.20	.4275	----	----	----	----	1 UNCH
4425	----	----	165.10B/----	165.10B/135.90A	----	158.70 + 23.90	.4241	----	----	----	----	1 UNCH
4440	----	----	159.70B/----	159.70B/131.20A	----	153.50 + 23.30	.4139	----	----	----	----	53 UNCH
4450	----	----	156.10B/----	156.10B/128.20A	----	150.10 + 22.90	.4072	----	----	----	----	235 UNCH
4460	----	----	152.70B/----	152.70B/125.30A	----	146.80 + 22.60	.4006	----	----	----	----	5 UNCH
4465	----	----	151.00B/----	151.00B/123.90A	----	145.20 + 22.40	.3973	----	----	----	----	120 UNCH
4470	----	----	149.30B/----	149.30B/122.40A	----	143.50 + 22.20	.3940	----	----	----	----	6 UNCH
4475	----	----	147.70B/----	147.70B/121.00A	----	141.90 + 22.00	.3907	----	----	----	----	2 UNCH
4480	----	----	146.00B/----	146.00B/119.60A	----	140.30 + 21.80	.3875	----	----	----	----	50 UNCH
4495	----	----	141.10B/----	141.10B/115.50A	----	135.70 + 21.30	.3779	----	----	----	----	1 UNCH
4500	132.40	132.40	139.60B/132.40	139.60B/114.20A	----	134.10 + 21.00	.3746	----	----	14	----	618 - 7
4525	----	----	131.90B/----	131.90B/107.70A	----	126.70 + 20.10	.3589	----	----	----	----	2 UNCH
4535	----	----	129.00B/----	129.00B/105.20A	----	123.90 + 19.70	.3528	----	----	----	----	20 UNCH
4550	----	----	124.70B/----	124.70B/101.60A	----	119.80 + 19.20	.3438	----	----	----	----	752 UNCH
4555	----	----	123.20B/----	123.20B/100.50A	----	118.40 + 19.00	.3407	----	----	----	----	20 UNCH
4575	----	----	117.80B/----	117.80B/95.90A	----	113.20 NEW	.3290	----	----	6	----	6 + 6
4580	----	----	116.40B/----	116.40B/94.80A	----	111.90 + 18.10	.3261	----	----	----	----	29 UNCH
4590	----	----	113.80B/----	113.80B/92.60A	----	109.40 + 17.80	.3204	----	----	----	----	20 UNCH
4600	----	----	111.30B/----	111.30B/90.50A	----	106.90 + 17.40	.3147	----	----	----	----	302 UNCH
4605	----	----	110.00B/----	110.00B/89.40A	----	105.70 + 17.20	.3119	----	----	----	----	33 UNCH
4610	----	----	108.80B/----	108.80B/88.40A	----	104.50 + 17.10	.3091	----	----	----	----	302 UNCH
4615	----	----	107.50B/----	107.50B/87.40A	----	103.30 + 16.90	.3063	----	----	----	----	20 UNCH
4625	----	----	105.10B/----	105.10B/85.40A	----	101.00 + 16.60	.3008	----	----	----	----	100 UNCH
4635	----	----	102.70B/----	102.70B/83.40A	----	98.80 + 16.30	.2955	----	----	----	----	100 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAR27												
4640	----	----	101.60B/----	101.60B/82.40A	----	97.60 + 16.10	.2928	----	----	----	----	10 UNCH
4645	----	----	100.40B/----	100.40B/81.50A	----	96.50 + 15.90	.2901	----	----	----	----	2420 UNCH
4650	----	----	99.30B/----	99.30B/80.60A	----	95.50 + 15.80	.2876	----	----	----	----	164 UNCH
4660	92.30	92.30	97.00B/91.60	97.00B/78.70A	----	93.30 + 15.40	.2823	----	----	70	----	72 + 70
4670	92.90	92.90	94.80B/92.90	94.80B/76.90A	----	91.20 + 15.10	.2772	----	----	2	----	4 UNCH
4675	----	----	93.80B/----	93.80B/76.00A	----	90.20 + 15.00	.2747	----	----	----	----	2 UNCH
4680	----	----	92.70B/----	92.70B/75.20A	----	89.20 + 14.90	.2722	----	----	----	----	2 UNCH
4685	----	----	91.70B/----	91.70B/74.30A	----	88.20 + 14.70	.2697	----	----	----	----	1 UNCH
4690	----	----	90.60B/----	90.60B/73.40A	----	87.20 + 14.60	.2673	----	----	----	----	10 UNCH
4700	86.60	86.60	88.60B/86.60	88.60B/71.80A	----	85.30 + 14.30	.2624	----	----	10	----	1347 UNCH
4705	85.70	85.70	87.60B/85.70	87.60B/71.00A	----	84.30 + 14.10	.2600	----	----	2	----	121 + 2
4710	----	----	86.60B/----	86.60B/70.20A	----	83.40 + 14.10	.2576	----	----	----	----	21 UNCH
4725	----	----	83.70B/----	83.70B/67.80A	----	80.60 + 13.60	.2505	----	----	----	----	30 UNCH
4735	----	----	81.80B/----	81.80B/66.30A	----	78.80 + 13.30	.2459	----	----	----	----	4 UNCH
4745	----	----	80.10B/----	80.10B/64.80A	----	77.00 + 13.00	.2413	----	----	----	----	1 UNCH
4750	----	----	79.10B/----	79.10B/64.00A	----	76.20 + 13.00	.2392	----	----	----	----	213 UNCH
4755	----	----	78.30B/----	78.30B/63.30A	----	75.30 + 12.80	.2369	----	----	----	----	2375 UNCH
4760	----	----	77.30B/----	77.30B/62.60A	----	74.50 + 12.70	.2347	----	----	----	----	52 UNCH
4765	----	----	76.50B/----	76.50B/61.90A	----	73.70 + 12.60	.2326	----	----	----	----	52 UNCH
4770	----	----	75.60B/----	75.60B/61.20A	----	72.80 + 12.40	.2303	----	----	----	----	50 UNCH
4775	----	----	74.70B/----	74.70B/60.50A	----	72.00 + 12.30	.2282	----	----	----	----	1 UNCH
4780	----	----	73.90B/----	73.90B/59.80A	----	71.20 NEW	.2260	----	----	1	----	1 + 1
4785	67.00	67.00	73.00B/67.00	73.00B/59.10A	----	70.40 + 12.00	.2239	----	----	3	----	3 UNCH
4790	----	----	72.20B/----	72.20B/58.50A	----	69.60 + 11.90	.2218	----	----	----	----	1 UNCH
4795	71.00	71.00	71.40B/71.00	71.40B/57.80A	----	68.90 + 11.80	.2198	----	----	2	----	6 + 2
4800	----	----	70.60B/----	70.60B/57.30A	----	68.10 + 11.70	.2177	----	----	----	----	233 UNCH
4810	----	----	69.00B/----	69.00B/55.90A	----	66.60 + 11.50	.2136	----	----	----	----	31 UNCH
4820	----	----	67.50B/----	67.50B/54.70A	----	65.10 + 11.20	.2096	----	----	----	----	20 UNCH
4830	----	----	66.10B/----	66.10B/53.50A	----	63.70 + 11.00	.2057	----	----	----	----	68 UNCH
4845	----	----	63.80B/----	63.80B/51.70A	----	61.60 + 10.60	.2000	----	----	----	----	1 UNCH
4850	----	----	63.10B/----	63.10B/51.10A	----	61.00 + 10.60	.1982	----	----	----	----	14 UNCH
4855	----	----	62.50B/----	62.50B/50.60A	----	60.30 + 10.50	.1963	----	----	----	----	20 UNCH
4880	48.80	48.80	59.20B/48.20	59.20B/47.80A	----	57.10 + 10.00	.1873	----	----	6	----	11 + 1
4890	----	----	57.90B/----	57.90B/46.80A	----	55.80 + 9.70	.1837	----	----	----	----	7 UNCH
4895	----	----	57.30B/----	57.30B/46.30A	----	55.20 + 9.60	.1819	----	----	----	----	9 UNCH
4900	56.00	56.00	56.70B/56.00	56.70B/45.80A	----	54.60 + 9.50	.1802	----	----	2	----	20 + 2
4915	----	----	54.80B/----	54.80B/44.30A	----	52.90 NEW	.1753	----	----	2	----	2 + 2
4920	----	----	54.30B/----	54.30B/43.80A	----	52.30 + 9.10	.1736	----	----	----	----	7 UNCH
4925	----	----	53.70B/----	53.70B/43.40A	----	51.80 + 9.10	.1721	----	----	----	----	16 UNCH
4950	----	----	50.80B/----	50.80B/41.10A	----	49.00 + 8.60	.1640	----	----	----	----	319 UNCH
4955	----	----	50.40B/----	50.40B/40.70A	----	48.50 + 8.50	.1625	----	----	----	----	1 UNCH
4965	----	----	49.20B/----	49.20B/39.80A	----	47.50 + 8.30	.1595	----	----	----	----	14 UNCH
4980	----	----	47.80B/----	47.80B/38.50A	----	46.00 + 8.10	.1551	----	----	----	----	2 UNCH
4995	----	----	46.30B/----	46.30B/37.30A	----	44.60 + 7.90	.1508	----	----	----	----	72 UNCH
5000	43.20	43.20	45.70B/43.20	45.70B/37.00A	----	44.10 + 7.70	.1494	----	----	42	----	4224 + 14
5010	----	----	44.80B/----	44.80B/36.20A	----	43.20 + 7.60	.1466	----	----	----	----	11 UNCH
5015	----	----	44.30B/----	44.30B/35.80A	----	42.70 + 7.50	.1452	----	----	----	----	1 UNCH
5050	----	----	41.30B/----	41.30B/33.40A	----	39.70 + 6.90	.1360	----	----	----	----	751 UNCH
5060	----	----	40.30B/----	40.30B/32.70A	----	38.90 + 6.80	.1335	----	----	----	----	1 UNCH
5075	38.80	38.80	39.20B/38.80	39.20B/31.70A	----	37.70 NEW	.1298	----	----	2	----	2 + 2
5100	----	----	37.20B/----	37.20B/30.20A	----	35.80 + 6.20	.1239	----	----	----	----	379 UNCH
5105	----	----	36.80B/----	36.80B/29.90A	----	35.50 + 6.20	.1229	----	----	----	----	5 UNCH
5125	----	----	35.20B/----	35.20B/28.70A	----	34.10 + 6.00	.1185	----	----	----	----	21 UNCH
5145	----	----	33.90B/----	33.90B/27.60A	----	32.70 + 5.70	.1141	----	----	----	----	44 UNCH
5150	----	----	33.50B/----	33.50B/27.40A	----	32.40 + 5.60	.1131	----	----	----	----	41 UNCH
5155	----	----	33.20B/----	33.20B/27.10A	----	32.10 + 5.60	.1121	----	----	----	----	25 UNCH
5160	----	----	32.90B/----	32.90B/26.80A	----	31.70 + 5.50	.1109	----	----	----	----	13 UNCH
5165	----	----	32.50B/----	32.50B/26.60A	----	31.40 + 5.40	.1099	----	----	----	----	118 UNCH
5175	----	----	31.90B/----	31.90B/26.10A	----	30.80 + 5.30	.1080	----	----	----	----	1 UNCH
5180	----	----	31.60B/----	31.60B/25.80A	----	30.50 + 5.30	.1070	----	----	----	----	2 UNCH
5185	----	----	31.30B/----	31.30B/25.60A	----	30.20 + 5.20	.1060	----	----	----	----	1 UNCH
5190	----	----	31.00B/----	31.00B/25.30A	----	29.90 + 5.20	.1051	----	----	----	----	363 UNCH
5195	----	----	30.70B/----	30.70B/25.10A	----	29.60 + 5.10	.1041	----	----	----	----	2 UNCH
5200	----	----	30.40B/----	30.40B/24.90A	----	29.30 + 5.00	.1031	----	----	----	----	301 UNCH
5205	----	----	30.10B/----	30.10B/24.60A	----	29.00 + 5.00	.1022	----	----	----	----	2 UNCH
5210	----	----	29.80B/----	29.80B/24.40A	----	28.80 + 5.00	.1014	----	----	----	----	2 UNCH
5215	----	----	29.50B/----	29.50B/24.20A	----	28.50 + 4.90	.1005	----	----	----	----	4 UNCH
5220	----	----	29.30B/----	29.30B/23.90A	----	28.20 + 4.90	.0995	----	----	----	----	17 UNCH
5225	----	----	29.00B/----	29.00B/23.70A	----	27.90 + 4.80	.0986	----	----	----	----	6 UNCH
5230	----	----	28.70B/----	28.70B/23.50A	----	27.70 + 4.80	.0979	----	----	----	----	6 UNCH
5235	----	----	28.40B/----	28.40B/23.30A	----	27.40 + 4.70	.0969	----	----	----	----	8 UNCH
5240	----	----	28.20B/----	28.20B/23.10A	----	27.10 + 4.70	.0960	----	----	----	----	10 UNCH
5245	----	----	27.90B/----	27.90B/22.90A	----	26.90 + 4.70	.0952	----	----	----	----	12 UNCH
5250	----	----	27.70B/----	27.70B/22.60A	----	26.60 + 4.60	.0943	----	----	2	----	115 + 2
5255	----	----	27.40B/----	27.40B/22.40A	----	26.40 + 4.60	.0936	----	----	----	----	18 UNCH
5260	----	----	27.10B/----	27.10B/22.20A	----	26.10 + 4.50	.0926	----	----	----	----	7 UNCH
5265	26.70	26.70	26.90B/26.70	26.90B/22.00A	----	25.90 + 4.50	.0919	----	----	4	----	27 UNCH
5270	----	----	26.60B/----	26.60B/21.80A	----	25.60 + 4.40	.0910	----	----	----	----	9 UNCH
5275	----	----	26.40B/----	26.40B/21.60A	----	25.40 + 4.40	.0903	----	----	----	----	136 UNCH
5280	----	----	26.20B/----	26.20B/21.40A	----	25.10 + 4.30	.0893	----	----	----	----	17 UNCH
5285	----	----	25.90B/----	25.90B/21.20A	----	24.90 + 4.30	.0886	----	----	----	----	21 UNCH
5290	----	----	25.80B/----	25.80B/21.10A	----	24.70 + 4.30	.0879	----	----	----	----	28 UNCH
5295	----	----	25.50B/----	25.50B/20.90A	----	24.50 + 4.30	.0872	----	----	----	----	55 UNCH
5300	----	----	25.30B/----	25.30B/20.70A	----	24.20 + 4.10	.0863	----	----	----	----	72 UNCH
5305	----	----	25.10B/----	25.10B/20.50A	----	24.00 + 4.10	.0856	----	----	----	----	2 UNCH
5330	----	----	23.90B/----	23.90B/19.60A	----	23.00 + 4.00	.0822	----	----	----	----	30 UNCH
5345	----	----	23.30B/----	23.30B/19.10A	----	22.40 + 3.90	.0801	----	----	----	----	1 UNCH
5350	----	----	23.00B/----	23.00B/19.00A	----	22.20 + 3.80	.0794	----	----	----	----	7 UNCH
5380	----	----	21.90B/----	21.90B/18.00A	----	21.00 + 3.50	.0754	----	----	----	----	12 UNCH
5390	----	----	21.50B/----	21.50B/17.70A	----	20.70 + 3.50	.0743	----	----	----	----	10 UNCH
5400	----	----	21.10B/----	21.10B/17.40A	----	20.30 + 3.40	.0730	----	----	16	----	106 + 16
5405	----	----	21.00B/----	21.00B/17.30A	----	20.10 + 3.40	.0723	----	----	----	----	5 UNCH
5415	----	----	20.50B/----	20.50B/17.00A	----	19.80 + 3.30	.0712	----	----	----	----	16 UNCH
5420	----	----	20.40B/----	20.40B/16.90A	----	19.60 + 3.30	.0706	----	----	----	----	20 UNCH
5430	----	----	20.00B/----	20.00B/16.60A	----	19.30 + 3.20	.0695	----	----	----	----	10 UNCH
5435	----	----	19.90B/----	19.90B/16.50A	----	19.10 + 3.20	.0688	----	----	----	----	12 UNCH
5445	----	----	19.50B/----	19.50B/16.20A	----	18.80 + 3.10	.0678	----	----	----	----	1 UNCH
5450	----	----	19.40B/----	19.40B/16.10A	----	18.60 + 3.00	.0671	----	----	----	----	146 UNCH
5455	----	----	19.20B/----	19.20B/16.00A	----	18.50 + 3.10	.0667	----	----	----	----	1 UNCH
5490	----	----	18.20B/----	18.20B/15.10A	----	17.40 + 2.80	.0629	----	----	----	----	12 UNCH
5500	16.50	16.50	17.90B/16.50	17.90B/14.90A	----	17.10 + 2.70	.0619	----	----	6	----	902 + 4
5505	----	----	17.70B/----	17.70B/14.80A	----	17.00 + 2.70	.0615	----	----	----	----	130 UNCH
5550	----	----	16.50B/----	16.50B/13.80A	----	15.80 + 2.50	.0572	----	----	----	----	4 UNCH
5555	----	----	16.40B/----	16.40B/13.70A	----	15.70 + 2.50	.0569	----	----	----	----	13 UNCH
5595	15.40	15.40	15.40/15.40	15.40/13.00A	----	14.80 NEW	.0536	----	----	5	----	5 + 5
5600	----	----	15.30B/----	15.30B/12.90A	----	14.70 + 2.30	.0532	----	----	----	----	1244 UNCH
5615	----	----	15.00B/----	15.00B/12.60A	----	14.40 + 2.20	.0521	----	----	----	----	1 UNCH
5620	----	----	14.90B/----	14.90B/12.50A	----	14.30 + 2.20	.0518	----	----	----	----	2 UNCH
5625	----	----	14.80B/----	14.80B/12.50A	----	14.20 + 2.20	.0514	----	----	----	----	19 UNCH
5630	----	----	14.70B/----	14.70B/12.40A	----	14.10 + 2.20	.0510	----	----	----	----	12 UNCH
5635	----	----	14.50B/----	14.50B/12.30A	----	14.00 + 2.20	.0507	----	----	----	----	13 UNCH
5650	----	----	14.20B/----	14.20B/12.00A	----	13.70 + 2.10	.0496	----	----	----	----	6 UNCH
5670	----	----	13.80B/----	13.80B/11.70A	----	13.30 + 2.00	.0481	----	----	----	----	1 UNCH
5700	----	----	13.30B/----	13.30B/11.30A	----	12.80 + 2.00	.0463	----	----	----	----	30 UNCH
5750	----	----	12.40B/----	12.40B/10.60A	----	12.00 + 1.80	.0433	----	----	----	----	3 UNCH
5755	----	----	12.30B/----	12.30B/10.50A	----	11.90 + 1.80	.0429	----	----	----	----	3 UNCH
5790	----	----	11.80B/----	11.80B/10.10A	----	11.40 + 1.70	.0411	----	----	----	----	49 UNCH
5800	----	----	11.60B/----	11.60B/10.00A	----	11.20 + 1.60	.0404	----	----	----	----	2 UNCH
5810	----	----	11.50B/----	11.50B/9.90A	----	11.10 + 1.70	.0400	----	----	----	----	15 UNCH
5820	----	----	11.30B/----	11.30B/9.80A	----	11.00 + 1.70	.0396	----	----	----	----	1 UNCH
5825	----	----	11.30B/----	11.30B/9.70A	----	10.90 + 1.60	.0392	----	----	----	----	13 UNCH
5850	----	----	10.90B/----	10.90B/9.50A	----	10.60 + 1.60	.0381	----	----	----	----	3 UNCH
5860	----	----	10.80B/----	10.80B/9.40A	----	10.40 + 1.50	.0374	----	----	----	----	6 UNCH
5875	----	----	10.60B/----	10.60B/9.20A	----	10.30 + 1.60	.0369	----	----	----	----	13 UNCH
5900	----	----	10.30B/----	10.30B/9.00A	----	10.00 + 1.50	.0358	----	----	----	----	29 UNCH
5950	----	----	9.70B/----	9.70B/8.50A	----	9.40 + 1.40	.0336	----	----	----	----	19 UNCH
5975	----	----	9.50B/----	9.50B/8.30A	----	9.10 + 1.30	.0325	----	----	----	----	36 UNCH
6000	8.90	8.90	9.20B/8.90	9.20B/8.10A	----	8.90 + 1.30	.0317	----	----	10	----	56 UNCH
6025	----	----	9.00B/----	9.00B/7.90A	----	8.70 + 1.30	.0309	----	----	----	----	1 UNCH
6100	----	----	8.30B/----	8.30B/7.40A	----	8.00 + 1.10	.0283	----	----	----	----	194 UNCH
6200	----	----	7.50B/----	7.50B/6.80A	----	7.30 + 1.00	.0256	----	----	----	----	25 UNCH
6250	----	----	7.20B/----	7.20B/6.70A	----	7.00 + 0.90	.0244	----	----	----	----	10 UNCH
6300	----	----	6.90B/----	6.90B/6.50A	----	6.70 + 0.90	.0233	----	----	----	----	490 UNCH
6400	----	----	6.40B/----	6.40B/6.00A	----	6.10 + 0.80	.0211	----	----	----	----	1 UNCH
6500	----	----	5.70B/----	5.70B/5.70A	----	5.70 + 0.80	.0194	----	----	----	----	749 UNCH
TOTAL										217		23652 + 118

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 33

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
APR27												
3000	----	----	----	----	----	1286.50 + 60.20	.9775	----	----	----	----	2 UNCH
3385	----	----	896.00B/----	896.00B/906.70A	----	913.30 + 57.30	.9348	----	----	----	----	1 UNCH
3500	----	----	788.90B/----	788.90B/793.10A	----	806.90 + 55.90	.9114	----	----	----	----	8 UNCH
3700	----	----	616.80B/----	616.80B/607.40A	----	630.90 + 51.90	.8520	----	----	----	----	1 UNCH
3800	----	----	540.80B/----	540.80B/504.80A	----	549.00 + 49.20	.8117	----	----	----	----	3 UNCH
3850	----	----	516.10B/----	516.10B/466.90A	----	510.00 + 47.70	.7886	----	----	----	----	1 UNCH
3950	----	----	442.20B/----	442.20B/396.40A	----	436.30 + 44.20	.7370	----	----	----	----	14 UNCH
4000	----	----	408.30B/----	408.30B/363.70A	----	401.80 + 42.20	.7086	----	----	----	----	9 UNCH
4060	----	----	369.40B/----	369.40B/326.90A	----	362.70 + 39.90	.6726	----	----	----	----	1 UNCH
4110	----	----	338.80B/----	338.80B/298.40A	----	332.20 + 37.90	.6413	----	----	----	----	4 UNCH
4125	----	----	329.90B/----	329.90B/288.50A	----	323.40 + 37.30	.6317	----	----	----	----	93 UNCH
4150	----	----	315.50B/----	315.50B/275.30A	----	309.10 + 36.30	.6156	----	----	----	----	1 UNCH
4170	----	----	304.30B/----	304.30B/265.00A	----	298.00 + 35.50	.6025	----	----	----	----	1 UNCH
4175	----	----	301.50B/----	301.50B/262.40A	----	295.30 + 35.40	.5992	----	----	----	----	43 UNCH
4200	----	----	289.30B/----	289.30B/250.30A	----	281.90 + 34.30	.5828	----	----	----	----	108 UNCH
4210	----	----	284.00B/----	284.00B/245.50A	----	276.70 + 33.90	.5762	----	----	----	----	6 UNCH
4225	----	----	276.20B/----	276.20B/238.50A	----	269.10 + 33.30	.5663	----	----	----	----	411 UNCH
4230	----	----	273.60B/----	273.60B/236.20A	----	266.60 + 33.10	.5630	----	----	----	----	101 UNCH
4250	----	----	263.60B/----	263.60B/227.00A	----	256.70 + 32.30	.5497	----	----	1	----	123 UNCH
4260	----	----	258.70B/----	258.70B/222.80A	----	251.90 + 31.90	.5431	----	----	----	----	2 UNCH
4270	----	----	253.90B/----	253.90B/218.40A	----	247.10 + 31.40	.5364	----	----	----	----	151 UNCH
4280	239.80	239.80	249.10B/239.80	249.10B/214.20A	----	242.50 + 31.10	.5298	----	----	1	----	4 + 1
4285	240.20	240.20	246.80B/240.20	246.80B/212.10A	----	240.20 NEW	.5265	----	----	1	----	1 + 1
4300	238.90	238.90	239.80B/237.90	239.80B/205.90A	----	233.40 + 30.30	.5166	----	----	3	----	349 - 1
4340	----	----	222.10B/----	222.10B/190.30A	----	216.00 + 28.60	.4905	----	----	10	----	15 UNCH
4350	----	----	217.90B/----	217.90B/186.50A	----	211.80 + 28.10	.4840	----	----	10	----	119 UNCH
4360	----	----	213.70B/----	213.70B/182.80A	----	207.70 + 27.70	.4776	----	----	----	----	2 UNCH
4365	----	----	211.60B/----	211.60B/181.00A	----	205.70 + 27.50	.4744	----	----	----	----	2 UNCH
4370	----	----	209.60B/----	209.60B/178.90A	----	203.70 + 27.30	.4712	----	----	----	----	1 UNCH
4375	----	----	207.50B/----	207.50B/177.50A	----	201.70 + 27.00	.4680	----	----	----	----	40 UNCH
4395	----	----	199.60B/----	199.60B/170.50A	----	194.00 + 26.30	.4553	----	----	----	----	1 UNCH
4400	186.90	186.90	197.70B/186.90	197.70B/168.80A	----	192.10 + 26.10	.4522	----	----	2	----	8 UNCH
4410	----	----	193.80B/----	193.80B/165.30A	----	188.30 + 25.60	.4459	----	----	----	----	1 UNCH
4415	----	----	191.90B/----	191.90B/163.80A	----	186.50 + 25.40	.4428	----	----	----	----	1 UNCH
4420	----	----	190.10B/----	190.10B/162.10A	----	184.70 + 25.30	.4397	----	----	----	----	32 UNCH
4425	----	----	188.20B/----	188.20B/160.50A	----	182.90 + 25.10	.4367	----	----	----	----	3 UNCH
4440	----	----	182.80B/----	182.80B/155.80A	----	177.50 + 24.40	.4274	----	----	----	----	50 UNCH
4445	----	----	181.00B/----	181.00B/154.20A	----	175.80 + 24.20	.4244	----	----	----	----	3 UNCH
4450	----	----	179.20B/----	179.20B/152.50A	----	174.00 + 24.00	.4213	----	----	----	----	159 UNCH
4455	----	----	177.40B/----	177.40B/150.90A	----	172.30 + 23.80	.4183	----	----	----	----	1 UNCH
4460	----	----	175.70B/----	175.70B/149.40A	----	170.60 + 23.60	.4153	----	----	----	----	1 UNCH
4465	----	----	174.00B/----	174.00B/147.90A	----	168.90 + 23.40	.4123	----	----	----	----	4 UNCH
4470	----	----	172.30B/----	172.30B/146.40A	----	167.30 + 23.30	.4094	----	----	----	----	1 UNCH
4475	----	----	170.60B/----	170.60B/144.90A	----	165.60 + 23.00	.4064	----	----	----	----	1 UNCH
4480	----	----	168.90B/----	168.90B/143.40A	----	164.00 + 22.90	.4034	----	----	----	----	20 UNCH
4485	----	----	167.20B/----	167.20B/142.00A	----	162.40 + 22.70	.4005	----	----	----	----	1 UNCH
4500	----	----	162.30B/----	162.30B/138.00A	----	157.60 + 22.10	.3917	----	----	----	----	198 UNCH
4505	----	----	160.70B/----	160.70B/136.40A	----	156.00 + 21.90	.3888	----	----	----	----	2 UNCH
4515	----	----	157.60B/----	157.60B/133.70A	----	153.00 + 21.60	.3831	----	----	----	----	31 UNCH
4520	----	----	156.00B/----	156.00B/132.30A	----	151.50 + 21.40	.3803	----	----	----	----	1 UNCH
4525	----	----	154.50B/----	154.50B/131.00A	----	150.00 + 21.30	.3774	----	----	----	----	20 UNCH
4540	----	----	149.90B/----	149.90B/127.10A	----	145.60 + 20.80	.3690	----	----	----	----	100 UNCH
4550	----	----	147.00B/----	147.00B/124.50A	----	142.70 + 20.40	.3635	----	----	----	----	223 UNCH
4555	----	----	145.50B/----	145.50B/123.30A	----	141.30 + 20.20	.3607	----	----	----	----	5 UNCH
4560	----	----	144.10B/----	144.10B/122.00A	----	139.90 + 20.10	.3580	----	----	----	----	2 UNCH
4565	----	----	142.60B/----	142.60B/120.80A	----	138.50 + 19.90	.3552	----	----	----	----	21 UNCH
4575	----	----	139.80B/----	139.80B/118.40A	----	135.80 + 19.60	.3499	----	----	----	----	59 UNCH
4590	----	----	135.80B/----	135.80B/114.90A	----	131.90 + 19.20	.3420	----	----	----	----	32 UNCH
4595	----	----	134.30B/----	134.30B/113.70A	----	130.60 + 19.00	.3394	----	----	----	----	21 UNCH
4600	----	----	133.00B/----	133.00B/112.60A	----	129.30 + 18.90	.3367	----	----	3	----	213 UNCH
4605	----	----	131.70B/----	131.70B/111.40A	----	128.10 + 18.80	.3342	----	----	----	----	20 UNCH
4615	----	----	129.10B/----	129.10B/109.40A	----	125.60 + 18.50	.3291	----	----	----	----	50 UNCH
4620	----	----	127.90B/----	127.90B/108.30A	----	124.30 + 18.30	.3265	----	----	----	----	26 UNCH
4625	----	----	126.50B/----	126.50B/107.00A	----	123.10 + 18.20	.3240	----	----	----	----	14 UNCH
4640	----	----	122.70B/----	122.70B/103.80A	----	119.50 + 17.70	.3165	----	----	----	----	13 UNCH
4650	----	----	120.40B/----	120.40B/101.80A	----	117.20 + 17.50	.3116	----	----	----	----	309 UNCH
4665	----	----	116.90B/----	116.90B/98.90A	----	113.70 + 17.00	.3042	----	----	----	----	20 UNCH
4670	----	----	115.60B/----	115.60B/97.90A	----	112.60 + 16.80	.3018	----	----	----	----	20 UNCH
4680	----	----	113.30B/----	113.30B/96.00A	----	110.30 + 16.50	.2970	----	----	----	----	11 UNCH
4685	----	----	112.20B/----	112.20B/95.00A	----	109.20 + 16.30	.2946	----	----	----	----	1 UNCH
4690	----	----	111.00B/----	111.00B/94.10A	----	108.10 + 16.20	.2923	----	----	----	----	11 UNCH
4695	----	----	109.90B/----	109.90B/93.10A	----	107.00 + 16.00	.2899	----	----	----	----	40 UNCH
4700	----	----	109.00B/----	109.00B/92.20A	----	106.00 + 15.90	.2877	----	----	----	----	140 UNCH
4705	----	----	107.80B/----	107.80B/91.30A	----	104.90 + 15.70	.2853	----	----	----	----	66 UNCH
4710	----	----	106.80B/----	106.80B/90.40A	----	103.90 + 15.60	.2831	----	----	----	----	2 UNCH
4715	----	----	105.70B/----	105.70B/89.50A	----	102.80 + 15.40	.2807	----	----	----	----	63 UNCH
4720	----	----	104.60B/----	104.60B/88.60A	----	101.80 + 15.30	.2785	----	----	----	----	7 UNCH
4725	----	----	103.60B/----	103.60B/87.70A	----	100.80 + 15.10	.2763	----	----	----	----	2 UNCH
4730	----	----	102.50B/----	102.50B/86.80A	----	99.80 + 15.00	.2740	----	----	----	----	2 UNCH
4750	----	----	98.80B/----	98.80B/83.40A	----	96.00 + 14.60	.2654	----	----	----	----	151 UNCH
4760	----	----	96.70B/----	96.70B/81.80A	----	94.10 + 14.30	.2611	----	----	----	----	8 UNCH
4765	----	----	95.70B/----	95.70B/81.00A	----	93.20 + 14.20	.2591	----	----	----	----	2 UNCH
4770	----	----	94.80B/----	94.80B/80.20A	----	92.30 + 14.10	.2570	----	----	----	----	15 UNCH
4775	----	----	93.90B/----	93.90B/79.40A	----	91.40 + 13.90	.2549	----	----	----	----	40 UNCH
4785	----	----	92.00B/----	92.00B/77.80A	----	89.70 + 13.80	.2509	----	----	----	----	39 UNCH
4795	----	----	90.20B/----	90.20B/76.30A	----	87.90 + 13.50	.2468	----	----	----	----	40 UNCH
4800	----	----	89.40B/----	89.40B/75.60A	----	87.10 + 13.40	.2448	----	----	----	----	404 UNCH
4805	----	----	88.40B/----	88.40B/74.80A	----	86.30 + 13.30	.2429	----	----	----	----	1 UNCH
4810	----	----	87.60B/----	87.60B/74.10A	----	85.40 + 13.20	.2409	----	----	----	----	1 UNCH
4820	----	----	85.90B/----	85.90B/72.60A	----	83.80 + 13.00	.2370	----	----	----	----	2 UNCH
4840	----	----	82.60B/----	82.60B/69.90A	----	80.60 + 12.50	.2294	----	----	----	----	5 UNCH
4845	----	----	81.80B/----	81.80B/69.20A	----	79.80 + 12.40	.2275	----	----	----	----	75 UNCH
4850	81.20	81.20	81.60/81.20	81.60/68.50A	----	79.00 + 12.30	.2256	----	----	5	----	105 + 5
4865	----	----	78.70B/----	78.70B/66.50A	----	76.80 + 12.00	.2203	----	----	----	----	3 UNCH
4870	----	----	77.90B/----	77.90B/65.90A	----	76.00 + 11.80	.2184	----	----	----	----	25 UNCH
4885	----	----	75.70B/----	75.70B/64.00A	----	73.80 + 11.50	.2130	----	----	----	----	21 UNCH
4900	----	----	73.60B/----	73.60B/62.20A	----	71.70 + 11.10	.2079	----	----	----	----	83 UNCH
4905	----	----	72.80B/----	72.80B/61.60A	----	71.00 + 11.00	.2061	----	----	----	----	13 UNCH
4930	----	----	69.40B/----	69.40B/58.70A	----	67.70 + 10.60	.1979	----	----	----	----	5 UNCH
4970	----	----	64.30B/----	64.30B/54.40A	----	62.70 + 9.80	.1852	----	----	----	----	10 UNCH
5000	----	----	60.90B/----	60.90B/51.40A	----	59.20 + 9.20	.1762	----	----	----	----	1005 UNCH
5010	----	----	59.70B/----	59.70B/50.50A	----	58.10 + 9.10	.1734	----	----	----	----	4 UNCH
5020	----	----	58.60B/----	58.60B/49.60A	----	57.00 + 8.90	.1705	----	----	----	----	7 UNCH
5025	----	----	58.10B/----	58.10B/49.10A	----	56.50 + 8.80	.1692	----	----	----	----	1 UNCH
5030	----	----	57.60B/----	57.60B/48.70A	----	56.00 + 8.80	.1678	----	----	----	----	1 UNCH
5035	----	----	57.10B/----	57.10B/48.20A	----	55.50 + 8.70	.1665	----	----	----	----	2 UNCH
5040	----	----	56.50B/----	56.50B/47.80A	----	55.00 + 8.70	.1652	----	----	----	----	3 UNCH
5045	----	----	56.00B/----	56.00B/47.30A	----	54.50 + 8.60	.1638	----	----	----	----	30 UNCH
5050	----	----	55.60B/----	55.60B/46.90A	----	54.00 + 8.50	.1625	----	----	----	----	119 UNCH
5055	----	----	55.00B/----	55.00B/46.50A	----	53.50 + 8.40	.1612	----	----	----	----	67 UNCH
5060	----	----	54.50B/----	54.50B/46.10A	----	53.00 + 8.40	.1599	----	----	----	----	27 UNCH
5070	----	----	53.60B/----	53.60B/45.20A	----	52.00 + 8.20	.1572	----	----	----	----	6 UNCH
5075	----	----	53.20B/----	53.20B/44.80A	----	51.50 + 8.10	.1559	----	----	----	----	232 UNCH
5100	50.00	50.00	50.80B/50.00	50.80B/42.90A	----	49.20 + 7.70	.1497	----	----	7	----	940 UNCH
5130	----	----	48.00B/----	48.00B/40.50A	----	46.70 + 7.40	.1428	----	----	----	----	18 UNCH
5140	----	----	47.20B/----	47.20B/39.80A	----	45.80 + 7.20	.1404	----	----	----	----	11 UNCH
5145	----	----	46.70B/----	46.70B/39.50A	----	45.40 + 7.10	.1393	----	----	----	----	8 UNCH
5150	----	----	46.40B/----	46.40B/39.10A	----	45.00 + 7.10	.1382	----	----	----	----	105 UNCH
5170	----	----	44.70B/----	44.70B/37.70A	----	43.50 + 6.90	.1339	----	----	----	----	1 UNCH
5180	----	----	43.90B/----	43.90B/37.10A	----	42.70 + 6.70	.1317	----	----	----	----	18 UNCH
5195	----	----	42.80B/----	42.80B/36.10A	----	41.60 + 6.50	.1286	----	----	----	----	5 UNCH
5200	----	----	42.50B/----	42.50B/35.90A	----	41.20 + 6.40	.1275	----	----	----	----	1429 UNCH
5210	----	----	41.60B/----	41.60B/35.20A	----	40.50 + 6.30	.1256	----	----	----	----	3 UNCH
5215	----	----	41.30B/----	41.30B/34.90A	----	40.20 + 6.30	.1247	----	----	----	----	29 UNCH
5220	----	----	40.90B/----	40.90B/34.60A	----	39.80 + 6.20	.1236	----	----	----	----	1 UNCH
5225	----	----	40.60B/----	40.60B/34.40A	----	39.50 + 6.20	.1227	----	----	----	----	12 UNCH
5230	----	----	40.10B/----	40.10B/34.10A	----	39.10 + 6.00	.1216	----	----	----	----	601 UNCH
5250	----	----	38.80B/----	38.80B/33.00A	----	37.80 + 5.80	.1179	----	----	----	----	401 UNCH
5255	----	----	38.40B/----	38.40B/32.70A	----	37.50 + 5.80	.1170	----	----	----	----	1 UNCH
5275	----	----	37.20B/----	37.20B/31.70A	----	36.20 + 5.50	.1133	----	----	----	----	353 UNCH
5300	----	----	35.60B/----	35.60B/30.40A	----	34.70 + 5.30	.1090	----	----	----	----	327 UNCH
5315	----	----	34.80B/----	34.80B/29.70A	----	33.80 + 5.10	.1064	----	----	----	----	5 UNCH
5330	----	----	33.90B/----	33.90B/29.00A	----	33.00 + 5.00	.1040	----	----	----	----	8 UNCH
5350	----	----	32.80B/----	32.80B/28.10A	----	31.90 + 4.70	.1008	----	----	----	----	40 UNCH
5370	----	----	31.80B/----	31.80B/27.20A	----	30.90 + 4.60	.0979	----	----	----	----	20 UNCH
5395	----	----	30.50B/----	30.50B/26.30A	----	29.70 + 4.40	.0943	----	----	----	----	4 UNCH
5400	----	----	30.30B/----	30.30B/26.10A	----	29.50 + 4.40	.0936	----	----	----	----	768 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
APR27												
5425	----	----	29.10B/----	29.10B/25.00A	----	28.30 + 4.20	.0901	----	----	----	----	2 UNCH
5430	----	----	28.90B/----	28.90B/24.80A	----	28.10 + 4.10	.0895	----	----	----	----	2 UNCH
5450	----	----	28.00B/----	28.00B/24.10A	----	27.30 + 4.10	.0870	----	----	----	----	5 UNCH
5470	----	----	27.30B/----	27.30B/23.40A	----	26.50 + 4.00	.0846	----	----	----	----	3 UNCH
5480	----	----	26.80B/----	26.80B/23.20A	----	26.10 + 3.90	.0833	----	----	----	----	1 UNCH
5490	----	----	26.40B/----	26.40B/22.80A	----	25.70 + 3.80	.0821	----	----	----	----	10 UNCH
5495	----	----	26.20B/----	26.20B/22.60A	----	25.50 + 3.80	.0815	----	----	----	----	4 UNCH
5500	24.20	24.20	26.00B/24.20	26.00B/22.40A	----	25.30 + 3.70	.0809	----	----	26	----	4874 + 5
5510	----	----	25.60B/----	25.60B/22.10A	----	24.90 + 3.70	.0797	----	----	----	----	1 UNCH
5540	----	----	24.50B/----	24.50B/21.20A	----	23.80 + 3.50	.0764	----	----	----	----	6 UNCH
5550	----	----	24.10B/----	24.10B/20.90A	----	23.50 + 3.50	.0754	----	----	----	----	12 UNCH
5570	----	----	22.90B/----	22.90B/20.50A	----	22.80 + 3.30	.0732	----	----	----	----	1 UNCH
5575	----	----	22.70B/----	22.70B/20.20A	----	22.60 + 3.30	.0727	----	----	----	----	3 UNCH
5600	----	----	21.90B/----	21.90B/19.70A	----	21.80 + 3.20	.0702	----	----	5	----	4875 UNCH
5620	----	----	21.30B/----	21.30B/19.20A	----	21.20 + 3.10	.0683	----	----	----	----	4 UNCH
5625	----	----	21.20B/----	21.20B/18.90A	----	21.10 + 3.10	.0679	----	----	----	----	2 UNCH
5650	----	----	20.40B/----	20.40B/18.30A	----	20.40 + 3.00	.0657	----	----	----	----	5 UNCH
5680	----	----	19.60B/----	19.60B/17.80A	----	19.50 + 2.80	.0629	----	----	----	----	6 UNCH
5700	----	----	19.10B/----	19.10B/17.20A	----	19.00 + 2.70	.0613	----	----	----	----	6 UNCH
5750	----	----	17.90B/----	17.90B/16.20A	----	17.80 + 2.50	.0575	----	----	----	----	505 UNCH
5800	----	----	16.70B/----	16.70B/15.30A	----	16.70 + 2.30	.0540	----	----	----	----	70 UNCH
5820	----	----	16.30B/----	16.30B/15.10A	----	16.30 + 2.20	.0527	----	----	----	----	1 UNCH
5850	----	----	15.90B/----	15.90B/14.50A	----	15.70 + 2.10	.0507	----	----	----	----	17 UNCH
5900	----	----	15.00B/----	15.00B/13.90A	----	14.80 + 1.90	.0478	----	----	----	----	3 UNCH
5925	----	----	14.60B/----	14.60B/13.40A	----	14.40 + 1.80	.0465	----	----	----	----	194 UNCH
5950	----	----	14.10B/----	14.10B/13.20A	----	14.00 + 1.70	.0451	----	----	----	----	1 UNCH
5975	----	----	13.80B/----	13.80B/12.90A	----	13.60 + 1.70	.0438	----	----	----	----	1 UNCH
6000	13.50	13.50	13.80/13.50	13.80/12.60A	----	13.20 + 1.60	.0426	----	----	25	----	875 + 25
6025	----	----	13.00B/----	13.00B/12.30A	----	12.90 + 1.60	.0415	----	----	----	----	100 UNCH
6050	----	----	12.70B/----	12.70B/12.00A	----	12.50 + 1.50	.0402	----	----	----	----	52 UNCH
6100	----	----	12.10B/----	12.10B/11.50A	----	11.90 + 1.40	.0382	----	----	1	----	163 + 1
6200	----	----	11.00B/----	11.00B/10.50A	----	10.90 + 1.30	.0348	----	----	----	----	2 UNCH
6250	----	----	10.50B/----	10.50B/10.10A	----	10.40 + 1.20	.0331	----	----	----	----	31 UNCH
6400	----	----	9.20B/----	9.20B/9.00A	----	9.20 + 1.10	.0289	----	----	----	----	1 UNCH
6500	----	----	8.60B/----	8.60B/8.30A	----	8.50 + 0.90	.0266	----	----	1	----	268 + 1
TOTAL										101		23415 + 38
MAY27												
4000	----	----	452.30B/----	452.30B/434.30A	----	447.90 + 43.70	.7135	----	----	----	----	1 UNCH
4050	----	----	419.20B/----	419.20B/402.10A	----	415.00 + 41.90	.6868	----	----	18	----	99 - 2
4250	----	----	305.80B/----	305.80B/272.20A	----	300.20 + 34.40	.5714	----	----	----	----	6 UNCH
4300	----	----	281.20B/----	281.20B/249.70A	----	275.80 + 32.20	.5415	----	----	----	----	124 UNCH
4400	----	----	236.50B/----	236.50B/209.60A	----	232.30 + 28.10	.4826	----	----	----	----	6 UNCH
4420	----	----	229.00B/----	229.00B/202.30A	----	224.40 + 27.40	.4711	----	----	----	----	1 UNCH
4470	----	----	210.00B/----	210.00B/185.20A	----	205.70 + 25.80	.4430	----	----	----	----	1 UNCH
4500	----	----	199.20B/----	199.20B/175.60A	----	195.20 + 24.90	.4265	----	----	----	----	1 UNCH
4505	----	----	197.50B/----	197.50B/174.00A	----	193.50 + 24.80	.4238	----	----	----	----	18 UNCH
4510	----	----	196.00B/----	196.00B/172.40A	----	191.80 + 24.60	.4211	----	----	----	----	2 UNCH
4520	----	----	192.50B/----	192.50B/169.50A	----	188.50 + 24.30	.4157	----	----	----	----	1 UNCH
4550	----	----	182.80B/----	182.80B/160.80A	----	178.80 + 23.30	.3998	----	----	18	----	112 - 17
4555	----	----	181.30B/----	181.30B/159.10A	----	177.30 + 23.10	.3973	----	----	----	----	18 UNCH
4600	----	----	167.60B/----	167.60B/146.80A	----	163.80 + 21.50	.3743	----	----	----	----	9 UNCH
4650	----	----	153.60B/----	153.60B/134.80A	----	150.00 + 19.80	.3499	----	----	----	----	10 UNCH
4665	----	----	149.50B/----	149.50B/130.70A	----	146.10 + 19.30	.3428	----	----	----	----	1 UNCH
4700	----	----	140.70B/----	140.70B/123.50A	----	137.40 + 18.40	.3267	----	----	----	----	57 UNCH
4785	----	----	121.30B/----	121.30B/106.00A	----	118.50 + 16.40	.2902	----	----	----	----	20 UNCH
4800	----	----	118.00B/----	118.00B/103.20A	----	115.40 + 15.90	.2841	----	----	----	----	72 UNCH
4810	----	----	116.20B/----	116.20B/101.10A	----	113.40 + 15.70	.2801	----	----	----	----	1 UNCH
4850	----	----	108.50B/----	108.50B/94.20A	----	105.80 + 14.70	.2646	----	----	----	----	5 UNCH
4855	----	----	107.50B/----	107.50B/93.50A	----	104.90 + 14.60	.2628	----	----	----	----	2 UNCH
4860	----	----	106.50B/----	106.50B/92.80A	----	104.00 + 14.50	.2609	----	----	----	----	20 UNCH
4900	----	----	99.50B/----	99.50B/86.50A	----	97.10 + 13.60	.2464	----	----	----	----	115 UNCH
4920	----	----	96.10B/----	96.10B/84.00A	----	93.80 + 13.10	.2394	----	----	----	----	2 UNCH
4945	----	----	92.10B/----	92.10B/80.00A	----	89.90 + 12.60	.2310	----	----	----	----	9 UNCH
4950	----	----	91.20B/----	91.20B/79.30A	----	89.10 + 12.40	.2293	----	----	----	----	2 UNCH
4955	----	----	90.50B/----	90.50B/78.70A	----	88.30 + 12.30	.2276	----	----	----	----	9 UNCH
4970	----	----	88.20B/----	88.20B/76.70A	----	86.10 + 12.00	.2228	----	----	----	----	9 UNCH
5000	----	----	84.00B/----	84.00B/72.90A	----	81.90 + 11.50	.2135	----	----	----	----	152 UNCH
5040	----	----	78.50B/----	78.50B/68.20A	----	76.60 + 10.90	.2016	----	----	----	----	1 UNCH
5070	----	----	74.70B/----	74.70B/64.90A	----	72.90 + 10.40	.1931	----	----	----	----	37 UNCH
5100	----	----	71.10B/----	71.10B/61.70A	----	69.40 + 10.00	.1850	----	----	----	----	10 UNCH
5130	----	----	67.80B/----	67.80B/58.70A	----	66.10 + 9.50	.1773	----	----	----	----	7 UNCH
5140	----	----	66.70B/----	66.70B/57.80A	----	65.00 + 9.40	.1747	----	----	----	----	1 UNCH
5145	----	----	66.10B/----	66.10B/57.30A	----	64.50 + 9.30	.1735	----	----	----	----	2 UNCH
5150	----	----	65.50B/----	65.50B/56.80A	----	64.00 + 9.30	.1723	----	----	----	----	13 UNCH
5170	----	----	63.40B/----	63.40B/55.10A	----	61.90 + 8.90	.1674	----	----	----	----	20 UNCH
5180	----	----	62.40B/----	62.40B/54.30A	----	60.90 + 8.80	.1650	----	----	----	----	1 UNCH
5185	----	----	62.00B/----	62.00B/53.80A	----	60.50 + 8.80	.1640	----	----	----	----	37 UNCH
5200	58.10	58.10	60.50B/58.10	60.50B/52.50A	----	59.00 + 8.50	.1604	----	----	2	----	161 + 2
5215	----	----	59.00B/----	59.00B/51.30A	----	57.60 + 8.30	.1570	----	----	----	----	20 UNCH
5220	----	----	58.60B/----	58.60B/50.90A	----	57.20 + 8.30	.1560	----	----	----	----	39 UNCH
5225	----	----	58.10B/----	58.10B/50.50A	----	56.70 + 8.20	.1548	----	----	----	----	2 UNCH
5235	----	----	57.20B/----	57.20B/49.60A	----	55.80 + 8.10	.1526	----	----	----	----	25 UNCH
5240	----	----	56.70B/----	56.70B/49.40A	----	55.40 + 8.00	.1516	----	----	----	----	29 UNCH
5250	----	----	55.90B/----	55.90B/48.60A	----	54.50 + 7.90	.1495	----	----	----	----	313 UNCH
5275	----	----	53.70B/----	53.70B/46.70A	----	52.50 + 7.60	.1445	----	----	----	----	25 UNCH
5300	----	----	51.70B/----	51.70B/44.90A	----	50.50 + 7.30	.1395	----	----	----	----	1 UNCH
5330	48.30	48.30	49.40B/48.30	49.40B/43.90A	----	48.20 NEW	.1338	----	----	2	----	2 + 2
5345	----	----	48.20B/----	48.20B/43.80A	----	47.20 + 6.90	.1312	----	----	----	----	2 UNCH
5365	----	----	46.80B/----	46.80B/42.60A	----	45.80 + 6.70	.1276	----	----	----	----	3 UNCH
5395	----	----	44.30B/----	44.30B/40.80A	----	43.80 + 6.40	.1225	----	----	----	----	1 UNCH
5400	----	----	44.00B/----	44.00B/40.50A	----	43.40 + 6.20	.1215	----	----	----	----	29 UNCH
5430	----	----	42.20B/----	42.20B/38.90A	----	41.60 + 6.00	.1168	----	----	----	----	4 UNCH
5450	----	----	41.00B/----	41.00B/37.90A	----	40.40 + 5.80	.1137	----	----	----	----	10 UNCH
5500	----	----	38.20B/----	38.20B/35.40A	----	37.50 + 5.20	.1062	----	----	----	----	4 UNCH
5515	----	----	37.30B/----	37.30B/34.80A	----	36.70 + 5.00	.1041	----	----	----	----	7 UNCH
5550	----	----	35.50B/----	35.50B/33.20A	----	35.00 + 4.80	.0995	----	----	2	----	288 + 2
5630	----	----	32.00B/----	32.00B/30.10A	----	31.40 + 4.20	.0898	----	----	----	----	1 UNCH
5650	----	----	31.10B/----	31.10B/29.40A	----	30.60 + 4.10	.0876	----	----	----	----	5 UNCH
5665	----	----	30.50B/----	30.50B/28.90A	----	30.00 + 4.00	.0860	----	----	----	----	1 UNCH
5700	----	----	29.20B/----	29.20B/27.80A	----	28.60 + 3.80	.0822	----	----	----	----	37 UNCH
5800	----	----	24.80B/----	24.80B/25.40A	----	25.10 + 3.20	.0726	----	----	----	----	2 UNCH
5820	----	----	24.20B/----	24.20B/24.80A	----	24.50 + 3.20	.0709	----	----	----	----	45 UNCH
5840	----	----	23.60B/----	23.60B/24.30A	----	23.90 + 3.10	.0692	----	----	----	----	1 UNCH
5850	----	----	23.30B/----	23.30B/24.00A	----	23.60 + 3.00	.0684	----	----	----	----	66 UNCH
5900	----	----	21.90B/----	21.90B/22.70A	----	22.30 + 2.90	.0647	----	----	----	----	6 UNCH
5910	----	----	21.70B/----	21.70B/22.50A	----	22.00 + 2.80	.0639	----	----	----	----	1 UNCH
5950	----	----	20.60B/----	20.60B/21.60A	----	21.10 + 2.80	.0612	----	----	----	----	1 UNCH
5975	----	----	20.10B/----	20.10B/21.00A	----	20.50 + 2.70	.0595	----	----	----	----	1 UNCH
6000	----	----	19.50B/----	19.50B/20.50A	----	20.00 + 2.60	.0580	----	----	----	----	123 UNCH
6050	----	----	18.40B/----	18.40B/19.40A	----	19.00 + 2.50	.0551	----	----	----	----	1 UNCH
6100	----	----	17.60B/----	17.60B/18.60A	----	18.00 + 2.40	.0522	----	----	----	----	1 UNCH
6250	----	----	15.00B/----	15.00B/16.20A	----	15.60 + 2.10	.0451	----	----	----	----	50 UNCH
6500	----	----	12.00B/----	12.00B/13.40A	----	12.60 + 1.70	.0361	----	----	----	----	23 UNCH
8000	----	----	5.40B/----	5.40B/6.70A	----	5.90 + 0.60	.0152	----	----	----	----	21 UNCH
TOTAL										42		2365 - 13
JUN27												
4000	----	----	468.10B/----	468.10B/450.90A	----	464.20 + 43.20	.7035	----	----	----	----	37 UNCH
4100	----	----	405.00B/----	405.00B/371.70A	----	401.60 + 39.50	.6522	----	----	----	----	1 UNCH
4150	----	----	377.50B/----	377.50B/344.50A	----	372.70 + 37.70	.6254	----	----	----	----	4 UNCH
4165	----	----	369.10B/----	369.10B/336.60A	----	364.30 + 37.10	.6172	----	----	----	----	7 UNCH
4250	320.30	320.30	324.60B/320.30	324.60B/292.50A	----	319.50 + 33.90	.5704	----	----	1	----	3 + 1
4260	----	----	319.50B/----	319.50B/289.30A	----	314.60 + 33.60	.5648	----	----	----	----	6 UNCH
4270	----	----	314.60B/----	314.60B/284.80A	----	309.70 + 33.20	.5592	----	----	----	----	1 UNCH
4280	----	----	309.80B/----	309.80B/278.70A	----	304.90 + 32.90	.5537	----	----	----	----	3 UNCH
4285	----	----	307.30B/----	307.30B/276.50A	----	302.50 + 32.70	.5509	----	----	----	----	100 UNCH
4300	----	----	300.20B/----	300.20B/271.20A	----	295.40 + 32.10	.5426	----	----	----	----	190 UNCH
4305	----	----	297.90B/----	297.90B/268.20A	----	293.10 + 32.00	.5398	----	----	----	----	152 UNCH
4310	283.00	283.00	295.50B/283.00	295.50B/266.20A	----	290.70 NEW	.5370	----	----	8	----	8 + 8
4315	----	----	293.20B/----	293.20B/263.40A	----	288.40 + 31.50	.5342	----	----	----	----	1 UNCH
4320	----	----	290.80B/----	290.80B/261.20A	----	286.20 + 31.40	.5314	----	----	----	----	1 UNCH
4325	----	----	288.60B/----	288.60B/260.60A	----	283.90 + 31.20	.5287	----	----	----	----	283 UNCH
4350	----	----	277.50B/----	277.50B/250.30A	----	272.80 + 30.30	.5149	----	----	----	----	1 UNCH
4355	----	----	275.30B/----	275.30B/248.20A	----	270.60 + 30.10	.5122	----	----	----	----	1 UNCH
4365	----	----	270.90B/----	270.90B/244.60A	----	266.30 + 29.70	.5067	----	----	----	----	1 UNCH
4370	----	----	268.80B/----	268.80B/242.20A	----	264.20 + 29.50	.5040	----	----	----	----	2 UNCH
4375	----	----	266.70B/----	266.70B/240.10A	----	262.10 + 29.40	.5012	----	----	----	----	32 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN27												
4380	----	----	264.60B/----	264.60B/239.80A	----	260.00 + 29.20	.4985	----	----	----	----	3 UNCH
4400	----	----	256.30B/----	256.30B/230.60A	----	251.80 + 28.50	.4877	----	----	----	----	6 UNCH
4410	----	----	252.20B/----	252.20B/226.70A	----	247.80 + 28.20	.4823	----	----	----	----	3 UNCH
4415	242.00	242.00	250.40B/242.00	250.40B/224.80A	----	245.80 + 28.00	.4797	----	----	9	----	9 + 8
4420	----	----	248.50B/----	248.50B/223.40A	----	243.80 + 27.80	.4770	----	----	----	----	4 UNCH
4435	----	----	242.70B/----	242.70B/217.80A	----	238.00 + 27.30	.4690	----	----	----	----	3 UNCH
4450	----	----	236.90B/----	236.90B/214.00A	----	232.30 + 26.80	.4611	----	----	----	----	60 UNCH
4470	----	----	229.40B/----	229.40B/205.50A	----	225.00 + 26.20	.4507	----	----	----	----	2 UNCH
4475	----	----	227.40B/----	227.40B/203.60A	----	223.20 + 26.00	.4481	----	----	----	----	8 UNCH
4490	----	----	222.20B/----	222.20B/198.80A	----	217.80 + 25.50	.4403	----	----	----	----	1 UNCH
4495	----	----	220.40B/----	220.40B/197.80A	----	216.10 + 25.40	.4378	----	----	----	----	2 UNCH
4500	----	----	218.50B/----	218.50B/194.50A	----	214.30 + 25.20	.4352	----	----	----	220	1910 + 220
4520	----	----	211.60B/----	211.60B/188.20A	----	207.50 + 24.60	.4251	----	----	----	----	100 UNCH
4545	----	----	203.40B/----	203.40B/180.70A	----	199.30 + 23.80	.4127	----	----	----	----	25 UNCH
4550	----	----	201.60B/----	201.60B/181.80A	----	197.70 + 23.70	.4102	----	----	----	----	83 UNCH
4575	----	----	194.00B/----	194.00B/172.00A	----	189.90 + 22.90	.3981	----	----	----	----	8 UNCH
4600	----	----	186.30B/----	186.30B/167.60A	----	182.40 + 22.20	.3862	----	----	----	----	102 UNCH
4625	----	----	178.90B/----	178.90B/158.60A	----	175.20 + 21.50	.3746	----	----	----	----	24 UNCH
4630	----	----	177.60B/----	177.60B/157.20A	----	173.80 + 21.40	.3723	----	----	----	----	2 UNCH
4650	----	----	171.90B/----	171.90B/152.00A	----	168.20 + 20.70	.3631	----	----	----	----	252 UNCH
4680	----	----	163.70B/----	163.70B/144.90A	----	160.30 + 20.00	.3498	----	----	----	----	1 UNCH
4700	----	----	158.40B/----	158.40B/140.20A	----	155.20 + 19.40	.3411	----	----	----	----	66 UNCH
4750	----	----	146.30B/----	146.30B/131.10A	----	143.20 + 18.10	.3202	----	----	----	----	37 UNCH
4760	----	----	143.90B/----	143.90B/127.30A	----	140.90 + 17.80	.3161	----	----	----	----	15 UNCH
4790	----	----	137.20B/----	137.20B/121.30A	----	134.30 + 17.10	.3042	----	----	----	----	30 UNCH
4800	----	----	135.00B/----	135.00B/119.50A	----	132.20 + 16.90	.3003	----	----	----	----	130 UNCH
4810	----	----	132.90B/----	132.90B/117.50A	----	130.10 + 16.60	.2965	----	----	----	----	1 UNCH
4850	----	----	124.50B/----	124.50B/110.50A	----	122.10 + 15.70	.2816	----	----	----	----	2 UNCH
4865	----	----	121.60B/----	121.60B/107.60A	----	119.20 + 15.30	.2761	----	----	----	----	75 UNCH
4900	----	----	115.00B/----	115.00B/101.80A	----	112.80 + 14.60	.2638	----	----	----	----	119 UNCH
4950	----	----	106.30B/----	106.30B/94.10A	----	104.30 + 13.50	.2472	----	----	----	----	16 UNCH
5000	----	----	98.30B/----	98.30B/87.10A	----	96.50 + 12.60	.2315	----	----	----	----	1595 UNCH
5010	----	----	96.80B/----	96.80B/85.70A	----	95.10 + 12.40	.2286	----	----	----	----	1 UNCH
5020	----	----	95.30B/----	95.30B/84.50A	----	93.60 + 12.20	.2256	----	----	----	----	2 UNCH
5025	----	----	94.80B/----	94.80B/83.70A	----	92.90 + 12.10	.2241	----	----	----	----	200 UNCH
5050	----	----	91.10B/----	91.10B/80.60A	----	89.40 + 11.70	.2169	----	----	----	----	500 UNCH
5070	----	----	88.30B/----	88.30B/78.60A	----	86.80 + 11.40	.2114	----	----	----	----	2 UNCH
5085	----	----	86.40B/----	86.40B/76.60A	----	84.80 + 11.10	.2073	----	----	----	----	150 UNCH
5100	----	----	84.50B/----	84.50B/74.70A	----	82.90 + 10.90	.2033	----	----	----	----	156 UNCH
5150	----	----	78.40B/----	78.40B/69.40A	----	77.00 + 10.20	.1906	----	----	----	----	650 UNCH
5170	----	----	76.10B/----	76.10B/67.50A	----	74.70 + 9.90	.1856	----	----	----	----	260 UNCH
5180	----	----	74.90B/----	74.90B/66.50A	----	73.60 + 9.70	.1832	----	----	----	----	3 UNCH
5200	----	----	72.80B/----	72.80B/64.40A	----	71.50 + 9.50	.1786	----	----	----	----	584 UNCH
5210	----	----	71.70B/----	71.70B/63.50A	----	70.50 + 9.40	.1764	----	----	----	----	3 UNCH
5250	----	----	67.70B/----	67.70B/59.90A	----	66.50 + 8.80	.1675	----	----	----	----	94 UNCH
5300	----	----	63.10B/----	63.10B/55.80A	----	62.00 + 8.30	.1573	----	----	----	----	347 UNCH
5350	----	----	58.70B/----	58.70B/52.00A	----	57.80 + 7.80	.1477	----	----	----	----	3 UNCH
5360	----	----	57.90B/----	57.90B/51.30A	----	57.00 + 7.70	.1458	----	----	----	----	325 UNCH
5400	----	----	54.90B/----	54.90B/48.40A	----	54.00 + 7.40	.1388	----	----	----	----	701 UNCH
5450	----	----	51.10B/----	51.10B/47.70A	----	50.50 + 6.90	.1305	----	----	----	----	4 UNCH
5470	----	----	49.70B/----	49.70B/47.70A	----	49.10 + 6.70	.1273	----	----	----	----	1 UNCH
5500	----	----	47.50B/----	47.50B/45.80A	----	47.20 + 6.50	.1227	----	----	----	----	1562 UNCH
5535	----	----	45.30B/----	45.30B/43.90A	----	45.10 + 6.20	.1177	----	----	----	----	1 UNCH
5545	----	----	44.60B/----	44.60B/43.20A	----	44.60 + 6.20	.1164	----	----	----	----	8 UNCH
5600	----	----	41.50B/----	41.50B/40.40A	----	41.60 + 5.80	.1091	----	----	----	----	239 UNCH
5700	----	----	36.60B/----	36.60B/35.40A	----	36.80 + 5.20	.0971	----	----	----	----	1 UNCH
5750	----	----	34.70B/----	34.70B/33.30A	----	34.60 + 4.80	.0917	----	----	----	----	149 UNCH
5800	----	----	32.70B/----	32.70B/31.50A	----	32.70 + 4.60	.0868	----	----	----	----	3 UNCH
5840	----	----	31.20B/----	31.20B/30.10A	----	31.20 + 4.40	.0830	----	----	----	----	2 UNCH
5870	----	----	30.10B/----	30.10B/29.10A	----	30.20 + 4.30	.0804	----	----	----	----	3 UNCH
5875	----	----	29.90B/----	29.90B/29.10A	----	30.00 + 4.20	.0799	----	----	----	----	84 UNCH
5900	----	----	29.10B/----	29.10B/28.70A	----	29.20 + 4.10	.0779	----	----	----	----	26 UNCH
5975	----	----	26.00B/----	26.00B/26.90A	----	27.00 + 3.90	.0721	----	----	----	----	21 UNCH
6000	----	----	25.30B/----	25.30B/26.20A	----	26.30 + 3.80	.0703	----	----	----	----	749 UNCH
6025	----	----	24.60B/----	24.60B/25.60A	----	25.60 + 3.60	.0684	----	----	----	----	125 UNCH
6050	----	----	23.90B/----	23.90B/25.00A	----	24.90 + 3.50	.0666	----	----	----	----	3 UNCH
6100	----	----	22.70B/----	22.70B/23.90A	----	23.70 + 3.30	.0634	----	----	----	----	370 UNCH
6250	----	----	19.60B/----	19.60B/20.80A	----	20.60 + 2.90	.0551	----	----	----	----	254 UNCH
6500	----	----	15.80B/----	15.80B/17.20A	----	16.70 + 2.30	.0445	----	----	----	----	790 UNCH
7000	----	----	11.00B/----	11.00B/12.70A	----	11.90 + 1.60	.0310	----	----	----	----	395 UNCH
7500	----	----	8.60B/----	8.60B/10.10A	----	9.20 + 1.00	.0233	----	----	----	----	478 UNCH
8000	----	----	7.00B/----	7.00B/8.50A	----	7.60 + 0.80	.0186	----	----	----	----	465 UNCH
8500	----	----	----	5.80B/7.30A	----	6.50 + 0.60	.0154	----	----	----	----	169 UNCH
9000	----	----	----	5.00B/6.50A	----	5.70 + 0.60	.0131	----	----	----	----	130 UNCH
9500	----	----	----	4.40B/5.90A	----	5.10 + 0.60	.0114	----	----	----	----	72 UNCH
10000	----	----	----	4.00B/5.40A	----	4.70 + 0.50	.0102	----	----	----	----	119 UNCH
TOTAL										18	220	15732 + 237
JUL27												
4310	----	----	334.50B/----	334.50B/303.60A	----	329.60 + 34.00	.5580	----	----	----	----	2 UNCH
4315	----	----	332.10B/----	332.10B/301.50A	----	327.20 + 33.80	.5554	----	----	----	----	2 UNCH
4325	----	----	327.40B/----	327.40B/298.90A	----	322.50 + 33.50	.5503	----	----	----	----	2 UNCH
4335	----	----	322.70B/----	322.70B/292.40A	----	317.80 + 33.10	.5451	----	----	----	----	3 UNCH
4340	317.00	317.00	320.30B/317.00	320.30B/290.20A	----	315.50 + 32.90	.5425	----	----	1	----	2 UNCH
4345	306.00	306.00	318.00B/306.00	318.00B/289.60A	----	313.20 NEW	.5399	----	----	1	----	1 + 1
4350	305.00	305.00	315.70B/304.00	315.70B/286.00A	----	311.00 + 32.60	.5373	----	----	4	----	16 + 4
4360	306.00	306.00	311.20B/306.00	311.20B/281.80A	----	306.50 + 32.30	.5322	----	----	1	----	28 + 1
4370	----	----	306.60B/----	306.60B/277.60A	----	302.00 + 31.90	.5270	----	----	----	----	2 UNCH
4375	----	----	304.30B/----	304.30B/276.80A	----	299.80 + 31.70	.5245	----	----	----	----	2 UNCH
4475	----	----	263.30B/----	263.30B/238.00A	----	258.90 + 28.30	.4743	----	----	----	----	1 UNCH
4500	----	----	253.70B/----	253.70B/229.30A	----	249.50 + 27.50	.4621	----	----	----	----	2 UNCH
4505	----	----	252.00B/----	252.00B/227.70A	----	247.70 + 27.30	.4596	----	----	----	----	2 UNCH
4535	----	----	241.10B/----	241.10B/217.80A	----	236.90 + 26.30	.4452	----	----	----	----	38 UNCH
4540	----	----	239.10B/----	239.10B/215.10A	----	235.20 + 26.20	.4429	----	----	----	----	2 UNCH
4565	----	----	230.40B/----	230.40B/206.80A	----	226.60 + 25.30	.4311	----	----	----	----	1 UNCH
4600	----	----	218.40B/----	218.40B/196.20A	----	215.20 + 24.30	.4150	----	----	----	----	40 UNCH
4700	----	----	188.40B/----	188.40B/168.80A	----	185.30 + 21.20	.3710	----	----	----	----	24 UNCH
4750	----	----	174.80B/----	174.80B/156.70A	----	171.90 + 19.70	.3502	----	----	----	----	10 UNCH
4800	----	----	162.60B/----	162.60B/145.50A	----	159.60 + 18.50	.3305	----	----	----	----	1 UNCH
4835	----	----	154.10B/----	154.10B/138.20A	----	151.60 + 17.70	.3172	----	----	----	----	70 UNCH
4900	----	----	140.00B/----	140.00B/125.70A	----	137.90 + 16.30	.2939	----	----	----	----	10 UNCH
4990	----	----	123.00B/----	123.00B/110.40A	----	121.30 + 14.70	.2643	----	----	----	----	10 UNCH
5000	----	----	121.20B/----	121.20B/108.80A	----	119.60 + 14.50	.2612	----	----	----	----	620 UNCH
5200	----	----	91.50B/----	91.50B/82.60A	----	90.50 + 11.40	.2061	----	----	----	----	1 UNCH
5225	----	----	88.40B/----	88.40B/79.60A	----	87.50 + 11.00	.2001	----	----	----	----	2 UNCH
5250	----	----	85.60B/----	85.60B/77.90A	----	84.50 + 10.60	.1942	----	----	----	----	20 UNCH
5300	----	----	80.10B/----	80.10B/72.00A	----	79.00 + 9.90	.1831	----	----	----	----	12 UNCH
5400	----	----	70.30B/----	70.30B/63.20A	----	69.20 + 8.70	.1629	----	----	----	----	17 UNCH
5495	----	----	62.40B/----	62.40B/56.00A	----	61.30 + 7.60	.1460	----	----	----	----	1 UNCH
5500	----	----	61.80B/----	61.80B/55.70A	----	60.90 + 7.60	.1452	----	----	----	----	39 UNCH
5620	----	----	53.30B/----	53.30B/51.40A	----	52.60 + 6.50	.1270	----	----	----	----	1 UNCH
5850	----	----	40.30B/----	40.30B/39.80A	----	40.50 + 4.90	.0994	----	----	----	----	20 UNCH
6750	----	----	16.60B/----	16.60B/20.20A	----	18.30 + 2.20	.0452	----	----	----	----	9 UNCH
TOTAL										7		1013 + 6
AUG27												
4185	----	----	412.30B/----	412.30B/405.00A	----	411.30 + 37.60	.6189	----	----	----	----	1 UNCH
4200	----	----	404.20B/----	404.20B/397.10A	----	403.20 + 37.10	.6116	----	----	----	----	1 UNCH
4210	----	----	398.70B/----	398.70B/391.90A	----	397.90 + 36.80	.6068	----	----	----	----	2 UNCH
4220	----	----	393.50B/----	393.50B/386.80A	----	392.60 + 36.50	.6020	----	----	----	----	1 UNCH
4300	----	----	352.90B/----	352.90B/346.50A	----	352.80 + 34.00	.5631	----	----	----	----	3 UNCH
4305	----	----	350.50B/----	350.50B/344.30A	----	350.40 + 33.80	.5607	----	----	----	----	2 UNCH
4310	----	----	348.10B/----	348.10B/341.80A	----	348.10 + 33.70	.5583	----	----	----	----	1 UNCH
4315	----	----	345.80B/----	345.80B/339.40A	----	345.70 + 33.50	.5558	----	----	----	----	3 UNCH
4320	----	----	345.00B/----	345.00B/337.50A	----	343.40 + 33.30	.5534	----	----	----	----	1 UNCH
4350	----	----	331.60B/----	331.60B/324.00A	----	329.80 + 32.40	.5388	----	----	----	----	2 UNCH
4360	326.00	326.00	326.90B/324.00	326.90B/319.60A	----	325.40 + 32.10	.5340	----	----	4	----	5 + 4
4365	327.50	327.50	328.30/327.20	328.30/317.40A	----	323.20 NEW	.5316	----	----	3	----	3 + 3
4370	----	----	322.50B/----	322.50B/315.50A	----	321.10 + 31.90	.5292	----	----	----	----	150 UNCH
4465	----	----	283.60B/----	283.60B/274.10A	----	282.40 + 29.00	.4843	----	----	----	----	2 UNCH
4535	----	----	258.40B/----	258.40B/248.90A	----	256.90 + 27.10	.4525	----	----	----	----	3 UNCH
5000	----	----	137.20B/----	137.20B/132.30A	----	135.90 + 15.40	.2765	----	----	----	----	24 UNCH
5100	----	----	120.50B/----	120.50B/116.10A	----	118.70 + 13.30	.2473	----	----	----	----	5 UNCH
5200	----	----	105.60B/----	105.60B/102.10A	----	104.30 + 11.80	.2216	----	----	----	----	2 UNCH
5210	----	----	104.20B/----	104.20B/100.80A	----	103.00 + 11.60	.2192	----	----	----	----	3 UNCH
5220	101.80	101.80	103.00B/101.00	103.00B/99.60A	----	101.70 NEW	.2168	----	----	16	----	16 + 16
5250	----	----	99.10B/----	99.10B/96.00A	----	98.10 + 11.30	.2100	----	----	----	----	20 UNCH
5300	----	----	93.10B/----	93.10B/90.30A	----	92.40 + 10.90	.1992	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG27												
5350	----	----	87.50B/----	87.50B/84.80A	----	87.00 + 10.50	.1889	----	----	----	----	1 UNCH
5400	----	----	82.30B/----	82.30B/80.20A	----	82.00 + 10.00	.1792	----	----	----	----	2 UNCH
5500	----	----	72.80B/----	72.80B/71.30A	----	72.80 + 9.00	.1611	----	----	----	----	2000 UNCH
5505	----	----	72.30B/----	72.30B/70.90A	----	72.40 + 9.00	.1603	----	----	----	----	300 UNCH
5525	----	----	70.60B/----	70.60B/69.20A	----	70.70 + 8.80	.1570	----	----	----	----	59 UNCH
5550	----	----	68.50B/----	68.50B/67.30A	----	68.70 + 8.60	.1529	----	----	----	----	2000 UNCH
5925	----	----	43.80B/----	43.80B/46.30A	----	45.30 + 5.40	.1044	----	----	----	----	65 UNCH
6750	----	----	20.60B/----	20.60B/24.80A	----	22.60 + 2.50	.0527	----	----	----	----	232 UNCH
TOTAL										23		4910 + 23
SEP27												
4500	----	----	----	160.10B/440.30A	----	303.80 + 28.70	.4901	----	----	----	----	1 UNCH
4560	----	----	----	140.20B/415.40A	----	281.50 + 27.00	.4643	----	----	----	----	4 UNCH
5225	----	----	----	15.10B/227.60A	----	127.70 + 11.80	.2459	----	----	----	----	2 UNCH
5580	----	----	----	0.10B/177.70A	----	93.50 + 5.90	.1827	----	----	----	----	300 UNCH
6000	----	----	----	0.10B/140.70A	----	67.80 + 2.10	.1331	----	----	----	----	2 UNCH
6100	----	----	----	0.10B/134.30A	----	61.90 + 1.70	.1225	----	----	----	----	4 UNCH
6200	----	----	----	0.10B/128.60A	----	56.80 + 1.50	.1130	----	----	----	----	2 UNCH
TOTAL												315 0
OCT27												
5250	----	----	----	----	----	136.00 + 14.50	.2507	----	----	----	----	1 UNCH
5295	----	----	----	----	----	129.50 + 13.90	.2405	----	----	----	----	1 UNCH
5350	----	----	----	----	----	122.30 + 13.20	.2288	----	----	----	----	1 UNCH
5395	----	----	----	----	----	116.90 + 12.70	.2198	----	----	----	----	1 UNCH
5500	----	----	----	----	----	104.40 + 11.50	.1994	----	----	----	----	200 UNCH
TOTAL												204 0
DEC27												
4500	----	----	----	----	----	383.90 + 30.80	.5174	----	----	----	----	175 UNCH
4860	----	----	----	----	----	262.80 + 23.30	.3931	----	----	----	----	100 UNCH
5000	222.00	222.00	222.00/222.00	222.00/222.00	----	228.20 + 20.80	.3518	----	----	1	----	54 + 1
5650	----	----	----	----	----	126.20 + 12.40	.2123	----	----	----	----	200 UNCH
5700	----	----	----	----	----	121.00 + 11.90	.2045	----	----	----	----	150 UNCH
5800	----	----	----	----	----	111.40 + 11.10	.1899	----	----	----	----	200 UNCH
5880	----	----	----	----	----	104.30 + 10.50	.1790	----	----	----	----	125 UNCH
6300	----	----	----	----	----	74.70 + 7.60	.1321	----	----	----	----	18 UNCH
7500	----	----	----	----	----	36.20 + 3.80	.0654	----	----	----	----	70 UNCH
7800	----	----	----	----	----	32.30 + 3.30	.0578	----	----	----	----	284 UNCH
10000	15.70	15.70	15.70/15.70	15.70/15.70	----	21.90 + 1.90	.0348	----	----	1	----	104 + 1
10500	----	----	----	----	----	20.40 + 1.70	.0318	----	----	----	----	10 UNCH
TOTAL										2		1490 + 2
FEB28												
4400	----	----	----	----	----	481.20 + 34.20	.5707	----	----	----	----	2 UNCH
4450	----	----	----	----	----	457.60 + 33.20	.5531	----	----	----	----	2 UNCH
TOTAL												4 0
MAY28												
5000	----	----	----	----	----	339.30 + 25.40	.4177	----	----	----	----	20 UNCH
TOTAL												20 0
JUL28												
5000	----	----	----	----	----	369.50 + 26.50	.4332	----	----	----	----	25 UNCH
TOTAL												25 0
DEC28												
5000	----	----	----	----	----	458.70 + 29.00	.4683	----	----	----	----	50 UNCH
5500	----	----	----	----	----	343.00 + 22.80	.3684	----	----	----	----	1 UNCH
5750	----	----	----	----	----	303.00 + 20.40	.3295	----	----	----	----	100 UNCH
TOTAL												151 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MMG MON		MICRO GOLD WEEKLY MONDAY OPTION WEE										
OCT26												
4050	----	----	----	----	----	0.20 - 3.20	.0029	----	----	----	----	1 UNCH
4300	16.00	16.00	16.00/16.00	16.00/16.00	----	17.80 + 6.70	.2398	----	----	3	----	3 UNCH
TOTAL										3		4 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK3										
OCT26												
3500	----	----	----	----/0.30A	----	0.20 - 0.10	.0016	----	----	----	----	54 UNCH
3600	----	----	----/0.90A	1.10B/0.90A	----	0.80 - 0.70	.0070	----	----	----	----	18 UNCH
3700	----	----	----	----/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	15 UNCH
3775	----	----	----/2.20A	3.50B/2.20A	----	2.10 - 2.10	.0205	----	----	1	----	0 - 1
3800	----	----	----/2.50A	4.20B/2.50A	----	2.40 - 2.60	.0239	----	----	----	----	1 UNCH
3800	----	----	----/0.20A	0.30B/0.20A	----	0.10 - 0.50	.0002	----	----	1	----	1 - 1
3825	----	----	----/2.90A	5.00B/2.90A	----	2.80 - 3.00	.0282	----	----	1	----	0 - 1
3825	----	----	----/0.30A	0.40B/0.30A	----	0.10 - 0.60	.0005	----	----	----	----	28 UNCH
3850	----	----	----/0.30A	0.50B/0.30A	----	0.20 - 0.70	.0020	----	----	----	----	4 UNCH
3850	----	----	----/3.30A	6.00B/3.30A	----	3.30 - 3.60	.0336	----	----	1	----	2 + 1
3875	----	----	----/1.50A	3.40B/1.50A	----	1.50 - 2.60	.0182	----	----	----	----	10 UNCH
3875	----	----	----/3.90A	7.20B/3.90A	----	4.00 - 4.30	.0409	----	----	----	----	8 UNCH
3900	----	----	----/1.80A	4.30B/1.80A	----	1.80 - 3.30	.0225	----	----	----	----	111 UNCH
3900	----	----	----/0.40A	0.90B/0.40A	----	0.30 - 1.10	.0034	----	----	----	----	12 UNCH
3900	----	----	----/4.60A	8.70B/4.60A	----	4.80 - 5.20	.0494	----	----	3	----	5 + 3
3905	0.60	0.60	0.60/0.40A	1.00B/0.40A	----	0.30 NEW	.0035	----	----	5	----	5 + 5
3915	----	----	----/0.40A	1.10B/0.40A	----	0.30 - 1.30	.0036	----	----	----	----	0 UNCH
3920	----	----	----/0.40A	1.20B/0.40A	----	0.30 NEW	.0037	----	----	5	----	5 + 5
3925	----	----	----/2.20A	5.50B/2.20A	----	2.30 - 4.10	.0291	----	----	----	----	1 UNCH
3925	----	----	----/0.50A	1.30B/0.50A	----	0.40 - 1.40	.0049	----	----	----	----	2 UNCH
3940	----	----	----/0.50A	1.50B/0.50A	----	0.40 - 1.80	.0051	----	----	----	----	6 UNCH
3945	----	----	----/0.50A	1.60B/0.50A	----	0.50 - 1.80	.0064	----	----	----	----	3 UNCH
3950	----	----	----/0.50A	1.80B/0.50A	----	0.50 - 2.00	.0065	----	----	----	----	56 UNCH
3950	----	----	----/2.80A	7.10B/2.80A	----	2.90 - 5.30	.0372	----	----	----	----	4 UNCH
3950	----	----	----/6.70A	12.80B/6.70A	----	7.00 - 7.60	.0724	----	----	----	----	5 UNCH
3955	----	----	----/0.60A	1.90B/0.60A	----	0.50 - 2.10	.0067	----	----	----	----	0 UNCH
3975	----	----	----/3.50A	9.20B/3.50A	----	3.70 - 6.70	.0480	----	----	----	----	8 UNCH
3975	----	----	----/8.10A	15.80B/8.10A	----	8.60 - 9.30	.0885	----	----	----	----	5 UNCH
3975	1.00	1.00	1.00/0.60A	2.50B/0.60A	----	0.60 - 2.80	.0085	----	----	6	----	36 - 1
4000	----	----	----/4.50A	12.00B/4.50A	----	4.90 - 8.40	.0634	----	----	10	----	44 + 7
4000	----	----	----/10.00A	19.40B/10.00A	----	10.70 - 11.20	.1087	----	----	1	----	22 + 1
4000	----	----	----/0.80A	3.50B/0.80A	----	0.80 - 3.90	.0122	----	----	3	----	30 - 1
4010	----	----	----/0.90A	4.10B/0.90A	----	1.00 - 4.50	.0155	----	----	----	----	1 UNCH
4025	7.30	7.30	7.30/5.90A	15.60B/5.90A	----	6.40 - 10.60	.0827	----	----	11	----	19 + 5
4025	----	----	----/12.50A	24.10B/12.50A	----	13.30 - 13.50	.1331	----	----	----	----	2 UNCH
4025	1.80	1.80	1.80/1.10A	5.10B/1.10A	----	1.20 - 5.50	.0194	----	----	3	----	31 + 2
4035	----	----	----/1.30A	6.00B/1.30A	----	1.40 - 6.40	.0231	----	----	1	----	5 + 1
4040	----	----	----/1.40A	6.50B/1.40A	----	1.50 - 6.90	.0251	----	----	----	----	4 UNCH
4045	1.80	1.80	1.80/1.50A	7.10B/1.50A	----	1.60 - 7.40	.0271	----	----	3	----	19 + 3
4050	----	----	----/7.90A	20.20B/7.90A	----	8.50 - 13.30	.1087	----	----	----	----	128 UNCH
4050	1.70	1.70	1.90/1.70	7.70B/1.70	----	1.80 - 7.90	.0306	----	----	8	----	170 - 2
4050	----	----	----/15.70A	30.10B/15.70A	----	16.70 - 16.10	.1631	----	----	1	----	19 + 1
4060	3.70	3.70	3.70/1.90A	9.10B/1.90A	----	2.10 NEW	.0365	----	----	1	----	1 + 1
4065	2.30	2.30	2.30/2.10A	9.90B/2.10A	----	2.30 NEW	.0403	----	----	3	----	3 + 3
4070	----	----	----/2.30A	10.70B/2.30A	----	2.60 NEW	.0456	----	----	2	----	2 + 2
4075	----	----	----/10.40A	26.10B/10.40A	----	11.40 - 16.50	.1426	----	----	----	----	100 UNCH
4075	----	----	160.60B/----	160.60B/96.70A	----	144.10 + 48.20	.9502	----	----	----	----	4 UNCH
4075	4.50	4.50	4.50/2.50A	11.70B/2.50A	----	2.80 - 11.10	.0496	----	----	24	----	132 + 19
4075	----	----	----/19.70A	37.10B/19.70A	----	21.00 - 18.90	.1989	----	----	----	----	1 UNCH
4080	4.40	4.40	4.60/2.70A	12.70B/2.70A	----	3.10 - 11.80	.0551	----	----	3	----	4 + 3
4080	----	----	155.80B/----	155.80B/92.80A	----	139.30 NEW	.9447	----	----	2	----	0 UNCH
4090	----	----	----/3.30A	14.80B/3.30A	----	3.70 NEW	.0665	----	----	2	----	2 + 2
4095	4.60	4.60	4.60/3.70A	16.00B/3.70A	----	4.10 NEW	.0738	----	----	7	----	4 + 4
4100	----	----	----/13.90A	33.40B/13.90A	----	15.30 - 20.10	.1854	----	----	10	----	25 + 10
4100	----	----	137.40B/----	137.40B/77.60A	----	120.80 + 44.00	.9186	----	----	----	----	2 UNCH
4100	----	----	147.90B/----	147.90B/92.60A	----	131.50 + 39.20	.8143	----	----	----	----	2 UNCH
4100	----	----	----/24.70A	45.40B/24.70A	----	26.30 - 22.10	.2402	----	----	----	----	3 UNCH
4100	6.90	6.90	7.00/4.00A	17.30B/4.00A	----	4.50 - 15.40	.0812	----	----	57	----	451 + 11
4110	5.10	5.10	5.10/4.80A	20.00B/4.80A	----	5.50 NEW	.0992	----	----	4	----	4 + 4

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GWW WED GOLD WEEKLY WEDNESDAY OPTION WEEK2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OCT26												
4115	8.70	8.70	8.70/5.30A	21.60B/5.30A	----	6.00 NEW	.1084	----	----	6	----	6 + 6
4120	9.80	9.80	9.80/5.80A	23.20B/5.80A	----	6.60 NEW	.1191	----	----	5	----	5 + 5
4125	----	----	127.80B/----	127.80B/76.80A	----	111.70 + 35.20	.7617	----	----	----	----	7 UNCH
4125	----	----	----/30.80A	54.90B/30.80A	----	32.90 - 25.40	.2874	----	----	3	----	3 + 1
4125	----	----	----/18.50A	42.50B/18.50A	----	20.50 - 24.10	.2379	----	----	10	----	14 + 5
4125	----	----	----/6.40A	25.00B/6.40A	----	7.30 - 20.70	.1311	----	----	5	----	168 + 1
4125	----	----	115.20B/----	115.20B/60.80A	----	98.50 + 38.60	.8687	----	----	2	----	8 UNCH
4130	----	----	----/7.00A	26.80B/7.00A	----	8.00 NEW	.1434	----	----	1	----	1 + 1
4130	----	----	110.90B/----	110.90B/57.40A	----	94.20 + 37.40	.8564	----	----	----	----	1 UNCH
4135	----	----	----/7.70A	28.80B/7.70A	----	8.80 - 23.00	.1569	----	----	7	----	3 + 2
4140	----	----	102.40B/50.70A	102.40B/50.70A	----	85.90 + 35.00	.8291	----	----	----	----	28 UNCH
4140	----	----	----/8.40A	30.80B/8.40A	----	9.60 NEW	.1707	----	----	1	----	1 + 1
4150	----	----	108.80B/62.40A	108.80B/62.40A	----	93.40 + 30.90	.7004	----	----	18	----	16 + 14
4150	47.70	47.70	94.20B/45.00A	94.20B/45.00A	----	77.80 + 32.40	.7969	----	----	2	----	20 UNCH
4150	----	----	120.50B/----	120.50B/78.60A	----	107.00 + 30.30	.6601	----	----	----	----	5 UNCH
4150	39.30	39.30	39.30/38.30A	66.20B/38.30A	----	40.80 - 28.90	.3393	----	----	1	----	41 + 1
4150	14.60	14.60	14.60/10.00	35.20B/10.00	----	11.60 - 26.80	.2029	----	----	17	----	59 UNCH
4155	----	----	90.20B/42.60A	90.20B/42.60A	----	73.90 + 31.10	.7796	----	----	----	----	23 UNCH
4165	----	----	----/13.20A	42.60B/13.20A	----	15.10 - 30.80	.2573	----	----	1	----	2 + 1
4175	----	----	91.60B/50.10A	91.60B/50.10A	----	76.80 + 26.50	.6310	----	----	----	----	23 UNCH
4175	----	----	----/32.30A	66.20B/32.30A	----	35.50 - 32.80	.3686	----	----	----	----	14 UNCH
4175	92.20	92.20	104.20B/92.20	104.20B/66.40A	----	91.50 NEW	.6043	----	----	8	----	8 + 8
4175	59.50	59.50	75.10B/33.10A	75.10B/33.10A	----	59.30 + 25.90	.7010	----	----	2	----	17 UNCH
4175	18.50	18.50	19.40/15.70A	48.20B/15.70A	----	18.00 - 33.40	.2987	----	----	8	----	117 + 3
4180	----	----	71.50B/31.00A	71.50B/31.00A	----	55.90 + 24.60	.6791	----	----	----	----	1 UNCH
4180	30.10	30.10	30.10/17.00A	51.00B/17.00A	----	19.60 NEW	.3207	----	----	2	----	2 + 2
4195	36.90	36.90	36.90/21.90A	59.60B/21.90A	----	25.10 NEW	.3906	----	----	4	----	2 + 2
4200	----	----	----/57.50A	93.20B/57.50A	----	61.20 - 35.70	.4533	----	----	----	----	6 UNCH
4200	44.70	44.70	58.10B/23.80A	58.10B/23.80A	----	43.50 + 19.60	.5848	----	----	3	----	252 + 1
4200	----	----	75.90B/39.70A	75.90B/39.70A	----	62.20 + 22.20	.5560	----	----	----	----	1 UNCH
4200	35.00	35.00	35.00/23.80A	62.90B/23.80A	----	27.20 - 39.70	.4150	----	----	31	----	35 + 22
4200	----	----	90.20B/----	90.20B/55.70A	----	77.50 + 23.50	.5461	----	----	1	----	28 UNCH
4200	----	----	----/41.90A	80.30B/41.90A	----	45.90 - 37.00	.4436	----	----	----	----	1 UNCH
4210	36.70	36.70	52.40B/20.60A	52.40B/20.60A	----	38.00 NEW	.5352	----	----	2	----	1 + 1
4215	34.10	34.10	35.10/29.80A	73.70B/29.80A	----	34.10 NEW	.4896	----	----	2	----	2 + 2
4215	35.80	35.80	49.50B/19.20A	49.50B/19.20A	----	35.40 NEW	.5102	----	----	15	----	15 + 15
4220	38.10	38.10	39.10/32.10A	77.50B/32.10A	----	36.70 NEW	.5146	----	----	2	----	2 + 2
4220	31.70	31.70	46.70B/17.80A	46.70B/17.80A	----	33.00 NEW	.4851	----	----	12	----	12 + 12
4225	----	----	62.40B/31.20A	62.40B/31.20A	----	49.50 + 18.10	.4791	----	----	----	----	207 UNCH
4225	36.40	36.40	44.00B/16.50A	44.00B/16.50A	----	30.70 + 14.00	.4602	----	----	88	----	238 + 36
4225	41.00	41.00	50.90/34.50A	81.30B/34.50A	----	39.30 - 45.40	.5395	----	----	10	----	40 + 3
4230	34.60	34.60	41.40B/15.40A	41.40B/15.40A	----	28.40 NEW	.4354	----	----	4	----	4 + 4
4235	----	----	39.00B/----	39.00B/14.40A	----	26.40 NEW	.4112	----	----	1	----	1 + 1
4235	46.30	46.30	49.10/39.80A	89.10B/39.80A	----	45.10 NEW	.5886	----	----	2	----	0 UNCH
4240	----	----	36.60B/13.20A	36.60B/13.20A	----	24.40 NEW	.3871	----	----	3	----	3 + 3
4250	78.20	78.20	78.20/66.80A	115.10B/66.80A	----	72.50 NEW	.5959	----	----	3	----	3 + 3
4250	42.80	42.80	50.40B/24.20A	50.40B/24.20A	----	38.90 + 14.40	.4037	----	----	36	----	25 + 23
4250	----	----	----/48.60A	101.50B/48.60A	----	54.50 - 50.00	.6590	----	----	1	----	6 + 1
4250	16.40	16.40	32.20B/16.40	32.20B/11.50A	----	20.80 + 9.30	.3408	----	----	39	----	62 + 22
4260	----	----	28.10B/----	28.10B/9.90A	----	17.60 NEW	.2970	----	----	2	----	2 + 2
4265	16.50	16.50	26.30B/16.50	26.30B/9.20A	----	16.20 NEW	.2766	----	----	4	----	4 + 4
4275	31.30	31.30	40.20B/18.80A	40.20B/18.80A	----	30.20 + 11.20	.3331	----	----	13	----	10 + 7
4275	45.60	45.60	54.30B/45.60	54.30B/31.70A	----	45.00 NEW	.3741	----	----	14	----	14 + 14
4275	18.60	18.60	22.80B/15.50	22.80B/7.90A	----	13.60 + 5.70	.2378	----	----	7	----	15 + 1
4275	----	----	----/65.20A	123.30B/65.20A	----	72.30 NEW	.7620	----	----	1	----	1 + 1
4280	12.90	12.90	21.30B/12.90	21.30B/7.40A	----	12.50 NEW	.2203	----	----	5	----	5 + 5
4285	----	----	19.80B/----	19.80B/6.90A	----	11.40 + 4.60	.2030	----	----	1	----	10 + 1
4295	11.20	11.20	17.00B/11.20	17.00B/6.00A	----	9.50 + 3.70	.1717	----	----	8	----	14 + 8
4300	----	----	----/84.30A	146.20B/84.30A	----	92.40 - 56.00	.8418	----	----	----	----	9 UNCH
4300	----	----	45.20B/----	45.20B/25.90A	----	37.00 + 12.30	.3222	----	----	4	----	6 + 4
4300	27.10	27.10	31.80B/14.50A	31.80B/14.50A	----	23.10 + 8.40	.2692	----	----	6	----	16 + 6
4300	11.00	11.00	15.80B/10.00	15.80B/5.60A	----	8.70 + 3.30	.1580	----	----	17	----	162 + 10
4305	9.30	9.30	14.60B/9.30	14.60B/5.20A	----	7.90 NEW	.1444	----	----	4	----	2 + 2
4315	7.50	7.50	12.60B/7.50	12.60B/4.50A	----	6.60 NEW	.1212	----	----	2	----	2 + 2
4320	----	----	----/100.70A	165.10B/100.70A	----	109.70 - 57.30	.8893	----	----	----	----	1 UNCH
4320	7.40	7.40	11.60B/7.40	11.60B/4.30A	----	6.00 NEW	.1105	----	----	8	----	8 + 8
4325	----	----	----/104.80A	169.80B/104.80A	----	114.10 - 57.60	.8986	----	----	----	----	108 UNCH
4325	6.50	6.50	10.70B/6.50	10.70B/4.00A	----	5.50 + 1.70	.1012	----	----	4	----	263 UNCH
4325	----	----	37.40B/----	37.40B/21.40A	----	30.20 + 10.00	.2745	----	----	----	----	1 UNCH
4325	17.00	17.00	24.90B/11.20A	24.90B/11.20A	----	17.50 + 6.20	.2137	----	----	4	----	11 UNCH
4330	----	----	----/109.00A	170.90B/109.00A	----	118.70 - 57.80	.9077	----	----	----	----	1 UNCH
4335	----	----	9.10B/----	9.10B/3.50A	----	4.60 NEW	.0844	----	----	1	----	1 + 1
4340	----	----	----/117.50A	180.60B/117.50A	----	127.80 - 58.20	.9229	----	----	----	----	1 UNCH
4340	5.50	5.50	8.40B/5.50	8.40B/3.30A	----	4.20 NEW	.0769	----	----	10	----	10 + 10
4350	----	----	19.30B/8.70A	19.30B/8.70A	----	13.30 + 4.50	.1681	----	----	----	----	11 UNCH
4350	----	----	30.80B/----	30.80B/17.40A	----	24.50 + 8.10	.2316	----	----	----	----	23 UNCH
4350	----	----	7.20B/----	7.20B/2.90A	----	3.50 + 0.80	.0637	----	----	1	----	28 UNCH
4350	----	----	----/126.10A	190.40B/126.10A	----	137.20 - 58.40	.9361	----	----	----	----	2 UNCH
4355	3.90	3.90	6.60B/3.90	6.60B/2.70A	----	3.20 NEW	.0581	----	----	5	----	5 + 5
4360	----	----	6.10B/----	6.10B/2.50A	----	3.00 + 0.60	.0539	----	----	----	----	3 UNCH
4365	3.00	3.00	5.70B/3.00	5.70B/2.40A	----	2.70 NEW	.0484	----	----	3	----	3 + 3
4370	2.90	2.90	5.30B/2.90	5.30B/2.20A	----	2.50 + 0.30	.0445	----	----	3	----	3 + 1
4375	2.80	2.80	4.80B/2.80	4.80B/2.10A	----	2.30 + 0.30	.0406	----	----	22	----	28 + 13
4375	11.20	11.20	15.00B/10.80	15.00B/6.80A	----	10.10 + 3.30	.1310	----	----	26	----	26 + 24
4375	----	----	----/148.60A	215.00B/148.60A	----	161.00 - 58.90	.9592	----	----	----	----	24 UNCH
4390	2.20	2.20	3.70B/2.20	3.70B/1.70A	----	1.90 NEW	.0324	----	----	3	----	3 + 3
4400	----	----	20.60B/----	20.60B/11.60A	----	16.00 + 5.10	.1612	----	----	----	----	52 UNCH
4400	----	----	11.50B/----	11.50B/5.40A	----	7.70 + 2.30	.1017	----	----	----	----	2 UNCH
4400	2.70	2.70	3.30B/2.50	3.30B/1.60A	----	1.60 UNCH	.0269	----	----	5	----	126 + 3
4400	----	----	----/171.90A	239.70B/171.90A	----	185.20 - 59.30	.9729	----	----	----	----	15 UNCH
4425	6.80	6.80	8.80B/6.80	8.80B/4.30A	----	5.90 + 1.70	.0788	----	----	9	----	59 + 9
4425	----	----	2.20B/----	2.20B/1.20A	----	1.20 UNCH	.0190	----	----	1	----	27 + 1
4425	----	----	----/198.60A	264.60B/198.60A	----	209.80 - 59.30	.9809	----	----	----	----	9 UNCH
4425	----	----	16.70B/----	16.70B/9.60A	----	13.00 + 4.00	.1339	----	----	----	----	2 UNCH
4450	----	----	13.60B/----	13.60B/7.90A	----	10.50 + 3.10	.1105	----	----	----	----	10 UNCH
4450	----	----	----/222.80A	289.50B/222.80A	----	234.50 - 59.40	.9864	----	----	----	----	14 UNCH
4450	----	----	1.60B/----	1.60B/1.00A	----	0.90 - 0.10	.0134	----	----	----	----	27 UNCH
4455	----	----	1.50B/0.90A	1.50B/0.90A	----	0.80 NEW	.0119	----	----	7	----	7 + 7
4460	0.90	0.90	1.40B/0.90	1.40B/0.90	----	0.80 NEW	.0117	----	----	6	----	6 + 6
4475	----	----	1.10B/----	1.10B/0.80A	----	0.70 - 0.10	.0098	----	----	----	----	12 UNCH
4475	----	----	5.40B/----	5.40B/2.90A	----	3.50 + 0.70	.0472	----	----	----	----	1 UNCH
4500	----	----	0.80B/----	0.80B/0.70A	----	0.50 - 0.20	.0067	----	----	----	----	16 UNCH
4500	----	----	9.00B/----	9.00B/5.60A	----	7.00 + 1.90	.0756	----	----	----	----	2 UNCH
4525	----	----	0.60B/----	0.60B/0.60A	----	0.40 - 0.10	.0050	----	----	----	----	149 UNCH
4525	----	----	----/302.30A	365.90B/302.30A	----	310.60 - 59.00	.9705	----	----	----	----	1 UNCH
4550	----	----	6.10B/----	6.10B/4.00A	----	4.80 + 1.20	.0524	----	----	----	----	5 UNCH
4550	----	----	----	0.50B/0.50A	----	0.40 - 0.10	.0047	----	----	----	----	2 UNCH
4575	----	----	2.10B/----	2.10B/1.40A	----	1.50 + 0.10	.0193	----	----	----	----	6 UNCH
4575	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0033	----	----	----	----	7 UNCH
4600	----	----	4.10B/----	4.10B/3.10A	----	3.40 + 0.80	.0370	----	----	----	----	1 UNCH
4600	----	----	----	0.30B/0.40A	----	0.20 - 0.10	.0021	----	----	----	----	17 UNCH
4600	----	----	1.70B/----	1.70B/1.30A	----	1.30 + 0.10	.0163	----	----	----	----	3 UNCH
4625	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0020	----	----	----	----	6 UNCH
4625	----	----	1.30B/----	1.30B/1.10A	----	1.10 UNCH	.0136	----	----	----	----	1 UNCH
4650	----	----	1.10B/----	1.10B/1.00A	----	0.90 - 0.10	.0110	----	----	----	----	5 UNCH
4650	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0019	----	----	----	----	51 UNCH
4675	----	----	1.00B/----	1.00B/0.90A	----	0.80 - 0.10	.0095	----	----	----	----	2 UNCH
4675	0.20	0.20	0.20/0.20	0.20/0.20	----	0.10 - 0.10	.0009	----	----	1	----	7 + 1
4700	----	----	----	0.80B/0.80A	----	0.70 - 0.10	.0081	----	----	----	----	2 UNCH
4700	----	----	----	----/0.40A	----	0.10 - 0.10	.0005	----	----	----	----	17 UNCH
4725	----	----	----	----/0.40A	----	0.10 - 0.10	.0002	----	----	----	----	5 UNCH
4750	----	----	----	----/0.40A	----	0.10 UNCH	.0001	----	----	----	----	2 UNCH
4775	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
4800	----	----	0.60B/----	0.60B/0.60A	----	0.50 UNCH	.0052	----	----	----	----	4 UNCH
4825	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	4 UNCH
4850	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
4900	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	16 UNCH
5100	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
TOTAL										744		4732 + 452
NOV26												
3850	----	----	----/9.10A	11.00B/9.10A	----	7.30 NEW	.0603	----	----	1	----	1 + 1
3900	----	----	----/10.50A	15.60B/10.50A	----	10.10 NEW	.0828	----	----	1	----	1 + 1
3975	----	----	----/17.60A	26.70B/17.60A	----	17.50 - 10.50	.1366	----	----	----	----	12 UNCH
4150	----	----	135.40B/----	135.40B/98.80A	----	125.50 NEW	.6289	----	----	50	----	50 + 50
4225	----	----	93.00B/----	93.00B/65.40A	----	84.70 + 25.20	.4941	----	----	----	----	9 UNCH
4400	30.40	30.40	33.20B/30.40	33.20B/22.60A	----	29.10 NEW	.2203	----	----	25	----	25 + 25

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED NOV26		GOLD WEEKLY WEDNESDAY OPTION WEEK1										
5250	0.90	0.90	0.90/0.90	0.90/0.90	----	1.00 NEW	.0071	----	----	1	----	1 + 1
TOTAL										78		99+ 78

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE OCT26		GOLD WEEKLY TUESDAY OPTION Week3										
3250	967.10	967.10	979.10B/967.10	979.10B/910.30A	----	966.30 NEW	1.0000	2	----	2	----	0 UNCH
3500	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3600	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3700	----	----	----/0.40A	0.60B/0.40A	----	0.30 - 0.70	.0031	----	----	----	----	6 UNCH
3750	----	----	----	----/0.20A	----	0.10 - 0.10	----	----	----	----	----	70 UNCH
3800	----	----	----	----/0.20A	----	0.10 - 0.10	----	----	----	----	----	10 UNCH
3800	0.60	0.60	0.60/0.60	1.40B/0.60	----	0.70 - 1.20	.0080	----	----	1	----	5 + 1
3830	----	----	----/0.20A	----/0.20A	----	0.10 - 0.20	----	----	----	----	----	21 UNCH
3840	----	----	----/0.20A	----/0.20A	----	0.10 - 0.20	----	----	----	----	----	8 UNCH
3850	----	----	----/0.10A	0.20B/0.10A	----	0.10 - 0.30	----	----	----	----	----	1 UNCH
3875	----	----	----/1.20A	2.80B/1.20A	----	1.20 - 2.30	.0150	----	----	----	----	13 UNCH
3900	----	----	----/0.20A	0.40B/0.20A	----	0.10 - 0.60	.0000	----	----	1	----	5 UNCH
3925	----	----	----/1.70A	4.50B/1.70A	----	1.80 - 3.60	.0237	----	----	----	----	1 UNCH
3925	----	----	----/0.20A	0.60B/0.20A	----	0.10 - 0.80	.0001	----	----	----	----	3 UNCH
3930	----	----	----/0.20A	0.60B/0.20A	----	0.10 - 0.90	.0002	----	----	----	----	21 UNCH
3940	----	----	----/0.20A	0.70B/0.20A	----	0.10 - 1.00	.0003	----	----	----	----	8 UNCH
3950	----	----	----/2.20A	5.90B/2.20A	----	2.30 - 4.60	.0308	----	----	29	----	21 + 9
3950	----	----	282.30B/----	282.30B/208.70A	----	266.30 + 58.10	.9996	----	----	----	----	1 UNCH
3950	----	----	----/0.20A	0.80B/0.20A	----	0.10 - 1.10	.0005	----	----	1	----	5 UNCH
3960	----	----	----/0.20A	0.90B/0.20A	----	0.10 - 1.30	.0008	----	----	----	----	17 UNCH
3965	----	----	----/0.20A	1.00B/0.20A	----	0.10 - 1.40	.0010	----	----	----	----	4 UNCH
3970	----	----	----/0.30A	1.10B/0.30A	----	0.10 - 1.50	.0012	----	----	----	----	0 UNCH
3975	----	----	----/2.80A	7.80B/2.80A	----	2.90 - 6.00	.0397	----	----	----	----	2 UNCH
3975	----	----	----/0.30A	1.10B/0.30A	----	0.20 - 1.50	.0026	----	----	----	----	7 UNCH
3985	----	----	----/0.30A	1.30B/0.30A	----	0.20 - 1.80	.0027	----	----	----	----	2 UNCH
3990	0.30	0.30	0.30/0.30	1.40B/0.30	----	0.20 - 1.90	.0027	----	----	11	----	10 + 8
4000	----	----	----/3.70A	10.40B/3.70A	----	3.90 - 7.70	.0535	----	----	----	----	6 UNCH
4000	0.50	0.50	0.50/0.30A	1.60B/0.30A	----	0.20 - 2.20	.0029	----	----	2	----	54 - 1
4020	----	----	----/0.40A	2.40B/0.40A	----	0.40 - 2.90	.0062	----	----	1	----	1 - 1
4025	----	----	----/4.90A	13.70B/4.90A	----	5.20 - 9.90	.0714	----	----	----	----	16 UNCH
4025	0.70	0.70	0.70/0.40A	2.70B/0.40A	----	0.40 - 3.20	.0064	----	----	2	----	77 UNCH
4030	0.50	0.50	0.50/0.50	2.90B/0.50	----	0.40 - 3.50	.0065	----	----	2	----	4 - 1
4035	1.00	1.00	1.00/0.50A	3.00B/0.50A	----	0.50 - 3.70	.0083	----	----	10	----	10 + 9
4040	----	----	----/0.50A	3.30B/0.50A	----	0.50 - 4.10	.0085	----	----	----	----	1 UNCH
4045	----	----	188.00B/----	188.00B/117.40A	----	171.80 + 54.80	.9896	----	----	----	----	4 UNCH
4050	170.50	170.50	182.90B/170.50	182.90B/112.70A	----	166.90 + 54.50	.9893	----	----	2	----	4 UNCH
4050	1.20	1.20	1.20/0.60A	4.10B/0.60A	----	0.60 - 4.90	.0106	----	----	2	----	73 UNCH
4050	----	----	----/6.50A	17.90B/6.50A	----	7.10 - 12.60	.0964	----	----	1	----	3 UNCH
4065	144.10	144.10	168.20B/144.10	168.20B/99.30A	----	152.10 + 53.00	.9848	----	----	3	----	3 UNCH
4065	----	----	----/0.70A	5.40B/0.70A	----	0.80 - 6.30	.0151	----	----	----	----	9 UNCH
4070	1.30	1.30	1.30/0.80A	6.10B/0.80A	----	0.90 - 6.90	.0173	----	----	2	----	12 + 2
4075	11.80	11.80	11.80/8.80A	23.70B/8.80A	----	9.70 - 15.80	.1293	----	----	6	----	36 + 3
4075	----	----	----/0.90A	6.70B/0.90A	----	1.00 - 7.50	.0196	----	----	----	----	64 UNCH
4075	----	----	158.60B/----	158.60B/90.60A	----	142.20 + 51.80	.9803	----	----	----	----	2 UNCH
4080	----	----	----/0.90A	7.30B/0.90A	----	1.10 NEW	.0219	----	----	3	----	3 + 3
4085	----	----	----/1.00A	8.10B/1.00A	----	1.20 NEW	.0244	----	----	3	----	3 + 3
4090	2.90	2.90	2.90/1.10A	8.90B/1.10A	----	1.30 - 9.80	.0271	----	----	7	----	0 - 1
4095	----	----	----/1.30A	10.00B/1.30A	----	1.50 - 10.60	.0316	----	----	18	----	14 - 4
4100	28.90	28.90	28.90/12.00A	30.80B/12.00A	----	13.20 - 19.70	.1712	----	----	45	----	32 + 27
4100	----	----	146.00B/----	146.00B/90.10A	----	129.40 + 39.60	.8284	----	----	----	----	2 UNCH
4100	1.30	1.30	1.30/1.30	11.00B/1.30	----	1.70 - 11.50	.0363	----	----	5	----	109 + 1
4100	----	----	134.50B/----	134.50B/70.20A	----	117.90 + 47.70	.9635	----	----	2	----	3 UNCH
4105	----	----	129.80B/66.30A	129.80B/66.30A	----	113.10 + 46.70	.9586	----	----	----	----	20 UNCH
4105	----	----	----/1.60A	12.10B/1.60A	----	1.90 - 12.50	.0412	----	----	----	----	2 UNCH
4110	----	----	125.10B/62.50A	125.10B/62.50A	----	108.30 + 45.60	.9535	----	----	----	----	34 UNCH
4110	1.90	1.90	1.90/1.80A	13.30B/1.80A	----	2.10 - 13.60	.0464	----	----	1	----	21 UNCH
4115	----	----	120.40B/58.90A	120.40B/58.90A	----	103.60 + 44.50	.9481	----	----	----	----	27 UNCH
4115	4.30	4.30	4.30/2.00	14.60B/2.00	----	2.30 - 14.80	.0518	----	----	14	----	24 + 9
4120	----	----	----/2.20A	16.00B/2.20A	----	2.60 - 16.00	.0592	----	----	----	----	25 UNCH
4120	105.30	105.30	115.80B/55.40A	115.80B/55.40A	----	98.90 + 43.30	.9406	----	----	1	----	4 - 1
4125	18.00	18.00	18.00/16.20A	39.60B/16.20A	----	18.00 - 23.80	.2243	----	----	3	----	4 + 3
4125	----	----	111.10B/52.00A	111.10B/52.00A	----	94.20 + 42.00	.9312	----	----	----	----	8 UNCH
4125	2.90	2.90	2.90/2.50A	17.70B/2.50A	----	3.00 - 17.30	.0687	----	----	2	----	236 UNCH
4130	3.90	3.90	3.90/2.80A	19.30B/2.80A	----	3.40 - 18.60	.0784	----	----	1	----	1 UNCH
4135	7.10	7.10	7.10/3.10A	21.10B/3.10A	----	3.80 NEW	.0886	----	----	9	----	9 + 9
4140	10.40	10.40	10.40/3.50A	23.00B/3.50A	----	4.30 - 21.50	.1009	----	----	22	----	69 + 9
4140	----	----	97.60B/41.90A	97.60B/41.90A	----	80.60 + 37.80	.8990	----	----	1	----	60 UNCH
4145	----	----	93.20B/39.10A	93.20B/39.10A	----	76.10 + 36.20	.8862	----	----	----	----	2 UNCH
4150	----	----	106.40B/59.40A	106.40B/59.40A	----	90.60 + 31.00	.7114	----	----	----	----	4 UNCH
4150	----	----	----/22.00A	50.40B/22.00A	----	24.40 - 28.20	.2882	----	----	----	----	21 UNCH
4150	----	----	88.90B/36.30A	88.90B/36.30A	----	71.80 + 34.60	.8700	----	----	1	----	9 UNCH
4150	11.20	11.20	11.20/4.50	27.20B/4.50	----	5.50 - 24.70	.1299	----	----	20	----	42 - 10
4155	8.90	8.90	8.90/5.10A	29.60B/5.10A	----	6.20 - 26.30	.1466	----	----	13	----	23 + 8
4155	----	----	84.60B/33.50A	84.60B/33.50A	----	67.50 + 33.00	.8532	----	----	----	----	2 UNCH
4160	31.70	31.70	80.40B/31.10A	80.40B/31.10A	----	63.30 + 31.30	.8344	----	----	1	----	3 UNCH
4160	5.80	5.80	5.80/5.70A	31.90B/5.70A	----	7.00 NEW	.1654	----	----	11	----	11 + 11
4165	10.20	10.20	10.20/6.40A	34.60B/6.40A	----	8.00 NEW	.1873	----	----	3	----	3 + 3
4170	7.40	7.40	8.70/7.20A	37.30B/7.20A	----	9.00 - 31.40	.2097	----	----	5	----	7 + 5
4175	----	----	88.70B/47.30A	88.70B/47.30A	----	73.80 + 26.40	.6383	----	----	----	----	3 UNCH
4175	----	----	----/29.40A	63.10B/29.40A	----	32.60 - 32.80	.3613	----	----	----	----	1 UNCH
4175	----	----	68.30B/24.20A	68.30B/24.20A	----	51.40 + 26.10	.7648	----	----	----	----	22 UNCH
4175	----	----	----/8.10A	40.20B/8.10A	----	10.20 - 33.10	.2350	----	----	10	----	82 UNCH
4180	14.30	14.30	14.30/9.40A	42.80B/9.40A	----	11.50 NEW	.2618	----	----	11	----	11 + 11
4180	----	----	64.50B/22.20A	64.50B/22.20A	----	47.70 + 24.40	.7380	----	----	1	----	1 UNCH
4185	14.40	14.40	14.40/10.60A	45.90B/10.60A	----	12.90 - 36.50	.2900	----	----	9	----	5 + 1
4185	----	----	60.60B/20.40A	60.60B/20.40A	----	44.20 + 22.70	.7098	----	----	----	----	3 UNCH
4190	17.70	17.70	22.30/11.80A	49.30B/11.80A	----	14.50 - 38.20	.3204	----	----	70	----	65 + 59
4195	14.30	14.30	14.30/13.30A	52.70B/13.30A	----	16.20 NEW	.3518	----	----	20	----	20 + 20
4200	32.70	32.70	32.70/14.80A	56.30B/14.80A	----	18.10 - 41.40	.3848	----	----	58	----	174 + 36
4200	18.60	18.60	50.20B/15.60A	50.20B/15.60A	----	34.40 + 17.80	.6150	----	----	53	----	270 + 3
4200	68.00	68.00	72.90B/37.00A	72.90B/37.00A	----	59.00 + 21.80	.5590	----	----	3	----	19 + 2
4205	30.20	30.20	46.90B/14.20A	46.90B/14.20A	----	31.40 NEW	.5813	----	----	2	----	2 + 2
4210	----	----	----/18.50A	63.80B/18.50A	----	22.40 NEW	.4532	----	----	4	----	2 + 2
4210	27.00	27.00	43.70B/12.90A	43.70B/12.90A	----	28.70 + 14.80	.5466	----	----	19	----	13 + 12
4215	----	----	41.20B/11.80A	41.20B/11.80A	----	26.00 + 13.30	.5117	----	----	6	----	5 + 3
4220	31.50	31.50	31.50/22.60A	71.70B/22.60A	----	27.30 NEW	.5231	----	----	16	----	12 + 12
4220	24.60	24.60	38.30B/10.90A	38.30B/10.90A	----	23.60 + 12.00	.4767	----	----	17	----	24 + 7
4225	19.80	19.80	35.50B/9.90A	35.50B/9.90A	----	21.30 + 10.70	.4419	----	----	18	----	181 - 6
4225	44.80	44.80	60.00/28.80A	60.00/28.80A	----	46.30 + 17.40	.4769	----	----	5	----	18 + 1
4225	----	----	----/50.20A	94.30B/50.20A	----	55.00 - 41.90	.5227	----	----	----	----	1 UNCH
4225	27.70	27.70	27.70/25.00A	75.70B/25.00A	----	30.00 - 48.50	.5579	----	----	2	----	26 + 1
4230	19.50	19.50	32.90B/9.00A	32.90B/9.00A	----	19.20 + 9.60	.4077	----	----	7	----	15 + 5
4230	----	----	----/27.50A	79.90B/27.50A	----	32.90 NEW	.5921	----	----	2	----	1 + 1
4235	14.10	14.10	30.50B/8.10A	30.50B/8.10A	----	17.30 NEW	.3746	----	----	134	----	100 + 100
4235	34.20	34.20	34.20B/30.30A	84.20B/30.30A	----	36.00 NEW	.6252	----	----	1	----	1 + 1
4240	----	----	----/33.10A	88.50B/33.10A	----	39.20 NEW	.6574	----	----	1	----	1 + 1
4240	12.10	12.10	28.10B/7.40A	28.10B/7.40A	----	15.50 + 7.50	.3424	----	----	13	----	13 + 3
4245	16.20	16.20	25.90B/6.80A	25.90B/6.80A	----	13.80 NEW	.3111	----	----	1	----	1 + 1
4250	34.50	34.50	47.40B/22.10A	47.40B/22.10A	----	35.80 + 13.60	.3967	----	----	15	----	15 - 1
4250	63.10	63.10	63.60/39.40A	97.30B/39.40A	----	46.00 - 53.60	.7182	----	----	11	----	64 - 4
4250	13.60	13.60	23.80B/6.10A	23.80B/6.10A	----	12.30 + 5.60	.2816	----	----	27	----	109 + 21
4255	11.20	11.20	21.90B/5.60A	21.90B/5.60A	----	11.00 NEW	.2545	----	----	25	----	25 + 25
4260	10.90	10.90	20.10B/5.10A	20.10B/5.10A	----	9.70 NEW	.2278	----	----	5	----	5 + 5
4270	----	----	----/53.60A	115.70B/53.60A	----	61.30 NEW	.8184	----	----	1	----	1 + 1
4270	9.10	9.10	16.70B/4.40A	16.70B/4.40A	----	7.60 + 2.90	.1814	----	----	35	----	38 + 35
4275	----	----	37.30B/16.80A	37.30B/16.80A	----	27.20 + 10.20	.3218	----	----	10	----	12 + 7
4275	6.80	6.80	15.30B/3.90A	15.30B/3.90A	----	6.70 + 2.40	.1609	----	----	66	----	103 + 39
4275	----	----	----/57.40A	120.40B/57.40A	----	65.40 - 56.80	.8390	----	----	----	----	23 UNCH
4280	6.00	6.00	14.00B/3.70A	14.00B/3.70A	----	5.90 NEW	.1422	----	----	5	----	4 + 4
4285	6.50	6.50	12.70B/3.40A	12.70B/3.40A	----	5.20 + 1.60	.1254	----	----	4	----	7 + 4
4290	4.90	4.90	11.60B/3.00A	11.60B/3.00A	----	4.60 NEW	.1107	----	----	2	----	2 + 2
4295	5.50	5.50	10.60B/2.90A	10.60B/2.90A	----	4.10 NEW	.0980	----	----	4	----	4 + 4
4300	----	----	29.00B/12.80A	29.00B/12.80A	----	20.50 + 7.60	.2557	----	----	8	----	22 + 6
4300	5.30	5.30	9.70B/2.70A	9.70B/2.70A	----	3.60 + 0.80	.0858	----	----	65	----	145 - 34
4300	----	----	----/78.10A	144.30B/78.10A	----	87.20 - 58.50	.9140	----	----	----	----	27 UNCH
4305	----	----	8.80B/2.50A	8.80B/2.50A	----	3.10 NEW	.0739	----	----	1	----	1 + 1
4310	4.10	4.10	8.10B/2.30A	8.10B/2.30A	----	2.80 NEW	.0658	----	----	4	----	4 + 4

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OCT26												
4310	114.50	114.50	114.50/86.50A	154.00B/86.50A	----	96.40 NEW	.9340	----	----	5	----	5 + 5
4315	----	----	7.30B/2.10A	7.30B/2.10A	----	2.50 + 0.30	.0581	----	----	----	----	4 UNCH
4320	----	----	6.70B/----	6.70B/2.00A	----	2.20 + 0.20	.0506	----	----	----	----	4 UNCH
4325	----	----	22.30B/9.70A	22.30B/9.70A	----	15.30 + 5.40	.1994	----	----	----	----	20 UNCH
4325	----	----	----/99.40A	168.60B/99.40A	----	110.60 - 59.20	.9564	----	----	----	----	8 UNCH
4325	2.50	2.50	6.00B/1.80A	6.00B/1.80A	----	1.90 UNCH	.0434	----	----	1	----	170 + 1
4335	----	----	5.00B/1.50A	5.00B/1.50A	----	1.50 - 0.10	.0333	----	----	----	----	21 UNCH
4340	1.80	1.80	4.50B/1.40A	4.50B/1.40A	----	1.40 - 0.10	.0304	----	----	12	----	5 - 3
4345	1.30	1.30	4.10B/1.30	4.10B/1.30	----	1.20 NEW	.0258	----	----	2	----	2 + 2
4350	----	----	3.80B/1.20A	3.80B/1.20A	----	1.10 - 0.20	.0232	----	----	1	----	140 UNCH
4350	----	----	----/135.60A	198.70B/135.60A	----	144.90 - 55.50	.8461	----	----	----	----	4 UNCH
4350	12.70	12.70	17.00B/7.50A	17.00B/7.50A	----	11.40 + 3.80	.1535	----	----	4	----	13 + 1
4350	----	----	----/122.00A	193.00B/122.00A	----	134.80 - 59.40	.9767	----	----	----	----	17 UNCH
4375	----	----	----/145.60A	215.10B/145.60A	----	159.40 - 59.50	.9865	----	----	----	----	6 UNCH
4375	1.30	1.30	2.30B/0.80A	2.30B/0.80A	----	0.70 - 0.30	.0134	----	----	1	----	23 + 1
4375	9.70	9.70	13.00B/9.50	13.00B/5.80A	----	8.50 + 2.70	.1172	----	----	50	----	57 + 50
4395	1.00	1.00	1.70B/0.60A	1.70B/0.60A	----	0.50 - 0.30	.0088	----	----	1	----	2 + 1
4400	9.10	9.10	9.80B/9.10	9.80B/4.60A	----	6.30 + 1.70	.0885	----	----	10	----	11 + 10
4400	1.20	1.20	1.50B/0.60A	1.50B/0.60A	----	0.50 - 0.30	.0086	----	----	5	----	102 + 1
4400	----	----	----/169.70A	240.00B/169.70A	----	184.20 - 59.50	.9913	----	----	----	----	54 UNCH
4425	----	----	7.40B/----	7.40B/3.70A	----	4.70 + 1.10	.0667	----	----	10	----	11 + 8
4425	----	----	----/197.10A	264.90B/197.10A	----	209.00 - 59.50	.9937	----	----	----	----	1 UNCH
4425	----	----	1.00B/0.50A	1.00B/0.50A	----	0.40 - 0.20	.0062	----	----	----	----	28 UNCH
4440	----	----	0.80B/0.40A	0.80B/0.40A	----	0.30 - 0.20	.0044	----	----	8	----	23 - 6
4450	----	----	0.60B/0.40A	0.60B/0.40A	----	0.30 - 0.20	.0042	----	----	----	----	33 UNCH
4475	----	----	0.50B/0.30A	0.50B/0.30A	----	0.20 - 0.20	.0025	----	----	----	----	7 UNCH
4500	----	----	----/0.20A	0.30B/0.20A	----	0.20 - 0.10	.0023	----	----	----	----	31 UNCH
4500	----	----	3.50B/----	3.50B/2.00A	----	2.20 + 0.30	.0307	----	----	----	----	1 UNCH
4525	----	----	----	0.20B/0.20A	----	0.10 - 0.10	.0008	----	----	----	----	31 UNCH
4550	----	----	----	0.20B/0.20A	----	0.10 - 0.10	.0003	----	----	----	----	24 UNCH
4550	----	----	2.10B/----	2.10B/1.40A	----	1.40 UNCH	.0190	----	----	----	----	1 UNCH
4575	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	35 UNCH
4600	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	14 UNCH
4600	----	----	1.30B/1.00A	1.30B/1.00A	----	1.00 - 0.10	.0129	----	----	----	----	5 UNCH
4625	----	----	1.10B/0.90A	1.10B/0.90A	----	0.90 - 0.10	.0112	----	----	----	----	1 UNCH
4625	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	22 UNCH
4650	----	----	----	0.90B/0.90A	----	0.80 - 0.10	.0097	----	----	----	----	7 UNCH
4650	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	8 UNCH
4675	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
4700	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	38 UNCH
4725	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
4750	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	45 UNCH
4775	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
4800	----	----	----	0.40B/0.60A	----	0.50 UNCH	.0051	----	----	----	----	3 UNCH
4800	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
4900	----	----	----	0.30B/0.50A	----	0.40 UNCH	.0037	----	----	----	----	6 UNCH
4900	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
5000	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
5100	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
TOTAL										1150		4255 + 572
NOV26												
3250	----	----	----/0.60A	0.20B/0.60A	----	0.50 - 0.20	.0032	----	----	----	----	0 UNCH
3400	----	----	----/0.80A	0.50B/0.80A	----	0.80 - 0.30	.0056	----	----	----	----	1 UNCH
3600	----	----	----/4.30A	2.70B/4.30A	----	3.30 NEW	.0229	----	----	1	----	1 + 1
3600	----	----	----/1.80A	2.10B/1.80A	----	1.80 - 1.00	.0140	----	----	----	----	9 UNCH
3700	----	----	----/2.80A	3.80B/2.80A	----	2.80 - 1.90	.0230	----	----	----	----	9 UNCH
3750	----	----	----/3.60A	5.20B/3.60A	----	3.60 - 2.70	.0303	----	----	4	----	7 + 1
3775	----	----	----/4.10A	5.90B/4.10A	----	4.10 - 3.10	.0348	----	----	----	----	2 UNCH
3800	----	----	----/4.70A	7.10B/4.70A	----	4.70 - 3.60	.0402	----	----	2	----	5 UNCH
3800	----	----	----/10.50A	10.80B/10.50A	----	7.90 NEW	.0585	----	----	1	----	1 + 1
3825	----	----	----/5.40A	8.50B/5.40A	----	5.50 - 4.20	.0472	----	----	1	----	6 UNCH
3850	11.00	11.00	11.00/11.00	15.00B/11.00	----	10.60 - 6.40	.0778	----	----	1	----	1 UNCH
3850	----	----	----/6.30A	10.20B/6.30A	----	6.40 - 5.10	.0550	----	----	1	----	6 - 1
3875	----	----	----/12.80A	17.60B/12.80A	----	12.60 NEW	.0910	----	----	1	----	1 + 1
3875	7.90	7.90	7.90/7.30A	11.90B/7.30A	----	7.50 - 6.00	.0645	----	----	11	----	16 + 9
3900	----	----	----/8.50A	14.20B/8.50A	----	8.90 - 7.00	.0762	----	----	2	----	36 UNCH
3900	----	----	----/14.80A	20.80B/14.80A	----	15.00 - 8.10	.1063	----	----	6	50	255 + 55
3925	----	----	----/17.30A	24.50B/17.30A	----	17.60 NEW	.1229	----	----	1	----	1 + 1
3925	----	----	----/10.10A	17.00B/10.10A	----	10.60 - 8.30	.0901	----	----	1	----	1 UNCH
3950	----	----	----/12.10A	20.00B/12.10A	----	12.70 - 9.80	.1067	----	----	1	----	14 - 1
3975	----	----	----/14.50A	24.10B/14.50A	----	15.40 - 11.30	.1270	----	----	3	----	9 - 1
4000	----	----	----/17.40A	29.00B/17.40A	----	18.50 - 13.30	.1498	----	----	2	----	111 - 1
4000	----	----	----/27.50A	39.70B/27.50A	----	28.30 - 14.00	.1866	----	----	----	50	250 + 50
4025	----	----	----/21.10A	34.80B/21.10A	----	22.30 - 15.50	.1765	----	----	2	----	28 - 1
4050	----	----	214.20B/----	214.20B/167.70A	----	204.50 + 40.80	.7570	----	----	----	----	1 UNCH
4050	----	----	204.40B/----	204.40B/156.80A	----	192.80 + 41.20	.7927	----	----	----	----	2 UNCH
4075	----	----	----/30.80A	49.40B/30.80A	----	32.30 - 20.90	.2411	----	----	----	----	2 UNCH
4100	----	----	----/37.10A	58.30B/37.10A	----	38.80 - 23.70	.2792	----	----	----	----	1 UNCH
4100	----	----	166.10B/----	166.10B/123.60A	----	154.80 + 35.50	.7202	----	----	----	----	5 UNCH
4125	----	----	----/44.30A	68.50B/44.30A	----	46.50 - 26.00	.3208	----	----	1	----	4 UNCH
4150	----	----	----/52.80A	79.90B/52.80A	----	55.30 - 28.40	.3649	----	----	----	----	7 UNCH
4150	----	----	131.80B/----	131.80B/94.90A	----	121.50 + 30.80	.6344	----	----	----	----	12 UNCH
4175	----	----	----/62.20A	92.60B/62.20A	----	65.10 - 31.10	.4110	----	----	----	----	504 UNCH
4175	----	----	116.30B/----	116.30B/82.80A	----	106.30 + 28.00	.5883	----	----	----	----	5 UNCH
4200	----	----	----/89.00A	120.30B/89.00A	----	92.10 - 33.80	.4616	----	----	----	----	1 UNCH
4200	91.70	91.70	91.70/73.00	106.50B/73.00	----	76.60 - 34.00	.4586	----	----	4	----	9 UNCH
4200	----	----	102.80B/----	102.80B/71.70A	----	92.90 + 25.20	.5407	----	----	1	----	4 UNCH
4250	----	----	----/98.90A	137.90B/98.90A	----	103.30 - 38.80	.5535	----	----	1	----	20 UNCH
4250	----	----	78.00B/----	78.00B/53.10A	----	69.70 + 20.40	.4458	----	----	----	----	6 UNCH
4275	----	----	----/113.40A	155.30B/113.40A	----	118.50 - 41.40	.5991	----	----	----	----	9 UNCH
4275	59.80	59.80	67.60B/59.80	67.60B/45.50A	----	60.00 + 17.80	.4002	----	----	7	----	7 - 1
4300	----	----	58.40B/----	58.40B/38.80A	----	51.10 + 15.30	.3561	----	----	2	----	14 - 2
4300	----	----	----/129.60A	173.70B/129.60A	----	134.70 - 43.80	.6432	----	----	----	----	3 UNCH
4350	----	----	----/164.60A	213.20B/164.60A	----	170.40 - 47.60	.7224	----	----	----	----	1 UNCH
4350	----	----	42.80B/----	42.80B/27.90A	----	37.00 + 11.60	.2769	----	----	2	----	29 - 2
4375	28.60	28.60	36.20B/28.60	36.20B/23.50A	----	31.20 + 9.30	.2416	----	----	75	----	119 + 75
4400	----	----	30.60B/----	30.60B/20.00A	----	26.40 + 7.80	.2102	----	----	----	----	17 UNCH
4400	37.70	37.70	41.50B/37.70	41.50B/29.40A	----	38.50 + 10.50	.2506	----	----	1	----	1 UNCH
4450	----	----	21.80B/----	21.80B/14.30A	----	18.80 + 5.70	.1571	----	----	----	----	5 UNCH
4475	----	----	18.50B/----	18.50B/12.20A	----	15.90 + 4.70	.1354	----	----	4	----	152 UNCH
4500	----	----	15.50B/----	15.50B/10.50A	----	13.40 + 3.80	.1163	----	----	----	----	15 UNCH
4525	----	----	13.20B/----	13.20B/9.00A	----	11.40 + 3.20	.1002	----	----	----	----	2 UNCH
4550	----	----	11.10B/----	11.10B/7.90A	----	9.70 + 2.60	.0862	----	----	----	----	350 UNCH
4575	----	----	15.10B/----	15.10B/11.80A	----	14.50 NEW	.1078	----	----	2	----	2 + 2
4600	----	----	8.00B/----	8.00B/6.20A	----	7.20 + 1.90	.0648	----	----	2	----	4 + 2
4600	10.70	10.70	13.60B/10.70	13.60B/10.70	----	12.70 NEW	.0955	----	----	5	----	5 + 5
4700	----	----	4.50B/----	4.50B/3.80A	----	4.10 + 0.90	.0372	----	----	----	----	1 UNCH
4800	----	----	2.80B/----	2.80B/2.60A	----	2.60 + 0.60	.0231	----	----	----	----	1 UNCH
4900	----	----	1.80B/----	1.80B/1.90A	----	1.80 + 0.40	.0155	----	----	----	----	1 UNCH
TOTAL										148	100	2091 + 193

GWR THU — GOLD WEEKLY THURSDAY OPTION Week3

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OCT26												
3500	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
3500	----	----	----/0.30A	0.20B/0.30A	----	0.20 - 0.30	.0017	----	----	----	----	40 UNCH
3600	----	----	----	----/0.20A	----	0.10 - 0.10	.0000	----	----	1	----	104 - 1
3700	----	----	----/0.30A	----/0.30A	----	0.10 - 0.30	.0008	----	----	----	----	6 UNCH
3750	----	----	----/0.30A	0.30B/0.30A	----	0.20 - 0.40	.0018	----	----	----	----	14 UNCH
3775	----	----	----/2.80A	4.50B/2.80A	----	2.80 - 2.50	.0257	----	----	1	----	1 UNCH
3800	----	----	----/0.30A	0.50B/0.30A	----	0.30 - 0.50	.0029	----	----	----	----	18 UNCH
3800	----	----	----/1.10A	2.20B/1.10A	----	1.10 - 1.60	.0121	----	----	----	----	6 UNCH
3825	----	----	----/3.80A	6.40B/3.80A	----	3.80 - 3.60	.0356	----	----	1	----	1 UNCH
3825	----	----	----/0.40A	0.70B/0.40A	----	0.30 - 0.70	.0031	----	----	----	----	2 UNCH
3850	----	----	----/4.40A	7.60B/4.40A	----	4.50 NEW	.0423	----	----	2	----	2 + 2
3850	----	----	----/0.40A	0.80B/0.40A	----	0.40 - 0.90	.0043	----	----	----	----	7 UNCH
3875	----	----	----/5.20A	9.10B/5.20A	----	5.30 - 5.10	.0502	----	----	----	----	2 UNCH
3875	----	----	----/0.50A	1.10B/0.50A	----	0.40 - 1.20	.0046	----	----	1	----	5 UNCH
3875	----	----	----/1.90A	4.10B/1.90A	----	1.90 - 2.90	.0223	----	----	----	----	255 UNCH
3890	----	----	----	----	----	267.00 UNCH	----	----	----	----	----	0 UNCH
3900	----	----	----/6.20A	10.90B/6.20A	----	6.40 - 6.00	.0605	----	----	3	----	11 + 3
3900	0.60	0.60	0.60/0.40	1.50B/0.40	----	0.50 - 1.50	.0061	----	----	3	----	30 - 2
3900	----	----	----/2.30A	5.20B/2.30A	----	2.30 - 3.70	.0275	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

PG64 BULLETIN #195@ METALS OPTION PRODUCTS Fri, Oct 09, 2026 PG64

GWR THU GOLD WEEKLY THURSDAY OPTION Week5

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OCT26												
3925	----	----	----/7.30A	13.20B/7.30A	----	7.70 - 7.30	.0726	----	----	----	----	4 UNCH
3925	----	----	----/0.70A	2.00B/0.70A	----	0.60 - 2.00	.0078	----	----	1	----	59 UNCH
3925	----	----	----/2.80A	6.50B/2.80A	----	2.90 - 4.60	.0350	----	----	----	----	6 UNCH
3950	----	----	----/8.80A	16.00B/8.80A	----	9.30 NEW	.0872	----	----	3	----	3 + 3
3950	----	----	----/0.80A	2.70B/0.80A	----	0.80 - 2.70	.0109	----	----	----	----	11 UNCH
3950	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3950	----	----	----/3.40A	8.30B/3.40A	----	3.60 - 5.80	.0441	----	----	----	----	27 UNCH
3960	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3975	----	----	----/10.70A	19.60B/10.70A	----	11.30 - 10.50	.1050	----	----	----	----	7 UNCH
3975	----	----	----/1.00A	3.60B/1.00A	----	1.00 - 3.70	.0145	----	----	1	----	13 UNCH
3975	----	----	255.60B/----	255.60B/187.30A	----	242.20 + 55.60	.9854	----	----	----	----	3 UNCH
3975	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3975	----	----	----/4.30A	10.70B/4.30A	----	4.60 - 7.20	.0565	----	----	----	----	28 UNCH
3980	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3980	----	----	----	3.90B/1.10A	----	1.10 NEW	.0160	----	----	1	----	1 + 1
3990	----	----	----	----	----	167.00 UNCH	----	----	----	----	----	0 UNCH
3990	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3995	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4000	----	----	----/13.20A	23.50B/13.20A	----	13.90 - 12.40	.1270	----	----	4	----	6 + 4
4000	2.20	2.20	2.40/1.40A	5.10B/1.40A	----	1.40 - 5.10	.0212	----	----	43	----	128 - 17
4000	----	----	----	----	----	157.00 UNCH	----	----	----	----	----	0 UNCH
4000	----	----	----/5.50A	13.70B/5.50A	----	5.90 - 9.00	.0725	----	----	2	----	24 - 2
4000	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4005	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4010	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4015	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4025	4.90	4.90	4.90/1.90A	7.30B/1.90A	----	2.00 - 7.00	.0315	----	----	4	----	79 + 3
4025	9.40	9.40	9.40/7.10A	17.50B/7.10A	----	7.60 - 11.30	.0931	----	----	1	----	33 UNCH
4025	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4030	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4030	3.50	3.50	3.50/2.00A	7.80B/2.00A	----	2.10 NEW	.0334	----	----	1	----	1 + 1
4035	----	----	----	----	----	122.00 UNCH	----	----	----	----	----	0 UNCH
4035	3.60	3.60	3.60/2.20A	8.50B/2.20A	----	2.30 NEW	.0367	----	----	1	----	1 + 1
4035	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4040	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4045	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4045	----	----	----	----	----	112.00 UNCH	----	----	----	----	----	0 UNCH
4050	----	----	----/20.00A	34.80B/20.00A	----	21.10 - 17.10	.1838	----	----	----	----	2 UNCH
4050	6.90	6.90	6.90/2.70A	10.50B/2.70A	----	2.90 - 9.50	.0470	----	----	9	----	863 + 6
4050	----	----	----	----	----	107.00 UNCH	----	----	----	----	----	0 UNCH
4050	10.80	10.80	10.80/9.20A	22.40B/9.20A	----	10.00 - 14.00	.1205	----	----	1	----	12 - 1
4050	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4055	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4055	----	----	----	----	----	102.00 UNCH	----	----	----	----	----	0 UNCH
4055	----	----	----	11.30B/2.90A	----	3.20 NEW	.0519	----	----	3	----	3 + 3
4060	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4060	----	----	----	----	----	97.00 UNCH	----	----	----	----	----	0 UNCH
4060	3.30	3.30	3.30/3.30	12.10B/3.10A	----	3.40 NEW	.0556	----	----	3	----	3 + 3
4065	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4070	----	----	----	----	----	87.00 UNCH	----	----	----	----	----	0 UNCH
4070	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4075	32.60	32.60	32.60/24.60A	42.20B/24.60A	----	26.00 NEW	.2193	----	----	1	----	1 + 1
4075	----	----	----/4.00A	14.90B/4.00A	----	4.40 - 12.80	.0721	----	----	3	----	57 UNCH
4075	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4075	----	----	----/12.10A	28.60B/12.10A	----	13.20 - 17.10	.1552	----	----	5	----	6 - 1
4080	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4080	----	----	----	16.00B/4.30A	----	4.80 NEW	.0787	----	----	2	----	1 + 1
4085	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4090	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4090	----	----	----	18.30B/5.10A	----	5.60 NEW	.0921	----	----	2	----	1 + 1
4090	----	----	----	----	----	67.00 UNCH	----	----	----	----	----	0 UNCH
4095	----	----	----	19.70B/5.60A	----	6.10 NEW	.1002	----	----	3	----	3 + 3
4095	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4095	----	----	----	----	----	62.00 UNCH	----	----	----	----	----	0 UNCH
4100	----	----	----/30.20A	50.80B/30.20A	----	31.90 - 22.70	.2593	----	----	----	----	9 UNCH
4100	----	----	139.40B/----	139.40B/81.00A	----	122.90 + 42.40	.8914	----	----	50	----	0 - 50
4100	11.50	11.50	11.50/6.00A	21.00B/6.00A	----	6.60 - 17.00	.1084	----	----	171	----	236 + 161
4100	----	----	----	----	----	57.00 UNCH	----	----	----	----	----	0 UNCH
4100	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4100	24.70	24.70	24.70/16.00A	36.20B/16.00A	----	17.40 - 20.70	.1980	----	----	32	----	13 - 11
4105	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4105	----	----	----	----	----	52.00 UNCH	----	----	----	----	----	0 UNCH
4110	----	----	----	----	----	47.00 UNCH	----	----	----	----	----	0 UNCH
4110	12.00	12.00	12.00/7.00A	24.10B/7.00A	----	7.80 NEW	.1273	----	----	2	----	2 + 2
4110	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4115	----	----	----	----	----	42.00 UNCH	----	----	----	----	----	0 UNCH
4115	11.80	11.80	11.80/7.70A	25.60B/7.70A	----	8.50 NEW	.1381	----	----	5	----	5 + 5
4115	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4120	----	----	----	27.30B/8.30A	----	9.30 NEW	.1499	----	----	1	----	1 + 1
4120	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4120	----	----	----	----	----	37.00 UNCH	----	----	----	----	----	0 UNCH
4125	----	----	----/36.90A	60.70B/36.90A	----	39.00 - 25.60	.3039	----	----	----	----	4 UNCH
4125	----	----	117.60B/----	117.60B/64.30A	----	101.30 + 37.40	.8388	----	----	10	----	20 + 10
4125	13.70	13.70	13.80/8.90A	29.20B/8.90A	----	10.00 - 21.90	.1610	----	----	52	----	80 + 34
4125	----	----	----	----	----	32.00 UNCH	----	----	----	----	----	0 UNCH
4125	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4125	26.00	26.00	26.00/20.90A	45.40B/20.90A	----	22.90 - 24.50	.2495	----	----	3	----	13 + 3
4130	----	----	----	----	----	27.00 UNCH	----	----	----	----	----	0 UNCH
4130	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4135	----	----	----	----	----	22.00 UNCH	----	----	----	----	----	0 UNCH
4135	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4140	----	----	----	----	----	17.00 UNCH	----	----	----	----	----	0 UNCH
4140	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4145	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4145	----	----	----	----	----	12.00 UNCH	----	----	----	----	----	0 UNCH
4145	----	----	----	37.20B/12.30A	----	13.90 NEW	.2167	----	----	1	----	1 + 1
4150	----	----	124.10B/----	124.10B/86.30A	----	113.50 + 30.50	.6472	----	----	----	----	1 UNCH
4150	50.30	50.30	54.20/44.80A	71.90B/44.80A	----	47.40 - 28.60	.3522	----	----	28	----	45 + 6
4150	57.80	57.80	97.40B/49.30A	97.40B/49.30A	----	81.30 + 31.90	.7677	----	----	13	----	39 + 7
4150	17.30	17.30	17.80/13.30A	39.60B/13.30A	----	15.00 - 27.40	.2321	----	----	13	----	164 UNCH
4150	----	----	----/27.30A	56.20B/27.30A	----	29.90 - 28.60	.3092	----	----	----	----	16 UNCH
4150	----	----	111.50B/65.30A	111.50B/65.30A	----	96.10 + 30.60	.6904	----	----	----	----	3 UNCH
4150	----	----	----	----	----	7.00 UNCH	----	----	----	----	----	0 UNCH
4150	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4155	----	----	----	----	----	2.00 UNCH	----	----	----	----	----	0 UNCH
4155	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4160	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4160	72.50	72.50	72.50/72.50	89.70B/44.00A	----	73.80 NEW	.7343	----	----	2	----	1 + 1
4160	----	----	----	----	----	3.00 UNCH	----	----	----	----	----	0 UNCH
4165	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4165	----	----	----	----	----	8.00 UNCH	----	----	----	----	----	0 UNCH
4165	19.60	19.60	19.60/19.60	47.00B/16.80A	----	18.90 NEW	.2833	----	----	3	----	3 + 3
4170	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4170	69.20	69.20	69.20/69.20	82.30B/39.20A	----	66.70 NEW	.6979	----	----	2	----	1 + 1
4170	----	----	----	----	----	13.00 UNCH	----	----	----	----	----	0 UNCH
4175	----	----	----/54.10A	84.60B/54.10A	----	57.10 - 32.00	.4032	----	----	----	----	1 UNCH
4175	20.60	20.60	20.60/19.50A	52.40B/19.50A	----	22.00 - 33.30	.3211	----	----	4	----	9 + 3
4175	38.50	38.50	78.70B/37.10A	78.70B/37.10A	----	63.30 + 26.00	.6787	----	----	7	----	8 + 2
4175	----	----	----	----	----	18.00 UNCH	----	----	----	----	----	0 UNCH
4175	----	----	----/35.30A	69.10B/35.30A	----	38.50 - 32.80	.3753	----	----	----	----	3 UNCH
4175	----	----	94.50B/53.20A	94.50B/53.20A	----	79.80 + 26.50	.6243	----	----	----	----	8 UNCH
4175	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4180	62.00	62.00	62.00/62.00	75.20B/35.10A	----	60.00 NEW	.6589	----	----	2	----	1 + 1
4180	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4180	----	----	----	----	----	23.00 UNCH	----	----	----	----	----	0 UNCH
4185	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4185	----	----	----	----	----	28.00 UNCH	----	----	----	----	----	0 UNCH
4190	----	----	----	----	----	33.00 UNCH	----	----	----	----	----	0 UNCH
4190	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4195	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4200	----	----	----/64.70A	98.60B/64.70A	----	68.30 - 35.20	.4561	----	----	----	----	5 UNCH
4200	----	----	95.50B/----	95.50B/63.50A	----	84.50 + 23.90	.5433	----	----	----	----	7 UNCH
4200	29.70	29.70	62.10B/27.30A	62.10B/27.30A	----	47.80 + 20.20	.5754	----	----	12	----	226 - 3
4200	37.30	37.30	37.30/27.90A	67.20B/27.90A	----	31.50 - 39.00	.4244	----	----	25	----	20 + 12
4200	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4200	64.40	64.40	79.40B/42.70A	79.40B/42.70A	----	65.30 + 22.40	.5535	----	----	76	----	78 + 63
4200	55.10	55.10	55.10/45.00A	83.30B/45.00A	----	49.00 - 36.90	.4461	----	----	8	----	8 + 7

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GWR THU GOLD WEEKLY THURSDAY OPTION Week2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OCT26														
4200	----	----	----	----	----	43.00	UNCH	----	----	----	----	----	0	UNCH
4205	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4205	----	----	----	59.00B/25.60A	----	45.00	NEW	.5537	----	----	1	----	1 +	1
4205	----	----	----	----	----	48.00	UNCH	----	----	----	----	----	0	UNCH
4210	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4210	----	----	----	----	----	53.00	UNCH	----	----	----	----	----	0	UNCH
4215	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4215	----	----	----	----	----	58.00	UNCH	----	----	----	----	----	0	UNCH
4215	----	----	----	53.60B/22.50A	----	39.80	NEW	.5099	----	----	1	----	1 +	1
4220	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4220	----	----	----	50.80B/21.10A	----	37.30	NEW	.4879	----	----	1	----	1 +	1
4220	----	----	----	----	----	63.00	UNCH	----	----	----	----	----	0	UNCH
4220	42.40	42.40	44.30/36.50A	81.10B/36.50A	----	41.00	NEW	.5118	----	----	2	----	0	UNCH
4225	73.90	73.90	82.30B/73.90	82.30B/54.00A	----	72.20	+ 21.00	.4900	----	----	1	----	5	UNCH
4225	31.00	31.00	48.10B/19.70A	48.10B/19.70A	----	35.00	+ 15.00	.4661	----	----	68	----	68 +	38
4225	----	----	----/38.90A	84.80B/38.90A	----	43.70	- 44.20	.5337	----	----	----	----	2	UNCH
4225	----	----	----/56.60A	99.40B/56.60A	----	61.40	- 40.70	.5185	----	----	----	----	1	UNCH
4225	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4225	----	----	----	----	----	68.00	UNCH	----	----	----	----	----	0	UNCH
4230	----	----	----	45.50B/18.50A	----	32.70	NEW	.4442	----	----	6	----	6 +	6
4230	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4230	----	----	----	----	----	73.00	UNCH	----	----	----	----	----	0	UNCH
4235	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4240	----	----	----	----	----	83.00	UNCH	----	----	----	----	----	0	UNCH
4240	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4245	----	----	----	----	----	88.00	UNCH	----	----	----	----	----	0	UNCH
4245	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4250	60.30	60.30	70.80B/60.30	70.80B/45.40A	----	61.30	NEW	.4375	----	----	14	----	14 +	14
4250	----	----	----/52.70A	104.40B/52.70A	----	58.50	- 48.70	.6397	----	----	1	----	5 +	1
4250	24.50	24.50	36.10B/14.10A	36.10B/14.10A	----	24.80	+ 10.50	.3601	----	----	6	----	30	UNCH
4250	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4250	----	----	53.70B/26.80A	53.70B/26.80A	----	42.10	+ 15.00	.4101	----	----	----	----	17	UNCH
4250	----	----	----/70.00A	117.60B/70.00A	----	75.70	- 44.20	.5895	----	----	----	----	62	UNCH
4250	----	----	----	----	----	93.00	UNCH	----	----	----	----	----	0	UNCH
4260	----	----	----	----	----	103.00	UNCH	----	----	----	----	----	0	UNCH
4265	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4270	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4275	----	----	60.30B/----	60.30B/38.10A	----	51.70	+ 15.90	.3868	----	----	----	----	10	UNCH
4275	----	----	----/69.00A	125.60B/69.00A	----	75.90	- 52.20	.7334	----	----	----	----	61	UNCH
4275	19.10	19.10	26.50B/10.10A	26.50B/10.10A	----	17.20	+ 7.00	.2663	----	----	3	----	25 +	1
4275	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4275	----	----	----	----	----	118.00	UNCH	----	----	----	----	----	0	UNCH
4275	----	----	43.50B/21.20A	43.50B/21.20A	----	33.20	+ 11.90	.3432	----	----	----	----	4	UNCH
4280	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4280	----	----	----	----	----	123.00	UNCH	----	----	----	----	----	0	UNCH
4285	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4285	19.60	19.60	19.60/19.60	23.30B/8.80A	----	14.80	NEW	.2337	----	----	1	----	1 +	1
4290	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4290	15.70	15.70	15.70/15.70	21.80B/8.20A	----	13.70	NEW	.2183	----	----	7	----	7 +	7
4295	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4300	41.30	41.30	50.50B/38.00	50.50B/31.80A	----	43.30	+ 13.50	.3387	----	----	35	----	31 +	3
4300	10.20	10.20	19.10B/10.20	19.10B/7.20A	----	11.70	+ 4.50	.1896	----	----	6	----	173 +	4
4300	94.40	94.40	94.40/87.50A	148.00B/87.50A	----	95.40	- 54.80	.8101	----	----	3	----	103 +	3
4300	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4300	----	----	----/102.50A	157.50B/102.50A	----	109.50	- 50.00	.7175	----	----	----	----	2	UNCH
4300	25.60	25.60	34.80B/25.60	34.80B/16.60A	----	25.90	+ 9.30	.2821	----	----	3	----	6	UNCH
4300	----	----	----	----	----	143.00	UNCH	----	----	----	----	----	0	UNCH
4310	----	----	----	16.60B/6.30A	----	10.00	NEW	.1641	----	----	1	----	1 +	1
4320	10.10	10.10	10.10/10.10	14.50B/5.60A	----	8.50	NEW	.1411	----	----	8	----	8 +	8
4325	33.00	33.00	43.40B/33.00	43.40B/26.20A	----	36.20	NEW	.2943	----	----	2	----	2 +	2
4325	----	----	----/107.40A	171.20B/107.40A	----	116.50	- 56.60	.8684	----	----	----	----	17	UNCH
4325	----	----	13.50B/----	13.50B/5.20A	----	7.90	+ 2.70	.1313	----	----	1	----	22 +	1
4325	----	----	27.80B/----	27.80B/13.00A	----	20.10	+ 7.10	.2287	----	----	1	----	5	UNCH
4325	----	----	----	----	----	168.00	UNCH	----	----	----	----	----	0	UNCH
4335	8.10	8.10	8.10/8.10	11.70B/4.60A	----	6.70	NEW	.1123	----	----	8	----	8 +	8
4340	----	----	----	10.90B/4.30A	----	6.20	NEW	.1040	----	----	2	----	1 +	1
4350	5.60	5.60	9.50B/5.60	9.50B/3.90A	----	5.30	+ 1.50	.0890	----	----	3	----	22 +	1
4350	----	----	----/128.20A	191.60B/128.20A	----	138.90	- 57.80	.9107	----	----	----	----	1	UNCH
4350	----	----	----/140.50A	201.40B/140.50A	----	149.10	- 53.90	.8166	----	----	----	----	1	UNCH
4350	16.00	16.00	22.00B/16.00	22.00B/10.20A	----	15.50	+ 5.30	.1830	----	----	5	----	12	UNCH
4350	----	----	----	----	----	193.00	UNCH	----	----	----	----	----	0	UNCH
4375	25.00	25.00	30.40B/25.00	30.40B/18.20A	----	24.90	+ 7.90	.2169	----	----	7	----	4 -	5
4375	----	----	----/150.20A	215.90B/150.20A	----	162.20	- 58.50	.9397	----	----	----	----	16	UNCH
4375	4.50	4.50	6.60B/4.50	6.60B/2.90A	----	3.60	+ 0.80	.0601	----	----	2	----	16 +	1
4375	----	----	----	----	----	218.00	UNCH	----	----	----	----	----	0	UNCH
4375	----	----	----/160.80A	224.40B/160.80A	----	170.50	- 55.30	.8540	----	----	----	----	1	UNCH
4375	12.80	12.80	17.30B/12.80	17.30B/8.10A	----	12.00	+ 4.00	.1456	----	----	10	----	20 +	10
4395	3.40	3.40	3.40/3.40	5.00B/2.30A	----	2.70	NEW	.0443	----	----	1	----	1 +	1
4400	20.80	20.80	25.30B/20.30	25.30B/15.10A	----	20.60	+ 6.40	.1847	----	----	19	----	70 +	10
4400	----	----	----/173.10A	240.50B/173.10A	----	186.10	- 58.90	.9589	----	----	----	----	19	UNCH
4400	3.20	3.20	4.70B/3.20	4.70B/2.20A	----	2.50	+ 0.40	.0409	----	----	2	----	86 +	1
4400	----	----	----	----	----	243.00	UNCH	----	----	----	----	----	0	UNCH
4400	9.70	9.70	13.50B/9.70	13.50B/6.50A	----	9.20	+ 2.80	.1144	----	----	1	----	4 -	1
4410	2.50	2.50	2.50/2.50	3.90B/2.00A	----	2.20	NEW	.0355	----	----	3	----	3 +	3
4425	----	----	21.10B/----	21.10B/12.60A	----	17.00	+ 5.20	.1563	----	----	----	----	3	UNCH
4425	----	----	3.20B/----	3.20B/1.70A	----	1.80	+ 0.10	.0285	----	----	----	----	15	UNCH
4425	----	----	----/196.70A	265.20B/196.70A	----	210.40	- 59.10	.9713	----	----	----	----	9	UNCH
4425	----	----	10.60B/----	10.60B/5.20A	----	7.20	+ 2.10	.0906	----	----	----	----	9	UNCH
4440	----	----	----	----	----	283.00	UNCH	----	----	----	----	----	0	UNCH
4450	----	----	17.40B/----	17.40B/10.60A	----	14.10	+ 4.30	.1323	----	----	3	----	3 +	2
4450	----	----	2.30B/----	2.30B/1.30A	----	1.30	UNCH	.0199	----	----	----	----	48	UNCH
4450	----	----	----/223.90A	290.00B/223.90A	----	234.90	- 59.30	.9799	----	----	----	----	6	UNCH
4450	----	----	8.30B/----	8.30B/4.30A	----	5.60	+ 1.50	.0712	----	----	----	----	4	UNCH
4475	----	----	1.70B/----	1.70B/1.10A	----	1.00	- 0.10	.0146	----	----	----	----	46	UNCH
4475	----	----	----	----	----	318.00	UNCH	----	----	----	----	----	0	UNCH
4475	5.20	5.20	6.60B/5.20	6.60B/3.50A	----	4.40	+ 1.00	.0562	----	----	1	----	13 +	1
4475	----	----	----/249.80A	317.10B/249.80A	----	262.80	- 58.30	.9435	----	----	----	----	1	UNCH
4500	----	----	12.00B/----	12.00B/7.60A	----	9.70	+ 2.80	.0940	----	----	1	----	4 +	1
4500	0.90	0.90	1.20B/0.90	1.20B/0.90	----	0.80	- 0.10	.0112	----	----	3	----	40 -	1
4500	----	----	----/276.00A	341.60B/276.00A	----	286.90	- 58.60	.9550	----	----	----	----	2	UNCH
4500	----	----	5.20B/----	5.20B/2.90A	----	3.50	+ 0.70	.0447	----	----	----	----	17	UNCH
4525	----	----	0.90B/----	0.90B/0.80A	----	0.70	- 0.10	.0092	----	----	----	----	125	UNCH
4525	----	----	4.20B/----	4.20B/2.50A	----	2.80	+ 0.40	.0356	----	----	----	----	18	UNCH
4550	----	----	----	----	----	393.00	UNCH	----	----	----	----	----	0	UNCH
4550	----	----	----	0.70B/0.70A	----	0.60	- 0.10	.0075	----	----	----	----	19	UNCH
4550	----	----	----/321.60A	389.80B/321.60A	----	334.10	- 59.40	.9924	----	----	----	----	0	UNCH
4550	----	----	----/324.20A	391.00B/324.20A	----	335.70	- 59.00	.9708	----	----	2	----	3 +	2
4550	----	----	3.30B/----	3.30B/2.10A	----	2.30	+ 0.30	.0290	----	----	----	----	4	UNCH
4575	----	----	----	0.50B/0.60A	----	0.40	- 0.20	.0049	----	----	----	----	10	UNCH
4575	----	----	2.70B/----	2.70B/1.80A	----	1.90	+ 0.10	.0237	----	----	----	----	4	UNCH
4600	----	----	----	0.40B/0.50A	----	0.40	- 0.10	.0046	----	----	----	----	94	UNCH
4600	----	----	2.20B/----	2.20B/1.60A	----	1.60	+ 0.10	.0196	----	----	3	----	45 -	1
4625	0.40	0.40	0.40/0.40	0.40/0.40	----	0.30	- 0.10	.0033	----	----	5	----	21 -	1
4625	1.40	1.40	1.80B/1.40	1.80B/1.40	----	1.40	UNCH	.0168	----	----	9	----	11 +	6
4650	----	----	----	0.30B/0.40A	----	0.20	- 0.20	.0021	----	----	----	----	35	UNCH
4650	----	----	1.50B/----	1.50B/1.30A	----	1.20	UNCH	.0142	----	----	----	----	11	UNCH
4675	----	----	----	0.20B/0.40A	----	0.20	- 0.10	.0020	----	----	----	----	66	UNCH
4675	----	----	1.30B/----	1.30B/1.10A	----	1.00	- 0.10	.0117	----	----	----	----	7	UNCH
4700	----	----	----	0.20B/0.40A	----	0.20	- 0.10	.0019	----	----	----	----	35	UNCH
4700	----	----	1.10B/----	1.10B/1.00A	----	0.90	- 0.10	.0103	----	----	----	----	70	UNCH
4725	----	----	----	0.20B/0.40A	----	0.20	- 0.10	.0018	----	----	----	----	15	UNCH
4725	----	----	----/496.40A	564.70B/496.40A	----	508.70	- 59.40	.9983	----	----	----	----	0	UNCH
4725	----	----	1.00B/----	1.00B/0.90A	----	0.80	- 0.10	.0089	----	----	----	----	12	UNCH
4750	----	----	----	0.20B/0.40A	----	0.10	- 0.10	.0009	----	----	----	----	7	UNCH
4750	----	----	----	0.80B/0.90A	----	0.80	UNCH	.0086	----	----	----	----	12	UNCH
4775	----	----	----	0.10B/0.40A	----	0.10	- 0.10	.0005	----	----	----	----	14	UNCH
4775	----	----	----	0.80B/0.80A	----	0.70	- 0.10	.0074	----	----	2	----	3	UNCH
4800	----	----	----	----/0.40A	----	0.10	- 0.10	.0003	----	----	----	----	5	UNCH
4800	----	----	----	0.70B/0.80A	----	0.70	UNCH	.0072	----	----	----	----	1	UNCH
4825	----	----	----	----/0.40A	----	0.10	- 0.10	.0002	----	----	----	----	2	UNCH
4825	----	----	----	0.60B/0.70A	----	0.60	UNCH	.0061	----	----	----	----	1	UNCH
4850	----	----	----	----/0.40A	----	0.10	UNCH	.0001	----	----	----	----	4	UNCH
4850	----	----	----/621.20A	689.70B/621.20A	----	633.70	- 59.30	1.0000	----	----	----	----	0	UNCH
4850	----	----	----	0.60B/0.70A	----	0.60	UNCH	.0059	----	----	----	----	62	UNCH
4900	----	----	----	----/0.30A	----	0.10	UNCH	.0000	----	----	----	----	11	UNCH
4900	----	----	----	0.50B/0.60A	----	0.60	+ 0.10	.0055	----	----	----	----	2	UNCH
5000	----	----	----	----/0.30A	----	0.10	UNCH	----	----	----	----	----	50	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

PG64 BULLETIN #195@ METALS OPTION PRODUCTS Fri, Oct 09, 2026 PG64

GWR THU GOLD WEEKLY THURSDAY OPTION Week4
OCT26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
5000 ----	----	----	0.30B/0.50A	----	0.40 UNCH	.0035	----	----	3	----	41 UNCH
5100 ----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	24 UNCH
5200 ----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
5250 ----	----	----	----/0.40A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
5500 ----	----	----	----/1.90A	----	0.10 UNCH	----	----	----	----	----	77 UNCH
5750 ----	----	----	----/1.80A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
TOTAL									895		5070 + 403

GMW MON GOLD WEEKLY MONDAY OPTION WEEK2
OCT26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3000 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
3300 915.60	915.60	929.90B/915.60	929.90B/861.30A	----	916.30 NEW	1.0000	1	----	1	----	0 UNCH
3500 ----	----	----/0.50A	0.30B/0.50A	----	0.30 - 0.30	.0026	----	----	----	----	1 UNCH
3600 0.60	0.60	0.60/0.60	0.70B/0.60	----	0.50 - 0.60	.0046	----	----	1	----	2 + 1
3700 ----	----	----/0.40A	0.40B/0.40A	----	0.30 - 0.40	.0030	----	----	----	----	3 UNCH
3700 ----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
3750 ----	----	----/0.50A	0.70B/0.50A	----	0.40 - 0.70	.0043	----	----	----	----	1 UNCH
3750 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
3775 ----	----	----/0.50A	0.90B/0.50A	----	0.40 - 0.90	.0045	----	----	----	----	1 UNCH
3800 ----	----	----/1.80A	3.10B/1.80A	----	1.70 - 2.10	.0180	----	----	1	----	1 UNCH
3800 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	32 UNCH
3800 ----	----	----/0.60A	1.10B/0.60A	----	0.50 - 1.00	.0058	----	----	----	----	12 UNCH
3825 ----	----	----/0.70A	1.40B/0.70A	----	0.60 - 1.30	.0072	----	----	----	----	1 UNCH
3850 ----	----	----/2.40A	4.60B/2.40A	----	2.40 - 2.90	.0262	----	----	2	----	2 + 1
3860 ----	----	----	----/0.20A	----	0.10 - 0.10	----	----	----	----	----	10 UNCH
3875 ----	----	----/2.80A	5.60B/2.80A	----	2.90 NEW	.0320	----	----	1	----	1 + 1
3875 ----	----	----/0.90A	2.20B/0.90A	----	0.90 - 1.90	.0115	----	----	----	----	2 UNCH
3875 ----	----	----/0.20A	----/0.20A	----	0.10 - 0.20	----	----	----	2	----	2 - 2
3900 ----	----	----/1.10A	2.80B/1.10A	----	1.10 - 2.50	.0145	----	----	----	----	19 UNCH
3900 ----	----	----/0.20A	----/0.20A	----	0.10 - 0.30	----	----	----	----	----	6 UNCH
3925 ----	----	----/0.10A	0.20B/0.10A	----	0.10 - 0.40	----	----	----	----	----	2 UNCH
3925 ----	----	----/1.30A	3.60B/1.30A	----	1.40 - 3.10	.0190	----	----	----	----	1 UNCH
3925 ----	----	----/4.10A	8.50B/4.10A	----	4.20 - 5.50	.0473	----	----	----	----	1 UNCH
3930 ----	----	----/0.10A	0.30B/0.10A	----	0.10 - 0.50	----	----	----	----	----	2 UNCH
3940 0.30	0.30	0.30/0.10A	0.30/0.10A	----	0.10 - 0.50	----	----	----	2	----	12 + 2
3950 ----	----	----/5.00A	10.40B/5.00A	----	5.20 - 6.90	.0588	----	----	1	----	3 + 1
3950 2.50	2.50	2.50/1.50	4.80B/1.50	----	1.70 - 4.10	.0239	----	----	11	----	14 + 8
3950 0.20	0.20	0.20/0.10A	0.40B/0.10A	----	0.10 - 0.60	----	----	----	2	----	12 + 2
3960 ----	----	----/0.10A	0.40B/0.10A	----	0.10 - 0.70	----	----	----	----	----	2 UNCH
3965 0.50	0.50	0.50/0.10A	0.50/0.10A	----	0.10 - 0.70	----	----	----	1	----	2 + 1
3970 ----	----	----/0.10A	0.50B/0.10A	----	0.10 - 0.80	.0000	----	----	----	----	3 UNCH
3975 ----	----	----/6.20A	13.10B/6.20A	----	6.50 - 8.50	.0733	----	----	----	----	1 UNCH
3975 ----	----	----/2.20A	6.40B/2.20A	----	2.20 - 5.40	.0317	----	----	1	----	26 - 1
3975 0.30	0.30	0.30/0.20A	0.50B/0.20A	----	0.10 - 0.80	.0000	----	----	1	----	16 UNCH
3980 ----	----	----/0.10A	0.60B/0.10A	----	0.10 - 0.90	.0000	----	----	----	----	50 UNCH
3985 ----	----	----/0.10A	0.60B/0.10A	----	0.10 - 1.00	.0000	----	----	----	----	3 UNCH
3990 ----	----	----/0.10A	0.70B/0.10A	----	0.10 - 1.10	.0000	----	----	----	----	4 UNCH
3995 ----	----	----/0.20A	0.70B/0.20A	----	0.10 - 1.20	.0000	----	----	----	----	5 UNCH
4000 ----	----	----/7.80A	16.30B/7.80A	----	8.20 - 10.40	.0918	----	----	----	----	2 UNCH
4000 0.20	0.20	0.20/0.20	0.80B/0.20	----	0.10 - 1.30	.0000	----	----	1	----	274 + 1
4000 ----	----	232.80B/----	232.80B/167.40A	----	219.10 + 52.30	.9562	----	----	2	----	1 - 1
4000 202.00	202.00	232.20B/202.00	232.20B/158.80A	----	216.40 + 58.10	1.0000	----	----	3	----	7 + 3
4000 ----	----	----/2.80A	8.70B/2.80A	----	3.00 - 7.00	.0436	----	----	21	----	30 + 5
4005 ----	----	----/0.20A	0.90B/0.20A	----	0.10 - 1.40	.0001	----	----	----	----	4 UNCH
4010 0.50	0.50	0.50/0.20A	0.90B/0.20A	----	0.10 - 1.50	.0001	----	----	2	----	8 + 2
4015 ----	----	----/0.20A	1.00B/0.20A	----	0.10 - 1.70	.0002	----	----	1	----	2 UNCH
4020 ----	----	----/0.20A	1.10B/0.20A	----	0.10 - 1.80	.0002	----	----	----	----	102 UNCH
4025 ----	----	----/3.80A	11.70B/3.80A	----	4.10 - 9.00	.0599	----	----	2	----	11 UNCH
4025 0.30	0.30	0.30/0.20	1.30B/0.20	----	0.10 - 2.00	.0004	----	----	3	----	91 + 1
4030 0.80	0.80	0.80/0.20A	1.40B/0.20A	----	0.10 - 2.20	.0005	----	----	21	----	23 + 21
4035 0.60	0.60	0.60/0.20A	1.50B/0.20A	----	0.10 - 2.40	.0007	----	----	3	----	7 + 2
4040 ----	----	----/0.20A	1.70B/0.20A	----	0.10 - 2.70	.0010	----	----	----	----	2 UNCH
4045 0.10	0.10	0.10/0.10	1.90B/0.10	----	0.10 - 3.00	.0013	----	----	5	----	5 + 5
4050 ----	----	194.70B/----	194.70B/138.00A	----	179.30 + 43.80	.8557	----	----	----	----	4 UNCH
4050 9.40	9.40	9.40/5.20A	15.70B/5.20A	----	5.70 - 11.70	.0828	----	----	74	----	52 + 22
4050 ----	----	----/12.50A	25.50B/12.50A	----	13.30 - 15.40	.1439	----	----	1	----	2 + 1
4050 1.90	1.90	1.90/0.20	2.20B/0.20	----	0.20 - 3.20	.0029	----	----	92	----	207 + 54
4055 0.20	0.20	0.20/0.20	2.40B/0.20	----	0.20 - 3.50	.0030	----	----	1	----	8 + 1
4060 ----	----	----/0.20A	2.60B/0.20A	----	0.20 - 3.90	.0031	----	----	----	----	8 UNCH
4065 ----	----	----/0.20A	2.90B/0.20A	----	0.20 - 4.30	.0032	----	----	----	----	30 UNCH
4070 1.10	1.10	1.10/0.20A	3.30B/0.20A	----	0.20 - 4.80	.0033	----	----	3	----	19 UNCH
4075 ----	----	172.90B/----	172.90B/119.90A	----	158.10 + 40.80	.8205	----	----	----	----	1 UNCH
4075 9.30	9.30	9.30/7.20A	21.00B/7.20A	----	7.90 - 15.00	.1135	----	----	22	----	206 + 21
4075 1.20	1.20	1.20/0.20	3.70B/0.20	----	0.30 - 5.30	.0051	----	----	61	----	73 + 50
4080 0.70	0.70	0.70/0.30	4.20B/0.30	----	0.30 - 5.80	.0053	----	----	20	----	21 + 20
4080 ----	----	152.80B/----	152.80B/83.10A	----	136.50 + 53.40	.9946	----	----	----	----	2 UNCH
4085 1.30	1.30	1.30/0.30	4.90B/0.30	----	0.30 - 6.50	.0055	----	----	6	----	7 + 4
4090 4.30	4.30	4.30/0.40	5.50B/0.40	----	0.30 - 7.30	.0058	----	----	41	----	38 + 19
4095 1.70	1.70	1.70/0.40A	6.20B/0.40A	----	0.40 - 8.00	.0080	----	----	12	----	14 + 4
4100 21.00	21.00	21.00/20.40A	39.90B/20.40A	----	21.90 - 21.70	.2218	----	----	2	----	2 + 1
4100 ----	----	133.20B/66.10A	133.20B/66.10A	----	116.70 + 50.40	.9915	----	----	4	----	28 + 2
4100 ----	----	----/10.10A	27.90B/10.10A	----	11.10 - 18.90	.1553	----	----	----	----	27 UNCH
4100 5.00	5.00	5.00/0.50	7.00B/0.50	----	0.40 - 8.90	.0083	----	----	335	----	335 + 152
4105 1.80	1.80	2.10/0.50A	7.90B/0.50A	----	0.50 - 9.80	.0108	----	----	4	----	3 - 1
4110 ----	----	123.50B/58.10A	123.50B/58.10A	----	106.80 + 48.40	.9864	----	----	----	----	25 UNCH
4110 1.70	1.70	1.70/0.60	8.90B/0.60	----	0.60 - 10.80	.0135	----	----	8	----	8 + 1
4115 ----	----	----/0.70A	10.00B/0.70A	----	0.70 - 11.90	.0163	----	----	1	----	4 + 1
4115 ----	----	118.70B/54.30A	118.70B/54.30A	----	101.90 + 47.30	.9836	----	----	----	----	6 UNCH
4120 ----	----	113.90B/50.60A	113.90B/50.60A	----	97.00 + 46.10	.9805	----	----	1	----	5 UNCH
4120 8.70	8.70	8.70/0.80A	11.20B/0.80A	----	0.80 - 13.10	.0193	----	----	19	----	20 + 13
4125 ----	----	----/14.00A	36.60B/14.00A	----	15.50 - 23.40	.2087	----	----	----	----	44 UNCH
4125 2.80	2.80	2.80/0.90	12.60B/0.90	----	0.90 - 14.50	.0226	----	----	102	----	175 - 5
4125 26.40	26.40	26.40/26.00A	49.30B/26.00A	----	28.00 - 25.40	.2711	----	----	1	----	1 + 1
4125 ----	----	109.10B/47.10A	109.10B/47.10A	----	92.20 + 44.80	.9773	----	----	----	----	104 UNCH
4125 ----	----	123.10B/----	123.10B/71.00A	----	106.70 + 35.80	.7909	----	----	1	----	4 UNCH
4130 78.00	78.00	104.40B/43.60A	104.40B/43.60A	----	87.40 + 43.40	.9714	----	----	3	----	30 - 3
4130 4.00	4.00	4.00/1.00	14.10B/1.00	----	1.10 - 15.90	.0284	----	----	164	----	191 + 134
4135 9.80	9.80	9.80/1.10A	15.70B/1.10A	----	1.30 - 17.40	.0347	----	----	26	----	18 + 2
4135 ----	----	99.70B/40.30A	99.70B/40.30A	----	82.60 + 41.90	.9652	----	----	----	----	14 UNCH
4140 15.80	15.80	15.80/1.20	17.60B/1.20	----	1.50 - 19.10	.0413	----	----	9	----	8 + 5
4140 63.60	63.60	95.00B/37.10A	95.00B/37.10A	----	77.80 + 40.20	.9585	----	----	11	----	49 + 9
4145 5.00	5.00	5.90/1.50A	19.50B/1.50A	----	1.80 - 20.90	.0508	----	----	4	----	5 - 1
4145 ----	----	90.40B/33.70A	90.40B/33.70A	----	73.10 + 38.50	.9490	----	----	----	----	5 UNCH
4150 ----	----	115.40B/----	115.40B/72.90A	----	101.70 + 30.00	.6730	----	----	----	----	9 UNCH
4150 59.50	59.50	85.90B/30.70A	85.90B/30.70A	----	68.50 + 36.70	.9366	----	----	3	----	24 - 2
4150 ----	----	----/19.30A	47.30B/19.30A	----	21.50 - 28.20	.2748	----	----	16	----	36 + 7
4150 ----	----	----/33.10A	60.50B/33.10A	----	35.50 - 29.20	.3265	----	----	----	----	11 UNCH
4150 ----	----	103.50B/56.40A	103.50B/56.40A	----	87.70 + 31.00	.7249	----	----	----	----	9 UNCH
4150 9.80	9.80	10.00/1.80A	21.70B/1.80A	----	2.20 - 22.60	.0632	----	----	50	----	61 + 19
4155 9.60	9.60	9.60/2.00A	24.00B/2.00A	----	2.60 - 24.60	.0763	----	----	18	----	15 + 4
4155 56.90	56.90	81.40B/28.00A	81.40B/28.00A	----	63.90 + 34.70	.9235	----	----	3	----	30 - 2
4160 55.10	55.10	76.90B/25.50A	76.90B/25.50A	----	59.40 + 32.70	.9052	----	----	13	----	18 + 3
4160 12.50	12.50	12.60/2.40A	26.50B/2.40A	----	3.20 - 26.50	.0946	----	----	29	----	18 + 14
4165 50.10	50.10	72.60B/23.20A	72.60B/23.20A	----	55.10 + 30.80	.8861	----	----	14	----	29 + 11
4165 9.60	9.60	9.60/2.80A	29.00B/2.80A	----	3.80 NEW	.1137	----	----	6	----	5 + 5
4170 46.00	46.00	68.30B/21.00A	68.30B/21.00A	----	50.80 + 28.60	.8639	----	----	2	----	11 UNCH
4170 15.20	15.20	15.20/3.30A	31.90B/3.30A	----	4.50 NEW	.1359	----	----	46	----	36 + 36
4175 ----	----	85.80B/44.20A	85.80B/44.20A	----	70.60 + 26.00	.6476	----	----	----	----	7 UNCH
4175 ----	----	----/41.50A	73.10B/41.50A	----	44.70 - 32.80	.3870	----	----	----	----	2 UNCH
4175 15.20	15.20	15.20/3.90A	34.40B/3.90A	----	5.30 - 32.80	.1611	----	----	81	----	100 + 18
4175 31.50	31.50	31.50/26.40A	60.00B/26.40A	----	29.40 - 33.20	.3520	----	----	11	----	17 + 5
4175 45.00	45.00	64.10B/18.90A	64.10B/18.90A	----	46.60 + 26.50	.8387	----	----	17	----	54 + 3
4180 12.90	12.90	13.20/4.50A	37.50B/4.50A	----	6.30 - 34.90	.1910	----	----	55	----	51 + 41
4180 38.60	38.60	60.00B/17.10A	60.00B/17.10A	----	42.60 + 24.40	.8088	----	----	7	----	16 + 5
4185 49.60	49.60	55.90B/15.30A	55.90B/15.30A	----	38.70 + 22.20	.7761	----	----	1	----	3 - 1
4185 21.40	21.40	21.40/5.40A	40.90B/5.40A	----	7.40 NEW	.2237	----	----	30	----	14 + 14
4190 30.70	30.70	52.20B/14.00A	52.20B/14.00A	----	35.00 + 20.10	.7393	----	----	6	----	14 + 1
4190 14.60	14.60	18.00/6.30	44.40B/6.30	----	8.70 - 39.20	.2605	----	----	228	----	160 + 156
4195 30.70	30.70	48.50B/12.30A	48.50B/12.30A	----	31.50 + 18.10	.6990	----	----	2	----	12 + 1
4195 7.90	7.90	7.90/7.60A	48.00B/7.60A	----	10.20 - 41.20	.3008	----	----	5	75	80 + 75
4200 ----	----	----/51.60A	87.50B/51.60A	----	55.50 - 36.40	.4504	----	----	1	----	14 + 1
4200 53.40	53.40	69.70B/34.00A	69.70B/34.00A	----	55.70 + 21.20	.5627	----	----	15	----	28 + 10

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK2										
OCT26												
4200	14.20	14.20	44.90B/11.20A	44.90B/11.20A	----	28.20 + 16.10	.6558	----	----	107	----	234 + 35
4200	17.00	17.00	25.00/8.80A	51.80B/8.80A	----	11.90 - 43.20	.3441	----	----	64	----	80 + 31
4200	52.70	52.70	52.70/35.50A	74.50B/35.50A	----	39.40 - 38.00	.4370	----	----	32	----	36 + 15
4205	25.00	25.00	41.40B/9.90A	41.40B/9.90A	----	25.00 + 14.10	.6102	----	----	11	----	9 UNCH
4205	26.70	26.70	27.50/10.30A	55.70B/10.30A	----	13.80 NEW	.3896	----	----	15	----	4 + 4
4210	32.60	32.60	38.10B/8.60A	38.10B/8.60A	----	22.10 + 12.30	.5632	----	----	33	----	23 + 14
4210	34.80	34.80	34.80/11.90A	59.70B/11.90A	----	15.80 - 47.00	.4366	----	----	33	----	29 + 21
4215	18.60	18.60	18.60/13.90A	63.90B/13.90A	----	18.20 NEW	.4853	----	----	22	----	15 + 15
4215	21.50	21.50	34.90B/7.80A	34.90B/7.80A	----	19.50 + 10.70	.5145	----	----	34	----	18 + 15
4220	21.00	21.00	22.00/15.90A	68.10B/15.90A	----	20.70 NEW	.5341	----	----	34	----	25 + 25
4220	26.10	26.10	32.50B/7.00A	32.50B/7.00A	----	17.00 + 9.10	.4657	----	----	14	----	8 + 7
4225	----	----	70.90B/----	70.90B/40.90A	----	59.40 + 19.50	.4847	----	----	----	----	23 UNCH
4225	8.00	8.00	29.70B/6.20A	29.70B/6.20A	----	14.80 + 7.70	.4175	----	----	134	----	63 - 3
4225	----	----	----/46.80A	91.50B/46.80A	----	51.70 - 42.50	.5252	----	----	3	----	7 UNCH
4225	40.80	40.80	56.00B/25.80A	56.00B/25.80A	----	43.00 + 16.80	.4744	----	----	14	----	413 + 6
4225	19.20	19.20	19.20/18.20A	72.40B/18.20A	----	23.50 - 51.60	.5823	----	----	7	----	23 + 4
4230	14.70	14.70	27.00B/5.70A	27.00B/5.70A	----	12.80 + 6.40	.3707	----	----	31	----	24 + 6
4235	----	----	----/23.40A	81.20B/23.40A	----	29.70 NEW	.6739	----	----	2	----	2 + 2
4235	17.90	17.90	24.50B/5.10A	24.50B/5.10A	----	11.00 + 5.30	.3259	----	----	18	----	9 + 7
4240	35.50	35.50	35.80/26.50A	85.80B/26.50A	----	33.10 - 55.00	.7161	----	----	6	----	4 + 3
4240	7.70	7.70	22.30B/4.40A	22.30B/4.40A	----	9.40 + 4.30	.2837	----	----	61	----	34 + 28
4245	11.00	11.00	20.40/4.10A	20.40/4.10A	----	8.00 + 3.40	.2447	----	----	24	----	29 + 10
4250	----	----	----/77.10A	120.30B/77.10A	----	82.30 - 42.80	.5780	----	----	----	----	5 UNCH
4250	49.10	49.10	59.00B/49.10	59.00B/33.20A	----	48.60 + 16.40	.4215	----	----	4	----	9 + 4
4250	33.30	33.30	44.00B/19.50A	44.00B/19.50A	----	32.60 + 12.80	.3884	----	----	11	----	24 + 10
4250	61.60	61.60	61.60/60.30A	110.30B/60.30A	----	66.20 - 46.50	.6112	----	----	5	----	7 + 4
4250	----	----	----/33.00A	94.90B/33.00A	----	40.50 - 56.60	.7902	----	----	3	----	67 + 3
4250	5.50	5.50	18.20B/3.50A	18.20B/3.50A	----	6.80 + 2.60	.2096	----	----	135	25	108 + 44
4255	5.10	5.10	16.40B/3.20A	16.40B/3.20A	----	5.80 + 2.10	.1788	----	----	15	----	9 + 8
4255	----	----	----/36.60A	99.60B/36.60A	----	44.50 NEW	.8211	----	----	1	----	1 + 1
4260	8.30	8.30	14.60B/3.00A	14.60B/3.00A	----	4.90 + 1.50	.1509	----	----	52	----	34 + 32
4260	----	----	----/40.30A	104.50B/40.30A	----	48.60 NEW	.8489	----	----	1	----	1 + 1
4265	4.50	4.50	13.10B/2.60A	13.10B/2.60A	----	4.20 + 1.20	.1279	----	----	7	----	8 + 6
4265	----	----	----/44.30A	109.30B/44.30A	----	52.90 NEW	.8719	----	----	1	----	1 + 1
4270	----	----	----/48.30A	114.10B/48.30A	----	57.20 NEW	.8938	----	----	2	----	2 + 2
4270	8.70	8.70	11.90B/2.30A	11.90B/2.30A	----	3.50 + 0.80	.1060	----	----	13	----	7 + 6
4275	----	----	----/92.70A	139.20B/92.70A	----	98.10 - 45.60	.6383	----	----	----	----	5 UNCH
4275	----	----	----/76.20A	130.50B/76.20A	----	82.90 - 49.80	.6908	----	----	----	----	11 UNCH
4275	----	----	48.70B/----	48.70B/27.10A	----	39.40 + 13.50	.3612	----	----	----	----	24 UNCH
4275	25.40	25.40	34.10B/14.60A	34.10B/14.60A	----	24.20 + 9.40	.3088	----	----	12	----	27 + 12
4275	7.30	7.30	10.50B/2.20A	10.50B/2.20A	----	3.00 + 0.50	.0893	----	----	10	----	36 + 3
4275	----	----	----/52.50A	118.70B/52.50A	----	61.70 - 58.70	.9106	----	----	2	----	6 UNCH
4280	7.60	7.60	9.40B/1.90A	9.40B/1.90A	----	2.50 + 0.20	.0734	----	----	4	----	5 UNCH
4280	----	----	----/56.90A	123.70B/56.90A	----	66.20 NEW	.9264	----	----	2	----	1 + 1
4285	3.50	3.50	8.40B/1.80A	8.40B/1.80A	----	2.10 + 0.10	.0605	----	----	2	----	4 + 2
4290	84.90	84.90	84.90/65.70A	133.40B/65.70A	----	75.50 NEW	.9493	----	----	2	----	1 + 1
4290	3.00	3.00	7.60B/1.60A	7.60B/1.60A	----	1.80 - 0.10	.0506	----	----	21	----	18 + 12
4295	2.10	2.10	6.80B/1.40A	6.80B/1.40A	----	1.50 - 0.20	.0412	----	----	5	----	5 + 3
4300	----	----	----/93.90A	152.00B/93.90A	----	101.40 NEW	.7599	----	----	1	----	1 + 1
4300	20.00	20.00	26.00B/10.90A	26.00B/10.90A	----	17.80 + 6.70	.2398	----	----	53	----	58 + 26
4300	----	----	----/74.40A	143.20B/74.40A	----	85.00 - 59.50	.9652	----	----	----	----	4 UNCH
4300	2.00	2.00	6.00B/1.20	6.00B/1.20	----	1.30 - 0.30	.0346	----	----	46	----	66 + 9
4305	----	----	5.40B/1.10A	5.40B/1.10A	----	1.10 - 0.30	.0285	----	----	3	----	14 + 3
4310	4.30	4.30	4.80B/0.80	4.80B/0.80	----	0.90 NEW	.0227	----	----	13	----	9 + 9
4315	2.20	2.20	4.30B/0.70	4.30B/0.70	----	0.80 - 0.40	.0194	----	----	5	----	14 + 3
4320	0.90	0.90	3.70B/0.80A	3.70B/0.80A	----	0.70 - 0.40	.0164	----	----	1	----	3 + 1
4325	----	----	32.40B/----	32.40B/17.70A	----	25.40 + 8.80	.2553	----	----	----	----	2 UNCH
4325	----	----	----/127.50A	180.50B/127.50A	----	133.90 - 50.50	.7442	----	----	----	----	3 UNCH
4325	3.20	3.20	3.40B/0.70	3.40B/0.70	----	0.60 - 0.40	.0136	----	----	6	----	21 + 3
4325	----	----	----/113.20A	174.40B/113.20A	----	121.60 - 54.60	.8171	----	----	----	----	1 UNCH
4325	13.40	13.40	19.60B/13.10	19.60B/8.30A	----	13.00 + 4.70	.1825	----	----	18	----	122 + 14
4325	----	----	----/96.70A	167.90B/96.70A	----	109.30 - 59.70	.9863	----	----	----	----	7 UNCH
4330	0.50	0.50	3.10B/0.50	3.10B/0.50	----	0.50 NEW	.0109	----	----	1	----	1 + 1
4335	123.00	123.00	123.00/105.90A	177.70B/105.90A	----	119.10 NEW	.9894	----	----	1	----	1 + 1
4340	0.50	0.50	2.40B/0.50	2.40B/0.50	----	0.40 NEW	.0081	----	----	2	----	2 + 2
4350	----	----	----/120.10A	189.90B/120.10A	----	134.00 - 59.70	.9943	----	----	----	----	53 UNCH
4350	20.70	20.70	26.20B/20.70	26.20B/14.20A	----	20.20 + 6.90	.2111	----	----	75	----	76 + 75
4350	1.00	1.00	2.00B/0.30	2.00B/0.30	----	0.30 - 0.40	.0056	----	----	68	----	67 + 52
4350	----	----	----/133.20A	197.40B/133.20A	----	143.00 - 56.10	.8633	----	----	----	----	12 UNCH
4350	----	----	14.70B/6.20A	14.70B/6.20A	----	9.40 + 3.10	.1364	----	----	2	----	24 UNCH
4355	0.50	0.50	1.80B/0.40A	1.80B/0.40A	----	0.30 - 0.40	.0054	----	----	2	----	2 + 2
4360	----	----	1.60B/0.30A	1.60B/0.30A	----	0.30 - 0.40	.0053	----	----	----	----	4 UNCH
4365	----	----	1.40B/0.30A	1.40B/0.30A	----	0.20 - 0.40	.0033	----	----	----	----	2 UNCH
4370	0.20	0.20	1.30B/0.20	1.30B/0.20	----	0.20 - 0.40	.0032	----	----	1	----	3 + 1
4375	17.80	17.80	21.20B/16.10	21.20B/11.40A	----	16.00 NEW	.1729	----	----	6	----	3 + 3
4375	----	----	10.90B/----	10.90B/4.80A	----	6.80 + 2.00	.1009	----	----	4	----	8 + 2
4375	----	----	1.10B/0.20A	1.10B/0.20A	----	0.20 - 0.40	.0031	----	----	1	----	43 + 1
4375	----	----	----/144.30A	213.90B/144.30A	----	158.90 - 59.60	.9968	----	----	2	----	5 UNCH
4380	0.50	0.50	1.00B/0.20	1.00B/0.20	----	0.20 NEW	.0030	----	----	3	----	3 + 3
4395	----	----	0.70B/0.20A	0.70B/0.20A	----	0.20 - 0.30	.0028	----	----	----	----	4 UNCH
4400	----	----	16.90B/----	16.90B/9.20A	----	12.60 + 4.00	.1403	----	----	----	----	1 UNCH
4400	----	----	0.70B/0.20A	0.70B/0.20A	----	0.10 - 0.40	.0013	----	----	----	----	20 UNCH
4400	----	----	----/171.80A	238.90B/171.80A	----	183.80 - 59.60	.9987	----	----	----	----	12 UNCH
4400	5.40	5.40	8.10B/5.40	8.10B/3.70A	----	5.00 + 1.30	.0749	----	----	6	----	719 + 4
4420	0.30	0.30	0.50B/0.20A	0.50B/0.20A	----	0.10 NEW	.0004	----	----	1	----	1 + 1
4425	----	----	0.40B/0.10A	0.40B/0.10A	----	0.10 - 0.20	.0003	----	----	----	----	10 UNCH
4425	----	----	----/196.50A	264.60B/196.50A	----	208.80 - 59.50	.9998	----	----	----	----	1 UNCH
4425	----	----	6.10B/----	6.10B/3.00A	----	3.70 + 0.80	.0556	----	----	----	----	8 UNCH
4450	----	----	10.70B/----	10.70B/6.00A	----	7.90 + 2.20	.0916	----	----	----	----	5 UNCH
4450	----	----	----/221.00A	289.70B/221.00A	----	233.80 - 59.40	1.0000	----	----	1	----	5 UNCH
4450	0.20	0.20	0.30B/0.10A	0.30B/0.10A	----	0.10 - 0.10	.0000	----	----	4	----	28 - 1
4455	----	----	----/0.10A	0.20B/0.10A	----	0.10 NEW	.0000	----	----	14	----	7 + 7
4470	0.20	0.20	0.20/0.10A	0.20/0.10A	----	0.10 NEW	.0000	----	----	7	----	7 + 7
4475	2.20	2.20	3.50B/2.20	3.50B/1.90A	----	2.20 NEW	.0323	----	----	1	----	1 + 1
4475	----	----	----/0.10A	0.10B/0.10A	----	0.10 - 0.10	.0000	----	----	----	----	7 UNCH
4500	----	----	7.00B/----	7.00B/4.10A	----	5.10 + 1.20	.0603	----	----	3	----	6 UNCH
4500	----	----	----/273.70A	340.70B/273.70A	----	285.20 - 59.10	.9752	----	----	----	----	1 UNCH
4500	----	----	----/0.20A	----/0.20A	----	0.10 UNCH	----	----	----	----	----	113 UNCH
4500	----	----	2.70B/----	2.70B/1.60A	----	1.70 + 0.10	.0246	----	----	----	----	8 UNCH
4525	----	----	2.00B/1.30A	2.00B/1.30A	----	1.40 UNCH	.0197	----	----	----	----	2 UNCH
4525	----	----	5.60B/----	5.60B/3.50A	----	4.20 NEW	.0496	----	----	2	----	2 + 2
4550	----	----	1.50B/1.10A	1.50B/1.10A	----	1.10 - 0.10	.0152	----	----	----	----	2 UNCH
4550	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
4575	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	1	----	20 UNCH
4600	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
4600	----	----	----	0.90B/0.90A	----	0.80 - 0.10	.0104	----	----	----	----	2 UNCH
4625	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
4625	----	----	----	0.80B/0.80A	----	0.70 - 0.10	.0088	----	----	----	----	8 UNCH
4650	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	18 UNCH
4650	----	----	----	0.70B/0.70A	----	0.60 - 0.10	.0074	----	----	----	----	6 UNCH
4675	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
4675	463.50	463.50	464.00/446.00A	513.80B/446.00A	----	458.70 NEW	1.0000	3	----	3	----	0 UNCH
4700	----	----	1.50B/----	1.50B/1.50A	----	1.40 + 0.10	.0155	----	----	----	----	50 UNCH
4700	492.40	492.40	492.40/471.00A	538.80B/471.00A	----	483.70 NEW	1.0000	4	----	4	----	0 UNCH
4700	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
4725	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
4750	----	----	1.20B/----	1.20B/1.20A	----	1.10 UNCH	.0118	----	----	----	----	2 UNCH
4750	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
4775	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
4800	----	----	1.00B/----	1.00B/1.10A	----	1.00 + 0.10	.0102	----	----	3	----	2 + 1
4800	----	----	----	0.30B/0.40A	----	0.20 - 0.20	.0022	----	----	----	----	3 UNCH
4800	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
4850	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
4900	----	----	----	0.70B/0.90A	----	0.70 UNCH	.0067	----	----	4	----	4 + 4
4900	----	----	----	0.20B/0.30A	----	0.10 - 0.10	.0010	----	----	----	----	13 UNCH
4900	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
5000	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5100	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
TOTAL										3155	100	6879 + 1623
NOV26												
3775	----	----	----/3.60A	4.70B/3.60A	----	3.40 - 3.20	.0302	----	----	----	----	6 UNCH
3900	----	----	----/7.80A	12.90B/7.80A	----	8.10 - 6.60	.0715	----	----	----	----	1 UNCH
3950	----	----	----/11.10A	18.60B/11.10A	----	11.60 - 9.40	.1009	----	----	----	----	3 UNCH
4000	----	----	----/16.10A	26.80B/16.10A	----	17.10 - 13.00	.1435	----	----	----	----	3 UNCH
4050	----	----	----/23.70A	38.40B/23.70A	----	25.20 - 17.30	.2008	----	----	1	----	1 UNCH
4100	----	----	----/34.90A	54.70B/34.90A	----	36.70 - 22.50	.2737	----	----	1	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK1										
NOV26												
4200	----	----	----/70.60A	102.50B/70.60A	----	74.10 NEW	.4579	----	----	7	----	7 + 7
4250	----	----	----/95.90A	133.90B/95.90A	----	100.80 NEW	.5558	----	----	7	----	7 + 7
4300	----	----	55.40B/----	55.40B/35.90A	----	48.70 + 14.60	.3512	----	----	----	----	2 UNCH
4325	----	----	47.30B/----	47.30B/30.50A	----	41.20 + 12.60	.3089	----	----	1	----	1 UNCH
4350	----	----	40.20B/----	40.20B/25.80A	----	34.70 + 10.60	.2698	----	----	1	----	2 UNCH
4375	28.70	28.70	34.00B/28.70	34.00B/21.70A	----	29.20 + 8.90	.2344	----	----	1	----	2 + 1
4450	----	----	20.20B/----	20.20B/13.00A	----	17.40 + 5.20	.1503	----	----	----	----	2 UNCH
4550	10.50	10.50	10.50/9.40	10.50/8.20A	----	9.00 NEW	.0819	----	----	2	----	1 + 1
5500	----	----	----	0.30B/0.70A	----	0.70 + 0.10	.0045	----	----	----	----	3 UNCH
TOTAL										21		42 + 16

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FMG OPT		MICRO GOLD WEEKLY FRI OPTION WEEK3										
OCT26												
4000	----	----	----	----	----	2.10 - 6.00	.0309	----	----	----	----	1 UNCH
4110	----	----	----	----	----	0.00 - 5.50	----	----	----	----	----	0 - 1
4120	----	----	----	0.20B/----	----	0.00 - 7.40	----	----	----	----	----	0 - 1
4200	----	----	----	----	----	16.30 + 10.10	----	2	----	----	----	0 - 2
4250	----	----	----	----	----	0.00 - 1.60	----	----	----	----	----	0 - 1
4325	11.00	11.00	11.00/11.00	11.00/11.00	----	10.10 NEW	.1546	----	----	3	----	3 + 3
TOTAL										3		4 - 2

SILVER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week5										
OCT26												
4250	0.010	0.010	0.010/0.010	0.010/0.010	----	0.005 NEW	.0016	----	----	9	----	9 + 9
4750	----	----	----/0.020A	0.011B/0.020A	----	0.009 - 0.013	.0035	----	----	----	----	1 UNCH
5000	----	----	----/0.029A	0.030B/0.029A	----	0.021 - 0.021	.0088	----	----	----	----	34 UNCH
5200	----	----	----/0.045A	0.066B/0.045A	----	0.039 - 0.042	.0174	----	----	----	----	1 UNCH
5500	----	----	----/0.035A	0.082B/0.035A	----	0.032 - 0.068	.0174	----	----	----	----	7 UNCH
5600	----	----	----/0.053A	0.149B/0.053A	----	0.047 - 0.123	.0280	----	----	----	----	1 UNCH
5600	----	----	5.559B/----	5.559B/3.968A	----	5.203 + 1.390	.9215	----	----	----	----	1 UNCH
5650	----	----	----/0.066A	0.199B/0.066A	----	0.059 - 0.166	.0366	----	----	----	----	25 UNCH
5750	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5790	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5800	0.425	0.425	0.425/0.142A	0.482B/0.142A	----	0.142 - 0.383	.0939	----	----	3	----	5 - 1
5800	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5820	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5830	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5840	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5850	----	----	----/0.189A	0.632B/0.189A	----	0.196 - 0.491	.1294	----	----	----	----	4 UNCH
5850	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5860	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5870	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5880	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5890	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5890	----	----	----	----	----	0.524 UNCH	----	----	----	----	----	0 UNCH
5900	----	----	----	----	----	0.424 UNCH	----	----	----	----	----	0 UNCH
5900	----	----	----/0.256A	0.827B/0.256A	----	0.272 - 0.615	.1768	----	----	----	----	26 UNCH
5900	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5910	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5910	----	----	----	----	----	0.324 UNCH	----	----	----	----	----	0 UNCH
5920	----	----	----	----	----	0.224 UNCH	----	----	----	----	----	0 UNCH
5920	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5930	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5930	----	----	----	----	----	0.124 UNCH	----	----	----	----	----	0 UNCH
5940	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5940	----	----	----	----	----	0.024 UNCH	----	----	----	----	----	0 UNCH
5950	----	----	----	----	----	0.076 UNCH	----	----	----	----	----	0 UNCH
5950	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5960	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5970	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5970	----	----	----	----	----	0.276 UNCH	----	----	----	----	----	0 UNCH
5990	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5990	----	----	----	----	----	0.476 UNCH	----	----	----	----	----	0 UNCH
6000	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6000	----	----	----	----	----	0.576 UNCH	----	----	----	----	----	0 UNCH
6000	----	----	----/0.464A	1.327B/0.464A	----	0.517 - 0.892	.3108	----	----	----	----	1 UNCH
6010	----	----	----	----	----	0.676 UNCH	----	----	----	----	----	0 UNCH
6010	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6020	----	----	----	----	----	0.776 UNCH	----	----	----	----	----	0 UNCH
6030	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6030	----	----	----	----	----	0.876 UNCH	----	----	----	----	----	0 UNCH
6040	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6040	----	----	----	----	----	0.976 UNCH	----	----	----	----	----	0 UNCH
6050	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6050	----	----	1.917B/----	1.917B/1.121A	----	1.666 + 0.631	.5762	----	----	----	----	1 UNCH
6050	----	----	----	----	----	1.076 UNCH	----	----	----	----	----	0 UNCH
6100	----	----	----	----	----	1.576 UNCH	----	----	----	----	----	0 UNCH
6100	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6100	----	----	1.227B/----	1.227B/0.579A	----	0.974 + 0.464	.5158	----	----	----	----	1 UNCH
6100	----	----	----/0.814A	1.993B/0.814A	----	0.926 - 1.159	.4841	----	----	----	----	4 UNCH
6150	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6150	----	----	----/1.479A	2.680B/1.479A	----	1.624 - 1.173	.5427	----	----	----	----	1 UNCH
6150	----	----	----	----	----	2.076 UNCH	----	----	----	----	----	0 UNCH
6150	----	----	----/1.051A	2.374B/1.051A	----	1.202 - 1.269	.5733	----	----	----	----	4 UNCH
6160	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6200	----	----	----/1.753A	3.057B/1.753A	----	1.925 - 1.251	.6003	----	----	----	----	1 UNCH
6200	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6200	0.519	0.519	0.751B/0.519	0.751B/0.366A	----	0.571 + 0.261	.3435	----	----	10	----	40 - 10
6200	----	----	----	----	----	2.576 UNCH	----	----	----	----	----	0 UNCH
6220	0.607	0.607	0.607/0.607	0.674B/0.339A	----	0.511 NEW	.3130	----	----	5	----	5 + 5
6250	----	----	0.576B/----	0.576B/0.298A	----	0.432 + 0.188	.2706	----	----	----	----	6 UNCH
6250	----	----	----/2.077A	3.454B/2.077A	----	2.256 - 1.319	.6543	----	----	----	----	6 UNCH
6250	----	----	----	----	----	3.076 UNCH	----	----	----	----	----	0 UNCH
6290	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6300	----	----	0.810B/----	0.810B/0.478A	----	0.665 + 0.245	.2962	----	----	----	----	1 UNCH
6300	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6300	----	----	0.437B/----	0.437B/0.239A	----	0.327 + 0.133	.2100	----	----	----	----	4 UNCH
6300	----	----	----/2.412A	3.867B/2.412A	----	2.615 - 1.377	.7037	----	----	----	----	2 UNCH
6300	----	----	----	----	----	3.576 UNCH	----	----	----	----	----	0 UNCH
6350	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6350	----	----	0.333B/----	0.333B/0.199A	----	0.249 + 0.093	.1617	----	----	----	----	3 UNCH
6350	----	----	----	----	----	4.076 UNCH	----	----	----	----	----	0 UNCH
6350	----	----	----/2.772A	4.297B/2.772A	----	2.998 - 1.425	.7477	----	----	----	----	1 UNCH
6400	----	----	----	----	----	4.576 UNCH	----	----	----	----	----	0 UNCH
6400	----	----	0.255B/----	0.255B/0.164A	----	0.191 + 0.064	.1241	----	----	----	----	5 UNCH
6400	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6500	----	----	----	----	----	5.576 UNCH	----	----	----	----	----	0 UNCH
6500	----	----	0.649B/----	0.649B/0.563A	----	0.588 + 0.162	.2162	----	----	----	----	1 UNCH
6500	----	----	0.379B/----	0.379B/0.254A	----	0.314 + 0.100	.1527	----	----	----	----	1 UNCH
6500	----	----	0.150B/----	0.150B/0.119A	----	0.116 + 0.029	.0737	----	----	----	----	1 UNCH
6550	----	----	----/4.200A	6.043B/4.200A	----	4.542 - 1.604	.9426	----	----	----	----	9 UNCH
6600	----	----	0.089B/----	0.089B/0.081A	----	0.074 + 0.011	.0450	----	----	----	----	3 UNCH
6600	----	----	----	----	----	6.576 UNCH	----	----	----	----	----	0 UNCH
6650	----	----	----/5.157A	7.023B/5.157A	----	5.510 - 1.617	.9639	----	----	----	----	13 UNCH
6700	----	----	----	----	----	7.576 UNCH	----	----	----	----	----	0 UNCH
6700	0.050	0.050	0.058B/0.050	0.058B/0.050	----	0.050 + 0.003	.0287	----	----	2	----	2 - 1
6800	0.035	0.035	0.039B/0.035	0.039B/0.035	----	0.036 - 0.001	.0194	----	----	1	----	1 - 1
7000	0.084	0.084	0.084/0.084	0.084/0.075A	----	0.075 + 0.013	.0350	----	----	2	----	7 + 2
7100	----	----	----	0.012B/0.026A	----	0.018 UNCH	.0079	----	----	----	----	2 UNCH
7200	----	----	0.050B/----	0.050B/0.053A	----	0.051 + 0.008	.0225	----	----	----	----	3 UNCH
7200	----	----	----	0.010B/0.022A	----	0.016 + 0.002	.0066	----	----	----	----	1 UNCH
7250	----	----	----	0.008B/0.020A	----	0.015 + 0.002	.0060	----	----	----	----	8 UNCH
7500	----	----	----	0.003B/0.014A	----	0.009 + 0.002	.0031	----	----	----	----	3 UNCH
8000	----	----	----	----/0.051A	----	0.001 UNCH	.0002	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week3										
OCT26												
8250	----	----	----	----/0.049A	----	0.001 UNCH	.0000	----	----	----	----	1 UNCH
TOTAL										32	0	257 + 3
NOV26												
6400	1.101	1.101	1.115B/1.101	1.115B/1.101	----	1.016 NEW	.3062	----	----	1	----	1 + 1
TOTAL										1	0	1 + 1
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK4										
OCT26												
5400	0.180	0.180	0.180/0.114A	0.180/0.114A	----	0.107 -	0.130 .0476	----	----	4	----	4 UNCH
5500	----	----	----/0.010A	0.013B/0.010A	----	0.001 -	0.020 .0000	----	----	----	----	2 UNCH
5600	0.370	0.370	0.370/0.223A	0.370/0.223A	----	0.224 NEW	.0989	----	----	12	----	6 + 6
5600	----	----	----/0.011A	0.030B/0.011A	----	0.002 -	0.046 .0008	----	----	----	----	2 UNCH
5650	----	----	----/0.116A	0.305B/0.116A	----	0.112 -	0.222 .0647	----	----	----	----	1 UNCH
5650	----	----	----/0.010A	0.048B/0.010A	----	0.003 -	0.064 .0015	----	----	1	----	11 + 1
5650	----	----	5.018B/----	5.018B/3.412A	----	4.657 +	1.402 .9352	----	----	----	----	1 UNCH
5700	0.040	0.040	0.040/0.011A	0.074B/0.011A	----	0.005 -	0.091 .0029	----	----	3	----	12 - 1
5730	----	----	----/0.012A	0.099B/0.012A	----	0.006 -	0.116 .0038	----	----	----	----	3 UNCH
5750	0.305	0.305	0.305/0.183A	0.502B/0.183A	----	0.187 -	0.352 .1075	----	----	1	----	2 + 1
5760	----	----	----/0.014A	0.128B/0.014A	----	0.008 -	0.148 .0056	----	----	----	----	3 UNCH
5800	----	----	----/0.016A	0.184B/0.016A	----	0.012 -	0.208 .0094	----	----	----	----	2 UNCH
5830	0.070	0.070	0.070/0.020A	0.241B/0.020A	----	0.017 -	0.268 .0145	----	----	5	----	15 + 5
5840	----	----	----/0.022A	0.260B/0.022A	----	0.019 -	0.291 .0167	----	----	----	----	2 UNCH
5850	0.035	0.035	0.035/0.024A	0.286B/0.024A	----	0.021 -	0.317 .0190	----	----	4	----	10 + 3
5850	----	----	2.959B/----	2.959B/1.374A	----	2.568 +	1.307 .9809	----	----	----	----	0 UNCH
5870	0.033	0.033	0.033/0.030A	0.340B/0.030A	----	0.026 NEW	.0248	----	----	5	----	5 + 5
5880	0.034	0.034	0.034/0.033A	0.371B/0.033A	----	0.029 NEW	.0285	----	----	5	----	5 + 5
5890	0.034	0.034	0.034/0.034	0.405B/0.034	----	0.033 NEW	.0332	----	----	4	----	4 + 4
5890	----	----	2.572B/----	2.572B/1.098A	----	2.180 +	1.186 .9667	----	----	----	----	1 UNCH
5900	----	----	2.783B/----	2.783B/1.595A	----	2.462 +	0.974 .7760	----	----	----	----	4 UNCH
5900	0.115	0.115	0.115/0.041A	0.444B/0.041A	----	0.037 -	0.473 .0381	----	----	4	----	15 + 2
5900	0.440	0.440	0.440/0.384A	1.004B/0.384A	----	0.416 -	0.648 .2239	----	----	2	----	3 + 2
5930	0.052	0.052	0.052/0.052	0.562B/0.052	----	0.054 -	0.588 .0593	----	----	2	----	4 + 2
5940	0.074	0.074	0.074/0.068A	0.607B/0.068A	----	0.062 -	0.629 .0692	----	----	4	----	5 + 4
5950	0.068	0.068	0.080/0.068	0.655B/0.068	----	0.070 -	0.673 .0795	----	----	2	----	8 + 1
5980	----	----	1.731B/----	1.731B/0.603A	----	1.352 +	0.815 .8776	----	----	----	----	3 UNCH
6000	----	----	1.553B/----	1.553B/0.520A	----	1.183 +	0.720 .8393	----	----	----	----	25 UNCH
6000	0.341	0.341	0.341/0.124A	0.940B/0.124A	----	0.135 -	0.904 .1606	----	----	31	----	41 + 20
6000	----	----	2.024B/----	2.024B/1.103A	----	1.745 +	0.735 .6572	----	----	----	----	12 UNCH
6010	0.146	0.146	0.146/0.140A	1.005B/0.140A	----	0.154 NEW	.1833	----	----	3	----	3 + 3
6040	0.202	0.202	0.202/0.194A	1.213B/0.194A	----	0.227 NEW	.2656	----	----	1	----	1 + 1
6050	0.416	0.416	1.146B/0.416	1.146B/0.367A	----	0.805 +	0.489 .7026	----	----	3	----	2 + 1
6050	0.244	0.244	0.282/0.215A	1.287B/0.215A	----	0.257 -	1.134 .2973	----	----	3	----	7 + 3
6070	0.678	0.678	0.997B/0.678	0.997B/0.319A	----	0.675 NEW	.6337	----	----	1	----	1 + 1
6090	----	----	0.860B/----	0.860B/0.277A	----	0.560 +	0.329 .5595	----	----	----	----	1 UNCH
6100	0.489	0.489	0.797B/0.489	0.797B/0.255A	----	0.508 +	0.294 .5216	----	----	2	----	16 + 1
6100	----	----	----/0.368A	1.688B/0.368A	----	0.460 -	1.330 .4783	----	----	2	----	4 + 2
6150	----	----	----/0.607A	2.124B/0.607A	----	0.755 -	1.468 .6592	----	----	----	----	2 UNCH
6170	0.245	0.245	0.434B/0.245	0.434B/0.165A	----	0.245 NEW	.2792	----	----	3	----	3 + 3
6200	0.226	0.226	0.326B/0.161	0.326B/0.135A	----	0.177 +	0.073 .2021	----	----	7	----	14 + 7
6210	0.205	0.205	0.296B/0.205	0.296B/0.131A	----	0.159 NEW	.1808	----	----	1	----	1 + 1
6220	0.119	0.119	0.268B/0.119	0.268B/0.119	----	0.143 +	0.051 .1615	----	----	10	----	30 + 10
6230	0.078	0.078	0.242B/0.078	0.242B/0.078	----	0.128 +	0.042 .1436	----	----	1	----	5 + 1
6250	0.621	0.621	0.753B/0.621	0.753B/0.405A	----	0.594 +	0.242 .3114	----	----	3	----	4 + 3
6250	----	----	----/2.221A	2.576B/2.221A	----	2.396 -	1.299 .6366	----	----	----	----	6 UNCH
6250	0.150	0.150	0.198B/0.102A	0.198B/0.102A	----	0.104 NEW	.1140	----	----	1	----	1 + 1
6250	1.943	1.943	1.943/1.287A	3.054B/1.287A	----	1.555 NEW	.8859	----	----	2	----	1 + 1
6260	0.108	0.108	0.182B/0.093A	0.182B/0.093A	----	0.094 NEW	.1016	----	----	1	----	1 + 1
6280	----	----	0.148B/----	0.148B/0.077A	----	0.076 +	0.012 .0799	----	----	----	----	1 UNCH
6300	----	----	0.600B/----	0.600B/0.338A	----	0.469 +	0.183 .2556	----	----	----	----	52 UNCH
6300	0.065	0.065	0.123B/0.065	0.123B/0.065	----	0.062 +	0.005 .0630	----	----	2	----	12 + 2
6320	0.058	0.058	0.102B/0.056A	0.102B/0.056A	----	0.051 UNCH	.0499	----	----	5	----	5 + 5
6350	----	----	0.078B/0.040A	0.078B/0.040A	----	0.038 -	0.006 .0350	----	----	----	----	5 UNCH
6400	0.322	0.322	0.377B/0.322	0.377B/0.232A	----	0.295 +	0.102 .1687	----	----	2	----	6 + 2
6410	----	----	0.046B/0.024A	0.046B/0.024A	----	0.022 -	0.011 .0177	----	----	----	----	1 UNCH
6420	0.030	0.030	0.043B/0.022A	0.043B/0.022A	----	0.020 -	0.011 .0157	----	----	6	----	11 + 6
6450	0.026	0.026	0.034B/0.018A	0.034B/0.018A	----	0.016 -	0.011 .0117	----	----	5	----	7 + 5
6450	----	----	0.302B/----	0.302B/0.196A	----	0.236 +	0.075 .1365	----	----	----	----	5 UNCH
6490	----	----	0.024B/0.014A	0.024B/0.014A	----	0.012 -	0.011 .0080	----	----	----	----	17 UNCH
6500	0.019	0.019	0.023B/0.013A	0.023B/0.013A	----	0.011 NEW	.0071	----	----	4	----	4 + 4
6530	----	----	----/0.013A	0.018B/0.013A	----	0.009 -	0.010 .0054	----	----	----	----	1 UNCH
6560	----	----	----/0.013A	0.014B/0.013A	----	0.008 -	0.008 .0045	----	----	----	----	1 UNCH
6610	----	----	----/0.011A	0.010B/0.011A	----	0.006 -	0.006 .0030	----	----	----	----	1 UNCH
6700	----	----	----	0.002B/0.009A	----	0.004 -	0.003 .0017	----	----	----	----	5 UNCH
6750	----	----	0.088B/----	0.088B/0.081A	----	0.078 +	0.013 .0433	----	----	----	----	50 UNCH
7000	----	----	----	----/0.014A	----	0.002 +	0.001 .0005	----	----	----	----	5 UNCH
7000	----	----	0.113B/----	0.113B/0.111A	----	0.107 +	0.022 .0471	----	----	----	----	1 UNCH
TOTAL										157	0	504 + 124
SO CALL		COMEX SILVER OPTIONS										
NOV26												
5000	----	----	11.399B/----	11.399B/9.667A	----	11.069 +	1.589 .9865	----	----	----	----	13 UNCH
5450	----	----	7.040B/----	7.040B/5.355A	----	6.682 +	1.457 .9381	----	----	----	----	1 UNCH
5500	5.974	5.974	6.573B/5.806	6.573B/4.922A	----	6.211 +	1.423 .9258	----	----	2	----	4 UNCH
5575	----	----	5.875B/----	5.875B/4.285A	----	5.518 +	1.361 .9028	----	----	----	----	1 UNCH
5700	----	----	4.754B/----	4.754B/3.314A	----	4.409 +	1.221 .8488	----	----	----	----	1 UNCH
5750	----	----	4.326B/----	4.326B/2.964A	----	3.988 +	1.153 .8203	----	----	----	----	1 UNCH
5775	----	----	4.117B/----	4.117B/2.794A	----	3.783 +	1.115 .8046	----	----	----	----	1 UNCH
5800	----	----	3.912B/----	3.912B/2.631A	----	3.583 +	1.077 .7879	----	----	----	----	9 UNCH
5825	----	----	3.708B/----	3.708B/2.470A	----	3.387 +	1.037 .7701	----	----	----	----	1 UNCH
5850	----	----	3.515B/----	3.515B/2.304A	----	3.196 +	0.995 .7512	----	----	----	----	30 UNCH
5875	2.610	2.610	3.325B/2.599	3.325B/2.149A	----	3.011 +	0.954 .7313	----	----	7	----	5 - 3
5900	2.060	2.060	3.133B/2.060	3.133B/2.010A	----	2.831 +	0.910 .7105	----	----	15	----	11 - 2
5925	2.472	2.472	2.957B/2.472	2.957B/1.876A	----	2.657 +	0.866 .6886	----	----	2	----	7 UNCH
5950	2.142	2.142	2.791B/2.142	2.791B/1.756A	----	2.489 +	0.822 .6659	----	----	10	----	29 - 3
5975	2.100	2.100	2.621B/2.100	2.621B/1.631A	----	2.328 +	0.778 .6424	----	----	4	----	6 - 2
6000	1.745	1.745	2.465B/1.745	2.465B/1.520A	----	2.173 +	0.733 .6183	----	----	27	----	70 - 23
6025	1.702	1.702	2.309B/1.702	2.309B/1.417A	----	2.025 +	0.689 .5936	----	----	51	----	42 - 21
6050	1.585	1.585	2.152B/1.585	2.152B/1.317A	----	1.884 +	0.645 .5685	----	----	26	----	35 - 5
6075	1.474	1.474	2.013B/1.474	2.013B/1.199A	----	1.750 +	0.603 .5431	----	----	28	----	23 + 14
6100	1.453	1.453	1.880/1.398	1.880/1.125A	----	1.623 +	0.561 .5176	----	----	33	----	150 + 12
6125	1.335	1.335	1.746B/1.278	1.746B/1.049A	----	1.504 +	0.522 .4921	----	----	43	----	31 - 24
6150	1.255	1.255	1.622B/1.185	1.622B/0.973A	----	1.391 +	0.483 .4667	----	----	51	----	65 - 15
6175	1.106	1.106	1.510B/1.100	1.510B/0.899A	----	1.286 +	0.446 .4418	----	----	24	----	82 - 11
6200	0.880	0.880	1.401B/0.880	1.401B/0.835A	----	1.187 +	0.411 .4172	----	----	93	26	284 + 15
6225	1.025	1.025	1.297B/1.010	1.297B/0.774A	----	1.095 +	0.378 .3932	----	----	18	----	79 - 5
6250	1.017	1.017	1.201B/0.904	1.201B/0.717A	----	1.009 +	0.346 .3699	----	----	18	----	52 + 11
6275	0.810	0.810	1.109B/0.810	1.109B/0.665A	----	0.930 +	0.317 .3474	----	----	17	----	12 UNCH
6300	0.786	0.786	1.025B/0.765	1.025B/0.617A	----	0.857 +	0.290 .3258	----	----	63	----	130 + 9
6325	0.730	0.730	0.947B/0.728	0.947B/0.571A	----	0.789 +	0.264 .3050	----	----	17	----	65 UNCH
6350	0.540	0.540	0.872B/0.540	0.872B/0.531A	----	0.727 +	0.241 .2853	----	----	19	----	75 - 2
6375	0.719	0.719	0.805B/0.719	0.805B/0.497A	----	0.670 +	0.219 .2666	----	----	5	----	29 UNCH
6400	0.566	0.566	0.744B/0.566	0.744B/0.459A	----	0.617 +	0.199 .2488	----	----	62	----	117 + 7
6425	0.612	0.612	0.685B/0.612	0.685B/0.427A	----	0.569 +	0.181 .2321	----	----	2	----	34 UNCH
6450	0.405	0.405	0.632B/0.405	0.632B/0.398A	----	0.525 +	0.164 .2165	----	----	82	----	100 + 9
6475	0.521	0.521	0.583B/0.521	0.583B/0.371A	----	0.485 +	0.149 .2018	----	----	24	----	66 + 21
6500	0.448	0.448	0.539B/0.430	0.539B/0.349A	----	0.449 +	0.136 .1883	----	----	41	----	749 + 8
6525	----	----	0.497B/----	0.497B/0.326A	----	0.415 +	0.123 .1754	----	----	1	----	57 + 1
6550	0.370	0.370	0.458B/0.370	0.458B/0.305A	----	0.384 +	0.112 .1634	----	----	2	----	48 - 2
6575	----	----	0.423B/----	0.423B/0.285A	----	0.357 +	0.102 .1526	----	----	----	----	98 UNCH
6600	0.314	0.314	0.392B/0.300	0.392B/0.269A	----	0.331 +	0.093 .1422	----	----	91	----	182 - 20
6625	----	----	0.363B/----	0.363B/0.250A	----	0.308 +	0.085 .1328	----	----	5	----	41 + 5
6650	0.322	0.322	0.336B/0.322	0.336B/0.236A	----	0.287 +	0.077 .1241	----	----	11	----	30 - 4
6675	0.297	0.297	0.311B/0.297	0.311B/0.230A	----	0.267 +	0.070 .1158	----	----	14	----	41 - 2
6700	0.245	0.245	0.297/0.245	0.297/0.215A	----	0.249 +	0.064 .1083	----	----	40	----	223 + 25
6725	0.259	0.259	0.270/0.259	0.270/0.206A	----	0.233 +	0.058 .1014	----	----	20	----	62 + 16
6750	0.242	0.242	0.252B/0.242	0.252B/0.194A	----	0.218 +	0.053 .0949	----	----	20	----	68 + 16
6775	0.228	0.228	0.237B/0.228	0.237B/0.179A	----	0.205 +	0.049 .0892	----	----	1	----	47 - 1
6800	0.194	0.194	0.224B/0.193	0.224B/0.171A	----	0.192 +	0.045 .0835	----	----	14	----	353 + 4
6825	----	----	0.210B/----	0.210B/0.161A	----	0.181 +	0.042 .0786	----	----	----	----	12 UNCH
6850	0.187	0.187	0.197B/0.184	0.197B/0.154A	----	0.170 +	0.038 .0738	----	----	3	----	74 UNCH
6875	----	----	0.186B/----	0.186B/0.147A	----	0.161 +	0.036 .0697	----	----	----	----	132 UNCH
6900	----	----	0.173B/----	0.173B/0.139A	----	0.152 +	0.033 .0656	----	----	1	----	104 - 1
6925	----	----	0.162B/----	0.162B/0.133A	----	0.143 +	0.030 .0617	----	----	----	----	8 UNCH
6950	----	----	0.154B/----	0.154B/0.125A	----	0.135 +	0.028 .0581	----	----	----	----	27 UNCH
6975	----	----	0.146B/----	0.146B/0.119A	----	0.128 +	0.026 .0549	----	----	1	----	23 - 1
7000	0.107	0.107	0.145/0.107	0.145/0.107	----	0.122 +	0.025 .0521	----	----	23	----	665 - 16
7025	0.116	0.116	0.131B/0.116	0.131B/0.108A	----	0.116 +	0.023 .0494	----	----	7	----	15 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
NOV26												
7050	0.115	0.115	0.125B/0.104	0.125B/0.103A	----	0.110 +	0.022 .0467	----	----	16	----	39 - 5
7075	0.099	0.099	0.119B/0.099	0.119B/0.097A	----	0.104 +	0.020 .0440	----	----	4	----	32 + 4
7100	0.096	0.096	0.113B/0.096	0.113B/0.093A	----	0.099 +	0.018 .0418	----	----	11	----	367 + 9
7125	0.093	0.093	0.108B/0.093	0.108B/0.090A	----	0.095 +	0.018 .0399	----	----	4	----	28 - 1
7150	0.077	0.077	0.102B/0.077	0.102B/0.077	----	0.090 +	0.016 .0377	----	----	19	----	40 + 15
7175	0.082	0.082	0.098B/0.082	0.098B/0.082	----	0.086 +	0.016 .0358	----	----	5	----	45 - 3
7200	----	----	0.094B/----	0.094B/0.078A	----	0.083 +	0.016 .0344	----	----	2	----	168 + 1
7225	0.070	0.070	0.090B/0.070	0.090B/0.070	----	0.079 +	0.014 .0326	----	----	10	----	47 + 8
7250	----	----	0.087B/----	0.087B/0.071A	----	0.076 +	0.014 .0312	----	----	----	----	48 UNCH
7275	----	----	0.082B/----	0.082B/0.068A	----	0.073 +	0.013 .0298	----	----	----	----	43 UNCH
7300	0.067	0.067	0.080B/0.067	0.080B/0.065A	----	0.070 +	0.013 .0285	----	----	2	----	274 + 2
7325	0.060	0.060	0.076B/0.060	0.076B/0.060	----	0.067 +	0.012 .0271	----	----	1	----	16 UNCH
7350	0.058	0.058	0.073B/0.058	0.073B/0.058	----	0.064 +	0.011 .0258	----	----	1	----	20 + 1
7375	----	----	0.070B/----	0.070B/0.058A	----	0.062 +	0.011 .0249	----	----	----	----	37 UNCH
7400	0.053	0.053	0.068B/0.053	0.068B/0.053	----	0.059 +	0.010 .0236	----	----	5	52	255 + 4
7425	----	----	0.065B/----	0.065B/0.053A	----	0.057 +	0.010 .0227	----	----	----	----	23 UNCH
7450	----	----	0.059B/----	0.059B/0.051A	----	0.055 +	0.010 .0218	----	----	----	----	114 UNCH
7475	----	----	0.061B/----	0.061B/0.052A	----	0.053 +	0.009 .0209	----	----	----	----	43 UNCH
7500	0.045	0.045	0.059B/0.045	0.059B/0.045	----	0.051 +	0.009 .0200	----	----	52	----	1312 - 2
7525	----	----	0.055B/----	0.055B/0.049A	----	0.049 +	0.008 .0191	----	----	----	----	27 UNCH
7550	----	----	0.050B/----	0.050B/0.049A	----	0.048 +	0.009 .0186	----	----	----	----	86 UNCH
7575	----	----	0.052B/----	0.052B/0.047A	----	0.046 +	0.008 .0178	----	----	----	----	13 UNCH
7600	----	----	0.048B/----	0.048B/0.043A	----	0.045 +	0.009 .0172	----	----	3	----	78 UNCH
7625	----	----	0.044B/----	0.044B/0.044A	----	0.043 +	0.008 .0164	----	----	----	----	5 UNCH
7650	----	----	0.046B/----	0.046B/0.043A	----	0.042 +	0.008 .0159	----	----	----	----	11 UNCH
7675	----	----	0.041B/----	0.041B/0.041A	----	0.040 +	0.007 .0152	----	----	----	----	16 UNCH
7700	0.040	0.040	0.040/0.035	0.040/0.035	----	0.039 +	0.007 .0147	----	----	5	----	220 - 1
7725	----	----	0.034B/----	0.034B/0.039A	----	0.038 +	0.007 .0142	----	----	----	----	3 UNCH
7750	----	----	0.040B/----	0.040B/0.037A	----	0.037 +	0.007 .0138	----	----	----	----	15 UNCH
7775	----	----	0.032B/----	0.032B/0.033A	----	0.035 +	0.006 .0130	----	----	----	----	13 UNCH
7800	----	----	0.031B/----	0.031B/0.035A	----	0.034 +	0.006 .0126	----	----	----	----	267 UNCH
7825	----	----	0.029B/----	0.029B/0.034A	----	0.033 +	0.006 .0122	----	----	----	----	2 UNCH
7850	----	----	0.029B/----	0.029B/0.033A	----	0.032 +	0.006 .0117	----	----	----	----	105 UNCH
7875	----	----	0.028B/----	0.028B/0.032A	----	0.031 +	0.006 .0113	----	----	----	----	9 UNCH
7900	----	----	0.026B/----	0.026B/0.029A	----	0.030 +	0.006 .0109	----	----	----	----	53 UNCH
7950	----	----	0.024B/----	0.024B/0.030A	----	0.029 +	0.006 .0104	----	----	----	----	7 UNCH
7975	----	----	0.023B/----	0.023B/0.029A	----	0.028 +	0.006 .0100	----	----	----	----	2 UNCH
8000	0.032	0.032	0.032/0.022	0.032/0.022	----	0.027 +	0.006 .0096	----	----	4	----	1568 - 2
8025	----	----	0.027B/----	0.027B/0.027A	----	0.026 +	0.005 .0092	----	----	----	----	6 UNCH
8050	----	----	0.026B/----	0.026B/0.027A	----	0.025 +	0.005 .0089	----	----	----	----	1 UNCH
8075	----	----	0.025B/----	0.025B/0.023A	----	0.024 +	0.005 .0085	----	----	----	----	2 UNCH
8100	0.026	0.026	0.026/0.025A	0.026/0.025A	----	0.024 +	0.005 .0084	----	----	1	----	20 + 1
8125	----	----	----	0.018B/0.025A	----	0.023 +	0.005 .0080	----	----	----	----	1 UNCH
8150	----	----	0.018B/----	0.018B/0.023A	----	0.022 +	0.005 .0077	----	----	----	----	124 UNCH
8175	----	----	0.023B/----	0.023B/0.023A	----	0.022 +	0.005 .0076	----	----	----	----	3 UNCH
8200	----	----	----	0.016B/0.023A	----	0.021 +	0.005 .0073	----	----	----	----	109 UNCH
8225	----	----	0.022B/----	0.022B/0.022A	----	0.020 +	0.004 .0069	----	----	----	----	4 UNCH
8250	----	----	----	0.015B/0.022A	----	0.020 +	0.005 .0069	----	----	----	----	9 UNCH
8275	----	----	----	0.014B/0.021A	----	0.019 +	0.004 .0065	----	----	----	----	5 UNCH
8300	0.016	0.016	0.016/0.016	0.016/0.016	----	0.018 +	0.004 .0062	----	----	5	----	92 + 5
8325	----	----	----	0.014B/0.020A	----	0.018 +	0.004 .0061	----	----	----	----	3 UNCH
8350	----	----	----	0.013B/0.019A	----	0.017 +	0.004 .0058	----	----	----	----	2 UNCH
8375	----	----	0.017B/----	0.017B/0.019A	----	0.017 +	0.004 .0057	----	----	----	----	11 UNCH
8400	0.017	0.017	0.017/0.016	0.017/0.016	----	0.016 +	0.003 .0054	----	----	2	----	125 UNCH
8425	----	----	----	0.011B/0.018A	----	0.016 +	0.004 .0054	----	----	----	----	5 UNCH
8450	----	----	----	0.011B/0.017A	----	0.015 +	0.003 .0050	----	----	----	----	7 UNCH
8500	0.014	0.014	0.014/0.012	0.014/0.012	----	0.014 +	0.003 .0047	----	----	2	----	531 - 1
8600	----	----	----	0.008B/0.014A	----	0.013 +	0.003 .0043	----	----	----	----	81 UNCH
8625	0.011	0.011	0.012B/0.011	0.012B/0.011	----	0.012 +	0.003 .0039	----	----	1	----	7 + 1
8675	----	----	----	0.008B/0.014A	----	0.012 +	0.003 .0039	----	----	----	----	4 UNCH
8700	----	----	----	0.007B/0.013A	----	0.011 +	0.002 .0036	----	----	----	----	59 UNCH
8725	----	----	----	0.006B/0.014A	----	0.011 +	0.003 .0035	----	----	----	----	1 UNCH
8750	----	----	----	0.006B/0.014A	----	0.011 +	0.003 .0035	----	----	----	----	2 UNCH
8800	----	----	----	0.006B/0.013A	----	0.010 +	0.003 .0032	----	----	----	----	103 UNCH
8850	----	----	----	0.006B/0.016A	----	0.009 +	0.002 .0029	----	----	----	----	14 UNCH
8900	----	----	----	0.005B/0.016A	----	0.009 +	0.002 .0028	----	----	----	----	8 UNCH
8925	----	----	----	0.005B/0.016A	----	0.008 +	0.002 .0025	----	----	----	----	1 UNCH
8950	----	----	----	0.002B/0.020A	----	0.008 +	0.002 .0025	----	----	----	----	3 UNCH
8975	----	----	----	0.002B/0.019A	----	0.008 +	0.002 .0025	----	----	----	----	1 UNCH
9000	----	----	0.010B/----	0.010B/0.019A	----	0.008 +	0.002 .0025	----	----	----	----	247 UNCH
9025	----	----	----	0.001B/0.019A	----	0.007 +	0.001 .0022	----	----	----	----	1 UNCH
9050	----	----	----	0.001B/0.019A	----	0.007 +	0.002 .0022	----	----	----	----	1 UNCH
9100	----	----	----	0.001B/0.018A	----	0.007 +	0.002 .0022	----	----	----	----	5 UNCH
9150	----	----	----	0.001B/0.017A	----	0.006 +	0.001 .0019	----	----	----	----	1 UNCH
9200	----	----	----	----/0.017A	----	0.006 +	0.002 .0018	----	----	----	----	6 UNCH
9225	----	----	----	----/0.017A	----	0.006 +	0.002 .0018	----	----	----	----	10 UNCH
9250	----	----	----	----/0.017A	----	0.006 +	0.002 .0018	----	----	----	----	7 UNCH
9300	----	----	----	0.004B/0.010A	----	0.005 +	0.001 .0015	----	----	----	----	12 UNCH
9325	----	----	----	----/0.016A	----	0.005 +	0.001 .0015	----	----	----	----	1 UNCH
9350	----	----	----	----/0.016A	----	0.005 +	0.001 .0015	----	----	----	----	11 UNCH
9400	----	----	----	----/0.016A	----	0.005 +	0.002 .0015	----	----	----	----	77 UNCH
9450	----	----	----	----/0.016A	----	0.004 +	0.001 .0012	----	----	----	----	5 UNCH
9500	----	----	----	----/0.008A	----	0.004 +	0.001 .0012	----	----	----	----	365 UNCH
9550	----	----	----	----/0.049A	----	0.004 +	0.001 .0012	----	----	----	----	3 UNCH
9575	----	----	----	----/0.048A	----	0.004 +	0.001 .0012	----	----	----	----	24 UNCH
9600	----	----	----	----/0.049A	----	0.004 +	0.001 .0012	----	----	----	----	1 UNCH
9625	----	----	----	----/0.049A	----	0.004 +	0.001 .0012	----	----	----	----	9 UNCH
9700	----	----	----	----/0.048A	----	0.003 +	0.001 .0009	----	----	----	----	1 UNCH
9775	----	----	----	----/0.048A	----	0.003 +	0.001 .0009	----	----	----	----	1 UNCH
9800	----	----	----	----/0.048A	----	0.003 +	0.001 .0008	----	----	----	----	6 UNCH
9850	----	----	----	----/0.048A	----	0.003 +	0.001 .0008	----	----	----	----	1 UNCH
9900	----	----	----	----/0.048A	----	0.003 +	0.001 .0008	----	----	----	----	10 UNCH
9950	----	----	----	----/0.047A	----	0.003 +	0.001 .0008	----	----	----	----	1 UNCH
10000	0.008	0.008	0.008/0.008	0.008/0.008	----	0.003 +	0.001 .0008	----	----	25	----	270 + 12
10100	----	----	----	----/0.047A	----	0.002	UNCH .0005	----	----	----	----	5 UNCH
10200	----	----	----	----/0.046A	----	0.002	UNCH .0005	----	----	----	----	5 UNCH
10300	----	----	----	----/0.046A	----	0.002	UNCH .0005	----	----	----	----	4 UNCH
10400	----	----	----	----/0.046A	----	0.002	UNCH .0005	----	----	----	----	5 UNCH
10450	----	----	----	----/0.046A	----	0.002	UNCH .0005	----	----	----	----	1 UNCH
10500	0.005	0.005	0.006B/0.005	0.006B/0.005	----	0.001	UNCH .0002	----	----	2	----	288 + 2
10550	----	----	----	----/0.046A	----	0.001	UNCH .0002	----	----	----	----	1 UNCH
10950	----	----	----	----/0.045A	----	0.001	UNCH .0001	----	----	----	----	5 UNCH
11000	----	----	0.005B/----	0.005B/0.045A	----	0.001	UNCH .0000	----	----	----	----	297 UNCH
11100	----	----	----	----/0.045A	----	0.001	UNCH .0000	----	----	----	----	2 UNCH
11150	----	----	----	----/0.044A	----	0.001	UNCH .0000	----	----	----	----	1 UNCH
11500	----	----	----	----/0.044A	----	0.001	UNCH .0000	----	----	----	----	1 UNCH
11600	----	----	----	----/0.044A	----	0.001	UNCH .0000	----	----	----	----	1 UNCH
11700	----	----	----	----/0.044A	----	0.001	UNCH .0000	----	----	----	----	27 UNCH
11725	----	----	----	----/0.044A	----	0.001	UNCH .0000	----	----	----	----	2 UNCH
11750	----	----	----	----/0.044A	----	0.001	UNCH .0000	----	----	----	----	2 UNCH
11825	----	----	----	----/0.044A	----	0.001	UNCH .0000	----	----	----	----	2 UNCH
12000	----	----	----	----/0.044A	----	0.001	UNCH .0000	----	----	----	----	74 UNCH
12125	----	----	----	----/0.044A	----	0.001	UNCH .0000	----	----	----	----	20 UNCH
12500	----	----	----	----/0.043A	----	0.001	UNCH ----	----	----	----	----	11 UNCH
13000	----	----	----	----/0.043A	----	0.001	UNCH ----	----	----	----	----	9 UNCH
14000	----	----	----	----/0.043A	----	0.001	UNCH ----	----	----	----	----	7 UNCH
15000	----	----	----	----/0.043A	----	0.001	UNCH ----	----	----	----	----	20 UNCH
16000	----	----	----	----/0.043A	----	0.001	UNCH ----	----	----	----	----	14 UNCH
17000	----	----	----	----/0.043A	----	0.001	UNCH ----	----	----	----	----	14 UNCH
18000	----	----	----	----/0.043A	----	0.001	UNCH ----	----	----	----	----	10 UNCH
19000	----	----	----	----/0.043A	----	0.001	UNCH ----	----	----	----	----	1 UNCH
20000	----	----	----	----/0.042A	----	0.001	UNCH ----	----	----	----	----	35 UNCH
21000	----	----	----	----/0.042A	----	0.001	UNCH ----	----	----	----	----	1 UNCH
25000	----	----	----	----/0.042A	----	0.001	UNCH ----	----	----	----	----	60 UNCH
30000	----	----	----	----/0.002A	----	0.001	UNCH ----	----	----	----	----	15 UNCH
TOTAL										1220	78	13531 + 62
DEC26												
3875	----	----	22.656B/----	22.656B/20.811A	----	22.299 +	1.620 .9931	----	----	----	----	1 UNCH
5000	----	----	11.612B/----	11.612B/9.866A	----	11.245 +	1.500 .9400	----	----	----	----	35 UNCH
5250	----	----	9.291B/----	9.291B/7.662A	----	8.935 +	1.394 .8961	----	----	----	----	50 UNCH
5500	----	----	7.123B/----	7.123B/5.681A	----	6.788 +	1.222 .8230	----	----	----	----	1 UNCH
5550	----	----	6.711B/----	6.711B/5.320A	----	6.387 +	1.180 .8043	----	----	----	----	4 UNCH
5600	----	----	6.321B/----	6.321B/4.980A	----	5.997 +	1.135 .7842	----	----	----	----	1 UNCH
5700	----	----	5.564B/----	5.564B/4.321A	----	5.254 +	1.038 .7398	----	----	1	----	1 - 1
5800	----	----	4.861B/----	4.861B/3.733A	----	4.565 +	0.935 .6906	----	----	1	----	102 - 1
5825	----	----	4.698B/----	4.698B/3.581A	----	4.402 +	0.909 .6777	----	----	----	----	1 UNCH
5900	4.001	4.001	4.213B/4.001	4.213B/3.184A	----	3.937 +	0.830 .6376	----	----	3	----	9 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

SO CALL COMEX SILVER OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
DEC26												
5925	----	----	4.062B/----	4.062B/3.060A	----	3.789 +	0.803 .6239	----	----	----	----	1 UNCH
5950	----	----	3.916B/----	3.916B/2.942A	----	3.646 +	0.778 .6101	----	----	----	----	5 UNCH
5975	3.350	3.350	3.772B/3.350	3.772B/2.827A	----	3.506 +	0.751 .5961	----	----	6	----	16 + 5
6000	3.070	3.070	3.637B/3.070	3.637B/2.717A	----	3.371 +	0.725 .5821	----	----	18	----	87 - 4
6025	----	----	3.493B/----	3.493B/2.612A	----	3.240 +	0.700 .5680	----	----	1	----	2 - 1
6050	2.888	2.888	3.368B/2.888	3.368B/2.507A	----	3.112 +	0.674 .5539	----	----	9	----	5 UNCH
6075	2.867	2.867	3.240B/2.867	3.240B/2.407A	----	2.989 +	0.650 .5398	----	----	2	----	8 UNCH
6100	2.759	2.759	3.117B/2.759	3.117B/2.308A	----	2.870 +	0.625 .5257	----	----	6	----	44 + 5
6125	2.651	2.651	2.994B/2.651	2.994B/2.219A	----	2.755 +	0.602 .5116	----	----	6	----	21 + 3
6150	2.542	2.542	2.877B/2.542	2.877B/2.130A	----	2.643 +	0.578 .4976	----	----	2	----	48 - 1
6175	----	----	2.765B/----	2.765B/2.044A	----	2.536 +	0.555 .4838	----	----	----	----	10 UNCH
6200	2.510	2.510	2.657B/2.470	2.657B/1.960A	----	2.433 +	0.533 .4701	----	----	13	----	30 + 1
6225	----	----	2.553B/----	2.553B/1.885A	----	2.333 +	0.511 .4565	----	----	----	----	13 UNCH
6250	----	----	2.450B/----	2.450B/1.809A	----	2.237 +	0.490 .4430	----	----	----	----	12 UNCH
6275	----	----	2.351B/----	2.351B/1.738A	----	2.145 +	0.469 .4298	----	----	----	----	4 UNCH
6300	1.955	1.955	2.258B/1.950	2.258B/1.666A	----	2.056 +	0.449 .4167	----	----	7	----	167 - 3
6325	----	----	2.165B/----	2.165B/1.596A	----	1.971 +	0.430 .4039	----	----	----	----	10 UNCH
6350	----	----	2.078B/----	2.078B/1.531A	----	1.889 +	0.411 .3913	----	----	----	----	85 UNCH
6375	----	----	1.993B/----	1.993B/1.470A	----	1.811 +	0.393 .3790	----	----	----	----	11 UNCH
6400	1.600	1.600	1.912B/1.600	1.912B/1.411A	----	1.736 +	0.376 .3669	----	----	38	----	245 - 13
6425	----	----	1.833B/----	1.833B/1.355A	----	1.664 +	0.359 .3551	----	----	----	----	13 UNCH
6450	----	----	1.759B/----	1.759B/1.301A	----	1.595 +	0.343 .3436	----	----	----	----	67 UNCH
6475	----	----	1.688B/----	1.688B/1.251A	----	1.529 +	0.328 .3323	----	----	----	----	8 UNCH
6500	1.249	1.249	1.620B/1.249	1.620B/1.202A	----	1.466 +	0.313 .3214	----	----	6	----	1149 + 2
6525	----	----	1.555B/----	1.555B/1.155A	----	1.406 +	0.299 .3107	----	----	5	----	10 + 5
6550	----	----	1.491B/----	1.491B/1.110A	----	1.348 +	0.285 .3003	----	----	----	----	6 UNCH
6575	----	----	1.430B/----	1.430B/1.067A	----	1.293 +	0.272 .2903	----	----	----	----	3 UNCH
6600	1.293	1.293	1.372B/1.286	1.372B/1.024A	----	1.241 +	0.260 .2806	----	----	27	----	99 + 16
6625	----	----	1.317B/----	1.317B/0.985A	----	1.190 +	0.247 .2710	----	----	----	----	39 UNCH
6650	----	----	1.263B/----	1.263B/0.947A	----	1.143 +	0.237 .2619	----	----	----	----	32 UNCH
6675	----	----	1.212B/----	1.212B/0.911A	----	1.097 +	0.226 .2530	----	----	----	----	5 UNCH
6700	----	----	1.164B/----	1.164B/0.877A	----	1.053 +	0.215 .2444	----	----	----	42	247 + 42
6725	1.050	1.050	1.118B/1.049	1.118B/0.844A	----	1.012 +	0.206 .2361	----	----	2	----	13 UNCH
6750	----	----	1.073B/----	1.073B/0.813A	----	0.972 +	0.196 .2281	----	----	----	----	38 UNCH
6775	----	----	1.031B/----	1.031B/0.784A	----	0.935 +	0.188 .2204	----	----	----	----	55 UNCH
6800	0.851	0.851	0.990B/0.851	0.990B/0.757A	----	0.899 +	0.180 .2129	----	----	5	----	531 - 4
6825	----	----	0.952B/----	0.952B/0.728A	----	0.864 +	0.171 .2057	----	----	----	----	29 UNCH
6850	----	----	0.914B/----	0.914B/0.702A	----	0.832 +	0.164 .1988	----	----	1	----	9 + 1
6875	----	----	0.879B/----	0.879B/0.680A	----	0.801 +	0.157 .1922	----	----	----	----	5 UNCH
6900	----	----	0.846B/----	0.846B/0.658A	----	0.771 +	0.150 .1857	----	----	----	----	241 UNCH
6925	----	----	0.814B/----	0.814B/0.631A	----	0.743 +	0.144 .1796	----	----	----	----	25 UNCH
6950	----	----	0.784B/----	0.784B/0.612A	----	0.716 +	0.138 .1736	----	----	----	----	232 UNCH
6975	----	----	0.753B/----	0.753B/0.591A	----	0.690 +	0.132 .1678	----	----	----	----	3 UNCH
7000	0.590	0.590	0.727B/0.590	0.727B/0.571A	----	0.666 +	0.127 .1624	----	----	29	----	1086 - 4
7025	----	----	0.699B/----	0.699B/0.551A	----	0.642 +	0.121 .1570	----	----	----	----	4 UNCH
7050	----	----	0.674B/----	0.674B/0.532A	----	0.620 +	0.116 .1520	----	----	----	----	42 UNCH
7075	----	----	0.649B/----	0.649B/0.515A	----	0.599 +	0.112 .1471	----	----	----	----	6 UNCH
7100	----	----	0.626B/----	0.626B/0.499A	----	0.579 +	0.108 .1425	----	----	----	----	118 UNCH
7125	----	----	0.604B/----	0.604B/0.483A	----	0.559 +	0.103 .1379	----	----	5	----	12 + 4
7150	----	----	0.582B/----	0.582B/0.469A	----	0.541 +	0.100 .1336	----	----	----	----	9 UNCH
7175	----	----	0.561B/----	0.561B/0.455A	----	0.523 +	0.096 .1294	----	----	----	----	1 UNCH
7200	0.495	0.495	0.543B/0.495	0.543B/0.441A	----	0.506 +	0.092 .1254	----	----	42	32	284 - 4
7225	----	----	0.525B/----	0.525B/0.426A	----	0.490 +	0.089 .1215	----	----	----	----	9 UNCH
7250	0.460	0.460	0.508B/0.460	0.508B/0.413A	----	0.475 +	0.086 .1179	----	----	1	----	25 - 1
7275	0.461	0.461	0.491B/0.461	0.491B/0.401A	----	0.460 +	0.083 .1143	----	----	4	----	17 + 4
7300	0.430	0.430	0.477B/0.430	0.477B/0.390A	----	0.446 +	0.080 .1109	----	----	4	----	104 + 1
7325	----	----	0.462B/----	0.462B/0.380A	----	0.433 +	0.078 .1077	----	----	----	----	2 UNCH
7350	----	----	0.449B/----	0.449B/0.374A	----	0.420 +	0.075 .1045	----	----	----	----	9 UNCH
7375	----	----	0.435B/----	0.435B/0.362A	----	0.407 +	0.072 .1013	----	----	----	----	13 UNCH
7400	----	----	0.423B/----	0.423B/0.352A	----	0.396 +	0.070 .0986	----	----	----	----	67 UNCH
7425	----	----	0.411B/----	0.411B/0.342A	----	0.384 +	0.067 .0956	----	----	----	----	11 UNCH
7450	----	----	0.398B/----	0.398B/0.338A	----	0.374 +	0.066 .0931	----	----	----	----	2 UNCH
7475	----	----	0.387B/----	0.387B/0.330A	----	0.363 +	0.064 .0904	----	----	----	----	1 UNCH
7500	0.354	0.354	0.374B/0.354	0.374B/0.316A	----	0.353 +	0.062 .0879	----	----	16	----	1404 + 7
7525	----	----	0.363B/----	0.363B/0.313A	----	0.344 +	0.061 .0855	----	----	----	----	23 UNCH
7550	----	----	0.357B/----	0.357B/0.306A	----	0.334 +	0.058 .0831	----	----	----	----	56 UNCH
7575	----	----	0.345B/----	0.345B/0.292A	----	0.326 +	0.057 .0810	----	----	----	----	7 UNCH
7600	----	----	0.331B/----	0.331B/0.284A	----	0.317 +	0.055 .0788	----	----	----	----	265 UNCH
7625	----	----	0.322B/----	0.322B/0.277A	----	0.309 +	0.054 .0767	----	----	----	----	5 UNCH
7650	----	----	0.314B/----	0.314B/0.271A	----	0.301 +	0.053 .0747	----	----	----	----	3 UNCH
7675	----	----	0.306B/----	0.306B/0.263A	----	0.294 +	0.052 .0728	----	----	----	----	1 UNCH
7700	----	----	0.299B/----	0.299B/0.256A	----	0.287 +	0.051 .0710	----	----	----	----	277 UNCH
7725	----	----	0.293B/----	0.293B/0.252A	----	0.280 +	0.050 .0692	----	----	----	----	2 UNCH
7750	----	----	0.288B/----	0.288B/0.246A	----	0.273 +	0.048 .0675	----	----	----	----	8 UNCH
7775	----	----	0.279B/----	0.279B/0.240A	----	0.266 +	0.046 .0657	----	----	----	----	10 UNCH
7800	----	----	0.273B/----	0.273B/0.235A	----	0.260 +	0.046 .0641	----	----	----	----	247 UNCH
7825	----	----	0.266B/----	0.266B/0.230A	----	0.254 +	0.045 .0626	----	----	----	----	6 UNCH
7850	----	----	0.263B/----	0.263B/0.225A	----	0.249 +	0.044 .0612	----	----	----	----	9 UNCH
7875	----	----	0.253B/----	0.253B/0.220A	----	0.243 +	0.043 .0597	----	----	----	----	9 UNCH
7900	----	----	0.247B/----	0.247B/0.215A	----	0.238 +	0.043 .0584	----	----	4	----	40 - 4
7925	----	----	0.243B/----	0.243B/0.211A	----	0.232 +	0.041 .0569	----	----	----	----	6 UNCH
7950	----	----	0.236B/----	0.236B/0.206A	----	0.227 +	0.040 .0556	----	----	----	----	60 UNCH
7975	----	----	0.231B/----	0.231B/0.202A	----	0.223 +	0.040 .0545	----	----	----	----	1 UNCH
8000	0.203	0.203	0.226B/0.203	0.226B/0.198A	----	0.218 +	0.039 .0532	----	----	9	----	1177 - 6
8025	----	----	0.221B/----	0.221B/0.194A	----	0.213 +	0.038 .0519	----	----	----	----	11 UNCH
8050	----	----	0.218B/----	0.218B/0.190A	----	0.209 +	0.038 .0508	----	----	----	----	22 UNCH
8075	----	----	0.212B/----	0.212B/0.186A	----	0.205 +	0.037 .0498	----	----	----	----	46 UNCH
8100	----	----	0.208B/----	0.208B/0.182A	----	0.201 +	0.037 .0487	----	----	----	----	62 UNCH
8125	----	----	0.204B/----	0.204B/0.179A	----	0.197 +	0.036 .0477	----	----	----	----	19 UNCH
8150	----	----	0.200B/----	0.200B/0.175A	----	0.193 +	0.035 .0466	----	----	----	----	11 UNCH
8175	----	----	0.196B/----	0.196B/0.171A	----	0.189 +	0.035 .0456	----	----	----	----	1 UNCH
8200	----	----	0.192B/----	0.192B/0.168A	----	0.186 +	0.035 .0448	----	----	----	----	608 UNCH
8225	0.181	0.181	0.188B/0.181	0.188B/0.164A	----	0.182 +	0.034 .0438	----	----	6	----	26 + 6
8250	----	----	0.184B/----	0.184B/0.161A	----	0.179 +	0.034 .0429	----	----	----	----	2 UNCH
8275	0.171	0.171	0.188/0.171	0.188/0.158A	----	0.175 +	0.032 .0420	----	----	12	----	14 + 9
8300	0.156	0.156	0.179B/0.156	0.179B/0.155A	----	0.172 +	0.032 .0412	----	----	27	----	44 - 12
8325	0.178	0.178	0.178/0.178	0.178/0.152A	----	0.169 +	0.032 .0404	----	----	1	----	8 + 1
8375	----	----	0.168B/----	0.168B/0.146A	----	0.163 +	0.031 .0388	----	----	----	----	7 UNCH
8400	----	----	0.165B/----	0.165B/0.143A	----	0.160 +	0.030 .0380	----	----	----	----	58 UNCH
8425	----	----	0.162B/----	0.162B/0.141A	----	0.157 +	0.030 .0372	----	----	----	----	9 UNCH
8450	----	----	0.159B/----	0.159B/0.138A	----	0.154 +	0.029 .0365	----	----	----	----	5 UNCH
8475	----	----	0.156B/----	0.156B/0.135A	----	0.152 +	0.029 .0359	----	----	----	----	5 UNCH
8500	----	----	0.153B/----	0.153B/0.133A	----	0.149 +	0.028 .0352	----	----	33	----	1877 + 15
8525	----	----	0.150B/----	0.150B/0.131A	----	0.146 +	0.028 .0344	----	----	----	----	1 UNCH
8550	----	----	0.148B/----	0.148B/0.128A	----	0.144 +	0.028 .0339	----	----	----	----	29 UNCH
8575	0.139	0.139	0.145B/0.139	0.145B/0.126A	----	0.141 +	0.027 .0331	----	----	1	----	3 UNCH
8600	0.135	0.135	0.145/0.135	0.145/0.124A	----	0.139 +	0.027 .0326	----	----	132	----	226 - 18
8625	----	----	0.140B/----	0.140B/0.121A	----	0.137 +	0.027 .0321	----	----	----	----	2 UNCH
8675	----	----	0.135B/----	0.135B/0.117A	----	0.132 +	0.025 .0308	----	----	----	----	4 UNCH
8700	----	----	0.133B/----	0.133B/0.115A	----	0.130 +	0.025 .0303	----	----	----	----	30 UNCH
8725	----	----	0.131B/----	0.131B/0.113A	----	0.128 +	0.025 .0298	----	----	----	----	5 UNCH
8750	----	----	0.128B/----	0.128B/0.111A	----	0.126 +	0.025 .0292	----	----	----	----	1 UNCH
8775	----	----	0.126B/----	0.126B/0.109A	----	0.124 +	0.024 .0287	----	----	----	----	51 UNCH
8800	----	----	0.124B/----	0.124B/0.107A	----	0.122 +	0.024 .0282	----	----	----	----	327 UNCH
8850	----	----	0.120B/----	0.120B/0.104A	----	0.118 +	0.023 .0272	----	----	----	----	2 UNCH
8900	----	----	0.116B/----	0.116B/0.101A	----	0.114 +	0.022 .0262	----	----	17	----	89 + 10
8925	----	----	0.114B/----	0.114B/0.099A	----	0.112 +	0.022 .0257	----	----	----	----	10 UNCH
8950	----	----	0.112B/----	0.112B/0.097A	----	0.110 +	0.021 .0253	----	----	----	----	12 UNCH
8975	----	----	0.111B/----	0.111B/0.096A	----	0.109 +	0.022 .0249	----	----	----	----	15 UNCH
9000	----	----	0.109B/----	0.109B/0.094A	----	0.107 +	0.021 .0245	----	----	----	----	1981 UNCH
9025	----	----	0.107B/----	0.107B/0.093A	----	0.105 +	0.020 .0240	----	----	----	----	6 UNCH
9050	----	----	0.105B/----	0.105B/0.091A	----	0.104 +	0.021 .0237	----	----	----	----	235 UNCH
9075	----	----	0.104B/----	0.104B/0.090A	----	0.102 +	0.020 .0232	----	----	----	----	7 UNCH
9100	----	----	0.102B/----	0.102B/0.089A	----	0.101 +	0.020 .0229	----	----	----	----	22 UNCH
9125	----	----	0.100B/----	0.100B/0.087A	----	0.099 +	0.020 .0225	----	----	----	----	1 UNCH
9150	----	----	0.099B/----	0.099B/0.086A	----	0.097 +	0.019 .0220	----	----	----	----	8 UNCH
9200	----	----	0.095B/----	0.095B/0.083A	----	0.095 +	0.019 .0215	----	----	----	----	5 UNCH
9225	----	----	0.094B/----	0.094B/0.082A	----	0.093 +	0.018 .0210	----	----	----	----	16 UNCH
9250	----	----	0.092B/----	0.092B/0.081A	----	0.092 +	0.018 .0207	----	----	----	----	20 UNCH
9275	----	----	0.091B/----	0.091B/0.079A	----	0.090 +	0.017 .0203	----	----	----	----	25 UNCH
9300	----	----	0.089B/----	0.089B/0.078A	----	0.089 +	0.017 .0200	----	----	----	----	185 UNCH
9350	----	----	0.086B/----	0.086B/0.077A	----	0.087 +	0.018 .0195	----	----	----	----	6 UNCH
9375	----	----	0.085B/----	0.085B/0.075A	----	0.085 +	0.017 .0190	----	----	----	----	5 UNCH
9400	----	----	0.084B/----	0.084B/0.074A	----	0.084 +	0.016 .0188	----	----	----	----	63 UNCH
9425	----	----	0.082B/----	0.082B/0.073A	----	0.083 +	0.016 .0185	----	----	----	----	10 UNCH
9450	----	----	0.081B/----	0.081B/0.072A	----	0.082 +	0.016 .0183	----	----	----	----	10 UNCH
9475	----	----	0.080B/----	0.080B/0.072A	----	0.081 +	0.016 .0180	----	----	----	----	1 UNCH
9500	0.068	0.068	0.079B/0.068	0.079B/0.068	----	0.080 +	0.016 .0178	----	----	6	----	1269 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

SO CALL COMEX SILVER OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
DEC26												
9525	----	----	0.077B/----	0.077B/0.070A	----	0.078 +	0.015 .0173	----	----	----	----	60 UNCH
9550	----	----	0.076B/----	0.076B/0.069A	----	0.077 +	0.015 .0171	----	----	----	----	8 UNCH
9600	----	----	0.074B/----	0.074B/0.067A	----	0.075 +	0.015 .0166	----	----	----	----	53 UNCH
9625	----	----	0.073B/----	0.073B/0.066A	----	0.074 +	0.014 .0163	----	----	----	----	18 UNCH
9700	----	----	0.069B/----	0.069B/0.063A	----	0.071 +	0.014 .0156	----	----	----	----	54 UNCH
9750	----	----	0.068B/----	0.068B/0.062A	----	0.069 +	0.013 .0151	----	----	----	----	10 UNCH
9800	----	----	0.065B/----	0.065B/0.060A	----	0.068 +	0.014 .0148	----	----	----	----	57 UNCH
9825	----	----	0.064B/----	0.064B/0.059A	----	0.067 +	0.014 .0146	----	----	----	----	18 UNCH
9875	----	----	0.062B/----	0.062B/0.058A	----	0.065 +	0.013 .0141	----	----	----	----	1 UNCH
9900	----	----	0.061B/----	0.061B/0.057A	----	0.064 +	0.013 .0139	----	----	----	----	58 UNCH
9950	----	----	0.059B/----	0.059B/0.056A	----	0.063 +	0.013 .0136	----	----	----	----	2 UNCH
10000	----	----	0.058B/----	0.058B/0.054A	----	0.061 +	0.012 .0132	----	----	----	----	1919 UNCH
10025	----	----	0.057B/----	0.057B/0.053A	----	0.060 +	0.012 .0130	----	----	----	----	3 UNCH
10050	----	----	0.056B/----	0.056B/0.053A	----	0.060 +	0.012 .0129	----	----	----	----	11 UNCH
10100	----	----	0.055B/----	0.055B/0.051A	----	0.058 +	0.011 .0125	----	----	----	----	12 UNCH
10125	----	----	0.054B/----	0.054B/0.051A	----	0.057 +	0.011 .0123	----	----	----	----	2 UNCH
10150	----	----	0.053B/----	0.053B/0.050A	----	0.057 +	0.012 .0122	----	----	----	----	1 UNCH
10175	----	----	0.053B/----	0.053B/0.050A	----	0.056 +	0.011 .0120	----	----	----	----	4 UNCH
10200	----	----	0.052B/----	0.052B/0.049A	----	0.055 +	0.011 .0118	----	----	----	----	14 UNCH
10250	----	----	0.050B/----	0.050B/0.048A	----	0.054 +	0.011 .0115	----	----	----	----	2 UNCH
10300	----	----	0.049B/----	0.049B/0.047A	----	0.053 +	0.011 .0113	----	----	----	----	12 UNCH
10350	----	----	0.048B/----	0.048B/0.045A	----	0.051 +	0.010 .0108	----	----	----	----	2 UNCH
10475	----	----	0.044B/----	0.044B/0.043A	----	0.048 +	0.009 .0102	----	----	----	----	2 UNCH
10500	----	----	0.044B/----	0.044B/0.042A	----	0.048 +	0.009 .0101	----	----	----	----	259 UNCH
10550	----	----	0.042B/----	0.042B/0.041A	----	0.047 +	0.009 .0099	----	----	----	----	3 UNCH
10600	----	----	0.041B/----	0.041B/0.040A	----	0.046 +	0.009 .0096	----	----	----	----	6 UNCH
10700	----	----	0.039B/----	0.039B/0.038A	----	0.043 +	0.008 .0090	----	----	----	----	86 UNCH
10800	----	----	0.037B/----	0.037B/0.037A	----	0.041 +	0.007 .0086	----	----	----	----	93 UNCH
10975	----	----	0.033B/----	0.033B/0.034A	----	0.038 +	0.007 .0079	----	----	----	----	5 UNCH
11000	0.036	0.036	0.036/0.036	0.036/0.033A	----	0.038 +	0.007 .0078	----	----	1	----	298 - 1
11075	----	----	----	0.030B/0.032A	----	0.036 +	0.006 .0074	----	----	----	----	1 UNCH
11150	----	----	0.030B/----	0.030B/0.031A	----	0.035 +	0.006 .0072	----	----	----	----	1 UNCH
11200	----	----	----	0.028B/0.030A	----	0.034 +	0.005 .0070	----	----	----	----	9 UNCH
11225	----	----	----	0.028B/0.030A	----	0.034 +	0.005 .0070	----	----	----	----	2 UNCH
11250	----	----	----	0.027B/0.030A	----	0.033 +	0.005 .0068	----	----	----	----	2 UNCH
11275	----	----	----	0.028B/0.029A	----	0.033 +	0.005 .0068	----	----	----	----	1 UNCH
11300	----	----	----	0.026B/0.029A	----	0.032 +	0.004 .0066	----	----	----	----	5 UNCH
11350	----	----	----	0.025B/0.029A	----	0.032 +	0.005 .0065	----	----	----	----	5 UNCH
11375	----	----	----	0.025B/0.028A	----	0.031 +	0.004 .0063	----	----	----	----	1 UNCH
11400	----	----	----	0.025B/0.028A	----	0.031 +	0.004 .0063	----	----	----	----	11 UNCH
11475	----	----	----	0.024B/0.027A	----	0.030 +	0.004 .0061	----	----	----	----	1 UNCH
11500	----	----	----	0.023B/0.027A	----	0.029 +	0.003 .0059	----	----	----	----	14 UNCH
11550	----	----	----	0.023B/0.026A	----	0.029 +	0.004 .0059	----	----	----	----	1 UNCH
11600	----	----	----	0.022B/0.026A	----	0.028 +	0.003 .0057	----	----	----	----	1 UNCH
11625	----	----	----	0.022B/0.025A	----	0.028 +	0.003 .0057	----	----	----	----	2 UNCH
11675	----	----	----	0.021B/0.025A	----	0.027 +	0.003 .0055	----	----	----	----	4 UNCH
11700	----	----	----	0.021B/0.025A	----	0.027 +	0.003 .0055	----	----	----	----	1 UNCH
11775	----	----	----	0.020B/0.024A	----	0.026 +	0.003 .0052	----	----	----	----	3 UNCH
11800	----	----	----	0.020B/0.024A	----	0.025 +	0.002 .0051	----	----	----	----	30 UNCH
11850	----	----	----	0.018B/0.023A	----	0.025 +	0.002 .0050	----	----	----	----	2 UNCH
12000	----	----	----	0.017B/0.022A	----	0.023 +	0.001 .0046	----	----	----	----	551 UNCH
12075	----	----	----	0.017B/0.021A	----	0.022 +	0.001 .0044	----	----	----	----	1 UNCH
12100	----	----	----	0.016B/0.021A	----	0.021	UNCH .0042	----	----	----	----	13 UNCH
12125	0.019	0.019	0.020B/0.019	0.020B/0.019	----	0.021	UNCH .0042	----	----	2	----	2 + 2
12150	----	----	----	0.016B/0.021A	----	0.021	UNCH .0042	----	----	----	----	4 UNCH
12175	----	----	----/0.020A	0.016B/0.020A	----	0.020 -	0.001 .0040	----	----	----	----	10 UNCH
12200	----	----	----/0.020A	0.015B/0.020A	----	0.020 -	0.001 .0040	----	----	----	----	25 UNCH
12225	----	----	----	0.015B/0.020A	----	0.020	UNCH .0040	----	----	----	----	3 UNCH
12250	----	----	----	0.015B/0.020A	----	0.020	UNCH .0040	----	----	----	----	26 UNCH
12275	----	----	----	0.015B/0.020A	----	0.019 -	0.001 .0038	----	----	----	----	1 UNCH
12300	----	----	----	0.014B/0.020A	----	0.019 -	0.001 .0038	----	----	----	----	30 UNCH
12400	----	----	----/0.019A	0.013B/0.019A	----	0.018 -	0.002 .0036	----	----	----	----	25 UNCH
12500	----	----	----	0.018B/0.019A	----	0.017 -	0.002 .0034	----	----	----	----	113 UNCH
12525	0.018	0.018	0.018/0.018	0.018/0.018	----	0.017	NEW .0034	----	----	6	----	6 + 6
12550	----	----	----	0.017B/0.019A	----	0.016 -	0.003 .0032	----	----	----	----	19 UNCH
12600	0.018	0.018	0.018/0.018	0.018/0.018	----	0.016 -	0.003 .0032	----	----	6	----	31 + 6
12700	----	----	----	0.010B/0.018A	----	0.015 -	0.003 .0030	----	----	----	----	25 UNCH
12775	----	----	----	0.009B/0.018A	----	0.015 -	0.003 .0030	----	----	----	----	1 UNCH
12800	----	----	----	0.009B/0.018A	----	0.015 -	0.003 .0030	----	----	----	----	7 UNCH
12900	----	----	----	0.009B/0.018A	----	0.015 -	0.003 .0030	----	----	----	----	3 UNCH
13000	----	----	----	0.008B/0.018A	----	0.015 -	0.003 .0029	----	----	----	----	370 UNCH
13500	----	----	----	0.001B/0.058A	----	0.014 -	0.003 .0027	----	----	----	----	24 UNCH
14000	----	----	----	0.001B/0.055A	----	0.014 -	0.002 .0026	----	----	----	----	118 UNCH
14200	----	----	----	0.001B/0.055A	----	0.013 -	0.003 .0024	----	----	----	----	2 UNCH
15000	----	----	----	----/0.052A	----	0.010 -	0.003 .0018	----	----	----	----	1773 UNCH
16000	----	----	----	----/0.050A	----	0.008 -	0.001 .0014	----	----	----	----	1615 UNCH
17000	0.008	0.008	0.010/0.008	0.010/0.008	----	0.005 -	0.002 .0009	----	----	100	----	164 + 77
18000	0.005	0.005	0.006/0.005	0.006/0.005	----	0.003 -	0.001 .0005	----	----	27	----	175 - 27
19000	----	----	----	----/0.046A	----	0.002 -	0.001 .0003	----	----	----	----	6 UNCH
20000	----	----	0.004B/----	0.004B/0.046A	----	0.001 -	0.001 .0001	----	----	----	----	544 UNCH
21000	----	----	----	----/0.045A	----	0.001	UNCH .0001	----	----	----	----	7 UNCH
22000	----	----	----	----/0.045A	----	0.001	UNCH .0000	----	----	----	----	7 UNCH
23000	----	----	----	----/0.045A	----	0.001	UNCH .0000	----	----	----	----	37 UNCH
24000	----	----	----	----/0.044A	----	0.001	UNCH .0000	----	----	----	----	2 UNCH
25000	----	----	----	----/0.005A	----	0.001	UNCH .0000	----	----	----	----	239 UNCH
26000	----	----	----	----/0.044A	----	0.001	UNCH .0000	----	----	----	----	3 UNCH
30000	----	----	----	----/0.044A	----	0.001	UNCH ----	----	----	----	----	111 UNCH
32000	----	----	----	----/0.044A	----	0.001	UNCH ----	----	----	----	----	12 UNCH
35000	----	----	----	----/0.044A	----	0.001	UNCH ----	----	----	----	----	1 UNCH
40000	----	----	----	----/0.044A	----	0.001	UNCH ----	----	----	----	----	25 UNCH
90000	----	----	----	----/0.044A	----	0.001	UNCH ----	----	----	----	----	2 UNCH
100000	----	----	----	----/0.002A	----	0.001	UNCH ----	----	----	----	----	10 UNCH
TOTAL										650	74	26156 + 122
JAN27												
4000	----	----	22.168B/----	22.168B/20.335A	----	21.824 +	1.641 .9836	----	----	----	----	3 UNCH
4500	----	----	17.261B/----	17.261B/15.450A	----	16.917 +	1.594 .9630	----	----	----	----	2 UNCH
5700	----	----	6.804B/----	6.804B/5.568A	----	6.505 +	1.056 .7276	----	----	----	----	1 UNCH
5900	----	----	5.511B/----	5.511B/4.430A	----	5.230 +	0.892 .6486	----	----	----	----	2 UNCH
6000	4.110	4.110	4.931B/4.110	4.931B/3.945A	----	4.667 +	0.811 .6068	----	----	3	----	15 + 1
6025	----	----	4.792B/----	4.792B/3.828A	----	4.534 +	0.790 .5962	----	----	----	----	1 UNCH
6075	----	----	4.528B/----	4.528B/3.610A	----	4.277 +	0.750 .5750	----	----	1	----	1 - 1
6100	----	----	4.402B/----	4.402B/3.509A	----	4.153 +	0.730 .5644	----	----	----	----	3 UNCH
6175	----	----	4.048B/----	4.048B/3.211A	----	3.800 +	0.672 .5326	----	----	----	----	7 UNCH
6200	3.755	3.755	3.933B/3.755	3.933B/3.117A	----	3.689 +	0.653 .5221	----	----	2	----	29 + 1
6225	----	----	3.820B/----	3.820B/3.026A	----	3.580 +	0.634 .5116	----	----	1	----	51 + 1
6250	----	----	3.710B/----	3.710B/2.938A	----	3.475 +	0.617 .5013	----	----	----	----	34 UNCH
6275	----	----	3.601B/----	3.601B/2.852A	----	3.372 +	0.598 .4910	----	----	1	----	1 - 1
6300	----	----	3.497B/----	3.497B/2.765A	----	3.273 +	0.581 .4808	----	----	----	----	32 UNCH
6325	----	----	3.397B/----	3.397B/2.685A	----	3.176 +	0.564 .4707	----	----	----	----	13 UNCH
6350	----	----	3.299B/----	3.299B/2.606A	----	3.082 +	0.547 .4607	----	----	----	----	4 UNCH
6375	----	----	3.203B/----	3.203B/2.531A	----	2.990 +	0.530 .4507	----	----	----	----	9 UNCH
6400	----	----	3.110B/----	3.110B/2.457A	----	2.902 +	0.514 .4410	----	----	----	----	100 UNCH
6425	----	----	3.020B/----	3.020B/2.385A	----	2.816 +	0.498 .4313	----	----	----	----	1 UNCH
6450	----	----	2.932B/----	2.932B/2.318A	----	2.732 +	0.482 .4218	----	----	----	----	11 UNCH
6475	----	----	2.847B/----	2.847B/2.251A	----	2.652 +	0.468 .4125	----	----	----	----	1 UNCH
6500	----	----	2.764B/----	2.764B/2.184A	----	2.573 +	0.453 .4032	----	----	----	----	104 UNCH
6525	2.439	2.439	2.684B/2.439	2.684B/2.121A	----	2.497 +	0.439 .3941	----	----	5	----	7 + 5
6575	----	----	2.531B/----	2.531B/2.002A	----	2.353 +	0.412 .3764	----	----	----	----	1 UNCH
6600	----	----	2.458B/----	2.458B/1.945A	----	2.284 +	0.399 .3678	----	----	55	----	203 - 27
6625	----	----	2.387B/----	2.387B/1.890A	----	2.217 +	0.386 .3593	----	----	6	----	21 + 6
6650	----	----	2.318B/----	2.318B/1.836A	----	2.153 +	0.374 .3510	----	----	----	----	1 UNCH
6700	----	----	2.188B/----	2.188B/1.735A	----	2.030 +	0.351 .3349	----	----	6	----	31 + 6
6725	----	----	2.124B/----	2.124B/1.687A	----	1.971 +	0.339 .3270	----	----	----	----	26 UNCH
6750	----	----	2.064B/----	2.064B/1.640A	----	1.915 +	0.329 .3194	----	----	5	----	9 + 5
6775	----	----	2.005B/----	2.005B/1.595A	----	1.860 +	0.318 .3119	----	----	----	----	1 UNCH
6800	1.835	1.835	1.949B/1.814	1.949B/1.552A	----	1.807 +	0.307 .3045	----	----	5	----	206 + 3
6825	----	----	1.894B/----	1.894B/1.509A	----	1.756 +	0.298 .2974	----	----	5	----	9 + 5
6850	----	----	1.841B/----	1.841B/1.468A	----	1.707 +	0.289 .2904	----	----	----	----	2 UNCH
6875	----	----	1.790B/----	1.790B/1.428A	----	1.659 +	0.279 .2836	----	----	----	----	11 UNCH
6900	----	----	1.740B/----	1.740B/1.390A	----	1.613 +	0.271 .2769	----	----	----	----	15 UNCH
6925	----	----	1.692B/----	1.692B/1.354A	----	1.569 +	0.263 .2704	----	----	----	----	2 UNCH
6950	1.500	1.500	1.645B/1.500	1.645B/1.317A	----	1.526 +	0.255 .2641	----	----	1	----	11 + 1
7000	1.483	1.483	1.557B/1.483	1.557B/1.250A	----	1.444 +	0.239 .2518	----	----	1	----	188 + 1
7050	----	----	1.474B/----	1.474B/1.186A	----	1.368 +	0.225 .2402	----	----	----	----	1 UNCH
7075	----	----	1.434B/----	1.434B/1.156A	----	1.331 +	0.218 .2346	----	----	----	----	5 UNCH
7100	----	----	1.396B/----	1.396B/1.128A	----	1.296 +	0.211 .2291	----	----	----	----	38 UNCH
7150	----	----	1.321B/----	1.321B/1.071A	----	1.229 +	0.199 .2186	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

COMEX SILVER OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL												
JAN27												
7200	1.159	1.159	1.255B/1.159	1.255B/1.024A	----	1.167 +	0.187 .2087	----	----	1	----	141 UNCH
7250	----	----	1.190B/----	1.190B/0.972A	----	1.109 +	0.177 .1993	----	----	----	----	94 UNCH
7300	----	----	1.131B/----	1.131B/0.924A	----	1.054 +	0.167 .1904	----	----	----	----	32 UNCH
7350	----	----	1.073B/----	1.073B/0.881A	----	1.003 +	0.158 .1819	----	----	----	----	3 UNCH
7375	----	----	1.047B/----	1.047B/0.863A	----	0.979 +	0.153 .1779	----	----	----	----	2 UNCH
7400	----	----	1.022B/----	1.022B/0.843A	----	0.955 +	0.149 .1739	----	----	----	----	3 UNCH
7425	----	----	0.996B/----	0.996B/0.825A	----	0.933 +	0.145 .1701	----	----	----	----	1 UNCH
7450	----	----	0.972B/----	0.972B/0.803A	----	0.911 +	0.142 .1664	----	----	----	----	10 UNCH
7475	----	----	0.948B/----	0.948B/0.788A	----	0.889 +	0.137 .1627	----	----	----	----	37 UNCH
7500	0.841	0.841	0.925B/0.841	0.925B/0.772A	----	0.869 +	0.134 .1592	----	----	13	----	86 - 7
7525	----	----	0.903B/----	0.903B/0.755A	----	0.849 +	0.131 .1558	----	----	----	----	1 UNCH
7550	----	----	0.882B/----	0.882B/0.737A	----	0.829 +	0.127 .1523	----	----	----	----	4 UNCH
7575	----	----	0.861B/----	0.861B/0.721A	----	0.811 +	0.124 .1492	----	----	----	----	8 UNCH
7600	----	----	0.841B/----	0.841B/0.707A	----	0.793 +	0.121 .1460	----	----	----	----	1 UNCH
7650	----	----	0.803B/----	0.803B/0.677A	----	0.758 +	0.115 .1399	----	----	----	----	6 UNCH
7675	----	----	0.785B/----	0.785B/0.662A	----	0.741 +	0.111 .1369	----	----	----	----	4 UNCH
7700	----	----	0.768B/----	0.768B/0.649A	----	0.726 +	0.109 .1342	----	----	----	----	83 UNCH
7725	----	----	0.750B/----	0.750B/0.635A	----	0.710 +	0.106 .1314	----	----	----	----	1 UNCH
7800	----	----	0.702B/----	0.702B/0.597A	----	0.666 +	0.099 .1235	----	----	----	----	63 UNCH
7900	----	----	0.644B/----	0.644B/0.554A	----	0.614 +	0.090 .1141	----	----	----	----	22 UNCH
7925	----	----	0.631B/----	0.631B/0.542A	----	0.602 +	0.088 .1118	----	----	----	----	5 UNCH
7950	----	----	0.618B/----	0.618B/0.533A	----	0.590 +	0.086 .1097	----	----	----	----	1 UNCH
7975	----	----	0.605B/----	0.605B/0.523A	----	0.579 +	0.085 .1076	----	----	----	----	7 UNCH
8000	0.505	0.505	0.593B/0.505	0.593B/0.505	----	0.568 +	0.083 .1056	----	----	9	----	154 UNCH
8075	----	----	0.558B/----	0.558B/0.493A	----	0.536 +	0.077 .0997	----	----	----	----	6 UNCH
8100	----	----	0.548B/----	0.548B/0.485A	----	0.527 +	0.077 .0980	----	----	----	----	2 UNCH
8200	----	----	0.508B/----	0.508B/0.454A	----	0.490 +	0.071 .0910	----	----	----	----	11 UNCH
8300	----	----	0.473B/----	0.473B/0.425A	----	0.457 +	0.065 .0848	----	----	----	----	53 UNCH
8325	----	----	0.465B/----	0.465B/0.422A	----	0.449 +	0.064 .0833	----	----	----	----	1 UNCH
8350	----	----	0.457B/----	0.457B/0.415A	----	0.441 +	0.062 .0818	----	----	----	----	2 UNCH
8400	----	----	0.438B/----	0.438B/0.400A	----	0.427 +	0.060 .0791	----	----	----	----	1 UNCH
8500	----	----	0.409B/----	0.409B/0.370A	----	0.400 +	0.056 .0740	----	----	----	----	26 UNCH
8550	----	----	0.396B/----	0.396B/0.359A	----	0.388 +	0.055 .0717	----	----	----	----	13 UNCH
8600	----	----	0.383B/----	0.383B/0.349A	----	0.376 +	0.053 .0694	----	----	----	----	1 UNCH
8700	----	----	0.364B/----	0.364B/0.330A	----	0.354 +	0.049 .0651	----	----	----	----	2 UNCH
8750	----	----	0.352B/----	0.352B/0.320A	----	0.343 +	0.047 .0631	----	----	----	----	2 UNCH
8800	----	----	0.341B/----	0.341B/0.312A	----	0.333 +	0.045 .0612	----	----	----	----	5 UNCH
8825	----	----	0.336B/----	0.336B/0.308A	----	0.329 +	0.045 .0603	----	----	----	----	1 UNCH
8975	----	----	0.309B/----	0.309B/0.284A	----	0.302 +	0.041 .0552	----	----	----	----	1 UNCH
9000	----	----	0.306B/----	0.306B/0.281A	----	0.298 +	0.040 .0544	----	----	----	----	325 UNCH
9025	----	----	0.301B/----	0.301B/0.277A	----	0.294 +	0.039 .0536	----	----	----	----	1 UNCH
9100	0.280	0.280	0.288B/0.280	0.288B/0.267A	----	0.282 +	0.037 .0513	----	----	2	----	4 + 1
9125	----	----	0.285B/----	0.285B/0.264A	----	0.279 +	0.037 .0507	----	----	----	----	3 UNCH
9200	----	----	0.274B/----	0.274B/0.255A	----	0.268 +	0.035 .0486	----	----	----	----	4 UNCH
9300	----	----	0.260B/----	0.260B/0.242A	----	0.255 +	0.033 .0461	----	----	----	----	1 UNCH
9325	----	----	0.257B/----	0.257B/0.239A	----	0.252 +	0.033 .0455	----	----	----	----	2 UNCH
9400	----	----	0.248B/----	0.248B/0.231A	----	0.243 +	0.032 .0437	----	----	----	----	1 UNCH
9450	----	----	0.242B/----	0.242B/0.225A	----	0.237 +	0.030 .0426	----	----	----	----	2 UNCH
9475	----	----	0.239B/----	0.239B/0.222A	----	0.234 +	0.030 .0420	----	----	----	----	1 UNCH
9500	----	----	0.236B/----	0.236B/0.220A	----	0.231 +	0.029 .0415	----	----	----	----	38 UNCH
9525	----	----	0.234B/----	0.234B/0.217A	----	0.229 +	0.029 .0410	----	----	----	----	1 UNCH
9600	----	----	0.225B/----	0.225B/0.210A	----	0.221 +	0.028 .0395	----	----	----	----	1 UNCH
9650	0.210	0.210	0.220B/0.205A	0.220B/0.205A	----	0.216	NEW .0385	----	----	5	----	5 + 5
9700	----	----	0.215B/----	0.215B/0.200A	----	0.211 +	0.026 .0376	----	----	----	----	4 UNCH
9900	----	----	0.197B/----	0.197B/0.184A	----	0.193 +	0.023 .0341	----	----	----	----	2 UNCH
9950	----	----	0.193B/----	0.193B/0.180A	----	0.189 +	0.023 .0334	----	----	----	----	2 UNCH
9975	----	----	0.191B/----	0.191B/0.178A	----	0.187 +	0.023 .0330	----	----	----	----	4 UNCH
10000	----	----	0.189B/----	0.189B/0.176A	----	0.185 +	0.022 .0326	----	----	----	----	758 UNCH
10050	----	----	0.185B/----	0.185B/0.173A	----	0.182 +	0.022 .0320	----	----	----	----	6 UNCH
10100	----	----	0.181B/----	0.181B/0.169A	----	0.178 +	0.022 .0312	----	----	----	----	2 UNCH
10200	----	----	0.174B/----	0.174B/0.163A	----	0.171 +	0.021 .0299	----	----	----	----	1 UNCH
10300	----	----	0.167B/----	0.167B/0.157A	----	0.164 +	0.020 .0286	----	----	----	----	3 UNCH
10375	0.158	0.158	0.161B/0.152A	0.161B/0.152A	----	0.160 +	0.020 .0278	----	----	7	----	10 + 7
10500	----	----	0.153B/----	0.153B/0.145A	----	0.152 +	0.018 .0263	----	----	----	----	4 UNCH
10950	----	----	0.129B/----	0.129B/0.124A	----	0.129 +	0.016 .0220	----	----	----	----	4 UNCH
11000	----	----	0.127B/----	0.127B/0.122A	----	0.127 +	0.016 .0216	----	----	----	----	115 UNCH
11200	----	----	0.118B/----	0.118B/0.114A	----	0.118 +	0.014 .0199	----	----	----	----	2 UNCH
11400	----	----	0.109B/----	0.109B/0.106A	----	0.110 +	0.013 .0185	----	----	----	----	4 UNCH
11500	----	----	0.105B/----	0.105B/0.103A	----	0.107 +	0.013 .0179	----	----	----	----	1 UNCH
11825	----	----	0.094B/----	0.094B/0.093A	----	0.096 +	0.012 .0159	----	----	----	----	4 UNCH
12000	----	----	0.089B/----	0.089B/0.088A	----	0.090 +	0.011 .0149	----	----	----	----	333 UNCH
12050	----	----	0.087B/----	0.087B/0.086A	----	0.089 +	0.012 .0147	----	----	----	----	4 UNCH
12100	----	----	0.086B/----	0.086B/0.085A	----	0.088 +	0.012 .0145	----	----	----	----	1 UNCH
12125	----	----	0.084B/----	0.084B/0.085A	----	0.087 +	0.011 .0143	----	----	----	----	1 UNCH
12500	----	----	0.075B/----	0.075B/0.076A	----	0.077 +	0.011 .0126	----	----	----	----	3045 UNCH
12600	----	----	0.070B/----	0.070B/0.074A	----	0.075 +	0.011 .0122	----	----	----	----	4 UNCH
12975	----	----	0.062B/----	0.062B/0.066A	----	0.066 +	0.009 .0107	----	----	----	----	25 UNCH
13000	----	----	0.061B/----	0.061B/0.065A	----	0.066 +	0.010 .0107	----	----	----	----	7 UNCH
14000	----	----	0.043B/----	0.043B/0.049A	----	0.046 +	0.004 .0074	----	----	----	----	25 UNCH
14500	----	----	----	0.037B/0.043A	----	0.039 +	0.002 .0062	----	----	----	----	400 UNCH
15000	----	----	----	0.031B/0.037A	----	0.032 -	0.001 .0051	----	----	----	----	3467 UNCH
16000	0.030	0.030	0.031/0.030	0.031/0.029A	----	0.023	NEW .0037	----	----	9	----	9 + 9
TOTAL										143	0	10755 + 21
FEB27												
5950	----	----	5.842B/----	5.842B/4.826A	----	5.577 +	0.841 .6184	----	----	----	----	2 UNCH
6075	----	----	5.193B/----	5.193B/4.274A	----	4.941 +	0.755 .5735	----	----	----	----	1 UNCH
6100	----	----	5.072B/----	5.072B/4.167A	----	4.822 +	0.738 .5645	----	----	----	----	23 UNCH
6150	----	----	4.835B/----	4.835B/3.972A	----	4.591 +	0.705 .5466	----	----	----	----	3 UNCH
6175	4.602	4.602	4.720B/4.602	4.720B/3.876A	----	4.479	NEW .5377	----	----	4	----	4 + 4
6200	----	----	4.610B/----	4.610B/3.782A	----	4.370 +	0.672 .5288	----	----	----	----	6 UNCH
6250	----	----	4.390B/----	4.390B/3.602A	----	4.160 +	0.641 .5113	----	----	----	----	9 UNCH
6275	3.910	3.910	4.285B/3.910	4.285B/3.515A	----	4.058 +	0.625 .5026	----	----	23	----	24 + 23
6300	4.060	4.060	4.183B/4.060	4.183B/3.430A	----	3.959 +	0.610 .4940	----	----	5	----	15 + 5
6350	----	----	3.985B/----	3.985B/3.267A	----	3.768 +	0.580 .4769	----	----	----	----	7 UNCH
6450	----	----	3.617B/----	3.617B/2.966A	----	3.415 +	0.525 .4439	----	----	----	----	5 UNCH
6500	----	----	3.447B/----	3.447B/2.826A	----	3.251 +	0.499 .4279	----	----	----	----	13 UNCH
6550	----	----	3.285B/----	3.285B/2.695A	----	3.096 +	0.474 .4124	----	----	----	----	5 UNCH
6575	----	----	3.207B/----	3.207B/2.630A	----	3.022 +	0.462 .4048	----	----	----	----	3 UNCH
6600	----	----	3.131B/----	3.131B/2.569A	----	2.950 +	0.451 .3973	----	----	----	----	1 UNCH
6625	----	----	3.057B/----	3.057B/2.509A	----	2.879 +	0.439 .3899	----	----	----	----	3 UNCH
6700	----	----	2.845B/----	2.845B/2.339A	----	2.679 +	0.406 .3685	----	----	----	----	10 UNCH
6800	----	----	2.587B/----	2.587B/2.132A	----	2.436 +	0.365 .3414	----	----	----	----	37 UNCH
6850	2.328	2.328	2.471B/2.328	2.471B/2.037A	----	2.324	NEW .3286	----	----	1	----	1 + 1
6900	----	----	2.357B/----	2.357B/1.947A	----	2.218 +	0.329 .3162	----	----	----	----	1 UNCH
6925	----	----	2.303B/----	2.303B/1.904A	----	2.168 +	0.321 .3102	----	----	----	----	1 UNCH
7000	----	----	2.151B/----	2.151B/1.782A	----	2.023 +	0.296 .2928	----	----	----	----	8 UNCH
7200	1.748	1.748	1.799B/1.748	1.799B/1.508A	----	1.692 +	0.239 .2513	----	----	2	----	454 UNCH
7225	----	----	1.761B/----	1.761B/1.471A	----	1.656 +	0.233 .2466	----	----	----	----	71 UNCH
7300	----	----	1.651B/----	1.651B/1.384A	----	1.552 +	0.215 .2330	----	----	----	----	1 UNCH
7325	----	----	1.616B/----	1.616B/1.354A	----	1.520 +	0.211 .2287	----	----	----	----	2 UNCH
7350	----	----	1.581B/----	1.581B/1.328A	----	1.488 +	0.205 .2244	----	----	----	----	1 UNCH
7450	----	----	1.454B/----	1.454B/1.230A	----	1.370 +	0.186 .2084	----	----	----	----	3 UNCH
7475	----	----	1.425B/----	1.425B/1.204A	----	1.342 +	0.181 .2045	----	----	----	----	10 UNCH
7500	1.331	1.331	1.396B/1.331	1.396B/1.181A	----	1.315 +	0.176 .2008	----	----	7	----	281 - 1
7550	----	----	1.341B/----	1.341B/1.137A	----	1.264 +	0.169 .1937	----	----	----	----	334 UNCH
7600	----	----	1.288B/----	1.288B/1.095A	----	1.215 +	0.161 .1868	----	----	----	----	5 UNCH
7700	----	----	1.191B/----	1.191B/1.017A	----	1.125 +	0.147 .1740	----	----	----	----	61 UNCH
7775	----	----	1.125B/----	1.125B/0.963A	----	1.063 +	0.137 .1650	----	----	----	----	2 UNCH
7800	----	----	1.104B/----	1.104B/0.951A	----	1.043 +	0.133 .1622	----	----	----	----	25 UNCH
7900	----	----	1.025B/----	1.025B/0.886A	----	0.971 +	0.123 .1515	----	----	----	----	1 UNCH
7975	----	----	0.970B/----	0.970B/0.842A	----	0.921 +	0.115 .1441	----	----	----	----	1 UNCH
8000	----	----	0.953B/----	0.953B/0.826A	----	0.905 +	0.113 .1417	----	----	----	----	177 UNCH
8050	----	----	0.920B/----	0.920B/0.801A	----	0.874 +	0.108 .1371	----	----	----	----	50 UNCH
8200	----	----	0.830B/----	0.830B/0.726A	----	0.791 +	0.096 .1245	----	----	----	----	7 UNCH
8300	----	----	0.777B/----	0.777B/0.683A	----	0.742 +	0.089 .1169	----	----	----	----	20 UNCH
8400	----	----	0.728B/----	0.728B/0.644A	----	0.697 +	0.083 .1100	----	----	----	----	2 UNCH
8500	----	----	0.684B/----	0.684B/0.608A	----	0.656 +	0.077 .1036	----	----	----	----	122 UNCH
8550	----	----	0.664B/----	0.664B/0.591A	----	0.637 +	0.074 .1006	----	----	----	----	20 UNCH
8800	----	----	0.574B/----	0.574B/0.532A	----	0.555 +	0.064 .0875	----	----	----	----	12 UNCH
9000	0.509	0.509	0.509/0.509	0.509/0.484A	----	0.501 +	0.059 .0788	----	----	1	----	78 + 1
9200	----	----	0.462B/----	0.462B/0.430A	----	0.454 +	0.053 .0712	----	----	----	----	89 UNCH
9275	----	----	0.445B/----	0.445B/0.416A	----	0.438 +	0.051 .0686	----	----	----	----	3 UNCH
9425	----	----	0.415B/----	0.415B/0.390A	----	0.407 +	0.045 .0637	----	----	----	----	22 UNCH
9500	----	----	0.400B/----	0.400B/0.377A	----	0.393 +	0.043 .0614	----	----	----	----	84 UNCH
9650	----	----	0.375B/----	0.375B/0.355A	----	0.368 +	0.040 .0573	----	----	----	----	3 UNCH
9800	----	----	0.351B/----	0.351B/0.335A	----	0.346 +	0.037 .0537	----	----	----	----	2 UNCH
10000	----	----	0.325B/----	0.325B/0.311A	----	0.319 +	0.034 .0493	----	----	----	----	114 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

SO CALL — COMEX SILVER OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FEB27												
10200	----	----	0.301B/----	0.301B/0.290A	----	0.295 + 0.030	.0454	----	----	----	----	83 UNCH
10225	----	----	0.298B/----	0.298B/0.287A	----	0.293 + 0.031	.0450	----	----	----	----	10 UNCH
10500	----	----	0.269B/----	0.269B/0.260A	----	0.264 + 0.026	.0403	----	----	----	----	20 UNCH
10725	----	----	0.249B/----	0.249B/0.241A	----	0.245 + 0.024	.0372	----	----	----	----	5 UNCH
11000	----	----	0.227B/----	0.227B/0.220A	----	0.224 + 0.022	.0338	----	----	----	----	25 UNCH
11100	----	----	0.220B/----	0.220B/0.214A	----	0.217 + 0.021	.0326	----	----	----	----	1 UNCH
11400	----	----	0.200B/----	0.200B/0.195A	----	0.198 + 0.019	.0296	----	----	----	----	4 UNCH
11500	----	----	0.194B/----	0.194B/0.190A	----	0.192 + 0.019	.0286	----	----	----	----	3 UNCH
11700	----	----	0.183B/----	0.183B/0.179A	----	0.181 + 0.018	.0268	----	----	----	----	6 UNCH
12000	----	----	0.168B/----	0.168B/0.165A	----	0.166 + 0.016	.0245	----	----	----	----	24 UNCH
12400	----	----	0.150B/----	0.150B/0.149A	----	0.149 + 0.015	.0218	----	----	----	----	4 UNCH
12500	----	----	0.146B/----	0.146B/0.145A	----	0.145 + 0.014	.0211	----	----	----	----	66 UNCH
12950	----	----	0.129B/----	0.129B/0.130A	----	0.129 + 0.013	.0186	----	----	----	----	1 UNCH
12975	----	----	0.128B/----	0.128B/0.129A	----	0.128 + 0.013	.0185	----	----	----	----	3 UNCH
14000	----	----	0.098B/----	0.098B/0.103A	----	0.099 + 0.010	.0141	----	----	----	----	4 UNCH
25000	----	----	----/0.026A	0.009B/0.026A	----	0.038 + 0.006	.0043	----	----	----	----	2 UNCH
30000	----	----	----	----/0.058A	----	0.020 + 0.003	.0023	----	----	----	----	57 UNCH
TOTAL										43	0	2557 + 33
MAR27												
6000	----	----	6.133B/----	6.133B/5.160A	----	5.870 + 0.805	.5976	----	----	----	----	3 UNCH
6025	----	----	6.006B/----	6.006B/5.052A	----	5.747 + 0.789	.5896	----	----	----	----	1 UNCH
6050	----	----	5.881B/----	5.881B/4.946A	----	5.627 + 0.775	.5817	----	----	----	----	1 UNCH
6075	----	----	5.755B/----	5.755B/4.842A	----	5.509 + 0.760	.5737	----	----	----	----	76 UNCH
6125	----	----	5.520B/----	5.520B/4.642A	----	5.279 + 0.729	.5579	----	----	----	----	14 UNCH
6175	----	----	5.293B/----	5.293B/4.446A	----	5.059 + 0.701	.5421	----	----	----	----	15 UNCH
6200	----	----	5.181B/----	5.181B/4.353A	----	4.953 + 0.687	.5343	----	----	----	----	30 UNCH
6250	----	----	4.972B/----	4.972B/4.175A	----	4.746 + 0.659	.5189	----	----	----	----	11 UNCH
6300	----	----	4.774B/----	4.774B/4.000A	----	4.548 + 0.632	.5036	----	----	----	----	11 UNCH
6325	----	----	4.676B/----	4.676B/3.917A	----	4.452 + 0.619	.4961	----	----	----	----	1 UNCH
6350	----	----	4.579B/----	4.579B/3.839A	----	4.359 + 0.606	.4886	----	----	----	----	10 UNCH
6400	----	----	4.387B/----	4.387B/3.678A	----	4.177 + 0.581	.4738	----	----	----	----	57 UNCH
6425	----	----	4.299B/----	4.299B/3.603A	----	4.090 + 0.569	.4666	----	----	----	----	1 UNCH
6450	----	----	4.208B/----	4.208B/3.528A	----	4.004 + 0.556	.4594	----	----	----	----	20 UNCH
6475	----	----	4.121B/----	4.121B/3.456A	----	3.920 + 0.544	.4522	----	----	----	----	1 UNCH
6500	3.800	3.800	4.035B/3.800	4.035B/3.384A	----	3.838 + 0.533	.4452	----	----	5	----	15 + 3
6600	----	----	3.715B/----	3.715B/3.117A	----	3.529 + 0.489	.4178	----	----	----	----	18 UNCH
6775	----	----	3.220B/----	3.220B/2.703A	----	3.053 + 0.420	.3731	----	----	----	----	16 UNCH
6800	----	----	3.155B/----	3.155B/2.655A	----	2.991 + 0.411	.3670	----	----	----	----	41 UNCH
6825	----	----	3.092B/----	3.092B/2.603A	----	2.931 + 0.402	.3611	----	----	----	----	5 UNCH
6875	----	----	2.969B/----	2.969B/2.503A	----	2.814 + 0.385	.3495	----	----	----	----	1 UNCH
6900	----	----	2.908B/----	2.908B/2.454A	----	2.758 + 0.377	.3438	----	----	----	----	2 UNCH
6925	----	----	2.855B/----	2.855B/2.402A	----	2.703 + 0.368	.3382	----	----	----	----	1 UNCH
6975	----	----	2.740B/----	2.740B/2.311A	----	2.597 + 0.353	.3273	----	----	----	----	1 UNCH
7000	2.490	2.490	2.687B/2.465	2.687B/2.267A	----	2.546 + 0.345	.3220	----	----	27	----	187 UNCH
7100	----	----	2.489B/----	2.489B/2.102A	----	2.354 + 0.316	.3016	----	----	----	----	1 UNCH
7175	----	----	2.346B/----	2.346B/1.989A	----	2.222 + 0.296	.2872	----	----	----	----	3 UNCH
7200	----	----	2.302B/----	2.302B/1.953A	----	2.179 + 0.288	.2825	----	----	----	----	219 UNCH
7225	----	----	2.259B/----	2.259B/1.918A	----	2.138 + 0.282	.2779	----	----	----	----	12 UNCH
7250	2.174	2.174	2.217B/2.174	2.217B/1.883A	----	2.098 NEW	.2734	----	----	1	----	1 + 1
7275	----	----	2.176B/----	2.176B/1.850A	----	2.059 + 0.270	.2691	----	----	----	----	1 UNCH
7300	----	----	2.138B/----	2.138B/1.820A	----	2.021 + 0.264	.2647	----	----	----	----	1 UNCH
7375	----	----	2.020B/----	2.020B/1.720A	----	1.912 + 0.247	.2523	----	----	----	----	10 UNCH
7400	----	----	1.983B/----	1.983B/1.696A	----	1.877 + 0.242	.2482	----	----	----	----	41 UNCH
7450	----	----	1.913B/----	1.913B/1.633A	----	1.810 + 0.231	.2404	----	----	----	----	5 UNCH
7475	----	----	1.879B/----	1.879B/1.609A	----	1.778 + 0.226	.2367	----	----	----	----	1 UNCH
7500	1.740	1.740	1.846B/1.740	1.846B/1.584A	----	1.746 + 0.221	.2329	----	----	24	----	194 + 2
7525	----	----	1.813B/----	1.813B/1.552A	----	1.716 + 0.217	.2293	----	----	----	----	77 UNCH
7550	1.689	1.689	1.782B/1.689	1.782B/1.525A	----	1.685 + 0.211	.2256	----	----	1	----	36 UNCH
7600	----	----	1.720B/----	1.720B/1.475A	----	1.627 + 0.202	.2187	----	----	----	----	4 UNCH
7625	----	----	1.690B/----	1.690B/1.456A	----	1.599 + 0.198	.2153	----	----	----	----	4 UNCH
7650	----	----	1.661B/----	1.661B/1.432A	----	1.572 + 0.194	.2120	----	----	----	----	1 UNCH
7675	----	----	1.633B/----	1.633B/1.408A	----	1.545 + 0.189	.2087	----	----	----	----	4 UNCH
7700	----	----	1.605B/----	1.605B/1.385A	----	1.519 + 0.185	.2055	----	----	----	----	40 UNCH
7725	----	----	1.577B/----	1.577B/1.363A	----	1.494 + 0.182	.2024	----	----	----	----	29 UNCH
7750	----	----	1.552B/----	1.552B/1.341A	----	1.469 + 0.178	.1993	----	----	----	----	3 UNCH
7800	----	----	1.500B/----	1.500B/1.298A	----	1.421 + 0.171	.1934	----	----	----	----	5 UNCH
7850	----	----	1.451B/----	1.451B/1.256A	----	1.375 + 0.164	.1876	----	----	----	----	1 UNCH
7875	----	----	1.429B/----	1.429B/1.239A	----	1.352 + 0.160	.1848	----	----	----	----	1 UNCH
7900	----	----	1.405B/----	1.405B/1.217A	----	1.331 + 0.158	.1821	----	----	4	----	23 + 4
7925	----	----	1.383B/----	1.383B/1.201A	----	1.309 + 0.154	.1793	----	----	----	----	9 UNCH
7950	----	----	1.360B/----	1.360B/1.183A	----	1.289 + 0.151	.1768	----	----	----	----	1 UNCH
8000	1.285	1.285	1.317B/1.275	1.317B/1.145A	----	1.248 + 0.145	.1716	----	----	7	----	284 - 1
8050	----	----	1.277B/----	1.277B/1.113A	----	1.210 + 0.140	.1666	----	----	----	----	1 UNCH
8075	----	----	1.256B/----	1.256B/1.097A	----	1.191 + 0.137	.1642	----	----	----	----	61 UNCH
8100	----	----	1.238B/----	1.238B/1.078A	----	1.173 + 0.134	.1619	----	----	----	----	26 UNCH
8125	----	----	1.219B/----	1.219B/1.062A	----	1.155 + 0.132	.1595	----	----	----	----	1 UNCH
8225	----	----	1.146B/----	1.146B/1.004A	----	1.088 + 0.123	.1508	----	----	----	----	1 UNCH
8250	----	----	1.130B/----	1.130B/0.990A	----	1.072 + 0.120	.1487	----	----	----	----	5 UNCH
8300	----	----	1.095B/----	1.095B/0.964A	----	1.041 + 0.116	.1446	----	----	----	----	1 UNCH
8450	----	----	1.004B/----	1.004B/0.889A	----	0.956 + 0.105	.1332	----	----	----	----	2 UNCH
8500	----	----	0.977B/----	0.977B/0.867A	----	0.930 + 0.102	.1297	----	----	5	----	28 + 5
8600	----	----	0.924B/----	0.924B/0.823A	----	0.881 + 0.095	.1231	----	----	----	----	1 UNCH
8625	----	----	0.912B/----	0.912B/0.813A	----	0.869 + 0.094	.1214	----	----	----	----	1 UNCH
8650	0.894	0.894	0.899B/0.894	0.899B/0.802A	----	0.858 + 0.093	.1199	----	----	3	----	13 + 3
8700	----	----	0.876B/----	0.876B/0.781A	----	0.836 + 0.090	.1169	----	----	----	----	4 UNCH
8800	----	----	0.831B/----	0.831B/0.744A	----	0.794 + 0.084	.1111	----	----	----	----	9 UNCH
9000	0.736	0.736	0.752B/0.736	0.752B/0.678A	----	0.720 + 0.076	.1008	----	----	11	----	963 + 10
9200	----	----	0.681B/----	0.681B/0.621A	----	0.657 + 0.069	.0920	----	----	----	----	26 UNCH
9350	0.613	0.613	0.636B/0.612A	0.636B/0.612A	----	0.614 NEW	.0859	----	----	2	----	2 + 2
9425	----	----	0.614B/----	0.614B/0.594A	----	0.595 + 0.062	.0832	----	----	----	----	3 UNCH
9500	----	----	0.594B/----	0.594B/0.581A	----	0.577 + 0.060	.0806	----	----	10	----	62 + 10
9675	----	----	0.534B/----	0.534B/0.540A	----	0.537 + 0.055	.0749	----	----	----	----	1 UNCH
9700	----	----	0.529B/----	0.529B/0.534A	----	0.532 + 0.055	.0742	----	----	----	----	87 UNCH
9800	----	----	0.508B/----	0.508B/0.514A	----	0.511 + 0.052	.0712	----	----	----	----	314 UNCH
10000	0.480	0.480	0.480/0.465	0.480/0.458A	----	0.474 + 0.048	.0658	----	----	3	----	849 UNCH
10300	----	----	0.430B/----	0.430B/0.414A	----	0.426 + 0.043	.0589	----	----	----	----	33 UNCH
10375	----	----	0.420B/----	0.420B/0.404A	----	0.415 + 0.042	.0573	----	----	----	----	3 UNCH
10500	----	----	0.402B/----	0.402B/0.388A	----	0.398 + 0.040	.0548	----	----	----	----	35 UNCH
10825	----	----	0.361B/----	0.361B/0.352A	----	0.358 + 0.035	.0490	----	----	----	----	23 UNCH
10875	----	----	0.356B/----	0.356B/0.347A	----	0.352 + 0.034	.0482	----	----	----	----	20 UNCH
11000	0.345	0.345	0.345/0.343	0.345/0.335A	----	0.339 + 0.033	.0463	----	----	22	----	234 + 21
11125	----	----	0.329B/----	0.329B/0.323A	----	0.326 + 0.031	.0444	----	----	----	----	1 UNCH
11175	----	----	0.324B/----	0.324B/0.319A	----	0.321 + 0.030	.0437	----	----	----	----	1 UNCH
11200	----	----	0.321B/----	0.321B/0.316A	----	0.319 + 0.030	.0434	----	----	----	----	1 UNCH
11225	----	----	0.319B/----	0.319B/0.315A	----	0.317 + 0.030	.0431	----	----	----	----	1 UNCH
11500	----	----	0.294B/----	0.294B/0.292A	----	0.293 + 0.027	.0397	----	----	----	----	22 UNCH
12000	0.259	0.259	0.259/0.251	0.259/0.251	----	0.256 + 0.023	.0343	----	----	5	----	222 + 4
12500	----	----	0.226B/----	0.226B/0.228A	----	0.226 + 0.019	.0300	----	----	----	----	8 UNCH
12650	----	----	0.218B/----	0.218B/0.220A	----	0.218 + 0.019	.0289	----	----	----	----	5 UNCH
12825	----	----	0.209B/----	0.209B/0.212A	----	0.209 + 0.018	.0276	----	----	----	----	2 UNCH
13000	----	----	0.201B/----	0.201B/0.204A	----	0.202 + 0.018	.0266	----	----	----	----	335 UNCH
14000	----	----	0.162B/----	0.162B/0.167A	----	0.163 + 0.014	.0211	----	----	----	----	144 UNCH
15000	----	----	0.133B/----	0.133B/0.139A	----	0.135 + 0.011	.0172	----	----	----	----	128 UNCH
16000	----	----	0.111B/----	0.111B/0.119A	----	0.114 + 0.007	.0143	----	----	----	----	22 UNCH
17000	----	----	0.093B/----	0.093B/0.103A	----	0.098 + 0.007	.0122	----	----	----	----	8 UNCH
18000	----	----	0.078B/----	0.078B/0.093A	----	0.085 + 0.008	.0104	----	----	----	----	1 UNCH
20000	----	----	----	0.056B/0.073A	----	0.065 + 0.007	.0078	----	----	----	----	18 UNCH
21000	----	----	----	0.049B/0.066A	----	0.058 + 0.007	.0069	----	----	----	----	1 UNCH
25000	----	----	----	0.029B/0.047A	----	0.039 + 0.004	.0045	----	----	----	----	19 UNCH
30000	----	----	----	0.017B/0.035A	----	0.026 + 0.009	.0029	----	----	----	----	10 UNCH
TOTAL										130	0	5308 + 64
APR27												
5300	----	----	----	----/23.810A	----	11.064 + 1.232	.7951	----	----	----	----	1 UNCH
6400	----	----	5.220B/----	5.220B/4.597A	----	5.011 + 0.634	.5001	----	----	----	----	9 UNCH
6600	----	----	4.506B/----	4.506B/3.968A	----	4.320 + 0.543	.4488	----	----	----	----	2 UNCH
6775	----	----	3.962B/----	3.962B/3.507A	----	3.799 + 0.471	.4071	----	----	----	----	9 UNCH
6800	----	----	3.905B/----	3.905B/3.439A	----	3.731 + 0.462	.4015	----	----	----	----	1 UNCH
7000	----	----	3.393B/----	3.393B/2.994A	----	3.233 + 0.393	.3584	----	----	----	----	113 UNCH
7075	----	----	3.217B/----	3.217B/2.845A	----	3.067 + 0.369	.3435	----	----	----	----	10 UNCH
7200	----	----	2.946B/----	2.946B/2.619A	----	2.813 + 0.333	.3199	----	----	----	----	20 UNCH
7275	----	----	2.799B/----	2.799B/2.509A	----	2.673 + 0.313	.3066	----	----	----	----	5 UNCH
7300	----	----	2.744B/----	2.744B/2.449A	----	2.628 + 0.307	.3022	----	----	----	----	1 UNCH
7325	----	----	2.707B/----	2.707B/2.425A	----	2.585 + 0.301	.2980	----	----	----	----	5 UNCH
7350	----	----	2.663B/----	2.663B/2.359A	----	2.542 + 0.295	.2938	----	----	----	----	1 UNCH
7375	----	----	2.621B/----	2.621B/2.335A	----	2.500 + 0.289	.2897	----	----	----	----	5 UNCH
7475	----	----	2.454B/----	2.454B/2.182A	----	2.342 + 0.267	.2740	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
APR27												
7500	----	----	2.410B/----	2.410B/2.172A	----	2.305 + 0.262	.2702	----	----	----	----	9 UNCH
7800	----	----	1.999B/----	1.999B/1.805A	----	1.912 + 0.208	.2292	----	----	----	----	100 UNCH
7900	----	----	1.879B/----	1.879B/1.725A	----	1.801 + 0.193	.2173	----	----	----	----	24 UNCH
8000	----	----	1.761B/----	1.761B/1.611A	----	1.700 + 0.180	.2062	----	----	----	----	13 UNCH
8350	----	----	1.460B/----	1.460B/1.346A	----	1.401 + 0.143	.1725	----	----	----	----	1 UNCH
8400	----	----	1.415B/----	1.415B/1.312A	----	1.364 + 0.138	.1682	----	----	----	----	4 UNCH
8425	----	----	1.399B/----	1.399B/1.296A	----	1.346 + 0.135	.1662	----	----	----	----	1 UNCH
8500	----	----	1.333B/----	1.333B/1.255A	----	1.295 + 0.129	.1602	----	----	----	----	1 UNCH
8525	----	----	1.327B/----	1.327B/1.252A	----	1.279 + 0.128	.1583	----	----	----	----	9 UNCH
8550	----	----	1.319B/----	1.319B/1.223A	----	1.263 + 0.126	.1565	----	----	----	----	5 UNCH
8975	----	----	1.061B/----	1.061B/1.050A	----	1.031 + 0.100	.1287	----	----	----	----	5 UNCH
10000	----	----	0.688B/----	0.688B/0.689A	----	0.685 + 0.065	.0857	----	----	----	----	7 UNCH
10500	----	----	0.570B/----	0.570B/0.589A	----	0.580 + 0.055	.0722	----	----	----	----	18 UNCH
10775	----	----	0.521B/----	0.521B/0.541A	----	0.532 + 0.049	.0660	----	----	----	----	1 UNCH
11000	----	----	0.486B/----	0.486B/0.504A	----	0.498 + 0.045	.0616	----	----	----	----	1 UNCH
11225	----	----	0.455B/----	0.455B/0.473A	----	0.467 + 0.041	.0577	----	----	----	----	25 UNCH
12000	----	----	0.369B/----	0.369B/0.388A	----	0.381 + 0.031	.0466	----	----	----	----	3 UNCH
13000	----	----	0.294B/----	0.294B/0.313A	----	0.305 + 0.024	.0367	----	----	----	----	14 UNCH
TOTAL											0	433 0
MAY27												
6325	----	----	6.081B/----	6.081B/5.449A	----	5.885 + 0.681	.5272	----	----	----	----	6 UNCH
6600	----	----	5.074B/----	5.074B/4.599A	----	4.916 + 0.565	.4627	----	----	----	----	20 UNCH
6700	----	----	4.770B/----	4.770B/4.277A	----	4.608 + 0.527	.4407	----	----	----	----	7 UNCH
6900	----	----	4.219B/----	4.219B/3.767A	----	4.054 + 0.455	.3992	----	----	----	----	15 UNCH
7000	----	----	3.943B/----	3.943B/3.541A	----	3.805 + 0.422	.3798	----	----	----	----	24 UNCH
7300	----	----	3.256B/----	3.256B/2.981A	----	3.163 + 0.337	.3268	----	----	----	----	3 UNCH
7500	----	----	2.911B/----	2.911B/2.661A	----	2.810 + 0.292	.2960	----	----	----	----	5 UNCH
7600	----	----	2.749B/----	2.749B/2.509A	----	2.653 + 0.272	.2818	----	----	----	----	20 UNCH
8000	2.180	2.180	2.180/2.180	2.180/2.026A	----	2.132 + 0.209	.2327	----	----	1	----	32 + 1
8500	----	----	1.708B/----	1.708B/1.602A	----	1.664 + 0.155	.1856	----	----	----	----	12 UNCH
8825	----	----	1.480B/----	1.480B/1.397A	----	1.437 + 0.131	.1618	----	----	----	----	4 UNCH
8875	----	----	1.444B/----	1.444B/1.361A	----	1.406 + 0.128	.1585	----	----	----	----	1 UNCH
9000	----	----	1.367B/----	1.367B/1.293A	----	1.333 + 0.120	.1507	----	----	----	----	47 UNCH
9150	----	----	1.276B/----	1.276B/1.268A	----	1.252 + 0.111	.1419	----	----	----	----	1 UNCH
9525	----	----	1.088B/----	1.088B/1.097A	----	1.080 + 0.092	.1230	----	----	----	----	2 UNCH
9550	----	----	1.078B/----	1.078B/1.086A	----	1.070 + 0.091	.1219	----	----	----	----	1 UNCH
9650	----	----	1.037B/----	1.037B/1.046A	----	1.031 + 0.087	.1176	----	----	----	----	1 UNCH
9925	----	----	0.936B/----	0.936B/0.949A	----	0.934 + 0.077	.1067	----	----	----	----	5 UNCH
10000	----	----	0.914B/----	0.914B/0.897A	----	0.910 + 0.074	.1040	----	----	----	----	3 UNCH
10075	----	----	0.885B/----	0.885B/0.902A	----	0.887 + 0.072	.1014	----	----	----	----	2 UNCH
10225	----	----	0.841B/----	0.841B/0.859A	----	0.843 + 0.067	.0964	----	----	----	----	1 UNCH
10500	----	----	0.773B/----	0.773B/0.769A	----	0.772 + 0.060	.0882	----	----	----	----	2 UNCH
11000	----	----	0.646B/----	0.646B/0.686A	----	0.663 + 0.049	.0757	----	----	----	----	27 UNCH
11200	----	----	0.612B/----	0.612B/0.648A	----	0.627 + 0.046	.0715	----	----	----	----	5 UNCH
12000	----	----	0.495B/----	0.495B/0.530A	----	0.509 + 0.035	.0578	----	----	----	----	4 UNCH
12200	----	----	0.472B/----	0.472B/0.507A	----	0.485 + 0.033	.0550	----	----	----	----	1 UNCH
15000	----	----	----	0.272B/0.308A	----	0.294 + 0.018	.0321	----	----	----	----	112 UNCH
20000	----	----	----	0.140B/0.176A	----	0.158 + 0.007	.0164	----	----	----	----	169 UNCH
25000	----	----	----	0.088B/0.121A	----	0.104 + 0.003	.0104	----	----	----	----	15 UNCH
TOTAL										1	0	547 + 1
JUN27												
5450	----	----	----	----	----	11.167 + 1.134	.7466	----	----	----	----	1 UNCH
5700	----	----	9.744B/----	9.744B/9.018A	----	9.630 + 1.003	.6908	----	----	----	----	1 UNCH
5825	----	----	9.198B/----	9.198B/8.397A	----	8.932 + 0.937	.6617	----	----	----	----	1 UNCH
6225	----	----	7.238B/----	7.238B/6.669A	----	7.015 + 0.742	.5674	----	----	----	----	22 UNCH
6400	----	----	6.512B/----	6.512B/6.048A	----	6.322 + 0.673	.5274	----	----	1	----	0 - 1
6500	----	----	6.072B/----	6.072B/5.697A	----	5.961 + 0.637	.5055	----	----	----	----	2 UNCH
6600	----	----	5.754B/----	5.754B/5.400A	----	5.623 + 0.603	.4842	----	----	1	----	0 - 1
7050	----	----	4.420B/----	4.420B/4.200A	----	4.338 + 0.453	.3968	----	----	----	----	1 UNCH
7575	----	----	3.315B/----	3.315B/3.196A	----	3.250 + 0.316	.3136	----	----	----	----	1 UNCH
8000	----	----	2.669B/----	2.669B/2.621A	----	2.621 + 0.247	.2606	----	----	----	----	136 UNCH
8075	----	----	2.573B/----	2.573B/2.533A	----	2.528 + 0.237	.2524	----	----	----	----	1 UNCH
8500	----	----	2.118B/----	2.118B/2.098A	----	2.081 + 0.192	.2120	----	----	----	----	200 UNCH
8700	----	----	1.945B/----	1.945B/1.923A	----	1.909 + 0.173	.1959	----	----	----	----	2 UNCH
8800	----	----	1.848B/----	1.848B/1.849A	----	1.831 + 0.165	.1884	----	----	----	----	1 UNCH
9350	----	----	1.481B/----	1.481B/1.495A	----	1.477 + 0.127	.1539	----	----	----	----	2 UNCH
10000	----	----	1.170B/----	1.170B/1.193A	----	1.178 + 0.095	.1238	----	----	----	----	10 UNCH
11000	----	----	0.847B/----	0.847B/0.889A	----	0.868 + 0.060	.0916	----	----	----	----	155 UNCH
12000	----	----	0.652B/----	0.652B/0.692A	----	0.665 + 0.044	.0703	----	----	----	----	5 UNCH
12500	----	----	0.582B/----	0.582B/0.620A	----	0.591 + 0.044	.0623	----	----	----	----	10 UNCH
13000	----	----	0.523B/----	0.523B/0.563A	----	0.528 + 0.048	.0556	----	----	----	----	6 UNCH
13075	----	----	0.515B/----	0.515B/0.554A	----	0.518 + 0.047	.0546	----	----	----	----	1 UNCH
TOTAL										2	0	558 - 2
JUL27												
2000	----	----	----	----	----	42.855 + 1.678	.9957	----	----	----	----	1 UNCH
5700	----	----	10.176B/----	10.176B/9.483A	----	10.067 + 1.020	.6852	----	----	----	----	1 UNCH
6800	----	----	5.664B/----	5.664B/5.151A	----	5.469 + 0.522	.4541	----	----	----	----	1 UNCH
6900	----	----	5.353B/----	5.353B/4.899A	----	5.181 + 0.487	.4359	----	----	----	----	1 UNCH
7000	----	----	5.084B/----	5.084B/4.647A	----	4.910 + 0.453	.4182	----	----	----	----	25 UNCH
7150	4.601	4.601	4.715B/4.601	4.715B/4.319A	----	4.536 NEW	.3930	----	----	17	----	17 + 17
7400	----	----	4.115B/----	4.115B/3.796A	----	3.987 + 0.339	.3544	----	----	----	----	20 UNCH
7800	----	----	3.393B/----	3.393B/3.147A	----	3.273 + 0.251	.3008	----	----	----	----	21 UNCH
7900	----	----	3.265B/----	3.265B/3.007A	----	3.122 + 0.233	.2889	----	----	----	----	1 UNCH
7950	----	----	3.140B/----	3.140B/2.973A	----	3.050 + 0.224	.2831	----	----	----	----	1 UNCH
8900	----	----	2.103B/----	2.103B/1.988A	----	2.056 + 0.115	.1986	----	----	----	----	5 UNCH
10000	1.410	1.410	1.410/1.410	1.410/1.410	----	1.403 + 0.060	.1385	----	----	2	----	6 + 2
10100	----	----	1.360B/----	1.360B/1.397A	----	1.359 + 0.057	.1344	----	----	----	----	2 UNCH
10300	----	----	1.277B/----	1.277B/1.315A	----	1.277 + 0.051	.1266	----	----	----	----	1 UNCH
10500	----	----	1.203B/----	1.203B/1.242A	----	1.200 + 0.045	.1193	----	----	----	----	1 UNCH
10700	----	----	1.121B/----	1.121B/1.184A	----	1.132 + 0.041	.1127	----	----	----	----	1 UNCH
11000	----	----	1.031B/----	1.031B/1.094A	----	1.040 + 0.034	.1037	----	----	----	----	2 UNCH
11100	----	----	1.003B/----	1.003B/1.066A	----	1.012 + 0.032	.1010	----	----	----	----	2 UNCH
12000	----	----	0.801B/----	0.801B/0.865A	----	0.805 + 0.019	.0805	----	----	----	----	3 UNCH
12100	----	----	0.783B/----	0.783B/0.847A	----	0.787 + 0.018	.0787	----	----	----	----	21 UNCH
13000	----	----	0.645B/----	0.645B/0.711A	----	0.648 + 0.010	.0647	----	----	----	----	2 UNCH
13100	----	----	0.631B/----	0.631B/0.698A	----	0.635 + 0.009	.0634	----	----	----	----	21 UNCH
TOTAL										19	0	156 + 19
AUG27												
6600	----	----	6.942B/----	6.942B/6.603A	----	6.831 + 0.655	.5108	----	----	----	----	1 UNCH
7500	----	----	4.464B/----	4.464B/4.377A	----	4.442 + 0.403	.3657	----	----	----	----	39 UNCH
7800	----	----	3.920B/----	3.920B/3.853A	----	3.888 NEW	.3275	----	----	1	----	1 + 1
8000	----	----	3.590B/----	3.590B/3.552A	----	3.570 NEW	.3046	----	----	1	----	1 + 1
8500	----	----	2.922B/----	2.922B/2.945A	----	2.919 + 0.252	.2555	----	----	----	----	9 UNCH
TOTAL										2	0	51 + 2
SEP27												
6000	----	----	9.744B/----	9.744B/9.273A	----	9.718 + 0.872	.6295	----	----	----	----	21 UNCH
8500	----	----	3.224B/----	3.224B/3.317A	----	3.300 + 0.267	.2720	----	----	----	----	25 UNCH
TOTAL											0	46 0
DEC27												
4000	----	----	----	----	----	25.474 + 1.486	.8940	----	----	----	----	1 UNCH
7175	----	----	----	----	----	8.666 + 0.784	.4902	----	----	----	----	80 UNCH
20000	----	----	----	----	----	1.312 + 0.130	.0847	----	----	----	----	25 UNCH
TOTAL											0	106 0
MAR28												
6900	----	----	----	----	----	10.941 + 0.883	.5472	----	----	----	----	1 UNCH
TOTAL											0	1 0
SO PUT		COMEX SILVER OPTIONS										
NOV26												
2900	----	----	----	----/0.011A	----	0.001 - 0.002	.0001	----	----	----	----	1 UNCH
3000	----	----	----	----/0.005A	----	0.002 - 0.002	.0003	----	----	----	----	340 UNCH
3500	----	----	----	----/0.010A	----	0.003 - 0.004	.0007	----	----	----	----	1 UNCH
3975	----	----	----	----/0.015A	----	0.005 - 0.006	.0014	----	----	----	----	2 UNCH
4000	----	----	----	----/0.016A	----	0.005 - 0.006	.0014	----	----	----	----	6 UNCH
4075	----	----	----	----/0.017A	----	0.005 - 0.007	.0014	----	----	----	----	7 UNCH
4100	----	----	----	----/0.017A	----	0.006 - 0.007	.0017	----	----	----	----	1 UNCH
4150	----	----	----	----/0.016A	----	0.006 - 0.007	.0018	----	----	----	----	1 UNCH
4175	----	----	----	----/0.016A	----	0.006 - 0.008	.0018	----	----	----	----	10 UNCH
4200	----	----	----	----/0.017A	----	0.006 - 0.008	.0018	----	----	----	----	1 UNCH
4400	----	----	----/0.014A	0.012B/0.014A	----	0.009 - 0.010	.0029	----	----	----	----	10 UNCH
4500	0.010	0.010	0.010/0.010	0.014B/0.010	----	0.010 - 0.012	.0034	----	----	2	----	145 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

SO PUT COMEX SILVER OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
NOV26												
4550	----	----	----/0.021A	0.015B/0.021A	----	0.011 -	0.013 .0039	----	----	----	----	2 UNCH
4600	----	----	----/0.020A	0.017B/0.020A	----	0.013 -	0.013 .0046	----	----	----	----	6 UNCH
4625	----	----	----/0.020A	0.018B/0.020A	----	0.013 -	0.014 .0047	----	----	----	----	1 UNCH
4650	----	----	----/0.023A	0.019B/0.023A	----	0.014 -	0.015 .0051	----	----	----	----	2 UNCH
4700	----	----	----/0.022A	0.024B/0.022A	----	0.016 -	0.016 .0059	----	----	----	----	23 UNCH
4750	----	----	----/0.023A	0.029B/0.023A	----	0.017 -	0.019 .0064	----	----	----	----	1 UNCH
4800	----	----	----/0.026A	0.035B/0.026A	----	0.020 -	0.020 .0076	----	----	----	----	26 UNCH
4825	----	----	----/0.027A	0.038B/0.027A	----	0.021 -	0.022 .0081	----	----	----	----	4 UNCH
4850	----	----	----/0.026A	0.041B/0.026A	----	0.022 -	0.023 .0086	----	----	----	----	8 UNCH
4875	----	----	----/0.028A	0.044B/0.028A	----	0.024 -	0.024 .0094	----	----	----	----	2 UNCH
4900	----	----	----/0.030A	0.048B/0.030A	----	0.025 -	0.027 .0099	----	----	----	----	68 UNCH
4950	----	----	----/0.032A	0.054B/0.032A	----	0.029 -	0.030 .0116	----	----	----	----	14 UNCH
4975	----	----	----/0.036A	0.058B/0.036A	----	0.031 -	0.032 .0125	----	----	----	----	5 UNCH
5000	0.034	0.034	0.034/0.034	0.065B/0.034	----	0.033 -	0.035 .0134	----	----	1	----	1015 - 1
5025	----	----	----/0.040A	0.068B/0.040A	----	0.036 -	0.037 .0147	----	----	----	----	4 UNCH
5050	----	----	----/0.043A	0.073B/0.043A	----	0.038 -	0.041 .0157	----	----	----	----	1 UNCH
5075	----	----	----/0.046A	0.079B/0.046A	----	0.041 -	0.044 .0170	----	----	----	----	1 UNCH
5100	0.046	0.046	0.046/0.046	0.088B/0.046	----	0.044 -	0.048 .0183	----	----	4	----	197 - 4
5150	----	----	----/0.055A	0.102B/0.055A	----	0.052 -	0.056 .0218	----	----	----	----	59 UNCH
5175	----	----	----/0.059A	0.111B/0.059A	----	0.056 -	0.061 .0237	----	----	----	----	31 UNCH
5200	0.116	0.116	0.116/0.060	0.122B/0.060	----	0.061 -	0.066 .0258	----	----	3	----	58 - 3
5225	----	----	----/0.068A	0.131B/0.068A	----	0.066 -	0.073 .0281	----	----	----	----	11 UNCH
5250	----	----	----/0.074A	0.144B/0.074A	----	0.071 -	0.080 .0304	----	----	----	----	23 UNCH
5275	----	----	----/0.079A	0.157B/0.079A	----	0.078 -	0.087 .0334	----	----	----	----	19 UNCH
5300	0.171	0.171	0.171/0.085A	0.173B/0.085A	----	0.084 -	0.096 .0362	----	----	8	----	601 - 6
5325	0.097	0.097	0.097/0.093A	0.188B/0.093A	----	0.092 -	0.104 .0396	----	----	1	----	11 UNCH
5350	0.123	0.123	0.123/0.101A	0.209B/0.101A	----	0.100 -	0.115 .0432	----	----	6	----	19 - 6
5375	----	----	----/0.110A	0.229B/0.110A	----	0.109 -	0.126 .0471	----	----	----	----	54 UNCH
5400	----	----	----/0.120A	0.251B/0.120A	----	0.119 -	0.138 .0515	----	----	----	----	647 UNCH
5425	----	----	----/0.131A	0.275B/0.131A	----	0.131 -	0.151 .0566	----	----	----	----	46 UNCH
5450	----	----	----/0.142A	0.301B/0.142A	----	0.143 -	0.166 .0618	----	----	1	----	21 - 1
5475	----	----	----/0.155A	0.329B/0.155A	----	0.157 -	0.182 .0677	----	----	----	----	64 UNCH
5500	0.347	0.347	0.348/0.167A	0.363B/0.167A	----	0.172 -	0.199 .0740	----	----	30	----	1106 - 3
5525	0.193	0.193	0.193/0.183A	0.398B/0.183A	----	0.189 -	0.218 .0811	----	----	10	----	16 - 2
5550	0.331	0.331	0.331/0.201A	0.433B/0.201A	----	0.207 -	0.239 .0886	----	----	7	----	41 - 7
5575	----	----	----/0.220A	0.478B/0.220A	----	0.228 -	0.261 .0971	----	----	----	----	74 UNCH
5600	0.430	0.430	0.430/0.241A	0.524B/0.241A	----	0.250 -	0.286 .1060	----	----	12	----	149 - 3
5625	0.300	0.300	0.300/0.265A	0.574B/0.265A	----	0.275 -	0.312 .1159	----	----	6	----	31 + 6
5650	0.348	0.348	0.349/0.291A	0.628B/0.291A	----	0.303 -	0.340 .1268	----	----	3	----	36 UNCH
5675	0.330	0.330	0.330/0.318A	0.687B/0.318A	----	0.334 -	0.369 .1386	----	----	1	----	82 + 1
5700	0.610	0.610	0.610/0.350A	0.751B/0.350A	----	0.367 -	0.401 .1510	----	----	43	----	328 + 6
5725	----	----	----/0.382A	0.817B/0.382A	----	0.405 -	0.434 .1649	----	----	1	----	73 UNCH
5750	0.504	0.504	0.504/0.419A	0.892B/0.419A	----	0.446 -	0.469 .1795	----	----	6	----	394 - 6
5775	0.550	0.550	0.554/0.460A	0.972B/0.460A	----	0.491 -	0.506 .1952	----	----	31	----	126 + 25
5800	1.060	1.060	1.060/0.505A	1.060/0.505A	----	0.540 -	0.544 .2119	----	----	24	----	287 + 2
5825	0.865	0.865	0.865/0.555A	1.149B/0.555A	----	0.594 -	0.584 .2298	----	----	3	----	77 - 1
5850	0.795	0.795	0.795/0.608A	1.244B/0.608A	----	0.653 -	0.625 .2487	----	----	19	----	51 + 1
5875	0.761	0.761	0.777/0.665	1.348B/0.665	----	0.717 -	0.668 .2686	----	----	29	----	155 - 10
5900	1.360	1.360	1.360/0.729A	1.460B/0.729A	----	0.786 -	0.712 .2894	----	----	56	----	191 - 1
5925	1.180	1.180	1.180/0.800A	1.577B/0.800A	----	0.862 -	0.755 .3113	----	----	34	----	64 + 9
5950	1.317	1.317	1.317/0.874A	1.700B/0.874A	----	0.944 -	0.799 .3340	----	----	32	----	83 + 1
5975	1.328	1.328	1.328/0.953A	1.831B/0.953A	----	1.032 -	0.844 .3574	----	----	13	----	65 - 6
6000	1.644	1.644	1.644/1.040A	1.967B/1.040A	----	1.127 -	0.888 .3816	----	----	46	----	457 - 2
6025	1.769	1.769	1.769/1.132A	2.116B/1.132A	----	1.228 -	0.933 .4062	----	----	14	----	32 + 1
6050	1.901	1.901	1.901/1.231A	2.264B/1.231A	----	1.337 -	0.976 .4314	----	----	22	----	41 + 8
6075	1.887	1.887	1.887/1.336A	2.395B/1.336A	----	1.453 -	1.018 .4568	----	----	33	----	57 + 21
6100	2.265	2.265	2.265/1.447A	2.557B/1.447A	----	1.575 -	1.060 .4823	----	----	52	----	218 - 17
6125	----	----	----/1.568A	2.722B/1.568A	----	1.705 -	1.100 .5078	----	----	2	----	21 + 1
6150	----	----	----/1.691A	2.896B/1.691A	----	1.842 -	1.139 .5331	----	----	3	----	122 UNCH
6175	1.978	1.978	1.978/1.829A	3.079B/1.829A	----	1.986 -	1.176 .5581	----	----	11	----	23 - 10
6200	3.070	3.070	3.070/1.968A	3.264B/1.968A	----	2.137 -	1.211 .5827	----	----	13	----	267 - 9
6225	2.548	2.548	2.548/2.116A	3.453B/2.116A	----	2.295 -	1.244 .6067	----	----	1	----	29 + 1
6250	2.875	2.875	2.885/2.268A	3.647B/2.268A	----	2.459 -	1.275 .6300	----	----	5	----	108 UNCH
6275	2.934	2.934	2.934/2.434A	3.845B/2.434A	----	2.629 -	1.305 .6525	----	----	2	----	42 + 1
6300	----	----	----/2.593A	4.050B/2.593A	----	2.806 -	1.331 .6741	----	----	1	----	141 - 1
6325	2.965	2.965	2.965/2.768A	4.253B/2.768A	----	2.988 -	1.357 .6949	----	----	1	----	9 + 1
6350	----	----	----/2.940A	4.462B/2.940A	----	3.175 -	1.381 .7146	----	----	----	----	87 UNCH
6375	----	----	----/3.126A	4.678B/3.126A	----	3.367 -	1.403 .7333	----	----	----	----	45 UNCH
6400	----	----	----/3.329A	4.894B/3.329A	----	3.565 -	1.422 .7511	----	----	----	----	149 UNCH
6425	----	----	----/3.521A	5.107B/3.521A	----	3.766 -	1.440 .7677	----	----	----	----	8 UNCH
6450	----	----	----/3.712A	5.334B/3.712A	----	3.972 -	1.457 .7834	----	----	----	----	17 UNCH
6475	----	----	----/3.914A	5.558B/3.914A	----	4.181 -	1.472 .7980	----	----	----	----	62 UNCH
6500	----	----	----/4.119A	5.783B/4.119A	----	4.394 -	1.486 .8116	----	----	----	----	333 UNCH
6525	----	----	----/4.333A	6.011B/4.333A	----	4.610 -	1.498 .8245	----	----	----	----	31 UNCH
6550	----	----	----/4.540A	6.241B/4.540A	----	4.829 -	1.510 .8364	----	----	----	----	31 UNCH
6575	----	----	----/4.761A	6.472B/4.761A	----	5.051 -	1.520 .8473	----	----	3	----	18 - 1
6600	----	----	----/4.979A	6.705B/4.979A	----	5.275 -	1.529 .8576	----	----	1	----	172 UNCH
6625	----	----	----/5.194A	6.939B/5.194A	----	5.502 -	1.537 .8670	----	----	----	----	28 UNCH
6650	----	----	----/5.416A	7.175B/5.416A	----	5.730 -	1.545 .8758	----	----	----	----	38 UNCH
6675	----	----	----/5.643A	7.412B/5.643A	----	5.961 -	1.551 .8840	----	----	2	----	66 - 2
6700	----	----	----/5.870A	7.650B/5.870A	----	6.193 -	1.557 .8916	----	----	----	----	135 UNCH
6725	----	----	----/6.099A	7.888B/6.099A	----	6.426 -	1.563 .8985	----	----	----	----	83 UNCH
6750	----	----	----/6.330A	8.128B/6.330A	----	6.661 -	1.568 .9049	----	----	----	----	106 UNCH
6775	----	----	----/6.563A	8.368B/6.563A	----	6.897 -	1.572 .9107	----	----	----	----	21 UNCH
6800	----	----	----/6.800A	8.610B/6.800A	----	7.134 -	1.576 .9163	----	----	----	----	150 UNCH
6825	----	----	----/7.033A	8.852B/7.033A	----	7.372 -	1.580 .9213	----	----	----	----	2 UNCH
6850	----	----	----/7.270A	9.094B/7.270A	----	7.612 -	1.583 .9261	----	----	----	----	7 UNCH
6875	----	----	----/7.507A	9.335B/7.507A	----	7.852 -	1.586 .9302	----	----	----	----	1 UNCH
6900	----	----	----/7.746A	9.581B/7.746A	----	8.092 -	1.589 .9342	----	----	----	----	26 UNCH
6925	----	----	----/7.990A	9.825B/7.990A	----	8.334 -	1.591 .9382	----	----	1	----	1 UNCH
6950	----	----	----/8.226A	10.069B/8.226A	----	8.576 -	1.593 .9418	----	----	----	----	10 UNCH
6975	----	----	----/8.467A	10.314B/8.467A	----	8.818 -	1.596 .9449	----	----	1	----	5 UNCH
7000	----	----	----/8.709A	10.559B/8.709A	----	9.061 -	1.598 .9478	----	----	----	----	79 UNCH
7025	----	----	----/8.952A	10.804B/8.952A	----	9.305 -	1.599 .9505	----	----	----	----	8 UNCH
7050	----	----	----/9.195A	11.050B/9.195A	----	9.549 -	1.600 .9532	----	----	----	----	84 UNCH
7075	----	----	----/9.438A	11.296B/9.438A	----	9.794 -	1.601 .9558	----	----	----	----	1 UNCH
7100	----	----	----/9.683A	11.531B/9.683A	----	10.038 -	1.603 .9581	----	----	----	----	4 UNCH
7125	----	----	----/9.927A	11.722B/9.927A	----	10.283 -	1.605 .9600	----	----	----	----	1 UNCH
7150	----	----	----/10.172A	11.969B/10.172A	----	10.529 -	1.605 .9622	----	----	----	----	2 UNCH
7175	----	----	----/10.421A	12.216B/10.421A	----	10.775 -	1.606 .9640	----	----	----	----	1 UNCH
7200	----	----	----/10.663A	12.463B/10.663A	----	11.021 -	1.607 .9655	----	----	----	----	2 UNCH
7225	----	----	----/10.909A	12.710B/10.909A	----	11.267 -	1.608 .9673	----	----	----	----	2 UNCH
7275	----	----	----/11.444A	13.206B/11.444A	----	11.760 -	1.609 .9701	----	----	----	----	1 UNCH
7300	----	----	----/11.690A	13.458B/11.690A	----	12.007 -	1.610 .9714	----	----	----	----	4 UNCH
7400	----	----	----/12.668A	14.446B/12.668A	----	12.996 -	1.612 .9763	----	----	----	----	25 UNCH
7500	----	----	----/13.670A	15.444B/13.670A	----	13.988 -	1.613 .9799	----	----	----	----	22 UNCH
7525	----	----	----/13.918A	15.665B/13.918A	----	14.236 -	1.614 .9808	----	----	----	----	1 UNCH
7650	----	----	----/15.159A	16.936B/15.159A	----	15.478 -	1.615 .9839	----	----	----	----	1 UNCH
7700	----	----	----/15.624A	17.431B/15.624A	----	15.975 -	1.616 .9852	----	----	----	----	52 UNCH
7725	----	----	----/15.905A	17.680B/15.905A	----	16.224 -	1.616 .9857	----	----	----	----	1 UNCH
7750	----	----	----/16.154A	17.929B/16.154A	----	16.472 -	1.617 .9861	----	----	----	----	1 UNCH
7775	----	----	----/16.402A	18.178B/16.402A	----	16.721 -	1.617 .9869	----	----	----	----	1 UNCH
7800	----	----	----/16.651A	18.427B/16.651A	----	16.970 -	1.617 .9873	----	----	----	----	1 UNCH
7825	----	----	----/16.900A	18.676B/16.900A	----	17.219 -	1.617 .9877	----	----	----	----	2 UNCH
7900	----	----	----/17.647A	19.424B/17.647A	----	17.966 -	1.618 .9890	----	----	----	----	3 UNCH
7975	----	----	----/18.394A	20.172B/18.394A	----	18.713 -	1.619 .9899	----	----	----	----	1 UNCH
8475	----	----	----/23.384A	25.166B/23.384A	----	23.703 -	1.623 .9949	----	----	----	----	0 UNCH
8500	----	----	----/23.629A	25.425B/23.629A	----	23.953 -	1.623 .9953	----	----	----	----	66 UNCH
8525	----	----	----/23.886A	25.666B/23.886A	----	24.203 -	1.623 .9953	----	----	----	----	0 UNCH
9000	----	----	----/28.631A	30.414B/28.631A	----	28.952 -	1.624 .9974	----	----	----	----	5 UNCH
TOTAL										600	0	10568 - 17
DEC26												
1500	----	----	----	----/0.006A	----	0.001	UNCH ----	----	----	----	----	180 UNCH
2000	----	----	----	----/0.010A	----	0.001	UNCH .0000	----	----	----	----	10 UNCH
2500	----	----	----	----/0.014A	----	0.002 -	0.001 .0003	----	----	----	----	32 UNCH
3000	----	----	----	----/0.018A	----	0.006 -	0.002 .0012	----	----	----	----	95 UNCH
3100	----	----	----	----/0.019A	----	0.008 -	0.002 .0016	----	----	----	----	1 UNCH
3150	----	----	----	----/0.022A	----	0.008 -	0.003 .0016	----	----	----	----	1 UNCH
3200	----	----	----	0.001B/0.023A	----	0.009 -	0.003 .0018	----	----	----	----	1 UNCH
3500	----	----	----	0.009B/0.026A	----	0.016 -	0.005 .0034	----	----	----	----	38 UNCH
3600	----	----	----	0.012B/0.025A	----	0.019 -	0.006 .0041	----	----	----	----	1 UNCH
3700	----	----	----/0.028A	0.016B/0.028A	----	0.022 -	0.007 .0048	----	----	----	----	2 UNCH
3800	----	----	----/0.031A	0.028B/0.031A	----	0.026 -	0.009 .0058	----	----	----	----	2 UNCH
3850	----	----	----/0.034A	0.031B/0.034A	----	0.028 -	0.010 .0063	----	----	----	----	1 UNCH
3925	----	----	----/0.037A	0.034B/0.037A	----	0.032 -	0.011 .0073	----	----	----	----	1 UNCH
4000	----	----	----/0.040A	0.039B/0.040A	----	0.036 -	0.013 .0083	----	----	----	----	125 UNCH
4100	----	----	----/0.047A	0.046B/0.047A	----	0.043 -	0.015 .0101	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

COMEX SILVER OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT												
DEC26												
4200	----	----	----/0.054A	0.057B/0.054A	----	0.050 -	0.019 .0120	----	----	----	----	201 UNCH
4250	----	----	----/0.058A	0.064B/0.058A	----	0.055 -	0.020 .0133	----	----	----	----	1 UNCH
4300	----	----	----/0.063A	0.072B/0.063A	----	0.059 -	0.023 .0144	----	----	----	----	20 UNCH
4400	----	----	----/0.075A	0.090B/0.075A	----	0.071 -	0.028 .0175	----	----	----	----	2 UNCH
4500	0.100	0.100	0.100/0.082A	0.112B/0.082A	----	0.085 -	0.035 .0213	----	----	2	----	452 UNCH
4575	----	----	----/0.101A	0.130B/0.101A	----	0.097 -	0.043 .0245	----	----	----	----	3 UNCH
4600	----	----	----/0.105A	0.139B/0.105A	----	0.102 -	0.045 .0259	----	----	----	----	19 UNCH
4650	----	----	----/0.115A	0.153B/0.115A	----	0.112 -	0.051 .0285	----	----	----	----	4 UNCH
4675	----	----	----/0.121A	0.162B/0.121A	----	0.118 -	0.054 .0301	----	----	----	----	5 UNCH
4700	----	----	----/0.127A	0.173B/0.127A	----	0.124 -	0.057 .0317	----	----	2	----	53 UNCH
4725	----	----	----/0.133A	0.181B/0.133A	----	0.130 -	0.061 .0333	----	----	----	----	1 UNCH
4750	----	----	----/0.140A	0.191B/0.140A	----	0.137 -	0.065 .0351	----	----	----	----	8 UNCH
4800	----	----	----/0.154A	0.216B/0.154A	----	0.151 -	0.074 .0389	----	----	----	----	462 UNCH
4850	0.179	0.179	0.179/0.171A	0.240B/0.171A	----	0.168 -	0.084 .0433	----	----	1	----	24 + 1
4875	----	----	----/0.179A	0.255B/0.179A	----	0.177 -	0.089 .0456	----	----	----	----	9 UNCH
4900	----	----	----/0.189A	0.272B/0.189A	----	0.187 -	0.095 .0482	----	----	----	----	151 UNCH
4925	----	----	----/0.199A	0.286B/0.199A	----	0.197 -	0.101 .0507	----	----	----	----	371 UNCH
4950	----	----	----/0.211A	0.303B/0.211A	----	0.208 -	0.108 .0536	----	----	----	----	17 UNCH
4975	----	----	----/0.222A	0.322B/0.222A	----	0.220 -	0.115 .0566	----	----	----	----	73 UNCH
5000	0.276	0.276	0.276/0.232	0.342B/0.232	----	0.233 -	0.122 .0598	----	----	4	----	624 + 1
5025	----	----	----/0.247A	0.363B/0.247A	----	0.247 -	0.129 .0633	----	----	1	----	46 UNCH
5050	----	----	----/0.262A	0.387B/0.262A	----	0.261 -	0.138 .0668	----	----	----	----	16 UNCH
5075	----	----	----/0.277A	0.411B/0.277A	----	0.276 -	0.147 .0705	----	----	1	----	6 UNCH
5100	----	----	----/0.293A	0.437B/0.293A	----	0.293 -	0.156 .0746	----	----	----	84	284 + 84
5125	----	----	----/0.310A	0.465B/0.310A	----	0.310 -	0.167 .0787	----	----	----	----	5 UNCH
5150	----	----	----/0.329A	0.494B/0.329A	----	0.329 -	0.177 .0832	----	----	2	----	20 + 2
5175	----	----	----/0.349A	0.522B/0.349A	----	0.349 -	0.189 .0880	----	----	----	----	3 UNCH
5200	0.371	0.371	0.371/0.369A	0.557B/0.369A	----	0.370 -	0.201 .0929	----	----	3	----	106 - 1
5225	----	----	----/0.391A	0.592B/0.391A	----	0.393 -	0.213 .0982	----	----	----	----	26 UNCH
5250	----	----	----/0.411A	0.626B/0.411A	----	0.417 -	0.226 .1037	----	----	----	----	152 UNCH
5275	----	----	----/0.436A	0.665B/0.436A	----	0.443 -	0.240 .1096	----	----	----	----	6 UNCH
5300	0.481	0.481	0.481/0.462A	0.707B/0.462A	----	0.471 -	0.254 .1158	----	----	3	----	77 + 2
5325	----	----	----/0.490A	0.753B/0.490A	----	0.500 -	0.270 .1222	----	----	----	----	55 UNCH
5350	----	----	----/0.519A	0.799B/0.519A	----	0.531 -	0.286 .1290	----	----	----	----	14 UNCH
5375	----	----	----/0.551A	0.848B/0.551A	----	0.564 -	0.303 .1361	----	----	----	----	3 UNCH
5400	0.589	0.589	0.589/0.583A	0.898B/0.583A	----	0.600 -	0.319 .1436	----	----	1	----	118 + 1
5425	----	----	----/0.619A	0.955B/0.619A	----	0.637 -	0.338 .1514	----	----	----	----	24 UNCH
5450	----	----	----/0.656A	1.012B/0.656A	----	0.677 -	0.356 .1595	----	----	1	----	10 - 1
5475	----	----	----/0.696A	1.071B/0.696A	----	0.719 -	0.376 .1680	----	----	1	----	2 + 1
5500	0.900	0.900	0.900/0.738A	1.135B/0.738A	----	0.763 -	0.397 .1768	----	----	28	----	881 + 18
5525	----	----	----/0.783A	1.202B/0.783A	----	0.810 -	0.418 .1860	----	----	----	----	13 UNCH
5550	----	----	----/0.828A	1.272B/0.828A	----	0.860 -	0.439 .1955	----	----	----	----	13 UNCH
5575	----	----	----/0.878A	1.346B/0.878A	----	0.913 -	0.461 .2055	----	----	----	----	99 UNCH
5600	1.069	1.069	1.069/0.932A	1.423B/0.932A	----	0.968 -	0.484 .2156	----	----	24	----	158 + 1
5625	1.019	1.019	1.019/0.986A	1.503B/0.986A	----	1.027 -	0.507 .2263	----	----	6	----	28 + 6
5650	----	----	----/1.045A	1.588B/1.045A	----	1.089 -	0.530 .2372	----	----	1	----	31 - 1
5675	----	----	----/1.106A	1.676B/1.106A	----	1.154 -	0.555 .2485	----	----	----	----	5 UNCH
5700	----	----	----/1.171A	1.768B/1.171A	----	1.222 -	0.580 .2600	----	----	10	----	247 + 6
5725	1.285	1.285	1.285/1.238A	1.863B/1.238A	----	1.293 -	0.605 .2718	----	----	8	----	92 + 4
5750	1.379	1.379	1.379/1.310A	1.962B/1.310A	----	1.369 -	0.630 .2840	----	----	4	----	152 - 2
5775	----	----	----/1.385A	2.064B/1.385A	----	1.447 -	0.656 .2964	----	----	----	----	41 UNCH
5800	1.610	1.610	1.610/1.462A	2.170B/1.462A	----	1.530 -	0.682 .3092	----	----	24	----	274 - 14
5825	----	----	----/1.544A	2.281B/1.544A	----	1.616 -	0.708 .3221	----	----	----	----	11 UNCH
5850	----	----	----/1.631A	2.396B/1.631A	----	1.706 -	0.734 .3353	----	----	----	----	55 UNCH
5875	----	----	----/1.718A	2.515B/1.718A	----	1.799 -	0.761 .3486	----	----	----	----	12 UNCH
5900	2.035	2.035	2.035/1.811A	2.638B/1.811A	----	1.897 -	0.787 .3622	----	----	1	----	199 + 1
5925	----	----	----/1.908A	2.765B/1.908A	----	1.999 -	0.813 .3759	----	----	----	----	10 UNCH
5950	----	----	----/2.008A	2.895B/2.008A	----	2.104 -	0.840 .3897	----	----	2	----	13 + 1
5975	2.430	2.430	2.430/2.112A	3.034B/2.112A	----	2.214 -	0.866 .4037	----	----	5	----	18 + 5
6000	2.410	2.410	2.410/2.221A	3.171B/2.221A	----	2.327 -	0.892 .4177	----	----	16	----	586 + 2
6025	----	----	----/2.333A	3.314B/2.333A	----	2.445 -	0.917 .4318	----	----	----	----	48 UNCH
6050	3.029	3.029	3.029/2.451A	3.461B/2.451A	----	2.567 -	0.942 .4459	----	----	7	----	20 + 5
6075	2.935	2.935	2.935/2.569A	3.606B/2.569A	----	2.692 -	0.968 .4600	----	----	17	----	21 + 14
6100	3.310	3.310	3.310/2.693A	3.762B/2.693A	----	2.822 -	0.992 .4741	----	----	10	----	74 - 4
6125	3.450	3.450	3.450/2.824A	3.921B/2.824A	----	2.956 -	1.016 .4882	----	----	3	----	16 - 1
6150	----	----	----/2.955A	4.081B/2.955A	----	3.094 -	1.039 .5021	----	----	1	----	45 + 1
6175	----	----	----/3.091A	4.244B/3.091A	----	3.235 -	1.062 .5160	----	----	----	----	4 UNCH
6200	3.595	3.595	3.595/3.229A	4.391B/3.229A	----	3.381 -	1.084 .5297	----	----	2	----	72 - 2
6225	----	----	----/3.373A	4.561B/3.373A	----	3.530 -	1.106 .5433	----	----	----	----	3 UNCH
6250	3.902	3.902	3.902/3.518A	4.734B/3.518A	----	3.683 -	1.128 .5568	----	----	3	----	8 + 3
6275	----	----	----/3.671A	4.910B/3.671A	----	3.840 -	1.148 .5700	----	----	----	----	13 UNCH
6300	3.990	3.990	3.990/3.823A	5.090B/3.823A	----	4.000 -	1.168 .5830	----	----	5	----	81 - 1
6325	----	----	----/3.984A	5.270B/3.984A	----	4.164 -	1.188 .5959	----	----	----	----	10 UNCH
6350	----	----	----/4.140A	5.457B/4.140A	----	4.331 -	1.207 .6085	----	----	----	----	49 UNCH
6375	----	----	----/4.311A	5.645B/4.311A	----	4.502 -	1.224 .6208	----	----	----	----	6 UNCH
6400	----	----	----/4.473A	5.835B/4.473A	----	4.676 -	1.241 .6328	----	----	----	----	28 UNCH
6425	----	----	----/4.653A	6.028B/4.653A	----	4.853 -	1.258 .6447	----	----	----	----	15 UNCH
6450	----	----	----/4.823A	6.216B/4.823A	----	5.033 -	1.275 .6562	----	----	----	----	39 UNCH
6475	----	----	----/5.004A	6.418B/5.004A	----	5.216 -	1.290 .6675	----	----	----	----	3 UNCH
6500	5.288	5.288	5.450/5.175A	6.621B/5.175A	----	5.402 -	1.305 .6784	----	----	2	----	944 UNCH
6525	----	----	----/5.364A	6.821B/5.364A	----	5.591 -	1.319 .6891	----	----	----	----	25 UNCH
6550	----	----	----/5.544A	7.027B/5.544A	----	5.782 -	1.333 .6995	----	----	----	----	35 UNCH
6575	----	----	----/5.733A	7.234B/5.733A	----	5.977 -	1.345 .7095	----	----	----	----	1 UNCH
6600	----	----	----/5.930A	7.440B/5.930A	----	6.173 -	1.358 .7192	----	----	----	----	97 UNCH
6625	----	----	----/6.134A	7.652B/6.134A	----	6.372 -	1.370 .7288	----	----	----	----	33 UNCH
6650	----	----	----/6.332A	7.863B/6.332A	----	6.573 -	1.381 .7379	----	----	----	----	20 UNCH
6675	----	----	----/6.530A	8.077B/6.530A	----	6.777 -	1.392 .7468	----	----	----	----	1 UNCH
6700	----	----	----/6.736A	8.292B/6.736A	----	6.982 -	1.402 .7554	----	----	----	----	40 UNCH
6725	----	----	----/6.938A	8.508B/6.938A	----	7.190 -	1.412 .7637	----	----	----	----	5 UNCH
6750	----	----	----/7.138A	8.729B/7.138A	----	7.399 -	1.422 .7717	----	----	----	----	7 UNCH
6775	----	----	----/7.346A	8.946B/7.346A	----	7.611 -	1.430 .7794	----	----	----	----	4 UNCH
6800	7.530	7.530	7.715/7.530	9.169B/7.530	----	7.824 -	1.439 .7868	----	----	6	----	145 - 2
6825	----	----	----/7.764A	9.392B/7.764A	----	8.039 -	1.446 .7941	----	----	----	----	1 UNCH
6850	----	----	----/7.977A	9.615B/7.977A	----	8.255 -	1.454 .8010	----	----	----	----	78 UNCH
6875	----	----	----/8.192A	9.840B/8.192A	----	8.474 -	1.461 .8076	----	----	----	----	2 UNCH
6900	----	----	----/8.411A	10.066B/8.411A	----	8.693 -	1.468 .8141	----	----	1	----	22 UNCH
6950	----	----	----/8.843A	10.521B/8.843A	----	9.136 -	1.481 .8262	----	----	----	----	24 UNCH
6975	----	----	----/9.065A	10.751B/9.065A	----	9.360 -	1.486 .8320	----	----	1	----	1 + 1
7000	----	----	----/9.285A	10.981B/9.285A	----	9.584 -	1.492 .8374	----	----	----	----	253 UNCH
7050	----	----	----/9.734A	11.443B/9.734A	----	10.037 -	1.502 .8478	----	----	----	----	1 UNCH
7075	----	----	----/9.956A	11.676B/9.956A	----	10.265 -	1.507 .8527	----	----	----	----	21 UNCH
7100	----	----	----/10.185A	11.909B/10.185A	----	10.494 -	1.511 .8573	----	----	----	----	5 UNCH
7150	----	----	----/10.637A	12.376B/10.637A	----	10.955 -	1.519 .8662	----	----	----	----	1 UNCH
7200	----	----	----/11.096A	12.847B/11.096A	----	11.419 -	1.527 .8745	----	----	----	----	15 UNCH
7225	----	----	----/11.328A	13.085B/11.328A	----	11.652 -	1.530 .8783	----	----	----	----	2 UNCH
7250	----	----	----/11.564A	13.321B/11.564A	----	11.886 -	1.534 .8819	----	----	----	----	49 UNCH
7300	----	----	----/12.025A	13.801B/12.025A	----	12.356 -	1.539 .8889	----	----	----	----	3 UNCH
7425	----	----	----/13.201A	14.990B/13.201A	----	13.541 -	1.552 .9042	----	----	----	----	1 UNCH
7500	----	----	----/13.915A	15.713B/13.915A	----	14.258 -	1.558 .9120	----	----	----	----	33 UNCH
7550	----	----	----/14.393A	16.197B/14.393A	----	14.738 -	1.562 .9167	----	----	----	----	2 UNCH
7600	----	----	----/14.872A	16.682B/14.872A	----	15.220 -	1.565 .9211	----	----	----	----	2 UNCH
7700	----	----	----/15.840A	17.657B/15.840A	----	16.187 -	1.570 .9288	----	----	----	----	14 UNCH
7750	----	----	----/16.327A	18.148B/16.327A	----	16.673 -	1.572 .9324	----	----	----	----	6 UNCH
7800	----	----	----/16.806A	18.635B/16.806A	----	17.159 -	1.575 .9357	----	----	----	----	21 UNCH
7850	----	----	----/17.291A	19.127B/17.291A	----	17.647 -	1.576 .9386	----	----	----	----	12 UNCH
7875	----	----	----/17.535A	19.372B/17.535A	----	17.891 -	1.577 .9401	----	----	----	----	1 UNCH
7900	----	----	----/17.779A	19.615B/17.779A	----	18.135 -	1.578 .9415	----	----	----	----	19 UNCH
8000	19.475	19.475	19.475/18.760A	20.598B/18.760A	----	19.113 -	1.583 .9467	----	----	1	----	58 + 1
8100	----	----	----/19.736A	21.585B/19.736A	----	20.095 -	1.585 .9511	----	----	----	----	1 UNCH
8200	----	----	----/20.719A	22.567B/20.719A	----	21.078 -	1.588 .9551	----	----	----	----	42 UNCH
8250	----	----	----/21.211A	23.061B/21.211A	----	21.571 -	1.589 .9569	----	----	----	----	1 UNCH
8350	----	----	----/22.197A	24.030B/22.197A	----	22.557 -	1.592 .9603	----	----	----	----	9 UNCH
8400	----	----	----/22.690A	24.525B/22.690A	----	23.050 -	1.593 .9618	----	----	----	----	60 UNCH
8500	----	----	----/23.678A	25.524B/23.678A	----	24.038 -	1.596 .9647	----	----	----	----	166 UNCH
8550	----	----	----/24.173A	26.012B/24.173A	----	24.533 -	1.596 .9660	----	----	----	----	25 UNCH
8600	----	----	----/24.683A	26.516B/24.683A	----	25.028 -	1.597 .9673	----	----	----	----	9 UNCH
8800	----	----	----/26.665A	28.489B/26.665A	----	27.009 -	1.602 .9716	----	----	----	----	12 UNCH
8900	----	----	----/27.657A	29.487B/27.657A	----	28.001 -	1.604 .9736	----	----	----	----	30 UNCH
9000	----	----	----/28.650A	30.491B/28.650A	----	28.994 -	1.606 .9754	----	----	----	----	3 UNCH
9050	----	----	----/29.142A	30.988B/29.142A	----	29.491 -	1.606 .9762	----	----	----	----	110 UNCH
9500	----	----	----/33.625A	35.471B/33.625A	----	33.969 -	1.613 .9821	----	----	----	----	1 UNCH
9800	----	----	----/36.615A	38.466B/36.615A	----	36.960 -	1.617 .9851	----	----	----	----	1 UNCH
9850	----	----	----/37.114A	38.965B/37.114A	----	37.458 -	1.619 .9855	----	----	----	----	2 UNCH
10000	----	----	----/38.613A	40.463B/38.613A	----	38.956 -	1.620 .9867	----	----	----	----	3 UNCH
10025	----	----	----/38.862A	40.714B/38.862A	----	39.205 -	1.621 .9869	----	----	----	----	3 UNCH
10125	----	----	----/39.862A	41.713B/39.862A	----	40.204 -	1.622 .9877	----	----	----	----	1 UNCH
TOTAL										210	84	9942 + 132

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

COMEX SILVER OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT												
JAN27												
3000	----	----	----	0.001B/0.038A	----	0.020 +	0.001 .0033	----	----	----	----	2 UNCH
3500	0.042	0.042	0.042/0.042	0.042/0.042	----	0.042 -	0.004 .0074	----	----	4	----	5 + 4
3800	----	----	----/0.071A	0.066B/0.071A	----	0.065 -	0.010 .0119	----	----	----	----	1 UNCH
4000	0.087	0.087	0.087/0.087	0.092B/0.087	----	0.086 -	0.018 .0162	----	----	1	----	9 + 1
4100	----	----	----/0.105A	0.112B/0.105A	----	0.100 -	0.023 .0190	----	----	----	----	1 UNCH
4200	----	----	----/0.122A	0.136B/0.122A	----	0.116 -	0.030 .0223	----	----	----	----	2 UNCH
4300	----	----	----/0.140A	0.163B/0.140A	----	0.136 -	0.038 .0263	----	----	----	----	3 UNCH
4500	----	----	----/0.192A	0.234B/0.192A	----	0.188 -	0.060 .0368	----	----	4	----	37 + 2
4675	----	----	----/0.257A	0.323B/0.257A	----	0.253 -	0.089 .0496	----	----	----	----	3 UNCH
4700	----	----	----/0.268A	0.342B/0.268A	----	0.265 -	0.093 .0519	----	----	----	----	9 UNCH
4725	----	----	----/0.280A	0.357B/0.280A	----	0.277 -	0.098 .0542	----	----	----	----	3 UNCH
4775	----	----	----/0.306A	0.392B/0.306A	----	0.302 -	0.110 .0590	----	----	----	----	1 UNCH
4800	----	----	----/0.320A	0.415B/0.320A	----	0.316 -	0.116 .0617	----	----	----	----	9 UNCH
4900	0.422	0.422	0.422/0.383A	0.505B/0.383A	----	0.380 -	0.143 .0736	----	----	1	----	6 UNCH
5000	----	----	----/0.462A	0.617B/0.462A	----	0.458 -	0.177 .0877	----	----	----	----	195 UNCH
5075	----	----	----/0.530A	0.715B/0.530A	----	0.529 -	0.205 .1002	----	----	----	----	13 UNCH
5100	----	----	----/0.555A	0.751B/0.555A	----	0.555 -	0.215 .1046	----	----	----	----	10 UNCH
5125	----	----	----/0.579A	0.789B/0.579A	----	0.582 -	0.226 .1092	----	----	5	----	15 + 5
5150	----	----	----/0.607A	0.825B/0.607A	----	0.611 -	0.237 .1141	----	----	----	----	1 UNCH
5200	----	----	----/0.667A	0.911B/0.667A	----	0.673 -	0.261 .1244	----	----	5	----	31 + 4
5250	----	----	----/0.734A	1.006B/0.734A	----	0.741 -	0.286 .1354	----	----	----	----	8 UNCH
5275	----	----	----/0.769A	1.050B/0.769A	----	0.778 -	0.300 .1413	----	----	----	----	2 UNCH
5300	0.920	0.920	0.920/0.807A	1.107B/0.807A	----	0.816 -	0.314 .1473	----	----	1	----	21 UNCH
5325	----	----	----/0.846A	1.161B/0.846A	----	0.857 -	0.328 .1536	----	----	----	----	9 UNCH
5350	----	----	----/0.887A	1.218B/0.887A	----	0.899 -	0.343 .1600	----	----	----	----	3 UNCH
5375	----	----	----/0.930A	1.277B/0.930A	----	0.943 -	0.358 .1667	----	----	5	----	13 + 4
5400	----	----	----/0.975A	1.336B/0.975A	----	0.990 -	0.373 .1736	----	----	----	----	270 UNCH
5425	----	----	----/1.021A	1.395B/1.021A	----	1.038 -	0.390 .1807	----	----	----	----	246 UNCH
5450	----	----	----/1.070A	1.468B/1.070A	----	1.089 -	0.406 .1880	----	----	5	----	34 + 5
5475	----	----	----/1.120A	1.536B/1.120A	----	1.142 -	0.422 .1956	----	----	----	----	196 UNCH
5500	----	----	----/1.171A	1.607B/1.171A	----	1.197 -	0.440 .2033	----	----	----	----	104 UNCH
5525	----	----	----/1.229A	1.681B/1.229A	----	1.255 -	0.457 .2112	----	----	----	----	8 UNCH
5550	----	----	----/1.285A	1.760B/1.285A	----	1.315 -	0.475 .2194	----	----	----	----	13 UNCH
5575	----	----	----/1.347A	1.839B/1.347A	----	1.377 -	0.494 .2277	----	----	----	----	6 UNCH
5600	1.416	1.416	1.487/1.409A	1.922B/1.409A	----	1.442 -	0.513 .2362	----	----	2	----	150 + 2
5625	----	----	----/1.473A	2.008B/1.473A	----	1.510 -	0.531 .2449	----	----	----	----	2 UNCH
5675	----	----	----/1.612A	2.188B/1.612A	----	1.654 -	0.569 .2629	----	----	----	----	1 UNCH
5700	----	----	----/1.681A	2.291B/1.681A	----	1.730 -	0.589 .2721	----	----	2	----	10 UNCH
5750	----	----	----/1.838A	2.482B/1.838A	----	1.890 -	0.629 .2911	----	----	6	----	6 + 6
5775	----	----	----/1.920A	2.586B/1.920A	----	1.975 -	0.649 .3008	----	----	----	----	11 UNCH
5800	2.190	2.190	2.190/2.004A	2.693B/2.004A	----	2.062 -	0.670 .3106	----	----	12	----	77 + 11
5825	----	----	----/2.091A	2.803B/2.091A	----	2.153	NEW .3206	----	----	5	----	5 + 5
5850	----	----	----/2.181A	2.916B/2.181A	----	2.246 -	0.711 .3306	----	----	----	----	2 UNCH
5875	----	----	----/2.275A	3.033B/2.275A	----	2.343	NEW .3408	----	----	3	----	3 + 3
5900	----	----	----/2.371A	3.148B/2.371A	----	2.443 -	0.751 .3511	----	----	----	----	24 UNCH
5950	----	----	----/2.571A	3.399B/2.571A	----	2.651	NEW .3719	----	----	4	----	4 + 4
5975	----	----	----/2.678A	3.529B/2.678A	----	2.760 -	0.813 .3824	----	----	----	----	1 UNCH
6000	----	----	----/2.783A	3.657B/2.783A	----	2.872 -	0.833 .3929	----	----	1	----	167 + 1
6075	----	----	----/3.129A	4.069B/3.129A	----	3.227 -	0.894 .4247	----	----	----	----	1 UNCH
6100	----	----	----/3.247A	4.213B/3.247A	----	3.352 -	0.913 .4353	----	----	1	----	46 UNCH
6125	----	----	----/3.369A	4.359B/3.369A	----	3.479 -	0.933 .4459	----	----	----	----	18 UNCH
6150	----	----	----/3.498A	4.508B/3.498A	----	3.610 -	0.952 .4565	----	----	----	----	1 UNCH
6200	----	----	----/3.758A	4.815B/3.758A	----	3.881 -	0.990 .4776	----	----	----	----	26 UNCH
6225	----	----	----/3.889A	4.976B/3.889A	----	4.020 -	1.009 .4881	----	----	----	----	61 UNCH
6250	----	----	----/4.029A	5.132B/4.029A	----	4.163 -	1.027 .4984	----	----	----	----	2 UNCH
6275	----	----	----/4.169A	5.295B/4.169A	----	4.309 -	1.045 .5087	----	----	----	----	3 UNCH
6300	----	----	----/4.318A	5.460B/4.318A	----	4.457 -	1.063 .5189	----	----	----	----	1 UNCH
6325	----	----	----/4.459A	5.631B/4.459A	----	4.609 -	1.080 .5291	----	----	----	----	2 UNCH
6350	----	----	----/4.609A	5.801B/4.609A	----	4.763 -	1.097 .5391	----	----	----	----	9 UNCH
6375	----	----	----/4.759A	5.949B/4.759A	----	4.920 -	1.114 .5490	----	----	----	----	25 UNCH
6400	----	----	----/4.919A	6.124B/4.919A	----	5.080 -	1.129 .5587	----	----	----	----	33 UNCH
6425	----	----	----/5.079A	6.301B/5.079A	----	5.242 -	1.146 .5684	----	----	----	----	1 UNCH
6475	----	----	----/5.409A	6.661B/5.409A	----	5.575 -	1.176 .5873	----	----	----	----	1 UNCH
6500	----	----	----/5.560A	6.844B/5.560A	----	5.745 -	1.190 .5965	----	----	----	----	56 UNCH
6525	----	----	----/5.739A	7.030B/5.739A	----	5.917 -	1.205 .6056	----	----	----	----	1 UNCH
6575	----	----	----/6.070A	7.408B/6.070A	----	6.269 -	1.232 .6233	----	----	----	----	5 UNCH
6700	----	----	----/6.980A	8.384B/6.980A	----	7.188 -	1.294 .6648	----	----	----	----	13 UNCH
6725	----	----	----/7.160A	8.586B/7.160A	----	7.378 -	1.305 .6727	----	----	----	----	15 UNCH
6800	----	----	----/7.740A	9.200B/7.740A	----	7.959 -	1.337 .6952	----	----	----	----	2 UNCH
6825	----	----	----/7.920A	9.399B/7.920A	----	8.157 -	1.346 .7023	----	----	----	----	1 UNCH
6900	----	----	----/8.541A	10.027B/8.541A	----	8.759 -	1.374 .7228	----	----	----	----	16 UNCH
6925	----	----	----/8.741A	10.239B/8.741A	----	8.963 -	1.382 .7293	----	----	----	----	24 UNCH
6950	----	----	----/8.939A	10.457B/8.939A	----	9.168 -	1.391 .7356	----	----	----	----	1 UNCH
7000	----	----	----/9.353A	10.889B/9.353A	----	9.584 -	1.405 .7479	----	----	----	----	20 UNCH
7100	----	----	----/10.181A	11.758B/10.181A	----	10.430 -	1.434 .7706	----	----	----	----	27 UNCH
7125	----	----	----/10.399A	11.983B/10.399A	----	10.645 -	1.440 .7759	----	----	----	----	1 UNCH
7175	----	----	----/10.825A	12.430B/10.825A	----	11.077 -	1.453 .7861	----	----	----	----	1 UNCH
7200	----	----	----/11.040A	12.654B/11.040A	----	11.295 -	1.458 .7910	----	----	----	----	1 UNCH
7350	----	----	----/12.353A	14.011B/12.353A	----	12.623 -	1.489 .8178	----	----	----	----	1 UNCH
8050	----	----	----/18.823A	20.601B/18.823A	----	19.136 -	1.570 .8981	----	----	----	----	1 UNCH
8200	----	----	----/20.256A	22.049B/20.256A	----	20.574 -	1.580 .9087	----	----	----	----	1 UNCH
8600	----	----	----/24.115A	25.944B/24.115A	----	24.449 -	1.599 .9304	----	----	----	----	1 UNCH
8850	----	----	----/26.562A	28.396B/26.562A	----	26.892 -	1.608 .9404	----	----	----	----	9 UNCH
10000	----	----	----/37.922A	39.763B/37.922A	----	38.244 -	1.637 .9672	----	----	----	----	7 UNCH
TOTAL										67	0	2186 + 57
FEB27												
3200	----	----	----	0.045B/0.055A	----	0.046 -	0.008 .0070	----	----	----	----	20 UNCH
3225	----	----	----	0.047B/0.055A	----	0.047 -	0.008 .0072	----	----	----	----	10 UNCH
3275	----	----	----	0.051B/0.060A	----	0.050 -	0.008 .0077	----	----	----	----	10 UNCH
3475	----	----	----	0.068B/0.076A	----	0.064 -	0.012 .0102	----	----	----	----	1 UNCH
3625	----	----	----/0.090A	0.084B/0.090A	----	0.079 -	0.015 .0128	----	----	----	----	12 UNCH
3750	----	----	----/0.106A	0.101B/0.106A	----	0.096 -	0.018 .0157	----	----	----	----	5 UNCH
3825	----	----	----/0.118A	0.113B/0.118A	----	0.108 -	0.021 .0178	----	----	----	----	5 UNCH
3850	----	----	----/0.122A	0.121B/0.122A	----	0.112 -	0.022 .0185	----	----	----	----	3 UNCH
3900	----	----	----/0.132A	0.132B/0.132A	----	0.121 -	0.025 .0200	----	----	----	----	20 UNCH
3975	----	----	----/0.144A	0.149B/0.144A	----	0.137 -	0.027 .0227	----	----	----	----	3 UNCH
4000	----	----	----/0.150A	0.155B/0.150A	----	0.142 -	0.029 .0235	----	----	----	----	31 UNCH
4200	----	----	----/0.197A	0.219B/0.197A	----	0.194 -	0.044 .0324	----	----	----	----	10 UNCH
4500	----	----	----/0.311A	0.368B/0.311A	----	0.309 -	0.083 .0516	----	----	----	----	8 UNCH
4750	----	----	----/0.466A	0.576B/0.466A	----	0.464 -	0.138 .0764	----	----	----	----	1 UNCH
4950	----	----	----/0.651A	0.832B/0.651A	----	0.654 -	0.202 .1047	----	----	----	----	1 UNCH
5000	----	----	----/0.708A	0.909B/0.708A	----	0.713 -	0.221 .1131	----	----	----	----	132 UNCH
5100	----	----	----/0.839A	1.081B/0.839A	----	0.848 -	0.264 .1318	----	----	----	----	1 UNCH
5200	----	----	----/0.993A	1.283B/0.993A	----	1.007 -	0.312 .1528	----	----	----	----	1 UNCH
5225	----	----	----/1.035A	1.339B/1.035A	----	1.051 -	0.325 .1585	----	----	----	----	15 UNCH
5275	----	----	----/1.125A	1.458B/1.125A	----	1.144 -	0.352 .1702	----	----	----	----	20 UNCH
5300	----	----	----/1.175A	1.524B/1.175A	----	1.194 -	0.365 .1764	----	----	----	----	75 UNCH
5325	----	----	----/1.225A	1.586B/1.225A	----	1.245 -	0.380 .1827	----	----	----	----	49 UNCH
5375	----	----	----/1.330A	1.725B/1.330A	----	1.354 -	0.409 .1957	----	----	----	----	44 UNCH
5400	1.414	1.414	1.414/1.386A	1.797B/1.386A	----	1.412 -	0.423 .2025	----	----	39	----	42 + 36
5425	----	----	----/1.444A	1.871B/1.444A	----	1.472 -	0.439 .2094	----	----	----	----	59 UNCH
5500	1.809	1.809	1.809/1.630A	2.109B/1.630A	----	1.664 -	0.487 .2309	----	----	2	----	54 + 2
5525	----	----	----/1.698A	2.193B/1.698A	----	1.733 -	0.503 .2384	----	----	----	----	5 UNCH
5600	----	----	----/1.913A	2.461B/1.913A	----	1.955 -	0.553 .2616	----	----	----	----	17 UNCH
5650	----	----	----/2.066A	2.653B/2.066A	----	2.115 -	0.587 .2777	----	----	----	----	1 UNCH
5700	----	----	----/2.231A	2.856B/2.231A	----	2.285 -	0.621 .2942	----	----	----	----	1 UNCH
5725	----	----	----/2.318A	2.961B/2.318A	----	2.373 -	0.640 .3025	----	----	----	----	1 UNCH
5800	2.652	2.652	2.652/2.592A	3.293B/2.592A	----	2.656 -	0.692 .3282	----	----	5	----	15 + 5
5825	----	----	----/2.688A	3.409B/2.688A	----	2.755 -	0.710 .3369	----	----	----	----	12 UNCH
5875	----	----	----/2.885A	3.649B/2.885A	----	2.961 -	0.746 .3545	----	----	----	----	10 UNCH
6000	----	----	----/3.436A	4.295B/3.436A	----	3.524 -	0.834 .3991	----	----	6	----	16 + 4
6025	----	----	----/3.550A	4.432B/3.550A	----	3.645 -	0.850 .4081	----	----	----	----	1 UNCH
6050	----	----	----/3.671A	4.572B/3.671A	----	3.768 -	0.868 .4171	----	----	----	----	18 UNCH
6100	----	----	----/3.916A	4.858B/3.916A	----	4.022 -	0.902 .4351	----	----	----	----	7 UNCH
6200	4.622	4.622	4.622/4.444A	5.459B/4.444A	----	4.561 -	0.968 .4708	----	----	4	----	13 + 4
6225	4.763	4.763	4.763/4.583A	5.616B/4.583A	----	4.703	NEW .4796	----	----	4	----	4 + 4
6250	4.909	4.909	4.909/4.715A	5.774B/4.715A	----	4.846 -	0.999 .4884	----	----	4	----	13 + 4
6275	----	----	----/4.865A	5.935B/4.865A	----	4.993 -	1.014 .4971	----	----	----	----	1 UNCH
6400	----	----	----/5.607A	6.766B/5.607A	----	5.760 -	1.087 .5394	----	----	----	----	1 UNCH
6500	----	----	----/6.255A	7.446B/6.255A	----	6.415 -	1.141 .5717	----	----	----	----	21 UNCH
6600	----	----	----/6.929A	8.180B/6.929A	----	7.105 -	1.189 .6023	----	----	----	----	6 UNCH
6700	----	----	----/7.633A	8.941B/7.633A	----	7.825 -	1.235 .6312	----	----	----	----	11 UNCH
6825	----	----	----/8.557A	9.925B/8.557A	----	8.765 -	1.285 .6647	----	----	----	----	5 UNCH
7000	----	----	----/9.933A	11.360B/9.933A	----	10.144 -	1.346 .7068	----	----	----	----	5 UNCH
7225	----	----	----/11.780A	13.283B/11.780A	----	12.009 -	1.409 .7531	----	----	----	----	1 UNCH
7250	----	----	----/11.990A	13.501B/11.990A	----	12.222 -	1.415 .7577	----	----	----	----	1 UNCH
7400	----	----	----/13.274A	14.827B/13.274A	----	13.517 -	1.448 .7835	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
FEB27												
7575	----	----	----/14.810A	16.406B/14.810A	----	15.067 - 1.479	.8095	----	----	----	----	20 UNCH
8075	----	----	----/19.372A	21.055B/19.372A	----	19.657 - 1.540	.8648	----	----	----	----	5 UNCH
8150	----	----	----/20.073A	21.766B/20.073A	----	20.362 - 1.546	.8711	----	----	----	----	10 UNCH
8225	----	----	----/20.779A	22.479B/20.779A	----	21.069 - 1.552	.8771	----	----	----	----	10 UNCH
8250	----	----	----/21.014A	22.717B/21.014A	----	21.305 - 1.554	.8791	----	----	----	----	10 UNCH
TOTAL										64	0	875 + 59
MAR27												
3500	----	----	----/0.117A	0.106B/0.117A	----	0.109 - 0.012	.0155	----	----	----	----	32 UNCH
3550	----	----	----/0.125A	0.114B/0.125A	----	0.117 - 0.012	.0167	----	----	----	----	5 UNCH
4000	----	----	----/0.220A	0.236B/0.220A	----	0.216 - 0.036	.0318	----	----	----	----	299 UNCH
4200	----	----	----/0.291A	0.325B/0.291A	----	0.286 - 0.058	.0423	----	----	----	----	1 UNCH
4300	----	----	----/0.335A	0.382B/0.335A	----	0.331 - 0.073	.0489	----	----	----	----	5 UNCH
4500	----	----	----/0.450A	0.517B/0.450A	----	0.446 - 0.110	.0653	----	----	----	----	51 UNCH
4750	----	----	----/0.659A	0.805B/0.659A	----	0.658 - 0.174	.0939	----	----	----	----	15 UNCH
4775	----	----	----/0.685A	0.836B/0.685A	----	0.684 - 0.182	.0973	----	----	----	----	15 UNCH
4800	----	----	----/0.713A	0.873B/0.713A	----	0.712 - 0.189	.1009	----	----	----	----	5 UNCH
4900	----	----	----/0.830A	1.026B/0.830A	----	0.834 - 0.223	.1162	----	----	----	----	5 UNCH
5000	----	----	----/0.970A	1.208B/0.970A	----	0.977 - 0.261	.1335	----	----	----	30	608 + 30
5050	----	----	----/1.047A	1.304B/1.047A	----	1.057 - 0.282	.1429	----	----	----	----	9 UNCH
5075	----	----	----/1.088A	1.359B/1.088A	----	1.100 - 0.293	.1478	----	----	----	----	1 UNCH
5100	----	----	----/1.129A	1.412B/1.129A	----	1.144 - 0.304	.1528	----	----	----	----	4 UNCH
5150	----	----	----/1.221A	1.526B/1.221A	----	1.237 - 0.327	.1632	----	----	----	----	6 UNCH
5175	----	----	----/1.269A	1.587B/1.269A	----	1.286 - 0.339	.1686	----	----	----	----	1 UNCH
5200	----	----	----/1.318A	1.649B/1.318A	----	1.337 - 0.351	.1741	----	----	----	----	11 UNCH
5225	----	----	----/1.370A	1.714B/1.370A	----	1.389 - 0.364	.1797	----	----	----	----	2 UNCH
5250	----	----	----/1.423A	1.776B/1.423A	----	1.444 - 0.376	.1855	----	----	----	----	4 UNCH
5275	----	----	----/1.478A	1.850B/1.478A	----	1.500 - 0.390	.1914	----	----	----	----	11 UNCH
5300	----	----	----/1.534A	1.919B/1.534A	----	1.558 - 0.403	.1974	----	----	----	----	5 UNCH
5350	----	----	----/1.653A	2.065B/1.653A	----	1.681 - 0.430	.2098	----	----	----	----	8 UNCH
5400	----	----	----/1.780A	2.221B/1.780A	----	1.811 - 0.459	.2227	----	----	----	----	23 UNCH
5425	----	----	----/1.847A	2.305B/1.847A	----	1.880 - 0.473	.2293	----	----	----	----	2 UNCH
5500	2.075	2.075	2.095/2.058A	2.561B/2.058A	----	2.098 - 0.517	.2497	----	----	8	----	897 + 2
5550	----	----	----/2.211A	2.748B/2.211A	----	2.254 - 0.548	.2637	----	----	----	----	1 UNCH
5600	----	----	----/2.373A	2.944B/2.373A	----	2.420 - 0.578	.2782	----	----	----	----	270 UNCH
5675	----	----	----/2.632A	3.253B/2.632A	----	2.685 - 0.626	.3004	----	----	----	----	1 UNCH
5700	----	----	----/2.723A	3.363B/2.723A	----	2.778 - 0.642	.3080	----	----	----	----	3 UNCH
5800	----	----	----/3.107A	3.819B/3.107A	----	3.175 - 0.706	.3388	----	----	----	----	43 UNCH
5900	----	----	----/3.531A	4.314B/3.531A	----	3.610 - 0.769	.3702	----	----	----	----	9 UNCH
5950	----	----	----/3.761A	4.570B/3.761A	----	3.842 - 0.800	.3861	----	----	----	----	1 UNCH
6000	----	----	----/3.997A	4.846B/3.997A	----	4.084 - 0.831	.4020	----	----	----	----	112 UNCH
6075	----	----	----/4.367A	5.263B/4.367A	----	4.464 - 0.876	.4258	----	----	----	----	76 UNCH
6100	----	----	----/4.494A	5.410B/4.494A	----	4.595 - 0.892	.4338	----	----	----	----	3 UNCH
6200	----	----	----/5.032A	6.013B/5.032A	----	5.143 - 0.950	.4652	----	----	----	----	6 UNCH
6300	----	----	----/5.601A	6.644B/5.601A	----	5.728 - 1.003	.4960	----	----	----	----	14 UNCH
6350	----	----	----/5.900A	6.973B/5.900A	----	6.032 - 1.030	.5110	----	----	----	----	4 UNCH
6375	----	----	----/6.051A	7.140B/6.051A	----	6.188 - 1.043	.5184	----	----	----	----	1 UNCH
6400	----	----	----/6.205A	7.309B/6.205A	----	6.345 - 1.056	.5257	----	----	----	----	29 UNCH
6450	----	----	----/6.520A	7.656B/6.520A	----	6.666 - 1.080	.5402	----	----	----	----	1 UNCH
6500	----	----	----/6.841A	8.003B/6.841A	----	6.995 - 1.103	.5544	----	----	----	----	20 UNCH
6775	----	----	----/8.744A	10.018B/8.744A	----	8.930 - 1.217	.6265	----	----	----	----	1 UNCH
6800	----	----	----/8.932A	10.212B/8.932A	----	9.115 - 1.226	.6325	----	----	----	----	1 UNCH
6825	----	----	----/9.119A	10.397B/9.119A	----	9.302 - 1.235	.6385	----	----	----	----	3 UNCH
6950	----	----	----/10.064A	11.389B/10.064A	----	10.258 - 1.277	.6668	----	----	----	----	2 UNCH
7000	----	----	----/10.439A	11.795B/10.439A	----	10.649 - 1.293	.6776	----	----	----	----	3 UNCH
7225	----	----	----/12.259A	13.672B/12.259A	----	12.469 - 1.356	.7217	----	----	----	----	10 UNCH
7500	----	----	----/14.569A	16.066B/14.569A	----	14.801 - 1.419	.7667	----	----	----	----	3 UNCH
7575	----	----	----/15.217A	16.732B/15.217A	----	15.454 - 1.434	.7774	----	----	----	----	1 UNCH
7600	----	----	----/15.434A	16.951B/15.434A	----	15.673 - 1.439	.7809	----	----	----	----	1 UNCH
7625	----	----	----/15.652A	17.179B/15.652A	----	15.893 - 1.443	.7843	----	----	----	----	10 UNCH
7750	----	----	----/16.746A	18.306B/16.746A	----	17.002 - 1.464	.8003	----	----	----	----	10 UNCH
8000	----	----	----/19.000A	20.595B/19.000A	----	19.262 - 1.498	.8281	----	----	----	----	1 UNCH
8100	----	----	----/19.912A	21.523B/19.912A	----	20.180 - 1.508	.8377	----	----	----	----	6 UNCH
8300	----	----	----/21.757A	23.372B/21.757A	----	22.034 - 1.528	.8551	----	----	----	----	50 UNCH
8500	----	----	----/23.628A	25.282B/23.628A	----	23.911 - 1.543	.8699	----	----	----	----	3 UNCH
8600	----	----	----/24.569A	26.234B/24.569A	----	24.856 - 1.551	.8766	----	----	----	----	1 UNCH
10500	----	----	----/43.003A	44.787B/43.003A	----	43.318 - 1.621	.9450	----	----	----	----	10 UNCH
TOTAL										8	30	2735 + 32
APR27												
3400	----	----	----/0.143A	0.117B/0.143A	----	0.127 - 0.017	.0164	----	----	----	----	1 UNCH
3500	----	----	----/0.162A	0.135B/0.162A	----	0.145 - 0.020	.0188	----	----	----	----	1 UNCH
4000	----	----	----/0.303A	0.285B/0.303A	----	0.283 - 0.056	.0374	----	----	----	----	1 UNCH
4100	----	----	----/0.347A	0.332B/0.347A	----	0.326 - 0.069	.0431	----	----	----	----	15 UNCH
4200	----	----	----/0.397A	0.385B/0.397A	----	0.376 - 0.084	.0495	----	----	----	----	10 UNCH
4500	----	----	----/0.594A	0.671B/0.594A	----	0.581 - 0.145	.0749	----	----	----	----	36 UNCH
4800	----	----	----/0.908A	1.062B/0.908A	----	0.902 - 0.225	.1117	----	----	----	----	2 UNCH
5000	----	----	----/1.207A	1.427B/1.207A	----	1.205 - 0.292	.1438	----	----	----	----	62 UNCH
5400	----	----	----/2.098A	2.481B/2.098A	----	2.115 - 0.466	.2278	----	----	----	----	1 UNCH
5500	----	----	----/2.395A	2.792B/2.395A	----	2.418 - 0.518	.2524	----	----	----	----	101 UNCH
5600	----	----	----/2.722A	3.183B/2.722A	----	2.754 - 0.573	.2783	----	----	----	----	11 UNCH
6000	----	----	----/4.376A	5.041B/4.376A	----	4.438 - 0.802	.3887	----	----	----	----	174 UNCH
6200	----	----	----/5.394A	6.183B/5.394A	----	5.481 - 0.911	.4450	----	----	----	----	7 UNCH
6225	----	----	----/5.541A	6.337B/5.541A	----	5.620 - 0.924	.4519	----	----	----	----	7 UNCH
6275	----	----	----/5.821A	6.645B/5.821A	----	5.905 - 0.949	.4657	----	----	----	----	4 UNCH
6400	----	----	----/6.544A	7.437B/6.544A	----	6.648 - 1.012	.4994	----	----	----	----	1 UNCH
6500	----	----	----/7.173A	8.097B/7.173A	----	7.276 - 1.058	.5255	----	----	----	----	3 UNCH
6600	----	----	----/7.811A	8.690B/7.811A	----	7.930 - 1.103	.5507	----	----	----	----	1 UNCH
7000	----	----	----/10.619A	11.682B/10.619A	----	10.791 - 1.254	.6411	----	----	----	----	5 UNCH
8000	----	----	----	2.824B/31.728A	----	19.146 - 1.472	.7934	----	----	----	----	2 UNCH
8725	----	----	----	8.670B/39.082A	----	25.794 - 1.542	.8555	----	----	----	----	3 UNCH
TOTAL											0	448 0
MAY27												
4500	----	----	----/0.784A	0.881B/0.784A	----	0.776 - 0.142	.0886	----	----	----	----	6 UNCH
4700	----	----	----/1.025A	1.168B/1.025A	----	1.029 - 0.201	.1138	----	----	----	----	25 UNCH
4850	----	----	----/1.256A	1.436B/1.256A	----	1.261 - 0.255	.1359	----	----	----	----	5 UNCH
5000	----	----	----/1.528A	1.764B/1.528A	----	1.537 - 0.315	.1609	----	----	----	----	20 UNCH
5500	----	----	----/2.865A	3.276B/2.865A	----	2.882 - 0.551	.2652	----	----	----	----	2 UNCH
5700	----	----	----/3.602A	4.075B/3.602A	----	3.630 - 0.654	.3139	----	----	----	----	5 UNCH
6000	----	----	----/4.958A	5.613B/4.958A	----	4.993 - 0.806	.3902	----	----	----	----	1 UNCH
6500	----	----	----/7.778A	8.659B/7.778A	----	7.864 - 1.035	.5139	----	----	----	----	65 UNCH
6525	----	----	----/7.939A	8.815B/7.939A	----	8.025 - 1.045	.5197	----	----	----	----	16 UNCH
6675	----	----	----/8.919A	9.750B/8.919A	----	9.022 - 1.105	.5533	----	----	----	----	2 UNCH
6750	----	----	----/9.419A	10.296B/9.419A	----	9.539 - 1.133	.5694	----	----	----	----	5 UNCH
7300	----	----	----/13.479A	14.550B/13.479A	----	13.657 - 1.306	.6726	----	----	----	----	10 UNCH
7900	----	----	----	----	----	18.661 - 1.426	.7556	----	----	----	----	10 UNCH
8300	----	----	----	----	----	22.199 - 1.476	.7967	----	----	----	----	5 UNCH
8325	----	----	----	----	----	22.424 - 1.479	.7990	----	----	----	----	2 UNCH
8350	----	----	----	----	----	22.650 - 1.481	.8012	----	----	----	----	2 UNCH
8500	----	----	----	----	----	24.011 - 1.496	.8139	----	----	----	----	9 UNCH
TOTAL											0	190 0
JUN27												
4000	----	----	----/0.498A	0.471B/0.498A	----	0.472 - 0.080	.0513	----	----	----	----	0 UNCH
4300	----	----	----/0.729A	0.714B/0.729A	----	0.703 - 0.128	.0747	----	----	----	----	3 UNCH
4500	----	----	----/0.942A	0.936B/0.942A	----	0.916 - 0.170	.0951	----	----	----	----	3 UNCH
4700	----	----	----/1.213A	1.231B/1.213A	----	1.189 - 0.222	.1198	----	----	----	----	510 UNCH
5500	3.370	3.370	3.370/3.150A	3.417B/3.150A	----	3.130 - 0.541	.2636	----	----	1	----	3 + 1
6000	----	----	----/5.237A	5.724B/5.237A	----	5.232 - 0.800	.3790	----	----	----	----	5 UNCH
6400	----	----	----/7.409A	8.064B/7.409A	----	7.446 - 0.974	.4719	----	----	----	----	1 UNCH
6500	----	----	----/8.007A	8.708B/8.007A	----	8.067 - 1.009	.4939	----	----	----	----	10 UNCH
6800	----	----	----/9.965A	10.780B/9.965A	----	10.058 - 1.113	.5558	----	----	----	----	1 UNCH
7000	----	----	----/11.361A	12.236B/11.361A	----	11.479 - 1.180	.5936	----	----	----	----	16 UNCH
7050	----	----	----/11.706A	12.628B/11.706A	----	11.845 - 1.196	.6026	----	----	----	----	1 UNCH
TOTAL										1	0	553 + 1
JUL27												
4600	----	----	----/1.285A	1.376B/1.285A	----	1.240 - 0.190	.1167	----	----	----	----	8 UNCH
4650	----	----	----/1.364A	1.489B/1.364A	----	1.321 - 0.202	.1233	----	----	----	----	5 UNCH
4700	1.466	1.466	1.466/1.434A	1.578B/1.434A	----	1.406 - 0.216	.1300	----	----	2	----	15 + 2
4775	1.520	1.520	1.520/1.520	1.739B/1.520	----	1.542 NEW	.1407	----	----	5	----	5 + 5
4900	----	----	----/1.817A	2.024B/1.817A	----	1.797 - 0.279	.1598	----	----	----	----	5 UNCH
5000	----	----	----/2.043A	2.275B/2.043A	----	2.025 - 0.314	.1762	----	----	----	----	20 UNCH
5500	----	----	----/3.530A	3.926B/3.530A	----	3.539 - 0.527	.2716	----	----	----	----	50 UNCH
6200	6.770	6.770	6.770/6.740A	7.425B/6.740A	----	6.782 - 0.869	.4235	----	----	1	----	1 UNCH
6500	----	----	----/8.486A	9.271B/8.486A	----	8.548 - 1.004	.4867	----	----	----	----	1 UNCH
6900	----	----	----/11.124A	11.904B/11.124A	----	11.200 - 1.158	.5634	----	----	----	----	100 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 56

PG64 BULLETIN #195@ — METALS OPTION PRODUCTS — Fri, Oct 09, 2026 PG64

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUL27												
7000	----	----	----/11.829A	12.648B/11.829A	----	11.910 - 1.192	.5811	----	----	----	----	25 UNCH
TOTAL										8	0	235 + 7
SEP27												
5500	----	----	----/4.347A	4.430B/4.347A	----	4.174 - 0.571	.2742	----	----	----	----	10 UNCH
5800	----	----	----/5.616A	5.790B/5.616A	----	5.438 - 0.695	.3310	----	----	----	----	1 UNCH
5900	----	----	----/6.090A	6.293B/6.090A	----	5.911 - 0.735	.3503	----	----	----	----	1 UNCH
TOTAL											0	12 0
DEC27												
7175	----	----	----	----	----	15.955 - 0.866	.5087	----	----	----	----	25 UNCH
TOTAL											0	25 0
DEC28												
7175	----	----	----	----	----	18.317 - 0.709	.4189	----	----	----	----	40 UNCH
TOTAL											0	40 0
SO2 CALL		SILVER OPTIONS										
OCT26												
5870	----	----	2.730B/----	2.730B/1.051A	----	2.348 + 1.398	----	1	----	----	----	0 - 1
5880	----	----	2.630B/----	2.630B/0.973A	----	2.248 + 1.371	----	1	----	----	----	0 - 1
5890	----	----	2.525B/----	2.525B/0.901A	----	2.148 + 1.341	----	2	----	----	----	0 - 2
5900	----	----	2.430B/----	2.430B/0.831A	----	2.048 + 1.308	----	12	----	----	----	0 - 12
5910	1.929	1.929	2.330B/1.929	2.330B/0.765A	----	1.948 + 1.272	----	8	----	15	----	0 - 16
5920	----	----	2.230B/----	2.230B/0.701A	----	1.848 + 1.231	----	11	----	15	----	0 - 16
5930	----	----	2.130B/----	2.130B/0.632A	----	1.748 + 1.188	----	1	----	----	----	0 - 1
5940	----	----	2.031B/----	2.031B/0.575A	----	1.648 + 1.140	----	4	----	----	----	0 - 4
5960	----	----	1.832B/----	1.832B/0.474A	----	1.448 + 1.033	----	7	----	----	----	0 - 7
5970	----	----	1.732B/----	1.732B/0.428A	----	1.348 + 0.974	----	3	----	2	----	0 - 4
5980	----	----	1.628B/----	1.628B/0.387A	----	1.248 + 0.912	----	2	----	----	----	0 - 2
5990	0.488	0.488	1.534B/0.488	1.534B/0.349A	----	1.148 + 0.846	----	7	----	1	----	0 - 6
6000	0.383	0.383	1.435B/0.383	1.435B/0.312A	----	1.048 + 0.776	----	34	----	34	----	0 - 33
6010	----	----	1.337B/----	1.337B/0.285A	----	0.948 + 0.704	----	41	----	----	----	0 - 41
6020	----	----	1.238B/----	1.238B/0.258A	----	0.848 + 0.629	----	2	----	----	----	0 - 2
6030	----	----	1.140B/----	1.140B/0.234A	----	0.748 + 0.551	----	11	----	----	----	0 - 11
6040	0.250	0.250	1.044B/0.250	1.044B/0.213A	----	0.648 + 0.471	----	8	----	32	----	0 - 2
6050	0.250	0.250	0.946B/0.250	0.946B/0.193A	----	0.548 + 0.388	----	12	----	3	----	0 - 10
6060	0.358	0.358	0.853B/0.358	0.853B/0.175A	----	0.448 + 0.304	----	4	----	2	----	0 - 3
6070	----	----	0.763B/----	0.763B/0.160A	----	0.348 + 0.218	----	8	----	----	----	0 - 8
6080	0.150	0.150	0.675B/0.150	0.675B/0.146A	----	0.248 + 0.131	----	3	----	34	----	0 - 2
6090	0.340	0.340	0.593B/0.118A	0.593B/0.118A	----	0.148 + 0.042	----	3	----	1	----	0 - 3
6100	0.133	0.133	0.516B/0.051A	0.516B/0.051A	----	0.048 - 0.048	----	40	----	37	----	0 - 37
6110	0.162	0.162	0.442B/0.009A	0.442B/0.009A	----	0.000 - 0.087	----	----	----	18	----	0 UNCH
6120	0.128	0.128	0.373B/0.003A	0.373B/0.003A	----	0.000 - 0.080	----	----	----	2	----	0 - 7
6130	0.118	0.118	0.314B/0.004A	0.314B/0.004A	----	0.000 - 0.072	----	----	----	41	----	0 - 7
6140	0.106	0.106	0.256B/0.002	0.256B/0.002	----	0.000 - 0.066	----	----	----	15	----	0 - 4
6150	0.090	0.090	0.209B/0.002A	0.209B/0.002A	----	0.000 - 0.060	----	----	----	36	----	0 - 13
6160	0.050	0.050	0.167B/0.005A	0.167B/0.005A	----	0.000 - 0.055	----	----	----	2	----	0 - 5
6170	0.100	0.100	0.147/0.003A	0.147/0.003A	----	0.000 - 0.051	----	----	----	3	----	0 - 7
6180	----	----	0.128B/0.005A	0.128B/0.005A	----	0.000 - 0.046	----	----	----	100	----	0 - 5
6190	----	----	0.112B/0.005A	0.112B/0.005A	----	0.000 - 0.043	----	----	----	----	----	0 - 2
6200	0.060	0.060	0.129/0.002	0.129/0.002	----	0.000 - 0.039	----	----	----	122	----	0 - 68
6220	----	----	0.075B/0.003A	0.075B/0.003A	----	0.000 - 0.033	----	----	----	----	----	0 - 20
6230	----	----	0.066B/0.003A	0.066B/0.003A	----	0.000 - 0.031	----	----	----	----	----	0 - 2
6240	----	----	0.059B/0.005A	0.059B/0.005A	----	0.000 - 0.028	----	----	----	----	----	0 - 2
6250	0.001	0.001	0.052B/0.001	0.052B/0.001	----	0.000 - 0.026	----	----	----	2	----	0 - 17
6260	0.024	0.024	0.046B/0.004A	0.046B/0.004A	----	0.000 - 0.024	----	----	----	2	----	0 - 6
6270	----	----	0.030B/0.004A	0.030B/0.004A	----	0.000 - 0.022	----	----	----	----	----	0 - 6
6280	----	----	0.030B/0.004A	0.030B/0.004A	----	0.000 - 0.020	----	----	----	----	----	0 - 4
6300	0.027	0.027	0.027/0.005A	0.027/0.005A	----	0.000 - 0.017	----	----	----	1	----	0 - 17
6330	----	----	0.016B/0.006A	0.016B/0.006A	----	0.000 - 0.013	----	----	----	----	----	0 - 3
6350	0.005	0.005	0.013B/0.005	0.013B/0.005	----	0.000 - 0.011	----	----	----	2	----	0 - 9
6400	----	----	----/0.006A	0.007B/0.006A	----	0.000 - 0.007	----	----	----	5	----	0 - 8
6450	----	----	----	0.002B/0.006A	----	0.000 - 0.005	----	----	----	1	----	0 - 1
6500	0.001	0.001	0.001/0.001	0.001/0.001	----	0.000 - 0.003	----	----	----	1	----	0 - 17
6550	0.001	0.001	0.001/0.001	0.001/0.001	----	0.000 - 0.002	----	----	----	1	----	0 - 10
6570	----	----	----	----/0.008A	----	0.000 - 0.002	----	----	----	----	----	0 - 1
6600	0.001	0.001	0.001/0.001	0.001/0.001	----	0.000 - 0.001	----	----	----	1	----	0 - 11
6650	0.001	0.001	0.001/0.001	0.001/0.001	----	0.000 - 0.001	----	----	----	1	----	0 - 42
6700	----	----	----	----/0.009A	----	0.000 - 0.001	----	----	----	----	----	0 - 4
6750	----	----	----	----/0.008A	----	0.000 - 0.001	----	----	----	1	----	0 - 31
6900	----	----	----	----/0.008A	----	0.000 - 0.001	----	----	----	----	----	0 - 8
6950	----	----	----	----/0.008A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
7000	----	----	----	----/0.008A	----	0.000 - 0.001	----	----	----	----	----	0 - 19
7050	----	----	----	----/0.008A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
7100	----	----	----	----/0.009A	----	0.000 - 0.001	----	----	----	----	----	0 - 11
7150	----	----	----	----/0.009A	----	0.000 - 0.001	----	----	----	----	----	0 - 6
7200	----	----	----	----/0.008A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
7300	----	----	----	----/0.008A	----	0.000 - 0.001	----	----	----	----	----	0 - 6
7400	----	----	----	----/0.008A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
8000	----	----	----	----/0.008A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
8500	----	----	----	----/0.008A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
TOTAL										533	0	0 - 618
SO2 PUT		SILVER OPTIONS										
OCT26												
5000	0.010	0.010	0.010/0.009A	0.010/0.009A	----	0.000 NEW	----	----	----	1	----	0 UNCH
5100	----	----	----	----/0.009A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
5200	----	----	----	----/0.009A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
5400	----	----	----	----/0.009A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
5500	----	----	----	----/0.010A	----	0.000 - 0.005	----	----	----	----	----	0 - 6
5510	----	----	----	----/0.010A	----	0.000 - 0.006	----	----	----	----	----	0 - 5
5580	----	----	----/0.010A	0.001B/0.010A	----	0.000 - 0.012	----	----	----	----	----	0 - 5
5590	----	----	----/0.010A	0.002B/0.010A	----	0.000 - 0.013	----	----	----	----	----	0 - 1
5600	----	----	----/0.010A	0.005B/0.010A	----	0.000 - 0.014	----	----	----	----	----	0 - 21
5640	----	----	----/0.010A	0.008B/0.010A	----	0.000 - 0.020	----	----	----	----	----	0 - 1
5650	----	----	----/0.010A	0.009B/0.010A	----	0.000 - 0.022	----	----	----	----	----	0 - 6
5670	----	----	----/0.008A	0.013B/0.008A	----	0.000 - 0.027	----	----	----	----	----	0 - 2
5680	----	----	----/0.009A	0.015B/0.009A	----	0.000 - 0.030	----	----	----	----	----	0 - 5
5690	----	----	----/0.008A	0.017B/0.008A	----	0.000 - 0.033	----	----	----	----	----	0 - 6
5700	0.020	0.020	0.020/0.008A	0.025B/0.008A	----	0.000 - 0.036	----	----	----	11	----	0 - 43
5710	----	----	----/0.008A	0.023B/0.008A	----	0.000 - 0.040	----	----	----	----	----	0 - 5
5720	----	----	----/0.006A	0.025B/0.006A	----	0.000 - 0.044	----	----	----	----	----	0 - 5
5730	----	----	----/0.006A	0.029B/0.006A	----	0.000 - 0.049	----	----	----	----	----	0 - 2
5740	----	----	----/0.006A	0.033B/0.006A	----	0.000 - 0.054	----	----	----	----	----	0 - 15
5750	----	----	----/0.006A	0.037B/0.006A	----	0.000 - 0.060	----	----	----	----	----	0 - 13
5760	----	----	----/0.006A	0.041B/0.006A	----	0.000 - 0.067	----	----	----	10	----	0 - 23
5770	----	----	----/0.006A	0.048B/0.006A	----	0.000 - 0.074	----	----	----	----	----	0 - 13
5780	----	----	----/0.006A	0.058B/0.006A	----	0.000 - 0.082	----	----	----	10	----	0 - 14
5790	----	----	----/0.006A	0.064B/0.006A	----	0.000 - 0.092	----	----	----	----	----	0 - 3
5800	0.095	0.095	0.095/0.001	0.095/0.001	----	0.000 - 0.103	----	----	----	18	----	0 - 35
5810	----	----	----/0.006A	0.081B/0.006A	----	0.000 - 0.115	----	----	----	----	----	0 - 2
5820	0.073	0.073	0.073/0.006A	0.093B/0.006A	----	0.000 - 0.128	----	----	----	11	----	0 - 23
5830	----	----	----/0.006A	0.104B/0.006A	----	0.000 - 0.143	----	----	----	----	----	0 - 7
5840	----	----	----/0.007A	0.116B/0.007A	----	0.000 - 0.161	----	----	----	----	----	0 - 3
5850	0.110	0.110	0.112/0.007A	0.130B/0.007A	----	0.000 - 0.180	----	----	----	18	----	0 - 29
5860	----	----	----/0.007A	0.149B/0.007A	----	0.000 - 0.202	----	----	----	----	----	0 - 27
5870	----	----	----/0.006A	0.170B/0.006A	----	0.000 - 0.226	----	----	----	----	----	0 - 3
5880	0.135	0.135	0.135/0.006A	0.199B/0.006A	----	0.000 - 0.253	----	----	----	1	----	0 - 4
5890	----	----	----/0.007A	0.220B/0.007A	----	0.000 - 0.283	----	----	----	----	----	0 - 7
5900	0.103	0.103	0.103/0.006A	0.257B/0.006A	----	0.000 - 0.316	----	----	----	18	----	0 - 29
5910	----	----	----/0.006A	0.289B/0.006A	----	0.000 - 0.352	----	----	----	----	----	0 - 3
5920	0.112	0.112	0.112/0.003	0.322B/0.003	----	0.000 NEW	----	----	----	2	----	0 UNCH
5940	0.101	0.101	0.101/0.005A	0.405B/0.005A	----	0.000 - 0.484	----	----	----	2	----	0 - 10
5950	0.111	0.111	0.111/0.004A	0.456B/0.004A	----	0.000 - 0.535	----	----	----	3	----	0 - 8
5960	----	----	----/0.004A	0.502B/0.004A	----	0.000 - 0.591	----	----	----	----	----	0 - 1
5970	----	----	----/0.003A	0.556B/0.003A	----	0.000 - 0.650	----	----	----	----	----	0 - 2
5990	0.191	0.191	0.191/0.004A	0.674B/0.004A	----	0.000 NEW	----	----	----	2	----	0 UNCH
6000	0.550	0.550	0.550/0.001	0.737B/0.001	----	0.000 - 0.848	----	----	----	11	----	0 - 41
6020	----	----	----/0.003A	0.891B/0.003A	----	0.000 - 0.995	----	----	----	1	----	0 - 20
6030	0.214	0.214	0.214/0.003A	0.962B/0.003A	----	0.000 - 1.073	----	----	----	3	----	0 - 1
6040	0.580	0.580	0.580/0.003A	1.038B/0.003A	----	0.000 NEW	----	----	----	4	----	0 UNCH
6050	0.400	0.400	0.400/0.001A	1.127B/0.001A	----	0.000 - 1.236	----	----	----	8	----	0 - 2
6060	0.335	0.335	0.335/0.003A	1.212B/0.003A	----	0.000 NEW	----	----	----	1	----	0 UNCH
6070	0.332	0.332	0.332/0.004A	1.295B/0.004A	----	0.000 - 1.406	----	----	----	1	----	0 - 20
6090	0.035	0.035	0.035/0.005A	1.473B/0.005A	----	0.000 NEW	----	----	----	8	----	0 UNCH
6100	1.416	1.416	1.416/0.005A	1.559B/0.005A	----	0.000 - 1.672	----	----	----	102	----	0 - 11
6110	0.136	0.136	0.148/0.027A	1.656B/0.027A	----	0.052 NEW	----	2	----	4	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO2 PUT		SILVER OPTIONS										
OCT26												
6140	0.287	0.287	0.287/0.233A	1.938B/0.233A	----	0.352 NEW	----	1	----	1	----	0 UNCH
6150	----	----	----/0.295A	2.036B/0.295A	----	0.452 - 1.684	----	8	----	----	----	0 - 8
6200	----	----	----/0.649A	2.519B/0.649A	----	0.952 - 1.663	----	4	----	----	----	0 - 4
6220	----	----	----/0.826A	2.715B/0.826A	----	1.152 - 1.657	----	1	----	----	----	0 - 1
6250	2.056	2.056	2.056/1.104A	3.010B/1.104A	----	1.452 - 1.650	----	4	----	2	----	0 - 4
6300	----	----	----/1.584A	3.510B/1.584A	----	1.952 - 1.641	----	1	----	1	----	0 - 1
6360	----	----	----/2.178A	4.101B/2.178A	----	2.552 - 1.634	----	1	----	----	----	0 - 1
6400	----	----	----/2.575A	4.504B/2.575A	----	2.952 - 1.631	----	2	----	----	----	0 - 2
6500	----	----	----/3.573A	5.500B/3.573A	----	3.952 - 1.627	----	5	----	----	----	0 - 5
6550	----	----	----/4.072A	5.996B/4.072A	----	4.452 - 1.626	----	5	----	----	----	0 - 5
6700	----	----	----/5.571A	7.494B/5.571A	----	5.952 - 1.625	----	1	----	----	----	0 - 1
TOTAL										254	0	0 - 519
SO3 CALL		SILVER OPTIONS										
OCT26												
5700	----	----	4.517B/----	4.517B/2.929A	----	4.154 + 1.370	.9348	----	----	----	----	1 UNCH
5800	----	----	3.588B/----	3.588B/2.166A	----	3.237 + 1.211	.8841	----	----	----	----	1 UNCH
5850	----	----	3.144B/----	3.144B/1.828A	----	2.803 + 1.108	.8465	----	----	----	----	2 UNCH
5900	----	----	2.718B/----	2.718B/1.489A	----	2.391 + 0.991	.7986	----	----	----	----	3 UNCH
6000	----	----	1.940B/----	1.940B/0.998A	----	1.657 + 0.734	.6720	----	----	2	----	7 + 1
6050	----	----	1.604B/----	1.604B/0.810A	----	1.345 + 0.605	.5960	----	----	1	----	8 + 1
6100	1.054	1.054	1.321B/1.054	1.321B/0.648A	----	1.074 + 0.484	.5158	----	----	1	----	12 UNCH
6200	0.600	0.600	0.842B/0.600	0.842B/0.420A	----	0.658 + 0.285	.3593	----	----	1	----	13 UNCH
6250	0.500	0.500	0.662B/0.500	0.662B/0.348A	----	0.509 + 0.212	.2908	----	----	3	----	5 + 3
6300	0.358	0.358	0.518B/0.358	0.518B/0.282A	----	0.393 + 0.154	.2320	----	----	9	----	17 + 7
6350	0.330	0.330	0.403B/0.298	0.403B/0.230A	----	0.304 + 0.111	.1833	----	----	4	----	4 + 1
6400	0.235	0.235	0.313B/0.235	0.313B/0.191A	----	0.237 + 0.079	.1443	----	----	7	----	13 + 6
6450	0.226	0.226	0.246B/0.226	0.246B/0.167A	----	0.187 NEW	.1139	----	----	8	----	8 + 8
6500	0.183	0.183	0.193B/0.153	0.193B/0.139A	----	0.149 + 0.040	.0902	----	----	22	----	46 + 17
6550	----	----	0.154B/----	0.154B/0.119A	----	0.121 + 0.029	.0722	----	----	----	----	6 UNCH
6600	0.100	0.100	0.116B/0.100	0.116B/0.100	----	0.099 + 0.020	.0581	----	----	1	----	11 + 1
6650	0.088	0.088	0.099B/0.086A	0.099B/0.086A	----	0.083 + 0.015	.0476	----	----	1	----	12 - 1
6700	----	----	0.081B/----	0.081B/0.074A	----	0.069 + 0.011	.0388	----	----	----	----	9 UNCH
6800	0.053	0.053	0.056B/0.053	0.056B/0.053	----	0.051 + 0.007	.0272	----	----	2	----	4 + 2
6900	0.045	0.045	0.045/0.043A	0.045/0.043A	----	0.038 + 0.003	.0192	----	----	1	----	5 UNCH
7000	0.035	0.035	0.035/0.027	0.035/0.027	----	0.030 + 0.002	.0144	----	----	12	----	15 + 5
7050	----	----	0.026B/----	0.026B/0.034A	----	0.027 + 0.002	.0126	----	----	----	----	2 UNCH
7100	----	----	----	0.022B/0.030A	----	0.025 + 0.002	.0113	----	----	----	----	20 UNCH
7150	----	----	----	0.019B/0.029A	----	0.022 UNCH	.0097	----	----	----	----	5 UNCH
7200	----	----	----	0.017B/0.026A	----	0.020 UNCH	.0086	----	----	----	----	6 UNCH
7250	----	----	----	0.015B/0.023A	----	0.019 NEW	.0079	----	----	4	----	4 + 4
7400	----	----	----	0.010B/0.019A	----	0.014 UNCH	.0055	----	----	----	----	5 UNCH
TOTAL										79	0	244 + 55
SO3 PUT		SILVER OPTIONS										
OCT26												
5000	----	----	----	0.007B/0.016A	----	0.005 - 0.006	.0020	----	----	----	----	1 UNCH
5200	----	----	----/0.022A	0.023B/0.022A	----	0.012 - 0.016	.0054	----	----	----	----	3 UNCH
5500	----	----	----/0.045A	0.106B/0.045A	----	0.040 - 0.089	.0220	----	----	----	----	5 UNCH
5550	----	----	----/0.055A	0.150B/0.055A	----	0.051 - 0.115	.0288	----	----	----	----	3 UNCH
5600	0.067	0.067	0.067/0.067	0.196B/0.067	----	0.065 - 0.150	.0377	----	----	1	----	33 UNCH
5650	----	----	----/0.086A	0.255B/0.086A	----	0.083 - 0.196	.0492	----	----	----	----	21 UNCH
5700	----	----	----/0.110A	0.331B/0.110A	----	0.108 - 0.254	.0651	----	----	----	----	66 UNCH
5750	0.225	0.225	0.225/0.142A	0.435B/0.142A	----	0.143 - 0.325	.0869	----	----	9	----	12 + 2
5800	0.318	0.318	0.318/0.181A	0.565B/0.181A	----	0.191 - 0.412	.1158	----	----	12	----	32 + 7
5850	----	----	----/0.238A	0.723B/0.238A	----	0.256 - 0.515	.1534	----	----	4	----	5 + 2
5900	----	----	----/0.314A	0.924B/0.314A	----	0.344 - 0.632	.2013	----	----	----	----	17 UNCH
5950	0.590	0.590	0.590/0.412A	1.155B/0.412A	----	0.460 - 0.758	.2597	----	----	5	----	8 + 5
6000	0.580	0.580	0.580/0.542A	1.428B/0.542A	----	0.609 - 0.889	.3279	----	----	4	----	36 UNCH
6050	----	----	----/0.703A	1.710B/0.703A	----	0.797 - 1.018	.4039	----	----	----	----	5 UNCH
6100	----	----	----/0.901A	2.054B/0.901A	----	1.026 - 1.138	.4841	----	----	6	----	59 + 4
6150	----	----	----/1.142A	2.427B/1.142A	----	1.297 - 1.246	.5644	----	----	----	----	2 UNCH
6200	----	----	----/1.423A	2.828B/1.423A	----	1.610 - 1.337	.6406	----	----	1	----	20 UNCH
6250	----	----	----/1.755A	3.254B/1.755A	----	1.960 - 1.411	.7090	----	----	1	----	11 + 1
6300	----	----	----/2.117A	3.694B/2.117A	----	2.343 - 1.469	.7679	----	----	----	----	7 UNCH
6350	----	----	----/2.503A	4.146B/2.503A	----	2.754 - 1.512	.8166	----	----	----	----	7 UNCH
6400	----	----	----/2.908A	4.612B/2.908A	----	3.187 NEW	.8555	----	----	1	----	1 + 1
6500	----	----	----/3.787A	5.570B/3.787A	----	4.099 - 1.583	.9097	----	----	----	----	10 UNCH
6600	----	----	----/4.718A	6.531B/4.718A	----	5.048 - 1.602	.9418	----	----	----	----	5 UNCH
6650	----	----	----/5.193A	7.021B/5.193A	----	5.531 - 1.608	.9523	----	----	----	----	6 UNCH
6700	----	----	----/5.675A	7.514B/5.675A	----	6.018 - 1.612	.9611	----	----	----	----	20 UNCH
TOTAL										44	0	395 + 22
SO4 CALL		SILVER OPTIONS										
OCT26												
5800	3.200	3.200	3.812B/3.200	3.812B/2.509A	----	3.481 + 1.108	.8090	----	----	1	----	1 UNCH
5900	----	----	3.016B/----	3.016B/1.883A	----	2.709 + 0.931	.7279	----	----	----	----	5 UNCH
6000	----	----	2.305B/----	2.305B/1.384A	----	2.036 + 0.738	.6280	----	----	----	----	2 UNCH
6100	----	----	1.722B/----	1.722B/1.006A	----	1.480 + 0.550	.5169	----	----	----	----	2 UNCH
6300	----	----	0.879B/----	0.879B/0.527A	----	0.731 + 0.262	.3071	----	----	----	----	17 UNCH
6350	0.649	0.649	0.735B/0.617	0.735B/0.445A	----	0.609 + 0.213	.2641	----	----	5	----	10 + 5
6400	----	----	0.615B/----	0.615B/0.381A	----	0.508 + 0.171	.2261	----	----	----	----	10 UNCH
6450	----	----	0.511B/----	0.511B/0.327A	----	0.425 + 0.138	.1931	----	----	----	----	8 UNCH
6500	----	----	0.428B/----	0.428B/0.284A	----	0.357 + 0.111	.1647	----	----	----	----	9 UNCH
6600	0.292	0.292	0.301B/0.292	0.301B/0.220A	----	0.256 NEW	.1203	----	----	8	----	8 + 8
6700	0.215	0.215	0.221/0.215	0.221/0.170A	----	0.188 + 0.047	.0887	----	----	5	----	7 + 5
7500	----	----	0.033B/----	0.033B/0.040A	----	0.038 + 0.007	.0151	----	----	----	----	1 UNCH
TOTAL										19	0	80 + 18
SO4 PUT		SILVER OPTIONS										
OCT26												
5200	----	----	----/0.049A	0.082B/0.049A	----	0.044 - 0.057	.0194	----	----	----	----	2 UNCH
5450	----	----	----/0.108A	0.227B/0.108A	----	0.104 - 0.144	.0484	----	----	----	----	52 UNCH
5500	----	----	----/0.129A	0.278B/0.129A	----	0.126 - 0.174	.0589	----	----	----	----	19 UNCH
5550	----	----	----/0.155A	0.340B/0.155A	----	0.154 - 0.211	.0719	----	----	----	----	6 UNCH
5600	----	----	----/0.189A	0.415B/0.189A	----	0.189 - 0.254	.0878	----	----	----	----	8 UNCH
5650	----	----	----/0.225A	0.509B/0.225A	----	0.232 - 0.306	.1070	----	----	----	----	1 UNCH
5700	0.345	0.345	0.348/0.275A	0.622B/0.275A	----	0.286 - 0.367	.1302	----	----	7	----	18 + 7
5750	0.574	0.574	0.574/0.336A	0.756B/0.336A	----	0.354 - 0.435	.1582	----	----	1	----	5 UNCH
5800	----	----	----/0.411A	0.914B/0.411A	----	0.437 - 0.514	.1909	----	----	----	----	1 UNCH
5900	0.995	0.995	0.995/0.613A	1.305B/0.613A	----	0.663 - 0.692	.2719	----	----	6	----	6 - 3
6000	1.000	1.000	1.000/0.909A	1.809B/0.909A	----	0.989 - 0.884	.3718	----	----	1	----	7 + 1
6100	----	----	----/1.305A	2.407B/1.305A	----	1.432 - 1.072	.4830	----	----	----	----	1 UNCH
6200	----	----	----/1.824A	3.124B/1.824A	----	1.999 - 1.233	.5937	----	----	----	----	3 UNCH
6250	----	----	----/2.128A	3.516B/2.128A	----	2.327 - 1.300	.6452	----	----	----	----	1 UNCH
TOTAL										15	0	130 + 5
SO5 CALL		SILVER OPTIONS										
OCT26												
6200	1.439	1.439	1.653B/1.439	1.653B/1.145A	----	1.458 + 0.452	.4335	----	----	3	----	4 + 2
6300	----	----	1.278B/----	1.278B/0.897A	----	1.111 + 0.341	.3540	----	----	----	----	5 UNCH
6600	0.471	0.471	0.554B/0.471	0.554B/0.423A	----	0.492 NEW	.1785	----	----	15	----	7 + 7
6700	----	----	0.428B/----	0.428B/0.358A	----	0.380 NEW	.1410	----	----	1	----	1 + 1
6750	0.380	0.380	0.380/0.380	0.380/0.321A	----	0.335 + 0.082	.1253	----	----	13	----	15 + 13
6800	----	----	0.334B/----	0.334B/0.276A	----	0.297 + 0.071	.1117	----	----	----	----	2 UNCH
6900	0.265	0.265	0.274B/0.255	0.274B/0.237A	----	0.235 NEW	.0891	----	----	18	----	11 + 11
7000	----	----	0.219B/----	0.219B/0.191A	----	0.190 + 0.039	.0720	----	----	----	----	1 UNCH
TOTAL										50	0	46 + 34
SO5 PUT		SILVER OPTIONS										
OCT26												
4250	0.013	0.013	0.013/0.013	0.013/0.013	----	0.008 NEW	.0025	----	----	10	----	10 + 10
5500	----	----	----/0.267A	0.459B/0.267A	----	0.267 - 0.249	.0985	----	----	----	----	1 UNCH
6000	----	----	----/1.306A	2.072B/1.306A	----	1.386 - 0.891	.3945	----	----	----	----	3 UNCH
6150	----	----	----/1.979A	2.968B/1.979A	----	2.117 - 1.104	.5240	----	----	----	----	5 UNCH
TOTAL										10	0	19 + 10
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
OCT26												
4500	0.014	0.014	0.014/0.014	0.014/0.014	----	0.008 NEW	.0029	----	----	10	----	10 + 10
4750	----	----	0.010B/----	0.010B/0.018A	----	0.013 + 0.005	.0047	----	----	----	----	34 UNCH
5450	----	----	----/0.024A	0.041B/0.024A	----	0.012 - 0.047	.0062	----	----	----	----	5 UNCH
5600	----	----	----/0.138A	0.318B/0.138A	----	0.133 - 0.216	.0688	----	----	----	----	2 UNCH
5600	----	----	5.529B/----	5.529B/3.924A	----	5.176 + 1.407	.9311	----	----	----	----	1 UNCH
5600	0.050	0.050	0.050/0.037A	0.110B/0.037A	----	0.030 - 0.102	.0181	----	----	1	----	1 UNCH
5700	----	----	4.607B/----	4.607B/3.111A	----	4.257 + 1.298	.8914	----	----	----	----	1 UNCH
5700	----	----	----/0.208A	0.497B/0.208A	----	0.213 - 0.325	.1084	----	----	----	----	2 UNCH
5700	----	----	----/0.058A	0.210B/0.058A	----	0.055 - 0.185	.0362	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
OCT26												
5750	----	----	----/0.076A	0.287B/0.076A	----	0.076 - 0.251	.0518	----	----	----	----	35 UNCH
5800	0.136	0.136	0.136/0.104A	0.400B/0.104A	----	0.106 - 0.338	.0742	----	----	1	----	13 - 1
5800	----	----	----/0.320A	0.773B/0.320A	----	0.341 - 0.479	.1677	----	----	----	----	1 UNCH
5900	----	----	2.611B/----	2.611B/1.320A	----	2.258 + 1.044	.8490	----	----	----	----	1 UNCH
5920	----	----	----/0.220A	0.811B/0.220A	----	0.243 - 0.637	.1731	----	----	----	----	2 UNCH
5950	0.421	0.421	0.421/0.271A	0.954B/0.271A	----	0.301 NEW	.2117	----	----	6	----	6 + 6
6000	1.420	1.420	1.788B/1.420	1.788B/0.819A	----	1.474 + 0.737	.7104	----	----	4	----	6 + 3
6000	0.380	0.380	0.380/0.379A	1.228B/0.379A	----	0.427 - 0.886	.2895	----	----	1	----	6 + 1
6050	0.590	0.590	0.590/0.522A	1.542B/0.522A	----	0.598 NEW	.3822	----	----	1	----	1 + 1
6050	----	----	1.429B/----	1.429B/0.641A	----	1.146 NEW	.6177	----	----	1	----	1 + 1
6100	0.490	0.490	1.121B/0.490	1.121B/0.490	----	0.869 + 0.439	.5162	----	----	2	----	5 + 2
6150	0.984	0.984	1.321B/0.984	1.321B/0.733A	----	1.102 NEW	.4535	----	----	40	----	40 + 40
6150	----	----	----/0.942A	2.303B/0.942A	----	1.097 - 1.305	.5853	----	----	----	----	6 UNCH
6150	----	----	0.854B/----	0.854B/0.387A	----	0.646 NEW	.4146	----	----	1	----	1 + 1
6200	----	----	0.648B/----	0.648B/0.299A	----	0.472 + 0.222	.3212	----	----	----	25	25 + 21
6240	0.393	0.393	0.504B/0.393	0.504B/0.252A	----	0.366 NEW	.2567	----	----	3	----	3 + 3
6250	----	----	0.480B/----	0.480B/0.241A	----	0.343 + 0.150	.2420	----	----	----	----	5 UNCH
6250	----	----	0.904B/----	0.904B/0.512A	----	0.739 + 0.287	.3361	----	----	----	----	2 UNCH
6270	0.324	0.324	0.413B/0.324	0.413B/0.220A	----	0.301 NEW	.2146	----	----	3	----	3 + 3
6300	0.245	0.245	0.353B/0.245	0.353B/0.190A	----	0.249 + 0.099	.1789	----	----	15	----	15 + 13
6300	----	----	----/1.933A	3.618B/1.933A	----	2.200 - 1.524	.8210	----	----	----	----	2 UNCH
6400	----	----	0.189B/----	0.189B/0.128A	----	0.135 + 0.041	.0959	----	----	----	----	1 UNCH
6500	----	----	0.106B/----	0.106B/0.085A	----	0.079 + 0.016	.0531	----	----	----	----	10 UNCH
6650	----	----	0.047B/----	0.047B/0.048A	----	0.042 + 0.004	.0249	----	----	----	----	3 UNCH
6700	0.042	0.042	0.042/0.042	0.042/0.041A	----	0.035 NEW	.0199	----	----	3	----	3 + 3
6700	0.150	0.150	0.160/0.150	0.160/0.133A	----	0.137 + 0.034	.0705	----	----	2	----	2 UNCH
6800	----	----	0.112B/----	0.112B/0.101A	----	0.101 + 0.022	.0512	----	----	----	----	1 UNCH
TOTAL										94	25	256 + 107
NOV26												
6400	1.010	1.010	1.084B/1.010	1.084B/0.926A	----	1.032 NEW	.3078	----	----	1	----	1 + 1
TOTAL										1	0	1 + 1
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week3										
OCT26												
4750	0.009	0.009	0.020B/0.009	0.020B/0.009	----	0.013 + 0.004	.0045	----	----	10	----	34 UNCH
5500	----	----	----/0.015A	0.031B/0.015A	----	0.006 - 0.042	.0030	----	----	----	----	2 UNCH
5550	----	----	----/0.017A	0.043B/0.017A	----	0.008 - 0.054	.0043	----	----	----	----	1 UNCH
5600	----	----	----/0.117A	0.297B/0.117A	----	0.112 - 0.196	.0606	----	----	----	----	3 UNCH
5700	----	----	----/0.027A	0.132B/0.027A	----	0.023 - 0.132	.0158	----	----	----	----	24 UNCH
5700	----	----	----/0.178A	0.466B/0.178A	----	0.180 - 0.307	.0970	----	----	----	----	2 UNCH
5700	----	----	4.578B/----	4.578B/3.057A	----	4.224 + 1.316	.9028	----	----	----	----	1 UNCH
5720	----	----	----/0.030A	0.153B/0.030A	----	0.027 - 0.152	.0191	----	----	----	----	3 UNCH
5750	0.027	0.027	0.027/0.027	0.190B/0.027	----	0.033 - 0.188	.0244	----	----	2	----	12 + 2
5800	----	----	----/0.050A	0.276B/0.050A	----	0.048 - 0.269	.0381	----	----	----	----	23 UNCH
5840	----	----	----/0.066A	0.368B/0.066A	----	0.066 - 0.355	.0550	----	----	----	----	1 UNCH
5850	0.333	0.333	0.333/0.071A	0.396B/0.071A	----	0.072 - 0.380	.0605	----	----	3	----	1 UNCH
5880	----	----	2.713B/----	2.713B/1.284A	----	2.339 + 1.160	.9202	----	----	----	----	1 UNCH
5900	----	----	----/0.105A	0.571B/0.105A	----	0.109 - 0.525	.0960	----	----	1	----	10 + 1
5900	----	----	2.843B/----	2.843B/1.671A	----	2.529 + 0.956	.7605	----	----	----	----	2 UNCH
5910	----	----	2.438B/----	2.438B/1.098A	----	2.067 + 1.066	.8945	----	----	----	----	5 UNCH
5920	----	----	2.347B/----	2.347B/1.040A	----	1.978 + 1.032	.8836	----	----	----	----	3 UNCH
5940	0.153	0.153	0.153/0.142A	0.739B/0.142A	----	0.156 NEW	.1396	----	----	2	----	2 + 2
5950	----	----	2.454B/----	2.454B/1.404A	----	2.162 + 0.845	.7073	----	----	----	----	2 UNCH
5950	0.169	0.169	0.169/0.153A	0.793B/0.153A	----	0.171 NEW	.1532	----	----	1	----	1 + 1
5960	0.380	0.380	0.380/0.170A	0.841B/0.170A	----	0.187 NEW	.1676	----	----	3	----	2 + 2
5980	----	----	1.824B/----	1.824B/0.734A	----	1.472 + 0.811	.7999	----	----	----	----	2 UNCH
6000	0.396	0.396	0.396/0.240A	1.070B/0.240A	----	0.269 - 0.890	.2375	----	----	2	----	4 + 2
6000	----	----	2.098B/----	2.098B/1.172A	----	1.825 + 0.732	.6476	----	----	----	----	4 UNCH
6050	----	----	----/0.362A	1.405B/0.362A	----	0.420 - 1.078	.3506	----	----	1	----	12 + 1
6100	----	----	1.497B/----	1.497B/0.800A	----	1.256 + 0.517	.5161	----	----	----	----	2 UNCH
6100	0.869	0.869	0.952B/0.869	0.952B/0.355A	----	0.683 + 0.379	.5177	----	----	5	----	10 + 5
6100	0.640	0.640	0.643/0.535A	1.782B/0.535A	----	0.635 - 1.244	.4822	----	----	15	----	42 + 15
6150	----	----	1.241B/----	1.241B/0.658A	----	1.025 + 0.421	.4491	----	----	----	----	1 UNCH
6150	----	----	0.683B/----	0.683B/0.269A	----	0.465 + 0.245	.3858	----	----	----	----	10 UNCH
6150	----	----	----/0.768A	2.199B/0.768A	----	0.917 - 1.378	.6141	----	----	----	----	26 UNCH
6180	0.488	0.488	0.552B/0.488	0.552B/0.228A	----	0.366 NEW	.3144	----	----	1	----	1 + 1
6200	----	----	----/1.061A	2.640B/1.061A	----	1.263 - 1.473	.7284	----	----	----	----	27 UNCH
6200	----	----	----/1.601A	2.946B/1.601A	----	1.781 - 1.286	.6153	----	----	----	----	1 UNCH
6200	0.350	0.350	0.475B/0.350	0.475B/0.202A	----	0.311 + 0.150	.2715	----	----	6	----	23 - 4
6250	0.699	0.699	0.828B/0.699	0.828B/0.445A	----	0.669 + 0.266	.3249	----	----	2	----	6 UNCH
6250	----	----	0.325B/----	0.325B/0.158A	----	0.207 + 0.086	.1837	----	----	----	----	15 UNCH
6300	0.131	0.131	0.221B/0.131	0.221B/0.125A	----	0.139 + 0.046	.1219	----	----	5	----	25 + 5
6370	----	----	0.133B/----	0.133B/0.088A	----	0.083 + 0.017	.0691	----	----	----	----	1 UNCH
6400	----	----	0.108B/----	0.108B/0.074A	----	0.068 + 0.010	.0548	----	----	----	----	1 UNCH
6410	0.071	0.071	0.100B/0.070A	0.100B/0.070A	----	0.064 NEW	.0509	----	----	1	----	1 + 1
6500	----	----	0.055B/----	0.055B/0.043A	----	0.038 - 0.001	.0270	----	----	----	----	3 UNCH
6500	----	----	0.286B/----	0.286B/0.197A	----	0.232 + 0.071	.1263	----	----	----	----	1 UNCH
6510	0.031	0.031	0.052B/0.031	0.052B/0.031	----	0.036 NEW	.0253	----	----	2	----	2 + 2
6590	----	----	0.033B/----	0.033B/0.029A	----	0.025 - 0.003	.0157	----	----	----	----	14 UNCH
6690	0.027	0.027	0.027/0.023A	0.027/0.023A	----	0.016 NEW	.0089	----	----	5	----	5 + 5
7700	----	----	----	----/0.046A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
8750	----	----	----	----/0.052A	----	0.001 UNCH	.0003	----	----	----	----	34 UNCH
TOTAL										67	0	409 + 41
NOV26												
4250	0.009	0.009	0.009/0.009	0.009/0.009	----	0.005 NEW	.0017	----	----	1	----	1 + 1
5900	2.900	2.900	3.370B/2.900	3.370B/2.565A	----	3.163 + 0.879	.6778	----	----	3	----	3 UNCH
6300	----	----	1.514B/----	1.514B/1.674A	----	1.510 + 0.363	.3865	----	----	----	----	1 UNCH
6550	----	----	0.676B/----	0.676B/0.624A	----	0.638 + 0.157	.2149	----	----	----	----	1 UNCH
6800	----	----	0.357B/----	0.357B/0.376A	----	0.345 + 0.068	.1235	----	----	----	----	3 UNCH
7000	0.240	0.240	0.251B/0.240	0.251B/0.240	----	0.219 + 0.036	.0801	----	----	2	----	2 - 2
7200	0.175	0.175	0.175/0.175	0.175/0.175	----	0.142 + 0.018	.0525	----	----	1	----	2 UNCH
7750	----	----	0.064B/----	0.064B/0.089A	----	0.051 + 0.002	.0186	----	----	----	----	1 UNCH
TOTAL										7	0	14 - 1

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK3										
OCT26												
500	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	19 UNCH
625	----	----	----/0.0150A	0.0180B/0.0150A	----	0.0120 - 0.0120	.0732	----	----	----	----	10 UNCH
630	----	----	----/0.0175A	0.0260B/0.0175A	----	0.0150 - 0.0165	.0918	----	----	----	----	5 UNCH
635	0.0075	0.0075	0.0075/0.0075	0.0100B/0.0075	----	0.0070 - 0.0115	.0578	----	----	2	----	4 UNCH
635	----	----	----	----/0.0035A	----	0.0005 - 0.0015	.0013	----	----	----	----	1 UNCH
645	----	----	----/0.0345A	0.0680B/0.0345A	----	0.0345 - 0.0350	.1939	----	----	----	----	2 UNCH
645	----	----	----/0.0040A	0.0005B/0.0040A	----	0.0015 - 0.0080	.0146	----	----	----	----	57 UNCH
647	----	----	----/0.0040A	0.0030B/0.0040A	----	0.0020 - 0.0105	.0207	----	----	----	----	1 UNCH
650	----	----	----/0.0215A	0.0550B/0.0215A	----	0.0210 - 0.0380	.1668	----	----	----	----	2 UNCH
650	----	----	----/0.0045A	0.0100B/0.0045A	----	0.0035 - 0.0160	.0385	----	----	----	----	12 UNCH
655	0.0310	0.0310	0.0310/0.0310	0.0755B/0.0310	----	0.0320 - 0.0505	.2368	----	----	1	----	2 + 1
655	----	----	----/0.0055A	0.0290B/0.0055A	----	0.0040 - 0.0340	.0554	----	----	----	----	12 UNCH
658	----	----	----/0.0065A	0.0455B/0.0065A	----	0.0050 NEW	.0792	----	----	25	----	25 + 25
660	----	----	----/0.0460A	0.1045B/0.0460A	----	0.0485 - 0.0620	.3231	----	----	----	----	1 UNCH
660	0.0150	0.0150	0.0150/0.0080A	0.0585B/0.0080A	----	0.0070 - 0.0580	.1157	----	----	17	----	18 + 13
660	----	----	0.1140B/----	0.1140B/0.0365A	----	0.0990 + 0.0655	.8842	----	----	----	----	5 UNCH
661	----	----	0.1055B/----	0.1055B/0.0335A	----	0.0905 + 0.0605	.8585	----	----	----	----	10 UNCH
664	----	----	0.0825B/----	0.0825B/0.0270A	----	0.0675 NEW	.7511	----	----	1	----	1 + 1
665	----	----	0.0755B/----	0.0755B/0.0255A	----	0.0610 + 0.0420	.7055	----	----	----	----	39 UNCH
666	----	----	0.0685B/----	0.0685B/0.0240A	----	0.0550 + 0.0385	.6577	----	----	----	----	1 UNCH
667	0.0270	0.0270	0.0270/0.0230A	0.1135B/0.0230A	----	0.0275 NEW	.3910	----	----	2	----	2 + 2
670	0.0340	0.0340	0.0455B/0.0340	0.0455B/0.0190A	----	0.0360 NEW	.4657	----	----	24	----	24 + 24
671	0.0365	0.0365	0.0365/0.0365	0.1495B/0.0365	----	0.0500 NEW	.5787	----	----	2	----	2 + 2
671	0.0360	0.0360	0.0405B/0.0335	0.0405B/0.0180A	----	0.0320 NEW	.4211	----	----	6	----	6 + 6
673	0.0265	0.0265	0.0315B/0.0250	0.0315B/0.0160A	----	0.0255 NEW	.3400	----	----	2	----	2 + 2
675	----	----	0.1025B/----	0.1025B/0.0660A	----	0.0950 + 0.0380	.4310	----	----	----	----	1 UNCH
675	----	----	0.0240B/----	0.0240B/0.0145A	----	0.0200 + 0.0135	.2690	----	----	2	----	10 UNCH
678	----	----	0.0165B/----	0.0165B/0.0130A	----	0.0135 + 0.0080	.1817	----	----	----	----	35 UNCH
682	----	----	0.0090B/----	0.0090B/0.0115A	----	0.0075 NEW	.0988	----	----	25	----	25 + 25
690	----	----	0.0335B/----	0.0335B/0.0265A	----	0.0325 + 0.0135	.2098	----	----	----	----	3 UNCH
690	----	----	----	0.0020B/0.0065A	----	0.0050 + 0.0010	.0503	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		**COPPER WEEKLY MONDAY OPTION WEEK4**										
OCT26												
695	----	----	0.0465B/----	0.0465B/0.0345A	----	0.0415 + 0.0165	.2187	----	----	----	----	1 UNCH
700	----	----	0.0380B/----	0.0380B/0.0300A	----	0.0340 + 0.0135	.1825	----	----	----	----	5 UNCH
700	----	----	0.0195B/----	0.0195B/0.0195A	----	0.0200 + 0.0075	.1314	----	----	----	----	1 UNCH
700	----	----	----	0.0005B/0.0050A	----	0.0020 UNCH	.0160	----	----	----	----	1 UNCH
710	----	----	0.0250B/----	0.0250B/0.0230A	----	0.0230 + 0.0085	.1265	----	----	----	----	10 UNCH
725	----	----	----	----/0.0035A	----	0.0005 UNCH	.0001	----	----	----	----	2 UNCH
850	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	19 UNCH
TOTAL										109		377+ 101
NOV26												
800	0.0030	0.0030	0.0030/0.0030	0.0030/0.0030	----	0.0030 UNCH	.0140	----	----	10	----	10 + 10
TOTAL										10		10+ 10
HWR THU		**COPPER WEEKLY THURSDAY OPT Week4**										
OCT26												
500	----	----	----	----/0.0040A	----	0.0005 UNCH	.0002	----	----	----	----	9 UNCH
525	----	----	----	----/0.0025A	----	0.0005 UNCH	----	----	----	----	----	30 UNCH
525	0.0015	0.0015	0.0015/0.0015	0.0015/0.0015	----	0.0010 NEW	.0040	----	----	2	----	2 + 2
600	----	----	----	0.0030B/0.0070A	----	0.0035 - 0.0025	.0204	----	----	----	----	1 UNCH
625	----	----	----/0.0210A	0.0270B/0.0210A	----	0.0180 - 0.0185	.0958	----	----	----	----	1 UNCH
635	----	----	----/0.0155A	0.0240B/0.0155A	----	0.0130 - 0.0195	.0901	----	----	----	----	1 UNCH
635	----	----	----/0.0065A	0.0025B/0.0065A	----	0.0045 - 0.0080	.0376	----	----	----	----	1 UNCH
640	----	----	----/0.0075A	0.0085B/0.0075A	----	0.0055 - 0.0135	.0497	----	----	----	----	10 UNCH
645	----	----	----/0.0090A	0.0205B/0.0090A	----	0.0075 - 0.0220	.0718	----	----	----	----	15 UNCH
650	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
650	0.0125	0.0125	0.0125/0.0125	0.0370B/0.0125	----	0.0120 - 0.0335	.1151	----	----	10	----	16 + 10
650	----	----	----/0.0585A	0.0990B/0.0585A	----	0.0600 - 0.0480	.2717	----	----	----	----	1 UNCH
655	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
655	----	----	----/0.0195A	0.0600B/0.0195A	----	0.0195 - 0.0475	.1817	----	----	----	----	2 UNCH
657	----	----	----	----	----	0.0015 UNCH	----	----	----	----	----	0 UNCH
658	----	----	----	----	----	0.0115 UNCH	----	----	----	----	----	0 UNCH
660	----	----	----	----	----	0.0315 UNCH	----	----	----	----	----	0 UNCH
660	----	----	----/0.0320A	0.0890B/0.0320A	----	0.0330 - 0.0615	.2801	----	----	----	----	1 UNCH
660	----	----	0.1370B/----	0.1370B/0.0680A	----	0.1250 + 0.0615	.7197	----	----	----	----	1 UNCH
661	----	----	----	----	----	0.0415 UNCH	----	----	----	----	----	0 UNCH
662	----	----	----	----	----	0.0515 UNCH	----	----	----	----	----	0 UNCH
663	----	----	----	----	----	0.0615 UNCH	----	----	----	----	----	0 UNCH
665	----	----	----	----	----	0.0815 UNCH	----	----	----	----	----	0 UNCH
665	----	----	0.1070B/----	0.1070B/0.0535A	----	0.0945 + 0.0480	.6038	----	----	----	----	40 UNCH
666	----	----	----	----	----	0.0915 UNCH	----	----	----	----	----	0 UNCH
668	----	----	----	----	----	0.1115 UNCH	----	----	----	----	----	0 UNCH
668	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
670	----	----	----	----	----	0.1315 UNCH	----	----	----	----	----	0 UNCH
670	----	----	0.0805B/----	0.0805B/0.0420A	----	0.0710 + 0.0370	.4867	----	----	----	----	2 UNCH
671	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
672	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
675	----	----	----	----	----	0.1815 UNCH	----	----	----	----	----	0 UNCH
675	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
685	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
685	----	----	0.0315B/----	0.0315B/0.0230A	----	0.0290 + 0.0145	.2181	----	----	----	----	47 UNCH
690	----	----	0.0225B/----	0.0225B/0.0195A	----	0.0215 + 0.0100	.1623	----	----	----	----	15 UNCH
695	----	----	0.0160B/----	0.0160B/0.0165A	----	0.0160 + 0.0070	.1201	----	----	----	----	2 UNCH
700	----	----	0.0115B/----	0.0115B/0.0135A	----	0.0120 + 0.0045	.0888	----	----	----	----	24 UNCH
710	----	----	0.0065B/----	0.0065B/0.0110A	----	0.0070 + 0.0020	.0494	----	----	----	----	2 UNCH
730	----	----	0.0070B/----	0.0070B/0.0110A	----	0.0090 + 0.0025	.0518	----	----	----	----	1 UNCH
800	----	----	----	----/0.0045A	----	0.0005 UNCH	.0027	----	----	----	----	1 UNCH
800	----	----	----	----/0.0035A	----	0.0005 UNCH	.0002	----	----	----	----	30 UNCH
850	----	----	----	----/0.0040A	----	0.0005 UNCH	.0001	----	----	----	----	9 UNCH
TOTAL										12		264+ 12
HWT TUE		**COPPER WEEKLY TUESDAY OPTION Week3**										
OCT26												
500	----	----	----	----/0.0040A	----	0.0005 UNCH	----	----	----	----	----	30 UNCH
635	----	----	----	0.0005B/0.0040A	----	0.0005 - 0.0020	.0000	----	----	----	----	1 UNCH
640	----	----	----/0.0140A	0.0250B/0.0140A	----	0.0120 - 0.0210	.0938	----	----	----	----	2 UNCH
640	----	----	----/0.0045A	0.0025B/0.0045A	----	0.0005 - 0.0065	.0005	----	----	----	----	1 UNCH
645	----	----	----/0.0050A	0.0050B/0.0050A	----	0.0005 - 0.0145	.0036	----	----	----	----	10 UNCH
650	----	----	----/0.0060A	0.0185B/0.0060A	----	0.0015 - 0.0245	.0214	----	----	----	----	11 UNCH
655	----	----	----/0.0370A	0.0830B/0.0370A	----	0.0370 - 0.0520	.2521	----	----	----	----	1 UNCH
655	0.0100	0.0100	0.0100/0.0080A	0.0390B/0.0080A	----	0.0045 - 0.0425	.0669	----	----	10	----	14 + 10
675	----	----	0.0815B/----	0.0815B/0.0495A	----	0.0750 NEW	.4127	----	----	1	----	1 + 1
685	----	----	0.0490B/----	0.0490B/0.0350A	----	0.0465 + 0.0195	.2764	----	----	----	----	5 UNCH
TOTAL										11		76+ 11
NOV26												
630	----	----	0.4365B/0.3330A	0.4365B/0.3330A	----	0.4355 + 0.0955	.8261	----	----	----	----	1 UNCH
635	0.0380	0.0380	0.0380/0.0370A	0.0650B/0.0370A	----	0.0380 NEW	.1715	----	----	4	----	4 + 4
660	----	----	0.2095B/----	0.2095B/0.1450A	----	0.1995 + 0.0610	.6094	----	----	----	----	7 UNCH
690	----	----	0.0810B/----	0.0810B/0.0600A	----	0.0755 + 0.0230	.3061	----	----	----	----	5 UNCH
TOTAL										4		17+ 4
HWW WED		**COPPER WEEKLY WEDNESDAY OPTION WEEK**										
OCT26												
500	----	----	----	----/0.0040A	----	0.0005 UNCH	----	----	----	----	----	30 UNCH
610	----	----	----	----/0.0035A	----	0.0005 - 0.0005	.0001	----	----	----	----	1 UNCH
620	----	----	----/0.0150A	0.0175B/0.0150A	----	0.0130 - 0.0130	.0721	----	----	1	----	21 + 1
620	----	----	----/0.0085A	0.0030B/0.0085A	----	0.0055 - 0.0055	.0377	----	----	----	----	5 UNCH
625	----	----	----/0.0180A	0.0230B/0.0180A	----	0.0160 - 0.0165	.0888	----	----	----	----	20 UNCH
625	----	----	----	----/0.0040A	----	0.0005 - 0.0020	.0034	----	----	----	----	5 UNCH
625	----	----	----/0.0095A	0.0060B/0.0095A	----	0.0065 - 0.0080	.0463	----	----	----	----	15 UNCH
630	----	----	----/0.0215A	0.0315B/0.0215A	----	0.0200 - 0.0210	.1102	----	----	----	----	30 UNCH
630	0.0030	0.0030	0.0030/0.0030	0.0030/0.0030	----	0.0010 - 0.0040	.0087	----	----	2	----	11 + 1
630	----	----	----/0.0110A	0.0110B/0.0110A	----	0.0080 - 0.0115	.0587	----	----	----	----	31 UNCH
635	----	----	----/0.0050A	0.0015B/0.0050A	----	0.0025 - 0.0070	.0220	----	----	----	----	20 UNCH
635	----	----	----/0.0130A	0.0190B/0.0130A	----	0.0100 - 0.0170	.0754	----	----	----	----	20 UNCH
640	----	----	----/0.0060A	0.0035B/0.0060A	----	0.0040 - 0.0100	.0369	----	----	----	----	15 UNCH
640	----	----	----/0.0165A	0.0305B/0.0165A	----	0.0140 - 0.0235	.1042	----	----	----	----	20 UNCH
640	----	----	0.3120B/----	0.3120B/0.1825A	----	0.2960 + 0.1135	.9629	----	----	----	----	1 UNCH
645	----	----	----/0.0070A	0.0130B/0.0070A	----	0.0055 - 0.0185	.0549	----	----	----	----	1 UNCH
650	0.0100	0.0100	0.0100/0.0090A	0.0290B/0.0090A	----	0.0080 - 0.0310	.0855	----	----	10	----	26 + 10
650	----	----	----/0.0300A	0.0680B/0.0300A	----	0.0290 - 0.0425	.1980	----	----	----	----	1 UNCH
655	----	----	----/0.0140A	0.0515B/0.0140A	----	0.0135 - 0.0470	.1454	----	----	----	----	11 UNCH
655	0.0420	0.0420	0.0420/0.0415A	0.0895B/0.0415A	----	0.0420 NEW	.2655	----	----	1	----	1 + 1
660	----	----	----/0.0240A	0.0810B/0.0240A	----	0.0250 - 0.0630	.2485	----	----	----	----	22 UNCH
665	----	----	0.0980B/----	0.0980B/0.0445A	----	0.0860 + 0.0460	.6190	----	----	----	----	1 UNCH
670	0.0710	0.0710	0.0710/0.0635A	0.1560B/0.0635A	----	0.0705 NEW	.5164	----	----	1	----	1 + 1
670	----	----	0.0710B/----	0.0710B/0.0350A	----	0.0625 + 0.0340	.4834	----	----	----	----	16 UNCH
675	----	----	0.0500B/----	0.0500B/0.0270A	----	0.0450 + 0.0245	.3635	----	----	----	----	1 UNCH
685	----	----	0.0235B/----	0.0235B/0.0185A	----	0.0225 + 0.0115	.1886	----	----	----	----	6 UNCH
690	----	----	0.0420B/----	0.0420B/0.0325A	----	0.0410 + 0.0165	.2358	----	----	----	----	2 UNCH
700	----	----	0.0070B/----	0.0070B/0.0120A	----	0.0080 + 0.0035	.0639	----	----	----	----	6 UNCH
710	----	----	----	0.0025B/0.0090A	----	0.0055 + 0.0020	.0389	----	----	----	----	5 UNCH
715	----	----	0.0120B/----	0.0120B/0.0160A	----	0.0145 + 0.0055	.0860	----	----	----	----	5 UNCH
725	----	----	0.0180B/----	0.0180B/0.0180A	----	0.0160 NEW	.0844	----	----	1	----	1 + 1
800	----	----	----	----/0.0045A	----	0.0005 UNCH	.0026	----	----	----	----	9 UNCH
TOTAL										16		360+ 15
NOV26												
610	----	----	----/0.0170A	0.0200B/0.0170A	----	0.0150 - 0.0130	.0707	----	----	----	----	12 UNCH
615	----	----	----/0.0200A	0.0265B/0.0200A	----	0.0185 - 0.0155	.0860	----	----	----	----	45 UNCH
620	----	----	----/0.0240A	0.0340B/0.0240A	----	0.0225 - 0.0185	.1035	----	----	----	----	45 UNCH
625	----	----	----/0.0280A	0.0440B/0.0280A	----	0.0275 - 0.0225	.1245	----	----	----	----	1 UNCH
640	----	----	----/0.0505A	0.0875B/0.0505A	----	0.0515 - 0.0370	.2144	----	----	----	----	22 UNCH
660	----	----	0.2170B/----	0.2170B/0.1520A	----	0.2065 + 0.0610	.6051	----	----	----	----	1 UNCH
670	----	----	0.1625B/----	0.1625B/0.1155A	----	0.1545 + 0.0475	.5031	----	----	----	----	1 UNCH
675	----	----	0.2835B/0.1825A	0.2835B/0.1825A	----	0.1910 - 0.0815	.5465	----	----	----	----	1 UNCH
675	----	----	0.1395B/----	0.1395B/0.0995A	----	0.1330 + 0.0415	.4528	----	----	----	----	1 UNCH
685	----	----	0.1010B/----	0.1010B/0.0745A	----	0.0970 + 0.0305	.3585	----	----	----	----	2 UNCH
700	----	----	0.0625B/----	0.0625B/0.0500A	----	0.0595 + 0.0180	.2416	----	----	----	----	1 UNCH
720	----	----	0.0320B/----	0.0320B/0.0310A	----	0.0315 + 0.0085	.1377	----	----	----	----	1 UNCH
755	----	----	0.0105B/----	0.0105B/0.0145A	----	0.0115 + 0.0020	.0524	----	----	----	----	1 UNCH
800	0.0025	0.0025	0.0035B/0.0025	0.0035B/0.0025	----	0.0030 NEW	.0142	----	----	3	----	3 + 3
850	----	----	----	----/0.0055A	----	0.0005 UNCH	.0025	----	----	----	----	1 UNCH
TOTAL										3		138+ 3
DEC26												
525	0.0045	0.0045	0.0045/0.0045	0.0045/0.0045	----	0.0025 NEW	.0088	----	----	10	----	10 + 10
575	----	----	----/0.0205A	0.0145B/0.0205A	----	0.0145 - 0.0080	.0461	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 60

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
DEC26												
600	----	----	----/0.0350A	0.0370B/0.0350A	----	0.0315 - 0.0155	.0933	----	----	----	----	4 UNCH
605	----	----	----/0.0395A	0.0430B/0.0395A	----	0.0360 - 0.0175	.1055	----	----	----	----	12 UNCH
625	----	----	----/0.0645A	0.0795B/0.0645A	----	0.0630 - 0.0270	.1718	----	----	----	----	1 UNCH
645	----	----	----/0.1070A	0.1380B/0.1070A	----	0.1075 - 0.0410	.2659	----	----	----	----	25 UNCH
650	----	----	----/0.1210A	0.1565B/0.1210A	----	0.1225 - 0.0450	.2938	----	----	----	----	11 UNCH
690	----	----	0.2085B/----	0.2085B/0.1680A	----	0.2040 + 0.0455	.4536	----	----	----	----	1 UNCH
695	----	----	0.1890B/----	0.1890B/0.1530A	----	0.1850 + 0.0415	.4229	----	----	----	----	1 UNCH
700	----	----	----/0.3585A	0.4470B/0.3585A	----	0.3670 - 0.0875	.6055	----	----	----	----	1 UNCH
720	----	----	0.1135B/----	0.1135B/0.0960A	----	0.1120 + 0.0255	.2875	----	----	----	----	4 UNCH
745	----	----	0.0670B/----	0.0670B/0.0615A	----	0.0675 + 0.0155	.1881	----	----	----	----	0 UNCH
900	0.0020	0.0020	0.0020/0.0020	0.0020/0.0020	----	0.0025 NEW	.0090	----	----	10	----	10 + 10
TOTAL										20		84 + 20
JAN27												
700	----	----	0.2445B/----	0.2445B/0.2085A	----	0.2425 + 0.0440	.4274	----	----	----	----	1 UNCH
800	----	----	0.0520B/----	0.0520B/0.0555A	----	0.0545 + 0.0110	.1249	----	----	----	----	1 UNCH
825	----	----	0.0355B/----	0.0355B/0.0425A	----	0.0375 + 0.0080	.0895	----	----	----	----	1 UNCH
TOTAL												3
HX CALL		COMEX COPPER OPTIONS										
NOV26												
535	----	----	----	----	----	1.3430 + 0.1225	.9909	----	----	----	----	1 UNCH
545	----	----	----	----	----	1.2435 + 0.1225	.9902	----	----	----	----	1 UNCH
580	----	----	----	----	----	0.8950 + 0.1215	.9808	----	----	----	----	2 UNCH
585	----	----	----	----	----	0.8455 + 0.1210	.9779	----	----	----	----	1 UNCH
595	----	----	----	----	----	0.7470 + 0.1200	.9695	----	----	----	----	2 UNCH
600	0.7050	0.7050	0.7050/0.7050	0.7050/0.6815A	----	0.6975 + 0.1190	.9657	----	----	1	----	4 UNCH
610	----	----	0.6185B/0.4720A	0.6185B/0.4720A	----	0.6000 + 0.1165	.9530	----	----	----	----	14 UNCH
630	----	----	0.4295B/0.2990A	0.4295B/0.2990A	----	0.4100 + 0.1040	.8950	----	----	----	----	1 UNCH
635	----	----	0.3835B/0.2610A	0.3835B/0.2610A	----	0.3645 + 0.0975	.8701	----	----	----	----	2 UNCH
640	----	----	0.3400B/0.2250A	0.3400B/0.2250A	----	0.3215 + 0.0915	.8370	----	----	----	----	340 UNCH
645	----	----	0.2985B/0.1930A	0.2985B/0.1930A	----	0.2800 + 0.0835	.7953	----	----	----	----	2 UNCH
650	----	----	0.2600B/0.1635A	0.2600B/0.1635A	----	0.2420 + 0.0765	.7463	----	----	----	----	44 UNCH
655	----	----	0.2240B/0.1280A	0.2240B/0.1280A	----	0.2065 + 0.0685	.6897	----	----	----	----	212 UNCH
660	0.1785	0.1785	0.1915B/0.1075A	0.1915B/0.1075A	----	0.1750 + 0.0610	.6284	----	----	1	----	335 - 1
664	----	----	0.1675B/0.0930A	0.1675B/0.0930A	----	0.1520 + 0.0545	.5769	----	----	19	----	78 + 19
665	0.1500	0.1500	0.1620B/0.0890A	0.1620B/0.0890A	----	0.1465 + 0.0530	.5639	----	----	1	----	103 UNCH
666	----	----	0.1565B/0.0860A	0.1565B/0.0860A	----	0.1415 + 0.0515	.5508	----	----	----	----	8 UNCH
670	0.1000	0.1000	0.1365B/0.0740A	0.1365B/0.0740A	----	0.1220 + 0.0455	.4987	----	----	13	----	452 - 2
675	0.0725	0.0725	0.1150B/0.0610A	0.1150B/0.0610A	----	0.1005 + 0.0380	.4350	----	----	16	----	565 - 9
680	0.0800	0.0800	0.0945B/0.0800	0.0945B/0.0515A	----	0.0825 + 0.0310	.3749	----	----	24	----	187 + 17
685	0.0660	0.0660	0.0785B/0.0660	0.0785B/0.0430A	----	0.0675 + 0.0250	.3198	----	----	6	----	382 + 1
690	0.0605	0.0605	0.0645B/0.0340A	0.0645B/0.0340A	----	0.0550 + 0.0200	.2704	----	----	3	----	323 + 1
695	----	----	0.0535B/----	0.0535B/0.0305A	----	0.0450 + 0.0160	.2275	----	----	----	----	291 UNCH
700	0.0435	0.0435	0.0440B/0.0355	0.0440B/0.0245A	----	0.0365 + 0.0125	.1897	----	----	22	----	910 - 1
705	0.0285	0.0285	0.0365B/0.0285	0.0365B/0.0210A	----	0.0300 + 0.0100	.1586	----	----	1	----	323 + 1
710	0.0255	0.0255	0.0300B/0.0255	0.0300B/0.0180A	----	0.0245 + 0.0080	.1318	----	----	2	----	311 UNCH
714	0.0230	0.0230	0.0255B/0.0230	0.0255B/0.0155A	----	0.0210 + 0.0065	.1140	----	----	1	----	16 + 1
715	----	----	0.0245B/----	0.0245B/0.0155A	----	0.0205 + 0.0065	.1109	----	----	----	----	224 UNCH
716	0.0185	0.0185	0.0240B/0.0185	0.0240B/0.0150A	----	0.0195 + 0.0060	.1061	----	----	2	----	12 + 2
719	0.0165	0.0165	0.0215B/0.0165	0.0215B/0.0140A	----	0.0175 + 0.0050	.0955	----	----	1	----	6 + 1
720	0.0190	0.0190	0.0205B/0.0190	0.0205B/0.0135A	----	0.0170 + 0.0050	.0926	----	----	39	----	521 - 27
721	----	----	0.0200B/----	0.0200B/0.0130A	----	0.0165 + 0.0050	.0898	----	----	----	----	19 UNCH
724	----	----	0.0180B/----	0.0180B/0.0120A	----	0.0150 + 0.0045	.0815	----	----	----	----	12 UNCH
725	----	----	0.0170B/----	0.0170B/0.0115A	----	0.0145 + 0.0040	.0788	----	----	49	----	336 - 9
726	----	----	0.0165B/----	0.0165B/0.0115A	----	0.0140 + 0.0040	.0761	----	----	----	----	12 UNCH
730	----	----	0.0145B/----	0.0145B/0.0100A	----	0.0125 + 0.0035	.0675	----	----	1	----	274 UNCH
735	----	----	0.0125B/----	0.0125B/0.0095A	----	0.0105 + 0.0025	.0568	----	----	----	----	73 UNCH
740	----	----	0.0110B/----	0.0110B/0.0085A	----	0.0095 + 0.0025	.0504	----	----	8	----	152 - 2
745	0.0075	0.0075	0.0090B/0.0075	0.0090B/0.0075	----	0.0080 + 0.0020	.0425	----	----	6	----	30 UNCH
750	----	----	0.0080B/----	0.0080B/0.0070A	----	0.0070 + 0.0015	.0368	----	----	----	----	272 UNCH
755	----	----	0.0070B/----	0.0070B/0.0060A	----	0.0065 + 0.0015	.0334	----	----	----	----	45 UNCH
760	----	----	0.0060B/----	0.0060B/0.0055A	----	0.0055 + 0.0010	.0283	----	----	----	----	22 UNCH
765	0.0045	0.0045	0.0055B/0.0045	0.0055B/0.0045	----	0.0050 + 0.0010	.0253	----	----	3	----	6 + 2
770	----	----	0.0045B/----	0.0045B/0.0050A	----	0.0045 + 0.0010	.0225	----	----	----	----	4 UNCH
775	----	----	0.0045B/----	0.0045B/0.0050A	----	0.0040 + 0.0010	.0198	----	----	47	----	347 - 43
800	----	----	0.0025B/----	0.0025B/0.0040A	----	0.0025 + 0.0005	.0116	----	----	----	----	240 UNCH
825	----	----	----	0.0005B/0.0030A	----	0.0015 + 0.0005	.0067	----	----	----	----	91 UNCH
850	----	----	----	----/0.0025A	----	0.0010 UNCH	.0042	----	----	----	----	88 UNCH
875	----	----	----	----/0.0020A	----	0.0005 UNCH	.0021	----	----	----	----	21 UNCH
900	----	----	----	----/0.0005A	----	0.0005 UNCH	.0007	----	----	----	----	21 UNCH
925	----	----	----	----/0.0005A	----	0.0005 UNCH	.0002	----	----	----	----	43 UNCH
950	----	----	----	----/0.0005A	----	0.0005 UNCH	.0000	----	----	----	----	3 UNCH
975	----	----	----	----/0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	31 UNCH
TOTAL										266		7815 - 49
DEC26												
525	----	----	1.4485B/----	1.4485B/1.4480A	----	1.4445 + 0.1215	.9826	----	----	----	----	123 UNCH
535	----	----	----	----	----	1.3455 + 0.1210	.9790	----	----	----	----	1 UNCH
550	----	----	1.1850B/----	1.1850B/1.1820A	----	1.1975 + 0.1200	.9704	----	----	----	----	2 UNCH
555	----	----	1.1650B/----	1.1650B/1.1335A	----	1.1485 + 0.1190	.9669	----	----	----	----	1 UNCH
565	----	----	1.0710B/----	1.0710B/1.0365A	----	1.0510 + 0.1180	.9582	----	----	----	----	45 UNCH
575	----	----	0.9740B/0.8260A	0.9740B/0.8260A	----	0.9545 + 0.1160	.9475	----	----	----	----	123 UNCH
585	----	----	0.8795B/0.7335A	0.8795B/0.7335A	----	0.8590 + 0.1130	.9335	----	----	----	----	1 UNCH
590	----	----	0.8325B/0.6875A	0.8325B/0.6875A	----	0.8115 + 0.1105	.9238	----	----	----	----	201 UNCH
595	----	----	0.7860B/0.6435A	0.7860B/0.6435A	----	0.7650 + 0.1085	.9137	----	----	----	----	163 UNCH
600	----	----	0.7405B/0.6005A	0.7405B/0.6005A	----	0.7190 + 0.1060	.9011	----	----	----	----	603 UNCH
605	----	----	0.6945B/0.5585A	0.6945B/0.5585A	----	0.6740 + 0.1035	.8871	----	----	----	----	1 UNCH
610	----	----	0.6505B/0.5180A	0.6505B/0.5180A	----	0.6295 + 0.1005	.8707	----	----	----	----	200 UNCH
615	----	----	0.6070B/0.4785A	0.6070B/0.4785A	----	0.5865 + 0.0980	.8513	----	----	----	----	1 UNCH
620	----	----	0.5655B/0.4405A	0.5655B/0.4405A	----	0.5440 + 0.0940	.8305	----	----	----	----	421 UNCH
625	----	----	0.5235B/0.4055A	0.5235B/0.4055A	----	0.5035 + 0.0910	.8070	----	----	----	----	57 UNCH
630	----	----	0.4840B/0.3700A	0.4840B/0.3700A	----	0.4640 + 0.0875	.7810	----	----	----	----	310 UNCH
635	----	----	0.4455B/0.3375A	0.4455B/0.3375A	----	0.4265 + 0.0840	.7522	----	----	----	----	5 UNCH
640	----	----	0.4085B/0.3070A	0.4085B/0.3070A	----	0.3905 + 0.0800	.7220	----	----	----	----	29 UNCH
645	----	----	0.3735B/0.2785A	0.3735B/0.2785A	----	0.3565 + 0.0755	.6892	----	----	----	----	3 UNCH
650	----	----	0.3425B/0.2525A	0.3425B/0.2525A	----	0.3245 + 0.0710	.6552	----	----	----	----	567 UNCH
655	0.2970	0.2970	0.3110B/0.2185A	0.3110B/0.2185A	----	0.2940 + 0.0655	.6196	----	----	1	----	276 - 1
660	----	----	0.2830B/0.1960A	0.2830B/0.1960A	----	0.2660 + 0.0605	.5835	----	----	----	----	418 UNCH
665	0.2540	0.2540	0.2560/0.1760A	0.2560/0.1760A	----	0.2400 + 0.0560	.5469	----	----	17	----	61 - 4
670	----	----	0.2305B/0.1590A	0.2305B/0.1590A	----	0.2160 + 0.0510	.5103	----	----	2	----	563 UNCH
675	0.2050	0.2050	0.2080B/0.1415A	0.2080B/0.1415A	----	0.1940 + 0.0465	.4742	----	----	10	----	402 + 1
680	0.1830	0.1830	0.1875B/0.1280A	0.1875B/0.1280A	----	0.1735 + 0.0420	.4388	----	----	2	----	769 UNCH
685	0.1620	0.1620	0.1685B/0.1145A	0.1685B/0.1145A	----	0.1550 + 0.0380	.4045	----	----	31	----	424 + 14
690	----	----	0.1505B/0.1030A	0.1505B/0.1030A	----	0.1385 + 0.0340	.3717	----	----	1	40	312 + 41
695	----	----	0.1340B/0.0925A	0.1340B/0.0925A	----	0.1235 + 0.0305	.3405	----	----	----	----	186 UNCH
700	0.1085	0.1085	0.1210B/0.0825A	0.1210B/0.0825A	----	0.1095 + 0.0265	.3106	----	----	2	----	3484 + 2
705	----	----	0.1075B/----	0.1075B/0.0750A	----	0.0975 + 0.0235	.2830	----	----	----	----	162 UNCH
710	----	----	0.0960B/----	0.0960B/0.0670A	----	0.0870 + 0.0210	.2576	----	----	----	----	132 UNCH
715	0.0820	0.0820	0.0855B/0.0790	0.0855B/0.0605A	----	0.0770 + 0.0180	.2332	----	----	12	----	96 + 11
720	0.0680	0.0680	0.0770B/0.0680	0.0770B/0.0545A	----	0.0685 + 0.0155	.2113	----	----	171	----	532 + 163
725	0.0650	0.0650	0.0690B/0.0605	0.0690B/0.0485A	----	0.0610 + 0.0135	.1913	----	----	35	80	1419 - 42
730	0.0585	0.0585	0.0615B/0.0585	0.0615B/0.0440A	----	0.0545 + 0.0120	.1733	----	----	1	----	643 - 1
735	0.0520	0.0520	0.0545B/0.0520	0.0545B/0.0395A	----	0.0485 + 0.0105	.1565	----	----	2	----	142 + 2
740	0.0465	0.0465	0.0485B/0.0465	0.0485B/0.0355A	----	0.0430 + 0.0090	.1409	----	----	2	----	152 - 2
745	----	----	0.0435B/----	0.0435B/0.0320A	----	0.0385 + 0.0080	.1275	----	----	----	----	17 UNCH
750	----	----	0.0390B/----	0.0390B/0.0295A	----	0.0345 + 0.0070	.1153	----	----	----	----	1073 UNCH
755	0.0365	0.0365	0.0365/0.0365	0.0365/0.0265A	----	0.0310 + 0.0065	.1044	----	----	6	----	32 - 3
770	0.0175	0.0175	0.0250B/0.0175	0.0250B/0.0175	----	0.0225 + 0.0045	.0774	----	----	3	----	1174 + 3
775	0.0225	0.0225	0.0230B/0.0225	0.0230B/0.0205A	----	0.0205 + 0.0040	.0707	----	----	2	----	646 UNCH
780	----	----	0.0205B/----	0.0205B/0.0185A	----	0.0185 + 0.0040	.0641	----	----	169	----	659 + 135
800	----	----	0.0140B/----	0.0140B/0.0125A	----	0.0125 + 0.0020	.0439	----	----	----	----	1428 UNCH
825	----	----	0.0085B/----	0.0085B/0.0090A	----	0.0085 + 0.0010	.0296	----	----	----	----	481 UNCH
850	----	----	0.0060B/----	0.0060B/0.0070A	----	0.0065 + 0.0010	.0219	----	----	1	----	313 + 1
875	0.0050	0.0050	0.0050/0.0050	0.0050/0.0050	----	0.0055 + 0.0005	.0177	----	----	1	----	23 UNCH
900	----	----	----	0.0020B/0.0045A	----	0.0040 + 0.0005	.0127	----	----	2	----	510 + 1
925	----	----	----	0.0015B/0.0040A	----	0.0030 + 0.0005	.0094	----	----	----	----	12 UNCH
950	----	----	----	0.0010B/0.0035A	----	0.0020 UNCH	.0063	----	----	----	----	151 UNCH
975	----	----	----	0.0005B/0.0035A	----	0.0015 UNCH	.0047	----	----	----	----	54 UNCH
1000	----	----	----	0.0005B/0.0025A	----	0.0015 UNCH	.0045	----	----	----	----	13 UNCH
1100	----	----	----	----/0.0020A	----	0.0005 UNCH	.0014	----	----	----	----	97 UNCH
TOTAL									120	473		19713 + 321
JAN27												
500	----	----	----	----	----	1.8020 + 0.1245	.9799	----	----	----	----	1 UNCH
600	----	----	----	----	----	0.8510 + 0.1070	.8695	----	----	----	----	2 UNCH
650	----	----	0.4780B/----	0.4780B/0.3960A	----	0.4685 + 0.0770	.6773	----	----	----	----	79 UNCH
655	----	----	0.4460B/----	0.4460B/0.3695A	----	0.4375 + 0.0735	.6524	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
JAN27												
660	----	----	0.4155B/0.3345A	0.4155B/0.3345A	----	0.4080 + 0.0700	.6269	----	----	1	----	1 UNCH
665	----	----	0.3870B/0.3110A	0.3870B/0.3110A	----	0.3795 + 0.0665	.6009	----	----	----	----	1 UNCH
670	----	----	0.3595B/0.2885A	0.3595B/0.2885A	----	0.3530 + 0.0630	.5747	----	----	----	----	3 UNCH
675	----	----	0.3335B/0.2665A	0.3335B/0.2665A	----	0.3280 + 0.0595	.5484	----	----	----	----	1 UNCH
680	----	----	0.3135B/----	0.3135B/0.2490A	----	0.3040 + 0.0555	.5221	----	----	----	----	3 UNCH
685	----	----	0.2910B/----	0.2910B/0.2310A	----	0.2820 + 0.0525	.4960	----	----	1	----	49 UNCH
690	----	----	0.2685B/----	0.2685B/0.2145A	----	0.2610 + 0.0490	.4704	----	----	4	----	23 + 4
695	----	----	0.2500B/----	0.2500B/0.1990A	----	0.2415 + 0.0455	.4452	----	----	----	----	5 UNCH
700	----	----	0.2300B/----	0.2300B/0.1825A	----	0.2235 + 0.0425	.4208	----	----	----	----	162 UNCH
710	----	----	0.1980B/----	0.1980B/0.1590A	----	0.1910 + 0.0370	.3742	----	----	----	----	5 UNCH
720	----	----	0.1680B/----	0.1680B/0.1375A	----	0.1630 + 0.0320	.3311	----	----	----	----	15 UNCH
725	----	----	0.1550B/----	0.1550B/0.1260A	----	0.1505 + 0.0295	.3108	----	----	----	----	132 UNCH
730	----	----	0.1425B/----	0.1425B/0.1180A	----	0.1390 + 0.0275	.2916	----	----	1	----	506 UNCH
740	----	----	0.1215B/----	0.1215B/0.1020A	----	0.1185 + 0.0235	.2560	----	----	1	----	201 + 1
750	----	----	0.1030B/----	0.1030B/0.0875A	----	0.1010 + 0.0195	.2241	----	----	8	----	771 + 8
755	----	----	0.0950B/----	0.0950B/0.0820A	----	0.0935 + 0.0180	.2097	----	----	----	----	2 UNCH
760	----	----	0.0875B/----	0.0875B/0.0760A	----	0.0865 + 0.0165	.1962	----	----	----	----	1 UNCH
765	----	----	0.0810B/----	0.0810B/0.0710A	----	0.0800 + 0.0155	.1834	----	----	----	----	1 UNCH
770	----	----	0.0745B/----	0.0745B/0.0660A	----	0.0735 + 0.0135	.1707	----	----	----	----	2 UNCH
775	----	----	0.0690B/----	0.0690B/0.0620A	----	0.0680 + 0.0120	.1594	----	----	----	----	421 UNCH
800	0.0500	0.0500	0.0510/0.0500	0.0510/0.0445A	----	0.0480 + 0.0085	.1157	----	----	51	----	241 - 49
825	----	----	0.0325B/----	0.0325B/0.0325A	----	0.0345 + 0.0060	.0847	----	----	----	----	11 UNCH
850	----	----	0.0225B/----	0.0225B/0.0250A	----	0.0245 + 0.0040	.0615	----	----	----	----	28 UNCH
875	----	----	0.0160B/----	0.0160B/0.0210A	----	0.0170 + 0.0025	.0438	----	----	----	----	2 UNCH
900	----	----	0.0115B/----	0.0115B/0.0165A	----	0.0120 + 0.0015	.0315	----	----	----	----	304 UNCH
950	----	----	0.0060B/----	0.0060B/0.0125A	----	0.0065 + 0.0010	.0174	----	----	----	----	3 UNCH
1000	0.0045	0.0045	0.0045/0.0045	0.0045/0.0045	----	0.0040 + 0.0005	.0106	----	----	1	----	16 + 1
TOTAL										68		2993 - 35
FEB27												
600	----	----	----	----	----	0.8820 + 0.1030	.8351	----	----	----	----	2 UNCH
610	----	----	----	----	----	0.8020 + 0.0980	.8056	----	----	----	----	1 UNCH
625	----	----	0.6920B/----	0.6920B/0.6035A	----	0.6890 + 0.0905	.7552	----	----	----	----	2 UNCH
640	----	----	0.5925B/----	0.5925B/0.5100A	----	0.5855 + 0.0825	.6980	----	----	----	----	1 UNCH
650	----	----	0.5290B/----	0.5290B/0.4530A	----	0.5230 + 0.0775	.6569	----	----	----	----	41 UNCH
655	----	----	0.4995B/----	0.4995B/0.4270A	----	0.4935 + 0.0745	.6357	----	----	----	----	1 UNCH
660	----	----	0.4700B/----	0.4700B/0.4015A	----	0.4650 + 0.0715	.6140	----	----	1	----	1 - 1
670	----	----	0.4160B/----	0.4160B/0.3530A	----	0.4120 + 0.0655	.5703	----	----	----	----	1 UNCH
685	----	----	0.3460B/----	0.3460B/0.2925A	----	0.3420 + 0.0555	.5048	----	----	----	----	30 UNCH
700	----	----	0.2865B/----	0.2865B/0.2400A	----	0.2820 + 0.0460	.4415	----	----	1	----	52 + 1
705	----	----	0.2675B/----	0.2675B/0.2270A	----	0.2645 + 0.0435	.4213	----	----	----	----	1 UNCH
725	----	----	0.2060B/----	0.2060B/0.1745A	----	0.2030 + 0.0335	.3457	----	----	----	----	9 UNCH
735	----	----	0.1800B/----	0.1800B/0.1560A	----	0.1780 + 0.0300	.3118	----	----	----	----	30 UNCH
740	----	----	0.1685B/----	0.1685B/0.1465A	----	0.1665 + 0.0285	.2957	----	----	----	----	10 UNCH
745	----	----	0.1575B/----	0.1575B/0.1375A	----	0.1560 + 0.0270	.2805	----	----	----	----	2 UNCH
750	----	----	0.1475B/----	0.1475B/0.1290A	----	0.1460 + 0.0255	.2658	----	----	----	----	129 UNCH
765	----	----	0.1210B/----	0.1210B/0.1075A	----	0.1200 + 0.0210	.2258	----	----	----	----	2 UNCH
775	----	----	0.1060B/----	0.1060B/0.0955A	----	0.1050 + 0.0180	.2019	----	----	1	----	8 + 1
800	----	----	0.0770B/----	0.0770B/0.0720A	----	0.0770 + 0.0130	.1538	----	----	----	----	1 UNCH
850	0.0335	0.0335	0.0415B/0.0335	0.0415B/0.0335	----	0.0435 + 0.0075	.0910	----	----	1	----	121 + 1
900	----	----	0.0235B/----	0.0235B/0.0295A	----	0.0270 + 0.0045	.0573	----	----	1	----	50 + 1
925	----	----	----	0.0180B/0.0250A	----	0.0220 + 0.0035	.0466	----	----	----	----	6 UNCH
950	----	----	----	0.0135B/0.0215A	----	0.0185 + 0.0030	.0389	----	----	----	----	2 UNCH
1000	----	----	----	0.0085B/0.0165A	----	0.0125 + 0.0020	.0263	----	----	----	----	57 UNCH
TOTAL										5		560 + 3
MAR27												
580	----	----	----	----	----	1.0720 + 0.1070	.8612	----	----	----	----	1 UNCH
595	----	----	----	----	----	0.9495 + 0.1020	.8247	----	----	----	----	2 UNCH
600	----	----	----	----	----	0.9100 + 0.1000	.8115	----	----	----	----	2 UNCH
605	----	----	----	0.7465B/0.7790A	----	0.8715 + 0.0975	.7974	----	----	----	----	1 UNCH
625	----	----	0.7320B/----	0.7320B/0.6435A	----	0.7265 + 0.0885	.7348	----	----	----	----	16 UNCH
640	----	----	0.6325B/----	0.6325B/0.5540A	----	0.6280 + 0.0810	.6823	----	----	----	----	1 UNCH
645	----	----	0.6015B/----	0.6015B/0.5260A	----	0.5970 + 0.0780	.6640	----	----	----	----	1 UNCH
650	----	----	0.5720B/----	0.5720B/0.5000A	----	0.5675 + 0.0755	.6453	----	----	----	----	7 UNCH
660	----	----	0.5155B/----	0.5155B/0.4500A	----	0.5115 + 0.0700	.6072	----	----	26	----	42 + 26
670	----	----	0.4635B/----	0.4635B/0.4050A	----	0.4600 + 0.0645	.5686	----	----	----	----	1 UNCH
675	----	----	0.4395B/----	0.4395B/0.3835A	----	0.4360 + 0.0615	.5493	----	----	----	----	41 UNCH
680	----	----	0.4170B/----	0.4170B/0.3635A	----	0.4130 + 0.0590	.5300	----	----	----	----	30 UNCH
690	----	----	0.3735B/----	0.3735B/0.3255A	----	0.3700 + 0.0535	.4921	----	----	----	----	2 UNCH
700	----	----	0.3340B/----	0.3340B/0.2920A	----	0.3310 + 0.0485	.4551	----	----	26	----	720 - 21
710	----	----	0.2980B/----	0.2980B/0.2610A	----	0.2960 + 0.0440	.4197	----	----	----	----	10 UNCH
725	----	----	0.2510B/----	0.2510B/0.2210A	----	0.2495 + 0.0375	.3695	----	----	----	----	39 UNCH
740	----	----	0.2105B/----	0.2105B/0.1870A	----	0.2105 + 0.0320	.3238	----	----	----	----	21 UNCH
750	----	----	0.1875B/----	0.1875B/0.1680A	----	0.1875 + 0.0285	.2955	----	----	----	----	225 UNCH
755	----	----	0.1765B/----	0.1765B/0.1590A	----	0.1770 + 0.0270	.2822	----	----	----	----	1 UNCH
770	----	----	0.1485B/----	0.1485B/0.1360A	----	0.1495 + 0.0230	.2456	----	----	----	----	575 UNCH
775	----	----	0.1400B/----	0.1400B/0.1290A	----	0.1410 + 0.0215	.2341	----	----	----	----	619 UNCH
800	----	----	0.1050B/----	0.1050B/0.1000A	----	0.1075 + 0.0165	.1855	----	----	----	----	87 UNCH
850	----	----	0.0595B/----	0.0595B/0.0640A	----	0.0660 + 0.0115	.1191	----	----	----	----	544 UNCH
875	----	----	0.0455B/----	0.0455B/0.0525A	----	0.0535 + 0.0090	.0974	----	----	----	----	39 UNCH
900	0.0415	0.0415	0.0415/0.0400	0.0415/0.0400	----	0.0440 + 0.0080	.0804	----	----	40	----	45 + 19
950	----	----	----	0.0215B/0.0325A	----	0.0280 + 0.0050	.0528	----	----	----	----	3 UNCH
1000	----	----	----	0.0135B/0.0245A	----	0.0170 + 0.0030	.0333	----	----	----	----	23 UNCH
TOTAL										92		3098 + 24
APR27												
665	----	----	0.5740B/----	0.5740B/0.5170A	----	0.5750 + 0.0715	.6086	----	----	----	----	2 UNCH
675	----	----	0.5230B/----	0.5230B/0.4725A	----	0.5245 + 0.0665	.5745	----	----	----	----	1 UNCH
680	----	----	0.4995B/----	0.4995B/0.4510A	----	0.5010 + 0.0645	.5575	----	----	----	----	5 UNCH
720	----	----	0.3395B/----	0.3395B/0.3100A	----	0.3425 + 0.0470	.4276	----	----	----	----	2 UNCH
775	----	----	0.1945B/----	0.1945B/0.1840A	----	0.2000 + 0.0300	.2820	----	----	----	----	3 UNCH
1000	----	----	0.0235B/----	0.0235B/0.0390A	----	0.0270 + 0.0040	.0475	----	----	----	----	2 UNCH
TOTAL												15
MAY27												
680	----	----	0.5460B/----	0.5460B/0.5080A	----	0.5525 + 0.0640	.5589	----	----	----	----	10 UNCH
685	----	----	0.5235B/----	0.5235B/0.4880A	----	0.5305 + 0.0625	.5436	----	----	----	----	2 UNCH
700	----	----	0.4605B/----	0.4605B/0.4320A	----	0.4685 + 0.0565	.4989	----	----	----	----	23 UNCH
705	----	----	0.4410B/----	0.4410B/0.4145A	----	0.4490 + 0.0545	.4844	----	----	----	----	2 UNCH
750	----	----	0.2970B/----	0.2970B/0.2855A	----	0.3060 + 0.0400	.3646	----	----	----	----	20 UNCH
800	----	----	0.1885B/----	0.1885B/0.1890A	----	0.1985 + 0.0270	.2585	----	----	----	----	60 UNCH
1000	----	----	----	0.0335B/0.0555A	----	0.0430 + 0.0065	.0663	----	----	----	----	60 UNCH
TOTAL												177
JUN27												
635	----	----	0.8625B/----	0.8625B/0.8065A	----	0.8700 + 0.0865	.7038	----	----	----	----	1 UNCH
700	----	----	0.5325B/----	0.5325B/0.5080A	----	0.5445 + 0.0620	.5233	----	----	----	----	11 UNCH
750	----	----	0.3600B/----	0.3600B/0.3510A	----	0.3735 + 0.0460	.3974	----	----	----	----	532 UNCH
770	----	----	0.3060B/----	0.3060B/0.3020A	----	0.3200 + 0.0405	.3531	----	----	----	----	38 UNCH
TOTAL												582
HX PUT		COMEX COPPER OPTIONS										
NOV26												
390	----	----	----	----/0.0015A	----	0.0005 UNCH	.0000	----	----	----	----	3 UNCH
400	----	----	----	----/0.0015A	----	0.0005 UNCH	.0000	----	----	----	----	18 UNCH
405	----	----	----	----/0.0015A	----	0.0005 UNCH	.0000	----	----	----	----	10 UNCH
410	----	----	----	----/0.0015A	----	0.0005 UNCH	.0000	----	----	----	----	57 UNCH
425	----	----	----	----/0.0015A	----	0.0005 UNCH	.0002	----	----	----	----	40 UNCH
430	----	----	----	----/0.0015A	----	0.0005 UNCH	.0003	----	----	----	----	4 UNCH
435	----	----	----	----/0.0015A	----	0.0005 UNCH	.0004	----	----	----	----	215 UNCH
475	----	----	----	----/0.0020A	----	0.0010 - 0.0005	.0029	----	----	----	----	52 UNCH
480	----	----	----	----/0.0020A	----	0.0010 - 0.0005	.0029	----	----	----	----	3 UNCH
490	----	----	----	----/0.0020A	----	0.0015 - 0.0005	.0044	----	----	----	----	3 UNCH
500	----	----	----	0.0010B/0.0025A	----	0.0015 - 0.0005	.0047	----	----	----	----	117 UNCH
510	----	----	----	----/0.0025A	----	0.0015 - 0.0010	.0050	----	----	----	----	10 UNCH
520	----	----	----	----/0.0030A	----	0.0020 - 0.0005	.0068	----	----	----	----	5 UNCH
525	----	----	----	0.0005B/0.0030A	----	0.0020 - 0.0010	.0070	----	----	----	----	8 UNCH
530	----	----	----	0.0005B/0.0030A	----	0.0025 - 0.0005	.0087	----	----	----	----	2 UNCH
535	----	----	----	0.0005B/0.0035A	----	0.0025 - 0.0010	.0090	----	----	----	----	32 UNCH
540	----	----	----	0.0005B/0.0035A	----	0.0025 - 0.0010	.0094	----	----	2	----	17 - 2
550	----	----	----	0.0020B/0.0040A	----	0.0030 - 0.0010	.0117	----	----	----	----	174 UNCH
560	0.0035	0.0035	0.0035/0.0035	0.0035/0.0035	----	0.0030 - 0.0015	.0127	----	----	1	----	398 - 1
565	----	----	----	0.0020B/0.0050A	----	0.0035 - 0.0010	.0150	----	----	----	----	27 UNCH
570	----	----	----	0.0025B/0.0050A	----	0.0035 - 0.0015	.0157	----	----	2	----	28 - 2
575	----	----	----/0.0035A	0.0040B/0.0035A	----	0.0040 - 0.0015	.0182	----	----	----	----	65 UNCH
580	0.0050	0.0050	0.0050/0.0040	0.0050/0.0040	----	0.0040 - 0.0020	.0191	----	----	4	----	62 - 2
585	----	----	----/0.0045A	0.0060B/0.0045A	----	0.0045 - 0.0025	.0220	----	----	----	----	61 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

HX PUT COMEX COPPER OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
NOV26												
590	----	----	----/0.0050A	0.0070B/0.0050A	----	0.0050 - 0.0030	.0251	----	----	1	----	290 - 1
595	----	----	----/0.0055A	0.0080B/0.0055A	----	0.0060 - 0.0035	.0304	----	----	----	----	198 UNCH
600	0.0080	0.0080	0.0080/0.0065A	0.0095B/0.0065A	----	0.0065 - 0.0045	.0341	----	----	9	----	1207 - 2
605	----	----	----/0.0075A	0.0115B/0.0075A	----	0.0075 - 0.0055	.0402	----	----	5	----	101 UNCH
610	0.0090	0.0090	0.0090/0.0085A	0.0140B/0.0085A	----	0.0085 - 0.0075	.0468	----	----	3	----	326 - 1
615	----	----	----/0.0100A	0.0175B/0.0100A	----	0.0105 - 0.0090	.0580	----	----	4	----	95 UNCH
620	0.0135	0.0135	0.0135/0.0120A	0.0225B/0.0120A	----	0.0125 - 0.0115	.0700	----	----	6	----	333 - 4
624	0.0140	0.0140	0.0140/0.0135A	0.0265B/0.0135A	----	0.0145 - 0.0140	.0819	----	----	1	----	8 UNCH
625	----	----	----/0.0140A	0.0285B/0.0140A	----	0.0150 - 0.0150	.0850	----	----	----	----	298 UNCH
626	----	----	----/0.0145A	0.0295B/0.0145A	----	0.0155 - 0.0160	.0881	----	----	----	----	4 UNCH
629	----	----	----/0.0165A	0.0345B/0.0165A	----	0.0175 - 0.0190	.0997	----	----	----	----	13 UNCH
630	0.0360	0.0360	0.0360/0.0175	0.0365B/0.0175	----	0.0185 - 0.0195	.1049	----	----	66	----	673 + 33
631	----	----	----/0.0180A	0.0390B/0.0180A	----	0.0190 - 0.0210	.1084	----	----	----	----	24 UNCH
634	----	----	----/0.0205A	0.0460B/0.0205A	----	0.0220 - 0.0245	.1243	----	----	1	----	14 - 1
635	0.0215	0.0215	0.0215/0.0215	0.0485B/0.0215	----	0.0230 - 0.0255	.1298	----	----	4	----	232 - 2
636	----	----	0.0515B/0.0225A	0.0515B/0.0225A	----	0.0245 - 0.0265	.1369	----	----	3	----	123 + 3
640	0.0400	0.0400	0.0635B/0.0275A	0.0635B/0.0275A	----	0.0295 - 0.0325	.1628	----	----	68	----	953 - 24
645	0.0455	0.0455	0.0815B/0.0350	0.0815B/0.0350	----	0.0385 - 0.0395	.2045	----	----	9	----	280 - 3
650	0.0900	0.0900	0.1040B/0.0450	0.1040B/0.0450	----	0.0500 - 0.0470	.2536	----	----	72	----	538 + 3
655	0.0645	0.0645	0.1225B/0.0575A	0.1225B/0.0575A	----	0.0650 - 0.0545	.3102	----	----	22	----	955 + 12
660	0.1460	0.1460	0.1510B/0.0740A	0.1510B/0.0740A	----	0.0830 - 0.0625	.3715	----	----	13	----	374 + 4
664	----	----	0.1765B/0.0910A	0.1765B/0.0910A	----	0.1000 - 0.0685	.4229	----	----	----	----	32 UNCH
665	----	----	0.1830B/0.0950A	0.1830B/0.0950A	----	0.1045 - 0.0705	.4359	----	----	----	----	53 UNCH
666	----	----	0.1900B/0.0995A	0.1900B/0.0995A	----	0.1095 - 0.0715	.4491	----	----	----	----	8 UNCH
670	----	----	0.2185B/0.1175A	0.2185B/0.1175A	----	0.1300 - 0.0775	.5012	----	----	1	----	215 UNCH
675	0.1565	0.1565	0.2475B/0.1455A	0.2475B/0.1455A	----	0.1585 - 0.0850	.5648	----	----	4	----	97 UNCH
680	----	----	0.2970B/0.1770A	0.2970B/0.1770A	----	0.1905 - 0.0920	.6249	----	----	----	----	74 UNCH
685	----	----	0.3395B/0.2105A	0.3395B/0.2105A	----	0.2255 - 0.0980	.6800	----	----	----	----	87 UNCH
690	----	----	0.3835B/0.2470A	0.3835B/0.2470A	----	0.2625 - 0.1035	.7295	----	----	----	----	8 UNCH
695	----	----	0.4280B/0.2865A	0.4280B/0.2865A	----	0.3025 - 0.1075	.7723	----	----	----	----	3 UNCH
700	----	----	0.4640B/0.3280A	0.4640B/0.3280A	----	0.3440 - 0.1110	.8101	----	----	----	----	27 UNCH
720	----	----	----/0.5075A	0.6085B/0.5075A	----	0.5245 - 0.1180	.9073	----	----	----	----	1 UNCH
725	----	----	----/0.5545A	0.6215B/0.5545A	----	0.5715 - 0.1195	.9211	----	----	----	----	3 UNCH
735	----	----	----/0.6505A	0.6855B/0.6505A	----	0.6680 - 0.1205	.9431	----	----	----	----	2 UNCH
TOTAL										301		9060 + 10
DEC26												
350	----	----	----	----/0.0015A	----	0.0005 UNCH	.0000	----	----	----	----	46 UNCH
360	----	----	----	----/0.0015A	----	0.0005 UNCH	.0000	----	----	----	----	31 UNCH
380	----	----	----	----/0.0015A	----	0.0005 UNCH	.0001	----	----	----	----	22 UNCH
385	----	----	----	----/0.0015A	----	0.0005 UNCH	.0001	----	----	----	----	1 UNCH
390	----	----	----	----/0.0020A	----	0.0005 UNCH	.0002	----	----	----	----	45 UNCH
395	----	----	----	----/0.0020A	----	0.0005 UNCH	.0002	----	----	----	----	3 UNCH
400	----	----	----	----/0.0020A	----	0.0005 UNCH	.0003	----	----	----	----	31 UNCH
420	----	----	----	0.0005B/0.0020A	----	0.0005 - 0.0005	.0011	----	----	----	----	2 UNCH
425	----	----	----	0.0005B/0.0025A	----	0.0005 - 0.0005	.0014	----	----	----	----	60 UNCH
435	----	----	----	0.0005B/0.0025A	----	0.0010 - 0.0005	.0027	----	----	----	----	4 UNCH
450	----	----	----	0.0005B/0.0030A	----	0.0015 - 0.0010	.0040	----	----	----	----	37 UNCH
460	----	----	----	0.0005B/0.0035A	----	0.0020 - 0.0010	.0054	----	----	----	----	2 UNCH
470	----	----	----	0.0010B/0.0035A	----	0.0025 - 0.0010	.0068	----	----	----	----	36 UNCH
475	----	----	----	0.0015B/0.0040A	----	0.0025 - 0.0010	.0069	----	----	----	----	34 UNCH
480	----	----	----	0.0015B/0.0040A	----	0.0025 - 0.0015	.0071	----	----	----	----	18 UNCH
485	----	----	----	0.0020B/0.0040A	----	0.0030 - 0.0010	.0085	----	----	----	----	1 UNCH
490	----	----	----	0.0020B/0.0045A	----	0.0030 - 0.0015	.0087	----	----	----	----	19 UNCH
495	----	----	----/0.0045A	0.0025B/0.0045A	----	0.0035 - 0.0015	.0101	----	----	----	----	1 UNCH
500	0.0025	0.0025	0.0025/0.0020	0.0030B/0.0020	----	0.0035 - 0.0015	.0104	----	----	12	----	233 + 12
505	----	----	----	0.0035B/0.0055A	----	0.0040 - 0.0015	.0119	----	----	----	----	1 UNCH
510	----	----	----/0.0055A	0.0035B/0.0055A	----	0.0045 - 0.0015	.0135	----	----	----	----	8 UNCH
515	----	----	----/0.0060A	0.0040B/0.0060A	----	0.0045 - 0.0020	.0139	----	----	----	----	2 UNCH
520	----	----	----/0.0065A	0.0045B/0.0065A	----	0.0050 - 0.0020	.0155	----	----	----	----	11 UNCH
525	----	----	----/0.0070A	0.0055B/0.0070A	----	0.0055 - 0.0020	.0172	----	----	125	----	405 + 125
530	----	----	----/0.0075A	0.0060B/0.0075A	----	0.0060 - 0.0025	.0190	----	----	----	----	89 UNCH
535	----	----	----/0.0080A	0.0065B/0.0080A	----	0.0065 - 0.0030	.0209	----	----	----	----	6 UNCH
540	----	----	----/0.0085A	0.0080B/0.0085A	----	0.0075 - 0.0025	.0240	----	----	----	----	8 UNCH
545	----	----	----/0.0095A	0.0085B/0.0095A	----	0.0080 - 0.0035	.0261	----	----	----	----	49 UNCH
550	0.0120	0.0120	0.0120/0.0095A	0.0120/0.0095A	----	0.0090 - 0.0035	.0295	----	----	5	----	1309 + 5
555	----	----	----/0.0110A	0.0110B/0.0110A	----	0.0100 - 0.0040	.0330	----	----	----	----	3 UNCH
560	----	----	----/0.0115A	0.0125B/0.0115A	----	0.0110 - 0.0045	.0366	----	----	----	----	341 UNCH
565	----	----	----/0.0135A	0.0150B/0.0135A	----	0.0125 - 0.0050	.0416	----	----	----	----	19 UNCH
570	----	----	----/0.0150A	0.0175B/0.0150A	----	0.0135 - 0.0065	.0457	----	----	4	----	24 + 4
575	----	----	----/0.0150A	0.0220B/0.0150A	----	0.0155 - 0.0075	.0523	----	----	----	----	457 UNCH
580	0.0185	0.0185	0.0185/0.0170A	0.0250B/0.0170A	----	0.0175 - 0.0090	.0592	----	----	4	----	228 + 4
585	----	----	----/0.0195A	0.0285B/0.0195A	----	0.0195 - 0.0110	.0663	----	----	----	----	57 UNCH
590	0.0240	0.0240	0.0240/0.0220A	0.0335B/0.0220A	----	0.0225 - 0.0125	.0760	----	----	126	----	605 + 126
595	----	----	----/0.0250A	0.0390B/0.0250A	----	0.0255 - 0.0150	.0861	----	----	----	----	280 UNCH
600	0.0345	0.0345	0.0345/0.0285A	0.0450B/0.0285A	----	0.0295 - 0.0170	.0987	----	----	84	----	2644 - 53
605	0.0320	0.0320	0.0320/0.0320	0.0520B/0.0320	----	0.0340 - 0.0200	.1127	----	----	16	----	35 - 2
610	----	----	----/0.0385A	0.0600B/0.0385A	----	0.0395 - 0.0230	.1291	----	----	2	----	246 + 2
615	0.0490	0.0490	0.0490/0.0445A	0.0700B/0.0445A	----	0.0465 - 0.0255	.1485	----	----	1	----	149 UNCH
620	----	----	----/0.0515A	0.0820B/0.0515A	----	0.0540 - 0.0290	.1693	----	----	----	----	193 UNCH
625	0.0640	0.0640	0.0965B/0.0595A	0.0965B/0.0595A	----	0.0630 - 0.0320	.1928	----	----	8	----	471 + 4
630	0.0695	0.0695	0.1110B/0.0690A	0.1110B/0.0690A	----	0.0735 - 0.0355	.2188	----	----	12	----	960 - 3
635	----	----	0.1275B/0.0800A	0.1275B/0.0800A	----	0.0860 - 0.0390	.2476	----	----	1	----	414 UNCH
640	0.1000	0.1000	0.1470B/0.0930	0.1470B/0.0930	----	0.0995 - 0.0435	.2778	----	----	6	----	362 + 2
645	0.1150	0.1150	0.1680B/0.1070A	0.1680B/0.1070A	----	0.1155 - 0.0475	.3106	----	----	2	----	497 + 1
650	0.1770	0.1770	0.1925B/0.1240A	0.1925B/0.1240A	----	0.1330 - 0.0525	.3446	----	----	4	----	763 UNCH
655	----	----	0.2165B/0.1420A	0.2165B/0.1420A	----	0.1530 - 0.0570	.3802	----	----	----	----	814 UNCH
660	0.1960	0.1960	0.1960/0.1630A	0.2330B/0.1630A	----	0.1745 - 0.0625	.4163	----	----	32	----	178 + 19
665	0.2170	0.2170	0.2170/0.1850A	0.2655B/0.1850A	----	0.1985 - 0.0670	.4529	----	----	18	----	670 UNCH
670	0.2450	0.2450	0.2450/0.2100A	0.2915B/0.2100A	----	0.2240 - 0.0720	.4895	----	----	4	----	1184 + 2
675	0.2500	0.2500	0.3285B/0.2375A	0.3285B/0.2375A	----	0.2515 - 0.0765	.5256	----	----	4	----	277 - 3
680	----	----	----/0.2670A	0.3570B/0.2670A	----	0.2810 - 0.0810	.5610	----	----	----	----	56 UNCH
685	----	----	----/0.2990A	0.3930B/0.2990A	----	0.3125 - 0.0850	.5953	----	----	----	----	47 UNCH
690	----	----	----/0.3325A	0.4305B/0.3325A	----	0.3455 - 0.0890	.6280	----	----	----	----	3 UNCH
700	----	----	----/0.4025A	0.5075B/0.4025A	----	0.4165 - 0.0960	.6892	----	----	----	----	3 UNCH
715	----	----	----/0.5185A	0.6350B/0.5185A	----	0.5335 NEW	.7666	----	----	2	----	2 + 2
720	----	----	----/0.5595A	0.6785B/0.5595A	----	0.5745 NEW	.7885	----	----	2	----	2 + 2
725	----	----	----/0.6015A	0.7230B/0.6015A	----	0.6170 - 0.1095	.8085	----	----	----	----	3 UNCH
730	----	----	----/0.6440A	0.7695B/0.6440A	----	0.6600 - 0.1110	.8265	----	----	----	----	1 UNCH
750	----	----	----/0.8230A	0.9540B/0.8230A	----	0.8395 - 0.1160	.8845	----	----	----	----	1 UNCH
TOTAL										474		14503 + 249
JAN27												
370	----	----	----	0.0005B/0.0060A	----	0.0030 - 0.0005	.0049	----	----	----	----	1 UNCH
390	----	----	----	0.0005B/0.0065A	----	0.0040 UNCH	.0067	----	----	----	----	40 UNCH
400	----	----	----	0.0005B/0.0065A	----	0.0040 - 0.0005	.0070	----	----	----	----	12 UNCH
425	----	----	----	0.0005B/0.0075A	----	0.0045 - 0.0005	.0086	----	----	----	----	30 UNCH
430	----	----	----	0.0005B/0.0075A	----	0.0045 - 0.0005	.0087	----	----	----	----	1 UNCH
435	----	----	----	0.0005B/0.0080A	----	0.0050 UNCH	.0097	----	----	----	----	1 UNCH
440	----	----	----	0.0005B/0.0080A	----	0.0050 - 0.0005	.0099	----	----	----	----	10 UNCH
450	----	----	----	0.0010B/0.0085A	----	0.0055 UNCH	.0112	----	----	----	----	1 UNCH
465	----	----	----	0.0015B/0.0095A	----	0.0060 - 0.0005	.0128	----	----	----	----	2 UNCH
510	----	----	----	0.0050B/0.0135A	----	0.0095 - 0.0020	.0228	----	----	----	----	4 UNCH
515	----	----	----	0.0065B/0.0140A	----	0.0100 - 0.0025	.0244	----	----	----	----	4 UNCH
520	----	----	----	0.0075B/0.0145A	----	0.0110 - 0.0025	.0268	----	----	----	----	2 UNCH
525	----	----	----	0.0100B/0.0155A	----	0.0115 - 0.0030	.0285	----	----	----	----	3 UNCH
540	----	----	----/0.0180A	0.0140B/0.0180A	----	0.0150 - 0.0045	.0376	----	----	----	----	3 UNCH
550	0.0200	0.0200	0.0200/0.0180	0.0205B/0.0180	----	0.0180 - 0.0055	.0454	----	----	5	----	258 UNCH
555	----	----	----/0.0225A	0.0195B/0.0225A	----	0.0200 - 0.0065	.0504	----	----	----	----	1 UNCH
560	----	----	----/0.0245A	0.0230B/0.0245A	----	0.0220 - 0.0075	.0555	----	----	1	----	4 + 1
570	----	----	----/0.0300A	0.0290B/0.0300A	----	0.0280 - 0.0090	.0694	----	----	----	----	2 UNCH
580	----	----	----/0.0365A	0.0405B/0.0365A	----	0.0350 - 0.0115	.0855	----	----	1	----	4 + 1
590	----	----	----/0.0455A	0.0515B/0.0455A	----	0.0445 - 0.0145	.1061	----	----	----	----	15 UNCH
595	----	----	----/0.0510A	0.0585B/0.0510A	----	0.0500 - 0.0160	.1178	----	----	----	----	3 UNCH
600	----	----	----/0.0570A	0.0670B/0.0570A	----	0.0560 - 0.0185	.1303	----	----	----	----	408 UNCH
605	----	----	----/0.0640A	0.0755B/0.0640A	----	0.0630 - 0.0205	.1443	----	----	----	----	5 UNCH
610	----	----	----/0.0715A	0.0860B/0.0715A	----	0.0705 - 0.0230	.1591	----	----	----	----	4 UNCH
615	----	----	----/0.0800A	0.0965B/0.0800A	----	0.0790 - 0.0260	.1752	----	----	----	----	1 UNCH
620	----	----	----/0.0890A	0.1085B/0.0890A	----	0.0885 - 0.0290	.1927	----	----	----	----	22 UNCH
625	----	----	----/0.0990A	0.1225B/0.0990A	----	0.0990 - 0.0320	.2114	----	----	----	----	251 UNCH
630	----	----	----/0.1105A	0.1360B/0.1105A	----	0.1110 - 0.0345	.2315	----	----	1	----	6 + 1
635	----	----	----/0.1230A	0.1530B/0.1230A	----	0.1240 - 0.0380	.2527	----	----	----	----	2 UNCH
640	----	----	----/0.1365A	0.1715B/0.1365A	----	0.1380 - 0.0415	.2748	----	----	----	----	3 UNCH
645	----	----	----/0.1515A	0.1905B/0.1515A	----	0.1535 - 0.0450	.2980	----	----	----	----	3 UNCH
650	----	----	----/0.1680A	0.2140B/0.1680A	----	0.1710 - 0.0480	.3224	----	----	1	----	75 + 1
660	----	----	----/0.2050A	0.2595B/0.2050A	----	0.2095 - 0.0550	.3728	----	----	----	----	1 UNCH
670	----	----	----/0.2480A	0.3100B/0.2480A	----	0.2540 - 0.0620	.4250	----	----	----	----	2 UNCH
685	----	----	----/0.3240A	0.4000B/0.3240A	----	0.3315 - 0.0730	.5037	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JAN27												
690	----	----	----/0.3520A	0.4325B/0.3520A	----	0.3605 - 0.0760	.5293	----	----	----	----	2 UNCH
695	----	----	----/0.3815A	0.4620B/0.3815A	----	0.3905 - 0.0795	.5545	----	----	----	----	1 UNCH
730	----	----	----/0.6235A	0.7115B/0.6235A	----	0.6360 - 0.0975	.7081	----	----	----	----	1 UNCH
800	----	----	----	----	----	1.2410 - 0.1170	.8841	----	----	----	----	1 UNCH
TOTAL										9		1190 + 4
FEB27												
300	----	----	----	----/0.0055A	----	0.0015 UNCH	.0021	----	----	----	----	1 UNCH
400	----	----	----	0.0005B/0.0085A	----	0.0055 UNCH	.0091	----	----	----	----	10 UNCH
450	----	----	----	0.0030B/0.0120A	----	0.0075 - 0.0015	.0143	----	----	----	----	3 UNCH
480	----	----	----	0.0055B/0.0150A	----	0.0100 - 0.0025	.0204	----	----	----	----	4 UNCH
500	----	----	----	0.0140B/0.0180A	----	0.0170 UNCH	.0331	----	----	----	----	8 UNCH
520	----	----	----/0.0220A	0.0165B/0.0220A	----	0.0210 - 0.0020	.0425	----	----	----	----	2 UNCH
560	----	----	----/0.0405A	0.0395B/0.0405A	----	0.0360 - 0.0120	.0763	----	----	----	----	50 UNCH
565	----	----	----/0.0450A	0.0445B/0.0450A	----	0.0405 - 0.0130	.0847	----	----	----	----	2 UNCH
585	----	----	----/0.0665A	0.0725B/0.0665A	----	0.0645 - 0.0170	.1261	----	----	----	----	1 UNCH
595	----	----	----/0.0810A	0.0910B/0.0810A	----	0.0800 - 0.0205	.1511	----	----	----	----	1 UNCH
600	----	----	----/0.0895A	0.1010B/0.0895A	----	0.0885 - 0.0225	.1646	----	----	1	----	81 + 1
620	----	----	----/0.1305A	0.1520B/0.1305A	----	0.1310 - 0.0315	.2268	----	----	----	----	2 UNCH
630	----	----	----/0.1565A	0.1845B/0.1565A	----	0.1580 - 0.0370	.2628	----	----	----	----	1 UNCH
650	----	----	----/0.2225A	0.2665B/0.2225A	----	0.2255 - 0.0475	.3427	----	----	----	----	60 UNCH
660	----	----	----/0.2625A	0.3115B/0.2625A	----	0.2670 - 0.0530	.3856	----	----	1	----	0 - 1
TOTAL										2		226
MAR27												
400	----	----	----	0.0010B/0.0110A	----	0.0070 - 0.0005	.0110	----	----	----	----	8 UNCH
500	----	----	----	0.0145B/0.0235A	----	0.0190 - 0.0030	.0359	----	----	----	----	200 UNCH
525	----	----	----/0.0325A	0.0260B/0.0325A	----	0.0285 - 0.0060	.0537	----	----	----	----	10 UNCH
550	----	----	----/0.0490A	0.0465B/0.0490A	----	0.0455 - 0.0105	.0830	----	----	----	----	240 UNCH
575	----	----	----/0.0770A	0.0810B/0.0770A	----	0.0745 - 0.0165	.1276	----	----	----	----	15 UNCH
580	----	----	----/0.0845A	0.0900B/0.0845A	----	0.0820 - 0.0180	.1384	----	----	----	----	10 UNCH
595	----	----	----/0.1100A	0.1220B/0.1100A	----	0.1085 - 0.0230	.1749	----	----	----	----	561 UNCH
600	----	----	----/0.1200A	0.1330B/0.1200A	----	0.1185 - 0.0250	.1881	----	----	----	----	403 UNCH
620	----	----	----/0.1675A	0.1915B/0.1675A	----	0.1680 - 0.0335	.2483	----	----	----	----	64 UNCH
625	----	----	----/0.1820A	0.2080B/0.1820A	----	0.1825 - 0.0360	.2647	----	----	----	----	390 UNCH
640	----	----	----/0.2310A	0.2650B/0.2310A	----	0.2325 - 0.0435	.3173	----	----	----	----	1 UNCH
660	----	----	----/0.3115A	0.3580B/0.3115A	----	0.3140 - 0.0545	.3923	----	----	----	----	3 UNCH
675	----	----	----/0.3835A	0.4390B/0.3835A	----	0.3865 - 0.0630	.4503	----	----	1	----	8 UNCH
680	----	----	----/0.4095A	0.4680B/0.4095A	----	0.4130 NEW	.4695	----	----	1	----	1 + 1
720	----	----	----/0.6525A	0.7345B/0.6525A	----	0.6600 - 0.0850	.6137	----	----	----	----	1 UNCH
730	----	----	----/0.7220A	0.8090B/0.7220A	----	0.7300 - 0.0895	.6457	----	----	----	----	1 UNCH
TOTAL										2		1916 + 1
APR27												
400	----	----	----	0.0015B/0.0155A	----	0.0095 - 0.0005	.0136	----	----	----	----	8 UNCH
500	----	----	----	0.0175B/0.0330A	----	0.0260 - 0.0040	.0431	----	----	----	----	6 UNCH
530	----	----	----/0.0480A	0.0365B/0.0480A	----	0.0410 - 0.0085	.0673	----	----	----	----	1 UNCH
540	----	----	----/0.0560A	0.0460B/0.0560A	----	0.0490 - 0.0100	.0791	----	----	----	----	2 UNCH
550	----	----	----/0.0655A	0.0570B/0.0655A	----	0.0585 - 0.0120	.0927	----	----	----	----	4 UNCH
620	0.1985	0.1985	0.1985/0.1940A	0.2075B/0.1940A	----	0.1890 - 0.0330	.2464	----	----	2	----	6 + 2
680	----	----	----/0.4335A	0.4780B/0.4335A	----	0.4320 - 0.0615	.4420	----	----	----	----	5 UNCH
700	0.5500	0.5500	0.5500/0.5435A	0.5985B/0.5435A	----	0.5435 - 0.0700	.5088	----	----	1	----	0 - 1
TOTAL										3		32 + 1
MAY27												
400	----	----	----	0.0010B/0.0220A	----	0.0125 - 0.0005	.0167	----	----	----	----	8 UNCH
575	----	----	----/0.1290A	0.1200B/0.1290A	----	0.1185 - 0.0200	.1547	----	----	----	----	5 UNCH
600	----	----	----/0.1825A	0.1805B/0.1825A	----	0.1725 - 0.0275	.2102	----	----	----	----	80 UNCH
660	----	----	----/0.3920A	0.4160B/0.3920A	----	0.3845 - 0.0525	.3793	----	----	----	----	1 UNCH
680	----	----	----/0.4910A	0.5235B/0.4910A	----	0.4840 - 0.0610	.4406	----	----	----	----	10 UNCH
700	----	----	----/0.6020A	0.6440B/0.6020A	----	0.5960 - 0.0690	.5005	----	----	----	----	2 UNCH
TOTAL												106
JUN27												
500	----	----	----	0.0310B/0.0565A	----	0.0440 - 0.0060	.0591	----	----	----	----	40 UNCH
570	----	----	----/0.1355A	0.1185B/0.1355A	----	0.1220 - 0.0185	.1476	----	----	----	----	1 UNCH
620	----	----	----/0.2560A	0.2535B/0.2560A	----	0.2430 - 0.0345	.2564	----	----	----	----	1 UNCH
TOTAL												42
HXE CALL		COPPER OPTIONS										
OCT26												
655	----	----	0.1585B/----	0.1585B/0.0475A	----	0.1420 + 0.0970	----	3	----	----	----	0 - 3
655	----	----	0.1830B/----	0.1830B/0.0950A	----	0.1685 + 0.0750	.7859	----	----	1	----	2 + 1
656	----	----	0.1485B/----	0.1485B/0.0420A	----	0.1320 + 0.0930	----	5	----	----	----	0 - 5
657	----	----	0.1385B/----	0.1385B/0.0370A	----	0.1220 + 0.0880	----	8	----	----	----	0 - 8
659	----	----	0.1185B/----	0.1185B/0.0290A	----	0.1020 + 0.0770	----	1	----	----	----	0 - 1
660	0.0320	0.0320	0.1085B/0.0320	0.1085B/0.0255A	----	0.0920 + 0.0710	----	33	----	6	----	0 - 30
660	----	----	0.1465B/----	0.1465B/0.0760A	----	0.1325 + 0.0615	.6971	----	----	----	----	16 UNCH
661	----	----	0.0990B/----	0.0990B/0.0230A	----	0.0820 + 0.0645	----	1	----	----	----	0 - 1
662	----	----	0.0885B/----	0.0885B/0.0210A	----	0.0720 + 0.0575	----	3	----	2	----	0 - 1
663	----	----	0.0790B/----	0.0790B/0.0195A	----	0.0620 NEW	----	1	----	1	----	0 UNCH
664	----	----	0.0705B/----	0.0705B/0.0175A	----	0.0520 NEW	----	2	----	2	----	0 UNCH
665	0.0415	0.0415	0.0605B/0.0390	0.0605B/0.0165A	----	0.0420 + 0.0335	----	139	----	128	----	0 - 182
665	----	----	0.1155B/----	0.1155B/0.0610A	----	0.1025 + 0.0485	.5942	----	----	----	----	20 UNCH
667	0.0245	0.0245	0.0450B/0.0205	0.0450B/0.0145A	----	0.0220 + 0.0155	----	11	----	8	----	0 - 7
668	----	----	0.0380B/----	0.0380B/0.0135A	----	0.0120 + 0.0065	----	1	----	----	----	0 - 1
669	0.0170	0.0170	0.0315B/0.0035A	0.0315B/0.0035A	----	0.0020 NEW	----	1	----	1	----	0 UNCH
670	0.0150	0.0150	0.0280B/0.0010	0.0280B/0.0010	----	0.0000 - 0.0045	----	----	----	344	----	0 - 236
670	----	----	0.0905B/----	0.0905B/0.0490A	----	0.0790 + 0.0380	.4893	----	----	----	----	10 UNCH
671	----	----	0.0225B/0.0015A	0.0225B/0.0015A	----	0.0000 - 0.0045	----	----	----	----	----	0 - 2
673	0.0175	0.0175	0.0175/0.0015A	0.0175/0.0015A	----	0.0000 NEW	----	----	----	10	----	0 UNCH
674	0.0155	0.0155	0.0155/0.0015A	0.0155/0.0015A	----	0.0000 NEW	----	----	----	1	----	0 UNCH
675	0.0050	0.0050	0.0130/0.0010	0.0130/0.0010	----	0.0000 - 0.0035	----	----	----	128	----	0 - 477
675	----	----	0.0685B/----	0.0685B/0.0395A	----	0.0600 + 0.0285	.3923	----	----	----	----	48 UNCH
675	0.1005	0.1005	0.1005/0.1005	0.1005/0.0615A	----	0.0900 NEW	.4267	----	----	1	----	1 + 1
676	0.0080	0.0080	0.0080/0.0015A	0.0080/0.0015A	----	0.0000 NEW	----	----	----	2	----	0 UNCH
680	0.0010	0.0010	0.0030B/0.0010	0.0030B/0.0010	----	0.0000 - 0.0020	----	----	----	70	----	0 - 320
680	----	----	0.0515B/----	0.0515B/0.0330A	----	0.0455 + 0.0210	.3084	----	----	----	----	32 UNCH
680	----	----	0.1045B/----	0.1045B/0.0655A	----	0.0975 + 0.0320	.3905	----	----	----	----	1 UNCH
683	----	----	----	0.0005B/0.0015A	----	0.0000 - 0.0015	----	----	----	----	----	0 - 10
685	0.0010	0.0010	0.0020/0.0005	0.0020/0.0005	----	0.0000 - 0.0010	----	----	----	24	----	0 - 35
685	----	----	0.0390B/----	0.0390B/0.0275A	----	0.0345 + 0.0155	.2390	----	----	----	----	6 UNCH
690	0.0005	0.0005	0.0005/0.0005	0.0005/0.0005	----	0.0000 - 0.0010	----	----	----	4	----	0 - 98
690	----	----	0.0295B/----	0.0295B/0.0235A	----	0.0260 + 0.0110	.1828	----	----	----	----	4 UNCH
690	0.0400	0.0400	0.0520B/0.0400	0.0520B/0.0370A	----	0.0475 + 0.0175	.2528	----	----	3	----	7 + 3
690	----	----	0.0755B/----	0.0755B/0.0485A	----	0.0680 + 0.0215	.2941	----	----	----	----	1 UNCH
694	----	----	----	----/0.0015A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 10
695	----	----	0.0220B/----	0.0220B/0.0200A	----	0.0200 + 0.0080	.1404	----	----	8	----	49 + 7
698	----	----	----	----/0.0015A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 25
700	----	----	----	----/0.0015A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 72
700	0.0165	0.0165	0.0165/0.0155	0.0165/0.0155	----	0.0160 + 0.0060	.1101	----	----	17	----	36 + 2
700	----	----	0.0530B/----	0.0530B/0.0375A	----	0.0475 + 0.0145	.2169	----	----	----	----	1 UNCH
705	----	----	0.0125B/----	0.0125B/0.0140A	----	0.0125 + 0.0045	.0850	----	----	8	----	66 + 8
710	----	----	0.0100B/----	0.0100B/0.0130A	----	0.0100 + 0.0030	.0666	----	----	----	----	9 UNCH
710	----	----	0.0370B/----	0.0370B/0.0295A	----	0.0340 + 0.0105	.1599	----	----	----	----	1 UNCH
715	----	----	----	----/0.0015A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 21
715	----	----	0.0075B/----	0.0075B/0.0110A	----	0.0085 + 0.0025	.0546	----	----	1	----	26 + 1
720	----	----	----	----/0.0015A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 20
720	----	----	0.0060B/----	0.0060B/0.0095A	----	0.0070 + 0.0020	.0438	----	----	----	----	111 UNCH
725	----	----	----	0.0045B/0.0085A	----	0.0060 + 0.0015	.0362	----	----	----	----	116 UNCH
730	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 34
740	----	----	----	0.0020B/0.0060A	----	0.0035 + 0.0010	.0195	----	----	----	----	10 UNCH
750	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
750	----	----	----	0.0035B/0.0085A	----	0.0050 + 0.0010	.0276	----	----	----	----	1 UNCH
775	----	----	----	----/0.0035A	----	0.0005 UNCH	.0025	----	----	----	----	2 UNCH
800	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 33
TOTAL										770		576 - 1610
HXE PUT		COPPER OPTIONS										
OCT26												
500	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 19
575	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 3
610	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
610	----	----	----	----/0.0035A	----	0.0010 - 0.0025	.0069	----	----	----	----	2 UNCH
620	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 3
620	----	----	----/0.0045A	0.0025B/0.0045A	----	0.0015 - 0.0045	.0117	----	----	----	----	10 UNCH
620	----	----	----/0.0105A	0.0085B/0.0105A	----	0.0080 - 0.0090	.0504	----	----	----	----	1 UNCH
625	----	----	----	----/0.0015A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 18

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HXE PUT		COPPER OPTIONS										
OCT26												
630	----	----	----	----/0.0015A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 28
630	----	----	----/0.0150A	0.0200B/0.0150A	----	0.0120 - 0.0170	.0784	----	----	----	----	1 UNCH
635	----	----	----	----/0.0015A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 1
635	----	----	----/0.0075A	0.0060B/0.0075A	----	0.0040 NEW	.0357	----	----	1	----	1 + 1
635	----	----	----/0.0315A	0.0520B/0.0315A	----	0.0315 - 0.0285	.1550	----	----	----	----	1 UNCH
640	----	----	----/0.0015A	----/0.0015A	----	0.0000 - 0.0020	----	----	----	----	----	0 - 47
640	----	----	----/0.0090A	0.0185B/0.0090A	----	0.0065 - 0.0175	.0581	----	----	----	----	30 UNCH
642	----	----	----/0.0015A	----/0.0015A	----	0.0000 - 0.0025	----	----	----	----	----	0 - 25
645	----	----	----/0.0015A	0.0005B/0.0015A	----	0.0000 - 0.0045	----	----	----	----	----	0 - 13
645	----	----	----/0.0115A	0.0330B/0.0115A	----	0.0110 - 0.0245	.0955	----	----	----	----	12 UNCH
650	----	----	----/0.0015A	0.0010B/0.0015A	----	0.0000 - 0.0110	----	----	----	4	----	0 - 56
650	0.0145	0.0145	0.0550B/0.0145	0.0550B/0.0145	----	0.0170 - 0.0355	.1444	----	----	15	----	20 + 15
650	----	----	----/0.0390A	0.0800B/0.0390A	----	0.0400 - 0.0440	.2301	----	----	----	----	8 UNCH
651	----	----	----/0.0015A	0.0035B/0.0015A	----	0.0000 - 0.0135	----	----	----	----	----	0 - 20
652	0.0025	0.0025	0.0025/0.0015A	0.0055B/0.0015A	----	0.0000 - 0.0160	----	----	----	1	----	0 - 2
654	----	----	----/0.0015A	0.0125B/0.0015A	----	0.0000 - 0.0225	----	----	----	----	----	0 - 1
655	----	----	----/0.0015A	0.0165B/0.0015A	----	0.0000 - 0.0265	----	----	----	----	----	0 - 132
655	0.0250	0.0250	0.0250/0.0250	0.0685B/0.0250	----	0.0265 - 0.0485	.2138	----	----	1	----	4 + 1
656	----	----	----/0.0015A	0.0210B/0.0015A	----	0.0000 - 0.0310	----	----	----	----	----	0 - 4
657	----	----	----/0.0015A	0.0270B/0.0015A	----	0.0000 - 0.0355	----	----	----	----	----	0 - 10
659	----	----	----/0.0015A	0.0395B/0.0015A	----	0.0000 - 0.0465	----	----	----	----	----	0 - 4
660	0.0150	0.0150	0.0150/0.0005	0.0465B/0.0005	----	0.0000 - 0.0525	----	----	----	32	----	0 - 127
660	0.0410	0.0410	0.0410/0.0390A	0.0975B/0.0390A	----	0.0405 - 0.0620	.3026	----	----	1	----	35 + 1
661	0.0240	0.0240	0.0240/0.0015A	0.0540B/0.0015A	----	0.0000 NEW	----	----	----	1	----	0 UNCH
663	0.0125	0.0125	0.0125/0.0015A	0.0705B/0.0015A	----	0.0000 - 0.0735	----	----	----	4	----	0 - 5
664	0.0430	0.0430	0.0430/0.0015A	0.0790B/0.0015A	----	0.0000 - 0.0815	----	----	----	6	----	0 - 5
665	0.0165	0.0165	0.0170/0.0015A	0.0880B/0.0015A	----	0.0000 - 0.0900	----	----	----	28	----	0 - 43
667	0.0135	0.0135	0.0145/0.0015A	0.1065B/0.0015A	----	0.0000 NEW	----	----	----	4	----	0 UNCH
668	0.0560	0.0560	0.0560/0.0020A	0.1160B/0.0020A	----	0.0000 NEW	----	----	----	2	----	0 UNCH
670	0.0210	0.0210	0.0210/0.0125A	0.1350B/0.0125A	----	0.0080 - 0.1280	----	10	----	10	----	0 - 1
670	----	----	----/0.0790A	0.1690B/0.0790A	----	0.0870 - 0.0855	.5105	----	----	1	----	2 + 1
TOTAL										111		127 - 549

ALUMINIUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST

PLATINUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
NOV26												
1200	----	----	13.80B/----	13.80B/16.40A	----	13.20 + 3.90	.2712	----	----	----	----	40 UNCH
1250	----	----	5.10B/----	5.10B/9.70A	----	6.70 + 2.00	.1400	----	----	----	----	10 UNCH
1300	----	----	----	1.50B/5.00A	----	3.40 + 1.00	.0712	----	----	----	----	21 UNCH
1350	----	----	----	----/4.10A	----	1.90 + 0.50	.0386	----	----	----	----	2 UNCH
1400	----	----	----	----/3.20A	----	0.90 + 0.20	.0184	----	----	----	----	93 UNCH
1450	----	----	----	----/2.80A	----	0.40 + 0.10	.0082	----	----	----	----	86 UNCH
1500	----	----	----	----/2.50A	----	0.20 UNCH	.0040	----	----	----	----	5 UNCH
1550	----	----	----	----/2.40A	----	0.10 UNCH	.0019	----	----	----	----	14 UNCH
1600	----	----	----	----/2.30A	----	0.10 UNCH	.0006	----	----	----	----	5 UNCH
1750	----	----	----	----/2.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
TOTAL												277 0
DEC26												
1125	----	----	72.00B/----	72.00B/65.70A	----	67.20 + 13.20	.5984	----	----	----	----	1 UNCH
1200	----	----	37.60B/----	37.60B/37.60A	----	36.50 + 8.00	.3880	----	----	----	----	0 UNCH
1250	----	----	23.40B/----	23.40B/26.80A	----	23.90 + 5.00	.2765	----	----	----	----	200 UNCH
1300	----	----	14.90B/----	14.90B/19.40A	----	16.10 + 2.90	.1957	----	----	----	----	6 UNCH
1315	----	----	13.10B/----	13.10B/17.80A	----	14.50 + 2.60	.1775	----	----	----	----	90 UNCH
1385	----	----	----	7.40B/12.10A	----	9.00 + 1.40	.1129	----	----	----	----	13 UNCH
1400	----	----	----	6.40B/11.20A	----	8.10 + 1.20	.1023	----	----	4	----	5 + 4
1425	----	----	----	5.10B/9.90A	----	6.70 + 0.80	.0859	----	----	----	----	39 UNCH
1440	----	----	----	4.40B/9.20A	----	6.00 + 0.70	.0775	----	----	----	----	16 UNCH
1450	----	----	----	4.00B/8.80A	----	5.50 + 0.50	.0716	----	----	----	----	65 UNCH
1500	----	----	----	2.40B/7.10A	----	3.60 - 0.10	.0487	----	----	----	----	35 UNCH
1550	----	----	----	1.20B/5.90A	----	2.20 - 0.60	.0312	----	----	4	----	70 + 4
1585	----	----	----	0.70B/5.30A	----	1.80 - 0.50	.0254	----	----	----	----	3 UNCH
1600	----	----	----	0.50B/5.10A	----	1.60 - 0.50	.0227	----	----	----	----	95 UNCH
1650	----	----	----	----/4.60A	----	1.20 - 0.40	.0170	----	----	----	----	64 UNCH
1700	----	----	----	----/4.20A	----	0.90 - 0.40	.0127	----	----	----	----	10 UNCH
1775	----	----	----	----/3.70A	----	0.70 - 0.30	.0096	----	----	----	----	100 UNCH
1800	----	----	----	----/3.60A	----	0.60 - 0.30	.0082	----	----	----	----	55 UNCH
1925	----	----	----	----/3.10A	----	0.40 - 0.20	.0053	----	----	----	----	46 UNCH
1995	----	----	----	----/2.90A	----	0.40 - 0.10	.0050	----	----	----	----	6 UNCH
2000	----	----	----	----/2.90A	----	0.40 - 0.10	.0050	----	----	----	----	1 UNCH
3000	----	----	----	----/2.30A	----	0.20 - 0.10	.0018	----	----	----	----	1 UNCH
TOTAL										8		921 + 8
MAR27												
1250	70.00	70.00	70.00/68.00A	70.00/68.00A	----	65.40 NEW	.4104	----	----	5	----	5 + 5
1350	----	----	40.10B/----	40.10B/47.50A	----	42.70 + 5.40	.2907	----	----	----	----	80 UNCH
1400	----	----	31.90B/----	31.90B/40.00A	----	35.00 + 4.40	.2450	----	----	----	----	10 UNCH
1500	----	----	----	20.90B/29.50A	----	24.40 NEW	.1768	----	----	----	100	100 + 100
1600	----	----	----	14.10B/22.50A	----	17.80 + 2.30	.1312	----	----	----	----	10 UNCH
TOTAL									100	5		205 + 105
JUN27												
1250	----	----	----	----	----	107.90 + 11.30	.4776	----	----	----	----	25 UNCH
1375	----	----	----	----	----	70.20 + 8.20	.3512	----	----	----	----	50 UNCH
TOTAL												75 0
PAO PUT		NYMEX PALLADIUM OPTIONS										
NOV26												
1200	----	----	----/57.80A	70.80B/57.80A	----	62.80 - 21.00	.7286	----	----	----	----	24 UNCH
1225	----	----	----/76.60A	93.20B/76.60A	----	83.70 - 22.50	.8068	----	----	----	----	11 UNCH
1250	----	----	----/97.80A	116.30B/97.80A	----	106.20 - 23.00	.8599	----	----	----	----	108 UNCH
1275	----	----	----/120.10A	140.00B/120.10A	----	129.30 - 23.50	.8996	----	----	----	----	16 UNCH
1300	----	----	----/143.00A	164.00B/143.00A	----	152.90 - 23.90	.9287	----	----	----	----	11 UNCH
1350	----	----	----/190.10A	213.00B/190.10A	----	201.30 - 24.50	.9613	----	----	----	----	4 UNCH
TOTAL												174 0
DEC26												
1050	----	----	----/16.50A	12.40B/16.50A	----	14.60 - 6.30	.1904	----	----	4	----	9 + 4
1110	----	----	----/34.90A	34.90B/34.90A	----	35.10 - 10.50	.3569	----	----	----	----	10 UNCH
1150	----	----	----/53.40A	56.40B/53.40A	----	54.80 - 13.50	.4751	----	----	----	----	15 UNCH
1200	----	----	----/82.20A	90.20B/82.20A	----	85.90 - 17.00	.6118	----	----	----	----	3 UNCH
1250	----	----	----/117.00A	130.20B/117.00A	----	123.10 - 20.00	.7233	----	----	----	----	5 UNCH
1300	----	----	----/157.70A	174.20B/157.70A	----	165.20 - 22.00	.8041	----	----	----	----	100 UNCH
1315	----	----	----	----	----	178.50 - 22.40	.8224	----	----	----	----	90 UNCH
1380	----	----	----	----	----	238.20 - 23.50	.8833	----	----	----	----	1 UNCH
1400	----	----	----/247.70A	267.70B/247.70A	----	256.90 - 23.80	.8975	----	----	----	----	150 UNCH
1500	----	----	----/342.50A	364.60B/342.50A	----	352.30 - 25.00	.9512	----	----	----	----	40 UNCH
TOTAL										4		423 + 4
MAR27												
1100	----	----	----/64.00A	58.50B/64.00A	----	61.80 - 9.50	.3493	----	----	----	----	5 UNCH
1145	----	----	----/85.60A	81.90B/85.60A	----	84.10 - 11.70	.4257	----	----	----	----	8 UNCH
1150	----	----	----/88.30A	84.70B/88.30A	----	86.80 - 11.90	.4341	----	----	----	----	8 UNCH
1160	----	----	----/93.60A	90.50B/93.60A	----	92.30 - 12.50	.4508	----	----	----	----	13 UNCH
1200	----	----	----/116.70A	115.50B/116.70A	----	116.20 - 14.30	.5154	----	----	----	----	10 UNCH
1350	----	----	----/222.00A	229.50B/222.00A	----	225.80 - 19.70	.7089	----	----	----	----	75 UNCH
TOTAL												119 0
JUN27												
1250	----	----	----	----	----	177.30 - 13.60	.5218	----	----	----	----	25 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO PUT		NYMEX PALLADIUM OPTIONS										
TOTAL												25 0
PAW OOF		PALLADIUM WEEKLY FRIDAY OPTION Week										
OCT26												
1150	----	----	----/3.60A	13.60B/3.60A	----	0.00 - 26.90	----	----	----	----	----	0 - 15
1175	----	----	16.30B/----	16.30B/18.10A	----	15.30 + 5.30	.3514	----	----	----	----	3 UNCH
1250	----	----	----	----/2.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
1300	----	----	----	----/2.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 12
TOTAL												3 - 31
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week3										
OCT26												
1650	----	----	----/17.10A	29.50B/17.10A	----	16.00 - 22.90	.2814	----	----	----	----	5 UNCH
1725	----	----	----/49.40A	81.30B/49.40A	----	52.90 - 39.60	.6419	----	----	----	----	26 UNCH
1725	----	----	22.90B/----	22.90B/15.30A	----	21.30 + 11.70	.3580	----	----	----	----	39 UNCH
1725	----	----	----	----/2.80A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
1740	----	----	----	----	----	46.70 - 51.40	----	13	----	----	----	0 - 13
1750	13.00	13.00	14.30B/13.00	14.30B/13.00	----	14.20 + 7.90	.2562	----	----	3	----	12 + 3
1750	----	----	----	----/2.80A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
1775	----	----	----	----/2.80A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
1805	----	----	----	----/2.80A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
TOTAL										3		82 - 23
PO CALL		PLATINUM OPTIONS										
NOV26												
1600	----	----	113.80B/----	113.80B/76.30A	----	103.50 + 37.60	.8340	----	----	----	----	7 UNCH
1650	----	----	74.50B/----	74.50B/48.50A	----	66.50 + 27.80	.6790	----	----	----	----	144 UNCH
1675	----	----	58.10B/----	58.10B/37.70A	----	52.10 + 23.30	.5829	----	----	----	----	3 UNCH
1700	38.00	38.00	44.10B/38.00	44.10B/27.30A	----	40.30 + 19.20	.4868	----	----	1	----	101 UNCH
1725	----	----	32.70B/----	32.70B/20.60A	----	30.30 + 14.70	.3953	----	----	----	----	4 UNCH
1750	25.60	25.60	26.00/25.00	26.00/16.00A	----	22.10 + 10.50	.3109	----	----	13	----	45 + 13
1775	----	----	16.40B/----	16.40B/15.40A	----	16.00 + 7.20	.2386	----	----	----	----	20 UNCH
1800	13.00	13.00	13.00/12.00A	13.00/12.00A	----	11.80 + 5.20	.1821	----	----	22	----	192 + 22
1825	----	----	7.50B/----	7.50B/10.70A	----	8.90 + 3.90	.1395	----	----	----	----	66 UNCH
1850	----	----	4.80B/----	4.80B/9.20A	----	6.70 + 2.80	.1063	----	----	----	----	149 UNCH
1875	----	----	----	2.90B/8.10A	----	5.00 + 2.00	.0801	----	----	----	----	88 UNCH
1900	----	----	----	1.50B/6.90A	----	3.80 + 1.50	.0610	----	----	----	----	239 UNCH
1925	----	----	----	0.50B/6.00A	----	2.90 + 1.10	.0465	----	----	----	----	68 UNCH
1950	----	----	----	----/5.30A	----	2.20 + 0.80	.0352	----	----	----	----	119 UNCH
2000	----	----	----	----/4.50A	----	1.20 + 0.40	.0193	----	----	----	----	200 UNCH
2050	----	----	----	----/3.90A	----	0.70 + 0.20	.0111	----	----	----	----	10 UNCH
2100	----	----	----	----/3.50A	----	0.40 + 0.10	.0062	----	----	----	----	54 UNCH
2200	----	----	----	----/3.00A	----	0.10 UNCH	.0015	----	----	----	----	210 UNCH
2250	----	----	----	----/2.90A	----	0.10 UNCH	.0006	----	----	----	----	40 UNCH
2500	----	----	----	----/2.70A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
TOTAL										36		1779 + 35
DEC26												
1700	----	----	77.90B/----	77.90B/60.00A	----	74.50 + 23.40	.5087	----	----	1	----	2 + 1
1750	45.00	45.00	57.30B/45.00	57.30B/44.30A	----	55.00 + 18.50	.4098	----	----	2	----	6 + 2
1825	----	----	36.10B/----	36.10B/30.30A	----	34.30 + 12.20	.2838	----	----	----	----	8 UNCH
1850	----	----	30.70B/----	30.70B/25.40A	----	29.40 + 10.60	.2496	----	----	----	----	18 UNCH
1875	----	----	26.20B/----	26.20B/23.90A	----	25.40 + 9.20	.2198	----	----	----	----	18 UNCH
1900	----	----	22.50B/----	22.50B/21.30A	----	21.90 + 7.90	.1931	----	----	1	----	119 - 1
1925	----	----	19.10B/----	19.10B/19.10A	----	19.00 + 6.70	.1699	----	----	----	----	20 UNCH
1950	----	----	16.20B/----	16.20B/17.20A	----	16.50 + 5.70	.1495	----	----	----	----	65 UNCH
1975	----	----	13.80B/----	13.80B/15.50A	----	14.30 + 4.80	.1312	----	----	----	----	9 UNCH
2000	----	----	11.60B/----	11.60B/14.10A	----	12.40 + 4.10	.1152	----	----	----	----	122 UNCH
2200	6.40	6.40	6.40/6.40	6.40/6.40	----	6.00 + 3.20	.0537	----	----	1	----	102 + 1
2250	----	----	----	0.90B/6.70A	----	4.70 + 2.50	.0426	----	----	----	----	51 UNCH
2500	----	----	----	----/4.60A	----	1.60 + 0.90	.0148	----	----	----	----	50 UNCH
TOTAL										5		590 + 3
JAN27												
1650	----	----	127.40B/----	127.40B/104.10A	----	122.20 + 31.00	.5982	----	----	----	----	1 UNCH
1700	105.00	105.00	105.00/105.00	105.00/83.60A	----	98.50 + 27.20	.5191	----	----	16	----	17 + 16
1745	----	----	84.40B/----	84.40B/68.50A	----	81.20 + 24.10	.4515	----	----	----	----	2 UNCH
1800	----	----	67.00B/----	67.00B/53.70A	----	64.30 + 20.50	.3770	----	----	----	----	11 UNCH
1850	----	----	54.50B/----	54.50B/43.80A	----	52.10 + 17.30	.3179	----	----	----	----	40 UNCH
1900	42.00	42.00	48.00B/42.00	48.00B/36.10A	----	42.20 + 14.30	.2667	----	----	48	----	616 + 41
1950	----	----	35.90B/----	35.90B/30.20A	----	34.20 + 11.60	.2230	----	----	----	----	886 UNCH
2000	----	----	29.10B/----	29.10B/25.50A	----	27.80 + 9.50	.1862	----	----	----	300	838 UNCH
2050	----	----	23.60B/----	23.60B/21.60A	----	22.70 + 7.90	.1555	----	----	----	----	250 UNCH
2100	----	----	19.00B/----	19.00B/18.60A	----	18.60 + 6.50	.1300	----	----	----	----	81 UNCH
2150	----	----	15.10B/----	15.10B/16.10A	----	15.30 + 5.40	.1087	----	----	----	----	461 UNCH
2200	----	----	11.90B/----	11.90B/14.20A	----	12.60 + 4.40	.0910	----	----	----	----	214 UNCH
2300	----	----	7.30B/----	7.30B/11.50A	----	8.80 + 3.00	.0649	----	----	----	----	108 UNCH
2350	----	----	5.50B/----	5.50B/10.50A	----	7.50 + 2.50	.0555	----	----	----	----	693 UNCH
2360	----	----	5.30B/----	5.30B/10.30A	----	7.20 + 2.30	.0535	----	----	----	----	100 UNCH
2400	----	----	----	4.20B/9.70A	----	6.40 + 2.10	.0476	----	----	----	----	57 UNCH
2500	----	----	----	2.20B/8.20A	----	4.90 + 1.60	.0364	----	----	----	----	439 UNCH
2600	----	----	----	0.90B/7.20A	----	3.80 + 1.20	.0281	----	----	----	----	100 UNCH
2650	----	----	----	0.50B/6.90A	----	3.40 + 1.20	.0251	----	----	----	----	100 UNCH
3000	----	----	----	----/5.20A	----	1.00 + 0.30	.0079	----	----	----	----	1 UNCH
TOTAL									300	64		5015 + 57
APR27												
1700	----	----	159.20B/----	159.20B/141.10A	----	157.20 + 29.10	.5588	----	----	----	----	100 UNCH
1750	----	----	137.50B/----	137.50B/122.30A	----	136.40 + 26.70	.5072	----	----	----	----	12 UNCH
1775	----	----	127.70B/----	127.70B/113.80A	----	127.00 + 25.50	.4822	----	----	----	----	100 UNCH
1790	----	----	122.20B/----	122.20B/109.20A	----	121.70 + 24.80	.4676	----	----	----	----	12 UNCH
1800	----	----	118.60B/----	118.60B/106.10A	----	118.20 + 24.30	.4579	----	----	----	----	547 UNCH
1900	----	----	88.20B/----	88.20B/79.80A	----	88.80 + 19.60	.3691	----	----	----	----	639 UNCH
2000	----	----	66.70B/----	66.70B/61.70A	----	67.40 + 15.30	.2956	----	----	----	----	30 UNCH
2100	----	----	50.90B/----	50.90B/49.10A	----	52.00 + 11.80	.2371	----	----	----	----	30 UNCH
2200	----	----	39.40B/----	39.40B/40.10A	----	41.10 + 9.30	.1921	----	----	----	----	30 UNCH
2300	----	----	30.90B/----	30.90B/33.20A	----	32.90 + 7.50	.1568	----	----	----	----	20 UNCH
2400	----	----	24.20B/----	24.20B/27.90A	----	26.60 + 6.20	.1288	----	----	----	----	20 UNCH
2600	----	----	14.80B/----	14.80B/20.50A	----	17.70 + 4.10	.0880	----	----	----	----	50 UNCH
2700	----	----	11.50B/----	11.50B/17.90A	----	14.50 + 3.40	.0730	----	----	----	----	50 UNCH
TOTAL												1640 0
JUL27												
1930	----	----	----	----	----	139.50 + 20.50	.4230	----	----	----	----	110 UNCH
TOTAL												110 0
JUL28												
1900	----	----	----	----	----	288.40 + 27.00	.5425	----	----	----	----	250 UNCH
TOTAL												250 0
PO PUT		PLATINUM OPTIONS										
NOV26												
1300	----	----	----	----/2.70A	----	0.10 UNCH	.0000	----	----	----	----	20 UNCH
1400	----	----	----	----/2.90A	----	0.10 - 0.20	.0019	----	----	----	----	40 UNCH
1475	----	----	----	----/3.70A	----	0.60 - 1.40	.0121	----	----	----	----	125 UNCH
1525	----	----	----/5.00A	0.40B/5.00A	----	2.10 - 4.10	.0402	----	----	----	----	8 UNCH
1550	----	----	----/6.50A	3.60B/6.50A	----	3.90 - 6.40	.0702	----	----	----	----	1 UNCH
1575	----	----	----/8.90A	11.20B/8.90A	----	6.70 - 9.40	.1130	----	----	----	----	5 UNCH
1600	----	----	----/12.50A	18.20B/12.50A	----	10.30 - 13.60	.1658	----	----	----	----	221 UNCH
1625	----	----	----/17.40A	25.70B/17.40A	----	15.60 - 18.50	.2354	----	----	----	----	26 UNCH
1650	----	----	----/24.00A	37.70B/24.00A	----	23.20 - 23.50	.3209	----	----	----	----	92 UNCH
1675	----	----	----/33.30A	52.00B/33.30A	----	33.90 - 27.80	.4170	----	----	----	----	85 UNCH
1700	----	----	----/44.70A	68.70B/44.70A	----	47.00 - 32.10	.5131	----	----	----	----	300 UNCH
1725	----	----	----/58.10A	87.60B/58.10A	----	61.90 - 36.60	.6046	----	----	----	----	87 UNCH
1750	----	----	----/73.60A	107.90B/73.60A	----	78.70 - 40.80	.6890	----	----	----	----	123 UNCH
1775	----	----	----/90.80A	129.40B/90.80A	----	97.60 - 44.00	.7612	----	----	----	----	79 UNCH
1800	----	----	----/110.30A	152.30B/110.30A	----	118.40 - 46.00	.8178	----	----	----	----	23 UNCH
1825	----	----	----/131.20A	175.70B/131.20A	----	140.50 - 47.30	.8604	----	----	----	----	15 UNCH
1850	----	----	----/153.30A	199.60B/153.30A	----	163.20 - 48.50	.8936	----	----	----	----	100 UNCH
TOTAL												1350 0
DEC26												
1250	----	----	----	----/3.60A	----	0.40 - 0.40	.0052	----	----	----	----	20 UNCH
1550	----	----	----/24.40A	27.40B/24.40A	----	22.40 - 12.50	.1971	----	----	----	----	5 UNCH
1600	----	----	----/37.20A	45.90B/37.20A	----	35.90 - 17.70	.2846	----	----	----	----	31 UNCH
1625	----	----	----/45.50A	56.80B/45.50A	----	44.80 - 20.60	.3343	----	----	----	----	28 UNCH
1650	----	----	----/55.30A	69.60B/55.30A	----	55.40 - 23.20	.3864	----	----	----	----	55 UNCH
1675	----	----	----/66.60A	83.70B/66.60A	----	67.60 - 25.50	.4392	----	----	----	----	27 UNCH
1750	----	----	----/107.90A	134.00B/107.90A	----	111.50 - 32.60	.5900	----	----	----	----	20 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
PO PUT		PLATINUM OPTIONS											
TOTAL												186	0
JAN27													
1400	----	----	----/14.20A	9.00B/14.20A	----	11.40 - 4.50	.0890	----	----	----	----	100	UNCH
1450	----	----	----/20.70A	17.00B/20.70A	----	18.20 - 6.60	.1317	----	----	----	----	200	UNCH
1500	----	----	----/29.90A	28.40B/29.90A	----	27.80 - 9.20	.1857	----	----	----	----	225	UNCH
1550	----	----	----/42.20A	43.80B/42.20A	----	40.80 - 12.40	.2502	----	----	----	----	200	UNCH
1575	----	----	----/49.70A	53.00B/49.70A	----	48.80 - 14.20	.2859	----	----	----	----	20	UNCH
1600	----	----	----/58.40A	63.60B/58.40A	----	57.80 - 16.10	.3233	----	----	----	----	10	UNCH
1650	----	----	----/79.10A	88.40B/79.10A	----	79.10 - 20.00	.4015	----	----	----	----	45	UNCH
1700	----	----	----/104.20A	117.90B/104.20A	----	105.20 - 23.80	.4806	----	----	----	----	71	UNCH
1750	----	----	----/133.60A	151.60B/133.60A	----	135.80 - 27.30	.5554	----	----	----	----	120	UNCH
1800	----	----	----/166.40A	189.00B/166.40A	----	170.40 - 30.50	.6228	----	----	----	----	5	UNCH
1900	----	----	----/241.00A	271.90B/241.00A	----	247.70 - 36.80	.7330	----	----	----	----	100	UNCH
2000	----	----	----/324.70A	361.70B/324.70A	----	332.90 - 41.50	.8136	----	----	----	----	200	UNCH
TOTAL												1296	0
APR27													
1400	----	----	----/36.50A	31.40B/36.50A	----	33.00 - 7.10	.1510	----	----	----	----	30	UNCH
1500	----	----	----/60.50A	59.30B/60.50A	----	57.70 - 11.50	.2347	----	----	----	----	40	UNCH
1600	----	----	----/95.70A	99.30B/95.70A	----	94.20 - 16.70	.3349	----	----	----	----	10	UNCH
1750	----	----	----/171.10A	182.90B/171.10A	----	171.40 - 24.40	.4923	----	----	----	----	21	UNCH
1790	----	----	----/195.20A	197.60B/195.20A	----	196.20 - 26.20	.5319	----	----	----	----	27	UNCH
TOTAL												128	0
JUL27													
1930	----	----	----	----	----	330.00 - 30.90	.5763	----	----	----	----	110	UNCH
TOTAL												110	0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OPTIONS EOO'S AND BLOCKS

PRODUCT		STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL		COMEX GOLD OPTIONS		
NOV26	CALL			
OG		4220	0	50
OG		4550	0	50
OG		5000	0	60
TOTALS			0	160
DEC26	CALL			
OG		4300	0	25
OG		4700	0	40
TOTALS			0	65
JAN27	CALL			
OG		4270	0	74
OG		4300	0	250
OG		4500	0	50
OG		4600	0	60
OG		4915	0	185
TOTALS			0	619
FEB27	CALL			
OG		5300	0	15
TOTALS			0	15
JUN27	CALL			
OG		4500	0	220
TOTALS			0	220
OG PUT		COMEX GOLD OPTIONS		
NOV26	PUT			
OG		4000	0	100
OG		4125	0	50
OG		4220	0	50
TOTALS			0	200
JAN27	PUT			
OG		3700	0	250
OG		3730	0	185
OG		4270	0	74
TOTALS			0	509
FEB27	PUT			
OG		3900	0	15
TOTALS			0	15
APR27	PUT			
OG		3200	0	200
TOTALS			0	200
JUN27	PUT			
OG		3700	0	220
OG		4125	0	25
TOTALS			0	245
DEC27	PUT			
OG		4130	0	68
TOTALS			0	68
SO CALL		COMEX SILVER OPTIONS		
NOV26	CALL			
SO		6200	0	26
SO		7400	0	52
TOTALS			0	78
DEC26	CALL			
SO		6700	0	42
SO		7200	0	32
TOTALS			0	74
SO PUT		COMEX SILVER OPTIONS		
DEC26	PUT			
SO		5100	0	84
TOTALS			0	84
MAR27	PUT			
SO		5000	0	30
TOTALS			0	30
HX CALL		COMEX COPPER OPTIONS		
DEC26	CALL			
HX		690	0	40
HX		725	0	80
TOTALS			0	120
PO CALL		PLATINUM OPTIONS		
JAN27	CALL			
PO		2000	0	300
TOTALS			0	300
PAO CALL		NYMEX PALLADIUM OPTIONS		
MAR27	CALL			
PAO		1500	0	100
TOTALS			0	100
EHO OPT		NORTH EURO HRC STEEL(ARGUS) APO		
JAN27	CALL			
EHO		80000	0	150
TOTALS			0	150
FEB27	CALL			
EHO		80000	0	150
TOTALS			0	150
MAR27	CALL			
EHO		80000	0	150
TOTALS			0	150
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK2		
OCT26	PUT			
G2M		4195	0	75
TOTALS			0	75
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK2		
OCT26	CALL			
G2M		4250	0	25
TOTALS			0	25
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK		
OCT26	CALL			
W2S		6200	0	25
TOTALS			0	25
COO OPT		COBALT METAL (FASTMARKETS) APO		
JAN27	CALL			
COO		2300	0	40

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.



2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 68



TOTALS			0	40
FEB27	CALL			
COO		2300	0	40
TOTALS			0	40
MAR27	CALL			
COO		2300	0	40
TOTALS			0	40

GWT TUE GOLD WEEKLY TUESDAY OPTION Week2

NOV26	PUT			
G2T		3900	0	50
G2T		4000	0	50
TOTALS			0	100

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.