METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	OCT26	OCT26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27	MAY27	JUN27	JUL27	AUG27	SEP27
COO OPT	10/30			11/30	12/31	01/29	02/26	03/31				07/30	08/31	09/30
ECG10 OP		10/09	10/12											
ECG11 OP		10/09	10/12											
ECG13 OP		10/09	10/12											
ECG15 OP		10/09	10/12											
ECG16 OP		10/09	10/12											
ECGC OOF		10/09	10/12											
ECHG OOF		10/09	10/12											
ECSI OOF		10/09	10/12											
EHO OPT	10/30			11/30	12/31	01/29	02/26	03/31						
FMG OPT	10/16													
GMW MON	10/26			11/02										
GWR THU	10/29			11/05										
GWT TUE	10/20			11/10										
GWW WED	10/28			11/04										
HMW MON	10/26			11/02										
HRO OPT	10/27			11/24	12/29	01/26	02/23	03/30	04/27	05/25	06/29	07/27	08/24	09/28
HWR THU	10/29													
HWT TUE	10/20			11/10										
HWW WED	10/28			11/04	12/02	01/06								
HX CALL				10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25			
HX PUT				10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25			
HXE CALL	10/30													
HXE PUT	10/30													
LHO OPT	10/30			11/30	12/31	01/29	02/26	03/31						
MMG MON	10/19													
OG CALL				10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27	08/26
OG PUT				10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27	08/26
OG1 CALL				11/06										
OG1 PUT				11/06										
OG2 CALL	10/09													
OG2 PUT	10/09													
OG3 CALL	10/16													
OG3 PUT	10/16													
OG4 CALL	10/23													
OG4 PUT	10/23													
OG5 CALL	10/30													
OG5 PUT	10/30													
OMG OPT				10/27	11/24	12/28								
PAO CALL				10/21	11/18			02/17			05/19			
PAO PUT				10/21	11/18			02/17			05/19			
PAW OOF	10/16													
PLW OOF	10/16													
PO CALL				10/21	11/18	12/16			03/17			06/16		
PO PUT				10/21	11/18	12/16			03/17			06/16		
RWS THU	10/29			11/05										
SMW MON	10/26													
SO CALL				10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27	08/26
SO PUT				10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24		08/26
SO2 CALL	10/09													
SO2 PUT	10/09													
SO3 CALL	10/16													
SO3 PUT	10/16													
SO4 CALL	10/23													
SO4 PUT	10/23													
SO5 CALL	10/30													
SO5 PUT	10/30													
SWW WED	10/28			11/04										
TWS TUE	10/20			11/10										

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
NOV26												
3650	----	----	----	----/15.00A	----	0.80 - 0.20	----	----	----	----	----	2 UNCH
3900	----	----	----	----/878.40A	----	4.00 UNCH	----	----	----	----	----	1 UNCH
4000	----	----	----	----	----	200.60 - 24.70	----	----	----	----	----	1 UNCH
4000	----	----	----	----/883.10A	----	10.20 + 0.80	----	----	----	----	----	2 UNCH
4005	----	----	----	----	----	196.10 - 24.70	----	----	----	----	----	1 UNCH
4025	----	----	----	----/885.20A	----	13.10 + 1.30	----	----	----	----	----	1 UNCH
4185	----	----	----	----/1357.70A	----	59.60 + 7.90	----	----	----	----	----	1 UNCH
4275	----	----	----	----/904.00A	----	30.20 - 12.00	----	----	----	----	----	4 UNCH
4300	----	----	----	50.00B/1422.80A	----	133.10 + 15.20	----	----	----	----	----	1 UNCH
4300	----	----	----	----/897.70A	----	23.90 - 10.50	----	----	----	----	----	1 UNCH
4400	16.00	16.00	16.00/16.00	16.00/16.00	----	8.90 - 5.40	----	----	----	1	----	2 + 1
5810	----	----	----	----/864.20A	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
5850	----	----	----	----/864.20A	----	0.10 - 0.10	----	----	----	----	----	3 UNCH
5900	----	----	----	----/864.30A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
6500	----	----	----	----/863.90A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
TOTAL										1		31 + 1
DEC26												
3900	26.30	26.30	26.30/26.30	26.30/26.30	----	26.10 + 1.20	----	----	----	1	----	0 - 1
3990	----	----	----	----	----	43.00 + 2.70	----	----	----	----	----	2 UNCH
4000	----	----	----	26.00B/----	----	45.40 + 2.90	----	----	----	----	----	2 UNCH
4500	----	----	----	----	----	336.80 + 19.00	----	----	----	----	----	3 UNCH
4650	----	----	----	----	----	14.30 - 3.70	----	----	----	----	----	1 UNCH
4700	----	----	----	----	----	11.60 - 2.90	----	----	----	----	----	10 UNCH
4800	----	----	----	----	----	7.90 - 1.90	----	----	----	----	----	1 UNCH
TOTAL										1		19 - 1
JAN27												
4010	----	----	----	----	----	285.00 - 21.70	----	----	----	----	----	1 UNCH
4600	----	----	----	----	----	419.50 + 18.80	----	----	----	----	----	3 UNCH
TOTAL												4 0
OCT27												
4410	----	----	----	----	----	344.50 - 15.20	----	----	----	----	----	1 UNCH
TOTAL												1 0
FEB28												
4325	----	----	----	----	----	501.90 - 16.80	----	----	----	----	----	1 UNCH
4600	----	----	----	----	----	379.00 - 14.40	----	----	----	----	----	1 UNCH
TOTAL												2 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG5 PUT		GOLD OPTIONS										
OCT26												
3400	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0030	----	----	----	----	1 UNCH
3500	----	----	----	0.60B/0.80A	----	0.60 - 0.20	.0049	----	----	1	----	10 + 1
3600	----	----	----/1.10A	1.10B/1.10A	----	1.10 - 0.20	.0094	----	----	----	----	2 UNCH
3700	----	----	----/2.00A	2.00B/2.00A	----	1.90 - 0.30	.0172	----	----	----	----	20 UNCH
3775	----	----	3.40B/3.00A	3.40B/3.00A	----	3.00 - 0.20	.0281	----	----	----	----	1 UNCH
3800	----	----	4.00B/3.40A	4.00B/3.40A	----	3.50 - 0.20	.0332	----	----	----	----	42 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG5 PUT	GOLD OPTIONS										
OCT26											
3825 ----	----	4.80B/3.90A	4.80B/3.90A	----	4.20 NEW	.0400	----	----	2	----	2 + 2
3850 ----	----	5.80B/4.60A	5.80B/4.60A	----	5.00 UNCH	.0478	----	----	2	----	5 + 2
3875 ----	----	7.10B/5.40A	7.10B/5.40A	----	6.00 UNCH	.0575	----	----	----	----	21 UNCH
3900 ----	----	8.70B/6.40A	8.70B/6.40A	----	7.30 + 0.20	.0697	----	----	----	----	9 UNCH
3950 ----	----	13.00B/9.10A	13.00B/9.10A	----	11.00 + 0.70	.1029	----	----	----	----	12 UNCH
3975 ----	----	16.00B/11.40A	16.00B/11.40A	----	13.50 NEW	.1245	----	----	1	----	1 + 1
4000 17.20	17.20	19.60B/13.70A	19.60B/13.70A	----	16.60 + 1.30	.1503	----	----	5	----	10 UNCH
4025 16.70	16.70	24.20B/16.40	24.20B/16.40	----	20.50 + 1.80	.1810	----	----	28	----	43 + 10
4050 20.30	20.30	29.60B/20.10A	29.60B/20.10A	----	25.30 + 2.40	.2166	----	----	23	----	26 + 7
4075 32.00	32.00	36.00B/24.70A	36.00B/24.70A	----	31.20 + 3.20	.2572	----	----	10	----	21 + 10
4100 ----	----	43.80B/29.90A	43.80B/29.90A	----	38.20 + 4.10	.3022	----	----	----	----	14 UNCH
4125 ----	----	52.80B/36.50A	52.80B/36.50A	----	46.50 + 5.10	.3512	----	----	----	----	15 UNCH
4150 ----	----	63.20B/43.70A	63.20B/43.70A	----	56.20 + 6.30	.4032	----	----	----	----	1 UNCH
4175 67.30	67.30	74.90B/52.50A	74.90B/52.50A	----	67.30 + 7.60	.4570	----	----	1	----	2 + 1
4200 76.50	76.50	88.00B/62.40A	88.00B/62.40A	----	80.00 + 9.00	.5114	----	----	1	----	14 + 1
4225 ----	----	102.70B/74.60A	102.70B/74.60A	----	94.00 + 10.30	.5650	----	----	----	----	1 UNCH
4250 ----	----	118.00B/87.10A	118.00B/87.10A	----	109.40 + 11.70	.6167	----	----	1	----	2 + 1
4300 ----	----	153.30B/119.20A	153.30B/119.20A	----	143.80 + 14.50	.7115	----	----	----	----	1 UNCH
4350 ----	----	192.80B/153.10A	192.80B/153.10A	----	182.60 + 17.10	.7899	----	----	----	----	1 UNCH
TOTAL									75		277 + 36

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG5 CALL	GOLD OPTIONS										
OCT26											
4100 ----	----	166.40B/125.00A	166.40B/125.00A	----	128.60 - 21.60	.6972	----	----	----	----	1 UNCH
4125 ----	----	147.10B/108.70A	147.10B/108.70A	----	112.00 - 20.50	.6483	----	----	----	----	2 UNCH
4150 ----	----	129.80B/93.50A	129.80B/93.50A	----	96.70 - 19.30	.5963	----	----	----	----	2 UNCH
4175 ----	----	113.90B/80.00A	113.90B/80.00A	----	82.90 - 18.10	.5424	----	----	----	----	6 UNCH
4200 72.00	72.00	100.40B/68.00A	100.40B/68.00A	----	70.60 - 16.70	.4880	----	----	1	----	24 + 1
4225 66.30	66.30	86.80B/57.30A	86.80B/57.30A	----	59.70 - 15.30	.4345	----	----	2	----	4 UNCH
4250 56.00	56.00	74.50B/48.00A	74.50B/48.00A	----	50.10 - 14.00	.3827	----	----	8	----	42 + 1
4275 ----	----	63.40B/39.90A	63.40B/39.90A	----	41.70 - 12.60	.3336	----	----	----	----	1 UNCH
4300 ----	----	53.70B/33.10A	53.70B/33.10A	----	34.50 - 11.30	.2880	----	----	----	----	21 UNCH
4325 ----	----	45.30B/27.30A	45.30B/27.30A	----	28.50 - 9.90	.2467	----	----	----	----	10 UNCH
4350 28.00	28.00	38.10B/22.50A	38.10B/22.50A	----	23.40 - 8.70	.2096	----	----	15	----	28 + 15
4375 28.10	28.10	31.70B/18.40A	31.70B/18.40A	----	19.20 - 7.60	.1771	----	----	1	----	12 UNCH
4400 16.30	16.30	26.60B/15.20A	26.60B/15.20A	----	15.80 - 6.50	.1492	----	----	13	----	45 + 11
4425 ----	----	22.00B/12.40A	22.00B/12.40A	----	13.00 - 5.60	.1252	----	----	----	----	10 UNCH
4450 ----	----	18.40B/10.20A	18.40B/10.20A	----	10.70 - 4.80	.1049	----	----	1	----	4 + 1
4475 ----	----	15.70B/8.40A	15.70B/8.40A	----	8.90 - 4.10	.0882	----	----	----	----	15 UNCH
4500 ----	----	13.00B/7.00A	13.00B/7.00A	----	7.40 - 3.50	.0740	----	----	----	----	4 UNCH
4525 ----	----	10.90B/5.90A	10.90B/5.90A	----	6.20 - 2.90	.0624	----	----	----	----	26 UNCH
4550 5.80	5.80	9.20B/5.00A	9.20B/5.00A	----	5.20 - 2.50	.0525	----	----	1	----	2 UNCH
4625 3.20	3.20	3.20/3.20	5.40B/3.20	----	3.30 NEW	.0330	----	----	7	----	7 + 7
4750 ----	----	2.80B/1.80A	2.80B/1.80A	----	1.80 - 0.70	.0172	----	----	----	----	4 UNCH
4800 ----	----	2.20B/1.50A	2.20B/1.50A	----	1.50 - 0.50	.0139	----	----	----	----	6 UNCH
5250 ----	----	----	0.50B/0.70A	----	0.60 - 0.10	.0043	----	----	----	----	2 UNCH
TOTAL									49		278 + 36

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 PUT	GOLD OPTIONS										
OCT26											
3400 ----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
3500 ----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0008	----	----	----	----	10 UNCH
3600 ----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0027	----	----	----	----	16 UNCH
3700 ----	----	----/0.50A	0.60B/0.50A	----	0.60 - 0.20	.0060	----	----	----	----	5 UNCH
3750 ----	----	----/0.70A	1.00B/0.70A	----	0.80 - 0.20	.0085	----	----	----	----	10 UNCH
3800 1.20	1.20	1.20/1.00A	1.40B/1.00A	----	1.10 - 0.30	.0124	----	----	1	----	1 - 1
3825 ----	----	1.80B/1.20A	1.80B/1.20A	----	1.40 - 0.20	.0160	----	----	2	----	1 - 1
3850 ----	----	2.20B/1.50A	2.20B/1.50A	----	1.70 - 0.20	.0198	----	----	6	----	4 + 2
3875 ----	----	2.80B/1.80A	2.80B/1.80A	----	2.10 - 0.20	.0250	----	----	----	----	18 UNCH
3900 3.00	3.00	3.50B/2.30A	3.50B/2.30A	----	2.60 - 0.20	.0315	----	----	2	----	16 UNCH
3925 ----	----	4.50B/2.90A	4.50B/2.90A	----	3.30 - 0.10	.0405	----	----	----	----	26 UNCH
3950 5.10	5.10	5.90B/3.80A	5.90B/3.80A	----	4.30 + 0.10	.0529	----	----	5	----	10 + 5
3975 ----	----	7.60B/4.80A	7.60B/4.80A	----	5.60 + 0.30	.0689	----	----	----	----	14 UNCH
4000 7.50	7.50	9.90B/6.10A	9.90B/6.10A	----	7.40 + 0.60	.0904	----	----	30	----	137 + 18
4025 10.00	10.00	13.00B/7.80A	13.00B/7.80A	----	9.70 + 0.90	.1172	----	----	10	----	25 + 10
4050 13.00	13.00	16.90B/10.00A	16.90B/10.00A	----	12.90 + 1.40	.1522	----	----	37	----	53 + 37
4075 20.40	20.40	22.00B/13.00A	22.00B/13.00A	----	17.10 + 2.20	.1955	----	----	22	----	24 + 14
4100 20.00	20.00	28.40B/16.70A	28.40B/16.70A	----	22.50 + 3.00	.2472	----	----	45	----	367 + 18
4125 ----	----	36.30B/21.60A	36.30B/21.60A	----	29.30 + 4.10	.3072	----	----	4	----	10 + 3
4150 35.10	35.10	45.90B/27.70A	45.90B/27.70A	----	37.90 + 5.50	.3748	----	----	32	----	44 + 27
4175 47.80	47.80	57.30B/35.20A	57.30B/35.20A	----	48.30 + 7.10	.4471	----	----	1	----	63 + 1
4200 ----	----	70.50B/44.40A	70.50B/44.40A	----	60.60 + 8.70	.5215	----	----	1	----	27 UNCH
4225 ----	----	85.40B/55.00A	85.40B/55.00A	----	74.80 + 10.50	.5948	----	----	----	----	6 UNCH
4250 ----	----	102.10B/67.40A	102.10B/67.40A	----	90.80 + 12.20	.6639	----	----	----	----	1 UNCH
TOTAL									198		889 + 133

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 CALL	GOLD OPTIONS										
OCT26											
4000 204.60	204.60	246.30B/188.50A	246.30B/188.50A	----	197.80 NEW	.9093	----	----	5	----	5 + 5
4100 ----	----	156.50B/107.10A	156.50B/107.10A	----	113.00 - 22.60	.7524	----	----	----	----	36 UNCH
4125 ----	----	136.20B/90.10A	136.20B/90.10A	----	94.90 - 21.50	.6924	----	----	----	----	13 UNCH
4150 79.30	79.30	117.10B/74.60A	117.10B/74.60A	----	78.40 - 20.20	.6249	----	----	1	----	13 + 1
4175 71.50	71.50	99.60B/60.60A	99.60B/60.60A	----	63.80 - 18.70	.5525	----	----	1	----	45 + 1
4200 ----	----	83.70B/48.40A	83.70B/48.40A	----	51.20 - 16.90	.4782	----	----	45	----	60 + 45
4225 44.80	44.80	70.10B/38.10A	70.10B/38.10A	----	40.40 - 15.20	.4049	----	----	8	----	30 + 8
4250 32.50	32.50	57.60B/29.60A	57.60B/29.60A	----	31.50 - 13.40	.3357	----	----	4	----	3 + 2
4275 24.60	24.60	46.80B/22.80A	46.80B/22.80A	----	24.30 - 11.60	.2731	----	----	6	----	9 + 6
4300 18.70	18.70	37.60B/17.40A	37.60B/17.40A	----	18.50 - 9.90	.2180	----	----	1	----	41 UNCH
4325 ----	----	30.00B/13.30A	30.00B/13.30A	----	14.00 - 8.30	.1715	----	----	----	----	22 UNCH
4350 18.00	18.00	23.90B/10.10A	23.90B/10.10A	----	10.60 - 6.90	.1336	----	----	1	----	14 + 1
4375 ----	----	18.70B/7.60A	18.70B/7.60A	----	8.00 - 5.60	.1031	----	----	----	----	21 UNCH
4400 13.50	13.50	14.70B/5.80	14.70B/5.80	----	6.10 - 4.60	.0797	----	----	3	----	40 UNCH
4425 ----	----	11.50B/4.50A	11.50B/4.50A	----	4.70 NEW	.0617	----	----	1	----	1 + 1
4450 ----	----	9.00B/3.50A	9.00B/3.50A	----	3.60 - 3.00	.0475	----	----	1	----	79 UNCH
4475 3.00	3.00	7.00B/2.80	7.00B/2.80	----	2.80 - 2.40	.0368	----	----	12	----	7 + 6
4500 2.20	2.20	5.50B/2.20	5.50B/2.20	----	2.30 - 1.90	.0298	----	----	2	----	522 - 1
4525 ----	----	4.40B/1.80A	4.40B/1.80A	----	1.80 NEW	.0232	----	----	1	----	1 + 1
4550 ----	----	3.40B/1.50A	3.40B/1.50A	----	1.50 - 1.30	.0190	----	----	----	----	1 UNCH
4575 ----	----	2.80B/1.30A	2.80B/1.30A	----	1.30 - 1.00	.0160	----	----	----	----	27 UNCH
4600 ----	----	2.30B/1.10A	2.30B/1.10A	----	1.10 - 0.90	.0133	----	----	5	----	26 UNCH
4650 ----	----	1.60B/0.90A	1.60B/0.90A	----	0.80 - 0.70	.0093	----	----	----	----	1 UNCH
4675 ----	----	----/0.80A	1.30B/0.80A	----	0.70 - 0.60	.0079	----	----	----	----	29 UNCH
4700 ----	----	1.20B/0.70A	1.20B/0.70A	----	0.70 - 0.40	.0076	----	----	----	----	1 UNCH
4800 ----	----	----/0.60A	0.70B/0.60A	----	0.50 - 0.30	.0049	----	----	----	----	172 UNCH
5000 ----	----	----	0.30B/0.40A	----	0.20 - 0.20	.0017	----	----	----	----	70 UNCH
TOTAL									97		1289 + 76

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 PUT	GOLD OPTIONS										
OCT26											
3500 ----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3600 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
3700 ----	----	----	----/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	6 UNCH
3750 0.20	0.20	0.20/0.20	0.20/0.20	----	0.10 - 0.20	.0001	----	----	10	----	33 UNCH
3775 0.40	0.40	0.40/0.20A	0.40/0.20A	----	0.10 - 0.20	.0003	----	----	1	----	5 UNCH
3800 0.40	0.40	0.40/0.20A	0.40/0.20A	----	0.10 - 0.30	.0006	----	----	6	----	85 - 5
3805 0.30	0.30	0.30/0.20A	0.30/0.20A	----	0.10 NEW	.0007	----	----	1	----	1 + 1
3815 0.30	0.30	0.30/0.20A	0.30/0.20A	----	0.20 NEW	.0016	----	----	14	----	14 + 14
3825 0.30	0.30	0.30/0.20A	0.30/0.20A	----	0.20 - 0.30	.0016	----	----	7	----	37 + 7

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 PUT		GOLD OPTIONS										
OCT26												
3835	0.30	0.30	0.30/0.20A	0.40B/0.20A	----	0.20 NEW	.0017	----	----	4	----	4 + 4
3840	0.30	0.30	0.30/0.20A	0.40B/0.20A	----	0.20 NEW	.0017	----	----	4	----	4 + 4
3850	0.40	0.40	0.40/0.20A	0.40/0.20A	----	0.20 - 0.30	.0018	----	----	2	----	8 UNCH
3875	0.50	0.50	0.60B/0.20A	0.60B/0.20A	----	0.30 - 0.30	.0029	----	----	1	----	6 + 1
3880	----	----	----	0.60B/0.20A	----	0.30 NEW	.0029	----	----	1	----	1 + 1
3890	0.70	0.70	0.70/0.20A	0.70/0.20A	----	0.40 NEW	.0040	----	----	1	----	1 + 1
3900	0.50	0.50	0.80B/0.30A	0.80B/0.30A	----	0.40 - 0.30	.0042	----	----	1	----	35 + 1
3925	0.80	0.80	1.10B/0.30A	1.10B/0.30A	----	0.60 - 0.30	.0068	----	----	11	----	32 + 11
3940	1.00	1.00	1.40B/0.40A	1.40B/0.40A	----	0.70 NEW	.0083	----	----	21	----	21 + 21
3945	1.00	1.00	1.50B/0.40A	1.50B/0.40A	----	0.80 NEW	.0096	----	----	1	----	1 + 1
3950	1.10	1.10	1.60/0.50A	1.60/0.50A	----	0.80 - 0.40	.0098	----	----	18	----	129 + 6
3960	0.60	0.60	0.60/0.60	1.80B/0.60	----	0.90 NEW	.0113	----	----	4	----	4 + 4
3965	1.00	1.00	1.00/0.60A	1.90B/0.60A	----	1.00 NEW	.0127	----	----	1	----	1 + 1
3970	1.00	1.00	1.00/0.70A	2.10B/0.70A	----	1.10 NEW	.0142	----	----	11	----	11 + 11
3975	----	----	2.30B/0.80A	2.30B/0.80A	----	1.20 - 0.30	.0156	----	----	4	----	48 UNCH
3980	2.10	2.10	2.40B/0.80A	2.40B/0.80A	----	1.30 NEW	.0172	----	----	2	----	2 + 2
3990	1.70	1.70	1.70/1.00A	2.80B/1.00A	----	1.50 NEW	.0203	----	----	9	----	8 + 8
3995	1.70	1.70	1.70/1.10A	3.00B/1.10A	----	1.70 NEW	.0232	----	----	11	----	11 + 11
4000	3.20	3.20	3.30B/1.20A	3.30B/1.20A	----	1.80 - 0.30	.0249	----	----	69	----	303 + 23
4005	2.00	2.00	2.00/1.30A	3.50B/1.30A	----	2.00 NEW	.0279	----	----	28	----	28 + 28
4010	2.20	2.20	2.20/1.50A	3.80B/1.50A	----	2.20 NEW	.0309	----	----	35	----	35 + 35
4015	3.10	3.10	3.10/1.60A	4.10B/1.60A	----	2.40 NEW	.0341	----	----	148	----	148 + 148
4020	2.60	2.60	2.60/1.80A	4.50B/1.80A	----	2.60 NEW	.0373	----	----	7	----	4 + 4
4025	3.20	3.20	4.80B/2.00A	4.80B/2.00A	----	2.80 - 0.10	.0406	----	----	35	----	102 - 1
4030	----	----	----	5.20B/2.20A	----	3.10 NEW	.0452	----	----	1	----	1 + 1
4040	3.70	3.70	3.70/2.70A	6.10B/2.70A	----	3.60 NEW	.0535	----	----	2	----	2 + 2
4045	5.80	5.80	5.80/3.00A	6.60B/3.00A	----	4.00 NEW	.0595	----	----	95	----	92 + 92
4050	5.40	5.40	7.10B/3.30A	7.10B/3.30A	----	4.30 + 0.20	.0646	----	----	77	----	309 + 10
4055	5.00	5.00	5.00/3.60A	7.70B/3.60A	----	4.70 NEW	.0709	----	----	50	----	49 + 49
4060	4.60	4.60	4.60/4.00A	8.30B/4.00A	----	5.10 NEW	.0774	----	----	26	----	26 + 26
4075	7.90	7.90	10.40B/5.00A	10.40B/5.00A	----	6.60 + 0.70	.1011	----	----	268	----	268 + 175
4085	10.60	10.60	10.60/10.60	12.10B/5.70A	----	7.80 NEW	.1199	----	----	3	----	3 + 3
4090	12.30	12.30	13.10B/12.30	13.10B/6.10A	----	8.50 NEW	.1305	----	----	18	----	18 + 18
4095	12.80	12.80	14.10B/12.80	14.10B/6.50A	----	9.20 NEW	.1415	----	----	44	----	31 + 31
4100	10.20	10.20	15.10B/7.00	15.10B/7.00	----	10.00 + 1.50	.1535	----	----	195	----	381 - 11
4105	11.20	11.20	16.30B/11.20	16.30B/7.60A	----	10.90 NEW	.1667	----	----	20	----	20 + 20
4120	----	----	----	20.20B/9.40A	----	13.90 NEW	.2100	----	----	21	----	21 + 21
4125	19.80	19.80	21.60B/10.20A	21.60B/10.20A	----	15.10 + 2.70	.2264	----	----	47	----	177 + 30
4130	15.50	15.50	23.10B/10.90A	23.10B/10.90A	----	16.30 NEW	.2430	----	----	13	----	11 + 11
4135	23.50	23.50	24.70B/23.50	24.70B/11.70A	----	17.70 NEW	.2611	----	----	14	----	14 + 14
4140	----	----	----	26.40B/12.50A	----	19.10 NEW	.2794	----	----	1	----	1 + 1
4145	----	----	----	28.20B/13.40A	----	20.60 NEW	.2985	----	----	1	----	1 + 1
4150	15.10	15.10	30.10B/14.60A	30.10B/14.60A	----	22.20 + 4.30	.3182	----	----	56	120	167 + 130
4155	25.20	25.20	32.10B/25.20	32.10B/15.50A	----	23.90 NEW	.3386	----	----	47	----	45 + 45
4170	30.70	30.70	38.60B/30.70	38.60B/19.10A	----	29.50 NEW	.4026	----	----	6	----	6 + 6
4175	29.50	29.50	40.90B/20.50A	40.90B/20.50A	----	31.60 + 6.30	.4248	----	----	80	----	1010 + 55
4180	38.00	38.00	43.40B/38.00	43.40B/22.00A	----	33.80 NEW	.4474	----	----	5	----	4 + 4
4185	42.70	42.70	45.90B/42.70	45.90B/23.30A	----	36.10 NEW	.4701	----	----	101	----	45 + 45
4195	----	----	----	51.30B/26.70A	----	41.00 NEW	.5160	----	----	1	----	1 + 1
4200	41.50	41.50	54.20B/28.60A	54.20B/28.60A	----	43.60 + 8.50	.5389	----	----	19	----	330 + 6
4225	42.20	42.20	69.80B/38.40A	69.80B/38.40A	----	58.20 + 10.90	.6502	----	----	8	----	64 - 1
4250	72.00	72.00	87.90B/50.40A	87.90B/50.40A	----	75.40 + 13.40	.7501	----	----	9	----	15 + 6
4275	----	----	107.70B/65.70A	107.70B/65.70A	----	94.80 + 15.80	.8309	----	----	----	----	6 UNCH
4300	----	----	129.00B/82.50A	129.00B/82.50A	----	116.00 + 17.90	.8899	----	----	----	----	5 UNCH
4325	----	----	151.70B/100.90A	151.70B/100.90A	----	138.60 + 19.80	.9313	----	----	----	----	1 UNCH
4350	----	----	174.90B/121.10A	174.90B/121.10A	----	162.10 + 21.40	.9572	----	----	----	----	39 UNCH
4400	205.00	205.00	221.10B/165.00A	221.10B/165.00A	----	210.70 + 23.50	.9816	----	----	3	----	30 - 3
4500	----	----	320.70B/265.00A	320.70B/265.00A	----	309.70 + 25.00	.9957	----	----	----	----	3 UNCH
4600	----	----	419.60B/363.90A	419.60B/363.90A	----	409.50 + 25.40	.9984	----	----	----	----	2 UNCH
4625	----	----	445.40B/388.10A	445.40B/388.10A	----	434.40 + 25.40	.9996	----	----	----	----	1 UNCH
TOTAL										1699	120	4342 + 1130

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 CALL		GOLD OPTIONS										
OCT26												
3500	----	----	736.30B/680.50A	736.30B/680.50A	----	690.60 - 25.70	1.0000	----	----	----	----	1 UNCH
3800	----	----	437.00B/382.20A	437.00B/382.20A	----	390.60 - 25.90	.9995	----	----	----	----	2 UNCH
3825	----	----	411.40B/355.30A	411.40B/355.30A	----	365.70 - 25.90	.9984	----	----	----	----	3 UNCH
3850	----	----	388.00B/330.40A	388.00B/330.40A	----	340.70 - 26.00	.9982	----	----	----	----	1 UNCH
4000	198.20	198.20	238.60B/183.60A	238.60B/183.60A	----	192.40 - 25.90	.9749	----	----	3	----	4 UNCH
4075	----	----	170.20B/114.20A	170.20B/114.20A	----	122.10 - 25.00	.8988	----	----	----	----	1 UNCH
4100	----	----	147.40B/94.00A	147.40B/94.00A	----	100.60 - 24.20	.8463	----	----	----	----	42 UNCH
4125	----	----	125.20B/75.40A	125.20B/75.40A	----	80.70 - 23.00	.7734	----	----	----	----	18 UNCH
4150	81.60	81.60	104.40B/58.70A	104.40B/58.70A	----	62.70 - 21.40	.6816	----	----	6	----	156 + 5
4170	70.90	70.90	88.80B/46.60A	88.80B/46.60A	----	50.10 NEW	.5972	----	----	5	----	4 + 4
4175	77.00	77.00	85.10B/43.90A	85.10B/43.90A	----	47.20 - 19.40	.5750	----	----	10	----	72 + 5
4185	41.60	41.60	48.30/38.40A	77.80B/38.40A	----	41.70 NEW	.5297	----	----	5	----	4 + 4
4190	38.30	38.30	41.00/35.90	74.40B/35.90	----	39.10 NEW	.5068	----	----	23	----	22 + 22
4195	43.00	43.00	43.00/33.70A	71.20B/33.70A	----	36.60 NEW	.4838	----	----	1	----	1 + 1
4200	53.00	53.00	67.90B/31.30A	67.90B/31.30A	----	34.20 - 17.20	.4609	----	----	20	----	336 + 6
4205	----	----	----	64.70B/29.40A	----	31.90 NEW	.4380	----	----	4	----	4 + 4
4210	31.30	31.30	31.30/27.30A	61.60B/27.30A	----	29.70 NEW	.4153	----	----	2	----	2 + 2
4215	----	----	----	58.60B/25.40A	----	27.70 NEW	.3931	----	----	2	----	2 + 2
4220	----	----	----	56.30B/23.50A	----	25.70 NEW	.3709	----	----	1	----	1 + 1
4225	39.40	39.40	53.40B/21.80A	53.40B/21.80A	----	23.90 - 14.70	.3496	----	----	25	----	108 - 13
4235	20.20	20.20	20.20/20.20	48.10B/18.70A	----	20.40 NEW	.3075	----	----	9	----	5 + 5
4240	----	----	----	45.30B/17.30A	----	18.90 NEW	.2879	----	----	3	----	2 + 2
4245	18.00	18.00	18.00/18.00	43.00B/15.90A	----	17.40 NEW	.2685	----	----	1	----	1 + 1
4250	33.40	33.40	40.40B/14.70A	40.40B/14.70A	----	16.00 - 12.30	.2497	----	----	136	20	249 + 5
4255	27.40	27.40	38.20B/13.50A	38.20B/13.50A	----	14.80 NEW	.2326	----	----	3	----	3 + 3
4260	32.90	32.90	36.00B/12.40A	36.00B/12.40A	----	13.60 NEW	.2156	----	----	17	----	16 + 16
4265	13.70	13.70	13.70/11.40A	34.00B/11.40A	----	12.40 NEW	.1987	----	----	9	----	9 + 9
4275	20.00	20.00	30.30B/9.60A	30.30B/9.60A	----	10.40 - 9.90	.1689	----	----	18	----	226 + 12
4285	16.00	16.00	16.00/8.10A	26.60B/8.10A	----	8.70 NEW	.1425	----	----	11	----	11 + 11
4300	14.50	14.50	22.00B/6.20A	22.00B/6.20A	----	6.70 - 7.70	.1099	----	----	67	20	503 + 47
4310	----	----	----	19.10B/5.20A	----	5.50 NEW	.0906	----	----	1	----	1 + 1
4325	10.50	10.50	15.60B/4.00	15.60B/4.00	----	4.20 - 5.90	.0685	----	----	46	----	186 + 11
4330	4.50	4.50	4.50/3.60A	14.50B/3.60A	----	3.90 NEW	.0630	----	----	4	----	4 + 4
4335	4.00	4.00	4.00/3.30A	13.50B/3.30A	----	3.50 NEW	.0565	----	----	4	----	4 + 4
4340	3.40	3.40	3.40/3.00A	12.50B/3.00A	----	3.20 NEW	.0514	----	----	7	----	7 + 7
4350	8.80	8.80	10.90B/2.50	10.90B/2.50	----	2.70 - 4.40	.0426	----	----	29	40	151 + 61
4355	3.40	3.40	3.40/2.30A	10.20B/2.30A	----	2.50 NEW	.0391	----	----	17	----	17 + 17
4360	3.20	3.20	9.50B/2.10A	9.50B/2.10A	----	2.30 - 3.90	.0356	----	----	49	----	144 + 23
4365	3.00	3.00	3.00/1.90A	8.80B/1.90A	----	2.20 NEW	.0335	----	----	27	----	27 + 27
4375	2.60	2.60	7.70B/1.60A	7.70B/1.60A	----	1.90 - 3.10	.0283	----	----	6	----	327 + 5
4380	----	----	----	7.10B/1.50A	----	1.70 NEW	.0252	----	----	1	----	1 + 1
4390	----	----	----	6.20B/1.30A	----	1.50 NEW	.0216	----	----	2	----	2 + 2
4400	4.30	4.30	5.30B/1.10A	5.30B/1.10A	----	1.30 - 2.30	.0183	----	----	76	----	272 + 38
4420	----	----	----	4.00B/0.90A	----	1.00 NEW	.0133	----	----	1	----	1 + 1
4425	1.60	1.60	3.80B/0.80A	3.80B/0.80A	----	1.00 - 1.60	.0131	----	----	1	----	36 + 1
4440	----	----	3.10B/0.70A	3.10B/0.70A	----	0.80 - 1.40	.0101	----	----	1	----	121 UNCH
4450	0.70	0.70	2.70B/0.60A	2.70B/0.60A	----	0.70 - 1.20	.0086	----	----	12	----	232 + 6
4470	----	----	----	2.10B/0.50A	----	0.60 NEW	.0069	----	----	1	----	1 + 1
4475	2.10	2.10	2.10/0.50A	2.10/0.50A	----	0.50 - 1.00	.0057	----	----	16	----	122 + 13
4500	0.70	0.70	1.50B/0.40A	1.50B/0.40A	----	0.40 - 0.80	.0043	----	----	41	----	326 + 9
4505	----	----	----	1.40B/0.40A	----	0.40 NEW	.0042	----	----	1	----	1 + 1
4525	0.90	0.90	1.10B/0.30A	1.10B/0.30A	----	0.30 - 0.60	.0030	----	----	3	----	28 + 3
4550	----	----	----/0.30A	0.80B/0.30A	----	0.30 - 0.50	.0028	----	----	2	----	19 + 1
4575	----	----	----/0.20A	0.70B/0.20A	----	0.20 - 0.50	.0017	----	----	----	----	14 UNCH
4600	0.40	0.40	0.40/0.20A	0.50B/0.20A	----	0.20 - 0.40	.0016	----	----	21	----	539 + 14
4625	----	----	----/0.20A	0.40B/0.20A	----	0.10 - 0.40	.0006	----	----	----	----	28 UNCH
4650	----	----	----/0.20A	0.30B/0.20A	----	0.10 - 0.40	.0003	----	----	2	----	42 + 2
4675	----	----	----/0.20A	0.30B/0.20A	----	0.10 - 0.30	.0001	----	----	----	----	27 UNCH
4700	----	----	----/0.20A	0.20B/0.20A	----	0.10 - 0.30	.0000	----	----	10	----	31 + 9
4725	----	----	----/0.20A	0.20B/0.20A	----	0.10 - 0.30	.0000	----	----	----	----	1 UNCH
4750	----	----	----/0.20A	0.20B/0.20A	----	0.10 - 0.30	.0000	----	----	----	----	1 UNCH
4775	----	----	----/0.20A	0.10B/0.20A	----	0.10 - 0.30	.0000	----	----	----	----	6 UNCH
4800	----	----	----	----/0.30A	----	0.10 - 0.20	----	----	----	----	----	8 UNCH
4825	----	----	----	----/0.30A	----	0.10 - 0.20	----	----	----	----	----	7 UNCH
4850	----	----	----	----/0.30A	----	0.10 - 0.10	----	----	----	----	----	4 UNCH
4900	----	----	----	----/0.30A	----	0.10 - 0.10	----	----	----	----	----	29 UNCH
5000	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
5100	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	8 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG3 CALL	GOLD OPTIONS												
OCT26													
5200 ----	----	----	----/0.30A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
TOTAL										762	80	4592 +	416

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG2 PUT	GOLD OPTIONS												
OCT26													
3925 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
3945 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
3950 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
3975 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
3985 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4000 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4010 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4015 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4020 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4025 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4030 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4035 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4040 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4045 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4050 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4055 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4060 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4065 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4070 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4075 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4080 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4085 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4090 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4095 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4100 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4105 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4110 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4115 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4120 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4125 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4130 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4135 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4140 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4145 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4150 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4155 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4160 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4165 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4170 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4175 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4180 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4185 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4190 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4195 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4200 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4205 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4210 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4215 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4220 ----	----	----	----	----	3.70	UNCH	----	----	----	----	----	0	UNCH
4225 ----	----	----	----	----	8.70	UNCH	----	----	----	----	----	0	UNCH
4230 ----	----	----	----	----	13.70	UNCH	----	----	----	----	----	0	UNCH
4235 ----	----	----	----	----	18.70	UNCH	----	----	----	----	----	0	UNCH
4240 ----	----	----	----	----	23.70	UNCH	----	----	----	----	----	0	UNCH
4250 ----	----	----	----	----	33.70	UNCH	----	----	----	----	----	0	UNCH
4260 ----	----	----	----	----	43.70	UNCH	----	----	----	----	----	0	UNCH
4275 ----	----	----	----	----	58.70	UNCH	----	----	----	----	----	0	UNCH
4285 ----	----	----	----	----	68.70	UNCH	----	----	----	----	----	0	UNCH
4300 ----	----	----	----	----	83.70	UNCH	----	----	----	----	----	0	UNCH
4310 ----	----	----	----	----	93.70	UNCH	----	----	----	----	----	0	UNCH
4315 ----	----	----	----	----	98.70	UNCH	----	----	----	----	----	0	UNCH
4320 ----	----	----	----	----	103.70	UNCH	----	----	----	----	----	0	UNCH
4325 ----	----	----	----	----	108.70	UNCH	----	----	----	----	----	0	UNCH
4330 ----	----	----	----	----	113.70	UNCH	----	----	----	----	----	0	UNCH
4340 ----	----	----	----	----	123.70	UNCH	----	----	----	----	----	0	UNCH
4350 ----	----	----	----	----	133.70	UNCH	----	----	----	----	----	0	UNCH
4375 ----	----	----	----	----	158.70	UNCH	----	----	----	----	----	0	UNCH
4400 ----	----	----	----	----	183.70	UNCH	----	----	----	----	----	0	UNCH
4550 ----	----	----	----	----	333.70	UNCH	----	----	----	----	----	0	UNCH
10000 ----	----	----	----	----	5783.70	UNCH	----	----	----	----	----	0	UNCH
TOTAL												0	0

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG2 CALL	GOLD OPTIONS												
OCT26													
3950 ----	----	----	----	----	266.30	UNCH	----	----	----	----	----	0	UNCH
3975 ----	----	----	----	----	241.30	UNCH	----	----	----	----	----	0	UNCH
4000 ----	----	----	----	----	216.30	UNCH	----	----	----	----	----	0	UNCH
4060 ----	----	----	----	----	156.30	UNCH	----	----	----	----	----	0	UNCH
4070 ----	----	----	----	----	146.30	UNCH	----	----	----	----	----	0	UNCH
4075 ----	----	----	----	----	141.30	UNCH	----	----	----	----	----	0	UNCH
4080 ----	----	----	----	----	136.30	UNCH	----	----	----	----	----	0	UNCH
4090 ----	----	----	----	----	126.30	UNCH	----	----	----	----	----	0	UNCH
4100 ----	----	----	----	----	116.30	UNCH	----	----	----	----	----	0	UNCH
4110 ----	----	----	----	----	106.30	UNCH	----	----	----	----	----	0	UNCH
4115 ----	----	----	----	----	101.30	UNCH	----	----	----	----	----	0	UNCH
4120 ----	----	----	----	----	96.30	UNCH	----	----	----	----	----	0	UNCH
4125 ----	----	----	----	----	91.30	UNCH	----	----	----	----	----	0	UNCH
4130 ----	----	----	----	----	86.30	UNCH	----	----	----	----	----	0	UNCH
4135 ----	----	----	----	----	81.30	UNCH	----	----	----	----	----	0	UNCH
4140 ----	----	----	----	----	76.30	UNCH	----	----	----	----	----	0	UNCH
4145 ----	----	----	----	----	71.30	UNCH	----	----	----	----	----	0	UNCH
4150 ----	----	----	----	----	66.30	UNCH	----	----	----	----	----	0	UNCH
4155 ----	----	----	----	----	61.30	UNCH	----	----	----	----	----	0	UNCH
4160 ----	----	----	----	----	56.30	UNCH	----	----	----	----	----	0	UNCH
4165 ----	----	----	----	----	51.30	UNCH	----	----	----	----	----	0	UNCH
4170 ----	----	----	----	----	46.30	UNCH	----	----	----	----	----	0	UNCH
4175 ----	----	----	----	----	41.30	UNCH	----	----	----	----	----	0	UNCH
4180 ----	----	----	----	----	36.30	UNCH	----	----	----	----	----	0	UNCH
4185 ----	----	----	----	----	31.30	UNCH	----	----	----	----	----	0	UNCH
4190 ----	----	----	----	----	26.30	UNCH	----	----	----	----	----	0	UNCH
4195 ----	----	----	----	----	21.30	UNCH	----	----	----	----	----	0	UNCH
4200 ----	----	----	----	----	16.30	UNCH	----	----	----	----	----	0	UNCH
4205 ----	----	----	----	----	11.30	UNCH	----	----	----	----	----	0	UNCH
4210 ----	----	----	----	----	6.30	UNCH	----	----	----	----	----	0	UNCH
4215 ----	----	----	----	----	1.30	UNCH	----	----	----	----	----	0	UNCH
4220 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4225 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4230 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4235 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4240 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4245 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4250 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4255 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4260 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4265 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4270 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4275 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4280 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4285 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4290 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4295 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4300 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4305 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4310 ----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 05

FINAL

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG2 CALL	GOLD OPTIONS										
OCT26											
4315 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4320 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4325 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4335 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4350 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4355 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4370 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4375 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4400 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4425 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4440 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4625 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4650 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
TOTAL											0 0

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG1 PUT	GOLD OPTIONS										
NOV26											
3800 ----	----	----	6.70B/7.40A	----	6.50 NEW	.0530	----	----	1	----	1 + 1
4025 32.20	32.20	34.50B/32.20	34.50B/27.10A	----	30.90 NEW	.2204	----	----	2	----	2 + 2
TOTAL									3		3 + 3

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG1 CALL	GOLD OPTIONS										
NOV26											
4200 ----	----	----	114.30B/84.50A	----	84.90 NEW	.4931	----	----	100	----	100 + 100
4450 19.90	19.90	19.90/18.60A	28.50B/18.60A	----	18.30 NEW	.1466	----	----	1	----	1 + 1
4700 ----	----	----	4.50B/5.10A	----	4.70 NEW	.0398	----	----	1	----	1 + 1
TOTAL									102		102 + 102

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT	COMEX GOLD OPTIONS										
NOV26											
1000 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1750 UNCH
1500 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	200 UNCH
2000 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	38 UNCH
2100 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	132 UNCH
2200 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	28 UNCH
2300 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
2400 0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	----	----	----	1	----	13 UNCH
2500 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
2600 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
2625 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
2650 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	60 UNCH
2675 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
2700 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	154 UNCH
2725 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2750 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	27 UNCH
2775 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2800 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	91 UNCH
2820 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
2825 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	33 UNCH
2840 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2850 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
2860 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2870 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
2890 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2895 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	29 UNCH
2900 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	76 UNCH
2910 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2925 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
2935 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2940 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2945 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	21 UNCH
2950 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
2965 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	140 UNCH
2975 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
2995 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	29 UNCH
3000 0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	----	----	----	2	----	307 + 2
3005 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3015 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3020 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	506 UNCH
3025 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	35 UNCH
3030 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3040 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
3050 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
3070 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3075 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
3080 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
3085 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	27 UNCH
3090 ----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
3100 ----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	25 UNCH
3110 ----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	22 UNCH
3120 ----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	15 UNCH
3125 ----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
3130 ----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3150 ----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	38 UNCH
3160 ----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	8 UNCH
3170 ----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
3175 ----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	12 UNCH
3180 ----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	20 UNCH
3185 ----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
3190 ----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
3195 ----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3200 ----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	330 UNCH
3205 ----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3210 ----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	501 UNCH
3215 ----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3220 ----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	9 UNCH
3225 ----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	9 UNCH
3230 ----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	13 UNCH
3235 ----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
3240 ----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	9 UNCH
3245 ----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	20 UNCH
3250 ----	----	----	0.10B/0.20A	----	0.10 UNCH	.0001	----	----	----	----	198 UNCH
3255 ----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	21 UNCH
3260 ----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	8 UNCH
3265 ----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	2 UNCH
3270 ----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	11 UNCH
3275 ----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	5 UNCH
3280 ----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	20 UNCH
3285 ----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	4 UNCH
3290 ----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	2 UNCH
3295 ----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	10 UNCH
3300 ----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	262 UNCH
3305 ----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	55 UNCH
3310 ----	----	----	----/0.20A	----	0.10 UNCH	.0003	----	----	----	----	4 UNCH
3315 ----	----	----	----/0.20A	----	0.10 UNCH	.0003	----	----	----	----	11 UNCH
3320 ----	----	----	----/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	42 UNCH
3325 ----	----	----	----/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	20 UNCH
3330 ----	----	----	----/0.30A	----	0.10 - 0.10	.0004	----	----	----	----	3 UNCH
3335 ----	----	----	----/0.30A	----	0.10 - 0.10	.0004	----	----	----	----	33 UNCH
3340 ----	----	----	----/0.30A	----	0.10 - 0.10	.0005	----	----	----	----	20 UNCH
3345 ----	----	----	----/0.30A	----	0.10 - 0.10	.0005	----	----	----	----	5 UNCH
3350 ----	----	----	----/0.30A	----	0.10 - 0.10	.0005	----	----	----	----	386 UNCH
3355 ----	----	----	----/0.30A	----	0.10 - 0.10	.0006	----	----	----	----	7 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

COMEX GOLD OPTIONS

OG PUT NOV26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3360	----	----	----	----/0.30A	----	0.10 - 0.10	.0006	----	----	----	----	15 UNCH
3365	----	----	----	----/0.30A	----	0.10 - 0.10	.0007	----	----	----	----	1 UNCH
3370	----	----	----	----/0.30A	----	0.10 - 0.10	.0007	----	----	----	----	1 UNCH
3375	----	----	----	----/0.30A	----	0.10 - 0.10	.0008	----	----	----	----	7 UNCH
3380	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0015	----	----	----	----	21 UNCH
3385	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0015	----	----	----	----	3 UNCH
3390	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0015	----	----	----	----	9 UNCH
3395	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0015	----	----	----	----	132 UNCH
3400	0.20	0.20	0.20/0.20	0.20/0.20	----	0.20 - 0.10	.0016	----	----	2	----	315 - 2
3405	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0016	----	----	----	----	93 UNCH
3410	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0016	----	----	----	----	58 UNCH
3415	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0016	----	----	----	----	1 UNCH
3420	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0016	----	----	----	----	21 UNCH
3425	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0016	----	----	----	----	44 UNCH
3430	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0016	----	----	----	----	44 UNCH
3440	----	----	----/0.30A	0.20B/0.30A	----	0.20 - 0.20	.0016	----	----	----	----	45 UNCH
3445	----	----	----/0.30A	0.20B/0.30A	----	0.20 - 0.20	.0017	----	----	----	----	11 UNCH
3450	0.30	0.30	0.30/0.30	0.30/0.30	----	0.20 - 0.20	.0017	----	----	150	----	163 - 48
3455	----	----	----/0.30A	0.20B/0.30A	----	0.30 - 0.10	.0024	----	----	----	----	1 UNCH
3460	----	----	----/0.30A	0.20B/0.30A	----	0.30 - 0.10	.0024	----	----	----	----	29 UNCH
3465	----	----	----/0.30A	0.20B/0.30A	----	0.30 - 0.10	.0025	----	----	----	----	9 UNCH
3470	----	----	----/0.30A	0.20B/0.30A	----	0.30 - 0.10	.0025	----	----	----	----	28 UNCH
3475	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0025	----	----	----	----	30 UNCH
3480	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0025	----	----	----	----	72 UNCH
3485	----	----	----/0.40A	0.20B/0.40A	----	0.30 - 0.20	.0025	----	----	----	----	3 UNCH
3490	----	----	----/0.40A	0.20B/0.40A	----	0.30 - 0.20	.0025	----	----	----	----	13 UNCH
3495	----	----	----/0.40A	0.30B/0.40A	----	0.30 - 0.20	.0026	----	----	----	----	58 UNCH
3500	0.30	0.30	0.30/0.20	0.30/0.20	----	0.30 - 0.20	.0026	----	----	204	----	2052 - 4
3505	----	----	----/0.40A	0.30B/0.40A	----	0.30 - 0.20	.0026	----	----	----	----	3 UNCH
3510	----	----	----/0.40A	0.30B/0.40A	----	0.30 - 0.20	.0026	----	----	----	----	41 UNCH
3515	----	----	----/0.40A	0.30B/0.40A	----	0.40 - 0.10	.0034	----	----	----	----	174 UNCH
3520	----	----	----/0.40A	0.30B/0.40A	----	0.40 - 0.10	.0034	----	----	----	----	49 UNCH
3525	----	----	----/0.40A	0.30B/0.40A	----	0.40 - 0.10	.0034	----	----	----	----	114 UNCH
3530	----	----	----/0.40A	0.30B/0.40A	----	0.40 - 0.20	.0035	----	----	----	----	21 UNCH
3535	----	----	----/0.40A	0.30B/0.40A	----	0.40 - 0.20	.0035	----	----	----	----	180 UNCH
3540	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.20	.0035	----	----	----	----	78 UNCH
3545	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.20	.0035	----	----	----	----	59 UNCH
3550	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.20	.0036	----	----	----	----	731 UNCH
3555	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.20	.0036	----	----	----	----	4 UNCH
3560	----	----	----/0.40A	0.40B/0.40A	----	0.50 - 0.10	.0044	----	----	----	----	34 UNCH
3565	----	----	----/0.40A	0.40B/0.40A	----	0.50 - 0.20	.0044	----	----	----	----	52 UNCH
3570	----	----	----/0.40A	0.50B/0.40A	----	0.50 - 0.20	.0045	----	----	----	----	12 UNCH
3575	----	----	----/0.40A	0.50B/0.40A	----	0.50 - 0.20	.0045	----	----	----	----	308 UNCH
3585	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.20	.0046	----	----	----	----	9 UNCH
3590	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.20	.0046	----	----	----	----	11 UNCH
3595	----	----	----/0.50A	0.60B/0.50A	----	0.50 - 0.20	.0046	----	----	----	----	42 UNCH
3600	----	----	----/0.50A	0.60B/0.50A	----	0.60 - 0.20	.0055	----	----	10	----	1734 - 3
3605	0.50	0.50	0.50/0.50	0.60B/0.50	----	0.60 - 0.20	.0055	----	----	3	----	33 UNCH
3610	----	----	----/0.60A	0.60B/0.60A	----	0.60 - 0.20	.0056	----	----	----	----	1 UNCH
3615	----	----	----/0.60A	0.60B/0.60A	----	0.60 - 0.20	.0056	----	----	----	----	6 UNCH
3620	----	----	----/0.60A	0.70B/0.60A	----	0.60 - 0.20	.0057	----	----	----	----	10 UNCH
3625	----	----	----/0.60A	0.70B/0.60A	----	0.70 - 0.20	.0065	----	----	----	----	54 UNCH
3630	----	----	----/0.60A	0.70B/0.60A	----	0.70 - 0.20	.0066	----	----	----	----	11 UNCH
3635	----	----	----/0.60A	0.70B/0.60A	----	0.70 - 0.20	.0066	----	----	----	----	16 UNCH
3640	----	----	----/0.70A	0.80B/0.70A	----	0.70 - 0.20	.0067	----	----	----	----	21 UNCH
3645	----	----	----/0.70A	0.80B/0.70A	----	0.70 - 0.20	.0067	----	----	----	----	25 UNCH
3650	----	----	----/0.70A	0.80B/0.70A	----	0.80 - 0.20	.0076	----	----	----	----	212 UNCH
3655	----	----	----/0.70A	0.90B/0.70A	----	0.80 - 0.20	.0076	----	----	----	----	37 UNCH
3660	----	----	----/0.70A	0.90B/0.70A	----	0.80 - 0.20	.0077	----	----	----	----	109 UNCH
3665	----	----	----/0.80A	0.90B/0.80A	----	0.80 - 0.20	.0078	----	----	----	----	37 UNCH
3670	1.00	1.00	1.00/0.80A	1.00/0.80A	----	0.90 - 0.20	.0087	----	----	7	----	70 - 6
3675	1.00	1.00	1.00/0.80A	1.00/0.80A	----	0.90 - 0.20	.0087	----	----	8	----	309 - 5
3680	----	----	----/0.80A	1.10B/0.80A	----	0.90 - 0.20	.0088	----	----	----	----	84 UNCH
3685	----	----	----/0.90A	1.10B/0.90A	----	0.90 - 0.30	.0089	----	----	----	----	20 UNCH
3690	----	----	----/0.90A	1.10B/0.90A	----	1.00 - 0.20	.0098	----	----	----	----	22 UNCH
3695	----	----	----/0.90A	1.20B/0.90A	----	1.00 - 0.20	.0099	----	----	----	----	36 UNCH
3700	1.10	1.10	1.10/0.90	1.20B/0.90	----	1.00 - 0.20	.0100	----	----	223	----	2868 + 152
3705	----	----	----/1.00A	1.30B/1.00A	----	1.10 - 0.20	.0109	----	----	----	----	120 UNCH
3710	----	----	----/1.00A	1.30B/1.00A	----	1.10 - 0.20	.0110	----	----	----	----	40 UNCH
3715	----	----	----/1.00A	1.30B/1.00A	----	1.10 - 0.20	.0111	----	----	----	----	22 UNCH
3720	----	----	----/1.10A	1.40B/1.10A	----	1.20 - 0.20	.0120	----	----	----	----	6 UNCH
3725	----	----	----/1.10A	1.40B/1.10A	----	1.20 - 0.20	.0121	----	----	----	----	97 UNCH
3730	----	----	1.50B/1.10A	1.50B/1.10A	----	1.20 - 0.20	.0122	----	----	----	----	75 UNCH
3735	----	----	----/1.20A	1.50B/1.20A	----	1.30 - 0.20	.0132	----	----	----	----	14 UNCH
3740	----	----	----/1.20A	1.50B/1.20A	----	1.30 - 0.20	.0133	----	----	----	----	52 UNCH
3745	----	----	----/1.20A	1.60B/1.20A	----	1.30 - 0.30	.0134	----	----	----	----	107 UNCH
3750	----	----	1.70B/1.30A	1.70B/1.30A	----	1.40 - 0.20	.0144	----	----	6	----	633 - 1
3755	----	----	1.70B/1.30A	1.70B/1.30A	----	1.40 - 0.20	.0146	----	----	----	----	29 UNCH
3760	----	----	1.80B/1.40A	1.80B/1.40A	----	1.50 - 0.20	.0155	----	----	----	----	48 UNCH
3765	----	----	1.80B/1.40A	1.80B/1.40A	----	1.50 - 0.20	.0157	----	----	----	----	10 UNCH
3770	----	----	1.90B/1.40A	1.90B/1.40A	----	1.60 - 0.20	.0167	----	----	----	----	70 UNCH
3775	----	----	1.90B/1.50A	1.90B/1.50A	----	1.60 - 0.20	.0169	----	----	----	----	263 UNCH
3780	1.70	1.70	2.00B/1.50A	2.00B/1.50A	----	1.70 - 0.20	.0179	----	----	6	----	775 + 6
3785	1.80	1.80	2.10B/1.60A	2.10B/1.60A	----	1.70 - 0.20	.0181	----	----	2	----	20 + 2
3790	----	----	2.20B/1.70A	2.20B/1.70A	----	1.80 - 0.20	.0191	----	----	----	----	57 UNCH
3795	----	----	2.30B/1.70A	2.30B/1.70A	----	1.80 - 0.20	.0193	----	----	----	----	9 UNCH
3800	2.00	2.00	2.30B/1.70	2.30B/1.70	----	1.90 - 0.20	.0204	----	----	38	----	3520 + 5
3805	----	----	2.40B/1.80A	2.40B/1.80A	----	1.90 - 0.30	.0206	----	----	----	----	58 UNCH
3810	----	----	2.50B/1.90A	2.50B/1.90A	----	2.00 - 0.20	.0217	----	----	----	----	45 UNCH
3815	2.10	2.10	2.60B/1.90A	2.60B/1.90A	----	2.10 - 0.20	.0227	----	----	5	----	381 UNCH
3820	2.30	2.30	2.70B/2.00A	2.70B/2.00A	----	2.20 - 0.10	.0238	----	----	4	----	141 UNCH
3825	2.20	2.20	2.80B/2.10A	2.80B/2.10A	----	2.20 - 0.20	.0241	----	----	1	----	92 UNCH
3830	2.60	2.60	2.90B/2.20A	2.90B/2.20A	----	2.30 - 0.20	.0252	----	----	4	----	94 - 1
3835	----	----	3.10B/2.20A	3.10B/2.20A	----	2.40 - 0.20	.0264	----	----	----	----	241 UNCH
3840	----	----	3.20B/2.30A	3.20B/2.30A	----	2.50 - 0.20	.0275	----	----	1	----	189 - 1
3845	----	----	3.30B/2.40A	3.30B/2.40A	----	2.60 - 0.10	.0287	----	----	----	----	114 UNCH
3850	2.60	2.60	3.40B/2.40	3.40B/2.40	----	2.70 - 0.10	.0299	----	----	13	----	1219 UNCH
3855	----	----	3.60B/2.60A	3.60B/2.60A	----	2.80 - 0.10	.0311	----	----	----	----	155 UNCH
3860	3.00	3.00	3.70B/2.70A	3.70B/2.70A	----	2.90 - 0.10	.0323	----	----	1	----	157 + 1
3865	----	----	3.90B/2.80A	3.90B/2.80A	----	3.00 - 0.10	.0335	----	----	----	----	95 UNCH
3870	----	----	4.10B/2.90A	4.10B/2.90A	----	3.10 - 0.10	.0348	----	----	----	----	143 UNCH
3875	----	----	4.20B/3.00A	4.20B/3.00A	----	3.30 - 0.10	.0369	----	----	----	----	253 UNCH
3880	----	----	4.40B/3.10A	4.40B/3.10A	----	3.40 - 0.10	.0382	----	----	----	----	98 UNCH
3885	----	----	4.60B/3.20A	4.60B/3.20A	----	3.60 UNCH	.0403	----	----	----	----	86 UNCH
3890	----	----	4.80B/3.40A	4.80B/3.40A	----	3.70 UNCH	.0416	----	----	2	----	250 + 2
3895	----	----	5.00B/3.50A	5.00B/3.50A	----	3.90 UNCH	.0438	----	----	----	----	85 UNCH
3900	3.50	3.50	5.20B/3.50	5.20B/3.50	----	4.00 UNCH	.0452	----	----	25	----	1241 - 5
3905	----	----	5.50B/3.80A	5.50B/3.80A	----	4.20 UNCH	.0474	----	----	1	----	131 UNCH
3910	----	----	5.70B/4.00A	5.70B/4.00A	----	4.40 + 0.10	.0497	----	----	----	----	181 UNCH
3915	----	----	6.00B/4.20A	6.00B/4.20A	----	4.60 + 0.10	.0520	----	----	----	----	100 UNCH
3920	----	----	6.20B/4.30A	6.20B/4.30A	----	4.80 + 0.10	.0543	----	----	----	----	258 UNCH
3925	----	----	6.50B/4.50A	6.50B/4.50A	----	5.00 + 0.10	.0566	----	----	6	----	162 + 3
3930	----	----	6.80B/4.60A	6.80B/4.60A	----	5.30 + 0.20	.0598	----	----	4	----	179 - 2
3935	----	----	7.20B/4.80A	7.20B/4.80A	----	5.50 + 0.20	.0622	----	----	----	----	61 UNCH
3940	----	----	7.50B/5.00A	7.50B/5.00A	----	5.80 + 0.30	.0654	----	----	1	----	73 + 1
3945	5.70	5.70	7.80B/5.20A	7.80B/5.20A	----	6.10 + 0.40	.0687	----	----	1	----	44 UNCH
3950	5.60	5.60	8.20B/5.40A	8.20B/5.40A	----	6.30 + 0.30	.0712	----	----	37	----	486 - 10
3955	----	----	8.60B/5.60A	8.60B/5.60A	----	6.60 + 0.40	.0745	----	----	----	----	143 UNCH
3960	----	----	9.00B/5.90A	9.00B/5.90A	----	7.00 + 0.50	.0786	----	----	2	----	270 - 1
3965	----	----	9.40B/6.10A	9.40B/6.10A	----	7.30 + 0.50	.0821	----	----	----	----	65 UNCH
3970	----	----	9.90B/6.40A	9.90B/6.40A	----	7.70 + 0.60	.0862	----	----	----	----	61 UNCH
3975	8.80	8.80	10.40B/6.60A	10.40B/6.60A	----	8.00 + 0.60	.0897	----	----	4	----	488 - 2
3980	----	----	10.90B/6.90A	10.90B/6.90A	----	8.40 + 0.60	.0940	----	----	2	----	189 - 2
3985	9.60	9.60	11.40B/7.20A	11.40B/7.20A	----	8.80 + 0.70	.0983	----	----	17	----	127 UNCH
3990	9.70	9.70	12.00B/7.60A	12.00B/7.60A	----	9.30 + 0.80	.1034	----	----	4	----	110 + 1
3995	9.20	9.20	12.60B/7.90A	12.60B/7.90A	----	9.70 + 0.80	.1078	----	----	4	----	121 - 4
4000	9.50	9.50	13.20B/8.20A	13.20B/8.20A	----	10.20 + 0.80	.1130	----	----	289	----	3034 - 214
4005	12.70	12.70	13.80B/8.60A	13.80B/8.60A	----	10.70 + 0.90	.1182	----	----	5	----	128 + 5
4010	10.50	10.50	14.50B/9.00A	14.50B/9.00A	----	11.30 + 1.00	.1241	----	----	7	----	67 UNCH
4015	14.00	14.00	15.20B/9.40A	15.20B/9.40A	----	11.90 + 1.10	.1300	----	----	32	----	71 - 9
4020	----	----	16.00B/9.80A	16.00B/9.80A	----	12.50 + 1.20	.1361	----	----	5	----	74 + 1
4025	13.70	13.70	16.70B/10.30A	16.70B/10.30A	----	13.10 + 1.30	.1421	----	----	12	----	211 + 4
4030	14.20	14.20	17.60B/10.80A	17.60B/10.80A	----	13.80 + 1.40	.1489	----	----	11	----	73 + 3
4035	----	----	18.40B/11.30A	18.40B/11.30A	----	14.50 + 1.50	.1557	----	----	12	----	112 - 11
4040	16.00	16.00	19.30B/11.80A	19.30B/11.80A	----	15.30 + 1.70	.1631	----	----	7	----	167 - 2
4045	16.90	16.90	20.30B/12.40A	20.30B/12.40A	----	16.10 + 1.80	.1705	----	----	2	----	79 UNCH
4050	15.90	15.90	21.30B/13.00A	21.30B/13.00A	----	16.90 + 1.90	.1781	----	----	137	100	1776 + 31

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG PUT — COMEX GOLD OPTIONS — NOV26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4055	16.90	16.90	22.30B/13.50A	22.30B/13.50A	----	17.80 + 2.10	.1862	----	----	1	----	73 + 1
4060	21.30	21.30	23.40B/14.20A	23.40B/14.20A	----	18.70 + 2.20	.1944	----	----	24	----	61 + 18
4065	----	----	24.50B/14.80A	24.50B/14.80A	----	19.70 + 2.40	.2031	----	----	3	----	56 - 1
4070	20.90	20.90	25.70B/15.60A	25.70B/15.60A	----	20.70 + 2.60	.2119	----	----	3	----	110 - 1
4075	22.60	22.60	26.90B/16.40A	26.90B/16.40A	----	21.70 + 2.70	.2207	----	----	4	----	234 - 1
4080	18.00	18.00	28.20B/17.20A	28.20B/17.20A	----	22.80 + 2.90	.2301	----	----	84	----	477 + 22
4085	24.20	24.20	29.50B/17.90A	29.50B/17.90A	----	24.00 + 3.10	.2399	----	----	8	----	142 UNCH
4090	19.50	19.50	30.90B/18.80A	30.90B/18.80A	----	25.20 + 3.30	.2498	----	----	57	----	190 + 12
4095	32.50	32.50	32.50/19.70A	32.50/19.70A	----	26.40 + 3.40	.2597	----	----	20	----	63 + 9
4100	26.00	26.00	34.00/20.60A	34.00/20.60A	----	27.80 + 3.70	.2705	----	----	306	133	1892 - 186
4105	32.10	32.10	35.40B/21.60A	35.40B/21.60A	----	29.10 + 3.80	.2809	----	----	11	----	40 + 6
4110	37.20	37.20	37.20/22.70A	37.20/22.70A	----	30.50 + 4.00	.2918	----	----	6	----	101 + 6
4115	33.60	33.60	38.70B/23.70A	38.70B/23.70A	----	32.00 + 4.20	.3030	----	----	6	----	188 + 2
4120	34.20	34.20	40.40B/24.90A	40.40B/24.90A	----	33.60 + 4.50	.3146	----	----	14	----	105 + 1
4125	27.40	27.40	42.20B/26.00A	42.20B/26.00A	----	35.20 + 4.70	.3262	----	----	21	----	510 - 6
4130	37.70	37.70	44.10B/27.20A	44.10B/27.20A	----	36.90 + 5.00	.3381	----	----	8	----	123 - 3
4135	46.20	46.20	46.20/28.60A	46.20/28.60A	----	38.60 + 5.20	.3500	----	----	12	----	144 + 2
4140	29.70	29.70	48.00B/29.70	48.00B/29.70	----	40.40 + 5.50	.3623	----	----	3	----	176 UNCH
4145	41.70	41.70	50.00B/31.20A	50.00B/31.20A	----	42.20 + 5.70	.3745	----	----	10	----	217 + 9
4150	41.20	41.20	52.20B/32.70A	52.20B/32.70A	----	44.20 + 6.00	.3872	----	----	60	60	1789 - 54
4155	36.70	36.70	54.30B/34.20A	54.30B/34.20A	----	46.20 + 6.30	.3998	----	----	20	----	99 + 11
4160	45.50	45.50	56.80/35.90A	56.80/35.90A	----	48.20 + 6.50	.4126	----	----	16	----	302 + 4
4165	50.70	50.70	58.90B/37.40A	58.90B/37.40A	----	50.40 + 6.80	.4255	----	----	8	----	245 UNCH
4170	43.00	43.00	61.30B/38.90A	61.30B/38.90A	----	52.60 + 7.10	.4385	----	----	25	----	231 + 6
4175	57.10	57.10	63.70B/40.70A	63.70B/40.70A	----	54.80 + 7.30	.4515	----	----	57	----	377 - 29
4180	53.80	53.80	66.30B/42.40A	66.30B/42.40A	----	57.20 + 7.60	.4647	----	----	135	----	232 - 44
4185	----	----	68.80B/44.20A	68.80B/44.20A	----	59.60 + 7.90	.4778	----	----	1	----	113 UNCH
4190	62.70	62.70	71.50B/46.10A	71.50B/46.10A	----	62.10 + 8.20	.4910	----	----	21	----	267 + 12
4195	63.10	63.10	74.20B/48.30A	74.20B/48.30A	----	64.60 + 8.50	.5042	----	----	8	----	76 + 1
4200	54.10	54.10	77.00B/50.10A	77.00B/50.10A	----	67.20 + 8.80	.5173	----	----	92	----	1311 - 5
4205	62.20	62.20	79.80B/52.20A	79.80B/52.20A	----	69.90 + 9.10	.5304	----	----	5	----	271 - 2
4210	----	----	82.70B/54.40A	82.70B/54.40A	----	72.70 + 9.50	.5435	----	----	----	----	178 UNCH
4215	61.40	61.40	85.70B/56.60A	85.70B/56.60A	----	75.50 + 9.70	.5565	----	----	5	----	212 + 1
4220	61.60	61.60	88.70B/58.80A	88.70B/58.80A	----	78.40 + 10.10	.5694	----	----	81	----	146 - 31
4225	64.40	64.40	91.80B/61.20A	91.80B/61.20A	----	81.40 + 10.40	.5821	----	----	3	----	132 - 1
4230	66.60	66.60	94.90B/63.60A	94.90B/63.60A	----	84.40 + 10.70	.5948	----	----	11	----	65 - 6
4235	69.50	69.50	98.10B/66.00A	98.10B/66.00A	----	87.50 + 11.10	.6073	----	----	6	----	266 UNCH
4240	72.10	72.10	101.40B/68.60A	101.40B/68.60A	----	90.60 + 11.30	.6196	----	----	4	----	136 UNCH
4245	95.90	95.90	104.70B/71.20A	104.70B/71.20A	----	93.90 + 11.70	.6319	----	----	4	----	63 + 2
4250	----	----	108.20B/73.90A	108.20B/73.90A	----	97.10 + 12.00	.6439	----	----	1	----	966 UNCH
4255	92.50	92.50	111.60B/76.50A	111.60B/76.50A	----	100.50 + 12.40	.6556	----	----	2	----	51 UNCH
4260	106.90	106.90	115.10B/79.20A	115.10B/79.20A	----	103.90 + 12.70	.6673	----	----	4	----	286 - 4
4265	87.50	87.50	118.70B/82.20A	118.70B/82.20A	----	107.40 + 13.00	.6786	----	----	5	----	164 + 5
4270	92.00	92.00	122.30B/85.10A	122.30B/85.10A	----	110.90 + 13.30	.6899	----	----	11	----	71 - 4
4275	----	----	125.90B/87.90A	125.90B/87.90A	----	114.50 + 13.70	.7008	----	----	8	----	438 + 3
4280	94.10	94.10	129.60B/90.90A	129.60B/90.90A	----	118.10 + 14.00	.7117	----	----	1	----	163 UNCH
4285	----	----	133.40B/94.00A	133.40B/94.00A	----	121.80 + 14.30	.7222	----	----	----	----	200 UNCH
4290	----	----	137.20B/97.60A	137.20B/97.60A	----	125.50 + 14.60	.7326	----	----	----	----	27 UNCH
4295	----	----	141.10B/100.70A	141.10B/100.70A	----	129.30 + 14.90	.7426	----	----	----	----	220 UNCH
4300	----	----	145.00B/104.00A	145.00B/104.00A	----	133.10 + 15.20	.7521	----	----	5	----	2247 - 2
4305	----	----	148.90B/107.30A	148.90B/107.30A	----	137.00 + 15.50	.7616	----	----	----	----	37 UNCH
4310	----	----	152.90B/110.60A	152.90B/110.60A	----	140.90 + 15.70	.7710	----	----	----	----	44 UNCH
4315	----	----	157.00B/114.00A	157.00B/114.00A	----	144.90 + 16.10	.7799	----	----	----	----	70 UNCH
4320	----	----	161.00B/117.40A	161.00B/117.40A	----	148.90 + 16.30	.7888	----	----	----	----	199 UNCH
4325	----	----	165.10B/121.00A	165.10B/121.00A	----	153.00 + 16.70	.7976	----	----	8	----	245 - 6
4330	----	----	169.30B/124.50A	169.30B/124.50A	----	157.10 + 17.00	.8058	----	----	----	----	269 UNCH
4335	----	----	173.50B/128.10A	173.50B/128.10A	----	161.20 + 17.20	.8135	----	----	----	----	51 UNCH
4340	----	----	177.70B/131.60A	177.70B/131.60A	----	165.40 + 17.50	.8211	----	----	----	----	193 UNCH
4345	----	----	181.90B/135.30A	181.90B/135.30A	----	169.60 + 17.70	.8287	----	----	----	----	52 UNCH
4350	----	----	186.30B/139.20A	186.30B/139.20A	----	173.80 + 18.00	.8362	----	----	1	----	1019 UNCH
4355	----	----	190.50B/142.80A	190.50B/142.80A	----	178.10 + 18.20	.8431	----	----	----	----	28 UNCH
4360	----	----	194.90B/146.80A	194.90B/146.80A	----	182.40 + 18.50	.8500	----	----	----	----	80 UNCH
4365	----	----	199.30B/150.50A	199.30B/150.50A	----	186.80 + 18.80	.8562	----	----	----	----	93 UNCH
4370	188.50	188.50	203.70B/154.40A	203.70B/154.40A	----	191.10 + 18.90	.8623	----	----	1	----	44 UNCH
4375	192.50	192.50	208.20B/158.40A	208.20B/158.40A	----	195.50 + 19.20	.8684	----	----	4	----	415 - 4
4380	----	----	212.60B/162.30A	212.60B/162.30A	----	200.00 + 19.50	.8745	----	----	----	----	264 UNCH
4385	----	----	217.00B/166.40A	217.00B/166.40A	----	204.40 + 19.60	.8798	----	----	----	----	81 UNCH
4390	----	----	221.60B/170.40A	221.60B/170.40A	----	208.90 + 19.80	.8851	----	----	----	----	219 UNCH
4395	----	----	226.10B/174.50A	226.10B/174.50A	----	213.50 + 20.10	.8903	----	----	----	----	52 UNCH
4400	----	----	230.70B/178.60A	230.70B/178.60A	----	218.00 + 20.30	.8948	----	----	----	----	1207 UNCH
4405	----	----	235.30B/182.80A	235.30B/182.80A	----	222.60 + 20.50	.9000	----	----	----	----	50 UNCH
4410	----	----	239.90B/187.00A	239.90B/187.00A	----	227.20 + 20.70	.9044	----	----	----	----	62 UNCH
4415	----	----	244.40B/191.20A	244.40B/191.20A	----	231.80 + 20.90	.9080	----	----	----	----	279 UNCH
4420	----	----	249.10B/195.50A	249.10B/195.50A	----	236.40 + 21.00	.9124	----	----	----	----	81 UNCH
4425	----	----	253.80B/199.80A	253.80B/199.80A	----	241.10 + 21.30	.9159	----	----	----	----	335 UNCH
4430	----	----	258.40B/204.10A	258.40B/204.10A	----	245.80 + 21.50	.9194	----	----	----	----	133 UNCH
4435	----	----	263.10B/208.50A	263.10B/208.50A	----	250.40 + 21.50	.9236	----	----	----	----	73 UNCH
4440	----	----	267.80B/212.80A	267.80B/212.80A	----	255.10 + 21.70	.9262	----	----	----	----	156 UNCH
4445	----	----	272.50B/217.20A	272.50B/217.20A	----	259.90 + 21.90	.9296	----	----	----	----	31 UNCH
4450	261.30	261.30	277.30B/221.70A	277.30B/221.70A	----	264.60 + 22.00	.9330	----	----	4	----	916 UNCH
4455	269.50	269.50	281.90B/226.10A	281.90B/226.10A	----	269.30 + 22.10	.9355	----	----	1	----	26 - 1
4460	----	----	286.80B/230.60A	286.80B/230.60A	----	274.10 + 22.30	.9388	----	----	----	----	56 UNCH
4465	----	----	291.50B/235.10A	291.50B/235.10A	----	278.90 + 22.50	.9413	----	----	----	----	25 UNCH
4470	----	----	296.20B/239.60A	296.20B/239.60A	----	283.70 + 22.60	.9437	----	----	----	----	41 UNCH
4475	----	----	301.10B/244.20A	301.10B/244.20A	----	288.40 + 22.70	.9461	----	----	----	----	97 UNCH
4480	----	----	304.30B/248.70A	304.30B/248.70A	----	293.30 + 22.90	.9485	----	----	----	----	21 UNCH
4485	----	----	308.60B/253.30A	308.60B/253.30A	----	298.10 + 23.00	.9508	----	----	----	----	51 UNCH
4490	----	----	313.40B/257.80A	313.40B/257.80A	----	302.90 + 23.10	.9532	----	----	----	----	36 UNCH
4495	----	----	318.50B/262.50A	318.50B/262.50A	----	307.70 + 23.20	.9546	----	----	----	----	27 UNCH
4500	----	----	323.10B/267.10A	323.10B/267.10A	----	312.60 + 23.30	.9569	----	----	----	----	364 UNCH
4505	----	----	328.40B/271.70A	328.40B/271.70A	----	317.40 + 23.40	.9582	----	----	----	----	21 UNCH
4510	----	----	332.40B/276.50A	332.40B/276.50A	----	322.30 + 23.50	.9596	----	----	----	----	186 UNCH
4515	----	----	338.90B/281.10A	338.90B/281.10A	----	327.20 + 23.60	.9619	----	----	----	----	8 UNCH
4520	----	----	343.70B/285.80A	343.70B/285.80A	----	332.00 + 23.70	.9632	----	----	----	----	34 UNCH
4525	----	----	347.30B/290.50A	347.30B/290.50A	----	336.90 + 23.80	.9645	----	----	----	----	107 UNCH
4530	342.50	342.50	352.70B/295.30A	352.70B/295.30A	----	341.80 + 23.90	.9658	----	----	2	----	286 - 1
4535	----	----	356.40B/300.00A	356.40B/300.00A	----	346.70 + 23.90	.9670	----	----	----	----	38 UNCH
4540	----	----	363.30B/304.80A	363.30B/304.80A	----	351.60 + 24.00	.9683	----	----	1	----	39 - 1
4545	----	----	368.10B/312.50A	368.10B/312.50A	----	356.50 + 24.10	.9695	----	----	1	----	19 UNCH
4550	----	----	373.00B/316.90A	373.00B/316.90A	----	361.40 + 24.10	.9708	----	----	----	----	260 UNCH
4555	----	----	377.90B/322.80A	377.90B/322.80A	----	366.30 + 24.20	.9720	----	----	----	----	4 UNCH
4560	----	----	382.90B/327.60A	382.90B/327.60A	----	371.20 + 24.20	.9732	----	----	2	----	44 - 1
4565	----	----	385.70B/331.30A	385.70B/331.30A	----	376.10 + 24.30	.9744	----	----	----	----	55 UNCH
4570	----	----	390.70B/337.20A	390.70B/337.20A	----	381.10 + 24.40	.9747	----	----	----	----	39 UNCH
4575	----	----	395.50B/340.90A	395.50B/340.90A	----	386.00 + 24.40	.9758	----	----	----	----	9 UNCH
4580	----	----	401.20B/346.50A	401.20B/346.50A	----	390.90 + 24.40	.9770	----	----	----	----	21 UNCH
4585	----	----	407.40B/350.90A	407.40B/350.90A	----	395.90 + 24.50	.9772	----	----	----	----	157 UNCH
4590	----	----	410.70B/356.60A	410.70B/356.60A	----	400.80 + 24.50	.9784	----	----	----	----	87 UNCH
4595	----	----	415.60B/360.30A	415.60B/360.30A	----	405.80 + 24.70	.9786	----	----	----	----	15 UNCH
4600	----	----	422.20B/365.10A	422.20B/365.10A	----	410.70 + 24.60	.9797	----	----	----	----	195 UNCH
4605	----	----	425.20B/370.30A	425.20B/370.30A	----	415.70 + 24.70	.9799	----	----	----	----	12 UNCH
4610	----	----	430.20B/374.90A	430.20B/374.90A	----	420.60 + 24.70	.9810	----	----	----	----	7 UNCH
4615	----	----	437.10B/380.90A	437.10B/380.90A	----	425.60 + 24.80	.9812	----	----	----	----	15 UNCH
4620	----	----	440.30B/384.20A	440.30B/384.20A	----	430.50 + 24.80	.9823	----	----	----	----	17 UNCH
4625	----	----	446.90B/390.70A	446.90B/390.70A	----	435.50 + 24.90	.9825	----	----	----	----	23 UNCH
4630	----	----	451.30B/394.70A	451.30B/394.70A	----	440.40 + 24.90	.9826	----	----	----	----	22 UNCH
4635	----	----	456.90B/399.60A	456.90B/399.60A	----	445.40 + 24.90	.9837	----	----	----	----	22 UNCH
4640	----	----	461.00B/404.50A	461.00B/404.50A	----	450.40 + 25.00	.9838	----	----	----	----	90 UNCH
4645	----	----	464.70B/409.10A	464.70B/409.10A	----	455.30 + 25.00	.9849	----	----	----	----	28 UNCH
4650	----	----	471.70B/414.30A	471.70B/414.30A	----	460.30 + 25.00	.9850	----	----	----	----	216 UNCH
4655	----	----	474.60B/418.80A	474.60B/418.80A	----	465.30 + 25.10	.9852	----	----	----	----	55 UNCH
4660	----	----	481.60B/424.80A	481.60B/424.80A	----	470.20 + 25.00	.9862	----	----	----	----	6 UNCH
4665	----	----	486.60B/430.70A	486.60B/430.70A	----	475.20 + 25.10	.9863	----	----	----	----	2 UNCH
4670	----	----	490.70B/433.60A	490.70B/433.60A	----	480.20 + 25.20	.9864	----	----	----	----	15 UNCH
4675	----	----	496.50B/438.90A	496.50B/438.90A	----	485.10 + 25.10	.9865	----	----	----	----	81 UNCH
4680	----	----	501.50B/444.70A	501.50B/444.70A	----	490.10 + 25.20	.9876	----	----	----	----	46 UNCH
4685	----	----	504.40B/448.40A	504.40B/448.40A	----	495.10 + 25.20	.9877	----	----	----	----	12 UNCH
4690	----	----	511.50B/454.50A	511.50B/454.50A	----	500.10 + 25.30	.9878	----	----	----	----	8 UNCH
4695	----	----	516.40B/459.50A	516.40B/459.50A	----	505.00 + 25.20	.9879	----	----	----	----	4 UNCH
4700	----	----	519.20B/463.20A	519.20B/463.20A	----	510.00 + 25.20	.9889	----	----	----	----	224 UNCH
4710	----	----	531.30B/474.30A	531.30B/474.30A	----	520.00 + 25.30	.9891	----	----	----	----	2 UNCH
4715	----	----	536.30B/478.40A	536.30B/478.40A	----	525.00 + 25.40	.9891	----	----	----	----	2 UNCH
4720	----	----	539.20B/484.50A	539.20B/484.50A	----	529.90 + 25.30	.9892	----	----	----	----	4 UNCH
4725	----	----	544.20B/488.30A	544.20B/488.30A	----	534.90 + 25.30	.9893	----	----	----	----	12 UNCH
4730	----	----	551.30B/494.10A	551.30B/494.10A	----	539.90 + 25.40	.9903	----	----	----	----	10 UNCH
4735	----	----	556.20B/498.20A	556.20B/498.20A	----	544.90 + 25.40	.9904	----	----	----	----	4 UNCH
4740	----	----	561.20B/504.00A	561.20B/504.00A	----	549.90 + 25.40	.9904	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT												
NOV26												
4745	----	----	565.60B/508.10A	565.60B/508.10A	----	554.90 + 25.40	.9905	----	----	----	----	9 UNCH
4750	----	----	570.30B/512.70A	570.30B/512.70A	----	559.90 + 25.50	.9906	----	----	----	----	201 UNCH
4755	----	----	574.00B/518.70A	574.00B/518.70A	----	564.80 + 25.40	.9906	----	----	----	----	6 UNCH
4760	----	----	581.10B/523.00A	581.10B/523.00A	----	569.80 + 25.40	.9907	----	----	----	----	10 UNCH
4770	----	----	590.30B/534.90A	590.30B/534.90A	----	579.80 + 25.50	.9908	----	----	----	----	5 UNCH
4775	----	----	594.00B/537.50A	594.00B/537.50A	----	584.80 + 25.50	.9909	----	----	----	----	12 UNCH
4790	----	----	611.00B/553.60A	611.00B/553.60A	----	599.80 + 25.50	.9920	----	----	----	----	11 UNCH
4800	----	----	621.00B/562.40A	621.00B/562.40A	----	609.80 + 25.60	.9921	----	----	----	----	120 UNCH
4805	----	----	623.90B/567.70A	623.90B/567.70A	----	614.70 + 25.50	.9921	----	----	----	----	11 UNCH
4810	----	----	628.90B/573.10A	628.90B/573.10A	----	619.70 + 25.50	.9922	----	----	----	----	1 UNCH
4820	----	----	638.90B/583.00A	638.90B/583.00A	----	629.70 + 25.60	.9923	----	----	----	----	3 UNCH
4825	----	----	643.80B/587.60A	643.80B/587.60A	----	634.70 + 25.60	.9923	----	----	----	----	30 UNCH
4830	----	----	650.90B/593.70A	650.90B/593.70A	----	639.70 + 25.60	.9932	----	----	----	----	5 UNCH
4840	----	----	660.90B/603.60A	660.90B/603.60A	----	649.70 + 25.60	.9933	----	----	----	----	4 UNCH
4845	----	----	665.90B/607.50A	665.90B/607.50A	----	654.70 + 25.60	.9934	----	----	----	----	10 UNCH
4850	----	----	670.90B/613.30A	670.90B/613.30A	----	659.60 + 25.50	.9934	----	----	----	----	133 UNCH
4855	----	----	673.70B/617.10A	673.70B/617.10A	----	664.60 + 25.50	.9935	----	----	----	----	3 UNCH
4860	----	----	678.80B/623.60A	678.80B/623.60A	----	669.60 + 25.60	.9935	----	----	----	----	1 UNCH
4865	----	----	683.70B/627.10A	683.70B/627.10A	----	674.60 + 25.60	.9935	----	----	----	----	2 UNCH
4875	----	----	693.70B/637.00A	693.70B/637.00A	----	684.60 + 25.60	.9945	----	----	----	----	3 UNCH
4885	----	----	705.90B/647.10A	705.90B/647.10A	----	694.60 + 25.60	.9945	----	----	----	----	8 UNCH
4895	----	----	715.80B/658.40A	715.80B/658.40A	----	704.60 + 25.60	.9946	----	----	----	----	3 UNCH
4900	----	----	720.80B/662.30A	720.80B/662.30A	----	709.60 + 25.60	.9946	----	----	----	----	4 UNCH
4915	----	----	733.70B/676.90A	733.70B/676.90A	----	724.50 + 25.60	.9947	----	----	----	----	4 UNCH
4925	----	----	743.70B/688.30A	743.70B/688.30A	----	734.50 + 25.60	.9948	----	----	----	----	3 UNCH
4935	----	----	753.70B/696.80A	753.70B/696.80A	----	744.50 + 25.60	.9949	----	----	----	----	25 UNCH
4950	----	----	768.80B/711.80A	768.80B/711.80A	----	759.50 + 25.60	.9958	----	----	----	----	49 UNCH
4960	----	----	780.70B/724.00A	780.70B/724.00A	----	769.50 + 25.60	.9958	----	----	----	----	2 UNCH
4995	----	----	815.70B/758.20A	815.70B/758.20A	----	804.50 + 25.70	.9960	----	----	----	----	1 UNCH
5000	----	----	819.90B/764.70A	819.90B/764.70A	----	809.50 + 25.70	.9960	----	----	----	----	51 UNCH
5015	----	----	833.60B/777.00A	833.60B/777.00A	----	824.50 + 25.70	.9961	----	----	----	----	1 UNCH
5020	----	----	838.60B/781.60A	838.60B/781.60A	----	829.50 + 25.70	.9961	----	----	----	----	30 UNCH
5030	----	----	849.80B/793.10A	849.80B/793.10A	----	839.50 + 25.70	.9962	----	----	----	----	4 UNCH
5055	----	----	873.50B/818.00A	873.50B/818.00A	----	864.40 + 25.60	.9963	----	----	----	----	9 UNCH
5075	----	----	895.70B/837.30A	895.70B/837.30A	----	884.40 + 25.60	.9963	----	----	----	----	1 UNCH
5080	----	----	900.60B/842.30A	900.60B/842.30A	----	889.40 + 25.60	.9964	----	----	----	----	1 UNCH
5085	----	----	905.60B/847.70A	905.60B/847.70A	----	894.40 + 25.70	.9964	----	----	----	----	2 UNCH
5125	----	----	945.60B/886.40A	945.60B/886.40A	----	934.40 + 25.70	.9973	----	----	----	----	1 UNCH
5190	----	----	1,010.60B/952.5	1010.60B/952.50A	----	999.40 + 25.70	.9975	----	----	----	----	1 UNCH
5200	----	----	1,020.60B/962.8	1020.60B/962.80A	----	1009.40 + 25.70	.9983	----	----	----	----	1 UNCH
5215	----	----	1,035.60B/978.4	1035.60B/978.40A	----	1024.40 + 25.70	.9984	----	----	----	----	1 UNCH
5225	----	----	1,044.80B/986.3	1044.80B/986.30A	----	1034.40 + 25.70	.9984	----	----	----	----	1 UNCH
5395	----	----	1,215.50B/1,156	1215.50B/1156.20A	----	1204.40 + 25.70	.9995	----	----	----	----	6 UNCH
TOTAL										2545	293	64288 - 375
DEC26												
1350	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
1375	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1400	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1600	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	219 UNCH
1700	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	200 UNCH
1740	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
1750	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1800	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1845	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	60 UNCH
1850	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
1870	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1875	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1900	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
1930	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
2000	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	3	----	10 UNCH
2100	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2125	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
2200	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	12 UNCH
2210	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	14 UNCH
2225	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
2235	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2240	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
2245	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH
2250	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	17 UNCH
2260	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	13 UNCH
2280	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2300	----	----	----	0.10B/0.20A	----	0.10 UNCH	.0000	----	----	----	----	4 UNCH
2320	----	----	----	0.10B/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2325	----	----	----	0.10B/0.20A	----	0.10 UNCH	.0000	----	----	----	----	15 UNCH
2395	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0001	----	----	----	----	10 UNCH
2400	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	15 UNCH
2425	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	11 UNCH
2440	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	1 UNCH
2450	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	24 UNCH
2470	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	2 UNCH
2490	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	11 UNCH
2495	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	30 UNCH
2500	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0004	----	----	1	----	460 UNCH
2550	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0008	----	----	----	----	5 UNCH
2560	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0009	----	----	----	----	20 UNCH
2565	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0009	----	----	----	----	32 UNCH
2570	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0009	----	----	----	----	10 UNCH
2575	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0009	----	----	----	----	16 UNCH
2580	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0009	----	----	----	----	5 UNCH
2590	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0009	----	----	----	----	18 UNCH
2600	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0009	----	----	----	----	25 UNCH
2605	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0009	----	----	----	----	1 UNCH
2610	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0009	----	----	----	----	25 UNCH
2615	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0009	----	----	----	----	2 UNCH
2640	0.20	0.20	0.20/0.20	0.20/0.20	----	0.20 NEW	.0009	----	----	10	----	10 + 10
2645	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0009	----	----	----	----	7 UNCH
2650	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0009	----	----	----	----	1 UNCH
2655	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0009	----	----	----	----	2 UNCH
2660	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0009	----	----	----	----	3 UNCH
2675	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0009	----	----	----	----	4 UNCH
2695	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0009	----	----	----	----	14 UNCH
2700	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0010	----	----	----	----	25 UNCH
2705	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0010	----	----	----	----	10 UNCH
2710	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0010	----	----	----	----	4 UNCH
2725	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0010	----	----	----	----	2 UNCH
2735	----	----	----/0.30A	0.20B/0.30A	----	0.30 - 0.10	.0014	----	----	----	----	4 UNCH
2740	----	----	----/0.30A	0.20B/0.30A	----	0.30 - 0.10	.0014	----	----	----	----	3 UNCH
2750	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0014	----	----	----	----	47 UNCH
2755	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0014	----	----	----	----	8 UNCH
2760	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0014	----	----	----	----	27 UNCH
2775	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0015	----	----	----	----	40 UNCH
2795	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0015	----	----	----	----	10 UNCH
2800	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0015	----	----	----	----	86 UNCH
2850	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.10	.0020	----	----	----	----	37 UNCH
2860	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.10	.0020	----	----	----	----	1 UNCH
2875	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0020	----	----	----	----	1 UNCH
2880	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0020	----	----	----	----	1 UNCH
2900	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0021	----	----	----	----	75 UNCH
2915	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0025	----	----	----	----	1 UNCH
2925	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0026	----	----	----	----	300 UNCH
2945	----	----	----	0.50B/0.60A	----	0.50 - 0.10	.0026	----	----	----	----	2 UNCH
2950	----	----	----	0.50B/0.60A	----	0.50 - 0.10	.0026	----	----	----	----	56 UNCH
2960	----	----	----/0.60A	0.50B/0.60A	----	0.60 - 0.10	.0031	----	----	----	----	8 UNCH
2965	----	----	----/0.60A	0.60B/0.60A	----	0.60 - 0.10	.0031	----	----	----	----	3 UNCH
2975	----	----	----/0.60A	0.60B/0.60A	----	0.60 - 0.10	.0031	----	----	----	----	950 UNCH
3000	----	----	----/0.70A	0.60B/0.70A	----	0.70 - 0.10	.0036	----	----	----	----	2195 UNCH
3005	----	----	----/0.70A	0.60B/0.70A	----	0.70 - 0.10	.0037	----	----	----	----	5 UNCH
3010	----	----	----/0.70A	0.70B/0.70A	----	0.70 - 0.10	.0037	----	----	----	----	1 UNCH
3020	----	----	----/0.70A	0.70B/0.70A	----	0.70 - 0.10	.0037	----	----	----	----	5 UNCH
3025	----	----	----/0.70A	0.70B/0.70A	----	0.70 - 0.10	.0037	----	----	----	----	2 UNCH
3030	----	----	----/0.70A	0.70B/0.70A	----	0.70 - 0.10	.0037	----	----	----	----	1 UNCH
3035	----	----	----/0.80A	0.70B/0.80A	----	0.80 - 0.10	.0042	----	----	----	----	1 UNCH
3045	----	----	----/0.80A	0.80B/0.80A	----	0.80 - 0.10	.0042	----	----	----	----	3 UNCH
3050	----	----	----/0.80A	0.80B/0.80A	----	0.80 - 0.10	.0043	----	----	----	----	13 UNCH
3060	----	----	----/0.80A	0.80B/0.80A	----	0.80 - 0.10	.0043	----	----	----	----	201 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 09

FINAL

PG64 BULLETIN #196@ METALS OPTION PRODUCTS Mon, Oct 12, 2026 PG64

COMEX GOLD OPTIONS

OG PUT DEC26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3075	----	----	----/0.90A	0.90B/0.90A	----	0.90 - 0.10	.0048	----	----	----	----	11 UNCH
3080	----	----	----/0.90A	0.90B/0.90A	----	0.90 - 0.10	.0048	----	----	----	----	1 UNCH
3085	----	----	----/0.90A	0.90B/0.90A	----	0.90 - 0.10	.0048	----	----	----	----	2 UNCH
3090	----	----	----/0.90A	0.90B/0.90A	----	0.90 - 0.10	.0049	----	----	----	----	5 UNCH
3095	----	----	----/0.90A	0.90B/0.90A	----	0.90 - 0.10	.0049	----	----	----	----	4 UNCH
3100	----	----	----/0.90A	1.00B/0.90A	----	0.90 - 0.20	.0049	----	----	----	----	156 UNCH
3110	----	----	----/1.00A	1.00B/1.00A	----	1.00 - 0.10	.0054	----	----	----	----	2 UNCH
3120	----	----	----/1.00A	1.00B/1.00A	----	1.00 - 0.10	.0055	----	----	----	----	3 UNCH
3125	----	----	----/1.00A	1.00B/1.00A	----	1.00 - 0.10	.0055	----	----	----	----	1 UNCH
3130	----	----	----/1.00A	1.10B/1.00A	----	1.00 - 0.20	.0055	----	----	----	----	11 UNCH
3135	----	----	----/1.10A	1.10B/1.10A	----	1.10 - 0.10	.0060	----	----	----	----	1 UNCH
3140	----	----	----/1.10A	1.10B/1.10A	----	1.10 - 0.10	.0060	----	----	----	----	2 UNCH
3145	----	----	----/1.10A	1.10B/1.10A	----	1.10 - 0.10	.0060	----	----	----	----	11 UNCH
3150	----	----	----/1.10A	1.10B/1.10A	----	1.10 - 0.10	.0061	----	----	----	----	114 UNCH
3155	----	----	----/1.10A	1.20B/1.10A	----	1.10 - 0.20	.0061	----	----	----	----	6 UNCH
3160	----	----	----/1.20A	1.20B/1.20A	----	1.10 - 0.20	.0061	----	----	----	----	4 UNCH
3170	----	----	----/1.20A	1.20B/1.20A	----	1.20 - 0.10	.0066	----	----	----	----	2 UNCH
3175	----	----	----/1.20A	1.30B/1.20A	----	1.20 - 0.10	.0067	----	----	----	----	62 UNCH
3180	----	----	----/1.20A	1.30B/1.20A	----	1.20 - 0.20	.0067	----	----	----	----	7 UNCH
3185	----	----	----/1.30A	1.30B/1.30A	----	1.20 - 0.20	.0067	----	----	----	----	2 UNCH
3190	----	----	----/1.30A	1.30B/1.30A	----	1.30 - 0.10	.0072	----	----	----	----	3 UNCH
3195	----	----	----/1.30A	1.30B/1.30A	----	1.30 - 0.10	.0073	----	----	----	----	2 UNCH
3200	----	----	----/1.30A	1.40B/1.30A	----	1.30 - 0.10	.0073	----	----	1	----	131 + 1
3210	----	----	----/1.40A	1.40B/1.40A	----	1.30 - 0.20	.0074	----	----	----	----	1 UNCH
3215	----	----	----/1.40A	1.40B/1.40A	----	1.40 - 0.10	.0079	----	----	----	----	20 UNCH
3225	----	----	----/1.50A	1.50B/1.50A	----	1.40 - 0.20	.0079	----	----	----	----	11 UNCH
3235	----	----	----/1.50A	1.50B/1.50A	----	1.40 - 0.20	.0080	----	----	----	----	12 UNCH
3240	----	----	----/1.50A	1.60B/1.50A	----	1.50 - 0.20	.0085	----	----	----	----	11 UNCH
3245	----	----	----/1.50A	1.60B/1.50A	----	1.50 - 0.20	.0086	----	----	----	----	22 UNCH
3250	----	----	----/1.50A	1.60B/1.50A	----	1.50 - 0.20	.0086	----	----	1	----	493 UNCH
3260	----	----	----/1.60A	1.70B/1.60A	----	1.60 - 0.20	.0092	----	----	----	----	6 UNCH
3265	----	----	----/1.60A	1.70B/1.60A	----	1.60 - 0.20	.0092	----	----	----	----	27 UNCH
3270	----	----	----/1.70A	1.70B/1.70A	----	1.60 - 0.20	.0093	----	----	----	----	24 UNCH
3275	----	----	----/1.70A	1.80B/1.70A	----	1.70 - 0.20	.0098	----	----	----	----	37 UNCH
3280	----	----	----/1.70A	1.80B/1.70A	----	1.70 - 0.20	.0098	----	----	----	----	5 UNCH
3285	----	----	----/1.70A	1.80B/1.70A	----	1.70 - 0.20	.0099	----	----	----	----	16 UNCH
3290	----	----	----/1.80A	1.90B/1.80A	----	1.70 - 0.30	.0099	----	----	----	----	7 UNCH
3295	----	----	----/1.80A	1.90B/1.80A	----	1.80 - 0.20	.0104	----	----	----	----	11 UNCH
3300	----	----	----/1.80A	1.90B/1.80A	----	1.80 - 0.20	.0105	----	----	----	----	642 UNCH
3305	----	----	----/1.80A	2.00B/1.80A	----	1.80 - 0.30	.0105	----	----	----	----	4 UNCH
3310	----	----	----/1.90A	2.00B/1.90A	----	1.90 - 0.20	.0111	----	----	1	----	1 - 1
3315	----	----	----/1.90A	2.00B/1.90A	----	1.90 - 0.20	.0111	----	----	----	----	11 UNCH
3325	----	----	----/1.90A	2.10B/1.90A	----	2.00 - 0.20	.0117	----	----	----	----	104 UNCH
3330	2.00	2.00	2.00/2.00	2.20B/2.00	----	2.00 - 0.30	.0118	----	----	1	----	3 + 1
3335	----	----	----/2.00A	2.20B/2.00A	----	2.00 - 0.30	.0118	----	----	----	----	1 UNCH
3345	----	----	----/2.10A	2.30B/2.10A	----	2.10 - 0.30	.0124	----	----	----	----	14 UNCH
3350	----	----	----/2.20A	2.30B/2.20A	----	2.10 - 0.30	.0125	----	----	----	----	36 UNCH
3360	----	----	----/2.20A	2.40B/2.20A	----	2.20 - 0.30	.0131	----	----	1	----	16 UNCH
3365	----	----	----/2.20A	2.50B/2.20A	----	2.20 - 0.30	.0132	----	----	----	----	7 UNCH
3370	----	----	----/2.30A	2.50B/2.30A	----	2.30 - 0.30	.0137	----	----	----	----	3 UNCH
3375	----	----	----/2.30A	2.50B/2.30A	----	2.30 - 0.30	.0138	----	----	----	----	266 UNCH
3380	----	----	----/2.30A	2.60B/2.30A	----	2.40 - 0.30	.0143	----	----	----	----	13 UNCH
3385	2.40	2.40	2.40/2.40	2.60B/2.40	----	2.40 - 0.30	.0144	----	----	6	----	35 UNCH
3390	----	----	----/2.40A	2.70B/2.40A	----	2.50 - 0.30	.0150	----	----	----	----	101 UNCH
3395	----	----	----/2.50A	2.70B/2.50A	----	2.50 - 0.30	.0151	----	----	----	----	5 UNCH
3400	2.80	2.80	2.80/2.50A	2.80/2.50A	----	2.50 - 0.40	.0151	----	----	56	----	2236 + 39
3410	----	----	----/2.60A	2.90B/2.60A	----	2.60 - 0.30	.0158	----	----	----	----	69 UNCH
3420	----	----	----/2.70A	3.00B/2.70A	----	2.70 - 0.30	.0165	----	----	----	----	5 UNCH
3425	----	----	----/2.80A	3.10B/2.80A	----	2.80 - 0.30	.0170	----	----	----	----	387 UNCH
3430	----	----	----/2.80A	3.10B/2.80A	----	2.80 - 0.40	.0171	----	----	----	----	3 UNCH
3435	----	----	----/2.80A	3.20B/2.80A	----	2.90 - 0.30	.0177	----	----	----	----	18 UNCH
3440	----	----	----/2.90A	3.30B/2.90A	----	2.90 - 0.40	.0178	----	----	----	----	11 UNCH
3445	----	----	----/2.90A	3.30B/2.90A	----	3.00 - 0.30	.0184	----	----	----	----	3 UNCH
3450	----	----	----/3.00A	3.40B/3.00A	----	3.10 - 0.30	.0189	----	----	----	----	1368 UNCH
3455	----	----	3.50B/3.10A	3.50B/3.10A	----	3.10 - 0.30	.0191	----	----	----	----	2 UNCH
3460	----	----	----/3.10A	3.50B/3.10A	----	3.20 - 0.30	.0196	----	----	----	----	73 UNCH
3465	----	----	----/3.20A	3.60B/3.20A	----	3.20 - 0.40	.0198	----	----	1	----	226 - 1
3470	----	----	3.70B/3.20A	3.70B/3.20A	----	3.30 - 0.30	.0203	----	----	----	----	20 UNCH
3475	----	----	----/3.30A	3.70B/3.30A	----	3.40 - 0.30	.0209	----	----	----	----	239 UNCH
3480	----	----	3.80B/3.30A	3.80B/3.30A	----	3.40 - 0.30	.0211	----	----	----	----	1289 UNCH
3485	----	----	3.90B/3.40A	3.90B/3.40A	----	3.50 - 0.30	.0217	----	----	----	----	150 UNCH
3490	----	----	4.00B/3.50A	4.00B/3.50A	----	3.60 - 0.30	.0223	----	----	----	----	40 UNCH
3495	----	----	4.10B/3.50A	4.10B/3.50A	----	3.60 - 0.30	.0224	----	----	----	----	23 UNCH
3500	----	----	4.10B/3.60A	4.10B/3.60A	----	3.70 - 0.30	.0230	----	----	71	----	6312 - 42
3505	----	----	4.20B/3.70A	4.20B/3.70A	----	3.80 - 0.30	.0236	----	----	----	----	20 UNCH
3510	----	----	4.30B/3.80A	4.30B/3.80A	----	3.90 - 0.30	.0242	----	----	----	----	256 UNCH
3515	----	----	4.40B/3.80A	4.40B/3.80A	----	3.90 - 0.30	.0244	----	----	----	----	137 UNCH
3520	----	----	4.50B/3.90A	4.50B/3.90A	----	4.00 - 0.30	.0250	----	----	----	----	23 UNCH
3525	4.00	4.00	4.60B/4.00	4.60B/4.00	----	4.10 - 0.30	.0256	----	----	1	----	218 UNCH
3530	----	----	4.70B/4.10A	4.70B/4.10A	----	4.20 - 0.30	.0263	----	----	----	----	3 UNCH
3540	----	----	4.90B/4.30A	4.90B/4.30A	----	4.30 - 0.30	.0271	----	----	----	----	26 UNCH
3545	----	----	5.00B/4.30A	5.00B/4.30A	----	4.40 - 0.30	.0277	----	----	----	----	20 UNCH
3550	----	----	5.10B/4.40A	5.10B/4.40A	----	4.50 - 0.30	.0283	----	----	41	----	2140 - 40
3555	----	----	5.20B/4.50A	5.20B/4.50A	----	4.60 - 0.30	.0290	----	----	----	----	2 UNCH
3560	4.50	4.50	5.30B/4.50	5.30B/4.50	----	4.70 - 0.30	.0296	----	----	1	----	88 + 1
3565	5.00	5.00	5.40B/4.70A	5.40B/4.70A	----	4.80 - 0.30	.0303	----	----	2	----	35 - 2
3570	----	----	5.50B/4.80A	5.50B/4.80A	----	4.90 - 0.30	.0310	----	----	----	----	25 UNCH
3575	5.00	5.00	5.70B/4.90A	5.70B/4.90A	----	5.00 - 0.30	.0316	----	----	6	----	27 - 5
3580	----	----	5.80B/4.90A	5.80B/4.90A	----	5.10 - 0.30	.0323	----	----	----	----	21 UNCH
3585	----	----	5.90B/5.00A	5.90B/5.00A	----	5.30 - 0.20	.0334	----	----	----	----	335 UNCH
3590	----	----	6.00B/5.10A	6.00B/5.10A	----	5.40 - 0.20	.0341	----	----	----	----	46 UNCH
3595	----	----	6.20B/5.20A	6.20B/5.20A	----	5.50 - 0.20	.0348	----	----	----	----	115 UNCH
3600	5.60	5.60	6.30B/5.20	6.30B/5.20	----	5.60 - 0.20	.0355	----	----	70	----	1868 - 51
3605	----	----	6.50B/5.50A	6.50B/5.50A	----	5.70 - 0.30	.0362	----	----	----	----	72 UNCH
3610	----	----	6.60B/5.50A	6.60B/5.50A	----	5.90 - 0.20	.0374	----	----	----	----	35 UNCH
3615	6.00	6.00	6.80B/5.70A	6.80B/5.70A	----	6.00 - 0.20	.0381	----	----	1	----	40 UNCH
3620	----	----	6.90B/5.80A	6.90B/5.80A	----	6.10 - 0.20	.0388	----	----	----	----	6 UNCH
3625	6.20	6.20	7.10B/5.90A	7.10B/5.90A	----	6.30 - 0.20	.0400	----	----	4	----	50 - 4
3630	----	----	7.20B/6.00A	7.20B/6.00A	----	6.40 - 0.20	.0407	----	----	----	----	19 UNCH
3635	----	----	7.40B/6.20A	7.40B/6.20A	----	6.60 - 0.10	.0419	----	----	----	----	47 UNCH
3640	----	----	7.60B/6.30A	7.60B/6.30A	----	6.70 - 0.20	.0426	----	----	----	----	18 UNCH
3645	----	----	7.80B/6.40A	7.80B/6.40A	----	6.90 - 0.10	.0438	----	----	----	----	63 UNCH
3650	7.20	7.20	7.90B/6.60A	7.90B/6.60A	----	7.00 - 0.20	.0446	----	----	3	----	1711 UNCH
3655	----	----	8.10B/6.70A	8.10B/6.70A	----	7.20 - 0.10	.0458	----	----	----	----	252 UNCH
3660	----	----	8.30B/6.80A	8.30B/6.80A	----	7.40 - 0.10	.0470	----	----	----	----	61 UNCH
3665	----	----	8.50B/7.10A	8.50B/7.10A	----	7.50 - 0.20	.0478	----	----	1	----	28 + 1
3670	----	----	8.70B/7.20A	8.70B/7.20A	----	7.70 - 0.10	.0491	----	----	----	----	130 UNCH
3675	8.00	8.00	8.90B/7.30A	8.90B/7.30A	----	7.90 - 0.10	.0503	----	----	30	----	144 - 10
3680	8.40	8.40	9.20B/7.50A	9.20B/7.50A	----	8.10 - 0.10	.0516	----	----	2	----	51 - 1
3685	----	----	9.40B/7.70A	9.40B/7.70A	----	8.30 - 0.10	.0528	----	----	----	----	407 UNCH
3690	8.80	8.80	9.60B/7.80A	9.60B/7.80A	----	8.50 - 0.10	.0541	----	----	1	----	25 + 1
3695	----	----	9.90B/8.00A	9.90B/8.00A	----	8.70 - 0.10	.0554	----	----	----	----	19 UNCH
3700	8.80	8.80	10.10B/8.20A	10.10B/8.20A	----	8.90 - 0.10	.0566	----	----	45	----	3280 + 4
3705	----	----	10.40B/8.40A	10.40B/8.40A	----	9.20 UNCH	.0584	----	----	----	----	56 UNCH
3710	----	----	10.60B/8.60A	10.60B/8.60A	----	9.40 UNCH	.0597	----	----	1	----	129 UNCH
3715	9.90	9.90	10.90B/8.80A	10.90B/8.80A	----	9.60 UNCH	.0610	----	----	1	----	166 + 1
3720	----	----	11.20B/9.00A	11.20B/9.00A	----	9.90 UNCH	.0627	----	----	----	----	58 UNCH
3725	9.00	9.00	11.50B/9.00	11.50B/9.00	----	10.10 UNCH	.0641	----	----	2	----	217 - 1
3730	10.30	10.30	11.80B/9.40A	11.80B/9.40A	----	10.40 UNCH	.0658	----	----	3	----	438 UNCH
3735	----	----	12.10B/9.70A	12.10B/9.70A	----	10.70 + 0.10	.0676	----	----	----	----	165 UNCH
3740	10.80	10.80	12.40B/9.90A	12.40B/9.90A	----	10.90 UNCH	.0690	----	----	4	----	85 + 3
3745	----	----	12.70B/10.10A	12.70B/10.10A	----	11.20 + 0.10	.0707	----	----	----	----	69 UNCH
3750	10.80	10.80	13.00B/10.40A	13.00B/10.40A	----	11.50 + 0.10	.0725	----	----	7	----	1933 UNCH
3755	----	----	13.40B/10.60A	13.40B/10.60A	----	11.80 + 0.10	.0744	----	----	----	----	34 UNCH
3760	----	----	13.70B/10.90A	13.70B/10.90A	----	12.10 + 0.10	.0762	----	----	----	----	128 UNCH
3765	----	----	14.10B/11.20A	14.10B/11.20A	----	12.50 + 0.20	.0784	----	----	----	----	33 UNCH
3770	----	----	14.50B/11.40A	14.50B/11.40A	----	12.80 + 0.20	.0803	----	----	----	----	32 UNCH
3775	----	----	14.90B/11.70A	14.90B/11.70A	----	13.10 + 0.20	.0821	----	----	----	----	64 UNCH
3780	12.20	12.20	15.30B/12.00A	15.30B/12.00A	----	13.50 + 0.20	.0844	----	----	7	----	63 UNCH
3785	----	----	15.70B/12.30A	15.70B/12.30A	----	13.90 + 0.30	.0867	----	----	----	----	87 UNCH
3790	14.60	14.60	16.10B/12.60A	16.10B/12.60A	----	14.20 + 0.20	.0886	----	----	3	----	164 UNCH
3795	14.50	14.50	16.50B/13.00A	16.50B/13.00A	----	14.60 + 0.30	.0909	----	----	3	----	57 + 3
3800	13.60	13.60	17.00B/13.30A	17.00B/13.30A	----	15.00 + 0.30	.0932	----	----	60	----	1550 - 21
3805	----	----	17.40B/13.60A	17.40B/13.60A	----	15.40 + 0.30	.0955	----	----	----	----	40 UNCH
3810	----	----	17.90B/14.00A	17.90B/14.00A	----	15.90 + 0.40	.0982	----	----	4	----	120 + 1
3815	----	----	18.40B/14.30A	18.40B/14.30A	----	16.30 + 0.40	.1006	----	----	1	----	55 UNCH
3820	17.20	17.20	18.90B/14.70A	18.90B/14.70A	----	16.80 + 0.50	.1033	----	----	10	----	33 + 6

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT DEC26												
3825	----	----	19.40B/15.10A	19.40B/15.10A	----	17.20 + 0.50	.1057	----	----	2	----	104 UNCH
3830	----	----	19.90B/15.50A	19.90B/15.50A	----	17.70 + 0.50	.1084	----	----	2	----	52 + 1
3835	17.60	17.60	20.50B/15.90A	20.50B/15.90A	----	18.20 + 0.60	.1112	----	----	5	----	15 + 3
3840	----	----	21.00B/16.30A	21.00B/16.30A	----	18.70 + 0.60	.1140	----	----	----	----	238 UNCH
3845	20.00	20.00	21.60B/16.70A	21.60B/16.70A	----	19.20 + 0.60	.1168	----	----	1	----	73 UNCH
3850	17.70	17.70	22.20B/17.20A	22.20B/17.20A	----	19.80 + 0.70	.1199	----	----	38	----	862 - 22
3855	----	----	22.80B/17.60A	22.80B/17.60A	----	20.30 + 0.70	.1228	----	----	----	----	65 UNCH
3860	21.20	21.20	23.50B/18.10A	23.50B/18.10A	----	20.90 + 0.80	.1260	----	----	4	----	47 UNCH
3865	22.00	22.00	24.10B/18.60A	24.10B/18.60A	----	21.50 + 0.80	.1292	----	----	14	----	77 UNCH
3870	19.00	19.00	24.80B/19.00	24.80B/19.00	----	22.10 + 0.90	.1324	----	----	2	----	34 UNCH
3875	22.30	22.30	25.50B/19.60A	25.50B/19.60A	----	22.70 + 0.90	.1356	----	----	6	----	158 + 6
3880	----	----	26.20B/20.10A	26.20B/20.10A	----	23.30 + 0.90	.1388	----	----	1	----	34 UNCH
3885	24.30	24.30	26.90B/20.70A	26.90B/20.70A	----	24.00 + 1.00	.1424	----	----	1	----	52 UNCH
3890	25.20	25.20	27.60B/21.20A	27.60B/21.20A	----	24.70 + 1.10	.1460	----	----	1	----	33 UNCH
3895	25.90	25.90	28.40B/21.80A	28.40B/21.80A	----	25.40 + 1.10	.1496	----	----	23	----	283 + 21
3900	22.10	22.10	29.20B/22.10	29.20B/22.10	----	26.10 + 1.20	.1533	----	----	122	----	4306 - 47
3905	27.20	27.20	30.00B/23.00A	30.00B/23.00A	----	26.80 + 1.20	.1569	----	----	4	----	88 + 1
3910	24.00	24.00	30.80B/23.60A	30.80B/23.60A	----	27.60 + 1.30	.1609	----	----	2	----	66 + 1
3915	28.90	28.90	31.60B/24.20A	31.60B/24.20A	----	28.40 + 1.40	.1648	----	----	21	----	219 - 7
3920	29.70	29.70	32.50B/24.90A	32.50B/24.90A	----	29.20 + 1.50	.1688	----	----	21	----	85 + 19
3925	----	----	33.40B/25.50A	33.40B/25.50A	----	30.00 + 1.50	.1728	----	----	----	----	424 UNCH
3930	30.90	30.90	34.30B/26.20A	34.30B/26.20A	----	30.80 + 1.50	.1768	----	----	20	----	97 + 5
3935	35.20	35.20	35.30B/26.90A	35.30B/26.90A	----	31.70 + 1.70	.1812	----	----	8	----	218 + 8
3940	32.50	32.50	36.30B/27.70A	36.30B/27.70A	----	32.60 + 1.70	.1855	----	----	1	----	281 + 1
3945	28.90	28.90	37.20B/28.40A	37.20B/28.40A	----	33.50 + 1.80	.1898	----	----	15	----	85 + 8
3950	29.40	29.40	38.30B/29.20A	38.30B/29.20A	----	34.50 + 1.90	.1945	----	----	19	----	2581 + 2
3955	30.60	30.60	39.30B/30.00A	39.30B/30.00A	----	35.40 + 2.00	.1988	----	----	12	----	75 + 10
3960	----	----	40.40B/30.80A	40.40B/30.80A	----	36.40 + 2.10	.2035	----	----	4	----	435 + 1
3965	----	----	41.50B/31.60A	41.50B/31.60A	----	37.50 + 2.20	.2084	----	----	----	----	68 UNCH
3970	----	----	42.60B/32.50A	42.60B/32.50A	----	38.50 + 2.30	.2131	----	----	5	----	318 + 4
3975	----	----	43.80B/33.40A	43.80B/33.40A	----	39.60 + 2.40	.2180	----	----	2	----	872 UNCH
3980	----	----	45.00B/34.30A	45.00B/34.30A	----	40.70 + 2.50	.2230	----	----	4	----	265 + 2
3985	40.80	40.80	46.20B/35.20A	46.20B/35.20A	----	41.80 + 2.60	.2279	----	----	1	----	39 + 1
3990	47.20	47.20	47.50/36.20A	47.50/36.20A	----	43.00 + 2.70	.2331	----	----	9	----	392 - 2
3995	----	----	48.70B/37.10A	48.70B/37.10A	----	44.10 + 2.70	.2381	----	----	----	----	39 UNCH
4000	43.00	43.00	50.00/38.10A	50.00/38.10A	----	45.40 + 2.90	.2436	----	----	333	----	4319 - 6
4005	48.40	48.40	51.30B/39.10A	51.30B/39.10A	----	46.60 + 3.00	.2488	----	----	25	----	201 + 16
4010	45.10	45.10	52.70B/40.20A	52.70B/40.20A	----	47.90 + 3.10	.2543	----	----	5	----	46 + 1
4015	48.80	48.80	54.10B/41.30A	54.10B/41.30A	----	49.20 + 3.30	.2598	----	----	7	----	77 - 4
4020	----	----	55.50B/42.40A	55.50B/42.40A	----	50.50 + 3.30	.2653	----	----	----	----	64 UNCH
4025	56.70	56.70	57.00B/43.50A	57.00B/43.50A	----	51.90 + 3.50	.2710	----	----	7	----	889 + 6
4030	----	----	58.40B/44.70A	58.40B/44.70A	----	53.30 + 3.60	.2767	----	----	1	----	45 + 1
4035	----	----	59.90B/45.90A	59.90B/45.90A	----	54.70 + 3.70	.2824	----	----	----	----	92 UNCH
4040	56.20	56.20	61.50B/47.10A	61.50B/47.10A	----	56.20 + 3.90	.2883	----	----	8	----	103 UNCH
4045	----	----	63.10B/48.30A	63.10B/48.30A	----	57.70 + 4.00	.2942	----	----	5	----	84 + 4
4050	58.00	58.00	64.80B/49.60A	64.80B/49.60A	----	59.20 + 4.10	.3001	----	----	20	----	2475 + 7
4055	----	----	66.40B/50.90A	66.40B/50.90A	----	60.80 + 4.30	.3062	----	----	----	----	31 UNCH
4060	----	----	68.10B/52.20A	68.10B/52.20A	----	62.40 + 4.40	.3123	----	----	----	----	132 UNCH
4065	69.70	69.70	69.80B/53.60A	69.80B/53.60A	----	64.00 + 4.50	.3184	----	----	1	----	89 + 1
4070	71.70	71.70	71.70/55.00A	71.70/55.00A	----	65.70 + 4.70	.3246	----	----	2	----	37 UNCH
4075	66.00	66.00	73.30B/56.40A	73.30B/56.40A	----	67.40 + 4.90	.3309	----	----	5	----	306 - 1
4080	----	----	75.20B/57.90A	75.20B/57.90A	----	69.10 + 5.00	.3372	----	----	----	----	517 UNCH
4085	----	----	77.00B/59.40A	77.00B/59.40A	----	70.90 + 5.20	.3436	----	----	----	----	61 UNCH
4090	----	----	78.90B/60.90A	78.90B/60.90A	----	72.70 + 5.30	.3500	----	----	----	----	282 UNCH
4095	77.10	77.10	80.90B/62.60A	80.90B/62.60A	----	74.50 + 5.40	.3564	----	----	4	----	80 + 2
4100	74.60	74.60	82.90B/64.00A	82.90B/64.00A	----	76.40 + 5.60	.3629	----	----	478	----	2299 + 235
4105	81.50	81.50	84.90B/65.80A	84.90B/65.80A	----	78.30 + 5.70	.3695	----	----	25	----	91 - 7
4110	----	----	86.90B/67.30A	86.90B/67.30A	----	80.30 + 5.90	.3761	----	----	----	----	69 UNCH
4115	----	----	89.00B/69.00A	89.00B/69.00A	----	82.30 + 6.10	.3827	----	----	----	----	76 UNCH
4120	85.80	85.80	91.10B/70.70A	91.10B/70.70A	----	84.30 + 6.30	.3894	----	----	1	----	602 UNCH
4125	----	----	93.30B/72.30A	93.30B/72.30A	----	86.40 + 6.50	.3961	----	----	4	----	298 - 2
4130	86.60	86.60	95.50B/74.20A	95.50B/74.20A	----	88.50 + 6.60	.4028	----	----	1	----	737 + 1
4135	----	----	97.70B/76.00A	97.70B/76.00A	----	90.60 + 6.80	.4095	----	----	1	----	36 UNCH
4140	95.70	95.70	99.90B/77.90A	99.90B/77.90A	----	92.80 + 7.00	.4163	----	----	6	----	118 - 3
4145	----	----	102.20B/79.60A	102.20B/79.60A	----	95.00 + 7.10	.4231	----	----	1	----	96 UNCH
4150	97.20	97.20	104.70B/81.70A	104.70B/81.70A	----	97.20 + 7.20	.4299	----	----	22	----	1134 + 9
4155	----	----	107.00B/83.50A	107.00B/83.50A	----	99.50 + 7.40	.4367	----	----	----	----	38 UNCH
4160	103.10	103.10	109.40B/85.50A	109.40B/85.50A	----	101.90 + 7.70	.4436	----	----	14	----	314 - 10
4165	99.00	99.00	111.80B/87.50A	111.80B/87.50A	----	104.20 + 7.80	.4505	----	----	6	----	85 - 6
4170	105.10	105.10	114.30B/89.60A	114.30B/89.60A	----	106.60 + 8.00	.4573	----	----	1	----	267 + 1
4175	116.10	116.10	116.90B/91.70A	116.90B/91.70A	----	109.10 + 8.20	.4642	----	----	5	----	440 + 2
4180	111.70	111.70	119.40B/93.80A	119.40B/93.80A	----	111.50 + 8.30	.4711	----	----	163	----	193 + 125
4185	107.40	107.40	122.00B/96.00A	122.00B/96.00A	----	114.00 + 8.50	.4780	----	----	3	----	91 - 1
4190	115.50	115.50	124.70B/98.20A	124.70B/98.20A	----	116.60 + 8.70	.4848	----	----	25	----	439 + 3
4195	111.10	111.10	127.30B/100.40A	127.30B/100.40A	----	119.20 + 8.90	.4917	----	----	3	----	43 - 1
4200	112.00	112.00	130.00B/102.00	130.00B/102.00	----	121.80 + 9.10	.4986	----	----	160	----	2506 + 61
4205	117.30	117.30	132.80B/105.00A	132.80B/105.00A	----	124.50 + 9.30	.5054	----	----	2	----	54 + 1
4210	109.40	109.40	135.60B/107.40A	135.60B/107.40A	----	127.20 + 9.50	.5123	----	----	6	----	109 - 4
4215	115.10	115.10	138.40B/109.70A	138.40B/109.70A	----	129.90 + 9.60	.5191	----	----	5	----	226 - 1
4220	117.60	117.60	141.20B/111.90A	141.20B/111.90A	----	132.70 + 9.80	.5258	----	----	2	----	60 + 1
4225	114.20	114.20	144.10B/114.20	144.10B/114.20	----	135.50 + 10.00	.5326	----	----	3	----	259 UNCH
4230	117.00	117.00	147.10B/117.00	147.10B/117.00	----	138.30 + 10.20	.5394	----	----	2	----	447 UNCH
4235	122.00	122.00	150.00B/119.70A	150.00B/119.70A	----	141.20 + 10.40	.5461	----	----	19	----	124 - 3
4240	122.30	122.30	153.00B/122.20A	153.00B/122.20A	----	144.10 + 10.50	.5528	----	----	1	----	67 UNCH
4245	125.60	125.60	156.00B/124.80A	156.00B/124.80A	----	147.10 + 10.80	.5594	----	----	3	----	37 - 1
4250	127.60	127.60	159.10B/127.50A	159.10B/127.50A	----	150.10 + 11.00	.5661	----	----	6	----	2652 UNCH
4255	132.70	132.70	162.20B/130.10A	162.20B/130.10A	----	153.10 + 11.10	.5727	----	----	2	----	32 - 1
4260	153.70	153.70	165.30B/132.80A	165.30B/132.80A	----	156.10 + 11.20	.5792	----	----	3	----	79 UNCH
4265	135.30	135.30	168.40B/135.30	168.40B/135.30	----	159.20 + 11.40	.5858	----	----	9	----	108 UNCH
4270	----	----	171.60B/138.40A	171.60B/138.40A	----	162.40 + 11.70	.5922	----	----	----	----	22 UNCH
4275	164.30	164.30	174.80B/141.20A	174.80B/141.20A	----	165.50 + 11.80	.5987	----	----	2	----	152 UNCH
4280	----	----	178.10B/143.90A	178.10B/143.90A	----	168.70 + 12.00	.6051	----	----	----	----	176 UNCH
4285	----	----	181.40B/146.90A	181.40B/146.90A	----	171.90 + 12.20	.6114	----	----	----	----	35 UNCH
4290	----	----	184.70B/149.70A	184.70B/149.70A	----	175.20 + 12.40	.6177	----	----	----	----	249 UNCH
4295	----	----	188.10B/152.60A	188.10B/152.60A	----	178.50 + 12.60	.6239	----	----	----	----	90 UNCH
4300	----	----	191.50B/155.60A	191.50B/155.60A	----	181.80 + 12.70	.6302	----	----	2	----	3299 - 1
4305	----	----	194.90B/158.60A	194.90B/158.60A	----	185.20 + 12.90	.6363	----	----	----	----	35 UNCH
4310	----	----	198.30B/161.80A	198.30B/161.80A	----	188.60 + 13.10	.6424	----	----	2	----	237 UNCH
4315	----	----	201.80B/164.70A	201.80B/164.70A	----	192.00 + 13.30	.6484	----	----	2	----	48 - 2
4320	----	----	205.30B/167.90A	205.30B/167.90A	----	195.40 + 13.40	.6544	----	----	----	----	255 UNCH
4325	----	----	208.90B/171.10A	208.90B/171.10A	----	198.90 + 13.60	.6603	----	----	----	----	870 UNCH
4330	----	----	212.40B/174.20A	212.40B/174.20A	----	202.40 + 13.80	.6662	----	----	----	----	47 UNCH
4335	----	----	216.00B/177.80A	216.00B/177.80A	----	205.90 + 13.90	.6719	----	----	----	----	56 UNCH
4340	----	----	219.70B/181.10A	219.70B/181.10A	----	209.50 + 14.10	.6776	----	----	----	----	113 UNCH
4345	----	----	223.40B/184.30A	223.40B/184.30A	----	213.10 + 14.30	.6833	----	----	----	----	25 UNCH
4350	----	----	227.00B/187.60A	227.00B/187.60A	----	216.70 + 14.40	.6890	----	----	1	----	747 UNCH
4355	----	----	230.70B/190.90A	230.70B/190.90A	----	220.40 + 14.70	.6945	----	----	----	----	30 UNCH
4360	----	----	234.40B/194.30A	234.40B/194.30A	----	224.10 + 14.80	.6999	----	----	----	----	100 UNCH
4365	----	----	238.20B/197.70A	238.20B/197.70A	----	227.80 + 15.00	.7054	----	----	----	----	243 UNCH
4370	----	----	242.00B/201.10A	242.00B/201.10A	----	231.50 + 15.10	.7107	----	----	----	----	57 UNCH
4375	----	----	245.80B/204.60A	245.80B/204.60A	----	235.30 + 15.30	.7159	----	----	----	----	198 UNCH
4380	----	----	249.70B/208.00A	249.70B/208.00A	----	239.10 + 15.50	.7211	----	----	----	----	155 UNCH
4385	----	----	253.50B/211.50A	253.50B/211.50A	----	242.90 + 15.70	.7263	----	----	----	----	95 UNCH
4390	----	----	257.40B/215.10A	257.40B/215.10A	----	246.70 + 15.80	.7313	----	----	8	----	215 + 6
4395	----	----	261.30B/218.60A	261.30B/218.60A	----	250.60 + 16.00	.7365	----	----	----	----	30 UNCH
4400	256.90	256.90	265.30B/222.20A	265.30B/222.20A	----	254.50 + 16.10	.7412	----	----	8	----	1179 + 7
4405	----	----	269.20B/225.80A	269.20B/225.80A	----	258.40 + 16.30	.7461	----	----	----	----	74 UNCH
4410	----	----	273.10B/229.50A	273.10B/229.50A	----	262.30 + 16.40	.7511	----	----	----	----	91 UNCH
4415	----	----	277.10B/233.10A	277.10B/233.10A	----	266.30 + 16.60	.7558	----	----	----	----	11 UNCH
4420	----	----	281.20B/236.80A	281.20B/236.80A	----	270.30 + 16.80	.7604	----	----	----	----	45 UNCH
4425	----	----	285.30B/240.50A	285.30B/240.50A	----	274.30 + 16.90	.7651	----	----	----	----	253 UNCH
4430	----	----	289.30B/244.30A	289.30B/244.30A	----	278.30 + 17.00	.7694	----	----	----	----	171 UNCH
4435	----	----	293.30B/248.00A	293.30B/248.00A	----	282.40 + 17.20	.7741	----	----	----	----	166 UNCH
4440	----	----	297.50B/251.80A	297.50B/251.80A	----	286.40 + 17.30	.7784	----	----	----	----	74 UNCH
4445	----	----	301.60B/255.50A	301.60B/255.50A	----	290.50 + 17.50	.7828	----	----	----	----	197 UNCH
4450	----	----	305.80B/259.40A	305.80B/259.40A	----	294.60 + 17.60	.7868	----	----	----	----	586 UNCH
4455	----	----	309.90B/263.20A	309.90B/263.20A	----	298.80 + 17.80	.7911	----	----	----	----	47 UNCH
4460	----	----	314.10B/267.10A	314.10B/267.10A	----	302.90 + 17.90	.7951	----	----	----	----	73 UNCH
4465	----	----	318.30B/271.00A	318.30B/271.00A	----	307.10 + 18.10	.7991	----	----	----	----	84 UNCH
4470	----	----	322.60B/275.10A	322.60B/275.10A	----	311.30 + 18.20	.8031	----	----	----	----	177 UNCH
4475	----	----	326.70B/278.90A	326.70B/278.90A	----	315.50 + 18.30	.8071	----	----	----	----	222 UNCH
4480	----	----	331.10B/283.00A	331.10B/283.00A	----	319.70 + 18.40	.8108	----	----	----	----	52 UNCH
4485	----	----	335.30B/287.00A	335.30B/287.00A	----	324.00 + 18.60	.8147	----	----	----	----	41 UNCH
4490	----	----	339.60B/290.90A	339.60B/290.90A	----	328.20 + 18.70	.8184	----	----	----	----	31 UNCH
4495	----	----	343.90B/294.90A	343.90B/294.90A	----	332.50 + 18.80	.8220	----	----	----	----	40 UNCH
4500	----	----	348.20B/299.00A	348.20B/299.00A	----	336.80 + 19.00	.8256	----	----	----	----	1730 UNCH
4505	----	----	352.60B/303.10A	352.60B/303.10A	----	341.10 + 19.10	.8289	----	----	----	----	18 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
4510	----	----	356.90B/307.20A	356.90B/307.20A	----	345.50 + 19.30	.8325	----	----	----	----	20 UNCH
4515	----	----	361.20B/311.40A	361.20B/311.40A	----	349.80 + 19.30	.8358	----	----	----	----	270 UNCH
4520	----	----	365.60B/315.40A	365.60B/315.40A	----	354.20 + 19.50	.8394	----	----	----	----	48 UNCH
4525	----	----	370.00B/319.70A	370.00B/319.70A	----	358.60 + 19.60	.8426	----	----	----	----	384 UNCH
4530	----	----	374.40B/323.80A	374.40B/323.80A	----	363.00 + 19.70	.8455	----	----	----	----	334 UNCH
4535	----	----	378.90B/328.00A	378.90B/328.00A	----	367.40 + 19.80	.8487	----	----	----	----	109 UNCH
4540	----	----	383.40B/332.20A	383.40B/332.20A	----	371.80 + 19.90	.8519	----	----	----	----	20 UNCH
4545	----	----	387.80B/336.40A	387.80B/336.40A	----	376.20 + 20.00	.8547	----	----	----	----	61 UNCH
4550	----	----	392.20B/340.70A	392.20B/340.70A	----	380.70 + 20.20	.8579	----	----	----	----	320 UNCH
4555	----	----	396.80B/344.90A	396.80B/344.90A	----	385.20 + 20.30	.8607	----	----	----	----	62 UNCH
4560	----	----	401.30B/349.20A	401.30B/349.20A	----	389.60 + 20.30	.8635	----	----	----	----	11 UNCH
4565	----	----	405.80B/353.50A	405.80B/353.50A	----	394.10 + 20.40	.8663	----	----	----	----	5 UNCH
4570	----	----	410.20B/357.80A	410.20B/357.80A	----	398.60 + 20.50	.8691	----	----	----	----	31 UNCH
4575	----	----	414.80B/362.10A	414.80B/362.10A	----	403.20 + 20.70	.8715	----	----	----	----	221 UNCH
4580	----	----	419.40B/366.50A	419.40B/366.50A	----	407.70 + 20.80	.8743	----	----	----	----	179 UNCH
4585	----	----	423.90B/370.90A	423.90B/370.90A	----	412.20 + 20.90	.8767	----	----	----	----	352 UNCH
4590	----	----	428.40B/375.30A	428.40B/375.30A	----	416.80 + 21.00	.8794	----	----	----	----	13 UNCH
4595	----	----	433.10B/379.60A	433.10B/379.60A	----	421.30 + 21.00	.8818	----	----	----	----	32 UNCH
4600	----	----	437.70B/384.00A	437.70B/384.00A	----	425.90 + 21.20	.8841	----	----	----	----	973 UNCH
4605	----	----	442.20B/388.50A	442.20B/388.50A	----	430.50 + 21.30	.8865	----	----	----	----	24 UNCH
4610	----	----	446.80B/392.90A	446.80B/392.90A	----	435.10 + 21.40	.8888	----	----	----	----	22 UNCH
4615	----	----	451.50B/397.30A	451.50B/397.30A	----	439.70 + 21.40	.8911	----	----	----	----	5 UNCH
4620	----	----	456.10B/401.80A	456.10B/401.80A	----	444.30 + 21.50	.8934	----	----	----	----	62 UNCH
4625	----	----	460.60B/406.30A	460.60B/406.30A	----	448.90 + 21.60	.8953	----	----	----	----	59 UNCH
4630	----	----	465.40B/410.70A	465.40B/410.70A	----	453.60 + 21.70	.8976	----	----	----	----	4 UNCH
4635	----	----	469.90B/415.20A	469.90B/415.20A	----	458.20 + 21.80	.8995	----	----	----	----	28 UNCH
4640	----	----	474.70B/419.80A	474.70B/419.80A	----	462.90 + 21.90	.9018	----	----	----	----	120 UNCH
4650	----	----	483.90B/428.80A	483.90B/428.80A	----	472.20 + 22.00	.9055	----	----	----	----	235 UNCH
4655	----	----	488.70B/433.40A	488.70B/433.40A	----	476.90 + 22.10	.9074	----	----	----	----	12 UNCH
4660	----	----	493.40B/437.90A	493.40B/437.90A	----	481.60 + 22.20	.9092	----	----	----	----	122 UNCH
4665	----	----	498.10B/442.50A	498.10B/442.50A	----	486.30 + 22.30	.9110	----	----	----	----	55 UNCH
4670	----	----	502.80B/447.10A	502.80B/447.10A	----	491.00 + 22.40	.9129	----	----	----	----	20 UNCH
4675	----	----	507.40B/451.60A	507.40B/451.60A	----	495.70 + 22.40	.9147	----	----	----	----	16 UNCH
4680	----	----	512.10B/456.20A	512.10B/456.20A	----	500.40 + 22.50	.9161	----	----	----	----	64 UNCH
4685	----	----	516.90B/460.80A	516.90B/460.80A	----	505.10 + 22.50	.9179	----	----	----	----	19 UNCH
4690	----	----	521.70B/465.50A	521.70B/465.50A	----	509.90 + 22.70	.9197	----	----	----	----	146 UNCH
4695	----	----	526.30B/470.10A	526.30B/470.10A	----	514.60 + 22.70	.9210	----	----	----	----	33 UNCH
4700	----	----	531.20B/474.70A	531.20B/474.70A	----	519.40 + 22.80	.9224	----	----	----	----	682 UNCH
4705	----	----	535.80B/479.30A	535.80B/479.30A	----	524.10 + 22.80	.9241	----	----	----	----	17 UNCH
4710	----	----	540.70B/483.90A	540.70B/483.90A	----	528.90 + 22.90	.9255	----	----	----	----	21 UNCH
4715	----	----	545.40B/488.60A	545.40B/488.60A	----	533.60 + 22.90	.9268	----	----	----	----	12 UNCH
4720	----	----	550.10B/493.30A	550.10B/493.30A	----	538.40 + 23.00	.9281	----	----	----	----	15 UNCH
4725	----	----	555.00B/498.00A	555.00B/498.00A	----	543.20 + 23.10	.9299	----	----	----	----	142 UNCH
4730	----	----	559.80B/502.60A	559.80B/502.60A	----	548.00 + 23.20	.9312	----	----	----	----	8 UNCH
4735	----	----	564.60B/507.30A	564.60B/507.30A	----	552.80 + 23.20	.9325	----	----	----	----	7 UNCH
4740	550.40	550.40	569.30B/512.00A	569.30B/512.00A	----	557.60 + 23.30	.9333	----	----	1	----	8 + 1
4745	----	----	572.80B/516.70A	572.80B/516.70A	----	562.40 + 23.30	.9346	----	----	----	----	5 UNCH
4750	----	----	577.60B/521.40A	577.60B/521.40A	----	567.20 + 23.40	.9359	----	----	----	----	74 UNCH
4755	554.20	554.20	582.40B/526.20A	582.40B/526.20A	----	572.00 + 23.40	.9371	----	----	1	----	18 UNCH
4760	----	----	587.20B/530.90A	587.20B/530.90A	----	576.80 + 23.50	.9384	----	----	----	----	25 UNCH
4765	----	----	592.00B/535.50A	592.00B/535.50A	----	581.70 + 23.60	.9392	----	----	----	----	2 UNCH
4770	----	----	596.00B/540.30A	596.00B/540.30A	----	586.50 + 23.60	.9405	----	----	----	----	1 UNCH
4775	----	----	600.70B/545.00A	600.70B/545.00A	----	591.30 + 23.60	.9417	----	----	----	----	6 UNCH
4780	----	----	606.00B/549.70A	606.00B/549.70A	----	596.10 + 23.60	.9425	----	----	----	----	2 UNCH
4790	----	----	616.20B/559.40A	616.20B/559.40A	----	605.80 + 23.70	.9445	----	----	----	----	73 UNCH
4795	----	----	620.00B/564.20A	620.00B/564.20A	----	610.70 + 23.80	.9457	----	----	----	----	1 UNCH
4800	----	----	625.80B/568.80A	625.80B/568.80A	----	615.50 + 23.80	.9465	----	----	----	----	362 UNCH
4805	----	----	629.70B/573.60A	629.70B/573.60A	----	620.40 + 23.90	.9477	----	----	----	----	2 UNCH
4810	----	----	635.00B/578.30A	635.00B/578.30A	----	625.20 + 23.90	.9485	----	----	----	----	61 UNCH
4815	----	----	640.30B/583.30A	640.30B/583.30A	----	630.10 + 24.00	.9492	----	----	----	----	9 UNCH
4820	----	----	644.70B/588.10A	644.70B/588.10A	----	635.00 + 24.10	.9499	----	----	----	----	24 UNCH
4825	----	----	650.10B/592.90A	650.10B/592.90A	----	639.80 + 24.00	.9511	----	----	----	----	114 UNCH
4830	----	----	654.90B/601.20A	654.90B/601.20A	----	644.70 + 24.10	.9519	----	----	----	----	15 UNCH
4835	----	----	658.80B/606.40A	658.80B/606.40A	----	649.60 + 24.20	.9526	----	----	----	----	126 UNCH
4850	----	----	673.80B/620.90A	673.80B/620.90A	----	664.20 + 24.20	.9552	----	----	----	----	15 UNCH
4855	----	----	679.20B/626.80A	679.20B/626.80A	----	669.10 + 24.30	.9559	----	----	----	----	3 UNCH
4860	----	----	684.10B/631.40A	684.10B/631.40A	----	674.00 + 24.30	.9566	----	----	----	----	6 UNCH
4865	----	----	688.10B/635.40A	688.10B/635.40A	----	678.90 + 24.40	.9573	----	----	----	----	2 UNCH
4870	----	----	692.90B/639.90A	692.90B/639.90A	----	683.80 + 24.40	.9580	----	----	----	----	2 UNCH
4875	----	----	698.70B/645.10A	698.70B/645.10A	----	688.70 + 24.40	.9587	----	----	----	----	16 UNCH
4880	----	----	703.60B/650.50A	703.60B/650.50A	----	693.60 + 24.50	.9594	----	----	----	----	11 UNCH
4885	----	----	708.50B/654.50A	708.50B/654.50A	----	698.50 + 24.50	.9601	----	----	----	----	1 UNCH
4895	----	----	717.80B/663.80A	717.80B/663.80A	----	708.30 + 24.50	.9610	----	----	----	----	2 UNCH
4900	----	----	722.20B/670.50A	722.20B/670.50A	----	713.20 + 24.60	.9616	----	----	----	----	107 UNCH
4905	----	----	727.10B/674.90A	727.10B/674.90A	----	718.10 + 24.60	.9623	----	----	----	----	1 UNCH
4920	----	----	742.30B/688.80A	742.30B/688.80A	----	732.90 + 24.70	.9638	----	----	----	----	4 UNCH
4925	----	----	747.20B/693.90A	747.20B/693.90A	----	737.80 + 24.70	.9645	----	----	----	----	240 UNCH
4930	----	----	752.10B/698.40A	752.10B/698.40A	----	742.70 + 24.70	.9651	----	----	----	----	2 UNCH
4935	----	----	757.50B/703.40A	757.50B/703.40A	----	747.70 + 24.80	.9653	----	----	----	----	5 UNCH
4940	----	----	762.40B/709.10A	762.40B/709.10A	----	752.60 + 24.80	.9659	----	----	----	----	30 UNCH
4945	----	----	767.30B/713.50A	767.30B/713.50A	----	757.50 + 24.80	.9666	----	----	----	----	1 UNCH
4950	----	----	771.30B/718.00A	771.30B/718.00A	----	762.50 + 24.90	.9667	----	----	----	----	25 UNCH
4955	----	----	776.20B/723.60A	776.20B/723.60A	----	767.40 + 24.90	.9674	----	----	----	----	1 UNCH
4965	----	----	787.00B/733.70A	787.00B/733.70A	----	777.30 + 24.90	.9682	----	----	----	----	1 UNCH
4970	----	----	792.00B/737.70A	792.00B/737.70A	----	782.20 + 24.90	.9688	----	----	----	----	1 UNCH
4975	----	----	795.90B/742.60A	795.90B/742.60A	----	787.10 + 24.90	.9689	----	----	----	----	42 UNCH
4980	----	----	801.30B/747.90A	801.30B/747.90A	----	792.10 + 25.00	.9696	----	----	----	----	6 UNCH
4985	----	----	806.70B/752.90A	806.70B/752.90A	----	797.00 + 25.00	.9697	----	----	----	----	2 UNCH
4990	----	----	810.70B/758.10A	810.70B/758.10A	----	802.00 + 25.00	.9703	----	----	----	----	2 UNCH
4995	----	----	816.10B/762.30A	816.10B/762.30A	----	806.90 + 25.00	.9705	----	----	----	----	37 UNCH
5000	----	----	821.50B/767.70A	821.50B/767.70A	----	811.90 + 25.10	.9711	----	----	----	----	555 UNCH
5010	----	----	830.90B/777.90A	830.90B/777.90A	----	821.80 + 25.10	.9718	----	----	----	----	3 UNCH
5015	----	----	836.30B/782.40A	836.30B/782.40A	----	826.70 + 25.10	.9719	----	----	----	----	4 UNCH
5020	----	----	840.40B/787.60A	840.40B/787.60A	----	831.70 + 25.10	.9726	----	----	----	----	10 UNCH
5025	----	----	846.20B/793.30A	846.20B/793.30A	----	836.60 + 25.10	.9727	----	----	----	----	217 UNCH
5030	----	----	850.20B/797.70A	850.20B/797.70A	----	841.60 + 25.20	.9733	----	----	----	----	3 UNCH
5035	----	----	855.60B/802.10A	855.60B/802.10A	----	846.50 + 25.10	.9734	----	----	----	----	13 UNCH
5040	----	----	861.10B/807.10A	861.10B/807.10A	----	851.50 + 25.20	.9735	----	----	----	----	2 UNCH
5045	----	----	865.50B/812.30A	865.50B/812.30A	----	856.40 + 25.20	.9741	----	----	----	----	3 UNCH
5050	----	----	869.90B/817.00A	869.90B/817.00A	----	861.40 + 25.20	.9742	----	----	----	----	201 UNCH
5070	----	----	890.80B/836.40A	890.80B/836.40A	----	881.20 + 25.20	.9756	----	----	----	----	2 UNCH
5075	----	----	895.20B/841.00A	895.20B/841.00A	----	886.20 + 25.30	.9757	----	----	----	----	100 UNCH
5095	----	----	915.50B/861.80A	915.50B/861.80A	----	906.00 + 25.30	.9771	----	----	----	----	6 UNCH
5100	----	----	919.50B/866.50A	919.50B/866.50A	----	911.00 + 25.30	.9772	----	----	----	----	32 UNCH
5150	----	----	969.30B/916.10A	969.30B/916.10A	----	960.70 + 25.40	.9795	----	----	----	----	1 UNCH
5195	----	----	1,013.90B/960.7	1013.90B/960.70A	----	1005.40 + 25.50	.9817	----	----	----	----	5 UNCH
5200	----	----	1,019.90B/966.0	1019.90B/966.00A	----	1010.40 + 25.50	.9817	----	----	----	----	191 UNCH
5250	----	----	1,069.20B/1,015	1069.20B/1015.50A	----	1060.20 + 25.60	.9833	----	----	----	----	127 UNCH
5265	----	----	1,083.80B/1,029	1083.80B/1029.90A	----	1075.10 + 25.50	.9840	----	----	----	----	9 UNCH
5290	----	----	1,109.20B/1,055	1109.20B/1055.10A	----	1100.00 + 25.60	.9848	----	----	----	----	1 UNCH
5300	----	----	1,119.20B/1,064	1119.20B/1064.70A	----	1110.00 + 25.60	.9849	----	----	----	----	3 UNCH
5350	----	----	1,169.20B/1,114	1169.20B/1114.40A	----	1159.80 + 25.60	.9864	----	----	----	----	7 UNCH
5355	----	----	1,174.20B/1,119	1174.20B/1119.70A	----	1164.80 + 25.60	.9864	----	----	----	----	6 UNCH
5360	----	----	1,179.20B/1,125	1179.20B/1125.90A	----	1169.80 + 25.60	.9870	----	----	----	----	60 UNCH
5370	----	----	1,189.70B/1,134	1189.70B/1134.60A	----	1179.80 + 25.60	.9871	----	----	----	----	20 UNCH
5375	----	----	1,194.70B/1,140	1194.70B/1140.10A	----	1184.80 + 25.60	.9871	----	----	----	----	34 UNCH
5400	----	----	1,219.80B/1,164	1219.80B/1164.10A	----	1209.70 + 25.60	.9878	55	----	55	----	78 UNCH
5415	----	----	1,233.80B/1,179	1233.80B/1179.40A	----	1224.70 + 25.70	.9879	----	----	----	----	4 UNCH
5465	----	----	1,284.40B/1,228	1284.40B/1228.70A	----	1274.60 + 25.70	.9888	----	----	----	----	50 UNCH
5480	----	----	1,299.10B/1,244	1299.10B/1244.40A	----	1289.60 + 25.70	.9889	----	----	----	----	25 UNCH
5500	----	----	1,319.50B/1,265	1319.50B/1265.00A	----	1309.60 + 25.70	.9895	----	----	----	----	1 UNCH
5525	----	----	1,344.20B/1,288	1344.20B/1288.70A	----	1334.50 + 25.70	.9897	----	----	----	----	1 UNCH
5600	----	----	1,420.30B/1,363	1420.30B/1363.20A	----	1409.40 + 25.60	.9911	----	----	----	----	5 UNCH
5700	----	----	1,520.20B/1,463	1520.20B/1463.80A	----	1509.40 + 25.70	.9926	----	----	----	----	0 UNCH
9500	----	----	5,286.60B/----	5286.60B/5322.20A	----	5309.40 + 25.70	1.0000	----	----	100	----	0 UNCH
10000	----	----	5,786.10B/----	5786.10B/5822.30A	----	5809.40 + 25.70	1.0000	----	----	----	----	0 - 68
TOTAL										2424		96996 + 278
JAN27												
2625	----	----	----	0.70B/0.80A	----	0.70 - 0.10	.0027	----	----	----	----	34 UNCH
2650	0.80	0.80	0.80/0.80	0.80/0.80	----	0.80 UNCH	.0031	----	----	10	----	22 + 8
2675	----	----	----	0.80B/0.90A	----	0.80 - 0.10	.0032	----	----	----	----	11 UNCH
2700	----	----	----/0.90A	0.90B/0.90A	----	0.80 - 0.20	.0032	----	----	----	----	35 UNCH
2725	----	----	----	0.90B/1.00A	----	0.90 - 0.10	.0036	----	----	----	----	1 UNCH
2750	----	----	----/1.00A	1.00B/1.00A	----	0.90 - 0.20	.0037	----	----	----	----	3 UNCH
2800	----	----	----/1.10A	1.10B/1.10A	----	1.10 - 0.10	.0045	----	----	----	----	38 UNCH
2850	----	----	----/1.30A	1.30B/1.30A	----	1.30 - 0.10	.0054	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JAN27												
2870	----	----	----	1.30B/1.40A	----	1.30 - 0.10	.0055	----	----	----	----	1 UNCH
2890	----	----	----/1.40A	1.40B/1.40A	----	1.40 - 0.10	.0059	----	----	----	----	2 UNCH
2900	----	----	----	1.40B/1.50A	----	1.40 - 0.10	.0060	----	----	----	----	1 UNCH
2910	----	----	----/1.50A	1.50B/1.50A	----	1.50 - 0.10	.0064	----	----	----	----	2 UNCH
2915	----	----	----/1.50A	1.50B/1.50A	----	1.50 - 0.10	.0064	----	----	----	----	1 UNCH
2940	----	----	----/1.60A	1.60B/1.60A	----	1.60 - 0.10	.0069	----	----	----	----	10 UNCH
2950	----	----	----	1.60B/1.70A	----	1.60 - 0.10	.0069	----	----	----	----	2 UNCH
2960	----	----	----/1.70A	1.70B/1.70A	----	1.70 - 0.10	.0073	----	----	----	----	2 UNCH
2980	----	----	----/1.80A	1.80B/1.80A	----	1.80 - 0.10	.0078	----	----	----	----	1 UNCH
3000	----	----	----/1.90A	1.90B/1.90A	----	1.80 - 0.20	.0079	----	----	----	----	65 UNCH
3005	----	----	----/1.90A	1.90B/1.90A	----	1.90 - 0.10	.0083	----	----	----	----	24 UNCH
3010	----	----	----/1.90A	2.00B/1.90A	----	1.90 - 0.10	.0083	----	----	----	----	16 UNCH
3045	----	----	----/2.10A	2.20B/2.10A	----	2.10 - 0.10	.0093	----	----	----	----	14 UNCH
3060	----	----	----/2.20A	2.30B/2.20A	----	2.20 - 0.10	.0098	----	----	----	----	11 UNCH
3065	----	----	----/2.20A	2.30B/2.20A	----	2.20 - 0.20	.0098	----	----	----	----	11 UNCH
3070	----	----	----/2.30A	2.30B/2.30A	----	2.20 - 0.20	.0098	----	----	----	----	4 UNCH
3080	----	----	----/2.30A	2.40B/2.30A	----	2.30 - 0.20	.0103	----	----	----	----	20 UNCH
3085	----	----	----/2.30A	2.40B/2.30A	----	2.30 - 0.20	.0103	----	----	----	----	10 UNCH
3090	2.50	2.50	2.50/2.40A	2.50/2.40A	----	2.30 - 0.20	.0104	----	----	1	----	22 + 1
3095	2.50	2.50	2.50/2.40A	2.50/2.40A	----	2.40 - 0.20	.0108	----	----	14	----	233 + 9
3100	2.60	2.60	2.60/2.40A	2.60/2.40A	----	2.40 - 0.20	.0108	----	----	1	----	47 - 1
3105	----	----	----/2.50A	2.60B/2.50A	----	2.40 - 0.20	.0109	----	----	----	----	24 UNCH
3110	----	----	----/2.50A	2.60B/2.50A	----	2.50 - 0.20	.0113	----	----	----	----	5 UNCH
3125	----	----	----/2.60A	2.70B/2.60A	----	2.60 - 0.20	.0118	----	----	----	----	16 UNCH
3150	----	----	----/2.80A	2.90B/2.80A	----	2.80 - 0.20	.0127	----	----	80	----	101 + 65
3160	----	----	----/2.90A	3.00B/2.90A	----	2.80 - 0.20	.0129	----	----	----	----	1 UNCH
3175	----	----	----/3.00A	3.20B/3.00A	----	3.00 - 0.20	.0138	----	----	----	----	7 UNCH
3200	----	----	----/3.20A	3.40B/3.20A	----	3.20 - 0.20	.0148	----	----	----	----	24 UNCH
3215	----	----	3.60B/3.40A	3.60B/3.40A	----	3.30 - 0.20	.0153	----	----	----	----	6 UNCH
3225	----	----	3.70B/3.50A	3.70B/3.50A	----	3.40 - 0.20	.0158	----	----	----	----	14 UNCH
3240	----	----	3.90B/3.60A	3.90B/3.60A	----	3.60 - 0.20	.0168	----	----	----	----	15 UNCH
3250	----	----	4.00B/3.70A	4.00B/3.70A	----	3.70 - 0.20	.0173	----	----	----	----	46 UNCH
3270	----	----	4.20B/4.00A	4.20B/4.00A	----	4.00 - 0.10	.0187	----	----	----	----	22 UNCH
3280	----	----	4.40B/4.10A	4.40B/4.10A	----	4.10 - 0.20	.0192	----	----	----	----	1 UNCH
3285	----	----	4.40B/4.10A	4.40B/4.10A	----	4.20 - 0.10	.0197	----	----	----	----	2 UNCH
3295	----	----	4.60B/4.30A	4.60B/4.30A	----	4.30 - 0.20	.0202	----	----	----	----	6 UNCH
3300	4.40	4.40	4.70B/4.30A	4.70B/4.30A	----	4.40 - 0.10	.0207	----	----	6	----	67 + 5
3305	----	----	4.70B/4.40A	4.70B/4.40A	----	4.40 - 0.20	.0208	----	----	----	----	15 UNCH
3310	----	----	4.80B/4.50A	4.80B/4.50A	----	4.50 - 0.20	.0212	----	----	----	----	6 UNCH
3320	----	----	5.00B/4.60A	5.00B/4.60A	----	4.70 - 0.10	.0222	----	----	----	----	10 UNCH
3325	----	----	5.10B/4.70A	5.10B/4.70A	----	4.70 - 0.20	.0223	----	----	1	----	303 + 1
3330	----	----	5.10B/4.70A	5.10B/4.70A	----	4.80 - 0.20	.0227	----	----	----	----	2 UNCH
3335	----	----	5.20B/4.80A	5.20B/4.80A	----	4.90 - 0.10	.0232	----	----	----	----	7 UNCH
3340	----	----	5.30B/4.90A	5.30B/4.90A	----	5.00 - 0.10	.0237	----	----	----	----	4 UNCH
3345	----	----	5.40B/5.00A	5.40B/5.00A	----	5.10 - 0.10	.0241	----	----	2	----	9 UNCH
3350	5.50	5.50	5.50/5.00A	5.50/5.00A	----	5.10 - 0.20	.0242	----	----	5	----	11 + 4
3355	----	----	5.60B/5.10A	5.60B/5.10A	----	5.20 - 0.10	.0247	----	----	----	----	1 UNCH
3365	----	----	5.80B/5.30A	5.80B/5.30A	----	5.40 - 0.10	.0257	----	----	----	----	1 UNCH
3370	5.40	5.40	5.90B/5.40	5.90B/5.40	----	5.50 - 0.10	.0262	----	----	4	----	7 + 4
3375	----	----	6.00B/5.50A	6.00B/5.50A	----	5.60 - 0.10	.0266	----	----	----	----	8 UNCH
3380	----	----	6.10B/5.60A	6.10B/5.60A	----	5.70 - 0.10	.0271	----	----	----	----	67 UNCH
3385	----	----	6.20B/5.60A	6.20B/5.60A	----	5.80 - 0.10	.0276	----	----	----	----	10 UNCH
3395	----	----	6.40B/5.80A	6.40B/5.80A	----	6.00 - 0.10	.0286	----	----	----	----	2 UNCH
3400	----	----	6.50B/5.90A	6.50B/5.90A	----	6.10 - 0.10	.0291	----	----	1	----	352 + 1
3410	----	----	6.80B/6.10A	6.80B/6.10A	----	6.30 - 0.10	.0301	----	----	----	----	4 UNCH
3415	----	----	6.90B/6.20A	6.90B/6.20A	----	6.40 - 0.10	.0306	----	----	----	----	5 UNCH
3420	----	----	7.00B/6.30A	7.00B/6.30A	----	6.50 - 0.10	.0311	----	----	----	----	6 UNCH
3425	----	----	7.10B/6.40A	7.10B/6.40A	----	6.60 - 0.10	.0316	----	----	----	----	3 UNCH
3430	----	----	7.30B/6.50A	7.30B/6.50A	----	6.80 UNCH	.0325	----	----	----	----	5 UNCH
3435	----	----	7.40B/6.60A	7.40B/6.60A	----	6.90 UNCH	.0330	----	----	----	----	4 UNCH
3440	----	----	7.50B/6.70A	7.50B/6.70A	----	7.00 UNCH	.0335	----	----	----	----	5 UNCH
3445	----	----	7.70B/6.80A	7.70B/6.80A	----	7.10 - 0.10	.0340	----	----	----	----	17 UNCH
3450	----	----	7.80B/6.90A	7.80B/6.90A	----	7.30 UNCH	.0349	----	----	----	----	55 UNCH
3455	----	----	8.00B/7.10A	8.00B/7.10A	----	7.40 UNCH	.0354	----	----	----	----	3 UNCH
3460	----	----	8.10B/7.30A	8.10B/7.30A	----	7.50 UNCH	.0359	----	----	----	----	1 UNCH
3470	----	----	8.40B/7.40A	8.40B/7.40A	----	7.80 UNCH	.0374	----	----	----	----	7 UNCH
3475	----	----	8.60B/7.60A	8.60B/7.60A	----	7.90 UNCH	.0379	----	----	----	----	6 UNCH
3480	----	----	8.70B/7.70A	8.70B/7.70A	----	8.10 UNCH	.0388	----	----	----	----	2 UNCH
3495	----	----	9.20B/8.10A	9.20B/8.10A	----	8.60 + 0.10	.0411	----	----	----	----	54 UNCH
3500	8.70	8.70	9.40B/8.20A	9.40B/8.20A	----	8.70 UNCH	.0417	----	----	3	----	725 + 3
3510	----	----	9.80B/8.60A	9.80B/8.60A	----	9.00 UNCH	.0431	----	----	----	----	2 UNCH
3520	----	----	10.20B/8.90A	10.20B/8.90A	----	9.40 + 0.10	.0450	----	----	10	----	15 + 9
3525	9.70	9.70	10.40B/9.00A	10.40B/9.00A	----	9.60 + 0.10	.0459	----	----	18	----	23 + 18
3530	----	----	10.60B/9.20A	10.60B/9.20A	----	9.80 + 0.10	.0468	----	----	----	----	21 UNCH
3535	----	----	10.80B/9.40A	10.80B/9.40A	----	9.90 UNCH	.0474	----	----	----	----	8 UNCH
3540	10.20	10.20	11.00B/9.50A	11.00B/9.50A	----	10.10 UNCH	.0483	----	----	2	----	0 - 2
3545	10.30	10.30	11.20B/9.70A	11.20B/9.70A	----	10.30 + 0.10	.0493	----	----	1	----	1 - 1
3550	----	----	11.40B/9.90A	11.40B/9.90A	----	10.50 + 0.10	.0502	----	----	2	----	1141 + 1
3555	----	----	11.60B/10.10A	11.60B/10.10A	----	10.70 + 0.10	.0511	----	----	----	----	7 UNCH
3560	----	----	11.90B/10.30A	11.90B/10.30A	----	10.90 + 0.10	.0521	----	----	----	----	6 UNCH
3565	11.30	11.30	12.10B/10.40A	12.10B/10.40A	----	11.20 + 0.20	.0534	----	----	9	----	17 + 9
3570	----	----	12.30B/10.60A	12.30B/10.60A	----	11.40 + 0.10	.0543	----	----	----	----	11 UNCH
3575	11.70	11.70	12.60B/10.80A	12.60B/10.80A	----	11.60 + 0.10	.0553	----	----	7	----	36 + 7
3580	----	----	12.80B/11.00A	12.80B/11.00A	----	11.80 + 0.10	.0562	----	----	----	----	8 UNCH
3585	----	----	13.10B/11.20A	13.10B/11.20A	----	12.10 + 0.20	.0575	----	----	----	----	220 UNCH
3590	----	----	13.40B/11.60A	13.40B/11.60A	----	12.30 + 0.10	.0585	----	----	----	----	1 UNCH
3595	12.70	12.70	13.60B/11.70A	13.60B/11.70A	----	12.50 + 0.10	.0595	----	----	13	----	25 + 13
3600	13.00	13.00	13.90B/11.90A	13.90B/11.90A	----	12.80 + 0.20	.0608	----	----	186	----	373 + 42
3605	----	----	14.20B/12.20A	14.20B/12.20A	----	13.10 + 0.20	.0621	----	----	----	----	18 UNCH
3610	13.50	13.50	14.50B/12.50A	14.50B/12.50A	----	13.30 + 0.20	.0631	----	----	15	----	19 + 14
3615	----	----	14.80B/12.60A	14.80B/12.60A	----	13.60 + 0.20	.0644	----	----	----	----	28 UNCH
3620	----	----	15.10B/12.90A	15.10B/12.90A	----	13.90 + 0.30	.0657	----	----	1	----	31 UNCH
3625	----	----	15.40B/13.10A	15.40B/13.10A	----	14.10 + 0.20	.0668	----	----	----	----	25 UNCH
3630	----	----	15.70B/13.30A	15.70B/13.30A	----	14.40 + 0.20	.0681	----	----	----	----	18 UNCH
3635	----	----	16.00B/13.60A	16.00B/13.60A	----	14.70 + 0.20	.0694	----	----	----	----	1 UNCH
3640	----	----	16.30B/13.90A	16.30B/13.90A	----	15.00 + 0.30	.0708	----	----	----	----	10 UNCH
3645	----	----	16.70B/14.10A	16.70B/14.10A	----	15.30 + 0.30	.0721	----	----	----	----	6 UNCH
3650	16.50	16.50	17.00B/14.40A	17.00B/14.40A	----	15.70 + 0.40	.0738	----	----	13	----	126 + 3
3655	----	----	17.40B/14.70A	17.40B/14.70A	----	16.00 + 0.40	.0751	----	----	----	----	21 UNCH
3665	----	----	18.10B/15.30A	18.10B/15.30A	----	16.60 + 0.30	.0779	----	----	----	----	1 UNCH
3670	17.10	17.10	18.50B/15.60A	18.50B/15.60A	----	17.00 + 0.40	.0796	----	----	4	----	6 + 2
3675	----	----	18.90B/15.90A	18.90B/15.90A	----	17.30 + 0.40	.0810	----	----	----	----	26 UNCH
3680	18.30	18.30	19.20B/16.20A	19.20B/16.20A	----	17.70 + 0.40	.0826	----	----	5	----	8 + 5
3685	----	----	19.60B/16.50A	19.60B/16.50A	----	18.10 + 0.50	.0843	----	----	1	----	29 + 1
3690	18.70	18.70	20.10B/16.80A	20.10B/16.80A	----	18.50 + 0.50	.0860	----	----	1	----	23 + 1
3695	----	----	20.50B/17.20A	20.50B/17.20A	----	18.80 + 0.50	.0875	----	----	----	----	16 UNCH
3700	19.00	19.00	20.90B/17.50A	20.90B/17.50A	----	19.20 + 0.50	.0892	----	----	3	----	982 - 1
3705	----	----	21.30B/17.90A	21.30B/17.90A	----	19.60 + 0.50	.0909	----	----	----	----	11 UNCH
3710	----	----	21.80B/18.20A	21.80B/18.20A	----	20.10 + 0.60	.0929	----	----	----	----	6 UNCH
3715	21.00	21.00	22.20B/18.60A	22.20B/18.60A	----	20.50 + 0.60	.0946	----	----	1	----	18 + 1
3720	----	----	22.70B/19.00A	22.70B/19.00A	----	20.90 + 0.60	.0964	----	----	2	----	9 UNCH
3725	----	----	23.20B/19.40A	23.20B/19.40A	----	21.40 + 0.70	.0984	----	----	----	----	37 UNCH
3730	----	----	23.70B/19.70A	23.70B/19.70A	----	21.80 + 0.70	.1002	----	----	----	----	190 UNCH
3735	----	----	24.20B/20.10A	24.20B/20.10A	----	22.30 + 0.80	.1022	----	----	----	----	3 UNCH
3740	----	----	24.70B/20.60A	24.70B/20.60A	----	22.80 + 0.80	.1042	----	----	----	----	20 UNCH
3745	----	----	25.20B/21.00A	25.20B/21.00A	----	23.20 + 0.80	.1060	----	----	1	----	35 + 1
3750	----	----	25.70B/21.40A	25.70B/21.40A	----	23.70 + 0.80	.1081	----	----	1	----	103 UNCH
3755	----	----	26.30B/21.80A	26.30B/21.80A	----	24.20 + 0.80	.1102	----	----	----	----	5 UNCH
3760	24.70	24.70	26.80B/22.30A	26.80B/22.30A	----	24.80 + 0.90	.1125	----	----	1	----	46 UNCH
3765	----	----	27.40B/22.70A	27.40B/22.70A	----	25.30 + 0.90	.1146	----	----	----	----	24 UNCH
3770	----	----	28.00B/23.20A	28.00B/23.20A	----	25.80 + 0.90	.1167	----	----	----	----	30 UNCH
3775	26.50	26.50	28.60B/23.70A	28.60B/23.70A	----	26.40 + 1.00	.1190	----	----	3	----	44 + 3
3780	27.30	27.30	29.20B/24.20A	29.20B/24.20A	----	27.00 + 1.10	.1214	----	----	14	----	18 + 14
3785	----	----	29.80B/24.70A	29.80B/24.70A	----	27.50 + 1.00	.1235	----	----	----	----	8 UNCH
3790	----	----	30.40B/25.20A	30.40B/25.20A	----	28.10 + 1.10	.1259	----	----	----	----	33 UNCH
3795	----	----	31.10B/25.70A	31.10B/25.70A	----	28.70 + 1.10	.1283	----	----	----	----	13 UNCH
3800	28.40	28.40	31.70B/26.30A	31.70B/26.30A	----	29.40 + 1.30	.1309	----	----	14	----	851 + 1
3805	30.20	30.20	32.40B/26.80A	32.40B/26.80A	----	30.00 + 1.30	.1333	----	----	5	----	23 - 5
3810	----	----	33.10B/27.40A	33.10B/27.40A	----	30.60 + 1.30	.1357	----	----	----	----	8 UNCH
3815	----	----	33.80B/27.90A	33.80B/27.90A	----	31.30 + 1.30	.1384	----	----	----	----	16 UNCH
3820	----	----	34.50B/28.50A	34.50B/28.50A	----	32.00 + 1.40	.1411	----	----	----	----	6 UNCH
3825	----	----	35.20B/29.10A	35.20B/29.10A	----	32.70 + 1.50	.1437	----	----	----	----	11 UNCH
3830	----	----	36.00B/29.70A	36.00B/29.70A	----	33.40 + 1.50	.1464	----	----	1	----	18 + 1
3835	----	----	36.70B/30.30A	36.70B/30.30A	----	34.10 + 1.50	.1491	----	----	----	----	14 UNCH
3840	----	----	37.50B/31.00A	37.50B/31.00A	----	34.80 + 1.60	.1518	----	----	----	----	19 UNCH
3845	----	----	38.30B/31.50A	38.30B/31.50A	----	35.60 + 1.70	.1547	----	----	----	----	4 UNCH
3850	----	----	39.10B/32.30A	39.10B/32.30A	----	36.30 + 1.70	.1575	----	----	----	----	769 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 13

FINAL

OG PUT COMEX GOLD OPTIONS
JAN27

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3855	----	----	40.00B/32.90A	40.00B/32.90A	----	37.10 + 1.70	.1604	----	----	----	----	14 UNCH
3860	----	----	40.80B/33.60A	40.80B/33.60A	----	37.90 + 1.80	.1634	----	----	----	----	112 UNCH
3865	----	----	41.70B/34.30A	41.70B/34.30A	----	38.70 + 1.80	.1663	----	----	----	----	4 UNCH
3870	----	----	42.60B/35.00A	42.60B/35.00A	----	39.60 + 1.90	.1695	----	----	----	----	52 UNCH
3875	----	----	43.50B/35.70A	43.50B/35.70A	----	40.40 + 2.00	.1725	----	----	----	----	9 UNCH
3880	----	----	44.40B/36.40A	44.40B/36.40A	----	41.30 + 2.00	.1757	----	----	----	----	9 UNCH
3885	----	----	45.30B/37.20A	45.30B/37.20A	----	42.20 + 2.10	.1789	----	----	----	----	9 UNCH
3890	42.20	42.20	46.30B/38.00A	46.30B/38.00A	----	43.10 + 2.20	.1821	----	----	3	----	38 + 3
3895	----	----	47.20B/38.80A	47.20B/38.80A	----	44.00 + 2.20	.1853	----	----	----	----	35 UNCH
3900	----	----	48.20B/39.70A	48.20B/39.70A	----	44.90 + 2.20	.1886	----	----	3	----	595 - 1
3905	----	----	49.20B/40.40A	49.20B/40.40A	----	45.90 + 2.40	.1920	----	----	----	----	32 UNCH
3910	47.80	47.80	50.30B/41.30A	50.30B/41.30A	----	46.90 + 2.40	.1954	----	----	4	----	13 + 4
3915	----	----	51.30B/42.10A	51.30B/42.10A	----	47.90 + 2.50	.1989	----	----	----	----	81 UNCH
3920	----	----	52.40B/43.00A	52.40B/43.00A	----	48.90 + 2.60	.2023	----	----	1	----	6 + 1
3925	50.90	50.90	53.50B/43.90A	53.50B/43.90A	----	49.90 + 2.60	.2058	----	----	1	----	6 UNCH
3930	----	----	54.60B/44.80A	54.60B/44.80A	----	51.00 + 2.70	.2095	----	----	1	----	7 + 1
3935	----	----	55.80B/45.70A	55.80B/45.70A	----	52.00 + 2.70	.2129	----	----	----	----	15 UNCH
3940	----	----	56.90B/46.60A	56.90B/46.60A	----	53.10 + 2.80	.2166	----	----	----	----	4 UNCH
3945	----	----	58.10B/47.50A	58.10B/47.50A	----	54.20 + 2.90	.2203	----	----	----	----	52 UNCH
3950	----	----	59.30B/48.70A	59.30B/48.70A	----	55.40 + 3.00	.2241	----	----	----	----	566 UNCH
3955	----	----	60.50B/49.60A	60.50B/49.60A	----	56.50 + 3.00	.2278	----	----	----	----	18 UNCH
3960	----	----	61.80B/50.60A	61.80B/50.60A	----	57.70 + 3.10	.2317	----	----	----	----	36 UNCH
3965	----	----	63.00B/51.70A	63.00B/51.70A	----	58.90 + 3.20	.2356	----	----	----	----	29 UNCH
3970	----	----	64.30B/52.70A	64.30B/52.70A	----	60.10 + 3.20	.2395	----	----	1	----	10 + 1
3975	----	----	65.60B/54.00A	65.60B/54.00A	----	61.40 + 3.40	.2435	----	----	6	----	64 + 2
3980	----	----	67.00B/54.80A	67.00B/54.80A	----	62.70 + 3.50	.2475	----	----	----	----	23 UNCH
3985	----	----	68.30B/56.00A	68.30B/56.00A	----	63.90 + 3.50	.2514	----	----	----	----	21 UNCH
3990	----	----	69.70B/57.10A	69.70B/57.10A	----	65.30 + 3.70	.2557	----	----	----	----	23 UNCH
3995	----	----	71.10B/58.30A	71.10B/58.30A	----	66.60 + 3.70	.2597	----	----	----	----	65 UNCH
4000	62.00	62.00	72.50B/59.70A	72.50B/59.70A	----	68.00 + 3.80	.2639	----	----	1	----	679 UNCH
4005	----	----	74.00B/60.70A	74.00B/60.70A	----	69.30 + 3.80	.2680	----	----	----	----	11 UNCH
4010	----	----	75.50B/61.80A	75.50B/61.80A	----	70.70 + 3.90	.2723	----	----	----	----	19 UNCH
4015	----	----	77.00B/63.10A	77.00B/63.10A	----	72.20 + 4.10	.2766	----	----	----	----	19 UNCH
4020	78.60	78.60	78.60/64.50A	78.60/64.50A	----	73.60 + 4.10	.2809	----	----	17	----	17 + 9
4025	80.30	80.30	80.30/65.60A	80.30/65.60A	----	75.10 + 4.20	.2852	----	----	2	----	16 UNCH
4030	----	----	81.70B/66.90A	81.70B/66.90A	----	76.60 + 4.30	.2896	----	----	----	----	143 UNCH
4035	83.50	83.50	83.50/68.40A	83.50/68.40A	----	78.20 + 4.50	.2941	----	----	2	----	11 UNCH
4040	----	----	84.90B/69.70A	84.90B/69.70A	----	79.70 + 4.50	.2985	----	----	----	----	9 UNCH
4045	----	----	86.60B/71.00A	86.60B/71.00A	----	81.30 + 4.60	.3030	----	----	----	----	14 UNCH
4050	84.90	84.90	88.30B/72.80A	88.30B/72.80A	----	82.90 + 4.70	.3076	----	----	7	----	133 + 1
4055	85.20	85.20	90.00B/74.00A	90.00B/74.00A	----	84.60 + 4.90	.3122	----	----	1	----	57 UNCH
4060	85.00	85.00	91.70B/75.30A	91.70B/75.30A	----	86.20 + 4.90	.3167	----	----	4	----	10 + 3
4065	87.50	87.50	93.50B/76.80A	93.50B/76.80A	----	87.90 + 5.00	.3214	----	----	4	----	16 - 1
4070	89.50	89.50	95.30B/78.30A	95.30B/78.30A	----	89.60 + 5.10	.3260	----	----	1	----	46 + 1
4075	----	----	97.10B/80.30A	97.10B/80.30A	----	91.40 + 5.30	.3307	----	----	----	----	27 UNCH
4080	93.80	93.80	98.90B/81.40A	98.90B/81.40A	----	93.10 + 5.30	.3354	----	----	3	----	140 - 2
4085	----	----	100.80B/83.10A	100.80B/83.10A	----	94.90 + 5.40	.3401	----	----	----	----	26 UNCH
4090	97.40	97.40	102.70B/84.60A	102.70B/84.60A	----	96.80 + 5.60	.3450	----	----	1	----	8 - 1
4095	----	----	104.60B/86.20A	104.60B/86.20A	----	98.60 + 5.70	.3497	----	----	----	----	10 UNCH
4100	----	----	106.60B/88.20A	106.60B/88.20A	----	100.50 + 5.80	.3546	----	----	201	----	362 - 169
4105	101.90	101.90	108.60B/89.60A	108.60B/89.60A	----	102.40 + 5.90	.3594	----	----	1	----	29 UNCH
4110	104.00	104.00	110.60B/91.30A	110.60B/91.30A	----	104.30 + 6.00	.3643	----	----	2	----	48 + 1
4115	106.90	106.90	112.60B/93.00A	112.60B/93.00A	----	106.30 + 6.20	.3692	----	----	4	----	34 + 3
4120	108.90	108.90	114.70B/94.70A	114.70B/94.70A	----	108.30 + 6.30	.3741	----	----	1	----	10 + 1
4125	110.90	110.90	116.80B/96.90A	116.80B/96.90A	----	110.30 + 6.40	.3790	----	----	2	----	375 UNCH
4130	----	----	118.90B/98.40A	118.90B/98.40A	----	112.40 + 6.60	.3840	----	----	----	----	27 UNCH
4135	115.00	115.00	121.10B/100.40A	121.10B/100.40A	----	114.40 + 6.70	.3889	----	----	2	----	45 UNCH
4140	117.00	117.00	123.30B/102.10A	123.30B/102.10A	----	116.50 + 6.80	.3939	----	----	2	----	61 - 1
4145	119.10	119.10	125.50B/104.00A	125.50B/104.00A	----	118.70 + 7.00	.3989	----	----	9	----	47 + 2
4150	119.80	119.80	127.70B/106.20A	127.70B/106.20A	----	120.90 + 7.10	.4039	----	----	6	----	287 - 4
4155	122.10	122.10	130.00B/107.80A	130.00B/107.80A	----	123.00 + 7.20	.4089	----	----	2	----	6 + 1
4160	124.30	124.30	132.20B/109.80A	132.20B/109.80A	----	125.30 + 7.40	.4140	----	----	1	----	227 + 1
4165	126.40	126.40	134.60B/111.80A	134.60B/111.80A	----	127.50 + 7.50	.4190	----	----	6	----	75 + 1
4170	----	----	136.90B/113.80A	136.90B/113.80A	----	129.80 + 7.70	.4241	----	----	----	----	44 UNCH
4175	----	----	139.30B/116.30A	139.30B/116.30A	----	132.10 + 7.80	.4292	----	----	----	----	48 UNCH
4180	----	----	141.70B/118.00A	141.70B/118.00A	----	134.50 + 8.00	.4342	----	----	26	----	34 - 10
4185	----	----	144.10B/120.00A	144.10B/120.00A	----	136.80 + 8.10	.4393	----	----	----	----	41 UNCH
4190	----	----	146.60B/122.30A	146.60B/122.30A	----	139.20 + 8.20	.4444	----	----	----	----	24 UNCH
4195	----	----	149.10B/124.40A	149.10B/124.40A	----	141.70 + 8.40	.4495	----	----	----	----	13 UNCH
4200	----	----	151.60B/126.80A	151.60B/126.80A	----	144.10 + 8.50	.4546	----	----	7	----	397 + 1
4205	----	----	154.10B/128.70A	154.10B/128.70A	----	146.60 + 8.70	.4597	----	----	----	----	19 UNCH
4210	147.60	147.60	156.70B/131.00A	156.70B/131.00A	----	149.10 + 8.80	.4647	----	----	3	----	16 UNCH
4215	----	----	159.30B/133.40A	159.30B/133.40A	----	151.70 + 9.00	.4698	----	----	10	----	31 + 10
4220	----	----	161.90B/135.70A	161.90B/135.70A	----	154.20 + 9.10	.4749	----	----	10	----	12 + 10
4225	159.70	159.70	164.60B/138.00A	164.60B/138.00A	----	156.80 + 9.30	.4800	----	----	54	----	64 + 51
4230	----	----	167.30B/140.40A	167.30B/140.40A	----	159.40 + 9.40	.4851	----	----	----	----	43 UNCH
4235	170.00	170.00	170.00/142.70A	170.00/142.70A	----	162.10 + 9.60	.4901	----	----	1	----	82 UNCH
4240	166.50	166.50	172.70B/145.20A	172.70B/145.20A	----	164.80 + 9.80	.4952	----	----	7	----	52 - 5
4245	167.40	167.40	175.50B/147.50A	175.50B/147.50A	----	167.50 + 9.90	.5002	----	----	7	----	19 - 2
4250	171.70	171.70	178.30B/150.20A	178.30B/150.20A	----	170.20 + 10.00	.5053	----	----	7	----	256 - 3
4255	174.80	174.80	181.10B/152.50A	181.10B/152.50A	----	173.00 + 10.20	.5103	----	----	10	----	43 + 10
4260	182.40	182.40	183.90B/154.90A	183.90B/154.90A	----	175.80 + 10.30	.5153	----	----	14	----	32 + 12
4265	----	----	186.80B/157.60A	186.80B/157.60A	----	178.60 + 10.50	.5203	----	----	----	----	54 UNCH
4270	----	----	189.70B/160.00A	189.70B/160.00A	----	181.40 + 10.60	.5253	----	----	----	----	101 UNCH
4275	----	----	192.60B/163.00A	192.60B/163.00A	----	184.30 + 10.70	.5303	----	----	----	----	89 UNCH
4280	----	----	195.60B/165.30A	195.60B/165.30A	----	187.20 + 10.90	.5352	----	----	----	----	20 UNCH
4285	----	----	198.60B/167.90A	198.60B/167.90A	----	190.10 + 11.00	.5401	----	----	----	----	18 UNCH
4290	----	----	201.60B/170.60A	201.60B/170.60A	----	193.10 + 11.20	.5451	----	----	----	----	9 UNCH
4295	----	----	204.60B/173.20A	204.60B/173.20A	----	196.10 + 11.30	.5500	----	----	----	----	31 UNCH
4300	----	----	207.60B/176.30A	207.60B/176.30A	----	199.10 + 11.50	.5548	----	----	----	----	211 UNCH
4310	----	----	213.80B/181.60A	213.80B/181.60A	----	205.20 + 11.70	.5645	----	----	----	----	50 UNCH
4315	----	----	217.00B/184.30A	217.00B/184.30A	----	208.20 + 11.80	.5693	----	----	----	----	5 UNCH
4320	----	----	220.10B/187.40A	220.10B/187.40A	----	211.30 + 11.90	.5741	----	----	----	----	7 UNCH
4325	----	----	223.30B/190.10A	223.30B/190.10A	----	214.50 + 12.10	.5789	----	----	----	----	9 UNCH
4330	----	----	226.40B/193.10A	226.40B/193.10A	----	217.60 + 12.20	.5836	----	----	----	----	68 UNCH
4335	----	----	229.60B/196.00A	229.60B/196.00A	----	220.80 + 12.40	.5883	----	----	----	----	1 UNCH
4340	----	----	232.80B/199.00A	232.80B/199.00A	----	224.00 + 12.50	.5930	----	----	----	----	8 UNCH
4345	----	----	236.10B/201.90A	236.10B/201.90A	----	227.30 + 12.70	.5977	----	----	----	----	16 UNCH
4350	----	----	239.40B/204.90A	239.40B/204.90A	----	230.50 + 12.80	.6023	----	----	----	----	123 UNCH
4355	----	----	242.70B/208.10A	242.70B/208.10A	----	233.80 + 12.90	.6069	----	----	----	----	65 UNCH
4360	----	----	246.10B/210.90A	246.10B/210.90A	----	237.10 + 13.10	.6114	----	----	----	----	3 UNCH
4365	----	----	249.40B/214.20A	249.40B/214.20A	----	240.40 + 13.20	.6160	----	----	----	----	22 UNCH
4370	239.50	239.50	252.80B/217.20A	252.80B/217.20A	----	243.80 + 13.30	.6205	----	----	10	----	54 + 10
4375	----	----	256.20B/220.40A	256.20B/220.40A	----	247.10 + 13.40	.6250	----	----	----	----	201 UNCH
4380	----	----	259.70B/223.50A	259.70B/223.50A	----	250.50 + 13.50	.6294	----	----	----	----	27 UNCH
4385	----	----	263.10B/226.70A	263.10B/226.70A	----	254.00 + 13.70	.6339	----	----	----	----	60 UNCH
4390	237.00	237.00	266.60B/230.10A	266.60B/230.10A	----	257.40 + 13.80	.6383	----	----	1	----	7 UNCH
4395	----	----	270.10B/233.00A	270.10B/233.00A	----	260.90 + 14.00	.6426	----	----	----	----	4 UNCH
4400	----	----	273.70B/236.40A	273.70B/236.40A	----	264.40 + 14.20	.6470	----	----	----	----	403 UNCH
4405	263.30	263.30	277.20B/239.60A	277.20B/239.60A	----	267.90 + 14.30	.6513	----	----	10	----	11 - 2
4410	----	----	280.80B/243.40A	280.80B/243.40A	----	271.40 + 14.40	.6555	----	----	----	----	4 UNCH
4420	----	----	288.00B/250.90A	288.00B/250.90A	----	278.50 + 14.60	.6639	----	----	----	----	6 UNCH
4425	----	----	291.60B/253.30A	291.60B/253.30A	----	282.10 + 14.70	.6681	----	----	----	----	94 UNCH
4430	----	----	295.20B/256.80A	295.20B/256.80A	----	285.70 + 14.90	.6722	----	----	----	----	2 UNCH
4435	----	----	298.90B/260.20A	298.90B/260.20A	----	289.40 + 15.00	.6763	----	----	----	----	2 UNCH
4440	----	----	302.60B/263.50A	302.60B/263.50A	----	293.00 + 15.10	.6804	----	----	----	----	5 UNCH
4445	----	----	306.30B/267.10A	306.30B/267.10A	----	296.70 + 15.30	.6844	----	----	----	----	8 UNCH
4450	----	----	310.10B/270.60A	310.10B/270.60A	----	300.40 + 15.40	.6883	----	----	----	----	433 UNCH
4455	----	----	313.80B/274.00A	313.80B/274.00A	----	304.10 + 15.50	.6923	----	----	----	----	13 UNCH
4460	----	----	317.50B/277.50A	317.50B/277.50A	----	307.90 + 15.70	.6962	----	----	----	----	7 UNCH
4465	----	----	321.30B/281.20A	321.30B/281.20A	----	311.60 + 15.80	.7000	----	----	----	----	8 UNCH
4470	----	----	325.10B/284.60A	325.10B/284.60A	----	315.40 + 15.90	.7039	----	----	----	----	3 UNCH
4475	----	----	329.00B/288.20A	329.00B/288.20A	----	319.20 + 16.00	.7077	----	----	----	----	89 UNCH
4480	----	----	332.80B/291.80A	332.80B/291.80A	----	323.00 + 16.10	.7115	----	----	----	----	112 UNCH
4485	----	----	336.60B/295.30A	336.60B/295.30A	----	326.80 + 16.20	.7152	----	----	----	----	11 UNCH
4490	----	----	340.50B/299.00A	340.50B/299.00A	----	330.70 + 16.40	.7188	----	----	----	----	15 UNCH
4495	----	----	344.40B/302.60A	344.40B/302.60A	----	334.50 + 16.50	.7225	----	----	----	----	8 UNCH
4500	----	----	348.40B/306.40A	348.40B/306.40A	----	338.40 + 16.60	.7261	----	----	----	----	292 UNCH
4505	----	----	352.30B/310.10A	352.30B/310.10A	----	342.30 + 16.70	.7298	----	----	----	----	24 UNCH
4510	----	----	356.20B/313.80A	356.20B/313.80A	----	346.30 + 16.90	.7332	----	----	----	----	8 UNCH
4515	----	----	360.10B/317.50A	360.10B/317.50A	----	350.20 + 17.00	.7368	----	----	----	----	1 UNCH
4520	----	----	364.10B/321.30A	364.10B/321.30A	----	354.10 + 17.00	.7403	----	----	----	----	15 UNCH
4530	----	----	372.10B/328.70A	372.10B/328.70A	----	362.10 + 17.30	.7471	----	----	----	----	1 UNCH
4535	----	----	376.20B/332.50A	376.20B/332.50A	----	366.10 + 17.40	.7505	----	----	----	----	11 UNCH
4545	----	----	384.30B/340.20A	384.30B/340.20A	----	374.10 + 17.60	.7569	----	----	----	----	5 UNCH
4550	----	----	388.30B/344.10A	388.30B/344.10A	----	378.20 + 17.80	.7603	----	----	----	----	2 UNCH
4555	----	----	392.40B/347.90A	392.40B/347.90A	----	382.30 + 17.90	.7635	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT												
JAN27												
4560	----	----	396.50B/351.70A	396.50B/351.70A	----	386.30 + 17.90	.7667	----	----	----	----	2 UNCH
4570	----	----	404.70B/359.70A	404.70B/359.70A	----	394.50 + 18.10	.7729	----	----	----	----	1 UNCH
4575	----	----	408.90B/363.60A	408.90B/363.60A	----	398.70 + 18.30	.7760	----	----	----	----	40 UNCH
4580	----	----	411.90B/367.60A	411.90B/367.60A	----	402.80 + 18.40	.7790	----	----	----	----	1 UNCH
4585	----	----	416.10B/371.50A	416.10B/371.50A	----	406.90 + 18.40	.7819	----	----	----	----	1 UNCH
4600	----	----	428.90B/383.30A	428.90B/383.30A	----	419.50 + 18.80	.7907	----	----	----	----	130 UNCH
4605	----	----	433.10B/387.50A	433.10B/387.50A	----	423.70 + 18.90	.7937	----	----	----	----	3 UNCH
4610	----	----	437.20B/391.60A	437.20B/391.60A	----	427.90 + 19.00	.7964	----	----	----	----	1 UNCH
4615	----	----	441.40B/395.60A	441.40B/395.60A	----	432.10 + 19.00	.7993	----	----	----	----	1 UNCH
4620	----	----	444.50B/399.60A	444.50B/399.60A	----	436.40 + 19.20	.8020	----	----	----	----	21 UNCH
4625	----	----	449.30B/403.70A	449.30B/403.70A	----	440.60 + 19.20	.8046	----	----	----	----	15 UNCH
4630	----	----	452.90B/407.50A	452.90B/407.50A	----	444.90 + 19.30	.8073	----	----	----	----	3 UNCH
4635	----	----	457.10B/412.10A	457.10B/412.10A	----	449.20 + 19.40	.8100	----	----	----	----	1 UNCH
4640	----	----	462.00B/416.00A	462.00B/416.00A	----	453.50 + 19.50	.8126	----	----	----	----	2 UNCH
4645	----	----	466.30B/419.90A	466.30B/419.90A	----	457.80 + 19.60	.8153	----	----	----	----	1 UNCH
4650	----	----	470.80B/424.20A	470.80B/424.20A	----	462.10 + 19.70	.8179	----	----	----	----	24 UNCH
4655	----	----	474.60B/428.40A	474.60B/428.40A	----	466.40 + 19.80	.8203	----	----	----	----	3 UNCH
4660	----	----	479.70B/432.60A	479.70B/432.60A	----	470.70 + 19.80	.8227	----	----	----	----	5 UNCH
4665	----	----	483.80B/440.20A	483.80B/440.20A	----	475.10 + 19.90	.8253	----	----	----	----	4 UNCH
4670	----	----	488.30B/444.40A	488.30B/444.40A	----	479.40 + 20.00	.8277	----	----	----	----	30 UNCH
4675	----	----	492.30B/449.50A	492.30B/449.50A	----	483.80 + 20.10	.8301	----	----	----	----	1 UNCH
4685	----	----	501.40B/458.00A	501.40B/458.00A	----	492.60 + 20.30	.8348	----	----	----	----	1 UNCH
4700	----	----	514.60B/470.60A	514.60B/470.60A	----	505.80 + 20.50	.8416	----	----	----	----	1 UNCH
4710	----	----	523.50B/479.60A	523.50B/479.60A	----	514.70 + 20.60	.8460	----	----	----	----	4 UNCH
4750	----	----	558.40B/513.40A	558.40B/513.40A	----	550.50 + 21.10	.8622	----	----	----	----	31 UNCH
4760	----	----	567.60B/523.20A	567.60B/523.20A	----	559.60 + 21.30	.8660	----	----	----	----	100 UNCH
4800	----	----	604.00B/558.10A	604.00B/558.10A	----	596.10 + 21.80	.8803	----	----	----	----	5 UNCH
4805	----	----	609.20B/563.30A	609.20B/563.30A	----	600.70 + 21.90	.8817	----	----	----	----	2 UNCH
4820	----	----	623.00B/577.20A	623.00B/577.20A	----	614.50 + 22.00	.8865	----	----	----	----	5 UNCH
4840	----	----	641.30B/595.20A	641.30B/595.20A	----	633.10 + 22.30	.8927	----	----	----	----	44 UNCH
4845	----	----	646.10B/599.80A	646.10B/599.80A	----	637.70 + 22.30	.8943	----	----	----	----	21 UNCH
4850	----	----	650.80B/604.40A	650.80B/604.40A	----	642.40 + 22.40	.8957	----	----	----	----	21 UNCH
4855	----	----	655.50B/608.60A	655.50B/608.60A	----	647.10 + 22.50	.8971	----	----	----	----	42 UNCH
4860	----	----	660.00B/613.60A	660.00B/613.60A	----	651.70 + 22.50	.8984	----	----	----	----	1 UNCH
4880	----	----	677.70B/632.10A	677.70B/632.10A	----	670.50 + 22.70	.9038	----	----	----	----	1 UNCH
4960	----	----	754.00B/707.60A	754.00B/707.60A	----	746.30 + 23.50	.9223	----	----	----	----	42 UNCH
4980	----	----	773.00B/726.70A	773.00B/726.70A	----	765.40 + 23.60	.9262	----	----	----	----	9 UNCH
4990	----	----	782.50B/736.20A	782.50B/736.20A	----	775.00 + 23.70	.9281	----	----	----	----	1 UNCH
5000	----	----	791.60B/745.60A	791.60B/745.60A	----	784.60 + 23.80	.9300	----	----	----	----	2 UNCH
5050	----	----	839.50B/793.80A	839.50B/793.80A	----	832.80 + 24.20	.9382	----	----	----	----	100 UNCH
5085	----	----	873.70B/827.70A	873.70B/827.70A	----	866.70 + 24.40	.9432	----	----	----	----	2 UNCH
5150	----	----	936.20B/890.60A	936.20B/890.60A	----	930.10 + 24.80	.9513	----	----	----	----	2 UNCH
5235	----	----	1,018.70B/974.3	1018.70B/974.30A	----	1013.40 + 25.10	.9597	----	----	----	----	2 UNCH
5245	----	----	1,028.50B/984.2	1028.50B/984.20A	----	1023.20 + 25.10	.9603	----	----	----	----	2 UNCH
5300	----	----	1,083.50B/1,038	1083.50B/1038.00A	----	1077.40 + 25.30	.9645	----	----	----	----	45 UNCH
5500	----	----	1,281.20B/1,236	1281.20B/1236.00A	----	1275.50 + 25.60	.9756	----	----	----	----	2 UNCH
5950	----	----	1,733.20B/1,678	1733.20B/1678.70A	----	1724.40 + 25.90	.9877	----	----	----	----	1 UNCH
6000	----	----	1,785.10B/1,729	1785.10B/1729.20A	----	1774.40 + 25.90	.9884	----	----	----	----	6 UNCH
TOTAL										941		18333 + 176
FEB27												
2700	----	----	----	1.70B/1.70A	----	1.60 - 0.10	.0058	----	----	----	----	18 UNCH
2725	----	----	----/1.80A	1.80B/1.80A	----	1.70 - 0.20	.0062	----	----	----	----	9 UNCH
2750	----	----	----/1.90A	1.90B/1.90A	----	1.80 - 0.20	.0066	----	----	1	----	2 + 1
2775	----	----	----/2.00A	2.00B/2.00A	----	1.90 - 0.20	.0070	----	----	----	----	1 UNCH
2800	2.00	2.00	2.20/2.00	2.20/2.00	----	2.10 - 0.10	.0077	----	----	4	----	44 + 3
2850	----	----	----/2.40A	2.40B/2.40A	----	2.30 - 0.20	.0086	----	----	----	----	1 UNCH
2900	----	----	----/2.70A	2.70B/2.70A	----	2.60 - 0.20	.0099	----	----	----	----	16 UNCH
2950	----	----	----/3.00A	3.10B/3.00A	----	3.00 - 0.10	.0115	----	----	----	----	1 UNCH
2960	----	----	----/3.10A	3.20B/3.10A	----	3.10 - 0.10	.0118	----	----	----	----	1 UNCH
2980	----	----	----/3.20A	3.30B/3.20A	----	3.20 - 0.10	.0123	----	----	----	----	60 UNCH
3000	3.70	3.70	3.70/3.30	3.70/3.30	----	3.40 - 0.10	.0131	----	----	3	----	240 + 1
3005	----	----	----/3.50A	3.50B/3.50A	----	3.50 - 0.10	.0135	----	----	----	----	15 UNCH
3020	----	----	----/3.60A	3.70B/3.60A	----	3.60 - 0.10	.0139	----	----	----	----	14 UNCH
3025	----	----	----/3.60A	3.70B/3.60A	----	3.60 - 0.10	.0140	----	----	----	----	2 UNCH
3040	----	----	----/3.80A	3.90B/3.80A	----	3.80 - 0.10	.0148	----	----	----	----	300 UNCH
3050	----	----	----/3.90A	4.00B/3.90A	----	3.90 - 0.10	.0152	----	----	----	----	5 UNCH
3060	----	----	----/4.00A	4.10B/4.00A	----	4.00 - 0.10	.0156	----	----	----	----	7 UNCH
3065	----	----	4.20B/4.00A	4.20B/4.00A	----	4.00 - 0.10	.0157	----	----	----	----	10 UNCH
3085	----	----	----/4.20A	4.40B/4.20A	----	4.30 - 0.10	.0168	----	----	----	----	9 UNCH
3090	----	----	4.50B/4.30A	4.50B/4.30A	----	4.30 - 0.10	.0169	----	----	----	----	15 UNCH
3095	----	----	----/4.30A	4.50B/4.30A	----	4.40 - 0.10	.0173	----	----	----	----	20 UNCH
3100	4.40	4.40	4.60B/4.40	4.60B/4.40	----	4.40 - 0.10	.0174	----	----	1	----	35 + 1
3110	----	----	----/4.50A	4.70B/4.50A	----	4.60 - 0.10	.0181	----	----	----	----	18 UNCH
3135	----	----	5.10B/4.80A	5.10B/4.80A	----	4.90 - 0.10	.0194	----	----	----	----	6 UNCH
3140	4.90	4.90	5.20B/4.90	5.20B/4.90	----	5.00 UNCH	.0198	----	----	1	----	201 + 1
3160	----	----	5.50B/5.20A	5.50B/5.20A	----	5.20 - 0.10	.0207	----	----	----	----	2 UNCH
3165	----	----	5.60B/5.20A	5.60B/5.20A	----	5.30 - 0.10	.0211	----	----	----	----	7 UNCH
3200	----	----	6.20B/5.80A	6.20B/5.80A	----	5.90 UNCH	.0235	----	----	----	----	211 UNCH
3215	6.20	6.20	6.40B/6.00A	6.40B/6.00A	----	6.10 NEW	.0245	----	----	6	----	6 + 6
3225	----	----	6.60B/6.20A	6.60B/6.20A	----	6.30 - 0.10	.0253	----	----	----	----	19 UNCH
3235	----	----	6.80B/6.30A	6.80B/6.30A	----	6.50 - 0.10	.0261	----	----	----	----	6 UNCH
3250	----	----	7.20B/6.60A	7.20B/6.60A	----	6.80 - 0.10	.0273	----	----	2	----	203 + 2
3270	----	----	7.60B/7.00A	7.60B/7.00A	----	7.20 - 0.10	.0290	----	----	----	----	5 UNCH
3300	7.80	7.80	8.40B/7.60A	8.40B/7.60A	----	7.90 UNCH	.0319	----	----	10	----	53 + 10
3310	----	----	8.60B/7.90A	8.60B/7.90A	----	8.20 UNCH	.0330	----	----	----	----	2 UNCH
3315	----	----	8.80B/8.00A	8.80B/8.00A	----	8.30 UNCH	.0335	----	----	----	----	1 UNCH
3350	----	----	9.80B/8.90A	9.80B/8.90A	----	9.30 UNCH	.0375	----	----	----	----	147 UNCH
3390	----	----	11.20B/10.00A	11.20B/10.00A	----	10.60 + 0.10	.0427	----	----	----	----	15 UNCH
3400	----	----	11.60B/10.40A	11.60B/10.40A	----	10.90 + 0.10	.0440	----	----	----	----	37 UNCH
3410	----	----	12.00B/10.70A	12.00B/10.70A	----	11.30 + 0.10	.0455	----	----	----	----	9 UNCH
3425	----	----	12.60B/11.20A	12.60B/11.20A	----	11.90 + 0.20	.0479	----	----	----	----	42 UNCH
3430	----	----	12.80B/11.40A	12.80B/11.40A	----	12.10 + 0.20	.0486	----	----	----	----	20 UNCH
3440	12.60	12.60	13.30B/11.80A	13.30B/11.80A	----	12.50 + 0.20	.0502	----	----	2	----	7 + 2
3445	----	----	13.50B/12.00A	13.50B/12.00A	----	12.70 + 0.20	.0510	----	----	----	----	6 UNCH
3450	----	----	13.70B/12.20A	13.70B/12.20A	----	12.90 + 0.20	.0518	----	----	----	----	73 UNCH
3460	----	----	14.20B/12.60A	14.20B/12.60A	----	13.30 + 0.10	.0535	----	----	----	----	5 UNCH
3465	----	----	14.50B/12.80A	14.50B/12.80A	----	13.60 + 0.20	.0545	----	----	----	----	46 UNCH
3475	----	----	15.00B/13.20A	15.00B/13.20A	----	14.10 + 0.30	.0564	----	----	----	----	250 UNCH
3480	----	----	15.20B/13.40A	15.20B/13.40A	----	14.30 + 0.20	.0573	----	----	----	----	17 UNCH
3490	----	----	15.80B/13.80A	15.80B/13.80A	----	14.80 + 0.30	.0592	----	----	----	----	20 UNCH
3500	----	----	16.30B/14.30A	16.30B/14.30A	----	15.30 + 0.30	.0611	----	----	----	----	285 UNCH
3515	----	----	17.20B/15.10A	17.20B/15.10A	----	16.20 + 0.40	.0645	----	----	----	----	3 UNCH
3520	----	----	17.50B/15.40A	17.50B/15.40A	----	16.40 + 0.30	.0653	----	----	----	----	28 UNCH
3525	----	----	17.80B/15.60A	17.80B/15.60A	----	16.70 + 0.30	.0665	----	----	----	----	6 UNCH
3540	----	----	18.80B/16.40A	18.80B/16.40A	----	17.70 + 0.50	.0701	----	----	----	----	20 UNCH
3550	----	----	19.40B/17.00A	19.40B/17.00A	----	18.30 + 0.50	.0724	----	----	----	----	11 UNCH
3555	----	----	19.80B/17.20A	19.80B/17.20A	----	18.60 + 0.50	.0735	----	----	----	----	25 UNCH
3560	----	----	20.20B/17.60A	20.20B/17.60A	----	19.00 + 0.60	.0749	----	----	----	----	2 UNCH
3565	----	----	20.50B/17.80A	20.50B/17.80A	----	19.30 + 0.50	.0761	----	----	----	----	1 UNCH
3575	----	----	21.30B/18.50A	21.30B/18.50A	----	20.00 + 0.60	.0787	----	----	----	----	205 UNCH
3585	----	----	22.00B/19.10A	22.00B/19.10A	----	20.70 + 0.60	.0813	----	----	----	----	1 UNCH
3590	----	----	22.40B/19.40A	22.40B/19.40A	----	21.10 + 0.60	.0827	----	----	----	----	21 UNCH
3600	----	----	23.20B/20.10A	23.20B/20.10A	----	21.90 + 0.70	.0856	----	----	----	----	1090 UNCH
3605	----	----	23.70B/20.50A	23.70B/20.50A	----	22.30 + 0.70	.0870	----	----	----	----	18 UNCH
3610	----	----	24.10B/20.90A	24.10B/20.90A	----	22.70 + 0.70	.0885	----	----	----	----	8 UNCH
3625	----	----	25.40B/22.00A	25.40B/22.00A	----	24.00 + 0.90	.0931	----	----	----	----	11 UNCH
3630	----	----	25.90B/22.30A	25.90B/22.30A	----	24.40 + 0.80	.0945	----	----	----	----	2 UNCH
3645	25.30	25.30	27.30B/23.60A	27.30B/23.60A	----	25.80 + 1.00	.0994	----	----	1	----	27 + 1
3650	----	----	27.80B/24.00A	27.80B/24.00A	----	26.20 + 0.90	.1009	----	----	2	----	332 UNCH
3660	----	----	28.80B/24.80A	28.80B/24.80A	----	27.20 + 1.00	.1044	----	----	----	----	2 UNCH
3665	----	----	29.40B/25.20A	29.40B/25.20A	----	27.70 + 1.00	.1061	----	----	----	----	5 UNCH
3675	----	----	30.40B/26.20A	30.40B/26.20A	----	28.70 + 1.10	.1096	----	----	----	----	9 UNCH
3680	----	----	31.00B/26.60A	31.00B/26.60A	----	29.30 + 1.20	.1116	----	----	----	----	23 UNCH
3685	----	----	31.60B/27.10A	31.60B/27.10A	----	29.80 + 1.20	.1133	----	----	----	----	10 UNCH
3690	----	----	32.10B/27.60A	32.10B/27.60A	----	30.30 + 1.20	.1151	----	----	----	----	4 UNCH
3695	----	----	32.70B/28.10A	32.70B/28.10A	----	30.90 + 1.20	.1171	----	----	----	----	17 UNCH
3700	----	----	33.30B/28.60A	33.30B/28.60A	----	31.50 + 1.30	.1191	----	----	9	----	1221 UNCH
3705	----	----	33.90B/29.10A	33.90B/29.10A	----	32.00 + 1.30	.1209	----	----	----	----	10 UNCH
3710	----	----	34.60B/29.60A	34.60B/29.60A	----	32.60 + 1.30	.1229	----	----	----	----	9 UNCH
3715	----	----	35.20B/30.20A	35.20B/30.20A	----	33.20 + 1.40	.1249	----	----	----	----	21 UNCH
3720	----	----	35.80B/30.70A	35.80B/30.70A	----	33.80 + 1.40	.1269	----	----	----	----	29 UNCH
3725	----	----	36.50B/31.30A	36.50B/31.30A	----	34.50 + 1.50	.1291	----	----	----	----	31 UNCH
3730	----	----	37.20B/31.80A	37.20B/31.80A	----	35.10 + 1.50	.1311	----	----	----	----	7 UNCH
3740	----	----	38.50B/32.90A	38.50B/32.90A	----	36.40 NEW	.1354	----	----	1	----	1 + 1
3745	----	----	39.20B/33.50A	39.20B/33.50A	----	37.00 + 1.50	.1375	----	----	----	----	25 UNCH
3750	----	----	39.90B/34.10A	39.90B/34.10A	----	37.70 + 1.60	.1397	----	----	----	----	68 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 15

FINAL

COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT												
FEB27												
3755	----	----	40.70B/34.80A	40.70B/34.80A	----	38.40 + 1.70	.1420	----	----	1	----	4 + 1
3760	----	----	41.40B/35.50A	41.40B/35.50A	----	39.10 + 1.70	.1442	----	----	----	----	2 UNCH
3765	----	----	42.20B/36.00A	42.20B/36.00A	----	39.80 + 1.70	.1465	----	----	----	----	22 UNCH
3770	----	----	42.90B/36.60A	42.90B/36.60A	----	40.50 + 1.70	.1488	----	----	----	----	36 UNCH
3775	----	----	43.70B/37.30A	43.70B/37.30A	----	41.30 + 1.80	.1512	----	----	----	----	11 UNCH
3780	----	----	44.50B/38.00A	44.50B/38.00A	----	42.00 + 1.80	.1535	----	----	----	----	6 UNCH
3785	42.90	42.90	45.30B/38.70A	45.30B/38.70A	----	42.80 + 1.90	.1560	----	----	1	----	12 + 1
3790	----	----	46.20B/39.40A	46.20B/39.40A	----	43.60 + 2.00	.1585	----	----	----	----	6 UNCH
3795	----	----	47.00B/40.10A	47.00B/40.10A	----	44.40 + 2.00	.1610	----	----	----	----	4 UNCH
3800	----	----	47.90B/40.90A	47.90B/40.90A	----	45.20 + 2.00	.1635	----	----	----	----	194 UNCH
3805	----	----	48.70B/41.50A	48.70B/41.50A	----	46.00 + 2.10	.1660	----	----	----	----	14 UNCH
3810	47.10	47.10	49.60B/42.30A	49.60B/42.30A	----	46.80 NEW	.1685	----	----	12	----	12 + 12
3815	----	----	50.50B/43.00A	50.50B/43.00A	----	47.70 + 2.20	.1712	----	----	1	----	24 UNCH
3820	----	----	51.40B/43.80A	51.40B/43.80A	----	48.60 + 2.30	.1739	----	----	----	----	22 UNCH
3825	----	----	52.40B/44.70A	52.40B/44.70A	----	49.40 + 2.20	.1765	----	----	----	----	501 UNCH
3835	----	----	54.30B/46.20A	54.30B/46.20A	----	51.20 + 2.30	.1819	----	----	----	----	20 UNCH
3840	----	----	55.20B/47.00A	55.20B/47.00A	----	52.20 + 2.40	.1848	----	----	----	----	11 UNCH
3845	----	----	56.20B/47.90A	56.20B/47.90A	----	53.10 + 2.40	.1875	----	----	----	----	11 UNCH
3850	----	----	57.20B/48.80A	57.20B/48.80A	----	54.10 + 2.50	.1904	----	----	3	----	1360 + 3
3855	----	----	58.30B/49.60A	58.30B/49.60A	----	55.00 + 2.50	.1932	----	----	----	----	3 UNCH
3860	----	----	59.30B/50.50A	59.30B/50.50A	----	56.00 + 2.60	.1961	----	----	----	----	35 UNCH
3865	----	----	60.40B/51.40A	60.40B/51.40A	----	57.10 + 2.70	.1992	----	----	----	----	1 UNCH
3875	----	----	62.60B/53.20A	62.60B/53.20A	----	59.10 + 2.80	.2050	----	----	----	----	13 UNCH
3880	----	----	63.70B/54.20A	63.70B/54.20A	----	60.20 + 2.90	.2081	----	----	----	----	44 UNCH
3885	60.50	60.50	64.80B/55.10A	64.80B/55.10A	----	61.30 + 2.90	.2112	----	----	3	----	201 UNCH
3890	----	----	65.90B/56.10A	65.90B/56.10A	----	62.40 + 3.00	.2143	----	----	----	----	17 UNCH
3895	----	----	67.10B/57.00A	67.10B/57.00A	----	63.50 + 3.10	.2174	----	----	----	----	2 UNCH
3900	----	----	68.30B/58.10A	68.30B/58.10A	----	64.60 + 3.10	.2205	----	----	----	----	308 UNCH
3905	----	----	69.50B/59.20A	69.50B/59.20A	----	65.80 + 3.20	.2238	----	----	----	----	15 UNCH
3915	----	----	72.00B/61.20A	72.00B/61.20A	----	68.10 + 3.30	.2302	----	----	----	----	5 UNCH
3920	----	----	73.20B/62.40A	73.20B/62.40A	----	69.40 + 3.40	.2336	----	----	200	----	646 + 200
3925	----	----	74.50B/63.40A	74.50B/63.40A	----	70.60 + 3.50	.2369	----	----	----	----	3 UNCH
3930	----	----	75.80B/64.60A	75.80B/64.60A	----	71.80 + 3.50	.2402	----	----	----	----	6 UNCH
3935	----	----	77.10B/65.60A	77.10B/65.60A	----	73.10 + 3.60	.2436	----	----	----	----	17 UNCH
3940	73.10	73.10	78.50B/66.80A	78.50B/66.80A	----	74.40 + 3.70	.2470	----	----	2	----	19 UNCH
3945	----	----	79.80B/67.90A	79.80B/67.90A	----	75.70 + 3.80	.2504	----	----	----	----	5 UNCH
3950	----	----	81.20B/69.20A	81.20B/69.20A	----	77.00 + 3.80	.2539	----	----	----	----	189 UNCH
3960	----	----	84.00B/71.50A	84.00B/71.50A	----	79.70 + 4.00	.2609	----	----	----	----	17 UNCH
3965	----	----	85.50B/72.70A	85.50B/72.70A	----	81.10 + 4.10	.2645	----	----	----	----	21 UNCH
3970	----	----	86.90B/74.10A	86.90B/74.10A	----	82.50 + 4.10	.2680	----	----	----	----	3 UNCH
3975	----	----	88.40B/75.20A	88.40B/75.20A	----	84.00 + 4.30	.2717	----	----	----	----	1 UNCH
3980	----	----	89.90B/76.50A	89.90B/76.50A	----	85.40 + 4.30	.2753	----	----	----	----	10 UNCH
3985	----	----	91.40B/77.90A	91.40B/77.90A	----	86.90 + 4.40	.2790	----	----	----	----	5 UNCH
3990	----	----	93.00B/79.00A	93.00B/79.00A	----	88.40 + 4.50	.2827	----	----	----	----	6 UNCH
3995	----	----	94.60B/80.50A	94.60B/80.50A	----	89.90 + 4.60	.2864	----	----	----	----	55 UNCH
4000	----	----	96.20B/81.90A	96.20B/81.90A	----	91.40 + 4.70	.2901	----	----	1	----	806 UNCH
4005	90.90	90.90	97.80B/83.20A	97.80B/83.20A	----	93.00 + 4.80	.2939	----	----	1	----	56 + 1
4010	94.70	94.70	99.40B/84.60A	99.40B/84.60A	----	94.60 + 4.90	.2977	----	----	2	----	13 UNCH
4015	----	----	101.10B/86.00A	101.10B/86.00A	----	96.10 + 4.90	.3015	----	----	----	----	3 UNCH
4020	97.70	97.70	102.70B/87.60A	102.70B/87.60A	----	97.80 + 5.10	.3054	----	----	1	----	3 UNCH
4025	----	----	104.40B/89.10A	104.40B/89.10A	----	99.40 + 5.10	.3092	----	----	----	----	31 UNCH
4030	----	----	106.20B/90.40A	106.20B/90.40A	----	101.10 + 5.20	.3131	----	----	----	----	30 UNCH
4035	----	----	107.90B/91.90A	107.90B/91.90A	----	102.80 + 5.40	.3170	----	----	1	----	25 + 1
4040	----	----	109.70B/93.40A	109.70B/93.40A	----	104.50 + 5.40	.3210	----	----	----	----	205 UNCH
4045	----	----	111.50B/95.00A	111.50B/95.00A	----	106.20 + 5.50	.3249	----	----	----	----	4 UNCH
4050	----	----	113.30B/96.70A	113.30B/96.70A	----	107.90 + 5.50	.3288	----	----	----	----	633 UNCH
4055	----	----	115.10B/98.30A	115.10B/98.30A	----	109.70 + 5.70	.3329	----	----	----	----	6 UNCH
4060	----	----	117.00B/99.80A	117.00B/99.80A	----	111.50 + 5.80	.3369	----	----	----	----	7 UNCH
4065	----	----	118.90B/101.60A	118.90B/101.60A	----	113.30 + 5.80	.3409	----	----	----	----	7 UNCH
4070	----	----	120.80B/103.20A	120.80B/103.20A	----	115.20 + 6.00	.3450	----	----	----	----	20 UNCH
4075	----	----	122.70B/104.80A	122.70B/104.80A	----	117.00 + 6.00	.3490	----	----	----	----	9 UNCH
4080	----	----	124.70B/106.50A	124.70B/106.50A	----	118.90 + 6.10	.3531	----	----	----	----	4 UNCH
4085	----	----	126.70B/108.40A	126.70B/108.40A	----	120.80 + 6.20	.3572	----	----	1	----	7 + 1
4090	----	----	128.70B/110.00A	128.70B/110.00A	----	122.80 + 6.40	.3614	----	----	----	----	41 UNCH
4095	----	----	130.70B/111.70A	130.70B/111.70A	----	124.70 + 6.40	.3655	----	----	----	----	32 UNCH
4100	----	----	132.80B/113.50A	132.80B/113.50A	----	126.70 + 6.50	.3696	----	----	----	----	716 UNCH
4105	----	----	134.80B/115.30A	134.80B/115.30A	----	128.70 + 6.60	.3738	----	----	----	----	5 UNCH
4110	----	----	136.90B/117.20A	136.90B/117.20A	----	130.70 + 6.70	.3780	----	----	----	----	50 UNCH
4115	----	----	139.00B/119.00A	139.00B/119.00A	----	132.80 + 6.80	.3822	----	----	----	----	2 UNCH
4120	----	----	141.20B/120.90A	141.20B/120.90A	----	134.90 + 6.90	.3864	----	----	----	----	22 UNCH
4125	----	----	143.40B/122.80A	143.40B/122.80A	----	137.00 + 7.00	.3906	----	----	----	----	25 UNCH
4135	----	----	147.80B/126.60A	147.80B/126.60A	----	141.20 + 7.20	.3991	----	----	----	----	39 UNCH
4140	----	----	150.00B/128.70A	150.00B/128.70A	----	143.40 + 7.30	.4033	----	----	----	----	23 UNCH
4145	148.10	148.10	152.30B/130.70A	152.30B/130.70A	----	145.60 + 7.40	.4076	----	----	2	----	98 + 2
4150	----	----	154.60B/132.80A	154.60B/132.80A	----	147.90 + 7.60	.4119	----	----	----	----	458 UNCH
4155	----	----	156.90B/134.70A	156.90B/134.70A	----	150.10 + 7.60	.4162	----	----	----	----	20 UNCH
4160	----	----	159.20B/136.70A	159.20B/136.70A	----	152.40 + 7.80	.4205	----	----	----	----	206 UNCH
4165	----	----	161.60B/138.80A	161.60B/138.80A	----	154.70 + 7.90	.4248	----	----	----	----	51 UNCH
4170	----	----	164.00B/141.10A	164.00B/141.10A	----	157.10 + 8.10	.4291	----	----	----	----	15 UNCH
4175	----	----	166.40B/143.10A	166.40B/143.10A	----	159.40 + 8.10	.4334	----	----	----	----	16 UNCH
4180	----	----	168.80B/145.40A	168.80B/145.40A	----	161.80 + 8.30	.4377	----	----	----	----	1 UNCH
4185	----	----	171.30B/147.60A	171.30B/147.60A	----	164.20 + 8.40	.4420	----	----	----	----	6 UNCH
4190	----	----	173.80B/149.50A	173.80B/149.50A	----	166.70 + 8.60	.4463	----	----	----	----	7 UNCH
4195	----	----	176.30B/152.10A	176.30B/152.10A	----	169.20 + 8.70	.4506	----	----	----	----	33 UNCH
4200	171.10	171.10	178.80B/154.20A	178.80B/154.20A	----	171.70 + 8.90	.4549	----	----	1	----	523 - 1
4205	----	----	181.40B/156.40A	181.40B/156.40A	----	174.20 + 9.00	.4592	----	----	----	----	16 UNCH
4210	----	----	183.90B/158.80A	183.90B/158.80A	----	176.80 + 9.20	.4636	----	----	----	----	25 UNCH
4215	----	----	186.50B/161.20A	186.50B/161.20A	----	179.40 + 9.30	.4679	----	----	----	----	12 UNCH
4220	----	----	189.20B/163.40A	189.20B/163.40A	----	182.00 + 9.50	.4722	----	----	----	----	26 UNCH
4225	----	----	191.80B/165.80A	191.80B/165.80A	----	184.60 + 9.60	.4765	----	----	2	----	34 + 2
4230	----	----	194.50B/168.20A	194.50B/168.20A	----	187.20 + 9.70	.4808	----	----	----	----	50 UNCH
4235	----	----	197.20B/170.60A	197.20B/170.60A	----	189.90 + 9.80	.4851	----	----	14	----	401 + 14
4240	----	----	200.00B/173.10A	200.00B/173.10A	----	192.60 + 10.00	.4893	----	----	----	----	33 UNCH
4245	----	----	202.70B/175.60A	202.70B/175.60A	----	195.30 + 10.10	.4936	----	----	----	----	66 UNCH
4250	182.10	182.10	205.40B/178.10A	205.40B/178.10A	----	198.10 + 10.30	.4979	----	----	16	----	470 + 4
4255	202.80	202.80	208.20B/180.60A	208.20B/180.60A	----	200.80 + 10.40	.5021	----	----	12	----	60 + 11
4260	203.00	203.00	211.00B/183.10A	211.00B/183.10A	----	203.60 + 10.50	.5064	----	----	6	----	29 + 5
4265	203.60	203.60	213.90B/185.70A	213.90B/185.70A	----	206.40 + 10.60	.5106	----	----	3	----	38 + 3
4270	----	----	216.70B/188.30A	216.70B/188.30A	----	209.20 + 10.70	.5149	----	----	----	----	36 UNCH
4275	----	----	219.60B/190.90A	219.60B/190.90A	----	212.10 + 10.90	.5191	----	----	----	----	59 UNCH
4280	----	----	222.50B/193.40A	222.50B/193.40A	----	214.90 + 11.00	.5233	----	----	----	----	48 UNCH
4285	----	----	225.40B/196.20A	225.40B/196.20A	----	217.80 + 11.10	.5275	----	----	----	----	89 UNCH
4290	----	----	228.40B/198.70A	228.40B/198.70A	----	220.70 + 11.20	.5317	----	----	----	----	5 UNCH
4295	----	----	231.30B/201.60A	231.30B/201.60A	----	223.60 + 11.30	.5358	----	----	----	----	12 UNCH
4300	----	----	234.40B/204.30A	234.40B/204.30A	----	226.60 + 11.50	.5400	----	----	----	----	250 UNCH
4305	----	----	237.30B/207.10A	237.30B/207.10A	----	229.60 + 11.60	.5441	----	----	----	----	9 UNCH
4315	----	----	243.50B/212.60A	243.50B/212.60A	----	235.60 + 11.80	.5524	----	----	----	----	113 UNCH
4320	----	----	246.50B/215.30A	246.50B/215.30A	----	238.60 + 11.90	.5565	----	----	----	----	50 UNCH
4325	----	----	249.70B/218.00A	249.70B/218.00A	----	241.70 + 12.00	.5605	----	----	----	----	19 UNCH
4330	----	----	252.80B/221.20A	252.80B/221.20A	----	244.80 + 12.20	.5646	----	----	----	----	17 UNCH
4335	----	----	256.00B/223.90A	256.00B/223.90A	----	247.90 + 12.30	.5686	----	----	----	----	136 UNCH
4340	----	----	259.10B/226.80A	259.10B/226.80A	----	251.00 + 12.40	.5727	----	----	----	----	23 UNCH
4345	----	----	262.30B/229.70A	262.30B/229.70A	----	254.20 + 12.50	.5767	----	----	----	----	31 UNCH
4350	----	----	265.50B/232.80A	265.50B/232.80A	----	257.30 + 12.60	.5807	----	----	----	----	28 UNCH
4355	----	----	268.70B/235.60A	268.70B/235.60A	----	260.50 + 12.70	.5847	----	----	----	----	4 UNCH
4360	----	----	271.80B/238.60A	271.80B/238.60A	----	263.80 + 12.90	.5886	----	----	----	----	19 UNCH
4365	----	----	275.00B/241.80A	275.00B/241.80A	----	267.00 + 13.00	.5926	----	----	----	----	50 UNCH
4370	----	----	278.30B/244.80A	278.30B/244.80A	----	270.30 + 13.10	.5965	----	----	----	----	37 UNCH
4375	275.20	275.20	281.60B/247.70A	281.60B/247.70A	----	273.50 + 13.10	.6003	----	----	1	----	25 UNCH
4380	----	----	285.00B/250.80A	285.00B/250.80A	----	276.80 + 13.30	.6042	----	----	----	----	91 UNCH
4385	----	----	288.30B/253.90A	288.30B/253.90A	----	280.20 + 13.40	.6080	----	----	----	----	207 UNCH
4390	----	----	291.70B/257.00A	291.70B/257.00A	----	283.50 + 13.50	.6119	----	----	----	----	49 UNCH
4395	----	----	295.10B/260.40A	295.10B/260.40A	----	286.90 + 13.70	.6157	----	----	----	----	6 UNCH
4400	271.00	271.00	298.50B/263.30A	298.50B/263.30A	----	290.30 + 13.80	.6195	----	----	1	----	566 + 1
4405	----	----	301.80B/266.50A	301.80B/266.50A	----	293.70 + 13.90	.6232	----	----	----	----	23 UNCH
4410	----	----	305.40B/269.70A	305.40B/269.70A	----	297.10 + 14.00	.6270	----	----	----	----	18 UNCH
4425	----	----	315.80B/279.50A	315.80B/279.50A	----	307.50 + 14.30	.6380	----	----	----	----	13 UNCH
4430	----	----	319.40B/282.70A	319.40B/282.70A	----	311.00 + 14.40	.6416	----	----	----	----	253 UNCH
4435	----	----	322.90B/286.30A	322.90B/286.30A	----	314.50 + 14.50	.6452	----	----	----	----	5 UNCH
4440	----	----	326.30B/290.80A	326.30B/290.80A	----	318.10 + 14.70	.6488	----	----	----	----	6 UNCH
4445	----	----	329.80B/294.30A	329.80B/294.30A	----	321.60 + 14.70	.6523	----	----	----	----	10 UNCH
4450	----	----	333.50B/297.60A	333.50B/297.60A	----	325.20 + 14.90	.6559	----	----	----	----	190 UNCH
4455	----	----	337.20B/301.00A	337.20B/301.00A	----	328.80 + 15.00	.6594	----	----	----	----	8 UNCH
4460	----	----	340.80B/304.40A	340.80B/304.40A	----	332.40 + 15.10	.6629	----	----	----	----	71 UNCH
4465	----	----	344.30B/307.90A	344.30B/307.90A	----	336.00 + 15.20	.6664	----	----	----	----	7 UNCH
4470	----	----	348.10B/311.30A	348.10B/311.30A	----	339.70 + 15.30	.6698	----	----	----	----	5 UNCH
4475	----	----	351.70B/314.80A	351.70B/314.80A	----	343.30 + 15.40	.6733	----	----	----	----	23 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
FEB27												
4480	----	----	355.20B/318.20A	355.20B/318.20A	----	347.00 + 15.50	.6767	----	----	----	----	7 UNCH
4490	----	----	362.80B/325.30A	362.80B/325.30A	----	354.40 + 15.70	.6834	----	----	----	----	23 UNCH
4495	----	----	366.40B/328.80A	366.40B/328.80A	----	358.20 + 15.90	.6866	----	----	----	----	28 UNCH
4500	----	----	370.10B/332.40A	370.10B/332.40A	----	361.90 + 16.00	.6899	----	----	----	----	123 UNCH
4505	----	----	373.80B/335.90A	373.80B/335.90A	----	365.70 + 16.10	.6931	----	----	----	----	14 UNCH
4510	----	----	377.60B/339.50A	377.60B/339.50A	----	369.40 + 16.10	.6964	----	----	----	----	5 UNCH
4515	----	----	381.50B/343.10A	381.50B/343.10A	----	373.20 + 16.20	.6997	----	----	----	----	20 UNCH
4520	----	----	385.40B/346.70A	385.40B/346.70A	----	377.00 + 16.30	.7028	----	----	----	----	50 UNCH
4550	----	----	408.50B/368.80A	408.50B/368.80A	----	400.20 + 17.00	.7213	----	----	----	----	109 UNCH
4555	----	----	412.20B/372.60A	412.20B/372.60A	----	404.10 + 17.10	.7244	----	----	----	----	1 UNCH
4570	----	----	424.30B/383.90A	424.30B/383.90A	----	415.90 + 17.40	.7332	----	----	----	----	19 UNCH
4575	----	----	428.30B/387.70A	428.30B/387.70A	----	419.90 + 17.50	.7360	----	----	----	----	32 UNCH
4580	----	----	432.30B/391.50A	432.30B/391.50A	----	423.80 + 17.50	.7389	----	----	----	----	3 UNCH
4585	----	----	436.40B/395.30A	436.40B/395.30A	----	427.80 + 17.60	.7418	----	----	----	----	18 UNCH
4600	----	----	448.50B/406.90A	448.50B/406.90A	----	439.90 + 17.90	.7501	----	----	----	----	165 UNCH
4615	----	----	460.40B/418.60A	460.40B/418.60A	----	452.10 + 18.20	.7582	----	----	----	----	1 UNCH
4625	----	----	469.00B/426.50A	469.00B/426.50A	----	460.30 + 18.40	.7636	----	----	----	----	3 UNCH
4630	----	----	473.10B/430.50A	473.10B/430.50A	----	464.40 + 18.50	.7661	----	----	----	----	7 UNCH
4635	----	----	476.90B/434.50A	476.90B/434.50A	----	468.50 + 18.50	.7688	----	----	----	----	2 UNCH
4640	----	----	481.40B/438.50A	481.40B/438.50A	----	472.60 + 18.60	.7713	----	----	----	----	3 UNCH
4650	----	----	489.40B/446.50A	489.40B/446.50A	----	480.90 + 18.80	.7763	----	----	----	----	1 UNCH
4655	----	----	493.60B/450.50A	493.60B/450.50A	----	485.10 + 18.90	.7787	----	----	----	----	1 UNCH
4660	----	----	498.20B/454.50A	498.20B/454.50A	----	489.30 + 19.00	.7812	----	----	----	----	443 UNCH
4665	----	----	502.30B/458.60A	502.30B/458.60A	----	493.50 + 19.10	.7837	----	----	----	----	3 UNCH
4680	----	----	515.00B/470.80A	515.00B/470.80A	----	506.10 + 19.30	.7907	----	----	----	----	3 UNCH
4690	----	----	523.20B/479.00A	523.20B/479.00A	----	514.60 + 19.50	.7955	----	----	----	----	1 UNCH
4695	----	----	527.80B/483.20A	527.80B/483.20A	----	518.90 + 19.60	.7977	----	----	----	----	28 UNCH
4700	----	----	532.10B/487.30A	532.10B/487.30A	----	523.10 + 19.60	.8000	----	----	----	----	133 UNCH
4705	----	----	535.30B/491.50A	535.30B/491.50A	----	527.40 + 19.70	.8022	----	----	----	----	3 UNCH
4710	----	----	538.70B/495.60A	538.70B/495.60A	----	531.70 + 19.80	.8043	----	----	----	----	3 UNCH
4725	----	----	551.40B/508.20A	551.40B/508.20A	----	544.60 + 20.00	.8108	----	----	----	----	10 UNCH
4730	----	----	555.70B/512.40A	555.70B/512.40A	----	548.90 + 20.10	.8130	----	----	----	----	16 UNCH
4750	----	----	573.50B/536.20A	573.50B/536.20A	----	566.30 + 20.40	.8211	----	----	----	----	43 UNCH
4755	----	----	577.50B/541.40A	577.50B/541.40A	----	570.70 + 20.50	.8231	----	----	----	----	31 UNCH
4760	----	----	581.90B/545.80A	581.90B/545.80A	----	575.10 + 20.50	.8251	----	----	----	----	3 UNCH
4765	----	----	586.20B/549.80A	586.20B/549.80A	----	579.50 + 20.60	.8271	----	----	----	----	8 UNCH
4775	----	----	595.40B/558.90A	595.40B/558.90A	----	588.30 + 20.80	.8311	----	----	----	----	13 UNCH
4780	----	----	600.00B/563.30A	600.00B/563.30A	----	592.70 + 20.80	.8328	----	----	----	----	8 UNCH
4785	----	----	603.80B/567.70A	603.80B/567.70A	----	597.10 + 20.90	.8348	----	----	----	----	100 UNCH
4800	----	----	617.80B/580.90A	617.80B/580.90A	----	610.40 + 21.00	.8403	----	----	----	----	311 UNCH
4805	----	----	617.30B/585.40A	617.30B/585.40A	----	614.80 + 21.00	.8421	----	----	----	----	2 UNCH
4810	----	----	626.10B/588.90A	626.10B/588.90A	----	619.30 + 21.10	.8438	----	----	----	----	20 UNCH
4825	----	----	639.50B/602.30A	639.50B/602.30A	----	632.70 + 21.30	.8490	----	----	----	----	5 UNCH
4835	----	----	643.70B/612.20A	643.70B/612.20A	----	641.70 + 21.40	.8525	----	----	----	----	1 UNCH
4840	----	----	648.10B/616.70A	648.10B/616.70A	----	646.20 + 21.50	.8540	----	----	----	----	1 UNCH
4845	----	----	657.20B/620.90A	657.20B/620.90A	----	650.70 + 21.50	.8557	----	----	----	----	3 UNCH
4855	----	----	666.50B/630.30A	666.50B/630.30A	----	659.70 + 21.60	.8589	----	----	----	----	3 UNCH
4900	----	----	707.70B/671.40A	707.70B/671.40A	----	700.70 + 22.00	.8725	----	----	----	----	4 UNCH
4905	----	----	711.90B/676.00A	711.90B/676.00A	----	705.30 + 22.10	.8740	----	----	----	----	4 UNCH
4950	----	----	747.40B/717.40A	747.40B/717.40A	----	746.80 + 22.50	.8859	----	----	----	----	1 UNCH
4955	----	----	751.90B/722.10A	751.90B/722.10A	----	751.50 + 22.60	.8873	----	----	----	----	1 UNCH
5000	----	----	793.30B/764.00A	793.30B/764.00A	----	793.50 + 22.90	.8979	----	----	----	----	76 UNCH
5005	----	----	797.10B/769.10A	797.10B/769.10A	----	798.20 + 23.00	.8991	----	----	----	----	3 UNCH
5010	----	----	802.10B/773.20A	802.10B/773.20A	----	802.90 + 23.00	.9002	----	----	----	----	1 UNCH
5050	----	----	839.30B/812.20A	839.30B/812.20A	----	840.60 + 23.30	.9084	----	----	----	----	4 UNCH
5055	----	----	843.60B/816.90A	843.60B/816.90A	----	845.30 + 23.30	.9092	----	----	----	----	4 UNCH
5100	----	----	885.70B/859.10A	885.70B/859.10A	----	888.10 + 23.60	.9175	----	----	----	----	2 UNCH
5150	----	----	934.00B/908.40A	934.00B/908.40A	----	936.00 + 24.00	.9256	----	----	----	----	1 UNCH
5175	----	----	957.80B/932.30A	957.80B/932.30A	----	960.00 + 24.10	.9293	----	----	----	----	125 UNCH
5200	----	----	981.60B/957.00A	981.60B/957.00A	----	984.10 + 24.20	.9327	----	----	----	----	1 UNCH
5250	----	----	1,029.70B/1,005	1029.70B/1005.70A	----	1032.60 + 24.50	.9390	----	----	----	----	15 UNCH
5320	----	----	1,097.50B/1,074	1097.50B/1074.30A	----	1100.70 + 24.80	.9467	----	----	----	----	1 UNCH
5400	----	----	1,175.40B/1,152	1175.40B/1152.80A	----	1179.00 + 25.00	.9538	----	----	----	----	50 UNCH
5500	----	----	1,274.70B/1,250	1274.70B/1250.70A	----	1277.50 + 25.40	.9610	----	----	----	----	31 UNCH
5520	----	----	1,295.60B/1,270	1295.60B/1270.10A	----	1297.20 + 25.40	.9624	----	----	----	----	300 UNCH
5530	----	----	1,305.20B/1,279	1305.20B/1279.50A	----	1307.10 + 25.50	.9629	----	----	----	----	100 UNCH
5550	----	----	1,326.80B/1,299	1326.80B/1299.20A	----	1326.90 + 25.50	.9642	----	----	----	----	65 UNCH
5565	----	----	1,340.20B/1,313	1340.20B/1313.40A	----	1341.70 + 25.50	.9651	----	----	----	----	50 UNCH
6000	----	----	1,784.10B/1,730	1784.10B/1730.10A	----	1774.40 + 25.80	.9814	----	----	----	----	1 UNCH
TOTAL										331		20565 + 290
MAR27												
3000	----	----	----	5.20B/5.30A	----	5.10 - 0.20	.0175	----	----	----	----	20 UNCH
3075	----	----	----/6.30A	6.40B/6.30A	----	6.20 - 0.20	.0214	----	----	----	----	1 UNCH
3170	----	----	8.30B/8.00A	8.30B/8.00A	----	8.10 UNCH	.0281	----	----	----	----	1 UNCH
3200	----	----	9.00B/----	9.00B/8.70A	----	8.80 + 0.10	.0306	----	----	----	----	72 UNCH
3300	----	----	12.00B/----	12.00B/11.50A	----	11.60 + 0.20	.0405	----	----	----	----	486 UNCH
3325	----	----	13.00B/----	13.00B/12.30A	----	12.50 + 0.30	.0436	----	----	----	----	4 UNCH
3345	----	----	13.80B/----	13.80B/13.00A	----	13.30 + 0.40	.0463	----	----	----	----	7 UNCH
3350	----	----	14.00B/----	14.00B/13.20A	----	13.50 + 0.40	.0470	----	----	----	----	19 UNCH
3375	----	----	15.10B/----	15.10B/14.10A	----	14.50 + 0.40	.0505	----	----	----	----	20 UNCH
3395	----	----	16.10B/----	16.10B/15.00A	----	15.40 + 0.40	.0535	----	----	----	----	21 UNCH
3400	----	----	16.30B/----	16.30B/15.20A	----	15.70 + 0.50	.0545	----	----	----	----	402 UNCH
3425	----	----	17.60B/16.30A	17.60B/16.30A	----	16.90 + 0.50	.0585	----	----	----	----	29 UNCH
3450	----	----	19.10B/17.50A	19.10B/17.50A	----	18.30 + 0.60	.0631	----	----	----	----	43 UNCH
3500	----	----	22.30B/20.30A	22.30B/20.30A	----	21.40 + 0.70	.0732	----	----	----	----	492 UNCH
3525	----	----	24.20B/21.90A	24.20B/21.90A	----	23.10 + 0.70	.0787	----	----	----	----	120 UNCH
3535	----	----	25.00B/22.60A	25.00B/22.60A	----	23.90 NEW	.0812	----	----	1	----	1 + 1
3540	----	----	25.40B/22.90A	25.40B/22.90A	----	24.20 + 0.70	.0822	----	----	1	----	2 + 1
3545	----	----	25.80B/23.30A	25.80B/23.30A	----	24.60 + 0.80	.0835	----	----	----	----	1 UNCH
3550	----	----	26.20B/23.70A	26.20B/23.70A	----	25.00 + 0.80	.0847	----	----	----	----	250 UNCH
3565	----	----	27.50B/24.80A	27.50B/24.80A	----	26.30 + 0.90	.0887	----	----	----	----	2 UNCH
3570	----	----	27.90B/25.10A	27.90B/25.10A	----	26.70 NEW	.0900	----	----	1	----	1 + 1
3575	----	----	28.40B/25.50A	28.40B/25.50A	----	27.10 + 0.90	.0913	----	----	----	----	20 UNCH
3580	----	----	28.80B/25.90A	28.80B/25.90A	----	27.60 + 1.00	.0927	----	----	----	----	1 UNCH
3600	----	----	30.80B/27.60A	30.80B/27.60A	----	29.40 + 1.00	.0983	----	----	----	200	1883 + 200
3610	----	----	31.80B/28.40A	31.80B/28.40A	----	30.40 NEW	.1013	----	----	1	----	1 + 1
3650	34.80	34.80	36.20B/32.20A	36.20B/32.20A	----	34.50 + 1.20	.1136	----	----	2	----	128 - 1
3700	----	----	42.50B/37.70A	42.50B/37.70A	----	40.60 + 1.50	.1313	----	----	----	----	38 UNCH
3725	----	----	46.10B/40.70A	46.10B/40.70A	----	44.00 + 1.70	.1409	----	----	----	----	28 UNCH
3740	----	----	48.30B/42.40A	48.30B/42.40A	----	46.20 + 1.80	.1470	----	----	----	----	29 UNCH
3750	----	----	49.90B/43.90A	49.90B/43.90A	----	47.70 + 1.90	.1511	----	----	1	----	189 + 1
3760	----	----	51.50B/45.20A	51.50B/45.20A	----	49.30 + 2.00	.1554	----	----	----	----	1 UNCH
3775	----	----	54.10B/47.40A	54.10B/47.40A	----	51.70 + 2.10	.1620	----	----	----	----	1 UNCH
3780	----	----	55.00B/48.20A	55.00B/48.20A	----	52.60 + 2.30	.1643	----	----	----	----	25 UNCH
3785	----	----	55.80B/48.90A	55.80B/48.90A	----	53.40 + 2.20	.1665	----	----	----	----	1 UNCH
3790	----	----	56.70B/49.70A	56.70B/49.70A	----	54.30 + 2.30	.1688	----	----	----	----	4 UNCH
3795	----	----	57.60B/50.50A	57.60B/50.50A	----	55.10 + 2.30	.1710	----	----	----	----	25 UNCH
3800	54.90	54.90	58.60B/51.40A	58.60B/51.40A	----	56.00 + 2.40	.1734	----	----	1	----	112 + 1
3810	----	----	60.50B/52.90A	60.50B/52.90A	----	57.90 + 2.60	.1782	----	----	----	----	1 UNCH
3815	----	----	61.40B/53.70A	61.40B/53.70A	----	58.80 + 2.60	.1806	----	----	----	----	1 UNCH
3820	----	----	62.40B/54.60A	62.40B/54.60A	----	59.70 + 2.60	.1830	----	----	----	----	30 UNCH
3825	----	----	63.40B/55.60A	63.40B/55.60A	----	60.70 + 2.70	.1855	----	----	----	----	131 UNCH
3830	----	----	64.40B/56.20A	64.40B/56.20A	----	61.60 + 2.70	.1879	----	----	----	----	1 UNCH
3835	----	----	65.40B/57.20A	65.40B/57.20A	----	62.60 + 2.70	.1904	----	----	----	----	2 UNCH
3840	----	----	66.50B/58.10A	66.50B/58.10A	----	63.60 + 2.80	.1929	----	----	----	----	2 UNCH
3845	----	----	67.50B/58.90A	67.50B/58.90A	----	64.60 + 2.80	.1955	----	----	----	----	1 UNCH
3850	----	----	68.60B/60.10A	68.60B/60.10A	----	65.70 + 3.00	.1981	----	----	----	----	141 UNCH
3855	----	----	69.70B/60.70A	69.70B/60.70A	----	66.70 + 3.00	.2007	----	----	----	----	3 UNCH
3860	----	----	70.80B/61.60A	70.80B/61.60A	----	67.80 + 3.10	.2034	----	----	----	----	2 UNCH
3865	----	----	71.90B/62.80A	71.90B/62.80A	----	68.80 + 3.10	.2059	----	----	----	----	26 UNCH
3870	----	----	73.00B/63.60A	73.00B/63.60A	----	69.90 + 3.10	.2086	----	----	----	----	4 UNCH
3875	----	----	74.10B/64.70A	74.10B/64.70A	----	71.00 + 3.20	.2113	----	----	----	----	12 UNCH
3885	----	----	76.50B/66.60A	76.50B/66.60A	----	73.30 + 3.40	.2168	----	----	----	----	1 UNCH
3890	----	----	77.70B/67.70A	77.70B/67.70A	----	74.40 + 3.40	.2195	----	----	----	----	1 UNCH
3900	----	----	80.10B/70.10A	80.10B/70.10A	----	76.80 + 3.50	.2252	----	----	----	----	1401 UNCH
3905	----	----	81.40B/70.80A	81.40B/70.80A	----	78.00 + 3.60	.2281	----	----	----	----	10 UNCH
3935	----	----	89.20B/77.70A	89.20B/77.70A	----	85.50 + 4.00	.2455	----	----	----	----	214 UNCH
3945	----	----	91.90B/80.30A	91.90B/80.30A	----	88.20 + 4.20	.2516	----	----	----	----	25 UNCH
3950	88.80	88.80	93.30B/81.50A	93.30B/81.50A	----	89.50 + 4.20	.2546	----	----	2	----	79 UNCH
3970	----	----	99.10B/86.50A	99.10B/86.50A	----	95.10 + 4.50	.2670	----	----	----	----	12 UNCH
3975	----	----	100.50B/87.70A	100.50B/87.70A	----	96.50 + 4.50	.2701	----	----	----	----	1 UNCH
3995	92.30	92.30	106.70B/92.30	106.70B/92.30	----	102.40 + 4.80	.2829	----	----	1	----	13 + 1
4000	----	----	108.30B/94.80A	108.30B/94.80A	----	104.00 + 4.90	.2862	----	----	----	----	928 UNCH
4020	----	----	114.80B/100.30A	114.80B/100.30A	----	110.30 + 5.20	.2994	----	----	----	----	40 UNCH
4050	----	----	125.10B/109.60A	125.10B/109.60A	----	120.30 + 5.70	.3198	----	----	----	----	46 UNCH
4055	----	----	126.90B/111.00A	126.90B/111.00A	----	122.10 + 5.80	.3232	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAR27												
4070	----	----	132.50B/115.80A	132.50B/115.80A	----	127.40 + 6.00	.3337	----	----	----	----	1 UNCH
4075	----	----	134.30B/117.70A	134.30B/117.70A	----	129.20 + 6.10	.3372	----	----	----	----	249 UNCH
4095	----	----	142.00B/124.30A	142.00B/124.30A	----	136.70 + 6.40	.3514	----	----	----	----	2 UNCH
4100	----	----	144.00B/126.00A	144.00B/126.00A	----	138.60 + 6.50	.3549	----	----	----	----	785 UNCH
4110	----	----	148.00B/129.70A	148.00B/129.70A	----	142.50 + 6.70	.3621	----	----	----	----	1 UNCH
4115	----	----	150.10B/131.30A	150.10B/131.30A	----	144.50 + 6.80	.3657	----	----	----	----	2 UNCH
4130	----	----	156.30B/137.10A	156.30B/137.10A	----	150.60 + 7.10	.3767	----	----	----	----	390 UNCH
4135	----	----	158.50B/139.00A	158.50B/139.00A	----	152.70 + 7.20	.3803	----	----	----	----	42 UNCH
4140	----	----	160.60B/140.90A	160.60B/140.90A	----	154.80 + 7.30	.3840	----	----	----	----	2 UNCH
4145	----	----	162.80B/142.80A	162.80B/142.80A	----	156.90 + 7.40	.3877	----	----	----	----	1 UNCH
4150	----	----	164.90B/144.80A	164.90B/144.80A	----	159.00 + 7.40	.3914	----	----	----	----	12 UNCH
4155	----	----	167.20B/146.70A	167.20B/146.70A	----	161.20 + 7.60	.3951	----	----	----	----	21 UNCH
4160	----	----	169.40B/148.70A	169.40B/148.70A	----	163.30 + 7.60	.3988	----	----	----	----	3 UNCH
4165	----	----	171.60B/150.80A	171.60B/150.80A	----	165.50 + 7.70	.4025	----	----	----	----	40 UNCH
4170	----	----	173.90B/152.80A	173.90B/152.80A	----	167.70 + 7.80	.4062	----	----	----	----	1 UNCH
4175	----	----	176.20B/154.90A	176.20B/154.90A	----	170.00 + 7.90	.4099	----	----	----	----	4 UNCH
4200	----	----	188.00B/165.50A	188.00B/165.50A	----	181.50 + 8.40	.4286	----	----	----	----	577 UNCH
4205	----	----	190.40B/167.80A	190.40B/167.80A	----	183.80 + 8.50	.4324	----	----	----	----	5 UNCH
4215	----	----	195.30B/172.20A	195.30B/172.20A	----	188.60 + 8.60	.4399	----	----	----	----	50 UNCH
4220	----	----	197.70B/174.40A	197.70B/174.40A	----	191.10 + 8.80	.4437	----	----	----	----	11 UNCH
4230	----	----	202.80B/179.00A	202.80B/179.00A	----	196.00 + 9.00	.4512	----	----	----	----	1 UNCH
4235	----	----	205.30B/181.30A	205.30B/181.30A	----	198.50 + 9.10	.4550	----	----	----	----	27 UNCH
4240	----	----	207.90B/183.70A	207.90B/183.70A	----	201.00 + 9.20	.4587	----	----	----	----	6 UNCH
4245	----	----	210.40B/186.00A	210.40B/186.00A	----	203.60 + 9.30	.4625	----	----	----	----	1 UNCH
4250	----	----	213.00B/188.30A	213.00B/188.30A	----	206.20 + 9.50	.4663	----	----	----	----	127 UNCH
4255	----	----	215.70B/190.80A	215.70B/190.80A	----	208.80 + 9.60	.4700	----	----	----	----	1 UNCH
4260	----	----	218.30B/193.20A	218.30B/193.20A	----	211.40 + 9.70	.4738	----	----	----	----	4 UNCH
4265	----	----	221.00B/195.70A	221.00B/195.70A	----	214.00 + 9.70	.4775	----	----	----	----	1 UNCH
4270	----	----	223.70B/198.10A	223.70B/198.10A	----	216.70 + 9.90	.4813	----	----	----	----	35 UNCH
4285	----	----	231.90B/205.50A	231.90B/205.50A	----	224.90 + 10.30	.4925	----	----	----	----	100 UNCH
4300	----	----	240.20B/213.20A	240.20B/213.20A	----	233.20 + 10.60	.5036	----	----	----	----	201 UNCH
4320	----	----	251.60B/223.80A	251.60B/223.80A	----	244.60 + 11.10	.5183	----	----	----	----	2 UNCH
4325	----	----	254.60B/226.50A	254.60B/226.50A	----	247.50 + 11.20	.5219	----	----	----	----	20 UNCH
4350	----	----	269.40B/240.30A	269.40B/240.30A	----	262.30 + 11.80	.5401	----	----	----	----	42 UNCH
4370	----	----	281.50B/251.60A	281.50B/251.60A	----	274.40 + 12.10	.5543	----	----	----	----	270 UNCH
4375	----	----	284.60B/254.50A	284.60B/254.50A	----	277.50 + 12.30	.5579	----	----	----	----	1 UNCH
4395	----	----	297.10B/266.20A	297.10B/266.20A	----	290.00 + 12.60	.5719	----	----	----	----	2 UNCH
4400	----	----	300.40B/269.10A	300.40B/269.10A	----	293.20 + 12.80	.5754	----	----	----	----	27 UNCH
4420	----	----	313.30B/281.20A	313.30B/281.20A	----	306.10 + 13.10	.5892	----	----	----	----	10 UNCH
4425	----	----	316.50B/284.30A	316.50B/284.30A	----	309.30 + 13.20	.5925	----	----	----	----	4 UNCH
4440	----	----	326.10B/293.50A	326.10B/293.50A	----	319.30 + 13.50	.6026	----	----	----	----	52 UNCH
4450	----	----	332.80B/299.80A	332.80B/299.80A	----	326.00 + 13.70	.6093	----	----	----	----	65 UNCH
4460	----	----	339.70B/306.40A	339.70B/306.40A	----	332.80 + 14.00	.6158	----	----	----	----	1 UNCH
4465	----	----	343.20B/309.50A	343.20B/309.50A	----	336.20 + 14.10	.6191	----	----	----	----	7 UNCH
4470	----	----	346.00B/312.70A	346.00B/312.70A	----	339.60 + 14.10	.6224	----	----	----	----	4 UNCH
4475	----	----	349.30B/316.00A	349.30B/316.00A	----	343.00 + 14.20	.6256	----	----	----	----	25 UNCH
4480	----	----	352.90B/319.40A	352.90B/319.40A	----	346.50 + 14.30	.6288	----	----	----	----	37 UNCH
4490	----	----	359.90B/326.00A	359.90B/326.00A	----	353.50 + 14.60	.6351	----	----	----	----	30 UNCH
4500	----	----	366.90B/332.50A	366.90B/332.50A	----	360.50 + 14.80	.6415	----	----	----	----	103 UNCH
4510	----	----	374.00B/341.30A	374.00B/341.30A	----	367.60 + 15.00	.6477	----	----	----	----	10 UNCH
4515	----	----	377.50B/344.70A	377.50B/344.70A	----	371.20 + 15.10	.6507	----	----	----	----	1 UNCH
4520	----	----	381.10B/348.10A	381.10B/348.10A	----	374.80 + 15.20	.6538	----	----	----	----	1 UNCH
4525	----	----	384.70B/351.60A	384.70B/351.60A	----	378.40 + 15.30	.6568	----	----	----	----	10 UNCH
4540	----	----	395.70B/362.00A	395.70B/362.00A	----	389.30 + 15.60	.6658	----	----	----	----	4 UNCH
4585	----	----	429.60B/394.10A	429.60B/394.10A	----	422.70 + 16.40	.6917	----	----	----	----	1 UNCH
4600	----	----	441.10B/405.10A	441.10B/405.10A	----	434.10 + 16.70	.7001	----	----	----	----	26 UNCH
4610	----	----	448.70B/412.50A	448.70B/412.50A	----	441.80 + 16.90	.7055	----	----	----	----	300 UNCH
4650	----	----	480.20B/442.70A	480.20B/442.70A	----	473.00 + 17.50	.7264	----	----	----	----	1 UNCH
4660	----	----	488.20B/450.40A	488.20B/450.40A	----	481.00 + 17.80	.7315	----	----	----	----	24 UNCH
4680	----	----	504.30B/465.90A	504.30B/465.90A	----	496.90 + 18.00	.7413	----	----	----	----	1 UNCH
4700	----	----	520.60B/481.70A	520.60B/481.70A	----	513.10 + 18.30	.7507	----	----	----	----	303 UNCH
4710	----	----	528.80B/489.60A	528.80B/489.60A	----	521.30 + 18.50	.7555	----	----	----	----	2 UNCH
4750	----	----	561.90B/521.90A	561.90B/521.90A	----	554.30 + 19.10	.7732	----	----	----	----	15 UNCH
4810	----	----	612.90B/571.60A	612.90B/571.60A	----	605.00 + 19.90	.7977	----	----	----	----	21 UNCH
4850	----	----	629.00B/----	629.00B/621.40A	----	639.50 + 20.40	.8126	----	----	----	----	2 UNCH
4900	----	----	671.60B/----	671.60B/666.50A	----	683.40 + 21.00	.8296	----	----	----	----	12 UNCH
4905	----	----	675.70B/----	675.70B/671.90A	----	687.80 + 21.00	.8312	----	----	----	----	2 UNCH
5000	----	----	756.90B/----	756.90B/760.10A	----	773.10 + 22.00	.8589	----	----	----	----	75 UNCH
TOTAL										11	200	11826 + 206
APR27												
3000	----	----	----	7.60B/7.80A	----	7.60 UNCH	.0235	----	----	----	----	119 UNCH
3100	----	----	----	9.90B/10.00A	----	9.90 UNCH	.0307	----	----	----	----	12 UNCH
3200	----	----	13.00B/----	13.00B/13.00A	----	12.90 + 0.20	.0400	----	----	----	----	326 UNCH
3225	----	----	14.00B/----	14.00B/13.80A	----	13.80 + 0.20	.0428	----	----	----	----	65 UNCH
3300	----	----	17.30B/----	17.30B/17.00A	----	17.00 + 0.40	.0524	----	----	----	----	26 UNCH
3350	----	----	20.00B/----	20.00B/19.40A	----	19.60 + 0.50	.0601	----	----	----	----	35 UNCH
3375	----	----	21.50B/----	21.50B/20.70A	----	21.10 + 0.60	.0645	----	----	----	----	46 UNCH
3400	----	----	23.10B/----	23.10B/22.20A	----	22.60 + 0.60	.0689	----	----	----	----	9 UNCH
3420	----	----	24.50B/----	24.50B/23.40A	----	24.00 + 0.80	.0728	----	----	----	----	15 UNCH
3450	----	----	26.70B/----	26.70B/25.40A	----	26.20 + 0.90	.0790	----	----	----	----	3 UNCH
3455	----	----	27.10B/----	27.10B/25.70A	----	26.60 + 0.90	.0801	----	----	----	----	1 UNCH
3460	----	----	27.50B/25.90A	27.50B/25.90A	----	26.90 + 0.80	.0810	----	----	----	----	200 UNCH
3475	----	----	28.80B/27.10A	28.80B/27.10A	----	28.10 + 0.90	.0844	----	----	----	----	300 UNCH
3480	----	----	29.20B/27.50A	29.20B/27.50A	----	28.60 + 1.00	.0857	----	----	----	----	1 UNCH
3490	----	----	30.00B/28.20A	30.00B/28.20A	----	29.40 + 1.00	.0880	----	----	----	----	10 UNCH
3500	----	----	30.90B/29.00A	30.90B/29.00A	----	30.30 + 1.10	.0904	----	----	----	----	242 UNCH
3545	----	----	35.30B/32.90A	35.30B/32.90A	----	34.50 + 1.20	.1019	----	----	----	----	10 UNCH
3550	----	----	35.90B/33.40A	35.90B/33.40A	----	35.00 + 1.20	.1032	----	----	----	----	500 UNCH
3555	----	----	36.40B/33.80A	36.40B/33.80A	----	35.50 + 1.20	.1046	----	----	----	----	4 UNCH
3565	----	----	37.50B/34.80A	37.50B/34.80A	----	36.50 + 1.20	.1073	----	----	----	----	20 UNCH
3590	----	----	40.40B/37.20A	40.40B/37.20A	----	39.30 + 1.40	.1146	----	----	----	----	10 UNCH
3595	----	----	41.00B/37.80A	41.00B/37.80A	----	39.90 + 1.40	.1162	----	----	----	----	10 UNCH
3600	----	----	41.60B/38.30A	41.60B/38.30A	----	40.40 + 1.40	.1176	----	----	----	----	846 UNCH
3650	46.40	46.40	48.20B/44.10A	48.20B/44.10A	----	46.70 + 1.60	.1337	----	----	1	----	219 + 1
3680	----	----	52.60B/48.00A	52.60B/48.00A	----	51.00 + 1.90	.1444	----	----	----	----	20 UNCH
3690	----	----	54.20B/48.90A	54.20B/48.90A	----	52.50 + 2.00	.1481	----	----	----	----	32 UNCH
3700	----	----	55.80B/50.20A	55.80B/50.20A	----	54.00 + 2.00	.1518	----	----	----	----	99 UNCH
3725	----	----	60.00B/54.00A	60.00B/54.00A	----	58.10 + 2.30	.1617	----	----	----	----	3 UNCH
3730	----	----	60.80B/54.70A	60.80B/54.70A	----	58.90 + 2.30	.1636	----	----	----	----	20 UNCH
3735	----	----	61.70B/55.70A	61.70B/55.70A	----	59.80 + 2.30	.1657	----	----	----	----	42 UNCH
3750	----	----	64.50B/58.00A	64.50B/58.00A	----	62.40 + 2.40	.1719	----	----	----	----	77 UNCH
3755	----	----	65.40B/58.60A	65.40B/58.60A	----	63.30 + 2.50	.1740	----	----	----	----	20 UNCH
3780	----	----	70.30B/63.00A	70.30B/63.00A	----	68.00 + 2.70	.1849	----	----	----	----	30 UNCH
3790	----	----	72.30B/64.80A	72.30B/64.80A	----	70.00 + 2.80	.1894	----	----	----	----	20 UNCH
3800	72.50	72.50	74.50B/66.90A	74.50B/66.90A	----	72.10 + 3.00	.1940	----	----	126	----	247 + 30
3805	----	----	75.50B/67.50A	75.50B/67.50A	----	73.10 + 3.00	.1963	----	----	----	----	2 UNCH
3815	----	----	77.70B/69.40A	77.70B/69.40A	----	75.20 + 3.10	.2010	----	----	----	----	20 UNCH
3820	----	----	78.80B/70.60A	78.80B/70.60A	----	76.30 + 3.20	.2034	----	----	----	----	1 UNCH
3825	----	----	79.90B/71.60A	79.90B/71.60A	----	77.40 + 3.20	.2058	----	----	----	----	52 UNCH
3845	----	----	84.60B/75.40A	84.60B/75.40A	----	81.90 + 3.40	.2155	----	----	----	----	50 UNCH
3850	----	----	85.90B/76.80A	85.90B/76.80A	----	83.10 + 3.50	.2181	----	----	----	----	37 UNCH
3855	----	----	87.00B/77.70A	87.00B/77.70A	----	84.30 + 3.60	.2206	----	----	----	----	12 UNCH
3860	----	----	88.20B/78.80A	88.20B/78.80A	----	85.50 + 3.70	.2231	----	----	----	----	77 UNCH
3865	----	----	89.50B/79.90A	89.50B/79.90A	----	86.70 + 3.70	.2257	----	----	----	----	50 UNCH
3885	----	----	94.60B/84.50A	94.60B/84.50A	----	91.60 + 3.90	.2360	----	----	----	----	1 UNCH
3895	----	----	97.30B/86.90A	97.30B/86.90A	----	94.20 + 4.10	.2413	----	----	----	----	46 UNCH
3900	----	----	98.70B/88.00A	98.70B/88.00A	----	95.50 + 4.10	.2440	----	----	----	----	362 UNCH
3905	----	----	100.00B/89.30A	100.00B/89.30A	----	96.90 + 4.30	.2467	----	----	----	----	20 UNCH
3910	----	----	101.40B/90.30A	101.40B/90.30A	----	98.20 + 4.30	.2494	----	----	----	----	1 UNCH
3925	----	----	105.60B/94.10A	105.60B/94.10A	----	102.40 + 4.50	.2577	----	----	----	----	5 UNCH
3930	----	----	107.10B/95.30A	107.10B/95.30A	----	103.80 + 4.60	.2605	----	----	----	----	20 UNCH
3935	----	----	108.50B/96.60A	108.50B/96.60A	----	105.20 + 4.70	.2633	----	----	----	----	6 UNCH
3950	----	----	113.00B/100.70A	113.00B/100.70A	----	109.60 + 4.90	.2718	----	----	----	----	3 UNCH
3960	----	----	116.10B/103.50A	116.10B/103.50A	----	112.50 + 4.90	.2775	----	----	----	----	2 UNCH
3970	----	----	119.30B/106.30A	119.30B/106.30A	----	115.60 + 5.10	.2833	----	----	----	----	13 UNCH
3980	----	----	122.50B/108.90A	122.50B/108.90A	----	118.70 + 5.20	.2892	----	----	----	----	1 UNCH
3995	----	----	127.40B/113.70A	127.40B/113.70A	----	123.50 + 5.40	.2981	----	----	----	----	4 UNCH
4000	124.80	124.80	129.10B/115.30A	129.10B/115.30A	----	125.20 + 5.60	.3011	----	----	1	----	360 - 1
4050	----	----	146.90B/131.10A	146.90B/131.10A	----	142.40 + 6.10	.3319	----	----	----	----	5 UNCH
4055	----	----	148.80B/132.80A	148.80B/132.80A	----	144.20 + 6.20	.3350	----	----	----	----	50 UNCH
4060	----	----	150.70B/134.30A	150.70B/134.30A	----	146.10 + 6.30	.3382	----	----	----	----	1 UNCH
4065	----	----	152.60B/136.10A	152.60B/136.10A	----	147.90 + 6.30	.3413	----	----	----	----	36 UNCH
4080	----	----	158.50B/141.40A	158.50B/141.40A	----	153.60 + 6.50	.3509	----	----	----	----	1 UNCH
4095	----	----	164.50B/147.00A	164.50B/147.00A	----	159.50 + 6.80	.3606	----	----	----	----	5 UNCH
4100	----	----	166.50B/149.20A	166.50B/149.20A	----	161.50 + 6.80	.3638	----	----	----	----	818 UNCH
4125	----	----	177.00B/158.80A	177.00B/158.80A	----	171.80 + 7.20	.3802	----	----	----	----	353 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
APR27												
4145	----	----	185.70B/166.30A	185.70B/166.30A	----	180.40 + 7.60	.3934	----	----	----	----	3 UNCH
4150	----	----	188.00B/168.70A	188.00B/168.70A	----	182.60 + 7.70	.3967	----	----	----	----	139 UNCH
4160	----	----	192.50B/172.70A	192.50B/172.70A	----	187.10 + 7.90	.4034	----	----	----	----	30 UNCH
4165	----	----	194.80B/174.70A	194.80B/174.70A	----	189.30 + 7.90	.4067	----	----	----	----	4 UNCH
4175	----	----	199.40B/179.30A	199.40B/179.30A	----	193.90 + 8.10	.4134	----	----	----	----	50 UNCH
4195	----	----	208.90B/187.50A	208.90B/187.50A	----	203.40 + 8.60	.4269	----	----	----	----	3 UNCH
4200	----	----	211.30B/190.20A	211.30B/190.20A	----	205.80 + 8.70	.4302	----	----	----	----	175 UNCH
4205	----	----	213.70B/192.30A	213.70B/192.30A	----	208.20 + 8.80	.4336	----	----	----	----	1 UNCH
4210	----	----	216.20B/194.60A	216.20B/194.60A	----	210.60 + 8.80	.4369	----	----	----	----	6 UNCH
4225	----	----	223.80B/201.80A	223.80B/201.80A	----	218.10 + 9.20	.4470	----	----	----	----	410 UNCH
4230	----	----	226.20B/203.40A	226.20B/203.40A	----	220.60 + 9.30	.4504	----	----	----	----	105 UNCH
4245	----	----	234.00B/210.60A	234.00B/210.60A	----	228.30 + 9.60	.4605	----	----	----	----	1 UNCH
4250	----	----	236.60B/213.40A	236.60B/213.40A	----	230.90 + 9.70	.4639	----	----	125	----	220 + 100
4255	----	----	239.20B/215.50A	239.20B/215.50A	----	233.50 + 9.80	.4672	----	----	----	----	16 UNCH
4260	----	----	241.90B/217.90A	241.90B/217.90A	----	236.20 + 10.00	.4706	----	----	----	----	15 UNCH
4275	----	----	250.00B/225.40A	250.00B/225.40A	----	244.20 + 10.20	.4806	----	----	----	----	20 UNCH
4280	----	----	252.80B/227.90A	252.80B/227.90A	----	246.90 + 10.30	.4839	----	----	----	----	1 UNCH
4285	----	----	255.50B/230.60A	255.50B/230.60A	----	249.70 + 10.50	.4873	----	----	----	----	50 UNCH
4290	----	----	258.30B/233.00A	258.30B/233.00A	----	252.40 + 10.60	.4906	----	----	----	----	3 UNCH
4300	254.70	254.70	263.70B/238.70A	263.70B/238.70A	----	258.00 + 10.80	.4972	----	----	1	----	257 UNCH
4330	----	----	281.00B/254.00A	281.00B/254.00A	----	275.00 + 11.40	.5169	----	----	----	----	5 UNCH
4345	----	----	289.80B/262.40A	289.80B/262.40A	----	283.80 + 11.70	.5266	----	----	----	----	6 UNCH
4350	----	----	292.80B/265.60A	292.80B/265.60A	----	286.80 + 11.80	.5299	----	----	----	----	83 UNCH
4365	----	----	301.90B/273.60A	301.90B/273.60A	----	295.80 + 12.20	.5395	----	----	----	----	1 UNCH
4370	----	----	304.80B/276.50A	304.80B/276.50A	----	298.80 + 12.20	.5427	----	----	----	----	1 UNCH
4375	----	----	308.00B/279.50A	308.00B/279.50A	----	301.80 + 12.30	.5459	----	----	----	----	8 UNCH
4380	----	----	311.00B/282.10A	311.00B/282.10A	----	304.90 + 12.40	.5491	----	----	----	----	1 UNCH
4385	----	----	314.20B/285.00A	314.20B/285.00A	----	308.00 + 12.50	.5522	----	----	----	----	3 UNCH
4395	----	----	320.40B/290.80A	320.40B/290.80A	----	314.20 + 12.70	.5585	----	----	----	----	2 UNCH
4400	315.20	315.20	323.50B/294.10A	323.50B/294.10A	----	317.30 + 12.80	.5617	----	----	1	----	27 - 1
4405	----	----	326.70B/296.80A	326.70B/296.80A	----	320.50 + 12.90	.5648	----	----	----	----	1 UNCH
4410	----	----	329.90B/299.70A	329.90B/299.70A	----	323.60 + 13.00	.5679	----	----	----	----	2 UNCH
4415	----	----	333.10B/302.80A	333.10B/302.80A	----	326.80 + 13.10	.5710	----	----	----	----	3 UNCH
4420	----	----	336.30B/305.80A	336.30B/305.80A	----	330.00 + 13.20	.5741	----	----	----	----	27 UNCH
4425	----	----	339.40B/308.90A	339.40B/308.90A	----	333.20 + 13.20	.5772	----	----	----	----	5 UNCH
4430	----	----	342.80B/312.00A	342.80B/312.00A	----	336.50 + 13.40	.5802	----	----	----	----	3 UNCH
4435	341.10	341.10	345.60B/315.10A	345.60B/315.10A	----	339.70 + 13.50	.5832	----	----	6	----	13 UNCH
4440	----	----	348.50B/318.00A	348.50B/318.00A	----	343.00 + 13.60	.5863	----	----	----	----	50 UNCH
4450	----	----	355.00B/324.50A	355.00B/324.50A	----	349.60 + 13.80	.5923	----	----	----	----	138 UNCH
4455	----	----	358.30B/327.50A	358.30B/327.50A	----	352.90 + 13.90	.5953	----	----	----	----	2 UNCH
4460	----	----	361.60B/330.90A	361.60B/330.90A	----	356.20 + 13.90	.5983	----	----	----	----	2 UNCH
4465	----	----	364.90B/334.00A	364.90B/334.00A	----	359.50 + 14.00	.6012	----	----	----	----	3 UNCH
4470	----	----	368.30B/337.20A	368.30B/337.20A	----	362.90 + 14.10	.6042	----	----	----	----	4 UNCH
4475	----	----	371.70B/340.70A	371.70B/340.70A	----	366.30 + 14.20	.6072	----	----	----	----	2 UNCH
4480	----	----	375.00B/343.70A	375.00B/343.70A	----	369.70 + 14.30	.6101	----	----	----	----	1 UNCH
4490	----	----	381.80B/350.20A	381.80B/350.20A	----	376.50 + 14.50	.6159	----	----	----	----	31 UNCH
4495	----	----	385.30B/353.40A	385.30B/353.40A	----	379.90 + 14.50	.6188	----	----	----	----	11 UNCH
4500	----	----	388.70B/356.80A	388.70B/356.80A	----	383.40 + 14.70	.6216	----	----	----	----	258 UNCH
4510	----	----	395.70B/363.30A	395.70B/363.30A	----	390.30 + 14.80	.6273	----	----	----	----	1 UNCH
4515	----	----	399.20B/366.80A	399.20B/366.80A	----	393.80 + 14.90	.6301	----	----	----	----	1 UNCH
4535	----	----	413.40B/382.50A	413.40B/382.50A	----	408.00 + 15.30	.6413	----	----	----	----	13 UNCH
4540	----	----	417.00B/385.90A	417.00B/385.90A	----	411.50 + 15.30	.6440	----	----	----	----	100 UNCH
4545	----	----	420.70B/389.40A	420.70B/389.40A	----	415.10 + 15.40	.6467	----	----	----	----	1 UNCH
4550	----	----	424.30B/392.80A	424.30B/392.80A	----	418.70 + 15.50	.6495	----	----	----	----	36 UNCH
4565	----	----	435.20B/403.30A	435.20B/403.30A	----	429.60 + 15.80	.6575	----	----	----	----	10 UNCH
4575	----	----	442.60B/410.30A	442.60B/410.30A	----	436.90 + 15.90	.6627	----	----	----	----	50 UNCH
4590	----	----	453.70B/421.00A	453.70B/421.00A	----	448.00 + 16.20	.6705	----	----	----	----	5 UNCH
4600	----	----	461.10B/428.10A	461.10B/428.10A	----	455.50 + 16.30	.6757	----	----	----	----	229 UNCH
4610	----	----	468.80B/435.40A	468.80B/435.40A	----	463.00 + 16.50	.6807	----	----	----	----	5 UNCH
4615	----	----	472.60B/439.00A	472.60B/439.00A	----	466.80 + 16.60	.6832	----	----	----	----	5 UNCH
4620	----	----	476.30B/442.60A	476.30B/442.60A	----	470.60 + 16.70	.6856	----	----	----	----	1 UNCH
4650	----	----	499.40B/464.80A	499.40B/464.80A	----	493.50 + 17.10	.7002	----	----	----	----	3 UNCH
4695	----	----	534.80B/498.90A	534.80B/498.90A	----	528.60 + 17.90	.7212	----	----	----	----	1 UNCH
4700	----	----	538.80B/502.70A	538.80B/502.70A	----	532.60 + 18.00	.7235	----	----	----	----	14 UNCH
4705	----	----	542.80B/506.60A	542.80B/506.60A	----	536.50 + 18.10	.7257	----	----	----	----	2 UNCH
4720	----	----	554.80B/518.30A	554.80B/518.30A	----	548.50 + 18.30	.7323	----	----	----	----	9 UNCH
4725	----	----	558.80B/522.20A	558.80B/522.20A	----	552.50 + 18.40	.7345	----	----	----	----	5 UNCH
4730	----	----	562.90B/526.10A	562.90B/526.10A	----	556.50 + 18.40	.7366	----	----	----	----	4 UNCH
4750	----	----	579.10B/541.90A	579.10B/541.90A	----	572.60 + 18.60	.7451	----	----	----	----	1 UNCH
4765	----	----	591.40B/553.80A	591.40B/553.80A	----	584.80 + 18.70	.7513	----	----	----	----	1 UNCH
4790	----	----	612.10B/574.00A	612.10B/574.00A	----	605.40 + 19.00	.7613	----	----	----	----	6 UNCH
4800	----	----	620.40B/582.10A	620.40B/582.10A	----	613.70 + 19.20	.7652	----	----	----	----	15 UNCH
4825	----	----	641.40B/602.60A	641.40B/602.60A	----	634.60 + 19.50	.7747	----	----	----	----	4 UNCH
4835	----	----	649.80B/610.90A	649.80B/610.90A	----	643.00 + 19.60	.7783	----	----	----	----	1 UNCH
4900	----	----	705.50B/665.50A	705.50B/665.50A	----	698.40 + 20.30	.8010	----	----	----	----	5 UNCH
4905	----	----	709.60B/669.80A	709.60B/669.80A	----	702.70 + 20.30	.8025	----	----	----	----	2 UNCH
5000	----	----	765.90B/----	765.90B/776.70A	----	786.00 + 21.30	.8313	----	----	----	----	134 UNCH
5005	----	----	770.10B/----	770.10B/780.90A	----	790.40 + 21.30	.8326	----	----	----	----	1 UNCH
5050	----	----	809.10B/----	809.10B/822.60A	----	830.60 + 21.60	.8448	----	----	----	----	215 UNCH
5060	----	----	----	816.70B/832.50A	----	839.60 + 21.70	.8473	----	----	----	----	25 UNCH
5150	----	----	----	894.60B/918.30A	----	921.70 + 22.40	.8680	----	----	----	----	1 UNCH
5200	----	----	----	938.00B/967.30A	----	968.00 + 22.80	.8780	----	----	----	----	15 UNCH
5205	----	----	----	941.60B/972.20A	----	972.60 + 22.80	.8790	----	----	----	----	1 UNCH
5400	----	----	1,135.30B/----	1135.30B/1167.30A	----	1156.30 + 23.90	.9106	----	----	----	----	1 UNCH
5500	----	----	1,231.90B/----	1231.90B/1268.70A	----	1252.10 + 24.20	.9230	----	----	----	----	2 UNCH
5590	----	----	1,319.30B/----	1319.30B/1358.80A	----	1339.20 + 24.60	.9325	----	----	----	----	23 UNCH
5600	----	----	1,329.00B/----	1329.00B/1369.10A	----	1348.90 + 24.70	.9335	----	----	----	----	5 UNCH
5790	----	----	1,515.50B/----	1515.50B/1547.60A	----	1534.50 + 25.20	.9486	----	----	----	----	1 UNCH
5800	----	----	1,525.10B/----	1525.10B/1555.60A	----	1544.30 + 25.20	.9493	----	----	----	----	5 UNCH
6000	1725.20	1725.20	1,735.80B/1,725	1735.80B/1725.20	----	1741.70 + 25.60	.9606	----	----	1	----	2 + 1
TOTAL										262		9216 + 130
MAY27												
3000	----	----	----	9.20B/11.20A	----	10.10 - 0.20	.0281	----	----	----	----	1 UNCH
3250	----	----	----	18.30B/20.10A	----	19.50 + 0.60	.0535	----	----	----	----	1 UNCH
3330	----	----	----	22.90B/24.50A	----	24.00 + 0.90	.0652	----	----	----	----	10 UNCH
3370	----	----	26.70B/----	26.70B/27.20A	----	26.60 + 1.00	.0720	----	----	----	----	20 UNCH
3430	----	----	31.40B/----	31.40B/31.40A	----	31.10 + 1.10	.0833	----	----	----	----	20 UNCH
3490	----	----	36.20B/----	36.20B/36.70A	----	36.40 + 1.10	.0964	----	----	----	----	4 UNCH
3500	----	----	37.50B/----	37.50B/37.80A	----	37.40 + 1.20	.0988	----	----	----	----	35 UNCH
3550	----	----	43.00B/----	43.00B/43.10A	----	42.70 + 1.50	.1115	----	----	----	----	2 UNCH
3600	----	----	49.20B/----	49.20B/48.60A	----	48.80 + 2.00	.1256	----	----	----	----	200 UNCH
3700	----	----	65.10B/59.90A	65.10B/59.90A	----	63.80 + 2.90	.1586	----	----	----	----	1 UNCH
3725	----	----	69.50B/64.20A	69.50B/64.20A	----	68.20 + 3.10	.1678	----	----	----	----	35 UNCH
3750	----	----	74.30B/68.10A	74.30B/68.10A	----	72.80 + 3.20	.1774	----	----	----	----	32 UNCH
3760	----	----	76.30B/70.30A	76.30B/70.30A	----	74.70 + 3.30	.1813	----	----	----	----	2 UNCH
3780	----	----	80.30B/73.60A	80.30B/73.60A	----	78.70 + 3.40	.1894	----	----	----	----	1 UNCH
3790	----	----	82.40B/75.50A	82.40B/75.50A	----	80.80 + 3.50	.1935	----	----	----	----	2 UNCH
3800	----	----	84.70B/77.70A	84.70B/77.70A	----	82.90 + 3.50	.1977	----	----	----	----	29 UNCH
3815	----	----	88.00B/80.30A	88.00B/80.30A	----	86.10 + 3.50	.2041	----	----	----	----	25 UNCH
3820	----	----	89.20B/81.40A	89.20B/81.40A	----	87.20 + 3.60	.2063	----	----	----	----	50 UNCH
3850	----	----	96.30B/88.20A	96.30B/88.20A	----	94.00 + 3.60	.2195	----	----	----	----	4 UNCH
3870	----	----	101.20B/92.50A	101.20B/92.50A	----	98.80 + 3.70	.2286	----	----	----	----	20 UNCH
3900	----	----	109.10B/99.80A	109.10B/99.80A	----	106.40 + 3.90	.2428	----	----	----	----	200 UNCH
3980	----	----	132.90B/121.20A	132.90B/121.20A	----	129.10 + 4.50	.2831	----	----	----	----	1 UNCH
4000	----	----	139.40B/127.30A	139.40B/127.30A	----	135.40 + 4.70	.2937	----	----	----	----	22 UNCH
4035	----	----	151.40B/137.90A	151.40B/137.90A	----	147.20 + 5.20	.3129	----	----	----	----	1 UNCH
4050	----	----	156.90B/143.00A	156.90B/143.00A	----	152.50 + 5.40	.3213	----	----	----	----	10 UNCH
4065	----	----	162.30B/147.80A	162.30B/147.80A	----	157.90 + 5.60	.3297	----	----	----	----	289 UNCH
4075	----	----	166.10B/151.40A	166.10B/151.40A	----	161.60 + 5.70	.3354	----	----	----	----	1 UNCH
4100	----	----	176.00B/160.60A	176.00B/160.60A	----	171.20 + 6.20	.3498	----	----	----	----	65 UNCH
4115	----	----	182.10B/166.20A	182.10B/166.20A	----	177.20 + 6.50	.3586	----	----	----	----	2 UNCH
4200	----	----	219.20B/200.40A	219.20B/200.40A	----	214.10 + 8.10	.4092	----	----	----	----	305 UNCH
4240	----	----	238.60B/218.20A	238.60B/218.20A	----	233.10 + 8.80	.4334	----	----	----	----	14 UNCH
4250	----	----	243.40B/223.50A	243.40B/223.50A	----	238.10 + 9.00	.4394	----	----	----	----	1 UNCH
4270	----	----	253.80B/233.30A	253.80B/233.30A	----	248.20 + 9.40	.4516	----	----	----	----	10 UNCH
4300	----	----	269.60B/248.10A	269.60B/248.10A	----	263.80 + 9.90	.4697	----	----	----	----	128 UNCH
4340	----	----	291.00B/268.40A	291.00B/268.40A	----	285.60 + 10.60	.4937	----	----	----	----	1 UNCH
4350	----	----	295.60B/273.70A	295.60B/273.70A	----	291.20 + 10.70	.4996	----	----	----	----	24 UNCH
4400	----	----	325.70B/301.30A	325.70B/301.30A	----	320.20 + 11.40	.5289	----	----	----	----	36 UNCH
4405	----	----	327.50B/304.30A	327.50B/304.30A	----	323.20 + 11.50	.5319	----	----	----	----	32 UNCH
4410	----	----	331.50B/307.50A	331.50B/307.50A	----	326.20 + 11.60	.5347	----	----	----	----	1 UNCH
4450	----	----	354.40B/330.70A	354.40B/330.70A	----	350.80 + 12.20	.5575	----	----	----	----	15 UNCH
4470	----	----	367.40B/343.10A	367.40B/343.10A	----	363.50 + 12.50	.5687	----	----	----	----	1 UNCH
4490	----	----	380.50B/356.50A	380.50B/356.50A	----	376.50 + 12.90	.5796	----	----	----	----	1 UNCH
4495	----	----	383.80B/360.60A	383.80B/360.60A	----	379.80 + 13.00	.5824	----	----	----	----	1 UNCH
4500	----	----	387.10B/363.70A	387.10B/363.70A	----	383.10 + 13.10	.5851	----	----	----	----	24 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT												
MAY27												
4510	----	----	393.70B/370.00A	393.70B/370.00A	----	389.70 + 13.20	.5904	----	----	----	----	4 UNCH
4550	----	----	420.90B/395.90A	420.90B/395.90A	----	416.80 + 13.90	.6114	----	----	----	----	1 UNCH
4575	----	----	438.40B/412.50A	438.40B/412.50A	----	434.30 + 14.50	.6241	----	----	----	----	1 UNCH
4600	----	----	456.20B/429.50A	456.20B/429.50A	----	452.00 + 14.90	.6366	----	----	----	----	6 UNCH
4640	----	----	485.20B/456.10A	485.20B/456.10A	----	481.10 + 15.80	.6557	----	----	----	----	1 UNCH
4650	----	----	492.60B/----	492.60B/485.50A	----	488.40 + 15.90	.6604	----	----	----	----	100 UNCH
4700	----	----	530.10B/----	530.10B/522.60A	----	525.80 + 16.60	.6832	----	----	----	----	71 UNCH
4725	----	----	549.30B/----	549.30B/541.50A	----	544.90 + 17.00	.6941	----	----	----	----	1 UNCH
4760	----	----	576.80B/----	576.80B/568.50A	----	572.00 + 17.40	.7089	----	----	----	----	1 UNCH
4775	----	----	588.50B/----	588.50B/580.20A	----	583.80 + 17.60	.7150	----	----	----	----	3 UNCH
5050	----	----	805.30B/----	805.30B/808.30A	----	812.80 + 20.30	.8086	----	----	----	----	1 UNCH
5150	----	----	----	656.50B/1143.70A	----	901.30 + 21.20	.8339	----	----	----	----	347 UNCH
TOTAL												2216 0
JUN27												
2000	----	----	----	0.80B/2.20A	----	1.60 - 0.10	.0036	----	----	----	----	2 UNCH
2100	----	----	----	1.20B/2.60A	----	1.90 - 0.20	.0043	----	----	----	----	1 UNCH
2400	----	----	----	2.80B/4.40A	----	3.50 - 0.30	.0085	----	----	----	----	2 UNCH
2600	----	----	----	4.40B/6.30A	----	5.40 - 0.30	.0135	----	----	----	----	2 UNCH
2800	----	----	----	7.30B/9.40A	----	8.30 - 0.20	.0212	----	----	----	----	216 UNCH
2900	----	----	----	9.30B/11.50A	----	10.40 - 0.10	.0267	----	----	----	----	1 UNCH
3000	----	----	----	12.10B/14.30A	----	13.30 + 0.10	.0341	----	----	----	----	138 UNCH
3300	----	----	----	26.80B/28.60A	----	27.90 + 0.90	.0699	----	----	----	----	119 UNCH
3500	----	----	46.10B/----	46.10B/46.40A	----	45.70 + 1.30	.1105	----	----	----	----	797 UNCH
3550	----	----	52.10B/----	52.10B/52.50A	----	51.80 + 1.50	.1236	----	----	----	----	1 UNCH
3575	56.00	56.00	56.00/55.80A	56.00/55.80A	----	55.10 + 1.50	.1306	----	----	1	----	1 - 1
3600	60.50	60.50	60.50/58.50A	60.50/58.50A	----	58.70 + 1.70	.1381	----	----	20	----	401 - 9
3625	64.00	64.00	64.10B/60.50A	64.10B/60.50A	----	62.50 + 1.80	.1458	----	----	1	----	455 UNCH
3650	----	----	68.10B/63.40A	68.10B/63.40A	----	66.50 + 1.90	.1539	----	----	----	----	2 UNCH
3655	----	----	68.90B/64.20A	68.90B/64.20A	----	67.40 + 2.00	.1556	----	----	----	----	1 UNCH
3675	----	----	72.50B/67.30A	72.50B/67.30A	----	70.90 + 2.20	.1625	----	----	----	----	4 UNCH
3700	----	----	77.10B/71.80A	77.10B/71.80A	----	75.40 + 2.40	.1712	----	----	----	----	2634 UNCH
3725	----	----	81.90B/76.10A	81.90B/76.10A	----	80.30 + 2.70	.1805	----	----	----	----	6 UNCH
3750	----	----	87.20B/80.80A	87.20B/80.80A	----	85.40 + 2.90	.1900	----	----	----	----	140 UNCH
3775	----	----	92.70B/85.70A	92.70B/85.70A	----	90.80 + 3.20	.1999	----	----	----	----	13 UNCH
3785	----	----	94.90B/88.00A	94.90B/88.00A	----	93.10 + 3.30	.2040	----	----	----	----	2 UNCH
3800	----	----	98.50B/90.60A	98.50B/90.60A	----	96.50 + 3.50	.2101	----	----	----	----	589 UNCH
3805	----	----	99.60B/92.30A	99.60B/92.30A	----	97.70 + 3.50	.2122	----	----	----	----	1 UNCH
3850	----	----	110.90B/102.60A	110.90B/102.60A	----	108.90 + 4.10	.2316	----	----	----	----	150 UNCH
3875	----	----	117.60B/108.80A	117.60B/108.80A	----	115.50 + 4.40	.2428	----	----	----	----	1 UNCH
3900	----	----	124.60B/115.10A	124.60B/115.10A	----	122.40 + 4.70	.2543	----	----	----	----	400 UNCH
3925	----	----	132.10B/122.00A	132.10B/122.00A	----	129.70 + 5.00	.2661	----	----	----	----	150 UNCH
3950	----	----	139.80B/129.00A	139.80B/129.00A	----	137.30 + 5.30	.2781	----	----	----	----	551 UNCH
3970	----	----	146.30B/134.30A	146.30B/134.30A	----	143.50 + 5.40	.2879	----	----	----	----	260 UNCH
4000	----	----	156.40B/144.40A	156.40B/144.40A	----	153.40 + 5.70	.3030	----	----	----	----	1309 UNCH
4025	----	----	165.30B/151.30A	165.30B/151.30A	----	162.00 + 5.90	.3158	----	----	----	----	1 UNCH
4050	----	----	174.50B/160.40A	174.50B/160.40A	----	170.90 + 6.10	.3288	----	----	----	----	689 UNCH
4075	----	----	184.10B/168.80A	184.10B/168.80A	----	180.20 + 6.30	.3420	----	----	----	----	325 UNCH
4100	----	----	194.20B/178.40A	194.20B/178.40A	----	189.90 + 6.50	.3554	----	----	----	----	151 UNCH
4110	----	----	198.20B/182.10A	198.20B/182.10A	----	193.90 + 6.60	.3609	----	----	----	----	44 UNCH
4125	----	----	204.50B/187.70A	204.50B/187.70A	----	200.00 + 6.70	.3691	----	----	----	----	25 UNCH
4130	----	----	206.80B/190.10A	206.80B/190.10A	----	202.10 + 6.80	.3718	----	----	----	----	20 UNCH
4140	----	----	211.10B/194.80A	211.10B/194.80A	----	206.30 + 6.90	.3773	----	----	----	----	1 UNCH
4145	----	----	213.10B/196.70A	213.10B/196.70A	----	208.40 + 6.90	.3801	----	----	----	----	100 UNCH
4185	----	----	231.30B/213.50A	231.30B/213.50A	----	226.00 + 7.40	.4023	----	----	----	----	55 UNCH
4190	----	----	233.60B/215.10A	233.60B/215.10A	----	228.30 + 7.50	.4051	----	----	----	----	1 UNCH
4195	----	----	235.90B/217.90A	235.90B/217.90A	----	230.60 + 7.60	.4079	----	----	----	----	20 UNCH
4200	----	----	238.20B/219.90A	238.20B/219.90A	----	232.90 + 7.60	.4107	----	----	----	----	282 UNCH
4205	----	----	240.50B/221.20A	240.50B/221.20A	----	235.30 + 7.80	.4135	----	----	----	----	2 UNCH
4230	----	----	252.80B/233.50A	252.80B/233.50A	----	247.20 + 8.10	.4276	----	----	----	----	44 UNCH
4240	----	----	257.70B/238.30A	257.70B/238.30A	----	252.10 + 8.30	.4332	----	----	----	----	1 UNCH
4250	----	----	262.60B/242.90A	262.60B/242.90A	----	257.10 + 8.50	.4389	----	----	----	----	1 UNCH
4285	----	----	280.70B/260.00A	280.70B/260.00A	----	275.00 + 9.10	.4586	----	----	----	----	100 UNCH
4300	----	----	288.80B/267.00A	288.80B/267.00A	----	283.00 + 9.50	.4671	----	----	----	----	278 UNCH
4310	----	----	294.20B/272.40A	294.20B/272.40A	----	288.40 + 9.70	.4727	----	----	----	----	7 UNCH
4315	----	----	296.90B/274.10A	296.90B/274.10A	----	291.10 + 9.80	.4754	----	----	----	----	6 UNCH
4325	----	----	301.70B/279.80A	301.70B/279.80A	----	296.60 + 10.10	.4810	----	----	----	----	280 UNCH
4330	303.50	303.50	304.80B/282.50A	304.80B/282.50A	----	299.40 NEW	.4838	----	----	15	----	15 + 15
4350	----	----	315.80B/293.10A	315.80B/293.10A	----	310.60 + 10.60	.4948	----	----	----	----	4 UNCH
4360	----	----	321.50B/299.10A	321.50B/299.10A	----	316.30 + 10.80	.5003	----	----	----	----	1 UNCH
4365	----	----	324.60B/301.30A	324.60B/301.30A	----	319.20 + 11.00	.5031	----	----	----	----	1 UNCH
4370	----	----	327.50B/304.10A	327.50B/304.10A	----	322.10 + 11.10	.5058	----	----	----	----	1 UNCH
4375	----	----	329.50B/306.50A	329.50B/306.50A	----	325.00 + 11.20	.5085	----	----	----	----	34 UNCH
4380	----	----	332.90B/309.30A	332.90B/309.30A	----	327.90 + 11.30	.5112	----	----	----	----	3 UNCH
4385	----	----	335.90B/312.30A	335.90B/312.30A	----	330.80 + 11.30	.5139	----	----	----	----	1 UNCH
4390	----	----	338.80B/314.80A	338.80B/314.80A	----	333.80 + 11.50	.5167	----	----	----	----	1 UNCH
4400	----	----	345.30B/320.70A	345.30B/320.70A	----	339.70 + 11.60	.5221	----	----	----	----	29 UNCH
4405	----	----	348.30B/323.80A	348.30B/323.80A	----	342.70 + 11.70	.5247	----	----	----	----	1 UNCH
4410	----	----	348.90B/326.70A	348.90B/326.70A	----	345.80 + 11.90	.5274	----	----	----	----	3 UNCH
4415	----	----	351.90B/329.20A	351.90B/329.20A	----	348.80 + 12.00	.5301	----	----	----	----	3 UNCH
4420	----	----	354.90B/332.40A	354.90B/332.40A	----	351.80 + 12.10	.5327	----	----	----	----	4 UNCH
4430	----	----	361.00B/337.80A	361.00B/337.80A	----	357.90 + 12.30	.5380	----	----	----	----	1 UNCH
4435	----	----	364.10B/341.60A	364.10B/341.60A	----	361.00 + 12.40	.5407	----	----	----	----	1 UNCH
4450	----	----	373.40B/349.50A	373.40B/349.50A	----	370.30 + 12.60	.5486	----	----	----	----	10 UNCH
4460	----	----	379.70B/362.10A	379.70B/362.10A	----	376.60 + 12.80	.5538	----	----	----	----	2 UNCH
4470	----	----	386.10B/368.20A	386.10B/368.20A	----	382.90 + 13.00	.5589	----	----	----	----	1 UNCH
4490	----	----	398.90B/380.50A	398.90B/380.50A	----	395.70 + 13.30	.5692	----	----	----	----	3 UNCH
4495	----	----	402.20B/383.60A	402.20B/383.60A	----	399.00 + 13.40	.5717	----	----	----	----	1 UNCH
4500	----	----	405.40B/386.70A	405.40B/386.70A	----	402.20 + 13.40	.5743	----	----	----	----	1387 UNCH
4505	----	----	408.70B/389.80A	408.70B/389.80A	----	405.50 + 13.50	.5768	----	----	----	----	1 UNCH
4515	----	----	415.30B/396.10A	415.30B/396.10A	----	412.10 + 13.70	.5818	----	----	----	----	1 UNCH
4545	----	----	435.30B/415.40A	435.30B/415.40A	----	432.10 + 14.10	.5967	----	----	----	----	1 UNCH
4550	----	----	438.70B/418.60A	438.70B/418.60A	----	435.40 + 14.10	.5991	----	----	----	----	92 UNCH
4600	----	----	473.50B/451.90A	473.50B/451.90A	----	469.90 + 14.90	.6230	----	----	----	----	1 UNCH
4605	----	----	477.00B/455.30A	477.00B/455.30A	----	473.40 + 14.90	.6253	----	----	----	----	1 UNCH
4620	----	----	487.70B/465.60A	487.70B/465.60A	----	484.00 + 15.10	.6322	----	----	----	----	1 UNCH
4625	----	----	491.30B/469.00A	491.30B/469.00A	----	487.50 + 15.10	.6345	----	----	----	----	38 UNCH
4650	----	----	509.40B/486.40A	509.40B/486.40A	----	505.50 + 15.50	.6458	----	----	----	----	250 UNCH
4655	----	----	513.00B/489.90A	513.00B/489.90A	----	509.10 + 15.50	.6480	----	----	----	----	5 UNCH
4680	----	----	531.50B/----	531.50B/524.80A	----	527.40 + 15.80	.6590	----	----	----	----	1 UNCH
4700	----	----	546.40B/----	546.40B/539.60A	----	542.20 + 16.10	.6675	----	----	----	----	75 UNCH
4760	----	----	592.10B/----	592.10B/584.80A	----	587.70 + 16.80	.6922	----	----	----	----	15 UNCH
4790	----	----	615.40B/----	615.40B/607.90A	----	611.00 + 17.20	.7040	----	----	----	----	30 UNCH
4850	----	----	663.10B/----	663.10B/655.10A	----	658.40 + 17.80	.7262	----	----	----	----	59 UNCH
4865	----	----	675.20B/----	675.20B/667.10A	----	670.50 + 18.00	.7315	----	----	----	----	75 UNCH
4900	----	----	704.00B/----	704.00B/695.40A	----	698.90 + 18.30	.7435	----	----	----	----	1 UNCH
4905	----	----	707.90B/----	707.90B/699.50A	----	703.00 + 18.40	.7453	----	----	----	----	1 UNCH
5000	----	----	787.60B/----	787.60B/778.20A	----	782.20 + 19.30	.7751	----	----	----	----	3 UNCH
5085	----	----	860.70B/----	860.70B/850.60A	----	855.10 + 20.10	.7988	----	----	----	----	150 UNCH
5600	----	----	----	1298.50B/1373.20A	----	1325.30 + 23.10	.8952	----	----	----	----	1 UNCH
5800	----	----	----	1490.90B/1558.60A	----	1516.50 + 24.00	.9172	----	----	----	----	1 UNCH
TOTAL										37		13092 + 5
JUL27												
3000	----	----	----	13.60B/17.90A	----	15.80 UNCH	.0374	----	----	----	----	2 UNCH
3250	----	----	----	26.30B/30.50A	----	28.30 + 0.20	.0658	----	----	----	----	1 UNCH
3300	----	----	31.80B/----	31.80B/33.00A	----	31.90 + 0.40	.0737	----	----	----	----	1 UNCH
3500	----	----	50.50B/----	50.50B/52.00A	----	51.50 + 1.60	.1142	----	----	----	----	3 UNCH
3600	----	----	66.00B/----	66.00B/64.90A	----	65.40 NEW	.1409	----	----	2	----	2 + 2
3610	----	----	67.60B/----	67.60B/65.20A	----	66.90 + 2.60	.1437	----	----	----	----	7 UNCH
3625	----	----	70.00B/65.70A	70.00B/65.70A	----	69.30 + 2.70	.1482	----	----	----	----	1 UNCH
3750	----	----	93.60B/87.20A	93.60B/87.20A	----	92.50 + 3.70	.1894	----	----	----	----	1 UNCH
3800	----	----	104.90B/97.60A	104.90B/97.60A	----	103.50 + 4.00	.2080	----	----	----	----	7 UNCH
3875	----	----	124.00B/114.90A	124.00B/114.90A	----	122.20 + 4.70	.2380	----	----	----	----	1 UNCH
3900	----	----	130.90B/121.40A	130.90B/121.40A	----	129.00 + 4.80	.2486	----	----	----	----	15 UNCH
3905	----	----	132.40B/122.70A	132.40B/122.70A	----	130.40 + 4.90	.2507	----	----	----	----	3 UNCH
3930	----	----	139.70B/129.20A	139.70B/129.20A	----	137.70 + 5.20	.2616	----	----	----	----	14 UNCH
4050	----	----	179.70B/166.80A	179.70B/166.80A	----	177.00 + 6.60	.3172	----	----	----	----	5 UNCH
4085	----	----	192.90B/178.30A	192.90B/178.30A	----	190.00 + 7.20	.3343	----	----	----	----	50 UNCH
4150	----	----	219.40B/202.90A	219.40B/202.90A	----	216.00 + 8.20	.3669	----	----	----	----	1 UNCH
4200	----	----	241.40B/224.20A	241.40B/224.20A	----	237.70 + 8.90	.3925	----	----	----	----	1 UNCH
4310	----	----	294.90B/274.60A	294.90B/274.60A	----	290.70 + 10.50	.4497	----	----	----	----	3 UNCH
4315	----	----	297.50B/277.10A	297.50B/277.10A	----	293.20 + 10.50	.4523	----	----	----	----	2 UNCH
4325	----	----	302.90B/282.00A	302.90B/282.00A	----	298.40 + 10.60	.4575	----	----	----	----	2 UNCH
4335	----	----	308.10B/287.30A	308.10B/287.30A	----	303.70 + 10.80	.4627	----	----	----	----	1 UNCH
4340	----	----	310.90B/289.60A	310.90B/289.60A	----	306.30 + 10.80	.4653	----	----	----	----	4 UNCH
4350	----	----	316.20B/294.60A	316.20B/294.60A	----	311.70 + 10.90	.4705	----	----	----	----	4 UNCH
4360	----	----	321.70B/300.30A	321.70B/300.30A	----	317.00 + 10.90	.4757	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL27												
4370	----	----	327.20B/305.20A	327.20B/305.20A	----	322.50 + 11.10	.4808	----	----	----	----	3 UNCH
4375	----	----	330.10B/307.50A	330.10B/307.50A	----	325.20 + 11.10	.4834	----	----	----	----	2 UNCH
4390	----	----	337.10B/315.80A	337.10B/315.80A	----	333.60 + 11.30	.4911	----	----	----	----	5 UNCH
4400	----	----	342.60B/320.90A	342.60B/320.90A	----	339.20 + 11.40	.4962	----	----	----	----	5 UNCH
4475	----	----	383.70B/366.40A	383.70B/366.40A	----	383.20 + 12.10	.5338	----	----	----	----	3 UNCH
4500	----	----	399.20B/381.20A	399.20B/381.20A	----	398.50 + 12.30	.5461	----	----	----	----	3 UNCH
4535	----	----	421.30B/402.40A	421.30B/402.40A	----	420.60 + 12.70	.5629	----	----	----	----	3 UNCH
4540	----	----	424.60B/405.50A	424.60B/405.50A	----	423.80 + 12.70	.5653	----	----	----	----	1 UNCH
4565	----	----	440.90B/421.10A	440.90B/421.10A	----	440.10 + 13.10	.5770	----	----	----	----	1 UNCH
TOTAL										2		160 + 2
AUG27												
3000	----	----	----	17.20B/20.80A	----	18.90 - 0.60	.0422	----	----	----	----	1 UNCH
3400	----	----	----	46.70B/50.50A	----	48.50 + 1.10	.1017	----	----	----	----	1 UNCH
3500	----	----	59.40B/----	59.40B/62.50A	----	60.70 + 1.60	.1244	----	----	----	----	1 UNCH
3600	----	----	75.90B/----	75.90B/76.00A	----	75.70 + 2.10	.1511	----	----	----	----	4 UNCH
3750	----	----	105.30B/----	105.30B/105.50A	----	104.90 + 3.10	.1993	----	----	----	----	14 UNCH
3760	----	----	107.90B/----	107.90B/107.80A	----	107.10 + 3.10	.2028	----	----	----	----	5 UNCH
3800	116.80	116.80	117.50B/116.80	117.50B/116.80	----	116.70 NEW	.2175	----	----	20	----	20 + 20
3950	----	----	160.00B/----	160.00B/159.60A	----	159.20 + 5.60	.2782	----	----	----	----	100 UNCH
4000	----	----	176.70B/----	176.70B/176.10A	----	175.90 + 6.40	.3002	----	----	9	----	23 + 9
4065	----	----	200.80B/----	200.80B/199.50A	----	199.60 + 7.60	.3298	----	----	----	----	300 UNCH
4185	----	----	250.50B/----	250.50B/248.70A	----	249.30 + 9.40	.3868	----	----	----	----	2 UNCH
4200	----	----	257.30B/----	257.30B/255.40A	----	256.00 + 9.50	.3941	----	----	----	----	3 UNCH
4220	----	----	266.50B/----	266.50B/264.60A	----	265.30 + 9.80	.4039	----	----	----	----	3 UNCH
4310	----	----	311.20B/----	311.20B/308.50A	----	309.30 + 10.50	.4480	----	----	----	----	2 UNCH
4315	----	----	314.10B/----	314.10B/311.10A	----	311.90 + 10.50	.4504	----	----	----	----	3 UNCH
4320	----	----	316.50B/----	316.50B/313.70A	----	314.50 + 10.50	.4529	----	----	----	----	1 UNCH
4350	----	----	332.70B/----	332.70B/329.50A	----	330.30 + 10.60	.4676	----	----	----	----	1 UNCH
4355	----	----	335.40B/----	335.40B/332.20A	----	333.00 + 10.70	.4700	----	----	----	----	1 UNCH
4360	----	----	338.00B/----	338.00B/334.90A	----	335.70 + 10.70	.4724	----	----	----	----	5 UNCH
4365	----	----	340.80B/----	340.80B/337.60A	----	338.40 + 10.70	.4749	----	----	----	----	3 UNCH
4465	----	----	394.80B/----	394.80B/397.90A	----	395.40 + 10.80	.5226	----	----	----	----	1 UNCH
4505	----	----	419.50B/----	419.50B/422.30A	----	419.70 + 10.90	.5411	----	----	----	----	2 UNCH
4535	----	----	438.50B/----	438.50B/440.90A	----	438.50 + 11.10	.5547	----	----	----	----	2 UNCH
4555	----	----	451.40B/----	451.40B/453.70A	----	451.30 + 11.20	.5636	----	----	----	----	2 UNCH
4565	----	----	457.90B/----	457.90B/460.10A	----	457.80 + 11.30	.5681	----	----	----	----	1 UNCH
4600	----	----	481.00B/----	481.00B/482.80A	----	480.80 + 11.50	.5833	----	----	----	----	1 UNCH
4665	----	----	525.70B/----	525.70B/526.90A	----	525.10 + 12.20	.6106	----	----	----	----	1 UNCH
TOTAL										29		503 + 29
SEP27												
3825	----	----	----	28.00B/229.30A	----	141.80 + 4.10	.2305	----	----	----	----	1 UNCH
3850	----	----	----	33.30B/237.20A	----	147.60 + 4.20	.2388	----	----	----	----	1 UNCH
4115	----	----	----	103.20B/342.20A	----	226.70 + 6.50	.3414	----	----	----	----	300 UNCH
4150	----	----	----	114.50B/359.20A	----	239.90 + 6.90	.3566	----	----	----	----	50 UNCH
TOTAL												352 0
OCT27												
3900	----	----	----	----	----	166.50 + 5.30	.2591	----	----	----	----	200 UNCH
TOTAL												200 0
DEC27												
2800	----	----	----	----	----	41.60 + 0.90	.0585	----	----	----	----	16 UNCH
3700	----	----	----	----	----	147.60 + 4.20	.2043	----	----	----	----	100 UNCH
3715	----	----	----	----	----	150.90 + 4.20	.2083	----	----	----	----	150 UNCH
3820	----	----	----	----	----	176.60 + 5.00	.2385	----	----	----	----	50 UNCH
4130	----	----	----	----	----	278.10 + 7.40	.3432	----	----	----	----	0 UNCH
4500	----	----	----	----	----	456.70 + 10.90	.4843	----	----	----	----	170 UNCH
4630	----	----	----	----	----	534.10 + 12.10	.5319	----	----	----	----	284 UNCH
4860	----	----	----	----	----	687.70 + 14.10	.6088	----	----	----	----	100 UNCH
5000	----	----	----	----	----	790.20 + 15.30	.6500	----	----	----	----	50 UNCH
5650	----	----	----	----	----	1327.10 + 19.50	.7894	----	----	----	----	200 UNCH
5880	----	----	----	----	----	1532.50 + 20.60	.8230	----	----	----	----	200 UNCH
TOTAL												1320 0
JAN28												
5000	----	----	----	----	----	778.60 + 14.80	.6290	----	----	----	----	1 UNCH
5100	----	----	----	----	----	854.00 + 15.60	.6556	----	----	----	----	1 UNCH
TOTAL												2 0
FEB28												
4400	----	----	----	----	----	418.90 + 9.60	.4287	----	----	----	----	11 UNCH
TOTAL												11 0
MAY28												
4500	----	----	----	----	----	475.40 + 9.90	.4337	----	----	----	----	20 UNCH
TOTAL												20 0
JUL28												
4500	----	----	----	----	----	480.00 + 9.70	.4199	----	----	----	----	25 UNCH
TOTAL												25 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
NOV26												
3350	----	----	887.70B/830.00A	887.70B/830.00A	----	840.60 - 25.70	1.0000	----	----	----	----	0 - 1
3400	----	----	837.70B/780.00A	837.70B/780.00A	----	790.60 - 25.70	.9989	----	----	----	----	1 UNCH
3500	----	----	736.80B/679.50A	736.80B/679.50A	----	690.60 - 25.70	.9977	----	----	----	----	0 - 234
3550	----	----	687.80B/629.60A	687.80B/629.60A	----	640.70 - 25.70	.9966	1	----	----	----	7 - 1
3600	----	----	637.80B/579.80A	637.80B/579.80A	----	590.80 - 25.80	.9946	----	----	----	----	3 UNCH
3700	----	----	539.30B/482.40A	539.30B/482.40A	----	491.20 - 25.80	.9900	----	----	----	----	3 UNCH
3735	----	----	503.50B/446.50A	503.50B/446.50A	----	456.50 - 25.80	.9867	----	----	----	----	1 UNCH
3765	----	----	473.00B/416.00A	473.00B/416.00A	----	426.70 - 25.80	.9841	----	----	----	----	1 UNCH
3775	----	----	464.80B/408.10A	464.80B/408.10A	----	416.80 - 25.80	.9830	----	----	----	----	1 UNCH
3780	----	----	458.70B/401.20A	458.70B/401.20A	----	411.90 - 25.80	.9819	----	----	----	----	1 UNCH
3800	----	----	439.70B/383.30A	439.70B/383.30A	----	392.10 - 25.80	.9794	----	----	----	----	4 UNCH
3820	----	----	419.10B/361.90A	419.10B/361.90A	----	372.40 - 25.80	.9759	----	----	----	----	1 UNCH
3825	----	----	415.00B/357.00A	415.00B/357.00A	----	367.40 - 25.80	.9757	----	----	----	----	1 UNCH
3830	----	----	409.00B/352.10A	409.00B/352.10A	----	362.50 - 25.80	.9745	----	----	----	----	1 UNCH
3840	----	----	399.40B/344.20A	399.40B/344.20A	----	352.70 - 25.80	.9722	----	----	----	----	7 UNCH
3850	----	----	390.80B/334.50A	390.80B/334.50A	----	342.90 - 25.80	.9699	----	----	----	----	4 UNCH
3865	----	----	375.00B/318.60A	375.00B/318.60A	----	328.30 - 25.70	.9662	----	----	----	----	4 UNCH
3870	----	----	370.10B/314.90A	370.10B/314.90A	----	323.40 - 25.70	.9649	----	----	----	----	2 UNCH
3875	----	----	365.20B/308.40A	365.20B/308.40A	----	318.50 - 25.70	.9628	----	----	----	----	1 UNCH
3880	----	----	360.30B/303.60A	360.30B/303.60A	----	313.70 - 25.60	.9615	----	----	----	----	2 UNCH
3885	----	----	355.40B/298.80A	355.40B/298.80A	----	308.80 - 25.70	.9594	----	----	----	----	1 UNCH
3890	----	----	351.50B/294.00A	351.50B/294.00A	----	304.00 - 25.60	.9581	----	----	----	----	2 UNCH
3900	----	----	341.80B/284.40A	341.80B/284.40A	----	294.30 - 25.60	.9545	----	----	----	----	4 UNCH
3905	----	----	335.90B/280.40A	335.90B/280.40A	----	289.50 - 25.50	.9522	----	----	----	----	2 UNCH
3910	----	----	330.80B/274.90A	330.80B/274.90A	----	284.70 - 25.50	.9500	----	----	----	----	1 UNCH
3915	----	----	327.20B/272.10A	327.20B/272.10A	----	279.90 - 25.50	.9477	----	----	----	----	1 UNCH
3920	----	----	321.10B/264.60A	321.10B/264.60A	----	275.10 - 25.50	.9454	----	----	----	----	5 UNCH
3925	----	----	316.50B/259.90A	316.50B/259.90A	----	270.30 - 25.50	.9430	----	----	----	----	51 UNCH
3930	----	----	312.30B/255.20A	312.30B/255.20A	----	265.60 - 25.40	.9399	----	----	----	----	1 UNCH
3935	----	----	307.50B/250.50A	307.50B/250.50A	----	260.80 - 25.40	.9374	----	----	----	----	2 UNCH
3940	----	----	301.80B/245.90A	301.80B/245.90A	----	256.10 - 25.30	.9342	----	----	----	----	13 UNCH
3945	249.90	249.90	297.00B/241.20A	297.00B/241.20A	----	251.40 - 25.20	.9310	----	----	1	----	1 UNCH
3950	247.00	247.00	292.70B/236.50A	292.70B/236.50A	----	246.60 - 25.30	.9284	----	----	1	----	2 + 1
3955	----	----	291.30B/231.90A	291.30B/231.90A	----	242.00 - 25.20	.9251	----	----	----	----	1 UNCH
3960	----	----	286.50B/227.40A	286.50B/227.40A	----	237.30 - 25.10	.9210	----	----	----	----	2 UNCH
3980	----	----	267.60B/209.20A	267.60B/209.20A	----	218.80 - 24.90	.9056	----	----	----	----	1 UNCH
3985	----	----	262.90B/204.80A	262.90B/204.80A	----	214.20 - 24.90	.9013	----	----	----	----	1 UNCH
3990	----	----	258.30B/200.30A	258.30B/200.30A	----	209.60 - 24.90	.8962	----	----	----	----	3 UNCH
3995	----	----	253.50B/196.00A	253.50B/196.00A	----	205.10 - 24.80	.8918	----	----	----	----	2 UNCH
4000	----	----	248.90B/191.50A	248.90B/191.50A	----	200.60 - 24.70	.8866	----	----	----	----	408 UNCH
4005	----	----	244.30B/187.30A	244.30B/187.30A	----	196.10 - 24.70	.8814	----	----	----	----	3 UNCH
4010	----	----	239.60B/182.90A	239.60B/182.90A	----	191.60 - 24.70	.8755	----	----	----	----	4 UNCH
4015	----	----	235.00B/178.70A	235.00B/178.70A	----	187.20 - 24.60	.8695	----	----	----	----	3 UNCH
4020	----	----	230.50B/174.40A	230.50B/174.40A	----	182.80 - 24.50	.8635	----	----	----	----	3 UNCH
4030	----	----	221.40B/166.00A	221.40B/166.00A	----	174.20 - 24.20	.8507	----	----	----	----	174 UNCH
4035	----	----	216.90B/161.90A	216.90B/161.90A	----	169.90 - 24.10	.8439	----	----	----	----	2 UNCH
4040	----	----	212.40B/157.80A	212.40B/157.80A	----	165.70 - 24.00	.8365	----	----	----	----	4 UNCH
4045	----	----	208.00B/153.70A	208.00B/153.70A	----	161.50 - 23.80	.8290	----	----	----	----	1 UNCH
4050	----	----	203.50B/149.70A	203.50B/149.70A	----	157.30 - 23.70	.8215	----	----	----	----	367 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG CALL — COMEX GOLD OPTIONS

NOV26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4055	----	----	199.10B/145.80A	199.10B/145.80A	----	153.20 - 23.60	.8134	----	----	----	----	3 UNCH
4060	----	----	194.80B/141.90A	194.80B/141.90A	----	149.10 - 23.40	.8052	----	----	----	----	3 UNCH
4065	----	----	190.40B/138.00A	190.40B/138.00A	----	145.10 - 23.20	.7965	----	----	----	----	21 UNCH
4070	----	----	186.10B/134.20A	186.10B/134.20A	----	141.10 - 23.10	.7877	----	----	----	----	10 UNCH
4075	----	----	181.90B/130.40A	181.90B/130.40A	----	137.20 - 22.90	.7789	----	----	----	----	7 UNCH
4080	----	----	177.70B/126.70A	177.70B/126.70A	----	133.30 - 22.70	.7695	----	----	----	----	40 UNCH
4085	----	----	173.50B/123.00A	173.50B/123.00A	----	129.40 - 22.60	.7597	----	----	----	----	86 UNCH
4090	----	----	169.30B/119.40A	169.30B/119.40A	----	125.70 - 22.30	.7498	----	----	----	----	20 UNCH
4095	----	----	165.20B/115.90A	165.20B/115.90A	----	121.90 - 22.20	.7398	----	----	----	----	20 UNCH
4100	----	----	161.00B/112.40A	161.00B/112.40A	----	118.20 - 22.00	.7291	----	----	2	----	509 - 2
4105	----	----	157.10B/108.90A	157.10B/108.90A	----	114.60 - 21.80	.7186	----	----	----	----	21 UNCH
4110	----	----	153.00B/105.50A	153.00B/105.50A	----	111.00 - 21.60	.7077	----	----	----	----	23 UNCH
4115	105.40	105.40	149.20B/102.20A	149.20B/102.20A	----	107.50 - 21.40	.6965	----	----	5	----	26 + 4
4120	----	----	145.30B/99.00A	145.30B/99.00A	----	104.10 - 21.10	.6849	----	----	----	----	27 UNCH
4125	108.10	108.10	141.50B/95.80A	141.50B/95.80A	----	100.70 - 20.90	.6733	----	----	2	----	157 UNCH
4130	104.70	104.70	137.70B/92.60A	137.70B/92.60A	----	97.40 - 20.70	.6614	----	----	2	----	23 UNCH
4135	91.30	91.30	133.80B/89.60A	133.80B/89.60A	----	94.10 - 20.50	.6495	----	----	3	----	86 + 3
4140	----	----	130.20B/86.60A	130.20B/86.60A	----	90.90 - 20.20	.6373	----	----	----	----	34 UNCH
4145	----	----	126.50B/83.50A	126.50B/83.50A	----	87.80 - 19.90	.6250	----	----	----	----	48 UNCH
4150	84.10	84.10	123.00B/80.70A	123.00B/80.70A	----	84.70 - 19.70	.6124	----	----	32	----	641 + 28
4155	83.00	83.00	119.40B/77.90A	119.40B/77.90A	----	81.70 - 19.40	.5997	----	----	15	----	88 + 12
4160	78.40	78.40	115.90B/75.10A	115.90B/75.10A	----	78.80 - 19.10	.5870	----	----	2	----	82 - 1
4165	75.40	75.40	112.50B/72.40A	112.50B/72.40A	----	75.90 - 18.90	.5740	----	----	4	----	47 + 2
4170	----	----	109.20B/69.80A	109.20B/69.80A	----	73.10 - 18.60	.5610	----	----	----	----	60 UNCH
4175	74.00	74.00	105.90B/67.10A	105.90B/67.10A	----	70.40 - 18.30	.5480	----	----	8	----	135 + 1
4180	67.30	67.30	102.70B/64.60A	102.70B/64.60A	----	67.80 - 18.00	.5349	----	----	1	----	64 UNCH
4185	67.40	67.40	99.50B/62.10A	99.50B/62.10A	----	65.20 - 17.70	.5217	----	----	8	----	102 - 3
4190	64.80	64.80	96.40B/59.60A	96.40B/59.60A	----	62.70 - 17.40	.5086	----	----	1	----	66 UNCH
4195	64.80	64.80	93.40B/57.30A	93.40B/57.30A	----	60.20 - 17.20	.4954	----	----	5	----	70 UNCH
4200	86.50	86.50	90.40B/55.00A	90.40B/55.00A	----	57.80 - 16.90	.4822	----	----	60	----	1013 - 4
4205	79.90	79.90	87.80B/52.80A	87.80B/52.80A	----	55.50 - 16.60	.4691	----	----	4	----	37 - 1
4210	65.60	65.60	85.10B/50.60A	85.10B/50.60A	----	53.30 - 16.20	.4561	----	----	8	----	156 - 1
4215	69.10	69.10	82.30B/48.50A	82.30B/48.50A	----	51.10 - 16.00	.4431	----	----	28	----	35 + 4
4220	61.00	61.00	79.60B/46.50A	79.60B/46.50A	----	49.00 - 15.60	.4302	----	----	83	----	137 - 55
4225	69.10	69.10	76.90B/44.60A	76.90B/44.60A	----	47.00 - 15.30	.4174	----	----	14	----	303 + 7
4230	70.90	70.90	74.30B/42.70A	74.30B/42.70A	----	45.00 - 15.00	.4047	----	----	13	----	70 + 1
4235	67.70	67.70	71.60B/40.80A	71.60B/40.80A	----	43.10 - 14.70	.3922	----	----	7	----	139 + 4
4240	40.20	40.20	69.30B/39.10A	69.30B/39.10A	----	41.30 - 14.30	.3799	----	----	2	----	49 - 1
4245	59.80	59.80	66.90B/37.40A	66.90B/37.40A	----	39.50 - 14.00	.3676	----	----	9	----	86 UNCH
4250	54.50	54.50	64.40B/35.70A	64.40B/35.70A	----	37.80 - 13.70	.3556	----	----	188	----	990 + 53
4255	58.00	58.00	62.20B/34.20A	62.20B/34.20A	----	36.20 - 13.30	.3439	----	----	2	----	40 - 2
4260	57.40	57.40	59.90B/32.60A	59.90B/32.60A	----	34.60 - 13.00	.3323	----	----	6	----	34 - 1
4265	32.50	32.50	57.80B/31.20A	57.80B/31.20A	----	33.10 - 12.60	.3209	----	----	2	----	56 UNCH
4270	30.90	30.90	55.70B/29.80A	55.70B/29.80A	----	31.60 - 12.40	.3096	----	----	12	----	55 + 6
4275	47.20	47.20	53.70B/28.40A	53.70B/28.40A	----	30.20 - 12.00	.2987	----	----	20	----	250 + 11
4280	32.30	32.30	51.80B/27.10A	51.80B/27.10A	----	28.80 - 11.70	.2878	----	----	2	----	43 - 2
4285	27.20	27.20	49.80B/25.90A	49.80B/25.90A	----	27.50 - 11.40	.2774	----	----	26	----	75 + 15
4290	32.10	32.10	48.00B/24.70A	48.00B/24.70A	----	26.20 - 11.20	.2669	----	----	23	----	84 + 12
4295	24.60	24.60	46.10B/23.50A	46.10B/23.50A	----	25.00 - 10.80	.2569	----	----	2	----	86 + 2
4300	43.00	43.00	44.40B/22.40A	44.40B/22.40A	----	23.90 - 10.50	.2474	----	----	223	----	2494 - 52
4305	23.00	23.00	42.70B/21.40A	42.70B/21.40A	----	22.80 - 10.20	.2380	----	----	2	----	115 - 2
4310	28.50	28.50	41.00B/20.40A	41.00B/20.40A	----	21.70 - 9.90	.2286	----	----	64	----	299 + 37
4315	----	----	39.30B/19.40A	39.30B/19.40A	----	20.70 - 9.60	.2197	----	----	----	----	91 UNCH
4320	29.10	29.10	37.80B/18.40	37.80B/18.40	----	19.70 - 9.30	.2108	----	----	24	----	234 + 3
4325	31.40	31.40	36.30B/17.60A	36.30B/17.60A	----	18.70 - 9.10	.2020	----	----	82	----	601 + 30
4330	31.30	31.30	35.00B/16.80A	35.00B/16.80A	----	17.80 - 8.80	.1937	----	----	92	----	243 + 23
4335	17.50	17.50	33.60B/16.00A	33.60B/16.00A	----	17.00 - 8.50	.1861	----	----	2	----	413 UNCH
4340	----	----	32.20B/15.20A	32.20B/15.20A	----	16.20 - 8.20	.1784	----	----	2	----	119 + 1
4345	15.70	15.70	30.90B/14.50A	30.90B/14.50A	----	15.40 - 8.00	.1709	----	----	1	----	136 UNCH
4350	29.90	29.90	29.90/13.80A	29.90/13.80A	----	14.60 - 7.80	.1633	----	----	35	----	851 + 10
4355	----	----	28.40B/13.10A	28.40B/13.10A	----	13.90 - 7.50	.1564	----	----	----	----	61 UNCH
4360	18.50	18.50	27.20B/12.50A	27.20B/12.50A	----	13.20 - 7.30	.1496	----	----	3	----	114 + 1
4365	16.30	16.30	26.10B/11.90A	26.10B/11.90A	----	12.60 - 7.00	.1434	----	----	2	----	40 UNCH
4370	----	----	25.00B/11.30A	25.00B/11.30A	----	12.00 - 6.70	.1373	----	----	2	----	59 - 1
4375	21.80	21.80	24.00B/10.80A	24.00B/10.80A	----	11.40 - 6.50	.1312	----	----	11	----	647 + 4
4380	----	----	23.00B/10.30A	23.00B/10.30A	----	10.80 - 6.30	.1251	----	----	----	----	243 UNCH
4385	20.70	20.70	22.00B/9.80A	22.00B/9.80A	----	10.30 - 6.10	.1198	----	----	8	----	117 + 4
4390	----	----	21.10B/9.30A	21.10B/9.30A	----	9.80 - 5.80	.1145	----	----	----	----	133 UNCH
4395	----	----	20.20B/8.90A	20.20B/8.90A	----	9.30 - 5.60	.1093	----	----	2	----	236 UNCH
4400	18.00	18.00	19.40B/8.40A	19.40B/8.40A	----	8.90 - 5.40	.1048	----	----	745	----	3700 + 19
4405	10.00	10.00	18.60B/8.00A	18.60B/8.00A	----	8.40 - 5.30	.0996	----	----	4	----	52 - 1
4410	----	----	17.80B/7.60A	17.80B/7.60A	----	8.00 - 5.10	.0952	----	----	----	----	204 UNCH
4415	----	----	17.10B/7.30A	17.10B/7.30A	----	7.70 - 4.80	.0916	----	----	----	----	116 UNCH
4420	----	----	16.20B/6.90A	16.20B/6.90A	----	7.30 - 4.70	.0873	----	----	----	----	247 UNCH
4425	8.70	8.70	15.60B/6.60A	15.60B/6.60A	----	7.00 - 4.50	.0837	----	----	11	----	589 + 1
4430	----	----	15.00B/6.30A	15.00B/6.30A	----	6.70 - 4.30	.0803	----	----	----	----	147 UNCH
4435	7.00	7.00	14.20B/6.00A	14.20B/6.00A	----	6.30 - 4.20	.0760	----	----	10	----	103 - 6
4440	8.20	8.20	13.60B/5.70A	13.60B/5.70A	----	6.10 - 3.90	.0734	----	----	4	----	137 + 4
4445	----	----	13.00B/5.50A	13.00B/5.50A	----	5.80 - 3.80	.0700	----	----	----	----	119 UNCH
4450	12.30	12.30	12.50B/5.20A	12.50B/5.20A	----	5.50 - 3.70	.0667	----	----	42	266	1015 - 78
4455	----	----	12.00B/5.00A	12.00B/5.00A	----	5.30 - 3.50	.0642	----	----	----	----	68 UNCH
4460	10.40	10.40	11.50B/4.80A	11.50B/4.80A	----	5.00 - 3.40	.0608	----	----	9	----	136 - 5
4465	9.60	9.60	11.10B/4.50A	11.10B/4.50A	----	4.80 - 3.30	.0584	----	----	8	----	83 - 4
4470	10.00	10.00	10.60B/4.30A	10.60B/4.30A	----	4.60 - 3.10	.0560	----	----	11	----	184 + 11
4475	----	----	10.10B/4.20A	10.10B/4.20A	----	4.40 - 3.00	.0536	----	----	6	----	493 UNCH
4480	----	----	9.70B/4.00A	9.70B/4.00A	----	4.20 - 2.90	.0512	----	----	1	----	171 UNCH
4485	4.10	4.10	9.30B/3.80A	9.30B/3.80A	----	4.00 - 2.80	.0489	----	----	51	----	232 + 47
4490	5.10	5.10	8.90B/3.70A	8.90B/3.70A	----	3.80 - 2.70	.0465	----	----	1	----	83 + 1
4495	----	----	8.50B/3.50A	8.50B/3.50A	----	3.70 - 2.50	.0451	----	----	----	----	501 UNCH
4500	6.60	6.60	8.10B/3.30	8.10B/3.30	----	3.50 - 2.50	.0428	----	----	50	----	3249 + 13
4505	----	----	7.80B/3.20A	7.80B/3.20A	----	3.40 - 2.30	.0415	----	----	1	----	112 UNCH
4510	----	----	7.50B/3.10A	7.50B/3.10A	----	3.30 - 2.20	.0401	----	----	1	----	3321 - 1
4515	----	----	7.20B/3.00A	7.20B/3.00A	----	3.10 - 2.20	.0379	----	----	1	----	55 + 1
4520	----	----	6.90B/2.90A	6.90B/2.90A	----	3.00 - 2.10	.0366	----	----	2	----	254 UNCH
4525	----	----	6.60B/2.80A	6.60B/2.80A	----	2.90 - 2.00	.0353	----	----	10	----	844 UNCH
4530	----	----	6.40B/2.70A	6.40B/2.70A	----	2.80 - 1.90	.0340	----	----	----	----	190 UNCH
4535	5.80	5.80	6.10B/2.60A	6.10B/2.60A	----	2.70 - 1.80	.0327	----	----	2	----	115 UNCH
4540	2.50	2.50	5.80B/2.50	5.80B/2.50	----	2.60 - 1.70	.0315	----	----	1	----	224 + 1
4545	2.30	2.30	5.70B/2.30	5.70B/2.30	----	2.50 - 1.70	.0302	----	----	1	----	50 + 1
4550	5.00	5.00	5.40B/2.30	5.40B/2.30	----	2.40 - 1.60	.0290	----	----	11	----	1267 - 7
4555	----	----	5.20B/2.20A	5.20B/2.20A	----	2.30 - 1.60	.0278	----	----	----	----	158 UNCH
4560	2.70	2.70	5.00B/2.10	5.00B/2.10	----	2.20 - 1.50	.0266	----	----	5	----	69 UNCH
4565	2.10	2.10	4.80B/2.10	4.80B/2.10	----	2.10 - 1.50	.0254	----	----	1	----	106 UNCH
4570	----	----	4.60B/2.00A	4.60B/2.00A	----	2.10 - 1.40	.0251	----	----	----	----	49 UNCH
4575	----	----	4.40B/1.90A	4.40B/1.90A	----	2.00 - 1.40	.0240	----	----	----	----	347 UNCH
4580	1.80	1.80	4.30B/1.80	4.30B/1.80	----	1.90 - 1.30	.0228	----	----	2	----	114 + 1
4585	1.80	1.80	4.10B/1.80	4.10B/1.80	----	1.90 - 1.20	.0226	----	----	1	----	196 UNCH
4590	2.40	2.40	4.00B/1.70A	4.00B/1.70A	----	1.80 - 1.20	.0214	----	----	7	----	184 - 4
4595	----	----	3.80B/1.70A	3.80B/1.70A	----	1.80 - 1.10	.0213	----	----	----	----	122 UNCH
4600	3.50	3.50	3.70B/1.60A	3.70B/1.60A	----	1.70 - 1.10	.0201	----	----	104	----	4313 - 81
4605	----	----	3.60B/1.60A	3.60B/1.60A	----	1.70 - 1.00	.0199	----	----	----	----	93 UNCH
4610	1.60	1.60	3.50B/1.60	3.50B/1.60	----	1.60 - 1.10	.0188	----	----	5	----	156 + 5
4615	----	----	3.30B/1.50A	3.30B/1.50A	----	1.60 - 1.00	.0187	----	----	----	----	85 UNCH
4620	1.50	1.50	3.20B/1.50	3.20B/1.50	----	1.50 - 1.00	.0176	----	----	2	----	252 + 2
4625	3.20	3.20	3.20/1.40A	3.20/1.40A	----	1.50 - 0.90	.0174	----	----	1	----	128 UNCH
4630	2.20	2.20	3.00B/1.40A	3.00B/1.40A	----	1.50 - 0.80	.0173	----	----	2	----	72 - 2
4635	----	----	2.90B/1.40A	2.90B/1.40A	----	1.40 - 0.90	.0162	----	----	----	----	102 UNCH
4640	1.50	1.50	2.80B/1.30A	2.80B/1.30A	----	1.40 - 0.80	.0161	----	----	11	----	227 + 6
4645	----	----	2.70B/1.30A	2.70B/1.30A	----	1.30 - 0.80	.0150	----	----	----	----	152 UNCH
4650	3.00	3.00	3.00/1.30A	3.00/1.30A	----	1.30 - 0.80	.0149	----	----	15	----	1479 - 1
4655	----	----	2.60B/1.20A	2.60B/1.20A	----	1.30 - 0.70	.0148	----	----	----	----	207 UNCH
4660	----	----	2.50B/1.20A	2.50B/1.20A	----	1.20 - 0.80	.0137	----	----	----	----	165 UNCH
4665	----	----	2.50B/1.20A	2.50B/1.20A	----	1.20 - 0.70	.0136	----	----	----	----	215 UNCH
4670	----	----	2.40B/1.20A	2.40B/1.20A	----	1.20 - 0.70	.0135	----	----	----	----	149 UNCH
4675	----	----	2.30B/1.10A	2.30B/1.10A	----	1.20 - 0.60	.0134	----	----	----	----	714 UNCH
4680	----	----	2.20B/1.10A	2.20B/1.10A	----	1.10 - 0.70	.0124	----	----	----	----	213 UNCH
4685	1.30	1.30	2.20B/1.10A	2.20B/1.10A	----	1.10 - 0.60	.0123	----	----	1	----	213 UNCH
4690	----	----	2.10B/1.10A	2.10B/1.10A	----	1.10 - 0.60	.0122	----	----	----	----	260 UNCH
4695	----	----	2.10B/1.10A	2.10B/1.10A	----	1.10 - 0.50	.0121	----	----	----	----	163 UNCH
4700	----	----	2.00B/1.00A	2.00B/1.00A	----	1.00 - 0.60	.0111	----	----	12	----	3568 + 8
4705	----	----	2.00B/1.00A	2.00B/1.00A	----	1.00 - 0.50	.0110	----	----	----	----	106 UNCH
4710	1.30	1.30	1.90B/1.00A	1.90B/1.00A	----	1.00 - 0.50	.0109	----	----	4	----	148 + 1
4715	----	----	1.90B/1.00A	1.90B/1.00A	----	1.00 - 0.50	.0108	----	----	----	----	89 UNCH
4720	1.40	1.40	1.80B/1.00A	1.80B/1.00A	----	1.00 - 0.40	.0108	----	----	1	----	124 + 1
4725	1.40	1.40	1.80B/1.00A	1.80B/1.00A	----	1.00 - 0.40	.0107	----	----	2	----	295 + 2
4730	----	----	1.70B/0.90A	1.70B/0.90A	----	0.90 - 0.50	.0097	----	----	----	----	174 UNCH
4735	----	----	1.70B/0.90A	1.70B/0.90A	----	0.90 - 0.40	.0097	----	----	----	----	136 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
NOV26												
4740	----	----	1.70B/0.90A	1.70B/0.90A	----	0.90 - 0.40	.0096	----	----	----	----	137 UNCH
4745	----	----	1.70B/0.90A	1.70B/0.90A	----	0.90 - 0.40	.0095	----	----	----	----	31 UNCH
4750	1.50	1.50	1.60B/0.90A	1.60B/0.90A	----	0.90 - 0.40	.0095	----	----	2	----	1775 UNCH
4755	----	----	1.60B/0.90A	1.60B/0.90A	----	0.90 - 0.30	.0094	----	----	1	----	133 + 1
4760	----	----	1.50B/0.90A	1.50B/0.90A	----	0.90 - 0.30	.0093	----	----	----	----	73 UNCH
4765	----	----	1.50B/0.90A	1.50B/0.90A	----	0.90 - 0.30	.0093	----	----	3	----	93 + 3
4770	----	----	1.50B/0.80A	1.50B/0.80A	----	0.90 - 0.30	.0092	----	----	----	----	71 UNCH
4775	----	----	1.50B/0.80A	1.50B/0.80A	----	0.90 - 0.30	.0091	----	----	----	----	261 UNCH
4780	----	----	1.40B/0.80A	1.40B/0.80A	----	0.80 - 0.30	.0082	----	----	----	----	116 UNCH
4785	----	----	1.40B/0.80A	1.40B/0.80A	----	0.80 - 0.30	.0082	----	----	----	----	57 UNCH
4790	----	----	1.40B/0.80A	1.40B/0.80A	----	0.80 - 0.30	.0081	----	----	----	----	39 UNCH
4795	----	----	1.30B/0.80A	1.30B/0.80A	----	0.80 - 0.30	.0081	----	----	----	----	130 UNCH
4800	0.90	0.90	1.30B/0.80A	1.30B/0.80A	----	0.80 - 0.30	.0080	----	----	2	----	3346 - 2
4805	----	----	1.30B/0.80A	1.30B/0.80A	----	0.80 - 0.20	.0080	----	----	----	----	83 UNCH
4810	----	----	1.30B/0.80A	1.30B/0.80A	----	0.80 - 0.20	.0079	----	----	----	----	87 UNCH
4815	----	----	1.30B/0.80A	1.30B/0.80A	----	0.80 - 0.20	.0079	----	----	----	----	74 UNCH
4820	----	----	1.20B/0.80A	1.20B/0.80A	----	0.80 - 0.20	.0078	----	----	----	----	343 UNCH
4825	----	----	1.20B/0.70A	1.20B/0.70A	----	0.80 - 0.20	.0078	----	----	----	----	379 UNCH
4830	----	----	1.20B/0.70A	1.20B/0.70A	----	0.70 - 0.30	.0069	----	----	----	----	141 UNCH
4835	----	----	1.20B/0.70A	1.20B/0.70A	----	0.70 - 0.30	.0069	----	----	----	----	112 UNCH
4840	----	----	1.20B/0.70A	1.20B/0.70A	----	0.70 - 0.20	.0068	----	----	----	----	53 UNCH
4845	0.80	0.80	1.10B/0.70A	1.10B/0.70A	----	0.70 - 0.20	.0068	----	----	3	----	72 - 2
4850	0.80	0.80	1.10B/0.70A	1.10B/0.70A	----	0.70 - 0.20	.0067	----	----	2	----	1584 - 1
4855	----	----	1.10B/0.70A	1.10B/0.70A	----	0.70 - 0.20	.0067	----	----	----	----	65 UNCH
4860	----	----	1.10B/0.70A	1.10B/0.70A	----	0.70 - 0.20	.0067	----	----	----	----	176 UNCH
4865	----	----	1.00B/0.70A	1.00B/0.70A	----	0.70 - 0.20	.0066	----	----	----	----	41 UNCH
4870	----	----	1.00B/0.70A	1.00B/0.70A	----	0.70 - 0.20	.0066	----	----	6	----	42 + 1
4875	----	----	1.00B/0.70A	1.00B/0.70A	----	0.60 - 0.30	.0057	----	----	----	----	197 UNCH
4880	----	----	1.00B/0.70A	1.00B/0.70A	----	0.60 - 0.20	.0057	----	----	----	----	519 UNCH
4885	----	----	1.00B/0.70A	1.00B/0.70A	----	0.60 - 0.20	.0057	----	----	----	----	58 UNCH
4890	----	----	1.00B/0.70A	1.00B/0.70A	----	0.60 - 0.20	.0056	----	----	----	----	159 UNCH
4895	----	----	1.00B/0.70A	1.00B/0.70A	----	0.60 - 0.20	.0056	----	----	----	----	88 UNCH
4900	----	----	0.90B/0.70A	0.90B/0.70A	----	0.60 - 0.20	.0056	----	----	----	----	7251 UNCH
4905	----	----	0.90B/0.60A	0.90B/0.60A	----	0.60 - 0.20	.0055	----	----	----	----	326 UNCH
4910	----	----	0.90B/0.60A	0.90B/0.60A	----	0.60 - 0.20	.0055	----	----	----	----	101 UNCH
4915	----	----	0.90B/0.60A	0.90B/0.60A	----	0.60 - 0.20	.0055	----	----	----	----	15 UNCH
4920	----	----	0.90B/0.60A	0.90B/0.60A	----	0.60 - 0.20	.0055	----	----	----	----	50 UNCH
4925	----	----	0.90B/0.60A	0.90B/0.60A	----	0.60 - 0.20	.0054	----	----	----	----	74 UNCH
4930	----	----	----/0.60A	0.80B/0.60A	----	0.60 - 0.20	.0054	----	----	----	----	101 UNCH
4935	----	----	0.80B/0.60A	0.80B/0.60A	----	0.60 - 0.10	.0054	----	----	----	----	70 UNCH
4940	----	----	0.80B/0.60A	0.80B/0.60A	----	0.60 - 0.10	.0053	----	----	----	----	79 UNCH
4945	----	----	0.80B/0.60A	0.80B/0.60A	----	0.50 - 0.20	.0045	----	----	----	----	34 UNCH
4950	----	----	0.80B/0.60A	0.80B/0.60A	----	0.50 - 0.20	.0045	----	----	----	----	526 UNCH
4955	----	----	0.80B/0.60A	0.80B/0.60A	----	0.50 - 0.20	.0045	----	----	----	----	40 UNCH
4960	----	----	0.80B/0.60A	0.80B/0.60A	----	0.50 - 0.20	.0045	----	----	----	----	51 UNCH
4965	----	----	0.80B/0.60A	0.80B/0.60A	----	0.50 - 0.20	.0044	----	----	----	----	42 UNCH
4970	----	----	0.80B/0.60A	0.80B/0.60A	----	0.50 - 0.20	.0044	----	----	----	----	29 UNCH
4975	----	----	----/0.60A	0.70B/0.60A	----	0.50 - 0.20	.0044	----	----	----	----	137 UNCH
4980	----	----	----/0.60A	0.70B/0.60A	----	0.50 - 0.20	.0044	----	----	----	----	34 UNCH
4985	----	----	----/0.60A	0.70B/0.60A	----	0.50 - 0.20	.0044	----	----	----	----	125 UNCH
4990	----	----	----/0.60A	0.70B/0.60A	----	0.50 - 0.20	.0043	----	----	----	----	32 UNCH
4995	----	----	----/0.60A	0.70B/0.60A	----	0.50 - 0.20	.0043	----	----	----	----	123 UNCH
5000	----	----	----/0.60A	0.70B/0.60A	----	0.50 - 0.20	.0043	----	----	----	----	3457 UNCH
5005	----	----	----/0.60A	0.70B/0.60A	----	0.50 - 0.20	.0043	----	----	----	----	57 UNCH
5010	----	----	----/0.60A	0.70B/0.60A	----	0.50 - 0.20	.0043	----	----	----	----	56 UNCH
5015	----	----	0.70B/-----	0.70B/0.60A	----	0.50 - 0.10	.0042	----	----	----	----	36 UNCH
5020	----	----	0.70B/0.50A	0.70B/0.50A	----	0.50 - 0.10	.0042	----	----	----	----	58 UNCH
5025	----	----	----/0.50A	0.60B/0.50A	----	0.50 - 0.10	.0042	----	----	----	----	502 UNCH
5030	----	----	----/0.50A	0.60B/0.50A	----	0.50 - 0.10	.0042	----	----	----	----	82 UNCH
5035	----	----	----/0.50A	0.60B/0.50A	----	0.50 - 0.10	.0042	----	----	----	----	81 UNCH
5040	----	----	----/0.50A	0.60B/0.50A	----	0.50 - 0.10	.0041	----	----	----	----	162 UNCH
5045	----	----	----/0.50A	0.60B/0.50A	----	0.50 - 0.10	.0041	----	----	----	----	42 UNCH
5050	----	----	----/0.50A	0.60B/0.50A	----	0.50 - 0.10	.0041	----	----	----	----	1024 UNCH
5055	----	----	----/0.50A	0.60B/0.50A	----	0.50 - 0.10	.0041	----	----	----	----	120 UNCH
5060	----	----	----/0.50A	0.60B/0.50A	----	0.50 - 0.10	.0041	----	----	----	----	44 UNCH
5065	----	----	----/0.50A	0.60B/0.50A	----	0.50 - 0.10	.0040	----	----	----	----	45 UNCH
5070	----	----	----/0.50A	0.60B/0.50A	----	0.50 - 0.10	.0040	----	----	----	----	170 UNCH
5075	----	----	----/0.50A	0.60B/0.50A	----	0.50 - 0.10	.0040	----	----	----	----	82 UNCH
5080	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0040	----	----	----	----	42 UNCH
5085	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0040	----	----	----	----	147 UNCH
5090	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0040	----	----	----	----	63 UNCH
5095	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0039	----	----	----	----	198 UNCH
5100	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0039	----	----	----	----	4904 UNCH
5105	----	----	----	0.50B/0.50A	----	0.40 - 0.10	.0032	----	----	----	----	45 UNCH
5110	----	----	----	0.50B/0.50A	----	0.40 - 0.10	.0032	----	----	----	----	41 UNCH
5115	----	----	----	0.50B/0.50A	----	0.40 - 0.10	.0032	----	----	----	----	144 UNCH
5120	0.50	0.50	0.50/0.50	0.50/0.50	----	0.40 - 0.10	.0032	----	----	10	----	86 + 8
5125	----	----	----	0.50B/0.50A	----	0.40 - 0.10	.0032	----	----	----	----	91 UNCH
5130	----	----	----	0.50B/0.50A	----	0.40 - 0.10	.0031	----	----	----	----	95 UNCH
5135	----	----	----	0.50B/0.50A	----	0.40 - 0.10	.0031	----	----	----	----	18 UNCH
5140	----	----	----	0.50B/0.50A	----	0.40 - 0.10	.0031	----	----	----	----	48 UNCH
5145	----	----	----	0.50B/0.50A	----	0.40 - 0.10	.0031	----	----	----	----	25 UNCH
5150	----	----	----	0.50B/0.50A	----	0.40 - 0.10	.0031	----	----	----	----	534 UNCH
5155	----	----	----	0.50B/0.50A	----	0.40 - 0.10	.0031	----	----	----	----	11 UNCH
5160	----	----	----	0.50B/0.50A	----	0.40 - 0.10	.0031	----	----	----	----	34 UNCH
5165	----	----	----	0.50B/0.50A	----	0.40 - 0.10	.0030	----	----	----	----	80 UNCH
5170	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0030	----	----	----	----	22 UNCH
5175	----	----	----	0.50B/0.50A	----	0.40 - 0.10	.0030	----	----	----	----	303 UNCH
5180	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0030	----	----	----	----	87 UNCH
5185	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0030	----	----	----	----	14 UNCH
5190	----	----	----	0.40B/0.50A	----	0.40 UNCH	.0030	----	----	----	----	21 UNCH
5195	----	----	----	0.40B/0.50A	----	0.30 - 0.10	.0023	----	----	----	----	90 UNCH
5200	----	----	----	0.40B/0.50A	----	0.30 - 0.10	.0023	----	----	----	----	1900 UNCH
5205	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0023	----	----	----	----	7 UNCH
5210	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0023	----	----	----	----	11 UNCH
5215	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0023	----	----	----	----	51 UNCH
5220	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0023	----	----	----	----	33 UNCH
5225	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0022	----	----	----	----	26 UNCH
5230	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0022	----	----	----	----	95 UNCH
5235	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0022	----	----	----	----	21 UNCH
5240	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0022	----	----	----	----	38 UNCH
5245	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0022	----	----	----	----	9 UNCH
5250	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0022	----	----	----	----	691 UNCH
5255	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0022	----	----	----	----	4 UNCH
5260	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0022	----	----	----	----	11 UNCH
5265	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0022	----	----	----	----	11 UNCH
5270	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0022	----	----	----	----	24 UNCH
5275	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0022	----	----	----	----	214 UNCH
5280	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0022	----	----	----	----	40 UNCH
5285	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0022	----	----	----	----	32 UNCH
5290	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0021	----	----	----	----	21 UNCH
5295	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0021	----	----	----	----	10 UNCH
5300	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0021	----	----	----	----	1441 UNCH
5305	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0021	----	----	----	----	31 UNCH
5310	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0021	----	----	----	----	9 UNCH
5315	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0021	----	----	----	----	6 UNCH
5320	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0021	----	----	----	----	19 UNCH
5325	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0021	----	----	----	----	23 UNCH
5330	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0021	----	----	----	----	13 UNCH
5335	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0021	----	----	----	----	39 UNCH
5340	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0021	----	----	----	----	6 UNCH
5345	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0021	----	----	----	----	12 UNCH
5350	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0021	----	----	----	----	114 UNCH
5355	----	----	----	0.30B/0.40A	----	0.20 - 0.10	.0014	----	----	----	----	26 UNCH
5360	----	----	----	0.30B/0.40A	----	0.20 - 0.10	.0014	----	----	----	----	13 UNCH
5365	----	----	----	0.30B/0.40A	----	0.20 - 0.10	.0014	----	----	----	----	9 UNCH
5370	----	----	----	0.30B/0.40A	----	0.20 - 0.10	.0014	----	----	----	----	13 UNCH
5375	----	----	----	0.30B/0.40A	----	0.20 - 0.10	.0014	----	----	----	----	41 UNCH
5380	----	----	----	0.30B/0.40A	----	0.20 - 0.10	.0014	----	----	----	----	33 UNCH
5385	----	----	----	0.30B/0.40A	----	0.20 - 0.10	.0014	----	----	----	----	32 UNCH
5390	----	----	----	0.30B/0.40A	----	0.20 - 0.10	.0014	----	----	----	----	10 UNCH
5395	----	----	----	0.30B/0.40A	----	0.20 - 0.10	.0014	----	----	----	----	31 UNCH
5400	----	----	----	0.30B/0.40A	----	0.20 - 0.10	.0014	----	----	----	----	778 UNCH
5405	----	----	----	0.30B/0.40A	----	0.20 - 0.10	.0014	----	----	----	----	55 UNCH
5410	----	----	----	0.30B/0.40A	----	0.20 - 0.10	.0014	----	----	----	----	6 UNCH
5415	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0014	----	----	----	----	26 UNCH
5420	----	----	----	0.30B/0.40A	----	0.20 - 0.10	.0014	----	----	----	----	36 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 23

FINAL

PG64 BULLETIN #196@ METALS OPTION PRODUCTS Mon, Oct 12, 2026 PG64

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
NOV26												
5425	----	----	----	0.30B/0.40A	----	0.20 - 0.10	.0013	----	----	----	----	12 UNCH
5430	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0013	----	----	----	----	10 UNCH
5435	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0013	----	----	----	----	6 UNCH
5440	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0013	----	----	----	----	3 UNCH
5445	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0013	----	----	----	----	33 UNCH
5450	0.30	0.30	0.30/0.30	0.30/0.30	----	0.20 - 0.10	.0013	----	----	1	----	572 UNCH
5455	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0013	----	----	----	----	43 UNCH
5460	0.30	0.30	0.30/0.30	0.30/0.30	----	0.20 - 0.10	.0013	----	----	1	----	20 UNCH
5465	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0013	----	----	----	----	6 UNCH
5470	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0013	----	----	----	----	8 UNCH
5475	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	196 UNCH
5480	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	39 UNCH
5485	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	30 UNCH
5490	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	29 UNCH
5495	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	3 UNCH
5500	0.30	0.30	0.30/0.30	0.30/0.30	----	0.20 - 0.10	.0013	----	----	100	----	2667 - 31
5505	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	28 UNCH
5510	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	10 UNCH
5515	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	17 UNCH
5520	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	29 UNCH
5525	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	29 UNCH
5530	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	12 UNCH
5535	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	28 UNCH
5540	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	21 UNCH
5545	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0013	----	----	----	----	38 UNCH
5550	0.20	0.20	0.20/0.20	0.20/0.20	----	0.20 - 0.10	.0013	----	----	3	----	50 UNCH
5555	----	----	----	0.20B/0.30A	----	0.20 UNCH	.0012	----	----	----	----	10 UNCH
5560	----	----	----	0.20B/0.30A	----	0.20 UNCH	.0012	----	----	----	----	19 UNCH
5565	----	----	----	0.20B/0.30A	----	0.20 UNCH	.0012	----	----	----	----	12 UNCH
5570	----	----	----	0.20B/0.30A	----	0.20 UNCH	.0012	----	----	----	----	33 UNCH
5575	----	----	----	0.20B/0.30A	----	0.20 UNCH	.0012	----	----	----	----	67 UNCH
5580	----	----	----	0.20B/0.30A	----	0.20 UNCH	.0012	----	----	----	----	49 UNCH
5585	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0012	----	----	----	----	25 UNCH
5590	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0012	----	----	----	----	17 UNCH
5595	----	----	----	0.20B/0.30A	----	0.20 UNCH	.0012	----	----	----	----	26 UNCH
5600	----	----	----	0.20B/0.30A	----	0.20 UNCH	.0012	----	----	----	----	161 UNCH
5605	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0012	----	----	----	----	37 UNCH
5610	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0012	----	----	----	----	8 UNCH
5615	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0012	----	----	----	----	61 UNCH
5620	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0012	----	----	----	----	5 UNCH
5625	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0006	----	----	----	----	7 UNCH
5630	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0006	----	----	----	----	7 UNCH
5635	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0006	----	----	----	----	18 UNCH
5640	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0006	----	----	----	----	6 UNCH
5645	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0005	----	----	----	----	15 UNCH
5650	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0005	----	----	----	----	55 UNCH
5655	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0005	----	----	----	----	5 UNCH
5660	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0005	----	----	----	----	1 UNCH
5665	----	----	----	----/0.30A	----	0.10 - 0.10	.0005	----	----	----	----	14 UNCH
5670	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0004	----	----	----	----	14 UNCH
5675	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0004	----	----	----	----	9 UNCH
5680	----	----	----	----/0.30A	----	0.10 - 0.10	.0004	----	----	----	----	45 UNCH
5685	----	----	----	0.10B/0.20A	----	0.10 - 0.10	.0004	----	----	----	----	8 UNCH
5690	----	----	----	0.10B/0.20A	----	0.10 - 0.10	.0004	----	----	----	----	68 UNCH
5695	----	----	----	0.10B/0.20A	----	0.10 - 0.10	.0004	----	----	----	----	25 UNCH
5700	----	----	----	0.10B/0.20A	----	0.10 - 0.10	.0003	----	----	----	----	120 UNCH
5705	----	----	----	0.10B/0.20A	----	0.10 - 0.10	.0003	----	----	----	----	1 UNCH
5710	----	----	----	0.10B/0.20A	----	0.10 - 0.10	.0003	----	----	----	----	2 UNCH
5720	----	----	----	----/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	6 UNCH
5725	----	----	----	----/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	3 UNCH
5730	----	----	----	----/0.20A	----	0.10 - 0.10	.0003	----	----	----	----	27 UNCH
5740	----	----	----	----/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	4 UNCH
5750	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	599 UNCH
5770	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	11 UNCH
5775	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	8 UNCH
5780	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	6 UNCH
5790	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	6 UNCH
5800	----	----	----	----/0.20A	----	0.10 - 0.10	.0001	----	----	----	----	227 UNCH
5810	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	21 UNCH
5825	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	41 UNCH
5850	----	----	----	----/0.20A	----	0.10 - 0.10	.0001	----	----	----	----	42 UNCH
5875	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	10 UNCH
5900	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	285 UNCH
5925	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	15 UNCH
5950	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	41 UNCH
5975	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	34 UNCH
6000	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	.0000	----	----	31	----	2884 UNCH
6100	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	51 UNCH
6200	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	60 UNCH
6250	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	41 UNCH
6300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	344 UNCH
6400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	118 UNCH
6500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1918 UNCH
8000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	994 UNCH
9000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1591 UNCH
20000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1346 UNCH
TOTAL										2482	266	102646 - 173
DEC26												
500	----	----	----/3,707.70A	3668.90B/3707.70A	----	3690.60 - 25.70	1.0000	----	----	----	----	0 UNCH
1000	----	----	----/3,207.40A	3169.10B/3207.40A	----	3190.60 - 25.70	1.0000	----	----	----	----	0 - 1
1500	----	----	----/2,707.50A	2669.20B/2707.50A	----	2690.60 - 25.70	1.0000	6	----	40	----	36 + 34
2495	----	----	----/1,712.30A	1674.30B/1712.30A	----	1695.60 - 25.70	1.0000	----	----	50	----	0 UNCH
2500	----	----	----/1,707.40A	1669.40B/1707.40A	----	1690.60 - 25.70	1.0000	295	----	295	----	608 UNCH
2505	----	----	----/1,702.30A	1664.30B/1702.30A	----	1685.60 - 25.70	1.0000	----	----	50	----	0 UNCH
3200	----	----	1,037.10B/980.3	1037.10B/980.30A	----	990.60 - 25.70	.9933	----	----	----	----	0 UNCH
3245	----	----	992.70B/935.60A	992.70B/935.60A	----	945.70 - 25.80	.9919	----	----	----	----	1 UNCH
3250	----	----	988.00B/930.10A	988.00B/930.10A	----	940.70 - 25.80	.9918	----	----	----	----	71 UNCH
3300	----	----	937.00B/880.50A	937.00B/880.50A	----	890.90 - 25.80	.9898	----	----	----	----	311 UNCH
3405	----	----	832.20B/778.40A	832.20B/778.40A	----	786.60 - 25.80	.9843	----	----	----	----	1 UNCH
3450	----	----	787.50B/731.90A	787.50B/731.90A	----	742.00 - 25.90	.9809	----	----	----	----	1 UNCH
3500	----	----	737.80B/684.60A	737.80B/684.60A	----	692.60 - 25.90	.9768	----	----	----	----	17 UNCH
3550	----	----	688.50B/634.50A	688.50B/634.50A	----	643.50 - 25.80	.9713	----	----	----	----	2 UNCH
3570	----	----	669.70B/614.00A	669.70B/614.00A	----	623.90 - 25.80	.9686	----	----	----	----	2 UNCH
3600	----	----	639.60B/585.50A	639.60B/585.50A	----	594.60 - 25.80	.9640	----	----	----	----	6 UNCH
3620	----	----	619.40B/565.80A	619.40B/565.80A	----	575.10 - 25.80	.9607	----	----	----	----	1 UNCH
3660	----	----	581.80B/526.70A	581.80B/526.70A	----	536.40 - 25.70	.9524	----	----	----	----	2 UNCH
3670	----	----	571.90B/517.10A	571.90B/517.10A	----	526.80 - 25.60	.9503	----	----	----	----	1 UNCH
3680	----	----	561.80B/508.80A	561.80B/508.80A	----	517.20 - 25.60	.9478	----	----	----	----	1 UNCH
3685	----	----	556.70B/504.30A	556.70B/504.30A	----	512.40 - 25.60	.9465	----	----	----	----	1 UNCH
3690	----	----	552.90B/498.00A	552.90B/498.00A	----	507.60 - 25.60	.9453	----	----	----	----	1 UNCH
3695	----	----	547.00B/494.50A	547.00B/494.50A	----	502.80 - 25.60	.9440	----	----	----	----	1 UNCH
3700	----	----	542.20B/488.50A	542.20B/488.50A	----	498.00 - 25.60	.9427	----	----	----	----	52 UNCH
3710	----	----	534.10B/479.00A	534.10B/479.00A	----	488.50 - 25.60	.9396	----	----	----	----	2 UNCH
3720	----	----	525.00B/470.40A	525.00B/470.40A	----	479.00 - 25.60	.9366	----	----	----	----	6 UNCH
3750	----	----	494.70B/440.30A	494.70B/440.30A	----	450.70 - 25.50	.9267	----	----	----	----	8 UNCH
3755	----	----	494.60B/435.60A	494.60B/435.60A	----	446.00 - 25.50	.9249	----	----	----	----	3 UNCH
3760	----	----	489.90B/431.10A	489.90B/431.10A	----	441.40 - 25.40	.9230	----	----	----	----	2 UNCH
3765	----	----	485.20B/426.30A	485.20B/426.30A	----	436.70 - 25.40	.9208	----	----	----	----	8 UNCH
3770	----	----	480.60B/421.70A	480.60B/421.70A	----	432.00 - 25.40	.9189	----	----	----	----	1 UNCH
3775	----	----	475.90B/417.10A	475.90B/417.10A	----	427.40 - 25.30	.9171	----	----	----	----	2 UNCH
3785	----	----	466.50B/408.00A	466.50B/408.00A	----	418.10 - 25.30	.9125	----	----	----	----	4 UNCH
3790	----	----	461.70B/403.50A	461.70B/403.50A	----	413.50 - 25.30	.9106	----	----	----	----	1 UNCH
3800	----	----	452.40B/394.30A	452.40B/394.30A	----	404.30 - 25.20	.9060	----	----	----	----	25 UNCH
3805	----	----	447.70B/389.80A	447.70B/389.80A	----	399.80 - 25.10	.9037	----	----	----	----	1 UNCH
3825	----	----	429.20B/371.90A	429.20B/371.90A	----	381.60 - 25.00	.8935	----	----	----	----	1 UNCH
3840	----	----	415.50B/358.50A	415.50B/358.50A	----	368.10 - 25.00	.8851	----	----	----	----	1 UNCH
3850	----	----	406.40B/349.70A	406.40B/349.70A	----	359.20 - 24.90	.8791	----	----	----	----	1 UNCH
3860	----	----	397.40B/341.00A	397.40B/341.00A	----	350.30 - 24.80	.8731	----	----	----	----	1 UNCH
3885	----	----	375.00B/319.50A	375.00B/319.50A	----	328.50 - 24.60	.8566	----	----	----	----	1 UNCH
3895	----	----	366.10B/311.00A	366.10B/311.00A	----	319.90 - 24.50	.8494	----	----	----	----	1 UNCH
3900	----	----	361.70B/306.80A	361.70B/306.80A	----	315.70 - 24.30	.8458	----	----	----	----	41 UNCH
3915	----	----	348.60B/294.30A	348.60B/294.30A	----	303.00 - 24.20	.8342	----	----	----	----	4 UNCH
3930	----	----	335.70B/282.10A	335.70B/282.10A	----	290.50 - 24.00	.8221	----	----	----	----	1 UNCH
3935	----	----	331.40B/278.00A	331.40B/278.00A	----	286.40 - 23.90	.8178	----	----	----	----	12 UNCH
3940	----	----	327.10B/274.00A	327.10B/274.00A	----	282.30 - 23.80	.8135	----	----	----	----	1 UNCH
3950	----	----	318.70B/266.10A	318.70B/266.10A	----	274.20 - 23.60	.8045	----	----	----	----	7 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG CALL — COMEX GOLD OPTIONS

DEC26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3955	----	----	314.50B/262.10A	314.50B/262.10A	----	270.20 - 23.50	.8001	----	----	----	----	1 UNCH
3960	----	----	310.30B/258.20A	310.30B/258.20A	----	266.20 - 23.50	.7955	----	----	----	----	1 UNCH
3965	----	----	306.10B/254.40A	306.10B/254.40A	----	262.20 - 23.40	.7906	----	----	----	----	1 UNCH
3985	----	----	289.70B/239.10A	289.70B/239.10A	----	246.60 - 23.00	.7710	----	----	----	----	12 UNCH
3990	----	----	285.70B/235.40A	285.70B/235.40A	----	242.80 - 22.90	.7658	----	----	----	----	2 UNCH
3995	----	----	281.70B/231.70A	281.70B/231.70A	----	239.00 - 22.80	.7608	----	----	----	----	4 UNCH
4000	----	----	277.70B/227.90A	277.70B/227.90A	----	235.30 - 22.60	.7553	----	----	----	----	259 UNCH
4005	----	----	273.70B/224.30A	273.70B/224.30A	----	231.50 - 22.60	.7501	----	----	----	----	5 UNCH
4015	----	----	265.90B/217.10A	265.90B/217.10A	----	224.10 - 22.40	.7391	----	----	----	----	1 UNCH
4020	----	----	262.00B/213.60A	262.00B/213.60A	----	220.50 - 22.20	.7337	----	----	----	----	1 UNCH
4025	----	----	258.10B/210.10A	258.10B/210.10A	----	216.90 - 22.10	.7280	----	----	----	----	2 UNCH
4030	----	----	254.30B/206.60A	254.30B/206.60A	----	213.30 - 21.90	.7223	----	----	----	----	13 UNCH
4040	----	----	246.60B/199.70A	246.60B/199.70A	----	206.20 - 21.70	.7106	----	----	----	----	43 UNCH
4045	----	----	243.00B/196.30A	243.00B/196.30A	----	202.70 - 21.60	.7047	----	----	----	----	2 UNCH
4050	----	----	239.20B/192.90A	239.20B/192.90A	----	199.30 - 21.40	.6988	----	----	----	----	972 UNCH
4055	190.10	190.10	235.40B/189.50A	235.40B/189.50A	----	195.90 - 21.30	.6927	----	----	1	----	2 + 1
4060	----	----	231.90B/186.30A	231.90B/186.30A	----	192.50 - 21.10	.6866	----	----	----	----	105 UNCH
4065	----	----	228.30B/183.10A	228.30B/183.10A	----	189.10 - 21.10	.6805	----	----	----	----	15 UNCH
4070	----	----	224.70B/179.80A	224.70B/179.80A	----	185.80 - 20.90	.6743	----	----	----	----	38 UNCH
4075	----	----	221.00B/176.70A	221.00B/176.70A	----	182.50 - 20.80	.6680	----	----	----	----	24 UNCH
4080	----	----	217.60B/173.40A	217.60B/173.40A	----	179.30 - 20.60	.6617	----	----	----	----	136 UNCH
4085	----	----	214.10B/170.40A	214.10B/170.40A	----	176.10 - 20.40	.6553	----	----	----	----	8 UNCH
4090	----	----	210.50B/167.30A	210.50B/167.30A	----	172.90 - 20.30	.6489	----	----	----	----	41 UNCH
4095	----	----	207.00B/164.30A	207.00B/164.30A	----	169.80 - 20.10	.6425	----	----	----	----	10 UNCH
4100	186.70	186.70	203.60B/161.30A	203.60B/161.30A	----	166.70 - 19.90	.6360	----	----	10	----	1376 + 3
4105	----	----	200.30B/158.30A	200.30B/158.30A	----	163.60 - 19.80	.6294	----	----	----	----	17 UNCH
4110	----	----	196.90B/155.40A	196.90B/155.40A	----	160.60 - 19.60	.6228	----	----	----	----	192 UNCH
4115	----	----	193.70B/152.50A	193.70B/152.50A	----	157.60 - 19.50	.6162	----	----	----	----	18 UNCH
4120	151.00	151.00	190.30B/149.50A	190.30B/149.50A	----	154.60 - 19.40	.6095	----	----	2	----	34 + 2
4125	----	----	187.20B/146.70A	187.20B/146.70A	----	151.70 - 19.20	.6028	----	----	----	----	52 UNCH
4130	----	----	184.00B/143.90A	184.00B/143.90A	----	148.80 - 19.00	.5961	----	----	----	----	709 UNCH
4135	----	----	180.70B/141.20A	180.70B/141.20A	----	146.00 - 18.80	.5893	----	----	----	----	68 UNCH
4140	----	----	177.70B/138.40A	177.70B/138.40A	----	143.20 - 18.60	.5826	----	----	----	----	72 UNCH
4145	143.10	143.10	174.60B/135.80A	174.60B/135.80A	----	140.40 - 18.50	.5758	----	----	2	----	44 UNCH
4150	158.80	158.80	171.40B/133.10A	171.40B/133.10A	----	137.70 - 18.30	.5690	----	----	7	----	434 - 2
4155	----	----	168.50B/130.50A	168.50B/130.50A	----	135.00 - 18.10	.5621	----	----	----	----	22 UNCH
4160	----	----	165.50B/128.00A	165.50B/128.00A	----	132.30 - 18.00	.5553	----	----	----	----	172 UNCH
4165	133.10	133.10	162.50B/125.50A	162.50B/125.50A	----	129.70 - 17.80	.5484	----	----	2	----	55 - 1
4170	----	----	159.60B/123.00A	159.60B/123.00A	----	127.10 - 17.60	.5415	----	----	23	----	147 - 15
4175	122.20	122.20	156.70B/120.50A	156.70B/120.50A	----	124.60 - 17.40	.5347	----	----	4	----	1027 - 3
4180	150.50	150.50	153.90B/118.10A	153.90B/118.10A	----	122.10 - 17.20	.5278	----	----	17	----	23 - 2
4185	----	----	151.40B/115.70A	151.40B/115.70A	----	119.60 - 17.10	.5209	----	----	----	----	36 UNCH
4190	116.50	116.50	148.60B/113.40A	148.60B/113.40A	----	117.20 - 16.90	.5140	----	----	18	----	471 + 2
4195	----	----	146.00B/111.10A	146.00B/111.10A	----	114.80 - 16.70	.5072	----	----	5	----	30 + 3
4200	132.00	132.00	143.30B/108.80A	143.30B/108.80A	----	112.40 - 16.60	.5003	----	----	90	----	1573 + 17
4205	125.90	125.90	140.50B/106.60A	140.50B/106.60A	----	110.10 - 16.40	.4935	----	----	29	----	385 + 24
4210	----	----	138.00B/104.40A	138.00B/104.40A	----	107.80 - 16.20	.4866	----	----	18	----	58 + 18
4215	118.50	118.50	135.30B/102.20A	135.30B/102.20A	----	105.60 - 16.00	.4798	----	----	1	----	89 + 1
4220	120.40	120.40	132.70B/100.10A	132.70B/100.10A	----	103.40 - 15.80	.4730	----	----	4	----	306 UNCH
4225	105.90	105.90	130.30B/98.00A	130.30B/98.00A	----	101.20 - 15.60	.4662	----	----	15	----	395 + 4
4230	123.40	123.40	127.60B/96.00A	127.60B/96.00A	----	99.10 - 15.40	.4595	----	----	2	----	101 UNCH
4235	118.20	118.20	125.30B/94.00A	125.30B/94.00A	----	97.00 - 15.20	.4528	----	----	4	----	16 UNCH
4240	107.10	107.10	122.80B/92.00A	122.80B/92.00A	----	94.90 - 15.10	.4461	----	----	25	----	48 + 6
4245	114.10	114.10	120.50B/90.00A	120.50B/90.00A	----	92.90 - 14.90	.4394	----	----	4	----	215 + 1
4250	116.90	116.90	118.10B/88.10A	118.10B/88.10A	----	90.90 - 14.70	.4328	----	----	32	----	1122 + 9
4255	113.80	113.80	115.80B/86.20A	115.80B/86.20A	----	88.90 - 14.50	.4262	----	----	5	----	119 - 3
4260	106.50	106.50	113.60B/84.40A	113.60B/84.40A	----	87.00 - 14.30	.4196	----	----	12	----	186 - 6
4265	104.80	104.80	111.30B/82.60A	111.30B/82.60A	----	85.10 - 14.20	.4131	----	----	3	----	29 UNCH
4270	102.30	102.30	109.10B/80.80A	109.10B/80.80A	----	83.30 - 13.90	.4067	----	----	8	----	42 + 4
4275	105.90	105.90	106.90B/79.00A	106.90B/79.00A	----	81.40 - 13.80	.4002	----	----	7	----	85 - 1
4280	103.80	103.80	104.80B/77.30A	104.80B/77.30A	----	79.60 - 13.70	.3938	----	----	5	----	75 + 4
4285	100.80	100.80	102.70B/75.60A	102.70B/75.60A	----	77.90 - 13.40	.3875	----	----	1	----	23 + 1
4290	73.80	73.80	100.60B/73.80	100.60B/73.80	----	76.20 - 13.20	.3812	----	----	17	----	90 + 12
4295	----	----	98.60B/72.30A	98.60B/72.30A	----	74.50 - 13.00	.3750	----	----	1	----	104 + 1
4300	94.80	94.80	96.60B/70.70A	96.60B/70.70A	----	72.80 - 12.90	.3687	----	----	58	----	1956 + 32
4305	71.60	71.60	94.70B/69.10A	94.70B/69.10A	----	71.20 - 12.70	.3626	----	----	4	----	46 + 4
4310	----	----	92.70B/67.60A	92.70B/67.60A	----	69.60 - 12.50	.3565	----	----	----	----	57 UNCH
4315	----	----	90.80B/66.00A	90.80B/66.00A	----	68.00 - 12.40	.3505	----	----	----	----	14 UNCH
4320	69.20	69.20	89.00B/64.60A	89.00B/64.60A	----	66.50 - 12.20	.3445	----	----	5	----	185 - 2
4325	----	----	87.10B/63.10A	87.10B/63.10A	----	65.00 - 12.00	.3386	----	----	----	----	207 UNCH
4330	81.50	81.50	85.30B/61.70A	85.30B/61.70A	----	63.50 - 11.90	.3327	----	----	3	----	123 UNCH
4335	67.40	67.40	83.60B/60.20A	83.60B/60.20A	----	62.10 - 11.70	.3270	----	----	3	----	61 + 3
4340	----	----	81.80B/58.90A	81.80B/58.90A	----	60.70 - 11.50	.3213	----	----	----	----	52 UNCH
4345	----	----	80.10B/57.50A	80.10B/57.50A	----	59.30 - 11.30	.3156	----	----	----	----	132 UNCH
4350	----	----	78.20B/56.20A	78.20B/56.20A	----	57.90 - 11.20	.3099	----	----	48	----	1193 - 22
4355	----	----	76.80B/54.90A	76.80B/54.90A	----	56.60 - 11.00	.3044	----	----	----	----	24 UNCH
4360	----	----	74.90B/53.70A	74.90B/53.70A	----	55.30 - 10.80	.2990	----	----	----	----	24 UNCH
4365	----	----	73.40B/52.40A	73.40B/52.40A	----	54.00 - 10.70	.2935	----	----	----	----	20 UNCH
4370	----	----	72.00B/51.20A	72.00B/51.20A	----	52.80 - 10.50	.2883	----	----	4	----	69 + 1
4375	----	----	70.50B/50.00A	70.50B/50.00A	----	51.60 - 10.30	.2830	----	----	3	----	539 + 2
4380	----	----	68.90B/48.90A	68.90B/48.90A	----	50.40 - 10.10	.2778	----	----	----	----	119 UNCH
4385	----	----	67.50B/47.70A	67.50B/47.70A	----	49.20 - 10.00	.2726	----	----	----	----	34 UNCH
4390	47.10	47.10	65.90B/46.60A	65.90B/46.60A	----	48.10 - 9.80	.2676	----	----	4	----	79 + 4
4395	----	----	64.60B/45.50A	64.60B/45.50A	----	46.90 - 9.70	.2624	----	----	----	----	108 UNCH
4400	54.50	54.50	63.10B/44.50A	63.10B/44.50A	----	45.90 - 9.50	.2577	----	----	523	----	2566 + 75
4405	----	----	61.70B/43.40A	61.70B/43.40A	----	44.80 - 9.40	.2528	----	----	----	----	138 UNCH
4410	55.00	55.00	60.40B/42.40A	60.40B/42.40A	----	43.70 - 9.30	.2479	----	----	1	----	100 UNCH
4415	43.50	43.50	59.00B/41.30A	59.00B/41.30A	----	42.70 - 9.10	.2432	----	----	53	----	184 + 34
4420	----	----	57.70B/40.40A	57.70B/40.40A	----	41.70 - 8.90	.2385	----	----	----	----	59 UNCH
4425	55.50	55.50	56.70/39.50A	56.70/39.50A	----	40.70 - 8.80	.2339	----	----	76	----	463 - 30
4430	----	----	55.30B/38.60A	55.30B/38.60A	----	39.80 - 8.60	.2295	----	----	----	----	124 UNCH
4435	52.80	52.80	54.10B/37.70A	54.10B/37.70A	----	38.80 - 8.50	.2249	----	----	3	----	65 UNCH
4440	40.70	40.70	52.90B/36.80A	52.90B/36.80A	----	37.90 - 8.40	.2206	----	----	19	----	61 + 2
4445	----	----	51.70B/35.90A	51.70B/35.90A	----	37.00 - 8.20	.2162	----	----	----	----	52 UNCH
4450	50.00	50.00	50.60B/35.10A	50.60B/35.10A	----	36.20 - 8.00	.2122	----	----	248	----	1594 + 58
4455	41.80	41.80	49.50B/34.20A	49.50B/34.20A	----	35.30 - 7.90	.2079	----	----	4	----	197 + 1
4460	----	----	48.40B/33.40A	48.40B/33.40A	----	34.50 - 7.80	.2038	----	----	----	----	220 UNCH
4465	----	----	47.30B/32.70A	47.30B/32.70A	----	33.70 - 7.60	.1998	----	----	----	----	144 UNCH
4470	34.20	34.20	46.30B/31.90A	46.30B/31.90A	----	32.90 - 7.50	.1959	----	----	11	----	301 + 3
4475	----	----	45.30B/31.10A	45.30B/31.10A	----	32.10 - 7.40	.1919	----	----	86	----	616 + 19
4480	----	----	44.30B/30.40A	44.30B/30.40A	----	31.40 - 7.20	.1882	----	----	6	----	164 + 1
4485	30.60	30.60	43.30B/29.70A	43.30B/29.70A	----	30.60 - 7.10	.1843	----	----	5	----	34 + 1
4490	29.30	29.30	42.40B/29.00A	42.40B/29.00A	----	29.90 - 7.00	.1806	----	----	10	----	71 + 1
4495	----	----	41.40B/28.30A	41.40B/28.30A	----	29.20 - 6.80	.1770	----	----	2	----	62 + 2
4500	36.30	36.30	40.50B/27.60A	40.50B/27.60A	----	28.50 - 6.70	.1734	----	----	257	----	10034 - 114
4505	----	----	39.60B/27.00A	39.60B/27.00A	----	27.90 - 6.50	.1701	----	----	----	----	91 UNCH
4510	27.60	27.60	38.70B/26.40A	38.70B/26.40A	----	27.20 - 6.50	.1665	----	----	6	----	5044 + 1
4515	----	----	37.90B/25.70A	37.90B/25.70A	----	26.60 - 6.30	.1633	----	----	----	----	109 UNCH
4520	----	----	37.00B/25.10A	37.00B/25.10A	----	25.90 - 6.30	.1597	----	----	2	----	64 + 2
4525	25.70	25.70	36.20B/24.50A	36.20B/24.50A	----	25.30 - 6.20	.1565	----	----	9	----	497 + 4
4530	24.30	24.30	35.40B/24.00A	35.40B/24.00A	----	24.80 - 5.90	.1536	----	----	6	----	62 + 5
4535	23.70	23.70	34.60B/23.40A	34.60B/23.40A	----	24.20 - 5.90	.1504	----	----	15	----	103 + 2
4540	----	----	33.80B/22.90A	33.80B/22.90A	----	23.60 - 5.80	.1472	----	----	----	----	66 UNCH
4545	----	----	33.10B/22.30A	33.10B/22.30A	----	23.10 - 5.60	.1444	----	----	----	----	118 UNCH
4550	28.40	28.40	32.40B/21.80A	32.40B/21.80A	----	22.50 - 5.60	.1412	----	----	11	----	1725 - 3
4555	23.00	23.00	31.70B/21.30A	31.70B/21.30A	----	22.00 - 5.50	.1384	----	----	2	----	80 UNCH
4560	----	----	31.00B/20.80A	31.00B/20.80A	----	21.50 - 5.30	.1356	----	----	2	----	615 + 1
4565	20.50	20.50	30.30B/20.40A	30.30B/20.40A	----	21.00 - 5.30	.1328	----	----	6	----	59 + 5
4570	21.50	21.50	29.60B/19.90A	29.60B/19.90A	----	20.50 - 5.20	.1300	----	----	8	----	53 + 7
4575	----	----	29.00B/19.40A	29.00B/19.40A	----	20.10 - 5.00	.1276	----	----	2	----	329 + 2
4580	----	----	28.30B/19.00A	28.30B/19.00A	----	19.60 - 4.90	.1248	----	----	----	----	295 UNCH
4585	26.30	26.30	27.70B/18.60A	27.70B/18.60A	----	19.20 - 4.80	.1225	----	----	3	----	300 - 2
4590	----	----	27.10B/18.20A	27.10B/18.20A	----	18.70 - 4.80	.1197	----	----	----	----	111 UNCH
4595	----	----	26.50B/17.70A	26.50B/17.70A	----	18.30 - 4.60	.1174	----	----	----	----	23 UNCH
4600	25.00	25.00	25.90B/17.30A	25.90B/17.30A	----	17.90 - 4.50	.1150	----	----	163	----	7022 + 34
4605	17.30	17.30	25.40B/17.00A	25.40B/17.00A	----	17.50 - 4.40	.1127	----	----	6	----	53 + 4
4610	----	----	24.80B/16.60A	24.80B/16.60A	----	17.10 - 4.40	.1104	----	----	----	----	80 UNCH
4615	----	----	24.30B/16.20A	24.30B/16.20A	----	16.70 - 4.30	.1081	----	----	2	----	66 + 2
4620	16.10	16.10	23.80B/15.90A	23.80B/15.90A	----	16.30 - 4.20	.1057	----	----	2	----	106 + 1
4625	----	----	23.30B/15.50A	23.30B/15.50A	----	16.00 - 4.10	.1038	----	----	----	----	456 UNCH
4630	----	----	22.80B/15.20A	22.80B/15.20A	----	15.60 - 4.00	.1016	----	----	----	----	164 UNCH
4635	15.20	15.20	22.30B/14.80	22.30B/14.80	----	15.30 - 3.90	.0997	----	----	7	----	50 + 6
4640	21.00	21.00	21.80B/14.50A	21.80B/14.50A	----	14.90 - 3.90	.0974	----	----	17	----	160 - 3
4645	----	----	21.30B/14.20A	21.30B/14.20A	----	14.60 - 3.80	.0955	----	----	----	----	23 UNCH
4650	17.20	17.20	20.90B/13.90A	20.90B/13.90A	----	14.30 - 3.70	.0937	----	----	64	----	1573 - 15
4655	----	----	20.40B/13.60A	20.40B/13.60A	----	14.00 - 3.60	.0919	----	----	1	----	61 + 1
4660	----	----	20.00B/13.30A	20.00B/13.30A	----	13.70 - 3.50	.0900	----	----	----	----	168 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
4665	----	----	19.60B/13.00A	19.60B/13.00A	----	13.40 - 3.50	.0882	----	----	----	----	94 UNCH
4670	----	----	19.20B/12.70A	19.20B/12.70A	----	13.10 - 3.40	.0864	----	----	1	----	94 + 1
4675	----	----	18.80B/12.50A	18.80B/12.50A	----	12.80 - 3.40	.0846	----	----	----	----	367 UNCH
4680	----	----	18.40B/12.20A	18.40B/12.20A	----	12.60 - 3.20	.0832	----	----	----	----	202 UNCH
4685	12.30	12.30	18.00B/12.00A	18.00B/12.00A	----	12.30 - 3.20	.0814	----	----	31	----	84 + 27
4690	----	----	17.60B/11.70A	17.60B/11.70A	----	12.00 - 3.20	.0796	----	----	----	----	277 UNCH
4695	----	----	17.30B/11.50A	17.30B/11.50A	----	11.80 - 3.00	.0783	----	----	----	----	325 UNCH
4700	14.90	14.90	16.90B/11.20A	16.90B/11.20A	----	11.60 - 2.90	.0769	----	----	289	----	6672 - 7
4705	----	----	16.60B/11.00A	16.60B/11.00A	----	11.30 - 2.90	.0752	----	----	----	----	152 UNCH
4710	----	----	16.20B/10.80A	16.20B/10.80A	----	11.10 - 2.80	.0739	----	----	----	----	59 UNCH
4715	----	----	15.90B/10.60A	15.90B/10.60A	----	10.90 - 2.80	.0725	----	----	----	----	135 UNCH
4720	----	----	15.60B/10.40A	15.60B/10.40A	----	10.70 - 2.70	.0712	----	----	----	----	148 UNCH
4725	----	----	15.30B/10.20A	15.30B/10.20A	----	10.40 - 2.70	.0695	----	----	----	----	9538 UNCH
4730	10.00	10.00	14.80B/10.00	14.80B/10.00	----	10.20 - 2.70	.0682	----	----	1	----	172 UNCH
4735	----	----	14.70B/9.80A	14.70B/9.80A	----	10.00 - 2.60	.0669	----	----	----	----	76 UNCH
4740	----	----	14.40B/9.60A	14.40B/9.60A	----	9.90 - 2.50	.0661	----	----	----	----	70 UNCH
4745	----	----	14.00B/9.40A	14.00B/9.40A	----	9.70 - 2.40	.0648	----	----	2	----	71 UNCH
4750	11.70	11.70	13.80B/9.20A	13.80B/9.20A	----	9.50 - 2.40	.0635	----	----	1	----	3751 - 1
4755	----	----	13.40B/9.10A	13.40B/9.10A	----	9.30 - 2.40	.0623	----	----	1	----	46 + 1
4760	10.20	10.20	13.20B/8.90A	13.20B/8.90A	----	9.10 - 2.30	.0610	----	----	2	----	163 + 1
4765	----	----	12.90B/8.70A	12.90B/8.70A	----	9.00 - 2.20	.0602	----	----	----	----	88 UNCH
4770	----	----	12.60B/8.60A	12.60B/8.60A	----	8.80 - 2.20	.0590	----	----	----	----	40 UNCH
4775	----	----	12.40B/8.40A	12.40B/8.40A	----	8.60 - 2.20	.0577	----	----	----	----	352 UNCH
4780	----	----	12.20B/8.30A	12.20B/8.30A	----	8.50 - 2.10	.0570	----	----	----	----	52 UNCH
4785	----	----	11.90B/8.10A	11.90B/8.10A	----	8.30 - 2.10	.0557	----	----	----	----	77 UNCH
4790	----	----	11.70B/8.00A	11.70B/8.00A	----	8.20 - 2.00	.0550	----	----	7	----	317 + 7
4795	----	----	11.50B/7.80A	11.50B/7.80A	----	8.00 - 2.00	.0537	----	----	----	----	147 UNCH
4800	8.70	8.70	11.30B/7.60	11.30B/7.60	----	7.90 - 1.90	.0530	----	----	71	----	8544 + 25
4805	----	----	11.10B/7.60A	11.10B/7.60A	----	7.70 - 1.90	.0518	----	----	----	----	45 UNCH
4810	----	----	10.80B/7.40A	10.80B/7.40A	----	7.60 - 1.90	.0510	----	----	----	----	86 UNCH
4815	----	----	10.60B/7.30A	10.60B/7.30A	----	7.50 - 1.80	.0503	----	----	----	----	33 UNCH
4820	----	----	10.40B/7.20A	10.40B/7.20A	----	7.40 - 1.70	.0496	----	----	1	----	210 UNCH
4825	8.00	8.00	10.30B/7.10A	10.30B/7.10A	----	7.20 - 1.80	.0484	----	----	1	----	255 UNCH
4830	----	----	10.10B/7.00A	10.10B/7.00A	----	7.10 - 1.70	.0477	----	----	----	----	39 UNCH
4835	----	----	9.90B/6.90A	9.90B/6.90A	----	7.00 - 1.60	.0470	----	----	----	----	169 UNCH
4840	----	----	9.70B/6.70A	9.70B/6.70A	----	6.90 - 1.60	.0462	----	----	----	----	172 UNCH
4845	----	----	9.50B/6.60A	9.50B/6.60A	----	6.80 - 1.50	.0455	----	----	1	----	42 UNCH
4850	----	----	9.40B/6.50A	9.40B/6.50A	----	6.60 - 1.60	.0444	----	----	----	----	3317 UNCH
4855	----	----	9.20B/6.40A	9.20B/6.40A	----	6.50 - 1.60	.0437	----	----	----	----	135 UNCH
4860	----	----	9.10B/6.30A	9.10B/6.30A	----	6.40 - 1.50	.0430	----	----	----	----	86 UNCH
4865	----	----	8.90B/6.20A	8.90B/6.20A	----	6.30 - 1.50	.0423	----	----	----	----	55 UNCH
4870	----	----	8.70B/6.10A	8.70B/6.10A	----	6.20 - 1.50	.0416	----	----	----	----	65 UNCH
4875	----	----	8.60B/6.00A	8.60B/6.00A	----	6.10 - 1.40	.0409	----	----	----	----	227 UNCH
4880	----	----	8.40B/6.00A	8.40B/6.00A	----	6.00 - 1.40	.0402	----	----	----	----	319 UNCH
4885	----	----	8.30B/5.90A	8.30B/5.90A	----	5.90 - 1.40	.0396	----	----	----	----	65 UNCH
4890	----	----	8.20B/5.80A	8.20B/5.80A	----	5.90 - 1.30	.0394	----	----	----	----	28 UNCH
4895	----	----	8.00B/5.70A	8.00B/5.70A	----	5.80 - 1.20	.0387	----	----	----	----	254 UNCH
4900	8.00	8.00	8.00/5.60A	8.00/5.60A	----	5.70 - 1.20	.0380	----	----	219	----	5700 + 30
4905	----	----	7.80B/5.50A	7.80B/5.50A	----	5.60 - 1.20	.0374	----	----	----	----	48 UNCH
4910	----	----	7.60B/5.50A	7.60B/5.50A	----	5.50 - 1.20	.0367	----	----	----	----	2063 UNCH
4915	----	----	7.50B/5.40A	7.50B/5.40A	----	5.50 - 1.10	.0366	----	----	----	----	82 UNCH
4920	----	----	7.40B/5.30A	7.40B/5.30A	----	5.40 - 1.10	.0359	----	----	----	----	140 UNCH
4925	----	----	7.30B/5.20A	7.30B/5.20A	----	5.30 - 1.10	.0353	----	----	----	----	439 UNCH
4930	----	----	7.20B/5.20A	7.20B/5.20A	----	5.20 - 1.10	.0346	----	----	----	----	37 UNCH
4935	----	----	7.10B/5.10A	7.10B/5.10A	----	5.20 - 1.00	.0345	----	----	----	----	18 UNCH
4940	----	----	7.00B/5.00A	7.00B/5.00A	----	5.10 - 1.00	.0338	----	----	----	----	54 UNCH
4945	----	----	6.90B/5.00A	6.90B/5.00A	----	5.00 - 1.10	.0332	----	----	----	----	32 UNCH
4950	----	----	6.70B/4.90A	6.70B/4.90A	----	5.00 - 1.00	.0330	----	----	----	----	689 UNCH
4955	----	----	6.70B/4.90A	6.70B/4.90A	----	4.90 - 1.00	.0324	----	----	----	----	27 UNCH
4960	----	----	6.60B/4.80A	6.60B/4.80A	----	4.90 - 0.90	.0323	----	----	----	----	158 UNCH
4965	----	----	6.50B/4.70A	6.50B/4.70A	----	4.80 - 0.90	.0316	----	----	----	----	153 UNCH
4970	----	----	6.40B/4.70A	6.40B/4.70A	----	4.70 - 0.90	.0310	----	----	----	----	201 UNCH
4975	----	----	6.30B/4.60A	6.30B/4.60A	----	4.70 - 0.90	.0309	----	----	----	----	75 UNCH
4980	----	----	6.20B/4.60A	6.20B/4.60A	----	4.60 - 0.90	.0303	----	----	----	----	78 UNCH
4985	----	----	6.10B/4.50A	6.10B/4.50A	----	4.60 - 0.80	.0301	----	----	----	----	89 UNCH
4990	----	----	6.00B/4.50A	6.00B/4.50A	----	4.50 - 0.90	.0295	----	----	----	----	431 UNCH
4995	----	----	5.90B/4.40A	5.90B/4.40A	----	4.50 - 0.80	.0294	----	----	----	----	60 UNCH
5000	5.20	5.20	5.80B/4.40	5.80B/4.40	----	4.40 - 0.80	.0288	----	----	29	----	12002 - 91
5005	----	----	5.70B/4.30A	5.70B/4.30A	----	4.40 - 0.70	.0287	----	----	----	----	40 UNCH
5010	----	----	5.70B/4.30A	5.70B/4.30A	----	4.30 - 0.80	.0281	----	----	----	----	23 UNCH
5015	----	----	5.60B/4.20A	5.60B/4.20A	----	4.30 - 0.70	.0280	----	----	----	----	39 UNCH
5020	----	----	5.50B/4.20A	5.50B/4.20A	----	4.20 - 0.80	.0273	----	----	1	----	101 UNCH
5025	----	----	5.40B/4.10A	5.40B/4.10A	----	4.20 - 0.70	.0272	----	----	----	----	455 UNCH
5030	----	----	5.40B/4.10A	5.40B/4.10A	----	4.10 - 0.70	.0266	----	----	----	----	119 UNCH
5035	----	----	5.30B/4.00A	5.30B/4.00A	----	4.10 - 0.70	.0265	----	----	----	----	98 UNCH
5040	----	----	5.20B/4.00A	5.20B/4.00A	----	4.10 - 0.60	.0264	----	----	----	----	78 UNCH
5045	----	----	5.20B/4.00A	5.20B/4.00A	----	4.00 - 0.70	.0258	----	----	----	----	77 UNCH
5050	4.60	4.60	5.10B/3.90A	5.10B/3.90A	----	4.00 - 0.60	.0257	----	----	11	----	746 - 1
5055	----	----	5.00B/3.90A	5.00B/3.90A	----	3.90 - 0.70	.0252	----	----	----	----	13 UNCH
5060	----	----	5.00B/3.80A	5.00B/3.80A	----	3.90 - 0.60	.0251	----	----	----	----	55 UNCH
5065	----	----	4.90B/3.80A	4.90B/3.80A	----	3.80 - 0.60	.0245	----	----	----	----	30 UNCH
5070	----	----	4.80B/3.80A	4.80B/3.80A	----	3.80 - 0.60	.0244	----	----	1	----	21 - 1
5075	----	----	4.80B/3.70A	4.80B/3.70A	----	3.80 - 0.50	.0243	----	----	----	----	133 UNCH
5080	4.80	4.80	4.80/3.70A	4.80/3.70A	----	3.70 - 0.60	.0237	----	----	1	----	24 + 1
5085	----	----	4.70B/3.60A	4.70B/3.60A	----	3.70 - 0.50	.0236	----	----	----	----	25 UNCH
5090	----	----	4.60B/3.60A	4.60B/3.60A	----	3.70 - 0.50	.0235	----	----	----	----	52 UNCH
5095	----	----	4.60B/3.60A	4.60B/3.60A	----	3.60 - 0.60	.0230	----	----	----	----	62 UNCH
5100	4.70	4.70	4.70/3.50A	4.70/3.50A	----	3.60 - 0.50	.0229	----	----	261	----	4705 - 204
5105	----	----	4.40B/3.50A	4.40B/3.50A	----	3.60 - 0.50	.0228	----	----	----	----	37 UNCH
5110	----	----	4.40B/3.50A	4.40B/3.50A	----	3.50 - 0.50	.0222	----	----	----	----	89 UNCH
5115	----	----	4.40B/3.40A	4.40B/3.40A	----	3.50 - 0.50	.0221	----	----	----	----	129 UNCH
5120	----	----	4.30B/3.40A	4.30B/3.40A	----	3.40 - 0.50	.0216	----	----	----	----	130 UNCH
5125	----	----	4.30B/3.40A	4.30B/3.40A	----	3.40 - 0.50	.0215	----	----	----	----	97 UNCH
5130	----	----	4.20B/3.40A	4.20B/3.40A	----	3.40 - 0.40	.0214	----	----	----	----	62 UNCH
5135	----	----	4.20B/3.30A	4.20B/3.30A	----	3.40 - 0.40	.0213	----	----	----	----	136 UNCH
5140	----	----	4.10B/3.30A	4.10B/3.30A	----	3.30 - 0.50	.0208	----	----	----	----	41 UNCH
5145	----	----	4.10B/3.30A	4.10B/3.30A	----	3.30 - 0.40	.0207	----	----	----	----	58 UNCH
5150	----	----	4.00B/3.20A	4.00B/3.20A	----	3.30 - 0.40	.0206	----	----	----	----	926 UNCH
5155	----	----	4.00B/3.20A	4.00B/3.20A	----	3.20 - 0.50	.0201	----	----	----	----	67 UNCH
5160	----	----	3.90B/3.20A	3.90B/3.20A	----	3.20 - 0.40	.0200	----	----	----	----	96 UNCH
5165	----	----	3.90B/3.20A	3.90B/3.20A	----	3.20 - 0.40	.0199	----	----	----	----	37 UNCH
5170	----	----	3.90B/3.10A	3.90B/3.10A	----	3.10 - 0.40	.0194	----	----	----	----	28 UNCH
5175	----	----	3.80B/3.10A	3.80B/3.10A	----	3.10 - 0.40	.0193	----	----	----	----	231 UNCH
5180	----	----	3.80B/3.10A	3.80B/3.10A	----	3.10 - 0.40	.0193	----	----	----	----	63 UNCH
5185	----	----	3.70B/3.00A	3.70B/3.00A	----	3.10 - 0.30	.0192	----	----	----	----	28 UNCH
5190	----	----	3.70B/3.00A	3.70B/3.00A	----	3.00 - 0.40	.0186	----	----	----	----	45 UNCH
5195	----	----	3.70B/3.00A	3.70B/3.00A	----	3.00 - 0.40	.0186	----	----	----	----	57 UNCH
5200	3.10	3.10	3.60B/3.00A	3.60B/3.00A	----	3.00 - 0.40	.0185	----	----	101	----	2933 + 43
5205	----	----	3.60B/2.90A	3.60B/2.90A	----	3.00 - 0.30	.0185	----	----	----	----	21 UNCH
5210	----	----	3.60B/2.90A	3.60B/2.90A	----	2.90 - 0.40	.0179	----	----	----	----	168 UNCH
5215	----	----	3.50B/2.90A	3.50B/2.90A	----	2.90 - 0.40	.0179	----	----	----	----	125 UNCH
5220	----	----	3.50B/2.90A	3.50B/2.90A	----	2.90 - 0.30	.0178	----	----	----	----	111 UNCH
5225	----	----	3.50B/2.90A	3.50B/2.90A	----	2.90 - 0.30	.0177	----	----	----	----	9418 UNCH
5230	----	----	3.40B/2.80A	3.40B/2.80A	----	2.80 - 0.40	.0172	----	----	----	----	67 UNCH
5235	----	----	3.40B/2.80A	3.40B/2.80A	----	2.80 - 0.30	.0171	----	----	----	----	17 UNCH
5240	----	----	3.40B/2.80A	3.40B/2.80A	----	2.80 - 0.30	.0171	----	----	----	----	17 UNCH
5245	----	----	3.30B/2.80A	3.30B/2.80A	----	2.80 - 0.30	.0170	----	----	----	----	23 UNCH
5250	2.60	2.60	3.30B/2.60	3.30B/2.60	----	2.80 - 0.30	.0170	----	----	1	----	1843 UNCH
5255	----	----	3.30B/2.70A	3.30B/2.70A	----	2.70 - 0.30	.0165	----	----	----	----	55 UNCH
5260	----	----	3.20B/2.70A	3.20B/2.70A	----	2.70 - 0.30	.0164	----	----	----	----	12 UNCH
5265	----	----	3.20B/2.70A	3.20B/2.70A	----	2.70 - 0.30	.0163	----	----	----	----	19 UNCH
5270	----	----	3.20B/2.70A	3.20B/2.70A	----	2.70 - 0.30	.0163	----	----	----	----	74 UNCH
5275	----	----	3.20B/2.60A	3.20B/2.60A	----	2.60 - 0.30	.0158	----	----	----	----	41 UNCH
5280	----	----	3.10B/2.60A	3.10B/2.60A	----	2.60 - 0.30	.0157	----	----	----	----	66 UNCH
5285	----	----	3.10B/2.60A	3.10B/2.60A	----	2.60 - 0.30	.0157	----	----	----	----	32 UNCH
5290	----	----	3.10B/2.60A	3.10B/2.60A	----	2.60 - 0.30	.0156	----	----	----	----	14 UNCH
5295	----	----	3.00B/2.60A	3.00B/2.60A	----	2.60 - 0.20	.0156	----	----	----	----	25 UNCH
5300	----	----	3.00B/2.50A	3.00B/2.50A	----	2.60 - 0.20	.0155	----	----	----	----	2296 UNCH
5305	----	----	3.00B/2.50A	3.00B/2.50A	----	2.50 - 0.30	.0150	----	----	----	----	48 UNCH
5310	----	----	3.00B/2.50A	3.00B/2.50A	----	2.50 - 0.30	.0150	----	----	----	----	44 UNCH
5315	----	----	2.90B/2.50A	2.90B/2.50A	----	2.50 - 0.30	.0149	----	----	----	----	38 UNCH
5320	2.40	2.40	2.90B/2.40	2.90B/2.40	----	2.50 - 0.20	.0149	----	----	6	----	11 + 5
5325	----	----	2.90B/2.50A	2.90B/2.50A	----	2.50 - 0.20	.0148	----	----	----	----	30 UNCH
5330	----	----	2.90B/2.50A	2.90B/2.50A	----	2.40 - 0.30	.0143	----	----	----	----	48 UNCH
5335	----	----	2.80B/2.40A	2.80B/2.40A	----	2.40 - 0.30	.0143	----	----	----	----	46 UNCH
5340	----	----	2.80B/2.40A	2.80B/2.40A	----	2.40 - 0.30	.0142	----	----	----	----	11 UNCH
5345	----	----	2.80B/2.40A	2.80B/2.40A	----	2.40 - 0.20	.0142	----	----	----	----	48 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG CALL COMEX GOLD OPTIONS
DEC26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
5350	----	----	2.80B/2.40A	2.80B/2.40A	----	2.40 - 0.20	.0141	----	----	----	----	901 UNCH
5355	----	----	2.80B/2.40A	2.80B/2.40A	----	2.40 - 0.20	.0141	----	----	----	----	21 UNCH
5360	----	----	2.70B/2.40A	2.70B/2.40A	----	2.30 - 0.30	.0136	----	----	----	----	119 UNCH
5365	----	----	2.70B/2.30A	2.70B/2.30A	----	2.30 - 0.30	.0136	----	----	----	----	23 UNCH
5370	----	----	2.70B/2.30A	2.70B/2.30A	----	2.30 - 0.30	.0135	----	----	----	----	83 UNCH
5375	----	----	2.70B/2.30A	2.70B/2.30A	----	2.30 - 0.20	.0135	----	----	----	----	90 UNCH
5380	----	----	2.70B/2.30A	2.70B/2.30A	----	2.30 - 0.20	.0134	----	----	----	----	94 UNCH
5385	----	----	2.60B/2.30A	2.60B/2.30A	----	2.30 - 0.20	.0134	----	----	----	----	44 UNCH
5390	----	----	2.60B/2.30A	2.60B/2.30A	----	2.30 - 0.20	.0134	----	----	----	----	214 UNCH
5395	----	----	2.60B/2.30A	2.60B/2.30A	----	2.20 - 0.30	.0129	----	----	----	----	13 UNCH
5400	2.30	2.30	2.60B/2.20A	2.60B/2.20A	----	2.20 - 0.30	.0128	----	----	2	----	4218 - 1
5405	----	----	2.50B/2.20A	2.50B/2.20A	----	2.20 - 0.20	.0128	----	----	----	----	54 UNCH
5410	----	----	2.50B/2.20A	2.50B/2.20A	----	2.20 - 0.20	.0128	----	----	----	----	28 UNCH
5415	----	----	2.50B/2.20A	2.50B/2.20A	----	2.20 - 0.20	.0127	----	----	----	----	4 UNCH
5420	----	----	2.50B/2.20A	2.50B/2.20A	----	2.20 - 0.20	.0127	----	----	----	----	11 UNCH
5425	----	----	2.50B/2.20A	2.50B/2.20A	----	2.20 - 0.20	.0127	----	----	----	----	269 UNCH
5430	----	----	2.50B/2.20A	2.50B/2.20A	----	2.20 - 0.20	.0126	----	----	----	----	16 UNCH
5435	----	----	2.40B/2.10A	2.40B/2.10A	----	2.10 - 0.20	.0121	----	----	----	----	23 UNCH
5440	----	----	2.40B/2.10A	2.40B/2.10A	----	2.10 - 0.20	.0121	----	----	----	----	12 UNCH
5445	----	----	2.40B/2.10A	2.40B/2.10A	----	2.10 - 0.20	.0121	----	----	----	----	45 UNCH
5450	----	----	2.40B/2.10A	2.40B/2.10A	----	2.10 - 0.20	.0120	----	----	----	----	442 UNCH
5455	----	----	2.40B/2.10A	2.40B/2.10A	----	2.10 - 0.20	.0120	----	----	----	----	28 UNCH
5460	----	----	2.40B/2.10A	2.40B/2.10A	----	2.10 - 0.20	.0120	----	----	----	----	53 UNCH
5465	----	----	----/2.10A	2.30B/2.10A	----	2.10 - 0.20	.0119	----	----	----	----	70 UNCH
5470	----	----	----/2.10A	2.30B/2.10A	----	2.10 - 0.20	.0119	----	----	----	----	31 UNCH
5475	----	----	2.30B/2.10A	2.30B/2.10A	----	2.10 - 0.10	.0119	----	----	----	----	588 UNCH
5480	----	----	2.30B/2.00A	2.30B/2.00A	----	2.10 - 0.10	.0118	----	----	----	----	104 UNCH
5485	----	----	2.30B/2.00A	2.30B/2.00A	----	2.00 - 0.20	.0114	----	----	----	----	7 UNCH
5490	----	----	2.30B/2.00A	2.30B/2.00A	----	2.00 - 0.20	.0113	----	----	----	----	25 UNCH
5495	----	----	----/2.00A	2.20B/2.00A	----	2.00 - 0.20	.0113	----	----	----	----	100 UNCH
5500	2.00	2.00	2.30B/2.00	2.30B/2.00	----	2.00 - 0.20	.0113	----	----	17	----	17061 - 134
5505	----	----	----/2.00A	2.20B/2.00A	----	2.00 - 0.20	.0112	----	----	----	----	15 UNCH
5510	----	----	2.20B/2.00A	2.20B/2.00A	----	2.00 - 0.10	.0112	----	----	----	----	37 UNCH
5515	----	----	2.20B/2.00A	2.20B/2.00A	----	2.00 - 0.10	.0112	----	----	----	----	11 UNCH
5520	----	----	2.20B/2.00A	2.20B/2.00A	----	2.00 - 0.10	.0111	----	----	----	----	26 UNCH
5525	----	----	2.20B/1.90A	2.20B/1.90A	----	2.00 - 0.10	.0111	----	----	----	----	129 UNCH
5530	----	----	----/1.90A	2.10B/1.90A	----	2.00 - 0.10	.0111	----	----	----	----	7 UNCH
5535	----	----	----/1.90A	2.10B/1.90A	----	2.00 - 0.10	.0111	----	----	----	----	10 UNCH
5540	----	----	----/1.90A	2.10B/1.90A	----	2.00 - 0.10	.0110	----	----	----	----	47 UNCH
5545	----	----	----/1.90A	2.10B/1.90A	----	1.90 - 0.20	.0106	----	----	----	----	5 UNCH
5550	----	----	2.10B/1.90A	2.10B/1.90A	----	1.90 - 0.10	.0105	----	----	----	----	448 UNCH
5555	----	----	2.10B/1.90A	2.10B/1.90A	----	1.90 - 0.10	.0105	----	----	----	----	9 UNCH
5560	----	----	2.10B/1.90A	2.10B/1.90A	----	1.90 - 0.10	.0105	----	----	----	----	22 UNCH
5565	----	----	----/1.90A	2.00B/1.90A	----	1.90 - 0.10	.0105	----	----	----	----	27 UNCH
5570	----	----	----/1.90A	2.00B/1.90A	----	1.90 - 0.10	.0104	----	----	----	----	257 UNCH
5575	----	----	----/1.90A	2.00B/1.90A	----	1.90 - 0.10	.0104	----	----	----	----	28 UNCH
5580	----	----	----/1.90A	2.00B/1.90A	----	1.90 - 0.10	.0104	----	----	----	----	7 UNCH
5585	----	----	----/1.80A	2.00B/1.80A	----	1.90 - 0.10	.0104	----	----	----	----	9 UNCH
5590	----	----	2.00B/1.80A	2.00B/1.80A	----	1.90 UNCH	.0103	----	----	----	----	5 UNCH
5595	----	----	2.00B/1.80A	2.00B/1.80A	----	1.80 - 0.10	.0099	----	----	----	----	10 UNCH
5600	----	----	2.00B/1.80A	2.00B/1.80A	----	1.80 - 0.10	.0098	----	----	5	----	3074 UNCH
5605	----	----	----/1.80A	1.90B/1.80A	----	1.80 - 0.10	.0098	----	----	----	----	41 UNCH
5610	----	----	----/1.80A	1.90B/1.80A	----	1.80 - 0.10	.0098	----	----	----	----	8 UNCH
5615	----	----	----/1.80A	1.90B/1.80A	----	1.80 - 0.10	.0098	----	----	----	----	34 UNCH
5620	----	----	----	1.90B/1.90A	----	1.80 - 0.10	.0097	----	----	----	----	13 UNCH
5625	----	----	----/1.80A	1.90B/1.80A	----	1.80 - 0.10	.0097	----	----	----	----	12 UNCH
5630	----	----	----/1.80A	1.90B/1.80A	----	1.80 - 0.10	.0097	----	----	----	----	8 UNCH
5635	----	----	1.90B/----	1.90B/1.80A	----	1.70 - 0.10	.0092	----	----	----	----	35 UNCH
5640	----	----	1.90B/----	1.90B/1.80A	----	1.70 - 0.10	.0092	----	----	----	----	8 UNCH
5645	----	----	1.90B/----	1.90B/1.80A	----	1.70 - 0.10	.0092	----	----	----	----	2 UNCH
5650	1.80	1.80	1.90B/1.80	1.90B/1.80	----	1.70 - 0.10	.0092	----	----	1	----	352 UNCH
5655	----	----	1.90B/----	1.90B/1.80A	----	1.70 - 0.10	.0092	----	----	----	----	38 UNCH
5660	----	----	----	1.80B/1.80A	----	1.70 - 0.10	.0091	----	----	----	----	28 UNCH
5665	----	----	----/1.70A	1.80B/1.70A	----	1.70 - 0.10	.0091	----	----	----	----	6 UNCH
5670	----	----	----/1.70A	1.80B/1.70A	----	1.70 - 0.10	.0091	----	----	----	----	161 UNCH
5675	----	----	----/1.70A	1.80B/1.70A	----	1.70 - 0.10	.0091	----	----	----	----	57 UNCH
5680	----	----	----/1.70A	1.80B/1.70A	----	1.70 - 0.10	.0091	----	----	----	----	40 UNCH
5685	----	----	----/1.70A	1.80B/1.70A	----	1.70 - 0.10	.0090	----	----	----	----	28 UNCH
5690	----	----	1.80B/----	1.80B/1.70A	----	1.70 UNCH	.0090	----	----	----	----	63 UNCH
5695	----	----	1.80B/----	1.80B/1.70A	----	1.60 - 0.10	.0086	----	----	----	----	37 UNCH
5700	----	----	1.80B/----	1.80B/1.70A	----	1.60 - 0.10	.0085	----	----	1	----	829 - 1
5705	----	----	1.80B/----	1.80B/1.70A	----	1.60 - 0.10	.0085	----	----	----	----	14 UNCH
5710	----	----	1.80B/----	1.80B/1.70A	----	1.60 - 0.10	.0085	----	----	----	----	58 UNCH
5720	----	----	1.80B/----	1.80B/1.70A	----	1.60 - 0.10	.0085	----	----	----	----	11 UNCH
5725	----	----	----	1.70B/1.70A	----	1.60 - 0.10	.0084	----	----	----	----	50 UNCH
5730	----	----	----	1.70B/1.70A	----	1.60 - 0.10	.0084	----	----	----	----	14 UNCH
5740	----	----	----	1.70B/1.70A	----	1.60 - 0.10	.0084	----	----	----	----	14 UNCH
5750	----	----	----	1.70B/1.70A	----	1.60 - 0.10	.0084	----	----	----	----	533 UNCH
5760	----	----	----/1.60A	1.70B/1.60A	----	1.60 - 0.10	.0083	----	----	----	----	10 UNCH
5770	----	----	1.70B/----	1.70B/1.60A	----	1.60 UNCH	.0083	----	----	----	----	27 UNCH
5775	----	----	1.70B/----	1.70B/1.60A	----	1.50 - 0.10	.0078	----	----	----	----	8 UNCH
5780	----	----	1.70B/----	1.70B/1.60A	----	1.50 - 0.10	.0078	----	----	----	----	9 UNCH
5790	----	----	1.70B/----	1.70B/1.60A	----	1.50 - 0.10	.0078	----	----	----	----	10 UNCH
5800	----	----	1.70B/----	1.70B/1.60A	----	1.50 - 0.10	.0078	----	----	----	----	2178 UNCH
5810	----	----	----	1.60B/1.60A	----	1.50 - 0.10	.0077	----	----	----	----	66 UNCH
5825	----	----	----	1.60B/1.60A	----	1.50 - 0.10	.0077	----	----	----	----	17 UNCH
5850	----	----	----	1.60B/1.60A	----	1.50 - 0.10	.0076	----	----	----	----	217 UNCH
5875	----	----	----	1.50B/1.50A	----	1.40 - 0.10	.0071	----	----	----	----	26 UNCH
5900	----	----	----	1.50B/1.50A	----	1.40 - 0.10	.0070	----	----	----	----	1092 UNCH
5925	----	----	----	1.50B/1.50A	----	1.40 - 0.10	.0070	----	----	----	----	25 UNCH
5950	----	----	----/1.40A	1.40B/1.40A	----	1.40 - 0.10	.0069	----	----	----	----	192 UNCH
5975	----	----	----	1.30B/1.40A	----	1.30 - 0.10	.0064	----	----	----	----	80 UNCH
6000	----	----	----/1.30A	1.30B/1.30A	----	1.30 - 0.10	.0064	----	----	276	----	15130 + 198
6025	1.20	1.20	1.20/1.20	1.30B/1.20	----	1.30 - 0.10	.0063	----	----	2	----	15 + 2
6050	----	----	----/1.20A	1.30B/1.20A	----	1.30 - 0.10	.0063	----	----	----	----	56 UNCH
6100	1.20	1.20	1.20/1.20	1.20/1.20	----	1.20 - 0.10	.0057	----	----	3	----	169 - 2
6150	----	----	----	1.20B/1.30A	----	1.20 - 0.10	.0057	----	----	----	----	91 UNCH
6200	----	----	----	1.10B/1.20A	----	1.10 - 0.10	.0052	----	----	----	----	3067 UNCH
6250	----	----	----	1.10B/1.20A	----	1.10 - 0.10	.0051	----	----	----	----	322 UNCH
6300	----	----	----	1.00B/1.10A	----	1.10 UNCH	.0050	----	----	----	----	892 UNCH
6400	----	----	----/1.00A	0.90B/1.00A	----	1.00 - 0.10	.0045	----	----	----	----	876 UNCH
6500	1.10	1.10	1.10/1.10	1.10/1.00A	----	0.90 - 0.10	.0040	----	----	612	----	5875 + 491
6750	----	----	----	0.80B/0.90A	----	0.80 - 0.10	.0034	----	----	----	----	130 UNCH
6775	----	----	----	0.80B/0.90A	----	0.80 - 0.10	.0033	----	----	----	----	240 UNCH
6800	----	----	----	0.80B/0.90A	----	0.80 UNCH	.0033	----	----	----	----	2009 UNCH
6900	----	----	----	0.80B/0.80A	----	0.80 UNCH	.0032	----	----	----	----	141 UNCH
7000	----	----	----	0.70B/0.80A	----	0.70 - 0.10	.0028	----	----	582	----	7171 + 582
7100	----	----	----	0.70B/0.70A	----	0.70 UNCH	.0028	----	----	----	----	13 UNCH
7125	----	----	----	0.70B/0.70A	----	0.70 UNCH	.0027	----	----	----	----	4 UNCH
7130	----	----	----	0.70B/0.70A	----	0.70 UNCH	.0027	----	----	----	----	201 UNCH
7150	----	----	----	0.70B/0.70A	----	0.70 UNCH	.0027	----	----	----	----	137 UNCH
7175	0.70	0.70	0.70/0.70	0.70/0.70	----	0.70 UNCH	.0027	----	----	3	----	129 + 2
7200	0.70	0.70	0.70/0.70	0.70/0.70	----	0.70 UNCH	.0027	----	----	3	----	69 + 3
7250	0.70	0.70	0.70/0.70	0.70/0.70	----	0.70 UNCH	.0027	----	----	11	----	520 + 11
7500	----	----	----	0.60B/0.60A	----	0.60 UNCH	.0022	----	----	270	----	2426 + 9
8000	----	----	----	0.50B/0.50A	----	0.50 UNCH	.0017	----	----	----	----	13230 UNCH
8125	----	----	----	0.40B/0.50A	----	0.50 + 0.10	.0017	----	----	----	----	803 UNCH
8500	----	----	0.40B/----	0.40B/0.40A	----	0.40 + 0.10	.0013	----	----	10	----	511 UNCH
8630	----	----	----	0.30B/0.40A	----	0.40 + 0.10	.0013	----	----	----	----	422 UNCH
8700	----	----	----	0.30B/0.40A	----	0.40 + 0.10	.0013	----	----	----	----	127 UNCH
8725	----	----	----	0.30B/0.40A	----	0.40 + 0.10	.0013	----	----	----	----	217 UNCH
8750	----	----	----	0.30B/0.40A	----	0.40 + 0.10	.0013	----	----	----	----	719 UNCH
8775	----	----	----	0.30B/0.40A	----	0.40 + 0.10	.0013	----	----	----	----	49 UNCH
9000	----	----	----	0.30B/0.40A	----	0.40 + 0.10	.0012	----	----	----	----	635 UNCH
9250	----	----	0.30B/----	0.30B/0.40A	----	0.30 + 0.10	.0009	----	----	----	----	102 UNCH
9500	----	----	----	0.20B/0.40A	----	0.30 + 0.10	.0009	----	----	----	----	984 UNCH
9600	----	----	----	0.20B/0.30A	----	0.30 + 0.10	.0009	----	----	----	----	137 UNCH
9750	----	----	----	0.20B/0.30A	----	0.30 + 0.10	.0009	----	----	----	----	110 UNCH
9900	0.30	0.30	0.30/0.30	0.30/0.30	----	0.30 + 0.10	.0009	----	----	1	----	143 + 1
10000	----	----	----	0.20B/0.30A	----	0.30 + 0.10	.0009	----	----	----	----	11390 UNCH
10500	0.30	0.30	0.30/0.20	0.30/0.20	----	0.30 + 0.20	.0008	----	----	116	----	129 + 98
11000	0.20	0.20	0.20/0.20	0.20/0.20	----	0.10 UNCH	.0003	----	----	102	----	905 + 96
13000	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	.0000	----	----	5	----	697 UNCH
15000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	36687 UNCH
17000	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	52 UNCH
19000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	350 UNCH
20000	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	----	----	----	1	----	38132 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL												
DEC26												
21000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	3	----	42 + 3
23000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
24000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	167 UNCH
TOTAL										5645		324124+ 1436
JAN27												
3050	----	----	1,222.90B/1,164	1222.90B/1164.60A	----	1175.60 - 25.90	.9917	----	----	79	----	0 UNCH
3150	----	----	1,121.70B/1,065	1121.70B/1065.40A	----	1075.70 - 26.00	.9879	----	----	79	----	115 + 79
3200	----	----	1,071.30B/1,017	1071.30B/1017.20A	----	1026.00 - 25.90	.9856	----	----	----	----	11 UNCH
3250	----	----	1,019.80B/967.1	1019.80B/967.10A	----	976.30 - 25.90	.9829	----	----	----	----	25 UNCH
3300	----	----	968.60B/918.60A	968.60B/918.60A	----	926.80 - 25.90	.9793	----	----	----	----	18 UNCH
3500	----	----	772.10B/723.30A	772.10B/723.30A	----	731.00 - 25.70	.9576	----	----	----	----	1 UNCH
3950	----	----	368.20B/321.20A	368.20B/321.20A	----	329.20 - 22.70	.7741	----	----	----	----	2 UNCH
4000	----	----	332.30B/284.80A	332.30B/284.80A	----	292.10 - 21.90	.7343	----	----	----	----	372 UNCH
4010	----	----	324.80B/277.80A	324.80B/277.80A	----	285.00 - 21.70	.7259	----	----	----	----	1 UNCH
4035	----	----	306.50B/260.70A	306.50B/260.70A	----	267.50 - 21.30	.7040	----	----	----	----	1 UNCH
4070	----	----	281.90B/238.00A	281.90B/238.00A	----	244.20 - 20.50	.6721	----	----	----	----	1 UNCH
4090	----	----	268.40B/225.60A	268.40B/225.60A	----	231.50 - 20.10	.6532	----	----	----	----	1 UNCH
4100	----	----	261.60B/219.50A	261.60B/219.50A	----	225.30 - 19.80	.6436	----	----	----	----	109 UNCH
4110	----	----	255.20B/213.60A	255.20B/213.60A	----	219.20 - 19.60	.6339	----	----	----	----	1 UNCH
4115	----	----	251.90B/210.70A	251.90B/210.70A	----	216.20 - 19.50	.6289	----	----	----	----	1 UNCH
4125	----	----	245.60B/204.90A	245.60B/204.90A	----	210.20 - 19.30	.6191	----	----	----	----	2 UNCH
4130	----	----	242.50B/201.90A	242.50B/201.90A	----	207.30 - 19.20	.6141	----	----	----	----	1 UNCH
4140	----	----	236.40B/196.30A	236.40B/196.30A	----	201.60 - 18.90	.6042	----	----	----	----	1 UNCH
4145	----	----	233.20B/193.60A	233.20B/193.60A	----	198.80 - 18.70	.5992	----	----	----	----	1 UNCH
4150	----	----	230.30B/190.80A	230.30B/190.80A	----	196.00 - 18.60	.5942	----	----	----	----	6 UNCH
4155	----	----	227.30B/188.20A	227.30B/188.20A	----	193.20 - 18.50	.5892	----	----	----	----	3 UNCH
4160	----	----	224.30B/185.50A	224.30B/185.50A	----	190.40 - 18.40	.5841	----	----	2	----	230 UNCH
4165	----	----	221.30B/182.80A	221.30B/182.80A	----	187.70 - 18.20	.5791	----	----	----	----	8 UNCH
4170	----	----	218.40B/180.20A	218.40B/180.20A	----	185.00 - 18.10	.5740	----	----	----	----	3 UNCH
4175	----	----	215.40B/177.60A	215.40B/177.60A	----	182.40 - 17.90	.5689	----	----	----	----	11 UNCH
4180	----	----	212.60B/175.10A	212.60B/175.10A	----	179.80 - 17.70	.5639	----	----	25	----	29 - 19
4185	----	----	209.70B/172.60A	209.70B/172.60A	----	177.20 - 17.60	.5588	----	----	----	----	4 UNCH
4190	----	----	207.10B/170.00A	207.10B/170.00A	----	174.60 - 17.50	.5537	----	----	----	----	29 UNCH
4195	----	----	204.30B/167.60A	204.30B/167.60A	----	172.10 - 17.30	.5486	----	----	----	----	7 UNCH
4200	167.90	167.90	201.90B/165.10A	201.90B/165.10A	----	169.50 - 17.20	.5435	----	----	2	----	257 - 1
4205	166.80	166.80	199.20B/162.70A	199.20B/162.70A	----	167.10 - 17.00	.5384	----	----	7	----	21 - 3
4210	----	----	196.40B/160.30A	196.40B/160.30A	----	164.60 - 16.90	.5334	----	----	----	----	214 UNCH
4215	163.20	163.20	193.90B/158.00A	193.90B/158.00A	----	162.20 - 16.70	.5283	----	----	7	----	82 - 2
4220	----	----	191.20B/155.60A	191.20B/155.60A	----	159.80 - 16.60	.5232	----	----	7	----	23 - 5
4225	158.50	158.50	188.50B/153.30A	188.50B/153.30A	----	157.40 - 16.40	.5181	----	----	9	----	118 + 7
4230	----	----	185.90B/151.00A	185.90B/151.00A	----	155.10 - 16.30	.5130	----	----	5	----	57 + 5
4235	153.20	153.20	183.30B/148.80A	183.30B/148.80A	----	152.80 - 16.10	.5080	----	----	5	----	57 + 3
4240	----	----	180.80B/146.60A	180.80B/146.60A	----	150.50 - 16.00	.5029	----	----	----	----	51 UNCH
4245	150.90	150.90	178.20B/144.40A	178.20B/144.40A	----	148.20 - 15.90	.4979	----	----	1	----	11 UNCH
4250	----	----	175.70B/142.20A	175.70B/142.20A	----	146.00 - 15.70	.4928	----	----	7	----	743 + 1
4255	----	----	173.30B/140.10A	173.30B/140.10A	----	143.80 - 15.50	.4878	----	----	----	----	32 UNCH
4260	----	----	170.80B/137.90A	170.80B/137.90A	----	141.60 - 15.40	.4828	----	----	----	----	21 UNCH
4265	----	----	168.40B/135.80A	168.40B/135.80A	----	139.50 - 15.20	.4778	----	----	----	----	4 UNCH
4270	137.70	137.70	166.00B/133.80A	166.00B/133.80A	----	137.30 - 15.20	.4728	----	----	1	----	82 UNCH
4275	134.80	134.80	163.50B/131.70A	163.50B/131.70A	----	135.20 - 15.00	.4678	----	----	7	----	28 - 4
4280	----	----	161.40B/129.70A	161.40B/129.70A	----	133.20 - 14.80	.4629	----	----	----	----	10 UNCH
4285	----	----	158.90B/127.80A	158.90B/127.80A	----	131.10 - 14.80	.4580	----	----	----	----	3 UNCH
4290	128.70	128.70	156.70B/125.80A	156.70B/125.80A	----	129.10 - 14.60	.4530	----	----	2	----	3 + 1
4300	124.30	124.30	152.20B/122.00A	152.20B/122.00A	----	125.20 - 14.30	.4433	----	----	31	----	294 - 5
4305	----	----	150.00B/120.10A	150.00B/120.10A	----	123.20 - 14.20	.4384	----	----	----	----	15 UNCH
4310	----	----	147.80B/118.20A	147.80B/118.20A	----	121.30 - 14.10	.4336	----	----	----	----	7 UNCH
4315	119.10	119.10	145.70B/116.40A	145.70B/116.40A	----	119.40 - 13.90	.4288	----	----	3	----	11 UNCH
4320	114.90	114.90	143.50B/114.60A	143.50B/114.60A	----	117.60 - 13.70	.4240	----	----	3	----	7 + 3
4325	116.20	116.20	141.40B/112.80A	141.40B/112.80A	----	115.70 - 13.70	.4192	----	----	1	----	7 + 1
4330	----	----	139.40B/111.00A	139.40B/111.00A	----	113.90 - 13.50	.4145	----	----	----	----	68 UNCH
4335	----	----	137.40B/109.30A	137.40B/109.30A	----	112.10 - 13.40	.4098	----	----	----	----	4 UNCH
4340	----	----	135.40B/107.60A	135.40B/107.60A	----	110.40 - 13.20	.4051	----	----	----	----	4 UNCH
4345	----	----	133.40B/105.90A	133.40B/105.90A	----	108.60 - 13.20	.4004	----	----	----	----	10 UNCH
4350	----	----	131.20B/104.30A	131.20B/104.30A	----	106.90 - 13.00	.3958	----	----	----	----	1629 UNCH
4355	----	----	129.40B/102.60A	129.40B/102.60A	----	105.20 - 12.90	.3912	----	----	----	----	67 UNCH
4360	118.50	118.50	127.40B/101.00A	127.40B/101.00A	----	103.60 - 12.70	.3867	----	----	4	----	64 + 2
4365	----	----	125.60B/99.40A	125.60B/99.40A	----	101.90 - 12.60	.3821	----	----	----	----	234 UNCH
4370	----	----	123.70B/97.80A	123.70B/97.80A	----	100.30 - 12.50	.3776	----	----	----	----	45 UNCH
4375	----	----	121.80B/96.30A	121.80B/96.30A	----	98.70 - 12.30	.3731	----	----	----	----	209 UNCH
4380	----	----	120.00B/94.80A	120.00B/94.80A	----	97.20 - 12.10	.3687	----	----	----	----	13 UNCH
4385	----	----	118.20B/93.30A	118.20B/93.30A	----	95.60 - 12.10	.3642	----	----	----	----	24 UNCH
4390	----	----	116.50B/91.80A	116.50B/91.80A	----	94.10 - 11.90	.3599	----	----	----	----	9 UNCH
4395	----	----	114.70B/90.30A	114.70B/90.30A	----	92.60 - 11.80	.3555	----	----	----	----	17 UNCH
4400	95.10	95.10	113.00B/88.90A	113.00B/88.90A	----	91.10 - 11.70	.3512	----	----	84	----	472 + 37
4405	----	----	111.30B/87.50A	111.30B/87.50A	----	89.60 - 11.60	.3469	----	----	----	----	7 UNCH
4410	----	----	109.60B/86.10A	109.60B/86.10A	----	88.20 - 11.40	.3426	----	----	----	----	34 UNCH
4415	----	----	108.00B/84.70A	108.00B/84.70A	----	86.80 - 11.30	.3384	----	----	----	----	11 UNCH
4420	83.70	83.70	106.30B/83.40	106.30B/83.40	----	85.40 - 11.10	.3342	----	----	18	----	113 - 3
4425	----	----	104.70B/82.00A	104.70B/82.00A	----	84.00 - 11.00	.3301	----	----	----	----	60 UNCH
4430	----	----	103.10B/80.70A	103.10B/80.70A	----	82.70 - 10.90	.3260	----	----	----	----	18 UNCH
4435	----	----	101.60B/79.40A	101.60B/79.40A	----	81.30 - 10.80	.3218	----	----	----	----	16 UNCH
4440	----	----	100.00B/78.10A	100.00B/78.10A	----	80.00 - 10.70	.3178	----	----	----	----	97 UNCH
4445	----	----	98.40B/76.90A	98.40B/76.90A	----	78.70 - 10.50	.3138	----	----	----	----	22 UNCH
4450	----	----	96.90B/75.60A	96.90B/75.60A	----	77.50 - 10.30	.3099	----	----	----	----	344 UNCH
4455	----	----	95.30B/74.40A	95.30B/74.40A	----	76.20 - 10.30	.3059	----	----	----	----	7 UNCH
4460	----	----	93.90B/73.20A	93.90B/73.20A	----	75.00 - 10.10	.3020	----	----	----	----	15 UNCH
4465	----	----	92.40B/72.00A	92.40B/72.00A	----	73.80 - 10.00	.2982	----	----	----	----	19 UNCH
4470	----	----	91.00B/70.90A	91.00B/70.90A	----	72.60 - 9.90	.2943	----	----	----	----	13 UNCH
4475	----	----	89.50B/69.70A	89.50B/69.70A	----	71.40 - 9.80	.2905	----	----	----	----	55 UNCH
4480	----	----	88.20B/68.60A	88.20B/68.60A	----	70.20 - 9.70	.2867	----	----	----	----	113 UNCH
4485	69.60	69.60	87.00B/67.50A	87.00B/67.50A	----	69.10 - 9.50	.2830	----	----	6	----	9 + 3
4490	66.90	66.90	85.50B/66.40A	85.50B/66.40A	----	68.00 - 9.40	.2794	----	----	4	----	17 + 2
4495	----	----	84.20B/65.30A	84.20B/65.30A	----	66.90 - 9.30	.2757	----	----	----	----	7 UNCH
4500	69.00	69.00	82.90B/64.30A	82.90B/64.30A	----	65.80 - 9.20	.2721	----	----	67	----	2272 + 26
4505	64.10	64.10	81.50B/63.20A	81.50B/63.20A	----	64.70 - 9.10	.2685	----	----	5	----	5 UNCH
4510	----	----	80.40B/62.20A	80.40B/62.20A	----	63.70 - 8.90	.2650	----	----	----	----	191 UNCH
4515	----	----	79.10B/61.20A	79.10B/61.20A	----	62.60 - 8.90	.2614	----	----	5	----	16 + 2
4520	----	----	77.80B/60.20A	77.80B/60.20A	----	61.60 - 8.70	.2580	----	----	----	----	110 UNCH
4525	----	----	76.60B/59.20A	76.60B/59.20A	----	60.60 - 8.60	.2546	----	----	----	----	21 UNCH
4530	----	----	75.50B/58.30A	75.50B/58.30A	----	59.60 - 8.50	.2512	----	----	----	----	4 UNCH
4535	----	----	74.30B/57.30A	74.30B/57.30A	----	58.60 - 8.40	.2477	----	----	----	----	12 UNCH
4540	59.90	59.90	73.10B/56.40A	73.10B/56.40A	----	57.70 - 8.30	.2445	----	----	2	----	19 + 1
4545	----	----	72.00B/55.50A	72.00B/55.50A	----	56.80 - 8.10	.2413	----	----	----	----	9 UNCH
4550	54.80	54.80	70.90B/54.60A	70.90B/54.60A	----	55.80 - 8.10	.2379	----	----	6	----	91 - 4
4555	54.00	54.00	69.80B/53.70A	69.80B/53.70A	----	54.90 - 8.00	.2348	----	----	1	----	49 UNCH
4560	----	----	68.70B/52.80A	68.70B/52.80A	----	54.00 - 7.90	.2316	----	----	----	----	11 UNCH
4565	----	----	67.50B/52.00A	67.50B/52.00A	----	53.10 - 7.80	.2284	----	----	----	----	4 UNCH
4570	----	----	66.50B/51.20A	66.50B/51.20A	----	52.30 - 7.60	.2254	----	----	----	----	37 UNCH
4575	53.10	53.10	65.50B/50.30A	65.50B/50.30A	----	51.40 - 7.60	.2223	----	----	1	----	11 UNCH
4580	----	----	64.40B/49.50A	64.40B/49.50A	----	50.60 - 7.50	.2193	----	----	----	----	1 UNCH
4585	----	----	63.40B/48.70A	63.40B/48.70A	----	49.80 - 7.30	.2164	----	----	----	----	42 UNCH
4590	----	----	62.40B/47.90A	62.40B/47.90A	----	49.00 - 7.20	.2134	----	----	----	----	1 UNCH
4595	----	----	61.60B/47.10A	61.60B/47.10A	----	48.20 - 7.10	.2105	----	----	----	----	1 UNCH
4600	49.00	49.00	60.50B/46.40A	60.50B/46.40A	----	47.40 - 7.10	.2076	----	----	24	----	1472 - 8
4605	48.20	48.20	59.60B/45.60A	59.60B/45.60A	----	46.60 - 7.00	.2047	----	----	21	----	29 + 18
4610	----	----	58.70B/44.90A	58.70B/44.90A	----	45.90 - 6.80	.2020	----	----	----	----	1 UNCH
4615	----	----	57.80B/44.10A	57.80B/44.10A	----	45.10 - 6.80	.1991	----	----	----	----	11 UNCH
4620	----	----	56.90B/43.40A	56.90B/43.40A	----	44.40 - 6.70	.1964	----	----	1	----	177 + 1
4625	45.20	45.20	56.00B/42.70A	56.00B/42.70A	----	43.70 - 6.60	.1937	----	----	1	----	129 + 1
4630	----	----	55.10B/42.00A	55.10B/42.00A	----	43.00 - 6.50	.1911	----	----	----	----	10 UNCH
4635	----	----	54.20B/41.30A	54.20B/41.30A	----	42.30 - 6.40	.1884	----	----	----	----	26 UNCH
4640	----	----	53.40B/40.70A	53.40B/40.70A	----	41.60 - 6.30	.1858	----	----	----	----	6 UNCH
4645	----	----	52.60B/40.00A	52.60B/40.00A	----	40.90 - 6.30	.1831	----	----	----	----	16 UNCH
4650	----	----	51.70B/39.40A	51.70B/39.40A	----	40.20 - 6.20	.1805	----	----	----	----	116 UNCH
4655	----	----	50.90B/38.80A	50.90B/38.80A	----	39.60 - 6.10	.1781	----	----	----	----	16 UNCH
4660	----	----	50.10B/38.10A	50.10B/38.10A	----	39.00 - 6.00	.1757	----	----	----	----	29 UNCH
4665	----	----	49.30B/37.50A	49.30B/37.50A	----	38.30 - 6.00	.1731	----	----	----	----	4 UNCH
4670	----	----	48.60B/36.90A	48.60B/36.90A	----	37.70 - 5.90	.1707	----	----	----	----	4 UNCH
4675	----	----	47.80B/36.30A	47.80B/36.30A	----	37.10 - 5.80	.1684	----	----	----	----	14 UNCH
4680	----	----	47.10B/35.70A	47.10B/35.70A	----	36.50 - 5.70	.1660	----	----	----	----	5 UNCH
4685	----	----	46.40B/35.10A	46.40B/35.10A	----	35.90 - 5.70	.1637	----	----	----	----	25 UNCH
4690	----	----	45.60B/34.60A	45.60B/34.60A	----	35.30 - 5.60	.1613	----	----	----	----	4 UNCH
4695	----	----	44.90B/34.00A	44.90B/34.00A	----	34.80 - 5.50	.1592	----	----	----	----	19 UNCH
4700	33.30	33.30	44.20B/33.30	44.20B/33.30	----	34.20 - 5.40	.1569	----	----	116	----	1251 + 61
4705	----	----	43.50B/33.00A	43.50B/33.00A	----	33.70 - 5.30	.1548	----	----	----	----	2 UNCH
4710	----	----	42.90B/32.40A	42.90B/32.40A	----	33.10 - 5.30	.1525	----	----	----	----	38 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG CALL — COMEX GOLD OPTIONS

JAN27

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4715	----	----	42.20B/31.90A	42.20B/31.90A	----	32.60 - 5.20	.1504	----	----	----	----	14 UNCH
4720	----	----	41.60B/31.40A	41.60B/31.40A	----	32.10 - 5.10	.1484	----	----	----	----	34 UNCH
4725	----	----	40.90B/30.90A	40.90B/30.90A	----	31.60 - 5.00	.1463	----	----	----	----	63 UNCH
4730	----	----	40.30B/30.40A	40.30B/30.40A	----	31.10 - 5.00	.1443	----	----	----	----	29 UNCH
4735	31.70	31.70	39.70B/29.90A	39.70B/29.90A	----	30.60 - 4.90	.1422	----	----	5	----	25 + 5
4740	----	----	39.10B/29.50A	39.10B/29.50A	----	30.10 - 4.90	.1402	----	----	----	----	10 UNCH
4745	----	----	38.50B/29.00A	38.50B/29.00A	----	29.60 - 4.80	.1382	----	----	----	----	8 UNCH
4750	----	----	37.90B/28.50A	37.90B/28.50A	----	29.20 - 4.70	.1364	----	----	5	----	730 + 3
4755	----	----	37.30B/28.10A	37.30B/28.10A	----	28.70 - 4.70	.1344	----	----	----	----	17 UNCH
4760	----	----	36.80B/27.70A	36.80B/27.70A	----	28.30 - 4.60	.1326	----	----	----	----	124 UNCH
4765	----	----	36.20B/27.20A	36.20B/27.20A	----	27.80 - 4.60	.1306	----	----	----	----	13 UNCH
4770	----	----	35.60B/26.80A	35.60B/26.80A	----	27.40 - 4.50	.1289	----	----	----	----	60 UNCH
4775	----	----	35.00B/26.40A	35.00B/26.40A	----	27.00 - 4.40	.1272	----	----	----	----	22 UNCH
4780	----	----	34.60B/26.00A	34.60B/26.00A	----	26.50 - 4.40	.1252	----	----	----	----	12 UNCH
4785	----	----	34.00B/25.60A	34.00B/25.60A	----	26.10 - 4.30	.1235	----	----	----	----	47 UNCH
4790	----	----	33.50B/25.20A	33.50B/25.20A	----	25.70 - 4.30	.1218	----	----	----	----	11 UNCH
4795	----	----	33.00B/24.80A	33.00B/24.80A	----	25.30 - 4.20	.1201	----	----	----	----	29 UNCH
4800	----	----	32.50B/24.40A	32.50B/24.40A	----	24.90 - 4.20	.1184	----	----	7	----	2769 + 2
4805	----	----	32.00B/24.10A	32.00B/24.10A	----	24.60 - 4.00	.1170	----	----	----	----	33 UNCH
4810	----	----	31.50B/23.70A	31.50B/23.70A	----	24.20 - 4.00	.1153	----	----	----	----	6 UNCH
4815	----	----	31.00B/23.30A	31.00B/23.30A	----	23.80 - 4.00	.1136	----	----	----	----	42 UNCH
4820	----	----	30.60B/23.00A	30.60B/23.00A	----	23.50 - 3.80	.1122	----	----	----	----	14 UNCH
4825	----	----	30.10B/22.60A	30.10B/22.60A	----	23.10 - 3.80	.1105	----	----	----	----	61 UNCH
4830	----	----	29.70B/22.30A	29.70B/22.30A	----	22.80 - 3.70	.1091	----	----	----	----	32 UNCH
4835	----	----	29.20B/22.00A	29.20B/22.00A	----	22.40 - 3.70	.1075	----	----	----	----	2 UNCH
4840	----	----	28.80B/21.60A	28.80B/21.60A	----	22.10 - 3.60	.1061	----	----	----	----	22 UNCH
4845	----	----	28.40B/21.30A	28.40B/21.30A	----	21.70 - 3.70	.1044	----	----	----	----	25 UNCH
4850	----	----	27.90B/21.00A	27.90B/21.00A	----	21.40 - 3.60	.1031	----	----	----	----	347 UNCH
4855	----	----	27.60B/20.70A	27.60B/20.70A	----	21.10 - 3.50	.1017	----	----	----	----	10 UNCH
4860	24.60	24.60	27.10B/20.40A	27.10B/20.40A	----	20.80 - 3.40	.1004	----	----	2	----	4 + 2
4865	20.50	20.50	26.70B/20.10A	26.70B/20.10A	----	20.50 - 3.40	.0990	----	----	2	----	3 + 2
4870	----	----	26.40B/19.80A	26.40B/19.80A	----	20.20 - 3.30	.0977	----	----	----	----	242 UNCH
4875	----	----	26.00B/19.50A	26.00B/19.50A	----	19.90 - 3.30	.0963	----	----	----	----	27 UNCH
4880	----	----	25.60B/19.20A	25.60B/19.20A	----	19.60 - 3.20	.0950	----	----	----	----	50 UNCH
4885	----	----	25.20B/19.00A	25.20B/19.00A	----	19.30 - 3.20	.0937	----	----	----	----	46 UNCH
4890	----	----	24.90B/18.70A	24.90B/18.70A	----	19.00 - 3.20	.0924	----	----	----	----	5 UNCH
4895	----	----	24.50B/18.40A	24.50B/18.40A	----	18.80 - 3.10	.0914	----	----	----	----	27 UNCH
4900	18.50	18.50	24.20B/18.10A	24.20B/18.10A	----	18.50 - 3.00	.0900	----	----	7	----	2745 - 1
4905	----	----	23.80B/17.90A	23.80B/17.90A	----	18.20 - 3.00	.0887	----	----	----	----	21 UNCH
4910	----	----	23.50B/17.60A	23.50B/17.60A	----	18.00 - 2.90	.0877	----	----	----	----	29 UNCH
4915	----	----	23.10B/17.40A	23.10B/17.40A	----	17.70 - 2.90	.0864	----	----	----	----	245 UNCH
4920	----	----	22.80B/17.10A	22.80B/17.10A	----	17.50 - 2.80	.0854	----	----	----	----	18 UNCH
4925	----	----	22.50B/16.90A	22.50B/16.90A	----	17.20 - 2.80	.0841	----	----	----	----	10 UNCH
4930	----	----	22.10B/16.60A	22.10B/16.60A	----	17.00 - 2.80	.0831	----	----	----	----	18 UNCH
4935	----	----	21.90B/16.40A	21.90B/16.40A	----	16.70 - 2.80	.0819	----	----	----	----	3 UNCH
4940	----	----	21.60B/16.20A	21.60B/16.20A	----	16.50 - 2.70	.0809	----	----	----	----	13 UNCH
4945	----	----	21.20B/16.00A	21.20B/16.00A	----	16.30 - 2.60	.0799	----	----	----	----	7 UNCH
4950	----	----	21.00B/15.70A	21.00B/15.70A	----	16.00 - 2.70	.0786	----	----	----	----	531 UNCH
4955	----	----	20.70B/15.60A	20.70B/15.60A	----	15.80 - 2.60	.0777	----	----	----	----	2 UNCH
4960	----	----	20.40B/15.30A	20.40B/15.30A	----	15.60 - 2.50	.0767	----	----	----	----	9 UNCH
4965	----	----	20.10B/15.10A	20.10B/15.10A	----	15.40 - 2.50	.0758	----	----	----	----	9 UNCH
4970	----	----	19.80B/14.90A	19.80B/14.90A	----	15.20 - 2.40	.0748	----	----	----	----	19 UNCH
4975	----	----	19.50B/14.70A	19.50B/14.70A	----	15.00 - 2.40	.0739	----	----	----	----	3 UNCH
4980	14.70	14.70	19.30B/14.50A	19.30B/14.50A	----	14.80 - 2.40	.0729	----	----	1	----	8 - 1
4985	----	----	19.00B/14.30A	19.00B/14.30A	----	14.60 - 2.30	.0720	----	----	----	----	14 UNCH
4990	14.20	14.20	18.80B/14.10A	18.80B/14.10A	----	14.40 - 2.30	.0710	----	----	2	----	24 UNCH
4995	----	----	18.50B/14.00A	18.50B/14.00A	----	14.20 - 2.30	.0701	----	----	----	----	11 UNCH
5000	17.70	17.70	18.30B/13.70	18.30B/13.70	----	14.00 - 2.20	.0692	----	----	62	----	4978 + 60
5005	17.50	17.50	18.00B/13.60A	18.00B/13.60A	----	13.80 - 2.20	.0683	----	----	1	----	54 - 1
5010	----	----	17.70B/13.40A	17.70B/13.40A	----	13.60 - 2.20	.0673	----	----	----	----	61 UNCH
5015	----	----	17.40B/13.20A	17.40B/13.20A	----	13.50 - 2.10	.0667	----	----	----	----	9 UNCH
5020	----	----	17.30B/13.10A	17.30B/13.10A	----	13.30 - 2.10	.0658	----	----	----	----	6 UNCH
5025	----	----	17.10B/12.90A	17.10B/12.90A	----	13.10 - 2.10	.0649	----	----	----	----	14 UNCH
5030	----	----	16.70B/12.70A	16.70B/12.70A	----	13.00 - 2.00	.0643	----	----	----	----	8 UNCH
5035	----	----	16.50B/12.60A	16.50B/12.60A	----	12.80 - 2.00	.0634	----	----	----	----	29 UNCH
5040	----	----	16.30B/12.40A	16.30B/12.40A	----	12.60 - 2.00	.0625	----	----	----	----	26 UNCH
5045	----	----	16.20B/12.30A	16.20B/12.30A	----	12.50 - 1.90	.0619	----	----	----	----	6 UNCH
5050	----	----	16.00B/12.10A	16.00B/12.10A	----	12.30 - 1.90	.0610	----	----	----	----	214 UNCH
5055	----	----	15.80B/12.00A	15.80B/12.00A	----	12.20 - 1.80	.0605	----	----	----	----	18 UNCH
5060	----	----	15.60B/11.80A	15.60B/11.80A	----	12.00 - 1.80	.0596	----	----	----	----	46 UNCH
5065	----	----	15.30B/11.70A	15.30B/11.70A	----	11.90 - 1.70	.0590	----	----	----	----	2 UNCH
5070	----	----	15.10B/11.50A	15.10B/11.50A	----	11.70 - 1.80	.0581	----	----	----	----	11 UNCH
5075	----	----	14.90B/11.40A	14.90B/11.40A	----	11.60 - 1.70	.0576	----	----	----	----	16 UNCH
5080	----	----	14.70B/11.30A	14.70B/11.30A	----	11.40 - 1.70	.0567	----	----	----	----	25 UNCH
5085	----	----	14.50B/11.10A	14.50B/11.10A	----	11.30 - 1.70	.0561	----	----	----	----	46 UNCH
5090	----	----	14.30B/11.00A	14.30B/11.00A	----	11.20 - 1.60	.0556	----	----	----	----	3 UNCH
5095	----	----	14.10B/10.90A	14.10B/10.90A	----	11.00 - 1.60	.0547	----	----	----	----	3 UNCH
5100	10.90	10.90	14.00B/10.70A	14.00B/10.70A	----	10.90 - 1.60	.0542	----	----	19	----	365 - 1
5105	10.70	10.70	13.80B/10.60A	13.80B/10.60A	----	10.80 - 1.50	.0536	----	----	2	----	27 UNCH
5110	10.60	10.60	13.60B/10.50A	13.60B/10.50A	----	10.70 - 1.50	.0531	----	----	2	----	15 UNCH
5115	----	----	13.50B/10.40A	13.50B/10.40A	----	10.50 - 1.50	.0522	----	----	----	----	26 UNCH
5120	----	----	13.30B/10.30A	13.30B/10.30A	----	10.40 - 1.50	.0517	----	----	----	----	13 UNCH
5125	----	----	13.10B/10.20A	13.10B/10.20A	----	10.30 - 1.40	.0512	----	----	----	----	51 UNCH
5130	----	----	13.10B/10.00A	13.10B/10.00A	----	10.20 - 1.40	.0507	----	----	----	----	20 UNCH
5135	----	----	12.80B/9.90A	12.80B/9.90A	----	10.10 - 1.30	.0501	----	----	----	----	50 UNCH
5140	----	----	12.70B/9.80A	12.70B/9.80A	----	9.90 - 1.40	.0493	----	----	----	----	29 UNCH
5145	----	----	12.50B/9.70A	12.50B/9.70A	----	9.80 - 1.40	.0488	----	----	----	----	24 UNCH
5150	----	----	12.30B/9.60A	12.30B/9.60A	----	9.70 - 1.30	.0483	----	----	----	----	263 UNCH
5155	----	----	12.20B/9.50A	12.20B/9.50A	----	9.60 - 1.30	.0477	----	----	----	----	24 UNCH
5160	----	----	12.10B/9.40A	12.10B/9.40A	----	9.50 - 1.30	.0472	----	----	----	----	17 UNCH
5165	----	----	11.90B/9.30A	11.90B/9.30A	----	9.40 - 1.30	.0467	----	----	----	----	13 UNCH
5170	----	----	11.80B/9.20A	11.80B/9.20A	----	9.30 - 1.20	.0462	----	----	----	----	14 UNCH
5175	----	----	11.60B/9.10A	11.60B/9.10A	----	9.20 - 1.20	.0457	----	----	----	----	235 UNCH
5180	----	----	11.50B/9.00A	11.50B/9.00A	----	9.10 - 1.20	.0452	----	----	----	----	12 UNCH
5185	----	----	11.40B/8.90A	11.40B/8.90A	----	9.00 - 1.20	.0447	----	----	----	----	9 UNCH
5190	----	----	11.30B/8.80A	11.30B/8.80A	----	8.90 - 1.20	.0442	----	----	----	----	11 UNCH
5195	----	----	11.10B/8.70A	11.10B/8.70A	----	8.80 - 1.10	.0437	----	----	----	----	5 UNCH
5200	----	----	11.00B/8.70A	11.00B/8.70A	----	8.70 - 1.10	.0432	----	----	----	----	943 UNCH
5205	----	----	10.90B/8.60A	10.90B/8.60A	----	8.70 - 1.00	.0431	----	----	----	----	29 UNCH
5210	----	----	10.70B/8.50A	10.70B/8.50A	----	8.60 - 1.00	.0426	----	----	----	----	17 UNCH
5215	----	----	10.60B/8.40A	10.60B/8.40A	----	8.50 - 1.00	.0421	----	----	----	----	20 UNCH
5220	----	----	10.50B/8.30A	10.50B/8.30A	----	8.40 - 1.00	.0416	----	----	----	----	8 UNCH
5225	----	----	10.40B/8.20A	10.40B/8.20A	----	8.30 - 1.00	.0411	----	----	----	----	113 UNCH
5230	----	----	10.30B/8.20A	10.30B/8.20A	----	8.20 - 1.00	.0406	----	----	----	----	7 UNCH
5235	----	----	10.20B/8.10A	10.20B/8.10A	----	8.10 - 1.00	.0402	----	----	----	----	64 UNCH
5240	----	----	10.10B/8.00A	10.10B/8.00A	----	8.10 - 0.90	.0400	----	----	----	----	5 UNCH
5245	----	----	10.00B/7.90A	10.00B/7.90A	----	8.00 - 0.90	.0396	----	----	----	----	15 UNCH
5250	7.90	7.90	9.80B/7.80	9.80B/7.80	----	7.90 - 0.90	.0391	----	----	4	----	840 UNCH
5255	----	----	9.70B/7.80A	9.70B/7.80A	----	7.80 - 0.90	.0386	----	----	----	----	4 UNCH
5260	7.70	7.70	9.70B/7.70	9.70B/7.70	----	7.70 - 0.90	.0381	----	----	2	----	25 UNCH
5270	----	----	9.40B/7.50A	9.40B/7.50A	----	7.60 - 0.90	.0375	----	----	----	----	33 UNCH
5275	----	----	9.30B/7.50A	9.30B/7.50A	----	7.50 - 0.90	.0371	----	----	----	----	25 UNCH
5280	----	----	9.20B/7.40A	9.20B/7.40A	----	7.50 - 0.80	.0370	----	----	----	----	29 UNCH
5285	----	----	9.20B/7.30A	9.20B/7.30A	----	7.40 - 0.80	.0365	----	----	----	----	13 UNCH
5290	----	----	9.10B/7.30A	9.10B/7.30A	----	7.30 - 0.80	.0360	----	----	----	----	38 UNCH
5300	7.30	7.30	8.90B/7.10A	8.90B/7.10A	----	7.20 - 0.80	.0355	----	----	27	----	875 + 19
5305	----	----	8.80B/7.10A	8.80B/7.10A	----	7.10 - 0.80	.0350	----	----	----	----	33 UNCH
5310	----	----	8.70B/7.00A	8.70B/7.00A	----	7.00 - 0.80	.0345	----	----	----	----	15 UNCH
5320	----	----	8.50B/6.90A	8.50B/6.90A	----	6.90 - 0.80	.0340	----	----	----	----	13 UNCH
5325	----	----	8.50B/6.80A	8.50B/6.80A	----	6.90 - 0.70	.0339	----	----	----	----	29 UNCH
5330	----	----	8.40B/6.80A	8.40B/6.80A	----	6.80 - 0.70	.0334	----	----	----	----	4 UNCH
5340	----	----	8.20B/6.70A	8.20B/6.70A	----	6.70 - 0.70	.0329	----	----	----	----	2 UNCH
5345	----	----	8.10B/6.60A	8.10B/6.60A	----	6.60 - 0.70	.0324	----	----	----	----	10 UNCH
5350	----	----	8.10B/6.50A	8.10B/6.50A	----	6.60 - 0.60	.0323	----	----	3	----	2420 + 1
5355	----	----	8.00B/6.50A	8.00B/6.50A	----	6.50 - 0.70	.0319	----	----	----	----	12 UNCH
5360	----	----	7.90B/6.40A	7.90B/6.40A	----	6.50 - 0.60	.0318	----	----	----	----	2 UNCH
5365	----	----	7.90B/6.40A	7.90B/6.40A	----	6.40 - 0.60	.0313	----	----	----	----	15 UNCH
5370	----	----	7.80B/6.30A	7.80B/6.30A	----	6.30 - 0.70	.0309	----	----	----	----	13 UNCH
5375	----	----	7.70B/6.30A	7.70B/6.30A	----	6.30 - 0.60	.0308	----	----	----	----	3 UNCH
5380	----	----	7.60B/6.20A	7.60B/6.20A	----	6.20 - 0.60	.0303	----	----	----	----	300 UNCH
5385	----	----	7.60B/6.20A	7.60B/6.20A	----	6.20 - 0.60	.0303	----	----	----	----	22 UNCH
5390	----	----	7.50B/6.10A	7.50B/6.10A	----	6.10 - 0.60	.0298	----	----	----	----	5 UNCH
5395	----	----	7.40B/6.10A	7.40B/6.10A	----	6.10 - 0.60	.0297	----	----	----	----	10 UNCH
5400	----	----	7.40B/6.00A	7.40B/6.00A	----	6.00 - 0.60	.0293	----	----	26	----	502 + 17
5410	----	----	7.20B/5.90A	7.20B/5.90A	----	5.90 - 0.60	.0288	----	----	----	----	23 UNCH
5420	----	----	7.10B/5.90A	7.10B/5.90A	----	5.80 - 0.60	.0283	----	----	----	----	2 UNCH
5425	----	----	7.10B/5.80A	7.10B/5.80A	----	5.80 - 0.50	.0282	----	----	----	----	18 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL												
JAN27												
5430	----	----	7.00B/5.80A	7.00B/5.80A	----	5.80 - 0.50	.0281	----	----	----	----	19 UNCH
5440	----	----	6.90B/5.70A	6.90B/5.70A	----	5.70 - 0.50	.0276	----	----	----	----	32 UNCH
5445	----	----	6.80B/5.60A	6.80B/5.60A	----	5.60 - 0.50	.0272	----	----	----	----	14 UNCH
5450	----	----	6.80B/5.60A	6.80B/5.60A	----	5.60 - 0.50	.0271	----	----	----	----	423 UNCH
5455	----	----	6.70B/5.60A	6.70B/5.60A	----	5.50 - 0.50	.0267	----	----	----	----	2 UNCH
5460	----	----	6.70B/5.50A	6.70B/5.50A	----	5.50 - 0.50	.0266	----	----	----	----	16 UNCH
5465	----	----	6.60B/5.50A	6.60B/5.50A	----	5.50 - 0.40	.0265	----	----	----	----	4 UNCH
5470	----	----	6.60B/5.40A	6.60B/5.40A	----	5.40 - 0.50	.0261	----	----	----	----	6 UNCH
5475	----	----	6.50B/5.40A	6.50B/5.40A	----	5.40 - 0.40	.0260	----	----	----	----	11 UNCH
5480	----	----	6.50B/5.40A	6.50B/5.40A	----	5.30 - 0.50	.0256	----	----	----	----	5 UNCH
5485	----	----	6.40B/5.30A	6.40B/5.30A	----	5.30 - 0.40	.0255	----	----	----	----	8 UNCH
5490	----	----	6.40B/5.30A	6.40B/5.30A	----	5.30 - 0.40	.0255	----	----	----	----	10 UNCH
5495	----	----	6.30B/5.30A	6.30B/5.30A	----	5.20 - 0.40	.0250	----	----	----	----	19 UNCH
5500	----	----	6.30B/5.20A	6.30B/5.20A	----	5.20 - 0.40	.0250	----	----	----	----	1607 UNCH
5510	----	----	6.20B/5.10A	6.20B/5.10A	----	5.10 - 0.40	.0245	----	----	----	----	28 UNCH
5515	----	----	6.10B/5.10A	6.10B/5.10A	----	5.10 - 0.40	.0244	----	----	----	----	2 UNCH
5520	----	----	6.10B/5.10A	6.10B/5.10A	----	5.10 - 0.30	.0244	----	----	----	----	15 UNCH
5525	----	----	6.00B/5.00A	6.00B/5.00A	----	5.00 - 0.40	.0239	----	----	----	----	27 UNCH
5530	----	----	6.00B/5.00A	6.00B/5.00A	----	5.00 - 0.30	.0239	----	----	----	----	12 UNCH
5540	----	----	5.90B/4.90A	5.90B/4.90A	----	4.90 - 0.40	.0234	----	----	----	----	15 UNCH
5545	----	----	5.80B/4.90A	5.80B/4.90A	----	4.90 - 0.30	.0234	----	----	----	----	5 UNCH
5550	4.90	4.90	5.80B/4.90	5.80B/4.90	----	4.90 - 0.30	.0233	----	----	2	----	19 - 1
5555	----	----	5.80B/4.90A	5.80B/4.90A	----	4.80 - 0.30	.0229	----	----	----	----	4 UNCH
5560	----	----	5.70B/4.80A	5.70B/4.80A	----	4.80 - 0.30	.0228	----	----	----	----	5 UNCH
5565	----	----	5.70B/4.80A	5.70B/4.80A	----	4.80 - 0.30	.0228	----	----	----	----	16 UNCH
5570	----	----	5.60B/4.80A	5.60B/4.80A	----	4.70 - 0.30	.0224	----	----	----	----	2 UNCH
5575	----	----	5.60B/4.70A	5.60B/4.70A	----	4.70 - 0.30	.0223	----	----	----	----	6 UNCH
5580	----	----	5.60B/4.70A	5.60B/4.70A	----	4.70 - 0.30	.0222	----	----	----	----	1 UNCH
5600	----	----	5.40B/4.60A	5.40B/4.60A	----	4.60 - 0.20	.0217	----	----	2	----	454 + 2
5605	----	----	5.40B/4.60A	5.40B/4.60A	----	4.50 - 0.30	.0213	----	----	----	----	28 UNCH
5615	----	----	5.30B/4.50A	5.30B/4.50A	----	4.50 - 0.20	.0212	----	----	----	----	1 UNCH
5620	----	----	5.30B/4.50A	5.30B/4.50A	----	4.50 - 0.20	.0211	----	----	----	----	2 UNCH
5625	----	----	5.20B/4.50A	5.20B/4.50A	----	4.40 - 0.30	.0207	----	----	----	----	7 UNCH
5630	----	----	5.20B/4.40A	5.20B/4.40A	----	4.40 - 0.20	.0207	----	----	----	----	1 UNCH
5650	----	----	5.00B/4.30A	5.00B/4.30A	----	4.30 - 0.20	.0201	----	----	----	----	10 UNCH
5655	----	----	5.00B/4.30A	5.00B/4.30A	----	4.30 - 0.20	.0201	----	----	----	----	4 UNCH
5675	----	----	4.90B/4.20A	4.90B/4.20A	----	4.20 - 0.20	.0195	----	----	----	----	3 UNCH
5685	----	----	4.80B/4.20A	4.80B/4.20A	----	4.20 - 0.10	.0195	----	----	----	----	19 UNCH
5690	----	----	4.80B/4.20A	4.80B/4.20A	----	4.10 - 0.20	.0191	----	----	----	----	3 UNCH
5700	----	----	4.70B/4.10A	4.70B/4.10A	----	4.10 - 0.10	.0190	----	----	----	----	134 UNCH
5705	----	----	4.70B/4.10A	4.70B/4.10A	----	4.10 - 0.10	.0189	----	----	----	----	19 UNCH
5720	----	----	4.60B/4.00A	4.60B/4.00A	----	4.00 - 0.10	.0185	----	----	----	----	2 UNCH
5725	----	----	4.60B/4.00A	4.60B/4.00A	----	4.00 - 0.10	.0184	----	----	----	----	30 UNCH
5730	4.10	4.10	4.60B/4.00A	4.60B/4.00A	----	4.00 - 0.10	.0184	----	----	2	----	6 + 2
5735	----	----	4.50B/4.00A	4.50B/4.00A	----	3.90 - 0.20	.0180	----	----	----	----	5 UNCH
5745	----	----	4.50B/3.90A	4.50B/3.90A	----	3.90 - 0.10	.0179	----	----	----	----	6 UNCH
5750	----	----	4.50B/3.90A	4.50B/3.90A	----	3.90 - 0.10	.0179	----	----	----	----	271 UNCH
5760	----	----	4.40B/----	4.40B/3.90A	----	3.80 - 0.10	.0174	----	----	----	----	4 UNCH
5770	----	----	4.40B/----	4.40B/3.90A	----	3.80 - 0.10	.0174	----	----	----	----	32 UNCH
5775	----	----	4.30B/3.80A	4.30B/3.80A	----	3.80 - 0.10	.0173	----	----	----	----	215 UNCH
5800	----	----	4.20B/3.70A	4.20B/3.70A	----	3.70 - 0.10	.0168	----	----	----	----	311 UNCH
5820	----	----	4.10B/----	4.10B/3.70A	----	3.60 - 0.10	.0163	----	----	----	----	7 UNCH
5840	----	----	4.00B/----	4.00B/3.60A	----	3.60 UNCH	.0162	----	----	----	----	15 UNCH
5850	----	----	4.00B/----	4.00B/3.60A	----	3.50 - 0.10	.0158	----	----	----	----	4 UNCH
5875	----	----	3.90B/----	3.90B/3.50A	----	3.50 UNCH	.0156	----	----	----	----	9 UNCH
5900	4.50	4.50	4.50/3.40A	4.50/3.40A	----	3.40 UNCH	.0151	----	----	18	----	251 UNCH
5925	----	----	3.70B/----	3.70B/3.40A	----	3.30 UNCH	.0146	----	----	----	----	8 UNCH
5950	----	----	3.60B/----	3.60B/3.30A	----	3.20 UNCH	.0142	----	----	----	----	1 UNCH
5975	----	----	3.50B/----	3.50B/3.30A	----	3.20 UNCH	.0140	----	----	----	----	14 UNCH
6000	3.80	3.80	3.80/3.20	3.80/3.20	----	3.10 UNCH	.0136	----	----	11	----	945 + 10
6025	----	----	3.40B/----	3.40B/3.10A	----	3.00 UNCH	.0131	----	----	----	----	253 UNCH
6100	----	----	3.20B/----	3.20B/3.00A	----	2.90 UNCH	.0124	----	----	----	----	11 UNCH
6250	----	----	2.80B/----	2.80B/2.70A	----	2.60 + 0.10	.0108	----	----	----	----	82 UNCH
6300	----	----	2.70B/----	2.70B/2.60A	----	2.50 UNCH	.0103	----	----	----	----	569 UNCH
6400	----	----	2.50B/----	2.50B/2.40A	----	2.40 + 0.10	.0097	----	----	----	----	4 UNCH
6500	----	----	2.40B/----	2.40B/2.30A	----	2.30 + 0.10	.0091	----	----	----	----	1336 UNCH
6600	2.10	2.10	2.20/2.10	2.20/2.10	----	2.20 + 0.10	.0086	----	----	6	----	14 + 5
7000	1.80	1.80	1.80/1.80	1.80/1.80	----	1.80 + 0.20	.0066	----	----	10	----	153 UNCH
7200	----	----	1.60B/----	1.60B/1.70A	----	1.70 + 0.20	.0061	----	----	----	----	21 UNCH
7700	----	----	1.30B/----	1.30B/1.40A	----	1.30 + 0.10	.0044	----	----	----	----	257 UNCH
7800	----	----	1.30B/----	1.30B/1.30A	----	1.20 + 0.10	.0041	----	----	----	----	271 UNCH
7900	----	----	1.20B/----	1.20B/1.30A	----	1.20 + 0.10	.0040	----	----	----	----	44 UNCH
8000	----	----	1.20B/----	1.20B/1.20A	----	1.10 + 0.10	.0036	----	----	10	----	19 + 9
9000	----	----	0.80B/----	0.80B/0.90A	----	0.70 UNCH	.0022	----	----	----	----	581 UNCH
10000	0.60	0.60	0.70B/0.60	0.70B/0.60	----	0.60 UNCH	.0017	----	----	21	----	243 + 21
20000	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	10	----	279 + 10
TOTAL										920		44708 + 365
FEB27												
3500	----	----	764.50B/732.20A	764.50B/732.20A	----	736.10 - 25.40	.9376	----	----	----	----	2 UNCH
3855	----	----	455.90B/415.30A	455.90B/415.30A	----	422.50 - 23.10	.8046	----	----	----	----	1 UNCH
3860	----	----	451.00B/411.40A	451.00B/411.40A	----	418.60 - 23.00	.8017	----	----	----	----	1 UNCH
3900	----	----	419.90B/379.10A	419.90B/379.10A	----	387.40 - 22.60	.7772	----	----	41	----	45 + 41
3950	----	----	387.90B/342.40A	387.90B/342.40A	----	350.20 - 21.80	.7437	----	----	----	----	1 UNCH
4000	----	----	351.50B/307.90A	351.50B/307.90A	----	315.00 - 21.00	.7074	----	----	----	----	10 UNCH
4010	----	----	344.50B/301.20A	344.50B/301.20A	----	308.30 - 20.70	.6998	----	----	----	----	1 UNCH
4100	----	----	284.80B/245.50A	284.80B/245.50A	----	251.20 - 19.10	.6278	----	----	----	----	211 UNCH
4125	237.30	237.30	269.40B/231.10A	269.40B/231.10A	----	236.70 NEW	.6068	----	----	1	----	1 + 1
4140	----	----	260.80B/223.00A	260.80B/223.00A	----	228.30 - 18.30	.5941	----	----	----	----	2 UNCH
4150	----	----	255.00B/217.60A	255.00B/217.60A	----	222.80 - 18.10	.5856	----	----	----	----	113 UNCH
4160	----	----	249.10B/212.50A	249.10B/212.50A	----	217.40 - 17.90	.5770	----	----	----	----	11 UNCH
4165	----	----	246.30B/209.80A	246.30B/209.80A	----	214.80 - 17.70	.5727	----	----	----	----	7 UNCH
4170	----	----	243.40B/207.30A	243.40B/207.30A	----	212.20 - 17.60	.5684	----	----	----	----	29 UNCH
4175	----	----	240.60B/204.80A	240.60B/204.80A	----	209.60 - 17.50	.5641	----	----	----	----	3 UNCH
4180	----	----	237.80B/202.20A	237.80B/202.20A	----	207.00 - 17.40	.5598	----	----	----	----	11 UNCH
4185	----	----	235.10B/199.80A	235.10B/199.80A	----	204.50 - 17.20	.5555	----	----	----	----	7 UNCH
4190	----	----	233.70B/197.40A	233.70B/197.40A	----	202.00 - 17.10	.5511	----	----	----	----	21 UNCH
4195	----	----	231.00B/194.90A	231.00B/194.90A	----	199.50 - 17.00	.5468	----	----	----	----	15 UNCH
4200	223.30	223.30	228.40B/192.50A	228.40B/192.50A	----	197.10 - 16.80	.5425	----	----	3	----	251 + 1
4205	----	----	225.70B/190.10A	225.70B/190.10A	----	194.60 - 16.70	.5382	----	----	----	----	15 UNCH
4210	----	----	223.00B/187.80A	223.00B/187.80A	----	192.20 - 16.60	.5339	----	----	----	----	12 UNCH
4215	----	----	220.40B/185.40A	220.40B/185.40A	----	189.90 - 16.30	.5296	----	----	----	----	47 UNCH
4220	----	----	217.80B/183.10A	217.80B/183.10A	----	187.50 - 16.30	.5253	----	----	----	----	46 UNCH
4225	----	----	215.30B/180.80A	215.30B/180.80A	----	185.20 - 16.10	.5210	----	----	2	----	27 + 2
4230	----	----	212.80B/178.60A	212.80B/178.60A	----	182.90 - 15.90	.5167	----	----	2	----	45 UNCH
4235	----	----	210.20B/176.30A	210.20B/176.30A	----	180.60 - 15.80	.5124	----	----	----	----	30 UNCH
4240	175.70	175.70	207.70B/174.10A	207.70B/174.10A	----	178.40 - 15.60	.5081	----	----	9	----	30 + 9
4245	175.60	175.60	205.30B/171.90A	205.30B/171.90A	----	176.10 - 15.50	.5038	----	----	6	----	32 + 6
4250	176.80	176.80	202.80B/169.70A	202.80B/169.70A	----	173.90 - 15.40	.4996	----	----	90	----	439 + 58
4255	----	----	200.40B/167.60A	200.40B/167.60A	----	171.70 - 15.30	.4953	----	----	----	----	133 UNCH
4260	----	----	198.00B/165.50A	198.00B/165.50A	----	169.50 - 15.20	.4911	----	----	----	----	26 UNCH
4265	166.40	166.40	195.50B/163.40A	195.50B/163.40A	----	167.40 - 15.00	.4868	----	----	2	----	88 + 2
4270	----	----	193.30B/161.30A	193.30B/161.30A	----	165.20 - 14.90	.4826	----	----	----	----	36 UNCH
4275	----	----	191.00B/159.20A	191.00B/159.20A	----	163.10 - 14.80	.4784	----	----	----	----	20 UNCH
4280	----	----	188.40B/157.20A	188.40B/157.20A	----	161.00 - 14.70	.4742	----	----	2	----	38 + 2
4285	----	----	186.40B/155.20A	186.40B/155.20A	----	158.90 - 14.60	.4700	----	----	----	----	50 UNCH
4290	----	----	184.10B/153.20A	184.10B/153.20A	----	156.90 - 14.40	.4658	----	----	----	----	8 UNCH
4295	----	----	181.90B/151.20A	181.90B/151.20A	----	154.90 - 14.30	.4616	----	----	----	----	10 UNCH
4300	----	----	179.40B/149.30A	179.40B/149.30A	----	152.90 - 14.20	.4575	----	----	7	----	429 + 5
4305	----	----	177.50B/147.40A	177.50B/147.40A	----	150.90 - 14.10	.4533	----	----	----	----	3 UNCH
4310	----	----	175.10B/145.40A	175.10B/145.40A	----	148.90 - 14.00	.4492	----	----	----	----	27 UNCH
4315	----	----	172.90B/143.60A	172.90B/143.60A	----	147.00 - 13.90	.4451	----	----	----	----	2 UNCH
4325	----	----	168.70B/139.90A	168.70B/139.90A	----	143.20 - 13.60	.4369	----	----	----	----	84 UNCH
4330	----	----	166.60B/138.10A	166.60B/138.10A	----	141.30 - 13.50	.4328	----	----	----	----	1 UNCH
4335	----	----	164.80B/136.30A	164.80B/136.30A	----	139.50 - 13.40	.4288	----	----	----	----	28 UNCH
4340	----	----	162.50B/134.50A	162.50B/134.50A	----	137.60 - 13.30	.4248	----	----	----	----	40 UNCH
4345	----	----	160.50B/132.70A	160.50B/132.70A	----	135.80 - 13.20	.4208	----	----	----	----	7 UNCH
4350	----	----	158.50B/131.00A	158.50B/131.00A	----	134.00 - 13.10	.4167	----	----	----	----	29 UNCH
4355	----	----	156.60B/129.30A	156.60B/129.30A	----	132.30 - 13.00	.4128	----	----	----	----	1 UNCH
4360	128.30	128.30	154.60B/127.60A	154.60B/127.60A	----	130.60 - 12.80	.4089	----	----	1	----	7 + 1
4365	----	----	152.90B/125.90A	152.90B/125.90A	----	128.80 - 12.80	.4049	----	----	----	----	17 UNCH
4370	126.90	126.90	151.00B/124.30A	151.00B/124.30A	----	127.10 - 12.70	.4010	----	----	2	----	26 - 2
4375	----	----	149.10B/122.70A	149.10B/122.70A	----	125.50 - 12.50	.3972	----	----	----	----	56 UNCH
4380	----	----	147.00B/121.00A	147.00B/121.00A	----	123.80 - 12.40	.3933	----	----	----	----	29 UNCH
4385	----	----	145.40B/119.50A	145.40B/119.50A	----	122.20 - 12.30	.3894	----	----	----	----	236 UNCH
4390	----	----	143.40B/117.90A	143.40B/117.90A	----	120.60 - 12.20	.3856	----	----	----	----	9 UNCH
4395	----	----	141.50B/116.30A	141.50B/116.30A	----	119.00 - 12.00	.3818	----	----	----	----	28 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG CALL COMEX GOLD OPTIONS
FEB27

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4400	----	----	139.80B/114.80A	139.80B/114.80A	----	117.40 - 12.00	.3780	----	----	2	----	286 - 2
4405	----	----	138.00B/113.30A	138.00B/113.30A	----	115.90 - 11.80	.3743	----	----	----	----	4 UNCH
4410	----	----	136.30B/111.80A	136.30B/111.80A	----	114.30 - 11.80	.3705	----	----	----	----	30 UNCH
4415	----	----	134.60B/110.30A	134.60B/110.30A	----	112.80 - 11.60	.3668	----	----	----	----	244 UNCH
4420	----	----	132.90B/108.90A	132.90B/108.90A	----	111.30 - 11.50	.3632	----	----	----	----	7 UNCH
4425	----	----	131.20B/107.40A	131.20B/107.40A	----	109.90 - 11.40	.3596	----	----	----	----	30 UNCH
4430	----	----	129.70B/106.00A	129.70B/106.00A	----	108.40 - 11.30	.3559	----	----	----	----	261 UNCH
4435	----	----	127.80B/104.60A	127.80B/104.60A	----	107.00 - 11.10	.3523	----	----	----	----	9 UNCH
4440	----	----	126.20B/103.20A	126.20B/103.20A	----	105.60 - 11.00	.3488	----	----	----	----	7 UNCH
4445	----	----	124.60B/101.80A	124.60B/101.80A	----	104.20 - 10.90	.3452	----	----	----	----	18 UNCH
4450	----	----	123.10B/100.50A	123.10B/100.50A	----	102.80 - 10.80	.3417	----	----	----	----	189 UNCH
4455	----	----	121.40B/99.10A	121.40B/99.10A	----	101.40 - 10.70	.3381	----	----	----	----	12 UNCH
4460	----	----	119.90B/97.80A	119.90B/97.80A	----	100.10 - 10.60	.3347	----	----	----	----	17 UNCH
4465	98.80	98.80	118.60B/96.50A	118.60B/96.50A	----	98.70 - 10.60	.3311	----	----	2	----	6 + 2
4470	----	----	116.80B/95.20A	116.80B/95.20A	----	97.40 - 10.40	.3277	----	----	----	----	10 UNCH
4475	94.80	94.80	115.30B/94.00A	115.30B/94.00A	----	96.10 - 10.30	.3243	----	----	2	----	59 + 2
4480	93.50	93.50	113.90B/92.70A	113.90B/92.70A	----	94.80 - 10.20	.3209	----	----	2	----	111 UNCH
4485	----	----	112.50B/91.50A	112.50B/91.50A	----	93.60 - 10.10	.3176	----	----	----	----	15 UNCH
4490	91.70	91.70	111.00B/90.30A	111.00B/90.30A	----	92.30 - 10.00	.3142	----	----	2	----	55 + 1
4495	----	----	109.50B/89.10A	109.50B/89.10A	----	91.10 - 9.90	.3110	----	----	----	----	5 UNCH
4500	100.20	100.20	108.10B/87.90A	108.10B/87.90A	----	89.90 - 9.80	.3077	----	----	42	----	907 + 4
4505	87.20	87.20	106.70B/86.70A	106.70B/86.70A	----	88.70 - 9.70	.3044	----	----	2	----	23 + 2
4510	86.00	86.00	105.40B/85.50A	105.40B/85.50A	----	87.50 - 9.60	.3012	----	----	7	----	16 + 4
4515	----	----	104.10B/84.40A	104.10B/84.40A	----	86.30 - 9.50	.2980	----	----	----	----	11 UNCH
4520	84.10	84.10	102.70B/83.30A	102.70B/83.30A	----	85.20 - 9.40	.2949	----	----	2	----	63 UNCH
4525	86.10	86.10	101.50B/82.20A	101.50B/82.20A	----	84.00 - 9.30	.2916	----	----	4	----	47 UNCH
4530	----	----	100.20B/81.10A	100.20B/81.10A	----	82.90 - 9.20	.2885	----	----	----	----	2 UNCH
4535	80.10	80.10	98.90B/80.00A	98.90B/80.00A	----	81.80 - 9.10	.2854	----	----	2	----	4 + 2
4540	----	----	97.50B/78.90A	97.50B/78.90A	----	80.70 - 9.00	.2824	----	----	----	----	134 UNCH
4545	----	----	96.30B/77.90A	96.30B/77.90A	----	79.60 - 8.90	.2793	----	----	----	----	1 UNCH
4550	93.80	93.80	95.00B/76.80A	95.00B/76.80A	----	78.60 - 8.80	.2764	----	----	12	----	208 + 1
4555	----	----	93.80B/75.80A	93.80B/75.80A	----	77.50 - 8.70	.2733	----	----	----	----	7 UNCH
4560	----	----	92.70B/74.80A	92.70B/74.80A	----	76.50 - 8.60	.2704	----	----	----	----	78 UNCH
4565	----	----	91.50B/73.80A	91.50B/73.80A	----	75.50 - 8.50	.2675	----	----	----	----	13 UNCH
4570	----	----	90.20B/72.80A	90.20B/72.80A	----	74.40 - 8.50	.2644	----	----	----	----	19 UNCH
4575	----	----	89.00B/71.80A	89.00B/71.80A	----	73.50 - 8.30	.2617	----	----	----	----	15 UNCH
4580	----	----	87.80B/70.90A	87.80B/70.90A	----	72.50 - 8.20	.2588	----	----	----	----	5 UNCH
4585	----	----	86.80B/69.90A	86.80B/69.90A	----	71.50 - 8.10	.2559	----	----	----	----	50 UNCH
4590	----	----	85.60B/69.00A	85.60B/69.00A	----	70.50 - 8.10	.2530	----	----	----	----	20 UNCH
4595	----	----	84.50B/68.10A	84.50B/68.10A	----	69.60 - 8.00	.2503	----	----	----	----	50 UNCH
4600	82.00	82.00	83.40B/67.20A	83.40B/67.20A	----	68.70 - 7.80	.2476	----	----	60	----	2416 - 23
4605	----	----	82.40B/66.30A	82.40B/66.30A	----	67.80 - 7.70	.2449	----	----	----	----	66 UNCH
4610	----	----	81.30B/65.40A	81.30B/65.40A	----	66.90 - 7.60	.2422	----	----	----	----	181 UNCH
4615	----	----	80.20B/64.50A	80.20B/64.50A	----	66.00 - 7.60	.2395	----	----	----	----	184 UNCH
4620	----	----	79.20B/63.70A	79.20B/63.70A	----	65.10 - 7.50	.2369	----	----	----	----	120 UNCH
4625	----	----	78.10B/62.80A	78.10B/62.80A	----	64.20 - 7.40	.2342	----	----	----	----	76 UNCH
4630	----	----	77.20B/62.00A	77.20B/62.00A	----	63.40 - 7.30	.2317	----	----	----	----	22 UNCH
4635	----	----	76.20B/61.20A	76.20B/61.20A	----	62.50 - 7.30	.2290	----	----	----	----	100 UNCH
4640	----	----	75.20B/60.40A	75.20B/60.40A	----	61.70 - 7.20	.2265	----	----	----	----	21 UNCH
4645	----	----	74.20B/59.60A	74.20B/59.60A	----	60.90 - 7.10	.2240	----	----	----	----	2 UNCH
4650	----	----	73.30B/58.80A	73.30B/58.80A	----	60.10 - 7.00	.2215	----	----	----	----	267 UNCH
4655	----	----	72.30B/58.00A	72.30B/58.00A	----	59.30 - 6.90	.2191	----	----	----	----	18 UNCH
4660	----	----	71.30B/57.30A	71.30B/57.30A	----	58.50 - 6.80	.2166	----	----	----	----	453 UNCH
4665	----	----	70.50B/56.50A	70.50B/56.50A	----	57.70 - 6.80	.2141	----	----	----	----	19 UNCH
4670	----	----	69.60B/55.80A	69.60B/55.80A	----	57.00 - 6.60	.2118	----	----	----	----	3 UNCH
4675	56.00	56.00	68.60B/55.00A	68.60B/55.00A	----	56.20 - 6.60	.2094	----	----	3	----	18 + 3
4680	----	----	67.80B/54.30A	67.80B/54.30A	----	55.50 - 6.50	.2071	----	----	----	----	29 UNCH
4685	----	----	66.90B/53.60A	66.90B/53.60A	----	54.70 - 6.50	.2047	----	----	----	----	36 UNCH
4690	----	----	65.90B/52.90A	65.90B/52.90A	----	54.00 - 6.40	.2024	----	----	----	----	46 UNCH
4695	----	----	65.20B/52.20A	65.20B/52.20A	----	53.30 - 6.30	.2001	----	----	----	----	30 UNCH
4700	----	----	64.40B/51.50A	64.40B/51.50A	----	52.60 - 6.20	.1979	----	----	15	----	604 - 9
4705	----	----	63.50B/50.80A	63.50B/50.80A	----	51.90 - 6.10	.1957	----	----	----	----	22 UNCH
4710	----	----	62.70B/50.20A	62.70B/50.20A	----	51.30 - 6.00	.1936	----	----	----	----	26 UNCH
4715	----	----	61.90B/49.50A	61.90B/49.50A	----	50.60 - 5.90	.1914	----	----	----	----	22 UNCH
4720	----	----	61.10B/48.90A	61.10B/48.90A	----	49.90 - 5.90	.1892	----	----	----	----	2 UNCH
4730	----	----	59.50B/47.60A	59.50B/47.60A	----	48.60 - 5.80	.1849	----	----	----	----	35 UNCH
4735	----	----	58.70B/47.00A	58.70B/47.00A	----	48.00 - 5.70	.1829	----	----	1	----	9 UNCH
4740	----	----	57.90B/46.40A	57.90B/46.40A	----	47.40 - 5.60	.1809	----	----	----	----	19 UNCH
4745	----	----	57.30B/45.80A	57.30B/45.80A	----	46.80 - 5.50	.1789	----	----	----	----	27 UNCH
4750	----	----	56.50B/45.20A	56.50B/45.20A	----	46.20 - 5.40	.1769	----	----	25	----	544 - 6
4755	----	----	55.80B/44.60A	55.80B/44.60A	----	45.60 - 5.40	.1749	----	----	----	----	62 UNCH
4760	----	----	55.10B/44.00A	55.10B/44.00A	----	45.00 - 5.30	.1729	----	----	----	----	111 UNCH
4765	----	----	54.40B/43.50A	54.40B/43.50A	----	44.40 - 5.20	.1709	----	----	----	----	12 UNCH
4770	----	----	53.70B/42.90A	53.70B/42.90A	----	43.80 - 5.20	.1689	----	----	----	----	4 UNCH
4775	----	----	53.00B/42.40A	53.00B/42.40A	----	43.20 - 5.20	.1669	----	----	----	----	18 UNCH
4780	42.50	42.50	52.40B/41.80A	52.40B/41.80A	----	42.70 - 5.10	.1652	----	----	3	----	6 + 3
4785	----	----	51.70B/41.30A	51.70B/41.30A	----	42.10 - 5.10	.1632	----	----	----	----	109 UNCH
4790	----	----	51.00B/40.70A	51.00B/40.70A	----	41.60 - 4.90	.1615	----	----	----	----	85 UNCH
4795	----	----	50.40B/40.20A	50.40B/40.20A	----	41.10 - 4.90	.1597	----	----	----	----	60 UNCH
4800	----	----	49.80B/39.70A	49.80B/39.70A	----	40.50 - 4.90	.1577	----	----	22	----	2217 - 6
4805	----	----	49.10B/39.20A	49.10B/39.20A	----	40.00 - 4.80	.1560	----	----	----	----	20 UNCH
4810	----	----	48.50B/38.70A	48.50B/38.70A	----	39.50 - 4.70	.1543	----	----	----	----	36 UNCH
4820	----	----	47.30B/37.70A	47.30B/37.70A	----	38.50 - 4.60	.1508	----	----	----	----	5 UNCH
4825	----	----	46.70B/37.20A	46.70B/37.20A	----	38.00 - 4.60	.1491	----	----	----	----	208 UNCH
4830	----	----	46.00B/36.80A	46.00B/36.80A	----	37.50 - 4.50	.1474	----	----	----	----	100 UNCH
4835	----	----	45.60B/36.30A	45.60B/36.30A	----	37.00 - 4.50	.1457	----	----	----	----	23 UNCH
4840	----	----	45.00B/35.80A	45.00B/35.80A	----	36.60 - 4.40	.1442	----	----	----	----	15 UNCH
4845	----	----	44.30B/35.40A	44.30B/35.40A	----	36.10 - 4.40	.1425	----	----	----	----	26 UNCH
4850	37.10	37.10	43.90B/34.90A	43.90B/34.90A	----	35.60 - 4.40	.1408	----	----	31	----	150 - 12
4855	----	----	43.20B/34.50A	43.20B/34.50A	----	35.20 - 4.30	.1393	----	----	----	----	2 UNCH
4860	----	----	42.80B/34.10A	42.80B/34.10A	----	34.70 - 4.30	.1376	----	----	----	----	9 UNCH
4870	----	----	41.70B/33.20A	41.70B/33.20A	----	33.90 - 4.10	.1347	----	----	----	----	86 UNCH
4875	----	----	41.10B/32.70A	41.10B/32.70A	----	33.40 - 4.10	.1330	----	----	----	----	233 UNCH
4880	----	----	40.60B/32.40A	40.60B/32.40A	----	33.00 - 4.10	.1315	----	----	----	----	16 UNCH
4885	----	----	40.10B/32.00A	40.10B/32.00A	----	32.60 - 4.00	.1301	----	----	----	----	8 UNCH
4890	----	----	39.70B/31.60A	39.70B/31.60A	----	32.20 - 3.90	.1286	----	----	----	----	4 UNCH
4900	----	----	38.70B/30.80A	38.70B/30.80A	----	31.40 - 3.90	.1258	----	----	6	----	354 UNCH
4905	----	----	38.30B/30.40A	38.30B/30.40A	----	31.00 - 3.80	.1243	----	----	----	----	17 UNCH
4910	----	----	37.70B/30.10A	37.70B/30.10A	----	30.60 - 3.80	.1229	----	----	----	----	5 UNCH
4920	----	----	36.80B/29.30A	36.80B/29.30A	----	29.90 - 3.70	.1203	----	----	----	----	9 UNCH
4925	----	----	36.40B/29.00A	36.40B/29.00A	----	29.50 - 3.60	.1189	----	----	----	----	10 UNCH
4930	----	----	35.90B/28.60A	35.90B/28.60A	----	29.10 - 3.60	.1174	----	----	----	----	52 UNCH
4935	----	----	35.50B/28.30A	35.50B/28.30A	----	28.80 - 3.50	.1163	----	----	----	----	2 UNCH
4940	----	----	35.10B/27.90A	35.10B/27.90A	----	28.40 - 3.60	.1149	----	----	----	----	16 UNCH
4945	----	----	34.60B/27.60A	34.60B/27.60A	----	28.10 - 3.50	.1137	----	----	----	----	18 UNCH
4950	----	----	34.20B/27.30A	34.20B/27.30A	----	27.80 - 3.40	.1125	----	----	----	----	265 UNCH
4955	----	----	33.80B/26.90A	33.80B/26.90A	----	27.40 - 3.40	.1111	----	----	----	----	9 UNCH
4960	----	----	33.40B/26.60A	33.40B/26.60A	----	27.10 - 3.30	.1100	----	----	----	----	8 UNCH
4970	----	----	32.60B/26.00A	32.60B/26.00A	----	26.40 - 3.30	.1074	----	----	----	----	3 UNCH
4975	----	----	32.20B/25.70A	32.20B/25.70A	----	26.10 - 3.30	.1063	----	----	----	----	14 UNCH
4990	----	----	31.10B/24.80A	31.10B/24.80A	----	25.20 - 3.10	.1029	----	----	----	----	26 UNCH
4995	----	----	30.80B/24.50A	30.80B/24.50A	----	24.90 - 3.10	.1018	----	----	----	----	20 UNCH
5000	25.90	25.90	30.40B/24.20	30.40B/24.20	----	24.60 - 3.10	.1006	----	----	26	----	2955 + 2
5005	----	----	29.90B/23.90A	29.90B/23.90A	----	24.30 - 3.00	.0995	----	----	----	----	36 UNCH
5010	----	----	29.70B/23.60A	29.70B/23.60A	----	24.00 - 3.00	.0984	----	----	----	----	37 UNCH
5015	----	----	29.20B/23.40A	29.20B/23.40A	----	23.80 - 2.90	.0975	----	----	----	----	10 UNCH
5020	----	----	29.00B/23.10A	29.00B/23.10A	----	23.50 - 2.90	.0964	----	----	----	----	11 UNCH
5025	----	----	28.60B/22.80A	28.60B/22.80A	----	23.20 - 2.90	.0953	----	----	----	----	37 UNCH
5030	----	----	28.30B/22.60A	28.30B/22.60A	----	22.90 - 2.90	.0942	----	----	----	----	41 UNCH
5040	----	----	27.60B/22.00A	27.60B/22.00A	----	22.40 - 2.80	.0923	----	----	----	----	11 UNCH
5045	----	----	27.30B/21.80A	27.30B/21.80A	----	22.20 - 2.70	.0914	----	----	----	----	55 UNCH
5050	----	----	27.00B/21.50A	27.00B/21.50A	----	21.90 - 2.70	.0903	----	----	1	----	145 + 1
5055	----	----	26.70B/21.30A	26.70B/21.30A	----	21.70 - 2.60	.0895	----	----	----	----	17 UNCH
5060	----	----	26.40B/21.10A	26.40B/21.10A	----	21.40 - 2.60	.0884	----	----	----	----	1 UNCH
5065	----	----	26.10B/20.80A	26.10B/20.80A	----	21.20 - 2.60	.0876	----	----	----	----	3 UNCH
5075	----	----	25.50B/20.40A	25.50B/20.40A	----	20.70 - 2.50	.0857	----	----	----	----	157 UNCH
5090	----	----	24.60B/19.70A	24.60B/19.70A	----	20.00 - 2.40	.0829	----	----	----	----	7 UNCH
5095	----	----	24.30B/19.50A	24.30B/19.50A	----	19.80 - 2.40	.0821	----	----	----	----	13 UNCH
5100	----	----	24.10B/19.30A	24.10B/19.30A	----	19.60 - 2.30	.0813	----	----	7	----	981 + 7
5105	----	----	23.80B/19.10A	23.80B/19.10A	----	19.40 - 2.30	.0805	----	----	----	----	40 UNCH
5110	19.00	19.00	23.50B/18.90A	23.50B/18.90A	----	19.20 - 2.30	.0797	----	----	4	----	60 + 4
5115	----	----	23.30B/18.70A	23.30B/18.70A	----	19.00 - 2.20	.0789	----	----	----	----	84 UNCH
5120	----	----	23.00B/18.50A	23.00B/18.50A	----	18.70 - 2.30	.0778	----	----	----	----	3 UNCH
5125	----	----	22.70B/18.30A	22.70B/18.30A	----	18.50 - 2.20	.0770	----	----	----	----	6 UNCH
5130	----	----	22.50B/18.10A	22.50B/18.10A	----	18.30 - 2.20	.0762	----	----	----	----	2 UNCH
5135	----	----	22.20B/17.90A	22.20B/17.90A	----	18.20 - 2.10	.0757	----	----	----	----	1 UNCH
5140	----	----	22.00B/17.70A	22.00B/17.70A	----	18.00 - 2.10	.0749	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 31

FINAL

OG CALL — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FEB27												
5145	----	----	21.80B/17.50A	21.80B/17.50A	----	17.80 - 2.10	.0742	----	----	----	----	4 UNCH
5150	17.90	17.90	21.50B/17.30A	21.50B/17.30A	----	17.60 - 2.00	.0734	----	----	20	----	71 UNCH
5155	----	----	21.30B/17.10A	21.30B/17.10A	----	17.40 - 2.00	.0726	----	----	----	----	6 UNCH
5160	17.20	17.20	21.10B/17.00A	21.10B/17.00A	----	17.20 - 2.00	.0718	----	----	1	----	16 UNCH
5165	----	----	20.80B/16.80A	20.80B/16.80A	----	17.00 - 2.00	.0710	----	----	----	----	5 UNCH
5170	----	----	20.60B/16.60A	20.60B/16.60A	----	16.90 - 1.90	.0705	----	----	----	----	15 UNCH
5175	----	----	20.40B/16.40A	20.40B/16.40A	----	16.70 - 1.90	.0698	----	----	----	----	132 UNCH
5180	----	----	20.20B/16.30A	20.20B/16.30A	----	16.50 - 1.90	.0690	----	----	----	----	1 UNCH
5185	----	----	19.90B/16.10A	19.90B/16.10A	----	16.30 - 1.90	.0682	----	----	----	----	125 UNCH
5190	----	----	19.70B/15.90A	19.70B/15.90A	----	16.20 - 1.80	.0677	----	----	----	----	3 UNCH
5200	----	----	19.30B/15.60A	19.30B/15.60A	----	15.90 - 1.70	.0665	----	----	----	----	3069 UNCH
5205	----	----	19.10B/15.50A	19.10B/15.50A	----	15.70 - 1.80	.0657	----	----	----	----	3 UNCH
5210	----	----	18.90B/15.30A	18.90B/15.30A	----	15.50 - 1.80	.0650	----	----	----	----	1 UNCH
5215	----	----	18.70B/15.20A	18.70B/15.20A	----	15.40 - 1.70	.0645	----	----	----	----	5 UNCH
5220	----	----	18.50B/15.00A	18.50B/15.00A	----	15.20 - 1.70	.0637	----	----	----	----	27 UNCH
5225	----	----	18.30B/14.90A	18.30B/14.90A	----	15.10 - 1.70	.0632	----	----	----	----	10 UNCH
5230	----	----	18.10B/14.70A	18.10B/14.70A	----	14.90 - 1.70	.0625	----	----	----	----	13 UNCH
5240	----	----	17.80B/14.40A	17.80B/14.40A	----	14.60 - 1.60	.0613	----	----	----	----	3 UNCH
5245	----	----	17.60B/14.30A	17.60B/14.30A	----	14.50 - 1.60	.0608	----	----	----	----	9 UNCH
5250	----	----	17.40B/14.20A	17.40B/14.20A	----	14.40 - 1.50	.0603	----	----	----	----	460 UNCH
5255	----	----	17.20B/14.00A	17.20B/14.00A	----	14.20 - 1.60	.0596	----	----	----	----	1 UNCH
5260	----	----	17.10B/13.90A	17.10B/13.90A	----	14.10 - 1.50	.0591	----	----	----	----	7 UNCH
5265	----	----	16.90B/13.80A	16.90B/13.80A	----	13.90 - 1.50	.0584	----	----	----	----	10 UNCH
5270	----	----	16.70B/13.70A	16.70B/13.70A	----	13.80 - 1.50	.0579	----	----	----	----	13 UNCH
5275	----	----	16.60B/13.50A	16.60B/13.50A	----	13.70 - 1.40	.0575	----	----	----	----	26 UNCH
5280	----	----	16.40B/13.40A	16.40B/13.40A	----	13.60 - 1.40	.0570	----	----	----	----	17 UNCH
5285	----	----	16.20B/13.30A	16.20B/13.30A	----	13.40 - 1.40	.0563	----	----	----	----	4 UNCH
5290	----	----	16.10B/13.20A	16.10B/13.20A	----	13.30 - 1.40	.0558	----	----	----	----	4 UNCH
5295	----	----	15.90B/13.00A	15.90B/13.00A	----	13.20 - 1.40	.0554	----	----	----	----	34 UNCH
5300	----	----	15.80B/12.90A	15.80B/12.90A	----	13.10 - 1.30	.0550	----	----	----	----	921 UNCH
5305	----	----	15.60B/12.80A	15.60B/12.80A	----	12.90 - 1.40	.0542	----	----	----	----	14 UNCH
5310	----	----	15.40B/12.70A	15.40B/12.70A	----	12.80 - 1.30	.0538	----	----	----	----	5 UNCH
5315	----	----	15.30B/12.60A	15.30B/12.60A	----	12.70 - 1.30	.0533	----	----	----	----	3 UNCH
5320	----	----	15.20B/12.50A	15.20B/12.50A	----	12.60 - 1.30	.0529	----	----	----	----	8 UNCH
5330	----	----	14.90B/12.30A	14.90B/12.30A	----	12.40 - 1.20	.0520	----	----	----	----	18 UNCH
5335	----	----	14.70B/12.20A	14.70B/12.20A	----	12.30 - 1.20	.0516	----	----	----	----	13 UNCH
5340	----	----	14.60B/12.00A	14.60B/12.00A	----	12.20 - 1.20	.0512	----	----	----	----	9 UNCH
5345	----	----	14.40B/11.90A	14.40B/11.90A	----	12.00 - 1.20	.0504	----	----	----	----	1 UNCH
5350	----	----	14.30B/11.80A	14.30B/11.80A	----	11.90 - 1.20	.0500	----	----	----	----	423 UNCH
5355	----	----	14.20B/11.70A	14.20B/11.70A	----	11.80 - 1.20	.0496	----	----	----	----	25 UNCH
5360	----	----	14.00B/11.60A	14.00B/11.60A	----	11.70 - 1.20	.0492	----	----	----	----	1 UNCH
5365	----	----	13.90B/11.50A	13.90B/11.50A	----	11.60 - 1.10	.0487	----	----	----	----	1 UNCH
5370	----	----	13.80B/11.50A	13.80B/11.50A	----	11.50 - 1.10	.0483	----	----	----	----	4 UNCH
5375	----	----	13.70B/11.40A	13.70B/11.40A	----	11.40 - 1.10	.0479	----	----	----	----	1 UNCH
5385	----	----	13.40B/11.20A	13.40B/11.20A	----	11.20 - 1.10	.0470	----	----	----	----	11 UNCH
5390	----	----	13.30B/11.10A	13.30B/11.10A	----	11.20 - 1.00	.0469	----	----	----	----	8 UNCH
5400	----	----	13.10B/10.90A	13.10B/10.90A	----	11.00 - 1.00	.0461	----	----	----	----	1566 UNCH
5425	----	----	12.50B/10.50A	12.50B/10.50A	----	10.50 - 1.00	.0440	----	----	----	----	7 UNCH
5435	----	----	12.30B/10.30A	12.30B/10.30A	----	10.40 - 0.90	.0435	----	----	----	----	7 UNCH
5440	----	----	12.20B/10.20A	12.20B/10.20A	----	10.30 - 0.90	.0431	----	----	----	----	5 UNCH
5450	----	----	11.90B/10.10A	11.90B/10.10A	----	10.10 - 0.90	.0423	----	----	----	----	163 UNCH
5460	10.10	10.10	11.70B/9.90A	11.70B/9.90A	----	10.00 NEW	.0418	----	----	4	----	4 + 4
5465	----	----	11.60B/9.80A	11.60B/9.80A	----	9.90 - 0.80	.0414	----	----	----	----	5 UNCH
5475	----	----	11.50B/9.70A	11.50B/9.70A	----	9.70 - 0.80	.0406	----	----	----	----	1 UNCH
5490	----	----	11.20B/9.50A	11.20B/9.50A	----	9.50 - 0.80	.0397	----	----	----	----	120 UNCH
5500	----	----	11.00B/9.30A	11.00B/9.30A	----	9.40 - 0.70	.0392	----	----	3	----	3758 + 3
5510	----	----	10.80B/9.20A	10.80B/9.20A	----	9.20 - 0.70	.0384	----	----	----	----	3 UNCH
5520	----	----	10.70B/9.10A	10.70B/9.10A	----	9.10 - 0.70	.0379	----	----	----	----	300 UNCH
5525	----	----	10.60B/9.00A	10.60B/9.00A	----	9.00 - 0.70	.0375	----	----	----	----	2 UNCH
5530	----	----	10.50B/8.90A	10.50B/8.90A	----	9.00 - 0.60	.0374	----	----	----	----	105 UNCH
5540	----	----	10.30B/8.80A	10.30B/8.80A	----	8.80 - 0.70	.0367	----	----	----	----	6 UNCH
5550	----	----	10.20B/8.70A	10.20B/8.70A	----	8.70 - 0.60	.0362	----	----	----	----	74 UNCH
5575	----	----	9.80B/8.40A	9.80B/8.40A	----	8.40 - 0.60	.0349	----	----	----	----	5 UNCH
5600	----	----	9.70B/8.10A	9.70B/8.10A	----	8.10 - 0.60	.0336	----	----	----	----	171 UNCH
5605	----	----	9.40B/8.10A	9.40B/8.10A	----	8.10 - 0.50	.0335	----	----	----	----	4 UNCH
5625	----	----	9.10B/7.80A	9.10B/7.80A	----	7.90 - 0.50	.0326	----	----	----	----	31 UNCH
5650	----	----	8.80B/7.60A	8.80B/7.60A	----	7.60 - 0.50	.0313	----	----	----	----	3 UNCH
5680	----	----	8.40B/7.30A	8.40B/7.30A	----	7.30 - 0.50	.0300	----	----	----	----	1 UNCH
5700	----	----	8.20B/7.10A	8.20B/7.10A	----	7.20 - 0.40	.0295	----	----	----	----	213 UNCH
5705	----	----	8.20B/7.10A	8.20B/7.10A	----	7.10 - 0.40	.0291	----	----	----	----	5 UNCH
5725	----	----	8.00B/6.90A	8.00B/6.90A	----	7.00 - 0.30	.0286	----	----	----	----	311 UNCH
5735	----	----	7.90B/6.90A	7.90B/6.90A	----	6.90 - 0.30	.0281	----	----	----	----	1 UNCH
5750	7.00	7.00	7.70B/6.70A	7.70B/6.70A	----	6.80 - 0.30	.0277	----	----	1	----	2196 UNCH
5760	----	----	7.60B/6.70A	7.60B/6.70A	----	6.70 - 0.30	.0273	----	----	----	----	1 UNCH
5775	----	----	7.50B/6.60A	7.50B/6.60A	----	6.60 - 0.30	.0268	----	----	----	----	299 UNCH
5780	----	----	7.40B/6.50A	7.40B/6.50A	----	6.50 - 0.30	.0264	----	----	----	----	6 UNCH
5790	6.40	6.40	7.30B/6.40	7.30B/6.40	----	6.50 - 0.30	.0263	----	----	1	----	3 - 1
5800	----	----	7.20B/6.40A	7.20B/6.40A	----	6.40 - 0.30	.0259	----	----	----	----	321 UNCH
5820	----	----	7.10B/6.20A	7.10B/6.20A	----	6.20 - 0.30	.0251	----	----	----	----	5 UNCH
5825	----	----	7.00B/6.20A	7.00B/6.20A	----	6.20 - 0.30	.0251	----	----	----	----	2 UNCH
5830	----	----	7.00B/6.20A	7.00B/6.20A	----	6.20 - 0.30	.0250	----	----	----	----	3 UNCH
5840	----	----	6.90B/6.10A	6.90B/6.10A	----	6.10 - 0.30	.0246	----	----	----	----	9 UNCH
5850	----	----	6.80B/6.00A	6.80B/6.00A	----	6.00 - 0.30	.0242	----	----	----	----	7 UNCH
5900	5.90	5.90	6.40B/5.70A	6.40B/5.70A	----	5.70 - 0.30	.0229	----	----	3	----	63 + 2
5925	----	----	6.30B/5.60A	6.30B/5.60A	----	5.60 - 0.20	.0224	----	----	----	----	9 UNCH
5950	----	----	6.10B/5.50A	6.10B/5.50A	----	5.50 - 0.20	.0219	----	----	----	----	30 UNCH
5975	----	----	5.90B/5.40A	5.90B/5.40A	----	5.30 - 0.20	.0211	----	----	----	----	1 UNCH
6000	----	----	5.80B/5.20A	5.80B/5.20A	----	5.20 - 0.20	.0206	----	----	3	----	2032 UNCH
6025	----	----	5.60B/5.10A	5.60B/5.10A	----	5.10 - 0.20	.0201	----	----	----	----	13 UNCH
6100	----	----	5.20B/4.80A	5.20B/4.80A	----	4.80 - 0.10	.0187	----	----	1	----	48 + 1
6200	----	----	4.80B/----	4.80B/4.50A	----	4.40 - 0.10	.0169	----	----	----	----	9 UNCH
6250	----	----	4.60B/----	4.60B/4.30A	----	4.30 UNCH	.0164	----	----	----	----	52 UNCH
6300	----	----	4.40B/----	4.40B/4.20A	----	4.10 - 0.10	.0156	----	----	----	----	2 UNCH
6400	----	----	4.10B/----	4.10B/3.90A	----	3.80 - 0.10	.0142	----	----	----	----	55 UNCH
6500	----	----	3.80B/----	3.80B/3.70A	----	3.60 UNCH	.0133	----	----	----	----	1041 UNCH
6600	----	----	3.60B/----	3.60B/3.50A	----	3.40 UNCH	.0124	----	----	----	----	16 UNCH
6700	----	----	3.30B/----	3.30B/3.30A	----	3.20 UNCH	.0115	----	----	----	----	32 UNCH
6800	----	----	3.10B/----	3.10B/3.10A	----	3.10 + 0.10	.0109	----	----	----	----	18 UNCH
6900	----	----	3.00B/----	3.00B/3.00A	----	2.90 UNCH	.0101	----	----	----	----	897 UNCH
7000	----	----	2.90B/----	2.90B/2.80A	----	2.80 + 0.10	.0096	----	----	----	----	1002 UNCH
7100	----	----	2.70B/----	2.70B/2.70A	----	2.60 UNCH	.0089	----	----	----	----	61 UNCH
7200	----	----	2.60B/----	2.60B/2.60A	----	2.50 UNCH	.0084	----	----	----	----	71 UNCH
7300	----	----	2.50B/----	2.50B/2.50A	----	2.40 UNCH	.0080	----	----	----	----	19 UNCH
7400	----	----	2.40B/----	2.40B/2.40A	----	2.30 UNCH	.0076	----	----	----	----	92 UNCH
7500	2.20	2.20	2.30B/2.20	2.30B/2.20	----	2.20 UNCH	.0072	----	----	4	----	579 - 2
7600	----	----	----	2.10B/2.30A	----	2.10 UNCH	.0068	----	----	----	----	7 UNCH
7700	----	----	2.10B/----	2.10B/2.20A	----	2.00 UNCH	.0064	----	----	----	----	1 UNCH
7800	----	----	2.00B/----	2.00B/2.10A	----	1.90 UNCH	.0061	----	----	----	----	1 UNCH
7900	----	----	----	1.90B/2.00A	----	1.90 UNCH	.0060	----	----	----	----	1262 UNCH
8000	----	----	----	1.80B/2.00A	----	1.80 UNCH	.0056	----	----	----	----	1448 UNCH
8500	----	----	----	1.50B/1.50A	----	1.50 UNCH	.0045	----	----	----	----	250 UNCH
8900	----	----	----	1.30B/1.40A	----	1.30 UNCH	.0038	----	----	----	----	16 UNCH
9000	----	----	----	1.20B/1.40A	----	1.30 UNCH	.0038	----	----	----	----	140 UNCH
9100	----	----	----	1.20B/1.30A	----	1.30 + 0.10	.0037	----	----	----	----	136 UNCH
TOTAL										494		45253 + 113
MAR27												
3480	----	----	----/805.10A	795.50B/805.10A	----	793.50 - 25.20	.9294	----	----	----	----	1 UNCH
3500	----	----	----/786.20A	778.70B/786.20A	----	774.90 - 25.10	.9251	----	----	----	----	1 UNCH
4080	----	----	341.40B/303.20A	341.40B/303.20A	----	309.10 - 19.50	.6562	----	----	----	----	2 UNCH
4100	----	----	328.80B/291.40A	328.80B/291.40A	----	296.90 - 19.10	.6420	----	----	----	----	12 UNCH
4130	----	----	310.40B/274.00A	310.40B/274.00A	----	279.20 - 18.60	.6202	----	----	----	----	30 UNCH
4150	----	----	298.50B/262.40A	298.50B/262.40A	----	267.80 - 18.20	.6055	----	----	----	----	2 UNCH
4195	----	----	273.10B/238.70A	273.10B/238.70A	----	243.40 - 17.40	.5720	----	----	----	----	10 UNCH
4200	----	----	270.20B/236.00A	270.20B/236.00A	----	240.80 - 17.30	.5682	----	----	----	----	51 UNCH
4210	----	----	266.50B/231.00A	266.50B/231.00A	----	235.70 - 17.10	.5607	----	----	----	----	1 UNCH
4215	----	----	263.90B/228.70A	263.90B/228.70A	----	233.10 - 17.00	.5569	----	----	----	----	3 UNCH
4220	----	----	261.20B/226.10A	261.20B/226.10A	----	230.60 - 16.90	.5532	----	----	----	----	6 UNCH
4225	----	----	258.50B/223.70A	258.50B/223.70A	----	228.10 - 16.80	.5494	----	----	----	----	2 UNCH
4240	----	----	250.80B/216.60A	250.80B/216.60A	----	220.80 - 16.50	.5381	----	----	----	----	17 UNCH
4250	----	----	245.60B/212.00A	245.60B/212.00A	----	216.10 - 16.20	.5306	----	----	----	----	115 UNCH
4270	----	----	235.70B/202.90A	235.70B/202.90A	----	206.80 - 15.80	.5156	----	----	----	----	1 UNCH
4275	----	----	233.10B/200.60A	233.10B/200.60A	----	204.60 - 15.70	.5118	----	----	----	----	130 UNCH
4280	----	----	230.70B/198.40A	230.70B/198.40A	----	202.30 - 15.60	.5081	----	----	----	----	3 UNCH
4285	----	----	228.30B/196.20A	228.30B/196.20A	----	200.10 - 15.50	.5044	----	----	----	----	30 UNCH
4300	----	----	221.20B/189.90A	221.20B/189.90A	----	193.70 - 15.00	.4933	----	----	----	----	267 UNCH
4325	----	----	209.80B/179.50A	209.80B/179.50A	----	183.30 - 14.40	.4749	----	----	----	----	20 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAR27												
4340	----	----	203.10B/173.60A	203.10B/173.60A	----	177.20 - 14.20	.4640	----	----	----	----	29 UNCH
4345	----	----	201.20B/171.60A	201.20B/171.60A	----	175.30 - 14.00	.4604	----	----	----	----	3 UNCH
4350	----	----	198.90B/169.80A	198.90B/169.80A	----	173.30 - 13.90	.4568	----	----	----	----	53 UNCH
4370	----	----	190.50B/162.20A	190.50B/162.20A	----	165.70 - 13.50	.4425	----	----	----	----	273 UNCH
4380	----	----	186.60B/158.60A	186.60B/158.60A	----	161.90 - 13.40	.4354	----	----	----	----	1 UNCH
4385	----	----	184.50B/156.80A	184.50B/156.80A	----	160.10 - 13.30	.4319	----	----	----	----	2 UNCH
4395	----	----	180.50B/153.40A	180.50B/153.40A	----	156.50 - 13.10	.4249	----	----	----	----	2 UNCH
4400	----	----	178.50B/151.60A	178.50B/151.60A	----	154.70 - 13.00	.4214	----	----	----	----	588 UNCH
4420	----	----	170.90B/144.90A	170.90B/144.90A	----	147.80 - 12.70	.4077	----	----	----	----	1 UNCH
4425	----	----	169.10B/143.20A	169.10B/143.20A	----	146.20 - 12.50	.4044	----	----	----	----	1 UNCH
4440	----	----	163.60B/138.40A	163.60B/138.40A	----	141.30 - 12.20	.3943	----	----	----	----	53 UNCH
4450	----	----	160.10B/135.30A	160.10B/135.30A	----	138.10 - 12.00	.3876	----	----	----	----	235 UNCH
4460	----	----	156.40B/132.20A	156.40B/132.20A	----	135.00 - 11.80	.3811	----	----	----	----	5 UNCH
4465	----	----	154.70B/130.70A	154.70B/130.70A	----	133.40 - 11.80	.3778	----	----	----	----	120 UNCH
4470	----	----	153.00B/129.20A	153.00B/129.20A	----	131.90 - 11.60	.3746	----	----	----	----	6 UNCH
4475	----	----	151.50B/127.80A	151.50B/127.80A	----	130.40 - 11.50	.3714	----	----	----	----	2 UNCH
4480	----	----	149.60B/126.30A	149.60B/126.30A	----	128.90 - 11.40	.3681	----	----	----	----	50 UNCH
4495	----	----	144.90B/122.00A	144.90B/122.00A	----	124.60 - 11.10	.3587	----	----	----	----	1 UNCH
4500	----	----	143.10B/120.60A	143.10B/120.60A	----	123.10 - 11.00	.3555	----	----	----	----	618 UNCH
4525	----	----	135.20B/113.90A	135.20B/113.90A	----	116.30 - 10.40	.3402	----	----	----	----	2 UNCH
4535	----	----	132.30B/111.30A	132.30B/111.30A	----	113.60 - 10.30	.3341	----	----	----	----	20 UNCH
4550	----	----	128.20B/107.50A	128.20B/107.50A	----	109.80 - 10.00	.3253	----	----	----	----	752 UNCH
4555	----	----	126.60B/106.30A	126.60B/106.30A	----	108.50 - 9.90	.3224	----	----	----	----	20 UNCH
4575	103.90	103.90	121.00B/101.50A	121.00B/101.50A	----	103.60 - 9.60	.3109	----	----	1	----	7 + 1
4580	----	----	119.50B/100.30A	119.50B/100.30A	----	102.40 - 9.50	.3080	----	----	----	----	29 UNCH
4590	----	----	117.20B/98.10A	117.20B/98.10A	----	100.10 - 9.30	.3025	----	----	----	----	20 UNCH
4600	----	----	114.60B/95.80A	114.60B/95.80A	----	97.80 - 9.10	.2970	----	----	----	----	302 UNCH
4605	----	----	113.30B/94.70A	113.30B/94.70A	----	96.70 - 9.00	.2943	----	----	----	----	33 UNCH
4610	----	----	111.90B/93.70A	111.90B/93.70A	----	95.60 - 8.90	.2916	----	----	----	----	302 UNCH
4615	----	----	110.50B/92.60A	110.50B/92.60A	----	94.50 - 8.80	.2889	----	----	----	----	20 UNCH
4625	----	----	108.00B/90.50A	108.00B/90.50A	----	92.30 - 8.70	.2835	----	----	----	----	100 UNCH
4635	----	----	105.80B/88.40A	105.80B/88.40A	----	90.20 - 8.60	.2783	----	----	----	----	100 UNCH
4640	----	----	104.70B/87.40A	104.70B/87.40A	----	89.20 - 8.40	.2758	----	----	----	----	10 UNCH
4645	----	----	103.50B/86.40A	103.50B/86.40A	----	88.20 - 8.30	.2732	----	----	----	----	2420 UNCH
4650	----	----	102.20B/85.40A	102.20B/85.40A	----	87.20 - 8.30	.2707	----	----	----	----	164 UNCH
4660	----	----	99.90B/83.50A	99.90B/83.50A	----	85.20 - 8.10	.2657	----	----	----	----	72 UNCH
4670	----	----	97.60B/81.60A	97.60B/81.60A	----	83.30 - 7.90	.2608	----	----	----	----	4 UNCH
4675	----	----	96.50B/80.70A	96.50B/80.70A	----	82.30 - 7.90	.2583	----	----	----	----	2 UNCH
4680	----	----	95.60B/79.80A	95.60B/79.80A	----	81.40 - 7.80	.2559	----	----	----	----	2 UNCH
4685	----	----	94.60B/78.90A	94.60B/78.90A	----	80.50 - 7.70	.2535	----	----	----	----	1 UNCH
4690	----	----	93.50B/78.00A	93.50B/78.00A	----	79.60 - 7.60	.2512	----	----	----	----	10 UNCH
4700	----	----	91.50B/76.20A	91.50B/76.20A	----	77.80 - 7.50	.2465	----	----	----	100	1447 + 100
4705	76.00	76.00	90.40B/75.40A	90.40B/75.40A	----	76.90 - 7.40	.2441	----	----	3	----	124 + 3
4710	----	----	89.30B/74.50A	89.30B/74.50A	----	76.00 - 7.40	.2418	----	----	----	----	21 UNCH
4725	----	----	86.30B/72.00A	86.30B/72.00A	----	73.40 - 7.20	.2349	----	----	----	----	30 UNCH
4735	----	----	84.50B/70.40A	84.50B/70.40A	----	71.80 - 7.00	.2306	----	----	----	----	4 UNCH
4745	----	----	82.50B/68.80A	82.50B/68.80A	----	70.20 - 6.80	.2262	----	----	----	----	1 UNCH
4750	----	----	81.60B/68.10A	81.60B/68.10A	----	69.40 - 6.80	.2241	----	----	----	----	213 UNCH
4755	----	----	80.70B/67.30A	80.70B/67.30A	----	68.60 - 6.70	.2219	----	----	----	----	2375 UNCH
4760	----	----	79.80B/66.50A	79.80B/66.50A	----	67.80 - 6.70	.2198	----	----	----	----	52 UNCH
4765	----	----	78.90B/65.80A	78.90B/65.80A	----	67.10 - 6.60	.2178	----	----	----	----	52 UNCH
4770	----	----	78.10B/65.10A	78.10B/65.10A	----	66.30 - 6.50	.2156	----	----	----	----	50 UNCH
4775	----	----	77.20B/64.30A	77.20B/64.30A	----	65.60 - 6.40	.2137	----	----	----	----	1 UNCH
4780	----	----	76.50B/63.60A	76.50B/63.60A	----	64.80 - 6.40	.2115	----	----	----	----	1 UNCH
4785	----	----	75.50B/62.90A	75.50B/62.90A	----	64.10 - 6.30	.2096	----	----	----	----	3 UNCH
4790	----	----	74.70B/62.20A	74.70B/62.20A	----	63.40 - 6.20	.2076	----	----	----	----	1 UNCH
4795	----	----	73.80B/61.50A	73.80B/61.50A	----	62.70 - 6.20	.2056	----	----	----	----	6 UNCH
4800	----	----	73.00B/60.80A	73.00B/60.80A	----	62.00 - 6.10	.2037	----	----	300	----	531 + 298
4810	----	----	71.40B/59.50A	71.40B/59.50A	----	60.60 - 6.00	.1998	----	----	----	----	31 UNCH
4820	----	----	69.80B/58.20A	69.80B/58.20A	----	59.30 - 5.80	.1960	----	----	----	----	20 UNCH
4830	----	----	68.30B/56.90A	68.30B/56.90A	----	57.90 - 5.80	.1921	----	----	----	----	68 UNCH
4845	----	----	66.10B/55.00A	66.10B/55.00A	----	56.00 - 5.60	.1867	----	----	----	----	1 UNCH
4850	----	----	65.40B/54.40A	65.40B/54.40A	----	55.40 - 5.60	.1849	----	----	----	----	14 UNCH
4855	----	----	64.60B/53.80A	64.60B/53.80A	----	54.80 - 5.50	.1832	----	----	----	----	20 UNCH
4880	----	----	61.20B/51.00A	61.20B/51.00A	----	51.90 - 5.20	.1747	----	----	----	----	11 UNCH
4890	----	----	59.90B/49.90A	59.90B/49.90A	----	50.70 - 5.10	.1712	----	----	----	----	7 UNCH
4895	----	----	59.30B/49.30A	59.30B/49.30A	----	50.20 - 5.00	.1697	----	----	----	----	9 UNCH
4900	49.90	49.90	58.60B/48.80A	58.60B/48.80A	----	49.60 - 5.00	.1680	----	----	3	----	23 + 3
4915	----	----	56.80B/47.30A	56.80B/47.30A	----	48.10 - 4.80	.1634	----	----	----	----	2 UNCH
4920	----	----	56.20B/46.70A	56.20B/46.70A	----	47.50 - 4.80	.1617	----	----	----	----	7 UNCH
4925	----	----	55.60B/46.20A	55.60B/46.20A	----	47.00 - 4.80	.1602	----	----	----	----	16 UNCH
4950	----	----	52.70B/43.80A	52.70B/43.80A	----	44.50 - 4.50	.1526	----	----	----	----	319 UNCH
4955	----	----	52.10B/43.40A	52.10B/43.40A	----	44.10 - 4.40	.1513	----	----	----	----	1 UNCH
4965	----	----	51.00B/42.50A	51.00B/42.50A	----	43.10 - 4.40	.1484	----	----	----	----	14 UNCH
4980	49.90	49.90	49.90/41.20A	49.90/41.20A	----	41.80 - 4.20	.1443	----	----	6	----	3 + 1
4995	----	----	47.80B/39.90A	47.80B/39.90A	----	40.50 - 4.10	.1403	----	----	----	----	72 UNCH
5000	----	----	47.30B/39.40A	47.30B/39.40A	----	40.10 - 4.00	.1390	----	----	----	----	4224 UNCH
5010	----	----	46.30B/38.70A	46.30B/38.70A	----	39.20 - 4.00	.1363	----	----	----	----	11 UNCH
5015	----	----	45.90B/38.30A	45.90B/38.30A	----	38.80 - 3.90	.1350	----	----	----	----	1 UNCH
5050	----	----	42.40B/35.60A	42.40B/35.60A	----	36.10 - 3.60	.1264	----	----	----	----	751 UNCH
5060	----	----	41.60B/34.90A	41.60B/34.90A	----	35.30 - 3.60	.1240	----	----	----	----	1 UNCH
5075	----	----	40.30B/33.90A	40.30B/33.90A	----	34.30 - 3.40	.1207	----	----	----	----	2 UNCH
5100	----	----	38.30B/32.20A	38.30B/32.20A	----	32.60 - 3.20	.1152	----	----	----	----	379 UNCH
5105	----	----	37.90B/31.90A	37.90B/31.90A	----	32.20 - 3.30	.1140	----	----	----	----	5 UNCH
5125	----	----	36.40B/30.60A	36.40B/30.60A	----	31.00 - 3.10	.1100	----	----	----	----	21 UNCH
5145	----	----	35.00B/29.50A	35.00B/29.50A	----	29.80 - 2.90	.1061	----	----	----	----	44 UNCH
5150	----	----	34.60B/29.20A	34.60B/29.20A	----	29.50 - 2.90	.1051	----	----	----	----	41 UNCH
5155	----	----	34.30B/28.90A	34.30B/28.90A	----	29.20 - 2.90	.1041	----	----	----	----	25 UNCH
5160	----	----	33.90B/28.60A	33.90B/28.60A	----	28.90 - 2.80	.1031	----	----	----	----	13 UNCH
5165	----	----	33.50B/28.30A	33.50B/28.30A	----	28.60 - 2.80	.1022	----	----	----	----	118 UNCH
5175	----	----	33.00B/27.80A	33.00B/27.80A	----	28.10 - 2.70	.1004	----	----	----	----	1 UNCH
5180	----	----	32.70B/27.50A	32.70B/27.50A	----	27.80 - 2.70	.0995	----	----	----	----	2 UNCH
5185	----	----	32.20B/27.30A	32.20B/27.30A	----	27.50 - 2.70	.0985	----	----	----	----	1 UNCH
5190	----	----	31.90B/27.00A	31.90B/27.00A	----	27.20 - 2.70	.0975	----	----	----	----	363 UNCH
5195	----	----	31.60B/26.80A	31.60B/26.80A	----	27.00 - 2.60	.0968	----	----	----	----	2 UNCH
5200	----	----	31.30B/26.50A	31.30B/26.50A	----	26.70 - 2.60	.0958	----	----	----	----	301 UNCH
5205	----	----	31.00B/26.30A	31.00B/26.30A	----	26.50 - 2.50	.0951	----	----	----	----	2 UNCH
5210	----	----	30.70B/26.00A	30.70B/26.00A	----	26.20 - 2.60	.0941	----	----	----	----	2 UNCH
5215	----	----	30.40B/25.80A	30.40B/25.80A	----	26.00 - 2.50	.0934	----	----	----	----	4 UNCH
5220	----	----	30.10B/25.50A	30.10B/25.50A	----	25.70 - 2.50	.0925	----	----	----	----	17 UNCH
5225	----	----	29.80B/25.30A	29.80B/25.30A	----	25.50 - 2.40	.0917	----	----	----	----	6 UNCH
5230	----	----	29.50B/25.10A	29.50B/25.10A	----	25.20 - 2.50	.0908	----	----	----	----	6 UNCH
5235	----	----	29.20B/24.80A	29.20B/24.80A	----	25.00 - 2.40	.0901	----	----	----	----	8 UNCH
5240	----	----	28.90B/24.60A	28.90B/24.60A	----	24.80 - 2.30	.0894	----	----	----	----	10 UNCH
5245	----	----	28.70B/24.40A	28.70B/24.40A	----	24.50 - 2.40	.0884	----	----	----	----	12 UNCH
5250	24.20	24.20	28.40B/24.20	28.40B/24.20	----	24.30 - 2.30	.0877	----	----	20	----	105 - 10
5255	----	----	28.10B/23.90A	28.10B/23.90A	----	24.10 - 2.30	.0870	----	----	----	----	18 UNCH
5260	----	----	27.80B/23.70A	27.80B/23.70A	----	23.80 - 2.30	.0861	----	----	----	----	7 UNCH
5265	----	----	27.60B/23.50A	27.60B/23.50A	----	23.60 - 2.30	.0854	----	----	----	----	27 UNCH
5270	----	----	27.30B/23.30A	27.30B/23.30A	----	23.40 - 2.20	.0847	----	----	----	----	9 UNCH
5275	----	----	27.10B/23.10A	27.10B/23.10A	----	23.20 - 2.20	.0839	----	----	----	----	136 UNCH
5280	----	----	26.80B/22.90A	26.80B/22.90A	----	23.00 - 2.10	.0833	----	----	----	----	17 UNCH
5285	----	----	26.50B/22.70A	26.50B/22.70A	----	22.80 - 2.10	.0826	----	----	----	----	21 UNCH
5290	----	----	26.30B/22.50A	26.30B/22.50A	----	22.60 - 2.10	.0819	----	----	----	----	28 UNCH
5295	----	----	26.00B/22.30A	26.00B/22.30A	----	22.40 - 2.10	.0812	----	----	----	----	55 UNCH
5300	22.40	22.40	25.80B/22.10A	25.80B/22.10A	----	22.20 - 2.00	.0805	----	----	4	----	72 UNCH
5305	----	----	25.60B/21.90A	25.60B/21.90A	----	22.00 - 2.00	.0798	----	----	----	----	2 UNCH
5330	----	----	24.40B/21.00A	24.40B/21.00A	----	21.00 - 2.00	.0764	----	----	----	----	30 UNCH
5345	----	----	23.70B/20.40A	23.70B/20.40A	----	20.50 - 1.90	.0746	----	----	----	----	1 UNCH
5350	----	----	23.50B/20.20A	23.50B/20.20A	----	20.30 - 1.90	.0739	----	----	----	----	7 UNCH
5380	----	----	22.30B/19.20A	22.30B/19.20A	----	19.30 - 1.70	.0703	----	----	----	----	12 UNCH
5390	----	----	21.90B/18.90A	21.90B/18.90A	----	19.00 - 1.70	.0693	----	----	----	----	10 UNCH
5400	----	----	21.50B/18.60A	21.50B/18.60A	----	18.70 - 1.60	.0682	----	----	2	----	106 UNCH
5405	----	----	21.30B/18.50A	21.30B/18.50A	----	18.50 - 1.60	.0675	----	----	----	----	5 UNCH
5415	----	----	20.90B/18.20A	20.90B/18.20A	----	18.20 - 1.60	.0664	----	----	----	----	16 UNCH
5420	----	----	20.80B/18.00A	20.80B/18.00A	----	18.10 - 1.50	.0660	----	----	----	----	20 UNCH
5430	----	----	20.40B/17.70A	20.40B/17.70A	----	17.80 - 1.50	.0650	----	----	----	----	10 UNCH
5435	----	----	20.20B/17.60A	20.20B/17.60A	----	17.60 - 1.50	.0643	----	----	----	----	12 UNCH
5445	----	----	19.90B/17.30A	19.90B/17.30A	----	17.30 - 1.50	.0632	----	----	----	----	1 UNCH
5450	----	----	19.70B/17.20A	19.70B/17.20A	----	17.20 - 1.40	.0628	----	----	----	----	146 UNCH
5455	----	----	19.50B/17.00A	19.50B/17.00A	----	17.10 - 1.40	.0624	----	----	----	----	1 UNCH
5490	----	----	18.40B/16.10A	18.40B/16.10A	----	16.10 - 1.30	.0589	----	----	----	----	12 UNCH
5500	17.20	17.20	18.10B/15.80	18.10B/15.80	----	15.90 - 1.20	.0582	----	----	45	----	917 + 15
5505	----	----	18.00B/15.80A	18.00B/15.80A	----	15.80 - 1.20	.0578	----	----	----	----	130 UNCH
5550	----	----	16.70B/14.80A	16.70B/14.80A	----	14.70 - 1.10	.0538	----	----	----	----	4 UNCH
5555	----	----	16.60B/14.70A	16.60B/14.70A	----	14.60 - 1.10	.0534	----	----	----	----	13 UNCH
5595	----	----	15.60B/13.80A	15.60B/13.80A	----	13.80 - 1.00	.0505	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAR27												
5600	----	----	15.50B/13.70A	15.50B/13.70A	----	13.70 - 1.00	.0501	----	----	----	----	1244 UNCH
5615	----	----	15.10B/13.50A	15.10B/13.50A	----	13.40 - 1.00	.0490	----	----	----	----	1 UNCH
5620	----	----	15.00B/13.40A	15.00B/13.40A	----	13.30 - 1.00	.0486	----	----	----	----	2 UNCH
5625	----	----	14.90B/13.30A	14.90B/13.30A	----	13.20 - 1.00	.0483	----	----	----	----	19 UNCH
5630	----	----	14.80B/13.20A	14.80B/13.20A	----	13.10 - 1.00	.0479	----	----	----	----	12 UNCH
5635	----	----	14.70B/13.10A	14.70B/13.10A	----	13.00 - 1.00	.0476	----	----	----	----	13 UNCH
5650	----	----	14.40B/12.80A	14.40B/12.80A	----	12.70 - 1.00	.0465	----	----	----	----	6 UNCH
5670	----	----	13.90B/12.50A	13.90B/12.50A	----	12.40 - 0.90	.0453	----	----	----	----	1 UNCH
5700	----	----	13.40B/12.00A	13.40B/12.00A	----	11.90 - 0.90	.0435	----	----	----	----	30 UNCH
5750	----	----	12.50B/11.30A	12.50B/11.30A	----	11.10 - 0.90	.0405	----	----	----	----	3 UNCH
5755	----	----	12.40B/11.20A	12.40B/11.20A	----	11.10 - 0.80	.0404	----	----	----	----	3 UNCH
5790	----	----	11.80B/10.80A	11.80B/10.80A	----	10.60 - 0.80	.0386	----	----	----	----	49 UNCH
5800	----	----	11.70B/10.60A	11.70B/10.60A	----	10.50 - 0.70	.0382	----	----	----	----	2 UNCH
5810	----	----	11.50B/10.50A	11.50B/10.50A	----	10.30 - 0.80	.0375	----	----	----	----	15 UNCH
5820	----	----	11.40B/10.40A	11.40B/10.40A	----	10.20 - 0.80	.0371	----	----	----	----	1 UNCH
5825	----	----	11.30B/10.30A	11.30B/10.30A	----	10.20 - 0.70	.0370	----	----	----	----	13 UNCH
5850	----	----	10.90B/10.10A	10.90B/10.10A	----	9.90 - 0.70	.0359	----	----	----	----	3 UNCH
5860	----	----	10.80B/9.90A	10.80B/9.90A	----	9.70 - 0.70	.0352	----	----	----	----	6 UNCH
5875	----	----	10.60B/9.80A	10.60B/9.80A	----	9.60 - 0.70	.0348	----	----	----	----	13 UNCH
5900	----	----	10.30B/9.50A	10.30B/9.50A	----	9.30 - 0.70	.0336	----	----	----	----	29 UNCH
5950	----	----	9.70B/9.00A	9.70B/9.00A	----	8.80 - 0.60	.0317	----	----	----	----	19 UNCH
5975	----	----	9.40B/8.80A	9.40B/8.80A	----	8.60 - 0.50	.0309	----	----	----	----	36 UNCH
6000	8.20	8.20	9.20B/8.20	9.20B/8.20	----	8.40 - 0.50	.0301	----	1	----	----	57 + 1
6025	----	----	8.90B/8.40A	8.90B/8.40A	----	8.20 - 0.50	.0293	----	----	----	----	1 UNCH
6100	----	----	8.20B/7.80A	8.20B/7.80A	----	7.70 - 0.30	.0273	----	----	----	----	194 UNCH
6200	----	----	7.50B/7.20A	7.50B/7.20A	----	7.10 - 0.20	.0249	----	----	----	----	25 UNCH
6250	----	----	7.10B/6.90A	7.10B/6.90A	----	6.80 - 0.20	.0237	----	----	----	----	10 UNCH
6300	----	----	6.80B/----	6.80B/6.70A	----	6.60 - 0.10	.0229	----	----	----	----	490 UNCH
6400	----	----	6.30B/----	6.30B/6.20A	----	6.10 UNCH	.0209	----	----	----	----	1 UNCH
6500	----	----	----	5.70B/5.90A	----	5.70 UNCH	.0193	----	----	----	----	749 UNCH
TOTAL										385	100	24064 + 412
APR27												
3000	----	----	----	----	----	1260.50 - 26.00	.9770	----	----	----	----	2 UNCH
3385	----	----	----/906.40A	877.20B/906.40A	----	888.20 - 25.10	.9320	----	----	----	----	1 UNCH
3500	----	----	----/796.00A	779.00B/796.00A	----	782.20 - 24.70	.9073	----	----	----	----	8 UNCH
3700	----	----	----/613.90A	617.90B/613.90A	----	607.30 - 23.60	.8451	----	----	----	----	1 UNCH
3800	----	----	----/519.00A	541.70B/519.00A	----	526.30 - 22.70	.8027	----	----	----	----	3 UNCH
3850	----	----	----/480.80A	505.70B/480.80A	----	487.90 - 22.10	.7785	----	----	----	----	1 UNCH
3950	----	----	447.70B/409.00A	447.70B/409.00A	----	415.50 - 20.80	.7246	----	----	----	----	14 UNCH
4000	----	----	413.30B/375.70A	413.30B/375.70A	----	381.70 - 20.10	.6952	----	----	----	----	9 UNCH
4060	----	----	374.20B/338.10A	374.20B/338.10A	----	343.40 - 19.30	.6581	----	----	----	----	1 UNCH
4110	----	----	343.40B/308.70A	343.40B/308.70A	----	313.50 - 18.70	.6259	----	----	----	----	4 UNCH
4125	----	----	334.50B/300.30A	334.50B/300.30A	----	305.00 - 18.40	.6161	----	----	----	----	93 UNCH
4150	----	----	320.00B/286.00A	320.00B/286.00A	----	291.10 - 18.00	.5995	----	----	----	----	1 UNCH
4170	----	----	308.70B/275.30A	308.70B/275.30A	----	280.40 - 17.60	.5862	----	----	----	----	1 UNCH
4175	----	----	305.90B/272.90A	305.90B/272.90A	----	277.80 - 17.50	.5828	----	----	----	----	43 UNCH
4200	----	----	294.60B/260.20A	294.60B/260.20A	----	265.00 - 16.90	.5660	----	----	----	----	108 UNCH
4210	----	----	289.30B/255.30A	289.30B/255.30A	----	260.00 - 16.70	.5593	----	----	----	----	6 UNCH
4225	----	----	281.30B/247.90A	281.30B/247.90A	----	252.60 - 16.50	.5492	----	----	----	----	411 UNCH
4230	----	----	278.40B/245.60A	278.40B/245.60A	----	250.20 - 16.40	.5458	----	----	----	----	101 UNCH
4250	----	----	268.50B/236.40A	268.50B/236.40A	----	240.80 - 15.90	.5324	----	----	125	----	223 + 100
4260	----	----	263.60B/231.70A	263.60B/231.70A	----	236.20 - 15.70	.5256	----	----	----	----	2 UNCH
4270	----	----	258.60B/227.40A	258.60B/227.40A	----	231.60 - 15.50	.5189	----	----	----	----	151 UNCH
4280	----	----	254.00B/222.90A	254.00B/222.90A	----	227.20 - 15.30	.5123	----	----	----	----	4 UNCH
4285	----	----	251.60B/220.80A	251.60B/220.80A	----	225.00 - 15.20	.5090	----	----	----	----	1 UNCH
4300	242.00	242.00	244.50B/214.40A	244.50B/214.40A	----	218.50 - 14.90	.4990	----	----	5	----	349 UNCH
4340	----	----	226.80B/198.10A	226.80B/198.10A	----	202.00 - 14.00	.4728	----	----	----	----	15 UNCH
4350	----	----	222.30B/194.30A	222.30B/194.30A	----	198.00 - 13.80	.4663	----	----	----	----	119 UNCH
4360	----	----	218.20B/190.40A	218.20B/190.40A	----	194.10 - 13.60	.4599	----	----	----	----	2 UNCH
4365	----	----	216.20B/188.50A	216.20B/188.50A	----	192.20 - 13.50	.4567	----	----	----	----	2 UNCH
4370	----	----	213.60B/186.70A	213.60B/186.70A	----	190.30 - 13.40	.4535	----	----	----	----	1 UNCH
4375	----	----	212.00B/184.90A	212.00B/184.90A	----	188.40 - 13.30	.4503	----	----	----	----	40 UNCH
4395	----	----	203.60B/177.60A	203.60B/177.60A	----	181.00 - 13.00	.4377	----	----	----	----	1 UNCH
4400	----	----	201.70B/175.90A	201.70B/175.90A	----	179.20 - 12.90	.4346	----	----	----	----	8 UNCH
4410	----	----	197.90B/172.50A	197.90B/172.50A	----	175.70 - 12.60	.4284	----	----	----	----	1 UNCH
4415	----	----	196.00B/170.60A	196.00B/170.60A	----	173.90 - 12.60	.4253	----	----	----	----	1 UNCH
4420	----	----	194.30B/168.90A	194.30B/168.90A	----	172.20 - 12.50	.4222	----	----	----	----	32 UNCH
4425	----	----	192.00B/167.30A	192.00B/167.30A	----	170.40 - 12.50	.4191	----	----	----	----	3 UNCH
4440	----	----	186.70B/162.30A	186.70B/162.30A	----	165.40 - 12.10	.4100	----	----	----	----	50 UNCH
4445	----	----	184.80B/160.70A	184.80B/160.70A	----	163.70 - 12.10	.4070	----	----	----	----	3 UNCH
4450	----	----	183.20B/159.10A	183.20B/159.10A	----	162.10 - 11.90	.4040	----	----	----	----	159 UNCH
4455	----	----	181.20B/157.50A	181.20B/157.50A	----	160.50 - 11.80	.4010	----	----	----	----	1 UNCH
4460	----	----	179.40B/155.90A	179.40B/155.90A	----	158.90 - 11.70	.3980	----	----	----	----	1 UNCH
4465	----	----	177.80B/154.50A	177.80B/154.50A	----	157.30 - 11.60	.3951	----	----	----	----	4 UNCH
4470	----	----	176.00B/152.80A	176.00B/152.80A	----	155.70 - 11.60	.3921	----	----	----	----	1 UNCH
4475	----	----	174.30B/151.30A	174.30B/151.30A	----	154.10 - 11.50	.3891	----	----	----	----	1 UNCH
4480	----	----	172.60B/149.80A	172.60B/149.80A	----	152.60 - 11.40	.3863	----	----	----	----	20 UNCH
4485	----	----	170.90B/148.30A	170.90B/148.30A	----	151.10 - 11.30	.3834	----	----	----	----	1 UNCH
4500	----	----	166.10B/144.00A	166.10B/144.00A	----	146.60 - 11.00	.3747	----	----	----	----	198 UNCH
4505	----	----	164.30B/142.40A	164.30B/142.40A	----	145.10 - 10.90	.3719	----	----	----	----	2 UNCH
4515	----	----	161.10B/139.60A	161.10B/139.60A	----	142.20 - 10.80	.3662	----	----	----	----	31 UNCH
4520	----	----	159.60B/138.20A	159.60B/138.20A	----	140.80 - 10.70	.3634	----	----	----	----	1 UNCH
4525	----	----	158.00B/137.00A	158.00B/137.00A	----	139.40 - 10.60	.3607	----	----	----	----	20 UNCH
4540	----	----	153.40B/132.80A	153.40B/132.80A	----	135.20 - 10.40	.3523	----	----	----	----	100 UNCH
4550	----	----	150.40B/130.20A	150.40B/130.20A	----	132.50 - 10.20	.3469	----	----	----	----	223 UNCH
4555	----	----	148.90B/128.80A	148.90B/128.80A	----	131.20 - 10.10	.3442	----	----	----	----	5 UNCH
4560	----	----	147.70B/127.70A	147.70B/127.70A	----	129.90 - 10.00	.3416	----	----	----	----	2 UNCH
4565	----	----	146.00B/126.30A	146.00B/126.30A	----	128.60 - 9.90	.3389	----	----	----	----	21 UNCH
4575	----	----	143.20B/123.90A	143.20B/123.90A	----	126.10 - 9.70	.3337	----	----	----	----	59 UNCH
4590	----	----	139.00B/120.10A	139.00B/120.10A	----	122.40 - 9.50	.3259	----	----	----	----	32 UNCH
4595	----	----	137.80B/118.90A	137.80B/118.90A	----	121.10 - 9.50	.3233	----	----	----	----	21 UNCH
4600	118.60	118.60	136.30B/117.80A	136.30B/117.80A	----	119.90 - 9.40	.3208	----	----	1	----	214 + 1
4605	----	----	135.10B/116.70A	135.10B/116.70A	----	118.70 - 9.40	.3182	----	----	----	----	20 UNCH
4615	----	----	132.40B/114.40A	132.40B/114.40A	----	116.40 - 9.20	.3133	----	----	----	----	50 UNCH
4620	----	----	131.20B/113.10A	131.20B/113.10A	----	115.30 - 9.00	.3108	----	----	----	----	26 UNCH
4625	112.60	112.60	129.70B/112.00A	129.70B/112.00A	----	114.10 - 9.00	.3083	----	----	10	----	24 + 10
4640	----	----	126.10B/108.80A	126.10B/108.80A	----	110.70 - 8.80	.3010	----	----	----	----	13 UNCH
4650	107.20	107.20	123.60B/106.60A	123.60B/106.60A	----	108.60 - 8.60	.2963	----	----	2	----	311 + 2
4665	----	----	120.00B/103.50A	120.00B/103.50A	----	105.30 - 8.40	.2891	----	----	----	----	20 UNCH
4670	----	----	118.80B/102.40A	118.80B/102.40A	----	104.30 - 8.30	.2868	----	----	----	----	20 UNCH
4680	----	----	116.30B/100.30A	116.30B/100.30A	----	102.20 - 8.10	.2822	----	----	----	----	11 UNCH
4685	----	----	115.30B/99.30A	115.30B/99.30A	----	101.20 - 8.00	.2799	----	----	----	----	1 UNCH
4690	----	----	114.30B/98.30A	114.30B/98.30A	----	100.20 - 7.90	.2777	----	----	----	----	11 UNCH
4695	----	----	113.00B/97.40A	113.00B/97.40A	----	99.20 - 7.80	.2754	----	----	----	----	40 UNCH
4700	----	----	111.90B/96.50A	111.90B/96.50A	----	98.20 - 7.80	.2731	----	----	125	----	264 + 124
4705	----	----	110.90B/95.60A	110.90B/95.60A	----	97.20 - 7.70	.2709	----	----	----	----	66 UNCH
4710	----	----	109.90B/94.50A	109.90B/94.50A	----	96.20 - 7.70	.2687	----	----	----	----	2 UNCH
4715	----	----	108.70B/93.70A	108.70B/93.70A	----	95.30 - 7.50	.2665	----	----	----	----	63 UNCH
4720	----	----	107.70B/92.60A	107.70B/92.60A	----	94.30 - 7.50	.2643	----	----	----	----	7 UNCH
4725	----	----	106.30B/91.70A	106.30B/91.70A	----	93.40 - 7.40	.2622	----	----	----	----	2 UNCH
4730	----	----	105.50B/90.80A	105.50B/90.80A	----	92.50 - 7.30	.2601	----	----	----	----	2 UNCH
4750	----	----	101.10B/87.40A	101.10B/87.40A	----	88.80 - 7.20	.2516	----	----	----	----	151 UNCH
4760	----	----	99.50B/85.60A	99.50B/85.60A	----	87.10 - 7.00	.2475	----	----	----	----	8 UNCH
4765	----	----	98.40B/84.80A	98.40B/84.80A	----	86.20 - 7.00	.2454	----	----	----	----	2 UNCH
4770	----	----	97.30B/84.00A	97.30B/84.00A	----	85.30 - 7.00	.2433	----	----	----	----	15 UNCH
4775	----	----	96.60B/83.20A	96.60B/83.20A	----	84.50 - 6.90	.2414	----	----	----	----	40 UNCH
4785	----	----	94.70B/81.50A	94.70B/81.50A	----	82.80 - 6.90	.2374	----	----	----	----	39 UNCH
4795	----	----	92.50B/79.90A	92.50B/79.90A	----	81.20 - 6.70	.2335	----	----	----	----	40 UNCH
4800	----	----	91.60B/79.20A	91.60B/79.20A	----	80.40 - 6.70	.2316	----	----	----	----	404 UNCH
4805	----	----	90.70B/78.40A	90.70B/78.40A	----	79.60 - 6.70	.2296	----	----	----	----	1 UNCH
4810	----	----	89.80B/77.60A	89.80B/77.60A	----	78.80 - 6.60	.2277	----	----	----	----	1 UNCH
4820	----	----	88.00B/76.10A	88.00B/76.10A	----	77.30 - 6.50	.2240	----	----	----	----	2 UNCH
4840	----	----	84.60B/73.20A	84.60B/73.20A	----	74.30 - 6.30	.2167	----	----	----	----	5 UNCH
4845	----	----	83.80B/72.50A	83.80B/72.50A	----	73.60 - 6.20	.2149	----	----	----	----	75 UNCH
4850	----	----	83.00B/71.70A	83.00B/71.70A	----	72.90 - 6.10	.2131	----	----	----	----	105 UNCH
4865	----	----	80.60B/69.70A	80.60B/69.70A	----	70.80 - 6.00	.2079	----	----	----	----	3 UNCH
4870	----	----	79.90B/69.10A	79.90B/69.10A	----	70.10 - 5.90	.2062	----	----	----	----	25 UNCH
4885	----	----	77.60B/67.10A	77.60B/67.10A	----	68.10 - 5.70	.2011	----	----	----	----	21 UNCH
4900	----	----	75.40B/65.10A	75.40B/65.10A	----	66.10 - 5.60	.1961	----	----	----	----	83 UNCH
4905	----	----	74.60B/64.50A	74.60B/64.50A	----	65.50 - 5.50	.1945	----	----	----	----	13 UNCH
4925	----	----	71.70B/62.10A	71.70B/62.10A	----	63.00 - 5.30	.1881	----	----	1	----	1 + 1
4930	----	----	71.00B/61.50A	71.00B/61.50A	----	62.40 - 5.30	.1865	----	----	----	----	5 UNCH
4935	----	----	70.40B/60.90A	70.40B/60.90A	----	61.80 NEW	.1850	----	----	1	----	1 + 1
4940	----	----	69.70B/60.40A	69.70B/60.40A	----	61.20 NEW	.1834	----	----	1	----	1 + 1
4950	----	----	68.50B/59.20A	68.50B/59.20A	----	60.10 NEW	.1805	----	----	1	----	1 + 1
4970	----	----	65.80B/57.00A	65.80B/57.00A	----	57.80 - 4.90	.1745	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
APR27												
5000	56.50	56.50	62.10B/53.90A	62.10B/53.90A	----	54.60 - 4.60	.1660	----	----	2	----	1003 - 2
5010	----	----	60.90B/52.90A	60.90B/52.90A	----	53.50 - 4.60	.1631	----	----	----	----	4 UNCH
5020	----	----	59.80B/51.90A	59.80B/51.90A	----	52.50 - 4.50	.1604	----	----	----	----	7 UNCH
5025	----	----	59.20B/51.40A	59.20B/51.40A	----	52.00 - 4.50	.1591	----	----	----	----	1 UNCH
5030	----	----	58.70B/51.00A	58.70B/51.00A	----	51.50 - 4.50	.1578	----	----	----	----	1 UNCH
5035	----	----	58.10B/50.50A	58.10B/50.50A	----	51.10 - 4.40	.1566	----	----	----	----	2 UNCH
5040	----	----	57.60B/50.00A	57.60B/50.00A	----	50.60 - 4.40	.1553	----	----	----	----	3 UNCH
5045	----	----	57.00B/49.60A	57.00B/49.60A	----	50.10 - 4.40	.1539	----	----	----	----	30 UNCH
5050	----	----	56.60B/49.10A	56.60B/49.10A	----	49.60 - 4.40	.1526	----	----	----	----	119 UNCH
5055	----	----	56.00B/48.70A	56.00B/48.70A	----	49.20 - 4.30	.1514	----	----	----	----	67 UNCH
5060	----	----	55.50B/48.20A	55.50B/48.20A	----	48.70 - 4.30	.1501	----	----	----	----	27 UNCH
5070	----	----	54.40B/47.30A	54.40B/47.30A	----	47.80 - 4.20	.1476	----	----	----	----	6 UNCH
5075	----	----	53.90B/46.90A	53.90B/46.90A	----	47.40 - 4.10	.1465	----	----	----	----	232 UNCH
5100	----	----	51.60B/44.80A	51.60B/44.80A	----	45.20 - 4.00	.1405	----	----	----	----	940 UNCH
5130	----	----	48.80B/42.50A	48.80B/42.50A	----	42.90 - 3.80	.1339	----	----	----	----	18 UNCH
5140	----	----	47.90B/41.70A	47.90B/41.70A	----	42.10 - 3.70	.1317	----	----	----	----	11 UNCH
5145	----	----	47.50B/41.30A	47.50B/41.30A	----	41.80 - 3.60	.1308	----	----	----	----	8 UNCH
5150	----	----	47.10B/41.00A	47.10B/41.00A	----	41.40 - 3.60	.1297	----	----	----	----	105 UNCH
5170	----	----	45.40B/39.70A	45.40B/39.70A	----	40.00 - 3.50	.1256	----	----	----	----	1 UNCH
5180	----	----	44.60B/39.00A	44.60B/39.00A	----	39.30 - 3.40	.1236	----	----	----	----	18 UNCH
5195	----	----	43.40B/38.00A	43.40B/38.00A	----	38.30 - 3.30	.1207	----	----	----	----	5 UNCH
5200	38.60	38.60	43.00B/37.70A	43.00B/37.70A	----	38.00 - 3.20	.1198	----	----	26	----	1433 + 4
5210	----	----	42.30B/37.10A	42.30B/37.10A	----	37.40 - 3.10	.1180	----	----	----	----	3 UNCH
5215	----	----	41.80B/36.80A	41.80B/36.80A	----	37.10 - 3.10	.1172	----	----	----	----	29 UNCH
5220	----	----	41.50B/36.50A	41.50B/36.50A	----	36.70 - 3.10	.1161	----	----	----	----	1 UNCH
5225	----	----	41.00B/36.20A	41.00B/36.20A	----	36.40 - 3.10	.1152	----	----	----	----	12 UNCH
5230	----	----	40.80B/35.90A	40.80B/35.90A	----	36.10 - 3.00	.1143	----	----	----	----	601 UNCH
5250	----	----	39.40B/34.70A	39.40B/34.70A	----	34.90 - 2.90	.1108	----	----	----	----	401 UNCH
5255	----	----	38.90B/34.40A	38.90B/34.40A	----	34.60 - 2.90	.1099	----	----	----	----	1 UNCH
5275	----	----	37.60B/33.30A	37.60B/33.30A	----	33.50 - 2.70	.1066	----	----	----	----	353 UNCH
5300	----	----	36.10B/31.90A	36.10B/31.90A	----	32.10 - 2.60	.1025	----	----	----	----	327 UNCH
5315	----	----	35.10B/31.20A	35.10B/31.20A	----	31.30 - 2.50	.1001	----	----	----	----	5 UNCH
5330	----	----	34.20B/30.40A	34.20B/30.40A	----	30.50 - 2.50	.0978	----	----	----	----	8 UNCH
5350	----	----	33.10B/29.40A	33.10B/29.40A	----	29.60 - 2.30	.0950	----	----	----	----	40 UNCH
5370	----	----	32.00B/28.60A	32.00B/28.60A	----	28.60 - 2.30	.0920	----	----	----	----	20 UNCH
5395	----	----	30.70B/27.50A	30.70B/27.50A	----	27.50 - 2.20	.0886	----	----	----	----	4 UNCH
5400	----	----	30.60B/27.30A	30.60B/27.30A	----	27.30 - 2.20	.0880	----	----	----	----	768 UNCH
5425	----	----	29.20B/26.30A	29.20B/26.30A	----	26.20 - 2.10	.0847	----	----	----	----	2 UNCH
5430	----	----	29.10B/26.10A	29.10B/26.10A	----	26.00 - 2.10	.0841	----	----	----	----	2 UNCH
5450	----	----	28.20B/25.30A	28.20B/25.30A	----	25.20 - 2.10	.0816	----	----	----	----	5 UNCH
5470	----	----	27.20B/24.60A	27.20B/24.60A	----	24.40 - 2.10	.0792	----	----	----	----	3 UNCH
5480	----	----	26.80B/24.20A	26.80B/24.20A	----	24.10 - 2.00	.0782	----	----	----	----	1 UNCH
5490	----	----	26.40B/23.90A	26.40B/23.90A	----	23.70 - 2.00	.0770	----	----	----	----	10 UNCH
5495	----	----	26.20B/23.70A	26.20B/23.70A	----	23.50 - 2.00	.0764	----	----	----	----	4 UNCH
5500	----	----	26.00B/23.50A	26.00B/23.50A	----	23.40 - 1.90	.0760	----	----	----	----	4874 UNCH
5510	----	----	25.60B/23.20A	25.60B/23.20A	----	23.00 - 1.90	.0748	----	----	----	----	1 UNCH
5540	----	----	24.50B/22.30A	24.50B/22.30A	----	22.00 - 1.80	.0717	----	----	----	----	6 UNCH
5550	----	----	24.10B/22.00A	24.10B/22.00A	----	21.70 - 1.80	.0707	----	----	----	----	12 UNCH
5570	----	----	23.40B/21.40A	23.40B/21.40A	----	21.10 - 1.70	.0688	----	----	----	----	1 UNCH
5575	----	----	23.20B/21.20A	23.20B/21.20A	----	20.90 - 1.70	.0682	----	----	----	----	3 UNCH
5600	----	----	22.30B/20.50A	22.30B/20.50A	----	20.20 - 1.60	.0659	----	----	1	----	4876 + 1
5620	----	----	21.50B/20.00A	21.50B/20.00A	----	19.70 - 1.50	.0643	----	----	----	----	4 UNCH
5625	----	----	21.30B/19.80A	21.30B/19.80A	----	19.50 - 1.60	.0637	----	----	----	----	2 UNCH
5650	----	----	20.60B/19.20A	20.60B/19.20A	----	18.90 - 1.50	.0617	----	----	----	----	5 UNCH
5680	----	----	19.70B/18.50A	19.70B/18.50A	----	18.20 - 1.30	.0594	----	----	----	----	6 UNCH
5700	----	----	19.20B/17.90A	19.20B/17.90A	----	17.70 - 1.30	.0578	----	----	----	----	6 UNCH
5750	----	----	17.90B/16.90A	17.90B/16.90A	----	16.60 - 1.20	.0543	----	----	----	----	505 UNCH
5800	----	----	16.80B/15.90A	16.80B/15.90A	----	15.60 - 1.10	.0510	----	----	----	----	70 UNCH
5820	----	----	----/15.60A	16.30B/15.60A	----	15.30 - 1.00	.0499	----	----	----	----	1 UNCH
5850	----	----	----/15.00A	15.70B/15.00A	----	14.70 - 1.00	.0480	----	----	----	----	17 UNCH
5900	----	----	----/14.20A	14.80B/14.20A	----	13.90 - 0.90	.0453	----	----	----	----	3 UNCH
5925	----	----	----/13.80A	14.30B/13.80A	----	13.60 - 0.80	.0442	----	----	----	----	194 UNCH
5950	----	----	----/13.50A	13.90B/13.50A	----	13.20 - 0.80	.0429	----	----	----	----	1 UNCH
5975	----	----	----/13.10A	13.50B/13.10A	----	12.90 - 0.70	.0419	----	----	----	----	1 UNCH
6000	13.10	13.10	13.10/12.80	13.10/12.80	----	12.50 - 0.70	.0406	----	----	50	----	900 + 25
6025	----	----	----/12.50A	12.80B/12.50A	----	12.20 - 0.70	.0396	----	----	----	----	100 UNCH
6050	----	----	----/12.20A	12.40B/12.20A	----	11.90 - 0.60	.0385	----	----	----	----	52 UNCH
6100	----	----	----/11.70A	11.80B/11.70A	----	11.40 - 0.50	.0368	----	----	----	----	163 UNCH
6200	----	----	----/10.70A	10.70B/10.70A	----	10.40 - 0.50	.0333	----	----	----	----	2 UNCH
6250	----	----	----/10.30A	10.20B/10.30A	----	9.90 - 0.50	.0317	----	----	----	----	31 UNCH
6400	----	----	----	8.90B/9.30A	----	8.90 - 0.30	.0281	----	----	----	----	1 UNCH
6500	----	----	----	8.20B/8.60A	----	8.30 - 0.20	.0259	----	----	----	----	268 UNCH
TOTAL										351		23684 + 269
MAY27												
4000	----	----	----/423.20A	429.70B/423.20A	----	427.10 - 20.80	.7020	----	----	----	----	1 UNCH
4050	----	----	----/391.40A	397.30B/391.40A	----	394.80 - 20.20	.6744	----	----	----	----	99 UNCH
4250	----	----	308.50B/279.90A	308.50B/279.90A	----	283.60 - 16.60	.5561	----	----	----	----	6 UNCH
4300	----	----	283.70B/256.60A	283.70B/256.60A	----	260.10 - 15.70	.5258	----	----	----	----	124 UNCH
4375	232.10	232.10	249.40B/224.90A	249.40B/224.90A	----	228.00 NEW	.4811	----	----	13	----	13 + 13
4400	----	----	238.90B/215.30A	238.90B/215.30A	----	218.20 - 14.10	.4666	----	----	----	----	6 UNCH
4420	----	----	230.50B/207.80A	230.50B/207.80A	----	210.50 - 13.90	.4550	----	----	----	----	1 UNCH
4470	----	----	211.30B/190.00A	211.30B/190.00A	----	192.60 - 13.10	.4269	----	----	----	----	1 UNCH
4500	----	----	200.40B/180.40A	200.40B/180.40A	----	182.60 - 12.60	.4105	----	----	----	----	1 UNCH
4505	----	----	198.50B/178.80A	198.50B/178.80A	----	181.00 - 12.50	.4079	----	----	----	----	18 UNCH
4510	----	----	196.80B/177.20A	196.80B/177.20A	----	179.40 - 12.40	.4052	----	----	----	----	2 UNCH
4520	----	----	193.40B/174.10A	193.40B/174.10A	----	176.30 - 12.20	.3999	----	----	----	----	1 UNCH
4550	----	----	183.30B/165.10A	183.30B/165.10A	----	167.20 - 11.60	.3842	----	----	----	----	112 UNCH
4555	----	----	181.50B/163.60A	181.50B/163.60A	----	165.70 - 11.60	.3816	----	----	----	----	18 UNCH
4600	----	----	167.70B/151.00A	167.70B/151.00A	----	153.10 - 10.70	.3591	----	----	----	----	9 UNCH
4650	----	----	153.40B/138.20A	153.40B/138.20A	----	140.30 - 9.70	.3353	----	----	----	----	10 UNCH
4665	----	----	149.70B/134.60A	149.70B/134.60A	----	136.60 - 9.50	.3284	----	----	----	----	1 UNCH
4700	----	----	140.80B/126.50A	140.80B/126.50A	----	128.40 - 9.00	.3126	----	----	----	----	57 UNCH
4785	----	----	121.50B/109.10A	121.50B/109.10A	----	110.40 - 8.10	.2769	----	----	----	----	20 UNCH
4800	----	----	118.30B/106.40A	118.30B/106.40A	----	107.50 - 7.90	.2709	----	----	----	----	72 UNCH
4810	----	----	116.60B/104.50A	116.60B/104.50A	----	105.60 - 7.80	.2670	----	----	----	----	1 UNCH
4850	----	----	108.40B/97.40A	108.40B/97.40A	----	98.40 - 7.40	.2520	----	----	----	----	5 UNCH
4855	----	----	107.10B/96.70A	107.10B/96.70A	----	97.60 - 7.30	.2502	----	----	----	----	2 UNCH
4860	----	----	106.60B/95.90A	106.60B/95.90A	----	96.70 - 7.30	.2483	----	----	----	----	20 UNCH
4900	----	----	100.00B/89.40A	100.00B/89.40A	----	90.20 - 6.90	.2343	----	----	----	----	115 UNCH
4920	----	----	96.20B/86.50A	96.20B/86.50A	----	87.10 - 6.70	.2275	----	----	----	----	2 UNCH
4945	----	----	92.10B/82.90A	92.10B/82.90A	----	83.50 - 6.40	.2194	----	----	----	----	9 UNCH
4950	----	----	91.40B/82.30A	91.40B/82.30A	----	82.70 - 6.40	.2177	----	----	----	----	2 UNCH
4955	----	----	90.20B/81.60A	90.20B/81.60A	----	82.00 - 6.30	.2162	----	----	----	----	9 UNCH
4970	----	----	88.80B/79.50A	88.80B/79.50A	----	79.90 - 6.20	.2115	----	----	----	----	9 UNCH
5000	----	----	83.80B/75.50A	83.80B/75.50A	----	75.90 - 6.00	.2024	----	----	----	----	152 UNCH
5040	----	----	78.80B/70.70A	78.80B/70.70A	----	70.90 - 5.70	.1908	----	----	----	----	1 UNCH
5070	----	----	74.50B/67.30A	74.50B/67.30A	----	67.40 - 5.50	.1826	----	----	----	----	37 UNCH
5100	----	----	70.80B/64.00A	70.80B/64.00A	----	64.20 - 5.20	.1750	----	----	----	----	10 UNCH
5130	----	----	67.30B/60.90A	67.30B/60.90A	----	61.20 - 4.90	.1677	----	----	----	----	7 UNCH
5140	----	----	66.30B/60.00A	66.30B/60.00A	----	60.20 - 4.80	.1652	----	----	----	----	1 UNCH
5145	----	----	65.80B/59.40A	65.80B/59.40A	----	59.70 - 4.80	.1640	----	----	----	----	2 UNCH
5150	----	----	65.80B/59.00A	65.80B/59.00A	----	59.30 - 4.70	.1630	----	----	----	----	13 UNCH
5170	----	----	63.60B/57.10A	63.60B/57.10A	----	57.40 - 4.50	.1584	----	----	----	----	20 UNCH
5180	----	----	62.00B/56.20A	62.00B/56.20A	----	56.50 - 4.40	.1561	----	----	----	----	1 UNCH
5185	----	----	62.20B/55.70A	62.20B/55.70A	----	56.10 - 4.40	.1551	----	----	----	----	37 UNCH
5200	----	----	60.20B/54.40A	60.20B/54.40A	----	54.80 - 4.20	.1519	----	----	----	----	161 UNCH
5215	----	----	59.20B/53.10A	59.20B/53.10A	----	53.40 - 4.20	.1485	----	----	----	----	20 UNCH
5220	----	----	58.20B/52.70A	58.20B/52.70A	----	53.00 - 4.20	.1474	----	----	----	----	39 UNCH
5225	----	----	57.80B/52.30A	57.80B/52.30A	----	52.60 - 4.10	.1464	----	----	----	----	2 UNCH
5235	----	----	56.60B/51.40A	56.60B/51.40A	----	51.70 - 4.10	.1442	----	----	----	----	25 UNCH
5240	----	----	56.40B/51.00A	56.40B/51.00A	----	51.30 - 4.10	.1432	----	----	----	----	29 UNCH
5250	----	----	55.50B/50.20A	55.50B/50.20A	----	50.50 - 4.00	.1412	----	----	----	----	313 UNCH
5275	----	----	53.40B/48.40A	53.40B/48.40A	----	48.50 - 4.00	.1362	----	----	----	----	25 UNCH
5300	----	----	51.30B/46.60A	51.30B/46.60A	----	46.70 - 3.80	.1316	----	----	----	----	1 UNCH
5330	----	----	49.00B/44.70A	49.00B/44.70A	----	44.60 - 3.60	.1262	----	----	----	----	2 UNCH
5345	----	----	47.90B/43.90A	47.90B/43.90A	----	43.60 - 3.60	.1236	----	----	----	----	2 UNCH
5365	----	----	46.40B/42.60A	46.40B/42.60A	----	42.40 - 3.40	.1204	----	----	----	----	3 UNCH
5395	----	----	44.40B/40.80A	44.40B/40.80A	----	40.60 - 3.20	.1156	----	----	----	----	1 UNCH
5400	45.00	45.00	45.10B/40.60A	45.10B/40.60A	----	40.30 - 3.10	.1148	----	----	1	----	30 + 1
5430	----	----	----/38.90A	38.50B/38.90A	----	38.60 - 3.00	.1103	----	----	----	----	4 UNCH
5450	----	----	----/37.80A	37.30B/37.80A	----	37.50 - 2.90	.1074	----	----	----	----	10 UNCH
5500	----	----	----/35.30A	34.40B/35.30A	----	35.00 - 2.50	.1006	----	----	----	----	4 UNCH
5515	----	----	----/34.60A	33.80B/34.60A	----	34.30 - 2.40	.0987	----	----	----	----	7 UNCH
5550	----	----	----/33.10A	32.60B/33.10A	----	32.70 - 2.30	.0943	----	----	----	----	288 UNCH
5630	----	----	----/29.80A	29.20B/29.80A	----	29.50 - 1.90	.0854	----	----	----	----	1 UNCH
5650	----	----	----/29.10A	28.40B/29.10A	----	28.80 - 1.80	.0834	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

PG64 BULLETIN #196@ METALS OPTION PRODUCTS Mon, Oct 12, 2026 PG64

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY27												
5665	----	----	----/28.60A	27.90B/28.60A	----	28.20 - 1.80	.0818	----	----	----	----	1 UNCH
5700	----	----	----/27.40A	26.60B/27.40A	----	26.90 - 1.70	.0782	----	----	----	----	37 UNCH
5800	----	----	----/24.40A	22.50B/24.40A	----	23.50 - 1.60	.0688	----	----	----	----	2 UNCH
5820	----	----	----/23.90A	22.00B/23.90A	----	22.90 - 1.60	.0671	----	----	----	----	45 UNCH
5840	----	----	----/23.40A	21.40B/23.40A	----	22.30 - 1.60	.0655	----	----	----	----	1 UNCH
5850	----	----	----/23.10A	21.20B/23.10A	----	22.10 - 1.50	.0648	----	----	----	----	66 UNCH
5900	----	----	----/21.90A	19.90B/21.90A	----	20.80 - 1.50	.0611	----	----	----	----	6 UNCH
5910	----	----	----/21.70A	19.70B/21.70A	----	20.60 - 1.40	.0605	----	----	----	----	1 UNCH
5950	----	----	----/20.80A	18.80B/20.80A	----	19.70 - 1.40	.0579	----	----	----	----	1 UNCH
5975	----	----	----/20.30A	18.20B/20.30A	----	19.20 - 1.30	.0564	----	----	----	----	1 UNCH
6000	----	----	----/19.80A	17.70B/19.80A	----	18.70 - 1.30	.0549	----	----	----	----	123 UNCH
6050	----	----	----/18.90A	16.90B/18.90A	----	17.80 - 1.20	.0522	----	----	----	----	1 UNCH
6100	----	----	----	15.90B/18.00A	----	17.00 - 1.00	.0498	----	----	----	----	1 UNCH
6250	----	----	----	13.70B/15.90A	----	14.90 - 0.70	.0433	----	----	----	----	50 UNCH
6500	----	----	----	11.00B/13.20A	----	12.20 - 0.40	.0350	----	----	----	----	23 UNCH
8000	----	----	----	5.00B/6.80A	----	5.90 UNCH	.0152	----	----	----	----	21 UNCH
TOTAL										14		2379+ 14
JUN27												
4000	----	----	----/439.90A	445.80B/439.90A	----	444.40 - 19.80	.6922	----	----	----	----	37 UNCH
4100	----	----	----/379.70A	384.30B/379.70A	----	382.70 - 18.90	.6396	----	----	----	----	1 UNCH
4150	----	----	373.30B/352.00A	373.30B/352.00A	----	354.20 - 18.50	.6121	----	----	----	----	4 UNCH
4165	----	----	372.50B/344.00A	372.50B/344.00A	----	346.00 - 18.30	.6038	----	----	----	----	7 UNCH
4180	----	----	364.10B/336.00A	364.10B/336.00A	----	338.00 NEW	.5954	----	----	2	----	2 + 2
4250	307.70	307.70	327.10B/300.00A	327.10B/300.00A	----	302.50 - 17.00	.5560	----	----	14	----	17 + 14
4260	----	----	322.10B/295.00A	322.10B/295.00A	----	297.80 - 16.80	.5504	----	----	----	----	6 UNCH
4270	----	----	317.00B/289.80A	317.00B/289.80A	----	293.10 - 16.60	.5447	----	----	----	----	1 UNCH
4280	----	----	312.10B/285.30A	312.10B/285.30A	----	288.40 - 16.50	.5391	----	----	----	----	3 UNCH
4285	----	----	309.70B/283.00A	309.70B/283.00A	----	286.10 - 16.40	.5363	----	----	----	----	100 UNCH
4300	----	----	302.50B/276.60A	302.50B/276.60A	----	279.40 - 16.00	.5279	----	----	----	----	190 UNCH
4305	----	----	300.00B/274.20A	300.00B/274.20A	----	277.20 - 15.90	.5251	----	----	----	----	152 UNCH
4310	----	----	297.70B/272.10A	297.70B/272.10A	----	274.90 - 15.80	.5223	----	----	----	----	8 UNCH
4315	----	----	295.40B/270.40A	295.40B/270.40A	----	272.80 - 15.60	.5195	----	----	----	----	1 UNCH
4320	----	----	293.00B/267.70A	293.00B/267.70A	----	270.60 - 15.60	.5167	----	----	----	----	1 UNCH
4325	----	----	290.70B/265.40A	290.70B/265.40A	----	268.40 - 15.50	.5139	----	----	----	----	283 UNCH
4350	----	----	279.40B/254.90A	279.40B/254.90A	----	257.90 - 14.90	.5001	----	----	2	----	2 + 1
4355	----	----	277.20B/253.00A	277.20B/253.00A	----	255.80 - 14.80	.4973	----	----	----	----	1 UNCH
4365	----	----	272.80B/248.60A	272.80B/248.60A	----	251.70 - 14.60	.4919	----	----	----	----	1 UNCH
4370	----	----	270.60B/246.40A	270.60B/246.40A	----	249.70 - 14.50	.4891	----	----	----	----	2 UNCH
4375	----	----	268.50B/244.60A	268.50B/244.60A	----	247.70 - 14.40	.4864	----	----	----	----	32 UNCH
4380	----	----	266.30B/242.40A	266.30B/242.40A	----	245.70 - 14.30	.4837	----	----	----	----	3 UNCH
4400	----	----	258.00B/234.70A	258.00B/234.70A	----	237.90 - 13.90	.4729	----	----	----	----	6 UNCH
4410	----	----	253.80B/231.40A	253.80B/231.40A	----	234.10 - 13.70	.4675	----	----	----	----	3 UNCH
4415	----	----	251.80B/229.30A	251.80B/229.30A	----	232.20 - 13.60	.4649	----	----	----	----	9 UNCH
4420	----	----	249.80B/227.70A	249.80B/227.70A	----	230.40 - 13.40	.4622	----	----	----	----	4 UNCH
4435	----	----	243.80B/221.70A	243.80B/221.70A	----	224.80 - 13.20	.4543	----	----	----	----	3 UNCH
4450	----	----	238.00B/216.30A	238.00B/216.30A	----	219.40 - 12.90	.4464	----	----	----	----	60 UNCH
4470	----	----	230.40B/209.40A	230.40B/209.40A	----	212.40 - 12.60	.4360	----	----	----	----	2 UNCH
4475	----	----	228.50B/208.20A	228.50B/208.20A	----	210.70 - 12.50	.4335	----	----	----	----	8 UNCH
4490	----	----	223.00B/202.90A	223.00B/202.90A	----	205.60 - 12.20	.4258	----	----	----	----	1 UNCH
4495	----	----	221.20B/201.00A	221.20B/201.00A	----	203.90 - 12.20	.4233	----	----	----	----	2 UNCH
4500	----	----	219.50B/199.40A	219.50B/199.40A	----	202.20 - 12.10	.4207	----	----	----	----	1910 UNCH
4520	----	----	212.40B/193.00A	212.40B/193.00A	----	195.70 - 11.80	.4107	----	----	----	----	100 UNCH
4545	----	----	203.90B/185.30A	203.90B/185.30A	----	187.90 - 11.40	.3984	----	----	----	----	25 UNCH
4550	----	----	202.30B/183.70A	202.30B/183.70A	----	186.30 - 11.40	.3959	----	----	----	----	83 UNCH
4575	----	----	195.40B/176.40A	195.40B/176.40A	----	178.80 - 11.10	.3839	----	----	----	----	8 UNCH
4600	----	----	187.80B/169.40A	187.80B/169.40A	----	171.60 - 10.80	.3721	----	----	----	----	102 UNCH
4625	----	----	180.00B/162.70A	180.00B/162.70A	----	164.70 - 10.50	.3606	----	----	----	----	24 UNCH
4630	----	----	178.80B/161.30A	178.80B/161.30A	----	163.40 - 10.40	.3584	----	----	----	----	2 UNCH
4650	----	----	173.20B/156.20A	173.20B/156.20A	----	158.10 - 10.10	.3494	----	----	----	----	252 UNCH
4680	----	----	164.80B/148.80A	164.80B/148.80A	----	150.50 - 9.80	.3362	----	----	----	----	1 UNCH
4700	----	----	159.60B/144.10A	159.60B/144.10A	----	145.70 - 9.50	.3277	----	----	----	----	66 UNCH
4750	----	----	147.40B/133.00A	147.40B/133.00A	----	134.30 - 8.90	.3072	----	----	----	----	37 UNCH
4760	----	----	144.90B/130.90A	144.90B/130.90A	----	132.10 - 8.80	.3032	----	----	----	----	15 UNCH
4790	----	----	138.40B/124.60A	138.40B/124.60A	----	125.80 - 8.50	.2915	----	----	----	----	30 UNCH
4800	----	----	136.00B/122.70A	136.00B/122.70A	----	123.80 - 8.40	.2877	----	----	----	----	130 UNCH
4810	----	----	134.00B/120.80A	134.00B/120.80A	----	121.80 - 8.30	.2839	----	----	----	----	1 UNCH
4850	----	----	125.60B/113.50A	125.60B/113.50A	----	114.20 - 7.90	.2693	----	----	----	----	2 UNCH
4865	----	----	122.50B/110.90A	122.50B/110.90A	----	111.50 - 7.70	.2641	----	----	----	----	75 UNCH
4900	----	----	115.60B/104.80A	115.60B/104.80A	----	105.50 - 7.30	.2522	----	----	----	----	119 UNCH
4950	----	----	107.10B/97.10A	107.10B/97.10A	----	97.40 - 6.90	.2359	----	----	----	----	16 UNCH
5000	----	----	99.00B/89.80A	99.00B/89.80A	----	90.10 - 6.40	.2208	----	----	----	----	1595 UNCH
5010	----	----	97.30B/88.50A	97.30B/88.50A	----	88.70 - 6.40	.2179	----	----	----	----	1 UNCH
5020	----	----	95.40B/87.10A	95.40B/87.10A	----	87.40 - 6.20	.2151	----	----	----	----	2 UNCH
5025	----	----	95.20B/86.40A	95.20B/86.40A	----	86.70 - 6.20	.2136	----	----	----	----	200 UNCH
5050	----	----	91.20B/83.10A	91.20B/83.10A	----	83.40 - 6.00	.2066	----	----	----	----	500 UNCH
5070	----	----	88.80B/80.70A	88.80B/80.70A	----	80.90 - 5.90	.2013	----	----	----	----	2 UNCH
5085	----	----	86.70B/78.90A	86.70B/78.90A	----	79.10 - 5.70	.1973	----	----	----	----	150 UNCH
5100	----	----	84.50B/76.90A	84.50B/76.90A	----	77.30 - 5.60	.1934	----	----	----	----	156 UNCH
5150	----	----	78.60B/71.40A	78.60B/71.40A	----	71.70 - 5.30	.1811	----	----	----	----	650 UNCH
5170	----	----	76.40B/69.30A	76.40B/69.30A	----	69.60 - 5.10	.1765	----	----	----	----	260 UNCH
5180	----	----	75.20B/68.30A	75.20B/68.30A	----	68.60 - 5.00	.1742	----	----	----	----	3 UNCH
5200	----	----	73.00B/66.30A	73.00B/66.30A	----	66.60 - 4.90	.1697	----	----	----	----	584 UNCH
5210	----	----	71.80B/65.30A	71.80B/65.30A	----	65.60 - 4.90	.1675	----	----	----	----	3 UNCH
5215	65.60	65.60	71.30B/64.90A	71.30B/64.90A	----	65.10 NEW	.1663	----	----	9	----	9 + 9
5250	----	----	67.90B/61.50A	67.90B/61.50A	----	61.90 - 4.60	.1590	----	----	----	----	94 UNCH
5300	----	----	63.10B/57.40A	63.10B/57.40A	----	57.60 - 4.40	.1491	----	----	----	----	347 UNCH
5350	----	----	58.80B/53.40A	58.80B/53.40A	----	53.70 - 4.10	.1399	----	----	----	----	3 UNCH
5360	----	----	58.00B/52.70A	58.00B/52.70A	----	53.00 - 4.00	.1382	----	----	----	----	325 UNCH
5400	----	----	54.60B/49.90A	54.60B/49.90A	----	50.10 - 3.90	.1313	----	----	----	----	701 UNCH
5450	----	----	50.80B/47.10A	50.80B/47.10A	----	46.80 - 3.70	.1234	----	----	----	----	4 UNCH
5470	----	----	49.70B/45.90A	49.70B/45.90A	----	45.60 - 3.50	.1204	----	----	----	----	1 UNCH
5500	----	----	47.60B/44.20A	47.60B/44.20A	----	43.80 - 3.40	.1160	----	----	----	----	1562 UNCH
5535	----	----	----/42.30A	43.20B/42.30A	----	41.90 - 3.20	.1113	----	----	----	----	1 UNCH
5545	----	----	----/41.80A	42.60B/41.80A	----	41.30 - 3.30	.1099	----	----	----	----	8 UNCH
5600	----	----	----/39.00A	39.50B/39.00A	----	38.50 - 3.10	.1029	----	----	----	----	239 UNCH
5700	----	----	----/34.80A	34.50B/34.80A	----	34.10 - 2.70	.0917	----	----	----	----	1 UNCH
5750	----	----	----/32.80A	32.30B/32.80A	----	32.10 - 2.50	.0865	----	----	----	----	149 UNCH
5800	----	----	----/31.00A	30.30B/31.00A	----	30.30 - 2.40	.0819	----	----	----	----	3 UNCH
5840	----	----	----/29.70A	28.80B/29.70A	----	29.00 - 2.20	.0784	----	----	----	----	2 UNCH
5870	----	----	----/28.90A	27.80B/28.90A	----	28.00 - 2.20	.0758	----	----	----	----	3 UNCH
5875	----	----	----/28.70A	27.70B/28.70A	----	27.80 - 2.20	.0754	----	----	----	----	84 UNCH
5900	----	----	----/28.00A	26.80B/28.00A	----	27.10 - 2.10	.0735	----	----	----	----	26 UNCH
5975	----	----	----/25.90A	23.80B/25.90A	----	25.00 - 2.00	.0679	----	----	----	----	21 UNCH
6000	24.70	24.70	24.70/24.70	24.70/24.70	----	24.40 - 1.90	.0663	----	----	3	----	752 + 3
6025	----	----	----/24.70A	22.50B/24.70A	----	23.80 - 1.80	.0646	----	----	----	----	125 UNCH
6050	----	----	----/24.20A	21.90B/24.20A	----	23.20 - 1.70	.0630	----	----	----	----	3 UNCH
6100	----	----	----/23.10A	20.80B/23.10A	----	22.10 - 1.60	.0600	----	----	----	----	370 UNCH
6250	----	----	----/20.30A	18.10B/20.30A	----	19.20 - 1.40	.0521	----	----	----	----	254 UNCH
6500	----	----	----	14.50B/16.90A	----	15.60 - 1.10	.0421	----	----	----	----	790 UNCH
7000	11.50	11.50	11.50/11.50	11.50/11.50	----	11.30 - 0.60	.0297	----	----	3	----	398 + 3
7500	----	----	----	8.00B/10.20A	----	9.00 - 0.20	.0228	----	----	----	----	478 UNCH
8000	----	----	----	6.60B/8.60A	----	7.60 UNCH	.0186	----	----	----	----	465 UNCH
8500	----	----	----	5.60B/7.50A	----	6.60 + 0.10	.0156	----	----	----	----	169 UNCH
9000	----	----	----	4.80B/6.70A	----	5.80 + 0.10	.0133	----	----	----	----	130 UNCH
9500	----	----	----	4.20B/6.00A	----	5.10 UNCH	.0114	----	----	----	----	72 UNCH
10000	----	----	----	3.80B/5.60A	----	4.70 UNCH	.0102	----	----	----	----	119 UNCH
TOTAL										33		15764+ 32
JUL27												
4310	----	----	336.10B/309.90A	336.10B/309.90A	----	314.60 - 15.00	.5446	----	----	----	----	2 UNCH
4315	----	----	333.20B/307.70A	333.20B/307.70A	----	312.20 - 15.00	.5420	----	----	----	----	2 UNCH
4325	----	----	328.30B/303.60A	328.30B/303.60A	----	307.60 - 14.90	.5368	----	----	----	----	2 UNCH
4335	----	----	324.00B/299.20A	324.00B/299.20A	----	303.10 - 14.70	.5316	----	----	----	----	3 UNCH
4340	----	----	321.70B/296.80A	321.70B/296.80A	----	300.80 - 14.70	.5290	----	----	----	----	2 UNCH
4345	----	----	318.80B/294.60A	318.80B/294.60A	----	298.60 - 14.60	.5264	----	----	----	----	1 UNCH
4350	----	----	316.40B/292.60A	316.40B/292.60A	----	296.40 - 14.60	.5238	----	----	----	----	16 UNCH
4360	----	----	312.10B/288.30A	312.10B/288.30A	----	292.00 - 14.50	.5186	----	----	----	----	28 UNCH
4370	----	----	307.70B/284.00A	307.70B/284.00A	----	287.60 - 14.40	.5135	----	----	----	----	2 UNCH
4375	----	----	305.70B/282.10A	305.70B/282.10A	----	285.50 - 14.30	.5109	----	----	----	----	2 UNCH
4475	----	----	264.10B/242.50A	264.10B/242.50A	----	245.50 - 13.40	.4606	----	----	----	----	1 UNCH
4500	----	----	254.50B/233.40A	254.50B/233.40A	----	236.30 - 13.20	.4483	----	----	5	----	4 + 2
4505	----	----	252.30B/232.10A	252.30B/232.10A	----	234.60 - 13.10	.4459	----	----	----	----	2 UNCH
4535	----	----	241.50B/221.40A	241.50B/221.40A	----	224.10 - 12.80	.4315	----	----	----	----	38 UNCH
4540	----	----	238.60B/219.80A	238.60B/219.80A	----	222.40 - 12.80	.4291	----	----	----	----	2 UNCH
4565	----	----	231.00B/212.00A	231.00B/212.00A	----	214.20 - 12.40	.4175	----	----	----	----	1 UNCH
4600	----	----	219.30B/200.90A	219.30B/200.90A	----	203.10 - 12.10	.4014	----	----	----	----	40 UNCH
4700	----	----	188.40B/173.30A	188.40B/173.30A	----	174.90 - 10.40	.3580	----	----	----	----	24 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL27												
4750	----	----	174.80B/160.90A	174.80B/160.90A	----	162.50 - 9.40	.3379	----	----	----	----	10 UNCH
4800	----	----	162.60B/149.50A	162.60B/149.50A	----	151.00 - 8.60	.3187	----	----	----	----	1 UNCH
4835	----	----	154.30B/142.10A	154.30B/142.10A	----	143.50 - 8.10	.3058	----	----	----	----	70 UNCH
4900	----	----	139.70B/129.30A	139.70B/129.30A	----	130.50 - 7.40	.2831	----	----	----	----	10 UNCH
4990	----	----	123.00B/113.60A	123.00B/113.60A	----	114.60 - 6.70	.2541	----	----	----	----	10 UNCH
5000	----	----	121.00B/112.00A	121.00B/112.00A	----	113.00 - 6.60	.2511	----	----	----	----	620 UNCH
5200	----	----	91.50B/84.90A	91.50B/84.90A	----	85.20 - 5.30	.1974	----	----	----	----	1 UNCH
5225	----	----	88.30B/82.10A	88.30B/82.10A	----	82.30 - 5.20	.1915	----	----	----	----	2 UNCH
5250	----	----	85.70B/79.40A	85.70B/79.40A	----	79.50 - 5.00	.1859	----	----	----	----	20 UNCH
5300	----	----	79.50B/74.20A	79.50B/74.20A	----	74.30 - 4.70	.1751	----	----	----	----	12 UNCH
5400	----	----	70.00B/65.10A	70.00B/65.10A	----	65.10 - 4.10	.1557	----	----	----	----	17 UNCH
5495	----	----	61.90B/57.60A	61.90B/57.60A	----	57.50 - 3.80	.1393	----	----	----	----	1 UNCH
5500	----	----	61.40B/57.10A	61.40B/57.10A	----	57.10 - 3.80	.1384	----	----	----	----	39 UNCH
5620	----	----	----/50.60A	52.50B/50.60A	----	49.20 - 3.40	.1208	----	----	----	----	1 UNCH
5850	----	----	----/38.70A	37.50B/38.70A	----	37.70 - 2.80	.0942	----	----	----	----	20 UNCH
6750	----	----	----	15.20B/19.70A	----	17.50 - 0.80	.0436	----	----	----	----	9 UNCH
TOTAL										5		1015 + 2
AUG27												
4185	----	----	----/395.40A	392.60B/395.40A	----	395.20 - 16.10	.6068	----	----	----	----	1 UNCH
4200	----	----	----/387.60A	384.60B/387.60A	----	387.40 - 15.80	.5996	----	----	----	----	1 UNCH
4210	----	----	----/382.50A	379.40B/382.50A	----	382.20 - 15.70	.5947	----	----	----	----	2 UNCH
4220	----	----	----/377.40A	374.20B/377.40A	----	377.00 - 15.60	.5898	----	----	----	----	1 UNCH
4300	----	----	----/338.20A	334.90B/338.20A	----	337.80 - 15.00	.5506	----	----	----	----	3 UNCH
4305	----	----	----/335.50A	332.60B/335.50A	----	335.50 - 14.90	.5481	----	----	----	----	2 UNCH
4310	----	----	----/333.70A	330.30B/333.70A	----	333.20 - 14.90	.5456	----	----	----	----	1 UNCH
4315	----	----	----/331.00A	328.00B/331.00A	----	330.80 - 14.90	.5432	----	----	----	----	3 UNCH
4320	----	----	----/327.60A	325.70B/327.60A	----	328.60 - 14.80	.5407	----	----	----	----	1 UNCH
4350	----	----	----/314.50A	312.20B/314.50A	----	315.10 - 14.70	.5261	----	----	----	----	2 UNCH
4360	----	----	----/310.20A	307.80B/310.20A	----	310.70 - 14.70	.5212	----	----	----	----	5 UNCH
4365	----	----	----/307.70A	305.70B/307.70A	----	308.50 - 14.70	.5188	----	----	----	----	3 UNCH
4370	----	----	----/307.50A	303.50B/307.50A	----	306.30 - 14.80	.5163	----	----	----	----	150 UNCH
4465	----	----	----/267.40A	268.70B/267.40A	----	267.80 - 14.60	.4711	----	----	----	----	2 UNCH
4535	----	----	----/242.70A	243.30B/242.70A	----	242.50 - 14.40	.4390	----	----	----	----	3 UNCH
5000	----	----	----/128.30A	127.60B/128.30A	----	127.70 - 8.20	.2656	----	----	----	----	24 UNCH
5100	----	----	----/112.40A	111.80B/112.40A	----	111.70 - 7.00	.2374	----	----	----	----	5 UNCH
5200	----	----	----/98.80A	97.90B/98.80A	----	98.00 - 6.30	.2123	----	----	----	----	2 UNCH
5210	----	----	----/97.50A	96.60B/97.50A	----	96.70 - 6.30	.2099	----	----	----	----	3 UNCH
5220	----	----	----/96.30A	95.80B/96.30A	----	95.50 - 6.20	.2076	----	----	----	----	16 UNCH
5250	----	----	----/92.60A	91.90B/92.60A	----	91.80 - 6.30	.2007	----	----	----	----	20 UNCH
5300	----	----	----/86.90A	85.90B/86.90A	----	86.20 - 6.20	.1900	----	----	----	----	1 UNCH
5350	----	----	----/81.60A	81.30B/81.60A	----	81.00 - 6.00	.1798	----	----	----	----	1 UNCH
5400	----	----	----/76.90A	76.30B/76.90A	----	76.10 - 5.90	.1702	----	----	----	----	2 UNCH
5500	----	----	----/68.40A	67.60B/68.40A	----	67.60 - 5.20	.1530	----	----	----	----	2000 UNCH
5505	----	----	----/68.10A	66.90B/68.10A	----	67.20 - 5.20	.1522	----	----	----	----	300 UNCH
5525	----	----	----/66.60A	65.60B/66.60A	----	65.70 - 5.00	.1490	----	----	----	----	59 UNCH
5550	----	----	----/64.40A	63.10B/64.40A	----	63.80 - 4.90	.1451	----	----	----	----	2000 UNCH
5925	----	----	----/44.50A	40.60B/44.50A	----	42.70 - 2.60	.0998	----	----	----	----	65 UNCH
6750	21.50	21.50	21.50/21.50	21.50/21.50	----	21.60 - 1.00	.0508	----	----	6	----	238 + 6
TOTAL										6		4916 + 6
SEP27												
4500	----	----	----	154.50B/425.00A	----	289.90 - 13.90	.4779	----	----	----	----	1 UNCH
4560	----	----	----	135.60B/400.50A	----	268.40 - 13.10	.4521	----	----	----	----	4 UNCH
5225	----	----	----	16.00B/217.00A	----	122.10 - 5.60	.2381	----	----	----	----	2 UNCH
5580	----	----	----	0.10B/168.60A	----	91.00 - 2.50	.1785	----	----	----	----	300 UNCH
6000	----	----	----	0.10B/132.90A	----	67.20 - 0.60	.1316	----	----	----	----	2 UNCH
6100	----	----	----	0.10B/126.80A	----	61.50 - 0.40	.1213	----	----	----	----	4 UNCH
6200	----	----	----	0.10B/121.40A	----	56.40 - 0.40	.1119	----	----	----	----	2 UNCH
TOTAL												315 0
OCT27												
5250	----	----	----	----	----	128.30 - 7.70	.2414	----	----	----	----	1 UNCH
5295	----	----	----	----	----	122.00 - 7.50	.2313	----	----	----	----	1 UNCH
5350	----	----	----	----	----	115.20 - 7.10	.2199	----	----	----	----	1 UNCH
5395	----	----	----	----	----	110.00 - 6.90	.2111	----	----	----	----	1 UNCH
5500	----	----	----	----	----	98.10 - 6.30	.1912	----	----	----	----	200 UNCH
TOTAL												204 0
DEC27												
4500	----	----	----	----	----	369.10 - 14.80	.5070	----	----	----	----	175 UNCH
4860	----	----	----	----	----	251.20 - 11.60	.3830	----	----	----	----	100 UNCH
5000	----	----	----	----	----	217.70 - 10.50	.3420	----	----	----	----	54 UNCH
5650	----	----	----	----	----	119.50 - 6.70	.2048	----	----	----	----	200 UNCH
5700	----	----	----	----	----	114.60 - 6.40	.1972	----	----	----	----	150 UNCH
5800	----	----	----	----	----	105.30 - 6.10	.1828	----	----	----	----	200 UNCH
5880	----	----	----	----	----	98.50 - 5.80	.1721	----	----	----	----	125 UNCH
6300	----	----	----	----	----	70.40 - 4.30	.1267	----	----	----	----	18 UNCH
7500	----	----	----	----	----	33.80 - 2.40	.0621	----	----	----	----	70 UNCH
7800	----	----	----	----	----	30.20 - 2.10	.0549	----	----	----	----	284 UNCH
10000	----	----	----	15.00B/----	----	20.60 - 1.30	.0332	----	----	----	----	104 UNCH
10500	----	----	----	----	----	19.20 - 1.20	.0303	----	----	----	----	10 UNCH
TOTAL												1490 0
FEB28												
4400	----	----	----	----	----	465.10 - 16.10	.5614	----	----	----	----	2 UNCH
4450	----	----	----	----	----	441.90 - 15.70	.5435	----	----	----	----	2 UNCH
TOTAL												4 0
MAY28												
5000	----	----	----	----	----	326.90 - 12.40	.4091	----	----	----	----	20 UNCH
TOTAL												20 0
JUL28												
5000	----	----	----	----	----	356.80 - 12.70	.4250	----	----	----	----	25 UNCH
TOTAL												25 0
DEC28												
5000	----	----	----	----	----	445.20 - 13.50	.4609	----	----	----	----	50 UNCH
5500	----	----	----	----	----	332.10 - 10.90	.3616	----	----	----	----	1 UNCH
5750	----	----	----	----	----	293.10 - 9.90	.3231	----	----	----	----	100 UNCH
TOTAL												151 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MMG MON		MICRO GOLD WEEKLY MONDAY OPTION WEE										
OCT26												
4050	----	----	----	----	----	0.00 - 0.20	----	----	----	----	----	0 - 1
4075	7.50	7.50	7.50/7.50	7.50/7.50	----	8.80 NEW	.1324	----	----	1	----	1 + 1
4220	10.50	10.50	10.50/10.50	10.50/10.50	----	29.40 NEW	1.0000	----	----	1	----	0 UNCH
4255	10.00	10.00	10.00/10.00	10.00/10.00	----	0.00 NEW	----	----	----	1	----	0 UNCH
4300	----	----	----	----	----	9.30 - 8.50	.1469	----	----	----	----	3 UNCH
TOTAL										3		4 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK3										
OCT26												
3500	----	----	----	----/0.20A	----	0.10 - 0.10	.0001	----	----	----	----	54 UNCH
3600	----	----	----/0.70A	0.60B/0.70A	----	0.60 - 0.20	.0056	----	----	----	----	18 UNCH
3700	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
3700	1.10	1.10	1.10/1.10	1.20B/1.10	----	1.20 NEW	.0117	----	----	1	----	1 + 1
3775	----	----	2.20B/1.90A	2.20B/1.90A	----	1.90 - 0.20	.0195	----	----	----	----	0 UNCH
3800	----	----	2.60B/2.20A	2.60B/2.20A	----	2.20 - 0.20	.0230	----	----	----	----	1 UNCH
3800	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3825	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	28 UNCH
3825	----	----	3.20B/2.60A	3.20B/2.60A	----	2.60 - 0.20	.0276	----	----	----	----	0 UNCH
3850	----	----	----	----/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	4 UNCH
3850	----	----	3.80B/3.10A	3.80B/3.10A	----	3.10 - 0.20	.0334	----	----	----	----	2 UNCH
3875	----	----	1.80B/1.00A	1.80B/1.00A	----	1.30 - 0.20	.0163	----	----	----	----	10 UNCH
3875	----	----	4.70B/3.70A	4.70B/3.70A	----	3.80 - 0.20	.0412	----	----	----	----	8 UNCH
3900	----	----	2.30B/1.30A	2.30B/1.30A	----	1.60 - 0.20	.0207	----	----	1	----	110 - 1
3900	----	----	----/0.20A	0.20B/0.20A	----	0.10 - 0.20	.0001	----	----	----	----	12 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWW WED GOLD WEEKLY WEDNESDAY OPTION WEEK4
OCT26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3900	----	----	5.80B/4.40A	5.80B/4.40A	----	4.70 - 0.10	.0510	----	----	----	----	5 UNCH
3905	----	----	----/0.20A	0.30B/0.20A	----	0.10 - 0.20	.0001	----	----	----	----	5 UNCH
3920	----	----	----/0.20A	0.30B/0.20A	----	0.10 - 0.20	.0003	----	----	----	----	5 UNCH
3925	----	----	3.00B/1.70A	3.00B/1.70A	----	2.10 - 0.20	.0277	----	----	----	----	1 UNCH
3925	----	----	----/0.20A	0.30B/0.20A	----	0.10 - 0.30	.0004	----	----	----	----	2 UNCH
3940	0.60	0.60	0.60/0.20A	0.60/0.20A	----	0.20 - 0.20	.0010	----	----	2	----	8 + 2
3945	----	----	----/0.20A	0.50B/0.20A	----	0.20 - 0.30	.0010	----	----	----	----	3 UNCH
3950	----	----	9.00B/6.30A	9.00B/6.30A	----	7.20 + 0.20	.0782	----	----	----	----	5 UNCH
3950	----	----	4.00B/2.30A	4.00B/2.30A	----	2.80 - 0.10	.0374	----	----	----	----	4 UNCH
3950	----	----	----/0.30A	0.50B/0.30A	----	0.30 - 0.20	.0017	----	----	----	----	56 UNCH
3970	0.30	0.30	0.70B/0.30	0.70B/0.30	----	0.30 NEW	.0019	----	----	1	----	1 + 1
3975	----	----	5.40B/3.20A	5.40B/3.20A	----	3.70 UNCH	.0501	----	----	2	----	10 + 2
3975	----	----	11.30B/7.70A	11.30B/7.70A	----	9.00 + 0.40	.0971	----	----	----	----	5 UNCH
3975	----	----	0.70B/0.40A	0.70B/0.40A	----	0.40 - 0.20	.0028	----	----	----	----	36 UNCH
3990	----	----	0.90B/0.30A	0.90B/0.30A	----	0.50 NEW	.0039	----	----	7	----	7 + 7
3995	0.50	0.50	1.00B/0.30A	1.00B/0.30A	----	0.50 NEW	.0040	----	----	1	----	1 + 1
4000	----	----	7.30B/4.40A	7.30B/4.40A	----	5.10 + 0.20	.0689	----	----	2	----	42 - 2
4000	----	----	14.20B/9.50A	14.20B/9.50A	----	11.40 + 0.70	.1211	----	----	----	----	22 UNCH
4000	0.80	0.80	1.10/0.40	1.10/0.40	----	0.60 - 0.20	.0050	----	----	27	----	51 + 21
4010	----	----	1.40B/0.40A	1.40B/0.40A	----	0.70 - 0.30	.0063	----	----	1	----	1 UNCH
4025	----	----	9.80B/5.70A	9.80B/5.70A	----	6.90 + 0.50	.0930	----	----	----	----	19 UNCH
4025	1.10	1.10	1.80B/0.50A	1.80B/0.50A	----	0.90 - 0.30	.0090	----	----	1	----	32 + 1
4025	----	----	17.80B/11.90A	17.80B/11.90A	----	14.50 + 1.20	.1507	----	----	----	----	2 UNCH
4030	1.00	1.00	2.00B/0.60A	2.00B/0.60A	----	1.00 NEW	.0104	----	----	15	----	13 + 13
4035	----	----	2.20B/0.60A	2.20B/0.60A	----	1.00 - 0.40	.0108	----	----	----	----	5 UNCH
4040	----	----	2.40B/0.70A	2.40B/0.70A	----	1.20 - 0.30	.0135	----	----	----	----	4 UNCH
4045	1.00	1.00	2.80B/0.80A	2.80B/0.80A	----	1.30 - 0.30	.0151	----	----	8	----	26 + 7
4050	----	----	22.70B/14.90A	22.70B/14.90A	----	18.50 + 1.80	.1866	----	----	1	----	20 + 1
4050	2.10	2.10	3.00B/0.90	3.00B/0.90	----	1.40 - 0.40	.0169	----	----	66	100	201 + 31
4050	10.60	10.60	13.20B/7.50A	13.20B/7.50A	----	9.50 + 1.00	.1259	----	----	40	----	140 + 12
4060	1.10	1.10	3.70B/1.10	3.70B/1.10	----	1.80 - 0.30	.0233	----	----	1	----	2 + 1
4065	2.00	2.00	4.10B/1.30A	4.10B/1.30A	----	2.00 - 0.30	.0268	----	----	3	----	3 UNCH
4070	----	----	4.50B/1.50A	4.50B/1.50A	----	2.20 - 0.40	.0305	----	----	----	----	2 UNCH
4075	13.80	13.80	17.70B/9.80A	17.70B/9.80A	----	13.00 + 1.60	.1683	----	----	12	----	103 + 3
4075	----	----	28.40B/18.50A	28.40B/18.50A	----	23.60 + 2.60	.2293	----	----	----	----	1 UNCH
4075	----	----	167.40B/108.90A	167.40B/108.90A	----	118.00 - 26.10	.9642	----	----	----	----	4 UNCH
4075	2.00	2.00	5.00B/1.70A	5.00B/1.70A	----	2.50 - 0.30	.0357	----	----	3	----	132 UNCH
4080	3.60	3.60	5.50B/2.00A	5.50B/2.00A	----	2.70 - 0.40	.0399	----	----	1	----	5 + 1
4080	----	----	162.50B/104.50A	162.50B/104.50A	----	113.30 - 26.00	.9600	----	----	----	----	0 UNCH
4090	----	----	6.80B/2.60A	6.80B/2.60A	----	3.50 - 0.20	.0545	----	----	----	----	2 UNCH
4095	----	----	7.50B/3.00A	7.50B/3.00A	----	3.90 - 0.20	.0623	----	----	----	----	4 UNCH
4100	----	----	23.60B/13.10A	23.60B/13.10A	----	17.80 + 2.50	.2219	----	----	----	----	25 UNCH
4100	----	----	153.10B/102.40A	153.10B/102.40A	----	108.30 - 23.20	.7777	----	----	----	----	2 UNCH
4100	29.00	29.00	35.50B/23.10A	35.50B/23.10A	----	29.90 + 3.60	.2780	----	----	1	----	4 + 1
4100	----	----	143.40B/87.20A	143.40B/87.20A	----	95.00 - 25.80	.9279	----	----	----	----	2 UNCH
4100	4.00	4.00	8.30B/3.40A	8.30B/3.40A	----	4.40 - 0.10	.0720	----	----	18	----	443 - 8
4105	----	----	138.80B/83.10A	138.80B/83.10A	----	90.50 NEW	.9178	----	----	3	----	3 + 3
4105	----	----	9.10B/3.80A	9.10B/3.80A	----	4.90 NEW	.0820	----	----	6	----	6 + 6
4110	6.30	6.30	10.10B/4.20A	10.10B/4.20A	----	5.50 UNCH	.0939	----	----	13	----	13 + 9
4115	----	----	11.10B/4.60A	11.10B/4.60A	----	6.20 + 0.20	.1077	----	----	----	----	6 UNCH
4115	----	----	129.40B/75.00A	129.40B/75.00A	----	81.80 NEW	.8922	----	----	1	----	1 + 1
4120	6.60	6.60	12.20B/5.00A	12.20B/5.00A	----	6.90 + 0.30	.1220	----	----	2	----	7 + 2
4120	----	----	124.80B/71.10A	124.80B/71.10A	----	77.50 NEW	.8779	----	----	1	----	1 + 1
4125	----	----	132.10B/84.90A	132.10B/84.90A	----	89.60 - 22.10	.7133	----	----	----	----	7 UNCH
4125	----	----	31.00B/17.40A	31.00B/17.40A	----	24.10 + 3.60	.2864	----	----	----	----	14 UNCH
4125	----	----	44.00B/28.70A	44.00B/28.70A	----	37.50 + 4.60	.3322	----	----	----	----	3 UNCH
4125	8.40	8.40	13.40B/5.40A	13.40B/5.40A	----	7.80 + 0.50	.1393	----	----	58	----	205 + 37
4125	----	----	120.20B/67.30A	120.20B/67.30A	----	73.40 - 25.10	.8606	----	----	1	----	9 + 1
4130	----	----	115.60B/63.70A	115.60B/63.70A	----	69.30 - 24.90	.8426	----	----	----	----	1 UNCH
4130	9.50	9.50	14.70B/6.00A	14.70B/6.00A	----	8.70 + 0.70	.1572	----	----	14	----	15 + 14
4135	----	----	16.00B/6.50A	16.00B/6.50A	----	9.70 + 0.90	.1770	----	----	3	----	6 + 3
4140	11.30	11.30	17.50B/7.10A	17.50B/7.10A	----	10.80 + 1.20	.1984	----	----	2	----	3 + 2
4140	----	----	106.80B/56.60A	106.80B/56.60A	----	61.40 - 24.50	.8014	----	----	----	----	28 UNCH
4145	11.60	11.60	19.10B/7.80A	19.10B/7.80A	----	12.00 NEW	.2216	----	----	1	----	1 + 1
4150	----	----	112.50B/69.00A	112.50B/69.00A	----	72.70 - 20.70	.6393	----	----	----	----	16 UNCH
4150	----	----	54.00B/35.80A	54.00B/35.80A	----	46.70 + 5.90	.3911	----	----	2	----	43 + 2
4150	86.50	86.50	122.00B/83.90A	122.00B/83.90A	----	87.30 - 19.70	.6084	----	----	7	----	12 + 7
4150	52.00	52.00	97.90B/49.90A	97.90B/49.90A	----	53.90 - 23.90	.7536	----	----	4	----	20 UNCH
4150	14.20	14.20	20.90B/8.70A	20.90B/8.70A	----	13.30 + 1.70	.2463	----	----	44	----	52 - 7
4155	----	----	93.60B/46.50A	93.60B/46.50A	----	50.40 - 23.50	.7265	----	----	----	----	23 UNCH
4155	----	----	22.70B/9.40A	22.70B/9.40A	----	14.80 NEW	.2733	----	----	1	----	1 + 1
4165	----	----	26.70B/11.20A	26.70B/11.20A	----	18.00 + 2.90	.3306	----	----	3	----	2 UNCH
4170	----	----	28.90B/12.20A	28.90B/12.20A	----	19.80 NEW	.3613	----	----	2	----	2 + 2
4170	38.60	38.60	81.20B/36.90A	81.20B/36.90A	----	40.40 NEW	.6386	----	----	2	----	1 + 1
4175	----	----	94.30B/54.60A	94.30B/54.60A	----	57.80 - 19.00	.5580	----	----	----	----	23 UNCH
4175	----	----	105.50B/70.20A	105.50B/70.20A	----	73.20 - 18.30	.5465	----	----	----	----	8 UNCH
4175	----	----	65.80B/43.70A	65.80B/43.70A	----	57.60 NEW	.4530	----	----	1	----	1 + 1
4175	----	----	51.40B/29.80A	51.40B/29.80A	----	42.20 + 6.70	.4417	----	----	----	----	14 UNCH
4175	18.30	18.30	31.20B/13.50A	31.20B/13.50A	----	21.80 + 3.80	.3933	----	----	34	----	134 + 17
4175	----	----	77.30B/34.10A	77.30B/34.10A	----	37.40 - 21.90	.6065	----	----	1	----	17 UNCH
4180	24.70	24.70	33.70B/14.90A	33.70B/14.90A	----	23.90 + 4.30	.4260	----	----	28	----	28 + 26
4180	----	----	73.40B/31.40A	73.40B/31.40A	----	34.50 - 21.40	.5738	----	----	1	----	2 + 1
4185	28.00	28.00	36.20B/16.20A	36.20B/16.20A	----	26.10 NEW	.4593	----	----	53	----	23 + 23
4190	44.80	44.80	65.80B/26.30A	65.80B/26.30A	----	29.10 NEW	.5068	----	----	4	----	4 + 4
4190	31.80	31.80	38.90B/17.50A	38.90B/17.50A	----	28.50 NEW	.4931	----	----	17	----	15 + 15
4195	27.10	27.10	62.20B/24.00A	62.20B/24.00A	----	26.60 NEW	.4729	----	----	2	----	2 + 2
4195	29.10	29.10	41.80B/19.00A	41.80B/19.00A	----	31.00 + 5.90	.5269	----	----	3	----	5 + 3
4200	----	----	64.70B/38.40A	64.70B/38.40A	----	54.40 + 8.50	.5260	----	----	----	----	1 UNCH
4200	----	----	90.20B/58.10A	90.20B/58.10A	----	60.80 - 16.70	.4837	----	----	----	----	28 UNCH
4200	----	----	79.00B/53.40A	79.00B/53.40A	----	70.10 + 8.90	.5158	----	----	----	----	6 UNCH
4200	----	----	78.00B/42.30A	78.00B/42.30A	----	45.00 - 17.20	.4736	----	----	----	----	1 UNCH
4200	30.70	30.70	58.90B/21.80A	58.90B/21.80A	----	24.20 - 19.30	.4390	----	----	100	----	320 + 68
4200	32.60	32.60	44.60B/20.60A	44.60B/20.60A	----	33.60 + 6.40	.5608	----	----	5	----	40 + 5
4205	24.00	24.00	47.80B/22.10A	47.80B/22.10A	----	36.40 NEW	.5943	----	----	1	----	1 + 1
4205	22.50	22.50	55.40B/19.80	55.40B/19.80	----	22.00 NEW	.4056	----	----	8	----	8 + 8
4210	----	----	53.00B/18.00A	53.00B/18.00A	----	20.00 - 18.00	.3730	----	----	----	----	1 UNCH
4215	23.30	23.30	50.20B/16.20A	50.20B/16.20A	----	18.10 - 17.30	.3412	----	----	3	----	14 - 1
4215	----	----	54.20B/25.90A	54.20B/25.90A	----	42.50 + 8.40	.6586	----	----	----	----	2 UNCH
4220	----	----	57.60B/27.70A	57.60B/27.70A	----	45.70 + 9.00	.6895	----	----	----	----	2 UNCH
4220	23.80	23.80	47.20B/14.60A	47.20B/14.60A	----	16.30 - 16.70	.3103	----	----	16	----	17 + 5
4225	----	----	64.00B/32.20A	64.00B/32.20A	----	34.40 - 15.10	.3908	----	----	----	----	207 UNCH
4225	----	----	61.30B/30.00A	61.30B/30.00A	----	49.10 + 9.80	.7187	----	----	----	----	40 UNCH
4225	16.70	16.70	44.30B/12.80	44.30B/12.80	----	14.70 - 16.00	.2812	----	----	33	----	234 - 4
4230	13.90	13.90	41.60B/11.70A	41.60B/11.70A	----	13.20 - 15.20	.2534	----	----	5	----	4 UNCH
4235	----	----	68.70B/34.60A	68.70B/34.60A	----	56.20 + 11.10	.7729	----	----	1	----	1 + 1
4235	23.00	23.00	38.90B/10.30	38.90B/10.30	----	11.80 - 14.60	.2269	----	----	14	----	13 + 12
4240	10.10	10.10	36.40B/9.40A	36.40B/9.40A	----	10.50 - 13.90	.2019	----	----	3	----	6 + 3
4245	13.20	13.20	34.00B/8.40A	34.00B/8.40A	----	9.40 NEW	.1797	----	----	2	----	2 + 2
4250	----	----	96.80B/61.50A	96.80B/61.50A	----	85.10 + 12.60	.6862	----	----	----	----	3 UNCH
4250	----	----	51.50B/24.10A	51.50B/24.10A	----	25.80 - 13.10	.3135	----	----	----	----	25 UNCH
4250	----	----	109.20B/77.70A	109.20B/77.70A	----	100.00 NEW	.6365	----	----	2	----	2 + 2
4250	28.50	28.50	31.80B/7.40A	31.80B/7.40A	----	8.30 - 12.50	.1580	----	----	159	----	137 + 75
4250	----	----	80.40B/42.30A	80.40B/42.30A	----	67.70 + 13.20	.8419	----	----	----	----	6 UNCH
4255	19.00	19.00	29.60B/6.60A	29.60B/6.60A	----	7.40 NEW	.1393	----	----	202	----	49 + 49
4260	15.80	15.80	27.50B/5.90A	27.50B/5.90A	----	6.60 - 11.00	.1226	----	----	4	----	3 + 1
4265	----	----	25.40B/5.30A	25.40B/5.30A	----	5.80 - 10.40	.1064	----	----	2	----	4 UNCH
4270	7.00	7.00	23.50B/4.70A	23.50B/4.70A	----	5.10 NEW	.0921	----	----	3	----	1 + 1
4275	----	----	40.70B/17.80A	40.70B/17.80A	----	19.10 - 11.10	.2453	----	----	2	----	12 + 2
4275	----	----	21.80B/4.10A	21.80B/4.10A	----	4.50 - 9.10	.0797	----	----	2	----	14 - 1
4275	----	----	54.10B/31.10A	54.10B/31.10A	----	32.70 - 12.30	.3076	----	----	----	----	14 UNCH
4275	----	----	101.90B/57.50A	101.90B/57.50A	----	88.90 + 16.60	.9202	----	----	1	----	2 + 1
4280	----	----	20.20B/3.60A	20.20B/3.60A	----	4.00 - 8.50	.0692	----	----	1	----	5 UNCH
4285	----	----	18.60B/3.20A	18.60B/3.20A	----	3.60 - 7.80	.0607	----	----	3	----	11 + 1
4290	----	----	17.20B/2.90A	17.20B/2.90A	----	3.10 NEW	.0511	----	----	2	----	2 + 2
4295	----	----	15.80B/2.50A	15.80B/2.50A	----	2.80 - 6.70	.0448	----	----	2	----	16 + 2
4300	----	----	124.60B/75.20A	124.60B/75.20A	----	111.80 + 19.40	.9611	----	----	1	----	10 + 1
4300	----	----	44.70B/24.90A	44.70B/24.90A	----	26.10 - 10.90	.2573	----	----	----	----	6 UNCH
4300	----	----	31.80B/13.00A	31.80B/13.00A	----	13.90 - 9.20	.1872	----	----	----	----	16 UNCH
4300	5.30	5.30	14.70B/2.20	14.70B/2.20	----	2.50 - 6.20	.0388	----	----	52	----	202 + 40
4305	----	----	13.30B/2.00A	13.30B/2.00A	----	2.20 - 5.70	.0331	----	----	1	----	3 + 1
4310	1.90	1.90	12.30B/1.70A	12.30B/1.70A	----	2.00 NEW	.0291	----	----	3	----	3 + 3
4315	1.80	1.80	11.30B/1.50A	11.30B/1.50A	----	1.70 - 4.90	.0240	----	----	2	----	4 + 2
4320	----	----	10.20B/1.40A	10.20B/1.40A	----	1.60 - 4.40	.0218	----	----	----	----	8 UNCH
4320	----	----	143.60B/90.80A	143.60B/90.80A	----	130.90 + 21.20	.9781	----	----	1	----	2 + 1
4325	----	----	36.80B/19.90A	36.80B/19.90A	----	20.80 - 9.40	.2131	----	----	----	----	1 UNCH
4325	12.00	12.00	24.50B/9.50A	24.50B/9.50A	----	10.10 - 7.40	.1406	----	----	3	----	14 + 3
4325	----	----	9.40B/1.20A	9.40B/1.20A	----	1.40 - 4.10	.0184	----	----	----	----	263 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 38

FINAL

GWW WED GOLD WEEKLY WEDNESDAY OPTION WEEK2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OCT26												
4325	----	----	148.40B/94.90A	148.40B/94.90A	----	135.80 + 21.70	.9815	----	----	----	----	108 UNCH
4330	----	----	8.50B/1.10A	8.50B/1.10A	----	1.30 NEW	.0165	----	----	1	----	1 + 1
4330	----	----	153.20B/99.00A	153.20B/99.00A	----	140.60 + 21.90	.9834	----	----	----	----	1 UNCH
4335	----	----	7.80B/1.00A	7.80B/1.00A	----	1.10 - 3.50	.0134	----	----	1	----	0 - 1
4340	----	----	7.20B/0.90A	7.20B/0.90A	----	1.00 - 3.20	.0117	----	----	----	----	10 UNCH
4340	----	----	162.90B/107.50A	162.90B/107.50A	----	150.40 + 22.60	.9882	----	----	----	----	1 UNCH
4350	----	----	18.60B/6.90A	18.60B/6.90A	----	7.40 - 5.90	.1051	----	----	----	----	11 UNCH
4350	0.80	0.80	6.00B/0.80	6.00B/0.80	----	0.80 - 2.70	.0087	----	----	9	----	37 + 9
4350	19.50	19.50	29.90B/15.80A	29.90B/15.80A	----	16.50 - 8.00	.1749	----	----	1	----	24 + 1
4350	----	----	172.60B/116.10A	172.60B/116.10A	----	160.20 + 23.00	.9912	----	----	----	----	2 UNCH
4355	----	----	5.40B/0.70A	5.40B/0.70A	----	0.70 - 2.50	.0073	----	----	----	----	5 UNCH
4360	----	----	4.90B/0.60A	4.90B/0.60A	----	0.70 - 2.30	.0071	----	----	----	----	3 UNCH
4365	----	----	4.50B/0.60A	4.50B/0.60A	----	0.60 - 2.10	.0058	----	----	----	----	3 UNCH
4370	0.70	0.70	4.10B/0.50A	4.10B/0.50A	----	0.60 - 1.90	.0056	----	----	9	----	11 + 8
4375	----	----	14.20B/5.10A	14.20B/5.10A	----	5.40 - 4.70	.0777	----	----	3	----	27 + 1
4375	0.50	0.50	3.70B/0.50	3.70B/0.50	----	0.50 - 1.80	.0045	----	----	1	----	28 UNCH
4375	----	----	197.10B/138.80A	197.10B/138.80A	----	184.90 + 23.90	.9955	----	----	----	----	24 UNCH
4390	----	----	2.70B/0.40A	2.70B/0.40A	----	0.40 - 1.50	.0032	----	----	----	----	3 UNCH
4400	1.90	1.90	2.50/0.40	2.50/0.40	----	0.30 - 1.30	.0022	----	----	16	----	135 + 9
4400	14.00	14.00	19.50B/10.00A	19.50B/10.00A	----	10.40 - 5.60	.1159	----	----	2	----	54 + 2
4400	----	----	221.90B/162.40A	221.90B/162.40A	----	209.70 + 24.50	.9978	----	----	----	----	15 UNCH
4400	----	----	10.80B/3.80A	10.80B/3.80A	----	3.90 - 3.80	.0567	----	----	1	----	1 - 1
4425	----	----	8.30B/2.80A	8.30B/2.80A	----	2.90 - 3.00	.0420	----	----	50	----	100 + 41
4425	----	----	246.60B/186.40A	246.60B/186.40A	----	234.60 + 24.80	.9988	----	----	----	----	9 UNCH
4425	----	----	16.10B/7.90A	16.10B/7.90A	----	8.30 - 4.70	.0941	----	----	1	----	3 + 1
4425	----	----	1.50B/0.30A	1.50B/0.30A	----	0.20 - 1.00	.0012	----	----	----	----	27 UNCH
4450	2.20	2.20	6.20B/2.10A	6.20B/2.10A	----	2.20 NEW	.0315	----	----	3	----	3 + 3
4450	----	----	271.60B/210.80A	271.60B/210.80A	----	259.50 + 25.00	.9998	----	----	----	----	14 UNCH
4450	----	----	13.10B/6.40A	13.10B/6.40A	----	6.70 - 3.80	.0767	----	----	----	----	10 UNCH
4450	----	----	----/0.30A	0.90B/0.30A	----	0.10 - 0.80	.0003	----	----	----	----	27 UNCH
4455	----	----	0.90B/0.20A	0.90B/0.20A	----	0.10 - 0.70	.0002	----	----	7	----	7 UNCH
4460	----	----	----/0.20A	0.70B/0.20A	----	0.10 - 0.70	.0001	----	----	----	----	6 UNCH
4475	----	----	4.80B/1.70A	4.80B/1.70A	----	1.70 - 1.80	.0240	----	----	1	----	1 UNCH
4475	----	----	----/0.20A	0.70B/0.20A	----	0.10 - 0.60	.0000	----	----	----	----	12 UNCH
4500	----	----	8.50B/4.20A	8.50B/4.20A	----	4.40 - 2.60	.0510	----	----	----	----	2 UNCH
4500	----	----	----/0.20A	0.50B/0.20A	----	0.10 - 0.40	.0000	----	----	----	----	16 UNCH
4525	----	----	345.80B/291.10A	345.80B/291.10A	----	335.30 + 24.70	.9851	----	----	----	----	1 UNCH
4525	----	----	----/0.20A	0.30B/0.20A	----	0.10 - 0.30	.0000	----	----	----	----	149 UNCH
4550	----	----	5.90B/3.10A	5.90B/3.10A	----	3.00 - 1.80	.0347	----	----	----	----	5 UNCH
4550	2.20	2.20	2.20/0.90A	2.20/0.90A	----	1.00 NEW	.0129	----	----	5	----	5 + 5
4550	----	----	----/0.10A	0.20B/0.10A	----	0.10 - 0.30	----	----	----	----	----	2 UNCH
4575	----	----	1.70B/0.70A	1.70B/0.70A	----	0.80 - 0.70	.0101	----	----	----	----	6 UNCH
4575	----	----	----/0.10A	0.20B/0.10A	----	0.10 - 0.20	----	----	----	----	----	7 UNCH
4600	----	----	4.10B/2.30A	4.10B/2.30A	----	2.10 - 1.30	.0240	----	----	----	----	1 UNCH
4600	----	----	1.40B/0.60A	1.40B/0.60A	----	0.70 - 0.60	.0086	----	----	----	----	3 UNCH
4600	----	----	----/0.10A	0.10B/0.10A	----	0.10 - 0.10	----	----	----	----	----	17 UNCH
4625	----	----	----/0.60A	1.10B/0.60A	----	0.60 - 0.50	.0071	----	----	----	----	1 UNCH
4625	----	----	----	----/0.30A	----	0.10 - 0.10	----	----	----	----	----	6 UNCH
4650	----	----	----/0.50A	0.90B/0.50A	----	0.60 - 0.30	.0068	----	----	----	----	5 UNCH
4650	----	----	----	----/0.30A	----	0.10 - 0.10	----	----	----	----	----	51 UNCH
4675	----	----	----/0.60A	0.80B/0.60A	----	0.50 - 0.30	.0055	----	----	----	----	2 UNCH
4675	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
4700	----	----	----/0.50A	0.70B/0.50A	----	0.40 - 0.30	.0044	----	----	----	----	2 UNCH
4700	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
4725	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
4750	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
4775	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
4800	----	----	----/0.40A	0.40B/0.40A	----	0.30 - 0.20	.0029	----	----	----	----	4 UNCH
4825	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
4850	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
4900	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	16 UNCH
5100	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
TOTAL										1279	100	5370 + 638
NOV26												
3600	----	----	----/1.90A	1.80B/1.90A	----	1.80 NEW	.0145	----	----	1	----	1 + 1
3750	----	----	4.50B/4.00A	4.50B/4.00A	----	4.00 NEW	.0340	----	----	1	----	1 + 1
3850	----	----	8.70B/----	8.70B/7.40A	----	7.60 + 0.30	.0649	----	----	----	----	1 UNCH
3900	----	----	12.40B/9.60A	12.40B/9.60A	----	10.70 + 0.60	.0904	----	----	2	----	3 + 2
3925	----	----	14.90B/11.30A	14.90B/11.30A	----	12.90 NEW	.1075	----	----	2	----	2 + 2
3950	13.00	13.00	17.90B/13.00	17.90B/13.00	----	15.50 NEW	.1273	----	----	2	----	1 + 1
3975	----	----	21.50B/15.80A	21.50B/15.80A	----	18.80 + 1.30	.1510	----	----	----	----	12 UNCH
4050	----	----	37.20B/26.90A	37.20B/26.90A	----	32.90 NEW	.2430	----	----	1	----	1 + 1
4075	44.40	44.40	44.40/32.10A	44.40/32.10A	----	39.50 NEW	.2812	----	----	23	----	23 + 23
4100	----	----	52.00B/38.10A	52.00B/38.10A	----	47.10 NEW	.3224	----	----	10	----	10 + 10
4125	50.60	50.60	61.30B/45.10A	61.30B/45.10A	----	55.80 NEW	.3663	----	----	13	----	13 + 13
4150	----	----	135.00B/103.40A	135.00B/103.40A	----	106.30 - 19.20	.5869	----	----	----	----	50 UNCH
4175	98.00	98.00	119.50B/90.10A	119.50B/90.10A	----	92.60 NEW	.5394	----	----	14	----	14 + 14
4175	76.50	76.50	83.70B/62.50A	83.70B/62.50A	----	77.10 NEW	.4599	----	----	28	----	28 + 28
4200	89.90	89.90	97.20B/72.90A	97.20B/72.90A	----	90.10 NEW	.5076	----	----	8	----	8 + 8
4200	81.20	81.20	108.50B/78.00A	108.50B/78.00A	----	80.70 NEW	.4917	----	----	5	----	5 + 5
4225	74.60	74.60	95.30B/67.30A	95.30B/67.30A	----	69.40 - 15.30	.4444	----	----	18	----	27 + 18
4225	104.50	104.50	111.20B/84.70A	111.20B/84.70A	----	103.70 NEW	.5549	----	----	14	----	14 + 14
4250	116.60	116.60	123.50B/97.10A	123.50B/97.10A	----	118.80 NEW	.6009	----	----	9	----	9 + 9
4250	77.80	77.80	83.20B/57.70A	83.20B/57.70A	----	59.50 NEW	.3985	----	----	18	----	18 + 18
4275	69.40	69.40	72.60B/49.40A	72.60B/49.40A	----	50.70 NEW	.3544	----	----	9	----	9 + 9
4300	----	----	63.00B/41.90A	63.00B/41.90A	----	43.20 NEW	.3133	----	----	18	----	18 + 18
4325	----	----	54.50B/35.50A	54.50B/35.50A	----	36.50 NEW	.2746	----	----	9	----	9 + 9
4400	30.00	30.00	34.60B/21.40	34.60B/21.40	----	21.90 - 7.20	.1797	----	----	9	----	29 + 4
5250	----	----	----	0.70B/1.10A	----	0.80 - 0.20	.0057	----	----	----	----	1 UNCH
TOTAL										214		307 + 208

GWT TUE GOLD WEEKLY TUESDAY OPTION Week3

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OCT26												
3250	----	----	987.50B/931.60A	987.50B/931.60A	----	940.60 - 25.70	1.0000	----	----	----	----	0 UNCH
3500	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3600	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3700	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0020	----	----	----	----	6 UNCH
3750	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	70 UNCH
3800	----	----	----/0.40A	0.60B/0.40A	----	0.50 - 0.20	.0057	----	----	----	----	5 UNCH
3800	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
3830	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	21 UNCH
3840	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
3850	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3875	----	----	1.40B/0.80A	1.40B/0.80A	----	1.00 - 0.20	.0126	----	----	----	----	13 UNCH
3900	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3925	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	----	----	----	3	----	3 UNCH
3925	----	----	2.30B/1.20A	2.30B/1.20A	----	1.60 - 0.20	.0217	----	----	----	----	1 UNCH
3930	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	21 UNCH
3940	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
3950	----	----	3.10B/1.70A	3.10B/1.70A	----	2.10 - 0.20	.0292	----	----	----	----	21 UNCH
3950	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3950	----	----	287.80B/230.10A	287.80B/230.10A	----	240.70 - 25.60	1.0000	----	----	----	----	1 UNCH
3960	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
3965	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
3975	3.20	3.20	4.30B/2.30A	4.30B/2.30A	----	2.80 - 0.10	.0398	----	----	3	----	5 + 3
3975	----	----	----/0.10A	0.10B/0.10A	----	0.10 - 0.10	----	----	----	----	----	7 UNCH
3985	----	----	----/0.10A	0.10B/0.10A	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
3990	----	----	----/0.10A	0.10B/0.10A	----	0.10 - 0.10	----	----	----	----	----	10 UNCH
4000	----	----	----/0.10A	0.10B/0.10A	----	0.10 - 0.10	----	----	----	----	----	54 UNCH
4000	5.10	5.10	5.90B/3.30A	5.90B/3.30A	----	3.90 UNCH	.0560	----	----	1	----	7 + 1
4015	----	----	----/0.20A	0.30B/0.20A	----	0.10 NEW	----	----	----	4	----	4 + 4
4020	0.40	0.40	0.40/0.20A	0.40/0.20A	----	0.10 - 0.30	----	----	----	15	----	16 + 15
4025	----	----	8.20B/4.60A	8.20B/4.60A	----	5.50 + 0.30	.0788	----	----	1	----	17 + 1
4025	0.30	0.30	0.30/0.20	0.30/0.20	----	0.10 - 0.30	.0000	----	----	2	----	79 + 2
4030	0.30	0.30	0.30/0.20	0.40B/0.20	----	0.10 - 0.30	.0000	----	----	3	----	7 + 3
4035	----	----	----/0.20A	0.40B/0.20A	----	0.10 - 0.40	.0000	----	----	----	----	10 UNCH
4040	----	----	----/0.20A	0.50B/0.20A	----	0.10 - 0.40	.0000	----	----	----	----	1 UNCH
4045	----	----	191.90B/135.50A	191.90B/135.50A	----	145.70 - 26.10	1.0000	----	----	----	----	4 UNCH
4045	0.50	0.50	0.50/0.20A	0.50/0.20A	----	0.10 NEW	.0000	----	----	1	----	1 + 1
4050	----	----	191.20B/129.30A	191.20B/129.30A	----	140.70 - 26.20	.9999	----	----	----	----	4 UNCH
4050	0.20	0.20	0.20/0.20	0.60B/0.20	----	0.10 - 0.50	.0001	----	----	1	----	74 + 1
4050	8.00	8.00	11.30B/6.20A	11.30B/6.20A	----	7.80 + 0.70	.1104	----	----	86	----	46 + 43

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OCT26												
4060	0.40	0.40	0.40/0.10	0.70B/0.10	----	0.20 NEW	.0005	----	----	3	----	3 + 3
4065	0.50	0.50	0.70/0.20A	0.80B/0.20A	----	0.20 - 0.60	.0005	----	----	3	----	11 + 2
4065	----	----	176.30B/114.60A	176.30B/114.60A	----	125.80 - 26.30	.9994	----	----	----	----	3 UNCH
4070	0.70	0.70	0.70/0.20A	0.90B/0.20A	----	0.20 - 0.70	.0006	----	----	26	----	38 + 26
4075	----	----	15.50B/8.30A	15.50B/8.30A	----	10.90 + 1.20	.1516	----	----	----	----	36 UNCH
4075	1.00	1.00	1.10B/0.20	1.10B/0.20	----	0.30 - 0.70	.0011	----	----	28	----	83 + 19
4075	----	----	166.40B/104.90A	166.40B/104.90A	----	115.90 - 26.30	.9988	----	----	----	----	2 UNCH
4080	0.50	0.50	1.20B/0.20	1.20B/0.20	----	0.30 - 0.80	.0012	----	----	12	----	14 + 11
4085	----	----	1.40B/0.30A	1.40B/0.30A	----	0.40 - 0.80	.0019	----	----	----	----	3 UNCH
4090	0.80	0.80	1.60B/0.30	1.60B/0.30	----	0.50 - 0.80	.0028	----	----	6	----	4 + 4
4095	1.00	1.00	1.90B/0.30	1.90B/0.30	----	0.50 - 1.00	.0030	----	----	8	----	21 + 7
4100	----	----	151.30B/99.90A	151.30B/99.90A	----	105.90 - 23.50	.7934	----	----	----	----	2 UNCH
4100	1.70	1.70	2.20B/0.40	2.20B/0.40	----	0.60 - 1.10	.0042	----	----	300	----	303 + 194
4100	----	----	141.80B/81.20A	141.80B/81.20A	----	91.20 - 26.70	.9957	----	----	----	----	3 UNCH
4100	16.60	16.60	21.00B/11.20A	21.00B/11.20A	----	15.40 + 2.20	.2063	----	----	21	----	49 + 17
4105	----	----	136.90B/76.50A	136.90B/76.50A	----	86.30 - 26.80	.9943	----	----	----	----	20 UNCH
4105	1.90	1.90	2.60B/0.40	2.60B/0.40	----	0.70 - 1.20	.0056	----	----	20	----	21 + 19
4110	1.20	1.20	3.00/0.50	3.00/0.50	----	0.90 - 1.20	.0084	----	----	24	----	42 + 21
4110	81.00	81.00	132.00B/72.00A	132.00B/72.00A	----	81.50 - 26.80	.9915	----	----	4	----	34 UNCH
4115	----	----	127.10B/67.50A	127.10B/67.50A	----	76.60 - 27.00	.9895	----	----	----	----	27 UNCH
4115	3.50	3.50	3.50/0.60A	3.50/0.60A	----	1.00 - 1.30	.0104	----	----	23	----	42 + 18
4120	----	----	122.10B/63.00A	122.10B/63.00A	----	71.80 - 27.10	.9857	----	----	----	----	4 UNCH
4120	2.10	2.10	4.10B/0.80A	4.10B/0.80A	----	1.20 - 1.40	.0141	----	----	29	----	48 + 23
4125	21.10	21.10	28.20B/15.20A	28.20B/15.20A	----	21.30 + 3.30	.2728	----	----	8	----	12 + 8
4125	64.80	64.80	117.20B/58.60A	117.20B/58.60A	----	67.10 - 27.10	.9797	----	----	2	----	8 UNCH
4125	3.00	3.00	4.80B/0.90A	4.80B/0.90A	----	1.50 - 1.50	.0202	----	----	235	----	198 - 38
4130	2.10	2.10	5.50/1.10	5.50/1.10	----	1.80 - 1.60	.0272	----	----	24	----	22 + 21
4135	3.20	3.20	6.40B/1.20	6.40B/1.20	----	2.20 - 1.60	.0373	----	----	17	----	19 + 10
4140	----	----	103.10B/46.40A	103.10B/46.40A	----	53.20 - 27.40	.9509	----	----	1	----	61 + 1
4140	4.50	4.50	7.40B/1.70A	7.40B/1.70A	----	2.60 - 1.70	.0490	----	----	65	----	111 + 42
4145	----	----	98.30B/42.40A	98.30B/42.40A	----	48.80 - 27.30	.9333	----	----	----	----	2 UNCH
4145	5.20	5.20	8.60B/2.10A	8.60B/2.10A	----	3.20 NEW	.0665	----	----	22	----	11 + 11
4150	----	----	110.10B/65.90A	110.10B/65.90A	----	69.70 - 20.90	.6485	----	----	----	----	4 UNCH
4150	----	----	93.80B/38.80A	93.80B/38.80A	----	44.40 - 27.40	.9132	----	----	6	----	11 + 2
4150	5.30	5.30	10.00/2.50	10.00/2.50	----	3.80 - 1.70	.0867	----	----	172	30	153 + 111
4150	----	----	37.30B/20.50A	37.30B/20.50A	----	29.10 + 4.70	.3512	----	----	----	----	21 UNCH
4155	----	----	89.20B/35.00A	89.20B/35.00A	----	40.20 - 27.30	.8861	----	----	1	----	2 UNCH
4155	7.30	7.30	11.30B/3.20A	11.30B/3.20A	----	4.60 - 1.60	.1138	----	----	32	----	40 + 17
4160	----	----	84.40B/31.20A	84.40B/31.20A	----	36.20 - 27.10	.8515	----	----	2	----	5 + 2
4160	6.90	6.90	12.90B/3.90A	12.90B/3.90A	----	5.60 - 1.40	.1484	----	----	36	----	36 + 25
4165	8.80	8.80	14.70B/4.70A	14.70B/4.70A	----	6.70 - 1.30	.1886	----	----	6	----	6 + 3
4165	----	----	79.90B/27.60A	79.90B/27.60A	----	32.30 NEW	.8113	----	----	1	----	1 + 1
4170	5.60	5.60	16.70B/5.30A	16.70B/5.30A	----	8.00 - 1.00	.2364	----	----	58	----	31 + 24
4170	30.00	30.00	75.50B/24.20A	75.50B/24.20A	----	28.60 NEW	.7635	----	----	3	----	3 + 3
4175	----	----	91.70B/51.40A	91.70B/51.40A	----	54.60 - 19.20	.5616	----	----	----	----	3 UNCH
4175	12.80	12.80	18.90B/6.40A	18.90B/6.40A	----	9.50 - 0.70	.2912	----	----	73	----	93 + 11
4175	22.60	22.60	71.20B/21.00A	71.20B/21.00A	----	25.10 - 26.30	.7087	----	----	9	----	21 - 1
4175	----	----	48.40B/27.00A	48.40B/27.00A	----	39.00 + 6.40	.4381	----	----	----	----	1 UNCH
4180	12.20	12.20	21.30B/6.70A	21.30B/6.70A	----	11.30 - 0.20	.3534	----	----	63	----	52 + 41
4180	21.20	21.20	66.90B/18.10A	66.90B/18.10A	----	21.90 - 25.80	.6465	----	----	37	----	31 + 30
4185	18.50	18.50	62.70B/15.40A	62.70B/15.40A	----	18.80 - 25.40	.5798	----	----	9	----	5 + 2
4185	12.20	12.20	24.00B/7.70A	24.00B/7.70A	----	13.30 + 0.40	.4201	----	----	13	----	15 + 10
4190	16.00	16.00	58.70B/13.00A	58.70B/13.00A	----	16.10 NEW	.5098	----	----	36	----	35 + 35
4190	15.00	15.00	26.80B/8.50A	26.80B/8.50A	----	15.50 + 1.00	.4901	----	----	33	----	68 + 3
4195	20.80	20.80	29.70B/9.60A	29.70B/9.60A	----	18.00 + 1.80	.5614	----	----	17	----	35 + 15
4195	13.60	13.60	54.70B/10.90A	54.70B/10.90A	----	13.60 NEW	.4384	----	----	14	----	13 + 13
4200	45.30	45.30	50.80B/9.10A	50.80B/9.10A	----	11.40 - 23.00	.3686	----	----	174	----	338 + 68
4200	19.30	19.30	33.10B/11.20A	33.10B/11.20A	----	20.80 + 2.70	.6313	----	----	32	----	187 + 13
4200	----	----	75.00B/39.10A	75.00B/39.10A	----	41.80 - 17.20	.4709	----	----	----	----	19 UNCH
4205	16.00	16.00	47.00B/7.60A	47.00B/7.60A	----	9.50 - 21.90	.3030	----	----	27	----	22 + 20
4205	----	----	36.50B/12.20A	36.50B/12.20A	----	23.90 NEW	.6969	----	----	16	----	14 + 14
4210	9.10	9.10	43.70B/6.20A	43.70B/6.20A	----	7.80 - 20.90	.2427	----	----	17	----	19 + 6
4210	14.70	14.70	40.10B/13.70A	40.10B/13.70A	----	27.20 + 4.80	.7572	----	----	2	----	3 + 1
4215	32.10	32.10	43.80B/15.40A	43.80B/15.40A	----	30.80 NEW	.8092	----	----	2	----	2 + 2
4215	12.40	12.40	40.00B/5.00A	40.00B/5.00A	----	6.40 - 19.60	.1907	----	----	59	----	54 + 49
4220	----	----	47.70B/17.00A	47.70B/17.00A	----	34.60 + 7.30	.8536	----	----	----	----	12 UNCH
4220	20.00	20.00	37.10B/4.10A	37.10B/4.10A	----	5.20 - 18.40	.1463	----	----	73	----	43 + 19
4225	----	----	76.80B/46.10A	76.80B/46.10A	----	65.60 + 10.60	.6180	----	----	----	----	1 UNCH
4225	----	----	60.90B/29.10A	60.90B/29.10A	----	31.20 - 15.10	.3817	----	----	45	----	62 + 44
4225	----	----	51.90B/19.10A	51.90B/19.10A	----	38.60 + 8.60	.8899	----	----	2	----	26 UNCH
4225	26.70	26.70	33.90B/3.30A	33.90B/3.30A	----	4.20 - 17.10	.1100	----	----	134	----	143 - 38
4230	----	----	56.10B/21.40A	56.10B/21.40A	----	42.80 + 9.90	.9182	----	----	----	----	1 UNCH
4230	28.00	28.00	31.40B/2.70A	31.40B/2.70A	----	3.40 - 15.80	.0816	----	----	24	----	23 + 8
4235	7.50	7.50	28.70B/2.20A	28.70B/2.20A	----	2.70 - 14.60	.0588	----	----	11	30	139 + 39
4235	----	----	60.40B/23.70A	60.40B/23.70A	----	47.10 + 11.10	.9411	----	----	----	----	1 UNCH
4240	----	----	64.80B/25.80A	64.80B/25.80A	----	51.60 + 12.40	.9570	----	----	1	----	0 - 1
4240	8.00	8.00	25.80B/1.70	25.80B/1.70	----	2.20 - 13.30	.0429	----	----	97	----	71 + 58
4245	14.00	14.00	23.50B/1.40A	23.50B/1.40A	----	1.80 - 12.00	.0312	----	----	17	----	11 + 10
4245	----	----	69.30B/28.60A	69.30B/28.60A	----	56.20 NEW	.9687	----	----	1	----	1 + 1
4250	----	----	48.00B/21.20A	48.00B/21.20A	----	22.90 - 12.90	.2997	----	----	----	----	15 UNCH
4250	----	----	73.90B/31.30A	73.90B/31.30A	----	60.80 + 14.80	.9769	----	----	4	----	67 + 3
4250	13.00	13.00	21.30B/1.20A	21.30B/1.20A	----	1.50 - 10.80	.0230	----	----	107	----	132 + 23
4255	18.10	18.10	19.10B/1.00A	19.10B/1.00A	----	1.20 - 9.80	.0161	----	----	24	----	36 + 11
4260	3.10	3.10	17.20B/0.80A	17.20B/0.80A	----	1.00 - 8.70	.0118	----	----	17	----	18 + 13
4265	----	----	15.50B/0.70A	15.50B/0.70A	----	0.80 NEW	.0081	----	----	4	----	4 + 4
4270	0.50	0.50	13.80B/0.50	13.80B/0.50	----	0.70 - 6.90	.0063	----	----	1	----	39 + 1
4270	----	----	92.60B/44.40A	92.60B/44.40A	----	80.10 + 18.80	.9936	----	----	----	----	1 UNCH
4275	----	----	37.60B/15.30A	37.60B/15.30A	----	16.40 - 10.80	.2277	----	----	----	----	12 UNCH
4275	10.00	10.00	12.10B/0.50A	12.10B/0.50A	----	0.60 - 6.10	.0047	----	----	16	----	111 + 8
4275	----	----	97.40B/47.90A	97.40B/47.90A	----	85.00 + 19.60	.9952	----	----	----	----	23 UNCH
4280	2.00	2.00	10.80B/0.40	10.80B/0.40	----	0.50 - 5.40	.0034	----	----	26	----	28 + 24
4285	7.70	7.70	10.10/0.30	10.10/0.30	----	0.40 - 4.80	.0023	----	----	14	----	17 + 10
4290	----	----	8.50B/0.40A	8.50B/0.40A	----	0.40 - 4.20	.0022	----	----	----	----	2 UNCH
4295	----	----	7.50B/0.30A	7.50B/0.30A	----	0.30 - 3.80	.0013	----	----	2	----	6 + 2
4300	----	----	28.70B/10.90A	28.70B/10.90A	----	11.60 - 8.90	.1685	----	----	----	----	22 UNCH
4300	6.00	6.00	6.70B/0.20	6.70B/0.20	----	0.20 - 3.40	.0007	----	----	44	----	160 + 15
4300	----	----	121.80B/66.90A	121.80B/66.90A	----	109.60 + 22.40	.9993	----	----	----	----	27 UNCH
4305	5.20	5.20	5.80B/0.20A	5.80B/0.20A	----	0.20 - 2.90	.0006	----	----	3	----	4 + 3
4310	1.80	1.80	5.10B/0.20	5.10B/0.20	----	0.10 - 2.70	.0002	----	----	6	----	9 + 5
4310	116.30	116.30	131.80B/75.30A	131.80B/75.30A	----	119.50 + 23.10	.9998	----	----	1	----	4 - 1
4315	4.50	4.50	4.60B/0.20	4.60B/0.20	----	0.10 - 2.40	.0001	----	----	9	----	10 + 6
4320	----	----	4.00B/0.20A	4.00B/0.20A	----	0.10 - 2.10	.0000	----	----	----	----	4 UNCH
4325	----	----	21.80B/7.70A	21.80B/7.70A	----	8.20 - 7.10	.1227	----	----	----	----	20 UNCH
4325	----	----	3.60B/0.20A	3.60B/0.20A	----	0.10 - 1.80	.0000	----	----	1	----	169 - 1
4325	----	----	146.60B/88.50A	146.60B/88.50A	----	134.50 + 23.90	1.0000	----	----	----	----	8 UNCH
4335	----	----	2.70B/0.20A	2.70B/0.20A	----	0.10 - 1.40	.0000	----	----	----	----	21 UNCH
4340	----	----	2.40B/0.20A	2.40B/0.20A	----	0.10 - 1.30	.0000	----	----	2	----	5 UNCH
4345	----	----	2.00B/0.10A	2.00B/0.10A	----	0.10 - 1.10	----	----	----	----	----	2 UNCH
4350	----	----	178.00B/126.60A	178.00B/126.60A	----	165.10 + 20.20	.9115	----	----	----	----	4 UNCH
4350	----	----	16.20B/5.50A	16.20B/5.50A	----	5.80 - 5.60	.0883	----	----	----	----	13 UNCH
4350	----	----	171.50B/111.60A	171.50B/111.60A	----	159.50 + 24.70	1.0000	----	----	----	----	17 UNCH
4350	0.60	0.60	1.80B/0.10A	1.80B/0.10A	----	0.10 - 1.00	----	----	----	3	----	141 + 1
4355	1.50	1.50	1.70B/0.10A	1.70B/0.10A	----	0.10 NEW	----	----	----	1	----	1 + 1
4360	0.50	0.50	1.50B/0.10A	1.50B/0.10A	----	0.10 NEW	----	----	----	3	----	3 + 3
4370	1.20	1.20	1.20/0.10	1.20/0.10	----	0.10 NEW	----	----	----	2	----	1 + 1
4375	9.50	9.50	12.00B/3.90A	12.00B/3.90A	----	4.20 - 4.30	.0640	----	----	50	----	57 UNCH
4375	----	----	1.00B/0.10A	1.00B/0.10A	----	0.10 - 0.60	----	----	----	----	----	23 UNCH
4375	----	----	196.30B/135.40A	196.30B/135.40A	----	184.50 + 25.10	1.0000	----	----	----	----	6 UNCH
4385	1.00	1.00	1.00/0.10A	1.00/0.10A	----	0.10 NEW	----	----	----	1	----	1 + 1
4395	----	----	0.70B/0.10A	0.70B/0.10A	----	0.10 - 0.40	----	----	----	----	----	2 UNCH
4400	0.10	0.10	0.60B/0.10	0.60B/0.10	----	0.10 - 0.40	----	----	----	2	----	103 + 1
4400	----	----	221.40B/159.90A	221.40B/159.90A	----	209.50 + 25.30	1.0000	----	----	----	----	54 UNCH
4400	4.00	4.00	9.10B/2.90A	9.10B/2.90A	----	3.00 - 3.30	.0457	----	----	1	----	12 + 1
4410	0.50	0.50	0.50/0.10A	0.50/0.10A	----	0.10 NEW	----	----	----	2	----	2 + 2
4425	----	----	----/0.10A	0.40B/0.10A	----	0.10 - 0.30	----	----	----	1	----	27 - 1
4425	----	----	243.40B/189.50A	243.40B/189.50A	----	234.50 + 25.50	1.0000	----	----	----	----	1 UNCH
4425	----	----	6.70B/2.10A	6.70B/2.10A	----	2.20 - 2.50	.0331	----	----	----	----	11 UNCH
4440	0.40	0.40	0.40/0.10A	0.40/0.10A	----	0.10 - 0.20	----	----	----	4	----	25 + 2
4450	----	----	----/0.10A	0.20B/0.10A	----	0.10 - 0.20	----	----	----	----	----	33 UNCH
4460	0.40	0.40	0.40/0.10A	0.40/0.10A	----	0.10 NEW	----	----	----	8	----	8 + 8
4475	----	----	----/0.10A	0.10B/0.10A	----	0.10 - 0.10	----	----	----	2	----	7 UNCH
4500	----	----	2.70B/1.00A	2.70B/1.00A	----	1.10 - 1.10	.0152	----	----	----	----	1 UNCH
4500	----	----	----	----/0.20A	----	0.10 - 0.10	----	----	----	----	----	31 UNCH
4525	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	31 UNCH
4550	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	24 UNCH
4550	----	----	1.60B/0.70A	1.60B/0.70A	----	0.80 - 0.60	.0103	----	----	----	----	1 UNCH
4575	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	35 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week3

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OCT26												
4600	----	----	----/0.50A	1.00B/0.50A	----	0.60 - 0.40	.0072	----	----	----	----	5 UNCH
4600	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	14 UNCH
4625	----	----	----/0.50A	0.80B/0.50A	----	0.50 - 0.40	.0058	----	----	----	----	1 UNCH
4625	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	22 UNCH
4650	----	----	----/0.50A	0.70B/0.50A	----	0.40 - 0.40	.0045	----	----	----	----	7 UNCH
4650	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
4675	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
4700	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	38 UNCH
4725	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
4750	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	45 UNCH
4775	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
4800	----	----	----/0.30A	0.30B/0.30A	----	0.20 - 0.30	.0019	----	----	----	----	3 UNCH
4800	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
4900	----	----	----/0.20A	0.10B/0.20A	----	0.20 - 0.20	.0016	----	----	----	----	6 UNCH
4900	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
5000	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
5100	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
TOTAL										2717	60	5554 + 1299
NOV26												
3400	----	----	----/0.70A	0.50B/0.70A	----	0.70 - 0.10	.0051	----	----	----	----	1 UNCH
3600	2.70	2.70	2.70/2.70	2.70/2.70	----	3.10 - 0.20	.0225	----	----	3	----	4 + 3
3600	----	----	----/1.60A	1.60B/1.60A	----	1.50 - 0.30	.0124	----	----	----	----	9 UNCH
3700	4.50	4.50	4.50/4.50	4.60B/4.50	----	5.40 NEW	.0394	----	----	1	----	1 + 1
3700	----	----	----/2.60A	2.80B/2.60A	----	2.60 - 0.20	.0225	----	----	2	----	7 - 2
3750	3.00	3.00	3.80B/3.00	3.80B/3.00	----	3.30 - 0.30	.0294	----	----	4	----	7 UNCH
3775	----	----	4.50B/4.00A	4.50B/4.00A	----	3.90 - 0.20	.0348	----	----	----	----	2 UNCH
3800	----	----	8.70B/----	8.70B/9.10A	----	9.30 + 1.40	.0680	----	----	1	----	2 + 1
3800	----	----	5.20B/4.60A	5.20B/4.60A	----	4.50 - 0.20	.0406	----	----	----	----	5 UNCH
3825	----	----	6.20B/5.30A	6.20B/5.30A	----	5.30 - 0.20	.0480	----	----	2	----	6 UNCH
3850	----	----	12.20B/----	12.20B/11.40A	----	12.10 + 1.50	.0885	----	----	----	----	1 UNCH
3850	----	----	7.40B/6.10A	7.40B/6.10A	----	6.30 - 0.10	.0570	----	----	1	----	5 - 1
3875	----	----	8.90B/7.20A	8.90B/7.20A	----	7.50 UNCH	.0678	----	----	1	----	17 + 1
3875	----	----	14.40B/----	14.40B/13.10A	----	13.80 + 1.20	.1010	----	----	----	----	1 UNCH
3900	----	----	17.20B/14.90A	17.20B/14.90A	----	15.80 + 0.80	.1154	----	----	----	----	255 UNCH
3900	----	----	10.70B/8.30A	10.70B/8.30A	----	9.10 + 0.20	.0815	----	----	1	----	36 UNCH
3925	----	----	20.30B/----	20.30B/17.90A	----	18.70 + 1.10	.1341	----	----	----	----	1 UNCH
3925	----	----	13.00B/9.70A	13.00B/9.70A	----	11.10 + 0.50	.0980	----	----	----	----	1 UNCH
3950	21.60	21.60	24.00B/20.30A	24.00B/20.30A	----	22.40 NEW	.1565	----	----	1	----	1 + 1
3950	----	----	15.70B/11.50A	15.70B/11.50A	----	13.40 + 0.70	.1169	----	----	----	----	14 UNCH
3975	----	----	28.20B/23.60A	28.20B/23.60A	----	26.20 NEW	.1797	----	----	3	----	3 + 3
3975	----	----	19.00B/13.80A	19.00B/13.80A	----	16.20 + 0.80	.1391	----	----	----	----	9 UNCH
4000	----	----	33.20B/27.40A	33.20B/27.40A	----	31.00 + 2.70	.2069	----	----	3	----	253 + 3
4000	17.50	17.50	23.10B/16.50A	23.10B/16.50A	----	19.80 + 1.30	.1660	----	----	42	----	151 + 40
4025	----	----	28.00B/19.80A	28.00B/19.80A	----	24.20 + 1.90	.1970	----	----	----	----	28 UNCH
4050	----	----	219.20B/180.80A	219.20B/180.80A	----	182.70 - 21.80	.7308	----	----	----	----	1 UNCH
4050	----	----	207.80B/166.20A	207.80B/166.20A	----	169.90 - 22.90	.7668	----	----	----	----	2 UNCH
4075	28.00	28.00	40.70B/28.00	40.70B/28.00	----	35.90 + 3.60	.2718	----	----	12	----	14 + 12
4100	----	----	168.60B/130.60A	168.60B/130.60A	----	133.60 - 21.20	.6850	----	----	----	----	5 UNCH
4100	----	----	48.70B/34.60A	48.70B/34.60A	----	43.20 + 4.40	.3144	----	----	----	----	1 UNCH
4125	----	----	58.00B/41.40A	58.00B/41.40A	----	51.70 + 5.20	.3603	----	----	----	----	4 UNCH
4150	----	----	68.30B/49.10A	68.30B/49.10A	----	61.50 + 6.20	.4087	----	----	10	----	17 + 10
4150	----	----	133.60B/98.80A	133.60B/98.80A	----	102.00 - 19.50	.5906	----	----	----	----	12 UNCH
4175	73.30	73.30	80.10B/58.20A	80.10B/58.20A	----	72.80 + 7.70	.4588	----	----	15	----	506 + 2
4175	88.70	88.70	117.80B/85.70A	117.80B/85.70A	----	88.40 - 17.90	.5406	----	----	16	----	20 + 15
4200	76.00	76.00	93.40B/68.50A	93.40B/68.50A	----	85.50 + 8.90	.5092	----	----	10	----	15 + 6
4200	76.50	76.50	105.60B/73.50A	105.60B/73.50A	----	76.10 - 16.80	.4901	----	----	9	----	9 + 5
4200	----	----	106.90B/87.20A	106.90B/87.20A	----	102.70 + 10.60	.5037	----	----	----	----	1 UNCH
4225	98.70	98.70	107.80B/79.90A	107.80B/79.90A	----	99.40 NEW	.5591	----	----	5	----	5 + 5
4250	----	----	78.60B/53.50A	78.60B/53.50A	----	55.30 - 14.40	.3921	----	----	----	----	6 UNCH
4250	----	----	121.70B/92.70A	121.70B/92.70A	----	114.60 + 11.30	.6073	----	----	----	----	20 UNCH
4275	----	----	137.90B/106.20A	137.90B/106.20A	----	131.00 + 12.50	.6534	----	----	----	----	9 UNCH
4275	----	----	68.10B/45.20A	68.10B/45.20A	----	46.70 - 13.30	.3460	----	----	----	----	7 UNCH
4300	----	----	58.60B/38.00A	58.60B/38.00A	----	39.30 - 11.80	.3029	----	----	----	----	14 UNCH
4300	----	----	155.70B/127.10A	155.70B/127.10A	----	148.40 + 13.70	.6964	----	----	----	----	3 UNCH
4350	----	----	194.20B/161.40A	194.20B/161.40A	----	186.60 + 16.20	.7721	----	----	----	----	1 UNCH
4350	27.00	27.00	42.90B/26.70A	42.90B/26.70A	----	27.50 - 9.50	.2273	----	----	1	----	30 + 1
4375	----	----	36.70B/22.30A	36.70B/22.30A	----	22.90 - 8.30	.1951	----	----	----	----	119 UNCH
4400	----	----	42.80B/30.40A	42.80B/30.40A	----	30.70 - 7.80	.2139	----	----	----	----	1 UNCH
4400	----	----	31.30B/18.60A	31.30B/18.60A	----	19.10 - 7.30	.1669	----	----	----	----	17 UNCH
4425	----	----	37.20B/26.50A	37.20B/26.50A	----	26.40 NEW	.1886	----	----	1	----	1 + 1
4450	----	----	32.30B/23.00A	32.30B/23.00A	----	22.80 NEW	.1663	----	----	1	----	1 + 1
4450	----	----	22.20B/13.10A	22.20B/13.10A	----	13.30 - 5.50	.1211	----	----	----	----	5 UNCH
4475	----	----	18.80B/11.00A	18.80B/11.00A	----	11.10 - 4.80	.1028	----	----	----	----	152 UNCH
4500	----	----	15.90B/9.30A	15.90B/9.30A	----	9.40 - 4.00	.0879	----	----	500	----	515 + 500
4525	23.00	23.00	23.00/14.80A	23.00/14.80A	----	14.90 NEW	.1137	----	----	54	----	54 + 54
4525	----	----	13.50B/7.90A	13.50B/7.90A	----	7.90 - 3.50	.0747	----	----	----	----	2 UNCH
4550	----	----	11.50B/6.70A	11.50B/6.70A	----	6.70 - 3.00	.0638	----	----	----	----	350 UNCH
4575	----	----	15.70B/11.20A	15.70B/11.20A	----	11.50 - 3.00	.0891	----	----	1	----	3 + 1
4600	----	----	13.70B/9.80A	13.70B/9.80A	----	10.10 - 2.60	.0788	----	----	1	----	6 + 1
4600	----	----	8.40B/5.00A	8.40B/5.00A	----	4.90 - 2.30	.0470	----	----	----	----	4 UNCH
4625	11.50	11.50	11.50/9.00A	11.90B/9.00A	----	8.90 NEW	.0698	----	----	7	----	7 + 7
4700	----	----	4.70B/3.20A	4.70B/3.20A	----	2.90 - 1.20	.0274	----	----	----	----	1 UNCH
4800	----	----	2.80B/2.20A	2.80B/2.20A	----	1.90 - 0.70	.0173	----	----	----	----	1 UNCH
4900	2.90	2.90	2.90/2.90	3.00B/2.90	----	3.00 NEW	.0229	----	----	1	----	1 + 1
4900	----	----	----/1.70A	1.80B/1.70A	----	1.40 - 0.40	.0121	----	----	----	----	1 UNCH
TOTAL										709		2763 + 672

GWR THU — GOLD WEEKLY THURSDAY OPTION Week3

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OCT26												
3500	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
3500	----	----	----	----/0.30A	----	0.10 - 0.10	.0008	----	----	----	----	40 UNCH
3600	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	104 UNCH
3700	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	6 UNCH
3750	----	----	----	----/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	14 UNCH
3775	----	----	3.10B/2.60A	3.10B/2.60A	----	2.70 - 0.10	.0258	----	----	----	----	1 UNCH
3800	----	----	----	----/0.30A	----	0.10 - 0.20	.0003	----	----	----	----	18 UNCH
3800	1.20	1.20	1.20/0.70A	1.20/0.70A	----	0.90 - 0.20	.0102	----	----	1	----	7 + 1
3825	----	----	4.40B/3.60A	4.40B/3.60A	----	3.70 - 0.10	.0362	----	----	----	----	1 UNCH
3825	----	----	----/0.20A	0.20B/0.20A	----	0.20 - 0.10	.0012	----	----	----	----	2 UNCH
3850	----	----	5.30B/4.30A	5.30B/4.30A	----	4.40 - 0.10	.0434	----	----	----	----	2 UNCH
3850	----	----	1.80B/1.10A	1.80B/1.10A	----	1.40 NEW	.0166	----	----	1	----	1 + 1
3850	----	----	----/0.20A	0.30B/0.20A	----	0.20 - 0.20	.0013	----	----	----	----	7 UNCH
3875	----	----	----/0.30A	0.40B/0.30A	----	0.30 - 0.10	.0022	----	----	----	----	5 UNCH
3875	----	----	2.30B/1.40A	2.30B/1.40A	----	1.70 - 0.20	.0207	----	----	----	----	255 UNCH
3875	----	----	6.30B/5.10A	6.30B/5.10A	----	5.30 UNCH	.0525	----	----	----	----	2 UNCH
3900	----	----	7.80B/6.10A	7.80B/6.10A	----	6.50 + 0.10	.0642	----	----	----	----	11 UNCH
3900	----	----	----/0.30A	0.50B/0.30A	----	0.30 - 0.20	.0024	----	----	----	----	30 UNCH
3900	----	----	2.90B/1.80A	2.90B/1.80A	----	2.10 - 0.20	.0263	----	----	----	----	2 UNCH
3925	----	----	3.80B/2.40A	3.80B/2.40A	----	2.70 - 0.20	.0343	----	----	----	----	6 UNCH
3925	----	----	9.60B/7.10A	9.60B/7.10A	----	7.90 + 0.20	.0779	----	----	1	----	5 + 1
3925	----	----	0.70B/0.30A	0.70B/0.30A	----	0.40 - 0.20	.0036	----	----	----	----	59 UNCH
3950	----	----	5.00B/3.10A	5.00B/3.10A	----	3.50 - 0.10	.0450	----	----	1	----	28 + 1
3950	----	----	11.90B/8.40A	11.90B/8.40A	----	9.70 + 0.40	.0949	----	----	3	----	4 + 1
3950	----	----	1.00B/0.40A	1.00B/0.40A	----	0.60 - 0.20	.0060	----	----	----	----	11 UNCH
3955	----	----	1.10B/0.40A	1.10B/0.40A	----	0.60 NEW	.0061	----	----	1	----	1 + 1
3975	----	----	14.60B/10.20A	14.60B/10.20A	----	12.10 + 0.80	.1165	----	----	----	----	7 UNCH
3975	----	----	262.70B/206.50A	262.70B/206.50A	----	216.30 - 25.90	.9910	----	----	----	----	3 UNCH
3975	----	----	1.40B/0.50A	1.40B/0.50A	----	0.80 - 0.20	.0089	----	----	50	----	56 + 43
3975	----	----	6.60B/4.10A	6.60B/4.10A	----	4.70 + 0.10	.0604	----	----	1	----	28 UNCH
3980	0.80	0.80	1.60B/0.50A	1.60B/0.50A	----	0.90 - 0.20	.0102	----	----	1	----	2 + 1
3990	0.90	0.90	1.80B/0.60A	1.80B/0.60A	----	1.00 NEW	.0118	----	----	1	----	1 + 1
4000	2.00	2.00	2.20B/0.70A	2.20B/0.70A	----	1.20 - 0.20	.0148	----	----	8	----	125 - 2
4000	----	----	18.10B/12.40A	18.10B/12.40A	----	15.10 + 1.20	.1424	----	----	2	----	6 UNCH
4000	6.40	6.40	8.70B/5.30A	8.70B/5.30A	----	6.20 + 0.30	.0797	----	----	2	----	25 + 1
4005	----	----	2.40B/0.80A	2.40B/0.80A	----	1.30 NEW	.0163	----	----	1	----	1 + 1
4020	2.30	2.30	3.00B/1.10A	3.00B/1.10A	----	1.60 NEW	.0214	----	----	1	----	1 + 1
4025	----	----	11.50B/6.80A	11.50B/6.80A	----	8.40 + 0.80	.1064	----	----	2	----	33 UNCH
4025	----	----	3.30B/1.20A	3.30B/1.20A	----	1.80 - 0.20	.0244	----	----	50	----	125 + 46
4030	----	----	3.60B/1.30A	3.60B/1.30A	----	1.90 - 0.20	.0263	----	----	----	----	1 UNCH
4035	----	----	3.90B/1.50A	3.90B/1.50A	----	2.10 - 0.20	.0296	----	----	----	----	1 UNCH
4045	----	----	4.70B/1.80A	4.70B/1.80A	----	2.50 NEW	.0365	----	----	1	----	1 + 1
4050	----	----	27.70B/18.70A	27.70B/18.70A	----	23.40 + 2.30	.2088	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWR THU GOLD WEEKLY THURSDAY OPTION Week4

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OCT26												
4050	12.20	12.20	15.20B/8.80A	15.20B/8.80A	----	11.30 + 1.30	.1405	----	----	16	----	26 + 14
4050	----	----	5.10B/2.00A	5.10B/2.00A	----	2.80 - 0.10	.0414	----	----	102	----	962 + 99
4055	----	----	5.60B/2.30A	5.60B/2.30A	----	3.10 - 0.10	.0464	----	----	----	----	3 UNCH
4060	----	----	6.10B/2.60A	6.10B/2.60A	----	3.40 UNCH	.0516	----	----	----	----	3 UNCH
4075	4.50	4.50	7.80B/3.60A	7.80B/3.60A	----	4.50 + 0.10	.0709	----	----	125	----	165 + 108
4075	----	----	34.10B/23.00A	34.10B/23.00A	----	29.10 + 3.10	.2501	----	----	----	----	1 UNCH
4075	16.00	16.00	20.00B/11.40A	20.00B/11.40A	----	15.20 + 2.00	.1836	----	----	19	----	25 + 19
4080	----	----	8.50B/3.90A	8.50B/3.90A	----	5.00 + 0.20	.0794	----	----	----	----	1 UNCH
4090	5.70	5.70	10.10B/4.60A	10.10B/4.60A	----	6.00 + 0.40	.0972	----	----	3	----	3 + 2
4095	----	----	10.90B/5.00A	10.90B/5.00A	----	6.60 + 0.50	.1076	----	----	----	----	3 UNCH
4100	6.80	6.80	11.90B/5.40A	11.90B/5.40A	----	7.30 + 0.70	.1195	----	----	63	----	261 + 25
4100	----	----	145.20B/90.90A	145.20B/90.90A	----	97.90 - 25.00	.8804	----	----	----	----	0 UNCH
4100	20.90	20.90	26.10B/14.90A	26.10B/14.90A	----	20.30 + 2.90	.2361	----	----	12	----	16 + 3
4100	----	----	41.50B/28.20A	41.50B/28.20A	----	35.90 + 4.00	.2961	----	----	----	----	9 UNCH
4110	----	----	14.00B/6.10A	14.00B/6.10A	----	8.80 + 1.00	.1452	----	----	----	----	2 UNCH
4115	----	----	15.20B/6.80A	15.20B/6.80A	----	9.70 + 1.20	.1601	----	----	----	----	5 UNCH
4120	10.80	10.80	16.60B/7.20A	16.60B/7.20A	----	10.60 + 1.30	.1753	----	----	132	----	130 + 129
4125	----	----	122.60B/71.70A	122.60B/71.70A	----	77.20 - 24.10	.8080	----	----	6	----	15 - 5
4125	----	----	33.80B/19.50A	33.80B/19.50A	----	26.80 + 3.90	.2978	----	----	2	----	15 + 2
4125	14.20	14.20	17.70B/8.00A	17.70B/8.00A	----	11.60 + 1.60	.1918	----	----	29	----	79 - 1
4125	----	----	50.40B/34.20A	50.40B/34.20A	----	44.10 + 5.10	.3466	----	----	----	----	4 UNCH
4130	13.50	13.50	19.20B/8.50A	19.20B/8.50A	----	12.70 NEW	.2096	----	----	47	----	47 + 47
4140	----	----	22.30B/9.90A	22.30B/9.90A	----	15.20 NEW	.2486	----	----	1	----	1 + 1
4145	----	----	24.00B/10.70A	24.00B/10.70A	----	16.60 + 2.70	.2697	----	----	----	----	1 UNCH
4150	----	----	60.70B/41.80A	60.70B/41.80A	----	53.70 + 6.30	.4003	----	----	----	----	45 UNCH
4150	----	----	115.00B/71.90A	115.00B/71.90A	----	75.70 - 20.40	.6314	----	----	----	----	3 UNCH
4150	----	----	43.20B/25.40A	43.20B/25.40A	----	35.10 + 5.20	.3683	----	----	----	----	16 UNCH
4150	17.70	17.70	25.80B/11.80A	25.80B/11.80A	----	18.10 + 3.10	.2917	----	----	38	----	180 + 16
4150	----	----	125.20B/90.80A	125.20B/90.80A	----	94.20 - 19.30	.5992	----	----	----	----	1 UNCH
4150	----	----	101.10B/54.50A	101.10B/54.50A	----	58.70 - 22.60	.7081	----	----	6	----	34 - 5
4155	20.00	20.00	27.70B/12.60A	27.70B/12.60A	----	19.70 NEW	.3146	----	----	3	----	3 + 3
4160	52.80	52.80	92.90B/48.30A	92.90B/48.30A	----	51.90 - 21.90	.6615	----	----	3	----	2 + 1
4165	----	----	31.80B/14.70A	31.80B/14.70A	----	23.10 + 4.20	.3624	----	----	----	----	3 UNCH
4170	----	----	85.00B/42.10A	85.00B/42.10A	----	45.70 - 21.00	.6119	----	----	----	----	1 UNCH
4175	27.60	27.60	36.40B/17.10A	36.40B/17.10A	----	27.10 + 5.10	.4136	----	----	14	----	18 + 9
4175	40.60	40.60	81.20B/39.30A	81.20B/39.30A	----	42.70 - 20.60	.5863	----	----	8	----	6 - 2
4175	----	----	54.50B/32.60A	54.50B/32.60A	----	45.40 + 6.90	.4447	----	----	1	----	4 + 1
4175	66.00	66.00	72.30B/50.10A	72.30B/50.10A	----	64.80 + 7.70	.4561	----	----	1	----	2 + 1
4175	----	----	97.10B/57.80A	97.10B/57.80A	----	60.90 - 18.90	.5549	----	----	----	----	8 UNCH
4180	30.00	30.00	38.90B/18.40A	38.90B/18.40A	----	29.20 NEW	.4397	----	----	1	----	1 + 1
4180	----	----	77.50B/36.70A	77.50B/36.70A	----	39.80 - 20.20	.5601	----	----	1	----	1 UNCH
4185	36.30	36.30	73.80B/34.10A	73.80B/34.10A	----	37.10 NEW	.5335	----	----	2	----	2 + 2
4190	33.00	33.00	70.30B/31.60A	70.30B/31.60A	----	34.50 NEW	.5067	----	----	5	----	5 + 5
4190	31.80	31.80	44.10B/21.30A	44.10B/21.30A	----	33.90 NEW	.4932	----	----	2	----	1 + 1
4195	32.20	32.20	66.80B/29.20A	66.80B/29.20A	----	32.00 NEW	.4798	----	----	2	----	2 + 2
4200	63.70	63.70	85.50B/60.10A	85.50B/60.10A	----	77.30 + 9.00	.5126	----	----	3	----	6 + 1
4200	----	----	97.90B/65.20A	97.90B/65.20A	----	67.90 - 16.60	.4869	----	----	1	----	7 UNCH
4200	----	----	67.70B/41.50A	67.70B/41.50A	----	57.60 + 8.60	.5235	----	----	----	----	8 UNCH
4200	35.60	35.60	63.60B/27.00A	63.60B/27.00A	----	29.60 - 18.20	.4529	----	----	11	----	223 - 3
4200	44.60	44.60	49.80B/24.50A	49.80B/24.50A	----	39.00 + 7.50	.5470	----	----	2	----	18 - 2
4200	54.20	54.20	81.00B/45.50A	81.00B/45.50A	----	48.20 - 17.10	.4761	----	----	1	----	78 UNCH
4205	----	----	60.30B/25.00A	60.30B/25.00A	----	27.40 - 17.60	.4263	----	----	----	----	1 UNCH
4215	----	----	54.10B/21.20A	54.10B/21.20A	----	23.30 - 16.50	.3742	----	----	----	----	1 UNCH
4220	----	----	51.60B/19.40A	51.60B/19.40A	----	21.40 - 15.90	.3488	----	----	----	----	1 UNCH
4220	----	----	62.30B/32.30A	62.30B/32.30A	----	50.80 + 9.80	.6510	----	----	----	----	0 UNCH
4225	52.10	52.10	65.70B/34.30A	65.70B/34.30A	----	54.00 + 10.30	.6758	----	----	1	----	3 + 1
4225	24.70	24.70	48.60B/17.70A	48.60B/17.70A	----	19.60 - 15.40	.3240	----	----	12	----	73 + 5
4225	----	----	82.70B/52.30A	82.70B/52.30A	----	71.90 + 10.50	.6012	----	----	----	----	1 UNCH
4225	59.00	59.00	83.60B/54.60A	83.60B/54.60A	----	56.90 - 15.30	.4312	----	----	5	----	6 + 1
4225	91.80	91.80	100.10B/71.30A	100.10B/71.30A	----	91.30 NEW	.5683	----	----	2	----	2 + 2
4230	----	----	46.00B/16.20A	46.00B/16.20A	----	17.90 - 14.80	.2999	----	----	----	----	6 UNCH
4250	50.00	50.00	54.70B/27.00A	54.70B/27.00A	----	28.80 - 13.30	.3259	----	----	5	----	21 + 4
4250	----	----	84.20B/46.50A	84.20B/46.50A	----	71.80 + 13.30	.7855	----	----	19	----	9 + 4
4250	----	----	35.90B/11.20A	35.90B/11.20A	----	12.40 - 12.40	.2144	----	----	1	----	29 - 1
4250	----	----	99.70B/64.60A	99.70B/64.60A	----	88.10 + 12.40	.6738	----	----	----	----	62 UNCH
4250	58.80	58.80	71.20B/45.40A	71.20B/45.40A	----	47.30 - 14.00	.3773	----	----	14	----	13 - 1
4260	15.80	15.80	31.50B/9.30A	31.50B/9.30A	----	10.20 NEW	.1778	----	----	24	----	20 + 20
4265	11.30	11.30	29.50B/8.40A	29.50B/8.40A	----	9.20 NEW	.1610	----	----	20	----	20 + 20
4275	40.80	40.80	60.00B/37.50A	60.00B/37.50A	----	39.00 - 12.70	.3264	----	----	6	----	13 + 3
4275	----	----	104.80B/61.60A	104.80B/61.60A	----	91.90 + 16.00	.8686	----	----	----	----	61 UNCH
4275	----	----	25.60B/6.90A	25.60B/6.90A	----	7.50 - 9.70	.1312	----	----	1	----	26 + 1
4275	----	----	44.00B/20.40A	44.00B/20.40A	----	21.80 - 11.40	.2606	----	----	----	----	4 UNCH
4285	18.50	18.50	22.30B/5.70A	22.30B/5.70A	----	6.10 - 8.70	.1061	----	----	1	----	1 UNCH
4290	----	----	20.70B/5.10A	20.70B/5.10A	----	5.50 - 8.20	.0952	----	----	----	----	7 UNCH
4300	43.90	43.90	51.00B/30.80A	51.00B/30.80A	----	32.00 - 11.30	.2795	----	----	12	----	37 + 6
4300	----	----	126.70B/78.70A	126.70B/78.70A	----	113.90 + 18.50	.9232	----	----	----	----	103 UNCH
4300	----	----	138.00B/95.40A	138.00B/95.40A	----	125.60 + 16.10	.7956	----	----	----	----	2 UNCH
4300	----	----	34.80B/15.30A	34.80B/15.30A	----	16.30 - 9.60	.2041	----	----	----	----	6 UNCH
4300	7.70	7.70	18.00B/4.10A	18.00B/4.10A	----	4.50 - 7.20	.0766	----	----	62	----	234 + 61
4310	----	----	15.40B/3.40A	15.40B/3.40A	----	3.60 - 6.40	.0603	----	----	----	----	1 UNCH
4320	----	----	13.30B/2.80A	13.30B/2.80A	----	3.00 - 5.50	.0489	----	----	----	----	8 UNCH
4325	----	----	12.30B/2.40A	12.30B/2.40A	----	2.70 - 5.20	.0434	----	----	----	----	22 UNCH
4325	----	----	149.80B/97.70A	149.80B/97.70A	----	137.10 + 20.60	.9564	----	----	----	----	17 UNCH
4325	16.10	16.10	27.40B/11.50A	27.40B/11.50A	----	12.20 - 7.90	.1580	----	----	3	----	8 + 3
4325	40.50	40.50	42.20B/25.10A	42.20B/25.10A	----	26.20 - 10.00	.2375	----	----	1	----	2 UNCH
4335	----	----	10.50B/2.00A	10.50B/2.00A	----	2.20 - 4.50	.0344	----	----	----	----	8 UNCH
4340	----	----	9.50B/1.80A	9.50B/1.80A	----	2.00 - 4.20	.0307	----	----	----	----	1 UNCH
4350	----	----	21.40B/8.60A	21.40B/8.60A	----	9.00 - 6.50	.1201	----	----	----	----	12 UNCH
4350	----	----	180.90B/131.60A	180.90B/131.60A	----	168.30 + 19.20	.8796	----	----	----	----	1 UNCH
4350	----	----	171.20B/118.40A	171.20B/118.40A	----	161.10 + 22.20	.9747	----	----	----	----	1 UNCH
4350	----	----	8.20B/1.50A	8.20B/1.50A	----	1.70 - 3.60	.0251	----	----	1	----	21 - 1
4360	3.60	3.60	6.80B/1.30A	6.80B/1.30A	----	1.40 NEW	.0200	----	----	2	----	2 + 2
4365	2.10	2.10	6.30B/1.10A	6.30B/1.10A	----	1.30 NEW	.0182	----	----	1	----	1 + 1
4375	----	----	196.70B/140.50A	196.70B/140.50A	----	185.50 + 23.30	.9851	----	----	----	----	16 UNCH
4375	----	----	16.50B/6.40A	16.50B/6.40A	----	6.70 - 5.30	.0910	----	----	----	----	20 UNCH
4375	----	----	203.70B/151.70A	203.70B/151.70A	----	191.00 + 20.50	.9087	----	----	----	----	1 UNCH
4375	4.90	4.90	5.30B/1.00A	5.30B/1.00A	----	1.10 - 2.50	.0148	----	----	5	----	17 + 1
4375	17.00	17.00	29.30B/16.50	29.30B/16.50	----	17.30 - 7.60	.1671	----	----	7	----	7 + 3
4385	0.80	0.80	4.50B/0.80	4.50B/0.80	----	0.90 NEW	.0116	----	----	4	----	4 + 4
4395	----	----	3.80B/0.70A	3.80B/0.70A	----	0.80 - 1.90	.0099	----	----	----	----	1 UNCH
4400	----	----	221.30B/163.40A	221.30B/163.40A	----	210.10 + 24.00	.9914	----	----	----	----	19 UNCH
4400	23.20	23.20	24.30B/13.30	24.30B/13.30	----	14.10 - 6.50	.1394	----	----	24	----	66 - 4
4400	2.80	2.80	3.50B/0.70A	3.50B/0.70A	----	0.70 - 1.80	.0085	----	----	57	----	124 + 38
4400	----	----	12.70B/4.80A	12.70B/4.80A	----	5.10 - 4.10	.0696	----	----	----	----	4 UNCH
4410	----	----	3.00B/0.60A	3.00B/0.60A	----	0.60 - 1.60	.0070	----	----	----	----	3 UNCH
4425	----	----	2.40B/0.50A	2.40B/0.50A	----	0.50 - 1.30	.0054	----	----	----	----	15 UNCH
4425	----	----	245.90B/189.60A	245.90B/189.60A	----	234.90 + 24.50	.9945	----	----	----	----	9 UNCH
4425	----	----	9.80B/3.70A	9.80B/3.70A	----	3.80 - 3.40	.0523	----	----	----	----	9 UNCH
4425	----	----	20.10B/11.10A	20.10B/11.10A	----	11.40 - 5.60	.1153	----	----	----	----	3 UNCH
4445	----	----	1.80B/0.40A	1.80B/0.40A	----	0.40 NEW	.0040	----	----	6	----	3 + 3
4450	----	----	1.70B/0.40A	1.70B/0.40A	----	0.40 - 0.90	.0039	----	----	64	----	98 + 50
4450	----	----	16.60B/9.10A	16.60B/9.10A	----	9.30 - 4.80	.0956	----	----	2	----	3 UNCH
4450	----	----	7.60B/2.90A	7.60B/2.90A	----	3.00 - 2.60	.0408	----	----	1	----	5 + 1
4450	----	----	270.10B/215.10A	270.10B/215.10A	----	259.70 + 24.80	.9960	----	----	----	----	6 UNCH
4475	----	----	296.70B/240.50A	296.70B/240.50A	----	286.50 + 23.70	.9687	----	----	----	----	1 UNCH
4475	----	----	5.80B/2.20A	5.80B/2.20A	----	2.30 - 2.10	.0311	----	----	----	----	13 UNCH
4475	----	----	1.20B/0.40A	1.20B/0.40A	----	0.30 - 0.70	.0026	----	----	----	----	46 UNCH
4500	----	----	0.90B/0.30A	0.90B/0.30A	----	0.20 - 0.60	.0016	----	----	----	----	40 UNCH
4500	----	----	11.70B/6.10A	11.70B/6.10A	----	6.30 - 3.40	.0660	----	----	----	----	4 UNCH
4500	----	----	321.40B/269.10A	321.40B/269.10A	----	311.00 + 24.10	.9747	----	----	----	----	2 UNCH
4500	3.90	3.90	4.60B/1.80A	4.60B/1.80A	----	1.90 - 1.60	.0252	----	----	3	----	18 + 1
4525	----	----	3.50B/1.50A	3.50B/1.50A	----	1.50 - 1.30	.0196	----	----	----	----	18 UNCH
4525	----	----	----/0.30A	0.60B/0.30A	----	0.10 - 0.60	.0006	----	----	----	----	125 UNCH
4550	----	----	2.80B/1.20A	2.80B/1.20A	----	1.30 - 1.00	.0165	----	----	----	----	4 UNCH
4550	----	----	----/0.20A	0.50B/0.20A	----	0.10 - 0.50	.0002	----	----	----	----	19 UNCH
4550	----	----	371.50B/316.10A	371.50B/316.10A	----	360.40 + 24.70	.9834	----	----	----	----	3 UNCH
4575	----	----	----/0.20A	0.30B/0.20A	----	0.10 - 0.30	.0001	----	----	----	----	10 UNCH
4575	----	----	2.30B/1.00A	2.30B/1.00A	----	1.10 - 0.80	.0136	----	----	----	----	4 UNCH
4600	----	----	1.80B/0.90A	1.80B/0.90A	----	0.90 - 0.70	.0110	----	----	----	----	45 UNCH
4600	0.60	0.60	0.60/0.20A	0.60/0.20A	----	0.10 - 0.30	.0000	----	----	1	----	94 UNCH
4625	----	----	----/0.20A	0.20B/0.20A	----	0.10 - 0.20	.0000	----	----	----	----	21 UNCH
4625	----	----	1.50B/0.80A	1.50B/0.80A	----	0.80 - 0.60	.0095	----	----	----	----	11 UNCH
4650	----	----	----	0.10B/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	35 UNCH
4650	----	----	1.30B/0.70A	1.30B/0.70A	----	0.70 - 0.50	.0081	----	----	----	----	11 UNCH
4675	----	----	1.10B/0.70A	1.10B/0.70A	----	0.70 - 0.30	.0077	----	----	----	----	7 UNCH
4675	----	----	----	0.10B/0.20A	----	0.10 - 0.10	----	----	----	----	----	66 UNCH
4700	----	----	----	----/0.30A	----	0.10 - 0.10	----	----	----	----	----	35 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWR THU GOLD WEEKLY THURSDAY OPTION Week4

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OCT26												
4700	----	----	----/0.60A	0.90B/0.60A	----	0.60 - 0.30	.0065	----	----	----	----	70 UNCH
4725	----	----	----/0.60A	0.80B/0.60A	----	0.60 - 0.20	.0062	----	----	----	----	12 UNCH
4725	----	----	----	----/0.30A	----	0.10 - 0.10	----	----	----	10	----	15 UNCH
4750	----	----	----/0.50A	0.70B/0.50A	----	0.50 - 0.30	.0051	----	----	----	----	12 UNCH
4750	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
4775	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	14 UNCH
4775	----	----	----/0.50A	0.60B/0.50A	----	0.50 - 0.20	.0049	----	----	----	----	3 UNCH
4800	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
4800	----	----	----/0.40A	0.50B/0.40A	----	0.50 - 0.20	.0048	----	----	----	----	1 UNCH
4825	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
4825	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.20	.0038	----	----	----	----	1 UNCH
4850	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.20	.0037	----	----	----	----	62 UNCH
4850	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
4900	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
4900	----	----	----/0.30A	0.30B/0.30A	----	0.40 - 0.20	.0034	----	----	----	----	2 UNCH
5000	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	50 UNCH
5000	----	----	----/0.30A	0.20B/0.30A	----	0.20 - 0.20	.0016	----	----	----	----	41 UNCH
5100	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	24 UNCH
5200	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
5250	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
5500	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	77 UNCH
5750	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
TOTAL										1167		5870+ 801
NOV26												
4325	----	----	55.00B/37.80A	55.00B/37.80A	----	38.40 NEW	.2803	----	----	50	----	50 + 50
4500	----	----	18.30B/12.10A	18.30B/12.10A	----	12.20 NEW	.1043	----	----	500	----	500 + 500
TOTAL										550		550+ 550

GMW MON GOLD WEEKLY MONDAY OPTION WEEK2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OCT26												
3000	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
3300	----	----	937.50B/880.90A	937.50B/880.90A	----	890.60 - 25.70	1.0000	----	----	----	----	0 UNCH
3500	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0018	----	----	----	----	1 UNCH
3600	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0038	----	----	----	----	2 UNCH
3700	----	----	----/0.20A	0.20B/0.20A	----	0.20 - 0.10	.0018	----	----	----	----	3 UNCH
3700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
3750	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
3750	----	----	----/0.30A	0.30B/0.30A	----	0.30 - 0.10	.0030	----	----	1	----	2 + 1
3775	0.50	0.50	0.50/0.30A	0.50/0.30A	----	0.30 - 0.10	.0032	----	----	1	----	1 UNCH
3800	----	----	1.80B/1.50A	1.80B/1.50A	----	1.50 - 0.20	.0167	----	----	----	----	1 UNCH
3800	0.60	0.60	0.60/0.30A	0.60/0.30A	----	0.40 - 0.10	.0044	----	----	4	----	12 UNCH
3800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 32
3825	----	----	----/0.40A	0.60B/0.40A	----	0.50 - 0.10	.0057	----	----	----	----	1 UNCH
3850	----	----	2.70B/2.10A	2.70B/2.10A	----	2.20 - 0.20	.0253	----	----	----	----	2 UNCH
3860	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
3875	----	----	3.40B/2.60A	3.40B/2.60A	----	2.70 - 0.20	.0315	----	----	----	----	1 UNCH
3875	----	----	1.00B/0.50A	1.00B/0.50A	----	0.70 - 0.20	.0089	----	----	----	----	2 UNCH
3875	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3900	----	----	1.30B/0.60A	1.30B/0.60A	----	0.80 - 0.30	.0107	----	----	----	----	19 UNCH
3900	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
3925	----	----	1.70B/0.80A	1.70B/0.80A	----	1.10 - 0.30	.0153	----	----	2	----	3 + 2
3925	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3925	----	----	5.40B/3.90A	5.40B/3.90A	----	4.20 UNCH	.0498	----	----	----	----	1 UNCH
3930	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3940	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 12
3950	----	----	6.90B/4.80A	6.90B/4.80A	----	5.30 + 0.10	.0630	----	----	----	----	3 UNCH
3950	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 12
3950	----	----	2.30B/1.10A	2.30B/1.10A	----	1.40 - 0.30	.0203	----	----	1	----	14 UNCH
3960	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3965	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3970	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
3975	----	----	3.30B/1.60A	3.30B/1.60A	----	2.00 - 0.20	.0298	----	----	----	----	26 UNCH
3975	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 16
3975	----	----	8.80B/5.90A	8.80B/5.90A	----	6.80 + 0.30	.0804	----	----	----	----	1 UNCH
3980	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 50
3985	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
3990	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
3995	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4000	----	----	239.70B/183.40A	239.70B/183.40A	----	193.40 - 25.70	.9560	----	----	1	----	2 + 1
4000	2.90	2.90	4.60B/2.30A	4.60B/2.30A	----	2.90 - 0.10	.0438	----	----	8	----	30 UNCH
4000	188.60	188.60	241.00B/178.90A	241.00B/178.90A	----	190.60 - 25.80	----	----	----	5	----	0 - 7
4000	----	----	----	0.10B/0.10A	----	0.00 - 0.10	----	----	----	1	----	0 - 274
4000	----	----	11.30B/7.40A	11.30B/7.40A	----	8.80 + 0.60	.1028	----	----	----	----	2 UNCH
4005	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	7	----	0 - 4
4010	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
4015	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4020	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 102
4025	----	----	6.60B/3.40A	6.60B/3.40A	----	4.10 UNCH	.0629	----	----	6	----	17 + 6
4025	0.20	0.20	0.20/0.20	0.20/0.10A	----	0.00 - 0.10	----	----	----	1	----	0 - 91
4030	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 23
4035	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
4040	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4045	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4050	----	----	9.30B/5.00A	9.30B/5.00A	----	6.00 + 0.30	.0918	----	----	7	----	49 - 3
4050	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.20	----	----	----	3	----	0 - 207
4050	----	----	18.70B/11.70A	18.70B/11.70A	----	14.90 + 1.60	.1665	----	----	----	----	2 UNCH
4050	----	----	199.70B/148.80A	199.70B/148.80A	----	155.40 - 23.90	.8331	----	----	----	----	4 UNCH
4055	----	----	----/0.10A	----/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 8
4060	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 8
4065	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 30
4070	----	----	----/0.10A	----/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 19
4075	----	----	177.70B/129.40A	177.70B/129.40A	----	134.90 - 23.20	.7897	----	----	----	----	1 UNCH
4075	0.50	0.50	0.50/0.10A	0.50/0.10A	----	0.00 - 0.30	----	----	----	3	----	0 - 73
4075	----	----	13.10B/6.80A	13.10B/6.80A	----	8.80 + 0.90	.1324	----	----	73	----	251 + 45
4080	----	----	160.90B/98.90A	160.90B/98.90A	----	110.60 - 25.90	----	----	----	----	----	0 - 2
4080	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.30	----	----	----	2	----	0 - 21
4085	0.40	0.40	0.40/0.10A	0.40/0.10A	----	0.00 - 0.30	----	----	----	2	----	0 - 7
4090	0.20	0.20	0.20/0.10A	0.20/0.10A	----	0.00 - 0.30	----	----	----	7	----	0 - 38
4095	0.20	0.20	0.20/0.10	0.40B/0.10	----	0.00 - 0.40	----	----	----	2	----	0 - 14
4100	10.20	10.20	18.30B/9.40A	18.30B/9.40A	----	12.90 + 1.80	.1875	----	----	15	----	41 + 14
4100	0.60	0.60	0.60/0.10	0.60/0.10	----	0.00 - 0.40	----	----	----	261	----	0 - 335
4100	112.20	112.20	141.00B/79.00A	141.00B/79.00A	----	90.60 - 26.10	----	----	----	8	----	0 - 28
4100	----	----	30.70B/19.10A	30.70B/19.10A	----	25.20 + 3.30	.2603	----	----	----	----	2 UNCH
4105	----	----	----/0.10A	0.50B/0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 3
4110	0.20	0.20	0.20/0.10	0.50B/0.10	----	0.00 - 0.60	----	----	----	19	----	0 - 8
4110	----	----	131.10B/69.10A	131.10B/69.10A	----	80.60 - 26.20	----	----	----	----	----	0 - 25
4115	----	----	126.00B/64.20A	126.00B/64.20A	----	75.60 - 26.30	----	----	----	----	----	0 - 6
4115	0.30	0.30	0.30/0.10	0.60B/0.10	----	0.00 - 0.70	----	----	----	22	----	0 - 4
4120	0.40	0.40	0.40/0.10A	0.80B/0.10A	----	0.00 - 0.80	----	----	----	7	----	0 - 20
4120	----	----	121.20B/59.30A	121.20B/59.30A	----	70.60 - 26.40	----	----	----	1	----	0 - 5
4125	14.50	14.50	25.20B/13.00A	25.20B/13.00A	----	18.50 + 3.00	.2569	----	----	3	----	45 + 1
4125	----	----	127.80B/79.00A	127.80B/79.00A	----	84.00 - 22.70	.7429	----	----	----	----	4 UNCH
4125	0.20	0.20	0.50/0.10	0.90B/0.10	----	0.00 - 0.90	----	----	----	6	----	0 - 175
4125	66.60	66.60	116.20B/54.40A	116.20B/54.40A	----	65.60 - 26.60	----	----	----	1	----	0 - 104
4125	24.10	24.10	38.80B/24.10	38.80B/24.10	----	32.40 + 4.40	.3182	----	----	1	----	1 UNCH
4130	----	----	111.30B/49.60A	111.30B/49.60A	----	60.60 - 26.80	----	----	----	----	----	0 - 30
4130	1.00	1.00	1.10B/0.10A	1.10B/0.10A	----	0.00 - 1.10	----	----	----	13	----	0 - 191
4135	74.80	74.80	106.30B/45.00A	106.30B/45.00A	----	55.60 - 27.00	----	----	----	2	----	0 - 14
4135	0.50	0.50	0.50/0.10A	1.30B/0.10A	----	0.00 - 1.30	----	----	----	8	----	0 - 18
4140	61.50	61.50	101.20B/40.20A	101.20B/40.20A	----	50.60 - 27.20	----	----	----	10	----	0 - 49
4140	1.70	1.70	1.70/0.10A	1.70/0.10A	----	0.00 - 1.50	----	----	----	18	----	0 - 8
4145	1.00	1.00	1.90B/0.10A	1.90B/0.10A	----	0.00 - 1.80	----	----	----	6	----	0 - 5
4145	----	----	96.50B/35.70A	96.50B/35.70A	----	45.60 - 27.50	----	----	----	----	----	0 - 5
4150	68.90	68.90	91.50B/31.30A	91.50B/31.30A	----	40.60 - 27.90	----	----	----	5	----	0 - 24
4150	73.10	73.10	107.50B/62.60A	107.50B/62.60A	----	66.50 - 21.20	.6597	----	----	1	----	10 + 1
4150	18.20	18.20	34.10B/17.90A	34.10B/17.90A	----	26.00 + 4.50	.3401	----	----	22	----	55 + 19
4150	2.40	2.40	2.50B/0.10	2.50B/0.10	----	0.00 - 2.20	----	----	----	63	----	0 - 61
4150	30.60	30.60	48.70B/30.60	48.70B/30.60	----	41.20 + 5.70	.3819	----	----	1	----	12 + 1
4150	80.80	80.80	117.50B/78.30A	117.50B/78.30A	----	81.70 - 20.00	.6176	----	----	3	----	12 + 3
4155	----	----	86.70B/27.10A	86.70B/27.10A	----	35.60 - 28.30	----	----	----	2	----	0 - 30
4155	0.90	0.90	3.20B/0.10	3.20B/0.10	----	0.00 - 2.60	----	----	----	43	----	0 - 15
4160	35.80	35.80	81.80B/23.20A	81.80B/23.20A	----	30.60 - 28.80	----	----	----	10	----	0 - 18

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GMW MON GOLD WEEKLY MONDAY OPTION WEEK2
OCT26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4160	3.60	3.60	4.30B/0.10	4.30B/0.10	----	0.00 - 3.20	----	----	----	83	----	0 - 18
4165	3.60	3.60	5.60B/0.10A	5.60B/0.10A	----	0.00 - 3.80	----	----	----	51	----	0 - 5
4165	28.00	28.00	76.80B/19.10A	76.80B/19.10A	----	25.60 - 29.50	----	----	----	11	----	0 - 29
4170	19.00	19.00	72.00B/14.10A	72.00B/14.10A	----	20.60 - 30.20	----	----	----	2	----	0 - 11
4170	4.80	4.80	7.20B/0.10	7.20B/0.10	----	0.00 - 4.50	----	----	----	120	----	0 - 36
4175	21.20	21.20	67.30B/9.20A	67.30B/9.20A	----	15.60 - 31.00	----	----	----	34	----	0 - 54
4175	35.70	35.70	45.10B/24.20A	45.10B/24.20A	----	35.60 + 6.20	.4336	----	----	6	----	18 + 1
4175	57.90	57.90	88.70B/48.00A	88.70B/48.00A	----	51.20 - 19.40	.5661	----	----	13	----	15 + 8
4175	2.20	2.20	9.10B/0.10	9.10B/0.10	----	0.00 - 5.30	----	----	----	167	----	0 - 100
4175	----	----	60.20B/38.60A	60.20B/38.60A	----	51.80 + 7.10	.4497	----	----	----	----	2 UNCH
4180	6.00	6.00	11.50B/0.10A	11.50B/0.10A	----	0.00 - 6.30	----	----	----	164	----	0 - 51
4180	11.40	11.40	62.60B/4.60A	62.60B/4.60A	----	10.60 - 32.00	----	----	----	12	----	0 - 16
4185	4.40	4.40	14.10B/0.10	14.10B/0.10	----	0.00 - 7.40	----	----	----	176	----	0 - 14
4185	36.80	36.80	58.00B/1.50A	58.00B/1.50A	----	5.60 - 33.10	----	----	----	160	----	0 - 3
4190	49.00	49.00	53.50B/0.50	53.50B/0.50	----	0.60 - 34.40	----	----	----	151	----	0 - 14
4190	8.40	8.40	17.30B/0.20	17.30B/0.20	----	0.00 - 8.70	----	----	----	253	----	0 - 160
4195	8.10	8.10	20.80B/3.30A	20.80B/3.30A	----	4.40 - 5.80	----	----	----	142	----	0 - 80
4195	10.30	10.30	49.10B/0.10	49.10B/0.10	----	0.00 - 31.50	----	----	----	141	----	0 - 12
4200	64.30	64.30	73.60B/47.90A	73.60B/47.90A	----	64.20 + 8.70	.5190	----	----	3	----	16 + 2
4200	42.70	42.70	58.30B/32.50A	58.30B/32.50A	----	47.70 + 8.30	.5324	----	----	119	----	129 + 93
4200	38.50	38.50	71.80B/35.70A	71.80B/35.70A	----	38.30 - 17.40	.4673	----	----	29	----	49 + 21
4200	23.90	23.90	44.80B/0.10	44.80B/0.10	----	0.00 - 28.20	----	----	----	133	----	0 - 234
4200	11.60	11.60	24.70B/5.00A	24.70B/5.00A	----	9.40 - 2.50	----	----	----	84	----	0 - 80
4205	13.30	13.30	40.60B/0.10	40.60B/0.10	----	0.00 - 25.00	----	----	----	27	----	0 - 9
4205	14.10	14.10	28.70B/5.50	28.70B/5.50	----	14.40 + 0.60	----	----	----	57	----	0 - 4
4210	17.40	17.40	33.10B/6.60A	33.10B/6.60A	----	19.40 + 3.60	----	----	----	77	----	0 - 29
4210	18.80	18.80	36.60B/0.10A	36.60B/0.10A	----	0.00 - 22.10	----	----	----	88	----	0 - 23
4215	16.30	16.30	32.80B/0.10A	32.80B/0.10A	----	0.00 - 19.50	----	----	----	40	----	0 - 18
4215	17.50	17.50	37.70B/7.90A	37.70B/7.90A	----	24.40 + 6.20	----	----	----	21	----	0 - 15
4220	15.30	15.30	29.10B/0.10A	29.10B/0.10A	----	0.00 - 17.00	----	----	----	128	----	0 - 8
4220	18.00	18.00	42.20B/9.30A	42.20B/9.30A	----	29.40 + 8.70	----	----	----	86	----	0 - 25
4225	----	----	71.90B/42.00A	71.90B/42.00A	----	44.00 - 15.40	.4123	----	----	----	----	23 UNCH
4225	61.90	61.90	73.70B/42.60A	73.70B/42.60A	----	62.20 + 10.50	.6294	----	----	19	----	25 + 18
4225	35.10	35.10	57.70B/25.80A	57.70B/25.80A	----	27.80 - 15.20	.3703	----	----	165	----	561 + 148
4225	13.50	13.50	26.50/0.10A	26.50/0.10A	----	0.00 - 14.80	----	----	----	54	----	0 - 63
4225	14.30	14.30	47.10B/11.40A	47.10B/11.40A	----	34.40 + 10.90	----	----	----	15	----	0 - 23
4230	18.00	18.00	51.90B/13.20A	51.90B/13.20A	----	39.40 NEW	----	----	----	3	----	0 UNCH
4230	15.20	15.20	23.10B/0.10	23.10B/0.10	----	0.00 - 12.80	----	----	----	50	----	0 - 24
4235	16.80	16.80	56.70B/15.60A	56.70B/15.60A	----	44.40 + 14.70	----	----	----	10	----	0 - 2
4235	11.40	11.40	20.30B/0.10A	20.30B/0.10A	----	0.00 - 11.00	----	----	----	17	----	0 - 9
4240	18.40	18.40	61.50B/17.90A	61.50B/17.90A	----	49.40 + 16.30	----	----	----	10	----	0 - 4
4240	11.00	11.00	17.70B/0.10A	17.70B/0.10A	----	0.00 - 9.40	----	----	----	73	----	0 - 34
4245	22.00	22.00	66.50B/20.00A	66.50B/20.00A	----	54.40 NEW	----	----	----	2	----	0 UNCH
4245	1.00	1.00	15.30B/0.10	15.30B/0.10	----	0.00 - 8.00	----	----	----	42	----	0 - 29
4250	----	----	104.00B/71.70A	104.00B/71.70A	----	94.30 + 12.00	.6518	----	----	----	----	5 UNCH
4250	19.60	19.60	44.60B/18.30A	44.60B/18.30A	----	19.70 - 12.90	.2820	----	----	9	----	33 + 9
4250	----	----	91.30B/54.80A	91.30B/54.80A	----	79.10 + 12.90	.7178	----	----	1	----	7 UNCH
4250	5.60	5.60	13.10B/0.10A	13.10B/0.10A	----	0.00 - 6.80	----	----	----	63	----	0 - 108
4250	57.00	57.00	71.50B/23.10A	71.50B/23.10A	----	59.40 + 18.90	----	----	----	5	----	0 - 67
4250	----	----	59.60B/33.20A	59.60B/33.20A	----	35.00 - 13.60	.3477	----	----	----	----	9 UNCH
4255	----	----	76.40B/26.50A	76.40B/26.50A	----	64.40 + 19.90	----	----	----	1	----	0 - 1
4255	8.50	8.50	11.00B/0.10A	11.00B/0.10A	----	0.00 - 5.80	----	----	----	4	----	0 - 9
4260	----	----	81.30B/30.10A	81.30B/30.10A	----	69.40 + 20.80	----	----	----	----	----	0 - 1
4260	5.60	5.60	9.30/0.10A	9.30/0.10A	----	0.00 - 4.90	----	----	----	69	----	0 - 34
4265	7.80	7.80	7.90B/0.10A	7.90B/0.10A	----	0.00 - 4.20	----	----	----	23	----	0 - 8
4265	----	----	86.40B/33.50A	86.40B/33.50A	----	74.40 + 21.50	----	----	----	----	----	0 - 1
4270	----	----	91.40B/37.10A	91.40B/37.10A	----	79.40 + 22.20	----	----	----	----	----	0 - 2
4270	2.50	2.50	6.30B/0.10A	6.30B/0.10A	----	0.00 - 3.50	----	----	----	26	----	0 - 7
4275	----	----	122.20B/86.40A	122.20B/86.40A	----	111.80 + 13.70	.7113	----	----	----	----	5 UNCH
4275	4.60	4.60	5.30B/0.10A	5.30B/0.10A	----	0.00 - 3.00	----	----	----	37	----	0 - 36
4275	----	----	110.80B/69.90A	110.80B/69.90A	----	98.00 + 15.10	.7925	----	----	----	----	11 UNCH
4275	----	----	96.40B/40.90A	96.40B/40.90A	----	84.40 + 22.70	----	----	----	----	----	0 - 6
4275	13.80	13.80	34.10B/12.70A	34.10B/12.70A	----	13.70 - 10.50	.2072	----	----	1	----	27 UNCH
4275	29.30	29.30	48.70B/26.10A	48.70B/26.10A	----	27.50 - 11.90	.2883	----	----	13	----	37 + 13
4280	----	----	101.30B/44.90A	101.30B/44.90A	----	89.40 + 23.20	----	----	----	----	----	0 - 1
4280	2.40	2.40	4.40B/0.10A	4.40B/0.10A	----	0.00 - 2.50	----	----	----	21	----	0 - 5
4285	2.10	2.10	3.50B/0.10A	3.50B/0.10A	----	0.00 - 2.10	----	----	----	15	----	0 - 4
4290	----	----	111.30B/53.20A	111.30B/53.20A	----	99.40 + 23.90	----	----	----	----	----	0 - 1
4290	1.20	1.20	2.80B/0.10A	2.80B/0.10A	----	0.00 - 1.80	----	----	----	20	----	0 - 18
4295	----	----	2.30B/0.10A	2.30B/0.10A	----	0.00 - 1.50	----	----	----	----	----	0 - 5
4300	----	----	131.50B/86.10A	131.50B/86.10A	----	118.60 + 17.20	.8528	----	----	----	----	1 UNCH
4300	1.10	1.10	1.90B/0.10A	1.90B/0.10A	----	0.00 - 1.30	----	----	----	7	----	0 - 66
4300	----	----	121.20B/62.00A	121.20B/62.00A	----	109.40 + 24.40	----	----	----	----	----	0 - 4
4300	----	----	25.70B/8.70A	25.70B/8.70A	----	9.30 - 8.50	.1469	----	----	68	----	124 + 66
4305	1.00	1.00	1.50B/0.10A	1.50B/0.10A	----	0.00 - 1.10	----	----	----	10	----	0 - 14
4310	1.00	1.00	1.20B/0.10	1.20B/0.10	----	0.00 - 0.90	----	----	----	8	----	0 - 9
4315	0.10	0.10	1.00B/0.10	1.00B/0.10	----	0.00 - 0.80	----	----	----	1	----	0 - 14
4320	----	----	0.80B/0.10A	0.80B/0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 3
4325	----	----	31.80B/15.70A	31.80B/15.70A	----	16.60 - 8.80	.1898	----	----	----	----	2 UNCH
4325	----	----	146.30B/85.40A	146.30B/85.40A	----	134.40 + 25.10	----	----	----	1	----	0 - 7
4325	----	----	----/0.10A	0.60B/0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 21
4325	----	----	153.60B/104.30A	153.60B/104.30A	----	140.60 + 19.00	.8977	----	----	----	----	1 UNCH
4325	18.00	18.00	19.00B/5.90A	19.00B/5.90A	----	6.30 - 6.70	.1021	----	----	84	----	196 + 74
4325	----	----	161.90B/120.80A	161.90B/120.80A	----	150.80 + 16.90	.8098	----	----	----	----	3 UNCH
4330	0.40	0.40	0.80/0.10A	0.80/0.10A	----	0.00 - 0.50	----	----	----	6	----	0 - 1
4335	----	----	156.30B/94.90A	156.30B/94.90A	----	144.40 + 25.30	----	----	----	----	----	0 - 1
4340	0.10	0.10	0.10/0.10	0.40B/0.10	----	0.00 - 0.40	----	----	----	3	----	0 - 2
4345	0.20	0.20	0.30B/0.10	0.30B/0.10	----	0.00 NEW	----	----	----	51	----	0 UNCH
4350	----	----	13.90B/4.00A	13.90B/4.00A	----	4.30 - 5.10	.0703	----	----	----	----	24 UNCH
4350	----	----	171.30B/109.60A	171.30B/109.60A	----	159.40 + 25.40	----	----	----	----	----	0 - 53
4350	----	----	176.50B/124.10A	176.50B/124.10A	----	163.60 + 20.60	.9295	----	----	----	----	12 UNCH
4350	0.40	0.40	0.40/0.10	0.40/0.10	----	0.00 - 0.30	----	----	----	3	----	0 - 67
4350	17.40	17.40	25.50B/12.20A	25.50B/12.20A	----	12.80 - 7.40	.1513	----	----	1	----	76 UNCH
4355	0.20	0.20	0.40/0.10A	0.40/0.10A	----	0.00 - 0.30	----	----	----	2	----	0 - 2
4360	----	----	----/0.10A	0.20B/0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 4
4365	----	----	----/0.10A	0.10B/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 2
4370	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 3
4375	----	----	20.20B/9.50A	20.20B/9.50A	----	9.80 - 6.20	.1193	----	----	----	----	3 UNCH
4375	----	----	196.30B/134.50A	196.30B/134.50A	----	184.40 + 25.50	----	----	----	----	----	0 - 5
4375	----	----	----/0.10A	----/0.10A	----	0.00 - 0.20	----	----	----	1	----	0 - 43
4375	9.60	9.60	9.90B/2.80A	9.90B/2.80A	----	3.00 - 3.80	.0487	----	----	7	----	13 + 5
4380	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 3
4395	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 4
4400	----	----	220.90B/167.20A	220.90B/167.20A	----	211.40 NEW	.9662	----	----	3	----	3 + 3
4400	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
4400	----	----	221.30B/159.20A	221.30B/159.20A	----	209.40 + 25.60	----	----	----	2	----	0 - 12
4400	7.00	7.00	7.30B/2.00A	7.30B/2.00A	----	2.10 - 2.90	.0337	----	----	17	----	735 + 16
4400	----	----	16.00B/7.40A	16.00B/7.40A	----	7.60 - 5.00	.0943	----	----	----	----	1 UNCH
4420	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4425	----	----	5.20B/1.50A	5.20B/1.50A	----	1.60 - 2.10	.0248	----	----	1	----	9 + 1
4425	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
4425	----	----	246.30B/184.20A	246.30B/184.20A	----	234.40 + 25.60	----	----	----	1	----	0 - 1
4425	----	----	245.20B/189.90A	245.20B/189.90A	----	235.80 NEW	.9750	----	----	2	----	2 + 2
4450	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 28
4450	----	----	271.30B/209.20A	271.30B/209.20A	----	259.40 + 25.60	----	----	----	2	----	0 - 5
4450	----	----	3.80B/1.10A	3.80B/1.10A	----	1.20 NEW	.0180	----	----	3	----	2 + 2
4450	----	----	10.10B/4.50A	10.10B/4.50A	----	4.60 - 3.30	.0584	----	----	----	----	5 UNCH
4450	----	----	275.20B/221.90A	275.20B/221.90A	----	263.80 NEW	.9413	----	----	2	----	2 + 2
4455	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
4470	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
4475	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
4475	----	----	2.70B/0.80A	2.70B/0.80A	----	0.90 - 1.30	.0131	----	----	----	----	1 UNCH
4500	----	----	6.40B/2.90A	6.40B/2.90A	----	3.00 - 2.10	.0379	----	----	----	----	6 UNCH
4500	----	----	321.00B/265.10A	321.00B/265.10A	----	310.00 + 24.80	.9901	----	----	----	----	1 UNCH
4500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 113
4500	2.00	2.00	2.00/0.70A	2.00/0.70A	----	0.70 - 1.00	.0098	----	----	1	----	9 + 1
4525	----	----	1.50B/0.60A	1.50B/0.60A	----	0.60 - 0.80	.0080	----	----	----	----	2 UNCH
4525	----	----	5.10B/2.40A	5.10B/2.40A	----	2.40 - 1.80	.0302	----	----	----	----	2 UNCH
4550	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4550	----	----	----/0.50A	1.10B/0.50A	----	0.50 - 0.60	.0064	----	----	----	----	2 UNCH
4575	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
4600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4600	----	----	----/0.40A	0.70B/0.40A	----	0.30 - 0.50	.0036	----	----	----	----	2 UNCH
4625	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 15
4625	----	----	----/0.30A	0.50B/0.30A	----	0.30 - 0.40	.0034	----	----	----	----	8 UNCH
4650	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 18
4650	----	----	----/0.30A	0.40B/0.30A	----	0.20 - 0.40	.0022	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK2										
OCT26												
4675	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4675	----	----	496.30B/434.20A	496.30B/434.20A	----	484.40 + 25.70	----	----	----	----	----	0 UNCH
4700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
4700	----	----	521.30B/459.20A	521.30B/459.20A	----	509.40 + 25.70	----	----	----	----	----	0 UNCH
4700	----	----	----/0.90A	1.40B/0.90A	----	0.90 - 0.50	.0100	----	----	----	----	50 UNCH
4725	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
4750	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
4750	----	----	----/0.80A	1.10B/0.80A	----	0.80 - 0.30	.0084	----	----	----	----	2 UNCH
4775	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4800	----	----	----/0.80A	0.90B/0.80A	----	0.70 - 0.30	.0070	----	----	----	----	2 UNCH
4800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4800	----	----	----	0.10B/0.20A	----	0.10 - 0.10	.0002	----	----	----	----	3 UNCH
4850	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4900	----	----	----	0.10B/0.20A	----	0.10 UNCH	.0000	----	----	----	----	13 UNCH
4900	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
4900	----	----	----	0.60B/0.70A	----	0.50 - 0.20	.0047	----	----	----	----	4 UNCH
5000	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5100	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
TOTAL										4322		2934 - 3945
NOV26												
3775	----	----	4.00B/----	4.00B/3.50A	----	3.50 + 0.10	.0320	----	----	----	----	6 UNCH
3850	----	----	6.40B/----	6.40B/5.60A	----	5.70 NEW	.0530	----	----	1	----	1 + 1
3900	----	----	9.80B/8.00A	9.80B/8.00A	----	8.30 + 0.20	.0766	----	----	----	----	1 UNCH
3950	----	----	14.40B/10.60A	14.40B/10.60A	----	12.20 + 0.60	.1104	----	----	----	----	3 UNCH
4000	18.70	18.70	21.50B/15.30A	21.50B/15.30A	----	18.30 + 1.20	.1591	----	----	4	----	7 + 4
4025	22.50	22.50	26.30B/18.50A	26.30B/18.50A	----	22.50 NEW	.1902	----	----	5	----	5 + 5
4050	----	----	32.10B/22.40A	32.10B/22.40A	----	27.50 + 2.30	.2253	----	----	1	----	2 + 1
4100	----	----	46.20B/32.70A	46.20B/32.70A	----	40.90 + 4.20	.3092	----	----	----	----	1 UNCH
4150	100.60	100.60	131.30B/96.50A	131.30B/96.50A	----	99.60 NEW	.5930	----	----	10	----	10 + 10
4175	90.70	90.70	115.40B/83.20A	115.40B/83.20A	----	85.80 NEW	.5413	----	----	11	----	11 + 11
4200	83.00	83.00	91.00B/66.10A	91.00B/66.10A	----	82.90 + 8.80	.5102	----	----	12	----	17 + 10
4200	75.00	75.00	102.50B/71.00A	102.50B/71.00A	----	73.50 NEW	.4892	----	----	113	----	113 + 113
4250	----	----	119.60B/90.00A	119.60B/90.00A	----	112.20 + 11.40	.6113	----	----	----	----	7 UNCH
4275	----	----	135.70B/103.90A	135.70B/103.90A	----	128.70 NEW	.6587	----	----	1	----	1 + 1
4300	----	----	56.50B/35.80A	56.50B/35.80A	----	37.10 - 11.60	.2966	----	----	----	----	2 UNCH
4300	----	----	153.60B/124.90A	153.60B/124.90A	----	146.30 NEW	.7028	----	----	1	----	1 + 1
4325	----	----	47.90B/29.80A	47.90B/29.80A	----	30.80 - 10.40	.2559	----	----	----	----	1 UNCH
4350	----	----	40.80B/24.70A	40.80B/24.70A	----	25.60 - 9.10	.2197	----	----	----	----	2 UNCH
4375	----	----	34.60B/20.50A	34.60B/20.50A	----	21.20 - 8.00	.1874	----	----	----	----	2 UNCH
4450	----	----	20.70B/11.70A	20.70B/11.70A	----	12.20 - 5.20	.1147	----	----	----	----	2 UNCH
4550	----	----	10.40B/6.00A	10.40B/6.00A	----	6.20 - 2.80	.0602	----	----	----	----	1 UNCH
5500	----	----	----	0.30B/0.70A	----	0.40 - 0.30	.0026	----	----	----	----	3 UNCH
TOTAL										159		199 + 157

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FMG OPT		MICRO GOLD WEEKLY FRI OPTION WEEK3										
OCT26												
4000	----	----	----	----	----	1.80 - 0.30	.0249	----	----	----	----	1 UNCH
4100	11.00	11.00	11.00/11.00	11.00/11.00	----	10.00 NEW	.1535	----	----	1	----	1 + 1
4200	----	----	----	----	----	16.30 UNCH	----	----	----	----	----	0 UNCH
4325	----	----	----	----	----	4.20 - 5.90	.0685	----	----	----	----	3 UNCH
TOTAL										1		5 + 1

SILVER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week5										
OCT26												
4250	----	----	----	----/0.057A	----	0.003 - 0.002	.0010	----	----	----	----	9 UNCH
4750	----	----	----	----/0.056A	----	0.006 - 0.003	.0023	----	----	----	----	1 UNCH
5000	----	----	----	0.012B/0.029A	----	0.017 - 0.004	.0072	----	----	----	----	34 UNCH
5200	0.009	0.009	0.009/0.009	0.009/0.009	----	0.009 UNCH	.0023	----	----	6	----	6 + 6
5200	----	----	----	0.030B/0.042A	----	0.033 - 0.006	.0152	----	----	----	----	1 UNCH
5500	0.030	0.030	0.030/0.028A	0.030/0.028A	----	0.021 - 0.011	.0089	----	----	1	----	6 - 1
5600	----	----	----/0.040A	0.036B/0.040A	----	0.033 - 0.014	.0167	----	----	1	----	1 UNCH
5600	----	----	5.787B/4.601A	5.787B/4.601A	----	4.660 - 0.543	.9203	----	----	----	----	1 UNCH
5650	----	----	----/0.050A	0.048B/0.050A	----	0.044 - 0.015	.0242	----	----	----	----	25 UNCH
5800	----	----	----/0.117A	0.132B/0.117A	----	0.122 - 0.020	.0828	----	----	----	----	5 UNCH
5850	----	----	----/0.151A	0.191B/0.151A	----	0.179 - 0.017	.1263	----	----	1	----	4 UNCH
5900	0.840	0.840	1.035B/0.840	1.035B/0.840	----	1.062 NEW	.3455	----	----	1	----	1 + 1
5900	0.260	0.260	0.279B/0.198A	0.279B/0.198A	----	0.263 - 0.009	.1886	----	----	1	----	27 + 1
6000	----	----	0.577B/0.360A	0.577B/0.360A	----	0.552 + 0.035	.3758	----	----	----	----	1 UNCH
6050	1.025	1.025	1.652B/0.751A	1.652B/0.751A	----	0.787 NEW	.5086	----	----	2	----	2 + 2
6050	----	----	2.037B/1.232A	2.037B/1.232A	----	1.276 - 0.390	.5117	----	----	----	----	1 UNCH
6060	0.783	0.783	0.860B/0.521A	0.860B/0.521A	----	0.826 NEW	.5148	----	----	10	----	10 + 10
6100	1.198	1.198	1.740B/1.013A	1.740B/1.013A	----	1.048 NEW	.4465	----	----	6	----	6 + 6
6100	----	----	1.097B/0.659A	1.097B/0.659A	----	1.054 + 0.128	.6068	----	----	----	----	4 UNCH
6100	1.424	1.424	1.571B/1.091A	1.571B/1.091A	----	1.535 NEW	.5534	----	----	25	----	25 + 25
6100	----	----	1.320B/0.535A	1.320B/0.535A	----	0.567 - 0.407	.3931	----	----	----	----	1 UNCH
6110	0.975	0.975	1.159B/0.696A	1.159B/0.696A	----	1.116 NEW	.6287	----	----	5	----	5 + 5
6130	0.520	0.520	1.153B/0.434A	1.153B/0.434A	----	0.461 NEW	.3289	----	----	1	----	1 + 1
6140	0.691	0.691	1.093B/0.405A	1.093B/0.405A	----	0.430 NEW	.3088	----	----	1	----	1 + 1
6150	----	----	1.439B/0.875A	1.439B/0.875A	----	1.388 + 0.186	.7103	----	----	----	----	4 UNCH
6150	----	----	1.873B/1.319A	1.873B/1.319A	----	1.840 + 0.216	.6161	----	----	----	----	1 UNCH
6200	----	----	2.216B/1.572A	2.216B/1.572A	----	2.178 + 0.253	.6742	----	----	----	----	1 UNCH
6200	0.465	0.465	0.793B/0.267A	0.793B/0.267A	----	0.282 - 0.289	.2058	----	----	40	----	24 - 16
6210	0.362	0.362	0.757B/0.250A	0.757B/0.250A	----	0.263 NEW	.1916	----	----	5	----	5 + 5
6220	----	----	0.710B/0.233A	0.710B/0.233A	----	0.245 - 0.266	.1782	----	----	----	----	5 UNCH
6250	----	----	2.591B/1.871A	2.591B/1.871A	----	2.545 + 0.289	.7266	----	----	----	----	6 UNCH
6250	0.180	0.180	0.601B/0.180	0.601B/0.180	----	0.199 - 0.233	.1430	----	----	1	----	6 UNCH
6300	----	----	0.454B/0.138A	0.454B/0.138A	----	0.143 - 0.184	.0990	----	----	----	----	4 UNCH
6300	----	----	2.988B/2.226A	2.988B/2.226A	----	2.938 + 0.323	.7723	----	----	----	----	2 UNCH
6300	----	----	0.865B/0.443A	0.865B/0.443A	----	0.453 - 0.212	.2276	----	----	----	----	1 UNCH
6350	----	----	0.340B/0.105A	0.340B/0.105A	----	0.104 - 0.145	.0684	----	----	----	----	3 UNCH
6350	----	----	3.406B/2.577A	3.406B/2.577A	----	3.352 + 0.354	.8111	----	----	----	----	1 UNCH
6400	----	----	0.254B/0.078A	0.254B/0.078A	----	0.078 - 0.113	.0482	----	----	----	----	5 UNCH
6500	----	----	0.145B/0.049A	0.145B/0.049A	----	0.046 - 0.070	.0248	----	----	----	----	1 UNCH
6500	----	----	0.409B/0.203A	0.409B/0.203A	----	0.204 - 0.110	.1074	----	----	----	----	1 UNCH
6500	----	----	0.643B/0.506A	0.643B/0.506A	----	0.468 - 0.120	.1809	----	----	----	----	1 UNCH
6550	----	----	5.097B/3.942A	5.097B/3.942A	----	5.019 + 0.477	.9828	----	----	----	----	9 UNCH
6600	----	----	0.087B/0.033A	0.087B/0.033A	----	0.025 - 0.049	.0117	----	----	----	----	3 UNCH
6650	----	----	6.031B/4.893A	6.031B/4.893A	----	6.004 + 0.494	.9921	----	----	----	----	13 UNCH
6700	----	----	----/0.030A	0.045B/0.030A	----	0.014 - 0.036	.0057	----	----	----	----	2 UNCH
6800	----	----	----/0.023A	0.027B/0.023A	----	0.008 - 0.028	.0028	----	----	----	----	1 UNCH
7000	----	----	0.077B/0.055A	0.077B/0.055A	----	0.052 - 0.023	.0240	----	----	----	----	7 UNCH
7100	----	----	----/0.014A	0.001B/0.014A	----	0.003 - 0.015	.0007	----	----	----	----	2 UNCH
7200	----	----	----/0.043A	0.045B/0.043A	----	0.036 - 0.015	.0155	----	----	----	----	3 UNCH
7200	----	----	----/0.015A	0.001B/0.015A	----	0.002 - 0.014	.0004	----	----	----	----	1 UNCH
7250	----	----	----/0.014A	0.001B/0.014A	----	0.002 - 0.013	.0004	----	----	----	----	8 UNCH
7500	----	----	----	----/0.014A	----	0.001 - 0.008	.0000	----	----	----	----	3 UNCH
8000	----	----	----	----/0.048A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
8250	----	----	----	----/0.048A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
TOTAL										107	0	303 + 46
NOV26												
6100	----	----	2.331B/----	2.331B/2.205A	----	2.376 NEW	.5200	----	----	23	----	23 + 23
6400	----	----	----/0.914A	1.012B/0.914A	----	0.921 - 0.095	.2785	----	----	----	----	1 UNCH
TOTAL										23	0	24 + 23
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK4										
OCT26												
5100	0.027	0.027	0.027/0.027	0.027/0.027	----	0.051 NEW	.0208	----	----	1	----	1 + 1
5400	----	----	----	0.072B/0.125A	----	0.106 - 0.001	.0493	----	----	----	----	4 UNCH
5500	----	----	----	----/0.015A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
5600	0.205	0.205	0.233/0.170A	0.233/0.170A	----	0.223 - 0.001	.1049	----	----	14	----	14 + 8
5600	----	----	----	----/0.014A	----	0.000 - 0.002	----	----	----	----	----	0 - 2
5650	----	----	5.252B/4.033A	5.252B/4.033A	----	4.110 - 0.547	.9378	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK2										
OCT26												
5650	----	----	----	----/0.012A	----	0.000 - 0.003	----	----	----	----	----	0 - 11
5650	----	----	----/0.103A	0.103B/0.103A	----	0.100 - 0.012	.0621	----	----	----	----	1 UNCH
5700	----	----	----	----/0.012A	----	0.000 - 0.005	----	----	----	----	----	0 - 12
5730	----	----	----	----/0.012A	----	0.000 - 0.006	----	----	----	----	----	0 - 3
5750	----	----	----/0.162A	0.184B/0.162A	----	0.175 - 0.012	.1105	----	----	----	----	2 UNCH
5760	----	----	----	----/0.008A	----	0.000 - 0.008	----	----	----	----	----	0 - 3
5800	----	----	----/0.007A	----/0.007A	----	0.000 - 0.012	----	----	----	----	----	0 - 2
5830	----	----	----/0.006A	0.002B/0.006A	----	0.000 - 0.017	----	----	----	----	----	0 - 15
5840	----	----	----/0.007A	0.003B/0.007A	----	0.000 - 0.019	----	----	----	----	----	0 - 2
5850	----	----	----/0.006A	0.005B/0.006A	----	0.000 - 0.021	----	----	----	5	----	0 - 10
5870	----	----	----/0.005A	0.009B/0.005A	----	0.000 - 0.026	----	----	----	----	----	0 - 5
5880	----	----	----/0.005A	0.012B/0.005A	----	0.000 - 0.029	----	----	----	----	----	0 - 5
5890	----	----	----/0.005A	0.014B/0.005A	----	0.000 - 0.033	----	----	----	----	----	0 - 4
5890	----	----	2.807B/1.558A	2.807B/1.558A	----	1.613 - 0.567	----	----	----	----	----	0 - 1
5900	0.001	0.001	0.001/0.001	0.017B/0.001	----	0.000 - 0.037	----	----	----	4	----	0 - 15
5900	0.365	0.365	0.446B/0.319A	0.446B/0.319A	----	0.433 + 0.017	.2560	----	----	3	----	6 + 3
5900	----	----	0.801B/0.679A	0.801B/0.679A	----	0.802 NEW	.3209	----	----	1	----	1 + 1
5900	----	----	2.961B/1.881A	2.961B/1.881A	----	1.945 - 0.517	.7439	----	----	----	----	4 UNCH
5930	----	----	----/0.004A	0.027B/0.004A	----	0.000 - 0.054	----	----	----	----	----	0 - 4
5940	0.025	0.025	0.025/0.004A	0.030B/0.004A	----	0.000 - 0.062	----	----	----	10	----	0 - 5
5950	0.056	0.056	0.056/0.002	0.056/0.002	----	0.000 - 0.070	----	----	----	8	----	0 - 8
5980	----	----	1.931B/0.662A	1.931B/0.662A	----	0.713 - 0.639	----	----	----	----	----	0 - 3
6000	0.090	0.090	0.090/0.007A	0.095B/0.007A	----	0.000 - 0.135	----	----	----	1	----	0 - 41
6000	----	----	2.169B/1.231A	2.169B/1.231A	----	1.281 - 0.464	.5938	----	----	----	----	12 UNCH
6000	----	----	1.741B/0.463A	1.741B/0.463A	----	0.513 - 0.670	----	----	----	----	----	0 - 25
6010	0.013	0.013	0.013/0.004	0.114B/0.004	----	0.000 - 0.154	----	----	----	3	----	0 - 3
6040	----	----	----/0.004A	0.174B/0.004A	----	0.000 - 0.227	----	----	----	----	----	0 - 1
6050	----	----	1.288B/0.048A	1.288B/0.048A	----	0.013 - 0.792	----	----	----	----	----	0 - 2
6050	0.230	0.230	0.230/0.005A	0.230/0.005A	----	0.000 - 0.257	----	----	----	7	----	0 - 7
6050	----	----	1.812B/0.973A	1.812B/0.973A	----	1.013 NEW	.5099	----	----	2	----	2 + 2
6060	0.111	0.111	0.244B/0.063A	0.244B/0.063A	----	0.087 NEW	----	----	----	18	----	0 UNCH
6070	0.081	0.081	1.110B/0.005A	1.110B/0.005A	----	0.000 - 0.675	----	----	----	2	----	0 - 1
6080	0.350	0.350	0.350/0.146A	0.350/0.146A	----	0.287 NEW	----	----	----	1	----	0 UNCH
6090	0.322	0.322	0.443B/0.180A	0.443B/0.180A	----	0.387 NEW	----	----	----	1	----	0 UNCH
6090	0.006	0.006	0.945B/0.004A	0.945B/0.004A	----	0.000 - 0.560	----	----	----	3	----	0 - 1
6100	0.221	0.221	0.868B/0.003A	0.868B/0.003A	----	0.000 - 0.508	----	----	----	7	----	0 - 16
6100	0.295	0.295	0.543B/0.198A	0.543B/0.198A	----	0.487 + 0.027	----	----	----	6	----	0 - 4
6100	1.169	1.169	1.316B/0.852A	1.316B/0.852A	----	1.276 NEW	.5734	----	----	24	----	24 + 24
6100	0.944	0.944	1.512B/0.751A	1.512B/0.751A	----	0.789 NEW	.4265	----	----	11	----	11 + 11
6100	1.521	1.521	1.692B/1.356A	1.692B/1.356A	----	1.707 NEW	.5436	----	----	2	----	2 + 2
6110	0.011	0.011	0.795B/0.004A	0.795B/0.004A	----	0.000 NEW	----	----	----	2	----	0 UNCH
6120	0.481	0.481	0.743B/0.263A	0.743B/0.263A	----	0.687 NEW	----	----	----	1	----	0 UNCH
6150	----	----	1.043B/0.371A	1.043B/0.371A	----	0.987 + 0.232	----	----	----	----	----	0 - 2
6150	0.121	0.121	0.534B/0.004A	0.534B/0.004A	----	0.000 NEW	----	----	----	2	----	0 UNCH
6160	0.309	0.309	0.477B/0.006A	0.477B/0.006A	----	0.000 NEW	----	----	----	5	----	0 UNCH
6170	----	----	0.426B/0.004A	0.426B/0.004A	----	0.000 - 0.245	----	----	----	----	----	0 - 3
6200	0.150	0.150	0.297B/0.005A	0.297B/0.005A	----	0.000 - 0.177	----	----	----	2	----	0 - 14
6210	----	----	0.257B/0.005A	0.257B/0.005A	----	0.000 - 0.159	----	----	----	----	----	0 - 1
6220	0.145	0.145	0.225B/0.004A	0.225B/0.004A	----	0.000 - 0.143	----	----	----	2	----	0 - 30
6230	----	----	0.200B/0.006A	0.200B/0.006A	----	0.000 - 0.128	----	----	----	----	----	0 - 5
6250	----	----	2.043B/0.994A	2.043B/0.994A	----	1.987 + 0.432	----	----	----	----	----	0 - 1
6250	----	----	2.493B/2.136A	2.493B/2.136A	----	2.702 + 0.306	.6966	----	----	----	----	6 UNCH
6250	0.102	0.102	0.153B/0.006A	0.153B/0.006A	----	0.000 - 0.104	----	----	----	4	----	0 - 1
6250	----	----	0.798B/0.339A	0.798B/0.339A	----	0.356 - 0.238	.2197	----	----	----	----	4 UNCH
6260	----	----	0.134B/0.006A	0.134B/0.006A	----	0.000 - 0.094	----	----	----	----	----	0 - 1
6280	----	----	0.101B/0.006A	0.101B/0.006A	----	0.000 - 0.076	----	----	----	----	----	0 - 1
6300	----	----	0.637B/0.262A	0.637B/0.262A	----	0.273 - 0.196	.1717	----	----	----	----	52 UNCH
6300	0.043	0.043	0.078B/0.007A	0.078B/0.007A	----	0.000 - 0.062	----	----	----	1	----	0 - 12
6320	----	----	0.059B/0.007A	0.059B/0.007A	----	0.000 - 0.051	----	----	----	----	----	0 - 5
6350	----	----	0.039B/0.007A	0.039B/0.007A	----	0.000 - 0.038	----	----	----	----	----	0 - 5
6400	----	----	0.398B/0.160A	0.398B/0.160A	----	0.164 - 0.131	.1040	----	----	----	----	6 UNCH
6410	----	----	----/0.007A	0.013B/0.007A	----	0.000 - 0.022	----	----	----	----	----	0 - 1
6420	----	----	----/0.008A	0.011B/0.008A	----	0.000 - 0.020	----	----	----	----	----	0 - 11
6450	----	----	----/0.009A	0.004B/0.009A	----	0.000 - 0.016	----	----	----	----	----	0 - 7
6450	----	----	0.317B/0.133A	0.317B/0.133A	----	0.130 - 0.106	.0817	----	----	----	----	5 UNCH
6490	----	----	----	0.001B/0.014A	----	0.000 - 0.012	----	----	----	----	----	0 - 17
6500	----	----	----	----/0.014A	----	0.000 - 0.011	----	----	----	----	----	0 - 4
6530	----	----	----	----/0.014A	----	0.000 - 0.009	----	----	----	----	----	0 - 1
6560	----	----	----	----/0.013A	----	0.000 - 0.008	----	----	----	----	----	0 - 1
6610	----	----	----	----/0.016A	----	0.000 - 0.006	----	----	----	----	----	0 - 1
6700	----	----	----	----/0.031A	----	0.000 - 0.004	----	----	----	----	----	0 - 5
6750	----	----	0.085B/0.047A	0.085B/0.047A	----	0.044 - 0.034	.0240	----	----	----	----	50 UNCH
7000	----	----	----	----/0.044A	----	0.000 - 0.002	----	----	----	----	----	0 - 5
7000	----	----	----/0.101A	0.061B/0.101A	----	0.080 - 0.027	.0357	----	----	----	----	1 UNCH
TOTAL										153	0	209 - 295
SO CALL		COMEX SILVER OPTIONS										
NOV26												
5000	----	----	11.631B/10.515A	11.631B/10.515A	----	10.535 - 0.534	.9866	----	----	----	----	13 UNCH
5450	----	----	7.289B/6.074A	7.289B/6.074A	----	6.144 - 0.538	.9366	----	----	----	----	1 UNCH
5500	----	----	6.811B/5.605A	6.811B/5.605A	----	5.674 - 0.537	.9230	----	----	----	----	4 UNCH
5575	----	----	6.105B/4.916A	6.105B/4.916A	----	4.984 - 0.534	.8971	----	----	----	----	1 UNCH
5700	4.663	4.663	4.965B/3.827A	4.965B/3.827A	----	3.890 - 0.519	.8342	----	----	1	----	0 - 1
5750	----	----	4.527B/3.419A	4.527B/3.419A	----	3.478 - 0.510	.8010	----	----	----	----	1 UNCH
5775	----	----	4.317B/3.227A	4.317B/3.227A	----	3.280 - 0.503	.7823	----	----	----	----	1 UNCH
5800	----	----	4.106B/3.031A	4.106B/3.031A	----	3.086 - 0.497	.7627	----	----	----	----	9 UNCH
5825	----	----	3.900B/2.849A	3.900B/2.849A	----	2.899 - 0.488	.7418	----	----	----	----	1 UNCH
5850	----	----	3.698B/2.669A	3.698B/2.669A	----	2.717 - 0.479	.7197	----	----	----	----	30 UNCH
5875	----	----	3.495B/2.496A	3.495B/2.496A	----	2.541 - 0.470	.6965	----	----	----	----	5 UNCH
5900	----	----	3.302B/2.326A	3.302B/2.326A	----	2.372 - 0.459	.6724	----	----	----	----	13 UNCH
5925	----	----	3.115B/2.167A	3.115B/2.167A	----	2.210 - 0.447	.6472	----	----	----	----	7 UNCH
5950	----	----	2.933B/2.014A	2.933B/2.014A	----	2.055 - 0.434	.6213	----	----	----	----	29 UNCH
5975	----	----	2.752B/1.859A	2.752B/1.859A	----	1.908 - 0.420	.5949	----	----	----	----	7 UNCH
6000	2.342	2.342	2.587B/1.719A	2.587B/1.719A	----	1.767 - 0.406	.5679	----	----	1	----	70 UNCH
6025	----	----	2.422B/1.592A	2.422B/1.592A	----	1.635 - 0.390	.5407	----	----	----	----	42 UNCH
6050	----	----	2.266B/1.469A	2.266B/1.469A	----	1.510 - 0.374	.5134	----	----	1	----	34 - 1
6075	1.884	1.884	2.123B/1.351A	2.123B/1.351A	----	1.393 - 0.357	.4862	----	----	5	----	22 - 1
6100	1.310	1.310	1.992B/1.244A	1.992B/1.244A	----	1.283 - 0.340	.4592	----	----	73	----	184 + 34
6125	1.690	1.690	1.853B/1.146A	1.853B/1.146A	----	1.181 - 0.323	.4327	----	----	19	----	35 + 4
6150	1.697	1.697	1.729B/1.053A	1.729B/1.053A	----	1.086 - 0.305	.4069	----	----	22	----	65 UNCH
6175	1.327	1.327	1.602B/0.967A	1.602B/0.967A	----	0.998 - 0.288	.3817	----	----	8	----	82 UNCH
6200	1.463	1.463	1.488B/0.887A	1.488B/0.887A	----	0.917 - 0.270	.3575	----	----	68	----	307 + 23
6225	1.200	1.200	1.377B/0.814A	1.377B/0.814A	----	0.842 - 0.253	.3342	----	----	14	----	76 - 3
6250	0.820	0.820	1.275B/0.747A	1.275B/0.747A	----	0.773 - 0.236	.3119	----	----	33	----	74 + 28
6275	----	----	1.180B/0.685A	1.180B/0.685A	----	0.709 - 0.221	.2907	----	----	----	----	12 UNCH
6300	1.040	1.040	1.091B/0.629A	1.091B/0.629A	----	0.651 - 0.206	.2706	----	----	45	----	141 + 11
6325	----	----	1.009B/0.578A	1.009B/0.578A	----	0.597 - 0.192	.2516	----	----	----	----	63 UNCH
6350	0.803	0.803	0.933B/0.529A	0.933B/0.529A	----	0.548 - 0.179	.2337	----	----	40	----	93 + 18
6375	0.753	0.753	0.867B/0.487A	0.867B/0.487A	----	0.503 - 0.167	.2169	----	----	2	----	29 UNCH
6400	0.664	0.664	0.803B/0.447A	0.803B/0.447A	----	0.462 - 0.155	.2012	----	----	87	----	154 + 37
6425	----	----	0.743B/0.412A	0.743B/0.412A	----	0.425 - 0.144	.1866	----	----	----	----	34 UNCH
6450	0.590	0.590	0.687B/0.380A	0.687B/0.380A	----	0.391 - 0.134	.1730	----	----	17	----	101 + 1
6475	----	----	0.634B/0.350A	0.634B/0.350A	----	0.360 - 0.125	.1604	----	----	----	----	64 UNCH
6500	0.510	0.510	0.585B/0.323A	0.585B/0.323A	----	0.332 - 0.117	.1488	----	----	35	----	753 + 4
6525	0.382	0.382	0.540B/0.299A	0.540B/0.299A	----	0.307 - 0.108	.1381	----	----	17	----	63 + 6
6550	0.392	0.392	0.504B/0.277A	0.504B/0.277A	----	0.284 - 0.100	.1282	----	----	6	----	49 + 1
6575	0.279	0.279	0.467B/0.257A	0.467B/0.257A	----	0.263 - 0.094	.1191	----	----	3	----	97 - 1
6600	0.370	0.370	0.432B/0.238A	0.432B/0.238A	----	0.244 - 0.087	.1107	----	----	26	----	198 + 16
6625	0.321	0.321	0.398B/0.222A	0.398B/0.222A	----	0.227 - 0.081	.1031	----	----	1	----	40 - 1
6650	0.250	0.250	0.374B/0.209A	0.374B/0.209A	----	0.211 - 0.076	.0959	----	----	2	----	30 UNCH
6675	----	----	0.347B/0.195A	0.347B/0.195A	----	0.197 - 0.070	.0895	----	----	----	----	41 UNCH
6700	0.178	0.178	0.324B/0.178	0.324B/0.178	----	0.185 - 0.064	.0838	----	----	1	----	223 UNCH
6725	----	----	0.301B/0.171A	0.301B/0.171A	----	0.173 - 0.060	.0783	----	----	----	----	62 UNCH
6750	----	----	0.279B/0.159A	0.279B/0.159A	----	0.162 - 0.056	.0732	----	----	9	----	68 UNCH
6775	----	----	0.261B/0.150A	0.261B/0.150A	----	0.152 - 0.053	.0685	----	----	----	----	47 UNCH
6800	0.141	0.141	0.244B/0.137	0.244B/0.137	----	0.143 - 0.049	.0643	----	----	8	----	351 - 2
6825	----	----	0.228B/0.133A	0.228B/0.133A	----	0.135 - 0.046	.0605	----	----	1	----	12 UNCH
6850	----	----	0.214B/0.125A	0.214B/0.125A	----	0.128 - 0.042	.0570	----	----	----	----	74 UNCH
6875	----	----	0.200B/0.118A	0.200B/0.118A	----	0.121 - 0.040	.0537	----	----	----	----	132 UNCH
6900	----	----	0.189B/0.112A	0.189B/0.112A	----	0.114 - 0.038	.0505	----	----	2	----	102 - 2
6925	----	----	0.172B/0.107A	0.172B/0.107A	----	0.108 - 0.035	.0476	----	----	----	----	8 UNCH
6950	----	----	0.163B/0.101A	0.163B/0.101A	----	0.102 - 0.033	.0448	----	----	----	----	27 UNCH
6975	----	----	0.150B/0.095A	0.150B/0.095A	----	0.097 - 0.031	.0424	----	----	----	----	23 UNCH
7000	0.121	0.121	0.147B/0.090	0.147B/0.090	----	0.092 - 0.030	.0400	----	----	29	----	656 - 9
7025	----	----	0.139B/0.087A	0.139B/0.087A	----	0.087 - 0.029	.0377	----	----	1	----	11 UNCH
7050	----	----	0.131B/0.083A	0.131B/0.083A	----	0.083 - 0.027	.0358	----	----	----	----	39 UNCH
7075	----	----	0.124B/0.079A	0.124B/0.079A	----	0.079 - 0.025	.0339	----	----	----	----	32 UNCH
7100	----	----	0.117B/0.075A	0.117B/0.075A	----	0.075 - 0.024	.0320	----	----	9	----	366 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
NOV26												
7125	----	----	0.111B/0.072A	0.111B/0.072A	----	0.072 - 0.023	.0306	----	----	----	----	28 UNCH
7150	----	----	0.105B/0.069A	0.105B/0.069A	----	0.068 - 0.022	.0288	----	----	----	----	40 UNCH
7175	----	----	0.101B/0.066A	0.101B/0.066A	----	0.065 - 0.021	.0274	----	----	----	----	45 UNCH
7200	----	----	0.094B/0.065A	0.094B/0.065A	----	0.062 - 0.021	.0260	----	----	----	----	168 UNCH
7225	----	----	0.090B/0.062A	0.090B/0.062A	----	0.059 - 0.020	.0246	----	----	----	----	47 UNCH
7250	----	----	0.085B/0.060A	0.085B/0.060A	----	0.057 - 0.019	.0236	----	----	----	----	48 UNCH
7275	----	----	0.082B/0.057A	0.082B/0.057A	----	0.054 - 0.019	.0223	----	----	----	----	43 UNCH
7300	----	----	0.077B/0.055A	0.077B/0.055A	----	0.052 - 0.018	.0213	----	----	----	----	274 UNCH
7325	----	----	0.074B/0.053A	0.074B/0.053A	----	0.049 - 0.018	.0201	----	----	----	----	16 UNCH
7350	----	----	0.071B/0.050A	0.071B/0.050A	----	0.047 - 0.017	.0192	----	----	----	----	20 UNCH
7375	----	----	0.068B/0.049A	0.068B/0.049A	----	0.045 - 0.017	.0183	----	----	----	----	37 UNCH
7400	----	----	0.065B/0.049A	0.065B/0.049A	----	0.043 - 0.016	.0174	----	----	----	----	255 UNCH
7425	----	----	0.061B/0.049A	0.061B/0.049A	----	0.042 - 0.015	.0168	----	----	----	----	23 UNCH
7450	----	----	0.059B/0.048A	0.059B/0.048A	----	0.040 - 0.015	.0160	----	----	----	----	114 UNCH
7475	----	----	0.057B/0.044A	0.057B/0.044A	----	0.038 - 0.015	.0151	----	----	----	----	43 UNCH
7500	----	----	0.053B/0.043A	0.053B/0.043A	----	0.037 - 0.014	.0146	----	----	4	----	1312 UNCH
7525	----	----	0.051B/0.042A	0.051B/0.042A	----	0.036 - 0.013	.0141	----	----	----	----	27 UNCH
7550	----	----	0.049B/0.040A	0.049B/0.040A	----	0.034 - 0.014	.0133	----	----	----	----	86 UNCH
7575	----	----	----/0.039A	0.046B/0.039A	----	0.033 - 0.013	.0128	----	----	----	----	13 UNCH
7600	----	----	----/0.037A	0.045B/0.037A	----	0.032 - 0.013	.0124	----	----	----	----	78 UNCH
7625	----	----	----/0.037A	0.042B/0.037A	----	0.031 - 0.012	.0119	----	----	----	----	5 UNCH
7650	----	----	----/0.037A	0.041B/0.037A	----	0.030 - 0.012	.0115	----	----	----	----	11 UNCH
7675	----	----	----/0.035A	0.037B/0.035A	----	0.028 - 0.012	.0107	----	----	----	----	16 UNCH
7700	----	----	----/0.034A	0.036B/0.034A	----	0.027 - 0.012	.0103	----	----	----	----	220 UNCH
7725	----	----	----/0.033A	0.035B/0.033A	----	0.027 - 0.011	.0102	----	----	----	----	3 UNCH
7750	----	----	----/0.032A	0.034B/0.032A	----	0.026 - 0.011	.0097	----	----	----	----	15 UNCH
7775	----	----	----/0.031A	0.032B/0.031A	----	0.025 - 0.010	.0093	----	----	----	----	13 UNCH
7800	0.028	0.028	0.028/0.028	0.028/0.028	----	0.024 - 0.010	.0089	----	----	4	----	267 UNCH
7825	----	----	----/0.030A	0.024B/0.030A	----	0.023 - 0.010	.0085	----	----	----	----	2 UNCH
7850	----	----	----/0.029A	0.023B/0.029A	----	0.023 - 0.009	.0084	----	----	----	----	105 UNCH
7875	----	----	----/0.028A	0.022B/0.028A	----	0.022 - 0.009	.0080	----	----	----	----	9 UNCH
7900	----	----	----/0.025A	0.021B/0.025A	----	0.021 - 0.009	.0077	----	----	1	----	52 - 1
7950	----	----	----/0.026A	0.019B/0.026A	----	0.020 - 0.009	.0072	----	----	----	----	7 UNCH
7975	----	----	----/0.025A	0.018B/0.025A	----	0.019 - 0.009	.0068	----	----	----	----	2 UNCH
8000	----	----	----/0.024A	0.019B/0.024A	----	0.019 - 0.008	.0068	----	----	----	----	1568 UNCH
8025	----	----	----/0.023A	0.017B/0.023A	----	0.018 - 0.008	.0064	----	----	----	----	6 UNCH
8050	----	----	----/0.023A	0.017B/0.023A	----	0.017 - 0.008	.0060	----	----	----	----	1 UNCH
8075	----	----	----/0.020A	0.015B/0.020A	----	0.017 - 0.007	.0060	----	----	----	----	2 UNCH
8100	----	----	----/0.022A	0.014B/0.022A	----	0.016 - 0.008	.0056	----	----	1	----	20 UNCH
8125	----	----	----/0.021A	0.014B/0.021A	----	0.016 - 0.007	.0056	----	----	----	----	1 UNCH
8150	----	----	----/0.021A	0.013B/0.021A	----	0.015 - 0.007	.0052	----	----	----	----	124 UNCH
8175	----	----	----/0.020A	0.014B/0.020A	----	0.015 - 0.007	.0052	----	----	----	----	3 UNCH
8200	----	----	----/0.020A	0.012B/0.020A	----	0.014 - 0.007	.0048	----	----	1	----	109 UNCH
8225	----	----	----/0.019A	0.013B/0.019A	----	0.014 - 0.006	.0048	----	----	----	----	4 UNCH
8250	----	----	----/0.019A	0.011B/0.019A	----	0.013 - 0.007	.0045	----	----	----	----	9 UNCH
8275	----	----	----	0.010B/0.019A	----	0.013 - 0.006	.0044	----	----	----	----	5 UNCH
8300	----	----	----/0.016A	0.010B/0.016A	----	0.012 - 0.006	.0041	----	----	----	----	92 UNCH
8325	----	----	----	0.010B/0.018A	----	0.012 - 0.006	.0041	----	----	----	----	3 UNCH
8350	----	----	----	0.009B/0.018A	----	0.011 - 0.006	.0037	----	----	----	----	2 UNCH
8375	----	----	----	0.010B/0.017A	----	0.011 - 0.006	.0037	----	----	----	----	11 UNCH
8400	----	----	----	0.009B/0.017A	----	0.011 - 0.005	.0037	----	----	----	----	125 UNCH
8425	----	----	----	0.008B/0.016A	----	0.010 - 0.006	.0034	----	----	----	----	5 UNCH
8450	----	----	----	0.008B/0.017A	----	0.010 - 0.005	.0033	----	----	----	----	7 UNCH
8500	----	----	----	0.007B/0.017A	----	0.009 - 0.005	.0030	----	----	----	----	531 UNCH
8600	----	----	----	0.006B/0.015A	----	0.008 - 0.005	.0026	----	----	----	----	81 UNCH
8625	----	----	----	0.005B/0.015A	----	0.008 - 0.004	.0026	----	----	----	----	7 UNCH
8675	----	----	----	0.005B/0.016A	----	0.007 - 0.005	.0023	----	----	----	----	4 UNCH
8700	----	----	----	0.005B/0.016A	----	0.007 - 0.004	.0022	----	----	----	----	59 UNCH
8725	----	----	----	0.004B/0.016A	----	0.007 - 0.004	.0022	----	----	----	----	1 UNCH
8750	----	----	----	0.004B/0.015A	----	0.006 - 0.005	.0019	----	----	----	----	2 UNCH
8800	----	----	----	0.004B/0.015A	----	0.006 - 0.004	.0019	----	----	----	----	103 UNCH
8825	0.023	0.023	0.023/0.015A	0.023/0.015A	----	0.006 NEW	.0019	----	----	1	----	1 + 1
8850	----	----	----	0.001B/0.016A	----	0.006 - 0.003	.0019	----	----	----	----	14 UNCH
8900	----	----	----	----/0.016A	----	0.005 - 0.004	.0016	----	----	----	----	8 UNCH
8925	----	----	----	----/0.015A	----	0.005 - 0.003	.0016	----	----	----	----	1 UNCH
8950	----	----	----	----/0.015A	----	0.005 - 0.003	.0015	----	----	----	----	3 UNCH
8975	----	----	----	----/0.015A	----	0.005 - 0.003	.0015	----	----	----	----	1 UNCH
9000	----	----	----	----/0.014A	----	0.005 - 0.003	.0015	----	----	----	----	247 UNCH
9025	----	----	----	----/0.014A	----	0.004 - 0.003	.0012	----	----	----	----	1 UNCH
9050	----	----	----	----/0.014A	----	0.004 - 0.003	.0012	----	----	----	----	1 UNCH
9100	----	----	----	----/0.014A	----	0.004 - 0.003	.0012	----	----	----	----	5 UNCH
9150	----	----	----	----/0.014A	----	0.004 - 0.002	.0012	----	----	----	----	1 UNCH
9200	----	----	----	----/0.014A	----	0.003 - 0.003	.0009	----	----	----	----	6 UNCH
9225	----	----	----	----/0.014A	----	0.003 - 0.003	.0009	----	----	----	----	10 UNCH
9250	----	----	----	----/0.016A	----	0.003 - 0.003	.0009	----	----	----	----	7 UNCH
9300	----	----	----	0.001B/0.010A	----	0.003 - 0.002	.0009	----	----	----	----	12 UNCH
9325	----	----	----	----/0.048A	----	0.003 - 0.002	.0009	----	----	----	----	1 UNCH
9350	----	----	----	----/0.048A	----	0.003 - 0.002	.0009	----	----	----	----	11 UNCH
9400	----	----	----	----/0.048A	----	0.003 - 0.002	.0009	----	----	----	----	77 UNCH
9450	----	----	----	----/0.048A	----	0.002 - 0.002	.0006	----	----	----	----	5 UNCH
9500	----	----	----	----/0.048A	----	0.002 - 0.002	.0006	----	----	----	----	365 UNCH
9550	----	----	----	----/0.047A	----	0.002 - 0.002	.0006	----	----	----	----	3 UNCH
9575	----	----	----	----/0.046A	----	0.002 - 0.002	.0006	----	----	----	----	24 UNCH
9600	----	----	----	----/0.047A	----	0.002 - 0.002	.0006	----	----	----	----	1 UNCH
9625	----	----	----	----/0.047A	----	0.002 - 0.002	.0006	----	----	----	----	9 UNCH
9700	----	----	----	----/0.047A	----	0.002 - 0.001	.0005	----	----	----	----	1 UNCH
9775	----	----	----	----/0.047A	----	0.002 - 0.001	.0005	----	----	----	----	1 UNCH
9800	----	----	----	----/0.047A	----	0.002 - 0.001	.0005	----	----	----	----	6 UNCH
9850	----	----	----	----/0.046A	----	0.001 - 0.002	.0003	----	----	----	----	1 UNCH
9900	----	----	----	----/0.046A	----	0.001 - 0.002	.0002	----	----	----	----	10 UNCH
9950	----	----	----	----/0.046A	----	0.001 - 0.002	.0002	----	----	----	----	1 UNCH
10000	----	----	----	----/0.046A	----	0.001 - 0.002	.0002	----	----	----	----	270 UNCH
10100	----	----	----	----/0.046A	----	0.001 - 0.001	.0001	----	----	----	----	5 UNCH
10200	----	----	----	----/0.046A	----	0.001 - 0.001	.0001	----	----	----	----	5 UNCH
10300	----	----	----	----/0.045A	----	0.001 - 0.001	.0000	----	----	----	----	4 UNCH
10400	----	----	----	----/0.045A	----	0.001 - 0.001	.0000	----	----	----	----	5 UNCH
10450	----	----	----	----/0.045A	----	0.001 - 0.001	.0000	----	----	----	----	1 UNCH
10500	----	----	----	----/0.045A	----	0.001 UNCH	.0000	----	----	----	----	288 UNCH
10550	----	----	----	----/0.045A	----	0.001 UNCH	.0000	----	----	----	----	1 UNCH
10950	----	----	----	----/0.044A	----	0.001 UNCH	.0000	----	----	----	----	5 UNCH
11000	----	----	----	----/0.044A	----	0.001 UNCH	.0000	----	----	----	----	297 UNCH
11100	----	----	----	----/0.044A	----	0.001 UNCH	.0000	----	----	----	----	2 UNCH
11150	----	----	----	----/0.044A	----	0.001 UNCH	.0000	----	----	----	----	1 UNCH
11500	----	----	----	----/0.044A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
11600	----	----	----	----/0.044A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
11700	----	----	----	----/0.044A	----	0.001 UNCH	----	----	----	----	----	27 UNCH
11725	----	----	----	----/0.044A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
11750	----	----	----	----/0.044A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
11825	----	----	----	----/0.044A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
12000	----	----	----	----/0.044A	----	0.001 UNCH	----	----	----	----	----	74 UNCH
12125	----	----	----	----/0.044A	----	0.001 UNCH	----	----	----	----	----	20 UNCH
12500	----	----	----	----/0.044A	----	0.001 UNCH	----	----	----	----	----	11 UNCH
13000	----	----	----	----/0.043A	----	0.001 UNCH	----	----	----	----	----	9 UNCH
14000	----	----	----	----/0.043A	----	0.001 UNCH	----	----	----	----	----	7 UNCH
15000	----	----	----	----/0.043A	----	0.001 UNCH	----	----	----	----	----	20 UNCH
16000	----	----	----	----/0.043A	----	0.001 UNCH	----	----	----	----	----	14 UNCH
17000	----	----	----	----/0.043A	----	0.001 UNCH	----	----	----	----	----	14 UNCH
18000	----	----	----	----/0.043A	----	0.001 UNCH	----	----	----	----	----	10 UNCH
19000	----	----	----	----/0.043A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
20000	----	----	----	----/0.043A	----	0.001 UNCH	----	----	----	----	----	35 UNCH
21000	----	----	----	----/0.043A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
25000	----	----	----	----/0.043A	----	0.001 UNCH	----	----	----	----	----	60 UNCH
30000	----	----	----	----/0.002A	----	0.001 UNCH	----	----	----	----	----	15 UNCH
TOTAL										598	0	13681 + 161
DEC26												
3875	----	----	22.920B/21.712A	22.920B/21.712A	----	21.764 - 0.535	.9934	----	----	----	----	1 UNCH
5000	----	----	11.859B/10.643A	11.859B/10.643A	----	10.713 - 0.532	.9378	----	----	----	----	35 UNCH
5250	----	----	9.523B/8.347A	9.523B/8.347A	----	8.416 - 0.519	.8897	----	----	----	----	50 UNCH
5500	----	----	7.333B/6.230A	7.333B/6.230A	----	6.300 - 0.488	.8094	----	----	----	----	1 UNCH
5550	----	----	6.920B/5.840A	6.920B/5.840A	----	5.907 - 0.480	.7889	----	----	----	----	4 UNCH
5600	----	----	6.518B/5.463A	6.518B/5.463A	----	5.528 - 0.469	.7669	----	----	----	----	1 UNCH
5700	----	----	5.743B/4.749A	5.743B/4.749A	----	4.809 - 0.445	.7189	----	----	----	----	1 UNCH
5800	----	----	5.029B/4.086A	5.029B/4.086A	----	4.149 - 0.416	.6662	----	----	----	----	102 UNCH
5825	----	----	4.862B/3.936A	4.862B/3.936A	----	3.993 - 0.409	.6524	----	----	----	----	1 UNCH
5900	----	----	4.378B/3.504A	4.378B/3.504A	----	3.552 - 0.385	.6101	----	----	----	----	9 UNCH
5925	----	----	4.213B/3.354A	4.213B/3.354A	----	3.413 - 0.376	.5957	----	----	----	----	1 UNCH
5950	----	----	4.070B/3.224A	4.070B/3.224A	----	3.278 - 0.368	.5813	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

SO CALL COMEX SILVER OPTIONS
DEC26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
5975	----	----	3.916B/3.095A	3.916B/3.095A	----	3.147 - 0.359	.5668	----	----	----	----	16 UNCH
6000	3.558	3.558	3.773B/2.967A	3.773B/2.967A	----	3.020 - 0.351	.5523	----	----	7	----	90 + 3
6025	----	----	3.641B/2.847A	3.641B/2.847A	----	2.898 - 0.342	.5378	----	----	----	----	2 UNCH
6050	----	----	3.499B/2.730A	3.499B/2.730A	----	2.780 - 0.332	.5233	----	----	----	----	5 UNCH
6075	----	----	3.375B/2.618A	3.375B/2.618A	----	2.665 - 0.324	.5089	----	----	----	----	8 UNCH
6100	2.960	2.960	3.247B/2.508A	3.247B/2.508A	----	2.555 - 0.315	.4946	----	----	6	----	42 - 2
6125	----	----	3.124B/2.404A	3.124B/2.404A	----	2.449 - 0.306	.4804	----	----	----	----	21 UNCH
6150	----	----	3.000B/2.303A	3.000B/2.303A	----	2.346 - 0.297	.4663	----	----	----	----	48 UNCH
6175	2.894	2.894	2.910B/2.207A	2.910B/2.207A	----	2.248 - 0.288	.4524	----	----	1	----	11 + 1
6200	----	----	2.795B/2.112A	2.795B/2.112A	----	2.153 - 0.280	.4386	----	----	20	----	44 + 14
6225	2.669	2.669	2.687B/2.023A	2.687B/2.023A	----	2.062 - 0.271	.4251	----	----	1	----	13 UNCH
6250	1.949	1.949	2.582B/1.937A	2.582B/1.937A	----	1.975 - 0.262	.4118	----	----	1	----	13 + 1
6275	----	----	2.475B/1.855A	2.475B/1.855A	----	1.891 - 0.254	.3987	----	----	----	----	4 UNCH
6300	----	----	2.382B/1.776A	2.382B/1.776A	----	1.811 - 0.245	.3859	----	----	4	----	168 + 1
6325	----	----	2.265B/1.700A	2.265B/1.700A	----	1.734 - 0.237	.3734	----	----	5	----	15 + 5
6350	----	----	2.172B/1.628A	2.172B/1.628A	----	1.660 - 0.229	.3611	----	----	----	----	85 UNCH
6375	----	----	2.084B/1.558A	2.084B/1.558A	----	1.590 - 0.221	.3491	----	----	----	----	11 UNCH
6400	----	----	2.000B/1.492A	2.000B/1.492A	----	1.522 - 0.214	.3374	----	----	5	----	250 + 5
6425	----	----	1.920B/1.428A	1.920B/1.428A	----	1.458 - 0.206	.3261	----	----	----	----	13 UNCH
6450	----	----	1.843B/1.367A	1.843B/1.367A	----	1.396 - 0.199	.3149	----	----	----	----	67 UNCH
6475	----	----	1.768B/1.310A	1.768B/1.310A	----	1.338 - 0.191	.3042	----	----	----	----	8 UNCH
6500	1.700	1.700	1.700/1.255A	1.700/1.255A	----	1.282 - 0.184	.2938	----	----	4	----	1150 + 1
6525	----	----	1.628B/1.202A	1.628B/1.202A	----	1.228 - 0.178	.2836	----	----	----	----	10 UNCH
6550	----	----	1.563B/1.153A	1.563B/1.153A	----	1.177 - 0.171	.2738	----	----	----	----	6 UNCH
6575	----	----	1.502B/1.105A	1.502B/1.105A	----	1.128 - 0.165	.2642	----	----	----	----	3 UNCH
6600	----	----	1.441B/1.058A	1.441B/1.058A	----	1.082 - 0.159	.2550	----	----	----	----	99 UNCH
6625	1.083	1.083	1.384B/1.014A	1.384B/1.014A	----	1.038 - 0.152	.2462	----	----	1	----	40 + 1
6650	----	----	1.329B/0.973A	1.329B/0.973A	----	0.996 - 0.147	.2376	----	----	----	----	32 UNCH
6675	----	----	1.276B/0.934A	1.276B/0.934A	----	0.956 - 0.141	.2293	----	----	----	----	5 UNCH
6700	1.247	1.247	1.247/0.895	1.247/0.895	----	0.918 - 0.135	.2213	----	----	8	----	250 + 3
6725	----	----	1.177B/0.861A	1.177B/0.861A	----	0.881 - 0.131	.2135	----	----	----	----	13 UNCH
6750	----	----	1.131B/0.827A	1.131B/0.827A	----	0.847 - 0.125	.2062	----	----	----	----	38 UNCH
6775	----	----	1.088B/0.794A	1.088B/0.794A	----	0.814 - 0.121	.1990	----	----	----	----	55 UNCH
6800	0.956	0.956	1.043B/0.762A	1.043B/0.762A	----	0.782 - 0.117	.1921	----	----	4	----	532 + 1
6825	----	----	1.004B/0.733A	1.004B/0.733A	----	0.752 - 0.112	.1854	----	----	----	----	29 UNCH
6850	----	----	0.967B/0.705A	0.967B/0.705A	----	0.724 - 0.108	.1791	----	----	1	----	8 - 1
6875	----	----	0.929B/0.678A	0.929B/0.678A	----	0.697 - 0.104	.1730	----	----	----	----	5 UNCH
6900	----	----	0.895B/0.653A	0.895B/0.653A	----	0.671 - 0.100	.1671	----	----	3	----	243 + 2
6925	----	----	0.859B/0.629A	0.859B/0.629A	----	0.646 - 0.097	.1614	----	----	----	----	25 UNCH
6950	----	----	0.827B/0.605A	0.827B/0.605A	----	0.623 - 0.093	.1560	----	----	----	----	232 UNCH
6975	----	----	0.797B/0.584A	0.797B/0.584A	----	0.601 - 0.089	.1509	----	----	----	----	3 UNCH
7000	----	----	0.769B/0.563A	0.769B/0.563A	----	0.579 - 0.087	.1458	----	----	7	----	1092 + 6
7025	----	----	0.742B/0.543A	0.742B/0.543A	----	0.559 - 0.083	.1410	----	----	1	----	4 UNCH
7050	----	----	0.713B/0.525A	0.713B/0.525A	----	0.540 - 0.080	.1364	----	----	----	----	42 UNCH
7075	----	----	0.689B/0.506A	0.689B/0.506A	----	0.521 - 0.078	.1319	----	----	----	----	6 UNCH
7100	----	----	0.666B/0.490A	0.666B/0.490A	----	0.504 - 0.075	.1277	----	----	----	----	118 UNCH
7125	----	----	0.640B/0.472A	0.640B/0.472A	----	0.487 - 0.072	.1236	----	----	----	----	12 UNCH
7150	----	----	0.619B/0.458A	0.619B/0.458A	----	0.471 - 0.070	.1197	----	----	----	----	9 UNCH
7175	----	----	0.598B/0.443A	0.598B/0.443A	----	0.456 - 0.067	.1160	----	----	----	----	1 UNCH
7200	0.530	0.530	0.578B/0.428A	0.578B/0.428A	----	0.441 - 0.065	.1123	----	----	40	----	302 + 18
7225	----	----	0.559B/0.415A	0.559B/0.415A	----	0.427 - 0.063	.1088	----	----	----	----	9 UNCH
7250	0.400	0.400	0.541B/0.400	0.541B/0.400	----	0.414 - 0.061	.1055	----	----	1	----	26 + 1
7275	----	----	0.523B/0.390A	0.523B/0.390A	----	0.401 - 0.059	.1023	----	----	----	----	17 UNCH
7300	----	----	0.507B/0.382A	0.507B/0.382A	----	0.389 - 0.057	.0992	----	----	----	----	104 UNCH
7325	----	----	0.491B/0.371A	0.491B/0.371A	----	0.377 - 0.056	.0962	----	----	----	----	2 UNCH
7350	----	----	0.473B/0.360A	0.473B/0.360A	----	0.366 - 0.054	.0934	----	----	----	----	9 UNCH
7375	----	----	0.461B/0.351A	0.461B/0.351A	----	0.355 - 0.052	.0906	----	----	----	----	13 UNCH
7400	----	----	0.444B/0.340A	0.444B/0.340A	----	0.345 - 0.051	.0881	----	----	----	----	67 UNCH
7425	----	----	0.431B/0.330A	0.431B/0.330A	----	0.335 - 0.049	.0855	----	----	----	----	11 UNCH
7450	----	----	0.418B/0.321A	0.418B/0.321A	----	0.325 - 0.049	.0830	----	----	----	----	2 UNCH
7475	----	----	0.406B/0.314A	0.406B/0.314A	----	0.316 - 0.047	.0806	----	----	----	----	1 UNCH
7500	----	----	0.395B/0.301A	0.395B/0.301A	----	0.308 - 0.045	.0785	----	----	69	----	1429 + 25
7525	----	----	0.383B/0.293A	0.383B/0.293A	----	0.299 - 0.045	.0762	----	----	----	----	23 UNCH
7550	----	----	0.374B/0.285A	0.374B/0.285A	----	0.291 - 0.043	.0741	----	----	----	----	56 UNCH
7575	----	----	0.362B/0.278A	0.362B/0.278A	----	0.284 - 0.042	.0723	----	----	----	----	7 UNCH
7600	----	----	0.352B/0.271A	0.352B/0.271A	----	0.276 - 0.041	.0702	----	----	----	----	265 UNCH
7625	----	----	----/0.264A	0.290B/0.264A	----	0.269 - 0.040	.0684	----	----	----	----	5 UNCH
7650	----	----	----/0.257A	0.283B/0.257A	----	0.262 - 0.039	.0665	----	----	----	----	3 UNCH
7675	----	----	----/0.251A	0.278B/0.251A	----	0.256 - 0.038	.0649	----	----	----	----	1 UNCH
7700	----	----	----/0.245A	0.274B/0.245A	----	0.249 - 0.038	.0631	----	----	----	----	277 UNCH
7725	----	----	----/0.239A	0.271B/0.239A	----	0.243 - 0.037	.0615	----	----	----	----	2 UNCH
7750	----	----	0.287B/0.233A	0.287B/0.233A	----	0.237 - 0.036	.0600	----	----	----	----	8 UNCH
7775	----	----	0.271B/0.228A	0.271B/0.228A	----	0.232 - 0.034	.0586	----	----	----	----	10 UNCH
7800	----	----	0.270B/0.222A	0.270B/0.222A	----	0.226 - 0.034	.0570	----	----	----	----	247 UNCH
7825	----	----	0.270B/0.218A	0.270B/0.218A	----	0.221 - 0.033	.0557	----	----	----	----	6 UNCH
7850	----	----	0.268B/0.213A	0.268B/0.213A	----	0.216 - 0.033	.0543	----	----	----	----	9 UNCH
7875	----	----	0.261B/0.208A	0.261B/0.208A	----	0.211 - 0.032	.0530	----	----	----	----	9 UNCH
7900	----	----	0.255B/0.203A	0.255B/0.203A	----	0.206 - 0.032	.0517	----	----	5	----	35 - 5
7925	----	----	0.250B/0.199A	0.250B/0.199A	----	0.202 - 0.030	.0506	----	----	----	----	6 UNCH
7950	----	----	0.244B/0.195A	0.244B/0.195A	----	0.197 - 0.030	.0493	----	----	----	----	60 UNCH
7975	----	----	0.237B/0.191A	0.237B/0.191A	----	0.193 - 0.030	.0482	----	----	----	----	1 UNCH
8000	0.211	0.211	0.232B/0.185	0.232B/0.185	----	0.189 - 0.029	.0471	----	----	11	----	1176 - 1
8025	----	----	0.227B/0.183A	0.227B/0.183A	----	0.185 - 0.028	.0461	----	----	----	----	11 UNCH
8050	----	----	0.222B/0.179A	0.222B/0.179A	----	0.181 - 0.028	.0450	----	----	----	----	22 UNCH
8075	----	----	0.217B/0.175A	0.217B/0.175A	----	0.177 - 0.028	.0440	----	----	----	----	46 UNCH
8100	----	----	0.212B/0.172A	0.212B/0.172A	----	0.174 - 0.027	.0431	----	----	3	----	62 UNCH
8125	----	----	0.208B/0.169A	0.208B/0.169A	----	0.170 - 0.027	.0421	----	----	----	----	19 UNCH
8150	----	----	0.204B/0.165A	0.204B/0.165A	----	0.167 - 0.026	.0413	----	----	----	----	11 UNCH
8175	----	----	0.200B/0.162A	0.200B/0.162A	----	0.163 - 0.026	.0402	----	----	----	----	1 UNCH
8200	----	----	0.196B/0.159A	0.196B/0.159A	----	0.160 - 0.026	.0394	----	----	----	----	608 UNCH
8225	----	----	0.192B/0.156A	0.192B/0.156A	----	0.157 - 0.025	.0386	----	----	----	----	26 UNCH
8250	----	----	0.188B/0.153A	0.188B/0.153A	----	0.154 - 0.025	.0378	----	----	----	----	2 UNCH
8275	----	----	0.184B/0.150A	0.184B/0.150A	----	0.151 - 0.024	.0370	----	----	----	----	14 UNCH
8300	----	----	0.180B/0.148A	0.180B/0.148A	----	0.148 - 0.024	.0362	----	----	----	----	44 UNCH
8325	----	----	0.177B/0.145A	0.177B/0.145A	----	0.145 - 0.024	.0354	----	----	----	----	8 UNCH
8375	----	----	0.170B/0.140A	0.170B/0.140A	----	0.140 - 0.023	.0341	----	----	----	----	7 UNCH
8400	----	----	0.167B/0.137A	0.167B/0.137A	----	0.138 - 0.022	.0335	----	----	----	----	58 UNCH
8425	----	----	0.162B/0.135A	0.162B/0.135A	----	0.135 - 0.022	.0328	----	----	----	----	9 UNCH
8450	----	----	0.160B/0.132A	0.160B/0.132A	----	0.133 - 0.021	.0322	----	----	----	----	5 UNCH
8475	----	----	0.157B/0.130A	0.157B/0.130A	----	0.130 - 0.022	.0315	----	----	----	----	5 UNCH
8500	----	----	0.154B/0.128A	0.154B/0.128A	----	0.128 - 0.021	.0309	----	----	128	----	1887 + 10
8525	----	----	0.151B/0.126A	0.151B/0.126A	----	0.126 - 0.020	.0303	----	----	----	----	1 UNCH
8550	----	----	0.149B/0.124A	0.149B/0.124A	----	0.123 - 0.021	.0296	----	----	----	----	29 UNCH
8575	0.124	0.124	0.146B/0.121A	0.146B/0.121A	----	0.121 - 0.020	.0291	----	----	5	----	7 + 4
8600	----	----	0.143B/0.119A	0.143B/0.119A	----	0.119 - 0.020	.0285	----	----	----	----	189 UNCH
8625	----	----	0.141B/0.117A	0.141B/0.117A	----	0.117 - 0.020	.0280	----	----	----	----	2 UNCH
8675	----	----	0.136B/0.113A	0.136B/0.113A	----	0.113 - 0.019	.0270	----	----	----	----	4 UNCH
8700	----	----	0.133B/0.112A	0.133B/0.112A	----	0.111 - 0.019	.0265	----	----	----	----	30 UNCH
8725	----	----	0.131B/0.110A	0.131B/0.110A	----	0.109 - 0.019	.0259	----	----	----	----	5 UNCH
8750	----	----	0.128B/0.108A	0.128B/0.108A	----	0.108 - 0.018	.0256	----	----	----	----	1 UNCH
8775	----	----	0.126B/0.106A	0.126B/0.106A	----	0.106 - 0.018	.0251	----	----	----	----	51 UNCH
8800	----	----	0.124B/0.104A	0.124B/0.104A	----	0.104 - 0.018	.0246	----	----	----	----	327 UNCH
8850	----	----	0.120B/0.101A	0.120B/0.101A	----	0.101 - 0.017	.0238	----	----	----	----	2 UNCH
8900	0.093	0.093	0.116B/0.093	0.116B/0.093	----	0.097 - 0.017	.0228	----	----	3	----	89 UNCH
8925	----	----	0.114B/0.096A	0.114B/0.096A	----	0.096 - 0.016	.0225	----	----	----	----	10 UNCH
8950	----	----	0.111B/0.095A	0.111B/0.095A	----	0.094 - 0.016	.0221	----	----	----	----	12 UNCH
8975	0.094	0.094	0.110B/0.093A	0.110B/0.093A	----	0.093 - 0.016	.0218	----	----	5	----	20 + 5
9000	0.087	0.087	0.087/0.087	0.107B/0.087	----	0.091 - 0.016	.0213	----	----	6	----	1980 - 1
9025	----	----	----/0.091A	0.105B/0.091A	----	0.090 - 0.015	.0210	----	----	----	----	6 UNCH
9050	0.088	0.088	0.088/0.088	0.103B/0.088	----	0.088 - 0.016	.0205	----	----	5	----	230 - 5
9075	----	----	----/0.088A	0.102B/0.088A	----	0.087 - 0.015	.0202	----	----	----	----	7 UNCH
9100	0.083	0.083	0.083/0.083	0.101B/0.083	----	0.086 - 0.015	.0200	----	----	5	----	26 + 4
9125	----	----	----/0.085A	0.098B/0.085A	----	0.084 - 0.015	.0195	----	----	----	----	1 UNCH
9150	----	----	----/0.084A	0.097B/0.084A	----	0.083 - 0.014	.0192	----	----	----	----	8 UNCH
9200	----	----	----/0.082A	0.094B/0.082A	----	0.080 - 0.015	.0185	----	----	----	----	5 UNCH
9225	----	----	----/0.082A	0.092B/0.082A	----	0.079 - 0.014	.0182	----	----	----	----	16 UNCH
9250	----	----	----/0.081A	0.090B/0.081A	----	0.078 - 0.014	.0180	----	----	----	----	20 UNCH
9275	----	----	----/0.081A	0.089B/0.081A	----	0.077 - 0.013	.0177	----	----	----	----	25 UNCH
9300	----	----	----/0.078A	0.088B/0.078A	----	0.076 - 0.013	.0174	----	----	----	----	185 UNCH
9350	----	----	----/0.076A	0.084B/0.076A	----	0.073 - 0.014	.0167	----	----	----	----	6 UNCH
9375	----	----	----/0.076A	0.083B/0.076A	----	0.072 - 0.013	.0165	----	----	----	----	5 UNCH
9400	----	----	----/0.075A	0.081B/0.075A	----	0.071 - 0.013	.0162	----	----	----	----	63 UNCH
9425	----	----	----/0.074A	0.080B/0.074A	----	0.070 - 0.013	.0160	----	----	----	----	10 UNCH
9450	----	----	----/0.072A	0.079B/0.072A	----	0.069 - 0.013	.0157	----	----	----	----	10 UNCH
9475	----	----	----/0.071A	0.077B/0.071A	----	0.068 - 0.013	.0155	----	----	----	----	1 UNCH
9500	0.061	0.061	0.061/0.061	0.076B/0.061	----	0.067 - 0.013	.0152	----	----	65	----	1274 + 5
9525	----	----	----/0.069A	0.075B/0.069A	----	0.066 - 0.012	.0150	----	----	----	----	60 UNCH
9550	----	----	----/0.068A	0.074B/0.068A	----	0.065 - 0.012	.0147	----	----	----	----	8 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

SO CALL — COMEX SILVER OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
DEC26												
9600	----	----	----/0.066A	0.072B/0.066A	----	0.063 - 0.012	.0143	----	----	----	----	53 UNCH
9625	----	----	----/0.065A	0.070B/0.065A	----	0.062 - 0.012	.0140	----	----	----	----	18 UNCH
9700	----	----	----/0.063A	0.067B/0.063A	----	0.060 - 0.011	.0135	----	----	----	----	54 UNCH
9750	----	----	----/0.061A	0.065B/0.061A	----	0.058 - 0.011	.0130	----	----	----	----	10 UNCH
9775	0.057	0.057	0.057/0.057	0.064B/0.057	----	0.057 NEW	.0128	----	----	1	----	1 + 1
9800	----	----	----/0.059A	0.063B/0.059A	----	0.056 - 0.012	.0125	----	----	3	----	54 - 3
9825	----	----	----/0.060A	0.062B/0.060A	----	0.056 - 0.011	.0125	----	----	----	----	18 UNCH
9875	----	----	----/0.058A	0.060B/0.058A	----	0.054 - 0.011	.0120	----	----	----	----	1 UNCH
9900	----	----	----/0.056A	0.058B/0.056A	----	0.053 - 0.011	.0118	----	----	----	----	58 UNCH
9950	----	----	----/0.056A	0.057B/0.056A	----	0.052 - 0.011	.0115	----	----	----	----	2 UNCH
10000	----	----	----/0.054A	0.055B/0.054A	----	0.050 - 0.011	.0111	----	----	3	----	1919 UNCH
10025	----	----	----/0.054A	0.050B/0.054A	----	0.050 - 0.010	.0111	----	----	----	----	3 UNCH
10050	----	----	----/0.053A	0.049B/0.053A	----	0.049 - 0.011	.0108	----	----	----	----	11 UNCH
10100	----	----	----/0.052A	0.048B/0.052A	----	0.048 - 0.010	.0106	----	----	----	----	12 UNCH
10125	----	----	----/0.050A	0.047B/0.050A	----	0.047 - 0.010	.0104	----	----	----	----	2 UNCH
10150	----	----	----/0.050A	0.046B/0.050A	----	0.046 - 0.011	.0101	----	----	----	----	1 UNCH
10175	----	----	----/0.050A	0.045B/0.050A	----	0.046 - 0.010	.0101	----	----	----	----	4 UNCH
10200	----	----	----/0.048A	0.045B/0.048A	----	0.045 - 0.010	.0099	----	----	----	----	14 UNCH
10250	----	----	----/0.048A	0.043B/0.048A	----	0.044 - 0.010	.0096	----	----	----	----	2 UNCH
10300	----	----	----/0.046A	0.042B/0.046A	----	0.043 - 0.010	.0094	----	----	----	----	12 UNCH
10350	----	----	----/0.046A	0.041B/0.046A	----	0.042 - 0.009	.0092	----	----	----	----	2 UNCH
10475	----	----	----/0.043A	0.038B/0.043A	----	0.039 - 0.009	.0085	----	----	----	----	2 UNCH
10500	----	----	----/0.042A	0.037B/0.042A	----	0.039 - 0.009	.0084	----	----	----	----	259 UNCH
10550	----	----	----/0.041A	0.036B/0.041A	----	0.038 - 0.009	.0082	----	----	----	----	3 UNCH
10600	----	----	----/0.040A	0.035B/0.040A	----	0.037 - 0.009	.0080	----	----	----	----	6 UNCH
10700	----	----	----/0.038A	0.033B/0.038A	----	0.035 - 0.008	.0075	----	----	----	----	86 UNCH
10800	----	----	----/0.037A	0.031B/0.037A	----	0.033 - 0.008	.0071	----	----	----	----	93 UNCH
10975	----	----	----/0.034A	0.027B/0.034A	----	0.030 - 0.008	.0064	----	----	----	----	5 UNCH
11000	----	----	----/0.033A	0.027B/0.033A	----	0.030 - 0.008	.0064	----	----	----	----	298 UNCH
11075	----	----	----/0.032A	0.025B/0.032A	----	0.029 - 0.007	.0061	----	----	----	----	1 UNCH
11150	----	----	----/0.031A	0.024B/0.031A	----	0.028 - 0.007	.0059	----	----	----	----	1 UNCH
11200	----	----	----/0.030A	0.023B/0.030A	----	0.027 - 0.007	.0057	----	----	----	----	9 UNCH
11225	----	----	----/0.030A	0.023B/0.030A	----	0.027 - 0.007	.0057	----	----	----	----	2 UNCH
11250	----	----	----/0.029A	0.023B/0.029A	----	0.027 - 0.006	.0057	----	----	----	----	2 UNCH
11275	----	----	----/0.029A	0.022B/0.029A	----	0.026 - 0.007	.0055	----	----	----	----	1 UNCH
11300	----	----	----/0.029A	0.022B/0.029A	----	0.026 - 0.006	.0055	----	----	----	----	5 UNCH
11350	----	----	----/0.028A	0.021B/0.028A	----	0.025 - 0.007	.0052	----	----	----	----	5 UNCH
11375	----	----	----/0.028A	0.021B/0.028A	----	0.025 - 0.006	.0052	----	----	----	----	1 UNCH
11400	----	----	----/0.027A	0.020B/0.027A	----	0.025 - 0.006	.0052	----	----	----	----	11 UNCH
11475	----	----	----/0.026A	0.019B/0.026A	----	0.024 - 0.006	.0050	----	----	----	----	1 UNCH
11500	----	----	----/0.026A	0.019B/0.026A	----	0.024 - 0.005	.0050	----	----	----	----	14 UNCH
11550	----	----	----/0.026A	0.019B/0.026A	----	0.023 - 0.006	.0048	----	----	----	----	1 UNCH
11600	----	----	----/0.025A	0.018B/0.025A	----	0.023 - 0.005	.0048	----	----	----	----	1 UNCH
11625	----	----	----/0.025A	0.018B/0.025A	----	0.023 - 0.005	.0048	----	----	----	----	2 UNCH
11675	----	----	----/0.024A	0.016B/0.024A	----	0.022 - 0.005	.0046	----	----	----	----	4 UNCH
11700	----	----	----/0.024A	0.017B/0.024A	----	0.022 - 0.005	.0045	----	----	----	----	1 UNCH
11775	----	----	----/0.023A	0.016B/0.023A	----	0.021 - 0.005	.0043	----	----	----	----	3 UNCH
11800	----	----	----/0.023A	0.016B/0.023A	----	0.021 - 0.004	.0043	----	----	----	----	30 UNCH
11850	----	----	----/0.023A	0.015B/0.023A	----	0.020 - 0.005	.0041	----	----	----	----	2 UNCH
12000	----	----	----/0.021A	0.014B/0.021A	----	0.019 - 0.004	.0039	----	----	----	----	551 UNCH
12075	----	----	----/0.021A	0.013B/0.021A	----	0.019 - 0.003	.0039	----	----	----	----	1 UNCH
12100	----	----	----	0.013B/0.021A	----	0.019 - 0.002	.0038	----	----	----	----	13 UNCH
12125	----	----	----	0.013B/0.021A	----	0.018 - 0.003	.0037	----	----	----	----	2 UNCH
12150	----	----	----	0.012B/0.021A	----	0.018 - 0.003	.0037	----	----	----	----	4 UNCH
12175	----	----	----	0.012B/0.020A	----	0.018 - 0.002	.0036	----	----	----	----	10 UNCH
12200	----	----	----	0.012B/0.021A	----	0.018 - 0.002	.0036	----	----	----	----	25 UNCH
12225	----	----	----	0.012B/0.020A	----	0.018 - 0.002	.0036	----	----	----	----	3 UNCH
12250	----	----	----	0.012B/0.020A	----	0.018 - 0.002	.0036	----	----	----	----	26 UNCH
12275	----	----	----	0.011B/0.020A	----	0.017 - 0.002	.0034	----	----	----	----	1 UNCH
12300	----	----	----	0.011B/0.020A	----	0.017 - 0.002	.0034	----	----	----	----	30 UNCH
12400	----	----	----	0.011B/0.019A	----	0.017 - 0.001	.0034	----	----	----	----	25 UNCH
12500	----	----	----	0.010B/0.019A	----	0.016 - 0.001	.0032	----	----	----	----	113 UNCH
12525	----	----	----	0.012B/0.019A	----	0.016 - 0.001	.0032	----	----	----	----	6 UNCH
12550	----	----	----	0.010B/0.019A	----	0.016 UNCH	.0032	----	----	----	----	19 UNCH
12600	----	----	----/0.015A	0.010B/0.015A	----	0.015 - 0.001	.0030	----	----	----	----	31 UNCH
12700	----	----	----	0.009B/0.019A	----	0.015 UNCH	.0030	----	----	----	----	25 UNCH
12775	----	----	----	0.008B/0.018A	----	0.015 UNCH	.0030	----	----	----	----	1 UNCH
12800	----	----	----	0.008B/0.018A	----	0.014 - 0.001	.0028	----	----	----	----	7 UNCH
12900	----	----	----	0.008B/0.018A	----	0.014 - 0.001	.0028	----	----	----	----	3 UNCH
13000	----	----	----	0.001B/0.024A	----	0.014 - 0.001	.0027	----	----	----	----	370 UNCH
13500	----	----	----	0.010B/0.055A	----	0.012 - 0.002	.0023	----	----	----	----	24 UNCH
14000	----	----	----	0.001B/0.053A	----	0.010 - 0.004	.0019	----	----	----	----	118 UNCH
14200	----	----	----	0.001B/0.053A	----	0.010 - 0.003	.0019	----	----	----	----	2 UNCH
15000	----	----	----	----/0.051A	----	0.008 - 0.002	.0014	----	----	----	----	1773 UNCH
16000	----	----	----	----/0.049A	----	0.007 - 0.001	.0012	----	----	----	----	1615 UNCH
17000	----	----	----	0.005B/0.010A	----	0.006 + 0.001	.0010	----	----	----	----	164 UNCH
18000	----	----	----	----/0.047A	----	0.006 + 0.003	.0010	----	----	----	----	175 UNCH
19000	----	----	----	----/0.046A	----	0.006 + 0.004	.0009	----	----	----	----	6 UNCH
20000	----	----	----	----/0.046A	----	0.004 + 0.003	.0006	----	----	----	----	544 UNCH
21000	----	----	----	----/0.045A	----	0.002 + 0.001	.0003	----	----	----	----	7 UNCH
22000	----	----	----	----/0.045A	----	0.001 UNCH	.0001	----	----	----	----	7 UNCH
23000	----	----	----	----/0.045A	----	0.001 UNCH	.0001	----	----	----	----	37 UNCH
24000	----	----	----	----/0.045A	----	0.001 UNCH	.0000	----	----	----	----	2 UNCH
25000	----	----	----	----/0.005A	----	0.001 UNCH	.0000	----	----	----	----	239 UNCH
26000	----	----	----	----/0.044A	----	0.001 UNCH	.0000	----	----	----	----	3 UNCH
30000	----	----	----	----/0.044A	----	0.001 UNCH	----	----	----	----	----	111 UNCH
32000	----	----	----	----/0.044A	----	0.001 UNCH	----	----	----	----	----	12 UNCH
35000	----	----	----	----/0.044A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
40000	----	----	----	----/0.044A	----	0.001 UNCH	----	----	----	----	----	25 UNCH
90000	----	----	----	----/0.044A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
10000(	----	----	----	----/0.002A	----	0.001 UNCH	----	----	----	----	----	10 UNCH
TOTAL										437	0	26218 + 99
JAN27												
4000	----	----	22.436B/21.240A	22.436B/21.240A	----	21.288 - 0.536	.9828	----	----	----	----	3 UNCH
4500	----	----	17.517B/16.317A	17.517B/16.317A	----	16.384 - 0.533	.9617	----	----	----	----	2 UNCH
5700	----	----	6.994B/6.013A	6.994B/6.013A	----	6.074 - 0.431	.7103	----	----	----	----	1 UNCH
5900	----	----	5.676B/4.797A	5.676B/4.797A	----	4.846 - 0.384	.6279	----	----	----	----	2 UNCH
6000	----	----	5.076B/4.247A	5.076B/4.247A	----	4.308 - 0.359	.5847	----	----	----	----	15 UNCH
6025	----	----	4.944B/4.121A	4.944B/4.121A	----	4.181 - 0.353	.5739	----	----	----	----	1 UNCH
6075	----	----	4.668B/3.880A	4.668B/3.880A	----	3.938 - 0.339	.5522	----	----	----	----	1 UNCH
6100	----	----	4.549B/3.764A	4.549B/3.764A	----	3.821 - 0.332	.5414	----	----	2	----	5 + 2
6175	----	----	4.178B/3.434A	4.178B/3.434A	----	3.489 - 0.311	.5093	----	----	----	----	7 UNCH
6200	----	----	4.059B/3.330A	4.059B/3.330A	----	3.385 - 0.304	.4987	----	----	----	----	29 UNCH
6225	----	----	3.944B/3.230A	3.944B/3.230A	----	3.283 - 0.297	.4882	----	----	----	----	51 UNCH
6250	----	----	3.835B/3.132A	3.835B/3.132A	----	3.185 - 0.290	.4778	----	----	----	----	34 UNCH
6275	----	----	3.725B/3.037A	3.725B/3.037A	----	3.089 - 0.283	.4676	----	----	----	----	1 UNCH
6300	----	----	3.615B/2.944A	3.615B/2.944A	----	2.996 - 0.277	.4574	----	----	----	----	32 UNCH
6325	----	----	3.512B/2.855A	3.512B/2.855A	----	2.906 - 0.270	.4474	----	----	----	----	13 UNCH
6350	----	----	3.410B/2.768A	3.410B/2.768A	----	2.819 - 0.263	.4375	----	----	----	----	4 UNCH
6375	----	----	3.309B/2.684A	3.309B/2.684A	----	2.734 - 0.256	.4277	----	----	----	----	9 UNCH
6400	----	----	3.217B/2.605A	3.217B/2.605A	----	2.651 - 0.251	.4180	----	----	3	----	102 + 2
6425	----	----	3.124B/2.523A	3.124B/2.523A	----	2.572 - 0.244	.4085	----	----	----	----	1 UNCH
6450	----	----	3.034B/2.449A	3.034B/2.449A	----	2.494 - 0.238	.3992	----	----	----	----	11 UNCH
6475	----	----	2.947B/2.373A	2.947B/2.373A	----	2.419 - 0.233	.3899	----	----	----	----	1 UNCH
6500	----	----	2.862B/2.303A	2.862B/2.303A	----	2.347 - 0.226	.3809	----	----	2	----	104 UNCH
6525	----	----	2.779B/2.234A	2.779B/2.234A	----	2.276 - 0.221	.3720	----	----	----	----	7 UNCH
6575	----	----	2.622B/2.101A	2.622B/2.101A	----	2.142 - 0.211	.3547	----	----	----	----	1 UNCH
6600	----	----	2.547B/2.037A	2.547B/2.037A	----	2.078 - 0.206	.3463	----	----	----	----	203 UNCH
6625	----	----	2.474B/1.978A	2.474B/1.978A	----	2.016 - 0.201	.3380	----	----	----	----	21 UNCH
6650	----	----	2.403B/1.918A	2.403B/1.918A	----	1.956 - 0.197	.3299	----	----	----	----	1 UNCH
6700	----	----	2.268B/1.807A	2.268B/1.807A	----	1.842 - 0.188	.3143	----	----	----	----	31 UNCH
6725	----	----	2.204B/1.754A	2.204B/1.754A	----	1.788 - 0.183	.3067	----	----	----	----	26 UNCH
6750	----	----	2.142B/1.703A	2.142B/1.703A	----	1.736 - 0.179	.2993	----	----	----	----	9 UNCH
6775	----	----	2.084B/1.655A	2.084B/1.655A	----	1.686 - 0.174	.2921	----	----	----	----	1 UNCH
6800	----	----	2.025B/1.607A	2.025B/1.607A	----	1.637 - 0.170	.2850	----	----	----	----	206 UNCH
6825	----	----	1.964B/1.562A	1.964B/1.562A	----	1.591 - 0.165	.2782	----	----	----	----	9 UNCH
6850	----	----	1.912B/1.516A	1.912B/1.516A	----	1.546 - 0.161	.2715	----	----	----	----	2 UNCH
6875	----	----	1.859B/1.473A	1.859B/1.473A	----	1.502 - 0.157	.2649	----	----	----	----	11 UNCH
6900	----	----	1.808B/1.432A	1.808B/1.432A	----	1.460 - 0.153	.2586	----	----	----	----	15 UNCH
6925	----	----	1.758B/1.392A	1.758B/1.392A	----	1.419 - 0.150	.2523	----	----	----	----	2 UNCH
6950	----	----	1.712B/1.353A	1.712B/1.353A	----	1.380 - 0.146	.2463	----	----	----	----	11 UNCH
7000	----	----	1.620B/1.279A	1.620B/1.279A	----	1.306 - 0.138	.2347	----	----	1	----	188 UNCH
7050	----	----	1.536B/1.211A	1.536B/1.211A	----	1.236 - 0.132	.2236	----	----	----	----	1 UNCH
7075	----	----	1.493B/1.179A	1.493B/1.179A	----	1.203 - 0.128	.2183	----	----	----	----	5 UNCH
7100	----	----	1.455B/1.146A	1.455B/1.146A	----	1.171 - 0.125	.2132	----	----	----	----	38 UNCH
7150	----	----	1.379B/1.088A	1.379B/1.088A	----	1.111 - 0.118	.2033	----	----	----	----	10 UNCH
7200	----	----	1.306B/1.031A	1.306B/1.031A	----	1.054 - 0.113	.1939	----	----	----	----	141 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JAN27												
7250	1.040	1.040	1.238B/0.979A	1.238B/0.979A	----	1.001 - 0.108	.1850	----	----	1	----	95 + 1
7300	----	----	1.179B/0.932A	1.179B/0.932A	----	0.952 - 0.102	.1766	----	----	----	----	32 UNCH
7350	----	----	1.122B/0.887A	1.122B/0.887A	----	0.905 - 0.098	.1686	----	----	----	----	3 UNCH
7375	----	----	1.093B/0.865A	1.093B/0.865A	----	0.883 - 0.096	.1648	----	----	----	----	2 UNCH
7400	----	----	1.069B/0.844A	1.069B/0.844A	----	0.862 - 0.093	.1611	----	----	----	----	3 UNCH
7425	----	----	1.041B/0.824A	1.041B/0.824A	----	0.841 - 0.092	.1575	----	----	----	----	1 UNCH
7450	----	----	1.017B/0.805A	1.017B/0.805A	----	0.822 - 0.089	.1541	----	----	----	----	10 UNCH
7475	----	----	0.992B/0.786A	0.992B/0.786A	----	0.802 - 0.087	.1506	----	----	----	----	37 UNCH
7500	----	----	0.968B/0.768A	0.968B/0.768A	----	0.784 - 0.085	.1474	----	----	2	----	86 UNCH
7525	----	----	0.946B/0.750A	0.946B/0.750A	----	0.766 - 0.083	.1441	----	----	----	----	1 UNCH
7550	----	----	0.926B/0.733A	0.926B/0.733A	----	0.748 - 0.081	.1410	----	----	----	----	4 UNCH
7575	----	----	0.902B/0.717A	0.902B/0.717A	----	0.731 - 0.080	.1379	----	----	----	----	8 UNCH
7600	----	----	0.881B/0.701A	0.881B/0.701A	----	0.715 - 0.078	.1350	----	----	----	----	1 UNCH
7650	----	----	0.845B/0.670A	0.845B/0.670A	----	0.684 - 0.074	.1294	----	----	----	----	6 UNCH
7675	----	----	0.824B/0.656A	0.824B/0.656A	----	0.669 - 0.072	.1266	----	----	----	----	4 UNCH
7700	----	----	0.806B/0.642A	0.806B/0.642A	----	0.655 - 0.071	.1240	----	----	----	----	83 UNCH
7725	----	----	0.786B/0.628A	0.786B/0.628A	----	0.641 - 0.069	.1215	----	----	----	----	1 UNCH
7800	----	----	0.739B/0.590A	0.739B/0.590A	----	0.601 - 0.065	.1141	----	----	----	----	63 UNCH
7900	0.554	0.554	0.679B/0.545A	0.679B/0.545A	----	0.554 - 0.060	.1053	----	----	1	----	23 + 1
7925	----	----	0.663B/0.534A	0.663B/0.534A	----	0.544 - 0.058	.1033	----	----	----	----	5 UNCH
7950	----	----	0.649B/0.527A	0.649B/0.527A	----	0.533 - 0.057	.1013	----	----	----	----	1 UNCH
7975	----	----	0.638B/0.520A	0.638B/0.520A	----	0.523 - 0.056	.0994	----	----	----	----	7 UNCH
8000	0.519	0.519	0.624B/0.510A	0.624B/0.510A	----	0.513 - 0.055	.0975	----	----	4	----	154 UNCH
8075	----	----	0.587B/0.482A	0.587B/0.482A	----	0.485 - 0.051	.0921	----	----	----	----	6 UNCH
8100	----	----	0.577B/0.474A	0.577B/0.474A	----	0.476 - 0.051	.0904	----	----	----	----	2 UNCH
8200	----	----	0.535B/0.442A	0.535B/0.442A	----	0.443 - 0.047	.0840	----	----	----	----	11 UNCH
8300	----	----	0.498B/0.408A	0.498B/0.408A	----	0.413 - 0.044	.0783	----	----	----	----	53 UNCH
8325	----	----	0.489B/0.402A	0.489B/0.402A	----	0.406 - 0.043	.0769	----	----	----	----	1 UNCH
8350	----	----	0.481B/0.395A	0.481B/0.395A	----	0.400 - 0.041	.0757	----	----	----	----	2 UNCH
8400	----	----	0.464B/0.382A	0.464B/0.382A	----	0.387 - 0.040	.0731	----	----	----	----	1 UNCH
8500	----	----	----/0.359A	0.394B/0.359A	----	0.363 - 0.037	.0684	----	----	----	----	26 UNCH
8550	----	----	----/0.348A	0.372B/0.348A	----	0.352 - 0.036	.0663	----	----	----	----	13 UNCH
8600	----	----	----/0.338A	0.361B/0.338A	----	0.341 - 0.035	.0641	----	----	----	----	1 UNCH
8700	----	----	----/0.319A	0.346B/0.319A	----	0.322 - 0.032	.0603	----	----	----	----	2 UNCH
8750	----	----	0.346B/0.310A	0.346B/0.310A	----	0.313 - 0.030	.0585	----	----	----	----	2 UNCH
8800	----	----	0.346B/0.301A	0.346B/0.301A	----	0.304 - 0.029	.0568	----	----	----	----	5 UNCH
8825	----	----	0.346B/0.297A	0.346B/0.297A	----	0.300 - 0.029	.0560	----	----	----	----	1 UNCH
8975	----	----	0.321B/0.274A	0.321B/0.274A	----	0.276 - 0.026	.0512	----	----	----	----	1 UNCH
9000	0.327	0.327	0.327/0.264	0.327/0.264	----	0.273 - 0.025	.0506	----	----	9	----	327 + 2
9025	----	----	0.311B/0.267A	0.311B/0.267A	----	0.269 - 0.025	.0498	----	----	----	----	1 UNCH
9100	----	----	0.299B/0.257A	0.299B/0.257A	----	0.259 - 0.023	.0478	----	----	----	----	4 UNCH
9125	----	----	0.295B/0.254A	0.295B/0.254A	----	0.256 - 0.023	.0472	----	----	----	----	3 UNCH
9200	----	----	0.283B/0.245A	0.283B/0.245A	----	0.246 - 0.022	.0453	----	----	----	----	4 UNCH
9300	----	----	0.269B/0.234A	0.269B/0.234A	----	0.235 - 0.020	.0430	----	----	----	----	1 UNCH
9325	----	----	0.265B/0.231A	0.265B/0.231A	----	0.232 - 0.020	.0424	----	----	----	----	2 UNCH
9400	----	----	0.256B/0.223A	0.256B/0.223A	----	0.224 - 0.019	.0409	----	----	----	----	1 UNCH
9450	----	----	0.248B/0.218A	0.248B/0.218A	----	0.219 - 0.018	.0399	----	----	----	----	2 UNCH
9475	----	----	0.246B/0.216A	0.246B/0.216A	----	0.216 - 0.018	.0393	----	----	----	----	1 UNCH
9500	0.207	0.207	0.243B/0.207	0.243B/0.207	----	0.214 - 0.017	.0389	----	----	1	----	39 + 1
9525	----	----	0.240B/0.211A	0.240B/0.211A	----	0.211 - 0.018	.0383	----	----	----	----	1 UNCH
9600	----	----	0.232B/0.205A	0.232B/0.205A	----	0.205 - 0.016	.0371	----	----	----	----	1 UNCH
9650	----	----	0.227B/0.200A	0.227B/0.200A	----	0.200 - 0.016	.0361	----	----	----	----	5 UNCH
9700	----	----	0.220B/0.196A	0.220B/0.196A	----	0.196 - 0.015	.0353	----	----	----	----	4 UNCH
9900	----	----	0.202B/0.180A	0.202B/0.180A	----	0.180 - 0.013	.0322	----	----	----	----	2 UNCH
9950	----	----	0.198B/0.177A	0.198B/0.177A	----	0.176 - 0.013	.0314	----	----	----	----	2 UNCH
9975	----	----	0.195B/0.175A	0.195B/0.175A	----	0.175 - 0.012	.0312	----	----	----	----	4 UNCH
10000	0.182	0.182	0.193B/0.170A	0.193B/0.170A	----	0.173 - 0.012	.0308	----	----	4	----	758 UNCH
10050	----	----	0.189B/0.170A	0.189B/0.170A	----	0.169 - 0.013	.0300	----	----	----	----	6 UNCH
10100	----	----	0.185B/0.167A	0.185B/0.167A	----	0.166 - 0.012	.0294	----	----	----	----	2 UNCH
10200	----	----	0.177B/0.160A	0.177B/0.160A	----	0.159 - 0.012	.0281	----	----	----	----	1 UNCH
10300	----	----	0.169B/0.154A	0.169B/0.154A	----	0.153 - 0.011	.0269	----	----	----	----	3 UNCH
10375	----	----	0.164B/0.150A	0.164B/0.150A	----	0.149 - 0.011	.0261	----	----	----	----	10 UNCH
10500	----	----	0.157B/0.143A	0.157B/0.143A	----	0.142 - 0.010	.0248	----	----	----	----	4 UNCH
10950	----	----	0.131B/0.122A	0.131B/0.122A	----	0.120 - 0.009	.0207	----	----	----	----	4 UNCH
11000	----	----	0.128B/0.120A	0.128B/0.120A	----	0.118 - 0.009	.0203	----	----	----	----	115 UNCH
11200	----	----	0.119B/0.112A	0.119B/0.112A	----	0.110 - 0.008	.0188	----	----	----	----	2 UNCH
11400	----	----	----/0.108A	0.110B/0.108A	----	0.102 - 0.008	.0173	----	----	----	----	4 UNCH
11500	----	----	----/0.105A	0.107B/0.105A	----	0.099 - 0.008	.0168	----	----	----	----	1 UNCH
11825	----	----	----/0.094A	0.094B/0.094A	----	0.088 - 0.008	.0148	----	----	----	----	4 UNCH
12000	----	----	----	0.088B/0.090A	----	0.083 - 0.007	.0139	----	----	----	----	333 UNCH
12050	----	----	----/0.087A	0.086B/0.087A	----	0.082 - 0.007	.0137	----	----	----	----	4 UNCH
12100	----	----	----/0.087A	0.085B/0.087A	----	0.081 - 0.007	.0135	----	----	----	----	1 UNCH
12125	----	----	----/0.085A	0.085B/0.085A	----	0.080 - 0.007	.0133	----	----	----	----	1 UNCH
12500	----	----	----	0.073B/0.077A	----	0.071 - 0.006	.0117	----	----	----	----	3045 UNCH
12600	----	----	----/0.074A	0.071B/0.074A	----	0.068 - 0.007	.0112	----	----	----	----	4 UNCH
12975	----	----	----	0.057B/0.066A	----	0.060 - 0.006	.0099	----	----	----	----	25 UNCH
13000	----	----	----	0.056B/0.066A	----	0.060 - 0.006	.0098	----	----	----	----	7 UNCH
14000	----	----	----	0.039B/0.048A	----	0.043 - 0.003	.0070	----	----	----	----	25 UNCH
14500	----	----	----	0.032B/0.042A	----	0.037 - 0.002	.0060	----	----	----	----	400 UNCH
15000	----	----	----	0.026B/0.037A	----	0.031 - 0.001	.0050	----	----	----	----	3467 UNCH
16000	----	----	----	0.018B/0.029A	----	0.023 UNCH	.0037	----	----	----	----	9 UNCH
TOTAL										30	0	10764 + 9
FEB27												
5950	----	----	5.980B/5.145A	5.980B/5.145A	----	5.210 - 0.367	.6000	----	----	----	----	2 UNCH
6075	----	----	5.330B/4.540A	5.330B/4.540A	----	4.602 - 0.339	.5542	----	----	----	----	1 UNCH
6100	----	----	5.213B/4.430A	5.213B/4.430A	----	4.488 - 0.334	.5450	----	----	1	----	23 UNCH
6150	----	----	4.966B/4.208A	4.966B/4.208A	----	4.268 - 0.323	.5269	----	----	----	----	3 UNCH
6175	----	----	4.849B/4.102A	4.849B/4.102A	----	4.162 - 0.317	.5179	----	----	----	----	4 UNCH
6200	----	----	4.733B/4.002A	4.733B/4.002A	----	4.059 - 0.311	.5090	----	----	----	----	6 UNCH
6250	----	----	4.511B/3.801A	4.511B/3.801A	----	3.859 - 0.301	.4914	----	----	----	----	9 UNCH
6275	----	----	4.401B/3.706A	4.401B/3.706A	----	3.763 - 0.295	.4827	----	----	----	----	24 UNCH
6300	----	----	4.300B/3.613A	4.300B/3.613A	----	3.669 - 0.290	.4741	----	----	----	----	15 UNCH
6350	----	----	4.095B/3.434A	4.095B/3.434A	----	3.489 - 0.279	.4571	----	----	----	----	7 UNCH
6400	----	----	3.905B/3.264A	3.905B/3.264A	----	3.318 NEW	.4405	----	----	1	----	1 + 1
6450	----	----	3.721B/3.107A	3.721B/3.107A	----	3.155 - 0.260	.4243	----	----	----	----	5 UNCH
6500	----	----	3.547B/2.954A	3.547B/2.954A	----	3.001 - 0.250	.4085	----	----	----	----	13 UNCH
6550	----	----	3.378B/2.808A	3.378B/2.808A	----	2.855 - 0.241	.3931	----	----	----	----	5 UNCH
6575	----	----	3.301B/2.739A	3.301B/2.739A	----	2.785 - 0.237	.3856	----	----	----	----	3 UNCH
6600	----	----	3.220B/2.670A	3.220B/2.670A	----	2.717 - 0.233	.3783	----	----	----	----	1 UNCH
6625	----	----	3.141B/2.608A	3.141B/2.608A	----	2.650 - 0.229	.3710	----	----	----	----	3 UNCH
6700	----	----	2.929B/2.422A	2.929B/2.422A	----	2.462 - 0.217	.3499	----	----	----	----	10 UNCH
6800	----	----	2.668B/2.194A	2.668B/2.194A	----	2.235 - 0.201	.3235	----	----	----	----	37 UNCH
6850	----	----	2.547B/2.091A	2.547B/2.091A	----	2.131 - 0.193	.3110	----	----	----	----	1 UNCH
6900	----	----	2.431B/1.995A	2.431B/1.995A	----	2.032 - 0.186	.2989	----	----	----	----	1 UNCH
6925	----	----	2.376B/1.947A	2.376B/1.947A	----	1.985 - 0.183	.2931	----	----	----	----	1 UNCH
7000	----	----	2.215B/1.818A	2.215B/1.818A	----	1.852 - 0.171	.2764	----	----	----	----	8 UNCH
7200	----	----	1.855B/1.516A	1.855B/1.516A	----	1.546 - 0.146	.2364	----	----	----	----	454 UNCH
7225	----	----	1.819B/1.483A	1.819B/1.483A	----	1.513 - 0.143	.2319	----	----	----	----	71 UNCH
7300	----	----	1.704B/1.389A	1.704B/1.389A	----	1.418 - 0.134	.2189	----	----	----	----	1 UNCH
7325	----	----	1.670B/1.361A	1.670B/1.361A	----	1.388 - 0.132	.2148	----	----	----	----	2 UNCH
7350	----	----	1.635B/1.332A	1.635B/1.332A	----	1.359 - 0.129	.2107	----	----	----	----	1 UNCH
7450	----	----	1.502B/1.225A	1.502B/1.225A	----	1.250 - 0.120	.1954	----	----	----	----	3 UNCH
7475	----	----	1.472B/1.200A	1.472B/1.200A	----	1.225 - 0.117	.1918	----	----	----	----	10 UNCH
7500	----	----	1.446B/1.176A	1.446B/1.176A	----	1.200 - 0.115	.1883	----	----	----	----	281 UNCH
7550	----	----	1.387B/1.130A	1.387B/1.130A	----	1.152 - 0.112	.1814	----	----	----	----	334 UNCH
7600	----	----	1.333B/1.086A	1.333B/1.086A	----	1.108 - 0.107	.1749	----	----	----	----	5 UNCH
7700	----	----	1.234B/1.006A	1.234B/1.006A	----	1.025 - 0.100	.1627	----	----	----	----	61 UNCH
7775	----	----	1.167B/0.952A	1.167B/0.952A	----	0.969 - 0.094	.1543	----	----	----	----	2 UNCH
7800	----	----	1.144B/0.934A	1.144B/0.934A	----	0.951 - 0.092	.1516	----	----	----	----	25 UNCH
7900	----	----	1.062B/0.869A	1.062B/0.869A	----	0.884 - 0.087	.1415	----	----	----	----	1 UNCH
7975	----	----	1.007B/0.824A	1.007B/0.824A	----	0.839 - 0.082	.1345	----	----	----	----	1 UNCH
8000	----	----	0.990B/0.811A	0.990B/0.811A	----	0.825 - 0.080	.1323	----	----	----	----	177 UNCH
8050	----	----	0.957B/0.784A	0.957B/0.784A	----	0.797 - 0.077	.1280	----	----	----	----	50 UNCH
8200	----	----	0.860B/0.711A	0.860B/0.711A	----	0.722 - 0.069	.1162	----	----	----	----	7 UNCH
8300	----	----	0.807B/0.667A	0.807B/0.667A	----	0.678 - 0.064	.1092	----	----	----	----	20 UNCH
8400	----	----	0.758B/0.628A	0.758B/0.628A	----	0.638 - 0.059	.1028	----	----	----	----	2 UNCH
8500	----	----	0.711B/0.597A	0.711B/0.597A	----	0.601 - 0.055	.0968	----	----	----	----	122 UNCH
8550	----	----	0.691B/0.580A	0.691B/0.580A	----	0.583 - 0.054	.0940	----	----	----	----	20 UNCH
8800	----	----	0.598B/0.507A	0.598B/0.507A	----	0.508 - 0.047	.0817	----	----	----	----	12 UNCH
9000	0.498	0.498	0.533B/0.455A	0.533B/0.455A	----	0.458 - 0.043	.0735	----	----	3	----	77 - 1
9200	----	----	----/0.414A	0.438B/0.414A	----	0.417 - 0.037	.0666	----	----	----	----	89 UNCH
9275	----	----	----/0.400A	0.422B/0.400A	----	0.402 - 0.036	.0641	----	----	----	----	3 UNCH
9425	----	----	----/0.374A	0.394B/0.374A	----	0.376 - 0.031	.0598	----	----	----	----	22 UNCH
9500	----	----	----/0.362A	0.384B/0.362A	----	0.364 - 0.029	.0578	----	----	----	----	84 UNCH
9650	----	----	0.383B/0.340A	0.383B/0.340A	----	0.342 - 0.026	.0540	----	----	----	----	3 UNCH
9800	----	----	0.362B/0.320A	0.362B/0.320A	----	0.322 - 0.024	.0507	----	----	----	----	2 UNCH
10000	----	----	0.333B/0.297A	0.333B/0.297A	----	0.298 - 0.021	.0466	----	----	----	----	114 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

SO CALL — COMEX SILVER OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FEB27												
10200	----	----	0.307B/0.276A	0.307B/0.276A	----	0.276 - 0.019	.0430	----	----	----	----	83 UNCH
10225	----	----	0.305B/0.274A	0.305B/0.274A	----	0.274 - 0.019	.0426	----	----	----	----	10 UNCH
10500	----	----	0.273B/0.249A	0.273B/0.249A	----	0.248 - 0.016	.0383	----	----	----	----	20 UNCH
10725	----	----	0.252B/0.231A	0.252B/0.231A	----	0.230 - 0.015	.0353	----	----	----	----	5 UNCH
11000	----	----	0.229B/0.212A	0.229B/0.212A	----	0.210 - 0.014	.0320	----	----	----	----	25 UNCH
11100	----	----	0.221B/0.206A	0.221B/0.206A	----	0.204 - 0.013	.0310	----	----	----	----	1 UNCH
11400	----	----	0.200B/0.188A	0.200B/0.188A	----	0.186 - 0.012	.0281	----	----	----	----	4 UNCH
11500	----	----	0.194B/0.183A	0.194B/0.183A	----	0.180 - 0.012	.0271	----	----	----	----	3 UNCH
11700	----	----	0.182B/0.173A	0.182B/0.173A	----	0.170 - 0.011	.0255	----	----	----	----	6 UNCH
12000	----	----	----/0.159A	0.166B/0.159A	----	0.156 - 0.010	.0232	----	----	----	----	24 UNCH
12400	----	----	----/0.144A	0.148B/0.144A	----	0.140 - 0.009	.0207	----	----	----	----	4 UNCH
12500	----	----	----/0.140A	0.144B/0.140A	----	0.137 - 0.008	.0202	----	----	----	----	66 UNCH
12950	----	----	----/0.125A	0.127B/0.125A	----	0.122 - 0.007	.0178	----	----	----	----	1 UNCH
12975	----	----	----/0.125A	0.126B/0.125A	----	0.121 - 0.007	.0176	----	----	----	----	3 UNCH
14000	----	----	----	0.095B/0.102A	----	0.094 - 0.005	.0135	----	----	----	----	4 UNCH
25000	----	----	----/0.034A	0.002B/0.034A	----	0.033 - 0.005	.0039	----	----	----	----	2 UNCH
30000	----	----	----	----/0.058A	----	0.016 - 0.004	.0019	----	----	----	----	57 UNCH
TOTAL										5	0	2557 0
MAR27												
6000	----	----	6.240B/5.450A	6.240B/5.450A	----	5.514 - 0.356	.5808	----	----	----	----	3 UNCH
6025	----	----	6.112B/5.333A	6.112B/5.333A	----	5.396 - 0.351	.5727	----	----	----	----	1 UNCH
6050	----	----	6.000B/5.218A	6.000B/5.218A	----	5.279 - 0.348	.5646	----	----	----	----	1 UNCH
6075	----	----	5.872B/5.102A	5.872B/5.102A	----	5.166 - 0.343	.5565	----	----	----	----	76 UNCH
6125	----	----	5.632B/4.879A	5.632B/4.879A	----	4.945 - 0.334	.5405	----	----	----	----	14 UNCH
6175	----	----	5.424B/4.679A	5.424B/4.679A	----	4.734 - 0.325	.5246	----	----	----	----	15 UNCH
6200	----	----	5.312B/4.572A	5.312B/4.572A	----	4.631 - 0.322	.5168	----	----	----	----	30 UNCH
6250	----	----	5.091B/4.379A	5.091B/4.379A	----	4.433 - 0.313	.5012	----	----	----	----	11 UNCH
6300	----	----	4.880B/4.191A	4.880B/4.191A	----	4.243 - 0.305	.4859	----	----	----	----	11 UNCH
6325	----	----	4.784B/4.099A	4.784B/4.099A	----	4.152 - 0.300	.4783	----	----	----	----	1 UNCH
6350	4.056	4.056	4.681B/4.002A	4.681B/4.002A	----	4.062 - 0.297	.4708	----	----	11	----	21 + 11
6400	----	----	4.490B/3.836A	4.490B/3.836A	----	3.889 - 0.288	.4561	----	----	----	----	57 UNCH
6425	----	----	4.400B/3.748A	4.400B/3.748A	----	3.806 - 0.284	.4488	----	----	----	----	1 UNCH
6450	----	----	4.306B/3.669A	4.306B/3.669A	----	3.724 - 0.280	.4416	----	----	----	----	20 UNCH
6475	----	----	4.219B/3.590A	4.219B/3.590A	----	3.644 - 0.276	.4345	----	----	----	----	1 UNCH
6500	4.000	4.000	4.132B/3.513A	4.132B/3.513A	----	3.566 - 0.272	.4275	----	----	3	----	18 + 3
6600	----	----	3.804B/3.222A	3.804B/3.222A	----	3.272 - 0.257	.4003	----	----	----	----	18 UNCH
6775	----	----	3.298B/2.774A	3.298B/2.774A	----	2.822 - 0.231	.3562	----	----	----	----	16 UNCH
6800	----	----	3.229B/2.717A	3.229B/2.717A	----	2.763 - 0.228	.3502	----	----	----	----	41 UNCH
6825	----	----	3.162B/2.659A	3.162B/2.659A	----	2.706 - 0.225	.3443	----	----	----	----	5 UNCH
6875	----	----	3.039B/2.552A	3.039B/2.552A	----	2.597 - 0.217	.3330	----	----	----	----	1 UNCH
6900	----	----	2.978B/2.501A	2.978B/2.501A	----	2.544 - 0.214	.3274	----	----	----	----	2 UNCH
6925	----	----	2.921B/2.448A	2.921B/2.448A	----	2.492 - 0.211	.3219	----	----	----	----	1 UNCH
6975	----	----	2.813B/2.351A	2.813B/2.351A	----	2.393 - 0.204	.3112	----	----	----	----	1 UNCH
7000	----	----	2.753B/2.303A	2.753B/2.303A	----	2.345 - 0.201	.3060	----	----	----	----	187 UNCH
7100	----	----	2.550B/2.125A	2.550B/2.125A	----	2.164 - 0.190	.2861	----	----	----	----	1 UNCH
7175	----	----	2.404B/2.002A	2.404B/2.002A	----	2.040 - 0.182	.2720	----	----	----	----	3 UNCH
7200	----	----	2.359B/1.964A	2.359B/1.964A	----	2.001 - 0.178	.2675	----	----	----	----	219 UNCH
7225	----	----	2.315B/1.926A	2.315B/1.926A	----	1.962 - 0.176	.2631	----	----	----	----	12 UNCH
7250	----	----	2.276B/1.890A	2.276B/1.890A	----	1.925 - 0.173	.2587	----	----	----	----	1 UNCH
7275	----	----	2.231B/1.854A	2.231B/1.854A	----	1.888 - 0.171	.2544	----	----	----	----	1 UNCH
7300	----	----	2.192B/1.819A	2.192B/1.819A	----	1.852 - 0.169	.2502	----	----	----	----	1 UNCH
7375	----	----	2.074B/1.719A	2.074B/1.719A	----	1.751 - 0.161	.2382	----	----	----	----	10 UNCH
7400	----	----	2.035B/1.687A	2.035B/1.687A	----	1.718 - 0.159	.2343	----	----	----	----	41 UNCH
7450	----	----	1.964B/1.626A	1.964B/1.626A	----	1.656 - 0.154	.2268	----	----	----	----	5 UNCH
7475	----	----	1.929B/1.598A	1.929B/1.598A	----	1.626 - 0.152	.2231	----	----	----	----	1 UNCH
7500	1.855	1.855	1.895B/1.568A	1.895B/1.568A	----	1.597 - 0.149	.2195	----	----	1	----	194 UNCH
7525	----	----	1.861B/1.541A	1.861B/1.541A	----	1.568 - 0.148	.2160	----	----	----	----	77 UNCH
7550	----	----	1.825B/1.513A	1.825B/1.513A	----	1.540 - 0.145	.2125	----	----	----	----	36 UNCH
7600	----	----	1.762B/1.460A	1.762B/1.460A	----	1.487 - 0.140	.2059	----	----	----	----	4 UNCH
7625	----	----	1.730B/1.435A	1.730B/1.435A	----	1.461 - 0.138	.2026	----	----	----	----	4 UNCH
7650	1.473	1.473	1.704B/1.410A	1.704B/1.410A	----	1.436 - 0.136	.1995	----	----	1	----	2 + 1
7675	1.447	1.447	1.675B/1.385A	1.675B/1.385A	----	1.411 - 0.134	.1963	----	----	158	----	157 + 153
7700	----	----	1.647B/1.362A	1.647B/1.362A	----	1.387 - 0.132	.1932	----	----	----	----	40 UNCH
7725	----	----	1.619B/1.339A	1.619B/1.339A	----	1.363 - 0.131	.1902	----	----	----	----	29 UNCH
7750	----	----	1.592B/1.316A	1.592B/1.316A	----	1.340 - 0.129	.1873	----	----	----	----	3 UNCH
7800	----	----	1.538B/1.273A	1.538B/1.273A	----	1.296 - 0.125	.1816	----	----	----	----	5 UNCH
7850	----	----	1.490B/1.231A	1.490B/1.231A	----	1.254 - 0.121	.1761	----	----	----	----	1 UNCH
7875	----	----	1.465B/1.211A	1.465B/1.211A	----	1.234 - 0.118	.1735	----	----	----	----	1 UNCH
7900	----	----	1.440B/1.191A	1.440B/1.191A	----	1.214 - 0.117	.1709	----	----	7	----	30 + 7
7925	----	----	1.417B/1.172A	1.417B/1.172A	----	1.194 - 0.115	.1683	----	----	----	----	9 UNCH
7950	----	----	1.395B/1.154A	1.395B/1.154A	----	1.175 - 0.114	.1658	----	----	----	----	1 UNCH
8000	----	----	1.351B/1.118A	1.351B/1.118A	----	1.139 - 0.109	.1609	----	----	7	----	288 + 4
8050	----	----	1.311B/1.083A	1.311B/1.083A	----	1.104 - 0.106	.1563	----	----	----	----	1 UNCH
8075	----	----	1.291B/1.067A	1.291B/1.067A	----	1.087 - 0.104	.1540	----	----	----	----	61 UNCH
8100	----	----	1.271B/1.050A	1.271B/1.050A	----	1.070 - 0.103	.1517	----	----	----	----	26 UNCH
8125	----	----	1.247B/1.035A	1.247B/1.035A	----	1.054 - 0.101	.1496	----	----	----	----	1 UNCH
8225	----	----	1.178B/0.975A	1.178B/0.975A	----	0.993 - 0.095	.1413	----	----	----	----	1 UNCH
8250	----	----	1.156B/0.961A	1.156B/0.961A	----	0.979 - 0.093	.1393	----	----	----	----	5 UNCH
8300	----	----	1.121B/0.933A	1.121B/0.933A	----	0.951 - 0.090	.1355	----	----	----	----	1 UNCH
8450	----	----	1.030B/0.859A	1.030B/0.859A	----	0.874 - 0.082	.1248	----	----	----	----	2 UNCH
8500	----	----	1.002B/0.836A	1.002B/0.836A	----	0.850 - 0.080	.1215	----	----	----	----	28 UNCH
8600	----	----	0.947B/0.792A	0.947B/0.792A	----	0.806 - 0.075	.1153	----	----	----	----	1 UNCH
8625	----	----	0.934B/0.781A	0.934B/0.781A	----	0.795 - 0.074	.1138	----	----	----	----	1 UNCH
8650	----	----	0.921B/0.771A	0.921B/0.771A	----	0.785 - 0.073	.1124	----	----	----	----	13 UNCH
8700	----	----	0.897B/0.752A	0.897B/0.752A	----	0.765 - 0.071	.1095	----	----	----	----	4 UNCH
8800	----	----	0.853B/0.715A	0.853B/0.715A	----	0.727 - 0.067	.1041	----	----	----	----	9 UNCH
9000	----	----	0.767B/0.658A	0.767B/0.658A	----	0.659 - 0.061	.0944	----	----	10	----	973 + 10
9200	----	----	0.697B/0.600A	0.697B/0.600A	----	0.601 - 0.056	.0860	----	----	----	----	26 UNCH
9350	----	----	0.651B/0.602A	0.651B/0.602A	----	0.563 - 0.051	.0805	----	----	----	----	2 UNCH
9425	----	----	0.631B/0.578A	0.631B/0.578A	----	0.545 - 0.050	.0778	----	----	----	----	3 UNCH
9500	----	----	0.608B/0.522A	0.608B/0.522A	----	0.529 - 0.048	.0755	----	----	10	----	72 + 10
9675	----	----	0.566B/0.487A	0.566B/0.487A	----	0.493 - 0.044	.0702	----	----	----	----	1 UNCH
9700	----	----	0.558B/0.483A	0.558B/0.483A	----	0.488 - 0.044	.0694	----	----	----	----	87 UNCH
9800	----	----	----/0.464A	0.494B/0.464A	----	0.469 - 0.042	.0666	----	----	----	----	314 UNCH
10000	0.460	0.460	0.460/0.432A	0.460/0.432A	----	0.435 - 0.039	.0616	----	----	3	----	850 + 1
10300	----	----	----/0.390A	0.413B/0.390A	----	0.391 - 0.035	.0551	----	----	----	----	33 UNCH
10375	----	----	----/0.380A	0.411B/0.380A	----	0.381 - 0.034	.0536	----	----	----	----	3 UNCH
10500	----	----	0.410B/0.365A	0.410B/0.365A	----	0.366 - 0.032	.0514	----	----	----	----	35 UNCH
10825	----	----	0.367B/0.330A	0.367B/0.330A	----	0.330 - 0.028	.0460	----	----	----	----	23 UNCH
10875	----	----	0.361B/0.326A	0.361B/0.326A	----	0.325 - 0.027	.0453	----	----	----	----	20 UNCH
11000	----	----	0.347B/0.314A	0.347B/0.314A	----	0.313 - 0.026	.0435	----	----	----	----	234 UNCH
11125	----	----	0.333B/0.303A	0.333B/0.303A	----	0.301 - 0.025	.0417	----	----	----	----	1 UNCH
11175	----	----	0.328B/0.299A	0.328B/0.299A	----	0.297 - 0.024	.0411	----	----	----	----	1 UNCH
11200	----	----	0.326B/0.297A	0.326B/0.297A	----	0.295 - 0.024	.0408	----	----	----	----	1 UNCH
11225	----	----	0.323B/0.295A	0.323B/0.295A	----	0.293 - 0.024	.0405	----	----	----	----	1 UNCH
11500	----	----	0.297B/0.273A	0.297B/0.273A	----	0.271 - 0.022	.0373	----	----	----	----	22 UNCH
11575	0.284	0.284	0.291B/0.268A	0.291B/0.268A	----	0.266 NEW	.0365	----	----	2	----	2 + 2
12000	----	----	0.258B/0.241A	0.258B/0.241A	----	0.238 - 0.018	.0324	----	----	----	----	222 UNCH
12500	----	----	----/0.214A	0.226B/0.214A	----	0.211 - 0.015	.0284	----	----	----	----	8 UNCH
12650	----	----	----/0.207A	0.218B/0.207A	----	0.204 - 0.014	.0274	----	----	----	----	5 UNCH
12825	----	----	----/0.199A	0.209B/0.199A	----	0.196 - 0.013	.0263	----	----	----	----	2 UNCH
13000	----	----	----/0.192A	0.200B/0.192A	----	0.188 - 0.014	.0251	----	----	----	----	335 UNCH
14000	----	----	----/0.156A	0.160B/0.156A	----	0.153 - 0.010	.0201	----	----	----	----	144 UNCH
15000	----	----	----/0.134A	0.130B/0.134A	----	0.127 - 0.008	.0164	----	----	----	----	128 UNCH
16000	----	----	----	0.107B/0.115A	----	0.106 - 0.008	.0135	----	----	----	----	22 UNCH
17000	----	----	----	0.088B/0.099A	----	0.090 - 0.008	.0113	----	----	----	----	8 UNCH
18000	----	----	----	0.072B/0.086A	----	0.079 - 0.006	.0098	----	----	----	----	1 UNCH
20000	----	----	----	0.052B/0.070A	----	0.062 - 0.003	.0075	----	----	----	----	18 UNCH
21000	----	----	----	0.044B/0.063A	----	0.055 - 0.003	.0066	----	----	----	----	1 UNCH
25000	----	----	----	0.027B/0.045A	----	0.036 - 0.003	.0042	----	----	----	----	19 UNCH
30000	----	----	----	0.017B/0.033A	----	0.027 + 0.001	.0030	----	----	----	----	10 UNCH
TOTAL										213	0	5510 + 202
APR27												
5300	----	----	----	----/25.738A	----	10.596 - 0.468	.7858	----	----	----	----	1 UNCH
6400	----	----	5.320B/4.694A	5.320B/4.694A	----	4.712 - 0.299	.4843	----	----	----	----	9 UNCH
6600	----	----	4.579B/4.034A	4.579B/4.034A	----	4.059 - 0.261	.4334	----	----	----	----	2 UNCH
6775	----	----	4.047B/3.541A	4.047B/3.541A	----	3.556 - 0.243	.3919	----	----	----	----	9 UNCH
6800	----	----	3.952B/3.470A	3.952B/3.470A	----	3.489 - 0.242	.3862	----	----	----	----	1 UNCH
7000	----	----	3.438B/3.001A	3.438B/3.001A	----	3.004 - 0.229	.3433	----	----	----	----	113 UNCH
7075	----	----	3.259B/2.846A	3.259B/2.846A	----	2.844 - 0.223	.3284	----	----	----	----	10 UNCH
7200	----	----	2.947B/2.606A	2.947B/2.606A	----	2.603 - 0.210	.3052	----	----	----	----	20 UNCH
7275	----	----	2.799B/2.474A	2.799B/2.474A	----	2.472 - 0.201	.2922	----	----	----	----	5 UNCH
7300	----	----	2.701B/2.434A	2.701B/2.434A	----	2.430 - 0.198	.2880	----	----	----	----	1 UNCH
7325	----	----	2.709B/2.393A	2.709B/2.393A	----	2.390 - 0.195	.2839	----	----	----	----	5 UNCH
7350	----	----	2.668B/2.351A	2.668B/2.351A	----	2.350 - 0.192	.2799	----	----	----	----	1 UNCH
7375	----	----	2.624B/2.312A	2.624B/2.312A	----	2.311 - 0.189	.2759	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 51

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
APR27												
7475	----	----	2.459B/2.168A	2.459B/2.168A	----	2.164 - 0.178	.2606	----	----	----	----	10 UNCH
7500	----	----	2.412B/2.132A	2.412B/2.132A	----	2.130 - 0.175	.2570	----	----	----	----	9 UNCH
7800	----	----	2.001B/1.768A	2.001B/1.768A	----	1.776 - 0.136	.2182	----	----	----	----	100 UNCH
7900	----	----	1.887B/1.665A	1.887B/1.665A	----	1.679 - 0.122	.2071	----	----	----	----	24 UNCH
8000	----	----	1.744B/1.576A	1.744B/1.576A	----	1.590 - 0.110	.1968	----	----	----	----	13 UNCH
8350	----	----	1.458B/1.303A	1.458B/1.303A	----	1.324 - 0.077	.1654	----	----	----	----	1 UNCH
8400	----	----	1.423B/1.272A	1.423B/1.272A	----	1.291 - 0.073	.1615	----	----	----	----	4 UNCH
8425	----	----	1.406B/1.251A	1.406B/1.251A	----	1.275 - 0.071	.1596	----	----	----	----	1 UNCH
8500	----	----	1.350B/1.204A	1.350B/1.204A	----	1.228 - 0.067	.1540	----	----	----	----	1 UNCH
8525	----	----	1.336B/1.191A	1.336B/1.191A	----	1.213 - 0.066	.1522	----	----	----	----	9 UNCH
8550	----	----	1.304B/1.176A	1.304B/1.176A	----	1.198 - 0.065	.1504	----	----	----	----	5 UNCH
8975	----	----	----	0.981B/1.042A	----	0.980 - 0.051	.1238	----	----	----	----	5 UNCH
10000	----	----	----/0.646A	0.679B/0.646A	----	0.639 - 0.046	.0813	----	----	----	----	7 UNCH
10500	----	----	----	0.489B/0.615A	----	0.535 - 0.045	.0679	----	----	----	----	18 UNCH
10775	----	----	----	0.438B/0.571A	----	0.490 - 0.042	.0621	----	----	----	----	1 UNCH
11000	----	----	----	0.402B/0.539A	----	0.458 - 0.040	.0579	----	----	----	----	1 UNCH
11225	----	----	----	0.371B/0.510A	----	0.429 - 0.038	.0541	----	----	----	----	25 UNCH
12000	----	----	----	0.289B/0.433A	----	0.353 - 0.028	.0439	----	----	----	----	3 UNCH
13000	----	----	----	0.216B/0.364A	----	0.284 - 0.021	.0347	----	----	----	----	14 UNCH
TOTAL											0	433 0
MAY27												
6325	----	----	6.204B/5.558A	6.204B/5.558A	----	5.574 - 0.311	.5130	----	----	----	----	6 UNCH
6600	----	----	5.208B/4.623A	5.208B/4.623A	----	4.647 - 0.269	.4487	----	----	----	----	20 UNCH
6700	4.429	4.429	4.872B/4.335A	4.872B/4.335A	----	4.353 - 0.255	.4268	----	----	3	----	4 - 3
6900	----	----	4.305B/3.807A	4.305B/3.807A	----	3.824 - 0.230	.3858	----	----	----	----	15 UNCH
7000	----	----	4.012B/3.583A	4.012B/3.583A	----	3.587 - 0.218	.3667	----	----	----	----	24 UNCH
7300	----	----	3.304B/2.966A	3.304B/2.966A	----	2.977 - 0.186	.3147	----	----	----	----	3 UNCH
7500	----	----	2.900B/2.633A	2.900B/2.633A	----	2.643 - 0.167	.2846	----	----	----	----	5 UNCH
7600	----	----	2.766B/2.489A	2.766B/2.489A	----	2.494 - 0.159	.2708	----	----	----	----	20 UNCH
8000	----	----	2.227B/2.013A	2.227B/2.013A	----	2.005 - 0.127	.2232	----	----	----	----	32 UNCH
8500	----	----	1.706B/1.568A	1.706B/1.568A	----	1.568 - 0.096	.1781	----	----	----	----	12 UNCH
8825	----	----	1.475B/1.355A	1.475B/1.355A	----	1.354 - 0.083	.1551	----	----	----	----	4 UNCH
8875	----	----	1.442B/1.324A	1.442B/1.324A	----	1.325 - 0.081	.1519	----	----	----	----	1 UNCH
9000	----	----	1.370B/1.257A	1.370B/1.257A	----	1.257 - 0.076	.1444	----	----	----	----	47 UNCH
9150	----	----	1.287B/----	1.287B/1.252A	----	1.181 - 0.071	.1361	----	----	----	----	1 UNCH
9525	----	----	----	1.010B/1.114A	----	1.019 - 0.061	.1179	----	----	----	----	2 UNCH
9550	----	----	----	0.999B/1.082A	----	1.009 - 0.061	.1168	----	----	----	----	1 UNCH
9650	----	----	----	0.957B/1.052A	----	0.972 - 0.059	.1126	----	----	----	----	1 UNCH
9925	----	----	----	0.854B/0.975A	----	0.880 - 0.054	.1021	----	----	----	----	5 UNCH
10000	----	----	0.930B/0.865A	0.930B/0.865A	----	0.858 - 0.052	.0996	----	----	----	----	3 UNCH
10075	----	----	----	0.816B/0.898A	----	0.836 - 0.051	.0970	----	----	----	----	2 UNCH
10225	----	----	----	0.774B/0.865A	----	0.794 - 0.049	.0922	----	----	----	----	1 UNCH
10500	----	----	----/0.744A	0.762B/0.744A	----	0.727 - 0.045	.0844	----	----	----	----	2 UNCH
11000	----	----	----	0.569B/0.722A	----	0.624 - 0.039	.0724	----	----	----	----	27 UNCH
11200	----	----	----	0.530B/0.688A	----	0.590 - 0.037	.0683	----	----	----	----	5 UNCH
12000	----	----	----	0.408B/0.580A	----	0.479 - 0.030	.0552	----	----	----	----	4 UNCH
12200	----	----	----	0.385B/0.558A	----	0.457 - 0.028	.0525	----	----	----	----	1 UNCH
15000	----	----	----	0.194B/0.373A	----	0.277 - 0.017	.0306	----	----	----	----	112 UNCH
20000	----	----	----	0.067B/0.243A	----	0.149 - 0.009	.0157	----	----	----	----	169 UNCH
25000	----	----	----	0.012B/0.182A	----	0.098 - 0.006	.0099	----	----	----	----	15 UNCH
TOTAL										3	0	544 - 3
JUN27												
5450	----	----	----	----	----	10.739 - 0.428	.7366	----	----	----	----	1 UNCH
5700	----	----	9.867B/9.348A	9.867B/9.348A	----	9.244 - 0.386	.6793	----	----	----	----	1 UNCH
5825	----	----	9.144B/8.683A	9.144B/8.683A	----	8.568 - 0.364	.6497	----	----	----	----	1 UNCH
6225	----	----	7.176B/6.859A	7.176B/6.859A	----	6.711 - 0.304	.5545	----	----	----	----	22 UNCH
6400	----	----	6.456B/6.175A	6.456B/6.175A	----	6.035 - 0.287	.5146	----	----	----	----	0 UNCH
6500	----	----	6.072B/5.833A	6.072B/5.833A	----	5.682 - 0.279	.4926	----	----	----	----	2 UNCH
6600	----	----	5.712B/5.491A	5.712B/5.491A	----	5.351 - 0.272	.4713	----	----	----	----	0 UNCH
7050	----	----	4.370B/4.248A	4.370B/4.248A	----	4.106 - 0.232	.3844	----	----	----	----	1 UNCH
7575	----	----	3.252B/3.185A	3.252B/3.185A	----	3.067 - 0.183	.3025	----	----	----	----	1 UNCH
8000	----	----	----/2.582A	2.592B/2.582A	----	2.467 - 0.154	.2506	----	----	----	----	136 UNCH
8075	----	----	----/2.494A	2.494B/2.494A	----	2.378 - 0.150	.2427	----	----	----	----	1 UNCH
8500	----	----	----/2.067A	2.024B/2.067A	----	1.952 - 0.129	.2032	----	----	----	----	200 UNCH
8700	----	----	----/1.904A	1.844B/1.904A	----	1.790 - 0.119	.1876	----	----	----	----	2 UNCH
8800	----	----	----/1.830A	1.762B/1.830A	----	1.716 - 0.115	.1804	----	----	----	----	1 UNCH
9350	----	----	----	1.392B/1.493A	----	1.381 - 0.096	.1470	----	----	----	----	2 UNCH
10000	----	----	----	1.078B/1.209A	----	1.100 - 0.078	.1179	----	----	----	----	10 UNCH
11000	----	----	----	0.757B/0.920A	----	0.812 - 0.056	.0873	----	----	----	----	155 UNCH
12000	----	----	----	0.553B/0.736A	----	0.628 - 0.037	.0673	----	----	----	----	5 UNCH
12500	----	----	----	0.479B/0.670A	----	0.562 - 0.029	.0600	----	----	----	----	10 UNCH
13000	----	----	----	0.422B/0.615A	----	0.506 - 0.022	.0539	----	----	----	----	6 UNCH
13075	----	----	----	0.414B/0.607A	----	0.496 - 0.022	.0528	----	----	----	----	1 UNCH
TOTAL											0	558 0
JUL27												
2000	----	----	----	----	----	42.303 - 0.552	.9939	----	----	----	----	1 UNCH
5700	----	----	10.244B/9.790A	10.244B/9.790A	----	9.661 - 0.406	.6747	----	----	----	----	1 UNCH
6800	5.145	5.145	5.694B/5.145	5.694B/5.145	----	5.213 - 0.256	.4422	----	----	5	----	5 + 4
6900	----	----	5.434B/4.955A	5.434B/4.955A	----	4.934 - 0.247	.4241	----	----	----	----	1 UNCH
7000	----	----	5.175B/4.703A	5.175B/4.703A	----	4.673 - 0.237	.4066	----	----	----	----	25 UNCH
7150	----	----	4.776B/4.339A	4.776B/4.339A	----	4.310 - 0.226	.3816	----	----	----	----	17 UNCH
7400	----	----	4.200B/3.818A	4.200B/3.818A	----	3.778 - 0.209	.3432	----	----	----	----	20 UNCH
7800	----	----	3.404B/3.135A	3.404B/3.135A	----	3.091 - 0.182	.2903	----	----	----	----	21 UNCH
7900	----	----	3.228B/2.980A	3.228B/2.980A	----	2.946 - 0.176	.2787	----	----	----	----	1 UNCH
7950	----	----	3.174B/2.912A	3.174B/2.912A	----	2.877 - 0.173	.2730	----	----	----	----	1 UNCH
8900	----	----	2.093B/1.961A	2.093B/1.961A	----	1.940 - 0.116	.1911	----	----	----	----	5 UNCH
10000	----	----	----	1.310B/1.459A	----	1.319 - 0.084	.1327	----	----	----	----	6 UNCH
10100	----	----	----	1.264B/1.418A	----	1.278 - 0.081	.1287	----	----	----	----	2 UNCH
10300	----	----	----	1.180B/1.341A	----	1.200 - 0.077	.1212	----	----	----	----	1 UNCH
10500	----	----	----	1.103B/1.271A	----	1.127 - 0.073	.1141	----	----	----	----	1 UNCH
10700	----	----	----	1.033B/1.207A	----	1.062 - 0.070	.1077	----	----	----	----	1 UNCH
11000	----	----	----	0.939B/1.121A	----	0.975 - 0.065	.0991	----	----	----	----	2 UNCH
11100	----	----	----	0.910B/1.095A	----	0.949 - 0.063	.0965	----	----	----	----	2 UNCH
12000	----	----	----	0.701B/0.902A	----	0.754 - 0.051	.0768	----	----	----	----	3 UNCH
12100	----	----	----	0.680B/0.884A	----	0.737 - 0.050	.0751	----	----	----	----	21 UNCH
13000	----	----	----	0.536B/0.753A	----	0.606 - 0.042	.0616	----	----	----	----	2 UNCH
13100	----	----	----	0.523B/0.741A	----	0.594 - 0.041	.0603	----	----	----	----	21 UNCH
TOTAL										5	0	160 + 4
AUG27												
6600	----	----	6.916B/6.762A	6.916B/6.762A	----	6.562 - 0.269	.4998	----	----	----	----	1 UNCH
7500	----	----	4.446B/4.410A	4.446B/4.410A	----	4.250 - 0.192	.3561	----	----	----	----	39 UNCH
7800	----	----	----/3.867A	3.870B/3.867A	----	3.710 - 0.178	.3182	----	----	----	----	1 UNCH
8000	----	----	----/3.552A	3.536B/3.552A	----	3.399 - 0.171	.2955	----	----	----	----	1 UNCH
8500	----	----	----/2.918A	2.852B/2.918A	----	2.764 - 0.155	.2469	----	----	----	----	9 UNCH
TOTAL											0	51 0
SEP27												
6000	----	----	9.840B/9.550A	9.840B/9.550A	----	9.352 - 0.366	.6192	----	----	----	----	21 UNCH
8500	----	----	----	3.226B/3.302A	----	3.143 - 0.157	.2639	----	----	----	----	25 UNCH
TOTAL											0	46 0
DEC27												
4000	----	----	----	----	----	24.963 - 0.511	.8911	----	----	----	----	1 UNCH
7175	----	----	----	----	----	8.358 - 0.308	.4819	----	----	----	----	80 UNCH
20000	----	----	----	----	----	1.242 - 0.070	.0816	----	----	----	----	25 UNCH
TOTAL											0	106 0
MAR28												
6900	----	----	----	----	----	10.605 - 0.336	.5397	----	----	----	----	1 UNCH
TOTAL											0	1 0
SO PUT		COMEX SILVER OPTIONS										
NOV26												
2900	----	----	----	----/0.010A	----	0.001 UNCH	.0001	----	----	----	----	1 UNCH
3000	----	----	----	----/0.005A	----	0.001 - 0.001	.0002	----	----	----	----	340 UNCH
3500	----	----	----	----/0.010A	----	0.003 UNCH	.0006	----	----	----	----	1 UNCH
3975	----	----	----	----/0.013A	----	0.005 UNCH	.0013	----	----	----	----	2 UNCH
4000	----	----	----	----/0.012A	----	0.005 UNCH	.0013	----	----	----	----	6 UNCH
4075	----	----	----	----/0.007A	----	0.006 + 0.001	.0017	----	----	----	----	7 UNCH
4100	----	----	----	----/0.014A	----	0.006 UNCH	.0017	----	----	----	----	1 UNCH
4150	----	----	----	----/0.015A	----	0.007 + 0.001	.0020	----	----	----	----	1 UNCH
4175	----	----	----	----/0.015A	----	0.007 + 0.001	.0020	----	----	----	----	10 UNCH
4200	----	----	----	----/0.016A	----	0.007 + 0.001	.0021	----	----	----	----	1 UNCH
4400	----	----	----	----/0.021A	----	0.009 UNCH	.0029	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

SO PUT — COMEX SILVER OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
NOV26												
4500	----	----	----	0.009B/0.024A	----	0.011 +	0.001 .0037	----	----	----	----	145 UNCH
4550	----	----	----	0.001B/0.026A	----	0.012 +	0.001 .0041	----	----	----	----	2 UNCH
4600	----	----	----	0.010B/0.021A	----	0.013	UNCH .0046	----	----	----	----	6 UNCH
4625	----	----	----	0.011B/0.022A	----	0.014 +	0.001 .0050	----	----	----	----	1 UNCH
4650	----	----	----	0.012B/0.022A	----	0.014	UNCH .0051	----	----	----	----	2 UNCH
4700	----	----	----	0.013B/0.023A	----	0.016	UNCH .0059	----	----	----	----	23 UNCH
4750	----	----	----	0.015B/0.025A	----	0.018 +	0.001 .0068	----	----	----	----	1 UNCH
4800	----	----	----	0.017B/0.027A	----	0.020	UNCH .0077	----	----	----	----	26 UNCH
4825	----	----	----	0.018B/0.028A	----	0.021	UNCH .0081	----	----	----	----	4 UNCH
4850	0.023	0.023	0.024B/0.023	0.024B/0.023	----	0.022	UNCH .0086	----	----	2	----	10 + 2
4875	----	----	0.028B/----	0.028B/0.030A	----	0.023 -	0.001 .0091	----	----	----	----	2 UNCH
4900	----	----	----	0.022B/0.032A	----	0.025	UNCH .0100	----	----	----	----	68 UNCH
4950	----	----	----	0.026B/0.033A	----	0.028 -	0.001 .0114	----	----	----	----	14 UNCH
4975	----	----	----	0.028B/0.037A	----	0.030 -	0.001 .0124	----	----	----	----	5 UNCH
5000	0.038	0.038	0.038/0.038	0.038/0.038	----	0.032 -	0.001 .0133	----	----	1	----	1015 UNCH
5025	----	----	----	0.032B/0.041A	----	0.034 -	0.002 .0143	----	----	----	----	4 UNCH
5050	----	----	----	0.035B/0.043A	----	0.036 -	0.002 .0153	----	----	----	----	1 UNCH
5075	----	----	----	0.041B/0.045A	----	0.039 -	0.002 .0167	----	----	----	----	1 UNCH
5100	----	----	----	0.044B/0.046A	----	0.042 -	0.002 .0181	----	----	1	----	197 UNCH
5150	----	----	----	0.052B/0.052A	----	0.049 -	0.003 .0214	----	----	1	----	59 UNCH
5175	----	----	----/0.055A	0.056B/0.055A	----	0.053 -	0.003 .0233	----	----	----	----	31 UNCH
5200	----	----	0.062B/0.060A	0.062B/0.060A	----	0.057 -	0.004 .0253	----	----	----	----	58 UNCH
5225	----	----	----/0.064A	0.066B/0.064A	----	0.062 -	0.004 .0276	----	----	----	----	11 UNCH
5250	----	----	0.072B/0.070A	0.072B/0.070A	----	0.067 -	0.004 .0301	----	----	1	----	23 UNCH
5275	----	----	0.079B/0.075A	0.079B/0.075A	----	0.073 -	0.005 .0329	----	----	----	----	19 UNCH
5300	----	----	0.086B/0.081A	0.086B/0.081A	----	0.079 -	0.005 .0358	----	----	3	----	600 - 1
5325	----	----	0.094B/0.088A	0.094B/0.088A	----	0.087 -	0.005 .0395	----	----	----	----	11 UNCH
5350	----	----	0.103B/0.095A	0.103B/0.095A	----	0.095 -	0.005 .0433	----	----	----	----	19 UNCH
5375	----	----	0.114B/0.102A	0.114B/0.102A	----	0.104 -	0.005 .0475	----	----	----	----	54 UNCH
5400	----	----	0.124B/0.107A	0.124B/0.107A	----	0.114 -	0.005 .0522	----	----	4	----	649 + 2
5425	----	----	0.136B/0.119A	0.136B/0.119A	----	0.125 -	0.006 .0574	----	----	----	----	46 UNCH
5450	0.150	0.150	0.150/0.129A	0.150/0.129A	----	0.138 -	0.005 .0633	----	----	9	----	29 + 8
5475	----	----	0.160B/0.140A	0.160B/0.140A	----	0.152 -	0.005 .0697	----	----	----	----	64 UNCH
5500	0.174	0.174	0.180/0.152A	0.180/0.152A	----	0.168 -	0.004 .0769	----	----	40	----	1130 + 24
5525	----	----	0.195B/0.166A	0.195B/0.166A	----	0.186 -	0.003 .0848	----	----	----	----	16 UNCH
5550	0.205	0.205	0.217B/0.178A	0.217B/0.178A	----	0.205 -	0.002 .0933	----	----	5	----	50 + 2
5575	0.234	0.234	0.239B/0.195A	0.239B/0.195A	----	0.227 -	0.001 .1028	----	----	3	----	74 UNCH
5600	0.220	0.220	0.265/0.213A	0.265/0.213A	----	0.252 +	0.002 .1134	----	----	17	----	151 + 2
5625	0.228	0.228	0.290B/0.225A	0.290B/0.225A	----	0.279 +	0.004 .1247	----	----	2	----	31 UNCH
5650	0.322	0.322	0.322/0.253A	0.322/0.253A	----	0.310 +	0.007 .1374	----	----	4	----	40 + 4
5675	0.340	0.340	0.356B/0.276A	0.356B/0.276A	----	0.344 +	0.010 .1510	----	----	1	----	82 UNCH
5700	0.310	0.310	0.394B/0.303A	0.394B/0.303A	----	0.381 +	0.014 .1657	----	----	4	----	327 - 1
5725	----	----	0.436B/0.334A	0.436B/0.334A	----	0.423 +	0.018 .1817	----	----	1	----	75 + 1
5750	0.388	0.388	0.483B/0.366A	0.483B/0.366A	----	0.469 +	0.023 .1989	----	----	7	----	395 + 1
5775	----	----	0.534B/0.401A	0.534B/0.401A	----	0.521 +	0.030 .2175	----	----	----	----	126 UNCH
5800	0.500	0.500	0.592B/0.441A	0.592B/0.441A	----	0.577 +	0.037 .2372	----	----	5	----	286 + 2
5825	0.556	0.556	0.658B/0.480A	0.658B/0.480A	----	0.639 +	0.045 .2581	----	----	3	----	78 + 1
5850	----	----	0.729B/0.527A	0.729B/0.527A	----	0.707 +	0.054 .2802	----	----	----	----	51 UNCH
5875	0.646	0.646	0.805B/0.580A	0.805B/0.580A	----	0.781 +	0.064 .3034	----	----	4	----	152 - 3
5900	0.734	0.734	0.888B/0.636A	0.888B/0.636A	----	0.861 +	0.075 .3275	----	----	4	----	180 - 2
5925	0.860	0.860	0.979B/0.698A	0.979B/0.698A	----	0.949 +	0.087 .3526	----	----	2	----	64 UNCH
5950	0.990	0.990	1.076B/0.774A	1.076B/0.774A	----	1.044 +	0.100 .3785	----	----	1	----	83 UNCH
5975	1.073	1.073	1.181B/0.846A	1.181B/0.846A	----	1.146 +	0.114 .4050	----	----	1	----	72 + 1
6000	1.130	1.130	1.292B/0.925A	1.292B/0.925A	----	1.255 +	0.128 .4319	----	----	21	----	465 + 8
6025	----	----	1.413B/1.009A	1.413B/1.009A	----	1.372 +	0.144 .4592	----	----	----	----	32 UNCH
6050	1.350	1.350	1.541B/1.105A	1.541B/1.105A	----	1.497 +	0.160 .4865	----	----	6	----	38 - 3
6075	1.404	1.404	1.674B/1.204A	1.674B/1.204A	----	1.630 +	0.177 .5137	----	----	7	----	54 - 3
6100	1.515	1.515	1.814B/1.307A	1.814B/1.307A	----	1.770 +	0.195 .5407	----	----	7	----	218 UNCH
6125	1.531	1.531	1.968B/1.418A	1.968B/1.418A	----	1.917 +	0.212 .5671	----	----	19	----	25 + 4
6150	1.547	1.547	2.121B/1.539A	2.121B/1.539A	----	2.072 +	0.230 .5930	----	----	8	----	118 - 4
6175	----	----	2.270B/1.670A	2.270B/1.670A	----	2.234 +	0.248 .6181	----	----	5	----	25 + 2
6200	----	----	2.447B/1.802A	2.447B/1.802A	----	2.402 +	0.265 .6424	----	----	----	----	267 UNCH
6225	----	----	2.618B/1.945A	2.618B/1.945A	----	2.577 +	0.282 .6657	----	----	1	----	27 - 1
6250	----	----	2.802B/2.088A	2.802B/2.088A	----	2.757 +	0.298 .6879	----	----	1	----	103 - 1
6275	----	----	2.986B/2.243A	2.986B/2.243A	----	2.943 +	0.314 .7092	----	----	----	----	42 UNCH
6300	----	----	3.179B/2.427A	3.179B/2.427A	----	3.134 +	0.328 .7292	----	----	----	----	141 UNCH
6325	----	----	3.380B/2.590A	3.380B/2.590A	----	3.330 +	0.342 .7483	----	----	----	----	9 UNCH
6350	----	----	3.582B/2.763A	3.582B/2.763A	----	3.531 +	0.356 .7662	----	----	----	----	87 UNCH
6375	----	----	3.789B/2.943A	3.789B/2.943A	----	3.736 +	0.369 .7830	----	----	----	----	45 UNCH
6400	----	----	3.995B/3.126A	3.995B/3.126A	----	3.944 +	0.379 .7987	----	----	----	----	149 UNCH
6425	----	----	4.209B/3.316A	4.209B/3.316A	----	4.157 +	0.391 .8133	----	----	----	----	8 UNCH
6450	----	----	4.427B/3.513A	4.427B/3.513A	----	4.373 +	0.401 .8268	----	----	----	----	17 UNCH
6475	----	----	4.647B/3.704A	4.647B/3.704A	----	4.591 +	0.410 .8395	----	----	----	----	62 UNCH
6500	----	----	4.870B/3.911A	4.870B/3.911A	----	4.813 +	0.419 .8511	----	----	----	----	333 UNCH
6525	----	----	5.095B/4.116A	5.095B/4.116A	----	5.038 +	0.428 .8618	----	----	----	----	31 UNCH
6550	----	----	5.327B/4.327A	5.327B/4.327A	----	5.264 +	0.435 .8716	----	----	----	----	31 UNCH
6575	----	----	5.552B/4.540A	5.552B/4.540A	----	5.493 +	0.442 .8808	----	----	----	----	18 UNCH
6600	----	----	5.784B/4.757A	5.784B/4.757A	----	5.724 +	0.449 .8892	----	----	----	----	172 UNCH
6625	----	----	6.017B/4.976A	6.017B/4.976A	----	5.957 +	0.455 .8968	----	----	----	----	28 UNCH
6650	----	----	6.256B/5.197A	6.256B/5.197A	----	6.191 +	0.461 .9040	----	----	----	----	38 UNCH
6675	----	----	6.492B/5.419A	6.492B/5.419A	----	6.426 +	0.465 .9104	----	----	----	----	66 UNCH
6700	----	----	6.729B/5.645A	6.729B/5.645A	----	6.663 +	0.470 .9160	----	----	----	----	135 UNCH
6725	----	----	6.968B/5.873A	6.968B/5.873A	----	6.902 +	0.476 .9216	----	----	----	----	83 UNCH
6750	----	----	7.202B/6.104A	7.202B/6.104A	----	7.141 +	0.480 .9267	----	----	----	----	106 UNCH
6775	----	----	7.443B/6.334A	7.443B/6.334A	----	7.381 +	0.484 .9313	----	----	----	----	21 UNCH
6800	----	----	7.689B/6.568A	7.689B/6.568A	----	7.621 +	0.487 .9356	----	----	----	----	150 UNCH
6825	----	----	7.930B/6.802A	7.930B/6.802A	----	7.863 +	0.491 .9394	----	----	----	----	2 UNCH
6850	----	----	8.169B/7.038A	8.169B/7.038A	----	8.105 +	0.493 .9428	----	----	----	----	7 UNCH
6875	----	----	8.411B/7.274A	8.411B/7.274A	----	8.348 +	0.496 .9462	----	----	----	----	1 UNCH
6900	----	----	8.659B/7.512A	8.659B/7.512A	----	8.591 +	0.499 .9494	----	----	----	----	26 UNCH
6925	----	----	8.902B/7.750A	8.902B/7.750A	----	8.835 +	0.501 .9523	----	----	----	----	1 UNCH
6950	----	----	9.143B/7.989A	9.143B/7.989A	----	9.079 +	0.503 .9551	----	----	----	----	10 UNCH
6975	----	----	9.388B/8.230A	9.388B/8.230A	----	9.324 +	0.506 .9575	----	----	----	----	5 UNCH
7000	----	----	9.633B/8.470A	9.633B/8.470A	----	9.568 +	0.507 .9599	----	----	----	----	79 UNCH
7025	----	----	9.883B/8.712A	9.883B/8.712A	----	9.814 +	0.509 .9622	----	----	----	----	8 UNCH
7050	----	----	10.126B/8.954A	10.126B/8.954A	----	10.059 +	0.510 .9641	----	----	----	----	84 UNCH
7075	----	----	10.328B/9.197A	10.328B/9.197A	----	10.305 +	0.511 .9660	----	----	----	----	1 UNCH
7100	----	----	10.572B/9.440A	10.572B/9.440A	----	10.551 +	0.513 .9678	----	----	----	----	4 UNCH
7125	----	----	10.821B/9.684A	10.821B/9.684A	----	10.797 +	0.514 .9693	----	----	----	----	1 UNCH
7150	----	----	11.068B/9.922A	11.068B/9.922A	----	11.044 +	0.515 .9711	----	----	----	----	2 UNCH
7175	----	----	11.312B/10.172A	11.312B/10.172A	----	11.290 +	0.515 .9725	----	----	----	----	1 UNCH
7200	----	----	11.559B/10.411A	11.559B/10.411A	----	11.537 +	0.516 .9739	----	----	----	----	2 UNCH
7225	----	----	11.807B/10.662A	11.807B/10.662A	----	11.784 +	0.517 .9753	----	----	----	----	2 UNCH
7275	----	----	12.304B/11.153A	12.304B/11.153A	----	12.279 +	0.519 .9776	----	----	----	----	1 UNCH
7300	----	----	12.550B/11.399A	12.550B/11.399A	----	12.526 +	0.519 .9785	----	----	----	----	4 UNCH
7400	----	----	13.542B/12.461A	13.542B/12.461A	----	13.518 +	0.522 .9825	----	----	----	----	25 UNCH
7500	----	----	14.539B/13.455A	14.539B/13.455A	----	14.511 +	0.523 .9853	----	----	----	----	22 UNCH
7525	----	----	14.784B/13.697A	14.784B/13.697A	----	14.760 +	0.524 .9858	----	----	----	----	1 UNCH
7650	----	----	16.028B/14.947A	16.028B/14.947A	----	16.003 +	0.525 .9884	----	----	----	----	1 UNCH
7700	----	----	16.538B/15.443A	16.538B/15.443A	----	16.501 +	0.526 .9896	----	----	----	----	52 UNCH
7725	----	----	16.778B/15.683A	16.778B/15.683A	----	16.750 +	0.526 .9897	----	----	----	----	1 UNCH
7750	----	----	17.027B/15.928A	17.027B/15.928A	----	16.999 +	0.527 .9902	----	----	----	----	1 UNCH
7775	----	----	17.273B/16.177A	17.273B/16.177A	----	17.249 +	0.528 .9906	----	----	----	----	1 UNCH
7800	----	----	17.524B/16.426A	17.524B/16.426A	----	17.498 +	0.528 .9910	----	----	----	----	1 UNCH
7825	----	----	17.771B/16.673A	17.771B/16.673A	----	17.747 +	0.528 .9914	----	----	----	----	2 UNCH
7900	----	----	18.519B/17.422A	18.519B/17.422A	----	18.495 +	0.529 .9923	----	----	----	----	3 UNCH
7975	----	----	19.267B/18.165A	19.267B/18.165A	----	19.243 +	0.530 .9931	----	----	----	----	1 UNCH
8500	----	----	24.522B/23.410A	24.522B/23.410A	----	24.487 +	0.534 .9969	----	----	----	----	66 UNCH
9000	----	----	29.511B/28.390A	29.511B/28.390A	----	29.487 +	0.535 .9984	----	----	----	----	5 UNCH
TOTAL										201	0	10610 + 45
DEC26												
1500	----	----	----	----/0.006A	----	0.001	UNCH ----	----	----	----	----	180 UNCH
2000	----	----	----	----/0.010A	----	0.001	UNCH .0000	----	----	----	----	10 UNCH
2500	----	----	----	----/0.012A	----	0.002	UNCH .0003	----	----	----	----	32 UNCH
3000	----	----	----	----/0.016A	----	0.005 -	0.001 .0010	----	----	----	----	95 UNCH
3100	----	----	----	----/0.018A	----	0.007 -	0.001 .0014	----	----	----	----	1 UNCH
3150	----	----	----	----/0.020A	----	0.007 -	0.001 .0014	----	----	----	----	1 UNCH
3200	----	----	----	----/0.021A	----	0.008 -	0.001 .0016	----	----	----	----	1 UNCH
3500	----	----	----	0.002B/0.031A	----	0.015 -	0.001 .0032	----	----	----	----	38 UNCH
3600	----	----	----	0.002B/0.036A	----	0.018 -	0.001 .0040	----	----	----	----	1 UNCH
3700	----	----	----	0.002B/0.041A	----	0.021 -	0.001 .0047	----	----	----	----	2 UNCH
3800	----	----	----	0.024B/0.033A	----	0.025 -	0.001 .0057	----	----	----	----	2 UNCH
3850	----	----	----	0.026B/0.035A	----	0.027 -	0.001 .0063	----	----	----	----	1 UNCH
3925	----	----	----	0.030B/0.038A	----	0.031 -	0.001 .0073	----	----	----	----	1 UNCH
4000	----	----	----	0.034B/0.042A	----	0.035 -	0.001 .0083	----	----	----	----	125 UNCH
4100	----	----	----	0.040B/0.048A	----	0.041 -	0.002 .0100	----	----	----	----	3 UNCH
4200	----	----	----	0.048B/0.055A	----	0.048 -	0.002 .0119	----	----	----	----	201 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 53

FINAL

SO PUT COMEX SILVER OPTIONS
DEC26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4250	----	----	----	0.051B/0.059A	----	0.052 -	0.003 .0130	----	----	----	----	1 UNCH
4300	----	----	----	0.057B/0.064A	----	0.057 -	0.002 .0144	----	----	----	----	20 UNCH
4400	----	----	----	0.069B/0.075A	----	0.068 -	0.003 .0174	----	----	----	----	2 UNCH
4500	0.086	0.086	0.086/0.086	0.086/0.086	----	0.081 -	0.004 .0211	----	----	4	----	456 + 4
4575	----	----	0.099B/----	0.099B/0.098A	----	0.094 -	0.003 .0247	----	----	----	----	3 UNCH
4600	----	----	0.104B/----	0.104B/0.103A	----	0.099 -	0.003 .0260	----	----	----	----	19 UNCH
4650	----	----	0.115B/----	0.115B/0.113A	----	0.109 -	0.003 .0288	----	----	----	----	4 UNCH
4675	----	----	0.120B/----	0.120B/0.118A	----	0.114 -	0.004 .0303	----	----	----	----	5 UNCH
4700	----	----	0.127B/----	0.127B/0.124A	----	0.120 -	0.004 .0319	----	----	----	----	53 UNCH
4725	----	----	0.133B/----	0.133B/0.131A	----	0.127 -	0.003 .0338	----	----	----	----	1 UNCH
4750	----	----	0.141B/----	0.141B/0.137A	----	0.134 -	0.003 .0357	----	----	----	----	8 UNCH
4800	0.151	0.151	0.156B/0.151	0.156B/0.151	----	0.149 -	0.002 .0397	----	----	1	----	463 + 1
4825	----	----	0.165B/----	0.165B/0.159A	----	0.157	NEW .0419	----	----	1	----	1 + 1
4850	0.170	0.170	0.174B/0.166A	0.174B/0.166A	----	0.166 -	0.002 .0443	----	----	1	----	25 + 1
4875	----	----	0.184B/0.175A	0.184B/0.175A	----	0.175 -	0.002 .0468	----	----	----	----	9 UNCH
4900	----	----	0.194B/0.184A	0.194B/0.184A	----	0.185 -	0.002 .0495	----	----	----	----	151 UNCH
4925	----	----	0.206B/0.193A	0.206B/0.193A	----	0.196 -	0.001 .0523	----	----	----	----	371 UNCH
4950	----	----	0.217B/0.203A	0.217B/0.203A	----	0.208	UNCH .0555	----	----	----	----	17 UNCH
4975	----	----	0.231B/0.214A	0.231B/0.214A	----	0.220	UNCH .0586	----	----	----	----	73 UNCH
5000	0.215	0.215	0.243/0.215	0.243/0.215	----	0.233	UNCH .0620	----	----	7	----	625 + 1
5025	----	----	0.258B/0.237A	0.258B/0.237A	----	0.247	UNCH .0656	----	----	----	----	46 UNCH
5050	----	----	0.273B/0.250A	0.273B/0.250A	----	0.263 +	0.002 .0696	----	----	----	----	16 UNCH
5075	----	----	0.288B/0.264A	0.288B/0.264A	----	0.279 +	0.003 .0737	----	----	----	----	6 UNCH
5100	----	----	0.307B/0.277A	0.307B/0.277A	----	0.296 +	0.003 .0780	----	----	4	----	287 + 3
5125	----	----	0.325B/0.290A	0.325B/0.290A	----	0.315 +	0.005 .0826	----	----	5	----	10 + 5
5150	----	----	0.345B/0.309A	0.345B/0.309A	----	0.335 +	0.006 .0875	----	----	----	----	20 UNCH
5175	----	----	0.370B/0.327A	0.370B/0.327A	----	0.356 +	0.007 .0927	----	----	----	----	3 UNCH
5200	----	----	0.393B/0.344A	0.393B/0.344A	----	0.379 +	0.009 .0981	----	----	6	----	111 + 5
5225	----	----	0.417B/0.365A	0.417B/0.365A	----	0.404 +	0.011 .1040	----	----	----	----	26 UNCH
5250	----	----	0.444B/0.386A	0.444B/0.386A	----	0.430 +	0.013 .1101	----	----	2	----	152 UNCH
5275	----	----	0.472B/0.407A	0.472B/0.407A	----	0.458 +	0.015 .1165	----	----	----	----	6 UNCH
5300	0.487	0.487	0.501B/0.432A	0.501B/0.432A	----	0.488 +	0.017 .1233	----	----	4	----	75 - 2
5325	----	----	0.533B/0.458A	0.533B/0.458A	----	0.519 +	0.019 .1303	----	----	----	----	55 UNCH
5350	----	----	0.567B/0.486A	0.567B/0.486A	----	0.553 +	0.022 .1378	----	----	----	----	14 UNCH
5375	----	----	0.603B/0.513A	0.603B/0.513A	----	0.589 +	0.025 .1456	----	----	----	----	3 UNCH
5400	----	----	0.642B/0.544A	0.642B/0.544A	----	0.628 +	0.028 .1539	----	----	----	----	118 UNCH
5425	----	----	0.683B/0.578A	0.683B/0.578A	----	0.669 +	0.032 .1625	----	----	1	----	24 UNCH
5450	0.706	0.706	0.727B/0.613A	0.727B/0.613A	----	0.712 +	0.035 .1714	----	----	1	----	10 UNCH
5475	----	----	0.773B/0.651A	0.773B/0.651A	----	0.758 +	0.039 .1807	----	----	----	----	2 UNCH
5500	0.810	0.810	0.822B/0.688A	0.822B/0.688A	----	0.807 +	0.044 .1905	----	----	241	----	845 - 36
5525	----	----	0.874B/0.730A	0.874B/0.730A	----	0.858 +	0.048 .2005	----	----	1	----	13 UNCH
5550	----	----	0.928B/0.775A	0.928B/0.775A	----	0.913 +	0.053 .2109	----	----	----	----	13 UNCH
5575	----	----	0.986B/0.822A	0.986B/0.822A	----	0.970 +	0.057 .2217	----	----	----	----	99 UNCH
5600	----	----	1.050B/0.871A	1.050B/0.871A	----	1.031 +	0.063 .2329	----	----	----	----	158 UNCH
5625	----	----	1.112B/0.922A	1.112B/0.922A	----	1.095 +	0.068 .2444	----	----	----	----	28 UNCH
5650	1.100	1.100	1.180B/0.979A	1.180B/0.979A	----	1.163 +	0.074 .2562	----	----	2	----	32 + 1
5675	----	----	1.251B/1.036A	1.251B/1.036A	----	1.234 +	0.080 .2684	----	----	----	----	5 UNCH
5700	1.140	1.140	1.326B/1.097A	1.326B/1.097A	----	1.309 +	0.087 .2809	----	----	7	----	245 - 2
5725	----	----	1.405B/1.162A	1.405B/1.162A	----	1.387 +	0.094 .2937	----	----	----	----	92 UNCH
5750	----	----	1.487B/1.230A	1.487B/1.230A	----	1.469 +	0.100 .3067	----	----	----	----	152 UNCH
5775	1.522	1.522	1.573B/1.300A	1.573B/1.300A	----	1.555 +	0.108 .3201	----	----	2	----	41 UNCH
5800	1.636	1.636	1.663B/1.374A	1.663B/1.374A	----	1.645 +	0.115 .3336	----	----	6	----	278 + 4
5825	----	----	1.756B/1.452A	1.756B/1.452A	----	1.739 +	0.123 .3474	----	----	1	----	12 + 1
5850	----	----	1.855B/1.533A	1.855B/1.533A	----	1.837 +	0.131 .3613	----	----	----	----	55 UNCH
5875	----	----	1.958B/1.618A	1.958B/1.618A	----	1.939 +	0.140 .3755	----	----	----	----	12 UNCH
5900	1.800	1.800	2.067B/1.708A	2.067B/1.708A	----	2.044 +	0.147 .3897	----	----	6	----	202 + 3
5925	----	----	2.179B/1.800A	2.179B/1.800A	----	2.155 +	0.156 .4041	----	----	----	----	10 UNCH
5950	----	----	2.293B/1.897A	2.293B/1.897A	----	2.269 +	0.165 .4185	----	----	----	----	13 UNCH
5975	----	----	2.412B/1.999A	2.412B/1.999A	----	2.387 +	0.173 .4330	----	----	----	----	18 UNCH
6000	----	----	2.536B/2.100A	2.536B/2.100A	----	2.509 +	0.182 .4475	----	----	139	----	589 + 3
6025	----	----	2.666B/2.210A	2.666B/2.210A	----	2.636 +	0.191 .4620	----	----	----	----	48 UNCH
6050	----	----	2.798B/2.320A	2.798B/2.320A	----	2.767 +	0.200 .4765	----	----	----	----	20 UNCH
6075	----	----	2.934B/2.440A	2.934B/2.440A	----	2.901 +	0.209 .4909	----	----	----	----	21 UNCH
6100	----	----	3.074B/2.561A	3.074B/2.561A	----	3.040 +	0.218 .5052	----	----	2	----	74 UNCH
6125	2.752	2.752	3.218B/2.683A	3.218B/2.683A	----	3.183 +	0.227 .5194	----	----	1	----	17 + 1
6150	----	----	3.369B/2.814A	3.369B/2.814A	----	3.330 +	0.236 .5335	----	----	----	----	45 UNCH
6175	3.237	3.237	3.521B/2.946A	3.521B/2.946A	----	3.480 +	0.245 .5474	----	----	1	----	5 + 1
6200	3.127	3.127	3.674B/3.079A	3.674B/3.079A	----	3.634 +	0.253 .5612	----	----	2	----	74 + 2
6225	3.278	3.278	3.834B/3.221A	3.834B/3.221A	----	3.793 +	0.263 .5747	----	----	1	----	3 UNCH
6250	3.770	3.770	3.992B/3.365A	3.992B/3.365A	----	3.954 +	0.271 .5880	----	----	2	----	7 + 2
6275	----	----	4.160B/3.508A	4.160B/3.508A	----	4.120 +	0.280 .6011	----	----	----	----	13 UNCH
6300	----	----	4.336B/3.662A	4.336B/3.662A	----	4.288 +	0.288 .6139	----	----	----	----	81 UNCH
6325	----	----	4.496B/3.815A	4.496B/3.815A	----	4.460 +	0.296 .6264	----	----	----	----	10 UNCH
6350	----	----	4.680B/3.970A	4.680B/3.970A	----	4.636 +	0.305 .6387	----	----	----	----	49 UNCH
6375	----	----	4.856B/4.135A	4.856B/4.135A	----	4.815 +	0.313 .6507	----	----	----	----	6 UNCH
6400	----	----	5.040B/4.311A	5.040B/4.311A	----	4.996 +	0.320 .6624	----	----	----	----	28 UNCH
6425	----	----	5.224B/4.477A	5.224B/4.477A	----	5.181 +	0.328 .6737	----	----	----	----	15 UNCH
6450	----	----	5.416B/4.664A	5.416B/4.664A	----	5.369 +	0.336 .6849	----	----	----	----	39 UNCH
6475	----	----	5.600B/4.840A	5.600B/4.840A	----	5.559 +	0.343 .6956	----	----	----	----	3 UNCH
6500	5.418	5.418	5.800B/5.016A	5.800B/5.016A	----	5.752 +	0.350 .7060	----	----	3	----	946 + 2
6525	----	----	5.988B/5.192A	5.988B/5.192A	----	5.948 +	0.357 .7162	----	----	----	----	25 UNCH
6550	----	----	6.186B/5.379A	6.186B/5.379A	----	6.146 +	0.364 .7260	----	----	----	----	35 UNCH
6575	----	----	6.387B/5.566A	6.387B/5.566A	----	6.346 +	0.369 .7356	----	----	----	----	1 UNCH
6600	----	----	6.594B/5.753A	6.594B/5.753A	----	6.549 +	0.376 .7448	----	----	----	----	97 UNCH
6625	----	----	6.799B/5.951A	6.799B/5.951A	----	6.754 +	0.382 .7536	----	----	----	----	33 UNCH
6650	----	----	7.003B/6.146A	7.003B/6.146A	----	6.961 +	0.388 .7622	----	----	----	----	20 UNCH
6675	----	----	7.213B/6.343A	7.213B/6.343A	----	7.170 +	0.393 .7705	----	----	----	----	1 UNCH
6700	----	----	7.429B/6.542A	7.429B/6.542A	----	7.381 +	0.399 .7785	----	----	----	----	40 UNCH
6725	----	----	7.641B/6.743A	7.641B/6.743A	----	7.594 +	0.404 .7863	----	----	----	----	5 UNCH
6750	----	----	7.856B/6.942A	7.856B/6.942A	----	7.808 +	0.409 .7936	----	----	----	----	7 UNCH
6775	----	----	8.070B/7.150A	8.070B/7.150A	----	8.025 +	0.414 .8008	----	----	----	----	4 UNCH
6800	----	----	8.289B/7.358A	8.289B/7.358A	----	8.242 +	0.418 .8077	----	----	----	----	145 UNCH
6825	----	----	8.509B/7.566A	8.509B/7.566A	----	8.462 +	0.423 .8144	----	----	----	----	1 UNCH
6850	----	----	8.730B/7.783A	8.730B/7.783A	----	8.683 +	0.428 .8207	----	----	----	----	78 UNCH
6875	----	----	8.955B/7.990A	8.955B/7.990A	----	8.905 +	0.431 .8268	----	----	----	----	2 UNCH
6900	----	----	9.176B/8.199A	9.176B/8.199A	----	9.128 +	0.435 .8327	----	----	----	----	22 UNCH
6950	----	----	9.630B/8.632A	9.630B/8.632A	----	9.579 +	0.443 .8438	----	----	----	----	24 UNCH
6975	----	----	9.855B/8.861A	9.855B/8.861A	----	9.806 +	0.446 .8489	----	----	----	----	1 UNCH
7000	----	----	10.084B/9.071A	10.084B/9.071A	----	10.034 +	0.450 .8541	----	----	----	----	253 UNCH
7050	----	----	10.546B/9.515A	10.546B/9.515A	----	10.493 +	0.456 .8634	----	----	----	----	1 UNCH
7075	----	----	10.777B/9.739A	10.777B/9.739A	----	10.723 +	0.458 .8679	----	----	----	----	21 UNCH
7100	----	----	11.007B/9.967A	11.007B/9.967A	----	10.955 +	0.461 .8721	----	----	----	----	5 UNCH
7150	----	----	11.475B/10.422A	11.475B/10.422A	----	11.421 +	0.466 .8801	----	----	----	----	1 UNCH
7200	----	----	11.946B/10.879A	11.946B/10.879A	----	11.890 +	0.471 .8875	----	----	----	----	15 UNCH
7225	----	----	12.181B/11.109A	12.181B/11.109A	----	12.125 +	0.473 .8910	----	----	----	----	2 UNCH
7250	----	----	12.418B/11.340A	12.418B/11.340A	----	12.361 +	0.475 .8943	----	----	----	----	49 UNCH
7300	----	----	12.892B/11.805A	12.892B/11.805A	----	12.835 +	0.479 .9006	----	----	----	----	3 UNCH
7425	----	----	14.087B/12.977A	14.087B/12.977A	----	14.029 +	0.488 .9143	----	----	----	----	1 UNCH
7500	----	----	14.811B/13.683A	14.811B/13.683A	----	14.750 +	0.492 .9213	----	----	----	----	33 UNCH
7550	----	----	15.293B/14.164A	15.293B/14.164A	----	15.232 +	0.494 .9257	----	----	----	----	2 UNCH
7600	----	----	15.774B/14.644A	15.774B/14.644A	----	15.716 +	0.496 .9296	----	----	----	----	2 UNCH
7700	----	----	16.751B/15.606A	16.751B/15.606A	----	16.688 +	0.501 .9367	----	----	----	----	14 UNCH
7750	----	----	17.238B/16.089A	17.238B/16.089A	----	17.175 +	0.502 .9399	----	----	----	----	6 UNCH
7800	----	----	17.722B/16.573A	17.722B/16.573A	----	17.663 +	0.504 .9428	----	----	----	----	21 UNCH
7850	----	----	18.212B/17.057A	18.212B/17.057A	----	18.152 +	0.505 .9455	----	----	----	----	12 UNCH
7875	----	----	18.461B/17.301A	18.461B/17.301A	----	18.396 +	0.505 .9468	----	----	----	----	1 UNCH
7900	----	----	18.701B/17.539A	18.701B/17.539A	----	18.641 +	0.506 .9481	----	----	----	----	19 UNCH
8000	----	----	19.685B/18.520A	19.685B/18.520A	----	19.622 +	0.509 .9527	----	----	----	----	58 UNCH
8100	----	----	20.669B/19.498A	20.669B/19.498A	----	20.606 +	0.511 .9567	----	----	----	----	1 UNCH
8200	----	----	21.654B/20.480A	21.654B/20.480A	----	21.591 +	0.513 .9604	----	----	----	----	42 UNCH
8250	----	----	22.148B/20.970A	22.148B/20.970A	----	22.085 +	0.514 .9620	----	----	----	----	1 UNCH
8350	----	----	23.125B/21.956A	23.125B/21.956A	----	23.073 +	0.516 .9650	----	----	----	----	9 UNCH
8400	----	----	23.616B/22.443A	23.616B/22.443A	----	23.567 +	0.517 .9663	----	----	----	----	60 UNCH
8500	----	----	24.608B/23.435A	24.608B/23.435A	----	24.557 +	0.519 .9690	----	----	----	----	166 UNCH
8550	----	----	25.103B/23.929A	25.103B/23.929A	----	25.052 +	0.519 .9702	----	----	----	----	25 UNCH
8600	----	----	25.599B/24.424A	25.599B/24.424A	----	25.547 +	0.519 .9713	----	----	----	----	9 UNCH
8800	----	----	27.584B/26.422A	27.584B/26.422A	----	27.532 +	0.523 .9752	----	----	----	----	12 UNCH
8900	----	----	28.578B/27.413A	28.578B/27.413A	----	28.525 +	0.524 .9770	----	----	----	----	30 UNCH
9000	----	----	29.572B/28.405A	29.572B/28.405A	----	29.519 +	0.525 .9786	----	----	----	----	3 UNCH
9050	----	----	30.074B/28.901A	30.074B/28.901A	----	30.016 +	0.525 .9793	----	----	----	----	110 UNCH
9500	----	----	34.552B/33.373A	34.552B/33.373A	----	34.498 +	0.529 .9847	----	----	----	----	1 UNCH
9800	----	----	37.545B/36.359A	37.545B/36.359A	----	37.491 +	0.531 .9874	----	----	----	----	1 UNCH
9850	----	----	38.045B/36.851A	38.045B/36.851A	----	37.990 +	0.532 .9876	----	----	----	----	2 UNCH
10000	----	----	39.543B/38.347A	39.543B/38.347A	----	39.488 +	0.532 .9888	----	----	----	----	3 UNCH
10025	----	----	39.794B/38.596A	39.794B/38.596A	----	39.738 +	0.533 .9889	----	----	----	----	3 UNCH
10125	----	----	40.793B/39.599A	40.793B/39.599A	----	40.737 +	0.533 .9896	----	----	----	----	1 UNCH
TOTAL										454	0	9940 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JAN27												
3000	----	----	----	0.002B/0.040A	----	0.021 +	0.001 .0034	----	----	----	----	2 UNCH
3500	----	----	----	0.038B/0.049A	----	0.047 +	0.005 .0082	----	----	----	----	5 UNCH
3800	----	----	----	0.060B/0.072A	----	0.069 +	0.004 .0127	----	----	----	----	1 UNCH
4000	----	----	----	0.082B/0.093A	----	0.089 +	0.003 .0170	----	----	----	----	9 UNCH
4100	----	----	----	0.096B/0.106A	----	0.102 +	0.002 .0197	----	----	----	----	1 UNCH
4200	----	----	----	0.116B/0.121A	----	0.118 +	0.002 .0231	----	----	----	----	2 UNCH
4300	----	----	0.137B/----	0.137B/0.140A	----	0.137 +	0.001 .0271	----	----	----	----	3 UNCH
4500	----	----	0.192B/----	0.192B/0.190A	----	0.190 +	0.002 .0381	----	----	25	----	61 + 24
4675	----	----	0.261B/0.251A	0.261B/0.251A	----	0.258 +	0.005 .0517	----	----	----	----	3 UNCH
4700	----	----	0.273B/0.262A	0.273B/0.262A	----	0.270 +	0.005 .0541	----	----	----	----	9 UNCH
4725	----	----	0.286B/0.273A	0.286B/0.273A	----	0.283 +	0.006 .0566	----	----	----	----	3 UNCH
4775	----	----	0.314B/0.298A	0.314B/0.298A	----	0.310 +	0.008 .0619	----	----	----	----	1 UNCH
4800	----	----	0.329B/0.310A	0.329B/0.310A	----	0.325 +	0.009 .0647	----	----	----	----	9 UNCH
4900	----	----	0.394B/0.370A	0.394B/0.370A	----	0.392 +	0.012 .0774	----	----	----	----	6 UNCH
5000	----	----	0.483B/0.442A	0.483B/0.442A	----	0.476 +	0.018 .0928	----	----	----	----	195 UNCH
5075	----	----	0.558B/----	0.558B/0.545A	----	0.551 +	0.022 .1060	----	----	----	----	13 UNCH
5100	0.571	0.571	0.586B/0.535A	0.586B/0.535A	----	0.579 +	0.024 .1109	----	----	27	----	37 + 27
5125	----	----	0.616B/0.558A	0.616B/0.558A	----	0.608 +	0.026 .1159	----	----	----	----	15 UNCH
5150	----	----	0.647B/0.579A	0.647B/0.579A	----	0.639 +	0.028 .1211	----	----	----	----	1 UNCH
5200	----	----	0.714B/0.637A	0.714B/0.637A	----	0.705 +	0.032 .1321	----	----	----	----	31 UNCH
5250	----	----	0.787B/0.700A	0.787B/0.700A	----	0.778 +	0.037 .1440	----	----	----	----	8 UNCH
5275	----	----	0.826B/0.734A	0.826B/0.734A	----	0.817 +	0.039 .1503	----	----	----	----	2 UNCH
5300	----	----	0.868B/0.768A	0.868B/0.768A	----	0.858 +	0.042 .1567	----	----	----	----	21 UNCH
5325	----	----	0.910B/0.805A	0.910B/0.805A	----	0.902 +	0.045 .1635	----	----	----	----	9 UNCH
5350	----	----	0.957B/0.846A	0.957B/0.846A	----	0.947 +	0.048 .1704	----	----	----	----	3 UNCH
5375	----	----	1.005B/0.885A	1.005B/0.885A	----	0.994 +	0.051 .1775	----	----	----	----	13 UNCH
5400	----	----	1.054B/0.926A	1.054B/0.926A	----	1.044 +	0.054 .1849	----	----	----	----	270 UNCH
5425	----	----	1.106B/0.972A	1.106B/0.972A	----	1.096 +	0.058 .1925	----	----	----	----	246 UNCH
5450	1.031	1.031	1.162B/1.019A	1.162B/1.019A	----	1.150 +	0.061 .2003	----	----	1	----	35 + 1
5475	----	----	1.219B/1.066A	1.219B/1.066A	----	1.206 +	0.064 .2083	----	----	----	----	196 UNCH
5500	1.135	1.135	1.279B/1.116A	1.279B/1.116A	----	1.265 +	0.068 .2165	----	----	2	----	106 + 2
5525	----	----	1.341B/1.169A	1.341B/1.169A	----	1.327 +	0.072 .2250	----	----	----	----	8 UNCH
5550	----	----	1.404B/1.224A	1.404B/1.224A	----	1.391 +	0.076 .2336	----	----	----	----	13 UNCH
5575	----	----	1.471B/1.283A	1.471B/1.283A	----	1.458 +	0.081 .2424	----	----	----	----	6 UNCH
5600	----	----	1.542B/1.342A	1.542B/1.342A	----	1.528 +	0.086 .2515	----	----	----	----	150 UNCH
5625	----	----	1.614B/1.404A	1.614B/1.404A	----	1.600 +	0.090 .2607	----	----	----	----	2 UNCH
5675	----	----	1.768B/1.535A	1.768B/1.535A	----	1.753 +	0.099 .2796	----	----	----	----	1 UNCH
5700	----	----	1.850B/1.605A	1.850B/1.605A	----	1.834 +	0.104 .2894	----	----	----	----	10 UNCH
5750	----	----	2.022B/1.752A	2.022B/1.752A	----	2.005 +	0.115 .3093	----	----	----	----	6 UNCH
5775	----	----	2.114B/1.832A	2.114B/1.832A	----	2.095 +	0.120 .3194	----	----	----	----	11 UNCH
5800	----	----	2.205B/1.912A	2.205B/1.912A	----	2.188 +	0.126 .3297	----	----	----	----	78 UNCH
5825	----	----	2.304B/1.997A	2.304B/1.997A	----	2.285 +	0.132 .3401	----	----	----	----	5 UNCH
5850	----	----	2.403B/2.085A	2.403B/2.085A	----	2.384 +	0.138 .3506	----	----	1	----	3 + 1
5875	----	----	2.509B/2.174A	2.509B/2.174A	----	2.487 +	0.144 .3612	----	----	----	----	3 UNCH
5900	----	----	2.617B/2.267A	2.617B/2.267A	----	2.592 +	0.149 .3718	----	----	----	----	24 UNCH
5950	----	----	2.839B/2.463A	2.839B/2.463A	----	2.814 +	0.163 .3933	----	----	----	----	4 UNCH
5975	----	----	2.955B/2.562A	2.955B/2.562A	----	2.929 +	0.169 .4041	----	----	----	----	1 UNCH
6000	----	----	3.075B/2.661A	3.075B/2.661A	----	3.048 +	0.176 .4150	----	----	----	----	167 UNCH
6075	----	----	3.452B/2.999A	3.452B/2.999A	----	3.423 +	0.196 .4475	----	----	1	----	2 + 1
6100	----	----	3.585B/3.119A	3.585B/3.119A	----	3.555 +	0.203 .4583	----	----	----	----	46 UNCH
6125	----	----	3.719B/3.239A	3.719B/3.239A	----	3.690 +	0.211 .4691	----	----	----	----	18 UNCH
6150	----	----	3.857B/3.359A	3.857B/3.359A	----	3.827 +	0.217 .4798	----	----	----	----	1 UNCH
6200	4.118	4.118	4.144B/3.611A	4.144B/3.611A	----	4.112 +	0.231 .5010	----	----	1	----	27 + 1
6225	----	----	4.291B/3.743A	4.291B/3.743A	----	4.259 +	0.239 .5115	----	----	----	----	61 UNCH
6250	----	----	4.441B/3.875A	4.441B/3.875A	----	4.409 +	0.246 .5219	----	----	----	----	2 UNCH
6275	----	----	4.594B/4.031A	4.594B/4.031A	----	4.561 +	0.252 .5321	----	----	----	----	3 UNCH
6300	----	----	4.750B/4.163A	4.750B/4.163A	----	4.717 +	0.260 .5423	----	----	----	----	1 UNCH
6325	----	----	4.908B/4.307A	4.908B/4.307A	----	4.875 +	0.266 .5523	----	----	----	----	2 UNCH
6350	----	----	5.070B/4.463A	5.070B/4.463A	----	5.036 +	0.273 .5623	----	----	----	----	9 UNCH
6375	----	----	5.234B/4.595A	5.234B/4.595A	----	5.199 +	0.279 .5720	----	----	----	----	25 UNCH
6400	----	----	5.391B/4.751A	5.391B/4.751A	----	5.366 +	0.286 .5817	----	----	----	----	33 UNCH
6425	----	----	5.562B/4.907A	5.562B/4.907A	----	5.534 +	0.292 .5912	----	----	----	----	1 UNCH
6475	----	----	5.904B/5.231A	5.904B/5.231A	----	5.879 +	0.304 .6098	----	----	----	----	1 UNCH
6500	----	----	6.084B/5.387A	6.084B/5.387A	----	6.054 +	0.309 .6188	----	----	----	----	56 UNCH
6525	----	----	6.255B/5.568A	6.255B/5.568A	----	6.232 +	0.315 .6277	----	----	----	----	1 UNCH
6575	----	----	6.624B/5.904A	6.624B/5.904A	----	6.595 +	0.326 .6450	----	----	----	----	5 UNCH
6700	----	----	7.569B/6.816A	7.569B/6.816A	----	7.537 +	0.349 .6855	----	----	----	----	13 UNCH
6725	----	----	7.767B/6.996A	7.767B/6.996A	----	7.732 +	0.354 .6930	----	----	----	----	15 UNCH
6800	----	----	8.358B/7.560A	8.358B/7.560A	----	8.326 +	0.367 .7147	----	----	----	----	2 UNCH
6825	----	----	8.557B/7.752A	8.557B/7.752A	----	8.528 +	0.371 .7215	----	----	----	----	1 UNCH
6900	----	----	9.176B/8.340A	9.176B/8.340A	----	9.143 +	0.384 .7411	----	----	----	----	16 UNCH
6925	----	----	9.384B/8.547A	9.384B/8.547A	----	9.351 +	0.388 .7474	----	----	----	----	24 UNCH
6950	----	----	9.591B/8.743A	9.591B/8.743A	----	9.561 +	0.393 .7534	----	----	----	----	1 UNCH
7000	----	----	10.013B/9.157A	10.013B/9.157A	----	9.983 +	0.399 .7650	----	----	----	----	20 UNCH
7100	----	----	10.881B/9.987A	10.881B/9.987A	----	10.843 +	0.413 .7866	----	----	----	----	27 UNCH
7125	----	----	11.098B/10.191A	11.098B/10.191A	----	11.061 +	0.416 .7916	----	----	----	----	1 UNCH
7175	----	----	11.538B/10.612A	11.538B/10.612A	----	11.500 +	0.423 .8012	----	----	----	----	1 UNCH
7200	----	----	11.753B/10.826A	11.753B/10.826A	----	11.721 +	0.426 .8059	----	----	----	----	1 UNCH
7350	----	----	13.101B/12.132A	13.101B/12.132A	----	13.065 +	0.442 .8311	----	----	----	----	1 UNCH
8050	----	----	19.676B/18.585A	19.676B/18.585A	----	19.625 +	0.489 .9059	----	----	----	----	1 UNCH
8200	----	----	21.121B/20.015A	21.121B/20.015A	----	21.069 +	0.495 .9157	----	----	----	----	1 UNCH
8600	----	----	25.012B/23.874A	25.012B/23.874A	----	24.957 +	0.508 .9357	----	----	----	----	1 UNCH
8850	----	----	27.464B/26.311A	27.464B/26.311A	----	27.407 +	0.515 .9446	----	----	----	----	9 UNCH
10000	----	----	38.824B/37.647A	38.824B/37.647A	----	38.777 +	0.533 .9691	----	----	----	----	7 UNCH
TOTAL										58	0	2244 + 57
FEB27												
3200	----	----	----	0.043B/0.059A	----	0.045 -	0.001 .0070	----	----	----	----	20 UNCH
3225	----	----	----	0.044B/0.060A	----	0.046 -	0.001 .0072	----	----	----	----	10 UNCH
3275	----	----	----	0.047B/0.064A	----	0.049 -	0.001 .0078	----	----	----	----	10 UNCH
3475	----	----	----	0.064B/0.081A	----	0.063 -	0.001 .0103	----	----	----	----	1 UNCH
3625	----	----	0.080B/----	0.080B/0.097A	----	0.079	UNCH .0131	----	----	----	----	12 UNCH
3750	----	----	----	0.096B/0.113A	----	0.096	UNCH .0161	----	----	----	----	5 UNCH
3825	----	----	----	0.107B/0.124A	----	0.109 +	0.001 .0183	----	----	----	----	5 UNCH
3850	----	----	----	0.111B/0.128A	----	0.113 +	0.001 .0190	----	----	----	----	3 UNCH
3900	----	----	0.124B/----	0.124B/0.131A	----	0.123 +	0.002 .0207	----	----	----	----	20 UNCH
3975	----	----	0.138B/----	0.138B/0.145A	----	0.139 +	0.002 .0234	----	----	----	----	3 UNCH
4000	----	----	0.143B/----	0.143B/0.151A	----	0.144 +	0.002 .0243	----	----	----	----	31 UNCH
4200	----	----	----	0.194B/0.199A	----	0.196 +	0.002 .0334	----	----	----	----	10 UNCH
4500	----	----	0.315B/0.307A	0.315B/0.307A	----	0.309	UNCH .0530	----	----	----	----	8 UNCH
4750	----	----	0.476B/0.452A	0.476B/0.452A	----	0.471 +	0.007 .0793	----	----	----	----	1 UNCH
4950	----	----	0.685B/0.629A	0.685B/0.629A	----	0.677 +	0.023 .1100	----	----	----	----	1 UNCH
5000	0.745	0.745	0.749B/0.682A	0.749B/0.682A	----	0.741 +	0.028 .1192	----	----	2	----	132 UNCH
5100	----	----	0.892B/0.806A	0.892B/0.806A	----	0.885 +	0.037 .1391	----	----	----	----	1 UNCH
5200	----	----	1.062B/0.954A	1.062B/0.954A	----	1.053 +	0.046 .1614	----	----	----	----	1 UNCH
5225	----	----	1.109B/0.995A	1.109B/0.995A	----	1.100 +	0.049 .1674	----	----	----	----	15 UNCH
5275	----	----	1.208B/1.081A	1.208B/1.081A	----	1.198 +	0.054 .1799	----	----	----	----	20 UNCH
5300	----	----	1.261B/1.129A	1.261B/1.129A	----	1.250 +	0.056 .1863	----	----	----	----	75 UNCH
5325	----	----	1.317B/1.176A	1.317B/1.176A	----	1.304 +	0.059 .1929	----	----	----	----	49 UNCH
5375	----	----	1.432B/1.278A	1.432B/1.278A	----	1.419 +	0.065 .2067	----	----	----	----	44 UNCH
5400	----	----	1.494B/1.331A	1.494B/1.331A	----	1.479 +	0.067 .2138	----	----	----	----	42 UNCH
5425	----	----	1.558B/1.387A	1.558B/1.387A	----	1.542 +	0.070 .2210	----	----	----	----	59 UNCH
5500	----	----	1.762B/1.566A	1.762B/1.566A	----	1.745 +	0.081 .2437	----	----	----	----	54 UNCH
5525	----	----	1.835B/1.630A	1.835B/1.630A	----	1.818 +	0.085 .2515	----	----	----	----	5 UNCH
5600	----	----	2.069B/1.836A	2.069B/1.836A	----	2.051 +	0.096 .2758	----	----	----	----	17 UNCH
5650	----	----	2.238B/1.986A	2.238B/1.986A	----	2.220 +	0.105 .2926	----	----	----	----	1 UNCH
5700	----	----	2.418B/2.144A	2.418B/2.144A	----	2.399 +	0.114 .3098	----	----	----	----	1 UNCH
5725	----	----	2.514B/2.228A	2.514B/2.228A	----	2.493 +	0.120 .3185	----	----	----	----	1 UNCH
5800	----	----	2.811B/2.494A	2.811B/2.494A	----	2.790 +	0.134 .3451	----	----	----	----	15 UNCH
5825	----	----	2.916B/2.588A	2.916B/2.588A	----	2.895 +	0.140 .3541	----	----	----	----	12 UNCH
5875	----	----	3.133B/2.785A	3.133B/2.785A	----	3.112 +	0.151 .3722	----	----	----	----	10 UNCH
6000	----	----	3.723B/3.311A	3.723B/3.311A	----	3.702 +	0.178 .4180	----	----	----	----	16 UNCH
6025	----	----	3.853B/3.431A	3.853B/3.431A	----	3.828 +	0.183 .4272	----	----	----	----	1 UNCH
6050	----	----	3.979B/3.539A	3.979B/3.539A	----	3.957 +	0.189 .4363	----	----	----	----	18 UNCH
6100	----	----	4.248B/3.779A	4.248B/3.779A	----	4.222 +	0.200 .4546	----	----	----	----	7 UNCH
6200	----	----	4.814B/4.295A	4.814B/4.295A	----	4.784 +	0.223 .4906	----	----	----	----	13 UNCH
6225	----	----	4.960B/4.432A	4.960B/4.432A	----	4.931 +	0.228 .4994	----	----	----	----	4 UNCH
6250	----	----	5.110B/4.575A	5.110B/4.575A	----	5.080 +	0.234 .5082	----	----	----	----	13 UNCH
6275	----	----	5.260B/4.718A	5.260B/4.718A	----	5.232 +	0.239 .5169	----	----	----	----	1 UNCH
6400	----	----	6.059B/5.446A	6.059B/5.446A	----	6.025 +	0.265 .5591	----	----	----	----	1 UNCH
6500	----	----	6.723B/6.083A	6.723B/6.083A	----	6.700 +	0.285 .5911	----	----	----	----	21 UNCH
6600	----	----	7.425B/6.760A	7.425B/6.760A	----	7.407 +	0.302 .6214	----	----	----	----	6 UNCH
6700	----	----	8.163B/7.462A	8.163B/7.462A	----	8.144 +	0.319 .6498	----	----	----	----	11 UNCH
6825	----	----	9.135B/8.398A	9.135B/8.398A	----	9.104 +	0.339 .6825	----	----	----	----	5 UNCH
7000	----	----	10.525B/9.737A	10.525B/9.737A	----	10.509 +	0.365 .7233	----	----	----	----	5 UNCH
7225	----	----	12.418B/11.581A	12.418B/11.581A	----	12.403 +	0.394 .7678	----	----	----	----	1 UNCH
7250	----	----	12.635B/11.794A	12.635B/11.794A	----	12.619 +	0.397 .7722	----	----	----	----	1 UNCH
7400	----	----	13.946B/13.065A	13.946B/13.065A	----	13.931 +	0.414 .7968	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
FEB27												
7575	----	----	15.512B/14.595A	15.512B/14.595A	----	15.496 + 0.429	.8215	----	----	----	----	20 UNCH
8075	----	----	20.142B/19.143A	20.142B/19.143A	----	20.122 + 0.465	.8737	----	----	----	----	5 UNCH
8150	----	----	20.851B/19.850A	20.851B/19.850A	----	20.831 + 0.469	.8797	----	----	----	----	10 UNCH
8225	----	----	21.567B/20.553A	21.567B/20.553A	----	21.542 + 0.473	.8852	----	----	----	----	10 UNCH
8250	----	----	21.804B/20.787A	21.804B/20.787A	----	21.780 + 0.475	.8870	----	----	----	----	10 UNCH
TOTAL										2	0	875 0
MAR27												
3500	----	----	----	0.103B/0.124A	----	0.113 + 0.004	.0163	----	----	----	----	32 UNCH
3550	----	----	----	0.111B/0.132A	----	0.120 + 0.003	.0174	----	----	----	----	5 UNCH
4000	----	----	0.217B/----	0.217B/0.224A	----	0.219 + 0.003	.0328	----	----	----	----	299 UNCH
4200	----	----	0.292B/----	0.292B/0.291A	----	0.293 + 0.007	.0440	----	----	----	----	1 UNCH
4300	----	----	0.340B/----	0.340B/0.335A	----	0.339 + 0.008	.0508	----	----	----	----	5 UNCH
4500	----	----	0.463B/0.445A	0.463B/0.445A	----	0.461 + 0.015	.0684	----	----	----	----	51 UNCH
4750	----	----	0.690B/----	0.690B/0.682A	----	0.683 + 0.025	.0986	----	----	----	----	15 UNCH
4775	----	----	0.718B/----	0.718B/0.708A	----	0.711 + 0.027	.1022	----	----	----	----	15 UNCH
4800	----	----	0.747B/0.699A	0.747B/0.699A	----	0.740 + 0.028	.1060	----	----	----	----	5 UNCH
4900	----	----	0.877B/0.808A	0.877B/0.808A	----	0.868 + 0.034	.1221	----	----	----	----	5 UNCH
5000	0.990	0.990	1.030B/0.942A	1.030B/0.942A	----	1.018 + 0.041	.1404	----	----	22	----	611 + 3
5050	----	----	1.115B/1.016A	1.115B/1.016A	----	1.102 + 0.045	.1502	----	----	----	----	9 UNCH
5075	----	----	1.160B/1.055A	1.160B/1.055A	----	1.146 + 0.046	.1553	----	----	----	----	1 UNCH
5100	----	----	1.206B/1.096A	1.206B/1.096A	----	1.193 + 0.049	.1607	----	----	----	----	4 UNCH
5150	----	----	1.305B/1.182A	1.305B/1.182A	----	1.290 + 0.053	.1716	----	----	----	----	6 UNCH
5175	----	----	1.357B/1.227A	1.357B/1.227A	----	1.342 + 0.056	.1773	----	----	----	----	1 UNCH
5200	----	----	1.410B/1.276A	1.410B/1.276A	----	1.395 + 0.058	.1831	----	----	----	----	11 UNCH
5225	----	----	1.466B/1.324A	1.466B/1.324A	----	1.450 + 0.061	.1890	----	----	----	----	2 UNCH
5250	----	----	1.524B/1.375A	1.524B/1.375A	----	1.507 + 0.063	.1950	----	----	----	----	4 UNCH
5275	----	----	1.584B/1.429A	1.584B/1.429A	----	1.566 + 0.066	.2012	----	----	----	----	11 UNCH
5300	----	----	1.644B/1.484A	1.644B/1.484A	----	1.627 + 0.069	.2075	----	----	----	----	5 UNCH
5350	----	----	1.773B/1.597A	1.773B/1.597A	----	1.756 + 0.075	.2205	----	----	----	----	8 UNCH
5400	----	----	1.911B/1.722A	1.911B/1.722A	----	1.893 + 0.082	.2339	----	----	----	----	23 UNCH
5425	----	----	1.983B/1.787A	1.983B/1.787A	----	1.964 + 0.084	.2407	----	----	----	----	2 UNCH
5500	2.125	2.125	2.211B/1.990A	2.211B/1.990A	----	2.193 + 0.095	.2620	----	----	26	----	920 + 23
5550	----	----	2.375B/2.138A	2.375B/2.138A	----	2.356 + 0.102	.2766	----	----	----	----	1 UNCH
5600	----	----	2.549B/2.293A	2.549B/2.293A	----	2.529 + 0.109	.2916	----	----	----	----	270 UNCH
5675	----	----	2.830B/2.543A	2.830B/2.543A	----	2.807 + 0.122	.3146	----	----	----	----	1 UNCH
5700	----	----	2.927B/2.631A	2.927B/2.631A	----	2.904 + 0.126	.3224	----	----	----	----	3 UNCH
5800	----	----	3.343B/3.009A	3.343B/3.009A	----	3.317 + 0.142	.3541	----	----	----	----	43 UNCH
5900	----	----	3.796B/3.419A	3.796B/3.419A	----	3.769 + 0.159	.3863	----	----	----	----	9 UNCH
5950	----	----	4.037B/3.644A	4.037B/3.644A	----	4.010 + 0.168	.4026	----	----	----	----	1 UNCH
6000	----	----	4.288B/3.871A	4.288B/3.871A	----	4.260 + 0.176	.4188	----	----	----	----	112 UNCH
6075	----	----	4.683B/4.239A	4.683B/4.239A	----	4.653 + 0.189	.4430	----	----	----	----	76 UNCH
6100	----	----	4.819B/4.367A	4.819B/4.367A	----	4.789 + 0.194	.4511	----	----	----	----	3 UNCH
6200	----	----	5.389B/4.895A	5.389B/4.895A	----	5.355 + 0.212	.4828	----	----	----	----	6 UNCH
6300	----	----	5.989B/5.455A	5.989B/5.455A	----	5.956 + 0.228	.5137	----	----	----	----	14 UNCH
6350	----	----	6.301B/5.745A	6.301B/5.745A	----	6.269 + 0.237	.5287	----	----	----	----	4 UNCH
6375	----	----	6.469B/5.898A	6.469B/5.898A	----	6.429 + 0.241	.5361	----	----	----	----	1 UNCH
6400	----	----	6.625B/6.051A	6.625B/6.051A	----	6.591 + 0.246	.5435	----	----	----	----	29 UNCH
6450	----	----	6.953B/6.357A	6.953B/6.357A	----	6.920 + 0.254	.5579	----	----	----	----	1 UNCH
6500	----	----	7.296B/6.680A	7.296B/6.680A	----	7.257 + 0.262	.5721	----	----	----	----	20 UNCH
6775	----	----	9.252B/8.568A	9.252B/8.568A	----	9.233 + 0.303	.6434	----	----	----	----	1 UNCH
6800	----	----	9.432B/8.738A	9.432B/8.738A	----	9.422 + 0.307	.6494	----	----	----	----	1 UNCH
6825	----	----	9.636B/8.925A	9.636B/8.925A	----	9.612 + 0.310	.6552	----	----	----	----	3 UNCH
6950	----	----	10.596B/9.877A	10.596B/9.877A	----	10.585 + 0.327	.6831	----	----	----	----	2 UNCH
7000	----	----	10.992B/10.272A	10.992B/10.272A	----	10.983 + 0.334	.6936	----	----	----	----	3 UNCH
7225	----	----	12.835B/12.063A	12.835B/12.063A	----	12.829 + 0.360	.7365	----	----	----	----	10 UNCH
7500	----	----	15.192B/14.361A	15.192B/14.361A	----	15.189 + 0.388	.7801	----	----	----	----	3 UNCH
7575	----	----	15.853B/15.008A	15.853B/15.008A	----	15.849 + 0.395	.7905	----	----	----	----	1 UNCH
7600	----	----	16.072B/15.219A	16.072B/15.219A	----	16.070 + 0.397	.7937	----	----	----	----	1 UNCH
7625	----	----	16.297B/15.440A	16.297B/15.440A	----	16.292 + 0.399	.7970	----	----	----	----	10 UNCH
7750	----	----	17.410B/16.536A	17.410B/16.536A	----	17.412 + 0.410	.8124	----	----	----	----	10 UNCH
8000	----	----	19.693B/18.777A	19.693B/18.777A	----	19.692 + 0.430	.8387	----	----	----	----	1 UNCH
8100	----	----	20.614B/19.687A	20.614B/19.687A	----	20.617 + 0.437	.8479	----	----	----	----	6 UNCH
8300	----	----	22.478B/21.529A	22.478B/21.529A	----	22.484 + 0.450	.8641	----	----	----	----	50 UNCH
8500	----	----	24.366B/23.394A	24.366B/23.394A	----	24.372 + 0.461	.8781	----	----	----	----	3 UNCH
8600	----	----	25.315B/24.334A	25.315B/24.334A	----	25.322 + 0.466	.8843	----	----	----	----	1 UNCH
10500	----	----	43.852B/42.739A	43.852B/42.739A	----	43.836 + 0.518	.9484	----	----	----	----	10 UNCH
TOTAL										48	0	2761 + 26
APR27												
3400	----	----	----	0.048B/0.206A	----	0.134 + 0.007	.0173	----	----	----	----	1 UNCH
3500	----	----	----	0.065B/0.226A	----	0.149 + 0.004	.0196	----	----	----	----	1 UNCH
4000	----	----	----	0.207B/0.374A	----	0.279 - 0.004	.0379	----	----	----	----	1 UNCH
4100	----	----	----	0.251B/0.419A	----	0.322 - 0.004	.0437	----	----	----	----	15 UNCH
4200	----	----	----	0.302B/0.472A	----	0.372 - 0.004	.0503	----	----	----	----	10 UNCH
4500	----	----	----	0.579B/0.600A	----	0.585 + 0.004	.0771	----	----	----	----	36 UNCH
4800	----	----	0.917B/----	0.917B/0.903A	----	0.922 + 0.020	.1161	----	----	----	----	2 UNCH
5000	----	----	1.244B/1.201A	1.244B/1.201A	----	1.242 + 0.037	.1501	----	----	----	----	62 UNCH
5400	----	----	2.189B/2.069A	2.189B/2.069A	----	2.197 + 0.082	.2380	----	----	----	----	1 UNCH
5500	----	----	2.515B/2.357A	2.515B/2.357A	----	2.513 + 0.095	.2636	----	----	----	----	101 UNCH
5600	----	----	2.831B/2.677A	2.831B/2.677A	----	2.860 + 0.106	.2903	----	----	----	----	11 UNCH
6000	----	----	4.607B/4.265A	4.607B/4.265A	----	4.582 + 0.144	.4035	----	----	----	----	174 UNCH
6200	----	----	5.699B/5.281A	5.699B/5.281A	----	5.664 + 0.183	.4608	----	----	----	----	7 UNCH
6225	----	----	5.839B/5.414A	5.839B/5.414A	----	5.810 + 0.190	.4678	----	----	----	----	7 UNCH
6275	----	----	6.136B/5.680A	6.136B/5.680A	----	6.108 + 0.203	.4816	----	----	----	----	4 UNCH
6400	----	----	6.886B/6.384A	6.886B/6.384A	----	6.887 + 0.239	.5152	----	----	----	----	1 UNCH
6500	----	----	7.531B/7.010A	7.531B/7.010A	----	7.537 + 0.261	.5411	----	----	----	----	3 UNCH
6600	----	----	8.206B/7.699A	8.206B/7.699A	----	8.208 + 0.278	.5661	----	----	----	----	1 UNCH
7000	----	----	10.995B/10.600A	10.995B/10.600A	----	11.102 + 0.311	.6562	----	----	----	----	5 UNCH
8000	----	----	----	6.636B/32.171A	----	19.580 + 0.434	.8028	----	----	----	----	2 UNCH
8725	----	----	----	12.661B/39.348A	----	26.282 + 0.488	.8610	----	----	----	----	3 UNCH
TOTAL											0	448 0
MAY27												
4500	----	----	----	0.775B/0.791A	----	0.800 + 0.024	.0923	----	----	----	----	6 UNCH
4700	----	----	1.036B/1.020A	1.036B/1.020A	----	1.065 + 0.036	.1188	----	----	----	----	25 UNCH
4850	----	----	1.275B/1.248A	1.275B/1.248A	----	1.309 + 0.048	.1420	----	----	----	----	5 UNCH
5000	----	----	1.561B/1.526A	1.561B/1.526A	----	1.598 + 0.061	.1681	----	----	----	----	20 UNCH
5500	----	----	2.973B/2.835A	2.973B/2.835A	----	2.992 + 0.110	.2760	----	----	----	----	2 UNCH
5700	----	----	3.754B/3.547A	3.754B/3.547A	----	3.764 + 0.134	.3260	----	----	----	----	5 UNCH
6000	----	----	5.169B/4.840A	5.169B/4.840A	----	5.167 + 0.174	.4038	----	----	----	----	1 UNCH
6500	----	----	8.119B/7.589A	8.119B/7.589A	----	8.116 + 0.252	.5281	----	----	----	----	65 UNCH
6525	----	----	8.263B/7.765A	8.263B/7.765A	----	8.281 + 0.256	.5338	----	----	----	----	16 UNCH
6675	----	----	9.307B/8.734A	9.307B/8.734A	----	9.300 + 0.278	.5672	----	----	----	----	2 UNCH
6750	----	----	9.721B/9.240A	9.721B/9.240A	----	9.827 + 0.288	.5832	----	----	----	----	5 UNCH
7300	----	----	13.860B/13.464A	13.860B/13.464A	----	14.010 + 0.353	.6847	----	----	----	----	10 UNCH
7900	----	----	----	----	----	19.069 + 0.408	.7654	----	----	----	----	10 UNCH
8300	----	----	----	----	----	22.635 + 0.436	.8050	----	----	----	----	5 UNCH
8325	----	----	----	----	----	22.861 + 0.437	.8072	----	----	----	----	2 UNCH
8350	----	----	----	----	----	23.088 + 0.438	.8093	----	----	----	----	2 UNCH
8500	----	----	----	----	----	24.458 + 0.447	.8214	----	----	----	----	9 UNCH
TOTAL											0	190 0
JUN27												
4300	----	----	----	0.611B/0.837A	----	0.720 + 0.017	.0775	----	----	----	----	3 UNCH
4500	----	----	----	0.829B/1.045A	----	0.942 + 0.026	.0988	----	----	----	----	3 UNCH
4700	----	----	----	1.111B/1.312A	----	1.226 + 0.037	.1246	----	----	----	----	510 UNCH
5500	----	----	----	3.112B/3.206A	----	3.252 + 0.122	.2739	----	----	----	----	3 UNCH
6000	----	----	5.274B/----	5.274B/5.290A	----	5.438 + 0.206	.3916	----	----	----	----	5 UNCH
6400	----	----	7.543B/7.440A	7.543B/7.440A	----	7.701 + 0.255	.4848	----	----	----	----	1 UNCH
6500	----	----	8.160B/8.040A	8.160B/8.040A	----	8.329 + 0.262	.5068	----	----	----	----	10 UNCH
6800	----	----	10.160B/9.975A	10.160B/9.975A	----	10.345 + 0.287	.5686	----	----	----	----	1 UNCH
7000	----	----	11.600B/11.375A	11.600B/11.375A	----	11.786 + 0.307	.6061	----	----	----	----	16 UNCH
7050	----	----	11.980B/11.725A	11.980B/11.725A	----	12.157 + 0.312	.6150	----	----	----	----	1 UNCH
TOTAL											0	553 0
JUL27												
4600	----	----	1.262B/----	1.262B/1.313A	----	1.282 + 0.042	.1215	----	----	----	----	8 UNCH
4650	----	----	----	1.238B/1.469A	----	1.365 + 0.044	.1282	----	----	----	----	5 UNCH
4700	----	----	1.433B/----	1.433B/1.420A	----	1.453 + 0.047	.1353	----	----	----	----	15 UNCH
4775	----	----	1.574B/----	1.574B/1.561A	----	1.594 + 0.052	.1463	----	----	----	----	5 UNCH
4900	----	----	1.832B/1.793A	1.832B/1.793A	----	1.857 + 0.060	.1661	----	----	----	----	5 UNCH
5000	----	----	2.067B/----	2.067B/2.030A	----	2.094 + 0.069	.1831	----	----	----	----	20 UNCH
5500	----	----	3.616B/3.473A	3.616B/3.473A	----	3.659 + 0.120	.2813	----	----	----	----	50 UNCH
6200	----	----	6.798B/----	6.798B/6.800A	----	6.985 + 0.203	.4357	----	----	----	----	1 UNCH
6500	----	----	8.779B/8.316A	8.779B/8.316A	----	8.798 + 0.250	.4989	----	----	----	----	1 UNCH
6900	----	----	11.478B/10.961A	11.478B/10.961A	----	11.496 + 0.296	.5752	----	----	----	----	100 UNCH
7000	----	----	12.006B/11.636A	12.006B/11.636A	----	12.215 + 0.305	.5927	----	----	----	----	25 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
TOTAL											0	235 0
SEP27												
5500	----	----	----	4.117B/4.292A	----	4.292 + 0.118	.2829	----	----	----	----	10 UNCH
5800	----	----	----	5.407B/5.538A	----	5.590 + 0.152	.3408	----	----	----	----	1 UNCH
5900	----	----	----	5.865B/6.004A	----	6.074 + 0.163	.3604	----	----	----	----	1 UNCH
TOTAL											0	12 0
DEC27												
7175	----	----	----	----	----	16.190 + 0.235	.5171	----	----	----	----	25 UNCH
TOTAL											0	25 0
DEC28												
7175	----	----	----	----	----	18.512 + 0.195	.4247	----	----	----	----	40 UNCH
TOTAL											0	40 0
SO2 CALL		SILVER OPTIONS										
OCT26												
5870	----	----	----	----	----	2.348	UNCH	----	----	----	----	0 UNCH
5880	----	----	----	----	----	2.248	UNCH	----	----	----	----	0 UNCH
5890	----	----	----	----	----	2.148	UNCH	----	----	----	----	0 UNCH
5900	----	----	----	----	----	2.048	UNCH	----	----	----	----	0 UNCH
5910	----	----	----	----	----	1.948	UNCH	----	----	----	----	0 UNCH
5920	----	----	----	----	----	1.848	UNCH	----	----	----	----	0 UNCH
5930	----	----	----	----	----	1.748	UNCH	----	----	----	----	0 UNCH
5940	----	----	----	----	----	1.648	UNCH	----	----	----	----	0 UNCH
5960	----	----	----	----	----	1.448	UNCH	----	----	----	----	0 UNCH
5970	----	----	----	----	----	1.348	UNCH	----	----	----	----	0 UNCH
5980	----	----	----	----	----	1.248	UNCH	----	----	----	----	0 UNCH
5990	----	----	----	----	----	1.148	UNCH	----	----	----	----	0 UNCH
6000	----	----	----	----	----	1.048	UNCH	----	----	----	----	0 UNCH
6010	----	----	----	----	----	0.948	UNCH	----	----	----	----	0 UNCH
6020	----	----	----	----	----	0.848	UNCH	----	----	----	----	0 UNCH
6030	----	----	----	----	----	0.748	UNCH	----	----	----	----	0 UNCH
6040	----	----	----	----	----	0.648	UNCH	----	----	----	----	0 UNCH
6050	----	----	----	----	----	0.548	UNCH	----	----	----	----	0 UNCH
6060	----	----	----	----	----	0.448	UNCH	----	----	----	----	0 UNCH
6070	----	----	----	----	----	0.348	UNCH	----	----	----	----	0 UNCH
6080	----	----	----	----	----	0.248	UNCH	----	----	----	----	0 UNCH
6090	----	----	----	----	----	0.148	UNCH	----	----	----	----	0 UNCH
6100	----	----	----	----	----	0.048	UNCH	----	----	----	----	0 UNCH
6110	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6120	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6130	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6140	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6150	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6160	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6170	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6180	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6200	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6250	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6260	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6300	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6350	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6400	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6450	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6500	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6550	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6600	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6650	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6750	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
TOTAL											0	0 0
SO2 PUT		SILVER OPTIONS										
OCT26												
5000	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
5700	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
5760	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
5780	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
5800	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
5820	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
5850	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
5880	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
5900	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
5920	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
5940	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
5950	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
5990	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6000	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6020	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6030	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6040	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6050	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6060	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6070	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6090	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6100	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6110	----	----	----	----	----	0.052	UNCH	----	----	----	----	0 UNCH
6140	----	----	----	----	----	0.352	UNCH	----	----	----	----	0 UNCH
6150	----	----	----	----	----	0.452	UNCH	----	----	----	----	0 UNCH
6200	----	----	----	----	----	0.952	UNCH	----	----	----	----	0 UNCH
6220	----	----	----	----	----	1.152	UNCH	----	----	----	----	0 UNCH
6250	----	----	----	----	----	1.452	UNCH	----	----	----	----	0 UNCH
6300	----	----	----	----	----	1.952	UNCH	----	----	----	----	0 UNCH
6360	----	----	----	----	----	2.552	UNCH	----	----	----	----	0 UNCH
6400	----	----	----	----	----	2.952	UNCH	----	----	----	----	0 UNCH
6500	----	----	----	----	----	3.952	UNCH	----	----	----	----	0 UNCH
6550	----	----	----	----	----	4.452	UNCH	----	----	----	----	0 UNCH
6700	----	----	----	----	----	5.952	UNCH	----	----	----	----	0 UNCH
TOTAL											0	0 0
SO3 CALL		SILVER OPTIONS										
OCT26												
5700	----	----	4.772B/3.522A	4.772B/3.522A	----	3.604 - 0.550	.9429	----	----	----	----	1 UNCH
5800	----	----	3.826B/2.615A	3.826B/2.615A	----	2.688 - 0.549	.8854	----	----	----	----	1 UNCH
5850	----	----	3.369B/2.185A	3.369B/2.185A	----	2.260 - 0.543	.8379	----	----	----	----	2 UNCH
5900	----	----	2.928B/1.793A	2.928B/1.793A	----	1.860 - 0.531	.7755	----	----	----	----	3 UNCH
6000	----	----	2.107B/1.122A	2.107B/1.122A	----	1.178 - 0.479	.6069	----	----	----	----	7 UNCH
6050	----	----	1.749B/0.859A	1.749B/0.859A	----	0.907 - 0.438	.5092	----	----	2	----	10 + 2
6100	----	----	1.424B/0.647A	1.424B/0.647A	----	0.685 - 0.389	.4119	----	----	----	----	12 UNCH
6200	0.379	0.379	0.901B/0.353A	0.901B/0.353A	----	0.375 - 0.283	.2448	----	----	1	40	54 + 41
6250	----	----	0.705B/0.263A	0.705B/0.263A	----	0.276 - 0.233	.1824	----	----	----	----	5 UNCH
6300	0.495	0.495	0.546B/0.196A	0.546B/0.196A	----	0.204 - 0.189	.1343	----	----	14	----	21 + 4
6350	----	----	0.422B/0.148A	0.422B/0.148A	----	0.152 - 0.152	.0984	----	----	----	----	4 UNCH
6400	----	----	0.326B/0.120A	0.326B/0.120A	----	0.116 - 0.121	.0729	----	----	----	----	13 UNCH
6450	0.200	0.200	0.257B/0.091A	0.257B/0.091A	----	0.090 - 0.097	.0545	----	----	24	----	32 + 24
6500	0.178	0.178	0.200B/0.073A	0.200B/0.073A	----	0.072 - 0.077	.0417	----	----	1	----	47 + 1
6550	----	----	0.156B/0.060A	0.156B/0.060A	----	0.058 - 0.063	.0321	----	----	----	----	6 UNCH
6600	----	----	0.124B/0.050A	0.124B/0.050A	----	0.048 - 0.051	.0253	----	----	----	----	11 UNCH
6650	----	----	0.098B/0.043A	0.098B/0.043A	----	0.040 - 0.043	.0201	----	----	----	----	12 UNCH
6700	----	----	0.076B/0.037A	0.076B/0.037A	----	0.034 - 0.035	.0162	----	----	----	----	9 UNCH
6800	----	----	----/0.033A	0.050B/0.033A	----	0.026 - 0.025	.0112	----	----	----	----	4 UNCH
6900	0.041	0.041	0.041/0.027A	0.041/0.027A	----	0.020 - 0.018	.0079	----	----	2	----	7 + 2
7000	----	----	----/0.022A	0.023B/0.022A	----	0.016 - 0.014	.0058	----	----	----	----	15 UNCH
7050	----	----	----/0.021A	0.019B/0.021A	----	0.015 - 0.012	.0052	----	----	----	----	2 UNCH
7100	0.020	0.020	0.020/0.019A	0.020/0.019A	----	0.013 - 0.012	.0043	----	----	1	----	20 UNCH
7150	----	----	----/0.017A	0.009B/0.017A	----	0.011 - 0.011	.0035	----	----	----	----	5 UNCH
7200	----	----	----/0.016A	0.007B/0.016A	----	0.009 - 0.011	.0028	----	----	----	----	6 UNCH
7250	----	----	----/0.015A	0.006B/0.015A	----	0.008 - 0.011	.0023	----	----	2	----	6 + 2
7400	----	----	----/0.013A	0.001B/0.013A	----	0.005 - 0.009	.0013	----	----	----	----	5 UNCH
TOTAL										47	40	320 + 76
SO3 PUT		SILVER OPTIONS										
OCT26												
5000	----	----	----	----/0.017A	----	0.002 - 0.003	.0005	----	----	----	----	1 UNCH
5200	----	----	----	0.005B/0.017A	----	0.006 - 0.006	.0021	----	----	----	----	3 UNCH
5500	----	----	----/0.037A	0.034B/0.037A	----	0.032 - 0.008	.0158	----	----	----	----	5 UNCH
5550	----	----	----/0.046A	0.044B/0.046A	----	0.041 - 0.010	.0215	----	----	----	----	3 UNCH
5600	0.060	0.060	0.060/0.052	0.060/0.052	----	0.053 - 0.012	.0294	----	----	6	----	34 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 57

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO3 PUT		SILVER OPTIONS										
OCT26												
5650	----	----	----/0.073A	0.075B/0.073A	----	0.069 - 0.014	.0404	----	----	----	----	21 UNCH
5700	----	----	----/0.095A	0.097B/0.095A	----	0.093 - 0.015	.0570	----	----	----	----	66 UNCH
5740	0.116	0.116	0.116/0.116	0.128B/0.116	----	0.119 NEW	.0752	----	----	1	----	1 + 1
5750	----	----	----/0.122A	0.137B/0.122A	----	0.127 - 0.016	.0807	----	----	----	----	12 UNCH
5800	0.142	0.142	0.188B/0.142	0.188B/0.142	----	0.176 - 0.015	.1145	----	----	3	----	34 + 2
5850	----	----	0.261B/0.194A	0.261B/0.194A	----	0.248 - 0.008	.1620	----	----	----	----	5 UNCH
5900	----	----	0.364B/0.250A	0.364B/0.250A	----	0.348 + 0.004	.2244	----	----	----	----	17 UNCH
5950	----	----	0.503B/0.330A	0.503B/0.330A	----	0.485 + 0.025	.3024	----	----	----	----	8 UNCH
6000	0.472	0.472	0.685B/0.439A	0.685B/0.439A	----	0.665 + 0.056	.3930	----	----	5	----	35 - 1
6050	----	----	0.923B/0.578A	0.923B/0.578A	----	0.894 + 0.097	.4907	----	----	----	----	5 UNCH
6090	1.024	1.024	1.148B/1.024	1.148B/0.721A	----	1.112 NEW	.5690	----	----	1	----	1 + 1
6100	----	----	1.210B/0.758A	1.210B/0.758A	----	1.171 + 0.145	.5880	----	----	1	----	59 UNCH
6150	----	----	1.544B/0.971A	1.544B/0.971A	----	1.496 + 0.199	.6779	----	----	----	----	2 UNCH
6200	----	----	1.915B/1.224A	1.915B/1.224A	----	1.862 + 0.252	.7551	----	----	----	----	20 UNCH
6250	----	----	2.323B/1.539A	2.323B/1.539A	----	2.262 + 0.302	.8175	----	----	----	----	11 UNCH
6300	----	----	2.761B/1.879A	2.761B/1.879A	----	2.690 + 0.347	.8656	----	----	----	----	7 UNCH
6350	----	----	3.213B/2.260A	3.213B/2.260A	----	3.138 + 0.384	.9015	----	----	----	----	7 UNCH
6400	----	----	3.675B/2.651A	3.675B/2.651A	----	3.602 + 0.415	.9270	----	----	----	----	1 UNCH
6500	----	----	4.633B/3.524A	4.633B/3.524A	----	4.557 + 0.458	.9582	----	----	----	----	10 UNCH
6600	----	----	5.587B/4.446A	5.587B/4.446A	----	5.533 + 0.485	.9746	----	----	----	----	5 UNCH
6650	----	----	6.041B/4.920A	6.041B/4.920A	----	6.025 + 0.494	.9798	----	----	----	----	6 UNCH
6700	----	----	6.538B/5.401A	6.538B/5.401A	----	6.519 + 0.501	.9837	----	----	----	----	20 UNCH
TOTAL										17	0	399 + 4
SO4 CALL		SILVER OPTIONS										
OCT26												
5800	----	----	4.004B/2.912A	4.004B/2.912A	----	2.972 - 0.509	.7865	----	----	----	----	1 UNCH
5900	----	----	3.182B/2.186A	3.182B/2.186A	----	2.234 - 0.475	.6897	----	----	----	----	5 UNCH
6000	----	----	2.440B/1.565A	2.440B/1.565A	----	1.615 - 0.421	.5737	----	----	----	----	2 UNCH
6050	----	----	2.114B/1.310A	2.114B/1.310A	----	1.354 NEW	.5122	----	----	5	----	5 + 5
6100	----	----	1.824B/1.092A	1.824B/1.092A	----	1.127 - 0.353	.4511	----	----	----	----	2 UNCH
6300	----	----	0.942B/0.501A	0.942B/0.501A	----	0.519 - 0.212	.2432	----	----	----	----	17 UNCH
6350	----	----	0.787B/0.414A	0.787B/0.414A	----	0.427 - 0.182	.2048	----	----	----	----	10 UNCH
6400	----	----	0.661B/0.342A	0.661B/0.342A	----	0.353 - 0.155	.1721	----	----	----	----	10 UNCH
6450	----	----	0.552B/0.285A	0.552B/0.285A	----	0.293 - 0.132	.1445	----	----	----	----	8 UNCH
6500	0.430	0.430	0.490/0.238A	0.490/0.238A	----	0.245 - 0.112	.1215	----	----	6	----	13 + 4
6550	0.375	0.375	0.390B/0.202A	0.390B/0.202A	----	0.207 NEW	.1028	----	----	6	----	5 + 5
6600	----	----	0.331B/0.185A	0.331B/0.185A	----	0.176 - 0.080	.0872	----	----	----	----	8 UNCH
6700	----	----	0.236B/0.129A	0.236B/0.129A	----	0.130 - 0.058	.0636	----	----	----	----	7 UNCH
7000	0.075	0.075	0.098B/0.065A	0.098B/0.065A	----	0.062 NEW	.0282	----	----	2	----	2 + 2
7500	----	----	----/0.035A	0.029B/0.035A	----	0.027 - 0.011	.0105	----	----	----	----	1 UNCH
TOTAL										19	0	96 + 16
SO4 PUT		SILVER OPTIONS										
OCT26												
5200	----	----	----	0.041B/0.046A	----	0.041 - 0.003	.0185	----	----	----	----	2 UNCH
5450	----	----	----/0.101A	0.104B/0.101A	----	0.101 - 0.003	.0492	----	----	----	----	52 UNCH
5500	----	----	0.127B/0.120A	0.127B/0.120A	----	0.123 - 0.003	.0604	----	----	----	----	19 UNCH
5550	0.148	0.148	0.148/0.139A	0.148/0.139A	----	0.152 - 0.002	.0749	----	----	1	----	6 UNCH
5600	----	----	0.193B/0.166A	0.193B/0.166A	----	0.188 - 0.001	.0926	----	----	----	----	8 UNCH
5650	0.222	0.222	0.238B/0.209A	0.238B/0.209A	----	0.234 + 0.002	.1146	----	----	1	----	1 UNCH
5700	----	----	0.297B/0.236A	0.297B/0.236A	----	0.292 + 0.006	.1414	----	----	----	----	18 UNCH
5750	----	----	0.374B/0.292A	0.374B/0.292A	----	0.367 + 0.013	.1743	----	----	----	----	5 UNCH
5800	----	----	0.470B/0.352A	0.470B/0.352A	----	0.461 + 0.024	.2134	----	----	----	----	1 UNCH
5900	0.649	0.649	0.735B/0.528A	0.735B/0.528A	----	0.723 + 0.060	.3102	----	----	1	----	7 + 1
6000	1.070	1.070	1.128B/0.795A	1.128B/0.795A	----	1.102 + 0.113	.4262	----	----	2	----	9 + 2
6050	----	----	1.373B/0.967A	1.373B/0.967A	----	1.341 NEW	.4877	----	----	17	----	17 + 17
6100	----	----	1.652B/1.163A	1.652B/1.163A	----	1.614 + 0.182	.5488	----	----	----	----	1 UNCH
6200	----	----	2.289B/1.644A	2.289B/1.644A	----	2.254 + 0.255	.6626	----	----	----	----	3 UNCH
6250	----	----	2.656B/1.944A	2.656B/1.944A	----	2.616 + 0.289	.7125	----	----	----	----	1 UNCH
TOTAL										22	0	150 + 20
SO5 CALL		SILVER OPTIONS										
OCT26												
6200	----	----	1.753B/1.167A	1.753B/1.167A	----	1.193 - 0.265	.3843	----	----	----	----	4 UNCH
6300	----	----	1.345B/0.889A	1.345B/0.889A	----	0.900 - 0.211	.3077	----	----	----	----	5 UNCH
6400	0.769	0.769	1.032B/0.672A	1.032B/0.672A	----	0.680 NEW	.2432	----	----	1	----	1 + 1
6600	----	----	0.602B/0.393A	0.602B/0.393A	----	0.395 - 0.097	.1494	----	----	----	----	7 UNCH
6700	----	----	0.459B/0.317A	0.459B/0.317A	----	0.305 - 0.075	.1171	----	----	----	----	1 UNCH
6750	----	----	0.408B/0.279A	0.408B/0.279A	----	0.270 - 0.065	.1041	----	----	----	----	15 UNCH
6800	----	----	0.359B/0.259A	0.359B/0.259A	----	0.239 - 0.058	.0925	----	----	----	----	2 UNCH
6900	----	----	----/0.202A	0.219B/0.202A	----	0.190 - 0.045	.0736	----	----	----	----	11 UNCH
7000	----	----	0.216B/0.186A	0.216B/0.186A	----	0.154 - 0.036	.0594	----	----	----	----	1 UNCH
TOTAL										1	0	47 + 1
SO5 PUT		SILVER OPTIONS										
OCT26												
4250	----	----	----	0.001B/0.017A	----	0.007 - 0.001	.0022	----	----	----	----	10 UNCH
5500	----	----	----/0.253A	0.261B/0.253A	----	0.269 + 0.002	.1044	----	----	----	----	1 UNCH
5750	0.674	0.674	0.680B/0.531A	0.680B/0.531A	----	0.666 NEW	.2327	----	----	2	----	2 + 2
6000	----	----	1.569B/1.189A	1.569B/1.189A	----	1.539 + 0.153	.4388	----	----	----	----	3 UNCH
6150	----	----	2.384B/1.823A	2.384B/1.823A	----	2.357 + 0.240	.5735	----	----	----	----	5 UNCH
TOTAL										2	0	21 + 2
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
OCT26												
4500	----	----	----	0.001B/0.059A	----	0.006 - 0.002	.0022	----	----	----	----	10 UNCH
4750	----	----	----	0.009B/0.054A	----	0.012 - 0.001	.0041	----	----	----	----	34 UNCH
5450	----	----	----	0.003B/0.016A	----	0.003 - 0.009	.0005	----	----	----	----	5 UNCH
5600	----	----	----/0.126A	0.124B/0.126A	----	0.125 - 0.008	.0691	----	----	----	----	2 UNCH
5600	----	----	----/0.018A	0.019B/0.018A	----	0.015 - 0.015	.0052	----	----	----	----	1 UNCH
5600	----	----	5.767B/4.573A	5.767B/4.573A	----	4.634 - 0.542	.9308	----	----	----	----	1 UNCH
5700	0.195	0.195	0.195/0.179A	0.213B/0.179A	----	0.207 - 0.006	.1140	----	----	2	----	4 + 2
5700	----	----	----/0.032A	0.038B/0.032A	----	0.031 - 0.024	.0147	----	----	----	----	1 UNCH
5700	----	----	4.825B/3.656A	4.825B/3.656A	----	3.717 - 0.540	.8859	----	----	----	----	1 UNCH
5750	----	----	----/0.046A	0.054B/0.046A	----	0.046 - 0.030	.0254	----	----	----	----	35 UNCH
5800	----	----	0.356B/0.271A	0.356B/0.271A	----	0.349 + 0.008	.1853	----	----	----	----	1 UNCH
5800	0.065	0.065	0.070/0.065	0.080B/0.065	----	0.070 - 0.036	.0444	----	----	12	----	17 + 4
5850	0.134	0.134	0.134/0.101A	0.134/0.101A	----	0.109 NEW	.0779	----	----	1	----	1 + 1
5900	----	----	2.807B/1.613A	2.807B/1.613A	----	1.685 - 0.573	.8651	----	----	----	----	1 UNCH
5920	----	----	----/0.167A	0.228B/0.167A	----	0.208 - 0.035	.1660	----	----	----	----	2 UNCH
5950	----	----	----/0.198A	0.298B/0.198A	----	0.273 - 0.028	.2230	----	----	----	----	6 UNCH
6000	----	----	1.944B/0.886A	1.944B/0.886A	----	0.939 - 0.535	.6540	----	----	----	----	6 UNCH
6000	0.355	0.355	0.456B/0.286A	0.456B/0.286A	----	0.426 - 0.001	.3459	----	----	1	----	7 + 1
6050	----	----	0.681B/0.392A	0.681B/0.392A	----	0.643 + 0.045	.4917	----	----	16	----	17 + 16
6050	----	----	1.555B/0.615A	1.555B/0.615A	----	0.656 - 0.490	.5082	----	----	----	----	1 UNCH
6060	0.854	0.854	1.482B/0.567A	1.482B/0.567A	----	0.608 NEW	.4783	----	----	3	----	3 + 3
6100	1.344	1.344	1.490B/1.019A	1.490B/1.019A	----	1.451 NEW	.5590	----	----	29	----	29 + 29
6100	1.118	1.118	1.668B/0.930A	1.668B/0.930A	----	0.964 NEW	.4409	----	----	6	----	6 + 6
6100	----	----	1.202B/0.407A	1.202B/0.407A	----	0.442 - 0.427	.3627	----	----	----	----	5 UNCH
6150	----	----	1.409B/0.748A	1.409B/0.748A	----	0.775 - 0.327	.3740	----	----	----	----	40 UNCH
6150	----	----	1.325B/0.756A	1.325B/0.756A	----	1.276 + 0.179	.7602	----	----	----	----	6 UNCH
6150	----	----	0.925B/0.266A	0.925B/0.266A	----	0.290 - 0.356	.2397	----	----	----	----	1 UNCH
6180	0.787	0.787	0.787/0.207A	0.787/0.207A	----	0.223 NEW	.1811	----	----	1	----	1 + 1
6200	----	----	0.685B/0.174A	0.685B/0.174A	----	0.188 - 0.284	.1494	----	----	----	----	25 UNCH
6230	0.170	0.170	0.565B/0.135A	0.565B/0.135A	----	0.145 NEW	.1104	----	----	1	----	1 + 1
6240	----	----	0.529B/0.126A	0.529B/0.126A	----	0.133 - 0.233	.0996	----	----	----	----	3 UNCH
6250	----	----	0.496B/0.111A	0.496B/0.111A	----	0.122 - 0.221	.0898	----	----	----	----	5 UNCH
6250	----	----	0.963B/0.479A	0.963B/0.479A	----	0.494 - 0.245	.2584	----	----	----	----	2 UNCH
6270	----	----	0.432B/0.098A	0.432B/0.098A	----	0.103 - 0.198	.0729	----	----	----	----	3 UNCH
6300	0.180	0.180	0.351B/0.075A	0.351B/0.075A	----	0.081 - 0.168	.0536	----	----	10	----	25 + 10
6300	----	----	2.636B/1.700A	2.636B/1.700A	----	2.567 + 0.367	.9463	----	----	----	----	2 UNCH
6350	0.065	0.065	0.253B/0.057A	0.253B/0.057A	----	0.055 NEW	.0322	----	----	2	----	2 + 2
6400	----	----	0.183B/0.042A	0.183B/0.042A	----	0.039 - 0.096	.0200	----	----	----	----	1 UNCH
6500	----	----	0.094B/0.025A	0.094B/0.025A	----	0.021 - 0.058	.0082	----	----	----	----	10 UNCH
6650	0.020	0.020	0.020/0.016A	0.034B/0.016A	----	0.008 - 0.034	.0020	----	----	1	----	3 UNCH
6700	----	----	----/0.014A	0.023B/0.014A	----	0.006 - 0.029	.0013	----	----	----	----	3 UNCH
6700	0.140	0.140	0.166B/0.089A	0.166B/0.089A	----	0.091 - 0.046	.0476	----	----	2	----	4 + 2
6800	0.120	0.120	0.120/0.069A	0.120/0.069A	----	0.068 - 0.033	.0344	----	----	2	----	3 + 2
6900	0.090	0.090	0.090/0.055A	0.090/0.055A	----	0.052 NEW	.0254	----	----	1	----	1 + 1
7000	0.070	0.070	0.070/0.045A	0.070/0.045A	----	0.042 NEW	.0197	----	----	2	----	2 + 2
TOTAL										92	0	339 + 83
NOV26												
6400	----	----	1.152B/0.851A	1.152B/0.851A	----	0.852 - 0.180	.2695	----	----	----	----	1 UNCH
TOTAL											0	1 0
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week3										

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week3										
OCT26												
4750	----	----	----	0.009B/0.052A	----	0.009 - 0.004	.0030	----	----	----	----	34 UNCH
5500	----	----	----	----/0.011A	----	0.001 - 0.005	----	----	----	----	----	2 UNCH
5550	----	----	----	0.001B/0.010A	----	0.001 - 0.007	----	----	----	----	----	1 UNCH
5600	----	----	----/0.105A	0.107B/0.105A	----	0.102 - 0.010	.0589	----	----	----	----	3 UNCH
5700	----	----	----/0.009A	0.012B/0.009A	----	0.002 - 0.021	.0001	----	----	----	----	24 UNCH
5700	----	----	----/0.149A	0.177B/0.149A	----	0.169 - 0.011	.0992	----	----	----	----	2 UNCH
5700	----	----	4.800B/3.620A	4.800B/3.620A	----	3.680 - 0.544	.9007	----	----	----	----	1 UNCH
5720	----	----	----/0.008A	0.014B/0.008A	----	0.003 - 0.024	.0002	----	----	----	----	3 UNCH
5750	----	----	----/0.007A	0.018B/0.007A	----	0.005 - 0.028	.0005	----	----	----	----	12 UNCH
5750	0.205	0.205	0.232B/0.187A	0.232B/0.187A	----	0.222 NEW	.1295	----	----	2	----	2 + 2
5800	----	----	----/0.012A	0.028B/0.012A	----	0.011 - 0.037	.0023	----	----	----	----	23 UNCH
5800	0.300	0.300	0.303B/0.234A	0.303B/0.234A	----	0.293 NEW	.1681	----	----	1	----	1 + 1
5830	0.024	0.024	0.024/0.017A	0.037B/0.017A	----	0.019 NEW	.0059	----	----	3	----	3 + 3
5840	0.024	0.024	0.024/0.021A	0.042B/0.021A	----	0.021 - 0.045	.0071	----	----	3	----	4 + 3
5850	0.026	0.026	0.027/0.024A	0.047B/0.024A	----	0.024 - 0.048	.0090	----	----	5	----	6 + 5
5860	0.030	0.030	0.030/0.024A	0.054B/0.024A	----	0.027 NEW	.0112	----	----	2	----	2 + 2
5880	----	----	2.942B/1.670A	2.942B/1.670A	----	1.748 - 0.591	.9824	----	----	----	----	1 UNCH
5890	0.043	0.043	0.043/0.034A	0.077B/0.034A	----	0.040 NEW	.0220	----	----	1	----	1 + 1
5900	----	----	3.017B/1.978A	3.017B/1.978A	----	2.022 - 0.507	.7260	----	----	----	----	2 UNCH
5900	0.089	0.089	0.089/0.039	0.089/0.039	----	0.045 - 0.064	.0271	----	----	10	----	13 + 3
5910	----	----	2.655B/1.389A	2.655B/1.389A	----	1.465 - 0.602	.9656	----	----	----	----	5 UNCH
5910	0.047	0.047	0.072/0.044A	0.096B/0.044A	----	0.052 NEW	.0343	----	----	4	----	0 UNCH
5920	----	----	2.561B/1.298A	2.561B/1.298A	----	1.373 - 0.605	.9567	----	----	----	----	3 UNCH
5940	----	----	----/0.069A	0.132B/0.069A	----	0.079 - 0.077	.0669	----	----	----	----	2 UNCH
5950	----	----	----/0.079A	0.146B/0.079A	----	0.092 - 0.079	.0840	----	----	----	----	1 UNCH
5950	----	----	2.614B/1.636A	2.614B/1.636A	----	1.678 - 0.484	.6596	----	----	----	----	2 UNCH
5960	0.120	0.120	0.120/0.092A	0.163B/0.092A	----	0.106 - 0.081	.1038	----	----	3	----	4 + 2
5980	0.139	0.139	0.148/0.125A	0.204B/0.125A	----	0.143 NEW	.1577	----	----	6	----	2 + 2
5980	----	----	2.008B/0.788A	2.008B/0.788A	----	0.856 - 0.616	.8422	----	----	----	----	2 UNCH
5990	0.158	0.158	0.175/0.144A	0.227B/0.144A	----	0.165 NEW	.1913	----	----	23	----	21 + 21
6000	----	----	2.240B/1.322A	2.240B/1.322A	----	1.372 - 0.453	.5868	----	----	----	----	4 UNCH
6000	0.220	0.220	0.220/0.159A	0.252B/0.159A	----	0.192 - 0.077	.2311	----	----	8	----	8 + 4
6010	0.200	0.200	0.200/0.168A	0.280B/0.168A	----	0.222 NEW	.2754	----	----	1	----	1 + 1
6020	0.206	0.206	0.313B/0.183A	0.313B/0.183A	----	0.256 NEW	.3244	----	----	1	----	1 + 1
6030	0.316	0.316	0.353B/0.205A	0.353B/0.205A	----	0.294 NEW	.3772	----	----	10	----	10 + 10
6050	0.400	0.400	1.410B/0.353A	1.410B/0.353A	----	0.397 NEW	.5097	----	----	13	----	13 + 13
6050	0.393	0.393	0.448B/0.243A	0.448B/0.243A	----	0.384 - 0.036	.4902	----	----	9	----	20 + 8
6060	0.369	0.369	1.326B/0.308A	1.326B/0.308A	----	0.348 NEW	.4521	----	----	5	----	5 + 5
6060	0.420	0.420	0.492B/0.263A	0.492B/0.263A	----	0.435 NEW	.5478	----	----	9	----	7 + 7
6100	1.035	1.035	1.584B/0.846A	1.584B/0.846A	----	0.880 - 0.376	.4345	----	----	18	----	20 + 18
6100	1.258	1.258	1.406B/0.936A	1.406B/0.936A	----	1.366 NEW	.5654	----	----	24	----	24 + 24
6100	----	----	0.751B/0.366A	0.751B/0.366A	----	0.685 + 0.050	.7544	----	----	----	----	42 UNCH
6100	0.300	0.300	1.036B/0.174A	1.036B/0.174A	----	0.199 - 0.484	.2455	----	----	11	20	34 + 24
6110	0.230	0.230	0.968B/0.150A	0.968B/0.150A	----	0.171 NEW	.2039	----	----	5	----	3 + 3
6120	0.203	0.203	0.903B/0.129A	0.903B/0.129A	----	0.147 NEW	.1678	----	----	2	----	2 + 2
6150	0.127	0.127	0.725B/0.083A	0.725B/0.083A	----	0.093 - 0.372	.0887	----	----	1	----	11 + 1
6150	----	----	1.332B/0.668A	1.332B/0.668A	----	0.694 - 0.331	.3625	----	----	----	----	1 UNCH
6150	----	----	1.147B/0.563A	1.147B/0.563A	----	1.080 + 0.163	.9112	----	----	----	----	26 UNCH
6170	0.191	0.191	0.618B/0.062A	0.618B/0.062A	----	0.068 NEW	.0557	----	----	10	----	10 + 10
6180	0.093	0.093	0.572B/0.053A	0.572B/0.053A	----	0.059 - 0.307	.0445	----	----	5	----	2 + 1
6200	0.161	0.161	0.486B/0.039A	0.486B/0.039A	----	0.044 - 0.267	.0277	----	----	6	----	25 + 2
6200	----	----	2.071B/1.416A	2.071B/1.416A	----	2.030 + 0.249	.7025	----	----	----	----	1 UNCH
6200	----	----	1.608B/0.816A	1.608B/0.816A	----	1.531 + 0.268	.9722	----	----	----	----	27 UNCH
6220	0.049	0.049	0.410B/0.032A	0.410B/0.032A	----	0.033 NEW	.0172	----	----	2	----	2 + 2
6230	0.043	0.043	0.377B/0.028A	0.377B/0.028A	----	0.029 NEW	.0137	----	----	2	----	2 + 2
6250	----	----	0.318B/0.021A	0.318B/0.021A	----	0.022 - 0.185	.0085	----	----	----	----	15 UNCH
6250	----	----	0.888B/0.411A	0.888B/0.411A	----	0.426 - 0.243	.2408	----	----	----	----	6 UNCH
6280	0.027	0.027	0.243B/0.018A	0.243B/0.018A	----	0.016 NEW	.0047	----	----	3	----	3 + 3
6290	0.023	0.023	0.219B/0.016A	0.219B/0.016A	----	0.014 NEW	.0037	----	----	4	----	4 + 4
6300	0.096	0.096	0.203B/0.014A	0.203B/0.014A	----	0.012 - 0.127	.0028	----	----	4	----	29 + 4
6320	0.027	0.027	0.170B/0.012A	0.170B/0.012A	----	0.010 NEW	.0019	----	----	3	----	3 + 3
6370	----	----	0.110B/0.007A	0.110B/0.007A	----	0.005 - 0.078	.0005	----	----	----	----	1 UNCH
6400	----	----	0.084B/0.007A	0.084B/0.007A	----	0.003 - 0.065	.0002	----	----	----	----	1 UNCH
6410	0.009	0.009	0.079B/0.008A	0.079B/0.008A	----	0.003 - 0.061	.0002	----	----	1	----	2 + 1
6500	0.036	0.036	0.036/0.010A	0.036/0.010A	----	0.001 - 0.037	----	----	----	2	----	5 + 2
6500	----	----	0.305B/0.144A	0.305B/0.144A	----	0.140 - 0.092	.0813	----	----	----	----	1 UNCH
6510	----	----	----/0.010A	0.033B/0.010A	----	0.001 - 0.035	----	----	----	----	----	2 UNCH
6590	----	----	0.028B/0.010A	0.028B/0.010A	----	0.001 - 0.024	----	----	----	----	----	14 UNCH
6690	----	----	----/0.011A	0.005B/0.011A	----	0.001 - 0.015	----	----	----	----	----	5 UNCH
7700	----	----	----	----/0.046A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
8750	----	----	----	----/0.050A	----	0.001 UNCH	.0000	----	----	----	----	34 UNCH
TOTAL										222	20	609 + 200
NOV26												
4250	----	----	----	0.001B/0.062A	----	0.003 - 0.002	.0011	----	----	----	----	1 UNCH
5900	----	----	3.432B/2.772A	3.432B/2.772A	----	2.759 - 0.404	.6413	----	----	----	----	3 UNCH
5900	1.000	1.000	1.248B/1.000	1.248B/1.000	----	1.249 NEW	.3586	----	----	1	----	1 + 1
6100	----	----	2.214B/1.836A	2.214B/1.836A	----	2.206 NEW	.5247	----	----	23	----	23 + 23
6300	----	----	----/1.490A	1.364B/1.490A	----	1.377 - 0.133	.3562	----	----	----	----	1 UNCH
6550	----	----	0.705B/0.534A	0.705B/0.534A	----	0.533 - 0.105	.1860	----	----	----	----	1 UNCH
6800	----	----	0.358B/0.332A	0.358B/0.332A	----	0.303 - 0.042	.1089	----	----	----	----	3 UNCH
7000	----	----	----	0.207B/0.226A	----	0.201 - 0.018	.0726	----	----	----	----	2 UNCH
7200	----	----	----	0.124B/0.166A	----	0.139 - 0.003	.0498	----	----	----	----	2 UNCH
7750	----	----	----	0.042B/0.080A	----	0.049 - 0.002	.0174	----	----	----	----	1 UNCH
TOTAL										24	0	38 + 24

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK3										
OCT26												
500	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	19 UNCH
625	----	----	----/0.0095A	0.0055B/0.0095A	----	0.0080 - 0.0040	.0500	----	----	----	----	10 UNCH
630	----	----	----/0.0110A	0.0070B/0.0110A	----	0.0095 - 0.0055	.0611	----	----	----	----	5 UNCH
635	----	----	----/0.0060A	0.0015B/0.0060A	----	0.0020 - 0.0050	.0180	----	----	----	----	4 UNCH
635	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
645	----	----	----/0.0195A	0.0225B/0.0195A	----	0.0210 - 0.0135	.1325	----	----	----	----	2 UNCH
645	----	----	----	----/0.0015A	----	0.0000 - 0.0015	----	----	----	----	----	0 - 57
647	----	----	----/0.0015A	----/0.0015A	----	0.0000 - 0.0020	----	----	----	----	----	0 - 1
650	----	----	----/0.0090A	0.0095B/0.0090A	----	0.0090 - 0.0120	.0824	----	----	----	----	2 UNCH
650	----	----	----/0.0015A	----/0.0015A	----	0.0000 - 0.0035	----	----	----	----	----	0 - 12
655	0.0375	0.0375	0.0375/0.0350A	0.0465B/0.0350A	----	0.0385 NEW	.2238	----	----	10	----	10 + 10
655	0.0145	0.0145	0.0145/0.0120A	0.0205B/0.0120A	----	0.0160 - 0.0160	.1373	----	----	15	----	17 + 15
655	0.0020	0.0020	0.0020/0.0015A	0.0020/0.0015A	----	0.0000 - 0.0040	----	----	----	1	----	0 - 12
658	----	----	----/0.0015A	----/0.0015A	----	0.0000 - 0.0050	----	----	----	----	----	0 - 25
660	0.0150	0.0150	0.0230/0.0150	0.0355B/0.0150	----	0.0260 - 0.0225	.2084	----	----	12	----	13 + 12
660	----	----	----/0.0015A	0.0005B/0.0015A	----	0.0000 - 0.0070	----	----	----	----	----	0 - 18
660	----	----	0.1755B/----	0.1755B/0.1105A	----	0.1470 + 0.0480	----	----	----	----	----	0 - 5
661	----	----	0.1655B/----	0.1655B/0.1015A	----	0.1370 + 0.0465	----	----	----	----	----	0 - 10
664	----	----	0.1355B/----	0.1355B/0.0775A	----	0.1070 + 0.0395	----	----	----	----	----	0 - 1
665	0.0295	0.0295	0.0380/0.0295	0.0550B/0.0295	----	0.0400 NEW	.2959	----	----	5	----	5 + 5
665	----	----	0.1255B/----	0.1255B/0.0705A	----	0.0970 + 0.0360	----	----	----	----	----	0 - 39
666	----	----	0.1155B/----	0.1155B/0.0640A	----	0.0870 + 0.0320	----	----	----	----	----	0 - 1
667	----	----	----/0.0015A	0.0105B/0.0015A	----	0.0000 - 0.0275	----	----	----	----	----	0 - 2
669	0.0100	0.0100	0.0100/0.0015A	0.0195B/0.0015A	----	0.0000 NEW	----	----	----	15	----	0 UNCH
670	----	----	0.0755B/----	0.0755B/0.0430A	----	0.0470 + 0.0110	----	----	----	----	----	0 - 24
671	----	----	----/0.0015A	0.0305B/0.0015A	----	0.0000 - 0.0500	----	----	----	----	----	0 - 2
671	----	----	0.0660B/----	0.0660B/0.0380A	----	0.0370 + 0.0050	----	----	----	----	----	0 - 6
673	----	----	0.0470B/0.0185A	0.0470B/0.0185A	----	0.0170 - 0.0085	----	----	----	----	----	0 - 2
674	0.0250	0.0250	0.0250/0.0020A	0.0500B/0.0020A	----	0.0000 NEW	----	----	----	2	----	0 UNCH
675	----	----	0.1260B/----	0.1260B/0.1045A	----	0.1140 + 0.0190	.5038	----	----	----	----	1 UNCH
675	0.0055	0.0055	0.0055/0.0055	0.0575B/0.0055	----	0.0030 NEW	----	----	----	1	----	0 UNCH
675	0.0100	0.0100	0.0315B/0.0005	0.0315B/0.0005	----	0.0000 - 0.0200	----	----	----	2	----	0 - 10
677	0.0390	0.0390	0.0390/0.0195A	0.0735B/0.0195A	----	0.0230 NEW	----	----	----	4	----	0 UNCH
677	0.0260	0.0260	0.0260/0.0005A	0.0260/0.0005A	----	0.0000 NEW	----	----	----	2	----	0 UNCH
678	0.0105	0.0105	0.0210/0.0015A	0.0210/0.0015A	----	0.0000 - 0.0135	----	----	----	2	----	0 - 35
680	0.0130	0.0130	0.0130/0.0015A	0.0130/0.0015A	----	0.0000 NEW	----	----	----	1	----	0 UNCH
682	0.0015	0.0015	0.0015/0.0015	0.0030B/0.0015	----	0.0000 - 0.0075	----	----	----	1	----	0 - 25
690	----	----	0.0415B/----	0.0415B/0.0375A	----	0.0330 + 0.0005	.2375	----	----	----	----	3 UNCH
690	----	----	----/0.0015A	0.0005B/0.0015A	----	0.0000 - 0.0050	----	----	----	----	----	0 - 1
695	----	----	0.0545B/----	0.0545B/0.0485A	----	0.0480 + 0.0065	.2563	----	----	----	----	1 UNCH
700	----	----	0.0430B/----	0.0430B/0.0405A	----	0.0385 + 0.0045	.2114	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON COPPER WEEKLY MONDAY OPTION WEEK3												
OCT26												
700	----	----	0.0230B/----	0.0230B/0.0225A	----	0.0180 - 0.0020	.1332	----	----	----	----	1 UNCH
700	----	----	----/0.0010A	----/0.0010A	----	0.0000 - 0.0020	----	----	----	----	----	0 - 1
710	----	----	0.0265B/----	0.0265B/0.0275A	----	0.0250 + 0.0020	.1423	----	----	----	----	10 UNCH
725	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2
850	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	19 UNCH
TOTAL										73		127 - 250
NOV26												
800	----	----	----	0.0005B/0.0070A	----	0.0025 - 0.0005	.0123	----	----	----	----	10 UNCH
TOTAL												10
HWR THU COPPER WEEKLY THURSDAY OPT Week4												
OCT26												
500	----	----	----	----/0.0040A	----	0.0005 UNCH	----	----	----	----	----	9 UNCH
525	----	----	----	----/0.0020A	----	0.0005 UNCH	----	----	----	----	----	30 UNCH
525	----	----	----	----/0.0050A	----	0.0005 - 0.0005	.0020	----	----	----	----	2 UNCH
600	----	----	----	0.0005B/0.0050A	----	0.0020 - 0.0015	.0114	----	----	----	----	1 UNCH
625	----	----	----/0.0135A	0.0090B/0.0135A	----	0.0130 - 0.0050	.0711	----	----	----	----	1 UNCH
635	----	----	----/0.0085A	0.0050B/0.0085A	----	0.0085 - 0.0045	.0593	----	----	----	----	1 UNCH
635	----	----	----/0.0030A	----/0.0030A	----	0.0005 - 0.0040	.0024	----	----	----	----	1 UNCH
640	0.0040	0.0040	0.0040/0.0035A	0.0040/0.0035A	----	0.0010 - 0.0045	.0069	----	----	5	----	5 - 5
645	0.0040	0.0040	0.0040/0.0040	0.0040/0.0040	----	0.0015 - 0.0060	.0120	----	----	5	----	10 - 5
650	0.0185	0.0185	0.0185/0.0170A	0.0235B/0.0170A	----	0.0210 NEW	.1446	----	----	15	----	15 + 15
650	----	----	----/0.0055A	0.0020B/0.0055A	----	0.0030 - 0.0090	.0270	----	----	----	----	16 UNCH
650	----	----	----/0.0385A	0.0465B/0.0385A	----	0.0430 - 0.0170	.2125	----	----	----	----	1 UNCH
655	----	----	----/0.0070A	0.0080B/0.0070A	----	0.0060 - 0.0135	.0586	----	----	----	----	2 UNCH
660	0.0380	0.0380	0.0380/0.0360A	0.0525B/0.0360A	----	0.0420 NEW	.2604	----	----	1	----	1 + 1
660	0.0100	0.0100	0.0100/0.0100	0.0205B/0.0100	----	0.0125 - 0.0205	.1238	----	----	10	----	11 + 10
660	----	----	0.1815B/----	0.1815B/0.1455A	----	0.1595 + 0.0345	.8761	----	----	----	----	1 UNCH
662	0.0135	0.0135	0.0135/0.0125A	0.0270B/0.0125A	----	0.0165 NEW	.1611	----	----	1	----	1 + 1
665	0.0150	0.0150	0.0150/0.0150	0.0390B/0.0150	----	0.0240 NEW	.2272	----	----	15	----	15 + 15
665	----	----	0.1405B/----	0.1405B/0.1070A	----	0.1210 + 0.0265	.7726	----	----	----	----	40 UNCH
670	----	----	0.0965B/----	0.0965B/0.0820A	----	0.0885 + 0.0175	.6398	----	----	----	----	2 UNCH
685	----	----	0.0385B/----	0.0385B/0.0330A	----	0.0300 + 0.0010	.2516	----	----	----	----	47 UNCH
690	----	----	0.0265B/----	0.0265B/0.0235A	----	0.0205 - 0.0010	.1694	----	----	1	----	14 - 1
695	----	----	0.0180B/----	0.0180B/0.0175A	----	0.0145 - 0.0015	.1143	----	----	----	----	2 UNCH
700	----	----	----	0.0120B/0.0135A	----	0.0100 - 0.0020	.0749	----	----	----	----	24 UNCH
710	----	----	----	0.0050B/0.0085A	----	0.0050 - 0.0020	.0326	----	----	1	----	1 - 1
730	----	----	----	0.0070B/0.0105A	----	0.0085 - 0.0005	.0510	----	----	----	----	1 UNCH
800	----	----	----	----/0.0045A	----	0.0005 UNCH	.0025	----	----	----	----	1 UNCH
800	----	----	----	----/0.0020A	----	0.0005 UNCH	----	----	----	----	----	30 UNCH
850	----	----	----	----/0.0040A	----	0.0005 UNCH	.0000	----	----	----	----	9 UNCH
TOTAL										54		294 + 30
HWT TUE COPPER WEEKLY TUESDAY OPTION Week3												
OCT26												
500	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	30 UNCH
635	----	----	----	----/0.0020A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
640	----	----	----/0.0075A	0.0035B/0.0075A	----	0.0060 - 0.0060	.0493	----	----	----	----	2 UNCH
640	----	----	----	----/0.0020A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
645	----	----	----	----/0.0025A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
650	0.0110	0.0110	0.0110/0.0100	0.0150B/0.0100	----	0.0130 NEW	.1066	----	----	15	----	15 + 15
650	----	----	----	----/0.0025A	----	0.0005 - 0.0010	----	----	----	----	----	11 UNCH
655	0.0110	0.0110	0.0175/0.0110	0.0260B/0.0110	----	0.0195 - 0.0175	.1555	----	----	11	----	12 + 11
655	----	----	----/0.0030A	0.0005B/0.0030A	----	0.0005 - 0.0040	.0000	----	----	----	----	14 UNCH
657	0.0005	0.0005	0.0015/0.0005	0.0015/0.0005	----	0.0005 NEW	.0000	----	----	3	----	3 + 3
665	0.1040	0.1040	0.1270B/0.1040	0.1270B/0.0840A	----	0.1005 NEW	.9662	----	----	1	----	1 + 1
667	0.0110	0.0110	0.0110/0.0075A	0.0245B/0.0075A	----	0.0060 NEW	.0734	----	----	15	----	15 + 15
670	0.0100	0.0100	0.0125/0.0100	0.0395B/0.0100	----	0.0130 NEW	.1950	----	----	16	----	16 + 16
672	0.0190	0.0190	0.0190/0.0185A	0.0510B/0.0185A	----	0.0200 NEW	.3138	----	----	1	----	1 + 1
675	----	----	0.1015B/----	0.1015B/0.0835A	----	0.0885 + 0.0135	.5005	----	----	----	----	1 UNCH
675	0.0285	0.0285	0.0285/0.0285	0.0710B/0.0285	----	0.0345 NEW	.5187	----	----	5	----	5 + 5
676	0.0305	0.0305	0.0305/0.0305	0.0785B/0.0305	----	0.0400 NEW	.5859	----	----	3	----	3 + 3
677	0.0270	0.0270	0.0395B/0.0270	0.0395B/0.0270	----	0.0230 NEW	.3497	----	----	3	----	3 + 3
682	0.0230	0.0230	0.0240/0.0135	0.0240/0.0135	----	0.0095 NEW	.1160	----	----	33	----	12 + 12
683	0.0100	0.0100	0.0180B/0.0100	0.0180B/0.0100	----	0.0080 NEW	.0903	----	----	11	----	11 + 11
684	0.0080	0.0080	0.0155B/0.0080	0.0155B/0.0080	----	0.0070 NEW	.0722	----	----	7	----	7 + 7
685	----	----	0.0615B/----	0.0615B/0.0540A	----	0.0520 + 0.0055	.3285	----	----	----	----	5 UNCH
685	0.0100	0.0100	0.0100/0.0080	0.0130B/0.0080	----	0.0060 NEW	.0565	----	----	29	----	29 + 29
690	0.0060	0.0060	0.0060/0.0055	0.0060/0.0055	----	0.0025 NEW	.0138	----	----	10	----	10 + 10
709	0.0005	0.0005	0.0010/0.0005	0.0010/0.0005	----	0.0005 NEW	----	----	----	3	----	3 + 3
TOTAL										166		221 + 145
NOV26												
630	----	----	0.4900B/----	0.4900B/0.5010A	----	0.4840 + 0.0485	.8512	----	----	----	----	1 UNCH
635	----	----	----/0.0255A	0.0260B/0.0255A	----	0.0265 - 0.0115	.1295	----	----	----	----	4 UNCH
660	----	----	0.2445B/----	0.2445B/0.2105A	----	0.2300 + 0.0305	.6694	----	----	----	----	7 UNCH
690	----	----	0.0960B/----	0.0960B/0.0840A	----	0.0885 + 0.0130	.3516	----	----	----	----	5 UNCH
TOTAL												17
HWW WED COPPER WEEKLY WEDNESDAY OPTION WEEK												
OCT26												
500	----	----	----	----/0.0040A	----	0.0005 UNCH	----	----	----	----	----	30 UNCH
610	----	----	----	----/0.0020A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
620	----	----	----/0.0105A	0.0065B/0.0105A	----	0.0095 - 0.0035	.0532	----	----	----	----	21 UNCH
620	----	----	----	0.0015B/0.0060A	----	0.0030 - 0.0025	.0205	----	----	----	----	5 UNCH
625	----	----	----/0.0125A	0.0085B/0.0125A	----	0.0110 - 0.0050	.0632	----	----	----	----	20 UNCH
625	----	----	----	----/0.0025A	----	0.0005 UNCH	----	----	----	----	----	5 UNCH
625	----	----	----	0.0020B/0.0065A	----	0.0035 - 0.0030	.0251	----	----	----	----	15 UNCH
630	----	----	----/0.0145A	0.0110B/0.0145A	----	0.0140 - 0.0060	.0800	----	----	----	----	30 UNCH
630	----	----	----	----/0.0025A	----	0.0005 - 0.0005	----	----	----	----	----	11 UNCH
630	----	----	----/0.0065A	0.0025B/0.0065A	----	0.0040 - 0.0040	.0304	----	----	----	----	31 UNCH
635	0.0155	0.0155	0.0155/0.0155	0.0155/0.0155	----	0.0175 NEW	.0998	----	----	1	----	1 + 1
635	----	----	----	0.0010B/0.0025A	----	0.0005 - 0.0020	.0000	----	----	----	----	20 UNCH
635	----	----	----/0.0075A	0.0035B/0.0075A	----	0.0055 - 0.0045	.0426	----	----	----	----	20 UNCH
640	----	----	----/0.0030A	----/0.0030A	----	0.0005 - 0.0035	.0001	----	----	----	----	15 UNCH
640	----	----	----/0.0085A	0.0055B/0.0085A	----	0.0075 - 0.0065	.0591	----	----	----	----	20 UNCH
640	----	----	0.3760B/----	0.3760B/0.3080A	----	0.3475 + 0.0515	.0000	----	----	----	----	1 UNCH
645	----	----	----/0.0035A	0.0005B/0.0035A	----	0.0005 - 0.0050	.0010	----	----	----	----	1 UNCH
650	----	----	----/0.0040A	0.0005B/0.0040A	----	0.0010 - 0.0070	.0066	----	----	----	----	26 UNCH
650	0.0120	0.0120	0.0145/0.0120	0.0190B/0.0120	----	0.0155 - 0.0135	.1202	----	----	30	----	18 + 17
655	0.0035	0.0035	0.0035/0.0035	0.0035/0.0035	----	0.0025 - 0.0110	.0215	----	----	10	----	7 - 4
655	----	----	----/0.0195A	0.0310B/0.0195A	----	0.0235 - 0.0185	.1733	----	----	----	----	1 UNCH
660	0.0150	0.0150	0.0150/0.0070A	0.0150/0.0070A	----	0.0065 - 0.0185	.0667	----	----	12	----	30 + 8
665	----	----	0.1335B/----	0.1335B/0.0975A	----	0.1125 + 0.0265	.8320	----	----	----	----	1 UNCH
666	0.0140	0.0140	0.0145/0.0100A	0.0340B/0.0100A	----	0.0180 NEW	.1949	----	----	11	----	11 + 11
670	----	----	----/0.0260A	0.0540B/0.0260A	----	0.0310 - 0.0395	.3237	----	----	----	----	1 UNCH
670	----	----	0.0870B/----	0.0870B/0.0725A	----	0.0780 + 0.0155	.6762	----	----	----	----	16 UNCH
675	----	----	0.0665B/----	0.0665B/0.0525A	----	0.0510 + 0.0060	.4920	----	----	----	----	1 UNCH
678	0.0555	0.0555	0.0555/0.0420A	0.0555/0.0420A	----	0.0390 NEW	.3855	----	----	30	----	30 + 30
680	0.0970	0.0970	0.1135B/0.0970	0.1135B/0.0955A	----	0.1035 NEW	.4414	----	----	1	----	1 + 1
685	----	----	0.0280B/----	0.0280B/0.0235A	----	0.0205 - 0.0020	.1953	----	----	----	----	6 UNCH
690	----	----	0.0530B/----	0.0530B/0.0475A	----	0.0450 + 0.0040	.2742	----	----	----	----	2 UNCH
700	----	----	----	0.0060B/0.0090A	----	0.0055 - 0.0025	.0373	----	----	----	----	6 UNCH
710	----	----	----	0.0015B/0.0055A	----	0.0025 - 0.0030	.0126	----	----	----	----	5 UNCH
715	----	----	----	0.0135B/0.0170A	----	0.0125 - 0.0020	.0816	----	----	----	----	5 UNCH
725	----	----	0.0170B/----	0.0170B/0.0200A	----	0.0170 + 0.0010	.0924	----	----	----	----	1 UNCH
800	----	----	----	----/0.0040A	----	0.0005 UNCH	.0003	----	----	----	----	9 UNCH
TOTAL										95		424 + 64
NOV26												
610	----	----	----/0.0120A	0.0075B/0.0120A	----	0.0110 - 0.0040	.0534	----	----	----	----	12 UNCH
615	----	----	----/0.0140A	0.0105B/0.0140A	----	0.0130 - 0.0055	.0635	----	----	----	----	45 UNCH
620	----	----	----/0.0170A	0.0135B/0.0170A	----	0.0160 - 0.0065	.0775	----	----	----	----	45 UNCH
625	----	----	----/0.0200A	0.0180B/0.0200A	----	0.0200 - 0.0075	.0952	----	----	----	----	1 UNCH
640	----	----	----/0.0360A	0.0390B/0.0360A	----	0.0380 - 0.0135	.1698	----	----	----	----	22 UNCH
660	----	----	0.2515B/----	0.2515B/0.2180A	----	0.2360 + 0.0295	.6632	----	----	----	----	1 UNCH
670	----	----	0.1910B/----	0.1910B/0.1655A	----	0.1780 + 0.0235	.5604	----	----	----	----	1 UNCH
675	----	----	----/0.1465A	0.1740B/0.1465A	----	0.1565 - 0.0345	.4916	----	----	----	----	1 UNCH
675	----	----	0.1645B/----	0.1645B/0.1435A	----	0.1535 + 0.0205	.5078	----	----	----	----	1 UNCH
685	----	----	0.1210B/----	0.1210B/0.1065A	----	0.1125 + 0.0155	.4065	----	----	----	----	2 UNCH
700	----	----	0.0740B/----	0.0740B/0.0675A	----	0.0685 + 0.0090	.2757	----	----	----	----	1 UNCH
720	----	----	0.0360B/----	0.0360B/0.0375A	----	0.0335 + 0.0020	.1507	----	----	----	----	1 UNCH
755	----	----	----	0.0105B/0.0150A	----	0.0115 UNCH	.0542	----	----	----	----	1 UNCH
800	----	----	----	0.0020B/0.0070A	----	0.0025 - 0.0005	.0124	----	----	----	----	3 UNCH
850	----	----	----	0.0005B/0.0055A	----	0.0005 UNCH	.0025	----	----	----	----	1 UNCH
TOTAL												138

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
DEC26												
525	----	----	----	0.0010B/0.0100A	----	0.0020 - 0.0005	.0071	----	----	----	----	10 UNCH
575	----	----	----	0.0090B/0.0175A	----	0.0120 - 0.0025	.0388	----	----	----	----	4 UNCH
600	----	----	----/0.0285A	0.0215B/0.0285A	----	0.0260 - 0.0055	.0791	----	----	----	----	4 UNCH
605	----	----	----/0.0315A	0.0255B/0.0315A	----	0.0300 - 0.0060	.0902	----	----	----	----	12 UNCH
625	----	----	----/0.0525A	0.0500B/0.0525A	----	0.0525 - 0.0105	.1486	----	----	----	----	1 UNCH
630	0.0550	0.0550	0.0550/0.0550	0.0590B/0.0550	----	0.0600 NEW	.1670	----	----	12	----	12 + 12
645	----	----	----/0.0895A	0.0925B/0.0895A	----	0.0905 - 0.0170	.2348	----	----	----	----	25 UNCH
650	----	----	----/0.1020A	0.1070B/0.1020A	----	0.1030 - 0.0195	.2607	----	----	----	----	11 UNCH
690	----	----	0.2330B/----	0.2330B/0.2165A	----	0.2230 + 0.0190	.4872	----	----	----	----	1 UNCH
695	----	----	0.2110B/----	0.2110B/0.1970A	----	0.2025 + 0.0175	.4552	----	----	----	----	1 UNCH
700	----	----	----/0.3185A	0.3475B/0.3185A	----	0.3280 - 0.0390	.5746	----	----	----	----	1 UNCH
720	0.1195	0.1195	0.1270B/0.1195	0.1270B/0.1195	----	0.1220 + 0.0100	.3111	----	----	2	----	6 + 2
900	----	----	----	0.0015B/0.0105A	----	0.0020 - 0.0005	.0076	----	----	----	----	10 UNCH
TOTAL										14		98 + 14
JAN27												
700	----	----	0.2675B/----	0.2675B/0.2560A	----	0.2610 + 0.0185	.4519	----	----	----	----	1 UNCH
800	----	----	0.0560B/----	0.0560B/0.0640A	----	0.0565 + 0.0020	.1305	----	----	----	----	1 UNCH
825	----	----	----	0.0375B/0.0470A	----	0.0385 + 0.0010	.0928	----	----	----	----	1 UNCH
TOTAL												3
HX CALL		COMEX COPPER OPTIONS										
NOV26												
535	----	----	----	----	----	1.3975 + 0.0545	.9944	----	----	----	----	0 - 1
545	----	----	----	----	----	1.2980 + 0.0545	.9924	----	----	----	----	1 UNCH
580	----	----	----	----	----	0.9485 + 0.0535	.9878	----	----	----	----	2 UNCH
585	----	----	----	----	----	0.8985 + 0.0530	.9871	----	----	----	----	1 UNCH
595	----	----	----	----	----	0.7995 + 0.0525	.9814	----	----	----	----	2 UNCH
600	----	----	----	----	----	0.7505 + 0.0530	.9782	----	----	----	----	4 UNCH
610	----	----	0.6630B/----	0.6630B/0.6650A	----	0.6520 + 0.0520	.9687	----	----	----	----	14 UNCH
630	----	----	0.4840B/----	0.4840B/0.4470A	----	0.4595 + 0.0495	.9240	----	----	----	----	1 UNCH
635	----	----	0.4365B/----	0.4365B/0.4005A	----	0.4130 + 0.0485	.9040	----	----	----	----	2 UNCH
640	----	----	0.3905B/----	0.3905B/0.3560A	----	0.3670 + 0.0455	.8806	----	----	----	----	340 UNCH
645	----	----	0.3445B/----	0.3445B/0.3135A	----	0.3235 + 0.0435	.8486	----	----	----	----	2 UNCH
650	----	----	0.3020B/----	0.3020B/0.2535A	----	0.2815 + 0.0395	.8073	----	----	----	----	44 UNCH
655	----	----	0.2615B/----	0.2615B/0.2175A	----	0.2425 + 0.0360	.7592	----	----	----	----	212 UNCH
660	----	----	0.2250B/----	0.2250B/0.1850A	----	0.2065 + 0.0315	.7023	----	----	----	----	335 UNCH
664	----	----	0.1965B/----	0.1965B/0.1580A	----	0.1800 + 0.0280	.6525	----	----	----	----	78 UNCH
665	0.1900	0.1900	0.1930/0.1900	0.1930/0.1560A	----	0.1740 + 0.0275	.6393	----	----	2	----	101 - 2
666	----	----	0.1835B/----	0.1835B/0.1455A	----	0.1675 + 0.0260	.6260	----	----	----	----	8 UNCH
670	0.1605	0.1605	0.1615B/0.1605	0.1615B/0.1250A	----	0.1450 + 0.0230	.5725	----	----	1	----	452 UNCH
675	0.1100	0.1100	0.1360B/0.1100	0.1360B/0.1025A	----	0.1200 + 0.0195	.5046	----	----	5	----	567 + 2
680	0.0895	0.0895	0.1130B/0.0895	0.1130B/0.0840A	----	0.0985 + 0.0160	.4383	----	----	17	----	191 + 4
685	0.0815	0.0815	0.0940B/0.0815	0.0940B/0.0695A	----	0.0800 + 0.0125	.3753	----	----	9	----	374 - 8
690	0.0640	0.0640	0.0775B/0.0575	0.0775B/0.0555A	----	0.0650 + 0.0100	.3180	----	----	103	----	399 + 76
695	0.0595	0.0595	0.0630B/0.0595	0.0630B/0.0455A	----	0.0525 + 0.0075	.2666	----	----	1	----	291 UNCH
700	0.0420	0.0420	0.0515/0.0420	0.0515/0.0370A	----	0.0425 + 0.0060	.2221	----	----	77	200	984 + 74
705	0.0410	0.0410	0.0415B/0.0320	0.0415B/0.0300A	----	0.0340 + 0.0040	.1830	----	----	14	----	326 + 3
710	0.0295	0.0295	0.0340B/0.0275	0.0340B/0.0255A	----	0.0275 + 0.0030	.1509	----	----	32	----	334 + 23
714	0.0250	0.0250	0.0280B/0.0250	0.0280B/0.0215A	----	0.0230 + 0.0020	.1283	----	----	1	----	16 UNCH
715	----	----	0.0270B/----	0.0270B/0.0205A	----	0.0220 + 0.0015	.1231	----	----	67	----	291 + 67
716	----	----	0.0260B/----	0.0260B/0.0200A	----	0.0210 + 0.0015	.1180	----	----	----	----	12 UNCH
719	0.0190	0.0190	0.0225B/0.0190	0.0225B/0.0180A	----	0.0180 + 0.0005	.1029	----	----	2	----	6 UNCH
720	0.0225	0.0225	0.0225/0.0160	0.0225/0.0160	----	0.0175 + 0.0005	.0998	----	----	3	200	722 + 201
721	0.0165	0.0165	0.0210B/0.0165	0.0210B/0.0165	----	0.0165 UNCH	.0948	----	----	2	----	19 UNCH
724	----	----	0.0185B/----	0.0185B/0.0150A	----	0.0145 - 0.0005	.0838	----	----	----	----	12 UNCH
725	----	----	0.0180B/----	0.0180B/0.0145A	----	0.0140 - 0.0005	.0809	----	----	----	----	336 UNCH
726	----	----	0.0170B/----	0.0170B/0.0140A	----	0.0135 - 0.0005	.0779	----	----	----	----	12 UNCH
730	----	----	0.0145B/0.0120A	0.0145B/0.0120A	----	0.0115 - 0.0010	.0666	----	----	----	----	274 UNCH
735	----	----	0.0120B/0.0100A	0.0120B/0.0100A	----	0.0095 - 0.0010	.0550	----	----	----	----	73 UNCH
740	----	----	0.0100B/0.0085A	0.0100B/0.0085A	----	0.0075 - 0.0020	.0439	----	----	----	----	152 UNCH
745	----	----	0.0085B/0.0070A	0.0085B/0.0070A	----	0.0065 - 0.0015	.0375	----	----	20	----	45 + 15
750	----	----	----/0.0060A	0.0070B/0.0060A	----	0.0055 - 0.0015	.0315	----	----	20	----	292 + 20
755	----	----	----/0.0050A	0.0060B/0.0050A	----	0.0045 - 0.0020	.0258	----	----	----	----	45 UNCH
760	----	----	----/0.0045A	0.0050B/0.0045A	----	0.0040 - 0.0015	.0225	----	----	----	----	22 UNCH
765	0.0035	0.0035	0.0035/0.0035	0.0045B/0.0035	----	0.0035 - 0.0015	.0194	----	----	15	----	18 + 12
770	----	----	----/0.0035A	0.0040B/0.0035A	----	0.0030 - 0.0015	.0165	----	----	----	----	4 UNCH
775	0.0035	0.0035	0.0035/0.0025	0.0035/0.0025	----	0.0025 - 0.0015	.0137	----	----	31	----	339 - 8
800	----	----	----/0.0015A	0.0020B/0.0015A	----	0.0015 - 0.0010	.0076	----	----	6	----	244 + 4
825	----	----	----	----/0.0020A	----	0.0005 - 0.0010	.0025	----	----	----	----	91 UNCH
850	----	----	----	----/0.0015A	----	0.0005 - 0.0005	.0006	----	----	----	----	88 UNCH
875	----	----	----	----/0.0015A	----	0.0005 UNCH	.0001	----	----	----	----	21 UNCH
900	----	----	----	----/0.0005A	----	0.0005 UNCH	.0000	----	----	----	----	21 UNCH
925	----	----	----	----/0.0005A	----	0.0005 UNCH	.0000	----	----	----	----	43 UNCH
950	----	----	----	----/0.0005A	----	0.0005 UNCH	----	----	----	----	----	3 UNCH
975	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	31 UNCH
TOTAL									400	428		8297 + 482
DEC26												
525	----	----	1.5090B/----	1.5090B/1.5130A	----	1.4985 + 0.0540	.9856	----	----	----	----	123 UNCH
535	----	----	----	----	----	1.3995 + 0.0540	.9822	----	----	----	----	1 UNCH
550	----	----	----	----	----	1.2510 + 0.0535	.9763	----	----	----	----	2 UNCH
555	----	----	----	----	----	1.2020 + 0.0535	.9730	----	----	----	----	1 UNCH
565	----	----	1.1150B/----	1.1150B/1.1180A	----	1.1040 + 0.0530	.9658	----	----	----	----	45 UNCH
575	----	----	1.0325B/----	1.0325B/1.0070A	----	1.0070 + 0.0525	.9556	----	----	----	----	123 UNCH
585	----	----	0.9370B/----	0.9370B/0.9115A	----	0.9110 + 0.0520	.9433	----	----	----	----	1 UNCH
590	----	----	0.8890B/----	0.8890B/0.8635A	----	0.8635 + 0.0520	.9350	----	----	----	----	201 UNCH
595	----	----	0.8425B/----	0.8425B/0.8065A	----	0.8165 + 0.0515	.9253	----	----	----	----	163 UNCH
600	----	----	0.7955B/----	0.7955B/0.7600A	----	0.7700 + 0.0510	.9152	----	----	----	123	480 - 123
605	----	----	0.7475B/----	0.7475B/0.7145A	----	0.7240 + 0.0500	.9017	----	----	----	----	1 UNCH
610	----	----	0.7030B/----	0.7030B/0.6695A	----	0.6790 + 0.0495	.8878	----	----	----	----	200 UNCH
615	----	----	0.6575B/----	0.6575B/0.6250A	----	0.6345 + 0.0480	.8715	----	----	----	----	1 UNCH
620	----	----	0.6130B/----	0.6130B/0.5820A	----	0.5910 + 0.0470	.8530	----	----	----	----	421 UNCH
625	----	----	0.5705B/----	0.5705B/0.5400A	----	0.5485 + 0.0450	.8323	----	----	----	----	57 UNCH
630	----	----	0.5275B/----	0.5275B/0.4995A	----	0.5075 + 0.0435	.8096	----	----	----	----	310 UNCH
635	----	----	0.4870B/----	0.4870B/0.4605A	----	0.4675 + 0.0410	.7849	----	----	----	----	5 UNCH
640	----	----	0.4485B/----	0.4485B/0.4020A	----	0.4285 + 0.0380	.7571	----	----	----	----	29 UNCH
645	----	----	0.4110B/----	0.4110B/0.3675A	----	0.3915 + 0.0350	.7271	----	----	----	----	3 UNCH
650	----	----	0.3765B/----	0.3765B/0.3345A	----	0.3565 + 0.0320	.6952	----	----	4	123	571 + 4
655	----	----	0.3425B/----	0.3425B/0.3040A	----	0.3235 + 0.0295	.6612	----	----	----	----	276 UNCH
660	----	----	0.3115B/----	0.3115B/0.2730A	----	0.2925 + 0.0265	.6253	----	----	----	----	418 UNCH
665	----	----	0.2815B/----	0.2815B/0.2480A	----	0.2635 + 0.0235	.5884	----	----	----	----	61 UNCH
670	----	----	0.2555B/----	0.2555B/0.2230A	----	0.2375 + 0.0215	.5509	----	----	----	----	563 UNCH
675	----	----	0.2310B/----	0.2310B/0.1970A	----	0.2135 + 0.0195	.5134	----	----	34	----	427 + 25
680	0.1950	0.1950	0.2075B/0.1950	0.2075B/0.1765A	----	0.1910 + 0.0175	.4763	----	----	1	----	768 - 1
685	0.1740	0.1740	0.1865B/0.1700	0.1865B/0.1580A	----	0.1710 + 0.0160	.4402	----	----	3	----	424 UNCH
690	0.1555	0.1555	0.1670B/0.1555	0.1670B/0.1415A	----	0.1525 + 0.0140	.4052	----	----	3	----	314 + 2
695	0.1435	0.1435	0.1490B/0.1315	0.1490B/0.1270A	----	0.1355 + 0.0120	.3714	----	----	7	----	185 - 1
700	0.1305	0.1305	0.1335B/0.1225	0.1335B/0.1120A	----	0.1205 + 0.0110	.3395	----	----	126	----	3436 - 48
705	0.1115	0.1115	0.1190B/0.1115	0.1190B/0.0995A	----	0.1070 + 0.0095	.3093	----	----	2	----	164 + 2
710	0.0990	0.0990	0.1060B/0.0990	0.1060B/0.0885A	----	0.0945 + 0.0075	.2806	----	----	12	----	140 + 8
715	----	----	0.0940B/----	0.0940B/0.0785A	----	0.0835 + 0.0065	.2540	----	----	----	----	96 UNCH
720	0.0750	0.0750	0.0840B/0.0750	0.0840B/0.0700A	----	0.0740 + 0.0055	.2297	----	----	26	220	765 + 233
725	0.0710	0.0710	0.0745B/0.0660	0.0745B/0.0625A	----	0.0655 + 0.0045	.2073	----	----	317	----	1514 + 98
730	0.0640	0.0640	0.0660B/0.0585	0.0660B/0.0555A	----	0.0580 + 0.0035	.1869	----	----	21	----	648 + 5
735	0.0535	0.0535	0.0585B/0.0535	0.0585B/0.0495A	----	0.0510 + 0.0025	.1676	----	----	17	----	145 + 3
740	0.0490	0.0490	0.0520B/0.0490	0.0520B/0.0445A	----	0.0450 + 0.0020	.1504	----	----	4	----	153 + 1
745	0.0420	0.0420	0.0460B/0.0405	0.0460B/0.0395A	----	0.0400 + 0.0015	.1353	----	----	15	----	28 + 11
750	0.0370	0.0370	0.0405B/0.0355	0.0405B/0.0355	----	0.0355 + 0.0010	.1216	----	----	43	80	1142 + 69
755	0.0315	0.0315	0.0360B/0.0315	0.0360B/0.0315	----	0.0315 + 0.0005	.1091	----	----	19	----	30 - 2
770	0.0235	0.0235	0.0255B/0.0235	0.0255B/0.0230A	----	0.0225 UNCH	.0798	----	----	13	1000	350 - 824
775	0.0215	0.0215	0.0225B/0.0205A	0.0225B/0.0205A	----	0.0200 - 0.0005	.0716	----	----	9	----	649 + 3
780	----	----	0.0195B/----	0.0195B/0.0185A	----	0.0180 - 0.0005	.0647	----	----	2	----	659 UNCH
800	0.0120	0.0120	0.0130/0.0120	0.0130/0.0120	----	0.0120 - 0.0005	.0437	----	----	65	----	1378 - 50
825	----	----	----/0.0080A	0.0080B/0.0080A	----	0.0075 - 0.0010	.0274	----	----	----	----	481 UNCH
850	----	----	----/0.0055A	0.0055B/0.0055A	----	0.0055 - 0.0010	.0195	----	----	----	----	313 UNCH
875	----	----	----/0.0040A	0.0030B/0.0040A	----	0.0045 - 0.0010	.0153	----	----	----	----	23 UNCH
900	----	----	----/0.0035A	0.0020B/0.0035A	----	0.0035 - 0.0005	.0115	----	----	----	----	510 UNCH
925	----	----	----	0.0015B/0.0030A	----	0.0025 - 0.0005	.0082	----	----	----	----	12 UNCH
950	----	----	----	0.0010B/0.0025A	----	0.0015 - 0.0005	.0050	----	----	----	----	151 UNCH
975	----	----	----	0.0010B/0.0020A	----	0.0010 - 0.0005	.0033	----	----	----	----	54 UNCH
1000	----	----	----	0.0005B/0.0020A	----	0.0010 - 0.0005	.0032	----	----	----	----	13 UNCH
1100	----	----	----	0.0005B/0.0015A	----	0.0005 UNCH	.0014	----	----	----	----	97 UNCH
TOTAL									1546	743		19125 - 585
JAN27												
500	----	----	----	----	----	1.8565 + 0.0545	.9813	----	----	----	----	1 UNCH
600	----	----	----	----	----	0.8980 + 0.0470	.8843	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 61

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
JAN27												
650	----	----	0.5190B/----	0.5190B/0.4815A	----	0.5040 + 0.0355	.7040	----	----	----	----	79 UNCH
655	----	----	0.4855B/----	0.4855B/0.4500A	----	0.4710 + 0.0335	.6798	----	----	----	----	1 UNCH
660	----	----	0.4530B/----	0.4530B/0.4200A	----	0.4395 + 0.0315	.6550	----	----	----	----	1 UNCH
665	----	----	0.4225B/----	0.4225B/0.3915A	----	0.4095 + 0.0300	.6295	----	----	----	----	1 UNCH
670	----	----	0.3930B/----	0.3930B/0.3640A	----	0.3805 + 0.0275	.6035	----	----	1	----	4 + 1
675	----	----	0.3655B/----	0.3655B/0.3385A	----	0.3535 + 0.0255	.5772	----	----	----	----	1 UNCH
680	----	----	0.3390B/----	0.3390B/0.3150A	----	0.3280 + 0.0240	.5506	----	----	----	----	3 UNCH
685	----	----	0.3150B/----	0.3150B/0.2925A	----	0.3035 + 0.0215	.5241	----	----	----	----	49 UNCH
690	----	----	0.2915B/----	0.2915B/0.2715A	----	0.2810 + 0.0200	.4977	----	----	----	----	23 UNCH
695	----	----	0.2700B/----	0.2700B/0.2515A	----	0.2600 + 0.0185	.4718	----	----	----	----	5 UNCH
700	----	----	0.2495B/----	0.2495B/0.2330A	----	0.2400 + 0.0165	.4463	----	----	6	----	157 - 5
710	----	----	0.2135B/----	0.2135B/0.2000A	----	0.2045 + 0.0135	.3973	----	----	----	----	5 UNCH
720	----	----	0.1815B/----	0.1815B/0.1715A	----	0.1740 + 0.0110	.3516	----	----	----	----	15 UNCH
725	----	----	0.1675B/----	0.1675B/0.1585A	----	0.1605 + 0.0100	.3301	----	----	----	----	132 UNCH
730	----	----	0.1545B/----	0.1545B/0.1470A	----	0.1475 + 0.0085	.3093	----	----	50	----	555 + 49
740	----	----	0.1305B/----	0.1305B/0.1260A	----	0.1255 + 0.0070	.2714	----	----	1	----	200 - 1
750	----	----	0.1110B/----	0.1110B/0.1085A	----	0.1060 + 0.0050	.2365	----	----	1	40	772 + 1
755	----	----	0.1015B/----	0.1015B/0.1010A	----	0.0975 + 0.0040	.2207	----	----	----	----	2 UNCH
760	----	----	0.0935B/----	0.0935B/0.0935A	----	0.0900 + 0.0035	.2061	----	----	----	----	1 UNCH
765	----	----	0.0855B/----	0.0855B/0.0855A	----	0.0830 + 0.0030	.1923	----	----	----	----	1 UNCH
770	----	----	0.0790B/----	0.0790B/0.0800A	----	0.0765 + 0.0030	.1793	----	----	----	----	2 UNCH
775	----	----	0.0725B/----	0.0725B/0.0730A	----	0.0700 + 0.0020	.1664	----	----	101	----	521 + 100
800	----	----	0.0485B/----	0.0485B/0.0505A	----	0.0465 - 0.0015	.1160	----	----	50	----	272 + 31
825	----	----	----	0.0330B/0.0360A	----	0.0330 - 0.0015	.0839	----	----	----	----	11 UNCH
850	----	----	----	0.0230B/0.0265A	----	0.0230 - 0.0015	.0598	----	----	----	----	28 UNCH
875	----	----	----	0.0160B/0.0200A	----	0.0160 - 0.0010	.0425	----	----	----	----	2 UNCH
900	----	----	----	0.0115B/0.0155A	----	0.0110 - 0.0010	.0299	----	----	----	----	304 UNCH
950	----	----	----	0.0060B/0.0120A	----	0.0055 - 0.0010	.0154	----	----	----	----	3 UNCH
1000	----	----	----	0.0020B/0.0095A	----	0.0030 - 0.0010	.0085	----	----	----	----	16 UNCH
TOTAL									40	210		3169 + 176
FEB27												
600	----	----	----	----	----	0.9275 + 0.0455	.8489	----	----	----	----	2 UNCH
610	----	----	----	----	----	0.8455 + 0.0435	.8219	----	----	----	----	1 UNCH
625	----	----	----	----	----	0.7290 + 0.0400	.7745	----	----	----	----	2 UNCH
640	----	----	0.6360B/----	0.6360B/0.5990A	----	0.6220 + 0.0365	.7197	----	----	----	----	1 UNCH
650	----	----	0.5690B/----	0.5690B/0.5355A	----	0.5560 + 0.0330	.6797	----	----	----	----	41 UNCH
655	----	----	0.5375B/----	0.5375B/0.5060A	----	0.5245 + 0.0310	.6589	----	----	----	----	1 UNCH
660	----	----	0.5070B/----	0.5070B/0.4775A	----	0.4945 + 0.0295	.6377	----	----	----	----	1 UNCH
670	----	----	0.4500B/----	0.4500B/0.4240A	----	0.4385 + 0.0265	.5942	----	----	----	----	1 UNCH
685	----	----	0.3740B/----	0.3740B/0.3535A	----	0.3635 + 0.0215	.5281	----	----	----	----	30 UNCH
700	----	----	0.3090B/----	0.3090B/0.2930A	----	0.3000 + 0.0180	.4632	----	----	----	----	52 UNCH
705	----	----	0.2895B/----	0.2895B/0.2755A	----	0.2810 + 0.0165	.4423	----	----	----	----	1 UNCH
725	----	----	0.2225B/----	0.2225B/0.2140A	----	0.2155 + 0.0125	.3637	----	----	----	----	9 UNCH
735	----	----	0.1945B/----	0.1945B/0.1880A	----	0.1885 + 0.0105	.3280	----	----	----	----	30 UNCH
740	----	----	0.1820B/----	0.1820B/0.1770A	----	0.1765 + 0.0100	.3113	----	----	----	----	10 UNCH
745	----	----	0.1700B/----	0.1700B/0.1655A	----	0.1645 + 0.0085	.2948	----	----	----	----	2 UNCH
750	----	----	0.1585B/----	0.1585B/0.1545A	----	0.1540 + 0.0080	.2794	----	----	----	----	129 UNCH
765	----	----	0.1290B/----	0.1290B/0.1285A	----	0.1255 + 0.0055	.2365	----	----	----	----	2 UNCH
775	----	----	0.1125B/----	0.1125B/0.1130A	----	0.1095 + 0.0045	.2112	----	----	----	----	8 UNCH
800	----	----	0.0800B/----	0.0800B/0.0835A	----	0.0785 + 0.0015	.1587	----	----	----	----	1 UNCH
850	0.0435	0.0435	0.0435/0.0435	0.0435/0.0435	----	0.0425 - 0.0010	.0911	----	----	1	----	122 + 1
900	----	----	----	0.0235B/0.0290A	----	0.0255 - 0.0015	.0557	----	----	----	----	50 UNCH
925	----	----	----	0.0180B/0.0240A	----	0.0205 - 0.0015	.0448	----	----	----	----	6 UNCH
950	----	----	----	0.0135B/0.0200A	----	0.0165 - 0.0020	.0361	----	----	----	----	2 UNCH
1000	----	----	----	0.0085B/0.0160A	----	0.0115 - 0.0010	.0249	----	----	----	----	57 UNCH
TOTAL										1		561 + 1
MAR27												
580	----	----	----	----	----	1.1195 + 0.0475	.8714	----	----	----	----	1 UNCH
595	----	----	----	----	----	0.9945 + 0.0450	.8375	----	----	----	----	2 UNCH
600	----	----	----	----	----	0.9545 + 0.0445	.8251	----	----	----	----	2 UNCH
605	----	----	----	----	----	0.9150 + 0.0435	.8119	----	----	----	----	1 UNCH
625	----	----	0.7625B/----	0.7625B/0.7400A	----	0.7650 + 0.0385	.7524	----	----	----	----	16 UNCH
640	----	----	0.6760B/----	0.6760B/0.6415A	----	0.6625 + 0.0345	.7017	----	----	----	----	1 UNCH
645	----	----	0.6435B/----	0.6435B/0.6110A	----	0.6305 + 0.0335	.6838	----	----	----	----	1 UNCH
650	----	----	0.6120B/----	0.6120B/0.5815A	----	0.5995 + 0.0320	.6655	----	----	----	----	7 UNCH
660	----	----	0.5530B/----	0.5530B/0.5260A	----	0.5410 + 0.0295	.6279	----	----	13	----	54 + 12
670	----	----	0.4980B/----	0.4980B/0.4745A	----	0.4870 + 0.0270	.5895	----	----	----	----	1 UNCH
675	----	----	0.4720B/----	0.4720B/0.4505A	----	0.4615 + 0.0255	.5702	----	----	----	----	41 UNCH
680	----	----	0.4475B/----	0.4475B/0.4270A	----	0.4370 + 0.0240	.5508	----	----	----	----	30 UNCH
690	----	----	0.4010B/----	0.4010B/0.3840A	----	0.3920 + 0.0220	.5123	----	----	----	----	2 UNCH
700	----	----	0.3590B/----	0.3590B/0.3445A	----	0.3510 + 0.0200	.4747	----	----	13	----	720 UNCH
710	0.3140	0.3140	0.3205B/0.3140	0.3205B/0.3090A	----	0.3135 + 0.0175	.4382	----	----	10	----	1 - 9
725	----	----	0.2700B/----	0.2700B/0.2625A	----	0.2650 + 0.0155	.3868	----	----	----	----	39 UNCH
740	----	----	0.2270B/----	0.2270B/0.2220A	----	0.2230 + 0.0125	.3391	----	----	1	----	22 + 1
750	----	----	0.2020B/----	0.2020B/0.1985A	----	0.1990 + 0.0115	.3100	----	----	1	----	225 UNCH
755	----	----	0.1905B/----	0.1905B/0.1880A	----	0.1880 + 0.0110	.2962	----	----	----	----	1 UNCH
770	----	----	0.1595B/----	0.1595B/0.1600A	----	0.1580 + 0.0085	.2575	----	----	----	----	575 UNCH
775	----	----	0.1505B/----	0.1505B/0.1510A	----	0.1490 + 0.0080	.2455	----	----	----	----	619 UNCH
800	----	----	0.1120B/----	0.1120B/0.1170A	----	0.1120 + 0.0045	.1931	----	----	----	----	87 UNCH
850	----	----	----	0.0635B/0.0715A	----	0.0655 - 0.0005	.1202	----	----	----	----	544 UNCH
875	----	----	----	0.0485B/0.0575A	----	0.0510 - 0.0025	.0956	----	----	----	----	39 UNCH
900	0.0405	0.0405	0.0405/0.0405	0.0405/0.0405	----	0.0405 - 0.0035	.0770	----	----	10	----	55 + 10
950	----	----	----	0.0230B/0.0330A	----	0.0270 - 0.0010	.0519	----	----	----	----	3 UNCH
1000	----	----	----	0.0145B/0.0245A	----	0.0195 + 0.0025	.0372	----	----	----	----	23 UNCH
TOTAL										48		3112 + 14
APR27												
665	----	----	0.6115B/----	0.6115B/0.5940A	----	0.6045 + 0.0295	.6264	----	----	----	----	2 UNCH
675	----	----	0.5580B/----	0.5580B/0.5440A	----	0.5515 + 0.0270	.5925	----	----	----	----	1 UNCH
680	----	----	0.5330B/----	0.5330B/0.5200A	----	0.5270 + 0.0260	.5754	----	----	----	----	5 UNCH
720	----	----	0.3635B/----	0.3635B/0.3600A	----	0.3610 + 0.0185	.4438	----	----	----	----	2 UNCH
775	----	----	0.2095B/----	0.2095B/0.2150A	----	0.2105 + 0.0105	.2937	----	----	----	----	3 UNCH
1000	----	----	----	0.0250B/0.0395A	----	0.0275 + 0.0005	.0485	----	----	1	----	3 + 1
TOTAL										1		16 + 1
MAY27												
680	----	----	0.5800B/----	0.5800B/0.5770A	----	0.5790 + 0.0265	.5749	----	----	----	----	10 UNCH
685	----	----	0.5565B/----	0.5565B/0.5550A	----	0.5560 + 0.0255	.5597	----	----	----	----	2 UNCH
700	----	----	0.4905B/----	0.4905B/0.4925A	----	0.4910 + 0.0225	.5145	----	----	----	----	23 UNCH
705	----	----	0.4700B/----	0.4700B/0.4730A	----	0.4710 + 0.0220	.4998	----	----	----	----	2 UNCH
750	----	----	0.3170B/----	0.3170B/0.3280A	----	0.3215 + 0.0155	.3778	----	----	----	----	20 UNCH
800	----	----	0.2020B/----	0.2020B/0.2180A	----	0.2080 + 0.0095	.2682	----	----	----	----	60 UNCH
1000	----	----	----	0.0355B/0.0580A	----	0.0445 + 0.0015	.0684	----	----	----	----	60 UNCH
TOTAL												177
JUN27												
635	----	----	0.9070B/----	0.9070B/0.8995A	----	0.9060 + 0.0360	.7166	----	----	----	----	1 UNCH
700	----	----	0.5635B/----	0.5635B/0.5730A	----	0.5680 + 0.0235	.5374	----	----	----	----	11 UNCH
750	----	----	0.3830B/----	0.3830B/0.4000A	----	0.3905 + 0.0170	.4098	----	----	----	----	532 UNCH
770	----	----	0.3265B/----	0.3265B/0.3455A	----	0.3345 + 0.0145	.3645	----	----	----	----	38 UNCH
TOTAL												582
HX PUT		COMEX COPPER OPTIONS										
NOV26												
390	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	3 UNCH
400	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	18 UNCH
405	----	----	----	----/0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	10 UNCH
410	----	----	----	----/0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	57 UNCH
425	----	----	----	----/0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	40 UNCH
430	----	----	----	----/0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	4 UNCH
435	----	----	----	----/0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	215 UNCH
475	----	----	----	----/0.0015A	----	0.0005 - 0.0005	.0011	----	----	----	----	52 UNCH
480	----	----	----	----/0.0015A	----	0.0005 - 0.0005	.0015	----	----	----	----	3 UNCH
490	----	----	----	----/0.0015A	----	0.0010 - 0.0005	.0029	----	----	----	----	3 UNCH
500	0.0010	0.0010	0.0010/0.0005	0.0010/0.0005	----	0.0010 - 0.0005	.0031	----	----	2	----	117 UNCH
510	----	----	----	----/0.0020A	----	0.0010 - 0.0005	.0033	----	----	----	----	10 UNCH
520	----	----	----	----/0.0020A	----	0.0015 - 0.0005	.0050	----	----	----	----	5 UNCH
525	----	----	----	0.0005B/0.0020A	----	0.0015 - 0.0005	.0051	----	----	----	----	8 UNCH
530	----	----	----/0.0020A	0.0005B/0.0020A	----	0.0015 - 0.0010	.0053	----	----	----	----	2 UNCH
535	----	----	----	0.0005B/0.0025A	----	0.0015 - 0.0010	.0055	----	----	----	----	32 UNCH
540	----	----	----	0.0005B/0.0025A	----	0.0020 - 0.0005	.0073	----	----	----	----	17 UNCH
550	0.0020	0.0020	0.0020/0.0020	0.0020/0.0020	----	0.0020 - 0.0010	.0078	----	----	1	----	174 UNCH
560	0.0020	0.0020	0.0020/0.0020	0.0020/0.0020	----	0.0025 - 0.0005	.0102	----	----	1	----	397 - 1
565	----	----	----/0.0030A	0.0020B/0.0030A	----	0.0025 - 0.0010	.0106	----	----	----	----	27 UNCH
570	----	----	----/0.0030A	0.0015B/0.0030A	----	0.0025 - 0.0010	.0111	----	----	----	----	28 UNCH
575	----	----	----/0.0035A	0.0015B/0.0035A	----	0.0025 - 0.0015	.0116	----	----	----	----	65 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

PG64 BULLETIN #196@ METALS OPTION PRODUCTS Mon, Oct 12, 2026 PG64

HX PUT COMEX COPPER OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
NOV26												
580	----	----	----/0.0035A	0.0020B/0.0035A	----	0.0025 - 0.0015	.0121	----	----	----	----	62 UNCH
585	----	----	----/0.0030A	0.0025B/0.0030A	----	0.0025 - 0.0020	.0127	----	----	----	----	61 UNCH
590	----	----	----/0.0030A	0.0025B/0.0030A	----	0.0025 - 0.0025	.0134	----	----	----	----	290 UNCH
595	0.0035	0.0035	0.0035/0.0035	0.0045B/0.0035	----	0.0035 - 0.0025	.0185	----	----	2	----	199 + 1
600	0.0035	0.0035	0.0040/0.0035	0.0055B/0.0035	----	0.0040 - 0.0025	.0217	----	----	455	----	1579 + 372
605	0.0050	0.0050	0.0050/0.0045A	0.0070B/0.0045A	----	0.0050 - 0.0025	.0273	----	----	10	----	101 UNCH
610	----	----	----/0.0050A	0.0075B/0.0050A	----	0.0055 - 0.0030	.0312	----	----	----	----	326 UNCH
615	----	----	----/0.0055A	0.0085B/0.0055A	----	0.0065 - 0.0040	.0377	----	----	----	----	95 UNCH
620	0.0110	0.0110	0.0110/0.0070A	0.0110/0.0070A	----	0.0080 - 0.0045	.0469	----	----	6	----	328 - 5
624	----	----	----/0.0075A	0.0120B/0.0075A	----	0.0095 - 0.0050	.0560	----	----	----	----	8 UNCH
625	0.0095	0.0095	0.0100/0.0080	0.0130B/0.0080	----	0.0100 - 0.0050	.0589	----	----	7	----	293 - 5
626	----	----	----/0.0080A	0.0135B/0.0080A	----	0.0105 - 0.0050	.0618	----	----	----	----	4 UNCH
629	----	----	----/0.0090A	0.0150B/0.0090A	----	0.0125 - 0.0050	.0728	----	----	----	----	13 UNCH
630	0.0150	0.0150	0.0150/0.0090A	0.0160B/0.0090A	----	0.0130 - 0.0055	.0759	----	----	476	----	1107 + 434
631	0.0095	0.0095	0.0095/0.0095	0.0165B/0.0095	----	0.0135 - 0.0055	.0790	----	----	2	----	24 UNCH
634	0.0135	0.0135	0.0135/0.0110A	0.0195B/0.0110A	----	0.0155 - 0.0065	.0907	----	----	10	----	23 + 9
635	0.0205	0.0205	0.0205/0.0105	0.0205/0.0105	----	0.0165 - 0.0065	.0959	----	----	187	----	369 + 137
636	----	----	----/0.0120A	0.0210B/0.0120A	----	0.0170 - 0.0075	.0994	----	----	----	----	123 UNCH
640	0.0135	0.0135	0.0190/0.0135	0.0260B/0.0135	----	0.0205 - 0.0090	.1193	----	----	17	----	968 + 15
645	0.0275	0.0275	0.0285/0.0180	0.0335B/0.0180	----	0.0265 - 0.0120	.1513	----	----	63	----	302 + 22
650	0.0390	0.0390	0.0390/0.0260	0.0440B/0.0260	----	0.0350 - 0.0150	.1925	----	----	206	----	618 + 80
655	0.0460	0.0460	0.0460/0.0360A	0.0570B/0.0360A	----	0.0455 - 0.0195	.2406	----	----	6	----	955 UNCH
660	0.0495	0.0495	0.0595/0.0490A	0.0735B/0.0490A	----	0.0595 - 0.0235	.2975	----	----	143	----	371 - 3
664	----	----	----/0.0625A	0.0895B/0.0625A	----	0.0730 - 0.0270	.3474	----	----	----	----	32 UNCH
665	0.0800	0.0800	0.0800/0.0655A	0.0935B/0.0655A	----	0.0770 - 0.0275	.3606	----	----	145	----	184 + 131
666	----	----	----/0.0700A	0.0980B/0.0700A	----	0.0810 - 0.0285	.3738	----	----	----	----	8 UNCH
670	0.0850	0.0850	0.0970/0.0845A	0.1175B/0.0845A	----	0.0980 - 0.0320	.4273	----	----	71	----	259 + 44
675	0.1205	0.1205	0.1205/0.1090A	0.1450B/0.1090A	----	0.1225 - 0.0360	.4953	----	----	3	----	97 UNCH
680	----	----	----/0.1360A	0.1740B/0.1360A	----	0.1510 - 0.0395	.5616	----	----	----	----	74 UNCH
685	----	----	----/0.1655A	0.2090B/0.1655A	----	0.1830 - 0.0425	.6246	----	----	----	----	87 UNCH
690	----	----	----/0.2000A	0.2465B/0.2000A	----	0.2180 - 0.0445	.6819	----	----	----	----	8 UNCH
695	----	----	----/0.2370A	0.2710B/0.2370A	----	0.2555 - 0.0470	.7333	----	----	----	----	3 UNCH
700	----	----	----/0.2745A	0.2950B/0.2745A	----	0.2950 - 0.0490	.7777	----	----	----	----	27 UNCH
720	----	----	----/0.4450A	0.4715B/0.4450A	----	0.4700 - 0.0545	.9001	----	----	----	----	1 UNCH
725	----	----	----/0.4920A	0.5185B/0.4920A	----	0.5165 - 0.0550	.9190	----	----	----	----	3 UNCH
735	----	----	----/0.5865A	0.6115B/0.5865A	----	0.6115 - 0.0565	.9449	----	----	----	----	2 UNCH
TOTAL										1813		10291+ 1231
DEC26												
350	----	----	----	----/0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	46 UNCH
360	----	----	----	----/0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	31 UNCH
380	----	----	----	----/0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	22 UNCH
385	----	----	----	----/0.0010A	----	0.0005 UNCH	.0001	----	----	----	----	1 UNCH
390	----	----	----	----/0.0010A	----	0.0005 UNCH	.0001	----	----	----	----	45 UNCH
395	----	----	----	----/0.0010A	----	0.0005 UNCH	.0002	----	----	----	----	3 UNCH
400	----	----	----	----/0.0010A	----	0.0005 UNCH	.0002	----	----	----	----	31 UNCH
420	----	----	----	----/0.0015A	----	0.0005 UNCH	.0008	----	----	----	----	2 UNCH
425	----	----	----	0.0005B/0.0015A	----	0.0005 UNCH	.0011	----	----	----	----	60 UNCH
435	----	----	----	0.0005B/0.0015A	----	0.0010 UNCH	.0026	----	----	----	----	4 UNCH
450	----	----	----	0.0005B/0.0020A	----	0.0015 UNCH	.0039	----	----	----	----	37 UNCH
460	----	----	----	0.0010B/0.0020A	----	0.0015 - 0.0005	.0041	----	----	----	----	2 UNCH
470	----	----	----	0.0010B/0.0025A	----	0.0020 - 0.0005	.0055	----	----	----	----	36 UNCH
475	----	----	----	0.0015B/0.0025A	----	0.0020 - 0.0005	.0056	----	----	----	----	34 UNCH
480	----	----	----	0.0015B/0.0030A	----	0.0020 - 0.0005	.0058	----	----	----	----	18 UNCH
485	----	----	----	0.0015B/0.0030A	----	0.0025 - 0.0005	.0071	----	----	----	----	1 UNCH
490	----	----	----	0.0020B/0.0035A	----	0.0025 - 0.0005	.0073	----	----	----	----	19 UNCH
495	----	----	----	0.0020B/0.0035A	----	0.0030 - 0.0005	.0087	----	----	----	----	1 UNCH
500	----	----	----	0.0025B/0.0035A	----	0.0030 - 0.0005	.0089	----	----	----	----	233 UNCH
505	----	----	----	0.0025B/0.0040A	----	0.0030 - 0.0010	.0092	----	----	----	----	1 UNCH
510	----	----	----	0.0030B/0.0045A	----	0.0035 - 0.0010	.0107	----	----	----	----	8 UNCH
515	----	----	----	0.0030B/0.0045A	----	0.0040 - 0.0005	.0122	----	----	----	----	2 UNCH
520	----	----	----	0.0035B/0.0050A	----	0.0040 - 0.0010	.0126	----	----	----	----	11 UNCH
525	0.0055	0.0055	0.0055/0.0055	0.0055/0.0055	----	0.0045 - 0.0010	.0142	----	----	3	----	405 UNCH
530	----	----	----	0.0045B/0.0060A	----	0.0050 - 0.0010	.0159	----	----	1	----	90 + 1
535	----	----	----	0.0050B/0.0065A	----	0.0055 - 0.0010	.0177	----	----	----	----	6 UNCH
540	----	----	----/0.0070A	0.0055B/0.0070A	----	0.0060 - 0.0015	.0195	----	----	----	----	8 UNCH
545	----	----	----/0.0075A	0.0060B/0.0075A	----	0.0065 - 0.0015	.0215	----	----	1	----	49 UNCH
550	----	----	----/0.0080A	0.0070B/0.0080A	----	0.0070 - 0.0020	.0235	----	----	1	----	1309 UNCH
555	----	----	----/0.0085A	0.0080B/0.0085A	----	0.0080 - 0.0020	.0269	----	----	----	----	3 UNCH
560	0.0120	0.0120	0.0120/0.0095A	0.0120/0.0095A	----	0.0090 - 0.0020	.0304	----	----	5	----	341 UNCH
565	----	----	----/0.0100A	0.0095B/0.0100A	----	0.0100 - 0.0025	.0340	----	----	----	----	19 UNCH
570	----	----	----/0.0110A	0.0110B/0.0110A	----	0.0115 - 0.0020	.0390	----	----	1	----	24 UNCH
575	----	----	----/0.0130A	0.0125B/0.0130A	----	0.0130 - 0.0025	.0443	----	----	1	----	457 UNCH
580	0.0125	0.0125	0.0125/0.0125	0.0145B/0.0125	----	0.0145 - 0.0030	.0497	----	----	2	----	229 + 1
585	----	----	----/0.0160A	0.0170B/0.0160A	----	0.0165 - 0.0030	.0566	----	----	1	----	57 UNCH
590	----	----	----/0.0175A	0.0200B/0.0175A	----	0.0190 - 0.0035	.0648	----	----	1	----	606 + 1
595	----	----	----/0.0190A	0.0235B/0.0190A	----	0.0220 - 0.0035	.0745	----	----	1	----	281 + 1
600	0.0230	0.0230	0.0230/0.0220A	0.0275B/0.0220A	----	0.0250 - 0.0045	.0846	----	----	16	----	2644 UNCH
605	----	----	----/0.0255A	0.0315B/0.0255A	----	0.0295 - 0.0045	.0981	----	----	4	----	38 + 3
610	0.0340	0.0340	0.0340/0.0290A	0.0370B/0.0290A	----	0.0340 - 0.0055	.1120	----	----	7	----	251 + 5
615	0.0395	0.0395	0.0395/0.0340A	0.0430B/0.0340A	----	0.0395 - 0.0070	.1283	----	----	4	----	149 UNCH
620	0.0415	0.0415	0.0460/0.0395A	0.0500B/0.0395A	----	0.0460 - 0.0080	.1468	----	----	115	----	131 - 62
625	0.0525	0.0525	0.0525/0.0465A	0.0580B/0.0465A	----	0.0535 - 0.0095	.1675	----	----	4	----	472 + 1
630	0.0615	0.0615	0.0615/0.0550A	0.0680B/0.0550A	----	0.0620 - 0.0115	.1902	----	----	209	----	888 - 72
635	0.0650	0.0650	0.0710/0.0645A	0.0790B/0.0645A	----	0.0715 - 0.0145	.2149	----	----	17	----	417 + 3
640	0.0850	0.0850	0.0850/0.0755A	0.0930B/0.0755A	----	0.0830 - 0.0165	.2427	----	----	2	220	476 + 114
645	0.0960	0.0960	0.0960/0.0880A	0.1070B/0.0880A	----	0.0960 - 0.0195	.2727	----	----	10	----	497 UNCH
650	0.1180	0.1180	0.1180/0.1020A	0.1240B/0.1020A	----	0.1105 - 0.0225	.3046	----	----	5	----	766 + 3
655	----	----	----/0.1180A	0.1430B/0.1180A	----	0.1270 - 0.0260	.3386	----	----	6	----	813 - 1
660	0.1460	0.1460	0.1460/0.1365A	0.1640B/0.1365A	----	0.1460 - 0.0285	.3745	----	----	1	----	179 + 1
665	----	----	----/0.1560A	0.1870B/0.1560A	----	0.1670 - 0.0315	.4114	----	----	----	----	670 UNCH
670	0.1860	0.1860	0.1860/0.1775A	0.2120B/0.1775A	----	0.1905 - 0.0335	.4489	----	----	17	----	1199 + 15
675	----	----	----/0.2020A	0.2355B/0.2020A	----	0.2160 - 0.0355	.4864	----	----	1	----	277 UNCH
680	----	----	----/0.2295A	0.2655B/0.2295A	----	0.2440 - 0.0370	.5235	----	----	----	----	56 UNCH
685	----	----	----/0.2585A	0.3015B/0.2585A	----	0.2735 - 0.0390	.5596	----	----	----	----	47 UNCH
690	----	----	----/0.2895A	0.3285B/0.2895A	----	0.3050 - 0.0405	.5946	----	----	----	----	3 UNCH
700	----	----	----/0.3575A	0.4000B/0.3575A	----	0.3725 - 0.0440	.6603	----	----	----	----	3 UNCH
715	----	----	----/0.4680A	0.4960B/0.4680A	----	0.4855 - 0.0480	.7458	----	----	----	----	2 UNCH
720	----	----	----/0.5070A	0.5245B/0.5070A	----	0.5255 - 0.0490	.7701	----	----	----	----	2 UNCH
725	0.5515	0.5515	0.5660B/0.5470A	0.5660B/0.5470A	----	0.5665 - 0.0505	.7925	----	----	1	----	4 + 1
730	----	----	----/0.5885A	0.6080B/0.5885A	----	0.6090 - 0.0510	.8129	----	----	----	----	1 UNCH
750	----	----	----/0.7635A	0.7855B/0.7635A	----	0.7860 - 0.0535	.8782	----	----	----	----	1 UNCH
TOTAL									220	437		14518+ 15
JAN27												
370	----	----	----	0.0005B/0.0055A	----	0.0025 - 0.0005	.0042	----	----	----	----	1 UNCH
390	----	----	----	0.0005B/0.0060A	----	0.0035 - 0.0005	.0059	----	----	----	----	40 UNCH
400	----	----	----	0.0005B/0.0065A	----	0.0035 - 0.0005	.0062	----	----	----	----	12 UNCH
425	----	----	----	0.0005B/0.0070A	----	0.0040 - 0.0005	.0076	----	----	----	----	30 UNCH
430	----	----	----	0.0005B/0.0070A	----	0.0040 - 0.0005	.0078	----	----	----	----	1 UNCH
435	----	----	----	0.0005B/0.0075A	----	0.0040 - 0.0010	.0080	----	----	----	----	1 UNCH
440	----	----	----	0.0005B/0.0075A	----	0.0040 - 0.0010	.0081	----	----	----	----	10 UNCH
450	----	----	----	0.0005B/0.0080A	----	0.0045 - 0.0010	.0093	----	----	----	----	1 UNCH
465	----	----	----	0.0015B/0.0090A	----	0.0050 - 0.0010	.0109	----	----	----	----	2 UNCH
510	----	----	----	0.0045B/0.0125A	----	0.0090 - 0.0005	.0213	----	----	----	----	4 UNCH
515	----	----	----	0.0050B/0.0130A	----	0.0100 UNCH	.0236	----	----	----	----	4 UNCH
520	----	----	----	0.0055B/0.0135A	----	0.0105 - 0.0005	.0252	----	----	----	----	2 UNCH
525	----	----	----	0.0065B/0.0140A	----	0.0115 UNCH	.0277	----	----	----	----	3 UNCH
540	----	----	----	0.0115B/0.0165A	----	0.0145 - 0.0005	.0356	----	----	----	----	3 UNCH
550	----	----	----	0.0140B/0.0185A	----	0.0170 - 0.0010	.0422	----	----	----	----	258 UNCH
555	----	----	----	0.0155B/0.0200A	----	0.0190 - 0.0010	.0470	----	----	----	----	1 UNCH
560	----	----	----/0.0215A	0.0175B/0.0215A	----	0.0205 - 0.0015	.0511	----	----	----	----	4 UNCH
570	----	----	----/0.0255A	0.0220B/0.0255A	----	0.0250 - 0.0030	.0622	----	----	----	----	2 UNCH
580	----	----	----/0.0310A	0.0280B/0.0310A	----	0.0310 - 0.0040	.0764	----	----	----	----	4 UNCH
590	----	----	----/0.0385A	0.0355B/0.0385A	----	0.0385 - 0.0060	.0937	----	----	----	----	15 UNCH
595	----	----	----/0.0430A	0.0400B/0.0430A	----	0.0430 - 0.0070	.1037	----	----	----	----	3 UNCH
600	----	----	----/0.0480A	0.0460B/0.0480A	----	0.0485 - 0.0075	.1154	----	----	2	----	408 UNCH
605	----	----	----/0.0540A	0.0530B/0.0540A	----	0.0545 - 0.0085	.1280	----	----	----	----	5 UNCH
610	----	----	----/0.0605A	0.0600B/0.0605A	----	0.0610 - 0.0095	.1414	----	----	----	----	4 UNCH
615	----	----	----/0.0680A	0.0680B/0.0680A	----	0.0690 - 0.0100	.1569	----	----	----	----	1 UNCH
620	0.0705	0.0705	0.0705/0.0705	0.0775B/0.0705	----	0.0775 - 0.0110	.1731	----	----	2	----	23 + 1
625	0.0825	0.0825	0.0825/0.0825	0.0875B/0.0825	----	0.0870 - 0.0120	.1906	----	----	4	----	251 UNCH
630	0.1000	0.1000	0.1000/0.0955A	0.1000/0.0955A	----	0.0975 - 0.0135	.2093	----	----	2	----	7 + 1
635	----	----	----/0.1065A	0.1115B/0.1065A	----	0.1095 - 0.0145	.2295	----	----	1	----	1 - 1
640	----	----	----/0.1190A	0.1250B/0.1190A	----	0.1220 - 0.0160	.2503	----	----	----	----	3 UNCH
645	----	----	----/0.1325A	0.1395B/0.1325A	----	0.1360 - 0.0175	.2724	----	----	1	----	4 + 1
650	----	----	----/0.1475A	0.1565B/0.1475A	----	0.1515 - 0.0195	.2957	----	----	----	----	75 UNCH
660	----	----	----/0.1810A	0.1940B/0.1810A	----	0.1865 - 0.0230	.3447	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 63

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JAN27												
670	----	----	----/0.2200A	0.2375B/0.2200A	----	0.2270 - 0.0270	.3962	----	----	----	----	2 UNCH
685	----	----	----/0.2905A	0.3140B/0.2905A	----	0.2995 - 0.0320	.4756	----	----	----	----	1 UNCH
690	----	----	----/0.3165A	0.3425B/0.3165A	----	0.3265 - 0.0340	.5020	----	----	----	----	2 UNCH
695	----	----	----/0.3445A	0.3725B/0.3445A	----	0.3550 - 0.0355	.5279	----	----	----	----	1 UNCH
730	----	----	----/0.5765A	0.6170B/0.5765A	----	0.5905 - 0.0455	.6904	----	----	----	----	1 UNCH
800	----	----	----	----	----	1.1855 - 0.0555	.8837	----	----	----	----	1 UNCH
TOTAL										12		1192 + 2
FEB27												
300	----	----	----	----/0.0050A	----	0.0015 UNCH	.0021	----	----	----	----	1 UNCH
400	----	----	----	0.0005B/0.0080A	----	0.0045 - 0.0010	.0076	----	----	----	----	10 UNCH
450	----	----	----	0.0030B/0.0115A	----	0.0075 UNCH	.0140	----	----	----	----	3 UNCH
480	----	----	----	0.0055B/0.0145A	----	0.0100 UNCH	.0199	----	----	----	----	4 UNCH
500	----	----	----/0.0165A	0.0100B/0.0165A	----	0.0130 - 0.0040	.0266	----	----	----	----	8 UNCH
520	----	----	----/0.0200A	0.0140B/0.0200A	----	0.0175 - 0.0035	.0365	----	----	----	----	2 UNCH
560	----	----	----	0.0315B/0.0360A	----	0.0355 - 0.0005	.0732	----	----	----	----	50 UNCH
565	----	----	----/0.0395A	0.0350B/0.0395A	----	0.0395 - 0.0010	.0806	----	----	----	----	2 UNCH
585	----	----	----/0.0580A	0.0550B/0.0580A	----	0.0590 - 0.0055	.1158	----	----	----	----	1 UNCH
595	----	----	----/0.0710A	0.0690B/0.0710A	----	0.0720 - 0.0080	.1380	----	----	----	----	1 UNCH
600	----	----	----/0.0780A	0.0770B/0.0780A	----	0.0800 - 0.0085	.1508	----	----	----	----	81 UNCH
620	----	----	----/0.1160A	0.1175B/0.1160A	----	0.1180 - 0.0130	.2087	----	----	----	----	2 UNCH
630	----	----	----/0.1400A	0.1440B/0.1400A	----	0.1425 - 0.0155	.2428	----	----	6	----	7 + 6
650	----	----	----/0.2010A	0.2090B/0.2010A	----	0.2045 - 0.0210	.3200	----	----	----	----	60 UNCH
660	----	----	----/0.2380A	0.2500B/0.2380A	----	0.2425 - 0.0245	.3620	----	----	----	----	0 UNCH
670	----	----	----/0.2805A	0.2960B/0.2805A	----	0.2855 NEW	.4054	----	----	3	----	3 + 3
TOTAL										9		235 + 9
MAR27												
400	----	----	----	0.0010B/0.0105A	----	0.0065 - 0.0005	.0102	----	----	----	----	8 UNCH
500	----	----	----	0.0130B/0.0225A	----	0.0190 UNCH	.0350	----	----	----	----	200 UNCH
525	----	----	----	0.0225B/0.0295A	----	0.0270 - 0.0015	.0504	----	----	----	----	10 UNCH
550	0.0460	0.0460	0.0460/0.0435A	0.0460/0.0435A	----	0.0425 - 0.0030	.0772	----	----	50	----	210 - 30
575	----	----	----/0.0685A	0.0640B/0.0685A	----	0.0685 - 0.0060	.1180	----	----	----	----	15 UNCH
580	----	----	----/0.0750A	0.0705B/0.0750A	----	0.0755 - 0.0065	.1283	----	----	----	----	10 UNCH
595	----	----	----/0.0985A	0.0960B/0.0985A	----	0.0995 - 0.0090	.1621	----	----	----	----	561 UNCH
600	----	----	----/0.1080A	0.1065B/0.1080A	----	0.1085 - 0.0100	.1745	----	----	20	----	411 + 8
620	----	----	----/0.1525A	0.1530B/0.1525A	----	0.1535 - 0.0145	.2313	----	----	----	128	39 - 25
625	----	----	----/0.1655A	0.1675B/0.1655A	----	0.1670 - 0.0155	.2472	----	----	----	----	390 UNCH
640	----	----	----/0.2115A	0.2170B/0.2115A	----	0.2130 - 0.0195	.2978	----	----	----	----	1 UNCH
660	----	----	----/0.2865A	0.2970B/0.2865A	----	0.2895 - 0.0245	.3716	----	----	----	----	3 UNCH
675	----	----	----/0.3540A	0.3695B/0.3540A	----	0.3580 - 0.0285	.4294	----	----	----	----	8 UNCH
680	----	----	----/0.3785A	0.3955B/0.3785A	----	0.3835 - 0.0295	.4488	----	----	----	----	1 UNCH
720	----	----	----/0.6120A	0.6400B/0.6120A	----	0.6220 - 0.0380	.5960	----	----	----	----	1 UNCH
730	----	----	----/0.6795A	0.7100B/0.6795A	----	0.6910 - 0.0390	.6292	----	----	----	----	1 UNCH
TOTAL										128	70	1869 - 47
APR27												
400	0.0125	0.0125	0.0125/0.0125	0.0125/0.0125	----	0.0090 - 0.0005	.0128	----	----	1	----	9 + 1
500	----	----	----	0.0170B/0.0310A	----	0.0255 - 0.0005	.0415	----	----	1	----	7 + 1
530	----	----	----	0.0315B/0.0440A	----	0.0395 - 0.0015	.0640	----	----	----	----	1 UNCH
540	----	----	----	0.0385B/0.0510A	----	0.0470 - 0.0020	.0751	----	----	----	----	2 UNCH
550	----	----	----	0.0470B/0.0595A	----	0.0555 - 0.0030	.0875	----	----	----	----	4 UNCH
620	0.1780	0.1780	0.1780/0.1780	0.1780/0.1780	----	0.1765 - 0.0125	.2324	----	----	1	----	7 + 1
680	----	----	----/0.4045A	0.4105B/0.4045A	----	0.4050 - 0.0270	.4241	----	----	----	----	5 UNCH
700	----	----	----/0.5105A	0.5205B/0.5105A	----	0.5125 - 0.0310	.4915	----	----	----	----	0 UNCH
TOTAL										3		35 + 3
MAY27												
400	----	----	----	0.0010B/0.0215A	----	0.0120 - 0.0005	.0159	----	----	----	----	8 UNCH
575	----	----	----	0.0990B/0.1190A	----	0.1120 - 0.0065	.1464	----	----	----	----	5 UNCH
600	----	----	----/0.1695A	0.1515B/0.1695A	----	0.1625 - 0.0100	.1991	----	----	----	----	80 UNCH
660	----	----	----/0.3675A	0.3590B/0.3675A	----	0.3620 - 0.0225	.3635	----	----	----	----	1 UNCH
680	----	----	----/0.4620A	0.4570B/0.4620A	----	0.4575 - 0.0265	.4245	----	----	----	----	10 UNCH
700	----	----	----/0.5695A	0.5690B/0.5695A	----	0.5665 - 0.0295	.4849	----	----	----	----	2 UNCH
TOTAL												106
JUN27												
500	----	----	----	0.0295B/0.0540A	----	0.0430 - 0.0010	.0570	----	----	----	----	40 UNCH
570	----	----	----	0.1010B/0.1270A	----	0.1165 - 0.0055	.1406	----	----	----	----	1 UNCH
620	----	----	----/0.2400A	0.2175B/0.2400A	----	0.2305 - 0.0125	.2449	----	----	----	----	1 UNCH
TOTAL												42
HXE CALL		COPPER OPTIONS										
OCT26												
655	----	----	----	----	----	0.1420 UNCH	----	----	----	----	----	0 UNCH
655	----	----	0.2305B/----	0.2305B/0.1800A	----	0.2075 + 0.0390	.9035	----	----	----	----	2 UNCH
656	----	----	----	----	----	0.1320 UNCH	----	----	----	----	----	0 UNCH
657	----	----	----	----	----	0.1220 UNCH	----	----	----	----	----	0 UNCH
659	----	----	----	----	----	0.1020 UNCH	----	----	----	----	----	0 UNCH
660	----	----	----	----	----	0.0920 UNCH	----	----	----	----	----	0 UNCH
660	----	----	0.1865B/----	0.1865B/0.1530A	----	0.1655 + 0.0330	.8344	----	----	----	----	16 UNCH
661	----	----	----	----	----	0.0820 UNCH	----	----	----	----	----	0 UNCH
662	----	----	----	----	----	0.0720 UNCH	----	----	----	----	----	0 UNCH
663	----	----	----	----	----	0.0620 UNCH	----	----	----	----	----	0 UNCH
664	----	----	----	----	----	0.0520 UNCH	----	----	----	----	----	0 UNCH
665	----	----	----	----	----	0.0420 UNCH	----	----	----	----	----	0 UNCH
665	----	----	0.1480B/----	0.1480B/0.1150A	----	0.1280 + 0.0255	.7386	----	----	----	----	20 UNCH
667	----	----	----	----	----	0.0220 UNCH	----	----	----	----	----	0 UNCH
668	----	----	----	----	----	0.0120 UNCH	----	----	----	----	----	0 UNCH
669	----	----	----	----	----	0.0020 UNCH	----	----	----	----	----	0 UNCH
670	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
670	----	----	0.1095B/----	0.1095B/0.0905A	----	0.0970 + 0.0180	.6204	----	----	----	----	10 UNCH
673	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
674	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
675	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
675	----	----	0.0870B/----	0.0870B/0.0705A	----	0.0725 + 0.0125	.4976	----	----	----	----	48 UNCH
675	----	----	0.1200B/----	0.1200B/0.0990A	----	0.1080 + 0.0180	.5030	----	----	----	----	1 UNCH
676	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
677	0.0655	0.0655	0.0655/0.0655	0.0745B/0.0655	----	0.0645 NEW	.4508	----	----	2	----	2 + 2
680	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
680	----	----	0.0650B/----	0.0650B/0.0540A	----	0.0535 + 0.0080	.3844	----	----	----	----	32 UNCH
680	----	----	0.1255B/----	0.1255B/0.1065A	----	0.1150 + 0.0175	.4480	----	----	1	----	0 - 1
685	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
685	----	----	0.0480B/----	0.0480B/0.0410A	----	0.0395 + 0.0050	.2892	----	----	----	----	6 UNCH
690	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
690	----	----	0.0355B/----	0.0355B/0.0305A	----	0.0290 + 0.0030	.2131	----	----	----	----	4 UNCH
690	----	----	0.0630B/----	0.0630B/0.0540A	----	0.0550 + 0.0075	.2978	----	----	----	----	7 UNCH
690	----	----	0.0880B/----	0.0880B/0.0760A	----	0.0805 + 0.0125	.3411	----	----	2	----	1 UNCH
695	----	----	0.0255B/----	0.0255B/0.0230A	----	0.0215 + 0.0015	.1558	----	----	25	----	74 + 25
700	----	----	0.0185B/----	0.0185B/0.0175A	----	0.0160 UNCH	.1132	----	----	----	----	36 UNCH
700	----	----	0.0605B/----	0.0605B/0.0545A	----	0.0550 + 0.0075	.2506	----	----	1	----	2 + 1
701	0.0150	0.0150	0.0150/0.0150	0.0165B/0.0150	----	0.0150 NEW	.1057	----	----	1	----	1 + 1
705	----	----	0.0130B/----	0.0130B/0.0140A	----	0.0120 - 0.0005	.0822	----	----	25	----	91 + 25
710	----	----	----	0.0095B/0.0110A	----	0.0090 - 0.0010	.0594	----	----	----	----	9 UNCH
710	----	----	0.0405B/----	0.0405B/0.0395A	----	0.0370 + 0.0030	.1788	----	----	----	----	1 UNCH
715	----	----	----	0.0070B/0.0090A	----	0.0070 - 0.0015	.0441	----	----	----	----	26 UNCH
720	----	----	----	0.0050B/0.0075A	----	0.0055 - 0.0015	.0330	----	----	----	----	111 UNCH
725	----	----	----	0.0035B/0.0060A	----	0.0040 - 0.0020	.0231	----	----	----	----	116 UNCH
740	----	----	----	0.0015B/0.0040A	----	0.0020 - 0.0015	.0099	----	----	----	----	10 UNCH
750	----	----	----	0.0025B/0.0085A	----	0.0040 - 0.0010	.0233	----	----	----	----	1 UNCH
775	----	----	----	----/0.0020A	----	0.0005 UNCH	.0017	----	----	----	----	2 UNCH
TOTAL										57		629 + 53
HXE PUT		COPPER OPTIONS										
OCT26												
610	----	----	----	----/0.0020A	----	0.0005 - 0.0005	.0001	----	----	----	----	2 UNCH
620	----	----	----	----/0.0020A	----	0.0005 - 0.0010	.0010	----	----	----	----	10 UNCH
620	----	----	----/0.0070A	0.0030B/0.0070A	----	0.0050 - 0.0030	.0318	----	----	----	----	1 UNCH
630	----	----	----/0.0085A	0.0055B/0.0085A	----	0.0075 - 0.0045	.0503	----	----	----	----	1 UNCH
635	----	----	----/0.0030A	0.0005B/0.0030A	----	0.0020 - 0.0020	.0142	----	----	----	----	1 UNCH
635	----	----	----/0.0210A	0.0215B/0.0210A	----	0.0225 - 0.0090	.1169	----	----	----	----	1 UNCH
640	----	----	----/0.0035A	0.0015B/0.0035A	----	0.0030 - 0.0035	.0230	----	----	----	----	30 UNCH
645	----	----	----/0.0045A	0.0025B/0.0045A	----	0.0040 - 0.0070	.0336	----	----	----	----	12 UNCH
650	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
650	0.0045	0.0045	0.0045/0.0040	0.0060B/0.0040	----	0.0065 - 0.0105	.0575	----	----	3	----	22 + 2
650	0.0220	0.0220	0.0290/0.0160	0.0290/0.0160	----	0.0240 - 0.0160	.1566	----	----	33	----	38 + 30
652	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
655	0.0110	0.0110	0.0110/0.0090A	0.0145B/0.0090A	----	0.0105 - 0.0160	.0964	----	----	15	----	19 + 15

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HXE PUT		COPPER OPTIONS										
OCT26												
660	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
660	0.0150	0.0150	0.0185/0.0110A	0.0285B/0.0110A	----	0.0185 - 0.0220	.1654	----	----	14	----	33 - 2
661	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
663	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
664	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
665	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
665	0.0265	0.0265	0.0265/0.0255A	0.0480B/0.0255A	----	0.0310 NEW	.2612	----	----	11	----	11 + 11
667	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
668	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
670	----	----	----	----	----	0.0080 UNCH	----	----	----	----	----	0 UNCH
670	----	----	----/0.0430A	0.0730B/0.0430A	----	0.0500 - 0.0370	.3794	----	----	1	----	2 UNCH
676	----	----	----	0.0800B/0.0720A	----	0.0815 NEW	.5258	----	----	1	----	1 + 1
TOTAL										78		184 + 57

ALUMINIUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST

PLATINUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
NOV26												
1200	----	----	----	11.70B/13.50A	----	11.10 - 2.10	.2403	----	----	----	----	40 UNCH
1250	----	----	----	4.40B/7.80A	----	5.20 - 1.50	.1139	----	----	----	----	10 UNCH
1300	----	----	----	1.00B/4.80A	----	2.40 - 1.00	.0522	----	----	----	----	21 UNCH
1350	----	----	----	----/3.50A	----	1.20 - 0.70	.0251	----	----	----	----	2 UNCH
1400	----	----	----	----/2.90A	----	0.50 - 0.40	.0103	----	----	----	----	93 UNCH
1450	----	----	----	----/2.50A	----	0.20 - 0.20	.0040	----	----	----	----	86 UNCH
1500	----	----	----	----/2.40A	----	0.10 - 0.10	.0019	----	----	----	----	5 UNCH
1550	----	----	----	----/2.30A	----	0.10 UNCH	.0005	----	----	----	----	14 UNCH
1600	----	----	----	----/2.20A	----	0.10 UNCH	.0001	----	----	----	----	5 UNCH
1750	----	----	----	----/2.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
TOTAL												277 0
DEC26												
1125	----	----	69.20B/66.50A	69.20B/66.50A	----	63.40 - 3.80	.5860	----	----	----	----	1 UNCH
1250	----	----	----	22.80B/25.10A	----	22.60 - 1.30	.2655	----	----	----	----	200 UNCH
1300	----	----	----	14.70B/18.20A	----	15.40 - 0.70	.1885	----	----	----	----	6 UNCH
1315	----	----	----	12.90B/16.60A	----	13.90 - 0.60	.1710	----	----	----	----	90 UNCH
1385	----	----	----	7.20B/11.20A	----	8.60 - 0.40	.1084	----	----	----	----	13 UNCH
1400	----	----	----	6.30B/10.40A	----	7.80 - 0.30	.0987	----	----	----	----	5 UNCH
1425	----	----	----	5.00B/9.20A	----	6.60 - 0.10	.0841	----	----	----	----	39 UNCH
1440	----	----	----	4.30B/8.60A	----	6.00 UNCH	.0766	----	----	----	----	16 UNCH
1450	----	----	----	3.90B/8.20A	----	5.60 + 0.10	.0717	----	----	----	----	65 UNCH
1500	----	----	----	2.30B/6.60A	----	4.00 + 0.40	.0520	----	----	----	----	35 UNCH
1550	----	----	----	1.10B/5.50A	----	2.50 + 0.30	.0340	----	----	----	----	70 UNCH
1585	----	----	----	0.60B/5.00A	----	2.00 + 0.20	.0273	----	----	----	----	3 UNCH
1600	----	----	----	0.40B/4.80A	----	1.80 + 0.20	.0247	----	----	----	----	95 UNCH
1650	----	----	----	----/4.30A	----	1.40 + 0.20	.0190	----	----	----	----	64 UNCH
1700	----	----	----	----/4.00A	----	1.10 + 0.20	.0148	----	----	----	----	10 UNCH
1775	----	----	----	----/3.50A	----	0.80 + 0.10	.0106	----	----	----	----	100 UNCH
1800	----	----	----	----/3.40A	----	0.70 + 0.10	.0093	----	----	----	----	55 UNCH
1925	----	----	----	----/3.00A	----	0.50 + 0.10	.0063	----	----	----	----	46 UNCH
1995	----	----	----	----/2.90A	----	0.40 UNCH	.0049	----	----	----	----	6 UNCH
2000	----	----	----	----/2.90A	----	0.40 UNCH	.0049	----	----	----	----	1 UNCH
3000	----	----	----	----/2.30A	----	0.20 UNCH	.0017	----	----	----	----	1 UNCH
TOTAL												921 0
MAR27												
1250	----	----	----	65.00B/67.00A	----	64.30 - 1.10	.4044	----	----	----	----	5 UNCH
1350	----	----	----	40.30B/46.50A	----	42.00 - 0.70	.2865	----	----	----	----	80 UNCH
1400	----	----	----	32.30B/39.20A	----	34.40 - 0.60	.2413	----	----	----	----	10 UNCH
1500	----	----	----	21.40B/28.80A	----	24.00 - 0.40	.1742	----	----	----	----	100 UNCH
1600	----	----	----	14.50B/22.00A	----	17.50 - 0.30	.1293	----	----	----	----	10 UNCH
TOTAL												205 0
JUN27												
1250	----	----	----	----	----	104.80 - 3.10	.4712	----	----	----	----	25 UNCH
1375	----	----	----	----	----	67.70 - 2.50	.3444	----	----	----	----	50 UNCH
TOTAL												75 0
PAO PUT		NYMEX PALLADIUM OPTIONS										
NOV26												
1200	----	----	63.00B/58.10A	63.00B/58.10A	----	65.30 + 2.50	.7596	----	----	----	----	24 UNCH
1225	----	----	85.00B/78.00A	85.00B/78.00A	----	86.60 + 2.90	.8350	----	----	----	----	11 UNCH
1250	----	----	107.90B/99.90A	107.90B/99.90A	----	109.30 + 3.10	.8860	----	----	----	----	108 UNCH
1275	----	----	131.50B/122.60A	131.50B/122.60A	----	132.60 + 3.30	.9231	----	----	----	----	16 UNCH
1300	----	----	155.50B/145.80A	155.50B/145.80A	----	156.50 + 3.60	.9477	----	----	----	----	11 UNCH
1350	----	----	204.50B/193.70A	204.50B/193.70A	----	205.20 + 3.90	.9748	----	----	----	----	4 UNCH
TOTAL												174 0
DEC26												
1050	----	----	----	12.30B/15.90A	----	15.20 + 0.60	.1984	----	----	----	----	9 UNCH
1110	----	----	----/34.80A	33.00B/34.80A	----	35.70 + 0.60	.3681	----	----	----	----	10 UNCH
1150	----	----	----/53.70A	53.20B/53.70A	----	55.90 + 1.10	.4894	----	----	----	----	15 UNCH
1200	----	----	----/83.20A	85.30B/83.20A	----	88.10 + 2.20	.6265	----	----	----	----	3 UNCH
1250	----	----	124.00B/119.00A	124.00B/119.00A	----	126.50 + 3.40	.7343	----	----	----	----	5 UNCH
1300	----	----	167.30B/160.40A	167.30B/160.40A	----	169.20 + 4.00	.8113	----	----	----	----	100 UNCH
1315	----	----	----	----	----	182.60 + 4.10	.8288	----	----	----	----	90 UNCH
1380	----	----	----	----	----	242.50 + 4.30	.8878	----	----	----	----	1 UNCH
1400	----	----	260.00B/251.20A	260.00B/251.20A	----	261.30 + 4.40	.9012	----	----	----	----	150 UNCH
1500	----	----	356.50B/346.40A	356.50B/346.40A	----	357.30 + 5.00	.9479	----	----	----	----	40 UNCH
TOTAL												423 0
MAR27												
1100	----	----	----	58.50B/64.80A	----	63.90 + 2.10	.3572	----	----	----	----	5 UNCH
1145	----	----	----	81.20B/86.80A	----	86.80 + 2.70	.4336	----	----	----	----	8 UNCH
1150	----	----	----	83.90B/89.40A	----	89.50 + 2.70	.4420	----	----	----	----	8 UNCH
1160	----	----	----	89.60B/94.90A	----	95.20 + 2.90	.4586	----	----	----	----	13 UNCH
1200	----	----	----	113.90B/118.30A	----	119.40 + 3.20	.5224	----	----	----	----	10 UNCH
1350	----	----	----/224.90A	225.20B/224.90A	----	229.80 + 4.00	.7131	----	----	----	----	75 UNCH
TOTAL												119 0
JUN27												
1250	----	----	----	----	----	178.90 + 1.60	.5282	----	----	----	----	25 UNCH
TOTAL												25 0
PAW OOF		PALLADIUM WEEKLY FRIDAY OPTION Week										
OCT26												
1175	----	----	----/14.00A	12.90B/14.00A	----	11.60 - 3.70	.2963	----	----	----	----	3 UNCH
TOTAL												3 0
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week3										
OCT26												
1650	----	----	----/14.50A	10.70B/14.50A	----	12.90 - 3.10	.2505	----	----	----	----	5 UNCH
1725	----	----	----/20.20A	20.40B/20.20A	----	17.10 - 4.20	.3284	----	----	----	----	39 UNCH
1725	----	----	----/43.10A	47.70B/43.10A	----	48.60 - 4.30	.6715	----	----	----	----	26 UNCH
1740	----	----	----	----	----	46.70 UNCH	----	----	----	----	----	0 UNCH
1750	----	----	15.00B/14.10A	15.00B/14.10A	----	10.40 - 3.80	.2119	----	----	----	----	12 UNCH
TOTAL												82 0
PO CALL		PLATINUM OPTIONS										
NOV26												
1600	----	----	116.50B/101.30A	116.50B/101.30A	----	101.90 - 1.60	.8531	----	----	----	----	7 UNCH
1650	----	----	76.20B/65.00A	76.20B/65.00A	----	64.00 - 2.50	.6922	----	----	----	----	144 UNCH
1675	----	----	58.90B/50.90A	58.90B/50.90A	----	48.60 - 3.50	.5903	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

PG64 BULLETIN #196@ — METALS OPTION PRODUCTS — Mon, Oct 12, 2026 PG64

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO CALL		PLATINUM OPTIONS										
NOV26												
1700	----	----	44.20B/38.90A	44.20B/38.90A	----	35.80 - 4.50	.4829	----	----	----	----	101 UNCH
1725	----	----	32.30B/29.20A	32.30B/29.20A	----	25.70 - 4.60	.3789	----	----	----	----	4 UNCH
1750	20.00	20.00	20.00/20.00	21.00B/20.00	----	18.20 - 3.90	.2872	----	----	5	----	50 + 5
1775	----	----	16.50B/----	16.50B/16.20A	----	12.90 - 3.10	.2128	----	----	----	----	20 UNCH
1800	12.00	12.00	12.50/8.00	12.50/8.00	----	9.30 - 2.50	.1568	----	----	28	----	205 + 13
1825	----	----	----	5.20B/10.20A	----	6.90 - 2.00	.1166	----	----	----	----	66 UNCH
1850	----	----	----	3.00B/8.20A	----	5.00 - 1.70	.0850	----	----	----	----	149 UNCH
1875	----	----	----	1.40B/6.90A	----	3.60 - 1.40	.0614	----	----	----	----	88 UNCH
1900	----	----	----	0.30B/5.90A	----	2.60 - 1.20	.0442	----	----	----	----	239 UNCH
1925	----	----	----	----/5.20A	----	1.80 - 1.10	.0307	----	----	----	----	68 UNCH
1950	----	----	----	----/4.70A	----	1.30 - 0.90	.0219	----	----	----	----	119 UNCH
2000	----	----	----	----/4.00A	----	0.70 - 0.50	.0115	----	----	----	----	200 UNCH
2050	----	----	----	----/3.50A	----	0.40 - 0.30	.0063	----	----	----	----	10 UNCH
2100	----	----	----	----/3.20A	----	0.20 - 0.20	.0030	----	----	----	----	54 UNCH
2200	----	----	----	----/2.90A	----	0.10 UNCH	.0003	----	----	----	----	210 UNCH
2250	----	----	----	----/2.80A	----	0.10 UNCH	.0001	----	----	----	----	40 UNCH
2500	----	----	----	----/2.60A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
TOTAL										33		1797 + 18
DEC26												
1700	----	----	79.30B/----	79.30B/74.70A	----	71.70 - 2.80	.5077	----	----	----	----	2 UNCH
1750	----	----	57.70B/----	57.70B/55.80A	----	52.30 - 2.70	.4051	----	----	----	----	6 UNCH
1825	----	----	34.40B/----	34.40B/35.90A	----	32.40 - 1.90	.2771	----	----	----	----	8 UNCH
1850	----	----	----	28.60B/31.20A	----	27.70 - 1.70	.2428	----	----	----	----	18 UNCH
1875	----	----	----	24.00B/27.30A	----	23.80 - 1.60	.2127	----	----	----	----	18 UNCH
1900	----	----	----	20.00B/23.90A	----	20.60 - 1.30	.1868	----	----	----	----	119 UNCH
1925	----	----	----	16.30B/21.10A	----	17.80 - 1.20	.1637	----	----	----	----	20 UNCH
1950	----	----	----	13.60B/18.60A	----	15.40 - 1.10	.1434	----	----	----	----	65 UNCH
1975	----	----	----	11.30B/16.50A	----	13.30 - 1.00	.1254	----	----	----	----	9 UNCH
2000	----	----	----	9.40B/14.70A	----	11.50 - 0.90	.1097	----	----	----	----	122 UNCH
2200	----	----	----	1.40B/7.20A	----	5.40 - 0.60	.0496	----	----	----	----	102 UNCH
2250	----	----	----	0.60B/6.40A	----	4.20 - 0.50	.0390	----	----	----	----	51 UNCH
2500	----	----	----	----/4.40A	----	1.30 - 0.30	.0125	----	----	----	----	50 UNCH
TOTAL												590 0
JAN27												
1650	----	----	127.90B/----	127.90B/123.30A	----	121.40 - 0.80	.5989	----	----	----	----	1 UNCH
1700	----	----	102.20B/----	102.20B/100.40A	----	97.70 - 0.80	.5191	----	----	----	----	17 UNCH
1745	----	----	83.00B/----	83.00B/83.20A	----	80.20 - 1.00	.4506	----	----	----	----	2 UNCH
1800	----	----	----	64.00B/66.30A	----	63.00 - 1.30	.3747	----	----	----	----	11 UNCH
1850	----	----	----	50.70B/53.90A	----	50.60 - 1.50	.3144	----	----	----	----	40 UNCH
1900	----	----	----	40.00B/44.30A	----	40.80 - 1.40	.2627	----	----	----	----	616 UNCH
1950	----	----	----	31.50B/36.60A	----	33.00 - 1.20	.2190	----	----	----	----	886 UNCH
2000	----	----	----	24.90B/30.40A	----	26.80 - 1.00	.1825	----	----	----	----	838 UNCH
2050	----	----	----	19.70B/25.40A	----	21.80 - 0.90	.1518	----	----	----	----	250 UNCH
2100	----	----	----	15.50B/21.40A	----	17.80 - 0.80	.1264	----	----	----	----	81 UNCH
2150	----	----	----	12.10B/18.10A	----	14.70 - 0.60	.1059	----	----	----	----	461 UNCH
2200	----	----	----	9.40B/15.60A	----	12.10 - 0.50	.0885	----	----	----	----	214 UNCH
2300	----	----	----	5.60B/11.90A	----	8.50 - 0.30	.0633	----	----	----	----	108 UNCH
2350	----	----	----	4.20B/10.60A	----	7.20 - 0.30	.0539	----	----	----	----	693 UNCH
2360	----	----	----	4.00B/10.40A	----	7.00 - 0.20	.0524	----	----	----	----	100 UNCH
2400	----	----	----	3.20B/9.60A	----	6.20 - 0.20	.0465	----	----	----	----	57 UNCH
2500	----	----	----	1.70B/8.10A	----	4.80 - 0.10	.0358	----	----	----	----	439 UNCH
2600	----	----	----	0.70B/7.10A	----	3.70 - 0.10	.0275	----	----	----	----	100 UNCH
2650	----	----	----	0.30B/6.70A	----	3.20 - 0.20	.0239	----	----	----	----	100 UNCH
3000	----	----	----	----/5.00A	----	1.00 UNCH	.0078	----	----	----	----	1 UNCH
TOTAL												5015 0
APR27												
1700	----	----	159.40B/----	159.40B/159.80A	----	157.00 - 0.20	.5589	----	----	----	----	100 UNCH
1750	----	----	137.40B/----	137.40B/139.40A	----	136.20 - 0.20	.5071	----	----	----	----	12 UNCH
1775	----	----	127.60B/----	127.60B/130.20A	----	126.80 - 0.20	.4821	----	----	----	----	100 UNCH
1790	----	----	121.90B/----	121.90B/124.90A	----	121.50 - 0.20	.4675	----	----	----	----	12 UNCH
1800	----	----	118.30B/----	118.30B/121.40A	----	118.10 - 0.10	.4579	----	----	----	----	547 UNCH
1900	----	----	----	87.10B/92.40A	----	88.70 - 0.10	.3690	----	----	----	----	639 UNCH
2000	----	----	----	64.50B/70.90A	----	66.80 - 0.60	.2944	----	----	----	----	30 UNCH
2100	----	----	----	48.20B/55.90A	----	51.10 - 0.90	.2350	----	----	----	----	30 UNCH
2200	----	----	----	37.00B/45.10A	----	40.30 - 0.80	.1900	----	----	----	----	30 UNCH
2300	----	----	----	28.70B/37.00A	----	32.30 - 0.60	.1551	----	----	----	----	20 UNCH
2400	----	----	----	22.30B/30.70A	----	26.10 - 0.50	.1272	----	----	----	----	20 UNCH
2600	----	----	----	13.50B/21.80A	----	17.30 - 0.40	.0867	----	----	----	----	50 UNCH
2700	----	----	----	10.40B/18.80A	----	14.20 - 0.30	.0720	----	----	----	----	50 UNCH
TOTAL												1640 0
JUL27												
1930	----	----	----	----	----	138.40 - 1.10	.4221	----	----	----	----	110 UNCH
TOTAL												110 0
JUL28												
1900	----	----	----	----	----	287.80 - 0.60	.5424	----	----	----	----	250 UNCH
TOTAL												250 0
PO PUT		PLATINUM OPTIONS										
NOV26												
1300	----	----	----	----/2.60A	----	0.10 UNCH	.0000	----	----	----	----	20 UNCH
1400	----	----	----	----/2.80A	----	0.10 UNCH	.0017	----	----	----	----	40 UNCH
1475	----	----	----	----/3.50A	----	0.30 - 0.30	.0062	----	----	----	----	125 UNCH
1525	----	----	----	----/4.50A	----	1.50 - 0.60	.0296	----	----	----	----	8 UNCH
1550	----	----	----	----/5.70A	----	2.90 - 1.00	.0551	----	----	----	----	1 UNCH
1575	----	----	----	2.00B/7.70A	----	5.20 - 1.50	.0940	----	----	----	----	5 UNCH
1600	----	----	----	5.50B/10.90A	----	8.50 - 1.80	.1468	----	----	----	----	221 UNCH
1625	----	----	----/15.10A	11.40B/15.10A	----	13.50 - 2.10	.2185	----	----	----	----	26 UNCH
1650	----	----	----/19.70A	18.90B/19.70A	----	20.60 - 2.60	.3076	----	----	----	----	92 UNCH
1675	----	----	----/30.80A	28.50B/30.80A	----	30.10 - 3.80	.4096	----	----	----	----	85 UNCH
1700	----	----	----/40.30A	41.50B/40.30A	----	42.30 - 4.70	.5170	----	----	----	----	300 UNCH
1725	----	----	----/53.20A	57.10B/53.20A	----	57.20 - 4.70	.6210	----	----	----	----	87 UNCH
1750	----	----	----/68.00A	75.20B/68.00A	----	74.60 - 4.10	.7127	----	----	----	----	123 UNCH
1775	----	----	----/85.40A	95.40B/85.40A	----	94.30 - 3.30	.7871	----	----	----	----	79 UNCH
1800	----	----	----/104.60A	117.10B/104.60A	----	115.70 - 2.70	.8431	----	----	----	----	23 UNCH
1825	----	----	----/126.30A	139.80B/126.30A	----	138.30 - 2.20	.8833	----	----	----	----	15 UNCH
1850	----	----	----/148.20A	163.20B/148.20A	----	161.40 - 1.80	.9149	----	----	----	----	100 UNCH
TOTAL												1350 0
DEC26												
1250	----	----	----	----/3.50A	----	0.30 - 0.10	.0041	----	----	----	----	20 UNCH
1550	----	----	----	18.50B/23.50A	----	21.00 - 1.40	.1912	----	----	----	----	5 UNCH
1600	----	----	----/35.70A	32.20B/35.70A	----	34.20 - 1.70	.2800	----	----	----	----	31 UNCH
1625	----	----	----/43.40A	41.10B/43.40A	----	42.90 - 1.90	.3306	----	----	----	----	28 UNCH
1650	----	----	----/52.90A	51.50B/52.90A	----	53.20 - 2.20	.3839	----	----	----	----	55 UNCH
1675	----	----	----/63.40A	63.50B/63.40A	----	64.90 - 2.70	.4381	----	----	----	----	27 UNCH
1750	----	----	----/103.60A	108.30B/103.60A	----	108.70 - 2.80	.5947	----	----	----	----	20 UNCH
TOTAL												186 0
JAN27												
1400	----	----	----	7.40B/13.80A	----	10.80 - 0.60	.0860	----	----	----	----	100 UNCH
1450	----	----	----	14.00B/20.20A	----	17.40 - 0.80	.1285	----	----	----	----	200 UNCH
1500	----	----	----	23.40B/29.40A	----	26.80 - 1.00	.1825	----	----	----	----	225 UNCH
1550	----	----	----	36.20B/41.50A	----	39.60 - 1.20	.2474	----	----	----	----	200 UNCH
1575	----	----	----	44.30B/49.00A	----	47.50 - 1.30	.2835	----	----	----	----	20 UNCH
1600	----	----	----/57.70A	53.30B/57.70A	----	56.60 - 1.20	.3216	----	----	----	----	10 UNCH
1650	----	----	----/78.30A	75.10B/78.30A	----	78.10 - 1.00	.4008	----	----	----	----	45 UNCH
1700	----	----	----/102.80A	101.70B/102.80A	----	104.20 - 1.00	.4807	----	----	----	----	71 UNCH
1750	----	----	----/131.60A	132.60B/131.60A	----	134.60 - 1.20	.5565	----	----	----	----	120 UNCH
1800	----	----	----/163.90A	167.50B/163.90A	----	168.90 - 1.50	.6250	----	----	----	----	5 UNCH
1900	----	----	----/237.70A	245.80B/237.70A	----	246.20 - 1.50	.7370	----	----	----	----	100 UNCH
2000	----	----	----/320.90A	332.00B/320.90A	----	331.70 - 1.20	.8173	----	----	----	----	200 UNCH
TOTAL												1296 0
APR27												
1400	----	----	----	27.80B/36.20A	----	32.40 - 0.60	.1496	----	----	----	----	30 UNCH
1500	----	----	----	52.40B/60.20A	----	57.50 - 0.20	.2344	----	----	----	----	40 UNCH
1600	----	----	----	88.60B/95.10A	----	94.20 UNCH	.3348	----	----	----	----	10 UNCH
1750	----	----	----/169.60A	166.10B/169.60A	----	171.20 - 0.20	.4924	----	----	----	----	21 UNCH
1790	----	----	----/193.50A	191.00B/193.50A	----	195.90 - 0.30	.5320	----	----	----	----	27 UNCH
TOTAL												128 0
JUL27												
1930	----	----	----	----	----	328.70 - 1.30	.5772	----	----	----	----	110 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO PUT	PLATINUM OPTIONS										
TOTAL										110	0

OPTIONS EOO'S AND BLOCKS

PRODUCT		STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL	COMEX GOLD OPTIONS			
NOV26	CALL			
OG		4450	0	266
TOTALS			0	266
MAR27	CALL			
OG		4700	0	100
TOTALS			0	100
OG PUT	COMEX GOLD OPTIONS			
NOV26	PUT			
OG		4050	0	100
OG		4100	0	133
OG		4150	0	60
TOTALS			0	293
MAR27	PUT			
OG		3600	0	200
TOTALS			0	200
HX CALL	COMEX COPPER OPTIONS			
NOV26	CALL			
HX		700	0	200
HX		720	0	200
TOTALS			0	400
DEC26	CALL			
HX		600	0	123
HX		650	0	123
HX		720	0	220
HX		750	0	80
HX		770	0	1000
TOTALS			0	1546
JAN27	CALL			
HX		750	0	40
TOTALS			0	40
HX PUT	COMEX COPPER OPTIONS			
DEC26	PUT			
HX		640	0	220
TOTALS			0	220
MAR27	PUT			
HX		620	0	128
TOTALS			0	128
OG3 PUT	GOLD OPTIONS			
OCT26	PUT			
OG3		4150	0	120
TOTALS			0	120
OG3 CALL	GOLD OPTIONS			
OCT26	CALL			
OG3		4250	0	20
OG3		4300	0	20
OG3		4350	0	40
TOTALS			0	80
SO3 CALL	SILVER OPTIONS			
OCT26	CALL			
SO3		6200	0	40
TOTALS			0	40
HRO OPT	U.S. MIDWEST DOMESTIC HOT-ROLLED CO			
APR27	PUT			
HRO		112500	0	100
HRO		120000	0	50
TOTALS			0	150
MAY27	PUT			
HRO		112500	0	100
HRO		120000	0	50
TOTALS			0	150
JUN27	PUT			
HRO		112500	0	100
HRO		120000	0	50
TOTALS			0	150
GWW WED	GOLD WEEKLY WEDNESDAY OPTION WEEK2			
OCT26	PUT			
G2W		4050	0	100
TOTALS			0	100
GWT TUE	GOLD WEEKLY TUESDAY OPTION Week2			
OCT26	PUT			
G2T		4150	0	30
TOTALS			0	30
GWT TUE	GOLD WEEKLY TUESDAY OPTION Week2			
OCT26	CALL			
G2T		4235	0	30
TOTALS			0	30
TWS TUE	SILVER WEEKLY TUESDAY OPTION Week2			
OCT26	CALL			
S2T		6100	0	20
TOTALS			0	20

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.