METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	OCT26	OCT26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27	MAY27	JUN27	JUL27	AUG27	SEP27
COO OPT	10/30			11/30	12/31	01/29	02/26	03/31				07/30	08/31	09/30
ECG10 OP		10/12	10/13											
ECG11 OP		10/12	10/13											
ECG13 OP		10/12	10/13											
ECG15 OP		10/12	10/13											
ECG16 OP		10/12	10/13											
ECGC OOF		10/12	10/13											
ECHG OOF		10/12	10/13											
ECSI OOF		10/12	10/13											
EHO OPT	10/30			11/30	12/31	01/29	02/26	03/31						
FMG OPT	10/16													
GMW MON	10/26			11/09										
GWR THU	10/29			11/05										
GWT TUE	10/20			11/10										
GWW WED	10/28			11/04										
HMW MON	10/26			11/02										
HRO OPT	10/27			11/24	12/29	01/26	02/23	03/30	04/27	05/25	06/29	07/27	08/24	09/28
HWR THU	10/29													
HWT TUE	10/20			11/10										
HWW WED	10/28			11/04	12/02	01/06								
HX CALL				10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25			
HX PUT				10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25			
HXE CALL	10/30													
HXE PUT	10/30													
LHO OPT	10/30			11/30	12/31	01/29	02/26	03/31						
MMG MON	10/19													
OG CALL				10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27	08/26
OG PUT				10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27	08/26
OG1 CALL				11/06										
OG1 PUT				11/06										
OG3 CALL	10/16													
OG3 PUT	10/16													
OG4 CALL	10/23													
OG4 PUT	10/23													
OG5 CALL	10/30													
OG5 PUT	10/30													
OMG OPT				10/27	11/24	12/28								
PAO CALL				10/21	11/18			02/17			05/19			
PAO PUT				10/21	11/18			02/17			05/19			
PAW OOF	10/16													
PLW OOF	10/16													
PO CALL				10/21	11/18	12/16			03/17			06/16		
PO PUT				10/21	11/18	12/16			03/17			06/16		
RWS THU	10/29			11/05										
SMW MON	10/26			11/02										
SO CALL				10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27	08/26
SO PUT				10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24		08/26
SO1 CALL				11/06										
SO1 PUT				11/06										
SO3 CALL	10/16													
SO3 PUT	10/16													
SO4 CALL	10/23													
SO4 PUT	10/23													
SO5 CALL	10/30													
SO5 PUT	10/30													
SWW WED	10/28			11/04										
TWS TUE	10/20			11/10										
WMG WED	10/14													

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED		MICRO GOLD WEEKLY WED OPTION WEEK2										
OCT26												
4235	20.00	20.00	20.00/10.20A	20.00/10.20A	----	4.70 NEW	.0777	----	----	1	----	1 + 1
4240	12.20	12.20	12.20/12.20	12.20/12.20	----	4.00 NEW	.0618	----	----	1	----	1 + 1
TOTAL										2		2+ 2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
NOV26												
3650	----	----	----	----/15.00A	----	0.60 - 0.20	----	----	----	----	----	2 UNCH
3900	----	----	----	----/1314.90A	----	2.90 - 1.10	----	----	----	----	----	1 UNCH
4000	----	----	----	----/1318.70A	----	8.40 - 1.80	----	----	----	----	----	2 UNCH
4000	----	----	----	----	----	185.40 - 15.20	----	----	----	----	----	1 UNCH
4005	----	----	----	----	----	180.90 - 15.20	----	----	----	----	----	1 UNCH
4025	----	----	----	----/1320.80A	----	11.20 - 1.90	----	----	----	----	----	1 UNCH
4185	----	----	----	----/2017.20A	----	60.40 + 0.80	----	----	----	----	----	1 UNCH
4275	----	----	----	----/1333.90A	----	22.00 - 8.20	----	----	----	----	----	4 UNCH
4300	----	----	----	----/916.90A	----	16.90 - 7.00	----	----	----	----	----	1 UNCH
4300	----	----	----	----	----	139.40 + 6.30	----	----	----	----	----	1 UNCH
4400	----	----	----	----/20.00A	----	5.70 - 3.20	----	----	----	----	----	2 UNCH
5810	----	----	----	----/1297.70A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5850	----	----	----	----/1297.50A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
5900	----	----	----	----/1298.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
6500	----	----	----	----/1298.10A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
TOTAL												31 0
DEC26												
3800	12.00	12.00	12.00/12.00	12.00/12.00	----	13.00 NEW	----	----	----	1	----	1 + 1
3850	16.00	16.00	16.00/16.00	16.00/16.00	----	17.50 NEW	----	----	----	1	----	1 + 1
3900	----	----	----	----	----	23.50 - 2.60	----	----	----	----	----	0 UNCH
3990	----	----	----	----	----	40.00 - 3.00	----	----	----	----	----	2 UNCH
4000	----	----	----	----	----	42.40 - 3.00	----	----	----	----	----	2 UNCH
4500	----	----	----	----	----	344.30 + 7.50	----	----	----	----	----	3 UNCH
4650	----	----	----	----	----	11.20 - 3.10	----	----	----	----	----	1 UNCH
4700	----	----	----	----	----	9.10 - 2.50	----	----	----	----	----	10 UNCH
4800	----	----	----	----	----	6.40 - 1.50	----	----	----	----	----	1 UNCH
TOTAL										2		21+ 2
JAN27												
4010	----	----	----	----	----	268.30 - 16.70	----	----	----	----	----	1 UNCH
4600	----	----	----	----	----	425.10 + 5.60	----	----	----	----	----	3 UNCH
TOTAL												4 0
OCT27												
4410	----	----	----	----	----	337.50 - 7.00	----	----	----	----	----	1 UNCH
TOTAL												1 0
FEB28												
4325	----	----	----	----	----	494.40 - 7.50	----	----	----	----	----	1 UNCH
4600	----	----	----	----	----	372.70 - 6.30	----	----	----	----	----	1 UNCH
TOTAL												2 0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG5 PUT	GOLD OPTIONS										
OCT26											
3400 ----	----	----	0.20B/0.40A	----	0.20 - 0.20	.0016	----	----	----	----	1 UNCH
3500 ----	----	----	0.40B/0.60A	----	0.40 - 0.20	.0035	----	----	----	----	10 UNCH
3600 ----	----	----/1.00A	0.80B/1.00A	----	0.80 - 0.30	.0073	----	----	2	----	4 + 2
3700 ----	----	----/1.60A	1.70B/1.60A	----	1.40 - 0.50	.0137	----	----	----	----	20 UNCH
3775 ----	----	----/2.30A	2.70B/2.30A	----	2.30 - 0.70	.0234	----	----	----	----	1 UNCH
3800 ----	----	----/2.40A	3.30B/2.40A	----	2.70 - 0.80	.0279	----	----	----	----	42 UNCH
3825 ----	----	----/2.90A	3.90B/2.90A	----	3.20 - 1.00	.0335	----	----	----	----	2 UNCH
3850 ----	----	----/3.40A	4.70B/3.40A	----	3.90 - 1.10	.0410	----	----	1	----	5 UNCH
3875 ----	----	----/4.00A	5.80B/4.00A	----	4.80 - 1.20	.0506	----	----	1	----	22 + 1
3900 ----	----	----/4.90A	7.20B/4.90A	----	5.90 - 1.40	.0622	----	----	----	----	9 UNCH
3950 ----	----	11.20B/7.40A	11.20B/7.40A	----	9.30 - 1.70	.0960	----	----	1	----	13 + 1
3975 ----	----	13.80B/9.20A	13.80B/9.20A	----	11.70 - 1.80	.1189	----	----	----	----	1 UNCH
4000 14.60	14.60	17.50B/11.50A	17.50B/11.50A	----	14.90 - 1.70	.1474	----	----	4	----	14 + 4
4025 17.30	17.30	21.80B/14.50A	21.80B/14.50A	----	18.80 - 1.70	.1808	----	----	3	----	43 UNCH
4050 ----	----	27.20B/18.20A	27.20B/18.20A	----	23.70 - 1.60	.2201	----	----	----	----	26 UNCH
4075 32.80	32.80	33.40B/22.90A	33.40B/22.90A	----	29.80 - 1.40	.2653	----	----	1	----	22 + 1
4100 32.00	32.00	41.30B/28.70A	41.30B/28.70A	----	37.10 - 1.10	.3153	----	----	15	----	26 + 12
4125 41.50	41.50	50.40B/35.70A	50.40B/35.70A	----	45.90 - 0.60	.3698	----	----	10	----	25 + 10
4150 45.80	45.80	61.20B/44.10A	61.20B/44.10A	----	56.20 UNCH	.4273	----	----	6	----	2 + 1
4175 ----	----	72.70B/53.80A	72.70B/53.80A	----	68.00 + 0.70	.4863	----	----	----	----	2 UNCH
4200 64.60	64.60	86.00B/64.60	86.00B/64.60	----	81.30 + 1.30	.5451	----	----	1	----	14 UNCH
4225 83.20	83.20	100.50B/76.80A	100.50B/76.80A	----	96.20 + 2.20	.6023	----	----	2	----	1 UNCH
4250 ----	----	116.50B/90.60A	116.50B/90.60A	----	112.50 + 3.10	.6565	----	----	----	----	2 UNCH
4300 ----	----	153.70B/123.10A	153.70B/123.10A	----	149.00 + 5.20	.7517	----	----	----	----	1 UNCH
4350 ----	----	194.90B/158.60A	194.90B/158.60A	----	189.70 + 7.10	.8268	----	----	----	----	1 UNCH
4600 ----	----	428.70B/385.80A	428.70B/385.80A	----	424.80 NEW	.9719	----	----	2	----	2 + 2
TOTAL									49		311 + 34

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG5 CALL	GOLD OPTIONS										
OCT26											
4100 117.60	117.60	150.90B/110.40A	150.90B/110.40A	----	114.30 - 14.30	.6842	----	----	2	----	3 + 2
4125 ----	----	132.50B/94.60A	132.50B/94.60A	----	98.10 - 13.90	.6296	----	----	----	----	2 UNCH
4150 ----	----	115.30B/80.00A	115.30B/80.00A	----	83.40 - 13.30	.5722	----	----	----	----	2 UNCH
4175 ----	----	99.30B/67.30A	99.30B/67.30A	----	70.30 - 12.60	.5132	----	----	----	----	6 UNCH
4200 72.10	72.10	86.20B/56.20	86.20B/56.20	----	58.70 - 11.90	.4544	----	----	17	----	38 + 14
4225 63.90	63.90	73.30B/46.10	73.30B/46.10	----	48.60 - 11.10	.3972	----	----	13	----	11 + 7
4250 53.90	53.90	62.10B/38.20A	62.10B/38.20A	----	39.90 - 10.20	.3430	----	----	13	----	46 + 4
4275 44.70	44.70	52.10B/31.20A	52.10B/31.20A	----	32.60 - 9.10	.2930	----	----	21	----	17 + 16
4300 ----	----	43.40B/25.40A	43.40B/25.40A	----	26.50 - 8.00	.2478	----	----	----	----	21 UNCH
4325 ----	----	35.80B/20.60A	35.80B/20.60A	----	21.50 - 7.00	.2079	----	----	----	----	10 UNCH
4350 29.00	29.00	29.50B/16.60A	29.50B/16.60A	----	17.30 - 6.10	.1728	----	----	10	----	32 + 4
4375 18.70	18.70	24.20B/13.40A	24.20B/13.40A	----	13.90 - 5.30	.1427	----	----	3	----	11 - 1
4400 15.20	15.20	19.60B/10.80A	19.60B/10.80A	----	11.20 - 4.60	.1175	----	----	11	----	56 + 11
4425 ----	----	15.90B/8.70A	15.90B/8.70A	----	9.10 - 3.90	.0969	----	----	----	----	10 UNCH
4450 12.00	12.00	12.90B/7.10A	12.90B/7.10A	----	7.40 - 3.30	.0798	----	----	60	----	63 + 59
4475 7.30	7.30	10.40B/5.90A	10.40B/5.90A	----	6.10 - 2.80	.0662	----	----	15	----	0 - 15
4500 8.00	8.00	8.70B/4.80A	8.70B/4.80A	----	5.00 - 2.40	.0546	----	----	44	----	45 + 41
4525 ----	----	7.10B/4.00A	7.10B/4.00A	----	4.20 - 2.00	.0458	----	----	----	----	26 UNCH
4550 ----	----	5.80B/3.40A	5.80B/3.40A	----	3.50 - 1.70	.0382	----	----	----	----	2 UNCH
4625 ----	----	----/2.30A	3.20B/2.30A	----	2.20 - 1.10	.0235	----	----	----	----	7 UNCH
4700 ----	----	----/1.60A	1.90B/1.60A	----	1.50 NEW	.0155	----	----	4	----	4 + 4
4750 ----	----	----/1.30A	1.40B/1.30A	----	1.30 - 0.50	.0129	----	----	----	----	4 UNCH
4800 ----	----	----/1.10A	1.10B/1.10A	----	1.10 - 0.40	.0105	----	----	10	----	16 + 10
5250 0.40	0.40	0.40/0.30	0.40/0.30	----	0.50 - 0.10	.0036	----	----	2	----	2 UNCH
TOTAL									225		434 + 156

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 PUT	GOLD OPTIONS										
OCT26											
3400 ----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3500 ----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	10 UNCH
3600 ----	----	----	----/0.40A	----	0.10 - 0.20	.0010	----	----	----	----	16 UNCH
3700 ----	----	----/0.40A	0.40B/0.40A	----	0.30 - 0.30	.0033	----	----	----	----	5 UNCH
3750 ----	----	----/0.50A	0.60B/0.50A	----	0.50 - 0.30	.0057	----	----	----	----	10 UNCH
3800 ----	----	----/0.70A	0.90B/0.70A	----	0.70 - 0.40	.0085	----	----	----	----	1 UNCH
3825 ----	----	----/0.80A	1.20B/0.80A	----	0.90 - 0.50	.0112	----	----	----	----	1 UNCH
3850 ----	----	----/0.90A	1.50B/0.90A	----	1.10 - 0.60	.0141	----	----	----	----	4 UNCH
3875 1.30	1.30	1.30/1.10A	1.90B/1.10A	----	1.40 - 0.70	.0184	----	----	5	----	23 + 5
3900 1.40	1.40	1.40/1.40	2.50B/1.40	----	1.80 - 0.80	.0242	----	----	2	----	17 + 1
3925 ----	----	----/1.80A	3.30B/1.80A	----	2.40 - 0.90	.0327	----	----	----	----	26 UNCH
3950 ----	----	----/2.30A	4.30B/2.30A	----	3.20 - 1.10	.0440	----	----	1	----	11 + 1
3975 ----	----	5.80B/3.00A	5.80B/3.00A	----	4.30 - 1.30	.0594	----	----	----	----	14 UNCH
4000 6.20	6.20	7.80B/4.10A	7.80B/4.10A	----	5.90 - 1.50	.0811	----	----	26	----	146 + 9
4025 ----	----	10.50B/5.50A	10.50B/5.50A	----	8.10 - 1.60	.1098	----	----	----	----	25 UNCH
4050 9.20	9.20	14.30B/7.60A	14.30B/7.60A	----	11.20 - 1.70	.1481	----	----	5	----	56 + 3
4075 10.60	10.60	19.10B/10.40A	19.10B/10.40A	----	15.40 - 1.70	.1967	----	----	3	----	26 + 2
4100 15.60	15.60	25.40B/14.30A	25.40B/14.30A	----	21.10 - 1.40	.2567	----	----	82	----	367 UNCH
4125 22.20	22.20	33.20B/19.50A	33.20B/19.50A	----	28.50 - 0.80	.3267	----	----	12	----	22 + 12
4150 ----	----	42.90B/26.20A	42.90B/26.20A	----	37.80 - 0.10	.4044	----	----	1	----	45 + 1
4175 38.10	38.10	54.60B/34.80A	54.60B/34.80A	----	49.10 + 0.80	.4865	----	----	165	----	169 + 106
4200 48.10	48.10	68.20B/44.80A	68.20B/44.80A	----	62.60 + 2.00	.5688	----	----	39	----	64 + 37
4225 ----	----	83.30B/56.50A	83.30B/56.50A	----	78.10 + 3.30	.6471	----	----	----	----	6 UNCH
4250 ----	----	100.60B/70.10A	100.60B/70.10A	----	95.60 + 4.80	.7185	----	----	----	----	1 UNCH
4400 198.70	198.70	231.60B/184.70A	231.60B/184.70A	----	226.20 NEW	.9466	----	----	1	----	1 + 1
10000 ----	----	----	----	----	5822.70 NEW	----	----	----	35	----	0 UNCH
TOTAL									377		1067 + 178

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 CALL	GOLD OPTIONS										
OCT26											
4000 ----	----	228.50B/176.90A	228.50B/176.90A	----	183.00 - 14.80	.9187	----	----	----	----	5 UNCH
4100 128.00	128.00	138.80B/93.50A	138.80B/93.50A	----	98.30 - 14.70	.7430	----	----	1	----	36 UNCH
4125 ----	----	118.80B/76.50A	118.80B/76.50A	----	80.70 - 14.20	.6730	----	----	----	----	13 UNCH
4150 77.50	77.50	100.20B/61.30A	100.20B/61.30A	----	65.00 - 13.40	.5953	----	----	3	----	14 + 1
4175 ----	----	83.20B/48.20A	83.20B/48.20A	----	51.40 - 12.40	.5132	----	----	15	----	55 + 10
4200 47.20	47.20	68.20B/37.40A	68.20B/37.40A	----	39.90 - 11.30	.4308	----	----	39	----	90 + 30
4225 31.80	31.80	54.90B/28.50A	54.90B/28.50A	----	30.50 - 9.90	.3525	----	----	3	----	31 + 1
4250 37.80	37.80	43.70B/21.40A	43.70B/21.40A	----	22.90 - 8.60	.2812	----	----	2	----	4 + 1
4275 ----	----	34.20B/16.00A	34.20B/16.00A	----	17.00 - 7.30	.2195	----	----	----	----	9 UNCH
4300 16.30	16.30	26.40B/11.80A	26.40B/11.80A	----	12.60 - 5.90	.1688	----	----	52	----	32 - 9
4325 11.90	11.90	20.10B/8.70A	20.10B/8.70A	----	9.20 - 4.80	.1272	----	----	6	----	28 + 6
4350 ----	----	15.10B/6.40A	15.10B/6.40A	----	6.80 - 3.80	.0958	----	----	1	----	15 + 1
4375 8.30	8.30	11.30B/4.70A	11.30B/4.70A	----	5.00 - 3.00	.0714	----	----	9	----	28 + 7
4400 6.10	6.10	8.30B/3.60A	8.30B/3.60A	----	3.70 - 2.40	.0531	----	----	3	----	41 + 1
4425 5.60	5.60	6.20B/2.70A	6.20B/2.70A	----	2.80 - 1.90	.0401	----	----	20	----	5 + 4
4450 ----	----	4.50B/2.10A	4.50B/2.10A	----	2.10 - 1.50	.0299	----	----	----	----	79 UNCH
4475 ----	----	3.30B/1.70A	3.30B/1.70A	----	1.60 - 1.20	.0226	----	----	2	----	7 UNCH
4500 ----	----	2.50B/1.40A	2.50B/1.40A	----	1.30 - 1.00	.0179	----	----	----	----	522 UNCH
4525 ----	----	----/1.20A	1.80B/1.20A	----	1.00 - 0.80	.0136	----	----	----	----	1 UNCH
4550 ----	----	----/1.00A	1.40B/1.00A	----	0.90 - 0.60	.0118	----	----	----	----	1 UNCH
4575 1.00	1.00	1.10B/0.90A	1.10B/0.90A	----	0.70 - 0.60	.0091	----	----	1	----	28 + 1
4600 ----	----	----/0.80A	0.90B/0.80A	----	0.60 - 0.50	.0075	----	----	4	----	28 + 2
4650 ----	----	----/0.70A	0.60B/0.70A	----	0.50 - 0.30	.0059	----	----	----	----	1 UNCH
4675 ----	----	----/0.60A	0.50B/0.60A	----	0.40 - 0.30	.0046	----	----	----	----	29 UNCH
4700 ----	----	----/0.60A	0.40B/0.60A	----	0.40 - 0.30	.0044	----	----	2	----	3 + 2
4800 ----	----	----	0.40B/0.50A	----	0.30 - 0.20	.0030	----	----	----	----	172 UNCH
5000 ----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0008	----	----	----	----	70 UNCH
TOTAL									163		1347 + 58

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 PUT	GOLD OPTIONS										

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 PUT		GOLD OPTIONS										
OCT26												
3500	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3600	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
3700	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
3750	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	33 UNCH
3775	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3800	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	.0000	----	----	1	----	84 - 1
3805	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3815	----	----	----	----/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	14 UNCH
3825	----	----	----	0.10B/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	37 UNCH
3835	----	----	----	----/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	4 UNCH
3840	----	----	----	----/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	4 UNCH
3850	----	----	----	----/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	8 UNCH
3875	0.20	0.20	0.20/0.20	0.20/0.20	----	0.10 - 0.20	.0002	----	----	2	----	5 - 1
3880	----	----	----/0.20A	0.10B/0.20A	----	0.10 - 0.20	.0003	----	----	----	----	1 UNCH
3890	----	----	----/0.20A	0.20B/0.20A	----	0.10 - 0.30	.0005	----	----	----	----	1 UNCH
3900	----	----	----/0.20A	0.20B/0.20A	----	0.10 - 0.30	.0008	----	----	4	----	31 - 4
3925	----	----	----/0.20A	0.40B/0.20A	----	0.20 - 0.40	.0018	----	----	----	----	32 UNCH
3940	----	----	----/0.20A	0.50B/0.20A	----	0.30 - 0.40	.0030	----	----	----	----	21 UNCH
3945	----	----	----/0.20A	0.60B/0.20A	----	0.30 - 0.50	.0030	----	----	----	----	1 UNCH
3950	0.70	0.70	0.70/0.20A	0.70/0.20A	----	0.40 - 0.40	.0042	----	----	3	----	129 UNCH
3960	----	----	----/0.30A	0.80B/0.30A	----	0.40 - 0.50	.0044	----	----	----	----	4 UNCH
3965	----	----	----/0.30A	0.80B/0.30A	----	0.50 - 0.50	.0057	----	----	----	----	1 UNCH
3970	----	----	----/0.30A	1.00B/0.30A	----	0.50 - 0.60	.0058	----	----	----	----	11 UNCH
3975	----	----	----/0.30A	1.10B/0.30A	----	0.60 - 0.60	.0071	----	----	1	----	47 - 1
3980	----	----	----/0.40A	1.20B/0.40A	----	0.60 - 0.70	.0073	----	----	----	----	2 UNCH
3990	0.60	0.60	0.60/0.40A	1.50B/0.40A	----	0.80 - 0.70	.0102	----	----	5	----	9 + 1
3995	----	----	----/0.40A	1.60B/0.40A	----	0.90 - 0.80	.0117	----	----	----	----	11 UNCH
4000	1.40	1.40	1.90/0.50	1.90/0.50	----	0.90 - 0.90	.0121	----	----	87	----	297 - 6
4005	----	----	----/0.50A	2.00B/0.50A	----	1.00 - 1.00	.0137	----	----	----	----	28 UNCH
4010	0.90	0.90	0.90/0.60A	2.20B/0.60A	----	1.10 - 1.10	.0154	----	----	1	----	36 + 1
4015	----	----	----/0.60A	2.40B/0.60A	----	1.30 - 1.10	.0185	----	----	----	----	148 UNCH
4020	----	----	----/0.70A	2.60B/0.70A	----	1.40 - 1.20	.0204	----	----	----	----	4 UNCH
4025	1.10	1.10	2.90B/0.80A	2.90B/0.80A	----	1.60 - 1.20	.0237	----	----	19	----	90 - 12
4030	----	----	----/0.90A	3.10B/0.90A	----	1.70 - 1.40	.0258	----	----	----	----	1 UNCH
4040	1.90	1.90	3.90B/1.10A	3.90B/1.10A	----	2.20 - 1.40	.0344	----	----	6	----	5 + 3
4045	2.10	2.10	4.30B/1.20A	4.30B/1.20A	----	2.50 - 1.50	.0396	----	----	3	----	92 UNCH
4050	4.00	4.00	4.70B/1.20	4.70B/1.20	----	2.80 - 1.50	.0450	----	----	36	----	311 + 2
4055	3.50	3.50	5.20B/1.50A	5.20B/1.50A	----	3.10 - 1.60	.0506	----	----	1	----	49 UNCH
4060	3.50	3.50	5.70B/1.70A	5.70B/1.70A	----	3.50 - 1.60	.0577	----	----	1	----	27 + 1
4065	3.30	3.30	6.20B/1.90A	6.20B/1.90A	----	3.90 NEW	.0650	----	----	2	----	2 + 2
4070	3.60	3.60	6.80B/2.10A	6.80B/2.10A	----	4.40 NEW	.0739	----	----	12	----	9 + 9
4075	3.50	3.50	7.40B/2.40A	7.40B/2.40A	----	4.90 - 1.70	.0830	----	----	20	----	282 + 14
4080	3.50	3.50	8.20B/2.60A	8.20B/2.60A	----	5.50 NEW	.0936	----	----	13	----	13 + 13
4085	----	----	9.00B/3.00A	9.00B/3.00A	----	6.10 - 1.70	.1045	----	----	----	----	3 UNCH
4090	----	----	9.90B/3.30A	9.90B/3.30A	----	6.80 - 1.70	.1169	----	----	----	----	18 UNCH
4095	10.10	10.10	10.70B/3.70A	10.70B/3.70A	----	7.60 - 1.60	.1307	----	----	2	----	33 + 2
4100	12.00	12.00	12.00/4.10A	12.00/4.10A	----	8.50 - 1.50	.1459	----	----	328	----	644 + 263
4105	6.10	6.10	12.90B/4.60A	12.90B/4.60A	----	9.40 - 1.50	.1614	----	----	19	----	35 + 15
4110	6.70	6.70	14.10B/5.20A	14.10B/5.20A	----	10.40 NEW	.1782	----	----	117	----	106 + 106
4115	7.50	7.50	15.30B/5.70A	15.30B/5.70A	----	11.50 NEW	.1963	----	----	11	----	11 + 11
4120	6.60	6.60	16.60B/6.40A	16.60B/6.40A	----	12.60 - 1.30	.2148	----	----	43	----	22 + 1
4125	11.00	11.00	17.90B/7.10A	17.90B/7.10A	----	13.90 - 1.20	.2353	----	----	46	----	184 + 7
4130	10.30	10.30	19.50B/7.90A	19.50B/7.90A	----	15.20 - 1.10	.2561	----	----	8	----	19 + 8
4135	----	----	21.30B/8.80A	21.30B/8.80A	----	16.70 - 1.00	.2786	----	----	1	----	15 + 1
4140	----	----	23.00B/9.70A	23.00B/9.70A	----	18.30 - 0.80	.3020	----	----	----	----	1 UNCH
4145	----	----	24.70B/10.70A	24.70B/10.70A	----	19.90 - 0.70	.3258	----	----	----	----	1 UNCH
4150	16.90	16.90	26.40B/11.80A	26.40B/11.80A	----	21.70 - 0.50	.3508	----	----	29	----	174 + 7
4155	----	----	28.70B/13.00A	28.70B/13.00A	----	23.60 - 0.30	.3764	----	----	1	----	45 UNCH
4160	26.30	26.30	30.80B/14.30A	30.80B/14.30A	----	25.60 UNCH	.4026	----	----	1	----	1 + 1
4165	28.70	28.70	33.10B/15.70A	33.10B/15.70A	----	27.70 NEW	.4293	----	----	1	----	1 + 1
4170	----	----	35.30B/17.20A	35.30B/17.20A	----	30.00 + 0.50	.4565	----	----	----	----	6 UNCH
4175	34.90	34.90	37.60B/18.80A	37.60B/18.80A	----	32.30 + 0.70	.4838	----	----	37	----	1011 + 1
4180	----	----	40.30B/20.30A	40.30B/20.30A	----	34.80 + 1.00	.5113	----	----	----	----	4 UNCH
4185	36.00	36.00	42.90B/21.90A	42.90B/21.90A	----	37.40 + 1.30	.5387	----	----	1	----	46 + 1
4195	40.20	40.20	48.60B/25.50A	48.60B/25.50A	----	43.00 + 2.00	.5930	----	----	11	----	7 + 6
4200	42.00	42.00	51.20B/27.60A	51.20B/27.60A	----	46.00 + 2.40	.6194	----	----	41	----	318 - 12
4205	34.10	34.10	54.20B/29.70A	54.20B/29.70A	----	49.10 NEW	.6453	----	----	3	----	3 + 3
4210	36.10	36.10	57.40B/31.90A	57.40B/31.90A	----	52.30 NEW	.6706	----	----	8	----	8 + 8
4215	37.10	37.10	60.70B/34.10A	60.70B/34.10A	----	55.60 NEW	.6952	----	----	3	----	3 + 3
4220	38.30	38.30	64.10B/36.10A	64.10B/36.10A	----	59.10 NEW	.7184	----	----	1	----	1 + 1
4225	----	----	67.70B/38.90A	67.70B/38.90A	----	62.60 + 4.40	.7413	----	----	3	----	64 UNCH
4235	----	----	75.30B/44.20A	75.30B/44.20A	----	70.00 NEW	.7833	----	----	1	----	1 + 1
4250	55.00	55.00	87.40B/53.10A	87.40B/53.10A	----	81.80 + 6.40	.8377	----	----	7	----	14 - 1
4275	----	----	109.20B/69.50A	109.20B/69.50A	----	103.00 + 8.20	.9048	----	----	2	----	6 UNCH
4300	----	----	132.10B/88.10A	132.10B/88.10A	----	125.80 + 9.80	.9475	----	----	----	----	5 UNCH
4325	----	----	156.00B/108.70A	156.00B/108.70A	----	149.50 + 10.90	.9716	----	----	----	----	1 UNCH
4350	----	----	180.60B/130.70A	180.60B/130.70A	----	173.80 + 11.70	.9842	----	----	----	----	39 UNCH
4400	----	----	228.80B/180.40A	228.80B/180.40A	----	223.20 + 12.50	.9930	----	----	----	----	30 UNCH
4500	----	----	328.50B/278.60A	328.50B/278.60A	----	322.80 + 13.10	.9985	----	----	----	----	3 UNCH
4600	----	----	428.40B/379.30A	428.40B/379.30A	----	422.70 + 13.20	1.0000	----	----	1	----	1 - 1
4625	----	----	453.40B/402.50A	453.40B/402.50A	----	447.70 + 13.30	1.0000	----	----	1	----	1 UNCH
TOTAL										944		4796 + 454

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 CALL		GOLD OPTIONS										
OCT26												
3500	----	----	721.70B/671.50A	721.70B/671.50A	----	677.30 - 13.30	1.0000	----	----	----	----	1 UNCH
3800	----	----	421.80B/371.80A	421.80B/371.80A	----	377.30 - 13.30	1.0000	----	----	----	----	2 UNCH
3825	----	----	395.90B/346.60A	395.90B/346.60A	----	352.30 - 13.40	1.0000	----	----	----	----	3 UNCH
3850	----	----	371.00B/321.80A	371.00B/321.80A	----	327.40 - 13.30	1.0000	----	----	----	----	1 UNCH
4000	----	----	223.20B/171.50A	223.20B/171.50A	----	178.20 - 14.20	.9878	----	----	----	----	4 UNCH
4075	----	----	151.80B/101.50A	151.80B/101.50A	----	107.20 - 14.90	.9169	----	----	----	----	1 UNCH
4100	----	----	128.60B/80.50A	128.60B/80.50A	----	85.70 - 14.90	.8539	----	----	----	----	42 UNCH
4125	93.00	93.00	106.50B/61.70A	106.50B/61.70A	----	66.20 - 14.50	.7646	----	----	1	----	18 UNCH
4150	----	----	85.90B/45.20A	85.90B/45.20A	----	49.00 - 13.70	.6491	----	----	1	----	156 UNCH
4160	61.00	61.00	78.20B/39.50A	78.20B/39.50A	----	42.90 NEW	.5972	----	----	2	----	2 + 2
4165	51.20	51.20	74.40B/36.80A	74.40B/36.80A	----	40.00 NEW	.5705	----	----	10	----	7 + 7
4170	----	----	70.80B/34.20A	70.80B/34.20A	----	37.30 - 12.80	.5433	----	----	----	----	4 UNCH
4175	45.30	45.30	67.20B/31.80A	67.20B/31.80A	----	34.60 - 12.60	.5160	----	----	8	----	75 + 3
4180	47.30	47.30	63.70B/29.40A	63.70B/29.40A	----	32.10 NEW	.4885	----	----	2	----	2 + 2
4185	33.50	33.50	60.40B/27.10A	60.40B/27.10A	----	29.70 - 12.00	.4611	----	----	1	----	5 + 1
4190	44.30	44.30	57.10B/25.00A	57.10B/25.00A	----	27.50 - 11.60	.4340	----	----	7	----	22 UNCH
4195	34.10	34.10	53.90B/23.10A	53.90B/23.10A	----	25.30 - 11.30	.4069	----	----	8	----	7 + 6
4200	37.10	37.10	50.80B/21.10A	50.80B/21.10A	----	23.30 - 10.90	.3804	----	----	52	----	346 + 10
4205	35.20	35.20	48.20B/19.40A	48.20B/19.40A	----	21.40 - 10.50	.3545	----	----	3	----	7 + 3
4210	34.70	34.70	45.30B/17.80A	45.30B/17.80A	----	19.60 - 10.10	.3292	----	----	29	----	8 + 6
4215	32.00	32.00	42.70B/16.30A	42.70B/16.30A	----	17.90 - 9.80	.3046	----	----	12	----	10 + 8
4220	39.10	39.10	40.10/14.80A	40.10/14.80A	----	16.40 - 9.30	.2815	----	----	5	----	6 + 5
4225	23.00	23.00	37.30B/13.50A	37.30B/13.50A	----	14.90 - 9.00	.2586	----	----	36	----	116 + 8
4230	13.00	13.00	35.00B/12.40A	35.00B/12.40A	----	13.60 NEW	.2374	----	----	2	----	2 + 2
4235	----	----	32.60B/11.10A	32.60B/11.10A	----	12.30 - 8.10	.2166	----	----	4	----	7 + 2
4240	15.20	15.20	30.40B/10.10A	30.40B/10.10A	----	11.20 - 7.70	.1978	----	----	20	----	19 + 17
4245	25.90	25.90	28.30B/9.10A	28.30B/9.10A	----	10.10 - 7.30	.1793	----	----	1	----	1 UNCH
4250	15.00	15.00	26.30B/8.30A	26.30B/8.30A	----	9.10 - 6.90	.1621	----	----	52	----	251 + 2
4255	10.30	10.30	24.40B/7.50A	24.40B/7.50A	----	8.20 - 6.60	.1462	----	----	9	----	12 + 9
4260	10.00	10.00	22.60B/6.80A	22.60B/6.80A	----	7.40 - 6.20	.1318	----	----	3	----	16 UNCH
4265	----	----	20.90B/6.10A	20.90B/6.10A	----	6.60 - 5.80	.1177	----	----	----	----	9 UNCH
4270	10.50	10.50	19.30B/5.50A	19.30B/5.50A	----	6.00 NEW	.1062	----	----	10	----	10 + 10
4275	8.30	8.30	17.80B/4.90A	17.80B/4.90A	----	5.40 - 5.00	.0951	----	----	19	----	222 - 4
4280	10.70	10.70	16.20B/4.50A	16.20B/4.50A	----	4.80 NEW	.0842	----	----	10	----	10 + 10
4285	8.00	8.00	15.00B/4.00A	15.00B/4.00A	----	4.30 - 4.40	.0749	----	----	9	----	20 + 9
4295	5.20	5.20	12.60B/3.30A	12.60B/3.30A	----	3.50 NEW	.0596	----	----	1	----	1 + 1
4300	9.80	9.80	11.50B/2.90A	11.50B/2.90A	----	3.10 - 3.60	.0524	----	----	275	----	516 + 13
4310	----	----	9.70B/2.30A	9.70B/2.30A	----	2.50 - 3.00	.0411	----	----	----	----	1 UNCH
4315	4.80	4.80	8.80B/2.10A	8.80B/2.10A	----	2.20 NEW	.0358	----	----	4	----	4 + 4
4320	3.80	3.80	8.00B/1.90A	8.00B/1.90A	----	2.00 NEW	.0319	----	----	19	----	19 + 19
4325	3.70	3.70	7.20B/1.70A	7.20B/1.70A	----	1.80 - 2.40	.0283	----	----	10	----	184 - 2
4330	----	----	6.60B/1.60A	6.60B/1.60A	----	1.60 - 2.30	.0247	----	----	15	----	15 + 11
4335	3.30	3.30	6.00B/1.40A	6.00B/1.40A	----	1.50 - 2.00	.0227	----	----	5	----	9 + 5
4340	3.20	3.20	5.40B/1.30A	5.40B/1.30A	----	1.30 - 1.90	.0193	----	----	19	----	22 + 15
4345	2.70	2.70	5.00B/1.20A	5.00B/1.20A	----	1.20 NEW	.0175	----	----	4	----	4 + 4
4350	2.50	2.50	4.40B/1.10A	4.40B/1.10A	----	1.10 - 1.60	.0157	----	----	20	----	165 + 14
4355	----	----	4.00B/1.00A	4.00B/1.00A	----	1.00 - 1.50	.0140	----	----	----	----	17 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 CALL	GOLD OPTIONS										
OCT26											
4360 2.10	2.10	3.60B/1.00A	3.60B/1.00A	----	1.00 - 1.30	.0136	----	----	4	----	148 + 4
4365 1.60	1.60	3.30B/0.90A	3.30B/0.90A	----	0.90 - 1.30	.0120	----	----	5	----	32 + 5
4375 1.00	1.00	2.70B/0.70A	2.70B/0.70A	----	0.80 - 1.10	.0102	----	----	16	----	328 + 1
4380 ----	----	2.40B/0.70A	2.40B/0.70A	----	0.70 - 1.00	.0088	----	----	----	----	1 UNCH
4385 1.10	1.10	2.20B/0.70A	2.20B/0.70A	----	0.70 NEW	.0086	----	----	5	----	5 + 5
4390 ----	----	2.00B/0.60A	2.00B/0.60A	----	0.60 - 0.90	.0072	----	----	----	----	2 UNCH
4395 1.00	1.00	1.80B/0.60A	1.80B/0.60A	----	0.60 NEW	.0070	----	----	4	----	4 + 4
4400 1.30	1.30	1.60B/0.60A	1.60B/0.60A	----	0.60 - 0.70	.0069	----	----	3	----	273 + 1
4420 ----	----	1.10B/0.40A	1.10B/0.40A	----	0.50 - 0.50	.0053	----	----	----	----	1 UNCH
4425 0.50	0.50	0.50/0.40A	1.00B/0.40A	----	0.40 - 0.60	.0041	----	----	13	----	38 + 2
4440 ----	----	----/0.40A	0.70B/0.40A	----	0.40 - 0.40	.0039	----	----	----	----	121 UNCH
4450 ----	----	----/0.40A	0.60B/0.40A	----	0.40 - 0.30	.0037	----	----	----	----	232 UNCH
4470 ----	----	----/0.30A	0.40B/0.30A	----	0.30 - 0.30	.0026	----	----	----	----	1 UNCH
4475 ----	----	----/0.30A	0.40B/0.30A	----	0.30 - 0.20	.0025	----	----	----	----	122 UNCH
4500 ----	----	----/0.20A	0.30B/0.20A	----	0.20 - 0.20	.0015	----	----	1	----	325 - 1
4505 ----	----	----/0.20A	0.20B/0.20A	----	0.20 - 0.20	.0015	----	----	----	----	1 UNCH
4525 0.20	0.20	0.20/0.20	0.20/0.20	----	0.10 - 0.20	.0005	----	----	1	----	28 UNCH
4550 ----	----	----/0.20A	0.10B/0.20A	----	0.10 - 0.20	.0002	----	----	----	----	19 UNCH
4575 0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 - 0.10	.0001	----	----	1	----	13 - 1
4600 ----	----	----	----/0.30A	----	0.10 - 0.10	.0000	----	----	----	----	539 UNCH
4625 ----	----	----	0.10B/0.20A	----	0.10 UNCH	.0000	----	----	----	----	28 UNCH
4650 ----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	42 UNCH
4675 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	27 UNCH
4700 ----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	31 UNCH
4725 ----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
4750 ----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
4775 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
4800 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
4825 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
4850 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
4900 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	29 UNCH
5000 ----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
5100 ----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
5200 ----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
TOTAL									741		4814 + 222

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG1 PUT	GOLD OPTIONS										
NOV26											
3800 ----	----	----/5.10A	5.80B/5.10A	----	5.70 - 0.80	.0495	----	----	----	----	1 UNCH
3825 ----	----	----/5.90A	6.90B/5.90A	----	6.70 NEW	.0583	----	----	1	----	1 + 1
3875 ----	----	----/8.20A	9.90B/8.20A	----	9.50 NEW	.0818	----	----	3	----	3 + 3
3900 11.40	11.40	11.90B/9.70A	11.90B/9.70A	----	11.40 NEW	.0972	----	----	22	----	22 + 22
4000 ----	----	25.80B/20.30A	25.80B/20.30A	----	24.70 NEW	.1926	----	----	1	----	1 + 1
4025 28.60	28.60	31.20B/24.50A	31.20B/24.50A	----	29.80 - 1.10	.2253	----	----	2	----	4 + 2
4050 36.00	36.00	37.60B/29.40A	37.60B/29.40A	----	35.90 NEW	.2620	----	----	3	----	3 + 3
4075 ----	----	44.60B/35.40A	44.60B/35.40A	----	43.10 NEW	.3022	----	----	1	----	1 + 1
TOTAL									33		36 + 33

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG1 CALL	GOLD OPTIONS										
NOV26											
4200 ----	----	96.60B/72.10A	96.60B/72.10A	----	75.00 - 9.90	.4668	----	----	----	----	100 UNCH
4400 ----	----	28.80B/19.90A	28.80B/19.90A	----	20.40 NEW	.1681	----	----	1	----	1 + 1
4450 ----	----	21.10B/14.40A	21.10B/14.40A	----	14.70 - 3.60	.1255	----	----	----	----	1 UNCH
4500 16.00	16.00	16.50/10.40	16.50/10.40	----	10.60 NEW	.0930	----	----	500	----	104 + 104
4700 ----	----	----/3.80A	4.30B/3.80A	----	3.70 - 1.00	.0326	----	----	----	----	1 UNCH
4800 ----	----	----/2.70A	2.60B/2.70A	----	2.60 NEW	.0220	----	----	1	----	1 + 1
TOTAL									502		208 + 106

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT	COMEX GOLD OPTIONS										
NOV26											
1000 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1750 UNCH
1500 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	200 UNCH
2000 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	38 UNCH
2100 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	132 UNCH
2200 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	28 UNCH
2300 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
2400 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
2500 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
2600 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
2625 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
2650 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	60 UNCH
2675 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
2700 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	154 UNCH
2725 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2750 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	27 UNCH
2775 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2800 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	91 UNCH
2820 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
2825 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	33 UNCH
2840 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2850 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
2860 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2870 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
2890 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2895 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	29 UNCH
2900 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	76 UNCH
2910 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2925 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
2935 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2940 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2945 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	21 UNCH
2950 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
2965 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	140 UNCH
2975 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
2995 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	29 UNCH
3000 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	307 UNCH
3005 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3015 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3020 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	506 UNCH
3025 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	35 UNCH
3030 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3040 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
3050 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
3070 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3075 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
3080 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
3085 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	27 UNCH
3090 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3100 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
3110 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	22 UNCH
3120 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
3125 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
3130 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3150 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	38 UNCH
3160 ----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	8 UNCH
3170 ----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
3175 ----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	12 UNCH
3180 ----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	20 UNCH
3185 ----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
3190 ----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
3195 ----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3200 ----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	330 UNCH
3205 ----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG PUT — COMEX GOLD OPTIONS — NOV26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3210	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	501 UNCH
3215	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3220	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	9 UNCH
3225	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	9 UNCH
3230	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	13 UNCH
3235	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
3240	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	9 UNCH
3245	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	20 UNCH
3250	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	198 UNCH
3255	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	21 UNCH
3260	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	8 UNCH
3265	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
3270	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	11 UNCH
3275	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
3280	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	20 UNCH
3285	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	4 UNCH
3290	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
3295	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	10 UNCH
3300	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	262 UNCH
3305	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	55 UNCH
3310	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	4 UNCH
3315	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	11 UNCH
3320	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	42 UNCH
3325	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	20 UNCH
3330	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	3 UNCH
3335	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	33 UNCH
3340	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	20 UNCH
3345	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	5 UNCH
3350	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	386 UNCH
3355	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	7 UNCH
3360	----	----	----	----/0.20A	----	0.10 UNCH	.0003	----	----	----	----	15 UNCH
3365	----	----	----	----/0.20A	----	0.10 UNCH	.0003	----	----	----	----	1 UNCH
3370	----	----	----	----/0.20A	----	0.10 UNCH	.0003	----	----	----	----	1 UNCH
3375	----	----	----	----/0.20A	----	0.10 UNCH	.0004	----	----	----	----	7 UNCH
3380	----	----	----	----/0.20A	----	0.10 - 0.10	.0004	----	----	----	----	21 UNCH
3385	----	----	----	----/0.20A	----	0.10 - 0.10	.0004	----	----	----	----	3 UNCH
3390	----	----	----	----/0.20A	----	0.10 - 0.10	.0005	----	----	----	----	9 UNCH
3395	----	----	----	----/0.20A	----	0.10 - 0.10	.0005	----	----	----	----	132 UNCH
3400	----	----	----	0.10B/0.20A	----	0.10 - 0.10	.0006	----	----	----	----	315 UNCH
3405	----	----	----	----/0.30A	----	0.10 - 0.10	.0006	----	----	----	----	93 UNCH
3410	----	----	----	----/0.30A	----	0.10 - 0.10	.0007	----	----	----	----	58 UNCH
3415	----	----	----	----/0.30A	----	0.10 - 0.10	.0007	----	----	----	----	1 UNCH
3420	----	----	----	----/0.30A	----	0.10 - 0.10	.0008	----	----	----	----	21 UNCH
3425	----	----	----	----/0.30A	----	0.10 - 0.10	.0008	----	----	----	----	44 UNCH
3430	----	----	----	----/0.30A	----	0.20 UNCH	.0016	----	----	----	----	44 UNCH
3440	----	----	----	----/0.30A	----	0.20 UNCH	.0016	----	----	----	----	45 UNCH
3445	----	----	----	----/0.30A	----	0.20 UNCH	.0017	----	----	----	----	11 UNCH
3450	----	----	----	----/0.30A	----	0.20 UNCH	.0017	----	----	----	----	163 UNCH
3455	----	----	----	----/0.30A	----	0.20 - 0.10	.0017	----	----	----	----	1 UNCH
3460	----	----	----	----/0.30A	----	0.20 - 0.10	.0017	----	----	----	----	29 UNCH
3465	----	----	----	----/0.30A	----	0.20 - 0.10	.0017	----	----	----	----	9 UNCH
3470	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0017	----	----	----	----	28 UNCH
3475	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0017	----	----	----	----	30 UNCH
3480	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0017	----	----	----	----	72 UNCH
3485	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0017	----	----	----	----	3 UNCH
3490	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0018	----	----	----	----	13 UNCH
3495	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0018	----	----	----	----	58 UNCH
3500	0.30	0.30	0.30/0.10	0.30/0.10	----	0.20 - 0.10	.0018	----	----	354	----	2005 - 47
3505	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0018	----	----	----	----	3 UNCH
3510	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0018	----	----	----	----	41 UNCH
3515	----	----	----/0.30A	0.20B/0.30A	----	0.30 - 0.10	.0026	----	----	----	----	174 UNCH
3520	----	----	----/0.30A	0.20B/0.30A	----	0.30 - 0.10	.0027	----	----	----	----	49 UNCH
3525	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0027	----	----	----	----	114 UNCH
3530	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0027	----	----	----	----	21 UNCH
3535	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0027	----	----	----	----	180 UNCH
3540	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0027	----	----	----	----	78 UNCH
3545	----	----	----/0.30A	0.30B/0.30A	----	0.30 - 0.10	.0028	----	----	----	----	59 UNCH
3550	----	----	----/0.30A	0.30B/0.30A	----	0.30 - 0.10	.0028	----	----	----	----	731 UNCH
3555	----	----	----/0.30A	0.30B/0.30A	----	0.30 - 0.10	.0028	----	----	----	----	4 UNCH
3560	----	----	----/0.40A	0.30B/0.40A	----	0.30 - 0.20	.0028	----	----	----	----	34 UNCH
3565	----	----	----/0.40A	0.30B/0.40A	----	0.30 - 0.20	.0028	----	----	----	----	52 UNCH
3570	----	----	----/0.40A	0.30B/0.40A	----	0.40 - 0.10	.0037	----	----	----	----	12 UNCH
3575	----	----	----/0.40A	0.30B/0.40A	----	0.40 - 0.10	.0037	----	----	2	----	308 UNCH
3585	----	----	----/0.40A	0.30B/0.40A	----	0.40 - 0.10	.0038	----	----	----	----	9 UNCH
3590	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.10	.0038	----	----	----	----	11 UNCH
3595	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0038	----	----	----	----	42 UNCH
3600	0.30	0.30	0.50/0.30	0.50/0.30	----	0.40 - 0.20	.0039	----	----	20	----	1729 - 5
3605	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.20	.0039	----	----	----	----	33 UNCH
3610	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.20	.0039	----	----	----	----	1 UNCH
3615	----	----	----/0.40A	0.40B/0.40A	----	0.50 - 0.10	.0048	----	----	----	----	6 UNCH
3620	----	----	----/0.50A	0.40B/0.50A	----	0.50 - 0.10	.0049	----	----	----	----	10 UNCH
3625	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.20	.0049	----	----	2	----	54 UNCH
3630	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.20	.0049	----	----	----	----	11 UNCH
3635	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.20	.0050	----	----	----	----	16 UNCH
3640	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.20	.0050	----	----	----	----	21 UNCH
3645	----	----	----/0.50A	0.60B/0.50A	----	0.50 - 0.20	.0051	----	----	----	----	25 UNCH
3650	0.50	0.50	0.50/0.50	0.60B/0.50	----	0.60 - 0.20	.0060	----	----	4	----	208 - 4
3655	----	----	----/0.60A	0.60B/0.60A	----	0.60 - 0.20	.0060	----	----	----	----	37 UNCH
3660	0.70	0.70	0.70/0.50A	0.70/0.50A	----	0.60 - 0.20	.0061	----	----	1	----	109 UNCH
3665	----	----	----/0.60A	0.70B/0.60A	----	0.60 - 0.20	.0062	----	----	----	----	37 UNCH
3670	----	----	----/0.60A	0.70B/0.60A	----	0.60 - 0.30	.0062	----	----	----	----	70 UNCH
3675	----	----	----/0.60A	0.70B/0.60A	----	0.60 - 0.30	.0063	----	----	----	----	309 UNCH
3680	----	----	----/0.60A	0.70B/0.60A	----	0.70 - 0.20	.0072	----	----	----	----	84 UNCH
3685	----	----	----/0.60A	0.80B/0.60A	----	0.70 - 0.20	.0073	----	----	----	----	20 UNCH
3690	----	----	----/0.60A	0.80B/0.60A	----	0.70 - 0.30	.0073	----	----	----	----	22 UNCH
3695	----	----	----/0.60A	0.80B/0.60A	----	0.70 - 0.30	.0074	----	----	----	----	36 UNCH
3700	0.90	0.90	0.90/0.70	0.90/0.70	----	0.70 - 0.30	.0075	----	----	124	----	2961 + 93
3705	----	----	----/0.70A	0.90B/0.70A	----	0.80 - 0.30	.0085	----	----	----	----	120 UNCH
3710	0.90	0.90	0.90/0.70A	0.90/0.70A	----	0.80 - 0.30	.0085	----	----	4	----	40 UNCH
3715	0.90	0.90	0.90/0.70A	1.00B/0.70A	----	0.80 - 0.30	.0086	----	----	4	----	20 - 2
3720	----	----	----/0.70A	1.00B/0.70A	----	0.80 - 0.40	.0087	----	----	----	----	6 UNCH
3725	0.80	0.80	0.80/0.80	1.10B/0.80	----	0.80 - 0.40	.0088	----	----	5	----	98 + 1
3730	----	----	----/0.80A	1.10B/0.80A	----	0.90 - 0.30	.0098	----	----	----	----	75 UNCH
3735	1.00	1.00	1.10/0.80A	1.10/0.80A	----	0.90 - 0.40	.0099	----	----	4	----	14 UNCH
3740	1.00	1.00	1.00/0.80A	1.20B/0.80A	----	0.90 - 0.40	.0100	----	----	2	----	50 - 2
3745	----	----	----/0.90A	1.20B/0.90A	----	0.90 - 0.40	.0101	----	----	----	----	107 UNCH
3750	1.20	1.20	1.40/0.90A	1.40/0.90A	----	1.00 - 0.40	.0111	----	----	6	----	632 - 1
3755	----	----	----/0.90A	1.30B/0.90A	----	1.00 - 0.40	.0112	----	----	1	----	29 UNCH
3760	----	----	----/0.90A	1.40B/0.90A	----	1.00 - 0.50	.0114	----	----	----	----	48 UNCH
3765	----	----	----/1.00A	1.40B/1.00A	----	1.00 - 0.50	.0115	----	----	----	----	10 UNCH
3770	----	----	----/1.00A	1.50B/1.00A	----	1.10 - 0.50	.0125	----	----	1	----	70 UNCH
3775	----	----	----/1.00A	1.50B/1.00A	----	1.10 - 0.50	.0127	----	----	50	----	263 UNCH
3780	----	----	----/1.00A	1.60B/1.00A	----	1.10 - 0.60	.0128	----	----	----	----	775 UNCH
3785	----	----	----/1.10A	1.60B/1.10A	----	1.20 - 0.50	.0139	----	----	----	----	20 UNCH
3790	----	----	----/1.10A	1.70B/1.10A	----	1.20 - 0.60	.0141	----	----	----	----	57 UNCH
3795	----	----	----/1.10A	1.80B/1.10A	----	1.20 - 0.60	.0142	----	----	----	----	9 UNCH
3800	1.70	1.70	2.00/1.20A	2.00/1.20A	----	1.30 - 0.60	.0153	----	----	84	----	3529 + 9
3805	----	----	----/1.20A	1.90B/1.20A	----	1.30 - 0.60	.0155	----	----	----	----	58 UNCH
3810	----	----	----/1.20A	1.90B/1.20A	----	1.40 - 0.60	.0167	----	----	----	----	45 UNCH
3815	----	----	----/1.30A	2.00B/1.30A	----	1.40 - 0.70	.0169	----	----	----	----	381 UNCH
3820	1.60	1.60	1.60/1.30A	2.10B/1.30A	----	1.50 - 0.70	.0180	----	----	9	----	139 - 2
3825	----	----	----/1.40A	2.20B/1.40A	----	1.50 - 0.70	.0182	----	----	10	----	92 UNCH
3830	----	----	----/1.40A	2.30B/1.40A	----	1.60 - 0.70	.0194	----	----	2	----	94 UNCH
3835	----	----	----/1.40A	2.30B/1.40A	----	1.60 - 0.80	.0197	----	----	2	----	241 UNCH
3840	1.80	1.80	1.80/1.50A	2.40B/1.50A	----	1.70 - 0.80	.0209	----	----	2	----	189 UNCH
3845	----	----	----/1.50A	2.60B/1.50A	----	1.80 - 0.80	.0221	----	----	----	----	114 UNCH
3850	2.10	2.10	2.10/1.60	2.70B/1.60	----	1.90 - 0.80	.0234	----	----	5	----	1216 - 3
3855	1.70	1.70	1.70/1.60A	2.80B/1.60A	----	1.90 - 0.90	.0237	----	----	1	----	154 - 1
3860	1.90	1.90	1.90/1.70A	2.90B/1.70A	----	2.00 - 0.90	.0249	----	----	1	----	156 - 1
3865	----	----	----/1.80A	3.00B/1.80A	----	2.10 - 0.90	.0262	----	----	----	----	95 UNCH
3870	2.30	2.30	3.20B/1.80A	3.20B/1.80A	----	2.20 - 0.90	.0275	----	----	1	----	144 + 1
3875	----	----	----/1.90A	3.30B/1.90A	----	2.30 - 1.00	.0289	----	----	1	----	253 UNCH
3880	----	----	----/2.00A	3.40B/2.00A	----	2.40 - 1.00	.0302	----	----	----	----	98 UNCH
3885	----	----	----/2.10A	3.60B/2.10A	----	2.50 - 1.10	.0316	----	----	1	----	86 UNCH
3890	----	----	3.80B/2.10A	3.80B/2.10A	----	2.60 - 1.10	.0330	----	----	2	----	248 - 2
3895	2.30	2.30	2.30/2.20A	3.90B/2.20A	----	2.80 - 1.10	.0353	----	----	1	----	86 + 1
3900	2.90	2.90	4.10B/2.30A	4.10B/2.30A	----	2.90 - 1.10	.0368	----	----	137	----	1179 - 62

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG PUT — COMEX GOLD OPTIONS
NOV26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3905	----	----	4.30B/2.40A	4.30B/2.40A	----	3.10 - 1.10	.0392	----	----	----	----	131 UNCH
3910	----	----	4.50B/2.50A	4.50B/2.50A	----	3.20 - 1.20	.0407	----	----	5	----	179 - 2
3915	3.50	3.50	4.70B/2.60A	4.70B/2.60A	----	3.40 - 1.20	.0431	----	----	1	----	100 UNCH
3920	----	----	5.00B/2.80A	5.00B/2.80A	----	3.60 - 1.20	.0456	----	----	----	----	258 UNCH
3925	4.20	4.20	5.20B/2.90A	5.20B/2.90A	----	3.70 - 1.30	.0472	----	----	2	----	162 UNCH
3930	4.00	4.00	5.50B/3.00A	5.50B/3.00A	----	3.90 - 1.40	.0498	----	----	6	----	174 - 5
3935	----	----	5.80B/3.20A	5.80B/3.20A	----	4.10 - 1.40	.0524	----	----	----	----	61 UNCH
3940	4.40	4.40	6.00B/3.30A	6.00B/3.30A	----	4.40 - 1.40	.0559	----	----	5	----	74 + 1
3945	----	----	6.40B/3.50A	6.40B/3.50A	----	4.60 - 1.50	.0586	----	----	----	----	44 UNCH
3950	6.30	6.30	6.70B/3.60A	6.70B/3.60A	----	4.80 - 1.50	.0613	----	----	22	----	490 + 4
3955	4.20	4.20	7.00B/3.80A	7.00B/3.80A	----	5.10 - 1.50	.0649	----	----	1	----	143 UNCH
3960	----	----	7.40B/4.00A	7.40B/4.00A	----	5.40 - 1.60	.0686	----	----	1	----	271 + 1
3965	----	----	7.80B/4.20A	7.80B/4.20A	----	5.70 - 1.60	.0723	----	----	----	----	65 UNCH
3970	5.50	5.50	8.20B/4.40A	8.20B/4.40A	----	6.00 - 1.70	.0761	----	----	5	----	56 - 5
3975	5.40	5.40	8.60B/4.70A	8.60B/4.70A	----	6.30 - 1.70	.0799	----	----	7	----	482 - 6
3980	----	----	9.10B/4.90A	9.10B/4.90A	----	6.70 - 1.70	.0846	----	----	1	----	188 - 1
3985	----	----	9.50B/5.20A	9.50B/5.20A	----	7.10 - 1.70	.0893	----	----	1	----	127 UNCH
3990	----	----	10.00B/5.50A	10.00B/5.50A	----	7.50 - 1.80	.0941	----	----	2	----	110 UNCH
3995	6.10	6.10	10.60B/5.80A	10.60B/5.80A	----	7.90 - 1.80	.0990	----	----	7	----	121 UNCH
4000	11.00	11.00	11.20B/6.00	11.20B/6.00	----	8.40 - 1.80	.1047	----	----	242	110	2955 - 79
4005	8.20	8.20	11.70B/6.40A	11.70B/6.40A	----	8.90 - 1.80	.1104	----	----	31	----	145 + 17
4010	7.30	7.30	12.40B/6.80A	12.40B/6.80A	----	9.40 - 1.90	.1163	----	----	3	----	67 UNCH
4015	10.70	10.70	13.00B/7.20A	13.00B/7.20A	----	9.90 - 2.00	.1222	----	----	2	----	71 UNCH
4020	----	----	13.70B/7.60A	13.70B/7.60A	----	10.50 - 2.00	.1288	----	----	----	----	74 UNCH
4025	9.10	9.10	14.50B/8.00A	14.50B/8.00A	----	11.20 - 1.90	.1363	----	----	41	----	211 UNCH
4030	15.00	15.00	15.20B/8.50A	15.20B/8.50A	----	11.80 - 2.00	.1431	----	----	9	----	71 - 2
4035	----	----	16.10B/9.00A	16.10B/9.00A	----	12.50 - 2.00	.1506	----	----	----	----	112 UNCH
4040	----	----	16.90B/9.50A	16.90B/9.50A	----	13.30 - 2.00	.1589	----	----	1	----	167 UNCH
4045	12.60	12.60	17.80B/10.10A	17.80B/10.10A	----	14.10 - 2.00	.1672	----	----	5	----	75 - 4
4050	18.40	18.40	18.80B/10.60A	18.80B/10.60A	----	14.90 - 2.00	.1756	----	----	40	----	1775 - 1
4055	----	----	19.80B/11.30A	19.80B/11.30A	----	15.80 - 2.00	.1847	----	----	----	----	73 UNCH
4060	----	----	20.80B/11.90A	20.80B/11.90A	----	16.70 - 2.00	.1938	----	----	2	----	60 - 1
4065	12.90	12.90	21.90B/12.60A	21.90B/12.60A	----	17.70 - 2.00	.2036	----	----	7	----	53 - 3
4070	----	----	23.10B/13.30A	23.10B/13.30A	----	18.70 - 2.00	.2134	----	----	1	----	110 UNCH
4075	20.20	20.20	24.40B/14.10A	24.40B/14.10A	----	19.80 - 1.90	.2238	----	----	6	----	229 - 5
4080	17.90	17.90	25.60B/14.90A	25.60B/14.90A	----	20.90 - 1.90	.2343	----	----	60	----	438 - 39
4085	25.80	25.80	26.90/15.80A	26.90/15.80A	----	22.10 - 1.90	.2453	----	----	10	----	143 + 1
4090	25.60	25.60	28.30B/16.70A	28.30B/16.70A	----	23.40 - 1.80	.2568	----	----	46	----	177 - 13
4095	23.20	23.20	29.80B/17.60A	29.80B/17.60A	----	24.70 - 1.70	.2684	----	----	2	----	61 - 2
4100	30.30	30.30	31.20B/18.60	31.20B/18.60	----	26.10 - 1.70	.2805	----	----	223	----	1853 - 39
4105	----	----	32.90B/19.70A	32.90B/19.70A	----	27.50 - 1.60	.2926	----	----	1	----	40 UNCH
4110	28.70	28.70	34.50B/20.80A	34.50B/20.80A	----	29.00 - 1.50	.3051	----	----	1	----	101 UNCH
4115	23.30	23.30	36.20B/22.00A	36.20B/22.00A	----	30.60 - 1.40	.3180	----	----	29	----	208 + 20
4120	24.90	24.90	37.90B/23.20A	37.90B/23.20A	----	32.20 - 1.40	.3309	----	----	8	----	105 UNCH
4125	30.70	30.70	39.60B/24.50A	39.60B/24.50A	----	34.00 - 1.20	.3445	----	----	8	----	508 - 2
4130	26.00	26.00	41.60B/25.80A	41.60B/25.80A	----	35.70 - 1.20	.3578	----	----	17	----	121 - 2
4135	31.50	31.50	43.50B/27.20A	43.50B/27.20A	----	37.60 - 1.00	.3717	----	----	5	----	142 - 2
4140	38.70	38.70	45.50B/28.70A	45.50B/28.70A	----	39.60 - 0.80	.3857	----	----	75	----	231 + 55
4145	32.30	32.30	47.70B/30.20A	47.70B/30.20A	----	41.60 - 0.60	.3998	----	----	1	----	216 - 1
4150	42.70	42.70	49.80B/31.80A	49.80B/31.80A	----	43.70 - 0.50	.4141	----	----	89	75	1816 + 27
4155	37.90	37.90	52.10B/33.50A	52.10B/33.50A	----	45.80 - 0.40	.4284	----	----	5	----	98 - 1
4160	46.80	46.80	54.40B/35.20A	54.40B/35.20A	----	48.10 - 0.10	.4429	----	----	37	----	334 + 32
4165	53.70	53.70	56.70B/37.10A	56.70B/37.10A	----	50.40 UNCH	.4574	----	----	9	----	246 + 1
4170	57.80	57.80	59.20B/38.90A	59.20B/38.90A	----	52.80 + 0.20	.4720	----	----	43	----	250 + 19
4175	58.60	58.60	61.70B/40.90A	61.70B/40.90A	----	55.30 + 0.50	.4865	----	----	20	----	382 + 5
4180	61.00	61.00	64.20B/42.90A	64.20B/42.90A	----	57.80 + 0.60	.5011	----	----	17	----	234 + 2
4185	63.50	63.50	66.90B/45.00A	66.90B/45.00A	----	60.40 + 0.80	.5157	----	----	9	----	113 UNCH
4190	66.20	66.20	69.50B/47.20A	69.50B/47.20A	----	63.10 + 1.00	.5302	----	----	9	----	269 + 2
4195	63.80	63.80	72.40B/49.30A	72.40B/49.30A	----	65.90 + 1.30	.5446	----	----	9	----	79 + 3
4200	65.60	65.60	75.20B/51.60A	75.20B/51.60A	----	68.70 + 1.50	.5589	----	----	99	----	1283 - 28
4205	62.90	62.90	78.10B/53.70A	78.10B/53.70A	----	71.60 + 1.70	.5732	----	----	21	----	279 + 8
4210	63.90	63.90	81.00B/56.00A	81.00B/56.00A	----	74.60 + 1.90	.5872	----	----	22	----	181 + 3
4215	66.50	66.50	84.00B/58.40A	84.00B/58.40A	----	77.70 + 2.20	.6013	----	----	8	----	209 - 3
4220	73.90	73.90	86.90B/60.80A	86.90B/60.80A	----	80.80 + 2.40	.6149	----	----	11	----	144 - 2
4225	73.40	73.40	90.10B/63.30A	90.10B/63.30A	----	84.00 + 2.60	.6284	----	----	30	----	150 + 18
4230	68.70	68.70	93.40B/65.90A	93.40B/65.90A	----	87.30 + 2.90	.6420	----	----	5	----	63 - 2
4235	74.70	74.70	96.60B/68.70A	96.60B/68.70A	----	90.60 + 3.10	.6549	----	----	3	----	265 - 1
4240	----	----	100.10B/71.30A	100.10B/71.30A	----	94.00 + 3.40	.6678	----	----	----	----	136 UNCH
4245	----	----	103.50B/74.00A	103.50B/74.00A	----	97.50 + 3.60	.6803	----	----	----	----	63 UNCH
4250	89.20	89.20	107.00B/76.90A	107.00B/76.90A	----	101.00 + 3.90	.6928	----	----	13	----	967 + 1
4255	101.10	101.10	110.50B/79.80A	110.50B/79.80A	----	104.60 + 4.10	.7049	----	----	1	----	51 UNCH
4260	----	----	114.10B/82.80A	114.10B/82.80A	----	108.20 + 4.30	.7165	----	----	----	----	286 UNCH
4265	----	----	117.80B/85.90A	117.80B/85.90A	----	112.00 + 4.60	.7280	----	----	----	----	164 UNCH
4270	----	----	121.50B/89.10A	121.50B/89.10A	----	115.70 + 4.80	.7395	----	----	----	----	71 UNCH
4275	----	----	125.20B/92.30A	125.20B/92.30A	----	119.50 + 5.00	.7500	----	----	25	----	435 - 3
4280	----	----	129.00B/95.50A	129.00B/95.50A	----	123.40 + 5.30	.7610	----	----	----	----	163 UNCH
4285	----	----	132.90B/98.80A	132.90B/98.80A	----	127.30 + 5.50	.7709	----	----	----	----	200 UNCH
4290	----	----	136.90B/102.10A	136.90B/102.10A	----	131.30 + 5.80	.7807	----	----	----	----	27 UNCH
4295	----	----	140.90B/105.60A	140.90B/105.60A	----	135.30 + 6.00	.7904	----	----	----	----	220 UNCH
4300	114.10	114.10	145.00B/109.00A	145.00B/109.00A	----	139.40 + 6.30	.7996	----	----	104	----	2264 + 17
4305	----	----	149.20B/112.60A	149.20B/112.60A	----	143.50 + 6.50	.8087	----	----	2	----	37 UNCH
4310	----	----	153.40B/116.10A	153.40B/116.10A	----	147.70 + 6.80	.8171	----	----	1	----	44 UNCH
4315	----	----	157.70B/119.70A	157.70B/119.70A	----	151.90 + 7.00	.8254	----	----	1	----	69 - 1
4320	----	----	161.90B/123.40A	161.90B/123.40A	----	156.10 + 7.20	.8337	----	----	----	----	199 UNCH
4325	----	----	166.30B/127.20A	166.30B/127.20A	----	160.40 + 7.40	.8413	----	----	6	----	245 UNCH
4330	----	----	170.60B/130.90A	170.60B/130.90A	----	164.70 + 7.60	.8489	----	----	----	----	269 UNCH
4335	----	----	175.00B/134.80A	175.00B/134.80A	----	169.10 + 7.90	.8557	----	----	----	----	51 UNCH
4340	----	----	179.40B/138.60A	179.40B/138.60A	----	173.50 + 8.10	.8624	----	----	----	----	193 UNCH
4345	----	----	183.80B/142.50A	183.80B/142.50A	----	177.90 + 8.30	.8691	----	----	----	----	52 UNCH
4350	----	----	188.30B/146.50A	188.30B/146.50A	----	182.30 + 8.50	.8757	----	----	----	----	1019 UNCH
4355	----	----	192.80B/150.50A	192.80B/150.50A	----	186.80 + 8.70	.8815	----	----	----	----	28 UNCH
4360	----	----	197.40B/154.50A	197.40B/154.50A	----	191.30 + 8.90	.8873	----	----	----	----	80 UNCH
4365	185.50	185.50	201.90B/158.60A	201.90B/158.60A	----	195.80 + 9.00	.8931	----	----	1	----	94 + 1
4370	----	----	206.50B/162.70A	206.50B/162.70A	----	200.40 + 9.30	.8980	----	----	----	----	44 UNCH
4375	----	----	211.20B/166.90A	211.20B/166.90A	----	204.90 + 9.40	.9028	----	----	----	----	415 UNCH
4380	----	----	215.90B/171.10A	215.90B/171.10A	----	209.50 + 9.50	.9076	----	----	----	----	264 UNCH
4385	----	----	220.40B/175.40A	220.40B/175.40A	----	214.20 + 9.80	.9124	----	----	----	----	81 UNCH
4390	----	----	225.30B/179.60A	225.30B/179.60A	----	218.80 + 9.90	.9162	----	----	----	----	219 UNCH
4395	----	----	229.90B/183.90A	229.90B/183.90A	----	223.50 + 10.00	.9209	----	----	----	----	52 UNCH
4400	189.90	189.90	234.60B/188.30A	234.60B/188.30A	----	228.10 + 10.10	.9247	----	----	1	----	1206 - 1
4405	214.50	214.50	239.10B/192.60A	239.10B/192.60A	----	232.80 + 10.20	.9285	----	----	1	----	51 + 1
4410	----	----	244.00B/197.00A	244.00B/197.00A	----	237.60 + 10.40	.9322	----	----	----	----	62 UNCH
4415	----	----	248.90B/201.40A	248.90B/201.40A	----	242.30 + 10.50	.9349	----	----	----	----	279 UNCH
4420	250.70	250.70	253.50B/205.90A	253.50B/205.90A	----	247.00 + 10.60	.9386	----	----	1	----	81 UNCH
4425	248.10	248.10	258.30B/210.40A	258.30B/210.40A	----	251.80 + 10.70	.9413	----	----	3	----	338 + 3
4430	----	----	263.10B/214.80A	263.10B/214.80A	----	256.60 + 10.80	.9449	----	----	1	----	133 UNCH
4435	----	----	267.10B/219.40A	267.10B/219.40A	----	261.40 + 11.00	.9475	----	----	----	----	73 UNCH
4440	----	----	271.80B/223.90A	271.80B/223.90A	----	266.20 + 11.10	.9501	----	----	----	----	156 UNCH
4445	----	----	276.80B/228.50A	276.80B/228.50A	----	271.00 + 11.10	.9517	----	----	----	----	31 UNCH
4450	----	----	281.60B/233.10A	281.60B/233.10A	----	275.80 + 11.20	.9543	----	----	2	----	914 - 2
4455	----	----	286.50B/237.70A	286.50B/237.70A	----	280.60 + 11.30	.9568	----	----	----	----	26 UNCH
4460	----	----	291.30B/242.40A	291.30B/242.40A	----	285.50 + 11.40	.9584	----	----	----	----	56 UNCH
4465	----	----	295.90B/247.00A	295.90B/247.00A	----	290.30 + 11.40	.9609	----	----	----	----	25 UNCH
4470	----	----	300.90B/251.60A	300.90B/251.60A	----	295.20 + 11.50	.9623	----	----	----	----	41 UNCH
4475	----	----	305.90B/256.30A	305.90B/256.30A	----	300.10 + 11.70	.9638	----	----	----	----	97 UNCH
4480	----	----	310.60B/261.00A	310.60B/261.00A	----	304.90 + 11.60	.9662	----	----	1	----	20 - 1
4485	----	----	315.60B/265.80A	315.60B/265.80A	----	309.80 + 11.70	.9676	----	----	----	----	51 UNCH
4490	----	----	320.50B/270.50A	320.50B/270.50A	----	314.70 + 11.80	.9690	----	----	----	----	36 UNCH
4495	----	----	325.40B/275.20A	325.40B/275.20A	----	319.60 + 11.90	.9704	----	----	----	----	27 UNCH
4500	----	----	330.40B/282.80A	330.40B/282.80A	----	324.50 + 11.90	.9718	----	----	3	----	362 - 2
4505	----	----	335.20B/285.90A	335.20B/285.90A	----	329.40 + 12.00	.9731	----	----	----	----	21 UNCH
4510	----	----	340.10B/292.50A	340.10B/292.50A	----	334.30 + 12.00	.9734	----	----	----	----	186 UNCH
4515	----	----	345.20B/297.30A	345.20B/297.30A	----	339.30 + 12.10	.9747	----	----	----	----	8 UNCH
4520	----	----	350.20B/302.00A	350.20B/302.00A	----	344.20 + 12.20	.9760	----	----	----	----	34 UNCH
4525	----	----	354.90B/305.20A	354.90B/305.20A	----	349.10 + 12.20	.9773	----	----	----	----	107 UNCH
4530	----	----	359.90B/311.60A	359.90B/311.60A	----	354.00 + 12.20	.9776	----	----	----	----	286 UNCH
4535	----	----	364.80B/317.00A	364.80B/317.00A	----	359.00 + 12.30	.9789	----	----	1	----	37 - 1
4540	----	----	369.60B/321.80A	369.60B/321.80A	----	363.90 + 12.30	.9791	----	----	1	----	38 - 1
4545	----	----	374.70B/326.40A	374.70B/326.40A	----	368.90 + 12.40	.9803	----	----	----	----	19 UNCH
4550	----	----	379.50B/329.80A	379.50B/329.80A	----	373.80 + 12.40	.9805	----	----	----	----	260 UNCH
4555	----	----	384.60B/336.10A	384.60B/336.10A	----	378.80 + 12.50	.9818	----	----	----	----	4 UNCH
4560	----	----	389.50B/339.20A	389.50B/339.20A	----	383.70 + 12.50	.9819	----	----	----	----	44 UNCH
4565	----	----	394.40B/345.60A	394.40B/345.60A	----	388.70 + 12.60	.9832	----	----	----	----	55 UNCH
4570	----	----	399.60B/350.60A	399.60B/350.60A	----	393.60 + 12.50	.9833	----	----	----	----	39 UNCH
4575	----	----	404.30B/356.00A	404.30B/356.00A	----	398.60 + 12.60	.9835	----	----	----	----	9 UNCH
4580	----	----	409.50B/361.00A	409.50B/361.00A	----	403.60 + 12.70	.9847	----	----	----	----	21 UNCH
4585	----	----	414.40B/363.60A	414.40B/363.60A	----	408.50 + 12.60	.9848	----	----	----	----	157 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
NOV26												
4590	----	----	419.10B/371.10A	419.10B/371.10A	----	413.50 + 12.70	.9860	----	----	----	----	87 UNCH
4595	----	----	424.40B/375.40A	424.40B/375.40A	----	418.50 + 12.70	.9861	----	----	----	----	15 UNCH
4600	----	----	429.30B/378.80A	429.30B/378.80A	----	423.40 + 12.70	.9863	----	----	----	----	195 UNCH
4605	----	----	434.10B/385.20A	434.10B/385.20A	----	428.40 + 12.70	.9864	----	----	----	----	12 UNCH
4610	----	----	439.20B/390.00A	439.20B/390.00A	----	433.40 + 12.80	.9875	----	----	----	----	7 UNCH
4615	----	----	444.30B/393.60A	444.30B/393.60A	----	438.30 + 12.70	.9876	----	----	----	----	15 UNCH
4620	----	----	449.30B/399.90A	449.30B/399.90A	----	443.30 + 12.80	.9878	----	----	1	----	16 - 1
4625	----	----	453.90B/404.00A	453.90B/404.00A	----	448.30 + 12.80	.9879	----	----	----	----	23 UNCH
4630	----	----	458.80B/409.80A	458.80B/409.80A	----	453.30 + 12.90	.9890	----	----	1	----	22 UNCH
4635	----	----	464.00B/413.90A	464.00B/413.90A	----	458.20 + 12.80	.9891	----	----	----	----	22 UNCH
4640	----	----	469.10B/418.80A	469.10B/418.80A	----	463.20 + 12.80	.9892	----	----	----	----	90 UNCH
4645	----	----	474.10B/424.00A	474.10B/424.00A	----	468.20 + 12.90	.9893	----	----	----	----	28 UNCH
4650	----	----	479.00B/430.10A	479.00B/430.10A	----	473.20 + 12.90	.9894	----	----	----	----	216 UNCH
4655	----	----	484.10B/433.20A	484.10B/433.20A	----	478.20 + 12.90	.9905	----	----	----	----	55 UNCH
4660	----	----	488.90B/438.70A	488.90B/438.70A	----	483.20 + 13.00	.9905	----	----	----	----	6 UNCH
4665	----	----	493.90B/444.70A	493.90B/444.70A	----	488.10 + 12.90	.9906	----	----	----	----	2 UNCH
4670	----	----	499.00B/448.10A	499.00B/448.10A	----	493.10 + 12.90	.9907	----	----	----	----	15 UNCH
4675	----	----	504.00B/453.60A	504.00B/453.60A	----	498.10 + 13.00	.9908	----	----	----	----	81 UNCH
4680	----	----	508.90B/459.60A	508.90B/459.60A	----	503.10 + 13.00	.9908	----	----	----	----	46 UNCH
4685	----	----	513.90B/463.00A	513.90B/463.00A	----	508.10 + 13.00	.9909	----	----	----	----	12 UNCH
4690	----	----	518.70B/468.70A	518.70B/468.70A	----	513.10 + 13.00	.9910	----	----	----	----	8 UNCH
4695	----	----	523.70B/474.60A	523.70B/474.60A	----	518.10 + 13.10	.9920	----	----	----	----	4 UNCH
4700	----	----	528.80B/479.80A	528.80B/479.80A	----	523.10 + 13.10	.9921	----	----	----	----	224 UNCH
4710	----	----	538.80B/488.30A	538.80B/488.30A	----	533.00 + 13.00	.9922	----	----	----	----	2 UNCH
4715	----	----	543.90B/493.40A	543.90B/493.40A	----	538.00 + 13.00	.9923	----	----	----	----	2 UNCH
4720	----	----	548.90B/499.70A	548.90B/499.70A	----	543.00 + 13.10	.9924	----	----	----	----	4 UNCH
4725	----	----	553.90B/503.30A	553.90B/503.30A	----	548.00 + 13.10	.9924	----	----	----	----	12 UNCH
4730	----	----	558.80B/507.80A	558.80B/507.80A	----	553.00 + 13.10	.9925	----	----	----	----	10 UNCH
4735	----	----	563.80B/514.60A	563.80B/514.60A	----	558.00 + 13.10	.9925	----	----	----	----	4 UNCH
4740	----	----	568.60B/519.60A	568.60B/519.60A	----	563.00 + 13.10	.9935	----	----	----	----	4 UNCH
4745	----	----	573.60B/524.10A	573.60B/524.10A	----	568.00 + 13.10	.9936	----	----	----	----	9 UNCH
4750	----	----	578.60B/529.30A	578.60B/529.30A	----	572.90 + 13.00	.9936	----	----	----	----	201 UNCH
4755	----	----	583.70B/533.20A	583.70B/533.20A	----	577.90 + 13.10	.9937	----	----	----	----	6 UNCH
4760	----	----	588.70B/537.70A	588.70B/537.70A	----	582.90 + 13.10	.9937	----	----	----	----	10 UNCH
4770	----	----	598.70B/548.40A	598.70B/548.40A	----	592.90 + 13.10	.9938	----	----	----	----	5 UNCH
4775	----	----	603.70B/554.40A	603.70B/554.40A	----	597.90 + 13.10	.9939	----	----	----	----	12 UNCH
4790	----	----	618.80B/569.20A	618.80B/569.20A	----	612.90 + 13.10	.9940	----	----	----	----	11 UNCH
4800	----	----	628.80B/577.60A	628.80B/577.60A	----	622.90 + 13.10	.9941	----	----	----	----	120 UNCH
4805	----	----	633.70B/584.40A	633.70B/584.40A	----	627.90 + 13.20	.9950	----	----	----	----	11 UNCH
4810	----	----	638.70B/588.00A	638.70B/588.00A	----	632.90 + 13.20	.9951	----	----	----	----	1 UNCH
4820	----	----	648.70B/598.90A	648.70B/598.90A	----	642.80 + 13.10	.9951	----	----	----	----	3 UNCH
4825	----	----	653.50B/603.10A	653.50B/603.10A	----	647.80 + 13.10	.9952	----	----	----	----	30 UNCH
4830	----	----	658.50B/608.90A	658.50B/608.90A	----	652.80 + 13.10	.9952	----	----	----	----	5 UNCH
4840	----	----	668.80B/619.20A	668.80B/619.20A	----	662.80 + 13.10	.9953	----	----	----	----	4 UNCH
4845	----	----	673.50B/624.40A	673.50B/624.40A	----	667.80 + 13.10	.9953	----	----	----	----	10 UNCH
4850	----	----	678.40B/629.10A	678.40B/629.10A	----	672.80 + 13.20	.9953	----	----	----	----	133 UNCH
4855	----	----	683.80B/632.50A	683.80B/632.50A	----	677.80 + 13.20	.9954	----	----	----	----	3 UNCH
4860	----	----	688.80B/637.40A	688.80B/637.40A	----	682.80 + 13.20	.9954	----	----	----	----	1 UNCH
4865	----	----	693.60B/642.90A	693.60B/642.90A	----	687.80 + 13.20	.9954	----	----	----	----	2 UNCH
4875	----	----	703.70B/654.30A	703.70B/654.30A	----	697.80 + 13.20	.9955	----	----	----	----	3 UNCH
4885	----	----	713.80B/662.10A	713.80B/662.10A	----	707.80 + 13.20	.9955	----	----	----	----	8 UNCH
4895	----	----	723.60B/673.00A	723.60B/673.00A	----	717.80 + 13.20	.9956	----	----	----	----	3 UNCH
4900	----	----	728.60B/678.80A	728.60B/678.80A	----	722.80 + 13.20	.9956	3	----	----	----	1 - 3
4915	----	----	743.70B/694.10A	743.70B/694.10A	----	737.80 + 13.30	.9966	----	----	----	----	4 UNCH
4925	----	----	753.70B/704.30A	753.70B/704.30A	----	747.80 + 13.30	.9966	----	----	----	----	3 UNCH
4935	----	----	763.70B/712.40A	763.70B/712.40A	----	757.80 + 13.30	.9967	----	----	----	----	25 UNCH
4950	----	----	778.70B/729.20A	778.70B/729.20A	----	772.70 + 13.20	.9967	----	----	----	----	49 UNCH
4960	----	----	788.70B/738.10A	788.70B/738.10A	----	782.70 + 13.20	.9968	----	----	----	----	2 UNCH
4995	----	----	823.60B/773.70A	823.60B/773.70A	----	817.70 + 13.20	.9969	----	----	----	----	1 UNCH
5000	----	----	828.60B/777.70A	828.60B/777.70A	----	822.70 + 13.20	.9969	10	----	----	----	41 - 10
5015	----	----	843.60B/794.00A	843.60B/794.00A	----	837.70 + 13.20	.9970	----	----	----	----	1 UNCH
5020	----	----	848.80B/799.20A	848.80B/799.20A	----	842.70 + 13.20	.9970	----	----	----	----	30 UNCH
5030	----	----	858.60B/807.30A	858.60B/807.30A	----	852.70 + 13.20	.9979	----	----	----	----	4 UNCH
5055	----	----	883.60B/833.70A	883.60B/833.70A	----	877.70 + 13.30	.9980	----	----	----	----	9 UNCH
5075	----	----	903.60B/852.70A	903.60B/852.70A	----	897.70 + 13.30	.9980	----	----	----	----	1 UNCH
5080	----	----	908.60B/859.10A	908.60B/859.10A	----	902.70 + 13.30	.9980	----	----	----	----	1 UNCH
5085	----	----	913.60B/862.70A	913.60B/862.70A	----	907.70 + 13.30	.9981	----	----	----	----	2 UNCH
5125	----	----	953.60B/904.20A	953.60B/904.20A	----	947.70 + 13.30	.9982	----	----	----	----	1 UNCH
5190	----	----	1,018.60B/969.1	1018.60B/969.10A	----	1012.70 + 13.30	.9992	----	----	----	----	1 UNCH
5200	----	----	1,028.60B/977.7	1028.60B/977.70A	----	1022.70 + 13.30	.9992	----	----	----	----	1 UNCH
5215	----	----	1,043.60B/992.2	1043.60B/992.20A	----	1037.70 + 13.30	.9992	----	----	----	----	1 UNCH
5225	----	----	1,053.60B/1,002	1053.60B/1002.20A	----	1047.70 + 13.30	.9992	----	----	----	----	1 UNCH
5395	----	----	1,223.80B/1,172	1223.80B/1172.90A	----	1217.70 + 13.30	.9995	----	----	----	----	6 UNCH
TOTAL										2402	185	64226 - 62
DEC26												
1350	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
1375	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1400	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1600	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	219 UNCH
1700	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	200 UNCH
1740	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
1750	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1800	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1845	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	60 UNCH
1850	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
1870	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1875	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1900	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
1930	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
2000	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
2100	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2125	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
2200	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	12 UNCH
2210	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	14 UNCH
2225	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
2235	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2240	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
2245	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH
2250	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	17 UNCH
2260	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	13 UNCH
2280	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2300	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	4 UNCH
2320	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2325	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	15 UNCH
2395	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	10 UNCH
2400	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	15 UNCH
2425	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	11 UNCH
2440	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
2450	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	24 UNCH
2470	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	2 UNCH
2490	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	11 UNCH
2495	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	30 UNCH
2500	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	460 UNCH
2550	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0004	----	----	----	----	5 UNCH
2560	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0009	----	----	----	----	20 UNCH
2565	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0009	----	----	----	----	32 UNCH
2570	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0009	----	----	----	----	10 UNCH
2575	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0009	----	----	----	----	16 UNCH
2580	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0009	----	----	----	----	5 UNCH
2590	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0009	----	----	----	----	18 UNCH
2600	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0009	----	----	----	----	25 UNCH
2605	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0009	----	----	----	----	1 UNCH
2610	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0009	----	----	----	----	25 UNCH
2615	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0009	----	----	----	----	2 UNCH
2640	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0009	----	----	----	----	10 UNCH
2645	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0009	----	----	----	----	7 UNCH
2650	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0009	----	----	----	----	1 UNCH
2655	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0009	----	----	----	----	2 UNCH
2660	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0009	----	----	----	----	3 UNCH
2675	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0009	----	----	----	----	4 UNCH
2695	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0010	----	----	----	----	14 UNCH
2700	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0010	----	----	----	----	25 UNCH
2705	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0010	----	----	----	----	10 UNCH
2710	----	----	----	0.20B/0.30A	----	0.20 UNCH	.0010	----	----	----	----	4 UNCH
2725	----	----	----	0.20B/0.30A	----	0.20 UNCH	.0010	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT DEC26												
2735	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0010	----	----	----	----	4 UNCH
2740	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0010	----	----	----	----	3 UNCH
2750	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0010	----	----	----	----	47 UNCH
2755	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0010	----	----	----	----	8 UNCH
2760	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0014	----	----	----	----	27 UNCH
2775	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0015	----	----	----	----	40 UNCH
2795	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0015	----	----	----	----	10 UNCH
2800	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0015	----	----	----	----	86 UNCH
2850	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0016	----	----	----	----	37 UNCH
2860	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0016	----	----	----	----	1 UNCH
2875	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0016	----	----	----	----	1 UNCH
2880	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0021	----	----	----	----	1 UNCH
2900	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0021	----	----	----	----	75 UNCH
2915	----	----	----	0.30B/0.50A	----	0.40 - 0.10	.0021	----	----	2	----	3 + 2
2925	----	----	----	0.30B/0.50A	----	0.40 - 0.10	.0021	----	----	----	----	300 UNCH
2945	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0022	----	----	----	----	2 UNCH
2950	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0022	----	----	----	----	56 UNCH
2960	----	----	----/0.50A	0.40B/0.50A	----	0.50 - 0.10	.0027	----	----	----	----	8 UNCH
2965	----	----	----/0.50A	0.40B/0.50A	----	0.50 - 0.10	.0027	----	----	----	----	3 UNCH
2975	----	----	----/0.50A	0.40B/0.50A	----	0.50 - 0.10	.0027	----	----	----	----	950 UNCH
3000	----	----	----/0.60A	0.50B/0.60A	----	0.50 - 0.20	.0028	----	----	2	----	2195 UNCH
3005	----	----	----/0.60A	0.50B/0.60A	----	0.50 - 0.20	.0028	----	----	----	----	5 UNCH
3010	----	----	----/0.60A	0.50B/0.60A	----	0.50 - 0.20	.0028	----	----	----	----	1 UNCH
3020	----	----	----/0.60A	0.50B/0.60A	----	0.60 - 0.10	.0033	----	----	----	----	5 UNCH
3025	----	----	----/0.60A	0.60B/0.60A	----	0.60 - 0.10	.0033	----	----	----	----	2 UNCH
3030	----	----	----/0.60A	0.60B/0.60A	----	0.60 - 0.10	.0033	----	----	----	----	1 UNCH
3035	----	----	----/0.60A	0.60B/0.60A	----	0.60 - 0.20	.0033	----	----	----	----	1 UNCH
3045	----	----	----/0.70A	0.60B/0.70A	----	0.60 - 0.20	.0034	----	----	----	----	3 UNCH
3050	----	----	----/0.70A	0.60B/0.70A	----	0.60 - 0.20	.0034	----	----	----	----	13 UNCH
3060	----	----	----/0.70A	0.70B/0.70A	----	0.60 - 0.20	.0034	----	----	----	----	201 UNCH
3075	----	----	----/0.70A	0.70B/0.70A	----	0.70 - 0.20	.0039	----	----	----	----	11 UNCH
3080	----	----	----/0.70A	0.70B/0.70A	----	0.70 - 0.20	.0039	----	----	----	----	1 UNCH
3085	----	----	----/0.70A	0.70B/0.70A	----	0.70 - 0.20	.0040	----	----	----	----	2 UNCH
3090	----	----	----/0.80A	0.80B/0.80A	----	0.70 - 0.20	.0040	----	----	----	----	5 UNCH
3095	----	----	----/0.80A	0.80B/0.80A	----	0.70 - 0.20	.0040	----	----	----	----	4 UNCH
3100	----	----	----/0.80A	0.80B/0.80A	----	0.80 - 0.10	.0045	----	----	----	----	156 UNCH
3110	----	----	----/0.80A	0.80B/0.80A	----	0.80 - 0.20	.0045	----	----	----	----	2 UNCH
3120	----	----	----/0.80A	0.80B/0.80A	----	0.80 - 0.20	.0046	----	----	----	----	3 UNCH
3125	----	----	----/0.90A	0.90B/0.90A	----	0.80 - 0.20	.0046	----	----	----	----	1 UNCH
3130	----	----	----/0.90A	0.90B/0.90A	----	0.80 - 0.20	.0046	----	----	----	----	11 UNCH
3135	----	----	----/0.90A	0.90B/0.90A	----	0.90 - 0.20	.0051	----	----	----	----	1 UNCH
3140	----	----	----/0.90A	0.90B/0.90A	----	0.90 - 0.20	.0052	----	----	----	----	2 UNCH
3145	----	----	----/0.90A	1.00B/0.90A	----	0.90 - 0.20	.0052	----	----	----	----	11 UNCH
3150	----	----	----/0.90A	1.00B/0.90A	----	0.90 - 0.20	.0052	----	----	----	----	114 UNCH
3155	----	----	----/0.90A	1.00B/0.90A	----	0.90 - 0.20	.0052	----	----	----	----	6 UNCH
3160	----	----	----/1.00A	1.00B/1.00A	----	0.90 - 0.20	.0053	----	----	----	----	4 UNCH
3170	----	----	----/1.00A	1.00B/1.00A	----	1.00 - 0.20	.0058	----	----	----	----	2 UNCH
3175	----	----	----/1.00A	1.10B/1.00A	----	1.00 - 0.20	.0058	----	----	----	----	62 UNCH
3180	----	----	----/1.00A	1.10B/1.00A	----	1.00 - 0.20	.0058	----	----	----	----	7 UNCH
3185	----	----	----/1.00A	1.10B/1.00A	----	1.00 - 0.20	.0059	----	----	----	----	2 UNCH
3190	----	----	----/1.10A	1.10B/1.10A	----	1.10 - 0.20	.0064	----	----	----	----	3 UNCH
3195	----	----	----/1.10A	1.10B/1.10A	----	1.10 - 0.20	.0064	----	----	----	----	2 UNCH
3200	----	----	----/1.10A	1.20B/1.10A	----	1.10 - 0.20	.0064	----	----	40	----	131 UNCH
3210	----	----	----/1.10A	1.20B/1.10A	----	1.10 - 0.20	.0065	----	----	----	----	1 UNCH
3215	----	----	----/1.20A	1.20B/1.20A	----	1.20 - 0.20	.0070	----	----	----	----	20 UNCH
3225	----	----	----/1.20A	1.30B/1.20A	----	1.20 - 0.20	.0071	----	----	----	----	11 UNCH
3235	----	----	----/1.20A	1.30B/1.20A	----	1.20 - 0.20	.0072	----	----	----	----	12 UNCH
3240	----	----	----/1.30A	1.30B/1.30A	----	1.30 - 0.20	.0077	----	----	----	----	11 UNCH
3245	----	----	----/1.30A	1.40B/1.30A	----	1.30 - 0.20	.0077	----	----	----	----	22 UNCH
3250	1.40	1.40	1.40/1.20	1.40/1.20	----	1.30 - 0.20	.0078	----	----	2	----	492 - 1
3260	----	----	----/1.30A	1.50B/1.30A	----	1.30 - 0.30	.0078	----	----	----	----	6 UNCH
3265	----	----	----/1.40A	1.50B/1.40A	----	1.40 - 0.20	.0084	----	----	----	----	27 UNCH
3270	----	----	----/1.40A	1.50B/1.40A	----	1.40 - 0.20	.0084	----	----	----	----	24 UNCH
3275	----	----	----/1.40A	1.50B/1.40A	----	1.40 - 0.30	.0085	----	----	----	----	37 UNCH
3280	----	----	----/1.40A	1.60B/1.40A	----	1.40 - 0.30	.0085	----	----	----	----	5 UNCH
3285	----	----	----/1.40A	1.60B/1.40A	----	1.40 - 0.30	.0086	----	----	----	----	16 UNCH
3290	----	----	----/1.50A	1.60B/1.50A	----	1.50 - 0.20	.0091	----	----	----	----	7 UNCH
3295	----	----	----/1.50A	1.70B/1.50A	----	1.50 - 0.30	.0091	----	----	----	----	11 UNCH
3300	----	----	----/1.50A	1.70B/1.50A	----	1.50 - 0.30	.0092	----	----	----	----	642 UNCH
3305	----	----	----/1.50A	1.70B/1.50A	----	1.50 - 0.30	.0092	----	----	----	----	4 UNCH
3310	----	----	----/1.60A	1.70B/1.60A	----	1.60 - 0.30	.0098	----	----	----	----	1 UNCH
3315	----	----	----/1.60A	1.80B/1.60A	----	1.60 - 0.30	.0098	----	----	----	----	11 UNCH
3325	----	----	----/1.60A	1.80B/1.60A	----	1.60 - 0.40	.0099	----	----	----	----	104 UNCH
3330	----	----	----/1.70A	1.90B/1.70A	----	1.70 - 0.30	.0105	----	----	----	----	3 UNCH
3335	----	----	----/1.70A	1.90B/1.70A	----	1.70 - 0.30	.0105	----	----	----	----	1 UNCH
3345	----	----	----/1.70A	2.00B/1.70A	----	1.80 - 0.30	.0112	----	----	----	----	14 UNCH
3350	----	----	----/1.80A	2.00B/1.80A	----	1.80 - 0.30	.0112	----	----	----	----	36 UNCH
3360	----	----	----/1.80A	2.10B/1.80A	----	1.80 - 0.40	.0113	----	----	----	----	16 UNCH
3365	----	----	----/1.90A	2.10B/1.90A	----	1.90 - 0.30	.0119	----	----	----	----	7 UNCH
3370	1.80	1.80	1.80/1.80	2.20B/1.80	----	1.90 - 0.40	.0120	----	----	2	----	3 UNCH
3375	----	----	----/1.90A	2.20B/1.90A	----	1.90 - 0.40	.0120	----	----	----	----	266 UNCH
3380	----	----	----/1.90A	2.30B/1.90A	----	2.00 - 0.40	.0126	----	----	----	----	13 UNCH
3385	----	----	----/2.00A	2.30B/2.00A	----	2.00 - 0.40	.0127	----	----	----	----	35 UNCH
3390	----	----	----/2.00A	2.40B/2.00A	----	2.00 - 0.50	.0128	----	----	----	----	101 UNCH
3395	----	----	----/2.00A	2.40B/2.00A	----	2.10 - 0.40	.0133	----	----	----	----	5 UNCH
3400	----	----	----/2.10A	2.40B/2.10A	----	2.10 - 0.40	.0134	----	----	9	----	2236 UNCH
3410	----	----	----/2.10A	2.50B/2.10A	----	2.20 - 0.40	.0141	----	----	----	----	69 UNCH
3420	----	----	----/2.20A	2.60B/2.20A	----	2.30 - 0.40	.0147	----	----	1	----	4 - 1
3425	----	----	----/2.20A	2.70B/2.20A	----	2.30 - 0.50	.0148	----	----	----	----	387 UNCH
3430	----	----	----/2.30A	2.70B/2.30A	----	2.40 - 0.40	.0154	----	----	----	----	3 UNCH
3435	----	----	----/2.30A	2.80B/2.30A	----	2.40 - 0.50	.0155	----	----	----	----	18 UNCH
3440	----	----	----/2.30A	2.90B/2.30A	----	2.40 - 0.50	.0156	----	----	----	----	11 UNCH
3445	----	----	----/2.40A	2.90B/2.40A	----	2.50 - 0.50	.0162	----	----	----	----	3 UNCH
3450	----	----	----/2.40A	3.00B/2.40A	----	2.50 - 0.60	.0163	----	----	----	----	1368 UNCH
3455	----	----	----/2.50A	3.00B/2.50A	----	2.60 - 0.50	.0169	----	----	----	----	2 UNCH
3460	----	----	----/2.50A	3.10B/2.50A	----	2.60 - 0.60	.0170	----	----	----	----	73 UNCH
3465	----	----	----/2.60A	3.20B/2.60A	----	2.70 - 0.50	.0176	----	----	----	----	226 UNCH
3470	----	----	----/2.60A	3.20B/2.60A	----	2.70 - 0.60	.0177	----	----	----	----	20 UNCH
3475	----	----	----/2.70A	3.30B/2.70A	----	2.80 - 0.60	.0183	----	----	----	----	239 UNCH
3480	----	----	----/2.70A	3.30B/2.70A	----	2.80 - 0.60	.0185	----	----	----	----	1289 UNCH
3485	----	----	----/2.80A	3.40B/2.80A	----	2.90 - 0.60	.0191	----	----	----	----	150 UNCH
3490	----	----	----/2.80A	3.50B/2.80A	----	2.90 - 0.70	.0192	----	----	----	----	40 UNCH
3495	----	----	----/2.90A	3.60B/2.90A	----	3.00 - 0.60	.0198	----	----	----	----	23 UNCH
3500	3.20	3.20	3.20/2.90A	3.60B/2.90A	----	3.10 - 0.60	.0204	----	----	30	----	6317 + 5
3505	----	----	----/3.00A	3.70B/3.00A	----	3.10 - 0.70	.0206	----	----	1	----	21 + 1
3510	----	----	----/3.10A	3.80B/3.10A	----	3.20 - 0.70	.0212	----	----	----	----	256 UNCH
3515	----	----	----/3.10A	3.90B/3.10A	----	3.20 - 0.70	.0214	----	----	----	----	137 UNCH
3520	----	----	----/3.10A	4.00B/3.10A	----	3.30 - 0.70	.0220	----	----	----	----	23 UNCH
3525	----	----	----/3.20A	4.00B/3.20A	----	3.40 - 0.70	.0226	----	----	----	----	218 UNCH
3530	----	----	----/3.30A	4.10B/3.30A	----	3.40 - 0.80	.0228	----	----	----	----	3 UNCH
3540	----	----	----/3.40A	4.30B/3.40A	----	3.60 - 0.70	.0241	----	----	----	----	26 UNCH
3545	----	----	----/3.50A	4.40B/3.50A	----	3.70 - 0.70	.0248	----	----	----	----	20 UNCH
3550	3.70	3.70	3.70/3.50A	4.50B/3.50A	----	3.70 - 0.80	.0249	----	----	2	----	2141 + 1
3555	----	----	----/3.60A	4.50B/3.60A	----	3.80 - 0.80	.0256	----	----	----	----	2 UNCH
3560	----	----	----/3.70A	4.70B/3.70A	----	3.90 - 0.80	.0263	----	----	----	----	88 UNCH
3565	----	----	----/3.80A	4.80B/3.80A	----	4.00 - 0.80	.0270	----	----	----	----	35 UNCH
3570	----	----	----/3.80A	4.90B/3.80A	----	4.10 - 0.80	.0276	----	----	----	----	25 UNCH
3575	----	----	----/3.90A	5.00B/3.90A	----	4.20 - 0.80	.0283	----	----	----	----	27 UNCH
3580	----	----	----/4.00A	5.10B/4.00A	----	4.30 - 0.80	.0290	----	----	----	----	21 UNCH
3585	----	----	----/4.10A	5.20B/4.10A	----	4.40 - 0.90	.0297	----	----	----	----	335 UNCH
3590	----	----	----/4.10A	5.40B/4.10A	----	4.40 - 1.00	.0299	----	----	----	----	46 UNCH
3595	----	----	----/4.20A	5.50B/4.20A	----	4.50 - 1.00	.0306	----	----	----	----	115 UNCH
3600	5.30	5.30	5.30/4.30A	5.60B/4.30A	----	4.70 - 0.90	.0319	----	----	24	----	1870 + 2
3605	----	----	----/4.40A	5.70B/4.40A	----	4.80 - 0.90	.0326	----	----	----	----	72 UNCH
3610	----	----	----/4.50A	5.90B/4.50A	----	4.90 - 1.00	.0333	----	----	----	----	35 UNCH
3615	----	----	----/4.60A	6.00B/4.60A	----	5.00 - 1.00	.0340	----	----	----	----	40 UNCH
3620	----	----	6.20B/4.70A	6.20B/4.70A	----	5.10 - 1.00	.0348	----	----	----	----	6 UNCH
3625	----	----	----/4.80A	6.30B/4.80A	----	5.20 - 1.10	.0355	----	----	2	----	48 - 2
3630	----	----	6.50B/4.90A	6.50B/4.90A	----	5.30 - 1.10	.0363	----	----	1	----	19 UNCH
3635	----	----	----/5.00A	6.60B/5.00A	----	5.50 - 1.10	.0375	----	----	----	----	47 UNCH
3640	5.60	5.60	6.80B/5.10A	6.80B/5.10A	----	5.60 - 1.10	.0383	----	----	1	----	19 + 1
3645	----	----	7.00B/5.20A	7.00B/5.20A	----	5.70 - 1.20	.0391	----	----	----	----	63 UNCH
3650	----	----	7.10B/5.30A	7.10B/5.30A	----	5.90 - 1.10	.0403	----	----	5	----	1711 UNCH
3655	----	----	7.30B/5.50A	7.30B/5.50A	----	6.00 - 1.20	.0411	----	----	----	----	252 UNCH
3660	----	----	7.50B/5.60A	7.50B/5.60A	----	6.20 - 1.20	.0424	----	----	1	----	61 UNCH
3665	----	----	7.70B/5.70A	7.70B/5.70A	----	6.30 - 1.20	.0432	----	----	----	----	28 UNCH
3670	----	----	7.90B/5.80A	7.90B/5.80A	----	6.50 - 1.20	.0445	----	----	----	----	130 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 09

FINAL

PG64 BULLETIN #197@ METALS OPTION PRODUCTS Tue, Oct 13, 2026 PG64

COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT DEC26												
3675	----	----	8.10B/6.00A	8.10B/6.00A	----	6.60 - 1.30	.0453	----	----	----	----	144 UNCH
3680	----	----	8.20B/6.10A	8.20B/6.10A	----	6.80 - 1.30	.0466	----	----	----	----	51 UNCH
3685	----	----	8.50B/6.30A	8.50B/6.30A	----	7.00 - 1.30	.0479	----	----	----	----	407 UNCH
3690	----	----	8.70B/6.40A	8.70B/6.40A	----	7.20 - 1.30	.0493	----	----	----	----	25 UNCH
3695	----	----	8.90B/6.60A	8.90B/6.60A	----	7.30 - 1.40	.0501	----	----	----	----	19 UNCH
3700	8.00	8.00	9.20B/6.70	9.20B/6.70	----	7.50 - 1.40	.0515	----	----	148	----	3169 - 111
3705	----	----	9.30B/6.90A	9.30B/6.90A	----	7.70 - 1.50	.0528	----	----	----	----	56 UNCH
3710	----	----	9.60B/7.10A	9.60B/7.10A	----	7.90 - 1.50	.0542	----	----	----	----	129 UNCH
3715	----	----	9.90B/7.20A	9.90B/7.20A	----	8.20 - 1.40	.0560	----	----	----	----	166 UNCH
3720	----	----	10.10B/7.40A	10.10B/7.40A	----	8.40 - 1.50	.0574	----	----	----	----	58 UNCH
3725	8.30	8.30	10.40B/7.60A	10.40B/7.60A	----	8.60 - 1.50	.0588	----	----	19	----	214 - 3
3730	8.50	8.50	10.70B/7.80A	10.70B/7.80A	----	8.80 - 1.60	.0602	----	----	3	----	436 - 2
3735	8.40	8.40	11.00B/8.00A	11.00B/8.00A	----	9.10 - 1.60	.0620	----	----	4	----	165 UNCH
3740	----	----	11.30B/8.20A	11.30B/8.20A	----	9.30 - 1.60	.0635	----	----	----	----	85 UNCH
3745	----	----	11.60B/8.40A	11.60B/8.40A	----	9.60 - 1.60	.0654	----	----	----	----	69 UNCH
3750	9.80	9.80	11.90B/8.70A	11.90B/8.70A	----	9.80 - 1.70	.0668	----	----	48	----	1917 - 16
3755	----	----	12.20B/8.90A	12.20B/8.90A	----	10.10 - 1.70	.0687	----	----	----	----	34 UNCH
3760	----	----	12.50B/9.10A	12.50B/9.10A	----	10.40 - 1.70	.0706	----	----	----	----	128 UNCH
3765	----	----	12.90B/9.40A	12.90B/9.40A	----	10.70 - 1.80	.0726	----	----	----	----	33 UNCH
3770	----	----	13.20B/9.60A	13.20B/9.60A	----	11.00 - 1.80	.0745	----	----	----	----	32 UNCH
3775	----	----	13.60B/9.90A	13.60B/9.90A	----	11.30 - 1.80	.0765	----	----	5	----	64 UNCH
3780	----	----	14.00B/10.20A	14.00B/10.20A	----	11.60 - 1.90	.0784	----	----	3	----	63 UNCH
3785	----	----	14.30B/10.50A	14.30B/10.50A	----	12.00 - 1.90	.0809	----	----	----	----	87 UNCH
3790	11.10	11.10	14.70B/10.80A	14.70B/10.80A	----	12.30 - 1.90	.0829	----	----	10	----	166 + 2
3795	----	----	15.10B/11.10A	15.10B/11.10A	----	12.70 - 1.90	.0853	----	----	----	----	57 UNCH
3800	15.60	15.60	15.80/11.40	15.80/11.40	----	13.00 - 2.00	.0873	----	----	138	----	1614 + 64
3805	----	----	16.00B/11.70A	16.00B/11.70A	----	13.40 - 2.00	.0898	----	----	----	----	40 UNCH
3810	----	----	16.50B/12.00A	16.50B/12.00A	----	13.80 - 2.10	.0922	----	----	1	----	120 UNCH
3815	13.40	13.40	16.90B/12.40A	16.90B/12.40A	----	14.20 - 2.10	.0947	----	----	4	----	59 + 4
3820	----	----	17.40B/12.70A	17.40B/12.70A	----	14.60 - 2.20	.0972	----	----	----	----	33 UNCH
3825	----	----	18.00B/13.10A	18.00B/13.10A	----	15.10 - 2.10	.1002	----	----	2	----	104 UNCH
3830	14.20	14.20	18.40B/13.50A	18.40B/13.50A	----	15.50 - 2.20	.1027	----	----	3	----	53 + 1
3835	----	----	18.90B/13.90A	18.90B/13.90A	----	16.00 - 2.20	.1056	----	----	----	----	15 UNCH
3840	----	----	19.50B/14.30A	19.50B/14.30A	----	16.50 - 2.20	.1086	----	----	1	----	238 UNCH
3845	----	----	20.00B/14.70A	20.00B/14.70A	----	17.00 - 2.20	.1116	----	----	----	----	73 UNCH
3850	16.40	16.40	20.50B/15.10	20.50B/15.10	----	17.50 - 2.30	.1146	----	----	102	----	911 + 49
3855	16.90	16.90	21.20B/15.60A	21.20B/15.60A	----	18.00 - 2.30	.1176	----	----	1	----	66 + 1
3860	16.90	16.90	21.80B/16.00A	21.80B/16.00A	----	18.50 - 2.40	.1206	----	----	2	----	47 UNCH
3865	----	----	22.50B/16.50A	22.50B/16.50A	----	19.10 - 2.40	.1240	----	----	----	----	77 UNCH
3870	18.50	18.50	23.10B/17.00A	23.10B/17.00A	----	19.70 - 2.40	.1274	----	----	4	----	34 UNCH
3875	----	----	23.70B/17.50A	23.70B/17.50A	----	20.20 - 2.50	.1305	----	----	5	----	155 - 3
3880	----	----	24.50B/18.00A	24.50B/18.00A	----	20.90 - 2.40	.1343	----	----	4	----	35 + 1
3885	20.50	20.50	25.20B/18.50A	25.20B/18.50A	----	21.50 - 2.50	.1378	----	----	6	----	57 + 5
3890	----	----	25.90B/19.10A	25.90B/19.10A	----	22.10 - 2.60	.1413	----	----	----	----	33 UNCH
3895	----	----	26.70B/19.70A	26.70B/19.70A	----	22.80 - 2.60	.1451	----	----	----	----	283 UNCH
3900	27.30	27.30	27.30/20.20A	27.30/20.20A	----	23.50 - 2.60	.1490	----	----	227	----	4300 - 6
3905	----	----	28.20B/20.80A	28.20B/20.80A	----	24.20 - 2.60	.1529	----	----	1	----	88 UNCH
3910	27.30	27.30	29.00B/21.50A	29.00B/21.50A	----	24.90 - 2.70	.1568	----	----	29	----	88 + 22
3915	----	----	29.90B/22.10A	29.90B/22.10A	----	25.70 - 2.70	.1611	----	----	1	----	220 + 1
3920	24.20	24.20	30.80B/22.80A	30.80B/22.80A	----	26.50 - 2.70	.1653	----	----	1	----	86 + 1
3925	----	----	31.60B/23.50A	31.60B/23.50A	----	27.30 - 2.70	.1696	----	----	4	----	424 UNCH
3930	27.80	27.80	32.50B/24.20A	32.50B/24.20A	----	28.10 - 2.70	.1739	----	----	8	----	104 + 7
3935	----	----	33.30B/24.90A	33.30B/24.90A	----	28.90 - 2.80	.1782	----	----	----	----	218 UNCH
3940	30.80	30.80	34.40B/25.60A	34.40B/25.60A	----	29.80 - 2.80	.1829	----	----	16	----	289 + 8
3945	----	----	35.40B/26.40A	35.40B/26.40A	----	30.70 - 2.80	.1875	----	----	4	----	89 + 4
3950	28.30	28.30	36.40B/27.20A	36.40B/27.20A	----	31.60 - 2.90	.1922	----	----	953	----	2610 + 29
3955	31.90	31.90	37.30B/28.00A	37.30B/28.00A	----	32.60 - 2.80	.1972	----	----	3	----	77 + 2
3960	----	----	38.50B/28.90A	38.50B/28.90A	----	33.60 - 2.80	.2021	----	----	----	----	435 UNCH
3965	----	----	39.60B/29.70A	39.60B/29.70A	----	34.60 - 2.90	.2071	----	----	1	----	69 + 1
3970	34.20	34.20	40.80B/30.60A	40.80B/30.60A	----	35.60 - 2.90	.2122	----	----	2	----	319 + 1
3975	35.70	35.70	41.80B/31.50A	41.80B/31.50A	----	36.70 - 2.90	.2175	----	----	20	----	887 + 15
3980	36.90	36.90	43.00B/32.50A	43.00B/32.50A	----	37.80 - 2.90	.2228	----	----	3	----	266 + 1
3985	36.90	36.90	44.30B/33.40A	44.30B/33.40A	----	38.90 - 2.90	.2281	----	----	2	----	41 + 2
3990	36.30	36.30	45.50B/34.30A	45.50B/34.30A	----	40.00 - 3.00	.2334	----	----	142	----	463 + 71
3995	----	----	46.80B/35.40A	46.80B/35.40A	----	41.20 - 2.90	.2390	----	----	2	----	40 + 1
4000	43.70	43.70	48.00B/36.50A	48.00B/36.50A	----	42.40 - 3.00	.2447	----	----	61	----	4319 UNCH
4005	----	----	49.40B/37.50A	49.40B/37.50A	----	43.70 - 2.90	.2505	----	----	1	----	200 - 1
4010	43.70	43.70	50.80B/38.70A	50.80B/38.70A	----	45.00 - 2.90	.2564	----	----	3	----	46 UNCH
4015	43.90	43.90	52.20B/39.80A	52.20B/39.80A	----	46.30 - 2.90	.2623	----	----	3	----	76 - 1
4020	50.00	50.00	53.60B/40.90A	53.60B/40.90A	----	47.60 - 2.90	.2682	----	----	3	----	64 UNCH
4025	----	----	55.00B/42.10A	55.00B/42.10A	----	49.00 - 2.90	.2743	----	----	3	----	889 UNCH
4030	44.60	44.60	56.60B/43.30A	56.60B/43.30A	----	50.40 - 2.90	.2804	----	----	83	----	117 + 72
4035	----	----	58.10B/44.60A	58.10B/44.60A	----	51.90 - 2.80	.2867	----	----	----	----	92 UNCH
4040	51.00	51.00	59.70B/45.90A	59.70B/45.90A	----	53.30 - 2.90	.2929	----	----	1	----	104 + 1
4045	49.50	49.50	61.30B/47.20A	61.30B/47.20A	----	54.90 - 2.80	.2994	----	----	10	----	84 UNCH
4050	50.50	50.50	62.90B/48.50A	62.90B/48.50A	----	56.40 - 2.80	.3058	----	----	65	----	2472 - 3
4055	----	----	64.50B/49.90A	64.50B/49.90A	----	58.00 - 2.80	.3123	----	----	2	----	31 UNCH
4060	----	----	66.20B/51.40A	66.20B/51.40A	----	59.60 - 2.80	.3189	----	----	2	----	134 + 2
4065	----	----	68.00B/52.80A	68.00B/52.80A	----	61.30 - 2.70	.3256	----	----	30	----	93 + 4
4070	59.70	59.70	69.80B/54.30A	69.80B/54.30A	----	63.00 - 2.70	.3323	----	----	2	----	36 - 1
4075	60.60	60.60	71.50B/55.80A	71.50B/55.80A	----	64.70 - 2.70	.3391	----	----	3	----	307 + 1
4080	65.20	65.20	73.40B/57.30A	73.40B/57.30A	----	66.50 - 2.60	.3459	----	----	2	----	515 - 2
4085	----	----	75.40B/58.90A	75.40B/58.90A	----	68.30 - 2.60	.3528	----	----	----	----	61 UNCH
4090	64.20	64.20	77.20B/60.60A	77.20B/60.60A	----	70.20 - 2.50	.3598	----	----	7	----	276 - 6
4095	71.00	71.00	79.30B/62.20A	79.30B/62.20A	----	72.10 - 2.40	.3668	----	----	3	----	81 + 1
4100	76.00	76.00	81.10B/63.90A	81.10B/63.90A	----	74.00 - 2.40	.3739	----	----	164	----	2200 - 99
4105	69.70	69.70	83.20B/65.70A	83.20B/65.70A	----	76.00 - 2.30	.3810	----	----	12	----	95 + 4
4110	69.60	69.60	85.30B/67.40A	85.30B/67.40A	----	78.00 - 2.30	.3881	----	----	11	----	75 + 6
4115	----	----	87.20B/69.20A	87.20B/69.20A	----	80.10 - 2.20	.3953	----	----	1	----	76 UNCH
4120	----	----	89.50B/71.10A	89.50B/71.10A	----	82.20 - 2.10	.4025	----	----	----	100	502 - 100
4125	79.90	79.90	91.70B/72.90A	91.70B/72.90A	----	84.30 - 2.10	.4097	----	----	12	----	298 UNCH
4130	87.00	87.00	94.00B/74.80A	94.00B/74.80A	----	86.50 - 2.00	.4170	----	----	1	----	736 - 1
4135	----	----	96.30B/76.80A	96.30B/76.80A	----	88.70 - 1.90	.4243	----	----	----	----	36 UNCH
4140	89.80	89.80	98.60B/78.80A	98.60B/78.80A	----	91.00 - 1.80	.4316	----	----	1	----	119 + 1
4145	91.80	91.80	100.90B/80.80A	100.90B/80.80A	----	93.30 - 1.70	.4390	----	----	3	----	97 + 1
4150	92.80	92.80	103.10B/82.90A	103.10B/82.90A	----	95.60 - 1.60	.4463	----	----	32	----	1157 + 23
4155	104.00	104.00	105.60B/85.00A	105.60B/85.00A	----	98.00 - 1.50	.4537	----	----	5	----	38 UNCH
4160	106.10	106.10	108.00B/87.10A	108.00B/87.10A	----	100.40 - 1.50	.4610	----	----	6	----	313 - 1
4165	108.60	108.60	110.60B/89.30A	110.60B/89.30A	----	102.90 - 1.30	.4684	----	----	3	----	87 + 2
4170	111.10	111.10	113.10B/91.50A	113.10B/91.50A	----	105.40 - 1.20	.4758	----	----	9	----	269 + 2
4175	110.60	110.60	115.50B/93.80A	115.50B/93.80A	----	107.90 - 1.20	.4832	----	----	11	----	441 + 1
4180	113.10	113.10	118.30B/96.10A	118.30B/96.10A	----	110.50 - 1.00	.4905	----	----	51	----	209 + 16
4185	115.60	115.60	120.90B/98.40A	120.90B/98.40A	----	113.10 - 0.90	.4979	----	----	25	----	96 + 5
4190	118.20	118.20	123.50B/100.80A	123.50B/100.80A	----	115.80 - 0.80	.5052	----	----	185	----	532 + 93
4195	114.60	114.60	126.20B/103.30A	126.20B/103.30A	----	118.50 - 0.70	.5126	----	----	13	----	46 + 3
4200	123.00	123.00	129.00B/105.70A	129.00B/105.70A	----	121.20 - 0.60	.5198	----	----	65	----	2516 + 10
4205	126.20	126.20	131.70B/108.20A	131.70B/108.20A	----	124.00 - 0.50	.5271	----	----	14	----	57 + 3
4210	121.40	121.40	134.60B/110.80A	134.60B/110.80A	----	126.80 - 0.40	.5344	----	----	6	----	109 UNCH
4215	116.40	116.40	137.30B/113.30A	137.30B/113.30A	----	129.70 - 0.20	.5416	----	----	5	----	226 UNCH
4220	126.80	126.80	140.20B/115.90A	140.20B/115.90A	----	132.60 - 0.10	.5488	----	----	3	----	58 - 2
4225	129.50	129.50	143.30B/118.60A	143.30B/118.60A	----	135.50 UNCH	.5559	----	----	8	----	263 + 4
4230	124.30	124.30	146.10B/121.30A	146.10B/121.30A	----	138.50 + 0.20	.5631	----	----	3	----	445 - 2
4235	131.00	131.00	149.10B/124.00A	149.10B/124.00A	----	141.50 + 0.30	.5701	----	----	6	----	126 + 2
4240	129.70	129.70	152.10B/126.80A	152.10B/126.80A	----	144.50 + 0.40	.5772	----	----	2	----	67 UNCH
4245	----	----	155.20B/129.50A	155.20B/129.50A	----	147.60 + 0.50	.5842	----	----	----	----	37 UNCH
4250	138.90	138.90	158.40B/132.30A	158.40B/132.30A	----	150.70 + 0.60	.5911	----	----	7	----	2652 UNCH
4255	----	----	161.40B/135.00A	161.40B/135.00A	----	153.90 + 0.80	.5981	----	----	----	----	32 UNCH
4260	139.40	139.40	164.30B/137.90A	164.30B/137.90A	----	157.00 + 0.90	.6049	----	----	3	----	79 UNCH
4265	----	----	167.50B/140.70A	167.50B/140.70A	----	160.30 + 1.10	.6117	----	----	----	----	108 UNCH
4270	----	----	170.80B/143.60A	170.80B/143.60A	----	163.50 + 1.10	.6184	----	----	----	----	22 UNCH
4275	----	----	174.10B/146.60A	174.10B/146.60A	----	166.80 + 1.30	.6251	----	----	----	----	152 UNCH
4280	----	----	177.40B/149.50A	177.40B/149.50A	----	170.10 + 1.40	.6318	----	----	----	----	176 UNCH
4285	158.10	158.10	180.70B/152.50A	180.70B/152.50A	----	173.50 + 1.60	.6383	----	----	1	----	35 UNCH
4290	----	----	184.10B/155.60A	184.10B/155.60A	----	176.90 + 1.70	.6448	----	----	----	----	249 UNCH
4295	----	----	187.50B/158.70A	187.50B/158.70A	----	180.30 + 1.80	.6512	----	----	----	----	90 UNCH
4300	----	----	191.00B/161.80A	191.00B/161.80A	----	183.80 + 2.00	.6577	----	----	6	----	3298 - 1
4305	----	----	194.40B/164.90A	194.40B/164.90A	----	187.30 + 2.10	.6638	----	----	----	----	35 UNCH
4310	----	----	197.90B/168.10A	197.90B/168.10A	----	190.80 + 2.20	.6701	----	----	----	----	237 UNCH
4315	----	----	201.50B/171.40A	201.50B/171.40A	----	194.40 + 2.40	.6762	----	----	----	----	48 UNCH
4320	----	----	205.00B/174.70A	205.00B/174.70A	----	198.00 + 2.60	.6823	----	----	----	----	255 UNCH
4325	----	----	208.60B/177.90A	208.60B/177.90A	----	201.60 + 2.70	.6884	----	----	----	----	870 UNCH
4330	----	----	212.20B/181.20A	212.20B/181.20A	----	205.20 + 2.80	.6943	----	----	----	----	47 UNCH
4335	----	----	215.80B/184.60A	215.80B/184.60A	----	208.90 + 3.00	.7001	----	----	----	----	56 UNCH
4340	----	----	219.50B/187.90A	219.50B/187.90A	----	212.60 + 3.10	.7060	----	----	----	----	113 UNCH
4345	----	----	223.20B/191.30A	223.20B/191.30A	----	216.40 + 3.30	.7116	----	----	----	----	25 UNCH
4350	199.00	199.00	226.90B/194.70A	226.90B/194.70A	----	220.10 + 3.40	.7172	----	----	7	----	742 - 5
4355	----	----	230.70B/198.20A	230.70B/198.20A	----	223.90 + 3.50	.7228	----	----	----	----	30 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
4360	----	----	234.50B/201.60A	234.50B/201.60A	----	227.80 + 3.70	.7283	----	----	----	----	100 UNCH
4365	----	----	238.30B/205.10A	238.30B/205.10A	----	231.60 + 3.80	.7337	----	----	----	----	243 UNCH
4370	230.10	230.10	242.10B/208.70A	242.10B/208.70A	----	235.50 + 4.00	.7390	----	----	1	----	57 UNCH
4375	----	----	245.90B/212.20A	245.90B/212.20A	----	239.40 + 4.10	.7443	----	----	----	----	198 UNCH
4380	237.80	237.80	249.80B/215.80A	249.80B/215.80A	----	243.30 + 4.20	.7493	----	----	1	----	156 + 1
4385	----	----	253.70B/219.40A	253.70B/219.40A	----	247.30 + 4.40	.7545	----	----	----	----	95 UNCH
4390	----	----	257.70B/223.10A	257.70B/223.10A	----	251.30 + 4.60	.7595	----	----	----	----	215 UNCH
4395	----	----	261.60B/226.80A	261.60B/226.80A	----	255.30 + 4.70	.7642	----	----	----	----	30 UNCH
4400	242.00	242.00	265.60B/230.50A	265.60B/230.50A	----	259.30 + 4.80	.7692	----	----	3	----	1179 UNCH
4405	----	----	269.60B/234.20A	269.60B/234.20A	----	263.40 + 5.00	.7738	----	----	----	----	74 UNCH
4410	----	----	273.60B/237.90A	273.60B/237.90A	----	267.40 + 5.10	.7785	----	----	----	----	91 UNCH
4415	----	----	277.60B/241.70A	277.60B/241.70A	----	271.50 + 5.20	.7831	----	----	----	----	11 UNCH
4420	----	----	281.70B/245.50A	281.70B/245.50A	----	275.70 + 5.40	.7877	----	----	----	----	45 UNCH
4425	----	----	285.80B/249.30A	285.80B/249.30A	----	279.80 + 5.50	.7920	----	----	1	----	254 + 1
4430	----	----	289.90B/253.20A	289.90B/253.20A	----	284.00 + 5.70	.7963	----	----	----	----	171 UNCH
4435	----	----	294.00B/257.10A	294.00B/257.10A	----	288.20 + 5.80	.8006	----	----	----	----	166 UNCH
4440	----	----	298.20B/261.00A	298.20B/261.00A	----	292.40 + 6.00	.8048	----	----	----	----	74 UNCH
4445	----	----	302.40B/264.90A	302.40B/264.90A	----	296.60 + 6.10	.8091	----	----	----	----	197 UNCH
4450	----	----	306.60B/268.90A	306.60B/268.90A	----	300.80 + 6.20	.8130	----	----	----	----	586 UNCH
4455	----	----	310.80B/272.80A	310.80B/272.80A	----	305.10 + 6.30	.8169	----	----	----	----	47 UNCH
4460	----	----	315.00B/276.80A	315.00B/276.80A	----	309.40 + 6.50	.8208	----	----	----	----	73 UNCH
4465	----	----	319.40B/280.80A	319.40B/280.80A	----	313.70 + 6.60	.8246	----	----	----	----	84 UNCH
4470	----	----	323.60B/284.90A	323.60B/284.90A	----	318.00 + 6.70	.8285	----	----	----	----	177 UNCH
4475	----	----	328.10B/288.90A	328.10B/288.90A	----	322.30 + 6.80	.8320	----	----	----	----	222 UNCH
4480	----	----	332.40B/293.00A	332.40B/293.00A	----	326.70 + 7.00	.8358	----	----	----	----	52 UNCH
4485	----	----	336.90B/297.10A	336.90B/297.10A	----	331.10 + 7.10	.8392	----	----	----	----	41 UNCH
4490	----	----	341.20B/301.20A	341.20B/301.20A	----	335.50 + 7.30	.8427	----	----	----	----	31 UNCH
4495	----	----	345.60B/305.40A	345.60B/305.40A	----	339.90 + 7.40	.8461	----	----	----	----	40 UNCH
4500	----	----	350.00B/309.50A	350.00B/309.50A	----	344.30 + 7.50	.8492	----	----	----	----	1730 UNCH
4505	----	----	354.50B/313.70A	354.50B/313.70A	----	348.70 + 7.60	.8526	----	----	----	----	18 UNCH
4510	----	----	358.90B/317.90A	358.90B/317.90A	----	353.20 + 7.70	.8556	----	----	----	----	20 UNCH
4515	----	----	363.50B/322.10A	363.50B/322.10A	----	357.60 + 7.80	.8586	----	----	----	----	270 UNCH
4520	----	----	367.90B/326.30A	367.90B/326.30A	----	362.10 + 7.90	.8620	----	----	----	----	48 UNCH
4525	----	----	372.50B/330.60A	372.50B/330.60A	----	366.60 + 8.00	.8646	----	----	----	----	384 UNCH
4530	----	----	377.00B/334.90A	377.00B/334.90A	----	371.10 + 8.10	.8676	----	----	----	----	334 UNCH
4535	----	----	381.40B/339.20A	381.40B/339.20A	----	375.60 + 8.20	.8705	----	----	----	----	109 UNCH
4540	----	----	386.00B/343.40A	386.00B/343.40A	----	380.10 + 8.30	.8735	----	----	----	----	20 UNCH
4545	----	----	390.50B/347.80A	390.50B/347.80A	----	384.70 + 8.50	.8760	----	----	----	----	61 UNCH
4550	----	----	395.20B/352.10A	395.20B/352.10A	----	389.20 + 8.50	.8785	----	----	----	----	320 UNCH
4555	----	----	399.70B/356.50A	399.70B/356.50A	----	393.80 + 8.60	.8814	----	----	----	----	62 UNCH
4560	----	----	404.30B/360.90A	404.30B/360.90A	----	398.40 + 8.80	.8839	----	----	----	----	11 UNCH
4565	----	----	408.90B/365.30A	408.90B/365.30A	----	403.00 + 8.90	.8864	----	----	----	----	5 UNCH
4570	----	----	413.50B/369.70A	413.50B/369.70A	----	407.60 + 9.00	.8885	----	----	----	----	31 UNCH
4575	----	----	418.20B/374.10A	418.20B/374.10A	----	412.20 + 9.00	.8910	----	----	----	----	221 UNCH
4580	----	----	422.70B/378.50A	422.70B/378.50A	----	416.80 + 9.10	.8934	----	----	----	----	179 UNCH
4585	394.60	394.60	427.40B/382.90A	427.40B/382.90A	----	421.40 + 9.20	.8954	----	----	1	----	351 - 1
4590	----	----	432.00B/387.40A	432.00B/387.40A	----	426.10 + 9.30	.8979	----	----	----	----	13 UNCH
4595	----	----	436.70B/391.80A	436.70B/391.80A	----	430.70 + 9.40	.8999	----	----	----	----	32 UNCH
4600	405.30	405.30	441.30B/396.30A	441.30B/396.30A	----	435.40 + 9.50	.9023	----	----	1	----	973 UNCH
4605	----	----	446.00B/400.80A	446.00B/400.80A	----	440.10 + 9.60	.9043	----	----	----	----	24 UNCH
4610	----	----	450.80B/405.30A	450.80B/405.30A	----	444.70 + 9.60	.9062	----	----	----	----	22 UNCH
4615	----	----	455.50B/409.80A	455.50B/409.80A	----	449.40 + 9.70	.9082	----	----	----	----	5 UNCH
4620	----	----	460.20B/414.40A	460.20B/414.40A	----	454.10 + 9.80	.9101	----	----	----	----	62 UNCH
4625	----	----	464.80B/418.90A	464.80B/418.90A	----	458.80 + 9.90	.9121	----	----	----	----	59 UNCH
4630	----	----	469.50B/423.50A	469.50B/423.50A	----	463.60 + 10.00	.9136	----	----	----	----	4 UNCH
4635	----	----	474.20B/428.00A	474.20B/428.00A	----	468.30 + 10.10	.9155	----	----	----	----	28 UNCH
4640	----	----	479.10B/432.60A	479.10B/432.60A	----	473.00 + 10.10	.9174	----	----	----	----	120 UNCH
4650	----	----	488.50B/441.80A	488.50B/441.80A	----	482.50 + 10.30	.9207	----	----	----	----	235 UNCH
4655	----	----	493.20B/446.40A	493.20B/446.40A	----	487.20 + 10.30	.9222	----	----	----	----	12 UNCH
4660	----	----	498.10B/451.00A	498.10B/451.00A	----	492.00 + 10.40	.9236	----	----	----	----	122 UNCH
4665	----	----	502.70B/455.70A	502.70B/455.70A	----	496.80 + 10.50	.9250	----	----	----	----	55 UNCH
4670	----	----	507.50B/460.30A	507.50B/460.30A	----	501.50 + 10.50	.9269	----	----	----	----	20 UNCH
4675	----	----	512.40B/464.90A	512.40B/464.90A	----	506.30 + 10.60	.9283	----	----	----	----	16 UNCH
4680	----	----	517.20B/469.60A	517.20B/469.60A	----	511.10 + 10.70	.9297	----	----	----	----	64 UNCH
4685	----	----	521.90B/474.30A	521.90B/474.30A	----	515.90 + 10.80	.9310	----	----	----	----	19 UNCH
4690	----	----	526.70B/479.00A	526.70B/479.00A	----	520.70 + 10.80	.9324	----	----	----	----	146 UNCH
4695	----	----	531.50B/483.60A	531.50B/483.60A	----	525.50 + 10.90	.9338	----	----	----	----	33 UNCH
4700	----	----	536.30B/488.30A	536.30B/488.30A	----	530.30 + 10.90	.9351	----	----	----	----	682 UNCH
4705	----	----	541.20B/493.00A	541.20B/493.00A	----	535.10 + 11.00	.9360	----	----	----	----	17 UNCH
4710	----	----	545.90B/497.70A	545.90B/497.70A	----	539.90 + 11.00	.9373	----	----	----	----	21 UNCH
4715	----	----	550.70B/502.40A	550.70B/502.40A	----	544.80 + 11.20	.9387	----	----	----	----	12 UNCH
4720	----	----	555.50B/507.20A	555.50B/507.20A	----	549.60 + 11.20	.9395	----	----	----	----	15 UNCH
4725	----	----	559.10B/511.90A	559.10B/511.90A	----	554.40 + 11.20	.9408	----	----	----	----	142 UNCH
4730	----	----	563.90B/516.70A	563.90B/516.70A	----	559.20 + 11.20	.9422	----	----	----	----	8 UNCH
4735	----	----	568.70B/521.40A	568.70B/521.40A	----	564.10 + 11.30	.9430	----	----	----	----	7 UNCH
4740	----	----	573.60B/526.10A	573.60B/526.10A	----	568.90 + 11.30	.9443	----	----	----	----	8 UNCH
4745	----	----	578.40B/530.90A	578.40B/530.90A	----	573.80 + 11.40	.9451	----	----	----	----	5 UNCH
4750	----	----	583.30B/538.40A	583.30B/538.40A	----	578.60 + 11.40	.9459	----	----	----	----	74 UNCH
4755	----	----	588.10B/542.40A	588.10B/542.40A	----	583.50 + 11.50	.9472	----	----	----	----	18 UNCH
4760	----	----	593.00B/547.20A	593.00B/547.20A	----	588.40 + 11.60	.9480	----	----	----	----	25 UNCH
4765	----	----	597.80B/551.90A	597.80B/551.90A	----	593.20 + 11.50	.9488	----	----	----	----	2 UNCH
4770	----	----	602.70B/556.70A	602.70B/556.70A	----	598.10 + 11.60	.9495	----	----	----	----	1 UNCH
4775	----	----	607.50B/561.60A	607.50B/561.60A	----	603.00 + 11.70	.9508	----	----	----	----	6 UNCH
4780	----	----	612.40B/567.20A	612.40B/567.20A	----	607.80 + 11.70	.9516	----	----	----	----	2 UNCH
4790	----	----	622.10B/576.50A	622.10B/576.50A	----	617.60 + 11.80	.9531	----	----	----	----	73 UNCH
4795	----	----	627.00B/580.90A	627.00B/580.90A	----	622.50 + 11.80	.9539	----	----	----	----	1 UNCH
4800	----	----	632.00B/586.50A	632.00B/586.50A	----	627.40 + 11.90	.9546	----	----	----	----	362 UNCH
4805	----	----	636.80B/591.00A	636.80B/591.00A	----	632.30 + 11.90	.9554	----	----	----	----	2 UNCH
4810	----	----	641.70B/596.20A	641.70B/596.20A	----	637.20 + 12.00	.9561	----	----	----	----	61 UNCH
4815	----	----	646.60B/600.70A	646.60B/600.70A	----	642.10 + 12.00	.9568	----	----	----	----	9 UNCH
4820	----	----	651.50B/605.10A	651.50B/605.10A	----	647.00 + 12.00	.9576	----	----	----	----	24 UNCH
4825	----	----	656.30B/610.40A	656.30B/610.40A	----	651.90 + 12.10	.9583	----	----	----	----	114 UNCH
4830	----	----	661.20B/615.60A	661.20B/615.60A	----	656.80 + 12.10	.9590	----	----	----	----	15 UNCH
4835	----	----	666.10B/619.70A	666.10B/619.70A	----	661.70 + 12.10	.9592	----	----	----	----	126 UNCH
4850	----	----	680.80B/635.00A	680.80B/635.00A	----	676.50 + 12.30	.9613	----	----	----	----	15 UNCH
4855	----	----	685.80B/639.20A	685.80B/639.20A	----	681.40 + 12.30	.9621	----	----	----	----	3 UNCH
4860	----	----	690.70B/644.00A	690.70B/644.00A	----	686.30 + 12.30	.9622	----	----	----	----	6 UNCH
4865	----	----	695.60B/649.40A	695.60B/649.40A	----	691.20 + 12.30	.9629	----	----	----	----	2 UNCH
4870	----	----	700.50B/654.30A	700.50B/654.30A	----	696.20 + 12.40	.9636	----	----	----	----	2 UNCH
4875	----	----	705.40B/659.10A	705.40B/659.10A	----	701.10 + 12.40	.9638	----	----	----	----	16 UNCH
4880	----	----	710.30B/664.10A	710.30B/664.10A	----	706.00 + 12.40	.9645	----	----	----	----	11 UNCH
4885	----	----	715.30B/669.00A	715.30B/669.00A	----	710.90 + 12.40	.9652	----	----	----	----	1 UNCH
4895	----	----	725.20B/678.80A	725.20B/678.80A	----	720.80 + 12.50	.9660	----	----	----	----	2 UNCH
4900	----	----	730.00B/683.70A	730.00B/683.70A	----	725.70 + 12.50	.9667	----	----	----	----	107 UNCH
4905	----	----	735.00B/688.60A	735.00B/688.60A	----	730.70 + 12.60	.9668	----	----	----	----	1 UNCH
4920	----	----	749.70B/702.90A	749.70B/702.90A	----	745.50 + 12.60	.9683	----	----	----	----	4 UNCH
4925	----	----	754.70B/708.60A	754.70B/708.60A	----	750.40 + 12.60	.9685	----	----	----	----	240 UNCH
4930	----	----	759.60B/713.20A	759.60B/713.20A	----	755.40 + 12.70	.9691	----	----	----	----	2 UNCH
4935	----	----	764.60B/717.60A	764.60B/717.60A	----	760.30 + 12.60	.9698	----	----	----	----	5 UNCH
4940	----	----	769.50B/722.60A	769.50B/722.60A	----	765.30 + 12.70	.9699	----	----	----	----	30 UNCH
4945	----	----	774.50B/727.90A	774.50B/727.90A	----	770.20 + 12.70	.9706	----	----	----	----	1 UNCH
4950	----	----	779.50B/732.90A	779.50B/732.90A	----	775.10 + 12.60	.9707	----	----	----	----	25 UNCH
4955	----	----	784.30B/738.10A	784.30B/738.10A	----	780.10 + 12.70	.9714	----	----	----	----	1 UNCH
4965	----	----	794.20B/747.20A	794.20B/747.20A	----	790.00 + 12.70	.9721	----	----	----	----	1 UNCH
4970	----	----	799.20B/752.90A	799.20B/752.90A	----	794.90 + 12.70	.9722	----	----	----	----	1 UNCH
4975	----	----	804.10B/757.60A	804.10B/757.60A	----	799.90 + 12.80	.9729	----	----	----	----	42 UNCH
4980	----	----	809.10B/762.80A	809.10B/762.80A	----	804.80 + 12.70	.9730	----	----	----	----	6 UNCH
4985	----	----	814.00B/767.50A	814.00B/767.50A	----	809.80 + 12.80	.9736	----	----	----	----	2 UNCH
4990	----	----	819.00B/772.70A	819.00B/772.70A	----	814.70 + 12.70	.9738	----	----	----	----	2 UNCH
4995	----	----	823.90B/777.60A	823.90B/777.60A	----	819.70 + 12.80	.9739	----	----	----	----	37 UNCH
5000	----	----	828.90B/782.70A	828.90B/782.70A	----	824.70 + 12.80	.9745	----	----	----	----	555 UNCH
5010	----	----	838.80B/791.70A	838.80B/791.70A	----	834.60 + 12.80	.9752	----	----	----	----	3 UNCH
5015	----	----	843.70B/797.40A	843.70B/797.40A	----	839.50 + 12.80	.9753	----	----	----	----	4 UNCH
5020	----	----	848.70B/801.60A	848.70B/801.60A	----	844.50 + 12.80	.9754	----	----	----	----	10 UNCH
5025	----	----	853.60B/807.10A	853.60B/807.10A	----	849.50 + 12.90	.9761	----	----	----	----	217 UNCH
5030	----	----	858.60B/812.30A	858.60B/812.30A	----	854.40 + 12.80	.9762	----	----	----	----	3 UNCH
5035	----	----	863.60B/817.00A	863.60B/817.00A	----	859.40 + 12.90	.9763	----	----	----	----	13 UNCH
5040	----	----	868.50B/821.50A	868.50B/821.50A	----	864.30 + 12.80	.9769	----	----	----	----	2 UNCH
5045	----	----	873.50B/826.40A	873.50B/826.40A	----	869.30 + 12.90	.9770	----	----	----	----	3 UNCH
5050	----	----	878.50B/832.10A	878.50B/832.10A	----	874.30 + 12.90	.9771	----	----	----	----	201 UNCH
5070	----	----	898.30B/851.70A	898.30B/851.70A	----	894.20 + 13.00	.9785	----	----	----	----	2 UNCH
5075	----	----	903.30B/856.90A	903.30B/856.90A	----	899.10 + 12.90	.9785	----	----	----	----	100 UNCH
5095	----	----	923.20B/876.00A	923.20B/876.00A	----	919.00 + 13.00	.9794	----	----	----	----	6 UNCH
5100	----	----	928.10B/881.50A	928.10B/881.50A	----	924.00 + 13.00	.9795	----	----	----	----	32 UNCH
5150	----	----	977.90B/931.20A	977.90B/931.20A	----	973.70 + 13.00	.9812	----	----	----	----	1 UNCH
5195	----	----	1,022.90B/975.8	1022.90B/975.80A	----	1018.60 + 13.20	.9829	----	----	----	----	5 UNCH
5200	----	----	1,027.70B/980.4	1027.70B/980.40A	----	1023.50 + 13.10	.9829	----	----	----	----	191 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000
FINAL

COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT												
DEC26												
5250	----	----	1,077.60B/1,030	1077.60B/1030.90A	----	1073.40 + 13.20	.9845	----	----	----	----	127 UNCH
5265	----	----	1,092.80B/1,045	1092.80B/1045.40A	----	1088.30 + 13.20	.9847	----	----	----	----	9 UNCH
5290	----	----	1,117.60B/1,070	1117.60B/1070.60A	----	1113.30 + 13.30	.9854	----	----	----	----	1 UNCH
5300	----	----	1,127.60B/1,080	1127.60B/1080.80A	----	1123.20 + 13.20	.9855	----	----	----	----	3 UNCH
5350	----	----	1,177.70B/1,130	1177.70B/1130.30A	----	1173.10 + 13.30	.9870	----	----	----	----	7 UNCH
5355	----	----	1,182.80B/1,135	1182.80B/1135.30A	----	1178.10 + 13.30	.9870	----	----	----	----	6 UNCH
5360	----	----	1,187.70B/1,139	1187.70B/1139.90A	----	1183.10 + 13.30	.9871	----	----	----	----	60 UNCH
5370	----	----	1,197.70B/1,150	1197.70B/1150.20A	----	1193.10 + 13.30	.9872	----	----	----	----	20 UNCH
5375	----	----	1,202.70B/1,155	1202.70B/1155.10A	----	1198.00 + 13.20	.9872	----	----	----	----	34 UNCH
5400	----	----	1,228.00B/1,180	1228.00B/1180.00A	----	1223.00 + 13.30	.9879	----	----	----	----	78 UNCH
5415	----	----	1,242.90B/1,194	1242.90B/1194.90A	----	1238.00 + 13.30	.9885	----	----	----	----	4 UNCH
5465	----	----	1,293.10B/1,244	1293.10B/1244.60A	----	1287.90 + 13.30	.9894	----	----	----	----	50 UNCH
5480	----	----	1,308.20B/1,259	1308.20B/1259.50A	----	1302.90 + 13.30	.9895	----	----	10	----	35 + 10
5500	----	----	1,328.30B/1,279	1328.30B/1279.00A	----	1322.80 + 13.20	.9896	----	----	----	----	1 UNCH
5525	----	----	1,353.50B/1,304	1353.50B/1304.20A	----	1347.80 + 13.30	.9903	----	----	----	----	1 UNCH
5600	----	----	1,428.50B/1,378	1428.50B/1378.90A	----	1422.70 + 13.30	.9912	----	----	----	----	5 UNCH
5700	----	----	1,528.50B/1,477	1528.50B/1477.90A	----	1522.70 + 13.30	.9927	----	----	25	----	0 UNCH
9500	----	----	----	----	----	5322.70 + 13.30	1.0000	----	----	----	----	0 UNCH
10000	----	----	----	----	----	5822.70 + 13.30	1.0000	----	----	28	----	0 UNCH
TOTAL										3093	100	97199 + 203
JAN27												
2625	----	----	----	0.60B/0.70A	----	0.60 - 0.10	.0024	----	----	----	----	34 UNCH
2650	----	----	----/0.70A	0.60B/0.70A	----	0.70 - 0.10	.0028	----	----	----	----	22 UNCH
2675	----	----	----	0.70B/0.80A	----	0.70 - 0.10	.0029	----	----	----	----	11 UNCH
2700	----	----	----	0.70B/0.80A	----	0.70 - 0.10	.0029	----	----	----	----	35 UNCH
2725	----	----	----	0.80B/0.90A	----	0.80 - 0.10	.0033	----	----	----	----	1 UNCH
2750	----	----	----	0.80B/0.90A	----	0.80 - 0.10	.0034	----	----	----	----	3 UNCH
2800	----	----	----/1.00A	0.90B/1.00A	----	1.00 - 0.10	.0042	----	----	----	----	38 UNCH
2850	----	----	----/1.10A	1.10B/1.10A	----	1.10 - 0.20	.0048	----	----	----	----	10 UNCH
2870	----	----	----/1.20A	1.10B/1.20A	----	1.20 - 0.10	.0052	----	----	----	----	1 UNCH
2890	----	----	----/1.20A	1.20B/1.20A	----	1.20 - 0.20	.0053	----	----	----	----	2 UNCH
2900	----	----	----/1.30A	1.30B/1.30A	----	1.30 - 0.10	.0057	----	----	----	----	1 UNCH
2910	----	----	----/1.40A	1.30B/1.40A	----	1.30 - 0.20	.0057	----	----	----	----	2 UNCH
2915	----	----	----/1.30A	1.30B/1.30A	----	1.30 - 0.20	.0057	----	----	----	----	1 UNCH
2940	----	----	----/1.50A	1.40B/1.50A	----	1.40 - 0.20	.0062	----	----	----	----	10 UNCH
2950	----	----	----/1.40A	1.40B/1.40A	----	1.40 - 0.20	.0063	----	----	----	----	2 UNCH
2960	----	----	----/1.50A	1.50B/1.50A	----	1.40 - 0.30	.0063	----	----	----	----	2 UNCH
2980	----	----	----/1.60A	1.60B/1.60A	----	1.50 - 0.30	.0068	----	----	----	----	1 UNCH
3000	----	----	----/1.60A	1.70B/1.60A	----	1.60 - 0.20	.0073	----	----	----	----	65 UNCH
3005	----	----	----/1.70A	1.70B/1.70A	----	1.60 - 0.30	.0073	----	----	----	----	24 UNCH
3010	----	----	----/1.70A	1.70B/1.70A	----	1.60 - 0.30	.0073	----	----	----	----	16 UNCH
3045	----	----	----/1.80A	1.90B/1.80A	----	1.80 - 0.30	.0083	----	----	----	----	14 UNCH
3060	----	----	----/1.90A	2.00B/1.90A	----	1.80 - 0.40	.0084	----	----	----	----	11 UNCH
3065	----	----	----/1.90A	2.00B/1.90A	----	1.80 - 0.40	.0085	----	----	----	----	11 UNCH
3070	----	----	----/1.90A	2.00B/1.90A	----	1.90 - 0.30	.0089	----	----	----	----	4 UNCH
3080	----	----	----/2.00A	2.10B/2.00A	----	1.90 - 0.40	.0089	----	----	----	----	20 UNCH
3085	----	----	----/2.00A	2.20B/2.00A	----	1.90 - 0.40	.0090	----	----	----	----	10 UNCH
3090	----	----	----/2.00A	2.20B/2.00A	----	2.00 - 0.30	.0094	----	----	----	----	22 UNCH
3095	----	----	----/2.10A	2.20B/2.10A	----	2.00 - 0.40	.0094	----	----	----	----	233 UNCH
3100	----	----	----/2.10A	2.30B/2.10A	----	2.00 - 0.40	.0095	----	----	1	----	47 UNCH
3105	----	----	----/2.10A	2.30B/2.10A	----	2.10 - 0.30	.0099	----	----	----	----	24 UNCH
3110	----	----	----/2.20A	2.30B/2.20A	----	2.10 - 0.40	.0099	----	----	----	----	5 UNCH
3125	----	----	----/2.20A	2.40B/2.20A	----	2.20 - 0.40	.0104	----	----	----	----	16 UNCH
3150	----	----	----/2.40A	2.60B/2.40A	----	2.30 - 0.50	.0111	----	----	39	----	140 + 39
3160	----	----	----/2.50A	2.70B/2.50A	----	2.40 - 0.40	.0115	----	----	----	----	1 UNCH
3175	----	----	----/2.60A	2.80B/2.60A	----	2.50 - 0.50	.0121	----	----	----	----	7 UNCH
3200	3.00	3.00	3.00/2.80A	3.10B/2.80A	----	2.70 - 0.50	.0131	----	----	273	----	297 + 273
3205	2.80	2.80	2.80/2.80	3.10B/2.80	----	2.70 NEW	.0132	----	----	13	----	13 + 13
3215	----	----	----/2.90A	3.20B/2.90A	----	2.80 - 0.50	.0137	----	----	----	----	6 UNCH
3225	----	----	----/2.90A	3.30B/2.90A	----	2.90 - 0.50	.0142	----	----	----	----	14 UNCH
3240	----	----	----/3.10A	3.50B/3.10A	----	3.00 - 0.60	.0148	----	----	----	----	15 UNCH
3250	----	----	----/3.20A	3.60B/3.20A	----	3.10 - 0.60	.0153	----	----	----	----	46 UNCH
3270	----	----	----/3.30A	3.80B/3.30A	----	3.30 - 0.70	.0164	----	----	----	----	22 UNCH
3280	----	----	----/3.40A	3.90B/3.40A	----	3.40 - 0.70	.0169	----	----	----	----	1 UNCH
3285	----	----	----/3.50A	4.00B/3.50A	----	3.50 - 0.70	.0174	----	----	----	----	2 UNCH
3295	----	----	----/3.60A	4.20B/3.60A	----	3.60 - 0.70	.0179	----	----	----	----	6 UNCH
3300	----	----	----/3.60A	4.20B/3.60A	----	3.70 - 0.70	.0184	----	----	2	----	66 - 1
3305	----	----	----/3.70A	4.30B/3.70A	----	3.70 - 0.70	.0185	----	----	----	----	15 UNCH
3310	----	----	----/3.80A	4.40B/3.80A	----	3.80 - 0.70	.0189	----	----	----	----	6 UNCH
3320	----	----	----/3.90A	4.50B/3.90A	----	3.90 - 0.80	.0195	----	----	----	----	10 UNCH
3325	----	----	----/3.90A	4.60B/3.90A	----	4.00 - 0.70	.0200	----	----	1	----	304 + 1
3330	----	----	----/4.00A	4.70B/4.00A	----	4.10 - 0.70	.0205	----	----	----	----	2 UNCH
3335	----	----	----/4.00A	4.70B/4.00A	----	4.10 - 0.80	.0206	----	----	----	----	7 UNCH
3340	----	----	----/4.10A	4.80B/4.10A	----	4.20 - 0.80	.0211	----	----	----	----	4 UNCH
3345	----	----	----/4.20A	4.90B/4.20A	----	4.30 - 0.80	.0215	----	----	----	----	9 UNCH
3350	----	----	----/4.20A	5.00B/4.20A	----	4.30 - 0.80	.0217	----	----	----	----	11 UNCH
3355	----	----	----/4.30A	5.10B/4.30A	----	4.40 - 0.80	.0221	----	----	----	----	1 UNCH
3365	----	----	----/4.40A	5.20B/4.40A	----	4.60 - 0.80	.0231	----	----	----	----	1 UNCH
3370	----	----	----/4.50A	5.30B/4.50A	----	4.60 - 0.90	.0232	----	----	----	----	7 UNCH
3375	----	----	----/4.60A	5.40B/4.60A	----	4.70 - 0.90	.0237	----	----	----	----	8 UNCH
3380	----	----	----/4.60A	5.50B/4.60A	----	4.80 - 0.90	.0242	----	----	----	----	67 UNCH
3385	----	----	----/4.70A	5.60B/4.70A	----	4.90 - 0.90	.0247	----	----	----	----	10 UNCH
3395	----	----	----/4.90A	5.80B/4.90A	----	5.10 - 0.90	.0257	----	----	----	----	2 UNCH
3400	----	----	----/5.00A	5.90B/5.00A	----	5.10 - 1.00	.0259	----	----	18	----	356 + 4
3410	----	----	----/5.10A	6.10B/5.10A	----	5.30 - 1.00	.0269	----	----	----	----	4 UNCH
3415	----	----	----/5.20A	6.30B/5.20A	----	5.40 - 1.00	.0274	----	----	----	----	5 UNCH
3420	----	----	----/5.30A	6.40B/5.30A	----	5.50 - 1.00	.0279	----	----	----	----	6 UNCH
3425	----	----	----/5.40A	6.50B/5.40A	----	5.60 - 1.00	.0285	----	----	----	----	3 UNCH
3430	----	----	----/5.50A	6.60B/5.50A	----	5.70 - 1.10	.0290	----	----	----	----	5 UNCH
3435	----	----	----/5.60A	6.70B/5.60A	----	5.80 - 1.10	.0295	----	----	----	----	4 UNCH
3440	----	----	----/5.70A	6.90B/5.70A	----	5.90 - 1.10	.0300	----	----	----	----	5 UNCH
3445	----	----	----/5.80A	7.10B/5.80A	----	6.00 - 1.10	.0306	----	----	----	----	17 UNCH
3450	----	----	----/5.90A	7.20B/5.90A	----	6.20 - 1.10	.0315	----	----	----	----	55 UNCH
3455	----	----	----/6.00A	7.20B/6.00A	----	6.30 - 1.10	.0320	----	----	----	----	3 UNCH
3460	----	----	----/6.10A	7.40B/6.10A	----	6.40 - 1.10	.0326	----	----	----	----	1 UNCH
3470	----	----	----/6.30A	7.70B/6.30A	----	6.60 - 1.20	.0337	----	----	----	----	7 UNCH
3475	----	----	----/6.40A	7.80B/6.40A	----	6.80 - 1.10	.0346	----	----	----	----	6 UNCH
3480	7.00	7.00	7.00/6.50A	8.00B/6.50A	----	6.90 - 1.20	.0351	----	----	6	----	8 + 6
3495	----	----	----/6.90A	8.50B/6.90A	----	7.30 - 1.30	.0372	----	----	----	----	54 UNCH
3500	7.10	7.10	7.40/7.00A	8.70B/7.00A	----	7.40 - 1.30	.0378	----	----	9	----	724 - 1
3510	----	----	----/7.30A	9.00B/7.30A	----	7.70 - 1.30	.0393	----	----	----	----	2 UNCH
3520	----	----	----/7.50A	9.40B/7.50A	----	8.00 - 1.40	.0408	----	----	----	----	15 UNCH
3525	----	----	----/7.70A	9.60B/7.70A	----	8.20 - 1.40	.0418	----	----	----	----	23 UNCH
3530	----	----	----/7.80A	9.70B/7.80A	----	8.30 - 1.50	.0424	----	----	----	----	21 UNCH
3535	----	----	----/8.00A	9.90B/8.00A	----	8.50 - 1.40	.0433	----	----	----	----	8 UNCH
3540	----	----	----/8.10A	10.10B/8.10A	----	8.60 - 1.50	.0440	----	----	----	----	0 UNCH
3545	----	----	----/8.30A	10.30B/8.30A	----	8.80 - 1.50	.0449	----	----	----	----	1 UNCH
3550	9.00	9.00	9.00/8.50A	10.50B/8.50A	----	9.00 - 1.50	.0459	----	----	6	----	1144 + 3
3555	----	----	10.80B/8.60A	10.80B/8.60A	----	9.20 - 1.50	.0469	----	----	----	----	7 UNCH
3560	----	----	----/8.80A	10.90B/8.80A	----	9.40 - 1.50	.0479	----	----	3	----	8 + 2
3565	----	----	----/9.00A	11.20B/9.00A	----	9.50 - 1.70	.0485	----	----	----	----	17 UNCH
3570	----	----	----/9.10A	11.40B/9.10A	----	9.70 - 1.70	.0495	----	----	----	----	11 UNCH
3575	----	----	11.70B/9.30A	11.70B/9.30A	----	9.90 - 1.70	.0505	----	----	----	----	36 UNCH
3580	----	----	11.90B/9.50A	11.90B/9.50A	----	10.10 - 1.70	.0515	----	----	----	----	8 UNCH
3585	----	----	12.20B/9.70A	12.20B/9.70A	----	10.30 - 1.80	.0525	----	----	1	----	221 + 1
3590	----	----	----/9.90A	12.30B/9.90A	----	10.60 - 1.70	.0539	----	----	----	----	1 UNCH
3595	----	----	12.70B/10.10A	12.70B/10.10A	----	10.80 - 1.70	.0549	----	----	----	----	25 UNCH
3600	----	----	12.90B/10.30A	12.90B/10.30A	----	11.00 - 1.80	.0559	----	----	1	----	374 + 1
3605	----	----	13.20B/10.50A	13.20B/10.50A	----	11.20 - 1.90	.0569	----	----	----	----	18 UNCH
3610	11.20	11.20	13.50B/10.70A	13.50B/10.70A	----	11.50 - 1.80	.0583	----	----	1	----	20 + 1
3615	----	----	13.70B/10.90A	13.70B/10.90A	----	11.70 - 1.90	.0593	----	----	----	----	28 UNCH
3620	----	----	14.10B/11.10A	14.10B/11.10A	----	12.00 - 1.90	.0607	----	----	----	----	31 UNCH
3625	----	----	14.30B/11.40A	14.30B/11.40A	----	12.20 - 1.90	.0618	----	----	----	----	25 UNCH
3630	----	----	14.60B/11.60A	14.60B/11.60A	----	12.50 - 1.90	.0632	----	----	----	----	18 UNCH
3635	----	----	14.90B/11.90A	14.90B/11.90A	----	12.70 - 2.00	.0642	----	----	----	----	1 UNCH
3640	----	----	15.20B/12.10A	15.20B/12.10A	----	13.00 - 2.00	.0657	----	----	----	----	10 UNCH
3645	----	----	15.50B/12.30A	15.50B/12.30A	----	13.30 - 2.00	.0671	----	----	----	----	6 UNCH
3650	----	----	16.00B/12.60A	16.00B/12.60A	----	13.60 - 2.10	.0685	----	----	----	----	126 UNCH
3655	----	----	16.30B/12.90A	16.30B/12.90A	----	13.90 - 2.10	.0699	----	----	----	----	21 UNCH
3665	----	----	17.00B/13.40A	17.00B/13.40A	----	14.50 - 2.10	.0728	----	----	----	----	1 UNCH
3670	----	----	17.30B/13.70A	17.30B/13.70A	----	14.80 - 2.20	.0742	----	----	----	----	6 UNCH
3675	----	----	17.70B/14.00A	17.70B/14.00A	----	15.20 - 2.10	.0760	----	----	5	----	31 + 5
3680	----	----	18.10B/14.30A	18.10B/14.30A	----	15.50 - 2.20	.0774	----	----	----	----	8 UNCH
3685	15.50	15.50	18.50B/14.60A	18.50B/14.60A	----	15.80 - 2.30	.0789	----	----	100	----	106 + 77
3690	----	----	18.80B/14.90A	18.80B/14.90A	----	16.20 - 2.30	.0807	----	----	----	----	23 UNCH
3695	----	----	19.30B/15.20A	19.30B/15.20A	----	16.60 - 2.20	.0825	----	----	----	----	16 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG PUT COMEX GOLD OPTIONS
JAN27

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3700	16.90	16.90	19.70B/15.60A	19.70B/15.60A	----	16.90 - 2.30	.0840	----	----	4	----	981 - 1
3705	----	----	20.10B/15.90A	20.10B/15.90A	----	17.30 - 2.30	.0858	----	----	----	----	11 UNCH
3710	----	----	20.50B/16.20A	20.50B/16.20A	----	17.70 - 2.40	.0876	----	----	1	----	5 - 1
3715	17.00	17.00	21.00B/16.60A	21.00B/16.60A	----	18.10 - 2.40	.0894	----	----	2	----	16 - 2
3720	----	----	21.40B/16.90A	21.40B/16.90A	----	18.50 - 2.40	.0912	----	----	----	----	9 UNCH
3725	----	----	21.90B/17.30A	21.90B/17.30A	----	18.90 - 2.50	.0931	----	----	----	----	37 UNCH
3730	19.10	19.10	22.40B/17.70A	22.40B/17.70A	----	19.40 - 2.40	.0952	----	----	1	----	191 + 1
3735	19.60	19.60	22.90B/18.10A	22.90B/18.10A	----	19.80 - 2.50	.0971	----	----	9	----	9 + 6
3740	----	----	23.40B/18.50A	23.40B/18.50A	----	20.30 - 2.50	.0992	----	----	----	----	20 UNCH
3745	----	----	23.90B/18.90A	23.90B/18.90A	----	20.70 - 2.50	.1011	----	----	1	----	35 UNCH
3750	21.50	21.50	24.40B/19.30A	24.40B/19.30A	----	21.20 - 2.50	.1032	----	----	2	----	105 + 2
3755	----	----	24.90B/19.70A	24.90B/19.70A	----	21.70 - 2.50	.1054	----	----	----	----	5 UNCH
3760	----	----	25.50B/20.20A	25.50B/20.20A	----	22.20 - 2.60	.1076	----	----	----	----	46 UNCH
3765	----	----	26.00B/20.60A	26.00B/20.60A	----	22.70 - 2.60	.1098	----	----	----	----	24 UNCH
3770	----	----	26.60B/21.10A	26.60B/21.10A	----	23.20 - 2.60	.1120	----	----	----	----	30 UNCH
3775	----	----	27.20B/21.50A	27.20B/21.50A	----	23.70 - 2.70	.1142	----	----	----	----	44 UNCH
3780	----	----	27.80B/22.00A	27.80B/22.00A	----	24.20 - 2.80	.1164	----	----	----	----	18 UNCH
3785	----	----	28.40B/22.50A	28.40B/22.50A	----	24.80 - 2.70	.1189	----	----	----	----	8 UNCH
3790	26.30	26.30	29.00B/23.00A	29.00B/23.00A	----	25.40 - 2.70	.1214	----	----	20	----	47 + 14
3795	----	----	29.60B/23.50A	29.60B/23.50A	----	25.90 - 2.80	.1236	----	----	----	----	13 UNCH
3800	25.90	25.90	30.20B/24.00A	30.20B/24.00A	----	26.50 - 2.90	.1262	----	----	159	----	976 + 125
3805	26.40	26.40	31.00B/24.60A	31.00B/24.60A	----	27.10 - 2.90	.1287	----	----	1	----	24 + 1
3810	----	----	31.60B/25.10A	31.60B/25.10A	----	27.70 - 2.90	.1312	----	----	----	----	8 UNCH
3815	----	----	32.30B/25.70A	32.30B/25.70A	----	28.40 - 2.90	.1340	----	----	----	----	16 UNCH
3820	----	----	33.00B/26.30A	33.00B/26.30A	----	29.00 - 3.00	.1366	----	----	----	----	6 UNCH
3825	----	----	33.80B/26.80A	33.80B/26.80A	----	29.70 - 3.00	.1394	----	----	----	----	11 UNCH
3830	----	----	34.50B/27.50A	34.50B/27.50A	----	30.40 - 3.00	.1423	----	----	----	----	18 UNCH
3835	----	----	35.30B/28.10A	35.30B/28.10A	----	31.10 - 3.00	.1451	----	----	----	----	14 UNCH
3840	----	----	36.00B/28.70A	36.00B/28.70A	----	31.80 - 3.00	.1479	----	----	----	----	19 UNCH
3845	----	----	36.80B/29.30A	36.80B/29.30A	----	32.50 - 3.10	.1508	----	----	----	----	4 UNCH
3850	32.80	32.80	37.50B/30.00A	37.50B/30.00A	----	33.20 - 3.10	.1537	----	----	16	----	767 - 2
3855	----	----	38.40B/30.70A	38.40B/30.70A	----	34.00 - 3.10	.1568	----	----	----	----	14 UNCH
3860	----	----	39.20B/31.40A	39.20B/31.40A	----	34.80 - 3.10	.1599	----	----	----	----	112 UNCH
3865	----	----	40.10B/32.10A	40.10B/32.10A	----	35.50 - 3.20	.1628	----	----	----	----	4 UNCH
3870	----	----	40.90B/32.80A	40.90B/32.80A	----	36.30 - 3.30	.1659	----	----	----	----	52 UNCH
3875	34.20	34.20	41.90B/33.50A	41.90B/33.50A	----	37.20 - 3.20	.1693	----	----	3	----	10 + 1
3880	----	----	42.80B/34.30A	42.80B/34.30A	----	38.00 - 3.30	.1725	----	----	----	----	9 UNCH
3885	----	----	43.70B/35.10A	43.70B/35.10A	----	38.90 - 3.30	.1759	----	----	----	----	9 UNCH
3890	----	----	44.60B/35.90A	44.60B/35.90A	----	39.80 - 3.30	.1793	----	----	----	----	38 UNCH
3895	----	----	45.70B/36.70A	45.70B/36.70A	----	40.70 - 3.30	.1827	----	----	----	----	35 UNCH
3900	----	----	46.60B/37.50A	46.60B/37.50A	----	41.60 - 3.30	.1861	----	----	10	----	603 + 8
3905	----	----	47.60B/38.30A	47.60B/38.30A	----	42.50 - 3.40	.1895	----	----	----	----	32 UNCH
3910	----	----	48.70B/39.20A	48.70B/39.20A	----	43.50 - 3.40	.1931	----	----	----	----	13 UNCH
3915	----	----	49.70B/40.00A	49.70B/40.00A	----	44.40 - 3.50	.1966	----	----	----	----	81 UNCH
3920	----	----	50.80B/40.90A	50.80B/40.90A	----	45.40 - 3.50	.2003	----	----	----	----	6 UNCH
3925	----	----	51.90B/41.80A	51.90B/41.80A	----	46.50 - 3.40	.2041	----	----	1	----	6 UNCH
3930	----	----	53.00B/42.80A	53.00B/42.80A	----	47.50 - 3.50	.2078	----	----	----	----	7 UNCH
3935	45.10	45.10	54.10B/43.70A	54.10B/43.70A	----	48.60 - 3.40	.2117	----	----	1	----	16 + 1
3940	----	----	55.30B/44.80A	55.30B/44.80A	----	49.60 - 3.50	.2154	----	----	----	----	4 UNCH
3945	----	----	56.40B/45.70A	56.40B/45.70A	----	50.70 - 3.50	.2193	----	----	----	----	52 UNCH
3950	48.30	48.30	57.60B/46.70A	57.60B/46.70A	----	51.90 - 3.50	.2233	----	----	8	----	564 - 2
3955	----	----	58.80B/47.80A	58.80B/47.80A	----	53.00 - 3.50	.2273	----	----	----	----	18 UNCH
3960	----	----	60.10B/48.90A	60.10B/48.90A	----	54.20 - 3.50	.2314	----	----	----	----	36 UNCH
3965	----	----	61.30B/49.90A	61.30B/49.90A	----	55.40 - 3.50	.2355	----	----	----	----	29 UNCH
3970	----	----	62.70B/51.00A	62.70B/51.00A	----	56.60 - 3.50	.2396	----	----	----	----	10 UNCH
3975	----	----	63.90B/52.10A	63.90B/52.10A	----	57.90 - 3.50	.2439	----	----	----	----	64 UNCH
3980	----	----	65.30B/53.30A	65.30B/53.30A	----	59.10 - 3.60	.2480	----	----	----	----	23 UNCH
3985	----	----	66.60B/54.40A	66.60B/54.40A	----	60.40 - 3.50	.2523	----	----	----	----	21 UNCH
3990	----	----	68.00B/55.60A	68.00B/55.60A	----	61.70 - 3.60	.2566	----	----	----	----	23 UNCH
3995	----	----	69.40B/56.80A	69.40B/56.80A	----	63.10 - 3.50	.2611	----	----	6	----	69 + 4
4000	61.50	61.50	70.90B/58.10A	70.90B/58.10A	----	64.50 - 3.50	.2655	----	----	52	----	643 - 36
4005	----	----	72.30B/59.30A	72.30B/59.30A	----	65.80 - 3.50	.2699	----	----	----	----	11 UNCH
4010	----	----	73.80B/60.60A	73.80B/60.60A	----	67.30 - 3.40	.2745	----	----	----	----	19 UNCH
4015	----	----	75.30B/61.90A	75.30B/61.90A	----	68.70 - 3.50	.2790	----	----	----	----	19 UNCH
4020	----	----	76.80B/63.20A	76.80B/63.20A	----	70.20 - 3.40	.2836	----	----	----	----	17 UNCH
4025	66.30	66.30	78.40B/64.60A	78.40B/64.60A	----	71.70 - 3.40	.2882	----	----	1	----	16 UNCH
4030	----	----	80.00B/66.00A	80.00B/66.00A	----	73.20 - 3.40	.2929	----	----	----	----	143 UNCH
4035	73.10	73.10	81.60B/67.40A	81.60B/67.40A	----	74.80 - 3.40	.2977	----	----	2	----	11 UNCH
4040	----	----	83.20B/68.80A	83.20B/68.80A	----	76.40 - 3.30	.3024	----	----	----	----	9 UNCH
4045	----	----	84.90B/70.30A	84.90B/70.30A	----	78.00 - 3.30	.3072	----	----	----	----	14 UNCH
4050	79.90	79.90	86.60B/71.70A	86.60B/71.70A	----	79.60 - 3.30	.3120	----	----	9	----	140 + 7
4055	----	----	88.40B/73.20A	88.40B/73.20A	----	81.30 - 3.30	.3169	----	----	----	----	57 UNCH
4060	----	----	90.10B/74.80A	90.10B/74.80A	----	83.00 - 3.20	.3218	----	----	----	----	10 UNCH
4065	----	----	91.90B/76.30A	91.90B/76.30A	----	84.70 - 3.20	.3267	----	----	----	----	16 UNCH
4070	80.00	80.00	93.60B/77.90A	93.60B/77.90A	----	86.40 - 3.20	.3317	----	----	1	----	46 UNCH
4075	----	----	95.50B/79.50A	95.50B/79.50A	----	88.20 - 3.20	.3367	----	----	----	----	27 UNCH
4080	----	----	97.30B/81.10A	97.30B/81.10A	----	90.00 - 3.10	.3417	----	----	----	----	140 UNCH
4085	----	----	99.20B/82.80A	99.20B/82.80A	----	91.90 - 3.00	.3468	----	----	----	----	26 UNCH
4090	----	----	101.10B/84.50A	101.10B/84.50A	----	93.70 - 3.10	.3519	----	----	----	----	8 UNCH
4095	----	----	103.10B/86.20A	103.10B/86.20A	----	95.60 - 3.00	.3570	----	----	----	----	10 UNCH
4100	----	----	105.10B/87.90A	105.10B/87.90A	----	97.50 - 3.00	.3621	----	----	----	----	362 UNCH
4105	----	----	107.00B/89.70A	107.00B/89.70A	----	99.50 - 2.90	.3673	----	----	----	----	29 UNCH
4110	----	----	109.10B/91.50A	109.10B/91.50A	----	101.50 - 2.80	.3725	----	----	----	----	48 UNCH
4115	----	----	111.20B/93.30A	111.20B/93.30A	----	103.50 - 2.80	.3777	----	----	28	----	51 + 17
4120	----	----	113.20B/95.10A	113.20B/95.10A	----	105.50 - 2.80	.3829	----	----	----	100	107 + 97
4125	100.80	100.80	115.20B/97.00A	115.20B/97.00A	----	107.60 - 2.70	.3882	----	----	17	----	392 + 17
4130	----	----	117.40B/98.90A	117.40B/98.90A	----	109.70 - 2.70	.3934	----	----	----	----	27 UNCH
4135	----	----	119.60B/100.90A	119.60B/100.90A	----	111.80 - 2.60	.3987	----	----	----	----	45 UNCH
4140	----	----	121.80B/102.80A	121.80B/102.80A	----	114.00 - 2.50	.4040	----	----	----	----	61 UNCH
4145	----	----	124.00B/104.80A	124.00B/104.80A	----	116.20 - 2.50	.4093	----	----	----	----	47 UNCH
4150	----	----	126.20B/106.90A	126.20B/106.90A	----	118.40 - 2.50	.4147	----	----	----	----	287 UNCH
4155	----	----	128.50B/108.90A	128.50B/108.90A	----	120.70 - 2.30	.4200	----	----	----	----	6 UNCH
4160	----	----	130.80B/111.00A	130.80B/111.00A	----	123.00 - 2.30	.4254	----	----	----	----	227 UNCH
4165	----	----	133.20B/113.10A	133.20B/113.10A	----	125.30 - 2.20	.4307	----	----	----	----	75 UNCH
4170	----	----	135.50B/115.30A	135.50B/115.30A	----	127.60 - 2.20	.4361	----	----	----	----	44 UNCH
4175	129.20	129.20	137.90B/117.40A	137.90B/117.40A	----	130.00 - 2.10	.4414	----	----	11	----	57 + 9
4180	----	----	140.50B/119.60A	140.50B/119.60A	----	132.40 - 2.10	.4468	----	----	----	----	34 UNCH
4185	130.00	130.00	142.70B/121.90A	142.70B/121.90A	----	134.80 - 2.00	.4522	----	----	1	----	42 + 1
4190	----	----	145.40B/124.10A	145.40B/124.10A	----	137.30 - 1.90	.4576	----	----	2	----	25 + 1
4195	----	----	147.90B/126.40A	147.90B/126.40A	----	139.80 - 1.90	.4630	----	----	1	----	13 UNCH
4200	----	----	150.30B/128.70A	150.30B/128.70A	----	142.30 - 1.80	.4683	----	----	2	250	629 + 232
4205	----	----	153.00B/131.10A	153.00B/131.10A	----	144.90 - 1.70	.4737	----	----	----	----	19 UNCH
4210	----	----	155.60B/133.40A	155.60B/133.40A	----	147.50 - 1.60	.4791	----	----	----	----	16 UNCH
4215	148.10	148.10	158.20B/135.90A	158.20B/135.90A	----	150.10 - 1.60	.4845	----	----	44	----	58 + 27
4220	151.10	151.10	160.90B/138.30A	160.90B/138.30A	----	152.70 - 1.50	.4898	----	----	6	----	14 + 2
4225	155.10	155.10	163.50B/140.70A	163.50B/140.70A	----	155.40 - 1.40	.4952	----	----	17	----	75 + 11
4230	160.10	160.10	166.30B/143.20A	166.30B/143.20A	----	158.10 - 1.30	.5005	----	----	2	----	43 UNCH
4235	----	----	169.00B/145.80A	169.00B/145.80A	----	160.80 - 1.30	.5058	----	----	1	----	82 UNCH
4240	158.90	158.90	171.80B/148.30A	171.80B/148.30A	----	163.60 - 1.20	.5111	----	----	5	----	51 - 1
4245	----	----	174.60B/150.90A	174.60B/150.90A	----	166.40 - 1.10	.5164	----	----	1	----	19 UNCH
4250	----	----	177.10B/153.50A	177.10B/153.50A	----	169.20 - 1.00	.5217	----	----	1	----	255 - 1
4255	174.60	174.60	180.20B/156.10A	180.20B/156.10A	----	172.00 - 1.00	.5270	----	----	7	----	36 - 7
4260	168.80	168.80	183.20B/158.80A	183.20B/158.80A	----	174.90 - 0.90	.5322	----	----	14	----	37 + 5
4265	----	----	185.90B/161.50A	185.90B/161.50A	----	177.80 - 0.80	.5375	----	----	----	----	54 UNCH
4270	----	----	188.90B/164.20A	188.90B/164.20A	----	180.70 - 0.70	.5427	----	----	----	----	101 UNCH
4275	177.40	177.40	191.70B/167.00A	191.70B/167.00A	----	183.70 - 0.60	.5479	----	----	7	----	88 - 1
4280	----	----	194.80B/169.70A	194.80B/169.70A	----	186.60 - 0.60	.5530	----	----	----	----	20 UNCH
4285	----	----	197.80B/172.60A	197.80B/172.60A	----	189.60 - 0.50	.5582	----	----	----	----	18 UNCH
4290	----	----	201.00B/175.40A	201.00B/175.40A	----	192.70 - 0.40	.5633	----	----	----	----	9 UNCH
4295	----	----	204.10B/178.30A	204.10B/178.30A	----	195.70 - 0.40	.5684	----	----	----	----	31 UNCH
4300	----	----	206.90B/181.10A	206.90B/181.10A	----	198.80 - 0.30	.5735	----	----	----	----	211 UNCH
4310	----	----	213.30B/186.80A	213.30B/186.80A	----	205.10 - 0.10	.5836	----	----	----	----	50 UNCH
4315	----	----	216.50B/189.70A	216.50B/189.70A	----	208.30 + 0.10	.5886	----	----	----	----	5 UNCH
4320	----	----	219.80B/192.70A	219.80B/192.70A	----	211.50 + 0.20	.5935	----	----	----	----	7 UNCH
4325	----	----	222.70B/195.70A	222.70B/195.70A	----	214.70 + 0.20	.5985	----	----	----	----	9 UNCH
4330	----	----	225.10B/198.60A	225.10B/198.60A	----	217.90 + 0.30	.6034	----	----	----	----	68 UNCH
4335	----	----	228.40B/201.60A	228.40B/201.60A	----	221.20 + 0.40	.6083	----	----	----	----	1 UNCH
4340	----	----	231.70B/204.60A	231.70B/204.60A	----	224.50 + 0.50	.6131	----	----	----	----	8 UNCH
4345	----	----	235.00B/207.80A	235.00B/207.80A	----	227.80 + 0.50	.6179	----	----	----	----	16 UNCH
4350	----	----	238.30B/210.80A	238.30B/210.80A	----	231.20 + 0.70	.6226	----	----	----	----	123 UNCH
4355	----	----	241.70B/213.90A	241.70B/213.90A	----	234.60 + 0.80	.6274	----	----	----	----	65 UNCH
4360	----	----	245.10B/217.00A	245.10B/217.00A	----	238.00 + 0.90	.6321	----	----	----	----	3 UNCH
4365	----	----	248.50B/220.30A	248.50B/220.30A	----	241.40 + 1.00	.6368	----	----	----	----	22 UNCH
4370	----	----	251.90B/223.50A	251.90B/223.50A	----	244.80 + 1.00	.6415	----	----	----	----	54 UNCH
4375	----	----	255.30B/226.70A	255.30B/226.70A	----	248.30 + 1.20	.6460	----	----	----	----	201 UNCH
4380	----	----	258.70B/230.70A	258.70B/230.70A	----	251.80 + 1.30	.6506	----	----	----	----	27 UNCH
4385	----	----	262.30B/233.90A	262.30B/233.90A	----	255.30 + 1.30	.6552	----	----	----	----	60 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JAN27												
4390	----	----	265.80B/237.20A	265.80B/237.20A	----	258.90 + 1.50	.6596	----	----	----	----	7 UNCH
4395	----	----	269.30B/240.50A	269.30B/240.50A	----	262.40 + 1.50	.6641	----	----	----	----	4 UNCH
4400	----	----	272.90B/243.80A	272.90B/243.80A	----	266.00 + 1.60	.6685	----	----	----	----	403 UNCH
4405	----	----	276.50B/247.10A	276.50B/247.10A	----	269.60 + 1.70	.6728	----	----	----	----	11 UNCH
4410	----	----	280.10B/250.50A	280.10B/250.50A	----	273.30 + 1.90	.6772	----	----	----	----	4 UNCH
4420	----	----	287.30B/257.30A	287.30B/257.30A	----	280.60 + 2.10	.6857	----	----	----	----	6 UNCH
4425	----	----	291.00B/260.80A	291.00B/260.80A	----	284.30 + 2.20	.6898	----	----	----	----	94 UNCH
4430	----	----	294.70B/264.30A	294.70B/264.30A	----	288.00 + 2.30	.6941	----	----	----	----	2 UNCH
4435	----	----	298.40B/267.70A	298.40B/267.70A	----	291.80 + 2.40	.6982	----	----	----	----	2 UNCH
4440	----	----	302.10B/271.30A	302.10B/271.30A	----	295.50 + 2.50	.7022	----	----	----	----	5 UNCH
4445	----	----	305.80B/274.80A	305.80B/274.80A	----	299.30 + 2.60	.7063	----	----	----	----	8 UNCH
4450	----	----	309.60B/278.30A	309.60B/278.30A	----	303.10 + 2.70	.7103	----	----	----	----	433 UNCH
4455	----	----	313.40B/281.90A	313.40B/281.90A	----	306.90 + 2.80	.7142	----	----	----	----	13 UNCH
4460	----	----	317.20B/285.50A	317.20B/285.50A	----	310.80 + 2.90	.7183	----	----	----	----	7 UNCH
4465	----	----	321.00B/289.10A	321.00B/289.10A	----	314.60 + 3.00	.7221	----	----	----	----	8 UNCH
4470	----	----	324.80B/292.80A	324.80B/292.80A	----	318.50 + 3.10	.7260	----	----	----	----	3 UNCH
4475	320.70	320.70	328.70B/296.40A	328.70B/296.40A	----	322.40 + 3.20	.7296	----	----	1	----	90 + 1
4480	----	----	332.50B/300.10A	332.50B/300.10A	----	326.30 + 3.30	.7335	----	----	----	----	112 UNCH
4485	----	----	336.30B/303.80A	336.30B/303.80A	----	330.20 + 3.40	.7371	----	----	----	----	11 UNCH
4490	----	----	340.20B/307.50A	340.20B/307.50A	----	334.20 + 3.50	.7409	----	----	----	----	15 UNCH
4495	----	----	344.20B/311.20A	344.20B/311.20A	----	338.20 + 3.70	.7446	----	----	----	----	8 UNCH
4500	----	----	348.10B/315.00A	348.10B/315.00A	----	342.10 + 3.70	.7482	----	----	9	----	301 + 9
4505	----	----	352.10B/318.80A	352.10B/318.80A	----	346.10 + 3.80	.7516	----	----	----	----	24 UNCH
4510	----	----	356.00B/322.50A	356.00B/322.50A	----	350.20 + 3.90	.7552	----	----	----	----	8 UNCH
4515	----	----	360.00B/326.40A	360.00B/326.40A	----	354.20 + 4.00	.7586	----	----	----	----	1 UNCH
4520	----	----	364.00B/330.20A	364.00B/330.20A	----	358.30 + 4.20	.7620	----	----	----	----	15 UNCH
4530	----	----	372.10B/337.90A	372.10B/337.90A	----	366.40 + 4.30	.7687	----	----	----	----	1 UNCH
4535	----	----	376.20B/341.80A	376.20B/341.80A	----	370.50 + 4.40	.7721	----	----	----	----	11 UNCH
4545	----	----	384.30B/349.60A	384.30B/349.60A	----	378.70 + 4.60	.7785	----	----	----	----	5 UNCH
4550	----	----	388.40B/353.50A	388.40B/353.50A	----	382.90 + 4.70	.7817	----	----	----	----	2 UNCH
4555	----	----	392.50B/357.50A	392.50B/357.50A	----	387.00 + 4.70	.7850	----	----	----	----	2 UNCH
4560	----	----	396.60B/361.40A	396.60B/361.40A	----	391.20 + 4.90	.7881	----	----	----	----	2 UNCH
4570	----	----	404.90B/369.40A	404.90B/369.40A	----	399.60 + 5.10	.7941	----	----	----	----	1 UNCH
4575	----	----	409.10B/373.40A	409.10B/373.40A	----	403.80 + 5.10	.7971	----	----	----	----	40 UNCH
4580	----	----	412.00B/377.40A	412.00B/377.40A	----	408.00 + 5.20	.8000	----	----	----	----	1 UNCH
4585	----	----	415.70B/381.50A	415.70B/381.50A	----	412.30 + 5.40	.8031	----	----	----	----	1 UNCH
4600	----	----	428.70B/393.70A	428.70B/393.70A	----	425.10 + 5.60	.8115	----	----	----	----	130 UNCH
4605	----	----	433.10B/397.80A	433.10B/397.80A	----	429.40 + 5.70	.8143	----	----	----	----	3 UNCH
4610	----	----	437.10B/401.90A	437.10B/401.90A	----	433.70 + 5.80	.8169	----	----	----	----	1 UNCH
4615	----	----	441.40B/406.10A	441.40B/406.10A	----	438.00 + 5.90	.8197	----	----	----	----	1 UNCH
4620	----	----	446.10B/410.20A	446.10B/410.20A	----	442.30 + 5.90	.8222	----	----	----	----	21 UNCH
4625	----	----	450.30B/416.20A	450.30B/416.20A	----	446.70 + 6.10	.8250	----	----	----	----	15 UNCH
4630	----	----	454.60B/420.90A	454.60B/420.90A	----	451.00 + 6.10	.8275	----	----	----	----	3 UNCH
4635	----	----	458.70B/425.10A	458.70B/425.10A	----	455.40 + 6.20	.8300	----	----	----	----	1 UNCH
4640	----	----	463.10B/428.80A	463.10B/428.80A	----	459.80 + 6.30	.8325	----	----	----	----	2 UNCH
4645	----	----	467.50B/433.00A	467.50B/433.00A	----	464.20 + 6.40	.8350	----	----	----	----	1 UNCH
4650	----	----	472.10B/437.80A	472.10B/437.80A	----	468.60 + 6.50	.8375	----	----	----	----	24 UNCH
4655	----	----	476.60B/441.90A	476.60B/441.90A	----	473.00 + 6.60	.8397	----	----	----	----	3 UNCH
4660	----	----	481.00B/445.80A	481.00B/445.80A	----	477.40 + 6.70	.8422	----	----	----	----	5 UNCH
4665	----	----	485.30B/450.60A	485.30B/450.60A	----	481.80 + 6.70	.8444	----	----	----	----	4 UNCH
4670	----	----	489.70B/454.90A	489.70B/454.90A	----	486.30 + 6.90	.8469	----	----	----	----	30 UNCH
4675	----	----	494.00B/458.70A	494.00B/458.70A	----	490.70 + 6.90	.8491	----	----	----	----	1 UNCH
4685	----	----	502.90B/467.90A	502.90B/467.90A	----	499.70 + 7.10	.8534	----	----	----	----	1 UNCH
4700	----	----	516.30B/480.40A	516.30B/480.40A	----	513.10 + 7.30	.8599	----	----	----	----	1 UNCH
4710	----	----	525.50B/489.20A	525.50B/489.20A	----	522.20 + 7.50	.8639	----	----	----	----	4 UNCH
4750	----	----	561.90B/524.70A	561.90B/524.70A	----	558.60 + 8.10	.8791	----	----	----	----	31 UNCH
4760	----	----	571.00B/534.20A	571.00B/534.20A	----	567.80 + 8.20	.8828	----	----	----	----	100 UNCH
4800	----	----	608.10B/570.10A	608.10B/570.10A	----	604.90 + 8.80	.8957	----	----	----	----	5 UNCH
4805	----	----	612.20B/574.70A	612.20B/574.70A	----	609.50 + 8.80	.8972	----	----	----	----	2 UNCH
4820	----	----	626.70B/589.00A	626.70B/589.00A	----	623.50 + 9.00	.9015	----	----	----	----	5 UNCH
4840	----	----	645.60B/607.60A	645.60B/607.60A	----	642.30 + 9.20	.9072	----	----	----	----	44 UNCH
4845	----	----	649.90B/612.00A	649.90B/612.00A	----	647.00 + 9.30	.9082	----	----	----	----	21 UNCH
4850	----	----	654.50B/616.10A	654.50B/616.10A	----	651.80 + 9.40	.9096	----	----	----	----	21 UNCH
4855	----	----	659.30B/621.30A	659.30B/621.30A	----	656.50 + 9.40	.9110	----	----	----	----	42 UNCH
4860	----	----	663.60B/626.10A	663.60B/626.10A	----	661.20 + 9.50	.9121	----	----	----	----	1 UNCH
4880	----	----	682.50B/644.80A	682.50B/644.80A	----	680.20 + 9.70	.9170	----	----	----	----	1 UNCH
4960	----	----	758.60B/719.90A	758.60B/719.90A	----	756.70 + 10.40	.9335	----	----	----	----	42 UNCH
4980	----	----	777.70B/739.60A	777.70B/739.60A	----	776.00 + 10.60	.9367	----	----	----	----	9 UNCH
4990	----	----	787.40B/749.20A	787.40B/749.20A	----	785.70 + 10.70	.9382	----	----	----	----	1 UNCH
5000	----	----	797.00B/758.40A	797.00B/758.40A	----	795.40 + 10.80	.9398	----	----	----	----	2 UNCH
5050	----	----	845.30B/806.60A	845.30B/806.60A	----	843.90 + 11.10	.9471	----	----	----	----	100 UNCH
5085	----	----	879.30B/841.20A	879.30B/841.20A	----	878.10 + 11.40	.9514	----	----	----	----	2 UNCH
5150	----	----	942.80B/904.90A	942.80B/904.90A	----	941.80 + 11.70	.9581	----	----	----	----	2 UNCH
5235	----	----	1,026.40B/988.3	1026.40B/988.30A	----	1025.50 + 12.10	.9650	----	----	----	----	2 UNCH
5245	----	----	1,036.20B/998.3	1036.20B/998.30A	----	1035.40 + 12.20	.9660	----	----	----	----	2 UNCH
5300	----	----	1,090.70B/1,052	1090.70B/1052.00A	----	1089.80 + 12.40	.9695	----	----	----	----	45 UNCH
5500	----	----	1,291.30B/1,250	1291.30B/1250.00A	----	1288.40 + 12.90	.9786	----	----	----	----	2 UNCH
5950	----	----	1,743.60B/1,694	1743.60B/1694.50A	----	1737.70 + 13.30	.9886	----	----	----	----	1 UNCH
6000	----	----	1,793.60B/1,742	1793.60B/1742.60A	----	1787.70 + 13.30	.9893	25	----	25	----	6 UNCH
TOTAL										991	350	19302 + 969
FEB27												
2700	----	----	----/1.50A	1.50B/1.50A	----	1.50 - 0.10	.0055	----	----	----	----	18 UNCH
2725	----	----	----/1.60A	1.60B/1.60A	----	1.60 - 0.10	.0059	----	----	----	----	9 UNCH
2750	----	----	----/1.70A	1.60B/1.70A	----	1.70 - 0.10	.0063	----	----	----	----	2 UNCH
2775	----	----	----/1.80A	1.70B/1.80A	----	1.80 - 0.10	.0068	----	----	----	----	1 UNCH
2800	1.80	1.80	2.00/1.70	2.00/1.70	----	1.90 - 0.20	.0072	----	----	17	----	45 + 1
2850	----	----	----/2.10A	2.10B/2.10A	----	2.10 - 0.20	.0081	----	----	----	----	1 UNCH
2900	----	----	----/2.40A	2.40B/2.40A	----	2.30 - 0.30	.0090	----	----	----	----	16 UNCH
2910	2.20	2.20	2.20/2.20	2.50B/2.20	----	2.40 NEW	.0094	----	----	1	----	1 + 1
2950	----	----	----/2.70A	2.80B/2.70A	----	2.60 - 0.40	.0104	----	----	----	----	1 UNCH
2960	----	----	----/2.80A	2.90B/2.80A	----	2.70 - 0.40	.0107	----	----	----	----	1 UNCH
2980	----	----	----/2.90A	3.10B/2.90A	----	2.80 - 0.40	.0112	----	----	----	----	60 UNCH
3000	3.10	3.10	3.10/2.90	3.20B/2.90	----	2.90 - 0.50	.0117	----	----	7	----	235 - 5
3005	----	----	----/3.10A	3.20B/3.10A	----	3.00 - 0.50	.0121	----	----	----	----	15 UNCH
3020	----	----	----/3.20A	3.40B/3.20A	----	3.10 - 0.50	.0126	----	----	----	----	14 UNCH
3025	----	----	----/3.20A	3.40B/3.20A	----	3.10 - 0.50	.0126	----	----	----	----	2 UNCH
3040	----	----	----/3.30A	3.60B/3.30A	----	3.20 - 0.60	.0131	----	----	----	----	300 UNCH
3050	----	----	----/3.40A	3.70B/3.40A	----	3.30 - 0.60	.0135	----	----	----	----	5 UNCH
3060	----	----	----/3.50A	3.80B/3.50A	----	3.40 - 0.60	.0139	----	----	----	----	7 UNCH
3065	----	----	----/3.50A	3.80B/3.50A	----	3.50 - 0.50	.0143	----	----	----	----	10 UNCH
3085	----	----	----/3.70A	4.00B/3.70A	----	3.70 - 0.60	.0152	----	----	----	----	9 UNCH
3090	----	----	----/3.80A	4.10B/3.80A	----	3.70 - 0.60	.0153	----	----	----	----	15 UNCH
3095	----	----	----/3.80A	4.20B/3.80A	----	3.80 - 0.60	.0156	----	----	----	----	20 UNCH
3100	3.90	3.90	3.90/3.70	4.20B/3.70	----	3.80 - 0.60	.0157	----	----	4	----	39 + 4
3110	----	----	----/4.00A	4.40B/4.00A	----	3.90 - 0.70	.0162	----	----	----	----	18 UNCH
3135	----	----	----/4.30A	4.70B/4.30A	----	4.20 - 0.70	.0175	----	----	----	----	6 UNCH
3140	----	----	----/4.30A	4.80B/4.30A	----	4.20 - 0.80	.0175	----	----	----	----	201 UNCH
3160	----	----	----/4.60A	5.00B/4.60A	----	4.50 - 0.70	.0188	----	----	----	----	2 UNCH
3165	----	----	----/4.60A	5.10B/4.60A	----	4.60 - 0.70	.0192	----	----	----	----	7 UNCH
3200	----	----	----/5.00A	5.70B/5.00A	----	5.00 - 0.90	.0211	----	----	----	----	211 UNCH
3215	----	----	----/5.30A	6.00B/5.30A	----	5.30 - 0.80	.0223	----	----	----	----	6 UNCH
3225	----	----	----/5.40A	6.20B/5.40A	----	5.40 - 0.90	.0228	----	----	----	----	19 UNCH
3235	----	----	----/5.60A	6.30B/5.60A	----	5.60 - 0.90	.0237	----	----	----	----	6 UNCH
3250	----	----	----/5.80A	6.70B/5.80A	----	5.90 - 0.90	.0249	----	----	1	----	202 - 1
3270	----	----	----/6.20A	7.10B/6.20A	----	6.20 - 1.00	.0263	----	----	----	----	5 UNCH
3300	7.30	7.30	7.30/6.70A	7.80B/6.70A	----	6.90 - 1.00	.0293	----	----	11	----	44 - 9
3310	----	----	----/7.00A	8.00B/7.00A	----	7.10 - 1.10	.0302	----	----	----	----	2 UNCH
3315	----	----	----/7.10A	8.20B/7.10A	----	7.20 - 1.10	.0306	----	----	----	----	1 UNCH
3350	----	----	----/7.90A	9.20B/7.90A	----	8.10 - 1.20	.0345	----	----	----	----	147 UNCH
3390	----	----	----/9.00A	10.60B/9.00A	----	9.20 - 1.40	.0392	----	----	----	----	15 UNCH
3400	----	----	----/9.20A	10.90B/9.20A	----	9.50 - 1.40	.0405	----	----	----	----	37 UNCH
3410	----	----	----/9.60A	11.20B/9.60A	----	9.90 - 1.40	.0421	----	----	----	----	9 UNCH
3425	----	----	----/10.00A	11.90B/10.00A	----	10.40 - 1.50	.0443	----	----	----	----	42 UNCH
3430	----	----	----/10.20A	12.10B/10.20A	----	10.60 - 1.50	.0451	----	----	----	----	20 UNCH
3440	----	----	----/10.50A	12.50B/10.50A	----	11.00 - 1.50	.0467	----	----	----	----	7 UNCH
3445	----	----	----/10.70A	12.70B/10.70A	----	11.20 - 1.50	.0475	----	----	1	----	5 - 1
3450	----	----	13.00B/10.90A	13.00B/10.90A	----	11.40 - 1.50	.0484	----	----	----	----	73 UNCH
3460	----	----	----/11.30A	13.30B/11.30A	----	11.80 - 1.50	.0500	----	----	----	----	5 UNCH
3465	----	----	----/11.50A	13.60B/11.50A	----	12.00 - 1.60	.0509	----	----	----	----	46 UNCH
3475	----	----	14.20B/11.90A	14.20B/11.90A	----	12.40 - 1.70	.0526	----	----	----	----	250 UNCH
3480	----	----	14.40B/12.10A	14.40B/12.10A	----	12.60 - 1.70	.0534	----	----	----	----	17 UNCH
3490	----	----	----/12.50A	14.80B/12.50A	----	13.10 - 1.70	.0554	----	----	----	----	20 UNCH
3500	----	----	15.50B/12.90A	15.50B/12.90A	----	13.60 - 1.70	.0574	----	----	2	----	286 + 1
3515	----	----	----/13.60A	16.20B/13.60A	----	14.30 - 1.90	.0603	----	----	----	----	3 UNCH
3520	----	----	16.60B/13.90A	16.60B/13.90A	----	14.60 - 1.80	.0615	----	----	----	----	28 UNCH
3525	----	----	16.90B/14.10A	16.90B/14.10A	----	14.90 - 1.80	.0627	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT FEB27												
3540	----	----	17.80B/14.90A	17.80B/14.90A	----	15.70 - 2.00	.0659	----	----	----	----	20 UNCH
3550	----	----	18.50B/15.40A	18.50B/15.40A	----	16.30 - 2.00	.0683	----	----	----	----	11 UNCH
3555	----	----	18.80B/15.70A	18.80B/15.70A	----	16.60 - 2.00	.0695	----	----	----	----	25 UNCH
3560	16.80	16.80	19.20B/16.00A	19.20B/16.00A	----	16.90 - 2.10	.0707	----	----	3	----	5 + 3
3565	16.60	16.60	19.50B/16.30A	19.50B/16.30A	----	17.20 - 2.10	.0719	----	----	4	----	4 + 3
3575	----	----	20.20B/16.80A	20.20B/16.80A	----	17.90 - 2.10	.0745	----	----	----	----	205 UNCH
3585	----	----	21.00B/17.50A	21.00B/17.50A	----	18.50 - 2.20	.0770	----	----	----	----	1 UNCH
3590	----	----	21.30B/17.80A	21.30B/17.80A	----	18.90 - 2.20	.0785	----	----	----	----	21 UNCH
3600	19.40	19.40	22.20B/18.40A	22.20B/18.40A	----	19.60 - 2.30	.0812	----	----	2	----	1090 UNCH
3605	----	----	22.60B/18.80A	22.60B/18.80A	----	20.00 - 2.30	.0827	----	----	----	----	18 UNCH
3610	----	----	23.00B/19.10A	23.00B/19.10A	----	20.30 - 2.40	.0840	----	----	----	----	8 UNCH
3625	----	----	24.30B/20.20A	24.30B/20.20A	----	21.50 - 2.50	.0885	----	----	----	----	11 UNCH
3630	----	----	24.70B/20.60A	24.70B/20.60A	----	21.90 - 2.50	.0901	----	----	----	----	2 UNCH
3645	----	----	26.20B/21.70A	26.20B/21.70A	----	23.20 - 2.60	.0949	----	----	----	----	27 UNCH
3650	----	----	26.60B/22.20A	26.60B/22.20A	----	23.70 - 2.50	.0967	----	----	----	----	332 UNCH
3660	----	----	27.60B/23.00A	27.60B/23.00A	----	24.60 - 2.60	.1001	----	----	----	----	2 UNCH
3665	----	----	28.20B/23.40A	28.20B/23.40A	----	25.10 - 2.60	.1019	----	----	----	----	5 UNCH
3675	----	----	29.20B/24.30A	29.20B/24.30A	----	26.00 - 2.70	.1053	----	----	----	----	9 UNCH
3680	----	----	29.80B/24.80A	29.80B/24.80A	----	26.50 - 2.80	.1071	----	----	----	----	23 UNCH
3685	----	----	30.30B/25.20A	30.30B/25.20A	----	27.00 - 2.80	.1090	----	----	----	----	10 UNCH
3690	27.50	27.50	30.80B/25.70A	30.80B/25.70A	----	27.60 - 2.70	.1110	----	----	2	----	4 UNCH
3695	----	----	31.40B/26.20A	31.40B/26.20A	----	28.10 - 2.80	.1129	----	----	----	----	17 UNCH
3700	----	----	32.10B/26.70A	32.10B/26.70A	----	28.60 - 2.90	.1147	----	----	----	----	1221 UNCH
3705	----	----	32.60B/27.20A	32.60B/27.20A	----	29.20 - 2.80	.1168	----	----	----	----	10 UNCH
3710	----	----	33.20B/27.70A	33.20B/27.70A	----	29.80 - 2.80	.1189	----	----	----	----	9 UNCH
3715	----	----	33.80B/28.20A	33.80B/28.20A	----	30.30 - 2.90	.1208	----	----	----	----	21 UNCH
3720	30.90	30.90	34.40B/28.70A	34.40B/28.70A	----	30.90 - 2.90	.1229	----	----	2	----	29 UNCH
3725	----	----	35.20B/29.30A	35.20B/29.30A	----	31.50 - 3.00	.1250	----	----	----	----	31 UNCH
3730	----	----	35.80B/29.80A	35.80B/29.80A	----	32.10 - 3.00	.1271	----	----	----	----	7 UNCH
3740	33.30	33.30	37.00B/31.00A	37.00B/31.00A	----	33.40 - 3.00	.1316	----	----	2	----	3 + 2
3745	34.00	34.00	37.80B/31.60A	37.80B/31.60A	----	34.00 - 3.00	.1337	----	----	2	----	27 + 2
3750	----	----	38.60B/32.20A	38.60B/32.20A	----	34.70 - 3.00	.1361	----	----	----	----	68 UNCH
3755	----	----	39.20B/32.80A	39.20B/32.80A	----	35.40 - 3.00	.1385	----	----	----	----	4 UNCH
3760	----	----	40.00B/33.40A	40.00B/33.40A	----	36.10 - 3.00	.1408	----	----	----	----	2 UNCH
3765	----	----	40.70B/34.00A	40.70B/34.00A	----	36.70 - 3.10	.1430	----	----	----	----	22 UNCH
3770	----	----	41.50B/34.70A	41.50B/34.70A	----	37.50 - 3.00	.1456	----	----	----	----	36 UNCH
3775	----	----	42.20B/35.30A	42.20B/35.30A	----	38.20 - 3.10	.1480	----	----	----	----	11 UNCH
3780	----	----	43.00B/36.00A	43.00B/36.00A	----	38.90 - 3.10	.1504	----	----	----	----	6 UNCH
3785	----	----	43.80B/36.70A	43.80B/36.70A	----	39.70 - 3.10	.1530	----	----	----	----	12 UNCH
3790	----	----	44.70B/37.40A	44.70B/37.40A	----	40.40 - 3.20	.1554	----	----	----	----	6 UNCH
3795	----	----	45.60B/38.10A	45.60B/38.10A	----	41.20 - 3.20	.1580	----	----	----	----	4 UNCH
3800	40.10	40.10	46.30B/38.80A	46.30B/38.80A	----	42.00 - 3.20	.1606	----	----	1	----	193 - 1
3805	----	----	47.30B/39.60A	47.30B/39.60A	----	42.80 - 3.20	.1632	----	----	----	----	14 UNCH
3810	----	----	48.10B/40.30A	48.10B/40.30A	----	43.60 - 3.20	.1659	----	----	----	----	12 UNCH
3815	----	----	49.10B/41.10A	49.10B/41.10A	----	44.50 - 3.20	.1687	----	----	----	----	24 UNCH
3820	----	----	49.90B/41.90A	49.90B/41.90A	----	45.30 - 3.30	.1714	----	----	----	----	22 UNCH
3825	----	----	50.80B/42.70A	50.80B/42.70A	----	46.20 - 3.20	.1742	----	----	----	----	501 UNCH
3835	----	----	52.70B/44.30A	52.70B/44.30A	----	48.00 - 3.20	.1799	----	----	2	----	19 - 1
3840	----	----	53.70B/45.10A	53.70B/45.10A	----	48.90 - 3.30	.1827	----	----	----	----	11 UNCH
3845	----	----	54.50B/46.00A	54.50B/46.00A	----	49.80 - 3.30	.1856	----	----	----	----	11 UNCH
3850	47.20	47.20	55.50B/46.80A	55.50B/46.80A	----	50.80 - 3.30	.1887	----	----	2	----	1360 UNCH
3855	----	----	56.70B/47.70A	56.70B/47.70A	----	51.70 - 3.30	.1915	----	----	----	----	3 UNCH
3860	----	----	57.70B/48.60A	57.70B/48.60A	----	52.70 - 3.30	.1946	----	----	----	----	35 UNCH
3865	----	----	58.80B/49.50A	58.80B/49.50A	----	53.70 - 3.40	.1977	----	----	----	----	1 UNCH
3875	----	----	60.90B/51.40A	60.90B/51.40A	----	55.80 - 3.30	.2040	----	----	----	----	13 UNCH
3880	----	----	62.00B/52.40A	62.00B/52.40A	----	56.80 - 3.40	.2070	----	----	----	----	44 UNCH
3885	54.40	54.40	63.20B/53.40A	63.20B/53.40A	----	57.90 - 3.40	.2103	----	----	10	----	201 UNCH
3890	----	----	64.30B/54.40A	64.30B/54.40A	----	59.00 - 3.40	.2135	----	----	----	----	17 UNCH
3895	----	----	65.50B/55.40A	65.50B/55.40A	----	60.10 - 3.40	.2168	----	----	----	----	2 UNCH
3900	58.80	58.80	66.80B/56.40A	66.80B/56.40A	----	61.20 - 3.40	.2201	----	----	7	----	307 - 1
3905	----	----	67.90B/57.50A	67.90B/57.50A	----	62.30 - 3.50	.2234	----	----	----	----	15 UNCH
3915	----	----	70.30B/59.60A	70.30B/59.60A	----	64.70 - 3.40	.2302	----	----	----	----	5 UNCH
3920	----	----	71.60B/60.70A	71.60B/60.70A	----	65.90 - 3.50	.2336	----	----	----	----	646 UNCH
3925	----	----	72.90B/61.80A	72.90B/61.80A	----	67.10 - 3.50	.2371	----	----	----	----	3 UNCH
3930	66.80	66.80	74.10B/63.00A	74.10B/63.00A	----	68.40 - 3.40	.2407	----	----	1	----	7 + 1
3935	----	----	75.50B/64.10A	75.50B/64.10A	----	69.60 - 3.50	.2441	----	----	----	----	17 UNCH
3940	----	----	76.90B/65.30A	76.90B/65.30A	----	70.90 - 3.50	.2477	----	----	----	----	19 UNCH
3945	----	----	78.20B/66.50A	78.20B/66.50A	----	72.20 - 3.50	.2513	----	----	----	----	5 UNCH
3950	----	----	79.60B/67.70A	79.60B/67.70A	----	73.50 - 3.50	.2550	----	----	----	----	189 UNCH
3960	----	----	82.30B/70.30A	82.30B/70.30A	----	76.30 - 3.40	.2624	----	----	----	----	17 UNCH
3965	----	----	83.80B/71.50A	83.80B/71.50A	----	77.70 - 3.40	.2662	----	----	----	----	21 UNCH
3970	----	----	85.20B/72.80A	85.20B/72.80A	----	79.10 - 3.40	.2699	----	----	----	----	3 UNCH
3975	----	----	86.80B/74.20A	86.80B/74.20A	----	80.50 - 3.50	.2737	----	----	----	----	1 UNCH
3980	----	----	88.20B/75.50A	88.20B/75.50A	----	82.00 - 3.40	.2776	----	----	----	----	10 UNCH
3985	----	----	89.80B/76.90A	89.80B/76.90A	----	83.50 - 3.40	.2815	----	----	----	----	5 UNCH
3990	----	----	91.40B/78.20A	91.40B/78.20A	----	85.00 - 3.40	.2854	----	----	----	----	6 UNCH
3995	----	----	93.00B/79.70A	93.00B/79.70A	----	86.50 - 3.40	.2893	----	----	----	----	55 UNCH
4000	82.90	82.90	94.60B/81.00A	94.60B/81.00A	----	88.00 - 3.40	.2932	----	----	11	----	797 - 9
4005	----	----	96.10B/82.50A	96.10B/82.50A	----	89.60 - 3.40	.2972	----	----	----	----	56 UNCH
4010	----	----	97.80B/84.00A	97.80B/84.00A	----	91.20 - 3.40	.3012	----	----	----	----	13 UNCH
4015	----	----	99.50B/85.40A	99.50B/85.40A	----	92.80 - 3.30	.3052	----	----	----	----	3 UNCH
4020	94.90	94.90	101.10B/87.00A	101.10B/87.00A	----	94.50 - 3.30	.3093	----	----	3	----	5 + 2
4025	----	----	102.80B/88.50A	102.80B/88.50A	----	96.10 - 3.30	.3133	----	----	----	----	31 UNCH
4030	----	----	104.50B/90.00A	104.50B/90.00A	----	97.80 - 3.30	.3174	----	----	----	----	30 UNCH
4035	----	----	106.30B/91.60A	106.30B/91.60A	----	99.50 - 3.30	.3215	----	----	----	----	25 UNCH
4040	----	----	108.10B/93.20A	108.10B/93.20A	----	101.30 - 3.20	.3258	----	----	1	----	206 + 1
4045	----	----	109.90B/94.80A	109.90B/94.80A	----	103.00 - 3.20	.3299	----	----	2	----	6 + 2
4050	----	----	111.60B/96.40A	111.60B/96.40A	----	104.80 - 3.10	.3341	----	----	8	----	632 - 1
4055	----	----	113.50B/98.10A	113.50B/98.10A	----	106.60 - 3.10	.3383	----	----	----	----	6 UNCH
4060	----	----	115.40B/99.80A	115.40B/99.80A	----	108.50 - 3.00	.3426	----	----	----	----	7 UNCH
4065	----	----	117.30B/101.50A	117.30B/101.50A	----	110.30 - 3.00	.3468	----	----	----	----	7 UNCH
4070	----	----	119.20B/103.20A	119.20B/103.20A	----	112.20 - 3.00	.3511	----	----	----	----	20 UNCH
4075	----	----	121.10B/105.00A	121.10B/105.00A	----	114.10 - 2.90	.3554	----	----	----	----	9 UNCH
4080	----	----	123.10B/106.80A	123.10B/106.80A	----	116.10 - 2.80	.3598	----	----	----	----	4 UNCH
4085	----	----	125.10B/108.60A	125.10B/108.60A	----	118.00 - 2.80	.3641	----	----	2	----	9 + 2
4090	----	----	127.10B/110.40A	127.10B/110.40A	----	120.00 - 2.80	.3684	----	----	----	----	41 UNCH
4095	121.20	121.20	129.10B/112.20A	129.10B/112.20A	----	122.00 - 2.70	.3728	----	----	2	----	33 + 1
4100	----	----	131.20B/114.10A	131.20B/114.10A	----	124.10 - 2.60	.3772	----	----	----	----	716 UNCH
4105	----	----	133.30B/116.00A	133.30B/116.00A	----	126.10 - 2.60	.3816	----	----	----	----	5 UNCH
4110	----	----	135.40B/117.90A	135.40B/117.90A	----	128.20 - 2.50	.3860	----	----	2	----	52 + 2
4115	----	----	137.50B/119.90A	137.50B/119.90A	----	130.30 - 2.50	.3904	----	----	----	----	2 UNCH
4120	----	----	139.60B/121.80A	139.60B/121.80A	----	132.40 - 2.50	.3949	----	----	----	----	22 UNCH
4125	----	----	141.90B/123.80A	141.90B/123.80A	----	134.60 - 2.40	.3993	----	----	----	----	25 UNCH
4130	----	----	144.00B/125.80A	144.00B/125.80A	----	136.80 NEW	.4038	----	----	21	----	21 + 21
4135	----	----	146.20B/127.90A	146.20B/127.90A	----	139.00 - 2.20	.4082	----	----	----	----	39 UNCH
4140	----	----	148.60B/130.00A	148.60B/130.00A	----	141.20 - 2.20	.4127	----	----	----	----	23 UNCH
4145	----	----	150.70B/132.10A	150.70B/132.10A	----	143.50 - 2.10	.4172	----	----	----	----	98 UNCH
4150	----	----	153.00B/134.20A	153.00B/134.20A	----	145.80 - 2.10	.4217	----	----	2	----	460 + 2
4155	----	----	155.30B/136.30A	155.30B/136.30A	----	148.10 - 2.00	.4262	----	----	----	----	20 UNCH
4160	----	----	157.60B/138.50A	157.60B/138.50A	----	150.40 - 2.00	.4307	----	----	----	----	206 UNCH
4165	----	----	160.10B/140.70A	160.10B/140.70A	----	152.80 - 1.90	.4352	----	----	----	----	51 UNCH
4170	----	----	162.50B/142.90A	162.50B/142.90A	----	155.10 - 2.00	.4397	----	----	----	----	15 UNCH
4175	----	----	165.00B/145.10A	165.00B/145.10A	----	157.60 - 1.80	.4442	----	----	----	----	16 UNCH
4180	----	----	167.40B/147.40A	167.40B/147.40A	----	160.00 - 1.80	.4488	----	----	----	----	1 UNCH
4185	----	----	169.90B/149.70A	169.90B/149.70A	----	162.40 - 1.80	.4533	----	----	----	----	6 UNCH
4190	----	----	172.40B/152.00A	172.40B/152.00A	----	164.90 - 1.80	.4578	----	----	----	----	7 UNCH
4195	----	----	174.90B/154.40A	174.90B/154.40A	----	167.40 - 1.80	.4623	----	----	----	----	33 UNCH
4200	159.50	159.50	177.40B/156.70A	177.40B/156.70A	----	170.00 - 1.70	.4668	----	----	13	----	529 + 6
4205	----	----	180.00B/159.10A	180.00B/159.10A	----	172.50 - 1.70	.4714	----	----	----	----	16 UNCH
4210	----	----	182.60B/161.50A	182.60B/161.50A	----	175.10 - 1.70	.4759	----	----	----	----	25 UNCH
4215	176.50	176.50	185.10B/164.00A	185.10B/164.00A	----	177.70 - 1.70	.4804	----	----	2	----	14 + 2
4220	----	----	188.00B/166.40A	188.00B/166.40A	----	180.30 - 1.70	.4849	----	----	----	----	26 UNCH
4225	183.10	183.10	190.50B/168.90A	190.50B/168.90A	----	183.00 - 1.60	.4894	----	----	2	----	35 + 1
4230	----	----	193.30B/171.40A	193.30B/171.40A	----	185.70 - 1.50	.4939	----	----	2	----	50 UNCH
4235	----	----	195.90B/174.00A	195.90B/174.00A	----	188.40 - 1.50	.4984	----	----	----	----	401 UNCH
4240	----	----	198.70B/176.50A	198.70B/176.50A	----	191.10 - 1.50	.5028	----	----	----	----	33 UNCH
4245	183.90	183.90	201.50B/179.20A	201.50B/179.20A	----	193.90 - 1.40	.5073	----	----	1	----	66 UNCH
4250	----	----	204.30B/181.70A	204.30B/181.70A	----	196.70 - 1.40	.5118	----	----	2	----	470 UNCH
4255	198.40	198.40	207.10B/184.40A	207.10B/184.40A	----	199.50 - 1.30	.5162	----	----	6	----	56 - 4
4260	197.90	197.90	210.00B/187.00A	210.00B/187.00A	----	202.40 - 1.20	.5206	----	----	12	----	39 + 10
4265	199.70	199.70	212.80B/189.70A	212.80B/189.70A	----	205.20 - 1.20	.5250	----	----	6	----	33 - 5
4270	----	----	215.60B/192.50A	215.60B/192.50A	----	208.10 - 1.10	.5295	----	----	----	----	36 UNCH
4275	205.30	205.30	218.60B/195.00A	218.60B/195.00A	----	211.00 - 1.10	.5338	----	----	3	----	58 - 1
4280	208.90	208.90	221.50B/197.80A	221.50B/197.80A	----	214.00 - 0.90	.5382	----	----	3	----	46 - 2
4285	----	----	224.40B/200.50A	224.40B/200.50A	----	217.00 - 0.80	.5426	----	----	----	----	89 UNCH
4290	----	----	227.40B/203.30A	227.40B/203.30A	----	220.00 - 0.70	.5469	----	----	----	----	5 UNCH
4295	----	----	230.40B/206.00A	230.40B/206.00A	----	223.00 - 0.60	.5512	----	----	----	----	12 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
FEB27												
4300	----	----	233.40B/208.90A	233.40B/208.90A	----	226.00 - 0.60	.5555	----	----	----	----	250 UNCH
4305	----	----	236.40B/211.70A	236.40B/211.70A	----	229.10 - 0.50	.5598	----	----	----	----	9 UNCH
4315	----	----	242.60B/217.40A	242.60B/217.40A	----	235.30 - 0.30	.5683	----	----	----	----	113 UNCH
4320	----	----	245.70B/220.30A	245.70B/220.30A	----	238.40 - 0.20	.5725	----	----	----	----	50 UNCH
4325	----	----	248.90B/223.20A	248.90B/223.20A	----	241.60 - 0.10	.5767	----	----	----	----	19 UNCH
4330	----	----	251.90B/226.10A	251.90B/226.10A	----	244.70 - 0.10	.5809	----	----	----	----	17 UNCH
4335	----	----	255.00B/229.20A	255.00B/229.20A	----	247.90 UNCH	.5851	----	----	----	----	136 UNCH
4340	----	----	258.20B/232.10A	258.20B/232.10A	----	251.20 + 0.20	.5892	----	----	----	----	23 UNCH
4345	----	----	261.40B/235.10A	261.40B/235.10A	----	254.40 + 0.20	.5933	----	----	----	----	31 UNCH
4350	----	----	264.80B/238.10A	264.80B/238.10A	----	257.70 + 0.40	.5974	----	----	----	----	28 UNCH
4355	----	----	267.00B/241.20A	267.00B/241.20A	----	260.90 + 0.40	.6015	----	----	----	----	4 UNCH
4360	----	----	270.30B/244.30A	270.30B/244.30A	----	264.20 + 0.40	.6056	----	----	----	----	19 UNCH
4365	----	----	273.50B/247.30A	273.50B/247.30A	----	267.60 + 0.60	.6096	----	----	----	----	50 UNCH
4370	269.00	269.00	277.10B/250.50A	277.10B/250.50A	----	270.90 + 0.60	.6136	----	----	5	----	37 UNCH
4375	----	----	280.20B/253.60A	280.20B/253.60A	----	274.30 + 0.80	.6176	----	----	----	----	25 UNCH
4380	----	----	283.80B/256.80A	283.80B/256.80A	----	277.70 + 0.90	.6216	----	----	----	----	91 UNCH
4385	----	----	287.20B/259.90A	287.20B/259.90A	----	281.10 + 0.90	.6255	----	----	----	----	207 UNCH
4390	----	----	290.60B/263.10A	290.60B/263.10A	----	284.50 + 1.00	.6294	----	----	----	----	49 UNCH
4395	----	----	294.00B/266.40A	294.00B/266.40A	----	287.90 + 1.00	.6333	----	----	----	----	6 UNCH
4400	----	----	297.10B/270.40A	297.10B/270.40A	----	291.40 + 1.10	.6372	----	----	----	----	566 UNCH
4405	----	----	300.50B/273.80A	300.50B/273.80A	----	294.90 + 1.20	.6410	----	----	----	----	23 UNCH
4410	----	----	303.90B/277.10A	303.90B/277.10A	----	298.40 + 1.30	.6448	----	----	----	----	18 UNCH
4425	----	----	314.40B/287.10A	314.40B/287.10A	----	309.00 + 1.50	.6560	----	----	----	----	13 UNCH
4430	----	----	317.90B/290.50A	317.90B/290.50A	----	312.60 + 1.60	.6598	----	----	----	----	253 UNCH
4435	----	----	321.50B/293.90A	321.50B/293.90A	----	316.20 + 1.70	.6635	----	----	----	----	5 UNCH
4440	----	----	325.00B/297.20A	325.00B/297.20A	----	319.80 + 1.70	.6671	----	----	----	----	6 UNCH
4445	----	----	328.60B/300.70A	328.60B/300.70A	----	323.40 + 1.80	.6707	----	----	----	----	10 UNCH
4450	----	----	332.20B/304.20A	332.20B/304.20A	----	327.10 + 1.90	.6744	----	----	----	----	190 UNCH
4455	----	----	335.80B/307.60A	335.80B/307.60A	----	330.80 + 2.00	.6778	----	----	----	----	8 UNCH
4460	----	----	339.50B/311.10A	339.50B/311.10A	----	334.40 + 2.00	.6814	----	----	----	----	71 UNCH
4465	----	----	343.10B/314.60A	343.10B/314.60A	----	338.10 + 2.10	.6850	----	----	----	----	7 UNCH
4470	----	----	346.80B/318.10A	346.80B/318.10A	----	341.90 + 2.20	.6884	----	----	----	----	5 UNCH
4475	----	----	350.50B/321.70A	350.50B/321.70A	----	345.60 + 2.30	.6918	----	----	----	----	23 UNCH
4480	----	----	354.20B/325.20A	354.20B/325.20A	----	349.40 + 2.40	.6953	----	----	----	----	7 UNCH
4490	----	----	361.60B/332.40A	361.60B/332.40A	----	356.90 + 2.50	.7021	----	----	----	----	23 UNCH
4495	----	----	365.30B/336.00A	365.30B/336.00A	----	360.70 + 2.50	.7053	----	----	----	----	28 UNCH
4500	----	----	369.10B/339.60A	369.10B/339.60A	----	364.60 + 2.70	.7087	----	----	----	----	123 UNCH
4505	----	----	372.90B/343.30A	372.90B/343.30A	----	368.40 + 2.70	.7120	----	----	----	----	14 UNCH
4510	----	----	376.70B/346.90A	376.70B/346.90A	----	372.30 + 2.90	.7152	----	----	----	----	5 UNCH
4515	----	----	380.50B/350.60A	380.50B/350.60A	----	376.10 + 2.90	.7185	----	----	----	----	20 UNCH
4520	----	----	384.30B/354.30A	384.30B/354.30A	----	380.00 + 3.00	.7215	----	----	----	----	50 UNCH
4550	----	----	407.50B/376.90A	407.50B/376.90A	----	403.70 + 3.50	.7402	----	----	----	----	109 UNCH
4555	----	----	411.50B/380.70A	411.50B/380.70A	----	407.70 + 3.60	.7430	----	----	----	----	1 UNCH
4570	----	----	423.30B/392.20A	423.30B/392.20A	----	419.70 + 3.80	.7518	----	----	----	----	19 UNCH
4575	----	----	427.70B/396.10A	427.70B/396.10A	----	423.80 + 3.90	.7548	----	----	----	----	32 UNCH
4580	----	----	431.50B/400.00A	431.50B/400.00A	----	427.90 + 4.10	.7576	----	----	----	----	3 UNCH
4585	----	----	435.50B/403.90A	435.50B/403.90A	----	431.90 + 4.10	.7603	----	----	----	----	18 UNCH
4600	----	----	447.80B/415.70A	447.80B/415.70A	----	444.20 + 4.30	.7685	----	----	----	----	165 UNCH
4615	----	----	460.00B/427.60A	460.00B/427.60A	----	456.70 + 4.60	.7766	----	----	----	----	1 UNCH
4625	----	----	468.80B/435.60A	468.80B/435.60A	----	465.00 + 4.70	.7818	----	----	----	----	3 UNCH
4630	----	----	473.00B/439.60A	473.00B/439.60A	----	469.20 + 4.80	.7844	----	----	----	----	7 UNCH
4635	----	----	476.80B/443.70A	476.80B/443.70A	----	473.40 + 4.90	.7868	----	----	----	----	2 UNCH
4640	----	----	481.40B/447.70A	481.40B/447.70A	----	477.60 + 5.00	.7894	----	----	----	----	3 UNCH
4650	----	----	489.50B/455.90A	489.50B/455.90A	----	486.00 + 5.10	.7944	----	----	----	----	1 UNCH
4655	----	----	493.70B/460.00A	493.70B/460.00A	----	490.30 + 5.20	.7967	----	----	----	----	1 UNCH
4660	----	----	498.30B/464.10A	498.30B/464.10A	----	494.50 + 5.20	.7991	----	----	----	----	443 UNCH
4665	----	----	502.70B/471.20A	502.70B/471.20A	----	498.80 + 5.30	.8015	----	----	----	----	3 UNCH
4680	----	----	514.00B/483.80A	514.00B/483.80A	----	511.70 + 5.60	.8083	----	----	----	----	3 UNCH
4690	----	----	518.70B/492.10A	518.70B/492.10A	----	520.30 + 5.70	.8130	----	----	----	----	1 UNCH
4695	----	----	527.20B/496.30A	527.20B/496.30A	----	524.60 + 5.70	.8151	----	----	----	----	28 UNCH
4700	----	----	531.30B/501.00A	531.30B/501.00A	----	529.00 + 5.90	.8173	----	----	----	----	133 UNCH
4705	----	----	535.70B/505.30A	535.70B/505.30A	----	533.30 + 5.90	.8194	----	----	----	----	3 UNCH
4710	----	----	540.20B/509.60A	540.20B/509.60A	----	537.70 + 6.00	.8217	----	----	----	----	3 UNCH
4725	----	----	553.10B/523.90A	553.10B/523.90A	----	550.80 + 6.20	.8278	----	----	----	----	10 UNCH
4730	----	----	557.60B/529.40A	557.60B/529.40A	----	555.20 + 6.30	.8299	----	----	----	----	16 UNCH
4750	----	----	575.20B/546.30A	575.20B/546.30A	----	572.80 + 6.50	.8378	----	----	----	----	43 UNCH
4755	----	----	579.60B/551.30A	579.60B/551.30A	----	577.30 + 6.60	.8398	----	----	----	----	31 UNCH
4760	----	----	584.00B/555.50A	584.00B/555.50A	----	581.70 + 6.60	.8417	----	----	----	----	3 UNCH
4765	----	----	588.50B/560.00A	588.50B/560.00A	----	586.20 + 6.70	.8435	----	----	----	----	8 UNCH
4775	----	----	597.40B/568.90A	597.40B/568.90A	----	595.10 + 6.80	.8472	----	----	----	----	13 UNCH
4780	----	----	602.00B/573.50A	602.00B/573.50A	----	599.60 + 6.90	.8490	----	----	----	----	8 UNCH
4785	----	----	606.40B/577.20A	606.40B/577.20A	----	604.10 + 7.00	.8508	----	----	----	----	100 UNCH
4800	----	----	620.30B/590.50A	620.30B/590.50A	----	617.60 + 7.20	.8560	----	----	----	----	311 UNCH
4805	----	----	618.90B/595.70A	618.90B/595.70A	----	622.10 + 7.30	.8578	----	----	----	----	2 UNCH
4810	----	----	628.70B/599.90A	628.70B/599.90A	----	626.60 + 7.30	.8594	----	----	----	----	20 UNCH
4825	----	----	642.30B/613.30A	642.30B/613.30A	----	640.20 + 7.50	.8642	----	----	----	----	5 UNCH
4835	----	----	645.70B/622.10A	645.70B/622.10A	----	649.30 + 7.60	.8676	----	----	----	----	1 UNCH
4840	----	----	650.20B/627.10A	650.20B/627.10A	----	653.90 + 7.70	.8691	----	----	----	----	1 UNCH
4845	----	----	660.50B/631.20A	660.50B/631.20A	----	658.50 + 7.80	.8706	----	----	----	----	3 UNCH
4855	----	----	669.70B/640.30A	669.70B/640.30A	----	667.60 + 7.90	.8737	----	----	----	----	3 UNCH
4900	----	----	711.10B/681.50A	711.10B/681.50A	----	709.10 + 8.40	.8862	----	----	----	----	4 UNCH
4905	----	----	715.90B/685.90A	715.90B/685.90A	----	713.80 + 8.50	.8876	----	----	----	----	4 UNCH
4950	----	----	750.60B/729.00A	750.60B/729.00A	----	755.80 + 9.00	.8988	----	----	----	----	1 UNCH
4955	----	----	755.20B/733.70A	755.20B/733.70A	----	760.50 + 9.00	.9000	----	----	----	----	1 UNCH
5000	----	----	797.10B/776.20A	797.10B/776.20A	----	802.90 + 9.40	.9097	----	----	----	----	76 UNCH
5005	----	----	801.80B/780.80A	801.80B/780.80A	----	807.70 + 9.50	.9106	----	----	----	----	3 UNCH
5010	----	----	806.40B/785.70A	806.40B/785.70A	----	812.40 + 9.50	.9115	----	----	----	----	1 UNCH
5050	----	----	844.00B/823.40A	844.00B/823.40A	----	850.50 + 9.90	.9190	----	----	----	----	4 UNCH
5055	----	----	848.80B/828.50A	848.80B/828.50A	----	855.30 + 10.00	.9202	----	----	----	----	4 UNCH
5100	----	----	891.40B/871.80A	891.40B/871.80A	----	898.40 + 10.30	.9275	----	----	----	----	2 UNCH
5150	----	----	939.20B/920.20A	939.20B/920.20A	----	946.60 + 10.60	.9348	----	----	----	----	1 UNCH
5175	----	----	963.20B/943.90A	963.20B/943.90A	----	970.80 + 10.80	.9380	----	----	----	----	125 UNCH
5200	----	----	987.30B/969.00A	987.30B/969.00A	----	995.10 + 11.00	.9411	----	----	----	----	1 UNCH
5250	----	----	1,035.90B/1,017	1035.90B/1017.70A	----	1043.80 + 11.20	.9465	----	----	----	----	15 UNCH
5320	----	----	1,104.50B/1,086	1104.50B/1086.40A	----	1112.30 + 11.60	.9534	----	----	----	----	1 UNCH
5400	----	----	1,184.20B/1,164	1184.20B/1164.60A	----	1191.00 + 12.00	.9595	----	----	----	----	50 UNCH
5500	----	----	1,286.60B/1,261	1286.60B/1261.60A	----	1289.80 + 12.30	.9659	----	----	----	----	31 UNCH
5520	----	----	1,307.20B/1,281	1307.20B/1281.70A	----	1309.60 + 12.40	.9669	----	----	----	----	300 UNCH
5530	----	----	1,317.60B/1,290	1317.60B/1290.60A	----	1319.50 + 12.40	.9674	----	----	----	----	100 UNCH
5550	----	----	1,338.20B/1,309	1338.20B/1309.80A	----	1339.30 + 12.40	.9684	----	----	----	----	65 UNCH
5565	----	----	1,353.50B/1,324	1353.50B/1324.60A	----	1354.20 + 12.50	.9690	----	----	----	----	50 UNCH
6000	----	----	----	----	----	1787.70 + 13.30	.9833	----	----	----	----	1 UNCH
TOTAL										195		20594 + 29
MAR27												
3000	----	----	----/4.80A	4.30B/4.80A	----	4.60 - 0.50	.0163	----	----	----	----	20 UNCH
3075	----	----	----/5.70A	5.80B/5.70A	----	5.60 - 0.60	.0201	----	----	----	----	1 UNCH
3170	----	----	----/7.20A	7.60B/7.20A	----	7.10 - 1.00	.0259	----	----	----	----	1 UNCH
3200	----	----	----/7.80A	8.30B/7.80A	----	7.80 - 1.00	.0284	----	----	----	----	72 UNCH
3300	10.30	10.30	10.40/10.30	11.20B/10.30	----	10.30 - 1.30	.0378	----	----	9	----	495 + 9
3325	----	----	----/11.10A	12.10B/11.10A	----	11.10 - 1.40	.0407	----	----	----	----	4 UNCH
3345	----	----	----/11.80A	12.90B/11.80A	----	11.80 - 1.50	.0432	----	----	----	----	7 UNCH
3350	----	----	----/12.00A	13.10B/12.00A	----	12.00 - 1.50	.0439	----	----	----	----	19 UNCH
3375	----	----	----/12.90A	14.20B/12.90A	----	12.90 - 1.60	.0472	----	----	----	----	20 UNCH
3395	----	----	----/13.70A	15.10B/13.70A	----	13.80 - 1.60	.0504	----	----	----	----	21 UNCH
3400	----	----	----/13.90A	15.30B/13.90A	----	14.00 - 1.70	.0511	----	----	----	----	402 UNCH
3405	14.10	14.10	14.10/14.10	15.60B/14.10	----	14.20 NEW	.0518	----	----	2	----	2 + 2
3425	----	----	----/15.00A	16.60B/15.00A	----	15.10 - 1.80	.0551	----	----	----	----	29 UNCH
3450	----	----	----/16.20A	18.00B/16.20A	----	16.40 - 1.90	.0596	----	----	----	----	43 UNCH
3500	----	----	----/18.90A	21.20B/18.90A	----	19.30 - 2.10	.0695	----	----	----	----	492 UNCH
3505	19.80	19.80	19.80/19.20A	21.50B/19.20A	----	19.60 NEW	.0706	----	----	10	----	10 + 10
3525	----	----	----/20.40A	23.00B/20.40A	----	21.00 - 2.10	.0752	----	----	----	----	120 UNCH
3535	----	----	----/21.10A	23.80B/21.10A	----	21.70 - 2.20	.0776	----	----	----	----	1 UNCH
3540	----	----	----/21.40A	24.20B/21.40A	----	22.00 - 2.20	.0786	----	----	----	----	2 UNCH
3545	----	----	----/21.80A	24.60B/21.80A	----	22.40 - 2.20	.0799	----	----	----	----	1 UNCH
3550	----	----	----/22.10A	25.00B/22.10A	----	22.80 - 2.20	.0812	----	----	----	----	250 UNCH
3560	22.50	22.50	22.50/22.50	25.80B/22.50	----	23.60 NEW	.0838	----	----	4	----	4 + 4
3565	----	----	----/23.20A	26.30B/23.20A	----	24.00 - 2.30	.0851	----	----	----	----	2 UNCH
3570	----	----	----/23.60A	26.70B/23.60A	----	24.40 - 2.30	.0865	----	----	----	----	1 UNCH
3575	----	----	----/24.00A	27.10B/24.00A	----	24.80 - 2.30	.0878	----	----	----	----	20 UNCH
3580	----	----	----/24.40A	27.60B/24.40A	----	25.20 - 2.40	.0891	----	----	----	----	1 UNCH
3600	----	----	29.50B/26.00A	29.50B/26.00A	----	26.90 - 2.50	.0946	----	----	----	----	1883 UNCH
3610	----	----	30.50B/26.80A	30.50B/26.80A	----	27.90 - 2.50	.0978	----	----	----	----	1 UNCH
3650	----	----	34.80B/30.60A	34.80B/30.60A	----	31.90 - 2.60	.1104	----	----	----	----	128 UNCH
3700	----	----	41.30B/36.00A	41.30B/36.00A	----	37.70 - 2.90	.1281	----	----	1	----	38 UNCH
3725	----	----	44.80B/39.10A	44.80B/39.10A	----	41.00 - 3.00	.1380	----	----	----	----	28 UNCH
3740	----	----	47.00B/40.90A	47.00B/40.90A	----	43.10 - 3.10	.1441	----	----	----	----	29 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT												
MAR27												
3750	----	----	48.60B/42.20A	48.60B/42.20A	----	44.60 - 3.10	.1484	----	----	15	----	189 UNCH
3760	----	----	50.10B/43.70A	50.10B/43.70A	----	46.10 - 3.20	.1528	----	----	----	----	1 UNCH
3775	----	----	52.70B/45.90A	52.70B/45.90A	----	48.50 - 3.20	.1596	----	----	----	----	1 UNCH
3780	----	----	53.50B/46.60A	53.50B/46.60A	----	49.30 - 3.30	.1618	----	----	----	----	25 UNCH
3785	----	----	54.30B/47.40A	54.30B/47.40A	----	50.10 - 3.30	.1641	----	----	----	----	1 UNCH
3790	----	----	55.30B/48.20A	55.30B/48.20A	----	50.90 - 3.40	.1664	----	----	----	----	4 UNCH
3795	----	----	56.30B/49.00A	56.30B/49.00A	----	51.80 - 3.30	.1688	----	----	----	----	25 UNCH
3800	----	----	57.20B/49.80A	57.20B/49.80A	----	52.70 - 3.30	.1713	----	----	----	----	112 UNCH
3810	----	----	59.00B/51.50A	59.00B/51.50A	----	54.40 - 3.50	.1761	----	----	----	----	1 UNCH
3815	----	----	59.90B/52.30A	59.90B/52.30A	----	55.40 - 3.40	.1787	----	----	----	----	1 UNCH
3820	----	----	61.00B/53.10A	61.00B/53.10A	----	56.30 - 3.40	.1812	----	----	----	----	30 UNCH
3825	----	----	62.00B/54.00A	62.00B/54.00A	----	57.20 - 3.50	.1836	----	----	----	----	131 UNCH
3830	----	----	63.00B/54.90A	63.00B/54.90A	----	58.20 - 3.40	.1863	----	----	----	----	1 UNCH
3835	----	----	64.00B/55.80A	64.00B/55.80A	----	59.10 - 3.50	.1888	----	----	----	----	2 UNCH
3840	----	----	64.90B/56.70A	64.90B/56.70A	----	60.10 - 3.50	.1914	----	----	----	----	2 UNCH
3845	----	----	66.00B/57.70A	66.00B/57.70A	----	61.10 - 3.50	.1941	----	----	----	----	1 UNCH
3850	----	----	67.10B/58.60A	67.10B/58.60A	----	62.10 - 3.60	.1967	----	----	----	----	141 UNCH
3855	----	----	68.10B/59.60A	68.10B/59.60A	----	63.20 - 3.50	.1995	----	----	----	----	3 UNCH
3860	----	----	69.20B/60.60A	69.20B/60.60A	----	64.20 - 3.60	.2022	----	----	----	----	2 UNCH
3865	----	----	70.30B/61.50A	70.30B/61.50A	----	65.30 - 3.50	.2050	----	----	----	----	26 UNCH
3870	----	----	71.40B/62.50A	71.40B/62.50A	----	66.40 - 3.50	.2078	----	----	----	----	4 UNCH
3875	66.30	66.30	72.50B/63.60A	72.50B/63.60A	----	67.40 - 3.60	.2105	----	----	1	----	13 + 1
3885	----	----	74.90B/65.60A	74.90B/65.60A	----	69.70 - 3.60	.2162	----	----	----	----	1 UNCH
3890	----	----	76.00B/66.70A	76.00B/66.70A	----	70.80 - 3.60	.2191	----	----	----	----	1 UNCH
3900	74.60	74.60	78.50B/68.90A	78.50B/68.90A	----	73.20 - 3.60	.2250	----	----	1	----	1400 - 1
3905	----	----	79.70B/70.00A	79.70B/70.00A	----	74.40 - 3.60	.2280	----	----	----	----	10 UNCH
3915	75.30	75.30	82.20B/72.30A	82.20B/72.30A	----	76.80 NEW	.2339	----	----	1	----	1 + 1
3935	----	----	87.50B/77.00A	87.50B/77.00A	----	81.90 - 3.60	.2462	----	----	----	----	214 UNCH
3945	----	----	90.30B/79.50A	90.30B/79.50A	----	84.50 - 3.70	.2525	----	----	----	----	25 UNCH
3950	83.70	83.70	91.70B/80.70A	91.70B/80.70A	----	85.90 - 3.60	.2557	----	----	14	----	91 + 12
3970	----	----	97.40B/86.00A	97.40B/86.00A	----	91.50 - 3.60	.2687	----	----	----	----	12 UNCH
3975	----	----	98.90B/87.30A	98.90B/87.30A	----	92.90 - 3.60	.2719	----	----	----	----	1 UNCH
3995	103.70	103.70	105.10B/92.80A	105.10B/92.80A	----	98.90 - 3.50	.2854	----	----	1	----	13 UNCH
4000	99.90	99.90	106.70B/94.20A	106.70B/94.20A	----	100.50 - 3.50	.2888	----	----	11	----	929 + 1
4020	----	----	113.30B/100.20A	113.30B/100.20A	----	106.80 - 3.50	.3026	----	----	----	----	40 UNCH
4040	109.90	109.90	120.10B/106.40A	120.10B/106.40A	----	113.50 NEW	.3168	----	----	1	----	1 + 1
4050	109.70	109.70	123.70B/109.60A	123.70B/109.60A	----	117.00 - 3.30	.3240	----	----	1	----	47 + 1
4055	----	----	125.40B/111.30A	125.40B/111.30A	----	118.80 - 3.30	.3276	----	----	----	----	2 UNCH
4070	----	----	130.90B/116.40A	130.90B/116.40A	----	124.20 - 3.20	.3386	----	----	----	----	1 UNCH
4075	----	----	132.80B/118.00A	132.80B/118.00A	----	126.10 - 3.10	.3423	----	----	----	----	249 UNCH
4095	----	----	140.60B/125.20A	140.60B/125.20A	----	133.70 - 3.00	.3572	----	----	----	----	2 UNCH
4100	----	----	142.40B/127.00A	142.40B/127.00A	----	135.60 - 3.00	.3609	----	----	6	----	791 + 6
4110	----	----	146.60B/130.80A	146.60B/130.80A	----	139.60 - 2.90	.3685	----	----	----	----	1 UNCH
4115	----	----	148.60B/132.70A	148.60B/132.70A	----	141.70 - 2.80	.3723	----	----	----	----	2 UNCH
4130	----	----	154.70B/138.50A	154.70B/138.50A	----	147.90 - 2.70	.3837	----	----	----	----	390 UNCH
4135	----	----	157.00B/140.40A	157.00B/140.40A	----	150.00 - 2.70	.3876	----	----	----	----	42 UNCH
4140	----	----	159.10B/142.50A	159.10B/142.50A	----	152.10 - 2.70	.3914	----	----	----	----	2 UNCH
4145	----	----	161.20B/144.50A	161.20B/144.50A	----	154.20 - 2.70	.3952	----	----	----	----	1 UNCH
4150	----	----	163.40B/146.50A	163.40B/146.50A	----	156.40 - 2.60	.3991	----	----	----	----	12 UNCH
4155	----	----	165.60B/148.60A	165.60B/148.60A	----	158.60 - 2.60	.4030	----	----	----	----	21 UNCH
4160	----	----	168.00B/150.70A	168.00B/150.70A	----	160.80 - 2.50	.4069	----	----	----	----	3 UNCH
4165	----	----	170.10B/152.80A	170.10B/152.80A	----	163.10 - 2.40	.4108	----	----	----	----	40 UNCH
4170	----	----	172.50B/154.90A	172.50B/154.90A	----	165.30 - 2.40	.4146	----	----	----	----	1 UNCH
4175	----	----	174.80B/157.10A	174.80B/157.10A	----	167.60 - 2.40	.4185	----	----	----	----	4 UNCH
4200	----	----	186.60B/168.10A	186.60B/168.10A	----	179.40 - 2.10	.4381	----	----	----	----	577 UNCH
4205	----	----	188.90B/170.40A	188.90B/170.40A	----	181.80 - 2.00	.4420	----	----	----	----	5 UNCH
4215	----	----	193.90B/175.00A	193.90B/175.00A	----	186.70 - 1.90	.4498	----	----	----	----	50 UNCH
4220	----	----	196.40B/177.40A	196.40B/177.40A	----	189.20 - 1.90	.4538	----	----	----	----	11 UNCH
4230	----	----	201.50B/182.10A	201.50B/182.10A	----	194.30 - 1.70	.4616	----	----	----	----	1 UNCH
4235	----	----	204.00B/184.50A	204.00B/184.50A	----	196.80 - 1.70	.4655	----	----	----	----	27 UNCH
4240	198.90	198.90	206.50B/187.00A	206.50B/187.00A	----	199.40 - 1.60	.4695	----	----	1	----	6 UNCH
4245	----	----	209.10B/189.50A	209.10B/189.50A	----	202.00 - 1.60	.4734	----	----	----	----	1 UNCH
4250	200.20	200.20	211.70B/191.80A	211.70B/191.80A	----	204.60 - 1.60	.4773	----	----	2	----	129 + 2
4255	----	----	214.60B/194.40A	214.60B/194.40A	----	207.30 - 1.50	.4812	----	----	----	----	1 UNCH
4260	210.10	210.10	217.00B/196.90A	217.00B/196.90A	----	209.90 - 1.50	.4851	----	----	2	----	5 + 1
4265	----	----	219.90B/199.40A	219.90B/199.40A	----	212.60 - 1.40	.4890	----	----	----	----	1 UNCH
4270	----	----	222.60B/201.90A	222.60B/201.90A	----	215.40 - 1.30	.4929	----	----	----	----	35 UNCH
4285	----	----	230.70B/209.60A	230.70B/209.60A	----	223.60 - 1.30	.5045	----	----	----	----	100 UNCH
4300	----	----	239.20B/217.70A	239.20B/217.70A	----	232.10 - 1.10	.5160	----	----	----	----	201 UNCH
4320	----	----	250.70B/228.40A	250.70B/228.40A	----	243.80 - 0.80	.5312	----	----	----	----	2 UNCH
4325	----	----	253.60B/231.20A	253.60B/231.20A	----	246.70 - 0.80	.5350	----	----	----	----	20 UNCH
4350	----	----	268.50B/245.40A	268.50B/245.40A	----	261.80 - 0.50	.5537	----	----	----	----	42 UNCH
4370	----	----	280.90B/256.70A	280.90B/256.70A	----	274.20 - 0.20	.5684	----	----	----	----	270 UNCH
4375	----	----	283.80B/259.90A	283.80B/259.90A	----	277.40 - 0.10	.5720	----	----	----	----	1 UNCH
4395	----	----	296.50B/271.80A	296.50B/271.80A	----	290.20 + 0.20	.5865	----	----	----	----	2 UNCH
4400	----	----	299.50B/274.60A	299.50B/274.60A	----	293.50 + 0.30	.5900	----	----	----	----	27 UNCH
4420	----	----	312.10B/287.30A	312.10B/287.30A	----	306.60 + 0.50	.6041	----	----	----	----	10 UNCH
4425	----	----	315.30B/290.50A	315.30B/290.50A	----	310.00 + 0.70	.6075	----	----	----	----	4 UNCH
4440	----	----	324.30B/300.10A	324.30B/300.10A	----	320.10 + 0.80	.6178	----	----	----	----	52 UNCH
4450	----	----	331.00B/306.60A	331.00B/306.60A	----	326.90 + 0.90	.6247	----	----	----	----	65 UNCH
4460	----	----	337.80B/313.20A	337.80B/313.20A	----	333.80 + 1.00	.6314	----	----	----	----	1 UNCH
4465	----	----	341.20B/317.50A	341.20B/317.50A	----	337.30 + 1.10	.6346	----	----	----	----	7 UNCH
4470	----	----	344.60B/320.80A	344.60B/320.80A	----	340.80 + 1.20	.6380	----	----	----	----	4 UNCH
4475	----	----	348.00B/324.10A	348.00B/324.10A	----	344.30 + 1.30	.6412	----	----	----	----	25 UNCH
4480	----	----	351.50B/327.40A	351.50B/327.40A	----	347.80 + 1.30	.6445	----	----	----	----	37 UNCH
4490	----	----	358.40B/334.20A	358.40B/334.20A	----	354.90 + 1.40	.6509	----	----	----	----	30 UNCH
4500	----	----	365.40B/341.10A	365.40B/341.10A	----	362.10 + 1.60	.6574	----	----	----	----	103 UNCH
4510	----	----	372.50B/348.00A	372.50B/348.00A	----	369.30 + 1.70	.6636	----	----	----	----	10 UNCH
4515	----	----	376.10B/351.50A	376.10B/351.50A	----	372.90 + 1.70	.6667	----	----	----	----	1 UNCH
4520	----	----	379.60B/355.00A	379.60B/355.00A	----	376.60 + 1.80	.6698	----	----	----	----	1 UNCH
4525	----	----	383.20B/358.50A	383.20B/358.50A	----	380.30 + 1.90	.6730	----	----	----	----	10 UNCH
4540	----	----	394.10B/369.00A	394.10B/369.00A	----	391.40 + 2.10	.6820	----	----	----	----	4 UNCH
4585	----	----	427.60B/401.80A	427.60B/401.80A	----	425.50 + 2.80	.7082	----	----	----	----	1 UNCH
4600	----	----	439.30B/413.00A	439.30B/413.00A	----	437.10 + 3.00	.7165	----	----	----	----	26 UNCH
4610	----	----	447.20B/420.50A	447.20B/420.50A	----	445.00 + 3.20	.7219	----	----	----	----	300 UNCH
4650	----	----	479.10B/451.20A	479.10B/451.20A	----	476.70 + 3.70	.7427	----	----	----	----	1 UNCH
4660	----	----	487.20B/461.80A	487.20B/461.80A	----	484.80 + 3.80	.7478	----	----	----	----	24 UNCH
4680	----	----	503.50B/478.00A	503.50B/478.00A	----	501.10 + 4.20	.7575	----	----	----	----	1 UNCH
4700	----	----	520.00B/494.10A	520.00B/494.10A	----	517.50 + 4.40	.7669	----	----	----	----	303 UNCH
4710	----	----	528.30B/502.20A	528.30B/502.20A	----	525.80 + 4.50	.7715	----	----	----	----	2 UNCH
4750	----	----	561.90B/534.90A	561.90B/534.90A	----	559.40 + 5.10	.7888	----	----	----	----	15 UNCH
4810	----	----	----/585.30A	602.70B/585.30A	----	610.90 + 5.90	.8127	----	----	----	----	21 UNCH
4850	----	----	----/631.90A	630.10B/631.90A	----	645.90 + 6.40	.8269	----	----	----	----	2 UNCH
4900	----	----	----/677.50A	672.30B/677.50A	----	690.40 + 7.00	.8435	----	----	----	----	12 UNCH
4905	----	----	----/682.00A	676.60B/682.00A	----	694.80 + 7.00	.8449	----	----	----	----	2 UNCH
5000	----	----	----/770.40A	758.70B/770.40A	----	781.10 + 8.00	.8716	----	----	----	----	75 UNCH
TOTAL										83		11876 + 50
APR27												
3000	----	----	----/7.20A	6.90B/7.20A	----	6.80 - 0.80	.0219	----	----	----	----	119 UNCH
3100	----	----	----/9.20A	9.10B/9.20A	----	8.90 - 1.00	.0287	----	----	----	----	12 UNCH
3200	----	----	----/11.90A	12.10B/11.90A	----	11.70 - 1.20	.0378	----	----	----	----	326 UNCH
3225	----	----	----/12.80A	13.00B/12.80A	----	12.50 - 1.30	.0404	----	----	----	----	65 UNCH
3300	----	----	----/15.60A	16.20B/15.60A	----	15.40 - 1.60	.0497	----	----	----	----	26 UNCH
3350	----	----	----/17.90A	18.80B/17.90A	----	17.80 - 1.80	.0572	----	----	----	----	35 UNCH
3375	----	----	----/19.20A	20.30B/19.20A	----	19.20 - 1.90	.0614	----	----	----	----	46 UNCH
3400	----	----	----/20.60A	21.90B/20.60A	----	20.60 - 2.00	.0657	----	----	----	----	9 UNCH
3420	----	----	----/21.70A	23.20B/21.70A	----	21.90 - 2.10	.0696	----	----	----	----	15 UNCH
3450	----	----	----/23.70A	25.40B/23.70A	----	23.90 - 2.30	.0756	----	----	----	----	3 UNCH
3455	----	----	----/24.00A	25.90B/24.00A	----	24.30 - 2.30	.0768	----	----	----	----	1 UNCH
3460	24.80	24.80	24.80/24.30A	26.30B/24.30A	----	24.60 - 2.30	.0777	----	----	1	----	201 + 1
3475	25.30	25.30	25.30/25.30	27.50B/25.30	----	25.80 - 2.30	.0812	----	----	18	----	318 + 18
3480	----	----	----/25.70A	27.90B/25.70A	----	26.10 - 2.50	.0821	----	----	----	----	1 UNCH
3490	----	----	----/26.50A	28.70B/26.50A	----	26.90 - 2.50	.0845	----	----	----	----	10 UNCH
3500	----	----	----/27.30A	29.60B/27.30A	----	27.70 - 2.60	.0868	----	----	----	----	242 UNCH
3545	----	----	----/31.10A	34.00B/31.10A	----	31.70 - 2.80	.0983	----	----	----	----	10 UNCH
3550	----	----	----/31.50A	34.60B/31.50A	----	32.20 - 2.80	.0997	----	----	----	----	500 UNCH
3555	----	----	----/32.00A	35.00B/32.00A	----	32.70 - 2.80	.1011	----	----	----	----	4 UNCH
3565	----	----	----/32.90A	36.20B/32.90A	----	33.60 - 2.90	.1037	----	----	----	----	20 UNCH
3590	----	----	----/35.40A	38.90B/35.40A	----	36.30 - 3.00	.1112	----	----	----	----	10 UNCH
3595	----	----	----/35.90A	39.50B/35.90A	----	36.80 - 3.10	.1126	----	----	----	----	10 UNCH
3600	----	----	----/36.50A	40.10B/36.50A	----	37.40 - 3.00	.1142	----	----	1	----	846 UNCH
3650	----	----	47.00B/42.20A	47.00B/42.20A	----	43.60 - 3.10	.1308	----	----	----	----	219 UNCH
3680	----	----	51.30B/45.90A	51.30B/45.90A	----	47.70 - 3.30	.1416	----	----	----	----	20 UNCH
3690	----	----	52.90B/47.30A	52.90B/47.30A	----	49.20 - 3.30	.1455	----	----	----	----	32 UNCH
3700	50.90	50.90	54.40B/48.60	54.40B/48.60	----	50.70 - 3.30	.1493	----	----	5	----	99 UNCH
3710	52.10	52.10	56.10B/50.20A	56.10B/50.20A	----	52.30 NEW	.1533	----	----	6	----	6 + 6

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
APR27												
3725	----	----	58.60B/52.40A	58.60B/52.40A	----	54.70 - 3.40	.1594	----	----	----	----	3 UNCH
3730	----	----	59.50B/53.20A	59.50B/53.20A	----	55.60 - 3.30	.1616	----	----	----	----	20 UNCH
3735	----	----	60.40B/54.00A	60.40B/54.00A	----	56.40 - 3.40	.1636	----	----	----	----	42 UNCH
3750	57.60	57.60	63.10B/56.40A	63.10B/56.40A	----	59.00 - 3.40	.1700	----	----	1	----	78 + 1
3755	----	----	64.10B/57.30A	64.10B/57.30A	----	59.90 - 3.40	.1722	----	----	----	----	20 UNCH
3780	----	----	68.90B/61.60A	68.90B/61.60A	----	64.60 - 3.40	.1835	----	----	----	----	30 UNCH
3790	----	----	70.90B/63.50A	70.90B/63.50A	----	66.50 - 3.50	.1880	----	----	----	----	20 UNCH
3800	----	----	73.10B/65.30A	73.10B/65.30A	----	68.50 - 3.60	.1927	----	----	2	----	249 + 2
3805	----	----	74.00B/66.40A	74.00B/66.40A	----	69.60 - 3.50	.1952	----	----	----	----	2 UNCH
3815	----	----	76.30B/68.30A	76.30B/68.30A	----	71.70 - 3.50	.2001	----	----	----	----	20 UNCH
3820	----	----	77.40B/69.30A	77.40B/69.30A	----	72.70 - 3.60	.2025	----	----	----	----	1 UNCH
3825	----	----	78.50B/70.40A	78.50B/70.40A	----	73.80 - 3.60	.2050	----	----	----	----	52 UNCH
3845	----	----	83.20B/74.60A	83.20B/74.60A	----	78.30 - 3.60	.2151	----	----	----	----	50 UNCH
3850	77.00	77.00	84.50B/75.60	84.50B/75.60	----	79.50 - 3.60	.2178	----	----	2	----	39 + 2
3855	----	----	85.60B/76.70A	85.60B/76.70A	----	80.60 - 3.70	.2203	----	----	----	----	12 UNCH
3860	----	----	86.70B/77.90A	86.70B/77.90A	----	81.80 - 3.70	.2229	----	----	----	----	77 UNCH
3865	----	----	88.00B/79.00A	88.00B/79.00A	----	83.00 - 3.70	.2256	----	----	----	----	50 UNCH
3885	----	----	93.20B/83.70A	93.20B/83.70A	----	88.00 - 3.60	.2364	----	----	----	----	1 UNCH
3895	----	----	95.70B/86.10A	95.70B/86.10A	----	90.60 - 3.60	.2419	----	----	----	----	46 UNCH
3900	86.70	86.70	97.20B/86.70	97.20B/86.70	----	91.90 - 3.60	.2447	----	----	8	----	363 + 1
3905	----	----	98.40B/88.60A	98.40B/88.60A	----	93.20 - 3.70	.2475	----	----	----	----	20 UNCH
3910	----	----	99.80B/89.90A	99.80B/89.90A	----	94.60 - 3.60	.2504	----	----	----	----	1 UNCH
3915	96.20	96.20	101.20B/91.10A	101.20B/91.10A	----	95.90 NEW	.2531	----	----	14	----	14 + 14
3925	----	----	104.10B/93.80A	104.10B/93.80A	----	98.70 - 3.70	.2589	----	----	----	----	5 UNCH
3930	----	----	105.50B/95.10A	105.50B/95.10A	----	100.10 - 3.70	.2618	----	----	----	----	20 UNCH
3935	----	----	106.90B/96.40A	106.90B/96.40A	----	101.50 - 3.70	.2647	----	----	----	----	6 UNCH
3950	----	----	111.60B/100.60A	111.60B/100.60A	----	105.90 - 3.70	.2736	----	----	----	----	3 UNCH
3960	----	----	114.50B/103.40A	114.50B/103.40A	----	109.00 - 3.50	.2796	----	----	----	----	2 UNCH
3970	----	----	117.60B/106.30A	117.60B/106.30A	----	112.00 - 3.60	.2856	----	----	----	----	13 UNCH
3980	----	----	120.90B/109.30A	120.90B/109.30A	----	115.20 - 3.50	.2918	----	----	----	----	1 UNCH
3995	----	----	125.80B/113.90A	125.80B/113.90A	----	120.10 - 3.40	.3012	----	----	----	----	4 UNCH
4000	114.70	114.70	127.60B/114.70	127.60B/114.70	----	121.70 - 3.50	.3043	----	----	6	----	361 + 1
4050	----	----	145.40B/132.00A	145.40B/132.00A	----	139.30 - 3.10	.3364	----	----	2	----	7 + 2
4055	----	----	147.30B/133.80A	147.30B/133.80A	----	141.10 - 3.10	.3397	----	----	----	----	50 UNCH
4060	----	----	149.20B/135.60A	149.20B/135.60A	----	143.00 - 3.10	.3430	----	----	----	----	1 UNCH
4065	----	----	151.10B/137.30A	151.10B/137.30A	----	144.90 - 3.00	.3463	----	----	----	----	36 UNCH
4080	----	----	157.00B/142.90A	157.00B/142.90A	----	150.70 - 2.90	.3563	----	----	----	----	1 UNCH
4095	----	----	163.20B/148.40A	163.20B/148.40A	----	156.70 - 2.80	.3664	----	----	----	----	5 UNCH
4100	----	----	165.10B/150.30A	165.10B/150.30A	----	158.70 - 2.80	.3698	----	----	----	----	818 UNCH
4125	----	----	175.60B/160.10A	175.60B/160.10A	----	169.20 - 2.60	.3869	----	----	----	----	353 UNCH
4145	----	----	184.50B/168.50A	184.50B/168.50A	----	177.90 - 2.50	.4006	----	----	----	----	3 UNCH
4150	----	----	186.40B/170.40A	186.40B/170.40A	----	180.20 - 2.40	.4041	----	----	----	----	139 UNCH
4160	----	----	191.30B/174.90A	191.30B/174.90A	----	184.70 - 2.40	.4110	----	----	----	----	30 UNCH
4165	----	----	193.60B/177.00A	193.60B/177.00A	----	187.00 - 2.30	.4145	----	----	----	----	4 UNCH
4175	----	----	198.10B/181.30A	198.10B/181.30A	----	191.60 - 2.30	.4214	----	----	----	----	50 UNCH
4195	----	----	207.70B/190.30A	207.70B/190.30A	----	201.20 - 2.20	.4354	----	----	----	----	3 UNCH
4200	----	----	210.00B/192.60A	210.00B/192.60A	----	203.60 - 2.20	.4389	----	----	----	----	175 UNCH
4205	----	----	212.60B/195.00A	212.60B/195.00A	----	206.10 - 2.10	.4424	----	----	----	----	1 UNCH
4210	----	----	215.00B/197.40A	215.00B/197.40A	----	208.60 - 2.00	.4459	----	----	----	----	6 UNCH
4225	----	----	222.60B/204.30A	222.60B/204.30A	----	216.10 - 2.00	.4564	----	----	----	----	410 UNCH
4230	----	----	225.20B/207.00A	225.20B/207.00A	----	218.70 - 1.90	.4599	----	----	----	----	105 UNCH
4245	----	----	232.90B/214.30A	232.90B/214.30A	----	226.50 - 1.80	.4703	----	----	----	----	1 UNCH
4250	----	----	235.40B/216.70A	235.40B/216.70A	----	229.10 - 1.80	.4738	----	----	1	----	220 UNCH
4255	----	----	238.30B/219.40A	238.30B/219.40A	----	231.80 - 1.70	.4773	----	----	----	----	16 UNCH
4260	----	----	240.90B/221.90A	240.90B/221.90A	----	234.40 - 1.80	.4808	----	----	----	----	15 UNCH
4275	----	----	249.10B/229.50A	249.10B/229.50A	----	242.60 - 1.60	.4911	----	----	----	----	20 UNCH
4280	----	----	252.00B/232.30A	252.00B/232.30A	----	245.40 - 1.50	.4946	----	----	2	----	3 + 2
4285	----	----	254.60B/234.80A	254.60B/234.80A	----	248.10 - 1.60	.4981	----	----	2	----	52 + 2
4290	----	----	257.40B/237.30A	257.40B/237.30A	----	250.90 - 1.50	.5015	----	----	----	----	3 UNCH
4300	258.40	258.40	262.70B/242.60A	262.70B/242.60A	----	256.60 - 1.40	.5083	----	----	14	----	271 + 14
4305	258.80	258.80	265.90B/245.10A	265.90B/245.10A	----	259.40 NEW	.5117	----	----	14	----	14 + 14
4310	----	----	268.60B/247.90A	268.60B/247.90A	----	262.30 NEW	.5151	----	----	2	----	2 + 2
4320	262.20	262.20	274.50B/253.20A	274.50B/253.20A	----	268.10 NEW	.5219	----	----	6	----	6 + 6
4330	----	----	280.40B/258.80A	280.40B/258.80A	----	274.00 - 1.00	.5286	----	----	----	----	5 UNCH
4345	----	----	289.20B/267.20A	289.20B/267.20A	----	282.90 - 0.90	.5387	----	----	----	----	6 UNCH
4350	----	----	292.00B/270.00A	292.00B/270.00A	----	285.90 - 0.90	.5420	----	----	----	----	83 UNCH
4365	----	----	301.40B/278.70A	301.40B/278.70A	----	295.10 - 0.70	.5519	----	----	----	----	1 UNCH
4370	----	----	304.10B/281.60A	304.10B/281.60A	----	298.20 - 0.60	.5552	----	----	----	----	1 UNCH
4375	----	----	307.20B/284.50A	307.20B/284.50A	----	301.30 - 0.50	.5585	----	----	----	----	8 UNCH
4380	----	----	310.30B/287.50A	310.30B/287.50A	----	304.40 - 0.50	.5617	----	----	----	----	1 UNCH
4385	----	----	313.50B/290.50A	313.50B/290.50A	----	307.60 - 0.40	.5650	----	----	----	----	3 UNCH
4395	----	----	319.90B/296.50A	319.90B/296.50A	----	313.90 - 0.30	.5714	----	----	----	----	2 UNCH
4400	----	----	322.80B/299.60A	322.80B/299.60A	----	317.10 - 0.20	.5746	----	----	----	----	27 UNCH
4405	----	----	326.30B/302.60A	326.30B/302.60A	----	320.30 - 0.20	.5778	----	----	----	----	1 UNCH
4410	----	----	329.40B/305.60A	329.40B/305.60A	----	323.60 UNCH	.5810	----	----	----	----	2 UNCH
4415	----	----	332.70B/308.70A	332.70B/308.70A	----	326.80 UNCH	.5841	----	----	----	----	3 UNCH
4420	----	----	335.90B/311.80A	335.90B/311.80A	----	330.10 + 0.10	.5873	----	----	----	----	27 UNCH
4425	----	----	339.10B/314.90A	339.10B/314.90A	----	333.40 + 0.20	.5905	----	----	----	----	5 UNCH
4430	----	----	342.70B/318.10A	342.70B/318.10A	----	336.70 + 0.20	.5936	----	----	----	----	3 UNCH
4435	----	----	345.70B/321.10A	345.70B/321.10A	----	340.00 + 0.30	.5967	----	----	----	----	13 UNCH
4440	----	----	348.20B/324.30A	348.20B/324.30A	----	343.30 + 0.30	.5997	----	----	----	----	50 UNCH
4450	----	----	353.20B/330.70A	353.20B/330.70A	----	350.00 + 0.40	.6059	----	----	----	----	138 UNCH
4455	----	----	356.50B/334.10A	356.50B/334.10A	----	353.40 + 0.50	.6089	----	----	----	----	2 UNCH
4460	----	----	359.90B/337.40A	359.90B/337.40A	----	356.80 + 0.60	.6120	----	----	----	----	2 UNCH
4465	----	----	363.20B/340.60A	363.20B/340.60A	----	360.20 + 0.70	.6150	----	----	----	----	3 UNCH
4470	----	----	366.60B/343.80A	366.60B/343.80A	----	363.60 + 0.70	.6180	----	----	----	----	4 UNCH
4475	----	----	370.00B/347.00A	370.00B/347.00A	----	367.10 + 0.80	.6210	----	----	2	----	4 + 2
4480	----	----	373.40B/350.30A	373.40B/350.30A	----	370.50 + 0.80	.6240	----	----	----	----	1 UNCH
4490	----	----	380.20B/357.00A	380.20B/357.00A	----	377.50 + 1.00	.6299	----	----	----	----	31 UNCH
4495	----	----	383.70B/360.20A	383.70B/360.20A	----	381.00 + 1.10	.6328	----	----	----	----	11 UNCH
4500	----	----	387.10B/365.20A	387.10B/365.20A	----	384.50 + 1.10	.6357	----	----	2	----	258 UNCH
4510	----	----	394.10B/371.90A	394.10B/371.90A	----	391.60 + 1.30	.6414	----	----	----	----	1 UNCH
4515	----	----	397.60B/375.40A	397.60B/375.40A	----	395.20 + 1.40	.6443	----	----	----	----	1 UNCH
4535	----	----	411.60B/389.30A	411.60B/389.30A	----	409.60 + 1.60	.6555	----	----	----	----	13 UNCH
4540	----	----	415.20B/392.70A	415.20B/392.70A	----	413.20 + 1.70	.6583	----	----	----	----	100 UNCH
4545	----	----	418.80B/396.20A	418.80B/396.20A	----	416.90 + 1.80	.6611	----	----	----	----	1 UNCH
4550	----	----	422.30B/399.80A	422.30B/399.80A	----	420.50 + 1.80	.6638	----	----	----	----	36 UNCH
4565	----	----	433.10B/410.40A	433.10B/410.40A	----	431.60 + 2.00	.6719	----	----	----	----	10 UNCH
4575	----	----	440.40B/417.60A	440.40B/417.60A	----	439.10 + 2.20	.6773	----	----	----	----	50 UNCH
4590	----	----	451.50B/428.40A	451.50B/428.40A	----	450.30 + 2.30	.6851	----	----	----	----	5 UNCH
4600	----	----	459.10B/435.70A	459.10B/435.70A	----	457.90 + 2.40	.6902	----	----	3	----	230 + 1
4610	----	----	466.80B/443.10A	466.80B/443.10A	----	465.50 + 2.50	.6954	----	----	----	----	5 UNCH
4615	----	----	470.60B/446.80A	470.60B/446.80A	----	469.40 + 2.60	.6979	----	----	----	----	5 UNCH
4620	----	----	474.50B/450.50A	474.50B/450.50A	----	473.20 + 2.60	.7004	----	----	----	----	1 UNCH
4650	----	----	497.90B/473.10A	497.90B/473.10A	----	496.50 + 3.00	.7150	----	----	----	----	3 UNCH
4695	----	----	533.70B/507.80A	533.70B/507.80A	----	532.10 + 3.50	.7359	----	----	----	----	1 UNCH
4700	----	----	537.70B/511.70A	537.70B/511.70A	----	536.20 + 3.60	.7381	----	----	----	----	14 UNCH
4705	----	----	541.80B/515.60A	541.80B/515.60A	----	540.20 + 3.70	.7403	----	----	----	----	2 UNCH
4720	----	----	554.00B/527.40A	554.00B/527.40A	----	552.30 + 3.80	.7469	----	----	----	----	9 UNCH
4725	----	----	558.00B/531.40A	558.00B/531.40A	----	556.40 + 3.90	.7491	----	----	----	----	5 UNCH
4730	----	----	562.10B/535.30A	562.10B/535.30A	----	560.50 + 4.00	.7513	----	----	----	----	4 UNCH
4750	----	----	578.60B/551.30A	578.60B/551.30A	----	576.90 + 4.30	.7597	----	----	----	----	1 UNCH
4765	----	----	591.10B/563.50A	591.10B/563.50A	----	589.30 + 4.50	.7657	----	----	----	----	1 UNCH
4790	----	----	612.00B/583.80A	612.00B/583.80A	----	610.10 + 4.70	.7756	----	----	----	----	6 UNCH
4800	----	----	620.40B/592.10A	620.40B/592.10A	----	618.50 + 4.80	.7794	----	----	1	----	16 + 1
4825	----	----	641.60B/612.80A	641.60B/612.80A	----	639.70 + 5.10	.7888	----	----	----	----	4 UNCH
4835	----	----	650.20B/621.20A	650.20B/621.20A	----	648.20 + 5.20	.7923	----	----	----	----	1 UNCH
4900	----	----	----/678.50A	694.70B/678.50A	----	704.40 + 6.00	.8144	----	----	----	----	5 UNCH
4905	----	----	----/682.80A	695.20B/682.80A	----	708.80 + 6.10	.8159	----	----	----	----	2 UNCH
5000	----	----	----/784.90A	768.40B/784.90A	----	793.10 + 7.10	.8435	----	----	----	----	134 UNCH
5005	----	----	----/789.50A	772.60B/789.50A	----	797.60 + 7.20	.8449	----	----	----	----	1 UNCH
5050	----	----	----	810.90B/831.40A	----	838.30 + 7.70	.8563	----	----	----	----	215 UNCH
5060	----	----	----	819.40B/840.80A	----	847.40 + 7.80	.8588	----	----	----	----	25 UNCH
5150	----	----	----	897.30B/926.30A	----	930.20 + 8.50	.8786	----	----	----	----	1 UNCH
5200	----	----	----	941.00B/974.70A	----	976.80 + 8.80	.8882	----	----	----	----	15 UNCH
5205	----	----	----	945.40B/979.40A	----	981.50 + 8.90	.8891	----	----	----	----	1 UNCH
5400	----	----	----	1134.50B/1171.00A	----	1166.70 + 10.40	.9182	----	----	----	----	1 UNCH
5500	----	----	----	1231.50B/1270.10A	----	1263.00 + 10.90	.9299	----	----	----	----	2 UNCH
5590	----	----	----	1319.40B/1358.70A	----	1350.50 + 11.30	.9386	----	----	----	----	23 UNCH
5600	----	----	----	1329.20B/1368.40A	----	1360.20 + 11.30	.9393	----	----	----	----	5 UNCH
5790	----	----	----	1525.80B/1541.20A	----	1546.70 + 12.20	.9529	----	----	----	----	1 UNCH
5800	----	----	----	1536.70B/1550.10A	----	1556.50 + 12.20	.9536	----	----	----	----	5 UNCH
6000	----	----	----	1664.40B/----	----	1754.40 + 12.70	.9637	----	----	----	----	2 UNCH
TOTAL										115		9308 + 92
MAY27												
3000	----	----	----/9.80A	8.50B/9.80A	----	9.10 - 1.00	.0263	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY27												
3250	----	----	----/18.10A	16.70B/18.10A	----	17.60 - 1.90	.0505	----	----	----	----	1 UNCH
3330	----	----	----/22.30A	21.00B/22.30A	----	21.80 - 2.20	.0620	----	----	----	----	10 UNCH
3370	----	----	----/24.60A	23.60B/24.60A	----	24.20 - 2.40	.0686	----	----	----	----	20 UNCH
3430	----	----	----/28.50A	28.10B/28.50A	----	28.50 - 2.60	.0800	----	----	----	----	20 UNCH
3490	----	----	----/33.40A	33.40B/33.40A	----	33.60 - 2.80	.0931	----	----	----	----	4 UNCH
3500	----	----	----/34.30A	34.30B/34.30A	----	34.50 - 2.90	.0955	----	----	----	----	35 UNCH
3550	----	----	----/39.30A	39.50B/39.30A	----	39.70 - 3.00	.1084	----	----	----	----	2 UNCH
3600	----	----	----/44.90A	45.60B/44.90A	----	45.60 - 3.20	.1227	----	----	----	----	200 UNCH
3700	----	----	64.00B/58.00A	64.00B/58.00A	----	60.20 - 3.60	.1562	----	----	----	----	1 UNCH
3725	----	----	----/62.00A	68.00B/62.00A	----	64.50 - 3.70	.1657	----	----	----	----	35 UNCH
3750	----	----	73.10B/66.30A	73.10B/66.30A	----	69.00 - 3.80	.1755	----	----	----	----	32 UNCH
3760	----	----	75.10B/68.20A	75.10B/68.20A	----	70.90 - 3.80	.1795	----	----	----	----	2 UNCH
3780	----	----	79.20B/71.90A	79.20B/71.90A	----	74.80 - 3.90	.1878	----	----	----	----	1 UNCH
3790	----	----	81.20B/73.90A	81.20B/73.90A	----	76.90 - 3.90	.1922	----	----	----	----	2 UNCH
3800	----	----	83.40B/75.80A	83.40B/75.80A	----	79.00 - 3.90	.1965	----	----	----	----	29 UNCH
3815	----	----	86.80B/79.00A	86.80B/79.00A	----	82.20 - 3.90	.2031	----	----	----	----	25 UNCH
3820	----	----	87.90B/79.90A	87.90B/79.90A	----	83.30 - 3.90	.2053	----	----	----	----	50 UNCH
3850	----	----	95.10B/86.50A	95.10B/86.50A	----	90.10 - 3.90	.2190	----	----	----	----	4 UNCH
3870	----	----	100.00B/91.10A	100.00B/91.10A	----	95.00 - 3.80	.2286	----	----	----	----	20 UNCH
3900	----	----	107.90B/98.50A	107.90B/98.50A	----	102.70 - 3.70	.2434	----	----	----	----	200 UNCH
3980	----	----	131.80B/120.60A	131.80B/120.60A	----	125.80 - 3.30	.2854	----	----	----	----	1 UNCH
4000	----	----	138.10B/126.60A	138.10B/126.60A	----	132.30 - 3.10	.2965	----	----	1	----	22 UNCH
4035	----	----	149.40B/137.90A	149.40B/137.90A	----	144.20 - 3.00	.3164	----	----	----	----	1 UNCH
4050	----	----	155.90B/143.10A	155.90B/143.10A	----	149.50 - 3.00	.3251	----	----	----	----	10 UNCH
4065	153.90	153.90	161.60B/148.20A	161.60B/148.20A	----	155.00 - 2.90	.3339	----	----	2	----	287 - 2
4075	----	----	165.30B/151.90A	165.30B/151.90A	----	158.80 - 2.80	.3398	----	----	----	----	1 UNCH
4100	----	----	175.00B/161.00A	175.00B/161.00A	----	168.50 - 2.70	.3548	----	----	----	----	65 UNCH
4115	----	----	181.40B/166.70A	181.40B/166.70A	----	174.60 - 2.60	.3638	----	----	----	----	2 UNCH
4200	----	----	218.10B/202.10A	218.10B/202.10A	----	211.90 - 2.20	.4163	----	----	----	----	305 UNCH
4240	----	----	237.70B/220.50A	237.70B/220.50A	----	231.20 - 1.90	.4413	----	----	----	----	14 UNCH
4250	----	----	241.20B/225.40A	241.20B/225.40A	----	236.20 - 1.90	.4475	----	----	1	----	1 UNCH
4270	----	----	251.40B/235.00A	251.40B/235.00A	----	246.50 - 1.70	.4601	----	----	----	----	10 UNCH
4300	----	----	267.90B/250.10A	267.90B/250.10A	----	262.30 - 1.50	.4788	----	----	1	----	129 + 1
4340	----	----	290.10B/271.30A	290.10B/271.30A	----	284.50 - 1.10	.5034	----	----	----	----	1 UNCH
4350	----	----	295.10B/276.80A	295.10B/276.80A	----	290.20 - 1.00	.5095	----	----	----	----	24 UNCH
4400	----	----	323.80B/305.30A	323.80B/305.30A	----	319.80 - 0.40	.5395	----	----	----	----	36 UNCH
4405	----	----	328.50B/308.60A	328.50B/308.60A	----	322.90 - 0.30	.5425	----	----	----	----	32 UNCH
4410	----	----	330.20B/311.70A	330.20B/311.70A	----	325.90 - 0.30	.5455	----	----	----	----	1 UNCH
4450	----	----	351.50B/335.80A	351.50B/335.80A	----	351.00 + 0.20	.5687	----	----	----	----	15 UNCH
4470	----	----	364.30B/347.90A	364.30B/347.90A	----	363.90 + 0.40	.5800	----	----	----	----	1 UNCH
4490	----	----	377.40B/362.10A	377.40B/362.10A	----	377.10 + 0.60	.5912	----	----	----	----	1 UNCH
4495	----	----	380.60B/365.40A	380.60B/365.40A	----	380.40 + 0.60	.5940	----	----	----	----	1 UNCH
4500	----	----	384.00B/368.60A	384.00B/368.60A	----	383.80 + 0.70	.5967	----	----	1	----	24 UNCH
4510	----	----	390.60B/375.10A	390.60B/375.10A	----	390.50 + 0.80	.6022	----	----	----	----	4 UNCH
4550	----	----	417.80B/401.70A	417.80B/401.70A	----	418.00 + 1.20	.6236	----	----	----	----	1 UNCH
4575	----	----	435.20B/418.70A	435.20B/418.70A	----	435.60 + 1.30	.6365	----	----	----	----	1 UNCH
4600	----	----	453.20B/436.00A	453.20B/436.00A	----	453.50 + 1.50	.6491	----	----	----	----	6 UNCH
4640	----	----	482.80B/464.50A	482.80B/464.50A	----	482.80 + 1.70	.6686	----	----	----	----	1 UNCH
4650	470.20	470.20	490.30B/469.50	490.30B/469.50	----	490.30 + 1.90	.6734	----	----	3	----	97 - 3
4700	----	----	528.40B/508.60A	528.40B/508.60A	----	528.20 + 2.40	.6962	----	----	----	----	71 UNCH
4725	----	----	547.80B/527.50A	547.80B/527.50A	----	547.60 + 2.70	.7071	----	----	----	----	1 UNCH
4760	----	----	575.40B/554.30A	575.40B/554.30A	----	575.20 + 3.20	.7219	----	----	----	----	1 UNCH
4775	----	----	587.40B/566.00A	587.40B/566.00A	----	587.20 + 3.40	.7279	----	----	----	----	3 UNCH
5050	----	----	----/793.50A	792.00B/793.50A	----	819.20 + 6.40	.8198	----	----	----	----	1 UNCH
5150	----	----	----	581.80B/1222.20A	----	908.50 + 7.20	.8445	----	----	----	----	347 UNCH
TOTAL										9		2212 - 4
JUN27												
2000	----	----	----	1.10B/1.80A	----	1.50 - 0.10	.0034	----	----	----	----	2 UNCH
2100	----	----	----	1.30B/2.20A	----	1.80 - 0.10	.0042	----	----	----	----	1 UNCH
2400	----	----	----	2.70B/3.70A	----	3.30 - 0.20	.0082	----	----	----	----	2 UNCH
2600	----	----	----	4.30B/5.50A	----	4.90 - 0.50	.0126	----	----	----	----	2 UNCH
2800	----	----	----/8.20A	6.90B/8.20A	----	7.50 - 0.80	.0198	----	----	----	----	216 UNCH
2900	----	----	----/10.20A	8.70B/10.20A	----	9.40 - 1.00	.0251	----	----	----	----	1 UNCH
2995	12.70	12.70	12.70/12.60A	12.70/12.60A	----	11.80 NEW	.0315	----	----	100	----	100 + 100
3000	----	----	----/12.80A	11.30B/12.80A	----	11.90 - 1.40	.0318	----	----	----	----	138 UNCH
3300	----	----	----/26.20A	24.90B/26.20A	----	25.60 - 2.30	.0669	----	----	----	----	119 UNCH
3500	----	----	----/42.80A	43.70B/42.80A	----	43.00 - 2.70	.1081	----	----	----	----	797 UNCH
3550	----	----	----/48.50A	49.90B/48.50A	----	49.00 - 2.80	.1215	----	----	----	----	1 UNCH
3575	----	----	55.30B/51.60A	55.30B/51.60A	----	52.30 - 2.80	.1287	----	----	----	----	1 UNCH
3600	----	----	59.00B/54.90A	59.00B/54.90A	----	55.80 - 2.90	.1362	----	----	----	----	401 UNCH
3625	----	----	62.90B/58.20A	62.90B/58.20A	----	59.50 - 3.00	.1441	----	----	----	----	455 UNCH
3650	----	----	67.00B/61.40A	67.00B/61.40A	----	63.50 - 3.00	.1524	----	----	----	----	2 UNCH
3655	----	----	67.80B/62.20A	67.80B/62.20A	----	64.30 - 3.10	.1540	----	----	----	----	1 UNCH
3675	----	----	71.40B/65.40A	71.40B/65.40A	----	67.70 - 3.20	.1610	----	----	----	----	4 UNCH
3700	69.60	69.60	76.00B/69.00	76.00B/69.00	----	72.20 - 3.20	.1700	----	----	280	280	2914 + 280
3725	----	----	80.80B/74.20A	80.80B/74.20A	----	76.90 - 3.40	.1794	----	----	----	----	6 UNCH
3750	----	----	86.10B/79.60A	86.10B/79.60A	----	82.00 - 3.40	.1892	----	----	5	----	140 UNCH
3775	----	----	91.60B/84.20A	91.60B/84.20A	----	87.30 - 3.50	.1993	----	----	----	----	13 UNCH
3785	----	----	93.70B/86.20A	93.70B/86.20A	----	89.50 - 3.60	.2034	----	----	----	----	2 UNCH
3800	----	----	97.20B/89.50A	97.20B/89.50A	----	92.90 - 3.60	.2098	----	----	----	----	589 UNCH
3805	----	----	98.50B/90.60A	98.50B/90.60A	----	94.10 - 3.60	.2120	----	----	----	----	1 UNCH
3850	101.40	101.40	109.70B/101.20A	109.70B/101.20A	----	105.10 - 3.80	.2318	----	----	1	----	150 UNCH
3875	----	----	116.70B/107.30A	116.70B/107.30A	----	111.70 - 3.80	.2434	----	----	----	----	1 UNCH
3900	----	----	123.60B/114.00A	123.60B/114.00A	----	118.60 - 3.80	.2553	----	----	----	----	400 UNCH
3925	----	----	131.00B/120.90A	131.00B/120.90A	----	125.80 - 3.90	.2674	----	----	----	----	150 UNCH
3950	----	----	138.80B/128.60A	138.80B/128.60A	----	133.40 - 3.90	.2799	----	----	----	----	551 UNCH
3970	----	----	145.30B/134.10A	145.30B/134.10A	----	139.80 - 3.70	.2901	----	----	----	----	260 UNCH
4000	----	----	155.40B/143.80A	155.40B/143.80A	----	149.70 - 3.70	.3057	----	----	----	----	1309 UNCH
4025	----	----	163.40B/152.30A	163.40B/152.30A	----	158.40 - 3.60	.3190	----	----	----	----	1 UNCH
4040	162.40	162.40	169.80B/157.30A	169.80B/157.30A	----	163.80 NEW	.3271	----	----	32	----	32 + 32
4050	----	----	173.50B/160.80A	173.50B/160.80A	----	167.50 - 3.40	.3325	----	----	----	----	689 UNCH
4075	----	----	183.20B/169.90A	183.20B/169.90A	----	177.00 - 3.20	.3463	----	----	----	----	325 UNCH
4100	----	----	192.30B/179.50A	192.30B/179.50A	----	186.90 - 3.00	.3602	----	----	2	----	153 + 2
4110	----	----	196.40B/183.60A	196.40B/183.60A	----	190.90 - 3.00	.3658	----	----	----	----	44 UNCH
4125	----	----	203.30B/189.40A	203.30B/189.40A	----	197.20 - 2.80	.3744	----	----	----	----	25 UNCH
4130	----	----	205.70B/191.40A	205.70B/191.40A	----	199.30 - 2.80	.3772	----	----	----	----	20 UNCH
4140	----	----	209.90B/195.50A	209.90B/195.50A	----	203.60 - 2.70	.3829	----	----	----	----	1 UNCH
4145	----	----	212.20B/197.60A	212.20B/197.60A	----	205.80 - 2.60	.3858	----	----	----	----	100 UNCH
4185	----	----	230.20B/214.80A	230.20B/214.80A	----	223.80 - 2.20	.4088	----	----	----	----	55 UNCH
4190	----	----	232.40B/217.10A	232.40B/217.10A	----	226.20 - 2.10	.4117	----	----	----	----	1 UNCH
4195	----	----	234.90B/219.30A	234.90B/219.30A	----	228.50 - 2.10	.4146	----	----	----	----	20 UNCH
4200	----	----	236.30B/221.40A	236.30B/221.40A	----	230.90 - 2.00	.4175	----	----	----	----	282 UNCH
4205	----	----	239.10B/223.70A	239.10B/223.70A	----	233.30 - 2.00	.4204	----	----	----	----	2 UNCH
4230	----	----	252.20B/235.30A	252.20B/235.30A	----	245.50 - 1.70	.4349	----	----	----	----	44 UNCH
4240	----	----	255.70B/240.20A	255.70B/240.20A	----	250.50 - 1.60	.4407	----	----	----	----	1 UNCH
4250	----	----	260.60B/245.00A	260.60B/245.00A	----	255.60 - 1.50	.4465	----	----	----	----	1 UNCH
4285	----	----	279.00B/262.50A	279.00B/262.50A	----	273.80 - 1.20	.4668	----	----	----	----	100 UNCH
4300	----	----	286.10B/270.10A	286.10B/270.10A	----	281.80 - 1.20	.4755	----	----	----	----	278 UNCH
4310	----	----	292.40B/275.20A	292.40B/275.20A	----	287.20 - 1.20	.4812	----	----	----	----	7 UNCH
4315	----	----	294.50B/277.80A	294.50B/277.80A	----	289.90 - 1.20	.4841	----	----	1	----	6 UNCH
4320	----	----	299.10B/280.60A	299.10B/280.60A	----	292.70 NEW	.4869	----	----	1	----	1 + 1
4325	----	----	301.60B/283.20A	301.60B/283.20A	----	295.40 - 1.20	.4898	----	----	----	----	280 UNCH
4330	----	----	305.00B/285.90A	305.00B/285.90A	----	298.20 - 1.20	.4927	----	----	----	----	15 UNCH
4350	----	----	315.80B/296.80A	315.80B/296.80A	----	309.50 - 1.10	.5040	----	----	----	----	4 UNCH
4360	----	----	320.20B/302.20A	320.20B/302.20A	----	315.30 - 1.00	.5097	----	----	----	----	1 UNCH
4365	----	----	323.50B/305.60A	323.50B/305.60A	----	318.20 - 1.00	.5125	----	----	----	----	1 UNCH
4370	----	----	327.50B/308.50A	327.50B/308.50A	----	321.10 - 1.00	.5153	----	----	----	----	1 UNCH
4375	----	----	329.50B/311.40A	329.50B/311.40A	----	324.00 - 1.00	.5181	----	----	----	----	34 UNCH
4380	----	----	333.00B/313.80A	333.00B/313.80A	----	327.00 - 0.90	.5208	----	----	----	----	3 UNCH
4385	----	----	334.70B/316.80A	334.70B/316.80A	----	330.00 - 0.80	.5236	----	----	----	----	1 UNCH
4390	----	----	338.30B/319.50A	338.30B/319.50A	----	333.00 - 0.80	.5264	----	----	----	----	1 UNCH
4400	----	----	344.60B/325.50A	344.60B/325.50A	----	339.00 - 0.70	.5319	----	----	----	----	29 UNCH
4405	----	----	346.20B/328.40A	346.20B/328.40A	----	342.00 - 0.70	.5347	----	----	----	----	1 UNCH
4410	----	----	347.70B/330.90A	347.70B/330.90A	----	345.10 - 0.70	.5374	----	----	----	----	3 UNCH
4415	----	----	350.60B/334.30A	350.60B/334.30A	----	348.10 - 0.70	.5402	----	----	----	----	3 UNCH
4420	----	----	353.70B/337.20A	353.70B/337.20A	----	351.20 - 0.60	.5429	----	----	----	----	4 UNCH
4430	----	----	359.90B/342.70A	359.90B/342.70A	----	357.40 - 0.50	.5483	----	----	----	----	1 UNCH
4435	----	----	363.00B/345.80A	363.00B/345.80A	----	360.60 - 0.40	.5510	----	----	----	----	1 UNCH
4450	----	----	372.30B/356.70A	372.30B/356.70A	----	370.00 - 0.30	.5590	----	----	----	----	10 UNCH
4460	----	----	378.60B/362.90A	378.60B/362.90A	----	376.40 - 0.20	.5643	----	----	----	----	2 UNCH
4470	----	----	385.00B/369.10A	385.00B/369.10A	----	382.80 - 0.10	.5696	----	----	----	----	1 UNCH
4490	----	----	397.90B/381.60A	397.90B/381.60A	----	395.80 + 0.10	.5800	----	----	----	----	3 UNCH
4495	----	----	401.10B/384.80A	401.10B/384.80A	----	399.10 + 0.10	.5827	----	----	----	----	1 UNCH
4500	----	----	404.40B/388.00A	404.40B/388.00A	----	402.40 + 0.20	.5852	----	----	----	----	1387 UNCH
4505	----	----	407.70B/391.20A	407.70B/391.20A	----	405.70 + 0.20	.5878	----	----	----	----	1 UNCH
4515	----	----	414.30B/397.80A	414.30B/397.80A	----	412.40 + 0.30	.5929	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 19

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN27												
4545	----	----	434.50B/417.40A	434.50B/417.40A	----	432.70 + 0.60	.6080	----	----	----	----	1 UNCH
4550	----	----	437.90B/420.70A	437.90B/420.70A	----	436.20 + 0.80	.6105	----	----	----	----	92 UNCH
4600	----	----	470.40B/454.60A	470.40B/454.60A	----	471.10 + 1.20	.6346	----	----	----	----	1 UNCH
4605	----	----	474.00B/458.10A	474.00B/458.10A	----	474.70 + 1.30	.6370	----	----	----	----	1 UNCH
4620	----	----	484.90B/468.50A	484.90B/468.50A	----	485.50 + 1.50	.6439	----	----	----	----	1 UNCH
4625	----	----	488.40B/472.10A	488.40B/472.10A	----	489.10 + 1.60	.6462	----	----	----	----	38 UNCH
4650	----	----	506.70B/489.80A	506.70B/489.80A	----	507.30 + 1.80	.6576	----	----	----	----	250 UNCH
4655	----	----	510.40B/493.40A	510.40B/493.40A	----	511.00 + 1.90	.6598	----	----	----	----	5 UNCH
4680	----	----	529.10B/511.40A	529.10B/511.40A	----	529.60 + 2.20	.6709	----	----	----	----	1 UNCH
4700	----	----	544.10B/526.10A	544.10B/526.10A	----	544.60 + 2.40	.6794	----	----	----	----	75 UNCH
4760	----	----	590.60B/571.10A	590.60B/571.10A	----	590.70 + 3.00	.7040	----	----	----	----	15 UNCH
4790	----	----	614.10B/594.10A	614.10B/594.10A	----	614.30 + 3.30	.7158	----	----	----	----	30 UNCH
4850	----	----	662.40B/641.10A	662.40B/641.10A	----	662.40 + 4.00	.7379	----	----	----	----	59 UNCH
4865	----	----	674.60B/653.10A	674.60B/653.10A	----	674.60 + 4.10	.7432	----	----	----	----	75 UNCH
4900	----	----	703.40B/681.20A	703.40B/681.20A	----	703.40 + 4.50	.7551	----	----	----	----	1 UNCH
4905	----	----	707.60B/685.30A	707.60B/685.30A	----	707.60 + 4.60	.7568	----	----	----	----	1 UNCH
5000	----	----	787.90B/763.80A	787.90B/763.80A	----	787.70 + 5.50	.7862	----	----	----	----	3 UNCH
5085	----	----	----/836.20A	853.30B/836.20A	----	861.30 + 6.20	.8095	----	----	----	----	150 UNCH
5600	----	----	----	1294.90B/----	----	1334.80 + 9.50	.9028	----	----	----	----	1 UNCH
5800	----	----	----	1488.50B/----	----	1526.90 + 10.40	.9237	----	----	----	----	1 UNCH
TOTAL										422	280	13507 + 415
JUL27												
3000	----	----	----	12.90B/16.10A	----	14.50 - 1.30	.0356	----	----	----	----	2 UNCH
3250	----	----	----/28.20A	24.50B/28.20A	----	26.50 - 1.80	.0638	----	----	----	----	1 UNCH
3300	----	----	----/31.50A	28.00B/31.50A	----	29.90 - 2.00	.0715	----	----	----	----	1 UNCH
3500	----	----	----/49.10A	47.70B/49.10A	----	48.40 - 3.10	.1116	----	----	----	----	3 UNCH
3600	----	----	----/61.00A	65.00B/61.00A	----	61.60 - 3.80	.1383	----	----	----	----	2 UNCH
3610	----	----	----/62.10A	66.60B/62.10A	----	63.10 - 3.80	.1412	----	----	----	----	7 UNCH
3625	----	----	----/64.20A	69.00B/64.20A	----	65.40 - 3.90	.1457	----	----	----	----	1 UNCH
3750	----	----	92.60B/86.20A	92.60B/86.20A	----	88.30 - 4.20	.1880	----	----	----	----	1 UNCH
3800	----	----	103.90B/96.70A	103.90B/96.70A	----	99.40 - 4.10	.2073	----	----	----	----	7 UNCH
3875	----	----	122.90B/114.60A	122.90B/114.60A	----	118.20 - 4.00	.2384	----	----	----	----	1 UNCH
3900	----	----	129.90B/121.00A	129.90B/121.00A	----	125.10 - 3.90	.2493	----	----	----	----	15 UNCH
3905	----	----	131.40B/122.40A	131.40B/122.40A	----	126.50 - 3.90	.2516	----	----	----	----	3 UNCH
3930	----	----	138.80B/129.40A	138.80B/129.40A	----	133.80 - 3.90	.2628	----	----	----	----	14 UNCH
4050	----	----	178.90B/167.20A	178.90B/167.20A	----	173.60 - 3.40	.3204	----	----	----	----	5 UNCH
4085	----	----	191.90B/179.60A	191.90B/179.60A	----	186.70 - 3.30	.3381	----	----	----	----	50 UNCH
4100	----	----	198.20B/185.20A	198.20B/185.20A	----	192.50 NEW	.3458	----	----	1	----	1 + 1
4150	----	----	217.80B/204.80A	217.80B/204.80A	----	213.00 - 3.00	.3718	----	----	----	----	1 UNCH
4200	----	----	240.50B/225.90A	240.50B/225.90A	----	234.90 - 2.80	.3982	----	----	----	----	1 UNCH
4310	----	----	292.70B/277.80A	292.70B/277.80A	----	288.60 - 2.10	.4572	----	----	----	----	3 UNCH
4315	----	----	296.70B/280.30A	296.70B/280.30A	----	291.30 - 1.90	.4599	----	----	----	----	2 UNCH
4325	----	----	300.50B/285.30A	300.50B/285.30A	----	296.50 - 1.90	.4653	----	----	----	----	2 UNCH
4335	----	----	305.60B/290.50A	305.60B/290.50A	----	301.90 - 1.80	.4706	----	----	----	----	1 UNCH
4340	----	----	308.60B/293.00A	308.60B/293.00A	----	304.60 - 1.70	.4732	----	----	----	----	4 UNCH
4350	----	----	314.90B/298.30A	314.90B/298.30A	----	310.00 - 1.70	.4786	----	----	----	----	4 UNCH
4360	----	----	320.60B/303.50A	320.60B/303.50A	----	315.50 - 1.50	.4839	----	----	----	----	3 UNCH
4370	----	----	324.90B/309.10A	324.90B/309.10A	----	321.10 - 1.40	.4891	----	----	----	----	3 UNCH
4375	----	----	327.90B/311.70A	327.90B/311.70A	----	323.90 - 1.30	.4918	----	----	----	----	2 UNCH
4390	----	----	337.10B/319.80A	337.10B/319.80A	----	332.40 - 1.20	.4996	----	----	----	----	5 UNCH
4400	----	----	343.30B/325.40A	343.30B/325.40A	----	338.10 - 1.10	.5048	----	----	----	----	5 UNCH
4475	----	----	----/372.10A	382.00B/372.10A	----	382.90 - 0.30	.5432	----	----	----	----	3 UNCH
4500	----	----	----/387.30A	397.60B/387.30A	----	398.50 UNCH	.5556	----	----	----	----	3 UNCH
4535	----	----	----/409.10A	419.80B/409.10A	----	421.00 + 0.40	.5727	----	----	----	----	3 UNCH
4540	----	----	----/412.20A	423.10B/412.20A	----	424.20 + 0.40	.5751	----	----	----	----	1 UNCH
4565	----	----	----/428.20A	439.40B/428.20A	----	440.70 + 0.60	.5870	----	----	----	----	1 UNCH
TOTAL										1		161 + 1
AUG27												
3000	----	----	----	16.10B/19.90A	----	18.00 - 0.90	.0412	----	----	----	----	1 UNCH
3400	----	----	----/47.20A	43.60B/47.20A	----	45.80 - 2.70	.0995	----	----	----	----	1 UNCH
3500	----	----	----/58.50A	55.80B/58.50A	----	57.70 - 3.00	.1225	----	----	----	----	1 UNCH
3600	----	----	----/71.80A	72.00B/71.80A	----	72.50 - 3.20	.1497	----	----	----	----	4 UNCH
3750	----	----	----/100.10A	101.20B/100.10A	----	101.70 - 3.20	.1992	----	----	----	----	14 UNCH
3760	----	----	----/102.10A	103.70B/102.10A	----	103.90 - 3.20	.2028	----	----	----	----	5 UNCH
3800	----	----	----/111.40A	113.00B/111.40A	----	113.40 - 3.30	.2178	----	----	----	----	20 UNCH
3950	----	----	----/152.00A	155.00B/152.00A	----	155.60 - 3.60	.2801	----	----	----	----	100 UNCH
4000	----	----	----/167.80A	171.30B/167.80A	----	172.30 - 3.60	.3027	----	----	----	----	23 UNCH
4065	----	----	----/190.80A	195.50B/190.80A	----	196.00 - 3.60	.3333	----	----	----	----	300 UNCH
4185	----	----	----/239.00A	245.80B/239.00A	----	246.20 - 3.10	.3922	----	----	----	----	2 UNCH
4200	----	----	----/245.60A	252.60B/245.60A	----	253.10 - 2.90	.3997	----	----	----	----	3 UNCH
4220	----	----	----/254.50A	261.80B/254.50A	----	262.50 - 2.80	.4097	----	----	----	----	3 UNCH
4310	----	----	----/297.50A	306.70B/297.50A	----	307.10 - 2.20	.4551	----	----	----	----	2 UNCH
4315	----	----	----/300.20A	309.10B/300.20A	----	309.70 - 2.20	.4577	----	----	----	----	3 UNCH
4320	----	----	----/302.60A	312.20B/302.60A	----	312.30 - 2.20	.4602	----	----	----	----	1 UNCH
4350	----	----	----/318.40A	328.30B/318.40A	----	328.10 - 2.20	.4753	----	----	----	----	1 UNCH
4355	----	----	----/321.00A	330.90B/321.00A	----	330.80 - 2.20	.4778	----	----	----	----	1 UNCH
4360	----	----	----/323.70A	333.80B/323.70A	----	333.50 - 2.20	.4803	----	----	----	----	5 UNCH
4365	----	----	----/326.20A	336.50B/326.20A	----	336.20 - 2.20	.4828	----	----	----	----	3 UNCH
4465	----	----	----/386.70A	391.10B/386.70A	----	394.90 - 0.50	.5313	----	----	----	----	1 UNCH
4505	----	----	----/410.70A	416.00B/410.70A	----	420.10 + 0.40	.5499	----	----	----	----	2 UNCH
4535	----	----	----/429.30A	435.20B/429.30A	----	439.40 + 0.90	.5636	----	----	----	----	2 UNCH
4555	----	----	----/441.90A	448.30B/441.90A	----	452.50 + 1.20	.5726	----	----	----	----	2 UNCH
4565	----	----	----/448.30A	454.90B/448.30A	----	459.10 + 1.30	.5770	----	----	----	----	1 UNCH
4600	----	----	----/471.00A	478.30B/471.00A	----	482.50 + 1.70	.5924	----	----	----	----	1 UNCH
4665	----	----	----/514.40A	523.40B/514.40A	----	527.20 + 2.10	.6200	----	----	----	----	1 UNCH
TOTAL												503 0
SEP27												
3825	----	----	----	16.70B/229.80A	----	138.90 - 2.90	.2314	----	----	----	----	1 UNCH
3850	----	----	----	21.90B/237.60A	----	144.70 - 2.90	.2400	----	----	----	----	1 UNCH
4115	----	----	----	91.00B/340.90A	----	224.20 - 2.50	.3452	----	----	----	----	300 UNCH
4150	----	----	----	102.20B/357.70A	----	237.50 - 2.40	.3608	----	----	----	----	50 UNCH
TOTAL												352 0
OCT27												
3900	----	----	----	----	----	169.40 + 2.90	.2633	----	----	----	----	200 UNCH
TOTAL												200 0
DEC27												
2800	----	----	----	----	----	42.20 + 0.60	.0594	----	----	----	----	16 UNCH
3700	----	----	----	----	----	149.70 + 2.10	.2073	----	----	----	----	100 UNCH
3715	----	----	----	----	----	153.10 + 2.20	.2114	----	----	----	----	150 UNCH
3820	----	----	----	----	----	179.10 + 2.50	.2419	----	----	----	----	50 UNCH
4500	----	----	----	----	----	462.20 + 5.50	.4892	----	----	----	----	170 UNCH
4630	----	----	----	----	----	540.20 + 6.10	.5368	----	----	----	----	284 UNCH
4860	----	----	----	----	----	694.80 + 7.10	.6135	----	----	----	----	100 UNCH
5000	----	----	----	----	----	797.80 + 7.60	.6546	----	----	----	----	50 UNCH
5650	----	----	----	----	----	1336.70 + 9.60	.7928	----	----	----	----	200 UNCH
5880	----	----	----	----	----	1542.60 + 10.10	.8261	----	----	----	----	200 UNCH
TOTAL												1320 0
JAN28												
5000	----	----	----	----	----	785.80 + 7.20	.6334	----	----	----	----	1 UNCH
5100	----	----	----	----	----	861.50 + 7.50	.6598	----	----	----	----	1 UNCH
TOTAL												2 0
FEB28												
4400	----	----	----	----	----	423.60 + 4.70	.4331	----	----	----	----	11 UNCH
TOTAL												11 0
MAY28												
4500	----	----	----	----	----	480.00 + 4.60	.4376	----	----	----	----	20 UNCH
TOTAL												20 0
JUL28												
4500	----	----	----/478.00A	----/478.00A	----	484.40 + 4.40	.4236	----	----	----	----	25 UNCH
TOTAL												25 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
NOV26												
3350	----	----	871.20B/821.40A	871.20B/821.40A	----	827.30 - 13.30	1.0000	----	----	----	----	0 UNCH
3400	----	----	821.20B/771.40A	821.20B/771.40A	----	777.30 - 13.30	1.0000	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG CALL — COMEX GOLD OPTIONS

NOV26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3500	----	----	721.00B/671.60A	721.00B/671.60A	----	677.30 - 13.30	.9986	----	----	----	----	0 UNCH
3550	----	----	672.90B/621.40A	672.90B/621.40A	----	627.30 - 13.40	.9975	----	----	----	----	7 UNCH
3600	----	----	621.30B/571.60A	621.30B/571.60A	----	577.40 - 13.40	.9963	----	----	----	----	3 UNCH
3700	----	----	521.80B/471.70A	521.80B/471.70A	----	477.70 - 13.50	.9925	----	----	----	----	3 UNCH
3735	----	----	488.30B/437.20A	488.30B/437.20A	----	442.80 - 13.70	.9900	----	----	----	----	1 UNCH
3765	----	----	456.60B/407.30A	456.60B/407.30A	----	413.00 - 13.70	.9884	----	----	----	----	1 UNCH
3775	----	----	448.90B/397.20A	448.90B/397.20A	----	403.10 - 13.70	.9872	----	----	----	----	1 UNCH
3780	----	----	442.20B/392.50A	442.20B/392.50A	----	398.10 - 13.80	.9871	----	----	----	----	1 UNCH
3800	----	----	421.90B/372.20A	421.90B/372.20A	----	378.20 - 13.90	.9845	----	----	----	----	4 UNCH
3820	----	----	402.40B/352.90A	402.40B/352.90A	----	358.40 - 14.00	.9818	----	----	----	----	1 UNCH
3825	----	----	399.00B/348.00A	399.00B/348.00A	----	353.50 - 13.90	.9816	----	----	----	----	1 UNCH
3830	----	----	392.30B/342.90A	392.30B/342.90A	----	348.60 - 13.90	.9804	----	----	----	----	1 UNCH
3840	----	----	382.40B/332.90A	382.40B/332.90A	----	338.70 - 14.00	.9789	----	----	----	----	7 UNCH
3850	----	----	373.00B/322.90A	373.00B/322.90A	----	328.80 - 14.10	.9764	----	----	----	----	4 UNCH
3865	----	----	357.80B/308.40A	357.80B/308.40A	----	314.10 - 14.20	.9735	----	----	----	----	4 UNCH
3870	----	----	353.10B/303.60A	353.10B/303.60A	----	309.20 - 14.20	.9722	----	----	----	----	2 UNCH
3875	----	----	349.20B/298.50A	349.20B/298.50A	----	304.30 - 14.20	.9709	----	----	----	----	1 UNCH
3880	----	----	344.40B/293.70A	344.40B/293.70A	----	299.40 - 14.30	.9695	----	----	----	----	2 UNCH
3885	----	----	338.60B/288.90A	338.60B/288.90A	----	294.50 - 14.30	.9682	----	----	----	----	1 UNCH
3890	----	----	333.20B/283.80A	333.20B/283.80A	----	289.60 - 14.40	.9668	----	----	----	----	2 UNCH
3900	----	----	323.90B/274.00A	323.90B/274.00A	----	279.90 - 14.40	.9629	----	----	----	----	4 UNCH
3905	----	----	318.60B/269.40A	318.60B/269.40A	----	275.10 - 14.40	.9605	----	----	----	----	2 UNCH
3910	----	----	314.00B/264.70A	314.00B/264.70A	----	270.20 - 14.50	.9590	----	----	----	----	1 UNCH
3915	----	----	308.90B/260.00A	308.90B/260.00A	----	265.40 - 14.50	.9566	----	----	----	----	1 UNCH
3920	----	----	304.30B/254.70A	304.30B/254.70A	----	260.60 - 14.50	.9541	----	----	----	----	5 UNCH
3925	----	----	299.20B/250.00A	299.20B/250.00A	----	255.80 - 14.50	.9525	----	----	----	----	51 UNCH
3930	----	----	294.50B/245.50A	294.50B/245.50A	----	251.00 - 14.60	.9499	----	----	----	----	1 UNCH
3935	----	----	289.80B/240.60A	289.80B/240.60A	----	246.20 - 14.60	.9473	----	----	----	----	2 UNCH
3940	----	----	286.40B/235.70A	286.40B/235.70A	----	241.40 - 14.70	.9438	----	----	----	----	13 UNCH
3945	----	----	281.60B/230.10A	281.60B/230.10A	----	236.60 - 14.80	.9411	----	----	----	----	1 UNCH
3950	----	----	276.70B/225.30A	276.70B/225.30A	----	231.90 - 14.70	.9384	----	----	----	----	2 UNCH
3955	----	----	273.60B/220.60A	273.60B/220.60A	----	227.20 - 14.80	.9347	----	----	----	----	1 UNCH
3960	----	----	268.80B/215.90A	268.80B/215.90A	----	222.40 - 14.90	.9311	----	----	----	----	2 UNCH
3980	218.30	218.30	249.80B/197.30A	249.80B/197.30A	----	203.70 - 15.10	.9151	----	----	1	----	1 UNCH
3985	----	----	245.10B/192.80A	245.10B/192.80A	----	199.10 - 15.10	.9103	----	----	----	----	1 UNCH
3990	----	----	240.40B/188.40A	240.40B/188.40A	----	194.50 - 15.10	.9055	----	----	----	----	3 UNCH
3995	----	----	235.70B/183.70A	235.70B/183.70A	----	190.00 - 15.10	.9006	----	----	----	----	2 UNCH
4000	----	----	231.00B/179.40A	231.00B/179.40A	----	185.40 - 15.20	.8949	----	----	----	----	408 UNCH
4005	----	----	226.40B/174.80A	226.40B/174.80A	----	180.90 - 15.20	.8892	----	----	----	----	3 UNCH
4010	----	----	221.80B/170.50A	221.80B/170.50A	----	176.50 - 15.10	.8834	----	----	----	----	4 UNCH
4015	----	----	217.20B/165.90A	217.20B/165.90A	----	172.00 - 15.20	.8775	----	----	----	----	3 UNCH
4020	----	----	212.60B/161.70A	212.60B/161.70A	----	167.60 - 15.20	.8708	----	----	----	----	3 UNCH
4030	----	----	203.50B/153.10A	203.50B/153.10A	----	158.90 - 15.30	.8565	----	----	----	----	174 UNCH
4035	----	----	199.00B/148.80A	199.00B/148.80A	----	154.70 - 15.20	.8490	----	----	----	----	2 UNCH
4040	----	----	194.60B/144.60A	194.60B/144.60A	----	150.40 - 15.30	.8407	----	----	----	----	4 UNCH
4045	----	----	190.10B/140.60A	190.10B/140.60A	----	146.20 - 15.30	.8324	----	----	----	----	1 UNCH
4050	----	----	185.70B/136.50A	185.70B/136.50A	----	142.00 - 15.30	.8240	----	----	----	----	367 UNCH
4055	----	----	181.30B/132.40A	181.30B/132.40A	----	137.90 - 15.30	.8149	----	----	----	----	3 UNCH
4060	147.40	147.40	177.00B/128.40A	177.00B/128.40A	----	133.90 - 15.20	.8058	----	----	1	----	3 UNCH
4065	----	----	172.70B/124.40A	172.70B/124.40A	----	129.80 - 15.30	.7960	----	----	----	----	21 UNCH
4070	----	----	168.40B/120.50A	168.40B/120.50A	----	125.90 - 15.20	.7862	----	----	----	----	10 UNCH
4075	----	----	164.20B/116.80A	164.20B/116.80A	----	122.00 - 15.20	.7758	----	----	----	----	7 UNCH
4080	----	----	160.00B/112.90A	160.00B/112.90A	----	118.10 - 15.20	.7653	----	----	----	----	40 UNCH
4085	----	----	155.90B/109.20A	155.90B/109.20A	----	114.30 - 15.10	.7543	----	----	----	----	86 UNCH
4090	----	----	151.80B/105.70A	151.80B/105.70A	----	110.60 - 15.10	.7427	----	----	----	----	20 UNCH
4095	----	----	147.70B/102.00A	147.70B/102.00A	----	106.90 - 15.00	.7312	----	----	----	----	20 UNCH
4100	----	----	143.60B/98.60A	143.60B/98.60A	----	103.30 - 14.90	.7191	----	----	5	----	507 - 2
4105	----	----	139.70B/95.10A	139.70B/95.10A	----	99.70 - 14.90	.7070	----	----	----	----	21 UNCH
4110	97.70	97.70	135.80B/91.60A	135.80B/91.60A	----	96.20 - 14.80	.6945	----	----	1	----	22 - 1
4115	97.20	97.20	131.90B/88.30A	131.90B/88.30A	----	92.80 - 14.70	.6816	----	----	5	----	31 + 5
4120	----	----	128.10B/85.20A	128.10B/85.20A	----	89.50 - 14.60	.6686	----	----	----	----	27 UNCH
4125	----	----	124.30B/81.90A	124.30B/81.90A	----	86.20 - 14.50	.6551	----	----	----	----	157 UNCH
4130	93.40	93.40	120.60B/78.80A	120.60B/78.80A	----	83.00 - 14.40	.6417	----	----	1	----	23 UNCH
4135	----	----	116.90B/75.80A	116.90B/75.80A	----	79.90 - 14.20	.6279	----	----	----	----	86 UNCH
4140	93.30	93.30	113.30B/72.80A	113.30B/72.80A	----	76.80 - 14.10	.6138	----	----	1	----	34 UNCH
4145	76.30	76.30	109.80B/69.90A	109.80B/69.90A	----	73.80 - 14.00	.5998	----	----	1	----	48 UNCH
4150	81.80	81.80	106.40B/67.10A	106.40B/67.10A	----	70.90 - 13.80	.5855	----	----	11	----	647 + 6
4155	----	----	103.00B/64.40A	103.00B/64.40A	----	68.10 - 13.60	.5712	----	----	----	----	88 UNCH
4160	76.90	76.90	99.60B/61.80A	99.60B/61.80A	----	65.40 - 13.40	.5567	----	----	15	----	96 + 14
4165	65.80	65.80	96.30B/59.20A	96.30B/59.20A	----	62.70 - 13.20	.5422	----	----	2	----	47 UNCH
4170	63.10	63.10	93.10B/56.70A	93.10B/56.70A	----	60.10 - 13.00	.5276	----	----	12	----	61 + 1
4175	62.90	62.90	89.90B/54.30A	89.90B/54.30A	----	57.60 - 12.80	.5130	----	----	18	----	133 - 2
4180	61.60	61.60	86.80B/52.00A	86.80B/52.00A	----	55.10 - 12.70	.4984	----	----	15	----	73 + 9
4185	58.90	58.90	83.80B/49.70A	83.80B/49.70A	----	52.70 - 12.50	.4838	----	----	5	----	103 + 1
4190	61.40	61.40	81.00B/47.50A	81.00B/47.50A	----	50.40 - 12.30	.4693	----	----	17	----	64 - 2
4195	54.60	54.60	78.30B/45.40A	78.30B/45.40A	----	48.20 - 12.00	.4549	----	----	8	----	71 + 1
4200	52.30	52.30	75.40B/43.30A	75.40B/43.30A	----	46.10 - 11.70	.4406	----	----	160	----	957 - 56
4205	54.50	54.50	72.70B/41.40A	72.70B/41.40A	----	44.00 - 11.50	.4264	----	----	22	----	49 + 12
4210	55.10	55.10	70.00B/39.50A	70.00B/39.50A	----	42.00 - 11.30	.4123	----	----	16	----	163 + 7
4215	58.30	58.30	67.40B/37.70A	67.40B/37.70A	----	40.00 - 11.10	.3983	----	----	9	----	34 - 1
4220	61.40	61.40	64.70B/35.90A	64.70B/35.90A	----	38.20 - 10.80	.3847	----	----	18	----	138 + 1
4225	53.80	53.80	62.20B/34.20A	62.20B/34.20A	----	36.40 - 10.60	.3711	----	----	65	----	321 + 18
4230	55.90	55.90	59.90B/32.60A	59.90B/32.60A	----	34.60 - 10.40	.3576	----	----	14	----	69 - 1
4235	54.50	54.50	57.60B/31.00A	57.60B/31.00A	----	33.00 - 10.10	.3446	----	----	11	----	140 + 1
4240	52.30	52.30	55.30B/29.50A	55.30B/29.50A	----	31.40 - 9.90	.3317	----	----	17	----	47 - 2
4245	43.40	43.40	53.00B/28.10A	53.00B/28.10A	----	29.90 - 9.60	.3192	----	----	8	----	86 UNCH
4250	37.70	37.70	50.80B/26.70A	50.80B/26.70A	----	28.40 - 9.40	.3068	----	----	49	----	1016 + 26
4255	32.70	32.70	48.80B/25.40A	48.80B/25.40A	----	27.00 - 9.20	.2947	----	----	2	----	40 UNCH
4260	30.40	30.40	46.80B/24.10A	46.80B/24.10A	----	25.70 - 8.90	.2831	----	----	4	----	35 + 1
4265	28.80	28.80	44.90B/22.90A	44.90B/22.90A	----	24.40 - 8.70	.2716	----	----	1	----	55 - 1
4270	41.00	41.00	43.00B/21.70A	43.00B/21.70A	----	23.10 - 8.50	.2601	----	----	1	----	56 + 1
4275	38.20	38.20	41.10B/20.60A	41.10B/20.60A	----	22.00 - 8.20	.2495	----	----	13	----	241 - 9
4280	33.00	33.00	39.40B/19.60A	39.40B/19.60A	----	20.80 - 8.00	.2386	----	----	54	----	79 + 36
4285	26.80	26.80	37.70B/18.50A	37.70B/18.50A	----	19.80 - 7.70	.2287	----	----	8	----	75 UNCH
4290	28.10	28.10	36.10B/17.60A	36.10B/17.60A	----	18.80 - 7.40	.2189	----	----	50	----	78 - 6
4295	27.40	27.40	34.30B/16.70A	34.30B/16.70A	----	17.80 - 7.20	.2091	----	----	31	----	105 + 19
4300	23.20	23.20	32.90B/15.80A	32.90B/15.80A	----	16.90 - 7.00	.2000	----	----	167	----	2542 + 48
4305	----	----	31.50B/15.00A	31.50B/15.00A	----	16.00 - 6.80	.1909	----	----	----	----	115 UNCH
4310	24.40	24.40	30.10B/14.20A	30.10B/14.20A	----	15.20 - 6.50	.1825	----	----	65	----	295 - 4
4315	17.20	17.20	28.80B/13.50A	28.80B/13.50A	----	14.40 - 6.30	.1742	----	----	1	----	92 + 1
4320	22.10	22.10	27.50B/12.80A	27.50B/12.80A	----	13.60 - 6.10	.1659	----	----	38	----	240 + 6
4325	21.50	21.50	26.10B/12.10A	26.10B/12.10A	----	12.90 - 5.80	.1583	----	----	54	----	622 + 21
4330	20.10	20.10	25.00B/11.50A	25.00B/11.50A	----	12.20 - 5.60	.1507	----	----	195	----	315 + 72
4335	19.10	19.10	23.70B/10.80A	23.70B/10.80A	----	11.60 - 5.40	.1439	----	----	5	----	415 + 2
4340	18.20	18.20	22.60B/10.30A	22.60B/10.30A	----	11.00 - 5.20	.1372	----	----	16	----	119 UNCH
4345	17.30	17.30	21.60B/9.70A	21.60B/9.70A	----	10.40 - 5.00	.1305	----	----	71	----	109 - 27
4350	16.50	16.50	20.50B/9.20A	20.50B/9.20A	----	9.80 - 4.80	.1239	----	----	160	----	854 + 3
4355	17.70	17.70	19.60B/8.70A	19.60B/8.70A	----	9.30 - 4.60	.1181	----	----	1	----	61 UNCH
4360	16.20	16.20	18.60B/8.30A	18.60B/8.30A	----	8.80 - 4.40	.1123	----	----	46	----	96 - 18
4365	15.40	15.40	17.60B/7.80A	17.60B/7.80A	----	8.30 - 4.30	.1066	----	----	2	----	41 + 1
4370	8.80	8.80	16.80B/7.40A	16.80B/7.40A	----	7.90 - 4.10	.1017	----	----	18	----	58 - 1
4375	15.00	15.00	15.90B/7.00	15.90B/7.00	----	7.50 - 3.90	.0968	----	----	93	----	694 + 47
4380	14.90	14.90	15.20B/6.60	15.20B/6.60	----	7.10 - 3.70	.0920	----	----	7	----	242 - 1
4385	7.70	7.70	14.30B/6.30A	14.30B/6.30A	----	6.70 - 3.60	.0873	----	----	2	----	116 - 1
4390	6.40	6.40	13.70B/6.00	13.70B/6.00	----	6.40 - 3.40	.0834	----	----	6	----	134 + 1
4395	----	----	13.00B/5.70A	13.00B/5.70A	----	6.00 - 3.30	.0787	----	----	----	----	236 UNCH
4400	8.00	8.00	12.60/5.40A	12.60/5.40A	----	5.70 - 3.20	.0749	----	----	742	----	3534 - 166
4405	----	----	11.70B/5.10A	11.70B/5.10A	----	5.40 - 3.00	.0712	----	----	----	----	52 UNCH
4410	----	----	11.10B/4.80A	11.10B/4.80A	----	5.10 - 2.90	.0675	----	----	1	----	203 - 1
4415	----	----	10.50B/4.60A	10.50B/4.60A	----	4.90 - 2.80	.0647	----	----	----	----	116 UNCH
4420	----	----	9.90B/4.40A	9.90B/4.40A	----	4.60 - 2.70	.0611	----	----	1	----	246 - 1
4425	9.10	9.10	9.40B/4.20A	9.40B/4.20A	----	4.40 - 2.60	.0584	----	----	4	----	591 + 2
4430	----	----	9.00B/3.90A	9.00B/3.90A	----	4.10 - 2.60	.0548	----	----	----	----	147 UNCH
4435	4.00	4.00	8.50B/3.80A	8.50B/3.80A	----	3.90 - 2.40	.0522	----	----	4	----	103 UNCH
4440	----	----	8.00B/3.60A	8.00B/3.60A	----	3.70 - 2.40	.0496	----	----	----	----	137 UNCH
4445	----	----	7.60B/3.40A	7.60B/3.40A	----	3.60 - 2.20	.0480	----	----	----	----	119 UNCH
4450	4.30	4.30	7.30B/3.30A	7.30B/3.30A	----	3.40 - 2.10	.0454	----	----	32	----	1014 - 1
4455	----	----	6.80B/3.10A	6.80B/3.10A	----	3.20 - 2.10	.0429	----	----	----	----	68 UNCH
4460	4.20	4.20	6.50B/3.00A	6.50B/3.00A	----	3.10 - 1.90	.0414	----	----	21	----	132 - 4
4465	3.90	3.90	6.20B/2.80A	6.20B/2.80A	----	2.90 - 1.90	.0389	----	----	6	----	85 + 2
4470	2.80	2.80	5.90B/2.70A	5.90B/2.70A	----	2.80 - 1.80	.0374	----	----	1	----	185 + 1
4475	4.00	4.00	5.50B/2.60A	5.50B/2.60A	----	2.70 - 1.70	.0360	----	----	20	----	503 + 10
4480	2.50	2.50	5.30B/2.50	5.30B/2.50	----	2.50 - 1.70	.0335	----	----	7	----	171 UNCH
4485	2.60	2.60	5.00B/2.40A	5.00B/2.40A	----	2.40 - 1.60	.0321	----	----	58	----	286 + 54
4490	----	----	4.70B/2.30A	4.70B/2.30A	----	2.30 - 1.50	.0307	----	----	----	----	83 UNCH
4495	2.20	2.20	4.50B/2.20	4.50B/2.20	----	2.20 - 1.50	.0294	----	----	1	----	501 UNCH
4500	3.20	3.20	4.30B/2.10	4.30B/2.10	----	2.10 - 1.40	.0280	----	----	184	----	3196 - 53

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 21

FINAL

OG CALL COMEX GOLD OPTIONS
NOV26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4505	2.10	2.10	4.00B/2.00	4.00B/2.00	----	2.00 - 1.40	.0267	----	----	5	----	113 + 1
4510	----	----	3.80B/1.90A	3.80B/1.90A	----	2.00 - 1.30	.0264	----	----	3	----	3318 - 3
4515	1.80	1.80	3.60B/1.80	3.60B/1.80	----	1.90 - 1.20	.0251	----	----	1	----	56 + 1
4520	1.80	1.80	3.40B/1.80	3.40B/1.80	----	1.80 - 1.20	.0238	----	----	5	----	254 UNCH
4525	2.20	2.20	3.30B/1.70A	3.30B/1.70A	----	1.70 - 1.20	.0225	----	----	3	----	846 + 2
4530	2.10	2.10	3.10B/1.70A	3.10B/1.70A	----	1.70 - 1.10	.0222	----	----	1	----	189 - 1
4535	----	----	3.00B/1.60A	3.00B/1.60A	----	1.60 - 1.10	.0210	----	----	----	----	115 UNCH
4540	----	----	2.80B/1.60A	2.80B/1.60A	----	1.60 - 1.00	.0208	----	----	1	----	223 - 1
4545	----	----	2.70B/1.50A	2.70B/1.50A	----	1.50 - 1.00	.0195	----	----	----	----	50 UNCH
4550	2.00	2.00	2.60/1.50A	2.60/1.50A	----	1.50 - 0.90	.0193	----	----	158	110	1225 - 42
4555	1.40	1.40	2.40B/1.40	2.40B/1.40	----	1.40 - 0.90	.0181	----	----	20	----	151 - 7
4560	1.60	1.60	2.30B/1.40A	2.30B/1.40A	----	1.40 - 0.80	.0179	----	----	5	----	64 - 5
4565	----	----	2.20B/1.30A	2.20B/1.30A	----	1.30 - 0.80	.0167	----	----	----	----	106 UNCH
4570	1.20	1.20	1.20/1.20	2.10B/1.20	----	1.30 - 0.80	.0166	----	----	1	----	50 + 1
4575	1.30	1.30	1.30/1.30	2.00B/1.30	----	1.30 - 0.70	.0164	----	----	2	----	346 - 1
4580	----	----	----/1.20A	1.90B/1.20A	----	1.20 - 0.70	.0152	----	----	----	----	114 UNCH
4585	----	----	----/1.20A	1.80B/1.20A	----	1.20 - 0.70	.0151	----	----	----	----	196 UNCH
4590	----	----	----/1.20A	1.80B/1.20A	----	1.10 - 0.70	.0139	----	----	2	----	183 - 1
4595	----	----	----/1.20A	1.70B/1.20A	----	1.10 - 0.70	.0138	----	----	----	----	122 UNCH
4600	1.50	1.50	1.50/1.10	1.60B/1.10	----	1.10 - 0.60	.0137	----	----	39	----	4314 + 1
4605	1.40	1.40	1.40/1.10A	1.60B/1.10A	----	1.10 - 0.60	.0135	----	----	5	----	98 + 5
4610	----	----	----/1.10A	1.50B/1.10A	----	1.00 - 0.60	.0124	----	----	----	----	156 UNCH
4615	----	----	----/1.00A	1.50B/1.00A	----	1.00 - 0.60	.0123	----	----	1	----	85 UNCH
4620	1.00	1.00	1.00/1.00	1.40B/1.00	----	1.00 - 0.50	.0122	----	----	1	----	253 + 1
4625	----	----	----/1.00A	1.40B/1.00A	----	1.00 - 0.50	.0121	----	----	----	----	128 UNCH
4630	----	----	----/1.00A	1.30B/1.00A	----	0.90 - 0.60	.0110	----	----	----	----	72 UNCH
4635	----	----	----/1.00A	1.30B/1.00A	----	0.90 - 0.50	.0109	----	----	----	----	102 UNCH
4640	0.90	0.90	0.90/0.90	1.30B/0.90	----	0.90 - 0.50	.0108	----	----	9	----	219 - 8
4645	1.10	1.10	1.10/0.90A	1.20B/0.90A	----	0.90 - 0.40	.0107	----	----	11	----	162 + 10
4650	1.10	1.10	1.10/0.90	1.20B/0.90	----	0.90 - 0.40	.0106	----	----	5	----	1480 + 1
4655	----	----	----/0.90A	1.20B/0.90A	----	0.80 - 0.50	.0095	----	----	----	----	207 UNCH
4660	----	----	----/0.90A	1.10B/0.90A	----	0.80 - 0.40	.0095	----	----	1	----	164 - 1
4665	0.80	0.80	0.90/0.80	1.10B/0.80	----	0.80 - 0.40	.0094	----	----	61	----	198 - 17
4670	----	----	----/0.80A	1.10B/0.80A	----	0.80 - 0.40	.0093	----	----	----	----	149 UNCH
4675	0.80	0.80	0.80/0.80	1.10B/0.80	----	0.80 - 0.40	.0092	----	----	3	----	717 + 3
4680	----	----	----/0.80A	1.00B/0.80A	----	0.80 - 0.30	.0092	----	----	2	----	213 UNCH
4685	----	----	----/0.80A	1.00B/0.80A	----	0.80 - 0.30	.0091	----	----	----	----	213 UNCH
4690	----	----	----/0.80A	1.00B/0.80A	----	0.80 - 0.30	.0090	----	----	----	----	260 UNCH
4695	----	----	----/0.80A	1.00B/0.80A	----	0.70 - 0.40	.0080	----	----	----	----	163 UNCH
4700	0.80	0.80	0.80/0.70	0.90B/0.70	----	0.70 - 0.30	.0079	----	----	157	----	3489 - 79
4705	----	----	----/0.80A	0.90B/0.80A	----	0.70 - 0.30	.0079	----	----	----	----	106 UNCH
4710	0.70	0.70	0.70/0.70	0.90B/0.70	----	0.70 - 0.30	.0078	----	----	1	----	149 + 1
4715	----	----	----/0.70A	0.90B/0.70A	----	0.70 - 0.30	.0078	----	----	----	----	89 UNCH
4720	----	----	----/0.70A	0.90B/0.70A	----	0.70 - 0.30	.0077	----	----	----	----	124 UNCH
4725	0.70	0.70	0.70/0.70	0.80B/0.70	----	0.70 - 0.30	.0077	----	----	15	----	297 + 2
4730	----	----	----/0.70A	0.80B/0.70A	----	0.70 - 0.20	.0076	----	----	----	----	174 UNCH
4735	----	----	----/0.70A	0.80B/0.70A	----	0.70 - 0.20	.0076	----	----	----	----	136 UNCH
4740	----	----	----/0.70A	0.80B/0.70A	----	0.60 - 0.30	.0066	----	----	----	----	137 UNCH
4745	----	----	----/0.70A	0.80B/0.70A	----	0.60 - 0.30	.0065	----	----	1	----	31 UNCH
4750	----	----	----/0.70A	0.80B/0.70A	----	0.60 - 0.30	.0065	----	----	----	----	1775 UNCH
4755	----	----	----/0.70A	0.70B/0.70A	----	0.60 - 0.30	.0064	----	----	----	----	133 UNCH
4760	----	----	----/0.70A	0.70B/0.70A	----	0.60 - 0.30	.0064	----	----	----	----	73 UNCH
4765	----	----	----/0.70A	0.70B/0.70A	----	0.60 - 0.30	.0064	----	----	----	----	93 UNCH
4770	----	----	----/0.60A	0.70B/0.60A	----	0.60 - 0.30	.0063	----	----	----	----	71 UNCH
4775	----	----	----/0.60A	0.70B/0.60A	----	0.60 - 0.30	.0063	----	----	----	----	261 UNCH
4780	----	----	----/0.60A	0.70B/0.60A	----	0.60 - 0.20	.0062	----	----	5	----	111 - 5
4785	----	----	----/0.60A	0.70B/0.60A	----	0.60 - 0.20	.0062	----	----	----	----	57 UNCH
4790	----	----	----/0.60A	0.60B/0.60A	----	0.60 - 0.20	.0061	----	----	----	----	39 UNCH
4795	----	----	----/0.60A	0.60B/0.60A	----	0.60 - 0.20	.0061	----	----	----	----	130 UNCH
4800	0.70	0.70	0.70/0.60A	0.70/0.60A	----	0.60 - 0.20	.0061	----	----	2	----	3345 - 1
4805	----	----	----/0.60A	0.60B/0.60A	----	0.50 - 0.30	.0052	----	----	----	----	83 UNCH
4810	----	----	----/0.60A	0.60B/0.60A	----	0.50 - 0.30	.0051	----	----	1	----	86 - 1
4815	----	----	----/0.60A	0.60B/0.60A	----	0.50 - 0.30	.0051	----	----	----	----	74 UNCH
4820	----	----	----/0.60A	0.60B/0.60A	----	0.50 - 0.30	.0051	----	----	----	----	343 UNCH
4825	----	----	----/0.60A	0.60B/0.60A	----	0.50 - 0.30	.0050	----	----	----	----	379 UNCH
4830	----	----	----/0.60A	0.60B/0.60A	----	0.50 - 0.20	.0050	----	----	----	----	141 UNCH
4835	----	----	----/0.60A	0.50B/0.60A	----	0.50 - 0.20	.0050	----	----	----	----	112 UNCH
4840	----	----	----/0.60A	0.50B/0.60A	----	0.50 - 0.20	.0049	----	----	----	----	53 UNCH
4845	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.20	.0049	----	----	----	----	72 UNCH
4850	----	----	----/0.50A	0.60B/0.50A	----	0.50 - 0.20	.0049	----	----	----	----	1584 UNCH
4855	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.20	.0049	----	----	----	----	65 UNCH
4860	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.20	.0048	----	----	----	----	176 UNCH
4865	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.20	.0048	----	----	----	----	41 UNCH
4870	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.20	.0048	----	----	----	----	42 UNCH
4875	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0047	----	----	----	----	197 UNCH
4880	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0047	----	----	----	----	519 UNCH
4885	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0047	----	----	----	----	58 UNCH
4890	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0047	----	----	----	----	159 UNCH
4895	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0046	----	----	----	----	88 UNCH
4900	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0046	----	----	----	----	7251 UNCH
4905	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0046	----	----	----	----	326 UNCH
4910	----	----	----/0.50A	0.50B/0.50A	----	0.40 - 0.20	.0037	----	----	----	----	101 UNCH
4915	----	----	----/0.50A	0.50B/0.50A	----	0.40 - 0.20	.0037	----	----	----	----	15 UNCH
4920	----	----	----/0.50A	0.50B/0.50A	----	0.40 - 0.20	.0037	----	----	----	----	50 UNCH
4925	----	----	----/0.50A	0.50B/0.50A	----	0.40 - 0.20	.0037	----	----	----	----	74 UNCH
4930	----	----	----/0.50A	0.50B/0.50A	----	0.40 - 0.20	.0037	----	----	----	----	101 UNCH
4935	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.20	.0037	----	----	----	----	70 UNCH
4940	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.20	.0036	----	----	----	----	79 UNCH
4945	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0036	----	----	----	----	34 UNCH
4950	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0036	----	----	----	----	526 UNCH
4955	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.10	.0036	----	----	----	----	40 UNCH
4960	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.10	.0036	----	----	----	----	51 UNCH
4965	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.10	.0035	----	----	----	----	42 UNCH
4970	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.10	.0035	----	----	----	----	29 UNCH
4975	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.10	.0035	----	----	1	----	136 - 1
4980	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.10	.0035	----	----	----	----	34 UNCH
4985	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.10	.0035	----	----	----	----	125 UNCH
4990	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.10	.0035	----	----	1	----	32 UNCH
4995	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.10	.0034	----	----	----	----	123 UNCH
5000	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.10	.0034	----	----	1	----	3456 - 1
5005	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.10	.0034	----	----	----	----	57 UNCH
5010	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.10	.0034	----	----	----	----	56 UNCH
5015	----	----	----/0.40A	0.40B/0.40A	----	0.40 - 0.10	.0034	----	----	----	----	36 UNCH
5020	0.30	0.30	0.30/0.30	0.40B/0.30	----	0.40 - 0.10	.0034	----	----	1	----	58 UNCH
5025	0.30	0.30	0.30/0.30	0.40B/0.30	----	0.40 - 0.10	.0033	----	----	1	----	503 + 1
5030	----	----	----/0.40A	0.40B/0.40A	----	0.30 - 0.20	.0026	----	----	----	----	82 UNCH
5035	----	----	----/0.40A	0.40B/0.40A	----	0.30 - 0.20	.0026	----	----	----	----	81 UNCH
5040	0.30	0.30	0.30/0.30	0.40B/0.30	----	0.30 - 0.20	.0025	----	----	1	----	163 + 1
5045	----	----	----/0.30A	0.30B/0.30A	----	0.30 - 0.20	.0025	----	----	----	----	42 UNCH
5050	----	----	----/0.30A	0.40B/0.30A	----	0.30 - 0.20	.0025	----	----	1	----	1024 UNCH
5055	----	----	----/0.40A	0.40B/0.40A	----	0.30 - 0.20	.0025	----	----	----	----	120 UNCH
5060	----	----	----/0.40A	0.40B/0.40A	----	0.30 - 0.20	.0025	----	----	----	----	44 UNCH
5065	----	----	----/0.40A	0.30B/0.40A	----	0.30 - 0.20	.0025	----	----	----	----	45 UNCH
5070	----	----	----/0.40A	0.30B/0.40A	----	0.30 - 0.20	.0025	----	----	----	----	170 UNCH
5075	----	----	----/0.40A	0.30B/0.40A	----	0.30 - 0.20	.0025	----	----	----	----	82 UNCH
5080	----	----	----/0.40A	0.30B/0.40A	----	0.30 - 0.20	.0025	----	----	----	----	42 UNCH
5085	----	----	----/0.30A	0.30B/0.30A	----	0.30 - 0.20	.0024	----	----	----	----	147 UNCH
5090	----	----	----/0.40A	0.30B/0.40A	----	0.30 - 0.20	.0024	----	----	----	----	63 UNCH
5095	----	----	----/0.40A	0.30B/0.40A	----	0.30 - 0.20	.0024	----	----	----	----	198 UNCH
5100	0.20	0.20	0.20/0.20	0.30B/0.20	----	0.30 - 0.20	.0024	----	----	17	----	4904 UNCH
5105	----	----	----/0.30A	0.30B/0.30A	----	0.30 - 0.10	.0024	----	----	----	----	45 UNCH
5110	----	----	----/0.30A	0.30B/0.30A	----	0.30 - 0.10	.0024	----	----	----	----	41 UNCH
5115	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0024	----	----	----	----	144 UNCH
5120	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0024	----	----	----	----	86 UNCH
5125	----	----	----/0.30A	0.30B/0.30A	----	0.30 - 0.10	.0024	----	----	----	----	91 UNCH
5130	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0024	----	----	----	----	95 UNCH
5135	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0023	----	----	----	----	18 UNCH
5140	----	----	----/0.30A	0.30B/0.30A	----	0.30 - 0.10	.0023	----	----	----	----	48 UNCH
5145	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0023	----	----	----	----	25 UNCH
5150	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0023	----	----	----	----	534 UNCH
5155	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0023	----	----	----	----	11 UNCH
5160	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0023	----	----	----	----	34 UNCH
5165	----	----	----/0.30A	0.30B/0.30A	----	0.20 - 0.20	.0016	----	----	----	----	80 UNCH
5170	----	----	----/0.30A	0.20B/0.30A	----	0.20 - 0.20	.0016	----	----	----	----	22 UNCH
5175	----	----	----/0.30A	0.30B/0.30A	----	0.20 - 0.20	.0016	----	----	----	----	303 UNCH
5180	----	----	----/0.30A	0.20B/0.30A	----	0.20 - 0.20	.0016	----	----	----	----	87 UNCH
5185	----	----	----/0.30A	0.20B/0.30A	----	0.20 - 0.20	.0016	----	----	----	----	14 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
NOV26												
5190	----	----	----/0.30A	0.20B/0.30A	----	0.20 - 0.20	.0015	----	----	----	----	21 UNCH
5195	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0015	----	----	----	----	90 UNCH
5200	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0015	----	----	----	----	1900 UNCH
5205	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0015	----	----	----	----	7 UNCH
5210	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0015	----	----	----	----	11 UNCH
5215	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0015	----	----	----	----	51 UNCH
5220	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0015	----	----	----	----	33 UNCH
5225	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0015	----	----	----	----	26 UNCH
5230	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0015	----	----	----	----	95 UNCH
5235	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0015	----	----	----	----	21 UNCH
5240	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0015	----	----	----	----	38 UNCH
5245	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0015	----	----	----	----	9 UNCH
5250	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0015	----	----	----	----	691 UNCH
5255	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0015	----	----	----	----	4 UNCH
5260	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0015	----	----	----	----	11 UNCH
5265	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0015	----	----	----	----	11 UNCH
5270	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0015	----	----	----	----	24 UNCH
5275	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0014	----	----	----	----	214 UNCH
5280	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0014	----	----	----	----	40 UNCH
5285	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0014	----	----	----	----	32 UNCH
5290	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0014	----	----	----	----	21 UNCH
5295	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0014	----	----	----	----	10 UNCH
5300	0.20	0.20	0.20/0.20	0.20/0.20	----	0.20 - 0.10	.0014	----	----	100	----	1341 - 100
5305	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0014	----	----	----	----	31 UNCH
5310	----	----	----/0.20A	0.10B/0.20A	----	0.20 - 0.10	.0014	----	----	----	----	9 UNCH
5315	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0014	----	----	----	----	6 UNCH
5320	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0014	----	----	----	----	19 UNCH
5325	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0014	----	----	----	----	23 UNCH
5330	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0014	----	----	----	----	13 UNCH
5335	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0014	----	----	----	----	39 UNCH
5340	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0014	----	----	----	----	6 UNCH
5345	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0014	----	----	----	----	12 UNCH
5350	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0014	----	----	----	----	114 UNCH
5355	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0014	----	----	----	----	26 UNCH
5360	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0014	----	----	----	----	13 UNCH
5365	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0014	----	----	----	----	9 UNCH
5370	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0014	----	----	----	----	13 UNCH
5375	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0014	----	----	----	----	41 UNCH
5380	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0013	----	----	----	----	33 UNCH
5385	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0013	----	----	----	----	32 UNCH
5390	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0013	----	----	----	----	10 UNCH
5395	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0013	----	----	----	----	31 UNCH
5400	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0007	----	----	----	----	778 UNCH
5405	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0007	----	----	----	----	55 UNCH
5410	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0006	----	----	----	----	6 UNCH
5415	----	----	----	----/0.30A	----	0.10 - 0.10	.0006	----	----	----	----	26 UNCH
5420	----	----	----	----/0.30A	----	0.10 - 0.10	.0006	----	----	----	----	36 UNCH
5425	----	----	----	----/0.30A	----	0.10 - 0.10	.0006	----	----	----	----	12 UNCH
5430	----	----	----	----/0.30A	----	0.10 - 0.10	.0005	----	----	----	----	10 UNCH
5435	----	----	----	----/0.30A	----	0.10 - 0.10	.0005	----	----	----	----	6 UNCH
5440	----	----	----	----/0.30A	----	0.10 - 0.10	.0005	----	----	----	----	3 UNCH
5445	----	----	----	----/0.30A	----	0.10 - 0.10	.0005	----	----	----	----	33 UNCH
5450	----	----	----	0.10B/0.20A	----	0.10 - 0.10	.0004	----	----	----	----	572 UNCH
5455	----	----	----	----/0.30A	----	0.10 - 0.10	.0004	----	----	----	----	43 UNCH
5460	----	----	----	----/0.30A	----	0.10 - 0.10	.0004	----	----	----	----	20 UNCH
5465	----	----	----	----/0.30A	----	0.10 - 0.10	.0004	----	----	----	----	6 UNCH
5470	----	----	----	----/0.30A	----	0.10 - 0.10	.0004	----	----	----	----	8 UNCH
5475	----	----	----	----/0.30A	----	0.10 - 0.10	.0004	----	----	----	----	196 UNCH
5480	----	----	----	----/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	39 UNCH
5485	----	----	----	----/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	30 UNCH
5490	----	----	----	----/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	29 UNCH
5495	----	----	----	----/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	3 UNCH
5500	0.20	0.20	0.20/0.20	0.20/0.20	----	0.10 - 0.10	.0003	----	----	2	----	2665 - 2
5505	----	----	----	----/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	28 UNCH
5510	----	----	----	----/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	10 UNCH
5515	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	17 UNCH
5520	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	29 UNCH
5525	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	29 UNCH
5530	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	12 UNCH
5535	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	28 UNCH
5540	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	21 UNCH
5545	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	38 UNCH
5550	----	----	----	0.10B/0.20A	----	0.10 - 0.10	.0002	----	----	1	----	50 UNCH
5555	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	10 UNCH
5560	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	19 UNCH
5565	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	12 UNCH
5570	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	33 UNCH
5575	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	67 UNCH
5580	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	49 UNCH
5585	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	25 UNCH
5590	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	17 UNCH
5595	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	26 UNCH
5600	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	161 UNCH
5605	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	37 UNCH
5610	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	8 UNCH
5615	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	61 UNCH
5620	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	5 UNCH
5625	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	7 UNCH
5630	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	7 UNCH
5635	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	18 UNCH
5640	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	6 UNCH
5645	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	15 UNCH
5650	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	55 UNCH
5655	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
5660	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
5665	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	14 UNCH
5670	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	14 UNCH
5675	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	9 UNCH
5680	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	45 UNCH
5685	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	8 UNCH
5690	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	68 UNCH
5695	----	----	----	0.10B/0.20A	----	0.10 UNCH	.0000	----	----	----	----	25 UNCH
5700	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	120 UNCH
5705	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
5710	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
5720	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	6 UNCH
5725	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH
5730	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	27 UNCH
5740	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	4 UNCH
5750	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	599 UNCH
5770	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	11 UNCH
5775	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	8 UNCH
5780	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	6 UNCH
5790	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	6 UNCH
5800	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	227 UNCH
5810	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	21 UNCH
5825	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	41 UNCH
5850	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	42 UNCH
5875	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
5900	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	285 UNCH
5925	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	15 UNCH
5950	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	41 UNCH
5975	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	34 UNCH
6000	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	----	----	----	1	----	2885 + 1
6100	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	51 UNCH
6200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	60 UNCH
6250	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	41 UNCH
6300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	344 UNCH
6400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	118 UNCH
6500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1918 UNCH
8000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	994 UNCH
9000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1591 UNCH
20000	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1346 UNCH
TOTAL										3356	110	102470 - 176
DEC26												
1000	----	----	----	----	----	3177.30 - 13.30	1.0000	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG CALL COMEX GOLD OPTIONS
DEC26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
1500	----	----	----	----	----	2677.30 - 13.30	1.0000	750	----	750	----	36 UNCH
2495	----	----	----	1679.10B/1726.10A	----	1682.30 - 13.30	1.0000	----	----	75	----	0 UNCH
2500	----	----	----	1676.20B/1721.10A	----	1677.30 - 13.30	1.0000	925	----	925	----	608 UNCH
2505	----	----	----	1674.30B/1716.10A	----	1672.30 - 13.30	1.0000	----	----	75	----	0 UNCH
3000	1187.50	1187.50	1,221.40B/1,171	1221.40B/1171.30A	----	1177.30 - 13.30	.9987	----	----	1	----	1 + 1
3245	----	----	976.50B/926.50A	976.50B/926.50A	----	932.40 - 13.30	.9928	----	----	----	----	1 UNCH
3250	----	----	972.70B/921.60A	972.70B/921.60A	----	927.40 - 13.30	.9927	45	----	10	----	36 - 35
3300	----	----	922.20B/872.00A	922.20B/872.00A	----	877.50 - 13.40	.9912	----	----	----	----	311 UNCH
3405	----	----	816.00B/767.70A	816.00B/767.70A	----	773.00 - 13.60	.9861	----	----	----	----	1 UNCH
3450	----	----	772.20B/723.10A	772.20B/723.10A	----	728.30 - 13.70	.9837	----	----	----	----	1 UNCH
3500	----	----	722.20B/673.60A	722.20B/673.60A	----	678.80 - 13.80	.9794	----	----	----	----	17 UNCH
3550	----	----	673.00B/624.30A	673.00B/624.30A	----	629.50 - 14.00	.9748	----	----	----	----	2 UNCH
3570	----	----	653.40B/604.70A	653.40B/604.70A	----	609.90 - 14.00	.9720	----	----	----	----	2 UNCH
3600	----	----	624.10B/575.10A	624.10B/575.10A	----	580.50 - 14.10	.9677	----	----	----	----	6 UNCH
3620	----	----	604.70B/555.60A	604.70B/555.60A	----	560.90 - 14.20	.9648	----	----	----	----	1 UNCH
3660	----	----	565.50B/516.80A	565.50B/516.80A	----	522.00 - 14.40	.9571	----	----	----	----	2 UNCH
3670	----	----	556.70B/507.10A	556.70B/507.10A	----	512.30 - 14.50	.9550	----	----	----	----	1 UNCH
3680	----	----	546.20B/497.50A	546.20B/497.50A	----	502.70 - 14.50	.9528	----	----	----	----	1 UNCH
3685	----	----	542.20B/492.70A	542.20B/492.70A	----	497.90 - 14.50	.9515	----	----	----	----	1 UNCH
3690	----	----	535.70B/487.80A	535.70B/487.80A	----	493.10 - 14.50	.9501	----	----	----	----	1 UNCH
3695	----	----	531.80B/483.00A	531.80B/483.00A	----	488.20 - 14.60	.9493	----	----	----	----	1 UNCH
3700	----	----	527.00B/478.20A	527.00B/478.20A	----	483.40 - 14.60	.9479	----	----	----	----	52 UNCH
3710	----	----	517.80B/468.60A	517.80B/468.60A	----	473.90 - 14.60	.9452	----	----	----	----	2 UNCH
3720	----	----	507.90B/459.10A	507.90B/459.10A	----	464.30 - 14.70	.9420	----	----	----	----	6 UNCH
3750	----	----	482.00B/429.30A	482.00B/429.30A	----	435.80 - 14.90	.9325	----	----	----	----	8 UNCH
3755	----	----	477.30B/424.60A	477.30B/424.60A	----	431.10 - 14.90	.9305	----	----	----	----	3 UNCH
3760	----	----	472.60B/419.90A	472.60B/419.90A	----	426.40 - 15.00	.9286	----	----	----	----	2 UNCH
3765	----	----	467.80B/415.10A	467.80B/415.10A	----	421.70 - 15.00	.9267	----	----	----	----	8 UNCH
3770	----	----	463.20B/410.60A	463.20B/410.60A	----	417.00 - 15.00	.9247	----	----	----	----	1 UNCH
3775	----	----	458.50B/405.80A	458.50B/405.80A	----	412.30 - 15.10	.9228	----	----	----	----	2 UNCH
3785	----	----	449.10B/396.50A	449.10B/396.50A	----	403.00 - 15.10	.9184	----	----	----	----	4 UNCH
3790	440.30	440.30	444.40B/392.00A	444.40B/392.00A	----	398.40 - 15.10	.9164	----	----	1	----	2 + 1
3800	----	----	435.10B/382.80A	435.10B/382.80A	----	389.10 - 15.20	.9119	----	----	----	----	25 UNCH
3805	----	----	430.50B/378.20A	430.50B/378.20A	----	384.50 - 15.30	.9094	----	----	----	----	1 UNCH
3825	----	----	412.00B/359.80A	412.00B/359.80A	----	366.20 - 15.40	.8990	----	----	----	----	1 UNCH
3840	----	----	398.30B/346.40A	398.30B/346.40A	----	352.60 - 15.50	.8905	----	----	----	----	1 UNCH
3850	----	----	389.20B/337.40A	389.20B/337.40A	----	343.70 - 15.50	.8846	----	----	----	----	1 UNCH
3860	----	----	380.10B/328.70A	380.10B/328.70A	----	334.80 - 15.50	.8785	----	----	----	----	1 UNCH
3885	----	----	357.90B/306.70A	357.90B/306.70A	----	312.80 - 15.70	.8613	----	----	----	----	1 UNCH
3895	----	----	349.00B/298.10A	349.00B/298.10A	----	304.10 - 15.80	.8539	----	----	----	----	1 UNCH
3900	----	----	344.60B/293.80A	344.60B/293.80A	----	299.80 - 15.90	.8500	----	----	----	----	41 UNCH
3915	----	----	331.60B/281.20A	331.60B/281.20A	----	287.10 - 15.90	.8380	----	----	----	----	4 UNCH
3930	----	----	318.80B/268.90A	318.80B/268.90A	----	274.50 - 16.00	.8251	----	----	----	----	1 UNCH
3935	----	----	314.50B/264.80A	314.50B/264.80A	----	270.40 - 16.00	.8208	----	----	----	----	12 UNCH
3940	----	----	310.30B/260.70A	310.30B/260.70A	----	266.30 - 16.00	.8162	----	----	----	----	1 UNCH
3950	----	----	301.90B/252.50A	301.90B/252.50A	----	258.10 - 16.10	.8068	----	----	----	----	7 UNCH
3955	----	----	297.80B/248.50A	297.80B/248.50A	----	254.10 - 16.10	.8018	----	----	----	----	1 UNCH
3960	----	----	293.60B/244.70A	293.60B/244.70A	----	250.10 - 16.10	.7969	----	----	----	----	1 UNCH
3965	----	----	289.50B/240.60A	289.50B/240.60A	----	246.10 - 16.10	.7918	----	----	----	----	1 UNCH
3985	----	----	273.30B/225.10A	273.30B/225.10A	----	230.50 - 16.10	.7709	----	----	----	----	12 UNCH
3990	----	----	269.30B/221.50A	269.30B/221.50A	----	226.70 - 16.10	.7655	----	----	----	----	2 UNCH
3995	----	----	265.30B/217.70A	265.30B/217.70A	----	222.90 - 16.10	.7599	----	----	----	----	4 UNCH
4000	215.10	215.10	261.40B/213.90A	261.40B/213.90A	----	219.10 - 16.20	.7543	----	----	2	----	258 - 1
4005	----	----	257.50B/210.20A	257.50B/210.20A	----	215.40 - 16.10	.7484	----	----	----	----	5 UNCH
4015	----	----	249.70B/203.00A	249.70B/203.00A	----	208.00 - 16.10	.7367	----	----	----	----	1 UNCH
4020	----	----	245.90B/199.50A	245.90B/199.50A	----	204.30 - 16.20	.7308	----	----	----	----	1 UNCH
4025	----	----	242.10B/195.90A	242.10B/195.90A	----	200.70 - 16.20	.7246	----	----	----	----	2 UNCH
4030	----	----	238.30B/192.30A	238.30B/192.30A	----	197.20 - 16.10	.7185	----	----	----	----	13 UNCH
4040	----	----	230.90B/185.40A	230.90B/185.40A	----	190.10 - 16.10	.7060	----	----	----	----	43 UNCH
4045	----	----	227.20B/182.00A	227.20B/182.00A	----	186.70 - 16.00	.6995	----	----	----	----	2 UNCH
4050	----	----	223.50B/178.60A	223.50B/178.60A	----	183.20 - 16.10	.6931	----	----	----	----	972 UNCH
4055	----	----	219.90B/175.20A	219.90B/175.20A	----	179.80 - 16.10	.6866	----	----	----	----	2 UNCH
4060	----	----	216.30B/171.90A	216.30B/171.90A	----	176.50 - 16.00	.6800	----	----	----	----	105 UNCH
4065	----	----	212.80B/168.80A	212.80B/168.80A	----	173.20 - 15.90	.6733	----	----	----	----	15 UNCH
4070	----	----	209.30B/165.50A	209.30B/165.50A	----	169.90 - 15.90	.6666	----	----	----	----	38 UNCH
4075	----	----	205.80B/162.40A	205.80B/162.40A	----	166.70 - 15.80	.6598	----	----	----	----	24 UNCH
4080	----	----	202.30B/159.20A	202.30B/159.20A	----	163.50 - 15.80	.6530	----	----	----	----	136 UNCH
4085	----	----	198.90B/156.00A	198.90B/156.00A	----	160.30 - 15.80	.6461	----	----	----	----	8 UNCH
4090	----	----	195.50B/153.00A	195.50B/153.00A	----	157.20 - 15.70	.6391	----	----	----	----	41 UNCH
4095	----	----	192.20B/149.90A	192.20B/149.90A	----	154.10 - 15.70	.6321	----	----	----	----	10 UNCH
4100	----	----	188.80B/147.00A	188.80B/147.00A	----	151.00 - 15.70	.6250	----	----	----	----	1376 UNCH
4105	----	----	185.60B/144.10A	185.60B/144.10A	----	148.00 - 15.60	.6179	----	----	----	----	17 UNCH
4110	----	----	182.30B/141.20A	182.30B/141.20A	----	145.10 - 15.50	.6108	----	----	----	----	192 UNCH
4115	----	----	179.10B/138.20A	179.10B/138.20A	----	142.10 - 15.50	.6036	----	----	----	----	18 UNCH
4120	----	----	175.90B/135.40A	175.90B/135.40A	----	139.30 - 15.30	.5964	----	----	----	----	34 UNCH
4125	----	----	172.70B/132.60A	172.70B/132.60A	----	136.40 - 15.30	.5892	----	----	----	----	52 UNCH
4130	143.70	143.70	169.70B/129.80A	169.70B/129.80A	----	133.60 - 15.20	.5819	----	----	1	----	710 + 1
4135	----	----	166.60B/127.10A	166.60B/127.10A	----	130.80 - 15.20	.5746	----	----	----	----	68 UNCH
4140	----	----	163.60B/124.50A	163.60B/124.50A	----	128.10 - 15.10	.5672	----	----	----	----	72 UNCH
4145	----	----	160.60B/121.80A	160.60B/121.80A	----	125.40 - 15.00	.5599	----	----	----	----	44 UNCH
4150	125.00	125.00	157.60B/119.20A	157.60B/119.20A	----	122.80 - 14.90	.5526	----	----	16	----	449 + 15
4155	----	----	154.70B/116.70A	154.70B/116.70A	----	120.20 - 14.80	.5452	----	----	----	----	22 UNCH
4160	----	----	152.00B/114.20A	152.00B/114.20A	----	117.60 - 14.70	.5378	----	----	----	----	172 UNCH
4165	----	----	149.10B/111.70A	149.10B/111.70A	----	115.10 - 14.60	.5305	----	----	----	----	55 UNCH
4170	----	----	146.30B/109.30A	146.30B/109.30A	----	112.60 - 14.50	.5231	----	----	3	----	144 - 3
4175	116.50	116.50	143.50B/106.90A	143.50B/106.90A	----	110.20 - 14.40	.5157	----	----	6	----	1031 + 4
4180	114.10	114.10	140.80B/104.60A	140.80B/104.60A	----	107.80 - 14.30	.5084	----	----	15	----	22 - 1
4185	113.10	113.10	138.10B/102.20A	138.10B/102.20A	----	105.40 - 14.20	.5010	----	----	6	----	39 + 3
4190	110.80	110.80	135.40B/100.00A	135.40B/100.00A	----	103.10 - 14.10	.4937	----	----	34	----	495 + 24
4195	111.20	111.20	132.80B/97.80A	132.80B/97.80A	----	100.80 - 14.00	.4863	----	----	4	----	30 UNCH
4200	114.30	114.30	130.20B/95.60A	130.20B/95.60A	----	98.60 - 13.80	.4790	----	----	112	----	1571 - 2
4205	102.90	102.90	127.70B/93.40A	127.70B/93.40A	----	96.40 - 13.70	.4718	----	----	5	----	387 + 2
4210	101.80	101.80	125.10B/91.30A	125.10B/91.30A	----	94.20 - 13.60	.4645	----	----	12	----	57 - 1
4215	102.10	102.10	122.60B/89.20A	122.60B/89.20A	----	92.10 - 13.50	.4573	----	----	9	----	90 + 1
4220	96.20	96.20	120.20B/87.20A	120.20B/87.20A	----	90.00 - 13.40	.4501	----	----	8	----	303 - 3
4225	95.10	95.10	117.80B/85.20A	117.80B/85.20A	----	88.00 - 13.20	.4430	----	----	364	----	344 - 51
4230	95.70	95.70	115.40B/83.20A	115.40B/83.20A	----	85.90 - 13.20	.4358	----	----	6	----	101 UNCH
4235	99.70	99.70	113.10B/81.30A	113.10B/81.30A	----	84.00 - 13.00	.4288	----	----	12	----	22 + 6
4240	98.20	98.20	110.80B/79.40A	110.80B/79.40A	----	82.00 - 12.90	.4217	----	----	6	----	49 + 1
4245	96.20	96.20	108.50B/77.50A	108.50B/77.50A	----	80.10 - 12.80	.4147	----	----	5	----	215 UNCH
4250	103.20	103.20	106.30B/75.70A	106.30B/75.70A	----	78.30 - 12.60	.4078	----	----	35	100	1138 + 16
4255	101.00	101.00	104.10B/73.80A	104.10B/73.80A	----	76.40 - 12.50	.4008	----	----	8	----	123 + 4
4260	99.00	99.00	102.00B/72.20A	102.00B/72.20A	----	74.60 - 12.40	.3940	----	----	2	----	187 + 1
4265	----	----	99.90B/70.50A	99.90B/70.50A	----	72.90 - 12.20	.3872	----	----	----	----	29 UNCH
4270	----	----	97.80B/68.90A	97.80B/68.90A	----	71.20 - 12.10	.3805	----	----	----	----	42 UNCH
4275	69.70	69.70	95.70B/67.20A	95.70B/67.20A	----	69.50 - 11.90	.3738	----	----	5	----	85 UNCH
4280	----	----	93.70B/65.60A	93.70B/65.60A	----	67.80 - 11.80	.3672	----	----	----	----	75 UNCH
4285	79.50	79.50	91.80B/64.00A	91.80B/64.00A	----	66.20 - 11.70	.3606	----	----	1	----	23 UNCH
4290	77.70	77.70	89.80B/62.50A	89.80B/62.50A	----	64.60 - 11.60	.3541	----	----	1	----	89 - 1
4295	----	----	87.90B/61.00A	87.90B/61.00A	----	63.10 - 11.40	.3478	----	----	5	----	104 UNCH
4300	80.70	80.70	86.00B/59.50A	86.00B/59.50A	----	61.50 - 11.30	.3413	----	----	580	----	2029 + 73
4305	79.70	79.70	84.20B/58.00A	84.20B/58.00A	----	60.10 - 11.10	.3351	----	----	6	----	50 + 4
4310	----	----	82.40B/56.60A	82.40B/56.60A	----	58.60 - 11.00	.3288	----	----	----	----	57 UNCH
4315	----	----	80.60B/55.30A	80.60B/55.30A	----	57.20 - 10.80	.3227	----	----	----	----	14 UNCH
4320	----	----	78.90B/53.90A	78.90B/53.90A	----	55.80 - 10.70	.3166	----	----	----	----	185 UNCH
4325	----	----	77.10B/52.60A	77.10B/52.60A	----	54.40 - 10.60	.3105	----	----	1	----	207 UNCH
4330	60.00	60.00	75.40B/51.30A	75.40B/51.30A	----	53.10 - 10.40	.3047	----	----	3	----	124 + 1
4335	52.80	52.80	73.80B/50.10A	73.80B/50.10A	----	51.80 - 10.30	.2988	----	----	3	----	61 UNCH
4340	61.80	61.80	72.20B/48.80A	72.20B/48.80A	----	50.50 - 10.20	.2930	----	----	13	----	64 + 12
4345	60.90	60.90	70.50B/47.60A	70.50B/47.60A	----	49.30 - 10.00	.2873	----	----	1	----	133 + 1
4350	----	----	68.90B/46.50A	68.90B/46.50A	----	48.10 - 9.80	.2818	----	----	5	----	1195 + 2
4355	47.40	47.40	67.50B/45.30A	67.50B/45.30A	----	46.90 - 9.70	.2762	----	----	4	----	26 + 2
4360	61.10	61.10	66.00B/44.20A	66.00B/44.20A	----	45.70 - 9.60	.2706	----	----	2	----	23 - 1
4365	----	----	64.40B/43.10A	64.40B/43.10A	----	44.60 - 9.40	.2653	----	----	----	----	20 UNCH
4370	----	----	63.00B/42.00A	63.00B/42.00A	----	43.50 - 9.30	.2600	----	----	----	----	69 UNCH
4375	54.00	54.00	61.50B/41.00A	61.50B/41.00A	----	42.40 - 9.20	.2547	----	----	190	----	419 - 120
4380	55.80	55.80	60.20B/39.90	60.20B/39.90	----	41.40 - 9.00	.2497	----	----	5	----	123 + 4
4385	49.80	49.80	58.80B/39.00A	58.80B/39.00A	----	40.30 - 8.90	.2444	----	----	1	----	34 UNCH
4390	----	----	57.50B/38.00A	57.50B/38.00A	----	39.30 - 8.80	.2395	----	----	----	----	79 UNCH
4395	----	----	56.20B/37.10A	56.20B/37.10A	----	38.40 - 8.50	.2348	----	----	----	----	108 UNCH
4400	43.10	43.10	54.90B/36.20A	54.90B/36.20A	----	37.40 - 8.50	.2298	----	----	337	----	2418 - 148
4405	----	----	53.60B/35.30A	53.60B/35.30A	----	36.50 - 8.30	.2252	----	----	----	----	138 UNCH
4410	----	----	52.40B/34.40A	52.40B/34.40A	----	35.60 - 8.10	.2205	----	----	1	----	101 + 1
4415	41.60	41.60	51.20B/33.50A	51.20B/33.50A	----	34.70 - 8.00	.2159	----	----	27	----	177 - 7
4420	41.70	41.70	50.00B/32.70A	50.00B/32.70A	----	33.80 - 7.90	.2113	----	----	161	----	191 + 132
4425	45.90	45.90	48.90B/31.90A	48.90B/31.90A	----	33.00 - 7.70	.2070	----	----	19	----	476 + 13
4430	47.70	47.70	47.70/31.10A	47.70/31.10A	----	32.20 - 7.60	.2027	----	----	4	----	124 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
4435	36.40	36.40	46.60B/30.30A	46.60B/30.30A	----	31.40 - 7.40	.1984	----	----	1	----	65 UNCH
4440	----	----	45.50B/29.60A	45.50B/29.60A	----	30.60 - 7.30	.1942	----	----	2	----	61 UNCH
4445	----	----	44.40B/28.80A	44.40B/28.80A	----	29.80 - 7.20	.1899	----	----	1	----	53 + 1
4450	33.10	33.10	43.50B/28.10A	43.50B/28.10A	----	29.10 - 7.10	.1860	----	----	25	----	1601 + 7
4455	36.10	36.10	42.40B/27.40A	42.40B/27.40A	----	28.40 - 6.90	.1822	----	----	231	----	392 + 195
4460	28.30	28.30	41.50B/26.70A	41.50B/26.70A	----	27.70 - 6.80	.1783	----	----	8	----	221 + 1
4465	----	----	40.60B/26.10A	40.60B/26.10A	----	27.00 - 6.70	.1744	----	----	----	----	144 UNCH
4470	26.20	26.20	39.60B/25.40A	39.60B/25.40A	----	26.30 - 6.60	.1706	----	----	5	----	300 - 1
4475	32.20	32.20	38.70B/24.90A	38.70B/24.90A	----	25.70 - 6.40	.1671	----	----	135	----	701 + 85
4480	27.60	27.60	37.80B/24.20A	37.80B/24.20A	----	25.00 - 6.40	.1633	----	----	1	----	163 - 1
4485	----	----	36.90B/23.60A	36.90B/23.60A	----	24.40 - 6.20	.1598	----	----	----	----	34 UNCH
4490	28.50	28.50	35.90B/23.00A	35.90B/23.00A	----	23.80 - 6.10	.1564	----	----	10	----	79 + 8
4495	27.80	27.80	35.20B/22.50A	35.20B/22.50A	----	23.20 - 6.00	.1530	----	----	7	----	63 + 1
4500	27.60	27.60	34.30B/21.90A	34.30B/21.90A	----	22.70 - 5.80	.1499	----	----	580	----	10177 + 143
4505	27.20	27.20	33.50B/21.40A	33.50B/21.40A	----	22.10 - 5.80	.1465	----	----	7	----	88 - 3
4510	30.10	30.10	32.80B/20.90A	32.80B/20.90A	----	21.60 - 5.60	.1435	----	----	12	----	5044 UNCH
4515	----	----	32.00B/20.40A	32.00B/20.40A	----	21.10 - 5.50	.1405	----	----	----	----	109 UNCH
4520	----	----	31.20B/19.90A	31.20B/19.90A	----	20.50 - 5.40	.1371	----	----	2	----	65 + 1
4525	27.50	27.50	30.40B/19.40A	30.40B/19.40A	----	20.10 - 5.20	.1345	----	----	354	----	819 + 322
4530	27.30	27.30	29.80B/18.90A	29.80B/18.90A	----	19.60 - 5.20	.1316	----	----	2	----	64 + 2
4535	22.60	22.60	29.10B/18.50A	29.10B/18.50A	----	19.10 - 5.10	.1286	----	----	4	----	106 + 3
4540	26.20	26.20	28.40B/18.00A	28.40B/18.00A	----	18.60 - 5.00	.1257	----	----	39	----	88 + 22
4545	21.80	21.80	27.80B/17.60A	27.80B/17.60A	----	18.20 - 4.90	.1231	----	----	1	----	119 + 1
4550	21.40	21.40	27.10B/17.20A	27.10B/17.20A	----	17.80 - 4.70	.1206	----	----	23	----	1720 - 5
4555	22.00	22.00	26.50B/16.80A	26.50B/16.80A	----	17.30 - 4.70	.1177	----	----	15	----	74 - 6
4560	20.30	20.30	25.90B/16.40A	25.90B/16.40A	----	16.90 - 4.60	.1152	----	----	1	----	614 - 1
4565	17.30	17.30	25.30B/16.00A	25.30B/16.00A	----	16.50 - 4.50	.1127	----	----	1	----	59 UNCH
4570	20.50	20.50	24.70B/15.60A	24.70B/15.60A	----	16.20 - 4.30	.1107	----	----	7	----	55 + 2
4575	18.90	18.90	24.10B/15.30A	24.10B/15.30A	----	15.80 - 4.30	.1082	----	----	8	----	326 - 3
4580	----	----	23.60B/14.90A	23.60B/14.90A	----	15.40 - 4.20	.1058	----	----	----	----	295 UNCH
4585	18.10	18.10	22.90B/14.60A	22.90B/14.60A	----	15.10 - 4.10	.1038	----	----	23	----	313 + 13
4590	----	----	22.50B/14.20A	22.50B/14.20A	----	14.70 - 4.00	.1013	----	----	----	----	111 UNCH
4595	14.80	14.80	22.00B/13.90A	22.00B/13.90A	----	14.40 - 3.90	.0993	----	----	9	----	32 + 9
4600	16.80	16.80	21.40B/13.60A	21.40B/13.60A	----	14.00 - 3.90	.0969	----	----	303	----	7141 + 119
4605	14.40	14.40	21.00B/13.30A	21.00B/13.30A	----	13.70 - 3.80	.0949	----	----	1	----	52 - 1
4610	----	----	20.50B/13.00A	20.50B/13.00A	----	13.40 - 3.70	.0930	----	----	----	----	80 UNCH
4615	15.70	15.70	20.00B/12.70A	20.00B/12.70A	----	13.10 - 3.60	.0910	----	----	2	----	66 UNCH
4620	13.30	13.30	19.60B/12.40A	19.60B/12.40A	----	12.80 - 3.50	.0891	----	----	4	----	106 UNCH
4625	12.40	12.40	19.00B/12.10A	19.00B/12.10A	----	12.50 - 3.50	.0872	----	----	106	----	515 + 59
4630	12.90	12.90	18.70B/11.80A	18.70B/11.80A	----	12.30 - 3.30	.0857	----	----	8	----	164 UNCH
4635	13.60	13.60	18.20B/11.60A	18.20B/11.60A	----	12.00 - 3.30	.0838	----	----	1	----	50 UNCH
4640	14.30	14.30	17.80B/11.30A	17.80B/11.30A	----	11.70 - 3.20	.0819	----	----	48	----	178 + 18
4645	14.20	14.20	17.40B/11.10A	17.40B/11.10A	----	11.50 - 3.10	.0804	----	----	3	----	24 + 1
4650	12.80	12.80	17.00B/10.90A	17.00B/10.90A	----	11.20 - 3.10	.0786	----	----	61	----	1563 - 10
4655	----	----	16.70B/10.60A	16.70B/10.60A	----	11.00 - 3.00	.0771	----	----	----	----	61 UNCH
4660	----	----	16.30B/10.40A	16.30B/10.40A	----	10.80 - 2.90	.0757	----	----	----	----	168 UNCH
4665	12.90	12.90	15.90B/10.20A	15.90B/10.20A	----	10.60 - 2.80	.0743	----	----	3	----	94 UNCH
4670	12.30	12.30	15.60B/10.00A	15.60B/10.00A	----	10.30 - 2.80	.0725	----	----	5	----	91 - 3
4675	12.00	12.00	15.30B/9.80A	15.30B/9.80A	----	10.10 - 2.70	.0711	----	----	12	----	371 + 4
4680	----	----	14.90B/9.60A	14.90B/9.60A	----	9.90 - 2.70	.0697	----	----	----	----	202 UNCH
4685	----	----	14.60B/9.40A	14.60B/9.40A	----	9.70 - 2.60	.0683	----	----	----	----	84 UNCH
4690	9.90	9.90	14.30B/9.20A	14.30B/9.20A	----	9.50 - 2.50	.0670	----	----	1	----	277 UNCH
4695	----	----	14.00B/9.00A	14.00B/9.00A	----	9.30 - 2.50	.0656	----	----	----	----	325 UNCH
4700	10.70	10.70	13.70B/8.80A	13.70B/8.80A	----	9.10 - 2.50	.0643	----	----	937	120	6684 + 12
4705	----	----	13.40B/8.70A	13.40B/8.70A	----	9.00 - 2.30	.0634	----	----	----	----	152 UNCH
4710	----	----	13.10B/8.50A	13.10B/8.50A	----	8.80 - 2.30	.0621	----	----	----	----	59 UNCH
4715	----	----	12.80B/8.30A	12.80B/8.30A	----	8.60 - 2.30	.0607	----	----	----	----	135 UNCH
4720	----	----	12.60B/8.20A	12.60B/8.20A	----	8.50 - 2.20	.0599	----	----	----	----	148 UNCH
4725	----	----	12.30B/8.00A	12.30B/8.00A	----	8.30 - 2.10	.0586	----	----	1	----	9538 UNCH
4730	----	----	12.00B/7.90A	12.00B/7.90A	----	8.10 - 2.10	.0573	----	----	----	----	172 UNCH
4735	----	----	11.80B/7.70A	11.80B/7.70A	----	8.00 - 2.00	.0565	----	----	----	----	76 UNCH
4740	8.30	8.30	11.50B/7.60A	11.50B/7.60A	----	7.80 - 2.10	.0552	----	----	5	----	74 + 4
4745	9.50	9.50	11.30B/7.50A	11.30B/7.50A	----	7.70 - 2.00	.0544	----	----	2	----	73 + 2
4750	9.00	9.00	11.10B/7.30A	11.10B/7.30A	----	7.60 - 1.90	.0536	----	----	10	----	3747 - 4
4755	7.30	7.30	10.90B/7.20A	10.90B/7.20A	----	7.40 - 1.90	.0523	----	----	6	----	52 + 6
4760	----	----	10.70B/7.10A	10.70B/7.10A	----	7.30 - 1.80	.0515	----	----	----	----	163 UNCH
4765	----	----	10.50B/7.00A	10.50B/7.00A	----	7.20 - 1.80	.0507	----	----	----	----	88 UNCH
4770	----	----	10.30B/6.90A	10.30B/6.90A	----	7.10 - 1.70	.0500	----	----	----	----	40 UNCH
4775	8.10	8.10	10.10B/6.70A	10.10B/6.70A	----	6.90 - 1.70	.0487	----	----	6	----	350 - 2
4780	----	----	9.90B/6.60A	9.90B/6.60A	----	6.80 - 1.70	.0479	----	----	----	----	52 UNCH
4785	7.90	7.90	9.80B/6.50A	9.80B/6.50A	----	6.70 - 1.60	.0472	----	----	10	----	84 + 7
4790	----	----	9.50B/6.40A	9.50B/6.40A	----	6.60 - 1.60	.0464	----	----	7	----	311 - 6
4795	----	----	9.30B/6.30A	9.30B/6.30A	----	6.50 - 1.50	.0457	----	----	----	----	147 UNCH
4800	9.10	9.10	9.20B/6.20A	9.20B/6.20A	----	6.40 - 1.50	.0450	----	----	150	----	8586 + 42
4805	7.40	7.40	9.10B/6.10A	9.10B/6.10A	----	6.30 - 1.40	.0442	----	----	5	----	45 UNCH
4810	----	----	8.80B/6.00A	8.80B/6.00A	----	6.20 - 1.40	.0435	----	----	----	----	86 UNCH
4815	----	----	8.70B/5.90A	8.70B/5.90A	----	6.10 - 1.40	.0428	----	----	----	----	33 UNCH
4820	----	----	8.60B/5.90A	8.60B/5.90A	----	6.00 - 1.40	.0421	----	----	----	----	210 UNCH
4825	6.90	6.90	8.40B/5.80A	8.40B/5.80A	----	5.90 - 1.30	.0413	----	----	8	----	262 + 7
4830	5.70	5.70	8.20B/5.70	8.20B/5.70	----	5.80 - 1.30	.0406	----	----	6	----	45 + 6
4835	----	----	8.10B/5.60A	8.10B/5.60A	----	5.80 - 1.20	.0404	----	----	----	----	169 UNCH
4840	----	----	8.00B/5.50A	8.00B/5.50A	----	5.70 - 1.20	.0397	----	----	----	----	172 UNCH
4845	----	----	7.80B/5.40A	7.80B/5.40A	----	5.60 - 1.20	.0390	----	----	----	----	42 UNCH
4850	5.40	5.40	7.70B/5.30A	7.70B/5.30A	----	5.50 - 1.10	.0383	----	----	10	----	3323 + 6
4855	5.30	5.30	7.60B/5.30	7.60B/5.30	----	5.40 - 1.10	.0376	----	----	7	----	139 + 4
4860	----	----	7.50B/5.20A	7.50B/5.20A	----	5.40 - 1.00	.0374	----	----	----	----	86 UNCH
4865	----	----	7.30B/5.10A	7.30B/5.10A	----	5.30 - 1.00	.0368	----	----	----	----	55 UNCH
4870	5.10	5.10	7.20B/5.10	7.20B/5.10	----	5.20 - 1.00	.0361	----	----	24	----	60 - 5
4875	----	----	7.10B/5.00A	7.10B/5.00A	----	5.20 - 0.90	.0359	----	----	----	----	227 UNCH
4880	----	----	7.00B/4.90A	7.00B/4.90A	----	5.10 - 0.90	.0352	----	----	----	----	319 UNCH
4885	4.90	4.90	6.90B/4.80A	6.90B/4.80A	----	5.00 - 0.90	.0346	----	----	8	----	72 + 7
4890	----	----	6.80B/4.80A	6.80B/4.80A	----	5.00 - 0.90	.0344	----	----	----	----	28 UNCH
4895	----	----	6.70B/4.70A	6.70B/4.70A	----	4.90 - 0.90	.0337	----	----	----	----	254 UNCH
4900	5.50	5.50	6.60B/4.60A	6.60B/4.60A	----	4.80 - 0.90	.0331	----	----	566	----	5463 - 237
4905	----	----	6.50B/4.60A	6.50B/4.60A	----	4.80 - 0.80	.0329	----	----	----	----	48 UNCH
4910	4.80	4.80	6.40B/4.60A	6.40B/4.60A	----	4.70 - 0.80	.0323	----	----	1	----	2064 + 1
4915	----	----	6.20B/4.50A	6.20B/4.50A	----	4.70 - 0.80	.0321	----	----	----	----	82 UNCH
4920	----	----	6.20B/4.40A	6.20B/4.40A	----	4.60 - 0.80	.0315	----	----	----	----	140 UNCH
4925	5.30	5.30	6.10B/4.40A	6.10B/4.40A	----	4.60 - 0.70	.0313	----	----	3	----	438 - 1
4930	----	----	6.00B/4.30A	6.00B/4.30A	----	4.50 - 0.70	.0307	----	----	----	----	37 UNCH
4935	----	----	5.90B/4.30A	5.90B/4.30A	----	4.40 - 0.80	.0300	----	----	----	----	18 UNCH
4940	5.10	5.10	5.80B/4.20A	5.80B/4.20A	----	4.40 - 0.70	.0299	----	----	1	----	54 UNCH
4945	----	----	5.70B/4.20A	5.70B/4.20A	----	4.30 - 0.70	.0293	----	----	----	----	32 UNCH
4950	----	----	5.70B/4.10A	5.70B/4.10A	----	4.30 - 0.70	.0291	----	----	----	----	689 UNCH
4955	5.40	5.40	5.60B/4.10A	5.60B/4.10A	----	4.20 - 0.70	.0285	----	----	1	----	27 UNCH
4960	----	----	5.50B/4.00A	5.50B/4.00A	----	4.20 - 0.70	.0284	----	----	----	----	158 UNCH
4965	4.00	4.00	5.40B/4.00	5.40B/4.00	----	4.10 - 0.70	.0278	----	----	5	----	153 UNCH
4970	----	----	5.40B/4.00A	5.40B/4.00A	----	4.10 - 0.60	.0276	----	----	----	----	201 UNCH
4975	3.90	3.90	5.30B/3.90	5.30B/3.90	----	4.00 - 0.70	.0270	----	----	6	----	75 UNCH
4980	----	----	5.20B/3.90A	5.20B/3.90A	----	4.00 - 0.60	.0269	----	----	----	----	78 UNCH
4985	----	----	5.20B/3.80A	5.20B/3.80A	----	3.90 - 0.70	.0263	----	----	----	----	89 UNCH
4990	----	----	5.10B/3.80A	5.10B/3.80A	----	3.90 - 0.60	.0262	----	----	----	----	431 UNCH
4995	----	----	5.00B/3.80A	5.00B/3.80A	----	3.90 - 0.60	.0261	----	----	----	----	60 UNCH
5000	4.30	4.30	4.90B/3.70A	4.90B/3.70A	----	3.80 - 0.60	.0255	----	----	244	----	12008 + 6
5005	----	----	4.90B/3.70A	4.90B/3.70A	----	3.80 - 0.60	.0254	----	----	----	----	40 UNCH
5010	----	----	4.90B/3.70A	4.90B/3.70A	----	3.70 - 0.60	.0247	----	----	----	----	23 UNCH
5015	----	----	4.80B/3.60A	4.80B/3.60A	----	3.70 - 0.60	.0246	----	----	----	----	39 UNCH
5020	----	----	4.70B/3.60A	4.70B/3.60A	----	3.70 - 0.50	.0245	----	----	----	----	101 UNCH
5025	----	----	4.70B/3.60A	4.70B/3.60A	----	3.60 - 0.60	.0239	----	----	----	----	455 UNCH
5030	----	----	4.60B/3.50A	4.60B/3.50A	----	3.60 - 0.50	.0238	----	----	----	----	119 UNCH
5035	----	----	4.60B/3.50A	4.60B/3.50A	----	3.60 - 0.50	.0238	----	----	----	----	98 UNCH
5040	3.70	3.70	4.50B/3.50A	4.50B/3.50A	----	3.50 - 0.60	.0232	----	----	1	----	77 - 1
5045	3.90	3.90	4.40B/3.40A	4.40B/3.40A	----	3.50 - 0.50	.0231	----	----	5	----	79 + 2
5050	----	----	4.40B/3.40A	4.40B/3.40A	----	3.50 - 0.50	.0230	----	----	----	----	746 UNCH
5055	----	----	4.40B/3.40A	4.40B/3.40A	----	3.40 - 0.50	.0224	----	----	----	----	13 UNCH
5060	----	----	4.30B/3.40A	4.30B/3.40A	----	3.40 - 0.50	.0223	----	----	----	----	55 UNCH
5065	----	----	4.30B/3.30A	4.30B/3.30A	----	3.40 - 0.40	.0222	----	----	----	----	30 UNCH
5070	----	----	4.20B/3.30A	4.20B/3.30A	----	3.30 - 0.50	.0216	----	----	----	----	21 UNCH
5075	3.70	3.70	4.20B/3.30A	4.20B/3.30A	----	3.30 - 0.50	.0215	----	----	9	----	135 + 2
5080	3.70	3.70	4.10B/3.30A	4.10B/3.30A	----	3.30 - 0.40	.0215	----	----	15	----	37 + 13
5085	----	----	4.10B/3.20A	4.10B/3.20A	----	3.30 - 0.40	.0214	----	----	----	----	25 UNCH
5090	----	----	4.00B/3.20A	4.00B/3.20A	----	3.20 - 0.50	.0208	----	----	----	----	52 UNCH
5095	----	----	4.00B/3.20A	4.00B/3.20A	----	3.20 - 0.40	.0207	----	----	----	----	62 UNCH
5100	3.60	3.60	4.00/3.10A	4.00/3.10A	----	3.20 - 0.40	.0207	----	----	1816	----	3653 - 1052
5105	----	----	3.90B/3.10A	3.90B/3.10A	----	3.20 - 0.40	.0206	----	----	----	----	37 UNCH
5110	----	----	3.90B/3.10A	3.90B/3.10A	----	3.10 - 0.40	.0200	----	----	----	----	89 UNCH
5115	----	----	3.80B/3.10A	3.80B/3.10A	----	3.10 - 0.40	.0199	----	----	----	----	129 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
5120	----	----	3.80B/3.00A	3.80B/3.00A	----	3.10 - 0.30	.0199	----	----	----	----	130 UNCH
5125	3.30	3.30	3.70B/3.00A	3.70B/3.00A	----	3.10 - 0.30	.0198	----	----	10	----	91 - 6
5130	----	----	3.70B/3.00A	3.70B/3.00A	----	3.00 - 0.40	.0192	----	----	----	----	62 UNCH
5135	----	----	3.70B/3.00A	3.70B/3.00A	----	3.00 - 0.40	.0192	----	----	----	----	136 UNCH
5140	----	----	3.60B/3.00A	3.60B/3.00A	----	3.00 - 0.30	.0191	----	----	----	----	41 UNCH
5145	----	----	3.60B/2.90A	3.60B/2.90A	----	3.00 - 0.30	.0190	----	----	----	----	58 UNCH
5150	----	----	3.60B/2.90A	3.60B/2.90A	----	3.00 - 0.30	.0190	----	----	2	----	926 UNCH
5155	----	----	3.50B/2.90A	3.50B/2.90A	----	2.90 - 0.30	.0184	----	----	----	----	67 UNCH
5160	----	----	3.50B/2.90A	3.50B/2.90A	----	2.90 - 0.30	.0183	----	----	----	----	96 UNCH
5165	----	----	3.50B/2.90A	3.50B/2.90A	----	2.90 - 0.30	.0183	----	----	----	----	37 UNCH
5170	----	----	3.40B/2.80A	3.40B/2.80A	----	2.90 - 0.20	.0182	----	----	----	----	28 UNCH
5175	----	----	3.40B/2.80A	3.40B/2.80A	----	2.90 - 0.20	.0182	----	----	----	----	231 UNCH
5180	----	----	3.40B/2.80A	3.40B/2.80A	----	2.80 - 0.30	.0176	----	----	----	----	63 UNCH
5185	----	----	3.30B/2.80A	3.30B/2.80A	----	2.80 - 0.30	.0175	----	----	----	----	28 UNCH
5190	----	----	3.30B/2.80A	3.30B/2.80A	----	2.80 - 0.20	.0175	----	----	----	----	45 UNCH
5195	----	----	3.30B/2.70A	3.30B/2.70A	----	2.80 - 0.20	.0174	----	----	----	----	57 UNCH
5200	----	----	3.30B/2.70A	3.30B/2.70A	----	2.80 - 0.20	.0174	----	----	212	----	3065 + 132
5205	----	----	3.20B/2.70A	3.20B/2.70A	----	2.80 - 0.20	.0173	----	----	----	----	21 UNCH
5210	----	----	3.20B/2.70A	3.20B/2.70A	----	2.70 - 0.20	.0168	----	----	----	----	168 UNCH
5215	----	----	3.20B/2.70A	3.20B/2.70A	----	2.70 - 0.20	.0167	----	----	----	----	125 UNCH
5220	----	----	3.10B/2.60A	3.10B/2.60A	----	2.70 - 0.20	.0167	----	----	----	----	111 UNCH
5225	----	----	3.10B/2.60A	3.10B/2.60A	----	2.70 - 0.20	.0166	----	----	----	----	9418 UNCH
5230	----	----	3.10B/2.60A	3.10B/2.60A	----	2.70 - 0.10	.0166	----	----	----	----	67 UNCH
5235	----	----	3.00B/2.60A	3.00B/2.60A	----	2.70 - 0.10	.0165	----	----	----	----	17 UNCH
5240	----	----	3.00B/2.60A	3.00B/2.60A	----	2.60 - 0.20	.0160	----	----	----	----	17 UNCH
5245	----	----	3.00B/2.60A	3.00B/2.60A	----	2.60 - 0.20	.0159	----	----	----	----	23 UNCH
5250	----	----	3.00B/2.50A	3.00B/2.50A	----	2.60 - 0.20	.0159	----	----	----	----	1843 UNCH
5255	----	----	2.90B/2.50A	2.90B/2.50A	----	2.60 - 0.10	.0158	----	----	----	----	55 UNCH
5260	----	----	2.90B/2.50A	2.90B/2.50A	----	2.60 - 0.10	.0158	----	----	----	----	12 UNCH
5265	----	----	2.90B/2.50A	2.90B/2.50A	----	2.60 - 0.10	.0157	----	----	----	----	19 UNCH
5270	----	----	2.90B/2.50A	2.90B/2.50A	----	2.60 - 0.10	.0157	----	----	----	----	74 UNCH
5275	----	----	2.80B/2.50A	2.80B/2.50A	----	2.50 - 0.10	.0151	----	----	----	----	41 UNCH
5280	----	----	2.80B/2.50A	2.80B/2.50A	----	2.50 - 0.10	.0151	----	----	----	----	66 UNCH
5285	----	----	2.80B/2.40A	2.80B/2.40A	----	2.50 - 0.10	.0151	----	----	----	----	32 UNCH
5290	----	----	2.80B/2.40A	2.80B/2.40A	----	2.50 - 0.10	.0150	----	----	----	----	14 UNCH
5295	----	----	2.70B/2.40A	2.70B/2.40A	----	2.50 - 0.10	.0150	----	----	----	----	25 UNCH
5300	----	----	2.70B/2.40A	2.70B/2.40A	----	2.50 - 0.10	.0149	----	----	56	----	2347 + 51
5305	----	----	2.70B/2.40A	2.70B/2.40A	----	2.50 UNCH	.0149	----	----	----	----	48 UNCH
5310	----	----	2.70B/2.40A	2.70B/2.40A	----	2.40 - 0.10	.0144	----	----	----	----	44 UNCH
5315	----	----	2.70B/2.40A	2.70B/2.40A	----	2.40 - 0.10	.0143	----	----	----	----	38 UNCH
5320	----	----	2.60B/2.30A	2.60B/2.30A	----	2.40 - 0.10	.0143	----	----	----	----	11 UNCH
5325	----	----	2.60B/2.30A	2.60B/2.30A	----	2.40 - 0.10	.0142	----	----	----	----	30 UNCH
5330	----	----	2.60B/2.30A	2.60B/2.30A	----	2.40 UNCH	.0142	----	----	----	----	48 UNCH
5335	----	----	2.60B/2.30A	2.60B/2.30A	----	2.40 UNCH	.0141	----	----	----	----	46 UNCH
5340	----	----	2.60B/2.30A	2.60B/2.30A	----	2.40 UNCH	.0141	----	----	----	----	11 UNCH
5345	----	----	2.50B/2.30A	2.50B/2.30A	----	2.30 - 0.10	.0136	----	----	----	----	48 UNCH
5350	----	----	2.50B/2.30A	2.50B/2.30A	----	2.30 - 0.10	.0136	----	----	1	----	901 UNCH
5355	----	----	2.50B/2.20A	2.50B/2.20A	----	2.30 - 0.10	.0135	----	----	----	----	21 UNCH
5360	----	----	2.50B/2.20A	2.50B/2.20A	----	2.30 UNCH	.0135	----	----	----	----	119 UNCH
5365	----	----	2.50B/2.20A	2.50B/2.20A	----	2.30 UNCH	.0134	----	----	----	----	23 UNCH
5370	----	----	2.40B/2.20A	2.40B/2.20A	----	2.30 UNCH	.0134	----	----	----	----	83 UNCH
5375	----	----	2.40B/2.20A	2.40B/2.20A	----	2.30 UNCH	.0134	----	----	----	----	90 UNCH
5380	----	----	2.40B/2.20A	2.40B/2.20A	----	2.20 - 0.10	.0129	----	----	----	----	94 UNCH
5385	2.30	2.30	2.40B/2.20A	2.40B/2.20A	----	2.20 - 0.10	.0128	----	----	1	----	44 UNCH
5390	----	----	----/2.20A	2.30B/2.20A	----	2.20 - 0.10	.0128	----	----	2	----	214 UNCH
5395	----	----	2.30B/----	2.30B/2.20A	----	2.20 UNCH	.0128	----	----	----	----	13 UNCH
5400	2.30	2.30	2.30/2.10A	2.30/2.10A	----	2.20 UNCH	.0127	----	----	3	----	4216 - 2
5405	----	----	2.30B/2.10A	2.30B/2.10A	----	2.20 UNCH	.0127	----	----	----	----	54 UNCH
5410	----	----	2.30B/2.10A	2.30B/2.10A	----	2.20 UNCH	.0127	----	----	----	----	28 UNCH
5415	----	----	2.30B/2.10A	2.30B/2.10A	----	2.10 - 0.10	.0122	----	----	----	----	4 UNCH
5420	----	----	2.30B/2.10A	2.30B/2.10A	----	2.10 - 0.10	.0121	----	----	----	----	11 UNCH
5425	----	----	----/2.10A	2.20B/2.10A	----	2.10 - 0.10	.0121	----	----	----	----	269 UNCH
5430	----	----	----/2.10A	2.20B/2.10A	----	2.10 - 0.10	.0121	----	----	----	----	16 UNCH
5435	----	----	2.20B/----	2.20B/2.10A	----	2.10 UNCH	.0120	----	----	----	----	23 UNCH
5440	----	----	2.20B/----	2.20B/2.10A	----	2.10 UNCH	.0120	----	----	----	----	12 UNCH
5445	----	----	2.20B/2.00A	2.20B/2.00A	----	2.10 UNCH	.0120	----	----	----	----	45 UNCH
5450	----	----	2.20B/2.00A	2.20B/2.00A	----	2.10 UNCH	.0119	----	----	----	----	442 UNCH
5455	----	----	2.20B/2.00A	2.20B/2.00A	----	2.00 - 0.10	.0114	----	----	----	----	28 UNCH
5460	----	----	2.20B/2.00A	2.20B/2.00A	----	2.00 - 0.10	.0114	----	----	----	----	53 UNCH
5465	----	----	----/2.00A	2.10B/2.00A	----	2.00 - 0.10	.0114	----	----	----	----	70 UNCH
5470	----	----	----/2.00A	2.10B/2.00A	----	2.00 - 0.10	.0113	----	----	----	----	31 UNCH
5475	----	----	----/2.00A	2.10B/2.00A	----	2.00 - 0.10	.0113	----	----	----	----	588 UNCH
5480	----	----	----/2.00A	2.10B/2.00A	----	2.00 - 0.10	.0113	----	----	----	----	104 UNCH
5485	----	----	2.10B/----	2.10B/2.00A	----	2.00 UNCH	.0113	----	----	----	----	7 UNCH
5490	----	----	2.10B/----	2.10B/2.00A	----	2.00 UNCH	.0112	----	----	----	----	25 UNCH
5495	----	----	2.10B/1.90A	2.10B/1.90A	----	2.00 UNCH	.0112	----	----	----	----	100 UNCH
5500	----	----	2.10B/1.90A	2.10B/1.90A	----	2.00 UNCH	.0112	----	----	132	----	17058 - 3
5505	----	----	2.10B/1.90A	2.10B/1.90A	----	2.00 UNCH	.0111	----	----	----	----	15 UNCH
5510	----	----	2.10B/1.90A	2.10B/1.90A	----	1.90 - 0.10	.0107	----	----	----	----	37 UNCH
5515	----	----	----/1.90A	2.00B/1.90A	----	1.90 - 0.10	.0106	----	----	----	----	11 UNCH
5520	----	----	----/1.90A	2.00B/1.90A	----	1.90 - 0.10	.0106	----	----	----	----	26 UNCH
5525	----	----	----/1.90A	2.00B/1.90A	----	1.90 - 0.10	.0106	----	----	----	----	129 UNCH
5530	----	----	----/1.90A	2.00B/1.90A	----	1.90 - 0.10	.0106	----	----	----	----	7 UNCH
5535	----	----	----/1.90A	2.00B/1.90A	----	1.90 - 0.10	.0105	----	----	----	----	10 UNCH
5540	----	----	----/1.90A	2.00B/1.90A	----	1.90 - 0.10	.0105	----	----	----	----	47 UNCH
5545	----	----	2.00B/----	2.00B/1.90A	----	1.90 UNCH	.0105	----	----	----	----	5 UNCH
5550	----	----	2.00B/1.80A	2.00B/1.80A	----	1.90 UNCH	.0105	----	----	----	----	448 UNCH
5555	----	----	2.00B/1.80A	2.00B/1.80A	----	1.90 UNCH	.0104	----	----	----	----	9 UNCH
5560	----	----	2.00B/1.80A	2.00B/1.80A	----	1.90 UNCH	.0104	----	----	----	----	22 UNCH
5565	----	----	----/1.80A	1.90B/1.80A	----	1.90 UNCH	.0104	----	----	----	----	27 UNCH
5570	----	----	----/1.80A	1.90B/1.80A	----	1.90 UNCH	.0104	----	----	----	----	257 UNCH
5575	----	----	----/1.80A	1.90B/1.80A	----	1.80 - 0.10	.0099	----	----	----	----	28 UNCH
5580	----	----	----/1.80A	1.90B/1.80A	----	1.80 - 0.10	.0099	----	----	----	----	7 UNCH
5585	----	----	----/1.80A	1.90B/1.80A	----	1.80 - 0.10	.0098	----	----	----	----	9 UNCH
5590	----	----	----/1.80A	1.90B/1.80A	----	1.80 - 0.10	.0098	----	----	----	----	5 UNCH
5595	----	----	1.90B/----	1.90B/1.80A	----	1.80 UNCH	.0098	----	----	----	----	10 UNCH
5600	1.80	1.80	1.90B/1.60	1.90B/1.60	----	1.80 UNCH	.0098	----	----	5	----	3071 - 3
5605	----	----	1.90B/----	1.90B/1.80A	----	1.80 UNCH	.0097	----	----	----	----	41 UNCH
5610	----	----	1.90B/----	1.90B/1.80A	----	1.80 UNCH	.0097	----	----	----	----	8 UNCH
5615	----	----	1.90B/----	1.90B/1.80A	----	1.80 UNCH	.0097	----	----	----	----	34 UNCH
5620	----	----	1.90B/----	1.90B/1.80A	----	1.80 UNCH	.0097	----	----	----	----	13 UNCH
5625	----	----	----	1.80B/1.80A	----	1.80 UNCH	.0097	----	----	1	----	11 - 1
5630	----	----	----	1.80B/1.80A	----	1.70 - 0.10	.0092	----	----	----	----	8 UNCH
5635	----	----	1.80B/----	1.80B/1.70A	----	1.70 UNCH	.0092	----	----	----	----	35 UNCH
5640	----	----	1.80B/----	1.80B/1.70A	----	1.70 UNCH	.0091	----	----	----	----	8 UNCH
5645	----	----	1.80B/----	1.80B/1.70A	----	1.70 UNCH	.0091	----	----	----	----	2 UNCH
5650	----	----	1.80B/----	1.80B/1.70A	----	1.70 UNCH	.0091	----	----	----	----	352 UNCH
5655	----	----	1.80B/----	1.80B/1.70A	----	1.70 UNCH	.0091	----	----	----	----	38 UNCH
5660	----	----	1.80B/----	1.80B/1.70A	----	1.70 UNCH	.0091	----	----	----	----	28 UNCH
5665	----	----	1.80B/----	1.80B/1.70A	----	1.70 UNCH	.0090	----	----	----	----	6 UNCH
5670	----	----	1.80B/----	1.80B/1.70A	----	1.70 UNCH	.0090	----	----	----	----	161 UNCH
5675	----	----	1.80B/----	1.80B/1.70A	----	1.70 UNCH	.0090	----	----	----	----	57 UNCH
5680	----	----	1.80B/----	1.80B/1.70A	----	1.70 UNCH	.0090	----	----	----	----	40 UNCH
5685	----	----	1.80B/----	1.80B/1.70A	----	1.70 UNCH	.0090	----	----	----	----	28 UNCH
5690	----	----	----	1.70B/1.70A	----	1.70 UNCH	.0089	----	----	----	----	63 UNCH
5695	----	----	1.70B/----	1.70B/1.70A	----	1.60 UNCH	.0085	----	----	----	----	37 UNCH
5700	----	----	1.70B/----	1.70B/1.70A	----	1.60 UNCH	.0085	----	----	----	----	829 UNCH
5705	----	----	1.70B/----	1.70B/1.70A	----	1.60 UNCH	.0085	----	----	----	----	14 UNCH
5710	----	----	1.70B/----	1.70B/1.70A	----	1.60 UNCH	.0084	----	----	----	----	58 UNCH
5720	----	----	1.70B/----	1.70B/1.60A	----	1.60 UNCH	.0084	----	----	----	----	11 UNCH
5725	----	----	1.70B/----	1.70B/1.60A	----	1.60 UNCH	.0084	----	----	----	----	50 UNCH
5730	----	----	1.70B/----	1.70B/1.60A	----	1.60 UNCH	.0084	----	----	----	----	14 UNCH
5740	----	----	1.70B/----	1.70B/1.60A	----	1.60 UNCH	.0083	----	----	----	----	14 UNCH
5750	----	----	----	1.60B/1.60A	----	1.60 UNCH	.0083	----	----	----	----	533 UNCH
5760	----	----	----	1.60B/1.60A	----	1.60 UNCH	.0083	----	----	----	----	10 UNCH
5770	----	----	----	1.60B/1.60A	----	1.50 - 0.10	.0078	----	----	----	----	27 UNCH
5775	----	----	1.60B/----	1.60B/1.60A	----	1.50 UNCH	.0078	----	----	----	----	8 UNCH
5780	----	----	1.60B/----	1.60B/1.60A	----	1.50 UNCH	.0078	----	----	----	----	9 UNCH
5790	----	----	1.60B/----	1.60B/1.50A	----	1.50 UNCH	.0077	----	----	----	----	10 UNCH
5800	----	----	1.60B/----	1.60B/1.50A	----	1.50 UNCH	.0077	----	----	2	----	2179 + 1
5810	----	----	1.60B/----	1.60B/1.50A	----	1.50 UNCH	.0077	----	----	----	----	66 UNCH
5825	----	----	----	1.50B/1.50A	----	1.50 UNCH	.0076	----	----	----	----	17 UNCH
5850	----	----	----	1.50B/1.50A	----	1.50 UNCH	.0075	----	----	----	----	217 UNCH
5875	----	----	1.50B/----	1.50B/1.40A	----	1.40 UNCH	.0071	----	----	----	----	26 UNCH
5900	----	----	----	1.40B/1.40A	----	1.40 UNCH	.0070	----	----	----	----	1092 UNCH
5925	----	----	----	1.40B/1.40A	----	1.40 UNCH	.0069	----	----	----	----	25 UNCH
5950	----	----	----	1.40B/1.40A	----	1.40 UNCH	.0069	----	----	----	----	192 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL												
DEC26												
5975	----	----	----	1.30B/1.30A	----	1.30 UNCH	.0064	----	----	----	----	80 UNCH
6000	1.20	1.20	1.30/1.20	1.30/1.20	----	1.30 UNCH	.0063	----	----	372	----	15021 - 109
6025	1.30	1.30	1.30/1.30	1.30/1.30	----	1.30 UNCH	.0063	----	----	1	----	16 + 1
6050	----	----	----	1.30B/1.30A	----	1.30 UNCH	.0062	----	----	----	----	56 UNCH
6100	1.20	1.20	1.20/1.20	1.20/1.20	----	1.20 UNCH	.0057	----	----	2	----	168 - 1
6150	----	----	----	1.10B/1.20A	----	1.20 UNCH	.0056	----	----	----	----	91 UNCH
6200	----	----	----	1.10B/1.20A	----	1.10 UNCH	.0051	----	----	----	----	3067 UNCH
6250	----	----	----	1.00B/1.10A	----	1.10 UNCH	.0051	----	----	582	----	891 + 569
6300	----	----	----	1.00B/1.10A	----	1.10 UNCH	.0050	----	----	----	----	892 UNCH
6400	----	----	----	0.90B/1.00A	----	1.00 UNCH	.0045	----	----	2	----	876 UNCH
6500	----	----	1.00B/----	1.00B/1.00A	----	0.90 UNCH	.0040	----	----	742	----	6478 + 603
6750	----	----	----	0.70B/0.90A	----	0.80 UNCH	.0033	----	----	----	----	130 UNCH
6775	----	----	----	0.70B/0.90A	----	0.80 UNCH	.0033	----	----	----	----	240 UNCH
6800	----	----	----	0.70B/0.90A	----	0.80 UNCH	.0033	----	----	----	----	2009 UNCH
6900	----	----	----	0.80B/0.80A	----	0.70 - 0.10	.0029	----	----	----	----	141 UNCH
7000	----	----	----	0.70B/0.80A	----	0.70 UNCH	.0028	----	----	575	----	7696 + 525
7100	----	----	----	0.70B/0.80A	----	0.70 UNCH	.0028	----	----	----	----	13 UNCH
7125	----	----	----	0.70B/0.80A	----	0.60 - 0.10	.0024	----	----	----	----	4 UNCH
7130	----	----	----	0.70B/0.80A	----	0.60 - 0.10	.0024	----	----	----	----	201 UNCH
7150	----	----	----	0.70B/0.80A	----	0.60 - 0.10	.0024	----	----	----	----	137 UNCH
7175	----	----	----	0.70B/0.80A	----	0.60 - 0.10	.0024	----	----	----	----	129 UNCH
7200	----	----	----	0.70B/0.70A	----	0.60 - 0.10	.0024	----	----	----	----	69 UNCH
7250	----	----	----	0.60B/0.70A	----	0.60 - 0.10	.0023	----	----	----	----	520 UNCH
7500	----	----	----	0.60B/0.70A	----	0.60 UNCH	.0022	----	----	2979	----	3905 + 1479
8000	0.50	0.50	0.50/0.50	0.50/0.50	----	0.50 UNCH	.0017	----	----	10	----	13230 UNCH
8125	----	----	----	0.40B/0.50A	----	0.50 UNCH	.0017	----	----	2	----	805 + 2
8500	0.40	0.40	0.40/0.40	0.40/0.40	----	0.50 + 0.10	.0016	----	----	499	----	718 + 207
8630	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0013	----	----	----	----	422 UNCH
8700	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0013	----	----	----	----	127 UNCH
8725	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0013	----	----	----	----	217 UNCH
8750	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0013	----	----	638	----	1343 + 624
8775	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0013	----	----	----	----	49 UNCH
9000	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0012	----	----	200	----	730 + 95
9250	----	----	----	0.30B/0.40A	----	0.40 + 0.10	.0012	----	----	----	----	102 UNCH
9500	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0009	----	----	----	----	984 UNCH
9600	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0009	----	----	----	----	137 UNCH
9750	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0009	----	----	----	----	110 UNCH
9900	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0009	----	----	----	----	143 UNCH
10000	0.30	0.30	0.30/0.30	0.30/0.30	----	0.30 UNCH	.0009	----	----	119	----	11371 - 19
10500	----	----	----	0.20B/0.30A	----	0.30 UNCH	.0008	----	----	----	----	129 UNCH
11000	----	----	0.20B/----	0.20B/0.30A	----	0.10 UNCH	.0003	----	----	----	----	905 UNCH
13000	----	----	----	0.10B/0.20A	----	0.10 UNCH	.0000	----	----	----	----	697 UNCH
15000	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	36687 UNCH
17000	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	52 UNCH
19000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	350 UNCH
20000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	38132 UNCH
21000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	42 UNCH
23000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
24000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	167 UNCH
TOTAL										16980	220	328022 + 3898
JAN27												
3050	----	----	1,207.00B/1,156	1207.00B/1156.70A	----	1162.30 - 13.30	.9929	----	----	----	----	0 UNCH
3100	----	----	1,157.70B/1,106	1157.70B/1106.50A	----	1112.30 - 13.30	.9916	----	----	58	----	0 UNCH
3150	----	----	1,106.60B/1,056	1106.60B/1056.60A	----	1062.30 - 13.40	.9898	25	----	25	----	115 UNCH
3200	----	----	1,055.30B/1,007	1055.30B/1007.00A	----	1012.50 - 13.50	.9875	----	----	46	----	57 + 46
3250	----	----	1,004.20B/957.9	1004.20B/957.90A	----	962.70 - 13.60	.9851	----	----	12	----	37 + 12
3300	----	----	952.90B/908.90A	952.90B/908.90A	----	913.10 - 13.70	.9818	----	----	----	----	18 UNCH
3500	----	----	756.00B/712.60A	756.00B/712.60A	----	716.60 - 14.40	.9616	----	----	----	----	1 UNCH
3950	----	----	352.60B/307.00A	352.60B/307.00A	----	312.50 - 16.70	.7749	----	----	----	----	2 UNCH
4000	273.90	273.90	316.20B/270.30A	316.20B/270.30A	----	275.40 - 16.70	.7327	----	----	1	----	373 + 1
4010	----	----	308.90B/263.20A	308.90B/263.20A	----	268.30 - 16.70	.7237	----	----	----	----	1 UNCH
4035	----	----	290.70B/246.10A	290.70B/246.10A	----	250.90 - 16.60	.7005	----	----	----	----	1 UNCH
4070	----	----	266.40B/223.20A	266.40B/223.20A	----	227.80 - 16.40	.6665	----	----	----	----	1 UNCH
4090	----	----	253.00B/210.80A	253.00B/210.80A	----	215.20 - 16.30	.6463	----	----	----	----	1 UNCH
4100	----	----	246.50B/204.70A	246.50B/204.70A	----	209.10 - 16.20	.6360	----	----	----	----	109 UNCH
4110	----	----	240.10B/198.80A	240.10B/198.80A	----	203.10 - 16.10	.6256	----	----	----	----	1 UNCH
4115	----	----	237.00B/195.90A	237.00B/195.90A	----	200.20 - 16.00	.6204	----	----	----	----	1 UNCH
4125	----	----	230.70B/190.20A	230.70B/190.20A	----	194.30 - 15.90	.6100	----	----	----	----	2 UNCH
4130	----	----	227.60B/187.30A	227.60B/187.30A	----	191.50 - 15.80	.6047	----	----	----	----	1 UNCH
4140	----	----	221.60B/181.70A	221.60B/181.70A	----	185.80 - 15.80	.5941	----	----	----	----	1 UNCH
4145	----	----	218.60B/178.90A	218.60B/178.90A	----	183.10 - 15.70	.5888	----	----	----	----	1 UNCH
4150	----	----	215.60B/176.20A	215.60B/176.20A	----	180.30 - 15.70	.5835	----	----	----	----	6 UNCH
4155	----	----	212.70B/173.60A	212.70B/173.60A	----	177.60 - 15.60	.5781	----	----	----	----	3 UNCH
4160	----	----	209.70B/170.90A	209.70B/170.90A	----	174.90 - 15.50	.5728	----	----	----	----	230 UNCH
4165	----	----	206.90B/168.30A	206.90B/168.30A	----	172.30 - 15.40	.5674	----	----	----	----	8 UNCH
4170	----	----	204.00B/165.70A	204.00B/165.70A	----	169.70 - 15.30	.5620	----	----	----	----	3 UNCH
4175	171.00	171.00	202.00B/163.20A	202.00B/163.20A	----	167.10 - 15.30	.5567	----	----	2	----	12 + 1
4180	169.90	169.90	199.20B/160.70A	199.20B/160.70A	----	164.50 - 15.30	.5513	----	----	3	----	30 + 1
4185	----	----	196.60B/158.20A	196.60B/158.20A	----	162.00 - 15.20	.5459	----	----	----	----	4 UNCH
4190	----	----	193.70B/155.70A	193.70B/155.70A	----	159.50 - 15.10	.5405	----	----	----	----	29 UNCH
4195	----	----	191.10B/153.30A	191.10B/153.30A	----	157.00 - 15.10	.5352	----	----	----	----	7 UNCH
4200	185.10	185.10	188.20B/150.90A	188.20B/150.90A	----	154.60 - 14.90	.5298	----	----	10	----	252 - 5
4205	----	----	185.70B/148.50A	185.70B/148.50A	----	152.10 - 15.00	.5244	----	----	----	----	21 UNCH
4210	----	----	183.10B/146.20A	183.10B/146.20A	----	149.80 - 14.80	.5190	----	----	----	----	214 UNCH
4215	----	----	180.40B/143.80A	180.40B/143.80A	----	147.40 - 14.80	.5137	----	----	----	----	82 UNCH
4220	144.20	144.20	177.90B/141.60A	177.90B/141.60A	----	145.10 - 14.70	.5083	----	----	7	----	23 UNCH
4225	----	----	175.20B/139.30A	175.20B/139.30A	----	142.80 - 14.60	.5030	----	----	----	----	118 UNCH
4230	142.30	142.30	172.80B/137.10A	172.80B/137.10A	----	140.50 - 14.60	.4976	----	----	7	----	56 - 1
4235	148.30	148.30	170.30B/134.90A	170.30B/134.90A	----	138.30 - 14.50	.4923	----	----	7	----	64 + 7
4240	146.00	146.00	167.80B/132.70A	167.80B/132.70A	----	136.10 - 14.40	.4870	----	----	9	----	50 - 1
4245	----	----	165.40B/130.60A	165.40B/130.60A	----	133.90 - 14.30	.4817	----	----	----	----	11 UNCH
4250	----	----	162.90B/128.40A	162.90B/128.40A	----	131.70 - 14.30	.4764	----	----	103	----	695 - 48
4255	----	----	160.60B/126.40A	160.60B/126.40A	----	129.60 - 14.20	.4711	----	----	----	----	32 UNCH
4260	----	----	158.20B/124.30A	158.20B/124.30A	----	127.50 - 14.10	.4659	----	----	----	----	21 UNCH
4265	----	----	155.90B/122.30A	155.90B/122.30A	----	125.40 - 14.10	.4606	----	----	----	----	4 UNCH
4270	140.10	140.10	153.60B/120.30A	153.60B/120.30A	----	123.40 - 13.90	.4554	----	----	21	----	92 + 10
4275	----	----	151.30B/118.30A	151.30B/118.30A	----	121.40 - 13.80	.4503	----	----	----	----	28 UNCH
4280	----	----	149.10B/116.40A	149.10B/116.40A	----	119.40 - 13.80	.4451	----	----	----	----	10 UNCH
4285	----	----	146.90B/114.40A	146.90B/114.40A	----	117.40 - 13.70	.4399	----	----	----	----	3 UNCH
4290	----	----	144.70B/112.60A	144.70B/112.60A	----	115.50 - 13.60	.4348	----	----	----	----	3 UNCH
4300	120.00	120.00	140.30B/108.80A	140.30B/108.80A	----	111.70 - 13.50	.4246	----	----	96	----	336 + 42
4305	----	----	138.20B/107.00A	138.20B/107.00A	----	109.90 - 13.30	.4196	----	----	----	----	15 UNCH
4310	----	----	136.00B/105.30A	136.00B/105.30A	----	108.00 - 13.30	.4145	----	----	28	----	33 + 26
4315	----	----	134.10B/103.50A	134.10B/103.50A	----	106.20 - 13.20	.4095	----	----	----	----	11 UNCH
4320	----	----	132.00B/101.80A	132.00B/101.80A	----	104.50 - 13.10	.4046	----	----	----	----	7 UNCH
4325	----	----	130.00B/100.10A	130.00B/100.10A	----	102.70 - 13.00	.3997	----	----	----	----	7 UNCH
4330	----	----	128.10B/98.40A	128.10B/98.40A	----	101.00 - 12.90	.3948	----	----	----	----	68 UNCH
4335	----	----	126.10B/96.70A	126.10B/96.70A	----	99.30 - 12.80	.3899	----	----	----	----	4 UNCH
4340	----	----	124.20B/95.10A	124.20B/95.10A	----	97.60 - 12.80	.3850	----	----	----	----	4 UNCH
4345	97.60	97.60	122.30B/93.50A	122.30B/93.50A	----	96.00 - 12.60	.3803	----	----	2	----	12 + 2
4350	96.80	96.80	120.30B/91.90A	120.30B/91.90A	----	94.40 - 12.50	.3755	----	----	1	----	1630 + 1
4355	109.50	109.50	118.60B/90.40A	118.60B/90.40A	----	92.80 - 12.40	.3708	----	----	1	----	68 + 1
4360	----	----	116.70B/88.80A	116.70B/88.80A	----	91.20 - 12.40	.3660	----	----	----	----	64 UNCH
4365	----	----	114.80B/87.30A	114.80B/87.30A	----	89.70 - 12.20	.3614	----	----	----	----	234 UNCH
4370	108.00	108.00	113.10B/85.80A	113.10B/85.80A	----	88.10 - 12.20	.3567	----	----	6	----	48 + 3
4375	----	----	111.30B/84.40A	111.30B/84.40A	----	86.70 - 12.00	.3522	----	----	----	----	209 UNCH
4380	101.50	101.50	109.60B/82.90A	109.60B/82.90A	----	85.20 - 12.00	.3476	----	----	3	----	14 + 1
4385	99.90	99.90	107.90B/81.50A	107.90B/81.50A	----	83.70 - 11.90	.3430	----	----	4	----	23 - 1
4390	----	----	106.20B/80.10A	106.20B/80.10A	----	82.30 - 11.80	.3386	----	----	----	----	9 UNCH
4395	93.90	93.90	104.60B/78.70A	104.60B/78.70A	----	80.90 - 11.70	.3341	----	----	2	----	17 UNCH
4400	94.20	94.20	102.90B/77.40A	102.90B/77.40A	----	79.50 - 11.60	.3297	----	----	17	150	637 + 165
4405	----	----	101.30B/76.10A	101.30B/76.10A	----	78.20 - 11.40	.3254	----	----	----	----	7 UNCH
4410	91.00	91.00	99.70B/74.80A	99.70B/74.80A	----	76.80 - 11.40	.3210	----	----	1	----	35 + 1
4415	----	----	98.20B/73.50A	98.20B/73.50A	----	75.50 - 11.30	.3167	----	----	----	----	11 UNCH
4420	77.90	77.90	96.60B/72.20A	96.60B/72.20A	----	74.20 - 11.20	.3125	----	----	29	----	124 + 11
4425	----	----	95.00B/71.00A	95.00B/71.00A	----	73.00 - 11.00	.3084	----	----	----	----	60 UNCH
4430	----	----	93.60B/69.80A	93.60B/69.80A	----	71.70 - 11.00	.3041	----	----	----	----	18 UNCH
4435	----	----	92.10B/68.60A	92.10B/68.60A	----	70.50 - 10.80	.3001	----	----	----	----	16 UNCH
4440	----	----	90.60B/67.40A	90.60B/67.40A	----	69.30 - 10.70	.2960	----	----	----	----	97 UNCH
4445	81.40	81.40	89.20B/66.20A	89.20B/66.20A	----	68.10 - 10.60	.2919	----	----	1	----	23 + 1
4450	----	----	87.80B/65.10A	87.80B/65.10A	----	66.90 - 10.60	.2879	----	----	4	----	344 UNCH
4455	----	----	86.40B/63.90A	86.40B/63.90A	----	65.80 - 10.40	.2840	----	----	----	----	7 UNCH
4460	----	----	84.90B/62.80A	84.90B/62.80A	----	64.60 - 10.40	.2800	----	----	----	----	15 UNCH
4465	74.50	74.50	83.70B/61.80A	83.70B/61.80A	----	63.50 - 10.30	.2761	----	----	3	----	20 + 1
4470	----	----	82.40B/60.70A	82.40B/60.70A	----	62.40 - 10.20	.2723	----	----	----	----	13 UNCH
4475	----	----	81.00B/59.60A	81.00B/59.60A	----	61.40 - 10.00	.2686	----	----	1	----	56 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 27

FINAL

OG CALL COMEX GOLD OPTIONS
JAN27

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4480	----	----	79.70B/58.60A	79.70B/58.60A	----	60.30 - 9.90	.2648	----	----	----	----	113 UNCH
4485	----	----	78.50B/57.60A	78.50B/57.60A	----	59.30 - 9.80	.2612	----	----	----	----	9 UNCH
4490	----	----	77.20B/56.60A	77.20B/56.60A	----	58.20 - 9.80	.2573	----	----	----	----	17 UNCH
4495	----	----	76.00B/55.60A	76.00B/55.60A	----	57.20 - 9.70	.2537	----	----	----	----	7 UNCH
4500	69.60	69.60	74.80B/54.60A	74.80B/54.60A	----	56.20 - 9.60	.2501	----	----	46	----	2272 UNCH
4505	----	----	73.60B/53.70A	73.60B/53.70A	----	55.30 - 9.40	.2467	----	----	----	----	5 UNCH
4510	----	----	72.40B/52.80A	72.40B/52.80A	----	54.30 - 9.40	.2431	----	----	----	----	191 UNCH
4515	----	----	71.20B/51.90A	71.20B/51.90A	----	53.40 - 9.20	.2397	----	----	1	----	16 UNCH
4520	----	----	70.10B/51.00A	70.10B/51.00A	----	52.50 - 9.10	.2363	----	----	----	----	110 UNCH
4525	----	----	69.00B/50.10A	69.00B/50.10A	----	51.60 - 9.00	.2330	----	----	----	----	21 UNCH
4530	----	----	67.70B/49.20A	67.70B/49.20A	----	50.70 - 8.90	.2296	----	----	3	----	6 + 2
4535	----	----	66.80B/48.40A	66.80B/48.40A	----	49.80 - 8.80	.2263	----	----	6	----	18 + 6
4540	----	----	65.60B/47.50A	65.60B/47.50A	----	48.90 - 8.80	.2229	----	----	----	----	19 UNCH
4545	----	----	64.70B/46.70A	64.70B/46.70A	----	48.10 - 8.70	.2198	----	----	4	----	13 + 4
4550	55.40	55.40	63.60B/45.90A	63.60B/45.90A	----	47.30 - 8.50	.2167	----	----	2	----	91 UNCH
4555	----	----	62.50B/45.10A	62.50B/45.10A	----	46.40 - 8.50	.2133	----	----	----	----	49 UNCH
4560	----	----	61.60B/44.30A	61.60B/44.30A	----	45.60 - 8.40	.2102	----	----	----	----	11 UNCH
4565	----	----	60.50B/43.60A	60.50B/43.60A	----	44.90 - 8.20	.2074	----	----	----	----	4 UNCH
4570	52.60	52.60	59.50B/42.80A	59.50B/42.80A	----	44.10 - 8.20	.2043	----	----	2	----	38 + 1
4575	----	----	58.60B/42.10A	58.60B/42.10A	----	43.30 - 8.10	.2012	----	----	----	----	11 UNCH
4580	----	----	57.60B/41.40A	57.60B/41.40A	----	42.60 - 8.00	.1984	----	----	----	----	1 UNCH
4585	----	----	56.70B/40.60A	56.70B/40.60A	----	41.80 - 8.00	.1953	----	----	----	----	42 UNCH
4590	----	----	55.80B/39.90A	55.80B/39.90A	----	41.10 - 7.90	.1925	----	----	----	----	1 UNCH
4595	40.40	40.40	54.90B/39.30A	54.90B/39.30A	----	40.40 - 7.80	.1897	----	----	5	----	6 + 5
4600	41.20	41.20	53.80B/38.60A	53.80B/38.60A	----	39.70 - 7.70	.1869	----	----	102	250	1635 + 163
4605	----	----	53.10B/37.90A	53.10B/37.90A	----	39.00 - 7.60	.1841	----	----	----	----	29 UNCH
4610	----	----	52.20B/37.30A	52.20B/37.30A	----	38.40 - 7.50	.1816	----	----	----	----	1 UNCH
4615	42.00	42.00	51.40B/36.60A	51.40B/36.60A	----	37.70 - 7.40	.1788	----	----	20	----	30 + 19
4620	----	----	50.60B/36.00A	50.60B/36.00A	----	37.10 - 7.30	.1762	----	----	----	----	177 UNCH
4625	44.40	44.40	49.70B/35.40A	49.70B/35.40A	----	36.40 - 7.30	.1735	----	----	1	----	130 + 1
4630	----	----	48.80B/34.80A	48.80B/34.80A	----	35.80 - 7.20	.1710	----	----	----	----	10 UNCH
4635	----	----	48.20B/34.20A	48.20B/34.20A	----	35.20 - 7.10	.1685	----	----	----	----	26 UNCH
4640	----	----	47.20B/33.60A	47.20B/33.60A	----	34.60 - 7.00	.1660	----	----	----	----	6 UNCH
4645	----	----	46.60B/33.00A	46.60B/33.00A	----	34.00 - 6.90	.1635	----	----	----	----	16 UNCH
4650	33.80	33.80	45.80B/32.50A	45.80B/32.50A	----	33.40 - 6.80	.1610	----	----	2	----	118 + 2
4655	----	----	45.00B/31.90A	45.00B/31.90A	----	32.90 - 6.70	.1588	----	----	----	----	16 UNCH
4660	----	----	44.40B/31.40A	44.40B/31.40A	----	32.30 - 6.70	.1563	----	----	----	----	29 UNCH
4665	----	----	43.60B/30.90A	43.60B/30.90A	----	31.80 - 6.50	.1541	----	----	----	----	4 UNCH
4670	31.00	31.00	43.00B/30.30A	43.00B/30.30A	----	31.20 - 6.50	.1517	----	----	5	----	8 + 4
4675	----	----	42.20B/29.80A	42.20B/29.80A	----	30.70 - 6.40	.1495	----	----	----	----	14 UNCH
4680	----	----	41.50B/29.30A	41.50B/29.30A	----	30.20 - 6.30	.1473	----	----	----	----	5 UNCH
4685	30.30	30.30	40.90B/28.80A	40.90B/28.80A	----	29.70 - 6.20	.1451	----	----	6	----	29 + 4
4690	----	----	40.20B/28.40A	40.20B/28.40A	----	29.20 - 6.10	.1430	----	----	----	----	4 UNCH
4695	----	----	39.60B/27.90A	39.60B/27.90A	----	28.70 - 6.10	.1408	----	----	4	----	23 + 4
4700	36.20	36.20	38.90B/27.40A	38.90B/27.40A	----	28.20 - 6.00	.1387	----	----	206	----	1346 + 95
4705	----	----	38.40B/27.00A	38.40B/27.00A	----	27.80 - 5.90	.1368	----	----	----	----	2 UNCH
4710	----	----	37.70B/26.50A	37.70B/26.50A	----	27.30 - 5.80	.1347	----	----	----	----	38 UNCH
4715	----	----	37.10B/26.10A	37.10B/26.10A	----	26.80 - 5.80	.1326	----	----	----	----	14 UNCH
4720	----	----	36.50B/25.70A	36.50B/25.70A	----	26.40 - 5.70	.1307	----	----	----	----	34 UNCH
4725	----	----	35.90B/25.20A	35.90B/25.20A	----	26.00 - 5.60	.1289	----	----	----	----	63 UNCH
4730	----	----	35.40B/24.80A	35.40B/24.80A	----	25.50 - 5.60	.1268	----	----	----	----	29 UNCH
4735	30.10	30.10	34.80B/24.40A	34.80B/24.40A	----	25.10 - 5.50	.1250	----	----	1	----	24 - 1
4740	----	----	34.30B/24.00A	34.30B/24.00A	----	24.70 - 5.40	.1231	----	----	----	----	10 UNCH
4745	----	----	33.70B/23.60A	33.70B/23.60A	----	24.30 - 5.30	.1213	----	----	----	----	8 UNCH
4750	----	----	33.10B/23.30A	33.10B/23.30A	----	23.90 - 5.30	.1195	----	----	10	----	732 + 2
4755	----	----	32.60B/22.90A	32.60B/22.90A	----	23.50 - 5.20	.1177	----	----	----	----	17 UNCH
4760	----	----	32.10B/22.50A	32.10B/22.50A	----	23.10 - 5.20	.1160	----	----	----	----	124 UNCH
4765	----	----	31.60B/22.10A	31.60B/22.10A	----	22.80 - 5.00	.1145	----	----	----	----	13 UNCH
4770	27.60	27.60	31.10B/21.80A	31.10B/21.80A	----	22.40 - 5.00	.1127	----	----	1	----	60 UNCH
4775	----	----	30.60B/21.40A	30.60B/21.40A	----	22.00 - 5.00	.1109	----	----	----	----	22 UNCH
4780	----	----	30.10B/21.10A	30.10B/21.10A	----	21.70 - 4.80	.1095	----	----	----	----	12 UNCH
4785	----	----	29.70B/20.80A	29.70B/20.80A	----	21.30 - 4.80	.1077	----	----	----	----	47 UNCH
4790	----	----	29.20B/20.40A	29.20B/20.40A	----	21.00 - 4.70	.1063	----	----	----	----	11 UNCH
4795	21.10	21.10	28.80B/20.20A	28.80B/20.20A	----	20.70 - 4.60	.1048	----	----	8	----	33 + 4
4800	28.30	28.30	28.30/19.80A	28.30/19.80A	----	20.30 - 4.60	.1031	----	----	147	150	2771 + 2
4805	20.20	20.20	27.90B/19.50A	27.90B/19.50A	----	20.00 - 4.60	.1016	----	----	1	----	34 + 1
4810	----	----	27.40B/19.20A	27.40B/19.20A	----	19.70 - 4.50	.1002	----	----	----	----	6 UNCH
4815	----	----	27.00B/18.90A	27.00B/18.90A	----	19.40 - 4.40	.0988	----	----	----	----	42 UNCH
4820	----	----	26.60B/18.60A	26.60B/18.60A	----	19.10 - 4.40	.0974	----	----	----	----	14 UNCH
4825	----	----	26.10B/18.30A	26.10B/18.30A	----	18.80 - 4.30	.0959	----	----	----	----	61 UNCH
4830	24.50	24.50	25.80B/18.10A	25.80B/18.10A	----	18.50 - 4.30	.0945	----	----	4	----	36 + 4
4835	20.50	20.50	25.40B/17.80A	25.40B/17.80A	----	18.20 - 4.20	.0931	----	----	1	----	3 + 1
4840	20.50	20.50	25.00B/17.50A	25.00B/17.50A	----	17.90 - 4.20	.0917	----	----	15	----	37 + 15
4845	----	----	24.60B/17.20A	24.60B/17.20A	----	17.70 - 4.00	.0907	----	----	----	----	25 UNCH
4850	21.60	21.60	24.30B/17.00A	24.30B/17.00A	----	17.40 - 4.00	.0893	----	----	1	----	347 UNCH
4855	----	----	23.90B/16.70A	23.90B/16.70A	----	17.10 - 4.00	.0879	----	----	----	----	10 UNCH
4860	----	----	23.50B/16.50A	23.50B/16.50A	----	16.90 - 3.90	.0868	----	----	----	----	4 UNCH
4865	16.40	16.40	23.20B/16.20A	23.20B/16.20A	----	16.60 - 3.90	.0855	----	----	4	----	7 + 4
4870	----	----	22.80B/16.00A	22.80B/16.00A	----	16.40 - 3.80	.0844	----	----	----	----	242 UNCH
4875	----	----	22.50B/15.80A	22.50B/15.80A	----	16.10 - 3.80	.0831	----	----	----	----	27 UNCH
4880	16.80	16.80	22.10B/15.50A	22.10B/15.50A	----	15.90 - 3.70	.0820	----	----	4	----	50 UNCH
4885	----	----	21.80B/15.30A	21.80B/15.30A	----	15.70 - 3.60	.0810	----	----	----	----	46 UNCH
4890	18.90	18.90	21.50B/15.10A	21.50B/15.10A	----	15.40 - 3.60	.0796	----	----	3	----	7 + 2
4895	----	----	21.20B/14.80A	21.20B/14.80A	----	15.20 - 3.60	.0786	----	----	----	----	27 UNCH
4900	17.60	17.60	20.90B/14.60A	20.90B/14.60A	----	15.00 - 3.50	.0776	----	----	18	----	2743 - 2
4905	----	----	20.60B/14.40A	20.60B/14.40A	----	14.80 - 3.40	.0766	----	----	----	----	21 UNCH
4910	----	----	20.20B/14.20A	20.20B/14.20A	----	14.50 - 3.50	.0752	----	----	----	----	29 UNCH
4915	----	----	19.90B/14.00A	19.90B/14.00A	----	14.30 - 3.40	.0742	----	----	----	----	245 UNCH
4920	----	----	19.70B/13.80A	19.70B/13.80A	----	14.10 - 3.40	.0732	----	----	----	----	18 UNCH
4925	----	----	19.40B/13.60A	19.40B/13.60A	----	13.90 - 3.30	.0722	----	----	----	----	10 UNCH
4930	13.60	13.60	19.10B/13.40A	19.10B/13.40A	----	13.70 - 3.30	.0713	----	----	4	----	22 + 4
4935	----	----	18.80B/13.20A	18.80B/13.20A	----	13.50 - 3.20	.0703	----	----	----	----	3 UNCH
4940	16.10	16.10	18.50B/13.10A	18.50B/13.10A	----	13.40 - 3.10	.0696	----	----	5	----	16 + 3
4945	----	----	18.30B/12.90A	18.30B/12.90A	----	13.20 - 3.10	.0687	----	----	----	----	7 UNCH
4950	12.70	12.70	18.00B/12.70	18.00B/12.70	----	13.00 - 3.00	.0677	----	----	5	----	527 - 4
4955	----	----	17.80B/12.50A	17.80B/12.50A	----	12.80 - 3.00	.0667	----	----	----	----	2 UNCH
4960	13.90	13.90	17.50B/12.30A	17.50B/12.30A	----	12.60 - 3.00	.0657	----	----	5	----	14 + 5
4965	----	----	17.20B/12.20A	17.20B/12.20A	----	12.50 - 2.90	.0651	----	----	----	----	9 UNCH
4970	----	----	17.00B/12.00A	17.00B/12.00A	----	12.30 - 2.90	.0641	----	----	----	----	19 UNCH
4975	----	----	16.80B/11.80A	16.80B/11.80A	----	12.10 - 2.90	.0632	----	----	----	----	3 UNCH
4980	12.20	12.20	16.60B/11.70A	16.60B/11.70A	----	12.00 - 2.80	.0626	----	----	5	----	13 + 5
4985	----	----	16.30B/11.50A	16.30B/11.50A	----	11.80 - 2.80	.0616	----	----	----	----	14 UNCH
4990	----	----	16.10B/11.40A	16.10B/11.40A	----	11.70 - 2.70	.0610	----	----	----	----	24 UNCH
4995	----	----	15.90B/11.20A	15.90B/11.20A	----	11.50 - 2.70	.0601	----	----	----	----	11 UNCH
5000	12.80	12.80	15.70B/11.10A	15.70B/11.10A	----	11.40 - 2.60	.0595	----	----	381	----	5324 + 346
5005	----	----	15.40B/11.00A	15.40B/11.00A	----	11.20 - 2.60	.0585	----	----	----	----	54 UNCH
5010	----	----	15.20B/10.80A	15.20B/10.80A	----	11.10 - 2.50	.0580	----	----	----	----	61 UNCH
5015	----	----	15.00B/10.70A	15.00B/10.70A	----	10.90 - 2.60	.0570	----	----	----	----	9 UNCH
5020	----	----	14.80B/10.50A	14.80B/10.50A	----	10.80 - 2.50	.0564	----	----	----	----	6 UNCH
5025	----	----	14.70B/10.40A	14.70B/10.40A	----	10.70 - 2.40	.0559	----	----	----	----	14 UNCH
5030	----	----	14.50B/10.30A	14.50B/10.30A	----	10.50 - 2.50	.0549	----	----	----	----	8 UNCH
5035	----	----	14.30B/10.20A	14.30B/10.20A	----	10.40 - 2.40	.0544	----	----	----	----	29 UNCH
5040	----	----	14.10B/10.00A	14.10B/10.00A	----	10.30 - 2.30	.0538	----	----	----	----	26 UNCH
5045	----	----	13.90B/9.90A	13.90B/9.90A	----	10.10 - 2.40	.0529	----	----	----	----	6 UNCH
5050	----	----	13.60B/9.80A	13.60B/9.80A	----	10.00 - 2.30	.0523	----	----	6	----	215 + 1
5055	9.90	9.90	13.60B/9.70A	13.60B/9.70A	----	9.90 - 2.30	.0518	----	----	4	----	18 UNCH
5060	----	----	13.40B/9.60A	13.40B/9.60A	----	9.80 - 2.20	.0512	----	----	----	----	46 UNCH
5065	----	----	13.20B/9.40A	13.20B/9.40A	----	9.70 - 2.20	.0507	----	----	----	----	2 UNCH
5070	----	----	13.00B/9.30A	13.00B/9.30A	----	9.60 - 2.10	.0501	----	----	----	----	11 UNCH
5075	----	----	12.80B/9.20A	12.80B/9.20A	----	9.40 - 2.20	.0492	----	----	----	----	16 UNCH
5080	10.70	10.70	12.70B/9.10A	12.70B/9.10A	----	9.30 - 2.10	.0486	----	----	2	----	25 UNCH
5085	----	----	12.50B/9.00A	12.50B/9.00A	----	9.20 - 2.10	.0481	----	----	----	----	46 UNCH
5090	10.50	10.50	12.30B/8.90A	12.30B/8.90A	----	9.10 - 2.10	.0476	----	----	2	----	5 + 2
5095	----	----	12.20B/8.80A	12.20B/8.80A	----	9.00 - 2.00	.0470	----	----	----	----	3 UNCH
5100	----	----	12.10B/8.70A	12.10B/8.70A	----	8.90 - 2.00	.0465	----	----	1	----	364 - 1
5105	----	----	11.90B/8.60A	11.90B/8.60A	----	8.80 - 2.00	.0460	----	----	----	----	27 UNCH
5110	----	----	11.80B/8.50A	11.80B/8.50A	----	8.70 - 2.00	.0454	----	----	----	----	15 UNCH
5115	----	----	11.70B/8.40A	11.70B/8.40A	----	8.60 - 1.90	.0449	----	----	----	----	26 UNCH
5120	----	----	11.40B/8.30A	11.40B/8.30A	----	8.50 - 1.90	.0444	----	----	----	----	13 UNCH
5125	----	----	11.40B/8.20A	11.40B/8.20A	----	8.40 - 1.90	.0439	----	----	----	----	51 UNCH
5130	----	----	11.20B/8.20A	11.20B/8.20A	----	8.30 - 1.90	.0433	----	----	----	----	20 UNCH
5135	----	----	11.10B/8.10A	11.10B/8.10A	----	8.30 - 1.80	.0432	----	----	----	----	50 UNCH
5140	----	----	10.90B/8.00A	10.90B/8.00A	----	8.20 - 1.70	.0427	----	----	----	----	29 UNCH
5145	----	----	10.90B/7.90A	10.90B/7.90A	----	8.10 - 1.70	.0422	----	----	----	----	24 UNCH
5150	----	----	10.70B/7.80A	10.70B/7.80A	----	8.00 - 1.70	.0416	----	----	14	----	263 UNCH
5155	----	----	10.60B/7.70A	10.60B/7.70A	----	7.90 - 1.70	.0411	----	----	----	----	24 UNCH
5160	----	----	10.50B/7.60A	10.50B/7.60A	----	7.80 - 1.70	.0406	----	----	----	----	17 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JAN27												
5165	----	----	10.40B/7.60A	10.40B/7.60A	----	7.80 - 1.60	.0405	----	----	----	----	13 UNCH
5170	----	----	10.30B/7.50A	10.30B/7.50A	----	7.70 - 1.60	.0400	----	----	----	----	14 UNCH
5175	8.70	8.70	10.20B/7.40A	10.20B/7.40A	----	7.60 - 1.60	.0395	----	----	7	----	242 + 7
5180	----	----	10.00B/7.30A	10.00B/7.30A	----	7.50 - 1.60	.0390	----	----	----	----	12 UNCH
5185	----	----	9.90B/7.30A	9.90B/7.30A	----	7.40 - 1.60	.0385	----	----	----	----	9 UNCH
5190	----	----	9.80B/7.20A	9.80B/7.20A	----	7.40 - 1.50	.0383	----	----	----	----	11 UNCH
5195	----	----	9.70B/7.10A	9.70B/7.10A	----	7.30 - 1.50	.0378	----	----	----	----	5 UNCH
5200	----	----	9.60B/7.10A	9.60B/7.10A	----	7.20 - 1.50	.0373	----	----	7	----	945 + 2
5205	----	----	9.50B/7.00A	9.50B/7.00A	----	7.20 - 1.50	.0372	----	----	----	----	29 UNCH
5210	----	----	9.40B/6.90A	9.40B/6.90A	----	7.10 - 1.50	.0367	----	----	----	----	17 UNCH
5215	----	----	9.30B/6.90A	9.30B/6.90A	----	7.00 - 1.50	.0362	----	----	----	----	20 UNCH
5220	----	----	9.20B/6.80A	9.20B/6.80A	----	6.90 - 1.50	.0357	----	----	----	----	8 UNCH
5225	----	----	9.10B/6.70A	9.10B/6.70A	----	6.90 - 1.40	.0356	----	----	----	----	113 UNCH
5230	7.90	7.90	9.00B/6.70A	9.00B/6.70A	----	6.80 - 1.40	.0351	----	----	3	----	10 + 3
5235	----	----	8.90B/6.60A	8.90B/6.60A	----	6.80 - 1.30	.0350	----	----	----	----	64 UNCH
5240	----	----	8.80B/6.60A	8.80B/6.60A	----	6.70 - 1.40	.0346	----	----	6	----	11 + 6
5245	----	----	8.70B/6.50A	8.70B/6.50A	----	6.60 - 1.40	.0341	----	----	----	----	15 UNCH
5250	7.50	7.50	8.60B/6.40A	8.60B/6.40A	----	6.60 - 1.30	.0340	----	----	6	----	836 - 4
5255	----	----	8.50B/6.40A	8.50B/6.40A	----	6.50 - 1.30	.0335	----	----	----	----	4 UNCH
5260	7.50	7.50	8.50B/6.30A	8.50B/6.30A	----	6.50 - 1.20	.0334	----	----	5	----	29 + 4
5270	----	----	8.30B/6.20A	8.30B/6.20A	----	6.30 - 1.30	.0324	----	----	----	----	33 UNCH
5275	----	----	8.20B/6.20A	8.20B/6.20A	----	6.30 - 1.20	.0323	----	----	----	----	25 UNCH
5280	----	----	8.10B/6.10A	8.10B/6.10A	----	6.20 - 1.30	.0318	----	----	----	----	29 UNCH
5285	----	----	8.00B/6.10A	8.00B/6.10A	----	6.20 - 1.20	.0318	----	----	----	----	13 UNCH
5290	----	----	8.00B/6.00A	8.00B/6.00A	----	6.10 - 1.20	.0313	----	----	----	----	38 UNCH
5300	----	----	7.80B/5.90A	7.80B/5.90A	----	6.00 - 1.20	.0307	----	----	1	----	876 + 1
5305	----	----	7.70B/5.90A	7.70B/5.90A	----	6.00 - 1.10	.0306	----	----	----	----	33 UNCH
5310	6.80	6.80	7.70B/5.80A	7.70B/5.80A	----	5.90 - 1.10	.0302	----	----	7	----	15 UNCH
5320	6.60	6.60	7.50B/5.70A	7.50B/5.70A	----	5.80 - 1.10	.0296	----	----	4	----	13 UNCH
5325	----	----	7.40B/5.70A	7.40B/5.70A	----	5.80 - 1.10	.0295	----	----	----	----	29 UNCH
5330	----	----	7.30B/5.60A	7.30B/5.60A	----	5.70 - 1.10	.0291	----	----	----	----	4 UNCH
5340	----	----	7.20B/5.50A	7.20B/5.50A	----	5.70 - 1.00	.0289	----	----	----	----	2 UNCH
5345	----	----	7.20B/5.50A	7.20B/5.50A	----	5.60 - 1.00	.0284	----	----	----	----	10 UNCH
5350	----	----	7.10B/5.40A	7.10B/5.40A	----	5.60 - 1.00	.0284	----	----	10	----	2422 + 2
5355	----	----	7.00B/5.40A	7.00B/5.40A	----	5.50 - 1.00	.0279	----	----	----	----	12 UNCH
5360	----	----	6.90B/5.40A	6.90B/5.40A	----	5.50 - 1.00	.0278	----	----	----	----	2 UNCH
5365	----	----	6.90B/5.30A	6.90B/5.30A	----	5.40 - 1.00	.0274	----	----	----	----	15 UNCH
5370	----	----	6.80B/5.30A	6.80B/5.30A	----	5.40 - 0.90	.0273	----	----	----	----	13 UNCH
5375	----	----	6.80B/5.30A	6.80B/5.30A	----	5.40 - 0.90	.0272	----	----	----	----	3 UNCH
5380	----	----	6.70B/5.20A	6.70B/5.20A	----	5.30 - 0.90	.0268	----	----	----	----	300 UNCH
5385	----	----	6.70B/5.20A	6.70B/5.20A	----	5.30 - 0.90	.0267	----	----	----	----	22 UNCH
5390	----	----	6.60B/5.10A	6.60B/5.10A	----	5.20 - 0.90	.0262	----	----	----	----	5 UNCH
5395	----	----	6.50B/5.10A	6.50B/5.10A	----	5.20 - 0.90	.0262	----	----	----	----	10 UNCH
5400	----	----	6.50B/5.10A	6.50B/5.10A	----	5.20 - 0.80	.0261	----	----	----	----	502 UNCH
5410	----	----	6.30B/5.00A	6.30B/5.00A	----	5.10 - 0.80	.0256	----	----	----	----	23 UNCH
5420	----	----	6.20B/4.90A	6.20B/4.90A	----	5.00 - 0.80	.0251	----	----	----	----	2 UNCH
5425	----	----	6.20B/4.90A	6.20B/4.90A	----	5.00 - 0.80	.0250	----	----	----	----	18 UNCH
5430	----	----	6.10B/4.90A	6.10B/4.90A	----	5.00 - 0.80	.0249	----	----	----	----	19 UNCH
5440	----	----	6.00B/4.80A	6.00B/4.80A	----	4.90 - 0.80	.0244	----	----	----	----	32 UNCH
5445	----	----	6.00B/4.70A	6.00B/4.70A	----	4.90 - 0.70	.0244	----	----	----	----	14 UNCH
5450	----	----	5.90B/4.70A	5.90B/4.70A	----	4.80 - 0.80	.0239	----	----	----	----	423 UNCH
5455	----	----	5.90B/4.70A	5.90B/4.70A	----	4.80 - 0.70	.0239	----	----	----	----	2 UNCH
5460	----	----	5.80B/4.70A	5.80B/4.70A	----	4.80 - 0.70	.0238	----	----	----	----	16 UNCH
5465	----	----	5.80B/4.60A	5.80B/4.60A	----	4.70 - 0.80	.0234	----	----	----	----	4 UNCH
5470	----	----	5.70B/4.60A	5.70B/4.60A	----	4.70 - 0.70	.0233	----	----	----	----	6 UNCH
5475	----	----	5.70B/4.60A	5.70B/4.60A	----	4.70 - 0.70	.0232	----	----	----	----	11 UNCH
5480	----	----	5.60B/4.60A	5.60B/4.60A	----	4.70 - 0.60	.0232	----	----	----	----	5 UNCH
5485	----	----	5.60B/4.50A	5.60B/4.50A	----	4.60 - 0.70	.0228	----	----	----	----	8 UNCH
5490	----	----	5.50B/4.50A	5.50B/4.50A	----	4.60 - 0.70	.0227	----	----	----	----	10 UNCH
5495	----	----	5.50B/4.40A	5.50B/4.40A	----	4.60 - 0.60	.0226	----	----	----	----	19 UNCH
5500	5.00	5.00	5.50B/4.40	5.50B/4.40	----	4.50 - 0.70	.0222	----	----	210	----	1546 - 61
5510	----	----	5.40B/4.40A	5.40B/4.40A	----	4.50 - 0.60	.0221	----	----	----	----	28 UNCH
5515	----	----	5.30B/4.40A	5.30B/4.40A	----	4.50 - 0.60	.0220	----	----	----	----	2 UNCH
5520	----	----	5.30B/4.30A	5.30B/4.30A	----	4.40 - 0.70	.0216	----	----	----	----	15 UNCH
5525	----	----	5.30B/4.30A	5.30B/4.30A	----	4.40 - 0.60	.0216	----	----	----	----	27 UNCH
5530	----	----	5.20B/4.30A	5.20B/4.30A	----	4.40 - 0.60	.0215	----	----	----	----	12 UNCH
5540	----	----	5.10B/4.20A	5.10B/4.20A	----	4.30 - 0.60	.0210	----	----	----	----	15 UNCH
5545	----	----	5.10B/4.20A	5.10B/4.20A	----	4.30 - 0.60	.0210	----	----	----	----	5 UNCH
5550	----	----	5.10B/4.20A	5.10B/4.20A	----	4.30 - 0.60	.0209	----	----	----	----	19 UNCH
5555	----	----	5.00B/4.20A	5.00B/4.20A	----	4.30 - 0.50	.0209	----	----	----	----	4 UNCH
5560	----	----	5.00B/4.10A	5.00B/4.10A	----	4.20 - 0.60	.0205	----	----	----	----	5 UNCH
5565	----	----	5.00B/4.10A	5.00B/4.10A	----	4.20 - 0.60	.0204	----	----	----	----	16 UNCH
5570	----	----	4.90B/4.10A	4.90B/4.10A	----	4.20 - 0.50	.0204	----	----	----	----	2 UNCH
5575	----	----	4.90B/4.10A	4.90B/4.10A	----	4.20 - 0.50	.0203	----	----	----	----	6 UNCH
5580	----	----	4.90B/4.10A	4.90B/4.10A	----	4.10 - 0.60	.0199	----	----	----	----	1 UNCH
5600	----	----	4.70B/4.00A	4.70B/4.00A	----	4.10 - 0.50	.0197	----	----	10	----	463 + 9
5605	----	----	4.70B/3.90A	4.70B/3.90A	----	4.00 - 0.50	.0193	----	----	----	----	28 UNCH
5615	----	----	4.60B/3.90A	4.60B/3.90A	----	4.00 - 0.50	.0192	----	----	----	----	1 UNCH
5620	----	----	4.60B/3.90A	4.60B/3.90A	----	4.00 - 0.50	.0192	----	----	----	----	2 UNCH
5625	----	----	4.60B/3.90A	4.60B/3.90A	----	4.00 - 0.40	.0191	----	----	----	----	7 UNCH
5630	----	----	4.50B/3.80A	4.50B/3.80A	----	3.90 - 0.50	.0187	----	----	----	----	1 UNCH
5650	----	----	4.40B/3.80A	4.40B/3.80A	----	3.90 - 0.40	.0185	----	----	----	----	10 UNCH
5655	----	----	4.40B/3.80A	4.40B/3.80A	----	3.80 - 0.50	.0181	----	----	----	----	4 UNCH
5675	----	----	4.30B/3.70A	4.30B/3.70A	----	3.80 - 0.40	.0180	----	----	----	----	3 UNCH
5685	----	----	----/3.60A	4.20B/3.60A	----	3.70 - 0.50	.0175	----	----	----	----	19 UNCH
5690	----	----	4.20B/3.60A	4.20B/3.60A	----	3.70 - 0.40	.0175	----	----	----	----	3 UNCH
5700	----	----	4.20B/3.60A	4.20B/3.60A	----	3.70 - 0.40	.0174	----	----	----	----	134 UNCH
5705	----	----	----/3.60A	4.10B/3.60A	----	3.70 - 0.40	.0174	----	----	----	----	19 UNCH
5720	----	----	4.10B/3.50A	4.10B/3.50A	----	3.60 - 0.40	.0169	----	----	----	----	2 UNCH
5725	----	----	----/3.50A	4.00B/3.50A	----	3.60 - 0.40	.0169	----	----	----	----	30 UNCH
5730	----	----	----/3.50A	4.00B/3.50A	----	3.60 - 0.40	.0168	----	----	----	----	6 UNCH
5735	----	----	4.00B/3.50A	4.00B/3.50A	----	3.60 - 0.30	.0168	----	----	1	----	5 UNCH
5745	----	----	4.00B/3.50A	4.00B/3.50A	----	3.50 - 0.40	.0164	----	----	----	----	6 UNCH
5750	----	----	----/3.40A	3.90B/3.40A	----	3.50 - 0.40	.0163	----	----	----	----	271 UNCH
5760	----	----	3.90B/3.40A	3.90B/3.40A	----	3.50 - 0.30	.0163	----	----	----	----	4 UNCH
5770	----	----	3.90B/3.40A	3.90B/3.40A	----	3.50 - 0.30	.0162	----	----	----	----	32 UNCH
5775	----	----	----/3.40A	3.80B/3.40A	----	3.40 - 0.40	.0158	----	----	----	----	215 UNCH
5800	----	----	----/3.30A	3.70B/3.30A	----	3.40 - 0.30	.0156	----	----	----	----	311 UNCH
5820	----	----	3.70B/3.20A	3.70B/3.20A	----	3.30 - 0.30	.0152	----	----	----	----	7 UNCH
5840	----	----	----/3.20A	3.60B/3.20A	----	3.30 - 0.30	.0150	----	----	----	----	15 UNCH
5850	----	----	3.60B/3.20A	3.60B/3.20A	----	3.20 - 0.30	.0146	----	----	----	----	4 UNCH
5875	----	----	----/3.10A	3.50B/3.10A	----	3.20 - 0.30	.0145	----	----	----	----	9 UNCH
5900	3.30	3.30	3.30/3.00A	3.40B/3.00A	----	3.10 - 0.30	.0140	----	----	10	----	261 + 10
5925	----	----	----/3.00A	3.30B/3.00A	----	3.00 - 0.30	.0135	----	----	----	----	8 UNCH
5950	----	----	3.30B/2.90A	3.30B/2.90A	----	3.00 - 0.20	.0134	----	----	----	----	1 UNCH
5975	----	----	----/2.90A	3.20B/2.90A	----	2.90 - 0.30	.0129	----	----	----	----	14 UNCH
6000	2.90	2.90	2.90/2.80A	3.10B/2.80A	----	2.90 - 0.20	.0128	----	----	10	----	944 - 1
6025	----	----	3.10B/2.80A	3.10B/2.80A	----	2.80 - 0.20	.0123	----	----	----	----	253 UNCH
6100	----	----	----/2.60A	2.90B/2.60A	----	2.60 - 0.30	.0113	----	----	----	----	11 UNCH
6250	----	----	----/2.40A	2.60B/2.40A	----	2.40 - 0.20	.0101	----	----	----	----	82 UNCH
6300	----	----	----/2.30A	2.50B/2.30A	----	2.30 - 0.20	.0096	----	----	----	----	569 UNCH
6400	----	----	----/2.20A	2.30B/2.20A	----	2.20 - 0.20	.0090	----	----	----	----	4 UNCH
6500	2.60	2.60	2.60/2.00A	2.60/2.00A	----	2.10 - 0.20	.0085	----	----	2	----	1336 UNCH
6600	2.20	2.20	2.20/2.00	2.20/2.00	----	2.00 - 0.20	.0079	----	----	7	----	13 - 1
7000	----	----	----/1.70A	1.70B/1.70A	----	1.70 - 0.10	.0063	----	----	----	----	153 UNCH
7200	----	----	----/1.50A	1.60B/1.50A	----	1.50 - 0.20	.0054	----	----	----	----	21 UNCH
7700	----	----	----	1.20B/1.30A	----	1.20 - 0.10	.0041	----	----	----	----	257 UNCH
7800	----	----	----	1.20B/1.20A	----	1.10 - 0.10	.0038	----	----	----	----	271 UNCH
7900	----	----	----/1.10A	1.10B/1.10A	----	1.10 - 0.10	.0037	----	----	----	----	44 UNCH
8000	----	----	----	1.10B/1.10A	----	1.00 - 0.10	.0034	----	----	----	----	19 UNCH
9000	----	----	----	0.70B/0.80A	----	0.70 UNCH	.0022	----	----	----	----	581 UNCH
10000	----	----	----	0.60B/0.60A	----	0.60 UNCH	.0017	----	----	----	----	243 UNCH
20000	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	279 UNCH
TOTAL										1883	550	45666+ 958
FEB27												
3500	----	----	749.70B/720.90A	749.70B/720.90A	----	721.30 - 14.80	.9414	----	----	----	----	2 UNCH
3855	----	----	440.30B/401.60A	440.30B/401.60A	----	406.10 - 16.40	.8062	----	----	----	----	1 UNCH
3860	----	----	436.90B/397.70A	436.90B/397.70A	----	402.10 - 16.50	.8032	----	----	----	----	1 UNCH
3900	----	----	406.80B/366.40A	406.80B/366.40A	----	370.90 - 16.50	.7776	----	----	----	----	45 UNCH
3950	----	----	372.60B/328.20A	372.60B/328.20A	----	333.60 - 16.60	.7427	----	----	----	----	1 UNCH
4000	----	----	336.60B/293.30A	336.60B/293.30A	----	298.50 - 16.50	.7044	----	----	----	----	10 UNCH
4010	----	----	329.60B/286.70A	329.60B/286.70A	----	291.70 - 16.60	.6964	----	----	----	----	1 UNCH
4100	----	----	270.80B/230.90A	270.80B/230.90A	----	235.40 - 15.80	.6203	----	----	----	----	211 UNCH
4125	----	----	255.70B/216.60A	255.70B/216.60A	----	221.10 - 15.60	.5982	----	----	----	----	1 UNCH
4140	----	----	247.00B/208.50A	247.00B/208.50A	----	212.90 - 15.40	.5848	----	----	----	----	2 UNCH
4150	----	----	241.20B/203.20A	241.20B/203.20A	----	207.50 - 15.30	.5758	----	----	----	----	113 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 29

FINAL

OG CALL COMEX GOLD OPTIONS
FEB27

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4160	----	----	235.60B/198.10A	235.60B/198.10A	----	202.20 - 15.20	.5668	----	----	----	----	11 UNCH
4165	----	----	233.60B/195.50A	233.60B/195.50A	----	199.60 - 15.20	.5623	----	----	----	----	7 UNCH
4170	----	----	230.90B/193.00A	230.90B/193.00A	----	197.10 - 15.10	.5578	----	----	----	----	29 UNCH
4175	----	----	228.20B/190.50A	228.20B/190.50A	----	194.50 - 15.10	.5532	----	----	----	----	3 UNCH
4180	----	----	225.50B/188.00A	225.50B/188.00A	----	192.00 - 15.00	.5487	----	----	----	----	11 UNCH
4185	----	----	222.80B/185.60A	222.80B/185.60A	----	189.50 - 15.00	.5442	----	----	----	----	7 UNCH
4190	----	----	220.10B/183.10A	220.10B/183.10A	----	187.00 - 15.00	.5397	----	----	----	----	21 UNCH
4195	----	----	217.40B/180.70A	217.40B/180.70A	----	184.60 - 14.90	.5352	----	----	----	----	15 UNCH
4200	----	----	214.80B/178.40A	214.80B/178.40A	----	182.20 - 14.90	.5306	----	----	----	----	251 UNCH
4205	----	----	212.40B/176.00A	212.40B/176.00A	----	179.80 - 14.80	.5261	----	----	----	----	15 UNCH
4210	----	----	210.10B/173.70A	210.10B/173.70A	----	177.40 - 14.80	.5216	----	----	----	----	12 UNCH
4215	174.90	174.90	207.30B/171.40A	207.30B/171.40A	----	175.00 - 14.90	.5171	----	----	2	55	103 + 56
4220	----	----	205.00B/169.10A	205.00B/169.10A	----	172.70 - 14.80	.5126	----	----	----	----	46 UNCH
4225	----	----	202.30B/166.90A	202.30B/166.90A	----	170.40 - 14.80	.5081	----	----	----	----	27 UNCH
4230	----	----	200.00B/164.70A	200.00B/164.70A	----	168.20 - 14.70	.5036	----	----	2	----	46 + 1
4235	166.00	166.00	197.30B/162.50A	197.30B/162.50A	----	165.90 - 14.70	.4991	----	----	3	----	27 - 3
4240	166.20	166.20	194.90B/160.30A	194.90B/160.30A	----	163.70 - 14.70	.4946	----	----	3	----	28 - 2
4245	169.40	169.40	192.50B/158.10A	192.50B/158.10A	----	161.50 - 14.60	.4902	----	----	15	----	41 + 9
4250	170.60	170.60	190.10B/156.00A	190.10B/156.00A	----	159.30 - 14.60	.4857	----	----	3	----	437 - 2
4255	167.70	167.70	187.70B/153.90A	187.70B/153.90A	----	157.20 - 14.50	.4813	----	----	3	----	131 - 2
4260	----	----	185.60B/151.80A	185.60B/151.80A	----	155.10 - 14.40	.4769	----	----	----	----	26 UNCH
4265	171.50	171.50	183.30B/149.80A	183.30B/149.80A	----	153.00 - 14.40	.4724	----	----	4	----	84 - 4
4270	151.10	151.10	180.80B/147.70A	180.80B/147.70A	----	150.90 - 14.30	.4680	----	----	2	----	38 + 2
4275	----	----	178.80B/145.70A	178.80B/145.70A	----	148.90 - 14.20	.4636	----	----	----	----	20 UNCH
4280	----	----	176.50B/143.80A	176.50B/143.80A	----	146.90 - 14.10	.4593	----	----	----	----	38 UNCH
4285	----	----	174.30B/141.80A	174.30B/141.80A	----	144.90 - 14.00	.4549	----	----	----	----	50 UNCH
4290	----	----	172.10B/139.90A	172.10B/139.90A	----	142.90 - 14.00	.4506	----	----	----	----	8 UNCH
4295	----	----	169.80B/137.90A	169.80B/137.90A	----	141.00 - 13.90	.4463	----	----	----	----	10 UNCH
4300	----	----	167.80B/136.10A	167.80B/136.10A	----	139.10 - 13.80	.4420	----	----	26	----	414 - 15
4305	----	----	165.60B/134.20A	165.60B/134.20A	----	137.20 - 13.70	.4377	----	----	2	----	4 + 1
4310	----	----	163.60B/132.30A	163.60B/132.30A	----	135.30 - 13.60	.4334	----	----	2	----	26 - 1
4315	----	----	161.40B/130.50A	161.40B/130.50A	----	133.50 - 13.50	.4292	----	----	----	----	2 UNCH
4325	----	----	157.50B/126.90A	157.50B/126.90A	----	129.90 - 13.30	.4208	----	----	----	----	84 UNCH
4330	----	----	155.40B/125.20A	155.40B/125.20A	----	128.10 - 13.20	.4166	----	----	----	----	1 UNCH
4335	----	----	153.50B/123.50A	153.50B/123.50A	----	126.30 - 13.20	.4124	----	----	----	----	28 UNCH
4340	----	----	151.40B/121.80A	151.40B/121.80A	----	124.60 - 13.00	.4083	----	----	----	----	40 UNCH
4345	----	----	149.60B/120.10A	149.60B/120.10A	----	122.90 - 12.90	.4042	----	----	2	----	9 + 2
4350	----	----	147.70B/118.40A	147.70B/118.40A	----	121.20 - 12.80	.4001	----	----	21	----	50 + 21
4355	----	----	145.80B/116.70A	145.80B/116.70A	----	119.50 - 12.80	.3960	----	----	----	----	1 UNCH
4360	133.10	133.10	143.80B/115.10A	143.80B/115.10A	----	117.80 - 12.80	.3919	----	----	1	----	8 + 1
4365	----	----	142.10B/113.50A	142.10B/113.50A	----	116.20 - 12.60	.3879	----	----	----	----	17 UNCH
4370	131.00	131.00	140.10B/112.00A	140.10B/112.00A	----	114.60 - 12.50	.3839	----	----	3	----	24 - 2
4375	----	----	138.30B/110.40A	138.30B/110.40A	----	113.00 - 12.50	.3799	----	----	----	----	56 UNCH
4380	----	----	136.50B/108.80A	136.50B/108.80A	----	111.40 - 12.40	.3759	----	----	----	----	29 UNCH
4385	----	----	134.80B/107.30A	134.80B/107.30A	----	109.90 - 12.30	.3720	----	----	----	----	236 UNCH
4390	----	----	133.00B/105.80A	133.00B/105.80A	----	108.40 - 12.20	.3682	----	----	----	----	9 UNCH
4395	----	----	131.30B/104.30A	131.30B/104.30A	----	106.80 - 12.20	.3642	----	----	----	----	28 UNCH
4400	125.00	125.00	129.60B/102.90A	129.60B/102.90A	----	105.30 - 12.10	.3603	----	----	1	----	287 + 1
4405	----	----	127.90B/101.40A	127.90B/101.40A	----	103.90 - 12.00	.3566	----	----	----	----	4 UNCH
4410	----	----	126.30B/100.00A	126.30B/100.00A	----	102.40 - 11.90	.3527	----	----	2	----	32 + 2
4415	----	----	124.60B/98.60A	124.60B/98.60A	----	101.00 - 11.80	.3490	----	----	----	----	244 UNCH
4420	----	----	123.00B/97.20A	123.00B/97.20A	----	99.60 - 11.70	.3452	----	----	----	----	7 UNCH
4425	----	----	121.50B/95.90A	121.50B/95.90A	----	98.20 - 11.70	.3415	----	----	----	----	30 UNCH
4430	----	----	119.80B/94.50A	119.80B/94.50A	----	96.80 - 11.60	.3378	----	----	----	----	261 UNCH
4435	----	----	118.30B/93.20A	118.30B/93.20A	----	95.40 - 11.60	.3341	----	----	----	----	9 UNCH
4440	----	----	116.70B/91.90A	116.70B/91.90A	----	94.10 - 11.50	.3305	----	----	----	----	7 UNCH
4445	----	----	115.20B/90.60A	115.20B/90.60A	----	92.80 - 11.40	.3269	----	----	----	----	18 UNCH
4450	----	----	113.70B/89.30A	113.70B/89.30A	----	91.40 - 11.40	.3232	----	----	2	----	191 + 2
4455	----	----	112.20B/88.00A	112.20B/88.00A	----	90.20 - 11.20	.3198	----	----	----	----	12 UNCH
4460	----	----	110.70B/86.80A	110.70B/86.80A	----	88.90 - 11.20	.3162	----	----	----	----	17 UNCH
4465	----	----	109.30B/85.60A	109.30B/85.60A	----	87.60 - 11.10	.3126	----	----	----	----	6 UNCH
4470	----	----	107.80B/84.40A	107.80B/84.40A	----	86.40 - 11.00	.3092	----	----	----	----	10 UNCH
4475	----	----	106.40B/83.20A	106.40B/83.20A	----	85.20 - 10.90	.3058	----	----	----	----	59 UNCH
4480	----	----	105.00B/82.00A	105.00B/82.00A	----	84.00 - 10.80	.3024	----	----	----	----	111 UNCH
4485	----	----	103.60B/80.80A	103.60B/80.80A	----	82.80 - 10.80	.2990	----	----	----	----	15 UNCH
4490	93.80	93.80	102.30B/79.70A	102.30B/79.70A	----	81.60 - 10.70	.2956	----	----	2	----	57 + 2
4495	92.70	92.70	100.90B/78.60A	100.90B/78.60A	----	80.50 - 10.60	.2923	----	----	2	----	7 + 2
4500	87.00	87.00	99.60B/77.50A	99.60B/77.50A	----	79.30 - 10.60	.2889	----	----	30	----	915 + 8
4505	----	----	98.30B/76.40A	98.30B/76.40A	----	78.20 - 10.50	.2857	----	----	----	----	23 UNCH
4510	----	----	97.00B/75.30A	97.00B/75.30A	----	77.10 - 10.40	.2824	----	----	----	----	16 UNCH
4515	----	----	95.70B/74.20A	95.70B/74.20A	----	76.00 - 10.30	.2792	----	----	----	----	11 UNCH
4520	----	----	94.50B/73.20A	94.50B/73.20A	----	75.00 - 10.20	.2761	----	----	----	----	63 UNCH
4525	77.50	77.50	93.10B/72.20A	93.10B/72.20A	----	73.90 - 10.10	.2729	----	----	2	----	49 + 2
4530	----	----	91.80B/71.10A	91.80B/71.10A	----	72.90 - 10.00	.2699	----	----	----	----	2 UNCH
4535	----	----	90.50B/70.10A	90.50B/70.10A	----	71.80 - 10.00	.2667	----	----	----	----	4 UNCH
4540	----	----	89.60B/69.10A	89.60B/69.10A	----	70.80 - 9.90	.2636	----	----	----	----	134 UNCH
4545	----	----	88.40B/68.20A	88.40B/68.20A	----	69.80 - 9.80	.2606	----	----	----	----	1 UNCH
4550	75.60	75.60	87.20B/67.20A	87.20B/67.20A	----	68.80 - 9.80	.2575	----	----	2	----	206 - 2
4555	----	----	85.90B/66.30A	85.90B/66.30A	----	67.90 - 9.60	.2547	----	----	----	----	7 UNCH
4560	----	----	84.80B/65.30A	84.80B/65.30A	----	66.90 - 9.60	.2517	----	----	----	----	78 UNCH
4565	----	----	83.80B/64.40A	83.80B/64.40A	----	66.00 - 9.50	.2488	----	----	----	----	13 UNCH
4570	----	----	82.60B/63.50A	82.60B/63.50A	----	65.10 - 9.30	.2460	----	----	----	----	19 UNCH
4575	----	----	81.50B/62.60A	81.50B/62.60A	----	64.10 - 9.40	.2430	----	----	----	----	15 UNCH
4580	----	----	80.40B/61.70A	80.40B/61.70A	----	63.20 - 9.30	.2401	----	----	----	----	5 UNCH
4585	----	----	79.30B/60.90A	79.30B/60.90A	----	62.40 - 9.10	.2375	----	----	----	----	50 UNCH
4590	----	----	78.20B/60.00A	78.20B/60.00A	----	61.50 - 9.00	.2347	----	----	----	----	20 UNCH
4595	----	----	77.30B/59.20A	77.30B/59.20A	----	60.60 - 9.00	.2319	----	----	----	----	50 UNCH
4600	69.00	69.00	76.20B/58.30A	76.20B/58.30A	----	59.80 - 8.90	.2292	----	----	137	----	2457 + 41
4605	----	----	75.30B/57.50A	75.30B/57.50A	----	58.90 - 8.90	.2264	----	----	----	----	66 UNCH
4610	----	----	74.20B/56.70A	74.20B/56.70A	----	58.10 - 8.80	.2238	----	----	----	----	181 UNCH
4615	----	----	73.30B/55.90A	73.30B/55.90A	----	57.30 - 8.70	.2212	----	----	----	----	184 UNCH
4620	58.20	58.20	72.40B/55.10A	72.40B/55.10A	----	56.50 - 8.60	.2186	----	----	5	----	125 + 5
4625	----	----	71.40B/54.40A	71.40B/54.40A	----	55.70 - 8.50	.2160	----	----	----	----	76 UNCH
4630	----	----	70.50B/53.60A	70.50B/53.60A	----	54.90 - 8.50	.2134	----	----	----	----	22 UNCH
4635	----	----	69.40B/52.90A	69.40B/52.90A	----	54.20 - 8.30	.2110	----	----	----	----	100 UNCH
4640	----	----	68.60B/52.10A	68.60B/52.10A	----	53.40 - 8.30	.2085	----	----	----	----	21 UNCH
4645	----	----	67.70B/51.40A	67.70B/51.40A	----	52.70 - 8.20	.2061	----	----	----	----	2 UNCH
4650	----	----	66.70B/50.70A	66.70B/50.70A	----	51.90 - 8.20	.2035	----	----	----	----	267 UNCH
4655	----	----	65.80B/50.00A	65.80B/50.00A	----	51.20 - 8.10	.2011	----	----	----	----	18 UNCH
4660	51.60	51.60	65.00B/49.30A	65.00B/49.30A	----	50.50 - 8.00	.1988	----	----	1	----	454 + 1
4665	----	----	64.20B/48.60A	64.20B/48.60A	----	49.80 - 7.90	.1964	----	----	----	----	19 UNCH
4670	48.30	48.30	63.30B/48.00A	63.30B/48.00A	----	49.10 - 7.90	.1941	----	----	4	----	7 + 4
4675	47.70	47.70	62.40B/47.30A	62.40B/47.30A	----	48.40 - 7.80	.1917	----	----	2	----	18 UNCH
4680	----	----	61.60B/46.60A	61.60B/46.60A	----	47.80 - 7.70	.1896	----	----	----	----	29 UNCH
4685	----	----	60.80B/46.00A	60.80B/46.00A	----	47.10 - 7.60	.1873	----	----	----	----	36 UNCH
4690	49.80	49.80	60.10B/45.40A	60.10B/45.40A	----	46.40 - 7.60	.1849	----	----	5	----	50 + 4
4695	----	----	59.10B/44.70A	59.10B/44.70A	----	45.80 - 7.50	.1828	----	----	----	----	30 UNCH
4700	53.50	53.50	58.50B/44.10A	58.50B/44.10A	----	45.20 - 7.40	.1807	----	----	20	----	584 - 20
4705	----	----	57.50B/43.50A	57.50B/43.50A	----	44.60 - 7.30	.1786	----	----	----	----	22 UNCH
4710	----	----	57.00B/42.90A	57.00B/42.90A	----	43.90 - 7.40	.1763	----	----	----	----	26 UNCH
4715	----	----	56.00B/42.30A	56.00B/42.30A	----	43.30 - 7.30	.1742	----	----	----	----	22 UNCH
4720	47.00	47.00	55.40B/41.80A	55.40B/41.80A	----	42.70 - 7.20	.1721	----	----	10	----	10 + 8
4730	----	----	53.80B/40.60A	53.80B/40.60A	----	41.60 - 7.00	.1681	----	----	----	----	35 UNCH
4735	----	----	53.20B/40.10A	53.20B/40.10A	----	41.00 - 7.00	.1661	----	----	----	----	9 UNCH
4740	----	----	52.40B/39.50A	52.40B/39.50A	----	40.50 - 6.90	.1642	----	----	----	----	19 UNCH
4745	----	----	51.80B/39.00A	51.80B/39.00A	----	39.90 - 6.90	.1621	----	----	----	----	27 UNCH
4750	43.40	43.40	51.20B/38.40A	51.20B/38.40A	----	39.40 - 6.80	.1603	----	----	7	----	543 - 1
4755	----	----	50.40B/38.00A	50.40B/38.00A	----	38.80 - 6.80	.1582	----	----	----	----	62 UNCH
4760	----	----	49.90B/37.40A	49.90B/37.40A	----	38.30 - 6.70	.1564	----	----	----	----	111 UNCH
4765	----	----	49.10B/36.90A	49.10B/36.90A	----	37.80 - 6.60	.1546	----	----	----	----	12 UNCH
4770	38.30	38.30	48.50B/36.40A	48.50B/36.40A	----	37.30 - 6.50	.1528	----	----	5	----	9 + 5
4775	----	----	47.80B/36.00A	47.80B/36.00A	----	36.80 - 6.40	.1509	----	----	----	----	18 UNCH
4780	35.70	35.70	47.20B/35.50A	47.20B/35.50A	----	36.30 - 6.40	.1491	----	----	2	----	6 UNCH
4785	----	----	46.50B/35.00A	46.50B/35.00A	----	35.80 - 6.30	.1473	----	----	----	----	109 UNCH
4790	----	----	46.10B/34.50A	46.10B/34.50A	----	35.30 - 6.30	.1455	----	----	----	----	85 UNCH
4795	----	----	45.50B/34.10A	45.50B/34.10A	----	34.80 - 6.30	.1437	----	----	2	----	59 - 1
4800	----	----	44.80B/33.60A	44.80B/33.60A	----	34.40 - 6.10	.1422	----	----	29	----	2217 UNCH
4805	----	----	44.30B/33.20A	44.30B/33.20A	----	33.90 - 6.10	.1404	----	----	----	----	20 UNCH
4810	----	----	43.80B/32.70A	43.80B/32.70A	----	33.50 - 6.00	.1388	----	----	1	----	36 UNCH
4820	35.40	35.40	42.60B/31.80A	42.60B/31.80A	----	32.60 - 5.90	.1355	----	----	2	----	7 + 2
4825	----	----	42.10B/31.40A	42.10B/31.40A	----	32.20 - 5.80	.1340	----	----	----	----	208 UNCH
4830	34.40	34.40	41.50B/31.00A	41.50B/31.00A	----	31.70 - 5.80	.1322	----	----	2	----	100 UNCH
4835	----	----	40.90B/30.60A	40.90B/30.60A	----	31.30 - 5.70	.1307	----	----	----	----	23 UNCH
4840	----	----	40.30B/30.20A	40.30B/30.20A	----	30.90 - 5.70	.1292	----	----	----	----	15 UNCH
4845	----	----	39.80B/29.80A	39.80B/29.80A	----	30.50 - 5.60	.1277	----	----	----	----	26 UNCH
4850	----	----	39.30B/29.40A	39.30B/29.40A	----	30.10 - 5.50	.1262	----	----	----	----	150 UNCH
4855	----	----	38.80B/29.10A	38.80B/29.10A	----	29.70 - 5.50	.1246	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG CALL COMEX GOLD OPTIONS
FEB27

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4860	----	----	38.30B/28.70A	38.30B/28.70A	----	29.30 - 5.40	.1231	----	----	----	----	9 UNCH
4870	----	----	37.30B/27.90A	37.30B/27.90A	----	28.60 - 5.30	.1204	----	----	----	----	86 UNCH
4875	----	----	37.00B/27.60A	37.00B/27.60A	----	28.20 - 5.20	.1189	----	----	----	----	233 UNCH
4880	----	----	36.50B/27.20A	36.50B/27.20A	----	27.80 - 5.20	.1174	----	----	----	----	16 UNCH
4885	----	----	36.10B/26.90A	36.10B/26.90A	----	27.50 - 5.10	.1162	----	----	----	----	8 UNCH
4890	----	----	35.50B/26.60A	35.50B/26.60A	----	27.10 - 5.10	.1147	----	----	----	----	4 UNCH
4900	31.90	31.90	34.70B/25.90A	34.70B/25.90A	----	26.50 - 4.90	.1123	----	----	6	----	354 UNCH
4905	26.10	26.10	34.20B/25.50A	34.20B/25.50A	----	26.10 - 4.90	.1108	----	----	4	----	21 + 4
4910	28.70	28.70	33.80B/25.20A	33.80B/25.20A	----	25.80 - 4.80	.1096	----	----	8	----	12 + 7
4920	----	----	32.90B/24.60A	32.90B/24.60A	----	25.10 - 4.80	.1069	----	----	----	----	9 UNCH
4925	----	----	32.50B/24.30A	32.50B/24.30A	----	24.80 - 4.70	.1057	----	----	----	----	10 UNCH
4930	----	----	32.10B/24.00A	32.10B/24.00A	----	24.50 - 4.60	.1045	----	----	----	----	52 UNCH
4935	----	----	31.70B/23.70A	31.70B/23.70A	----	24.20 - 4.60	.1034	----	----	----	----	2 UNCH
4940	----	----	31.30B/23.40A	31.30B/23.40A	----	23.90 - 4.50	.1022	----	----	----	----	16 UNCH
4945	----	----	31.00B/23.10A	31.00B/23.10A	----	23.60 - 4.50	.1010	----	----	----	----	18 UNCH
4950	----	----	30.60B/22.80A	30.60B/22.80A	----	23.30 - 4.50	.0998	----	----	3	----	268 + 3
4955	----	----	30.10B/22.60A	30.10B/22.60A	----	23.00 - 4.40	.0986	----	----	----	----	9 UNCH
4960	----	----	29.80B/22.30A	29.80B/22.30A	----	22.80 - 4.30	.0977	----	----	----	----	8 UNCH
4970	----	----	29.20B/21.70A	29.20B/21.70A	----	22.20 - 4.20	.0954	----	----	----	----	3 UNCH
4975	----	----	28.80B/21.50A	28.80B/21.50A	----	21.90 - 4.20	.0942	----	----	----	----	14 UNCH
4990	24.60	24.60	27.80B/20.70A	27.80B/20.70A	----	21.20 - 4.00	.0913	----	----	1	----	26 UNCH
4995	----	----	27.40B/20.40A	27.40B/20.40A	----	20.90 - 4.00	.0901	----	----	----	----	20 UNCH
5000	23.80	23.80	27.00B/20.20A	27.00B/20.20A	----	20.60 - 4.00	.0890	----	----	77	----	2993 + 38
5005	----	----	26.80B/20.00A	26.80B/20.00A	----	20.40 - 3.90	.0881	----	----	----	----	36 UNCH
5010	----	----	26.50B/19.70A	26.50B/19.70A	----	20.20 - 3.80	.0873	----	----	----	----	37 UNCH
5015	----	----	26.10B/19.50A	26.10B/19.50A	----	19.90 - 3.90	.0861	----	----	----	----	10 UNCH
5020	21.10	21.10	25.80B/19.30A	25.80B/19.30A	----	19.70 - 3.80	.0853	----	----	2	----	13 + 2
5025	----	----	25.60B/19.00A	25.60B/19.00A	----	19.50 - 3.70	.0844	----	----	----	----	37 UNCH
5030	----	----	25.20B/18.80A	25.20B/18.80A	----	19.20 - 3.70	.0833	----	----	----	----	41 UNCH
5040	----	----	24.70B/18.40A	24.70B/18.40A	----	18.80 - 3.60	.0816	----	----	----	----	11 UNCH
5045	19.70	19.70	24.30B/18.20A	24.30B/18.20A	----	18.60 - 3.60	.0807	----	----	3	----	58 + 3
5050	19.70	19.70	24.10B/18.00A	24.10B/18.00A	----	18.40 - 3.50	.0799	----	----	2	----	145 UNCH
5055	19.70	19.70	23.80B/17.80A	23.80B/17.80A	----	18.10 - 3.60	.0787	----	----	2	----	17 UNCH
5060	18.60	18.60	23.50B/17.60A	23.50B/17.60A	----	17.90 - 3.50	.0779	----	----	1	----	2 + 1
5065	18.50	18.50	23.20B/17.40A	23.20B/17.40A	----	17.70 - 3.50	.0771	----	----	1	----	4 + 1
5075	17.00	17.00	22.70B/17.00	22.70B/17.00	----	17.30 - 3.40	.0754	----	----	2	----	156 - 1
5080	18.10	18.10	22.50B/16.80A	22.50B/16.80A	----	17.10 NEW	.0746	----	----	1	----	1 + 1
5090	----	----	21.90B/16.40A	21.90B/16.40A	----	16.80 - 3.20	.0732	----	----	----	----	7 UNCH
5095	----	----	21.70B/16.20A	21.70B/16.20A	----	16.60 - 3.20	.0724	----	----	----	----	13 UNCH
5100	----	----	21.40B/16.10A	21.40B/16.10A	----	16.40 - 3.20	.0716	----	----	----	----	981 UNCH
5105	----	----	21.20B/15.90A	21.20B/15.90A	----	16.20 - 3.20	.0708	----	----	----	----	40 UNCH
5110	18.60	18.60	21.00B/15.70A	21.00B/15.70A	----	16.00 - 3.20	.0700	----	----	5	----	63 + 3
5115	18.00	18.00	20.80B/15.60A	20.80B/15.60A	----	15.90 - 3.10	.0694	----	----	2	----	86 + 2
5120	----	----	20.50B/15.40A	20.50B/15.40A	----	15.70 - 3.00	.0686	----	----	----	----	3 UNCH
5125	----	----	20.30B/15.20A	20.30B/15.20A	----	15.50 - 3.00	.0678	----	----	----	----	6 UNCH
5130	----	----	20.00B/15.10A	20.00B/15.10A	----	15.40 - 2.90	.0673	----	----	----	----	2 UNCH
5135	16.90	16.90	19.90B/14.90A	19.90B/14.90A	----	15.20 - 3.00	.0665	----	----	3	----	4 + 3
5140	----	----	19.60B/14.70A	19.60B/14.70A	----	15.00 - 3.00	.0657	----	----	----	----	2 UNCH
5145	----	----	19.40B/14.60A	19.40B/14.60A	----	14.90 - 2.90	.0652	----	----	----	----	4 UNCH
5150	----	----	19.20B/14.40A	19.20B/14.40A	----	14.70 - 2.90	.0644	----	----	----	----	71 UNCH
5155	----	----	19.00B/14.30A	19.00B/14.30A	----	14.60 - 2.80	.0639	----	----	----	----	6 UNCH
5160	----	----	18.80B/14.10A	18.80B/14.10A	----	14.40 - 2.80	.0631	----	----	----	----	16 UNCH
5165	----	----	18.60B/14.00A	18.60B/14.00A	----	14.30 - 2.70	.0626	----	----	----	----	5 UNCH
5170	----	----	18.40B/13.80A	18.40B/13.80A	----	14.10 - 2.80	.0618	----	----	----	----	15 UNCH
5175	----	----	18.30B/13.70A	18.30B/13.70A	----	14.00 - 2.70	.0613	----	----	----	----	132 UNCH
5180	----	----	18.00B/13.60A	18.00B/13.60A	----	13.80 - 2.70	.0605	----	----	----	----	1 UNCH
5185	----	----	17.80B/13.40A	17.80B/13.40A	----	13.70 - 2.60	.0601	----	----	----	----	125 UNCH
5190	----	----	17.60B/13.30A	17.60B/13.30A	----	13.60 - 2.60	.0596	----	----	----	----	3 UNCH
5200	----	----	17.30B/13.00A	17.30B/13.00A	----	13.30 - 2.60	.0583	----	----	----	----	3069 UNCH
5205	----	----	17.10B/12.90A	17.10B/12.90A	----	13.20 - 2.50	.0578	----	----	----	----	3 UNCH
5210	----	----	16.90B/12.80A	16.90B/12.80A	----	13.00 - 2.50	.0571	----	----	----	----	1 UNCH
5215	----	----	16.70B/12.70A	16.70B/12.70A	----	12.90 - 2.50	.0566	----	----	----	----	5 UNCH
5220	----	----	16.60B/12.50A	16.60B/12.50A	----	12.80 - 2.40	.0561	----	----	----	----	27 UNCH
5225	----	----	16.40B/12.40A	16.40B/12.40A	----	12.60 - 2.50	.0553	----	----	----	----	10 UNCH
5230	----	----	16.30B/12.30A	16.30B/12.30A	----	12.50 - 2.40	.0549	----	----	----	----	13 UNCH
5240	----	----	15.80B/12.10A	15.80B/12.10A	----	12.30 - 2.30	.0540	----	----	----	----	3 UNCH
5245	----	----	15.80B/12.00A	15.80B/12.00A	----	12.20 - 2.30	.0535	----	----	----	----	9 UNCH
5250	14.40	14.40	15.60B/11.80A	15.60B/11.80A	----	12.10 - 2.30	.0530	----	----	4	----	460 UNCH
5255	----	----	15.40B/11.70A	15.40B/11.70A	----	11.90 - 2.30	.0523	----	----	----	----	1 UNCH
5260	----	----	15.30B/11.60A	15.30B/11.60A	----	11.80 - 2.30	.0518	----	----	----	----	7 UNCH
5265	----	----	15.20B/11.50A	15.20B/11.50A	----	11.70 - 2.20	.0514	----	----	----	----	10 UNCH
5270	----	----	15.00B/11.40A	15.00B/11.40A	----	11.60 - 2.20	.0509	----	----	----	----	13 UNCH
5275	13.30	13.30	14.90B/11.30A	14.90B/11.30A	----	11.50 - 2.20	.0505	----	----	2	----	26 UNCH
5280	----	----	14.70B/11.20A	14.70B/11.20A	----	11.40 - 2.20	.0500	----	----	----	----	17 UNCH
5285	----	----	14.50B/11.10A	14.50B/11.10A	----	11.30 - 2.10	.0496	----	----	----	----	4 UNCH
5290	----	----	14.40B/11.00A	14.40B/11.00A	----	11.20 - 2.10	.0491	----	----	----	----	4 UNCH
5295	----	----	14.30B/10.90A	14.30B/10.90A	----	11.10 - 2.10	.0487	----	----	----	----	34 UNCH
5300	----	----	14.20B/10.80A	14.20B/10.80A	----	11.00 - 2.10	.0482	----	----	----	----	921 UNCH
5305	----	----	14.00B/10.70A	14.00B/10.70A	----	10.90 - 2.00	.0478	----	----	----	----	14 UNCH
5310	----	----	13.90B/10.60A	13.90B/10.60A	----	10.80 - 2.00	.0473	----	----	----	----	5 UNCH
5315	----	----	13.70B/10.60A	13.70B/10.60A	----	10.70 - 2.00	.0469	----	----	----	----	3 UNCH
5320	----	----	13.60B/10.50A	13.60B/10.50A	----	10.60 - 2.00	.0465	----	----	----	----	8 UNCH
5330	----	----	13.40B/10.30A	13.40B/10.30A	----	10.40 - 2.00	.0456	----	----	----	----	18 UNCH
5335	----	----	13.20B/10.20A	13.20B/10.20A	----	10.30 - 2.00	.0451	----	----	----	----	13 UNCH
5340	----	----	13.10B/10.10A	13.10B/10.10A	----	10.30 - 1.90	.0450	----	----	----	----	9 UNCH
5345	----	----	13.00B/10.00A	13.00B/10.00A	----	10.20 - 1.80	.0446	----	----	----	----	1 UNCH
5350	----	----	12.90B/10.00A	12.90B/10.00A	----	10.10 - 1.80	.0442	----	----	----	----	423 UNCH
5355	----	----	12.80B/9.90A	12.80B/9.90A	----	10.00 - 1.80	.0437	----	----	----	----	25 UNCH
5360	----	----	12.60B/9.80A	12.60B/9.80A	----	9.90 - 1.80	.0433	----	----	----	----	1 UNCH
5365	----	----	12.50B/9.70A	12.50B/9.70A	----	9.80 - 1.80	.0429	----	----	----	----	1 UNCH
5370	----	----	12.40B/9.60A	12.40B/9.60A	----	9.80 - 1.70	.0428	----	----	----	----	4 UNCH
5375	----	----	12.30B/9.60A	12.30B/9.60A	----	9.70 - 1.70	.0423	----	----	----	----	1 UNCH
5385	----	----	12.10B/9.40A	12.10B/9.40A	----	9.50 - 1.70	.0415	----	----	----	----	11 UNCH
5390	----	----	12.00B/9.30A	12.00B/9.30A	----	9.40 - 1.80	.0411	----	----	----	----	8 UNCH
5400	----	----	11.80B/9.20A	11.80B/9.20A	----	9.30 - 1.70	.0405	----	----	----	----	1566 UNCH
5425	----	----	11.40B/8.80A	11.40B/8.80A	----	8.90 - 1.60	.0388	----	----	----	----	7 UNCH
5435	----	----	11.10B/8.70A	11.10B/8.70A	----	8.80 - 1.60	.0383	----	----	----	----	7 UNCH
5440	----	----	11.00B/8.60A	11.00B/8.60A	----	8.70 - 1.60	.0379	----	----	12	----	17 + 12
5450	----	----	10.90B/8.50A	10.90B/8.50A	----	8.60 - 1.50	.0374	----	----	----	----	163 UNCH
5460	----	----	10.60B/8.40A	10.60B/8.40A	----	8.50 - 1.50	.0369	----	----	----	----	4 UNCH
5465	----	----	10.50B/8.30A	10.50B/8.30A	----	8.40 - 1.50	.0365	----	----	----	----	5 UNCH
5475	----	----	10.50B/8.20A	10.50B/8.20A	----	8.30 - 1.40	.0360	----	----	----	----	1 UNCH
5490	----	----	10.20B/8.00A	10.20B/8.00A	----	8.10 - 1.40	.0351	----	----	----	----	120 UNCH
5500	----	----	10.10B/7.90A	10.10B/7.90A	----	8.00 - 1.40	.0346	----	----	108	----	3811 + 53
5510	----	----	9.80B/7.80A	9.80B/7.80A	----	7.90 - 1.30	.0341	----	----	----	----	3 UNCH
5520	----	----	9.70B/7.70A	9.70B/7.70A	----	7.80 - 1.30	.0336	----	----	----	----	300 UNCH
5525	----	----	9.70B/7.70A	9.70B/7.70A	----	7.70 - 1.30	.0332	----	----	----	----	2 UNCH
5530	----	----	9.60B/7.60A	9.60B/7.60A	----	7.70 - 1.30	.0332	----	----	----	----	105 UNCH
5540	----	----	9.40B/7.50A	9.40B/7.50A	----	7.60 - 1.20	.0327	----	----	----	----	6 UNCH
5550	----	----	9.30B/7.40A	9.30B/7.40A	----	7.50 - 1.20	.0322	----	----	----	----	74 UNCH
5575	----	----	9.00B/7.20A	9.00B/7.20A	----	7.30 - 1.10	.0312	----	----	----	----	5 UNCH
5600	----	----	8.60B/6.90A	8.60B/6.90A	----	7.00 - 1.10	.0299	----	----	----	----	171 UNCH
5605	----	----	8.50B/6.90A	8.50B/6.90A	----	7.00 - 1.10	.0299	----	----	----	----	4 UNCH
5625	----	----	8.30B/6.70A	8.30B/6.70A	----	6.80 - 1.10	.0290	----	----	----	----	31 UNCH
5650	----	----	8.00B/6.50A	8.00B/6.50A	----	6.60 - 1.00	.0280	----	----	----	----	3 UNCH
5660	----	----	7.90B/6.50A	7.90B/6.50A	----	6.50 NEW	.0276	----	----	1	----	1 + 1
5680	----	----	7.70B/6.30A	7.70B/6.30A	----	6.40 - 0.90	.0270	----	----	----	----	1 UNCH
5700	----	----	7.50B/6.10A	7.50B/6.10A	----	6.30 - 0.90	.0265	----	----	----	----	213 UNCH
5705	----	----	7.40B/6.10A	7.40B/6.10A	----	6.20 - 0.90	.0261	----	----	----	----	5 UNCH
5725	----	----	7.20B/6.00A	7.20B/6.00A	----	6.10 - 0.90	.0256	----	----	----	----	311 UNCH
5735	----	----	7.10B/6.00A	7.10B/6.00A	----	6.00 - 0.90	.0252	----	----	----	----	1 UNCH
5750	----	----	7.00B/5.80A	7.00B/5.80A	----	5.90 - 0.90	.0247	----	----	----	----	2196 UNCH
5760	----	----	6.90B/5.80A	6.90B/5.80A	----	5.90 - 0.80	.0246	----	----	----	----	1 UNCH
5775	----	----	6.80B/5.70A	6.80B/5.70A	----	5.80 - 0.80	.0242	----	----	----	----	299 UNCH
5780	----	----	6.70B/5.70A	6.70B/5.70A	----	5.70 - 0.80	.0238	----	----	----	----	6 UNCH
5790	6.30	6.30	6.70B/5.60A	6.70B/5.60A	----	5.70 - 0.80	.0237	----	----	4	----	7 + 4
5800	----	----	6.60B/5.50A	6.60B/5.50A	----	5.60 - 0.80	.0233	----	----	----	----	321 UNCH
5820	----	----	6.40B/5.50A	6.40B/5.50A	----	5.50 - 0.70	.0228	----	----	----	----	5 UNCH
5825	----	----	6.40B/5.40A	6.40B/5.40A	----	5.50 - 0.70	.0228	----	----	----	----	2 UNCH
5830	----	----	6.30B/5.40A	6.30B/5.40A	----	5.50 - 0.70	.0227	----	----	----	----	3 UNCH
5840	----	----	6.30B/5.40A	6.30B/5.40A	----	5.40 - 0.70	.0223	----	----	----	----	9 UNCH
5850	----	----	6.20B/5.30A	6.20B/5.30A	----	5.40 - 0.60	.0222	----	----	----	----	7 UNCH
5900	----	----	5.80B/5.00A	5.80B/5.00A	----	5.10 - 0.60	.0209	----	----	----	----	63 UNCH
5925	----	----	5.70B/4.90A	5.70B/4.90A	----	5.00 - 0.60	.0204	----	----	----	----	9 UNCH
5950	----	----	----/4.80A	5.50B/4.80A	----	4.90 - 0.60	.0199	----	----	----	----	30 UNCH
5975	----	----	5.40B/4.70A	5.40B/4.70A	----	4.80 - 0.50	.0194	----	----	----	----	1 UNCH
6000	4.70	4.70	5.30B/4.60A	5.30B/4.60A	----	4.70 - 0.50	.0189	----	----	110	----	2059 + 27

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
FEB27												
6025	----	----	----/4.50A	5.10B/4.50A	----	4.60 - 0.50	.0185	----	----	----	----	13 UNCH
6100	----	----	----/4.30A	4.80B/4.30A	----	4.30 - 0.50	.0171	----	----	----	----	48 UNCH
6200	----	----	----/4.00A	4.40B/4.00A	----	4.00 - 0.40	.0156	----	----	12	----	13 + 4
6250	----	----	----/3.80A	4.20B/3.80A	----	3.90 - 0.40	.0151	----	----	----	----	52 UNCH
6300	----	----	----/3.70A	4.10B/3.70A	----	3.70 - 0.40	.0143	----	----	----	----	2 UNCH
6400	3.80	3.80	3.80/3.50A	3.80/3.50A	----	3.50 - 0.30	.0133	----	----	6	----	55 UNCH
6500	----	----	----/3.30A	3.60B/3.30A	----	3.30 - 0.30	.0123	----	----	----	----	1041 UNCH
6600	----	----	----/3.10A	3.30B/3.10A	----	3.10 - 0.30	.0114	----	----	----	----	16 UNCH
6700	3.30	3.30	3.30/3.00A	3.30/3.00A	----	3.00 - 0.20	.0109	----	----	15	----	38 + 6
6800	----	----	----/2.80A	3.00B/2.80A	----	2.80 - 0.30	.0100	----	----	----	----	18 UNCH
6900	----	----	----/2.70A	2.80B/2.70A	----	2.70 - 0.20	.0095	----	----	----	----	897 UNCH
7000	----	----	----/2.60A	2.70B/2.60A	----	2.60 - 0.20	.0091	----	----	----	----	1002 UNCH
7100	----	----	----/2.50A	2.60B/2.50A	----	2.50 - 0.10	.0086	----	----	----	----	61 UNCH
7200	----	----	----/2.40A	2.50B/2.40A	----	2.40 - 0.10	.0081	----	----	----	----	71 UNCH
7300	----	----	----/2.30A	2.40B/2.30A	----	2.30 - 0.10	.0077	----	----	----	----	19 UNCH
7400	----	----	----/2.20A	2.30B/2.20A	----	2.20 - 0.10	.0073	----	----	----	----	92 UNCH
7500	2.20	2.20	2.20/1.90	2.20/1.90	----	2.10 - 0.10	.0069	----	----	11	----	582 + 3
7600	----	----	----	2.10B/2.10A	----	2.00 - 0.10	.0065	----	----	----	----	7 UNCH
7700	----	----	----	2.00B/2.00A	----	1.90 - 0.10	.0061	----	----	----	----	1 UNCH
7800	----	----	----	1.90B/1.90A	----	1.90 UNCH	.0061	----	----	----	----	1 UNCH
7900	----	----	----/1.80A	1.90B/1.80A	----	1.80 - 0.10	.0057	----	----	----	----	1262 UNCH
8000	----	----	----	1.80B/1.80A	----	1.70 - 0.10	.0053	----	----	----	----	1448 UNCH
8500	----	----	----	1.50B/1.50A	----	1.40 - 0.10	.0042	----	----	----	----	250 UNCH
8900	----	----	----	1.30B/1.30A	----	1.20 - 0.10	.0035	----	----	----	----	16 UNCH
9000	----	----	----	1.20B/1.30A	----	1.20 - 0.10	.0035	----	----	----	----	140 UNCH
9100	----	----	----/1.20A	1.20B/1.20A	----	1.20 - 0.10	.0035	----	----	----	----	136 UNCH
TOTAL										779	55	45557 + 304
MAR27												
3480	----	----	----	783.00B/794.20A	----	778.50 - 15.00	.9330	----	----	----	----	1 UNCH
3500	----	----	----/774.80A	765.10B/774.80A	----	759.80 - 15.10	.9288	----	----	----	----	1 UNCH
4080	----	----	327.50B/288.80A	327.50B/288.80A	----	292.80 - 16.30	.6510	----	----	----	----	2 UNCH
4100	----	----	315.00B/276.90A	315.00B/276.90A	----	280.70 - 16.20	.6360	----	----	----	----	12 UNCH
4130	----	----	296.90B/259.60A	296.90B/259.60A	----	263.30 - 15.90	.6132	----	----	----	----	30 UNCH
4150	----	----	285.20B/248.40A	285.20B/248.40A	----	252.10 - 15.70	.5978	----	----	----	----	2 UNCH
4195	----	----	261.50B/224.50A	261.50B/224.50A	----	228.10 - 15.30	.5627	----	----	----	----	10 UNCH
4200	----	----	258.60B/222.00A	258.60B/222.00A	----	225.60 - 15.20	.5588	----	----	----	----	51 UNCH
4210	----	----	253.40B/217.00A	253.40B/217.00A	----	220.50 - 15.20	.5509	----	----	----	----	1 UNCH
4215	----	----	250.80B/214.60A	250.80B/214.60A	----	218.10 - 15.00	.5470	----	----	----	----	3 UNCH
4220	----	----	248.20B/212.10A	248.20B/212.10A	----	215.60 - 15.00	.5431	----	----	----	----	6 UNCH
4225	----	----	245.40B/209.70A	245.40B/209.70A	----	213.20 - 14.90	.5392	----	----	----	----	2 UNCH
4240	----	----	237.80B/202.70A	237.80B/202.70A	----	206.00 - 14.80	.5274	----	----	----	----	17 UNCH
4250	----	----	232.80B/198.00A	232.80B/198.00A	----	201.40 - 14.70	.5196	----	----	----	----	115 UNCH
4255	199.50	199.50	230.30B/195.80A	230.30B/195.80A	----	199.10 NEW	.5157	----	----	2	----	2 + 2
4260	198.50	198.50	227.90B/193.60A	227.90B/193.60A	----	196.80 NEW	.5118	----	----	4	----	4 + 4
4270	210.10	210.10	223.30B/189.10A	223.30B/189.10A	----	192.30 - 14.50	.5040	----	----	2	----	3 + 2
4275	----	----	220.90B/186.90A	220.90B/186.90A	----	190.10 - 14.50	.5001	----	----	79	----	100 - 30
4280	----	----	218.40B/184.80A	218.40B/184.80A	----	187.90 - 14.40	.4962	----	----	----	----	3 UNCH
4285	----	----	215.90B/182.70A	215.90B/182.70A	----	185.80 - 14.30	.4924	----	----	----	----	30 UNCH
4300	----	----	209.00B/176.30A	209.00B/176.30A	----	179.40 - 14.30	.4809	----	----	4	----	267 UNCH
4325	----	----	198.20B/166.30A	198.20B/166.30A	----	169.30 - 14.00	.4619	----	----	----	----	20 UNCH
4340	----	----	191.80B/160.40A	191.80B/160.40A	----	163.40 - 13.80	.4506	----	----	----	----	29 UNCH
4345	----	----	189.70B/158.50A	189.70B/158.50A	----	161.50 - 13.80	.4469	----	----	----	----	3 UNCH
4350	159.70	159.70	187.60B/156.70A	187.60B/156.70A	----	159.70 - 13.60	.4432	----	----	25	----	58 + 5
4370	----	----	179.50B/149.50A	179.50B/149.50A	----	152.30 - 13.40	.4285	----	----	----	----	273 UNCH
4380	----	----	175.30B/145.90A	175.30B/145.90A	----	148.70 - 13.20	.4212	----	----	----	----	1 UNCH
4385	----	----	173.60B/144.10A	173.60B/144.10A	----	147.00 - 13.10	.4176	----	----	----	----	2 UNCH
4395	----	----	169.80B/140.70A	169.80B/140.70A	----	143.50 - 13.00	.4105	----	----	----	----	2 UNCH
4400	----	----	167.90B/139.00A	167.90B/139.00A	----	141.80 - 12.90	.4069	----	----	----	----	588 UNCH
4420	139.50	139.50	160.60B/132.60A	160.60B/132.60A	----	135.20 - 12.60	.3928	----	----	2	----	3 + 2
4425	----	----	158.70B/131.00A	158.70B/131.00A	----	133.60 - 12.60	.3894	----	----	----	----	1 UNCH
4440	----	----	153.50B/126.30A	153.50B/126.30A	----	128.90 - 12.40	.3791	----	----	----	----	53 UNCH
4450	----	----	150.00B/123.30A	150.00B/123.30A	----	125.80 - 12.30	.3723	----	----	----	----	235 UNCH
4460	----	----	146.70B/120.40A	146.70B/120.40A	----	122.80 - 12.20	.3656	----	----	----	----	5 UNCH
4465	----	----	145.00B/118.90A	145.00B/118.90A	----	121.40 - 12.00	.3623	----	----	----	----	120 UNCH
4470	----	----	143.20B/117.50A	143.20B/117.50A	----	119.90 - 12.00	.3590	----	----	----	----	6 UNCH
4475	----	----	141.80B/116.10A	141.80B/116.10A	----	118.50 - 11.90	.3557	----	----	----	----	2 UNCH
4480	----	----	140.20B/114.70A	140.20B/114.70A	----	117.10 - 11.80	.3525	----	----	----	----	50 UNCH
4495	----	----	135.50B/110.60A	135.50B/110.60A	----	112.90 - 11.70	.3428	----	----	----	----	1 UNCH
4500	111.40	111.40	133.80B/109.30A	133.80B/109.30A	----	111.50 - 11.60	.3396	----	----	5	----	618 UNCH
4525	----	----	126.50B/102.90A	126.50B/102.90A	----	105.00 - 11.30	.3241	----	----	----	----	2 UNCH
4535	----	----	123.50B/100.40A	123.50B/100.40A	----	102.50 - 11.10	.3180	----	----	----	----	20 UNCH
4550	----	----	119.30B/96.80A	119.30B/96.80A	----	98.80 - 11.00	.3090	----	----	----	----	752 UNCH
4555	----	----	118.10B/95.70A	118.10B/95.70A	----	97.60 - 10.90	.3060	----	----	----	----	20 UNCH
4575	103.40	103.40	112.70B/91.10A	112.70B/91.10A	----	93.00 - 10.60	.2945	----	----	3	----	10 + 3
4580	----	----	111.40B/90.00A	111.40B/90.00A	----	91.90 - 10.50	.2917	----	----	----	----	29 UNCH
4590	----	----	109.00B/87.90A	109.00B/87.90A	----	89.70 - 10.40	.2861	----	----	----	----	20 UNCH
4600	----	----	106.40B/85.80A	106.40B/85.80A	----	87.60 - 10.20	.2806	----	----	2	----	302 UNCH
4605	----	----	105.30B/84.80A	105.30B/84.80A	----	86.50 - 10.20	.2778	----	----	----	----	33 UNCH
4610	----	----	104.00B/83.80A	104.00B/83.80A	----	85.50 - 10.10	.2752	----	----	----	----	302 UNCH
4615	----	----	102.80B/82.70A	102.80B/82.70A	----	84.50 - 10.00	.2726	----	----	----	----	20 UNCH
4625	----	----	100.30B/80.80A	100.30B/80.80A	----	82.50 - 9.80	.2673	----	----	----	----	100 UNCH
4635	----	----	98.30B/78.90A	98.30B/78.90A	----	80.50 - 9.70	.2620	----	----	----	----	100 UNCH
4640	----	----	97.00B/77.90A	97.00B/77.90A	----	79.60 - 9.60	.2595	----	----	----	----	10 UNCH
4645	----	----	95.90B/77.00A	95.90B/77.00A	----	78.60 - 9.60	.2569	----	----	----	----	2420 UNCH
4650	----	----	94.90B/76.10A	94.90B/76.10A	----	77.70 - 9.50	.2545	----	----	----	----	164 UNCH
4660	----	----	92.80B/74.30A	92.80B/74.30A	----	75.80 - 9.40	.2494	----	----	----	----	72 UNCH
4670	----	----	90.60B/72.50A	90.60B/72.50A	----	74.00 - 9.30	.2445	----	----	----	----	4 UNCH
4675	74.60	74.60	89.50B/71.60A	89.50B/71.60A	----	73.20 - 9.10	.2422	----	----	10	----	12 + 10
4680	----	----	88.50B/70.80A	88.50B/70.80A	----	72.30 - 9.10	.2398	----	----	----	----	2 UNCH
4685	----	----	87.50B/69.90A	87.50B/69.90A	----	71.40 - 9.10	.2373	----	----	----	----	1 UNCH
4690	----	----	86.50B/69.10A	86.50B/69.10A	----	70.60 - 9.00	.2350	----	----	----	----	10 UNCH
4700	81.00	81.00	84.60B/67.50A	84.60B/67.50A	----	68.90 - 8.90	.2304	----	----	10	----	1457 + 10
4705	----	----	83.60B/66.70A	83.60B/66.70A	----	68.10 - 8.80	.2281	----	----	----	----	124 UNCH
4710	----	----	82.80B/65.90A	82.80B/65.90A	----	67.30 - 8.70	.2258	----	----	----	----	21 UNCH
4725	----	----	79.90B/63.60A	79.90B/63.60A	----	65.00 - 8.40	.2192	----	----	----	----	30 UNCH
4735	----	----	78.20B/62.10A	78.20B/62.10A	----	63.50 - 8.30	.2149	----	----	----	----	4 UNCH
4745	----	----	76.20B/60.60A	76.20B/60.60A	----	62.00 - 8.20	.2106	----	----	----	----	1 UNCH
4750	----	----	75.50B/59.90A	75.50B/59.90A	----	61.30 - 8.10	.2086	----	----	----	----	213 UNCH
4755	----	----	74.50B/59.30A	74.50B/59.30A	----	60.50 - 8.10	.2064	----	----	----	----	2375 UNCH
4760	----	----	73.80B/58.60A	73.80B/58.60A	----	59.80 - 8.00	.2043	----	----	----	----	52 UNCH
4765	----	----	72.90B/57.90A	72.90B/57.90A	----	59.10 - 8.00	.2023	----	----	----	----	52 UNCH
4770	----	----	72.20B/57.20A	72.20B/57.20A	----	58.40 - 7.90	.2002	----	----	----	----	50 UNCH
4775	----	----	71.40B/56.50A	71.40B/56.50A	----	57.80 - 7.80	.1984	----	----	----	----	1 UNCH
4780	----	----	70.60B/55.80A	70.60B/55.80A	----	57.10 - 7.70	.1963	----	----	----	----	1 UNCH
4785	----	----	69.80B/55.20A	69.80B/55.20A	----	56.40 - 7.70	.1943	----	----	----	----	3 UNCH
4790	----	----	69.00B/54.60A	69.00B/54.60A	----	55.80 - 7.60	.1925	----	----	----	----	1 UNCH
4795	----	----	68.20B/54.00A	68.20B/54.00A	----	55.10 - 7.60	.1904	----	----	----	----	6 UNCH
4800	68.00	68.00	68.00/53.30A	68.00/53.30A	----	54.50 - 7.50	.1886	----	----	1	----	531 UNCH
4810	----	----	65.90B/52.10A	65.90B/52.10A	----	53.20 - 7.40	.1848	----	----	----	----	31 UNCH
4820	----	----	64.40B/50.90A	64.40B/50.90A	----	52.00 - 7.30	.1811	----	----	----	----	20 UNCH
4830	----	----	63.00B/49.80A	63.00B/49.80A	----	50.80 - 7.10	.1775	----	----	----	----	68 UNCH
4845	----	----	60.90B/48.00A	60.90B/48.00A	----	49.10 - 6.90	.1723	----	----	----	----	1 UNCH
4850	----	----	60.30B/47.50A	60.30B/47.50A	----	48.60 - 6.80	.1707	----	----	----	----	14 UNCH
4855	----	----	59.60B/46.90A	59.60B/46.90A	----	48.00 - 6.80	.1689	----	----	----	----	20 UNCH
4880	----	----	56.20B/44.40A	56.20B/44.40A	----	45.30 - 6.60	.1605	----	----	----	----	11 UNCH
4890	----	----	55.10B/43.30A	55.10B/43.30A	----	44.30 - 6.40	.1574	----	----	----	----	7 UNCH
4895	----	----	54.50B/42.90A	54.50B/42.90A	----	43.80 - 6.40	.1558	----	----	----	----	9 UNCH
4900	48.50	48.50	53.90B/42.40A	53.90B/42.40A	----	43.30 - 6.30	.1542	----	----	3	----	22 - 1
4915	----	----	52.20B/41.00A	52.20B/41.00A	----	41.90 - 6.20	.1498	----	----	----	----	2 UNCH
4920	----	----	51.60B/40.60A	51.60B/40.60A	----	41.40 - 6.10	.1482	----	----	----	----	7 UNCH
4925	----	----	51.00B/40.10A	51.00B/40.10A	----	41.00 - 6.00	.1469	----	----	----	----	16 UNCH
4950	----	----	48.20B/37.80A	48.20B/37.80A	----	38.70 - 5.80	.1396	----	----	----	----	319 UNCH
4955	----	----	47.80B/37.50A	47.80B/37.50A	----	38.30 - 5.80	.1382	----	----	----	----	1 UNCH
4965	----	----	46.80B/36.70A	46.80B/36.70A	----	37.50 - 5.60	.1356	----	----	----	----	14 UNCH
4980	----	----	45.30B/35.50A	45.30B/35.50A	----	36.30 - 5.50	.1317	----	----	----	----	3 UNCH
4995	----	----	43.70B/34.50A	43.70B/34.50A	----	35.10 - 5.40	.1278	----	----	----	----	72 UNCH
5000	35.00	35.00	43.20B/34.10A	43.20B/34.10A	----	34.70 - 5.40	.1265	----	----	30	----	4203 - 21
5010	----	----	42.30B/33.40A	42.30B/33.40A	----	34.00 - 5.20	.1241	----	----	----	----	11 UNCH
5015	----	----	41.90B/33.00A	41.90B/33.00A	----	33.60 - 5.20	.1228	----	----	----	----	1 UNCH
5050	----	----	38.90B/30.70A	38.90B/30.70A	----	31.20 - 4.90	.1147	----	----	1	----	752 + 1
5060	----	----	38.10B/30.00A	38.10B/30.00A	----	30.50 - 4.80	.1124	----	----	----	----	1 UNCH
5075	----	----	36.90B/29.10A	36.90B/29.10A	----	29.60 - 4.70	.1093	----	----	----	----	2 UNCH
5100	----	----	34.90B/27.70A	34.90B/27.70A	----	28.10 - 4.50	.1042	----	----	----	----	379 UNCH
5105	----	----	34.70B/27.40A	34.70B/27.40A	----	27.80 - 4.40	.1032	----	----	----	----	5 UNCH
5125	----	----	33.20B/26.30A	33.20B/26.30A	----	26.70 - 4.30	.0993	----	----	----	----	21 UNCH
5145	----	----	31.90B/25.30A	31.90B/25.30A	----	25.70 - 4.10	.0958	----	----	----	----	44 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG CALL — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAR27												
5150	----	----	31.60B/25.00A	31.60B/25.00A	----	25.40 - 4.10	.0948	----	----	----	----	41 UNCH
5155	----	----	31.30B/24.80A	31.30B/24.80A	----	25.20 - 4.00	.0940	----	----	----	----	25 UNCH
5160	----	----	30.90B/24.60A	30.90B/24.60A	----	24.90 - 4.00	.0930	----	----	----	----	13 UNCH
5165	----	----	30.60B/24.30A	30.60B/24.30A	----	24.70 - 3.90	.0923	----	----	----	----	118 UNCH
5175	----	----	30.00B/23.80A	30.00B/23.80A	----	24.20 - 3.90	.0905	----	----	----	----	1 UNCH
5180	----	----	29.70B/23.60A	29.70B/23.60A	----	24.00 - 3.80	.0898	----	----	----	----	2 UNCH
5185	----	----	29.40B/23.40A	29.40B/23.40A	----	23.70 - 3.80	.0888	----	----	----	----	1 UNCH
5190	----	----	29.10B/23.20A	29.10B/23.20A	----	23.50 - 3.70	.0881	----	----	----	----	363 UNCH
5195	----	----	28.90B/22.90A	28.90B/22.90A	----	23.30 - 3.70	.0873	----	----	----	----	2 UNCH
5200	----	----	28.60B/22.70A	28.60B/22.70A	----	23.00 - 3.70	.0864	----	----	4	----	302 + 1
5205	----	----	28.30B/22.50A	28.30B/22.50A	----	22.80 - 3.70	.0856	----	----	----	----	2 UNCH
5210	----	----	28.00B/22.30A	28.00B/22.30A	----	22.60 - 3.60	.0849	----	----	----	----	2 UNCH
5215	----	----	27.70B/22.10A	27.70B/22.10A	----	22.40 - 3.60	.0842	----	----	----	----	4 UNCH
5220	----	----	27.50B/21.90A	27.50B/21.90A	----	22.20 - 3.50	.0834	----	----	----	----	17 UNCH
5225	----	----	27.20B/21.70A	27.20B/21.70A	----	22.00 - 3.50	.0827	----	----	----	----	6 UNCH
5230	----	----	26.90B/21.50A	26.90B/21.50A	----	21.80 - 3.40	.0820	----	----	----	----	6 UNCH
5235	----	----	26.70B/21.30A	26.70B/21.30A	----	21.60 - 3.40	.0812	----	----	----	----	8 UNCH
5240	----	----	26.40B/21.10A	26.40B/21.10A	----	21.40 - 3.40	.0805	----	----	----	----	10 UNCH
5245	----	----	26.20B/20.90A	26.20B/20.90A	----	21.20 - 3.30	.0798	----	----	----	----	12 UNCH
5250	----	----	25.90B/20.70A	25.90B/20.70A	----	21.00 - 3.30	.0791	----	----	----	----	105 UNCH
5255	----	----	25.70B/20.50A	25.70B/20.50A	----	20.80 - 3.30	.0784	----	----	----	----	18 UNCH
5260	----	----	25.40B/20.30A	25.40B/20.30A	----	20.60 - 3.20	.0777	----	----	----	----	7 UNCH
5265	----	----	25.20B/20.10A	25.20B/20.10A	----	20.40 - 3.20	.0769	----	----	----	----	27 UNCH
5270	----	----	24.90B/20.00A	24.90B/20.00A	----	20.20 - 3.20	.0762	----	----	----	----	9 UNCH
5275	----	----	24.70B/19.80A	24.70B/19.80A	----	20.00 - 3.20	.0755	----	----	----	----	136 UNCH
5280	----	----	24.50B/19.60A	24.50B/19.60A	----	19.90 - 3.10	.0751	----	----	----	----	17 UNCH
5285	19.40	19.40	24.20B/19.40	24.20B/19.40	----	19.70 - 3.10	.0744	----	----	3	----	24 + 3
5290	----	----	24.00B/19.20A	24.00B/19.20A	----	19.50 - 3.10	.0737	----	----	----	----	28 UNCH
5295	----	----	23.80B/19.10A	23.80B/19.10A	----	19.30 - 3.10	.0730	----	----	----	----	55 UNCH
5300	19.80	19.80	23.60B/18.90A	23.60B/18.90A	----	19.20 - 3.00	.0725	----	----	10	----	77 + 5
5305	----	----	23.30B/18.70A	23.30B/18.70A	----	19.00 - 3.00	.0718	----	----	----	----	2 UNCH
5330	----	----	22.30B/17.90A	22.30B/17.90A	----	18.20 - 2.80	.0688	----	----	----	----	30 UNCH
5345	----	----	21.70B/17.50A	21.70B/17.50A	----	17.70 - 2.80	.0670	----	----	----	----	1 UNCH
5350	----	----	21.50B/17.30A	21.50B/17.30A	----	17.50 - 2.80	.0663	----	----	----	----	7 UNCH
5380	----	----	20.40B/16.50A	20.40B/16.50A	----	16.70 - 2.60	.0633	----	----	----	----	12 UNCH
5390	----	----	20.00B/16.20A	20.00B/16.20A	----	16.40 - 2.60	.0622	----	----	----	----	10 UNCH
5400	----	----	19.70B/15.90A	19.70B/15.90A	----	16.10 - 2.60	.0611	----	----	----	----	106 UNCH
5405	----	----	19.50B/15.80A	19.50B/15.80A	----	16.00 - 2.50	.0607	----	----	----	----	5 UNCH
5415	----	----	19.20B/15.50A	19.20B/15.50A	----	15.70 - 2.50	.0596	----	----	----	----	16 UNCH
5420	----	----	19.00B/15.40A	19.00B/15.40A	----	15.60 - 2.50	.0592	----	----	----	----	20 UNCH
5430	----	----	18.70B/15.20A	18.70B/15.20A	----	15.30 - 2.50	.0581	----	----	----	----	10 UNCH
5435	----	----	18.50B/15.10A	18.50B/15.10A	----	15.20 - 2.40	.0577	----	----	----	----	12 UNCH
5445	----	----	18.20B/14.80A	18.20B/14.80A	----	15.00 - 2.30	.0569	----	----	----	----	1 UNCH
5450	----	----	18.10B/14.70A	18.10B/14.70A	----	14.80 - 2.40	.0563	----	----	----	----	146 UNCH
5455	----	----	17.90B/14.60A	17.90B/14.60A	----	14.70 - 2.40	.0559	----	----	----	----	1 UNCH
5490	----	----	16.90B/13.80A	16.90B/13.80A	----	13.90 - 2.20	.0528	----	----	----	----	12 UNCH
5500	----	----	16.60B/13.60A	16.60B/13.60A	----	13.70 - 2.20	.0521	----	----	----	----	917 UNCH
5505	----	----	16.50B/13.50A	16.50B/13.50A	----	13.60 - 2.20	.0517	----	----	----	----	130 UNCH
5550	----	----	15.30B/12.70A	15.30B/12.70A	----	12.80 - 1.90	.0485	----	----	----	----	4 UNCH
5555	----	----	15.20B/12.60A	15.20B/12.60A	----	12.70 - 1.90	.0481	----	----	----	----	13 UNCH
5595	----	----	14.30B/11.90A	14.30B/11.90A	----	12.00 - 1.80	.0454	----	----	----	----	5 UNCH
5600	----	----	14.20B/11.80A	14.20B/11.80A	----	11.90 - 1.80	.0450	----	----	----	----	1244 UNCH
5615	----	----	13.90B/11.60A	13.90B/11.60A	----	11.70 - 1.70	.0442	----	----	----	----	1 UNCH
5620	----	----	13.80B/11.50A	13.80B/11.50A	----	11.60 - 1.70	.0438	----	----	----	----	2 UNCH
5625	----	----	13.70B/11.40A	13.70B/11.40A	----	11.50 - 1.70	.0435	----	----	----	----	19 UNCH
5630	----	----	13.60B/11.30A	13.60B/11.30A	----	11.40 - 1.70	.0431	----	----	----	----	12 UNCH
5635	----	----	13.50B/11.30A	13.50B/11.30A	----	11.40 - 1.60	.0430	----	----	----	----	13 UNCH
5650	----	----	13.20B/11.00A	13.20B/11.00A	----	11.10 - 1.60	.0419	----	----	----	----	6 UNCH
5670	----	----	12.80B/10.80A	12.80B/10.80A	----	10.80 - 1.60	.0408	----	----	----	----	1 UNCH
5700	10.70	10.70	12.30B/10.40A	12.30B/10.40A	----	10.40 - 1.50	.0392	----	----	13	----	43 + 13
5750	----	----	11.50B/9.80A	11.50B/9.80A	----	9.80 - 1.30	.0368	----	----	----	----	3 UNCH
5755	----	----	11.40B/9.70A	11.40B/9.70A	----	9.70 - 1.40	.0364	----	----	----	----	3 UNCH
5790	----	----	10.90B/9.30A	10.90B/9.30A	----	9.30 - 1.30	.0349	----	----	----	----	49 UNCH
5800	----	----	10.80B/9.20A	10.80B/9.20A	----	9.20 - 1.30	.0344	----	----	----	----	2 UNCH
5810	----	----	10.60B/9.10A	10.60B/9.10A	----	9.10 - 1.20	.0340	----	----	----	----	15 UNCH
5820	----	----	10.50B/9.00A	10.50B/9.00A	----	9.00 - 1.20	.0336	----	----	----	----	1 UNCH
5825	----	----	10.40B/9.00A	10.40B/9.00A	----	8.90 - 1.30	.0333	----	----	----	----	13 UNCH
5850	----	----	10.10B/8.70A	10.10B/8.70A	----	8.70 - 1.20	.0324	----	----	----	----	3 UNCH
5860	----	----	10.00B/8.60A	10.00B/8.60A	----	8.60 - 1.10	.0320	----	----	----	----	6 UNCH
5875	----	----	9.80B/8.50A	9.80B/8.50A	----	8.40 - 1.20	.0313	----	----	----	----	13 UNCH
5900	----	----	9.50B/8.30A	9.50B/8.30A	----	8.20 - 1.10	.0305	----	----	----	----	29 UNCH
5950	----	----	9.00B/7.90A	9.00B/7.90A	----	7.80 - 1.00	.0289	----	----	----	----	19 UNCH
5975	----	----	8.70B/7.70A	8.70B/7.70A	----	7.60 - 1.00	.0281	----	----	----	----	36 UNCH
6000	----	----	8.50B/7.50A	8.50B/7.50A	----	7.40 - 1.00	.0273	----	----	4	----	57 UNCH
6025	----	----	8.30B/7.30A	8.30B/7.30A	----	7.20 - 1.00	.0265	----	----	----	----	1 UNCH
6100	----	----	----/6.90A	7.70B/6.90A	----	6.80 - 0.90	.0247	----	----	----	----	194 UNCH
6200	----	----	----/6.30A	7.00B/6.30A	----	6.30 - 0.80	.0226	----	----	----	----	25 UNCH
6250	----	----	----/6.10A	6.60B/6.10A	----	6.10 - 0.70	.0218	----	----	----	----	10 UNCH
6300	----	----	----/5.90A	6.40B/5.90A	----	5.90 - 0.70	.0209	----	----	----	----	490 UNCH
6400	----	----	----/5.50A	5.70B/5.50A	----	5.50 - 0.60	.0192	----	----	----	----	1 UNCH
6500	5.10	5.10	5.10/5.10	5.20B/5.10	----	5.00 - 0.70	.0174	----	----	6	----	749 UNCH
TOTAL										223		24073 + 9
APR27												
3000	----	----	----	----	----	1247.00 - 13.50	.9788	----	----	----	----	2 UNCH
3385	----	----	----	868.90B/895.80A	----	873.30 - 14.90	.9353	----	----	----	----	1 UNCH
3500	----	----	----	767.70B/784.60A	----	766.60 - 15.60	.9109	----	----	----	----	8 UNCH
3700	----	----	----/600.90A	605.10B/600.90A	----	590.90 - 16.40	.8477	----	----	----	----	1 UNCH
3800	----	----	529.30B/505.60A	529.30B/505.60A	----	509.70 - 16.60	.8040	----	----	2	----	5 + 2
3850	487.90	487.90	506.00B/467.20A	506.00B/467.20A	----	471.10 - 16.80	.7789	----	----	1	----	1 UNCH
3950	----	----	433.50B/395.20A	433.50B/395.20A	----	398.80 - 16.70	.7229	----	----	----	----	14 UNCH
4000	----	----	399.50B/361.80A	399.50B/361.80A	----	365.20 - 16.50	.6921	----	----	----	----	9 UNCH
4060	----	----	360.70B/324.10A	360.70B/324.10A	----	327.20 - 16.20	.6533	----	----	----	----	1 UNCH
4100	----	----	336.20B/300.60A	336.20B/300.60A	----	303.50 NEW	.6265	----	----	1	----	1 + 1
4110	----	----	330.30B/294.90A	330.30B/294.90A	----	297.70 - 15.80	.6197	----	----	----	----	4 UNCH
4125	----	----	321.50B/286.50A	321.50B/286.50A	----	289.30 - 15.70	.6094	----	----	----	----	93 UNCH
4150	----	----	307.20B/272.70A	307.20B/272.70A	----	275.60 - 15.50	.5922	----	----	----	----	1 UNCH
4170	----	----	296.10B/261.70A	296.10B/261.70A	----	265.00 - 15.40	.5783	----	----	----	----	1 UNCH
4175	----	----	293.40B/259.10A	293.40B/259.10A	----	262.40 - 15.40	.5748	----	----	----	----	43 UNCH
4200	----	----	281.60B/246.60A	281.60B/246.60A	----	249.70 - 15.30	.5574	----	----	----	----	108 UNCH
4210	----	----	277.30B/241.60A	277.30B/241.60A	----	244.80 - 15.20	.5504	----	----	----	----	6 UNCH
4225	----	----	268.60B/234.30A	268.60B/234.30A	----	237.50 - 15.10	.5399	----	----	----	----	411 UNCH
4230	----	----	267.00B/232.10A	267.00B/232.10A	----	235.20 - 15.00	.5364	----	----	----	----	101 UNCH
4250	----	----	256.50B/222.90A	256.50B/222.90A	----	225.90 - 14.90	.5224	----	----	6	----	229 + 6
4260	----	----	252.20B/218.40A	252.20B/218.40A	----	221.30 - 14.90	.5155	----	----	----	----	2 UNCH
4270	215.50	215.50	247.30B/214.00A	247.30B/214.00A	----	216.90 - 14.70	.5085	----	----	13	----	163 + 12
4275	216.20	216.20	244.50B/211.90A	244.50B/211.90A	----	214.70 NEW	.5051	----	----	19	----	19 + 19
4280	----	----	242.40B/209.70A	242.40B/209.70A	----	212.50 - 14.70	.5016	----	----	----	----	4 UNCH
4285	----	----	240.00B/207.50A	240.00B/207.50A	----	210.30 - 14.70	.4982	----	----	----	----	1 UNCH
4290	219.40	219.40	238.10B/205.40A	238.10B/205.40A	----	208.20 NEW	.4948	----	----	6	----	6 + 6
4300	----	----	233.00B/201.00A	233.00B/201.00A	----	204.00 - 14.50	.4879	----	----	----	----	349 UNCH
4340	----	----	215.70B/185.10A	215.70B/185.10A	----	187.90 - 14.10	.4609	----	----	----	----	15 UNCH
4350	----	----	211.10B/181.30A	211.10B/181.30A	----	184.00 - 14.00	.4542	----	----	----	----	119 UNCH
4360	----	----	207.60B/177.60A	207.60B/177.60A	----	180.20 - 13.90	.4476	----	----	----	----	2 UNCH
4365	----	----	205.50B/175.70A	205.50B/175.70A	----	178.40 - 13.80	.4443	----	----	----	----	2 UNCH
4370	----	----	203.40B/173.90A	203.40B/173.90A	----	176.50 - 13.80	.4410	----	----	----	----	1 UNCH
4375	----	----	201.20B/172.10A	201.20B/172.10A	----	174.70 - 13.70	.4378	----	----	----	----	40 UNCH
4395	----	----	193.50B/165.10A	193.50B/165.10A	----	167.60 - 13.40	.4249	----	----	----	----	1 UNCH
4400	----	----	191.40B/163.30A	191.40B/163.30A	----	165.90 - 13.30	.4217	----	----	----	----	8 UNCH
4410	----	----	187.80B/160.00A	187.80B/160.00A	----	162.40 - 13.30	.4153	----	----	----	----	1 UNCH
4415	----	----	186.20B/158.40A	186.20B/158.40A	----	160.80 - 13.10	.4122	----	----	----	----	1 UNCH
4420	----	----	184.30B/156.70A	184.30B/156.70A	----	159.10 - 13.10	.4090	----	----	----	----	32 UNCH
4425	----	----	182.60B/155.00A	182.60B/155.00A	----	157.40 - 13.00	.4058	----	----	----	----	3 UNCH
4440	----	----	177.10B/150.40A	177.10B/150.40A	----	152.60 - 12.80	.3966	----	----	----	----	50 UNCH
4445	----	----	175.40B/148.70A	175.40B/148.70A	----	151.00 - 12.70	.3935	----	----	----	----	3 UNCH
4450	----	----	173.50B/147.10A	173.50B/147.10A	----	149.40 - 12.70	.3904	----	----	----	----	159 UNCH
4455	----	----	171.80B/145.50A	171.80B/145.50A	----	147.90 - 12.60	.3874	----	----	----	----	1 UNCH
4460	----	----	170.10B/144.10A	170.10B/144.10A	----	146.30 - 12.60	.3843	----	----	----	----	1 UNCH
4465	----	----	168.40B/142.60A	168.40B/142.60A	----	144.80 - 12.50	.3813	----	----	----	----	4 UNCH
4470	----	----	166.70B/141.10A	166.70B/141.10A	----	143.30 - 12.40	.3783	----	----	----	----	1 UNCH
4475	----	----	165.20B/139.60A	165.20B/139.60A	----	141.80 - 12.30	.3754	----	----	----	----	1 UNCH
4480	----	----	163.50B/138.20A	163.50B/138.20A	----	140.30 - 12.30	.3724	----	----	----	----	20 UNCH
4485	----	----	161.90B/136.70A	161.90B/136.70A	----	138.90 - 12.20	.3695	----	----	----	----	1 UNCH
4500	----	----	156.70B/132.50A	156.70B/132.50A	----	134.60 - 12.00	.3607	----	----	8	----	206 + 8
4505	----	----	155.40B/131.10A	155.40B/131.10A	----	133.20 - 11.90	.3578	----	----	----	----	2 UNCH
4510	----	----	153.90B/129.70A	153.90B/129.70A	----	131.80 NEW	.3550	----	----	2	----	2 + 2
4515	----	----	152.30B/128.40A	152.30B/128.40A	----	130.40 - 11.80	.3521	----	----	----	----	31 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 33

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
APR27												
4520	----	----	150.80B/127.00A	150.80B/127.00A	----	129.10 - 11.70	.3493	----	----	----	----	1 UNCH
4525	----	----	149.30B/125.70A	149.30B/125.70A	----	127.70 - 11.70	.3464	----	----	----	----	20 UNCH
4540	----	----	145.00B/121.80A	145.00B/121.80A	----	123.80 - 11.40	.3381	----	----	----	----	100 UNCH
4550	----	----	142.00B/119.30A	142.00B/119.30A	----	121.20 - 11.30	.3326	----	----	----	----	223 UNCH
4555	----	----	140.50B/118.00A	140.50B/118.00A	----	119.90 - 11.30	.3299	----	----	----	----	5 UNCH
4560	----	----	139.20B/116.80A	139.20B/116.80A	----	118.70 - 11.20	.3272	----	----	----	----	2 UNCH
4565	----	----	137.80B/115.60A	137.80B/115.60A	----	117.50 - 11.10	.3246	----	----	----	----	21 UNCH
4575	----	----	135.00B/113.10A	135.00B/113.10A	----	115.00 - 11.10	.3192	----	----	----	----	59 UNCH
4590	----	----	130.90B/109.70A	130.90B/109.70A	----	111.50 - 10.90	.3114	----	----	----	----	32 UNCH
4595	----	----	129.60B/108.50A	129.60B/108.50A	----	110.30 - 10.80	.3088	----	----	----	----	21 UNCH
4600	----	----	128.40B/107.30A	128.40B/107.30A	----	109.20 - 10.70	.3063	----	----	3	----	217 + 3
4605	----	----	127.00B/106.30A	127.00B/106.30A	----	108.00 - 10.70	.3036	----	----	----	----	20 UNCH
4615	----	----	124.50B/104.10A	124.50B/104.10A	----	105.80 - 10.60	.2986	----	----	----	----	50 UNCH
4620	----	----	123.20B/103.00A	123.20B/103.00A	----	104.70 - 10.60	.2962	----	----	----	----	26 UNCH
4625	----	----	122.00B/101.90A	122.00B/101.90A	----	103.60 - 10.50	.2937	----	----	----	----	24 UNCH
4640	----	----	118.40B/98.80A	118.40B/98.80A	----	100.40 - 10.30	.2863	----	----	----	----	13 UNCH
4650	110.40	110.40	116.10B/96.50A	116.10B/96.50A	----	98.40 - 10.20	.2816	----	----	1	----	311 UNCH
4665	----	----	112.60B/93.70A	112.60B/93.70A	----	95.30 - 10.00	.2745	----	----	----	----	20 UNCH
4670	----	----	111.40B/92.60A	111.40B/92.60A	----	94.30 - 10.00	.2721	----	----	----	----	20 UNCH
4680	----	----	109.20B/90.80A	109.20B/90.80A	----	92.40 - 9.80	.2676	----	----	----	----	11 UNCH
4685	----	----	108.10B/89.90A	108.10B/89.90A	----	91.40 - 9.80	.2652	----	----	----	----	1 UNCH
4690	----	----	107.00B/89.00A	107.00B/89.00A	----	90.50 - 9.70	.2630	----	----	----	----	11 UNCH
4695	----	----	106.00B/88.00A	106.00B/88.00A	----	89.50 - 9.70	.2607	----	----	----	----	40 UNCH
4700	86.80	86.80	105.00B/86.80	105.00B/86.80	----	88.60 - 9.60	.2585	----	----	1	----	265 + 1
4705	----	----	103.90B/86.30A	103.90B/86.30A	----	87.70 - 9.50	.2564	----	----	----	----	66 UNCH
4710	----	----	102.80B/85.30A	102.80B/85.30A	----	86.80 - 9.40	.2542	----	----	----	----	2 UNCH
4715	----	----	101.80B/84.50A	101.80B/84.50A	----	85.90 - 9.40	.2520	----	----	----	----	63 UNCH
4720	----	----	100.80B/83.60A	100.80B/83.60A	----	85.00 - 9.30	.2498	----	----	----	----	7 UNCH
4725	----	----	99.80B/82.80A	99.80B/82.80A	----	84.10 - 9.30	.2476	----	----	----	----	2 UNCH
4730	----	----	98.80B/81.80A	98.80B/81.80A	----	83.20 - 9.30	.2455	----	----	----	----	2 UNCH
4750	----	----	95.00B/78.50A	95.00B/78.50A	----	79.80 - 9.00	.2371	----	----	----	----	151 UNCH
4760	----	----	93.00B/76.90A	93.00B/76.90A	----	78.20 - 8.90	.2331	----	----	----	----	8 UNCH
4765	----	----	92.10B/76.10A	92.10B/76.10A	----	77.40 - 8.80	.2311	----	----	----	----	2 UNCH
4770	----	----	91.10B/75.40A	91.10B/75.40A	----	76.60 - 8.70	.2291	----	----	----	----	15 UNCH
4775	----	----	90.30B/74.70A	90.30B/74.70A	----	75.80 - 8.70	.2271	----	----	----	----	40 UNCH
4785	----	----	88.40B/73.10A	88.40B/73.10A	----	74.30 - 8.50	.2232	----	----	----	----	39 UNCH
4795	----	----	86.70B/71.60A	86.70B/71.60A	----	72.80 - 8.40	.2194	----	----	----	----	40 UNCH
4800	----	----	85.90B/70.90A	85.90B/70.90A	----	72.00 - 8.40	.2174	----	----	1	----	403 - 1
4805	----	----	85.00B/70.20A	85.00B/70.20A	----	71.30 - 8.30	.2156	----	----	----	----	1 UNCH
4810	----	----	84.10B/69.40A	84.10B/69.40A	----	70.60 - 8.20	.2138	----	----	----	----	1 UNCH
4820	----	----	82.50B/68.10A	82.50B/68.10A	----	69.10 - 8.20	.2100	----	----	----	----	2 UNCH
4840	----	----	79.20B/65.30A	79.20B/65.30A	----	66.40 - 7.90	.2029	----	----	----	----	5 UNCH
4845	----	----	78.40B/64.60A	78.40B/64.60A	----	65.70 - 7.90	.2011	----	----	----	----	75 UNCH
4850	----	----	77.80B/64.00A	77.80B/64.00A	----	65.00 - 7.90	.1993	----	----	----	----	105 UNCH
4865	----	----	75.40B/62.00A	75.40B/62.00A	----	63.10 - 7.70	.1942	----	----	----	----	3 UNCH
4870	----	----	74.60B/61.50A	74.60B/61.50A	----	62.50 - 7.60	.1926	----	----	----	----	25 UNCH
4885	63.50	63.50	72.40B/59.70A	72.40B/59.70A	----	60.60 - 7.50	.1876	----	----	2	----	23 + 2
4900	----	----	70.40B/57.90A	70.40B/57.90A	----	58.80 - 7.30	.1827	----	----	1	----	83 UNCH
4905	----	----	69.60B/57.30A	69.60B/57.30A	----	58.30 - 7.20	.1813	----	----	----	----	13 UNCH
4925	----	----	66.90B/55.20A	66.90B/55.20A	----	56.00 - 7.00	.1751	----	----	----	----	1 UNCH
4930	----	----	66.30B/54.50A	66.30B/54.50A	----	55.40 - 7.00	.1735	----	----	----	----	5 UNCH
4935	----	----	65.60B/54.10A	65.60B/54.10A	----	54.90 - 6.90	.1720	----	----	----	----	1 UNCH
4940	----	----	65.00B/53.40A	65.00B/53.40A	----	54.40 - 6.80	.1706	----	----	----	----	1 UNCH
4950	----	----	63.80B/52.50A	63.80B/52.50A	----	53.30 - 6.80	.1676	----	----	----	----	1 UNCH
4970	----	----	61.40B/50.50A	61.40B/50.50A	----	51.30 - 6.50	.1620	----	----	----	----	10 UNCH
5000	54.00	54.00	58.00B/47.50A	58.00B/47.50A	----	48.40 - 6.20	.1539	----	----	3	----	1001 - 2
5010	----	----	56.70B/46.60A	56.70B/46.60A	----	47.50 - 6.00	.1513	----	----	----	----	4 UNCH
5020	----	----	55.60B/45.70A	55.60B/45.70A	----	46.60 - 5.90	.1487	----	----	----	----	7 UNCH
5025	----	----	55.10B/45.60A	55.10B/45.60A	----	46.10 - 5.90	.1473	----	----	----	----	1 UNCH
5030	----	----	54.70B/44.90A	54.70B/44.90A	----	45.70 - 5.80	.1462	----	----	----	----	1 UNCH
5035	----	----	54.20B/44.50A	54.20B/44.50A	----	45.20 - 5.90	.1448	----	----	----	----	2 UNCH
5040	----	----	53.50B/44.10A	53.50B/44.10A	----	44.80 - 5.80	.1436	----	----	----	----	3 UNCH
5045	----	----	53.00B/43.60A	53.00B/43.60A	----	44.40 - 5.70	.1424	----	----	----	----	30 UNCH
5050	----	----	52.80B/43.10A	52.80B/43.10A	----	44.00 - 5.60	.1413	----	----	----	----	119 UNCH
5055	----	----	52.00B/42.90A	52.00B/42.90A	----	43.60 - 5.60	.1401	----	----	----	----	67 UNCH
5060	----	----	51.50B/42.40A	51.50B/42.40A	----	43.10 - 5.60	.1387	----	----	----	----	27 UNCH
5070	----	----	50.60B/41.80A	50.60B/41.80A	----	42.30 - 5.50	.1364	----	----	----	----	6 UNCH
5075	----	----	50.30B/41.10A	50.30B/41.10A	----	41.90 - 5.50	.1352	----	----	----	----	232 UNCH
5100	----	----	48.10B/39.30A	48.10B/39.30A	----	40.00 - 5.20	.1297	----	----	----	----	940 UNCH
5130	----	----	45.20B/37.60A	45.20B/37.60A	----	37.90 - 5.00	.1234	----	----	----	----	18 UNCH
5140	----	----	44.40B/37.00A	44.40B/37.00A	----	37.20 - 4.90	.1213	----	----	----	----	11 UNCH
5145	----	----	44.00B/36.60A	44.00B/36.60A	----	36.80 - 5.00	.1202	----	----	----	----	8 UNCH
5150	----	----	43.70B/36.30A	43.70B/36.30A	----	36.50 - 4.90	.1193	----	----	----	----	105 UNCH
5170	----	----	42.00B/35.00A	42.00B/35.00A	----	35.20 - 4.80	.1154	----	----	----	----	1 UNCH
5180	----	----	41.30B/34.40A	41.30B/34.40A	----	34.60 - 4.70	.1135	----	----	----	----	18 UNCH
5195	----	----	40.20B/33.60A	40.20B/33.60A	----	33.70 - 4.60	.1108	----	----	----	----	5 UNCH
5200	----	----	39.90B/33.30A	39.90B/33.30A	----	33.40 - 4.60	.1099	----	----	----	----	1433 UNCH
5210	----	----	39.10B/32.70A	39.10B/32.70A	----	32.80 - 4.60	.1080	----	----	----	----	3 UNCH
5215	----	----	38.60B/32.40A	38.60B/32.40A	----	32.50 - 4.60	.1071	----	----	----	----	29 UNCH
5220	----	----	38.30B/32.10A	38.30B/32.10A	----	32.20 - 4.50	.1062	----	----	----	----	1 UNCH
5225	----	----	37.90B/31.90A	37.90B/31.90A	----	32.00 - 4.40	.1055	----	----	----	----	12 UNCH
5230	----	----	37.60B/31.60A	37.60B/31.60A	----	31.70 - 4.40	.1046	----	----	----	----	601 UNCH
5250	----	----	36.20B/30.50A	36.20B/30.50A	----	30.70 - 4.20	.1015	----	----	----	----	401 UNCH
5255	----	----	35.90B/30.30A	35.90B/30.30A	----	30.40 - 4.20	.1006	----	----	----	----	1 UNCH
5275	----	----	34.70B/29.30A	34.70B/29.30A	----	29.40 - 4.10	.0975	----	----	----	----	353 UNCH
5300	----	----	33.30B/28.20A	33.30B/28.20A	----	28.30 - 3.80	.0939	----	----	----	----	327 UNCH
5315	----	----	32.40B/27.50A	32.40B/27.50A	----	27.60 - 3.70	.0917	----	----	----	----	5 UNCH
5330	----	----	31.60B/26.90A	31.60B/26.90A	----	26.90 - 3.60	.0896	----	----	----	----	8 UNCH
5350	----	----	30.50B/26.00A	30.50B/26.00A	----	26.10 - 3.50	.0870	----	----	----	----	40 UNCH
5370	----	----	29.60B/25.20A	29.60B/25.20A	----	25.20 - 3.40	.0842	----	----	----	----	20 UNCH
5395	----	----	28.30B/24.30A	28.30B/24.30A	----	24.20 - 3.30	.0810	----	----	----	----	4 UNCH
5400	----	----	28.10B/24.10A	28.10B/24.10A	----	24.10 - 3.20	.0806	----	----	----	----	768 UNCH
5425	----	----	26.90B/23.20A	26.90B/23.20A	----	23.10 - 3.10	.0774	----	----	----	----	2 UNCH
5430	----	----	26.70B/23.00A	26.70B/23.00A	----	22.90 - 3.10	.0768	----	----	----	----	2 UNCH
5450	----	----	25.90B/22.40A	25.90B/22.40A	----	22.20 - 3.00	.0745	----	----	----	----	5 UNCH
5470	----	----	25.20B/21.70A	25.20B/21.70A	----	21.60 - 2.80	.0725	----	----	----	----	3 UNCH
5480	----	----	24.80B/21.40A	24.80B/21.40A	----	21.20 - 2.90	.0713	----	----	----	----	1 UNCH
5490	----	----	24.30B/21.10A	24.30B/21.10A	----	20.90 - 2.80	.0703	----	----	----	----	10 UNCH
5495	----	----	24.10B/21.00A	24.10B/21.00A	----	20.80 - 2.70	.0699	----	----	----	----	4 UNCH
5500	----	----	23.90B/20.80A	23.90B/20.80A	----	20.60 - 2.80	.0693	----	----	----	----	4874 UNCH
5510	----	----	23.70B/20.50A	23.70B/20.50A	----	20.30 - 2.70	.0683	----	----	----	----	1 UNCH
5540	----	----	22.50B/19.70A	22.50B/19.70A	----	19.40 - 2.60	.0654	----	----	----	----	6 UNCH
5550	----	----	22.20B/19.40A	22.20B/19.40A	----	19.20 - 2.50	.0647	----	----	----	----	12 UNCH
5570	----	----	21.50B/18.90A	21.50B/18.90A	----	18.60 - 2.50	.0627	----	----	----	----	1 UNCH
5575	----	----	21.40B/18.80A	21.40B/18.80A	----	18.50 - 2.40	.0624	----	----	----	----	3 UNCH
5600	----	----	20.60B/18.20A	20.60B/18.20A	----	17.90 - 2.30	.0603	----	----	----	----	4876 UNCH
5620	----	----	20.00B/17.70A	20.00B/17.70A	----	17.40 - 2.30	.0587	----	----	----	----	4 UNCH
5625	----	----	19.90B/17.60A	19.90B/17.60A	----	17.30 - 2.20	.0583	----	----	----	----	2 UNCH
5650	----	----	19.20B/17.00A	19.20B/17.00A	----	16.70 - 2.20	.0563	----	----	----	----	5 UNCH
5680	----	----	18.40B/16.40A	18.40B/16.40A	----	16.10 - 2.10	.0543	----	----	----	----	6 UNCH
5700	----	----	17.90B/16.00A	17.90B/16.00A	----	15.70 - 2.00	.0529	----	----	----	----	6 UNCH
5750	----	----	16.70B/15.00A	16.70B/15.00A	----	14.80 - 1.80	.0498	----	----	----	----	505 UNCH
5800	----	----	15.70B/14.20A	15.70B/14.20A	----	14.00 - 1.60	.0470	----	----	----	----	70 UNCH
5820	----	----	----/13.90A	15.30B/13.90A	----	13.70 - 1.60	.0459	----	----	----	----	1 UNCH
5850	----	----	----/13.40A	14.70B/13.40A	----	13.30 - 1.40	.0445	----	----	----	----	17 UNCH
5900	----	----	----/12.70A	13.90B/12.70A	----	12.60 - 1.30	.0420	----	----	----	----	3 UNCH
5925	----	----	----/12.30A	13.50B/12.30A	----	12.30 - 1.30	.0409	----	----	----	----	194 UNCH
5950	----	----	----/12.00A	13.10B/12.00A	----	12.00 - 1.20	.0399	----	----	----	----	1 UNCH
5975	----	----	----/11.70A	12.70B/11.70A	----	11.70 - 1.20	.0388	----	----	----	----	1 UNCH
6000	11.90	11.90	11.90/11.00	12.40B/11.00	----	11.40 - 1.10	.0378	----	----	51	----	936 + 36
6025	----	----	----/11.30A	12.10B/11.30A	----	11.10 - 1.10	.0368	----	----	----	----	100 UNCH
6050	----	----	----/11.00A	11.80B/11.00A	----	10.80 - 1.10	.0357	----	----	----	----	52 UNCH
6100	----	----	----/10.50A	11.20B/10.50A	----	10.20 - 1.20	.0337	----	----	----	----	163 UNCH
6200	----	----	----/9.60A	10.10B/9.60A	----	9.40 - 1.00	.0308	----	----	----	----	2 UNCH
6250	----	----	----/9.20A	9.70B/9.20A	----	9.00 - 0.90	.0294	----	----	----	----	31 UNCH
6400	----	----	----/8.30A	8.50B/8.30A	----	8.00 - 0.90	.0258	----	----	----	----	1 UNCH
6500	----	----	----/7.70A	7.90B/7.70A	----	7.50 - 0.80	.0239	----	----	----	----	268 UNCH
TOTAL										121		23779+ 95
MAY27												
4000	----	----	435.70B/408.90A	435.70B/408.90A	----	411.10 - 16.00	.6992	----	----	----	----	1 UNCH
4050	----	----	402.80B/377.20A	402.80B/377.20A	----	379.10 - 15.70	.6706	----	----	----	----	99 UNCH
4250	----	----	300.80B/266.60A	300.80B/266.60A	----	269.00 - 14.60	.5480	----	----	----	----	6 UNCH
4300	----	----	276.20B/243.20A	276.20B/243.20A	----	245.90 - 14.20	.5167	----	----	----	----	124 UNCH
4320	258.70	258.70	267.50B/234.60A	267.50B/234.60A	----	237.20 NEW	.5044	----	----	2	----	2 + 2
4375	----	----	241.70B/211.80A	241.70B/211.80A	----	214.60 - 13.40	.4709	----	----	----	----	13 UNCH
4400	----	----	232.30B/202.50A	232.30B/202.50A	----	205.00 - 13.20	.4560	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY27												
4420	----	----	224.20B/195.00A	224.20B/195.00A	----	197.60 - 12.90	.4442	----	----	----	----	1 UNCH
4470	----	----	205.80B/177.90A	205.80B/177.90A	----	180.20 - 12.40	.4156	----	----	----	----	1 UNCH
4500	----	----	194.40B/168.30A	194.40B/168.30A	----	170.50 - 12.10	.3989	----	----	----	----	1 UNCH
4505	----	----	192.90B/166.70A	192.90B/166.70A	----	169.00 - 12.00	.3962	----	----	----	----	18 UNCH
4510	----	----	190.90B/165.20A	190.90B/165.20A	----	167.40 - 12.00	.3934	----	----	----	----	2 UNCH
4520	----	----	187.40B/162.20A	187.40B/162.20A	----	164.30 - 12.00	.3880	----	----	----	----	1 UNCH
4550	171.70	171.70	178.00B/153.30A	178.00B/153.30A	----	155.50 - 11.70	.3721	----	----	1	----	111 - 1
4555	----	----	175.30B/152.00A	175.30B/152.00A	----	154.10 - 11.60	.3695	----	----	----	----	18 UNCH
4600	----	----	163.20B/139.80A	163.20B/139.80A	----	141.80 - 11.30	.3466	----	----	----	----	9 UNCH
4650	----	----	149.30B/127.50A	149.30B/127.50A	----	129.30 - 11.00	.3224	----	----	----	----	10 UNCH
4665	----	----	145.40B/124.00A	145.40B/124.00A	----	125.80 - 10.80	.3155	----	----	----	----	1 UNCH
4700	----	----	136.40B/116.50A	136.40B/116.50A	----	118.00 - 10.40	.2997	----	----	----	----	57 UNCH
4785	----	----	117.50B/99.60A	117.50B/99.60A	----	101.00 - 9.40	.2641	----	----	----	----	20 UNCH
4800	----	----	114.30B/96.90A	114.30B/96.90A	----	98.30 - 9.20	.2582	----	----	----	----	72 UNCH
4810	----	----	111.50B/95.20A	111.50B/95.20A	----	96.60 - 9.00	.2544	----	----	----	----	1 UNCH
4850	----	----	104.70B/88.70A	104.70B/88.70A	----	89.90 - 8.50	.2396	----	----	----	----	5 UNCH
4855	----	----	103.80B/87.90A	103.80B/87.90A	----	89.10 - 8.50	.2378	----	----	----	----	2 UNCH
4860	----	----	102.90B/87.00A	102.90B/87.00A	----	88.30 - 8.40	.2360	----	----	----	----	20 UNCH
4900	----	----	95.40B/81.10A	95.40B/81.10A	----	82.20 - 8.00	.2222	----	----	----	----	115 UNCH
4920	----	----	92.50B/78.30A	92.50B/78.30A	----	79.40 - 7.70	.2157	----	----	----	----	2 UNCH
4945	----	----	88.60B/74.90A	88.60B/74.90A	----	75.90 - 7.60	.2076	----	----	----	----	9 UNCH
4950	----	----	87.50B/74.30A	87.50B/74.30A	----	75.30 - 7.40	.2061	----	----	----	----	2 UNCH
4955	----	----	87.20B/73.50A	87.20B/73.50A	----	74.60 - 7.40	.2045	----	----	----	----	9 UNCH
4970	----	----	84.80B/71.60A	84.80B/71.60A	----	72.60 - 7.30	.1998	----	----	----	----	9 UNCH
5000	----	----	80.40B/68.00A	80.40B/68.00A	----	68.80 - 7.10	.1908	----	----	----	----	152 UNCH
5040	----	----	75.20B/63.50A	75.20B/63.50A	----	64.20 - 6.70	.1796	----	----	----	----	1 UNCH
5070	----	----	71.50B/60.30A	71.50B/60.30A	----	61.00 - 6.40	.1717	----	----	----	----	37 UNCH
5100	----	----	67.40B/57.30A	67.40B/57.30A	----	58.00 - 6.20	.1642	----	----	----	----	10 UNCH
5130	----	----	64.20B/54.40A	64.20B/54.40A	----	55.20 - 6.00	.1571	----	----	----	----	7 UNCH
5140	----	----	63.50B/53.60A	63.50B/53.60A	----	54.30 - 5.90	.1548	----	----	----	----	1 UNCH
5145	----	----	62.90B/53.20A	62.90B/53.20A	----	53.80 - 5.90	.1536	----	----	----	----	2 UNCH
5150	----	----	62.30B/52.70A	62.30B/52.70A	----	53.40 - 5.90	.1525	----	----	----	----	13 UNCH
5170	----	----	59.90B/51.00A	59.90B/51.00A	----	51.60 - 5.80	.1480	----	----	----	----	20 UNCH
5180	----	----	59.60B/50.10A	59.60B/50.10A	----	50.70 - 5.80	.1457	----	----	----	----	1 UNCH
5185	----	----	58.90B/49.70A	58.90B/49.70A	----	50.30 - 5.80	.1447	----	----	----	----	37 UNCH
5200	----	----	57.40B/48.60A	57.40B/48.60A	----	49.00 - 5.80	.1414	----	----	----	----	161 UNCH
5215	----	----	56.10B/47.50A	56.10B/47.50A	----	47.80 - 5.60	.1382	----	----	----	----	20 UNCH
5220	----	----	55.60B/47.10A	55.60B/47.10A	----	47.40 - 5.60	.1372	----	----	----	----	39 UNCH
5225	----	----	54.80B/46.70A	54.80B/46.70A	----	47.00 - 5.60	.1362	----	----	----	----	2 UNCH
5235	----	----	53.90B/46.00A	53.90B/46.00A	----	46.20 - 5.50	.1341	----	----	----	----	25 UNCH
5240	----	----	54.00B/45.60A	54.00B/45.60A	----	45.80 - 5.50	.1331	----	----	----	----	29 UNCH
5250	----	----	53.00B/44.90A	53.00B/44.90A	----	45.10 - 5.40	.1312	----	----	----	----	313 UNCH
5275	----	----	50.70B/43.60A	50.70B/43.60A	----	43.30 - 5.20	.1264	----	----	----	----	25 UNCH
5300	----	----	49.00B/42.00A	49.00B/42.00A	----	41.60 - 5.10	.1219	----	----	----	----	1 UNCH
5330	----	----	46.30B/40.10A	46.30B/40.10A	----	39.80 - 4.80	.1170	----	----	----	----	2 UNCH
5345	----	----	45.70B/39.20A	45.70B/39.20A	----	38.90 - 4.70	.1145	----	----	----	----	2 UNCH
5365	----	----	44.30B/38.10A	44.30B/38.10A	----	37.80 - 4.60	.1114	----	----	----	----	3 UNCH
5395	----	----	----/36.50A	39.50B/36.50A	----	36.30 - 4.30	.1072	----	----	----	----	1 UNCH
5400	----	----	----/36.20A	39.20B/36.20A	----	36.00 - 4.30	.1064	----	----	----	----	30 UNCH
5430	----	----	----/34.70A	37.50B/34.70A	----	34.50 - 4.10	.1022	----	----	----	----	4 UNCH
5450	----	----	----/33.70A	36.40B/33.70A	----	33.50 - 4.00	.0994	----	----	----	----	10 UNCH
5500	----	----	----/31.60A	33.80B/31.60A	----	31.20 - 3.80	.0929	----	----	----	----	4 UNCH
5515	----	----	----/31.00A	33.00B/31.00A	----	30.60 - 3.70	.0912	----	----	----	----	7 UNCH
5550	31.40	31.40	31.40/29.60A	31.80B/29.60A	----	29.10 - 3.60	.0869	----	----	2	----	286 - 2
5630	----	----	----/26.60A	28.50B/26.60A	----	26.10 - 3.40	.0783	----	----	----	----	1 UNCH
5650	----	----	----/25.90A	27.70B/25.90A	----	25.50 - 3.30	.0765	----	----	----	----	5 UNCH
5665	----	----	----/25.40A	27.20B/25.40A	----	25.00 - 3.20	.0751	----	----	----	----	1 UNCH
5700	----	----	----/24.30A	26.00B/24.30A	----	23.90 - 3.00	.0719	----	----	----	----	37 UNCH
5800	----	----	----/21.60A	22.00B/21.60A	----	21.20 - 2.30	.0638	----	----	----	----	2 UNCH
5820	----	----	----/21.10A	21.50B/21.10A	----	20.70 - 2.20	.0623	----	----	----	----	45 UNCH
5840	----	----	----/20.60A	20.90B/20.60A	----	20.20 - 2.10	.0609	----	----	----	----	1 UNCH
5850	----	----	----/20.40A	20.70B/20.40A	----	20.00 - 2.10	.0602	----	----	----	----	66 UNCH
5900	----	----	----/19.30A	19.40B/19.30A	----	18.90 - 1.90	.0569	----	----	----	----	6 UNCH
5910	----	----	----/19.10A	19.20B/19.10A	----	18.70 - 1.90	.0563	----	----	----	----	1 UNCH
5950	----	----	----/18.40A	18.30B/18.40A	----	18.00 - 1.70	.0541	----	----	----	----	1 UNCH
5975	----	----	----/17.90A	17.80B/17.90A	----	17.50 - 1.70	.0526	----	----	----	----	1 UNCH
6000	----	----	----/17.70A	17.40B/17.70A	----	17.10 - 1.60	.0513	----	----	----	----	123 UNCH
6050	----	----	----/16.90A	16.40B/16.90A	----	16.30 - 1.50	.0488	----	----	----	----	1 UNCH
6100	----	----	----/16.10A	15.60B/16.10A	----	15.50 - 1.50	.0464	----	----	----	----	1 UNCH
6250	----	----	----/14.30A	13.40B/14.30A	----	13.50 - 1.40	.0402	----	----	----	----	50 UNCH
6500	----	----	----/11.90A	10.80B/11.90A	----	11.10 - 1.10	.0326	----	----	----	----	23 UNCH
8000	----	----	----	5.10B/6.30A	----	5.70 - 0.20	.0147	----	----	----	----	21 UNCH
TOTAL										5		2378 - 1
JUN27												
4000	----	----	452.00B/425.80A	452.00B/425.80A	----	427.90 - 16.50	.6894	----	----	----	----	37 UNCH
4100	----	----	389.20B/365.40A	389.20B/365.40A	----	366.80 - 15.90	.6348	----	----	----	----	1 UNCH
4150	----	----	366.70B/337.50A	366.70B/337.50A	----	338.80 - 15.40	.6064	----	----	----	----	4 UNCH
4165	----	----	358.30B/328.60A	358.30B/328.60A	----	330.80 - 15.20	.5977	----	----	----	----	7 UNCH
4180	----	----	350.10B/320.50A	350.10B/320.50A	----	322.90 - 15.10	.5891	----	----	1	----	3 + 1
4250	----	----	319.70B/285.90A	319.70B/285.90A	----	288.30 - 14.20	.5484	----	----	----	----	17 UNCH
4260	----	----	314.70B/281.00A	314.70B/281.00A	----	283.60 - 14.20	.5426	----	----	----	----	6 UNCH
4270	----	----	309.40B/276.20A	309.40B/276.20A	----	279.00 - 14.10	.5368	----	----	----	----	1 UNCH
4280	----	----	304.40B/272.40A	304.40B/272.40A	----	274.40 - 14.00	.5310	----	----	----	----	3 UNCH
4285	----	----	302.20B/270.10A	302.20B/270.10A	----	272.20 - 13.90	.5281	----	----	----	----	100 UNCH
4300	----	----	295.50B/263.20A	295.50B/263.20A	----	265.40 - 14.00	.5195	----	----	----	----	190 UNCH
4305	----	----	292.70B/261.00A	292.70B/261.00A	----	263.20 - 14.00	.5166	----	----	----	----	152 UNCH
4310	----	----	289.70B/258.90A	289.70B/258.90A	----	261.00 - 13.90	.5137	----	----	----	----	8 UNCH
4315	----	----	288.60B/256.60A	288.60B/256.60A	----	258.80 - 14.00	.5108	----	----	----	----	1 UNCH
4320	----	----	286.20B/254.60A	286.20B/254.60A	----	256.70 - 13.90	.5080	----	----	----	----	1 UNCH
4325	----	----	283.60B/252.50A	283.60B/252.50A	----	254.50 - 13.90	.5051	----	----	----	----	283 UNCH
4330	----	----	281.30B/250.40A	281.30B/250.40A	----	252.40 NEW	.5023	----	----	3	----	3 + 3
4350	----	----	273.00B/242.00A	273.00B/242.00A	----	244.00 - 13.90	.4909	----	----	1	----	3 + 1
4355	----	----	270.60B/239.40A	270.60B/239.40A	----	242.00 - 13.80	.4881	----	----	----	----	1 UNCH
4365	----	----	266.30B/235.50A	266.30B/235.50A	----	238.00 - 13.70	.4825	----	----	----	----	1 UNCH
4370	----	----	263.60B/233.50A	263.60B/233.50A	----	236.00 - 13.70	.4797	----	----	----	----	2 UNCH
4375	----	----	262.20B/231.50A	262.20B/231.50A	----	234.00 - 13.70	.4769	----	----	----	----	32 UNCH
4380	----	----	260.50B/229.60A	260.50B/229.60A	----	232.10 - 13.60	.4741	----	----	----	----	3 UNCH
4400	----	----	250.10B/221.90A	250.10B/221.90A	----	224.40 - 13.50	.4630	----	----	----	----	6 UNCH
4405	227.30	227.30	250.00B/220.10A	250.00B/220.10A	----	222.50 NEW	.4603	----	----	9	----	9 + 9
4410	----	----	246.80B/218.30A	246.80B/218.30A	----	220.70 - 13.40	.4576	----	----	----	----	3 UNCH
4415	----	----	245.40B/216.40A	245.40B/216.40A	----	218.80 - 13.40	.4548	----	----	----	----	9 UNCH
4420	----	----	243.70B/214.60A	243.70B/214.60A	----	217.00 - 13.40	.4521	----	----	----	----	4 UNCH
4435	----	----	237.70B/209.20A	237.70B/209.20A	----	211.60 - 13.20	.4440	----	----	----	----	3 UNCH
4450	----	----	232.50B/203.80A	232.50B/203.80A	----	206.30 - 13.10	.4360	----	----	----	----	60 UNCH
4470	----	----	224.50B/197.10A	224.50B/197.10A	----	199.50 - 12.90	.4254	----	----	----	----	2 UNCH
4475	----	----	222.70B/195.50A	222.70B/195.50A	----	197.80 - 12.90	.4228	----	----	----	----	8 UNCH
4490	----	----	216.70B/190.50A	216.70B/190.50A	----	192.90 - 12.70	.4150	----	----	----	----	1 UNCH
4495	----	----	215.40B/188.90A	215.40B/188.90A	----	191.20 - 12.70	.4124	----	----	----	----	2 UNCH
4500	----	----	213.70B/187.30A	213.70B/187.30A	----	189.60 - 12.60	.4098	----	----	----	----	1910 UNCH
4520	----	----	207.00B/181.10A	207.00B/181.10A	----	183.30 - 12.40	.3996	----	----	----	----	100 UNCH
4545	----	----	198.30B/173.60A	198.30B/173.60A	----	175.70 - 12.20	.3871	----	----	----	----	25 UNCH
4550	----	----	197.20B/172.10A	197.20B/172.10A	----	174.20 - 12.10	.3846	----	----	----	----	83 UNCH
4575	----	----	189.50B/165.40A	189.50B/165.40A	----	167.00 - 11.80	.3725	----	----	----	----	8 UNCH
4600	----	----	180.70B/158.10A	180.70B/158.10A	----	160.10 - 11.50	.3606	----	----	----	----	102 UNCH
4625	----	----	174.40B/151.60A	174.40B/151.60A	----	153.50 - 11.20	.3490	----	----	----	----	24 UNCH
4630	----	----	173.40B/150.30A	173.40B/150.30A	----	152.20 - 11.20	.3467	----	----	----	----	2 UNCH
4650	----	----	167.40B/145.30A	167.40B/145.30A	----	147.10 - 11.00	.3377	----	----	----	----	252 UNCH
4680	----	----	159.70B/138.40A	159.70B/138.40A	----	139.80 - 10.70	.3244	----	----	----	----	1 UNCH
4700	----	----	154.30B/133.60A	154.30B/133.60A	----	135.20 - 10.50	.3159	----	----	----	----	66 UNCH
4750	----	----	142.20B/123.10A	142.20B/123.10A	----	124.30 - 10.00	.2953	----	----	----	----	37 UNCH
4760	----	----	140.20B/120.90A	140.20B/120.90A	----	122.30 - 9.80	.2914	----	----	----	----	15 UNCH
4790	----	----	133.60B/115.10A	133.60B/115.10A	----	116.30 - 9.50	.2797	----	----	----	----	30 UNCH
4800	----	----	131.40B/113.10A	131.40B/113.10A	----	114.40 - 9.40	.2760	----	----	----	----	130 UNCH
4810	----	----	129.20B/111.40A	129.20B/111.40A	----	112.50 - 9.30	.2722	----	----	----	----	1 UNCH
4830	----	----	124.90B/107.80A	124.90B/107.80A	----	108.80 NEW	.2648	----	----	3	----	3 + 3
4850	----	----	120.90B/104.30A	120.90B/104.30A	----	105.30 - 8.90	.2577	----	----	----	----	2 UNCH
4865	----	----	118.30B/101.70A	118.30B/101.70A	----	102.70 - 8.80	.2525	----	----	----	----	75 UNCH
4900	----	----	111.70B/96.10A	111.70B/96.10A	----	97.00 - 8.50	.2406	----	----	----	----	119 UNCH
4950	----	----	102.70B/88.60A	102.70B/88.60A	----	89.50 - 7.90	.2248	----	----	----	----	16 UNCH
5000	85.90	85.90	95.20B/81.70A	95.20B/81.70A	----	82.60 - 7.50	.2099	----	----	150	----	1515 - 80
5010	----	----	93.70B/80.40A	93.70B/80.40A	----	81.30 - 7.40	.2070	----	----	----	----	1 UNCH
5020	----	----	92.20B/79.20A	92.20B/79.20A	----	80.00 - 7.40	.2042	----	----	----	----	2 UNCH
5025	----	----	91.40B/78.50A	91.40B/78.50A	----	79.40 - 7.30	.2028	----	----	----	----	200 UNCH
5050	----	----	87.70B/75.50A	87.70B/75.50A	----	76.30 - 7.10	.1960	----	----	----	----	500 UNCH
5070	----	----	85.30B/73.10A	85.30B/73.10A	----	74.00 - 6.90	.1907	----	----	----	----	2 UNCH
5085	----	----	83.20B/71.40A	83.20B/71.40A	----	72.20 - 6.90	.1868	----	----	----	----	150 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN27												
5100	----	----	81.40B/69.70A	81.40B/69.70A	----	70.60 - 6.70	.1831	----	----	----	----	156 UNCH
5130	----	----	77.50B/66.60A	77.50B/66.60A	----	67.40 NEW	.1758	----	----	3	----	3 + 3
5150	----	----	75.60B/64.60A	75.60B/64.60A	----	65.40 - 6.30	.1711	----	----	----	----	650 UNCH
5170	----	----	73.30B/62.80A	73.30B/62.80A	----	63.40 - 6.20	.1665	----	----	----	----	260 UNCH
5180	----	----	72.20B/61.70A	72.20B/61.70A	----	62.40 - 6.20	.1642	----	----	----	----	3 UNCH
5200	----	----	69.70B/59.80A	69.70B/59.80A	----	60.60 - 6.00	.1599	----	----	----	----	584 UNCH
5210	----	----	69.00B/59.10A	69.00B/59.10A	----	59.70 - 5.90	.1578	----	----	----	----	3 UNCH
5215	----	----	68.40B/58.60A	68.40B/58.60A	----	59.20 - 5.90	.1567	----	----	----	----	9 UNCH
5250	----	----	64.50B/55.40A	64.50B/55.40A	----	56.20 - 5.70	.1495	----	----	----	----	94 UNCH
5300	----	----	60.40B/51.70A	60.40B/51.70A	----	52.20 - 5.40	.1399	----	----	----	----	347 UNCH
5350	----	----	56.00B/48.10A	56.00B/48.10A	----	48.60 - 5.10	.1311	----	----	----	----	3 UNCH
5360	----	----	55.30B/47.80A	55.30B/47.80A	----	47.90 - 5.10	.1293	----	----	----	----	325 UNCH
5400	----	----	52.20B/45.50A	52.20B/45.50A	----	45.30 - 4.80	.1229	----	----	----	----	701 UNCH
5450	----	----	48.60B/42.60A	48.60B/42.60A	----	42.20 - 4.60	.1151	----	----	----	----	4 UNCH
5470	----	----	----/41.50A	44.60B/41.50A	----	41.10 - 4.50	.1123	----	----	----	----	1 UNCH
5500	----	----	----/39.90A	42.70B/39.90A	----	39.50 - 4.30	.1082	----	----	----	----	1562 UNCH
5535	----	----	----/38.10A	40.70B/38.10A	----	37.70 - 4.20	.1036	----	----	----	----	1 UNCH
5545	----	----	----/37.70A	40.20B/37.70A	----	37.20 - 4.10	.1023	----	----	----	----	8 UNCH
5600	----	----	----/35.30A	37.30B/35.30A	----	34.60 - 3.90	.0956	----	----	----	----	239 UNCH
5700	----	----	----/31.20A	33.30B/31.20A	----	30.50 - 3.60	.0848	----	----	----	----	1 UNCH
5750	----	----	----/29.50A	31.30B/29.50A	----	28.80 - 3.30	.0802	----	----	----	----	149 UNCH
5800	----	----	----/27.90A	29.40B/27.90A	----	27.10 - 3.20	.0756	----	----	----	----	3 UNCH
5840	----	----	----/26.70A	28.10B/26.70A	----	25.90 - 3.10	.0723	----	----	----	----	2 UNCH
5870	----	----	----/25.80A	27.10B/25.80A	----	25.10 - 2.90	.0701	----	----	----	----	3 UNCH
5875	----	----	----/25.70A	27.00B/25.70A	----	24.90 - 2.90	.0696	----	----	----	----	84 UNCH
5900	----	----	----/25.00A	25.50B/25.00A	----	24.30 - 2.80	.0679	----	----	----	----	26 UNCH
5975	----	----	----/23.20A	23.40B/23.20A	----	22.40 - 2.60	.0627	----	----	----	----	21 UNCH
6000	----	----	----/22.60A	22.70B/22.60A	----	21.80 - 2.60	.0610	----	----	----	----	752 UNCH
6025	----	----	----/22.10A	22.10B/22.10A	----	21.30 - 2.50	.0596	----	----	----	----	125 UNCH
6050	----	----	----/21.60A	21.50B/21.60A	----	20.80 - 2.40	.0582	----	----	----	----	3 UNCH
6100	----	----	----/20.60A	20.40B/20.60A	----	19.80 - 2.30	.0554	----	----	----	----	370 UNCH
6250	----	----	----/18.30A	17.80B/18.30A	----	17.20 - 2.00	.0480	----	----	----	----	254 UNCH
6500	----	----	----/15.30A	14.20B/15.30A	----	14.10 - 1.50	.0390	----	----	----	----	790 UNCH
7000	----	----	----	10.20B/11.50A	----	10.40 - 0.90	.0278	----	----	----	----	398 UNCH
7500	----	----	----	7.90B/9.30A	----	8.40 - 0.60	.0216	----	----	----	----	478 UNCH
8000	----	----	----	6.50B/7.90A	----	7.20 - 0.40	.0178	----	----	----	----	465 UNCH
8500	----	----	----	5.60B/6.90A	----	6.30 - 0.30	.0150	----	----	----	----	169 UNCH
9000	----	----	----	4.90B/6.10A	----	5.50 - 0.30	.0127	----	----	----	----	130 UNCH
9500	----	----	----	4.30B/5.50A	----	4.90 - 0.20	.0110	----	----	----	----	72 UNCH
10000	----	----	----	3.90B/5.10A	----	4.50 - 0.20	.0098	----	----	----	----	119 UNCH
TOTAL										170		15704 - 60
JUL27												
4300	----	----	334.10B/302.10A	334.10B/302.10A	----	304.40 NEW	.5425	----	----	1	----	1 + 1
4310	----	----	329.80B/298.30A	329.80B/298.30A	----	299.80 - 14.80	.5371	----	----	----	----	2 UNCH
4315	----	----	327.30B/295.40A	327.30B/295.40A	----	297.50 - 14.70	.5344	----	----	----	----	2 UNCH
4325	----	----	322.70B/290.80A	322.70B/290.80A	----	293.00 - 14.60	.5291	----	----	----	----	2 UNCH
4335	----	----	318.20B/286.40A	318.20B/286.40A	----	288.60 - 14.50	.5237	----	----	----	----	3 UNCH
4340	----	----	315.70B/284.00A	315.70B/284.00A	----	286.40 - 14.40	.5211	----	----	----	----	2 UNCH
4345	----	----	312.90B/281.70A	312.90B/281.70A	----	284.20 - 14.40	.5184	----	----	----	----	1 UNCH
4350	----	----	311.00B/279.60A	311.00B/279.60A	----	282.00 - 14.40	.5158	----	----	----	----	16 UNCH
4360	----	----	305.90B/275.10A	305.90B/275.10A	----	277.70 - 14.30	.5105	----	----	----	----	28 UNCH
4370	----	----	301.80B/271.30A	301.80B/271.30A	----	273.50 - 14.10	.5052	----	----	----	----	2 UNCH
4375	----	----	299.20B/269.10A	299.20B/269.10A	----	271.40 - 14.10	.5026	----	----	----	----	2 UNCH
4475	----	----	257.50B/230.40A	257.50B/230.40A	----	232.40 - 13.10	.4512	----	----	----	----	1 UNCH
4500	----	----	249.10B/221.70A	249.10B/221.70A	----	223.60 - 12.70	.4388	----	----	----	----	4 UNCH
4505	----	----	247.40B/219.90A	247.40B/219.90A	----	221.80 - 12.80	.4363	----	----	----	----	2 UNCH
4535	----	----	236.30B/210.00A	236.30B/210.00A	----	211.70 - 12.40	.4217	----	----	----	----	38 UNCH
4540	----	----	234.80B/208.30A	234.80B/208.30A	----	210.10 - 12.30	.4193	----	----	----	----	2 UNCH
4565	----	----	226.10B/200.30A	226.10B/200.30A	----	202.10 - 12.10	.4074	----	----	----	----	1 UNCH
4600	----	----	214.10B/189.80A	214.10B/189.80A	----	191.40 - 11.70	.3912	----	----	----	----	40 UNCH
4700	----	----	183.80B/162.60A	183.80B/162.60A	----	163.90 - 11.00	.3473	----	----	----	----	24 UNCH
4750	----	----	170.90B/150.60A	170.90B/150.60A	----	151.70 - 10.80	.3269	----	----	----	----	10 UNCH
4800	----	----	159.00B/139.70A	159.00B/139.70A	----	140.50 - 10.50	.3074	----	----	----	----	1 UNCH
4835	----	----	149.50B/132.40A	149.50B/132.40A	----	133.20 - 10.30	.2945	----	----	----	----	70 UNCH
4900	----	----	136.70B/120.10A	136.70B/120.10A	----	120.70 - 9.80	.2717	----	----	----	----	10 UNCH
4990	----	----	119.60B/105.10A	119.60B/105.10A	----	105.50 - 9.10	.2428	----	----	----	----	10 UNCH
5000	----	----	117.90B/103.50A	117.90B/103.50A	----	104.00 - 9.00	.2399	----	----	----	----	620 UNCH
5200	----	----	88.70B/77.80A	88.70B/77.80A	----	78.20 - 7.00	.1874	----	----	----	----	1 UNCH
5225	----	----	85.70B/75.10A	85.70B/75.10A	----	75.60 - 6.70	.1819	----	----	----	----	2 UNCH
5250	----	----	82.60B/72.60A	82.60B/72.60A	----	73.10 - 6.40	.1765	----	----	----	----	20 UNCH
5300	----	----	77.40B/67.70A	77.40B/67.70A	----	68.30 - 6.00	.1661	----	----	----	----	12 UNCH
5400	----	----	67.60B/59.30A	67.60B/59.30A	----	59.80 - 5.30	.1474	----	----	----	----	17 UNCH
5495	----	----	59.70B/52.50A	59.70B/52.50A	----	52.80 - 4.70	.1317	----	----	----	----	1 UNCH
5500	----	----	59.10B/52.20A	59.10B/52.20A	----	52.50 - 4.60	.1310	----	----	----	----	39 UNCH
5620	----	----	50.80B/46.00A	50.80B/46.00A	----	45.00 - 4.20	.1137	----	----	----	----	1 UNCH
5850	----	----	----/35.20A	37.00B/35.20A	----	34.40 - 3.30	.0883	----	----	----	----	20 UNCH
6750	----	----	----	15.10B/18.10A	----	16.60 - 0.90	.0418	----	----	----	----	9 UNCH
TOTAL										1		1016 + 1
AUG27												
4185	----	----	397.30B/380.60A	397.30B/380.60A	----	379.50 - 15.70	.6015	----	----	----	----	1 UNCH
4200	----	----	389.20B/372.90A	389.20B/372.90A	----	371.70 - 15.70	.5940	----	----	----	----	1 UNCH
4210	----	----	383.90B/367.80A	383.90B/367.80A	----	366.60 - 15.60	.5890	----	----	----	----	2 UNCH
4220	----	----	378.70B/362.80A	378.70B/362.80A	----	361.60 - 15.40	.5840	----	----	----	----	1 UNCH
4300	----	----	339.00B/323.60A	339.00B/323.60A	----	322.90 - 14.90	.5436	----	----	----	----	3 UNCH
4305	----	----	336.80B/321.30A	336.80B/321.30A	----	320.60 - 14.90	.5411	----	----	----	----	2 UNCH
4310	----	----	334.40B/319.00A	334.40B/319.00A	----	318.30 - 14.90	.5385	----	----	----	----	1 UNCH
4315	----	----	332.10B/316.70A	332.10B/316.70A	----	316.00 - 14.80	.5360	----	----	----	----	3 UNCH
4320	----	----	329.80B/314.40A	329.80B/314.40A	----	313.70 - 14.90	.5335	----	----	----	----	1 UNCH
4350	----	----	316.20B/301.30A	316.20B/301.30A	----	300.10 - 15.00	.5184	----	----	----	----	2 UNCH
4360	----	----	311.90B/297.00A	311.90B/297.00A	----	295.80 - 14.90	.5134	----	----	----	----	5 UNCH
4365	----	----	310.00B/295.40A	310.00B/295.40A	----	293.60 - 14.90	.5109	----	----	----	----	3 UNCH
4370	----	----	307.90B/293.20A	307.90B/293.20A	----	291.50 - 14.80	.5084	----	----	----	----	150 UNCH
4465	----	----	271.80B/253.70A	271.80B/253.70A	----	254.60 - 13.20	.4624	----	----	----	----	2 UNCH
4535	----	----	246.10B/229.50A	246.10B/229.50A	----	230.70 - 11.80	.4302	----	----	----	----	3 UNCH
5000	----	----	128.60B/119.40A	128.60B/119.40A	----	119.50 - 8.20	.2560	----	----	----	----	24 UNCH
5100	----	----	112.60B/104.20A	112.60B/104.20A	----	104.80 - 6.90	.2288	----	----	----	----	5 UNCH
5200	----	----	98.70B/91.50A	98.70B/91.50A	----	91.70 - 6.30	.2040	----	----	----	----	2 UNCH
5210	----	----	97.40B/90.30A	97.40B/90.30A	----	90.50 - 6.20	.2017	----	----	----	----	3 UNCH
5220	----	----	96.20B/89.00A	96.20B/89.00A	----	89.20 - 6.30	.1992	----	----	----	----	16 UNCH
5250	----	----	92.70B/85.50A	92.70B/85.50A	----	85.60 - 6.20	.1924	----	----	----	----	20 UNCH
5300	----	----	86.60B/80.30A	86.60B/80.30A	----	80.00 - 6.20	.1814	----	----	----	----	1 UNCH
5350	----	----	81.30B/75.40A	81.30B/75.40A	----	74.80 - 6.20	.1712	----	----	----	----	1 UNCH
5400	----	----	76.30B/70.90A	76.30B/70.90A	----	70.00 - 6.10	.1615	----	----	----	----	2 UNCH
5500	----	----	----/62.90A	67.30B/62.90A	----	61.80 - 5.80	.1444	----	----	----	----	2000 UNCH
5505	----	----	----/62.80A	66.90B/62.80A	----	61.40 - 5.80	.1436	----	----	----	----	300 UNCH
5525	----	----	----/61.20A	65.30B/61.20A	----	59.90 - 5.80	.1405	----	----	----	----	59 UNCH
5550	----	----	----/59.40A	63.40B/59.40A	----	58.20 - 5.60	.1368	----	----	----	----	2000 UNCH
5925	----	----	----/41.00A	40.30B/41.00A	----	39.00 - 3.70	.0937	----	----	----	----	65 UNCH
6750	----	----	----	19.00B/22.10A	----	20.50 - 1.10	.0489	----	----	----	----	238 UNCH
TOTAL												4916 0
SEP27												
4500	----	----	----	149.30B/420.20A	----	277.00 - 12.90	.4700	----	----	----	----	1 UNCH
4560	----	----	----	130.00B/395.80A	----	255.90 - 12.50	.4438	----	----	----	----	4 UNCH
5225	----	----	----	9.50B/215.70A	----	114.40 - 7.70	.2294	----	----	----	----	2 UNCH
5580	----	----	----	0.10B/169.10A	----	85.70 - 5.30	.1719	----	----	----	----	300 UNCH
6000	----	----	----	0.10B/134.70A	----	63.80 - 3.40	.1270	----	----	----	----	2 UNCH
6100	----	----	----	0.10B/128.80A	----	58.30 - 3.20	.1169	----	----	----	----	4 UNCH
6200	----	----	----	0.10B/123.70A	----	53.40 - 3.00	.1078	----	----	----	----	2 UNCH
TOTAL												315 0
OCT27												
5250	----	----	----	----	----	124.80 - 3.50	.2370	----	----	----	----	1 UNCH
5295	----	----	----	----	----	118.70 - 3.30	.2270	----	----	----	----	1 UNCH
5350	----	----	----	----	----	112.00 - 3.20	.2158	----	----	----	----	1 UNCH
5395	----	----	----	----	----	106.90 - 3.10	.2071	----	----	----	----	1 UNCH
5500	----	----	----	----	----	95.30 - 2.80	.1874	----	----	----	----	200 UNCH
TOTAL												204 0
DEC27												
4500	----	----	----	----	----	362.40 - 6.70	.5021	----	----	----	----	175 UNCH
4860	----	----	----	----	----	246.00 - 5.20	.3783	----	----	----	----	100 UNCH
5000	----	----	----	----	----	213.00 - 4.70	.3375	----	----	----	----	54 UNCH
5650	----	----	----	----	----	116.60 - 2.90	.2014	----	----	----	----	200 UNCH
5700	----	----	----	----	----	111.70 - 2.90	.1938	----	----	----	----	150 UNCH
5800	----	----	----	----	----	102.70 - 2.60	.1797	----	----	----	----	200 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL	COMEX GOLD OPTIONS										
DEC27											
5880 ----	----	----	----	----	96.00 - 2.50	.1691	----	----	----	----	125 UNCH
6300 ----	----	----	----	----	68.50 - 1.90	.1243	----	----	----	----	18 UNCH
7500 ----	----	----	----	----	32.90 - 0.90	.0609	----	----	----	----	70 UNCH
7800 ----	----	----	----	----	29.30 - 0.90	.0537	----	----	----	----	284 UNCH
10000 ----	----	----	15.00B/----	----	20.00 - 0.60	.0324	----	----	----	----	104 UNCH
10500 ----	----	----	----	----	18.60 - 0.60	.0296	----	----	----	----	10 UNCH
TOTAL											1490 0
FEB28											
4400 ----	----	----	----	----	457.90 - 7.20	.5570	----	----	----	----	2 UNCH
4450 ----	----	----	----	----	435.00 - 6.90	.5392	----	----	----	----	2 UNCH
TOTAL											4 0
MAY28											
5000 ----	----	----	----	----	321.80 - 5.10	.4055	----	----	----	----	20 UNCH
TOTAL											20 0
JUL28											
5000 ----	----	372.00B/----	372.00B/----	----	351.50 - 5.30	.4214	----	----	----	----	25 UNCH
TOTAL											25 0
DEC28											
5000 ----	----	----	----	----	439.60 - 5.60	.4578	----	----	----	----	50 UNCH
5500 ----	----	----	----	----	327.60 - 4.50	.3588	----	----	----	----	1 UNCH
5750 ----	----	----	----	----	289.10 - 4.00	.3205	----	----	----	----	100 UNCH
TOTAL											151 0

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MMG MON	MICRO GOLD WEEKLY MONDAY OPTION WEE										
OCT26											
4075 ----	----	----	----	----	7.20 - 1.60	.1242	----	----	----	----	1 UNCH
4220 ----	----	----	----	----	29.40 UNCH	1.0000	----	----	----	----	0 UNCH
4255 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4300 ----	----	----	----	----	5.00 - 4.30	.0906	----	----	----	----	3 UNCH
TOTAL											4 0

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED	GOLD WEEKLY WEDNESDAY OPTION WEEK3										
OCT26											
3500 ----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	54 UNCH
3500 ----	----	----	0.30B/0.40A	----	0.30 UNCH	.0026	----	----	3	----	3 + 3
3600 ----	----	----/0.50A	0.40B/0.50A	----	0.50 - 0.10	.0048	----	----	----	----	18 UNCH
3700 ----	----	----/1.00A	0.90B/1.00A	----	0.80 - 0.40	.0085	----	----	----	----	1 UNCH
3700 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
3800 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3800 ----	----	----/1.60A	1.90B/1.60A	----	1.60 - 0.60	.0183	----	----	----	----	1 UNCH
3825 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	2	----	28 UNCH
3850 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
3850 ----	----	----/2.10A	2.90B/2.10A	----	2.30 - 0.80	.0273	----	----	2	----	2 UNCH
3875 ----	----	----/0.60A	1.00B/0.60A	----	0.80 - 0.50	.0109	----	----	----	----	10 UNCH
3875 ----	----	----/2.50A	3.50B/2.50A	----	2.80 - 1.00	.0338	----	----	----	----	8 UNCH
3900 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
3900 4.80	4.80	4.80/3.00	4.80/3.00	----	3.50 - 1.20	.0426	----	----	7	----	7 + 2
3900 ----	----	----/0.80A	1.40B/0.80A	----	1.00 - 0.60	.0142	----	----	----	----	110 UNCH
3905 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3920 0.20	0.20	0.20/0.10A	0.20/0.10A	----	0.10 UNCH	----	----	----	5	----	5 UNCH
3925 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3925 ----	----	----/1.00A	1.90B/1.00A	----	1.40 - 0.70	.0203	----	----	1	----	0 - 1
3940 ----	----	----	----/0.20A	----	0.10 - 0.10	----	----	----	----	----	8 UNCH
3945 ----	----	----	----/0.20A	----	0.10 - 0.10	----	----	----	----	----	3 UNCH
3950 ----	----	----/0.20A	----/0.20A	----	0.10 - 0.20	----	----	----	----	----	56 UNCH
3950 ----	----	----/1.30A	2.70B/1.30A	----	1.90 - 0.90	.0283	----	----	1	----	3 - 1
3950 ----	----	7.30B/4.50A	7.30B/4.50A	----	5.80 - 1.40	.0701	----	----	6	----	7 + 2
3970 ----	----	----/0.10A	----/0.10A	----	0.10 - 0.20	----	----	----	----	----	1 UNCH
3975 ----	----	9.40B/5.80A	9.40B/5.80A	----	7.50 - 1.50	.0899	----	----	1	----	6 + 1
3975 ----	----	----/0.10A	0.20B/0.10A	----	0.10 - 0.30	----	----	----	----	----	36 UNCH
3975 4.00	4.00	4.00/1.80A	4.00/1.80A	----	2.60 - 1.10	.0396	----	----	4	----	10 UNCH
3990 ----	----	----/0.10A	0.30B/0.10A	----	0.10 - 0.40	.0000	----	----	----	----	7 UNCH
3995 ----	----	----/0.10A	0.30B/0.10A	----	0.10 - 0.40	.0000	----	----	----	----	1 UNCH
4000 200.00	200.00	222.50B/170.80A	222.50B/170.80A	----	177.40 NEW	1.0000	----	----	2	----	0 UNCH
4000 ----	----	5.30B/2.50A	5.30B/2.50A	----	3.70 - 1.40	.0569	----	----	9	----	34 - 8
4000 0.30	0.30	0.30/0.10	0.30/0.10	----	0.10 - 0.50	.0000	----	----	6	----	57 + 6
4000 11.60	11.60	11.90B/7.40A	11.90B/7.40A	----	9.80 - 1.60	.1154	----	----	3	----	22 UNCH
4005 0.50	0.50	0.50/0.10A	0.50/0.10A	----	0.10 NEW	.0000	----	----	30	----	30 + 30
4010 0.30	0.30	0.50B/0.10A	0.50B/0.10A	----	0.10 - 0.60	.0000	----	----	4	----	4 + 3
4025 0.20	0.20	0.20/0.20	0.70B/0.20	----	0.20 - 0.70	.0004	----	----	15	----	42 + 10
4025 ----	----	15.40B/9.60A	15.40B/9.60A	----	12.90 - 1.60	.1479	----	----	----	----	2 UNCH
4025 ----	----	7.40B/3.50A	7.40B/3.50A	----	5.40 - 1.50	.0825	----	----	1	----	19 UNCH
4030 0.50	0.50	0.80B/0.20A	0.80B/0.20A	----	0.20 - 0.80	.0004	----	----	2	----	15 + 2
4035 0.20	0.20	0.30/0.20	1.00B/0.20	----	0.30 - 0.70	.0008	----	----	11	----	15 + 10
4040 0.20	0.20	0.30/0.20	1.10B/0.20	----	0.30 - 0.90	.0008	----	----	6	----	10 + 6
4045 ----	----	----/0.20A	1.20B/0.20A	----	0.40 - 0.90	.0014	----	----	----	----	26 UNCH
4050 0.30	0.30	0.60/0.30	1.40B/0.30	----	0.40 - 1.00	.0015	----	----	39	----	236 + 35
4050 ----	----	10.60B/5.00A	10.60B/5.00A	----	7.80 - 1.70	.1177	----	----	----	----	140 UNCH
4050 15.20	15.20	19.80B/12.60A	19.80B/12.60A	----	16.90 - 1.60	.1875	----	----	5	----	21 + 1
4055 ----	----	1.70B/0.30A	1.70B/0.30A	----	0.50 NEW	.0021	----	----	3	----	3 + 3
4060 1.10	1.10	1.90B/0.30A	1.90B/0.30A	----	0.60 - 1.20	.0029	----	----	4	----	5 + 3
4065 ----	----	2.10B/0.40A	2.10B/0.40A	----	0.70 - 1.30	.0039	----	----	1	----	4 + 1
4070 0.80	0.80	2.40B/0.40A	2.40B/0.40A	----	0.90 - 1.30	.0057	----	----	7	----	6 + 4
4075 ----	----	149.60B/96.90A	149.60B/96.90A	----	103.30 - 14.70	.9929	----	----	1	----	3 - 1
4075 2.50	2.50	2.90B/0.40A	2.90B/0.40A	----	1.00 - 1.50	.0070	----	----	123	----	123 - 9
4075 ----	----	25.40B/16.30A	25.40B/16.30A	----	22.00 - 1.60	.2346	----	----	----	----	1 UNCH
4075 9.50	9.50	14.80B/7.20A	14.80B/7.20A	----	11.40 - 1.60	.1664	----	----	3	----	105 + 2
4080 0.80	0.80	3.30B/0.50A	3.30B/0.50A	----	1.20 - 1.50	.0095	----	----	14	----	13 + 8
4085 1.00	1.00	3.60B/0.60A	3.60B/0.60A	----	1.50 NEW	.0134	----	----	20	----	14 + 14
4090 1.00	1.00	4.20B/0.70A	4.20B/0.70A	----	1.80 - 1.70	.0178	----	----	20	----	19 + 17
4095 1.00	1.00	4.80B/0.80A	4.80B/0.80A	----	2.10 - 1.80	.0228	----	----	15	----	16 + 12
4100 3.40	3.40	5.40B/0.90A	5.40B/0.90A	----	2.50 - 1.90	.0299	----	----	120	----	528 + 85
4100 ----	----	134.90B/88.80A	134.90B/88.80A	----	93.60 - 14.70	.7708	----	----	----	----	2 UNCH
4100 ----	----	32.40B/21.20A	32.40B/21.20A	----	28.60 - 1.30	.2898	----	----	----	----	4 UNCH
4100 94.80	94.80	125.20B/74.00A	125.20B/74.00A	----	79.80 - 15.20	.9700	----	----	1	----	1 - 1
4100 ----	----	20.40B/10.50A	20.40B/10.50A	----	16.40 - 1.40	.2289	----	----	11	----	25 UNCH
4105 2.10	2.10	6.10B/1.10A	6.10B/1.10A	----	3.00 - 1.90	.0391	----	----	7	----	9 + 3
4105 ----	----	120.40B/69.60A	120.40B/69.60A	----	75.30 - 15.20	.9608	----	----	5	----	1 - 2
4110 3.80	3.80	6.70B/1.30A	6.70B/1.30A	----	3.60 - 1.90	.0509	----	----	11	----	22 + 9
4115 ----	----	110.80B/61.00A	110.80B/61.00A	----	66.50 - 15.30	.9360	----	----	----	----	1 UNCH
4115 2.10	2.10	7.90B/1.50A	7.90B/1.50A	----	4.20 - 2.00	.0639	----	----	17	----	17 + 11
4120 2.70	2.70	8.50B/1.80A	8.50B/1.80A	----	4.90 - 2.00	.0797	----	----	25	----	25 + 18
4120 ----	----	106.10B/56.90A	106.10B/56.90A	----	62.20 - 15.30	.9201	----	----	2	----	2 + 1
4125 3.20	3.20	9.60B/2.10	9.60B/2.10	----	5.80 - 2.00	.1001	----	----	51	----	217 + 12
4125 ----	----	27.80B/15.00A	27.80B/15.00A	----	23.20 - 0.90	.3051	----	----	1	----	15 + 1
4125 ----	----	40.90B/27.30A	40.90B/27.30A	----	36.70 - 0.80	.3513	----	----	2	----	5 + 2
4125 ----	----	114.20B/71.10A	114.20B/71.10A	----	75.40 - 14.20	.6946	----	----	----	----	7 UNCH
4125 ----	----	101.40B/53.10A	101.40B/53.10A	----	58.10 - 15.30	.8998	----	----	----	----	9 UNCH
4130 ----	----	96.80B/49.10A	96.80B/49.10A	----	54.00 - 15.30	.8777	----	----	----	----	1 UNCH
4130 6.50	6.50	11.20B/2.50A	11.20B/2.50A	----	6.70 - 2.00	.1222	----	----	34	----	41 + 26
4135 49.50	49.50	92.20B/45.50A	92.20B/45.50A	----	50.10 NEW	.8510	----	----	1	----	1 + 1
4135 4.00	4.00	12.20B/3.00	12.20B/3.00	----	7.80 - 1.90	.1488	----	----	17	----	18 + 12
4140 45.70	45.70	87.70B/41.80A	87.70B/41.80A	----	46.20 - 15.20	.8224	----	----	3	----	30 + 2
4140 4.50	4.50	14.00B/3.50A	14.00B/3.50A	----	8.90 - 1.90	.1775	----	----	42	----	30 + 27
4145 4.80	4.80	15.50B/4.10A	15.50B/4.10A	----	10.30 - 1.70	.2118	----	----	20	----	13 + 12
4150 6.30	6.30	16.70B/4.80	16.70B/4.80	----	11.70 - 1.60	.2480	----	----	86	----	65 + 13
4150 54.00	54.00	78.90B/34.90A	78.90B/34.90A	----	39.00 - 14.90	.7518	----	----	10	----	22 + 2
4150 83.00	83.00	95.00B/55.50A	95.00B/55.50A	----	59.30 - 13.40	.6075	----	----	1	----	17 + 1
4150 ----	----	106.80B/70.30A	106.80B/70.30A	----	73.70 - 13.60	.5819	----	----	----	----	12 UNCH
4150 35.20	35.20	51.10B/34.90A	51.10B/34.90A	----	46.50 - 0.20	.4176	----	----	1	----	42 - 1
4155 ----	----	74.60B/31.80A	74.60B/31.80A	----	35.70 - 14.70	.7107	----	----	----	----	23 UNCH
4155 10.50	10.50	18.50B/5.60A	18.50B/5.60A	----	13.40 - 1.40	.2891	----	----	24	----	14 + 13
4160 ----	----	70.40B/28.80A	70.40B/28.80A	----	32.50 NEW	.6673	----	----	16	----	16 + 16
4160 10.10	10.10	20.60B/6.50A	20.60B/6.50A	----	15.20 NEW	.3326	----	----	40	----	32 + 32

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWW WED OCT26 — GOLD WEEKLY WEDNESDAY OPTION WEEK2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4165	10.10	10.10	22.80B/7.50A	22.80B/7.50A	----	17.10 - 0.90	.3781	----	----	10	----	7 + 5
4170	25.00	25.00	25.10B/8.60A	25.10B/8.60A	----	19.30 - 0.50	.4263	----	----	64	25	44 + 42
4170	39.60	39.60	62.20B/23.40	62.20B/23.40	----	26.60 - 13.80	.5736	----	----	13	----	7 + 6
4175	----	----	58.30B/21.00A	58.30B/21.00A	----	23.90 - 13.50	.5246	----	----	1	----	17 UNCH
4175	20.50	20.50	27.40B/9.80A	27.40B/9.80A	----	21.60 - 0.20	.4753	----	----	71	----	146 + 12
4175	----	----	90.20B/57.50A	90.20B/57.50A	----	60.40 - 12.80	.5130	----	----	----	----	8 UNCH
4175	33.70	33.70	48.50B/29.10A	48.50B/29.10A	----	43.10 + 0.90	.4861	----	----	1	----	15 + 1
4175	51.90	51.90	77.40B/42.40A	77.40B/42.40A	----	45.40 - 12.40	.5136	----	----	2	----	23 UNCH
4175	----	----	63.00B/44.10A	63.00B/44.10A	----	58.10 + 0.50	.4865	----	----	----	----	1 UNCH
4180	13.50	13.50	30.20B/11.20A	30.20B/11.20A	----	24.10 + 0.20	.5247	----	----	79	----	73 + 45
4180	41.00	41.00	54.50B/18.70A	54.50B/18.70A	----	21.40 - 13.10	.4751	----	----	46	----	40 + 38
4185	22.00	22.00	50.90B/16.70A	50.90B/16.70A	----	19.00 NEW	.4257	----	----	27	----	18 + 18
4185	28.50	28.50	32.90B/12.70A	32.90B/12.70A	----	26.70 + 0.60	.5741	----	----	86	----	72 + 49
4190	19.70	19.70	47.30B/14.60A	47.30B/14.60A	----	16.90 - 12.20	.3778	----	----	142	----	111 + 107
4190	----	----	35.60B/14.40A	35.60B/14.40A	----	29.60 + 1.10	.6220	----	----	11	----	24 + 9
4195	24.90	24.90	38.30B/16.20A	38.30B/16.20A	----	32.60 + 1.60	.6685	----	----	3	----	5 UNCH
4195	22.20	22.20	43.80B/12.90A	43.80B/12.90A	----	14.90 - 11.70	.3314	----	----	4	----	5 + 3
4200	27.50	27.50	41.40B/18.00A	41.40B/18.00A	----	35.80 + 2.20	.7123	----	----	89	----	59 + 19
4200	55.60	55.60	76.40B/55.00A	76.40B/55.00A	----	71.50 + 1.40	.5554	----	----	1	----	7 + 1
4200	51.30	51.30	62.30B/38.60A	62.30B/38.60A	----	56.60 + 2.20	.5807	----	----	2	----	3 + 2
4200	19.50	19.50	40.60B/11.20A	40.60B/11.20A	----	13.10 - 11.10	.2876	----	----	215	----	384 + 64
4200	36.40	36.40	62.20B/31.60A	62.20B/31.60A	----	33.90 - 11.10	.4190	----	----	77	----	75 + 74
4200	----	----	76.70B/46.40A	76.70B/46.40A	----	48.80 - 12.00	.4441	----	----	----	----	28 UNCH
4205	28.80	28.80	44.40B/19.80A	44.40B/19.80A	----	39.20 + 2.80	.7527	----	----	29	----	19 + 18
4205	18.30	18.30	37.40B/9.80A	37.40B/9.80A	----	11.50 - 10.50	.2472	----	----	57	----	36 + 28
4210	23.80	23.80	47.80B/21.80A	47.80B/21.80A	----	42.70 NEW	.7904	----	----	17	----	6 + 6
4210	22.00	22.00	35.00B/8.50A	35.00B/8.50A	----	10.00 - 10.00	.2095	----	----	132	25	93 + 92
4215	----	----	51.50B/23.90A	51.50B/23.90A	----	46.40 + 3.90	.8238	----	----	4	----	4 + 2
4215	20.00	20.00	32.10B/7.40A	32.10B/7.40A	----	8.70 - 9.40	.1761	----	----	31	----	20 + 6
4220	48.30	48.30	55.50B/26.30A	55.50B/26.30A	----	50.20 + 4.50	.8540	----	----	4	----	6 + 4
4220	18.00	18.00	29.50B/6.40A	29.50B/6.40A	----	7.50 - 8.80	.1459	----	----	49	----	29 + 12
4225	17.00	17.00	27.30/5.40A	27.30/5.40A	----	6.40 - 8.30	.1190	----	----	301	----	325 + 91
4225	----	----	59.50B/28.80A	59.50B/28.80A	----	54.10 + 5.00	.8809	----	----	5	----	41 + 1
4225	29.70	29.70	48.70B/23.00A	48.70B/23.00A	----	24.80 - 9.60	.3301	----	----	12	----	209 + 2
4225	41.60	41.60	63.50B/37.10A	63.50B/37.10A	----	39.10 NEW	.3779	----	----	1	----	1 + 1
4230	----	----	63.80B/31.00A	63.80B/31.00A	----	58.20 NEW	.9032	----	----	4	----	3 + 3
4230	11.70	11.70	24.30B/4.70	24.30B/4.70	----	5.50 - 7.70	.0967	----	----	47	----	39 + 35
4235	----	----	68.10B/34.00A	68.10B/34.00A	----	62.40 + 6.20	.9222	----	----	----	----	1 UNCH
4235	17.50	17.50	22.10B/3.90A	22.10B/3.90A	----	4.70 - 7.10	.0777	----	----	29	----	22 + 9
4240	17.00	17.00	20.00B/3.30A	20.00B/3.30A	----	4.00 - 6.50	.0618	----	----	30	----	26 + 20
4245	----	----	77.00B/40.60A	77.00B/40.60A	----	71.00 NEW	.9527	----	----	1	----	1 + 1
4245	14.50	14.50	18.00B/2.80A	18.00B/2.80A	----	3.30 - 6.10	.0472	----	----	14	----	6 + 4
4250	----	----	81.60B/43.70A	81.60B/43.70A	----	75.50 + 7.80	.9630	----	----	1	----	6 UNCH
4250	----	----	107.90B/80.50A	107.90B/80.50A	----	103.50 + 3.50	.6835	----	----	----	----	2 UNCH
4250	8.50	8.50	16.10B/2.40A	16.10B/2.40A	----	2.80 - 5.50	.0369	----	----	223	----	255 + 118
4250	----	----	95.60B/63.90A	95.60B/63.90A	----	90.40 + 5.30	.7480	----	----	----	----	3 UNCH
4250	17.50	17.50	37.40B/16.50A	37.40B/16.50A	----	17.80 - 8.00	.2517	----	----	10	----	26 + 1
4250	----	----	52.10B/29.30A	52.10B/29.30A	----	30.90 NEW	.3160	----	----	2	----	2 + 2
4255	6.50	6.50	14.60B/2.00A	14.60B/2.00A	----	2.40 - 5.00	.0290	----	----	35	----	68 + 19
4260	1.80	1.80	12.80B/1.70A	12.80B/1.70A	----	2.00 - 4.60	.0220	----	----	25	----	22 + 19
4265	5.30	5.30	11.40B/1.50A	11.40B/1.50A	----	1.70 - 4.10	.0169	----	----	11	----	7 + 3
4265	----	----	95.70B/53.80A	95.70B/53.80A	----	89.40 NEW	.9829	----	----	1	----	1 + 1
4270	6.20	6.20	10.10B/1.30A	10.10B/1.30A	----	1.50 - 3.60	.0136	----	----	16	----	15 + 14
4275	----	----	105.40B/61.10A	105.40B/61.10A	----	99.00 + 10.10	.9892	----	----	1	----	2 UNCH
4275	2.30	2.30	8.90B/1.10A	8.90B/1.10A	----	1.30 - 3.20	.0107	----	----	33	----	32 + 18
4275	----	----	28.30B/11.70A	28.30B/11.70A	----	12.50 - 6.60	.1859	----	----	----	----	12 UNCH
4275	----	----	42.60B/23.10A	42.60B/23.10A	----	24.20 - 8.50	.2602	----	----	----	----	14 UNCH
4280	3.10	3.10	7.90B/0.90A	7.90B/0.90A	----	1.10 - 2.90	.0081	----	----	10	----	11 + 6
4285	3.00	3.00	6.80B/0.80A	6.80B/0.80A	----	0.90 - 2.70	.0059	----	----	9	----	20 + 9
4290	----	----	6.10B/0.70A	6.10B/0.70A	----	0.80 - 2.30	.0047	----	----	3	----	3 + 1
4295	----	----	5.20B/0.60A	5.20B/0.60A	----	0.70 - 2.10	.0037	----	----	4	----	19 + 3
4300	2.60	2.60	4.50B/0.50	4.50B/0.50	----	0.60 - 1.90	.0028	----	----	66	----	189 - 13
4300	----	----	21.00B/8.20A	21.00B/8.20A	----	8.70 - 5.20	.1341	----	----	----	----	16 UNCH
4300	----	----	34.30B/18.00A	34.30B/18.00A	----	18.90 - 7.20	.2117	----	----	8	----	5 - 1
4300	----	----	129.80B/81.40A	129.80B/81.40A	----	123.30 + 11.50	.9971	----	----	1	----	10 UNCH
4305	1.00	1.00	4.00B/0.50A	4.00B/0.50A	----	0.50 - 1.70	.0021	----	----	5	----	8 + 5
4310	2.70	2.70	3.50B/0.40	3.50B/0.40	----	0.40 - 1.60	.0014	----	----	5	----	7 + 4
4315	1.00	1.00	3.00B/0.40A	3.00B/0.40A	----	0.40 - 1.30	.0014	----	----	3	----	5 + 1
4320	0.90	0.90	2.50B/0.30A	2.50B/0.30A	----	0.30 - 1.30	.0008	----	----	2	----	10 + 2
4320	----	----	149.70B/99.20A	149.70B/99.20A	----	143.00 + 12.10	.9991	----	----	----	----	2 UNCH
4325	1.10	1.10	2.20B/0.30A	2.20B/0.30A	----	0.30 - 1.10	.0008	----	----	3	----	263 UNCH
4325	----	----	154.60B/103.80A	154.60B/103.80A	----	148.00 + 12.20	.9991	----	----	----	----	108 UNCH
4325	----	----	27.10B/14.00A	27.10B/14.00A	----	14.60 - 6.20	.1699	----	----	----	----	1 UNCH
4325	11.00	11.00	15.10B/5.70A	15.10B/5.70A	----	6.00 - 4.10	.0948	----	----	3	----	17 + 3
4330	0.30	0.30	2.00B/0.30	2.00B/0.30	----	0.20 - 1.10	.0004	----	----	15	----	16 + 15
4330	----	----	159.70B/108.40A	159.70B/108.40A	----	152.90 + 12.30	.9996	----	----	----	----	1 UNCH
4335	0.20	0.20	1.70B/0.20	1.70B/0.20	----	0.20 - 0.90	.0004	----	----	5	----	5 + 5
4340	0.90	0.90	1.50B/0.20A	1.50B/0.20A	----	0.20 - 0.80	.0004	----	----	1	----	11 + 1
4340	----	----	169.60B/117.90A	169.60B/117.90A	----	162.90 + 12.50	.9996	----	----	----	----	1 UNCH
4350	0.20	0.20	1.10B/0.20	1.10B/0.20	----	0.10 - 0.70	.0000	----	----	13	----	50 + 13
4350	----	----	179.50B/127.40A	179.50B/127.40A	----	172.80 + 12.60	1.0000	----	----	----	----	2 UNCH
4350	----	----	21.50B/10.90A	21.50B/10.90A	----	11.30 - 5.20	.1354	----	----	----	----	24 UNCH
4350	4.40	4.40	10.80B/4.00A	10.80B/4.00A	----	4.20 - 3.20	.0670	----	----	5	----	16 + 5
4355	0.20	0.20	1.00B/0.20	1.00B/0.20	----	0.10 - 0.60	.0000	----	----	1	----	6 + 1
4360	0.50	0.50	0.80B/0.20A	0.80B/0.20A	----	0.10 - 0.60	.0000	----	----	2	----	5 + 2
4365	----	----	0.70B/0.20A	0.70B/0.20A	----	0.10 - 0.50	.0000	----	----	----	----	3 UNCH
4370	----	----	----/0.20A	0.60B/0.20A	----	0.10 - 0.50	.0000	----	----	----	----	11 UNCH
4375	----	----	7.80B/2.90A	7.80B/2.90A	----	2.90 - 2.50	.0464	----	----	1	----	27 UNCH
4375	----	----	----/0.10A	0.50B/0.10A	----	0.10 - 0.40	.0000	----	----	----	----	28 UNCH
4375	----	----	204.50B/154.40A	204.50B/154.40A	----	197.80 + 12.90	1.0000	----	----	----	----	24 UNCH
4380	0.20	0.20	0.20/0.10A	0.50B/0.10A	----	0.10 NEW	.0000	----	----	3	----	3 + 3
4390	0.20	0.20	0.20/0.10A	0.40B/0.10A	----	0.10 - 0.30	----	----	----	1	----	4 + 1
4400	----	----	229.60B/178.90A	229.60B/178.90A	----	222.80 + 13.10	1.0000	----	----	----	----	15 UNCH
4400	----	----	----/0.10A	0.30B/0.10A	----	0.10 - 0.20	----	----	----	----	----	135 UNCH
4400	----	----	5.40B/2.10A	5.40B/2.10A	----	2.10 - 1.80	.0332	----	----	----	----	1 UNCH
4400	12.50	12.50	13.30B/6.60A	13.30B/6.60A	----	6.80 - 3.60	.0848	----	----	5	----	59 + 5
4425	----	----	254.40B/203.80A	254.40B/203.80A	----	247.80 + 13.20	1.0000	----	----	----	----	9 UNCH
4425	----	----	----/0.10A	0.10B/0.10A	----	0.10 - 0.10	----	----	----	----	----	27 UNCH
4425	----	----	3.80B/1.60A	3.80B/1.60A	----	1.50 - 1.40	.0234	----	----	----	----	100 UNCH
4425	10.50	10.50	10.50/5.10A	10.50/5.10A	----	5.40 - 2.90	.0678	----	----	3	----	4 + 1
4450	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	2	----	26 - 1
4450	----	----	279.40B/228.90A	279.40B/228.90A	----	272.80 + 13.30	1.0000	----	----	----	----	14 UNCH
4450	----	----	8.00B/4.00A	8.00B/4.00A	----	4.20 - 2.50	.0533	----	----	----	----	10 UNCH
4450	----	----	2.70B/1.20A	2.70B/1.20A	----	1.20 - 1.00	.0181	----	----	----	----	3 UNCH
4455	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
4460	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
4475	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
4475	----	----	1.90B/1.00A	1.90B/1.00A	----	0.90 - 0.80	.0132	----	----	----	----	1 UNCH
4500	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	16 UNCH
4500	----	----	4.90B/2.70A	4.90B/2.70A	----	2.70 - 1.70	.0343	----	----	----	----	2 UNCH
4525	----	----	353.70B/305.10A	353.70B/305.10A	----	348.20 + 12.90	.9917	----	----	----	----	1 UNCH
4525	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	149 UNCH
4550	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
4550	----	----	----/0.60A	0.70B/0.60A	----	0.60 - 0.40	.0078	----	----	----	----	5 UNCH
4550	----	----	3.10B/1.90A	3.10B/1.90A	----	1.90 - 1.10	.0236	----	----	----	----	5 UNCH
4575	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
4575	----	----	----/0.60A	0.50B/0.60A	----	0.50 - 0.30	.0062	----	----	----	----	6 UNCH
4600	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
4600	----	----	----/0.50A	0.40B/0.50A	----	0.50 - 0.20	.0059	----	----	----	----	3 UNCH
4600	----	----	----/1.40A	1.90B/1.40A	----	1.30 - 0.80	.0158	----	----	----	----	1 UNCH
4625	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
4625	----	----	----/0.50A	0.40B/0.50A	----	0.40 - 0.20	.0046	----	----	----	----	1 UNCH
4650	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	51 UNCH
4650	----	----	----/0.40A	0.30B/0.40A	----	0.40 - 0.20	.0044	----	----	----	----	5 UNCH
4675	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
4675	----	----	----/0.40A	0.20B/0.40A	----	0.30 - 0.20	.0033	----	----	----	----	2 UNCH
4700	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
4700	----	----	----/0.30A	0.20B/0.30A	----	0.30 - 0.10	.0031	----	----	----	----	2 UNCH
4725	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
4750	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
4775	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
4800	----	----	----/0.20A	0.10B/0.20A	----	0.20 - 0.10	.0018	----	----	----	----	4 UNCH
4825	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
4850	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
4900	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	16 UNCH
5100	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	15 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED	GOLD WEEKLY WEDNESDAY OPTION WEEK2										
TOTAL									3172	50	6916 + 1546
NOV26											
3600 ----	----	----/1.60A	1.50B/1.60A	----	1.20 - 0.60	.0106	----	----	----	----	1 UNCH
3750 ----	----	----/2.90A	3.60B/2.90A	----	3.00 - 1.00	.0281	----	----	----	----	1 UNCH
3850 ----	----	----/5.40A	7.50B/5.40A	----	6.30 - 1.30	.0587	----	----	----	----	1 UNCH
3900 ----	----	11.00B/7.60A	11.00B/7.60A	----	9.10 - 1.60	.0841	----	----	----	----	3 UNCH
3925 ----	----	13.30B/9.30A	13.30B/9.30A	----	11.20 - 1.70	.1019	----	----	----	----	2 UNCH
3950 ----	----	16.20B/11.20A	16.20B/11.20A	----	13.60 - 1.90	.1221	----	----	----	----	1 UNCH
3975 ----	----	19.70B/13.70A	19.70B/13.70A	----	16.90 - 1.90	.1477	----	----	----	----	12 UNCH
4050 ----	----	35.00B/25.10A	35.00B/25.10A	----	31.30 - 1.60	.2483	----	----	----	----	1 UNCH
4075 ----	----	42.10B/30.50A	42.10B/30.50A	----	38.00 - 1.50	.2900	----	----	----	----	23 UNCH
4100 47.00	47.00	50.30B/37.10A	50.30B/37.10A	----	46.00 - 1.10	.3355	----	----	22	----	32 + 22
4125 ----	----	60.00B/44.70A	60.00B/44.70A	----	55.20 - 0.60	.3839	----	----	----	----	13 UNCH
4150 ----	----	124.00B/89.70A	124.00B/89.70A	----	93.00 - 13.30	.5650	----	----	----	----	50 UNCH
4150 ----	----	70.50B/53.80A	70.50B/53.80A	----	65.80 UNCH	.4343	----	----	4	----	4 + 4
4175 ----	----	109.70B/77.20A	109.70B/77.20A	----	80.10 - 12.50	.5137	----	----	----	----	14 UNCH
4175 70.80	70.80	82.80B/63.50A	82.80B/63.50A	----	77.80 + 0.70	.4857	----	----	12	----	28 UNCH
4200 ----	----	96.00B/74.90A	96.00B/74.90A	----	91.00 + 0.90	.5370	----	----	----	----	8 UNCH
4200 ----	----	96.60B/65.80A	96.60B/65.80A	----	68.40 - 12.30	.4624	----	----	----	----	5 UNCH
4225 ----	----	83.60B/55.90A	83.60B/55.90A	----	58.20 - 11.20	.4125	----	----	14	----	40 + 13
4225 105.60	105.60	110.40B/86.90A	110.40B/86.90A	----	105.80 + 2.10	.5869	----	----	16	----	30 + 16
4250 ----	----	72.10B/47.30A	72.10B/47.30A	----	49.20 - 10.30	.3646	----	----	----	----	18 UNCH
4250 ----	----	125.40B/100.50A	125.40B/100.50A	----	121.70 + 2.90	.6348	----	----	----	----	9 UNCH
4275 46.50	46.50	62.10B/39.90A	62.10B/39.90A	----	41.50 - 9.20	.3199	----	----	55	----	44 + 35
4300 ----	----	52.90B/33.40A	52.90B/33.40A	----	34.70 - 8.50	.2781	----	----	----	----	18 UNCH
4325 ----	----	45.00B/27.90A	45.00B/27.90A	----	29.00 - 7.50	.2404	----	----	----	----	9 UNCH
4400 ----	----	26.80B/16.50A	26.80B/16.50A	----	17.00 - 4.90	.1517	----	----	----	----	29 UNCH
4450 13.60	13.60	18.70B/11.50A	18.70B/11.50A	----	11.90 NEW	.1100	----	----	15	----	15 + 15
5250 ----	----	----	0.60B/0.90A	----	0.80 UNCH	.0056	----	----	----	----	1 UNCH
TOTAL									138		412 + 105

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE	GOLD WEEKLY TUESDAY OPTION Week2										
OCT26											
3500 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3600 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3700 ----	----	----	----/0.30A	----	0.10 - 0.10	.0010	----	----	----	----	6 UNCH
3750 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 70
3800 ----	----	----/0.30A	0.20B/0.30A	----	0.30 - 0.20	.0035	----	----	3	----	4 - 1
3800 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
3830 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 21
3840 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
3850 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3875 ----	----	----/0.50A	0.60B/0.50A	----	0.50 - 0.50	.0069	----	----	1	----	12 - 1
3900 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
3925 ----	----	----/0.70A	1.40B/0.70A	----	0.90 - 0.70	.0135	----	----	----	----	1 UNCH
3925 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
3930 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 21
3940 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
3950 ----	----	----/0.90A	2.00B/0.90A	----	1.20 - 0.90	.0188	----	----	2	----	21 UNCH
3950 ----	----	274.10B/223.80A	274.10B/223.80A	----	227.30 - 13.40	----	----	----	----	----	0 - 1
3950 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
3960 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 17
3965 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
3975 ----	----	----/1.30A	2.80B/1.30A	----	1.80 - 1.00	.0288	----	----	2	----	7 + 2
3975 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
3985 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3990 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
4000 ----	----	4.10B/1.80A	4.10B/1.80A	----	2.70 - 1.20	.0439	----	----	----	----	7 UNCH
4000 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 54
4015 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4020 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 16
4025 ----	----	5.90B/2.50A	5.90B/2.50A	----	4.00 - 1.50	.0657	----	----	2	----	19 + 2
4025 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 79
4030 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
4035 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
4040 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4045 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4045 ----	----	179.10B/128.80A	179.10B/128.80A	----	132.30 - 13.40	----	----	----	----	----	0 - 4
4050 ----	----	8.50B/3.70A	8.50B/3.70A	----	6.10 - 1.70	.0992	----	----	1	----	46 UNCH
4050 ----	----	----	0.10B/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 74
4050 ----	----	174.10B/123.80A	174.10B/123.80A	----	127.30 - 13.40	----	----	----	----	----	0 - 4
4060 ----	----	----/0.10A	----/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 3
4065 ----	----	----/0.10A	----/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 11
4065 ----	----	159.10B/108.80A	159.10B/108.80A	----	112.30 - 13.50	----	----	----	----	----	0 - 3
4070 ----	----	----/0.10A	----/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 38
4075 ----	----	155.10B/106.00A	155.10B/106.00A	----	111.40 NEW	.8536	----	----	3	----	2 + 2
4075 8.80	8.80	12.40B/5.60A	12.40B/5.60A	----	9.20 - 1.70	.1461	----	----	42	----	55 + 19
4075 ----	----	----/0.10A	0.20B/0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 83
4075 ----	----	149.10B/98.80A	149.10B/98.80A	----	102.30 - 13.60	----	----	----	----	----	0 - 2
4080 ----	----	----/0.10A	0.20B/0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 14
4085 ----	----	----/0.10A	0.30B/0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 3
4090 0.10	0.10	0.10/0.10	0.30B/0.10	----	0.00 - 0.50	----	----	----	3	----	0 - 4
4095 0.10	0.10	0.10/0.10	0.40B/0.10	----	0.00 - 0.50	----	----	----	1	----	0 - 21
4100 ----	----	132.90B/86.10A	132.90B/86.10A	----	91.00 - 14.90	.7898	----	----	2	----	4 + 2
4100 12.80	12.80	17.80B/8.40A	17.80B/8.40A	----	13.80 - 1.60	.2099	----	----	10	----	58 + 9
4100 0.60	0.60	0.70/0.10	0.70/0.10	----	0.00 - 0.60	----	----	----	21	----	0 - 303
4100 ----	----	124.10B/73.80A	124.10B/73.80A	----	77.30 - 13.90	----	----	----	1	----	0 - 3
4105 ----	----	119.10B/68.80A	119.10B/68.80A	----	72.30 - 14.00	----	----	----	----	----	0 - 20
4105 0.60	0.60	0.60/0.10A	0.70B/0.10A	----	0.00 - 0.70	----	----	----	3	----	0 - 21
4110 83.70	83.70	114.10B/63.80A	114.10B/63.80A	----	67.30 - 14.20	----	----	----	2	----	0 - 34
4110 0.40	0.40	0.90B/0.10	0.90B/0.10	----	0.00 - 0.90	----	----	----	28	----	0 - 42
4115 1.30	1.30	1.30/0.10	1.30/0.10	----	0.00 - 1.00	----	----	----	4	----	0 - 42
4115 ----	----	109.10B/58.80A	109.10B/58.80A	----	62.30 - 14.30	----	----	----	----	----	0 - 27
4120 0.20	0.20	1.40B/0.10A	1.40B/0.10A	----	0.00 - 1.20	----	----	----	9	----	0 - 48
4120 ----	----	104.20B/53.80A	104.20B/53.80A	----	57.30 - 14.50	----	----	----	----	----	0 - 4
4125 18.40	18.40	24.80B/12.60A	24.80B/12.60A	----	20.20 - 1.10	.2899	----	----	9	----	16 + 4
4125 1.00	1.00	1.80B/0.10	1.80B/0.10	----	0.00 - 1.50	----	----	----	39	----	0 - 198
4125 ----	----	99.20B/48.80A	99.20B/48.80A	----	52.30 - 14.80	----	----	----	4	----	0 - 8
4130 2.00	2.00	2.50/0.10A	2.50/0.10A	----	0.00 - 1.80	----	----	----	12	----	0 - 22
4135 0.50	0.50	2.80B/0.10A	2.80B/0.10A	----	0.00 - 2.20	----	----	----	7	----	0 - 19
4140 2.00	2.00	3.60B/0.10A	3.60B/0.10A	----	0.00 - 2.60	----	----	----	57	----	0 - 111
4140 ----	----	84.30B/33.60A	84.30B/33.60A	----	37.30 - 15.90	----	----	----	1	----	0 - 61
4145 ----	----	79.30B/28.70A	79.30B/28.70A	----	32.30 - 16.50	----	----	----	----	----	0 - 2
4145 2.90	2.90	4.80/0.10	4.80/0.10	----	0.00 - 3.20	----	----	----	20	----	0 - 11
4150 ----	----	92.20B/52.30A	92.20B/52.30A	----	56.10 - 13.60	.6160	----	----	----	----	4 UNCH
4150 ----	----	34.00B/18.30A	34.00B/18.30A	----	28.80 - 0.30	.3837	----	----	----	----	21 UNCH
4150 58.20	58.20	74.40B/23.90A	74.40B/23.90A	----	27.30 - 17.10	----	----	----	9	----	0 - 11
4150 2.70	2.70	5.60B/0.10	5.60B/0.10	----	0.00 - 3.80	----	----	----	51	----	0 - 153
4155 4.90	4.90	6.80B/0.10A	6.80B/0.10A	----	0.00 - 4.60	----	----	----	41	----	0 - 40
4155 ----	----	69.50B/18.90A	69.50B/18.90A	----	22.30 - 17.90	----	----	----	3	----	0 - 2
4160 3.70	3.70	8.40B/0.10	8.40B/0.10	----	0.00 - 5.60	----	----	----	46	----	0 - 36
4160 ----	----	64.60B/13.90A	64.60B/13.90A	----	17.30 - 18.90	----	----	----	3	----	0 - 5
4165 4.40	4.40	10.20B/0.10	10.20B/0.10	----	0.00 - 6.70	----	----	----	25	----	0 - 6
4165 11.50	11.50	59.70B/9.10A	59.70B/9.10A	----	12.30 - 20.00	----	----	----	5	----	0 - 1
4170 7.40	7.40	12.20B/0.10A	12.20B/0.10A	----	0.00 - 8.00	----	----	----	93	----	0 - 31
4170 20.00	20.00	54.90B/4.50A	54.90B/4.50A	----	7.30 - 21.30	----	----	----	3	----	0 - 3
4175 40.80	40.80	45.40B/26.10A	45.40B/26.10A	----	39.90 + 0.90	.4857	----	----	1	----	2 + 1
4175 ----	----	74.40B/39.10A	74.40B/39.10A	----	42.20 - 12.40	.5140	----	----	----	----	3 UNCH
4175 12.00	12.00	14.60B/0.10	14.60B/0.10	----	0.00 - 9.50	----	----	----	78	----	0 - 93
4175 5.10	5.10	50.20B/1.40A	50.20B/1.40A	----	2.30 - 22.80	----	----	----	22	----	0 - 21
4180 24.00	24.00	45.60B/0.10A	45.60B/0.10A	----	0.00 - 21.90	----	----	----	211	----	0 - 31
4180 9.00	9.00	17.20B/0.50	17.20B/0.50	----	2.70 - 8.60	----	----	----	413	----	0 - 52
4185 14.40	14.40	20.00B/0.80	20.00B/0.80	----	7.70 - 5.60	----	----	----	79	----	0 - 15
4185 12.10	12.10	41.10B/0.10A	41.10B/0.10A	----	0.00 - 18.80	----	----	----	87	----	0 - 5
4190 15.90	15.90	22.50B/1.20	22.50B/1.20	----	12.70 - 2.80	----	----	----	196	----	0 - 68
4190 16.10	16.10	36.70B/0.10	36.70B/0.10	----	0.00 - 16.10	----	----	----	208	----	0 - 35
4195 12.90	12.90	32.40B/0.10A	32.40B/0.10A	----	0.00 - 13.60	----	----	----	169	----	0 - 13
4195 15.50	15.50	26.30B/1.80A	26.30B/1.80A	----	17.70 - 0.30	----	----	----	66	----	0 - 35
4200 34.70	34.70	59.00B/28.40A	59.00B/28.40A	----	30.60 - 11.20	.4109	----	----	4	----	21 + 2
4200 ----	----	59.10B/35.40A	59.10B/35.40A	----	53.30 NEW	.5888	----	----	15	----	14 + 14
4200 15.90	15.90	30.00B/2.70A	30.00B/2.70A	----	22.70 + 1.90	----	----	----	280	----	0 - 187
4200 13.40	13.40	28.40B/0.10	28.40B/0.10	----	0.00 - 11.40	----	----	----	419	----	0 - 338
4205 11.30	11.30	34.00B/4.10	34.00B/4.10	----	27.70 + 3.80	----	----	----	215	----	0 - 14

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWT TUE GOLD WEEKLY TUESDAY OPTION Week2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OCT26												
4205	11.50	11.50	24.60B/0.10	24.60B/0.10	----	0.00 - 9.50	----	----	----	98	----	0 - 22
4210	31.60	31.60	38.30B/5.90A	38.30B/5.90A	----	32.70 + 5.50	----	----	----	89	----	0 - 3
4210	6.50	6.50	21.00B/0.10A	21.00B/0.10A	----	0.00 - 7.80	----	----	----	201	----	0 - 19
4215	3.70	3.70	17.70B/0.10	17.70B/0.10	----	0.00 - 6.40	----	----	----	68	----	0 - 54
4215	30.70	30.70	42.50B/8.40A	42.50B/8.40A	----	37.70 + 6.90	----	----	----	23	----	0 - 2
4220	31.60	31.60	47.10B/11.40A	47.10B/11.40A	----	42.70 + 8.10	----	----	----	19	----	0 - 12
4220	6.00	6.00	15.20B/0.10A	15.20B/0.10A	----	0.00 - 5.20	----	----	----	152	----	0 - 43
4225	----	----	74.80B/47.00A	74.80B/47.00A	----	69.40 + 3.80	.6849	----	----	----	----	1 UNCH
4225	33.10	33.10	45.40B/20.10A	45.40B/20.10A	----	21.70 - 9.50	.3149	----	----	18	----	53 - 9
4225	5.10	5.10	12.60B/0.10A	12.60B/0.10A	----	0.00 - 4.20	----	----	----	66	----	0 - 143
4225	13.60	13.60	51.70B/13.60	51.70B/13.60	----	47.70 + 9.10	----	----	----	13	----	0 - 26
4230	4.50	4.50	10.70/0.10A	10.70/0.10A	----	0.00 - 3.40	----	----	----	81	----	0 - 23
4230	----	----	56.40B/16.70A	56.40B/16.70A	----	52.70 + 9.90	----	----	----	1	----	0 - 1
4235	----	----	61.20B/20.00A	61.20B/20.00A	----	57.70 + 10.60	----	----	----	----	----	0 - 1
4235	2.80	2.80	8.20B/0.10A	8.20B/0.10A	----	0.00 - 2.70	----	----	----	82	----	0 - 139
4240	2.20	2.20	6.50B/0.10A	6.50B/0.10A	----	0.00 - 2.20	----	----	----	57	----	0 - 71
4240	----	----	66.20B/23.30A	66.20B/23.30A	----	62.70 + 11.10	----	----	----	----	----	0 UNCH
4245	1.30	1.30	5.10B/0.10A	5.10B/0.10A	----	0.00 - 1.80	----	----	----	23	----	0 - 11
4245	----	----	71.20B/26.80A	71.20B/26.80A	----	67.70 + 11.50	----	----	----	1	----	0 - 1
4250	24.00	24.00	34.30B/13.90A	34.30B/13.90A	----	15.00 - 7.90	.2317	----	----	32	----	39 + 24
4250	----	----	76.20B/30.50A	76.20B/30.50A	----	72.70 + 11.90	----	----	----	3	----	0 - 67
4250	1.50	1.50	4.10/0.10	4.10/0.10	----	0.00 - 1.50	----	----	----	46	----	0 - 132
4255	1.10	1.10	3.10/0.10A	3.10/0.10A	----	0.00 - 1.20	----	----	----	34	----	0 - 36
4260	1.10	1.10	2.20B/0.10	2.20B/0.10	----	0.00 - 1.00	----	----	----	8	----	0 - 18
4265	1.50	1.50	1.70B/0.10A	1.70B/0.10A	----	0.00 - 0.80	----	----	----	5	----	0 - 4
4270	----	----	96.20B/47.50A	96.20B/47.50A	----	92.70 + 12.60	----	----	----	1	----	0 - 1
4270	0.50	0.50	1.20B/0.10A	1.20B/0.10A	----	0.00 - 0.70	----	----	----	2	----	0 - 39
4275	15.80	15.80	25.20B/9.50A	25.20B/9.50A	----	10.20 - 6.20	.1648	----	----	24	----	35 + 23
4275	----	----	101.20B/52.10A	101.20B/52.10A	----	97.70 + 12.70	----	----	----	----	----	0 - 23
4275	0.40	0.40	0.80/0.10	0.80/0.10	----	0.00 - 0.60	----	----	----	82	----	0 - 111
4280	----	----	0.70B/0.10A	0.70B/0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 28
4285	0.10	0.10	0.50B/0.10	0.50B/0.10	----	0.00 - 0.40	----	----	----	1	----	0 - 17
4290	71.90	71.90	116.20B/66.50A	116.20B/66.50A	----	112.70 NEW	----	----	----	2	----	0 UNCH
4290	----	----	----/0.10A	0.30B/0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 2
4295	0.10	0.10	0.10/0.10	0.20B/0.10	----	0.00 - 0.30	----	----	----	10	----	0 - 6
4300	11.30	11.30	18.10B/6.40A	18.10B/6.40A	----	6.80 - 4.80	.1135	----	----	55	----	54 + 32
4300	0.20	0.20	0.20/0.10	0.20/0.10	----	0.00 - 0.20	----	----	----	3	----	0 - 160
4300	----	----	126.20B/76.30A	126.20B/76.30A	----	122.70 + 13.10	----	----	----	----	----	0 - 27
4305	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.20	----	----	----	1	----	0 - 4
4310	109.10	109.10	136.20B/86.20A	136.20B/86.20A	----	132.70 + 13.20	----	----	----	2	----	0 - 4
4310	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	2	----	0 - 9
4315	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
4320	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4325	9.20	9.20	12.80B/4.30A	12.80B/4.30A	----	4.50 - 3.70	.0764	----	----	52	----	72 + 52
4325	----	----	151.20B/101.10A	151.20B/101.10A	----	147.70 + 13.20	----	----	----	----	----	0 - 8
4325	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 169
4335	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 21
4340	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4345	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4350	----	----	182.10B/135.40A	182.10B/135.40A	----	175.60 + 10.50	.9487	----	----	----	----	4 UNCH
4350	----	----	8.80B/3.00A	8.80B/3.00A	----	3.00 - 2.80	.0511	----	----	----	----	13 UNCH
4350	----	----	176.20B/126.00A	176.20B/126.00A	----	172.70 + 13.20	----	----	----	----	----	0 - 17
4350	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 141
4355	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4360	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4370	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4375	----	----	205.10B/157.50A	205.10B/157.50A	----	199.70 NEW	.9646	----	----	1	----	1 + 1
4375	----	----	6.10B/2.10A	6.10B/2.10A	----	2.10 - 2.10	.0352	----	----	1	----	58 + 1
4375	----	----	201.20B/151.00A	201.20B/151.00A	----	197.70 + 13.20	----	----	----	1	----	0 - 6
4375	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 23
4385	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4395	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4400	----	----	4.20B/1.50A	4.20B/1.50A	----	1.50 - 1.50	.0245	----	----	----	----	12 UNCH
4400	----	----	----	0.10B/0.10A	----	0.00 - 0.10	----	----	----	1	----	0 - 103
4400	----	----	226.20B/176.00A	226.20B/176.00A	----	222.70 + 13.20	----	----	----	----	----	0 - 54
4410	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4425	1.10	1.10	2.90B/1.10	2.90B/1.10	----	1.10 - 1.10	.0174	----	----	3	----	12 + 1
4425	----	----	251.20B/200.90A	251.20B/200.90A	----	247.70 + 13.20	----	----	----	----	----	0 - 1
4425	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 27
4440	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 25
4450	1.10	1.10	2.00B/0.90A	2.00B/0.90A	----	0.80 NEW	.0123	----	----	3	----	3 + 3
4450	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 33
4460	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
4475	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
4500	----	----	----/0.60A	0.90B/0.60A	----	0.60 - 0.50	.0083	----	----	----	----	1 UNCH
4500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 31
4525	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 31
4550	----	----	----/0.50A	0.50B/0.50A	----	0.40 - 0.40	.0051	----	----	----	----	1 UNCH
4550	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 24
4575	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 35
4600	----	----	----/0.40A	0.30B/0.40A	----	0.30 - 0.30	.0035	----	----	----	----	5 UNCH
4600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 14
4625	----	----	----/0.40A	0.20B/0.40A	----	0.30 - 0.20	.0033	----	----	----	----	1 UNCH
4625	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 22
4650	----	----	----/0.30A	0.20B/0.30A	----	0.20 - 0.20	.0022	----	----	----	----	7 UNCH
4650	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
4675	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4700	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 38
4725	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
4750	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 45
4775	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4800	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	3 UNCH
4800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4900	----	----	----	----/0.30A	----	0.10 - 0.10	.0000	----	----	----	----	6 UNCH
4900	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
5000	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
5100	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
TOTAL										4399		704 - 4850
NOV26												
3400	----	----	----/0.60A	0.30B/0.60A	----	0.40 - 0.30	.0032	----	----	1	----	1 UNCH
3600	----	----	----/2.30A	2.20B/2.30A	----	2.20 - 0.90	.0176	----	----	1	----	4 UNCH
3600	1.30	1.30	1.30/1.30	1.30/1.30	----	1.20 - 0.30	.0105	----	----	3	----	9 UNCH
3700	----	----	----/1.90A	2.30B/1.90A	----	2.00 - 0.60	.0187	----	----	2	----	7 UNCH
3700	----	----	----/3.70A	4.10B/3.70A	----	3.70 - 1.70	.0305	----	----	----	----	1 UNCH
3750	----	----	----/2.40A	3.10B/2.40A	----	2.50 - 0.80	.0243	----	----	----	----	7 UNCH
3775	----	----	----/5.70A	6.00B/5.70A	----	5.90 NEW	.0488	----	----	1	----	1 + 1
3775	----	----	----/2.80A	3.60B/2.80A	----	3.00 - 0.90	.0293	----	----	----	----	2 UNCH
3800	----	----	----/3.20A	4.20B/3.20A	----	3.50 - 1.00	.0346	----	----	----	----	5 UNCH
3800	----	----	----/6.60A	7.90B/6.60A	----	7.00 - 2.30	.0576	----	----	3	----	5 + 3
3825	----	----	----/7.70A	9.30B/7.70A	----	8.30 NEW	.0678	----	----	1	----	1 + 1
3825	----	----	----/3.70A	5.10B/3.70A	----	4.20 - 1.10	.0417	----	----	1	----	6 UNCH
3850	----	----	----/8.60A	11.20B/8.60A	----	9.80 - 2.30	.0796	----	----	----	----	1 UNCH
3850	----	----	----/4.40A	6.10B/4.40A	----	5.10 - 1.20	.0506	----	----	3	----	6 + 1
3875	----	----	7.60B/5.20A	7.60B/5.20A	----	6.10 - 1.40	.0607	----	----	2	----	17 UNCH
3875	----	----	----/10.10A	13.40B/10.10A	----	11.70 - 2.10	.0938	----	----	5	----	6 + 5
3900	14.00	14.00	16.30B/12.00A	16.30B/12.00A	----	14.00 - 1.80	.1106	----	----	1	----	256 + 1
3900	----	----	9.30B/6.30A	9.30B/6.30A	----	7.50 - 1.60	.0740	----	----	1	----	37 + 1
3925	----	----	19.20B/14.20A	19.20B/14.20A	----	16.70 - 2.00	.1298	----	----	----	----	1 UNCH
3925	----	----	11.40B/7.60A	11.40B/7.60A	----	9.30 - 1.80	.0907	----	----	----	----	1 UNCH
3950	----	----	22.90B/16.90A	22.90B/16.90A	----	20.00 - 2.40	.1522	----	----	----	----	1 UNCH
3950	----	----	13.90B/9.30A	13.90B/9.30A	----	11.50 - 1.90	.1105	----	----	----	----	14 UNCH
3975	----	----	17.10B/11.50A	17.10B/11.50A	----	14.20 - 2.00	.1341	----	----	----	----	9 UNCH
3975	----	----	27.30B/20.10A	27.30B/20.10A	----	24.00 - 2.20	.1780	----	----	----	----	3 UNCH
4000	----	----	32.00B/23.90A	32.00B/23.90A	----	28.40 - 2.60	.2060	----	----	----	----	253 UNCH
4000	15.90	15.90	21.20B/14.10A	21.20B/14.10A	----	17.80 - 2.00	.1633	----	----	2	----	152 + 1
4025	----	----	25.80B/17.50A	25.80B/17.50A	----	22.10 - 2.10	.1967	----	----	----	----	28 UNCH
4050	----	----	205.20B/165.60A	205.20B/165.60A	----	168.00 - 14.70	.7240	----	----	----	----	1 UNCH
4050	28.40	28.40	31.50B/21.60A	31.50B/21.60A	----	27.50 NEW	.2356	----	----	27	----	14 + 14
4050	----	----	194.70B/150.70A	194.70B/150.70A	----	154.50 - 15.40	.7638	----	----	----	----	2 UNCH
4075	----	----	38.20B/26.70A	38.20B/26.70A	----	33.90 - 2.00	.2788	----	----	----	----	14 UNCH
4100	----	----	155.60B/115.30A	155.60B/115.30A	----	118.70 - 14.90	.6729	----	----	----	----	5 UNCH
4100	----	----	46.20B/33.20A	46.20B/33.20A	----	41.60 - 1.60	.3265	----	----	----	----	1 UNCH
4125	----	----	55.50B/40.30A	55.50B/40.30A	----	50.60 - 1.10	.3776	----	----	1	----	5 + 1
4150	----	----	66.30B/48.90A	66.30B/48.90A	----	61.00 - 0.50	.4312	----	----	----	----	17 UNCH
4150	----	----	120.70B/85.00A	120.70B/85.00A	----	88.20 - 13.80	.5682	----	----	----	----	12 UNCH
4150	----	----	81.30B/65.20A	81.30B/65.20A	----	77.30 NEW	.4402	----	----	1	----	1 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week1										
NOV26												
4175	----	----	105.20B/72.40A	105.20B/72.40A	----	75.20 - 13.20	.5134	----	----	----	----	20 UNCH
4175	----	----	93.90B/76.00A	93.90B/76.00A	----	89.90 UNCH	.4848	----	----	1	----	1 + 1
4175	70.70	70.70	77.90B/58.90A	77.90B/58.90A	----	72.90 + 0.10	.4860	----	----	13	----	507 + 1
4200	----	----	107.10B/87.70A	107.10B/87.70A	----	102.80 + 0.10	.5292	----	----	----	----	1 UNCH
4200	69.00	69.00	91.50B/69.00	91.50B/69.00	----	86.30 + 0.80	.5406	----	----	5	----	14 - 1
4200	68.90	68.90	92.30B/61.20A	92.30B/61.20A	----	63.60 - 12.50	.4588	----	----	1	----	9 UNCH
4225	----	----	106.30B/82.40A	106.30B/82.40A	----	101.00 + 1.60	.5939	----	----	----	----	5 UNCH
4250	----	----	68.10B/42.70A	68.10B/42.70A	----	44.60 - 10.70	.3549	----	----	----	----	6 UNCH
4250	----	----	121.40B/95.90A	121.40B/95.90A	----	117.10 + 2.50	.6445	----	----	----	----	20 UNCH
4275	----	----	57.90B/35.50A	57.90B/35.50A	----	37.00 - 9.70	.3075	----	----	----	----	7 UNCH
4275	----	----	138.50B/111.30A	138.50B/111.30A	----	134.50 + 3.50	.6919	----	----	----	----	9 UNCH
4300	----	----	157.20B/127.70A	157.20B/127.70A	----	153.00 + 4.60	.7351	----	----	2	----	1 - 2
4300	----	----	48.90B/29.40A	48.90B/29.40A	----	30.60 - 8.70	.2643	----	----	----	----	14 UNCH
4350	----	----	197.70B/162.70A	197.70B/162.70A	----	193.00 + 6.40	.8084	----	----	1	----	0 - 1
4350	----	----	34.30B/19.90A	34.30B/19.90A	----	20.70 - 6.80	.1910	----	----	----	----	30 UNCH
4350	----	----	48.20B/32.70A	48.20B/32.70A	----	33.40 NEW	.2411	----	----	1	----	1 + 1
4375	----	----	28.60B/16.30A	28.60B/16.30A	----	16.90 - 6.00	.1606	----	----	----	----	119 UNCH
4400	----	----	36.20B/24.30A	36.20B/24.30A	----	24.60 - 6.10	.1863	----	----	----	----	1 UNCH
4400	15.50	15.50	23.80B/13.50A	23.80B/13.50A	----	13.90 - 5.20	.1350	----	----	10	----	26 + 9
4425	----	----	31.10B/20.80A	31.10B/20.80A	----	21.00 - 5.40	.1627	----	----	2	----	3 + 2
4450	----	----	26.70B/18.00A	26.70B/18.00A	----	18.00 - 4.80	.1420	----	----	----	----	1 UNCH
4450	----	----	16.20B/9.20A	16.20B/9.20A	----	9.40 - 3.90	.0946	----	----	----	----	5 UNCH
4475	----	----	13.40B/7.70A	13.40B/7.70A	----	7.80 - 3.30	.0794	----	----	----	----	152 UNCH
4500	9.30	9.30	11.00B/6.40A	11.00B/6.40A	----	6.50 - 2.90	.0667	----	----	526	----	1004 + 489
4500	----	----	19.80B/13.20A	19.80B/13.20A	----	13.30 NEW	.1081	----	----	4	----	4 + 4
4525	----	----	17.00B/11.50A	17.00B/11.50A	----	11.50 - 3.40	.0945	----	----	----	----	54 UNCH
4525	----	----	9.10B/5.50A	9.10B/5.50A	----	5.50 - 2.40	.0566	----	----	----	----	2 UNCH
4550	----	----	14.70B/10.00A	14.70B/10.00A	----	10.00 NEW	.0828	----	----	1	----	1 + 1
4550	6.30	6.30	7.60B/4.70A	7.60B/4.70A	----	4.70 - 2.00	.0483	----	----	46	----	392 + 42
4575	----	----	12.70B/8.80A	12.70B/8.80A	----	8.70 - 2.80	.0725	----	----	----	----	3 UNCH
4600	----	----	5.30B/3.60A	5.30B/3.60A	----	3.50 - 1.40	.0358	----	----	----	----	4 UNCH
4600	8.20	8.20	10.90B/8.20	10.90B/8.20	----	7.70 - 2.40	.0642	----	----	3	----	5 - 1
4625	7.50	7.50	9.50/7.00	9.50/7.00	----	6.80 - 2.10	.0568	----	----	23	----	30 + 23
4700	----	----	----/5.00A	5.60B/5.00A	----	4.80 NEW	.0400	----	----	2	----	2 + 2
4700	----	----	----/2.30A	2.80B/2.30A	----	2.20 - 0.70	.0216	----	----	----	----	1 UNCH
4800	----	----	----/1.60A	1.60B/1.60A	----	1.50 - 0.40	.0140	----	----	----	----	1 UNCH
4900	----	----	----/2.60A	2.50B/2.60A	----	2.20 - 0.80	.0177	----	----	----	----	1 UNCH
4900	----	----	----/1.30A	0.90B/1.30A	----	1.10 - 0.30	.0098	----	----	----	----	1 UNCH
TOTAL										697		3363 + 600

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week3										
OCT26												
3500	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
3500	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	40 UNCH
3600	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	104 UNCH
3700	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
3750	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	14 UNCH
3775	----	----	----/2.10A	2.30B/2.10A	----	2.00 - 0.70	.0209	----	----	----	----	1 UNCH
3800	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	18 UNCH
3800	0.60	0.60	0.60/0.50A	0.60/0.50A	----	0.50 - 0.40	.0062	----	----	2	----	9 + 2
3825	----	----	----/2.60A	3.40B/2.60A	----	2.80 - 0.90	.0301	----	----	----	----	1 UNCH
3825	----	----	----	----/0.20A	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
3850	----	----	----/0.70A	1.10B/0.70A	----	0.80 - 0.60	.0105	----	----	1	----	0 - 1
3850	----	----	----/3.00A	4.10B/3.00A	----	3.40 - 1.00	.0369	----	----	1	----	2 UNCH
3850	----	----	----	----/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	7 UNCH
3875	3.80	3.80	3.80/3.60A	5.00B/3.60A	----	4.10 - 1.20	.0450	----	----	2	----	2 UNCH
3875	----	----	----/0.20A	----/0.20A	----	0.10 - 0.20	.0000	----	----	----	----	5 UNCH
3875	----	----	----/0.90A	1.50B/0.90A	----	1.00 - 0.70	.0136	----	----	----	----	255 UNCH
3900	----	----	----/4.30A	6.20B/4.30A	----	5.10 - 1.40	.0560	----	----	2	----	9 - 2
3900	----	----	----/0.20A	----/0.20A	----	0.10 - 0.20	.0001	----	----	----	----	30 UNCH
3900	----	----	----/1.10A	2.00B/1.10A	----	1.30 - 0.80	.0182	----	----	----	----	2 UNCH
3925	----	----	----/0.20A	0.10B/0.20A	----	0.10 - 0.30	.0004	----	----	----	----	59 UNCH
3925	5.80	5.80	8.00B/5.20A	8.00B/5.20A	----	6.40 - 1.50	.0699	----	----	3	----	4 - 1
3925	----	----	----/1.40A	2.60B/1.40A	----	1.80 - 0.90	.0256	----	----	----	----	6 UNCH
3950	----	----	----/0.20A	0.20B/0.20A	----	0.20 - 0.40	.0011	----	----	----	----	11 UNCH
3950	----	----	3.60B/1.80A	3.60B/1.80A	----	2.40 - 1.10	.0348	----	----	1	----	27 - 1
3950	----	----	10.10B/6.50A	10.10B/6.50A	----	8.10 - 1.60	.0877	----	----	2	----	4 UNCH
3955	----	----	----/0.20A	0.30B/0.20A	----	0.20 - 0.40	.0012	----	----	----	----	1 UNCH
3975	----	----	12.60B/8.20A	12.60B/8.20A	----	10.30 - 1.80	.1098	----	----	----	----	7 UNCH
3975	----	----	----/0.30A	0.50B/0.30A	----	0.30 - 0.50	.0021	----	----	----	----	56 UNCH
3975	----	----	246.20B/196.80A	246.20B/196.80A	----	202.60 - 13.70	.9978	----	----	----	----	3 UNCH
3975	----	----	4.80B/2.40A	4.80B/2.40A	----	3.40 - 1.30	.0494	----	----	1	----	28 UNCH
3980	----	----	----/0.30A	0.60B/0.30A	----	0.30 - 0.60	.0022	----	----	----	----	2 UNCH
3990	----	----	----/0.30A	0.70B/0.30A	----	0.40 - 0.60	.0032	----	----	----	----	1 UNCH
4000	0.40	0.40	0.50/0.30A	1.00B/0.30A	----	0.50 - 0.70	.0044	----	----	6	----	123 - 2
4000	----	----	6.60B/3.30A	6.60B/3.30A	----	4.80 - 1.40	.0696	----	----	----	----	25 UNCH
4000	----	----	15.90B/10.30A	15.90B/10.30A	----	13.30 - 1.80	.1381	----	----	2	----	4 - 2
4005	----	----	----/0.40A	1.10B/0.40A	----	0.50 - 0.80	.0046	----	----	----	----	1 UNCH
4015	0.50	0.50	0.50/0.40A	1.30B/0.40A	----	0.70 NEW	.0071	----	----	2	----	2 + 2
4020	0.50	0.50	0.50/0.40A	1.40B/0.40A	----	0.70 - 0.90	.0073	----	----	1	----	2 + 1
4025	----	----	----/0.40A	1.70B/0.40A	----	0.80 - 1.00	.0087	----	----	3	----	126 + 1
4025	----	----	9.10B/4.50A	9.10B/4.50A	----	6.80 - 1.60	.0974	----	----	----	----	33 UNCH
4030	----	----	2.00B/0.50A	2.00B/0.50A	----	0.90 - 1.00	.0102	----	----	----	----	1 UNCH
4035	----	----	----/0.50A	2.10B/0.50A	----	1.00 - 1.10	.0119	----	----	----	----	1 UNCH
4040	----	----	----/0.60A	2.30B/0.60A	----	1.20 NEW	.0148	----	----	1	----	1 + 1
4045	----	----	2.70B/0.60A	2.70B/0.60A	----	1.30 - 1.20	.0167	----	----	----	----	1 UNCH
4050	1.00	1.00	2.90B/0.70A	2.90B/0.70A	----	1.50 - 1.30	.0200	----	----	14	----	964 + 2
4050	----	----	25.30B/16.70A	25.30B/16.70A	----	21.70 - 1.70	.2113	----	----	----	----	2 UNCH
4050	9.40	9.40	12.50B/6.30A	12.50B/6.30A	----	9.60 - 1.70	.1346	----	----	3	----	29 + 3
4055	----	----	3.20B/0.80A	3.20B/0.80A	----	1.70 - 1.40	.0235	----	----	----	----	3 UNCH
4060	----	----	3.60B/0.90A	3.60B/0.90A	----	2.00 - 1.40	.0286	----	----	----	----	3 UNCH
4065	----	----	4.00B/1.00A	4.00B/1.00A	----	2.30 NEW	.0340	----	----	1	----	1 + 1
4070	----	----	4.50B/1.10A	4.50B/1.10A	----	2.60 NEW	.0396	----	----	1	----	1 + 1
4075	----	----	31.50B/21.20A	31.50B/21.20A	----	27.60 - 1.50	.2574	----	----	----	----	1 UNCH
4075	5.00	5.00	5.00/1.20A	5.00/1.20A	----	2.90 - 1.60	.0456	----	----	30	----	169 + 4
4075	----	----	17.00B/8.90A	17.00B/8.90A	----	13.50 - 1.70	.1832	----	----	----	----	25 UNCH
4080	----	----	5.50B/1.40A	5.50B/1.40A	----	3.30 - 1.70	.0533	----	----	3	----	3 + 2
4085	4.00	4.00	6.00B/1.60A	6.00B/1.60A	----	3.80 NEW	.0628	----	----	8	----	8 + 8
4090	----	----	6.90B/1.80A	6.90B/1.80A	----	4.30 - 1.70	.0728	----	----	----	----	3 UNCH
4095	----	----	7.60B/2.10A	7.60B/2.10A	----	4.90 - 1.70	.0846	----	----	2	----	5 + 2
4100	82.00	82.00	126.90B/77.40A	126.90B/77.40A	----	82.80 - 15.10	.9029	----	----	4	----	2 + 2
4100	3.40	3.40	8.50B/2.40A	8.50B/2.40A	----	5.50 - 1.80	.0970	----	----	196	100	304 + 43
4100	----	----	39.00B/26.60A	39.00B/26.60A	----	34.80 - 1.10	.3090	----	----	----	----	9 UNCH
4100	14.70	14.70	23.00B/12.40A	23.00B/12.40A	----	18.80 - 1.50	.2440	----	----	56	----	62 + 46
4105	5.70	5.70	9.30B/2.70A	9.30B/2.70A	----	6.30 NEW	.1125	----	----	9	----	9 + 9
4110	5.80	5.80	10.40B/3.10A	10.40B/3.10A	----	7.10 - 1.70	.1286	----	----	11	----	13 + 11
4115	5.00	5.00	11.40B/3.50A	11.40B/3.50A	----	8.00 - 1.70	.1465	----	----	3	----	7 + 2
4120	5.60	5.60	12.70B/4.00A	12.70B/4.00A	----	9.00 - 1.60	.1662	----	----	2	----	131 + 1
4125	7.00	7.00	14.00B/4.60A	14.00B/4.60A	----	10.10 - 1.50	.1877	----	----	51	----	81 + 2
4125	----	----	104.00B/57.60A	104.00B/57.60A	----	62.30 - 14.90	.8122	----	----	4	----	11 - 4
4125	----	----	47.90B/33.40A	47.90B/33.40A	----	43.40 - 0.70	.3653	----	----	----	----	4 UNCH
4125	----	----	30.60B/17.30A	30.60B/17.30A	----	25.90 - 0.90	.3169	----	----	14	----	21 + 6
4130	7.70	7.70	15.40B/5.20A	15.40B/5.20A	----	11.30 - 1.40	.2108	----	----	20	----	62 + 15
4135	----	----	16.80B/5.80A	16.80B/5.80A	----	12.60 NEW	.2355	----	----	1	----	1 + 1
4140	----	----	18.40B/6.60A	18.40B/6.60A	----	14.00 - 1.20	.2618	----	----	----	----	1 UNCH
4145	----	----	20.30B/7.40A	20.30B/7.40A	----	15.50 - 1.10	.2895	----	----	----	----	1 UNCH
4150	11.00	11.00	22.10B/8.40A	22.10B/8.40A	----	17.20 - 0.90	.3191	----	----	98	120	150 - 30
4150	49.00	49.00	82.60B/40.60A	82.60B/40.60A	----	44.50 - 14.20	.6807	----	----	5	----	33 - 1
4150	----	----	111.60B/77.50A	111.60B/77.50A	----	80.80 - 13.40	.5746	----	----	----	----	1 UNCH
4150	65.70	65.70	97.70B/58.50A	97.70B/58.50A	----	62.30 - 13.40	.6007	----	----	3	----	3 UNCH
4150	----	----	40.10B/23.80A	40.10B/23.80A	----	35.00 - 0.10	.3990	----	----	----	----	16 UNCH
4150	43.90	43.90	58.30B/41.50	58.30B/41.50	----	53.50 - 0.20	.4249	----	----	9	----	50 + 5
4155	----	----	24.00B/9.40A	24.00B/9.40A	----	19.00 - 0.70	.3498	----	----	----	----	3 UNCH
4160	----	----	74.50B/34.70A	74.50B/34.70A	----	38.30 - 13.60	.6179	----	----	1	----	2 UNCH
4160	20.20	20.20	26.10B/10.50A	26.10B/10.50A	----	21.00 NEW	.3819	----	----	17	----	17 + 17
4165	----	----	28.30B/11.80A	28.30B/11.80A	----	23.00 - 0.10	.4143	----	----	----	----	3 UNCH
4170	40.10	40.10	66.80B/29.40A	66.80B/29.40A	----	32.50 - 13.20	.5522	----	----	4	----	3 + 2
4175	----	----	63.10B/27.00A	63.10B/27.00A	----	29.90 - 12.80	.5183	----	----	----	----	6 UNCH
4175	23.30	23.30	32.90B/14.50A	32.90B/14.50A	----	27.60 + 0.50	.4815	----	----	17	----	13 - 5
4175	----	----	80.40B/45.40A	80.40B/45.40A	----	48.50 - 12.40	.5134	----	----	----	----	8 UNCH
4175	----	----	51.60B/32.10A	51.60B/32.10A	----	46.20 + 0.80	.4863	----	----	1	----	4 UNCH
4175	60.50	60.50	69.80B/51.20A	69.80B/51.20A	----	65.30 + 0.50	.4864	----	----	2	----	3 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWR THU GOLD WEEKLY THURSDAY OPTION Week3

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OCT26												
4180	----	----	59.50B/24.60A	59.50B/24.60A	----	27.40 - 12.40	.4844	----	----	----	----	1 UNCH
4180	32.00	32.00	35.50B/16.10A	35.50B/16.10A	----	30.10 + 0.90	.5154	----	----	2	----	2 + 1
4185	----	----	38.20B/17.80A	38.20B/17.80A	----	32.70 NEW	.5493	----	----	2	----	0 UNCH
4185	38.00	38.00	56.00B/22.40A	56.00B/22.40A	----	25.00 - 12.10	.4505	----	----	7	----	6 + 4
4190	----	----	52.60B/20.40A	52.60B/20.40A	----	22.80 - 11.70	.4171	----	----	1	----	6 + 1
4190	----	----	41.00B/19.60A	41.00B/19.60A	----	35.50 + 1.60	.5828	----	----	----	----	1 UNCH
4195	32.90	32.90	49.30B/18.50A	49.30B/18.50A	----	20.70 - 11.30	.3841	----	----	6	----	7 + 5
4195	29.10	29.10	43.90B/21.60A	43.90B/21.60A	----	38.40 NEW	.6157	----	----	12	----	12 + 12
4200	74.40	74.40	83.50B/53.60A	83.50B/53.60A	----	56.00 - 11.90	.4518	----	----	35	----	35 + 28
4200	25.70	25.70	46.00B/16.60A	46.00B/16.60A	----	18.80 - 10.80	.3523	----	----	58	----	239 + 16
4200	36.60	36.60	46.40B/23.40A	46.40B/23.40A	----	41.50 + 2.50	.6476	----	----	22	60	93 + 75
4200	69.70	69.70	83.40B/62.00A	83.40B/62.00A	----	78.70 + 1.40	.5477	----	----	9	----	13 + 7
4200	44.30	44.30	65.20B/34.60A	65.20B/34.60A	----	37.00 - 11.20	.4255	----	----	1	----	79 + 1
4200	----	----	65.40B/41.90A	65.40B/41.90A	----	59.70 + 2.10	.5742	----	----	----	----	8 UNCH
4205	----	----	49.60B/25.50A	49.60B/25.50A	----	44.70 NEW	.6785	----	----	2	----	0 UNCH
4205	----	----	43.50B/15.10A	43.50B/15.10A	----	17.00 - 10.40	.3214	----	----	----	----	1 UNCH
4210	31.60	31.60	52.90B/27.60A	52.90B/27.60A	----	48.00 NEW	.7084	----	----	6	----	6 + 6
4210	20.70	20.70	40.60B/13.50A	40.60B/13.50A	----	15.30 NEW	.2915	----	----	2	----	2 + 2
4215	----	----	37.80B/12.20A	37.80B/12.20A	----	13.70 - 9.60	.2627	----	----	3	----	4 + 3
4220	----	----	35.10B/10.90A	35.10B/10.90A	----	12.30 - 9.10	.2361	----	----	----	----	1 UNCH
4225	----	----	63.70B/34.50A	63.70B/34.50A	----	58.70 + 4.70	.7889	----	----	----	----	3 UNCH
4225	17.10	17.10	32.50B/9.60A	32.50B/9.60A	----	11.00 - 8.60	.2110	----	----	41	----	89 + 16
4225	59.60	59.60	70.60B/44.00A	70.60B/44.00A	----	46.00 - 10.90	.3924	----	----	44	----	41 + 35
4225	----	----	97.00B/74.80A	97.00B/74.80A	----	93.60 + 2.30	.6071	----	----	3	----	5 + 3
4225	----	----	80.60B/53.50A	80.60B/53.50A	----	75.40 + 3.50	.6574	----	----	----	----	1 UNCH
4230	----	----	30.10B/8.60A	30.10B/8.60A	----	9.80 - 8.10	.1875	----	----	6	----	6 UNCH
4240	----	----	25.50B/6.90A	25.50B/6.90A	----	7.80 NEW	.1468	----	----	2	----	2 + 2
4245	10.80	10.80	23.50B/6.00A	23.50B/6.00A	----	6.90 NEW	.1286	----	----	1	----	1 + 1
4250	16.40	16.40	21.50B/5.30A	21.50B/5.30A	----	6.10 - 6.30	.1122	----	----	38	----	39 + 10
4250	----	----	84.40B/48.80A	84.40B/48.80A	----	78.80 + 7.00	.8877	----	----	----	----	9 UNCH
4250	55.80	55.80	59.70B/35.80A	59.70B/35.80A	----	37.50 - 9.80	.3364	----	----	24	----	32 + 19
4250	----	----	98.10B/67.20A	98.10B/67.20A	----	93.10 + 5.00	.7320	----	----	----	----	62 UNCH
4250	----	----	40.70B/19.00A	40.70B/19.00A	----	20.40 - 8.40	.2677	----	----	----	----	21 UNCH
4260	5.40	5.40	17.80B/4.30A	17.80B/4.30A	----	4.70 - 5.50	.0838	----	----	3	20	23 + 3
4265	----	----	16.20B/3.80A	16.20B/3.80A	----	4.20 - 5.00	.0732	----	----	----	----	20 UNCH
4275	4.70	4.70	13.30B/2.90A	13.30B/2.90A	----	3.20 - 4.30	.0533	----	----	30	----	31 + 5
4275	----	----	107.00B/65.60A	107.00B/65.60A	----	100.90 + 9.00	.9466	----	----	----	----	61 UNCH
4275	42.50	42.50	49.70B/29.00A	49.70B/29.00A	----	30.30 - 8.70	.2847	----	----	11	----	17 + 4
4275	----	----	31.40B/13.90A	31.40B/13.90A	----	14.80 - 7.00	.2041	----	----	5	----	5 + 1
4285	----	----	10.90B/2.20A	10.90B/2.20A	----	2.50 - 3.60	.0393	----	----	----	----	1 UNCH
4290	10.00	10.00	10.00/1.90A	10.00/1.90A	----	2.20 - 3.30	.0336	----	----	20	----	26 + 19
4300	----	----	130.90B/84.90A	130.90B/84.90A	----	124.40 + 10.50	.9756	----	----	----	----	103 UNCH
4300	8.00	8.00	8.00/1.50A	8.00/1.50A	----	1.70 - 2.80	.0243	----	----	8	----	232 - 2
4300	41.50	41.50	41.50/23.40A	41.50/23.40A	----	24.40 - 7.60	.2386	----	----	20	----	45 + 8
4300	----	----	23.70B/10.00A	23.70B/10.00A	----	10.70 - 5.60	.1529	----	----	----	----	6 UNCH
4300	----	----	139.10B/100.40A	139.10B/100.40A	----	133.30 + 7.70	.8468	----	----	----	----	2 UNCH
4310	1.30	1.30	6.40B/1.20A	6.40B/1.20A	----	1.30 - 2.30	.0173	----	----	1	----	2 + 1
4320	----	----	5.00B/1.00A	5.00B/1.00A	----	1.00 - 2.00	.0123	----	----	----	----	8 UNCH
4325	----	----	4.50B/0.90A	4.50B/0.90A	----	0.90 - 1.80	.0106	----	----	2	----	23 + 1
4325	----	----	155.20B/106.20A	155.20B/106.20A	----	148.60 + 11.50	.9893	----	----	----	----	17 UNCH
4325	----	----	17.70B/7.20A	17.70B/7.20A	----	7.60 - 4.60	.1120	----	----	----	----	8 UNCH
4325	----	----	33.50B/18.80A	33.50B/18.80A	----	19.60 - 6.60	.1983	----	----	----	----	2 UNCH
4335	----	----	3.50B/0.70A	3.50B/0.70A	----	0.70 - 1.50	.0076	----	----	----	----	8 UNCH
4340	----	----	3.20B/0.70A	3.20B/0.70A	----	0.70 - 1.30	.0074	----	----	----	----	1 UNCH
4350	----	----	2.50B/0.60A	2.50B/0.60A	----	0.60 - 1.10	.0059	----	----	2	----	21 UNCH
4350	----	----	179.90B/129.00A	179.90B/129.00A	----	173.20 + 12.10	.9941	----	----	----	----	1 UNCH
4350	----	----	13.10B/5.20A	13.10B/5.20A	----	5.50 - 3.50	.0821	----	----	----	----	12 UNCH
4350	----	----	184.30B/139.60A	184.30B/139.60A	----	178.00 + 9.70	.9176	----	----	----	----	1 UNCH
4360	----	----	2.00B/0.50A	2.00B/0.50A	----	0.50 - 0.90	.0045	----	----	----	----	2 UNCH
4365	1.60	1.60	1.80B/0.50A	1.80B/0.50A	----	0.40 - 0.90	.0034	----	----	1	----	2 + 1
4375	16.00	16.00	22.00B/12.10A	22.00B/12.10A	----	12.40 - 4.90	.1331	----	----	9	----	14 + 7
4375	1.20	1.20	1.40B/0.40A	1.40B/0.40A	----	0.30 - 0.80	.0023	----	----	3	----	17 UNCH
4375	----	----	204.80B/152.70A	204.80B/152.70A	----	198.00 + 12.50	.9976	----	----	----	----	16 UNCH
4375	5.30	5.30	9.50B/3.80A	9.50B/3.80A	----	4.00 - 2.70	.0601	----	----	4	----	20 UNCH
4375	----	----	208.00B/161.00A	208.00B/161.00A	----	201.50 + 10.50	.9397	----	----	----	----	1 UNCH
4385	----	----	1.10B/0.40A	1.10B/0.40A	----	0.30 - 0.60	.0022	----	----	----	----	4 UNCH
4395	----	----	0.90B/0.30A	0.90B/0.30A	----	0.20 - 0.60	.0013	----	----	----	----	1 UNCH
4400	----	----	----/0.30A	0.60B/0.30A	----	0.20 - 0.50	.0012	----	----	----	----	124 UNCH
4400	----	----	229.80B/177.00A	229.80B/177.00A	----	222.90 + 12.80	.9987	----	----	----	----	19 UNCH
4400	16.30	16.30	17.80B/9.70A	17.80B/9.70A	----	9.90 - 4.20	.1085	----	----	2	----	65 - 1
4400	----	----	6.90B/2.80A	6.90B/2.80A	----	2.90 - 2.20	.0436	----	----	----	----	4 UNCH
4410	0.50	0.50	0.50/0.30A	0.60B/0.30A	----	0.20 - 0.40	.0012	----	----	2	----	5 + 2
4425	----	----	253.60B/203.70A	253.60B/203.70A	----	247.80 + 12.90	.9998	----	----	----	----	9 UNCH
4425	----	----	----/0.30A	0.40B/0.30A	----	0.10 - 0.40	.0003	----	----	----	----	15 UNCH
4425	----	----	14.30B/7.80A	14.30B/7.80A	----	7.90 - 3.50	.0881	----	----	----	----	3 UNCH
4425	----	----	5.00B/2.20A	5.00B/2.20A	----	2.20 - 1.60	.0326	----	----	----	----	9 UNCH
4445	----	----	----/0.20A	0.20B/0.20A	----	0.10 - 0.30	.0001	----	----	----	----	3 UNCH
4450	----	----	278.60B/228.00A	278.60B/228.00A	----	272.80 + 13.10	1.0000	----	----	----	----	6 UNCH
4450	----	----	----/0.20A	0.20B/0.20A	----	0.10 - 0.30	.0000	----	----	----	----	98 UNCH
4450	----	----	3.60B/1.70A	3.60B/1.70A	----	1.60 - 1.40	.0236	----	----	1	----	5 UNCH
4450	----	----	11.50B/6.30A	11.50B/6.30A	----	6.40 - 2.90	.0720	----	----	1	----	3 UNCH
4475	----	----	----/0.20A	0.10B/0.20A	----	0.10 - 0.20	.0000	----	----	----	----	46 UNCH
4475	----	----	2.60B/1.40A	2.60B/1.40A	----	1.30 - 1.00	.0186	----	----	----	----	13 UNCH
4475	----	----	304.40B/255.80A	304.40B/255.80A	----	298.80 + 12.30	.9812	----	----	----	----	1 UNCH
4500	----	----	----	----/0.30A	----	0.10 - 0.10	.0000	----	----	----	----	40 UNCH
4500	5.30	5.30	7.40B/4.30A	7.40B/4.30A	----	4.20 - 2.10	.0479	----	----	3	----	4 UNCH
4500	----	----	329.10B/281.20A	329.10B/281.20A	----	323.50 + 12.50	.9858	----	----	----	----	2 UNCH
4500	----	----	----/1.10A	1.90B/1.10A	----	1.00 - 0.90	.0140	----	----	2	----	16 - 2
4525	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	125 UNCH
4525	----	----	----/0.90A	1.50B/0.90A	----	0.80 - 0.70	.0110	----	----	----	----	18 UNCH
4550	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	19 UNCH
4550	----	----	379.00B/330.30A	379.00B/330.30A	----	373.20 + 12.80	.9907	----	----	2	----	3 UNCH
4550	----	----	----/0.80A	1.10B/0.80A	----	0.70 - 0.60	.0092	----	----	----	----	4 UNCH
4575	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
4575	----	----	----/0.70A	0.90B/0.70A	----	0.60 - 0.50	.0077	----	----	----	----	4 UNCH
4600	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	94 UNCH
4600	----	----	----/0.60A	0.70B/0.60A	----	0.50 - 0.40	.0062	----	----	----	----	45 UNCH
4625	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	21 UNCH
4625	----	----	----/0.60A	0.60B/0.60A	----	0.50 - 0.30	.0059	----	----	----	----	11 UNCH
4650	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	35 UNCH
4650	----	----	----/0.50A	0.50B/0.50A	----	0.40 - 0.30	.0046	----	----	----	----	11 UNCH
4675	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	66 UNCH
4675	----	----	----/0.50A	0.40B/0.50A	----	0.40 - 0.30	.0044	----	----	----	----	7 UNCH
4700	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	35 UNCH
4700	----	----	----/0.40A	0.30B/0.40A	----	0.40 - 0.20	.0043	----	----	----	----	70 UNCH
4725	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
4725	----	----	----/0.40A	0.30B/0.40A	----	0.30 - 0.30	.0032	----	----	----	----	12 UNCH
4750	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
4750	----	----	----/0.40A	0.20B/0.40A	----	0.30 - 0.20	.0030	----	----	----	----	12 UNCH
4775	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	14 UNCH
4775	----	----	----/0.40A	0.20B/0.40A	----	0.30 - 0.20	.0029	----	----	----	----	3 UNCH
4800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
4800	----	----	----/0.30A	0.20B/0.30A	----	0.30 - 0.20	.0028	----	----	----	----	1 UNCH
4825	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
4825	----	----	----/0.30A	0.10B/0.30A	----	0.30 - 0.10	.0027	----	----	----	----	1 UNCH
4850	----	----	----/0.30A	0.10B/0.30A	----	0.20 - 0.20	.0018	----	----	----	----	62 UNCH
4850	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
4900	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
4900	----	----	----/0.20A	0.10B/0.20A	----	0.20 - 0.20	.0017	----	----	----	----	2 UNCH
5000	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	50 UNCH
5000	----	----	----	----/0.30A	----	0.10 - 0.10	.0008	----	----	----	----	41 UNCH
5100	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	24 UNCH
5200	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
5250	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
5250	0.40	0.40	0.40/0.40	0.40/0.40	----	0.30 NEW	.0022	----	----	5	----	5 + 5
5500	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	77 UNCH
5750	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
TOTAL										1084	300	6313 + 443
NOV26												
3700	----	----	----/2.60A	3.00B/2.60A	----	2.70 NEW	.0237	----	----	1	----	1 + 1
3950	----	----	17.40B/12.60A	17.40B/12.60A	----	15.00 NEW	.1293	----	----	1	----	1 + 1
4150	----	----	73.00B/56.40A	73.00B/56.40A	----	68.50 NEW	.4359	----	----	3	----	3 + 3
4325	----	----	47.20B/30.40A	47.20B/30.40A	----	31.20 - 7.20	.2483	----	----	30	----	80 + 30
4500	----	----	14.40B/9.20A	14.40B/9.20A	----	9.40 - 2.80	.0859	----	----	524	----	1000 + 500
TOTAL										559		1085 + 535

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GMW MON GOLD WEEKLY MONDAY OPTION WEEK4

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OCT26												
3500	----	----	----	----/0.30A	----	0.10 - 0.10	.0009	----	----	----	----	1 UNCH
3600	----	----	----	0.20B/0.40A	----	0.20 - 0.20	.0021	----	----	----	----	2 UNCH
3700	----	----	----	----/0.20A	----	0.10 - 0.10	.0009	----	----	----	----	3 UNCH
3750	----	----	----/0.20A	----/0.20A	----	0.20 - 0.10	.0019	----	----	----	----	2 UNCH
3775	----	----	----	----/0.30A	----	0.20 - 0.10	.0021	----	----	----	----	1 UNCH
3800	----	----	----/0.30A	----/0.30A	----	0.30 - 0.10	.0032	----	----	----	----	12 UNCH
3800	----	----	----/1.10A	1.30B/1.10A	----	1.00 - 0.50	.0122	----	----	----	----	1 UNCH
3825	----	----	----/0.20A	0.20B/0.20A	----	0.30 - 0.20	.0034	----	----	----	----	1 UNCH
3850	----	----	----/1.30A	1.90B/1.30A	----	1.50 - 0.70	.0192	----	----	----	----	2 UNCH
3875	----	----	----/1.60A	2.40B/1.60A	----	1.80 - 0.90	.0236	----	----	----	----	1 UNCH
3875	----	----	----/0.30A	0.40B/0.30A	----	0.40 - 0.30	.0052	----	----	----	----	2 UNCH
3900	0.60	0.60	0.60/0.40A	0.60/0.40A	----	0.40 - 0.40	.0057	----	----	3	----	16 - 3
3900	291.10	291.10	321.00B/275.00A	321.00B/275.00A	----	279.40 NEW	.9692	----	----	1	----	1 + 1
3925	----	----	----/2.40A	4.00B/2.40A	----	3.00 - 1.20	.0402	----	----	----	----	1 UNCH
3925	----	----	----/0.40A	0.90B/0.40A	----	0.60 - 0.50	.0089	----	----	1	----	3 UNCH
3950	----	----	----/3.10A	5.30B/3.10A	----	3.90 - 1.40	.0526	----	----	1	----	2 - 1
3950	----	----	----/0.60A	1.30B/0.60A	----	0.80 - 0.60	.0126	----	----	7	----	9 - 5
3955	233.70	233.70	233.70/233.70	266.60B/217.50A	----	223.00 NEW	.9870	----	----	1	----	1 + 1
3975	----	----	----/0.80A	1.90B/0.80A	----	1.20 - 0.80	.0198	----	----	1	----	26 UNCH
3975	----	----	7.00B/4.00A	7.00B/4.00A	----	5.30 - 1.50	.0707	----	----	----	----	1 UNCH
3975	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4000	1.70	1.70	1.90/1.10A	2.90B/1.10A	----	1.80 - 1.10	.0308	----	----	10	----	31 + 1
4000	----	----	223.40B/173.60A	223.40B/173.60A	----	179.00 - 14.40	.9690	----	----	----	----	2 UNCH
4000	----	----	----	----	----	190.60 UNCH	----	----	----	----	----	0 UNCH
4000	----	----	9.20B/5.30A	9.20B/5.30A	----	7.10 - 1.70	.0937	----	----	----	----	2 UNCH
4000	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4005	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4025	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4025	4.90	4.90	4.90/1.70A	4.90/1.70A	----	2.80 - 1.30	.0490	----	----	8	----	12 - 5
4050	3.60	3.60	6.60B/2.60A	6.60B/2.60A	----	4.50 - 1.50	.0790	----	----	11	----	55 + 6
4050	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4050	----	----	182.60B/135.10A	182.60B/135.10A	----	140.30 - 15.10	.8358	----	----	----	----	4 UNCH
4050	----	----	16.20B/9.40A	16.20B/9.40A	----	13.10 - 1.80	.1638	----	----	1	----	1 - 1
4070	6.20	6.20	7.00/6.20	9.20B/3.70A	----	6.60 NEW	.1142	----	----	3	----	3 + 3
4075	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4075	6.70	6.70	10.00B/4.10A	10.00B/4.10A	----	7.20 - 1.60	.1242	----	----	53	----	297 + 46
4075	----	----	160.70B/115.10A	160.70B/115.10A	----	119.90 - 15.00	.7872	----	----	----	----	1 UNCH
4080	----	----	----	----	----	110.60 UNCH	----	----	----	----	----	0 UNCH
4080	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4085	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4090	8.30	8.30	8.30/8.30	12.80B/5.40A	----	9.50 NEW	.1605	----	----	1	----	1 + 1
4090	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4095	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4100	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4100	----	----	14.90B/6.50A	14.90B/6.50A	----	11.30 - 1.60	.1881	----	----	----	----	41 UNCH
4100	----	----	----	----	----	90.60 UNCH	----	----	----	----	----	0 UNCH
4100	20.70	20.70	27.80B/16.90A	27.80B/16.90A	----	23.70 - 1.50	.2704	----	----	15	----	16 + 14
4110	----	----	----	----	----	80.60 UNCH	----	----	----	----	----	0 UNCH
4110	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4115	----	----	----	----	----	75.60 UNCH	----	----	----	----	----	0 UNCH
4115	----	----	----	117.90B/72.20A	----	76.90 NEW	.7632	----	----	2	----	2 + 2
4115	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4120	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4120	----	----	----	113.70B/68.70A	----	73.20 NEW	.7462	----	----	2	----	2 + 2
4120	----	----	----	----	----	70.60 UNCH	----	----	----	----	----	0 UNCH
4125	----	----	----	----	----	65.60 UNCH	----	----	----	----	----	0 UNCH
4125	18.70	18.70	21.70B/10.20A	21.70B/10.20A	----	17.30 - 1.20	.2721	----	----	23	----	67 + 22
4125	75.20	75.20	109.50B/65.10A	109.50B/65.10A	----	69.60 - 14.40	.7276	----	----	3	----	4 UNCH
4125	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4125	----	----	36.00B/22.60A	36.00B/22.60A	----	31.40 - 1.00	.3371	----	----	----	----	1 UNCH
4130	----	----	----	----	----	60.60 UNCH	----	----	----	----	----	0 UNCH
4130	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4135	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4135	----	----	----	----	----	55.60 UNCH	----	----	----	----	----	0 UNCH
4140	----	----	----	----	----	50.60 UNCH	----	----	----	----	----	0 UNCH
4140	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4145	----	----	----	----	----	45.60 UNCH	----	----	----	----	----	0 UNCH
4145	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4150	58.00	58.00	89.50B/49.20A	89.50B/49.20A	----	52.90 - 13.60	.6264	----	----	7	----	14 + 4
4150	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4150	----	----	101.70B/64.70A	101.70B/64.70A	----	68.20 - 13.50	.5894	----	----	----	----	12 UNCH
4150	21.80	21.80	30.70B/15.50A	30.70B/15.50A	----	25.60 - 0.40	.3734	----	----	37	----	65 + 10
4150	----	----	----	----	----	40.60 UNCH	----	----	----	----	----	0 UNCH
4150	----	----	45.90B/29.60A	45.90B/29.60A	----	41.00 - 0.20	.4102	----	----	----	----	12 UNCH
4155	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4155	47.80	47.80	47.80/46.30A	85.70B/46.30A	----	49.80 NEW	.6045	----	----	1	----	1 + 1
4155	----	----	----	----	----	35.60 UNCH	----	----	----	----	----	0 UNCH
4160	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4160	----	----	----	----	----	30.60 UNCH	----	----	----	----	----	0 UNCH
4165	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4165	----	----	----	----	----	25.60 UNCH	----	----	----	----	----	0 UNCH
4170	----	----	----	----	----	20.60 UNCH	----	----	----	----	----	0 UNCH
4170	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4175	----	----	----	----	----	15.60 UNCH	----	----	----	----	----	0 UNCH
4175	31.20	31.20	41.90B/22.90A	41.90B/22.90A	----	36.50 + 0.90	.4852	----	----	5	----	21 + 3
4175	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4175	43.20	43.20	71.40B/35.90A	71.40B/35.90A	----	38.80 - 12.40	.5145	----	----	3	----	15 UNCH
4175	----	----	57.70B/38.60A	57.70B/38.60A	----	52.50 + 0.70	.4865	----	----	----	----	2 UNCH
4180	----	----	----	----	----	10.60 UNCH	----	----	----	----	----	0 UNCH
4180	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4180	30.10	30.10	30.10/30.10	44.60B/24.60A	----	39.00 NEW	.5080	----	----	3	----	3 + 3
4185	----	----	----	----	----	5.60 UNCH	----	----	----	----	----	0 UNCH
4185	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4190	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4190	45.30	45.30	45.30/45.30	50.00B/28.20A	----	44.30 NEW	.5536	----	----	2	----	2 + 2
4190	----	----	----	61.50B/29.20A	----	31.60 NEW	.4462	----	----	48	----	48 + 48
4190	----	----	----	----	----	0.60 UNCH	----	----	----	----	----	0 UNCH
4195	----	----	----	----	----	4.40 UNCH	----	----	----	----	----	0 UNCH
4195	34.90	34.90	44.50/33.90	52.80B/30.10A	----	47.10 NEW	.5762	----	----	215	----	64 + 64
4195	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4200	27.30	27.30	55.60B/25.30A	55.60B/25.30A	----	27.40 - 10.90	.4015	----	----	12	----	55 + 6
4200	33.00	33.00	55.80B/32.10A	55.80B/32.10A	----	50.10 + 2.40	.5983	----	----	113	----	76 - 53
4200	----	----	----	----	----	9.40 UNCH	----	----	----	----	----	0 UNCH
4200	67.00	67.00	70.90B/49.30A	70.90B/49.30A	----	65.90 + 1.70	.5630	----	----	15	----	23 + 7
4200	49.40	49.40	70.70B/40.80A	70.70B/40.80A	----	43.20 NEW	.4366	----	----	2	----	2 + 2
4200	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4205	35.20	35.20	35.20/23.40A	52.70B/23.40A	----	25.40 NEW	.3794	----	----	2	----	2 + 2
4205	35.90	35.90	38.80/34.90	58.50B/34.10A	----	53.10 NEW	.6203	----	----	4	----	4 + 4
4205	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4205	----	----	----	----	----	14.40 UNCH	----	----	----	----	----	0 UNCH
4210	38.90	38.90	38.90/38.90	61.70B/36.30A	----	56.20 NEW	.6416	----	----	1	----	1 + 1
4210	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4210	----	----	----	----	----	19.40 UNCH	----	----	----	----	----	0 UNCH
4215	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4215	----	----	----	----	----	24.40 UNCH	----	----	----	----	----	0 UNCH
4220	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4220	----	----	----	----	----	29.40 UNCH	----	----	----	----	----	0 UNCH
4225	41.90	41.90	42.50/17.10A	42.50/17.10A	----	18.60 - 9.20	.2966	----	----	52	----	571 + 10
4225	----	----	71.60B/43.50A	71.60B/43.50A	----	66.30 + 4.10	.7032	----	----	1	----	26 + 1
4225	----	----	----	----	----	34.40 UNCH	----	----	----	----	----	0 UNCH
4225	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4225	----	----	57.80B/31.80A	57.80B/31.80A	----	33.60 - 10.40	.3633	----	----	----	----	23 UNCH
4230	51.30	51.30	52.30/51.30	75.20B/46.00A	----	69.90 NEW	.7220	----	----	2	----	1 + 1
4230	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4230	----	----	----	----	----	39.40 UNCH	----	----	----	----	----	0 UNCH
4235	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4235	----	----	----	----	----	44.40 UNCH	----	----	----	----	----	0 UNCH
4235	21.20	21.20	21.20/14.60A	37.20B/14.60A	----	15.80 NEW	.2590	----	----	2	----	2 + 2
4240	----	----	----	----	----	49.40 UNCH	----	----	----	----	----	0 UNCH
4240	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4245	----	----	----	----	----	54.40 UNCH	----	----	----	----	----	0 UNCH
4245	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4250	----	----	----	----	----	59.40 UNCH	----	----	----	----	----	0 UNCH
4250	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4250	----	----	90.50B/57.20A	90.50B/57.20A	----	84.90 + 5.80	.7912	----	----	----	----	7 UNCH
4250	----	----	30.80B/11.40A	30.80B/11.40A	----	12.30 - 7.40	.2085	----	----	1	----	33 UNCH
4250	----	----	46.60B/24.40A	46.60B/24.40A	----	25.80 - 9.20	.2961	----	----	----	----	9 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 43

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK4										
OCT26												
4250	----	----	103.00B/74.70A	103.00B/74.70A	----	98.40 + 4.10	.7035	----	----	----	----	5 UNCH
4255	----	----	----	----	----	64.40 UNCH	----	----	----	----	----	0 UNCH
4255	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4260	----	----	----	----	----	69.40 UNCH	----	----	----	----	----	0 UNCH
4260	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4265	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4265	----	----	----	----	----	74.40 UNCH	----	----	----	----	----	0 UNCH
4270	----	----	----	----	----	79.40 UNCH	----	----	----	----	----	0 UNCH
4270	----	----	----	23.60B/8.00A	----	8.60 NEW	.1515	----	----	6	----	6 + 6
4270	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4275	----	----	----	----	----	84.40 UNCH	----	----	----	----	----	0 UNCH
4275	----	----	111.40B/73.60A	111.40B/73.60A	----	105.50 + 7.50	.8599	----	----	----	----	11 UNCH
4275	----	----	22.00B/7.40A	22.00B/7.40A	----	7.90 - 5.80	.1399	----	----	4	----	25 - 2
4275	----	----	122.10B/91.20A	122.10B/91.20A	----	117.20 + 5.40	.7628	----	----	----	----	5 UNCH
4275	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4275	30.10	30.10	36.80B/18.60A	36.80B/18.60A	----	19.60 - 7.90	.2368	----	----	50	----	87 + 50
4280	----	----	----	----	----	89.40 UNCH	----	----	----	----	----	0 UNCH
4280	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4285	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4290	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4290	----	----	----	----	----	99.40 UNCH	----	----	----	----	----	0 UNCH
4300	----	----	15.20B/4.70A	15.20B/4.70A	----	5.00 - 4.30	.0906	----	----	6	----	119 - 5
4300	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4300	----	----	----	----	----	109.40 UNCH	----	----	----	----	----	0 UNCH
4300	----	----	133.80B/91.80A	133.80B/91.80A	----	127.60 + 9.00	.9092	----	----	----	----	1 UNCH
4305	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4310	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4315	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4325	----	----	----	----	----	134.40 UNCH	----	----	----	----	----	0 UNCH
4325	6.80	6.80	10.20B/3.00A	10.20B/3.00A	----	3.10 - 3.20	.0567	----	----	15	----	196 UNCH
4325	----	----	164.10B/126.00A	164.10B/126.00A	----	158.60 + 7.80	.8555	----	----	----	----	3 UNCH
4325	----	----	156.20B/111.70A	156.20B/111.70A	----	150.80 + 10.20	.9431	----	----	----	----	1 UNCH
4325	----	----	22.30B/10.60A	22.30B/10.60A	----	11.00 - 5.60	.1441	----	----	----	----	2 UNCH
4330	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4335	----	----	----	----	----	144.40 UNCH	----	----	----	----	----	0 UNCH
4340	3.60	3.60	3.60/2.30A	8.00B/2.30A	----	2.40 NEW	.0434	----	----	1	----	1 + 1
4340	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4345	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4350	3.90	3.90	6.80B/1.90A	6.80B/1.90A	----	2.00 - 2.30	.0360	----	----	8	----	25 + 1
4350	----	----	----	----	----	159.40 UNCH	----	----	----	----	----	0 UNCH
4350	----	----	180.10B/133.20A	180.10B/133.20A	----	174.60 + 11.00	.9638	----	----	----	----	12 UNCH
4350	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4350	----	----	17.10B/8.00A	17.10B/8.00A	----	8.30 - 4.50	.1114	----	----	----	----	76 UNCH
4355	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4375	1.40	1.40	4.50B/1.30A	4.50B/1.30A	----	1.30 - 1.70	.0228	----	----	7	----	15 + 2
4375	----	----	----	----	----	184.40 UNCH	----	----	----	----	----	0 UNCH
4375	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4375	----	----	13.00B/6.00A	13.00B/6.00A	----	6.20 - 3.60	.0850	----	----	----	----	3 UNCH
4400	----	----	229.10B/179.00A	229.10B/179.00A	----	223.50 + 12.10	.9847	----	----	----	----	3 UNCH
4400	1.40	1.40	2.90B/1.00A	2.90B/1.00A	----	0.90 - 1.20	.0151	----	----	5	----	736 + 1
4400	----	----	----	----	----	209.40 UNCH	----	----	----	----	----	0 UNCH
4400	----	----	9.70B/4.60A	9.70B/4.60A	----	4.70 - 2.90	.0652	----	----	----	----	1 UNCH
4425	----	----	254.10B/205.00A	254.10B/205.00A	----	248.30 + 12.50	.9888	----	----	----	----	2 UNCH
4425	----	----	1.90B/0.70A	1.90B/0.70A	----	0.70 - 0.90	.0111	----	----	----	----	9 UNCH
4425	----	----	----	----	----	234.40 UNCH	----	----	----	----	----	0 UNCH
4450	----	----	----	----	----	259.40 UNCH	----	----	----	----	----	0 UNCH
4450	----	----	----/0.60A	1.20B/0.60A	----	0.50 - 0.70	.0076	----	----	----	----	2 UNCH
4450	----	----	279.50B/233.00A	279.50B/233.00A	----	275.20 + 11.40	.9608	----	----	----	----	2 UNCH
4450	----	----	5.70B/2.70A	5.70B/2.70A	----	2.80 - 1.80	.0390	----	----	----	----	5 UNCH
4475	----	----	----/0.50A	0.80B/0.50A	----	0.40 - 0.50	.0057	----	----	----	----	1 UNCH
4500	2.70	2.70	3.30B/1.80A	3.30B/1.80A	----	1.80 - 1.20	.0245	----	----	14	----	17 + 11
4500	----	----	328.60B/279.00A	328.60B/279.00A	----	322.90 + 12.90	.9959	----	----	----	----	1 UNCH
4500	----	----	----/0.40A	0.50B/0.40A	----	0.30 - 0.40	.0041	----	----	----	----	9 UNCH
4525	----	----	----/0.40A	0.40B/0.40A	----	0.30 - 0.30	.0038	----	----	----	----	2 UNCH
4525	----	----	2.50B/1.50A	2.50B/1.50A	----	1.50 - 0.90	.0201	----	----	2	----	2 UNCH
4550	----	----	----/0.30A	0.30B/0.30A	----	0.30 - 0.20	.0036	----	----	----	----	2 UNCH
4600	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0022	----	----	----	----	2 UNCH
4625	----	----	----/0.20A	0.10B/0.20A	----	0.10 - 0.20	.0007	----	----	----	----	8 UNCH
4650	----	----	----	0.10B/0.20A	----	0.10 - 0.10	.0003	----	----	----	----	6 UNCH
4700	----	----	----/0.70A	0.60B/0.70A	----	0.60 - 0.30	.0068	----	----	----	----	50 UNCH
4750	----	----	----/0.60A	0.50B/0.60A	----	0.50 - 0.30	.0054	----	----	----	----	2 UNCH
4800	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH
4800	----	----	----/0.60A	0.40B/0.60A	----	0.40 - 0.30	.0042	----	----	----	----	2 UNCH
4900	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
4900	----	----	----	0.30B/0.50A	----	0.30 - 0.20	.0029	----	----	----	----	4 UNCH
TOTAL										793		3201 + 267
NOV26												
3775	----	----	----/2.50A	3.20B/2.50A	----	2.70 - 0.80	.0270	----	----	----	----	6 UNCH
3825	3.70	3.70	3.70/3.40A	4.60B/3.40A	----	3.80 NEW	.0386	----	----	1	----	1 + 1
3850	----	----	----/3.90A	5.50B/3.90A	----	4.50 - 1.20	.0461	----	----	2	----	2 + 1
3900	----	----	8.40B/5.60A	8.40B/5.60A	----	6.70 - 1.60	.0685	----	----	----	----	1 UNCH
3950	----	----	12.70B/8.50A	12.70B/8.50A	----	10.40 - 1.80	.1038	----	----	----	----	3 UNCH
4000	----	----	19.20B/13.00A	19.20B/13.00A	----	16.40 - 1.90	.1562	----	----	4	----	7 UNCH
4025	----	----	23.90B/16.20A	23.90B/16.20A	----	20.60 - 1.90	.1900	----	----	----	----	5 UNCH
4050	----	----	29.10B/20.20A	29.10B/20.20A	----	25.80 - 1.70	.2292	----	----	2	----	3 + 1
4100	52.30	52.30	54.60B/52.30	54.60B/46.30A	----	54.10 NEW	.3497	----	----	1	----	1 + 1
4100	----	----	43.80B/31.30A	43.80B/31.30A	----	39.60 - 1.30	.3219	----	----	----	----	1 UNCH
4150	----	----	118.40B/82.90A	118.40B/82.90A	----	86.20 - 13.40	.5698	----	----	----	----	10 UNCH
4175	----	----	102.70B/70.20A	102.70B/70.20A	----	73.10 - 12.70	.5133	----	----	----	----	11 UNCH
4200	----	----	89.10B/59.00A	89.10B/59.00A	----	61.60 - 11.90	.4571	----	----	----	----	113 UNCH
4200	----	----	89.20B/67.70A	89.20B/67.70A	----	84.20 + 1.30	.5423	----	----	----	----	17 UNCH
4250	----	----	118.90B/93.40A	118.90B/93.40A	----	115.30 + 3.10	.6490	----	----	----	----	7 UNCH
4275	----	----	136.30B/108.80A	136.30B/108.80A	----	132.80 + 4.10	.6974	----	----	----	----	1 UNCH
4300	----	----	46.40B/27.60A	46.40B/27.60A	----	28.90 - 8.20	.2579	----	----	----	----	2 UNCH
4300	----	----	155.20B/125.30A	155.20B/125.30A	----	151.40 + 5.10	.7415	----	----	----	----	1 UNCH
4325	----	----	38.70B/22.60A	38.70B/22.60A	----	23.60 - 7.20	.2184	----	----	----	----	1 UNCH
4350	----	----	32.10B/18.50A	32.10B/18.50A	----	19.20 - 6.40	.1835	----	----	----	----	2 UNCH
4375	15.00	15.00	26.60B/15.00	26.60B/15.00	----	15.60 - 5.60	.1534	----	----	1	----	2 UNCH
4450	----	----	14.70B/8.30A	14.70B/8.30A	----	8.50 - 3.70	.0884	----	----	----	----	2 UNCH
4550	----	----	6.60B/4.20A	6.60B/4.20A	----	4.20 - 2.00	.0444	----	----	----	----	1 UNCH
5500	----	----	----	0.20B/0.60A	----	0.30 - 0.10	.0020	----	----	----	----	3 UNCH
TOTAL										11		203 + 4

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FMG OPT		MICRO GOLD WEEKLY FRI OPTION WEEK3										
OCT26												
4000	----	----	----	----	----	0.90 - 0.90	.0121	----	----	----	----	1 UNCH
4100	----	----	----	----	----	8.50 - 1.50	.1459	----	----	----	----	1 UNCH
4325	----	----	----	----	----	1.80 - 2.40	.0283	----	----	----	----	3 UNCH
TOTAL												5 0

SILVER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week5										
OCT26												
4250	0.011	0.011	0.011/0.011	0.011/0.011	----	0.003 UNCH	.0011	----	----	1	----	10 + 1
4750	----	----	0.009B/----	0.009B/0.016A	----	0.006 UNCH	.0024	----	----	----	----	1 UNCH
5000	----	----	0.019B/----	0.019B/0.023A	----	0.017 UNCH	.0076	----	----	----	----	34 UNCH
5200	0.009	0.009	0.009/0.009	0.009/0.009	----	0.004 - 0.005	.0006	----	----	1	----	7 + 1
5200	----	----	0.041B/----	0.041B/0.038A	----	0.036 + 0.003	.0178	----	----	----	----	1 UNCH
5500	0.020	0.020	0.024B/0.018A	0.024B/0.018A	----	0.017 - 0.004	.0060	----	----	1	----	7 + 1
5600	----	----	5.039B/3.399A	5.039B/3.399A	----	3.725 - 0.935	.8879	----	----	----	----	1 UNCH
5600	0.030	0.030	0.049B/0.028A	0.049B/0.028A	----	0.034 + 0.001	.0161	----	----	2	----	3 + 2
5650	----	----	0.075B/0.036A	0.075B/0.036A	----	0.049 + 0.005	.0269	----	----	----	----	25 UNCH
5660	0.043	0.043	0.073B/0.042A	0.073B/0.042A	----	0.053 NEW	.0299	----	----	50	----	50 + 50
5750	0.135	0.135	0.172B/0.068A	0.172B/0.068A	----	0.113 NEW	.0797	----	----	12	----	12 + 12

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week4										
OCT26												
5800	0.600	0.600	0.695B/0.347A	0.695B/0.347A	----	0.572 NEW	.2854	----	----	1	----	1 + 1
5800	----	----	0.261B/0.092A	0.261B/0.092A	----	0.177 + 0.055	.1361	----	----	----	----	5 UNCH
5850	----	----	0.396B/0.132A	0.396B/0.132A	----	0.279 + 0.100	.2240	----	----	----	----	4 UNCH
5900	----	----	1.557B/1.008A	1.557B/1.008A	----	1.392 + 0.330	.4343	----	----	----	----	1 UNCH
5900	0.330	0.330	0.594B/0.192A	0.594B/0.192A	----	0.431 + 0.168	.3446	----	----	5	----	30 + 3
5960	0.488	0.488	0.920B/0.301A	0.920B/0.301A	----	0.698 NEW	.5176	----	----	5	----	5 + 5
6000	----	----	1.186B/0.406A	1.186B/0.406A	----	0.929 + 0.377	.6322	----	----	----	----	1 UNCH
6050	----	----	1.489B/0.675A	1.489B/0.675A	----	0.771 - 0.505	.3748	----	----	----	----	1 UNCH
6050	0.398	0.398	0.984B/0.237A	0.984B/0.237A	----	0.299 - 0.488	.2447	----	----	2	----	4 + 2
6060	----	----	1.653B/0.626A	1.653B/0.626A	----	1.349 + 0.523	.7763	----	----	----	----	10 UNCH
6080	0.210	0.210	0.815B/0.188A	0.815B/0.188A	----	0.231 NEW	.1860	----	----	4	----	4 + 4
6100	----	----	1.225B/0.542A	1.225B/0.542A	----	0.615 - 0.433	.3129	----	----	----	----	6 UNCH
6100	----	----	0.715B/0.157A	0.715B/0.157A	----	0.195 - 0.372	.1538	----	----	1	----	2 + 1
6100	----	----	1.996B/0.803A	1.996B/0.803A	----	1.669 + 0.615	.8461	----	----	----	----	4 UNCH
6100	----	----	2.365B/1.319A	2.365B/1.319A	----	2.089 + 0.554	.6870	----	----	----	----	25 UNCH
6110	----	----	2.086B/0.868A	2.086B/0.868A	----	1.753 + 0.637	.8605	----	----	----	----	5 UNCH
6130	----	----	0.578B/0.129A	0.578B/0.129A	----	0.151 - 0.310	.1143	----	----	----	----	1 UNCH
6140	----	----	0.539B/0.119A	0.539B/0.119A	----	0.139 - 0.291	.1035	----	----	----	----	1 UNCH
6150	----	----	2.450B/1.107A	2.450B/1.107A	----	2.102 + 0.714	.9063	----	----	----	----	4 UNCH
6150	----	----	2.764B/1.584A	2.764B/1.584A	----	2.462 + 0.622	.7419	----	----	----	----	1 UNCH
6200	----	----	3.177B/1.932A	3.177B/1.932A	----	2.862 + 0.684	.7889	----	----	----	----	1 UNCH
6200	----	----	0.344B/0.078A	0.344B/0.078A	----	0.086 - 0.196	.0567	----	----	----	----	24 UNCH
6210	----	----	0.318B/0.077A	0.318B/0.077A	----	0.080 - 0.183	.0515	----	----	----	----	5 UNCH
6220	----	----	0.295B/0.073A	0.295B/0.073A	----	0.074 - 0.171	.0466	----	----	----	----	5 UNCH
6250	----	----	3.613B/2.273A	3.613B/2.273A	----	3.283 + 0.738	.8281	----	----	----	----	6 UNCH
6250	0.150	0.150	0.235B/0.057A	0.235B/0.057A	----	0.060 - 0.139	.0351	----	----	1	----	7 + 1
6300	----	----	0.533B/0.233A	0.533B/0.233A	----	0.250 - 0.203	.1396	----	----	----	----	1 UNCH
6300	----	----	4.062B/2.643A	4.062B/2.643A	----	3.722 + 0.784	.8602	----	----	----	----	2 UNCH
6300	----	----	0.159B/0.043A	0.159B/0.043A	----	0.044 - 0.099	.0226	----	----	----	----	4 UNCH
6350	----	----	4.521B/3.037A	4.521B/3.037A	----	4.174 + 0.822	.8864	----	----	----	----	1 UNCH
6350	----	----	0.106B/0.034A	0.106B/0.034A	----	0.033 - 0.071	.0149	----	----	----	----	3 UNCH
6400	----	----	----/0.027A	0.067B/0.027A	----	0.026 - 0.052	.0103	----	----	----	----	5 UNCH
6500	----	----	0.228B/0.120A	0.228B/0.120A	----	0.115 - 0.089	.0634	----	----	----	----	1 UNCH
6500	----	----	----/0.301A	0.445B/0.301A	----	0.301 - 0.167	.1268	----	----	----	----	1 UNCH
6500	0.022	0.022	0.022/0.021A	0.034B/0.021A	----	0.018 - 0.028	.0057	----	----	3	----	4 + 3
6550	----	----	6.312B/4.602A	6.312B/4.602A	----	5.986 + 0.967	.9966	----	----	----	----	9 UNCH
6600	0.013	0.013	0.019/0.013	0.019/0.013	----	0.009 - 0.016	.0022	----	----	4	----	7 + 4
6650	0.016	0.016	0.016/0.015A	0.016/0.015A	----	0.006 NEW	.0012	----	----	3	----	3 + 3
6650	----	----	7.308B/5.586A	7.308B/5.586A	----	6.980 + 0.976	.9987	----	----	----	----	13 UNCH
6700	----	----	----/0.013A	0.008B/0.013A	----	0.004 - 0.010	.0007	----	----	----	----	2 UNCH
6800	0.137	0.137	0.137/0.137	0.187B/0.137	----	0.140 NEW	.0590	----	----	2	----	2 + 2
6800	----	----	----	0.001B/0.010A	----	0.002 - 0.006	.0002	----	----	----	----	1 UNCH
7000	----	----	----/0.040A	0.042B/0.040A	----	0.035 - 0.017	.0158	----	----	----	----	7 UNCH
7100	----	----	----	----/0.012A	----	0.001 - 0.002	----	----	----	----	----	2 UNCH
7200	----	----	----/0.029A	0.018B/0.029A	----	0.026 - 0.010	.0107	----	----	----	----	3 UNCH
7200	----	----	----	----/0.011A	----	0.001 - 0.001	----	----	----	----	----	1 UNCH
7250	----	----	----	----/0.011A	----	0.001 - 0.001	----	----	----	----	----	8 UNCH
7500	----	----	----	----/0.011A	----	0.001 UNCH	----	----	----	----	----	3 UNCH
8000	----	----	----	----/0.042A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
8250	----	----	----	----/0.046A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
TOTAL										98	0	399 + 96
NOV26												
6100	----	----	3.087B/2.232A	3.087B/2.232A	----	2.856 + 0.480	.6000	----	----	----	----	23 UNCH
6400	----	----	----/0.611A	0.906B/0.611A	----	0.659 - 0.262	.2177	----	----	----	----	1 UNCH
TOTAL											0	24 0
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK4										
OCT26												
5100	----	----	----/0.042A	0.038B/0.042A	----	0.037 - 0.014	.0176	----	----	----	----	1 UNCH
5400	----	----	0.125B/0.099A	0.125B/0.099A	----	0.114 + 0.008	.0583	----	----	----	----	4 UNCH
5600	0.270	0.270	0.342B/0.181	0.342B/0.181	----	0.284 + 0.061	.1403	----	----	13	----	19 + 5
5650	----	----	0.170B/0.086A	0.170B/0.086A	----	0.131 + 0.031	.0894	----	----	----	----	1 UNCH
5650	----	----	4.514B/2.819A	4.514B/2.819A	----	3.155 - 0.955	.9105	----	----	----	----	1 UNCH
5750	----	----	0.331B/0.143A	0.331B/0.143A	----	0.252 + 0.077	.1708	----	----	----	----	2 UNCH
5850	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5890	----	----	----	----	----	1.613 UNCH	----	----	----	----	----	0 UNCH
5900	----	----	0.842B/0.346A	0.842B/0.346A	----	0.666 + 0.233	.3944	----	----	----	----	6 UNCH
5900	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5900	0.794	0.794	1.267B/0.705A	1.267B/0.705A	----	1.098 + 0.296	.4250	----	----	3	----	2 + 1
5900	----	----	2.265B/1.007A	2.265B/1.007A	----	1.191 - 0.754	.6055	----	----	----	----	4 UNCH
5940	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5950	1.564	1.564	1.564/1.208A	1.824B/1.208A	----	1.361 NEW	.5139	----	----	1	----	1 + 1
5950	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5980	1.074	1.074	1.289B/1.074	1.289B/0.556A	----	1.052 NEW	.5449	----	----	1	----	1 + 1
5980	----	----	----	----	----	0.713 UNCH	----	----	----	----	----	0 UNCH
6000	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6000	----	----	----	----	----	0.513 UNCH	----	----	----	----	----	0 UNCH
6000	0.568	0.568	1.525B/0.568	1.525B/0.568	----	0.694 - 0.587	.4181	----	----	1	----	13 + 1
6010	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6050	1.435	1.435	2.072B/1.312A	2.072B/1.312A	----	1.910 NEW	.6053	----	----	1	----	1 + 1
6050	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6050	0.652	0.652	1.224B/0.437A	1.224B/0.437A	----	0.517 - 0.496	.3310	----	----	2	----	4 + 2
6050	----	----	----	----	----	0.013 UNCH	----	----	----	----	----	0 UNCH
6060	----	----	----	----	----	0.087 UNCH	----	----	----	----	----	0 UNCH
6070	0.417	0.417	0.417/0.388A	1.107B/0.388A	----	0.459 NEW	.2994	----	----	1	----	1 + 1
6070	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6080	----	----	----	----	----	0.287 UNCH	----	----	----	----	----	0 UNCH
6090	0.539	0.539	0.539/0.347A	0.999B/0.347A	----	0.407 NEW	.2699	----	----	2	----	2 + 2
6090	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6090	----	----	----	----	----	0.387 UNCH	----	----	----	----	----	0 UNCH
6100	----	----	2.166B/1.044A	2.166B/1.044A	----	1.858 + 0.582	.7441	----	----	----	----	24 UNCH
6100	----	----	----	----	----	0.487 UNCH	----	----	----	----	----	0 UNCH
6100	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6100	1.716	1.716	2.417B/1.566A	2.417B/1.566A	----	2.244 + 0.537	.6602	----	----	3	----	4 + 2
6100	0.469	0.469	0.950B/0.326A	0.950B/0.326A	----	0.383 - 0.406	.2558	----	----	5	----	16 + 5
6110	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6120	----	----	----	----	----	0.687 UNCH	----	----	----	----	----	0 UNCH
6150	0.364	0.364	0.735B/0.246A	0.735B/0.246A	----	0.284 NEW	.1945	----	----	2	----	2 + 2
6150	----	----	----	----	----	0.987 UNCH	----	----	----	----	----	0 UNCH
6150	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6160	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6200	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6220	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6250	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6250	----	----	----	----	----	1.987 UNCH	----	----	----	----	----	0 UNCH
6250	----	----	3.627B/----	3.627B/2.789A	----	3.398 + 0.696	.7930	----	----	----	----	6 UNCH
6250	----	----	0.420B/0.146A	0.420B/0.146A	----	0.159 - 0.197	.1100	----	----	----	----	4 UNCH
6300	----	----	0.316B/0.117A	0.316B/0.117A	----	0.122 - 0.151	.0833	----	----	----	----	52 UNCH
6300	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6400	----	----	0.180B/0.078A	0.180B/0.078A	----	0.076 - 0.088	.0495	----	----	----	----	6 UNCH
6450	----	----	0.138B/0.066A	0.138B/0.066A	----	0.062 - 0.068	.0391	----	----	----	----	5 UNCH
6600	0.080	0.080	0.080/0.041A	0.080/0.041A	----	0.037 NEW	.0210	----	----	1	----	1 + 1
6750	----	----	----/0.030A	0.033B/0.030A	----	0.025 - 0.019	.0127	----	----	----	----	50 UNCH
7000	----	----	----/0.063A	0.057B/0.063A	----	0.055 - 0.025	.0247	----	----	----	----	1 UNCH
TOTAL										36	0	234 + 25
NOV26												
4500	0.007	0.007	0.013B/0.007	0.013B/0.007	----	0.016 NEW	.0058	----	----	10	----	10 + 10
5900	----	----	1.683B/1.124A	1.683B/1.124A	----	1.506 NEW	.4370	----	----	----	50	50 + 50
6200	1.350	1.350	1.350/0.809A	1.350/0.809A	----	0.870 NEW	.3051	----	----	30	----	30 + 30
6400	----	----	----/0.460A	0.718B/0.460A	----	0.486 NEW	.1860	----	----	1	----	1 + 1
6500	----	----	----/0.370A	0.542B/0.370A	----	0.370 NEW	.1449	----	----	1	----	1 + 1
TOTAL										42	50	92 + 92
SO CALL		COMEX SILVER OPTIONS										
NOV26												
5000	----	----	10.867B/9.208A	10.867B/9.208A	----	9.552 - 0.983	.9841	----	----	----	----	13 UNCH
5450	----	----	6.544B/4.848A	6.544B/4.848A	----	5.185 - 0.959	.9189	----	----	----	----	1 UNCH
5500	----	----	6.069B/4.396A	6.069B/4.396A	----	4.726 - 0.948	.9002	----	----	----	----	4 UNCH
5575	----	----	5.372B/3.745A	5.372B/3.745A	----	4.059 - 0.925	.8634	----	----	----	----	1 UNCH
5700	----	----	4.254B/2.754A	4.254B/2.754A	----	3.031 - 0.859	.7758	----	----	----	----	0 UNCH
5750	----	----	3.825B/2.401A	3.825B/2.401A	----	2.657 - 0.821	.7313	----	----	----	----	1 UNCH
5775	----	----	3.623B/2.234A	3.623B/2.234A	----	2.479 - 0.801	.7071	----	----	----	----	1 UNCH
5800	2.514	2.514	3.421B/2.073A	3.421B/2.073A	----	2.308 - 0.778	.6818	----	----	29	----	29 + 20
5825	----	----	3.221B/1.917A	3.221B/1.917A	----	2.144 - 0.755	.6555	----	----	----	----	1 UNCH
5850	----	----	3.030B/1.772A	3.030B/1.772A	----	1.987 - 0.730	.6283	----	----	----	----	30 UNCH
5875	----	----	2.848B/1.636A	2.848B/1.636A	----	1.838 - 0.703	.6005	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

SO CALL COMEX SILVER OPTIONS
NOV26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
5900	1.803	1.803	2.669B/1.501	2.669B/1.501	----	1.696 - 0.676	.5720	----	----	4	----	14 + 1
5925	1.555	1.555	2.499B/1.384A	2.499B/1.384A	----	1.562 - 0.648	.5433	----	----	6	----	12 + 5
5950	1.871	1.871	2.331B/1.271A	2.331B/1.271A	----	1.435 - 0.620	.5144	----	----	50	----	66 + 37
5975	1.285	1.285	2.170B/1.163A	2.170B/1.163A	----	1.317 - 0.591	.4855	----	----	7	----	13 + 6
6000	1.529	1.529	2.016B/1.065	2.016B/1.065	----	1.206 - 0.561	.4569	----	----	58	----	102 + 32
6025	1.434	1.434	1.884B/0.974A	1.884B/0.974A	----	1.103 - 0.532	.4288	----	----	116	----	77 + 35
6050	1.303	1.303	1.744B/0.890A	1.744B/0.890A	----	1.007 - 0.503	.4012	----	----	17	----	41 + 7
6075	1.359	1.359	1.615B/0.813A	1.615B/0.813A	----	0.919 - 0.474	.3746	----	----	24	----	26 + 4
6100	1.102	1.102	1.506/0.741A	1.506/0.741A	----	0.837 - 0.446	.3487	----	----	267	----	274 + 90
6125	1.307	1.307	1.374B/0.677A	1.374B/0.677A	----	0.763 - 0.418	.3241	----	----	17	----	40 + 5
6150	0.829	0.829	1.264B/0.615	1.264B/0.615	----	0.695 - 0.391	.3006	----	----	5	----	67 + 2
6175	0.920	0.920	1.161B/0.564A	1.161B/0.564A	----	0.632 - 0.366	.2782	----	----	20	----	82 UNCH
6200	0.942	0.942	1.068B/0.516A	1.068B/0.516A	----	0.576 - 0.341	.2573	----	----	116	64	303 - 4
6225	0.871	0.871	0.981B/0.470A	0.981B/0.470A	----	0.525 - 0.317	.2377	----	----	28	----	74 - 2
6250	0.770	0.770	0.900B/0.432A	0.900B/0.432A	----	0.478 - 0.295	.2192	----	----	23	----	86 + 12
6275	----	----	0.827B/0.395A	0.827B/0.395A	----	0.437 - 0.272	.2024	----	----	----	----	12 UNCH
6300	0.674	0.674	0.760B/0.364A	0.760B/0.364A	----	0.399 - 0.252	.1865	----	----	32	----	148 + 7
6325	0.660	0.660	0.696B/0.334A	0.696B/0.334A	----	0.365 - 0.232	.1720	----	----	5	----	67 + 4
6350	0.557	0.557	0.640B/0.307A	0.640B/0.307A	----	0.335 - 0.213	.1587	----	----	23	----	84 - 9
6375	0.301	0.301	0.587B/0.283A	0.587B/0.283A	----	0.307 - 0.196	.1463	----	----	1	----	29 UNCH
6400	0.498	0.498	0.538B/0.262A	0.538B/0.262A	----	0.283 - 0.179	.1353	----	----	17	----	152 - 2
6425	0.501	0.501	0.501/0.242A	0.501/0.242A	----	0.261 - 0.164	.1251	----	----	6	----	32 - 2
6450	0.378	0.378	0.454B/0.224A	0.454B/0.224A	----	0.241 - 0.150	.1157	----	----	10	----	100 - 1
6475	----	----	0.418B/0.209A	0.418B/0.209A	----	0.223 - 0.137	.1072	----	----	2	----	64 UNCH
6500	0.282	0.282	0.385B/0.194A	0.385B/0.194A	----	0.206 - 0.126	.0991	----	----	35	----	752 - 1
6525	0.302	0.302	0.354B/0.182A	0.354B/0.182A	----	0.192 - 0.115	.0922	----	----	41	----	96 + 33
6550	0.202	0.202	0.324B/0.169A	0.324B/0.169A	----	0.178 - 0.106	.0855	----	----	12	----	52 + 3
6575	----	----	0.298B/0.158A	0.298B/0.158A	----	0.166 - 0.097	.0795	----	----	----	----	97 UNCH
6600	0.240	0.240	0.275B/0.148A	0.275B/0.148A	----	0.155 - 0.089	.0741	----	----	22	----	191 - 7
6625	0.160	0.160	0.254B/0.139A	0.254B/0.139A	----	0.145 - 0.082	.0691	----	----	1	----	39 - 1
6650	----	----	0.236B/0.130A	0.236B/0.130A	----	0.136 - 0.075	.0645	----	----	1	----	29 - 1
6675	0.118	0.118	0.218B/0.118	0.218B/0.118	----	0.128 - 0.069	.0605	----	----	3	----	43 + 2
6700	----	----	0.203B/0.115A	0.203B/0.115A	----	0.120 - 0.065	.0565	----	----	3	----	223 UNCH
6725	----	----	0.182B/0.108A	0.182B/0.108A	----	0.113 - 0.060	.0530	----	----	----	----	62 UNCH
6750	----	----	0.168B/0.102A	0.168B/0.102A	----	0.106 - 0.056	.0495	----	----	----	----	68 UNCH
6775	----	----	0.157B/0.098A	0.157B/0.098A	----	0.100 - 0.052	.0465	----	----	----	----	47 UNCH
6800	0.109	0.109	0.151B/0.088	0.151B/0.088	----	0.095 - 0.048	.0439	----	----	767	----	1102 + 751
6825	----	----	0.142B/0.087A	0.142B/0.087A	----	0.090 - 0.045	.0413	----	----	1	----	12 UNCH
6850	----	----	0.133B/0.083A	0.133B/0.083A	----	0.085 - 0.043	.0388	----	----	1	----	74 UNCH
6875	----	----	0.125B/0.078A	0.125B/0.078A	----	0.080 - 0.041	.0364	----	----	----	----	132 UNCH
6900	----	----	0.117B/0.073A	0.117B/0.073A	----	0.076 - 0.038	.0344	----	----	750	----	796 + 694
6925	----	----	0.109B/0.071A	0.109B/0.071A	----	0.072 - 0.036	.0324	----	----	----	----	8 UNCH
6950	----	----	0.103B/0.067A	0.103B/0.067A	----	0.069 - 0.033	.0308	----	----	----	----	27 UNCH
6975	0.098	0.098	0.098/0.064A	0.098/0.064A	----	0.065 - 0.032	.0289	----	----	2	----	23 UNCH
7000	0.090	0.090	0.091B/0.061A	0.091B/0.061A	----	0.062 - 0.030	.0274	----	----	54	----	697 + 41
7025	----	----	----/0.059A	0.086B/0.059A	----	0.059 - 0.028	.0260	----	----	----	----	11 UNCH
7050	----	----	----/0.056A	0.081B/0.056A	----	0.056 - 0.027	.0245	----	----	----	----	39 UNCH
7075	----	----	----/0.052A	0.077B/0.052A	----	0.054 - 0.025	.0235	----	----	----	----	32 UNCH
7100	----	----	----/0.051A	0.073B/0.051A	----	0.051 - 0.024	.0221	----	----	----	----	366 UNCH
7125	----	----	----/0.050A	0.069B/0.050A	----	0.049 - 0.023	.0211	----	----	----	----	28 UNCH
7150	----	----	----/0.049A	0.065B/0.049A	----	0.047 - 0.021	.0201	----	----	----	----	40 UNCH
7175	----	----	----/0.047A	0.062B/0.047A	----	0.045 - 0.020	.0191	----	----	----	----	45 UNCH
7200	----	----	----/0.043A	0.059B/0.043A	----	0.043 - 0.019	.0182	----	----	----	----	168 UNCH
7225	----	----	----/0.044A	0.056B/0.044A	----	0.041 - 0.018	.0172	----	----	----	----	47 UNCH
7250	0.044	0.044	0.044/0.042A	0.053B/0.042A	----	0.039 - 0.018	.0163	----	----	1	----	48 UNCH
7275	----	----	----/0.041A	0.050B/0.041A	----	0.038 - 0.016	.0158	----	----	----	----	43 UNCH
7300	----	----	----/0.039A	0.048B/0.039A	----	0.036 - 0.016	.0149	----	----	----	----	274 UNCH
7325	----	----	----/0.038A	0.046B/0.038A	----	0.035 - 0.014	.0143	----	----	----	----	16 UNCH
7350	----	----	----/0.037A	0.044B/0.037A	----	0.033 - 0.014	.0135	----	----	----	----	20 UNCH
7375	----	----	----/0.033A	0.042B/0.033A	----	0.032 - 0.013	.0130	----	----	----	----	37 UNCH
7400	0.032	0.032	0.032/0.032	0.040B/0.032	----	0.031 - 0.012	.0125	----	----	55	64	246 - 9
7425	----	----	----/0.033A	0.038B/0.033A	----	0.030 - 0.012	.0120	----	----	----	----	23 UNCH
7450	----	----	----/0.031A	0.033B/0.031A	----	0.029 - 0.011	.0115	----	----	----	----	114 UNCH
7475	----	----	----/0.031A	0.030B/0.031A	----	0.027 - 0.011	.0107	----	----	----	----	43 UNCH
7500	0.045	0.045	0.045/0.029	0.045/0.029	----	0.026 - 0.011	.0103	----	----	49	----	1312 UNCH
7525	----	----	----/0.031A	0.028B/0.031A	----	0.026 - 0.010	.0102	----	----	----	----	27 UNCH
7550	----	----	----/0.030A	0.024B/0.030A	----	0.025 - 0.009	.0097	----	----	----	----	86 UNCH
7575	----	----	----/0.029A	0.026B/0.029A	----	0.024 - 0.009	.0093	----	----	----	----	13 UNCH
7600	----	----	----/0.026A	0.022B/0.026A	----	0.023 - 0.009	.0089	----	----	----	----	78 UNCH
7625	----	----	----/0.027A	0.021B/0.027A	----	0.022 - 0.009	.0084	----	----	----	----	5 UNCH
7650	----	----	----/0.026A	0.023B/0.026A	----	0.021 - 0.009	.0080	----	----	----	----	11 UNCH
7675	----	----	----/0.025A	0.018B/0.025A	----	0.021 - 0.007	.0079	----	----	----	----	16 UNCH
7700	----	----	----/0.025A	0.018B/0.025A	----	0.020 - 0.007	.0075	----	----	----	----	220 UNCH
7725	----	----	----/0.024A	0.017B/0.024A	----	0.020 - 0.007	.0075	----	----	----	----	3 UNCH
7750	----	----	----/0.023A	0.020B/0.023A	----	0.019 - 0.007	.0071	----	----	----	----	15 UNCH
7775	----	----	----/0.020A	0.015B/0.020A	----	0.018 - 0.007	.0067	----	----	----	----	13 UNCH
7800	----	----	----/0.022A	0.014B/0.022A	----	0.018 - 0.006	.0066	----	----	----	----	267 UNCH
7825	----	----	----/0.021A	0.014B/0.021A	----	0.017 - 0.006	.0062	----	----	----	----	2 UNCH
7850	----	----	----/0.020A	0.013B/0.020A	----	0.017 - 0.006	.0062	----	----	----	----	105 UNCH
7875	----	----	----/0.020A	0.013B/0.020A	----	0.016 - 0.006	.0058	----	----	----	----	9 UNCH
7900	----	----	----/0.017A	0.012B/0.017A	----	0.016 - 0.005	.0058	----	----	----	----	52 UNCH
7950	----	----	----/0.018A	0.011B/0.018A	----	0.015 - 0.005	.0053	----	----	----	----	7 UNCH
7975	----	----	----/0.017A	0.011B/0.017A	----	0.015 - 0.004	.0053	----	----	----	----	2 UNCH
8000	0.016	0.016	0.016/0.016	0.016/0.016	----	0.014 - 0.005	.0049	----	----	1	----	1567 - 1
8025	----	----	----/0.017A	0.015B/0.017A	----	0.014 - 0.004	.0049	----	----	----	----	6 UNCH
8050	----	----	----/0.016A	0.015B/0.016A	----	0.013 - 0.004	.0045	----	----	----	----	1 UNCH
8075	----	----	----/0.013A	0.009B/0.013A	----	0.013 - 0.004	.0045	----	----	----	----	2 UNCH
8100	----	----	----/0.015A	0.009B/0.015A	----	0.012 - 0.004	.0042	----	----	----	----	20 UNCH
8125	----	----	----/0.015A	0.008B/0.015A	----	0.012 - 0.004	.0041	----	----	----	----	1 UNCH
8150	----	----	----/0.014A	0.008B/0.014A	----	0.011 - 0.004	.0038	----	----	----	----	124 UNCH
8175	----	----	----/0.014A	0.012B/0.014A	----	0.011 - 0.004	.0038	----	----	----	----	3 UNCH
8200	0.019	0.019	0.019/0.014A	0.019/0.014A	----	0.011 - 0.003	.0037	----	----	1	----	108 - 1
8225	----	----	----	0.011B/0.014A	----	0.010 - 0.004	.0034	----	----	----	----	4 UNCH
8250	----	----	----	0.007B/0.014A	----	0.010 - 0.003	.0034	----	----	----	----	9 UNCH
8275	----	----	----	0.007B/0.013A	----	0.009 - 0.004	.0030	----	----	----	----	5 UNCH
8300	----	----	----/0.010A	0.006B/0.010A	----	0.009 - 0.003	.0030	----	----	----	----	92 UNCH
8325	----	----	----	0.006B/0.012A	----	0.009 - 0.003	.0030	----	----	----	----	3 UNCH
8350	----	----	----	0.005B/0.013A	----	0.009 - 0.002	.0030	----	----	----	----	2 UNCH
8375	----	----	----	0.009B/0.014A	----	0.008 - 0.003	.0027	----	----	----	----	11 UNCH
8400	----	----	----	0.009B/0.015A	----	0.008 - 0.003	.0026	----	----	----	----	125 UNCH
8425	----	----	----	0.005B/0.016A	----	0.008 - 0.002	.0026	----	----	----	----	5 UNCH
8450	----	----	----	0.004B/0.017A	----	0.007 - 0.003	.0023	----	----	----	----	7 UNCH
8500	----	----	----	0.004B/0.016A	----	0.007 - 0.002	.0023	----	----	----	----	531 UNCH
8600	----	----	----	0.003B/0.016A	----	0.006 - 0.002	.0019	----	----	----	----	81 UNCH
8625	----	----	----	0.005B/0.014A	----	0.006 - 0.002	.0019	----	----	----	----	7 UNCH
8675	----	----	----	0.002B/0.016A	----	0.005 - 0.002	.0016	----	----	----	----	4 UNCH
8700	----	----	----	0.002B/0.016A	----	0.005 - 0.002	.0016	----	----	----	----	59 UNCH
8725	----	----	----	0.001B/0.016A	----	0.005 - 0.002	.0016	----	----	----	----	1 UNCH
8750	----	----	----	0.001B/0.016A	----	0.005 - 0.001	.0016	----	----	----	----	2 UNCH
8800	----	----	----	----/0.016A	----	0.004 - 0.002	.0012	----	----	----	----	103 UNCH
8825	----	----	----	----/0.016A	----	0.004 - 0.002	.0012	----	----	----	----	1 UNCH
8850	----	----	----	----/0.015A	----	0.004 - 0.002	.0012	----	----	----	----	14 UNCH
8900	----	----	----	----/0.015A	----	0.004 - 0.001	.0012	----	----	----	----	8 UNCH
8925	----	----	----	----/0.015A	----	0.004 - 0.001	.0012	----	----	----	----	1 UNCH
8950	----	----	----	----/0.016A	----	0.004 - 0.001	.0012	----	----	----	----	3 UNCH
8975	----	----	----	----/0.015A	----	0.003 - 0.002	.0009	----	----	----	----	1 UNCH
9000	----	----	----	----/0.015A	----	0.003 - 0.002	.0009	----	----	----	----	247 UNCH
9025	----	----	----	----/0.015A	----	0.003 - 0.001	.0009	----	----	----	----	1 UNCH
9050	----	----	----	----/0.015A	----	0.003 - 0.001	.0009	----	----	----	----	1 UNCH
9100	----	----	----	----/0.048A	----	0.003 - 0.001	.0009	----	----	1	----	6 + 1
9150	----	----	----	----/0.047A	----	0.003 - 0.001	.0009	----	----	----	----	1 UNCH
9200	----	----	----	----/0.048A	----	0.003 UNCH	.0009	----	----	----	----	6 UNCH
9225	----	----	----	----/0.048A	----	0.002 - 0.001	.0006	----	----	----	----	10 UNCH
9250	----	----	----	----/0.048A	----	0.002 - 0.001	.0006	----	----	----	----	7 UNCH
9300	----	----	----	0.003B/0.010A	----	0.002 - 0.001	.0006	----	----	1	----	13 + 1
9325	----	----	----	----/0.047A	----	0.002 - 0.001	.0006	----	----	----	----	1 UNCH
9350	----	----	----	----/0.047A	----	0.002 - 0.001	.0006	----	----	----	----	11 UNCH
9400	----	----	----	----/0.047A	----	0.002 - 0.001	.0006	----	----	----	----	77 UNCH
9450	----	----	----	----/0.047A	----	0.002 UNCH	.0005	----	----	----	----	5 UNCH
9500	----	----	----	----/0.031A	----	0.002 UNCH	.0005	----	----	----	----	365 UNCH
9550	----	----	----	----/0.047A	----	0.002 UNCH	.0005	----	----	----	----	3 UNCH
9575	----	----	----	----/0.046A	----	0.001 - 0.001	.0003	----	----	----	----	24 UNCH
9600	----	----	----	----/0.047A	----	0.001 - 0.001	.0002	----	----	----	----	1 UNCH
9625	----	----	----	----/0.047A	----	0.001 - 0.001	.0002	----	----	----	----	9 UNCH
9700	----	----	----	----/0.046A	----	0.001 - 0.001	.0002	----	----	----	----	1 UNCH
9775	----	----	----	----/0.046A	----	0.001 - 0.001	.0001	----	----	----	----	1 UNCH
9800	----	----	----	----/0.046A	----	0.001 - 0.001	.0001	----	----	----	----	6 UNCH
9850	----	----	----	----/0.046A	----	0.001 UNCH	.0001	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

SO CALL — COMEX SILVER OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
NOV26												
9900	----	----	----	----/0.046A	----	0.001	UNCH .0001	----	----	----	----	10 UNCH
9950	----	----	----	----/0.046A	----	0.001	UNCH .0001	----	----	----	----	1 UNCH
10000	----	----	0.002B/----	0.002B/0.010A	----	0.001	UNCH .0000	----	----	----	----	270 UNCH
10100	----	----	----	----/0.045A	----	0.001	UNCH .0000	----	----	----	----	5 UNCH
10200	----	----	----	----/0.045A	----	0.001	UNCH .0000	----	----	----	----	5 UNCH
10300	----	----	----	----/0.045A	----	0.001	UNCH .0000	----	----	----	----	4 UNCH
10400	----	----	----	----/0.045A	----	0.001	UNCH .0000	----	----	----	----	5 UNCH
10450	----	----	----	----/0.045A	----	0.001	UNCH .0000	----	----	----	----	1 UNCH
10500	----	----	----	----/0.045A	----	0.001	UNCH .0000	----	----	----	----	288 UNCH
10550	----	----	----	----/0.045A	----	0.001	UNCH .0000	----	----	----	----	1 UNCH
10950	----	----	----	----/0.045A	----	0.001	UNCH .0000	----	----	----	----	5 UNCH
11000	----	----	----	----/0.005A	----	0.001	UNCH ----	----	----	----	----	297 UNCH
11100	----	----	----	----/0.044A	----	0.001	UNCH ----	----	----	----	----	2 UNCH
11150	----	----	----	----/0.044A	----	0.001	UNCH ----	----	----	----	----	1 UNCH
11500	----	----	----	----/0.044A	----	0.001	UNCH ----	----	----	----	----	1 UNCH
11600	----	----	----	----/0.044A	----	0.001	UNCH ----	----	----	----	----	1 UNCH
11700	----	----	----	----/0.044A	----	0.001	UNCH ----	----	----	----	----	27 UNCH
11725	----	----	----	----/0.044A	----	0.001	UNCH ----	----	----	----	----	2 UNCH
11750	----	----	----	----/0.044A	----	0.001	UNCH ----	----	----	----	----	2 UNCH
11825	----	----	----	----/0.044A	----	0.001	UNCH ----	----	----	----	----	2 UNCH
12000	----	----	----	----/0.008A	----	0.001	UNCH ----	----	----	----	----	74 UNCH
12125	----	----	----	----/0.044A	----	0.001	UNCH ----	----	----	----	----	20 UNCH
12500	----	----	----	----/0.044A	----	0.001	UNCH ----	----	----	----	----	11 UNCH
13000	----	----	----	----/0.005A	----	0.001	UNCH ----	----	----	----	----	9 UNCH
14000	----	----	----	----/0.044A	----	0.001	UNCH ----	----	----	----	----	7 UNCH
15000	----	----	----	----/0.005A	----	0.001	UNCH ----	----	----	----	----	20 UNCH
16000	----	----	----	----/0.044A	----	0.001	UNCH ----	----	----	----	----	14 UNCH
17000	----	----	----	----/0.044A	----	0.001	UNCH ----	----	----	----	----	14 UNCH
18000	----	----	----	----/0.044A	----	0.001	UNCH ----	----	----	----	----	10 UNCH
19000	----	----	----	----/0.044A	----	0.001	UNCH ----	----	----	----	----	1 UNCH
20000	----	----	----	----/0.044A	----	0.001	UNCH ----	----	----	----	----	35 UNCH
21000	----	----	----	----/0.044A	----	0.001	UNCH ----	----	----	----	----	1 UNCH
25000	----	----	----	----/0.044A	----	0.001	UNCH ----	----	----	----	----	60 UNCH
30000	----	----	----	----/0.002A	----	0.001	UNCH ----	----	----	----	----	15 UNCH
TOTAL										2685	128	15433 + 1752
DEC26												
3875	----	----	22.171B/20.430A	22.171B/20.430A	----	20.775 - 0.989	.9939	----	----	----	----	1 UNCH
5000	----	----	11.111B/9.398A	11.111B/9.398A	----	9.748 - 0.965	.9294	----	----	----	----	35 UNCH
5250	----	----	8.788B/7.157A	8.788B/7.157A	----	7.482 - 0.934	.8724	----	----	----	----	50 UNCH
5500	----	----	6.637B/5.155A	6.637B/5.155A	----	5.436 - 0.864	.7770	----	----	----	----	1 UNCH
5550	----	----	6.234B/4.795A	6.234B/4.795A	----	5.064 - 0.843	.7530	----	----	----	----	4 UNCH
5600	----	----	5.835B/4.448A	5.835B/4.448A	----	4.707 - 0.821	.7276	----	----	----	----	1 UNCH
5700	----	----	5.096B/3.804A	5.096B/3.804A	----	4.039 - 0.770	.6729	----	----	----	----	1 UNCH
5800	----	----	4.414B/3.225A	4.414B/3.225A	----	3.437 - 0.712	.6143	----	----	----	----	102 UNCH
5825	----	----	4.248B/3.092A	4.248B/3.092A	----	3.298 - 0.695	.5993	----	----	----	----	1 UNCH
5900	3.046	3.046	3.790B/2.718A	3.790B/2.718A	----	2.904 - 0.648	.5538	----	----	2	----	11 + 2
5925	----	----	3.645B/2.602A	3.645B/2.602A	----	2.782 - 0.631	.5386	----	----	----	----	1 UNCH
5950	2.675	2.675	3.509B/2.491A	3.509B/2.491A	----	2.664 - 0.614	.5234	----	----	7	----	12 + 7
5975	2.700	2.700	3.378B/2.383A	3.378B/2.383A	----	2.550 - 0.597	.5084	----	----	2	----	17 + 1
6000	3.080	3.080	3.246B/2.280A	3.246B/2.280A	----	2.440 - 0.580	.4934	----	----	135	68	134 + 44
6025	2.665	2.665	3.115B/2.180A	3.115B/2.180A	----	2.334 - 0.564	.4785	----	----	18	----	19 + 17
6050	2.705	2.705	2.993B/2.084A	2.993B/2.084A	----	2.232 - 0.548	.4638	----	----	8	----	10 + 5
6075	2.451	2.451	2.873B/1.993A	2.873B/1.993A	----	2.135 - 0.530	.4493	----	----	22	----	23 + 15
6100	2.575	2.575	2.752B/1.905A	2.752B/1.905A	----	2.041 - 0.514	.4350	----	----	3	----	40 - 2
6125	2.468	2.468	2.634B/1.821A	2.634B/1.821A	----	1.951 - 0.498	.4210	----	----	6	----	25 + 4
6150	----	----	2.531B/1.741A	2.531B/1.741A	----	1.865 - 0.481	.4071	----	----	----	----	48 UNCH
6175	2.266	2.266	2.424B/1.664A	2.424B/1.664A	----	1.782 - 0.466	.3935	----	----	1	----	10 - 1
6200	1.911	1.911	2.323B/1.590A	2.323B/1.590A	----	1.704 - 0.449	.3803	----	----	8	----	49 + 5
6225	----	----	2.223B/1.520A	2.223B/1.520A	----	1.628 - 0.434	.3673	----	----	----	----	13 UNCH
6250	----	----	2.130B/1.453A	2.130B/1.453A	----	1.556 - 0.419	.3546	----	----	----	----	13 UNCH
6275	----	----	2.041B/1.389A	2.041B/1.389A	----	1.487 - 0.404	.3423	----	----	----	----	4 UNCH
6300	1.900	1.900	1.951B/1.327A	1.951B/1.327A	----	1.421 - 0.390	.3302	----	----	12	----	174 + 6
6325	----	----	1.869B/1.269A	1.869B/1.269A	----	1.359 - 0.375	.3186	----	----	----	----	15 UNCH
6350	1.518	1.518	1.789B/1.215A	1.789B/1.215A	----	1.299 - 0.361	.3072	----	----	2	----	85 UNCH
6375	----	----	1.713B/1.162A	1.713B/1.162A	----	1.242 - 0.348	.2961	----	----	----	----	11 UNCH
6400	1.120	1.120	1.640B/1.111A	1.640B/1.111A	----	1.188 - 0.334	.2855	----	----	7	----	245 - 5
6425	----	----	1.570B/1.064A	1.570B/1.064A	----	1.136 - 0.322	.2751	----	----	----	----	13 UNCH
6450	----	----	1.504B/1.017A	1.504B/1.017A	----	1.087 - 0.309	.2651	----	----	----	----	67 UNCH
6475	----	----	1.440B/0.974A	1.440B/0.974A	----	1.040 - 0.298	.2554	----	----	----	----	8 UNCH
6500	1.240	1.240	1.378B/0.932A	1.378B/0.932A	----	0.995 - 0.287	.2460	----	----	64	----	1180 + 30
6525	1.250	1.250	1.321B/0.893A	1.321B/0.893A	----	0.953 - 0.275	.2371	----	----	3	----	12 + 2
6550	----	----	1.266B/0.857A	1.266B/0.857A	----	0.913 - 0.264	.2284	----	----	----	----	6 UNCH
6575	1.198	1.198	1.213B/0.822A	1.213B/0.822A	----	0.875 - 0.253	.2201	----	----	3	----	5 + 2
6600	1.140	1.140	1.161B/0.788A	1.161B/0.788A	----	0.838 - 0.244	.2120	----	----	10	----	99 UNCH
6625	----	----	1.113B/0.756A	1.113B/0.756A	----	0.804 - 0.234	.2043	----	----	----	----	40 UNCH
6650	----	----	1.069B/0.726A	1.069B/0.726A	----	0.771 - 0.225	.1969	----	----	----	----	32 UNCH
6675	----	----	1.025B/0.697A	1.025B/0.697A	----	0.740 - 0.216	.1897	----	----	----	----	5 UNCH
6700	0.750	0.750	0.982B/0.670A	0.982B/0.670A	----	0.710 - 0.208	.1828	----	----	18	----	251 + 1
6725	----	----	0.942B/0.644A	0.942B/0.644A	----	0.682 - 0.199	.1763	----	----	----	----	13 UNCH
6750	----	----	0.904B/0.620A	0.904B/0.620A	----	0.655 - 0.192	.1699	----	----	----	----	38 UNCH
6775	----	----	0.868B/0.596A	0.868B/0.596A	----	0.630 - 0.184	.1639	----	----	----	----	55 UNCH
6800	----	----	0.832B/0.574A	0.832B/0.574A	----	0.606 - 0.176	.1581	----	----	----	----	532 UNCH
6825	----	----	0.800B/0.552A	0.800B/0.552A	----	0.583 - 0.169	.1525	----	----	5	----	34 + 5
6850	----	----	0.769B/0.532A	0.769B/0.532A	----	0.561 - 0.163	.1472	----	----	----	----	8 UNCH
6875	----	----	0.739B/0.514A	0.739B/0.514A	----	0.540 - 0.157	.1420	----	----	----	----	5 UNCH
6900	0.506	0.506	0.710B/0.495A	0.710B/0.495A	----	0.520 - 0.151	.1371	----	----	11	----	252 + 9
6925	----	----	0.684B/0.478A	0.684B/0.478A	----	0.502 - 0.144	.1325	----	----	----	----	25 UNCH
6950	----	----	0.658B/0.462A	0.658B/0.462A	----	0.484 - 0.139	.1280	----	----	----	----	232 UNCH
6975	----	----	0.632B/0.447A	0.632B/0.447A	----	0.467 - 0.134	.1237	----	----	1	----	4 + 1
7000	0.498	0.498	0.610B/0.432A	0.610B/0.432A	----	0.451 - 0.128	.1196	----	----	9	----	1094 + 2
7025	----	----	0.588B/0.418A	0.588B/0.418A	----	0.435 - 0.124	.1155	----	----	----	----	4 UNCH
7050	----	----	0.566B/0.404A	0.566B/0.404A	----	0.420 - 0.120	.1117	----	----	----	----	42 UNCH
7075	----	----	0.546B/0.392A	0.546B/0.392A	----	0.407 - 0.114	.1082	----	----	----	----	6 UNCH
7100	----	----	0.527B/0.379A	0.527B/0.379A	----	0.393 - 0.111	.1046	----	----	3	----	119 + 1
7125	----	----	0.508B/0.368A	0.508B/0.368A	----	0.380 - 0.107	.1012	----	----	1	----	12 UNCH
7150	0.404	0.404	0.491B/0.357A	0.491B/0.357A	----	0.368 - 0.103	.0980	----	----	5	----	11 + 2
7175	----	----	0.474B/0.346A	0.474B/0.346A	----	0.357 - 0.099	.0951	----	----	----	----	1 UNCH
7200	0.360	0.360	0.458B/0.336A	0.458B/0.336A	----	0.346 - 0.095	.0921	----	----	79	76	379 + 77
7225	----	----	0.442B/0.327A	0.442B/0.327A	----	0.335 - 0.092	.0892	----	----	----	----	9 UNCH
7250	----	----	0.428B/0.318A	0.428B/0.318A	----	0.325 - 0.089	.0865	----	----	----	----	26 UNCH
7275	----	----	0.413B/0.308A	0.413B/0.308A	----	0.315 - 0.086	.0839	----	----	----	----	17 UNCH
7300	----	----	0.401B/0.299A	0.401B/0.299A	----	0.306 - 0.083	.0814	----	----	1	----	103 - 1
7325	----	----	0.387B/0.291A	0.387B/0.291A	----	0.297 - 0.080	.0790	----	----	----	----	2 UNCH
7350	----	----	0.375B/0.283A	0.375B/0.283A	----	0.289 - 0.077	.0768	----	----	----	----	9 UNCH
7375	----	----	0.356B/0.276A	0.356B/0.276A	----	0.281 - 0.074	.0746	----	----	----	----	13 UNCH
7400	----	----	----/0.269A	0.344B/0.269A	----	0.273 - 0.072	.0725	----	----	1	----	68 + 1
7425	----	----	----/0.262A	0.331B/0.262A	----	0.266 - 0.069	.0705	----	----	----	----	11 UNCH
7450	----	----	----/0.255A	0.323B/0.255A	----	0.259 - 0.066	.0686	----	----	----	----	2 UNCH
7475	----	----	----/0.248A	0.313B/0.248A	----	0.252 - 0.064	.0667	----	----	----	----	1 UNCH
7500	----	----	----/0.242A	0.305B/0.242A	----	0.245 - 0.063	.0648	----	----	3	----	1431 + 2
7525	----	----	----/0.236A	0.284B/0.236A	----	0.239 - 0.060	.0631	----	----	----	----	23 UNCH
7550	----	----	----/0.230A	0.285B/0.230A	----	0.233 - 0.058	.0614	----	----	----	----	56 UNCH
7575	----	----	----/0.225A	0.284B/0.225A	----	0.227 - 0.057	.0598	----	----	----	----	7 UNCH
7600	----	----	0.279B/0.219A	0.279B/0.219A	----	0.221 - 0.055	.0581	----	----	1	----	266 + 1
7625	----	----	0.270B/0.214A	0.270B/0.214A	----	0.216 - 0.053	.0567	----	----	1	----	4 - 1
7650	----	----	0.263B/0.209A	0.263B/0.209A	----	0.211 - 0.051	.0553	----	----	----	----	3 UNCH
7675	----	----	----/0.204A	0.256B/0.204A	----	0.206 - 0.050	.0539	----	----	----	----	1 UNCH
7700	----	----	----/0.200A	0.249B/0.200A	----	0.201 - 0.048	.0525	----	----	----	----	277 UNCH
7725	----	----	----/0.195A	0.243B/0.195A	----	0.196 - 0.047	.0512	----	----	----	----	2 UNCH
7750	----	----	----/0.191A	0.236B/0.191A	----	0.192 - 0.045	.0500	----	----	----	----	8 UNCH
7775	----	----	----/0.187A	0.230B/0.187A	----	0.187 - 0.045	.0487	----	----	----	----	10 UNCH
7800	----	----	----/0.183A	0.225B/0.183A	----	0.183 - 0.043	.0476	----	----	----	----	247 UNCH
7825	----	----	----/0.179A	0.219B/0.179A	----	0.179 - 0.042	.0464	----	----	----	----	6 UNCH
7850	----	----	----/0.175A	0.214B/0.175A	----	0.175 - 0.041	.0453	----	----	----	----	9 UNCH
7875	----	----	----/0.172A	0.208B/0.172A	----	0.172 - 0.039	.0444	----	----	----	----	9 UNCH
7900	----	----	----/0.168A	0.204B/0.168A	----	0.168 - 0.038	.0433	----	----	1	----	34 - 1
7925	----	----	----/0.165A	0.199B/0.165A	----	0.165 - 0.037	.0425	----	----	----	----	6 UNCH
7950	----	----	----/0.161A	0.194B/0.161A	----	0.161 - 0.036	.0414	----	----	----	----	60 UNCH
7975	----	----	----/0.158A	0.190B/0.158A	----	0.158 - 0.035	.0405	----	----	----	----	1 UNCH
8000	0.180	0.180	0.185B/0.155A	0.185B/0.155A	----	0.155 - 0.034	.0397	----	----	5	----	1177 + 1
8025	----	----	----/0.152A	0.181B/0.152A	----	0.152 - 0.033	.0388	----	----	----	----	11 UNCH
8050	----	----	----/0.149A	0.177B/0.149A	----	0.149 - 0.032	.0380	----	----	----	----	22 UNCH
8075	----	----	----/0.146A	0.173B/0.146A	----	0.146 - 0.031	.0371	----	----	----	----	46 UNCH
8100	----	----	----/0.144A	0.169B/0.144A	----	0.143 - 0.031	.0363	----	----	----	----	62 UNCH
8125	----	----	----/0.141A	0.166B/0.141A	----	0.140 - 0.030	.0355	----	----	----	----	19 UNCH
8150	----	----	----/0.139A	0.162B/0.139A	----	0.138 - 0.029	.0349	----	----	----	----	11 UNCH
8175	----	----	----/0.136A	0.159B/0.136A	----	0.135 - 0.028	.0341	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

SO CALL COMEX SILVER OPTIONS
DEC26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
8200	----	----	----/0.134A	0.155B/0.134A	----	0.133 - 0.027	.0335	----	----	1	----	609 + 1
8225	----	----	----/0.131A	0.152B/0.131A	----	0.130 - 0.027	.0327	----	----	----	----	26 UNCH
8250	----	----	----/0.129A	0.149B/0.129A	----	0.128 - 0.026	.0321	----	----	----	----	2 UNCH
8275	----	----	----/0.127A	0.146B/0.127A	----	0.125 - 0.026	.0314	----	----	----	----	14 UNCH
8300	0.123	0.123	0.123/0.123	0.143B/0.123	----	0.123 - 0.025	.0308	----	----	1	----	43 - 1
8325	----	----	----/0.123A	0.140B/0.123A	----	0.121 - 0.024	.0302	----	----	----	----	8 UNCH
8375	----	----	----/0.118A	0.135B/0.118A	----	0.117 - 0.023	.0291	----	----	----	----	7 UNCH
8400	----	----	----/0.117A	0.132B/0.117A	----	0.115 - 0.023	.0285	----	----	----	----	58 UNCH
8425	----	----	----/0.115A	0.129B/0.115A	----	0.113 - 0.022	.0280	----	----	----	----	9 UNCH
8450	----	----	----/0.113A	0.127B/0.113A	----	0.111 - 0.022	.0274	----	----	----	----	5 UNCH
8475	----	----	----/0.111A	0.124B/0.111A	----	0.109 - 0.021	.0269	----	----	----	----	5 UNCH
8500	0.122	0.122	0.122/0.109A	0.122/0.109A	----	0.107 - 0.021	.0264	----	----	36	----	1887 UNCH
8525	----	----	----/0.107A	0.120B/0.107A	----	0.105 - 0.021	.0258	----	----	----	----	1 UNCH
8550	----	----	----/0.106A	0.117B/0.106A	----	0.104 - 0.019	.0255	----	----	----	----	29 UNCH
8575	----	----	----/0.104A	0.115B/0.104A	----	0.102 - 0.019	.0250	----	----	----	----	7 UNCH
8600	----	----	----/0.102A	0.113B/0.102A	----	0.100 - 0.019	.0245	----	----	----	----	189 UNCH
8625	----	----	----/0.100A	0.111B/0.100A	----	0.098 - 0.019	.0239	----	----	----	----	2 UNCH
8675	----	----	----/0.097A	0.107B/0.097A	----	0.095 - 0.018	.0231	----	----	----	----	4 UNCH
8700	----	----	----/0.095A	0.105B/0.095A	----	0.094 - 0.017	.0228	----	----	----	----	30 UNCH
8725	----	----	----/0.094A	0.103B/0.094A	----	0.092 - 0.017	.0223	----	----	----	----	5 UNCH
8750	----	----	----/0.092A	0.101B/0.092A	----	0.091 - 0.017	.0220	----	----	----	----	1 UNCH
8775	----	----	----/0.091A	0.099B/0.091A	----	0.089 - 0.017	.0215	----	----	----	----	51 UNCH
8800	----	----	----/0.089A	0.097B/0.089A	----	0.088 - 0.016	.0212	----	----	2	----	327 UNCH
8850	----	----	----/0.087A	0.094B/0.087A	----	0.085 - 0.016	.0204	----	----	----	----	2 UNCH
8900	----	----	----/0.085A	0.090B/0.085A	----	0.082 - 0.015	.0197	----	----	----	----	89 UNCH
8925	----	----	----/0.084A	0.089B/0.084A	----	0.081 - 0.015	.0194	----	----	----	----	10 UNCH
8950	----	----	----/0.083A	0.087B/0.083A	----	0.080 - 0.014	.0191	----	----	----	----	12 UNCH
8975	----	----	----/0.082A	0.086B/0.082A	----	0.078 - 0.015	.0186	----	----	----	----	20 UNCH
9000	0.087	0.087	0.088/0.078	0.088/0.078	----	0.077 - 0.014	.0183	----	----	10	----	1983 + 3
9025	----	----	----/0.079A	0.083B/0.079A	----	0.076 - 0.014	.0181	----	----	----	----	6 UNCH
9050	----	----	----/0.078A	0.081B/0.078A	----	0.075 - 0.013	.0178	----	----	----	----	230 UNCH
9075	----	----	----/0.077A	0.080B/0.077A	----	0.074 - 0.013	.0175	----	----	----	----	7 UNCH
9100	----	----	----/0.076A	0.078B/0.076A	----	0.073 - 0.013	.0172	----	----	----	----	26 UNCH
9125	----	----	----/0.075A	0.077B/0.075A	----	0.071 - 0.013	.0168	----	----	----	----	1 UNCH
9150	----	----	----/0.074A	0.076B/0.074A	----	0.070 - 0.013	.0165	----	----	----	----	8 UNCH
9200	----	----	----/0.072A	0.073B/0.072A	----	0.068 - 0.012	.0160	----	----	----	----	5 UNCH
9225	----	----	----/0.070A	0.072B/0.070A	----	0.067 - 0.012	.0157	----	----	----	----	16 UNCH
9250	----	----	----/0.070A	0.067B/0.070A	----	0.066 - 0.012	.0155	----	----	----	----	20 UNCH
9275	----	----	----/0.068A	0.066B/0.068A	----	0.065 - 0.012	.0152	----	----	----	----	25 UNCH
9300	----	----	----/0.067A	0.065B/0.067A	----	0.064 - 0.012	.0150	----	----	----	----	185 UNCH
9350	----	----	----/0.065A	0.062B/0.065A	----	0.062 - 0.011	.0145	----	----	----	----	6 UNCH
9375	----	----	----/0.064A	0.061B/0.064A	----	0.061 - 0.011	.0142	----	----	----	----	5 UNCH
9400	----	----	----/0.063A	0.060B/0.063A	----	0.060 - 0.011	.0140	----	----	----	----	63 UNCH
9425	----	----	----/0.062A	0.059B/0.062A	----	0.060 - 0.010	.0139	----	----	----	----	10 UNCH
9450	----	----	----/0.061A	0.058B/0.061A	----	0.059 - 0.010	.0137	----	----	----	----	10 UNCH
9475	----	----	----/0.060A	0.057B/0.060A	----	0.058 - 0.010	.0134	----	----	----	----	1 UNCH
9500	----	----	----/0.059A	0.056B/0.059A	----	0.057 - 0.010	.0132	----	----	1	----	1274 UNCH
9525	----	----	----/0.058A	0.055B/0.058A	----	0.056 - 0.010	.0129	----	----	----	----	60 UNCH
9550	----	----	----/0.057A	0.054B/0.057A	----	0.055 - 0.010	.0127	----	----	----	----	8 UNCH
9600	----	----	----/0.056A	0.052B/0.056A	----	0.054 - 0.009	.0124	----	----	----	----	53 UNCH
9625	----	----	----/0.055A	0.051B/0.055A	----	0.053 - 0.009	.0122	----	----	----	----	18 UNCH
9700	----	----	----/0.053A	0.049B/0.053A	----	0.051 - 0.009	.0117	----	----	----	----	54 UNCH
9750	----	----	----/0.051A	0.047B/0.051A	----	0.049 - 0.009	.0112	----	----	----	----	10 UNCH
9775	----	----	----/0.052A	0.047B/0.052A	----	0.049 - 0.008	.0111	----	----	----	----	1 UNCH
9800	----	----	----/0.050A	0.046B/0.050A	----	0.048 - 0.008	.0109	----	----	----	----	54 UNCH
9825	----	----	----/0.049A	0.045B/0.049A	----	0.047 - 0.009	.0107	----	----	----	----	18 UNCH
9875	----	----	----/0.048A	0.044B/0.048A	----	0.046 - 0.008	.0104	----	----	----	----	1 UNCH
9900	0.041	0.041	0.041/0.041	0.043B/0.041	----	0.045 - 0.008	.0102	----	----	1	----	58 UNCH
9950	----	----	----/0.046A	0.042B/0.046A	----	0.044 - 0.008	.0099	----	----	----	----	2 UNCH
10000	0.048	0.048	0.048/0.046A	0.048/0.046A	----	0.043 - 0.007	.0097	----	----	14	----	1917 - 2
10025	----	----	----/0.044A	0.040B/0.044A	----	0.042 - 0.008	.0095	----	----	----	----	3 UNCH
10050	----	----	----/0.045A	0.039B/0.045A	----	0.042 - 0.007	.0094	----	----	----	----	11 UNCH
10100	----	----	----/0.042A	0.038B/0.042A	----	0.040 - 0.008	.0090	----	----	----	----	12 UNCH
10125	----	----	----/0.043A	0.037B/0.043A	----	0.040 - 0.007	.0090	----	----	----	----	2 UNCH
10150	----	----	----/0.041A	0.036B/0.041A	----	0.039 - 0.007	.0087	----	----	----	----	1 UNCH
10175	----	----	----/0.042A	0.036B/0.042A	----	0.039 - 0.007	.0087	----	----	----	----	4 UNCH
10200	----	----	----/0.041A	0.035B/0.041A	----	0.038 - 0.007	.0085	----	----	----	----	14 UNCH
10250	----	----	----/0.040A	0.034B/0.040A	----	0.037 - 0.007	.0083	----	----	----	----	2 UNCH
10300	----	----	----/0.039A	0.033B/0.039A	----	0.036 - 0.007	.0080	----	----	----	----	12 UNCH
10350	----	----	----/0.038A	0.032B/0.038A	----	0.035 - 0.007	.0078	----	----	----	----	2 UNCH
10475	----	----	----/0.036A	0.030B/0.036A	----	0.033 - 0.006	.0073	----	----	----	----	2 UNCH
10500	----	----	----/0.035A	0.029B/0.035A	----	0.033 - 0.006	.0073	----	----	----	----	259 UNCH
10550	----	----	----/0.034A	0.028B/0.034A	----	0.032 - 0.006	.0070	----	----	----	----	3 UNCH
10600	----	----	----/0.033A	0.027B/0.033A	----	0.031 - 0.006	.0068	----	----	----	----	6 UNCH
10700	----	----	----/0.032A	0.025B/0.032A	----	0.029 - 0.006	.0064	----	----	----	----	86 UNCH
10800	----	----	----/0.030A	0.024B/0.030A	----	0.028 - 0.005	.0061	----	----	----	----	93 UNCH
10975	----	----	----/0.028A	0.021B/0.028A	----	0.026 - 0.004	.0056	----	----	----	----	5 UNCH
11000	----	----	----/0.027A	0.021B/0.027A	----	0.025 - 0.005	.0054	----	----	2	----	300 + 2
11075	----	----	----/0.026A	0.020B/0.026A	----	0.024 - 0.005	.0052	----	----	----	----	1 UNCH
11150	----	----	----/0.025A	0.019B/0.025A	----	0.023 - 0.005	.0050	----	----	----	----	1 UNCH
11200	----	----	----/0.025A	0.018B/0.025A	----	0.023 - 0.004	.0049	----	----	----	----	9 UNCH
11225	----	----	----/0.025A	0.018B/0.025A	----	0.023 - 0.004	.0049	----	----	----	----	2 UNCH
11250	----	----	----/0.024A	0.018B/0.024A	----	0.022 - 0.005	.0047	----	----	----	----	2 UNCH
11275	----	----	----/0.024A	0.017B/0.024A	----	0.022 - 0.004	.0047	----	----	----	----	1 UNCH
11300	----	----	----/0.024A	0.017B/0.024A	----	0.022 - 0.004	.0047	----	----	----	----	5 UNCH
11350	----	----	----/0.023A	0.017B/0.023A	----	0.021 - 0.004	.0045	----	----	----	----	5 UNCH
11375	----	----	----/0.023A	0.016B/0.023A	----	0.021 - 0.004	.0045	----	----	----	----	1 UNCH
11400	----	----	----/0.023A	0.016B/0.023A	----	0.021 - 0.004	.0045	----	----	----	----	11 UNCH
11475	----	----	----/0.022A	0.015B/0.022A	----	0.020 - 0.004	.0042	----	----	----	----	1 UNCH
11500	----	----	----/0.021A	0.015B/0.021A	----	0.020 - 0.004	.0042	----	----	----	----	14 UNCH
11550	----	----	----/0.020A	0.014B/0.020A	----	0.019 - 0.004	.0040	----	----	----	----	1 UNCH
11600	----	----	----/0.020A	0.014B/0.020A	----	0.019 - 0.004	.0040	----	----	----	----	1 UNCH
11625	----	----	----/0.020A	0.014B/0.020A	----	0.019 - 0.004	.0040	----	----	----	----	2 UNCH
11675	----	----	----/0.019A	0.013B/0.019A	----	0.018 - 0.004	.0038	----	----	----	----	4 UNCH
11700	----	----	----/0.019A	0.013B/0.019A	----	0.018 - 0.004	.0038	----	----	----	----	1 UNCH
11775	----	----	----/0.019A	0.012B/0.019A	----	0.017 - 0.004	.0036	----	----	----	----	3 UNCH
11800	----	----	----/0.019A	0.012B/0.019A	----	0.017 - 0.004	.0036	----	----	----	----	30 UNCH
11850	----	----	----/0.019A	0.011B/0.019A	----	0.017 - 0.003	.0036	----	----	----	----	2 UNCH
12000	----	----	----/0.018A	0.010B/0.018A	----	0.016 - 0.003	.0033	----	----	----	----	551 UNCH
12075	----	----	----/0.018A	0.009B/0.018A	----	0.015 - 0.004	.0031	----	----	----	----	1 UNCH
12100	----	----	----/0.018A	0.008B/0.018A	----	0.015 - 0.004	.0031	----	----	----	----	13 UNCH
12125	----	----	----	0.008B/0.018A	----	0.015 - 0.003	.0031	----	----	----	----	2 UNCH
12150	----	----	----	0.007B/0.018A	----	0.015 - 0.003	.0031	----	----	----	----	4 UNCH
12175	----	----	----	0.007B/0.018A	----	0.015 - 0.003	.0031	----	----	----	----	10 UNCH
12200	----	----	----	0.007B/0.018A	----	0.015 - 0.003	.0031	----	----	----	----	25 UNCH
12225	----	----	----	0.006B/0.019A	----	0.014 - 0.004	.0029	----	----	----	----	3 UNCH
12250	----	----	----	0.005B/0.019A	----	0.014 - 0.004	.0029	----	----	----	----	26 UNCH
12275	----	----	----	0.001B/0.059A	----	0.014 - 0.003	.0029	----	----	----	----	1 UNCH
12300	----	----	----	0.001B/0.059A	----	0.014 - 0.003	.0029	----	----	----	----	30 UNCH
12400	----	----	----	0.001B/0.058A	----	0.013 - 0.004	.0027	----	----	----	----	25 UNCH
12450	0.012	0.012	0.012/0.012	0.012/0.012	----	0.013 NEW	.0027	----	----	1	----	1 + 1
12475	0.012	0.012	0.012/0.012	0.012/0.012	----	0.013 NEW	.0027	----	----	2	----	2 + 2
12500	0.012	0.012	0.012/0.012	0.012/0.012	----	0.013 - 0.003	.0027	----	----	1	----	113 UNCH
12525	0.012	0.012	0.012/0.012	0.012/0.012	----	0.013 - 0.003	.0026	----	----	3	----	9 + 3
12550	----	----	----	0.001B/0.058A	----	0.013 - 0.003	.0026	----	----	----	----	19 UNCH
12600	----	----	----/0.012A	0.001B/0.012A	----	0.012 - 0.003	.0025	----	----	----	----	31 UNCH
12700	----	----	----	0.001B/0.057A	----	0.012 - 0.003	.0024	----	----	----	----	25 UNCH
12775	----	----	----	0.001B/0.057A	----	0.012 - 0.003	.0024	----	----	----	----	1 UNCH
12800	----	----	----	0.001B/0.056A	----	0.012 - 0.002	.0024	----	----	----	----	7 UNCH
12900	----	----	----	0.001B/0.056A	----	0.011 - 0.003	.0022	----	----	----	----	3 UNCH
13000	0.010	0.010	0.010/0.010	0.010/0.010	----	0.011 - 0.003	.0022	----	----	4	----	374 + 4
13500	----	----	----	0.001B/0.054A	----	0.009 - 0.003	.0018	----	----	----	----	24 UNCH
14000	----	----	----	0.005B/0.052A	----	0.008 - 0.002	.0015	----	----	----	----	118 UNCH
14200	----	----	----	----/0.052A	----	0.007 - 0.003	.0013	----	----	----	----	2 UNCH
15000	----	----	----	----/0.050A	----	0.006 - 0.002	.0011	----	----	----	----	1773 UNCH
16000	----	----	----	----/0.048A	----	0.006 - 0.001	.0010	----	----	----	----	1615 UNCH
17000	0.006	0.006	0.006/0.005	0.006/0.005	----	0.006 UNCH	.0010	----	----	24	----	188 + 24
18000	----	----	----	----/0.046A	----	0.005 - 0.001	.0008	----	----	----	----	175 UNCH
19000	----	----	----	----/0.046A	----	0.004 - 0.002	.0006	----	----	----	----	6 UNCH
20000	----	----	----	----/0.046A	----	0.003 - 0.001	.0005	----	----	----	----	544 UNCH
21000	----	----	----	----/0.045A	----	0.002 UNCH	.0003	----	----	----	----	7 UNCH
22000	----	----	----	----/0.045A	----	0.001 UNCH	.0001	----	----	----	----	7 UNCH
23000	----	----	----	----/0.045A	----	0.001 UNCH	.0001	----	----	----	----	37 UNCH
24000	----	----	----	----/0.045A	----	0.001 UNCH	.0000	----	----	----	----	2 UNCH
25000	----	----	----	----/0.005A	----	0.001 UNCH	.0000	----	----	----	----	239 UNCH
26000	----	----	----	----/0.045A	----	0.001 UNCH	.0000	----	----	----	----	3 UNCH
30000	----	----	----	----/0.044A	----	0.001 UNCH	----	----	----	----	----	111 UNCH
32000	----	----	----	----/0.044A	----	0.001 UNCH	----	----	----	----	----	12 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

SO CALL COMEX SILVER OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
DEC26												
35000	----	----	----	----/0.044A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
40000	----	----	----	----/0.044A	----	0.001 UNCH	----	----	----	----	----	25 UNCH
90000	----	----	----	----/0.044A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
100000	----	----	----	----/0.002A	----	0.001 UNCH	----	----	----	----	----	10 UNCH
TOTAL										561	144	26487 + 269
JAN27												
4000	----	----	21.690B/19.924A	21.690B/19.924A	----	20.285 - 1.003	.9825	----	----	----	----	3 UNCH
4500	----	----	16.792B/15.032A	16.792B/15.032A	----	15.388 - 0.996	.9590	----	----	----	----	2 UNCH
5700	----	----	6.352B/5.067A	6.352B/5.067A	----	5.309 - 0.765	.6743	----	----	----	----	1 UNCH
5750	4.753	4.753	6.016B/4.753	6.016B/4.753	----	5.005 NEW	.6528	----	----	5	----	5 + 5
5800	4.550	4.550	5.698B/4.490A	5.698B/4.490A	----	4.713 NEW	.6308	----	----	1	----	1 + 1
5900	4.880	4.880	5.084B/3.969A	5.084B/3.969A	----	4.171 - 0.675	.5861	----	----	2	----	3 + 1
6000	4.350	4.350	4.532B/3.501A	4.532B/3.501A	----	3.681 - 0.627	.5410	----	----	5	----	18 + 3
6025	----	----	4.408B/3.391A	4.408B/3.391A	----	3.567 - 0.614	.5298	----	----	----	----	1 UNCH
6075	----	----	4.153B/3.183A	4.153B/3.183A	----	3.348 - 0.590	.5076	----	----	----	----	1 UNCH
6100	3.750	3.750	4.024B/3.083A	4.024B/3.083A	----	3.243 - 0.578	.4966	----	----	10	----	11 + 6
6175	----	----	3.676B/2.802A	3.676B/2.802A	----	2.948 - 0.541	.4643	----	----	----	----	7 UNCH
6200	3.400	3.400	3.566B/2.713A	3.566B/2.713A	----	2.855 - 0.530	.4538	----	----	2	----	30 + 1
6225	----	----	3.459B/2.627A	3.459B/2.627A	----	2.766 - 0.517	.4434	----	----	----	----	51 UNCH
6250	----	----	3.356B/2.544A	3.356B/2.544A	----	2.679 - 0.506	.4331	----	----	----	----	34 UNCH
6275	----	----	3.254B/2.465A	3.254B/2.465A	----	2.595 - 0.494	.4230	----	----	----	----	1 UNCH
6300	----	----	3.157B/2.387A	3.157B/2.387A	----	2.514 - 0.482	.4130	----	----	----	----	32 UNCH
6325	----	----	3.060B/2.312A	3.060B/2.312A	----	2.435 - 0.471	.4032	----	----	----	----	13 UNCH
6350	----	----	2.967B/2.240A	2.967B/2.240A	----	2.359 - 0.460	.3935	----	----	----	----	4 UNCH
6375	----	----	2.879B/2.170A	2.879B/2.170A	----	2.285 - 0.449	.3840	----	----	----	----	9 UNCH
6400	2.240	2.240	2.792B/2.102A	2.792B/2.102A	----	2.214 - 0.437	.3747	----	----	8	----	104 + 2
6425	----	----	2.709B/2.036A	2.709B/2.036A	----	2.145 - 0.427	.3656	----	----	----	----	1 UNCH
6450	----	----	2.627B/1.973A	2.627B/1.973A	----	2.078 - 0.416	.3566	----	----	----	----	11 UNCH
6475	----	----	2.546B/1.912A	2.546B/1.912A	----	2.014 - 0.405	.3478	----	----	----	----	1 UNCH
6500	1.928	1.928	2.471B/1.853A	2.471B/1.853A	----	1.952 - 0.395	.3392	----	----	2	----	104 UNCH
6525	----	----	2.396B/1.796A	2.396B/1.796A	----	1.892 - 0.384	.3308	----	----	----	----	7 UNCH
6575	----	----	2.253B/1.690A	2.253B/1.690A	----	1.777 - 0.365	.3145	----	----	----	----	1 UNCH
6600	----	----	2.185B/1.639A	2.185B/1.639A	----	1.723 - 0.355	.3066	----	----	----	----	203 UNCH
6625	1.655	1.655	2.120B/1.588A	2.120B/1.588A	----	1.671 - 0.345	.2989	----	----	1	----	22 + 1
6650	----	----	2.057B/1.542A	2.057B/1.542A	----	1.620 - 0.336	.2913	----	----	----	----	1 UNCH
6700	1.955	1.955	1.955/1.452A	1.955/1.452A	----	1.524 - 0.318	.2768	----	----	5	----	32 + 1
6725	----	----	1.880B/1.409A	1.880B/1.409A	----	1.479 - 0.309	.2699	----	----	----	----	26 UNCH
6750	----	----	1.824B/1.368A	1.824B/1.368A	----	1.435 - 0.301	.2631	----	----	----	----	9 UNCH
6775	----	----	1.772B/1.328A	1.772B/1.328A	----	1.393 - 0.293	.2565	----	----	----	----	1 UNCH
6800	----	----	1.720B/1.290A	1.720B/1.290A	----	1.353 - 0.284	.2501	----	----	----	----	206 UNCH
6825	----	----	1.670B/1.253A	1.670B/1.253A	----	1.314 - 0.277	.2438	----	----	----	----	9 UNCH
6850	----	----	1.622B/1.218A	1.622B/1.218A	----	1.276 - 0.270	.2377	----	----	----	----	2 UNCH
6875	----	----	1.576B/1.183A	1.576B/1.183A	----	1.240 - 0.262	.2318	----	----	----	----	11 UNCH
6900	1.444	1.444	1.531B/1.150A	1.531B/1.150A	----	1.205 - 0.255	.2260	----	----	5	----	19 + 4
6925	----	----	1.488B/1.118A	1.488B/1.118A	----	1.171 - 0.248	.2204	----	----	----	----	2 UNCH
6950	----	----	1.446B/1.088A	1.446B/1.088A	----	1.139 - 0.241	.2150	----	----	----	----	11 UNCH
7000	1.163	1.163	1.367B/1.029A	1.367B/1.029A	----	1.077 - 0.229	.2045	----	----	13	----	185 - 3
7050	----	----	1.292B/0.976A	1.292B/0.976A	----	1.019 - 0.217	.1946	----	----	----	----	1 UNCH
7075	----	----	1.257B/0.950A	1.257B/0.950A	----	0.992 - 0.211	.1899	----	----	----	----	5 UNCH
7100	----	----	1.223B/0.925A	1.223B/0.925A	----	0.965 - 0.206	.1852	----	----	----	----	38 UNCH
7150	1.087	1.087	1.159B/0.878A	1.159B/0.878A	----	0.915 - 0.196	.1764	----	----	5	----	15 + 5
7200	0.910	0.910	1.099B/0.834A	1.099B/0.834A	----	0.868 - 0.186	.1680	----	----	1	----	141 UNCH
7250	----	----	1.042B/0.794A	1.042B/0.794A	----	0.825 - 0.176	.1603	----	----	1	----	96 + 1
7300	----	----	0.990B/0.755A	0.990B/0.755A	----	0.784 - 0.168	.1528	----	----	----	----	32 UNCH
7350	----	----	0.941B/0.720A	0.941B/0.720A	----	0.746 - 0.159	.1458	----	----	----	----	3 UNCH
7375	----	----	0.918B/0.703A	0.918B/0.703A	----	0.728 - 0.155	.1425	----	----	----	----	2 UNCH
7400	----	----	0.895B/0.687A	0.895B/0.687A	----	0.711 - 0.151	.1393	----	----	----	----	3 UNCH
7425	0.662	0.662	0.873B/0.662	0.873B/0.662	----	0.694 - 0.147	.1361	----	----	1	----	2 + 1
7450	----	----	0.852B/0.656A	0.852B/0.656A	----	0.678 - 0.144	.1331	----	----	----	----	10 UNCH
7475	----	----	0.832B/0.641A	0.832B/0.641A	----	0.662 - 0.140	.1301	----	----	----	----	37 UNCH
7500	0.645	0.645	0.812B/0.624A	0.812B/0.624A	----	0.647 - 0.137	.1273	----	----	5	----	87 + 1
7525	----	----	0.793B/0.613A	0.793B/0.613A	----	0.632 - 0.134	.1244	----	----	----	----	1 UNCH
7550	----	----	0.774B/0.599A	0.774B/0.599A	----	0.618 - 0.130	.1217	----	----	----	----	4 UNCH
7575	----	----	0.756B/0.587A	0.756B/0.587A	----	0.605 - 0.126	.1192	----	----	----	----	8 UNCH
7600	----	----	0.737B/0.574A	0.737B/0.574A	----	0.591 - 0.124	.1166	----	----	----	----	1 UNCH
7650	----	----	0.705B/0.551A	0.705B/0.551A	----	0.566 - 0.118	.1117	----	----	----	----	6 UNCH
7675	----	----	0.688B/0.539A	0.688B/0.539A	----	0.554 - 0.115	.1094	----	----	----	----	4 UNCH
7700	0.533	0.533	0.674B/0.532A	0.674B/0.532A	----	0.543 - 0.112	.1072	----	----	1	----	82 - 1
7725	----	----	0.659B/0.524A	0.659B/0.524A	----	0.532 - 0.109	.1050	----	----	----	----	1 UNCH
7800	0.540	0.540	0.618B/0.500A	0.618B/0.500A	----	0.500 - 0.101	.0987	----	----	2	----	65 + 2
7825	0.516	0.516	0.605B/0.490A	0.605B/0.490A	----	0.490 NEW	.0968	----	----	1	----	1 + 1
7850	0.514	0.514	0.591B/0.480A	0.591B/0.480A	----	0.481 NEW	.0949	----	----	1	----	1 + 1
7900	----	----	0.569B/0.456A	0.569B/0.456A	----	0.462 - 0.092	.0912	----	----	----	----	23 UNCH
7925	----	----	0.556B/0.457A	0.556B/0.457A	----	0.454 - 0.090	.0895	----	----	----	----	5 UNCH
7950	----	----	0.546B/0.446A	0.546B/0.446A	----	0.445 - 0.088	.0878	----	----	----	----	1 UNCH
7975	----	----	0.534B/0.429A	0.534B/0.429A	----	0.437 - 0.086	.0862	----	----	----	----	7 UNCH
8000	0.520	0.520	0.523B/0.422A	0.523B/0.422A	----	0.429 - 0.084	.0845	----	----	1	----	153 - 1
8075	----	----	----/0.399A	0.462B/0.399A	----	0.407 - 0.078	.0801	----	----	----	----	6 UNCH
8100	----	----	----/0.393A	0.455B/0.393A	----	0.400 - 0.076	.0786	----	----	----	----	2 UNCH
8200	----	----	----/0.367A	0.422B/0.367A	----	0.373 - 0.070	.0732	----	----	----	----	11 UNCH
8300	----	----	----/0.344A	0.396B/0.344A	----	0.350 - 0.063	.0684	----	----	----	----	53 UNCH
8325	----	----	----/0.339A	0.391B/0.339A	----	0.344 - 0.062	.0672	----	----	----	----	1 UNCH
8350	----	----	----/0.334A	0.390B/0.334A	----	0.339 - 0.061	.0661	----	----	----	----	2 UNCH
8400	----	----	0.389B/0.324A	0.389B/0.324A	----	0.328 - 0.059	.0639	----	----	----	----	1 UNCH
8500	----	----	0.364B/0.305A	0.364B/0.305A	----	0.309 - 0.054	.0600	----	----	----	----	26 UNCH
8550	----	----	0.353B/0.296A	0.353B/0.296A	----	0.300 - 0.052	.0581	----	----	----	----	13 UNCH
8600	----	----	0.342B/0.287A	0.342B/0.287A	----	0.292 - 0.049	.0564	----	----	----	----	1 UNCH
8700	----	----	----/0.272A	0.322B/0.272A	----	0.276 - 0.046	.0531	----	----	----	----	2 UNCH
8750	----	----	----/0.264A	0.312B/0.264A	----	0.268 - 0.045	.0515	----	----	----	----	2 UNCH
8800	----	----	----/0.257A	0.303B/0.257A	----	0.261 - 0.043	.0500	----	----	----	----	5 UNCH
8825	----	----	----/0.254A	0.298B/0.254A	----	0.258 - 0.042	.0494	----	----	----	----	1 UNCH
8975	----	----	----/0.235A	0.274B/0.235A	----	0.238 - 0.038	.0453	----	----	----	----	1 UNCH
9000	----	----	----/0.232A	0.271B/0.232A	----	0.235 - 0.038	.0447	----	----	----	----	327 UNCH
9025	----	----	----/0.229A	0.266B/0.229A	----	0.232 - 0.037	.0440	----	----	----	----	1 UNCH
9100	----	----	----/0.221A	0.256B/0.221A	----	0.224 - 0.035	.0424	----	----	----	----	4 UNCH
9125	----	----	----/0.219A	0.252B/0.219A	----	0.221 - 0.035	.0418	----	----	----	----	3 UNCH
9200	----	----	----/0.211A	0.243B/0.211A	----	0.213 - 0.033	.0401	----	----	----	----	4 UNCH
9300	----	----	----/0.202A	0.231B/0.202A	----	0.204 - 0.031	.0382	----	----	----	----	1 UNCH
9325	----	----	----/0.200A	0.228B/0.200A	----	0.201 - 0.031	.0376	----	----	----	----	2 UNCH
9350	0.235	0.235	0.235/0.197A	0.235/0.197A	----	0.199 NEW	.0372	----	----	8	----	8 + 8
9400	----	----	----/0.193A	0.220B/0.193A	----	0.194 - 0.030	.0362	----	----	----	----	1 UNCH
9450	----	----	----/0.189A	0.214B/0.189A	----	0.190 - 0.029	.0354	----	----	----	----	2 UNCH
9475	----	----	----/0.187A	0.212B/0.187A	----	0.188 - 0.028	.0350	----	----	----	----	1 UNCH
9500	----	----	----/0.185A	0.209B/0.185A	----	0.186 - 0.028	.0346	----	----	----	----	39 UNCH
9525	----	----	----/0.183A	0.207B/0.183A	----	0.184 - 0.027	.0341	----	----	----	----	1 UNCH
9600	----	----	----/0.177A	0.200B/0.177A	----	0.178 - 0.027	.0329	----	----	----	----	1 UNCH
9650	----	----	----/0.174A	0.195B/0.174A	----	0.174 - 0.026	.0321	----	----	----	----	5 UNCH
9700	----	----	----/0.170A	0.191B/0.170A	----	0.170 - 0.026	.0313	----	----	----	----	4 UNCH
9900	----	----	----/0.157A	0.174B/0.157A	----	0.157 - 0.023	.0287	----	----	----	----	2 UNCH
9950	----	----	----/0.154A	0.171B/0.154A	----	0.153 - 0.023	.0279	----	----	----	----	2 UNCH
9975	----	----	----/0.153A	0.169B/0.153A	----	0.152 - 0.023	.0277	----	----	----	----	4 UNCH
10000	----	----	----/0.151A	0.167B/0.151A	----	0.150 - 0.023	.0273	----	----	----	----	758 UNCH
10050	----	----	----/0.148A	0.163B/0.148A	----	0.147 - 0.022	.0267	----	----	----	----	6 UNCH
10100	----	----	----/0.146A	0.160B/0.146A	----	0.144 - 0.022	.0261	----	----	----	----	2 UNCH
10200	----	----	----/0.140A	0.153B/0.140A	----	0.138 - 0.021	.0250	----	----	----	----	1 UNCH
10300	----	----	----/0.135A	0.147B/0.135A	----	0.133 - 0.020	.0239	----	----	----	----	3 UNCH
10375	----	----	----/0.132A	0.143B/0.132A	----	0.129 - 0.020	.0232	----	----	----	----	10 UNCH
10500	----	----	----/0.126A	0.136B/0.126A	----	0.123 - 0.019	.0220	----	----	----	----	4 UNCH
10950	----	----	----/0.109A	0.114B/0.109A	----	0.103 - 0.017	.0182	----	----	----	----	4 UNCH
11000	----	----	----/0.107A	0.112B/0.107A	----	0.101 - 0.017	.0178	----	----	----	----	115 UNCH
11200	----	----	----/0.101A	0.103B/0.101A	----	0.094 - 0.016	.0165	----	----	----	----	2 UNCH
11400	----	----	----/0.094A	0.096B/0.094A	----	0.087 - 0.015	.0152	----	----	----	----	4 UNCH
11500	----	----	----/0.091A	0.087B/0.091A	----	0.084 - 0.015	.0146	----	----	----	----	1 UNCH
11825	----	----	----/0.082A	0.077B/0.082A	----	0.075 - 0.013	.0129	----	----	----	----	4 UNCH
12000	----	----	----/0.077A	0.072B/0.077A	----	0.071 - 0.012	.0122	----	----	----	----	333 UNCH
12050	----	----	----/0.076A	0.072B/0.076A	----	0.070 - 0.012	.0120	----	----	----	----	4 UNCH
12100	----	----	----/0.075A	0.070B/0.075A	----	0.069 - 0.012	.0118	----	----	----	----	1 UNCH
12125	----	----	----/0.075A	0.069B/0.075A	----	0.068 - 0.012	.0116	----	----	----	----	1 UNCH
12500	----	----	----/0.066A	0.062B/0.066A	----	0.061 - 0.010	.0103	----	----	----	----	3045 UNCH
12600	----	----	----/0.064A	0.059B/0.064A	----	0.059 - 0.009	.0100	----	----	----	----	4 UNCH
12975	----	----	----/0.056A	0.052B/0.056A	----	0.053 - 0.007	.0089	----	----	----	----	25 UNCH
13000	----	----	----/0.056A	0.051B/0.056A	----	0.053 - 0.007	.0089	----	----	----	----	7 UNCH
14000	----	----	----/0.040A	0.037B/0.040A	----	0.038 - 0.005	.0063	----	----	----	----	25 UNCH
14500	----	----	----/0.034A	0.031B/0.034A	----	0.032 - 0.005	.0053	----	----	----	----	400 UNCH
15000	0.031	0.031	0.031/0.029	0.031/0.029	----	0.027 - 0.004	.0044	----	----	10	----	3477 + 10
16000	----	----	----/0.022A	0.014B/0.022A	----	0.019 - 0.004	.0031	----	----	----	----	9 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

SO CALL COMEX SILVER OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
TOTAL										96	0	10814 + 50
FEB27												
5950	----	----	5.412B/4.373A	5.412B/4.373A	----	4.566 -	0.644 .5635	----	----	----	----	2 UNCH
6075	----	----	4.811B/3.837A	4.811B/3.837A	----	4.009 -	0.593 .5165	----	----	----	----	1 UNCH
6100	----	----	4.694B/3.738A	4.694B/3.738A	----	3.906 -	0.582 .5073	----	----	2	----	24 + 1
6150	----	----	4.460B/3.546A	4.460B/3.546A	----	3.707 -	0.561 .4891	----	----	----	----	3 UNCH
6175	----	----	4.343B/3.455A	4.343B/3.455A	----	3.611 -	0.551 .4800	----	----	----	----	4 UNCH
6200	----	----	4.239B/3.365A	4.239B/3.365A	----	3.518 -	0.541 .4711	----	----	6	----	12 + 6
6250	----	----	4.022B/3.193A	4.022B/3.193A	----	3.338 -	0.521 .4536	----	----	----	----	9 UNCH
6275	----	----	3.925B/3.111A	3.925B/3.111A	----	3.252 -	0.511 .4450	----	----	----	----	24 UNCH
6300	----	----	3.829B/3.034A	3.829B/3.034A	----	3.168 -	0.501 .4364	----	----	----	----	15 UNCH
6350	----	----	3.637B/2.878A	3.637B/2.878A	----	3.007 -	0.482 .4197	----	----	----	----	7 UNCH
6400	----	----	3.457B/2.734A	3.457B/2.734A	----	2.855 -	0.463 .4035	----	----	1	----	2 + 1
6450	----	----	3.289B/2.597A	3.289B/2.597A	----	2.711 -	0.444 .3877	----	----	----	----	5 UNCH
6500	----	----	3.133B/2.465A	3.133B/2.465A	----	2.575 -	0.426 .3724	----	----	----	----	13 UNCH
6550	----	----	2.977B/2.345A	2.977B/2.345A	----	2.446 -	0.409 .3576	----	----	----	----	5 UNCH
6575	----	----	2.894B/2.286A	2.894B/2.286A	----	2.385 -	0.400 .3504	----	----	----	----	3 UNCH
6600	2.334	2.334	2.823B/2.227A	2.823B/2.227A	----	2.325 -	0.392 .3434	----	----	1	----	2 + 1
6625	----	----	2.761B/2.174A	2.761B/2.174A	----	2.267 -	0.383 .3364	----	----	----	----	3 UNCH
6700	----	----	2.558B/2.018A	2.558B/2.018A	----	2.103 -	0.359 .3164	----	----	----	----	10 UNCH
6800	----	----	2.319B/1.829A	2.319B/1.829A	----	1.906 -	0.329 .2915	----	----	2	----	37 UNCH
6850	----	----	2.210B/1.744A	2.210B/1.744A	----	1.815 -	0.316 .2797	----	----	----	----	1 UNCH
6900	----	----	2.105B/1.663A	2.105B/1.663A	----	1.730 -	0.302 .2685	----	----	----	----	1 UNCH
6925	----	----	2.057B/1.625A	2.057B/1.625A	----	1.689 -	0.296 .2631	----	----	----	----	1 UNCH
7000	----	----	1.917B/1.516A	1.917B/1.516A	----	1.574 -	0.278 .2475	----	----	----	----	8 UNCH
7200	----	----	1.596B/1.267A	1.596B/1.267A	----	1.313 -	0.233 .2108	----	----	----	----	454 UNCH
7225	----	----	1.561B/1.240A	1.561B/1.240A	----	1.284 -	0.229 .2066	----	----	----	----	71 UNCH
7300	----	----	1.461B/1.163A	1.461B/1.163A	----	1.203 -	0.215 .1948	----	----	----	----	1 UNCH
7325	----	----	1.430B/1.140A	1.430B/1.140A	----	1.178 -	0.210 .1911	----	----	----	----	2 UNCH
7350	----	----	1.400B/1.115A	1.400B/1.115A	----	1.153 -	0.206 .1874	----	----	----	----	1 UNCH
7450	----	----	1.286B/1.028A	1.286B/1.028A	----	1.061 -	0.189 .1736	----	----	----	----	3 UNCH
7475	----	----	1.259B/1.007A	1.259B/1.007A	----	1.040 -	0.185 .1704	----	----	----	----	10 UNCH
7500	1.199	1.199	1.233B/0.988A	1.233B/0.988A	----	1.019 -	0.181 .1672	----	----	61	----	303 + 22
7550	----	----	1.184B/0.950A	1.184B/0.950A	----	0.980 -	0.172 .1611	----	----	----	----	334 UNCH
7600	----	----	1.137B/0.913A	1.137B/0.913A	----	0.942 -	0.166 .1553	----	----	----	----	5 UNCH
7700	----	----	1.049B/0.849A	1.049B/0.849A	----	0.873 -	0.152 .1444	----	----	----	----	61 UNCH
7775	----	----	0.991B/0.803A	0.991B/0.803A	----	0.825 -	0.144 .1369	----	----	----	----	2 UNCH
7800	----	----	0.973B/0.788A	0.973B/0.788A	----	0.810 -	0.141 .1345	----	----	----	----	25 UNCH
7900	----	----	0.902B/0.735A	0.902B/0.735A	----	0.754 -	0.130 .1255	----	----	----	----	1 UNCH
7975	----	----	0.854B/0.700A	0.854B/0.700A	----	0.716 -	0.123 .1193	----	----	----	----	1 UNCH
8000	----	----	0.839B/0.688A	0.839B/0.688A	----	0.703 -	0.122 .1172	----	----	----	----	177 UNCH
8050	----	----	0.810B/0.665A	0.810B/0.665A	----	0.680 -	0.117 .1135	----	----	----	----	50 UNCH
8200	----	----	0.733B/0.605A	0.733B/0.605A	----	0.616 -	0.106 .1029	----	----	----	----	7 UNCH
8300	----	----	0.686B/0.569A	0.686B/0.569A	----	0.578 -	0.100 .0966	----	----	----	----	20 UNCH
8400	----	----	0.644B/0.536A	0.644B/0.536A	----	0.545 -	0.093 .0910	----	----	----	----	2 UNCH
8500	----	----	0.606B/0.507A	0.606B/0.507A	----	0.514 -	0.087 .0858	----	----	----	----	122 UNCH
8550	----	----	0.588B/0.496A	0.588B/0.496A	----	0.500 -	0.083 .0834	----	----	----	----	20 UNCH
8800	----	----	----/0.434A	0.497B/0.434A	----	0.438 -	0.070 .0727	----	----	----	----	12 UNCH
9000	----	----	----/0.394A	0.449B/0.394A	----	0.396 -	0.062 .0655	----	----	----	----	77 UNCH
9200	----	----	----/0.359A	0.411B/0.359A	----	0.360 -	0.057 .0593	----	----	----	----	89 UNCH
9275	----	----	----/0.347A	0.398B/0.347A	----	0.348 -	0.054 .0572	----	----	----	----	3 UNCH
9425	----	----	----/0.325A	0.370B/0.325A	----	0.326 -	0.050 .0533	----	----	----	----	22 UNCH
9500	0.325	0.325	0.325/0.315A	0.358B/0.315A	----	0.316 -	0.048 .0516	----	----	1	----	84 UNCH
9650	----	----	----/0.296A	0.334B/0.296A	----	0.297 -	0.045 .0483	----	----	----	----	3 UNCH
9800	----	----	----/0.279A	0.314B/0.279A	----	0.279 -	0.043 .0452	----	----	----	----	2 UNCH
10000	0.280	0.280	0.289B/0.259A	0.289B/0.259A	----	0.258 -	0.040 .0416	----	----	10	----	124 + 10
10200	----	----	----/0.241A	0.268B/0.241A	----	0.240 -	0.036 .0384	----	----	----	----	83 UNCH
10225	----	----	----/0.239A	0.264B/0.239A	----	0.238 -	0.036 .0381	----	----	----	----	10 UNCH
10500	----	----	----/0.218A	0.238B/0.218A	----	0.216 -	0.032 .0343	----	----	----	----	20 UNCH
10725	----	----	----/0.203A	0.220B/0.203A	----	0.200 -	0.030 .0316	----	----	----	----	5 UNCH
11000	----	----	----/0.186A	0.201B/0.186A	----	0.183 -	0.027 .0287	----	----	----	----	25 UNCH
11100	----	----	----/0.181A	0.195B/0.181A	----	0.177 -	0.027 .0277	----	----	----	----	1 UNCH
11400	----	----	----/0.165A	0.176B/0.165A	----	0.161 -	0.025 .0250	----	----	----	----	4 UNCH
11500	----	----	----/0.161A	0.171B/0.161A	----	0.157 -	0.023 .0243	----	----	----	----	3 UNCH
11700	----	----	----/0.152A	0.161B/0.152A	----	0.147 -	0.023 .0227	----	----	----	----	6 UNCH
12000	----	----	----/0.140A	0.147B/0.140A	----	0.135 -	0.021 .0207	----	----	----	----	24 UNCH
12400	----	----	----/0.127A	0.130B/0.127A	----	0.122 -	0.018 .0185	----	----	----	----	4 UNCH
12500	----	----	----/0.123A	0.126B/0.123A	----	0.119 -	0.018 .0180	----	----	----	----	66 UNCH
12950	----	----	----/0.112A	0.111B/0.112A	----	0.107 -	0.015 .0160	----	----	----	----	1 UNCH
12975	----	----	----/0.112A	0.111B/0.112A	----	0.106 -	0.015 .0158	----	----	----	----	3 UNCH
14000	----	----	----/0.089A	0.082B/0.089A	----	0.082 -	0.012 .0121	----	----	----	----	4 UNCH
25000	----	----	----	0.001B/0.061A	----	0.032 -	0.001 .0038	----	----	----	----	2 UNCH
30000	----	----	----	----/0.020A	----	0.013 -	0.003 .0016	----	----	----	----	57 UNCH
TOTAL										84	0	2598 + 41
MAR27												
6000	----	----	5.712B/4.704A	5.712B/4.704A	----	4.891 -	0.623 .5480	----	----	----	----	3 UNCH
6025	----	----	5.600B/4.600A	5.600B/4.600A	----	4.781 -	0.615 .5397	----	----	----	----	1 UNCH
6050	----	----	5.472B/4.495A	5.472B/4.495A	----	4.674 -	0.605 .5315	----	----	----	----	1 UNCH
6075	----	----	5.361B/4.395A	5.361B/4.395A	----	4.569 -	0.597 .5233	----	----	----	----	76 UNCH
6125	----	----	5.137B/4.200A	5.137B/4.200A	----	4.367 -	0.578 .5071	----	----	----	----	14 UNCH
6175	----	----	4.913B/4.013A	4.913B/4.013A	----	4.173 -	0.561 .4911	----	----	----	----	15 UNCH
6200	----	----	4.801B/3.924A	4.801B/3.924A	----	4.080 -	0.551 .4833	----	----	----	----	30 UNCH
6250	----	----	4.593B/3.750A	4.593B/3.750A	----	3.899 -	0.534 .4677	----	----	----	----	11 UNCH
6300	----	----	4.401B/3.585A	4.401B/3.585A	----	3.727 -	0.516 .4525	----	----	----	----	11 UNCH
6325	----	----	4.305B/3.508A	4.305B/3.508A	----	3.644 -	0.508 .4450	----	----	----	----	1 UNCH
6350	----	----	4.209B/3.427A	4.209B/3.427A	----	3.563 -	0.499 .4376	----	----	----	----	21 UNCH
6400	----	----	4.033B/3.280A	4.033B/3.280A	----	3.406 -	0.483 .4231	----	----	4	----	61 + 4
6425	----	----	3.937B/3.205A	3.937B/3.205A	----	3.331 -	0.475 .4159	----	----	----	----	1 UNCH
6450	----	----	3.857B/3.137A	3.857B/3.137A	----	3.257 -	0.467 .4089	----	----	----	----	20 UNCH
6475	----	----	3.777B/3.068A	3.777B/3.068A	----	3.185 -	0.459 .4019	----	----	----	----	1 UNCH
6500	3.470	3.470	3.697B/3.001A	3.697B/3.001A	----	3.115 -	0.451 .3951	----	----	7	----	18 UNCH
6600	----	----	3.393B/2.749A	3.393B/2.749A	----	2.853 -	0.419 .3687	----	----	8	----	22 + 4
6750	2.500	2.500	2.973B/2.416A	2.973B/2.416A	----	2.505	NEW .3320	----	----	20	----	20 + 20
6775	----	----	2.913B/2.365A	2.913B/2.365A	----	2.452 -	0.370 .3262	----	----	----	----	16 UNCH
6800	----	----	2.851B/2.316A	2.851B/2.316A	----	2.401 -	0.362 .3206	----	----	4	----	37 - 4
6825	----	----	2.791B/2.267A	2.791B/2.267A	----	2.351 -	0.355 .3150	----	----	----	----	5 UNCH
6875	----	----	2.678B/2.175A	2.678B/2.175A	----	2.254 -	0.343 .3042	----	----	----	----	1 UNCH
6900	----	----	2.622B/2.130A	2.622B/2.130A	----	2.208 -	0.336 .2989	----	----	----	----	2 UNCH
6925	----	----	2.568B/2.088A	2.568B/2.088A	----	2.162 -	0.330 .2937	----	----	----	----	1 UNCH
6975	----	----	2.465B/2.003A	2.465B/2.003A	----	2.075 -	0.318 .2837	----	----	----	----	1 UNCH
7000	2.117	2.117	2.414B/1.963A	2.414B/1.963A	----	2.033 -	0.312 .2788	----	----	1	----	187 UNCH
7050	----	----	2.317B/1.887A	2.317B/1.887A	----	1.953	NEW .2693	----	----	1	----	1 + 1
7100	----	----	2.226B/1.813A	2.226B/1.813A	----	1.876 -	0.288 .2601	----	----	----	----	1 UNCH
7175	1.841	1.841	2.098B/1.710A	2.098B/1.710A	----	1.768 -	0.272 .2470	----	----	12	----	15 + 12
7200	----	----	2.059B/1.677A	2.059B/1.677A	----	1.734 -	0.267 .2429	----	----	----	----	219 UNCH
7225	----	----	2.018B/1.646A	2.018B/1.646A	----	1.701 -	0.261 .2388	----	----	----	----	12 UNCH
7250	----	----	1.979B/1.615A	1.979B/1.615A	----	1.668 -	0.257 .2347	----	----	----	----	1 UNCH
7275	----	----	1.941B/1.586A	1.941B/1.586A	----	1.636 -	0.252 .2307	----	----	----	----	1 UNCH
7300	----	----	1.903B/1.557A	1.903B/1.557A	----	1.606 -	0.246 .2269	----	----	----	----	1 UNCH
7375	----	----	1.799B/1.472A	1.799B/1.472A	----	1.518 -	0.233 .2158	----	----	----	----	10 UNCH
7400	----	----	1.765B/1.446A	1.765B/1.446A	----	1.490 -	0.228 .2122	----	----	----	----	41 UNCH
7450	----	----	1.699B/1.394A	1.699B/1.394A	----	1.436 -	0.220 .2053	----	----	1	----	6 + 1
7475	----	----	1.668B/1.370A	1.668B/1.370A	----	1.410 -	0.216 .2019	----	----	----	----	1 UNCH
7500	1.540	1.540	1.638B/1.345A	1.638B/1.345A	----	1.385 -	0.212 .1986	----	----	9	----	194 UNCH
7525	----	----	1.609B/1.322A	1.609B/1.322A	----	1.360 -	0.208 .1954	----	----	----	----	77 UNCH
7550	----	----	1.580B/1.299A	1.580B/1.299A	----	1.336 -	0.204 .1922	----	----	----	----	36 UNCH
7600	----	----	1.521B/1.255A	1.521B/1.255A	----	1.290 -	0.197 .1861	----	----	----	----	4 UNCH
7625	----	----	1.497B/1.233A	1.497B/1.233A	----	1.268 -	0.193 .1832	----	----	----	----	4 UNCH
7650	----	----	1.471B/1.212A	1.471B/1.212A	----	1.246 -	0.190 .1802	----	----	----	----	2 UNCH
7675	----	----	1.445B/1.192A	1.445B/1.192A	----	1.225 -	0.186 .1774	----	----	----	----	157 UNCH
7700	----	----	1.420B/1.172A	1.420B/1.172A	----	1.204 -	0.183 .1746	----	----	----	----	40 UNCH
7725	----	----	1.396B/1.153A	1.396B/1.153A	----	1.184 -	0.179 .1719	----	----	----	----	29 UNCH
7750	----	----	1.372B/1.134A	1.372B/1.134A	----	1.164 -	0.176 .1692	----	----	----	----	3 UNCH
7800	----	----	1.326B/1.098A	1.326B/1.098A	----	1.126 -	0.170 .1640	----	----	----	----	5 UNCH
7850	----	----	1.279B/1.063A	1.279B/1.063A	----	1.090 -	0.164 .1591	----	----	----	----	1 UNCH
7875	----	----	1.259B/1.046A	1.259B/1.046A	----	1.073 -	0.161 .1567	----	----	----	----	1 UNCH
7900	----	----	1.238B/1.030A	1.238B/1.030A	----	1.055 -	0.159 .1542	----	----	2	----	32 + 2
7925	----	----	1.219B/1.014A	1.219B/1.014A	----	1.039 -	0.155 .1520	----	----	----	----	9 UNCH
7950	----	----	1.198B/0.998A	1.198B/0.998A	----	1.022 -	0.153 .1497	----	----	----	----	1 UNCH
8000	----	----	1.159B/0.967A	1.159B/0.967A	----	0.991 -	0.148 .1453	----	----	3	----	290 + 2
8050	----	----	1.124B/0.939A	1.124B/0.939A	----	0.961 -	0.143 .1411	----	----	----	----	1 UNCH
8075	----	----	1.106B/0.925A	1.106B/0.925A	----	0.946 -	0.141 .1390	----	----	----	----	61 UNCH
8100	----	----	1.088B/0.911A	1.088B/0.911A	----	0.932 -	0.138 .1370	----	----	1	----	27 + 1
8125	----	----	1.072B/0.898A	1.072B/0.898A	----	0.918 -	0.136 .1350	----	----	----	----	1 UNCH
8225	----	----	1.008B/0.847A	1.008B/0.847A	----	0.865 -	0.128 .1275	----	----	----	----	1 UNCH
8250	----	----	0.993B/0.835A	0.993B/0.835A	----	0.853 -	0.126 .1257	----	----	----	----	5 UNCH
8300	----	----	0.963B/0.812A	0.963B/0.812A	----	0.829 -	0.122 .1223	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAR27												
8450	----	----	0.884B/0.748A	0.884B/0.748A	----	0.762 -	0.112 .1126	----	----	----	----	2 UNCH
8500	----	----	0.859B/0.729A	0.859B/0.729A	----	0.742 -	0.108 .1097	----	----	8	----	36 + 8
8600	----	----	0.813B/0.693A	0.813B/0.693A	----	0.704 -	0.102 .1041	----	----	----	----	1 UNCH
8625	----	----	0.802B/0.685A	0.802B/0.685A	----	0.695 -	0.100 .1027	----	----	----	----	1 UNCH
8650	----	----	0.791B/0.676A	0.791B/0.676A	----	0.686 -	0.099 .1014	----	----	----	----	13 UNCH
8700	----	----	0.771B/0.659A	0.771B/0.659A	----	0.669 -	0.096 .0989	----	----	----	----	4 UNCH
8800	----	----	0.732B/0.627A	0.732B/0.627A	----	0.636 -	0.091 .0940	----	----	----	----	9 UNCH
9000	----	----	0.662B/0.571A	0.662B/0.571A	----	0.578 -	0.081 .0854	----	----	----	----	973 UNCH
9200	----	----	----/0.524A	0.571B/0.524A	----	0.528 -	0.073 .0778	----	----	----	----	26 UNCH
9350	----	----	----/0.492A	0.528B/0.492A	----	0.495 -	0.068 .0728	----	----	----	----	2 UNCH
9425	----	----	----/0.477A	0.520B/0.477A	----	0.480 -	0.065 .0705	----	----	----	----	3 UNCH
9500	----	----	----/0.463A	0.507B/0.463A	----	0.466 -	0.063 .0684	----	----	----	----	72 UNCH
9675	----	----	----/0.433A	0.487B/0.433A	----	0.435 -	0.058 .0636	----	----	----	----	1 UNCH
9700	----	----	----/0.428A	0.483B/0.428A	----	0.430 -	0.058 .0629	----	----	----	----	87 UNCH
9800	----	----	----/0.413A	0.462B/0.413A	----	0.414 -	0.055 .0604	----	----	----	----	314 UNCH
10000	0.448	0.448	0.448/0.384A	0.448/0.384A	----	0.385 -	0.050 .0560	----	----	1	----	850 UNCH
10300	----	----	----/0.346A	0.383B/0.346A	----	0.347 -	0.044 .0501	----	----	----	----	33 UNCH
10375	----	----	----/0.338A	0.373B/0.338A	----	0.338 -	0.043 .0488	----	----	----	----	3 UNCH
10500	----	----	----/0.325A	0.358B/0.325A	----	0.324 -	0.042 .0467	----	----	----	----	35 UNCH
10825	----	----	----/0.294A	0.322B/0.294A	----	0.293 -	0.037 .0419	----	----	----	----	23 UNCH
10850	0.305	0.305	0.305/0.292A	0.320B/0.292A	----	0.290	NEW .0415	----	----	2	----	2 + 2
10875	----	----	----/0.290A	0.317B/0.290A	----	0.288 -	0.037 .0412	----	----	----	----	20 UNCH
11000	----	----	----/0.280A	0.305B/0.280A	----	0.277 -	0.036 .0395	----	----	----	----	234 UNCH
11125	----	----	----/0.270A	0.294B/0.270A	----	0.267 -	0.034 .0380	----	----	----	----	1 UNCH
11175	0.276	0.276	0.276/0.266A	0.288B/0.266A	----	0.264 -	0.033 .0375	----	----	2	----	3 + 2
11200	----	----	----/0.264A	0.286B/0.264A	----	0.262 -	0.033 .0372	----	----	----	----	1 UNCH
11225	----	----	----/0.262A	0.285B/0.262A	----	0.260 -	0.033 .0369	----	----	----	----	1 UNCH
11500	----	----	----/0.243A	0.262B/0.243A	----	0.241 -	0.030 .0340	----	----	----	----	22 UNCH
11575	----	----	----/0.239A	0.256B/0.239A	----	0.236 -	0.030 .0332	----	----	----	----	2 UNCH
12000	----	----	----/0.214A	0.229B/0.214A	----	0.211 -	0.027 .0295	----	----	----	----	222 UNCH
12500	----	----	----/0.191A	0.202B/0.191A	----	0.187 -	0.024 .0258	----	----	----	----	8 UNCH
12650	----	----	----/0.184A	0.193B/0.184A	----	0.180 -	0.024 .0248	----	----	----	----	5 UNCH
12825	----	----	----/0.177A	0.185B/0.177A	----	0.173 -	0.023 .0238	----	----	----	----	2 UNCH
13000	----	----	----/0.171A	0.177B/0.171A	----	0.166 -	0.022 .0227	----	----	----	----	335 UNCH
14000	0.145	0.145	0.145/0.140A	0.145/0.140A	----	0.135 -	0.018 .0182	----	----	2	----	144 UNCH
15000	----	----	----/0.119A	0.110B/0.119A	----	0.111 -	0.016 .0147	----	----	----	----	128 UNCH
16000	----	----	----/0.101A	0.091B/0.101A	----	0.094 -	0.012 .0123	----	----	----	----	22 UNCH
17000	----	----	----/0.086A	0.076B/0.086A	----	0.080 -	0.010 .0103	----	----	----	----	8 UNCH
18000	----	----	----/0.075A	0.065B/0.075A	----	0.069 -	0.010 .0088	----	----	----	----	1 UNCH
20000	----	----	----/0.059A	0.048B/0.059A	----	0.056 -	0.006 .0069	----	----	----	----	18 UNCH
21000	----	----	----/0.053A	0.042B/0.053A	----	0.053 -	0.002 .0064	----	----	----	----	1 UNCH
25000	----	----	----	0.024B/0.038A	----	0.047 +	0.011 .0053	----	----	----	----	19 UNCH
30000	----	----	----	0.009B/0.080A	----	0.045 +	0.018 .0047	----	----	----	----	10 UNCH
TOTAL										88	0	5565 + 55
APR27												
5300	----	----	----	----/24.117A	----	9.767 -	0.829 .7662	----	----	----	----	1 UNCH
6400	----	----	4.843B/4.072A	4.843B/4.072A	----	4.197 -	0.515 .4548	----	----	----	----	9 UNCH
6600	----	----	4.166B/3.483A	4.166B/3.483A	----	3.598 -	0.461 .4045	----	----	----	----	2 UNCH
6775	----	----	3.656B/3.053A	3.656B/3.053A	----	3.154 -	0.402 .3645	----	----	----	----	9 UNCH
6800	----	----	3.588B/2.998A	3.588B/2.998A	----	3.096 -	0.393 .3591	----	----	----	----	1 UNCH
7000	----	----	3.091B/2.588A	3.091B/2.588A	----	2.674 -	0.330 .3185	----	----	----	----	113 UNCH
7075	----	----	2.923B/2.462A	2.923B/2.462A	----	2.533 -	0.311 .3045	----	----	----	----	10 UNCH
7200	----	----	2.667B/2.245A	2.667B/2.245A	----	2.317 -	0.286 .2825	----	----	----	----	20 UNCH
7275	----	----	2.532B/2.138A	2.532B/2.138A	----	2.198 -	0.274 .2701	----	----	----	----	5 UNCH
7300	----	----	2.489B/2.097A	2.489B/2.097A	----	2.161 -	0.269 .2662	----	----	----	----	1 UNCH
7325	----	----	2.446B/2.091A	2.446B/2.091A	----	2.124 -	0.266 .2622	----	----	----	----	5 UNCH
7350	----	----	2.401B/2.029A	2.401B/2.029A	----	2.088 -	0.262 .2584	----	----	----	----	1 UNCH
7375	----	----	2.361B/2.031A	2.361B/2.031A	----	2.053 -	0.258 .2546	----	----	----	----	5 UNCH
7475	----	----	2.208B/1.893A	2.208B/1.893A	----	1.923 -	0.241 .2403	----	----	----	----	10 UNCH
7500	----	----	2.173B/1.846A	2.173B/1.846A	----	1.892 -	0.238 .2369	----	----	----	----	9 UNCH
7800	----	----	1.789B/1.526A	1.789B/1.526A	----	1.565 -	0.211 .1998	----	----	----	----	100 UNCH
7900	----	----	1.688B/1.434A	1.688B/1.434A	----	1.470 -	0.209 .1889	----	----	----	----	24 UNCH
8000	----	----	----/1.355A	1.581B/1.355A	----	1.382 -	0.208 .1786	----	----	----	----	13 UNCH
8350	----	----	----/1.129A	1.300B/1.129A	----	1.127 -	0.197 .1479	----	----	----	----	1 UNCH
8400	----	----	----/1.092A	1.272B/1.092A	----	1.097 -	0.194 .1442	----	----	----	----	4 UNCH
8425	----	----	----/1.095A	1.248B/1.095A	----	1.082 -	0.193 .1424	----	----	----	----	1 UNCH
8500	----	----	----/1.045A	1.206B/1.045A	----	1.039 -	0.189 .1370	----	----	----	----	1 UNCH
8525	----	----	----/1.040A	1.192B/1.040A	----	1.026 -	0.187 .1354	----	----	----	----	9 UNCH
8550	----	----	----/1.021A	1.171B/1.021A	----	1.012 -	0.186 .1336	----	----	----	----	5 UNCH
8975	----	----	----/0.838A	0.916B/0.838A	----	0.822 -	0.158 .1093	----	----	----	----	5 UNCH
10000	----	----	----/0.582A	0.610B/0.582A	----	0.549 -	0.090 .0726	----	----	----	----	7 UNCH
10500	----	----	----/0.494A	0.497B/0.494A	----	0.468 -	0.067 .0614	----	----	----	----	18 UNCH
10775	----	----	----/0.456A	0.455B/0.456A	----	0.431 -	0.059 .0563	----	----	----	----	1 UNCH
11000	----	----	----/0.428A	0.425B/0.428A	----	0.404 -	0.054 .0525	----	----	----	----	1 UNCH
11225	----	----	----/0.403A	0.397B/0.403A	----	0.379 -	0.050 .0491	----	----	----	----	25 UNCH
12000	----	----	----/0.335A	0.322B/0.335A	----	0.310 -	0.043 .0397	----	----	----	----	3 UNCH
13000	----	----	----/0.274A	0.256B/0.274A	----	0.250 -	0.034 .0314	----	----	----	----	14 UNCH
TOTAL											0	433 0
MAY27												
6250	5.994	5.994	6.007B/5.157A	6.007B/5.157A	----	5.277	NEW .5044	----	----	1	----	1 + 1
6325	----	----	5.733B/4.895A	5.733B/4.895A	----	5.009 -	0.565 .4858	----	----	----	----	6 UNCH
6600	----	----	4.760B/4.062A	4.760B/4.062A	----	4.151 -	0.496 .4218	----	----	----	----	20 UNCH
6700	----	----	4.460B/3.794A	4.460B/3.794A	----	3.884 -	0.469 .4004	----	----	----	----	4 UNCH
6900	----	----	3.901B/3.329A	3.901B/3.329A	----	3.412 -	0.412 .3608	----	----	----	----	15 UNCH
7000	----	----	3.667B/3.125A	3.667B/3.125A	----	3.203 -	0.384 .3424	----	----	----	----	24 UNCH
7300	----	----	3.017B/2.595A	3.017B/2.595A	----	2.669 -	0.308 .2934	----	----	----	----	3 UNCH
7500	----	----	2.683B/2.304A	2.683B/2.304A	----	2.374 -	0.269 .2651	----	----	----	----	5 UNCH
7600	----	----	2.521B/2.175A	2.521B/2.175A	----	2.243 -	0.251 .2522	----	----	----	----	20 UNCH
8000	----	----	2.011B/1.748A	2.011B/1.748A	----	1.802 -	0.203 .2073	----	----	----	----	32 UNCH
8500	----	----	----/1.372A	1.553B/1.372A	----	1.401 -	0.167 .1645	----	----	----	----	12 UNCH
8825	----	----	----/1.192A	1.338B/1.192A	----	1.204 -	0.150 .1427	----	----	----	----	4 UNCH
8875	----	----	----/1.169A	1.305B/1.169A	----	1.178 -	0.147 .1397	----	----	----	----	1 UNCH
9000	----	----	----/1.107A	1.232B/1.107A	----	1.115 -	0.142 .1326	----	----	----	----	47 UNCH
9150	----	----	----/1.042A	1.106B/1.042A	----	1.046 -	0.135 .1247	----	----	----	----	1 UNCH
9525	----	----	----/0.903A	0.948B/0.903A	----	0.899 -	0.120 .1077	----	----	----	----	2 UNCH
9550	----	----	----/0.894A	0.939B/0.894A	----	0.890 -	0.119 .1066	----	----	----	----	1 UNCH
9650	----	----	----/0.863A	0.903B/0.863A	----	0.856 -	0.116 .1027	----	----	----	----	1 UNCH
9925	----	----	----/0.784A	0.815B/0.784A	----	0.774 -	0.106 .0930	----	----	----	----	5 UNCH
10000	0.870	0.870	0.870/0.761A	0.870/0.761A	----	0.753 -	0.105 .0905	----	----	10	----	13 + 10
10075	----	----	----/0.746A	0.773B/0.746A	----	0.734 -	0.102 .0882	----	----	----	----	2 UNCH
10225	----	----	----/0.711A	0.733B/0.711A	----	0.697 -	0.097 .0838	----	----	----	----	1 UNCH
10500	----	----	----/0.670A	0.686B/0.670A	----	0.636 -	0.091 .0765	----	----	----	----	2 UNCH
11000	----	----	----/0.583A	0.573B/0.583A	----	0.545 -	0.079 .0654	----	----	----	----	27 UNCH
11200	----	----	----/0.553A	0.542B/0.553A	----	0.515 -	0.075 .0617	----	----	----	----	5 UNCH
12000	0.449	0.449	0.449/0.449	0.449/0.449	----	0.417 -	0.062 .0497	----	----	5	----	9 + 5
12200	----	----	----/0.436A	0.417B/0.436A	----	0.397 -	0.060 .0472	----	----	----	----	1 UNCH
15000	0.268	0.268	0.280B/0.268	0.280B/0.268	----	0.242 -	0.035 .0276	----	----	1	----	112 UNCH
20000	----	----	----	0.125B/0.157A	----	0.130 -	0.019 .0141	----	----	----	----	169 UNCH
25000	----	----	----	0.080B/0.105A	----	0.086 -	0.012 .0089	----	----	----	----	15 UNCH
TOTAL										17	0	560 + 16
JUN27												
5450	----	----	----/10.096A	9.332B/10.096A	----	9.953 -	0.786 .7178	----	----	----	----	1 UNCH
5700	----	----	9.272B/8.283A	9.272B/8.283A	----	8.515 -	0.729 .6579	----	----	----	----	1 UNCH
5825	----	----	8.580B/7.675A	8.580B/7.675A	----	7.868 -	0.700 .6271	----	----	----	----	1 UNCH
6225	----	----	----/5.965A	6.688B/5.965A	----	6.104 -	0.607 .5298	----	----	----	----	22 UNCH
6500	----	----	----/5.034A	5.643B/5.034A	----	5.136 -	0.546 .4676	----	----	----	----	2 UNCH
6700	5.063	5.063	5.063/4.463A	5.063/4.463A	----	4.542	NEW .4260	----	----	2	----	2 + 2
7050	----	----	----/3.620A	4.050B/3.620A	----	3.690 -	0.416 .3612	----	----	----	----	1 UNCH
7575	----	----	----/2.711A	3.008B/2.711A	----	2.753 -	0.314 .2826	----	----	----	----	1 UNCH
8000	----	----	----/2.183A	2.399B/2.183A	----	2.210 -	0.257 .2332	----	----	----	----	136 UNCH
8075	----	----	----/2.105A	2.311B/2.105A	----	2.129 -	0.249 .2256	----	----	----	----	1 UNCH
8500	----	----	----/1.737A	1.882B/1.737A	----	1.742 -	0.210 .1881	----	----	----	----	200 UNCH
8700	----	----	----/1.596A	1.724B/1.596A	----	1.594 -	0.196 .1733	----	----	----	----	2 UNCH
8800	----	----	----/1.530A	1.648B/1.530A	----	1.527 -	0.189 .1665	----	----	----	----	1 UNCH
9350	----	----	----/1.235A	1.311B/1.235A	----	1.226 -	0.155 .1352	----	----	----	----	2 UNCH
9500	----	----	----/1.170A	1.238B/1.170A	----	1.159	NEW .1281	----	----	1	----	1 + 1
10000	----	----	----/1.012A	1.034B/1.012A	----	0.976 -	0.124 .1082	----	----	----	----	10 UNCH
10500	----	----	----/0.868A	0.880B/0.868A	----	0.836	NEW .0928	----	----	1	----	1 + 1
11000	----	----	----/0.755A	0.760B/0.755A	----	0.726 -	0.086 .0804	----	----	----	----	155 UNCH
12000	----	----	----/0.592A	0.585B/0.592A	----	0.565 -	0.063 .0623	----	----	----	----	5 UNCH
12500	----	----	----/0.534A	0.521B/0.534A	----	0.505 -	0.057 .0554	----	----	----	----	10 UNCH
13000	----	----	----/0.484A	0.469B/0.484A	----	0.454 -	0.052 .0497	----	----	----	----	6 UNCH
13075	----	----	----/0.478A	0.462B/0.478A	----	0.446 -	0.050 .0488	----	----	----	----	1 UNCH
TOTAL										4	0	562 + 4

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL27												
2000	----	----	----	----	----	41.299 - 1.004	.9947	----	----	----	----	1 UNCH
5700	----	----	----/8.715A	9.660B/8.715A	----	8.917 - 0.744	.6546	----	----	----	----	1 UNCH
6250	----	----	7.229B/6.341A	7.229B/6.341A	----	6.456 NEW	.5294	----	----	3	----	3 + 3
6300	----	----	----/6.173A	6.838B/6.173A	----	6.272 NEW	.5186	----	----	1	----	1 + 1
6500	----	----	----/5.501A	6.090B/5.501A	----	5.593 NEW	.4769	----	----	1	----	1 + 1
6800	----	----	5.328B/4.659A	5.328B/4.659A	----	4.732 - 0.481	.4196	----	----	----	----	5 UNCH
6900	----	----	5.050B/4.399A	5.050B/4.399A	----	4.482 - 0.452	.4019	----	----	----	----	1 UNCH
7000	----	----	4.784B/4.179A	4.784B/4.179A	----	4.249 - 0.424	.3850	----	----	----	----	25 UNCH
7150	----	----	4.393B/3.856A	4.393B/3.856A	----	3.927 - 0.383	.3611	----	----	----	----	17 UNCH
7400	----	----	3.872B/3.389A	3.872B/3.389A	----	3.458 - 0.320	.3247	----	----	----	----	20 UNCH
7700	----	----	3.314B/2.933A	3.314B/2.933A	----	2.986 NEW	.2865	----	----	3	----	3 + 3
7800	----	----	3.140B/2.787A	3.140B/2.787A	----	2.847 - 0.244	.2749	----	----	----	----	21 UNCH
7900	----	----	3.003B/2.670A	3.003B/2.670A	----	2.716 - 0.230	.2638	----	----	----	----	1 UNCH
7950	----	----	2.931B/2.599A	2.931B/2.599A	----	2.653 - 0.224	.2585	----	----	----	----	1 UNCH
8900	----	----	----/1.746A	1.935B/1.746A	----	1.722 - 0.218	.1765	----	----	----	----	5 UNCH
9200	----	----	----/1.577A	1.724B/1.577A	----	1.543 NEW	.1590	----	----	3	----	3 + 3
10000	----	----	----/1.215A	1.254B/1.215A	----	1.228 - 0.091	.1260	----	----	----	----	6 UNCH
10100	----	----	----/1.180A	1.215B/1.180A	----	1.196 - 0.082	.1226	----	----	----	----	2 UNCH
10300	----	----	----/1.128A	1.143B/1.128A	----	1.134 - 0.066	.1161	----	----	----	----	1 UNCH
10500	----	----	----/1.069A	1.076B/1.069A	----	1.076 - 0.051	.1101	----	----	----	----	1 UNCH
10700	----	----	----/1.010A	1.015B/1.010A	----	1.022 - 0.040	.1045	----	----	----	----	1 UNCH
11000	----	----	----/0.936A	0.933B/0.936A	----	0.948 - 0.027	.0969	----	----	----	----	2 UNCH
11100	----	----	----/0.913A	0.903B/0.913A	----	0.925 - 0.024	.0945	----	----	----	----	2 UNCH
12000	----	----	----/0.742A	0.723B/0.742A	----	0.750 - 0.004	.0764	----	----	----	----	3 UNCH
12100	----	----	----/0.729A	0.706B/0.729A	----	0.733 - 0.004	.0746	----	----	----	----	21 UNCH
13000	----	----	----	0.582B/0.616A	----	0.610 + 0.004	.0618	----	----	----	----	2 UNCH
13100	----	----	----	0.571B/0.605A	----	0.599 + 0.005	.0607	----	----	----	----	21 UNCH
TOTAL										11	0	171 + 11
AUG27												
6100	----	----	----/7.681A	8.428B/7.681A	----	7.797 NEW	.5773	----	----	1	----	1 + 1
6300	----	----	----/6.899A	7.588B/6.899A	----	7.008 NEW	.5359	----	----	1	----	1 + 1
6600	----	----	----/5.910A	6.474B/5.910A	----	5.989 - 0.573	.4778	----	----	----	----	1 UNCH
7500	----	----	----/3.815A	4.136B/3.815A	----	3.847 - 0.403	.3362	----	----	----	----	39 UNCH
7800	----	----	----/3.329A	3.588B/3.329A	----	3.359 - 0.351	.2997	----	----	----	----	1 UNCH
8000	----	----	----/3.052A	3.278B/3.052A	----	3.080 - 0.319	.2781	----	----	----	----	1 UNCH
8500	----	----	----/2.490A	2.655B/2.490A	----	2.512 - 0.252	.2321	----	----	----	----	9 UNCH
TOTAL										2	0	53 + 2
SEP27												
6000	----	----	----/8.762A	9.309B/8.762A	----	8.683 - 0.669	.5999	----	----	----	----	21 UNCH
8500	----	----	----/2.993A	2.982B/2.993A	----	2.873 - 0.270	.2493	----	----	----	----	25 UNCH
TOTAL											0	46 0
DEC27												
4000	----	----	----	----	----	23.726 - 1.237	.8949	----	----	----	----	1 UNCH
7175	----	----	----	----	----	7.113 - 1.245	.4526	----	----	----	----	80 UNCH
20000	----	----	----	----	----	0.890 - 0.352	.0640	----	----	----	----	25 UNCH
TOTAL											0	106 0
MAR28												
6900	----	----	----	----	----	9.211 - 1.394	.5147	----	----	----	----	1 UNCH
TOTAL											0	1 0
JUL28												
7600	----	----	----	----	----	9.743 NEW	.4839	----	----	1	----	1 + 1
8050	----	----	----	----	----	8.693 NEW	.4439	----	----	1	----	1 + 1
TOTAL										2	0	2 + 2
SO PUT		COMEX SILVER OPTIONS										
NOV26												
2900	----	----	----	----/0.009A	----	0.001 UNCH	.0000	----	----	----	----	1 UNCH
3000	----	----	----	----/0.005A	----	0.001 UNCH	.0000	----	----	----	----	340 UNCH
3500	----	----	----	----/0.006A	----	0.002 - 0.001	.0004	----	----	----	----	1 UNCH
3975	----	----	----	----/0.011A	----	0.005 UNCH	.0014	----	----	----	----	2 UNCH
4000	----	----	----	----/0.007A	----	0.005 UNCH	.0014	----	----	----	----	6 UNCH
4075	----	----	----	----/0.012A	----	0.006 UNCH	.0017	----	----	----	----	7 UNCH
4100	----	----	----	----/0.012A	----	0.006 UNCH	.0017	----	----	----	----	1 UNCH
4150	----	----	----	----/0.012A	----	0.007 UNCH	.0021	----	----	----	----	1 UNCH
4175	----	----	----	----/0.013A	----	0.007 UNCH	.0021	----	----	----	----	10 UNCH
4200	----	----	----	----/0.013A	----	0.007 UNCH	.0021	----	----	----	----	1 UNCH
4400	----	----	----	0.005B/0.015A	----	0.010 + 0.001	.0033	----	----	----	----	10 UNCH
4500	----	----	0.012B/----	0.012B/0.015A	----	0.012 + 0.001	.0042	----	----	----	----	145 UNCH
4550	----	----	0.014B/----	0.014B/0.016A	----	0.013 + 0.001	.0047	----	----	----	----	2 UNCH
4600	----	----	0.016B/----	0.016B/0.017A	----	0.014 + 0.001	.0052	----	----	----	----	6 UNCH
4625	----	----	0.017B/----	0.017B/0.018A	----	0.015 + 0.001	.0056	----	----	----	----	1 UNCH
4650	----	----	0.018B/----	0.018B/0.018A	----	0.016 + 0.002	.0060	----	----	----	----	2 UNCH
4700	----	----	0.019B/----	0.019B/0.020A	----	0.018 + 0.002	.0069	----	----	4	----	23 UNCH
4750	----	----	0.022B/----	0.022B/0.021A	----	0.020 + 0.002	.0078	----	----	----	----	1 UNCH
4800	----	----	0.025B/----	0.025B/0.024A	----	0.022 + 0.002	.0088	----	----	----	----	26 UNCH
4825	----	----	0.026B/----	0.026B/0.026A	----	0.023 + 0.002	.0094	----	----	----	----	4 UNCH
4850	----	----	0.028B/----	0.028B/0.027A	----	0.025 + 0.003	.0103	----	----	----	----	10 UNCH
4875	----	----	0.030B/----	0.030B/0.028A	----	0.026 + 0.003	.0108	----	----	----	----	2 UNCH
4900	0.032	0.032	0.041/0.032	0.041/0.029A	----	0.028 + 0.003	.0118	----	----	20	----	73 + 5
4950	0.035	0.035	0.038B/0.035	0.038B/0.030A	----	0.032 + 0.004	.0137	----	----	1	----	14 UNCH
4975	----	----	0.040B/----	0.040B/0.034A	----	0.034 + 0.004	.0147	----	----	----	----	5 UNCH
5000	0.038	0.038	0.045/0.038	0.045/0.036A	----	0.036 + 0.004	.0158	----	----	117	----	1042 + 27
5025	----	----	0.047B/----	0.047B/0.038A	----	0.039 + 0.005	.0172	----	----	----	----	4 UNCH
5050	----	----	0.050B/----	0.050B/0.040A	----	0.041 + 0.005	.0184	----	----	----	----	1 UNCH
5075	----	----	0.054B/----	0.054B/0.040A	----	0.045 + 0.006	.0203	----	----	----	----	1 UNCH
5100	----	----	0.059B/----	0.059B/0.043A	----	0.048 + 0.006	.0218	----	----	----	46	151 - 46
5150	----	----	0.068B/----	0.068B/0.049A	----	0.056 + 0.007	.0259	----	----	----	----	59 UNCH
5175	----	----	0.074B/0.052A	0.074B/0.052A	----	0.061 + 0.008	.0284	----	----	----	----	31 UNCH
5200	----	----	0.080B/----	0.080B/0.057A	----	0.066 + 0.009	.0310	----	----	11	----	59 + 1
5225	0.069	0.069	0.087/0.060A	0.087/0.060A	----	0.071 + 0.009	.0337	----	----	9	----	20 + 9
5250	----	----	0.095B/0.065A	0.095B/0.065A	----	0.078 + 0.011	.0371	----	----	----	----	23 UNCH
5275	0.105	0.105	0.105/0.071A	0.105/0.071A	----	0.085 + 0.012	.0407	----	----	2	----	20 + 1
5300	0.077	0.077	0.114B/0.076	0.114B/0.076	----	0.092 + 0.013	.0444	----	----	460	----	352 - 248
5325	----	----	0.124B/0.083A	0.124B/0.083A	----	0.101 + 0.014	.0490	----	----	----	----	11 UNCH
5350	0.103	0.103	0.138B/0.089A	0.138B/0.089A	----	0.111 + 0.016	.0540	----	----	7	----	24 + 5
5375	----	----	0.150B/0.097A	0.150B/0.097A	----	0.122 + 0.018	.0595	----	----	----	----	54 UNCH
5400	----	----	0.166B/0.106A	0.166B/0.106A	----	0.135 + 0.021	.0659	----	----	460	----	459 - 190
5425	----	----	0.184B/0.115A	0.184B/0.115A	----	0.150 + 0.025	.0732	----	----	----	----	46 UNCH
5450	0.168	0.168	0.204B/0.126A	0.204B/0.126A	----	0.166 + 0.028	.0809	----	----	12	----	38 + 9
5475	----	----	0.225B/0.139A	0.225B/0.139A	----	0.185 + 0.033	.0899	----	----	1	----	65 + 1
5500	0.165	0.165	0.251B/0.150	0.251B/0.150	----	0.206 + 0.038	.0997	----	----	69	----	1172 + 42
5525	----	----	0.280B/0.168A	0.280B/0.168A	----	0.231 + 0.045	.1109	----	----	----	----	16 UNCH
5550	0.255	0.255	0.314B/0.184A	0.314B/0.184A	----	0.258 + 0.053	.1230	----	----	6	----	46 - 4
5575	----	----	0.352B/0.205A	0.352B/0.205A	----	0.289 + 0.062	.1365	----	----	2	----	72 - 2
5600	0.305	0.305	0.393B/0.226A	0.393B/0.226A	----	0.323 + 0.071	.1511	----	----	7	----	149 - 2
5625	----	----	0.438B/0.250A	0.438B/0.250A	----	0.362 + 0.083	.1672	----	----	----	----	31 UNCH
5650	0.375	0.375	0.489B/0.276A	0.489B/0.276A	----	0.406 + 0.096	.1848	----	----	30	----	54 + 14
5675	0.445	0.445	0.546B/0.306A	0.546B/0.306A	----	0.455 + 0.111	.2038	----	----	7	----	81 - 1
5700	0.360	0.360	0.610/0.340A	0.610/0.340A	----	0.509 + 0.128	.2241	----	----	38	100	306 - 21
5725	0.438	0.438	0.677B/0.377A	0.677B/0.377A	----	0.568 + 0.145	.2456	----	----	9	----	83 + 8
5750	0.568	0.568	0.752B/0.416A	0.752B/0.416A	----	0.634 + 0.165	.2686	----	----	31	----	409 + 14
5775	0.676	0.676	0.835B/0.461A	0.835B/0.461A	----	0.706 + 0.185	.2927	----	----	12	----	125 - 1
5800	0.697	0.697	0.925B/0.511A	0.925B/0.511A	----	0.785 + 0.208	.3181	----	----	34	----	290 + 4
5825	0.874	0.874	1.023B/0.561A	1.023B/0.561A	----	0.871 + 0.232	.3444	----	----	5	----	80 + 2
5850	0.848	0.848	1.128B/0.622A	1.128B/0.622A	----	0.964 + 0.257	.3716	----	----	17	----	59 + 8
5875	0.766	0.766	1.240B/0.688A	1.240B/0.688A	----	1.064 + 0.283	.3994	----	----	14	----	151 - 1
5900	0.870	0.870	1.361B/0.758A	1.361B/0.758A	----	1.172 + 0.311	.4278	----	----	43	----	201 + 21
5925	1.017	1.017	1.486B/0.837A	1.486B/0.837A	----	1.287 + 0.338	.4566	----	----	37	----	79 + 15
5950	1.010	1.010	1.623/0.920A	1.623/0.920A	----	1.410 + 0.366	.4855	----	----	38	----	104 + 21
5975	1.146	1.146	1.760B/1.008A	1.760B/1.008A	----	1.542 + 0.396	.5144	----	----	20	----	72 UNCH
6000	1.400	1.400	1.913B/1.104A	1.913B/1.104A	----	1.680 + 0.425	.5430	----	----	57	----	461 - 4
6025	1.486	1.486	2.068B/1.208A	2.068B/1.208A	----	1.827 + 0.455	.5711	----	----	24	----	36 + 4
6050	1.500	1.500	2.233B/1.318A	2.233B/1.318A	----	1.981 + 0.484	.5986	----	----	20	----	36 - 2
6075	1.692	1.692	2.408B/1.439A	2.408B/1.439A	----	2.142 + 0.512	.6253	----	----	26	----	58 + 4
6100	1.703	1.703	2.584B/1.557A	2.584B/1.557A	----	2.311 + 0.541	.6512	----	----	19	----	221 + 3
6125	1.957	1.957	2.767B/1.692A	2.767B/1.692A	----	2.486 + 0.569	.6758	----	----	11	----	34 + 9
6150	2.636	2.636	2.955B/1.833A	2.955B/1.833A	----	2.667 + 0.595	.6992	----	----	10	----	109 - 9
6175	----	----	3.151B/1.978A	3.151B/1.978A	----	2.855 + 0.621	.7217	----	----	1	----	25 UNCH
6200	2.800	2.800	3.353B/2.153A	3.353B/2.153A	----	3.048 + 0.646	.7426	----	----	19	----	266 - 1
6225	----	----	3.560B/2.315A	3.560B/2.315A	----	3.246 + 0.669	.7622	----	----	----	----	27 UNCH
6250	----	----	3.768B/2.482A	3.768B/2.482A	----	3.450 + 0.693	.7807	----	----	----	----	103 UNCH
6275	----	----	3.982B/2.658A	3.982B/2.658A	----	3.658 + 0.715	.7975	----	----	----	----	42 UNCH
6300	----	----	4.199B/2.840A	4.199B/2.840A	----	3.870 + 0.736	.8134	----	----	----	----	141 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 52

FINAL

PG64 BULLETIN #197@ METALS OPTION PRODUCTS Tue, Oct 13, 2026 PG64

SO PUT COMEX SILVER OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
NOV26												
6325	----	----	4.420B/3.023A	4.420B/3.023A	----	4.086 + 0.756	.8279	----	----	----	----	9 UNCH
6350	----	----	4.644B/3.218A	4.644B/3.218A	----	4.305 + 0.774	.8411	----	----	----	----	87 UNCH
6375	----	----	4.868B/3.415A	4.868B/3.415A	----	4.527 + 0.791	.8536	----	----	----	----	45 UNCH
6400	----	----	5.098B/3.617A	5.098B/3.617A	----	4.752 + 0.808	.8646	----	----	----	----	149 UNCH
6425	----	----	5.328B/3.822A	5.328B/3.822A	----	4.980 + 0.823	.8748	----	----	----	----	8 UNCH
6450	----	----	5.560B/4.034A	5.560B/4.034A	----	5.210 + 0.837	.8842	----	----	----	----	17 UNCH
6475	----	----	5.795B/4.247A	5.795B/4.247A	----	5.441 + 0.850	.8927	----	----	----	----	62 UNCH
6500	4.872	4.872	6.030B/4.463A	6.030B/4.463A	----	5.675 + 0.862	.9008	----	----	18	----	326 - 7
6525	----	----	6.270B/4.675A	6.270B/4.675A	----	5.910 + 0.872	.9077	----	----	----	----	31 UNCH
6550	----	----	6.508B/4.896A	6.508B/4.896A	----	6.146 + 0.882	.9144	----	----	----	----	31 UNCH
6575	----	----	6.747B/5.122A	6.747B/5.122A	----	6.384 + 0.891	.9204	----	----	----	----	18 UNCH
6600	----	----	6.986B/5.356A	6.986B/5.356A	----	6.623 + 0.899	.9258	----	----	----	----	172 UNCH
6625	----	----	7.228B/5.578A	7.228B/5.578A	----	6.863 + 0.906	.9308	----	----	----	----	28 UNCH
6650	----	----	7.467B/5.809A	7.467B/5.809A	----	7.103 + 0.912	.9353	----	----	----	----	38 UNCH
6675	----	----	7.712B/6.043A	7.712B/6.043A	----	7.345 + 0.919	.9394	----	----	----	----	66 UNCH
6700	----	----	7.954B/6.277A	7.954B/6.277A	----	7.587 + 0.924	.9434	----	----	1	----	135 UNCH
6725	----	----	8.195B/6.511A	8.195B/6.511A	----	7.829 + 0.927	.9469	----	----	----	----	83 UNCH
6750	----	----	8.440B/6.747A	8.440B/6.747A	----	8.073 + 0.932	.9504	----	----	----	----	106 UNCH
6775	----	----	8.685B/6.987A	8.685B/6.987A	----	8.316 + 0.935	.9534	----	----	----	----	21 UNCH
6800	----	----	8.930B/7.226A	8.930B/7.226A	----	8.561 + 0.940	.9560	----	----	----	----	150 UNCH
6825	----	----	9.158B/7.466A	9.158B/7.466A	----	8.805 + 0.942	.9586	----	----	----	----	2 UNCH
6850	----	----	9.393B/7.706A	9.393B/7.706A	----	9.050 + 0.945	.9610	----	----	----	----	7 UNCH
6875	----	----	9.639B/7.948A	9.639B/7.948A	----	9.296 + 0.948	.9635	----	----	----	----	1 UNCH
6900	----	----	9.886B/8.188A	9.886B/8.188A	----	9.541 + 0.950	.9655	----	----	----	----	26 UNCH
6925	----	----	10.131B/8.432A	10.131B/8.432A	----	9.787 + 0.952	.9675	----	----	----	----	1 UNCH
6950	----	----	10.374B/8.676A	10.374B/8.676A	----	10.034 + 0.955	.9690	----	----	----	----	10 UNCH
6975	----	----	10.624B/8.919A	10.624B/8.919A	----	10.280 + 0.956	.9709	----	----	----	----	5 UNCH
7000	----	----	10.871B/9.164A	10.871B/9.164A	----	10.527 + 0.959	.9724	----	----	----	----	79 UNCH
7025	----	----	11.115B/9.408A	11.115B/9.408A	----	10.774 + 0.960	.9739	----	----	----	----	8 UNCH
7050	----	----	11.366B/9.653A	11.366B/9.653A	----	11.021 + 0.962	.9754	----	----	----	----	84 UNCH
7075	----	----	11.613B/9.899A	11.613B/9.899A	----	11.268 + 0.963	.9764	----	----	----	----	1 UNCH
7100	----	----	11.861B/10.145A	11.861B/10.145A	----	11.515 + 0.964	.9778	----	----	----	----	4 UNCH
7125	----	----	12.109B/10.447A	12.109B/10.447A	----	11.763 + 0.966	.9788	----	----	----	----	1 UNCH
7150	----	----	12.357B/10.727A	12.357B/10.727A	----	12.011 + 0.967	.9798	----	----	----	----	2 UNCH
7175	----	----	12.605B/10.968A	12.605B/10.968A	----	12.259 + 0.969	.9808	----	----	----	----	1 UNCH
7200	----	----	12.853B/11.214A	12.853B/11.214A	----	12.507 + 0.970	.9817	----	----	----	----	2 UNCH
7225	----	----	13.101B/11.461A	13.101B/11.461A	----	12.755 + 0.971	.9827	----	----	----	----	2 UNCH
7275	----	----	13.598B/11.956A	13.598B/11.956A	----	13.251 + 0.972	.9841	----	----	----	----	1 UNCH
7300	----	----	13.847B/12.207A	13.847B/12.207A	----	13.500 + 0.974	.9850	----	----	----	----	4 UNCH
7400	----	----	14.842B/13.200A	14.842B/13.200A	----	14.494 + 0.976	.9874	----	----	----	----	25 UNCH
7500	----	----	15.838B/14.187A	15.838B/14.187A	----	15.490 + 0.979	.9896	----	----	----	----	22 UNCH
7525	----	----	16.087B/14.435A	16.087B/14.435A	----	15.739 + 0.979	.9897	----	----	----	----	1 UNCH
7650	----	----	17.332B/15.683A	17.332B/15.683A	----	16.985 + 0.982	.9919	----	----	----	----	1 UNCH
7700	----	----	17.831B/16.175A	17.831B/16.175A	----	17.483 + 0.982	.9924	----	----	----	----	52 UNCH
7725	----	----	18.080B/16.431A	18.080B/16.431A	----	17.733 + 0.983	.9924	----	----	----	----	1 UNCH
7750	----	----	18.330B/16.678A	18.330B/16.678A	----	17.982 + 0.983	.9928	----	----	----	----	1 UNCH
7775	----	----	18.579B/16.927A	18.579B/16.927A	----	18.232 + 0.983	.9932	----	----	----	----	1 UNCH
7800	----	----	18.829B/17.176A	18.829B/17.176A	----	18.481 + 0.983	.9933	----	----	----	----	1 UNCH
7825	----	----	19.078B/17.425A	19.078B/17.425A	----	18.731 + 0.984	.9937	----	----	----	----	2 UNCH
7900	----	----	19.827B/18.180A	19.827B/18.180A	----	19.479 + 0.984	.9942	----	----	----	----	3 UNCH
7975	----	----	20.575B/18.922A	20.575B/18.922A	----	20.228 + 0.985	.9946	----	----	----	----	1 UNCH
8500	----	----	25.825B/24.154A	25.825B/24.154A	----	25.475 + 0.988	.9977	----	----	----	----	66 UNCH
9000	----	----	30.824B/29.159A	30.824B/29.159A	----	30.475 + 0.988	.9991	----	----	----	----	0 - 5
TOTAL										1729	146	10293 - 317
DEC26												
1500	----	----	----	----/0.006A	----	0.001 UNCH	----	----	----	----	----	180 UNCH
2000	----	----	----	----/0.010A	----	0.001 UNCH	----	----	----	----	----	10 UNCH
2500	----	----	----	----/0.011A	----	0.001 - 0.001	.0001	----	----	----	----	32 UNCH
3000	----	----	----	----/0.014A	----	0.004 - 0.001	.0008	----	----	----	----	95 UNCH
3100	----	----	----	----/0.016A	----	0.005 - 0.002	.0011	----	----	----	----	1 UNCH
3150	----	----	----	----/0.017A	----	0.006 - 0.001	.0013	----	----	----	----	1 UNCH
3200	----	----	----	----/0.018A	----	0.006 - 0.002	.0013	----	----	----	----	1 UNCH
3500	----	----	----	0.010B/0.023A	----	0.012 - 0.003	.0028	----	----	----	----	38 UNCH
3600	----	----	----	0.013B/0.023A	----	0.014 - 0.004	.0033	----	----	----	----	1 UNCH
3700	----	----	----	0.016B/0.026A	----	0.017 - 0.004	.0041	----	----	----	----	2 UNCH
3800	----	----	----	0.025B/0.030A	----	0.021 - 0.004	.0052	----	----	----	----	2 UNCH
3850	----	----	----	0.027B/0.032A	----	0.023 - 0.004	.0057	----	----	----	----	1 UNCH
3900	0.027	0.027	0.029B/0.027	0.029B/0.027	----	0.026 - 0.003	.0065	----	----	3	----	3 + 3
3925	----	----	0.032B/----	0.032B/0.035A	----	0.027 - 0.004	.0068	----	----	----	----	1 UNCH
4000	----	----	----	0.035B/0.038A	----	0.031 - 0.004	.0079	----	----	----	----	125 UNCH
4075	0.045	0.045	0.045/0.043A	0.045/0.043A	----	0.036 NEW	.0093	----	----	2	----	2 + 2
4100	----	----	0.045B/----	0.045B/0.042A	----	0.038 - 0.003	.0098	----	----	----	----	3 UNCH
4150	0.044	0.044	0.045B/0.044	0.045B/0.044	----	0.042 NEW	.0110	----	----	1	----	1 + 1
4200	----	----	0.051B/----	0.051B/0.052A	----	0.046 - 0.002	.0121	----	----	----	----	201 UNCH
4250	----	----	0.055B/----	0.055B/0.056A	----	0.051 - 0.001	.0135	----	----	----	----	1 UNCH
4300	----	----	0.060B/----	0.060B/0.061A	----	0.056 - 0.001	.0149	----	----	----	----	20 UNCH
4400	----	----	0.075B/----	0.075B/0.071A	----	0.069 + 0.001	.0186	----	----	----	----	2 UNCH
4500	0.084	0.084	0.093/0.084	0.093/0.082A	----	0.084 + 0.003	.0229	----	----	6	----	456 UNCH
4575	----	----	0.107B/0.093A	0.107B/0.093A	----	0.098 + 0.004	.0270	----	----	----	----	3 UNCH
4600	----	----	0.112B/0.097A	0.112B/0.097A	----	0.103 + 0.004	.0284	----	----	----	----	19 UNCH
4650	----	----	0.125B/0.107A	0.125B/0.107A	----	0.114 + 0.005	.0317	----	----	----	----	4 UNCH
4675	----	----	0.132B/0.112A	0.132B/0.112A	----	0.121 + 0.007	.0336	----	----	----	----	5 UNCH
4700	----	----	0.139B/0.118A	0.139B/0.118A	----	0.127 + 0.007	.0354	----	----	----	----	53 UNCH
4725	----	----	0.147B/0.124A	0.147B/0.124A	----	0.134 + 0.007	.0374	----	----	----	----	1 UNCH
4750	----	----	0.155B/0.130A	0.155B/0.130A	----	0.142 + 0.008	.0396	----	----	----	----	8 UNCH
4800	0.139	0.139	0.174B/0.139	0.174B/0.139	----	0.158 + 0.009	.0442	----	----	2	----	464 + 1
4825	----	----	0.184B/0.151A	0.184B/0.151A	----	0.168 + 0.011	.0470	----	----	----	----	1 UNCH
4850	----	----	0.195B/0.160A	0.195B/0.160A	----	0.177 + 0.011	.0496	----	----	----	----	25 UNCH
4875	0.180	0.180	0.206B/0.168A	0.206B/0.168A	----	0.188 + 0.013	.0526	----	----	2	----	11 + 2
4900	----	----	0.219B/0.178A	0.219B/0.178A	----	0.199 + 0.014	.0557	----	----	----	----	151 UNCH
4925	----	----	0.232B/0.188A	0.232B/0.188A	----	0.211 + 0.015	.0590	----	----	----	----	371 UNCH
4950	----	----	0.247B/0.198A	0.247B/0.198A	----	0.224 + 0.016	.0626	----	----	----	----	17 UNCH
4975	----	----	0.260B/0.210A	0.260B/0.210A	----	0.238 + 0.018	.0663	----	----	----	----	73 UNCH
5000	0.260	0.260	0.272B/0.222A	0.272B/0.222A	----	0.253 + 0.020	.0704	----	----	34	----	630 + 5
5025	----	----	0.289B/0.236A	0.289B/0.236A	----	0.269 + 0.022	.0747	----	----	8	----	50 + 4
5050	----	----	0.309B/0.250A	0.309B/0.250A	----	0.286 + 0.023	.0792	----	----	----	----	16 UNCH
5075	----	----	0.336B/0.265A	0.336B/0.265A	----	0.305 + 0.026	.0841	----	----	3	----	5 - 1
5100	0.296	0.296	0.357B/0.281A	0.357B/0.281A	----	0.325 + 0.029	.0892	----	----	8	----	288 + 1
5125	----	----	0.380B/0.299A	0.380B/0.299A	----	0.347 + 0.032	.0948	----	----	5	----	15 + 5
5150	----	----	0.405B/0.318A	0.405B/0.318A	----	0.370 + 0.035	.1006	----	----	1	----	21 + 1
5175	----	----	0.432B/0.339A	0.432B/0.339A	----	0.394 + 0.038	.1066	----	----	----	----	3 UNCH
5200	----	----	0.461B/0.354A	0.461B/0.354A	----	0.421 + 0.042	.1132	----	----	8	----	118 + 7
5225	----	----	0.492B/0.376A	0.492B/0.376A	----	0.450 + 0.046	.1202	----	----	----	----	26 UNCH
5250	----	----	0.526B/0.399A	0.526B/0.399A	----	0.480 + 0.050	.1274	----	----	----	----	152 UNCH
5275	0.500	0.500	0.560B/0.426A	0.560B/0.426A	----	0.513 + 0.055	.1351	----	----	2	----	8 + 2
5300	----	----	0.601B/0.452A	0.601B/0.452A	----	0.548 + 0.060	.1431	----	----	3	----	76 + 1
5325	0.624	0.624	0.642B/0.479A	0.642B/0.479A	----	0.586 + 0.067	.1517	----	----	6	----	59 + 4
5350	----	----	0.686B/0.510A	0.686B/0.510A	----	0.626 + 0.073	.1606	----	----	----	----	14 UNCH
5375	----	----	0.733B/0.543A	0.733B/0.543A	----	0.669 + 0.080	.1699	----	----	----	----	3 UNCH
5400	0.750	0.750	0.782B/0.578A	0.782B/0.578A	----	0.714 + 0.086	.1796	----	----	9	----	121 + 3
5425	----	----	0.836B/0.615A	0.836B/0.615A	----	0.763 + 0.094	.1898	----	----	1	----	25 + 1
5450	0.874	0.874	0.891B/0.654A	0.891B/0.654A	----	0.815 + 0.103	.2005	----	----	4	----	12 + 2
5475	----	----	0.952B/0.696A	0.952B/0.696A	----	0.869 + 0.111	.2114	----	----	4	----	6 + 4
5500	0.915	0.915	1.015B/0.740A	1.015B/0.740A	----	0.927 + 0.120	.2228	----	----	125	----	835 - 10
5525	----	----	1.081B/0.788A	1.081B/0.788A	----	0.989 + 0.131	.2346	----	----	1	----	14 + 1
5550	----	----	1.151B/0.837A	1.151B/0.837A	----	1.054 + 0.141	.2468	----	----	5	----	14 + 1
5575	----	----	1.226B/0.890A	1.226B/0.890A	----	1.122 + 0.152	.2593	----	----	1	----	99 UNCH
5600	----	----	1.304B/0.945A	1.304B/0.945A	----	1.195 + 0.164	.2722	----	----	8	----	159 + 1
5625	----	----	1.385B/1.002A	1.385B/1.002A	----	1.271 + 0.176	.2855	----	----	----	----	28 UNCH
5650	----	----	1.472B/1.064A	1.472B/1.064A	----	1.351 + 0.188	.2990	----	----	1	----	32 UNCH
5675	----	----	1.563B/1.131A	1.563B/1.131A	----	1.435 + 0.201	.3128	----	----	----	----	5 UNCH
5700	1.484	1.484	1.658B/1.198A	1.658B/1.198A	----	1.523 + 0.214	.3269	----	----	5	----	245 UNCH
5725	----	----	1.756B/1.270A	1.756B/1.270A	----	1.616 + 0.229	.3413	----	----	----	----	92 UNCH
5750	----	----	1.860B/1.350A	1.860B/1.350A	----	1.712 + 0.243	.3559	----	----	----	----	152 UNCH
5775	1.533	1.533	1.968B/1.426A	1.968B/1.426A	----	1.813 + 0.258	.3706	----	----	1	----	42 + 1
5800	1.602	1.602	2.078B/1.510A	2.078B/1.510A	----	1.918 + 0.273	.3855	----	----	11	----	287 + 9
5825	----	----	2.194B/1.598A	2.194B/1.598A	----	2.027 + 0.288	.4005	----	----	----	----	12 UNCH
5850	1.881	1.881	2.314B/1.688A	2.314B/1.688A	----	2.141 + 0.304	.4157	----	----	17	----	64 + 9
5875	----	----	2.438B/1.783A	2.438B/1.783A	----	2.259 + 0.320	.4308	----	----	----	----	12 UNCH
5900	2.417	2.417	2.568B/1.882A	2.568B/1.882A	----	2.381 + 0.337	.4460	----	----	8	----	207 + 5
5925	----	----	2.699B/1.985A	2.699B/1.985A	----	2.508 + 0.353	.4612	----	----	1	----	10 UNCH
5950	2.223	2.223	2.837B/2.092A	2.837B/2.092A	----	2.639 + 0.370	.4764	----	----	6	----	19 + 6
5975	----	----	2.978B/2.204A	2.978B/2.204A	----	2.774 + 0.387	.4915	----	----	----	----	18 UNCH
6000	2.603	2.603	3.124B/2.320A	3.124B/2.320A	----	2.913 + 0.404	.5064	----	----	57	----	590 + 1
6025	2.881	2.881	3.273B/2.440A	3.273B/2.440A	----	3.056 + 0.420	.5213	----	----	2	----	48 UNCH
6050	3.025	3.025	3.426B/2.564A	3.426B/2.564A	----	3.204 + 0.437	.5360	----	----	3	----	20 UNCH
6075	2.967	2.967	3.585B/2.689A	3.585B/2.689A	----	3.355 + 0.454	.5505	----	----	2	----	21 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 53

FINAL

SO PUT OPTIONS — COMEX SILVER

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
DEC26												
6100	3.007	3.007	3.747B/2.822A	3.747B/2.822A	----	3.511 + 0.471	.5648	----	----	2	----	76 + 2
6125	3.674	3.674	3.912B/2.955A	3.912B/2.955A	----	3.670 + 0.487	.5788	----	----	1	----	17 UNCH
6150	3.143	3.143	4.073B/3.097A	4.073B/3.097A	----	3.833 + 0.503	.5927	----	----	1	----	45 UNCH
6175	----	----	4.249B/3.240A	4.249B/3.240A	----	3.999 + 0.519	.6063	----	----	----	----	5 UNCH
6200	----	----	4.426B/3.386A	4.426B/3.386A	----	4.169 + 0.535	.6195	----	----	----	----	74 UNCH
6225	----	----	4.600B/3.540A	4.600B/3.540A	----	4.343 + 0.550	.6325	----	----	----	----	3 UNCH
6250	----	----	4.785B/3.694A	4.785B/3.694A	----	4.520 + 0.566	.6452	----	----	----	----	7 UNCH
6275	----	----	4.976B/3.854A	4.976B/3.854A	----	4.700 + 0.580	.6575	----	----	----	----	13 UNCH
6300	----	----	5.161B/4.026A	5.161B/4.026A	----	4.884 + 0.596	.6696	----	----	----	----	81 UNCH
6325	----	----	5.352B/4.191A	5.352B/4.191A	----	5.070 + 0.610	.6812	----	----	----	----	10 UNCH
6350	----	----	5.544B/4.364A	5.544B/4.364A	----	5.259 + 0.623	.6926	----	----	----	----	49 UNCH
6375	----	----	5.735B/4.543A	5.735B/4.543A	----	5.452 + 0.637	.7037	----	----	----	----	6 UNCH
6400	----	----	5.935B/4.708A	5.935B/4.708A	----	5.646 + 0.650	.7143	----	----	----	----	28 UNCH
6425	----	----	6.135B/4.884A	6.135B/4.884A	----	5.844 + 0.663	.7247	----	----	----	----	15 UNCH
6450	----	----	6.340B/5.071A	6.340B/5.071A	----	6.044 + 0.675	.7347	----	----	----	----	39 UNCH
6475	----	----	6.544B/5.247A	6.544B/5.247A	----	6.246 + 0.687	.7444	----	----	----	----	3 UNCH
6500	6.320	6.320	6.753B/5.445A	6.753B/5.445A	----	6.451 + 0.699	.7538	----	----	4	----	944 - 2
6525	----	----	6.963B/5.630A	6.963B/5.630A	----	6.658 + 0.710	.7627	----	----	----	----	25 UNCH
6550	----	----	7.175B/5.834A	7.175B/5.834A	----	6.867 + 0.721	.7714	----	----	----	----	35 UNCH
6575	----	----	7.389B/6.030A	7.389B/6.030A	----	7.078 + 0.732	.7797	----	----	----	----	1 UNCH
6600	----	----	7.605B/6.228A	7.605B/6.228A	----	7.290 + 0.741	.7878	----	----	----	----	97 UNCH
6625	----	----	7.823B/6.428A	7.823B/6.428A	----	7.505 + 0.751	.7955	----	----	----	----	33 UNCH
6650	----	----	8.041B/6.635A	8.041B/6.635A	----	7.722 + 0.761	.8030	----	----	----	----	20 UNCH
6675	----	----	8.261B/6.837A	8.261B/6.837A	----	7.940 + 0.770	.8101	----	----	----	----	1 UNCH
6700	----	----	8.484B/7.044A	8.484B/7.044A	----	8.159 + 0.778	.8170	----	----	----	----	40 UNCH
6725	----	----	8.705B/7.253A	8.705B/7.253A	----	8.380 + 0.786	.8236	----	----	----	----	5 UNCH
6750	----	----	8.931B/7.467A	8.931B/7.467A	----	8.603 + 0.795	.8299	----	----	----	----	7 UNCH
6775	----	----	9.158B/7.680A	9.158B/7.680A	----	8.827 + 0.802	.8359	----	----	----	----	4 UNCH
6800	----	----	9.385B/7.895A	9.385B/7.895A	----	9.052 + 0.810	.8417	----	----	----	----	145 UNCH
6825	----	----	9.612B/8.112A	9.612B/8.112A	----	9.278 + 0.816	.8473	----	----	----	----	1 UNCH
6850	----	----	9.842B/8.329A	9.842B/8.329A	----	9.506 + 0.823	.8526	----	----	----	----	78 UNCH
6875	----	----	10.071B/8.548A	10.071B/8.548A	----	9.734 + 0.829	.8578	----	----	----	----	2 UNCH
6900	----	----	10.303B/8.770A	10.303B/8.770A	----	9.964 + 0.836	.8627	----	----	----	----	22 UNCH
6950	----	----	10.769B/9.214A	10.769B/9.214A	----	10.426 + 0.847	.8718	----	----	----	----	24 UNCH
6975	----	----	11.003B/9.439A	11.003B/9.439A	----	10.658 + 0.852	.8762	----	----	----	----	1 UNCH
7000	----	----	11.237B/9.665A	11.237B/9.665A	----	10.891 + 0.857	.8803	----	----	----	----	253 UNCH
7050	----	----	11.708B/10.120A	11.708B/10.120A	----	11.360 + 0.867	.8882	----	----	----	----	1 UNCH
7075	----	----	11.945B/10.349A	11.945B/10.349A	----	11.595 + 0.872	.8916	----	----	----	----	21 UNCH
7100	----	----	12.181B/10.570A	12.181B/10.570A	----	11.831 + 0.876	.8952	----	----	----	----	5 UNCH
7150	----	----	12.657B/11.032A	12.657B/11.032A	----	12.305 + 0.884	.9018	----	----	----	----	1 UNCH
7200	----	----	13.134B/11.501A	13.134B/11.501A	----	12.782 + 0.892	.9077	----	----	----	----	15 UNCH
7225	----	----	13.375B/11.736A	13.375B/11.736A	----	13.021 + 0.896	.9106	----	----	----	----	2 UNCH
7250	----	----	13.614B/11.971A	13.614B/11.971A	----	13.260 + 0.899	.9133	----	----	----	----	49 UNCH
7300	----	----	14.098B/12.441A	14.098B/12.441A	----	13.740 + 0.905	.9184	----	----	----	----	3 UNCH
7425	----	----	15.307B/13.626A	15.307B/13.626A	----	14.947 + 0.918	.9293	----	----	----	----	1 UNCH
7500	----	----	16.037B/14.351A	16.037B/14.351A	----	15.675 + 0.925	.9351	----	----	----	----	33 UNCH
7550	----	----	16.526B/14.832A	16.526B/14.832A	----	16.162 + 0.930	.9384	----	----	----	----	2 UNCH
7600	----	----	17.013B/15.314A	17.013B/15.314A	----	16.649 + 0.933	.9417	----	----	----	----	2 UNCH
7700	----	----	17.993B/16.283A	17.993B/16.283A	----	17.627 + 0.939	.9473	----	----	----	----	14 UNCH
7750	----	----	18.485B/16.772A	18.485B/16.772A	----	18.118 + 0.943	.9498	----	----	----	----	6 UNCH
7800	----	----	18.978B/17.259A	18.978B/17.259A	----	18.608 + 0.945	.9523	----	----	----	----	21 UNCH
7850	----	----	19.467B/17.747A	19.467B/17.747A	----	19.100 + 0.948	.9545	----	----	----	----	12 UNCH
7875	----	----	19.715B/17.990A	19.715B/17.990A	----	19.346 + 0.950	.9554	----	----	----	----	1 UNCH
7900	----	----	19.960B/18.236A	19.960B/18.236A	----	19.592 + 0.951	.9565	----	----	----	----	19 UNCH
8000	----	----	20.922B/19.215A	20.922B/19.215A	----	20.577 + 0.955	.9602	----	----	----	----	58 UNCH
8100	----	----	21.906B/20.200A	21.906B/20.200A	----	21.565 + 0.959	.9635	----	----	----	----	1 UNCH
8200	----	----	22.895B/21.185A	22.895B/21.185A	----	22.553 + 0.962	.9664	----	----	----	----	42 UNCH
8250	----	----	23.391B/21.678A	23.391B/21.678A	----	23.048 + 0.963	.9677	----	----	----	----	1 UNCH
8350	----	----	24.381B/22.679A	24.381B/22.679A	----	24.039 + 0.966	.9702	----	----	----	----	9 UNCH
8400	----	----	24.877B/23.178A	24.877B/23.178A	----	24.534 + 0.967	.9713	----	----	----	----	60 UNCH
8500	----	----	25.869B/24.162A	25.869B/24.162A	----	25.526 + 0.969	.9735	----	----	----	----	166 UNCH
8550	----	----	26.366B/24.661A	26.366B/24.661A	----	26.022 + 0.970	.9744	----	----	----	----	25 UNCH
8600	----	----	26.862B/25.153A	26.862B/25.153A	----	26.519 + 0.972	.9754	----	----	----	----	9 UNCH
8800	----	----	28.853B/27.142A	28.853B/27.142A	----	28.506 + 0.974	.9787	----	----	----	----	12 UNCH
8900	----	----	29.848B/28.129A	29.848B/28.129A	----	29.501 + 0.976	.9802	----	----	----	----	30 UNCH
9000	----	----	30.841B/29.126A	30.841B/29.126A	----	30.496 + 0.977	.9816	----	----	----	----	3 UNCH
9050	----	----	31.342B/29.623A	31.342B/29.623A	----	30.994 + 0.978	.9821	----	----	----	----	110 UNCH
9500	----	----	35.829B/34.104A	35.829B/34.104A	----	35.481 + 0.983	.9867	----	----	----	----	1 UNCH
9800	----	----	38.824B/37.095A	38.824B/37.095A	----	38.476 + 0.985	.9890	----	----	----	----	1 UNCH
9850	----	----	39.325B/37.590A	39.325B/37.590A	----	38.976 + 0.986	.9893	----	----	----	----	2 UNCH
10000	----	----	40.824B/39.088A	40.824B/39.088A	----	40.475 + 0.987	.9902	----	----	----	----	3 UNCH
10025	----	----	41.074B/39.344A	41.074B/39.344A	----	40.725 + 0.987	.9905	----	----	----	----	3 UNCH
10125	----	----	42.075B/40.339A	42.075B/40.339A	----	41.725 + 0.988	.9910	----	----	----	----	1 UNCH
TOTAL										374	0	10012 + 72
JAN27												
3000	----	----	----	0.007B/0.033A	----	0.021	UNCH .0036	----	----	----	----	2 UNCH
3500	----	----	----/0.046A	0.038B/0.046A	----	0.044 - 0.003	.0081	----	----	----	----	5 UNCH
3800	----	----	----/0.067A	0.062B/0.067A	----	0.066 - 0.003	.0128	----	----	----	----	1 UNCH
4000	----	----	----/0.088A	0.085B/0.088A	----	0.086 - 0.003	.0173	----	----	1	----	10 + 1
4100	----	----	0.103B/0.101A	0.103B/0.101A	----	0.100 - 0.002	.0204	----	----	----	----	1 UNCH
4200	----	----	0.122B/0.116A	0.122B/0.116A	----	0.116 - 0.002	.0240	----	----	----	----	2 UNCH
4300	----	----	0.144B/0.135A	0.144B/0.135A	----	0.137	UNCH .0285	----	----	----	----	3 UNCH
4500	----	----	0.206B/0.185A	0.206B/0.185A	----	0.194 + 0.004	.0407	----	----	31	----	91 + 30
4650	0.275	0.275	0.275/0.240A	0.275/0.240A	----	0.257	NEW .0538	----	----	1	----	1 + 1
4675	----	----	0.285B/0.251A	0.285B/0.251A	----	0.269 + 0.011	.0563	----	----	----	----	3 UNCH
4700	----	----	0.299B/0.262A	0.299B/0.262A	----	0.283 + 0.013	.0591	----	----	----	----	9 UNCH
4725	----	----	0.313B/0.274A	0.313B/0.274A	----	0.297 + 0.014	.0619	----	----	----	----	3 UNCH
4775	----	----	0.344B/0.299A	0.344B/0.299A	----	0.328 + 0.018	.0681	----	----	----	----	1 UNCH
4800	----	----	0.364B/0.313A	0.364B/0.313A	----	0.344 + 0.019	.0712	----	----	5	----	5 - 4
4900	----	----	0.442B/0.381A	0.442B/0.381A	----	0.421 + 0.029	.0861	----	----	10	----	10 + 4
5000	0.532	0.532	0.543B/0.459A	0.543B/0.459A	----	0.516 + 0.040	.1037	----	----	15	----	192 - 3
5025	0.565	0.565	0.572B/0.479A	0.572B/0.479A	----	0.543	NEW .1086	----	----	1	----	1 + 1
5075	----	----	0.634B/0.524A	0.634B/0.524A	----	0.602 + 0.051	.1191	----	----	4	----	17 + 4
5100	0.564	0.564	0.668B/0.548A	0.668B/0.548A	----	0.634 + 0.055	.1247	----	----	31	----	65 + 28
5125	----	----	0.705B/0.577A	0.705B/0.577A	----	0.667 + 0.059	.1304	----	----	----	----	15 UNCH
5150	----	----	0.742B/0.606A	0.742B/0.606A	----	0.702 + 0.063	.1364	----	----	----	----	1 UNCH
5200	----	----	0.823B/0.666A	0.823B/0.666A	----	0.778 + 0.073	.1491	----	----	----	----	31 UNCH
5250	----	----	0.911B/0.733A	0.911B/0.733A	----	0.862 + 0.084	.1628	----	----	----	----	8 UNCH
5275	----	----	0.959B/0.770A	0.959B/0.770A	----	0.907 + 0.090	.1699	----	----	----	----	2 UNCH
5300	----	----	1.011B/0.807A	1.011B/0.807A	----	0.955 + 0.097	.1774	----	----	----	----	21 UNCH
5325	----	----	1.063B/0.848A	1.063B/0.848A	----	1.004 + 0.102	.1850	----	----	----	----	9 UNCH
5350	----	----	1.117B/0.890A	1.117B/0.890A	----	1.056 + 0.109	.1929	----	----	----	----	3 UNCH
5375	----	----	1.176B/0.934A	1.176B/0.934A	----	1.110 + 0.116	.2010	----	----	3	----	16 + 3
5400	----	----	1.236B/0.978A	1.236B/0.978A	----	1.167 + 0.123	.2094	----	----	15	----	270 UNCH
5425	----	----	1.297B/1.026A	1.297B/1.026A	----	1.226 + 0.130	.2179	----	----	----	----	246 UNCH
5450	----	----	1.364B/1.078A	1.364B/1.078A	----	1.288 + 0.138	.2267	----	----	3	----	35 UNCH
5475	----	----	1.434B/1.133A	1.434B/1.133A	----	1.353 + 0.147	.2357	----	----	----	----	196 UNCH
5500	1.445	1.445	1.507B/1.188A	1.507B/1.188A	----	1.421 + 0.156	.2450	----	----	18	----	97 - 9
5525	----	----	1.580B/1.245A	1.580B/1.245A	----	1.491 + 0.164	.2544	----	----	----	----	8 UNCH
5550	----	----	1.659B/1.305A	1.659B/1.305A	----	1.564 + 0.173	.2640	----	----	----	----	13 UNCH
5575	----	----	1.740B/1.366A	1.740B/1.366A	----	1.640 + 0.182	.2738	----	----	----	----	6 UNCH
5600	----	----	1.823B/1.432A	1.823B/1.432A	----	1.719 + 0.191	.2838	----	----	----	----	150 UNCH
5625	----	----	1.909B/1.501A	1.909B/1.501A	----	1.801 + 0.201	.2940	----	----	----	----	2 UNCH
5675	----	----	2.095B/1.642A	2.095B/1.642A	----	1.975 + 0.222	.3148	----	----	----	----	1 UNCH
5700	----	----	2.190B/1.718A	2.190B/1.718A	----	2.066 + 0.232	.3254	----	----	----	----	10 UNCH
5750	----	----	2.393B/1.879A	2.393B/1.879A	----	2.259 + 0.254	.3470	----	----	----	----	6 UNCH
5775	----	----	2.500B/1.968A	2.500B/1.968A	----	2.360 + 0.265	.3579	----	----	----	----	11 UNCH
5800	----	----	2.609B/2.052A	2.609B/2.052A	----	2.464 + 0.276	.3689	----	----	----	----	78 UNCH
5825	----	----	2.722B/2.143A	2.722B/2.143A	----	2.572 + 0.287	.3800	----	----	----	----	5 UNCH
5850	----	----	2.839B/2.239A	2.839B/2.239A	----	2.683 + 0.299	.3912	----	----	1	----	3 UNCH
5875	----	----	2.960B/2.336A	2.960B/2.336A	----	2.797 + 0.310	.4024	----	----	----	----	3 UNCH
5900	2.580	2.580	3.081B/2.437A	3.081B/2.437A	----	2.915 + 0.323	.4137	----	----	1	----	24 UNCH
5950	----	----	3.338B/2.646A	3.338B/2.646A	----	3.160 + 0.346	.4362	----	----	----	----	4 UNCH
5975	----	----	3.471B/2.757A	3.471B/2.757A	----	3.288 + 0.359	.4475	----	----	----	----	1 UNCH
6000	3.533	3.533	3.607B/2.870A	3.607B/2.870A	----	3.419 + 0.371	.4587	----	----	6	----	172 + 5
6050	3.289	3.289	3.888B/3.108A	3.888B/3.108A	----	3.690	NEW .4810	----	----	3	----	3 + 3
6075	----	----	4.035B/3.229A	4.035B/3.229A	----	3.831 + 0.408	.4921	----	----	1	----	1 - 1
6100	----	----	4.182B/3.354A	4.182B/3.354A	----	3.974 + 0.419	.5031	----	----	----	----	46 UNCH
6125	----	----	4.333B/3.484A	4.333B/3.484A	----	4.121 + 0.431	.5140	----	----	----	----	18 UNCH
6150	----	----	4.489B/3.616A	4.489B/3.616A	----	4.271 + 0.444	.5247	----	----	----	----	1 UNCH
6200	----	----	4.805B/3.887A	4.805B/3.887A	----	4.580 + 0.468	.5460	----	----	----	----	27 UNCH
6225	----	----	4.964B/4.020A	4.964B/4.020A	----	4.739 + 0.480	.5564	----	----	----	----	61 UNCH
6250	----	----	5.131B/4.164A	5.131B/4.164A	----	4.900 + 0.491	.5666	----	----	----	----	2 UNCH
6275	----	----	5.296B/4.319A	5.296B/4.319A	----	5.065 + 0.504	.5768	----	----	----	----	3 UNCH
6300	4.728	4.728	5.467B/4.463A	5.467B/4.463A	----	5.232 + 0.515	.5867	----	----	1	----	1 UNCH
6325	----	----	5.644B/4.619A	5.644B/4.619A	----	5.402 + 0.527	.5965	----	----	----	----	2 UNCH
6350	----	----	5.815B/4.775A	5.815B/4.775A	----	5.574 + 0.538	.6062	----	----	----	----	9 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JAN27												
6375	----	----	5.995B/4.931A	5.995B/4.931A	----	5.749 + 0.550	.6157	----	----	----	----	25 UNCH
6400	----	----	6.175B/5.087A	6.175B/5.087A	----	5.926 + 0.560	.6250	----	----	----	----	33 UNCH
6425	----	----	6.363B/5.256A	6.363B/5.256A	----	6.105 + 0.571	.6341	----	----	----	----	1 UNCH
6475	----	----	6.732B/5.604A	6.732B/5.604A	----	6.471 + 0.592	.6519	----	----	----	----	1 UNCH
6500	----	----	6.922B/5.784A	6.922B/5.784A	----	6.658 + 0.604	.6605	----	----	----	----	56 UNCH
6525	----	----	7.111B/5.952A	7.111B/5.952A	----	6.846 + 0.614	.6689	----	----	----	----	1 UNCH
6575	----	----	7.506B/6.312A	7.506B/6.312A	----	7.228 + 0.633	.6853	----	----	----	----	5 UNCH
6700	----	----	8.502B/7.238A	8.502B/7.238A	----	8.218 + 0.681	.7229	----	----	----	----	13 UNCH
6725	----	----	8.711B/7.428A	8.711B/7.428A	----	8.421 + 0.689	.7298	----	----	----	----	15 UNCH
6800	----	----	9.332B/8.008A	9.332B/8.008A	----	9.041 + 0.715	.7497	----	----	----	----	2 UNCH
6825	----	----	9.547B/8.208A	9.547B/8.208A	----	9.250 + 0.722	.7559	----	----	----	----	1 UNCH
6900	----	----	10.187B/8.814A	10.187B/8.814A	----	9.887 + 0.744	.7737	----	----	----	----	16 UNCH
6925	----	----	10.408B/9.018A	10.408B/9.018A	----	10.102 + 0.751	.7794	----	----	----	----	24 UNCH
6950	----	----	10.625B/9.228A	10.625B/9.228A	----	10.318 + 0.757	.7848	----	----	----	----	1 UNCH
7000	----	----	11.065B/9.642A	11.065B/9.642A	----	10.754 + 0.771	.7952	----	----	----	----	20 UNCH
7100	----	----	11.955B/10.497A	11.955B/10.497A	----	11.637 + 0.794	.8145	----	----	----	----	27 UNCH
7125	----	----	12.176B/10.714A	12.176B/10.714A	----	11.860 + 0.799	.8190	----	----	----	----	1 UNCH
7175	----	----	12.632B/11.148A	12.632B/11.148A	----	12.309 + 0.809	.8276	----	----	----	----	1 UNCH
7200	----	----	12.859B/11.362A	12.859B/11.362A	----	12.535 + 0.814	.8317	----	----	----	----	1 UNCH
7350	----	----	14.238B/12.700A	14.238B/12.700A	----	13.906 + 0.841	.8539	----	----	----	----	1 UNCH
8050	----	----	20.895B/19.236A	20.895B/19.236A	----	20.549 + 0.924	.9183	----	----	----	----	1 UNCH
8200	----	----	22.351B/20.672A	22.351B/20.672A	----	22.004 + 0.935	.9266	----	----	----	----	1 UNCH
8600	----	----	26.267B/24.563A	26.267B/24.563A	----	25.913 + 0.956	.9434	----	----	----	----	1 UNCH
8850	----	----	28.728B/27.013A	28.728B/27.013A	----	28.372 + 0.965	.9512	----	----	----	----	9 UNCH
10000	39.750	39.750	40.119B/38.389A	40.119B/38.389A	----	39.765 + 0.988	.9726	----	----	1	----	8 + 1
TOTAL										152	0	2308 + 64
FEB27												
3200	----	----	----	0.042B/0.052A	----	0.043 - 0.002	.0070	----	----	----	----	20 UNCH
3225	----	----	----	0.044B/0.053A	----	0.045 - 0.001	.0074	----	----	----	----	10 UNCH
3275	----	----	----	0.047B/0.056A	----	0.047 - 0.002	.0078	----	----	----	----	10 UNCH
3475	----	----	----	0.063B/0.072A	----	0.062 - 0.001	.0106	----	----	----	----	1 UNCH
3625	----	----	0.080B/----	0.080B/0.088A	----	0.078 - 0.001	.0135	----	----	----	----	12 UNCH
3750	----	----	----	0.095B/0.104A	----	0.095 - 0.001	.0166	----	----	----	----	5 UNCH
3825	----	----	----	0.107B/0.115A	----	0.108 - 0.001	.0189	----	----	----	----	5 UNCH
3850	----	----	0.115B/----	0.115B/0.119A	----	0.113 UNCH	.0198	----	----	----	----	3 UNCH
3900	----	----	0.124B/----	0.124B/0.128A	----	0.123 UNCH	.0216	----	----	----	----	20 UNCH
3975	----	----	----	0.139B/0.140A	----	0.139 UNCH	.0245	----	----	----	----	3 UNCH
4000	0.152	0.152	0.152/0.152	0.152/0.145A	----	0.145 + 0.001	.0256	----	----	1	----	32 + 1
4200	----	----	0.200B/0.193A	0.200B/0.193A	----	0.202 + 0.006	.0357	----	----	----	----	10 UNCH
4500	----	----	0.335B/0.305A	0.335B/0.305A	----	0.330 + 0.021	.0582	----	----	9	----	6 - 2
4750	----	----	0.526B/0.468A	0.526B/0.468A	----	0.508 + 0.037	.0878	----	----	----	----	1 UNCH
4950	----	----	0.766B/0.650A	0.766B/0.650A	----	0.731 + 0.054	.1218	----	----	----	----	1 UNCH
5000	----	----	0.837B/0.709A	0.837B/0.709A	----	0.801 + 0.060	.1319	----	----	----	----	132 UNCH
5100	----	----	1.006B/0.843A	1.006B/0.843A	----	0.960 + 0.075	.1542	----	----	----	----	1 UNCH
5200	----	----	1.207B/1.001A	1.207B/1.001A	----	1.149 + 0.096	.1793	----	----	----	----	1 UNCH
5225	----	----	1.259B/1.042A	1.259B/1.042A	----	1.201 + 0.101	.1860	----	----	----	----	15 UNCH
5275	----	----	1.378B/1.135A	1.378B/1.135A	----	1.312 + 0.114	.1999	----	----	----	----	20 UNCH
5300	1.349	1.349	1.441B/1.186A	1.441B/1.186A	----	1.371 + 0.121	.2072	----	----	31	----	102 + 27
5325	----	----	1.502B/1.235A	1.502B/1.235A	----	1.432 + 0.128	.2145	----	----	----	----	49 UNCH
5375	----	----	1.638B/1.348A	1.638B/1.348A	----	1.561 + 0.142	.2298	----	----	----	----	44 UNCH
5400	----	----	1.711B/1.405A	1.711B/1.405A	----	1.630 + 0.151	.2377	----	----	----	----	42 UNCH
5425	----	----	1.786B/1.464A	1.786B/1.464A	----	1.700 + 0.158	.2456	----	----	----	----	59 UNCH
5500	1.988	1.988	2.024B/1.655A	2.024B/1.655A	----	1.928 + 0.183	.2705	----	----	2	----	54 UNCH
5525	----	----	2.109B/1.724A	2.109B/1.724A	----	2.009 + 0.191	.2790	----	----	----	----	5 UNCH
5600	----	----	2.381B/1.945A	2.381B/1.945A	----	2.268 + 0.217	.3053	----	----	----	----	17 UNCH
5650	----	----	2.578B/2.106A	2.578B/2.106A	----	2.455 + 0.235	.3234	----	----	----	----	1 UNCH
5700	----	----	2.785B/2.278A	2.785B/2.278A	----	2.653 + 0.254	.3418	----	----	----	----	1 UNCH
5725	----	----	2.889B/2.368A	2.889B/2.368A	----	2.756 + 0.263	.3511	----	----	----	----	1 UNCH
5800	----	----	3.225B/2.649A	3.225B/2.649A	----	3.082 + 0.292	.3792	----	----	----	----	15 UNCH
5825	----	----	3.349B/2.749A	3.349B/2.749A	----	3.196 + 0.301	.3887	----	----	----	----	12 UNCH
5875	----	----	3.592B/2.952A	3.592B/2.952A	----	3.433 + 0.321	.4076	----	----	----	----	10 UNCH
6000	----	----	4.250B/3.525A	4.250B/3.525A	----	4.074 + 0.372	.4551	----	----	----	----	16 UNCH
6025	----	----	4.393B/3.639A	4.393B/3.639A	----	4.210 + 0.382	.4645	----	----	----	----	1 UNCH
6050	----	----	4.537B/3.764A	4.537B/3.764A	----	4.349 + 0.392	.4738	----	----	----	----	18 UNCH
6100	----	----	4.834B/4.020A	4.834B/4.020A	----	4.635 + 0.413	.4924	----	----	----	----	7 UNCH
6200	----	----	5.446B/4.562A	5.446B/4.562A	----	5.238 + 0.454	.5285	----	----	----	----	13 UNCH
6225	----	----	5.608B/4.704A	5.608B/4.704A	----	5.395 + 0.464	.5373	----	----	----	----	4 UNCH
6250	----	----	5.770B/4.848A	5.770B/4.848A	----	5.554 + 0.474	.5461	----	----	----	----	13 UNCH
6275	----	----	5.932B/4.998A	5.932B/4.998A	----	5.716 + 0.484	.5547	----	----	----	----	1 UNCH
6400	----	----	6.787B/5.769A	6.787B/5.769A	----	6.558 + 0.533	.5962	----	----	----	----	1 UNCH
6500	----	----	7.507B/6.422A	7.507B/6.422A	----	7.269 + 0.569	.6272	----	----	----	----	21 UNCH
6600	----	----	8.262B/7.137A	8.262B/7.137A	----	8.011 + 0.604	.6563	----	----	----	----	6 UNCH
6700	----	----	9.036B/7.852A	9.036B/7.852A	----	8.781 + 0.637	.6833	----	----	----	----	11 UNCH
6825	----	----	10.039B/8.801A	10.039B/8.801A	----	9.778 + 0.674	.7141	----	----	----	----	5 UNCH
7000	----	----	11.502B/10.198A	11.502B/10.198A	----	11.229 + 0.720	.7522	----	----	----	----	5 UNCH
7225	----	----	13.460B/12.062A	13.460B/12.062A	----	13.173 + 0.770	.7930	----	----	----	----	1 UNCH
7250	----	----	13.682B/12.276A	13.682B/12.276A	----	13.393 + 0.774	.7971	----	----	----	----	1 UNCH
7400	----	----	15.028B/13.591A	15.028B/13.591A	----	14.733 + 0.802	.8193	----	----	----	----	2 UNCH
7575	----	----	16.629B/15.135A	16.629B/15.135A	----	16.327 + 0.831	.8415	----	----	----	----	20 UNCH
8075	----	----	21.325B/19.743A	21.325B/19.743A	----	21.009 + 0.887	.8882	----	----	----	----	5 UNCH
8150	----	----	22.042B/20.455A	22.042B/20.455A	----	21.723 + 0.892	.8935	----	----	----	----	10 UNCH
8225	----	----	22.764B/21.163A	22.764B/21.163A	----	22.440 + 0.898	.8984	----	----	----	----	10 UNCH
8250	----	----	23.004B/21.401A	23.004B/21.401A	----	22.680 + 0.900	.9001	----	----	----	----	10 UNCH
TOTAL										43	0	901 + 26
MAR27												
3500	----	----	----	0.103B/0.113A	----	0.107 - 0.006	.0162	----	----	----	----	32 UNCH
3550	----	----	----	0.110B/0.121A	----	0.115 - 0.005	.0175	----	----	----	----	5 UNCH
4000	----	----	0.222B/0.217A	0.222B/0.217A	----	0.220 + 0.001	.0343	----	----	----	----	299 UNCH
4200	----	----	0.301B/0.287A	0.301B/0.287A	----	0.299 + 0.006	.0466	----	----	----	----	1 UNCH
4300	----	----	0.353B/0.333A	0.353B/0.333A	----	0.350 + 0.011	.0544	----	----	----	----	5 UNCH
4500	----	----	0.488B/0.450A	0.488B/0.450A	----	0.482 + 0.021	.0739	----	----	----	----	51 UNCH
4750	----	----	0.748B/0.661A	0.748B/0.661A	----	0.725 + 0.042	.1075	----	----	----	----	15 UNCH
4775	----	----	0.779B/0.687A	0.779B/0.687A	----	0.755 + 0.044	.1115	----	----	----	----	15 UNCH
4800	----	----	0.812B/0.714A	0.812B/0.714A	----	0.787 + 0.047	.1157	----	----	----	----	5 UNCH
4900	----	----	0.960B/0.834A	0.960B/0.834A	----	0.928 + 0.060	.1337	----	----	----	----	5 UNCH
5000	----	----	1.135B/0.977A	1.135B/0.977A	----	1.092 + 0.074	.1538	----	----	6	----	617 + 6
5050	----	----	1.231B/1.057A	1.231B/1.057A	----	1.185 + 0.083	.1648	----	----	----	----	9 UNCH
5075	----	----	1.282B/1.099A	1.282B/1.099A	----	1.234 + 0.088	.1705	----	----	----	----	1 UNCH
5100	----	----	1.336B/1.142A	1.336B/1.142A	----	1.285 + 0.092	.1763	----	----	----	----	4 UNCH
5150	----	----	1.448B/1.235A	1.448B/1.235A	----	1.392 + 0.102	.1884	----	----	----	----	6 UNCH
5175	----	----	1.507B/1.282A	1.507B/1.282A	----	1.449 + 0.107	.1946	----	----	----	----	1 UNCH
5200	----	----	1.569B/1.331A	1.569B/1.331A	----	1.508 + 0.113	.2010	----	----	----	----	11 UNCH
5225	----	----	1.633B/1.384A	1.633B/1.384A	----	1.569 + 0.119	.2075	----	----	----	----	2 UNCH
5250	----	----	1.700B/1.437A	1.700B/1.437A	----	1.632 + 0.125	.2142	----	----	----	----	4 UNCH
5275	----	----	1.766B/1.493A	1.766B/1.493A	----	1.697 + 0.131	.2209	----	----	----	----	11 UNCH
5300	----	----	1.836B/1.551A	1.836B/1.551A	----	1.764 + 0.137	.2278	----	----	----	----	5 UNCH
5350	----	----	1.985B/1.673A	1.985B/1.673A	----	1.906 + 0.150	.2419	----	----	----	----	8 UNCH
5400	2.015	2.015	2.141B/1.806A	2.141B/1.806A	----	2.057 + 0.164	.2565	----	----	1	----	24 + 1
5425	----	----	2.222B/1.869A	2.222B/1.869A	----	2.136 + 0.172	.2640	----	----	----	----	2 UNCH
5500	2.222	2.222	2.485B/2.088A	2.485B/2.088A	----	2.387 + 0.194	.2869	----	----	1	----	921 + 1
5550	----	----	2.673B/2.245A	2.673B/2.245A	----	2.566 + 0.210	.3026	----	----	----	----	1 UNCH
5600	----	----	2.868B/2.412A	2.868B/2.412A	----	2.756 + 0.227	.3186	----	----	----	----	270 UNCH
5675	----	----	3.181B/2.675A	3.181B/2.675A	----	3.058 + 0.251	.3431	----	----	----	----	1 UNCH
5700	----	----	3.291B/2.770A	3.291B/2.770A	----	3.164 + 0.260	.3513	----	----	----	----	3 UNCH
5800	----	----	3.753B/3.168A	3.753B/3.168A	----	3.613 + 0.296	.3846	----	----	----	----	43 UNCH
5900	----	----	4.258B/3.605A	4.258B/3.605A	----	4.102 + 0.333	.4182	----	----	----	----	9 UNCH
5950	----	----	4.523B/3.836A	4.523B/3.836A	----	4.361 + 0.351	.4349	----	----	----	----	1 UNCH
6000	----	----	4.798B/4.074A	4.798B/4.074A	----	4.630 + 0.370	.4516	----	----	3	----	115 + 3
6075	----	----	5.237B/4.462A	5.237B/4.462A	----	5.050 + 0.397	.4763	----	----	----	----	76 UNCH
6100	----	----	5.383B/4.593A	5.383B/4.593A	----	5.195 + 0.406	.4844	----	----	----	----	3 UNCH
6200	----	----	6.001B/5.143A	6.001B/5.143A	----	5.796 + 0.441	.5163	----	----	----	----	6 UNCH
6300	----	----	6.649B/5.730A	6.649B/5.730A	----	6.433 + 0.477	.5471	----	----	----	----	14 UNCH
6350	----	----	6.985B/6.034A	6.985B/6.034A	----	6.763 + 0.494	.5620	----	----	----	----	4 UNCH
6375	----	----	7.153B/6.189A	7.153B/6.189A	----	6.931 + 0.502	.5693	----	----	----	----	1 UNCH
6400	----	----	7.321B/6.348A	7.321B/6.348A	----	7.101 + 0.510	.5765	----	----	----	----	29 UNCH
6450	----	----	7.669B/6.663A	7.669B/6.663A	----	7.447 + 0.527	.5907	----	----	----	----	1 UNCH
6500	----	----	8.029B/6.990A	8.029B/6.990A	----	7.800 + 0.543	.6045	----	----	----	----	20 UNCH
6775	----	----	10.117B/8.944A	10.117B/8.944A	----	9.858 + 0.625	.6734	----	----	----	----	1 UNCH
6800	----	----	10.309B/9.136A	10.309B/9.136A	----	10.054 + 0.632	.6790	----	----	----	----	1 UNCH
6825	----	----	10.500B/9.328A	10.500B/9.328A	----	10.251 + 0.639	.6845	----	----	----	----	3 UNCH
6950	----	----	11.501B/10.288A	11.501B/10.288A	----	11.256 + 0.671	.7109	----	----	----	----	2 UNCH
7000	----	----	11.918B/10.672A	11.918B/10.672A	----	11.667 + 0.684	.7208	----	----	----	----	3 UNCH
7225	----	----	13.822B/12.503A	13.822B/12.503A	----	13.563 + 0.734	.7608	----	----	----	----	10 UNCH
7500	----	----	16.244B/14.844A	16.244B/14.844A	----	15.975 + 0.786	.8010	----	----	----	----	3 UNCH
7575	----	----	16.918B/15.503A	16.918B/15.503A	----	16.647 + 0.798	.8105	----	----	----	----	1 UNCH
7600	----	----	17.144B/15.726A	17.144B/15.726A	----	16.872 + 0.802	.8135	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAR27												
7625	----	----	17.371B/15.944A	17.371B/15.944A	----	17.098 +	0.806 .8165	----	----	----	----	10 UNCH
7750	----	----	18.511B/17.057A	18.511B/17.057A	----	18.235 +	0.823 .8304	----	----	----	----	10 UNCH
8000	----	----	20.826B/19.324A	20.826B/19.324A	----	20.544 +	0.852 .8543	----	----	----	----	1 UNCH
8100	----	----	21.762B/20.245A	21.762B/20.245A	----	21.479 +	0.862 .8626	----	----	----	----	6 UNCH
8300	----	----	23.651B/22.107A	23.651B/22.107A	----	23.364 +	0.880 .8774	----	----	----	----	50 UNCH
8500	----	----	25.557B/23.993A	25.557B/23.993A	----	25.267 +	0.895 .8900	----	----	----	----	3 UNCH
8600	----	----	26.516B/24.942A	26.516B/24.942A	----	26.224 +	0.902 .8956	----	----	----	----	1 UNCH
10500	----	----	45.115B/43.454A	45.115B/43.454A	----	44.809 +	0.973 .9531	----	----	----	----	10 UNCH
TOTAL										11	0	2772 + 11
APR27												
3400	----	----	----	0.115B/0.138A	----	0.129 -	0.005 .0175	----	----	----	----	1 UNCH
3500	----	----	----	0.136B/0.156A	----	0.147 -	0.002 .0201	----	----	----	----	1 UNCH
4000	----	----	0.287B/----	0.287B/0.298A	----	0.295 +	0.016 .0410	----	----	----	----	1 UNCH
4100	----	----	0.334B/----	0.334B/0.341A	----	0.342 +	0.020 .0474	----	----	----	----	15 UNCH
4200	----	----	0.388B/----	0.388B/0.392A	----	0.398 +	0.026 .0549	----	----	----	----	10 UNCH
4500	----	----	0.639B/----	0.639B/0.597A	----	0.628 +	0.043 .0843	----	----	----	----	36 UNCH
4800	----	----	1.020B/----	1.020B/0.922A	----	0.996 +	0.074 .1272	----	----	----	----	2 UNCH
5000	----	----	1.383B/1.232A	1.383B/1.232A	----	1.347 +	0.105 .1644	----	----	----	----	62 UNCH
5400	----	----	2.447B/2.133A	2.447B/2.133A	----	2.386 +	0.189 .2593	----	----	----	----	1 UNCH
5500	----	----	2.807B/2.443A	2.807B/2.443A	----	2.727 +	0.214 .2865	----	----	----	----	101 UNCH
5600	----	----	3.190B/2.770A	3.190B/2.770A	----	3.104 +	0.244 .3148	----	----	----	----	11 UNCH
6000	----	----	5.111B/4.446A	5.111B/4.446A	----	4.968 +	0.386 .4324	----	----	----	----	174 UNCH
6200	----	----	6.273B/5.507A	6.273B/5.507A	----	6.105 +	0.441 .4902	----	----	----	----	7 UNCH
6225	----	----	6.427B/5.669A	6.427B/5.669A	----	6.256 +	0.446 .4972	----	----	----	----	7 UNCH
6275	----	----	6.735B/5.928A	6.735B/5.928A	----	6.564 +	0.456 .5111	----	----	----	----	4 UNCH
6400	----	----	7.561B/6.680A	7.561B/6.680A	----	7.366 +	0.479 .5448	----	----	----	----	1 UNCH
6500	----	----	8.246B/7.296A	8.246B/7.296A	----	8.040 +	0.503 .5705	----	----	----	----	3 UNCH
6600	----	----	8.862B/7.960A	8.862B/7.960A	----	8.741 +	0.533 .5950	----	----	----	----	1 UNCH
7000	----	----	12.001B/10.950A	12.001B/10.950A	----	11.768 +	0.666 .6810	----	----	----	----	5 UNCH
8000	----	----	----	7.402B/32.976A	----	20.373 +	0.793 .8210	----	----	----	----	2 UNCH
8725	----	----	----	13.925B/40.007A	----	27.115 +	0.833 .8769	----	----	----	----	3 UNCH
TOTAL											0	448 0
MAY27												
4500	----	----	0.840B/0.792A	0.840B/0.792A	----	0.837 +	0.037 .0991	----	----	----	----	6 UNCH
4700	----	----	1.126B/1.040A	1.126B/1.040A	----	1.116 +	0.051 .1276	----	----	----	----	25 UNCH
4850	----	----	1.394B/1.276A	1.394B/1.276A	----	1.374 +	0.065 .1526	----	----	----	----	5 UNCH
5000	----	----	1.721B/1.549A	1.721B/1.549A	----	1.684 +	0.086 .1809	----	----	----	----	20 UNCH
5500	----	----	3.261B/2.911A	3.261B/2.911A	----	3.190 +	0.198 .2969	----	----	----	----	2 UNCH
5700	----	----	4.140B/3.676A	4.140B/3.676A	----	4.021 +	0.257 .3495	----	----	----	----	5 UNCH
6000	5.117	5.117	5.665B/5.020A	5.665B/5.020A	----	5.511 +	0.344 .4300	----	----	1	----	2 + 1
6500	----	----	8.790B/7.895A	8.790B/7.895A	----	8.587 +	0.471 .5551	----	----	----	----	65 UNCH
6525	----	----	8.960B/8.073A	8.960B/8.073A	----	8.758 +	0.477 .5609	----	----	----	----	16 UNCH
6675	----	----	10.013B/9.071A	10.013B/9.071A	----	9.816 +	0.516 .5937	----	----	----	----	2 UNCH
6750	----	----	10.574B/9.591A	10.574B/9.591A	----	10.365 +	0.538 .6093	----	----	----	----	5 UNCH
7300	----	----	14.586B/13.824A	14.586B/13.824A	----	14.696 +	0.686 .7060	----	----	----	----	10 UNCH
7900	----	----	----	----	----	19.853 +	0.784 .7820	----	----	----	----	10 UNCH
8300	----	----	----	----	----	23.456 +	0.821 .8194	----	----	----	----	5 UNCH
8325	----	----	----	----	----	23.684 +	0.823 .8214	----	----	----	----	2 UNCH
8350	----	----	----	----	----	23.913 +	0.825 .8235	----	----	----	----	2 UNCH
8500	----	----	----	----	----	25.293 +	0.835 .8350	----	----	----	----	9 UNCH
TOTAL										1	0	191 + 1
JUN27												
4300	----	----	0.732B/----	0.732B/0.732A	----	0.749 +	0.029 .0826	----	----	----	----	3 UNCH
4500	----	----	0.967B/----	0.967B/0.952A	----	0.984 +	0.042 .1056	----	----	----	----	3 UNCH
4700	----	----	1.280B/----	1.280B/1.227A	----	1.288 +	0.062 .1336	----	----	----	----	510 UNCH
4900	1.655	1.655	1.683B/1.581A	1.683B/1.581A	----	1.676	NEW .1668	----	----	1	----	1 + 1
5500	----	----	3.502B/3.216A	3.502B/3.216A	----	3.463 +	0.211 .2933	----	----	----	----	3 UNCH
6000	----	----	5.871B/5.363A	5.871B/5.363A	----	5.765 +	0.327 .4153	----	----	----	----	5 UNCH
6400	----	----	8.260B/7.599A	8.260B/7.599A	----	8.119 +	0.418 .5097	----	----	----	----	1 UNCH
6500	----	----	8.940B/8.207A	8.940B/8.207A	----	8.770 +	0.441 .5317	----	----	----	----	10 UNCH
6800	----	----	11.040B/10.199A	11.040B/10.199A	----	10.857 +	0.512 .5929	----	----	----	----	1 UNCH
7000	----	----	12.540B/11.620A	12.540B/11.620A	----	12.346 +	0.560 .6296	----	----	----	----	16 UNCH
7050	----	----	12.940B/11.999A	12.940B/11.999A	----	12.728 +	0.571 .6382	----	----	----	----	1 UNCH
TOTAL										1	0	554 + 1
JUL27												
4600	----	----	1.352B/----	1.352B/1.292A	----	1.349 +	0.067 .1300	----	----	----	----	8 UNCH
4650	----	----	1.441B/----	1.441B/1.403A	----	1.437 +	0.072 .1373	----	----	----	----	5 UNCH
4700	----	----	1.539B/----	1.539B/1.455A	----	1.529 +	0.076 .1448	----	----	----	----	15 UNCH
4775	----	----	1.694B/----	1.694B/1.595A	----	1.677 +	0.083 .1565	----	----	----	----	5 UNCH
4900	----	----	1.972B/1.850A	1.972B/1.850A	----	1.952 +	0.095 .1775	----	----	----	----	5 UNCH
5000	----	----	2.227B/2.074A	2.227B/2.074A	----	2.200 +	0.106 .1956	----	----	3	----	23 + 3
5500	----	----	3.859B/3.569A	3.859B/3.569A	----	3.851 +	0.192 .2993	----	----	----	----	50 UNCH
6200	----	----	7.497B/6.909A	7.497B/6.909A	----	7.333 +	0.348 .4589	----	----	----	----	1 UNCH
6500	----	----	9.394B/8.606A	9.394B/8.606A	----	9.219 +	0.421 .5224	----	----	----	----	1 UNCH
6900	----	----	12.190B/11.259A	12.190B/11.259A	----	12.029 +	0.533 .5974	----	----	----	----	100 UNCH
7000	----	----	12.949B/12.098A	12.949B/12.098A	----	12.776 +	0.561 .6143	----	----	----	----	25 UNCH
TOTAL										3	0	238 + 3
SEP27												
5500	----	----	4.405B/----	4.405B/4.419A	----	4.501 +	0.209 .2991	----	----	----	----	10 UNCH
5800	----	----	5.760B/----	5.760B/5.708A	----	5.860 +	0.270 .3591	----	----	----	----	1 UNCH
5900	----	----	6.288B/----	6.288B/6.210A	----	6.365 +	0.291 .3792	----	----	----	----	1 UNCH
TOTAL											0	12 0
DEC27												
7175	----	----	----	----	----	15.931 -	0.259 .5463	----	----	----	----	25 UNCH
TOTAL											0	25 0
DEC28												
7175	----	----	----	----	----	17.864 -	0.648 .4471	----	----	----	----	40 UNCH
TOTAL											0	40 0
SO1 CALL		SILVER OPTIONS										
NOV26												
6250	0.988	0.988	1.366B/0.937A	1.366B/0.937A	----	1.008	NEW .3044	----	----	5	----	5 + 5
6400	0.708	0.708	0.965B/0.657A	0.965B/0.657A	----	0.702	NEW .2246	----	----	5	----	5 + 5
6500	0.539	0.539	0.539/0.525A	0.761B/0.525A	----	0.556	NEW .1828	----	----	3	----	3 + 3
6700	0.419	0.419	0.419/0.345A	0.483B/0.345A	----	0.359	NEW .1217	----	----	5	----	5 + 5
TOTAL										18	0	18 + 18
SO1 PUT		SILVER OPTIONS										
NOV26												
5700	0.782	0.782	1.117B/0.782	1.117B/0.782	----	1.007	NEW .2909	----	----	3	----	3 + 3
TOTAL										3	0	3 + 3
SO3 CALL		SILVER OPTIONS										
OCT26												
5700	----	----	4.008B/2.321A	4.008B/2.321A	----	2.648 -	0.956 .9164	----	----	----	----	1 UNCH
5800	----	----	3.067B/1.516A	3.067B/1.516A	----	1.788 -	0.900 .8118	----	----	----	----	1 UNCH
5850	----	----	2.621B/1.176A	2.621B/1.176A	----	1.410 -	0.850 .7286	----	----	----	----	2 UNCH
5900	----	----	2.191B/0.885A	2.191B/0.885A	----	1.078 -	0.782 .6260	----	----	----	----	3 UNCH
5950	0.714	0.714	1.791B/0.652A	1.791B/0.652A	----	0.799	NEW .5115	----	----	3	----	3 + 3
6000	----	----	1.423B/0.468A	1.423B/0.468A	----	0.574 -	0.604 .3962	----	----	----	----	7 UNCH
6050	0.480	0.480	1.108B/0.335A	1.108B/0.335A	----	0.404 -	0.503 .2918	----	----	12	----	20 + 10
6060	0.449	0.449	1.056B/0.313A	1.056B/0.313A	----	0.376	NEW .2731	----	----	7	----	7 + 7
6080	0.391	0.391	0.946B/0.276A	0.946B/0.276A	----	0.326	NEW .2383	----	----	7	----	7 + 7
6090	0.363	0.363	0.891B/0.257A	0.891B/0.257A	----	0.303	NEW .2220	----	----	10	----	10 + 10
6100	0.342	0.342	0.837B/0.238A	0.837B/0.238A	----	0.282 -	0.403 .2067	----	----	11	----	20 + 8
6150	0.244	0.244	0.619B/0.173A	0.619B/0.173A	----	0.199	NEW .1436	----	----	1	----	1 + 1
6200	0.270	0.270	0.450B/0.129A	0.450B/0.129A	----	0.143 -	0.232 .0993	----	----	13	----	63 + 9
6210	0.349	0.349	0.422B/0.121A	0.422B/0.121A	----	0.135	NEW .0927	----	----	1	----	1 + 1
6250	0.198	0.198	0.327B/0.098A	0.327B/0.098A	----	0.106 -	0.170 .0697	----	----	1	----	6 + 1
6300	0.230	0.230	0.235B/0.078A	0.235B/0.078A	----	0.080 -	0.124 .0494	----	----	3	----	23 + 2
6350	----	----	0.172B/0.063A	0.172B/0.063A	----	0.062 -	0.090 .0357	----	----	----	----	4 UNCH
6400	----	----	0.124B/0.051A	0.124B/0.051A	----	0.049 -	0.067 .0263	----	----	----	----	13 UNCH
6450	----	----	----/0.042A	0.087B/0.042A	----	0.039 -	0.051 .0195	----	----	----	----	32 UNCH
6480	0.051	0.051	0.051/0.038A	0.075B/0.038A	----	0.034	NEW .0163	----	----	1	----	1 + 1
6500	0.033	0.033	0.033/0.033	0.067B/0.033	----	0.032 -	0.040 .0149	----	----	1	----	47 UNCH
6530	0.034	0.034	0.034/0.032A	0.056B/0.032A	----	0.028	NEW .0125	----	----	5	----	5 + 5
6550	----	----	----/0.029A	0.051B/0.029A	----	0.026 -	0.032 .0113	----	----	----	----	6 UNCH
6600	----	----	----/0.027A	0.040B/0.027A	----	0.022 -	0.026 .0089	----	----	----	----	11 UNCH
6650	----	----	----/0.024A	0.030B/0.024A	----	0.019 -	0.021 .0072	----	----	----	----	12 UNCH
6700	----	----	----/0.021A	0.023B/0.021A	----	0.015 -	0.019 .0053	----	----	----	----	9 UNCH
6800	----	----	----/0.016A	0.010B/0.016A	----	0.011 -	0.015 .0034	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO3 CALL		SILVER OPTIONS										
OCT26												
6900	----	----	----/0.012A	0.005B/0.012A	----	0.008 - 0.012	.0022	----	----	----	----	7 UNCH
7000	----	----	----/0.009A	0.003B/0.009A	----	0.006 - 0.010	.0014	----	----	----	----	15 UNCH
7050	----	----	----/0.008A	0.001B/0.008A	----	0.006 - 0.009	.0014	----	----	----	----	2 UNCH
7100	----	----	----/0.009A	0.001B/0.009A	----	0.005 - 0.008	.0011	----	----	----	----	20 UNCH
7150	----	----	----/0.009A	----/0.009A	----	0.004 - 0.007	.0008	----	----	----	----	5 UNCH
7200	----	----	----	----/0.010A	----	0.003 - 0.006	.0005	----	----	----	----	6 UNCH
7250	----	----	----	----/0.014A	----	0.003 - 0.005	.0005	----	----	----	----	6 UNCH
7400	----	----	----	----/0.012A	----	0.002 - 0.003	.0003	----	----	----	----	5 UNCH
TOTAL										76	0	385 + 65
SO3 PUT		SILVER OPTIONS										
OCT26												
5000	----	----	----	----/0.012A	----	0.001 - 0.001	.0002	----	----	----	----	1 UNCH
5200	----	----	----	0.006B/0.015A	----	0.004 - 0.002	.0011	----	----	----	----	3 UNCH
5500	----	----	0.040B/0.031A	0.040B/0.031A	----	0.034 + 0.002	.0171	----	----	----	----	5 UNCH
5550	----	----	0.057B/0.038A	0.057B/0.038A	----	0.046 + 0.005	.0251	----	----	----	----	3 UNCH
5600	----	----	0.080B/0.047A	0.080B/0.047A	----	0.063 + 0.010	.0372	----	----	----	----	34 UNCH
5650	----	----	0.117B/0.058A	0.117B/0.058A	----	0.087 + 0.018	.0552	----	----	----	----	21 UNCH
5700	0.160	0.160	0.171B/0.077A	0.171B/0.077A	----	0.124 + 0.031	.0835	----	----	1	----	66 UNCH
5740	0.095	0.095	0.230B/0.095	0.230B/0.095	----	0.167 + 0.048	.1163	----	----	1	----	1 UNCH
5750	0.190	0.190	0.251B/0.101A	0.251B/0.101A	----	0.180 + 0.053	.1262	----	----	1	----	13 + 1
5800	0.230	0.230	0.364/0.137A	0.364/0.137A	----	0.264 + 0.088	.1881	----	----	38	----	25 - 9
5810	0.284	0.284	0.386B/0.146A	0.386B/0.146A	----	0.285 NEW	.2030	----	----	1	----	1 + 1
5850	----	----	0.519B/0.191A	0.519B/0.191A	----	0.385 + 0.137	.2713	----	----	----	----	5 UNCH
5900	0.277	0.277	0.724B/0.263A	0.724B/0.263A	----	0.553 + 0.205	.3739	----	----	19	----	6 - 11
5950	----	----	0.988B/0.369A	0.988B/0.369A	----	0.774 + 0.289	.4884	----	----	----	----	8 UNCH
5970	0.753	0.753	1.110B/0.421A	1.110B/0.421A	----	0.878 NEW	.5350	----	----	1	----	1 + 1
6000	0.763	0.763	1.308B/0.510A	1.308B/0.510A	----	1.049 + 0.384	.6037	----	----	7	----	39 + 4
6020	0.762	0.762	1.449B/0.579A	1.449B/0.579A	----	1.175 NEW	.6473	----	----	4	----	4 + 4
6030	1.273	1.273	1.522B/0.615A	1.522B/0.615A	----	1.241 NEW	.6682	----	----	1	----	1 + 1
6050	0.911	0.911	1.675B/0.692A	1.675B/0.692A	----	1.379 + 0.485	.7081	----	----	7	----	8 + 3
6090	----	----	1.996B/0.868A	1.996B/0.868A	----	1.678 + 0.566	.7779	----	----	----	----	1 UNCH
6100	1.300	1.300	2.081B/0.923A	2.081B/0.923A	----	1.757 + 0.586	.7932	----	----	4	----	58 - 1
6150	----	----	2.517B/1.199A	2.517B/1.199A	----	2.174 + 0.678	.8563	----	----	----	----	2 UNCH
6200	----	----	2.974B/1.543A	2.974B/1.543A	----	2.618 + 0.756	.9006	----	----	----	----	20 UNCH
6250	----	----	3.443B/1.915A	3.443B/1.915A	----	3.080 + 0.818	.9302	----	----	----	----	11 UNCH
6300	----	----	3.922B/2.315A	3.922B/2.315A	----	3.554 + 0.864	.9505	----	----	----	----	7 UNCH
6350	----	----	4.408B/2.746A	4.408B/2.746A	----	4.036 + 0.898	.9642	----	----	1	----	7 UNCH
6400	----	----	4.897B/3.200A	4.897B/3.200A	----	4.522 + 0.920	.9736	----	----	----	----	1 UNCH
6500	----	----	5.882B/4.142A	5.882B/4.142A	----	5.505 + 0.948	.9850	----	----	----	----	10 UNCH
6600	----	----	6.837B/5.110A	6.837B/5.110A	----	6.495 + 0.962	.9910	----	----	----	----	5 UNCH
6650	----	----	7.335B/5.704A	7.335B/5.704A	----	6.992 + 0.967	.9927	----	----	----	----	6 UNCH
6700	----	----	7.829B/6.200A	7.829B/6.200A	----	7.489 + 0.970	.9946	----	----	----	----	20 UNCH
TOTAL										86	0	393 - 6
SO4 CALL		SILVER OPTIONS										
OCT26												
5800	----	----	3.301B/1.933A	3.301B/1.933A	----	2.162 - 0.810	.7030	----	----	----	----	1 UNCH
5900	----	----	2.518B/1.349A	2.518B/1.349A	----	1.530 - 0.704	.5796	----	----	----	----	5 UNCH
6000	1.440	1.440	1.844B/0.913A	1.844B/0.913A	----	1.039 - 0.576	.4474	----	----	3	----	5 + 3
6050	----	----	1.573B/0.745A	1.573B/0.745A	----	0.846 - 0.508	.3841	----	----	----	----	5 UNCH
6100	0.766	0.766	1.313B/0.607A	1.313B/0.607A	----	0.686 - 0.441	.3255	----	----	13	----	15 + 13
6150	0.618	0.618	1.088B/0.494A	1.088B/0.494A	----	0.554 NEW	.2729	----	----	10	----	10 + 10
6300	0.388	0.388	0.606B/0.262	0.606B/0.262	----	0.297 - 0.222	.1557	----	----	17	----	26 + 9
6350	----	----	0.497B/0.228A	0.497B/0.228A	----	0.244 - 0.183	.1289	----	----	----	----	10 UNCH
6400	----	----	0.408B/0.195A	0.408B/0.195A	----	0.203 - 0.150	.1073	----	----	----	----	10 UNCH
6450	----	----	0.332B/0.163A	0.332B/0.163A	----	0.171 - 0.122	.0900	----	----	----	----	8 UNCH
6500	0.133	0.133	0.275B/0.133	0.275B/0.133	----	0.146 - 0.099	.0761	----	----	1	----	14 + 1
6550	----	----	0.227B/0.124A	0.227B/0.124A	----	0.125 - 0.082	.0645	----	----	----	----	5 UNCH
6600	0.125	0.125	0.190B/0.109A	0.190B/0.109A	----	0.109 - 0.067	.0554	----	----	2	----	8 UNCH
6700	0.100	0.100	0.100/0.077	0.127B/0.077	----	0.084 - 0.046	.0414	----	----	5	----	8 + 1
7000	----	----	----/0.047A	0.055B/0.047A	----	0.043 - 0.019	.0192	----	----	----	----	2 UNCH
7500	----	----	----/0.025A	0.013B/0.025A	----	0.021 - 0.006	.0078	----	----	----	----	1 UNCH
TOTAL										51	0	133 + 37
SO4 PUT		SILVER OPTIONS										
OCT26												
5200	----	----	0.052B/----	0.052B/0.043A	----	0.046 + 0.005	.0222	----	----	----	----	2 UNCH
5400	0.100	0.100	0.114B/0.078A	0.114B/0.078A	----	0.101 NEW	.0518	----	----	2	----	2 + 2
5450	----	----	0.138B/0.092A	0.138B/0.092A	----	0.125 + 0.024	.0647	----	----	----	----	52 UNCH
5500	0.150	0.150	0.178B/0.111A	0.178B/0.111A	----	0.156 + 0.033	.0810	----	----	5	----	24 + 5
5550	----	----	0.229B/0.133A	0.229B/0.133A	----	0.195 + 0.043	.1014	----	----	----	----	6 UNCH
5600	0.200	0.200	0.295B/0.167A	0.295B/0.167A	----	0.246 + 0.058	.1270	----	----	3	----	11 + 3
5650	----	----	0.376B/0.204A	0.376B/0.204A	----	0.312 + 0.078	.1589	----	----	15	----	15 + 14
5700	----	----	0.481B/0.256A	0.481B/0.256A	----	0.396 + 0.104	.1975	----	----	----	----	18 UNCH
5750	0.495	0.495	0.607B/0.320A	0.607B/0.320A	----	0.504 + 0.137	.2437	----	----	2	----	7 + 2
5800	----	----	0.769B/0.402A	0.769B/0.402A	----	0.639 + 0.178	.2969	----	----	15	----	15 + 14
5900	----	----	1.188B/0.626A	1.188B/0.626A	----	1.005 + 0.282	.4203	----	----	----	----	7 UNCH
6000	----	----	1.752B/0.945A	1.752B/0.945A	----	1.514 + 0.412	.5525	----	----	1	----	10 + 1
6050	----	----	2.078B/1.154A	2.078B/1.154A	----	1.821 + 0.480	.6158	----	----	----	----	17 UNCH
6100	----	----	2.440B/1.396A	2.440B/1.396A	----	2.160 + 0.546	.6743	----	----	----	----	1 UNCH
6200	----	----	3.237B/2.003A	3.237B/2.003A	----	2.921 + 0.667	.7728	----	----	----	----	3 UNCH
6250	----	----	3.660B/2.340A	3.660B/2.340A	----	3.336 + 0.720	.8117	----	----	----	----	1 UNCH
TOTAL										43	0	191 + 41
SO5 CALL		SILVER OPTIONS										
OCT26												
6200	----	----	1.331B/0.744A	1.331B/0.744A	----	0.811 - 0.382	.2965	----	----	----	----	4 UNCH
6300	----	----	0.994B/0.554A	0.994B/0.554A	----	0.600 - 0.300	.2298	----	----	----	----	5 UNCH
6400	----	----	0.737B/0.417A	0.737B/0.417A	----	0.448 - 0.232	.1771	----	----	----	----	1 UNCH
6600	----	----	0.414B/0.252A	0.414B/0.252A	----	0.260 - 0.135	.1059	----	----	1	----	8 + 1
6700	0.196	0.196	0.310B/0.196	0.310B/0.196	----	0.203 - 0.102	.0828	----	----	2	----	3 + 2
6750	----	----	----/0.193A	0.247B/0.193A	----	0.181 - 0.089	.0737	----	----	----	----	15 UNCH
6800	----	----	0.247B/0.174A	0.247B/0.174A	----	0.161 - 0.078	.0655	----	----	----	----	2 UNCH
6900	----	----	----/0.144A	0.190B/0.144A	----	0.130 - 0.060	.0524	----	----	1	----	12 + 1
7000	----	----	----/0.122A	0.133B/0.122A	----	0.107 - 0.047	.0426	----	----	----	----	1 UNCH
TOTAL										4	0	51 + 4
SO5 PUT		SILVER OPTIONS										
OCT26												
4250	----	----	----	0.003B/0.013A	----	0.006 - 0.001	.0020	----	----	----	----	10 UNCH
5500	----	----	0.387B/0.254A	0.387B/0.254A	----	0.334 + 0.065	.1337	----	----	----	----	1 UNCH
5650	0.559	0.559	0.687B/0.438A	0.687B/0.438A	----	0.594 NEW	.2210	----	----	5	----	5 + 5
5750	0.862	0.862	0.983B/0.620A	0.983B/0.620A	----	0.859 + 0.193	.2982	----	----	2	----	4 + 2
5900	1.122	1.122	1.625B/1.034A	1.625B/1.034A	----	1.436 NEW	.4354	----	----	3	----	3 + 3
6000	1.410	1.410	2.176B/1.408A	2.176B/1.408A	----	1.952 + 0.413	.5316	----	----	1	----	4 + 1
6150	----	----	3.091B/2.216A	3.091B/2.216A	----	2.916 + 0.559	.6648	----	----	----	----	5 UNCH
6300	----	----	4.287B/3.179A	4.287B/3.179A	----	4.070 NEW	.7701	----	----	1	----	1 + 1
TOTAL										12	0	33 + 12
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
OCT26												
4250	0.010	0.010	0.010/0.010	0.010/0.010	----	0.002 UNCH	.0007	----	----	1	----	1 + 1
4500	----	----	----	0.004B/0.019A	----	0.006 UNCH	.0023	----	----	----	----	10 UNCH
4750	----	----	----	0.009B/0.014A	----	0.009 - 0.003	.0033	----	----	----	----	34 UNCH
5450	----	----	----	----/0.012A	----	0.001 - 0.002	.0000	----	----	----	----	5 UNCH
5600	----	----	5.019B/3.357A	5.019B/3.357A	----	3.687 - 0.947	.9025	----	----	----	----	1 UNCH
5600	----	----	0.206B/0.113A	0.206B/0.113A	----	0.165 + 0.040	.0974	----	----	102	----	100 + 98
5600	----	----	0.017B/0.013A	0.017B/0.013A	----	0.010 - 0.005	.0012	----	----	----	----	1 UNCH
5700	----	----	0.361B/0.179A	0.361B/0.179A	----	0.286 + 0.079	.1655	----	----	----	----	4 UNCH
5700	----	----	4.078B/2.520A	4.078B/2.520A	----	2.809 - 0.908	.8344	----	----	----	----	1 UNCH
5700	----	----	0.044B/0.022A	0.044B/0.022A	----	0.026 - 0.005	.0074	----	----	----	----	1 UNCH
5720	0.034	0.034	0.055B/0.026A	0.055B/0.026A	----	0.032 NEW	.0108	----	----	1	----	1 + 1
5750	0.055	0.055	0.075B/0.032A	0.075B/0.032A	----	0.044 - 0.002	.0188	----	----	2	----	37 + 2
5760	0.055	0.055	0.087B/0.032A	0.087B/0.032A	----	0.050 UNCH	.0231	----	----	2	----	2 + 2
5770	0.063	0.063	0.098B/0.036A	0.098B/0.036A	----	0.056 NEW	.0280	----	----	4	----	0 UNCH
5780	0.076	0.076	0.110B/0.039A	0.110B/0.039A	----	0.063 NEW	.0339	----	----	6	----	0 UNCH
5790	0.069	0.069	0.124B/0.042A	0.124B/0.042A	----	0.071 NEW	.0410	----	----	2	----	2 + 2
5800	----	----	0.617B/0.293A	0.617B/0.293A	----	0.501 + 0.152	.2712	----	----	----	----	1 UNCH
5800	0.038	0.038	0.139B/0.036	0.139B/0.036	----	0.081 + 0.011	.0502	----	----	7	----	18 + 1
5820	0.140	0.140	0.175B/0.054A	0.175B/0.054A	----	0.104 NEW	.0733	----	----	21	----	21 + 21
5840	0.160	0.160	0.221B/0.062A	0.221B/0.062A	----	0.134 NEW	.1058	----	----	2	----	2 + 2
5850	0.070	0.070	0.247B/0.070	0.247B/0.070	----	0.152 + 0.043	.1260	----	----	9	----	6 + 5
5860	0.227	0.227	0.278B/0.076A	0.278B/0.076A	----	0.172 NEW	.1491	----	----	2	----	2 + 2
5870	0.254	0.254	0.312B/0.082A	0.312B/0.082A	----	0.195 NEW	.1757	----	----	2	----	2 + 2
5880	0.220	0.220	0.347B/0.091A	0.347B/0.091A	----	0.220 NEW	.2051	----	----	1	----	1 + 1
5890	0.253	0.253	0.392B/0.101A	0.392B/0.101A	----	0.248 NEW	.2378	----	----	35	----	22 + 22
5900	0.305	0.305	0.435B/0.109A	0.435B/0.109A	----	0.279 NEW	.2735	----	----	22	----	22 + 22

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 57

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
OCT26												
5900	----	----	2.022B/0.596A	2.022B/0.596A	----	0.804 - 0.881	.7264	----	----	20	----	21 + 20
5910	0.321	0.321	0.481B/0.119A	0.481B/0.119A	----	0.314 NEW	.3124	----	----	1	----	1 + 1
5920	----	----	0.529B/0.131A	0.529B/0.131A	----	0.351 + 0.143	.3532	----	----	----	----	2 UNCH
5950	0.484	0.484	0.697B/0.176A	0.697B/0.176A	----	0.485 + 0.212	.4857	----	----	1	----	7 + 1
5980	----	----	0.898B/0.231A	0.898B/0.231A	----	0.651 NEW	.6186	----	----	12	----	2 + 2
5980	0.508	0.508	1.336B/0.271A	1.336B/0.271A	----	0.376 NEW	.3813	----	----	2	----	2 + 2
6000	0.345	0.345	1.051B/0.279A	1.051B/0.279A	----	0.778 + 0.352	.6994	----	----	1	----	8 + 1
6000	0.517	0.517	1.181B/0.216A	1.181B/0.216A	----	0.303 - 0.636	.3005	----	----	29	----	26 + 20
6050	0.703	0.703	1.405B/0.599A	1.405B/0.599A	----	0.692 NEW	.3635	----	----	5	----	5 + 5
6050	0.168	0.168	0.834B/0.127A	0.834B/0.127A	----	0.173 - 0.483	.1477	----	----	5	----	6 + 5
6050	----	----	1.462B/0.439A	1.462B/0.439A	----	1.148 + 0.505	.8522	----	----	----	----	17 UNCH
6060	----	----	0.778B/0.114A	0.778B/0.114A	----	0.155 - 0.453	.1265	----	----	----	----	3 UNCH
6060	0.559	0.559	1.550B/0.479A	1.550B/0.479A	----	1.230 NEW	.8734	----	----	3	----	2 + 2
6070	0.199	0.199	0.720B/0.097	0.720B/0.097	----	0.138 NEW	.1074	----	----	5	----	2 + 2
6080	0.132	0.132	0.661B/0.092A	0.661B/0.092A	----	0.124 NEW	.0915	----	----	1	----	1 + 1
6090	0.121	0.121	0.612B/0.083A	0.612B/0.083A	----	0.111 NEW	.0775	----	----	1	----	1 + 1
6100	----	----	1.141B/0.472A	1.141B/0.472A	----	0.541 - 0.423	.2977	----	----	----	----	6 UNCH
6100	0.253	0.253	0.565B/0.074A	0.565B/0.074A	----	0.099 - 0.343	.0653	----	----	7	----	12 + 7
6100	----	----	2.295B/1.224A	2.295B/1.224A	----	2.015 + 0.564	.7022	----	----	----	----	29 UNCH
6150	----	----	2.390B/0.964A	2.390B/0.964A	----	2.034 + 0.758	.9717	----	----	----	----	6 UNCH
6150	----	----	0.353B/0.046A	0.353B/0.046A	----	0.059 - 0.231	.0282	----	----	----	----	1 UNCH
6150	----	----	0.916B/0.372A	0.916B/0.372A	----	0.422 - 0.353	.2405	----	----	----	----	40 UNCH
6160	0.058	0.058	0.323B/0.043A	0.323B/0.043A	----	0.054 NEW	.0241	----	----	14	----	14 + 14
6180	0.232	0.232	0.265B/0.036A	0.265B/0.036A	----	0.045 - 0.178	.0175	----	----	2	----	3 + 2
6200	0.150	0.150	0.217B/0.033A	0.217B/0.033A	----	0.038 - 0.150	.0129	----	----	24	----	45 + 20
6200	----	----	0.729B/0.295A	0.729B/0.295A	----	0.330 NEW	.1927	----	----	102	----	100 + 100
6230	----	----	0.157B/0.027A	0.157B/0.027A	----	0.030 - 0.115	.0083	----	----	----	----	1 UNCH
6240	----	----	0.144B/0.026A	0.144B/0.026A	----	0.028 - 0.105	.0073	----	----	----	----	3 UNCH
6250	----	----	0.130B/0.024A	0.130B/0.024A	----	0.026 - 0.096	.0063	----	----	----	----	5 UNCH
6250	----	----	0.582B/0.236A	0.582B/0.236A	----	0.259 - 0.235	.1535	----	----	----	----	2 UNCH
6260	0.070	0.070	0.116B/0.023A	0.116B/0.023A	----	0.024 NEW	.0055	----	----	6	----	6 + 6
6270	0.100	0.100	0.107B/0.022A	0.107B/0.022A	----	0.023 - 0.080	.0049	----	----	6	----	9 + 6
6300	----	----	3.863B/2.176A	3.863B/2.176A	----	3.493 + 0.926	.9968	----	----	----	----	2 UNCH
6300	0.075	0.075	0.076B/0.018A	0.076B/0.018A	----	0.018 - 0.063	.0031	----	----	10	----	35 + 10
6350	----	----	----/0.016A	0.045B/0.016A	----	0.013 - 0.042	.0016	----	----	----	----	2 UNCH
6400	----	----	----/0.012A	0.026B/0.012A	----	0.009 - 0.030	.0008	----	----	----	----	1 UNCH
6500	----	----	----/0.011A	0.011B/0.011A	----	0.004 - 0.017	.0001	----	----	----	----	10 UNCH
6650	----	----	----	----/0.009A	----	0.001 - 0.007	.0000	----	----	----	----	3 UNCH
6700	----	----	----	----/0.010A	----	0.001 - 0.005	----	----	----	----	----	3 UNCH
6700	0.069	0.069	0.069/0.058A	0.081B/0.058A	----	0.054 - 0.037	.0280	----	----	1	----	5 + 1
6800	0.050	0.050	0.050/0.047A	0.058B/0.047A	----	0.042 - 0.026	.0208	----	----	1	----	4 + 1
6900	----	----	----/0.040A	0.041B/0.040A	----	0.034 - 0.018	.0160	----	----	----	----	1 UNCH
7000	----	----	----/0.033A	0.030B/0.033A	----	0.028 - 0.014	.0126	----	----	----	----	2 UNCH
TOTAL										480	0	753 + 414
NOV26												
6100	1.837	1.837	1.872B/1.215A	1.872B/1.215A	----	1.321 NEW	.3954	----	----	1	----	1 + 1
6350	0.964	0.964	0.975B/0.637A	0.975B/0.637A	----	0.686 NEW	.2329	----	----	7	----	7 + 7
6400	----	----	----/0.563A	0.851B/0.563A	----	0.603 - 0.249	.2082	----	----	----	----	1 UNCH
7500	0.097	0.097	0.097/0.092A	0.097/0.092A	----	0.079 NEW	.0270	----	----	6	----	6 + 6
TOTAL										14	0	15 + 14
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week3										
OCT26												
4750	0.009	0.009	0.009/0.009	0.009/0.009	----	0.011 + 0.002	.0037	----	----	1	----	35 + 1
5500	----	----	----	----/0.008A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
5550	----	----	----	----/0.008A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
5600	----	----	0.165B/0.090A	0.165B/0.090A	----	0.130 + 0.028	.0818	----	----	----	----	3 UNCH
5700	----	----	4.047B/2.451A	4.047B/2.451A	----	2.759 - 0.921	.8526	----	----	----	----	1 UNCH
5700	----	----	0.301B/0.145A	0.301B/0.145A	----	0.236 + 0.067	.1473	----	----	----	----	2 UNCH
5700	----	----	----	----/0.009A	----	0.000 - 0.002	----	----	----	----	----	0 - 24
5720	----	----	----	0.001B/0.008A	----	0.000 - 0.003	----	----	----	----	----	0 - 3
5750	----	----	0.407B/0.187A	0.407B/0.187A	----	0.319 + 0.097	.1951	----	----	----	----	2 UNCH
5750	----	----	0.006B/----	0.006B/0.006A	----	0.000 - 0.005	----	----	----	----	----	0 - 12
5800	----	----	0.540B/0.246A	0.540B/0.246A	----	0.430 + 0.137	.2544	----	----	----	----	1 UNCH
5800	----	----	0.017B/0.006A	0.017B/0.006A	----	0.000 - 0.011	----	----	----	----	----	0 - 23
5830	----	----	0.022B/0.006A	0.022B/0.006A	----	0.000 - 0.019	----	----	----	----	----	0 - 3
5840	----	----	0.039B/0.006A	0.039B/0.006A	----	0.000 - 0.021	----	----	----	----	----	0 - 4
5850	----	----	0.046B/0.006A	0.046B/0.006A	----	0.000 - 0.024	----	----	----	----	----	0 - 6
5860	----	----	0.052B/0.006A	0.052B/0.006A	----	0.000 - 0.027	----	----	----	----	----	0 - 2
5880	----	----	2.154B/0.585A	2.154B/0.585A	----	0.725 - 1.023	----	----	----	----	----	0 - 1
5890	----	----	0.082B/0.003A	0.082B/0.003A	----	0.000 - 0.040	----	----	----	20	----	0 - 1
5900	0.003	0.003	0.100B/0.001	0.100B/0.001	----	0.000 - 0.045	----	----	----	9	----	0 - 13
5900	----	----	2.312B/1.099A	2.312B/1.099A	----	1.286 - 0.736	.5961	----	----	----	----	2 UNCH
5910	----	----	0.115B/0.004A	0.115B/0.004A	----	0.000 - 0.052	----	----	----	----	----	0 UNCH
5910	----	----	1.859B/0.290A	1.859B/0.290A	----	0.425 - 1.040	----	----	----	----	----	0 - 5
5920	----	----	1.761B/0.205A	1.761B/0.205A	----	0.325 - 1.048	----	----	----	----	----	0 - 3
5930	0.010	0.010	0.159B/0.005A	0.159B/0.005A	----	0.000 NEW	----	----	----	13	----	0 UNCH
5940	0.009	0.009	0.186B/0.005A	0.186B/0.005A	----	0.000 - 0.079	----	----	----	42	----	0 - 2
5950	0.084	0.084	1.474B/0.025A	1.474B/0.025A	----	0.025 NEW	----	----	----	4	----	0 UNCH
5950	----	----	1.936B/0.864A	1.936B/0.864A	----	1.015 - 0.663	.5121	----	----	----	----	2 UNCH
5950	0.114	0.114	0.214B/0.010A	0.214B/0.010A	----	0.000 - 0.092	----	----	----	36	----	0 - 1
5960	0.199	0.199	1.378B/0.005A	1.378B/0.005A	----	0.000 NEW	----	----	----	4	----	0 UNCH
5960	0.016	0.016	0.248B/0.015A	0.248B/0.015A	----	0.075 - 0.031	----	----	----	14	----	0 - 4
5970	0.165	0.165	1.284B/0.001A	1.284B/0.001A	----	0.000 NEW	----	----	----	4	----	0 UNCH
5970	0.156	0.156	0.317B/0.022A	0.317B/0.022A	----	0.175 NEW	----	----	----	8	----	0 UNCH
5980	0.099	0.099	1.190B/0.004A	1.190B/0.004A	----	0.000 - 0.856	----	----	----	8	----	0 - 2
5980	0.102	0.102	0.416B/0.031A	0.416B/0.031A	----	0.275 + 0.132	----	----	----	1	----	0 - 2
5990	0.090	0.090	1.098B/0.004A	1.098B/0.004A	----	0.000 NEW	----	----	----	4	----	0 UNCH
5990	0.210	0.210	0.516B/0.049A	0.516B/0.049A	----	0.375 + 0.210	----	----	----	62	----	0 - 21
6000	0.222	0.222	0.615B/0.066A	0.615B/0.066A	----	0.475 + 0.283	----	----	----	14	----	0 - 8
6000	----	----	1.587B/0.671A	1.587B/0.671A	----	0.789 - 0.583	.4281	----	----	----	----	4 UNCH
6000	0.432	0.432	1.006B/0.005	1.006B/0.005	----	0.000 NEW	----	----	----	29	----	0 UNCH
6010	0.217	0.217	0.715B/0.080A	0.715B/0.080A	----	0.575 + 0.353	.0000	----	----	6	----	0 - 1
6020	0.241	0.241	0.816B/0.096A	0.816B/0.096A	----	0.675 + 0.419	----	----	----	28	----	0 - 1
6030	0.204	0.204	0.916B/0.118A	0.916B/0.118A	----	0.775 + 0.481	----	----	----	25	----	0 - 10
6030	0.074	0.074	0.750B/0.004	0.750B/0.004	----	0.000 NEW	----	----	----	3	----	0 UNCH
6040	0.147	0.147	0.665B/0.006A	0.665B/0.006A	----	0.000 NEW	----	----	----	5	----	0 UNCH
6040	0.259	0.259	1.016B/0.141A	1.016B/0.141A	----	0.875 NEW	----	----	----	27	----	0 UNCH
6050	0.200	0.200	1.116B/0.164A	1.116B/0.164A	----	0.975 + 0.591	----	----	----	7	----	0 - 20
6050	0.368	0.368	0.590B/0.004A	0.590B/0.004A	----	0.000 - 0.397	----	----	----	53	----	0 - 13
6060	0.434	0.434	0.518B/0.004A	0.518B/0.004A	----	0.000 - 0.348	----	----	----	70	----	0 - 5
6060	0.403	0.403	1.215B/0.199A	1.215B/0.199A	----	1.075 + 0.640	----	----	----	9	----	0 - 7
6070	0.290	0.290	1.315B/0.230A	1.315B/0.230A	----	1.175 NEW	----	----	----	4	----	0 UNCH
6080	0.162	0.162	0.399B/0.001A	0.399B/0.001A	----	0.000 NEW	----	----	----	3	----	0 UNCH
6100	----	----	2.235B/1.140A	2.235B/1.140A	----	1.935 + 0.569	.7214	----	----	----	----	24 UNCH
6100	----	----	1.615B/0.370A	1.615B/0.370A	----	1.475 + 0.790	----	----	----	----	----	0 - 42
6100	0.160	0.160	0.289B/0.004A	0.289B/0.004A	----	0.000 - 0.199	----	----	----	9	----	0 - 34
6100	----	----	1.056B/0.402A	1.056B/0.402A	----	0.461 - 0.419	.2785	----	----	----	----	20 UNCH
6110	0.136	0.136	0.243B/0.004A	0.243B/0.004A	----	0.000 - 0.171	----	----	----	1	----	0 - 3
6120	0.010	0.010	0.202B/0.005A	0.202B/0.005A	----	0.000 - 0.147	----	----	----	3	----	0 - 2
6130	0.095	0.095	0.169B/0.004A	0.169B/0.004A	----	0.000 NEW	----	----	----	2	----	0 UNCH
6140	0.105	0.105	0.142B/0.004A	0.142B/0.004A	----	0.000 NEW	----	----	----	2	----	0 UNCH
6150	----	----	2.116B/0.720A	2.116B/0.720A	----	1.975 + 0.895	----	----	----	----	----	0 - 26
6150	----	----	0.829B/0.309A	0.829B/0.309A	----	0.350 - 0.344	.2186	----	----	----	----	1 UNCH
6150	----	----	0.115B/0.004A	0.115B/0.004A	----	0.000 - 0.093	----	----	----	----	----	0 - 11
6160	0.080	0.080	0.098B/0.004A	0.098B/0.004A	----	0.000 NEW	----	----	----	6	----	0 UNCH
6170	----	----	0.077B/0.004A	0.077B/0.004A	----	0.000 - 0.068	----	----	----	----	----	0 - 10
6180	----	----	0.062B/0.005A	0.062B/0.005A	----	0.000 - 0.059	----	----	----	----	----	0 - 2
6200	0.575	0.575	0.645B/0.240A	0.645B/0.240A	----	0.268 NEW	.1705	----	----	20	----	20 + 20
6200	----	----	3.080B/1.760A	3.080B/1.760A	----	2.741 + 0.711	.8294	----	----	----	----	1 UNCH
6200	----	----	2.616B/1.128A	2.616B/1.128A	----	2.475 + 0.944	----	----	----	----	----	0 - 27
6200	0.010	0.010	0.010/0.007	0.041B/0.007	----	0.000 - 0.044	----	----	----	3	----	0 - 25
6220	----	----	----/0.007A	0.028B/0.007A	----	0.000 - 0.033	----	----	----	----	----	0 - 2
6230	----	----	----/0.007A	0.018B/0.007A	----	0.000 - 0.029	----	----	----	----	----	0 - 2
6250	0.020	0.020	0.020/0.007A	0.020/0.007A	----	0.000 - 0.022	----	----	----	2	----	0 - 15
6250	----	----	0.502B/0.191A	0.502B/0.191A	----	0.207 - 0.219	.1326	----	----	----	----	6 UNCH
6280	----	----	----/0.007A	0.008B/0.007A	----	0.000 - 0.016	----	----	----	----	----	0 - 3
6290	----	----	----/0.007A	0.006B/0.007A	----	0.000 - 0.014	----	----	----	----	----	0 - 4
6300	----	----	----/0.007A	0.005B/0.007A	----	0.000 - 0.012	----	----	----	----	----	0 - 29
6320	----	----	----/0.008A	----/0.008A	----	0.000 - 0.010	----	----	----	----	----	0 - 3
6350	0.159	0.159	0.301B/0.127A	0.301B/0.127A	----	0.130 NEW	.0819	----	----	1	----	1 + 1
6370	----	----	----	----/0.008A	----	0.000 - 0.005	----	----	----	----	----	0 - 1
6400	----	----	----	----/0.008A	----	0.000 - 0.003	----	----	----	----	----	0 - 1
6410	----	----	----	----/0.008A	----	0.000 - 0.003	----	----	----	----	----	0 - 2
6500	----	----	0.145B/0.077A	0.145B/0.077A	----	0.073 - 0.067	.0431	----	----	----	----	1 UNCH
6500	----	----	----	----/0.008A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
6510	----	----	----	----/0.008A	----	0.000 - 0.001	----	----	----	----	----	0 - 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week2										
OCT26												
6590	----	----	----	----/0.008A	----	0.000 - 0.001	----	----	----	----	----	0 - 14
6690	----	----	----	----/0.008A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
7700	----	----	----	----/0.008A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
8750	----	----	----	----/0.048A	----	0.001 UNCH	----	----	----	----	----	34 UNCH
TOTAL										562	0	160 - 449
NOV26												
4250	----	----	0.006B/----	0.006B/0.020A	----	0.005 + 0.002	.0018	----	----	----	----	1 UNCH
4500	0.009	0.009	0.016B/0.009	0.016B/0.009	----	0.014 NEW	.0052	----	----	10	----	10 + 10
5300	0.238	0.238	0.238/0.238	0.238/0.172A	----	0.197 NEW	.0771	----	----	50	----	50 + 50
5900	2.100	2.100	2.928B/1.925A	2.928B/1.925A	----	2.096 - 0.663	.5616	----	----	2	----	3 UNCH
5900	----	----	1.737B/1.172A	1.737B/1.172A	----	1.572 + 0.323	.4382	----	----	----	----	1 UNCH
6100	----	----	2.943B/2.070A	2.943B/2.070A	----	2.698 + 0.492	.6117	----	----	----	----	23 UNCH
6300	----	----	----/1.092A	1.069B/1.092A	----	1.051 - 0.326	.2946	----	----	----	----	1 UNCH
6550	----	----	----/0.354A	0.514B/0.354A	----	0.354 - 0.179	.1352	----	----	----	----	1 UNCH
6800	----	----	----/0.217A	0.273B/0.217A	----	0.208 - 0.095	.0793	----	----	----	----	3 UNCH
7000	0.170	0.170	0.170/0.152A	0.173B/0.152A	----	0.144 - 0.057	.0540	----	----	1	----	3 + 1
7200	----	----	----/0.114A	0.114B/0.114A	----	0.104 - 0.035	.0381	----	----	----	----	2 UNCH
7750	----	----	----	0.047B/0.061A	----	0.052 + 0.003	.0175	----	----	----	----	1 UNCH
TOTAL										63	0	99 + 61

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK3										
OCT26												
500	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	19 UNCH
625	----	----	----	0.0035B/0.0080A	----	0.0060 - 0.0020	.0417	----	----	----	----	10 UNCH
630	----	----	----	0.0055B/0.0095A	----	0.0075 - 0.0020	.0532	----	----	----	----	5 UNCH
635	----	----	----	0.0010B/0.0045A	----	0.0030 + 0.0010	.0251	----	----	----	----	4 UNCH
640	0.0075	0.0075	0.0165/0.0075	0.0165/0.0075	----	0.0130 NEW	.0931	----	----	10	----	0 UNCH
645	----	----	----/0.0190A	0.0170B/0.0190A	----	0.0180 - 0.0030	.1262	----	----	----	----	2 UNCH
650	----	----	----/0.0070A	0.0040B/0.0070A	----	0.0055 - 0.0035	.0605	----	----	----	----	2 UNCH
655	----	----	----/0.0340A	0.0385B/0.0340A	----	0.0345 - 0.0040	.2242	----	----	----	----	10 UNCH
655	----	----	----/0.0100A	0.0115B/0.0100A	----	0.0090 - 0.0070	.1014	----	----	----	----	17 UNCH
655	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
660	----	----	----/0.0175A	0.0235B/0.0175A	----	0.0165 - 0.0095	.1777	----	----	----	----	13 UNCH
660	----	----	----	----	----	0.1470 UNCH	----	----	----	----	----	0 UNCH
661	----	----	----	----	----	0.1370 UNCH	----	----	----	----	----	0 UNCH
664	----	----	----	----	----	0.1070 UNCH	----	----	----	----	----	0 UNCH
665	----	----	----/0.0290A	0.0400B/0.0290A	----	0.0310 - 0.0090	.2940	----	----	----	----	5 UNCH
665	----	----	----	----	----	0.0970 UNCH	----	----	----	----	----	0 UNCH
666	----	----	----	----	----	0.0870 UNCH	----	----	----	----	----	0 UNCH
669	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
670	----	----	----	----	----	0.0470 UNCH	----	----	----	----	----	0 UNCH
671	----	----	----	----	----	0.0370 UNCH	----	----	----	----	----	0 UNCH
673	----	----	----	----	----	0.0170 UNCH	----	----	----	----	----	0 UNCH
674	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
675	----	----	----/0.0910A	0.1135B/0.0910A	----	0.0925 - 0.0215	.4692	----	----	----	----	1 UNCH
675	----	----	----	----	----	0.0030 UNCH	----	----	----	----	----	0 UNCH
675	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
677	----	----	----	----	----	0.0230 UNCH	----	----	----	----	----	0 UNCH
677	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
678	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
680	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
682	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
690	----	----	----/0.0215A	0.0285B/0.0215A	----	0.0205 - 0.0125	.1739	----	----	----	----	3 UNCH
695	----	----	----/0.0365A	0.0440B/0.0365A	----	0.0370 - 0.0110	.2184	----	----	----	----	1 UNCH
700	----	----	----/0.0295A	0.0330B/0.0295A	----	0.0295 - 0.0090	.1773	----	----	----	----	5 UNCH
700	----	----	----/0.0125A	0.0125B/0.0125A	----	0.0105 - 0.0075	.0875	----	----	----	----	1 UNCH
710	----	----	----/0.0195A	0.0195B/0.0195A	----	0.0180 - 0.0070	.1125	----	----	----	----	10 UNCH
850	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	19 UNCH
TOTAL										10		127
NOV26												
800	----	----	----	0.0005B/0.0025A	----	0.0020 - 0.0005	.0100	----	----	----	----	10 UNCH
TOTAL												10
HWR THU		COPPER WEEKLY THURSDAY OPT Week4										
OCT26												
500	----	----	----	----/0.0040A	----	0.0005 UNCH	----	----	----	----	----	9 UNCH
525	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	30 UNCH
525	----	----	----	----/0.0045A	----	0.0005 UNCH	.0020	----	----	----	----	2 UNCH
600	----	----	----	----/0.0045A	----	0.0010 - 0.0010	.0063	----	----	----	----	1 UNCH
625	----	----	----/0.0120A	0.0090B/0.0120A	----	0.0105 - 0.0025	.0632	----	----	----	----	1 UNCH
635	----	----	----/0.0075A	0.0025B/0.0075A	----	0.0050 - 0.0035	.0414	----	----	----	----	1 UNCH
635	----	----	----	----/0.0020A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
640	----	----	----	----/0.0020A	----	0.0005 - 0.0005	.0000	----	----	----	----	5 UNCH
645	----	----	----	----/0.0020A	----	0.0005 - 0.0010	.0001	----	----	----	----	10 UNCH
650	----	----	----/0.0165A	0.0165B/0.0165A	----	0.0160 - 0.0050	.1295	----	----	----	----	15 UNCH
650	----	----	----/0.0025A	0.0005B/0.0025A	----	0.0005 - 0.0025	.0016	----	----	----	----	16 UNCH
650	----	----	----/0.0375A	0.0405B/0.0375A	----	0.0405 - 0.0025	.2155	----	----	----	----	1 UNCH
655	----	----	----/0.0035A	0.0005B/0.0035A	----	0.0015 - 0.0045	.0145	----	----	----	----	2 UNCH
660	----	----	----/0.0340A	0.0415B/0.0340A	----	0.0360 - 0.0060	.2602	----	----	----	----	1 UNCH
660	----	----	----/0.0060A	0.0090B/0.0060A	----	0.0050 - 0.0075	.0611	----	----	----	----	11 UNCH
660	----	----	0.1715B/0.1230A	0.1715B/0.1230A	----	0.1310 - 0.0285	.9388	----	----	----	----	1 UNCH
662	----	----	----/0.0075A	0.0140B/0.0075A	----	0.0075 - 0.0090	.0968	----	----	----	----	1 UNCH
664	0.0135	0.0135	0.0135/0.0100A	0.0195B/0.0100A	----	0.0115 NEW	.1506	----	----	15	----	15 + 15
665	0.0150	0.0150	0.0150/0.0125A	0.0240B/0.0125A	----	0.0140 - 0.0100	.1829	----	----	1	----	16 + 1
665	----	----	0.1270B/0.0835A	0.1270B/0.0835A	----	0.0900 - 0.0310	.8170	----	----	----	----	40 UNCH
670	----	----	----/0.0510A	0.0805B/0.0510A	----	0.0575 - 0.0310	.6179	----	----	----	----	2 UNCH
685	----	----	----/0.0130A	0.0235B/0.0130A	----	0.0130 - 0.0170	.1313	----	----	----	----	47 UNCH
690	0.0135	0.0135	0.0135/0.0090A	0.0135/0.0090A	----	0.0080 - 0.0125	.0710	----	----	11	----	24 + 10
695	----	----	----/0.0065A	0.0075B/0.0065A	----	0.0050 - 0.0095	.0381	----	----	----	----	2 UNCH
700	----	----	----/0.0055A	0.0050B/0.0055A	----	0.0030 - 0.0070	.0194	----	----	----	----	24 UNCH
710	----	----	----/0.0040A	0.0020B/0.0040A	----	0.0010 - 0.0040	.0044	----	----	1	----	1 UNCH
730	----	----	----	0.0030B/0.0085A	----	0.0060 - 0.0025	.0376	----	----	----	----	1 UNCH
800	----	----	----	----/0.0040A	----	0.0005 UNCH	.0003	----	----	----	----	1 UNCH
800	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	30 UNCH
850	----	----	----	----/0.0040A	----	0.0005 UNCH	----	----	----	----	----	9 UNCH
TOTAL										28		320+ 26
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week3										
OCT26												
500	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	30 UNCH
635	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
640	0.0110	0.0110	0.0110/0.0060A	0.0110/0.0060A	----	0.0030 - 0.0030	.0296	----	----	2	----	2 UNCH
640	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
645	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 10
650	----	----	----/0.0095A	0.0080B/0.0095A	----	0.0075 - 0.0055	.0775	----	----	----	----	15 UNCH
650	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 11
655	0.0110	0.0110	0.0110/0.0110	0.0160B/0.0110	----	0.0130 - 0.0065	.1302	----	----	15	----	27 + 15
655	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 14
657	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 3
660	0.0360	0.0360	0.0360/0.0200	0.0360/0.0200	----	0.0240 NEW	.2163	----	----	3	----	3 + 3
665	----	----	0.1185B/0.0720A	0.1185B/0.0720A	----	0.0760 - 0.0245	----	----	----	----	----	0 - 1
667	----	----	----/0.0010A	0.0030B/0.0010A	----	0.0000 - 0.0060	----	----	----	----	----	0 - 15
670	----	----	0.0145B/0.0010A	0.0145B/0.0010A	----	0.0000 - 0.0130	----	----	----	----	----	0 - 16
671	0.0015	0.0015	0.0205B/0.0010A	0.0205B/0.0010A	----	0.0000 NEW	----	----	----	26	----	0 UNCH
672	----	----	0.0255B/0.0010A	0.0255B/0.0010A	----	0.0000 - 0.0200	----	----	----	----	----	0 - 1
673	0.0250	0.0250	0.0315B/0.0065A	0.0315B/0.0065A	----	0.0040 NEW	----	----	----	4	----	0 UNCH
673	0.0370	0.0370	0.0450B/0.0010A	0.0450B/0.0010A	----	0.0000 NEW	----	----	----	2	----	0 UNCH
674	0.0400	0.0400	0.0400/0.0100A	0.0400/0.0100A	----	0.0140 NEW	----	----	----	2	----	0 UNCH
675	----	----	0.0465B/0.0140A	0.0465B/0.0140A	----	0.0240 - 0.0105	----	----	----	----	----	0 - 5
675	----	----	----/0.0645A	0.0870B/0.0645A	----	0.0655 - 0.0230	.4522	----	----	----	----	1 UNCH
676	----	----	0.0540B/0.0190A	0.0540B/0.0190A	----	0.0340 - 0.0060	----	----	----	----	----	0 - 3
677	0.0230	0.0230	0.0625B/0.0230	0.0625B/0.0230	----	0.0440 NEW	----	----	----	1	----	0 UNCH
677	0.0140	0.0140	0.0200B/0.0010A	0.0200B/0.0010A	----	0.0000 - 0.0230	----	----	----	5	----	0 - 3
678	0.0085	0.0085	0.0085/0.0010A	0.0155B/0.0010A	----	0.0000 NEW	----	----	----	1	----	0 UNCH
680	0.0125	0.0125	0.0125/0.0010A	0.0125/0.0010A	----	0.0000 NEW	----	----	----	1	----	0 UNCH
682	0.0145	0.0145	0.0145/0.0010A	0.0145/0.0010A	----	0.0000 - 0.0095	----	----	----	5	----	0 - 12
683	----	----	----/0.0010A	0.0020B/0.0010A	----	0.0000 - 0.0080	----	----	----	----	----	0 - 11

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week2										
OCT26												
684	0.0015	0.0015	0.0075/0.0010A	0.0075/0.0010A	----	0.0000 - 0.0070	----	----	----	2	----	0 - 7
685	----	----	----/0.0355A	0.0480B/0.0355A	----	0.0350 - 0.0170	.2656	----	----	----	----	5 UNCH
685	----	----	----/0.0010A	0.0005B/0.0010A	----	0.0000 - 0.0060	----	----	----	----	----	0 - 29
690	----	----	----/0.0010A	0.0005B/0.0010A	----	0.0000 - 0.0025	----	----	----	----	----	0 - 10
709	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 3
TOTAL										69		83 - 138
NOV26												
630	----	----	----/0.4590A	0.4725B/0.4590A	----	0.4590 - 0.0250	.8559	----	----	----	----	1 UNCH
635	----	----	----/0.0250A	0.0225B/0.0250A	----	0.0250 - 0.0015	.1293	----	----	----	----	4 UNCH
660	----	----	0.2340B/0.2020A	0.2340B/0.2020A	----	0.2070 - 0.0230	.6570	----	----	----	----	7 UNCH
690	----	----	----/0.0740A	0.0865B/0.0740A	----	0.0740 - 0.0145	.3207	----	----	----	----	5 UNCH
TOTAL												17
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
OCT26												
500	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	30 UNCH
610	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
620	----	----	----/0.0090A	0.0050B/0.0090A	----	0.0070 - 0.0025	.0439	----	----	----	----	21 UNCH
620	----	----	----	----/0.0050A	----	0.0010 - 0.0020	.0081	----	----	----	----	5 UNCH
625	----	----	----/0.0100A	0.0065B/0.0100A	----	0.0080 - 0.0030	.0521	----	----	----	----	20 UNCH
625	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	5 UNCH
625	----	----	----	----/0.0055A	----	0.0015 - 0.0020	.0126	----	----	----	----	15 UNCH
630	----	----	----/0.0120A	0.0085B/0.0120A	----	0.0100 - 0.0040	.0659	----	----	----	----	30 UNCH
630	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	11 UNCH
630	----	----	----	0.0010B/0.0060A	----	0.0020 - 0.0020	.0177	----	----	----	----	31 UNCH
635	----	----	----/0.0155A	0.0120B/0.0155A	----	0.0130 - 0.0045	.0855	----	----	----	----	1 UNCH
635	----	----	----	----/0.0020A	----	0.0005 UNCH	----	----	----	----	----	20 UNCH
635	----	----	----	0.0025B/0.0060A	----	0.0025 - 0.0030	.0236	----	----	----	----	20 UNCH
640	0.0145	0.0145	0.0145/0.0145	0.0175B/0.0145	----	0.0175 NEW	.1129	----	----	15	----	15 + 15
640	----	----	----	----/0.0020A	----	0.0005 UNCH	----	----	----	----	----	15 UNCH
640	----	----	----/0.0070A	0.0025B/0.0070A	----	0.0040 - 0.0035	.0382	----	----	----	----	20 UNCH
640	----	----	0.3690B/0.3160A	0.3690B/0.3160A	----	0.3265 - 0.0210	.0000	----	----	----	----	1 UNCH
645	----	----	----	----/0.0020A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
650	----	----	----	----/0.0020A	----	0.0005 - 0.0005	----	----	----	----	----	26 UNCH
650	0.0115	0.0115	0.0115/0.0115	0.0115/0.0115	----	0.0100 - 0.0055	.0957	----	----	1	----	18 UNCH
655	----	----	----	0.0005B/0.0025A	----	0.0005 - 0.0020	.0000	----	----	----	----	7 UNCH
655	0.0130	0.0130	0.0130/0.0130	0.0210B/0.0130	----	0.0180 - 0.0055	.1587	----	----	15	----	16 + 15
660	----	----	----/0.0035A	0.0010B/0.0035A	----	0.0010 - 0.0055	.0054	----	----	22	----	52 + 22
665	----	----	0.1220B/0.0750A	0.1220B/0.0750A	----	0.0820 - 0.0305	.9256	----	----	----	----	1 UNCH
666	0.0105	0.0105	0.0105/0.0055	0.0160B/0.0055	----	0.0075 - 0.0105	.1024	----	----	17	----	25 + 14
668	0.0130	0.0130	0.0130/0.0105A	0.0240B/0.0105A	----	0.0125 NEW	.1929	----	----	2	----	2 + 2
669	0.0145	0.0145	0.0295B/0.0125A	0.0295B/0.0125A	----	0.0160 NEW	.2528	----	----	1	----	1 + 1
670	0.0175	0.0175	0.0335B/0.0150A	0.0335B/0.0150A	----	0.0200 - 0.0110	.3181	----	----	2	----	3 + 2
670	----	----	0.0805B/0.0400A	0.0805B/0.0400A	----	0.0460 - 0.0320	.6818	----	----	----	----	16 UNCH
673	0.0285	0.0285	0.0285/0.0265A	0.0605B/0.0265A	----	0.0305 NEW	.4739	----	----	5	----	5 + 5
675	0.0250	0.0250	0.0250/0.0200A	0.0485B/0.0200A	----	0.0230 - 0.0280	.3453	----	----	3	----	4 + 3
676	0.0315	0.0315	0.0705B/0.0315	0.0705B/0.0315	----	0.0535 NEW	.7132	----	----	1	----	1 + 1
678	----	----	----/0.0140A	0.0345B/0.0140A	----	0.0145 - 0.0245	.1938	----	----	----	----	30 UNCH
680	----	----	----/0.0845A	0.1025B/0.0845A	----	0.0850 - 0.0185	.4064	----	----	----	----	1 UNCH
680	0.0125	0.0125	0.0125/0.0110A	0.0265B/0.0110A	----	0.0110 NEW	.1289	----	----	3	----	3 + 3
682	0.0125	0.0125	0.0125/0.0085A	0.0205B/0.0085A	----	0.0080 NEW	.0809	----	----	1	----	1 + 1
683	0.0090	0.0090	0.0090/0.0080A	0.0180B/0.0080A	----	0.0070 NEW	.0650	----	----	33	----	33 + 33
685	0.0135	0.0135	0.0135/0.0065A	0.0135/0.0065A	----	0.0050 - 0.0155	.0388	----	----	32	----	33 + 27
687	0.0135	0.0135	0.0135/0.0055A	0.0135/0.0055A	----	0.0035 NEW	.0221	----	----	1	----	1 + 1
690	----	----	----/0.0310A	0.0405B/0.0310A	----	0.0305 - 0.0145	.2180	----	----	----	----	2 UNCH
690	0.0020	0.0020	0.0020/0.0020	0.0060B/0.0020	----	0.0025 NEW	.0118	----	----	2	----	2 + 2
695	0.0005	0.0005	0.0005/0.0005	0.0025B/0.0005	----	0.0010 NEW	.0025	----	----	2	----	2 + 2
700	----	----	----/0.0185A	0.0210B/0.0185A	----	0.0170 NEW	.1247	----	----	1	----	1 + 1
700	----	----	----/0.0030A	0.0010B/0.0030A	----	0.0005 - 0.0050	.0002	----	----	1	----	5 - 1
710	----	----	----	----/0.0025A	----	0.0005 - 0.0020	----	----	----	----	----	5 UNCH
715	----	----	----/0.0100A	0.0065B/0.0100A	----	0.0080 - 0.0045	.0565	----	----	----	----	5 UNCH
725	----	----	----/0.0140A	0.0125B/0.0140A	----	0.0130 - 0.0040	.0750	----	----	----	----	1 UNCH
800	----	----	----	----/0.0040A	----	0.0005 UNCH	.0003	----	----	----	----	9 UNCH
TOTAL										160		573 + 149
NOV26												
610	----	----	----	0.0060B/0.0115A	----	0.0090 - 0.0020	.0475	----	----	----	----	12 UNCH
615	----	----	----	0.0080B/0.0140A	----	0.0110 - 0.0020	.0581	----	----	----	----	45 UNCH
620	----	----	----	0.0105B/0.0165A	----	0.0140 - 0.0020	.0729	----	----	----	----	45 UNCH
625	----	----	----/0.0195A	0.0155B/0.0195A	----	0.0175 - 0.0025	.0901	----	----	----	----	1 UNCH
640	----	----	----/0.0355A	0.0350B/0.0355A	----	0.0360 - 0.0020	.1708	----	----	----	----	22 UNCH
660	----	----	0.2405B/0.2100A	0.2405B/0.2100A	----	0.2145 - 0.0215	.6495	----	----	----	----	1 UNCH
670	----	----	0.1795B/0.1560A	0.1795B/0.1560A	----	0.1585 - 0.0195	.5393	----	----	----	----	1 UNCH
675	----	----	0.1655B/0.1450A	0.1655B/0.1450A	----	0.1585 + 0.0020	.5158	----	----	----	----	1 UNCH
675	----	----	----/0.1335A	0.1535B/0.1335A	----	0.1345 - 0.0190	.4836	----	----	----	----	1 UNCH
685	----	----	----/0.0965A	0.1105B/0.0965A	----	0.0965 - 0.0160	.3784	----	----	----	----	2 UNCH
700	----	----	----/0.0580A	0.0655B/0.0580A	----	0.0575 - 0.0110	.2486	----	----	----	----	1 UNCH
720	----	----	----/0.0300A	0.0290B/0.0300A	----	0.0285 - 0.0050	.1339	----	----	----	----	1 UNCH
755	----	----	----/0.0110A	0.0080B/0.0110A	----	0.0095 - 0.0020	.0463	----	----	----	----	1 UNCH
800	----	----	----	0.0015B/0.0070A	----	0.0020 - 0.0005	.0102	----	----	----	----	3 UNCH
850	----	----	----	----/0.0050A	----	0.0005 UNCH	.0024	----	----	----	----	1 UNCH
TOTAL												138
DEC26												
525	0.0020	0.0020	0.0020/0.0020	0.0020/0.0020	----	0.0020 UNCH	.0072	----	----	16	----	26 + 16
575	----	----	----	0.0075B/0.0165A	----	0.0110 - 0.0010	.0370	----	----	----	----	4 UNCH
600	----	----	----	0.0200B/0.0280A	----	0.0250 - 0.0010	.0785	----	----	----	----	4 UNCH
605	----	----	----	0.0235B/0.0320A	----	0.0290 - 0.0010	.0899	----	----	----	----	12 UNCH
625	----	----	----	0.0470B/0.0530A	----	0.0510 - 0.0015	.1494	----	----	----	----	1 UNCH
630	----	----	----	0.0555B/0.0600A	----	0.0585 - 0.0015	.1685	----	----	----	----	12 UNCH
645	----	----	----/0.0880A	0.0880B/0.0880A	----	0.0890 - 0.0015	.2388	----	----	----	----	25 UNCH
650	----	----	----/0.1000A	0.1015B/0.1000A	----	0.1020 - 0.0010	.2662	----	----	----	----	11 UNCH
690	----	----	----/0.2065A	0.2220B/0.2065A	----	0.2060 - 0.0170	.4716	----	----	----	----	1 UNCH
695	----	----	----/0.1870A	0.2005B/0.1870A	----	0.1860 - 0.0165	.4388	----	----	----	----	1 UNCH
700	----	----	0.3400B/0.3175A	0.3400B/0.3175A	----	0.3335 + 0.0055	.5915	----	----	----	----	1 UNCH
720	----	----	----/0.1115A	0.1180B/0.1115A	----	0.1095 - 0.0125	.2933	----	----	----	----	6 UNCH
725	0.1050	0.1050	0.1055B/0.1005A	0.1055B/0.1005A	----	0.0985 NEW	.2690	----	----	10	----	10 + 10
900	0.0020	0.0020	0.0020/0.0020	0.0020/0.0020	----	0.0020 UNCH	.0076	----	----	16	----	26 + 16
TOTAL										42		140 + 42
JAN27												
700	----	----	----/0.2455A	0.2575B/0.2455A	----	0.2435 - 0.0175	.4390	----	----	----	----	1 UNCH
800	----	----	----	0.0510B/0.0565A	----	0.0500 - 0.0065	.1202	----	----	----	----	1 UNCH
825	----	----	----	0.0340B/0.0415A	----	0.0335 - 0.0050	.0840	----	----	----	----	1 UNCH
TOTAL												3
HX CALL		COMEX COPPER OPTIONS										
NOV26												
535	----	----	----	----	----	1.3765 - 0.0210	.9960	----	----	----	----	0 UNCH
545	----	----	----	----	----	1.2765 - 0.0215	.9940	----	----	----	----	0 - 1
580	----	----	----	----	----	0.9275 - 0.0210	.9877	----	----	----	----	2 UNCH
585	----	----	----	----	----	0.8775 - 0.0210	.9870	----	----	----	----	1 UNCH
595	----	----	----	----	----	0.7780 - 0.0215	.9833	----	----	----	----	2 UNCH
600	----	----	----	----	----	0.7285 - 0.0220	.9823	----	----	----	----	4 UNCH
610	----	----	----/0.6290A	0.6440B/0.6290A	----	0.6290 - 0.0230	.9750	----	----	----	----	14 UNCH
630	----	----	0.4740B/0.4240A	0.4740B/0.4240A	----	0.4345 - 0.0250	.9389	----	----	----	----	1 UNCH
635	----	----	0.4270B/0.3770A	0.4270B/0.3770A	----	0.3875 - 0.0255	.9191	----	----	----	----	2 UNCH
640	----	----	0.3795B/0.3305A	0.3795B/0.3305A	----	0.3415 - 0.0255	.8933	----	----	----	----	340 UNCH
645	----	----	0.3330B/0.2875A	0.3330B/0.2875A	----	0.2975 - 0.0260	.8578	----	----	----	----	2 UNCH
650	----	----	0.2900B/0.2455A	0.2900B/0.2455A	----	0.2555 - 0.0260	.8133	----	----	----	----	44 UNCH
655	0.2600	0.2600	0.2600/0.2065A	0.2600/0.2065A	----	0.2170 - 0.0255	.7581	----	----	1	----	212 UNCH
660	----	----	0.2125B/0.1720A	0.2125B/0.1720A	----	0.1815 - 0.0250	.6936	----	----	28	----	335 UNCH
664	----	----	0.1830B/0.1475A	0.1830B/0.1475A	----	0.1560 - 0.0240	.6366	----	----	----	----	78 UNCH
665	0.1675	0.1675	0.1780B/0.1420A	0.1780B/0.1420A	----	0.1500 - 0.0240	.6219	----	----	4	----	100 - 1
666	----	----	0.1705B/0.1355A	0.1705B/0.1355A	----	0.1440 - 0.0235	.6072	----	----	----	----	8 UNCH
670	----	----	0.1475B/0.1145A	0.1475B/0.1145A	----	0.1225 - 0.0225	.5470	----	----	28	----	480 + 28
675	0.1155	0.1155	0.1220B/0.0915A	0.1220B/0.0915A	----	0.0990 - 0.0210	.4721	----	----	12	----	576 + 9
680	0.0880	0.0880	0.0995B/0.0730A	0.0995B/0.0730A	----	0.0795 - 0.0190	.4008	----	----	18	----	198 + 7
685	0.0765	0.0765	0.0810B/0.0580A	0.0810B/0.0580A	----	0.0635 - 0.0165	.3355	----	----	15	----	382 + 8
690	0.0515	0.0515	0.0515/0.0460A	0.0650B/0.0460A	----	0.0505 - 0.0145	.2775	----	----	12	----	408 + 9
695	0.0395	0.0395	0.0530B/0.0365	0.0530B/0.0365	----	0.0405 - 0.0120	.2285	----	----	3	----	291 UNCH
700	0.0400	0.0400	0.0400/0.0290A	0.0420B/0.0290A	----	0.0320 - 0.0105	.1857	----	----	10	----	981 - 3
705	----	----	----/0.0230A	0.0340B/0.0230A	----	0.0255 - 0.0085	.1507	----	----	----	----	326 UNCH
710	----	----	----/0.0185A	0.0265B/0.0185A	----	0.0205 - 0.0070	.1226	----	----	7	----	336 + 2
714	0.0155	0.0155	0.0155/0.0155	0.0225B/0.0155	----	0.0170 - 0.0060	.1028	----	----	1	----	17 + 1
715	0.0155	0.0155	0.0155/0.0150A	0.0215B/0.0150A	----	0.0165 - 0.0055	.0995	----	----	1	----	290 - 1
716	----	----	----/0.0145A	0.0205B/0.0145A	----	0.0155 - 0.0055	.0942	----	----	----	----	12 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

HX CALL — COMEX COPPER OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
NOV26												
719	----	----	----/0.0130A	0.0180B/0.0130A	----	0.0135 - 0.0045	.0825	----	----	----	----	6 UNCH
720	----	----	----/0.0125A	0.0170B/0.0125A	----	0.0130 - 0.0045	.0794	----	----	1	----	722 UNCH
721	----	----	----/0.0120A	0.0160B/0.0120A	----	0.0125 - 0.0040	.0763	----	----	----	----	19 UNCH
724	----	----	----/0.0105A	0.0140B/0.0105A	----	0.0110 - 0.0035	.0673	----	----	----	----	12 UNCH
725	----	----	----/0.0100A	0.0135B/0.0100A	----	0.0105 - 0.0035	.0643	----	----	----	----	336 UNCH
726	----	----	----/0.0095A	0.0130B/0.0095A	----	0.0100 - 0.0035	.0614	----	----	----	----	12 UNCH
730	----	----	----/0.0085A	0.0105B/0.0085A	----	0.0085 - 0.0030	.0521	----	----	4	----	276 + 2
735	----	----	----/0.0070A	0.0085B/0.0070A	----	0.0070 - 0.0025	.0427	----	----	----	----	73 UNCH
740	0.0060	0.0060	0.0060/0.0060	0.0070B/0.0060	----	0.0060 - 0.0015	.0361	----	----	3	----	152 UNCH
745	----	----	----/0.0050A	0.0060B/0.0050A	----	0.0050 - 0.0015	.0298	----	----	----	----	45 UNCH
750	0.0045	0.0045	0.0045/0.0040A	0.0045/0.0040A	----	0.0040 - 0.0015	.0239	----	----	16	----	292 UNCH
755	----	----	----/0.0035A	0.0040B/0.0035A	----	0.0035 - 0.0010	.0205	----	----	----	----	45 UNCH
760	----	----	----/0.0030A	0.0030B/0.0030A	----	0.0030 - 0.0010	.0174	----	----	----	----	22 UNCH
765	----	----	----/0.0025A	0.0025B/0.0025A	----	0.0025 - 0.0010	.0144	----	----	----	----	18 UNCH
770	----	----	----/0.0020A	0.0020B/0.0020A	----	0.0020 - 0.0010	.0115	----	----	----	----	4 UNCH
775	----	----	----/0.0020A	0.0020B/0.0020A	----	0.0020 - 0.0005	.0111	----	----	6	----	333 - 6
800	----	----	----	0.0005B/0.0020A	----	0.0010 - 0.0005	.0052	----	----	----	----	244 UNCH
825	----	----	----	----/0.0015A	----	0.0005 UNCH	.0024	----	----	----	----	91 UNCH
850	----	----	----	----/0.0015A	----	0.0005 UNCH	.0006	----	----	----	----	88 UNCH
875	----	----	----	----/0.0015A	----	0.0005 UNCH	.0001	----	----	----	----	21 UNCH
900	----	----	----	----/0.0005A	----	0.0005 UNCH	.0000	----	----	----	----	21 UNCH
925	----	----	----	----/0.0005A	----	0.0005 UNCH	.0000	----	----	----	----	43 UNCH
950	----	----	----	----/0.0005A	----	0.0005 UNCH	----	----	----	----	----	3 UNCH
975	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	31 UNCH
TOTAL										170		8351 + 54
DEC26												
525	----	----	----/1.4815A	1.4910B/1.4815A	----	1.4770 - 0.0215	.9867	----	----	----	----	123 UNCH
535	----	----	----	----	----	1.3780 - 0.0215	.9832	----	----	----	----	1 UNCH
550	----	----	----	----	----	1.2295 - 0.0215	.9773	----	----	----	----	2 UNCH
555	----	----	----	----	----	1.1805 - 0.0215	.9752	----	----	----	----	1 UNCH
565	----	----	----/1.0865A	1.0970B/1.0865A	----	1.0820 - 0.0220	.9678	----	----	----	----	45 UNCH
575	----	----	1.0245B/0.9740A	1.0245B/0.9740A	----	0.9850 - 0.0220	.9585	----	----	----	----	123 UNCH
585	----	----	0.9290B/0.8780A	0.9290B/0.8780A	----	0.8885 - 0.0225	.9459	----	----	----	----	1 UNCH
590	----	----	0.8805B/0.8305A	0.8805B/0.8305A	----	0.8410 - 0.0225	.9373	----	----	----	----	201 UNCH
595	----	----	0.8325B/0.7825A	0.8325B/0.7825A	----	0.7940 - 0.0225	.9272	----	----	----	----	163 UNCH
600	----	----	0.7860B/0.7345A	0.7860B/0.7345A	----	0.7470 - 0.0230	.9168	----	----	----	----	480 UNCH
605	----	----	0.7385B/0.6910A	0.7385B/0.6910A	----	0.7010 - 0.0230	.9038	----	----	----	----	1 UNCH
610	----	----	0.6915B/0.6445A	0.6915B/0.6445A	----	0.6560 - 0.0230	.8894	----	----	----	----	200 UNCH
615	----	----	0.6480B/0.6010A	0.6480B/0.6010A	----	0.6110 - 0.0235	.8734	----	----	----	----	1 UNCH
620	0.5810	0.5810	0.6020B/0.5560A	0.6020B/0.5560A	----	0.5675 - 0.0235	.8540	----	----	1	55	366 - 55
625	----	----	0.5610B/0.5150A	0.5610B/0.5150A	----	0.5250 - 0.0235	.8324	----	----	----	----	57 UNCH
630	----	----	0.5185B/0.4735A	0.5185B/0.4735A	----	0.4840 - 0.0235	.8086	----	----	----	----	310 UNCH
635	----	----	0.4770B/0.4345A	0.4770B/0.4345A	----	0.4440 - 0.0235	.7820	----	----	----	----	5 UNCH
640	----	----	0.4385B/0.3970A	0.4385B/0.3970A	----	0.4060 - 0.0225	.7528	----	----	----	----	29 UNCH
645	----	----	0.4010B/0.3615A	0.4010B/0.3615A	----	0.3695 - 0.0220	.7209	----	----	----	----	3 UNCH
650	----	----	0.3650B/0.3255A	0.3650B/0.3255A	----	0.3355 - 0.0210	.6866	----	----	----	----	571 UNCH
655	----	----	0.3305B/0.2940A	0.3305B/0.2940A	----	0.3030 - 0.0205	.6505	----	----	1	----	276 UNCH
660	0.2800	0.2800	0.2990B/0.2640A	0.2990B/0.2640A	----	0.2730 - 0.0195	.6128	----	----	4	----	417 - 1
665	----	----	0.2690B/0.2370A	0.2690B/0.2370A	----	0.2450 - 0.0185	.5743	----	----	----	----	61 UNCH
670	----	----	0.2445B/0.2115A	0.2445B/0.2115A	----	0.2190 - 0.0185	.5353	----	----	2	----	563 UNCH
675	0.2240	0.2240	0.2240/0.1885A	0.2240/0.1885A	----	0.1955 - 0.0180	.4965	----	----	12	70	438 + 11
680	----	----	0.1970B/0.1675A	0.1970B/0.1675A	----	0.1740 - 0.0170	.4582	----	----	1	----	767 - 1
685	0.1505	0.1505	0.1755B/0.1485A	0.1755B/0.1485A	----	0.1550 - 0.0160	.4213	----	----	2	----	426 + 2
690	0.1350	0.1350	0.1560B/0.1320A	0.1560B/0.1320A	----	0.1375 - 0.0150	.3857	----	----	32	----	334 + 20
695	0.1180	0.1180	0.1385B/0.1175A	0.1385B/0.1175A	----	0.1220 - 0.0135	.3519	----	----	3	----	187 + 2
700	0.1205	0.1205	0.1260/0.1025	0.1260/0.1025	----	0.1080 - 0.0125	.3200	----	----	212	30	3386 - 50
705	----	----	0.1080B/0.0925A	0.1080B/0.0925A	----	0.0955 - 0.0115	.2901	----	----	----	----	164 UNCH
710	0.0825	0.0825	0.0965B/0.0815A	0.0965B/0.0815A	----	0.0850 - 0.0095	.2632	----	----	2	----	141 + 1
715	0.0855	0.0855	0.0855/0.0720A	0.0855/0.0720A	----	0.0750 - 0.0085	.2374	----	----	2	----	96 UNCH
720	0.0735	0.0735	0.0750B/0.0635A	0.0750B/0.0635A	----	0.0665 - 0.0075	.2143	----	----	20	----	768 + 3
725	----	----	0.0670B/0.0560A	0.0670B/0.0560A	----	0.0585 - 0.0070	.1924	----	----	1	----	1515 + 1
730	----	----	0.0595B/0.0495A	0.0595B/0.0495A	----	0.0520 - 0.0060	.1734	----	----	----	----	648 UNCH
735	0.0440	0.0440	0.0525B/0.0440	0.0525B/0.0440	----	0.0460 - 0.0050	.1557	----	----	8	----	140 - 5
740	----	----	0.0460B/0.0390A	0.0460B/0.0390A	----	0.0405 - 0.0045	.1393	----	----	25	----	158 + 5
745	----	----	0.0410B/0.0350A	0.0410B/0.0350A	----	0.0360 - 0.0040	.1252	----	----	----	----	28 UNCH
750	----	----	0.0365B/0.0310A	0.0365B/0.0310A	----	0.0320 - 0.0035	.1124	----	----	8	----	1146 + 4
755	0.0275	0.0275	0.0325B/0.0275	0.0325B/0.0275	----	0.0285 - 0.0030	.1010	----	----	7	----	32 + 2
770	----	----	----/0.0200A	0.0225B/0.0200A	----	0.0205 - 0.0020	.0740	----	----	4	----	349 - 1
775	----	----	----/0.0180A	0.0200B/0.0180A	----	0.0180 - 0.0020	.0657	----	----	2	----	651 + 2
780	----	----	----/0.0165A	0.0175B/0.0165A	----	0.0165 - 0.0015	.0602	----	----	----	----	659 UNCH
800	0.0100	0.0100	0.0100/0.0100	0.0115B/0.0100	----	0.0110 - 0.0010	.0405	----	----	8	----	1386 + 8
825	----	----	----	0.0070B/0.0075A	----	0.0070 - 0.0005	.0257	----	----	1	----	482 + 1
850	----	----	----	0.0045B/0.0055A	----	0.0050 - 0.0005	.0179	----	----	----	----	313 UNCH
875	----	----	----	0.0030B/0.0045A	----	0.0040 - 0.0005	.0138	----	----	----	----	23 UNCH
900	----	----	----	0.0020B/0.0035A	----	0.0030 - 0.0005	.0101	----	----	2	----	510 UNCH
925	----	----	----	0.0015B/0.0030A	----	0.0020 - 0.0005	.0067	----	----	----	----	12 UNCH
950	----	----	----	0.0010B/0.0025A	----	0.0015 UNCH	.0050	----	----	2	----	152 + 1
975	----	----	----	0.0010B/0.0025A	----	0.0010 UNCH	.0033	----	----	----	----	54 UNCH
1000	----	----	----	0.0005B/0.0020A	----	0.0010 UNCH	.0031	----	----	----	----	13 UNCH
1100	----	----	----	0.0005B/0.0020A	----	0.0005 UNCH	.0014	----	----	----	----	97 UNCH
TOTAL									155	362		19075 - 50
JAN27												
500	----	----	----	----	----	1.8345 - 0.0220	.9848	----	----	----	----	1 UNCH
600	----	----	----	----	----	0.8755 - 0.0225	.8852	----	----	----	----	2 UNCH
650	----	----	0.5085B/0.4760A	0.5085B/0.4760A	----	0.4815 - 0.0225	.6986	----	----	----	----	79 UNCH
655	----	----	0.4745B/0.4445A	0.4745B/0.4445A	----	0.4490 - 0.0220	.6733	----	----	----	----	1 UNCH
660	----	----	0.4425B/0.4135A	0.4425B/0.4135A	----	0.4180 - 0.0215	.6475	----	----	----	----	1 UNCH
665	----	----	0.4115B/0.3830A	0.4115B/0.3830A	----	0.3885 - 0.0210	.6209	----	----	----	----	1 UNCH
670	----	----	0.3820B/0.3545A	0.3820B/0.3545A	----	0.3610 - 0.0195	.5940	----	----	----	----	4 UNCH
675	----	----	0.3545B/0.3285A	0.3545B/0.3285A	----	0.3345 - 0.0190	.5667	----	----	----	----	1 UNCH
680	----	----	----/0.3045A	0.3280B/0.3045A	----	0.3095 - 0.0185	.5395	----	----	----	----	3 UNCH
685	----	----	0.3040B/0.2815A	0.3040B/0.2815A	----	0.2865 - 0.0170	.5123	----	----	----	----	49 UNCH
690	0.2760	0.2760	0.2760/0.2600A	0.2810B/0.2600A	----	0.2645 - 0.0165	.4854	----	----	4	----	24 + 1
695	----	----	----/0.2395A	0.2595B/0.2395A	----	0.2440 - 0.0160	.4590	----	----	----	----	5 UNCH
700	----	----	----/0.2210A	0.2390B/0.2210A	----	0.2250 - 0.0150	.4332	----	----	12	----	145 - 12
710	----	----	----/0.1870A	0.2030B/0.1870A	----	0.1905 - 0.0140	.3837	----	----	----	----	5 UNCH
715	----	----	----/0.1725A	0.1870B/0.1725A	----	0.1755 - 0.0130	.3604	----	----	1	----	1 + 1
720	----	----	----/0.1585A	0.1730B/0.1585A	----	0.1615 - 0.0125	.3380	----	----	12	----	15 UNCH
725	----	----	----/0.1450A	0.1590B/0.1450A	----	0.1485 - 0.0120	.3165	----	----	----	----	132 UNCH
730	----	----	----/0.1330A	0.1460B/0.1330A	----	0.1365 - 0.0110	.2960	----	----	1	----	556 + 1
740	----	----	----/0.1125A	0.1225B/0.1125A	----	0.1150 - 0.0105	.2579	----	----	1	30	201 + 1
750	0.1010	0.1010	0.1010/0.0950A	0.1030B/0.0950A	----	0.0975 - 0.0085	.2246	----	----	4	----	772 UNCH
755	----	----	----/0.0880A	0.0945B/0.0880A	----	0.0895 - 0.0080	.2090	----	----	----	----	2 UNCH
760	----	----	----/0.0805A	0.0865B/0.0805A	----	0.0820 - 0.0080	.1943	----	----	----	----	1 UNCH
765	----	----	----/0.0745A	0.0795B/0.0745A	----	0.0755 - 0.0075	.1809	----	----	----	----	1 UNCH
770	----	----	----/0.0685A	0.0730B/0.0685A	----	0.0695 - 0.0070	.1683	----	----	----	----	2 UNCH
775	----	----	----/0.0630A	0.0680B/0.0630A	----	0.0640 - 0.0060	.1566	----	----	----	----	521 UNCH
800	----	----	----/0.0430A	0.0450B/0.0430A	----	0.0430 - 0.0035	.1095	----	----	2	----	271 - 1
825	----	----	----/0.0305A	0.0305B/0.0305A	----	0.0300 - 0.0030	.0781	----	----	1	----	12 + 1
850	0.0210	0.0210	0.0210/0.0210	0.0215B/0.0210	----	0.0215 - 0.0015	.0567	----	----	1	----	29 + 1
875	----	----	----	0.0150B/0.0165A	----	0.0160 UNCH	.0422	----	----	----	----	2 UNCH
900	----	----	----	0.0110B/0.0135A	----	0.0120 + 0.0010	.0317	----	----	----	----	304 UNCH
950	----	----	0.0060B/----	0.0060B/0.0095A	----	0.0065 + 0.0010	.0174	----	----	----	----	3 UNCH
1000	----	----	----	0.0005B/0.0080A	----	0.0035 + 0.0005	.0095	----	----	1	----	17 + 1
TOTAL									30	40		3163 - 6
FEB27												
600	----	----	----	----	----	0.9065 - 0.0210	.8471	----	----	----	----	2 UNCH
610	----	----	----	----	----	0.8245 - 0.0210	.8192	----	----	----	----	1 UNCH
625	----	----	----	----	----	0.7075 - 0.0215	.7711	----	----	----	----	2 UNCH
640	----	----	0.6255B/0.5960A	0.6255B/0.5960A	----	0.6000 - 0.0220	.7150	----	----	----	----	1 UNCH
650	----	----	0.5585B/0.5310A	0.5585B/0.5310A	----	0.5345 - 0.0215	.6739	----	----	----	----	41 UNCH
655	----	----	0.5270B/0.5005A	0.5270B/0.5005A	----	0.5035 - 0.0210	.6526	----	----	----	----	1 UNCH
660	----	----	0.4965B/0.4715A	0.4965B/0.4715A	----	0.4740 - 0.0205	.6307	----	----	----	----	1 UNCH
670	----	----	0.4395B/0.4170A	0.4395B/0.4170A	----	0.4190 - 0.0195	.5859	----	----	----	----	1 UNCH
685	----	----	0.3640B/0.3440A	0.3640B/0.3440A	----	0.3465 - 0.0170	.5182	----	----	----	----	30 UNCH
700	----	----	----/0.2815A	0.2995B/0.2815A	----	0.2845 - 0.0155	.4524	----	----	----	----	52 UNCH
705	----	----	----/0.2645A	0.2800B/0.2645A	----	0.2665 - 0.0145	.4314	----	----	----	----	1 UNCH
725	----	----	----/0.2015A	0.2135B/0.2015A	----	0.2035 - 0.0120	.3527	----	----	----	----	9 UNCH
735	----	----	----/0.1755A	0.1860B/0.1755A	----	0.1780 - 0.0105	.3175	----	----	----	----	30 UNCH
740	----	----	----/0.1655A	0.1740B/0.1655A	----	0.1660 - 0.0105	.3006	----	----	----	----	10 UNCH
745	----	----	----/0.1530A	0.1625B/0.1530A	----	0.1550 - 0.0095	.2846	----	----	----	----	2 UNCH
750	----	----	----/0.1435A	0.1510B/0.1435A	----	0.1450 - 0.0090	.2694	----	----	----	----	129 UNCH
765	----	----	----/0.1165A	0.1225B/0.1165A	----	0.1180 - 0.0075	.2274	----	----	----	----	2 UNCH
775	----	----	----/0.1025A	0.1060B/0.1025A	----	0.1030 - 0.0065	.2028	----	----	----	----	8 UNCH
800	----	----	----/0.0750A	0.0750B/0.0750A	----	0.0740 - 0.0045	.1522	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 61

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
FEB27												
850	----	----	----/0.0410A	0.0400B/0.0410A	----	0.0405 - 0.0020	.0877	----	----	----	----	122 UNCH
900	----	----	----/0.0250A	0.0225B/0.0250A	----	0.0245 - 0.0010	.0538	----	----	----	----	50 UNCH
925	----	----	----/0.0200A	0.0170B/0.0200A	----	0.0195 - 0.0010	.0430	----	----	----	----	6 UNCH
950	----	----	----	0.0130B/0.0175A	----	0.0160 - 0.0005	.0351	----	----	----	----	2 UNCH
1000	----	----	----	0.0085B/0.0130A	----	0.0110 - 0.0005	.0239	----	----	----	----	57 UNCH
TOTAL												561
MAR27												
580	----	----	----	----	----	1.0995 - 0.0200	.8693	----	----	----	----	1 UNCH
595	----	----	----	----	----	0.9745 - 0.0200	.8349	----	----	----	----	2 UNCH
600	----	----	----	----	----	0.9345 - 0.0200	.8220	----	----	----	----	2 UNCH
605	----	----	----	----	----	0.8950 - 0.0200	.8085	----	----	----	----	1 UNCH
625	----	----	----/0.7400A	0.7575B/0.7400A	----	0.7455 - 0.0195	.7479	----	----	----	----	16 UNCH
640	----	----	0.6655B/0.6390A	0.6655B/0.6390A	----	0.6435 - 0.0190	.6962	----	----	----	----	1 UNCH
645	----	----	0.6330B/0.6075A	0.6330B/0.6075A	----	0.6120 - 0.0185	.6780	----	----	----	----	1 UNCH
650	----	----	0.6015B/0.5775A	0.6015B/0.5775A	----	0.5810 - 0.0185	.6592	----	----	----	----	7 UNCH
660	----	----	0.5425B/0.5205A	0.5425B/0.5205A	----	0.5230 - 0.0180	.6210	----	----	----	----	54 UNCH
670	----	----	0.4880B/0.4680A	0.4880B/0.4680A	----	0.4695 - 0.0175	.5819	----	----	----	----	1 UNCH
675	----	----	0.4625B/0.4430A	0.4625B/0.4430A	----	0.4445 - 0.0170	.5622	----	----	----	----	41 UNCH
680	----	----	0.4375B/0.4195A	0.4375B/0.4195A	----	0.4200 - 0.0170	.5425	----	----	----	----	30 UNCH
690	----	----	----/0.3745A	0.3910B/0.3745A	----	0.3755 - 0.0165	.5034	----	----	----	----	2 UNCH
700	----	----	----/0.3345A	0.3495B/0.3345A	----	0.3345 - 0.0165	.4651	----	----	----	----	720 UNCH
710	----	----	----/0.2985A	0.3115B/0.2985A	----	0.2975 - 0.0160	.4281	----	----	----	----	1 UNCH
725	----	----	----/0.2515A	0.2610B/0.2515A	----	0.2495 - 0.0155	.3759	----	----	----	----	39 UNCH
740	----	----	----/0.2110A	0.2190B/0.2110A	----	0.2090 - 0.0140	.3281	----	----	----	----	22 UNCH
750	----	----	----/0.1880A	0.1940B/0.1880A	----	0.1860 - 0.0130	.2990	----	----	----	----	225 UNCH
755	----	----	----/0.1775A	0.1830B/0.1775A	----	0.1750 - 0.0130	.2850	----	----	----	----	1 UNCH
770	----	----	----/0.1490A	0.1525B/0.1490A	----	0.1470 - 0.0110	.2470	----	----	----	----	575 UNCH
775	----	----	----/0.1410A	0.1435B/0.1410A	----	0.1390 - 0.0100	.2355	----	----	----	----	619 UNCH
800	----	----	----/0.1075A	0.1065B/0.1075A	----	0.1045 - 0.0075	.1847	----	----	----	----	87 UNCH
850	----	----	----	0.0595B/0.0655A	----	0.0605 - 0.0050	.1138	----	----	----	----	544 UNCH
875	----	----	----	0.0455B/0.0520A	----	0.0470 - 0.0040	.0901	----	----	----	----	39 UNCH
900	0.0380	0.0380	0.0380/0.0380	0.0380/0.0380	----	0.0370 - 0.0035	.0720	----	----	5	----	60 + 5
950	----	----	----	0.0220B/0.0300A	----	0.0245 - 0.0025	.0482	----	----	----	----	3 UNCH
1000	----	----	----	0.0150B/0.0220A	----	0.0175 - 0.0020	.0342	----	----	1	----	24 + 1
TOTAL										6		3118 + 6
APR27												
665	----	----	----/0.5875A	0.6010B/0.5875A	----	0.5840 - 0.0205	.6200	----	----	----	----	2 UNCH
675	----	----	----/0.5365A	0.5475B/0.5365A	----	0.5320 - 0.0195	.5854	----	----	----	----	1 UNCH
680	----	----	----/0.5120A	0.5225B/0.5120A	----	0.5075 - 0.0195	.5681	----	----	----	----	5 UNCH
720	----	----	----/0.3505A	0.3540B/0.3505A	----	0.3445 - 0.0165	.4346	----	----	----	----	2 UNCH
775	----	----	----/0.2040A	0.2015B/0.2040A	----	0.1980 - 0.0125	.2839	----	----	----	----	3 UNCH
1000	----	----	----	0.0225B/0.0360A	----	0.0250 - 0.0025	.0451	----	----	1	----	4 + 1
TOTAL										1		17 + 1
MAY27												
680	----	----	----/0.5700A	0.5690B/0.5700A	----	0.5600 - 0.0190	.5682	----	----	----	----	10 UNCH
685	----	----	----/0.5475A	0.5455B/0.5475A	----	0.5375 - 0.0185	.5527	----	----	----	----	2 UNCH
700	----	----	----/0.4845A	0.4800B/0.4845A	----	0.4735 - 0.0175	.5071	----	----	----	----	23 UNCH
705	----	----	----/0.4650A	0.4595B/0.4650A	----	0.4540 - 0.0170	.4922	----	----	----	----	2 UNCH
750	----	----	----/0.3180A	0.3080B/0.3180A	----	0.3070 - 0.0145	.3692	----	----	----	----	20 UNCH
800	----	----	----/0.2075A	0.1945B/0.2075A	----	0.1970 - 0.0110	.2599	----	----	----	----	60 UNCH
1000	----	----	----	0.0330B/0.0540A	----	0.0410 - 0.0035	.0644	----	----	----	----	60 UNCH
TOTAL												177
JUN27												
635	----	----	----/0.8970A	0.8955B/0.8970A	----	0.8835 - 0.0225	.7128	----	----	----	----	1 UNCH
700	----	----	----/0.5650A	0.5525B/0.5650A	----	0.5490 - 0.0190	.5304	----	----	----	----	11 UNCH
750	----	----	----	0.3735B/0.3905A	----	0.3750 - 0.0155	.4019	----	----	----	----	532 UNCH
770	----	----	----	0.3175B/0.3355A	----	0.3200 - 0.0145	.3564	----	----	----	----	38 UNCH
TOTAL												582
HX PUT		COMEX COPPER OPTIONS										
NOV26												
390	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	3 UNCH
400	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	18 UNCH
405	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
410	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	57 UNCH
425	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	40 UNCH
430	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
435	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	215 UNCH
475	----	----	----	----/0.0010A	----	0.0005 UNCH	.0001	----	----	----	----	52 UNCH
480	----	----	----	----/0.0010A	----	0.0005 UNCH	.0002	----	----	----	----	3 UNCH
490	----	----	----	----/0.0010A	----	0.0005 - 0.0005	.0004	----	----	----	----	3 UNCH
500	----	----	----	----/0.0015A	----	0.0005 - 0.0005	.0009	----	----	----	----	117 UNCH
510	----	----	----	----/0.0015A	----	0.0005 - 0.0005	.0018	----	----	----	----	10 UNCH
520	----	----	----	----/0.0015A	----	0.0010 - 0.0005	.0035	----	----	----	----	5 UNCH
525	----	----	----	----/0.0015A	----	0.0010 - 0.0005	.0036	----	----	----	----	8 UNCH
530	----	----	----	----/0.0015A	----	0.0010 - 0.0005	.0037	----	----	----	----	2 UNCH
535	----	----	----	----/0.0015A	----	0.0010 - 0.0005	.0039	----	----	----	----	32 UNCH
540	----	----	----	----/0.0020A	----	0.0015 - 0.0005	.0057	----	----	----	----	17 UNCH
550	----	----	----	0.0005B/0.0020A	----	0.0015 - 0.0005	.0061	----	----	----	----	174 UNCH
560	----	----	----/0.0020A	0.0010B/0.0020A	----	0.0020 - 0.0005	.0085	----	----	----	----	397 UNCH
565	----	----	----	0.0020B/0.0025A	----	0.0020 - 0.0005	.0089	----	----	----	----	27 UNCH
570	----	----	----	0.0005B/0.0025A	----	0.0020 - 0.0005	.0093	----	----	----	----	28 UNCH
575	----	----	----	0.0010B/0.0025A	----	0.0025 UNCH	.0117	----	----	----	----	65 UNCH
580	----	----	----	0.0010B/0.0025A	----	0.0025 UNCH	.0122	----	----	----	----	62 UNCH
585	----	----	----	0.0010B/0.0025A	----	0.0025 UNCH	.0128	----	----	----	----	61 UNCH
590	----	----	----	0.0015B/0.0025A	----	0.0025 UNCH	.0135	----	----	----	----	290 UNCH
595	----	----	----/0.0030A	0.0025B/0.0030A	----	0.0030 - 0.0005	.0166	----	----	----	----	199 UNCH
600	0.0035	0.0035	0.0035/0.0035	0.0035/0.0035	----	0.0030 - 0.0010	.0175	----	----	11	----	1576 - 3
605	----	----	----/0.0040A	0.0040B/0.0040A	----	0.0035 - 0.0015	.0211	----	----	----	----	101 UNCH
610	----	----	----/0.0045A	0.0050B/0.0045A	----	0.0040 - 0.0015	.0249	----	----	1	----	325 - 1
615	----	----	----/0.0050A	0.0065B/0.0050A	----	0.0045 - 0.0020	.0292	----	----	----	----	95 UNCH
620	----	----	----/0.0060A	0.0080B/0.0060A	----	0.0055 - 0.0025	.0365	----	----	----	----	328 UNCH
624	----	----	----/0.0070A	0.0095B/0.0070A	----	0.0065 - 0.0030	.0439	----	----	----	----	8 UNCH
625	----	----	----/0.0075A	0.0100B/0.0075A	----	0.0070 - 0.0030	.0470	----	----	----	----	293 UNCH
626	----	----	----/0.0075A	0.0105B/0.0075A	----	0.0075 - 0.0030	.0502	----	----	1	----	3 - 1
629	----	----	----/0.0085A	0.0120B/0.0085A	----	0.0085 - 0.0040	.0576	----	----	----	----	13 UNCH
630	----	----	----/0.0085A	0.0130B/0.0085A	----	0.0090 - 0.0040	.0609	----	----	----	----	1107 UNCH
631	----	----	----/0.0090A	0.0135B/0.0090A	----	0.0095 - 0.0040	.0643	----	----	1	----	24 UNCH
634	----	----	0.0160B/0.0105A	0.0160B/0.0105A	----	0.0110 - 0.0045	.0749	----	----	----	----	23 UNCH
635	0.0115	0.0115	0.0170B/0.0110A	0.0170B/0.0110A	----	0.0120 - 0.0045	.0808	----	----	104	----	335 - 34
636	----	----	0.0180B/0.0115A	0.0180B/0.0115A	----	0.0125 - 0.0045	.0845	----	----	----	----	123 UNCH
640	0.0160	0.0160	0.0220B/0.0150A	0.0220B/0.0150A	----	0.0160 - 0.0045	.1065	----	----	1	----	968 UNCH
645	----	----	0.0290B/0.0200A	0.0290B/0.0200A	----	0.0220 - 0.0045	.1421	----	----	100	----	348 + 46
650	0.0240	0.0240	0.0390B/0.0230	0.0390B/0.0230	----	0.0300 - 0.0050	.1866	----	----	22	----	621 + 3
655	----	----	0.0525B/0.0360A	0.0525B/0.0360A	----	0.0410 - 0.0045	.2417	----	----	10	----	965 + 10
660	0.0600	0.0600	0.0685B/0.0485A	0.0685B/0.0485A	----	0.0555 - 0.0040	.3063	----	----	5	----	370 - 1
664	----	----	0.0840B/0.0610A	0.0840B/0.0610A	----	0.0700 - 0.0030	.3633	----	----	----	----	32 UNCH
665	----	----	0.0890B/0.0635A	0.0890B/0.0635A	----	0.0740 - 0.0030	.3779	----	----	----	----	184 UNCH
666	----	----	0.0930B/0.0670A	0.0930B/0.0670A	----	0.0780 - 0.0030	.3926	----	----	----	----	8 UNCH
670	0.0865	0.0865	0.1120B/0.0810	0.1120B/0.0810	----	0.0965 - 0.0015	.4529	----	----	29	----	266 + 7
675	0.1090	0.1090	0.1395B/0.1060A	0.1395B/0.1060A	----	0.1230 + 0.0005	.5277	----	----	34	----	126 + 29
680	0.1370	0.1370	0.1655B/0.1340A	0.1655B/0.1340A	----	0.1535 + 0.0025	.5991	----	----	3	----	77 + 3
685	----	----	0.2000B/0.1645A	0.2000B/0.1645A	----	0.1875 + 0.0045	.6644	----	----	----	----	87 UNCH
690	----	----	0.2380B/0.2010A	0.2380B/0.2010A	----	0.2245 + 0.0065	.7224	----	----	----	----	8 UNCH
695	----	----	0.2775B/0.2375A	0.2775B/0.2375A	----	0.2640 + 0.0085	.7714	----	----	----	----	3 UNCH
700	----	----	0.3185B/0.2775A	0.3185B/0.2775A	----	0.3060 + 0.0110	.8142	----	----	----	----	27 UNCH
720	----	----	0.4970B/0.4525A	0.4970B/0.4525A	----	0.4865 + 0.0165	.9205	----	----	----	----	1 UNCH
725	----	----	0.5450B/0.5005A	0.5450B/0.5005A	----	0.5340 + 0.0175	.9356	----	----	----	----	3 UNCH
735	----	----	0.6415B/0.5955A	0.6415B/0.5955A	----	0.6305 + 0.0190	.9572	----	----	----	----	2 UNCH
TOTAL										322		10349 + 58
DEC26												
350	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	46 UNCH
360	----	----	----	----/0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	31 UNCH
380	----	----	----	----/0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	22 UNCH
385	----	----	----	----/0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
390	----	----	----	----/0.0010A	----	0.0005 UNCH	.0001	----	----	----	----	45 UNCH
395	----	----	----	----/0.0010A	----	0.0005 UNCH	.0001	----	----	----	----	3 UNCH
400	----	----	----	----/0.0010A	----	0.0005 UNCH	.0002	----	----	----	----	31 UNCH
420	----	----	----	----/0.0015A	----	0.0005 UNCH	.0006	----	----	----	----	2 UNCH
425	----	----	----	----/0.0015A	----	0.0005 UNCH	.0008	----	----	----	----	60 UNCH
435	----	----	----	----/0.0015A	----	0.0005 - 0.0005	.0014	----	----	----	----	4 UNCH
450	----	----	----	0.0005B/0.0020A	----	0.0010 - 0.0005	.0028	----	----	----	----	37 UNCH
460	----	----	----	0.0005B/0.0020A	----	0.0010 - 0.0005	.0029	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
DEC26												
470	----	----	----	0.0010B/0.0025A	----	0.0015 - 0.0005	.0043	----	----	----	----	36 UNCH
475	----	----	----	0.0010B/0.0025A	----	0.0015 - 0.0005	.0045	----	----	----	----	34 UNCH
480	----	----	----	0.0010B/0.0025A	----	0.0015 - 0.0005	.0046	----	----	----	----	18 UNCH
485	----	----	----	0.0015B/0.0030A	----	0.0020 - 0.0005	.0060	----	----	----	----	1 UNCH
490	----	----	----	0.0015B/0.0030A	----	0.0020 - 0.0005	.0061	----	----	----	----	19 UNCH
495	----	----	----	0.0015B/0.0030A	----	0.0020 - 0.0010	.0063	----	----	----	----	1 UNCH
500	----	----	----	0.0020B/0.0035A	----	0.0025 - 0.0005	.0078	----	----	----	----	233 UNCH
505	----	----	----	0.0020B/0.0035A	----	0.0025 - 0.0005	.0080	----	----	----	----	1 UNCH
510	----	----	----	0.0025B/0.0040A	----	0.0030 - 0.0005	.0095	----	----	----	----	8 UNCH
515	----	----	----	0.0025B/0.0040A	----	0.0035 - 0.0005	.0111	----	----	----	----	2 UNCH
520	----	----	----	0.0030B/0.0045A	----	0.0035 - 0.0005	.0115	----	----	----	----	11 UNCH
525	----	----	----	0.0035B/0.0045A	----	0.0040 - 0.0005	.0131	----	----	----	----	405 UNCH
530	----	----	----	0.0040B/0.0050A	----	0.0045 - 0.0005	.0149	----	----	----	----	90 UNCH
535	----	----	----	0.0045B/0.0055A	----	0.0050 - 0.0005	.0167	----	----	----	----	6 UNCH
540	----	----	----	0.0050B/0.0060A	----	0.0055 - 0.0005	.0185	----	----	----	----	8 UNCH
545	----	----	----	0.0055B/0.0065A	----	0.0060 - 0.0005	.0205	----	----	----	----	49 UNCH
550	0.0060	0.0060	0.0060/0.0060	0.0060/0.0060	----	0.0065 - 0.0005	.0225	----	----	226	----	1483 + 174
555	0.0070	0.0070	0.0070/0.0070	0.0070/0.0070	----	0.0070 - 0.0010	.0247	----	----	3	----	5 + 2
560	----	----	----/0.0085A	0.0080B/0.0085A	----	0.0080 - 0.0010	.0283	----	----	----	----	341 UNCH
565	----	----	----/0.0095A	0.0090B/0.0095A	----	0.0090 - 0.0010	.0320	----	----	----	----	19 UNCH
570	0.0100	0.0100	0.0100/0.0100	0.0100/0.0100	----	0.0100 - 0.0015	.0359	----	----	6	----	24 UNCH
575	0.0130	0.0130	0.0130/0.0115	0.0130/0.0115	----	0.0115 - 0.0015	.0413	----	----	222	----	621 + 164
580	----	----	----/0.0135A	0.0135B/0.0135A	----	0.0130 - 0.0015	.0469	----	----	----	----	229 UNCH
585	----	----	----/0.0155A	0.0155B/0.0155A	----	0.0150 - 0.0015	.0540	----	----	----	----	57 UNCH
590	0.0190	0.0190	0.0190/0.0180A	0.0190/0.0180A	----	0.0175 - 0.0015	.0625	----	----	10	----	603 - 3
595	0.0210	0.0210	0.0225B/0.0200A	0.0225B/0.0200A	----	0.0205 - 0.0015	.0726	----	----	19	----	280 - 1
600	0.0235	0.0235	0.0265B/0.0215	0.0265B/0.0215	----	0.0235 - 0.0015	.0830	----	----	33	----	2655 + 11
605	----	----	0.0310B/0.0260A	0.0310B/0.0260A	----	0.0275 - 0.0020	.0960	----	----	----	----	38 UNCH
610	0.0325	0.0325	0.0360B/0.0305	0.0360B/0.0305	----	0.0320 - 0.0020	.1105	----	----	3	----	253 + 2
615	----	----	0.0405B/0.0355A	0.0405B/0.0355A	----	0.0370 - 0.0025	.1265	----	----	5	----	144 - 5
620	----	----	0.0480B/0.0410A	0.0480B/0.0410A	----	0.0435 - 0.0025	.1458	----	----	2	----	132 + 1
625	----	----	0.0565B/0.0475A	0.0565B/0.0475A	----	0.0510 - 0.0025	.1674	----	----	----	----	472 UNCH
630	0.0695	0.0695	0.0695/0.0550A	0.0695/0.0550A	----	0.0595 - 0.0025	.1912	----	----	34	----	906 + 18
635	----	----	0.0765B/0.0640A	0.0765B/0.0640A	----	0.0695 - 0.0020	.2178	----	----	1	----	418 + 1
640	----	----	0.0895B/0.0745A	0.0895B/0.0745A	----	0.0810 - 0.0020	.2470	----	----	1	----	476 UNCH
645	----	----	0.1040B/0.0880A	0.1040B/0.0880A	----	0.0945 - 0.0015	.2789	----	----	----	----	497 UNCH
650	----	----	0.1200B/0.1010A	0.1200B/0.1010A	----	0.1100 - 0.0005	.3132	----	----	3	----	766 UNCH
655	0.1190	0.1190	0.1380B/0.1175A	0.1380B/0.1175A	----	0.1275 + 0.0005	.3493	----	----	1	----	813 UNCH
660	----	----	0.1585B/0.1355A	0.1585B/0.1355A	----	0.1475 + 0.0015	.3870	----	----	31	----	199 + 20
665	0.1580	0.1580	0.1820B/0.1560A	0.1820B/0.1560A	----	0.1690 + 0.0020	.4255	----	----	2	----	671 + 1
670	----	----	0.2065B/0.1785A	0.2065B/0.1785A	----	0.1930 + 0.0025	.4645	----	----	13	----	1203 + 4
675	0.2030	0.2030	0.2335B/0.2030	0.2335B/0.2030	----	0.2195 + 0.0035	.5033	----	----	10	----	283 + 6
680	----	----	0.2630B/0.2295A	0.2630B/0.2295A	----	0.2480 + 0.0040	.5416	----	----	----	----	56 UNCH
685	----	----	0.2935B/0.2590A	0.2935B/0.2590A	----	0.2785 + 0.0050	.5785	----	----	----	----	47 UNCH
690	----	----	0.3230B/0.2895A	0.3230B/0.2895A	----	0.3110 + 0.0060	.6141	----	----	----	----	3 UNCH
700	----	----	0.3930B/0.3575A	0.3930B/0.3575A	----	0.3810 + 0.0085	.6798	----	----	----	----	3 UNCH
715	----	----	0.5100B/0.4685A	0.5100B/0.4685A	----	0.4975 + 0.0120	.7624	----	----	----	----	2 UNCH
720	----	----	0.5505B/0.5105A	0.5505B/0.5105A	----	0.5385 + 0.0130	.7855	----	----	----	----	2 UNCH
725	----	----	0.5935B/0.5515A	0.5935B/0.5515A	----	0.5810 + 0.0145	.8075	----	----	----	----	4 UNCH
730	----	----	0.6355B/0.5935A	0.6355B/0.5935A	----	0.6240 + 0.0150	.8265	----	----	----	----	1 UNCH
750	----	----	0.8150B/0.7700A	0.8150B/0.7700A	----	0.8035 + 0.0175	.8874	----	----	----	----	1 UNCH
TOTAL										625		14913 + 395
JAN27												
370	----	----	----	0.0005B/0.0050A	----	0.0025 UNCH	.0042	----	----	----	----	1 UNCH
390	----	----	----	0.0005B/0.0055A	----	0.0030 - 0.0005	.0053	----	----	----	----	40 UNCH
400	----	----	----	0.0005B/0.0055A	----	0.0030 - 0.0005	.0055	----	----	----	----	12 UNCH
425	----	----	----	0.0005B/0.0060A	----	0.0035 - 0.0005	.0069	----	----	----	----	30 UNCH
430	----	----	----	0.0005B/0.0065A	----	0.0035 - 0.0005	.0071	----	----	----	----	1 UNCH
435	----	----	----	0.0005B/0.0065A	----	0.0035 - 0.0005	.0072	----	----	----	----	1 UNCH
440	----	----	----	0.0005B/0.0065A	----	0.0035 - 0.0005	.0074	----	----	----	----	10 UNCH
450	----	----	----	0.0005B/0.0070A	----	0.0035 - 0.0010	.0077	----	----	----	----	1 UNCH
465	----	----	----	0.0005B/0.0075A	----	0.0040 - 0.0010	.0092	----	----	----	----	2 UNCH
510	----	----	----	0.0035B/0.0110A	----	0.0070 - 0.0020	.0178	----	----	----	----	4 UNCH
515	----	----	----	0.0040B/0.0115A	----	0.0080 - 0.0020	.0203	----	----	----	----	4 UNCH
520	----	----	----	0.0045B/0.0125A	----	0.0085 - 0.0020	.0218	----	----	----	----	2 UNCH
525	----	----	----	0.0050B/0.0130A	----	0.0095 - 0.0020	.0243	----	----	----	----	3 UNCH
540	----	----	----	0.0115B/0.0155A	----	0.0130 - 0.0015	.0333	----	----	----	----	3 UNCH
550	----	----	----	0.0145B/0.0180A	----	0.0160 - 0.0010	.0410	----	----	1	----	257 - 1
555	----	----	----	0.0160B/0.0190A	----	0.0175 - 0.0015	.0450	----	----	----	----	1 UNCH
560	----	----	----	0.0180B/0.0205A	----	0.0195 - 0.0010	.0501	----	----	----	----	4 UNCH
570	----	----	----	0.0225B/0.0250A	----	0.0240 - 0.0010	.0614	----	----	1	----	2 UNCH
580	----	----	----/0.0305A	0.0285B/0.0305A	----	0.0295 - 0.0015	.0751	----	----	----	----	4 UNCH
590	----	----	----/0.0380A	0.0360B/0.0380A	----	0.0370 - 0.0015	.0929	----	----	----	----	15 UNCH
595	0.0370	0.0370	0.0405B/0.0370	0.0405B/0.0370	----	0.0415 - 0.0015	.1032	----	----	2	----	5 + 2
600	----	----	----/0.0475A	0.0460B/0.0475A	----	0.0465 - 0.0020	.1145	----	----	----	----	408 UNCH
605	----	----	----/0.0535A	0.0520B/0.0535A	----	0.0525 - 0.0020	.1275	----	----	----	----	5 UNCH
610	----	----	----/0.0600A	0.0585B/0.0600A	----	0.0590 - 0.0020	.1413	----	----	----	----	4 UNCH
615	----	----	----/0.0675A	0.0660B/0.0675A	----	0.0665 - 0.0025	.1567	----	----	----	----	1 UNCH
620	----	----	----/0.0755A	0.0750B/0.0755A	----	0.0750 - 0.0025	.1735	----	----	----	----	23 UNCH
625	0.0955	0.0955	0.0955/0.0835A	0.0955/0.0835A	----	0.0845 - 0.0025	.1916	----	----	4	----	255 + 4
630	----	----	----/0.0945A	0.0945B/0.0945A	----	0.0950 - 0.0025	.2109	----	----	2	----	9 + 2
635	----	----	----/0.1055A	0.1070B/0.1055A	----	0.1070 - 0.0025	.2319	----	----	----	----	1 UNCH
640	----	----	----/0.1180A	0.1200B/0.1180A	----	0.1200 - 0.0020	.2538	----	----	----	----	3 UNCH
645	----	----	----/0.1310A	0.1345B/0.1310A	----	0.1345 - 0.0015	.2771	----	----	----	----	4 UNCH
650	----	----	----/0.1455A	0.1510B/0.1455A	----	0.1500 - 0.0015	.3011	----	----	1	----	76 + 1
660	----	----	0.1875B/0.1790A	0.1875B/0.1790A	----	0.1860 - 0.0005	.3522	----	----	----	----	1 UNCH
670	----	----	0.2305B/0.2185A	0.2305B/0.2185A	----	0.2280 + 0.0010	.4057	----	----	1	----	3 + 1
685	----	----	0.3065B/0.2890A	0.3065B/0.2890A	----	0.3025 + 0.0030	.4874	----	----	----	----	1 UNCH
690	----	----	0.3345B/0.3160A	0.3345B/0.3160A	----	0.3305 + 0.0040	.5143	----	----	----	----	2 UNCH
695	----	----	0.3645B/0.3440A	0.3645B/0.3440A	----	0.3595 + 0.0045	.5407	----	----	----	----	1 UNCH
730	----	----	0.6085B/0.5770A	0.6085B/0.5770A	----	0.6000 + 0.0095	.7037	----	----	----	----	1 UNCH
800	----	----	----	----	----	1.2030 + 0.0175	.8902	----	----	----	----	1 UNCH
TOTAL										12		1201 + 9
FEB27												
300	----	----	----	----/0.0050A	----	0.0010 - 0.0005	.0015	----	----	----	----	1 UNCH
400	0.0045	0.0045	0.0045/0.0045	0.0045/0.0045	----	0.0040 - 0.0005	.0070	----	----	1	----	10 UNCH
450	----	----	----	0.0020B/0.0100A	----	0.0060 - 0.0015	.0119	----	----	----	----	3 UNCH
480	----	----	----	0.0045B/0.0135A	----	0.0085 - 0.0015	.0178	----	----	----	----	4 UNCH
500	----	----	----	0.0070B/0.0160A	----	0.0115 - 0.0015	.0246	----	----	----	----	8 UNCH
520	----	----	----	0.0145B/0.0200A	----	0.0155 - 0.0020	.0339	----	----	----	----	2 UNCH
560	----	----	----	0.0325B/0.0365A	----	0.0340 - 0.0015	.0721	----	----	----	----	50 UNCH
565	----	----	----	0.0360B/0.0400A	----	0.0375 - 0.0020	.0791	----	----	----	----	2 UNCH
585	----	----	----	0.0555B/0.0590A	----	0.0585 - 0.0005	.1169	----	----	----	----	1 UNCH
595	----	----	----	0.0685B/0.0720A	----	0.0720 UNCH	.1400	----	----	----	----	1 UNCH
600	----	----	----/0.0790A	0.0760B/0.0790A	----	0.0795 - 0.0005	.1525	----	----	----	----	81 UNCH
620	----	----	----/0.1160A	0.1145B/0.1160A	----	0.1175 - 0.0005	.2117	----	----	----	----	2 UNCH
630	----	----	----/0.1395A	0.1400B/0.1395A	----	0.1415 - 0.0010	.2463	----	----	----	----	7 UNCH
650	----	----	----/0.1985A	0.2040B/0.1985A	----	0.2040 - 0.0005	.3257	----	----	----	----	60 UNCH
670	----	----	0.2890B/0.2785A	0.2890B/0.2785A	----	0.2865 + 0.0010	.4137	----	----	----	----	3 UNCH
TOTAL										1		235
MAR27												
400	----	----	----	0.0005B/0.0095A	----	0.0055 - 0.0010	.0090	----	----	----	----	8 UNCH
500	----	----	----	0.0155B/0.0225A	----	0.0195 + 0.0005	.0359	----	----	----	----	200 UNCH
525	----	----	----	0.0240B/0.0305A	----	0.0280 + 0.0010	.0522	----	----	----	----	10 UNCH
550	----	----	----	0.0395B/0.0450A	----	0.0430 + 0.0005	.0787	----	----	1	----	210 UNCH
575	----	----	----	0.0650B/0.0705A	----	0.0690 + 0.0005	.1200	----	----	----	----	15 UNCH
580	----	----	----	0.0715B/0.0770A	----	0.0760 + 0.0005	.1304	----	----	----	----	10 UNCH
595	----	----	----	0.0955B/0.1000A	----	0.1000 + 0.0005	.1647	----	----	----	----	561 UNCH
600	----	----	----	0.1050B/0.1090A	----	0.1095 + 0.0010	.1776	----	----	----	----	411 UNCH
620	----	----	----/0.1525A	0.1505B/0.1525A	----	0.1550 + 0.0015	.2356	----	----	----	----	39 UNCH
625	----	----	----/0.1650A	0.1640B/0.1650A	----	0.1685 + 0.0015	.2517	----	----	----	----	390 UNCH
640	----	----	----/0.2100A	0.2120B/0.2100A	----	0.2150 + 0.0020	.3034	----	----	----	----	1 UNCH
660	----	----	0.2910B/0.2845A	0.2910B/0.2845A	----	0.2920 + 0.0025	.3786	----	----	----	----	3 UNCH
675	----	----	0.3630B/0.3520A	0.3630B/0.3520A	----	0.3615 + 0.0035	.4374	----	----	----	----	8 UNCH
680	----	----	0.3890B/0.3770A	0.3890B/0.3770A	----	0.3870 + 0.0035	.4571	----	----	----	----	1 UNCH
720	----	----	0.6325B/0.6110A	0.6325B/0.6110A	----	0.6270 + 0.0050	.6068	----	----	----	----	1 UNCH
730	----	----	0.7025B/0.6790A	0.7025B/0.6790A	----	0.6965 + 0.0055	.6402	----	----	----	----	1 UNCH
TOTAL										1		1869
APR27												
400	----	----	----	0.0005B/0.0140A	----	0.0080 - 0.0010	.0118	----	----	----	----	9 UNCH
500	----	----	----	0.0165B/0.0315A	----	0.0245 - 0.0010	.0408	----	----	----	----	7 UNCH
530	----	----	----	0.0310B/0.0450A	----	0.0390 - 0.0005	.0642	----	----	----	----	1 UNCH
540	----	----	----	0.0380B/0.0525A	----	0.0460 - 0.0010	.0749	----	----	1	----	3 + 1
550	----	----	----	0.0465B/0.0610A	----	0.0545 - 0.0010	.0875	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 63

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
APR27												
620	----	----	----	0.1695B/0.1790A	----	0.1755 - 0.0010	.2353	----	----	----	----	7 UNCH
680	----	----	----/0.4035A	0.4045B/0.4035A	----	0.4075 + 0.0025	.4314	----	----	----	----	5 UNCH
TOTAL										1		36 + 1
MAY27												
400	----	----	----	0.0005B/0.0205A	----	0.0110 - 0.0010	.0150	----	----	----	----	8 UNCH
575	----	----	----	0.0985B/0.1210A	----	0.1110 - 0.0010	.1475	----	----	----	----	5 UNCH
600	----	----	----	0.1500B/0.1710A	----	0.1620 - 0.0005	.2014	----	----	----	----	80 UNCH
660	----	----	----	0.3540B/0.3670A	----	0.3635 + 0.0015	.3691	----	----	----	----	1 UNCH
680	----	----	----	0.4515B/0.4620A	----	0.4600 + 0.0025	.4312	----	----	----	----	10 UNCH
700	----	----	----	0.5625B/0.5695A	----	0.5705 + 0.0040	.4924	----	----	----	----	2 UNCH
TOTAL												106
JUN27												
500	----	----	----	0.0285B/0.0550A	----	0.0420 - 0.0010	.0567	----	----	----	----	40 UNCH
570	----	----	----	0.1000B/0.1290A	----	0.1155 - 0.0010	.1416	----	----	----	----	1 UNCH
620	----	----	----	0.2150B/0.2405A	----	0.2300 - 0.0005	.2479	----	----	----	----	1 UNCH
TOTAL												42
HXE CALL		COPPER OPTIONS										
OCT26												
655	----	----	0.2210B/0.1710A	0.2210B/0.1710A	----	0.1805 - 0.0270	.9488	----	----	----	----	2 UNCH
660	----	----	0.1750B/0.1275A	0.1750B/0.1275A	----	0.1360 - 0.0295	.8813	----	----	----	----	16 UNCH
665	----	----	0.1340B/0.0905A	0.1340B/0.0905A	----	0.0985 - 0.0295	.7527	----	----	5	----	21 + 1
670	----	----	----/0.0605A	0.0915B/0.0605A	----	0.0675 - 0.0295	.5918	----	----	----	----	10 UNCH
671	0.0785	0.0785	0.0785/0.0560A	0.0890B/0.0560A	----	0.0625 NEW	.5575	----	----	4	----	4 + 4
675	----	----	----/0.0405A	0.0705B/0.0405A	----	0.0450 - 0.0275	.4255	----	----	----	----	48 UNCH
675	----	----	----/0.0845A	0.1070B/0.0845A	----	0.0865 - 0.0215	.4660	----	----	----	----	1 UNCH
677	0.0380	0.0380	0.0380/0.0350A	0.0615B/0.0350A	----	0.0380 - 0.0265	.3652	----	----	2	----	4 + 2
680	----	----	----/0.0275A	0.0490B/0.0275A	----	0.0295 - 0.0240	.2859	----	----	----	----	32 UNCH
680	----	----	----/0.0955A	0.1145B/0.0955A	----	0.0980 - 0.0170	.4178	----	----	----	----	0 UNCH
685	----	----	----/0.0190A	0.0340B/0.0190A	----	0.0195 - 0.0200	.1850	----	----	----	----	6 UNCH
690	0.0155	0.0155	0.0155/0.0135	0.0235B/0.0135	----	0.0130 - 0.0160	.1175	----	----	6	----	8 + 4
690	----	----	----/0.0410A	0.0515B/0.0410A	----	0.0415 - 0.0135	.2533	----	----	----	----	7 UNCH
690	----	----	----/0.0650A	0.0775B/0.0650A	----	0.0670 - 0.0135	.3091	----	----	----	----	1 UNCH
695	0.0135	0.0135	0.0135/0.0100A	0.0165B/0.0100A	----	0.0090 - 0.0125	.0756	----	----	10	----	84 + 10
698	0.0100	0.0100	0.0100/0.0085A	0.0130B/0.0085A	----	0.0075 NEW	.0597	----	----	8	----	8 + 8
700	0.0105	0.0105	0.0105/0.0070	0.0110B/0.0070	----	0.0065 - 0.0095	.0501	----	----	12	----	39 + 3
700	0.0520	0.0520	0.0520/0.0450A	0.0520/0.0450A	----	0.0455 - 0.0095	.2223	----	----	100	----	100 + 98
701	----	----	----/0.0070A	0.0105B/0.0070A	----	0.0065 - 0.0085	.0487	----	----	----	----	1 UNCH
705	0.0050	0.0050	0.0050/0.0050	0.0075B/0.0050	----	0.0050 - 0.0070	.0350	----	----	1	----	90 - 1
710	----	----	----/0.0050A	0.0050B/0.0050A	----	0.0040 - 0.0050	.0255	----	----	----	----	9 UNCH
710	----	----	----/0.0315A	0.0325B/0.0315A	----	0.0300 - 0.0070	.1546	----	----	----	----	1 UNCH
715	0.0050	0.0050	0.0050/0.0040A	0.0050/0.0040A	----	0.0030 - 0.0040	.0175	----	----	10	----	26 UNCH
720	----	----	----/0.0035A	0.0030B/0.0035A	----	0.0025 - 0.0030	.0133	----	----	10	----	111 UNCH
725	----	----	----/0.0030A	0.0025B/0.0030A	----	0.0025 - 0.0015	.0122	----	----	----	----	116 UNCH
740	0.0030	0.0030	0.0030/0.0025A	0.0030/0.0025A	----	0.0015 - 0.0005	.0058	----	----	3	----	10 UNCH
750	----	----	----	0.0005B/0.0065A	----	0.0025 - 0.0015	.0153	----	----	----	----	1 UNCH
775	----	----	----	----/0.0015A	----	0.0005 UNCH	.0000	----	----	----	----	2 UNCH
TOTAL										171		758 + 129
HXE PUT		COPPER OPTIONS										
OCT26												
610	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
620	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
620	----	----	----	0.0020B/0.0060A	----	0.0025 - 0.0025	.0187	----	----	----	----	1 UNCH
630	----	----	----	0.0030B/0.0075A	----	0.0045 - 0.0030	.0353	----	----	----	----	1 UNCH
635	----	----	----/0.0015A	----/0.0015A	----	0.0005 - 0.0015	.0007	----	----	----	----	1 UNCH
635	----	----	----/0.0205A	0.0180B/0.0205A	----	0.0185 - 0.0040	.1074	----	----	----	----	1 UNCH
640	----	----	----/0.0020A	----/0.0020A	----	0.0005 - 0.0025	.0029	----	----	----	----	30 UNCH
645	----	----	----/0.0020A	0.0005B/0.0020A	----	0.0010 - 0.0030	.0087	----	----	----	----	12 UNCH
650	0.0025	0.0025	0.0025/0.0025	0.0030B/0.0025	----	0.0020 - 0.0045	.0204	----	----	1	----	22 UNCH
650	----	----	----/0.0200A	0.0215B/0.0200A	----	0.0195 - 0.0045	.1462	----	----	----	----	38 UNCH
655	0.0050	0.0050	0.0050/0.0050	0.0090B/0.0050	----	0.0045 - 0.0060	.0511	----	----	1	----	19 UNCH
660	0.0105	0.0105	0.0105/0.0095A	0.0185B/0.0095A	----	0.0100 - 0.0085	.1185	----	----	30	----	52 + 19
660	0.0400	0.0400	0.0475B/0.0395A	0.0475B/0.0395A	----	0.0425 NEW	.2779	----	----	1	----	1 + 1
663	0.0140	0.0140	0.0280B/0.0140	0.0280B/0.0140	----	0.0165 NEW	.1891	----	----	1	----	1 + 1
665	0.0165	0.0165	0.0345B/0.0165	0.0345B/0.0165	----	0.0225 - 0.0085	.2472	----	----	1	----	12 + 1
670	----	----	0.0595B/0.0340A	0.0595B/0.0340A	----	0.0415 - 0.0085	.4080	----	----	5	----	6 + 4
676	----	----	0.0920B/0.0625A	0.0920B/0.0625A	----	0.0755 - 0.0060	.6048	----	----	----	----	1 UNCH
TOTAL										40		210 + 26

ALUMINIUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST

PLATINUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
NOV26												
1150	20.00	20.00	20.00/18.50A	23.30B/18.50A	----	15.60 NEW	.3626	----	----	4	----	4 + 4
1200	----	----	----/9.10A	7.40B/9.10A	----	5.90 - 5.20	.1490	----	----	----	----	40 UNCH
1250	----	----	----	2.10B/5.20A	----	2.40 - 2.80	.0596	----	----	----	----	10 UNCH
1300	----	----	----	----/3.50A	----	1.00 - 1.40	.0238	----	----	----	----	21 UNCH
1350	----	----	----	----/2.80A	----	0.40 - 0.80	.0090	----	----	----	----	2 UNCH
1400	----	----	----	----/2.50A	----	0.20 - 0.30	.0041	----	----	----	----	93 UNCH
1450	----	----	----	----/2.30A	----	0.10 - 0.10	.0010	----	----	----	----	86 UNCH
1500	----	----	----	----/2.20A	----	0.10 UNCH	.0002	----	----	----	----	5 UNCH
1550	----	----	----	----/2.20A	----	0.10 UNCH	.0000	----	----	----	----	14 UNCH
1600	----	----	----	----/2.10A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
1750	----	----	----	----/2.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
TOTAL										4		281 + 4
DEC26												
1125	----	----	----/55.60A	62.80B/55.60A	----	53.10 - 10.30	.5301	----	----	----	----	1 UNCH
1250	----	----	----/20.60A	19.20B/20.60A	----	17.90 - 4.70	.2244	----	----	----	----	200 UNCH
1300	----	----	----/15.10A	12.20B/15.10A	----	12.30 - 3.10	.1584	----	----	----	----	6 UNCH
1315	----	----	----	10.80B/13.90A	----	11.10 - 2.80	.1434	----	----	----	----	90 UNCH
1385	----	----	----	5.80B/9.40A	----	7.00 - 1.60	.0914	----	----	----	----	13 UNCH
1400	----	----	----	5.00B/8.70A	----	6.30 - 1.50	.0826	----	----	----	----	5 UNCH
1425	----	----	----	3.90B/7.80A	----	5.40 - 1.20	.0709	----	----	----	----	39 UNCH
1440	----	----	----	3.40B/7.20A	----	5.00 - 1.00	.0654	----	----	----	----	16 UNCH
1450	----	----	----	3.00B/6.90A	----	4.70 - 0.90	.0615	----	----	----	----	65 UNCH
1500	7.70	7.70	7.70/5.80A	7.70/5.80A	----	3.30 - 0.70	.0439	----	----	1	----	36 + 1
1550	----	----	----	0.70B/5.00A	----	2.00 - 0.50	.0280	----	----	----	----	70 UNCH
1585	----	----	----	0.20B/4.60A	----	1.60 - 0.40	.0224	----	----	----	----	3 UNCH
1600	----	----	----	0.10B/4.40A	----	1.50 - 0.30	.0209	----	----	----	----	95 UNCH
1650	----	----	----	----/4.00A	----	1.10 - 0.30	.0154	----	----	----	----	64 UNCH
1700	----	----	----	----/3.70A	----	0.90 - 0.20	.0124	----	----	----	----	10 UNCH
1775	----	----	----	----/3.30A	----	0.60 - 0.20	.0082	----	----	----	----	100 UNCH
1800	----	----	----	----/3.20A	----	0.60 - 0.10	.0080	----	----	----	----	55 UNCH
1925	----	----	----	----/2.90A	----	0.40 - 0.10	.0051	----	----	----	----	46 UNCH
1995	----	----	----	----/2.80A	----	0.30 - 0.10	.0038	----	----	----	----	6 UNCH
2000	----	----	----	----/2.80A	----	0.30 - 0.10	.0038	----	----	----	----	1 UNCH
3000	----	----	----	----/2.20A	----	0.10 - 0.10	.0009	----	----	----	----	1 UNCH
TOTAL										1		922 + 1
MAR27												
1250	65.00	65.00	65.00/61.30A	65.00/61.30A	----	57.80 - 6.50	.3770	----	----	5	----	10 + 5
1350	----	----	----/41.40A	37.00B/41.40A	----	37.70 - 4.30	.2651	----	----	----	----	80 UNCH
1400	----	----	----	29.60B/34.80A	----	30.80 - 3.60	.2225	----	----	----	----	10 UNCH
1500	----	----	----	19.50B/25.80A	----	21.30 - 2.70	.1594	----	----	----	----	100 UNCH
1600	----	----	----	13.10B/19.80A	----	15.50 - 2.00	.1179	----	----	----	----	10 UNCH
TOTAL										5		210 + 5
JUN27												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
PAO CALL		NYMEX PALLADIUM OPTIONS											
JUN27													
1250	----	----	----	----	----	95.80 - 9.00	.4484	----	----	----	----	25	UNCH
1375	----	----	----	----	----	61.10 - 6.60	.3233	----	----	----	----	50	UNCH
TOTAL												75	0
PAO PUT		NYMEX PALLADIUM OPTIONS											
NOV26													
1200	----	----	77.50B/63.00A	77.50B/63.00A	----	78.40 + 13.10	.8509	----	----	----	----	24	UNCH
1225	----	----	100.50B/84.00A	100.50B/84.00A	----	101.20 + 14.60	.9063	----	----	----	----	11	UNCH
1250	----	----	124.20B/106.30A	124.20B/106.30A	----	124.90 + 15.60	.9403	----	----	----	----	108	UNCH
1275	----	----	148.40B/129.20A	148.40B/129.20A	----	149.10 + 16.50	.9612	----	----	----	----	16	UNCH
1300	----	----	173.00B/152.70A	173.00B/152.70A	----	173.50 + 17.00	.9761	----	----	----	----	11	UNCH
1350	----	----	222.60B/201.10A	222.60B/201.10A	----	222.90 + 17.70	.9909	----	----	----	----	4	UNCH
TOTAL												174	0
DEC26													
1050	----	----	15.60B/----	15.60B/17.50A	----	18.80 + 3.60	.2394	----	----	----	----	9	UNCH
1110	----	----	39.50B/----	39.50B/37.80A	----	42.90 + 7.20	.4230	----	----	----	----	10	UNCH
1150	----	----	62.10B/----	62.10B/57.50A	----	65.30 + 9.40	.5450	----	----	----	----	15	UNCH
1200	----	----	97.10B/88.00A	97.10B/88.00A	----	99.80 + 11.70	.6767	----	----	----	----	3	UNCH
1250	----	----	138.20B/124.70A	138.20B/124.70A	----	140.20 + 13.70	.7754	----	----	----	----	5	UNCH
1300	----	----	182.90B/166.80A	182.90B/166.80A	----	184.40 + 15.20	.8415	----	----	----	----	100	UNCH
1315	----	----	----	----	----	198.10 + 15.50	.8564	----	----	----	----	90	UNCH
1380	----	----	----	----	----	259.10 + 16.60	.9058	----	----	----	----	1	UNCH
1400	----	----	277.00B/258.10A	277.00B/258.10A	----	278.20 + 16.90	.9172	----	----	----	----	150	UNCH
1500	----	----	374.30B/353.80A	374.30B/353.80A	----	375.00 + 17.70	.9559	----	----	----	----	40	UNCH
TOTAL												423	0
MAR27													
1100	----	----	65.00B/----	65.00B/67.80A	----	70.90 + 7.00	.3879	----	----	----	----	5	UNCH
1145	----	----	89.30B/----	89.30B/90.60A	----	95.50 + 8.70	.4651	----	----	----	----	8	UNCH
1150	----	----	92.20B/----	92.20B/93.30A	----	98.50 + 9.00	.4734	----	----	----	----	8	UNCH
1160	----	----	98.20B/----	98.20B/98.90A	----	104.50 + 9.30	.4898	----	----	----	----	13	UNCH
1200	----	----	123.80B/----	123.80B/122.70A	----	130.10 + 10.70	.5523	----	----	----	----	10	UNCH
1350	----	----	239.30B/----	239.30B/230.60A	----	244.20 + 14.40	.7345	----	----	----	----	75	UNCH
TOTAL												119	0
JUN27													
1250	----	----	----	----	----	188.70 + 9.80	.5510	----	----	----	----	25	UNCH
TOTAL												25	0
PAW OOF		PALLADIUM WEEKLY FRIDAY OPTION Week											
OCT26													
1175	----	----	----/8.30A	7.00B/8.30A	----	5.20 - 6.40	.1520	----	----	----	----	3	UNCH
TOTAL												3	0
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week3											
OCT26													
1650	----	----	13.20B/11.60A	13.20B/11.60A	----	15.90 + 3.00	.3425	----	----	----	----	5	UNCH
1725	----	----	62.60B/39.60A	62.60B/39.60A	----	61.50 + 12.90	.8213	----	----	----	----	26	UNCH
1725	----	----	19.80B/11.20A	19.80B/11.20A	----	7.80 - 9.30	.1786	----	----	----	----	39	UNCH
1750	----	----	----/6.00A	9.20B/6.00A	----	4.30 - 6.10	.0957	----	----	----	----	12	UNCH
TOTAL												82	0
PO CALL		PLATINUM OPTIONS											
NOV26													
1600	----	----	116.40B/80.30A	116.40B/80.30A	----	81.70 - 20.20	.8106	----	----	----	----	7	UNCH
1650	----	----	74.40B/47.90A	74.40B/47.90A	----	47.30 - 16.70	.6089	----	----	----	----	144	UNCH
1675	----	----	56.40B/35.80A	56.40B/35.80A	----	34.00 - 14.60	.4922	----	----	----	----	3	UNCH
1700	----	----	41.40B/26.00A	41.40B/26.00A	----	23.50 - 12.30	.3773	----	----	----	----	101	UNCH
1725	----	----	28.90B/18.70A	28.90B/18.70A	----	15.80 - 9.90	.2753	----	----	----	----	4	UNCH
1750	----	----	19.90B/14.00A	19.90B/14.00A	----	10.60 - 7.60	.1944	----	----	----	----	50	UNCH
1775	----	----	14.30B/10.70A	14.30B/10.70A	----	7.40 - 5.50	.1377	----	----	----	----	20	UNCH
1800	----	----	----/7.00A	7.50B/7.00A	----	5.40 - 3.90	.0995	----	----	----	----	205	UNCH
1825	----	----	----/6.80A	4.10B/6.80A	----	3.90 - 3.00	.0711	----	----	----	----	66	UNCH
1850	----	----	----	2.00B/5.70A	----	2.70 - 2.30	.0491	----	----	----	----	149	UNCH
1875	----	----	----	0.70B/5.00A	----	1.90 - 1.70	.0342	----	----	----	----	88	UNCH
1900	----	----	----	----/4.50A	----	1.30 - 1.30	.0232	----	----	----	----	239	UNCH
1925	----	----	----	----/4.10A	----	0.90 - 0.90	.0158	----	----	----	----	68	UNCH
1950	----	----	----	----/3.80A	----	0.60 - 0.70	.0104	----	----	----	----	119	UNCH
2000	----	----	----	----/3.30A	----	0.30 - 0.40	.0049	----	----	----	----	200	UNCH
2050	----	----	----	----/3.00A	----	0.10 - 0.30	.0016	----	----	----	----	10	UNCH
2100	----	----	----	----/2.90A	----	0.10 - 0.10	.0004	----	----	----	----	54	UNCH
2200	----	----	----	----/2.70A	----	0.10 UNCH	.0000	----	----	----	----	210	UNCH
2250	----	----	----	----/2.70A	----	0.10 UNCH	.0000	----	----	----	----	40	UNCH
2500	----	----	----	----/2.60A	----	0.10 UNCH	----	----	----	----	----	20	UNCH
TOTAL												1797	0
DEC26													
1700	----	----	77.90B/61.50A	77.90B/61.50A	----	59.20 - 12.50	.4574	----	----	----	----	2	UNCH
1750	----	----	56.20B/45.00A	56.20B/45.00A	----	42.20 - 10.10	.3557	----	----	----	----	6	UNCH
1825	----	----	33.20B/28.60A	33.20B/28.60A	----	25.50 - 6.90	.2354	----	----	----	----	8	UNCH
1850	----	----	----/24.90A	27.70B/24.90A	----	21.70 - 6.00	.2045	----	----	----	----	18	UNCH
1875	----	----	----/21.70A	23.00B/21.70A	----	18.60 - 5.20	.1780	----	----	----	----	18	UNCH
1900	----	----	----/19.00A	19.20B/19.00A	----	16.00 - 4.60	.1551	----	----	----	----	119	UNCH
1925	----	----	----/16.70A	15.90B/16.70A	----	13.70 - 4.10	.1346	----	----	----	----	20	UNCH
1950	----	----	----/14.80A	13.10B/14.80A	----	11.70 - 3.70	.1165	----	----	----	----	65	UNCH
1975	----	----	----/13.10A	10.90B/13.10A	----	10.10 - 3.20	.1015	----	----	----	----	9	UNCH
2000	----	----	----	9.00B/11.70A	----	8.60 - 2.90	.0876	----	----	----	----	122	UNCH
2200	----	----	----	1.20B/6.10A	----	4.10 - 1.30	.0395	----	----	----	----	102	UNCH
2250	----	----	----	0.40B/5.50A	----	3.20 - 1.00	.0311	----	----	----	----	51	UNCH
2500	----	----	----	----/4.00A	----	0.90 - 0.40	.0091	----	----	----	----	50	UNCH
TOTAL												590	0
JAN27													
1650	----	----	128.30B/107.70A	128.30B/107.70A	----	105.60 - 15.80	.5638	----	----	----	----	1	UNCH
1700	----	----	102.50B/86.70A	102.50B/86.70A	----	83.90 - 13.80	.4814	----	----	----	----	17	UNCH
1745	69.00	69.00	83.30B/69.00	83.30B/69.00	----	68.10 - 12.10	.4125	----	----	2	----	2	UNCH
1800	----	----	64.30B/56.10A	64.30B/56.10A	----	53.00 - 10.00	.3383	----	----	----	----	11	UNCH
1850	----	----	50.90B/45.30A	50.90B/45.30A	----	42.20 - 8.40	.2805	----	----	----	----	40	UNCH
1900	----	----	----/37.00A	40.20B/37.00A	----	33.80 - 7.00	.2320	----	----	----	----	616	UNCH
1950	----	----	----/30.40A	31.60B/30.40A	----	27.10 - 5.90	.1914	----	----	----	----	886	UNCH
2000	----	----	----/25.20A	24.80B/25.20A	----	21.80 - 5.00	.1578	----	----	----	----	838	UNCH
2050	----	----	----/21.00A	19.50B/21.00A	----	17.70 - 4.10	.1305	----	----	----	----	250	UNCH
2100	----	----	----/17.70A	15.20B/17.70A	----	14.30 - 3.50	.1076	----	----	----	----	81	UNCH
2150	----	----	----	11.80B/15.10A	----	11.70 - 3.00	.0892	----	----	----	----	461	UNCH
2200	----	----	----	9.20B/13.00A	----	9.60 - 2.50	.0742	----	----	----	----	214	UNCH
2300	----	----	----	5.40B/10.10A	----	6.70 - 1.80	.0525	----	----	----	----	108	UNCH
2350	----	----	----	4.10B/9.10A	----	5.70 - 1.50	.0448	----	----	----	----	693	UNCH
2360	----	----	----	3.80B/8.90A	----	5.60 - 1.40	.0438	----	----	----	----	100	UNCH
2400	----	----	----	3.00B/8.30A	----	5.00 - 1.20	.0391	----	----	----	----	57	UNCH
2500	----	----	----	1.50B/7.20A	----	3.80 - 1.00	.0296	----	----	----	----	439	UNCH
2600	----	----	----	0.60B/6.40A	----	3.00 - 0.70	.0231	----	----	----	----	100	UNCH
2650	----	----	----	0.20B/6.10A	----	2.60 - 0.60	.0201	----	----	----	----	100	UNCH
3000	----	----	----	----/4.70A	----	0.80 - 0.20	.0065	----	----	----	----	1	UNCH
TOTAL										2		5015	0
APR27													
1700	----	----	159.90B/143.80A	159.90B/143.80A	----	140.50 - 16.50	.5336	----	----	----	----	100	UNCH
1750	----	----	137.80B/124.50A	137.80B/124.50A	----	120.90 - 15.30	.4805	----	----	----	----	12	UNCH
1775	----	----	127.90B/115.80A	127.90B/115.80A	----	112.00 - 14.80	.4549	----	----	----	----	100	UNCH
1790	----	----	122.30B/110.90A	122.30B/110.90A	----	107.00 - 14.50	.4400	----	----	----	----	12	UNCH
1800	----	----	118.60B/107.80A	118.60B/107.80A	----	103.80 - 14.30	.4302	----	----	----	----	547	UNCH
1900	----	----	----/80.90A	87.40B/80.90A	----	76.70 - 12.00	.3411	----	----	----	----	639	UNCH
2000	----	----	----/61.90A	64.70B/61.90A	----	57.60 - 9.20	.2694	----	----	----	----	30	UNCH
2100	----	----	----/48.90A	48.40B/48.90A	----	44.20 - 6.90	.2140	----	----	----	----	30	UNCH
2200	----	----	----/39.40A	37.10B/39.40A	----	34.70 - 5.60	.1718	----	----	----	----	30	UNCH
2300	----	----	----/32.20A	28.80B/32.20A	----	27.60 - 4.70	.1391	----	----	----	----	20	UNCH
2400	----	----	----	22.40B/26.60A	----	22.10 - 4.00	.1131	----	----	----	----	20	UNCH
2600	----	----	----	13.50B/18.90A	----	14.50 - 2.80	.0761	----	----	----	----	50	UNCH
2700	----	----	----	10.40B/16.30A	----	11.80 - 2.40	.0627	----	----	----	----	50	UNCH
TOTAL												1640	0
JUL27													
1930	----	----	----	----	----	128.90 - 9.50	.4053	----	----	----	----	110	UNCH
TOTAL												110	0
JUL28													
1900	----	----	----	----	----	276.30 - 11.50	.5320	----	----	----	----	250	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO CALL		PLATINUM OPTIONS										
TOTAL												250 0
PO PUT		PLATINUM OPTIONS										
NOV26												
1300	----	----	----	----/2.60A	----	0.10 UNCH	.0000	----	----	----	----	20 UNCH
1400	----	----	----	----/2.70A	----	0.10 UNCH	.0017	----	----	----	----	40 UNCH
1475	----	----	----	----/3.20A	----	0.30 UNCH	.0066	----	----	----	----	125 UNCH
1525	----	----	----	----/4.10A	----	1.70 + 0.20	.0358	----	----	----	----	8 UNCH
1550	----	----	----	0.20B/4.90A	----	3.40 + 0.50	.0687	----	----	----	----	1 UNCH
1575	----	----	----	2.90B/6.50A	----	6.40 + 1.20	.1212	----	----	----	----	5 UNCH
1600	----	----	----	7.30B/9.30A	----	10.50 + 2.00	.1893	----	----	----	----	221 UNCH
1625	----	----	14.00B/13.40A	14.00B/13.40A	----	17.10 + 3.60	.2823	----	----	----	----	26 UNCH
1650	14.00	14.00	23.40B/14.00	23.40B/14.00	----	26.10 + 5.50	.3910	----	----	20	----	107 + 15
1675	----	----	36.20B/26.90A	36.20B/26.90A	----	37.80 + 7.70	.5077	----	----	----	----	85 UNCH
1700	----	----	51.90B/37.30A	51.90B/37.30A	----	52.30 + 10.00	.6226	----	----	----	----	300 UNCH
1725	----	----	70.40B/50.10A	70.40B/50.10A	----	69.60 + 12.40	.7246	----	----	----	----	87 UNCH
1750	----	----	91.10B/64.80A	91.10B/64.80A	----	89.40 + 14.80	.8055	----	----	----	----	123 UNCH
1775	----	----	113.20B/82.30A	113.20B/82.30A	----	111.20 + 16.90	.8622	----	----	----	----	79 UNCH
1800	----	----	136.30B/101.90A	136.30B/101.90A	----	134.10 + 18.40	.9004	----	----	----	----	23 UNCH
1825	----	----	160.00B/123.10A	160.00B/123.10A	----	157.60 + 19.30	.9288	----	----	----	----	15 UNCH
1850	----	----	184.20B/145.30A	184.20B/145.30A	----	181.40 + 20.00	.9508	----	----	----	----	100 UNCH
TOTAL										20		1365 + 15
DEC26												
1250	----	----	----	----/3.50A	----	0.30 UNCH	.0043	----	----	----	----	20 UNCH
1550	----	----	21.30B/----	21.30B/22.40A	----	24.10 + 3.10	.2205	----	----	----	----	5 UNCH
1600	----	----	36.80B/----	36.80B/34.40A	----	39.40 + 5.20	.3198	----	----	----	----	31 UNCH
1625	----	----	47.00B/42.10A	47.00B/42.10A	----	49.20 + 6.30	.3745	----	----	----	----	28 UNCH
1650	----	----	58.80B/51.30A	58.80B/51.30A	----	60.70 + 7.50	.4309	----	----	----	----	55 UNCH
1675	----	----	72.10B/62.00A	72.10B/62.00A	----	73.60 + 8.70	.4873	----	----	----	----	27 UNCH
1750	----	----	120.90B/102.00A	120.90B/102.00A	----	120.70 + 12.00	.6441	----	----	----	----	20 UNCH
TOTAL												186 0
JAN27												
1400	----	----	----	8.00B/13.40A	----	11.50 + 0.70	.0944	----	----	----	----	100 UNCH
1450	----	----	----	15.20B/19.60A	----	18.70 + 1.30	.1416	----	----	----	----	200 UNCH
1500	----	----	----	25.50B/28.40A	----	28.90 + 2.10	.2011	----	----	----	----	225 UNCH
1550	----	----	39.80B/----	39.80B/40.20A	----	42.90 + 3.30	.2723	----	----	----	----	200 UNCH
1575	----	----	48.50B/----	48.50B/47.50A	----	51.50 + 4.00	.3113	----	----	----	----	20 UNCH
1600	----	----	58.40B/55.70A	58.40B/55.70A	----	61.30 + 4.70	.3521	----	----	----	----	10 UNCH
1650	----	----	82.30B/75.90A	82.30B/75.90A	----	84.50 + 6.40	.4360	----	----	----	----	45 UNCH
1700	----	----	110.90B/100.30A	110.90B/100.30A	----	112.50 + 8.30	.5184	----	----	----	----	71 UNCH
1750	----	----	144.00B/129.10A	144.00B/129.10A	----	145.00 + 10.40	.5944	----	----	----	----	120 UNCH
1800	----	----	180.60B/161.40A	180.60B/161.40A	----	181.00 + 12.10	.6615	----	----	----	----	5 UNCH
1900	----	----	261.80B/235.40A	261.80B/235.40A	----	261.40 + 15.20	.7677	----	----	----	----	100 UNCH
2000	----	----	350.10B/318.80A	350.10B/318.80A	----	349.00 + 17.30	.8420	----	----	----	----	200 UNCH
TOTAL												1296 0
APR27												
1400	----	----	----	28.60B/35.30A	----	33.20 + 0.80	.1583	----	----	----	----	30 UNCH
1500	----	----	----	54.50B/59.00A	----	59.00 + 1.50	.2483	----	----	----	----	40 UNCH
1600	----	----	----/93.50A	92.70B/93.50A	----	97.20 + 3.00	.3550	----	----	----	----	10 UNCH
1750	----	----	174.00B/167.80A	174.00B/167.80A	----	177.90 + 6.70	.5190	----	----	----	----	21 UNCH
1790	----	----	----/191.60A	195.20B/191.60A	----	203.50 + 7.60	.5595	----	----	----	----	27 UNCH
TOTAL												128 0
JUL27												
1930	----	----	----	----	----	341.00 + 12.30	.5940	----	----	----	----	110 UNCH
TOTAL												110 0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OPTIONS EOO'S AND BLOCKS

PRODUCT		STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL		COMEX GOLD OPTIONS		
NOV26	CALL			
OG		4550	0	110
TOTALS			0	110
DEC26	CALL			
OG		4250	0	100
OG		4700	0	120
TOTALS			0	220
JAN27	CALL			
OG		4400	0	150
OG		4600	0	250
OG		4800	0	150
TOTALS			0	550
FEB27	CALL			
OG		4215	0	55
TOTALS			0	55
OG PUT		COMEX GOLD OPTIONS		
NOV26	PUT			
OG		4000	0	110
OG		4150	0	75
TOTALS			0	185
DEC26	PUT			
OG		4120	0	100
TOTALS			0	100
JAN27	PUT			
OG		4120	0	100
OG		4200	0	250
TOTALS			0	350
JUN27	PUT			
OG		3700	0	280
TOTALS			0	280
SO CALL		COMEX SILVER OPTIONS		
NOV26	CALL			
SO		6200	0	64
SO		7400	0	64
TOTALS			0	128
DEC26	CALL			
SO		6000	0	68
SO		7200	0	76
TOTALS			0	144
SO PUT		COMEX SILVER OPTIONS		
NOV26	PUT			
SO		5100	0	46
SO		5700	0	100
TOTALS			0	146
HX CALL		COMEX COPPER OPTIONS		
DEC26	CALL			
HX		620	0	55
HX		675	0	70
HX		700	0	30
TOTALS			0	155
JAN27	CALL			
HX		740	0	30
TOTALS			0	30
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK1		
NOV26	PUT			
M1S		5900	0	50
TOTALS			0	50
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK2		
OCT26	PUT			
G2W		4170	0	25
TOTALS			0	25
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK2		
OCT26	CALL			
G2W		4210	0	25
TOTALS			0	25
GWR THU		GOLD WEEKLY THURSDAY OPTION Week3		
OCT26	PUT			
G3R		4100	0	100
G3R		4150	0	120
G3R		4200	0	60
TOTALS			0	280
GWR THU		GOLD WEEKLY THURSDAY OPTION Week3		
OCT26	CALL			
G3R		4260	0	20
TOTALS			0	20

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.