

PG64

BULLETIN #186@

METALS OPTION PRODUCTS

Mon, Sep 28, 2026

PG64

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY
R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY’S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES														
EXPIRATION:	SEP26	SEP26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27	MAY27	JUN27	JUL27	AUG27
COO OPT	09/30			10/30	11/30	12/31	01/29	02/26	03/31				07/30	08/31
ECG10 OP		09/25	09/28											
ECG11 OP		09/25	09/28											
ECG13 OP		09/25	09/28											
ECG15 OP		09/25	09/28											
ECG16 OP		09/25	09/28											
ECCG OOF		09/25	09/28											
ECHG OOF		09/25	09/28											
ECSI OOF		09/25	09/28											
EHO OPT	09/30			10/30	11/30	12/31								
FMG OPT	09/25			10/02										
GMW MON	09/28			10/19										
GWR THU				10/22										
GWT TUE	09/29			10/20										
GWV WED	09/30			10/21										
HMW MON	09/28			10/19										
HRO OPT	09/29			10/27	11/24	12/29	01/26	02/23	03/30	04/27	05/25	06/29	07/27	08/24
HWR THU				10/22										
HWT TUE	09/29			10/20										
HWV WED	09/30			10/21	11/04	12/02								
HX CALL				10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25			
HX PUT							01/26	02/23	03/24	04/27	05/25			
HXE CALL	09/25			10/16										
HXE PUT	09/25			10/16										
LHO OPT	09/30			10/30	11/30	12/31	01/29	02/26	03/31					
MMG MON	09/28													
OG CALL					10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27
OG PUT					10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27
OG1 CALL				10/02										
OG1 PUT				10/02										
OG2 CALL				10/09										
OG2 PUT				10/09										
OG3 CALL				10/16										
OG3 PUT				10/16										
OG4 CALL	09/25			10/23										
OG4 PUT	09/25			10/23										
OMG OPT					10/27	11/24	12/28					05/19		
PAO CALL					10/21	11/18			02/17					
PAO PUT					10/21	11/18			02/17					
PAW OOF				10/09										
PLW OOF	09/25			10/02										
PO CALL					10/21	11/18	12/16			03/17			06/16	
PO PUT					10/21	11/18	12/16			03/17			06/16	
RWS THU				10/22										
SMW MON	09/28			10/19										
SO CALL					10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27
SO PUT					10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	
SO1 CALL				10/02										
SO1 PUT				10/02										
SO2 CALL				10/09										
SO2 PUT				10/09										
SO3 CALL				10/16										
SO3 PUT				10/16										
SO4 CALL	09/25													
SO4 PUT	09/25													
SWV WED	09/30													
TWS TUE	09/29			10/21										
WMG WED	09/30			10/20										

GOLD OPTIONS ON FUTURES															
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
WMG WED SEP26		MICRO GOLD WEEKLY WED OPTION WEEK5													
4100	11.00	11.00		11.00/11.00	11.00/11.00	----		7.90 NEW	.1366	----	----	1	----	1 +	
4150	25.00	25.00		25.00/25.00	25.00/25.00	----		20.60 NEW	.3750	----	----	1	----	1 +	
4230	15.00	15.00		15.00/15.00	15.00/15.00	----		69.90 NEW	.8454	----	----	1	----	1 +	
TOTAL												3		3 +	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OMG OPT NOV26		MICRO GOLD OPTIONS													
3650	----	----		----	----/15.00A	----		6.20 + 3.40	----	----	----	----	----	2 UNCH	
3900	----	----		23.00B/----	23.00B/883.10A	----		21.80 + 13.90	----	----	----	----	----	1 UNCH	
4000	----	----		----	----	----		207.00 - 27.30	----	----	----	----	----	1 UNCH	
4000	25.00	25.00		25.00/25.00	25.00/25.00	----		39.10 + 25.20	----	----	----	1	----	2 + 1	
4005	----	----		----	----	----		203.20 - 26.50	----	----	----	----	----	1 UNCH	
4025	----	----		----	----/891.60A	----		45.20 + 29.00	----	----	----	----	----	1 UNCH	
4185	----	----		----	----/921.10A	----		107.80 + 63.40	----	----	----	----	----	1 UNCH	
4300	----	----		----	50.00B/1404.50A	----		179.50 + 92.30	----	----	----	----	----	1 UNCH	
5810	----	----		----	----/855.30A	----		0.60 - 0.20	----	----	----	----	----	2 UNCH	
5850	----	----		----	----/855.50A	----		0.60 - 0.20	----	----	----	----	----	3 UNCH	
5900	----	----		----	----/856.10A	----		0.50 - 0.20	----	----	----	----	----	5 UNCH	
6500	----	----		----	----/855.00A	----		0.30 - 0.10	----	----	----	----	----	4 UNCH	
TOTAL												1		24 + 1	
DEC26															
3900	----	----		----	----	----		49.70 + 25.40	----	----	----	----	----	1 UNCH	
3990	----	----		----	----	----		72.60 + 36.20	----	----	----	----	----	2 UNCH	
4000	50.00	50.00		50.00/50.00	50.00/50.00	----		75.60 + 37.60	----	----	----	1	----	2 + 1	
4500	----	----		----	----	----		372.70 + 16.90	----	----	----	----	----	3 UNCH	
4650	----	----		----	----	----		24.00 - 20.70	----	----	----	----	----	1 UNCH	
4700	----	----		----	----	----		20.00 - 17.10	----	----	----	----	----	10 UNCH	
4800	----	----		----	----	----		14.00 - 11.70	----	----	----	----	----	1 UNCH	
TOTAL												1		20 + 1	
JAN27															
4010	----	----		----	----	----		289.90 - 11.80	----	----	----	----	----	1 UNCH	
TOTAL														1 UNCH	
OCT27															
4410	----	----		----	----	----		373.60 - 86.60	----	----	----	----	----	1 UNCH	
TOTAL														1 UNCH	
FEB28															
4600	----	----		----	----	----		392.30 - 82.00	----	----	----	----	----	1 UNCH	
TOTAL														1 UNCH	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	

PG64	BULLETIN #186@										METALS OPTION PRODUCTS										Mon, Sep 28, 2026				PG64
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST										
OG4 CALL	GOLD OPTIONS																								
SEP26																									
4500	----		----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH									
4505	----		----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH									
4520	----		----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH									
4600	----		----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH									
4850	----		----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH									
TOTAL															0	UNCH									
OCT26																									
4175	----		----	----	104.40B/82.60A	----	----	----	89.70	NEW	.4991	----	28	----	28	+	28								
4350	----		----	----	36.70B/28.10A	----	----	----	31.20	NEW	.2285	----	1	----	1	+	1								
4400	19.20	19.20		19.20/19.20	26.30B/19.20	----	----	----	22.60	NEW	.1744	----	2	----	2	+	2								
4650	----		----	----	5.40B/4.70A	----	----	----	5.30	NEW	.0451	----	1	----	1	+	1								
4675	4.60	4.60		4.60/4.50A	4.70B/4.50A	----	----	----	4.70	NEW	.0399	----	5	----	4	+	4								
TOTAL													37		36+		36								
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST										
OG3 PUT	GOLD OPTIONS																								
OCT26																									
3500	1.30	1.30		2.00B/1.30	2.00B/1.30	----	----	----	1.60	+	1.10	.0114	----	1	----	2	+	1							
3600	----		----	3.20B/----	3.20B/2.60A	----	----	----	2.50	+	1.60	.0188	----	----	5		UNCH								
3700	4.90	4.90		5.40B/4.90	5.40B/3.30A	----	----	----	4.10	+	2.40	.0322	----	1	----	3		UNCH							
3750	----		----	7.10B/----	7.10B/3.60A	----	----	----	5.30	+	3.10	.0425	----	----	1		UNCH								
3800	9.10	9.10		9.30B/6.50	9.30B/3.70A	----	----	----	7.00	+	4.40	.0569	----	9	----	18	+	9							
3875	----		----	14.30B/----	14.30B/5.10A	----	----	----	11.00	NEW	.0902	----	2	----	2	+	2								
3900	----		----	16.80B/----	16.80B/5.60A	----	----	----	12.90	+	8.70	.1055	----	8	----	8	+	5							
3950	----		----	23.40B/----	23.40B/8.10A	----	----	----	18.10	+	12.60	.1455	----	2	----	5	+	2							
3975	25.50	25.50		27.50B/25.50	27.50B/8.30A	----	----	----	21.50	+	15.10	.1705	----	6	----	8	+	6							
4000	8.70	8.70		32.80B/8.70	32.80B/8.70	----	----	----	25.60	+	18.10	.1995	----	33	----	53	+	16							
4025	15.20	15.20		38.80B/15.20	38.80B/10.80A	----	----	----	30.60	+	21.70	.2327	----	27	----	45	+	25							
4050	13.00	13.00		45.90B/13.00	45.90B/12.70A	----	----	----	36.60	+	25.90	.2702	----	29	----	25	+	19							
4075	44.60	44.60		54.20B/43.50	54.20B/15.10A	----	----	----	43.60	+	30.80	.3114	----	14	----	13	+	12							
4100	26.60	26.60		63.60B/26.60	63.60B/17.90A	----	----	----	51.80	+	36.40	.3562	----	23	----	75	+	5							
4125	----		----	74.20B/----	74.20B/21.50A	----	----	----	61.20	+	42.50	.4037	----	3	----	7	+	1							
4150	----		----	85.90B/----	85.90B/25.70A	----	----	----	72.00	+	49.30	.4532	----	3	----	15	+	3							
4175	----		----	99.00B/----	99.00B/31.00A	----	----	----	84.10	+	56.60	.5037	----	11	----	14	+	9							
4200	----		----	113.40B/----	113.40B/37.20A	----	----	----	97.50	+	64.20	.5542	----	3	----	10	+	2							
4225	47.30	47.30		128.60B/46.70	128.60B/44.80A	----	----	----	112.20	+	71.90	.6035	----	4	----	31	+	3							
4250	----		----	145.40B/----	145.40B/53.40A	----	----	----	128.20	+	79.70	.6511	----	----	----	2		UNCH							
4275	----		----	163.60B/----	163.60B/63.10A	----	----	----	145.40	+	87.40	.6956	----	2	----	3	+	1							
4300	----		----	182.70B/----	182.70B/74.60A	----	----	----	163.80	+	94.90	.7368	----	2	----	2		UNCH							
4350	----		----	221.50B/----	221.50B/101.60A	----	----	----	203.50	+	08.80	.8076	----	2	----	30		UNCH							
4400	262.50	262.50		265.10B/262.50	265.10B/134.50A	----	----	----	246.40	+	20.90	.8613	----	2	----	30		UNCH							
4500	----		----	335.40B/----	335.40B/212.40A	----	----	----	338.40	+	37.40	.9294	----	----	----	3		UNCH							
TOTAL													187		410+		121								
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST										
OG3 CALL	GOLD OPTIONS																								
OCT26																									
4175	----		----	-----/67.50A	158.40B/67.50A	----	----	----	77.50	NEW	.4958	----	35	----	33	+	33								
4200	71.80	71.80		76.30/57.20A	139.90B/57.20A	----	----	----	65.90	-	88.40	.4453	----	9	----	9	+	9							
4225	----		----	-----/48.20A	122.50B/48.20A	----	----	----	55.70	NEW	.3959	----	1	----	1	+	1								
4275	37.00	37.00		37.00/33.60A	92.10B/33.60A	----	----	----	39.00	NEW	.3038	----	3	----	3	+	3								
4300	49.50	49.50		50.50/27.90A	78.70B/27.90A	----	----	----	32.40	-	57.70	.2627	----	4	----	5		UNCH							
4325	28.60	28.60		28.60/23.20A	68.50B/23.20A	----	----	----	26.80	-	50.60	.2253	----	5	----	35		UNCH							
4350	----		----	-----/19.30A	57.90B/19.30A	----	----	----	22.10	-	43.90	.1919	----	1	----	34	+	1							
4375	----		----	-----/15.70A	48.60B/15.70A	----	----	----	18.30	-	37.50	.1630	----	1	----	16	+	1							
4400	16.70	16.70		17.00/13.10A	40.30B/13.10A	----	----	----	15.20	-	31.60	.1383	----	9	----	188	+	1							
4425	11.80	11.80		12.80/11.00A	33.40B/11.00A	----	----	----	12.60	-	26.50	.1168	----	4	----	6	+	3							
4450	17.30	17.30		17.30/9.20A	27.60B/9.20A	----	----	----	10.40	-	22.20	.0981	----	24	----	206		UNCH							
4475	8.70	8.70		8.70/7.70A	23.00B/7.70A	----	----	----	8.70	-	18.40	.0830	----	22	----	55	+	20							
4500	12.50	12.50		12.50/6.60A	19.20B/6.60A	----	----	----	7.30	-	15.20	.0702	----	275	----	290	+	245							
4525	----		----	-----/5.60A	15.80B/5.60A	----	----	----	6.10	-	12.60	.0592	----	----	----	5		UNCH							
4550	----		----	-----/4.90A	12.90B/4.90A	----	----	----	5.20	-	10.40	.0505	----	----	----	13		UNCH							
4575	4.70	4.70		4.70/4.20A	10.70B/4.20A	----	----	----	4.50	-	8.50	.0436	----	2	----	3	+	2							
4600	4.50	4.50		4.50/3.70A	8.80B/3.70A	----	----	----	3.80	-	7.10	.0369	----	9	----	405		UNCH							
4625	----		----	-----/3.20A	7.20B/3.20A	----	----	----	3.30	-	5.90	.0319	----	1	----	21	-	1							
4650	----		----	-----/2.90A	5.30B/2.90A	----	----	----	2.90	-	4.80	.0279	----	----	----	20		UNCH							
4675	----		----	-----/2.60A	3.90B/2.60A	----	----	----	2.60	-	4.00	.0247	----	----	----	27		UNCH							
4700	----		----	-----/2.40A	4.00B/2.40A	----	----	----	2.30	-	3.30	.0217	----	----	----	7		UNCH							
4800	----		----	-----/1.80A	2.20B/1.80A	----	----	----	1.60	-	1.60	.0143	----	1	----	3	+	1							
4825	----		----	-----/1.60A	1.90B/1.60A	----	----	----	1.50	-	1.40	.0132	----	----	----	3		UNCH							
4900	----		----	-----/1.40A	1.10B/1.40A	----	----	----	1.30	-	0.70	.0108	----	5	----	15	+	5							
5000	----		----	-----/1.30A	0.80B/1.30A	----	----	----	1.00	-	0.50	.0079	----	----	----	3		UNCH							
5100	----		----	-----/1.10A	0.60B/1.10A	----	----	----	0.80	-	0.40	.0060	----	----	----	5		UNCH							
5200	----		----	-----/1.00A	0.50B/1.00A	----	----	----	0.70	-	0.40	.0050	----	----	----	5		UNCH							
TOTAL													411		1416+		324								
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST										
OG2 PUT	GOLD OPTIONS																								
OCT26																									
3250	----		----	----	-----/0.40A	----	----	----	0.10	UNCH	.0006	----	----	----	1		UNCH								
3500	----		----	0.80B/----	0.80B/0.80A	----	----	----	0.70	+	0.50	.0051	----	5	----	5	+	4							
3600	----		----	1.40B/----	1.40B/0.90A	----	----	----	1.20	NEW	.0095	----	3	----	3	+	3								
3700	2.60	2.60		2.70/2.60	2.70/1.20A	----	----	----	1.90	+	1.10	.0165	----	11	----	28	+	11							
3750	2.30	2.30		3.40B/2.30	3.40B/1.30A	----	----	----	2.50	+	1.50	.0226	----	2	----	9	+	2							
3800	3.00	3.00		4.70B/3.00	4.70B/1.60A	----	----	----	3.40	+	2.10	.0319	----	3	----	9	+	2							
3900	4.80	4.80		9.50B/4.80	9.50B/2.40A	----	----	----	6.60	+	4.50	.0658	----	7	----	9	+	4							
3925	----		----	11.40B/----	11.40B/2.80A	----	----	----	8.00	+	5.60	.0803	----	----	----	2		UNCH							
3950	10.40	10.40		14.00B/10.40	14.00B/3.20A	----	----	----	9.80	+	7.10	.0986	----	5	----	17	+	3							
3975	10.10	10.10		17.10B/10.10	17.10B/3.70A	----	----	----	12.00	+	8.80	.1206	----	29	----	29	+	25							
4000	5.00	5.00		21.10B/5.00	21.10B/4.30A	----	----	----	14.80	+	11.10	.1479	----	50	----	46	+	37							
4025	18.40	18.40		26.00B/16.20	26.00B/5.10A	----	----	----	18.50	+	14.00	.1817	----	8	----	8	+	7							
4050	6.10	6.10		32.00B/6.10	32.00B/6.10	----	----	----	23.10	+	17.70	.2219	----	224	----	114	+	18							
4075	30.50	30.50		39.20B/26.00	39.20B/7.50A	----	----	----	28.80	+	22.20	.2686	----	249	----	279</									

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG2 CALL		GOLD OPTIONS													
OCT26															
4200	59.50	59.50		60.80/39.90A	132.70B/39.90A	----		48.70	- 92.90	.4245	----	----	144	----	143 + 140
4225	73.90	73.90		73.90/31.70A	113.70B/31.70A	----		39.10	NEW	.3616	----	----	2	----	2 + 2
4250	39.20	39.20		39.20/25.10A	96.20B/25.10A	----		31.00	- 73.40	.3028	----	----	43	----	42 + 40
4275	25.90	25.90		25.90/19.80A	80.30B/19.80A	----		24.40	- 63.60	.2498	----	----	7	----	6 + 5
4300	21.00	21.00		21.00/15.60A	66.10B/15.60A	----		19.10	- 54.20	.2034	----	----	23	----	23 + 7
4325	----	----		----/12.20A	53.80B/12.20A	----		14.90	- 45.40	.1639	----	----	3	----	48 UNCH
4350	13.70	13.70		13.70/9.60A	43.20B/9.60A	----		11.60	- 37.50	.1309	----	69	----	----	84 + 36
4375	14.00	14.00		14.00/7.60A	34.30B/7.60A	----		9.20	- 30.30	.1052	----	1	----	----	71 UNCH
4400	23.50	23.50		23.50/6.10A	27.10B/6.10A	----		7.30	- 24.20	.0843	----	37	----	----	180 + 19
4425	13.20	13.20		13.20/4.90A	21.30B/4.90A	----		5.80	- 19.10	.0674	----	24	----	----	54 + 10
4450	10.20	10.20		10.70/4.00A	16.70B/4.00A	----		4.70	- 14.90	.0545	----	15	----	----	99 UNCH
4475	4.40	4.40		4.90/3.30A	13.00B/3.30A	----		3.80	- 11.60	.0440	----	4	----	----	83 + 1
4500	9.30	9.30		9.30/2.80	10.20B/2.80	----		3.00	- 9.20	.0348	----	12	----	----	58 + 3
4525	----	----		----/2.30A	7.90B/2.30A	----		2.40	- 7.20	.0277	----	1	----	----	41 UNCH
4550	2.50	2.50		2.50/2.00A	6.30B/2.00A	----		2.10	- 5.60	.0237	----	6	----	----	60 - 4
4575	2.10	2.10		2.10/1.80A	5.00B/1.80A	----		1.80	- 4.40	.0200	----	3	----	----	64 + 1
4600	1.80	1.80		1.80/1.50A	4.00B/1.50A	----		1.50	- 3.50	.0165	----	2	----	----	102 UNCH
4625	----	----		----/1.40A	3.20B/1.40A	----		1.40	- 2.70	.0149	----	----	----	----	45 UNCH
4650	----	----		----/1.20A	2.60B/1.20A	----		1.30	- 2.10	.0135	----	----	----	----	18 UNCH
4675	1.20	1.20		1.20/1.10A	2.10B/1.10A	----		1.20	- 1.60	.0121	----	4	----	----	32 + 2
4700	1.10	1.10		1.10/1.00A	1.80B/1.00A	----		1.00	- 1.40	.0100	----	1	----	----	23 + 1
4725	----	----		----/1.00A	1.50B/1.00A	----		0.90	- 1.10	.0088	----	----	----	----	30 UNCH
4750	0.90	0.90		0.90/0.90	1.20B/0.90	----		0.80	- 1.00	.0077	----	25	----	----	45 + 25
4775	----	----		----/0.80A	1.10B/0.80A	----		0.70	- 0.80	.0066	----	----	----	----	29 UNCH
4800	----	----		----/0.80A	0.90B/0.80A	----		0.70	- 0.70	.0064	----	1	----	----	7 + 1
4850	----	----		----/0.80A	0.70B/0.80A	----		0.60	- 0.50	.0053	----	1	----	----	5 + 1
4900	----	----		----/0.80A	0.50B/0.80A	----		0.60	- 0.30	.0050	----	2	----	----	19 UNCH
5000	----	----		----	0.30B/0.60A	----		0.40	- 0.20	.0031	----	----	----	----	177 UNCH
5100	----	----		----	----/0.60A	----		0.40	- 0.10	.0029	----	----	----	----	97 UNCH
5200	----	----		----	----/0.60A	----		0.30	- 0.20	.0020	----	----	----	----	41 UNCH
5250	----	----		----	----/0.50A	----		0.30	- 0.20	.0020	----	----	----	----	6 UNCH
TOTAL													442		1743+ 299
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG1 PUT		GOLD OPTIONS													
OCT26															
3500	0.30	0.30		0.30/0.30	0.30/0.30	----		0.10	UNCH	.0004	----	----	1	----	2 + 1
3600	0.40	0.40		0.40/0.40	0.40/0.40	----		0.20	+ 0.10	.0010	----	----	20	----	21 + 20
3700	0.50	0.50		0.70B/0.50	0.70B/0.50	----		0.60	+ 0.40	.0038	----	----	5	----	6 + 5
3750	----	----		1.00B/----	1.00B/0.80A	----		0.80	+ 0.50	.0056	----	----	2	----	3 + 2
3800	1.00	1.00		1.60/1.00	1.60/0.80A	----		1.00	+ 0.60	.0079	----	67	----	----	76 + 49
3875	2.00	2.00		2.60/2.00	2.60/1.10A	----		1.70	+ 1.00	.0160	----	7	----	----	12 + 1
3890	2.10	2.10		3.00B/2.10	3.00B/1.10A	----		1.90	NEW	.0186	----	4	----	----	4 + 4
3895	1.30	1.30		3.10B/1.30	3.10B/1.10A	----		2.00	NEW	.0197	----	5	----	----	5 + 5
3900	1.50	1.50		3.30B/1.50	3.30B/1.10A	----		2.10	+ 1.30	.0209	----	101	----	----	154 + 86
3920	2.90	2.90		4.00B/2.90	4.00B/1.20A	----		2.50	NEW	.0261	----	2	----	----	2 + 2
3925	2.60	2.60		4.10B/2.60	4.10B/1.30A	----		2.60	+ 1.70	.0274	----	163	----	----	162 + 155
3930	3.60	3.60		3.60/3.60	4.40B/1.30A	----		2.70	NEW	.0289	----	1	----	----	1 + 1
3940	3.60	3.60		4.80B/3.60	4.80B/1.40A	----		3.00	NEW	.0327	----	1	----	----	1 + 1
3950	3.10	3.10		5.30B/3.10	5.30B/1.40A	----		3.30	+ 2.20	.0367	----	26	----	----	24 + 16
3955	3.90	3.90		5.60B/3.90	5.60B/1.40A	----		3.40	NEW	.0384	----	1	----	----	1 + 1
3965	4.60	4.60		6.20B/4.60	6.20B/1.50A	----		3.80	NEW	.0437	----	1	----	----	1 + 1
3970	3.90	3.90		6.50B/3.90	6.50B/1.60A	----		4.00	NEW	.0465	----	5	----	----	5 + 5
3975	2.40	2.40		6.90B/2.40	6.90B/1.60A	----		4.20	+ 3.00	.0493	----	28	----	----	37 + 28
3980	1.50	1.50		7.30B/1.50	7.30B/1.50	----		4.40	NEW	.0522	----	136	----	----	129 + 129
3985	5.00	5.00		5.00/5.00	7.70B/1.70A	----		4.60	NEW	.0552	----	53	----	----	53 + 53
3990	6.20	6.20		8.20B/4.50	8.20B/1.70A	----		4.90	NEW	.0592	----	4	----	----	4 + 4
3995	6.20	6.20		8.60B/6.20	8.60B/1.80A	----		5.20	NEW	.0633	----	5	----	----	5 + 5
4000	1.50	1.50		9.10B/1.50	9.10B/1.50	----		5.50	+ 4.10	.0675	----	642	----	----	351 + 194
4005	5.00	5.00		9.70B/5.00	9.70B/1.90A	----		5.80	NEW	.0718	----	6	----	----	6 + 6
4010	7.00	7.00		10.20B/7.00	10.20B/1.90A	----		6.10	NEW	.0763	----	2	----	----	2 + 2
4015	7.40	7.40		10.80B/6.10	10.80B/2.00A	----		6.50	NEW	.0817	----	18	----	----	18 + 18
4025	7.30	7.30		12.20B/7.30	12.20B/2.10A	----		7.30	+ 5.60	.0930	----	422	----	----	112 + 107
4030	7.50	7.50		7.50/7.50	12.90B/2.10A	----		7.80	NEW	.0998	----	15	----	----	15 + 15
4035	9.20	9.20		13.70B/9.20	13.70B/2.30A	----		8.30	NEW	.1067	----	1	----	----	1 + 1
4040	10.30	10.30		14.50B/8.90	14.50B/2.40A	----		8.80	NEW	.1138	----	6	----	----	6 + 6
4045	10.30	10.30		15.40B/10.30	15.40B/2.40A	----		9.40	NEW	.1218	----	8	----	----	8 + 8
4050	4.90	4.90		16.40B/4.90	16.40B/2.40A	----		10.00	+ 8.00	.1301	----	131	----	----	114 + 105
4055	10.00	10.00		17.40B/10.00	17.40B/2.50A	----		10.60	NEW	.1385	----	20	----	----	20 + 20
4060	12.60	12.60		18.40B/12.60	18.40B/2.60A	----		11.30	NEW	.1480	----	9	----	----	9 + 9
4065	10.90	10.90		19.50B/10.80	19.50B/2.70A	----		12.10	NEW	.1584	----	3	----	----	3 + 3
4075	9.20	9.20		22.20/9.20	22.20/3.00A	----		13.80	+ 11.40	.1805	----	90	----	----	302 + 30
4080	14.40	14.40		23.30B/13.70	23.30B/3.10A	----		14.70	NEW	.1922	----	26	----	----	24 + 24
4															

BULLETIN #186@												METALS OPTION PRODUCTS												Mon, Sep 28, 2026 PG64											
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE		OUTCRY RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																	
OG1 CALL		GOLD OPTIONS																																	
OCT26																																			
120.30	120.30			120.30/108.80A		256.80B/108.80A		----		128.30	NEW	.8697	----	----	----	2	----	----	2 +																
105.10	105.10			105.10/70.90A		208.00B/70.90A		----		87.40	NEW	.7539	----	----	----	2	----	----	2 +																
83.10	83.10			83.10/54.90A		187.30B/54.90A		----		69.50	- 30.40	.6722	----	----	----	4	----	----	6 +																
64.80	64.80			64.80/52.10A		182.40B/52.10A		----		66.20	NEW	.6545	----	----	----	1	----	----	1 +																
54.60	54.60			54.60/46.60A		175.30B/46.60A		----		59.80	NEW	.6171	----	----	----	8	----	----	8 +																
49.40	49.40			51.00/41.50A		165.90B/41.50A		----		53.80	- 22.30	.5784	----	----	----	10	----	----	7 +																
43.50	43.50			43.50/39.20A		161.20B/39.20A		----		51.00	NEW	.5586	----	----	----	4	----	----	4 +																
48.70	48.70			48.70/36.90A		156.60B/36.90A		----		48.20	NEW	.5386	----	----	----	29	----	25 +	25 +																
46.00	46.00			46.00/34.60A		152.00B/34.60A		----		45.60	NEW	.5184	----	----	----	6	----	6 +	6 +																
57.20	57.20			57.20/32.60A		147.40B/32.60A		----		43.00	NEW	.4981	----	----	----	8	----	8 +	8 +																
39.70	39.70			39.70/30.60A		142.80B/30.60A		----		40.60	- 12.30	.4778	----	----	----	9	----	7 +	6 +																
50.70	50.70			50.70/28.70A		138.30B/28.70A		----		38.20	NEW	.4575	----	----	----	16	----	16 +	16 +																
45.30	45.30			45.40/26.80A		133.80B/26.80A		----		36.00	NEW	.4374	----	----	----	7	----	7 +	7 +																
41.00	41.00			41.70/23.60A		125.00B/23.60A		----		31.70	NEW	.3975	----	----	----	4	----	3 +	3 +																
61.30	61.30			61.30/22.00A		120.70B/22.00A		----		29.80	- 00.70	.3782	----	----	----	98	----	48 +	42 +																
35.40	35.40			37.00/20.60A		116.40B/20.60A		----		27.90	NEW	.3589	----	----	----	12	----	10 +	10 +																
23.00	23.00			27.10/19.30A		112.10B/19.30A		----		26.10	NEW	.3401	----	----	----	17	----	7 +	7 +																
32.00	32.00			32.00/18.00A		107.90B/18.00A		----		24.50	NEW	.3222	----	----	----	3	----	3 +	3 +																
20.20	20.20			20.20/16.80A		103.80B/16.80A		----		22.90	NEW	.3044	----	----	----	9	----	9 +	9 +																
27.20	27.20			27.90/15.70A		99.80B/15.70A		----		21.40	NEW	.2871	----	----	----	22	----	16 +	16 +																
45.00	45.00			45.00/14.70A		95.80B/14.70A		----		20.00	NEW	.2706	----	----	----	9	----	7 +	7 +																
18.70	18.70			18.70/13.70A		91.80B/13.70A		----		18.60	NEW	.2542	----	----	----	2	----	2 +	2 +																
22.50	22.50			22.90/12.70A		88.00B/12.70A		----		17.40	NEW	.2391	----	----	----	5	----	5 +	5 +																
----	----			----		84.20B/11.90A		----		16.20	NEW	.2241	----	----	----	4	----	4 +	4 +																
36.00	36.00			36.00/11.00		80.50B/11.00		----		15.10	- 74.40	.2100	----	----	----	69	----	56 +	55 +																
18.60	18.60			18.60/10.30A		76.90B/10.30A		----		14.00	NEW	.1961	----	----	----	9	----	9 +	9 +																
17.30	17.30			17.30/9.60A		73.30B/9.60A		----		13.10	NEW	.1838	----	----	----	8	----	8 +	8 +																
16.20	16.20			16.20/8.90A		69.90B/8.90A		----		12.20	NEW	.1716	----	----	----	3	----	3 +	3 +																
19.00	19.00			19.00/8.40A		66.50B/8.40A		----		11.30	NEW	.1597	----	----	----	55	----	50 +	50 +																
56.40	56.40			56.40/7.80A		63.30B/7.80A		----		10.50	- 61.10	.1487	----	----	----	64	----	35 +	31 +																
----	----			----		60.10B/7.20A		----		9.80	NEW	.1387	----	----	----	4	----	2 +	2 +																
12.60	12.60			12.60/6.80A		57.00B/6.80A		----		9.10	NEW	.1289	----	----	----	25	----	24 +	24 +																
12.90	12.90			12.90/6.30A		54.00B/6.30A		----		8.50	NEW	.1202	----	----	----	8	----	6 +	6 +																
8.20	8.20			8.20/5.90A		51.10B/5.90A		----		7.90	NEW	.1116	----	----	----	6	----	6 +	6 +																
46.30	46.30			48.40B/5.50A		48.40B/5.50A		----		7.40	- 48.60	.1042	----	----	----	193	15	279 +	94 +																
----	----			----		40.60B/4.60A		----		6.00	NEW	.0836	----	----	----	9	----	5 +	5 +																
----	----			----		38.20B/4.20A		----		5.60	NEW	.0777	----	----	----	1	----	1 +	1 +																
30.50	30.50			30.50/4.00A		36.00B/4.00A		----		5.20	- 37.50	.0719	----	----	----	26	----	156 +	9 +																
4.70	4.70			4.70/3.70A		34.00B/3.70A		----		4.90	NEW	.0672	----	----	----	41	----	32 +	32 +																
5.50	5.50			5.50/3.10A		28.10B/3.10A		----		4.00	NEW	.0539	----	----	----	7	----	7 +	7 +																
26.80	26.80			26.80/2.90A		26.80/2.90A		----		3.80	- 28.00	.0507	----	----	----	62	----	195 +	4 +																
6.00	6.00			6.00/2.80A		24.70B/2.80A		----		3.60	NEW	.0475	----	----	----	5	----	5 +	5 +																
10.70	10.70			10.70/2.60A		23.10B/2.60A		----		3.40	NEW	.0445	----	----	----	7	----	5 +	5 +																
----	----			----		20.10B/2.40A		----		3.00	NEW	.0386	----	----	----	1	----	1 +	1 +																
10.80	10.80			10.80/2.20A		18.90B/2.20A		----		2.80	- 20.30	.0358	----	----	----	138	----	445 +	104 +																
3.00	3.00			3.00/1.80A		14.10B/1.80A		----		2.30	NEW	.0281	----	----	----	2	----	2 +	2 +																
11.00	11.00			11.00/1.70A		13.20B/1.70A		----		2.20	- 14.20	.0266	----	----	----	278	----	556 +	43 +																
2.30	2.30			2.30/1.70A		12.20B/1.70A		----		2.10	NEW	.0251	----	----	----	1	----	1 +	1 +																
6.10	6.10			6.10/1.40A		9.10B/1.40A		----		1.70	- 9.80	.0195	----	----	----	161	----	265 +	133 +																
3.20	3.20			3.20/1.20A		6.30B/1.20A		----		1.40	- 6.70	.0151	----	----	----	8	----	149 +	2 +																
1.00	1.00			1.00/0.80		4.70B/0.80		----		1.10	NEW	.0114	----	----	----	4	----	4 +	4 +																
1.30	1.30			1.30/0.90		4.20B/0.90		----		1.10	- 4.60	.0113	----	----	----	23	----	104 +	11 +																
1.70	1.70			1.70/0.80A		3.00B/0.80A		----		0.90	- 3.10	.0087	----	----	----	30	----	314 +	15 +																
----	----			----		2.50B/0.80A		----		0.80	NEW	.0076	----	----	----	1	----	1 +	1 +																
----	----			----/0.70A		2.10B/0.70A		----		0.70	- 2.20	.0064	----	----	----	----	----	68	UNCH																
1.30	1.30			1.30/0.60A		1.70B/0.60A		----		0.60	NEW	.0053	----	----	----	1	----	1 +	1 +																
1.00	1.00			1.00/0.60A		1.50B/0.60A		----		0.60	- 1.60	.0052	----	----	----	17	----	372 -	7 -																
----	----			----		1.30B/0.60A		----		0.50	NEW	.0043	----	----	----	1	----	1 +	1 +																
----	----			----/0.50A		1.10B/0.50A		----		0.50	- 1.10	.0041	----	----	----	----	----	41	UNCH																
0.30	0.30			0.30/0.30		0.80B/0.30		----		0.40	- 0.90	.0031	----	----	----	4	----	318	UNCH																
----	----			----/0.40A		0.60B/0.40A		----		0.30	- 0.70	.0022	----	----	----	5	----	29	UNCH																
----	----			----/0.40A		0.40B/0.40A		----		0.30	- 0.50	.0021	----	----	----	1	----	76	UNCH																
0.60	0.60			0.60/0.30A		0.60/0.30A		----		0.30	- 0.40	.0020	----	----	----	1	----	15 -	1 -																

BULLETIN #186@															METALS OPTION PRODUCTS										Mon, Sep 28, 2026										PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																				
OG PUT	COMEX GOLD OPTIONS																																		
NOV26																																			
3175	----	----	----	1.00B/----	1.00B/0.80A	----	0.80	+ 0.40	.0047	----	----	----	----	----	10	UNCH																			
3180	----	----	----	1.00B/----	1.00B/0.80A	----	0.90	+ 0.50	.0052	----	----	----	----	----	11	UNCH																			
3185	----	----	----	1.10B/----	1.10B/0.90A	----	0.90	+ 0.50	.0052	----	----	----	----	----	2	UNCH																			
3190	1.00	1.00	----	1.10B/1.00	1.10B/0.90A	----	0.90	+ 0.50	.0053	----	----	----	1	----	5	+																			
3195	----	----	----	1.10B/----	1.10B/0.90A	----	0.90	+ 0.50	.0053	----	----	----	----	----	1	UNCH																			
3200	0.90	0.90	----	1.30/0.90	1.30/0.80A	----	0.90	+ 0.50	.0053	----	----	----	12	----	332	-																			
3205	----	----	----	1.20B/----	1.20B/0.90A	----	1.00	NEW	.0058	----	----	----	1	----	1	+																			
3210	----	----	----	1.20B/----	1.20B/0.80A	----	1.00	+ 0.60	.0059	----	----	----	6	----	500	UNCH																			
3215	----	----	----	1.30B/----	1.30B/0.80A	----	1.00	+ 0.60	.0059	----	----	----	----	----	1	UNCH																			
3220	----	----	----	1.30B/----	1.30B/0.80A	----	1.00	+ 0.60	.0059	----	----	----	----	----	9	UNCH																			
3225	----	----	----	1.30B/----	1.30B/0.80A	----	1.10	+ 0.70	.0064	----	----	----	----	----	9	UNCH																			
3230	----	----	----	1.40B/----	1.40B/0.80A	----	1.10	+ 0.70	.0065	----	----	----	----	----	13	UNCH																			
3235	----	----	----	1.40B/----	1.40B/0.80A	----	1.10	+ 0.60	.0065	----	----	----	----	----	5	UNCH																			
3240	----	----	----	1.40B/----	1.40B/0.80A	----	1.10	+ 0.60	.0065	----	----	----	----	----	5	UNCH																			
3245	----	----	----	1.50B/----	1.50B/0.80A	----	1.20	+ 0.70	.0071	----	----	----	----	----	20	UNCH																			
3250	1.20	1.20	----	1.50/1.20	1.50/0.90A	----	1.20	+ 0.70	.0071	----	----	----	14	----	197	+																			
3255	----	----	----	1.50B/----	1.50B/0.80A	----	1.20	+ 0.70	.0071	----	----	----	----	----	21	UNCH																			
3260	----	----	----	1.60B/----	1.60B/0.80A	----	1.20	+ 0.70	.0072	----	----	----	----	----	8	UNCH																			
3265	----	----	----	1.60B/----	1.60B/0.90A	----	1.30	+ 0.80	.0077	----	----	----	----	----	2	UNCH																			
3270	----	----	----	1.70B/----	1.70B/0.90A	----	1.30	+ 0.80	.0077	----	----	----	----	----	11	UNCH																			
3275	----	----	----	1.70B/----	1.70B/0.90A	----	1.30	+ 0.80	.0078	----	----	----	----	----	5	UNCH																			
3280	----	----	----	1.70B/----	1.70B/0.90A	----	1.40	+ 0.80	.0083	----	----	----	----	----	30	UNCH																			
3285	----	----	----	1.80B/----	1.80B/0.90A	----	1.40	+ 0.80	.0084	----	----	----	----	----	4	UNCH																			
3290	----	----	----	1.80B/----	1.80B/0.90A	----	1.40	+ 0.80	.0084	----	----	----	----	----	2	UNCH																			
3295	----	----	----	1.90B/----	1.90B/0.90A	----	1.50	+ 0.90	.0089	----	----	----	----	----	10	UNCH																			
3300	0.60	0.60	----	1.90/0.60	1.90/0.60	----	1.50	+ 0.90	.0090	----	----	----	95	----	261	-																			
3305	----	----	----	1.90B/----	1.90B/1.10A	----	1.50	+ 0.90	.0090	----	----	----	----	----	1	UNCH																			
3310	----	----	----	2.00B/----	2.00B/1.10A	----	1.60	+ 0.90	.0096	----	----	----	----	----	4	UNCH																			
3315	----	----	----	2.00B/----	2.00B/1.20A	----	1.60	+ 0.90	.0096	----	----	----	----	----	11	UNCH																			
3320	1.60	1.60	----	2.10B/1.60	2.10B/1.20A	----	1.60	+ 0.90	.0097	----	----	----	1	----	42	+																			
3325	----	----	----	2.10B/----	2.10B/1.20A	----	1.70	+ 1.00	.0102	----	----	----	----	----	20	UNCH																			
3330	----	----	----	2.20B/----	2.20B/1.20A	----	1.70	+ 0.90	.0103	----	----	----	----	----	3	UNCH																			
3335	----	----	----	2.20B/----	2.20B/1.20A	----	1.70	+ 0.90	.0103	----	----	----	----	----	33	UNCH																			
3340	----	----	----	2.30B/----	2.30B/1.20A	----	1.80	+ 1.00	.0109	----	----	----	----	----	20	UNCH																			
3345	----	----	----	2.30B/----	2.30B/1.30A	----	1.80	+ 1.00	.0109	----	----	----	----	----	5	UNCH																			
3350	----	----	----	2.40B/----	2.40B/1.30A	----	1.90	+ 1.00	.0115	----	----	----	155	----	386	+																			
3355	----	----	----	2.40B/----	2.40B/1.30A	----	1.90	+ 1.00	.0115	----	----	----	----	----	3	UNCH																			
3360	----	----	----	2.50B/----	2.50B/1.30A	----	1.90	+ 1.00	.0116	----	----	----	----	----	20	UNCH																			
3375	----	----	----	2.60B/----	2.60B/1.40A	----	2.10	+ 1.10	.0128	----	----	----	----	----	7	UNCH																			
3380	2.10	2.10	----	2.70B/2.10	2.70B/1.40A	----	2.10	+ 1.10	.0129	----	----	----	1	----	21	+																			
3385	----	----	----	2.70B/----	2.70B/1.40A	----	2.10	+ 1.10	.0129	----	----	----	----	----	3	UNCH																			
3390	----	----	----	2.80B/----	2.80B/1.50A	----	2.20	+ 1.10	.0135	----	----	----	----	----	9	UNCH																			
3395	----	----	----	2.90B/----	2.90B/1.50A	----	2.20	+ 1.10	.0136	----	----	----	1	----	132	-																			
3400	1.40	1.40	----	2.90/1.40	2.90/1.40	----	2.20	+ 1.10	.0137	----	----	----	143	----	288	+																			
3405	----	----	----	3.00B/----	3.00B/1.50A	----	2.30	+ 1.20	.0142	----	----	----	----	----	3	UNCH																			
3410	----	----	----	3.00B/----	3.00B/1.50A	----	2.30	+ 1.20	.0143	----	----	----	----	----	3	UNCH																			
3415	----	----	----	3.10B/----	3.10B/1.60A	----	2.40	+ 1.20	.0149	----	----	----	----	----	1	UNCH																			
3420	----	----	----	3.20B/----	3.20B/1.60A	----	2.40	+ 1.20	.0150	----	----	----	----	----	21	+																			
3425	----	----	----	3.20B/----	3.20B/1.60A	----	2.50	+ 1.30	.0156	----	----	----	19	----	43	+																			
3430	2.60	2.60	----	3.30B/2.60	3.30B/1.60A	----	2.50	+ 1.30	.0157	----	----	----	12	----	30	+																			
3440	----	----	----	3.40B/----	3.40B/1.70A	----	2.60	+ 1.30	.0163	----	----	----	----	----	45	UNCH																			
3445	----	----	----	3.50B/----	3.50B/1.70A	----	2.70	+ 1.40	.0169	----	----	----	----	----	11	UNCH																			
3450	----	----	----	3.50B/----	3.50B/1.70A	----	2.70	+ 1.40	.0170	----	----	----	50	----	210	+																			
3455	----	----	----	3.60B/----	3.60B/1.80A	----	2.80	+ 1.40	.0176	----	----	----	----	----	1	UNCH																			
3460	----	----	----	3.70B/----	3.70B/1.80A	----	2.80	+ 1.40	.0177	----	----	----	----	----	29	UNCH																			
3465	----	----	----	3.80B/----	3.80B/1.80A	----	2.90	+ 1.50	.0183	----	----	----	----	----	5	UNCH																			
3470	----	----	----	3.80B/----	3.80B/1.90A	----	2.90	+ 1.50	.0185	----	----	----	----	----	28	UNCH																			
3475	----	----	----	3.90B/----	3.90B/1.90A	----	3.00	+ 1.50	.0191	----	----	----	----	----	19	UNCH																			
3480	----	----	----	4.00B/----	4.00B/1.90A	----	3.10	+ 1.60	.0197	----	----	----	----	----	57	UNCH																			
3485	----	----	----	4.10B/----	4.10B/2.00A	----	3.10	+ 1.60	.0198	----	----	----	----	----	3	UNCH																			
3490	----	----	----	4.10B/----	4.10B/2.00A	----	3.20	+ 1.60	.0204	----	----	----	1	----	12	UNCH																			
3495	----	----	----	4.20B/----	4.20B/2.00A	----	3.20	+ 1.60	.0205	----	----	----	----	----	8	UNCH																			
3500	3.00	3.00	----	4.30B/3.00	4.30B/2.00A	----	3.30	+ 1.70	.0212	----	----	----	153	----	2211	-																			
3505	----	----	----	4.40B/----	4.40B/2.10A	----	3.40	+ 1.80	.0218	----	----	----	----	----	3	UNCH																			
3510	----	----	----	4.50B/----	4.50B/2.10A	----	3.40	+ 1.70	.0219	----	----	----	2	----	26	UNCH																			
3515	----	----	----	4.60B/----	4.60B/2.20A	----	3.50	+ 1.80	.0226	----	----	----	2	----	159	-																			
3520	----	----	----	4.60B/----	4.60B/2.20A	----	3.60	+ 1.90	.0232	----	----	----	6	----	32	-																			
3525	2.60	2.60	----	4.70B/2.60	4.70B/2.20A	----	3.70	+ 1.90	.0238	----	----	----	9	----	109	-																			
3530	----	----	----	4.80B/----	4.80B/2.30A	----	3.70	+ 1.90	.0240	----	----	----	----	----	21	UNCH																			
3535	----	----	----	4.90B/----	4.90B/2.30A	----	3.80	+ 2.00	.0247	----	----	----	----	----	180	UNCH																			
3540	----	----	----	5.00B/----	5.00B/2.30A	----	3.90	+ 2.00	.0253	----	----	----	----	----	78	UNCH																			
3545	----	----	----	5.10B/----	5.10B/2.40A	----	4.00	+ 2.10	.0260	----	----	----	----	----	55	UNCH																			
3550	4.30	4.30	----	5.20B/4.00	5.20B/2.40A	----	4.00	+ 2.10	.0261	----	----	----	60	----	716	-																			
3555	----	----	----	5.30B/----	5.30B/2.40A	----	4.10	+ 2.10	.0268	----	----	----	----	----	4	UNCH																			
3560	----	----	----	5.40B/----	5.40B/2.50A	----	4.20	+ 2.20	.0275	----	----	----	----	----	34	UNCH																			
3565	----	----	----	5.50B/----	5.50B/2.50A	----	4.30	+ 2.30	.0282	----	----	----	----	----	12	UNCH																			
3570	5.00	5.00	----	5.70B/5.00	5.70B/2.60A	----	4.40	+ 2.30	.0288	----	----	----	1	----	1	UNCH																			
3575	----	----	----	5.80B/----	5.80B/2.60A	----	4.50	+ 2.40	.0295	----	----	----	120	----	290	+																			
3585	----	----	----	6.00B/----	6.00B/2.70A	----	4.70	+ 2.50	.0309	----	----	----	----	----	7	UNCH																			
3590	----	----	----	6.10B/----	6.10B/2.70A	----	4.80	+ 2.60	.0316	----	----	----	----	----	10	UNCH																			
3595	----	----	----	6.30B/----	6.30B/2.80A	----	4.90	+ 2.60	.0323	----	----	----	18	----	38	+																			
3600	2.60	2.60	----	6.40B/2.60	6.40B/2.60	----	5.00	+ 2.70	.0331	----	----	----	151	----	1643	-																			
3605	----	----	----	6.50B/----	6.50B/2.70A	----	5.10	+ 2.70	.0338	----	----	----	----	----	3	UNCH																			
3610	----	----	----	6.70B/----	6.70B/2.70A	----	5.20	+ 2.80	.0345	----	----	----	----	----	1	UNCH																			
3615	2.90	2.90	----	6.80B/2.90	6.80B/2.80A	----	5.30	+ 2.90	.0352	----	----	----	1	----	3	+																			
3620	----	----	----	7.00B/----	7.00B/2.80A	----	5.40	+ 2.90	.0360	----	----	----	----	----	7	UNCH																			
3625	----	----	----	7.10B/----	7.10B/2.80A	----	5.50	+ 3.00	.0367	----	----	----	----	----	5	UNCH																			
3630	----	----	----	7.20B/----	7.20B/2.90A	----	5.70	+ 3.10	.0380	----	----	----	----	----	10	UNCH																			
3635	5.90	5.90	----	7.40B/5.90	7.40B/2.90A	----	5.80	+ 3.20	.0387	----	----	----	4	----	16	+																			
3640	5.80	5.80	----	7.60B/5.80	7.60B/3.00A	----	5.90	+ 3.20	.0395	----	----	----	5	----	21	+																			
3645	5.70	5.70	----	7.70B/5.70	7.70B/3.00A	----	6.00	+ 3.30	.0403	----	----	----	1	----	16	-																			
3650	7.10	7.10	----	7.90B/7.10	7.90B/3.10A	----	6.20	+ 3.40	.0416	----	----	----	1	----	210	+																			
3655	----	----	----	8.10B/----	8.10B/3.20A	----	6.30	+ 3.50	.0423	----	----	----	----	----	37	UNCH																			
3660	6.40	6.40	----	8.20B/6.40	8.20B/3.20A	----	6.40	+ 3.50	.0432	----	----	----	1	----	110	+																			
3665	----	----																																	

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG	PUT	COMEX GOLD OPTIONS															
NOV26																	
3880	23.80	23.80		24.70B/23.80	24.70B/7.80A	----		19.50 + 12.30	.1306	----	----	5	----		96 +		
3885	24.00	24.00		25.40B/24.00	25.40B/8.00A	----		20.10 + 12.80	.1342	----	----	7	----		86 +		
3890	20.10	20.10		26.10B/20.10	26.10B/8.20A	----		20.60 + 13.10	.1375	----	29	29	----		259 +		
3895	----	----		26.80B/----	26.80B/8.50A	----		21.20 + 13.50	.1411	----	----	----	----		60 -		
3900	12.50	12.50		27.60B/12.50	27.60B/8.70A	----		21.80 + 13.90	.1448	----	358	358	----		1732 -		
3905	26.80	26.80		28.40B/22.90	28.40B/8.90A	----		22.50 + 14.40	.1489	----	8	8	----		125 +		
3910	21.50	21.50		29.20B/21.50	29.20B/9.10A	----		23.10 + 14.70	.1526	----	23	23	----		178 +		
3915	23.80	23.80		30.00B/23.80	30.00B/9.40A	----		23.80 + 15.20	.1568	----	1	1	----		83 +		
3920	29.70	29.70		30.80B/24.50	30.80B/9.60A	----		24.50 + 15.70	.1609	----	----	----	----		228 +		
3925	14.00	14.00		31.70B/14.00	31.70B/9.90A	----		25.20 + 16.10	.1651	----	123	123	----		160 -		
3930	----	----		32.60B/----	32.60B/10.20A	----		25.90 + 16.60	.1693	----	16	16	----		160 -		
3935	----	----		33.60B/----	33.60B/10.50A	----		26.70 + 17.10	.1738	----	2	2	----		51 -		
3940	----	----		34.50B/----	34.50B/10.70A	----		27.50 + 17.60	.1784	----	4	4	----		41 -		
3945	25.90	25.90		35.50B/25.90	35.50B/11.10A	----		28.30 + 18.20	.1830	----	15	15	----		44 -		
3950	26.40	26.40		36.50B/26.40	36.50B/11.40A	----		29.10 + 18.70	.1877	----	275	275	----		430 +		
3955	36.50	36.50		37.50B/34.20	37.50B/11.70A	----		30.00 + 19.30	.1926	----	17	17	----		137 +		
3960	----	----		38.60B/----	38.60B/12.00A	----		30.90 + 19.90	.1976	----	7	7	----		268		
3965	27.60	27.60		39.70B/27.60	39.70B/12.40A	----		31.80 + 20.50	.2027	----	21	21	----		41 +		
3970	36.50	36.50		40.80B/36.50	40.80B/12.70A	----		32.80 + 21.10	.2080	----	1	1	----		44 -		
3975	33.90	33.90		42.00B/31.30	42.00B/13.10A	----		33.70 + 21.70	.2131	----	98	98	400		531 +		
3980	32.20	32.20		43.20B/32.20	43.20B/13.50A	----		34.70 + 22.30	.2185	----	26	26	----		174 +		
3985	35.60	35.60		44.40B/35.60	44.40B/13.90A	----		35.80 + 23.10	.2242	----	7	7	----		114 +		
3990	17.00	17.00		45.60B/17.00	45.60B/14.30A	----		36.80 + 23.70	.2297	----	5	5	----		113 -		
3995	31.50	31.50		46.90B/31.50	46.90B/14.70A	----		37.90 + 24.40	.2354	----	22	22	----		90 +		
4000	18.20	18.20		48.20B/18.20	48.20B/15.20A	----		39.10 + 25.20	.2414	----	1678	1678	350		3376 -		
4005	36.90	36.90		49.60B/36.90	49.60B/15.60A	----		40.20 + 25.90	.2472	----	16	16	----		141 +		
4010	38.00	38.00		51.00B/37.30	51.00B/16.10A	----		41.40 + 26.60	.2533	----	26	26	----		46 +		
4015	46.90	46.90		52.40B/46.90	52.40B/16.60A	----		42.70 + 27.50	.2596	----	5	5	----		25 +		
4020	37.50	37.50		53.90B/37.50	53.90B/17.10A	----		43.90 + 28.20	.2658	----	42	42	----		77 +		
4025	27.10	27.10		55.40B/27.10	55.40B/17.60A	----		45.20 + 29.00	.2721	----	76	76	----		206 +		
4030	52.00	52.00		56.90B/47.00	56.90B/18.10A	----		46.50 + 29.80	.2785	----	6	6	----		47 +		
4035	42.60	42.60		58.50B/42.60	58.50B/18.70A	----		47.90 + 30.70	.2852	----	7	7	----		78 -		
4040	41.90	41.90		60.10B/41.90	60.10B/19.30A	----		49.30 + 31.50	.2918	----	11	11	----		124 -		
4045	46.60	46.60		61.70B/46.60	61.70B/20.00A	----		50.70 + 32.30	.2985	----	24	24	----		69 +		
4050	30.10	30.10		63.40/30.10	63.40/20.50A	----		52.20 + 33.30	.3054	----	363	363	----		1624 +		
4055	53.20	53.20		65.10B/53.20	65.10B/21.10A	----		53.70 + 34.20	.3123	----	6	6	----		86 +		
4060	46.90	46.90		66.90B/46.90	66.90B/21.80A	----		55.30 + 35.10	.3195	----	11	11	----		39 -		
4065	54.60	54.60		68.70B/52.20	68.70B/22.50A	----		56.90 + 36.10	.3266	----	12	12	----		27 +		
4070	53.80	53.80		70.50B/51.70	70.50B/23.20A	----		58.50 + 37.00	.3338	----	39	39	----		84 +		
4075	53.50	53.50		72.40B/53.50	72.40B/23.90A	----		60.20 + 38.00	.3411	----	96	96	----		233 -		
4080	61.00	61.00		74.30B/52.80	74.30B/24.70A	----		61.90 + 39.00	.3484	----	26	26	----		188 +		
4085	60.90	60.90		76.30B/60.90	76.30B/25.50A	----		63.60 + 40.00	.3558	----	5	5	----		119 +		
4090	60.80	60.80		78.30B/60.80	78.30B/26.30A	----		65.40 + 41.00	.3634	----	63	63	----		156 +		
4095	64.30	64.30		80.30B/64.30	80.30B/27.10A	----		67.20 + 42.00	.3709	----	7	7	----		30 +		
4100	28.70	28.70		82.40/28.70	82.40/28.00A	----		69.10 + 43.10	.3786	----	538	538	----		1946 -		
4105	69.20	69.20		84.60B/69.20	84.60B/28.80A	----		71.00 + 44.20	.3863	----	3	3	----		36 +		
4110	62.80	62.80		86.70B/62.80	86.70B/29.90A	----		73.00 + 45.30	.3941	----	7	7	----		74 +		
4115	70.80	70.80		88.90B/70.80	88.90B/30.70A	----		75.00 + 46.40	.4019	----	12	12	----		154 +		
4120	56.00	56.00		91.20B/56.00	91.20B/31.70A	----		77.00 + 47.50	.4098	----	9	9	----		79 +		
4125	79.30	79.30		93.50B/70.40	93.50B/32.70A	----		79.10 + 48.70	.4177	----	60	60	----		445 -		
4130	56.00	56.00		95.90B/56.00	95.90B/33.80A	----		81.30 + 49.90	.4257	----	5	5	----		137 -		
4135	71.90	71.90		98.30B/71.90	98.30B/34.90A	----		83.50 + 51.10	.4338	----	77	77	----		124 +		
4140	95.30	95.30		100.60B/92.10	100.60B/36.00A	----		85.70 + 52.30	.4418	----	16	16	----		146 -		
4145	75.50	75.50		103.10B/75.50	103.10B/37.20A	----		88.00 + 53.50	.4499	----	30	30	----		223 -		
4150	41.50	41.50		105.70B/41.50	105.70B/38.30A	----		90.30 + 54.70	.4580	----	284	284	210		2116 +		
4155	91.10	91.10		108.20B/91.10	108.20B/39.60A	----		92.70 + 55.90	.4661	----	13	13	----		46 +		
4160	97.80	97.80		110.80B/91.80	110.80B/40.80A	----		95.10 + 57.20	.4742	----	27	27	----		278 +		
4165	97.40	97.40		113.40B/94.70	113.40B/42.10A	----		97.50 + 58.30	.4824	----	9	9	----		213 +		
4170	99.30	99.30		116.10B/94.90	116.10B/43.50A	----		100.00 + 59.60	.4905	----	27	27	----		170 -		
4175	93.10	93.10		118.90B/88.90	118.90B/44.90A	----		102.60 + 60.90	.4987	----	102	102	----		448 +		
4180	----	----		121.60B/----	121.60B/46.20A	----		105.10 + 62.10	.5068	----	150	150	----		248 +		
4185	65.00	65.00		124.40B/64.80	124.40B/47.70A	----		107.80 + 63.40	.5150	----	39	39	----		104 -		
4190	103.90	103.90		127.30B/98.70	127.30B/49.20A	----		110.40 + 64.60	.5231	----	24	24	----		236 +		
4195	88.30	88.30		130.20B/88.30	130.20B/50.70A	----		113.10 + 65.90	.5312	----	34	34	----		68 +		
4200	71.20	71.20		133.10B/69.80	133.10B/52.20A	----		115.90 + 67.20	.5392	----	382	382	----		1344 +		
4205	92.00	92.00		136.10B/92.00	136.10B/53.80A												

BULLETIN #186@				METALS OPTION PRODUCTS										Mon, Sep 28, 2026				PG64
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG PUT	COMEX GOLD OPTIONS																	
DEC26																		
2280	----	----	----	0.20B/0.40A	----	----	----	0.20 UNCH	.0007	----	----	----	----	1	UNCH			
2300	----	----	----	0.20B/0.40A	----	----	----	0.30 + 0.10	.0011	----	----	----	----	5	UNCH			
2320	----	----	----	0.20B/0.40A	----	----	----	0.30 + 0.10	.0011	----	----	----	----	1	UNCH			
2325	----	----	----	0.20B/0.40A	----	----	----	0.30 + 0.10	.0011	----	----	----	----	15	UNCH			
2395	----	----	----	0.30B/0.40A	----	----	----	0.30 UNCH	.0011	----	----	----	----	10	UNCH			
2400	----	----	----	0.30B/0.40A	----	----	----	0.30 UNCH	.0011	----	----	----	----	15	UNCH			
2425	----	----	----	0.30B/0.40A	----	----	----	0.40 + 0.10	.0015	----	----	----	----	11	UNCH			
2440	----	----	----	0.30B/0.40A	----	----	----	0.40 + 0.10	.0015	----	----	----	----	1	UNCH			
2450	----	----	----	0.30B/0.50A	----	----	----	0.40 + 0.10	.0015	----	----	----	----	24	UNCH			
2470	----	----	----	0.30B/0.50A	----	----	----	0.40 + 0.10	.0015	----	----	----	----	2	UNCH			
2490	----	----	0.40B/----	0.40B/0.50A	----	----	----	0.50 + 0.20	.0019	----	----	----	----	11	UNCH			
2495	----	----	0.40B/----	0.40B/0.50A	----	----	----	0.50 + 0.20	.0019	----	----	----	----	30	UNCH			
2500	----	----	0.40B/----	0.40B/0.50A	----	----	----	0.50 + 0.20	.0019	----	----	----	----	462	UNCH			
2550	----	----	0.50B/----	0.50B/0.60A	----	----	----	0.50 + 0.10	.0020	----	----	----	----	5	UNCH			
2560	----	----	0.50B/----	0.50B/0.60A	----	----	----	0.60 + 0.20	.0023	----	----	----	----	20	UNCH			
2565	----	----	0.50B/----	0.50B/0.60A	----	----	----	0.60 + 0.20	.0023	----	----	----	----	32	UNCH			
2570	----	----	0.50B/----	0.50B/0.60A	----	----	----	0.60 + 0.20	.0023	----	----	----	----	10	UNCH			
2575	----	----	0.50B/----	0.50B/0.60A	----	----	----	0.60 + 0.20	.0024	----	----	----	----	16	UNCH			
2580	----	----	0.60B/----	0.60B/0.60A	----	----	----	0.60 + 0.20	.0024	----	----	----	----	5	UNCH			
2590	----	----	0.60B/----	0.60B/0.60A	----	----	----	0.60 + 0.20	.0024	----	----	----	----	18	UNCH			
2600	----	----	0.60B/----	0.60B/0.70A	----	----	----	0.60 + 0.20	.0024	----	----	----	----	25	UNCH			
2605	----	----	0.60B/----	0.60B/0.70A	----	----	----	0.60 + 0.20	.0024	----	----	----	----	1	UNCH			
2610	----	----	0.60B/----	0.60B/0.70A	----	----	----	0.60 + 0.20	.0024	----	----	----	----	25	UNCH			
2645	----	----	0.70B/----	0.70B/0.70A	----	----	----	0.70 + 0.20	.0028	----	----	----	----	7	UNCH			
2650	----	----	0.80B/----	0.80B/0.70A	----	----	----	0.70 + 0.20	.0028	----	----	----	----	1	UNCH			
2655	----	----	0.80B/----	0.80B/0.70A	----	----	----	0.70 + 0.20	.0029	----	----	----	----	2	UNCH			
2660	----	----	0.80B/----	0.80B/0.70A	----	----	----	0.70 + 0.20	.0029	----	----	----	----	3	UNCH			
2675	----	----	0.80B/----	0.80B/0.80A	----	----	----	0.80 + 0.30	.0032	----	----	----	----	4	UNCH			
2695	----	----	0.90B/----	0.90B/0.80A	----	----	----	0.80 + 0.30	.0033	----	----	----	----	14	UNCH			
2700	----	----	0.90B/----	0.90B/0.80A	----	----	----	0.80 + 0.30	.0033	----	----	----	----	5	UNCH			
2705	----	----	0.90B/----	0.90B/0.80A	----	----	----	0.80 + 0.30	.0033	----	----	----	----	10	UNCH			
2710	----	----	1.00B/----	1.00B/0.80A	----	----	----	0.90 + 0.40	.0037	----	----	----	----	4	UNCH			
2735	----	----	1.10B/----	1.10B/0.80A	----	----	----	0.90 + 0.30	.0037	----	----	----	----	4	UNCH			
2740	----	----	1.10B/----	1.10B/0.90A	----	----	----	0.90 + 0.30	.0038	----	----	----	----	3	UNCH			
2750	----	----	1.10B/----	1.10B/0.90A	----	----	----	1.00 + 0.40	.0041	----	----	----	----	49	UNCH			
2795	----	----	1.30B/----	1.30B/1.00A	----	----	----	1.10 + 0.40	.0046	----	----	----	----	10	UNCH			
2800	----	----	1.40B/----	1.40B/1.00A	----	----	----	1.20 + 0.50	.0050	----	----	----	----	82	UNCH			
2850	----	----	1.60B/----	1.60B/1.10A	----	----	----	1.40 + 0.50	.0059	----	----	----	----	34	UNCH			
2875	----	----	1.80B/----	1.80B/1.20A	----	----	----	1.50 + 0.50	.0064	----	----	----	----	1	UNCH			
2880	----	----	1.80B/----	1.80B/1.20A	----	----	----	1.50 + 0.50	.0064	----	----	----	----	1	UNCH			
2900	----	----	1.90B/----	1.90B/1.20A	----	----	----	1.60 + 0.60	.0068	----	----	----	----	75	UNCH			
2915	----	----	2.00B/----	2.00B/1.30A	----	----	----	1.70 + 0.60	.0073	----	----	----	----	1	UNCH			
2925	----	----	2.10B/----	2.10B/1.30A	----	----	----	1.80 + 0.70	.0077	----	----	----	----	300	UNCH			
2945	----	----	2.20B/----	2.20B/1.40A	----	----	----	1.90 + 0.80	.0081	----	----	----	----	2	UNCH			
2950	----	----	2.30B/----	2.30B/1.40A	----	----	----	1.90 + 0.70	.0082	----	----	----	----	56	UNCH			
2960	2.40	2.40	2.40/2.40	2.40/1.40A	2.40/1.40A	----	----	2.00 NEW	.0086	----	----	8	----	8	+			
2965	----	----	2.40B/----	2.40B/1.50A	----	----	----	2.00 + 0.80	.0086	----	----	----	----	3	UNCH			
2975	----	----	2.40B/----	2.40B/1.50A	----	----	----	2.10 + 0.90	.0090	----	----	----	----	950	UNCH			
3000	2.00	2.00	2.60B/2.00	2.60B/1.60A	2.60B/1.60A	----	----	2.20 + 0.90	.0096	----	----	2	2190	+	1			
3005	----	----	2.70B/----	2.70B/1.60A	2.70B/1.60A	----	----	2.30 + 1.00	.0100	----	----	----	----	4	UNCH			
3010	----	----	2.70B/----	2.70B/1.60A	2.70B/1.60A	----	----	2.30 + 1.00	.0100	----	----	----	----	1	UNCH			
3025	----	----	2.90B/----	2.90B/1.70A	2.90B/1.70A	----	----	2.40 + 1.00	.0105	----	----	----	----	2	UNCH			
3030	----	----	2.90B/----	2.90B/1.70A	2.90B/1.70A	----	----	2.50 + 1.10	.0109	----	----	----	----	1	UNCH			
3035	----	----	3.00B/----	3.00B/1.70A	3.00B/1.70A	----	----	2.50 + 1.10	.0109	----	----	----	----	1	UNCH			
3045	----	----	3.00B/----	3.00B/1.80A	3.00B/1.80A	----	----	2.60 + 1.10	.0114	----	----	----	----	3	UNCH			
3050	----	----	3.10B/----	3.10B/1.80A	3.10B/1.80A	----	----	2.60 + 1.10	.0114	----	----	----	----	13	UNCH			
3060	----	----	3.20B/----	3.20B/1.90A	3.20B/1.90A	----	----	2.70 + 1.20	.0119	----	----	----	----	204	UNCH			
3075	----	----	3.30B/----	3.30B/1.90A	3.30B/1.90A	----	----	2.80 + 1.20	.0124	----	----	----	----	3	UNCH			
3080	----	----	3.40B/----	3.40B/2.00A	3.40B/2.00A	----	----	2.90 + 1.30	.0128	----	----	----	----	1	UNCH			
3085	----	----	3.40B/----	3.40B/2.00A	3.40B/2.00A	----	----	2.90 + 1.20	.0128	----	----	----	----	2	UNCH			
3100	----	----	3.60B/----	3.60B/2.10A	3.60B/2.10A	----	----	3.00 + 1.30	.0133	----	----	----	----	160	UNCH			
3110	----	----	3.70B/----	3.70B/2.10A	3.70B/2.10A	----	----	3.10 + 1.30	.0138	----	----	1	2	+	1			
3120	----	----	3.80B/----	3.80B/2.20A	3.80B/2.20A	----	----	3.20 + 1.40	.0143	----	----	----	----	3	UNCH			
3125	----	----	3.90B/----	3.90B/2.10A	3.90B/2.10A	----	----	3.30 + 1.40	.0147	----	----	----	----	1	UNCH			
3130	----	----	4.00B/----	4.00B/2.20A	4.00B/2.20A	----	----	3.30 + 1.40	.0148	----	----	----	----	11	UNCH			
3135	----	----	4.00B/----	4.00B/2.30A	4.00B/2.30A	----	----	3.40 + 1.50	.0152	----	----	----	----	1	UNCH			
3140	----	----	4.10B/----	4.10B/2.30A	4.10B/2.30A	----	----	3.40 + 1.40	.0152	----	----	----	----	2	UNCH			
3145	----	----	4.10B/----	4.10B/2.30A	4.10B/2.30A	----	----	3.50 + 1.50	.0156	----	----	----	----	2	UNCH			
3150	3.20	3.20	4.20B/3.20	4.20B/2.30A	4.20B/2.30A	----	----	3.50 + 1.50	.0157	----	----	28	113	-	1			
3155	----	----	4.30B/----	4.30B/2.40A	4.30B/2.40A	----	----	3.60 + 1.50	.0161	----	----	----	----	6	UNCH			
3160	----	----	4.30B/----	4.30B/2.40A	4.30B/2.40A	----	----	3.60 + 1.50	.0162	----	----	----	----	4	UNCH			
3170	----	----	4.50B/----	4.50B/2.50A	4.50B/2.50A	----	----	3.70 + 1.60	.0167	----	----	----	----	2	UNCH			
3175	3.80	3.80	4.50B/3.80	4.50B/2.50A	4.50B/2.50A	----	----	3.80 + 1.60	.0171	----	----	6	62	+	2			
3185	----	----	4.70B/----	4.70B/2.60A	4.70B/2.60A	----	----	3.90 + 1.70	.0176	----	----	----	----	2	UNCH			

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT	COMEX GOLD OPTIONS														
DEC26	13.00	13.00		15.608/13.00	15.608/7.20A	----	12.70	+ 6.00	.0617	----	----	4	----	33	-
3565	12.80	12.80		15.908/12.80	15.908/7.30A	----	12.90	+ 6.10	.0627	----	----	16	----	18	+
3570	----	----		16.208/----	16.208/7.50A	----	13.20	+ 6.30	.0641	----	----	----	----	11	UNCH
3575	----	----		16.408/----	16.408/7.60A	----	13.40	+ 6.40	.0651	----	----	----	----	16	UNCH
3580	----	----		16.708/----	16.708/7.70A	----	13.70	+ 6.50	.0665	----	----	----	----	334	UNCH
3585	----	----		17.008/----	17.008/7.80A	----	13.90	+ 6.60	.0676	----	----	----	----	26	UNCH
3590	----	----		17.408/----	17.408/7.90A	----	14.20	+ 6.80	.0689	----	----	----	----	115	UNCH
3595	13.50	13.50		17.70/13.50	17.70/8.10A	----	14.50	+ 7.00	.0703	----	616	----	1962	-	196
3600	----	----		18.008/----	18.008/8.20A	----	14.70	+ 7.10	.0714	----	----	----	----	37	UNCH
3605	----	----		18.308/----	18.308/8.30A	----	15.00	+ 7.20	.0728	----	----	----	----	31	UNCH
3610	----	----		18.708/----	18.708/8.50A	----	15.30	+ 7.40	.0742	----	----	----	----	35	UNCH
3615	----	----		19.008/----	19.008/8.60A	----	15.60	+ 7.60	.0756	----	----	----	----	6	UNCH
3620	17.40	17.40		19.408/17.40	19.408/8.80A	----	15.90	+ 7.70	.0771	----	3	----	----	34	UNCH
3625	----	----		20.108/----	20.108/9.10A	----	16.50	+ 8.00	.0799	----	----	----	----	47	UNCH
3635	17.80	17.80		20.508/17.60	20.508/9.20A	----	16.90	+ 8.30	.0817	----	4	----	----	18	+
3640	16.80	16.80		20.908/16.80	20.908/9.40A	----	17.20	+ 8.40	.0831	----	2	----	----	57	+
3645	17.40	17.40		21.308/17.40	21.308/9.60A	----	17.50	+ 8.60	.0846	----	31	----	----	1646	+
3650	16.00	16.00		21.708/16.00	21.708/9.70A	----	17.90	+ 8.80	.0864	----	1	----	----	244	-
3655	19.00	19.00		22.108/18.90	22.108/9.90A	----	18.20	+ 9.00	.0879	----	5	----	----	51	+
3660	18.20	18.20		22.508/18.20	22.508/10.10A	----	18.60	+ 9.20	.0896	----	2	----	----	19	+
3665	22.00	22.00		23.008/21.60	23.008/10.30A	----	19.00	+ 9.40	.0914	----	43	----	----	123	UNCH
3670	21.60	21.60		23.408/21.60	23.408/10.40A	----	19.30	+ 9.50	.0929	----	15	----	----	152	-
3675	10.80	10.80		23.908/10.80	23.908/10.60A	----	19.70	+ 9.80	.0948	----	4	----	----	50	-
3680	23.10	23.10		24.308/19.70	24.308/10.80A	----	20.10	+ 10.00	.0966	----	6	----	----	17	+
3685	23.30	23.30		24.808/20.90	24.808/11.00A	----	20.50	+ 10.20	.0984	----	7	----	----	16	+
3690	24.00	24.00		25.308/22.70	25.308/11.20A	----	21.00	+ 10.50	.1005	----	10	----	----	16	+
3695	15.50	15.50		26.00/15.50	26.00/11.40A	----	21.40	+ 10.70	.1024	----	460	----	2631	-	185
3700	22.20	22.20		26.30/22.20	26.30/11.70A	----	21.80	+ 10.90	.1043	----	6	----	----	44	-
3705	24.80	24.80		26.808/24.80	26.808/11.90A	----	22.30	+ 11.20	.1064	----	8	----	----	129	UNCH
3710	25.70	25.70		27.408/25.70	27.408/12.10A	----	22.70	+ 11.40	.1083	----	13	----	----	162	-
3715	26.20	26.20		27.908/26.20	27.908/12.30A	----	23.20	+ 11.70	.1105	----	36	----	----	52	-
3720	20.70	20.70		28.508/20.70	28.508/12.60A	----	23.70	+ 11.90	.1126	----	166	----	----	151	-
3725	22.20	22.20		29.008/22.20	29.008/12.80A	----	24.20	+ 12.20	.1148	----	245	----	----	427	-
3730	21.30	21.30		29.608/21.30	29.608/13.10A	----	24.70	+ 12.50	.1170	----	1	----	----	164	+
3735	22.20	22.20		30.208/22.20	30.208/13.30A	----	25.20	+ 12.70	.1192	----	1	----	----	57	UNCH
3740	----	----		30.808/----	30.808/13.60A	----	25.70	+ 13.00	.1215	----	2	----	----	62	+
3745	20.00	20.00		31.408/20.00	31.408/13.80A	----	26.30	+ 13.30	.1240	----	45	----	----	1804	-
3750	26.50	26.50		32.108/26.50	32.108/14.10A	----	26.80	+ 13.60	.1262	----	3	----	----	40	+
3755	27.10	27.10		32.708/27.10	32.708/14.40A	----	27.40	+ 13.90	.1287	----	19	200	----	126	-
3760	28.20	28.20		33.408/----	33.408/14.70A	----	28.00	+ 14.20	.1313	----	----	----	----	21	UNCH
3765	28.50	28.50		34.108/28.20	34.108/15.00A	----	28.60	+ 14.60	.1338	----	33	----	----	21	+
3770	28.50	28.50		34.808/28.40	34.808/15.30A	----	29.20	+ 14.90	.1363	----	4	----	----	57	+
3775	----	----		35.508/----	35.508/15.60A	----	29.80	+ 15.20	.1389	----	10	----	----	62	+
3780	28.20	28.20		36.208/28.20	36.208/15.90A	----	30.40	+ 15.50	.1415	----	10	----	----	63	+
3785	29.00	29.00		36.908/29.00	36.908/16.20A	----	31.10	+ 15.90	.1443	----	8	----	----	43	+
3790	30.30	30.30		37.708/30.30	37.708/16.60A	----	31.70	+ 16.20	.1469	----	1	----	----	49	UNCH
3795	20.00	20.00		38.508/20.00	38.508/16.90A	----	32.40	+ 16.50	.1498	----	575	----	1231	+	179
3800	----	----		39.308/----	39.308/17.30A	----	33.10	+ 16.90	.1526	----	----	----	----	19	UNCH
3805	----	----		40.108/----	40.108/17.60A	----	33.80	+ 17.30	.1555	----	3	----	----	120	UNCH
3810	----	----		40.908/----	40.908/18.00A	----	34.50	+ 17.60	.1584	----	5	----	----	72	+
3815	33.40	33.40		41.808/----	41.808/18.40A	----	35.30	+ 18.10	.1615	----	6	----	----	30	+
3820	36.20	36.20		42.608/33.40	42.608/18.70A	----	36.00	+ 18.40	.1644	----	14	----	----	107	+
3825	39.00	39.00		43.508/36.20	43.508/19.10A	----	36.80	+ 18.80	.1676	----	2	----	----	48	UNCH
3830	39.00	39.00		44.408/39.00	44.408/19.60A	----	37.60	+ 19.20	.1708	----	1	----	----	8	+
3835	----	----		45.308/----	45.308/20.00A	----	38.40	+ 19.60	.1739	----	155	----	----	208	+
3840	38.70	38.70		46.308/38.70	46.308/20.40A	----	39.20	+ 20.00	.1771	----	2	----	----	12	+
3845	26.50	26.50		47.208/26.50	47.208/20.80A	----	40.10	+ 20.50	.1806	----	64	----	----	623	+
3850	----	----		48.208/----	48.208/21.30A	----	41.00	+ 21.00	.1840	----	1	----	----	66	UNCH
3855	----	----		49.208/----	49.208/21.70A	----	41.90	+ 21.50	.1874	----	22	----	----	48	+
3860	44.40	44.40		50.208/----	50.208/22.20A	----	42.80	+ 21.90	.1909	----	----	----	----	75	UNCH
3865	32.50	32.50		51.308/43.30	51.308/22.70A	----	43.70	+ 22.40	.1943	----	11	----	----	26	+
3870	45.20	45.20		52.308/32.50	52.308/23.20A	----	44.60	+ 22.80	.1978	----	8	----	----	98	+
3875	47.20	47.20		53.408/45.20	53.408/23.70A	----	45.60	+ 23.30	.2015	----	5	----	----	24	+
3880	53.40	53.40		54.508/46.20	54.508/24.20A	----	46.60	+ 23.80	.2052	----	5	----	----	46	UNCH
3885	53.40	53.40		55.608/----	55.608/24.70A	----	47.60	+ 24.30	.2089	----	2	----	----	17	+
3890	53.40	53.40		56.808/52.00	56.808/25.20A	----	48.60	+ 24.80	.2126	----	14	----	----	250	-
3895	35.30	35.30		58.008/35.30	58.008/25.80A	----	49.70	+ 25.40	.2166	----	379	----	4077	+	157
3900	50.10	50.10		59.208/50.00	59.208/26.40A	----	50.70	+ 25.80	.2203	----	10	----	----	25	-
3905	55.40	55.40		60.408/55.40	60.408/26.90A	----	51.80	+ 26.40	.2243	----	7	----	----	30	+
3910	----	----		61.608/----	61.608/27.50A	----	53.00	+ 27.00	.2284	----	----	----	----	230	UNCH
3915	50.10	50.10		62.908/50.00	62.908/28.20A	----	54.10	+ 27.50	.2324	----	1	----	----	58	+
3920	65.10	65.10		64.208/65.10	64.208/28.80A	----	55.30	+ 28.10	.2365	----	101	----	----	451	-
3925	65.10	65.10		65.508/65.10	65.508/29.50A	----	56.40	+ 28.60	.2405	----	----	----	----	76	UNCH
3930	55.30	55.30		66.808/55.30	66.808/30.10A	----	57.70	+ 29.30	.2448	----	7	----	----	181	-
3935	45.50	45.50		68.208/45.50	68.208/30.80A	----	58.90	+ 29.80	.2490	----	1	----	----	104	UNCH
3940	71.90	71.90		69.608/71.90	69.608/31.40A	----	60.10	+ 30.40	.2532	----	1	----	----	47	+
3945	61.60	61.60		71.008/61.60	71.008/32.10A	----	61.40	+ 31.00	.2576	----	285	100	----	3281	+
3950	75.60	75.60		72.408/75.60	72.408/32.80A	----	62.70	+ 31.60	.2620	----	4	----	----	51	UNCH
3955	65.40	65.40		73.908/65.40	73.908/33.50A	----	64.10	+ 32.30	.2665	----	77	----	----	348	+
3960	71.50	71.50		75.408/71.50	75.408/34.30A	----	65.40	+ 32.90	.2709	----	12	----	----	67	UNCH
3965	80.00	80.00		76.908/80.00	76.908/35.10A	----	66.80	+ 33.60	.2755	----	16	----	----	231	+
3970	65.40	65.40		78.408/65.40	78.408/35.90A	----	68.20	+ 34.20	.2800	----	121	----	----	278	+
3975	71.50	71.50		80.008/71.50	80.008/36.70A	----	69.60	+ 34.80	.2846	----	15	----	----	206	-
3980	83.208/71.50	83.208/71.50		81.608/83.208	81.608/37.50A	----	71.10	+ 35.60	.2893	----	2	----	----	22	UNCH
3985	84.908/73.40	84.908/73.40		83.208/84.908	83.208/38.50A	----	72.60	+ 36.20	.2940	----	323	----	----	336	+
3990	86.508/52.50	86.508/52.50		84.908/86.508	84.908/39.20A	----	74.10	+ 36.90	.2988	----	2	----	----	20	+
3995	88.208/73.60	88.208/73.60		86.508/88.208	86.508/40.10A	----	75.60	+ 37.60	.3035	----	771	----	4613	-	126
4000	90.008/79.90	90.008/79.90		88.208/90.008	88.208/41.00A	----	77.20	+ 38.30	.3084	----	----	----	----	89	UNCH
4005	91.708/79														

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
COMEX GOLD OPTIONS															
OG PUT															
DEC26															
4255	139.60	139.60		210.90B/139.60	210.90B/118.10A	----		193.30 + 80.00	.5764	----	----	8	----	33 +	5
4260	143.60	143.60		214.00B/143.60	214.00B/120.30A	----		196.30 + 80.80	.5817	----	----	38	----	79 -	17
4265	145.70	145.70		217.30B/145.70	217.30B/122.60A	----		199.40 + 81.60	.5870	----	----	1	----	110	UNCH
4270	----	----		220.60B/----	220.60B/124.90A	----		202.60 + 82.50	.5922	----	----	----	----	22	UNCH
4275	----	----		223.80B/----	223.80B/127.30A	----		205.70 + 83.30	.5974	----	----	19	----	153 +	3
4280	153.60	153.60		227.20B/153.60	227.20B/129.70A	----		208.90 + 84.20	.6026	----	----	9	----	172 -	7
4285	----	----		230.50B/----	230.50B/132.10A	----		212.10 + 85.00	.6077	----	----	----	----	37	UNCH
4290	159.30	159.30		233.70B/159.30	233.70B/134.50A	----		215.40 + 85.90	.6128	----	----	10	----	253	UNCH
4295	161.00	161.00		237.20B/161.00	237.20B/137.00A	----		218.70 + 86.80	.6179	----	----	8	----	87	UNCH
4300	150.00	150.00		240.60B/150.00	240.60B/139.50A	----		222.00 + 87.70	.6229	----	----	345	----	3390 -	254
4305	----	----		244.00B/----	244.00B/142.00A	----		225.30 + 88.50	.6279	----	----	----	----	22	UNCH
4310	149.90	149.90		247.50B/149.90	247.50B/144.60A	----		228.60 + 89.30	.6329	----	----	1	----	238 +	1
4315	----	----		251.00B/----	251.00B/147.20A	----		232.00 + 90.10	.6379	----	----	2	----	50 -	1
4320	----	----		254.50B/----	254.50B/149.80A	----		235.40 + 91.00	.6428	----	----	----	----	249	UNCH
4325	----	----		258.00B/----	258.00B/152.40A	----		238.80 + 91.70	.6476	----	----	----	----	903	UNCH
4330	----	----		261.50B/----	261.50B/155.10A	----		242.30 + 92.60	.6524	----	----	1	----	45 -	1
4335	----	----		265.10B/----	265.10B/157.80A	----		245.80 + 93.50	.6572	----	----	----	----	56	UNCH
4340	218.10	218.10		268.70B/218.10	268.70B/160.60A	----		249.30 + 94.30	.6620	----	----	2	----	112 -	1
4345	----	----		272.30B/----	272.30B/163.30A	----		252.80 + 95.00	.6668	----	----	----	----	25	UNCH
4350	----	----		276.00B/----	276.00B/166.10A	----		256.30 + 95.80	.6714	----	----	----	----	716	UNCH
4355	----	----		279.60B/----	279.60B/168.90A	----		259.90 + 96.60	.6760	----	----	----	----	31	UNCH
4360	----	----		283.30B/----	283.30B/171.80A	----		263.50 + 97.40	.6807	----	----	----	----	100	UNCH
4365	----	----		287.00B/----	287.00B/174.70A	----		267.10 + 98.20	.6851	----	----	----	----	243	UNCH
4370	----	----		290.60B/----	290.60B/177.60A	----		270.80 + 99.00	.6897	----	----	----	----	58	UNCH
4375	----	----		294.50B/----	294.50B/180.50A	----		274.40 + 99.70	.6942	----	----	1	----	197	UNCH
4380	----	----		298.30B/----	298.30B/183.50A	----		278.10 + 00.50	.6986	----	----	----	----	155	UNCH
4385	----	----		302.10B/----	302.10B/186.50A	----		281.80 + 01.20	.7029	----	----	----	----	95	UNCH
4390	----	----		305.90B/----	305.90B/189.50A	----		285.60 + 02.00	.7073	----	----	----	----	211	UNCH
4395	----	----		309.70B/----	309.70B/192.60A	----		289.30 + 02.70	.7116	----	----	----	----	30	UNCH
4400	249.80	249.80		313.50B/249.80	313.50B/195.60A	----		293.10 + 03.50	.7159	----	----	169	----	1258 +	103
4405	----	----		317.40B/----	317.40B/198.70A	----		296.90 + 04.20	.7201	----	----	----	----	74	UNCH
4410	----	----		321.30B/----	321.30B/201.90A	----		300.70 + 04.90	.7241	----	----	----	----	91	UNCH
4415	250.00	250.00		325.20B/250.00	325.20B/205.00A	----		304.50 + 05.60	.7284	----	----	2	----	10	UNCH
4420	293.80	293.80		329.20B/293.80	329.20B/208.20A	----		308.40 + 06.40	.7324	----	----	4	----	45 -	4
4425	----	----		333.10B/----	333.10B/211.40A	----		312.30 + 07.10	.7364	----	----	----	----	249	UNCH
4430	----	----		337.10B/----	337.10B/214.70A	----		316.20 + 07.80	.7405	----	----	----	----	172	UNCH
4435	----	----		341.10B/----	341.10B/217.90A	----		320.10 + 08.50	.7443	----	----	----	----	166	UNCH
4440	----	----		345.10B/----	345.10B/221.20A	----		324.00 + 09.10	.7483	----	----	----	----	74	UNCH
4445	----	----		349.10B/----	349.10B/224.50A	----		328.00 + 09.90	.7521	----	----	----	----	197	UNCH
4450	----	----		353.20B/----	353.20B/227.90A	----		332.00 + 10.60	.7559	----	----	29	----	590 -	1
4455	----	----		357.20B/----	357.20B/231.30A	----		336.00 + 11.20	.7597	----	----	----	----	47	UNCH
4460	----	----		361.20B/----	361.20B/234.60A	----		340.00 + 11.90	.7633	----	----	----	----	73	UNCH
4465	----	----		365.30B/----	365.30B/238.10A	----		344.00 + 12.50	.7670	----	----	----	----	79	UNCH
4470	----	----		369.40B/----	369.40B/241.50A	----		348.10 + 13.20	.7706	----	----	----	----	178	UNCH
4475	----	----		373.50B/----	373.50B/245.00A	----		352.10 + 13.80	.7741	----	----	----	----	222	UNCH
4480	----	----		377.70B/----	377.70B/248.50A	----		356.20 + 14.40	.7777	----	----	1	----	47	UNCH
4485	----	----		381.80B/----	381.80B/252.00A	----		360.30 + 15.00	.7812	----	----	1	----	41	UNCH
4490	----	----		386.00B/----	386.00B/255.50A	----		364.40 + 15.60	.7847	----	----	----	----	31	UNCH
4495	----	----		390.20B/----	390.20B/259.10A	----		368.60 + 16.30	.7880	----	----	----	----	40	UNCH
4500	300.00	300.00		394.50B/300.00	394.50B/262.70A	----		372.70 + 16.90	.7913	----	----	4	----	1731 -	4
4505	----	----		398.60B/----	398.60B/266.30A	----		376.90 + 17.50	.7945	----	----	----	----	17	UNCH
4510	----	----		402.80B/----	402.80B/269.90A	----		381.10 + 18.10	.7978	----	----	----	----	17	UNCH
4515	----	----		407.10B/----	407.10B/273.60A	----		385.30 + 18.70	.8011	----	----	----	----	270	UNCH
4520	----	----		411.30B/----	411.30B/277.20A	----		389.50 + 19.30	.8043	----	----	----	----	44	UNCH
4525	----	----		415.70B/----	415.70B/280.90A	----		393.70 + 19.80	.8075	----	----	----	----	384	UNCH
4530	----	----		420.00B/----	420.00B/284.70A	----		397.90 + 20.30	.8105	----	----	----	----	56	UNCH
4535	----	----		424.10B/----	424.10B/288.40A	----		402.20 + 20.90	.8135	----	----	----	----	109	UNCH
4540	----	----		428.60B/----	428.60B/292.20A	----		406.50 + 21.50	.8165	----	----	----	----	20	UNCH
4545	----	----		432.90B/----	432.90B/296.00A	----		410.70 + 22.00	.8194	----	----	----	----	61	UNCH
4550	328.70	328.70		437.20B/328.70	437.20B/299.80A	----		415.00 + 22.50	.8224	----	----	1	----	320 -	1
4555	----	----		441.50B/----	441.50B/303.60A	----		419.30 + 23.00	.8253	----	----	----	----	62	UNCH
4560	----	----		445.90B/----	445.90B/307.40A	----		423.70 + 23.60	.8280	----	----	----	----	11	UNCH
4565	----	----		450.30B/----	450.30B/311.30A	----		428.00 + 24.10	.8309	----	----	----	----	5	UNCH
4570	----	----		454.70B/----	454.70B/315.20A	----		432.30 + 24.50	.8336	----	----	----	----	25	UNCH
4575	----	----		459.10B/----	459.10B/319.10A	----		436.70 + 25.10	.8363	----	----	----	----	220	UNCH
4580	----	----		463.50B/----	463.50B/323.00A	----		441.10 + 25.60	.8389	----	----	----	----	179	UNCH
4585	----	----		466.60B/----	466.60B/327.00A	----		445.50 + 26.10	.8415	----	----	----	----	352	UNCH
4590	----	----		470.80B/----	470.80B/330.90A	----		449.90 + 26.50	.8442	----	----	----	----	13	UNCH
4595															

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS													
DEC26															
5000	827.00	827.00		832.70B/827.00	832.70B/698.50A	----		836.30 + 47.20	.9567	----	----	2	----	549	-
5010	----	----		842.50B/----	842.50B/708.20A	----		846.10 + 47.50	.9579	----	----	----	----	3	UNCH
5015	----	----		847.50B/----	847.50B/713.00A	----		851.00 + 47.60	.9585	----	----	----	----	4	UNCH
5020	----	----		852.20B/----	852.20B/717.80A	----		855.90 + 47.70	.9590	----	----	----	----	10	UNCH
5025	----	----		857.10B/----	857.10B/722.60A	----		860.80 + 47.80	.9596	----	----	----	----	217	UNCH
5030	----	----		862.00B/----	862.00B/727.40A	----		865.70 + 47.90	.9602	----	----	----	----	3	UNCH
5035	----	----		863.90B/----	863.90B/732.20A	----		870.70 + 48.00	.9607	----	----	----	----	13	UNCH
5040	----	----		868.80B/----	868.80B/743.10A	----		875.60 + 48.10	.9613	----	----	----	----	2	UNCH
5045	----	----		873.70B/----	873.70B/747.90A	----		880.50 + 48.20	.9619	----	----	----	----	3	UNCH
5050	----	----		878.60B/----	878.60B/752.80A	----		885.40 + 48.30	.9624	----	----	----	----	201	UNCH
5070	----	----		898.20B/----	898.20B/772.10A	----		905.10 + 48.60	.9642	----	----	----	----	2	UNCH
5075	----	----		903.10B/----	903.10B/777.10A	----		910.00 + 48.70	.9644	----	----	----	----	100	UNCH
5095	----	----		922.80B/----	922.80B/796.50A	----		929.70 + 49.00	.9662	----	----	----	----	6	UNCH
5100	----	----		927.70B/----	927.70B/801.50A	----		934.60 + 49.00	.9667	----	----	----	----	30	UNCH
5150	----	----		977.10B/----	977.10B/850.40A	----		984.00 + 49.70	.9704	----	----	----	----	1	UNCH
5195	----	----		1,021.80B/----	1021.80B/894.60A	----		1028.50 + 50.10	.9734	----	----	----	----	5	UNCH
5200	----	----		1,048.80B/----	1048.80B/899.50A	----		1033.50 + 50.20	.9735	----	----	----	----	34	UNCH
5240	----	----		1,089.00B/----	1089.00B/938.90A	----		1073.20 + 50.60	.9755	----	----	----	----	1	UNCH
5250	----	----		1,099.00B/----	1099.00B/948.80A	----		1083.10 + 50.70	.9761	----	----	----	----	127	UNCH
5290	----	----		1,139.20B/----	1139.20B/988.30A	----		1122.80 + 51.00	.9780	----	----	----	----	1	UNCH
5295	----	----		1,144.20B/----	1144.20B/993.20A	----		1127.80 + 51.00	.9780	----	----	----	----	1	UNCH
5300	----	----		1,149.30B/----	1149.30B/998.20A	----		1132.80 + 51.10	.9785	----	----	----	----	8	UNCH
5350	----	----		1,199.90B/----	1199.90B/1047.60A	----		1182.50 + 51.40	.9805	----	----	----	----	1	UNCH
5360	----	----		1,210.00B/----	1210.00B/1057.50A	----		1192.40 + 51.40	.9806	----	----	----	----	100	UNCH
5370	----	----		1,220.20B/----	1220.20B/1067.40A	----		1202.40 + 51.50	.9812	2	----	----	----	20	-
5375	----	----		1,225.30B/----	1225.30B/1072.40A	----		1207.40 + 51.50	.9812	----	----	----	----	34	UNCH
5400	1229.10	1229.10		1,250.60B/1,228	1250.60B/1097.20A	----		1232.30 + 51.70	.9820	1	----	9	----	112	+
5415	----	----		1,265.80B/----	1265.80B/1112.10A	----		1247.20 + 51.70	.9826	----	----	----	----	4	UNCH
5460	----	----		1,311.30B/----	1311.30B/1156.40A	----		1292.10 + 51.90	.9839	----	----	----	----	200	UNCH
5465	----	----		1,316.30B/----	1316.30B/1161.60A	----		1297.00 + 51.90	.9839	----	----	----	----	50	UNCH
5480	----	----		1,331.50B/----	1331.50B/1176.50A	----		1312.00 + 52.00	.9845	----	----	----	----	50	UNCH
5485	----	----		1,336.50B/----	1336.50B/1181.30A	----		1317.00 + 52.00	.9846	----	----	----	----	1	UNCH
5500	----	----		1,351.60B/----	1351.60B/1196.30A	----		1331.90 + 52.00	.9847	4	----	20	----	53	+
5525	----	----		1,376.80B/----	1376.80B/1220.90A	----		1356.90 + 52.10	.9854	----	----	----	----	80	UNCH
5550	----	----		1,402.50B/----	1402.50B/1245.80A	----		1381.80 + 52.10	.9860	----	----	----	----	1	UNCH
5600	----	----		1,452.10B/----	1452.10B/1295.60A	----		1431.80 + 52.40	.9869	25	----	----	----	227	-
5650	----	----		1,503.10B/----	1503.10B/1345.20A	----		1481.70 + 52.50	.9876	14	----	----	----	0	-
5700	----	----		1,553.30B/----	1553.30B/1395.00A	----		1531.60 + 52.50	.9889	----	----	----	----	0	UNCH
5760	----	----		1,613.40B/----	1613.40B/1455.00A	----		1591.60 + 52.60	.9897	5	----	----	----	0	-
5800	----	----		1,653.50B/----	1653.50B/1494.90A	----		1631.60 + 52.70	.9903	89	----	40	----	0	-
5875	----	----		1,728.50B/----	1728.50B/1569.80A	----		1706.60 + 52.80	.9912	----	----	----	----	0	UNCH
5900	----	----		1,753.50B/----	1753.50B/1594.70A	----		1731.60 + 52.80	.9913	10	----	10	----	60	UNCH
6000	----	----		1,852.50B/----	1852.50B/1694.60A	----		1831.60 + 52.80	.9926	31	----	20	----	0	-
10000	----	----		----	----	----		5831.60 + 52.80	1.0000	----	----	11941	600	90634	UNCH
TOTAL															
JAN27															
2625	----	----		1.80B/----	1.80B/1.60A	----		1.70 + 0.50	.0058	----	----	----	----	37	UNCH
2650	----	----		1.90B/----	1.90B/1.60A	----		1.80 + 0.50	.0062	----	----	----	----	14	UNCH
2675	----	----		2.00B/----	2.00B/1.70A	----		1.90 + 0.50	.0066	----	----	----	----	1	UNCH
2700	2.00	2.00		2.10B/2.00	2.10B/1.80A	----		2.00 + 0.50	.0070	----	----	3	----	33	+
2750	----	----		2.40B/----	2.40B/1.80A	----		2.30 NEW	.0081	----	----	2	----	2	+
2800	2.00	2.00		2.70/2.00	2.70/2.00	----		2.50 + 0.70	.0090	----	----	2	----	36	UNCH
2850	----	----		3.10B/----	3.10B/2.30A	----		2.90 + 1.00	.0104	----	----	----	----	9	UNCH
2870	----	----		3.30B/----	3.30B/2.40A	----		3.00 + 1.00	.0109	----	----	----	----	1	UNCH
2890	----	----		3.50B/----	3.50B/2.50A	----		3.20 + 1.10	.0116	----	----	----	----	2	UNCH
2900	----	----		3.60B/----	3.60B/2.50A	----		3.20 + 1.00	.0117	----	----	----	----	1	UNCH
2910	----	----		3.70B/----	3.70B/2.60A	----		3.30 + 1.10	.0121	----	----	----	----	2	UNCH
2915	----	----		3.70B/----	3.70B/2.60A	----		3.30 + 1.00	.0121	----	----	----	----	2	UNCH
2950	----	----		4.10B/----	4.10B/2.80A	----		3.60 + 1.20	.0133	----	----	----	----	2	UNCH
2960	----	----		4.20B/----	4.20B/2.80A	----		3.70 + 1.20	.0137	----	----	----	----	1	UNCH
2980	----	----		4.40B/----	4.40B/2.90A	----		3.90 + 1.30	.0145	----	----	----	----	5	UNCH
3000	4.00	4.00		4.60B/4.00	4.60B/3.10A	----		4.10 + 1.40	.0153	----	----	5	----	63	+
3010	----	----		4.80B/----	4.80B/3.10A	----		4.20 + 1.40	.0158	----	----	1	----	16	UNCH
3060	5.00	5.00		5.40B/5.00	5.40B/3.50A	----		4.80 + 1.70	.0182	----	----	9	----	10	+
3065	4.90	4.90		5.50B/4.90	5.50B/3.50A	----		4.80 + 1.60	.0182	----	----	8	----	11	+
3070	----	----		5.60B/----	5.60B/3.60A	----		4.90 + 1.70	.0186	----	----	----	----	4	UNCH
3080	----	----		5.70B/----	5.70B/3.60A	----		5.00 + 1.70	.0191	----	----	----	----	20	UNCH
3085	----	----		5.80B/----	5.80B/3.70A	----		5.10 + 1.80	.0194	----	----	----	----	10	UNCH
3090	----	----		5.90B/----	5.90B/3.70A	----		5.20 + 1.90	.0198	----	----	----	----	21	UNCH
3095	----	----		5.90B/----	5.90B/3.80A	----		5.20 + 1.80	.0199	----	----	----	----	218	UNCH
3100	4.70	4.70		6.00B/4.70	6.00B/3.80A	----		5.30 + 1.90	.0202	----	----	1	----	41	+
3105	5.20	5.20		6.10B/5.20	6.10B/3.80A	----		5.40 + 1.90	.0206	----	----	8	----	24	+
3110	6.10	6.10		6.20B/6.10	6.20B/3.90A	----		5.40 + 1.90	.0207	----	----	1	----	5	+
3125	5.40	5.40		6.40B/5.40	6.40B/4.00A	----		5.70 + 2.10	.0218	----	----	9	----	16	+
3160	6.30	6.30		7.10B/6.30	7.10B/4.30A	----		6.20 + 2.30	.0239	----	----	----	----	1	UNCH
3200	----	----		7.90B/6.30	7.90B/4.80A	----		6.90 + 2.60	.0268	----	----	16	----	24	+
3225	----	----		8.40B/----	8.40B/5.10A	----		7.30 + 2.70	.0286	----	----	1	----</		

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT	COMEX GOLD OPTIONS															
JAN27																
3715	----	----	----	39.20B/----	39.20B/20.40A	----	----	34.50 + 15.20	.1309	----	----	----	----	1	UNCH	
3720	----	----	----	39.90B/----	39.90B/20.70A	----	----	35.10 + 15.50	.1330	----	----	----	----	4	UNCH	
3725	----	----	----	40.60B/----	40.60B/21.10A	----	----	35.70 + 15.70	.1351	----	----	1	----	31 +	1	
3730	----	----	----	41.30B/----	41.30B/21.40A	----	----	36.40 + 16.10	.1374	----	----	----	----	3	UNCH	
3735	----	----	----	42.10B/----	42.10B/21.80A	----	----	37.00 + 16.30	.1395	----	----	----	----	3	UNCH	
3740	----	----	----	42.80B/----	42.80B/22.20A	----	----	37.70 + 16.70	.1418	----	----	----	----	20	UNCH	
3745	----	----	----	43.60B/----	43.60B/22.60A	----	----	38.40 + 17.00	.1441	----	----	----	----	34	UNCH	
3750	38.90	38.90	----	44.30B/38.40	44.30B/23.00A	----	----	39.10 + 17.30	.1464	----	----	26	----	38 -	6	
3755	----	----	----	45.10B/----	45.10B/23.40A	----	----	39.80 + 17.60	.1487	----	3	----	----	5 -	2	
3760	----	----	----	45.90B/----	45.90B/23.80A	----	----	40.50 + 17.90	.1510	----	----	----	----	43 -	UNCH	
3770	----	----	----	47.50B/----	47.50B/24.70A	----	----	42.00 + 18.60	.1559	----	2	----	----	21 -	2	
3775	32.00	32.00	----	48.40B/32.00	48.40B/25.20A	----	----	42.80 + 19.00	.1584	----	14	----	----	15 +	5	
3780	----	----	----	49.20B/----	49.20B/25.50A	----	----	43.50 + 19.20	.1608	----	----	----	----	1	UNCH	
3785	----	----	----	50.10B/----	50.10B/26.10A	----	----	44.30 + 19.60	.1633	----	----	----	----	7	UNCH	
3790	----	----	----	51.00B/----	51.00B/26.50A	----	----	45.10 + 20.00	.1659	----	1	----	----	21 +	1	
3795	----	----	----	51.90B/----	51.90B/27.00A	----	----	46.00 + 20.40	.1686	----	----	1	----	5	UNCH	
3800	30.40	30.40	----	52.80B/30.40	52.80B/27.40A	----	----	46.80 + 20.70	.1712	----	12	----	----	736 +	9	
3805	----	----	----	53.70B/----	53.70B/27.90A	----	----	47.60 + 21.10	.1738	----	----	----	----	4	UNCH	
3810	----	----	----	54.70B/----	54.70B/28.40A	----	----	48.50 + 21.50	.1765	----	1	----	----	2 +	1	
3815	----	----	----	55.60B/----	55.60B/29.00A	----	----	49.40 + 21.90	.1793	----	----	----	----	10	UNCH	
3820	----	----	----	56.60B/----	56.60B/29.50A	----	----	50.30 NEW	.1821	----	1	----	----	1 +	1	
3825	----	----	----	57.60B/----	57.60B/30.00A	----	----	51.20 + 22.60	.1848	----	----	----	----	11	UNCH	
3830	----	----	----	58.60B/----	58.60B/30.70A	----	----	52.10 + 23.00	.1876	----	1	----	----	15 +	1	
3835	----	----	----	59.70B/----	59.70B/31.10A	----	----	53.00 + 23.40	.1904	----	----	----	----	6	UNCH	
3840	----	----	----	60.70B/----	60.70B/31.70A	----	----	54.00 + 23.80	.1934	----	----	----	----	2	UNCH	
3850	54.40	54.40	----	62.90B/54.30	62.90B/32.80A	----	----	56.00 + 24.70	.1993	----	4	----	----	764 +	4	
3855	----	----	----	64.00B/----	64.00B/33.40A	----	----	57.00 + 25.10	.2023	----	7	----	----	9 +	3	
3860	----	----	----	65.10B/----	65.10B/34.20A	----	----	58.00 + 25.50	.2053	----	----	----	----	110	UNCH	
3870	----	----	----	67.40B/----	67.40B/35.40A	----	----	60.10 + 26.40	.2115	----	2	----	----	14 -	1	
3875	----	----	----	68.60B/----	68.60B/36.00A	----	----	61.20 + 26.90	.2147	----	----	----	----	6	UNCH	
3880	60.60	60.60	----	69.80B/60.60	69.80B/36.70A	----	----	62.30 + 27.30	.2178	----	4	----	----	8 +	4	
3885	----	----	----	71.00B/----	71.00B/37.30A	----	----	63.40 + 27.80	.2210	----	----	----	----	10	UNCH	
3890	----	----	----	72.20B/----	72.20B/38.00A	----	----	64.50 + 28.20	.2242	----	----	----	----	34	UNCH	
3895	67.40	67.40	----	73.50B/67.40	73.50B/38.70A	----	----	65.70 + 28.70	.2276	----	2	----	----	34	UNCH	
3900	64.10	64.10	----	74.80B/64.10	74.80B/39.50A	----	----	66.90 + 29.20	.2309	----	12	----	----	165 +	3	
3905	74.00	74.00	----	76.10B/74.00	76.10B/40.20A	----	----	68.10 + 29.70	.2343	----	9	----	----	26	UNCH	
3910	70.10	70.10	----	77.40B/70.10	77.40B/40.90A	----	----	69.30 NEW	.2376	----	8	----	----	8 +	8	
3915	----	----	----	78.70B/----	78.70B/41.70A	----	----	70.50 + 30.70	.2410	----	1	----	----	66 +	1	
3920	----	----	----	80.10B/----	80.10B/42.50A	----	----	71.80 + 31.20	.2445	----	----	----	----	4	UNCH	
3925	----	----	----	81.40B/----	81.40B/43.30A	----	----	73.00 + 31.60	.2479	----	1	----	----	4 +	1	
3930	----	----	----	82.80B/----	82.80B/44.10A	----	----	74.30 + 32.20	.2514	----	2	----	----	6	UNCH	
3935	75.00	75.00	----	84.30B/75.00	84.30B/44.90A	----	----	75.60 + 32.70	.2549	----	8	----	----	12	UNCH	
3940	----	----	----	85.70B/----	85.70B/45.80A	----	----	77.00 + 33.30	.2585	----	----	----	----	2	UNCH	
3945	77.70	77.70	----	87.20B/77.70	87.20B/46.60A	----	----	78.30 + 33.70	.2621	----	2	----	----	50	UNCH	
3950	58.00	58.00	----	88.70B/58.00	88.70B/47.50A	----	----	79.70 + 34.30	.2657	----	127	----	----	513 -	6	
3955	73.70	73.70	----	90.10B/73.70	90.10B/48.40A	----	----	81.10 NEW	.2694	----	1	----	----	1 +	1	
3960	----	----	----	91.70B/----	91.70B/49.30A	----	----	82.50 + 35.40	.2731	----	----	----	----	31	UNCH	
3965	----	----	----	93.20B/----	93.20B/50.20A	----	----	83.90 + 35.90	.2767	----	----	----	----	10	UNCH	
3970	----	----	----	94.80B/----	94.80B/51.10A	----	----	85.40 + 36.50	.2805	----	----	----	----	3	UNCH	
3975	82.90	82.90	----	96.40B/82.90	96.40B/52.10A	----	----	86.90 + 37.10	.2843	----	1	----	----	53	UNCH	
3980	82.30	82.30	----	98.00B/82.30	98.00B/53.10A	----	----	88.40 + 37.60	.2881	----	2	----	----	25 +	2	
3985	----	----	----	99.70B/----	99.70B/54.00A	----	----	89.90 + 38.20	.2919	----	----	----	----	5	UNCH	
3990	87.40	87.40	----	101.30B/87.40	101.30B/55.10A	----	----	91.40 + 38.70	.2957	----	4	----	----	22 +	4	
3995	86.70	86.70	----	103.00B/86.70	103.00B/56.20A	----	----	93.00 + 39.30	.2997	----	1	----	----	5	UNCH	
4000	91.30	91.30	----	104.70B/88.00	104.70B/57.10A	----	----	94.60 + 39.90	.3036	----	75	----	----	505 -	15	
4005	----	----	----	106.40B/----	106.40B/58.30A	----	----	96.20 + 40.50	.3075	----	----	----	----	3	UNCH	
4010	----	----	----	108.20B/----	108.20B/59.30A	----	----	97.90 + 41.20	.3115	----	----	----	----	16	UNCH	
4020	----	----	----	111.80B/----	111.80B/61.60A	----	----	101.20 + 42.30	.3195	----	----	----	----	8	UNCH	
4025	----	----	----	113.60B/----	113.60B/62.60A	----	----	102.90 + 42.90	.3235	----	----	----	----	14	UNCH	
4030	----	----	----	115.40B/----	115.40B/63.90A	----	----	104.70 + 43.60	.3276	----	----	----	----	19	UNCH	
4035	----	----	----	117.30B/----	117.30B/64.90A	----	----	106.40 + 44.20	.3317	----	----	----	----	7	UNCH	
4040	----	----	----	119.20B/----	119.20B/66.10A	----	----	108.20 + 44.80	.3358	----	2	----	----	7 +	2	
4045	100.20	100.20	----	121.10B/100.20	121.10B/67.30A	----	----	110.00 + 45.50	.3399	----	6	----	----	12 +	6	
4050	115.80	115.80	----	123.10B/113.00	123.10B/68.70A	----	----	111.80 + 46.10	.3440	----	12	----	----	93 +	5	
4055	----	----	----	125.00B/----	125.00B/69.80A	----	----	113.70 + 46.80	.3482	----	56	----	----	57 +	54	
4060	----	----	----	127.00B/----	127.00B/71.10A	----	----	115.50 + 47.30	.3524	----	----	----	----	5	UNCH	
4065	----	----	----	129.00B/----	129.00B/72.40A	----	----	117.40 + 48.00	.3566	----	----	----	----	24 -	UNCH	
4070	----	----	----	131.10B/----	131.10B/73.70A	----	----	119.40 + 48.70	.3608	----	1	----	----	44 -	1	
4075	122.80	122.80	----	133.10B/122.80	133.10B/75.10A	----	----	121.30 + 49.30	.3650	----	7	----	----	27 +	1	
4080	----	----	----	135.20B/----	135.20B/76.40A	----	----	123.30 + 50.00	.3693	----	9	----	----	210 +	1	
4085	----	----	----	137.30B/----	137.30B/77.80A	----	----	125.30 + 50.70	.3736	----	1	----	----	26	UNCH	
4090	----	----	----	139.50B/----	139.50B/79.20A	----	----	127.30 + 51.30	.3779	----	----	----	----	7	UNCH	
4095	----	----	----	141.60B/----	141.60B/80.60A	----	----	129.40 + 52.10	.3822	----	----	----	----	7	UNCH	
4100	136.40	136.40	----	143.90B/136.40	143.90B/82.10A	----	----	131.40 + 52.70	.3865	----	63	----	----	513 -	24	
4105	----	----	----	146.10B/----	146.10B/83.50A	----	----	133.50 + 53.40	.3908	----	----	----	----	27	UNCH	
4110	123.70	123.70	----	148.20B/123.70	148.20B/85.00A	----	----	135.60 + 54.00	.3951	----	1	----	----	45 +	1	
4115	142.90	142.90	----	150.60B/142.90	150.60B/86.50A	----	----	137.80 + 54.80	.3995	----	1	----	----	31	UNCH	
4120	144.30	144.30	----	152.90B/144.30	152.90B/88.10A	----	----	140.00 + 55.50	.4039	----	1	----	----	6 +	1	
4125	150.30	150.30	----	155.10B/140.60	155.10B/89.60A	----	----	142.10 + 56.10	.4082	----	9	----	----	373 -	1	
4130	153.00	153.00	----	157.50B/151.20	157.50B/91.20A	----	----	144.40 + 56.80	.4126	----	2	----	----	11	UNCH	
4135	----	----	----	159.90B/----	159.90B/92.70A	----	----	146.60 + 57.50	.4170	----	----	----	----	45	UNCH	
4140	----	----	----	162.20B/----	162.20B/94.40A	----	----	148.90 + 58.20	.4214	----	----	----	----	61	UNCH	
4145	----	----	----	164.60B/----	164.60B/96.10A	----	----	151.20 + 58.90	.4258	----	----	----	----	43	UNCH	
4150	----	----	----	167.10B/----	167.10B/97.70A	----	----	153.50 + 59.60	.4302	----	151	----	----	259 +	146	
4155	----	----	----	169.60B/----	169.60B/99.30A	----	----	155.80 + 60.30	.4347	----	----	----	----	6	UNCH	
4160	----	----	----	172.00B/----	172.00B/101.00A	----	----	158.20 + 61.00	.4391	----	1	----	----	210	UNCH	
4165	----	----	----	174.50B/----	174.50B/102.80A	----	----	160.60 + 61.70	.4435	----	----	----	----	3	UNCH	
4170	----	----	----	177.10B/----	177.10B/104.70A	----	----	163.00 + 62.40	.4479	----	----	----	----	3	UNCH	
4175	173.90	173.90	----	179.60B/173.90	179.60B/106.30A	----	----	165.50 + 63.20	.4524	----	12	----	----	16 +	10	
4180	163.30	163.30	----	182.20B/163.30	182.20B/108.30A	----	----	167.90 + 63.80	.4568	----	14	----	----	17 +	14	
4185	----	----	----	184.80B/----	184.80B/110.00A	----	----	170.40 + 64								

BULLETIN #186@				METALS OPTION PRODUCTS										Mon, Sep 28, 2026				PG64	
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG PUT		COMEX GOLD OPTIONS																	
JAN27																			
4435	----	----	----	342.20B/----	342.20B/231.80A	----	----	----	324.50 + 98.80	.6681	----	----	----	----	2	UNCH			
4440	----	----	----	346.20B/----	346.20B/234.80A	----	----	----	328.20 + 99.50	.6716	----	----	----	----	5	UNCH			
4445	----	----	----	350.10B/----	350.10B/237.90A	----	----	----	331.80 + 00.10	.6753	----	----	----	----	11	UNCH			
4450	340.40	----	340.40	353.80B/340.20	353.80B/241.00A	----	----	----	335.40 + 00.60	.6789	----	----	22	----	416 +	7			
4455	----	----	----	357.50B/----	357.50B/244.10A	----	----	----	339.10 + 01.30	.6824	----	----	----	----	14	UNCH			
4460	----	----	----	361.40B/----	361.40B/247.20A	----	----	----	342.80 + 01.90	.6858	----	----	----	----	7	UNCH			
4465	----	----	----	365.10B/----	365.10B/250.30A	----	----	----	346.50 + 02.50	.6893	----	----	----	----	8	UNCH			
4470	----	----	----	368.90B/----	368.90B/253.50A	----	----	----	350.20 + 03.00	.6927	----	----	1	----	3	UNCH			
4475	----	----	----	372.70B/----	372.70B/256.70A	----	----	----	354.00 + 03.70	.6962	----	----	----	----	91	UNCH			
4480	----	----	----	376.60B/----	376.60B/259.90A	----	----	----	357.70 + 04.20	.6996	----	----	----	----	112	UNCH			
4485	----	----	----	380.40B/----	380.40B/263.10A	----	----	----	361.50 + 04.80	.7030	----	----	----	----	11	UNCH			
4490	----	----	----	384.20B/----	384.20B/266.30A	----	----	----	365.30 + 05.40	.7062	----	----	----	----	20	UNCH			
4495	----	----	----	388.10B/----	388.10B/269.60A	----	----	----	369.10 + 06.00	.7096	----	----	----	----	13	UNCH			
4500	318.80	----	318.80	391.90B/318.80	391.90B/272.90A	----	----	----	372.90 + 06.50	.7128	----	----	2	----	292 +	2			
4505	----	----	----	395.80B/----	395.80B/277.40A	----	----	----	376.80 + 07.10	.7162	----	----	----	----	28	UNCH			
4510	----	----	----	399.60B/----	399.60B/280.70A	----	----	----	380.60 + 07.60	.7194	----	----	----	----	9	UNCH			
4515	----	----	----	403.30B/----	403.30B/284.10A	----	----	----	384.50 + 08.20	.7226	----	----	----	----	1	UNCH			
4520	----	----	----	407.60B/----	407.60B/287.40A	----	----	----	388.40 + 08.80	.7256	----	----	----	----	15	UNCH			
4530	----	----	----	415.20B/----	415.20B/294.20A	----	----	----	396.20 + 09.90	.7318	----	----	----	----	1	UNCH			
4535	----	----	----	419.60B/----	419.60B/297.70A	----	----	----	400.10 + 10.40	.7350	----	----	----	----	11	UNCH			
4545	----	----	----	427.60B/----	427.60B/304.60A	----	----	----	408.10 + 11.50	.7411	----	----	----	----	5	UNCH			
4550	----	----	----	431.30B/----	431.30B/308.10A	----	----	----	412.00 + 11.90	.7441	----	----	----	----	2	UNCH			
4555	----	----	----	435.30B/----	435.30B/311.60A	----	----	----	416.00 + 12.50	.7471	----	----	----	----	2	UNCH			
4560	----	----	----	439.40B/----	439.40B/315.10A	----	----	----	420.00 + 13.00	.7499	----	----	----	----	2	UNCH			
4570	----	----	----	447.50B/----	447.50B/322.20A	----	----	----	428.10 + 14.00	.7557	----	----	----	----	1	UNCH			
4575	----	----	----	451.90B/----	451.90B/325.80A	----	----	----	432.10 + 14.50	.7586	----	----	----	----	40	UNCH			
4580	----	----	----	455.80B/----	455.80B/329.40A	----	----	----	436.20 + 15.00	.7614	----	----	----	----	1	UNCH			
4585	----	----	----	460.00B/----	460.00B/333.00A	----	----	----	440.30 + 15.60	.7642	----	----	----	----	1	UNCH			
4600	----	----	----	472.60B/----	472.60B/343.90A	----	----	----	452.60 + 17.00	.7724	----	----	----	----	128	UNCH			
4605	----	----	----	476.80B/----	476.80B/347.60A	----	----	----	456.70 + 17.40	.7750	----	----	----	----	3	UNCH			
4610	----	----	----	480.90B/----	480.90B/351.30A	----	----	----	460.90 + 18.00	.7778	----	----	----	----	1	UNCH			
4615	----	----	----	485.10B/----	485.10B/355.00A	----	----	----	465.00 + 18.40	.7804	----	----	----	----	1	UNCH			
4620	----	----	----	489.50B/----	489.50B/358.70A	----	----	----	469.20 + 18.90	.7830	----	----	----	----	21	UNCH			
4625	----	----	----	493.60B/----	493.60B/362.50A	----	----	----	473.30 + 19.30	.7855	----	----	----	----	15	UNCH			
4630	----	----	----	497.80B/----	497.80B/366.30A	----	----	----	477.50 + 19.70	.7881	----	----	----	----	3	UNCH			
4635	----	----	----	501.80B/----	501.80B/370.10A	----	----	----	481.70 + 20.20	.7905	----	----	----	----	1	UNCH			
4640	----	----	----	506.10B/----	506.10B/373.90A	----	----	----	485.90 + 20.60	.7931	----	----	----	----	2	UNCH			
4645	----	----	----	509.70B/----	509.70B/377.70A	----	----	----	490.20 + 21.10	.7954	----	----	----	----	1	UNCH			
4650	----	----	----	512.70B/----	512.70B/381.50A	----	----	----	494.40 + 21.50	.7980	----	----	----	----	24	UNCH			
4655	----	----	----	517.00B/----	517.00B/385.40A	----	----	----	498.60 + 21.90	.8004	----	----	----	----	3	UNCH			
4660	----	----	----	521.30B/----	521.30B/389.20A	----	----	----	502.90 + 22.40	.8027	----	----	----	----	5	UNCH			
4665	----	----	----	525.70B/----	525.70B/393.10A	----	----	----	507.20 + 22.80	.8051	----	----	----	----	4	UNCH			
4670	----	----	----	529.90B/----	529.90B/397.00A	----	----	----	511.40 + 23.20	.8074	----	----	----	----	30	UNCH			
4675	----	----	----	528.90B/----	528.90B/400.90A	----	----	----	515.70 + 23.60	.8098	----	----	----	----	1	UNCH			
4685	----	----	----	537.50B/----	537.50B/408.80A	----	----	----	524.30 + 24.40	.8142	----	----	----	----	1	UNCH			
4700	----	----	----	550.40B/----	550.40B/420.70A	----	----	----	537.30 + 25.60	.8210	----	----	----	----	1	UNCH			
4710	----	----	----	564.60B/----	564.60B/428.70A	----	----	----	546.00 + 26.30	.8252	----	----	----	----	4	UNCH			
4750	----	----	----	600.00B/----	600.00B/461.20A	----	----	----	581.20 + 29.20	.8414	----	----	----	----	31	UNCH			
4760	----	----	----	608.90B/----	608.90B/469.50A	----	----	----	590.10 + 29.90	.8453	----	----	----	----	100	UNCH			
4800	----	----	----	644.50B/----	644.50B/503.10A	----	----	----	625.90 + 32.40	.8595	----	----	----	----	5	UNCH			
4805	----	----	----	642.90B/----	642.90B/510.90A	----	----	----	630.40 + 32.70	.8613	----	----	----	----	2	UNCH			
4820	----	----	----	662.70B/----	662.70B/523.80A	----	----	----	644.00 + 33.50	.8662	----	----	----	----	5	UNCH			
4840	----	----	----	681.10B/----	681.10B/541.10A	----	----	----	662.20 + 34.60	.8726	----	----	----	----	44	UNCH			
4845	----	----	----	685.70B/----	685.70B/545.50A	----	----	----	666.80 + 34.90	.8741	----	----	----	----	21	UNCH			
4850	----	----	----	690.30B/----	690.30B/549.80A	----	----	----	671.40 + 35.20	.8756	----	----	----	----	21	UNCH			
4855	----	----	----	687.90B/----	687.90B/554.20A	----	----	----	676.00 + 35.50	.8771	----	----	----	----	42	UNCH			
4860	----	----	----	692.50B/----	692.50B/558.60A	----	----	----	680.60 + 35.70	.8786	----	----	----	----	1	UNCH			
4880	----	----	----	710.70B/----	710.70B/576.10A	----	----	----	699.00 + 36.70	.8844	----	----	----	----	1	UNCH			
4960	----	----	----	764.10B/----	764.10B/648.10A	----	----	----	773.60 + 40.20	.9045	----	----	----	----	42	UNCH			
4980	----	----	----	788.10B/----	788.10B/666.40A	----	----	----	792.40 + 40.90	.9090	----	----	----	----	9	UNCH			
4990	----	----	----	797.60B/----	797.60B/675.50A	----	----	----	801.90 + 41.30	.9110	----	----	----	----	1	UNCH			
5000	----	----	----	807.20B/----	807.20B/684.80A	----	----	----	811.30 + 41.60	.9131	----	----	----	----	2	UNCH			
5050	----	----	----	855.30B/----	855.30B/731.20A	----	----	----	858.90 + 43.30	.9226	----	----	----	----	100	UNCH			
5085	----	----	----	889.00B/----	889.00B/764.20A	----	----	----	892.40 + 44.30	.9285	----	----	----	----	2	UNCH			
5150	----	----	----	951.80B/----	951.80B/825.80A	----	----	----	955.10 + 46.00	.9381	----	----	----	----	2	UNCH			
5235	----	----	----	1,034.10B/----	1034.10B/907.50A	----	----	----	1037.70 + 47.80	.9483	----	----	----	----	2	UNCH			
5245	----	----	----	1,044.70B/----	1044.70B/917.10A	----	----	----	1047.40 + 47.90	.9496	----	----	----	----	2	UNCH			
5300	----	----	----	1,099.30B/----	1099.30B/970.50A	----	----	----	1101.20 + 48.80	.9547	----	----	----	----	45	UNCH			
5950	----	----	----	1,766.90B/															

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS													
FEB27															
3805	----	----	----	69.90B/----	69.90B/40.50A	----	----	63.50 + 24.90	.1979	----	----	1	----	11 +	1
3815	----	----	----	72.10B/----	72.10B/41.80A	----	----	65.60 + 25.70	.2033	----	----	----	----	10	UNCH
3820	----	----	----	73.20B/----	73.20B/42.50A	----	----	66.60 + 26.00	.2060	----	----	22	----	22 +	19
3825	----	----	----	74.50B/----	74.50B/43.20A	----	----	67.70 + 26.40	.2087	----	----	----	----	500	UNCH
3835	----	----	----	76.80B/----	76.80B/44.70A	----	----	69.90 + 27.30	.2143	----	----	----	----	3	UNCH
3845	----	----	----	79.20B/----	79.20B/46.20A	----	----	72.20 + 28.10	.2200	----	----	----	----	6	UNCH
3850	63.00	63.00	63.00	80.40B/63.00	80.40B/46.90A	----	----	73.30 + 28.50	.2228	----	----	4	----	1341	UNCH
3860	----	----	----	83.00B/----	83.00B/48.40A	----	----	75.70 + 29.40	.2287	----	----	----	----	10	UNCH
3865	----	----	----	84.20B/----	84.20B/49.30A	----	----	76.90 + 29.80	.2316	----	----	----	----	1	UNCH
3875	----	----	----	86.90B/----	86.90B/50.90A	----	----	79.30 + 30.70	.2375	1	----	1	----	13 +	1
3880	----	----	----	88.20B/----	88.20B/51.80A	----	----	80.60 + 31.20	.2406	1	----	1	----	13	UNCH
3885	----	----	----	89.60B/----	89.60B/52.60A	----	----	81.90 + 31.60	.2437	----	----	----	----	1	UNCH
3890	88.00	88.00	88.00	91.00B/88.00	91.00B/53.40A	----	----	83.20 + 32.10	.2468	11	----	11	----	17 +	9
3895	----	----	----	92.40B/----	92.40B/54.30A	----	----	84.50 + 32.50	.2499	----	----	----	----	2	UNCH
3900	91.00	91.00	91.00	93.80B/87.00	93.80B/55.20A	----	----	85.80 + 33.00	.2530	----	----	4	200	312 +	103
3905	----	----	----	95.20B/----	95.20B/56.10A	----	----	87.10 + 33.40	.2561	----	----	----	----	5	UNCH
3915	95.50	95.50	95.50	98.20B/95.50	98.20B/58.00A	----	----	89.90 NEW	.2625	5	----	5	----	5 +	5
3925	----	----	----	101.20B/----	101.20B/59.90A	----	----	92.70 + 35.40	.2689	----	----	----	----	1	UNCH
3930	----	----	----	102.70B/----	102.70B/60.90A	----	----	94.20 + 35.90	.2722	6	----	6	----	7 +	6
3935	94.50	94.50	94.50	104.30B/94.50	104.30B/61.90A	----	----	95.60 + 36.40	.2755	18	----	18	----	23 +	18
3940	103.80	103.80	103.80	105.90B/103.50	105.90B/62.90A	----	----	97.10 + 36.90	.2788	19	----	19	----	19 +	18
3945	----	----	----	107.50B/----	107.50B/63.90A	----	----	98.60 + 37.40	.2821	1	----	1	----	2 +	1
3950	----	----	----	109.10B/----	109.10B/64.90A	----	----	100.10 + 37.90	.2854	54	----	54	----	185 +	54
3960	110.20	110.20	110.20	112.40B/110.20	112.40B/67.10A	----	----	103.20 + 38.90	.2922	1	----	1	----	15 +	1
3965	109.10	109.10	109.10	114.00B/109.10	114.00B/68.20A	----	----	104.80 + 39.50	.2957	14	----	14	----	20 +	14
3970	99.60	99.60	99.60	115.70B/99.60	115.70B/69.30A	----	----	106.40 + 40.00	.2991	1	----	1	----	3 +	1
3980	----	----	----	119.20B/----	119.20B/71.50A	----	----	109.60 + 41.00	.3060	----	----	----	----	2	UNCH
3990	----	----	----	122.70B/----	122.70B/73.90A	----	----	112.90 + 42.10	.3130	----	----	----	----	6	UNCH
3995	----	----	----	124.50B/----	124.50B/75.00A	----	----	114.60 + 42.60	.3165	----	----	----	----	5	UNCH
4000	75.50	75.50	75.50	126.30B/75.50	126.30B/75.50	----	----	116.40 + 43.20	.3201	37	----	37	----	668 +	36
4005	----	----	----	128.10B/----	128.10B/77.50A	----	----	118.10 + 43.70	.3236	----	----	----	----	32	UNCH
4010	----	----	----	130.00B/----	130.00B/78.70A	----	----	119.90 + 44.30	.3272	----	----	----	----	4	UNCH
4015	83.90	83.90	83.90	131.90B/83.90	131.90B/79.90A	----	----	121.60 + 44.80	.3308	1	----	1	----	4 +	1
4020	----	----	----	133.80B/----	133.80B/81.20A	----	----	123.40 + 45.40	.3344	----	----	----	----	2	UNCH
4025	----	----	----	135.70B/----	135.70B/82.60A	----	----	125.20 + 45.90	.3380	----	----	----	----	36	UNCH
4030	----	----	----	137.60B/----	137.60B/83.90A	----	----	127.10 + 46.60	.3417	----	----	----	----	30	UNCH
4035	----	----	----	139.60B/----	139.60B/85.20A	----	----	128.90 + 47.10	.3454	----	----	----	----	19	UNCH
4040	----	----	----	141.60B/----	141.60B/86.60A	----	----	130.80 + 47.60	.3490	----	----	----	----	205	UNCH
4050	----	----	----	145.70B/----	145.70B/89.30A	----	----	134.70 + 48.90	.3565	----	----	----	----	645	UNCH
4055	----	----	----	147.60B/----	147.60B/90.70A	----	----	136.60 + 49.40	.3602	----	----	----	----	2	UNCH
4060	----	----	----	149.70B/----	149.70B/92.10A	----	----	138.60 + 50.00	.3639	----	----	----	----	4	UNCH
4065	139.10	139.10	139.10	151.80B/139.10	151.80B/93.70A	----	----	140.60 + 50.60	.3677	1	----	1	----	3 +	1
4070	----	----	----	153.90B/----	153.90B/95.00A	----	----	142.60 + 51.20	.3714	----	----	----	----	20	UNCH
4075	----	----	----	156.00B/----	156.00B/96.40A	----	----	144.60 + 51.80	.3752	----	----	----	----	6	UNCH
4085	----	----	----	160.40B/----	160.40B/99.50A	----	----	148.70 + 52.90	.3827	----	----	----	----	1	UNCH
4090	----	----	----	162.60B/----	162.60B/101.10A	----	----	150.80 + 53.50	.3865	----	----	----	----	19	UNCH
4095	----	----	----	164.80B/----	164.80B/102.70A	----	----	153.00 + 54.20	.3904	----	----	----	----	20	UNCH
4100	109.50	109.50	109.50	167.10B/109.50	167.10B/104.10A	----	----	155.10 + 54.80	.3942	47	100	47	100	739 +	56
4105	----	----	----	169.30B/----	169.30B/105.80A	----	----	157.30 + 55.40	.3980	----	----	----	----	1	UNCH
4110	----	----	----	171.60B/----	171.60B/107.50A	----	----	159.40 + 55.90	.4018	----	----	----	----	26	UNCH
4120	----	----	----	176.20B/----	176.20B/110.80A	----	----	163.90 + 57.20	.4095	----	----	----	----	2	UNCH
4125	----	----	----	178.60B/----	178.60B/112.50A	----	----	166.10 + 57.80	.4134	----	----	----	----	25	UNCH
4135	----	----	----	183.30B/----	183.30B/116.00A	----	----	170.70 + 59.00	.4211	----	----	----	----	13	UNCH
4140	166.00	166.00	166.00	185.80B/166.00	185.80B/117.50A	----	----	173.00 + 59.60	.4250	30	----	30	----	41 +	20
4145	----	----	----	188.20B/----	188.20B/119.30A	----	----	175.40 + 60.30	.4289	----	----	----	----	50	UNCH
4150	----	----	----	190.70B/----	190.70B/121.30A	----	----	177.70 + 60.90	.4328	224	----	224	----	490 +	67
4155	----	----	----	193.20B/----	193.20B/122.90A	----	----	180.10 + 61.50	.4367	----	----	----	----	20	UNCH
4160	----	----	----	195.50B/----	195.50B/124.70A	----	----	182.50 + 62.10	.4405	----	----	----	----	200	UNCH
4165	----	----	----	198.00B/----	198.00B/126.60A	----	----	185.00 + 62.80	.4444	----	----	----	----	20	UNCH
4170	----	----	----	200.60B/----	200.60B/128.40A	----	----	187.40 + 63.40	.4483	----	----	----	----	6	UNCH
4175	----	----	----	203.10B/----	203.10B/130.30A	----	----	189.90 + 64.10	.4522	10	----	10	----	16 +	9
4185	----	----	----	208.40B/----	208.40B/134.20A	----	----	195.00 NEW	.4600	4	----	4	----	4 +	4
4190	205.50	205.50	205.50	211.10B/205.50	211.10B/136.20A	----	----	197.50 NEW	.4639	2	----	2	----	2 +	2
4195	----	----	----	213.60B/----	213.60B/138.10A	----	----	200.10 + 66.70	.4678	----	----	----	----	22	UNCH
4200	----	----	----	216.30B/----	216.30B/140.10A	----	----	202.70 + 67.30	.4717	----	----	----	----	476	UNCH
4205	----	----	----	218.90B/----	218.90B/142.20A	----	----	205.30 + 67.90	.4756	----	----	----	----	3	UNCH
4210	----	----	----	221.70B/----	221.70B/144.20A	----	----	207.90 + 68.50	.4795	----	----	----	----	3	UNCH
4225	----	----	----	230.00B/----	230.00B/150.50A	----	----	216.00 + 70.50	.4911	----	----	----	----	15	UNCH
4230	----	----	----	232.80B/----	232.80B/152.60A	----	----	218.70 + 71.10	.4949	----	----	----	----	18	UNCH
4235	----	----	----	235.50B/----	235.50B/154.80A	----	----	221.50 + 71.80	.4988	----	----	----	----	33	UNCH
4240	----	----	----	238.60B/----	238.60B/156.90A	----	----	224.30 + 72.50	.5026	----	----	----	----	2	UNCH
4245	----	----	----	241.40B/----	241.40B/159.10A	----	----	227.10 + 73.10	.5064	----	----	----	----	19	UNCH
4250	----	----	----	244.30B/----	244.30B/161.30A	----	----	229.90 + 73.80	.5102	----	----	----	----	450	UNCH
4255	----	----	----	247.10B/----	247.10B/163.50A	----	----	232.70 + 74.40	.5140	----	----	----	----	24	UNCH
4260	----	----	----	249.90B/----	249.90B/165.80A	----	----	235.60 + 75.10	.5178	----	----	----	----	5	UNCH
4265	----	----	----	253.00B/----	253.00B/168.00A	----	----	238.50 + 75.70	.5216	1	----	1	----	2	UNCH
4270	----	----	----	255.80B/----	255.80B/170.30A	----	----	241.40 + 76.40	.5254	----	----	----	----	19	UNCH
4275	----	----	----	258.90B/----	258.90B/172.70A	----	----	244.30 + 77.00	.5292	----	----	----	----	52	UNCH
4280	----	----	----	261.80B/----	261.80B/175.00A	----	----	247.20 + 77.60	.5330	----	----	----	----	1	UNCH
4290	----	----	----	268.20B/----	268.20B/179.70A	----	----	253.20 + 78.90	.5405	----	----	----	----	4	UNCH
4300	200.50	200.50	200.50	274.30B/200.50	274.30B/184.50A	----	----	259.20 + 80.20	.5479	2	----	2	----	289 +	1
4315	----	----	----	283.40B/----	283.40B/191.90A	----	----	268.30 + 82.00	.5590	----	----	----	----	113	UNCH
4320	----	----	----	286.60B/----	286.60B/194.40A	----	----	271.40 + 82.60	.5626	----	----	----	----	50	UNCH
4325	----	----	----	289.60B/----	289.60B/196.90A	----	----	274.50 + 83.20	.5663	----	----	----	----	19	UNCH
4330	----	----	----	292.90B/----	292.90B/199.50A	----	----	277.70 + 83.90	.5699	----	----	----	----	6	UNCH
4335	----	----	----	296.30B/----	296.30B/202.10A	----	----	280.80 + 84.50	.5735	----	----	----	----	136	UNCH
4340	----	----	----	299.40B/----	299.40B/204.60A	----	----	284.00 + 85.10	.5771	----	----	----	----	23	UNCH
4345	----	----	----	302.50B/----	302.50B/207.20A	----	----	287.20 + 85.80	.5807	----	----	----	----	31	UNCH
4350	288.00	288.00	288.00	306.00B/288.00	306.00B/209.90A	----	----	290.40 + 86.40	.5843	1	----	1	----	29 +	1
4355	----	----	----	309.50B/----	309.50B/212.50A	----	----	293.60 + 86.90	.5879	----	----	----	----	5	UNCH
4360															

BULLETIN #186@										METALS OPTION PRODUCTS										Mon, Sep 28, 2026		PG64		
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST							
OG PUT		COMEX GOLD OPTIONS																						
FEB27																								
4690	----	----	----	564.60B/----	564.60B/435.20A	----	----	----	----	545.30 + 20.20	.7823	----	----	----	----	----	----	1	UNCH					
4695	----	----	----	569.20B/----	569.20B/439.10A	----	----	----	----	549.50 + 20.60	.7846	----	----	----	----	----	----	25	UNCH					
4700	----	----	----	573.50B/----	573.50B/443.00A	----	----	----	----	553.70 + 20.90	.7867	----	----	----	----	----	----	133	UNCH					
4705	----	----	----	577.50B/----	577.50B/446.90A	----	----	----	----	557.90 + 21.30	.7889	----	----	----	----	----	----	3	UNCH					
4710	----	----	----	582.00B/----	582.00B/450.80A	----	----	----	----	562.20 + 21.70	.7910	----	----	----	----	----	----	3	UNCH					
4725	----	----	----	594.50B/----	594.50B/462.60A	----	----	----	----	574.90 + 22.80	.7973	----	----	----	----	----	----	10	UNCH					
4730	----	----	----	595.80B/----	595.80B/466.50A	----	----	----	----	579.20 + 23.20	.7994	----	----	----	----	----	----	16	UNCH					
4750	----	----	----	590.90B/----	590.90B/482.50A	----	----	----	----	596.30 + 24.50	.8074	----	----	----	----	----	----	31	UNCH					
4755	----	----	----	592.00B/----	592.00B/486.50A	----	----	----	----	600.60 + 24.80	.8092	----	----	----	----	----	----	1	UNCH					
4775	----	----	----	603.30B/----	603.30B/502.80A	----	----	----	----	617.90 + 26.10	.8170	----	----	----	----	----	----	1	UNCH					
4785	----	----	----	611.70B/----	611.70B/510.90A	----	----	----	----	626.60 + 26.70	.8207	----	----	----	----	----	----	100	UNCH					
4800	----	----	----	624.60B/----	624.60B/523.30A	----	----	----	----	639.80 + 27.80	.8259	----	----	----	----	----	----	311	UNCH					
4805	----	----	----	629.00B/----	629.00B/527.40A	----	----	----	----	644.20 + 28.10	.8278	----	----	----	----	----	----	2	UNCH					
4810	----	----	----	633.30B/----	633.30B/531.60A	----	----	----	----	648.60 + 28.40	.8296	----	----	----	----	----	----	20	UNCH					
4825	----	----	----	645.10B/----	645.10B/544.10A	----	----	----	----	661.80 + 29.20	.8346	----	----	----	----	----	----	5	UNCH					
4835	----	----	----	652.60B/----	652.60B/552.50A	----	----	----	----	670.70 + 29.80	.8380	----	----	----	----	----	----	1	UNCH					
4840	----	----	----	656.90B/----	656.90B/556.70A	----	----	----	----	675.10 + 30.10	.8396	----	----	----	----	----	----	1	UNCH					
4845	----	----	----	660.60B/----	660.60B/561.00A	----	----	----	----	679.60 + 30.40	.8412	----	----	----	----	----	----	3	UNCH					
4855	----	----	----	668.30B/----	668.30B/569.50A	----	----	----	----	688.50 + 30.90	.8444	----	----	----	----	----	----	3	UNCH					
4900	----	----	----	707.80B/----	707.80B/614.00A	----	----	----	----	729.00 + 33.30	.8579	----	----	----	----	----	----	4	UNCH					
4905	----	----	----	712.20B/----	712.20B/618.30A	----	----	----	----	733.60 + 33.60	.8595	----	----	----	----	----	----	4	UNCH					
4950	----	----	----	752.20B/----	752.20B/658.50A	----	----	----	----	774.60 + 35.70	.8717	----	----	----	----	----	----	1	UNCH					
4955	----	----	----	756.70B/----	756.70B/662.60A	----	----	----	----	779.20 + 35.90	.8730	----	----	----	----	----	----	1	UNCH					
5000	----	----	----	780.40B/----	780.40B/703.40A	----	----	----	----	820.70 + 37.80	.8839	----	----	----	----	----	----	75	UNCH					
5005	----	----	----	785.00B/----	785.00B/707.70A	----	----	----	----	825.40 + 38.00	.8850	----	----	----	----	----	----	3	UNCH					
5010	----	----	----	789.40B/----	789.40B/712.50A	----	----	----	----	830.00 + 38.20	.8863	----	----	----	----	----	----	4	UNCH					
5050	----	----	----	825.20B/----	825.20B/749.00A	----	----	----	----	867.30 + 39.60	.8950	----	----	----	----	----	----	4	UNCH					
5055	----	----	----	827.60B/----	827.60B/753.70A	----	----	----	----	872.00 + 39.80	.8960	----	----	----	----	----	----	4	UNCH					
5100	----	----	----	861.80B/----	861.80B/795.30A	----	----	----	----	914.30 + 41.30	.9048	----	----	----	----	----	----	2	UNCH					
5150	----	----	----	954.30B/----	954.30B/842.30A	----	----	----	----	961.70 + 42.70	.9135	----	----	----	----	----	----	1	UNCH					
5175	----	----	----	978.30B/----	978.30B/866.00A	----	----	----	----	985.60 + 43.50	.9175	----	----	----	----	----	----	125	UNCH					
5200	----	----	----	1,002.40B/----	1002.40B/889.60A	----	----	----	----	1009.50 + 44.10	.9213	----	----	----	----	----	----	1	UNCH					
5250	----	----	----	1,050.50B/----	1050.50B/937.70A	----	----	----	----	1057.50 + 45.30	.9284	----	----	----	----	----	----	15	UNCH					
5320	----	----	----	1,119.10B/----	1119.10B/1005.80A	----	----	----	----	1125.10 + 46.60	.9368	----	----	----	----	----	----	1	UNCH					
5500	----	----	----	1,295.10B/----	1295.10B/1188.00A	----	----	----	----	1300.90 + 49.40	.9535	1	----	----	----	----	----	1	UNCH					
5520	----	----	----	1,314.80B/----	1314.80B/1206.70A	----	----	----	----	1320.50 + 49.60	.9549	----	----	----	----	----	----	300	UNCH					
5530	----	----	----	1,325.00B/----	1325.00B/1216.50A	----	----	----	----	1330.40 + 49.80	.9556	----	----	----	----	----	----	100	UNCH					
5550	----	----	----	1,344.70B/----	1344.70B/1231.10A	----	----	----	----	1350.10 + 50.10	.9569	----	----	----	----	----	----	65	UNCH					
5565	----	----	----	1,359.60B/----	1359.60B/1250.70A	----	----	----	----	1364.80 + 50.10	.9581	----	----	----	----	----	----	50	UNCH					
6000	----	----	----	1,814.00B/----	1814.00B/1663.50A	----	----	----	----	1796.70 + 53.20	.9770	----	----	----	----	----	----	1	UNCH					
TOTAL																1030	600	17106+	992					
MAR27																								
3000	----	----	----	8.30B/----	8.30B/8.30A	----	----	----	----	8.10 NEW	.0250	----	----	----	1	----	----	1	+	1				
3075	----	----	----	10.10B/----	10.10B/9.40A	----	----	----	----	9.70 + 2.80	.0301	----	----	----	----	----	----	1	UNCH	----	----	----	----	
3170	----	----	----	13.20B/----	13.20B/12.10A	----	----	----	----	12.30 + 3.70	.0384	----	----	----	----	----	----	1	UNCH	----	----	----	----	
3200	----	----	----	14.30B/----	14.30B/11.90A	----	----	----	----	13.20 + 4.00	.0413	----	----	----	----	----	----	58	UNCH	----	----	----	----	
3300	----	----	----	18.60B/----	18.60B/15.00A	----	----	----	----	17.20 + 5.60	.0538	----	----	----	----	----	----	482	UNCH	----	----	----	----	
3325	----	----	----	20.00B/----	20.00B/15.90A	----	----	----	----	18.40 + 6.00	.0575	----	----	----	----	----	----	4	UNCH	----	----	----	----	
3400	----	----	----	24.60B/----	24.60B/19.10A	----	----	----	----	22.60 + 7.70	.0702	----	----	----	----	----	----	401	UNCH	----	----	----	----	
3425	----	----	----	26.40B/----	26.40B/20.30A	----	----	----	----	24.20 + 8.20	.0750	----	----	----	----	----	----	29	UNCH	----	----	----	----	
3450	----	----	----	28.30B/----	28.30B/21.60A	----	----	----	----	26.00 + 9.00	.0802	----	----	----	----	----	----	33	UNCH	----	----	----	----	
3500	----	----	----	32.70B/----	32.70B/24.60A	----	----	----	----	30.00 + 10.50	.0917	----	----	----	----	----	----	494	UNCH	----	----	----	----	
3525	----	----	----	35.10B/----	35.10B/24.60A	----	----	----	----	32.30 + 11.40	.0982	----	----	----	----	----	----	120	UNCH	----	----	----	----	
3540	----	----	----	36.70B/----	36.70B/25.90A	----	----	----	----	33.70 + 11.90	.1021	----	----	----	----	----	----	1	UNCH	----	----	----	----	
3545	----	----	----	37.20B/----	37.20B/25.70A	----	----	----	----	34.20 + 12.10	.1035	----	----	----	----	----	----	1	UNCH	----	----	----	----	
3550	----	----	----	37.80B/----	37.80B/26.10A	----	----	----	----	34.70 + 12.30	.1049	----	----	----	----	----	----	250	UNCH	----	----	----	----	
3565	----	----	----	39.40B/----	39.40B/26.30A	----	----	----	----	36.30 + 12.90	.1092	----	----	----	----	----	----	2	UNCH	----	----	----	----	
3575	----	----	----	40.70B/----	40.70B/27.00A	----	----	----	----	37.40 + 13.40	.1122	----	----	----	----	----	----	20	UNCH	----	----	----	----	
3580	----	----	----	41.30B/----	41.30B/27.40A	----	----	----	----	37.90 + 13.50	.1136	----	----	----	----	----	----	1	UNCH	----	----	----	----	
3600	----	----	----	43.90B/----	43.90B/28.90A	----	----	----	----	40.20 + 14.40	.1198	----	----	----	10	----	1501+	10						
3650	45.00	45.00	----	50.70B/45.00	50.70B/33.20A	----	----	----	----	46.60 + 16.80	.1366	----	----	1	----	1	129+	1						
3700	----	----	----	58.60B/----	58.60B/38.10A	----	----	----	----	54.00 + 19.50	.1554	----	----	----	----	----	46	UNCH	----	----	----	----	----	
3725	----	----	----	63.00B/----	63.00B/40.90A	----	----	----	----	58.10 + 20.90	.1656	----	----	----	----	----	17	UNCH	----	----	----	----	----	
3740	----	----	----	65.70B/----	65.70B/42.60A	----	----	----	----	60.70 + 21.80	.1719	----	----	----	----	----	29	UNCH	----	----	----	----	----	
3750	----	----</																						

BULLETIN #186@										METALS OPTION PRODUCTS										Mon, Sep 28, 2026		PG64		
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE		GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW		OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA		EXER CISES		OPEN OUTCRY VOLUME		GLOBEX® VOLUME		PNT VOLUME		OPEN INTEREST		
OG PUT		COMEX GOLD OPTIONS																						
MAR27																								
4500	----	----	----	406.40B/----	406.40B/303.90A	----	----	----	----	391.40 + 97.10	.6401	----	----	----	----	----	----	----	----	105	UNCH			
4510	----	----	----	413.60B/----	413.60B/310.10A	----	----	----	----	398.40 + 98.00	.6460	----	----	----	----	----	----	----	----	10	UNCH			
4515	----	----	----	417.30B/----	417.30B/313.20A	----	----	----	----	402.00 + 98.60	.6488	----	----	----	----	----	----	----	----	1	UNCH			
4520	----	----	----	421.00B/----	421.00B/316.00A	----	----	----	----	405.50 + 99.00	.6516	----	----	----	----	----	----	----	----	1	UNCH			
4525	----	----	----	424.50B/----	424.50B/319.50A	----	----	----	----	409.10 + 99.50	.6545	----	----	----	----	----	----	----	----	10	UNCH			
4540	----	----	----	435.60B/----	435.60B/329.10A	----	----	----	----	419.90 + 00.90	.6628	----	----	----	----	----	----	----	----	4	UNCH			
4585	----	----	----	469.70B/----	469.70B/358.60A	----	----	----	----	453.20 + 05.00	.6872	----	----	----	----	----	----	----	----	1	UNCH			
4600	----	----	----	481.10B/----	481.10B/368.70A	----	----	----	----	464.50 + 06.30	.6949	----	----	----	----	----	----	----	----	26	UNCH			
4610	----	----	----	489.00B/----	489.00B/375.60A	----	----	----	----	472.10 + 07.10	.6999	----	----	----	----	----	----	----	----	300	UNCH			
4650	----	----	----	520.30B/----	520.30B/481.20A	----	----	----	----	503.10 + 10.50	.7198	----	----	----	----	----	----	----	----	1	UNCH			
4660	----	----	----	528.30B/----	528.30B/488.80A	----	----	----	----	510.90 + 11.20	.7245	----	----	----	----	----	----	----	----	24	UNCH			
4680	----	----	----	544.40B/----	544.40B/504.30A	----	----	----	----	526.80 + 12.90	.7337	----	----	----	----	----	----	----	----	1	UNCH			
4700	----	----	----	560.50B/----	560.50B/519.90A	----	----	----	----	542.80 + 14.40	.7428	----	----	----	----	----	----	----	----	303	UNCH			
4710	----	----	----	568.80B/----	568.80B/527.80A	----	----	----	----	550.90 + 15.20	.7472	----	----	----	----	----	----	----	----	2	UNCH			
4750	----	----	----	601.70B/----	601.70B/560.00A	----	----	----	----	583.60 + 18.20	.7642	----	----	----	----	----	----	----	----	15	UNCH			
4810	----	----	----	652.50B/----	652.50B/609.10A	----	----	----	----	633.90 + 22.40	.7877	----	----	----	----	----	----	----	----	21	UNCH			
4850	----	----	----	681.50B/----	681.50B/642.60A	----	----	----	----	668.00 + 24.90	.8020	----	----	----	----	----	----	----	----	2	UNCH			
4900	----	----	----	677.90B/----	677.90B/685.30A	----	----	----	----	711.40 + 27.90	.8187	----	----	----	----	----	----	----	----	12	UNCH			
4905	----	----	----	615.20B/----	615.20B/726.50A	----	----	----	----	715.80 + 28.20	.8203	----	----	----	----	----	----	----	----	2	UNCH			
5000	----	----	----	697.80B/----	697.80B/808.80A	----	----	----	----	800.20 + 32.90	.8480	----	----	----	----	----	----	----	----	75	UNCH			
TOTAL														259	280	8719+	322							
APR27																								
3000	----	----	----	11.10B/----	11.10B/10.40A	----	----	----	----	10.80 + 2.60	.0307	----	----	----	----	----	----	----	----	103	UNCH			
3100	----	----	----	14.50B/----	14.50B/12.70A	----	----	----	----	13.80 + 3.70	.0393	----	----	----	----	----	----	----	----	1	UNCH			
3200	----	----	----	18.50B/----	18.50B/15.80A	----	----	----	----	17.60 + 5.10	.0502	----	----	----	----	----	----	----	----	126	UNCH			
3225	----	----	----	19.70B/----	19.70B/16.70A	----	----	----	----	18.80 + 5.60	.0535	----	----	----	----	----	----	----	----	65	UNCH			
3300	----	----	----	24.10B/----	24.10B/19.80A	----	----	----	----	22.70 + 6.90	.0643	----	----	----	----	----	----	----	----	1	UNCH			
3350	----	----	----	27.80B/----	27.80B/22.30A	----	----	----	----	26.00 + 8.10	.0732	----	----	----	----	----	----	----	----	35	UNCH			
3375	----	----	----	29.80B/----	29.80B/23.60A	----	----	----	----	27.80 + 8.70	.0779	----	----	----	----	----	----	----	----	29	UNCH			
3400	----	----	----	31.90B/----	31.90B/25.30A	----	----	----	----	29.70 + 9.30	.0829	----	----	----	----	----	----	----	----	9	UNCH			
3450	----	----	----	36.50B/----	36.50B/27.70A	----	----	----	----	34.10 + 10.90	.0942	----	----	----	----	----	----	----	----	3	UNCH			
3455	----	----	----	37.00B/----	37.00B/29.50A	----	----	----	----	34.50 + 11.00	.0953	----	----	----	----	----	----	----	----	1	UNCH			
3460	----	----	----	37.50B/----	37.50B/30.10A	----	----	----	----	35.00 + 11.20	.0965	----	----	----	----	----	----	----	----	1	UNCH			
3475	----	----	----	39.10B/----	39.10B/29.10A	----	----	----	----	36.50 + 11.80	.1003	----	----	----	----	----	----	----	----	300	UNCH			
3480	----	----	----	39.60B/----	39.60B/30.40A	----	----	----	----	37.00 + 11.90	.1015	----	----	----	----	----	----	----	----	1	UNCH			
3500	41.00	41.00	----	41.80B/38.30	41.80B/30.90A	----	----	----	----	39.10 + 12.70	.1068	----	----	2	----	232	UNCH							
3545	----	----	----	47.40B/----	47.40B/34.50A	----	----	----	----	44.20 + 14.60	.1193	----	----	----	----	----	----	----	----	10	UNCH			
3550	----	----	----	48.20B/----	48.20B/34.90A	----	----	----	----	44.80 + 14.80	.1207	----	----	----	----	----	----	----	----	500	UNCH			
3555	----	----	----	48.80B/----	48.80B/35.50A	----	----	----	----	45.40 + 15.00	.1222	----	----	----	----	----	----	----	----	4	UNCH			
3565	----	----	----	50.10B/----	50.10B/36.40A	----	----	----	----	46.70 + 15.50	.1253	----	----	----	----	----	----	----	----	20	UNCH			
3590	----	----	----	53.70B/----	53.70B/38.70A	----	----	----	----	50.00 + 16.60	.1331	----	----	----	----	----	----	----	----	10	UNCH			
3595	----	----	----	54.50B/----	54.50B/39.20A	----	----	----	----	50.70 + 16.90	.1347	----	----	----	----	----	----	----	----	10	UNCH			
3600	----	----	----	55.30B/----	55.30B/39.70A	----	----	----	----	51.40 + 17.10	.1364	----	19	----	26	+	19							
3650	----	----	----	63.20B/----	63.20B/45.10A	----	----	----	----	59.10 + 19.70	.1539	----	----	----	----	168	UNCH							
3680	----	----	----	68.60B/----	68.60B/48.60A	----	----	----	----	64.10 + 21.30	.1650	----	----	----	----	20	UNCH							
3690	----	----	----	70.30B/----	70.30B/49.90A	----	----	----	----	65.90 + 21.80	.1689	----	----	----	----	32	UNCH							
3700	----	----	----	72.40B/----	72.40B/51.20A	----	----	----	----	67.70 + 22.40	.1729	----	19	----	108	+	19							
3725	----	----	----	77.20B/----	77.20B/54.50A	----	----	----	----	72.40 + 23.80	.1830	----	----	----	----	3	UNCH							
3730	----	----	----	78.20B/----	78.20B/55.30A	----	----	----	----	73.40 + 24.20	.1851	----	----	----	----	20	UNCH							
3735	----	----	----	79.20B/----	79.20B/56.00A	----	----	----	----	74.40 + 24.50	.1872	----	----	----	----	42	UNCH							
3750	----	----	----	82.60B/----	82.60B/58.20A	----	----	----	----	77.40 + 25.40	.1935	----	----	----	----	77	UNCH							
3755	----	----	----	83.60B/----	83.60B/58.90A	----	----	----	----	78.50 + 25.70	.1958	----	----	----	----	20	UNCH							
3780	----	----	----	89.30B/----	89.30B/62.80A	----	----	----	----	83.80 + 27.30	.2068	----	----	----	----	30	UNCH							
3790	----	----	----	91.70B/----	91.70B/64.50A	----	----	----	----	86.10 + 28.00	.2114	----	----	----	----	20	UNCH							
3800	64.00	64.00	----	94.40B/64.00	94.40B/63.80A	----	----	----	----	88.30 + 28.60	.2159	----	----	24	----	216	+	24						
3815	----	----	----	97.80B/----	97.80B/68.80A	----	----	----	----	91.90 + 29.70	.2230	----	----	----	----	20	UNCH							
3820	----	----	----	99.20B/----	99.20B/69.60A	----	----	----	----	93.10 + 30.10	.2254	----	----	----	----	1	UNCH							
3825	----	----	----	100.70B/----	100.70B/70.50A	----	----	----	----	94.30 + 30.40	.2278	----	----	----	----	50	UNCH							
3845	----	----	----	105.70B/----	105.70B/74.30A	----	----	----	----	99.30 + 31.90	.2375	----	----	----	----	50	UNCH							
3850	----	----	----	107.40B/----	107.40B/75.20A	----	----	----	----	100.60 + 32.20	.2400	----	----	----	----	37	UNCH							
3855	----	----	----	108.50B/----	108.50B/76.10A	----	----	----	----	101.90 + 32.60	.2425	----	----	----	----	12	UNCH							
3860	----	----	----	109.90B/----	109.90B/77.20A	----	----	----	----	103.30 + 33.10	.2451	----	----	----	----	64	UNCH							
3865	----	----	----	111.30B/----	111.30B/78.20A	----	----	----	----	104.60 + 33.40	.2476	----	----	----	----	50	UNCH							
3885	----	----	----	117.20B/----	117.20B/82.30A	----	----	----	----	110.10 + 35.00	.2579	----	----	----	----	40	UNCH							
3895	----	----	----	120.10B/----	120.10B/84.40A	----	----	----	----	113.00 + 35.80	.2632	----	----	----	----	1	UNCH							
3900	112.00	112.00	----	121.90B/112.00	121.90B/85.50A	----	----	----	----	114.40 + 36.20	.2658	----	83	----	212	+	83							
3905	----	----	----	123.00B/----	123.00B/86.60A	----	----	----	----	115.90 + 36.60	.2685	----	----	----	----	20	UNCH							
3910	----	----	----	124.80B/----	124.80B/87.60A	----	----	----	----	117.40 + 37.10	.2711	----	----	----	----	2	UNCH							
3925	----	----	----	129.60B/----	129.60B/91.00A	----	----	----	----	121.90 + 38.30	.2792	----	----	----	----	2	UNCH							
3930	----	----	----	131.10B/----	131.10B/92.30A	----	----	----	----	123.50 + 38.70	.2820	----	----	----	----	20	UNCH							
3935	----	----	----	132.80B/----	132.80B/93.40A	----	----	----	----	125.10 + 39.20	.2848	----	----	----	----	6	UNCH							
3950	128.00	128.00	----	137.80B/128.00	137.80B/97.00A	----	----	----	----	129.90 + 40.50	.2931	----	2	----	3	-	2							
3960	----	----	----	141.10B/----	141.10B/99.20A	----	----	----	----	133.20 + 41.40	.2987	----	----	----	----	1	UNCH							
3970	----	----	----	144.70B/----	144.70B/101.80A	----	----	----	----	136.50 + 42.30	.3044	----	----	----	----	13	UNCH							
3980	----	----	----	148.30B/----	148.30B/104.40A	----	----	----	----	139.90 + 43.10	.3101	----	----	----	----	1	UNCH							
4000	155.00	155.00	----	155.90B/153.00	155.90B/109.70A	----	----	----	----	147.00 + 45.00	.3217	----	150	----	361	+	150							
4050	----	----	----	175.00B/----	175.00B/124.20A	----	----	----	----	165.90 + 49.80	.35													



G664 BULLETIN #186@			METALS OPTION PRODUCTS										Mon, Sep 28, 2026		PG64	
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS														
APR27																
4650	----	----	537.90B/----	537.90B/429.20A	----				522.20 + 07.80	.6968	----	----	----	----	3 UNCH	
4695	----	----	573.60B/----	573.60B/535.30A	----				557.10 + 11.20	.7167	----	----	----	----	1 UNCH	
4700	----	----	577.30B/----	577.30B/539.10A	----				561.00 + 11.60	.7188	----	----	----	----	14 UNCH	
4705	----	----	581.50B/----	581.50B/543.00A	----				565.00 + 12.00	.7209	----	----	----	----	2 UNCH	
4720	----	----	593.50B/----	593.50B/554.60A	----				576.80 + 13.00	.7273	----	----	----	----	9 UNCH	
4725	----	----	597.50B/----	597.50B/558.50A	----				580.80 + 13.30	.7293	----	----	----	----	5 UNCH	
4730	----	----	601.60B/----	601.60B/562.40A	----				584.80 + 13.70	.7314	----	----	----	----	4 UNCH	
4750	----	----	617.80B/----	617.80B/578.10A	----				600.80 + 15.00	.7395	----	----	----	----	1 UNCH	
4765	----	----	630.20B/----	630.20B/590.00A	----				612.90 + 15.90	.7455	----	----	----	----	1 UNCH	
4790	----	----	650.80B/----	650.80B/610.00A	----				633.30 + 17.50	.7552	----	----	----	----	6 UNCH	
4800	----	----	659.00B/----	659.00B/618.10A	----				641.50 + 18.10	.7589	----	----	----	----	15 UNCH	
4825	----	----	679.90B/----	679.90B/638.40A	----				662.20 + 19.70	.7682	----	----	----	----	4 UNCH	
4835	----	----	688.40B/----	688.40B/646.60A	----				670.50 + 20.20	.7717	----	----	----	----	1 UNCH	
4900	----	----	743.80B/----	743.80B/700.70A	----				725.60 + 24.10	.7936	----	----	----	----	2 UNCH	
4905	----	----	748.10B/----	748.10B/704.90A	----				729.80 + 24.30	.7953	----	----	----	----	2 UNCH	
5000	----	----	697.50B/----	697.50B/835.00A	----				812.70 + 29.40	.8231	----	----	----	134 UNCH		
5005	----	----	701.80B/----	701.80B/839.30A	----				817.10 + 29.60	.8244	----	----	----	----	1 UNCH	
5050	875.00	875.00	875.00/852.00	875.00/852.00	----				857.10 + 31.60	.8362	----	200	----	169 +	69	
5060	----	----	749.60B/----	749.60B/887.40A	----				866.10 + 32.10	.8386	----	----	----	25 UNCH		
5150	----	----	830.10B/----	830.10B/967.60A	----				947.60 + 35.60	.8592	----	----	----	1 UNCH		
5200	----	----	875.70B/----	875.70B/1012.90A	----				993.40 + 37.30	.8697	----	----	----	15 UNCH		
5205	----	----	880.20B/----	880.20B/1017.50A	----				998.00 + 37.50	.8706	----	----	----	1 UNCH		
5400	----	----	1,164.70B/----	1164.70B/1197.00A	----				1180.50 + 42.80	.9032	----	----	----	1 UNCH		
5500	----	----	1,261.50B/----	1261.50B/1290.30A	----				1275.90 + 44.90	.9160	----	----	----	2 UNCH		
5600	----	----	1,358.70B/----	1358.70B/1407.70A	----				1372.20 + 46.70	.9270	----	----	----	5 UNCH		
5790	----	----	1,544.40B/----	1544.40B/1591.10A	----				1557.10 + 49.30	.9431	----	----	----	1 UNCH		
5800	----	----	1,554.50B/----	1554.50B/1600.80A	----				1566.90 + 49.40	.9441	----	----	----	5 UNCH		
6000	----	----	1,752.80B/----	1752.80B/1795.90A	----				1763.90 + 51.70	.9561	----	----	----	1 UNCH		
TOTAL													572		7029+ 325	
MAY27																
3000	----	----	13.70B/----	13.70B/14.20A	----				13.60 + 3.40	.0351	----	----	----	----	1 UNCH	
3250	----	----	25.60B/----	25.60B/25.10A	----				24.90 + 7.00	.0635	----	----	----	----	1 UNCH	
3330	----	----	31.50B/----	31.50B/29.50A	----				30.20 + 8.80	.0764	----	----	----	10 UNCH		
3370	----	----	34.80B/----	34.80B/30.40A	----				33.30 + 9.80	.0838	----	----	----	20 UNCH		
3430	----	----	40.40B/----	40.40B/31.90A	----				38.60 + 11.60	.0962	----	----	----	20 UNCH		
3500	----	----	48.90B/----	48.90B/36.00A	----				46.00 + 14.00	.1129	----	----	----	30 UNCH		
3550	50.70	50.70	55.40B/50.70	55.40B/40.40A	----				52.30 + 16.10	.1265	----	1	----	2 +	1	
3600	----	----	62.70B/----	62.70B/45.50A	----				59.30 + 18.10	.1414	----	----	----	15 UNCH		
3700	----	----	80.70B/----	80.70B/57.90A	----				76.30 + 23.20	.1756	----	----	----	1 UNCH		
3725	----	----	85.90B/----	85.90B/61.50A	----				81.20 + 24.60	.1851	----	----	----	35 UNCH		
3750	----	----	91.30B/----	91.30B/65.40A	----				86.40 + 26.10	.1949	----	----	----	32 UNCH		
3780	----	----	98.20B/----	98.20B/70.20A	----				93.00 + 28.00	.2071	----	----	----	1 UNCH		
3790	----	----	100.40B/----	100.40B/72.00A	----				95.30 + 28.60	.2113	----	----	----	2 UNCH		
3800	----	----	103.00B/----	103.00B/73.70A	----				97.70 + 29.30	.2156	----	----	----	29 UNCH		
3815	----	----	106.80B/----	106.80B/76.50A	----				101.30 + 30.30	.2221	----	----	----	25 UNCH		
3820	----	----	108.10B/----	108.10B/77.40A	----				102.50 + 30.60	.2242	----	----	----	50 UNCH		
3850	----	----	116.10B/----	116.10B/83.10A	----				110.20 + 32.70	.2377	----	----	----	4 UNCH		
3870	----	----	121.60B/----	121.60B/87.20A	----				115.70 + 34.20	.2470	----	----	----	20 UNCH		
3900	----	----	130.40B/----	130.40B/93.70A	----				124.20 + 36.40	.2612	----	----	200 UNCH			
3980	----	----	156.80B/----	156.80B/112.80A	----				149.40 + 42.60	.3011	----	----	----	1 UNCH		
4000	----	----	163.90B/----	163.90B/118.10A	----				156.30 + 44.20	.3116	----	----	----	22 UNCH		
4035	----	----	177.10B/----	177.10B/128.10A	----				169.00 + 47.20	.3301	----	----	----	1 UNCH		
4050	167.00	167.00	183.20B/167.00	183.20B/132.50A	----				174.70 NEW	.3382	----	10	----	10 +	10	
4065	----	----	188.80B/----	188.80B/137.10A	----				180.50 + 49.80	.3464	----	2	----	249 UNCH		
4075	181.00	181.00	193.10B/181.00	193.10B/140.20A	----				184.40 NEW	.3519	----	1	----	1 +	1	
4100	----	----	203.40B/----	203.40B/148.30A	----				194.50 + 52.90	.3657	----	----	----	65 UNCH		
4115	----	----	209.80B/----	209.80B/153.30A	----				200.80 + 54.20	.3740	----	----	----	2 UNCH		
4200	----	----	249.30B/----	249.30B/184.40A	----				239.10 + 62.10	.4221	----	----	310 UNCH			
4240	----	----	269.60B/----	269.60B/200.60A	----				258.80 + 65.90	.4449	----	----	14 UNCH			
4250	----	----	274.60B/----	274.60B/204.80A	----				263.90 + 66.90	.4507	----	----	1 UNCH			
4270	----	----	285.10B/----	285.10B/213.40A	----				274.20 + 68.70	.4621	----	----	10 UNCH			
4300	----	----	301.00B/----	301.00B/226.80A	----				290.20 + 71.60	.4792	----	----	7 UNCH			
4340	----	----	323.20B/----	323.20B/245.50A	----				312.50 + 75.50	.5016	----	----	1 UNCH			
4350	----	----	328.70B/----	328.70B/250.40A	----				318.20 + 76.40	.5072	----	----	20 UNCH			
4400	----	----	358.90B/----	358.90B/275.50A	----				347.70 + 81.10	.5347	----	----	36 UNCH			
4410	----	----	362.20B/----	362.20B/278.10A	----				350.70 + 81.60	.5374	----	----	31 UNCH			
4415	359.10	359.10	365.10B/359.10	365.10B/281.10A	----				353.70 + 82.00	.5401	----	1	----	1 UNCH		
4450	----	----	390.50B/----	390.50B/302.30A	----				378.60 + 85.70	.5614	----	1	----	15 UNCH		
4470	----	----	403.40B/----	403.40B/313.40A	----				391.40 + 87.50	.5718	----	----	1 UNCH			
4490	----	----	416.70B/----	416.70B/324.70A	----				404.40 + 89.30	.5822	----	----	1 UNCH			
4495	----	----	420.20B/----	420.20B/328.40A	----				407.70 + 89.70	.5847	----	----	1 UNCH			
4500	----	----	423.60B/----	423.60B/330.50A	----				411.00 + 90.20	.5873	----	----	24 UNCH			
4510	----	----	430.50B/----	430.50B/336.30A	----				417.60 + 91.00	.5923	----	----	4 UNCH			
4550	----	----	457.40B/----	457.40B/361.00A	----				444.70 + 94.50	.6122	----	----	1 UNCH			
4575	----	----	474.50B/----	474.50B/375.70A	----				462.00 + 96.60	.6243	----	----	1 UNCH			
4600	----	----	492.40B/----	492.40B/392.20A	----				479.60 + 98.60	.6361	----	----	6 UNCH			
4640	----	----	521.80B/----	521.80B/417.30A	----				508.40 + 01.80	.6545	----	----	1	----	1	
4650	----	----	529.10B/----	529.10B/424.80A	----				515.70 + 02.50	.6590	----	----	100 UNCH			
4700	----	----	566.90B/----	566.90B/457.80A	----				552.80 + 06.10	.6808	----	----	71 UNCH			
4725	----	----	586.20B/----	586.20B/476.10A	----				571.80 + 07.90	.6912	----	----	1 UNCH			
4760	----	----	613.70B/----	613.70B/578.20A	----				598.80 + 10.30	.7053	----	----	1 UNCH			
4775	----	----	625.50B/----	625.50B/589.50A	----				610.50 + 11.30	.7011	----	----	3 UNCH			
5050	----	----	852.10B/----	852.10B/813.30A	----				838.60 + 26.90	.8011	----	----	1 UNCH			
5150	----	----	----	789.40B/971.50A	----				926.40 + 31.10	.8266	----	----	15 UNCH			
TOTAL													15		1851+ 12	
JUN27																
2000	----	----	----	1.80B/2.90A	----				2.40 + 0.50	.0050	----	----	----	----	2 UNCH	
2100	----	----	----	2.30B/3.40A	----				2.90 + 0.60	.0061	----	----	----	----	1 UNCH	
2400	----	----	4.50B/----	4.50B/5.60A	----				5.10 + 1.10	.0115	----	----	----	----	1 UNCH	
2600	----	----	6.90B/----	6.90B/8.10A	----				7.30 + 1.50	.0171	----	----	----	----	1 UNCH	
2800	10.60	10.60	10.80B/10.60	10.80B/10.60	----				10.70 + 2.10	.0257	----	16	----	216 +	16	
2900	----	----	13.40B/----	13.40B/14.10A	----				13.20 + 2.80	.0320	----	----	----	2 UNCH		
3000	16.70	16.70	16.80B/16.70	16.80B/16.70	----				16.50 + 3.70	.0400	----	5	----	121 -	5	
3300	32.50	32.50	35.00B/32.50	35.00B/32.50	----				33.90 + 9.50	.0799	----	5	----	110 UNCH		
3500	----	----	57.50B/----	57.50B/45.20A	----				55.20 + 16.10	.1243	----	----	542 UNCH			
3575	57.50	57.50	68.80B/57.50	68.80B/53.50A	----				66.10 + 19.30	.1457	----	2	----	2 +	1	
3600	67.40	67.40	73.10B/67.40	73.10B/56.60A	----				70.20 + 20.40	.1534	----	7	----	63 +	1	
3625	----	----	77.50B/----	77.50B/59.80A	----				74.50 + 21.70	.1615	----	----	----	455 UNCH		
3650	----	----	82.30B/----	82.30B/63.20A	----				79.00 + 22.90	.1698	----	----	2 UNCH			
3655	81.60	81.60	83.30B/81.60	83.30B/64.00A	----											

BULLETIN #186@														METALS OPTION PRODUCTS										Mon, Sep 28, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST												
OG PUT	COMEX GOLD OPTIONS																									
JUN27																										
4365	----	----	----	355.10B/----	355.10B/280.60A	----	----	345.00 + 77.30	.5099	----	----	----	----	1	UNCH											
4370	----	----	----	359.10B/----	359.10B/283.40A	----	----	348.00 + 77.80	.5125	----	----	----	----	1	UNCH											
4375	----	----	----	360.90B/----	360.90B/285.90A	----	----	350.90 + 78.30	.5151	----	----	----	----	34	UNCH											
4380	----	----	----	363.80B/----	363.80B/288.50A	----	----	353.90 + 78.80	.5177	----	----	----	----	3	UNCH											
4385	----	----	----	366.90B/----	366.90B/290.80A	----	----	356.80 + 79.10	.5202	----	----	----	----	1	UNCH											
4390	----	----	----	371.20B/----	371.20B/293.30A	----	----	359.80 + 79.60	.5228	----	----	----	----	1	UNCH											
4400	----	----	----	376.90B/----	376.90B/298.80A	----	----	365.80 + 80.50	.5279	----	----	----	----	29	UNCH											
4405	----	----	----	378.80B/----	378.80B/301.40A	----	----	368.80 + 80.90	.5304	----	----	----	----	1	UNCH											
4410	----	----	----	382.60B/----	382.60B/304.10A	----	----	371.90 + 81.40	.5330	----	----	----	----	3	UNCH											
4415	----	----	----	385.20B/----	385.20B/306.40A	----	----	374.90 + 81.80	.5355	----	----	----	----	3	UNCH											
4420	----	----	----	388.10B/----	388.10B/309.10A	----	----	378.00 + 82.30	.5380	----	----	----	----	4	UNCH											
4430	----	----	----	394.80B/----	394.80B/314.50A	----	----	384.10 + 83.10	.5431	----	----	----	----	1	UNCH											
4435	----	----	----	398.70B/----	398.70B/317.50A	----	----	387.20 + 83.50	.5456	----	----	----	----	2	UNCH											
4450	----	----	----	407.70B/----	407.70B/325.40A	----	----	396.60 + 84.90	.5530	----	----	----	----	10	UNCH											
4460	408.00	408.00		414.10B/408.00	414.10B/330.90A	----	----	402.90 + 85.70	.5579	----	----	1	----	2	UNCH											
4470	----	----	----	420.90B/----	420.90B/336.50A	----	----	409.30 + 86.60	.5628	----	----	----	----	1	UNCH											
4490	----	----	----	433.70B/----	433.70B/347.90A	----	----	422.10 + 88.20	.5726	----	----	----	----	3	UNCH											
4495	----	----	----	437.00B/----	437.00B/350.80A	----	----	425.40 + 88.70	.5750	----	----	----	----	1	UNCH											
4500	422.70	422.70		440.20B/421.10	440.20B/353.60A	----	----	428.60 + 89.00	.5774	----	----	4	----	1387	- 1											
4505	----	----	----	443.80B/----	443.80B/356.60A	----	----	431.90 + 89.40	.5798	----	----	----	----	1	UNCH											
4515	----	----	----	450.50B/----	450.50B/362.50A	----	----	438.50 + 90.30	.5846	----	----	----	----	1	UNCH											
4545	----	----	----	470.80B/----	470.80B/380.30A	----	----	458.50 + 92.60	.5987	----	----	----	----	1	UNCH											
4550	----	----	----	474.20B/----	474.20B/383.30A	----	----	461.90 + 93.10	.6010	----	----	----	----	92	UNCH											
4600	----	----	----	508.20B/----	508.20B/414.30A	----	----	496.40 + 96.90	.6237	----	1	----	----	1	UNCH											
4605	----	----	----	511.90B/----	511.90B/417.60A	----	----	499.90 + 97.30	.6259	----	----	----	----	1	UNCH											
4620	----	----	----	522.60B/----	522.60B/427.10A	----	----	510.50 + 98.40	.6325	----	----	----	----	1	UNCH											
4625	----	----	----	526.20B/----	526.20B/430.30A	----	----	514.00 + 98.80	.6347	----	----	----	----	38	UNCH											
4650	----	----	----	544.50B/----	544.50B/446.60A	----	----	532.00 + 00.60	.6454	----	----	----	----	250	UNCH											
4655	----	----	----	548.40B/----	548.40B/449.90A	----	----	535.60 + 01.00	.6476	----	----	----	----	5	UNCH											
4680	----	----	----	566.80B/----	566.80B/466.60A	----	----	553.80 + 02.70	.6580	----	----	----	----	1	UNCH											
4700	----	----	----	581.90B/----	581.90B/480.20A	----	----	568.60 + 04.10	.6662	----	----	----	----	75	UNCH											
4760	----	----	----	627.90B/----	627.90B/521.90A	----	----	613.90 + 08.10	.6898	----	----	----	----	15	UNCH											
4790	----	----	----	651.40B/----	651.40B/616.80A	----	----	637.10 + 10.00	.7011	----	----	----	----	30	UNCH											
4850	----	----	----	699.20B/----	699.20B/663.00A	----	----	684.40 + 13.60	.7225	----	----	----	----	59	UNCH											
4865	----	----	----	711.30B/----	711.30B/674.90A	----	----	696.40 + 14.50	.7277	----	----	----	----	75	UNCH											
4900	----	----	----	739.90B/----	739.90B/702.50A	----	----	724.70 + 16.40	.7393	----	----	----	----	1	UNCH											
4905	----	----	----	744.00B/----	744.00B/706.50A	----	----	728.80 + 16.70	.7409	----	----	----	----	1	UNCH											
5000	----	----	----	823.40B/----	823.40B/784.10A	----	----	807.60 + 21.60	.7700	----	----	----	----	3	UNCH											
5085	----	----	----	896.30B/----	896.30B/855.50A	----	----	880.10 + 25.60	.7933	----	----	----	----	150	UNCH											
TOTAL												645	460	11855	- 43											
JUL27																										
3000	19.20	19.20		19.20/19.20	19.20/19.20	----	----	19.70 NEW	.0439	----	----	1	----	1	+											
3300	----	----	----	38.90B/----	38.90B/35.70A	----	----	38.40 + 10.10	.0835	----	----	----	----	1	UNCH											
3500	----	----	----	62.40B/----	62.40B/48.60A	----	----	60.40 + 16.40	.1261	----	----	----	----	2	UNCH											
3800	----	----	----	122.10B/----	122.10B/92.70A	----	----	117.70 + 31.10	.2223	----	----	----	----	7	UNCH											
3905	----	----	----	152.50B/----	152.50B/115.80A	----	----	146.90 NEW	.2651	----	----	3	----	3	+											
4150	----	----	----	244.90B/----	244.90B/189.10A	----	----	236.60 + 55.80	.3786	----	----	----	----	1	UNCH											
4310	314.10	314.10		324.00B/314.10	324.00B/254.00A	----	----	314.00 NEW	.4583	----	----	3	----	3	+											
4315	316.10	316.10		326.00B/316.10	326.00B/256.20A	----	----	316.70 NEW	.4608	----	----	2	----	2	+											
4350	----	----	----	345.40B/----	345.40B/273.00A	----	----	335.80 NEW	.4781	----	----	5	----	5	+											
4400	----	----	----	371.10B/----	371.10B/297.30A	----	----	364.00 NEW	.5024	----	----	5	----	5	+											
4475	----	----	----	417.50B/----	417.50B/335.70A	----	----	408.30 + 83.30	.5382	----	----	----	----	3	UNCH											
4500	----	----	----	433.10B/----	433.10B/350.00A	----	----	423.70 + 85.30	.5499	----	----	----	----	5	UNCH											
4535	----	----	----	455.80B/----	455.80B/369.00A	----	----	445.90 + 88.00	.5659	----	----	----	----	3	UNCH											
4540	----	----	----	459.10B/----	459.10B/372.60A	----	----	449.20 + 88.50	.5682	----	----	----	----	2	UNCH											
4565	----	----	----	474.40B/----	474.40B/386.40A	----	----	465.60 + 90.30	.5793	----	----	----	----	1	UNCH											
TOTAL												19		44+	19											
AUG27																										
3000	24.00	24.00		24.00/24.00	24.00/24.00	----	----	23.60 NEW	.0494	----	----	1	----	1	+											
3400	55.00	55.00		56.80B/55.00	56.80B/55.00	----	----	57.20 NEW	.1128	----	----	1	----	1	+											
3500	----	----	----	70.90B/----	70.90B/67.60A	----	----	70.60 + 18.40	.1363	----	----	----	----	1	UNCH											
4000	----	----	----	199.30B/----	199.30B/187.40A	----	----	193.70 + 44.80	.3126	----	----	1	----	4	+											
4065	----	----	----	224.00B/----	224.00B/210.70A	----	----	218.50 + 49.30	.3416	----	----	----	----	300	UNCH											
4200	----	----	----	283.80B/----	283.80B/265.50A	----	----	277.20 + 59.40	.4041	----	----	----	----	3	UNCH											
4505	----	----	----	446.90B/----	446.90B/429.90A	----	----	444.20 + 83.10	.5450	----	----	----	----	2	UNCH											
4535	----	----	----	466.10B/----	466.10B/455.20A	----	----	463.20 + 85.30	.5579	----	----	----	----	2	UNCH											
4555	----	----	----	479.20B/----	479.20B/467.70A	----	----	476.10 + 86.70	.5665	----	----	----	----	2	UNCH											
4565	----	----	----	486.00B/----	486.00B/474.00A	----	----	482.60 + 87.40	.5707	----	----	----	----	1	UNCH											
4600	----	----	----	509.50B/----	509.50B/496.70A	----	----	505.80 NEW	.5852	----	----	1	----	1	+											
4665	----	----	----	554.60B/----	554.6																					

PG64 BULLETIN #186@										METALS OPTION PRODUCTS										Mon, Sep 28, 2026		PG64
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST										
OG CALL		COMEX GOLD OPTIONS																				
NOV26																						
3800	----	----	----/358.60A	509.60B/358.60A	----	380.10 - 44.90	.9134	----	----	1	----	4 +	1									
3830	----	----	----/331.10A	479.70B/331.10A	----	352.40 - 43.30	.8988	----	----	----	----	3	UNCH									
3840	----	----	----/322.10A	470.70B/322.10A	----	343.20 - 42.80	.8935	----	----	----	----	1	UNCH									
3850	----	----	----/313.20A	460.30B/313.20A	----	334.10 - 42.20	.8878	----	----	----	----	2	UNCH									
3865	----	----	----/299.90A	446.60B/299.90A	----	320.60 - 41.20	.8787	----	----	----	----	4	UNCH									
3870	----	----	----/295.50A	441.80B/295.50A	----	316.10 - 40.90	.8756	----	----	----	----	1	UNCH									
3875	----	----	----/291.10A	437.00B/291.10A	----	311.70 - 40.50	.8720	----	----	----	----	1	UNCH									
3885	----	----	----/282.40A	427.40B/282.40A	----	302.80 - 39.70	.8651	----	----	----	----	1	UNCH									
3890	316.00	316.00	316.00/278.10A	422.60B/278.10A	----	298.40 - NEW	.8619	----	1	----	1 +	1	UNCH									
3900	----	----	----/269.50A	412.30B/269.50A	----	289.60 - 38.50	.8545	----	----	----	----	4	UNCH									
3905	----	----	----/265.20A	408.30B/265.20A	----	285.20 - 38.10	.8504	----	----	----	----	1	UNCH									
3910	----	----	----/261.00A	403.50B/261.00A	----	280.90 - 37.70	.8467	----	----	----	----	1	UNCH									
3915	----	----	----/256.90A	398.80B/256.90A	----	276.60 - 37.20	.8425	----	----	----	----	1	UNCH									
3920	----	----	----/252.60A	393.30B/252.60A	----	272.30 - 36.80	.8384	----	----	51	----	51 +	50									
3925	----	----	----/248.40A	389.30B/248.40A	----	268.00 - 36.30	.8342	----	----	----	----	2	UNCH									
3930	----	----	----/244.30A	384.60B/244.30A	----	263.70 - 35.90	.8300	----	----	----	----	2	UNCH									
3935	----	----	----/240.20A	385.20B/240.20A	----	259.50 - 35.30	.8254	----	----	----	----	2	UNCH									
3940	----	----	----/236.20A	380.40B/236.20A	----	255.30 - 34.80	.8208	----	----	----	----	14	UNCH									
3945	----	----	----/232.20A	375.70B/232.20A	----	251.10 - 34.30	.8162	----	----	----	----	1	UNCH									
3950	----	----	----/228.00A	371.00B/228.00A	----	247.00 - 33.70	.8116	----	----	----	----	1	UNCH									
3955	----	----	----/224.00A	366.40B/224.00A	----	242.90 - 33.10	.8066	----	----	----	----	1	UNCH									
3960	----	----	----/220.20A	361.70B/220.20A	----	238.80 - 32.50	.8016	----	----	----	----	2	UNCH									
3985	----	----	----/200.70A	338.50B/200.70A	----	218.70 - 29.40	.7750	----	----	----	----	1	UNCH									
3990	----	----	----/196.90A	333.90B/196.90A	----	214.80 - 28.70	.7696	----	----	----	----	3	UNCH									
3995	----	----	----/193.30A	329.40B/193.30A	----	210.90 - 28.00	.7638	----	----	----	----	1	UNCH									
4000	223.20	223.20	223.20/189.60A	324.80B/189.60A	----	207.00 - 27.30	.7578	----	388	----	408 +	370	UNCH									
4005	----	----	----/185.90A	320.30B/185.90A	----	203.20 - 26.50	.7520	----	----	----	----	2	UNCH									
4010	----	----	----/182.30A	315.70B/182.30A	----	199.40 - 25.80	.7459	----	----	----	----	4	UNCH									
4015	----	----	----/178.50A	311.20B/178.50A	----	195.70 - 25.00	.7396	----	----	----	----	2	UNCH									
4020	----	----	----/175.10A	306.70B/175.10A	----	191.90 - 24.20	.7335	----	----	----	----	2	UNCH									
4030	----	----	----/168.10A	297.80B/168.10A	----	184.60 - 22.60	.7207	----	----	----	----	174	UNCH									
4035	----	----	----/164.50A	293.30B/164.50A	----	181.00 - 21.70	.7141	----	----	----	----	2	UNCH									
4040	----	----	----/161.20A	288.90B/161.20A	----	177.40 - 20.90	.7074	----	----	----	----	4	UNCH									
4045	----	----	----/157.70A	284.50B/157.70A	----	173.80 - 20.00	.7007	----	----	----	----	1	UNCH									
4050	----	----	----/154.50A	280.10B/154.50A	----	170.30 - 19.10	.6938	----	2	----	369	UNCH										
4065	166.50	166.50	166.50/144.60A	267.10B/144.60A	----	160.00 - 16.30	.6726	----	5	----	20 +	5	UNCH									
4070	----	----	----/141.50A	262.80B/141.50A	----	156.60 - 15.40	.6655	----	----	----	----	5	UNCH									
4075	146.40	146.40	146.40/138.30A	258.50B/138.30A	----	153.30 - 14.40	.6581	----	1	----	7	UNCH										
4080	143.40	143.40	143.40/135.20A	254.30B/135.20A	----	150.00 - 13.40	.6508	----	9	----	39	UNCH										
4085	156.00	156.00	156.00/132.20A	250.00B/132.20A	----	146.80 - 12.40	.6434	----	24	----	87 -	2	UNCH									
4090	137.30	137.30	148.00/129.40A	245.90B/129.40A	----	143.60 - 11.30	.6359	----	5	----	12 +	1	UNCH									
4095	134.20	134.20	134.20/126.20A	241.70B/126.20A	----	140.40 - 10.30	.6283	----	1	----	16	UNCH										
4100	131.10	131.10	131.10/123.50A	237.50B/123.50A	----	137.30 - 09.30	.6206	----	57	----	339 +	12	UNCH									
4105	----	----	----/120.60A	233.40B/120.60A	----	134.20 - 08.20	.6129	----	----	----	16	UNCH										
4110	----	----	----/117.60A	229.30B/117.60A	----	131.20 - 07.10	.6051	----	1	----	27	UNCH										
4115	----	----	----/114.80A	225.30B/114.80A	----	128.20 - 06.00	.5973	----	----	----	20	UNCH										
4120	----	----	----/112.20A	221.30B/112.20A	----	125.30 - 04.80	.5894	----	1	----	22 +	1	UNCH									
4125	130.40	130.40	130.40/109.50A	217.30B/109.50A	----	122.40 - 03.70	.5815	----	50	----	152 +	42	UNCH									
4130	128.70	128.70	128.70/106.70A	213.30B/106.70A	----	119.60 - 02.50	.5735	----	5	----	19 +	3	UNCH									
4135	124.50	124.50	124.50/104.10A	209.40B/104.10A	----	116.80 - 01.30	.5654	----	10	----	68 +	5	UNCH									
4140	----	----	----/101.70A	205.50B/101.70A	----	114.00 - 00.10	.5574	----	----	----	15	UNCH										
4145	112.70	112.70	118.40/99.00A	201.60B/99.00A	----	111.30 - 98.90	.5493	----	14	----	24 +	12	UNCH									
4150	115.50	115.50	116.20/96.70A	197.80B/96.70A	----	108.60 - 97.80	.5412	----	94	----	596 +	46	UNCH									
4155	110.90	110.90	110.90/94.20A	194.00B/94.20A	----	106.00 - 96.50	.5331	----	12	----	53 +	6	UNCH									
4160	97.50	97.50	106.00/91.70A	190.30B/91.70A	----	103.40 - 95.30	.5250	----	47	----	40 +	26	UNCH									
4165	----	----	----/89.50A	186.50B/89.50A	----	100.90 - 94.00	.5168	----	3	----	20 +	3	UNCH									
4170	89.80	89.80	89.80/87.20A	182.90B/87.20A	----	98.40 - 92.80	.5087	----	17	----	20 +	11	UNCH									
4175	104.50	104.50	112.80/84.90A	179.20B/84.90A	----	96.00 - 91.50	.5005	----	108	----	110 +	100	UNCH									
4180	114.20	114.20	114.20/82.70A	175.60B/82.70A	----	93.60 - 90.20	.4924	----	29	----	33 +	27	UNCH									
4185	----	----	----/80.50A	172.00B/80.50A	----	91.20 - 89.00	.4842	----	24	----	29 +	24	UNCH									
4190	99.30	99.30	101.40/78.40A	168.50B/78.40A	----	88.90 - 87.70	.4761	----	51	----	35 +	26	UNCH									
4195	100.50	100.50	101.00/76.30A	165.00B/76.30A	----	86.60 - 86.50	.4680	----	19	----	40 +	15	UNCH									
4200	98.50	98.50	98.50/74.30A	161.60B/74.30A	----	84.30 - 85.20	.4599	----	700	----	884 +	371	UNCH									
4205	89.00	89.00	91.00/72.30A	158.20B/72.30A	----	82.10 - 84.00	.4518	----	12	----	17 +	5	UNCH									
4210	99.70	99.70	100.30/70.40A	154.80B/70.40A	----	80.00 - 82.70	.4438	----	2	----	110 +	7	UNCH									
4215	98.60	98.60	98.60/68.40A	151.50B/68.40A	----	77.90 - 81.40	.4358	----	4	----	6 +	4	UNCH									
4220	98.00	98.00	98.00/66.60A	148.20B/66.60A	----	75.80 - 80.10	.4277	----	41	----	45 +	34	UNCH									
4225	93.70	93.70	93.70/64.70A	145.00B/64.70A	----	73.70 - 78.90	.4197	----	39	150	259 +	135	UNCH									
4230	99.80	99.80	99.80/63.00A	141.80B/63.00A	----	71.70 - 77.70	.4118	----	42	----	41 +	34	UNCH									
4235	100.00	100.00	100.00/61.20A	138.60B/61.20A	----	69.80 - 76.40	.4040	----	24	----	83 +	20	UNCH									
4240	98.60	98.60	98.60/59.50A	135.50B/59.50A	----	67.90 - 75.10	.3962	----	4	----	5 +	2	UNCH									
4245	95.90	95.90	99.00/57.80A	132.50B/57.80A	----	66.00 - 73.80	.3884	----	21	----	89 +	12	UNCH									
4250	98.50	98.50	100.80/56.20A	129.50B/56.20A	----	64.20 - 72.50	.3807	----	579	----	601 +	193	UNCH									
4255	98.20	98.20	98.20/54.60A	126.50B/54.60A	----	62.40 - 71.30	.3731	----	14	----	31 +	6	UNCH									
4260	95.60	95.60	95.60/53.00A	123.50B/53.00A	----	60.70 - 70.00	.3656	----	16	----	7 -	2	UNCH									
4265	94.70	94.70	94.70/51.50A	120.70B/51.50A	----	59.00 - 68.70	.3581	----	15	----	10 +	8	UNCH									
4270	86.10	86.10	89.40/50.10A	117.80B/50.10A	----	57.40 - 67.40	.3507	----	10	----	12 +	8	UNCH									
4275	89.40	89.40	89.40/48.60A	115.00B/48.60A	----	55.80 - 66.10	.3434	----	194	----	123 +	3	UNCH									
4280	87.10	87.10	87.10/47.20A	112.30B/47.20A	----	54.20 - 64.90	.3361	----	9	----	9 +	3	UNCH									
4285	84.00	84.00	84.00/45.90A	109.60B/45.90A	----	52.60 - 63.70	.3288	----	4	----	20 +	1	UNCH									
4290	82.00	82.00	82.00/44.50A	106.90B/44.50A	----	51.20 - 62.40	.3219	----	5	----	14 +	1	UNCH									
4295	79.80	79.80	79.80/43.20A	104.30B/43.20A	----	49.70 - 61.20	.3149	----	20	----	102 +	10	UNCH									
4300	76.30	76.30	76.30/42.00A	101.70B/42.00A	----	48.30 - 60.00	.3080	----	550	----	1798 +	65	UNCH									
4305	52.00	52.00	53.30/40.70A	99.20B/40.70A	----	46.90 - 58.80	.3011	----	34	----	55 +	31	UNCH									
4310	63.90	63.90	63.90/39.50A	96.70B/39.50A	----	45.50 - 57.70	.2943	----	6	----	255 +	4	UNCH									
4315	----	----	----/38.40A	94.30B/38.40A	----	44.20 - 56.50	.2877	----	----	----	26	UNCH										
4320	51.50	51.50	52.00/37.20A	91.90B/37.20A	----	42.90 - 55.30	.2811	----	37	----	206 -	156	UNCH									
4325	58.30	58.30	58.30/36.10A	89.50B/36.10A	----	41.60 - 54.20	.2745	----	79	----	348 +	16	UNCH									
4330	79.70	79.70	79.70/35.00A	87.20B/35.00A	----	40.40 - 53.00	.2682	----	55	----	166 -	10	UNCH									
4335	39.10	39.10	39.10/34.00A	85.00B/34.00A	----	39.20 - 51.90	.2620	----	230	----	346 +	190	UNCH									
4340	75.50	75.50	75.50/33.00A	82.80B/33.00A	----	38.10 - 50.60	.2560	----	59	----	67 +	25	UNCH									
4345	40.40	40.40	42.40/32.00A	80.60B/32.00A	----	36.90 - 49.60	.2497	----	33	----	65 +	11	UNCH									
4350	70.00	70.00	70.00/31.00A	78.50B/31.00A	----	35.80 - 48.50	.2437	----														

BULLETIN #186@				METALS OPTION PRODUCTS										Mon, Sep 28, 2026				PG64		
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE		OUTCRY RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL		COMEX GOLD OPTIONS																		
NOV26																				
4575	11.60	11.60		11.60/8.00A		21.00B/8.00A	----				9.20	- 14.10	.0744	----	----	133	----		306 +	70
4580	8.90	8.90		8.90/7.80A		20.30B/7.80A	----				8.90	- 13.70	.0722	----	----	19	----		93 -	1
4585	8.90	8.90		8.90/7.60A		19.70B/7.60A	----				8.70	- 13.30	.0706	----	----	9	----		174 +	7
4590	----	----		----/7.40A		19.10B/7.40A	----				8.40	- 12.90	.0684	----	----	7	----		182 -	3
4595	9.10	9.10		9.10/7.20A		18.50B/7.20A	----				8.20	- 12.50	.0668	----	----	7	----		100	UNCH
4600	13.30	13.30		13.40/7.00A		17.90B/7.00A	----				8.00	- 12.10	.0652	----	----	1654	100		4357 +	285
4605	7.90	7.90		7.90/6.80A		17.50B/6.80A	----				7.70	- 11.80	.0631	----	----	3	----		78 +	1
4610	----	----		----/6.60A		16.90B/6.60A	----				7.50	- 11.40	.0615	----	----	4	----		132 +	1
4615	8.70	8.70		8.70/6.40A		16.50B/6.40A	----				7.30	- 11.10	.0599	----	----	10	----		154 -	1
4620	7.80	7.80		7.80/6.30A		15.90B/6.30A	----				7.10	- 10.70	.0584	----	----	5	----		242 -	1
4625	----	----		----/6.10A		15.50B/6.10A	----				6.90	- 10.40	.0568	----	----	75	----		90 +	2
4630	----	----		----/6.00A		15.00B/6.00A	----				6.80	- 10.00	.0558	----	----	4	----		67	UNCH
4635	6.60	6.60		6.60/5.80A		14.60B/5.80A	----				6.60	- 9.70	.0543	----	----	3	----		96 +	3
4640	10.80	10.80		10.80/5.70A		14.20B/5.70A	----				6.40	- 9.50	.0528	----	----	17	----		226 +	10
4645	9.20	9.20		9.20/5.50A		13.70B/5.50A	----				6.30	- 9.10	.0518	----	----	13	----		152 +	6
4650	10.00	10.00		10.00/5.40A		13.40B/5.40A	----				6.10	- 8.90	.0503	----	----	417	----		1421 -	164
4655	5.70	5.70		5.70/5.30A		13.00B/5.30A	----				6.00	- 8.50	.0494	----	----	12	----		204	UNCH
4660	----	----		----/5.10A		12.60B/5.10A	----				5.80	- 8.30	.0479	----	----	59	----		163 +	49
4665	5.70	5.70		6.10/5.00A		12.20B/5.00A	----				5.70	- 8.00	.0470	----	----	4	----		250	UNCH
4670	8.60	8.60		8.60/4.90A		11.90B/4.90A	----				5.50	- 7.80	.0455	----	----	1	----		140	UNCH
4675	8.60	8.60		8.60/4.80A		11.60B/4.80A	----				5.40	- 7.60	.0446	----	----	18	----		773 -	1
4680	----	----		----/4.70A		11.20B/4.70A	----				5.30	- 7.30	.0437	----	----	4	----		219 -	1
4685	----	----		----/4.60A		10.90B/4.60A	----				5.20	- 7.10	.0429	----	----	1	----		241	UNCH
4690	6.80	6.80		6.80/4.50A		10.60B/4.50A	----				5.00	- 6.90	.0414	----	----	5	----		255 +	4
4695	----	----		----/4.40A		10.30B/4.40A	----				4.90	- 6.70	.0405	----	----	2	----		162 -	2
4700	9.30	9.30		9.30/4.30A		10.00B/4.30A	----				4.80	- 6.50	.0397	----	----	466	----		3871 +	6
4705	----	----		----/4.20A		9.80B/4.20A	----				4.70	- 6.30	.0388	----	----	1	----		94 -	1
4710	----	----		----/4.10A		9.50B/4.10A	----				4.60	- 6.10	.0380	----	----	2	----		152 +	2
4715	4.60	4.60		4.60/4.00A		9.10B/4.00A	----				4.50	- 5.90	.0371	----	----	7	----		88 +	4
4720	----	----		----/3.90A		9.00B/3.90A	----				4.40	- 5.70	.0363	----	----	1	----		118 -	1
4725	4.80	4.80		4.80/3.90A		8.60B/3.90A	----				4.30	- 5.50	.0355	----	----	6	----		291 +	2
4730	----	----		----/3.80A		8.50B/3.80A	----				4.20	- 5.40	.0346	----	----	----	----		171	UNCH
4735	5.50	5.50		5.50/3.70A		8.20B/3.70A	----				4.10	- 5.20	.0338	----	----	3	----		135	UNCH
4740	----	----		----/3.60A		8.00B/3.60A	----				4.00	- 5.10	.0330	----	----	1	----		137	UNCH
4745	----	----		----/3.60A		7.80B/3.60A	----				4.00	- 4.80	.0328	----	----	----	----		32	UNCH
4750	8.00	8.00		8.00/3.50A		8.00/3.50A	----				3.90	- 4.70	.0320	----	----	175	100		1785 -	186
4755	----	----		----/3.40A		7.40B/3.40A	----				3.80	- 4.60	.0312	----	----	2	----		132 -	1
4760	----	----		----/3.40A		7.20B/3.40A	----				3.70	- 4.50	.0304	----	----	1	----		71	UNCH
4765	----	----		----/3.30A		7.00B/3.30A	----				3.70	- 4.20	.0302	----	----	----	----		69	UNCH
4770	----	----		----/3.20A		6.80B/3.20A	----				3.60	- 4.10	.0295	----	----	1	----		72	UNCH
4775	5.00	5.00		5.00/3.20A		6.60B/3.20A	----				3.50	- 4.10	.0287	----	----	29	----		263 -	11
4780	----	----		----/3.10A		6.50B/3.10A	----				3.40	- 4.00	.0279	----	----	----	----		117	UNCH
4785	----	----		----/3.10A		6.30B/3.10A	----				3.40	- 3.80	.0277	----	----	19	----		57 -	7
4790	----	----		----/3.00A		6.20B/3.00A	----				3.30	- 3.70	.0270	----	----	1	----		40	UNCH
4795	----	----		----/2.90A		6.00B/2.90A	----				3.30	- 3.50	.0268	----	----	1	----		130	UNCH
4800	4.60	4.60		4.60/2.90A		5.90B/2.90A	----				3.20	- 3.50	.0261	----	----	413	----		3527 -	46
4805	4.70	4.70		4.70/2.90A		5.80B/2.90A	----				3.10	- 3.40	.0253	----	----	21	----		84	UNCH
4810	5.40	5.40		5.40/2.80A		5.60B/2.80A	----				3.10	- 3.30	.0252	----	----	12	----		89 -	2
4815	----	----		----/2.80A		5.50B/2.80A	----				3.00	- 3.20	.0244	----	----	1	----		64 -	1
4820	----	----		----/2.70A		5.30B/2.70A	----				3.00	- 3.10	.0243	----	----	2	----		356 -	1
4825	----	----		----/2.70A		5.20B/2.70A	----				2.90	- 3.10	.0235	----	----	2	----		266	UNCH
4830	----	----		----/2.60A		5.10B/2.60A	----				2.90	- 2.90	.0234	----	----	----	----		41	UNCH
4835	----	----		----/2.60A		5.00B/2.60A	----				2.80	- 2.90	.0227	----	----	----	----		112	UNCH
4840	----	----		----/2.50A		4.90B/2.50A	----				2.80	- 2.80	.0225	----	----	----	----		53	UNCH
4845	3.80	3.80		3.80/2.50A		4.80B/2.50A	----				2.80	- 2.70	.0224	----	----	2	----		70 +	1
4850	4.20	4.20		4.20/2.50A		4.70B/2.50A	----				2.70	- 2.70	.0217	----	----	192	----		1590 +	80
4855	2.60	2.60		2.60/2.40A		4.60B/2.40A	----				2.70	- 2.60	.0216	----	----	3	----		66	UNCH
4860	----	----		----/2.40A		4.50B/2.40A	----				2.60	- 2.60	.0208	----	----	1	----		176 -	1
4865	----	----		----/2.40A		4.40B/2.40A	----				2.60	- 2.40	.0207	----	----	----	----		36	UNCH
4870	----	----		----/2.30A		4.20B/2.30A	----				2.60	- 2.30	.0206	----	----	2	----		41 -	2
4875	2.60	2.60		2.60/2.30A		4.20B/2.30A	----				2.50	- 2.30	.0199	----	----	10	----		190 +	7
4880	----	----		----/2.30A		4.10B/2.30A	----				2.50	- 2.30	.0198	----	----	----	----		522	UNCH



CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY



GLOBEX		OPEN OUTCRY		GLOBEX		OPEN OUTCRY		OPEN OUTCRY		SETT.PRICE		DELTA		EXER		OPEN		GLOBEX®		PNT		OPEN	
OPEN		OPEN RANGE		HIGH/LOW		HIGH/LOW		CLOSE RANGE		& PT.CHGE.				CISES		OUTCRY VOLUME		VOLUME		VOLUME		INTEREST	
OG CALL		COMEX GOLD OPTIONS																					
DEC26																							
3720	493.60	493.60	493.60/448.30A	593.50B/448.30A	----	469.60	NEW	.8884	----	----	5	----	5	+	5								
3750	----	----	----/421.70A	565.20B/421.70A	----	442.80	-39.00	.8749	----	----	----	----	7	UNCH	7								
3755	----	----	----/417.40A	560.70B/417.40A	----	438.40	-38.70	.8726	----	----	----	----	3	UNCH	3								
3760	----	----	----/413.00A	561.50B/413.00A	----	433.90	-38.40	.8701	----	----	----	----	2	UNCH	2								
3765	----	----	----/408.80A	556.80B/408.80A	----	429.50	-38.10	.8676	----	----	----	----	8	UNCH	8								
3770	----	----	----/404.40A	552.10B/404.40A	----	425.20	-37.70	.8650	----	----	----	----	1	UNCH	1								
3775	----	----	----/400.10A	547.50B/400.10A	----	420.80	-37.40	.8625	----	----	----	----	2	UNCH	2								
3785	----	----	----/391.50A	538.10B/391.50A	----	412.10	-36.70	.8573	----	----	----	----	4	UNCH	4								
3790	----	----	----/387.20A	533.50B/387.20A	----	407.70	-36.40	.8545	----	----	----	----	1	UNCH	1								
3800	----	----	----/378.80A	524.20B/378.80A	----	399.10	-35.70	.8490	----	----	2	----	25	+	2								
3840	----	----	----/345.70A	487.40B/345.70A	----	365.30	-32.50	.8248	----	----	----	----	1	UNCH	1								
3860	----	----	----/329.50A	469.30B/329.50A	----	348.80	-30.70	.8113	----	----	----	----	1	UNCH	1								
3900	329.00	329.00	329.70/298.10A	433.60B/298.10A	----	316.80	-26.80	.7821	----	----	2	----	41	UNCH	41								
3915	----	----	----/286.90A	420.40B/286.90A	----	305.10	NEW	.7703	----	----	4	----	4	+	4								
3935	----	----	----/272.10A	403.00B/272.10A	----	289.90	-22.90	.7538	----	----	----	----	11	UNCH	11								
3950	----	----	----/261.20A	390.10B/261.20A	----	278.80	-21.00	.7410	----	----	----	----	1	UNCH	1								
3955	----	----	----/257.70A	385.90B/257.70A	----	275.10	-20.40	.7366	----	----	----	----	1	UNCH	1								
3960	----	----	----/254.10A	381.60B/254.10A	----	271.50	-19.70	.7321	----	----	----	----	1	UNCH	1								
3985	----	----	----/236.90A	360.70B/236.90A	----	253.60	-16.50	.7093	----	----	----	----	12	UNCH	12								
3995	----	----	----/230.20A	352.50B/230.20A	----	246.70	-15.10	.6998	----	----	----	----	4	UNCH	4								
4000	265.80	265.80	265.80/226.80A	348.40B/226.80A	----	243.20	-14.40	.6951	----	----	2	----	246	+	1								
4005	----	----	----/223.60A	344.30B/223.60A	----	239.80	-13.70	.6902	----	----	----	----	2	UNCH	2								
4015	----	----	----/217.00A	336.20B/217.00A	----	233.10	-12.30	.6804	----	----	----	----	1	UNCH	1								
4025	----	----	----/210.70A	328.20B/210.70A	----	226.40	-10.90	.6705	----	----	----	----	2	UNCH	2								
4030	----	----	----/207.50A	324.20B/207.50A	----	223.20	-10.00	.6654	----	----	----	----	13	UNCH	13								
4040	----	----	----/201.30A	316.30B/201.30A	----	216.70	-08.60	.6552	----	----	----	----	43	UNCH	43								
4045	----	----	----/198.30A	312.40B/198.30A	----	213.50	-07.80	.6502	----	----	----	----	2	UNCH	2								
4050	----	----	----/195.30A	308.60B/195.30A	----	210.40	-07.00	.6449	----	----	----	----	972	UNCH	972								
4060	----	----	----/189.30A	300.90B/189.30A	----	204.20	-05.40	.6345	----	----	----	----	105	UNCH	105								
4065	----	----	----/186.50A	297.10B/186.50A	----	201.10	-04.70	.6293	----	----	----	----	15	UNCH	15								
4070	----	----	----/183.60A	293.30B/183.60A	----	198.10	-03.80	.6240	----	----	----	----	38	UNCH	38								
4075	----	----	----/180.60A	289.50B/180.60A	----	195.00	-03.10	.6187	----	----	----	----	24	UNCH	24								
4080	----	----	----/177.90A	285.80B/177.90A	----	192.10	-02.20	.6134	----	----	----	----	136	UNCH	136								
4085	----	----	----/175.10A	282.10B/175.10A	----	189.10	-01.50	.6080	----	----	----	----	8	UNCH	8								
4090	----	----	----/172.30A	278.40B/172.30A	----	186.20	-00.60	.6026	----	----	----	----	41	UNCH	41								
4095	185.90	185.90	185.90/169.60A	274.70B/169.60A	----	183.30	-99.80	.5972	----	----	1	----	10	+	1								
4100	194.70	194.70	194.70/166.90A	271.10B/166.90A	----	180.50	-98.90	.5918	----	----	11	----	1258	+	11								
4105	----	----	----/164.00A	267.50B/164.00A	----	177.60	-98.20	.5864	----	----	----	----	15	UNCH	15								
4110	----	----	----/161.50A	263.90B/161.50A	----	174.80	-97.30	.5809	----	----	----	----	170	UNCH	170								
4115	----	----	----/158.70A	260.30B/158.70A	----	172.10	-96.40	.5754	----	----	----	----	18	UNCH	18								
4120	183.20	183.20	183.20/156.20A	256.80B/156.20A	----	169.40	-95.60	.5700	----	----	10	----	28	-	7								
4125	----	----	----/153.70A	253.30B/153.70A	----	166.70	-94.70	.5645	----	----	----	----	21	UNCH	21								
4130	----	----	----/151.10A	249.80B/151.10A	----	164.00	-93.90	.5589	----	----	----	----	701	UNCH	701								
4135	----	----	----/148.60A	246.40B/148.60A	----	161.30	-93.10	.5534	----	----	2	----	51	+	2								
4140	----	----	----/146.20A	242.90B/146.20A	----	158.70	-92.20	.5479	----	----	----	----	69	UNCH	69								
4145	148.10	148.10	149.10/143.60A	239.50B/143.60A	----	156.20	-91.30	.5424	----	----	2	----	39	+	1								
4150	146.30	146.30	151.90/141.30A	236.20B/141.30A	----	153.60	-90.50	.5368	----	----	14	----	235	+	11								
4155	150.00	150.00	154.20/138.80A	232.80B/138.80A	----	151.10	-89.60	.5313	----	----	5	----	19	+	2								
4160	143.40	143.40	143.40/136.60A	229.50B/136.60A	----	148.60	-88.70	.5258	----	----	8	----	128	+	8								
4165	----	----	----/134.30A	226.30B/134.30A	----	146.20	-87.80	.5202	----	----	10	----	49	+	5								
4170	138.50	138.50	142.00/132.00A	223.00B/132.00A	----	143.70	-87.00	.5147	----	----	16	----	79	+	10								
4175	----	----	----/129.70A	219.80B/129.70A	----	141.30	-86.10	.5091	----	----	----	----	826	UNCH	826								
4180	145.30	145.30	145.30/127.50A	216.60B/127.50A	----	139.00	-85.20	.5036	----	----	8	----	17	+	7								
4185	----	----	----/125.30A	213.40B/125.30A	----	136.70	-84.30	.4981	----	----	22	----	32	+	21								
4190	145.50	145.50	145.50/123.10A	210.30B/123.10A	----	134.30	-83.50	.4925	----	----	12	----	445	+	5								
4195	----	----	----/120.90A	207.20B/120.90A	----	132.10	-82.60	.4870	----	----	1	----	2	+	1								
4200	143.10	143.10	143.10/118.80A	204.10B/118.80A	----	129.80	-81.70	.4815	----	----	501	----	1184	+	347								
4205	----	----	----/116.80A	201.10B/116.80A	----	127.60	-80.80	.4760	----	----	----	----	14	UNCH	14								
4210	----	----	----/114.70A	198.10B/114.70A	----	125.40	-80.00	.4706	----	----	1	----	20	UNCH	20								
4215	144.90	144.90	144.90/112.70A	195.10B/112.70A	----	123.30	-79.10	.4651	----	----	5	----	4	+	3								
4220	137.70	137.70	137.70/110.70A	192.10B/110.70A	----	121.20	-78.20	.4597	----	----	5	----	189	-	2								
4225	144.90	144.90	144.90/108.70A	189.20B/108.70A	----	119.10	-77.30	.4543	----	----	72	----	318	-	9								
4230	130.00	130.00	130.00/106.80A	186.30B/106.80A	----	117.00	-76.40	.4488	----	----	34	----	46	+	27								
4235	142.90	142.90	142.90/104.90A	183.40B/104.90A	----	115.00	-75.50	.4435	----	----	5	----	11	+	1								
4240	132.30	132.30	132.30/103.00A	180.60B/103.00A	----	112.90	-74.70	.4380	----	----	7	----	34	+	7								
4245	138.20	138.20	138.20/101.10A	177.80B/101.10A	----	111.00	-73.80	.4328	----	----	2	----	217	UNCH	217								
4250	144.30	144.30	146.50/99.30A	175.00B/99.30A	----	109.00	-73.00	.4274	----	----	132	----	1013	-	19								
4255	145.20	145.20	145.20/97.50A	172.30B/97.50A	----	107.10	-72.10	.4221	----	----	4	----	82	+	4								
4260	141.70	141.70	141.70/95.80A	169.60B/95.80A	----	105.20	-71.20	.4168	----	----	5	----	173	+	3								
4265	135.10	135.10	135.10/94.00A	166.90B/94.00A	----	103.30	-70.40	.4116	----	----	1	----	7	UNCH	7								
4270	138.10	138.10	138.10/92.30A	164.20B/92.30A	----	101.50	-69.50	.4064	----	----	6	----	26	+	6								
4275	135.80	135.80	135.80/90.60A	161.60B/90.60A	----	99.70	-68.60	.4012	----	----	14	----	29	+	11								
4280	133.60	133.60	133.60/88.90A	159.00B/88.90A	----	97.90	-67.80	.3960	----	----	3	----	68	+</									

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS													
DEC26															
4605	----	----	----	/25.70A	49.40B/25.70A	----	----	28.50 - 24.40	.1471	----	----	----	----	39	UNCH
4610	26.50	26.50		26.50/25.20A	48.50B/25.20A	----	----	28.00 - 23.90	.1448	----	----	9	----	72	-4
4615	26.00	26.00		26.00/24.70A	47.70B/24.70A	----	----	27.40 - 23.60	.1422	----	----	11	----	57	+4
4620	42.70	42.70		42.70/24.20A	46.80B/24.20A	----	----	26.90 - 23.10	.1399	----	----	26	----	80	+8
4625	----	----	----	/23.80A	45.80B/23.80A	----	----	26.40 - 22.70	.1376	----	----	7	----	422	+2
4630	27.00	27.00		27.00/23.30A	45.10B/23.30A	----	----	25.90 - 22.30	.1353	----	----	4	----	164	+2
4635	29.10	29.10		29.10/22.90A	44.20B/22.90A	----	----	25.40 - 21.90	.1331	----	----	7	----	47	+1
4640	----	----	----	/22.50A	43.40B/22.50A	----	----	25.00 - 21.40	.1311	----	----	1	----	137	UNCH
4645	----	----	----	/22.00A	42.60B/22.00A	----	----	24.50 - 21.10	.1288	----	----	1	----	19	+1
4650	32.80	32.80		33.10/21.60A	41.70B/21.60A	----	----	24.00 - 20.70	.1266	----	----	243	----	1554	+95
4655	----	----	----	/21.20A	40.90B/21.20A	----	----	23.60 - 20.30	.1246	----	----	2	----	36	UNCH
4660	----	----	----	/20.90A	40.20B/20.90A	----	----	23.20 - 19.90	.1227	----	----	1	----	137	-1
4665	22.90	22.90		23.50/20.50A	39.40B/20.50A	----	----	22.70 - 19.60	.1204	----	----	14	----	93	UNCH
4670	25.10	25.10		25.10/20.10A	38.80B/20.10A	----	----	22.30 - 19.20	.1185	----	----	34	----	94	-12
4675	----	----	----	/19.70A	38.00B/19.70A	----	----	21.90 - 18.90	.1166	----	----	173	----	263	+144
4680	----	----	----	/19.40A	37.30B/19.40A	----	----	21.50 - 18.50	.1147	----	----	----	----	202	UNCH
4685	21.20	21.20		21.20/19.00A	36.60B/19.00A	----	----	21.10 - 18.20	.1128	----	----	4	----	25	+1
4690	20.00	20.00		20.00/18.70A	35.90B/18.70A	----	----	20.70 - 17.90	.1109	----	----	4	----	276	-1
4695	21.90	21.90		21.90/18.30A	35.30B/18.30A	----	----	20.30 - 17.50	.1090	----	----	2	----	324	-2
4700	33.10	33.10		33.10/18.00A	34.60B/18.00A	----	----	20.00 - 17.10	.1074	----	----	673	318	5003	-225
4705	----	----	----	/17.70A	33.90B/17.70A	----	----	19.60 - 16.90	.1055	----	----	3	----	156	+3
4710	19.80	19.80		19.80/17.40A	33.40B/17.40A	----	----	19.20 - 16.60	.1037	----	----	3	----	61	+2
4715	20.40	20.40		20.40/17.00A	32.70B/17.00A	----	----	18.90 - 16.20	.1021	----	----	2	----	126	+1
4720	----	----	----	/16.70A	32.10B/16.70A	----	----	18.60 - 15.90	.1006	----	----	1	----	138	+1
4725	18.70	18.70		18.70/16.40A	31.50B/16.40A	----	----	18.20 - 15.70	.0987	----	----	22	----	9574	-22
4730	18.40	18.40		18.40/16.10A	31.00B/16.10A	----	----	17.90 - 15.30	.0972	----	----	3	----	80	+1
4735	----	----	----	/15.90A	30.40B/15.90A	----	----	17.60 - 15.00	.0957	----	----	----	----	71	UNCH
4740	17.80	17.80		17.80/15.60A	29.80B/15.60A	----	----	17.30 - 14.70	.0942	----	----	2	----	40	+2
4745	----	----	----	/15.30A	29.20B/15.30A	----	----	16.90 - 14.50	.0923	----	----	2	----	65	UNCH
4750	26.40	26.40		26.40/15.00A	28.70B/15.00A	----	----	16.60 - 14.30	.0908	----	----	1633	----	3780	-193
4755	----	----	----	/14.80A	28.10B/14.80A	----	----	16.30 - 14.00	.0893	----	----	41	----	161	-2
4760	----	----	----	/14.50A	27.60B/14.50A	----	----	16.10 - 13.60	.0882	----	----	2	----	161	-2
4765	----	----	----	/14.30A	27.10B/14.30A	----	----	15.80 - 13.40	.0867	----	----	----	----	161	-2
4770	16.50	16.50		16.50/14.00A	26.60B/14.00A	----	----	15.50 - 13.20	.0852	----	----	5	----	51	+5
4775	15.50	15.50		15.50/13.80A	26.10B/13.80A	----	----	15.20 - 13.00	.0837	----	----	18	----	214	-3
4780	----	----	----	/13.60A	25.70B/13.60A	----	----	15.00 - 12.60	.0826	----	----	----	----	41	UNCH
4785	15.00	15.00		15.00/13.30A	25.20B/13.30A	----	----	14.70 - 12.40	.0811	----	----	10	----	67	+9
4790	14.80	14.80		14.80/13.10A	24.70B/13.10A	----	----	14.50 - 12.20	.0800	----	----	1	----	311	+1
4795	14.70	14.70		14.70/12.90A	24.30B/12.90A	----	----	14.20 - 12.00	.0786	----	----	2	----	142	UNCH
4800	18.90	18.90		18.90/12.60A	23.90B/12.60A	----	----	14.00 - 11.70	.0775	----	----	2005	----	8304	+646
4805	----	----	----	/12.40A	23.40B/12.40A	----	----	13.70 - 11.60	.0760	----	----	----	----	47	UNCH
4810	----	----	----	/12.20A	23.00B/12.20A	----	----	13.50 - 11.30	.0749	----	----	----	----	87	UNCH
4815	----	----	----	/12.00A	22.60B/12.00A	----	----	13.30 - 11.10	.0739	----	----	----	----	33	UNCH
4820	13.50	13.50		13.50/11.80A	22.20B/11.80A	----	----	13.00 - 10.90	.0724	----	----	2	----	199	+2
4825	----	----	----	/11.60A	21.80B/11.60A	----	----	12.80 - 10.70	.0713	----	----	30	----	273	+10
4830	13.60	13.60		13.60/11.40A	21.40B/11.40A	----	----	12.60 - 10.50	.0703	----	----	8	----	27	-1
4835	----	----	----	/11.30A	21.00B/11.30A	----	----	12.40 - 10.30	.0692	----	----	----	----	169	UNCH
4840	----	----	----	/11.10A	20.70B/11.10A	----	----	12.20 - 10.10	.0681	----	----	----	----	162	UNCH
4845	----	----	----	/10.90A	20.30B/10.90A	----	----	12.00 - 9.90	.0671	----	----	----	----	43	UNCH
4850	18.70	18.70		18.70/10.70A	19.90B/10.70A	----	----	11.80 - 9.70	.0660	----	----	1128	100	2299	-657
4855	12.40	12.40		12.40/10.60A	19.60B/10.60A	----	----	11.60 - 9.60	.0650	----	----	15	----	13	+1
4860	18.70	18.70		18.70/10.40A	19.20B/10.40A	----	----	11.40 - 9.40	.0639	----	----	12	----	64	+1
4865	----	----	----	/10.20A	18.90B/10.20A	----	----	11.20 - 9.20	.0629	----	----	3	----	55	-1
4870	13.70	13.70		13.70/10.10A	18.50B/10.10A	----	----	11.10 - 9.00	.0622	----	----	3	----	60	-1
4875	11.00	11.00		11.00/9.90A	18.20B/9.90A	----	----	10.90 - 8.80	.0612	----	----	46	----	225	+23
4880	16.50	16.50		16.50/9.70A	17.90B/9.70A	----	----	10.70 - 8.70	.0602	----	----	14	----	294	+4
4885	----	----	----	/9.60A	17.60B/9.60A	----	----	10.50 - 8.60	.0591	----	----	----	----	54	UNCH
4890	10.70	10.70		10.70/9.40A	17.30B/9.40A	----	----	10.40 - 8.40	.0585	----	----	9	----	32	+6
4895	10.40	10.40		10.40/9.30A	17.00B/9.30A	----	----	10.20 - 8.20	.0575	----	----	45	----	253	+16
4900	14.50	14.50		14.50/9.20A	16.70B/9.20A	----	----	10.10 - 8.00	.0568	----	----	2584	----	6142	+1003
4905	----	----	----	/9.00A	16.40B/9.00A	----	----	9.90 - 7.90	.0558	----	----	6	----	31	UNCH
4910	11.30	11.30		11.30/8.90A	16.10B/8.90A	----	----	9.80 - 7.70	.0552	----	----	5	----	2065	+5
4915	----	----	----	/8.80A	15.80B/8.80A	----	----	9.60 - 7.60	.0542	----	----	1	----	55	UNCH
4920	11.00	11.00		11.00/8.60A	15.60B/8.60A	----	----	9.50 - 7.40	.0536	----	----	18	----	141	-6
4925	9.80	9.80		9.80/8.50A	15.30B/8.50A	----	----	9.30 - 7.40	.0525	----	----	12	----	465	+2
4930	9.40	9.40		9.40/8.40A	15.00B/8.40A	----	----	9.20 - 7.20	.0519	----	----	1	----	37	UNCH
4935	----	----	----	/8.30A	14.80B/8.30A	----	----	9.10 - 7.00	.0513	----	----	----	----	18	UNCH
4940	9.20	9.20		9.20/8.10A	14.50B/8.10A	----	----	8.90 - 6.90	.0503	----	----	2	----	62	-2
4945	----	----	----	/8.00A	14.30B/8.00A	----	----	8.80 - 6.80	.0497	----	----	----	----	31	UNCH
4950	----	----	----	/7.90A	14.00B/7.90A	----	----	8.70 - 6.60	.0491	----	----	2	----	783	-2
4955	----	----	----	/7.80A	13.80B/7.80A	----	----	8.50 - 6.60	.0481	----	----	----	----	27	UNCH
4960	8.50	8.50		8.50/7.70A	13.60B/7.70A	----	----	8.40 - 6.40	.0475	----	----	1	----	158	UNCH
4965	----	----	----	/7.60A	13.40B/7.60A	----	----	8.30 - 6.30	.0470	----	----	----	----	135	UNCH
4970	----	----	----	/7.50A	13.20B/7.50A	----	----	8.20 - 6.10	.0464	----	----	----	----	70	UNCH
4975	----	----	----	/7.40A	13.00B/7.40A	----	----	8.10 - 6.00	.0458	----	----	----	----	75	UNCH
4980	----	----	----	/7.30A	12.70B/7.30A	----	----	8.00 - 5.90	.0452	----	----	----	----	82	UNCH
4985	9.50	9.50		9.50/7.20A	12.50B/7.20A	----	----	7.90 - 5.80	.0446	----	----	1	----	89	UNCH
4990	----	----	----	/7.10A	12.30B/7.10A	----	----	7.80 - 5.60	.0441	----	----	1	----	438	+1
4995	----	----	----	/7.10A	12.10B/7.10A	----	----	7.70 - 5.50	.0435	----	----	----	----	60	UNCH
5000	11.70	11.70		11.70/6.90A	12.00B/6.90A	----	----	7.60 - 5.40	.0429	----	----	3145	----	11362	+1718
5005	----	----	----	/6.80A	11.80B/6.80A	----	----	7.50 - 5.30	.0423	----	----	1	----	36	+1
5010	----	----	----	/6.80A	11.60B/6.80A	----	----	7.40 - 5.20	.0418	----	----	----	----	22	UNCH
5015	----	----	----	/6.70A	11.40B/6.70A	----	----	7.30 - 5.10	.0412	----	----	----	----	39	UNCH
5020	----	----	----	/6.60A	11.20B/6.60A	----	----	7.20 - 5.00	.0406	----	----	1	----	101	-14
5025	7.30	7.30		7.30/6.50A	11.10B/6.50A	----	----	7.10 - 5.00	.0401	----	----	27	----	374	-1
5030	----	----	----	/6.50A	10.90B/6.50A	----	----	7.00 - 4.90	.0395	----	----	----	----	119	UNCH
5035	----	----	----	/6.40A	10.70B/6.40A	----	----	6.90 - 4.80	.0390	----	----	----	----	98	UNCH
5040	----	----	----	/6.30A	10.60B/6.30A	----	----	6.80 - 4.70	.0384	----	----	----	----	78	UNCH
5045	----	----	----	/6.20A	10.40B/6.20A	----	----	6.70 - 4.70	.0379	----	----	----	----	77	UNCH
5050	6.80	6.80		6.80/6.20A	10.20B/6.20A	----	----	6.60 - 4.60	.0373	----	----	75	----	737	+45
5055	----	----	----	/6.10A	10.10B/6.10A	----	----	6.60 - 4.40	.03						

BULLETIN #186@										METALS OPTION PRODUCTS										Mon, Sep 28, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST							
OG CALL	COMEX GOLD OPTIONS																					
DEC26																						
5290	----	----	----	/3.90A	5.60B/3.90A	----	----	----	4.10 - 2.10	.0224	----	----	----	----	7	UNCH						
5295	----	----	----	/3.90A	5.50B/3.90A	----	----	----	4.10 - 2.00	.0223	----	----	----	----	25	UNCH						
5300	5.10	5.10	5.10	5.10/3.80A	5.40B/3.80A	----	----	----	4.00 - 2.00	.0218	----	----	236	----	2346 -	126						
5305	----	----	----	/3.80A	5.40B/3.80A	----	----	----	4.00 - 2.00	.0218	----	----	----	----	48	UNCH						
5310	4.20	4.20	4.20	4.20/3.80A	5.30B/3.80A	----	----	----	4.00 - 1.90	.0217	----	----	3	----	44 -	1						
5315	----	----	----	/3.80A	5.30B/3.80A	----	----	----	3.90 - 1.90	.0212	----	----	----	----	38	UNCH						
5320	----	----	----	/3.70A	5.20B/3.70A	----	----	----	3.90 - 1.90	.0212	----	----	----	----	6	UNCH						
5325	----	----	----	/3.70A	5.20B/3.70A	----	----	----	3.90 - 1.80	.0211	----	----	----	----	30	UNCH						
5330	4.30	4.30	4.30	4.30/3.70A	5.10B/3.70A	----	----	----	3.80 - 1.90	.0206	----	----	1	----	48	UNCH						
5335	----	----	----	/3.70A	5.10B/3.70A	----	----	----	3.80 - 1.80	.0206	----	----	----	----	46	UNCH						
5340	----	----	----	/3.60A	5.00B/3.60A	----	----	----	3.80 - 1.80	.0205	----	----	----	----	11	UNCH						
5345	----	----	----	/3.60A	5.00B/3.60A	----	----	----	3.80 - 1.70	.0204	----	----	----	----	38	UNCH						
5350	----	----	----	/3.60A	4.90B/3.60A	----	----	----	3.70 - 1.70	.0200	----	----	----	----	860	UNCH						
5355	----	----	----	/3.60A	4.90B/3.60A	----	----	----	3.70 - 1.70	.0199	----	----	----	----	21	UNCH						
5360	----	----	----	/3.50A	4.80B/3.50A	----	----	----	3.70 - 1.60	.0199	----	----	----	----	119	UNCH						
5365	----	----	----	/3.50A	4.80B/3.50A	----	----	----	3.60 - 1.70	.0194	----	----	----	----	23	UNCH						
5370	----	----	----	/3.50A	4.70B/3.50A	----	----	----	3.60 - 1.60	.0193	----	----	----	----	43	UNCH						
5375	----	----	----	/3.50A	4.70B/3.50A	----	----	----	3.60 - 1.60	.0193	----	----	----	----	90	UNCH						
5380	----	----	----	/3.40A	4.60B/3.40A	----	----	----	3.60 - 1.50	.0192	----	----	----	----	45	UNCH						
5385	----	----	----	/3.40A	4.60B/3.40A	----	----	----	3.50 - 1.60	.0188	----	----	----	----	44	UNCH						
5390	----	----	----	/3.40A	4.50B/3.40A	----	----	----	3.50 - 1.50	.0187	----	----	----	----	214	UNCH						
5395	----	----	----	/3.40A	4.50B/3.40A	----	----	----	3.50 - 1.50	.0187	----	----	----	----	7	UNCH						
5400	4.00	4.00	4.00	4.00/3.40A	4.50B/3.40A	----	----	----	3.50 - 1.40	.0186	----	----	377	----	3777 +	42						
5405	----	----	----	/3.30A	4.40B/3.30A	----	----	----	3.50 - 1.40	.0186	----	----	----	----	54	UNCH						
5410	3.70	3.70	3.70	3.70/3.30A	4.40B/3.30A	----	----	----	3.40 - 1.50	.0181	----	----	3	----	28 +	3						
5415	----	----	----	/3.30A	4.40B/3.30A	----	----	----	3.40 - 1.40	.0181	----	----	----	----	4	UNCH						
5420	----	----	----	/3.30A	4.30B/3.30A	----	----	----	3.40 - 1.40	.0180	----	----	----	----	11	UNCH						
5425	----	----	----	/3.20A	4.30B/3.20A	----	----	----	3.40 - 1.30	.0180	----	----	----	----	259	UNCH						
5430	----	----	----	/3.20A	4.20B/3.20A	----	----	----	3.30 - 1.40	.0175	----	----	----	----	16	UNCH						
5435	----	----	----	/3.20A	4.20B/3.20A	----	----	----	3.30 - 1.40	.0175	----	----	----	----	23	UNCH						
5440	----	----	----	/3.20A	4.20B/3.20A	----	----	----	3.30 - 1.30	.0174	----	----	----	----	12	UNCH						
5445	3.60	3.60	3.60	3.60/3.20A	4.10B/3.20A	----	----	----	3.30 - 1.30	.0174	----	----	4	----	45	UNCH						
5450	3.90	3.90	3.90	3.90/3.10A	4.10B/3.10A	----	----	----	3.30 - 1.20	.0173	----	----	59	----	447 -	11						
5455	----	----	----	/3.10A	4.10B/3.10A	----	----	----	3.20 - 1.30	.0169	----	----	----	----	28	UNCH						
5460	----	----	----	/3.10A	4.00B/3.10A	----	----	----	3.20 - 1.30	.0168	----	----	----	----	48	UNCH						
5465	----	----	----	/3.10A	4.00B/3.10A	----	----	----	3.20 - 1.20	.0168	----	----	----	----	66	UNCH						
5470	----	----	----	/3.10A	4.00B/3.10A	----	----	----	3.20 - 1.20	.0167	----	----	----	----	18	UNCH						
5475	----	----	----	/3.10A	3.90B/3.10A	----	----	----	3.10 - 1.30	.0163	----	----	----	----	588	UNCH						
5480	----	----	----	/3.00A	3.90B/3.00A	----	----	----	3.10 - 1.20	.0163	----	----	----	----	104	UNCH						
5485	----	----	----	/3.00A	3.90B/3.00A	----	----	----	3.10 - 1.20	.0162	----	----	----	----	7	UNCH						
5490	----	----	----	/3.00A	3.80B/3.00A	----	----	----	3.10 - 1.20	.0162	----	----	----	----	25	UNCH						
5495	----	----	----	/3.00A	3.80B/3.00A	----	----	----	3.10 - 1.10	.0161	----	----	----	----	100	UNCH						
5500	3.60	3.60	3.60	3.60/3.00A	3.80B/3.00A	----	----	----	3.10 - 1.10	.0161	----	----	382	----	10392 +	275						
5505	----	----	----	/3.00A	3.80B/3.00A	----	----	----	3.00 - 1.20	.0156	----	----	----	----	15	UNCH						
5510	3.30	3.30	3.30	3.30/2.90A	3.70B/2.90A	----	----	----	3.00 - 1.20	.0156	----	----	1	----	37	UNCH						
5515	3.30	3.30	3.30	3.30/2.90A	3.70B/2.90A	----	----	----	3.00 - 1.10	.0156	----	----	4	----	11 -	2						
5520	----	----	----	/2.90A	3.70B/2.90A	----	----	----	3.00 - 1.10	.0155	----	----	----	----	26	UNCH						
5525	----	----	----	/2.90A	3.60B/2.90A	----	----	----	3.00 - 1.10	.0155	----	----	----	----	125	UNCH						
5530	----	----	----	/2.90A	3.60B/2.90A	----	----	----	3.00 - 1.00	.0155	----	----	----	----	3	UNCH						
5535	----	----	----	/2.90A	3.60B/2.90A	----	----	----	2.90 - 1.10	.0150	----	----	----	----	6	UNCH						
5540	----	----	----	/2.80A	3.50B/2.80A	----	----	----	2.90 - 1.10	.0150	----	----	----	----	33	UNCH						
5545	----	----	----	/2.80A	3.50B/2.80A	----	----	----	2.90 - 1.10	.0149	----	----	----	----	5	UNCH						
5550	----	----	----	/2.80A	3.50B/2.80A	----	----	----	2.90 - 1.00	.0149	----	----	----	----	446	UNCH						
5555	----	----	----	/2.80A	3.50B/2.80A	----	----	----	2.90 - 1.00	.0149	----	----	----	----	9	UNCH						
5560	----	----	----	/2.80A	3.40B/2.80A	----	----	----	2.90 - 1.00	.0148	----	----	----	----	23	UNCH						
5565	----	----	----	/2.80A	3.40B/2.80A	----	----	----	2.90 - 0.90	.0148	----	----	----	----	27	UNCH						
5570	----	----	----	/2.80A	3.40B/2.80A	----	----	----	2.80 - 1.00	.0144	----	----	----	----	257	UNCH						
5575	3.20	3.20	3.20	3.20/2.70A	3.40B/2.70A	----	----	----	2.80 - 1.00	.0143	----	----	21	----	28 +	12						
5580	3.20	3.20	3.20	3.20/2.70A	3.40B/2.70A	----	----	----	2.80 - 1.00	.0143	----	----	5	----	7	UNCH						
5585	2.70	2.70	2.70	2.80/2.70	3.30B/2.70	----	----	----	2.80 - 0.90	.0143	----	----	7	----	9	UNCH						
5590	2.90	2.90	2.90	3.00/2.70A	3.30B/2.70A	----	----	----	2.80 - 0.90	.0142	----	----	5	----	5 -	3						
5595	----	----	----	/2.70A	3.30B/2.70A	----	----	----	2.80 - 0.90	.0142	----	----	----	----	10	UNCH						
5600	3.00	3.00	3.00	3.20/2.70A	3.30B/2.70A	----	----	----	2.80 - 0.80	.0142	----	----	4	----	3129	UNCH						
5605	----	----	----	/2.70A	3.20B/2.70A	----	----	----	2.80 - 0.80	.0141	----	----	----	----	31	UNCH						
5610	----	----	----	/2.60A	3.20B/2.60A	----	----	----	2.80 - 0.80	.0141	----	----	----	----	8	UNCH						
5615	----	----	----	/2.60A	3.20B/2.60A	----	----	----	2.70 - 0.80	.0137	----	----	----	----	34	UNCH						
5620	----	----	----	/2.60A	3.20B/2.60A	----	----	----	2.70 - 0.80	.0136	----	----	----	----	13	UNCH						
5625	----	----	----	/2.60A	3.20B/2.60A	----	----	----	2.70 - 0.80	.0136	----	----	----	----	4	UNCH						
5630	----	----	----	/2.60A	3.10B/2.60A	----	----	----	2.70 - 0.80	.0136	----	----	----	----	8	UNCH						
5635	----	----	----	/2.60A	3.10B/2.60A	----	----	----	2.70 - 0.70	.0135	----	----	----	----	35	UNCH						
5640	----	----	----	/2.60A	3.10B/2.60A	----	----	----	2.70 - 0.70	.0135	----	----	----	----	2	UNCH						
5645	----	----	----	/2.60A	3.10B/2.60A	----																

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN VOLUME	OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
OG CALL		COMEX GOLD OPTIONS																			
DEC26																					
9500	----	----	----	----	0.10B/0.30A	----	----	----	0.20 UNCH	.0006	----	----	----	----	----	876	UNCH				
9600	----	----	----	----	0.10B/0.30A	----	----	----	0.20 UNCH	.0006	----	----	----	----	----	22	UNCH				
9750	----	----	----	----	0.10B/0.30A	----	----	----	0.20 UNCH	.0006	----	----	----	----	----	11	UNCH				
9900	----	----	----	----	0.10B/0.30A	----	----	----	0.20 UNCH	.0006	----	----	----	----	----	47	UNCH				
10000	----	----	----	----	0.10B/0.30A	----	----	----	0.20 UNCH	.0006	----	----	14	----	11428	-	14				
10500	----	----	----	----	----/0.30A	----	----	----	0.20 UNCH	.0006	----	----	----	----	----	31	UNCH				
11000	----	----	----	----	----/0.20A	----	----	----	0.10 - 0.10	.0003	----	----	----	----	----	809	UNCH				
13000	----	----	----	----	----/0.20A	----	----	----	0.10 UNCH	.0000	----	----	----	----	----	697	UNCH				
15000	----	----	----	----	----/0.20A	----	----	----	0.10 UNCH	----	----	----	----	----	----	36587	UNCH				
17000	----	----	----	----	----/0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	----	52	UNCH				
19000	----	----	----	----	----/0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	----	350	UNCH				
20000	----	----	----	----	----/0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	----	38018	UNCH				
21000	----	----	----	----	----/0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	----	39	UNCH				
23000	----	----	----	----	----/0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	----	5	UNCH				
24000	----	----	----	----	----/0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	----	167	UNCH				
TOTAL																	25682	680	307762	+	3437
JAN27																					
3200	----	----	----	----/1.013.80A	1140.40B/1013.80A	----	----	----	1006.00 - 52.00	.9729	----	----	----	----	----	11	UNCH				
3250	----	----	----	----/964.80A	1089.30B/964.80A	----	----	----	956.90 - 51.50	.9686	----	----	----	----	----	25	UNCH				
3300	----	----	----	----/915.90A	1038.40B/915.90A	----	----	----	908.00 - 50.90	.9638	----	----	----	----	----	4	UNCH				
3500	----	----	----	----/700.70A	841.50B/700.70A	----	----	----	715.80 - 46.90	.9332	----	----	----	----	----	1	UNCH				
4000	----	----	----	----/280.40A	395.40B/280.40A	----	----	----	296.50 - 13.10	.6943	----	----	----	----	368	UNCH					
4010	----	----	----	----/274.00A	387.60B/274.00A	----	----	----	289.90 - 11.80	.6863	----	----	----	----	1	UNCH					
4070	----	----	----	----/236.90A	345.50B/236.90A	----	----	----	251.80 - 04.20	.6370	----	----	----	----	1	UNCH					
4100	----	----	----	----/219.90A	324.00B/219.90A	----	----	----	234.10 - 00.20	.6113	----	----	----	----	105	UNCH					
4110	----	----	----	----/214.30A	317.10B/214.30A	----	----	----	228.40 - 98.80	.6027	----	----	----	----	1	UNCH					
4125	----	----	----	----/206.40A	306.70B/206.40A	----	----	----	220.00 - 96.80	.5896	----	----	----	----	2	UNCH					
4130	----	----	----	----/203.70A	303.40B/203.70A	----	----	----	217.30 - 96.10	.5852	----	----	----	----	1	UNCH					
4140	----	----	----	----/198.50A	296.70B/198.50A	----	----	----	211.90 - 94.70	.5764	----	----	----	----	1	UNCH					
4150	----	----	----	----/193.40A	290.00B/193.40A	----	----	----	206.60 - 93.20	.5675	----	----	----	----	6	UNCH					
4155	----	----	----	----/190.90A	286.80B/190.90A	----	----	----	204.00 - NEW	.5631	----	1	----	----	1	+					
4160	----	----	----	----/188.40A	283.50B/188.40A	----	----	----	201.40 - 91.80	.5587	----	----	----	----	213	UNCH					
4165	----	----	----	----/186.00A	280.30B/186.00A	----	----	----	198.80 - 91.10	.5543	----	----	----	----	1	UNCH					
4170	----	----	----	----/183.50A	277.10B/183.50A	----	----	----	196.30 - 90.40	.5498	----	----	----	----	3	UNCH					
4180	----	----	----	----/178.80A	270.70B/178.80A	----	----	----	191.20 - 89.10	.5410	----	1	----	----	10	+					
4185	185.50	185.50	----	185.50/176.30A	267.60B/176.30A	----	----	----	188.80 - NEW	.5365	----	4	----	----	4	+					
4190	183.20	183.20	----	183.20/174.00A	264.50B/174.00A	----	----	----	186.30 - 87.60	.5321	----	8	----	----	9	+					
4200	194.00	194.00	----	194.00/169.50A	258.30B/169.50A	----	----	----	181.50 - 86.20	.5232	----	54	----	----	58	-					
4205	175.30	175.30	----	175.30/167.20A	255.30B/167.20A	----	----	----	179.10 - NEW	.5188	----	9	----	----	7	+					
4215	175.40	175.40	----	176.70/162.80A	249.30B/162.80A	----	----	----	174.50 - NEW	.5100	----	11	----	----	11	+					
4220	176.30	176.30	----	176.50/160.50A	246.30B/160.50A	----	----	----	172.20 - 83.30	.5055	----	8	----	----	8	+					
4225	180.00	180.00	----	180.00/158.40A	243.40B/158.40A	----	----	----	169.90 - NEW	.5011	----	32	100	----	101	+					
4230	----	----	----	----/156.20A	240.50B/156.20A	----	----	----	167.70 - 81.80	.4967	----	----	----	----	1	UNCH					
4235	159.80	159.80	----	159.80/154.00A	237.60B/154.00A	----	----	----	165.40 - NEW	.4923	----	13	----	----	13	+					
4245	159.50	159.50	----	159.50/149.90A	232.10B/149.90A	----	----	----	161.10 - NEW	.4836	----	4	----	----	4	+					
4250	153.60	153.60	----	157.40/147.80A	229.20B/147.80A	----	----	----	158.90 - 79.00	.4792	----	23	----	----	623	+					
4260	----	----	----	----/143.80A	223.70B/143.80A	----	----	----	154.70 - 77.60	.4705	----	1	----	----	5	+					
4270	145.40	145.40	----	145.40/139.90A	219.20B/139.90A	----	----	----	150.50 - 76.20	.4619	----	4	----	----	5	+					
4280	----	----	----	----/136.10A	213.90B/136.10A	----	----	----	146.50 - 74.70	.4533	----	1	----	----	3	+					
4290	----	----	----	----/132.20A	208.60B/132.20A	----	----	----	142.50 - 73.40	.4447	----	----	----	----	2	UNCH					
4300	155.80	155.80	----	155.80/128.60A	203.40B/128.60A	----	----	----	138.70 - 71.90	.4363	----	20	----	----	63	-					
4305	----	----	----	----/126.80A	200.90B/126.80A	----	----	----	136.80 - 71.20	.4321	----	----	----	----	9	UNCH					
4310	----	----	----	----/125.10A	198.30B/125.10A	----	----	----	134.90 - 70.50	.4279	----	----	----	----	3	UNCH					
4330	----	----	----	----/118.20A	188.50B/118.20A	----	----	----	127.60 - 67.80	.4113	----	----	----	----	60	UNCH					
4335	----	----	----	----/116.50A	186.10B/116.50A	----	----	----	125.80 - 67.10	.4071	----	----	----	----	3	UNCH					
4345	----	----	----	----/113.20A	181.30B/113.20A	----	----	----	122.40 - 65.70	.3990	----	----	----	----	5	UNCH					
4350	130.20	130.20	----	130.20/111.60A	179.00B/111.60A	----	----	----	120.70 - 65.00	.3950	----	3	----	----	105	+					
4355	160.00	160.00	----	160.00/110.10A	176.70B/110.10A	----	----	----	119.00 - 64.40	.3910	----	1	----	----	71	UNCH					
4360	----	----	----	----/108.50A	174.40B/108.50A	----	----	----	117.30 - 63.80	.3869	----	45	----	----	63	+					
4365	----	----	----	----/106.90A	172.10B/106.90A	----	----	----	115.70 - 63.10	.3830	----	40	----	----	243	-					
4370	----	----	----	----/105.40A	169.90B/105.40A	----	----	----	114.10 - 62.40	.3790	----	----	----	----	35	UNCH					
4375	113.20	113.20	----	114.00/103.90A	167.70B/103.90A	----	----	----	112.50 - 61.70	.3751	----	7	----	----	198	-					
4380	----	----	----	----/102.40A	165.50B/102.40A	----	----	----	110.90 - 61.10	.3712	----	----	----	----	1	UNCH					
4385	108.20	108.20	----	108.20/101.00A	163.30B/101.00A	----	----	----	109.30 - 60.50	.3673	----	3	----	----	41	+					
4390	110.90	110.90	----	110.90/99.50A	161.20B/99.50A	----	----	----	107.80 - 59.80	.3634	----	7	----	----	7	-					
4395	----	----	----	----/98.10A	159.00B/98.10A	----	----	----	106.30 - 59.10	.3596	----	----	----	----	4	UNCH					
4400	109.30	109.30	----	109.30/96.70A	156.90B/96.70A	----	----	----	104.80 - 58.50	.3558	----	54	----	----	350	+					
4405	----	----	----	----/95.30A	154.90B/95.30A	----	----	----	103.30 - 57.90	.3520	----	----									

BULLETIN #186@				METALS OPTION PRODUCTS										Mon, Sep 28, 2026				PG64			
GLOBEX OPEN		OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN	OUTCRY HIGH/LOW	OPEN		OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG CALL		COMEX GOLD OPTIONS																			
JAN27																					
4765	----	----	----	/33.70A		56.50B/33.70A	----	----			36.90	-23.10	.1512	----	----	----	----	11	UNCH		
4770	----	----	----	/33.20A		55.60B/33.20A	----	----			36.40	-22.80	.1494	----	----	----	----	44	UNCH		
4775	----	----	----	/32.80A		55.00B/32.80A	----	----			35.90	-22.50	.1476	----	----	----	----	16	UNCH		
4780	----	----	----	/32.30A		54.20B/32.30A	----	----			35.40	-22.20	.1458	----	----	----	----	1	UNCH		
4785	35.10	35.10	35.10	/31.90A		53.30B/31.90A	----	----			34.90	-21.90	.1440	----	----	1	----	38	UNCH		
4790	34.00	34.00	34.00	/31.40A		52.70B/31.40A	----	----			34.40	-21.60	.1422	----	----	6	----	11 +	6		
4795	33.90	33.90	33.90	/31.00A		51.80B/31.00A	----	----			33.90	-21.30	.1404	----	----	6	----	7 +	6		
4800	35.20	35.20	35.20	/30.60A		51.10B/30.60A	----	----			33.50	-20.90	.1389	----	----	333	----	2824 +	36		
4805	32.60	32.60	32.60	/30.20A		50.50B/30.20A	----	----			33.00	-20.70	.1371	----	----	4	----	28 +	4		
4810	----	----	----	/29.70A		49.80B/29.70A	----	----			32.50	-20.40	.1353	----	----	----	----	3	UNCH		
4815	34.00	34.00	34.00	/29.30A		49.10B/29.30A	----	----			32.10	-20.10	.1338	----	----	6	----	36 -	6		
4820	33.40	33.40	33.40	/28.90A		48.30B/28.90A	----	----			31.70	-19.80	.1322	----	----	6	----	8 +	6		
4825	----	----	----	/28.60A		47.80B/28.60A	----	----			31.20	-19.60	.1305	----	----	----	----	51	UNCH		
4830	32.00	32.00	32.00	/28.20A		47.10B/28.20A	----	----			30.80	-19.30	.1289	----	----	6	----	22 +	6		
4835	----	----	----	/27.80A		46.30B/27.80A	----	----			30.40	-19.00	.1274	----	----	----	----	2	UNCH		
4840	----	----	----	/27.40A		45.80B/27.40A	----	----			30.00	-18.70	.1259	----	----	1	----	22 +	1		
4845	28.90	28.90	28.90	/27.00A		45.20B/27.00A	----	----			29.60	-18.50	.1244	----	----	8	----	24 +	8		
4850	29.10	29.10	29.10	/26.70A		44.50B/26.70A	----	----			29.20	-18.20	.1229	----	----	18	----	359 -	16		
4855	30.30	30.30	30.30	/26.30A		43.80B/26.30A	----	----			28.80	NEW	.1214	----	----	6	----	6 +	6		
4860	----	----	----	/26.00A		43.20B/26.00A	----	----			28.40	-17.70	.1199	----	----	----	----	2	UNCH		
4865	----	----	----	/25.60A		42.60B/25.60A	----	----			28.00	-17.50	.1184	----	----	----	----	1	UNCH		
4870	----	----	----	/25.30A		42.10B/25.30A	----	----			27.60	-17.30	.1169	----	----	1	----	237	UNCH		
4875	----	----	----	/24.90A		41.50B/24.90A	----	----			27.30	-17.00	.1157	----	----	----	----	6	UNCH		
4880	30.90	30.90	30.90	/24.70A		41.00B/24.70A	----	----			26.90	-16.80	.1142	----	----	----	----	28 +	10		
4885	27.90	27.90	27.90	/24.30A		40.40B/24.30A	----	----			26.50	-16.60	.1127	----	----	10	----	42 +	6		
4890	----	----	----	/24.00A		39.90B/24.00A	----	----			26.20	-16.30	.1115	----	----	----	----	4	UNCH		
4895	----	----	----	/23.60A		39.30B/23.60A	----	----			25.80	-16.10	.1100	----	----	----	----	24	UNCH		
4900	28.10	28.10	28.10	/23.30A		38.80B/23.30A	----	----			25.50	-15.90	.1088	----	----	2787	----	2701 +	1979		
4905	----	----	----	/23.00A		38.30B/23.00A	----	----			25.10	-15.70	.1073	----	----	----	----	10	UNCH		
4910	25.90	25.90	25.90	/22.70A		37.70B/22.70A	----	----			24.80	-15.50	.1061	----	----	1	----	24 -	1		
4915	26.20	26.20	26.20	/22.40A		37.30B/22.40A	----	----			24.50	-15.20	.1049	----	----	1	----	95	UNCH		
4920	----	----	----	/22.10A		36.80B/22.10A	----	----			24.20	-15.00	.1037	----	----	----	----	18	UNCH		
4925	----	----	----	/21.80A		36.30B/21.80A	----	----			23.80	-14.90	.1022	----	----	----	----	3	UNCH		
4930	----	----	----	/21.60A		35.80B/21.60A	----	----			23.50	-14.70	.1010	----	----	----	----	2	UNCH		
4935	----	----	----	/21.30A		35.30B/21.30A	----	----			23.20	-14.50	.0999	----	----	----	----	1	UNCH		
4940	----	----	----	/21.00A		34.90B/21.00A	----	----			22.90	-14.30	.0987	----	----	----	----	3	UNCH		
4945	----	----	----	/20.70A		34.40B/20.70A	----	----			22.60	-14.10	.0975	----	----	----	----	6	UNCH		
4950	----	----	----	/20.50A		33.90B/20.50A	----	----			22.30	-13.90	.0963	----	----	49	----	349 +	25		
4955	----	----	----	/20.20A		33.40B/20.20A	----	----			22.10	-13.60	.0954	----	----	----	----	2	UNCH		
4960	----	----	----	/19.90A		33.00B/19.90A	----	----			21.80	-13.40	.0942	----	----	----	----	4	UNCH		
4965	----	----	----	/19.70A		32.60B/19.70A	----	----			21.50	-13.30	.0931	----	----	----	----	11	UNCH		
4970	----	----	----	/19.40A		32.10B/19.40A	----	----			21.20	-13.10	.0919	----	----	----	----	3	UNCH		
4975	----	----	----	/19.20A		31.80B/19.20A	----	----			20.90	-13.00	.0907	----	----	----	----	3	UNCH		
4985	----	----	----	/18.80A		30.80B/18.80A	----	----			20.40	-12.60	.0887	----	----	----	----	16	UNCH		
4990	20.10	20.10	20.10	/18.50A		30.50B/18.50A	----	----			20.20	-12.30	.0878	----	----	1	----	24 +	1		
4995	----	----	----	/18.20A		30.10B/18.20A	----	----			19.90	-12.20	.0867	----	----	----	----	6	UNCH		
5000	23.00	23.00	23.00	/18.10A		29.60B/18.10A	----	----			19.70	-12.00	.0858	----	----	2765	290	3544 +	2391		
5005	----	----	----	/17.80A		29.30B/17.80A	----	----			19.40	-11.90	.0846	----	----	----	----	14	UNCH		
5010	20.00	20.00	20.00	/17.60A		28.90B/17.60A	----	----			19.20	-11.70	.0838	----	----	1	----	74	UNCH		
5015	----	----	----	/17.40A		28.50B/17.40A	----	----			18.90	-11.60	.0826	----	----	----	----	3	UNCH		
5020	----	----	----	/17.20A		28.20B/17.20A	----	----			18.70	-11.40	.0818	----	----	----	----	2	UNCH		
5025	----	----	----	/17.00A		27.80B/17.00A	----	----			18.50	-11.20	.0809	----	----	----	----	9	UNCH		
5030	----	----	----	/16.80A		27.40B/16.80A	----	----			18.20	-11.10	.0798	----	----	----	----	5	UNCH		
5035	----	----	----	/16.60A		27.00B/16.60A	----	----			18.00	-11.00	.0789	----	----	----	----	30	UNCH		
5040	----	----	----	/16.40A		26.70B/16.40A	----	----			17.80	-10.80	.0781	----	----	----	----	14	UNCH		
5045	----	----	----	/16.20A		26.30B/16.20A	----	----			17.60	-10.60	.0772	----	----	----	----	2	UNCH		
5050	----	----	----	/15.90A		26.00B/15.90A	----	----			17.40	-10.50	.0764	----	----	138	----	267 +	138		
5055	----	----	----	/15.80A		25.70B/15.80A	----	----			17.20	-10.30	.0755	----	----	----	----	12	UNCH		
5060	----	----	----	/15.60A		25.30B/15.60A	----	----			17.00	-10.20	.0747	----	----	----	----	40	UNCH		
5065	----	----	----	/15.40A		25.00B/15.40A	----	----			16.80	-10.00	.0739	----	----	----	----	2	UNCH		
5070	----	----	----	/15.20A		24.70B/15.20A	----	----			16.60	-9.90	.0730	----	----	----	----	8	UNCH		
5075	16.40	16.40	16.40	/15.00A		24.40B/15.00A	----	----			16.40	-9.80	.0722	----	----	5	----	9 +	5		
5080	----	----	----	/14.90A		24.10B/14.90A	----	----			16.20	-9.60	.0714	----	----	----	----	6	UNCH		
5085	----	----	----	/14.70A		23.80B/14.70A	----	----			16.00	-9.50	.0706	----	----	----	----	33	UNCH		
5090	----	----	----	/14.50A		23.50B/14.50A	----	----			15.80	-9.40	.0697	----	----	----	----	3	UNCH		
5095	----	----	----	/14.30A		23.20B/14.30A	----	----			15.60	-9.30	.0689	----	----	----	----	3	UNCH		
5100	15.00	15.00	15.00	/14.20A		22.90B/14.20A	----	----			15.40	-9.20	.0681	----	----	81	----	315 +	77		
5105	----	----	----	/14.00A		22.60B/14.00A	----	----			15.20	-9.10	.0673	----	----	----	----	27	UNCH		
5110	----	----	----	/13.90A		22.30B/13.90A	----	----			15.10	-8.90	.0668	----	----	----	----	2	UNCH		
5115	14.90	14.90	14.90	/13.70A		22.10B/13.70A	----	----			14.90	-8.80	.0659	----	----	5	----	14 +	5		
5120	----	----	----	/13.50A		21.80B/13.50A	----	----			14.70	-8.70	.0651	----	----	----	----	3	UNCH		
5125	----	----	----	/13.40A		21.50B/13.40A	----	----			14.60	-8.50	.0646	----	----	----	----	44	UNCH		
5130	----	----	----	/13.20A		21.30B/13.20A	----	----			14.40	-8.40	.0638	----	----	----	----	19	UNCH		
5135	----	----	----	/13.10A		21.00B/13.10A	----	----			14.20	-8.40	.0630	----	----	----	----	52	UNCH		
5140	----	----	----	/13.00A		20.80B/13.00A	----	----			14.10	-8.20	.0625	----	----	----	----	5	UNCH		
5150	14.50	14.50	14.50	/12.70A		20.30B/12.70A	----	----			13.80	-8.00	.0612	----	----	9	----	236 +	2		
5155	----	----	----	/12.50A		20.00B/12.50A	----	----			13.60	-7.90	.0604	----	----	----	----	20	UNCH		
5160	----	----	----	/12.40A		19.80B/12.40A	----	----			13.50	-7.70	.0599	----	----	----	----	17	UNCH		
5165	----	----	----	/12.30A		19.50B/12.30A	----	----			13.30	-7.70	.0591	----	----	----	----	7	UNCH		
5170	----	----	----	/12.10A		19.30B/12.10A	----	----			13.20	-7.50	.0586	----	----	----	----	9	UNCH		
5175	----	----	----	/12.00A		19.10B/12.00A	----	----			13.00	-7.50	.0578	----	----	----	----	235	UNCH		
5180	----																				

BULLETIN #186@										METALS OPTION PRODUCTS										Mon, Sep 28, 2026		PG64								
GLOBEX OPEN		OPEN OPEN		OUTCRY RANGE		GLOBEX HIGH/LOW		OPEN HIGH/LOW		OUTCRY HIGH/LOW		OPEN CLOSE		OUTCRY RANGE		SETT.PRICE & PT.CHGE.		DELTA		EXER CISES		OPEN OUTCRY VOLUME		GLOBEX® VOLUME		PNT VOLUME		OPEN INTEREST		
OG CALL		COMEX		GOLD		OPTIONS																								
JAN27																														
5515	----	----	----	----	/6.70A	9.40B/6.70A	----	7.00	- 3.20	.0309	----	----	----	----	----	7.00	- 3.20	.0309	----	----	----	----	----	----	----	----	----	2	UNCH	
5520	----	----	----	----	/6.60A	9.30B/6.60A	----	6.90	- 3.20	.0305	----	----	----	----	----	6.90	- 3.20	.0305	----	----	----	----	----	----	----	----	15	UNCH		
5525	----	----	----	----	/6.60A	9.20B/6.60A	----	6.90	- 3.10	.0304	----	----	----	----	----	6.90	- 3.10	.0304	----	----	----	----	----	----	----	21	UNCH			
5530	----	----	----	----	/6.50A	9.20B/6.50A	----	6.80	- 3.10	.0300	----	----	----	----	----	6.80	- 3.10	.0300	----	----	----	----	----	----	----	5	UNCH			
5540	----	----	----	----	/6.40A	9.00B/6.40A	----	6.70	- 3.10	.0295	----	----	----	----	----	6.70	- 3.10	.0295	----	----	----	----	----	----	----	7	UNCH			
5545	----	----	----	----	/6.40A	8.90B/6.40A	----	6.70	- 3.00	.0295	----	----	----	----	----	6.70	- 3.00	.0295	----	----	----	----	----	----	----	5	UNCH			
5550	----	----	----	----	/6.40A	8.90B/6.40A	----	6.60	- 3.00	.0291	----	----	----	----	----	6.60	- 3.00	.0291	----	----	----	----	----	1	----	11	UNCH			
5555	----	----	----	----	/6.30A	8.80B/6.30A	----	6.60	- 2.90	.0290	----	----	----	----	----	6.60	- 2.90	.0290	----	----	----	----	----	----	----	4	UNCH			
5560	----	----	----	----	/6.30A	8.70B/6.30A	----	6.50	- 3.00	.0286	----	----	----	----	----	6.50	- 3.00	.0286	----	----	----	----	----	----	----	5	UNCH			
5565	6.60	6.60		6.60	/6.20A	8.60B/6.20A	----	6.50	NEW	.0286	----	----	----	----	----	6.50	NEW	.0286	----	----	----	----	16	----	16	+	16			
5570	----	----	----	----	/6.20A	8.60B/6.20A	----	6.50	- 2.80	.0285	----	----	----	----	----	6.50	- 2.80	.0285	----	----	----	----	----	----	----	2	UNCH			
5575	----	----	----	----	/6.20A	8.50B/6.20A	----	6.40	- 2.80	.0281	----	----	----	----	----	6.40	- 2.80	.0281	----	----	----	----	----	----	----	6	UNCH			
5580	----	----	----	----	/6.10A	8.40B/6.10A	----	6.40	- 2.80	.0280	----	----	----	----	----	6.40	- 2.80	.0280	----	----	----	----	----	----	----	1	UNCH			
5600	6.40	6.40		6.40	/6.00A	8.20B/6.00A	----	6.20	- 2.70	.0271	----	----	3	----	----	6.20	- 2.70	.0271	----	----	----	----	3	----	429	-	1			
5605	----	----	----	----	/5.90A	8.10B/5.90A	----	6.20	- 2.60	.0271	----	----	----	----	----	6.20	- 2.60	.0271	----	----	----	----	----	----	----	14	UNCH			
5615	----	----	----	----	/5.90A	8.00B/5.90A	----	6.10	- 2.60	.0266	----	----	----	----	----	6.10	- 2.60	.0266	----	----	----	----	----	----	----	1	UNCH			
5620	----	----	----	----	/5.80A	7.90B/5.80A	----	6.00	- 2.60	.0262	----	----	----	----	----	6.00	- 2.60	.0262	----	----	----	----	----	----	----	2	UNCH			
5625	6.10	6.10		6.10	/5.80A	7.90B/5.80A	----	6.00	NEW	.0262	----	----	2	----	----	6.00	NEW	.0262	----	----	----	----	2	----	2	+	2			
5650	----	----	----	----	/5.60A	7.60B/5.60A	----	5.80	- 2.40	.0252	----	----	8	----	----	5.80	- 2.40	.0252	----	----	----	----	8	----	10	+	8			
5655	----	----	----	----	/5.60A	7.50B/5.60A	----	5.80	- 2.40	.0252	----	----	----	----	----	5.80	- 2.40	.0252	----	----	----	----	----	----	----	3	UNCH			
5675	----	----	----	----	/5.50A	7.30B/5.50A	----	5.60	- 2.30	.0243	----	----	----	----	----	5.60	- 2.30	.0243	----	----	----	----	----	----	----	3	UNCH			
5690	----	----	----	----	/5.40A	7.10B/5.40A	----	5.60	- 2.20	.0242	----	----	----	----	----	5.60	- 2.20	.0242	----	----	----	----	----	----	----	3	UNCH			
5700	----	----	----	----	/5.30A	7.00B/5.30A	----	5.50	- 2.20	.0237	----	----	8	----	----	5.50	- 2.20	.0237	----	----	----	----	8	----	123	-	8			
5705	5.50	5.50		5.50	/5.30A	7.00B/5.30A	----	5.50	- 2.10	.0237	----	----	6	----	----	5.50	- 2.10	.0237	----	----	----	----	6	----	19	+	6			
5720	----	----	----	----	/5.20A	6.80B/5.20A	----	5.40	- 2.10	.0232	----	----	----	----	----	5.40	- 2.10	.0232	----	----	----	----	----	----	----	2	UNCH			
5725	5.40	5.40		5.40	/5.20A	6.80B/5.20A	----	5.30	- 2.10	.0228	----	----	4	----	----	5.30	- 2.10	.0228	----	----	----	----	4	----	10	+	4			
5730	5.30	5.30		5.30	/5.10A	6.70B/5.10A	----	5.30	NEW	.0228	----	----	4	----	----	5.30	NEW	.0228	----	----	----	----	4	----	4	+	4			
5735	----	----	----	----	/5.10A	6.70B/5.10A	----	5.30	- 2.00	.0228	----	----	----	----	----	5.30	- 2.00	.0228	----	----	----	----	----	----	----	1	UNCH			
5745	5.10	5.10		5.10	/5.10	6.60B/5.10	----	5.20	- 2.00	.0223	----	----	4	----	----	5.20	- 2.00	.0223	----	----	----	----	4	----	6	+	4			
5750	5.30	5.30		5.30	/5.00A	6.60B/5.00A	----	5.20	- 2.00	.0223	----	----	287	----	----	5.20	- 2.00	.0223	----	----	----	----	287	----	245	+	237			
5760	5.10	5.10		5.10	/5.00A	6.50B/5.00A	----	5.10	- 2.00	.0219	----	----	3	----	----	5.10	- 2.00	.0219	----	----	----	----	3	----	4	+	2			
5770	5.10	5.10		5.10	/4.90A	6.40B/4.90A	----	5.10	- 1.90	.0218	----	----	15	----	----	5.10	- 1.90	.0218	----	----	----	----	15	----	22	+	12			
5775	----	----	----	----	/4.90A	6.40B/4.90A	----	5.10	- 1.80	.0217	----	----	----	----	----	5.10	- 1.80	.0217	----	----	----	----	----	----	----	215	UNCH			
5800	----	----	----	----	/4.80A	6.20B/4.80A	----	4.90	- 1.80	.0209	----	----	6	----	----	4.90	- 1.80	.0209	----	----	----	----	6	----	310	UNCH				
5820	----	----	----	----	/4.70A	6.00B/4.70A	----	4.80	- 1.80	.0204	----	----	----	----	----	4.80	- 1.80	.0204	----	----	----	----	----	----	----	7	UNCH			
5850	----	----	----	----	/4.60A	5.80B/4.60A	----	4.70	- 1.60	.0198	----	----	----	----	----	4.70	- 1.60	.0198	----	----	----	----	----	----	----	4	UNCH			
5875	----	----	----	----	/4.50A	5.60B/4.50A	----	4.60	- 1.60	.0193	----	----	----	----	----	4.60	- 1.60	.0193	----	----	----	----	----	----	----	5	UNCH			
5900	4.60	4.60		4.60	/4.40A	5.50B/4.40A	----	4.50	- 1.50	.0188	----	----	21	----	----	4.50	- 1.50	.0188	----	----	----	----	21	----	216	UNCH				
5925	----	----	----	----	/4.30A	5.30B/4.30A	----	4.40	- 1.40	.0183	----	----	----	----	----	4.40	- 1.40	.0183	----	----	----	----	----	----	----	8	UNCH			
5950	----	----	----	----	/4.20A	5.20B/4.20A	----	4.30	- 1.40	.0179	----	----	----	----	----	4.30	- 1.40	.0179	----	----	----	----	----	----	----	1	UNCH			
5975	----	----	----	----	/4.10A	5.00B/4.10A	----	4.20	- 1.30	.0174	----	----	----	----	----	4.20	- 1.30	.0174	----	----	----	----	----	----	----	14	UNCH			
6000	4.50	4.50		4.50	/4.00A	4.90B/4.00A	----	4.20	- 1.20	.0172	----	----	6	----	----	4.20	- 1.20	.0172	----	----	----	----	6	----	924	UNCH				
6025	----	----	----	----	/4.00A	4.80B/4.00A	----	4.10	- 1.20	.0168	----	----	----	----	----	4.10	- 1.20	.0168	----	----	----	----	----	----	----	253	UNCH			
6100	3.80	3.80		3.80	/3.50	4.40B/3.50	----	3.90	NEW	.0157	----	----	5	----	----	3.90	NEW	.0157	----	----	----	----	5	----	5	+	5			
6250	3.50	3.50		3.50	/3.40A	3.90B/3.40A	----	3.50	- 0.80	.0138	----	----	4	----	----	3.50	- 0.80	.0138	----	----	----	----	4	----	90	+	4			
6300	3.30	3.30		3.30																										

BULLETIN #186@										METALS OPTION PRODUCTS										Mon, Sep 28, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG CALL	COMEX GOLD OPTIONS																					
FEB27																						
4605	110.00	110.00		110.00/72.50A	112.30B/72.50A	----	----	78.00 - 39.60	.2555	----	----	5	----	61 -	2							
4610	----	----		----/71.50A	111.00B/71.50A	----	----	77.10 - 39.10	.2530	----	----	----	----	30	UNCH							
4615	84.90	84.90		84.90/70.70A	109.60B/70.70A	----	----	76.20 - 38.60	.2506	----	----	75	----	184 +	63							
4625	----	----		----/69.00A	107.00B/69.00A	----	----	74.30 - 37.80	.2455	----	----	----	----	73	UNCH							
4630	----	----		----/68.10A	105.80B/68.10A	----	----	73.40 - 37.40	.2431	----	----	----	----	19	UNCH							
4640	----	----		----/66.50A	103.20B/66.50A	----	----	71.60 - 36.60	.2382	----	----	----	----	22	UNCH							
4650	72.90	72.90		72.90/64.90A	100.80B/64.90A	----	----	69.90 - 35.80	.2335	----	1	----	----	115	UNCH							
4655	----	----		----/64.10A	99.60B/64.10A	----	----	69.10 - 35.30	.2312	----	----	----	----	18	UNCH							
4660	----	----		----/63.30A	98.40B/63.30A	----	----	68.20 - 35.00	.2288	----	----	----	----	453	UNCH							
4665	----	----		----/62.50A	97.20B/62.50A	----	----	67.40 - 34.60	.2265	----	----	----	----	19	UNCH							
4675	----	----		----/61.00A	94.80B/61.00A	----	----	65.80 - 33.80	.2220	----	----	----	----	6	UNCH							
4680	----	----		----/60.30A	93.80B/60.30A	----	----	65.00 - 33.40	.2197	----	----	----	----	23	UNCH							
4690	62.00	62.00		62.00/58.80A	91.50B/58.80A	----	----	63.40 - 32.70	.2152	----	2	----	----	45 +	2							
4695	----	----		----/58.10A	90.40B/58.10A	----	----	62.60 - 32.30	.2130	----	----	----	----	26	UNCH							
4700	59.10	59.10		59.10/57.40A	89.30B/57.40A	----	----	61.90 - 31.90	.2109	----	30	----	----	435 +	4							
4705	----	----		----/56.70A	88.20B/56.70A	----	----	61.10 - 31.60	.2087	----	----	----	----	16	UNCH							
4710	----	----		----/56.00A	87.10B/56.00A	----	----	60.40 - 31.20	.2066	----	----	----	----	22	UNCH							
4715	----	----		----/55.30A	86.10B/55.30A	----	----	59.70 - 30.80	.2046	----	----	----	----	18	UNCH							
4730	----	----		----/53.40A	83.00B/53.40A	----	----	57.50 - 29.90	.1983	----	----	----	----	29	UNCH							
4740	----	----		----/52.10A	81.10B/52.10A	----	----	56.20 - 29.10	.1944	----	----	----	----	17	UNCH							
4745	----	----		----/51.40A	80.10B/51.40A	----	----	55.50 - 28.80	.1923	----	----	----	----	15	UNCH							
4750	----	----		----/50.80A	79.00B/50.80A	----	----	54.80 - 28.50	.1903	----	4	----	----	575 +	4							
4755	----	----		----/50.20A	78.20B/50.20A	----	----	54.20 - 28.10	.1885	----	----	----	----	61	UNCH							
4760	----	----		----/49.60A	77.30B/49.60A	----	----	53.50 - 27.80	.1864	----	----	----	----	107	UNCH							
4775	----	----		----/47.80A	74.40B/47.80A	----	----	51.60 - 26.90	.1807	----	----	----	----	14	UNCH							
4785	----	----		----/46.70A	72.70B/46.70A	----	----	50.40 - 26.30	.1771	----	----	----	----	100	UNCH							
4790	----	----		----/46.10A	71.90B/46.10A	----	----	49.80 - 26.00	.1753	----	----	----	----	19	UNCH							
4795	----	----		----/45.60A	71.00B/45.60A	----	----	49.20 - 25.70	.1735	----	----	----	----	43	UNCH							
4800	----	----		----/45.20A	70.20B/45.20A	----	----	48.70 - 25.30	.1718	----	10	----	----	2070	UNCH							
4805	47.10	47.10		47.10/44.50A	69.20B/44.50A	----	----	48.10 - NEW	.1700	----	2	----	----	2 +	2							
4810	----	----		----/44.00A	68.50B/44.00A	----	----	47.50 - 24.70	.1682	----	----	----	----	29	UNCH							
4825	----	----		----/42.50A	66.10B/42.50A	----	----	45.90 - 23.80	.1632	----	----	----	----	207	UNCH							
4830	----	----		----/42.00A	65.30B/42.00A	----	----	45.30 - 23.60	.1614	----	----	----	----	47	UNCH							
4835	----	----		----/41.50A	64.40B/41.50A	----	----	44.80 - 23.30	.1598	----	----	----	----	21	UNCH							
4845	----	----		----/40.40A	62.90B/40.40A	----	----	43.80 - 22.70	.1567	----	----	----	----	3	UNCH							
4850	----	----		----/40.10A	62.30B/40.10A	----	----	43.30 - 22.40	.1551	----	11	----	----	110 +	11							
4855	----	----		----/39.50A	61.40B/39.50A	----	----	42.80 - 22.20	.1535	----	----	----	----	2	UNCH							
4860	----	----		----/39.10A	60.70B/39.10A	----	----	42.30 - 21.90	.1519	----	----	----	----	12	UNCH							
4870	----	----		----/38.20A	59.40B/38.20A	----	----	41.30 - 21.40	.1488	----	----	----	----	80	UNCH							
4875	----	----		----/37.80A	58.70B/37.80A	----	----	40.80 - 21.20	.1472	----	----	----	----	233	UNCH							
4880	----	----		----/37.30A	58.00B/37.30A	----	----	40.40 - 20.80	.1459	----	----	----	----	7	UNCH							
4885	----	----		----/36.80A	57.20B/36.80A	----	----	39.90 - 20.60	.1443	----	----	----	----	3	UNCH							
4900	----	----		----/35.60A	55.20B/35.60A	----	----	38.60 - 19.80	.1401	----	8	----	----	353	UNCH							
4905	----	----		----/35.30A	54.70B/35.30A	----	----	38.10 - 19.70	.1385	----	----	----	----	16	UNCH							
4920	----	----		----/34.10A	52.70B/34.10A	----	----	36.80 - 19.00	.1343	----	----	----	----	6	UNCH							
4925	----	----		----/33.60A	52.10B/33.60A	----	----	36.40 - 18.70	.1330	----	----	----	----	5	UNCH							
4930	----	----		----/33.30A	51.40B/33.30A	----	----	36.00 - 18.50	.1317	----	----	----	----	46	UNCH							
4935	----	----		----/32.90A	50.90B/32.90A	----	----	35.60 - 18.30	.1304	----	----	----	----	2	UNCH							
4945	----	----		----/32.20A	49.70B/32.20A	----	----	34.80 - 17.80	.1277	----	----	----	----	18	UNCH							
4950	----	----		----/31.80A	49.20B/31.80A	----	----	34.40 - 17.60	.1264	----	----	----	----	40	UNCH							
4955	----	----		----/31.50A	48.60B/31.50A	----	----	34.00 - 17.40	.1251	----	----	----	----	2	UNCH							
4960	----	----		----/31.10A	48.00B/31.10A	----	----	33.70 - 17.20	.1240	----	----	----	----	8	UNCH							
4970	32.20	32.20		32.20/30.40A	46.90B/30.40A	----	----	32.90 - NEW	.1214	----	3	----	----	3 +	3							
4975	----	----		----/30.10A	46.30B/30.10A	----	----	32.60 - 16.50	.1204	----	----	----	----	3	UNCH							
4990	32.60	32.60		32.60/29.10A	44.80B/29.10A	----	----	31.50 - NEW	.1167	----	8	----	----	8 +	8							
4995	----	----		----/28.80A	44.30B/28.80A	----	----	31.10 - 15.80	.1154	----	----	----	----	20	UNCH							
5000	45.10	45.10		45.10/28.50A	45.10/28.50A	----	----	30.80 - 15.60	.1144	----	148	----	----	3015 +	52							
5005	30.70	30.70		30.70/28.20A	43.30B/28.20A	----	----	30.50 - 15.40	.1133	----	9	----	----	32 +	9							
5010	29.40	29.40		29.40/27.90A	42.80B/27.90A	----	----	30.10 - 15.30	.1120	----	6	----	----	13 +	6							
5020	----	----		----/27.30A	41.80B/27.30A	----	----	29.50 - 14.90	.1099	----	----	----	----	5	UNCH							
5025	----	----		----/27.00A	41.30B/27.00A	----	----	29.20 - 14.70	.1089	----	----	----	----	30	UNCH							
5030	----	----		----/26.70A	40.90B/26.70A	----	----	28.80 - 14.60	.1076	----	----	----	----	6	UNCH							
5040	----	----		----/26.10A	39.90B/26.10A	----	----	28.20 - 14.20	.1055	----	----	----	----	1	UNCH							
5045	----	----		----/25.80A	39.50B/25.80A	----	----	27.90 - 14.00	.1045	----	----	----	----	50	UNCH							
5050	----	----		----/25.60A	39.00B/25.60A	----	----	27.60 - 13.90	.1035	----	8	----	----	122 +	6							
5055	28.70	28.70		28.70/25.30A	38.50B/25.30A	----	----	27.30 - NEW	.1024	----	2	----	----	2 +	2							
5060	----	----		----/25.00A	38.20B/25.00A	----	----	27.00 - 13.60	.1014	----	----	----	----	1	UNCH							
5065	----	----		----/24.80A	37.80B/24.80A	----	----	26.70 - 13.40	.1004	----	----	----	----	1	UNCH							
5075	----	----		----/24.20A	36.80B/24.20A	----	----	26.20 - 13.00	.0986	----	----	----	----	157	UNCH							
5090	----	----		----/23.50A	35.60B/23.50A	----	----	25.40 - 12.60	.0958	----	----	----	----	2	UNCH							
5095	----	----		----/23.20A	35.20B/23.20A	----	----	25.10 - 12.50	.0948	----	----	----	----	9	UNCH							
5100	----	----		----/23.00A	34.80B/23.00A	----	----	24.80 - 12.30	.0938	----	----	----	----	973	UNCH							
5105	----	----		----/22.80A	34.50B/22.80A	----	----	24.60 - 12.10	.0930	----	----	----	----	40	UNCH							
5110	33.50	33.50		33.50/22.50A	34.20B/22.50A	----	----	24.30 - 12.00	.0920	----	6	----	----	48 +	5							
5115	32.90	32.90		32.90/22.30A	33.70B/22.30A	----	----	24.10 - 11.90	.0912	----	1	----	----	78 +	1							
5120	----	----		----/22.10A	33.40B/22.10A	----	----	23.80 - 11.80	.0902	----	----	----	----	2	UNCH							
5125	----	----		----/21.90A	33.10B/21.90A	----	----	23.60 - 11.60	.0895	----	----	----	----	6	UNCH							
5130	----	----		----/21.60A	32.60B/21.60A	----	----	23.30 - 11.50	.0885	----	----	----	----	2	UNCH							
5135	----	----		----/21.40A	32.30B/21.40A	----	----	23.10 - 11.30	.0877	----	----	----	----	1	UNCH							
5140	----	----		----/21.20A	31.90B/21.20A	----	----	22.90 - 11.20	.0870	----	----	----	----	2	UNCH							
5145	----	----		----/21.00A	31.60B/21.00A	----	----	22.60 - 11.10	.0860	----	----	----	----	4	UNCH							
5150	23.90	23.90		23.90/20.60	31.20B/20.60	----	----	22.40 - 10.90	.0852	----	45	----	----	64	UNCH							
5155	----	----		----/20.60A	30.90B/20.60A	----	----	22.20 - 10.80	.0845	----	----	----	----	4	UNCH							
5160	----	----		----/20.40A	30.60B/20.40A	----	----	21.90 - 10.70	.0835	----	----	----	----	6	UNCH							
5165	----	----		----/20.20A	30.20B/20.20A	----	----	21.70 - 10.60	.0828	----	----	----	----	5	UNCH							
5170	----	----		----/20.00A	29.90B/20.00A	----	----	21.50 - 10.50	.0820	----	----	----	----	5	UNCH							
5175	----	----		----/19.80A	29.60B/19.80A	----	----	21.30 - 10.30	.0813	----	----	----	----	127	UNCH							
5180	----	----		----/19.60A	29.30B/19.60A	----	----	21.10 - 10.20	.0805	----	----	----	----	1	UNCH							
5185	21.00	21.00		21.00/19.40A	29.00B/19.40A	----	----	20.90 - 10.10	.0798	----	15	----	----	125	UNCH							
5190	----	----		----/19.20A	28.70B/19.20A	----	----	20.70 - 9.90	.0791	----	----	----	----	3	UNCH							
5200	20.70	20.70		20.70/18.80A	28.10B/18.80A	----	----	20.30 - 9.70	.0776	----	122	----	----	3016 -	33							
5210	----	----		----/18.50A	27.50B/18.50A	----	----	19.90 - 9.50	.0762	----	----	----	----	1	UNCH							
5220	----	----		----/18.10A	27.00B/18.10A	----	----	19.50 - 9.30	.0747	----	----	----	----	27	UNCH							
5225	----	----																				



CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY



GLOBEX				OPEN OUTCRY				GLOBEX				OPEN OUTCRY				OPEN OUTCRY				SETT.PRICE				DELTA				EXER				OPEN				GLOBEX®				PNT				OPEN																															
OPEN				OPEN RANGE				HIGH/LOW				HIGH/LOW				CLOSE RANGE				& PT.CHGE.								CISES				OUTCRY VOLUME				VOLUME				VOLUME				INTEREST																															
OG CALL				COMEX GOLD OPTIONS																																																																							
FEB27																																																																											
5550				----				----/10.60A				14.60B/10.60A				----				11.20 - 4.40				.0432				----				----				----				----				75				UNCH																											
5575				12.10				12.10				12.10/9.90A				13.40B/9.90A				----				10.80 - 4.20				.0417				----				----				140				165				8																											
5600				----				----				----/9.80A				13.30B/9.80A				----				10.30 - 4.00				.0397				----				----				4				UNCH																															
5605				----				----				----/9.60A				12.90B/9.60A				----				10.10 - 3.80				.0389				----				25				UNCH																																			
5625				----				----				----/9.30A				12.40B/9.30A				----				9.70 - 3.70				.0373				----				2				UNCH																																			
5650				----				----				----/9.00A				11.90B/9.00A				----				9.40 - 3.50				.0361				----				1				UNCH																																			
5680				----				----				----/8.70A				11.60B/8.70A				----				9.20 - 3.30				.0352				----				213				UNCH																																			
5700				----				----				----/8.50A				11.20B/8.50A				----				8.90 - 3.20				.0340				----				300				UNCH																																			
5725				----				----				----/8.40A				11.00B/8.40A				----				8.80 - 3.10				.0336				----				1				UNCH																																			
5735				----				----				----/8.30A				10.80B/8.30A				----				8.60 - 3.10				.0328				130				1979				16																																			
5750				----				----				----/8.20A				10.60B/8.20A				----				8.50 - 3.00				.0324				----				1				UNCH																																			
5760				----				----				----/8.00A				10.40B/8.00A				----				8.40 - 2.90				.0320				----				299				UNCH																																			
5775				----				----				----/7.90A				10.20B/7.90A				----				8.30 - 2.80				.0315				----				1				UNCH																																			
5790				----				----				----/7.80A				10.10B/7.80A				----				8.20 - 2.80				.0311				2				238				2																																			
5800				----				----				----/7.70A				9.80B/7.70A				----				8.00 - 2.70				.0303				----				5				UNCH																																			
5820				----				----				----/7.60A				9.70B/7.60A				----				7.90 - 2.70				.0300				----				2				UNCH																																			
5825				----				----				----/7.10A				8.90B/7.10A				----				7.40 - 2.30				.0278				----				14				UNCH																																			
5900				----				----				----/6.80A				8.40B/6.80A				----				7.00 - 2.20				.0262				----				24				UNCH																																			
5950				7.30				7.30				7.30/6.60A				8.20B/6.60A				----				6.90 NEW				.0257				1				1				+																																			
5975				7.30				7.30				7.30/6.50A				8.00B/6.50A				----				6.70 - 2.00				.0249				47				2469				33																																			
6000				----				----				----/6.30A				7.70B/6.30A				----				6.60 - 1.90				.0244				----				4				UNCH																																			
6025				----				----				----/6.00A				7.20B/6.00A				----				6.20 - 1.70				.0227				19				21				19																																			
6100				----				----				----/5.60A				6.50B/5.60A				----				5.70 - 1.50				.0207				----				3				UNCH																																			
6200				----				----				----/5.40A				6.30B/5.40A				----				5.50 - 1.40				.0198				----				34				UNCH																																			
6250				----				----				----/5.20A				6.00B/5.20A				----				5.30 - 1.40				.0190				----				2				UNCH																																			
6300				----				----				----/4.90A				5.50B/4.90A				----				4.90 - 1.30				.0174				1				10				+																																			
6400				5.20				5.20				5.20/4.60A				5.20/4.60A				----				4.70 - 1.00				.0164				67				983				58																																			
6500				5.20				5.20				5.20/4.40A				4.80B/4.40A				----				4.40 - 1.00				.0152				----				10				UNCH																																			
6600				4.40				4.40				4.40/3.80				4.50B/3.80				----				4.20 - 0.90				.0143				15				20				+																																			
6700				4.40				4.40				4.40/3.80				4.00B/3.80A				----				3.80 - 0.70				.0126				----				871				UNCH																																			
6900				3.70				3.70				3.70/3.30				3.80B/3.30				----				3.60 - 0.70				.0118				20				1033				15																																			
7000				3.70				3.70				3.70/3.30				3.60B/3.50A				----				3.50 - 0.60				.0113				----				9				UNCH																																			
7100				----				----				----/3.50A				3.40B/3.30A				----				3.30 - 0.60				.0106				----				1				UNCH																																			
7200				----				----				----/3.30A				2.90B/2.90A				----				2.90 - 0.40				.0090				19				829				UNCH																																			
7500				----				----				----/2.90A				2.70B/2.70A				----				2.60 - 0.40				.0080				----				1				UNCH																																			
7700				----				----				----/2.70A				2.50B/2.60A				----				2.50 - 0.40				.0076				----				1				UNCH																																			
7800				----				----				----/2.60A				2.40B/2.50A				----				2.40 - 0.30				.0073				----				1262				UNCH																																			
7900				----				----				----/2.50A				2.30B/2.40A				----				2.30 - 0.30				.0069				----				1453				UNCH																																			
8000				----				----				----/2.40A				1.80B/1.90A				----				1.80 - 0.20				.0053				----				325				UNCH																																			
8500				----				----				----/1.90A				1.40B/1.50A				----				1.50 - 0.10				.0043				----				147				UNCH																																			
9000				1.40				1.40				1.40/1.40				1.40/1.40				----				1.40 - 0.20				.0040				----				25				30				+																															
9100				1.40				1.40				1.40/1.40				1.40/1.40				----				1.40 - 0.20				.0040				----				1854				39492				656																															
TOTAL																																																																											
MAR27																																																																											
3480				----				----				----/821.70A				809.90B/821.70A				----				779.20 - 44.60				.9110				----				----				1				UNCH																															
3500				----				----				----/855.80A				791.00B/855.80A				----				761.00 - 43.90				.9061				----				----				2				UNCH																															
4080				----				----				----/300.50A				329.30B/300.50A				----				312.60 - 02.30				.6338				----				----				2				UNCH																															
4100				----				----				----/287.40A				317.20B/287.40A				----				301.00 - 00.20				.6203				----				12				UNCH																																			
4130				265.50				265.50				265.50/270.40A				306.80B/270.40A				----				284.20 - 96.90				.6000				----				30				UNCH																																			
4150				265.50				265.50				265.50/260.50A				306.90B/260.50A				----				273.40 NEW				.5862				2				2				+																																			
4195				----				----				----/237.80A				307.90B/237.80A				----				250.30 - 89.50				.5552				----				10				UNCH																																			
4200				----				----				----/235.80A				308.50B/235.80A				----				247.80 - 89.00				.5517				----				51				UNCH																																			
4210				----				----				----/230.90A				308.30B/230.90A				----				242.90 - 87.80				.5448				----				1				UNCH																																			
4215				----				----				----/229.10A				308.50B/229.10A				----				240.50 - 87.30				.5413				1				3				+																																			
4220				----				----				----/226.80A				306.80B/226.80A				----				238.10 - 86.70				.5378				----				2				UNCH																																			
4225				----				----				----/224.30A				306.70B/224.30A				----				235.70 - 86.10				.5344				----				1				UNCH																																			
4270				210.60				210.60				210.60/204.90A				282.40B/204.90A				----				215.30 NEW				.5034				1				1				+																																			
4300				182.40				182.40				182.40/192.30A				265.70B/192.30A				----				202.50 - 77.50				.4830				25				241				25																																			
4340				182.40				182.40				182.40/177.00A				245.50B/177.00A				----				186.40 NEW				.4562				1				1				+																																			
4345				----				----				----/175.30A				243.10B/175.30A				----				184.50 - 72.50				.4529				----				1				UNCH																																			
4350				----				----				----/173.40A				240.70B/173.40A				----				182.60 - 71.90				.4496				----				20				UNCH																																			
4370				----				----				----/166.20A				231.30B/166.20A				----				175.10 - 69.70				.4366				270				UNCH																																							
4380				----				----				----/162.40A				227.40B/162.40A				----				171.40 - 68.70				.4301				----				1				UNCH																																			
4395				----				----				----/157.60A				220.20B/157.60A				----				166.10 - 67.00				.4204				3				UNCH																																							
4400				----				----				----/155.70A				217.70B/155.70A				----				164.30 - 66.50				.4172				10				583				5																																			
4420				155.70				155.70				155.70/149.00A				209.20B/149.00A				----				157.50 - 64.40				.4046				1				1				UNCH																																			
4425				155.70				155.70				155.70/147.80A				206.90B/147.80A				----				155.90 NEW				.4016				1				1				+																																			
4440				----				----				----/142.60A				200.60B/142.60A				----				151.00 - 62.30				.3923				53				UNCH																																							
4450				----				----				----/139.70A				196.50B/139.70A				----				147.80 - 61.30				.3862				235				UNCH																																							
4460				----				----				----/137.30A				192.50B/137.30A				----				144.70 - 60.20				.3801				5				UNCH																																							
4465				----				----				----/135.40A				190.50B/135.40A				----				143.20 - 59.70				.3771				120				UNCH																																							
4470				----				----				----/134.20A				188.80B/134.20A				----				141.70 - 59.20				.3742				6				UNCH																																							
4475				----				----				----/132.60A				186.60B/132.60A				----				140.20 - 58.70				.3712				2				UNCH																																							
4480				----				----				----/131.00A				184.70B/131.00A				----				138.70 - 58.20				.3682				50				UNCH																																							
4495				167.00				167.00				167.00/127.50A				179.30B/127.50A				----				134.30 - 56.70				.3594				18				25				1				UNCH																															
4500				167.00				167.00				167.00/125.30A				177.20B/125.30A				----				132.90 - 56.10				.3565				51				525				10																																			
4525				----				----				----/119.20A				168.30B/119.20A				----				125.90 - 53.80				.3422				2				UNCH																																							
4535				----				----				----/116.60A				164.60B/116.60A				----				123.20 - 52.90				.3366				20				UNCH																																							
4550				----				----				----/112.30A				159.50B/112.30A				----				119.30 - 51.50				.3284				241				UNCH																																							
4555				----				----				----/111.50A				158.40B/111.50A				----				118.00 - 51.10				.3256				20				UNCH																																							
4580				----				----				----/105.50A				150.20B/105.50A				----				111.80 - 48.90				.3122				29				UNCH																																							
4590				112.50				112.50				112.50/103.50A				147.10B/103.50A				----				109.50 - 47.90				.3071				51				20				UNCH																																			
4600				112.50				112.50				112.50/100.90A				144.00B/100.90A				----				107.10 - 47.10				.3019				302				+																																							
4605				----				----				----/100.00A				142.40B/100.00A				----				106.00 - 46.70				.2994				33				UNCH																																							
4610				----				----				----/99.00A				140.90B/99.00A				----				104.90 - 46.20				.2969				302				UNCH																																							
4615				----				----				----/97.50A				139.40B/97.50A				----				103.70 - 45.90</																																																			

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

BULLETIN #186@				METALS OPTION PRODUCTS										Mon, Sep 28, 2026				PG64	
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
OG CALL		COMEX GOLD OPTIONS																	
MAR27																			
5160	----	----	----/32.30A	42.70B/32.30A	----	34.00	- 15.30	.1130	----	----	----	----	13	UNCH					
5165	----	----	----/32.00A	42.30B/32.00A	----	33.70	- 15.10	.1121	----	----	----	----	101	UNCH					
5175	----	----	----/31.40A	41.50B/31.40A	----	33.10	- 14.80	.1102	----	----	----	----	2	UNCH					
5180	----	----	----/31.10A	41.00B/31.10A	----	32.80	- 14.70	.1093	----	----	----	----	1	UNCH					
5185	----	----	----/30.70A	40.60B/30.70A	----	32.50	- 14.50	.1084	----	----	----	----	2	UNCH					
5190	----	----	----/30.40A	40.20B/30.40A	----	32.20	- 14.40	.1074	----	----	----	----	362	UNCH					
5195	----	----	----/30.20A	39.80B/30.20A	----	31.90	- 14.20	.1065	----	----	----	----	2	UNCH					
5200	----	----	----/29.90A	39.40B/29.90A	----	31.60	- 14.10	.1056	----	----	----	----	272	UNCH					
5205	----	----	----/29.60A	38.90B/29.60A	----	31.30	- 14.00	.1047	----	----	----	----	2	UNCH					
5210	----	----	----/29.30A	38.50B/29.30A	----	31.00	- 13.80	.1038	----	----	----	----	2	UNCH					
5215	----	----	----/29.10A	38.20B/29.10A	----	30.70	- 13.70	.1029	----	----	----	----	4	UNCH					
5220	----	----	----/28.80A	37.80B/28.80A	----	30.50	- 13.50	.1022	----	----	----	----	17	UNCH					
5225	----	----	----/28.60A	37.40B/28.60A	----	30.20	- 13.40	.1013	----	----	----	----	6	UNCH					
5230	----	----	----/28.30A	37.00B/28.30A	----	29.90	- 13.30	.1004	----	----	----	----	6	UNCH					
5235	----	----	----/28.10A	36.60B/28.10A	----	29.60	- 13.20	.0995	----	----	----	----	8	UNCH					
5240	----	----	----/27.80A	36.30B/27.80A	----	29.40	- 13.00	.0988	----	----	----	----	10	UNCH					
5245	----	----	----/27.60A	35.90B/27.60A	----	29.10	- 12.90	.0979	----	----	----	----	12	UNCH					
5250	----	----	----/27.30A	35.50B/27.30A	----	28.90	- 12.70	.0972	----	----	----	----	115	UNCH					
5255	----	----	----/27.10A	35.20B/27.10A	----	28.60	- 12.60	.0963	----	----	----	----	18	UNCH					
5260	----	----	----/26.90A	34.90B/26.90A	----	28.30	- 12.50	.0954	----	----	----	----	7	UNCH					
5265	----	----	----/26.60A	34.50B/26.60A	----	28.10	- 12.40	.0947	----	----	----	----	28	UNCH					
5270	----	----	----/26.40A	34.10B/26.40A	----	27.80	- 12.30	.0938	----	----	----	----	9	UNCH					
5275	----	----	----/26.20A	33.80B/26.20A	----	27.60	- 12.10	.0932	----	----	----	----	136	UNCH					
5280	----	----	----/25.90A	33.40B/25.90A	----	27.40	- 12.00	.0925	----	----	----	----	17	UNCH					
5285	----	----	----/25.70A	33.10B/25.70A	----	27.10	- 11.90	.0916	----	----	----	----	21	UNCH					
5290	----	----	----/25.50A	32.80B/25.50A	----	26.90	- 11.80	.0909	----	----	----	----	28	UNCH					
5295	----	----	----/25.30A	32.50B/25.30A	----	26.60	- 11.70	.0900	----	----	----	----	55	UNCH					
5300	----	----	----/25.10A	32.10B/25.10A	----	26.40	- 11.60	.0894	----	----	----	----	71	UNCH					
5305	----	----	----/24.80A	31.80B/24.80A	----	26.20	- 11.40	.0887	----	----	----	----	2	UNCH					
5330	----	----	----/23.80A	30.30B/23.80A	----	25.10	- 10.90	.0852	----	----	----	----	30	UNCH					
5345	----	----	----/23.20A	29.40B/23.20A	----	24.40	- 10.70	.0830	----	----	----	----	1	UNCH					
5350	----	----	----/23.00A	29.10B/23.00A	----	24.20	- 10.60	.0824	----	----	----	----	7	UNCH					
5380	----	----	----/22.00A	27.50B/22.00A	----	23.00	- 10.00	.0785	----	----	----	----	12	UNCH					
5390	----	----	----/21.60A	27.00B/21.60A	----	22.60	- 9.90	.0772	----	----	----	----	10	UNCH					
5400	----	----	----/21.30A	26.50B/21.30A	----	22.30	- 9.60	.0762	----	----	----	----	87	UNCH					
5420	----	----	----/20.60A	25.50B/20.60A	----	21.60	- 9.30	.0739	----	----	----	----	20	UNCH					
5430	----	----	----/20.30A	25.20B/20.30A	----	21.20	- 9.20	.0726	----	----	----	----	10	UNCH					
5435	----	----	----/20.10A	24.80B/20.10A	----	21.00	- 9.10	.0720	----	----	----	----	9	UNCH					
5445	----	----	----/19.80A	24.50B/19.80A	----	20.70	- 8.90	.0710	----	----	----	----	1	UNCH					
5450	----	----	----/19.70A	24.30B/19.70A	----	20.60	- 8.80	.0706	----	----	----	----	113	UNCH					
5500	18.40	18.40	18.40/18.30A	22.20B/18.30A	----	19.00	- 8.10	.0653	----	----	3	----	886	- 1					
5505	----	----	----/18.20A	22.00B/18.20A	----	18.90	- 8.00	.0649	----	----	----	----	123	UNCH					
5550	----	----	----/17.00A	20.30B/17.00A	----	17.70	- 7.30	.0609	----	----	----	----	4	UNCH					
5555	----	----	----/16.90A	20.10B/16.90A	----	17.60	- 7.20	.0605	----	----	----	----	13	UNCH					
5600	16.40	16.40	16.40/15.90A	17.30B/15.90A	----	16.50	- 6.60	.0568	----	----	1	----	1003	UNCH					
5615	----	----	----/15.60A	16.70B/15.60A	----	16.10	- 6.50	.0555	----	----	----	----	2	UNCH					
5620	----	----	----/15.50A	16.60B/15.50A	----	16.00	- 6.40	.0551	----	----	----	----	3	UNCH					
5625	----	----	----/15.40A	16.60B/15.40A	----	15.90	- 6.30	.0547	----	----	----	----	19	UNCH					
5630	----	----	----/15.30A	16.50B/15.30A	----	15.80	- 6.20	.0544	----	----	----	----	12	UNCH					
5635	----	----	----/15.20A	16.40B/15.20A	----	15.70	- 6.20	.0540	----	----	----	----	14	UNCH					
5650	----	----	----/14.90A	16.00B/14.90A	----	15.30	- 6.10	.0527	----	----	----	----	6	UNCH					
5670	----	----	----/14.50A	15.30B/14.50A	----	14.90	- 5.80	.0514	----	----	----	----	1	UNCH					
5700	----	----	----/14.00A	15.00B/14.00A	----	14.30	- 5.50	.0493	----	----	----	----	30	UNCH					
5750	13.20	13.20	13.20/13.20	14.10B/13.20	----	13.40	- NEW	.0462	----	----	3	----	3	+					
5755	12.60	12.60	12.60/12.60	14.00B/12.60	----	13.30	- NEW	.0458	----	----	3	----	3	+					
5790	12.30	12.30	12.30/12.30	13.30B/12.30	----	12.70	- 4.80	.0438	----	----	5	----	49	+					
5800	----	----	----/12.50A	13.10B/12.50A	----	12.60	- 4.70	.0434	----	----	----	----	2	UNCH					
5810	----	----	----/12.30A	13.00B/12.30A	----	12.40	- 4.60	.0427	----	----	----	----	15	UNCH					
5820	----	----	----/12.20A	12.60B/12.20A	----	12.30	- 4.50	.0423	----	----	----	----	1	UNCH					
5825	----	----	----/12.10A	12.70B/12.10A	----	12.20	- 4.50	.0420	----	----	----	----	13	UNCH					
5850	----	----	----/11.80A	12.40B/11.80A	----	11.90	- 4.30	.0409	----	----	----	----	3	UNCH					
5860	----	----	----/11.70A	12.20B/11.70A	----	11.70	- 4.30	.0402	----	----	----	----	6	UNCH					
5875	----	----	----/11.50A	12.00B/11.50A	----	11.50	- 4.20	.0395	----	----	----	----	13	UNCH					
5900	----	----	----/11.20A	11.50B/11.20A	----	11.20	- 4.00	.0384	----	----	----	----	9	UNCH					
5950	----	----	----/10.60A	11.00B/10.60A	----	10.60	- 3.80	.0363	----	----	----	----	18	UNCH					
5975	----	----	----/10.40A	10.60B/10.40A	----	10.40	- 3.60	.0355	----	----	----	----	36	UNCH					
6000	10.60	10.60	10.60/10.10A	10.60/10.10A	----	10.10	- 3.50	.0344	----	----	1	----	35	+					
6025	----	----	----/9.90A	10.10B/9.90A	----	9.90	- 3.40	.0336	----	----	----	----	1	UNCH					
6100	12.30	12.30	12.30/9.20A	12.30/9.20A	----	9.30	- 3.00	.0314	----	----	2	----	194	+					
6200	----	----	----/8.50A	8.60B/8.50A	----	8.70	- 2.50	.0290	----	----	----	----	25	UNCH					
6250	----	----	----/8.20A	8.20B/8.20A	----	8.40	- 2.30	.0278	----	----	----	----	10	UNCH					
6300	----	----	----/8.10A	7.60B/8.10A	----	8.10	- 2.10	.0267	----	----	----	----	490	UNCH					
6400	7.30	7.30	7.30/7.50A	7.00B/7.50A	----	7.50	- 2.00	.0245	----	----	2	----	1	UNCH					
6500	7.30	7.30	7.30/7.10A	7.30/7.10A	----	7.00	- 1.80	.0226	----	----	----	----	2	UNCH					
TOTAL 132 50 20769+ 129																			
APR27																			
3000	----	----	----	----	----	1240.20	- 53.40	.9691	----	----	----	----	2	UNCH					
3385	----	----	----/917.80A	932.00B/917.80A	----	872.30	- 45.70	.9179	----	----	----	----	1	UNCH					
3500	----	----	----/875.60A	824.30B/875.60A	----	768.40	- 41.50	.8905	----	----	----	----	8	UNCH					
3700	----	----	----/704.10A	576.10B/704.10A	----	598.80	- 31.10	.8237	----	----	----	----	1	UNCH					
3800	----	----	----/504.90A	542.40B/504.90A	----	520.60	- 24.60	.7805	----	----	----	----	1	UNCH					
3850	----	----	----/468.70A	504.50B/468.70A	----	483.50	- NEW	.7562	----	----	1	----	1	+					
3950	----	----	----/401.20A	432.90B/401.20A	----	414.00	- 12.50	.7030	----	----	----	----	101	UNCH					
4000	----	----	----/369.80A	399.50B/369.80A	----	381.80	- 07.90	.6744	----	----	----	----	7	UNCH					
4060	----	----	----/333.60A	361.60B/333.60A	----	345.50	- 02.10	.6386	----	----	----	----	4	UNCH					
4110	----	----	----/304.20A	338.50B/304.20A	----	317.20	- 07.20	.6079	----	----	----	----	1	UNCH					
4125	301.90	301.90	301.90/296.10A	338.80B/296.10A	----	309.00	- 05.70	.5986	----	----	1	----	93	+					
4150	----	----	----/283.80A	339.60B/283.80A	----	295.80	- 03.10	.5830	----	----	----	----	1	UNCH					
4170	----	----	----/273.90A	337.10B/273.90A	----	285.50	- 01.10	.5705	----	----	----	----	1	UNCH					
4175	----	----	----/271.50A	334.20B/271.50A	----	283.00	- 00.50	.5673	----	----	----	----	1	UNCH					
4200	----	----	----/258.80A	341.30B/258.80A	----	270.60	- 08.00	.5516	----	----	----	----	100	UNCH					
4210	----	----	----/255.20A	339.60B/255.20A	----	265.80	- 06.90	.5453	----	----	----	----	6	UNCH					
4225	----	----	----/247.90A	331.10B/247.90A	----	258.70	- 05.30	.5359	----	----	----	----	24	UNCH					
4230	----	----	----/245.60A	328.70B/245.60A	----	256.30	- 04.90	.5328	----	----	----	----	100	UNCH					
4250	----	----	----/235.80A	317.30B/235.80A	----	247.20	- 02.70	.5202	----	----	----	----	121	UNCH					
4260	----	----	----/231.70A	311.80B/231.70A	----	242.70	- 01.70	.5140	----	----	2	----	2	UNCH					
4270	----	----	----/227.90A	306.50B/227.90A	----	238.30	- 00.70	.5078	----	----	----	----	1	UNCH					
4300	----	----	----/215.10A	291.20B/215.10A	----	225.40	- 07.60	.4892	----	----	----	----	305	UNCH					
4350	----	----	----/196.20A	266.30B/196.20A	----	205.40	- 07.40	.4589	----	----	----	----	104	UNCH					
4360	----	----	----/192.50A	261.50B/192.50A	----	201.60	- 07.10	.4529	----	----	----	----	2	UNCH					
43																			

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS														
APR27																
4640	----	----	----	/112.70A	156.40B/112.70A	----	118.50	- 46.20	.3040	----	----	----	7	----	13	UNCH
4650	121.80	121.80	----	121.80/110.10A	153.50B/110.10A	----	116.30	- 45.30	.2994	----	----	----	----	295 +	6	UNCH
4665	----	----	----	/107.40A	149.20B/107.40A	----	113.00	- 44.20	.2927	----	----	----	----	20	UNCH	
4670	----	----	----	/106.30A	147.80B/106.30A	----	112.00	- 43.80	.2905	----	----	----	----	20	UNCH	
4680	----	----	----	/104.40A	145.00B/104.40A	----	109.90	- 43.00	.2861	----	----	----	----	11	UNCH	
4690	----	----	----	/102.30A	142.30B/102.30A	----	107.80	- 42.30	.2818	----	----	----	----	11	UNCH	
4695	----	----	----	/101.40A	141.00B/101.40A	----	106.80	- 41.90	.2796	----	----	----	----	40	UNCH	
4700	----	----	----	/99.90A	139.60B/99.90A	----	105.80	- 41.50	.2775	----	----	----	----	133	UNCH	
4705	----	----	----	/99.40A	138.30B/99.40A	----	104.80	- 41.20	.2754	----	----	----	----	6	UNCH	
4710	----	----	----	/98.00A	137.00B/98.00A	----	103.80	- 40.90	.2733	----	----	----	----	2	UNCH	
4715	----	----	----	/97.50A	135.70B/97.50A	----	102.80	- 40.50	.2712	----	----	----	----	63	UNCH	
4720	----	----	----	/96.50A	134.40B/96.50A	----	101.80	- 40.20	.2691	----	----	----	----	4	UNCH	
4725	----	----	----	/95.80A	133.10B/95.80A	----	100.90	- 39.80	.2671	----	----	----	----	2	UNCH	
4730	104.80	104.80	----	104.80/94.90A	131.90B/94.90A	----	99.90	NEW	.2649	----	----	2	----	2 +	2	UNCH
4750	93.50	93.50	----	93.50/91.20A	126.90B/91.20A	----	96.20	- 38.20	.2569	----	----	10	----	121 +	10	UNCH
4760	----	----	----	/89.70A	124.50B/89.70A	----	94.40	- 37.60	.2529	----	----	----	----	4	UNCH	
4765	----	----	----	/88.80A	123.40B/88.80A	----	93.50	- 37.30	.2510	----	----	----	----	2	UNCH	
4770	----	----	----	/88.00A	122.20B/88.00A	----	92.60	- 37.00	.2490	----	----	----	----	10	UNCH	
4775	----	----	----	/86.80A	121.00B/86.80A	----	91.70	- 36.70	.2470	----	----	----	----	40	UNCH	
4785	95.30	95.30	----	95.30/85.40A	118.70B/85.40A	----	90.00	- 36.10	.2432	----	----	2	----	39	UNCH	
4795	----	----	----	/84.00A	116.50B/84.00A	----	88.30	- 35.50	.2394	----	----	----	79	40	UNCH	
4800	----	----	----	/83.00A	115.40B/83.00A	----	87.50	- 35.10	.2376	----	----	----	----	265 +	54	UNCH
4805	----	----	----	/82.40A	114.30B/82.40A	----	86.60	- 34.90	.2357	----	----	----	----	1	UNCH	
4810	----	----	----	/81.60A	113.20B/81.60A	----	85.80	- 34.60	.2338	----	----	----	----	1	UNCH	
4820	----	----	----	/80.00A	111.10B/80.00A	----	84.20	- 34.00	.2302	----	----	----	----	2	UNCH	
4840	----	----	----	/77.00A	106.90B/77.00A	----	81.10	- 32.90	.2231	----	----	----	----	5	UNCH	
4845	----	----	----	/76.30A	105.90B/76.30A	----	80.40	- 32.50	.2214	----	----	----	----	75	UNCH	
4850	----	----	----	/75.40A	104.90B/75.40A	----	79.60	- 32.30	.2196	----	----	----	----	100	UNCH	
4865	----	----	----	/73.70A	101.90B/73.70A	----	77.40	- 31.40	.2145	----	----	----	----	3	UNCH	
4870	----	----	----	/72.90A	101.00B/72.90A	----	76.70	- 31.10	.2128	----	----	----	----	25	UNCH	
4885	----	----	----	/70.90A	98.10B/70.90A	----	74.60	- 30.30	.2079	----	----	----	19	21	UNCH	
4900	71.00	71.00	----	71.00/68.40A	94.50B/68.40A	----	72.60	- 29.40	.2031	----	----	3	----	83	UNCH	
4905	----	----	----	/68.70A	95.40B/68.70A	----	71.90	- 29.20	.2015	----	----	----	----	13 +	3	UNCH
4930	----	----	----	/65.30A	90.10B/65.30A	----	68.70	- 27.90	.1938	----	----	----	----	5	UNCH	
4970	----	----	----	/60.70A	83.50B/60.70A	----	64.00	- 25.80	.1822	----	----	----	7	10	UNCH	
5000	80.00	80.00	----	80.00/57.40A	80.00/57.40A	----	60.70	- 24.40	.1739	----	----	----	----	207 +	2	UNCH
5010	----	----	----	/56.50A	77.10B/56.50A	----	59.60	- 24.00	.1712	----	----	----	----	4	UNCH	
5020	----	----	----	/55.70A	75.80B/55.70A	----	58.60	- 23.50	.1686	----	----	----	----	7	UNCH	
5025	----	----	----	/54.90A	75.00B/54.90A	----	58.10	- 23.30	.1673	----	----	----	----	1	UNCH	
5030	----	----	----	/54.60A	74.20B/54.60A	----	57.60	- 23.00	.1661	----	----	----	----	1	UNCH	
5035	----	----	----	/54.10A	73.50B/54.10A	----	57.10	- 22.80	.1648	----	----	----	----	2	UNCH	
5040	----	----	----	/53.60A	72.90B/53.60A	----	56.60	- 22.60	.1635	----	----	----	----	3	UNCH	
5045	----	----	----	/53.10A	72.20B/53.10A	----	56.10	- 22.40	.1623	----	----	----	----	30	UNCH	
5050	----	----	----	/52.50A	71.50B/52.50A	----	55.60	- 22.20	.1610	----	----	----	----	119	UNCH	
5055	----	----	----	/52.20A	70.80B/52.20A	----	55.10	- 22.00	.1597	----	----	----	----	67	UNCH	
5060	----	----	----	/51.80A	70.30B/51.80A	----	54.70	- 21.70	.1586	----	----	----	----	27	UNCH	
5070	----	----	----	/50.90A	68.90B/50.90A	----	53.70	- 21.40	.1561	----	----	----	----	6	UNCH	
5075	----	----	----	/50.30A	68.20B/50.30A	----	53.30	- 21.10	.1550	----	----	----	----	232	UNCH	
5100	----	----	----	/48.30A	65.10B/48.30A	----	51.00	- 20.20	.1491	----	----	----	----	940	UNCH	
5130	----	----	----	/46.40A	61.70B/46.40A	----	48.50	- 19.10	.1425	----	----	----	----	18	UNCH	
5140	----	----	----	/46.00A	60.50B/46.00A	----	47.70	- 18.70	.1404	----	----	----	----	11	UNCH	
5145	----	----	----	/45.70A	60.00B/45.70A	----	47.30	- 18.60	.1393	----	----	----	----	8	UNCH	
5150	----	----	----	/45.30A	59.40B/45.30A	----	46.90	- 18.40	.1382	----	----	----	----	105	UNCH	
5170	----	----	----	/43.70A	57.30B/43.70A	----	45.30	- 17.80	.1340	----	----	----	----	1	UNCH	
5180	----	----	----	/43.10A	56.20B/43.10A	----	44.50	- 17.50	.1319	----	----	----	----	18	UNCH	
5195	----	----	----	/42.10A	54.80B/42.10A	----	43.40	- 17.00	.1290	----	----	----	----	5	UNCH	
5200	----	----	----	/41.80A	54.20B/41.80A	----	43.00	- 16.90	.1279	----	----	----	----	1379	UNCH	
5210	----	----	----	/41.10A	53.30B/41.10A	----	42.30	- 16.60	.1260	----	----	----	----	3	UNCH	
5215	----	----	----	/40.90A	52.80B/40.90A	----	42.00	- 16.40	.1252	----	----	----	----	29	UNCH	
5220	----	----	----	/40.40A	52.30B/40.40A	----	41.60	- 16.30	.1241	----	----	----	----	1	UNCH	
5225	----	----	----	/40.10A	51.80B/40.10A	----	41.30	- 16.10	.1233	----	----	----	----	12	UNCH	
5230	----	----	----	/39.70A	51.40B/39.70A	----	40.90	- 16.00	.1223	----	----	----	----	602	UNCH	
5250	----	----	----	/38.70A	49.70B/38.70A	----	39.60	- 15.40	.1187	----	----	----	----	401	UNCH	
5255	----	----	----	/38.40A	49.10B/38.40A	----	39.30	- 15.20	.1178	----	----	----	----	1	UNCH	
5275	35.40	35.40	----	35.60/35.40	45.50B/35.40	----	38.00	- 14.70	.1143	----	----	----	25	353	UNCH	
5300	----	----	----	/34.80A	44.20B/34.80A	----	36.50	- 14.00	.1102	----	----	----	----	331 +	1	UNCH
5315	----	----	----	/34.10A	43.70B/34.10A	----	35.60	- 13.70	.1077	----	----	----	----	5	UNCH	
5330	----	----	----	/33.10A	41.70B/33.10A	----	34.80	- 13.30	.1054	----	----	----	----	8	UNCH	
5350	----	----	----	/31.40A	40.30B/31.40A	----	32.70	- 12.40	.0995	----	----	----	----	43	UNCH	
5370	30.80	30.80	----	30.80/30.10A	38.50B/30.10A	----	31.40	- 11.90	.0958	----	----	----	22	20	UNCH	
5395	----	----	----	/30.30A	38.00B/30.30A	----	31.20	- 11.80	.0952	----	----	----	----	4	UNCH	
5400	----	----	----	/29.00A	36.70B/29.00A	----	30.00	- 11.40	.0918	----	----	----	----	325 +	2	UNCH
5425	----	----	----	/28.80A	36.30B/28.80A	----	29.80	- 11.20	.0912	----	----	----	----	2	UNCH	
5430	----	----	----	/28.00A	35.20B/28.00A	----	28.90	- 10.90	.0887	----	----	----	----	5	UNCH	
5450	----	----	----	/27.10A	34.00B/27.10A	----	28.10	- 10.50	.0863	----	----	----	----	3	UNCH	
5470	----	----	----	/26.80A	33.50B/26.80A	----	27.70	- 10.30	.0851	----	----	----	----	1	UNCH	
5480	----	----	----	/26.40A	32.90B/26.40A	----	27.30	- 10.20	.0840	----	----	----	----	10	UNCH	
5490	29.80	29.80	----	29.80/26.00A	32.70B/26.20A	----	27.10	- 10.10	.0834	----	----	----	----	4	UNCH	
5495	----	----	----	/25.60A	32.40B/26.00A	----	26.90	- 10.00	.0828	----	----	1031	----	4845 +	1026	UNCH
5510	----	----	----	/25.30A	31.90B/25.60A	----	26.50	- 9.90	.0816	----	----	----	----	1	UNCH	
5540	----	----	----	/24.60A	30.40B/24.60A	----	25.40	- 9.40	.0784	----	----	----	----	6	UNCH	
5550	----	----	----	/24.30A	29.90B/24.30A	----	25.00	- 9.30	.0772	----	----	----	----	1	UNCH	
5570	----	----	----	/23.60A	29.00B/23.60A	----	24.30	- 9.00	.0752	----	----	----	----	1	UNCH	
5575	----	----	----	/23.50A	28.80B/23.50A	----	24.10	- 9.00	.0746	----	----	----	----	3	UNCH	
5600	----	----	----	/22.70A	27.70B/22.70A	----	23.30	- 8.60	.0722	----	----	1025	----	4345 +	1025	UNCH
5620	----	----	----	/22.10A	26.90B/22.10A	----	22.70	- 8.30	.0704	----	----	----	----	4	UNCH	
5625	----	----	----	/22.00A	26.60B/22.00A	----	22.50	- 8.30	.0698	----	----	----	----	2	UNCH	
5650	----	----	----	/21.30A	25.70B/21.30A	----	21.80	- 8.00	.0677	----	----	----	----	5	UNCH	
5680	----	----	----	/20.50A	24.50B/20.50A	----	21.00	- 7.50	.0652	----	----	----	----	5	UNCH	
5700	----	----	----	/20.00A	23.90B/20.00A	----	20.40	- 7.40	.0635	----	----	----	----	7	UNCH	
5750	----	----	----	/18.80A	22.20B/18.80A	----	19.20	- 6.80	.0597	----	----	----	----	505	UNCH	
5800	----	----	----	/17.70A	18.40B/17.70A	----	18.00	- 6.30	.0561	----	----	----	----	70	UNCH	
5820	----	----	----	/17.40A	17.10B/17.40A	----	17.60	- 6.10	.0548	----	----	----	----	1		

BULLETIN #186@				METALS OPTION PRODUCTS										Mon, Sep 28, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG CALL	COMEX GOLD OPTIONS																		
MAY27																			
4970	----	----	----	---/83.10A	108.00B/83.10A	----	86.80	- 31.10	.2180	----	----	----	----	----	9	UNCH			
5000	95.00	95.00	----	95.00/78.00	102.60B/78.00	----	82.70	- 29.70	.2092	----	----	----	203	----	87	+			
5040	----	----	----	---/73.90A	95.80B/73.90A	----	77.50	- 27.90	.1979	----	----	----	----	----	1	UNCH			
5070	----	----	----	---/70.50A	91.10B/70.50A	----	73.90	- 26.60	.1899	----	----	----	----	----	37	UNCH			
5100	----	----	----	---/67.40A	86.50B/67.40A	----	70.40	- 25.40	.1821	----	----	----	----	----	7	UNCH			
5130	----	----	----	---/64.30A	82.00B/64.30A	----	67.10	- 24.30	.1747	----	----	----	----	----	1	UNCH			
5140	----	----	----	---/63.10A	80.70B/63.10A	----	66.10	- 23.90	.1724	----	----	----	----	----	1	UNCH			
5145	----	----	----	---/62.80A	80.00B/62.80A	----	65.60	- 23.70	.1712	----	----	----	----	----	2	UNCH			
5170	----	----	----	---/60.20A	76.50B/60.20A	----	63.20	- 22.70	.1656	----	----	----	----	----	20	UNCH			
5180	----	----	----	---/59.40A	75.40B/59.40A	----	62.20	- 22.40	.1634	----	----	----	----	----	1	UNCH			
5185	----	----	----	---/58.80A	74.80B/58.80A	----	61.70	- 22.20	.1622	----	----	----	----	----	37	UNCH			
5200	----	----	----	---/57.90A	72.90B/57.90A	----	60.30	- 21.70	.1589	----	----	----	----	----	159	UNCH			
5215	----	----	----	---/56.40A	71.10B/56.40A	----	59.00	- 21.20	.1558	----	----	----	----	----	20	UNCH			
5220	----	----	----	---/55.80A	70.50B/55.80A	----	58.50	- 21.00	.1547	----	----	----	----	----	39	UNCH			
5225	----	----	----	---/55.40A	69.90B/55.40A	----	58.10	- 20.80	.1537	----	----	----	----	----	2	UNCH			
5235	----	----	----	---/55.10A	68.60B/55.10A	----	57.20	- 20.50	.1516	----	----	----	----	----	25	UNCH			
5240	----	----	----	---/54.20A	68.20B/54.20A	----	56.70	- 20.40	.1505	----	----	----	----	----	29	UNCH			
5250	----	----	----	---/53.40A	67.00B/53.40A	----	55.90	- 20.10	.1486	----	----	----	----	----	231	UNCH			
5275	----	----	----	---/52.30A	64.20B/52.30A	----	53.80	- 19.30	.1436	----	----	----	----	----	25	UNCH			
5300	----	----	----	---/50.70A	61.60B/50.70A	----	51.80	- 18.60	.1388	----	----	----	----	----	1	UNCH			
5365	----	----	----	---/46.20A	55.50B/46.20A	----	47.20	- 16.70	.1275	----	----	----	----	----	3	UNCH			
5395	----	----	----	---/44.40A	52.90B/44.40A	----	45.20	- 15.90	.1226	----	----	----	----	----	1	UNCH			
5400	----	----	----	---/44.00A	52.30B/44.00A	----	44.90	- 15.80	.1218	----	----	----	----	----	29	UNCH			
5450	----	----	----	---/41.10A	48.30B/41.10A	----	41.80	- 14.60	.1141	----	----	----	----	----	10	UNCH			
5500	----	----	----	---/38.50A	44.60B/38.50A	----	39.00	- 13.60	.1070	----	----	----	----	----	4	UNCH			
5515	----	----	----	---/37.70A	43.60B/37.70A	----	38.20	- 13.30	.1050	----	----	----	----	----	7	UNCH			
5550	----	----	----	---/35.30A	41.30B/35.30A	----	36.40	- 12.60	.1004	----	----	----	2	----	246	-			
5630	----	----	----	---/32.10A	36.80B/32.10A	----	32.70	- 11.00	.0908	----	----	----	----	----	2	UNCH			
5650	----	----	----	---/31.30A	35.70B/31.30A	----	31.90	- 10.60	.0887	----	----	----	----	----	5	UNCH			
5665	----	----	----	---/30.60A	34.90B/30.60A	----	31.30	- 10.40	.0871	----	----	----	----	----	1	UNCH			
5700	----	----	----	---/29.40A	33.20B/29.40A	----	29.90	- 9.90	.0834	----	----	----	----	----	37	UNCH			
5800	----	----	----	---/26.20A	28.80B/26.20A	----	26.50	- 8.70	.0743	----	----	----	----	----	2	UNCH			
5820	----	----	----	---/25.60A	28.00B/25.60A	----	25.90	- 8.50	.0727	----	----	----	----	----	46	UNCH			
5840	----	----	----	---/25.00A	27.20B/25.00A	----	25.30	- 8.30	.0710	----	----	----	----	----	1	UNCH			
5850	----	----	----	---/24.80A	26.90B/24.80A	----	25.00	- 8.20	.0702	----	----	----	----	----	68	UNCH			
5900	----	----	----	---/23.40A	25.10B/23.40A	----	23.70	- 7.60	.0666	----	----	----	----	----	7	UNCH			
5910	----	----	----	---/23.20A	24.80B/23.20A	----	23.40	- 7.60	.0658	----	----	----	----	----	1	UNCH			
5950	----	----	----	---/22.30A	23.50B/22.30A	----	22.40	- 7.20	.0630	----	----	----	----	----	1	UNCH			
5975	----	----	----	---/21.70A	22.80B/21.70A	----	21.80	- 7.00	.0614	----	----	----	----	----	1	UNCH			
6000	21.50	21.50	----	21.50/21.20A	22.00B/21.20A	----	21.30	- 6.70	.0599	----	----	----	1	----	123	+			
6050	----	----	----	---/20.20A	19.60B/20.20A	----	20.20	- 6.30	.0569	----	----	----	----	----	1	UNCH			
6100	----	----	----	---/19.20A	18.60B/19.20A	----	19.30	- 5.80	.0542	----	----	----	----	----	2	UNCH			
6250	----	----	----	---/16.90A	16.10B/16.90A	----	16.80	- 4.70	.0471	----	----	----	----	----	50	UNCH			
6500	----	----	----	---/14.10A	13.00B/14.10A	----	13.70	- 3.50	.0381	----	----	----	18	----	23	+			
8000	----	----	----	---/7.80A	6.20B/7.80A	----	7.10	- 1.20	.0176	----	----	----	18	----	21	+			
TOTAL														264	2029+				
JUN27																			
4000	----	----	----	---/431.40A	459.10B/431.40A	----	443.30	- 07.60	.6765	----	----	----	----	----	37	UNCH			
4100	----	----	----	---/373.00A	398.10B/373.00A	----	384.20	- 99.30	.6253	----	----	----	----	----	1	UNCH			
4150	----	----	----	---/345.60A	388.80B/345.60A	----	357.00	- 94.90	.5989	----	----	----	----	----	1	UNCH			
4250	294.10	294.10	----	294.10/283.10A	363.50B/283.10A	----	293.50	- 86.00	.5454	----	----	----	----	----	2	UNCH			
4280	----	----	----	294.10/283.10A	363.50B/283.10A	----	293.50	- NEW	.5294	----	----	----	3	----	3	+			
4285	----	----	----	---/281.10A	361.20B/281.10A	----	291.20	- 82.90	.5267	----	----	----	----	----	100	UNCH			
4300	----	----	----	---/275.00A	353.00B/275.00A	----	284.60	- 81.60	.5187	----	----	----	2	----	65	UNCH			
4305	----	----	----	---/272.70A	350.80B/272.70A	----	282.50	- NEW	.5161	----	----	----	2	----	2	+			
4315	----	----	----	---/268.00A	345.70B/268.00A	----	278.20	- 80.10	.5108	----	----	----	----	----	1	UNCH			
4320	----	----	----	---/266.70A	342.80B/266.70A	----	276.00	- 79.80	.5082	----	----	----	----	----	1	UNCH			
4325	----	----	----	---/264.00A	340.30B/264.00A	----	273.90	- 79.30	.5055	----	----	----	----	----	50	UNCH			
4350	----	----	----	---/254.10A	327.90B/254.10A	----	263.60	- 77.00	.4925	----	----	----	----	----	1	UNCH			
4355	----	----	----	---/251.90A	325.50B/251.90A	----	261.60	- 76.50	.4899	----	----	----	----	----	1	UNCH			
4365	----	----	----	---/248.20A	320.60B/248.20A	----	257.60	- 75.60	.4847	----	----	----	----	----	1	UNCH			
4370	----	----	----	---/246.00A	318.60B/246.00A	----	255.60	- 75.20	.4821	----	----	----	----	----	2	UNCH			
4375	----	----	----	---/245.10A	315.90B/245.10A	----	253.60	- 74.80	.4795	----	----	----	----	----	32	UNCH			
4380	----	----	----	---/241.80A	313.90B/241.80A	----	251.70	- 74.30	.4770	----	----	----	----	----	3	UNCH			
4400	----	----	----	---/235.80A	304.60B/235.80A	----	244.00	- 72.60	.4668	----	----	----	----	----	5	UNCH			
4410	----	----	----	---/231.00A	299.70B/231.00A	----	240.30	- 71.60	.4617	----	----	----	----	----	3	UNCH			
4415	----	----	----	---/229.20A	297.80B/229.20A	----	238.40	- 71.20	.4592	----	----	----	----	----	1	UNCH			
4420	----	----	----	---/227.40A	295.50B/227.40A	----	236.60	- 70.80	.4567	----	----	----	----	----	4	UNCH			
4435	----	----	----	---/222.90A	288.90B/222.90A	----	231.10	- 69.50	.4491	----	----	----	----	----	3	UNCH			
4450	----	----	----	---/216.90A	282.40B/216.90A	----	225.80	- 68.20	.4417	----	----	----	----	----	60	UNCH			
4470	----	----	----	---/209.90A	273.90B/209.90A	----	218.90	- 66.50	.4319	----	----	----	----	----	2	UNCH			
4475	----	----	----	---/208.40A	271.60B/208.40A	----	217.20	- 66.00	.4295	----	----	----	----	----	8	UNCH			
4490	----	----	----	---/204.60A	265.70B/204.60A	----	212.10	- 64.90	.4222	----	----	----	----	----	1	UNCH			
4495	----	----	----	---/202.10A	263.60B/202.10A	----	210.50	- 64.40	.4198	----	----	----	----	----	2	UNCH			
4																			

PG64 BULLETIN #186@										METALS OPTION PRODUCTS										Mon, Sep 28, 2026 PG64			
GLOBEX OPEN		OPEN	OUTCRY OPEN	RANGE	GLOBEX HIGH/LOW		OPEN	OUTCRY HIGH/LOW	OPEN	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
SEP26		GOLD WEEKLY WEDNESDAY OPTION WEEK5																					
4000	0.80	0.80			3.20B/0.80	3.20B/0.80	----	----	1.70	+	1.20	.0171	----	----	----	127	----	----	112	+	58		
4005	2.00	2.00			3.40B/2.00	3.40B/0.90A	----	----	1.80	NEW	.0186	----	----	----	----	4	----	----	4	+	4		
4010	3.80	3.80			3.80/3.00	3.80/0.90A	----	----	1.90	NEW	.0203	----	----	----	----	10	----	----	5	+	5		
4015	2.70	2.70			3.90B/2.20	3.90B/0.90A	----	----	2.00	NEW	.0220	----	----	----	----	14	----	----	14	+	14		
4020	2.20	2.20			4.20B/2.10	4.20B/0.90A	----	----	2.10	NEW	.0238	----	----	----	----	11	----	----	6	+	6		
4025	2.10	2.10			4.70/2.10	4.70/1.00A	----	----	2.30	+	1.70	.0269	----	----	----	17	----	----	17	+	10		
4030	3.30	3.30			5.00B/2.70	5.00B/1.00A	----	----	2.40	NEW	.0290	----	----	----	----	8	----	----	5	+	5		
4040	2.20	2.20			5.80B/2.20	5.80B/1.00A	----	----	2.80	NEW	.0359	----	----	----	----	11	----	----	7	+	7		
4045	3.10	3.10			6.20B/3.10	6.20B/1.10A	----	----	3.00	NEW	.0396	----	----	----	----	4	----	----	4	+	4		
4045	140.70	140.70			140.70/104.00	260.60B/104.00	----	----	126.40	NEW	.9602	----	----	----	----	2	----	----	2	+	2		
4050	6.30	6.30			6.70B/4.20	6.70B/1.10A	----	----	3.30	+	2.50	.0448	----	----	----	39	----	----	34	+	29		
4055	2.30	2.30			7.30B/2.30	7.30B/1.10A	----	----	3.50	NEW	.0490	----	----	----	----	15	----	----	9	+	9		
4060	127.40	127.40			141.70/91.20A	245.50B/91.20A	----	----	112.20	NEW	.9439	----	----	----	----	2	----	----	1	+	1		
4060	5.20	5.20			7.90B/5.20	7.90B/1.10A	----	----	3.90	NEW	.0560	----	----	----	----	14	----	----	10	+	10		
4065	4.20	4.20			8.70B/4.00	8.70B/1.20A	----	----	4.20	NEW	.0620	----	----	----	----	9	----	----	5	+	5		
4070	7.20	7.20			9.30B/4.40	9.30B/1.20A	----	----	4.60	NEW	.0697	----	----	----	----	8	----	----	8	+	8		
4075	2.00	2.00			10.10B/2.00	10.10B/1.30A	----	----	5.00	+	4.00	.0777	----	----	----	12	150	----	162	+	159		
4080	10.10	10.10			11.10B/6.40	11.10B/1.30A	----	----	5.50	NEW	.0875	----	----	----	----	15	----	----	13	+	13		
4095	8.40	8.40			14.20B/8.40	14.20B/1.50A	----	----	7.20	NEW	.1222	----	----	----	----	3	----	----	3	+	3		
4100	10.60	10.60			15.50B/7.00	15.50B/1.50A	----	----	7.90	+	6.70	.1366	----	----	----	107	----	----	56	+	15		
4105	12.10	12.10			16.90B/11.90	16.90B/1.60A	----	----	8.70	NEW	.1528	----	----	----	----	22	----	----	13	+	13		
4105	142.00	142.00			142.00/54.00A	204.30B/54.00A	----	----	72.10	NEW	.8471	----	----	----	----	1	----	----	1	+	1		
4110	10.60	10.60			18.40B/10.60	18.40B/1.60A	----	----	9.60	+	8.30	.1708	----	----	----	42	----	----	179	+	29		
4115	13.30	13.30			20.00B/12.50	20.00B/1.70A	----	----	10.60	NEW	.1905	----	----	----	----	5	----	----	4	+	4		
4120	15.90	15.90			21.70B/15.90	21.70B/1.80A	----	----	11.70	NEW	.2120	----	----	----	----	21	----	----	15	+	15		
4125	15.00	15.00			23.50B/13.00	23.50B/1.80A	----	----	12.80	+	11.30	.2344	----	----	----	61	----	----	52	+	28		
4130	----	----			----/37.20A	179.70B/37.20A	----	----	52.50	NEW	.7406	----	----	----	----	1	----	----	1	+	1		
4130	14.20	14.20			25.40B/14.20	25.40B/1.90A	----	----	14.10	NEW	.2592	----	----	----	----	10	----	----	8	+	8		
4135	12.70	12.70			27.50B/11.10	27.50B/2.00A	----	----	15.60	+	13.90	.2864	----	----	----	20	----	----	13	+	11		
4140	35.10	35.10			38.10/31.40A	169.90B/31.40A	----	----	45.50	NEW	.6856	----	----	----	----	2	----	----	1	+	1		
4140	19.00	19.00			29.70B/19.00	29.70B/2.10A	----	----	17.10	NEW	.3143	----	----	----	----	3	----	----	3	+	3		
4145	12.20	12.20			32.00B/12.20	32.00B/2.20A	----	----	18.80	NEW	.3441	----	----	----	----	6	----	----	4	+	4		
4150	11.70	11.70			34.60B/11.70	34.60B/2.30A	----	----	20.60	+	18.60	.3750	----	----	----	23	----	----	96	+	UNCH		
4150	32.20	32.20			32.20/26.30A	160.20B/26.30A	----	----	39.00	NEW	.6249	----	----	----	----	2	----	----	2	+	2		
4155	29.30	29.30			29.30/23.90A	155.30B/23.90A	----	----	36.00	NEW	.5926	----	----	----	----	1	----	----	1	+	1		
4160	64.00	64.00			64.00/21.80A	150.50B/21.80A	----	----	33.10	NEW	.5596	----	----	----	----	4	----	----	4	+	4		
4160	32.00	32.00			39.90B/23.00	39.90B/2.70A	----	----	24.70	+	22.50	.4403	----	----	----	4	----	----	9	+	3		
4165	28.80	28.80			28.80/19.80A	145.60B/19.80A	----	----	30.40	NEW	.5258	----	----	----	----	6	----	----	6	+	6		
4165	29.90	29.90			42.80B/29.90	42.80B/2.80A	----	----	27.00	NEW	.4740	----	----	----	----	4	----	----	3	+	3		
4170	91.40	91.40			91.40/18.00A	140.80B/18.00A	----	----	27.80	NEW	.4918	----	----	----	----	14	----	----	8	+	8		
4175	20.80	20.80			23.60/16.30A	136.00B/16.30A	----	----	25.40	-	23.40	.4578	----	----	----	5	----	----	4	+	3		
4175	11.70	11.70			49.10B/11.70	49.10B/3.30A	----	----	32.00	+	29.30	.5421	----	----	----	7	----	----	35	+	2		
4180	28.60	28.60			52.40B/28.60	52.40B/3.40A	----	----	34.70	+	31.80	.5759	----	----	----	47	----	----	48	+	43		
4180	50.00	50.00			50.00/14.70A	131.30B/14.70A	----	----	23.10	NEW	.4239	----	----	----	----	7	----	----	5	+	5		
4185	----	----			55.90B/----	55.90B/3.70A	----	----	37.60	+	34.50	.6091	----	----	----	1	----	----	4	+	1		
4185	17.20	17.20			18.60/13.20A	126.50B/13.20A	----	----	21.00	NEW	.3907	----	----	----	----	7	----	----	4	+	4		
4190	27.30	27.30			28.80/12.00A	124.20B/12.00A	----	----	19.10	NEW	.3587	----	----	----	----	12	----	----	5	+	5		
4190	36.30	36.30			59.40B/36.30	59.40B/4.00A	----	----	40.70	NEW	.6412	----	----	----	----	17	----	----	7	+	7		
4195	14.60	14.60			17.50/10.70A	119.50B/10.70A	----	----	17.30	NEW	.3276	----	----	----	----	12	----	----	4	+	4		
4195	----	----			63.10B/----	63.10B/4.40A	----	----	43.90	NEW	.6723	----	----	----	----	2	----	----	2	+	2		
4200	13.00	13.00			67.00B/12.90	67.00B/4.70A	----	----	47.20	+	43.30	.7024	----	----	----	48	----	----	247	+	21		
4200	30.80	30.80			30.80/9.70A	114.80B/9.70A	----	----	15.60	-	09.40	.2975	----	----	----	132	----	----	67	+	66		
4205	55.80	55.80			70.90B/55.80	70.90B/5.10A	----	----	50.70	+	46.50	.7305	----	----	----	4	----	----	4	+	2		
4205	23.40	23.40			23.40/8.70A	110.20B/8.70A	----	----	14.10	NEW	.2694	----	----	----	----	48	----	----	26	+	26		
4210	12.70	12.70			14.00/7.80A	105.60B/7.80A	----	----	12.70	NEW	.2427	----	----	----	----	53	----	----	42	+	42		
4210	----	----			74.90B/----	74.90B/5.50A	----	----	54.30	NEW	.7571	----	----	----	----	6	----	----	2	+	2		
4215	17.40	17.40			17.90/7.00A	101.00B/7.00A	----	----	11.40	NEW	.2176	----	----	----	----	57	----	----	33	+	33		
4215	----	----			79.00B/----	79.00B/6.00A	----	----	58.00	+	53.00	.7823	----	----	----	2	----	----	4	+	1		
4220	----	----			83.20B/----	83.20B/6.50A	----	----	61.90	+	56.50	.8047	----	----	----	4	----	----	19	-	2		
4220	29.50	29.50			29.50/6.30A	96.50B/6.30A	----	----	10.30	NEW	.1951	----	----	----	----	28	----	----	27	+	27		
4225	14.60	14.60			14.80/5.70A	92.10B/5.70A	----	----	9.20	NEW	.1733	----	----	----	----	19	----	----	14	+	14		
4225	----	----			87.50B/----	87.50B/7.10A	----	----	65.80	+	59.90	.8265	----	----	----	11	----	----	67	-	5		
4230	27.70	27.70			27.70/5.10A	87.70B/5.10A	----	----	8.30	NEW	.1543	----	----	----	----	33	----	----	18	+	18		
4230	----	----			91.60B/----	91.60B/7.70A	----	----	69.90	+	63.40	.8454	----	----	----	4	----	----	3	+	1		
4235	----	----			96.20B/----	96.20B/8.40A	----	----	74.0														

G64		BULLETIN #186@										METALS OPTION PRODUCTS										Mon, Sep 28, 2026		PG64	
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME			OPEN INTEREST							
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK5																							
SEP26																									
4500	0.30	0.30			0.30/0.30	0.70B/0.30	----			0.10 - 1.20	.0003	----	----	3	----			164 -	1						
4515	----	----			----/0.30A	0.50B/0.30A	----			0.10 - 1.00	.0001	----	----	----	----			70	UNCH						
4525	----	----			379.70B/----	379.70B/220.80A	----			356.70 + 52.00	1.0000	----	----	2	----			2 -	1						
4525	----	----			----/0.30A	0.40B/0.30A	----			0.10 - 0.80	.0001	----	----	----	----			29	UNCH						
4550	----	----			----/0.20A	0.20B/0.20A	----			0.10 - 0.60	.0000	----	----	4	----			89	UNCH						
4575	----	----			----/0.20A	0.10B/0.20A	----			0.10 - 0.40	.0000	----	----	----	----			57	UNCH						
4600	----	----			----/0.20A	0.10B/0.20A	----			0.10 - 0.30	.0000	----	----	----	----			92	UNCH						
4625	----	----			----/0.20A	----	----			0.10 - 0.30	----	----	----	----	----			34	UNCH						
4650	----	----			----	----/0.30A	----			0.10 - 0.20	----	----	----	----	----			38	UNCH						
4675	----	----			----	----/0.30A	----			0.10 - 0.10	----	----	----	----	----			1	UNCH						
4700	----	----			----	----/0.30A	----			0.10 - 0.10	----	----	----	----	----			20	UNCH						
4725	----	----			----	----/0.30A	----			0.10	UNCH	----	----	----	----			7	UNCH						
4750	----	----			----	----/0.30A	----			0.10	UNCH	----	----	5	----			21 -	2						
4775	----	----			----	----/0.30A	----			0.10	UNCH	----	----	----	----			6	UNCH						
4800	----	----			----	----/0.30A	----			0.10	UNCH	----	----	----	----			1	UNCH						
4825	----	----			----	----/0.30A	----			0.10	UNCH	----	----	----	----			1	UNCH						
4850	----	----			----	----/0.30A	----			0.10	UNCH	----	----	----	----			7	UNCH						
4875	----	----			----	----/0.30A	----			0.10	UNCH	----	----	----	----			15	UNCH						
4900	----	----			----	----/0.40A	----			0.10	UNCH	----	----	----	----			99	UNCH						
4925	----	----			----	----/12.70A	----			0.10	UNCH	----	----	----	----			2	UNCH						
4950	----	----			----	----/14.20A	----			0.10	UNCH	----	----	----	----			2	UNCH						
5000	----	----			----	----/13.90A	----			0.10	UNCH	----	----	----	----			1	UNCH						
5100	----	----			----	----/14.00A	----			0.10	UNCH	----	----	----	----			20	UNCH						
5500	----	----			----	----/11.90A	----			0.10	UNCH	----	----	----	----			33	UNCH						
TOTAL														1989		150		4585 +	1111						
OCT26																									
3700	----	----			4.20B/----	4.20B/2.90A	----			3.20 + 2.00	.0264	----	----	----	----			15	UNCH						
3750	----	----			2.30B/----	2.30B/1.10A	----			1.80 + 1.00	.0166	----	----	----	----			3	UNCH						
3800	2.50	2.50			3.30B/2.50	3.30B/1.20A	----			2.30	NEW	----	----	11	----			11 +	11						
3900	----	----			14.00B/----	14.00B/4.70A	----			10.50 + 7.30	.0923	----	----	----	----			15	UNCH						
3900	----	----			6.90B/----	6.90B/1.80A	----			4.70 + 3.20	.0504	----	----	----	----			2	UNCH						
3950	----	----			10.50B/----	10.50B/2.40A	----			7.20 + 5.30	.0790	----	----	----	----			3	UNCH						
3950	14.50	14.50			19.90B/13.60	19.90B/6.10A	----			15.00	NEW	----	----	4	----			4 +	4						
3975	----	----			13.20B/----	13.20B/2.70A	----			9.00 + 6.80	.0993	----	----	----	----			1	UNCH						
3975	16.30	16.30			23.70B/15.70	23.70B/7.80A	----			18.10 + 13.00	.1553	----	----	11	----			26 +	11						
4000	13.40	13.40			16.60B/13.40	16.60B/3.20A	----			11.30 + 8.70	.1248	----	----	1	----			2	UNCH						
4000	----	----			28.40B/----	28.40B/7.80A	----			21.80 + 15.70	.1841	----	----	----	----			3	UNCH						
4025	22.10	22.10			34.20B/22.10	34.20B/8.60A	----			26.40 + 19.10	.2179	----	----	20	----			22 +	20						
4050	17.00	17.00			26.20B/17.00	26.20B/4.50A	----			18.30 + 14.40	.1974	----	----	5	----			25 +	5						
4050	42.60	42.60			52.60B/42.60	52.60B/16.20A	----			42.80	NEW	----	----	2	----			2 +	2						
4050	10.20	10.20			41.00B/10.20	41.00B/10.20	----			32.00 + 23.30	.2565	----	----	3	100			141 +	100						
4075	27.00	27.00			32.90B/22.60	32.90B/5.60A	----			23.40 + 18.60	.2461	----	----	37	----			42 -	8						
4075	43.50	43.50			48.70B/41.00	48.70B/12.30A	----			38.70 + 28.20	.2998	----	----	7	----			25	UNCH						
4100	45.80	45.80			58.00B/45.80	58.00B/14.80A	----			46.60 + 33.90	.3471	----	----	11	----			354 +	3						
4100	7.50	7.50			41.10B/7.50	41.10B/6.90A	----			29.90 + 23.90	.3033	----	----	9	----			84 +	17						
4125	49.20	49.20			50.90B/49.20	50.90B/8.80A	----			38.00 + 30.50	.3683	----	----	55	----			37 -	5						
4125	53.70	53.70			68.60B/53.70	68.60B/17.90A	----			55.80 + 40.20	.3978	----	----	39	----			43 +	39						
4125	89.50	89.50			98.30B/86.70A	198.10B/86.70A	----			99.10	NEW	----	----	7	----			7 +	7						
4150	77.80	77.80			77.80B/73.60A	177.00B/73.60A	----			84.80	NEW	----	----	4	----			4 +	4						
4150	74.90	74.90			80.40B/74.90	80.40B/21.80A	----			66.40 + 47.30	.4510	----	----	6	----			55 +	4						
4150	----	----			62.60B/----	62.60B/11.10A	----			47.90 + 38.30	.4391	----	----	4	----			18 +	3						
4175	----	----			106.70B/----	106.70B/37.20A	----			91.70	NEW	----	----	12	----			12 +	12						
4175	66.60	66.60			66.60B/62.10A	156.90B/62.10A	----			71.80	NEW	----	----	10	----			10 +	10						
4175	----	----			93.50B/----	93.50B/27.10A	----			78.40 + 54.90	.5055	----	----	1	----			10	UNCH						
4175	----	----			----/76.10A	165.30B/76.10A	----			85.10	NEW	----	----	12	----			12 +	12						
4175	51.90	51.90			76.10B/51.90	76.10B/14.50A	----			59.70 + 47.30	.5131	----	----	4	----			19	UNCH						
4200	64.40	64.40			64.40B/51.90A	137.70B/51.90A	----			60.40	NEW	----	----	15	----			15 +	15						
4200	76.00	76.00			76.00B/33.40A	128.10B/33.40A	----			41.90	NEW	----	----	13	----			13 +	13						
4200	----	----			107.90B/----	107.90B/33.60A	----			91.90 + 62.90	.5598	----	----	1	----			2	UNCH						
4200	20.90	20.90			91.40B/20.30	91.40B/18.70A	----			73.50 + 57.30	.5869	----	----	17	----			29 -	5						
4225	----	----			108.50B/----	108.50B/24.40A	----			89.10 + 68.00	.6573	----	----	----	----			30	UNCH						
4225	----	----			123.40B/----	123.40B/41.50A	----			106.80 + 71.20	.6129	----	----	----	----			1	UNCH						
4225	39.50	39.50			39.50B/25.80A	108.50B/25.80A	----			32.60	NEW	----	----	2	----			1 +	1						
4250	----	----			127.10B/----	127.10B/31.50A	----			106.50 + 78.90	.7219	----	----	3	----			35 -	1						
4250	----	----			140.50B/----	140.50B/49.70A	----			123.10 + 79.60	.6634	----	----	----	----			4	UNCH						
4250	29.90	29.90			29.90B/19.80A	90.50B/19.80A	----			25.00	NEW	----	----	10	----			10 +	10						
4275	----	----			----/29.20A	89.00B/29.20A	----			34.20 -															

PG64 BULLETIN #186@										METALS OPTION PRODUCTS										Mon, Sep 28, 2026 PG64			
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST							
GOLD WEEKLY TUESDAY OPTION weeks5																							
SEP26																							
3700	0.10	0.10		0.10/0.10		0.10/0.10		----	0.10	UNCH	----	----	----	1	----	54	+						
3750	----	----		----/0.10A		----/0.10A		----	0.10	UNCH	----	----	----	----	----	10	UNCH						
3800	0.10	0.10		0.20B/0.10		0.20B/0.10		----	0.10	UNCH	----	----	----	1	----	4	+						
3870	0.20	0.20		0.30B/0.20		0.30B/0.20		----	0.10	UNCH	.0000	----	----	14	----	14	+						
3875	0.20	0.20		0.30/0.20		0.30/0.20		----	0.10	UNCH	.0000	----	----	6	----	6	+						
3880	0.30	0.30		0.30/0.30		0.30/0.20A		----	0.10	UNCH	.0000	----	----	5	----	5	+						
3900	0.40	0.40		0.40/0.20		0.40/0.20		----	0.20	+	0.10	.0001	----	10	----	20	+						
3925	0.50	0.50		0.50/0.50		0.50/0.40A		----	0.30	NEW	.0003	----	----	1	----	1	+						
3930	0.40	0.40		0.60B/0.40		0.60B/0.40		----	0.30	NEW	.0003	----	----	5	----	5	+						
3935	0.50	0.50		0.60B/0.50		0.60B/0.40A		----	0.30	NEW	.0004	----	----	1	----	1	+						
3940	0.50	0.50		0.60B/0.50		0.60B/0.40A		----	0.40	NEW	.0006	----	----	1	----	1	+						
3945	----	----		0.70B/----		0.70B/0.40A		----	0.40	+	0.20	.0006	----	----	----	5	UNCH						
3950	0.60	0.60		0.70B/0.40		0.70B/0.40		----	0.40	NEW	.0006	----	----	7	----	7	+						
3955	0.50	0.50		0.70B/0.50		0.70B/0.50		----	0.40	NEW	.0007	----	----	3	----	3	+						
3960	0.40	0.40		0.80B/0.40		0.80B/0.40		----	0.40	NEW	.0007	----	----	3	----	3	+						
3965	0.90	0.90		0.90/0.50		0.90/0.50		----	0.50	NEW	.0010	----	----	10	----	6	+						
3970	0.50	0.50		0.90B/0.50		0.90B/0.50		----	0.50	NEW	.0010	----	----	2	----	2	+						
3975	0.80	0.80		1.00B/0.50		1.00B/0.50		----	0.50	+	0.30	.0011	----	4	----	5	+						
3985	0.50	0.50		1.10B/0.50		1.10B/0.50		----	0.60	NEW	.0015	----	----	1	----	1	+						
3990	0.90	0.90		1.20B/0.90		1.20B/0.50A		----	0.60	NEW	.0016	----	----	9	----	9	+						
3995	1.20	1.20		1.30B/0.70		1.30B/0.50A		----	0.70	NEW	.0021	----	----	16	----	11	+						
4000	0.30	0.30		1.40/0.30		1.40/0.30		----	0.70	+	0.40	.0022	----	495	----	415	+						
4005	0.30	0.30		1.50B/0.30		1.50B/0.30		----	0.80	NEW	.0027	----	----	1	----	1	+						
4010	0.30	0.30		1.60B/0.30		1.60B/0.30		----	0.80	NEW	.0029	----	----	18	----	9	+						
4015	1.60	1.60		1.70B/0.90		1.70B/0.60A		----	0.90	NEW	.0035	----	----	25	----	14	+						
4020	1.60	1.60		1.90B/1.30		1.90B/0.60A		----	0.90	NEW	.0037	----	----	11	----	10	+						
4025	1.10	1.10		2.00B/1.00		2.00B/0.60A		----	1.00	NEW	.0045	----	----	5	----	5	+						
4030	0.90	0.90		2.20B/0.90		2.20B/0.60A		----	1.00	NEW	.0047	----	----	20	----	17	+						
4035	0.90	0.90		2.40B/0.90		2.40B/0.60A		----	1.10	NEW	.0056	----	----	8	----	8	+						
4040	1.90	1.90		2.60B/1.60		2.60B/0.60A		----	1.20	NEW	.0066	----	----	13	----	7	+						
4045	1.30	1.30		2.90B/1.30		2.90B/0.70A		----	1.30	NEW	.0077	----	----	10	----	10	+						
4050	0.50	0.50		3.20B/0.50		3.20B/0.50		----	1.40	+	1.00	.0089	----	63	----	35	+						
4055	2.50	2.50		3.50B/2.20		3.50B/0.70A		----	1.50	NEW	.0103	----	----	17	----	12	+						
4060	1.60	1.60		3.80B/1.60		3.80B/0.70A		----	1.60	NEW	.0118	----	----	4	----	3	+						
4065	3.00	3.00		4.20B/1.70		4.20B/0.70A		----	1.80	NEW	.0145	----	----	10	----	5	+						
4070	2.70	2.70		4.60B/1.70		4.60B/0.80A		----	1.90	+	1.40	.0164	----	41	----	20	+						
4075	1.80	1.80		5.20B/1.80		5.20B/0.80A		----	2.10	+	1.60	.0197	----	20	----	19	+						
4080	2.50	2.50		5.80B/2.20		5.80B/0.80A		----	2.30	NEW	.0233	----	----	28	----	26	+						
4085	1.60	1.60		6.50/1.60		6.50/0.80A		----	2.60	NEW	.0286	----	----	33	----	20	+						
4090	2.90	2.90		7.20B/2.60		7.20B/0.90A		----	2.90	NEW	.0346	----	----	16	----	12	+						
4090	81.00	81.00		81.00/60.20A		215.50B/60.20A		----	81.30	NEW	.9653	----	----	1	----	1	+						
4095	1.80	1.80		8.00B/1.80		8.00B/0.90A		----	3.20	NEW	.0412	----	----	43	----	20	+						
4100	64.00	64.00		64.00/51.50A		205.40B/51.50A		----	72.00	NEW	.9498	----	----	10	----	8	+						
4100	1.90	1.90		9.00B/1.90		9.00B/0.90A		----	3.60	+	3.00	.0500	----	381	----	297	+						
4105	4.10	4.10		10.00B/4.10		10.00B/1.00A		----	4.10	+	3.40	.0614	----	31	----	16	+						
4110	3.10	3.10		11.20B/3.10		11.20B/1.00A		----	4.60	NEW	.0740	----	----	21	----	13	+						
4115	9.50	9.50		12.70/4.60		12.70/1.00A		----	5.20	NEW	.0895	----	----	72	----	32	+						
4120	3.60	3.60		13.90B/3.60		13.90B/1.00A		----	5.90	+	5.10	.1083	----	60	----	27	+						
4125	50.00	50.00		50.00/32.40A		181.30B/32.40A		----	50.10	NEW	.8693	----	----	1	----	1	+						
4125	1.00	1.00		15.70B/1.00		15.70B/1.00		----	6.70	+	5.90	.1306	----	60	----	37	+						
4130	----	----		----/29.00A		175.80B/29.00A		----	46.10	NEW	.8419	----	----	2	----	1	+						
4130	10.00	10.00		17.30B/9.00		17.30B/1.20A		----	7.70	+	6.80	.1580	----	31	----	23	+						
4135	9.80	9.80		19.30B/9.80		19.30B/1.30A		----	8.80	+	7.90	.1891	----	31	----	16	+						
4135	----	----		----/25.90A		170.80B/25.90A		----	42.20	NEW	.8108	----	----	1	----	1	+						
4140	39.90	39.90		40.10/23.00A		171.80B/23.00A		----	38.40	NEW	.7759	----	----	4	----	1	+						
4140	11.10	11.10		21.50B/9.40		21.50B/1.40A		----	10.00	NEW	.2240	----	----	32	60	85	+						
4145	13.00	13.00		23.70B/9.40		23.70B/1.40A		----	11.40	NEW	.2639	----	----	58	----	44	+						
4145	47.10	47.10		47.20/20.30A		166.80B/20.30A		----	34.80	NEW	.7360	----	----	18	----	7	+						
4150	55.00	55.00		55.00/17.80A		161.90B/17.80A		----	31.40	NEW	.6916	----	----	41	----	21	+						
4150	1.50	1.50		26.20B/1.50		26.20B/1.50		----	13.00	+	11.90	.3083	----	190	----	115	+						
4155	9.80	9.80		29.10B/9.80		29.10B/1.60A		----	14.80	+	13.60	.3565	----	55	----	49	+						
4155	21.50	21.50		27.10/15.60A		157.00B/15.60A		----	28.20	NEW	.6434	----	----	6	----	5	+						
4160	10.60	10.60		31.90B/10.60		31.90B/1.70A		----	16.70	NEW	.4074	----	----	83	----	46	+						
4160	31.70	31.70		31.70/13.60A		152.00B/13.60A		----	25.10	NEW	.5925	----	----	43	----	33	+						
4165	32.20	32.20		32.20/11.80A		147.10B/11.80A		----	22.30	NEW	.5389	----	----	23	----	11	+						
4165	18.20	18.20		34.90B/12.50		34.90B/1.60A		----	18.90	+	17.50	.4610	----	43	----	17	+						
4170	2.00	2.00																					



GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GOLD WEEKLY TUESDAY OPTION weeks5																
SEP26																
4350	----	----	----	205.90B/----	205.90B/50.80A	----	----	----	181.70 + 37.90	1.0000	----	----	----	----	25	UNCH
4355	0.30	0.30	0.30	211.00B/----	211.00B/54.60A	----	----	----	186.70 + 39.50	1.0000	----	----	----	----	1	UNCH
4355	0.30	0.30	0.30	0.30/0.20A	9.00B/0.20A	----	----	----	0.10 - 13.40	.0000	----	----	1	----	25	UNCH
4360	----	----	----	----/0.20A	7.90B/0.20A	----	----	----	0.10 - 12.00	.0000	----	----	----	----	9	UNCH
4365	----	----	----	221.00B/----	221.00B/62.40A	----	----	----	196.70 + 42.10	1.0000	----	----	----	----	1	UNCH
4365	0.20	0.20	0.20	0.20/0.20	7.00B/0.20	----	----	----	0.10 - 10.70	.0000	----	----	12	----	19 +	10
4370	----	----	----	----/0.20A	6.20B/0.20A	----	----	----	0.10 - 9.50	.0000	----	----	----	----	30	UNCH
4375	1.10	1.10	1.10	1.10/0.20A	5.40B/0.20A	----	----	----	0.10 - 8.50	.0000	----	5	----	----	32 -	1
4375	----	----	----	231.00B/----	231.00B/70.70A	----	----	----	206.70 + 44.30	1.0000	----	----	----	----	1	UNCH
4380	0.70	0.70	0.70	0.70/0.20A	4.80B/0.20A	----	----	----	0.10 - 7.60	.0000	----	----	2	----	4	UNCH
4385	0.40	0.40	0.40	0.40/0.20A	4.10B/0.20A	----	----	----	0.10 - 6.70	----	----	----	1	----	5	UNCH
4390	----	----	----	245.80B/----	245.80B/83.70A	----	----	----	221.70 + 46.90	1.0000	----	----	----	----	0	UNCH
4390	1.00	1.00	1.00	1.00/0.20A	3.70B/0.20A	----	----	----	0.10 - 6.00	----	----	----	26	----	22 -	6
4395	0.90	0.90	0.90	0.90/0.20A	3.20B/0.20A	----	----	----	0.10 - 5.30	----	----	----	2	----	13	UNCH
4400	1.60	1.60	1.60	1.60/0.20	2.80B/0.20	----	----	----	0.10 - 4.70	----	----	----	8	----	112	UNCH
4400	----	----	----	255.80B/----	255.80B/92.70A	----	----	----	231.70 + 48.10	1.0000	----	----	1	----	3	UNCH
4405	----	----	----	----/0.20A	2.50B/0.20A	----	----	----	0.10 - 4.20	----	----	----	----	----	7	UNCH
4410	0.10	0.10	0.10	0.10/0.10	2.20B/0.10	----	----	----	0.10 - 3.70	----	----	----	1	----	6	UNCH
4420	0.70	0.70	0.70	0.70/0.20A	1.70B/0.20A	----	----	----	0.10 - 2.90	----	----	----	1	----	4 +	1
4425	----	----	----	280.90B/----	280.90B/116.10A	----	----	----	256.70 + 50.20	1.0000	----	----	----	----	1	UNCH
4425	----	----	----	----/0.10A	1.50B/0.10A	----	----	----	0.10 - 2.60	----	----	----	4	----	15 -	2
4435	266.80	266.80	266.80	290.90B/266.80	290.90B/125.70A	----	----	----	266.70 NEW	1.0000	----	----	1	----	1 +	1
4435	0.40	0.40	0.40	0.40/0.10A	1.00B/0.10A	----	----	----	0.10 NEW	----	----	----	2	----	2 +	2
4440	----	----	----	----/0.10A	0.90B/0.10A	----	----	----	0.10 - 1.80	----	----	----	----	----	1	UNCH
4445	0.30	0.30	0.30	0.30/0.10A	0.80B/0.10A	----	----	----	0.10 NEW	----	----	----	5	----	5 +	5
4450	----	----	----	305.90B/----	305.90B/140.30A	----	----	----	281.70 + 51.40	1.0000	----	----	----	----	8	UNCH
4450	----	----	----	----/0.10A	0.70B/0.10A	----	----	----	0.10 - 1.50	----	----	----	----	----	19	UNCH
4455	----	----	----	----/0.10A	0.60B/0.10A	----	----	----	0.10 - 1.30	----	----	----	----	----	1	UNCH
4460	0.70	0.70	0.70	0.70/0.10A	0.70/0.10A	----	----	----	0.10 - 1.20	----	----	----	1	----	11 +	1
4470	----	----	----	----/0.10A	0.50B/0.10A	----	----	----	0.10 - 0.90	----	----	----	----	----	4	UNCH
4475	0.20	0.20	0.20	0.20/0.10A	0.40B/0.10A	----	----	----	0.10 - 0.80	----	----	----	1	----	20	UNCH
4480	0.30	0.30	0.30	0.30/0.10A	0.30/0.10A	----	----	----	0.10 - 0.80	----	----	----	4	----	5 +	3
4485	----	----	----	----/0.10A	0.30B/0.10A	----	----	----	0.10 - 0.70	----	----	----	----	----	2	UNCH
4495	----	----	----	----/0.10A	0.20B/0.10A	----	----	----	0.10 - 0.60	----	----	----	----	----	2	UNCH
4500	1.00	1.00	1.00	1.00/0.10A	1.00/0.10A	----	----	----	0.10 - 0.50	----	----	----	3	----	74	UNCH
4500	----	----	----	354.70B/----	354.70B/195.50A	----	----	----	331.70 + 52.40	1.0000	----	----	----	----	9	UNCH
4505	----	----	----	----/0.10A	0.20B/0.10A	----	----	----	0.10 - 0.50	----	----	----	----	----	2	UNCH
4525	----	----	----	----/0.20A	----	----	----	----	0.10 - 0.30	----	----	----	----	----	40	UNCH
4525	----	----	----	379.70B/----	379.70B/220.40A	----	----	----	356.70 + 52.50	1.0000	----	----	----	----	2	UNCH
4550	----	----	----	----/0.10A	----	----	----	----	0.10 - 0.20	----	----	----	----	----	20	UNCH
4550	----	----	----	404.70B/----	404.70B/245.30A	----	----	----	381.70 + 52.70	1.0000	----	----	----	----	2	UNCH
4575	----	----	----	----/0.20A	----	----	----	----	0.10 - 0.10	----	----	----	----	----	31	UNCH
4590	----	----	----	444.70B/----	444.70B/285.40A	----	----	----	421.70 + 52.70	1.0000	----	----	2	----	1 -	1
4600	----	----	----	----/0.10A	0.10B/0.10A	----	----	----	0.10 - 0.10	----	----	----	----	----	37	UNCH
4625	----	----	----	----/0.20A	----	----	----	----	0.10 - 0.10	----	----	----	----	----	22	UNCH
4650	----	----	----	----/0.20A	----	----	----	----	0.10 - 0.10	----	----	----	----	----	17	UNCH
4675	----	----	----	----/0.20A	----	----	----	----	0.10 UNCH	----	----	----	----	----	10	UNCH
4700	----	----	----	----/0.20A	----	----	----	----	0.10 UNCH	----	----	----	----	----	17	UNCH
4725	----	----	----	----/0.20A	----	----	----	----	0.10 UNCH	----	----	----	----	----	25	UNCH
4750	----	----	----	----/0.20A	----	----	----	----	0.10 UNCH	----	----	----	----	----	21	UNCH
4775	----	----	----	----/0.20A	----	----	----	----	0.10 UNCH	----	----	----	----	----	10	UNCH
4800	----	----	----	----/0.10A	----	----	----	----	0.10 UNCH	----	----	----	----	----	8	UNCH
4875	----	----	----	----/0.20A	----	----	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH
4900	----	----	----	----/0.20A	----	----	----	----	0.10 UNCH	----	----	----	----	----	6	UNCH
4925	----	----	----	----/0.10A	----	----	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH
4950	----	----	----	----/0.10A	----	----	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH
4975	----	----	----	----/0.10A	----	----	----	----	0.10 UNCH	----	----	----	----	----	14	UNCH
5000	----	----	----	----/0.10A	----	----	----	----	0.10 UNCH	----	----	----	----	----	49	UNCH
5100	----	----	----	----/0.10A	----	----	----	----	0.10 UNCH	----	----	----	----	----	12	UNCH
5200	----	----	----	----/0.10A	----	----	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH
5400	----	----	----	----/0.20A	----	----	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH
5500	----	----	----	----/0.20A	----	----	----	----	0.10 UNCH	----	----	----	----	----	40	UNCH
TOTAL													5744		60	5884 + 3658
OCT26																
3500	0.90	0.90	0.90	1.20B/0.90	1.20B/0.90	----	----	----	1.10 NEW	.0081	----	----	1	----	1 +	1
3700	5.50	5.50	5.50	6.40B/5.10A	6.40B/5.10A	----	----	----	5.20 NEW	.0390	----	----	6	----	6 +	6
3750	----	----	----	4.60B/----	4.60B/2.80A	----	----	----	3.40	.0301	----	----	----	----	50	UNCH
3750	----	----	----	1.90B/----	1.90B/1.00A	----	----	----	1.40 + 0.90	.0130	----	----	----	----	6	UNCH
3900	9.30	9.30	9.30	11.90B/8.30	11.90B/4.10A	----	----	----	8.70 NEW	.0815	----	----	5	----	3 +	3
3900	----	----	----	5.80B/----	5.80B/1.60A	----	----	----	3.90 + 2.60	.0430	----	----	1	----	2 -	1
3925	----	----	----	14.30B/----	14.30B/4.50A	----	----	----	10.50 NEW	.0981	----	----	1	----	1 +	1
3950	----	----	----	17.10B/----	17.10B/5.10A	----	----	----	12.70 + 9.10	.1181	----	----	1	----	3 +	1
3950	6.80	6.80	6.80	9.00B/6.80	9.00B/2.10A	----	----	----	5.90 NEW	.0678	----	----	1	----	1 +	1
3975	----	----	----	20.60B/----	20.60B/6.20A	----	----	----	15.40 + 11.20	.1419	----	----	----	----	2	UNCH
4000	20.30	20.30	20.30	25.00B/20.30	25.00B/7.50A	----	----	----	18.80 + 13.80	.1706	----	----	2	----	4 +	2
4000	10.50	10.50	10.50	14.50B/10.50	14.50B/2.70A	----	----	----	9.50 + 7.30	.1110	----	----	26	----	22 +	15
4025	28.60	28.60	28.60	30.40B/27.00	30.40B/7.50A	----	----	----	23.00 + 17.10	.2044	----	----	48	----	75 +	25
4025	13.30	13.30	13.30	18.50B/12.80	18.50B/3.20A	----	----	----	12.20 + 9.50	.1423	----	----	8	----	8 +	4
4050	32.90	32.90	32.90	36.70B/29.70	36.70B/8.80A	----	----	----	28.10 + 21.00	.2434	----	----	61	----	66 +	1
4050	16.30	16.30	16.30	23.50B/16.30	23.50B/3.90A	----	----	----	15.80 + 12.60	.1822	----	----	2	----	4 +	2
4075	11.00	11.00	11.00	44.40B/11.00	44.40B/10.50A	----	----	----	34.40 + 25.80	.2881	----	----	39	----	65 +	5
4075	55.90	55.90	55.90	58.90B/55.90	58.90B/18.70A	----	----	----	48.70 NEW	.3222	----	----	2	----	2 +	2
4075	18.70	18.70	18.70	29.90B/18.70	29.90B/4.70A	----	----	----	20.60 NEW	.2320	----	----	14	----	14 +	14
4100	----	----	----	53.40B/----	53.40B/13.00A	----	----	----	42.00 + 31.50	.3379	----	----	2	----	17 +	2
4100	----	----	----	68.60B/----	68.60B/22.00A	----	----	----	57.40 NEW	.3647	----	----	3	----	3 +	3
4100	22.60	22.60	22.60	37.90B/22.60	37.90B/5.90A	----	----	----	26.80 + 21.80	.2915	----	----	19	----	27 -	5
4125	45.90	45.90	45.90	63.70B/45.90	63.70B/15.80A	----	----	----	50.90 + 37.90	.3917	----	----	13	----	13 +	11
4125	8.00	8.00	8.00	47.60B/8.00	47.60B/7.50A	----	----	----	34.60 + 28.30	.3599	----	----	3	----	26 -	2
4150	94.20	94.20	94.20	94.20/68.30A	171.20B/68.30A	----	----	----	79.80 NEW	.5509	----	----	1	----	1 +	1
4150	----	----	----	75.20B/----	75.20B/18.70A	----	----	----	61.40 + 45.30	.4487	----	----	1	----	31 +	2
4150	22.00	22.00	22.00	59.20B/22.00	59.20B/9.60A	----	----	----	44.30 + 36.20	.4355	----	----	25	----	26 +	12
4175	----	----	----	88.30B/----	88.30B/23.40A	----	----	----	73.40 + 53.30	.5071	----	----	----	----	18	UNCH
4175	25.50	25.50	25.50	72.80B/25.50	72.80B/12.60A	----	----	----	56.10 + 45.50	.5150	----	----	----	----	208 +	194
4175	57.60	57.60	57.60	57.60/39.40A	147.20B/39.40											

BULLETIN #186@										METALS OPTION PRODUCTS										Mon, Sep 28, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
GWT TUE	GOLD WEEKLY TUESDAY OPTION week1																							
OCT26																								
4475	2.50	2.50		2.50/1.80A	7.80B/1.80A	----			2.00 - 7.70	.0251	----	----	1	----	18	UNCH	8							
4500	5.50	5.50		5.50/4.10A	13.00B/4.10A	----			4.40 - 11.40	.0483	----	----	2	----	6	UNCH	4							
4500	----	----		----/1.50A	5.80B/1.50A	----			1.60 - 5.70	.0197	----	----	7	----	20	+	4							
4525	----	----		----/3.50A	10.30B/3.50A	----			3.70 - 9.00	.0405	----	----	----	----	31	UNCH	4							
4525	----	----		----/1.30A	4.30B/1.30A	----			1.30 - 4.30	.0156	----	----	----	----	45	UNCH	4							
4550	----	----		----/3.00A	8.30B/3.00A	----			3.10 - 7.20	.0338	----	----	----	----	24	UNCH	1							
4550	2.00	2.00		2.00/1.10A	3.30B/1.10A	----			1.10 - 3.30	.0128	----	----	2	----	7	-	1							
4575	----	----		----/2.60A	6.50B/2.60A	----			2.70 - 5.60	.0291	----	----	----	----	41	UNCH	2							
4575	----	----		----/1.00A	2.50B/1.00A	----			1.00 - 2.40	.0113	----	----	----	----	29	UNCH	2							
4600	----	----		----/2.30A	5.30B/2.30A	----			2.40 - 4.40	.0254	----	----	----	----	2	UNCH	2							
4600	5.20	5.20		5.20/4.90A	10.00B/4.90A	----			4.70 - 8.40	.0440	----	----	2	----	5	+	2							
4600	----	----		----/0.90A	1.90B/0.90A	----			0.90 - 1.80	.0098	----	----	----	----	8	UNCH	4							
4625	----	----		----/2.10A	3.30B/2.10A	----			2.10 - 3.50	.0220	----	----	----	----	22	UNCH	1							
4625	4.80	4.80		4.80/4.30A	8.30B/4.30A	----			4.00 NEW	.0376	----	----	1	----	1	+	1							
4625	----	----		----/0.80A	1.50B/0.80A	----			0.80 - 1.40	.0084	----	----	----	----	1	UNCH	1							
4650	----	----		----/1.90A	3.50B/1.90A	----			1.80 - 2.90	.0187	----	----	----	----	7	UNCH	1							
4650	----	----		----/4.10A	6.80B/4.10A	----			3.40 - 5.90	.0321	----	----	----	----	8	UNCH	1							
4650	----	----		----/0.70A	1.20B/0.70A	----			0.70 - 1.10	.0072	----	----	----	----	19	UNCH	1							
4675	----	----		----/1.70A	2.80B/1.70A	----			1.60 - 2.30	.0164	----	----	----	----	4	UNCH	1							
4675	----	----		----/0.70A	1.00B/0.70A	----			0.60 - 0.90	.0060	----	----	----	----	3	UNCH	1							
4700	----	----		----/1.60A	2.40B/1.60A	----			1.40 - 1.90	.0142	----	3	----	7	+	2	2							
4700	----	----		----/0.70A	0.80B/0.70A	----			0.60 - 0.60	.0058	----	----	----	----	11	UNCH	1							
4725	----	----		----/1.50A	2.00B/1.50A	----			1.20 - 1.70	.0121	----	----	----	----	20	UNCH	1							
4725	----	----		----/0.70A	0.60B/0.70A	----			0.50 - 0.50	.0047	----	----	----	----	2	UNCH	1							
4750	----	----		----/1.40A	1.70B/1.40A	----			1.10 - 1.40	.0109	----	----	----	----	20	UNCH	1							
4750	----	----		----/0.70A	0.50B/0.70A	----			0.50 - 0.40	.0045	----	----	----	----	2	UNCH	1							
4775	----	----		----/0.60A	0.40B/0.60A	----			0.50 - 0.30	.0044	----	----	----	----	2	UNCH	1							
4775	----	----		----/1.30A	1.50B/1.30A	----			1.00 - 1.20	.0097	----	1	----	2	UNCH	1								
4800	----	----		----/1.20A	0.90B/1.20A	----			0.90 NEW	.0086	----	4	----	4	+	4	4							
4850	----	----		----/0.50A	0.20B/0.50A	----			0.30 - 0.30	.0025	----	----	----	----	1	UNCH	1							
4900	----	----		----/1.00A	0.60B/1.00A	----			0.60 - 0.70	.0054	----	----	----	----	6	UNCH	1							
4900	----	----		----	----/0.60A	----			0.30 - 0.20	.0023	----	----	----	----	2	UNCH	1							
5000	----	----		----	0.50B/0.90A	----			0.30 - 0.40	.0027	----	----	----	----	7	UNCH	1							
5100	----	----		----	0.30B/0.80A	----			0.20 - 0.20	.0017	----	----	----	----	7	UNCH	1							
5100	----	----		----	----/0.50A	----			0.10 - 0.10	.0006	----	----	----	----	25	UNCH	1							
5200	----	----		----	----/0.40A	----			0.10 UNCH	.0002	----	----	----	----	6	UNCH	1							
TOTAL													645	195	2653	+	593							
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
GWR THU	GOLD WEEKLY THURSDAY OPTION week3																							
OCT26																								
3500	1.50	1.50		1.70B/1.50	1.70B/1.50	----			1.40 NEW	.0101	----	----	8	----	8	+	8							
3600	0.40	0.40		0.60/0.30A	0.60/0.30A	----			0.10 UNCH	.0003	----	----	90	----	90	+	90							
3600	1.10	1.10		2.90B/1.10	2.90B/1.10	----			2.20 + 1.50	.0168	----	----	1	----	85	+	1							
3700	1.90	1.90		2.10B/1.90	2.10B/1.00A	----			1.70 + 1.00	.0147	----	10	----	11	+	10	1							
3700	0.50	0.50		0.70/0.50	0.70/0.50	----			0.20 + 0.10	.0009	----	2	----	56	UNCH	2	2							
3700	4.80	4.80		4.90B/4.80	4.90B/3.00A	----			3.70 + 2.30	.0296	----	2	----	6	+	2	2							
3750	----	----		2.80B/----	2.80B/1.20A	----			2.20 + 1.30	.0200	----	----	----	----	8	UNCH	1							
3750	----	----		0.50B/----	0.50B/0.50A	----			0.50 + 0.30	.0027	----	----	----	----	10	UNCH	1							
3750	----	----		6.40B/----	6.40B/3.40A	----			4.80 + 3.00	.0393	----	----	----	----	13	UNCH	1							
3800	11.40	11.40		12.40B/9.70	12.40B/4.90A	----			10.00 NEW	.0736	----	6	----	6	+	6	6							
3800	----	----		3.90B/----	3.90B/1.40A	----			2.90 + 1.80	.0277	----	11	----	14	+	8	8							
3800	----	----		0.80B/----	0.80B/0.70A	----			0.60 + 0.40	.0038	----	----	----	----	1	UNCH	1							
3800	6.40	6.40		8.30B/6.40	8.30B/3.60A	----			6.30 + 4.00	.0527	----	11	----	22	+	11	11							
3875	----	----		19.00B/----	19.00B/7.10A	----			15.30 NEW	.1118	----	6	----	6	+	6	6							
3875	13.60	13.60		13.60/13.60	13.60/4.70A	----			10.00 NEW	.0846	----	2	----	2	+	2	2							
3900	----	----		8.20B/----	8.20B/2.10A	----			5.60 + 3.80	.0580	----	----	----	----	29	UNCH	1							
3900	----	----		22.00B/----	22.00B/8.60A	----			17.70 + 11.60	.1285	----	1	----	3	+	1	1							
3900	----	----		1.80B/----	1.80B/0.80A	----			1.20 + 0.80	.0105	----	8	----	16	+	2	2							
3900	----	----		15.50B/----	15.50B/5.10A	----			11.80 + 8.10	.0997	----	2	----	2	+	2	2							
3905	0.70	0.70		1.90B/0.70	1.90B/0.70	----			1.20 NEW	.0107	----	6	----	6	+	6	6							
3925	----	----		25.70B/----	25.70B/9.70A	----			20.70 NEW	.1484	----	1	----	1	UNCH	1	1							
3925	----	----		10.00B/----	10.00B/2.40A	----			6.90 + 4.90	.0720	----	2	----	2	+	2	2							
3925	----	----		18.20B/----	18.20B/5.90A	----			14.00 + 9.70	.1176	----	6	----	6	+	6	6							
3925	----	----		----/222.00A	380.40B/222.00A	----			244.80 - 51.80	.9864	----	2	----	11	+	1	1							
3935	----	----		2.50B/1.60	2.50B/0.90A	----			1.50 NEW	.0149	----	5	----	5	UNCH	1	1							
3950	12.50	12.50		21.70B/12.50	21.70B/7.10A	----			16.70 + 11.80	.1389	----	5	----	11	+	5	5							
3950	----	----		----/197.50A	355.40B/197.50A	----			220.10 - 51.50	.9810	----	----	----	5	UNCH	1	1							
3950	----	----		3.00B/----	3.00B/0.90A	----			1.80 + 1.20	.0189	----	----	----	----	8	UNCH	1							
3950	8.60	8.60		12.20B/8.60	12.20B/2.80A	----			8.40 NEW	.0885	----	24	----	24	+	24	24							
3970	----	----		3.70B/----	3.70B/1.00A	----			2.10 NEW	.0237	----	1	----	1	+	1	1							
3975	----	----		35.00B/----	35.00B/11.10A	----			28.50 + 19.10	.1970	----	2	----	17	UNCH	1	1							
3975	----	----		3.90B/----	3.90B/1.00A	----			2.30 + 1.60	.0263	----	----	----	----	3	UNCH	1							
3975	----	----		15.10B/----	15.10B/3.20A	----			10.40 + 7.70	.1098	----	1	----	3	UNCH	1	1							
3975	----	----		25.90B/----	25.90B/8.00A	----			19.90 + 14.10	.1636	----	2	----	10	+	2	2							
3980	2.30	2.30		4.20B/2.30	4.20B/1.10A	----			2.40 NEW	.0280	----	2	----	2	+	2	2							
3985	----	----		4.40B/----	4.40B/1.10A	----			2.50 NEW	.0297	----	1	----	1	+	1	1							
4000	13.00	13.00		40.70B/13.00	40.70B/12.70A	----			33.50 + 22.60	.2261	----	1	----	10	+	1	1							
4000	11.20	11.20		18.90B/11.20	18.90B/3.70A	----			13.00 + 9.80	.1366	----	15	----	32	+	6	6							
4000	----	----		5.40B/----	5.40B/1.00A	----			3.00 + 2.20	.0375	----	3	----	44	UNCH	1	1							
4000	----	----		30.80B/----	30.80B/8.60A	----			23.90 + 17.10	.1928	----	5	----	36	UNCH	1	1							
4010	----	----		6.10B/----	6.10B/1.20A	----			3.40 NEW	.0439	----	2	----	1	+	1	1							
4025	----	----		23.50B/----	23.50B/4.50A	----			16.40 + 12.60	.1700	----	----	----	15	UNCH	1	1							
4025	----	----		7.40B/----	7.40B/1.30A	----			4.10 + 3.10	.0555	----	3	----	18	+	3	3							
4025	----	----		47.50B/----	47.50B/14.90A	----			39.20 + 26.40	.2579	----	----	----	3	UNCH	1	1							
4025	----	----		36.70B/----	36.70B/9.70A	----			28.60 + 20.50	.2259	----	----	----	3	UNCH	1	1							
4030	4.70	4.70		8.00B/4.10	8.00B/1.30A	----			4.40 NEW	.0605	----	3	----	3	+	3	3							
4040	----	----		9.10B/----	9.10B/1.40A	----			5.00 NEW	.0708	----	2	----	0	UNCH	1	1							
4050	10.00	10.00		10.50B/5.30	10.50B/1.50A	----			5.80 + 4.70	.0841	----	25	----	32	+	3	3							
4050	----	----		54.80B/----	54.80B/17.40A	----			45.70 + 30.60	.2926	----	----	----	6	UNCH	1	1							
4050	18.40	18.40		29.20B/17.50	29.20B/5.40A	----			20.70 + 16.10	.2103	----	26	----	78	+	4	4							
4050	15.20	15.20		43.70B/15.20	43.70B/11.40A	----			34.30 + 24.60	.2636	----	16	----	26	+	12	1							

BULLETIN #186@				METALS OPTION PRODUCTS										Mon, Sep 28, 2026		PG64
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
GWR THU GOLD WEEKLY THURSDAY OPTION week4																
OCT26																
4175	----	----	109.20B/----	109.20B/39.00A	----	----	----	94.40 + 59.10	.5007	----	----	----	----	3	UNCH	
4175	----	----	----/46.40A	151.10B/46.40A	----	----	----	56.80 NEW	.4883	----	----	2	----	1 +	1	
4175	37.60	37.60	55.20B/29.60	55.20B/4.40A	----	----	----	38.40 + 34.20	.5309	----	56	56	----	85 +	44	
4175	40.60	40.60	40.60/22.00A	140.10B/22.00A	----	----	----	31.80 NEW	.4689	----	15	15	----	15 +	15	
4175	----	----	96.40B/----	96.40B/29.00A	----	----	----	81.50 + 55.80	.5045	----	----	----	4	UNCH		
4175	----	----	----/64.90A	159.00B/64.90A	----	----	----	74.90 - 96.80	.4950	----	2	2	----	1	UNCH	
4180	68.00	68.00	68.00/20.20A	135.40B/20.20A	----	----	----	29.50 NEW	.4428	----	40	40	----	40 +	40	
4180	40.00	40.00	58.40B/40.00	58.40B/4.80A	----	----	----	41.10 NEW	.5570	----	23	23	----	22 +	22	
4185	35.50	35.50	35.50/18.70A	130.70B/18.70A	----	----	----	27.30 NEW	.4169	----	8	8	----	7 +	7	
4190	37.30	37.30	37.30/17.10A	126.10B/17.10A	----	----	----	25.20 NEW	.3913	----	2	2	----	1 +	1	
4190	45.30	45.30	65.10B/43.00	65.10B/5.50A	----	----	----	46.80 NEW	.6085	----	4	4	----	0	UNCH	
4200	59.70	59.70	59.70/36.80A	130.50B/36.80A	----	----	----	45.50 NEW	.4193	----	3	3	----	3 +	3	
4200	----	----	123.70B/----	123.70B/46.00A	----	----	----	107.80 + 65.90	.5451	----	----	----	1	UNCH		
4200	33.20	33.20	94.90B/33.20	94.90B/21.30A	----	----	----	77.00 + 58.50	.5804	----	8	8	----	48	UNCH	
4200	7.70	7.70	72.20B/7.70	72.20B/6.40A	----	----	----	53.00 + 47.00	.6576	----	78	78	----	240 +	6	
4200	----	----	111.10B/----	111.10B/35.70A	----	----	----	94.90 + 63.50	.5567	----	2	2	----	8 +	2	
4200	31.40	31.40	37.50/14.50A	117.00B/14.50A	----	----	----	21.50 - 05.60	.3423	----	256	256	----	80 +	79	
4200	----	----	----/54.60A	140.70B/54.60A	----	----	----	63.30 NEW	.4428	----	73	73	----	63 +	63	
4205	25.00	25.00	75.90B/25.00	75.90B/6.80A	----	----	----	56.30 NEW	.6817	----	2	2	----	2 +	2	
4210	----	----	79.70B/----	79.70B/7.40A	----	----	----	59.70 NEW	.7039	----	3	3	----	3 +	3	
4210	25.20	25.20	25.20/12.20A	108.10B/12.20A	----	----	----	18.20 NEW	.2959	----	39	39	----	33 +	33	
4215	23.00	23.00	23.60/11.20A	103.70B/11.20A	----	----	----	16.70 NEW	.2740	----	4	4	----	4 +	4	
4220	26.60	26.60	87.60B/26.60	87.60B/8.70A	----	----	----	66.90 + 58.80	.7469	----	25	25	----	38 +	17	
4220	21.60	21.60	21.60/10.20A	99.30B/10.20A	----	----	----	15.30 NEW	.2529	----	24	24	----	23 +	23	
4225	37.20	37.20	91.60B/37.20	91.60B/9.40A	----	----	----	70.60 + 61.90	.7669	----	3	3	----	325 +	1	
4225	----	----	137.10B/----	137.10B/54.20A	----	----	----	122.40 + 72.90	.5887	----	----	----	1	UNCH		
4225	----	----	----/28.90A	111.30B/28.90A	----	----	----	35.90 NEW	.3527	----	2	2	----	2 +	2	
4225	----	----	111.70B/----	111.70B/27.20A	----	----	----	92.50 + 68.60	.6469	----	1	1	----	21 -	1	
4225	----	----	----/45.70A	122.50B/45.70A	----	----	----	53.10 - 81.00	.3916	----	2	2	----	1	UNCH	
4225	21.80	21.80	21.80/9.40A	95.00B/9.40A	----	----	----	14.00 NEW	.2329	----	93	93	----	77 +	77	
4225	----	----	126.80B/----	126.80B/43.00A	----	----	----	109.60 + 71.50	.6079	----	----	----	1	UNCH		
4235	----	----	99.90B/----	99.90B/11.00A	----	----	----	78.30 + 68.10	.8037	----	----	----	20	UNCH		
4235	27.00	27.00	27.00/7.90A	86.70B/7.90A	----	----	----	11.70 NEW	.1962	----	6	6	----	6 +	6	
4240	16.70	16.70	17.10/7.20A	82.60B/7.20A	----	----	----	10.70 NEW	.1796	----	25	25	----	23 +	23	
4245	9.80	9.80	9.80/6.60A	78.60B/6.60A	----	----	----	9.80 NEW	.1643	----	9	9	----	9 +	9	
4250	20.50	20.50	112.90B/20.50	112.90B/15.50A	----	----	----	90.50 + 77.70	.8494	----	4	4	----	203 -	1	
4250	62.00	62.00	153.50B/62.00	153.50B/62.00	----	----	----	138.10 + 79.90	.6308	----	7	7	----	62	UNCH	
4250	44.10	44.10	44.10/22.50A	93.50B/22.50A	----	----	----	28.10 NEW	.2914	----	4	4	----	5 +	5	
4250	120.00	120.00	130.00B/120.00	130.00B/34.60A	----	----	----	109.60 + 79.00	.7082	----	17	17	----	66 +	1	
4250	16.60	16.60	16.60/6.10A	74.70B/6.10A	----	----	----	9.00 - 75.00	.1504	----	2	2	----	13 +	13	
4250	----	----	----/38.00A	106.70B/38.00A	----	----	----	44.20 - 73.00	.3426	----	17	17	----	15 +	14	
4250	----	----	143.90B/----	143.90B/52.10A	----	----	----	125.70 + 79.60	.6569	----	----	----	2	UNCH		
4255	12.90	12.90	13.00/5.60A	70.90B/5.60A	----	----	----	8.20 NEW	.1368	----	5	5	----	5 +	5	
4260	6.60	6.60	6.60/5.10A	67.10B/5.10A	----	----	----	7.50 NEW	.1246	----	8	8	----	6 +	6	
4270	10.00	10.00	10.00/4.30A	60.00B/4.30A	----	----	----	6.30 NEW	.1032	----	2	2	----	2 +	2	
4275	----	----	135.40B/----	135.40B/22.70A	----	----	----	112.30 + 93.40	.9057	----	2	2	----	98 -	1	
4275	86.40	86.40	149.60B/86.40	149.60B/43.50A	----	----	----	128.30 + 89.40	.7629	----	1	1	----	21	UNCH	
4275	----	----	----/17.50A	77.40B/17.50A	----	----	----	21.80 - 63.30	.2368	----	2	2	----	7 +	2	
4275	102.00	102.00	162.10B/102.00	162.10B/62.30A	----	----	----	143.10 + 87.70	.7028	----	2	2	----	58 -	1	
4275	12.30	12.30	12.30/4.00A	56.50B/4.00A	----	----	----	5.80 - 59.30	.0941	----	4	4	----	8 +	2	
4275	36.90	36.90	37.80/31.40A	91.70B/31.40A	----	----	----	36.60 NEW	.2967	----	1	1	----	4 +	4	
4280	9.00	9.00	9.00/3.70A	53.20B/3.70A	----	----	----	5.30 NEW	.0853	----	1	1	----	1 +	1	
4285	----	----	----/3.40A	50.00B/3.40A	----	----	----	4.90 NEW	.0780	----	1	1	----	1 +	1	
4290	57.00	57.00	149.50B/57.00	149.50B/28.10A	----	----	----	126.00 NEW	.9290	----	2	2	----	1 +	1	
4290	----	----	----/3.10A	46.90B/3.10A	----	----	----	4.50 NEW	.0708	----	3	3	----	2 +	2	
4295	28.80	28.80	28.80/2.90A	44.00B/2.90A	----	----	----	4.10 NEW	.0639	----	37	37	----	35 +	35	
4300	54.50	54.50	54.50/36.20A	89.40B/36.20A	----	----	----	41.40 - 58.90	.2906	----	2	2	----	2	UNCH	
4300	----	----	189.40B/----	189.40B/85.30A	----	----	----	172.70 + 93.50	.7087	----	----	----	2	UNCH		
4300	18.10	18.10	18.10/13.50A	63.20B/13.50A	----	----	----	16.80 - 53.40	.1897	----	2	2	----	11 +	2	
4300	----	----	170.40B/----	170.40B/54.30A	----	----	----	148.30 + 99.30	.8100	----	----	----	72	UNCH		
4300	----	----	157.40B/----	157.40B/32.30A	----	----	----	135.40 + 08.00	.9415	----	2	2	----	113 -	2	
4300	----	----	181.70B/----	181.70B/73.90A	----	----	----	161.60 + 95.50	.7448	----	1	1	----	100	UNCH	
4300	10.90	10.90	10.90/2.70A	41.10B/2.70A	----	----	----	3.80 - 44.80	.0584	----	16	16	----	24 +	7	
4300	34.30	34.30	34.30/25.90A	78.10B/25.90A	----	----	----	30.20 - 57.10	.2547	----	21	21	----	64 +	16	
4305	----	----	----/2.50A	38.40B/2.50A	----	----	----	3.50 NEW	.0531	----	6	6	----	3 +	3	
4310	38.00	38.00	166.80B/36.20	166.80B/36.20	----	----	----	144.80 NEW	.9519	----	4	4	----	1 +	1	
4310	----	----	----/2.40A	35.80B/2.40A	----	----	----	3.20 NEW	.0479	----	9	9	----	5 +	5	
4315	3.00	3.00	3.00/2.20A	33.30B/2.20A	----	----	----	3.00 NEW	.0442	----	4	4	----	2 +	2	
4325	----	----	181.40B/----	181.40B/44.90A	----											

PG64	BULLETIN #186@										METALS OPTION PRODUCTS										Mon, Sep 28, 2026										PG64																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			

BULLETIN #186@				METALS OPTION PRODUCTS						Mon, Sep 28, 2026				PG64	
GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
GMW MON SEP26 GOLD WEEKLY MONDAY OPTION WEEK4															
4100	0.60	0.60	2.50/0.10A	2.50/0.10A	----	0.00	- 0.20	----	----	----	0 -	136			
4100	95.80	95.80	95.80/45.40A	208.50B/45.40A	----	68.40	NEW	11	247	----	0 -	UNCH			
4105	0.60	0.60	2.50/0.10A	2.50/0.10A	----	0.00	- 0.20	----	28	----	0 -	2			
4105	86.00	86.00	86.00/40.60A	203.50B/40.60A	----	63.40	NEW	2	30	----	0	UNCH			
4110	1.50	1.50	2.80B/0.10	2.80B/0.10	----	0.00	NEW	----	3	----	0	UNCH			
4115	0.50	0.50	3.30B/0.10	3.30B/0.10	----	0.00	- 0.30	----	28	----	0 -	2			
4120	0.80	0.80	3.70B/0.10A	3.70B/0.10A	----	0.00	- 0.30	----	37	----	0 -	2			
4125	3.00	3.00	4.70/0.10A	4.70/0.10A	----	0.00	- 0.30	----	30	----	0 -	43			
4130	----	----	----/18.60A	178.70B/18.60A	----	38.40	NEW	2	136	----	0	UNCH			
4130	1.00	1.00	5.00B/0.10A	5.00B/0.10A	----	0.00	- 0.40	----	3	----	0 -	6			
4135	1.70	1.70	5.70B/0.10A	5.70B/0.10A	----	0.00	- 0.40	----	42	----	0 -	10			
4140	----	----	----/11.10A	168.70B/11.10A	----	28.40	NEW	1	51	----	0	UNCH			
4140	1.00	1.00	7.00B/0.10A	7.00B/0.10A	----	0.00	- 0.40	----	5	----	0 -	11			
4145	11.10	11.10	18.00/7.30A	163.70B/7.30A	----	23.40	NEW	8	124	----	0	UNCH			
4145	1.20	1.20	9.20B/0.10	9.20B/0.10	----	0.00	- 0.40	----	20	----	0 -	12			
4150	51.50	51.50	51.50/4.30A	158.80B/4.30A	----	18.40	- 53.20	60	63	----	0 -	1			
4150	0.50	0.50	12.00B/0.10	12.00B/0.10	----	0.00	- 0.50	----	235	----	0 -	324			
4155	2.10	2.10	15.00B/0.10	15.00B/0.10	----	0.00	- 0.50	----	620	----	0 -	3			
4155	32.00	32.00	37.40/2.40A	153.80B/2.40A	----	13.40	- 53.30	62	187	----	0 -	1			
4160	1.50	1.50	18.70B/0.10	18.70B/0.10	----	0.00	- 0.60	----	90	----	0 -	11			
4160	31.60	31.60	36.20/1.40A	148.80B/1.40A	----	8.40	NEW	70	132	----	0	UNCH			
4165	43.10	43.10	43.10/0.90A	143.90B/0.90A	----	3.40	NEW	37	195	----	0	UNCH			
4165	7.90	7.90	22.90B/0.40A	22.90B/0.40A	----	0.00	- 0.60	----	148	----	0 -	2			
4170	0.90	0.90	27.20B/0.80	27.20B/0.80	----	1.60	+ 0.90	145	79	----	0 -	14			
4170	28.90	28.90	28.90/0.40	138.90B/0.40	----	0.00	NEW	----	218	----	0	UNCH			
4175	15.10	15.10	15.10/0.10A	136.60B/0.10A	----	0.00	NEW	----	363	----	0	UNCH			
4175	0.80	0.80	31.80B/0.80	31.80B/0.80	----	6.60	+ 5.90	93	171	----	0 -	45			
4180	1.50	1.50	36.50B/1.50	36.50B/1.00A	----	11.60	+ 10.80	80	128	----	0 -	27			
4180	16.80	16.80	21.30/0.10A	131.70B/0.10A	----	0.00	NEW	----	130	----	0	UNCH			
4185	14.50	14.50	17.20/0.10A	126.70B/0.10A	----	0.00	NEW	----	189	----	0	UNCH			
4185	17.50	17.50	41.30B/9.00	41.30B/1.20A	----	16.60	+ 15.80	27	225	----	0 -	3			
4190	3.60	3.60	46.10B/3.60	46.10B/1.40A	----	21.60	+ 20.70	48	44	----	0 -	11			
4190	22.00	22.00	22.10/0.10	121.80B/0.10	----	0.00	NEW	----	110	----	0	UNCH			
4195	40.00	40.00	40.00/0.10A	116.80B/0.10A	----	0.00	NEW	----	238	----	0	UNCH			
4195	1.00	1.00	51.10B/1.00	51.10B/1.00	----	26.60	+ 25.70	36	235	----	0 -	16			
4200	1.10	1.10	56.00B/1.10	56.00B/1.10	----	31.60	+ 30.60	407	29	----	0 -	561			
4200	96.10	96.10	96.10/0.10A	111.90B/0.10A	----	0.00	NEW	----	605	----	0	UNCH			
4205	1.50	1.50	61.00B/1.50	61.00B/1.50	----	36.60	+ 35.50	73	325	----	0 -	71			
4205	32.00	32.00	34.50/0.10A	107.00B/0.10A	----	0.00	NEW	----	19	----	0	UNCH			
4210	3.90	3.90	65.80B/3.90	65.80B/1.70A	----	41.60	+ 40.40	30	62	----	0 -	19			
4210	47.50	47.50	47.50/0.10A	102.10B/0.10A	----	0.00	NEW	----	38	----	0	UNCH			
4215	13.00	13.00	70.90B/13.00	70.90B/1.50A	----	46.60	+ 45.30	22	80	----	0 -	8			
4215	33.00	33.00	33.00/0.10	97.20B/0.10	----	0.00	NEW	----	17	----	0	UNCH			
4220	2.30	2.30	75.90B/2.10	75.90B/1.60A	----	51.60	+ 50.20	37	123	----	0 -	18			
4220	50.00	50.00	50.00/0.10	92.30B/0.10	----	0.00	NEW	----	92	----	0	UNCH			
4225	1.60	1.60	80.90B/1.60	80.90B/1.60	----	56.60	+ 55.00	93	117	----	0 -	108			
4225	28.00	28.00	28.00/0.10A	87.40B/0.10A	----	0.00	NEW	----	217	----	0	UNCH			
4230	20.90	20.90	20.90/0.10	82.60B/0.10	----	0.00	NEW	----	37	----	0	UNCH			
4230	2.20	2.20	85.90B/2.20	85.90B/2.20	----	61.60	+ 59.90	43	137	----	0 -	26			
4235	21.00	21.00	22.00/0.10A	77.70B/0.10A	----	0.00	NEW	----	116	----	0	UNCH			
4235	11.00	11.00	90.90B/11.00	90.90B/2.50A	----	66.60	+ 64.70	50	69	----	0 -	37			
4240	20.90	20.90	21.90/0.10A	72.90B/0.10A	----	0.00	NEW	----	15	----	0	UNCH			
4240	3.70	3.70	95.70B/3.70	95.70B/2.80A	----	71.60	+ 69.50	35	76	----	0 -	24			
4245	3.60	3.60	100.70B/3.60	100.70B/3.20A	----	76.60	+ 74.20	32	42	----	0 -	33			
4245	25.00	25.00	28.00/0.10A	68.20B/0.10A	----	0.00	- 78.60	----	3	----	0 -	1			
4250	30.50	30.50	30.50/0.10	63.50B/0.10	----	0.00	- 73.90	----	13	----	0 -	34			
4250	4.00	4.00	105.70B/4.00	105.70B/3.50A	----	81.60	+ 78.90	187	213	----	0 -	278			
4255	5.10	5.10	110.70B/5.10	110.70B/4.00A	----	86.60	+ 83.60	14	154	----	0 -	13			
4255	21.90	21.90	21.90/0.10	58.90B/0.10	----	0.00	NEW	----	8	----	0	UNCH			
4260	5.20	5.20	115.70B/5.20	115.70B/4.60A	----	91.60	+ 88.10	40	19	----	0 -	60			
4260	25.00	25.00	25.00/0.10	54.30B/0.10	----	0.00	NEW	----	65	----	0	UNCH			
4265	15.40	15.40	15.40/0.10	49.80B/0.10	----	0.00	- 60.20	----	56	----	0 -	5			
4265	4.90	4.90	120.70B/4.90	120.70B/4.90	----	96.60	+ 92.60	67	6	----	0 -	61			
4270	17.00	17.00	17.00/0.10A	45.50B/0.10A	----	0.00	- 55.80	----	16	----	0 -	3			
4270	7.20	7.20	125.70B/7.20	125.70B/6.10A	----	101.60	+ 97.00	40	11	----	0 -	39			
4275	15.00	15.00	17.30/0.10A	41.20B/0.10A	----	0.00	- 51.50	----	25	----	0 -	5			
4275	9.50	9.50	130.80B/9.50	130.80B/7.00A	----	106.60	+ 01.30	66	82	----	0 -	83			
4280	81.70	81.70	135.70B/81.70	135.70B/8.20A	----	111.60	+ 05.40	50	49	----	0 -	55			
4280	7.20	7.20	7.20/0.10A	37.10B/0.10A	----	0.00	- 47.40	----	32	----	0 -	2			
4285	14.20	14.20	140.70B/14.20	140.70B/9.50A	----	116.60	+ 09.40	44	9	----	0 -	43			
4285	18.60	18.60	18.60/0.10A	33.20B/0.10A	----	0.00	- 43.40	----	6	----	0 -	1			
4290	13.40	13.40	145.70B/13.40	145.70B/11.00A	----	121.60	+ 13.30	11	17	----	0 -	7			
4290	16.00	16.00	16.00/0.10A	29.60B/0.10A	----	0.00	- 39.50	----	13	----	0 -	2			
4295	5.10	5.10	5.10/0.10A	26.10B/0.10A	----	0.00	- 35.90	----	10	----	0 -	6			
4295	18.50	18.50	150.70B/18.50	150.70B/12.60A	----	126.60	+ 16.90	12	5</						

BULLETIN #186@										METALS OPTION PRODUCTS										Mon, Sep 28, 2026		PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK4																				
SEP26																						
4500	0.10	0.10		0.10/0.10	0.10/0.10	----	----			0.00 - 0.10	----	----	----	2	----	0 -	156					
4500	----	----		355.80B/----	355.80B/191.90A	----	----			331.60 + 52.70	----	11	----	----	----	0 -	11					
4505	----	----		----	----/0.10A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	2					
4510	----	----		----	----/0.10A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	2					
4525	----	----		----	----/0.10A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	18					
4525	----	----		380.80B/----	380.80B/216.90A	----	----			356.60 + 52.70	----	12	----	----	----	0 -	12					
4530	----	----		----	----/0.10A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	2					
4550	----	----		405.80B/----	405.80B/241.90A	----	----			381.60 + 52.70	----	12	----	----	----	0 -	12					
4550	----	----		----	----/0.10A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	215					
4575	----	----		----	----/0.10A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	27					
4575	----	----		430.80B/----	430.80B/266.80A	----	----			406.60 + 52.70	----	7	----	----	----	0 -	7					
4580	----	----		----	----/0.10A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	5					
4600	----	----		455.80B/----	455.80B/291.80A	----	----			431.60 + 52.70	----	2	----	----	----	0 -	2					
4600	----	----		----	----/0.10A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	64					
4605	----	----		----	----/0.10A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	1					
4620	----	----		----	----/0.10A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	1					
4625	----	----		480.80B/----	480.80B/316.80A	----	----			456.60 + 52.70	----	1	----	----	----	0 -	1					
4625	----	----		----	----/0.10A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	79					
4650	----	----		----	----/0.10A	----	----			0.00 - 0.10	----	----	----	1	----	0 -	43					
4650	----	----		505.80B/----	505.80B/341.80A	----	----			481.60 + 52.70	----	1	----	----	----	0 -	1					
4675	----	----		----	----/0.10A	----	----			0.00 - 0.10	----	----	----	1	----	0 -	16					
4675	----	----		530.80B/----	530.80B/366.80A	----	----			506.60 + 52.80	----	2	----	----	----	0 -	2					
4700	----	----		555.80B/----	555.80B/391.80A	----	----			531.60 + 52.80	----	----	----	----	----	0	UNCH					
4700	----	----		----	----/0.10A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	49					
4725	----	----		580.80B/----	580.80B/416.80A	----	----			556.60 + 52.80	----	1	----	----	----	0 -	1					
4725	----	----		----	----/0.10A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	40					
4750	----	----		----	----/0.10A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	18					
4750	----	----		605.80B/----	605.80B/441.80A	----	----			581.60 + 52.80	----	----	----	----	----	0	UNCH					
4775	----	----		----	----/0.10A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	22					
4800	----	----		----	----/0.10A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	43					
4825	----	----		----	----/0.10A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	17					
4850	----	----		----	----/0.20A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	67					
4875	----	----		----	----/0.20A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	27					
4900	----	----		----	----/0.20A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	48					
4925	----	----		----	----/0.20A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	53					
4950	----	----		----	----/0.20A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	8					
4975	----	----		----	----/0.20A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	7					
5000	----	----		----	----/0.20A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	96					
5025	----	----		----	----/0.20A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	11					
5050	----	----		----	----/0.20A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	6					
5075	----	----		----	----/0.20A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	4					
5100	----	----		----	----/0.20A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	7					
5125	----	----		----	----/0.20A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	5					
5150	----	----		----	----/0.20A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	12					
5200	----	----		----	----/0.20A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	16					
5250	----	----		----	----/0.20A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	11					
5300	----	----		----	----/0.20A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	4					
5400	----	----		----	----/0.20A	----	----			0.00 - 0.10	----	----	----	----	----	0 -	17					
TOTAL														8258			0 -	7230				
OCT26																						
3000	----	----		----	----/0.50A	----	----			0.10 UNCH	.0000	----	----	----	----	10	UNCH					
3600	----	----		0.60B/----	0.60B/0.60A	----	----			0.60 + 0.50	.0044	----	----	1	----	78 +	1					
3700	6.10	6.10		6.10/6.10	6.10/3.90A	----	----			4.60 NEW	.0355	----	----	2	----	2 +	2					
3700	----	----		1.00B/----	1.00B/0.90A	----	----			0.90 + 0.70	.0076	----	----	----	----	3	UNCH					
3750	----	----		4.10B/----	4.10B/2.90A	----	----			3.00 + 1.60	.0271	----	----	1	----	7 +	1					
3750	----	----		1.50B/----	1.50B/0.90A	----	----			1.10 + 0.70	.0101	----	----	----	----	10	UNCH					
3800	----	----		5.50B/----	5.50B/3.10A	----	----			4.00 + 2.30	.0373	----	----	----	----	1	UNCH					
3800	1.40	1.40		2.10B/1.40	2.10B/1.00A	----	----			1.50 + 0.90	.0148	----	----	2	----	2 +	2					
3875	----	----		15.40B/----	15.40B/5.50A	----	----			12.00 NEW	.0960	----	----	1	----	1 +	1					
3875	----	----		9.10B/----	9.10B/3.40A	----	----			6.50 NEW	.0626	----	----	1	----	1 +	1					
3900	12.10	12.10		18.10B/12.10	18.10B/6.10A	----	----			14.10 + 9.50	.1121	----	----	2	----	16 +	1					
3900	4.20	4.20		4.60B/4.20	4.60B/1.40A	----	----			3.00 + 1.90	.0342	----	----	1	----	31 +	1					
3900	----	----		10.70B/----	10.70B/3.70A	----	----			7.80 + 5.40	.0755	----	----	2	----	2 +	1					
3925	----	----		5.70B/----	5.70B/1.60A	----	----			3.70 + 2.50	.0434	----	----	4	----	4 +	3					
3925	----	----		21.30B/----	21.30B/8.40A	----	----			16.70 NEW	.1313	----	----	1	----	1 +	1					
3950	229.00	229.00		243.00/201.10A	356.00B/201.10A	----	----			222.90 NEW	.9443	----	----	4	----	4 +	4					
3950	14.00	14.00		15.50B/14.00	15.50B/4.60A	----	----			11.30 NEW	.1097	----	----	2	----	1 +	1					
3950	4.40	4.40		7.30B/4.40	7.30B/1.80A	----	----			4.60 NEW	.0555	----	----	4	----	4 +	4					
3975	----	----		29.60B/----	29.60B/8.90A	----	----			23.40 + 16.20	.1787	----	----	----	----	15	UNCH					
3975	----	----		18.90B/----	18.90B/5.40A	----	----			13.80 + 10.10	.1329	----	----	----	----	2	UNCH					
3975	6.80	6.80		9.30B/6.30	9.30B/2.00A	----	----			5.90 + 4.30	.0725	----	----	88	----	51 +	21					
4000	10.00	10.00		34.70B/10.00	34.70B/9.80A	----	----			27.70 NEW	.1609	----	----	3	----	3 +	3					
4000	7.50	7.50		23.00B/7.50	23.00B/6.90A	----	----			16.90 + 12.50	.1609	----	----	14	----	10 +	7					
4000	7.90	7.90		12.10B/7.10	12.10B/2.30A	----	----			7.60 + 5.80	.0947	----	----	29	----	29 +	28					
4000	----	----																				

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON GOLD WEEKLY MONDAY OPTION WEEK1												
OCT26												
4375	12.20	12.20	12.20/3.40A	22.60B/3.40A	----	4.20 - 23.00	.0577	----	----	9	----	6 - 2
4400	16.20	16.20	17.10/14.90A	43.00B/14.90A	----	16.70 NEW .1469		----	----	12	700	703 + 703
4400	----	----	260.20B/----	260.20B/125.80A	----	239.90 + 26.70	.9036	----	----	----	----	10 UNCH
4400	152.60	152.60	256.80B/152.60	256.80B/107.40A	----	234.60 + 35.70	.9565	----	----	5	----	34 + 2
4400	8.70	8.70	8.70/2.70A	16.40B/2.70A	----	3.20 - 17.00	.0433	----	----	14	----	75 - 1
4425	----	----	----/6.10A	23.70B/6.10A	----	6.90 - 20.80	.0779	----	----	----	----	2 UNCH
4425	15.80	15.80	15.80/12.50A	35.80B/12.50A	----	13.80 NEW .1243		----	----	9	----	9 + 9
4425	----	----	281.30B/----	281.30B/127.50A	----	258.90 + 40.40	.9667	----	----	----	----	4 UNCH
4425	----	----	----/2.10A	12.00B/2.10A	----	2.50 - 12.30	.0331	----	----	----	----	10 UNCH
4450	----	----	----/5.00A	18.40B/5.00A	----	5.60 - 16.50	.0635	----	----	----	----	20 UNCH
4450	----	----	288.50B/----	288.50B/164.90A	----	286.90 + 36.10	.9361	----	----	----	----	2 UNCH
4450	4.00	4.00	4.00/1.70A	8.60B/1.70A	----	1.90 - 8.90	.0247	----	----	6	----	110 + 2
4450	----	----	305.80B/----	305.80B/148.90A	----	283.40 + 43.90	.9751	----	----	----	----	37 UNCH
4475	2.90	2.90	2.90/1.40A	6.20B/1.40A	----	1.60 - 6.30	.0201	----	----	1	----	19 + 1
4500	----	----	----/3.50A	11.30B/3.50A	----	3.80 - 10.30	.0430	----	----	----	----	106 UNCH
4500	4.30	4.30	5.00/1.20A	5.00/1.20A	----	1.30 - 4.60	.0158	----	----	360	----	397 + 270
4500	----	----	355.50B/----	355.50B/194.40A	----	332.70 + 48.20	.9840	----	----	----	----	4 UNCH
4525	13.00	13.00	13.00/6.50A	17.00B/6.50A	----	6.80 NEW .0646		----	----	2	----	2 + 2
4525	1.10	1.10	1.10/1.10	3.30B/1.10	----	1.10 - 3.30	.0130	----	----	1	----	32 UNCH
4525	----	----	380.30B/----	380.30B/218.00A	----	357.50 + 49.50	.9869	----	----	----	----	9 UNCH
4550	7.10	7.10	7.10/5.70A	14.00B/5.70A	----	5.80 - 11.50	.0553	----	----	2	----	2 UNCH
4550	----	----	----/2.60A	6.90B/2.60A	----	2.70 - 6.30	.0301	----	----	----	----	4 UNCH
4550	----	----	402.90B/----	402.90B/247.80A	----	382.30 + 50.40	.9896	----	----	----	----	1 UNCH
4550	1.00	1.00	1.00/0.90A	2.50B/0.90A	----	0.90 - 2.40	.0103	----	1	----	----	49 UNCH
4575	----	----	----/2.30A	5.60B/2.30A	----	2.40 - 4.90	.0263	----	----	----	----	20 UNCH
4575	0.90	0.90	0.90/0.80A	1.90B/0.80A	----	0.80 - 1.70	.0088	----	1	----	----	6 UNCH
4600	5.20	5.20	5.20/4.30A	9.70B/4.30A	----	4.30 - 7.80	.0411	----	2	----	----	2 UNCH
4600	----	----	----/2.10A	3.40B/2.10A	----	2.10 - 3.80	.0226	----	----	----	----	3 UNCH
4600	----	----	----/0.70A	1.40B/0.70A	----	0.70 - 1.30	.0074	----	----	----	----	91 UNCH
4600	----	----	452.70B/----	452.70B/296.90A	----	432.10 + 51.50	.9925	----	----	----	----	1 UNCH
4625	----	----	----/3.80A	7.80B/3.80A	----	3.80 - 6.40	.0361	----	----	----	----	8 UNCH
4625	----	----	----/1.80A	3.10B/1.80A	----	1.80 - 3.00	.0192	----	----	----	----	15 UNCH
4625	----	----	----/0.70A	1.10B/0.70A	----	0.60 - 1.00	.0062	----	----	----	----	24 UNCH
4650	1.40	1.40	1.40/1.40	3.00B/1.40	----	1.60 - 2.40	.0168	----	1	----	----	3 + 1
4650	0.80	0.80	0.80/0.70A	0.90B/0.70A	----	0.50 - 0.80	.0050	----	2	----	----	14 + 2
4675	----	----	----/1.50A	2.30B/1.50A	----	1.50 - 1.90	.0153	----	----	----	----	5 UNCH
4675	----	----	----/0.60A	0.60B/0.60A	----	0.50 - 0.60	.0048	----	----	----	----	10 UNCH
4700	----	----	----/1.40A	1.90B/1.40A	----	1.30 - 1.50	.0132	----	----	----	----	5 UNCH
4700	----	----	----/0.60A	0.50B/0.60A	----	0.40 - 0.50	.0038	----	----	----	----	57 UNCH
4725	----	----	----/1.40A	1.70B/1.40A	----	1.20 - 1.20	.0119	----	----	----	----	6 UNCH
4725	----	----	----/0.60A	0.40B/0.60A	----	0.40 - 0.40	.0036	----	----	----	----	2 UNCH
4750	----	----	----/1.30A	1.40B/1.30A	----	1.10 - 1.00	.0107	----	----	----	----	7 UNCH
4750	----	----	601.20B/----	601.20B/445.60A	----	581.70 + 52.40	.9974	----	----	----	----	1 UNCH
4750	----	----	----/0.60A	0.30B/0.60A	----	0.30 - 0.40	.0027	----	----	----	----	17 UNCH
4775	----	----	----/1.20A	0.90B/1.20A	----	1.00 - 0.80	.0096	----	----	----	----	3 UNCH
4775	----	----	----/0.50A	0.20B/0.50A	----	0.30 - 0.30	.0026	----	----	----	----	52 UNCH
4775	----	----	627.30B/----	627.30B/470.70A	----	606.70 + 52.50	.9975	----	----	----	----	1 UNCH
4800	----	----	----/1.10A	0.80B/1.10A	----	1.00 - 0.60	.0093	----	----	----	----	1 UNCH
4800	----	----	----/0.50A	0.20B/0.50A	----	0.30 - 0.30	.0025	----	----	----	----	10 UNCH
4825	----	----	----/0.50A	0.20B/0.50A	----	0.30 - 0.30	.0024	----	----	----	----	1 UNCH
4850	----	----	----/0.60A	0.20B/0.60A	----	0.20 - 0.30	.0016	----	----	----	----	1 UNCH
4850	----	----	----/1.00A	0.60B/1.00A	----	0.80 - 0.50	.0072	----	----	----	----	4 UNCH
4900	----	----	----/2.20A	1.00B/2.20A	----	1.00 - 1.40	.0089	----	----	----	----	7 UNCH
4900	----	----	----/0.50A	0.20B/0.50A	----	0.20 - 0.30	.0015	----	----	----	----	4 UNCH
4900	----	----	----/0.90A	0.50B/0.90A	----	0.70 - 0.40	.0061	----	----	----	----	7 UNCH
4925	----	----	----/0.50A	0.20B/0.50A	----	0.20 - 0.20	.0014	----	----	----	----	2 UNCH
4950	----	----	----	0.50B/0.50A	----	0.20 - 0.20	.0014	----	----	----	----	1 UNCH
4975	----	----	----/0.50A	0.20B/0.50A	----	0.10 - 0.20	.0007	----	----	----	----	2 UNCH
5000	----	----	----	0.40B/0.80A	----	0.50 - 0.30	.0041	----	----	----	----	2 UNCH
5000	----	----	----/0.40A	0.10B/0.40A	----	0.10 - 0.20	.0005	----	----	----	----	12 UNCH
5100	----	----	----	0.10B/0.70A	----	0.40 - 0.20	.0031	----	----	----	----	7 UNCH
5100	----	----	----/0.40A	0.10B/0.40A	----	0.10 - 0.10	.0001	----	----	2	----	13 UNCH
5200	----	----	----/0.30A	0.10B/0.30A	----	0.10 UNCH .0000		----	----	----	----	2 UNCH
5250	----	----	----/0.30A	0.10B/0.30A	----	0.10 UNCH .0000		----	----	----	----	7 UNCH
5300	----	----	----/0.40A	0.10B/0.40A	----	0.10 UNCH .0000		----	----	----	----	11 UNCH
5400	----	----	----/0.50A	0.10B/0.50A	----	0.10 UNCH .0000		----	----	----	----	11 UNCH
5500	----	----	----/1.80A	0.10B/1.80A	----	0.10 UNCH .0000		----	----	----	----	8 UNCH
5750	----	----	----	----/1.60A	----	0.10 UNCH .0000		----	----	----	----	40 UNCH
TOTAL										1687	1,100	4746 + 2189

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FMG OPT MICRO GOLD WEEKLY FRI OPTION WEEK4												
SEP26												
4320	----	----	----	----	----	1.20 UNCH	----	----	----	----	----	0 UNCH
4345	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4375	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0
OCT26												
4000	6.50	6.50	6.50/6.50	6.50/6.50	----	5.50 NEW	.0675	----	----	1	----	1 + 1
TOTAL										1	----	1 + 1

SILVER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU	SILVER WEEKLY THURSDAY OPTION week4											
OCT26												
4750	0.030	0.030	0.030/0.030	0.030/0.030	----	0.016 NEW .0061		----	----	1	----	1 + 1
5000	----	----	0.012B/----	0.012B/0.031A	----	0.013 + 0.006	.0051	----	----	----	----	1 UNCH
5000	0.015	0.015	0.060/0.015	0.060/0.015	----	0.047 NEW .0174		----	----	21	----	20 + 20
5500	----	----	0.223B/----	0.223B/0.119A	----	0.236 + 0.167	.0839	----	----	----	----	1 UNCH
5500	----	----	0.106B/----	0.106B/0.061A	----	0.090 NEW .0409		----	----	4	----	4 + 4
5600	----	----	0.172B/----	0.172B/0.063A	----	0.141 NEW .0639		----	----	4	----	4 + 4
5600	5.697	5.697	5.697/5.697	6.025B/5.697	----	6.141 NEW .8641		----	----	1	----	1 + 1
5700	----	----	0.276B/----	0.276B/0.080A	----	0.221 + 0.156	.0986	----	----	----	----	1 UNCH
5700	0.043	0.043	0.051/0.043	0.051/0.038A	----	0.039 NEW .0186		----	----	9	----	9 + 9
5750	----	----	0.347B/----	0.347B/0.092A	----	0.275 + 0.198	.1212	----	----	----	----	1 UNCH
5800	----	----	0.109B/----	0.109B/0.043A	----	0.074 + 0.049	.0406	----	----	----	----	1 UNCH
5850	----	----	0.547B/----	0.547B/0.128A	----	0.424 + 0.312	.1800	----	----	----	----	5 UNCH
5900	----	----	0.967B/----	0.967B/0.364A	----	0.857 + 0.582	.2674	----	----	----	----	1 UNCH
5950	----	----	0.834B/----	0.834B/0.193A	----	0.643 + 0.475	.2581	----	----	----	----	6 UNCH
6000	0.365	0.365	0.449B/0.365	0.449B/0.077A	----	0.294 + 0.234	.1866	----	----	1	----	2 UNCH
6000	----	----	1.018B/----	1.018B/0.226A	----	0.786 + 0.577	.3044	----	5	----	----	8 + 5
6000	1.401	1.401	1.680B/1.401	1.680B/0.766A	----	1.436 + 0.833	.3580	----	2	----	----	0 - 2
6000	----	----	1.372B/----	1.372B/0.576A	----	1.178 + 0.778	.3422	----	----	----	----	1 UNCH
6100	----	----	1.467B/----	1.467B/0.350A	----	1.152 + 0.826	.4085	----	----	2	----	3 + 1
6100	0.493	0.493	0.853B/0.493	0.853B/0.129A	----	0.571 + 0.468	.3483	----	1	----	----	7 + 1
6100	----	----	1.830B/----	1.830B/0.775A	----	1.585 + 1.004	.4240	----	----	----	----	4 UNCH
6110	0.465	0.465	0.904B/0.465	0.904B/0.132A	----	0.608 NEW .3676		----	1	----	----	1 + 1
6150	----	----	2.100B/----	2.100B/0.899A	----	1.821 + 1.123	.4663	----	----	----	----	4 UNCH
6150	0.883	0.883	1.130B/0.883	1.130B/0.157A	----	0.776 NEW .4484		----	1	----	1 + 1	
6150	----	----	2.430B/----	2.430B/1.149A	----	2.098 NEW .4664		----	1	----	1 + 1	
6180	0.818	0.818	1.316B/0.818	1.316B/0.187A	----	0.922 NEW .5109		----	46	1	----	45 + 45
6190	0.871	0.871	1.383B/0.871	1.383B/0.199A	----	0.975 NEW .5317		----	1	1	----	1 + 1
6200	0.982	0.982	1.451B/0.922	1.451B/0.212A	----	1.030 + 0.844	.5524	----	25	----	33 + 25	
6200	----	----	2.715B/----	2.715B/1.316A	----	2.360 + 1.266	.5030	----	----	1	----	1 UNCH
6200	1.310	1.310	2.014B/1.310	2.014B/0.551A	----	1.635 + 1.124	.5200	----	5	----	5 + 3	
6200	----	----	----/0.506A	2.630B/0.506A	----	0.748 NEW .4475		----	1	1	----	1 + 1
6210	0.977	0.977	1.520B/0.977	1.520B/0.225A	----	1.087 NEW .5729		----	15	----	15 + 15	
6210	0.790	0.790	2.542B/0.477A	2.542B/0.477A	----	0.705 NEW .4270		----	48	----	48 + 48	
6220	0.745	0.745	0.745/0.447A	2.457B/0.447A	----	0.664 NEW .4068		----	24	----	24 + 24	
6250	----	----	3.001B/----	3.001B/1.506A	----	2.643 + 1.383	.5391	----	----	----	6	UNCH
6250	----	----	1.815B/----	1.815B/0.290A	----	1.334 + 1.079	.6516	----	----	----	1	UNCH
6250	----	----	2.336B/----	2.336B/0.687A	----	1.921 + 1.285	.5751	----	----	----	1	UNCH
6290	0.430	0.430	0.430/0.289A	1.885B/0.289A	----	0.428 NEW .2773		----	1	----	1 + 1	
6300	----	----	2.689B/----	2.689B/0.849A	----	2.235 + 1.450	.6279	----	1	----	5 - 1	
6300	2.930	2.930	3.331B/2.930	3.331B/1.720A	----	2.946 + 1.502	.5743	----	3	----	2 + 1	
6300	----	----	----/1.514A	2.760B/1.514A	----	1.667 - 1.574	.4255	----	----	----	1	UNCH

BULLETIN #186@										METALS OPTION PRODUCTS										Mon, Sep 28, 2026				PG64
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE		GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW		OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA		EXER CISES		OPEN OUTCRY VOLUME		GLOBEX® VOLUME		PNT VOLUME		OPEN INTEREST		
RWS THU		SILVER WEEKLY THURSDAY OPTION week1																						
OCT26																								
6300	----	----	----	2.2148/----	2.2148/0.402A	----	----	----	----	1.683 + 1.332	.7389	----	----	----	----	----	----	----	----	14	UNCH	0	UNCH	
6300	----	----	----	----/0.270A	1.8128/0.270A	----	----	----	----	0.401	NEW	.2610	----	----	----	----	2	----	----	----	----	0	UNCH	
6340	----	----	----	2.5548/----	2.5548/0.517A	----	----	----	----	1.990 + 1.540	.7971	----	----	----	----	----	----	----	----	5	UNCH	5	UNCH	
6350	----	----	----	2.6458/----	2.6458/0.550A	----	----	----	----	2.070 + 1.591	.8102	----	----	----	----	----	----	----	----	35	UNCH	35	UNCH	
6350	----	----	----	3.0578/----	3.0578/1.042A	----	----	----	----	2.576 + 1.616	.6772	----	----	----	----	----	----	----	----	1	UNCH	1	UNCH	
6400	----	----	----	3.0968/----	3.0968/0.740A	----	----	----	----	2.489 + 1.844	.8649	----	----	----	----	----	----	----	----	13	UNCH	13	UNCH	
6400	0.160	0.160	0.160	0.160/0.147A	1.1408/0.147A	----	----	----	----	0.208	NEW	.1350	----	----	----	----	3	----	----	2 +	2	2	2	
6400	----	----	----	3.4578/----	3.4578/1.263A	----	----	----	----	2.941 + 1.779	.7225	----	----	----	----	----	----	----	----	2	UNCH	2	UNCH	
6410	----	----	----	----/0.139A	1.0838/0.139A	----	----	----	----	0.195 + 1.189	.1260	----	----	----	----	----	----	----	----	5	UNCH	5	UNCH	
6420	----	----	----	----/0.132A	1.0408/0.132A	----	----	----	----	0.182 + 1.142	.1171	----	----	----	----	----	----	----	----	7	UNCH	7	UNCH	
6420	----	----	----	3.2848/----	3.2848/0.829A	----	----	----	----	2.664 + 1.940	.8828	----	----	----	----	----	----	----	----	4	UNCH	4	UNCH	
6430	----	----	----	----/0.127A	0.9888/0.127A	----	----	----	----	0.171 + 1.095	.1094	----	----	----	----	----	----	----	----	2	UNCH	2	UNCH	
6440	----	----	----	3.4688/----	3.4688/0.925A	----	----	----	----	2.841 + 2.032	.8982	----	----	----	----	----	----	----	----	3	UNCH	3	UNCH	
6450	0.545	0.545	0.545	0.545/0.441A	1.4208/0.441A	----	----	----	----	0.548	NEW	.2368	----	----	----	----	2	----	----	2 +	2	2	2	
6450	----	----	----	3.5628/----	3.5628/0.976A	----	----	----	----	2.932 + 2.078	.9052	----	----	----	----	----	----	----	----	28	UNCH	28	UNCH	
6470	----	----	----	3.7518/----	3.7518/1.083A	----	----	----	----	3.114 + 2.166	.9173	----	----	----	----	----	----	----	----	2	UNCH	2	UNCH	
6500	----	----	----	4.0338/----	4.0338/1.258A	----	----	----	----	3.392 + 2.290	.9333	----	----	----	----	----	----	----	----	8	UNCH	8	UNCH	
6500	----	----	----	4.2988/----	4.2988/1.783A	----	----	----	----	3.734 + 2.083	.7987	----	----	----	----	----	----	----	----	1	UNCH	1	UNCH	
6500	0.757	0.757	0.757	0.757/0.368A	1.1978/0.368A	----	----	----	----	0.455	NEW	.2012	----	----	----	----	5	----	----	5 +	5	5	5	
6500	----	----	----	----/0.088A	0.6658/0.088A	----	----	----	----	0.110 + 0.794	.0666	----	----	----	----	----	1	----	----	3	UNCH	3	UNCH	
6540	----	----	----	----/0.072A	0.5228/0.072A	----	----	----	----	0.088 + 0.645	.0510	----	----	----	----	----	----	----	----	49	UNCH	49	UNCH	
6550	----	----	----	----/0.069A	0.4818/0.069A	----	----	----	----	0.083 + 0.611	.0475	----	----	----	----	----	----	----	----	16	UNCH	16	UNCH	
6550	----	----	----	4.5198/----	4.5198/1.572A	----	----	----	----	3.864 + 2.471	.9524	----	----	----	----	----	----	----	----	12	UNCH	12	UNCH	
6550	----	----	----	4.7438/----	4.7438/2.709A	----	----	----	----	4.466 + 2.080	.7636	----	----	----	----	----	----	----	----	9	UNCH	9	UNCH	
6560	0.070	0.070	0.070	0.070/0.067A	0.4518/0.067A	----	----	----	----	0.079	NEW	.0447	----	----	----	----	2	----	----	2	UNCH	2	UNCH	
6570	0.074	0.074	0.074	0.074/0.064A	0.4258/0.064A	----	----	----	----	0.075	NEW	.0419	----	----	----	----	5	----	----	5 +	5	5	5	
6580	0.074	0.074	0.074	0.074/0.061A	0.3988/0.061A	----	----	----	----	0.071	NEW	.0392	----	----	----	----	10	----	----	10 +	10	10	10	
6600	----	----	----	5.0108/----	5.0108/1.937A	----	----	----	----	4.345 + 2.619	.9654	----	----	----	----	----	----	----	----	10	UNCH	10	UNCH	
6600	0.069	0.069	0.069	0.069/0.056A	0.3508/0.056A	----	----	----	----	0.064 + 0.464	.0345	----	----	----	----	----	5	----	----	4 +	3	3	3	
6600	----	----	----	5.1928/----	5.1928/2.451A	----	----	----	----	4.594 + 2.344	.8558	----	----	----	----	----	----	----	----	1	UNCH	1	UNCH	
6630	0.077	0.077	0.077	0.077/0.051A	0.2878/0.051A	----	----	----	----	0.056	NEW	.0290	----	----	----	----	2	----	----	2 +	2	2	2	
6650	----	----	----	5.6008/----	5.6008/3.360A	----	----	----	----	5.304 + 2.293	.8128	----	----	----	----	----	----	----	----	13	UNCH	13	UNCH	
6690	----	----	----	----/0.041A	0.1948/0.041A	----	----	----	----	0.043	NEW	.0205	----	----	----	----	1	----	----	1 +	1	1	1	
6700	----	----	----	6.1258/----	6.1258/3.189A	----	----	----	----	5.503 + 2.554	.8962	----	----	----	----	----	----	----	----	1	UNCH	1	UNCH	
6700	0.194	0.194	0.194	0.194/0.194	0.5718/0.194	----	----	----	----	0.225	NEW	.1037	----	----	----	----	1	----	----	1 +	1	1	1	
6700	----	----	----	----/0.040A	0.1828/0.040A	----	----	----	----	0.041 + 0.260	.0193	----	----	----	----	----	----	----	----	12	UNCH	12	UNCH	
6750	----	----	----	----/0.035A	0.1348/0.035A	----	----	----	----	0.034 + 0.195	.0150	----	----	----	----	----	----	----	----	3	UNCH	3	UNCH	
6800	----	----	----	----/0.149A	0.3938/0.149A	----	----	----	----	0.167 + 0.370	.0764	----	----	----	----	----	----	----	----	1	UNCH	1	UNCH	
6800	----	----	----	----/0.034A	0.0748/0.034A	----	----	----	----	0.028 + 0.148	.0115	----	----	----	----	----	----	----	----	22	UNCH	22	UNCH	
6800	----	----	----	6.9148/----	6.9148/3.674A	----	----	----	----	6.308 + 2.934	.9884	----	----	----	----	----	----	----	----	5	UNCH	5	UNCH	
6850	----	----	----	----/0.031A	0.0718/0.031A	----	----	----	----	0.022 + 0.116	.0085	----	----	----	----	----	----	----	----	4	UNCH	4	UNCH	
6850	6.757	6.757	6.757	7.4178/6.757	7.4178/4.148A	----	----	----	----	6.802 + 2.967	.9914	----	----	----	----	----	1	----	----	1	UNCH	1	UNCH	
6900	----	----	----	----/0.028A	0.0538/0.028A	----	----	----	----	0.017 + 0.092	.0062	----	----	----	----	----	----	----	----	19	UNCH	19	UNCH	
6950	----	----	----	----/0.025A	0.0438/0.025A	----	----	----	----	0.013 + 0.075	.0044	----	----	----	----	----	----	----	----	10	UNCH	10	UNCH	
6980	----	----	----	----/0.024A	0.0378/0.024A	----	----	----	----	0.011 + 0.068	.0036	----	----	----	----	----	----	----	----	1	UNCH	1	UNCH	
6990	----	----	----	----/0.024A	0.0348/0.024A	----	----	----	----	0.011 + 0.065	.0035	----	----	----	----	----	----	----	----	1	UNCH	1	UNCH	
7000	----	----	----	----/0.023A	0.0338/0.023A	----	----	----	----	0.010 + 0.063	.0032	----	----	----	----	----	1	----	----	3 -	1	1	1	
7000	----	----	----	----/0.434A	0.4998/0.434A	----	----	----	----	0.368 + 0.390	.1167	----	----	----	----	----	----	----	----	3	UNCH	3	UNCH	
7050	----	----	----	----/0.021A	0.0268/0.021A	----	----	----	----	0.008 + 0.053	.0024	----	----	----	----	----	----	----	----	103	UNCH	103	UNCH	
7100	----	----	----	9.9088/----	9.9088/6.766A	----	----	----	----	9.287 + 3.039	.9980	----	----	----	----	----	----	----	----	1	UNCH	1	UNCH	
7100	0.186	0.186	0.186	0.186/0.186	0.2608/0.186	----	----	----	----	0.194 + 0.213	.0703	----	----	----	----	----	2	----	----	2	UNCH	2	UNCH	
7200	----	----	----	----/0.018A	0.0078/0.018A	----	----	----	----	0.005 + 0.035	.0012	----	----	----	----	----	----	----	----	1	UNCH	1	UNCH	
7200	0.270	0.270	0.270	0																				

BULLETIN #186@				METALS OPTION PRODUCTS							Mon, Sep 28, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SMW MON	SILVER WEEKLY MONDAY OPTION WEEK4													
SEP26														
6700	----	----	5.841B/----	5.841B/2.578A	----	5.282 + 3.037	----	1	----	----	----	0 -	1	
6730	----	----	-----/0.029A	0.005B/0.029A	----	0.000 - 0.036	----	----	----	----	----	0 -	1	
6750	----	----	6.341B/----	6.341B/3.068A	----	5.782 + 3.053	----	2	----	----	----	0 -	2	
6760	----	----	-----/0.030A	-----/0.030A	----	0.000 - 0.028	----	----	----	----	----	0 -	1	
6780	----	----	-----/0.029A	-----/0.029A	----	0.000 - 0.025	----	----	----	----	----	0 -	1	
6790	----	----	-----/0.029A	-----/0.029A	----	0.000 - 0.023	----	----	----	----	----	0 -	4	
6800	----	----	-----/0.029A	-----/0.029A	----	0.000 - 0.022	----	----	----	----	----	0 -	2	
6830	----	----	-----/0.027A	-----/0.027A	----	0.000 - 0.018	----	----	----	----	----	0 -	1	
6850	----	----	-----/0.025A	-----/0.025A	----	0.000 - 0.016	----	----	----	----	----	0 -	1	
6890	----	----	-----/0.023A	-----/0.023A	----	0.000 - 0.014	----	----	----	----	----	0 -	2	
6950	----	----	8.341B/----	8.341B/5.059A	----	7.782 + 3.073	----	4	----	2	----	0 -	6	
7000	----	----	8.841B/----	8.841B/5.557A	----	8.282 + 3.075	----	2	----	----	----	0 -	2	
7010	----	----	-----/0.096A	-----/0.096A	----	0.000 - 0.009	----	----	----	----	----	0 -	1	
7040	----	----	-----/0.096A	-----/0.096A	----	0.000 - 0.008	----	----	----	----	----	0 -	1	
7100	----	----	-----/0.096A	-----/0.096A	----	0.000 - 0.007	----	----	----	----	----	0 -	16	
7160	----	----	-----/0.096A	-----/0.096A	----	0.000 - 0.006	----	----	----	----	----	0 -	1	
7200	----	----	-----/0.096A	-----/0.096A	----	0.000 - 0.005	----	----	----	----	----	0 -	1	
7300	----	----	-----/0.096A	-----/0.096A	----	0.000 - 0.004	----	----	----	----	----	0 -	1	
7400	----	----	-----/0.096A	-----/0.096A	----	0.000 - 0.003	----	----	----	----	----	0 -	2	
7500	----	----	-----/0.096A	-----/0.096A	----	0.000 NEW	----	----	----	2	----	0	UNCH	
8100	----	----	-----/0.096A	-----/0.096A	----	0.000 - 0.001	----	----	----	----	----	0 -	2	
9000	----	----	-----/0.096A	-----/0.096A	----	0.000 NEW	----	----	----	2	----	0	UNCH	
TOTAL										338	0	0 -	374	
OCT26														
5700	0.304	0.304	0.332B/0.304	0.332B/0.231A	----	0.328 + 0.208	.1280	----	----	2	----	2	UNCH	
5850	----	----	0.619B/----	0.619B/0.307A	----	0.569 + 0.389	.2097	----	----	----	----	5	UNCH	
5850	0.310	0.310	0.345B/0.310	0.345B/0.083A	----	0.250 NEW	.1315	----	----	1	----	1 +	1	
5900	----	----	0.454B/----	0.454B/0.098A	----	0.326 + 0.247	.1685	----	----	----	----	6	UNCH	
5900	----	----	0.758B/----	0.758B/0.343A	----	0.683 + 0.472	.2448	----	----	----	----	3	UNCH	
5950	----	----	0.927B/----	0.927B/0.392A	----	0.818 + 0.569	.2836	----	----	----	----	5	UNCH	
6000	1.089	1.089	1.126B/1.089	1.126B/0.453A	----	0.976 + 0.679	.3258	----	----	1	----	26 -	1	
6000	----	----	0.754B/----	0.754B/0.168A	----	0.547 + 0.421	.2660	----	----	----	----	7	UNCH	
6100	----	----	1.576B/----	1.576B/0.611A	----	1.365 + 0.932	.4176	----	----	----	----	2	UNCH	
6150	1.200	1.200	1.455B/1.190	1.455B/0.291A	----	1.104 + 0.840	.4602	----	----	2	----	2	UNCH	
6250	----	----	2.093B/----	2.093B/0.490A	----	1.647 + 1.206	.5990	----	----	----	----	4	UNCH	
6300	----	----	-----/1.328A	2.600B/1.328A	----	1.517 NEW	.4173	----	----	50	----	50 +	50	
6300	----	----	2.459B/----	2.459B/0.632A	----	1.971 + 1.403	.6639	----	----	----	----	25	UNCH	
6350	----	----	2.849B/----	2.849B/0.805A	----	2.325 + 1.600	.7227	----	----	----	----	7	UNCH	
6350	0.539	0.539	0.539/0.412A	1.672B/0.412A	----	0.545 NEW	.2772	----	----	1	----	1 +	1	
6400	----	----	3.268B/----	3.268B/1.014A	----	2.709 + 1.795	.7745	----	----	----	----	2	UNCH	
6500	2.600	2.600	4.153B/2.600	4.153B/1.527A	----	3.545 NEW	.8542	----	----	4	----	4 +	4	
6500	----	----	-----/0.210A	0.940B/0.210A	----	0.266 - 0.927	.1456	----	----	----	----	21	UNCH	
6650	----	----	-----/0.122A	0.456B/0.122A	----	0.140 NEW	.0763	----	----	1	----	1 +	1	
6700	----	----	6.049B/----	6.049B/2.981A	----	5.395 NEW	.9375	----	----	1	----	1 +	1	
6700	0.322	0.322	0.322/0.322	0.582B/0.322	----	0.311 NEW	.1305	----	----	1	----	1 +	1	
6750	----	----	-----/0.448A	0.805B/0.448A	----	0.504 NEW	.1678	----	----	50	----	50 +	50	
6750	----	----	-----/0.092A	0.281B/0.092A	----	0.098 - 0.320	.0517	----	----	----	----	3	UNCH	
6900	----	----	-----/0.066A	0.141B/0.066A	----	0.063 - 0.158	.0311	----	----	----	----	2	UNCH	
6950	----	----	-----/0.060A	0.103B/0.060A	----	0.056 - 0.126	.0269	----	----	----	----	5	UNCH	
7150	----	----	-----/0.048A	0.052B/0.048A	----	0.038 - 0.056	.0164	----	----	1	----	0 -	1	
7600	----	----	-----/0.032A	0.012B/0.032A	----	0.016 - 0.024	.0057	----	----	----	----	11	UNCH	
TOTAL										115	0	247 +	107	
SO CALL	COMEX SILVER OPTIONS													
NOV26														
3500	26.450	26.450	26.450/26.116A	29.269B/26.116A	----	26.718 NEW	.9986	1	----	1	----	0	UNCH	
5000	12.360	12.360	12.360/11.145A	14.418B/11.145A	----	11.792 - 3.037	.9694	----	----	2	----	14 +	1	
5500	----	----	-----/6.542A	9.560B/6.542A	----	7.110 - 2.821	.8807	----	----	----	----	3	UNCH	
5575	----	----	-----/5.921A	8.846B/5.921A	----	6.465 - 2.752	.8546	----	----	----	----	1	UNCH	
5850	----	----	-----/3.897A	6.348B/3.897A	----	4.330 NEW	.7238	----	----	4	----	4 +	4	
5900	----	----	-----/3.579A	5.926B/3.579A	----	3.991 - 2.299	.6944	----	----	----	----	1	UNCH	
5975	----	----	-----/3.130A	5.316B/3.130A	----	3.512 - 2.164	.6482	----	----	----	----	1	UNCH	
6000	3.108	3.108	3.160/2.988A	5.121B/2.988A	----	3.362 - 2.116	.6322	----	----	24	----	33 +	23	
6050	----	----	-----/2.727A	4.740B/2.727A	----	3.074 - 2.019	.5998	----	----	----	----	2	UNCH	
6075	2.909	2.909	2.911/2.599A	4.557B/2.599A	----	2.937 - 1.969	.5834	----	----	8	----	6 +	6	
6100	2.745	2.745	2.818/2.478A	4.378B/2.478A	----	2.804 - 1.919	.5669	----	----	68	----	28 +	23	
6125	2.646	2.646	2.646/2.362A	4.203B/2.362A	----	2.676 NEW	.5504	----	----	10	----	7 +	7	
6150	2.926	2.926	2.926/2.247A	4.032B/2.247A	----	2.552 NEW	.5338	----	----	8	----	8 +	8	
6175	2.398	2.398	2.398/2.142A	3.876B/2.142A	----	2.432 NEW	.5173	----	----	23	----	19 +	19	
6200	2.517	2.517	2.517/2.036A	3.706B/2.036A	----	2.317 - 1.723	.5009	----	----	53	----	45 +	28	
6225	2.403	2.403	2.403/1.935A	3.564B/1.935A	----	2.207 - 1.673	.4845	----	----	1	----	2 +	1	
6250	2.368	2.368	2.450/1.841A	3.402B/1.841A	----	2.101 - 1.622	.4684	----	----	13	----	13 +	6	
6275	2.256	2.256	2.274/1.747A	3.258B/1.747A	----	2.000 - 1.570	.4524	----	----	5	----	5 +	3	
6300	2.356	2.356	2.439/1.661A	3.116B/1.661A	----	1.903 - 1.518	.4366	----	----	40	----	46 +	16	
6325	2.243	2.243	2.306/1.576A	2.970B/1.576A	----	1.810 - 1.467	.4210	----	----	12	----	10 +	8	
6350	2.131	2.131	2.197/1.497A	2.870B/1.497A	----	1.721 - 1.418	.4058	----	----	12	----	52 +	4	
6375	2.027	2.027	2.057/1.421A	2.737B/1.421A	----	1.635 - 1.370	.3907	----	----	12	----	22 +	7	
6400	1.928	1.928	1.990/1.348A	2.604B/1.348A	----	1.553 - 1.323	.3760	----	----					



PG64 BULLETIN #186@				METALS OPTION PRODUCTS										Mon, Sep 28, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST			
SO CALL	COMEX SILVER OPTIONS																		
NOV26	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----			
7900	----	----	----	----/0.119A	0.169B/0.119A	----	----	----	0.125 - 0.084	.0364	----	----	----	----	53	UNCH			
7950	----	----	----	----/0.113A	0.158B/0.113A	----	----	----	0.118 - 0.077	.0343	----	----	----	----	7	UNCH			
7975	0.106	0.106	0.106	0.106/0.106	0.153B/0.106	----	----	----	0.115 - 0.074	.0333	----	----	1	----	2	UNCH			
8000	0.156	0.156	0.156	0.156/0.104	0.156/0.104	----	----	----	0.112 - 0.071	.0324	----	----	76	1	1610 +	38			
8025	----	----	----	----/0.105A	0.143B/0.105A	----	----	----	0.109 - 0.068	.0314	----	----	----	----	6	UNCH			
8050	----	----	----	----/0.103A	0.139B/0.103A	----	----	----	0.106 - 0.065	.0305	----	----	----	----	1	UNCH			
8075	----	----	----	----/0.100A	0.136B/0.100A	----	----	----	0.103 - 0.063	.0296	----	----	----	----	2	UNCH			
8100	----	----	----	----/0.098A	0.131B/0.098A	----	----	----	0.101 - 0.060	.0289	----	----	----	----	19	UNCH			
8125	----	----	----	----/0.096A	0.128B/0.096A	----	----	----	0.098 - 0.058	.0281	----	----	----	----	1	UNCH			
8150	----	----	----	----/0.094A	0.125B/0.094A	----	----	----	0.096 - 0.056	.0274	----	----	----	----	124	UNCH			
8175	0.092	0.092	0.092	0.092/0.092	0.120B/0.092	----	----	----	0.094 - 0.053	.0267	----	----	1	----	3	UNCH			
8200	0.110	0.110	0.110	0.110/0.090A	0.117B/0.090A	----	----	----	0.092 - 0.051	.0261	----	----	1	----	110 -	1			
8225	----	----	----	----/0.088A	0.115B/0.088A	----	----	----	0.090 - 0.049	.0255	----	----	----	----	4	UNCH			
8250	----	----	----	----/0.087A	0.112B/0.087A	----	----	----	0.088 - 0.048	.0248	----	----	----	----	9	UNCH			
8275	----	----	----	----/0.086A	0.108B/0.086A	----	----	----	0.086 - 0.046	.0242	----	----	----	----	5	UNCH			
8300	----	----	----	----/0.084A	0.106B/0.084A	----	----	----	0.084 - 0.045	.0236	----	----	----	----	87	UNCH			
8325	----	----	----	----/0.082A	0.102B/0.082A	----	----	----	0.082 - 0.044	.0230	----	----	----	----	3	UNCH			
8350	----	----	----	----/0.081A	0.100B/0.081A	----	----	----	0.080 - 0.043	.0224	----	----	----	----	2	UNCH			
8375	----	----	----	----/0.080A	0.098B/0.080A	----	----	----	0.079 - 0.041	.0220	----	----	----	----	4	UNCH			
8400	----	----	----	----/0.079A	0.095B/0.079A	----	----	----	0.077 - 0.040	.0214	----	----	9	----	130	UNCH			
8425	----	----	----	----/0.077A	0.092B/0.077A	----	----	----	0.075 - 0.039	.0208	----	----	----	----	5	UNCH			
8450	----	----	----	----/0.076A	0.090B/0.076A	----	----	----	0.074 - 0.038	.0205	----	----	----	----	7	UNCH			
8500	0.072	0.072	0.072	0.075/0.068	0.086B/0.068	----	----	----	0.071 - 0.036	.0196	----	----	10	----	523 -	1			
8600	----	----	----	----/0.067A	0.078B/0.067A	----	----	----	0.065 - 0.034	.0178	----	----	9	----	79 +	6			
8625	----	----	----	----/0.067A	0.076B/0.067A	----	----	----	0.063 - 0.034	.0172	----	----	----	----	1	UNCH			
8675	----	----	----	----/0.065A	0.072B/0.065A	----	----	----	0.061 - 0.032	.0166	----	----	----	----	4	UNCH			
8700	----	----	----	----/0.063A	0.071B/0.063A	----	----	----	0.059 - 0.032	.0160	----	----	----	----	49	UNCH			
8725	----	----	----	----/0.063A	0.069B/0.063A	----	----	----	0.058 - 0.032	.0157	----	----	----	----	1	UNCH			
8750	----	----	----	----/0.062A	0.068B/0.062A	----	----	----	0.057 - 0.031	.0154	----	----	----	----	2	UNCH			
8800	----	----	----	----/0.061A	0.064B/0.061A	----	----	----	0.055 - 0.030	.0148	----	----	----	----	103	UNCH			
8850	----	----	----	----/0.059A	0.061B/0.059A	----	----	----	0.052 - 0.029	.0140	----	----	----	----	13	UNCH			
8900	----	----	----	----/0.057A	0.059B/0.057A	----	----	----	0.050 - 0.028	.0134	----	----	----	----	8	UNCH			
8925	----	----	----	----/0.056A	0.057B/0.056A	----	----	----	0.049 - 0.028	.0131	----	----	----	----	1	UNCH			
8950	----	----	----	----/0.055A	0.056B/0.055A	----	----	----	0.048 - 0.027	.0128	----	----	----	----	3	UNCH			
8975	----	----	----	----/0.054A	0.055B/0.054A	----	----	----	0.047 - 0.027	.0125	----	----	2	----	UNCH				
9000	----	----	----	----/0.053A	0.054B/0.053A	----	----	----	0.046 - 0.026	.0122	----	----	4	----	223 +	2			
9025	----	----	----	----/0.052A	0.053B/0.052A	----	----	----	0.045 - 0.026	.0119	----	----	----	----	1	UNCH			
9050	----	----	----	----/0.051A	0.052B/0.051A	----	----	----	0.045 - 0.024	.0119	----	----	----	----	1	UNCH			
9100	----	----	----	----/0.050A	0.050B/0.050A	----	----	----	0.043 - 0.023	.0113	----	----	----	----	5	UNCH			
9150	----	----	----	----/0.048A	0.042B/0.048A	----	----	----	0.042 - 0.021	.0110	----	----	----	----	1	UNCH			
9200	----	----	----	----/0.047A	0.041B/0.047A	----	----	----	0.040 - 0.020	.0104	----	----	----	----	6	UNCH			
9225	----	----	----	----/0.046A	0.040B/0.046A	----	----	----	0.040 - 0.019	.0104	----	----	----	----	10	UNCH			
9250	----	----	----	----/0.046A	0.039B/0.046A	----	----	----	0.039 - 0.018	.0101	----	----	----	----	7	UNCH			
9300	----	----	----	----/0.044A	0.037B/0.044A	----	----	----	0.038 - 0.017	.0098	----	----	----	----	11	UNCH			
9325	----	----	----	----/0.044A	0.036B/0.044A	----	----	----	0.037 - 0.017	.0095	----	----	----	----	1	UNCH			
9350	----	----	----	----/0.043A	0.036B/0.043A	----	----	----	0.037 - 0.016	.0095	----	----	----	----	11	UNCH			
9400	----	----	----	----/0.042A	0.034B/0.042A	----	----	----	0.036 - 0.015	.0092	----	----	----	----	77	UNCH			
9450	----	----	----	----/0.041A	0.033B/0.041A	----	----	----	0.034 - 0.015	.0087	----	----	----	----	5	UNCH			
9500	----	----	----	----/0.038A	0.031B/0.038A	----	----	----	0.033 - 0.014	.0084	----	----	----	----	365	UNCH			
9550	----	----	----	----/0.039A	0.030B/0.039A	----	----	----	0.032 - 0.014	.0081	----	----	----	----	3	UNCH			
9600	----	----	----	----/0.038A	0.029B/0.038A	----	----	----	0.031 - 0.014	.0078	----	----	----	----	1	UNCH			
9625	----	----	----	----/0.037A	0.028B/0.037A	----	----	----	0.031 - 0.014	.0078	----	----	----	----	9	UNCH			
9700	----	----	----	----/0.036A	0.026B/0.036A	----	----	----	0.029 - 0.015	.0072	----	----	----	----	1	UNCH			
9775	----	----	----	----/0.034A	0.025B/0.034A	----	----	----	0.028 - 0.015	.0069	----	----	----	----	1	UNCH			
9800	----	----	----	----/0.034A	0.024B/0.034A	----	----	----	0.028 - 0.014	.0069	----	----	----	----	6	UNCH			
9850	----	----	----	----/0.033A	0.023B/0.033A	----	----	----	0.027 - 0.015	.0066	----	----	----	----	1	UNCH			
9900	----	----	----	----/0.032A	0.022B/0.032A	----	----	----	0.026 - 0.016	.0064	----	----	----	----	10	UNCH			
9950	----	----	----	----/0.032A	0.021B/0.032A	----	----	----	0.025 - 0.016	.0061	----	----	----	----	1	UNCH			
10000	0.035	0.035	0.035	0.035/0.027	0.035/0.027	----	----	----	0.024 - 0.017	.0059	----	----	15	----	255 -	1			
10100	----	----	----	----/0.030A	0.018B/0.030A	----	----	----	0.023 - 0.016	.0056	----	----	----	----	5	UNCH			
10200	0.029	0.029	0.029	0.029/0.028A	0.029/0.028A	----	----	----	0.022 - 0.016	.0053	----	----	1	----	8 -	1			
10300	----	----	----	----/0.028A	0.015B/0.028A	----	----	----	0.021 - 0.015	.0050	----	----	----	----	4	UNCH			
10400	----	----	----	----/0.027A	0.014B/0.027A	----	----	----	0.020 - 0.015	.0047	----	----	----	----	5	UNCH			
10500	0.029	0.029	0.029	0.029/0.027A	0.029/0.027A	----	----	----	0.019 - 0.014	.0045	----	----	6	----	205 -	1			
10550	----	----	----	----/0.027A	0.012B/0.027A	----	----	----	0.019 - 0.013	.0044	----	----	----	----	1	UNCH			
10950	----	----	----	----	0.007B/0.030A	----	----	----	0.017 - 0.008	.0038	----	----	----	----	5	UNCH			
11000	0.010	0.010	0.010	0.010/0.010	0.010/0.010	----	----	----	0.017 - 0.007	.0038	----	----	1	----	306	UNCH			
11100	----	----	----	----	0.006B/0.028A	----	----	----	0.016 - 0.007	.0035	----	----	----	----	2	UNCH			
11150	----	----	----	----	0.006B/0.027A	----	----	----	0.016 - 0.006	.0035	----	----	----	----	1	UNCH			
11500	----	----	----	----	0.003B/0.029A	----	----	----	0.015 - 0.003	.0032	----	----	----	----	1	UNCH			
11600	----	----	----	----	0.002B/0.030A	----	----	----	0.015 - 0.002	.0032	----	----	----	----	1	UNCH			
11700	----	----	----	----	0.002B/0.028A	----	----	----	0.015 - 0.001	.0031	----	----	----	----	27	UNCH			
11725	----	----	----	----	0.001B/0.028A	----	----	----	0.015 - 0.001	.0031	----	----	----	----	2	UNCH			
11750	----	----	----	----	0.001B/0.027A	----	----	----	0.015 - 0.001	.0031	----	----	----	----	2	UNCH			
11825	----	----	----	----	0.001B/0.027A	----	----	----	0.015 - 0.001	.0031	----	----	----	----	2	UNCH			
12000	----	----	----	----/0.027A	----	----	----	----	0.014 - 0.001	.0029	----	----	----	----	73	UNCH			
12125	----	----	----	----/0.112A	----	----	----	----	0.014 - UNCH	.0028	----	----	----	----	20	UNCH			
12500	----	----	----	----/0.111A	----	----	----	----	0.013 - 0.001	.0025	----	----	----	----	11	UNCH			
13000	----	----	----	----/0.109A	----	----	----	----	0.012 + 0.001	.0023	----	----	----	----	9	UNCH			
14000	----	----	----	----/0.107A	----	----	----	----	0.010 + 0.002	.0018	----	----	----	----	7	UNCH			
15000	----	----	----	----/0.105A	----	----	----	----	0.008 + 0.002	.0014	----	----	----	----	20	UNCH			
16000	----	----	----	----/0.104A	----	----	----	----	0.006 + 0.001	.0010	----	----	----	----	14	UNCH			
17000	----	----	----	----/0.099A	----	----	----	----	0.005 + 0.002	.0008	----	----	----	----	14	UNCH			
18000	----	----	----	----/0.103A	----	----	----	----	0.004 + 0.001	.0006	----	----	----	----	10	UNCH			
19000	----	----	----	----/0.103A	----	----	----	----	0.003 + 0.001	.0004	----	----	----	----	1	UNCH			
20000	----	----	----	----/0.102A	----	----	----	----	0.002 + 0.001	.0003	----	----	----	----	35	UNCH			
21000	----	----	----	----/0.102A	----	----	----	----	0.001 UNCH	.0001	----	----	----	----	1	UNCH			
25000	----	----	----	----/0.102A	----	----	----	----	0.001 UNCH	.0000	----	----	----	----	60	UNCH			
30000	----	----	----	----	----/0.003A	----	----	----	0.001 UNCH	----	----	----	----	----	15	UNCH			
TOTAL													1080		0	10747 + 386			
DEC26	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----			
3875	----	----	----	----/22.320A	25.673B/22.320A	----	----	----	22.971 - 3.080	.9904	----								



	BULLETIN #186@				METALS OPTION PRODUCTS				Mon, Sep 28, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS													
DEC26														
6900	----	----	----/1.252A	2.0198/1.252A	----	1.411 - 0.809	.2594	----	----	4	----	226	UNCH	
6925	----	----	----/1.211A	1.9578/1.211A	----	1.368 - 0.788	.2526	----	----	----	----	13	UNCH	
6950	1.264	1.264	1.264/1.175A	1.9008/1.175A	----	1.326 - 0.767	.2461	----	----	1	----	230	UNCH	
6975	----	----	----/1.137A	1.8418/1.137A	----	1.286 - 0.746	.2397	----	----	----	----	2	UNCH	
7000	1.700	1.700	1.700/1.102A	1.7858/1.102A	----	1.247 - 0.726	.2334	----	42	----	----	838 +	10	
7025	----	----	----/1.068A	1.7318/1.068A	----	1.209 - 0.706	.2273	----	----	----	----	3	UNCH	
7050	1.225	1.225	1.225/1.035A	1.6758/1.035A	----	1.173 - 0.686	.2214	----	1	----	----	39 +	1	
7075	----	----	----/1.004A	1.6298/1.004A	----	1.138 - 0.666	.2157	----	----	----	----	6	UNCH	
7100	1.220	1.220	1.220/0.973A	1.5808/0.973A	----	1.103 - 0.649	.2100	----	9	----	----	40 +	5	
7125	1.041	1.041	1.041/0.944A	1.5338/0.944A	----	1.071 - 0.631	.2046	----	1	----	----	8 +	1	
7150	1.220	1.220	1.220/0.917A	1.4878/0.917A	----	1.039 - 0.615	.1992	----	1	----	----	5 +	2	
7200	0.924	0.924	0.924/0.862A	1.4008/0.862A	----	0.979 - 0.583	.1890	----	3	----	----	229 +	2	
7225	----	----	----/0.837A	1.3598/0.837A	----	0.950 - 0.568	.1841	----	----	----	----	8	UNCH	
7250	----	----	----/0.814A	1.3148/0.814A	----	0.923 - 0.552	.1794	----	----	----	----	15	UNCH	
7275	----	----	----/0.789A	1.2768/0.789A	----	0.897 - 0.535	.1748	----	----	----	----	13	UNCH	
7300	----	----	----/0.767A	1.2418/0.767A	----	0.871 - 0.520	.1703	----	1	----	----	101 +	1	
7325	----	----	----/0.745A	1.2048/0.745A	----	0.847 - 0.504	.1660	----	----	----	----	2	UNCH	
7350	0.888	0.888	0.890/0.724A	1.1718/0.724A	----	0.823 - 0.490	.1617	----	6	----	----	9 -	4	
7375	----	----	----/0.703A	1.1368/0.703A	----	0.800 - 0.476	.1576	----	----	----	----	7	UNCH	
7400	0.831	0.831	0.832/0.683A	1.1038/0.683A	----	0.777 - 0.463	.1535	----	4	----	----	69 +	2	
7425	----	----	----/0.664A	1.0708/0.664A	----	0.756 - 0.449	.1497	----	----	----	----	11	UNCH	
7450	----	----	----/0.646A	1.0388/0.646A	----	0.735 - 0.437	.1459	----	----	----	----	1	UNCH	
7475	----	----	----/0.628A	1.0108/0.628A	----	0.714 - 0.425	.1421	----	----	----	----	1	UNCH	
7500	0.784	0.784	0.784/0.611A	0.9808/0.611A	----	0.695 - 0.413	.1386	----	33	----	----	1475 -	16	
7525	----	----	----/0.596A	0.9538/0.596A	----	0.676 - 0.402	.1351	----	----	----	----	20	UNCH	
7550	----	----	----/0.580A	0.9268/0.580A	----	0.657 - 0.392	.1316	----	----	----	----	56	UNCH	
7575	----	----	----/0.564A	0.9008/0.564A	----	0.640 - 0.380	.1284	----	----	----	----	1	UNCH	
7600	0.673	0.673	0.673/0.549A	0.8738/0.549A	----	0.622 - 0.371	.1251	----	13	----	----	268 +	2	
7650	0.648	0.648	0.648/0.523A	0.8258/0.523A	----	0.590 - 0.350	.1191	----	1	----	----	4 +	1	
7700	0.531	0.531	0.531/0.505A	0.7818/0.505A	----	0.560 - 0.331	.1134	----	5	----	----	275 +	5	
7725	0.501	0.501	0.501/0.494A	0.7608/0.494A	----	0.546 - NEW	.1107	----	1	----	----	1 +	1	
7750	----	----	----/0.482A	0.7398/0.482A	----	0.532 - 0.312	.1080	----	----	----	----	4	UNCH	
7775	----	----	----/0.470A	0.7198/0.470A	----	0.519 - 0.303	.1055	----	----	----	----	10	UNCH	
7800	----	----	----/0.459A	0.7008/0.459A	----	0.506 - 0.294	.1030	----	----	----	----	203	UNCH	
7825	----	----	----/0.448A	0.6808/0.448A	----	0.494 - 0.285	.1006	----	----	----	----	2	UNCH	
7850	----	----	----/0.437A	0.6608/0.437A	----	0.482 - 0.277	.0982	----	----	----	----	7	UNCH	
7875	----	----	----/0.429A	0.6448/0.429A	----	0.470 - 0.269	.0959	----	----	----	----	9	UNCH	
7900	----	----	----/0.407A	0.6288/0.407A	----	0.459 - 0.261	.0937	----	2	----	----	57 +	2	
7925	----	----	----/0.397A	0.6098/0.397A	----	0.448 - 0.254	.0916	----	----	----	----	6	UNCH	
7950	----	----	----/0.388A	0.5948/0.388A	----	0.437 - 0.247	.0894	----	----	----	----	59	UNCH	
7975	----	----	----/0.379A	0.5808/0.379A	----	0.427 - 0.239	.0874	----	----	----	----	1	UNCH	
8000	0.399	0.399	0.399/0.370A	0.5648/0.370A	----	0.416 - 0.233	.0853	----	48	----	----	1124 -	19	
8025	----	----	----/0.362A	0.5498/0.362A	----	0.407 - 0.226	.0835	----	----	----	----	11	UNCH	
8050	0.412	0.412	0.412/0.353A	0.5358/0.353A	----	0.397 - 0.220	.0815	----	1	----	----	22 -	1	
8075	0.361	0.361	0.362/0.346A	0.5218/0.346A	----	0.388 - 0.214	.0797	----	2	----	----	46 +	2	
8100	0.399	0.399	0.414/0.338A	0.5088/0.338A	----	0.379 - 0.208	.0779	----	8	----	----	58 +	1	
8125	----	----	----/0.331A	0.4958/0.331A	----	0.370 - 0.203	.0761	----	----	----	----	19	UNCH	
8150	----	----	----/0.324A	0.4848/0.324A	----	0.361 - 0.198	.0744	----	----	----	----	11	UNCH	
8175	----	----	----/0.317A	0.4728/0.317A	----	0.353 - 0.192	.0727	----	----	----	----	1	UNCH	
8200	0.387	0.387	0.387/0.310A	0.4608/0.310A	----	0.345 - 0.187	.0711	----	1	----	----	609 +	1	
8225	----	----	----/0.304A	0.4498/0.304A	----	0.338 - 0.182	.0697	----	----	----	----	20	UNCH	
8250	----	----	----/0.297A	0.4398/0.297A	----	0.330 - 0.178	.0681	----	----	----	----	2	UNCH	
8275	----	----	----/0.291A	0.4288/0.291A	----	0.323 - 0.173	.0666	----	----	----	----	5	UNCH	
8300	----	----	----/0.285A	0.4188/0.285A	----	0.316 - 0.168	.0652	----	----	----	----	55	UNCH	
8325	----	----	----/0.280A	0.4088/0.280A	----	0.309 - 0.164	.0638	----	----	----	----	7	UNCH	
8375	----	----	----/0.269A	0.3898/0.269A	----	0.297 - 0.155	.0613	----	----	----	----	7	UNCH	
8400	----	----	----/0.264A	0.3808/0.264A	----	0.291 - 0.151	.0601	----	----	----	----	54	UNCH	
8425	0.311	0.311	0.311/0.259A	0.3728/0.259A	----	0.285 - 0.147	.0588	----	5	----	----	9 +	4	
8450	----	----	----/0.254A	0.3588/0.254A	----	0.279 - 0.144	.0576	----	----	----	----	5	UNCH	
8475	0.271	0.271	0.271/0.249A	0.3488/0.249A	----	0.273 - 0.140	.0564	----	1	----	----	5	UNCH	
8500	0.386	0.386	0.386/0.242	0.386/0.242	----	0.268 - 0.136	.0553	----	17	----	----	2004 +	10	
8525	----	----	----/0.240A	0.3338/0.240A	----	0.263 - 0.133	.0543	----	----	----	----	1	UNCH	
8550	----	----	----/0.236A	0.3258/0.236A	----	0.257 - 0.130	.0531	----	----	----	----	29	UNCH	
8575	0.253	0.253	0.253/0.232A	0.3178/0.232A	----	0.252 - 0.127	.0520	----	1	----	----	3 +	1	
8600	----	----	----/0.227A	0.3118/0.227A	----	0.248 - 0.123	.0511	----	----	----	----	244	UNCH	
8625	0.238	0.238	0.238/0.223A	0.3048/0.223A	----	0.243 - 0.120	.0501	----	2	----	----	2 +	1	
8675	0.241	0.241	0.241/0.216A	0.2928/0.216A	----	0.234 - 0.114	.0482	----	3	----	----	4 +	3	
8700	----	----	----/0.212A	0.2858/0.212A	----	0.229 - 0.111	.0472	----	----	----	----	30	UNCH	
8725	----	----	----/0.208A	0.2808/0.208A	----	0.225 - 0.108	.0463	----	----	----	----	5	UNCH	
8750	----	----	----/0.205A	0.2758/0.205A	----	0.221 - 0.106	.0455	----	----	----	----	1	UNCH	
8775	----	----	----/0.202A	0.2738/0.202A	----	0.217 - 0.103	.0447	----	----	----	----	51	UNCH	
8800	----	----	----/0.198A	0.2678/0.198A	----	0.214 - 0.099	.0440	----	----	----	----	324	UNCH	
8850	----	----	----/0.192A	0.2578/0.192A	----	0.206 - 0.095	.0423	----	----	----	----	2	UNCH	
8900	----	----	----/0.186A	0.2478/0.186A	----	0.								

	BULLETIN #186@				METALS OPTION PRODUCTS				Mon, Sep 28, 2026				PG64			
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL	COMEX SILVER OPTIONS															
DEC26																
11600	----	----	----	/0.056A	0.052B/0.056A	----			0.051 - 0.021	.0096	----	----	----	----	1	UNCH
11625	----	----	----	/0.056A	0.051B/0.056A	----			0.051 - 0.020	.0095	----	----	----	----	2	UNCH
11675	----	----	----	/0.054A	0.050B/0.054A	----			0.050 - 0.020	.0093	----	----	----	----	2	UNCH
11700	----	----	----	/0.054A	0.049B/0.054A	----			0.049 - 0.020	.0092	----	----	----	----	1	UNCH
11775	----	----	----	/0.052A	0.048B/0.052A	----			0.048 - 0.019	.0089	----	----	----	----	3	UNCH
11800	----	----	----	/0.052A	0.047B/0.052A	----			0.047 - 0.020	.0088	----	----	----	----	30	UNCH
11850	----	----	----	/0.051A	0.046B/0.051A	----			0.046 - 0.019	.0086	----	----	----	----	2	UNCH
11850	----	----	----	/0.048A	0.043B/0.048A	----			0.043 - 0.019	.0080	----	----	----	----	596	UNCH
12000	----	----	----	/0.047A	0.041B/0.047A	----			0.041 - 0.019	.0076	----	----	----	----	1	UNCH
12075	----	----	----	/0.046A	0.041B/0.046A	----			0.041 - 0.018	.0076	----	----	----	----	13	UNCH
12100	----	----	----	/0.046A	0.040B/0.046A	----			0.040 - 0.018	.0074	----	----	----	----	4	UNCH
12150	----	----	----	/0.045A	0.039B/0.045A	----			0.039 - 0.019	.0072	----	----	----	----	10	UNCH
12175	----	----	----	/0.044A	0.038B/0.044A	----			0.038 - 0.019	.0071	----	----	----	----	3	UNCH
12225	----	----	----	/0.044A	0.038B/0.044A	----			0.037 - 0.019	.0069	----	----	----	----	1	UNCH
12275	----	----	----	/0.044A	0.037B/0.044A	----			0.037 - 0.018	.0069	----	----	----	----	1	UNCH
12300	----	----	----	/0.043A	0.037B/0.043A	----			0.036 - 0.019	.0067	----	----	----	----	2	UNCH
12500	----	----	----	/0.041A	0.033B/0.041A	----			0.033 - 0.018	.0061	----	----	----	----	92	UNCH
12550	----	----	----	/0.040A	0.032B/0.040A	----			0.032 - 0.018	.0059	----	----	----	----	19	UNCH
12775	----	----	----	/0.038A	0.029B/0.038A	----			0.030 - 0.016	.0055	----	----	----	----	1	UNCH
12800	----	----	----	/0.037A	0.028B/0.037A	----			0.030 - 0.015	.0055	----	----	----	----	7	UNCH
12900	----	----	----	/0.036A	0.027B/0.036A	----			0.030 - 0.014	.0055	----	----	----	----	3	UNCH
13000	----	----	----	/0.035A	0.026B/0.035A	----			0.030 - 0.012	.0054	----	----	----	----	366	UNCH
13500	----	----	----	/0.032A	0.020B/0.032A	----			0.026 - 0.010	.0046	----	----	----	----	24	UNCH
14000	----	----	----		0.015B/0.042A	----			0.024 - 0.007	.0042	----	----	----	----	118	UNCH
14200	----	----	----		0.013B/0.040A	----			0.024 - 0.005	.0041	----	----	----	----	2	UNCH
15000	----	----	----		0.008B/0.035A	----			0.021 - 0.003	.0035	----	----	----	----	1773	UNCH
16000	----	----	----		0.003B/0.030A	----			0.014 - 0.005	.0023	----	----	----	----	1615	UNCH
17000	----	----	----		/0.120A	----			0.007 - 0.009	.0012	----	----	----	----	87	UNCH
18000	----	----	----		/0.117A	----			0.006 - 0.008	.0010	----	----	----	----	202	UNCH
19000	----	----	----		/0.115A	----			0.005 - 0.006	.0008	----	----	----	----	6	UNCH
20000	----	----	----		/0.114A	----			0.002 - 0.004	.0003	----	----	----	----	494	UNCH
21000	----	----	----		/0.112A	----			0.002 - 0.002	.0003	----	----	----	----	7	UNCH
22000	----	----	----		/0.111A	----			0.002 - 0.002	.0003	----	----	----	----	7	UNCH
23000	----	----	----		/0.110A	----			0.002 - 0.002	.0003	----	----	----	----	37	UNCH
24000	----	----	----		/0.109A	----			0.001 - 0.003	.0001	----	----	----	----	2	UNCH
25000	----	----	----		/0.038A	----			0.001 - 0.002	.0001	----	----	----	----	239	UNCH
26000	----	----	----		/0.108A	----			0.001 - 0.002	.0000	----	----	----	----	3	UNCH
30000	----	----	----		/0.107A	----			0.001 - 0.001	.0000	----	----	----	----	111	UNCH
32000	----	----	----		/0.106A	----			0.001 UNCH	.0000	----	----	----	----	12	UNCH
35000	----	----	----		/0.106A	----			0.001 UNCH		----	----	----	----	1	UNCH
40000	----	----	----		/0.098A	----			0.001 UNCH		----	----	----	----	25	UNCH
90000	----	----	----		/0.104A	----			0.001 UNCH		----	----	----	----	2	UNCH
100000	----	----	----		/0.004A	----			0.001 UNCH		----	----	----	----	10	UNCH
TOTAL													638	0	25198 +	144
JAN27																
5700	----	----	----	/7.087A	9.421B/7.087A	----			7.546 - 2.292	.7270	----	----	----	----	1	UNCH
6100	----	----	----	/4.841A	6.688B/4.841A	----			5.227 - 1.844	.5891	----	----	----	----	3	UNCH
6175	4.900	4.900	4.900	4.900/4.499A	6.251B/4.499A	----			4.865 NEW	.5624	----	----	2	----	2 +	2
6225	----	----	----	/4.282A	5.966B/4.282A	----			4.636 NEW	.5448	----	50	50	+	50	
6250	----	----	----	/4.178A	5.833B/4.178A	----			4.525 - 1.673	.5360	----	----	13	----	UNCH	
6300	----	----	----	/3.976A	5.567B/3.976A	----			4.311 NEW	.5186	----	20	20	+	20	
6325	4.201	4.201	4.201	4.201/3.880A	5.440B/3.880A	----			4.209 NEW	.5100	----	1	1	+	1	
6400	----	----	----	/3.602A	5.100B/3.602A	----			3.914 - 1.508	.4846	----	----	100	----	UNCH	
6475	----	----	----	/3.342A	4.760B/3.342A	----			3.641 NEW	.4599	----	1	1	+	1	
6500	3.550	3.550	3.550	3.550/3.260A	4.655B/3.260A	----			3.554 - 1.403	.4518	----	2	21	+	1	
6575	----	----	----	/3.027A	4.340B/3.027A	----			3.307 - 1.326	.4281	----	----	1	----	UNCH	
6600	----	----	----	/2.953A	4.240B/2.953A	----			3.228 - 1.302	.4204	----	35	121	+	35	
6625	3.233	3.233	3.233	3.233/2.880A	4.140B/2.880A	----			3.151 - 1.278	.4128	----	2	3	+	2	
6650	3.025	3.025	3.025	3.025/2.810A	4.040B/2.810A	----			3.077 - 1.254	.4053	----	1	1	----	UNCH	
6700	----	----	----	/2.676A	3.860B/2.676A	----			2.933 - 1.209	.3906	----	----	4	----	UNCH	
6725	----	----	----	/2.613A	3.762B/2.613A	----			2.864 - 1.186	.3834	----	----	25	----	UNCH	
6775	----	----	----	/2.487A	3.591B/2.487A	----			2.732 - 1.142	.3694	----	----	1	----	UNCH	
6800	----	----	----	/2.428A	3.515B/2.428A	----			2.668 - 1.120	.3626	----	----	201	----	UNCH	
6900	----	----	----	/2.207A	3.211B/2.207A	----			2.430 - 1.035	.3363	----	----	2	----	UNCH	
7000	2.200	2.200	2.200	2.200/2.000	2.926B/2.000	----			2.215 - 0.956	.3117	----	5	44	-	206	
7050	----	----	----	/1.912A	2.793B/1.912A	----			2.116 - 0.918	.3001	----	----	1	----	UNCH	
7100	----	----	----	/1.827A	2.664B/1.827A	----			2.022 - 0.882	.2889	----	----	18	----	UNCH	
7150	----	----	----	/1.743A	2.544B/1.743A	----			1.933 - 0.847	.2781	----	----	10	----	UNCH	
7200	1.695	1.695	1.695	1.695/1.666A	2.431B/1.666A	----			1.848 NEW	.2677	----	1	1	+	1	
7300	----	----	----	/1.521A	2.223B/1.521A	----			1.692 - 0.747	.2481	----	----	10	----	UNCH	
7375	1.475	1.475	1.475	1.475/1.423A	2.081B											



BULLETIN #186@				METALS OPTION PRODUCTS							Mon, Sep 28, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SO CALL	COMEX SILVER OPTIONS														
FEB27															
6600	----	----	----/3. 658A	4. 960B/3. 658A	----	3. 929 - 1. 363	.4414	----	----	----	----	1	UNCH		
6700	----	----	----/3. 367A	4. 580B/3. 367A	----	3. 626 - 1. 278	.4153	----	----	----	----	10	UNCH		
6800	----	----	----/3. 103A	4. 240B/3. 103A	----	3. 348 - 1. 199	.3903	----	----	----	----	18	UNCH		
6975	----	----	----/2. 694A	3. 700B/2. 694A	----	2. 916 - 1. 070	.3497	----	----	----	----	1	UNCH		
7000	----	----	----/2. 640A	3. 640B/2. 640A	----	2. 859 - 1. 053	.3442	----	----	----	----	8	UNCH		
7200	----	----	----/2. 255A	3. 116B/2. 255A	----	2. 450 - 0. 924	.3032	----	----	17	----	454 -	6		
7225	----	----	----/2. 212A	3. 059B/2. 212A	----	2. 404 - 0. 909	.2984	----	----	----	----	5	UNCH		
7300	----	----	----/2. 087A	2. 880B/2. 087A	----	2. 272 - 0. 865	.2846	----	----	----	----	1	UNCH		
7350	2. 281	2. 281	2. 281/2. 010A	2. 774B/2. 010A	----	2. 189 - NEW	.2757	----	----	1	----	1 +	1		
7450	1. 948	1. 948	1. 948/1. 864A	2. 576B/1. 864A	----	2. 033 - NEW	.2589	----	----	1	----	1 +	1		
7475	----	----	----/1. 829A	2. 529B/1. 829A	----	1. 997 - 0. 773	.2549	----	----	----	----	10	UNCH		
7500	----	----	----/1. 796A	2. 483B/1. 796A	----	1. 961 - 0. 760	.2509	----	----	----	----	278	UNCH		
7550	----	----	----/1. 730A	2. 397B/1. 730A	----	1. 892 - 0. 736	.2432	----	----	----	----	334	UNCH		
7600	----	----	----/1. 668A	2. 312B/1. 668A	----	1. 826 - 0. 713	.2358	----	----	----	----	5	UNCH		
7700	----	----	----/1. 553A	2. 152B/1. 553A	----	1. 702 - 0. 669	.2216	----	----	----	----	61	UNCH		
7775	1. 608	1. 608	1. 608/1. 473A	2. 041B/1. 473A	----	1. 616 - NEW	.2116	----	1	----	----	1 +	1		
7800	----	----	----/1. 449A	2. 006B/1. 449A	----	1. 589 - 0. 628	.2085	----	----	----	----	25	UNCH		
7900	----	----	----/1. 353A	1. 869B/1. 353A	----	1. 485 - 0. 590	.1962	----	----	----	----	1	UNCH		
8000	----	----	----/1. 266A	1. 746B/1. 266A	----	1. 390 - 0. 554	.1848	----	----	----	----	24	UNCH		
8050	----	----	----/1. 224A	1. 691B/1. 224A	----	1. 345 - 0. 537	.1794	----	----	----	----	50	UNCH		
8200	----	----	----/1. 111A	1. 532B/1. 111A	----	1. 221 - 0. 489	.1642	----	----	----	----	2	UNCH		
8300	----	----	----/1. 044A	1. 436B/1. 044A	----	1. 147 - 0. 460	.1550	----	----	----	----	20	UNCH		
8400	----	----	----/0. 982A	1. 347B/0. 982A	----	1. 078 - 0. 433	.1463	----	----	----	----	1	UNCH		
8500	----	----	----/0. 925A	1. 266B/0. 925A	----	1. 014 - 0. 408	.1382	----	----	----	----	121	UNCH		
8550	----	----	----/0. 898A	1. 228B/0. 898A	----	0. 984 - 0. 396	.1344	----	----	----	----	20	UNCH		
8800	----	----	----/0. 804A	1. 057B/0. 804A	----	0. 858 - 0. 335	.1178	----	----	----	----	12	UNCH		
9000	----	----	----/0. 791A	0. 943B/0. 791A	----	0. 777 - 0. 292	.1068	----	----	----	----	25	UNCH		
9200	----	----	----/0. 641A	0. 845B/0. 641A	----	0. 704 - 0. 259	.0970	----	----	----	----	89	UNCH		
9425	0. 579	0. 579	0. 579/0. 578A	0. 752B/0. 578A	----	0. 625 - NEW	.0865	----	----	22	----	22 +	22		
9500	----	----	----/0. 559A	0. 724B/0. 559A	----	0. 602 - 0. 226	.0835	----	----	----	----	35	UNCH		
9800	0. 550	0. 550	0. 550/0. 494A	0. 626B/0. 494A	----	0. 525 - NEW	.0729	----	----	2	----	2 +	2		
10000	----	----	----/0. 457A	0. 572B/0. 457A	----	0. 484 - 0. 172	.0671	----	----	----	----	112	UNCH		
10200	----	----	----/0. 425A	0. 450B/0. 425A	----	0. 448 - 0. 153	.0620	----	----	----	----	83	UNCH		
10225	----	----	----/0. 421A	0. 445B/0. 421A	----	0. 444 - 0. 151	.0614	----	----	----	----	10	UNCH		
10500	----	----	----/0. 384A	0. 408B/0. 384A	----	0. 402 - 0. 130	.0554	----	----	----	----	4	UNCH		
10725	----	----	----/0. 357A	0. 415B/0. 357A	----	0. 372 - 0. 116	.0511	----	----	----	----	5	UNCH		
11000	----	----	----/0. 329A	0. 379B/0. 329A	----	0. 340 - 0. 102	.0465	----	----	----	----	14	UNCH		
11100	----	----	----/0. 320A	0. 366B/0. 320A	----	0. 330 - 0. 098	.0450	----	----	----	----	1	UNCH		
11400	----	----	----/0. 295A	0. 330B/0. 295A	----	0. 302 - 0. 086	.0410	----	----	----	----	4	UNCH		
11500	----	----	----/0. 288A	0. 320B/0. 288A	----	0. 293 - 0. 083	.0397	----	----	----	----	2	UNCH		
11700	----	----	----/0. 274A	0. 300B/0. 274A	----	0. 277 - 0. 077	.0374	----	----	----	----	6	UNCH		
12000	----	----	----/0. 255A	0. 274B/0. 255A	----	0. 256 - 0. 069	.0343	----	----	----	----	24	UNCH		
12400	----	----	----/0. 233A	0. 245B/0. 233A	----	0. 232 - 0. 060	.0309	----	----	----	----	4	UNCH		
12500	----	----	----/0. 228A	0. 238B/0. 228A	----	0. 226 - 0. 059	.0300	----	----	----	----	66	UNCH		
12950	----	----	----/0. 208A	0. 211B/0. 208A	----	0. 204 - 0. 052	.0268	----	----	----	----	1	UNCH		
12975	----	----	----/0. 207A	0. 210B/0. 207A	----	0. 203 - 0. 051	.0267	----	----	----	----	3	UNCH		
25000	----	----	----	0. 003B/0. 050A	----	0. 025 - 0. 021	.0030	----	----	----	----	2	UNCH		
30000	----	----	----	0. 008B/0. 070A	----	0. 020 - 0. 013	.0023	----	----	----	----	57	UNCH		
TOTAL										44	0	2052 +	21		
MAR27															
6000	----	----	----/6. 581A	8. 460B/6. 581A	----	6. 964 - 1. 911	.6148	----	----	----	----	1	UNCH		
6175	----	----	----/5. 796A	7. 500B/5. 796A	----	6. 144 - 1. 753	.5667	----	----	----	----	1	UNCH		
6300	----	----	----/5. 292A	6. 880B/5. 292A	----	5. 616 - 1. 644	.5329	----	----	----	----	10	UNCH		
6400	----	----	----/4. 926A	6. 440B/4. 926A	----	5. 227 - 1. 560	.5067	----	----	----	----	1	UNCH		
6450	5. 030	5. 030	5. 030/4. 746A	6. 240B/4. 746A	----	5. 044 - NEW	.4938	----	----	20	----	20 +	20		
6500	4. 830	4. 830	4. 834/4. 578A	6. 027B/4. 578A	----	4. 866 - 1. 479	.4812	----	----	6	----	10 -	4		
6600	----	----	----/4. 261A	5. 620B/4. 261A	----	4. 532 - 1. 400	.4565	----	----	----	----	11	UNCH		
6775	3. 971	3. 971	3. 971/3. 756A	4. 977B/3. 756A	----	4. 004 - 1. 273	.4156	----	----	1	----	2 +	1		
6800	----	----	----/3. 688A	4. 893B/3. 688A	----	3. 935 - 1. 255	.4101	----	----	----	----	35	UNCH		
6825	----	----	----/3. 625A	4. 809B/3. 625A	----	3. 866 - 1. 239	.4045	----	----	----	----	5	UNCH		
7000	3. 492	3. 492	3. 492/3. 199A	4. 280B/3. 199A	----	3. 425 - 1. 123	.3676	----	17	----	----	176 -	4		
7100	----	----	----/2. 983A	4. 000B/2. 983A	----	3. 199 - 1. 062	.3479	----	----	----	----	1	UNCH		
7225	----	----	----/2. 740A	3. 686B/2. 740A	----	2. 941 - 0. 989	.3248	----	----	----	----	12	UNCH		
7375	----	----	----/2. 474A	3. 344B/2. 474A	----	2. 664 - 0. 908	.2991	----	----	----	----	10	UNCH		
7400	----	----	----/2. 436A	3. 287B/2. 436A	----	2. 621 - 0. 895	.2950	----	----	----	----	3	UNCH		
7475	----	----	----/2. 318A	3. 128B/2. 318A	----	2. 497 - 0. 857	.2831	----	----	----	----	1	UNCH		
7500	----	----	----/2. 283A	3. 078B/2. 283A	----	2. 458 - 0. 845	.2793	----	----	----	----	100	UNCH		
7550	----	----	----/2. 209A	2. 982B/2. 209A	----	2. 381 - 0. 821	.2718	----	----	----	----	2	UNCH		
7600	----	----	----/2. 143A	2. 890B/2. 143A	----	2. 307 - 0. 798	.2646	----	----	----	----	3	UNCH		
7700	----	----	----/2. 009A	2. 715B/2. 009A	----	2. 168 - 0. 754	.2507	----	----	----	----	8	UNCH		
7725	----	----	----/1. 979A	2. 674B/1. 979A	----	2. 135 - 0. 743	.2473	----	----	----	----	10	UNCH		
7750	----	----	----/1. 949A	2. 633B/1. 949A	----	2. 102 - 0. 734	.2440	----	----	----	----	1	UNCH		
7800	2. 182	2. 182	2. 182/1. 891A	2. 554B/1. 891A	----	2. 039 - 0. 713	.2376	----	1	----	----	3 +	1		
7900	----	----	----/1. 781A	2. 404B/1. 781A	----	1. 921 - 0. 674	.2254	----	----	----	----	6	UNCH		
7950	----	----	----/1. 729A	2. 334B/1. 729A	----	1. 865 - 0. 656	.2195	----	----	----	----	1	UNCH		
800															

BULLETIN #186@				METALS OPTION PRODUCTS						Mon, Sep 28, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO PUT NOV26	COMEX SILVER OPTIONS													
5525	-----	-----	0.540B/-----	0.540B/0.171A	-----	0.441 + 0.278	.1275	----	-----	1	-----	7 +	1	
5550	0.523	0.523	0.582B/0.481	0.582B/0.183A	-----	0.475 + 0.300	.1361	----	-----	7	-----	17 +	2	
5575	0.507	0.507	0.628B/0.476	0.628B/0.196A	-----	0.512 + 0.325	.1452	----	-----	9	-----	51 +	9	
5600	0.525	0.525	0.680/0.507	0.680/0.210A	-----	0.551 + 0.350	.1547	----	-----	39	-----	162 +	5	
5625	0.587	0.587	0.726B/0.587	0.726B/0.225A	-----	0.592 + 0.376	.1646	----	-----	4	-----	23 +	3	
5650	0.562	0.562	0.781B/0.562	0.781B/0.264A	-----	0.637 + 0.405	.1751	----	-----	11	-----	36 +	4	
5675	0.606	0.606	0.838B/0.606	0.838B/0.286A	-----	0.685 + 0.434	.1861	----	-----	13	-----	67 +	2	
5700	0.737	0.737	0.910/0.631	0.910/0.300A	-----	0.737 + 0.466	.1976	----	-----	40	-----	388 +	6	
5725	0.714	0.714	0.964B/0.714	0.964B/0.301A	-----	0.792 + 0.499	.2096	----	-----	3	-----	42	UNCH	
5750	0.975	0.975	1.036B/0.730	1.036B/0.325A	-----	0.850 + 0.534	.2220	----	-----	128	-----	132 +	93	
5775	0.582	0.582	1.105B/0.562	1.105B/0.352A	-----	0.912 + 0.570	.2349	----	-----	42	-----	92 +	21	
5800	0.775	0.775	1.190/0.775	1.190/0.382A	-----	0.977 + 0.608	.2481	----	-----	109	-----	229 +	41	
5825	1.135	1.135	1.263B/0.912	1.263B/0.412A	-----	1.047 + 0.648	.2619	----	-----	47	-----	45 +	21	
5850	0.900	0.900	1.348B/0.879	1.348B/0.446A	-----	1.120 + 0.689	.2760	----	-----	59	-----	28 +	10	
5875	1.214	1.214	1.437B/1.100	1.437B/0.483A	-----	1.198 + 0.732	.2905	----	-----	156	-----	143 -	28	
5900	0.794	0.794	1.530B/0.790	1.530B/0.523A	-----	1.280 + 0.775	.3054	----	-----	173	-----	184 -	38	
5925	0.937	0.937	1.628B/0.937	1.628B/0.567A	-----	1.365 + 0.819	.3205	----	-----	37	-----	33 +	28	
5950	0.922	0.922	1.730B/0.917	1.730B/0.613A	-----	1.455 + 0.864	.3360	----	-----	10	-----	40	UNCH	
5975	1.470	1.470	1.836B/1.470	1.836B/0.664A	-----	1.549 + 0.910	.3517	----	-----	24	-----	65 +	16	
6000	0.890	0.890	1.947B/0.890	1.947B/0.717A	-----	1.648 + 0.958	.3676	----	-----	134	-----	473 +	18	
6025	1.473	1.473	2.061B/1.473	2.061B/0.775A	-----	1.751 + 1.006	.3838	----	-----	1	-----	22	UNCH	
6050	1.816	1.816	2.181B/1.816	2.181B/0.837A	-----	1.859 + 1.055	.4001	----	-----	11	-----	29 +	6	
6075	2.284	2.284	2.305B/2.047	2.305B/0.903A	-----	1.972 + 1.106	.4165	----	-----	8	-----	47 +	5	
6100	1.181	1.181	2.436B/1.181	2.436B/0.974A	-----	2.088 + 1.155	.4330	----	-----	230	-----	190 +	105	
6125	2.542	2.542	2.566B/2.265	2.566B/1.044A	-----	2.209 + 1.205	.4495	----	-----	9	-----	9 +	4	
6150	1.359	1.359	2.703B/1.359	2.703B/1.123A	-----	2.335 + 1.254	.4660	----	-----	49	-----	108 +	3	
6175	2.392	2.392	2.843B/2.392	2.843B/1.212A	-----	2.464 + 1.302	.4825	----	-----	21	-----	22 +	9	
6200	1.388	1.388	2.991B/1.388	2.991B/1.294A	-----	2.598 + 1.351	.4990	----	-----	159	40	296 +	50	
6225	2.451	2.451	3.138B/2.369	3.138B/1.386A	-----	2.737 + 1.401	.5153	----	-----	8	-----	15 +	6	
6250	1.802	1.802	3.285/1.802	3.285/1.483A	-----	2.881 + 1.453	.5315	----	-----	33	-----	114 +	14	
6275	2.202	2.202	3.442B/2.202	3.442B/1.585A	-----	3.029 + 1.504	.5475	----	-----	12	-----	26 +	3	
6300	2.041	2.041	3.606B/2.041	3.606B/1.691A	-----	3.182 + 1.557	.5632	----	-----	33	-----	135 +	4	
6325	2.316	2.316	3.772B/2.316	3.772B/1.803A	-----	3.338 + 1.607	.5788	----	-----	7	-----	9 +	4	
6350	2.595	2.595	3.942B/2.595	3.942B/1.918A	-----	3.498 + 1.657	.5941	----	-----	5	-----	89 +	3	
6375	3.439	3.439	4.116B/3.439	4.116B/2.039A	-----	3.662 + 1.705	.6091	----	-----	7	-----	30 +	6	
6400	2.287	2.287	4.293B/2.287	4.293B/2.164A	-----	3.829 + 1.752	.6239	----	-----	8	-----	160 -	3	
6425	-----	-----	4.473B/-----	4.473B/2.294A	-----	4.001 + 1.799	.6383	----	-----	-----	-----	9	UNCH	
6450	4.040	4.040	4.657B/4.040	4.657B/2.426A	-----	4.176 + 1.845	.6523	----	-----	1	-----	18	UNCH	
6475	3.885	3.885	4.846B/3.885	4.846B/2.566A	-----	4.355 + 1.891	.6659	----	-----	2	-----	62 -	1	
6500	2.777	2.777	5.035B/2.777	5.035B/2.710A	-----	4.538 + 1.937	.6791	----	-----	12	-----	350 +	2	
6525	4.220	4.220	5.228B/4.220	5.228B/2.858A	-----	4.725 + 1.983	.6920	----	-----	1	-----	31	UNCH	
6550	-----	-----	5.425B/-----	5.425B/3.010A	-----	4.914 + 2.027	.7044	----	-----	-----	-----	31	UNCH	
6575	-----	-----	5.624B/-----	5.624B/3.165A	-----	5.106 + 2.070	.7165	----	-----	-----	-----	19	UNCH	
6600	-----	-----	5.826B/-----	5.826B/3.325A	-----	5.301 + 2.112	.7283	----	-----	-----	-----	172	UNCH	
6625	-----	-----	6.030B/-----	6.030B/3.489A	-----	5.498 + 2.152	.7397	----	-----	-----	-----	28	UNCH	
6650	-----	-----	6.239B/-----	6.239B/3.673A	-----	5.697 + 2.189	.7508	----	-----	-----	-----	39	UNCH	
6675	-----	-----	6.449B/-----	6.449B/3.846A	-----	5.899 + 2.225	.7614	----	-----	-----	-----	68	UNCH	
6700	-----	-----	6.660B/-----	6.660B/4.021A	-----	6.104 + 2.260	.7717	----	-----	6	-----	136 +	4	
6725	-----	-----	6.874B/-----	6.874B/4.200A	-----	6.312 + 2.295	.7813	----	-----	-----	-----	83	UNCH	
6750	-----	-----	7.089B/-----	7.089B/4.382A	-----	6.523 + 2.329	.7906	----	-----	-----	-----	101	UNCH	
6775	-----	-----	7.307B/-----	7.307B/4.567A	-----	6.735 + 2.361	.7996	----	-----	-----	-----	21	UNCH	
6800	6.986	6.986	7.526B/6.986	7.526B/4.754A	-----	6.950 + 2.394	.8080	----	-----	4	-----	158 +	3	
6825	-----	-----	7.747B/-----	7.747B/4.945A	-----	7.166 + 2.425	.8162	----	-----	-----	-----	2	UNCH	
6850	-----	-----	7.970B/-----	7.970B/5.139A	-----	7.384 + 2.455	.8242	----	-----	-----	-----	7	UNCH	
6875	-----	-----	8.194B/-----	8.194B/5.335A	-----	7.604 + 2.485	.8318	----	-----	-----	-----	1	UNCH	
6900	-----	-----	8.420B/-----	8.420B/5.535A	-----	7.825 + 2.512	.8390	----	-----	-----	-----	25	UNCH	
6925	-----	-----	8.647B/-----	8.647B/5.737A	-----	8.048 + 2.539	.8459	----	-----	-----	-----	1	UNCH	
6950	-----	-----	8.876B/-----	8.876B/5.940A	-----	8.273 + 2.566	.8523	----	-----	-----	-----	10	UNCH	
6975	-----	-----	9.105B/-----	9.105B/6.148A	-----	8.499 + 2.590	.8587	----	-----	-----	-----	5	UNCH	
7000	-----	-----	9.336B/-----	9.336B/6.356A	-----	8.726 + 2.613	.8646	----	-----	-----	-----	79	UNCH	
7025	-----	-----	9.568B/-----	9.568B/6.567A	-----	8.955 + 2.636	.8703	----	-----	-----	-----	8	UNCH	
7050	-----	-----	9.801B/-----	9.801B/6.781A	-----	9.184 + 2.656	.8757	----	-----	2	-----	84 +	2	
7075	-----	-----	10.034B/-----	10.034B/6.995A	-----	9.415 + 2.677	.8808	----	-----	-----	-----	1	UNCH	
7100	-----	-----	10.269B/-----	10.269B/7.214A	-----	9.647 + 2.697	.8857	----	-----	-----	-----	4	UNCH	
7125	-----	-----	10.505B/-----	10.505B/7.432A	-----	9.881 + 2.717	.8903	----	-----	-----	-----	1	UNCH	
7150	-----	-----	10.741B/-----	10.741B/7.652A	-----	10.115 + 2.734	.8948	----	-----	-----	-----	2	UNCH	
7175	-----	-----	10.978B/-----	10.978B/7.874A	-----	10.348 + 2.749	.8992	----	-----	-----	-----	1		



BULLETIN #186@				METALS OPTION PRODUCTS								Mon, Sep 28, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT	COMEX SILVER OPTIONS															
DEC26																
5375	-----	-----	-----	0.9048/-	0.9048/0.450A	-----	0.797	+	0.412	.1543	-----	-----	-----	-----	2	
5400	0.805	0.805		0.9558/0.795	0.9558/0.443A		0.841	+	0.435	.1615	-----	-----	24	-----	115 -	
5425	-----	-----	-----	1.0078/-	1.0078/0.455A	-----	0.887	+	0.457	.1688	-----	-----	-----	-----	11	
5450	0.910	0.910		1.0628/0.910	1.0628/0.463A		0.936	+	0.481	.1765	-----	-----	1	-----	10 +	
5500	0.900	0.900		1.187/0.900	1.187/0.518A	-----	1.040	+	0.528	.1924	-----	-----	242	-----	863 +	
5525	-----	-----	-----	1.2428/-	1.2428/0.549A	-----	1.096	+	0.554	.2008	-----	-----	-----	-----	8	
5550	-----	-----	-----	1.3068/-	1.3068/0.581A	-----	1.155	+	0.581	.2094	-----	-----	-----	-----	8	
5575	-----	-----	-----	1.3768/-	1.3768/0.615A	-----	1.216	+	0.608	.2182	-----	-----	6	-----	180 +	
5600	1.173	1.173		1.470/1.170	1.470/0.651A	-----	1.280	+	0.637	.2272	-----	-----	34	-----	121 +	
5625	-----	-----	-----	1.5218/-	1.5218/0.689A	-----	1.347	+	0.667	.2365	-----	-----	5	-----	5 +	
5650	-----	-----	-----	1.5978/-	1.5978/0.730A	-----	1.417	+	0.698	.2459	-----	-----	-----	-----	31	
5675	-----	-----	-----	1.6768/-	1.6768/0.773A	-----	1.489	+	0.729	.2555	-----	-----	1	-----	3 +	
5700	1.407	1.407		1.763/1.400	1.763/0.818A	-----	1.564	+	0.760	.2653	-----	-----	24	-----	123 +	
5725	-----	-----	-----	1.8458/-	1.8458/0.866A	-----	1.642	+	0.792	.2753	-----	-----	1	-----	107 +	
5750	1.309	1.309		1.9348/1.309	1.9348/0.916A	-----	1.723	+	0.823	.2855	-----	-----	37	-----	203 +	
5775	1.684	1.684		2.0258/1.684	2.0258/0.969A	-----	1.808	+	0.856	.2958	-----	-----	11	-----	24 +	
5800	1.732	1.732		2.1218/1.732	2.1218/1.025A	-----	1.895	+	0.889	.3063	-----	-----	31	-----	277 +	
5825	-----	-----	-----	2.2188/-	2.2188/1.084A	-----	1.985	+	0.921	.3169	-----	-----	-----	-----	3	
5850	2.052	2.052		2.3188/2.052	2.3188/1.146A	-----	2.078	+	0.954	.3276	-----	-----	2	-----	34 +	
5875	-----	-----	-----	2.4238/-	2.4238/1.210A	-----	2.175	+	0.987	.3384	-----	-----	2	-----	9 +	
5900	2.370	2.370		2.5338/2.370	2.5338/1.277A	-----	2.275	+	1.022	.3494	-----	-----	4	-----	227 +	
5925	-----	-----	-----	2.6438/-	2.6438/1.347A	-----	2.378	+	1.056	.3604	-----	-----	-----	-----	7	
5950	-----	-----	-----	2.7578/-	2.7578/1.421A	-----	2.484	+	1.090	.3715	-----	-----	1	-----	10 +	
5975	-----	-----	-----	2.8748/-	2.8748/1.497A	-----	2.594	+	1.125	.3827	-----	-----	3	-----	5 +	
6000	2.016	2.016		3.000/2.016	3.000/1.577A	-----	2.707	+	1.160	.3939	-----	-----	38	-----	548	
6025	2.974	2.974		3.1238/2.974	3.1238/1.660A	-----	2.823	+	1.196	.4051	-----	-----	3	-----	60 -	
6050	-----	-----	-----	3.2468/-	3.2468/1.743A	-----	2.943	+	1.232	.4164	-----	-----	-----	-----	8	
6075	-----	-----	-----	3.3768/-	3.3768/1.832A	-----	3.065	+	1.267	.4277	-----	-----	-----	-----	2	
6100	3.094	3.094		3.5118/3.093	3.5118/1.925A	-----	3.191	+	1.303	.4390	-----	-----	22	-----	67 +	
6150	-----	-----	-----	3.7908/-	3.7908/2.121A	-----	3.452	+	1.374	.4615	-----	-----	40	-----	39 +	
6175	3.392	3.392		3.9288/3.392	3.9288/2.225A	-----	3.588	+	1.410	.4726	-----	-----	2	-----	3 +	
6200	3.618	3.618		4.0768/3.618	4.0768/2.329A	-----	3.726	+	1.444	.4838	-----	-----	17	-----	76 +	
6225	3.437	3.437		4.2228/3.437	4.2228/2.440A	-----	3.868	+	NEW	.4948	-----	-----	2	-----	2 +	
6250	3.161	3.161		4.3738/3.161	4.3738/2.553A	-----	4.012	+	NEW	.5058	-----	-----	3	-----	3 +	
6275	3.399	3.399		4.5318/3.399	4.5318/2.671A	-----	4.160	+	1.549	.5166	-----	-----	9	-----	13 +	
6300	3.429	3.429		4.6888/3.421	4.6888/2.791A	-----	4.310	+	1.583	.5274	-----	-----	15	-----	88 -	
6325	3.463	3.463		4.8398/3.463	4.8398/2.912A	-----	4.464	+	1.617	.5381	-----	-----	7	-----	10 +	
6350	3.604	3.604		5.0058/3.604	5.0058/3.037A	-----	4.620	+	1.650	.5486	-----	-----	6	-----	52 +	
6375	3.855	3.855		5.1698/3.855	5.1698/3.167A	-----	4.779	+	1.683	.5590	-----	-----	1	-----	5 +	
6400	4.120	4.120		5.3358/4.120	5.3358/3.302A	-----	4.941	+	1.716	.5693	-----	-----	1	-----	28 -	
6425	-----	-----	-----	5.5068/-	5.5068/3.439A	-----	5.105	+	1.747	.5794	-----	-----	-----	-----	15	
6450	-----	-----	-----	5.6808/-	5.6808/3.578A	-----	5.272	+	1.778	.5894	-----	-----	-----	-----	39	
6475	-----	-----	-----	5.8568/-	5.8568/3.719A	-----	5.442	+	1.810	.5992	-----	-----	-----	-----	3	
6500	5.739	5.739		6.043/5.739	6.043/3.866A	-----	5.614	+	1.840	.6089	-----	-----	6	-----	945 -	
6525	-----	-----	-----	6.2128/-	6.2128/4.012A	-----	5.788	+	1.869	.6184	-----	-----	-----	-----	25	
6550	-----	-----	-----	6.3948/-	6.3948/4.166A	-----	5.965	+	1.898	.6277	-----	-----	-----	-----	35	
6575	-----	-----	-----	6.5858/-	6.5858/4.318A	-----	6.144	+	1.927	.6369	-----	-----	-----	-----	1	
6600	-----	-----	-----	6.7698/-	6.7698/4.476A	-----	6.325	+	1.954	.6459	-----	-----	-----	-----	97	
6625	-----	-----	-----	6.9608/-	6.9608/4.636A	-----	6.509	+	1.983	.6548	-----	-----	-----	-----	33	
6650	-----	-----	-----	7.1478/-	7.1478/4.797A	-----	6.695	+	2.010	.6635	-----	-----	-----	-----	20	
6675	-----	-----	-----	7.3408/-	7.3408/4.962A	-----	6.883	+	2.038	.6720	-----	-----	-----	-----	1	
6700	-----	-----	-----	7.5338/-	7.5338/5.130A	-----	7.073	+	2.065	.6802	-----	-----	-----	-----	40	
6725	-----	-----	-----	7.7348/-	7.7348/5.300A	-----	7.265	+	2.092	.6884	-----	-----	-----	-----	5	
6750	-----	-----	-----	7.9328/-	7.9328/5.473A	-----	7.459	+	2.118	.6963	-----	-----	-----	-----	7	
6775	-----	-----	-----	8.1338/-	8.1338/5.665A	-----	7.654	+	2.144	.7041	-----	-----	-----	-----	4	
6800	-----	-----	-----	8.3358/-	8.3358/5.842A	-----	7.852	+	2.170	.7117	-----	-----	-----	-----	147	
6825	-----	-----	-----	8.5398/-	8.5398/6.022A	-----	8.051	+	2.194	.7191	-----	-----	-----	-----	1	
6850	-----	-----	-----	8.7448/-	8.7448/6.203A	-----	8.252	+	2.217	.7264	-----	-----	-----	-----	78	
6875	-----	-----	-----	8.9518/-	8.9518/6.387A	-----	8.454	+	2.239	.7335	-----	-----	-----	-----	2	
6900	-----	-----	-----	9.1598/-	9.1598/6.572A	-----	8.658	+	2.261	.7404	-----	-----	-----	-----	20	
6950	-----	-----	-----	9.5808/-	9.5808/6.949A	-----	9.071	+	2.303	.7537	-----	-----	-----	-----	24	
7000	-----	-----	-----	10.0078/-	10.0078/7.334A	-----	9.490	+	2.345	.7663	-----	-----	-----	-----	253	
7050	-----	-----	-----	10.4388/-	10.4388/7.725A	-----	9.914	+	2.386	.7783	-----	-----	-----	-----	1	
7075	-----	-----	-----	10.6568/-	10.6568/7.923A	-----	10.127	+	2.404	.7841	-----	-----	-----	-----	21	
7100	-----	-----	-----	10.8758/-	10.8758/8.123A	-----	10.342	+	2.423	.7898	-----	-----	-----	-----	5	
7200	-----	-----	-----	11.7608/-	11.7608/8.938A	-----	11.213	+	2.488	.8108	-----	-----	-----	-----	14	
7225	-----	-----														



BULLETIN #186@				METALS OPTION PRODUCTS						Mon, Sep 28, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT	COMEX SILVER OPTIONS												
JAN27													
5850	----	----	2.843B/----	2.843B/1.689A	----	2.621 + 0.977	.3227	----	----	----	----	1	UNCH
5900	----	----	3.061B/----	3.061B/1.837A	----	2.822 + 1.034	.3400	----	----	----	----	18	UNCH
6000	----	----	3.511B/----	3.511B/2.163A	----	3.257 + 1.147	.3751	----	----	5	----	169 +	5
6100	----	----	4.017B/----	4.017B/2.532A	----	3.733 + 1.261	.4106	----	----	----	----	140	UNCH
6125	----	----	4.145B/----	4.145B/2.631A	----	3.858 + 1.289	.4195	----	----	----	----	12	UNCH
6200	----	----	4.557B/----	4.557B/2.944A	----	4.247 + 1.374	.4461	----	----	2	----	18 +	2
6225	----	----	4.693B/----	4.693B/3.054A	----	4.382 NEW	.4549	----	----	50	----	50 +	50
6275	----	----	4.982B/----	4.982B/3.282A	----	4.659 + 1.459	.4724	----	----	----	----	2	UNCH
6300	----	----	5.137B/----	5.137B/3.400A	----	4.802 + 1.487	.4811	----	----	----	----	1	UNCH
6325	----	----	5.288B/----	5.288B/3.520A	----	4.947 + 1.515	.4896	----	----	----	----	2	UNCH
6350	----	----	5.431B/----	5.431B/3.644A	----	5.094 + 1.542	.4982	----	----	----	----	9	UNCH
6375	----	----	5.594B/----	5.594B/3.769A	----	5.244 + 1.569	.5067	----	----	----	----	25	UNCH
6400	----	----	5.747B/----	5.747B/3.898A	----	5.397 + 1.597	.5151	----	----	----	----	33	UNCH
6500	----	----	6.401B/----	6.401B/4.437A	----	6.029 + 1.702	.5479	----	----	----	----	56	UNCH
6525	----	----	6.561B/----	6.561B/4.578A	----	6.192 + 1.728	.5559	----	----	----	----	1	UNCH
6575	----	----	6.896B/----	6.896B/4.868A	----	6.525 + 1.778	.5716	----	----	----	----	5	UNCH
6700	----	----	7.786B/----	7.786B/5.631A	----	7.393 + 1.897	.6091	----	----	----	----	13	UNCH
6725	----	----	7.968B/----	7.968B/5.790A	----	7.572 + 1.920	.6162	----	----	----	----	15	UNCH
6800	----	----	8.534B/----	8.534B/6.281A	----	8.120 + 1.986	.6371	----	----	----	----	2	UNCH
6900	----	----	9.300B/----	9.300B/6.962A	----	8.874 + 2.071	.6634	----	----	----	----	16	UNCH
6925	----	----	9.495B/----	9.495B/7.137A	----	9.066 + 2.091	.6697	----	----	----	----	24	UNCH
6950	----	----	9.690B/----	9.690B/7.314A	----	9.260 + 2.111	.6760	----	----	----	----	1	UNCH
7000	----	----	10.081B/----	10.081B/7.695A	----	9.652 + 2.151	.6880	----	----	----	----	20	UNCH
7100	----	----	10.896B/----	10.896B/8.417A	----	10.452 + 2.226	.7108	----	----	----	----	27	UNCH
7125	----	----	11.103B/----	11.103B/8.607A	----	10.655 + 2.243	.7163	----	----	----	----	1	UNCH
7175	----	----	11.518B/----	11.518B/8.987A	----	11.065 + 2.279	.7269	----	----	----	----	1	UNCH
7200	----	----	11.727B/----	11.727B/9.196A	----	11.271 + 2.295	.7320	----	----	----	----	1	UNCH
7350	----	----	13.009B/----	13.009B/10.374A	----	12.533 + 2.393	.7608	----	----	----	----	1	UNCH
8600	----	----	24.557B/----	24.557B/21.457A	----	23.975 + 2.850	.9004	----	----	----	----	1	UNCH
8850	----	----	26.972B/----	26.972B/23.821A	----	26.375 + 2.900	.9147	----	----	----	----	9	UNCH
TOTAL										315	0	1530 +	312
FEB27													
3475	----	----	0.060B/----	0.060B/0.096A	----	0.063 + 0.018	.0099	----	----	----	----	1	UNCH
4000	----	----	0.173B/----	0.173B/0.167A	----	0.172 + 0.051	.0263	----	----	----	----	1	UNCH
4750	0.631	0.631	0.645B/0.631	0.645B/0.407A	----	0.595 NEW	.0855	----	----	1	----	1 +	1
5000	----	----	0.985B/----	0.985B/0.680A	----	0.902 + 0.328	.1233	----	----	----	----	17	UNCH
5100	----	----	1.163B/----	1.163B/0.703A	----	1.064 + 0.386	.1419	----	----	----	----	1	UNCH
5200	----	----	1.370B/----	1.370B/0.824A	----	1.252 + 0.452	.1624	----	----	----	----	1	UNCH
5225	----	----	1.418B/----	1.418B/0.858A	----	1.303 + 0.469	.1678	----	----	----	----	5	UNCH
5275	----	----	1.543B/----	1.543B/0.931A	----	1.412 + 0.506	.1791	----	----	----	----	20	UNCH
5300	----	----	1.606B/----	1.606B/0.969A	----	1.468 + 0.524	.1848	----	----	----	----	1	UNCH
5400	----	----	1.871B/----	1.871B/1.139A	----	1.716 + 0.604	.2091	----	----	----	----	3	UNCH
5500	1.962	1.962	2.169B/1.962	2.169B/1.336A	----	1.995 + 0.689	.2350	----	1	----	3 +	1	
5600	----	----	2.489B/----	2.489B/1.563A	----	2.309 + 0.780	.2624	----	----	----	----	7	UNCH
5700	----	----	2.874B/----	2.874B/1.822A	----	2.658 + 0.875	.2911	----	----	----	----	1	UNCH
5725	----	----	2.969B/----	2.969B/1.892A	----	2.751 + 0.899	.2984	----	----	----	----	1	UNCH
5800	----	----	3.278B/----	3.278B/2.115A	----	3.042 + 0.971	.3206	----	----	----	----	10	UNCH
5875	----	----	3.601B/----	3.601B/2.358A	----	3.354 + 1.046	.3433	----	----	----	----	10	UNCH
6000	----	----	4.193B/----	4.193B/2.809A	----	3.919 + 1.169	.3815	----	----	----	----	1	UNCH
6050	----	----	4.433B/----	4.433B/3.005A	----	4.160 NEW	.3969	----	17	----	17 +	1	
6100	----	----	4.705B/----	4.705B/3.211A	----	4.411 + 1.268	.4123	----	----	----	----	1	UNCH
6200	----	----	5.254B/----	5.254B/3.650A	----	4.939 + 1.365	.4429	----	----	----	----	1	UNCH
6400	----	----	6.444B/----	6.444B/4.643A	----	6.099 + 1.555	.5024	----	----	----	----	1	UNCH
6500	----	----	7.075B/----	7.075B/5.191A	----	6.728 + 1.646	.5308	----	----	----	----	21	UNCH
6600	----	----	7.759B/----	7.759B/5.773A	----	7.388 + 1.735	.5582	----	----	----	----	6	UNCH
6700	----	----	8.432B/----	8.432B/6.386A	----	8.075 + 1.820	.5844	----	----	----	----	11	UNCH
6825	----	----	9.344B/----	9.344B/7.194A	----	8.969 + 1.920	.6153	----	----	----	----	5	UNCH
7000	----	----	10.676B/----	10.676B/8.396A	----	10.279 + 2.047	.6554	----	----	----	----	5	UNCH
7225	----	----	12.461B/----	12.461B/10.080A	----	12.053 + 2.193	.7012	----	----	----	----	1	UNCH
7250	----	----	12.667B/----	12.667B/10.260A	----	12.256 + 2.208	.7059	----	----	----	----	1	UNCH
7400	----	----	13.919B/----	13.919B/11.420A	----	13.493 + 2.292	.7325	----	----	----	----	2	UNCH
7575	----	----	15.418B/----	15.418B/12.847A	----	14.977 + 2.380	.7602	----	----	----	----	20	UNCH
8075	----	----	19.882B/----	19.882B/17.111A	----	19.405 + 2.583	.8229	----	----	----	----	5	UNCH
8150	----	----	20.570B/----	20.570B/17.774A	----	20.087 + 2.607	.8306	----	----	----	----	10	UNCH
8225	----	----	21.262B/----	21.262B/18.442A	----	20.774 + 2.632	.8378	----	----	----	----	10	UNCH
8250	----	----	21.493B/----	21.493B/18.666A	----	21.003 + 2.639	.8402	----	----	----	----	10	UNCH
TOTAL										19	0	211 +	19
MAR27													
4000	----	----	0.271B/----	0.271B/0.214A	----	0.263 + 0.071	.0354	----	----	----	----	299	UNCH
4300	----	----	0.436B/----	0.436B/0.314A	----	0.407 + 0.118	.0542	----	----	----	----	5	UNCH
4500	----	----	0.576B/----	0.576B/0.413A	----	0.551 + 0.165	.0720	----	11	----	50 +	11	
4775	0.897	0.897	0.929B/0.897	0.929B/0.735A	----	0.845 NEW	.1056	5	----	5 +	5	5	
4800	----	----	0.963B/----	0.963B/0.757A	----	0.878 + 0.273	.1092	----	----	----	----	5	UNCH
4900	1.084	1.084	1.122B/1.084	1.122B/0.786A	----	1.025 + 0.321	.1248	5	1	5 +	4	1	
5000	----	----	1.305B/----	1.305B/0.846A	----	1.193 + 0.373	.1419	----	----	77 +	1		
5050	----	----	1.405B/----	1.405B/0.913A	----	1.287 + 0.402	.1511	----	----	9	UNCH		
5075	----	----	1.457B/----	1.457B/0.947A	----	1.336 + 0.417	.1559	----	----	1	UNCH		
5100	----	----	1.511B/----	1.511B/0.983A	----	1.387 + 0.433	.1607	----	----	2	UNCH		
5150	----	----	1.624B/----	1.624B/1.058A	----	1.49							

	BULLETIN #186@				METALS OPTION PRODUCTS						Mon, Sep 28, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SO PUT	COMEX SILVER OPTIONS														
MAY27															
4500	----	----	0.963B/----	0.963B/0.870A	----	0.929 +	0.232 .0947	----	----	----	----	5	UNCH		
4700	----	----	1.266B/----	1.266B/1.089A	----	1.212 +	0.307 .1195	----	----	----	----	25	UNCH		
4850	----	----	1.486B/----	1.486B/1.294A	----	1.477 +	0.375 .1413	----	----	----	----	5	UNCH		
5500	2.980	2.980	3.411B/2.980	3.411B/2.700A	----	3.232	NEW .2622	----	----	1	----	1 +	1		
6000	----	----	5.625B/----	5.625B/4.522A	----	5.390 +	1.190 .3739	----	----	----	----	1	UNCH		
6500	----	----	8.506B/----	8.506B/7.056A	----	8.182 +	1.537 .4846	----	----	----	----	64	UNCH		
6525	8.416	8.416	8.589B/8.416	8.589B/7.200A	----	8.341 +	1.560 .4898	----	----	6	----	16 +	6		
6675	----	----	9.640B/----	9.640B/8.064A	----	9.297 +	1.596 .5207	----	----	----	----	2	UNCH		
6750	----	----	10.108B/----	10.108B/8.525A	----	9.795 +	1.620 .5356	----	----	----	----	5	UNCH		
7300	----	----	13.980B/----	13.980B/12.250A	----	13.781 +	1.966 .6326	----	----	----	----	10	UNCH		
7900	----	----	18.384B/----	18.384B/16.850A	----	18.649 +	2.228 .7139	----	----	----	----	10	UNCH		
8300	----	----	----	----	----	22.065 +	2.379 .7576	----	----	----	----	5	UNCH		
8325	----	----	----	----	----	22.284 +	2.388 .7600	----	----	----	----	2	UNCH		
8350	----	----	----	----	----	22.502 +	2.396 .7625	----	----	----	----	2	UNCH		
8500	----	----	----	----	----	23.825 +	2.444 .7762	----	----	----	----	9	UNCH		
TOTAL										7	0	162 +	7		
JUN27															
4000	----	----	0.467B/----	0.467B/0.611A	----	0.573 +	0.125 .0561	----	----	----	----	1	UNCH		
4500	----	----	1.013B/----	1.013B/1.024A	----	1.094 +	0.254 .1010	----	----	----	----	3	UNCH		
4700	----	----	1.340B/----	1.340B/1.273A	----	1.405 +	0.328 .1255	----	----	----	----	510	UNCH		
5500	----	----	3.511B/----	3.511B/2.987A	----	3.508 +	0.773 .2601	----	----	----	----	3	UNCH		
6000	----	----	5.691B/----	5.691B/4.821A	----	5.652 +	1.128 .3631	----	----	----	----	5	UNCH		
6400	----	----	7.898B/----	7.898B/6.775A	----	7.812 +	1.394 .4460	----	----	----	----	1	UNCH		
6500	----	----	8.514B/----	8.514B/7.325A	----	8.408 +	1.455 .4659	----	----	----	----	10	UNCH		
6800	----	----	10.442B/----	10.442B/9.100A	----	10.333 +	1.635 .5227	----	----	----	----	1	UNCH		
7000	----	----	11.823B/----	11.823B/10.368A	----	11.701 +	1.738 .5580	----	----	----	----	16	UNCH		
7050	----	----	12.190B/----	12.190B/10.719A	----	12.053 +	1.762 .5664	----	----	----	----	1	UNCH		
TOTAL											0	551	0		
JUL27															
5000	----	----	2.411B/----	2.411B/2.060A	----	2.353 +	0.484 .1800	----	----	----	----	20	UNCH		
5500	----	----	4.045B/----	4.045B/3.383A	----	3.920 +	0.773 .2669	----	----	----	----	50	UNCH		
6500	----	----	9.153B/----	9.153B/7.852A	----	8.897 +	1.402 .4604	----	----	----	----	1	UNCH		
6900	----	----	11.771B/----	11.771B/10.260A	----	11.494 +	1.627 .5305	----	----	----	----	100	UNCH		
7000	----	----	12.444B/----	12.444B/10.920A	----	12.187 +	1.679 .5468	----	----	----	----	25	UNCH		
TOTAL											0	196	0		
SEP27															
5500	----	----	4.557B/----	4.557B/4.059A	----	4.558 +	0.756 .2683	----	----	----	----	10	UNCH		
5800	----	----	5.859B/----	5.859B/5.188A	----	5.833	NEW .3197	----	----	1	----	1 +	1		
5900	----	----	6.338B/----	6.338B/5.610A	----	6.304	NEW .3371	----	----	1	----	1 +	1		
TOTAL										2	0	12 +	2		
DEC27															
7175	----	----	----	----	----	15.624 +	1.432 .4937	----	----	----	----	25	UNCH		
TOTAL											0	25	0		
DEC28															
7175	----	----	----	----	----	17.988 +	1.168 .4083	----	----	----	----	40	UNCH		
TOTAL											0	40	0		
SO1 CALL	SILVER OPTIONS														
OCT26															
6100	----	----	-----/1.109A	3.594B/1.109A	----	1.465 -	2.491 .6252	----	----	----	----	5	UNCH		
6150	----	----	-----/0.880A	3.143B/0.880A	----	1.180	NEW .5439	----	----	8	----	8 +	8		
6300	0.836	0.836	0.836B/0.409A	1.935B/0.409A	----	0.564	NEW .3062	----	----	4	----	1 +	1		
6350	0.498	0.498	0.498B/0.314A	1.598B/0.314A	----	0.431 -	1.487 .2410	----	----	2	----	6 +	2		
6400	0.346	0.346	0.375B/0.240A	1.311B/0.240A	----	0.328 -	1.270 .1864	----	----	14	----	14 +	10		
6450	0.290	0.290	0.290B/0.188A	1.045B/0.188A	----	0.249 -	1.065 .1422	----	----	1	----	4	UNCH		
6500	0.244	0.244	0.244B/0.154A	0.817B/0.154A	----	0.190 -	0.877 .1078	----	----	3	----	11 +	3		
6540	----	----	----	0.657B/0.126A	----	0.155	NEW .0867	----	----	1	----	1 +	1		
6550	0.248	0.248	0.248B/0.122A	0.630B/0.122A	----	0.147 -	0.708 .0819	----	----	11	----	49 +	8		
6600	0.423	0.423	0.423B/0.100	0.476B/0.100	----	0.116 -	0.562 .0629	----	----	4	----	6 +	2		
6650	----	----	-----/0.083A	0.360B/0.083A	----	0.093 -	0.439 .0488	----	----	----	----	8	UNCH		
6700	0.113	0.113	0.113B/0.071A	0.273B/0.071A	----	0.077 -	0.339 .0388	----	----	1	----	9	UNCH		
6750	----	----	-----/0.062A	0.207B/0.062A	----	0.065 -	0.260 .0314	----	----	----	----	5	UNCH		
6800	----	----	-----/0.055A	0.158B/0.055A	----	0.056 -	0.199 .0258	----	----	----	----	12	UNCH		
6850	----	----	-----/0.049A	0.123B/0.049A	----	0.050 -	0.151 .0220	----	----	----	----	2	UNCH		
6900	----	----	-----/0.047A	0.087B/0.047A	----	0.045 -	0.116 .0189	----	----	1	----	8 -	1		
6950	----	----	-----/0.044A	0.073B/0.044A	----	0.036 -	0.094 .0146	----	----	----	----	1	UNCH		
7000	0.035	0.035	0.035B/0.035	0.059B/0.035	----	0.029 -	0.078 .0114	----	----	4	----	26 +	1		
7050	----	----	-----/0.038A	0.047B/0.038A	----	0.024 -	0.065 .0091	----	----	----	----	3	UNCH		
7100	0.040	0.040	0.040B/0.035A	0.040B/0.035A	----	0.020 -	0.056 .0073	----	----	1	----	1	UNCH		
7150	----	----	-----/0.033A	0.032B/0.033A	----	0.017 -	0.049 .0059	----	----	----	----	1	UNCH		
7200	----	----	-----/0.031A	0.027B/0.031A	----	0.015 -	0.043 .0050	----	----	----	----	11	UNCH		
7250	----	----	-----/0.029A	0.021B/0.029A	----	0.013 -	0.039 .0042	----	----	----	----	2	UNCH		
7300	0.041	0.041	0.041B/0.028A	0.041B/0.028A	----	0.012 -	0.035 .0037	----	----	1	----	0 -	1		
7400	----	----	-----/0.025A	0.010B/0.025A	----	0.009 -	0.031 .0026	----	----	----	----	4	UNCH		
7500	----	----	-----/0.023A	0.008B/0.023A	----	0.008 -	0.027 .0021	----	----	----	----	2	UNCH		
7600	----	----	-----/0.023A	0.005B/0.023A	----	0.007 -	0.024 .0017	----	----	----	----	1	UNCH		
8750	----	----	----	-----/0.103A	----	0.001 -	0.005 .0000	----	----	----	----	10	UNCH		
TOTAL										56	0	211 +	34		
SO1 PUT	SILVER OPTIONS														
OCT26															
5400	----	----	0.018B/----	0.018B/0.030A	----	0.022 +	0.013 .0081	----	----	----	----	6	UNCH		
5500	----	----	0.038B/----	0.038B/0.033A	----	0.033 +	0.020 .0135	----	----	----	----	1	UNCH		
5600	----	----	0.053B/----	0.053B/0.043A	----	0.050 +	0.032 .0226	----	----	----	----	13	UNCH		
5700	0.070	0.070	0.100B/0.070	0.100B/0.048A	----	0.080	NEW .0397	----	----	3	----	3 +	3		
5800	----	----	0.188B/----	0.188B/0.056A	----	0.137 +	0.100 .0727	----	----	----	----	10	UNCH		
5850															

BULLETIN #186@										METALS OPTION PRODUCTS				Mon, Sep 28, 2026		PG64
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
S02 CALL		SILVER OPTIONS														
OCT26																
8500	----	----	----/0.030A	0.014B/0.030A	----	0.022 - 0.013	.0062	----	----	11	0	3	UNCH			
TOTAL																
S02 PUT		SILVER OPTIONS														
OCT26																
5500	----	----	0.121B/----	0.121B/0.059A	----	0.108 + 0.065	.0474	----	----	----	----	1	UNCH			
5600	----	----	0.202B/----	0.202B/0.067A	----	0.161 + 0.103	.0708	----	----	13	----	15 +	13			
5700	0.269	0.269	0.316B/0.269	0.316B/0.087A	----	0.244	NEW .1057	----	----	1	----	1 +	1			
5750	0.193	0.193	0.395B/0.193	0.395B/0.101A	----	0.302 + 0.208	.1290	----	----	39	----	9 -	28			
5800	----	----	0.491B/----	0.491B/0.119A	----	0.374 + 0.263	.1565	----	----	----	----	2	UNCH			
5850	0.605	0.605	0.606B/0.540	0.606B/0.143A	----	0.463 + 0.330	.1888	----	----	3	----	4 +	3			
5900	0.560	0.560	0.745B/0.560	0.745B/0.185A	----	0.571	NEW .2258	----	----	10	----	10 +	10			
5950	----	----	0.905B/----	0.905B/0.207A	----	0.700 + 0.503	.2671	----	----	----	----	2	UNCH			
6000	----	----	1.094B/----	1.094B/0.251A	----	0.852 + 0.610	.3125	----	----	39	----	11 -	23			
6050	0.630	0.630	1.305B/0.630	1.305B/0.312A	----	1.029	NEW .3611	----	----	1	----	1 +	1			
6100	----	----	1.548B/----	1.548B/0.388A	----	1.232 + 0.863	.4122	----	----	----	----	9	UNCH			
6150	----	----	1.818B/----	1.818B/0.483A	----	1.462 + 1.005	.4647	----	----	----	----	11	UNCH			
6200	----	----	2.096B/----	2.096B/0.601A	----	1.719 + 1.154	.5175	----	----	----	----	3	UNCH			
6250	----	----	2.420B/----	2.420B/0.743A	----	2.004 + 1.310	.5695	----	----	----	----	2	UNCH			
6400	----	----	3.522B/----	3.522B/1.328A	----	3.012 + 1.779	.7102	----	----	----	----	1	UNCH			
6500	----	----	4.350B/----	4.350B/1.858A	----	3.794 + 2.067	.7848	----	----	----	----	1	UNCH			
6550	----	----	4.787B/----	4.787B/2.163A	----	4.211 + 2.196	.8156	----	----	----	----	5	UNCH			
6700	----	----	6.157B/----	6.157B/3.240A	----	5.540 + 2.520	.8843	----	----	----	----	1	UNCH			
TOTAL																
S03 CALL		SILVER OPTIONS														
OCT26																
6600	----	----	----/0.579A	1.140B/0.579A	----	0.658 - 0.874	.2198	----	----	----	----	4	UNCH			
6650	----	----	----/0.511A	0.988B/0.511A	----	0.579 - 0.778	.1964	----	----	----	----	8	UNCH			
6700	----	----	----/0.451A	0.866B/0.451A	----	0.510 - 0.691	.1754	----	----	----	----	5	UNCH			
6800	----	----	----/0.371A	0.639B/0.371A	----	0.401 - 0.537	.1404	----	----	----	----	2	UNCH			
6900	0.315	0.315	0.315/0.315	0.466B/0.315	----	0.320 - 0.412	.1131	----	----	1	----	5 +	1			
7000	----	----	----/0.279A	0.336B/0.279A	----	0.259 - 0.315	.0918	----	----	----	----	9	UNCH			
7050	----	----	----/0.251A	0.281B/0.251A	----	0.234 - 0.275	.0829	----	----	----	----	2	UNCH			
7100	----	----	----/0.231A	0.234B/0.231A	----	0.212 - 0.241	.0751	----	----	----	----	19	UNCH			
7150	0.190	0.190	0.190/0.190	0.195B/0.190	----	0.193 - 0.211	.0682	----	----	1	----	5	UNCH			
7200	----	----	----/0.255A	0.160B/0.255A	----	0.176 - 0.186	.0620	----	----	----	----	6	UNCH			
7400	----	----	----/0.146A	0.073B/0.146A	----	0.124 - 0.116	.0430	----	----	2	0	70 +	1			
TOTAL																
S03 PUT		SILVER OPTIONS														
OCT26																
5000	0.040	0.040	0.040/0.040	0.040/0.040	----	0.092	NEW .0281	----	----	1	----	1 +	1			
5700	----	----	0.536B/----	0.536B/0.296A	----	0.461 + 0.308	.1558	----	----	----	----	1	UNCH			
5800	----	----	0.769B/----	0.769B/0.366A	----	0.636 + 0.425	.2067	----	----	----	----	15	UNCH			
5900	----	----	1.097B/----	1.097B/0.466A	----	0.881 + 0.581	.2703	----	----	----	----	15	UNCH			
5950	----	----	1.261B/----	1.261B/0.534A	----	1.033 + 0.674	.3061	----	----	----	----	2	UNCH			
6000	----	----	1.489B/----	1.489B/0.614A	----	1.207 + 0.776	.3443	----	----	----	----	35	UNCH			
6050	----	----	1.713B/----	1.713B/0.708A	----	1.403 + 0.886	.3841	----	----	----	----	5	UNCH			
6100	----	----	1.953B/----	1.953B/0.819A	----	1.623 + 1.005	.4250	----	----	2	----	25 +	1			
6150	----	----	2.225B/----	2.225B/0.947A	----	1.865 + 1.129	.4663	----	----	----	----	2	UNCH			
6200	----	----	2.513B/----	2.513B/1.095A	----	2.130 + 1.256	.5075	----	----	----	----	16	UNCH			
6250	----	----	2.760B/----	2.760B/1.269A	----	2.416 + 1.385	.5479	----	----	----	----	10	UNCH			
6300	----	----	3.075B/----	3.075B/1.480A	----	2.723 + 1.514	.5872	----	----	2	----	5	UNCH			
6350	----	----	3.360B/----	3.360B/1.691A	----	3.050 + 1.641	.6248	----	----	----	----	5	UNCH			
6500	----	----	4.287B/----	4.287B/2.478A	----	4.134 + 1.997	.7253	----	----	----	----	10	UNCH			
6600	----	----	5.110B/----	5.110B/3.087A	----	4.934 + 2.206	.7801	----	----	----	----	5	UNCH			
6650	----	----	5.539B/----	5.539B/3.420A	----	5.353 + 2.300	.8035	----	----	----	----	6	UNCH			
6700	----	----	5.979B/----	5.979B/3.781A	----	5.784 + 2.388	.8245	----	----	----	----	20	UNCH			
TOTAL																
S04 CALL		SILVER OPTIONS														
SEP26																
6330	----	----	----	----	----	1.501	UNCH	----	----	----	----	0	UNCH			
6360	----	----	----	----	----	1.201	UNCH	----	----	----	----	0	UNCH			
6400	----	----	----	----	----	0.801	UNCH	----	----	----	----	0	UNCH			
6420	----	----	----	----	----	0.601	UNCH	----	----	----	----	0	UNCH			
6430	----	----	----	----	----	0.501	UNCH	----	----	----	----	0	UNCH			
6440	----	----	----	----	----	0.401	UNCH	----	----	----	----	0	UNCH			
6450	----	----	----	----	----	0.301	UNCH	----	----	----	----	0	UNCH			
6460	----	----	----	----	----	0.201	UNCH	----	----	----	----	0	UNCH			
6470	----	----	----	----	----	0.101	UNCH	----	----	----	----	0	UNCH			
6480	----	----	----	----	----	0.001	UNCH	----	----	----	----	0	UNCH			
6490	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6500	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6510	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6530	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6540	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6550	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6560	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6600	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6610	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6630	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6640	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6670	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6700	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6850	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6900	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
7100	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
TOTAL																
S04 PUT		SILVER OPTIONS														
SEP26																
6100	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6190	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6250	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6270	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6300	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6320	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6330	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6340	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6350	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6360	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6400	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6410	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6420	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6430	----	----	----	----	----	0.000	UNCH	----	-----							

BULLETIN #186@				METALS OPTION PRODUCTS							Mon, Sep 28, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SWW WED SEP26	SILVER WEEKLY WEDNESDAY OPTION WEEK													
5800	-----	-----	0.061B/-----	0.061B/0.036A	-----	0.041 + 0.022	.0184	-----	-----	-----	-----	2	UNCH	
5850	0.026	0.026	0.101B/0.026	0.101B/0.026	-----	0.059	NEW .0302	-----	-----	1	-----	1	+	
5890	0.105	0.105	0.145B/0.105	0.145B/0.038A	-----	0.081	NEW .0455	-----	-----	6	-----	3	+	
6000	0.216	0.216	0.342B/0.216	0.342B/0.054A	-----	0.197 + 0.158	.1348	-----	-----	6	-----	12	UNCH	
6050	-----	-----	0.495B/-----	0.495B/0.067A	-----	0.295 + 0.245	.2108	-----	-----	3	-----	4	+	
6100	0.410	0.410	0.704B/0.410	0.704B/0.086A	-----	0.436 + 0.370	.3134	-----	-----	1	-----	10	+	
6130	-----	-----	0.864B/-----	0.864B/0.119A	-----	0.546	NEW .3860	-----	-----	3	-----	3	+	
6200	0.596	0.596	0.658/0.373A	2.575B/0.373A	-----	0.603	NEW .4304	-----	-----	12	-----	12	+	
6200	-----	-----	1.318B/-----	1.318B/0.152A	-----	0.885 + 0.757	.5695	-----	-----	-----	-----	18	UNCH	
6210	-----	-----	1.391B/-----	1.391B/0.163A	-----	0.943 + 0.806	.5953	-----	-----	-----	-----	16	UNCH	
6220	0.780	0.780	1.463B/0.780	1.463B/0.175A	-----	1.004	NEW .6205	-----	-----	7	-----	7	+	
6230	-----	-----	1.540B/-----	1.540B/0.187A	-----	1.067 + 0.909	.6451	-----	-----	-----	-----	1	UNCH	
6240	-----	-----	1.622B/-----	1.622B/0.201A	-----	1.132 + 0.962	.6687	-----	-----	-----	-----	3	UNCH	
6250	0.500	0.500	0.575/0.257A	2.134B/0.257A	-----	0.418	NEW .3082	-----	-----	3	-----	2	+	
6250	-----	-----	1.701B/-----	1.701B/0.216A	-----	1.200 + 1.017	.6917	-----	-----	-----	-----	3	UNCH	
6270	0.450	0.450	0.450/0.218A	1.967B/0.218A	-----	0.359	NEW .2651	-----	-----	9	-----	9	+	
6290	-----	-----	2.035B/-----	2.035B/0.288A	-----	1.490	NEW .7736	-----	-----	2	-----	2	+	
6300	-----	-----	2.119B/-----	2.119B/0.310A	-----	1.567 + 1.303	.7914	-----	-----	-----	-----	27	UNCH	
6300	0.346	0.346	0.346/0.174A	1.725B/0.174A	-----	0.285	NEW .2085	-----	-----	8	-----	8	+	
6310	0.322	0.322	0.322/0.160A	1.647B/0.160A	-----	0.264	NEW .1919	-----	-----	1	-----	1	+	
6350	-----	-----	2.569B/-----	2.569B/0.445A	-----	1.975 + 1.597	.8647	-----	-----	2	-----	7	+	
6370	-----	-----	-----/0.103A	1.220B/0.103A	-----	0.165	NEW .1127	-----	-----	1	-----	1	+	
6400	-----	-----	-----/0.101A	1.040B/0.101A	-----	0.131 - 1.201	.0854	-----	-----	360	-----	366	+	
6400	-----	-----	3.032B/-----	3.032B/0.627A	-----	2.412 + 1.880	.9145	-----	-----	-----	-----	6	UNCH	
6440	-----	-----	3.419B/-----	3.419B/0.807A	-----	2.777 + 2.090	.9417	-----	-----	-----	-----	4	UNCH	
6500	-----	-----	3.994B/-----	3.994B/1.131A	-----	3.342 + 2.365	.9678	-----	-----	-----	-----	4	UNCH	
6500	0.084	0.084	0.084/0.043A	0.551B/0.043A	-----	0.060 - 0.718	.0321	-----	-----	362	-----	364	+	
6600	0.080	0.080	0.080/0.025A	0.255B/0.025A	-----	0.028 - 0.384	.0117	-----	-----	1	-----	1	+	
6630	0.026	0.026	0.026/0.021A	0.202B/0.021A	-----	0.022	NEW .0085	-----	-----	3	-----	3	+	
6650	-----	-----	-----/0.021A	0.173B/0.021A	-----	0.018 - 0.276	.0065	-----	-----	-----	-----	12	UNCH	
6700	0.022	0.022	0.022/0.019A	0.118B/0.019A	-----	0.011 - 0.198	.0034	-----	-----	1	-----	8	+	
6740	-----	-----	-----/0.017A	0.062B/0.017A	-----	0.008 - 0.152	.0022	-----	-----	-----	-----	2	UNCH	
6750	-----	-----	6.409B/-----	6.409B/3.154A	-----	5.788 + 2.940	.9981	-----	-----	-----	-----	5	UNCH	
6750	-----	-----	-----/0.016A	0.070B/0.016A	-----	0.007 - 0.143	.0018	-----	-----	-----	-----	6	UNCH	
6800	-----	-----	-----/0.014A	0.056B/0.014A	-----	0.005 - 0.106	.0011	-----	-----	-----	-----	2	UNCH	
6830	-----	-----	-----/0.013A	0.046B/0.013A	-----	0.004 - 0.090	.0008	-----	-----	-----	-----	1	UNCH	
6900	-----	-----	-----/0.013A	0.030B/0.013A	-----	0.002 - 0.064	.0003	-----	-----	-----	-----	17	UNCH	
6920	-----	-----	-----/0.013A	0.027B/0.013A	-----	0.002 - 0.059	.0003	-----	-----	-----	-----	2	UNCH	
6950	-----	-----	-----/0.013A	0.023B/0.013A	-----	0.002 - 0.052	.0003	-----	-----	-----	-----	62	UNCH	
6970	-----	-----	-----/0.014A	0.021B/0.014A	-----	0.001 - 0.049	.0001	-----	-----	-----	-----	1	UNCH	
7100	-----	-----	-----	0.002B/0.035A	-----	0.001 - 0.033	.0000	-----	-----	-----	-----	3	UNCH	
7700	-----	-----	-----/0.005A	-----/0.005A	-----	0.001 - 0.013	----	-----	-----	-----	-----	1	UNCH	
TOTAL										792	0	1012	+	
OCT26														
4750	-----	-----	-----	-----/0.098A	-----	0.012 + 0.009	.0048	-----	-----	-----	-----	34	UNCH	
5800	-----	-----	0.377B/-----	0.377B/0.094A	-----	0.281 + 0.203	.1318	-----	-----	-----	-----	3	UNCH	
5900	0.515	0.515	0.602B/0.515	0.602B/0.133A	-----	0.450	NEW .2012	-----	-----	1	-----	1	+	
6150	1.105	1.105	1.642B/1.105	1.642B/0.389A	-----	1.292	NEW .4631	-----	-----	2	-----	2	+	
6250	0.887	0.887	0.887/0.824A	2.508B/0.824A	-----	1.054	NEW .4183	-----	-----	2	-----	2	+	
6300	-----	-----	2.776B/-----	2.776B/1.349A	-----	2.628 + 1.554	.5935	-----	-----	-----	-----	2	UNCH	
6350	-----	-----	2.988B/-----	2.988B/0.964A	-----	2.497 + 1.616	.6897	-----	-----	-----	-----	2	UNCH	
6450	-----	-----	3.805B/-----	3.805B/1.423A	-----	3.258 + 1.953	.7787	-----	-----	-----	-----	8	UNCH	
6500	-----	-----	-----/0.310A	1.121B/0.310A	-----	0.391 - 0.974	.1848	-----	-----	-----	-----	3	UNCH	
6650	0.190	0.190	0.190/0.190	0.614B/0.190	-----	0.217	NEW .1063	-----	-----	3	-----	3	+	
6700	-----	-----	-----/0.160A	0.501B/0.160A	-----	0.181 - 0.502	.0887	-----	-----	-----	-----	60	UNCH	
6900	-----	-----	-----/0.097A	0.227B/0.097A	-----	0.096 - 0.245	.0457	-----	-----	-----	-----	2	UNCH	
6950	-----	-----	-----/0.088A	0.190B/0.088A	-----	0.085 - 0.205	.0398	-----	-----	-----	-----	5	UNCH	
7400	-----	-----	-----/0.052A	0.052B/0.052A	-----	0.041 - 0.048	.0159	-----	-----	-----	-----	1	UNCH	
TOTAL										8	0	128	+	
TWS TUE SEP26 SILVER WEEKLY TUESDAY OPTION week5														
4750	-----	-----	-----	-----/0.098A	-----	0.001	UNCH	-----	-----	-----	-----	34	UNCH	
5800	0.035	0.035	0.035/0.018A	0.035/0.018A	-----	0.014 + 0.011	.0019	-----	-----	2	-----	3	+	
5950	0.085	0.085	0.128B/0.085	0.128B/0.031A	-----	0.053	NEW .0210	-----	-----	3	-----	3	+	
5970	-----	-----	0.155B/-----	0.155B/0.033A	-----	0.065	NEW .0295	-----	-----	3	-----	3	+	
6000	0.115	0.115	0.211B/0.115	0.211B/0.035A	-----	0.090 + 0.069	.0494	-----	-----	20	-----	22	+	
6010	0.104	0.104	0.231B/0.104	0.231B/0.037A	-----	0.101	NEW .0589	-----	-----	1	-----	1	+	
6020	0.108	0.108	0.252B/0.108	0.252B/0.038A	-----	0.112	NEW .0691	-----	-----	1	-----	1	+	
6030	0.120	0.120	0.282B/0.120	0.282B/0.040A	-----	0.125	NEW .0814	-----	-----	9	-----	7	+	
6040	0.164	0.164	0.307B/0.164	0.307B/0.041A	-----	0.140	NEW .0959	-----	-----	8	-----	6	+	
6050	0.185	0.185	0.333B/0.175	0.333B/0.043A	-----	0.156	NEW .1121	-----	-----	14	-----	13	+	
6060	0.310	0.310	0.367B/0.310	0.367B/0.044A	-----	0.173	NEW .1301	-----	-----	20	-----	20	+	
6070	0.095	0.095	0.397B/0.095	0.397B/0.046A	-----	0.193	NEW .1511	-----	-----	9	-----	8	+	
6080	-----	-----	0.434B/-----	0.434B/0.049A	-----	0.215	NEW .1745	-----	-----	12	-----	5	+	
6090	0.255	0.255	0.469B/0.255	0.469B/0.051A	-----	0.239	NEW .2004	-----	-----	1	-----	1	+	
6100	0.287	0.287	0.509B/0.287	0.509B										



PG64	BULLETIN #186@										METALS OPTION PRODUCTS				Mon, Sep 28, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST				
TWS TUE	SILVER WEEKLY TUESDAY OPTION Week1																		
OCT26																			
6050	----	----	----	1.044B/-----	1.044B/0.209A	----	----	0.787 + 0.597	.3373	----	----	----	----	----	1	UNCH			
6200	----	----	----	2.434B/-----	2.434B/2.156A	----	----	2.340 + 1.357	.5034	----	----	----	----	----	1	UNCH			
6250	1.121	1.121		2.169B/1.121	2.169B/0.556A	----	----	1.741 NEW	.5896	----	----	5	----	5 +	5				
6350	0.630	0.630		0.630/0.484A	1.759B/0.484A	----	----	0.630 NEW	.2949	----	----	1	----	1 +	1				
6700	----	----	----	6.063B/-----	6.063B/3.038A	----	----	5.427 + 2.630	.9235	----	----	----	----	1	UNCH				
6750	0.129	0.129		0.129/0.114A	0.346B/0.114A	----	----	0.126 NEW	.0639	----	----	1	----	1 +	1				
7000	----	----	----	-----/0.067A	0.115B/0.067A	----	----	0.064 - 0.132	.0297	----	----	----	----	4	UNCH				
7050	----	----	----	-----/0.062A	0.103B/0.062A	----	----	0.057 - 0.109	.0259	----	----	----	----	4	UNCH				
7700	----	----	----	----	0.001B/0.158A	----	----	0.082 - 0.012	.0266	----	----	----	----	1	UNCH				
TOTAL												7	0	64 +	7				

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST			
HMW MON SEP26	COPPER WEEKLY MONDAY OPTION WEEK4																			
525	----	----	----	----	----	----	-----/0.0115A	----	----	0.0000 - 0.0005	----	----	----	----	----	----	0 -	29		
610	----	----	----	----	----	----	-----/0.0080A	----	----	0.0000 - 0.0005	----	----	----	----	----	----	0 -	15		
615	----	----	----	----	----	----	-----/0.0005A	----	----	0.0000 - 0.0005	----	----	----	----	----	----	0 -	35		
620	----	----	----	----	----	----	-----/0.0080A	----	----	0.0000 - 0.0005	----	----	----	----	----	----	0 -	20		
625	----	----	----	----	----	----	-----/0.0080A	----	----	0.0000 - 0.0005	----	----	----	----	----	----	0 -	60		
630	----	----	----	----	----	----	-----/0.0080A	----	----	0.0000 - 0.0005	----	----	----	----	----	----	0 -	25		
635	----	----	----	----	----	----	-----/0.0080A	----	----	0.0000 - 0.0005	----	----	----	----	----	----	0 -	21		
640	----	----	----	----	----	----	-----/0.0080A	----	----	0.0000 - 0.0005	----	----	----	----	----	----	0 -	1		
645	----	----	----	----	----	----	-----/0.0080A	----	----	0.0000 - 0.0005	----	----	----	----	----	----	0 -	15		
650	----	----	----	----	----	----	-----/0.0080A	----	----	0.0000 - 0.0005	----	----	----	----	----	----	0 -	16		
650	----	----	----	-----/0.1125A	0.2375B/0.1125A	----	----	0.1335 - 0.1330	----	4	----	----	----	----	----	----	0 -	4		
655	----	----	----	----	0.0005B/0.0080A	----	----	0.0000 - 0.0005	----	----	----	----	----	----	----	----	0 -	17		
655	----	----	----	-----/0.0670A	0.1870B/0.0670A	----	----	0.0835 - 0.1330	----	11	----	----	----	----	----	----	0 -	11		
658	0.0030	0.0030		0.0045B/0.0030	0.0045B/0.0030	----	----	0.0000 NEW	----	----	----	----	2	----	----	----	0	UNCH		
658	0.0335	0.0335		0.0335/0.0335	0.1565B/0.0335	----	----	0.0535 NEW	----	----	2	----	2	----	----	----	0	UNCH		
660	0.0100	0.0100		0.0130B/0.0080A	0.0130B/0.0080A	----	----	0.0000 - 0.0010	----	----	----	----	1	----	----	----	0 -	39		
661	----	----	----	0.0165B/-----	0.0165B/0.0080A	----	----	0.0000 - 0.0010	----	----	----	----	----	----	----	----	0 -	4		
662	0.0330	0.0330		0.0330/0.0160A	0.1165B/0.0160A	----	----	0.0135 NEW	----	----	3	----	3	----	----	----	0	UNCH		
664	----	----	----	0.0375B/-----	0.0375B/0.0145A	----	----	0.0065 NEW	----	----	4	----	4	----	----	----	0	UNCH		
664	0.0050	0.0050		0.0050/0.0050	0.0970B/0.0050	----	----	0.0000 NEW	----	----	----	----	5	----	----	----	0	UNCH		
665	0.0180	0.0180		0.0450B/0.0180	0.0450B/0.0140A	----	----	0.0165 + 0.0125	----	35	----	----	1	----	----	----	0 -	34		
666	0.0155	0.0155		0.0155/0.0080A	0.0785B/0.0080A	----	----	0.0000 NEW	----	----	----	----	1	----	----	----	0	UNCH		
668	----	----	----	0.0715B/-----	0.0715B/0.0145A	----	----	0.0465 + 0.0380	----	2	----	----	----	----	----	----	0 -	2		
670	----	----	----	0.0910B/-----	0.0910B/0.0175A	----	----	0.0665 + 0.0540	----	6	----	----	----	----	----	----	0 -	6		
671	----	----	----	-----/0.0080A	0.0395B/0.0080A	----	----	0.0000 - 0.0715	----	----	----	----	----	----	----	----	0 -	1		
672	----	----	----	0.1105B/-----	0.1105B/0.0240A	----	----	0.0865 + 0.0675	.0000	4	----	----	----	----	----	----	0 -	4		
675	----	----	----	-----/0.0080A	0.0255B/0.0080A	----	----	0.0000 - 0.0490	----	----	----	----	----	----	----	----	0 -	2		
676	----	----	----	0.1505B/-----	0.1505B/0.0435A	----	----	0.1265 + 0.0885	----	2	----	----	----	----	----	----	0 -	2		
677	----	----	----	0.1600B/-----	0.1600B/0.0650A	----	----	0.1365 + 0.0930	----	2	----	----	----	----	----	----	0 -	2		
677	----	----	----	-----/0.0080A	0.0220B/0.0080A	----	----	0.0000 - 0.0400	----	----	----	----	----	----	----	----	0 -	2		
680	0.1890	0.1890		0.1905B/0.1890	0.1905B/0.0835A	----	----	0.1665 + 0.1040	----	1	----	----	1	----	----	----	0 -	1		
680	----	----	----	-----/0.0080A	0.0120B/0.0080A	----	----	0.0000 - 0.0285	----	----	----	----	----	----	----	----	0 -	32		
681	0.1800	0.1800		0.2000B/0.1800	0.2000B/0.0900A	----	----	0.1765 + 0.1070	----	----	----	----	2	----	----	----	0 -	2		
682	0.0005	0.0005		0.0005/0.0005	0.0070B/0.0005	----	----	0.0000 - 0.0225	----	----	----	----	4	----	----	----	0 -	2		
685	----	----	----	-----/0.0080A	0.0015B/0.0080A	----	----	0.0000 - 0.0150	----	----	----	----	----	----	----	----	0 -	35		
688	----	----	----	-----/0.0080A	0.0005B/0.0080A	----	----	0.0000 - 0.0100	----	----	----	----	----	----	----	----	0 -	4		
689	----	----	----	-----/0.0080A	0.0005B/0.0080A	----	----	0.0000 - 0.0090	----	----	----	----	----	----	----	----	0 -	4		
690	----	----	----	-----/0.0080A	0.0000 - 0.0080	----	----	0.0000 - 0.0080	----	----	----	----	----	----	----	----	0 -	43		
695	----	----	----	-----/0.0080A	0.0000 - 0.0040	----	----	0.0000 - 0.0040	----	----	----	----	----	----	----	----	0 -	10		
700	----	----	----	-----/0.0080A	0.0000 - 0.0020	----	----	0.0000 - 0.0020	----	----	----	----	----	----	----	----	0 -	40		
705	----	----	----	-----/0.0080A	0.0000 - 0.0010	----	----	0.0000 - 0.0010	----	----	----	----	----	----	----	----	0 -	25		
710	----	----	----	-----/0.0080A	0.0000 - 0.0005	----	----	0.0000 - 0.0005	----	----	----	----	----	----	----	----	0 -	21		
720	----	----	----	-----/0.0080A	0.0000 - 0.0005	----	----	0.0000 - 0.0005	----	----	----	----	----	----	----	----	0 -	12		
725	----	----	----	-----/0.0080A	0.0000 - 0.0005	----	----	0.0000 - 0.0005	----	----	----	----	----	----	----	----	0 -	15		
730	----	----	----	-----/0.0080A	0.0000 - 0.0005	----	----	0.0000 - 0.0005	----	----	----	----	----	----	----	----	0 -	10		
TOTAL														26			0 -	623		
OCT26																				
500	0.0005	0.0005		0.0005/0.0005	0.0005/0.0005	----	----	0.0005 UNCH	.0019	----	----	----	19	----	----	----	19 +	19		
525	----	----	----	-----/0.0085A	0.0005B/0.0075A	----	----	0.0005 UNCH	----	----	----	----	----	----	----	----	30	UNCH		
615	----	----	----	----	0.0005B/0.0075A	----	----	0.0035 + 0.0025	.0241	----	----	----	----	----	----	----	30	UNCH		
625	----	----	----	0.0030B/-----	0.0030B/0.0090A	----	----	0.0060 + 0.0040	.0444	----	----	----	----	----	----	----	1	UNCH		
630	----	----	----	0.0065B/-----	0.0065B/0.0100A	----	----	0.0090 + 0.0060	.0664	----	----	----	----	----	----	----	135	UNCH		
635	0.0150	0.0150		0.0150/0.0150	0.0150/0.0120A	----	----	0.0135 + 0.0090	.0979	----	15	----	----	----	----	----	59 +	15		
640	----	----	----	0.0195B/-----	0.0195B/0.0135A	----	----	0.0225 + 0.0155	.1507	----	----	----	----	----	----	----	20	UNCH		
645	0.0270	0.0270		0.0320B/0.0270	0.0320B/0.0180A	----	----	0.0350 + 0.0235	.2147	----	1	----	----	----	----	----	32 +	1		
650	----	----	----	0.0505B/-----	0.0505B/0.0235A	----	----	0.0515 + 0.0340	.2874	----	----	----	----	----	----	----	51	UNCH		
650	----	----	----	0.0825B/-----	0.0825B/0.0440A	----	----	0.0795 + 0.0460	.3332	----	----	----	----	----	----	----	1	UNCH		
655	----	----	----	0.0730B/-----	0.0730B/0.0340A	----	----	0.0720 + 0.0450	.3642	----	----	----	----	----	----	----	1	UNCH		
660	----	----	----	0.0985B/-----	0.0985B/0.0480A	----	----	0.0965 + 0.0560	.4415	----	----	----	----	----	----	----	1	UNCH		
675	----	----	----	0.1965B/-----	0.1965B/0.1120A	----	----	0.1910 + 0.0885	.6466	----	----	----	----	----	----	----	10	UNCH		
680	----	----	----	-----/0.0470A	0.0815B/0.0470A	----	----	0.0620 - 0.0355	.2978	----	----	----	----	----	----	----	55	UNCH		
690	----	----	----	-----/0.0315A	0.0495B/0.0315A	----	----	0.0435 - 0.0215	.2112	----	----	----	----	----	----	----	46	UNCH		
695	----	----	----	-----/0.0260A	0.0380B/0.0260A	----	----	0.0365 - 0.0165	.1773	----	----	----	----	----	----	----	14	UNCH		
700	----	----	----	-----/0.0210A	0.0300B/0.0210A	----	----	0.0310 - 0.0125	.1495	----	----	----	----	----	----	----	26	UNCH		
725	----	----	----	-----/0.0175A	0.0200B/0.0175A	----	----	0.0220 - 0.0045	.0958	----	----	----	----	----	----	----	2	UNCH		
775	----	----	----	----	0.0005B/0.0105A	----	----	0.0015 UNCH	.0065	----	----	----	----	----	----	----	1	UNCH		
800	----	----	----	----	-----/0.0095A	0.0005B/0.0095A	----	----	0.0005 UNCH	.0020	----	----	----	----	----	----	29	UNCH		
850	0.0015	0.0015		0.0015/0.0015	0.0015/0.0015	----	----	0.0010 NEW	.0042	----	----	----	19	----	----	----	19 +	54		
TOTAL														54			582 +	54		
HMW THU OCT26	COPPER WEEKLY THURSDAY OPT Week4																			
500	0.0005	0.0005		0.0005/0.0005	0.0005/0.0005	----	----	0.0020 UNCH	.0065	----	----	----	9	----	----	----	9 +	9		
500	----	----	----	-----/0.0090A	0.0005B/0.0090A	----	----	0.0005 UNCH	----	----	----	----	----	----	----	----	19	UNCH		
525	----	----	----	----	-----/0.0105A	0.0005B/0.0105A	----	----	0.0005 UNCH	.0022	----	----	----	----	----	----	30	UNCH		
600	----	----	----	----	0.0070B/0.0165A	0.0070B/0.0165A	----	----	0.0115 + 0.0040	.0560	----	----	----	----	----	----	1	UNCH		
600	----	----	----	----	-----/0.0095A	0.0005B/0.0095A	----	----	0.0005 - 0.0005	.0018	----	----	----	----	----	----	1	UNCH		
625	0.0050	0.0050		0.0050/0.0050	0.0050/0.0050	----	----	0.0035 NEW	.0206	----	----	----	1	----	----	----	1 +	1		
635	----	----	----	0.0545B/-----	0.0545B/0.0420A	----	----	0.0560 + 0.0265	.2249	----	----	----	----	----	----	----	1	UNCH		
640	0.0750	0.0750		0.0765B/0.0750	0.0765B/0.0510A	----	----	0.0700 + 0.0325	.2665	----	3	----	3	----	----	----	0 -	3		
640	----	----	----	0.0585B/-----	0.0585B/0.0365A	----	----	0.0545 + 0.0280	.2409	----	----									

BULLETIN #186@				METALS OPTION PRODUCTS										Mon, Sep 28, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST			
HWR THU	COPPER WEEKLY THURSDAY OPT Week4																	
TOTAL													37		516+	21		
HWT TUE	COPPER WEEKLY TUESDAY OPTION week5																	
SEP26																		
525	----	----		----	----/0.0080A	----		0.0005	UNCH	----	----	----	----		29	UNCH		
628	----	----		----	----/0.0085A	----		0.0005	UNCH	----	----	----	----		1	UNCH		
630	----	----		----	----/0.0085A	----		0.0005	UNCH	----	----	----	----		5	UNCH		
645	----	----		----		0.0005B/0.0105A		0.0015	+ 0.0005	.0055	----	----	----		1	UNCH		
650	----	----		----		0.0005B/0.0120A		0.0045	+ 0.0030	.0312	----	----	----		1	UNCH		
653	0.0040	0.0040		0.0055B/0.0040	0.0055B/0.0040	0.0055B/0.0040		0.0075	NEW	.0684	----	2		2	+			
655	----	----		0.0120B/----	0.0120B/0.0135A	----		0.0105	+ 0.0080	.1110	----	----	----		2	UNCH		
657	0.0310	0.0310		0.0310/0.0310	0.0310/0.0140A	----		0.0150	NEW	.1762	----	1		1	+			
660	0.0395	0.0395		0.0395/0.0395	0.0395/0.0135A	----		0.0250	NEW	.3143	----	1		1	+			
661	0.0335	0.0335		0.0335/0.0335	0.1310B/0.0335	----		0.0525	NEW	.6329	----	3		3	+			
663	0.0320	0.0320		0.0320/0.0320	0.1130B/0.0320	----		0.0425	NEW	.5214	----	2		2	+			
665	0.0410	0.0410		0.0635B/0.0410	0.0635B/0.0205A	----		0.0505	+ 0.0370	.5850	----	1		2	+			
665	0.0260	0.0260		0.0260/0.0260	0.0970B/0.0260	----		0.0345	NEW	.4149	----	20		20	+			
670	0.0200	0.0200		0.0240/0.0165	0.0635B/0.0165	----		0.0205	NEW	.2109	----	23		23	+			
671	0.0205	0.0205		0.0205/0.0190A	0.0570B/0.0190A	----		0.0185	NEW	.1819	----	2		2	+			
676	----	----		0.1550B/----	0.1550B/0.0655A	----		0.1370	+ 0.0800	.9206	----	----	----		1	UNCH		
678	----	----		0.1740B/----	0.1740B/0.0935A	----		0.1545	+ 0.0860	.9467	----	----	----		3	UNCH		
678	----	----		----/0.0135A	0.0385B/0.0135A	----		0.0080	- 0.0465	.0532	----	----	----		10	UNCH		
740	----	----		----	----/0.0080A	----		0.0005	UNCH	----	----	----	----		1	UNCH		
TOTAL													55		110+	55		
OCT26																		
500	----	----		----	----/0.0085A	----		0.0005	UNCH	.0000	----	----	----		30	UNCH		
500	----	----		----		0.0005		0.0005	UNCH	----	----	----	----		19	UNCH		
635	----	----		0.0345B/----	0.0345B/0.0240A	----		0.0340	+ 0.0185	.1765	----	----	----		1	UNCH		
645	0.0380	0.0380		0.0395B/0.0380	0.0395B/0.0215A	----		0.0340	+ 0.0205	.2136	----	1		3	+			
650	0.0565	0.0565		0.0585B/0.0565	0.0585B/0.0285A	----		0.0525	NEW	.2907	----	7		7	+			
655	----	----		0.0805B/----	0.0805B/0.0400A	----		0.0765	+ 0.0445	.3699	----	----	----		1	UNCH		
665	----	----		0.1355B/----	0.1355B/0.0735A	----		0.1325	+ 0.0695	.5135	----	----	----		1	UNCH		
700	----	----		----/0.0245A	0.0350B/0.0245A	----		0.0360	- 0.0115	.1650	----	----	----		15	UNCH		
720	----	----		----/0.0145A	0.0150B/0.0145A	----		0.0185	- 0.0030	.0845	----	----	----		1	UNCH		
TOTAL													8		78+	8		
HWW WED	COPPER WEEKLY WEDNESDAY OPTION WEEK																	
SEP26																		
525	----	----		----	----/0.0080A	----		0.0005	UNCH	----	----	----	----		29	UNCH		
550	----	----		----	----/0.0080A	----		0.0005	UNCH	----	----	----	----		1	UNCH		
625	----	----		----	----/0.0105A	----		0.0005	UNCH	.0009	----	----	----		1	UNCH		
630	----	----		----	----/0.0110A	----		0.0010	+ 0.0005	.0047	----	----	----		1	UNCH		
635	----	----		----	0.0005B/0.0110A	0.0005B/0.0110A		0.0020	+ 0.0010	.0118	----	----	----		1	UNCH		
645	0.0100	0.0100		0.0100/0.0100	0.0100/0.0100	----		0.0075	+ 0.0050	.0622	----	15		15	+			
650	----	----		0.0125B/----	0.0125B/0.0125A	----		0.0135	+ 0.0095	.1246	----	----	----		6	UNCH		
654	0.0330	0.0330		0.0330/0.0330	0.0330/0.0135A	----		0.0240	+ 0.0180	.2182	----	3		4	+			
655	----	----		0.0295B/----	0.0295B/0.0130A	----		0.0275	+ 0.0205	.2462	----	----	----		5	UNCH		
658	0.0510	0.0510		0.0510/0.0510	0.0510/0.0160A	----		0.0395	NEW	.3346	----	1		1	+			
660	----	----		0.0545B/----	0.0545B/0.0195A	----		0.0490	+ 0.0365	.3957	----	----	----		1	UNCH		
661	0.0620	0.0620		0.0620/0.0620	0.0620/0.0215A	----		0.0540	NEW	.4260	----	1		1	+			
665	----	----		0.0860B/----	0.0860B/0.0315A	----		0.0765	+ 0.0530	.5430	----	----	----		35	UNCH		
665	----	----		----/0.0505A	0.0875B/0.0505A	----		0.0600	- 0.0795	.4568	----	----	----		10	UNCH		
670	----	----		0.1150B/----	0.1150B/0.0500A	----		0.1100	+ 0.0685	.6702	----	----	----		6	UNCH		
685	0.0130	0.0130		0.0130/0.0130	0.0300B/0.0130	----		0.0160	NEW	.1033	----	1		1	+			
690	----	----		----/0.0130A	0.0185B/0.0130A	----		0.0115	- 0.0210	.0680	----	----	----		30	UNCH		
775	----	----		----	----/0.0085A	----		0.0005	UNCH	----	----	----	----		1	UNCH		
TOTAL													21		149+	20		
OCT26																		
500	----	----		----	----/0.0085A	----		0.0005	UNCH	----	----	----	----		11	UNCH		
500	----	----		----		0.0005		0.0005	UNCH	.0020	----	----	----		30	UNCH		
525	----	----		----	----/0.0090A	----		0.0005	UNCH	.0000	----	----	----		19	UNCH		
565	----	----		----	----/0.0100A	0.0100/0.0100A		0.0010	- 0.0005	.0047	----	----	----		1	UNCH		
575	----	----		----	----/0.0105A	0.0105/0.0105A		0.0015	- 0.0005	.0074	----	----	----		1	UNCH		
600	----	----		----	0.0005B/0.0080A	0.0005B/0.0080A		0.0035	- 0.0005	.0204	----	----	----		9	UNCH		
610	----	----		----	0.0080B/0.0110A	0.0080B/0.0110A		0.0105	+ 0.0025	.0581	----	----	----		1	UNCH		
625	----	----		0.0080B/----	0.0080B/0.0105A	----		0.0105	+ 0.0045	.0694	----	----	----		10	UNCH		
630	0.0365	0.0365		0.0375B/0.0365	0.0375B/0.0315A	----		0.0405	NEW	.1789	----	15		15	+			
635	0.0175	0.0175		0.0200B/0.0175	0.0200B/0.0140A	----		0.0210	+ 0.0135	.1320	----	30		31	+			
635	0.0335	0.0335		0.0405B/0.0335	0.0405B/0.0265A	----		0.0365	NEW	.1832	----	15		15	+			
640	0.0235	0.0235		0.0320/0.0235	0.0320/0.0185A	----		0.0300	+ 0.0195	.1791	----	37		57	+			
645	----	----		0.0445B/----	0.0445B/0.0240A	----		0.0430	+ 0.0275	.2381	----	----	----		100	UNCH		
650	----	----		0.0640B/----	0.0640B/0.0315A	----		0.0610	+ 0.0375	.3063	----	----	----		16	UNCH		
660	----	----		0.1145B/----	0.1145B/0.0600A	----		0.1095	+ 0.0605	.4463	----	----	----		4	UNCH		
665	----	----		0.1415B/----	0.1415B/0.0790A	----		0.1390	+ 0.0725	.5117	----	----	----		20	UNCH		
670	----	----		0.1750B/----	0.1750B/0.1015A	----		0.1715	+ 0.0840	.5720	----	----	----		11	UNCH		
670	0.1340	0.1340		0.1340/0.1105A	0.1545B/0.1105A	----		0.1265	NEW	.4422	----	10		10	+			
675	----	----		0.2115B/----	0.2115B/0.1260A	----		0.2065	+ 0.0940	.6266	----	----	----		35	UNCH		
675	----	----		----/0.0695A	0.1110B/0.0695A	----		0.0900	- 0.0385	.3731	----	----	----		81	UNCH		
680	----	----		0.2500B/----	0.2500B/0.1690A	----		0.2430	+ 0.1020	.6756	----							

BULLETIN #186@										METALS OPTION PRODUCTS										Mon, Sep 28, 2026				PG64
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME								OPEN INTEREST				
HX CALL	COMEX COPPER OPTIONS																							
NOV26																								
660	0.1970	0.1970	0.2070/0.1780A	0.2420B/0.1780A	----		0.1965 - 0.0715	.5433	----	----	21	----	240	UNCH										
664	0.1815	0.1815	0.1815/0.1610A	0.2120B/0.1610A	----		0.1780 NEW .5075		----	----	48	----	46 +	46										
665	0.1770	0.1770	0.1780/0.1570A	0.2130B/0.1570A	----		0.1740 - 0.0645	.4987	----	----	28	----	75 +	20										
666	0.1725	0.1725	0.1725/0.1525A	0.2065B/0.1525A	----		0.1695 NEW .4899		----	----	7	----	7 +	7										
670	----	----	----/0.1370A	0.1860B/0.1370A	----		0.1535 - 0.0585	.4554	----	105	300	393 +	251											
675	0.1315	0.1315	0.1400/0.1195A	0.1675B/0.1195A	----		0.1350 - 0.0525	.4138	----	95	----	343 +	73											
680	0.1190	0.1190	0.1235/0.1040A	0.1495B/0.1040A	----		0.1185 - 0.0470	.3744	----	112	----	226 +	61											
685	0.1195	0.1195	0.1195/0.0900A	0.1295B/0.0900A	----		0.1035 - 0.0420	.3370	----	154	----	260 -	13											
690	0.0940	0.0940	0.1025/0.0780A	0.1120B/0.0780A	----		0.0905 - 0.0370	.3024	----	89	----	115 -	2											
695	0.0705	0.0705	0.0925/0.0675A	0.0980B/0.0675A	----		0.0795 - 0.0320	.2711	----	171	----	278 +	89											
700	0.0580	0.0580	0.0735/0.0570A	0.0850B/0.0570A	----		0.0690 - 0.0280	.2413	----	94	----	483 +	56											
705	0.0550	0.0550	0.0630/0.0505A	0.0720B/0.0505A	----		0.0605 - 0.0240	.2153	----	7	----	308 -	1											
710	0.0480	0.0480	0.0640B/0.0430A	0.0640B/0.0430A	----		0.0530 - 0.0205	.1917	----	39	----	307 +	3											
714	0.0490	0.0490	0.0565B/0.0390A	0.0565B/0.0390A	----		0.0475 NEW .1741		----	6	----	6 +	6											
715	0.0475	0.0475	0.0550B/0.0375A	0.0550B/0.0375A	----		0.0460 - 0.0175	.1695	----	107	----	220 +	106											
716	0.0465	0.0465	0.0545B/0.0365A	0.0545B/0.0365A	----		0.0450 - 0.0170	.1660	----	5	----	7 +	5											
719	0.0430	0.0430	0.0500B/0.0335A	0.0500B/0.0335A	----		0.0415 NEW .1544		----	3	----	3 +	3											
720	0.0350	0.0350	0.0495B/0.0330A	0.0495B/0.0330A	----		0.0405 - 0.0150	.1509	----	142	----	315 +	93											
721	0.0420	0.0420	0.0485B/0.0320A	0.0485B/0.0320A	----		0.0395 - 0.0145	.1475	----	20	----	18 +	17											
724	0.0380	0.0380	0.0450B/0.0295A	0.0450B/0.0295A	----		0.0365 NEW .1373		----	13	----	12 +	12											
725	0.0255	0.0255	0.0445B/0.0255	0.0445B/0.0255	----		0.0355 - 0.0130	.1339	----	134	----	381 +	15											
726	0.0365	0.0365	0.0430B/0.0280A	0.0430B/0.0280A	----		0.0345 - 0.0130	.1305	----	11	----	12 +	11											
730	0.0270	0.0270	0.0385B/0.0255A	0.0385B/0.0255A	----		0.0315 - 0.0110	.1195	----	88	----	232 +	51											
735	0.0295	0.0295	0.0345B/0.0220A	0.0345B/0.0220A	----		0.0280 - 0.0095	.1068	----	1	----	33	UNCH											
740	0.0240	0.0240	0.0310B/0.0200A	0.0310B/0.0200A	----		0.0250 - 0.0075	.0957	----	17	----	151	UNCH											
745	0.0205	0.0205	0.0280B/0.0175A	0.0280B/0.0175A	----		0.0220 - 0.0070	.0849	----	1	----	28	UNCH											
750	0.0150	0.0150	0.0250B/0.0150	0.0250B/0.0150	----		0.0200 - 0.0055	.0769	----	13	----	264 -	5											
755	----	----	----/0.0145A	0.0225B/0.0145A	----		0.0180 - 0.0045	.0693	----	1	----	45	UNCH											
760	0.0155	0.0155	0.0200B/0.0125A	0.0200B/0.0125A	----		0.0165 NEW .0632		----	7	----	7 +	7											
770	0.0130	0.0130	0.0160B/0.0105A	0.0160B/0.0105A	----		0.0130 NEW .0502		----	1	----	1 +	1											
775	0.0115	0.0115	0.0145/0.0095A	0.0145/0.0095A	----		0.0120 - 0.0025	.0461	----	103	----	464 +	30											
800	0.0095	0.0095	0.0095/0.0045	0.0095/0.0045	----		0.0075 - 0.0015	.0285	----	237	----	260 +	18											
825	0.0045	0.0045	0.0045/0.0035A	0.0045/0.0035A	----		0.0055 - 0.0010	.0201	----	1	----	91	UNCH											
850	0.0025	0.0025	0.0040/0.0025	0.0040/0.0025	----		0.0040 - 0.0010	.0141	----	2	----	93 -	1											
875	----	----	----/0.0030A	0.0015B/0.0030A	----		0.0030 - 0.0005	.0103	----	----	----	9	UNCH											
900	0.0025	0.0025	0.0025/0.0025	0.0025/0.0025	----		0.0020 - 0.0005	.0068	----	2	----	19	UNCH											
925	0.0005	0.0005	0.0005/0.0005	0.0005/0.0005	----		0.0010 - 0.0005	.0035	----	4	----	41 +	4											
950	----	----	----/0.0020A	----	----		0.0010 UNCH .0033		----	----	----	3	UNCH											
975	0.0015	0.0015	0.0015/0.0015	0.0015/0.0015	----		0.0005 UNCH .0017		----	1	----	31	UNCH											
TOTAL										300	1890	6244 +	963											
DEC26																								
525	----	----	----/1.3740A	1.3885B/1.3740A	----		1.3865 - 0.1320	.9782	----	----	----	----	123	UNCH										
535	----	----	----	----	----		1.2875 - 0.1320	.9743	----	----	----	----	1	UNCH										
550	----	----	----	----	----		1.1400 - 0.1310	.9652	----	----	----	----	2	UNCH										
555	----	----	----/1.0715A	1.1040B/1.0715A	----		1.0915 - 0.1305	.9604	----	----	----	----	1	UNCH										
565	----	----	----/0.9740A	1.0145B/0.9740A	----		0.9945 - 0.1295	.9501	----	----	----	----	45	UNCH										
575	----	----	----/0.8785A	0.9200B/0.8785A	----		0.8995 - 0.1275	.9355	----	----	----	----	123	UNCH										
585	----	----	----/0.7860A	0.8585B/0.7860A	----		0.8065 - 0.1245	.9156	----	----	----	----	1	UNCH										
590	----	----	----/0.7405A	0.8300B/0.7405A	----		0.7610 - 0.1230	.9027	----	----	----	----	201	UNCH										
595	----	----	----/0.6955A	0.7835B/0.6955A	----		0.7165 - 0.1205	.8876	----	----	----	----	163	UNCH										
600	----	----	----/0.6530A	0.7385B/0.6530A	----		0.6730 - 0.1185	.8706	----	----	----	----	603	UNCH										
605	----	----	----/0.6110A	0.6940B/0.6110A	----		0.6305 - 0.1160	.8518	----	----	----	----	1	UNCH										
610	----	----	----/0.5695A	0.6510B/0.5695A	----		0.5895 - 0.1130	.8312	----	----	----	----	200	UNCH										
615	----	----	----/0.5310A	0.6085B/0.5310A	----		0.5500 - 0.1095	.8077	----	----	----	----	1	UNCH										
620	----	----	----/0.4925A	0.5680B/0.4925A	----		0.5120 - 0.1060	.7829	----	----	----	----	421	UNCH										
625	----	----	----/0.4560A	0.5280B/0.4560A	----		0.4755 - 0.1020	.7559	----	----	----	----	57	UNCH										
630	----	----	----/0.4220A	0.4900B/0.4220A	----		0.44.																	

BULLETIN #186@				METALS OPTION PRODUCTS								Mon, Sep 28, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
HX CALL	COMEX COPPER OPTIONS													
FEB27														
705	----	----	----/0.2720A	0.2920B/0.2720A	----	0.2705 - 0.0495	.4078	----	----	----	----	1	UNCH	
725	----	----	----/0.2155A	0.2280B/0.2155A	----	0.2140 - 0.0395	.3403	----	----	----	----	9	UNCH	
735	----	----	----/0.1925A	0.2010B/0.1925A	----	0.1905 - 0.0355	.3101	----	----	----	----	30	UNCH	
740	----	----	----/0.1815A	0.1880B/0.1815A	----	0.1795 - 0.0335	.2956	----	----	----	----	10	UNCH	
745	----	----	----/0.1720A	0.1760B/0.1720A	----	0.1695 - 0.0315	.2820	----	----	----	----	2	UNCH	
750	----	----	----/0.1625A	0.1650B/0.1625A	----	0.1600 - 0.0295	.2688	----	----	----	----	73	UNCH	
765	----	----	----/0.1380A	0.1355B/0.1380A	----	0.1345 - 0.0245	.2325	----	----	----	----	2	UNCH	
850	----	----		0.0465B/0.0615A	----	0.0515 - 0.0080	.1000	----	----	----	----	60	UNCH	
900	----	----		0.0275B/0.0430A	----	0.0310 - 0.0045	.0623	----	----	----	----	49	UNCH	
925	----	----		0.0210B/0.0370A	----	0.0250 - 0.0035	.0506	----	----	----	----	6	UNCH	
950	----	----		0.0160B/0.0330A	----	0.0200 NEW	.0408	----	----	2	----	2	+	
1000	----	----		0.0100B/0.0255A	----	0.0140 - 0.0020	.0285	----	----	----	----	57	UNCH	
TOTAL										3		431+		
MAR27														
580	----	----	----	----	----	1.0235 - 0.1140	.8435	----	----	----	----	1	UNCH	
595	----	----	----	----	----	0.9055 - 0.1080	.8043	----	----	----	----	2	UNCH	
600	----	----	----	----	----	0.8680 - 0.1060	.7899	----	----	----	----	2	UNCH	
605	----	----	----	----	----	0.8310 - 0.1040	.7751	----	----	----	----	1	UNCH	
625	----	----	----/0.6875A	0.7510B/0.6875A	----	0.6945 - 0.0935	.7095	----	----	----	----	16	UNCH	
640	----	----	----/0.5995A	0.6530B/0.5995A	----	0.6035 - 0.0850	.6562	----	----	----	----	1	UNCH	
645	----	----	----/0.5720A	0.6225B/0.5720A	----	0.5755 - 0.0820	.6379	----	----	----	----	1	UNCH	
650	----	----	----/0.5460A	0.5925B/0.5460A	----	0.5485 - 0.0795	.6194	----	----	----	----	7	UNCH	
660	----	----	----/0.4980A	0.5370B/0.4980A	----	0.4975 - 0.0740	.5825	----	----	----	----	15	UNCH	
670	----	----	----/0.4520A	0.4860B/0.4520A	----	0.4505 - 0.0695	.5456	----	----	----	----	1	UNCH	
675	----	----	----/0.4310A	0.4620B/0.4310A	----	0.4285 - 0.0670	.5273	----	----	----	----	41	UNCH	
680	----	----	----/0.4105A	0.4380B/0.4105A	----	0.4080 - 0.0640	.5094	----	----	----	----	30	UNCH	
690	----	----	----/0.3720A	0.3955B/0.3720A	----	0.3685 - 0.0595	.4741	----	----	----	----	2	UNCH	
700	----	----	----/0.3370A	0.3550B/0.3370A	----	0.3330 - 0.0545	.4403	----	----	----	----	741	UNCH	
725	----	----	----/0.2615A	0.2705B/0.2615A	----	0.2570 - 0.0430	.3620	----	----	----	----	38	UNCH	
740	----	----	----/0.2245A	0.2280B/0.2245A	----	0.2200 - 0.0370	.3203	----	----	----	----	16	UNCH	
750	----	----	----/0.2030A	0.2035B/0.2030A	----	0.1985 - 0.0335	.2948	----	----	----	----	219	UNCH	
755	----	----	----/0.1930A	0.1920B/0.1930A	----	0.1885 - 0.0315	.2826	----	----	----	----	1	UNCH	
770	----	----	----/0.1670A	0.1615B/0.1670A	----	0.1615 - 0.0270	.2488	----	----	----	----	575	UNCH	
775	----	----	----/0.1590A	0.1525B/0.1590A	----	0.1535 - 0.0255	.2384	----	----	----	----	619	UNCH	
800	----	----	----/0.1270A	0.1135B/0.1270A	----	0.1200 - 0.0185	.1929	----	----	----	----	89	UNCH	
850	0.0800	0.0800	0.0800/0.0800	0.0800/0.0800	----	0.0750 - 0.0090	.1269	----	----	50	----	544	+	
875	----	----	----	0.0510B/0.0710A	----	0.0625 - 0.0070	.1062	----	----	----	----	39	UNCH	
900	----	----	----	0.0400B/0.0605A	----	0.0515 - 0.0060	.0883	----	----	----	----	26	UNCH	
950	----	----	----	0.0250B/0.0465A	----	0.0340 - 0.0035	.0600	----	----	----	----	3	UNCH	
1000	----	----	----	0.0155B/0.0370A	----	0.0215 - 0.0020	.0394	----	----	----	----	23	UNCH	
TOTAL										50		3053+		
APR27														
675	----	----	----/0.5220A	0.5405B/0.5220A	----	0.5125 - 0.0700	.5540	----	----	----	----	1	UNCH	
680	----	----	----/0.5000A	0.5165B/0.5000A	----	0.4910 - 0.0675	.5377	----	----	----	----	5	UNCH	
720	----	----	----/0.3565A	0.3555B/0.3565A	----	0.3445 - 0.0510	.4162	----	----	1	----	0	-	
740	----	----	----/0.2990A	0.2925B/0.2990A	----	0.2880 - 0.0430	.3627	----	----	1	----	0	-	
775	----	----	----/0.2205A	0.2055B/0.2205A	----	0.2090 - 0.0320	.2813	----	----	----	----	3	UNCH	
1000	----	----	----	0.0220B/0.0545A	----	0.0320 - 0.0055	.0533	----	----	----	----	2	UNCH	
TOTAL										2		11	-	
MAY27														
685	----	----	----/0.5400A	0.5400B/0.5400A	----	0.5225 - 0.0655	.5268	----	----	----	----	2	UNCH	
700	----	----	----/0.4830A	0.4770B/0.4830A	----	0.4650 - 0.0600	.4847	----	----	----	----	13	UNCH	
705	----	----	----/0.4650A	0.4575B/0.4650A	----	0.4470 - 0.0580	.4710	----	----	----	----	2	UNCH	
750	----	----	----/0.3300A	0.3110B/0.3300A	----	0.3120 - 0.0435	.3591	----	----	----	----	10	UNCH	
800	----	----	----/0.2270A	0.1975B/0.2270A	----	0.2070 - 0.0305	.2591	----	----	----	----	40	UNCH	
1000	----	----	----	0.0315B/0.0735A	----	0.0490 - 0.0080	.0721	----	----	----	----	40	UNCH	
TOTAL												107		
JUN27														
700	----	----	----/0.5615A	0.5465B/0.5615A	----	0.5365 - 0.0620	.5093	----	----	----	----	11	UNCH	
750	0.3800	0.3800	0.3800/0.3800	0.3800/0.3800	----	0.3750 - 0.0480	.3901	----	----	1	----	532	+	
770	0.3230	0.3230	0.3230/0.3230	0.3230/0.3230	----	0.3240 - 0.0425	.3483	----	----	2	----	22	+	
TOTAL										3		565	+	
HX PUT	COMEX COPPER OPTIONS													
NOV26														
390	----	----	----	----/0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	3	UNCH	
400	----	----	----	----/0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	17	UNCH	
405	----	----	----	----/0.0015A	----	0.0005 UNCH	.0000	----	----	----	----	10	UNCH	
410	----	----	----	----/0.0015A	----	0.0005 UNCH	.0000	----	----	----	----	57	UNCH	
425	----	----	----	----/0.0015A	----	0.0005 UNCH	.0002	----	----	----	----	40	UNCH	
430	----	----	----	----/0.0015A	----	0.0005 UNCH	.0003	----	----	----	----	4	UNCH	
435	0.0015	0.0015	0.0015/0.0015	0.0015/0.0015	----	0.0005 UNCH	.0005	----	----	215	----	215	+	
475	----	----	----	0.0005B/0.0025A	----	0.0010 UNCH	.0032	----	----	----	----	52	UNCH	
480	----	----	----	0.0010B/0.0030A	----	0.0015 UNCH	.0046	----	----	----	----	3	UNCH	
490	----	----	----	0.0010B/0.0030A	----	0.0020 + 0.0005	.0062	----	----	----	----	3	UNCH	
500	----	----	----	0.0015B/0.0035A	----	0.0020 UNCH	.0066	----	----	----	----	117	UNCH	
510	----	----	----	0.0020B/0.0040A	----	0.0025 UNCH	.0084	----	----	----	----	10	UNCH	
520	----	----	----	0.0025B/0.0045A	----	0.0030 UNCH	.0104	----	----	----	----	5	UNCH	
525	----	----	----	0.0025B/0.0045A	----	0.0035 + 0.0005	.0122	----	----	----	----	8	UNCH	
530	----	----	----	0.0030B/0.0050A	----	0.0035 UNCH	.0126	----	----	----	----	2	UNCH	
535	0.0045	0.0045	0.0045/0.0045	0.0045/0.0045	----	0.0040 + 0.0005	.0145	----	----	5	----	32	UNCH	
540	0.0035	0.0035	0.0045/0.0035	0.0045/0.0035	----	0.0045 + 0.0010	.0165	----	----	11	----	19	+	
550	0.0055	0.0055	0.0055/0.0055	0.0055/0.0055	----	0.0050 + 0.								

BULLETIN #186@		METALS OPTION PRODUCTS										Mon, Sep 28, 2026		PG64		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
HX PUT DEC26	COMEX COPPER OPTIONS															
470	----	----	----	----	0.0020B/0.0045A	----	0.0030	UNCH	.0082	----	----	----	----	----	36	UNCH
475	----	----	----	----	0.0025B/0.0050A	----	0.0035	+ 0.0005	.0095	----	----	----	----	----	34	UNCH
480	----	----	----	----	0.0025B/0.0050A	----	0.0035	UNCH	.0097	----	----	----	----	----	18	UNCH
485	----	----	----	----	0.0030B/0.0055A	----	0.0040	+ 0.0005	.0111	----	----	----	----	----	1	UNCH
490	0.0045	0.0045	0.0045/0.0045	0.0045/0.0045	0.0045/0.0045	----	0.0040	+ 0.0005	.0114	----	----	10	----	----	18	+
495	----	----	----	----	0.0035B/0.0060A	----	0.0045	+ 0.0005	.0129	----	----	----	----	----	1	UNCH
500	----	----	----	----	0.0040B/0.0060A	----	0.0045	UNCH	.0133	----	----	1	----	----	221	UNCH
505	----	----	----	----	0.0040B/0.0065A	----	0.0050	UNCH	.0148	----	----	----	----	----	1	UNCH
510	----	----	----	----	0.0045B/0.0070A	----	0.0055	UNCH	.0164	----	----	----	----	----	8	UNCH
515	----	----	----	----	0.0050B/0.0070A	----	0.0060	UNCH	.0181	----	----	----	----	----	2	UNCH
520	----	----	----	----	0.0055B/0.0075A	----	0.0065	UNCH	.0198	----	----	----	----	----	8	UNCH
525	----	----	----	----	0.0060B/0.0080A	----	0.0070	+ 0.0005	.0216	----	----	----	----	----	31	UNCH
530	0.0080	0.0080	0.0080/0.0080	0.0080/0.0080	0.0080/0.0080	----	0.0075	+ 0.0005	.0235	----	----	1	----	----	89	UNCH
535	----	----	----	----	0.0075B/0.0095A	----	0.0080	+ 0.0005	.0255	----	----	----	----	----	1	UNCH
540	----	----	----	----	0.0090B/0.0095A	----	0.0085	UNCH	.0276	----	----	1	----	----	8	UNCH
545	----	----	----	----	0.0095B/0.0105A	----	0.0095	+ 0.0005	.0310	----	----	----	----	----	49	UNCH
550	0.0110	0.0110	0.0110/0.0110	0.0110/0.0110	0.0110/0.0110	----	0.0105	+ 0.0010	.0346	----	----	152	----	----	714	+
555	----	----	----	----	0.0120B/0.0125A	----	0.0120	+ 0.0020	.0394	----	----	----	----	----	1	UNCH
560	----	----	----	----	0.0135B/0.0140A	----	0.0130	+ 0.0020	.0433	----	----	----	----	----	330	UNCH
565	----	----	----	----	0.0160B/0.0155A	----	0.0150	+ 0.0030	.0497	----	----	----	----	----	28	UNCH
570	----	----	----	----	0.0185B/0.0175A	----	0.0170	+ 0.0040	.0563	----	----	----	----	----	18	UNCH
575	----	----	----	----	0.0215B/0.0190A	----	0.0195	+ 0.0050	.0643	----	----	----	----	----	419	UNCH
580	----	----	----	----	0.0245B/0.0220A	----	0.0225	+ 0.0060	.0736	----	----	----	----	----	216	UNCH
585	----	----	----	----	0.0285B/0.0260A	----	0.0260	+ 0.0070	.0842	----	----	----	----	----	31	UNCH
590	0.0355	0.0355	0.0355/0.0310	0.0355/0.0300A	0.0355/0.0300A	----	0.0305	+ 0.0090	.0971	----	----	3	----	----	242	UNCH
595	0.0365	0.0365	0.0400B/0.0365	0.0400B/0.0340A	0.0400B/0.0340A	----	0.0360	+ 0.0115	.1121	----	----	5	----	----	116	+
600	0.0460	0.0460	0.0480B/0.0420	0.0480B/0.0350A	0.0480B/0.0350A	----	0.0425	+ 0.0140	.1292	----	----	241	----	----	2120	+
605	----	----	----	----	0.0560B/0.0390A	----	0.0500	+ 0.0165	.1480	----	----	----	----	----	25	UNCH
610	----	----	----	----	0.0660B/0.0465A	----	0.0585	+ 0.0190	.1686	----	----	50	----	----	156	+
615	----	----	----	----	0.0770B/0.0540A	----	0.0690	+ 0.0225	.1921	----	----	----	----	----	141	UNCH
620	0.0845	0.0845	0.0895B/0.0845	0.0895B/0.0625A	0.0895B/0.0625A	----	0.0805	+ 0.0260	.2169	----	----	74	----	----	174	+
625	0.0965	0.0965	0.1050B/0.0965	0.1050B/0.0725A	0.1050B/0.0725A	----	0.0940	+ 0.0300	.2439	----	----	2	----	----	443	+
630	0.1155	0.1155	0.1215B/0.1155	0.1215B/0.0845A	0.1215B/0.0845A	----	0.1085	+ 0.0335	.2719	----	----	2	----	----	715	-
635	----	----	----	----	0.1390B/0.0970A	----	0.1255	+ 0.0380	.3018	----	----	----	----	----	303	UNCH
640	0.1300	0.1300	0.1585B/0.1300	0.1585B/0.1125A	0.1585B/0.1125A	----	0.1440	+ 0.0425	.3325	----	----	77	----	----	195	+
645	0.1735	0.1735	0.1810B/0.1720	0.1810B/0.1290A	0.1810B/0.1290A	----	0.1640	+ 0.0465	.3638	----	----	6	----	----	434	-
650	0.1745	0.1745	0.2040B/0.1745	0.2040B/0.1480A	0.2040B/0.1480A	----	0.1860	+ 0.0510	.3957	----	----	33	----	----	658	+
655	----	----	----	----	0.2295B/0.1680A	----	0.2100	+ 0.0555	.4278	----	----	----	----	----	617	UNCH
660	0.2420	0.2420	0.2560B/0.2420	0.2560B/0.1910A	0.2560B/0.1910A	----	0.2360	+ 0.0605	.4597	----	----	15	----	----	127	+
665	0.2670	0.2670	0.2855B/0.2660	0.2855B/0.2130A	0.2855B/0.2130A	----	0.2630	+ 0.0645	.4913	----	----	68	----	----	367	+
670	----	----	----	----	0.3155B/0.2400A	----	0.2920	+ 0.0690	.5221	----	----	1	----	1136	UNCH	
675	----	----	----	----	0.3470B/0.2655A	----	0.3230	+ 0.0735	.5520	----	----	----	----	277	UNCH	
680	0.3120	0.3120	0.3775B/0.3120	0.3775B/0.2925A	0.3775B/0.2925A	----	0.3550	+ 0.0775	.5811	----	----	1	----	----	56	-
685	----	----	----	----	0.4115B/0.3310A	----	0.3885	+ 0.0815	.6087	----	----	----	----	----	47	UNCH
690	----	----	----	----	0.4465B/0.3600A	----	0.4235	+ 0.0855	.6353	----	----	----	----	----	1	UNCH
700	----	----	----	----	0.5205B/0.4310A	----	0.4965	+ 0.0925	.6844	----	----	----	----	----	3	UNCH
730	----	----	----	----	0.7650B/0.6615A	----	0.7400	+ 0.1090	.8006	----	----	----	----	----	1	UNCH
750	----	----	----	----	0.9410B/0.8495A	----	0.9170	+ 0.1165	.8539	----	----	----	----	----	1	UNCH
TOTAL													743		10918	+
JAN27					----/0.0115A	----	0.0040	UNCH	.0064	----	----	----	----	----	1	UNCH
370	----	----	----	----	0.0005B/0.0120A	----	0.0050	UNCH	.0082	----	----	----	----	----	40	UNCH
390	----	----	----	----	0.0005B/0.0125A	----	0.0055	UNCH	.0092	----	----	----	----	----	12	UNCH
400	----	----	----	----	0.0005B/0.0135A	----	0.0070	UNCH	.0124	----	----	----	----	----	30	UNCH
425	----	----	----	----	0.0005B/0.0140A	----	0.0070	UNCH	.0127	----	----	----	----	----	1	UNCH
430	----	----	----	----	0.0005B/0.0140A	----	0.0075	+ 0.0005	.0137	----	----	----	----	----	1	UNCH
435	----	----	----	----	0.0005B/0.0145A	----	0.0075	UNCH	.0140	----	----	----	----	----	10	UNCH
440	----	----	----	----	0.0005B/0.0150A	----	0.0080	+ 0.0005	.0154	----	----	----	----	----	1	UNCH
450	----	----	----	----	0.0005B/0.0160A	----	0.0085	+ 0.0005	.0173	----	----	----	----	----	2	UNCH
465	----	----	----	----	0.0070B/0.0170A	----	0.0120	+ 0.0015	.0280	----	----	----	----	----	4	UNCH
510	----	----	----	----	0.0080B/0.0155A	----	0.0125	+ 0.0015	.0297	----	----	4	----	----	4	+
515	----	----	----	----	0.0090B/0.0160A	----	0.0135	+ 0.0020	.0323	----	----	----	----	----	2	UNCH
520	----	----	----	----	0.0105B/0.0180A	----	0.0145	+ 0.0025	.0349	----	----	----	----	----	2	UNCH
525	----	----	----	----	0.0285/0.0215A	0.0285/0.0215A	0.0185	+ 0.0040	.0453	----	----	1	----	----	3	UNCH
540	0.0285	0.0285	0.0285/0.0215A	0.0285/0.0215A	0.0285/0.0215A	----	0.0225	+ 0.0050	.0550	----	----	----	----	----	208	UNCH
550	----	----	----	----	0.0225B/0.0275A	----	0.0250	+ 0.0060	.0609	----	----	----	----	----	1	UNCH
555	----	----	----	----	0.0250B/0.0305A	----	0.0280	+ 0.0070	.0677	----	----	----	----	----	3	UNCH
560	----	----	----	----	0.0325B/0.0385A	----	0.0350	+ 0.0090	.0833	----	----	----	----	----	1	UNCH
570	----	----	----	----	0.0545B/0.0590A	----	0.0565	+ 0.0150	.1271	----	----	----	----	----	11	UNCH
590	----	----	----	----	0.0630B/0.0655A	----	0.0635	+ 0.0170	.1406	----	----	----	----	----	2	UNCH
595	----	----	----	----	0.0765/0.0765	0.0765/0.0720A	0.0715	+ 0.0190	.1553	----	----	1	----	----	359	UNCH
600	0.0765	0.0765	0.0800B/0.0765	0.0800B/0.0795A	0.0800B/0.0795A	----	0.0805	+ 0.0210	.1713	----	----	4	----	----	5	+
605	----	----	----	----	0.0895B/0.0880A	----	0.0905	+ 0.0235	.1885	----	----	----	----	----	3	UNCH
610	0.1010	0.1010	0.1140B/0.1010	0.1140B/0.1010	0.1140B/0.1010	----	0.1140	+ 0.0290	.2262	----	----	1	----	----	13	+
620	----	----	----	----	0.1290B/0.1185A	----	0.1275	+ 0.0320	.2465	----	----	----	----	----	2	UNCH
625	----	----	----	----	0.1425B/0.1300A	----	0.1425	+ 0.0355	.2679	----	----	----	----	----	1	UNCH
630	----	----	----	----	0.1625B/0.1440A	----	0.1585	NEW	.2900	----	----	2	----	----	2	+
635	----	----	----	----	0.1785B/0.1590A	----	0.1760	+ 0.0420	.3128	----	----	----	----	----	3	UNCH
640	----	----	----	----	0.1990B/0.1755A	----	0.1950	+ 0.0450	.3363	----	----	----	----	----	3	UNCH
645	----	----	----	----	0.2200B/0.1930A	----	0.2155	+ 0.0490	.3602	----	----	40	----	----	73	+
650	----	----	----	----	0.2660B/0.2325A	----	0.2605	+ 0.0560	.4087	----	----	----	----	----	1	UNCH
660	----	----	----	----	0.3175B/0.2780A	----	0.3115	+ 0.0630	.4573	----	----	----	----	----	2	UNCH
670	----	----	----	----	0.4070B/0.3560A	----	0.3970	+ 0.0730	.5281	----	----	----	----	----	1	UNCH
685	----	----	----	----	0.4355B/0.3845A	----	0.4285	+ 0.0770	.5507	----	----	----	----	----	2	UNCH
690	----	----	----	----	0.4685B/0.4130A	----	0.4605	+ 0.0800	.5725	----	----	----	----	----	1	UNCH
695	----	----	----	----	----	----	1.3160	+ 0.1215	.8682	----	----	----	----	----	1	UNCH



PG64 BULLETIN #186@				METALS OPTION PRODUCTS							Mon, Sep 28, 2026			PG64	
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
HXE CALL SEP26		COPPER OPTIONS													
655	----	----	----	----	----	0.2160	UNCH	----	----	----	----	----	0	UNCH	
660	----	----	----	----	----	0.1660	UNCH	----	----	----	----	----	0	UNCH	
665	----	----	----	----	----	0.1160	UNCH	----	----	----	----	----	0	UNCH	
670	----	----	----	----	----	0.0660	UNCH	----	----	----	----	----	0	UNCH	
671	----	----	----	----	----	0.0560	UNCH	----	----	----	----	----	0	UNCH	
675	----	----	----	----	----	0.0160	UNCH	----	----	----	----	----	0	UNCH	
678	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH	
680	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH	
681	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH	
683	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH	
710	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH	
TOTAL													0		
OCT26															
660	----	----	-----/0.0975A	0.1635B/0.0975A	----	0.1155	- 0.0805	.5671	----	----	----	----	3	UNCH	
670	----	----	-----/0.0640A	0.1080B/0.0640A	----	0.0800	- 0.0540	.4008	----	----	----	----	109	UNCH	
675	0.0675	0.0675	0.0675/0.0505A	0.0895B/0.0505A	----	0.0670	- 0.0430	.3342	----	----	26	----	37	+	
675	0.0950	0.0950	0.1065/0.0805A	0.1220B/0.0805A	----	0.0955	NEW	.3800	----	----	300	----	300	+	
680	----	----	-----/0.0420A	0.0730B/0.0420A	----	0.0560	- 0.0340	.2773	----	----	----	----	350	UNCH	
680	0.0800	0.0800	0.1020/0.0685A	0.1020/0.0685A	----	0.0815	NEW	.3318	----	----	307	----	307	+	
685	0.0440	0.0440	0.0440/0.0330A	0.0560B/0.0330A	----	0.0460	- 0.0270	.2274	----	----	1	----	730	UNCH	
688	0.0300	0.0300	0.0400/0.0290	0.0470B/0.0280A	----	0.0410	NEW	.2016	----	----	300	----	300	+	
690	0.0380	0.0380	0.0380/0.0255A	0.0415B/0.0255A	----	0.0375	- 0.0215	.1847	----	----	2	----	100	UNCH	
690	----	----	-----/0.0485A	0.0705B/0.0485A	----	0.0605	- 0.0245	.2521	----	----	----	----	13	UNCH	
695	----	----	-----/0.0210A	0.0305B/0.0210A	----	0.0305	- 0.0160	.1491	----	----	----	----	440	UNCH	
700	0.0275	0.0275	0.0275/0.0165A	0.0275/0.0165A	----	0.0245	- 0.0120	.1188	----	----	1	----	5	+	
700	----	----	-----/0.0340A	0.0475B/0.0340A	----	0.0450	- 0.0150	.1903	----	----	----	----	6	UNCH	
700	----	----	-----/0.0470A	0.0635B/0.0470A	----	0.0555	- 0.0190	.2157	----	----	----	----	11	UNCH	
710	----	----	-----/0.0130A	0.0115B/0.0130A	----	0.0150	- 0.0065	.0716	----	----	----	----	16	UNCH	
710	----	----	-----/0.0355A	0.0425B/0.0355A	----	0.0415	- 0.0125	.1659	----	----	----	----	8	UNCH	
720	----	----	-----/0.0130A	0.0060B/0.0130A	----	0.0095	- 0.0040	.0435	----	----	----	----	2	UNCH	
725	----	----	----	0.0050B/0.0125A	----	0.0075	- 0.0035	.0335	----	----	----	----	441	UNCH	
730	----	----	----	0.0025B/0.0125A	----	0.0065	- 0.0030	.0279	----	----	----	----	20	UNCH	
740	----	----	----	0.0005B/0.0115A	----	0.0050	- 0.0030	.0198	----	----	----	----	20	UNCH	
740	----	----	-----/0.0175A	0.0175B/0.0175A	----	0.0185	- 0.0030	.0764	----	----	----	----	10	UNCH	
750	----	----	----	0.0085B/0.0120A	----	0.0085	- 0.0005	.0381	----	----	----	----	1	UNCH	
775	----	----	----	0.0065B/0.0110A	----	0.0065	- 0.0010	.0279	----	----	----	----	2	UNCH	
800	----	----	----	0.0005B/0.0110A	----	0.0040	- 0.0010	.0151	----	----	----	----	33	UNCH	
825	----	----	----	-----/0.0020A	----	0.0005	UNCH	.0002	----	----	937	----	3265	+	
TOTAL													937	3265	+
HXE PUT SEP26		COPPER OPTIONS													
630	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH	
670	----	----	----	----	----	0.0000	UNCH	.0000	----	----	----	----	0	UNCH	
672	----	----	----	----	----	0.0000	UNCH	.0000	----	----	----	----	0	UNCH	
675	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH	
677	----	----	----	----	----	0.0040	UNCH	----	----	----	----	----	0	UNCH	
678	----	----	----	----	----	0.0140	UNCH	----	----	----	----	----	0	UNCH	
682	----	----	----	----	----	0.0540	UNCH	----	----	----	----	----	0	UNCH	
685	----	----	----	----	----	0.0840	UNCH	----	----	----	----	----	0	UNCH	
687	----	----	----	----	----	0.1040	UNCH	.0000	----	----	----	----	0	UNCH	
692	----	----	----	----	----	0.1540	UNCH	----	----	----	----	----	0	UNCH	
TOTAL													0		
OCT26															
500	----	----	----	-----/0.0085A	----	0.0005	UNCH	.0000	----	----	----	----	19	UNCH	
575	----	----	----	-----/0.0105A	----	0.0020	+	0.0010	.0101	----	----	----	3	UNCH	
605	----	----	----	-----/0.0105A	----	0.0030	+	0.0010	.0142	----	----	----	1	UNCH	
610	----	----	0.0115B/----	0.0045B/0.0105A	----	0.0090	+	0.0040	.0500	----	----	----	1	UNCH	
610	----	----	0.0115B/----	0.0115B/0.0130A	----	0.0110	+	0.0040	.0605	----	----	----	2	UNCH	
615	----	----	----	0.0005B/0.0105A	----	0.0050	+	0.0020	.0265	----	----	----	2	UNCH	
620	----	----	----	0.0005B/0.0095A	----	0.0065	+	0.0025	.0362	----	----	----	11	UNCH	
620	----	----	0.0090B/----	0.0090B/0.0115A	----	0.0125	+	0.0060	.0733	----	----	----	2	UNCH	
625	----	----	0.0140B/----	0.0140B/0.0120A	----	0.0155	+	0.0080	.0919	----	----	----	11	UNCH	
630	----	----	----	0.0030B/0.0105A	----	0.0085	+	0.0020	.0556	----	----	----	22	UNCH	
640	0.0175	0.0175	0.0175/0.0175	0.0175/0.0130A	----	0.0160	+	0.0085	.1134	----	15	----	16	+	
640	----	----	0.0430B/----	0.0430B/0.0240A	----	0.0385	+	0.0230	.2044	----	----	----	1	UNCH	
645	0.0250	0.0250	0.0280/0.0250	0.0280/0.0145A	----	0.0245	+	0.0155	.1701	----	28	----	31	+	
650	0.0325	0.0325	0.0405B/0.0325	0.0405B/0.0190A	----	0.0375	+	0.0250	.2462	----	1	----	49	+	
655	----	----	0.0615B/----	0.0615B/0.0275A	----	0.0570	+	0.0380	.3383	----	----	----	20	UNCH	
660	0.1200	0.1200	0.0880B/----	0.0880B/0.0395A	----	0.0820	+	0.0520	.4327	----	----	----	26	UNCH	
660	0.1200	0.1200	0.1295B/0.1200	0.1295B/0.0705A	----	0.1220	+	0.0635	.4497	----	2	----	10	UNCH	
660	----	----	0.1520B/----	0.1520B/0.0930A	----	0.1395	+	0.0640	.4532	----	----	----	15	UNCH	
665	----	----	0.1200B/----	0.1200B/0.0560A	----	0.1125	+	0.0665	.5211	----	----	----	17	UNCH	
670	----	----	0.1555B/----	0.1555B/0.0780A	----	0.1465	+	0.0785	.5990	----	----	----	591	UNCH	
670	----	----	0.1905B/----	0.1905B/0.1130A	----	0.1785	+	0.0790	.5666	----	----	----	1	UNCH	
670	----	----	0.2095B/----	0.2095B/0.1370A	----	0.1975	+	0.0780	.5548	----	----	----	2	UNCH	
675	----	----	0.1885B/----	0.1885B/0.1025A	----	0.1835	+	0.0895	.6656	----	----	----	593	UNCH	
680	----	----	0.2195B/----	0.2195B/0.1520A	----	0.2225	+	0.0985	.7225	----	----	----	1360	UNCH	
685	----	----	0.2730B/----	0.2730B/0.1855A	----	0.2625	+	0.1055	.7724	----	----	----	1	UNCH	
TOTAL													46	2807	+
ALUMINIUM OPTIONS ON FUTURES															
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
PLATINUM OPTIONS ON FUTURES															
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
PAO CALL NOV26		NYMEX PALLADIUM OPTIONS													
1300	25.00	25.00	25.00/21.40A	28.60B/21.40A	----	20.40	NEW	.2800	----	----	1	----	1	+	
1350	----	----	-----/15.00A	16.10B/15.00A	----	12.90	- 12.30	.1841	----	----	----	----	2	UNCH	
1400	----	----	-----/11.20A	9.40B/11.20A	----	8.60	- 8.30	.1238	----	----	----	----	93	UNCH	
1450	----	----	-----/8.10A	5.40B/8.10A	----	5.80	- 6.40	.0839	----	----	----	----	86	UNCH	
1500	3.80	3.80	3.80/3.80	3.80/3.80	----	4.00	- 4.60	.0578	----	----	1	----	5	UNCH	
1550	----	----	-----/4.80A	0.80B/4.80A	----	2.80	- 3.40	.0403	----	----	----	----	14	UNCH	
1600	----	----	-----/4.00A	-----/4.00A	----	2.00	- 2.60	.0286	----	----	----	----	1	UNCH	
1750	----	----	----	-----/2.90A	----	0.80	- 1.10	.0111	----	----	----	----	5	UNCH	
TOTAL													2	207	+
DEC26															
1250	----	----	-----/55.40A	70.70B/55.40A	----	55.60	- 27.90	.4638	----	----	----	----	200	UNCH	
1300	----	----	-----/40.60A	49.60B/40.60A	----	40.50	- 21.60	.3611	----	----	----	----	6	UNCH	
1315	----	----	-----/37.30A	44.60B/37.30A	----	37.00	- 19.80	.3345	----	----	----	----	90	UNCH	
1425	----	----	-----/22.60A	21.10B/22.60A	----	20.10	- 10.50	.1930	----	----	----	----	39	UNCH	
1450	----	----	-----/20.60A	18.30B/20.60A	----	17.90	- 9.10	.1723	----	----	----	----	65	UNCH	
1500	----	----	-----/17.30A	15.80B/17.30A	----	14.40	- 7.00	.1387	----	----	----	----	35	UNCH	
1550	----	----	-----/14.60A	10.60B/14.60A	----	11.90	- 5.40	.1138	----	----	----	----	66	UNCH	
1585	----	----	-----/12.90A	8.70B/12.90A	----	10.50	- 4.70	.0999	----	----	----	----	3	UNCH	
1600	----	----	-----/12.30A	8.00B/12.30A	----	9.90	- 4.50	.0941	----	----	----	----	95	UNCH	
1650	----	----	-----/10.40A	6.10B/10.40A	----	8.30	- 3.70	.0785	----	----	----	----	64	UNCH	
1700	----	----	-----/8.90A	4.50B/8.90A	----	7.00	- 3.10	.0659	----	----	----	----	10	UNCH	
1775	----	----	-----/7.30A	2.70B/7.30A	----	5.50	- 2.20	.0513	----	----	----	----	100	UNCH	
1800	----	----	-----/6.90A	2.30B/6.90A	----	5.10	- 2.00	.0474	----	----	----	----	55	UNCH	
1925	----	----	----	0.70B/5.40A	----	3.20	- 1.30	.0301	----	----	----	----	46	UNCH	
1995	----	----	----	0.10B/4.80A	----	2.60	- 1.00	.0243	----	----	----	----	6	UNCH	
2000	----	----	----	0.10B/4.80A	----	2.50	- 1.00	.0235	----	----	----	----	1	UNCH	
3000	----	----	----	-----/2.80A	----	0.90	- 0.30	.0067	----	----	----	----	1	UNCH	
TOTAL													882		
MAR27															
1350	----	----	-----/72.50A	76.60B/72.50A	----	68.10	- 22.80	.3920	----	----	----	----	75	UNCH	
1400	----	----	-----/61.30A	62.60B/61.30A	----	56.80	- 19.30	.3375	----	----	----	----	10	UNCH	
1600	----	----	-----/35.80												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

PG64	BULLETIN #186@										METALS OPTION PRODUCTS										Mon, Sep 28, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST												
PAO CALL	NYMEX PALLADIUM OPTIONS																								
TOTAL													95	0											
JUN27																									
1375	----	----		----	----		114.10 - 26.10	.4493	----	----	----	----	50	UNCH											
TOTAL													50	0											
PAO PUT	NYMEX PALLADIUM OPTIONS																								
NOV26																									
1200	----	----		32.40B/----	32.40B/25.20A	----	32.20 + 15.00	.3964	----	----	----	----	24	UNCH											
1225	----	----		46.30B/----	46.30B/35.00A	----	45.30 + 19.50	.4895	----	----	----	----	11	UNCH											
1250	----	----		62.30B/----	62.30B/47.10A	----	60.70 + 24.20	.5768	----	----	----	----	108	UNCH											
1275	----	----		80.50B/----	80.50B/61.00A	----	78.10 + 28.80	.6541	----	----	----	----	16	UNCH											
1300	----	----		100.60B/----	100.60B/76.30A	----	97.20 + 33.20	.7199	----	----	----	----	13	UNCH											
1350	----	----		144.70B/----	144.70B/112.00A	----	139.60 + 40.50	.8158	----	----	----	----	4	UNCH											
TOTAL													176	0											
DEC26																									
1050	----	----		5.90B/----	5.90B/10.40A	----	9.10 + 3.90	.1084	----	----	----	----	5	UNCH											
1150	----	----		31.00B/----	31.00B/27.90A	----	31.70 + 11.80	.2936	----	----	----	----	15	UNCH											
1200	----	----		53.60B/----	53.60B/45.60A	----	53.50 + 17.80	.4168	----	----	----	----	53	UNCH											
1250	----	----		83.00B/----	83.00B/69.20A	----	82.40 + 24.70	.5360	----	----	----	----	5	UNCH											
1300	----	----		118.50B/----	118.50B/98.20A	----	117.20 + 31.20	.6387	----	----	----	----	100	UNCH											
1315	----	----		99.70B/----	99.70B/107.90A	----	128.50 + 32.90	.6653	----	----	----	----	90	UNCH											
1380	----	----		----	----	----	181.70 + 39.10	.7595	----	----	----	----	1	UNCH											
1400	----	----		203.00B/----	203.00B/171.00A	----	199.00 + 40.60	.7822	----	----	----	----	150	UNCH											
1500	----	----		295.60B/----	295.60B/258.70A	----	290.30 + 45.90	.8611	----	----	----	----	40	UNCH											
TOTAL													459	0											
MAR27																									
1100	----	----		36.00B/----	36.00B/40.10A	----	40.40 + 10.30	.2444	----	----	----	----	5	UNCH											
1200	----	----		79.20B/----	79.20B/77.50A	----	83.10 + 17.90	.3981	----	----	----	----	10	UNCH											
1350	----	----		175.20B/----	175.20B/163.20A	----	177.80 + 30.00	.6075	----	----	----	----	75	UNCH											
TOTAL													90	0											
PAW OOF	PALLADIUM WEEKLY FRIDAY OPTION Week																								
OCT26																									
1250	25.10	25.10		25.10/23.30A	37.40B/23.30A	----	22.00 NEW	.3820	----	----	4	----	4 +	4											
1300	----	----		----/13.70A	16.40B/13.70A	----	11.30 - 16.70	.2097	----	----	----	----	12	UNCH											
1350	----	----		----/4.10A	0.20B/4.10A	----	1.40 - 6.70	.0310	----	----	----	----	2	UNCH											
TOTAL											4		18 +	4											
PLW OOF	PLATINUM WEEKLY FRIDAY OPTION week4																								
SEP26																									
1765	----	----		----	----	----	32.70 UNCH	----	----	----	----	----	0	UNCH											
1770	----	----		----	----	----	27.70 UNCH	----	----	----	----	----	0	UNCH											
TOTAL													0	0											
OCT26																									
1725	33.00	33.00		33.00/33.00	68.50B/33.00	----	39.80 NEW	.6265	----	----	1	----	1 +	1											
1750	----	----		38.70B/----	38.70B/23.30A	----	32.10 + 16.40	.5245	----	----	----	----	5	UNCH											
1750	35.00	35.00		35.00/24.10A	50.60B/24.10A	----	26.80 NEW	.4754	----	----	1	----	1 +	1											
1800	----	----		----/10.80A	22.50B/10.80A	----	11.20 - 22.80	.2219	----	----	----	----	20	UNCH											
1825	----	----		----/8.50A	12.80B/8.50A	----	7.10 - 16.60	.1412	----	----	----	----	16	UNCH											
1875	----	----		----/5.20A	3.20B/5.20A	----	2.60 - 8.60	.0497	----	----	----	----	7	UNCH											
TOTAL											2		50 +	2											
PO CALL	PLATINUM OPTIONS																								
NOV26																									
1775	----	----		----/44.90A	66.30B/44.90A	----	48.90 - 29.00	.4394	----	----	----	----	1	UNCH											
1800	----	----		----/36.70A	54.60B/36.70A	----	39.80 - 26.00	.3783	----	----	----	----	1	UNCH											
1825	----	----		----/30.30A	44.60B/30.30A	----	32.20 - 22.90	.3219	----	----	----	----	8	UNCH											
1850	----	----		----/25.20A	35.90B/25.20A	----	26.10 - 19.50	.2718	----	----	----	100	149 -	9											
1875	----	----		----/21.10A	28.60B/21.10A	----	21.30 - 16.30	.2287	----	----	----	----	54	UNCH											
1900	18.00	18.00		18.00/17.80A	22.50B/17.80A	----	17.50 - 13.50	.1924	----	----	1	----	174 +	1											
1925	----	----		----/15.20A	17.50B/15.20A	----	14.50 - 11.30	.1620	----	----	----	----	68	UNCH											
1950	----	----		----/13.00A	13.80B/13.00A	----	12.10 - 9.60	.1368	----	----	----	----	119	UNCH											
2000	----	----		----/9.70A	8.50B/9.70A	----	8.40 - 7.00	.0970	----	----	----	----	180	UNCH											
2050	----	----		----/7.40A	4.80B/7.40A	----	5.90 - 4.70	.0690	----	----	----	----	15	UNCH											
2100	3.00	3.00		4.00/3.00	4.00/3.00	----	4.00 - 3.10	.0478	----	----	3	----	54 +	2											
2200	----	----		----	0.40B/4.20A	----	2.00 - 1.60	.0242	----	----	----	----	210	UNCH											
2250	----	----		----/3.70A	----	----	1.40 - 1.20	.0170	----	----	----	----	40	UNCH											
2500	0.60	0.60		0.60/0.60	0.60/0.60	----	0.30 NEW	.0036	----	----	20	----	20 +	20											
TOTAL										100	24		1093 +	14											
DEC26																									
1900	----	----		----/41.30A	52.20B/41.30A	----	42.20 - 19.50	.2923	----	----	----	----	102	UNCH											
1950	----	----		----/32.80A	40.00B/32.80A	----	32.80 - 15.70	.2369	----	----	----	----	10	UNCH											
1975	----	----		----/29.40A	34.80B/29.40A	----	28.90 - 14.10	.2128	----	----	----	----	9	UNCH											
2000	----	----		----/26.40A	30.40B/26.40A	----	25.50 - 12.70	.1910	----	----	----	----	122	UNCH											
2200	----	----		----/12.00A	9.50B/12.00A	----	10.10 - 5.90	.0821	----	----	----	----	101	UNCH											
2250	----	----		----/10.20A	7.10B/10.20A	----	8.10 - 4.90	.0668	----	----	----	----	51	UNCH											
2500	----	----		----	1.40B/5.60A	----	3.00 - 2.10	.0256	----	----	----	----	50	UNCH											
TOTAL													445	0											
JAN27																									
1700	----	----		----/129.80A	157.50B/129.80A	----	134.50 - 36.70	.5954	----	----	----	----	1	UNCH											
1745	----	----		----/110.10A	121.10B/110.10A	----	113.60 - 33.20	.5318	----	----	----	----	2	UNCH											
1800	----	----		----/89.70A	108.10B/89.70A	----	92.10 - 28.90	.4578	----	----	----	----	3	UNCH											
1900	----	----		----/61.60A	73.00B/61.60A	----	62.40 - 22.10	.3399	----	----	----	----	802	UNCH											
1950	----	----		----/51.20A	59.90B/51.20A	----	51.30 - 19.20	.2902	----	----	----	----	886	UNCH											
2000	----	----		----/42.80A	49.00B/42.80A	----	42.10 - 16.70	.2466	----	----	----	----	1163	UNCH											
2050	----	----		----/35.90A	39.80B/35.90A	----	34.70 - 14.50	.2093	----	----	----	----	250	UNCH											
2100	----	----		----/30.30A	32.50B/30.30A	----	28.60 - 12.60	.1772	----	----	----	----	81	UNCH											
2150	----	----		----/25.70A	26.40B/25.70A	----	23.80 - 10.80	.1506	----	----	----	----	402	UNCH											
2200	----	----		----/21.90A	21.40B/21.90A	----	19.80 - 9.30	.1277	----	----	----	----	214	UNCH											
2300	----	----		----/16.30A	13.90B/16.30A	----	14.00 - 6.80	.0930	----	----	----	----	108	UNCH											
2350	----	----		----/14.20A	11.10B/14.20A	----	11.90 - 5.70	.0798	----	----	----	----	60												

PG64	BULLETIN #186@										METALS OPTION PRODUCTS				Mon, Sep 28, 2026				PG64
	LOBEX OPEN	OPEN OPEN	OUTCRY RANGE	LOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
PO PUT																			
NOV26																			
1825	----	----	----	121.10B/----	121.10B/90.90A	----	----	112.30 + 30.00	.6780	----	----	----	----	15					UNCH
1850	----	----	----	141.10B/----	141.10B/107.50A	----	----	131.10 + 33.30	.7281	----	----	----	----	100					UNCH
TOTAL											100	27	----	1179 +					20
DEC26																			
1250	0.60	0.60		0.60/0.60	0.60/0.60	----	----	0.70 NEW	.0076	----	----	10	----	10 +					10
1550	20.00	20.00		21.00B/20.00	21.00B/20.00	----	----	21.30 NEW	.1636	----	----	1	----	1 +					1
1625	----	----	----	41.30B/----	41.30B/36.80A	----	----	39.80 + 9.40	.2679	----	----	----	----	10					UNCH
1650	----	----	----	50.50B/----	50.50B/43.50A	----	----	48.20 + 11.30	.3086	----	----	----	----	19					UNCH
1675	----	----	----	61.00B/----	61.00B/51.30A	----	----	57.90 + 13.30	.3513	----	----	----	----	9					UNCH
1750	----	----	----	99.90B/----	99.90B/82.30A	----	----	94.40 + 19.80	.4832	----	----	120	----	20 -					100
TOTAL												131	----	69 -					89
JAN27																			
1400	----	----	----	----	9.00B/13.30A	----	----	10.90 + 1.70	.0771	----	----	----	----	100					UNCH
1500	----	----	----	23.90B/----	23.90B/26.00A	----	----	24.50 + 4.40	.1533	----	----	----	----	325					UNCH
1575	----	----	----	42.60B/----	42.60B/41.10A	----	----	41.70 + 7.50	.2344	----	----	----	----	20					UNCH
1600	----	----	----	50.70B/----	50.70B/47.50A	----	----	49.30 + 8.90	.2659	----	----	----	----	10					UNCH
1650	----	----	----	70.00B/----	70.00B/63.10A	----	----	67.60 + 12.20	.3335	----	----	----	----	45					UNCH
1700	95.00	95.00		95.00/95.00	95.00/82.70A	----	----	90.10 + 15.90	.4043	----	----	10	----	51 +					1
1750	----	----	----	121.40B/----	121.40B/106.50A	----	----	116.80 + 19.90	.4748	----	----	----	----	120					UNCH
1800	----	----	----	152.70B/----	152.70B/133.70A	----	----	147.00 + 23.70	.5419	----	----	----	----	5					UNCH
1900	----	----	----	224.80B/----	224.80B/197.30A	----	----	216.60 + 30.50	.6599	----	----	----	----	100					UNCH
2000	----	----	----	305.90B/----	305.90B/271.50A	----	----	295.80 + 36.00	.7531	----	----	----	----	200					UNCH
TOTAL												10	----	976 +					1
APR27																			
1400	----	----	----	28.40B/----	28.40B/33.40A	----	----	29.80 + 3.40	.1305	----	----	----	----	30					UNCH
1500	----	----	----	51.60B/----	51.60B/53.60A	----	----	51.00 + 5.10	.2021	----	----	----	----	10					UNCH
1600	----	----	----	85.60B/----	85.60B/83.10A	----	----	83.00 + 8.70	.2913	----	----	----	----	10					UNCH
1790	----	----	----	182.60B/----	182.60B/170.00A	----	----	176.80 + 18.40	.4770	----	----	----	----	27					UNCH
TOTAL														77					0
JUL27																			
1930	----	----	----	----	----	----	----	307.60 + 25.40	.5375	----	----	----	----	110					UNCH
TOTAL														110					0

OPTIONS EOO'S AND BLOCKS				
PRODUCT		STRIKE PRICE	EEO VOLUME	BLOCK VOLUME
OG CALL COMEX GOLD OPTIONS				
NOV26	CALL			
OG		4225	0	150
OG		4400	0	400
OG		4550	0	350
OG		4600	0	100
OG		4750	0	100
TOTALS			0	1100
DEC26 CALL				
OG		4300	0	162
OG		4600	0	100
OG		4700	0	318
OG		4850	0	100
TOTALS			0	680
JAN27 CALL				
OG		4225	0	100
OG		4700	0	400
OG		5000	0	290
TOTALS			0	790
MAR27 CALL				
OG		4300	0	25
OG		4500	0	25
TOTALS			0	50
JUN27 CALL				
OG		4500	0	100
TOTALS			0	100
OG PUT COMEX GOLD OPTIONS				
NOV26	PUT			
OG		3975	0	400
OG		4000	0	350
OG		4150	0	210
TOTALS			0	960
DEC26 PUT				
OG		3760	0	200
OG		3950	0	100
OG		4120	0	100
OG		4175	0	200
TOTALS			0	600
FEB27 PUT				
OG		3040	0	300
OG		3900	0	200
OG		4100	0	100
TOTALS			0	600
MAR27 PUT				
OG		3900	0	280
TOTALS			0	280
JUN27 PUT				
OG		4000	0	460
TOTALS			0	460
SO PUT COMEX SILVER OPTIONS				
NOV26	PUT			
SO		6200	0	40
TOTALS			0	40
DEC26 PUT				
SO		5300	0	225
TOTALS			0	225
HX CALL COMEX COPPER OPTIONS				
NOV26	CALL			
HX		670	0	300
TOTALS			0	300
PO CALL PLATINUM OPTIONS				
NOV26	CALL			
PO		1850	0	100
TOTALS			0	100
PO PUT PLATINUM OPTIONS				
NOV26	PUT			
PO		1600	0	100
TOTALS			0	100
OG1 CALL GOLD OPTIONS				
OCT26	CALL			
OG1		4300	0	15
TOTALS			0	15
GMW MON GOLD WEEKLY MONDAY OPTION WEEK3				
OCT26	CALL			
G3M		4225	0	400
G3M		4400	0	700
TOTALS			0	1100
GWW WED GOLD WEEKLY WEDNESDAY OPTION WEEK5				
SEP26	PUT			
G5W		4075	0	150
TOTALS			0	150
GWW WED GOLD WEEKLY WEDNESDAY OPTION WEEK2				
OCT26	PUT			
G2W		4050	0	100
TOTALS			0	100
GWT TUE GOLD WEEKLY TUESDAY OPTION week1				
OCT26	CALL			
G1T		4175	0	75
G1T		4200	0	120
TOTALS			0	195
GWT TUE GOLD WEEKLY TUESDAY OPTION week5				
SEP26	PUT			
G5T		4140	0	60
TOTALS			0	60