

PG64

BULLETIN #187@

METALS OPTION PRODUCTS

Tue, Sep 29, 2026

PG64

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY’S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES														
EXPIRATION:	SEP26	SEP26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27	MAY27	JUN27	JUL27	AUG27
COO OPT	09/30			10/30	11/30	12/31	01/29	02/26	03/31				07/30	08/31
ECG10 OP		09/28	09/29											
ECG11 OP		09/28	09/29											
ECG13 OP		09/28	09/29											
ECG15 OP		09/28	09/29											
ECG16 OP		09/28	09/29											
ECGC OOF		09/28	09/29											
ECHG OOF		09/28	09/29											
ECSI OOF		09/28	09/29											
EHO OPT	09/30			10/30	11/30	12/31								
FMG OPT				10/02										
GMW MON	09/28			10/26										
GWR THU				10/22										
GWT TUE	09/29			10/20										
GWW WED	09/30			10/21										
HMW MON	09/28			10/26										
HRO OPT	09/29			10/27	11/24	12/29	01/26	02/23	03/30	04/27	05/25	06/29	07/27	08/24
HWR THU				10/22										
HWT TUE	09/29			10/20										
HWW WED	09/30			10/21	11/04	12/02								
HX CALL				10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25			
HX PUT							01/26	02/23	03/24	04/27	05/25			
HXE CALL				10/16										
HXE PUT				10/16										
LHO OPT	09/30			10/30	11/30	12/31	01/29	02/26	03/31					
MMG MON	09/28			10/05										
OG CALL					10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27
OG PUT					10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27
OG1 CALL				10/02										
OG1 PUT				10/02										
OG2 CALL				10/09										
OG2 PUT				10/09										
OG3 CALL				10/16										
OG3 PUT				10/16										
OG4 CALL				10/23										
OG4 PUT				10/23										
OMG OPT					10/27	11/24	12/28					05/19		
PAO CALL					10/21	11/18			02/17					
PAO PUT					10/21	11/18			02/17					
PAW OOF				10/09										
PLW OOF				10/02										
PO CALL					10/21	11/18	12/16			03/17			06/16	
PO PUT					10/21	11/18	12/16			03/17			06/16	
RWS THU				10/22										
SMW MON	09/28			10/26										
SO CALL					10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27
SO PUT					10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	
SO1 CALL				10/02										
SO1 PUT				10/02										
SO2 CALL				10/09										
SO2 PUT				10/09										
SO3 CALL				10/16										
SO3 PUT				10/16										
SWW WED	09/30			10/21										
TWS TUE	09/29			10/20										
WMG WED	09/30													

GOLD OPTIONS ON FUTURES														
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
WMG WED SEP26		MICRO GOLD WEEKLY WED OPTION WEEK5												
4050	4.00	4.00	4.00/4.00	4.00/4.00	----	1.00 NEW	.0051	----	----	1	----	1 +	1	
4100	----	----	----	----	----	2.50 - 5.40	.0288	----	----	----	----	1	UNCH	
4150	----	----	----	----	----	8.80 - 11.80	.2031	----	----	----	----	1	UNCH	
4200	20.00	20.00	21.00B/20.00	21.00B/20.00	----	10.70 NEW	.2763	----	----	1	----	1 +	1	
4230	----	----	----	----	----	54.50 - 15.40	.9205	----	----	----	----	1	UNCH	
TOTAL										2		5 +	2	
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OMG OPT NOV26		MICRO GOLD OPTIONS												
3650	----	----	----	----/15.00A	----	5.20 - 1.00	----	----	----	----	----	2	UNCH	
3900	----	----	----	----/1327.40A	----	18.30 - 3.50	----	----	----	----	----	1	UNCH	
4000	----	----	----	----	----	212.70 + 5.70	----	----	----	----	----	1	UNCH	
4000	----	----	----	----/1340.00A	----	33.40 - 5.70	----	----	----	----	----	2	UNCH	
4005	----	----	----	----	----	208.70 + 5.50	----	----	----	----	----	1	UNCH	
4025	----	----	----	----/1344.60A	----	38.90 - 6.30	----	----	----	----	----	1	UNCH	
4185	----	----	----	----/2054.40A	----	98.00 - 9.80	----	----	----	----	----	1	UNCH	
4300	----	----	----	50.00B/2125.10A	----	168.50 - 11.00	----	----	----	----	----	1	UNCH	
5810	----	----	----	----/1302.00A	----	0.40 - 0.20	----	----	----	----	----	2	UNCH	
5850	----	----	----	----/1302.60A	----	0.40 - 0.20	----	----	----	----	----	3	UNCH	
5900	----	----	----	----/1302.00A	----	0.40 - 0.10	----	----	----	----	----	5	UNCH	
6500	----	----	----	----/1296.40A	----	0.20 - 0.10	----	----	----	----	----	4	UNCH	
TOTAL												24	0	
DEC26														
3900	----	----	----	----	----	45.50 - 4.20	----	----	----	----	----	1	UNCH	
3990	----	----	----	----	----	67.00 - 5.60	----	----	----	----	----	2	UNCH	
4000	----	----	----	----	----	69.90 - 5.70	----	----	----	----	----	2	UNCH	
4500	----	----	----	----	----	362.00 - 10.70	----	----	----	----	----	3	UNCH	
4650	----	----	----	----	----	24.20 + 0.20	----	----	----	----	----	1	UNCH	
4700	----	----	----	----	----	20.00 UNCH	----	----	----	----	----	10	UNCH	
4800	----	----	----	----	----	14.00 UNCH	----	----	----	----	----	1	UNCH	
TOTAL												20	0	
JAN27														
4010	----	----	----	----	----	296.30 + 6.40	----	----	----	----	----	1	UNCH	
TOTAL												1	0	
OCT27														
4410	----	----	----	----	----	349.70 - 23.90	----	----	----	----	----	1	UNCH	
TOTAL												1	0	
FEB28														
4600	----	----	----	----	----	397.90 + 5.60	----	----	----	----	----	1	UNCH	
TOTAL												1	0	
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG4 PUT OCT26		GOLD OPTIONS												



BULLETIN #187@										METALS OPTION PRODUCTS										Tue, Sep 29, 2026		PG64	
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST							
OG4 PUT OCT26																							
3700	----	----	----	----/4.60A	5.60B/4.60A	----	----	----		5.20 - 1.00	.0385	----	----	----	----		5	UNCH					
3900	----	----	----	19.90B/12.70A	19.90B/12.70A	----	----	----		15.50 - 3.40	.1161	----	----	----	----		2	UNCH					
3925	17.50	17.50		23.50B/14.70A	23.50B/14.70A	----	----	----		18.10 NEW	.1343	----	----	3	----		2	+					
3950	----	----	----	27.40B/17.30A	27.40B/17.30A	----	----	----		21.20 - 4.40	.1553	----	----	----	----		3	UNCH					
3975	----	----	----	32.00B/20.10A	32.00B/20.10A	----	----	----		24.90 - 5.10	.1795	----	----	1	----		2	+					
4000	----	----	----	37.30B/23.50A	37.30B/23.50A	----	----	----		29.40 - 5.60	.2072	----	----	1	----		3	+					
4025	----	----	----	43.80B/27.60A	43.80B/27.60A	----	----	----		34.60 NEW	.2380	----	----	1	----		1	+					
4125	66.00	66.00		78.80B/52.80A	78.80B/52.80A	----	----	----		65.20 NEW	.3917	----	----	1	----		1	+					
4175	98.90	98.90		103.20B/71.40A	103.20B/71.40A	----	----	----		87.30 - 9.00	.4806	----	----	11	----		39	+					
TOTAL														18	----		58	+					
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST							
OG4 CALL OCT26																							
4175	----	----	----	112.10B/85.50A	112.10B/85.50A	----	----	----		92.00 + 2.30	.5187	----	----	----	----		28	UNCH					
4350	----	----	----	40.50B/29.30A	40.50B/29.30A	----	----	----		31.10 - 0.10	.2342	----	----	----	----		1	UNCH					
4400	----	----	----	29.30B/21.40A	29.30B/21.40A	----	----	----		22.30 - 0.30	.1772	----	----	----	----		2	UNCH					
4450	----	----	----	21.00B/15.80A	21.00B/15.80A	----	----	----		16.00 NEW	.1326	----	----	1	----		1	+					
4500	----	----	----	15.00B/11.50A	15.00B/11.50A	----	----	----		11.70 NEW	.0995	----	----	1	----		1	+					
4650	----	----	----	5.80B/4.90A	5.80B/4.90A	----	----	----		5.00 - 0.30	.0437	----	----	----	----		1	UNCH					
4675	----	----	----	5.00B/4.30A	5.00B/4.30A	----	----	----		4.50 - 0.20	.0391	----	----	----	----		4	UNCH					
TOTAL														2	----		38	+					
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST							
OG3 PUT OCT26																							
3500	----	----	----	----/1.30A	1.50B/1.30A	----	----	----		1.30 - 0.30	.0094	----	----	----	----		2	UNCH					
3600	----	----	----	----/1.80A	2.40B/1.80A	----	----	----		2.00 - 0.50	.0154	----	----	----	----		5	UNCH					
3700	----	----	----	----/2.80A	4.10B/2.80A	----	----	----		3.20 - 0.90	.0260	----	----	----	----		3	UNCH					
3750	----	----	----	5.40B/3.50A	5.40B/3.50A	----	----	----		4.10 - 1.20	.0343	----	----	2	----		3	+					
3800	----	----	----	7.30B/4.40A	7.30B/4.40A	----	----	----		5.30 - 1.70	.0456	----	----	----	----		18	UNCH					
3875	----	----	----	12.10B/6.80A	12.10B/6.80A	----	----	----		8.40 - 2.60	.0736	----	----	1	----		3	+					
3900	10.00	10.00		14.30B/7.90A	14.30B/7.90A	----	----	----		9.90 - 3.00	.0869	----	----	17	----		25	+					
3950	----	----	----	20.30B/11.00A	20.30B/11.00A	----	----	----		14.10 - 4.00	.1224	----	----	3	----		8	+					
3975	25.00	25.00		25.00/13.20A	25.00/13.20A	----	----	----		17.00 - 4.50	.1457	----	----	6	----		14	+					
4000	----	----	----	29.30B/15.70A	29.30B/15.70A	----	----	----		20.50 - 5.10	.1729	----	----	----	----		53	UNCH					
4025	33.00	33.00		35.00B/19.00A	35.00B/19.00A	----	----	----		24.80 - 5.80	.2047	----	----	14	----		55	+					
4050	37.70	37.70		41.70B/23.00A	41.70B/23.00A	----	----	----		30.00 - 6.60	.2410	----	----	3	----		28	+					
4075	40.60	40.60		49.90B/27.80A	49.90B/27.80A	----	----	----		36.30 - 7.30	.2821	----	----	11	----		22	+					
4100	39.10	39.10		58.80B/33.60A	58.80B/33.60A	----	----	----		43.70 - 8.10	.3272	----	----	3	----		77	+					
4125	----	----	----	69.10B/40.70A	69.10B/40.70A	----	----	----		52.40 - 8.80	.3760	----	----	1	----		7	UNCH					
4150	62.40	62.40		80.70B/48.90A	80.70B/48.90A	----	----	----		62.40 - 9.60	.4275	----	----	5	----		15	UNCH					
4175	68.50	68.50		94.10B/58.50A	94.10B/58.50A	----	----	----		73.80 - 10.30	.4808	----	----	10	----		20	+					
4200	83.40	83.40		104.20B/69.40A	104.20B/69.40A	----	----	----		86.70 - 10.80	.5345	----	----	15	----		20	+					
4225	----	----	----	119.80B/81.50A	119.80B/81.50A	----	----	----		101.00 - 11.20	.5874	----	----	41	----		46	+					
4250	----	----	----	136.70B/95.50A	136.70B/95.50A	----	----	----		116.70 - 11.50	.6383	----	----	----	----		2	UNCH					
4275	----	----	----	154.80B/110.50A	154.80B/110.50A	----	----	----		133.70 - 11.70	.6860	----	----	----	----		3	UNCH					
4300	----	----	----	173.90B/126.90A	173.90B/126.90A	----	----	----		151.90 - 11.90	.7302	----	----	----	----		2	UNCH					
4350	----	----	----	214.70B/163.40A	214.70B/163.40A	----	----	----		191.50 - 12.00	.8049	----	----	----	----		30	UNCH					
4400	----	----	----	258.50B/203.80A	258.50B/203.80A	----	----	----		234.40 - 12.00	.8623	----	----	----	----		30	UNCH					
4500	----	----	----	340.00B/292.80A	340.00B/292.80A	----	----	----		326.60 - 11.80	.9316	----	----	----	----		3	UNCH					
4600	----	----	----	----/427.70A	403.30B/427.70A	----	----	----		423.30 NEW	.9646	----	----	1	----		1	+					
4625	----	----	----	----/452.10A	427.90B/452.10A	----	----	----		447.80 NEW	.9698	----	----	----	----		1	+					
TOTAL														134	----		496	+					
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST							
OG3 CALL OCT26																							
4150	----	----	----	114.50B/80.40A	114.50B/80.40A	----	----	----		92.00 + NEW	.5719	----	----	1	----		1	+					
4175	----	----	----	99.20B/68.50A	99.20B/68.50A	----	----	----		78.50 + 1.00	.5187	----	----	1	----		34	+					
4200	60.50	60.50		85.00B/57.90A	85.00B/57.90A	----	----	----		66.40 + 0.50	.4650	----	----	5	----		11	+					
4225	61.90	61.																					

BULLETIN #187@				METALS OPTION PRODUCTS										Tue, Sep 29, 2026			PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG1 PUT	GOLD OPTIONS																
OCT26																	
4350	----	----	----	200.00B/137.90A	200.00B/137.90A	----	----	172.70	- 12.60	.9676	----	----	36	----	160 -	28	
4375	----	----	----	224.20B/161.20A	224.20B/161.20A	----	----	197.00	- 12.40	.9788	----	----	18	----	153 -	9	
4400	----	----	----	248.60B/185.10A	248.60B/185.10A	----	----	221.50	- 12.20	.9852	----	----	----	----	171	UNCH	
4425	----	----	----	273.20B/209.50A	273.20B/209.50A	----	----	246.20	- 12.00	.9906	----	----	----	----	51	UNCH	
4450	----	----	----	296.70B/234.20A	296.70B/234.20A	----	----	271.00	- 11.90	.9933	----	----	----	----	16	UNCH	
4475	----	----	----	321.50B/259.00A	321.50B/259.00A	----	----	295.80	- 11.80	.9947	----	----	----	----	25	UNCH	
4500	----	----	----	346.40B/287.10A	346.40B/287.10A	----	----	320.70	- 11.70	.9959	----	----	----	----	1	UNCH	
4575	----	----	----	421.20B/358.40A	421.20B/358.40A	----	----	395.50	- 11.50	.9981	----	----	----	----	4	UNCH	
4590	----	----	----	436.20B/376.80A	436.20B/376.80A	----	----	410.50	- 11.40	.9988	----	----	2	----	1 -	1	
4625	----	----	----	471.50B/411.70A	471.50B/411.70A	----	----	445.40	- 11.40	.9989	----	----	2	----	2	UNCH	
4675	----	----	----	521.00B/461.70A	521.00B/461.70A	----	----	495.30	- 11.50	.9999	----	----	----	----	0	UNCH	
4700	----	----	----	546.30B/486.70A	546.30B/486.70A	----	----	520.30	- 11.40	1.0000	----	----	----	----	0	UNCH	
4725	----	----	----	571.30B/511.70A	571.30B/511.70A	----	----	545.30	- 11.40	1.0000	----	----	----	----	1	UNCH	
10000	----	----	----	----	----	----	----	5820.30	NEW	----	29	----	29	----	0	UNCH	
TOTAL													1505		5879+	495	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG1 CALL	GOLD OPTIONS																
OCT26																	
4050	----	----	----	169.80B/110.50A	169.80B/110.50A	----	----	135.00	+ 6.70	.9264	----	----	----	----	2	UNCH	
4065	131.40	131.40	----	155.50B/98.70A	155.50B/98.70A	----	----	121.20	NEW	.9053	----	----	2	----	2 +	2	
4100	100.90	100.90	----	123.00B/72.70A	123.00B/72.70A	----	----	90.80	+ 3.40	.8321	----	----	2	----	3 +	1	
4125	----	----	----	101.10B/56.60A	101.10B/56.60A	----	----	71.10	+ 1.60	.7517	----	----	----	----	6	UNCH	
4130	70.00	70.00	----	96.80B/53.60A	96.80B/53.60A	----	----	67.40	+ 1.20	.7328	----	----	1	----	1	UNCH	
4140	----	----	----	88.70B/48.00A	88.70B/48.00A	----	----	60.30	+ 0.50	.6922	----	----	----	----	8	UNCH	
4150	45.00	45.00	----	80.70B/42.70A	80.70B/42.70A	----	----	53.70	- 0.10	.6478	----	----	6	----	8 +	1	
4155	----	----	----	76.70B/40.50A	76.70B/40.50A	----	----	50.50	- 0.50	.6248	----	----	----	----	4	UNCH	
4160	----	----	----	73.10B/38.10A	73.10B/38.10A	----	----	47.50	- 0.70	.6010	----	----	----	----	25	UNCH	
4165	41.50	41.50	----	69.40B/35.90A	69.40B/35.90A	----	----	44.60	- 1.00	.5767	----	----	1	----	7 +	1	
4170	35.10	35.10	----	65.90B/33.60A	65.90B/33.60A	----	----	41.70	- 1.30	.5522	----	----	3	----	8	UNCH	
4175	45.90	45.90	----	62.50B/31.70A	62.50B/31.70A	----	----	39.10	- 1.50	.5272	----	----	8	----	11 +	4	
4180	36.30	36.30	----	59.10B/29.60A	59.10B/29.60A	----	----	36.50	- 1.70	.5022	----	----	5	----	16	UNCH	
4185	----	----	----	55.80B/27.90A	55.80B/27.90A	----	----	34.00	- 2.00	.4771	----	----	----	----	7	UNCH	
4195	34.80	34.80	----	49.70B/24.50A	49.70B/24.50A	----	----	29.50	- 2.20	.4274	----	----	1	----	4 +	1	
4200	21.70	21.70	----	46.80B/21.70	46.80B/21.70	----	----	27.40	- 2.40	.4029	----	----	71	----	86 +	38	
4205	28.60	28.60	----	44.10B/21.30A	44.10B/21.30A	----	----	25.40	- 2.50	.3788	----	----	15	----	13 +	3	
4210	35.00	35.00	----	41.30B/19.90A	41.30B/19.90A	----	----	23.50	- 2.60	.3552	----	----	6	----	10 +	3	
4215	27.20	27.20	----	38.80B/18.70A	38.80B/18.70A	----	----	21.70	- 2.80	.3321	----	----	6	----	7 +	4	
4220	20.00	20.00	----	36.40B/17.50A	36.40B/17.50A	----	----	20.00	- 2.90	.3097	----	----	28	----	23 +	14	
4225	20.30	20.30	----	34.10B/16.30A	34.10B/16.30A	----	----	18.50	- 2.90	.2885	----	----	9	----	19 +	3	
4230	22.10	22.10	----	31.70B/14.90A	31.70B/14.90A	----	----	17.00	- 3.00	.2676	----	----	20	----	19 +	12	
4235	----	----	----	29.70B/14.00A	29.70B/14.00A	----	----	15.60	- 3.00	.2475	----	----	----	----	2	UNCH	
4240	23.80	23.80	----	27.70B/12.90A	27.70B/12.90A	----	----	14.40	- 3.00	.2292	----	----	2	----	7 +	2	
4245	----	----	----	25.80B/12.10A	25.80B/12.10A	----	----	13.20	- 3.00	.2111	----	----	2	----	5 +	1	
4250	15.80	15.80	----	23.90B/11.20A	23.90B/11.20A	----	----	12.20	- 2.90	.1950	----	----	59	----	81 +	25	
4255	15.00	15.00	----	22.40B/10.30A	22.40B/10.30A	----	----	11.20	- 2.80	.1792	----	----	8	----	15 +	6	
4260	10.50	10.50	----	20.70B/9.50A	20.70B/9.50A	----	----	10.40	- 2.70	.1656	----	----	52	----	55 +	47	
4265	10.00	10.00	----	19.20B/8.70A	19.20B/8.70A	----	----	9.50	- 2.70	.1514	----	----	1	----	4 +	1	
4270	----	----	----	17.80B/8.00A	17.80B/8.00A	----	----	8.70	- 2.60	.1384	----	----	----	----	50	UNCH	
4275	10.50	10.50	----	16.40B/7.40A	16.40B/7.40A	----	----	8.00	- 2.50	.1267	----	----	28	----	46 +	11	
4280	10.60	10.60	----	15.30B/6.80A	15.30B/6.80A	----	----	7.30	- 2.50	.1153	----	----	12	----	14 +	12	
4285	6.70	6.70	----	14.10B/6.20A	14.10B/6.20A	----	----	6.70	- 2.40	.1052	----	----	9	----	30 +	6	
4290	12.00	12.00	----	13.00B/5.80A	13.00B/5.80A	----	----	6.10	- 2.40	.0953	----	----	1	----	6	UNCH	
4295	5.40	5.40	----	12.10B/5.30A	12.10B/5.30A	----	----	5.60	- 2.30	.0868	----	----	6	----	12 +	6	
4300	7.40	7.40	----	11.10B/4.90A	11.10B/4.90A	----	----	5.10	- 2.30	.0785	----	----	37	----	291 +	12	
4305	6.90	6.90	----	10.30B/4.50A	10.30B/4.50A	----	----	4.70	NEW	.0716	----	----	12	----	12 +	12	
4310	7.20	7.20	----	9.50B/4.20A	9.50B/4.20A	----	----	4.40	NEW	.0661	----	----	1	----	1 +	1	
4315	5.00	5.00	----	8.80B/3.90A	8.80B/3.90A	----	----	4.00	- 2.00	.0595	----	----	1	----	5	UNCH	
4320	4.60	4.60	----	8.00B/3.60A	8.00B/3.60A	----	----	3.70	- 1.90	.0544	----	----	1	----	1	UNCH	
4325	4.30	4.30	----	7.30B/3.30A	7.30B/3.30A	----	----	3.50	- 1.70	.0505	----	----	74	----	207 +	51	
4330	5.00	5.00	----	6.90B/3.10A	6.90B/3.10A	----	----	3.20	- 1.70	.0457	----	----	3	----	31 -	1	
4340	3.80	3.80	----	5.80B/2.70A	5.80B/2.70A	----	----	2.80	NEW	.0387	----	----	17	----	17 +	17	
4345	----	----	----	5.30B/2.50A	5.30B/2.50A	----	----	2.60	- 1.40	.0354	----	----	----	----	7	UNCH	
4350	2.90	2.90	----	4.90B/2.30A	4.90B/2.30A	----	----	2.40	- 1.40	.0322	----	----	32	----	201 +	6	
4355	----	----	----	4.60B/2.20A	4.60B/2.20A	----	----	2.20	- 1.40	.0291	----	----	----	----	5	UNCH	
4360																	

BULLETIN #187@										METALS OPTION PRODUCTS										Tue, Sep 29, 2026		PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
OG PUT		COMEX GOLD OPTIONS																				
NOV26																						
2870	----	----	----	----	0.10B/0.30A	----	----	----	0.20 + 0.10	.0010	----	----	----	----	----	7	UNCH					
2890	----	----	----	0.20B/----	0.20B/0.30A	----	----	----	0.20 + 0.10	.0011	----	----	----	----	----	1	UNCH					
2895	----	----	----	0.20B/----	0.20B/0.30A	----	----	----	0.20 + 0.10	.0011	----	----	----	----	----	29	UNCH					
2900	----	----	----	----	0.20B/0.30A	----	----	----	0.20 UNCH	.0011	----	----	----	----	----	75	UNCH					
2910	----	----	----	----	0.20B/0.30A	----	----	----	0.30 + 0.10	.0016	----	----	----	----	----	1	UNCH					
2925	----	----	----	----	0.20B/0.30A	----	----	----	0.30 + 0.10	.0016	----	----	----	----	----	11	UNCH					
2935	----	----	----	----	0.20B/0.40A	----	----	----	0.30 + 0.10	.0016	----	----	----	----	----	1	UNCH					
2940	----	----	----	----	0.20B/0.40A	----	----	----	0.30 + 0.10	.0016	----	----	----	----	----	2	UNCH					
2945	----	----	----	----	0.20B/0.40A	----	----	----	0.30 + 0.10	.0016	----	----	----	----	----	21	UNCH					
2950	----	----	----	----	0.20B/0.40A	----	----	----	0.30 UNCH	.0016	----	----	----	----	----	10	UNCH					
2965	----	----	----	----	0.20B/0.40A	----	----	----	0.40 + 0.10	.0021	----	----	----	----	----	140	UNCH					
2975	----	----	----	----	0.30B/0.40A	----	----	----	0.40 + 0.10	.0021	----	----	----	----	----	20	UNCH					
2995	----	----	----	----	0.30B/0.40A	----	----	----	0.40 UNCH	.0022	----	----	----	----	----	30	UNCH					
3000	----	----	----	----	0.30B/0.40A	----	----	----	0.40 UNCH	.0022	----	----	----	----	----	322	UNCH					
3005	----	----	----	----	0.30B/0.40A	----	----	----	0.40 UNCH	.0022	----	----	----	----	----	1	UNCH					
3015	----	----	----	----	0.30B/0.40A	----	----	----	0.40 UNCH	.0022	----	----	----	----	----	2	UNCH					
3020	----	----	----	----	0.30B/0.50A	----	----	----	0.40 UNCH	.0022	----	----	----	----	----	506	UNCH					
3025	----	----	----	----	0.30B/0.50A	----	----	----	0.40 UNCH	.0022	----	----	----	----	----	35	UNCH					
3030	----	----	----	----	0.30B/0.50A	----	----	----	0.40 UNCH	.0022	----	----	----	----	----	2	UNCH					
3040	----	----	----	----	0.30B/0.50A	----	----	----	0.50 + 0.10	.0027	----	----	----	----	----	10	UNCH					
3050	----	----	----	----	0.40B/0.50A	----	----	----	0.50 UNCH	.0028	----	----	----	----	----	10	UNCH					
3070	----	----	----	----	0.40B/0.50A	----	----	----	0.50 UNCH	.0028	----	----	----	----	----	1	UNCH					
3075	----	----	----	----	0.40B/0.50A	----	----	----	0.50 UNCH	.0028	----	----	----	----	----	12	UNCH					
3080	----	----	----	----	0.40B/0.50A	----	----	----	0.50 UNCH	.0028	----	----	----	----	----	13	UNCH					
3085	0.60	0.60	----	0.60/0.60	0.60/0.50A	----	----	----	0.50 UNCH	.0028	----	----	----	5	----	27	-					
3090	0.60	0.60	----	0.60/0.50A	0.60/0.50A	----	----	----	0.50 - 0.10	.0029	----	----	----	5	----	5	UNCH					
3100	0.50	0.50	----	0.60/0.50	0.60/0.50	----	----	----	0.60 UNCH	.0034	----	----	----	11	----	25	-					
3110	0.60	0.60	----	0.70/0.60	0.70/0.60	----	----	----	0.60 UNCH	.0034	----	----	----	5	----	22	-					
3120	0.60	0.60	----	0.70/0.60	0.70/0.60	----	----	----	0.60 UNCH	.0034	----	----	----	5	----	15	UNCH					
3130	----	----	----	---/0.60A	0.60B/0.60A	----	----	----	0.60 - 0.10	.0035	----	----	----	----	----	1	UNCH					
3150	----	----	----	---/0.60A	0.60B/0.60A	----	----	----	0.70 UNCH	.0040	----	----	----	----	----	38	UNCH					
3160	----	----	----	---/0.60A	0.70B/0.60A	----	----	----	0.70 - 0.10	.0041	----	----	----	----	----	8	UNCH					
3175	0.80	0.80	----	0.80/0.70A	0.80/0.70A	----	----	----	0.70 - 0.10	.0041	----	----	----	5	----	10	UNCH					
3180	----	----	----	---/0.70A	0.80B/0.70A	----	----	----	0.80 - 0.10	.0047	----	----	----	----	----	11	UNCH					
3185	----	----	----	---/0.70A	0.80B/0.70A	----	----	----	0.80 - 0.10	.0047	----	----	----	----	----	2	UNCH					
3190	0.80	0.80	----	0.80/0.70A	0.80/0.70A	----	----	----	0.80 - 0.10	.0047	----	----	----	4	----	5	UNCH					
3195	0.80	0.80	----	0.80/0.70A	0.80/0.70A	----	----	----	0.80 - 0.10	.0047	----	----	----	1	----	1	UNCH					
3200	0.80	0.80	----	0.80/0.70A	0.80/0.70A	----	----	----	0.80 - 0.10	.0047	----	----	----	1	----	331	-					
3205	----	----	----	---/0.80A	0.90B/0.80A	----	----	----	0.80 - 0.20	.0048	----	----	----	----	----	1	UNCH					
3210	----	----	----	---/0.80A	0.90B/0.80A	----	----	----	0.90 - 0.10	.0053	----	----	----	----	----	500	UNCH					
3215	----	----	----	---/0.80A	0.90B/0.80A	----	----	----	0.90 - 0.10	.0053	----	----	----	----	----	1	UNCH					
3220	----	----	----	---/0.80A	0.90B/0.80A	----	----	----	0.90 - 0.10	.0053	----	----	----	----	----	9	UNCH					
3225	----	----	----	---/0.80A	1.00B/0.80A	----	----	----	0.90 - 0.20	.0054	----	----	----	----	----	9	UNCH					
3230	----	----	----	---/0.80A	1.00B/0.80A	----	----	----	0.90 - 0.20	.0054	----	----	----	----	----	13	UNCH					
3235	----	----	----	---/0.90A	1.00B/0.90A	----	----	----	0.90 - 0.20	.0054	----	----	----	----	----	5	UNCH					
3240	1.00	1.00	----	1.00/0.90A	1.00/0.90A	----	----	----	1.00 - 0.10	.0060	----	----	----	5	----	0	-					
3245	----	----	----	---/0.90A	1.10B/0.90A	----	----	----	1.00 - 0.20	.0060	----	----	----	----	----	20	UNCH					
3250	1.00	1.00	----	1.00/0.90A	1.10B/0.90A	----	----	----	1.00 - 0.20	.0060	----	----	----	1	----	198	+					
3255	----	----	----	---/0.90A	1.10B/0.90A	----	----	----	1.00 - 0.20	.0061	----	----	----	----	----	21	UNCH					
3260	----	----	----	---/0.90A	1.10B/0.90A	----	----	----	1.00 - 0.20	.0061	----	----	----	----	----	8	UNCH					
3265	----	----	----	---/1.00A	1.20B/1.00A	----	----	----	1.10 - 0.20	.0066	----	----	----	----	----	2	UNCH					
3270	----	----	----	---/1.00A	1.20B/1.00A	----	----	----	1.10 - 0.20	.0067	----	----	----	----	----	11	UNCH					
3275	----	----	----	---/1.00A	1.20B/1.00A	----	----	----	1.10 - 0.20	.0067	----	----	----	----	----	5	UNCH					
3280	----	----	----	---/1.00A	1.30B/1.00A	----	----	----	1.10 - 0.30	.0067	----	----	----	----	----	30	UNCH					
3285	----	----	----	---/1.00A	1.30B/1.00A	----	----	----	1.10 - 0.30	.0068	----	----	----	----	----	4	UNCH					
3290	----	----	----	---/1.10A	1.30B/1.10A	----	----	----	1.20 - 0.20	.0073	----	----	----	----	----	2	UNCH					
3295	----	----	----	---/1.10A	1.30B/1.10A	----	----	----	1.20 - 0.30	.0073	----	----	----	----	----	10	UNCH					
3300	1.20	1.20	----	1.20/1.10	1.40B/1.10	----	----	----	1.20 - 0.30	.0074	----	----	----	11	----	262	+					
3305	1.50	1.50	----	1.60/1.10A	1.60/1.10A	----	----	----	1.20 - 0.30	.0074	----	----	----	54	----	55	+					
3310	----	----	----	---/1.10A	1.30B/1.10A	----	----	----	1.30 - 0.30	.0080	----	----	----	----	----	4	UNCH					
3315	----	----	----	---/1.20A	1.30B/1.20A	----	----	----	1.30 - 0.30	.0080	----	----	----	----	----	11	UNCH					
3320	1.30	1.30	----	1.30/1.20	1.40B/1.20	----	----	----	1.30 - 0.30	.0081	----	----	----	6	----	42	UNCH					
3325	----	----	----	---/1.20A	1.60B/1.20A	----	----	----	1.30 - 0.40	.0081	----	----	----	----	----	20	UNCH					
3330	----	----	----	---/1.20A	1.40B/1.20A	----	----	----	1.40 - 0.30	.0087	----	----	----	----	----	3	UNCH					
3335	----	----	----	---/1.30A	1.50B/1.30A	----	----	----	1.40 - 0.30	.0087	----	----	----	----	----	33	UNCH					
3340	1.40	1.40	----	1.50/1.30A	1.50/1.30A	----	----	----	1.40 - 0.40	.0087	----	----	----	5	----	20	UNCH					
3345	----	----	----	---/1.30A	1.50B/1.30A	----	----	----	1.40 - 0.40	.0088	----	----	----	----	----	5	UNCH					
3350	----	----	----	---/1.30A	1.80B/1.30A	----	----	----	1.50 - 0.40	.0094	----	----	----	----	----	386	UNCH					
3355	----	----	----	---/1.40A	1.60B/1.40A	----	----	----	1.50 - 0.40	.0094	----	----	----	----	----	3	UNCH					
3360	1.60	1.60	----	1.60/1.40A	1.70B/1.40A	----	----	----	1.50 - 0.40	.0095	----	----	----	5	----	15	-					
3375	----	----	----	---/1.50A	2.00B/1.50A	----	----	----	1.60 - 0.50	.0101	----	----	----	----	----	7	UNCH					
3380	----	----	----	---/1.50A	2.00B/1.50A	----	----	----	1.70 - 0.40	.0107	----	----	----	----	----	21	UNCH					
3385	----	----	----	---/1.50A	1.90B/1.50A	----	----	----	1.70 - 0.40	.0108	----	----	----	----	----	3	UNCH					
3390	----	----	----	---/1.60A	2.10B/1.60A	----	----	----	1.70 - 0.50	.0108	----	----	----	----	----	9	UNCH					
3395	----	----	----	---/1.60A	2.20B/1.60A	----	----	----	1.80 - 0.40	.0114	----	----	----	----	----	132	UNCH					
3400	2.10	2.10	----	2.20/1.60A	2.20/1.60A	----	----	----	1.80 - 0.40	.0115	----	----	----	7	----	295	+					
3405	----	----	----	---/1.60A	2.10B/1.60A	----	----	----	1.80 - 0.50	.0115	----	----	----	----	----	3	UNCH					
3410	----	----	----	---/1.70A	2.10B/1.70A	----	----	----	1.90 - 0.40	.0121	----	----	----	----	----	3	UNCH					
3415	----	----	----	---/1.70A	2.20B/1.70A	----	----	----	1.90 - 0.50	.0122	----	----	----	----	----	1	UNCH					
3420	----	----	----	---/1.80A	2.40B/1.80A	----	----	----	2.00 - 0.40	.0128	----	----	----	----	----	21	UNCH					
3425	2.00	2.00	----	2.00/1.80A	2.50B/1.80A	----	----	----	2.00 - 0.50	.0129	----	----	----	1	----	44	+					
3430	2.70	2.70	----	2.70/1.80A	2.70/1.80A	----	----	----	2.00 - 0.50	.0129	----	----	----	5	----	30	UNCH					
3440	----	----	----	---/1.90A	2.60B/1.90A	----	----	----	2.10 - 0.50	.0136	----	----	----	----	----	45	UNCH					
3445	----	----	----	---/1.90A	2.70B/1.90A	----	----	----	2.20 - 0.50	.0142	----	----	----	----	----	11	UNCH					
3450	----	----	----	2.80B/2.00A	2.80B/2.00A	----	----	----	2.20 - 0.50	.0143	----	----	----	3	----	213	+					
3455	----	----	----	---/2.00A	2.80B/2.00A	----	----	----	2.30 - 0.50	.0149	----	----	----	----	----	1	UNCH					
3460	----	----	----	2.90B/2.00A	2.90B/2.00A	----	----	----	2.30 - 0.50	.0150	----	----	----	----	----	29	UNCH					
3465	2.40	2.40	----	3.00B/2.10A	3.00B/2.10A	----	----	----	2.40 - 0.50	.0156	----	----	----	7	----	9	+					
3470	----	----	----	3.10B/2.10A	3.10B/2.10A	----	----	----	2.40 - 0.50	.0157	----	----	----	----	----	28	UNCH					
3475	----	----	----	3.10B/2.10A	3.10B/2.10A	----	----	----	2.50 - 0.50	.0163	----	----	----	----	----	19	UNCH					
3480	----	----	----	3.20B/2.20A	3.20B/2.20A	----	----	----	2.50 - 0.60	.0164	----	----	----	----	----	57	UNCH					

PG64		BULLETIN #187@										METALS OPTION PRODUCTS										Tue, Sep 29, 2026		PG64
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME									OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS																						
NOV26																								
3720					9.40B/5.90A	9.40B/5.90A			7.10 - 1.40	.0501												7	UNCH	
3725	6.20	6.20			9.70B/6.00A	9.70B/6.00A			7.20 - 1.50	.0510			2									97 +	1	
3730					9.90B/6.10A	9.90B/6.10A			7.40 - 1.50	.0524			9									64 -	9	
3735	7.60	7.60			10.10B/6.20A	10.10B/6.20A			7.60 - 1.50	.0538			3									15 +	1	
3740	6.50	6.50			10.40B/6.40A	10.40B/6.40A			7.80 - 1.50	.0553			12									45 -	9	
3745	6.70	6.70			10.60B/6.50A	10.60B/6.50A			8.00 - 1.50	.0567			5									100 +	1	
3750	7.40	7.40			10.90B/6.70A	10.90B/6.70A			8.10 - 1.70	.0577			169									677 +	29	
3755					11.20B/6.90A	11.20B/6.90A			8.30 - 1.70	.0591												25	UNCH	
3760	7.80	7.80			11.40B/7.00A	11.40B/7.00A			8.60 - 1.70	.0611			5									43	UNCH	
3765					11.70B/7.20A	11.70B/7.20A			8.80 - 1.70	.0626												5	UNCH	
3770					12.00B/7.40A	12.00B/7.40A			9.00 - 1.80	.0641												71	UNCH	
3775					12.30B/7.60A	12.30B/7.60A			9.20 - 1.90	.0656			19									165 -	9	
3780					12.70B/7.80A	12.70B/7.80A			9.40 - 1.90	.0672												16	UNCH	
3785					13.00B/7.90A	13.00B/7.90A			9.70 - 1.90	.0692												22	UNCH	
3790	8.60	8.60			13.40B/8.10A	13.40B/8.10A			9.90 - 2.00	.0708			1									40	UNCH	
3795	10.00	10.00			13.70B/8.30A	13.70B/8.30A			10.20 - 2.10	.0728			5									8 +	2	
3800	13.00	13.00			14.30/8.50A	14.30/8.50A			10.50 - 2.10	.0749			223									1087 +	12	
3805	9.70	9.70			14.50B/8.80A	14.50B/8.80A			10.70 - 2.20	.0765			10									36 +	9	
3810	10.10	10.10			14.90B/9.00A	14.90B/9.00A			11.00 - 2.30	.0787			1									45	UNCH	
3815	9.50	9.50			15.30B/9.20A	15.30B/9.20A			11.30 - 2.30	.0808			1									225 -	1	
3820	11.30	11.30			15.70B/9.50A	15.70B/9.50A			11.60 - 2.40	.0829			13									146 +	3	
3825					16.10B/9.70A	16.10B/9.70A			12.00 - 2.40	.0855			6									82	UNCH	
3830	15.40	15.40			16.60B/10.00A	16.60B/10.00A			12.30 - 2.50	.0877			14									75	UNCH	
3835	10.80	10.80			17.10B/10.30A	17.10B/10.30A			12.60 - 2.60	.0899			1									171 +	1	
3840	12.80	12.80			17.50B/10.50A	17.50B/10.50A			13.00 - 2.60	.0926			4									99 +	4	
3845	12.90	12.90			18.00B/10.80A	18.00B/10.80A			13.40 - 2.70	.0953			5									80 +	5	
3850	14.60	14.60			18.50B/11.00	18.50B/11.00			13.70 - 2.80	.0975			138									1085 -	21	
3855					19.00B/11.40A	19.00B/11.40A			14.10 - 2.90	.1002			2									155 -	2	
3860	14.50	14.50			19.60B/11.70A	19.60B/11.70A			14.50 - 2.90	.1030			12									107 -	1	
3865					20.10B/12.00A	20.10B/12.00A			15.00 - 2.90	.1062												84	UNCH	
3870	20.80	20.80			20.80/12.30A	20.80/12.30A			15.40 - 3.00	.1090												103 -	1	
3875	16.30	16.30			21.30B/12.70A	21.30B/12.70A			15.80 - 3.20	.1118			29									270 +	14	
3880					22.00B/13.10A	22.00B/13.10A			16.30 - 3.20	.1150			1									96	UNCH	
3885					22.60B/13.40A	22.60B/13.40A			16.80 - 3.30	.1183												86	UNCH	
3890					23.30B/13.80A	23.30B/13.80A			17.30 - 3.30	.1216			20									239 -	20	
3895	17.80	17.80			23.90B/14.20A	23.90B/14.20A			17.80 - 3.40	.1249			2									60	UNCH	
3900	18.70	18.70			24.70B/14.70A	24.70B/14.70A			18.30 - 3.50	.1283			56									1707 -	25	
3905	18.40	18.40			25.40B/15.10A	25.40B/15.10A			18.90 - 3.60	.1321			16									129 +	4	
3910	18.30	18.30			26.10B/15.50A	26.10B/15.50A			19.40 - 3.70	.1355			1									178	UNCH	
3915	16.50	16.50			26.90B/15.90A	26.90B/15.90A			20.00 - 3.80	.1393			10									80 -	3	
3920					27.70B/16.40A	27.70B/16.40A			20.60 - 3.90	.1431												228	UNCH	
3925	21.40	21.40			28.60B/16.90A	28.60B/16.90A			21.20 - 4.00	.1470			9									161 +	1	
3930	20.50	20.50			29.40B/17.40A	29.40B/17.40A			21.90 - 4.00	.1513			24									179 +	19	
3935					30.30B/17.90A	30.30B/17.90A			22.50 - 4.20	.1552												51	UNCH	
3940	19.50	19.50			31.10B/18.60A	31.10B/18.60A			23.20 - 4.30	.1595			3									44 +	3	
3945	20.30	20.30			32.10B/19.10A	32.10B/19.10A			23.90 - 4.40	.1639			5									46 +	2	
3950	30.80	30.80			33.00B/19.70A	33.00B/19.70A			24.70 - 4.40	.1686			117									440 +	10	
3955					34.00B/20.20A	34.00B/20.20A			25.40 - 4.60	.1730												137	UNCH	
3960	26.30	26.30			35.00B/20.90A	35.00B/20.90A			26.20 - 4.70	.1778			27									275 +	7	
3965	35.50	35.50			36.00B/21.50A	36.00B/21.50A			27.00 - 4.80	.1826			11									41	UNCH	
3970	27.70	27.70			37.00B/22.20A	37.00B/22.20A			27.80 - 5.00	.1875			1									45 +	1	
3975	28.80	28.80			38.10B/22.90A	38.10B/22.90A			28.70 - 5.00	.1927			25									520 -	11	
3980	35.40	35.40			39.30B/23.60A	39.30B/23.60A			29.60 - 5.10	.1979			14									171 -	3	
3985					40.50B/24.30A	40.50B/24.30A			30.50 - 5.30	.2031			3									115 +	1	
3990					41.70B/25.10A	41.70B/25.10A			31.40 - 5.40	.2084			3									112 -	1	
3995	27.90	27.90			42.90B/25.80A	42.90B/25.80A			32.40 - 5.50	.2140			3									89 -	1	
4000	42.80	42.80																						

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS															
NOV26																
4405	----	----	----	279.40B/220.50A	279.40B/220.50A	----	----	----	250.20	-11.40	----	----	----	----	57	UNCH
4410	----	----	----	283.70B/224.30A	283.70B/224.30A	----	----	----	254.40	-11.40	----	----	----	----	66	UNCH
4415	----	----	----	288.10B/228.50A	288.10B/228.50A	----	----	----	258.60	-11.50	----	----	----	----	280	UNCH
4420	275.00	275.00	----	292.50B/232.40A	292.50B/232.40A	----	----	----	262.80	-11.50	----	----	1	----	82	-1
4425	----	----	----	296.90B/236.50A	296.90B/236.50A	----	----	----	267.10	-11.50	----	----	----	----	344	UNCH
4430	----	----	----	301.30B/240.60A	301.30B/240.60A	----	----	----	271.40	-11.50	----	----	----	----	134	UNCH
4435	----	----	----	305.70B/244.70A	305.70B/244.70A	----	----	----	275.70	-11.60	----	----	----	----	74	UNCH
4440	----	----	----	310.10B/249.00A	310.10B/249.00A	----	----	----	280.00	-11.60	----	----	----	----	157	UNCH
4445	----	----	----	314.50B/253.20A	314.50B/253.20A	----	----	----	284.40	-11.60	----	----	----	----	32	UNCH
4450	288.70	288.70	----	318.90B/257.40A	318.90B/257.40A	----	----	----	288.80	-11.60	----	----	6	----	918	UNCH
4455	----	----	----	323.50B/261.50A	323.50B/261.50A	----	----	----	293.20	-11.60	----	----	----	----	27	UNCH
4460	----	----	----	328.00B/265.90A	328.00B/265.90A	----	----	----	297.60	-11.60	----	----	----	----	56	UNCH
4465	----	----	----	332.40B/270.00A	332.40B/270.00A	----	----	----	302.00	-11.60	----	----	----	----	25	UNCH
4470	----	----	----	337.10B/274.30A	337.10B/274.30A	----	----	----	306.50	-11.60	----	----	----	----	53	UNCH
4475	----	----	----	341.50B/278.60A	341.50B/278.60A	----	----	----	310.90	-11.60	----	----	----	----	99	UNCH
4480	----	----	----	346.20B/283.10A	346.20B/283.10A	----	----	----	315.40	-11.60	----	----	----	----	21	UNCH
4485	----	----	----	350.60B/287.30A	350.60B/287.30A	----	----	----	319.90	-11.60	----	----	----	----	51	UNCH
4490	----	----	----	355.20B/291.70A	355.20B/291.70A	----	----	----	324.40	-11.60	----	----	----	----	36	UNCH
4495	----	----	----	359.90B/296.10A	359.90B/296.10A	----	----	----	328.90	-11.70	----	----	----	----	27	UNCH
4500	----	----	----	364.50B/300.50A	364.50B/300.50A	----	----	----	333.50	-11.60	----	----	----	----	362	UNCH
4505	----	----	----	369.00B/304.90A	369.00B/304.90A	----	----	----	338.00	-11.70	----	----	----	----	21	UNCH
4510	----	----	----	373.70B/309.40A	373.70B/309.40A	----	----	----	342.60	-11.70	----	----	----	----	187	UNCH
4515	----	----	----	378.30B/313.90A	378.30B/313.90A	----	----	----	347.20	-11.70	----	----	----	----	9	UNCH
4520	----	----	----	383.00B/318.30A	383.00B/318.30A	----	----	----	351.80	-11.70	----	----	----	----	36	UNCH
4525	----	----	----	387.70B/322.80A	387.70B/322.80A	----	----	----	356.40	-11.70	----	----	----	----	107	UNCH
4530	----	----	----	392.30B/327.30A	392.30B/327.30A	----	----	----	361.10	-11.60	----	----	----	----	286	UNCH
4535	----	----	----	397.00B/331.90A	397.00B/331.90A	----	----	----	365.70	-11.70	----	----	----	----	37	UNCH
4540	----	----	----	401.70B/336.40A	401.70B/336.40A	----	----	----	370.40	-11.60	----	----	----	----	40	UNCH
4545	----	----	----	406.40B/341.00A	406.40B/341.00A	----	----	----	375.00	-11.70	----	----	----	----	20	UNCH
4550	----	----	----	411.20B/345.50A	411.20B/345.50A	----	----	----	379.70	-11.70	----	----	----	----	430	UNCH
4555	----	----	----	415.90B/350.20A	415.90B/350.20A	----	----	----	384.40	-11.60	----	----	----	----	5	UNCH
4560	----	----	----	420.60B/354.80A	420.60B/354.80A	----	----	----	389.10	-11.60	----	----	----	----	47	UNCH
4565	----	----	----	425.40B/359.40A	425.40B/359.40A	----	----	----	393.80	-11.60	----	----	----	----	56	UNCH
4570	----	----	----	430.20B/364.00A	430.20B/364.00A	----	----	----	398.50	-11.70	----	----	----	----	39	UNCH
4575	----	----	----	429.60B/368.60A	429.60B/368.60A	----	----	----	403.30	-11.60	----	----	----	----	11	UNCH
4580	----	----	----	434.00B/373.30A	434.00B/373.30A	----	----	----	408.00	-11.60	----	----	1	----	21	UNCH
4585	----	----	----	438.70B/377.90A	438.70B/377.90A	----	----	----	412.80	-11.60	----	----	----	----	160	UNCH
4590	----	----	----	443.90B/382.60A	443.90B/382.60A	----	----	----	417.50	-11.60	----	----	----	----	87	UNCH
4595	----	----	----	448.70B/387.30A	448.70B/387.30A	----	----	----	422.30	-11.60	----	----	----	----	15	UNCH
4600	----	----	----	453.50B/392.00A	453.50B/392.00A	----	----	----	427.10	-11.50	----	----	1	----	196	UNCH
4605	----	----	----	458.30B/396.70A	458.30B/396.70A	----	----	----	431.90	-11.50	----	----	----	----	12	UNCH
4610	----	----	----	463.10B/401.40A	463.10B/401.40A	----	----	----	436.70	-11.50	----	----	----	----	8	UNCH
4615	----	----	----	467.50B/406.10A	467.50B/406.10A	----	----	----	441.40	-11.60	----	----	----	----	15	UNCH
4620	----	----	----	472.30B/410.90A	472.30B/410.90A	----	----	----	446.30	-11.50	----	----	----	----	17	UNCH
4625	----	----	----	477.60B/415.60A	477.60B/415.60A	----	----	----	451.10	-11.50	----	----	----	----	23	UNCH
4630	----	----	----	482.40B/420.30A	482.40B/420.30A	----	----	----	455.90	-11.50	----	----	----	----	22	UNCH
4635	----	----	----	486.80B/425.10A	486.80B/425.10A	----	----	----	460.70	-11.50	----	----	----	----	22	UNCH
4640	----	----	----	492.10B/429.90A	492.10B/429.90A	----	----	----	465.50	-11.50	----	----	----	----	91	UNCH
4645	----	----	----	496.50B/434.60A	496.50B/434.60A	----	----	----	470.40	-11.50	----	----	----	----	28	UNCH
4650	----	----	----	501.80B/439.40A	501.80B/439.40A	----	----	----	475.20	-11.50	----	----	----	----	217	UNCH
4655	----	----	----	506.30B/444.20A	506.30B/444.20A	----	----	----	480.10	-11.50	----	----	----	----	55	UNCH
4660	----	----	----	511.10B/451.40A	511.10B/451.40A	----	----	----	484.90	-11.50	----	----	----	----	6	UNCH
4665	----	----	----	516.40B/456.20A	516.40B/456.20A	----	----	----	489.80	-11.50	----	----	----	----	2	UNCH
4670	----	----	----	521.30B/461.10A	521.30B/461.10A	----	----	----	494.60	-11.50	----	----	----	----	15	UNCH
4675	----	----	----	525.70B/465.90A	525.70B/465.90A	----	----	----	499.50	-11.50	----	----	----	----	86	UNCH
4680	----	----	----	530.60B/470.70A	530.60B/470.70A	----	----	----	504.40	-11.50	----	----	----	----	50	UNCH
4685	----	----	----	535.50B/475.50A	535.50B/475.50A	----	----	----	509.20	-11.50	----	----	----	----	12	UNCH
4690	----	----	----	540.80B/480.40A	540.80B/480.40A	----	----	----	514.10	-11.50	----	----	----	----	8	UNCH
4695	----	----	----	545.70B/485.20A	545.70B/485.20A	----	----	----	519.00	-11.50	----	----	----	----	10	UNCH
4700	----	----	----	550.60B/490.10A	550.60B/490.10A	----	----	----	523.90	-11.50	----	----	----	----	224	UNCH
4710	----	----	----	560.40B/499.80A	560.40B/499.80A	----	----	----	533.70	-11.50	----	----	----	----	2	UNCH
4715	----	----	----	564.90B/504.60A	564.90B/504.60A	----	----	----	538.60	-11.50	----	----	----	----	2	UNCH
4720	----	----	----	569.80B/509.50A	569.80B/509.50A	----	----	----	543.50	-11.50	----	----	----	----	4	UNCH
4725	----	----	----	574.70B/514.40A	574.70B/514.40A	----	----	----	548.40	-11.50	----	----	----	----	12	UNCH
4730	----	----	----	579.60B/519.20A	579.60B/519.20A	----	----	----	553.30	-11.50	----	----	----	----	10	UNCH
4735	----	----	----	585.00B/524.10A	585.00B/524.10A	----	----	----	558.20	-11.50	----	----	----	----	4	UNCH
4740	----	----	----	589.90B/529.00A	589.90B/529.00A	----	----	----	563.10	-11.50	----	----	----	----	9	UNCH
4745	----	----	----	594.40B/533.90A	594.40B/533.90A	----	----	----	568.00	-11.50	----	----	----	----	4	UNCH
4750	563.60	563.60	----	599.30B/538.80A	599.30B/538.80A	----	----	----	572.90	-11.50	----	----	1	----	201	UNCH
4755	----	----	----	604.70B/543.70A	604.70B/543.70A	----	----	----	577.80	-11.50	----	----	----	----	6	UNCH
4760	----	----	----	609.60B/548.60A	609.60B/548.60A	----	----	----	582.70	-11.50	----	----	----	----	10	UNCH
4770	----	----	----	619.50B/558.40A	619.50B/558.40A	----	----	----	592.60	-11.50	----	----	----	----	5	UNCH
4775	----	----	----	624.00B/563.30A	624.00B/563.30A	----	----	----	597.50	-11.50	----	----	----	----	12	UNCH
4790	----	----	----	638.80B/578.00A	638.80B/578.00A	----	----	----	612.30	-11.50	----	----	----	----	11	UNCH
4800	----	----	----	648.70B/587.80A	648.70B/587.80A	----	----	----	622.20	-11.50	----	----	----	----	38	UNCH
4805	----	----	----	654.10B/592.80A	654.10B/592.80A	----	----	----	627.10	-11.50	----	----	----	----	11	UNCH
4810	----	----	----	658.60B/597.70A	658.60B/597.70A	----	----	----	632.10	-11.50	----	----	----	----	1	UNCH
4820	----	----	----	668.50B/607.50A	668.50B/607.50A	----	----	----	641.90	-11.60	----	----	----	----	3	UNCH
4830	----	----	----	678.40B/617.40A	678.40B/617.40A	----	----	----	651.80	-11.60	----	----	----	----	5	UNCH
4840	----	----	----	688.80B/627.30A	688.80B/627.30A	----	----	----	661.70	-11.60	----	----	----	----	4	UNCH
4845	----	----	----	693.30B/632.20A	693.30B/632.20A	----	----	----	666.70	-11.50	----	----	----	----	10	UNCH
4850	----	----	----	698.70B/637.20A	698.70B/637.20A	----	----	----	671.60	-11.60	----	----	----	----	133	UNCH
4855	----	----	----	703.20B/642.10A	703.20B/642.10A	----	----	----	676.60	-11.50	----	----	----	----	3	UNCH
4860	----	----	----	708.20B/647.00A	708.20B/647.00A	----	----	----	681.50	-11.60	----	----	----	----	1	UNCH
4865	----	----	----	713.60B/652.00A	713.60B/652.00A	----	----	----	686.50	-11.60	----	----	----	----	2	UNCH
4875	----	----	----	723.10B/661.90A	723.10B/661.90A	----	----	----	696.40	-11.60	----	----	----	----	3	UNCH
4885	----	----	----	733.00B/671.80A	733.00B/671.80A	----	----	----	706.30	-11.60	----	----	----	----	10	UNCH
4895	----	----	----	743.40B/681.70A	743.40B/681.70A	----	----	----	716.30	-11.50	----	----	----	----		



BULLETIN #187@				METALS OPTION PRODUCTS										Tue, Sep 29, 2026			PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT																	
NOV26																	
5350	----	----	----	1,197.30B/1,135	1197.30B/1135.20A	----	----	1170.30	- 11.40	.9960	----	----	----	----	----	0	UNCH
5395	----	----	----	1,242.30B/1,180	1242.30B/1180.20A	----	----	1215.30	- 11.30	.9962	----	----	----	----	----	6	UNCH
5400	----	----	----	1,247.30B/1,185	1247.30B/1185.20A	----	----	1220.30	- 11.30	.9962	----	----	----	----	----	6	UNCH
TOTAL														3685	380	61393+	618
DEC26																	
1350	----	----	----	----	----/0.20A	----	----	0.10	UNCH	----	----	----	----	----	----	17	UNCH
1375	----	----	----	----	----/0.20A	----	----	0.10	UNCH	----	----	----	----	----	----	1	UNCH
1400	----	----	----	----	----/0.20A	----	----	0.10	UNCH	----	----	----	----	----	----	1	UNCH
1500	----	----	----	----	----/0.10A	----	----	0.10	UNCH	----	----	----	----	----	----	1	UNCH
1600	----	----	----	----	----/0.20A	----	----	0.10	UNCH	----	----	----	----	----	----	219	UNCH
1700	----	----	----	----	----/0.20A	----	----	0.10	UNCH	.0000	----	----	----	----	----	200	UNCH
1740	----	----	----	----	----/0.20A	----	----	0.10	UNCH	.0000	----	----	----	----	----	5	UNCH
1750	----	----	----	----	----/0.20A	----	----	0.10	UNCH	.0000	----	----	----	----	----	3	UNCH
1800	----	----	----	----	----/0.20A	----	----	0.10	UNCH	.0000	----	----	----	----	----	1	UNCH
1845	----	----	----	----	----/0.20A	----	----	0.10	UNCH	.0000	----	----	----	----	----	60	UNCH
1850	----	----	----	----	----/0.20A	----	----	0.10	UNCH	.0000	----	----	----	----	----	5	UNCH
1870	----	----	----	----	----/0.20A	----	----	0.10	UNCH	.0000	----	----	----	----	----	3	UNCH
1875	----	----	----	----	----/0.20A	----	----	0.10	UNCH	.0000	----	----	----	----	----	3	UNCH
1900	----	----	----	----	----/0.20A	----	----	0.10	UNCH	.0000	----	----	----	----	----	6	UNCH
1930	----	----	----	----	----/0.20A	----	----	0.10	UNCH	.0001	----	----	----	----	----	8	UNCH
2000	----	----	----	----	----/0.30A	----	----	0.10	UNCH	.0001	----	----	----	----	----	10	UNCH
2100	----	----	----	----	0.10B/0.30A	----	----	0.20	UNCH	.0006	----	----	----	----	----	1	UNCH
2125	----	----	----	----	0.10B/0.30A	----	----	0.20	UNCH	.0006	----	----	----	----	----	10	UNCH
2200	----	----	----	----	0.10B/0.30A	----	----	0.20	UNCH	.0007	----	----	----	----	----	12	UNCH
2210	----	----	----	----	0.10B/0.30A	----	----	0.20	UNCH	.0007	----	----	----	----	----	14	UNCH
2225	----	----	----	----	0.10B/0.30A	----	----	0.20	UNCH	.0007	----	----	----	----	----	2	UNCH
2235	----	----	----	----	0.10B/0.30A	----	----	0.20	UNCH	.0007	----	----	----	----	----	1	UNCH
2240	----	----	----	----	0.10B/0.30A	----	----	0.20	UNCH	.0007	----	----	----	----	----	2	UNCH
2245	----	----	----	----	0.10B/0.30A	----	----	0.20	UNCH	.0007	----	----	----	----	----	3	UNCH
2250	----	----	----	----	0.10B/0.40A	----	----	0.20	UNCH	.0007	----	----	----	----	----	1	UNCH
2260	----	----	----	----	0.10B/0.40A	----	----	0.20	UNCH	.0007	----	----	----	----	----	13	UNCH
2280	----	----	----	----	0.10B/0.30A	----	----	0.20	UNCH	.0007	----	----	----	----	----	1	UNCH
2300	----	----	----	----	0.10B/0.30A	----	----	0.30	UNCH	.0010	----	----	----	----	----	5	UNCH
2320	----	----	----	----	0.20B/0.40A	----	----	0.30	UNCH	.0011	----	----	----	----	----	1	UNCH
2325	----	----	----	----	0.20B/0.40A	----	----	0.30	UNCH	.0011	----	----	----	----	----	15	UNCH
2395	----	----	----	----	0.20B/0.40A	----	----	0.30	UNCH	.0011	----	----	----	----	----	10	UNCH
2400	----	----	----	----	0.20B/0.40A	----	----	0.30	UNCH	.0011	----	----	----	----	----	15	UNCH
2425	----	----	----	----	0.20B/0.40A	----	----	0.30	- 0.10	.0011	----	----	----	----	----	11	UNCH
2440	----	----	----	----	0.20B/0.40A	----	----	0.30	- 0.10	.0012	----	----	----	----	----	1	UNCH
2450	----	----	----	----	0.30B/0.40A	----	----	0.40	UNCH	.0015	----	----	----	----	----	24	UNCH
2470	----	----	----	----	0.30B/0.40A	----	----	0.40	UNCH	.0015	----	----	----	----	----	2	UNCH
2490	----	----	----	----	0.30B/0.50A	----	----	0.40	- 0.10	.0015	----	----	----	----	----	11	UNCH
2495	----	----	----	----	0.30B/0.50A	----	----	0.40	- 0.10	.0016	----	----	----	----	----	30	UNCH
2500	----	----	----	----	0.30B/0.50A	----	----	0.40	- 0.10	.0016	----	----	----	----	----	462	UNCH
2550	----	----	----	----	0.40B/0.50A	----	----	0.50	UNCH	.0020	----	----	----	----	----	5	UNCH
2560	----	----	----	----/0.50A	0.40B/0.50A	----	----	0.50	- 0.10	.0020	----	----	----	----	----	20	UNCH
2565	----	----	----	----/0.50A	0.40B/0.50A	----	----	0.50	- 0.10	.0020	----	----	----	----	----	32	UNCH
2570	----	----	----	----	0.40B/0.60A	----	----	0.50	- 0.10	.0020	----	----	----	----	----	10	UNCH
2575	----	----	----	----	0.40B/0.60A	----	----	0.50	- 0.10	.0020	----	----	----	----	----	16	UNCH
2580	----	----	----	----	0.50B/0.60A	----	----	0.50	- 0.10	.0020	----	----	----	----	----	5	UNCH
2590	----	----	----	----	0.50B/0.60A	----	----	0.50	- 0.10	.0020	----	----	----	----	----	18	UNCH
2600	----	----	----	----	0.50B/0.60A	----	----	0.60	UNCH	.0024	----	----	----	----	----	25	UNCH
2605	----	----	----	----	0.50B/0.60A	----	----	0.60	UNCH	.0024	----	----	----	----	----	1	UNCH
2610	----	----	----	----	0.50B/0.60A	----	----	0.60	UNCH	.0024	----	----	----	----	----	25	UNCH
2645	----	----	----	----	0.60B/0.70A	----	----	0.70	UNCH	.0028	----	----	----	----	----	7	UNCH
2650	----	----	----	----	0.60B/0.70A	----	----	0.70	UNCH	.0028	----	----	----	----	----	1	UNCH
2655	----	----	----	----	0.60B/0.70A	----	----	0.70	UNCH	.0028	----	----	----	----	----	2	UNCH
2660	----	----	----	----	0.60B/0.70A	----	----	0.70	UNCH	.0028	----	----	----	----	----	3	UNCH
2675	----	----	----	----/0.70A	0.70B/0.70A	----	----	0.70	- 0.10	.0029	----	----	----	----	----	4	UNCH
2695	----	----	----	----	0.70B/0.80A	----	----	0.80	UNCH	.0033	----	----	----	----	----	14	UNCH
2700	----	----	----	----	0.70B/0.80A	----	----	0.80	UNCH	.0033	----	----	----	----	----	5	UNCH
2705	----	----	----	----	0.80B/0.80A	----	----	0.80	UNCH	.0033	----	----	----	----	----	10	UNCH
2710	----	----	----	----/0.80A	0.80B/0.80A	----	----	0.80	- 0.10	.0033	----	----	----	----	----	4	UNCH
2735	----	----	----	----	0.80B/0.90A	----	----	0.90	UNCH	.0037	----	----	----	----	----	4	UNCH
2740	----	----	----	----	0.90B/0.90A	----	----	0.90	UNCH	.0037	----	----	----	----	----	3	UNCH
2750	0.90	0.90		0.90/0.90	0.90/0.90	----	----	0.90	- 0.10	.0038	----	----	----	2	----	47	- 2
2795	----	----	----	----	1.10B/1.10A	----	----	1.10	UNCH	.0046	----	----	----	----	----	10	UNCH
2800	----	----	----	----/1.10A	1.10B/1.10A	----	----	1.10	- 0.10	.0046	----	----	----	----	----	82	UNCH
2850	----	----	----	----/1.30A	1.30B/1.30A	----	----	1.30	- 0.10	.0055	----	----	----	----	----	34	UNCH
2875	----	----	----	----/1.40A	1.40B/1.40A	----	----	1.40	- 0.10	.0060	----	----	----	----	----	1	UNCH
2880	----	----	----	----/1.40A	1.40B/1.40A	----	----	1.40	- 0.10	.0060	----	----	----	----	----	1	UNCH
2900	----	----	----	----/1.50A	1.50B/1.50A	----	----	1.50	- 0.10	.0064	----	----	----	----	----	75	UNCH
2915	----	----	----	----/1.50A	1.60B/1.50A	----	----	1.50	- 0.20	.0065	----	----	----	----	----	1	UNCH
2925	----	----	----	----/1.60A	1.70B/1.60A	----	----	1.60	- 0.20	.0069	----	----	----	----	----	300	UNCH
29459																	

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN VOLUME	OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
COMEX GOLD OPTIONS																
OG PUT DEC26	----	----														
3385	----	----			7.20B/5.70A	7.20B/5.70A	----		6.50 - 0.50	.0311	----	----	----	----	----	35 UNCH
3390	----	----			7.30B/5.80A	7.30B/5.80A	----		6.60 - 0.50	.0316	----	----	----	----	----	101 UNCH
3395	----	----			7.50B/5.90A	7.50B/5.90A	----		6.70 - 0.50	.0322	----	----	----	----	----	6 UNCH
3400	6.40	6.40			7.60B/6.00A	7.60B/6.00A	----		6.80 - 0.50	.0327	----	----	53	----	2209 +	45
3410	----	----			7.80B/6.20A	7.80B/6.20A	----		7.00 - 0.50	.0337	----	----	----	----	----	63 UNCH
3420	----	----			8.10B/6.40A	8.10B/6.40A	----		7.20 - 0.60	.0348	----	----	----	----	----	3 UNCH
3425	----	----			8.20B/6.50A	8.20B/6.50A	----		7.30 - 0.60	.0353	----	----	----	----	382	UNCH
3430	----	----			8.40B/6.60A	8.40B/6.60A	----		7.40 - 0.60	.0359	----	----	----	----	2	UNCH
3435	----	----			8.50B/6.70A	8.50B/6.70A	----		7.50 - 0.70	.0364	----	----	----	----	18	UNCH
3440	----	----			8.60B/6.80A	8.60B/6.80A	----		7.70 - 0.60	.0373	----	----	----	----	11	UNCH
3445	----	----			8.80B/6.90A	8.80B/6.90A	----		7.80 - 0.60	.0379	----	----	----	----	4	UNCH
3450	----	----			9.00B/7.00A	9.00B/7.00A	----		7.90 - 0.70	.0384	----	----	----	----	1302	UNCH
3455	----	----			9.10B/7.10A	9.10B/7.10A	----		8.00 - 0.70	.0390	----	----	----	----	2	UNCH
3460	----	----			9.30B/7.20A	9.30B/7.20A	----		8.20 - 0.60	.0399	----	----	----	----	72	UNCH
3465	----	----			9.40B/7.30A	9.40B/7.30A	----		8.30 - 0.70	.0405	----	----	----	----	227	UNCH
3470	----	----			9.60B/7.40A	9.60B/7.40A	----		8.40 - 0.70	.0410	----	----	----	----	20	UNCH
3475	----	----			9.80B/7.60A	9.80B/7.60A	----		8.60 - 0.70	.0420	----	45	----	----	232 -	4
3480	----	----			9.90B/7.70A	9.90B/7.70A	----		8.70 - 0.80	.0425	----	1250	----	----	1288 +	1244
3485	8.10	8.10			10.10B/7.80A	10.10B/7.80A	----		8.90 - 0.70	.0435	----	10	----	----	129	UNCH
3490	8.40	8.40			10.30B/7.90A	10.30B/7.90A	----		9.00 - 0.80	.0441	----	1	----	----	31 +	1
3495	----	----			10.50B/8.10A	10.50B/8.10A	----		9.20 - 0.70	.0450	----	----	----	----	23	UNCH
3500	10.80	10.80			10.80/8.20A	10.80/8.20A	----		9.30 - 0.80	.0456	----	1292	----	----	6106 +	806
3505	----	----			10.80B/8.30A	10.80B/8.30A	----		9.50 - 0.80	.0466	----	----	----	----	19	UNCH
3510	----	----			11.00B/8.50A	11.00B/8.50A	----		9.60 - 0.90	.0472	----	----	----	----	252	UNCH
3515	----	----			11.20B/8.60A	11.20B/8.60A	----		9.80 - 0.80	.0481	----	3	----	----	136	UNCH
3520	9.70	9.70			11.40B/8.80A	11.40B/8.80A	----		10.00 - 0.80	.0491	----	----	3	----	23 +	2
3525	----	----			11.70B/8.90A	11.70B/8.90A	----		10.10 - 0.90	.0497	----	----	----	----	205	UNCH
3530	----	----			11.80B/9.00A	11.80B/9.00A	----		10.30 - 0.90	.0507	----	----	----	----	1	UNCH
3540	----	----			12.30B/9.40A	12.30B/9.40A	----		10.70 - 0.90	.0526	----	----	----	----	23	UNCH
3545	9.50	9.50			12.50B/9.50	12.50B/9.50	----		10.90 - 0.90	.0536	----	1	----	----	20 +	1
3550	10.00	10.00			12.80B/9.70A	12.80B/9.70A	----		11.00 - 1.00	.0543	----	34	----	----	2160 +	22
3555	----	----			13.00B/9.80A	13.00B/9.80A	----		11.20 - 1.10	.0553	----	----	----	----	2	UNCH
3560	----	----			13.20B/10.00A	13.20B/10.00A	----		11.40 - 1.10	.0563	----	----	----	----	84	UNCH
3565	----	----			13.50B/10.20A	13.50B/10.20A	----		11.60 - 1.10	.0573	----	----	----	----	33	UNCH
3570	----	----			13.70B/10.40A	13.70B/10.40A	----		11.90 - 1.00	.0587	----	----	----	----	18	UNCH
3575	----	----			14.00B/10.50A	14.00B/10.50A	----		12.10 - 1.10	.0597	----	----	----	----	11	UNCH
3580	----	----			14.30B/10.70A	14.30B/10.70A	----		12.30 - 1.10	.0607	----	----	----	----	16	UNCH
3585	11.40	11.40			14.50B/10.90A	14.50B/10.90A	----		12.50 - 1.20	.0617	----	1	----	----	334	UNCH
3590	11.80	11.80			14.80B/11.10A	14.80B/11.10A	----		12.70 - 1.20	.0628	----	22	----	----	46 +	20
3595	----	----			15.10B/11.30A	15.10B/11.30A	----		13.00 - 1.20	.0642	----	----	----	----	115	UNCH
3600	13.50	13.50			15.40B/11.50A	15.40B/11.50A	----		13.20 - 1.30	.0652	----	75	----	----	1963 +	1
3605	----	----			15.70B/11.70A	15.70B/11.70A	----		13.50 - 1.20	.0666	----	----	----	----	37	UNCH
3610	----	----			16.00B/11.90A	16.00B/11.90A	----		13.70 - 1.30	.0677	----	----	----	----	31	UNCH
3615	----	----			16.30B/12.20A	16.30B/12.20A	----		14.00 - 1.30	.0691	----	----	----	----	35	UNCH
3620	----	----			16.60B/12.40A	16.60B/12.40A	----		14.20 - 1.40	.0702	----	----	----	----	6	UNCH
3625	----	----			17.00B/12.60A	17.00B/12.60A	----		14.50 - 1.40	.0716	----	----	----	----	34	UNCH
3635	----	----			17.60B/13.10A	17.60B/13.10A	----		15.10 - 1.40	.0745	----	----	----	----	47	UNCH
3640	----	----			18.00B/13.40A	18.00B/13.40A	----		15.40 - 1.50	.0759	----	----	----	----	18	UNCH
3645	15.00	15.00			18.40B/13.60A	18.40B/13.60A	----		15.70 - 1.50	.0773	----	1	----	----	57	UNCH
3650	15.40	15.40			18.70B/13.90A	18.70B/13.90A	----		16.00 - 1.50	.0788	----	13	----	----	1646	UNCH
3655	----	----			19.10B/14.20A	19.10B/14.20A	----		16.30 - 1.60	.0803	----	----	----	----	244	UNCH
3660	15.20	15.20			19.50B/14.40A	19.50B/14.40A	----		16.60 - 1.60	.0817	----	1	----	----	52 +	1
3665	16.30	16.30			19.90B/14.70A	19.90B/14.70A	----		16.90 - 1.70	.0832	----	5	----	----	19	UNCH
3670	15.10	15.10			20.30B/15.00A	20.30B/15.00A	----		17.30 - 1.70	.0850	----	2	----	----	123	UNCH
3675	15.40	15.40			20.70B/15.30A	20.70B/15.30A	----		17.60 - 1.70	.0865	----	16	----	----	137 -	15
3680	15.70	15.70			21.10B/15.60A	21.10B/15.60A	----		18.00 - 1.70	.0883	----	3	----	----	52 +	2
3685	17.30	17.30			21.60B/15.90A	21.60B/15.90A	----		18.30 - 1.80	.0898	----	403	----	----	407 +	390
3690	----	----			22.00B/16.20A	22.00B/16.20A	----		18.70 - 1.80	.0917	----	----	----	----	16	UNCH
3695	----	----			22.40B/16.60A	22.40B/16.60A	----		19.10 - 1.90	.0935	----	----	----	----	16	UNCH
3700	17.00	17.00			22.90B/16.90A	22.90B/16.90A	----		19.50 - 1.90	.0954	----	6	310	----	2371 -	260
3705	17.40	17.40			23.30B/17.20A	23.30B/17.20A	----		19.80 - 2.00	.0969	----	1	----	----	44	UNCH
3710	17.80	17.80			23.90B/17.60A	23.90B/17.60A	----		20.30 - 2.00	.0991	----	1	----	----	129	UNCH
3715	18.10	18.10			24.40B/18.00A	24.40B/18.00A	----		20.70 - 2.00	.1009	----	2	----	----	162	UNCH
3720	18.50	18.50			24.90B/18.30A	24.90B/18.30A	----		21.10 - 2.10	.1028	----	1	----	----	52	UNCH
3725	----	----			25.50B/18.70A	25.50B/18.70A	----		21.50 - 2.20	.1047	----	2	----	----	151	UNCH
3730	19.60	19.60			25.90B/19.10A	25.90B/19.10A	----		22.00 - 2.20	.1069	----	3	----	----	427	UNCH
37357																

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS													
DEC26	----	----	----	116.40B/88.00A	116.40B/88.00A	----	----	101.20 - 7.00	.3825	----	----	8	----	285 +	7
4090	----	90.10	----	118.60B/89.80A	118.60B/89.80A	----	----	103.20 - 7.10	.3879	----	----	2	----	73	UNCH
4095	90.10	119.00	----	120.80B/91.60A	120.80B/91.60A	----	----	105.30 - 7.10	.3934	----	68	2129 +	23		
4100	119.00	99.10	----	123.20B/93.50A	123.20B/93.50A	----	----	107.40 - 7.20	.3989	----	4	95 +	4		
4105	99.10	121.00	----	125.40B/95.30A	125.40B/95.30A	----	----	109.50 - 7.20	.4044	----	11	69 -	1		
4110	121.00	----	----	127.90B/97.40A	127.90B/97.40A	----	----	111.60 - 7.40	.4099	----	----	77	UNCH		
4115	----	----	----	130.20B/99.20A	130.20B/99.20A	----	----	113.80 - 7.40	.4154	----	23	592 +	8		
4120	----	122.00	----	132.50B/101.20A	132.50B/101.20A	----	----	116.00 - 7.50	.4210	----	11	192 +	1		
4125	122.00	139.60	----	134.90B/103.20A	134.90B/103.20A	----	----	118.20 - 7.60	.4266	----	----	735	UNCH		
4130	132.50	137.40	----	137.40B/105.40A	137.40B/105.40A	----	----	120.50 - 7.60	.4322	----	4	38 +	3		
4135	132.50	139.60	----	139.90B/107.30A	139.90B/107.30A	----	----	122.80 - 7.70	.4378	----	3	77	UNCH		
4140	139.60	137.40	----	142.50B/109.60A	142.50B/109.60A	----	----	125.10 - 7.80	.4434	----	3	63 -	2		
4145	137.40	144.80	----	145.00B/111.60A	145.00B/111.60A	----	----	127.50 - 7.80	.4490	----	90	1297 +	29		
4150	144.80	137.10	----	147.60B/113.80A	147.60B/113.80A	----	----	129.90 - 7.90	.4546	----	5	35 +	2		
4155	137.10	149.90	----	150.20B/116.00A	150.20B/116.00A	----	----	132.30 - 8.00	.4602	----	8	367 +	3		
4160	149.90	155.20	----	153.00B/118.30A	153.00B/118.30A	----	----	134.80 - 8.00	.4659	----	8	87 +	2		
4165	141.90	155.20	----	155.50B/120.60A	155.50B/120.60A	----	----	137.20 - 8.10	.4715	----	7	69 +	2		
4170	155.20	154.40	----	158.20B/122.90A	158.20B/122.90A	----	----	139.80 - 8.10	.4771	----	28	490 +	23		
4175	154.40	149.50	----	160.90B/125.10A	160.90B/125.10A	----	----	142.30 - 8.20	.4828	----	6	58	UNCH		
4180	149.50	152.50	----	163.70B/127.40A	163.70B/127.40A	----	----	144.90 - 8.30	.4884	----	5	49 +	1		
4185	152.50	162.50	----	166.60B/129.80A	166.60B/129.80A	----	----	147.50 - 8.30	.4941	----	3	361 +	1		
4190	162.50	157.90	----	169.20B/132.20A	169.20B/132.20A	----	----	150.10 - 8.40	.4997	----	7	41 +	4		
4195	157.90	160.30	----	172.20B/134.70A	172.20B/134.70A	----	----	152.80 - 8.50	.5053	----	221	2531 -	57		
4200	160.30	142.40	----	175.00B/137.20A	175.00B/137.20A	----	----	155.50 - 8.50	.5109	----	3	53 +	3		
4205	142.40	----	----	178.00B/139.70A	178.00B/139.70A	----	----	158.20 - 8.60	.5165	----	----	107	UNCH		
4210	----	----	----	181.00B/142.20A	181.00B/142.20A	----	----	161.00 - 8.60	.5220	----	----	168	UNCH		
4215	----	----	----	183.70B/144.80A	183.70B/144.80A	----	----	163.80 - 8.70	.5276	----	----	60	UNCH		
4220	----	----	----	186.90B/147.50A	186.90B/147.50A	----	----	166.60 - 8.80	.5332	----	----	190	UNCH		
4225	----	----	----	189.80B/150.00A	189.80B/150.00A	----	----	169.40 - 8.90	.5387	----	5	423	UNCH		
4230	----	----	----	192.90B/152.80A	192.90B/152.80A	----	----	172.30 - 8.90	.5442	----	----	124	UNCH		
4235	----	----	----	196.00B/155.50A	196.00B/155.50A	----	----	175.20 - 9.00	.5497	----	1	39	UNCH		
4240	----	----	----	198.90B/158.10A	198.90B/158.10A	----	----	178.20 - 9.00	.5552	----	----	50	UNCH		
4245	----	----	----	202.10B/161.00A	202.10B/161.00A	----	----	181.10 - 9.10	.5607	----	10	2632 -	1		
4250	----	----	----	205.30B/163.70A	205.30B/163.70A	----	----	184.10 - 9.20	.5661	----	----	33	UNCH		
4255	----	----	----	208.60B/166.50A	208.60B/166.50A	----	----	187.20 - 9.10	.5715	----	----	79	UNCH		
4260	----	----	----	211.70B/169.30A	211.70B/169.30A	----	----	190.20 - 9.20	.5769	----	1	110	UNCH		
4265	----	----	----	214.90B/172.30A	214.90B/172.30A	----	----	193.30 - 9.30	.5823	----	----	22	UNCH		
4270	----	----	----	218.20B/175.20A	218.20B/175.20A	----	----	196.40 - 9.30	.5876	----	2	153	UNCH		
4275	----	----	----	221.50B/178.00A	221.50B/178.00A	----	----	199.60 - 9.30	.5929	----	----	172	UNCH		
4280	186.90	186.90	----	224.80B/181.10A	224.80B/181.10A	----	----	202.70 - 9.40	.5982	----	1	37	UNCH		
4285	186.90	----	----	228.20B/184.10A	228.20B/184.10A	----	----	205.90 - 9.50	.6034	----	6	254 +	1		
4290	----	216.90	----	231.50B/187.10A	231.50B/187.10A	----	----	209.10 - 9.60	.6086	----	----	87	UNCH		
4295	----	216.90	----	234.90B/190.00A	234.90B/190.00A	----	----	212.40 - 9.60	.6138	----	18	3385 -	5		
4300	216.90	222.60	----	238.40B/193.20A	238.40B/193.20A	----	----	215.70 - 9.60	.6189	----	1	22	UNCH		
4305	222.60	245.30	----	241.70B/196.20A	241.70B/196.20A	----	----	219.00 - 9.60	.6241	----	3	237 -	1		
4310	222.60	248.80	----	245.30B/199.40A	245.30B/199.40A	----	----	222.30 - 9.70	.6291	----	----	50	UNCH		
4315	----	252.30	----	248.80B/202.60A	248.80B/202.60A	----	----	225.70 - 9.70	.6341	----	----	249	UNCH		
4320	----	256.00	----	252.30B/205.70A	252.30B/205.70A	----	----	229.10 - 9.70	.6391	----	----	903	UNCH		
4325	----	259.50	----	256.00B/209.00A	256.00B/209.00A	----	----	232.50 - 9.80	.6441	----	----	45	UNCH		
4330	230.90	263.10	----	259.50B/212.20A	259.50B/212.20A	----	----	235.90 - 9.90	.6490	----	1	56	UNCH		
4335	230.90	266.80	----	263.10B/215.50A	263.10B/215.50A	----	----	239.40 - 9.90	.6539	----	----	112	UNCH		
4340	230.90	270.40	----	266.80B/218.80A	266.80B/218.80A	----	----	242.90 - 9.90	.6588	----	----	25	UNCH		
4345	----	274.20	----	270.40B/222.10A	270.40B/222.10A	----	----	246.40 - 9.90	.6636	----	----	716	UNCH		
4350	----	277.80	----	274.20B/225.40A	274.20B/225.40A	----	----	249.90 - 10.00	.6683	----	1	31	UNCH		
4355	265.40	281.60	----	277.80B/228.80A	277.80B/228.80A	----	----	253.50 - 10.00	.6730	----	2	101 +	1		
4360	265.40	285.10	----	281.60B/232.20A	281.60B/232.20A	----	----	257.10 - 10.00	.6777	----	----	245 +	2		
4365	265.40	285.10	----	285.10B/235.60A	285.10B/235.60A	----	----	260.70 - 10.10	.6824	----	----	58	UNCH		
4370	----	289.00	----	289.00B/239.10A	289.00B/239.10A	----	----	264.30 - 10.10	.6869	----	----	197	UNCH		
4375	----	292.70	----	292.70B/242.60A	292.70B/242.60A	----	----	268.00 - 10.10	.6916	----	----	155	UNCH		
4380	----	296.50	----	296.50B/246.10A	296.50B/246.10A	----	----	271.70 - 10.10	.6961	----	----	91	UNCH		
4385	----	300.40	----	300.40B/249.60A	300.40B/249.60A	----	----	275.40 - 10.20	.7005	----	----	211	UNCH		
4390	269.30	304.10	----	304.10B/253.10A	304.10B/253.10A	----	----	279.10 - 10.20	.7050	----	13	30	UNCH		
4395	269.30	308.10	----	308.10B/256.70A	308.10B/256.70A	----	----	282.80 - 10.30	.7093	----	----	1266 +	8		
4400	269.30	311.90	----	311.90B/260.30A	311.90B/260.30A	----	----	286.60 - 10.30	.7136	----	----	74	UNCH		
4405	----	315.80	----	315.80B/263.90A	315.80B/263.90A	----	----	290.40 - 10.30	.7179	----	----	91	UNCH		
4410	----	319.80	----	319.80B/267.50A	319.80B/267.50A	----	----	294.20 - 10.30	.7222	----	----	10	UNCH		
4415	----	323.60	----	323.60B/271.20A	323.60B/271.20A	----	----	298.00 - 10.40	.7263	----	2	45	UNCH		
4420	----	327.60	----	327.60B/274.90A	327.60B/274.90A	----	----	301.90 - 10.40	.7304	----	----	251 +	2		
4425	----	331.60	----	331.60B/278.60A	331.60B/278.60A	----	----	305.80 - 10.40	.7345	----	----	172	UNCH		
4430	----	335.60	----	335.60B/282.30A	335.60B/282.30A	----	----	309.70 - 10.40	.7386	----	1	166	UNCH		
4435	313.30	343.70	----	339.60B/286.10A	339.60B/286.10A	----	----	313.60 - 10.40	.7427	----	1	197	UNCH		
4440	313.30	347.70	----	343.70B/289.90A	343.70B/289.90A	----	----	317.50 - 10.50	.7465	----	1	704	UNCH		
4445	317.30	351.90	----	347.70B/293.50A	347.70B/293.50A	----	----	321.50 - 10.50	.7504	----	1	591 +	1		
4450	317.30	355.90	----	351.90B/297.50A	351.90B/297.50A	----	----	325.40 - 10.60	.7545	----	----	47	UNCH		
4455	----	355.90	----	355.90B/301.30A	355.90B/301.30A	----	----	329.40 - 10.60	.7581	----	----	73	UNCH		
4460	----	360.00	----	360.00B/305.20A	360.00B/305.20A	----	----	333.50 - 10.50	.7619	----	----	79	UNCH		
4465	----	364.10	----	364.10B/309.00A	364.10B/309.00A	----	----	337.50 - 10.60	.7658	----	----	178	UNCH		
4470	----	368.00	----	368.00B/312.90A	368.00B/312.90A	----	----	341.50 - 10.60	.7694	----	----	222	UNCH		
4475	----	372.30	----	372.30B/316.70A	372.30B/316.70A	----	----	345.60 - 10.60	.7730	----	----	41	UNCH		
4480	----	376.40	----	376.40B/320.70A	376.40B/320.70A	----	----	349.70 - 10.60	.7766	----	----	41	UNCH		
4485	----	380.60	----	380.60B/324.70A	380.60B/324.70A	----	----	353.80 - 10.60	.7801	----	----	31	UNCH		
4490	----	384.80	----	384.80B/328.70A	384.80B/328.70A	----	----	357.90 - 10.70	.7835	----	1	40	UNCH		
4495	343.70	389.00	----	389.00B/332.60A	389.00B/332.60A	----	----	362.00 - 10.70	.7870	----	----	1731	UNCH		
4500	343.70	393.20	----	393.20B/336.70A	393.20B/336.70A	----	----	366.20 - 10.70	.7904	----	----	17	UNCH		
4505	----	397.50	----	397.50B/340.70A	397.50B/340.70A	----	----	370.30 - 10.80	.7937	----	----	17	UNCH		

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
COMEX GOLD OPTIONS																
DEC26																
OG PUT	----	----	----	642.10B/578.10A	642.10B/578.10A	----	----	----	612.90 - 11.20	.9157	----	----	----	----	2	UNCH
4780	----	----	----	651.40B/587.40A	651.40B/587.40A	----	----	----	622.30 - 11.30	.9183	----	----	----	----	73	UNCH
4790	----	----	----	656.20B/592.10A	656.20B/592.10A	----	----	----	627.10 - 11.20	.9198	----	----	----	----	1	UNCH
4795	----	----	----	660.90B/596.80A	660.90B/596.80A	----	----	----	631.80 - 11.20	.9209	----	----	----	----	362	UNCH
4800	----	----	----	660.60B/606.20A	660.60B/606.20A	----	----	----	641.30 - 11.20	.9235	----	----	----	----	9	UNCH
4810	----	----	----	665.30B/610.90A	665.30B/610.90A	----	----	----	646.10 - 11.20	.9246	----	----	----	----	23	UNCH
4815	----	----	----	670.00B/615.60A	670.00B/615.60A	----	----	----	650.80 - 11.30	.9261	----	----	----	----	113	UNCH
4820	----	----	----	674.70B/620.30A	674.70B/620.30A	----	----	----	655.60 - 11.20	.9272	----	----	----	----	15	UNCH
4825	----	----	----	679.40B/625.00A	679.40B/625.00A	----	----	----	660.40 - 11.20	.9283	----	----	----	----	125	UNCH
4830	----	----	----	684.10B/629.70A	684.10B/629.70A	----	----	----	665.20 - 11.20	.9294	----	----	----	----	16	UNCH
4835	----	----	----	698.30B/644.00A	698.30B/644.00A	----	----	----	679.50 - 11.30	.9327	----	----	----	----	3	UNCH
4850	----	----	----	703.10B/648.70A	703.10B/648.70A	----	----	----	684.30 - 11.30	.9337	----	----	----	----	5	UNCH
4855	----	----	----	707.80B/653.50A	707.80B/653.50A	----	----	----	689.10 - 11.30	.9348	----	----	----	----	2	UNCH
4860	----	----	----	712.60B/658.20A	712.60B/658.20A	----	----	----	693.90 - 11.30	.9359	----	----	----	----	2	UNCH
4865	----	----	----	717.30B/662.90A	717.30B/662.90A	----	----	----	698.70 - 11.30	.9369	----	----	----	----	16	UNCH
4870	----	----	----	722.10B/667.70A	722.10B/667.70A	----	----	----	703.50 - 11.30	.9380	----	----	----	----	11	UNCH
4875	----	----	----	726.80B/672.50A	726.80B/672.50A	----	----	----	708.30 - 11.30	.9391	----	----	----	----	112	UNCH
4880	----	----	----	745.90B/691.60A	745.90B/691.60A	----	----	----	727.60 - 11.40	.9425	----	----	----	----	4	UNCH
4900	----	----	----	765.10B/715.70A	765.10B/715.70A	----	----	----	747.00 - 11.30	.9462	----	----	----	----	240	UNCH
4920	----	----	----	769.90B/720.50A	769.90B/720.50A	----	----	----	751.80 - 11.40	.9469	----	----	1	----	2	+
4930	736.60	----	736.60	774.70B/725.30A	774.70B/725.30A	----	----	----	756.70 - 11.30	.9475	----	----	----	----	1	UNCH
4935	----	----	----	779.50B/730.20A	779.50B/730.20A	----	----	----	761.50 - 11.40	.9485	----	----	----	----	5	UNCH
4940	----	----	----	784.30B/735.00A	784.30B/735.00A	----	----	----	766.40 - 11.40	.9492	----	----	----	----	29	UNCH
4945	----	----	----	789.10B/739.90A	789.10B/739.90A	----	----	----	771.20 - 11.40	.9502	----	----	----	----	1	UNCH
4950	----	----	----	793.90B/744.80A	793.90B/744.80A	----	----	----	776.10 - 11.40	.9508	----	----	----	----	25	UNCH
4955	----	----	----	798.70B/749.60A	798.70B/749.60A	----	----	----	781.00 - 11.40	.9514	----	----	----	----	1	UNCH
4965	----	----	----	808.40B/759.40A	808.40B/759.40A	----	----	----	790.70 - 11.40	.9530	----	----	----	----	1	UNCH
4970	----	----	----	813.20B/764.20A	813.20B/764.20A	----	----	----	795.60 - 11.40	.9537	----	----	----	----	1	UNCH
4975	----	----	----	818.10B/769.10A	818.10B/769.10A	----	----	----	800.50 - 11.40	.9543	----	----	----	----	42	UNCH
4980	----	----	----	822.90B/774.00A	822.90B/774.00A	----	----	----	805.30 - 11.50	.9549	----	----	----	----	6	UNCH
4985	----	----	----	827.80B/778.90A	827.80B/778.90A	----	----	----	810.20 - 11.50	.9559	----	----	----	----	2	UNCH
4990	----	----	----	832.60B/783.70A	832.60B/783.70A	----	----	----	815.10 - 11.40	.9565	----	----	----	----	2	UNCH
4995	----	----	----	837.50B/788.60A	837.50B/788.60A	----	----	----	820.00 - 11.40	.9571	----	----	----	----	37	UNCH
5000	817.50	----	817.50	842.30B/793.50A	842.30B/793.50A	----	----	----	824.90 - 11.40	.9576	----	----	10	----	559	+
5010	----	----	----	852.10B/803.30A	852.10B/803.30A	----	----	----	834.70 - 11.40	.9588	----	----	----	----	3	UNCH
5015	----	----	----	857.00B/808.20A	857.00B/808.20A	----	----	----	839.60 - 11.40	.9594	----	----	----	----	4	UNCH
5020	----	----	----	861.80B/813.10A	861.80B/813.10A	----	----	----	844.40 - 11.50	.9600	----	----	----	----	10	UNCH
5025	----	----	----	866.70B/818.00A	866.70B/818.00A	----	----	----	849.30 - 11.50	.9606	----	----	----	----	217	UNCH
5030	----	----	----	871.60B/822.90A	871.60B/822.90A	----	----	----	854.20 - 11.50	.9611	----	----	----	----	3	UNCH
5035	----	----	----	876.50B/827.80A	876.50B/827.80A	----	----	----	859.10 - 11.60	.9617	----	----	----	----	13	UNCH
5040	----	----	----	881.40B/832.70A	881.40B/832.70A	----	----	----	864.10 - 11.50	.9623	----	----	----	----	2	UNCH
5045	----	----	----	886.30B/837.60A	886.30B/837.60A	----	----	----	869.00 - 11.50	.9629	----	----	----	----	3	UNCH
5050	----	----	----	891.20B/842.50A	891.20B/842.50A	----	----	----	873.90 - 11.50	.9634	----	----	----	----	301	+
5070	----	----	----	910.80B/862.10A	910.80B/862.10A	----	----	----	893.50 - 11.60	.9653	----	----	----	----	2	UNCH
5075	----	----	----	915.70B/867.00A	915.70B/867.00A	----	----	----	898.40 - 11.60	.9658	----	----	----	----	100	UNCH
5095	----	----	----	935.40B/886.70A	935.40B/886.70A	----	----	----	918.10 - 11.60	.9677	----	----	----	----	6	UNCH
5100	----	----	----	940.40B/891.60A	940.40B/891.60A	----	----	----	923.10 - 11.50	.9682	----	----	----	----	30	UNCH
5150	----	----	----	990.00B/951.50A	990.00B/951.50A	----	----	----	972.40 - 11.60	.9719	----	----	----	----	1	UNCH
5195	----	----	----	1,035.00B/995.9	1035.00B/995.90A	----	----	----	1016.90 - 11.60	.9750	----	----	----	----	5	UNCH
5200	----	----	----	1,040.00B/990.1	1040.00B/990.10A	----	----	----	1021.90 - 11.60	.9756	----	----	----	150	171	+
5240	----	----	----	1,080.20B/1,029	1080.20B/1029.50A	----	----	----	1061.50 - 11.70	.9780	----	----	----	----	1	UNCH
5250	----	----	----	1,090.30B/1,039	1090.30B/1039.40A	----	----	----	1071.40 - 11.70	.9786	----	----	----	----	127	UNCH
5290	----	----	----	1,130.90B/1,078	1130.90B/1078.80A	----	----	----	1111.20 - 11.60	.9806	----	----	----	----	1	UNCH
5295	----	----	----	1,136.00B/1,083	1136.00B/1083.70A	----	----	----	1116.10 - 11.70	.9806	----	----	----	----	1	UNCH
5300	----	----	----	1,141.10B/1,088	1141.10B/1088.60A	----	----	----	1121.10 - 11.70	.9811	----	----	----	----	8	UNCH
5350	----	----	----	1,192.00B/1,137	1192.00B/1137.60A	----	----	----	1170.80 - 11.70	.9831	1	----	----	----	0	-
5360	----	----	----	1,202.20B/1,147	1202.20B/1147.70A	----	----	----	1180.80 - 11.60	.9832	----	----	----	----	100	UNCH
5370	----	----	----	1,212.50B/1,157	1212.50B/1157.40A	----	----	----	1190.80 - 11.60	.9838	----	----	----	----	20	UNCH
5375	----	----	----	1,217.60B/1,162	1217.60B/1162.20A	----	----	----	1195.70 - 11.70	.9839	----	----	----	----	34	UNCH
5400	----	----	----	1,243.10B/1,186	1243.10B/1186.90A	----	----	----	1220.60 - 11.70	.9851	----	----	----	----	112	UNCH
5415	----	----	----	1,258.40B/1,201	1258.40B/1201.60A	----	----	----	1235.60 - 11.60	.9852	----	----	----	----	4	UNCH
5460	----	----	----	1,304.30B/1,246	1304.30B/1246.10A	----	----	----	1280.50 - 11.60	.9871	----	----	----	----	200	UNCH
5465	----	----	----	1,309.40B/1,251	1309.40B/1251.00A	----	----	----	1285.50 - 11.50	.9871	----	----	----	----	50	UNCH
5480	----	----	----	1,324.70B/1,265	1324.70B/1265.90A	----	----	----	1300.40 - 11.60	.9872	----	----	----	----	50	UNCH
5485	----	----	----	1,329.80B/1,270	1329.80B/1270.80A	----	----	----	1305.40 - 11.60	.9877	----	----	----	----	1	UNCH
5500	1310.20	----	1310.20	1,344.70B/1,285	1344.70B/1285.70A	----	----	----	1320.40 - 11.50	.9879	3	----	22	----	72	+
5525	----	----	----	1,370.40B/1,310	1370.40B/1310.60A	----	----	----	1345.40 - 11.50	.9885	----	----	----	----	80	UNCH
5550	----	----	----	1,395.40B/1,335	1395.40B/1335.50A	----	----	----	1370.30 - 11.50	.9892	----	----	----	----	1	UNCH
5600	----	----	----	1,446.30B/1,385	1446.30B/1385.30A	----	----	----	1420.30 - 11.50	.9900	----	----	----	----	227	UNCH
5650	----	----	----	1,496.70B/1,435	1496.70B/1435.20A	----	----	----	1470.30 - 11.40	.9908	----	----	----	----	0	UNCH
5760	----	----	----	1,607.30B/1,545	1607.30B/1545.20A	----	----	----	1580.30 - 11.30	.9929	----	----	----	----	0	UNCH
5800	----	----	----	1,647.00B/1,585	1647.00B/1585.20A	----	----	----	1620.30 - 11.30	.9931	----	----	----	----	0	UNCH
5900	----	----	----	1,747.20B/1,685	1747.20B/1685.20A	----	----	----	1720.30 - 11.30	.9946	35	----	35	----	60	UNCH
6000	----	----	----	1,847.30B/1,785	1847.30B/1785.20A	----	----	----	1820.30 - 11.30	.9960	25	----	25	----	0	UNCH
TOTAL																
5592 900 93034+ 2400																
JAN27																
2625	----	----	----	----/1.60A	1.50B/1.60A	----	----	----	1.60 - 0.10	.0055	----	----	----	----	37	UNCH
2650	----	----	----	----/1.60A	1.60B/1.60A	----	----	----	1.70 - 0.10	.0058	----	----	----	----	14	UNCH
2675	----	----	----	----/1.70A	1.70B/1.70A	----	----	----	1.80 - 0.10	.0062	----	----	----	----	1	UNCH
2700	1.80	1.80	----	1.80/1.80	1.80/1.80	----	----	----	1.90 - 0.10	.0066	----	----	1	----	33	UNCH
2750	----	----	----	----/1.90A	2.10B/1.90A	----	----	----	2.10 - 0.20	.0075	----	----	----	----	2	UNCH
2800	2.20	2.20	----	2.20/2.20	2.40B/2.20	----	----	----	2.40 - 0.10	.0086	----	----	1	----	37	+
2850	----	----	----	----/2.60A	2.70B/2.60A	----	----	----	2.70 - 0.20	.0098	----	----	----	----	9	UNCH
2870	----	----	----	----/2.70A	2.80B/2.70A	----	----	----	2.80 - 0.20	.0102	----	----	----	----	1	UNCH
2890	----	----	----	----/2.80A	2.90B/2.80A	----	----	----	3.00 - 0.20	.0110	----	----	----	----	2	UNCH

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT	COMEX GOLD OPTIONS															
JAN27																
3510	----	----	----	17.908/14.40A	17.908/14.40A	----	----	16.10 - 1.00	.0645	----	----	----	----	2	UNCH	
3520	----	----	----	18.508/14.80A	18.508/14.80A	----	----	16.70 - 1.00	.0667	----	----	----	----	5	UNCH	
3530	----	----	----	19.108/15.30A	19.108/15.30A	----	----	17.20 - 1.00	.0688	----	----	----	----	18	UNCH	
3535	----	----	----	19.508/15.50A	19.508/15.50A	----	----	17.50 - 1.00	.0699	----	----	----	----	7	UNCH	
3540	----	----	----	19.808/15.80A	19.808/15.80A	----	----	17.80 - 1.00	.0710	----	----	----	----	3	UNCH	
3545	18.30	18.30	----	20.108/16.10A	20.108/16.10A	----	----	18.10 - 1.10	.0722	----	----	1	----	2	+	
3550	----	----	----	20.508/16.30A	20.508/16.30A	----	----	18.40 - 1.10	.0734	----	----	----	----	1140	UNCH	
3560	----	----	----	21.208/16.90A	21.208/16.90A	----	----	19.00 - 1.10	.0757	----	----	----	----	6	UNCH	
3565	----	----	----	21.608/17.10A	21.608/17.10A	----	----	19.30 - 1.20	.0769	----	----	----	----	5	UNCH	
3570	----	----	----	21.908/17.40A	21.908/17.40A	----	----	19.60 - 1.20	.0781	----	----	----	----	3	UNCH	
3575	----	----	----	22.308/17.70A	22.308/17.70A	----	----	20.00 - 1.20	.0795	----	----	----	----	29	UNCH	
3580	----	----	----	22.708/18.00A	22.708/18.00A	----	----	20.30 - 1.20	.0807	----	----	----	----	8	UNCH	
3585	----	----	----	23.108/18.30A	23.108/18.30A	----	----	20.70 - 1.20	.0821	----	----	----	----	215	UNCH	
3595	19.70	19.70	----	23.908/18.90A	23.908/18.90A	----	----	21.40 - 1.30	.0848	----	----	1	----	11	+	
3600	19.30	19.30	----	24.308/19.20A	24.308/19.20A	----	----	21.70 - 1.30	.0860	----	----	4	----	248	+	
3605	24.60	24.60	----	24.808/19.60A	24.808/19.60A	----	----	22.10 - 1.30	.0875	----	----	1	----	17	+	
3610	21.60	21.60	----	25.208/19.90A	25.208/19.90A	----	----	22.50 - 1.30	.0890	----	----	1	----	3	+	
3615	----	----	----	25.608/20.30A	25.608/20.30A	----	----	22.90 - 1.40	.0904	----	----	----	----	26	UNCH	
3620	26.00	26.00	----	26.108/20.60A	26.108/20.60A	----	----	23.30 - 1.40	.0919	----	----	2	----	19	+	
3625	----	----	----	26.508/21.00A	26.508/21.00A	----	----	23.70 - 1.40	.0934	----	----	2	----	18	UNCH	
3630	----	----	----	27.008/21.30A	27.008/21.30A	----	----	24.10 - 1.40	.0949	----	----	----	----	14	UNCH	
3640	25.30	25.30	----	28.008/22.10A	28.008/22.10A	----	----	24.90 NEW	.0979	----	----	1	----	1	+	
3650	----	----	----	29.008/22.80A	29.008/22.80A	----	----	25.80 - 1.60	.1012	----	----	----	----	47	UNCH	
3665	----	----	----	30.508/24.10A	30.508/24.10A	----	----	27.20 - 1.70	.1062	----	----	----	----	1	UNCH	
3670	----	----	----	31.108/24.50A	31.108/24.50A	----	----	27.70 - 1.70	.1080	----	----	----	----	2	UNCH	
3680	----	----	----	32.308/25.40A	32.308/25.40A	----	----	28.70 - 1.70	.1116	----	----	----	----	1	UNCH	
3685	----	----	----	32.808/25.80A	32.808/25.80A	----	----	29.20 - 1.80	.1134	----	----	----	----	15	UNCH	
3690	----	----	----	33.508/26.30A	33.508/26.30A	----	----	29.70 - 1.80	.1152	----	----	----	----	6	UNCH	
3695	----	----	----	34.108/26.80A	34.108/26.80A	----	----	30.30 - 1.80	.1172	----	----	----	----	9	UNCH	
3700	29.10	29.10	----	34.708/27.20A	34.708/27.20A	----	----	30.80 - 1.90	.1190	----	----	16	----	502	-	
3705	----	----	----	35.308/27.70A	35.308/27.70A	----	----	31.40 - 1.90	.1211	----	----	----	----	1	UNCH	
3710	----	----	----	35.908/28.20A	35.908/28.20A	----	----	31.90 - 2.00	.1229	----	----	----	----	1	UNCH	
3715	----	----	----	36.708/28.70A	36.708/28.70A	----	----	32.50 - 2.00	.1250	----	----	----	----	1	UNCH	
3720	----	----	----	37.308/29.30A	37.308/29.30A	----	----	33.10 - 2.00	.1270	----	----	----	----	4	UNCH	
3725	----	----	----	38.008/29.80A	38.008/29.80A	----	----	33.70 - 2.00	.1291	----	----	1	----	31	UNCH	
3730	----	----	----	38.708/30.30A	38.708/30.30A	----	----	34.30 - 2.10	.1312	----	----	----	----	3	UNCH	
3735	----	----	----	39.408/30.90A	39.408/30.90A	----	----	34.90 - 2.10	.1333	----	----	----	----	3	UNCH	
3740	----	----	----	40.108/31.50A	40.108/31.50A	----	----	35.50 - 2.20	.1353	----	----	----	----	20	UNCH	
3745	----	----	----	40.808/32.00A	40.808/32.00A	----	----	36.20 - 2.20	.1376	----	----	----	----	34	UNCH	
3750	----	----	----	41.608/32.60A	41.608/32.60A	----	----	36.80 - 2.30	.1398	----	----	----	----	38	UNCH	
3755	----	----	----	42.208/33.20A	42.208/33.20A	----	----	37.50 - 2.30	.1421	----	----	----	----	5	UNCH	
3760	----	----	----	43.108/33.80A	43.108/33.80A	----	----	38.20 - 2.30	.1444	----	----	----	----	43	UNCH	
3770	----	----	----	44.708/35.10A	44.708/35.10A	----	----	39.60 - 2.40	.1490	----	----	1	----	21	UNCH	
3775	----	----	----	45.508/35.70A	45.508/35.70A	----	----	40.30 - 2.50	.1514	----	----	----	----	15	UNCH	
3780	----	----	----	46.308/36.40A	46.308/36.40A	----	----	41.00 - 2.50	.1537	----	----	----	----	7	UNCH	
3785	----	----	----	47.108/37.00A	47.108/37.00A	----	----	41.80 - 2.50	.1563	----	----	----	----	1	UNCH	
3790	----	----	----	48.008/37.70A	48.008/37.70A	----	----	42.50 - 2.60	.1587	----	----	----	----	21	UNCH	
3795	----	----	----	48.908/38.40A	48.908/38.40A	----	----	43.30 - 2.70	.1612	----	----	----	----	5	UNCH	
3800	43.80	43.80	----	49.808/39.10A	49.808/39.10A	----	----	44.10 - 2.70	.1638	----	----	2	----	735	-	
3805	----	----	----	50.708/39.80A	50.708/39.80A	----	----	44.90 - 2.70	.1664	----	----	----	----	4	UNCH	
3810	----	----	----	51.608/40.50A	51.608/40.50A	----	----	45.70 - 2.80	.1689	----	----	----	----	2	UNCH	
3815	----	----	----	52.608/41.30A	52.608/41.30A	----	----	46.50 - 2.90	.1715	----	----	----	----	10	UNCH	
3820	----	----	----	53.508/42.00A	53.508/42.00A	----	----	47.40 - 2.90	.1743	----	----	1	----	1	UNCH	
3825	----	----	----	54.508/42.80A	54.508/42.80A	----	----	48.30 - 2.90	.1771	----	----	----	----	11	UNCH	
3830	----	----	----	55.408/43.50A	55.408/43.50A	----	----	49.10 - 3.00	.1797	----	----	1	----	15	UNCH	
3835	----	----	----	56.408/44.30A	56.408/44.30A	----	----	50.00 - 3.00	.1825	----	----	----	----	6	UNCH	
3840	----	----	----	57.508/45.10A	57.508/45.10A	----	----	50.90 - 3.10	.1853	----	----	----	----	2	UNCH	
3850	----	----	----	59.608/46.80A	59.608/46.80A	----	----	52.80 - 3.20	.1911	----	----	----	----	764	UNCH	
3855	----	----	----	60.708/47.60A	60.708/47.60A	----	----	53.80 - 3.20	.1941	----	----	----	----	9	UNCH	
3860	----	----	----	61.808/48.50A	61.808/48.50A	----	----	54.70 - 3.30	.1970	----	----	----	----	110	UNCH	
3870	----	----	----	64.108/50.30A	64.108/50.30A	----	----	56.70 - 3.40	.2030	----	----	----	----	14	UNCH	
3875	----	----	----	65.208/51.20A	65.208/51.20A	----	----	57.80 - 3.40	.2062	----	----	2	----	8	UNCH	
3880	----	----	----	66.408/52.10A	66.408/52.10A	----	----	58.80 - 3.50	.2092	----	----	----	----	6	UNCH	
3885	----	----	----	67.608/53.10A	67.608/53.10A	----	----	59.90 - 3.50	.2124	----	----	----	----	10	UNCH	
3890	----	----	----	68.808/54.00A	68.808/54.00A	----	----	61.00 - 3.50	.2156	----	----	----	----	34	UNCH	
3895	----	----	----	70.008/55.00A	70.008/55.00A	----	----	62.10 - 3.60	.2188	----	----	----	----	34	UNCH	
3900	67.80	67.80	----	71.308/56.00A	71.308/56.00A	----	----	63.20 - 3.70	.2220	----	----	4	----	167	+	
3905	----	----	----	72.508/57.00A	72.508/57.00A	----	----	64.30 - 3.80	.2252	----	----	----	----	26	UNCH	
3910	----	----	----	73.808/58.10A	73.808/58.10A	----	----	65.50 - 3.80	.2286	----	----	----	----	8	UNCH	
3915	----	----	----	75.208/59.10A	75.208/59.10A	----	----	66.60 - 3.90	.2318	----	----	----	----	66	UNCH	
3920	----	----	----	76.408/60.20A	76.408/60.20A	----	----	67.80 - 4.00	.2352	----	----	----	----	4	UNCH	
3925	----	----	----	77.908/61.30A	77.908/61.30A	----	----	69.10 - 3.90	.2387	----	----	----	----	4	UNCH	
3930	----	----	----	79.208/62.40A	79.208/62.40A	----	----	70.30 - 4.00	.2421	----	----	----	----	6	UNCH	
3935	----	----	----	80.608/63.50A	80.608/63.50A	----	----	71.50 - 4.10	.2455	----	----	----	----	12	UNCH	
3940	----	----	----	82.108/64.60A	82.108/64.60A	----	----	72.80 - 4.20	.2490	----	----	----	----	2	UNCH	
3945	69.00	69.00	----	83.408/65.80A	83.408/65.80A	----	----	74.10 - 4.20	.2526	----	----	1	----	50	UNCH	
3950	----	----	----	84.908/67.00A	84.908/67.00A	----	----	75.40 - 4.30	.2561	----	----	----	----	513	UNCH	
3955	----	----	----	86.408/68.20A	86.408/68.20A	----	----	76.80 - 4.30	.2598	----	----	----	----	1	UNCH	
3960	----	----	----	87.808/69.40A	87.808/69.40A	----	----	78.10 - 4.40	.2634	----	----	----	----	31	UNCH	
3965	----	----	----	89.508/70.60A	89.508/70.60A	----	----	79.50 - 4.40	.2671	----	----	----	----	10	UNCH	
3970	76.50	76.50	----	90.908/71.90A	90.908/71.90A	----	----	80.90 - 4.50	.2708	----	----	8	----	9	+	
3975	----	----	----	92.608/73.20A	92.608/73.20A	----	----	82.30 - 4.60	.2745	----	----	----	----	53	UNCH	
3980	----	----	----	94.208/74.50A	94.208/74.50A	----	----	83.80 - 4.60	.2783	----	----	----	----	25	UNCH	
3985	84.90	84.90	----	95.808/75.80A	95.808/75.80A	----	----	85.20 - 4.70	.2820	----	----	15	----	16	+	
3990	----	----	----	97.408/77.10A	97.408/77.10A	----	----	86.70 - 4.70	.2858	----	----	----	----	22	UNCH	
3995	----	----	----	99.108/78.50A	99.108/78.50A	----	----	88.20 - 4.80	.2897	----	----	----	----	5	UNCH	
4000	98.30	98.30	----	100.808/79.90A	100.808/79.90A	----	----	89.80 - 4.80	.2936	----	----	195	----	401	-	
4005	----	----	----	102.508/81.30A	102.508/81.30A	----	----	91.30 - 4.90	.2975	----	----	----	----	3	UNCH	
4010	----	----	----	104.208/82.70A	104.208/82.70A	----	----	92.90 - 5.00	.3014	----	----	----	----	16	UNCH	
4015	89.40	89.40	----	106.108/84.10A	106.108/84.10A	----	----	94.50 - 5.00	.3054	----	----	1	----	1	+	
4020	----	----	----	107.608/85.60A	107.608/85.60A	----	----	96.20 - 5.00	.3094	----	----	----	----	8	UNCH	
4025	----															

PG64		BULLETIN #187@										METALS OPTION PRODUCTS										Tue, Sep 29, 2026		PG64
		GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST											
OG PUT		COMEX GOLD OPTIONS																						
JAN27																								
4255	201.40	201.40		218.70B/181.30A	218.70B/181.30A	----	200.00 - 7.90	.5135	----	----	7	----	19 +	6										
4260	200.10	200.10		221.70B/183.80A	221.70B/183.80A	----	202.80 - 7.90	.5179	----	----	7	----	13 +	6										
4265	----	----		224.70B/186.60A	224.70B/186.60A	----	205.70 - 7.90	.5223	----	----	----	----	16	UNCH										
4270	----	----		227.50B/189.20A	227.50B/189.20A	----	208.50 - 8.00	.5267	----	----	----	----	25	UNCH										
4275	200.20	200.20		230.50B/192.00A	230.50B/192.00A	----	211.40 - 8.00	.5311	----	----	48	----	88 +	2										
4280	----	----		233.60B/194.70A	233.60B/194.70A	----	214.30 - 8.10	.5354	----	----	----	----	11	UNCH										
4285	----	----		236.70B/197.50A	236.70B/197.50A	----	217.20 - 8.20	.5398	----	----	----	----	2	UNCH										
4290	----	----		239.70B/200.20A	239.70B/200.20A	----	220.10 - 8.30	.5441	----	----	----	----	2	UNCH										
4295	----	----		242.50B/203.00A	242.50B/203.00A	----	223.10 - 8.30	.5484	----	----	----	----	31	UNCH										
4300	----	----		245.70B/205.90A	245.70B/205.90A	----	226.10 - 8.30	.5527	----	----	----	----	199	UNCH										
4310	----	----		252.00B/211.50A	252.00B/211.50A	----	232.10 - 8.50	.5612	----	----	----	----	50	UNCH										
4315	----	----		254.60B/214.40A	254.60B/214.40A	----	235.20 - 8.50	.5655	----	----	----	----	5	UNCH										
4320	----	----		258.00B/217.30A	258.00B/217.30A	----	238.30 - 8.50	.5697	----	----	----	----	7	UNCH										
4330	----	----		264.50B/223.20A	264.50B/223.20A	----	244.50 - 8.60	.5781	----	----	----	----	70	UNCH										
4335	----	----		267.70B/226.20A	267.70B/226.20A	----	247.60 - 8.70	.5823	----	----	----	----	1	UNCH										
4340	----	----		271.10B/229.20A	271.10B/229.20A	----	250.80 - 8.70	.5865	----	----	----	----	9	UNCH										
4345	----	----		274.40B/232.20A	274.40B/232.20A	----	254.00 - 8.80	.5907	----	----	----	----	16	UNCH										
4350	----	----		277.70B/235.30A	277.70B/235.30A	----	257.20 - 8.80	.5947	----	----	----	----	123	UNCH										
4355	----	----		281.00B/238.30A	281.00B/238.30A	----	260.50 - 8.80	.5989	----	----	----	----	65	UNCH										
4360	----	----		284.50B/241.40A	284.50B/241.40A	----	263.70 - 8.90	.6030	----	----	----	----	4	UNCH										
4365	----	----		287.70B/244.50A	287.70B/244.50A	----	267.00 - 8.90	.6070	----	----	----	----	22	UNCH										
4370	----	----		291.00B/247.60A	291.00B/247.60A	----	270.30 - 9.00	.6110	----	----	----	----	34	UNCH										
4375	----	----		294.40B/250.80A	294.40B/250.80A	----	273.60 - 9.00	.6150	----	----	----	----	201	UNCH										
4380	----	----		297.90B/254.00A	297.90B/254.00A	----	277.00 - 9.00	.6191	----	----	----	----	27	UNCH										
4385	----	----		301.40B/257.20A	301.40B/257.20A	----	280.30 - 9.10	.6230	----	----	----	----	63	UNCH										
4390	----	----		305.10B/260.40A	305.10B/260.40A	----	283.70 - 9.10	.6269	----	----	----	----	11	UNCH										
4395	----	----		308.50B/263.70A	308.50B/263.70A	----	287.10 - 9.20	.6309	----	----	----	----	4	UNCH										
4400	----	----		312.10B/266.90A	312.10B/266.90A	----	290.50 - 9.30	.6347	----	----	----	----	414	UNCH										
4405	----	----		315.40B/270.20A	315.40B/270.20A	----	294.00 - 9.20	.6387	----	----	----	----	7	UNCH										
4410	----	----		319.30B/273.50A	319.30B/273.50A	----	297.50 - 9.20	.6424	----	----	----	----	4	UNCH										
4420	----	----		326.50B/280.40A	326.50B/280.40A	----	304.40 - 9.40	.6501	----	----	----	----	6	UNCH										
4425	294.20	294.20		330.20B/284.10A	330.20B/284.10A	----	308.00 - 9.40	.6538	----	----	21	----	94 -	21										
4430	----	----		333.70B/287.50A	333.70B/287.50A	----	311.50 - 9.40	.6575	----	----	----	----	2	UNCH										
4435	----	----		337.30B/291.00A	337.30B/291.00A	----	315.10 - 9.40	.6613	----	----	----	----	2	UNCH										
4440	----	----		341.10B/294.40A	341.10B/294.40A	----	318.70 - 9.50	.6650	----	----	----	----	5	UNCH										
4445	----	----		344.80B/297.70A	344.80B/297.70A	----	322.30 - 9.50	.6687	----	----	----	----	11	UNCH										
4450	----	----		348.60B/301.20A	348.60B/301.20A	----	325.90 - 9.50	.6723	----	----	----	----	416	UNCH										
4455	----	----		352.20B/304.80A	352.20B/304.80A	----	329.50 - 9.60	.6760	----	----	----	----	14	UNCH										
4460	----	----		355.90B/308.30A	355.90B/308.30A	----	333.20 - 9.60	.6795	----	----	----	----	7	UNCH										
4465	----	----		359.60B/311.80A	359.60B/311.80A	----	336.80 - 9.70	.6831	----	----	----	----	8	UNCH										
4470	----	----		363.50B/315.40A	363.50B/315.40A	----	340.50 - 9.70	.6865	----	----	----	----	3	UNCH										
4475	----	----		367.20B/318.80A	367.20B/318.80A	----	344.20 - 9.80	.6901	----	----	----	----	91	UNCH										
4480	----	----		371.00B/322.50A	371.00B/322.50A	----	348.00 - 9.70	.6935	----	----	----	----	112	UNCH										
4485	----	----		374.90B/326.10A	374.90B/326.10A	----	351.70 - 9.80	.6970	----	----	----	----	11	UNCH										
4490	----	----		377.60B/329.50A	377.60B/329.50A	----	355.50 - 9.80	.7004	----	----	----	----	20	UNCH										
4495	----	----		382.80B/333.20A	382.80B/333.20A	----	359.20 - 9.90	.7038	----	----	----	----	13	UNCH										
4500	360.00	360.00		386.50B/336.50A	386.50B/336.50A	----	363.00 - 9.90	.7071	----	----	1	----	291 -	1										
4505	----	----		390.30B/340.40A	390.30B/340.40A	----	366.80 - 10.00	.7105	----	----	----	----	28	UNCH										
4510	----	----		393.00B/344.70A	393.00B/344.70A	----	370.70 - 9.90	.7137	----	----	----	----	9	UNCH										
4515	----	----		397.20B/350.10A	397.20B/350.10A	----	374.50 - 10.00	.7171	----	----	----	----	1	UNCH										
4520	----	----		401.00B/352.20A	401.00B/352.20A	----	378.30 - 10.10	.7204	----	----	----	----	15	UNCH										
4530	----	----		410.20B/361.30A	410.20B/361.30A	----	386.10 - 10.10	.7267	----	----	----	----	1	UNCH										
4535	----	----		412.70B/363.20A	412.70B/363.20A	----	390.00 - 10.10	.7299	----	----	----	----	11	UNCH										
4545	----	----		420.70B/370.90A	420.70B/370.90A	----	397.90 - 10.20	.7361	----	----	----	----	5	UNCH										
4550	----	----		424.70B/376.60A	424.70B/376.60A	----	401.80 - 10.20	.7392	----	----	----	----	2	UNCH										
4555	----	----		428.70B/380.50A	428.70B/380.50A	----	405.80 - 10.20	.7422	----	----	----	----	2	UNCH										
4560	----	----		432.80B/384.30A	432.80B/384.30A	----	409.70 - 10.30	.7453	----	----	----	----	2	UNCH										
4570	----	----		435.50B/392.10A	435.50B/392.10A	----	417.70 - 10.40	.7511	----	----	----	----	1	UNCH										
4575	----	----		439.60B/394.50A	439.60B/394.50A	----	421.80 - 10.30	.7542	----	----	----	----	40	UNCH										
4580	----	----		443.60B/399.90A	443.60B/399.90A	----	425.80 - 10.40	.7570	----	----	----	----	1	UNCH										
4585	----	----		447.60B/403.80A	447.60B/403.80A	----	429.80 - 10.50	.7598	----	----	----	----	1	UNCH										
4600	----	----		459.80B/414.20A	459.80B/414.20A	----	442.10 - 10.50	.7683	----	----	----	----	128	UNCH										
4605	----	----		463.90B/418.10A	463.90B/418.10A	----	446.20 - 10.50	.7711	----	----	----	----	3	UNCH										
4610	----	----		468.00B/423.60A	468.00B/423.60A	----	450.30 - 10.60	.7740	----	----	----	----	1	UNCH										
4615	----	----		472.10B/427.70A	472.10B/427.70A	----	454.40 - 10.60	.7766	----	----	----	----	1	UNCH										
4620	----	----		476.20B/430.00A	476.20B/430.00A	----	458.50 - 10.70	.7792	----	----	----	----	21	UNCH										
4625	----	----		480.40B/434.20A	480.40B/434.20A	----	462.70 - 10.60	.7818	----	----	----	----	15	UNCH										
4630	----	----		484.50B/437.90A	484.50B/437.90A	----	466.80 - 10.70	.7844	----	----	----	----	3	UNCH										

GLOBEX		OPEN	OUTCRY	GLOBEX		OPEN	OUTCRY	OPEN		OUTCRY	SETT.PRICE			DELTA	EXER	OPEN	GLOBEX®	PNT		
OPEN		OPEN	RANGE	HIGH/LOW	HIGH/LOW	CLOSE	RANGE	CLOSE	RANGE	& PT.CHGE.					CISES	OUTCRY	VOLUME	VOLUME	VOLUME	OPEN
		COMEX GOLD OPTIONS																		
OG PUT																				
FEB27	----	----																		
3445	----	----			21.208/17.60A	21.208/17.60A	----			19.50	- 0.90	.0682	----	----	----	----	----	----	1	UNCH
3450	----	----			21.508/17.90A	21.508/17.90A	----			19.80	- 0.90	.0692	----	----	----	----	----	54	UNCH	
3465	19.50	19.50			22.608/18.70A	22.608/18.70A	----			20.70	NEW	.0723	----	----	----	----	6	6 +	6	UNCH
3475	----	----			23.308/19.20A	23.308/19.20A	----			21.40	- 0.90	.0745	----	----	----	----	250	UNCH		
3480	----	----			23.608/19.50A	23.608/19.50A	----			21.70	- 0.90	.0756	----	----	----	----	2	UNCH		
3490	----	----			24.408/20.10A	24.408/20.10A	----			22.40	- 0.90	.0779	----	----	----	----	20	UNCH		
3500	----	----			25.208/20.70A	25.208/20.70A	----			23.10	- 1.00	.0802	----	----	----	----	270	UNCH		
3515	----	----			26.408/21.70A	26.408/21.70A	----			24.20	- 1.00	.0838	----	----	----	----	3	UNCH		
3520	----	----			26.808/22.10A	26.808/22.10A	----			24.50	- 1.10	.0849	----	----	----	----	22	UNCH		
3525	----	----			27.308/22.40A	27.308/22.40A	----			24.90	- 1.10	.0861	----	----	----	----	6	UNCH		
3540	----	----			28.608/23.50A	28.608/23.50A	----			26.10	- 1.10	.0900	----	----	----	----	20	UNCH		
3550	----	----			29.508/24.20A	29.508/24.20A	----			27.00	- 1.10	.0928	----	----	----	----	2	UNCH		
3555	----	----			30.008/24.60A	30.008/24.60A	----			27.40	- 1.10	.0942	----	----	----	----	25	UNCH		
3575	----	----			32.008/26.20A	32.008/26.20A	----			29.20	- 1.20	.0999	----	----	----	----	205	UNCH		
3585	----	----			33.108/27.00A	33.108/27.00A	----			30.10	- 1.30	.1028	----	----	----	----	1	UNCH		
3590	----	----			33.508/27.40A	33.508/27.40A	----			30.60	- 1.30	.1043	----	----	----	----	19	UNCH		
3600	----	----			34.708/28.30A	34.708/28.30A	----			31.50	- 1.40	.1072	----	----	----	2	1109 -	2	UNCH	
3610	----	----			35.808/29.30A	35.808/29.30A	----			32.60	- 1.40	.1105	----	----	----	----	2	UNCH		
3625	----	----			37.608/30.70A	37.608/30.70A	----			34.20	- 1.40	.1155	----	----	----	----	1	UNCH		
3630	----	----			38.208/31.20A	38.208/31.20A	----			34.70	NEW	.1171	----	----	----	2	2 +	2	UNCH	
3650	----	----			40.808/33.30A	40.808/33.30A	----			37.00	- 1.60	.1240	----	----	----	----	326	UNCH		
3660	----	----			42.108/34.40A	42.108/34.40A	----			38.20	- 1.60	.1277	----	----	----	----	2	UNCH		
3665	----	----			42.808/34.90A	42.808/34.90A	----			38.80	- 1.70	.1295	----	----	----	----	5	UNCH		
3680	----	----			44.908/36.70A	44.908/36.70A	----			40.70	- 1.80	.1351	----	----	----	----	16	UNCH		
3695	----	----			47.108/38.50A	47.108/38.50A	----			42.70	- 1.90	.1410	----	----	----	2	8	UNCH		
3700	----	----			47.908/39.00A	47.908/39.00A	----			43.40	- 1.90	.1431	----	----	----	1	1073 -	1	UNCH	
3705	----	----			48.708/39.80A	48.708/39.80A	----			44.10	- 1.90	.1451	----	----	----	1	2 +	1	UNCH	
3720	----	----			51.108/41.80A	51.108/41.80A	----			46.30	- 2.00	.1514	----	----	----	2	19	UNCH		
3725	----	----			51.908/42.50A	51.908/42.50A	----			47.10	- 2.00	.1536	----	----	----	----	2	UNCH		
3730	----	----			52.908/43.20A	52.908/43.20A	----			47.80	NEW	.1557	----	----	----	2	2 +	2	UNCH	
3745	----	----			55.508/45.30A	55.508/45.30A	----			50.20	- 2.20	.1624	----	----	----	----	15	UNCH		
3750	----	----			56.408/46.10A	56.408/46.10A	----			51.00	- 2.20	.1647	----	----	----	----	47	UNCH		
3780	----	----			62.008/50.80A	62.008/50.80A	----			56.20	- 2.40	.1790	----	----	----	----	1	UNCH		
3790	----	----			64.208/52.50A	64.208/52.50A	----			58.00	- 2.50	.1839	----	----	----	----	6	UNCH		
3795	----	----			65.108/53.30A	65.108/53.30A	----			58.90	- 2.60	.1863	----	----	----	----	5	UNCH		
3800	----	----			66.208/54.10A	66.208/54.10A	----			59.90	- 2.60	.1889	----	----	----	----	200	UNCH		
3805	----	----			67.208/55.10A	67.208/55.10A	----			60.90	- 2.60	.1916	----	----	1	----	12 +	1	UNCH	
3815	----	----			69.408/56.90A	69.408/56.90A	----			62.80	- 2.80	.1967	----	----	----	----	10	UNCH		
3820	----	----			70.508/57.80A	70.508/57.80A	----			63.90	- 2.70	.1994	----	----	----	----	22	UNCH		
3825	61.70	61.70			71.708/58.80A	71.708/58.80A	----			64.90	- 2.80	.2021	----	----	1	----	501 +	1	UNCH	
3835	----	----			74.008/60.70A	74.008/60.70A	----			67.00	- 2.90	.2075	----	----	----	----	3	UNCH		
3840	67.30	67.30			75.208/61.70A	75.208/61.70A	----			68.10	NEW	.2103	----	----	----	10	10 +	10	UNCH	
3845	----	----			76.408/62.60A	76.408/62.60A	----			69.20	- 3.00	.2131	----	----	----	----	6	UNCH		
3850	----	----			77.608/63.70A	77.608/63.70A	----			70.30	- 3.00	.2159	----	----	----	69	1357 +	16	UNCH	
3860	----	----			80.108/65.70A	80.108/65.70A	----			72.50	- 3.20	.2215	----	----	----	----	10	UNCH		
3865	----	----			81.408/66.70A	81.408/66.70A	----			73.70	- 3.20	.2244	----	----	----	----	1	UNCH		
3875	----	----			84.008/68.90A	84.008/68.90A	----			76.00	- 3.30	.2302	----	----	----	----	13	UNCH		
3880	----	----			85.308/70.00A	85.308/70.00A	----			77.20	- 3.40	.2332	----	----	----	31	44 +	31	UNCH	
3885	78.00	78.00			86.608/71.00A	86.608/71.00A	----			78.50	- 3.40	.2363	----	200	----	----	201 +	200	UNCH	
3890	----	----			88.008/72.30A	88.008/72.30A	----			79.70	- 3.50	.2392	----	----	----	----	17	UNCH		
3895	----	----			89.308/73.40A	89.308/73.40A	----			81.00	- 3.50	.2423	----	----	----	----	2	UNCH		
3900	82.70	82.70			90.708/74.50A	90.708/74.50A	----			82.30	- 3.50	.2454	----	7	----	----	317 +	5	UNCH	
3905	----	----			92.108/75.80A	92.108/75.80A	----			83.50	- 3.60	.2484	----	----	----	----	5	UNCH		
3915	----	----			95.008/78.10A	95.008/78.10A	----			86.20	- 3.70	.2547	----	----	----	----	5	UNCH		
3920	84.50	84.50			96.408/79.40A	96.408/79.40A	----			87.50	NEW	.2578	----	----	200	----	200 +	200	UNCH	
3925	----	----			98.008/80.50A	98.008/80.50A	----			88.90	- 3.80	.2610	----	----	----	----	1	UNCH		
3930	----	----			99.508/81.90A	99.508/81.90A	----			90.30	- 3.90	.2643	----	----	----	----	7	UNCH		
3935	----	----			101.108/83.20A	101.108/83.20A	----			91.70	- 3.90	.2675	----	----	----	----	23	UNCH		
3940	----	----			102.508/84.50A	102.508/84.50A	----			93.10	- 4.00	.2707	----	----	----	----	19	UNCH		
3945	----	----			104.108/85.80A	104.108/85.80A	----			94.60	- 4.00	.2741	----	----	----	----</				

BULLETIN #187@										METALS OPTION PRODUCTS										Tue, Sep 29, 2026		PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
OG PUT		COMEX GOLD OPTIONS																				
FEB27																						
4395	----	----			327.80B/289.00A	327.80B/289.00A	----	----	----	310.70 - 9.30	.6093	----	----	----	----	7	UNCH					
4400	----	----			331.20B/291.90A	331.20B/291.90A	----	----	----	314.10 - 9.30	.6128	----	----	----	----	576	UNCH					
4405	----	----			334.60B/295.40A	334.60B/295.40A	----	----	----	317.40 - 9.40	.6163	----	----	----	----	24	UNCH					
4410	----	----			338.00B/298.60A	338.00B/298.60A	----	----	----	320.80 - 9.40	.6197	----	----	----	----	18	UNCH					
4425	----	----			348.30B/308.60A	348.30B/308.60A	----	----	----	331.10 - 9.40	.6299	----	----	----	----	10	UNCH					
4430	----	----			351.80B/311.70A	351.80B/311.70A	----	----	----	334.50 - 9.50	.6332	----	----	----	----	255	UNCH					
4435	----	----			355.20B/315.40A	355.20B/315.40A	----	----	----	338.00 - 9.50	.6366	----	----	----	----	5	UNCH					
4440	----	----			358.70B/318.60A	358.70B/318.60A	----	----	----	341.50 - 9.50	.6400	----	----	----	----	6	UNCH					
4445	----	----			362.20B/322.00A	362.20B/322.00A	----	----	----	345.00 - 9.60	.6432	----	----	----	----	11	UNCH					
4450	----	----			365.80B/325.40A	365.80B/325.40A	----	----	----	348.50 - 9.60	.6465	----	----	----	----	193	UNCH					
4455	----	----			369.30B/328.80A	369.30B/328.80A	----	----	----	352.10 - 9.60	.6497	----	----	----	----	9	UNCH					
4460	----	----			372.90B/332.20A	372.90B/332.20A	----	----	----	355.60 - 9.70	.6530	----	----	----	----	74	UNCH					
4465	----	----			376.40B/335.70A	376.40B/335.70A	----	----	----	359.20 - 9.70	.6562	----	----	----	----	13	UNCH					
4470	----	----			380.00B/339.10A	380.00B/339.10A	----	----	----	362.80 - 9.70	.6595	----	----	----	----	6	UNCH					
4475	----	----			383.60B/342.70A	383.60B/342.70A	----	----	----	366.40 - 9.70	.6626	----	----	----	----	25	UNCH					
4480	----	----			387.20B/346.10A	387.20B/346.10A	----	----	----	370.00 - 9.80	.6658	----	----	----	----	8	UNCH					
4490	----	----			394.50B/353.20A	394.50B/353.20A	----	----	----	377.30 - 9.80	.6721	----	----	----	----	24	UNCH					
4495	----	----			398.20B/356.60A	398.20B/356.60A	----	----	----	381.00 - 9.80	.6752	----	----	----	----	29	UNCH					
4500	374.30	----	374.30		401.80B/360.70A	401.80B/360.70A	----	----	----	384.60 - 9.90	.6783	----	----	3	----	123	-					
4505	----	----			405.50B/364.40A	405.50B/364.40A	----	----	----	388.30 - 9.90	.6813	----	----	----	----	15	UNCH					
4510	----	----			409.20B/368.00A	409.20B/368.00A	----	----	----	392.00 - 10.00	.6844	----	----	----	----	5	UNCH					
4515	----	----			412.90B/371.50A	412.90B/371.50A	----	----	----	395.80 - 9.90	.6874	----	----	----	----	20	UNCH					
4520	----	----			416.70B/375.10A	416.70B/375.10A	----	----	----	399.50 - 10.00	.6904	----	----	----	----	50	UNCH					
4550	----	----			439.30B/397.20A	439.30B/397.20A	----	----	----	422.30 - 10.10	.7079	----	----	----	----	109	UNCH					
4555	----	----			443.10B/406.20A	443.10B/406.20A	----	----	----	426.10 - 10.20	.7108	----	----	----	----	1	UNCH					
4570	----	----			454.70B/412.30A	454.70B/412.30A	----	----	----	437.70 - 10.30	.7192	----	----	----	----	19	UNCH					
4575	----	----			458.50B/416.00A	458.50B/416.00A	----	----	----	441.60 - 10.30	.7219	----	----	----	----	32	UNCH					
4580	----	----			462.40B/419.80A	462.40B/419.80A	----	----	----	445.50 - 10.30	.7247	----	----	----	----	3	UNCH					
4585	----	----			466.30B/423.70A	466.30B/423.70A	----	----	----	449.40 - 10.40	.7274	----	----	----	----	18	UNCH					
4600	----	----			478.10B/435.30A	478.10B/435.30A	----	----	----	461.30 - 10.40	.7354	----	----	----	----	165	UNCH					
4615	----	----			489.90B/452.30A	489.90B/452.30A	----	----	----	473.20 - 10.50	.7433	----	----	----	----	1	UNCH					
4625	----	----			497.90B/454.80A	497.90B/454.80A	----	----	----	481.20 - 10.60	.7483	----	----	----	----	3	UNCH					
4630	----	----			501.90B/458.60A	501.90B/458.60A	----	----	----	485.30 - 10.50	.7509	----	----	----	----	7	UNCH					
4635	----	----			505.90B/468.00A	505.90B/468.00A	----	----	----	489.30 - 10.60	.7534	----	----	----	----	2	UNCH					
4640	----	----			509.90B/466.60A	509.90B/466.60A	----	----	----	493.40 - 10.60	.7559	----	----	----	----	3	UNCH					
4650	----	----			----/480.00A	502.80B/480.00A	----	----	----	501.50 - 10.70	.7608	----	----	----	----	1	UNCH					
4655	----	----			----/484.00A	507.00B/484.00A	----	----	----	505.60 - 10.70	.7631	----	----	----	----	1	UNCH					
4660	----	----			----/481.90A	512.00B/481.90A	----	----	----	509.70 - 10.70	.7656	----	----	----	----	436	UNCH					
4665	----	----			----/486.60A	515.70B/486.60A	----	----	----	513.80 - 10.70	.7679	----	----	----	----	3	UNCH					
4680	----	----			----/498.60A	528.10B/498.60A	----	----	----	526.20 - 10.80	.7749	----	----	----	----	3	UNCH					
4690	----	----			----/512.30A	536.00B/512.30A	----	----	----	534.50 - 10.80	.7795	----	----	----	----	1	UNCH					
4695	----	----			----/510.90A	540.70B/510.90A	----	----	----	538.70 - 10.80	.7817	----	----	----	----	25	UNCH					
4700	----	----			----/515.00A	544.80B/515.00A	----	----	----	542.90 - 10.80	.7840	----	----	----	----	133	UNCH					
4705	----	----			----/519.10A	548.90B/519.10A	----	----	----	547.10 - 10.80	.7861	----	----	----	----	3	UNCH					
4710	----	----			----/523.30A	553.30B/523.30A	----	----	----	551.30 - 10.90	.7884	----	----	----	----	3	UNCH					
4725	----	----			----/541.30A	565.60B/541.30A	----	----	----	564.00 - 10.90	.7948	----	----	----	----	10	UNCH					
4730	----	----			----/545.40A	569.70B/545.40A	----	----	----	568.20 - 11.00	.7969	----	----	----	----	16	UNCH					
4750	----	----			----/562.20A	585.40B/562.20A	----	----	----	585.30 - 11.00	.8052	----	----	----	----	31	UNCH					
4755	----	----			----/566.40A	587.00B/566.40A	----	----	----	589.60 - 11.00	.8072	----	----	----	----	1	UNCH					
4775	----	----			----/583.40A	597.00B/583.40A	----	----	----	606.80 - 11.10	.8150	----	----	----	----	1	UNCH					
4785	----	----			----/592.00A	605.00B/592.00A	----	----	----	615.50 - 11.10	.8188	----	----	----	----	100	UNCH					
4800	611.50	----	611.50		615.40/611.30A	617.10B/611.30A	----	----	----	628.60 - 11.20	.8243	----	----	2	----	311	UNCH					
4805	----	----			----	621.30B/644.90A	----	----	----	633.00 - 11.20	.8261	----	----	----	----	2	UNCH					
4810	----	----			----	625.40B/663.00A	----	----	----	637.40 - 11.20	.8280	----	----	----	----	20	UNCH					
4825	----	----			----	637.50B/678.00A	----	----	----	650.60 - 11.20	.8333	----	----	----	----	5	UNCH					
4835	----	----			----	645.80B/672.40A	----	----	----	659.40 - 11.30	.8367	----	----	----	----	1	UNCH					
4840	----	----			----	649.90B/694.10A	----	----	----	663.80 - 11.30	.8383	----	----	----	----	1	UNCH					
4845	----	----			----	652.40B/698.80A	----	----	----	668.30 - 11.30	.8402	----	----	----	----	3	UNCH					
4855	----	----			----	658.50B/708.40A	----	----	----	677.20 - 11.30	.8434	----	----	----	----	3	UNCH					
4900	----	----			----	693.50B/777.70A	----	----	----	717.50 - 11.50	.8573	----	----	----	----	4	UNCH					
4905	----	----			----	695.80B/782.30A	----	----	----	722.10 - 11.50	.8589	----	----	----	----	4	UNCH					
4950	----	----			----	685.10B/823.60A	----	----	----	763.00 - 11.60	.8715	----	----	----	----	1	UNCH					
4955	----	----			----	730.50B/828.20A	----	----	----	767.60 - 11.60	.8728	----	----	----	----	1	UNCH					
5000	----	----			----	731.20B/848.00A	----	----	----	809.00 - 11.70	.8840	----	----	----	----	75	UNCH					
5005	----	----			----	735.90B/874.60A	----	----	----	813.70 - 11.70	.8854	----	----	----	----	3	UNCH					
5010	----	----			----	740.50B/879.30A	----	----	----	818.30 - 11.70	.8864	----	----	----	----	1						

PG64		BULLETIN #187@										METALS OPTION PRODUCTS										Tue, Sep 29, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME			OPEN INTEREST						
OG PUT		COMEX GOLD OPTIONS																						
APR27																								
4275	----	----			279.10B/249.30A	279.10B/249.30A	----	----	264.90 - 7.40	.4844	----	----	----	----	----	----	20	UNCH						
4285	----	----			285.40B/253.70A	285.40B/253.70A	----	----	270.30 - 7.50	.4906	----	----	----	----	----	----	50	UNCH						
4290	----	----			289.10B/258.90A	289.10B/258.90A	----	----	273.10 - 7.50	.4938	----	----	----	----	----	----	1	UNCH						
4300	----	----			295.80B/261.70A	295.80B/261.70A	----	----	278.60 - 7.60	.5000	----	----	----	----	----	----	256	UNCH						
4330	----	----			312.90B/280.70A	312.90B/280.70A	----	----	295.70 - 7.90	.5185	----	----	----	----	----	----	5	UNCH						
4345	----	----			322.00B/289.20A	322.00B/289.20A	----	----	304.40 - 8.10	.5277	----	----	----	----	----	----	6	UNCH						
4350	----	----			325.40B/291.80A	325.40B/291.80A	----	----	307.40 - 8.10	.5307	----	----	----	----	----	----	83	UNCH						
4365	----	----			334.20B/300.40A	334.20B/300.40A	----	----	316.30 - 8.30	.5398	----	----	----	----	----	----	1	UNCH						
4370	----	----			337.30B/303.70A	337.30B/303.70A	----	----	319.40 - 8.20	.5428	----	----	----	----	----	----	1	UNCH						
4375	----	----			340.50B/306.30A	340.50B/306.30A	----	----	322.40 - 8.30	.5458	----	----	----	----	----	----	8	UNCH						
4385	----	----			345.20B/312.50A	345.20B/312.50A	----	----	328.50 - 8.40	.5517	----	----	----	----	----	----	3	UNCH						
4395	----	----			348.90B/318.00A	348.90B/318.00A	----	----	334.70 - 8.50	.5577	----	----	----	----	----	----	2	UNCH						
4400	----	----			351.40B/321.70A	351.40B/321.70A	----	----	337.80 - 8.50	.5606	----	----	----	----	----	----	30	UNCH						
4405	----	----			354.80B/324.60A	354.80B/324.60A	----	----	341.00 - 8.50	.5636	----	----	----	----	----	----	1	UNCH						
4410	340.30	340.30			357.80B/327.30A	357.80B/327.30A	----	----	344.10 - 8.60	.5665	----	----	----	----	1	----	2	UNCH						
4415	343.60	343.60			361.30B/331.10A	361.30B/331.10A	----	----	347.30 - 8.60	.5694	----	----	----	----	4	----	3	-	1					
4420	341.00	341.00			364.30B/334.20A	364.30B/334.20A	----	----	350.50 - 8.60	.5723	----	----	----	----	22	----	31	-	22					
4425	----	----			367.60B/337.30A	367.60B/337.30A	----	----	353.70 - 8.70	.5752	----	----	----	----	----	----	5	UNCH						
4430	----	----			371.00B/340.00A	371.00B/340.00A	----	----	356.90 - 8.70	.5781	----	----	----	----	----	----	1	UNCH						
4435	----	----			375.30B/342.70A	375.30B/342.70A	----	----	360.10 - 8.80	.5810	----	----	----	----	----	----	13	UNCH						
4440	----	----			377.80B/346.50A	377.80B/346.50A	----	----	363.30 - 8.80	.5838	----	----	----	----	----	----	50	UNCH						
4450	----	----			384.20B/348.80A	384.20B/348.80A	----	----	369.90 - 8.80	.5895	----	----	----	----	----	----	138	UNCH						
4455	----	----			388.50B/356.50A	388.50B/356.50A	----	----	373.20 - 8.90	.5923	----	----	----	----	----	----	2	UNCH						
4460	----	----			391.10B/359.70A	391.10B/359.70A	----	----	376.50 - 8.90	.5952	----	----	----	----	----	----	2	UNCH						
4465	----	----			395.30B/362.90A	395.30B/362.90A	----	----	379.80 - 9.00	.5980	----	----	----	----	----	----	3	UNCH						
4470	----	----			398.00B/366.20A	398.00B/366.20A	----	----	383.10 - 9.00	.6008	----	----	----	----	----	----	4	UNCH						
4475	----	----			401.20B/369.50A	401.20B/369.50A	----	----	386.50 - 9.00	.6035	----	----	----	----	----	----	2	UNCH						
4480	----	----			404.60B/372.90A	404.60B/372.90A	----	----	389.80 - 9.10	.6063	----	----	----	----	----	----	1	UNCH						
4490	----	----			410.80B/379.30A	410.80B/379.30A	----	----	396.60 - 9.10	.6119	----	----	----	----	----	----	31	UNCH						
4495	----	----			411.50B/382.60A	411.50B/382.60A	----	----	400.00 - 9.20	.6146	----	----	----	----	----	----	11	UNCH						
4500	----	----			----/386.00A	412.40B/386.00A	----	----	403.40 - 9.20	.6173	----	----	----	----	----	----	258	UNCH						
4510	----	----			----/392.60A	413.50B/392.60A	----	----	410.30 - 9.30	.6227	----	----	----	----	----	----	1	UNCH						
4515	----	----			----/396.00A	415.40B/396.00A	----	----	413.80 - 9.30	.6254	----	----	----	----	----	----	1	UNCH						
4535	----	----			----/409.70A	427.70B/409.70A	----	----	427.80 - 9.40	.6360	----	----	----	----	----	----	13	UNCH						
4540	----	----			----/413.20A	431.00B/413.20A	----	----	431.30 - 9.40	.6386	----	----	----	----	----	----	100	UNCH						
4545	----	----			----/416.60A	434.80B/416.60A	----	----	434.80 - 9.50	.6413	----	----	----	----	----	----	1	UNCH						
4550	----	----			----/420.10A	438.10B/420.10A	----	----	438.40 - 9.50	.6439	----	----	----	----	----	----	100	UNCH						
4565	----	----			----/432.50A	449.10B/432.50A	----	----	449.10 - 9.60	.6516	----	----	----	----	----	----	10	UNCH						
4575	----	----			----/439.60A	456.40B/439.60A	----	----	456.30 - 9.70	.6567	----	----	----	----	----	----	50	UNCH						
4590	----	----			----/450.30A	467.10B/450.30A	----	----	467.20 - 9.80	.6642	----	----	----	----	----	----	4	UNCH						
4600	----	----			----/457.50A	474.40B/457.50A	----	----	474.60 - 9.80	.6691	----	----	----	----	----	----	229	UNCH						
4610	----	----			----/464.60A	482.00B/464.60A	----	----	482.00 - 9.90	.6741	----	----	----	----	----	----	4	UNCH						
4620	----	----			----/472.00A	489.60B/472.00A	----	----	489.40 - 10.00	.6789	----	----	----	----	----	----	1	UNCH						
4650	----	----			----/494.10A	512.30B/494.10A	----	----	512.00 - 10.20	.6930	----	----	----	----	----	----	3	UNCH						
4695	----	----			----/528.10A	547.20B/528.10A	----	----	546.80 - 10.30	.7133	----	----	----	----	----	----	1	UNCH						
4700	----	----			----/531.90A	551.10B/531.90A	----	----	550.70 - 10.30	.7154	----	----	----	----	----	----	14	UNCH						
4705	----	----			----/535.70A	554.90B/535.70A	----	----	554.60 - 10.40	.7176	----	----	----	----	----	----	2	UNCH						
4720	----	----			----/547.20A	566.60B/547.20A	----	----	566.40 - 10.40	.7240	----	----	----	----	----	----	9	UNCH						
4725	----	----			----/551.20A	570.70B/551.20A	----	----	570.40 - 10.40	.7261	----	----	----	----	----	----	5	UNCH						
4730	----	----			----/555.10A	574.40B/555.10A	----	----	574.40 - 10.40	.7283	----	----	----	----	----	----	4	UNCH						
4750	----	----			----/570.80A	590.40B/570.80A	----	----	590.30 - 10.50	.7366	----	----	----	----	----	----	1	UNCH						
4765	----	----			----/582.50A	602.70B/582.50A	----	----	602.30 - 10.60	.7426	----	----	----	----	----	----	1	UNCH						
4790	----	----			----/602.50A	623.00B/602.50A	----	----	622.60 - 10.70	.7525	----	----	----	----	----	----	6	UNCH						
4800	621.00	621.00			631.30B/610.60A	631.30B/610.60A	----	----	630.80 - 10.70	.7564	----	----	----	----	2	----	15	UNCH						
4825	----	----			----/630.90A	652.00B/630.90A	----	----	651.40 - 10.80	.7657	----	----	----	----	----	----	4	UNCH						
4835	----	----			----/639.10A	660.30B/639.10A	----	----	659.70 - 10.80	.7694	----	----	----	----	----	----	1	UNCH						
4900	----	----			----/692.90A	715.00B/692.90A	----	----	714.60 - 11.00	.7917	----	----	----	----	----	----	2	UNCH						
4905	----	----			----/697.10A	719.30B/697.10A	----	----	718.90 - 10.90	.7933	----	----	----	----	----	----	2	UNCH						
5000	----	----			----	700.70B/883.10A	----	----	801.40 - 11.30	.8218	----	----	----	----	----	----	134	UNCH						
5005	----	----			----	705.00B/887.70A	----	----	805.80 - 11.30	.8232	----	----	----	----	----	----	1	UNCH						
5050	----	----			----	743.80B/928.50A	----	----	845.80 - 11.30	.8352	----	----	----	----	----	----	169	UNCH						
5060	----	----			----	752.40B/937.60A	----	----	854.70 - 11.40	.8378	----	----	----	----	----	----	25	UNCH						
5150	----	----			----	832.60B/1020.40A	----	----	936.00 - 11.60	.8588	----	----	----	----	----	----	1	UNCH						
5200	----	----			----	878.40B/1066.60A	----	----	981.90 - 11.50	.8692	----	----	----	----	----	----	15	UNCH						
5205	----	----			----	883.00B/1071.30A	----	----	986.50 - 11.50	.8703	----	----	----	----	----	----	1	UNCH						
5400	----	----			----	1131.60B/1254.20A	----	----	1168.90 - 11.60	.9033	----	----	----											



BULLETIN #187@				METALS OPTION PRODUCTS										Tue, Sep 29, 2026		PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
OG PUT	COMEX GOLD OPTIONS																
JUN27																	
3300	----	----	----/31.60A	32.30B/31.60A	----	33.40 - 0.50	.0784	----	----	----	----	110	UNCH				
3500	----	----	56.00B/50.60A	56.00B/50.60A	----	53.80 - 1.40	.1214	----	----	----	250	792 +	250				
3575	----	----	67.20B/60.30A	67.20B/60.30A	----	64.40 - 1.70	.1423	----	----	----	----	2	UNCH				
3600	----	----	71.50B/64.00A	71.50B/64.00A	----	68.30 - 1.90	.1498	----	----	----	----	63	UNCH				
3625	----	----	75.80B/67.90A	75.80B/67.90A	----	72.50 - 2.00	.1578	----	----	----	----	455	UNCH				
3650	----	----	80.50B/72.20A	80.50B/72.20A	----	76.90 - 2.10	.1659	----	----	----	----	2	UNCH				
3655	----	----	81.50B/73.00A	81.50B/73.00A	----	77.80 - 2.20	.1676	----	----	----	----	1	UNCH				
3675	----	----	85.60B/76.70A	85.60B/76.70A	----	81.50 - 2.30	.1744	----	----	----	----	4	UNCH				
3700	----	----	90.80B/81.30A	90.80B/81.30A	----	86.40 - 2.50	.1832	----	----	----	----	2389	UNCH				
3725	----	----	96.10B/86.30A	96.10B/86.30A	----	91.60 - 2.60	.1924	----	----	----	----	6	UNCH				
3750	----	----	102.10B/91.30A	102.10B/91.30A	----	97.00 - 2.80	.2018	----	----	----	----	140	UNCH				
3775	----	----	108.20B/96.90A	108.20B/96.90A	----	102.70 - 3.00	.2116	----	----	----	----	13	UNCH				
3785	----	----	110.80B/99.20A	110.80B/99.20A	----	105.10 - 3.00	.2156	----	----	----	----	2	UNCH				
3800	----	----	114.60B/102.70A	114.60B/102.70A	----	108.70 - 3.10	.2216	----	----	----	----	588	UNCH				
3805	----	----	115.90B/103.90A	115.90B/103.90A	----	110.00 - 3.10	.2237	----	----	----	----	1	UNCH				
3850	----	----	128.40B/115.10A	128.40B/115.10A	----	121.70 - 3.40	.2427	----	----	----	----	150	UNCH				
3875	----	----	135.60B/121.80A	135.60B/121.80A	----	128.60 - 3.60	.2537	----	----	----	----	1	UNCH				
3900	----	----	143.40B/128.90A	143.40B/128.90A	----	135.90 - 3.80	.2649	----	----	----	----	400	UNCH				
3925	----	----	151.40B/136.30A	151.40B/136.30A	----	143.50 - 3.90	.2764	----	----	----	----	150	UNCH				
3950	----	----	159.80B/144.00A	159.80B/144.00A	----	151.40 - 4.20	.2882	----	----	----	----	651	UNCH				
3970	----	----	166.60B/150.40A	166.60B/150.40A	----	158.00 - 4.30	.2977	----	----	----	----	260	UNCH				
4000	----	----	178.00B/158.90A	178.00B/158.90A	----	168.30 - 4.60	.3124	----	----	2	----	1309 +	2				
4025	----	----	187.40B/169.00A	187.40B/169.00A	----	177.30 - 4.80	.3248	----	----	----	----	1	UNCH				
4050	----	----	197.00B/178.10A	197.00B/178.10A	----	186.60 - 5.00	.3374	----	----	----	----	600	UNCH				
4075	----	----	207.30B/187.60A	207.30B/187.60A	----	196.30 - 5.30	.3502	----	----	----	----	325	UNCH				
4100	----	----	217.90B/197.30A	217.90B/197.30A	----	206.40 - 5.50	.3631	----	----	----	----	151	UNCH				
4110	----	----	222.10B/201.40A	222.10B/201.40A	----	210.60 - 5.50	.3683	----	----	----	----	44	UNCH				
4130	----	----	231.30B/209.40A	231.30B/209.40A	----	219.00 - 5.70	.3788	----	----	----	----	20	UNCH				
4140	----	----	235.40B/213.70A	235.40B/213.70A	----	223.30 - 5.90	.3841	----	----	----	----	1	UNCH				
4145	----	----	238.00B/215.80A	238.00B/215.80A	----	225.50 - 5.90	.3867	----	----	----	----	100	UNCH				
4185	----	----	256.70B/233.40A	256.70B/233.40A	----	243.60 - 6.20	.4080	----	----	----	----	55	UNCH				
4190	----	----	259.20B/235.60A	259.20B/235.60A	----	245.90 - 6.30	.4107	----	----	----	----	1	UNCH				
4195	----	----	261.60B/237.10A	261.60B/237.10A	----	248.20 - 6.40	.4134	----	----	----	----	20	UNCH				
4200	----	----	264.10B/240.10A	264.10B/240.10A	----	250.60 - 6.40	.4161	----	----	----	----	301	UNCH				
4205	----	----	267.10B/242.50A	267.10B/242.50A	----	252.90 - 6.50	.4187	----	----	----	----	2	UNCH				
4230	----	----	279.20B/254.10A	279.20B/254.10A	----	265.00 - 6.70	.4322	----	----	----	----	44	UNCH				
4240	----	----	284.90B/256.30A	284.90B/256.30A	----	269.90 - 6.90	.4375	----	----	----	----	1	UNCH				
4250	----	----	289.20B/261.90A	289.20B/261.90A	----	274.90 - 7.00	.4429	----	----	----	----	1	UNCH				
4285	----	----	308.50B/278.20A	308.50B/278.20A	----	292.90 - 7.30	.4617	----	----	----	----	100	UNCH				
4300	----	----	316.30B/288.30A	316.30B/288.30A	----	300.90 - 7.40	.4698	----	----	----	100	264 +	100				
4325	----	----	330.60B/301.40A	330.60B/301.40A	----	314.40 - 7.80	.4831	----	----	----	----	50	UNCH				
4350	----	----	344.30B/312.30A	344.30B/312.30A	----	328.30 - 8.00	.4963	----	----	----	----	4	UNCH				
4360	----	----	347.30B/317.70A	347.30B/317.70A	----	334.00 - 8.10	.5015	----	----	----	----	1	UNCH				
4365	----	----	348.80B/320.20A	348.80B/320.20A	----	336.80 - 8.20	.5041	----	----	----	----	1	UNCH				
4370	----	----	351.10B/323.20A	351.10B/323.20A	----	339.70 - 8.30	.5068	----	----	----	----	1	UNCH				
4375	----	----	354.00B/329.20A	354.00B/329.20A	----	342.60 - 8.30	.5094	----	----	----	----	34	UNCH				
4380	----	----	357.00B/328.80A	357.00B/328.80A	----	345.50 - 8.40	.5120	----	----	----	----	3	UNCH				
4385	----	----	360.70B/333.30A	360.70B/333.30A	----	348.40 - 8.40	.5146	----	----	----	----	1	UNCH				
4390	----	----	363.10B/335.00A	363.10B/335.00A	----	351.40 - 8.40	.5171	----	----	----	----	1	UNCH				
4400	----	----	369.10B/343.20A	369.10B/343.20A	----	357.30 - 8.50	.5223	----	----	----	----	29	UNCH				
4405	----	----	372.40B/345.70A	372.40B/345.70A	----	360.20 - 8.60	.5249	----	----	----	----	1	UNCH				
4410	----	----	375.10B/348.60A	375.10B/348.60A	----	363.20 - 8.70	.5275	----	----	----	----	3	UNCH				
4415	----	----	378.90B/352.80A	378.90B/352.80A	----	366.20 - 8.70	.5300	----	----	----	----	3	UNCH				
4420	----	----	381.30B/355.70A	381.30B/355.70A	----	369.30 - 8.70	.5325	----	----	----	----	4	UNCH				
4430	----	----	387.60B/361.70A	387.60B/361.70A	----	375.40 - 8.70	.5376	----	----	----	----	1	UNCH				
4435	----	----	391.30B/364.40A	391.30B/364.40A	----	378.40 - 8.80	.5402	----	----	----	----	2	UNCH				
4440	----	----	400.10B/373.70A	400.10B/373.70A	----	387.70 - 8.90	.5477	----	----	----	----	10	UNCH				
4460	----	----	406.80B/379.60A	406.80B/379.60A	----	394.00 - 8.90	.5527	----	----	----	----	2	UNCH				
4470	----	----	413.10B/385.70A	413.10B/385.70A	----	400.30 - 9.00	.5577	----	----	----	----	1	UNCH				
4490	----	----	426.10B/398.10A	426.10B/398.10A	----	413.10 - 9.00	.5675	----	----	----	----	3	UNCH				
4495	----	----	429.60B/401.40A	429.60B/401.40A	----	416.30 - 9.10	.5699	----	----	----	----	1	UNCH				
4500	----	----	432.50B/404.20A	432.50B/404.20A	----	419.50 - 9.10	.5723	----	----	----	----	1387	UNCH				
4505	----	----	436.10B/407.90A	436.10B/407.90A	----	422.80 - 9.10	.5748	----	----	----	----	1	UNCH				
4515	----	----	442.60B/414.10A	442.60B/414.10A	----	429.40 - 9.10	.5795	----	----	----	----	1	UNCH				
4545	----	----	463.00B/433.10A	463.00B/433.10A	----	449.30 - 9.20	.5938	----	----	----	----	1	UNCH				
4550	----	----	466.00B/436.70A	466.00B/436.70A	----	452.70 - 9.20	.5961	----	----	----	----	92	UNCH				
4600	----	----	----/469.70A	491.70B/469.70A	----	487.00 - 9.40	.6190	----	----	----	----	1	UNCH				
4605	----	----	----/473.80A	492.80B/473.80A	----	490.50 - 9.40	.6212	----	----	----	----	1	UNCH				
4620	----	----	----/484.10A	499.40B/484.10A	----	501.10 - 9.40	.6279	----	----	----	----	1	UNCH				
4625	----	----	----/486.90A	503.20B/486.90A	----	504.60 - 9.40	.6301	----	----	----	----	38	UNCH				
4650	----	----	----/504.60A	521.00B/504.60A	----	522.50 - 9.50	.6410	----	----	----	----	250	UNCH				
4655	----	----	----/510.80A	524.60B/510.80A	----	526.10 - 9.50	.6431	----	----	----	----	5	UNCH				
4680	----	----	----/528.50A	542.80B/528.50A	----	544.30 - 9.50	.6537	----	----	----	----	1	UNCH				
4700	----	----	----/542.90A	557.50B/542.90A	----	559.00 - 9.60	.6620	----	----	----	----	75	UNCH				
4760	----	----	----/587.10A	602.60B/587.10A	----	604.10 - 9.80	.6859	----	----	----	----	15	UNCH				
4790	----	----	----/609.70A	625.70B/609.70A	----	627.20 - 9.90	.6972	----	----	----	----	30	UNCH				
4850	----	----	----/655.80A	672.80B/655.80A	----	674.20 - 10.20	.7191	----	----	----	----	59	UNCH				
4865	----	----	----/667.40A	684.80B/667.40A	----	686.20 - 10.20	.7243	----	----	----	----	75	UNCH				
4900	----	----	----/695.10A	712.70B/695.10A	----	714.30 - 10.40	.7361	----	----	----	----	1	UNCH				
4905	----	----	----/699.10A	717.10B/699.10A	----	718.40 - 10.40	.7378	----	----	----	----	1	UNCH				
5000	----	----	----/776.30A	795.20B/776.30A	----	796.80 - 10.80	.7674	----	----	----	----	3	UNCH				
5085	----	----	----/847.60A	867.50B/847.60A	----	868.90 - 11.20	.7911	----	----	----	----	150	UNCH				
TOTAL										2	350	12207+	352				
JUL27																	
3000	----	----	----	18.20B/19.90A	----	19.60 - 0.10	.0434	----	----	----	----	1	UNCH				
3300	----	----	----/36.80A	36.40B/36.80A	----	37.90 - 0.50	.0821	----	----	----	----	1	UNCH				
3500	56.20	56.20	61.40B/56.20	61.40B/56.20	----	59.70 - 0.70	.1241	----	----	1	----	3 +	1				
3800	----	----	120.60B/109.10A	120.60B/109.10A	----	115.50 - 2.20	.2182	----	----	----	----	7	UNCH				
3905	----	----	150.60B/136.10A	150.60B/136.10A	----	143.70 - 3.20	.2602	----	----	----	----	3	UNCH				
4150	----	----	243.30B/220.40A	243.30B/220.40A	----	231.60 - 5.00	.3727	----	----	----	----	1	UNCH				
4310	----	----	320.90B/292.50A	320.90B/292.50A	----	307.10 - 6.90	.4522	----	----	----	----	3	UNCH				
4315	----	----	323.50B/295.00A	323.50B/295.00A	----	309.70 - 7.00	.4547	----	----	----	----	2	UNCH				
4325	315.00	315.00	329.50B/300.00A	329.50B/300.00A	----	314.90 NEW	.4597	----	2	----	----	2 +	2				
4340	316.00	316.00	337.20B/307.60A	337.20B/307.60A	----	322.90 NEW	.4672	----	2	----	----	2 +	2				
4350	318.00	318.00	343.00B/315.90A	343.00B/315.90A	----	328.30 - 7.50	.4722	----	6	----	----	1 -	4				
4360	322.00	322.00	346.10B/317.90A	346.10B/317.90A	----	333.70 NEW	.4771	----	3	----	----	3 +	3				
4390	----	----	----/334.40A	357.70B/334.40A	----	350.30 NEW	.4919	----	5	----	----	5 +	5				
4400	----	----	----/339.40A	363.70B/339.40A	----	355.90 - 8.10	.4968										

BULLETIN #187@				METALS OPTION PRODUCTS										Tue, Sep 29, 2026				PG64
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME			OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS																	
DEC27																		
3700	----	----	----	----	----	----	----	----	160.50 - 3.10	.2113	----	----	----	----			100	UNCH
3715	----	----	----	----	----	----	----	----	164.00 - 3.20	.2153	----	----	----	----			150	UNCH
3820	----	----	----	----	----	----	----	----	190.40 - 3.60	.2450	----	----	----	----			50	UNCH
4130	----	----	----	----	----	----	----	----	293.80 - 5.00	.3471	----	----	----	----			168	UNCH
4500	----	----	----	----	----	----	----	----	474.00 - 6.70	.4834	----	----	----	----			170	UNCH
4630	----	----	----	----	----	----	----	----	551.60 - 7.30	.5293	----	----	----	----			284	UNCH
4860	----	----	----	----	----	----	----	----	705.00 - 8.30	.6035	----	----	----	----			100	UNCH
5000	----	----	----	----	----	----	----	----	807.10 - 8.80	.6436	----	----	----	----			50	UNCH
5650	----	----	----	----	----	----	----	----	1341.20 - 10.70	.7800	----	----	----	----			200	UNCH
5880	----	----	----	----	----	----	----	----	1545.50 - 11.30	.8134	----	----	----	----			200	UNCH
TOTAL																	1488	0
JAN28																		
5000	----	----	----	----	----	----	----	----	801.50 - 8.60	.6203	----	----	----	----			1	UNCH
5100	----	----	----	----	----	----	----	----	875.30 - 9.00	.6464	----	----	----	----			1	UNCH
TOTAL																	2	0
FEB28																		
4400	----	----	----	----	----	----	----	----	440.10 - 6.00	.4291	----	----	----	----			11	UNCH
TOTAL																	11	0
APR28																		
4400	----	----	----	----	----	----	----	----	456.30 - 5.90	.4142	----	----	----	----			5	UNCH
TOTAL																	5	0
MAY28																		
4500	----	----	----	----	----	----	----	----	500.80 - 6.20	.4331	----	----	----	----			20	UNCH
TOTAL																	20	0
JUL28																		
4500	----	----	----	----	----	----	----	----	517.70 - 6.00	.4187	----	----	----	----			25	UNCH
TOTAL																	25	0
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME			OPEN INTEREST	
OG CALL	COMEX GOLD OPTIONS																	
NOV26																		
3350	----	----	----	864.80B/810.70A	864.80B/810.70A	----	----	----	830.10 + 11.00	.9907	----	----	----	----			1	UNCH
3390	----	----	----	824.90B/771.00A	824.90B/771.00A	----	----	----	790.40 + 11.00	.9892	----	----	----	----			1	UNCH
3400	----	----	----	815.00B/761.10A	815.00B/761.10A	----	----	----	780.40 + 10.90	.9885	----	----	----	----			34	UNCH
3445	----	----	----	770.30B/716.60A	770.30B/716.60A	----	----	----	735.80 + 10.90	.9857	----	----	----	----			1	UNCH
3450	----	----	----	765.30B/711.60A	765.30B/711.60A	----	----	----	730.80 + 10.90	.9856	----	----	----	----			161	UNCH
3500	----	----	----	715.70B/662.20A	715.70B/662.20A	----	----	----	681.30 + 10.80	.9820	----	----	----	----			224	UNCH
3600	----	----	----	616.90B/563.90A	616.90B/563.90A	----	----	----	582.80 + 10.50	.9716	----	----	----	----			3	UNCH
3700	----	----	----	518.90B/460.00A	518.90B/460.00A	----	----	----	485.20 + 10.10	.9545	----	----	----	----			3	UNCH
3735	----	----	----	484.80B/421.30A	484.80B/421.30A	----	----	----	451.40 + 9.90	.9457	----	----	----	----			1	UNCH
3765	----	----	----	455.90B/393.00A	455.90B/393.00A	----	----	----	422.60 + 9.60	.9369	----	----	----	----			1	UNCH
3775	----	----	----	446.20B/383.70A	446.20B/383.70A	----	----	----	413.00 + 9.40	.9338	----	----	----	----			1	UNCH
3780	----	----	----	441.40B/379.00A	441.40B/379.00A	----	----	----	408.30 + 9.40	.9323	----	----	----	----			1	UNCH
3800	----	----	----	422.40B/360.50A	422.40B/360.50A	----	----	----	389.30 + 9.20	.9245	----	----	----	----			4	UNCH
3830	----	----	----	396.20B/333.10A	396.20B/333.10A	----	----	----	361.20 + 8.80	.9117	----	----	----	----			1	UNCH
3840	----	----	----	386.80B/324.00A	386.80B/324.00A	----	----	----	351.90 + 8.70	.9068	----	----	----	----			3	UNCH
3850	----	----	----	377.30B/315.10A	377.30B/315.10A	----	----	----	342.70 + 8.60	.9019	----	----	----	----			2	UNCH
3865	----	----	----	363.30B/301.70A	363.30B/301.70A	----	----	----	328.90 + 8.30	.8932	----	----	----	----			4	UNCH
3870	329.40		329.40	358.60B/297.30A	358.60B/297.30A	----	----	----	324.40 + 8.30	.8904	----	----	1	----			2	+
3875	----	----	----	354.00B/293.00A	354.00B/293.00A	----	----	----	319.80 + 8.10	.8876	----	----	----	----			1	UNCH
3885	----	----	----	344.70B/284.30A	344.70B/284.30A	----	----	----	310.80 + 8.00	.8810	----	----	----	----			1	UNCH
3890	----	----	----	340.10B/279.90A	340.10B/279.90A	----	----	----	306.30 + 7.90	.8777	----	----	----	----			1	UNCH
3900	----	----	----	331.00B/271.30A	331.00B/271.30A	----	----	----	297.40 + 7.80	.8711	----	----	----	----			4	UNCH
3905	----	----	----	326.40B/267.10A	326.40B/267.10A	----	----	----	292.90 + 7.70	.8673	----	----	1	----			2	+
3910	----	----	----	321.90B/262.90A	321.90B/262.90A	----	----	----	288.50 + 7.60	.8639	----	----	----	----			1	UNCH
3915	----	----	----	317.30B/258.50A	317.30B/258.50A	----	----	----	284.10 + 7.50	.8600	----	----	----	----			1	UNCH
3920	----	----	----	312.80B/254.40A	312.80B/254.40A	----	----	----	279.70 + 7.40	.8562	----	----	----	----			5	UNCH
3925	----	----	----	308.30B/250.30A	308.30B/250.30A	----	----	----	275.30 + 7.30	.8523	----	----	----	----			51	UNCH
3930	----	----	----	303.80B/246.10A	303.80B/246.10A	----	----	----	271.00 + 7.30	.8480	----	----	----	----			2	UNCH
3935	----	----	----	299.40B/242.00A	299.40B/242.00A	----	----	----	266.70 + 7.20	.8441	----	----	----	----			2	UNCH
3940	----	----	----	294.80B/237.90A	294.80B/237.90A	----	----	----	262.40 + 7.10	.8398	----	----	----	----			14	UNCH
3945	----	----	----	290.50B/234.00A	290.50B/234.00A	----	----	----	258.10 + 7.00	.8354	----	----	----	----			1	UNCH
3950	----	----	----	286.10B/229.80A	286.10B/229.80A	----	----	----	253.80 + 6.80	.8307	----	----	----	----			1	UNCH
3955	----	----	----	281.70B/225.80A	281.70B/225.80A	----	----	----	249.60 + 6.70	.8263	----	----	----	----			1	UNCH
3960	----	----	----	277.40B/221.90A	277.40B/221.90A	----	----	----	245.40 + 6.60	.8215	----	----	----	----			2	UNCH
3965	----	----	----	255.80B/202.40A	255.80B/202.40A	----	----	----	224.70 + 6.00	.7961	----	----	----	----			1	UNCH
3990	----	----	----	251.60B/198.70A	251.60B/198.70A	----	----	----	220.70 + 5.90	.7908	----	----	----	----			3	UNCH
3995	----	----	----	247.40B/194.90A	247.40B/194.90A	----	----	----	216.70 + 5.80	.7852	----	----	----	----			1	UNCH
4000	----	----	----	243.20B/191.30A	243.20B/191.30A	----	----	----	212.70 + 5.70	.7796	----	----	5	----			408	UNCH
4005	----	----	----	239.10B/187.60A	239.10B/187.60A	----	----	----	208.70 + 5.50	.7736	----	----</						

BULLETIN #187@										METALS OPTION PRODUCTS										Tue, Sep 29, 2026		PG64
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG CALL		COMEX GOLD OPTIONS																				
NOV26																						
4320	46.50	46.50	54.80B/37.60A		54.80B/37.60A		----		43.00 + 0.10	.2889	----	2	----	208	+	2						
4325	43.00	43.00	53.20B/36.40A		53.20B/36.40A		----		41.70 + 0.10	.2821	----	71	----	399	+	51						
4330	45.30	45.30	51.70B/35.40A		51.70B/35.40A		----		40.50 + 0.10	.2756	----	12	----	164	-	2						
4335	43.70	43.70	50.20B/34.30A		50.20B/34.30A		----		39.30 + 0.10	.2690	----	3	----	349	+	3						
4340	40.50	40.50	48.80B/33.30A		48.80B/33.30A		----		38.10 UNCH	.2625	----	10	----	64	-	3						
4345	36.60	36.60	47.40B/32.30A		47.40B/32.30A		----		37.00 + 0.10	.2563	----	20	----	57	-	8						
4350	32.50	32.50	46.00B/31.30A		46.00B/31.30A		----		35.90 + 0.10	.2501	----	366	150	720	+	35						
4355	39.50	39.50	44.60B/30.30A		44.60B/30.30A		----		34.80 UNCH	.2440	----	5	----	32	+	4						
4360	33.20	33.20	43.30B/29.50A		43.30B/29.50A		----		33.70 UNCH	.2378	----	102	----	128	+	5						
4365	37.20	37.20	42.10B/28.60A		42.10B/28.60A		----		32.60 - 0.10	.2317	----	5	----	13	-	4						
4370	30.00	30.00	40.80B/27.70A		40.80B/27.70A		----		31.60 - 0.10	.2258	----	14	----	50	+	9						
4375	32.50	32.50	39.50B/26.90A		39.50B/26.90A		----		30.70 - 0.10	.2204	----	3	----	497	+	1						
4380	33.90	33.90	38.40B/26.00A		38.40B/26.00A		----		29.70 - 0.20	.2146	----	2	----	224	-	1						
4385	30.70	30.70	37.20B/25.20A		37.20B/25.20A		----		28.80 - 0.20	.2092	----	21	----	108	+	4						
4390	29.20	29.20	36.10B/24.50A		36.10B/24.50A		----		27.90 - 0.20	.2037	----	15	----	52	+	1						
4395	30.50	30.50	35.00B/23.70A		35.00B/23.70A		----		27.10 - 0.10	.1987	----	8	----	56	+	6						
4400	23.20	23.20	34.00B/23.00A		34.00B/23.00A		----		26.20 - 0.20	.1933	----	228	78	2777	-	78						
4405	24.20	24.20	33.00B/22.30A		33.00B/22.30A		----		25.40 - 0.20	.1883	----	7	----	43	+	1						
4410	23.60	23.60	32.00B/21.70A		32.00B/21.70A		----		24.60 - 0.20	.1833	----	143	----	180	+	88						
4415	----	----	31.10B/21.00A		31.10B/21.00A		----		23.80 - 0.30	.1783	----	----	----	53	UNCH							
4420	23.50	23.50	30.10B/20.40A		30.10B/20.40A		----		23.10 - 0.20	.1738	----	13	----	237	UNCH							
4425	24.60	24.60	29.20B/19.70A		29.20B/19.70A		----		22.40 - 0.20	.1692	----	96	----	593	+	68						
4430	22.50	22.50	28.30B/19.10A		28.30B/19.10A		----		21.70 - 0.30	.1647	----	4	----	146	-	1						
4435	23.30	23.30	27.50B/18.60A		27.50B/18.60A		----		21.00 - 0.30	.1602	----	15	----	96	-	6						
4440	20.60	20.60	26.70B/18.00A		26.70B/18.00A		----		20.40 - 0.30	.1561	----	18	----	221	+	2						
4445	----	----	25.80B/17.50A		25.80B/17.50A		----		19.70 - 0.30	.1516	----	----	----	101	UNCH							
4450	17.50	17.50	25.00B/16.90A		25.00B/16.90A		----		19.10 - 0.30	.1476	----	214	1179	1179	-	33						
4455	20.50	20.50	24.20B/16.40A		24.20B/16.40A		----		18.50 - 0.30	.1435	----	8	----	63	+	8						
4460	16.30	16.30	23.50B/15.90A		23.50B/15.90A		----		17.90 - 0.40	.1395	----	28	----	111	+	12						
4465	19.80	19.80	22.80B/15.40A		22.80B/15.40A		----		17.40 - 0.30	.1360	----	4	----	80	-	4						
4470	16.90	16.90	22.10B/15.00A		22.10B/15.00A		----		16.80 - 0.40	.1320	----	13	----	182	+	1						
4475	----	----	21.40B/14.50A		21.40B/14.50A		----		16.30 - 0.40	.1285	----	18	----	491	+	8						
4480	16.20	16.20	20.80B/14.10A		20.80B/14.10A		----		15.80 - 0.40	.1249	----	32	----	147	+	6						
4485	----	----	20.10B/13.70A		20.10B/13.70A		----		15.30 - 0.40	.1215	----	12	----	46	-	12						
4490	15.00	15.00	19.50B/13.30A		19.50B/13.30A		----		14.80 - 0.40	.1180	----	5	----	64	-	1						
4495	18.00	18.00	18.90B/12.90A		18.90B/12.90A		----		14.30 - 0.50	.1145	----	4	----	503	-	1						
4500	12.90	12.90	18.30B/12.50A		18.30B/12.50A		----		13.90 - 0.40	.1115	----	384	2452	2452	-	8						
4505	16.70	16.70	17.80B/12.10A		17.80B/12.10A		----		13.50 - 0.40	.1086	----	3	----	98	+	3						
4510	13.30	13.30	17.20B/11.80A		17.20B/11.80A		----		13.00 - 0.50	.1052	----	9	----	252	+	4						
4515	14.70	14.70	16.70B/11.40A		16.70B/11.40A		----		12.60 - 0.50	.1022	----	4	----	51	-	3						
4520	13.50	13.50	16.20B/11.10A		16.20B/11.10A		----		12.30 - 0.40	.0998	----	8	----	127	+	1						
4525	13.10	13.10	15.70B/10.80A		15.70B/10.80A		----		11.90 - 0.40	.0969	----	29	319	319	-	27						
4530	----	----	15.30B/10.50A		15.30B/10.50A		----		11.50 - 0.40	.0940	----	----	----	188	UNCH							
4535	12.40	12.40	14.80B/10.20A		14.80B/10.20A		----		11.20 - 0.40	.0917	----	3	----	115	-	2						
4540	----	----	14.30B/9.90A		14.30B/9.90A		----		10.90 - 0.40	.0894	----	----	----	174	UNCH							
4545	12.10	12.10	13.90B/9.60A		13.90B/9.60A		----		10.50 - 0.40	.0865	----	1	----	46	UNCH							
4550	11.70	11.70	13.50B/9.30A		13.50B/9.30A		----		10.20 - 0.40	.0842	----	68	1230	1230	+	33						
4555	----	----	13.10B/9.10A		13.10B/9.10A		----		9.90 - 0.40	.0819	----	----	----	152	UNCH							
4560	10.00	10.00	12.70B/8.80A		12.70B/8.80A		----		9.60 - 0.40	.0796	----	8	----	59	-	6						
4565	----	----	12.30B/8.60A		12.30B/8.60A		----		9.40 - 0.30	.0779	----	----	----	104	UNCH							
4570	----	----	12.00B/8.30A		12.00B/8.30A		----		9.10 - 0.30	.0756	----	----	----	37	UNCH							
4575	----	----	11.60B/8.10A		11.60B/8.10A		----		8.80 - 0.40	.0733	----	8	----	306	UNCH							
4580	9.80	9.80	11.30B/7.90A		11.30B/7.90A		----		8.60 - 0.30	.0717	----	3	----	91	-	2						
4585	8.30	8.30	10.90B/7.70A		10.90B/7.70A		----		8.30 - 0.40	.0694	----	6	----	179	+	5						
4590	8.70	8.70	10.60B/7.50A		10.60B/7.50A		----		8.10 - 0.30	.0678	----	3	----	182	UNCH							
4595	----	----	10.30B/7.30A		10.30B/7.30A		----		7.90 - 0.30	.0661	----	----	----	100	UNCH							
4600	7.10	7.10	10.00B/7.10		10.00B/7.10		----		7.70 - 0.30	.0645	----	334	4483	4483	+	124						
4605	----	----	9.70B/6.90A		9.70B/6.90A		----		7.40 - 0.30	.0623	----	1	----	78	UNCH							
4610	7.50	7.50	9.40B/6.70A		9.40B/6.70A		----		7.20 - 0.30	.0606	----	1	----	133	+	1						
4615	7.10	7.10	9.20B/6.50A		9.20B/6.50A		----		7.00 - 0.30	.0590	----	59	126	126	-	28						
4620	----	----	8.90B/6.40A		8.90B/6.40A		----		6.90 - 0.20	.0580	----	----	----	242	UNCH							
4625	7.00	7.00	8.70B/6.20A		8.70B/6.20A		----		6.70 - 0.20	.0564	----	1	----	91	+	1						
4630	----	----	8.40B/6.00A		8.40B/6.00A		----		6.50 - 0.30	.0548	----	----	----	67	UNCH							
4635	6.60	6.60	8.20B/5.90A		8.20B/5.90A		----		6.30 - 0.30	.0533	----	3	----	99	+	3						
4640	5.60	5.60	7.90B/5.60		7.90B/5.60		----		6.20 - 0.20	.0523	----	31	225	225	-	1						
4645	----	----	7.70B/5.60A		7.70B/5.60A		----		6.00 - 0.30	.0507	----	----	----	152	UNCH							
4650	5.30	5.30	7.50B/5.30		7.50B/5.30		----		5.90 - 0.20	.0498	----	95	1562	1562	+	141						
4655	----	----	7.30B/5.30A		7.30B/5.30A		----		5.70 - 0.30	.0482	----	5	199	199	-	5						
4660	----	----	7.10B/5.20A		7.10B/5.20A		----		5.60 - 0.20	.0473	----	----	----	163	UNCH							
4665	6.10	6.10	6.90B/5.10A		6.90B/5.10A		----		5.40 - 0.30	.0458	----	2	249	249	-	1						
4670	----	----	6.70B/5.00A		6.70B/5.00A		----		5.30 - 0.20	.0449	----	----	----	140	UNCH							
4675	----	----	6.50B/4.80A		6.50B/4.80A		----		5.20 - 0.20	.0440	----	----	----	773	UNCH							
4680	----	----	6.30B/4.70A		6.30B/4.70A		----		5.00 - 0.30	.0424	----	1	218	218	-	1						
4685	----	----	6.10B/4.60A		6.10B/4.60A		----		4.90 - 0.30	.0415	----	----	----	241	UNCH							
4690	----	----	6.00B/4.50A		6.00B/4.50A		----		4.80 - 0.20	.0407	----	----	----	255	UNCH							
4695	----	----	5.80B/4.40A		5.80B/4.40A		----		4.70 - 0.20	.0398	----	----	----	162	UNCH							
4700	4.80	4.80	5.70B/4.30A		5.70B/4.30A		----		4.60 - 0.20	.0389	----	49	3881	3881	+	10						
4705	5.00	5.00	5.50B/4.20A		5.50B/4.20A		----		4.50 - 0.20	.0380	----	3	96	96	+	2						
4710	----	----	5.40B/4.10A		5.40B/4.10A		----		4.40 - 0.20	.0372	----	----	----	152	UNCH							
4715	----	----	5.20B/4.10A		5.20B/4.10A		----		4.30 - 0.20	.0363	----	----	----	88	UNCH							
4720	----	----	5.10B/4.00A		5.10B/4.00A		----		4.20 - 0.20	.0355	----	----	----	118	UNCH							
4725	----	----	5.00B/3.90A		5.00B/3.90A		----		4.10 - 0.20	.0346	----	----	----	291	UNCH							
4730	----	----	4.90B/3.80A		4.90B/3.80A		----		4.00 - 0.20	.0338	----	----	----	171	UNCH							
4735	----	----	4.70B/3.70A		4.70B/3.70A		----		3.90 - 0.20	.0329	----	----	----	135	UNCH							
4740	----	----	4.60B/3.70A		4.60B/3.70A		----		3.80 - 0.20	.0321	----	----	----	137	UNCH							
4745	----	----	4.50B/3.60A		4.50B/3.60A		----		3.70 - 0.30	.0313	----	----	----	32	UNCH							
4750	3.90	3.90	4.40B/3.50A		4.40B/3.50A		----		3.60 - 0.30	.0305	----	16	1773	1773	-	12						
4755	----	----	4.30B/3.50A		4.30B/3.50A		----		3.50 - 0.30	.0296	----	----	----	132	UNCH							
4760	----	----	4.20B/3.40A																			

BULLETIN #187@										METALS OPTION PRODUCTS										Tue, Sep 29, 2026		PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
OG CALL		COMEX GOLD OPTIONS																				
NOV26																						
5005	----	----	----	1.90B/1.50A		1.90B/1.50A		----		1.50 - 0.30		.0118	----	----	----	----	57	UNCH				
5010	----	----	----	----/1.50A		1.80B/1.50A		----		1.40 - 0.40		.0111	----	----	----	----	56	UNCH				
5015	----	----	----	----/1.50A		1.80B/1.50A		----		1.40 - 0.40		.0111	----	----	----	----	36	UNCH				
5020	----	----	----	----/1.40A		1.80B/1.40A		----		1.40 - 0.40		.0110	----	----	----	----	58	UNCH				
5025	----	----	----	----/1.40A		1.80B/1.40A		----		1.40 - 0.40		.0110	----	----	----	----	501	UNCH				
5030	----	----	----	1.80B/1.40A		1.80B/1.40A		----		1.40 - 0.30		.0110	----	----	----	----	82	UNCH				
5035	----	----	----	----/1.40A		1.70B/1.40A		----		1.40 - 0.30		.0109	----	----	----	----	82	UNCH				
5040	----	----	----	----/1.40A		1.70B/1.40A		----		1.30 - 0.40		.0102	----	----	----	----	173	UNCH				
5045	----	----	----	----/1.40A		1.70B/1.40A		----		1.30 - 0.40		.0102	----	----	----	----	42	UNCH				
5050	----	----	----	----/1.30A		1.70B/1.30A		----		1.30 - 0.40		.0101	----	----	----	----	1023	UNCH				
5055	1.70	1.70	----	1.70/1.30A		1.70/1.30A		----		1.30 - 0.40		.0101	----	----	1	----	120	UNCH				
5060	----	----	----	----/1.30A		1.60B/1.30A		----		1.30 - 0.40		.0101	----	----	----	----	43	UNCH				
5065	----	----	----	----/1.30A		1.60B/1.30A		----		1.30 - 0.30		.0100	----	----	----	----	45	UNCH				
5070	----	----	----	----/1.30A		1.60B/1.30A		----		1.30 - 0.30		.0100	----	----	----	----	170	UNCH				
5075	----	----	----	----/1.30A		1.60B/1.30A		----		1.20 - 0.40		.0093	----	----	----	----	82	UNCH				
5080	----	----	----	----/1.20A		1.50B/1.20A		----		1.20 - 0.40		.0093	----	----	----	----	42	UNCH				
5085	----	----	----	----/1.20A		1.50B/1.20A		----		1.20 - 0.40		.0092	----	----	----	----	147	UNCH				
5090	----	----	----	----/1.20A		1.50B/1.20A		----		1.20 - 0.40		.0092	----	----	----	----	63	UNCH				
5095	----	----	----	----/1.20A		1.50B/1.20A		----		1.20 - 0.40		.0092	----	----	----	----	198	UNCH				
5100	----	----	----	----/1.20A		1.50B/1.20A		----		1.20 - 0.30		.0091	----	----	1603	----	5488 +	1421				
5105	----	----	----	----/1.20A		1.50B/1.20A		----		1.20 - 0.30		.0091	----	----	----	----	45	UNCH				
5110	----	----	----	----/1.20A		1.50B/1.20A		----		1.20 - 0.30		.0091	----	----	----	----	43	UNCH				
5115	1.20	1.20	----	1.20/1.20		1.50B/1.20		----		1.10 - 0.40		.0084	----	----	1	----	136 -	1				
5120	----	----	----	----/1.10A		1.50B/1.10A		----		1.10 - 0.40		.0084	----	----	----	----	78	UNCH				
5125	----	----	----	----/1.10A		1.40B/1.10A		----		1.10 - 0.40		.0083	----	----	----	----	91	UNCH				
5130	----	----	----	----/1.10A		1.40B/1.10A		----		1.10 - 0.40		.0083	----	----	----	----	95	UNCH				
5135	----	----	----	----/1.10A		1.40B/1.10A		----		1.10 - 0.40		.0083	----	----	----	----	18	UNCH				
5140	----	----	----	----/1.10A		1.40B/1.10A		----		1.10 - 0.40		.0082	----	----	----	----	48	UNCH				
5145	----	----	----	----/1.10A		1.40B/1.10A		----		1.10 - 0.30		.0082	----	----	----	----	25	UNCH				
5150	1.10	1.10	----	1.10/1.10		1.40B/1.10		----		1.10 - 0.30		.0082	----	----	1	----	543 -	1				
5155	----	----	----	----/1.10A		1.30B/1.10A		----		1.10 - 0.30		.0081	----	----	----	----	11	UNCH				
5160	----	----	----	----/1.10A		1.40B/1.10A		----		1.00 - 0.40		.0075	----	----	----	----	34	UNCH				
5165	----	----	----	----/1.10A		1.40B/1.10A		----		1.00 - 0.40		.0075	----	----	----	----	79	UNCH				
5170	----	----	----	----/1.10A		1.30B/1.10A		----		1.00 - 0.40		.0074	----	----	----	----	22	UNCH				
5175	----	----	----	----/1.00A		1.40B/1.00A		----		1.00 - 0.40		.0074	----	----	----	----	303	UNCH				
5180	----	----	----	----/1.00A		1.30B/1.00A		----		1.00 - 0.40		.0074	----	----	----	----	87	UNCH				
5185	----	----	----	----/1.00A		1.30B/1.00A		----		1.00 - 0.40		.0074	----	----	----	----	14	UNCH				
5190	----	----	----	----/1.00A		1.30B/1.00A		----		1.00 - 0.30		.0073	----	----	----	----	21	UNCH				
5195	----	----	----	----/1.00A		1.30B/1.00A		----		1.00 - 0.30		.0073	----	----	----	----	90	UNCH				
5200	1.20	1.20	----	1.20/1.00A		1.30B/1.00A		----		1.00 - 0.30		.0073	----	----	122	----	1902 +	37				
5205	----	----	----	----/1.00A		1.20B/1.00A		----		1.00 - 0.30		.0073	----	----	----	----	7	UNCH				
5210	----	----	----	----/1.00A		1.20B/1.00A		----		0.90 - 0.40		.0066	----	----	----	----	11	UNCH				
5215	----	----	----	----/1.00A		1.20B/1.00A		----		0.90 - 0.40		.0066	----	----	----	----	51	UNCH				
5220	----	----	----	----/1.00A		1.20B/1.00A		----		0.90 - 0.40		.0066	----	----	----	----	34	UNCH				
5225	----	----	----	----/1.00A		1.20B/1.00A		----		0.90 - 0.40		.0066	----	----	----	----	26	UNCH				
5230	----	----	----	----/1.00A		1.20B/1.00A		----		0.90 - 0.40		.0065	----	----	----	----	95	UNCH				
5235	----	----	----	----/1.00A		1.20B/1.00A		----		0.90 - 0.30		.0065	----	----	----	----	21	UNCH				
5240	----	----	----	----/1.00A		1.20B/1.00A		----		0.90 - 0.30		.0065	----	----	----	----	38	UNCH				
5245	----	----	----	---/0.90A		1.20B/0.90A		----		0.90 - 0.30		.0065	----	----	----	----	9	UNCH				
5250	----	----	----	---/0.90A		1.20B/0.90A		----		0.90 - 0.30		.0064	----	----	62	----	701 -	34				
5255	----	----	----	---/0.90A		1.10B/0.90A		----		0.90 - 0.30		.0064	----	----	----	----	4	UNCH				
5260	----	----	----	---/0.90A		1.10B/0.90A		----		0.90 - 0.30		.0064	----	----	----	----	11	UNCH				
5265	----	----	----	---/0.90A		1.10B/0.90A		----		0.90 - 0.30		.0064	----	----	----	----	11	UNCH				
5270	----	----	----	---/0.90A		1.10B/0.90A		----		0.80 - 0.40		.0058	----	----	----	----	15	UNCH				
5275	----	----	----	---/0.90A		1.10B/0.90A		----		0.80 - 0.40		.0057	----	----	----	----	214	UNCH				
5280	----	----	----	---/0.90A		1.10B/0.90A		----		0.80 - 0.40		.0057	----	----	----	----	40	UNCH				
5285	----	----	----	---/0.90A		1.10B/0.90A		----		0.80 - 0.40		.0057	----	----	----	----	32	UNCH				
5290	----	----	----	---/0.90A		1.10B/0.90A		----		0.80 - 0.40		.0057	----	----	----	----	21	UNCH				
5295	----	----	----	---/0.90A		1.10B/0.90A		----		0.80 - 0.40		.0057	----	----	----	----	10	UNCH				
5300	1.10	1.10	----	1.10/0.90		1.10/0.90		----		0.80 - 0.40		.0056	----	----	3	----	1247 -	2				
5305	----	----	----	---/0.80A		1.10B/0.80A		----		0.80 - 0.30		.0056	----	----	----	----	31	UNCH				
5310	----	----	----	---/0.80A		1.10B/0.80A		----		0.80 - 0.30		.0056	----	----	----	----	10	UNCH				
5315	----	----	----	---/0.90A		1.00B/0.90A		----		0.80 - 0.30		.0056	----	----	----	----	6	UNCH				
5320	----	----	----	---/0.80A		1.00B/0.80A		----		0.80 - 0.30		.0056	----	----	----	----	19	UNCH				
5325	----	----	----	---/0.80A		1.00B/0.80A		----		0.80 - 0.30		.0056	----	----	----	----	23	UNCH				
5330	----	----	----	---/0.80A		1.00B/0.80A		----		0.80 - 0.30		.0055	----	----	----	----	13	UNCH				
5335	----	----	----	---/0.80A		1.00B/0.80A		----		0.80 - 0.30		.0055	----	----	----	----	39	UNCH				
5340	1.00	1.00	----	1.00/0.80A		1.00/0.80A		----		0.80 - 0.30		.0055	----	----	1	----	6	UNCH				
5345	----	----	----	---/0.80A		1.00B/0.80A		----		0.70 - 0.40		.0049	----	----	----	----	12	UNCH				
5350	1.00	1.00	----	1.00/0.80A		1.00/0.80A		----		0.70 - 0.40		.0049	----	----	1	----	120	UNCH				
5355	----	----	----	---/0.80A		1.00B/0.80A		----		0.70 - 0.40		.0049	----	----	----	----	26	UNCH				
5360	----	----	----	---/0.80A		1.00B/0.80A		----		0.70 - 0.40		.0049	----	----	----	----	13	UNCH				
5365	----	----	----	---/0.80A		1.00B/0.80A		----		0.70 - 0.40		.0048	----	----	----	----	9	UNCH				
5370	----	----	----	---/0.80A		1.00B/0.80A		----		0.70 - 0.40		.0048	----	----	----	----	13	UNCH				
5375	----	----	----	---/0.80A		1.00B/0.80A		----		0.70 - 0.40		.0048	----	----	----	----	41	UNCH				
5380	----	----	----	---/0.70A		1.00B/0.70A		----		0.70 - 0.40		.0048	----	----	----	----	33	UNCH				
5385	----	----	----	---/0.70A		0.90B/0.70A		----		0.70 - 0.40		.0048	----	----	----	----	32	UNCH				
5390	----	----	----	---/0.70A		0.90B/0.70A		----		0.70 - 0.40		.0048	----	----	----	----	10	UNCH				
5395	----	----	----	---/0.70A		0.90B/0.70A		----		0.70 - 0.40		.0048	----	----	----	----	31	UNCH				
5400	----	----	----	---/0.70A		0.90B/0.70A		----		0.70 - 0.40		.0047	----	----	----	----	783	UNCH				
5405	----	----	----	---/0.70A		1.00B/0.70A		----		0.70 - 0.30		.0047	----	----	----	----	5	UNCH				
5410	----	----	----	---/0.80A		0.90B/0.80A		----		0.70 - 0.30		.0047	----	----	----	----	6	UNCH				
5415	----	----	----	---/0.70A		0.90B/0.70A		----		0.70 - 0.30		.0047	----	----	----	----	26	UNCH				
5420	----	----	----	---/0.70A		0.90B/0.70A		----		0.70 - 0.30		.0047	----	----	----	----	36	UNCH				
5425	0.80	0.80	----	0.80/0.70A		0.90B/0.70A		----		0.70 - 0.30		.0047	----	----	9	----	12 +	8				
5430	----	----	----	---/0.70A		0.90B/0.70A		----		0.70 - 0.30		.0047	----	----	----	----	10	UNCH				
5435	----	----	----	---/0.70A		0.90B/0.70A		----		0.70 - 0.30		.0046	----	----	----	----	6	UNCH				
5440	----	----	----	---/0.70A		0.90B/0.70A		----		0.70 - 0.30		.0046	----	----	----	----	3	UNCH				
5445	----	----	----	---/0.70A		0.90B/0.70A		----		0.70 - 0.30		.0046	----	----	----	----	33	UNCH				
5450	----	----	----	---/0.70A		0.90B/0.70A		----		0.70 - 0.30		.0046	----	----	----	----	571	UNCH				
5455	----	----	----	---/0.70A		0.90B/0.70A		----		0.70 - 0.30		.0046	----	----	----	----	43	UNCH				
5460	----	----	----	---/0.70A		0.90B/0.70A		----		0.70 - 0.20		.0046	----	----	----	----	20</					

BULLETIN #187@														METALS OPTION PRODUCTS										Tue, Sep 29, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST												
OG CALL	COMEX GOLD OPTIONS																									
NOV26																										
5690	----	----	----	/0. 50A	0. 70B/0. 50A	----	----	0. 50 - 0. 20	.0030	----	----	----	----	68	UNCH											
5695	----	----	----	/0. 50A	0. 70B/0. 50A	----	----	0. 50 - 0. 20	.0030	----	----	----	----	25	UNCH											
5700	0. 90	0. 90	0. 90	0. 90/0. 50A	0. 90/0. 50A	----	----	0. 50 - 0. 20	.0030	----	----	9	----	120 -	3											
5705	----	----	----	/0. 50A	0. 60B/0. 50A	----	----	0. 50 - 0. 20	.0030	----	----	----	----	1	UNCH											
5710	----	----	----	/0. 50A	0. 60B/0. 50A	----	----	0. 50 - 0. 20	.0030	----	----	----	----	2	UNCH											
5720	----	----	----	/0. 50A	0. 60B/0. 50A	----	----	0. 50 - 0. 20	.0030	----	----	----	----	6	UNCH											
5725	----	----	----	/0. 50A	0. 60B/0. 50A	----	----	0. 50 - 0. 20	.0030	----	----	----	----	3	UNCH											
5730	----	----	----	/0. 50A	0. 60B/0. 50A	----	----	0. 50 - 0. 20	.0030	----	----	----	----	27	UNCH											
5740	----	----	----	/0. 50A	0. 60B/0. 50A	----	----	0. 50 - 0. 20	.0030	----	----	----	----	4	UNCH											
5750	----	----	----	/0. 50A	0. 60B/0. 50A	----	----	0. 50 - 0. 20	.0030	----	----	----	----	599	UNCH											
5770	----	----	----	/0. 50A	0. 60B/0. 50A	----	----	0. 50 - 0. 20	.0029	----	----	----	----	11	UNCH											
5775	----	----	----	/0. 50A	0. 60B/0. 50A	----	----	0. 50 - 0. 20	.0029	----	----	----	----	8	UNCH											
5780	----	----	----	/0. 50A	0. 60B/0. 50A	----	----	0. 50 - 0. 10	.0029	----	----	----	----	6	UNCH											
5790	----	----	----	/0. 50A	0. 60B/0. 50A	----	----	0. 50 - 0. 10	.0029	----	----	----	----	6	UNCH											
5800	----	----	----	/0. 50A	0. 60B/0. 50A	----	----	0. 40 - 0. 20	.0024	----	----	----	----	208	UNCH											
5810	----	----	----	/0. 50A	0. 60B/0. 50A	----	----	0. 40 - 0. 20	.0024	----	----	----	----	21	UNCH											
5825	----	----	----	/0. 50A	0. 60B/0. 50A	----	----	0. 40 - 0. 20	.0024	----	----	----	----	41	UNCH											
5850	----	----	----	/0. 50A	0. 60B/0. 50A	----	----	0. 40 - 0. 20	.0023	----	----	----	----	43	UNCH											
5875	----	----	----	/0. 40A	0. 50B/0. 40A	----	----	0. 40 - 0. 20	.0023	----	----	----	----	10	UNCH											
5900	----	----	----	/0. 40A	0. 50B/0. 40A	----	----	0. 40 - 0. 10	.0023	----	----	----	----	285	UNCH											
5925	----	----	----	/0. 40A	0. 50B/0. 40A	----	----	0. 40 - 0. 10	.0023	----	----	----	----	15	UNCH											
5950	----	----	----	/0. 40A	0. 50B/0. 40A	----	----	0. 40 - 0. 10	.0022	----	----	----	----	41	UNCH											
5975	----	----	----	/0. 40A	0. 50B/0. 40A	----	----	0. 30 - 0. 20	.0017	----	----	----	----	34	UNCH											
6000	0. 30	0. 30	0. 50B	0. 30	0. 50B/0. 30	0. 50B/0. 30	----	0. 30 - 0. 20	.0017	----	----	2	----	2567 +	2											
6100	----	----	----	/0. 30A	0. 40B/0. 30A	0. 40B/0. 30A	----	0. 30 - 0. 10	.0016	----	----	----	----	41	UNCH											
6200	----	----	----	/0. 30A	0. 30B/0. 30A	0. 30B/0. 30A	----	0. 30 - 0. 10	.0016	----	----	----	----	51	UNCH											
6250	----	----	----	0. 30B/0. 30A	0. 30B/0. 30A	0. 30B/0. 30A	----	0. 20 - 0. 10	.0011	----	----	----	----	37	UNCH											
6300	0. 40	0. 40	0. 40	0. 40/0. 40	0. 40/0. 40	0. 40/0. 40	----	0. 20 - 0. 10	.0010	----	1	----	----	344	UNCH											
6400	----	----	----	0. 20B/0. 40A	0. 20B/0. 40A	0. 20B/0. 40A	----	0. 20 - 0. 10	.0010	----	----	----	----	123	UNCH											
6500	----	----	----	0. 20B/0. 30A	0. 20B/0. 30A	0. 20B/0. 30A	----	0. 20 - 0. 10	.0010	----	----	----	----	1918	UNCH											
8000	----	----	----	/0. 20A	----	----	----	0. 10 - 0. 10	.0004	----	----	7	----	995 -	7											
9000	----	----	----	/0. 20A	----	----	----	0. 10 UNCH	.0000	----	----	----	----	1591	UNCH											
20000	----	----	----	/0. 10A	----	----	----	0. 10 UNCH	----	----	----	7909	150	96465 +	3912											
TOTAL																										
DEC26																										
1500	----	----	----	----	----	----	----	2679. 70 + 11. 30	1. 0000	100	----	100	----	0	UNCH											
2495	----	----	----	1, 678. 90B/----	1678. 90B/1713. 00A	----	----	1684. 70 + 11. 30	1. 0000	125	----	125	----	0	UNCH											
2500	----	----	----	1, 674. 60B/----	1674. 60B/1708. 20A	----	----	1679. 70 + 11. 30	1. 0000	413	----	426	621 +	13	UNCH											
2505	----	----	----	1, 672. 90B/----	1672. 90B/1703. 10A	----	----	1674. 70 + 11. 30	1. 0000	125	----	125	0	UNCH	1											
3000	----	----	----	1, 214. 70B/1, 154	1214. 70B/1154. 20A	----	----	1179. 80 + 11. 30	.9914	----	----	1	----	1 +	1											
3200	----	----	----	1, 012. 10B/960. 5	1012. 10B/960. 50A	----	----	980. 90 + 11. 10	.9830	----	----	----	----	52	UNCH											
3250	----	----	----	961. 80B/911. 50A	961. 80B/911. 50A	----	----	931. 40 + 11. 00	.9799	----	----	----	----	71	UNCH											
3300	----	----	----	912. 00B/862. 30A	912. 00B/862. 30A	----	----	882. 10 + 11. 00	.9762	----	----	----	----	311	UNCH											
3405	----	----	----	808. 60B/758. 80A	808. 60B/758. 80A	----	----	779. 00 + 10. 80	.9663	----	----	----	----	1	UNCH											
3450	----	----	----	764. 80B/714. 60A	764. 80B/714. 60A	----	----	735. 10 + 10. 70	.9610	----	----	----	----	1	UNCH											
3500	----	----	----	716. 40B/665. 60A	716. 40B/665. 60A	----	----	686. 50 + 10. 50	.9537	----	----	----	----	15	UNCH											
3550	----	----	----	668. 40B/608. 10A	668. 40B/608. 10A	----	----	638. 40 + 10. 40	.9449	----	----	----	----	2	UNCH											
3570	----	----	----	649. 20B/589. 10A	649. 20B/589. 10A	----	----	619. 20 + 10. 20	.9405	----	----	----	----	1	UNCH											
3600	----	----	----	620. 80B/560. 80A	620. 80B/560. 80A	----	----	590. 60 + 10. 00	.9339	----	----	----	----	2	UNCH											
3700	----	----	----	530. 80B/468. 20A	530. 80B/468. 20A	----	----	497. 10 + 9. 40	.9036	----	----	----	----	51	UNCH											
3720	----	----	----	512. 30B/450. 20A	512. 30B/450. 20A	----	----	478. 80 + 9. 20	.8961	----	----	----	----	5	UNCH											
3750	----	----	----	485. 00B/423. 90A	485. 00B/423. 90A	----	----	451. 70 + 8. 90	.8834	----	----	----	----	7	UNCH											
3755	----	----	----	480. 40B/419. 50A	480. 40B/419. 50A	----	----	447. 20 + 8. 80	.8811	----	----	----	----	3	UNCH											
3760	----	----	----	475. 80B/415. 00A	475. 80B/415. 00A	----	----	442. 80 + 8. 90	.8788	----	----	----	----	2	UNCH											
3765	----	----	----	471. 40B/410. 80A	471. 40B/410. 80A	----	----	438. 30 + 8. 80	.8766	----	----	----	----	8	UNCH											
3770	----	----	----	466. 80B/406. 40A	466. 80B/406. 40A	----	----	433. 90 + 8. 70	.8740	----	----	----	----	1	UNCH											
3775	----	----	----	462. 30B/402. 00A	462. 30B/402. 00A	----	----	429. 40 + 8. 60	.8717	----	----	----	----	2	UNCH											
3785	----	----	----	453. 40B/393. 40A	453. 40B/393. 40A	----	----	420. 60 + 8. 50	.8666	----	----	----	----	4	UNCH											
3790	----	----	----	448. 80B/389. 20A	448. 80B/389. 20A	----	----	416. 20 + 8. 50	.8640	----	----	----	----	1	UNCH											
3800	----	----	----	440. 00B/380. 70A	440. 00B/380. 70A	----	----	407. 50 + 8. 40	.8587	----	----	----	----	25	UNCH											
3840	----	----	----	404. 90B/347. 60A	404. 90B/347. 60A	----	----	373. 20 + 7. 90	.8354	----	----	----	----	1	UNCH											
3860	----	----	----	387. 80B/331. 30A	387. 80B/331. 30A	----	----	356. 50 + 7. 70	.8227	----	----	----	----	1	UNCH											
3900	----	----	----	354. 30B/300. 00A	354. 30B/300. 00A	----	----	323. 90 + 7. 10	.7943	----	----	----	----	41	UNCH											
3915	----	----	----	342. 10B/288. 60A	342. 10B/288. 60A	----	----	312. 00 + 6. 90	.7829	----	----	----	----	4	UNCH											
3930	309. 50	309. 50	309. 50	329. 80B/277. 40A	329. 80B/277. 40A	329. 80B/277. 40A	----	300. 30 NEW	.7708	----	1	----	1 +	1	UNCH											
3935	----	----	----	325. 90B/273. 80A	325. 90B/273. 80A	325. 90B/273. 80A	----	296. 50 + 6. 60	.7668	----	----	----	----	11	UNCH											
3950	294. 10	294. 10	294. 10	314. 10B/263. 10A	314. 10B/263. 10A	314. 10B/263. 10A	----	285. 10 + 6. 30	.7540	----	1	----	2 +	1	UNCH											
3955	----	----	----	310. 20B/259. 30A	310. 20B/259. 30A	310. 20B/259. 30A	----	281. 30 + 6. 20	.7498	----	----	----	----	1	UNCH											
3960	----	----	----	306. 20B/255. 90A	306. 20B/255. 90A	306. 20B/255. 90A	----	277. 60 + 6. 10	.7453	----	----	----	----	1	UNCH											
3985	----	----	----	287. 30B/238. 60A	287. 30B/238. 60A	287. 30B/238. 60A	----	259. 40 + 5. 80	.7228	----	----	----	----	12	UNCH											
3995	----	----	----	279. 80B/231. 80A	279. 80B/231. 80A	279. 80B/231. 80A	----	252. 30 + 5. 60	.7133	----	----	----	----	4	UNCH											
4000	248. 00	248. 00	248. 00	276. 10B/228. 60A	276. 10B/228. 60A	276. 10B/228. 60A	----	248. 80 + 5. 60	.7087	----	8	----	252 +	6	UNCH											
4005	----	----	----	272. 50B/225. 30A	272. 50B/225. 30A	272. 50B/225. 30A	----	245. 30 + 5. 50	.7039	----	----	----	----	2	UNCH											
4015	----	----	----	265. 10B/218. 70A	265. 10B/218. 70A	265. 10B/218. 70A	----	238. 40 + 5. 30	.6941	----	----	----	----	1	UNCH											
4025	----	----	----	258. 10B/212. 30A	258. 10B/212. 30A	258. 10B/212. 30A	----	231. 60 + 5. 20	.6841	----	----	----	----	2	UNCH											
4030	----	----	----	254. 50B/209. 20A	254. 50B/209. 20A	254. 50B/209. 20A	----	228. 30 + 5. 10	.6791	----	----	----	----	13	UNCH											
4040	----	----	----	247. 50B/202. 90A	247. 50B/202. 90A	247. 50B/202. 90A	----	221. 70 + 5. 00	.6689	----	----	----	----	43	UNCH											
4045	----	----	----	244. 00B/199. 90A	244. 00B/199. 90A	244. 00B/199. 90A	----	218. 40 + 4. 90	.6638	----	----	----	----	2	UNCH											
4050	----	----	----	240. 70B/196. 80A	240. 70B/196. 80A	240. 70B/196. 80A	----	215. 20 + 4. 80	.6587	----	----	----	----	972	UNCH											
4060	----	----	----	233. 80B/190. 90A	233. 80B/190. 90A	233. 80B/190. 90A	----	208. 80 + 4. 60	.6482	----	----	----	----	105	UNCH											
4065	----	----	----	230. 50B/187. 90A	230. 50B/187. 90A	230. 50B/187. 90A	----	205. 70 + 4. 60	.6429	----	----	----	----	15	UNCH											
4070	----	----	----	227. 20B/184. 90A	227. 20B/184. 90A	227. 20B/184. 90A	----	202. 60 + 4. 50	.6376	----	----	----	----	38	UNCH											
4075	----	----	----	223. 90B/182. 00A	223. 90B/182. 00A	223. 90B/182. 00A	----	199. 50 + 4. 50	.6323	----	----	----	----	24	UNCH											
4080	----	----	----	220. 60B/179. 20A	220. 60B/179. 20A	220. 60B/179. 20A	----	196. 50 + 4. 40	.6269	----	----	----	----	136	UNCH											
4085	----	----	----	217. 40B/176. 50A	217. 40B/176. 50A	217. 40B/176. 50A	----	193. 40 + 4. 30	.6215	----	----	----	----	8	UNCH											
4090	----	----	----	214. 20B/																						

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS													
DEC26															
4345				91.608/70.40A	91.608/70.40A			78.40 + 1.40	.3399					22	UNCH
4350	79.50	79.50		90.008/69.00A	90.008/69.00A			76.90 + 1.30	.3350			34		1127	-
4355				88.308/67.70A	88.308/67.70A			75.50 + 1.30	.3303					15	UNCH
4360				86.608/66.50A	86.608/66.50A			74.10 + 1.30	.3256					23	UNCH
4365				85.208/65.10A	85.208/65.10A			72.70 + 1.20	.3209					15	UNCH
4370	78.20	78.20		83.608/64.00A	83.608/64.00A			71.30 + 1.20	.3162			1		69	+
4375	70.30	70.30		82.008/62.80A	82.008/62.80A			70.00 + 1.20	.3117			13		523	-
4380	73.40	73.40		80.608/61.60A	80.608/61.60A			68.60 + 1.10	.3070			1		120	+
4385				79.108/60.40A	79.108/60.40A			67.30 + 1.00	.3025					23	UNCH
4390	69.40	69.40		77.608/59.30A	77.608/59.30A			66.10 + 1.10	.2982			2		76	+
4395				76.208/58.10A	76.208/58.10A			64.80 + 1.00	.2937					104	UNCH
4400	59.20	59.20		74.708/57.10A	74.708/57.10A			63.60 + 1.00	.2893			289	25	2070	-
4405	67.80	67.80		73.308/56.00A	73.308/56.00A			62.40 + 1.00	.2850			5		55	+
4410	61.20	61.20		72.008/54.90A	72.008/54.90A			61.20 + 0.90	.2807			5		89	+
4415	60.10	60.10		70.608/53.80A	70.608/53.80A			60.00 + 0.90	.2764			85		150	+
4420	63.00	63.00		69.508/52.80A	69.508/52.80A			58.90 + 0.90	.2723			5		48	UNCH
4425	65.00	65.00		68.108/51.90A	68.108/51.90A			57.80 + 0.90	.2682			4		357	+
4430				66.908/50.80A	66.908/50.80A			56.70 + 0.90	.2641					76	UNCH
4435	60.00	60.00		65.508/49.80A	65.508/49.80A			55.60 + 0.80	.2601			1		52	+
4440	55.50	55.50		64.408/48.90A	64.408/48.90A			54.50 + 0.80	.2560			5		48	UNCH
4445				63.208/47.90A	63.208/47.90A			53.50 + 0.80	.2521					38	UNCH
4450	55.20	55.20		61.908/47.10A	61.908/47.10A			52.50 + 0.80	.2483			56	440	1253	+
4455	46.40	46.40		60.808/46.10A	60.808/46.10A			51.40 + 0.70	.2442			3		116	+
4460	54.10	54.10		59.708/45.30A	59.708/45.30A			50.50 + 0.70	.2406			1		203	UNCH
4465				58.608/44.40A	58.608/44.40A			49.50 + 0.70	.2368					92	UNCH
4470				57.508/43.40A	57.508/43.40A			48.50 + 0.60	.2329			2		268	-
4475	49.30	49.30		56.408/42.80A	56.408/42.80A			47.60 + 0.60	.2293			5		295	UNCH
4480	51.40	51.40		55.408/41.80A	55.408/41.80A			46.70 + 0.60	.2257			12		145	+
4485				54.208/41.00A	54.208/41.00A			45.80 + 0.60	.2222					24	UNCH
4490				53.308/40.20A	53.308/40.20A			44.90 + 0.60	.2186					59	UNCH
4495				52.208/39.50A	52.208/39.50A			44.10 + 0.60	.2153					43	UNCH
4500	39.50	39.50		51.208/38.80A	51.208/38.80A			43.20 + 0.50	.2117			526	25	12011	+
4505				50.208/38.10A	50.208/38.10A			42.40 + 0.50	.2084					85	UNCH
4510				49.308/37.20A	49.308/37.20A			41.60 + 0.50	.2051					5035	UNCH
4515				48.408/36.50A	48.408/36.50A			40.80 + 0.50	.2018					42	UNCH
4520				47.408/35.90A	47.408/35.90A			40.00 + 0.50	.1985					61	-
4525	43.80	43.80		46.608/35.20A	46.608/35.20A			39.20 + 0.50	.1952			39		265	-
4530				45.708/34.60A	45.708/34.60A			38.50 + 0.50	.1922			64		56	UNCH
4535	39.00	39.00		44.808/34.00A	44.808/34.00A			37.70 + 0.40	.1889			3		83	+
4540	41.80	41.80		43.908/33.30A	43.908/33.30A			37.00 + 0.40	.1859			3		66	+
4545	36.00	36.00		43.108/32.60A	43.108/32.60A			36.30 + 0.40	.1829			1		99	-
4550	37.10	37.10		42.308/32.10A	42.308/32.10A			35.60 + 0.40	.1799			46		1483	+
4555				41.508/31.40A	41.508/31.40A			34.90 + 0.40	.1769					62	UNCH
4560	36.50	36.50		40.708/30.80A	40.708/30.80A			34.20 + 0.30	.1739			2		229	+
4565	35.30	35.30		39.908/30.20A	39.908/30.20A			33.60 + 0.40	.1712			1		52	UNCH
4570				39.208/29.60A	39.208/29.60A			32.90 + 0.30	.1682			4		40	+
4575	37.00	37.00		38.408/29.10A	38.408/29.10A			32.30 + 0.30	.1655			33		467	-
4580	33.10	33.10		37.708/28.60A	37.708/28.60A			31.70 + 0.30	.1629			2		267	-
4585				37.008/28.00A	37.008/28.00A			31.10 + 0.30	.1602					295	UNCH
4590				36.308/27.50A	36.308/27.50A			30.50 + 0.30	.1575			1		109	UNCH
4595				35.608/26.90A	35.608/26.90A			29.90 + 0.30	.1549					24	UNCH
4600	27.00	27.00		34.908/26.10	34.908/26.10			29.30 + 0.30	.1522			701		5688	+
4605				34.208/25.90A	34.208/25.90A			28.80 + 0.30	.1499					39	UNCH
4610				33.608/25.50A	33.608/25.50A			28.20 + 0.20	.1472					72	UNCH
4615				33.008/25.00A	33.008/25.00A			27.70 + 0.30	.1449			1		58	+
4620	27.40	27.40		32.408/24.50A	32.408/24.50A			27.10 + 0.20	.1423			3		80	UNCH
4625				31.708/24.00A	31.708/24.00A			26.60 + 0.20	.1399					422	UNCH
4630				31.108/23.50A	31.108/23.50A			26.10 + 0.20	.1376					164	UNCH
4635	27.00	27.00		30.608/23.20A	30.608/23.20A			25.60 + 0.20	.1353			1		47	UNCH
4640				30.008/22.70A	30.008/22.70A			25.10 + 0.10	.1330					137	UNCH
4645	26.90	26.90		29.408/22.20A	29.408/22.20A			24.70 + 0.20	.1310			8		27	+
4650	22.00	22.00		28.908/21.90A	28.908/21.90A			24.20 + 0.20	.1287			92		1558	+
4655	24.70	24.70		28.308/21.50A	28.308/21.50A			23.70 + 0.10	.1264			4		36	UNCH
4660				27.808/21.10A	27.808/21.10A			23.30 + 0.10	.1245					137	UNCH
4665				27.308/20.70A	27.308/20.70A			22.90 + 0.20	.1225					93	UNCH
4670	22.90	22.90		26.708/20.30A	26.708/20.30A			22.40 + 0.10	.1202			41		94	UNCH
4675	23.20	23.20		26.308/19.90A	26.308/19.90A			22.00 + 0.10	.1183			136		372	+
4680				25.808/19.60A	25.808/19.60A			21.60 + 0.10	.1163			3		202	UNCH
4685				25.308/19.20A	25.308/19.20A			21.20 + 0.10	.1144					25	UNCH
4690				24.808/18.90A	24.808/18.90A			20.80 + 0.10	.1125			1		277	+
4695				24.308/18.60A	24.308/18.60A			20.40 + 0.10	.1106					324	UNCH
4700	18.90	18.90		23.908/18.30A	23										

BULLETIN #187@										METALS OPTION PRODUCTS										Tue, Sep 29, 2026		PG64
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST							
OG CALL	COMEX GOLD OPTIONS																					
DEC26																						
5030	----	----	----	7.80B/6.60A	7.80B/6.60A	----	----	----	6.70 - 0.30	.0386	----	----	----	----	119	UNCH						
5035	----	----	----	7.70B/6.50A	7.70B/6.50A	----	----	----	6.60 - 0.30	.0380	----	----	----	----	98	UNCH						
5040	----	----	----	7.60B/6.40A	7.60B/6.40A	----	----	----	6.50 - 0.30	.0374	----	----	----	----	78	UNCH						
5045	----	----	----	7.50B/6.30A	7.50B/6.30A	----	----	----	6.40 - 0.30	.0369	----	----	----	----	77	UNCH						
5050	----	----	----	7.40B/6.20A	7.40B/6.20A	----	----	----	6.30 - 0.30	.0363	----	----	9	----	728	-						
5055	6.70	6.70	----	7.30B/6.20A	7.30B/6.20A	----	----	----	6.20 - 0.40	.0358	----	----	5	----	13	+						
5060	----	----	----	7.20B/6.10A	7.20B/6.10A	----	----	----	6.20 - 0.30	.0356	----	----	----	----	49	UNCH						
5065	----	----	----	7.10B/6.00A	7.10B/6.00A	----	----	----	6.10 - 0.30	.0351	----	----	----	----	30	UNCH						
5070	----	----	----	7.00B/5.90A	7.00B/5.90A	----	----	----	6.00 - 0.30	.0345	----	----	----	----	22	UNCH						
5075	----	----	----	7.00B/5.80A	7.00B/5.80A	----	----	----	5.90 - 0.40	.0340	----	----	90	----	133	-						
5080	----	----	----	6.90B/5.80A	6.90B/5.80A	----	----	----	5.80 - 0.40	.0334	----	----	----	----	23	UNCH						
5085	----	----	----	6.80B/5.70A	6.80B/5.70A	----	----	----	5.80 - 0.30	.0333	----	----	----	----	25	UNCH						
5090	----	----	----	6.70B/5.70A	6.70B/5.70A	----	----	----	5.70 - 0.30	.0328	----	----	----	----	52	UNCH						
5095	----	----	----	6.60B/5.60A	6.60B/5.60A	----	----	----	5.60 - 0.40	.0322	----	----	----	----	62	UNCH						
5100	6.10	6.10	----	6.50B/5.50A	6.50B/5.50A	----	----	----	5.50 - 0.40	.0317	----	59	----	1940	-	49						
5105	----	----	----	6.50B/5.50A	6.50B/5.50A	----	----	----	5.50 - 0.30	.0316	----	----	----	----	37	UNCH						
5110	----	----	----	6.40B/5.40A	6.40B/5.40A	----	----	----	5.40 - 0.40	.0311	----	----	----	----	89	UNCH						
5115	----	----	----	6.30B/5.30A	6.30B/5.30A	----	----	----	5.30 - 0.40	.0305	----	----	----	----	129	UNCH						
5120	----	----	----	6.20B/5.30A	6.20B/5.30A	----	----	----	5.20 - 0.50	.0300	----	----	----	----	130	UNCH						
5125	5.30	5.30	----	6.20B/5.20A	6.20B/5.20A	----	----	----	5.20 - 0.40	.0299	----	30	----	97	-	25						
5130	----	----	----	6.10B/5.10A	6.10B/5.10A	----	----	----	5.10 - 0.40	.0293	----	----	----	----	63	UNCH						
5135	----	----	----	6.00B/5.10A	6.00B/5.10A	----	----	----	5.00 - 0.50	.0288	----	----	----	----	126	UNCH						
5140	----	----	----	5.90B/5.00A	5.90B/5.00A	----	----	----	5.00 - 0.40	.0287	----	----	----	----	41	UNCH						
5145	----	----	----	5.90B/4.90A	5.90B/4.90A	----	----	----	4.90 - 0.50	.0282	----	----	----	----	48	UNCH						
5150	----	----	----	5.80B/4.90A	5.80B/4.90A	----	----	----	4.90 - 0.40	.0281	----	----	----	----	985	UNCH						
5155	----	----	----	5.70B/4.80A	5.70B/4.80A	----	----	----	4.80 - 0.40	.0276	----	----	----	----	67	UNCH						
5160	----	----	----	5.70B/4.80A	5.70B/4.80A	----	----	----	4.70 - 0.50	.0270	----	----	----	----	96	UNCH						
5165	----	----	----	5.60B/4.70A	5.60B/4.70A	----	----	----	4.70 - 0.40	.0270	----	----	----	----	32	UNCH						
5170	----	----	----	5.60B/4.60A	5.60B/4.60A	----	----	----	4.60 - 0.50	.0264	----	----	----	----	28	UNCH						
5175	----	----	----	5.50B/4.60A	5.50B/4.60A	----	----	----	4.60 - 0.40	.0263	----	----	----	----	231	UNCH						
5180	----	----	----	5.40B/4.50A	5.40B/4.50A	----	----	----	4.50 - 0.50	.0258	----	----	----	----	59	UNCH						
5185	----	----	----	5.40B/4.50A	5.40B/4.50A	----	----	----	4.50 - 0.40	.0257	----	----	----	----	28	UNCH						
5190	4.60	4.60	----	5.30B/4.40A	5.30B/4.40A	----	----	----	4.40 - 0.50	.0252	----	2	----	45	+	2						
5195	----	----	----	5.30B/4.40A	5.30B/4.40A	----	----	----	4.40 - 0.40	.0251	----	----	115	150	57	UNCH						
5200	4.70	4.70	----	5.20B/4.30	5.20B/4.30	----	----	----	4.30 - 0.50	.0246	----	----	----	----	2660	+	18					
5205	----	----	----	5.10B/4.30A	5.10B/4.30A	----	----	----	4.30 - 0.50	.0246	----	----	----	----	21	UNCH						
5210	----	----	----	5.10B/4.20A	5.10B/4.20A	----	----	----	4.20 - 0.50	.0240	----	----	----	----	168	UNCH						
5215	----	----	----	5.00B/4.20A	5.00B/4.20A	----	----	----	4.20 - 0.50	.0240	----	----	----	----	125	UNCH						
5220	----	----	----	5.00B/4.10A	5.00B/4.10A	----	----	----	4.10 - 0.50	.0235	----	----	----	----	111	UNCH						
5225	----	----	----	4.90B/4.10A	4.90B/4.10A	----	----	----	4.10 - 0.50	.0234	----	----	----	----	9413	UNCH						
5230	----	----	----	4.90B/4.10A	4.90B/4.10A	----	----	----	4.00 - 0.50	.0229	----	----	----	----	61	UNCH						
5235	----	----	----	4.80B/4.00A	4.80B/4.00A	----	----	----	4.00 - 0.50	.0228	----	----	----	----	18	UNCH						
5240	----	----	----	4.80B/4.00A	4.80B/4.00A	----	----	----	3.90 - 0.60	.0223	----	----	----	----	17	UNCH						
5245	----	----	----	4.70B/3.90A	4.70B/3.90A	----	----	----	3.90 - 0.50	.0222	----	----	----	----	23	UNCH						
5250	4.10	4.10	----	4.70B/3.90A	4.70B/3.90A	----	----	----	3.80 - 0.60	.0217	----	116	----	1838	-	52						
5255	----	----	----	4.70B/3.80A	4.70B/3.80A	----	----	----	3.80 - 0.50	.0216	----	----	----	----	58	UNCH						
5260	----	----	----	4.60B/3.80A	4.60B/3.80A	----	----	----	3.80 - 0.50	.0216	----	----	----	----	12	UNCH						
5265	----	----	----	4.60B/3.80A	4.60B/3.80A	----	----	----	3.70 - 0.60	.0211	----	----	----	----	19	UNCH						
5270	----	----	----	4.50B/3.70A	4.50B/3.70A	----	----	----	3.70 - 0.50	.0210	----	----	----	----	74	UNCH						
5275	----	----	----	4.50B/3.70A	4.50B/3.70A	----	----	----	3.60 - 0.60	.0205	----	----	----	----	41	UNCH						
5280	----	----	----	4.40B/3.60A	4.40B/3.60A	----	----	----	3.60 - 0.60	.0205	----	----	----	----	60	UNCH						
5285	----	----	----	4.40B/3.60A	4.40B/3.60A	----	----	----	3.60 - 0.50	.0204	----	----	----	----	32	UNCH						
5290	3.70	3.70	----	4.40B/3.60A	4.40B/3.60A	----	----	----	3.50 - 0.60	.0199	----	7	----	14	+	7						
5295	----	----	----	4.30B/3.50A	4.30B/3.50A	----	----	----	3.50 - 0.60	.0198	----	----	----	----	25	UNCH						
5300	3.60	3.60	----	4.30B/3.40	4.30B/3.40	----	----	----	3.40 - 0.60	.0193	----	309	----	2242	-	104						
5305	----	----	----	4.20B/3.50A	4.20B/3.50A	----	----	----	3.40 - 0.60	.0193	----	----	----	----	48	UNCH						
5310	----	----	----	4.20B/3.40A	4.20B/3.40A	----	----	----	3.40 - 0.60	.0192	----	----	----	----	44	UNCH						
5315	----	----	----	4.20B/3.40A	4.20B/3.40A	----	----	----	3.30 - 0.60	.0187	----	----	----	----	38	UNCH						
5320	----	----	----	4.10B/3.40A	4.10B/3.40A	----	----	----	3.30 - 0.60	.0187	----	----	----	----	6	UNCH						
5325	----	----	----	4.10B/3.30A	4.10B/3.30A	----	----	----	3.30 - 0.60	.0186	----	----	----	----	30	UNCH						
5330	----	----	----	4.10B/3.30A	4.10B/3.30A	----	----	----	3.20 - 0.60	.0181	----	----	----	----	48	UNCH						
5335	----	----	----	4.10B/3.30A	4.10B/3.30A	----	----	----	3.20 - 0.60	.0181	----	----	----	----	46	UNCH						
5340	----	----	----	4.00B/3.20A	4.00B/3.20A	----	----	----	3.20 - 0.60	.0180	----	----	----	----	11	UNCH						
5345	----	----	----	4.00B/3.20A	4.00B/3.20A	----	----	----	3.10 - 0.70	.0175	----	----	----	----	38	UNCH						
5350	----	----	----	3.90B/3.20A	3.90B/3.20A	----	----	----	3.10 - 0.60	.0175	----	31	----	864	+	4						
5355	----	----	----	3.90B/3.10A	3.90B/3.10A	----	----	----	3.10 - 0.60	.0174	----	----	----	----	21	UNCH						
5360	----	----	----	3.90B/3.10A	3.90B/3.10A	----	----	----	3.10 - 0.60	.0174	----	----	----	----	119	UNCH						
5365	----	----	----	3.80B/3.10A	3.80B/3.10A	----	----	----	3.00 - 0.60	.0169	----	----	----	----	23	UNCH						
5370	----	----	----	3.80B/3.10A	3.80B/3.10A	----	----	----	3.00 - 0.60	.0168	----	----	----	----	43	UNCH						
5375	----	----	----	3.80B/3.00A	3.80B/3.00A	----	----	----	3.00 - 0.60	.0168	----	----	----	----	90	UNCH						
5380	----	----	----	3.70B/3.00A	3.70B/3.00A	----	----	----	2.90 - 0.70	.0163	----	----	----	----	45	UNCH						
5385	----	----	----	3.70B/3.00A	3.70B/3.00A	----	----	----	2.90 - 0.60	.0163	----	----	----	----	44	UNCH						
5390	----	----	----	3.70B/3.00A	3.70B/3.00A	----	----	----	2.90 - 0.60	.0162	----	----	----	----	214	UNCH						
5395	3.60	3.60	----	3.60/2.90A	3.60/2.90A	----	----	----	2.90 - 0.60	.0162	----	6	----	13	+	6						
5400	3.50	3.50	----	3.60B/2.90A	3.60B/2.90A	----	----	----	2.80 - 0.70	.0157	----	852	----	4245	+	468						
5405	----	----	----	3.60B/2.90A	3.60B/2.90A	----	----	----	2.80 - 0.70	.0157	----	----	----									

BULLETIN #187@														METALS OPTION PRODUCTS										Tue, Sep 29, 2026			PG64
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE		GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW		OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA		EXER CISES		OPEN OUTCRY VOLUME		GLOBEX® VOLUME		PNT VOLUME		OPEN INTEREST					
OG CALL		COMEX GOLD OPTIONS																									
DEC26																											
5720	----	----	----	/1.90A	2.40B/1.90A	----	----	1.80	-	0.70	.0094	----	----	----	----	----	----	----	----	----	----	4	UNCH				
5725	----	----	----	/1.80A	2.40B/1.80A	----	----	1.80	-	0.70	.0094	----	----	----	----	----	----	----	----	----	----	50	UNCH				
5730	----	----	----	/1.80A	2.40B/1.80A	----	----	1.80	-	0.60	.0094	----	----	----	----	----	----	----	----	----	----	14	UNCH				
5740	----	----	----	/1.80A	2.40B/1.80A	----	----	1.80	-	0.60	.0094	----	----	----	----	----	----	----	----	----	----	14	UNCH				
5750	2.50	2.50	2.50	/1.80A	2.50/1.80A	----	----	1.70	-	0.70	.0089	----	----	2	----	----	----	2	----	----	536	+	2				
5760	----	----	----	/1.80A	2.30B/1.80A	----	----	1.70	-	0.70	.0089	----	----	----	----	----	----	----	----	----	----	10	UNCH				
5770	----	----	----	/1.80A	2.30B/1.80A	----	----	1.70	-	0.70	.0088	----	----	----	----	----	----	----	----	----	----	27	UNCH				
5775	----	----	----	/1.80A	2.30B/1.80A	----	----	1.70	-	0.70	.0088	----	----	----	----	----	----	----	----	----	----	8	UNCH				
5780	----	----	----	/1.80A	2.30B/1.80A	----	----	1.70	-	0.60	.0088	----	----	----	----	----	----	----	----	----	----	9	UNCH				
5790	----	----	----	/1.70A	2.30B/1.70A	----	----	1.70	-	0.60	.0088	----	----	----	----	----	----	----	----	----	----	10	UNCH				
5800	----	----	----	/1.70A	2.20B/1.70A	----	----	1.70	-	0.60	.0087	----	----	----	----	----	----	----	----	----	----	2170	UNCH				
5810	----	----	----	/1.70A	2.20B/1.70A	----	----	1.60	-	0.70	.0083	----	----	----	----	----	----	----	----	----	----	66	UNCH				
5825	----	----	----	/1.70A	2.20B/1.70A	----	----	1.60	-	0.70	.0082	----	----	----	----	----	----	----	----	----	----	16	UNCH				
5850	----	----	----	/1.60A	2.10B/1.60A	----	----	1.60	-	0.70	.0081	----	----	----	----	----	----	----	----	----	----	216	UNCH				
5875	----	----	----	/1.60A	2.10B/1.60A	----	----	1.60	-	0.60	.0081	----	----	----	----	----	----	----	----	----	----	23	UNCH				
5900	----	----	----	/1.60A	2.00B/1.60A	----	----	1.50	-	0.70	.0076	----	----	----	----	----	----	----	----	----	----	1093	UNCH				
5925	----	----	----	/1.50A	2.00B/1.50A	----	----	1.50	-	0.60	.0075	----	----	----	----	----	----	----	----	----	----	19	UNCH				
5950	----	----	----	/1.50A	2.00B/1.50A	----	----	1.40	-	0.70	.0070	----	----	70	----	----	----	----	----	----	----	192	+				
5975	----	----	----	/1.50A	2.00B/1.50A	----	----	1.40	-	0.60	.0069	----	----	----	----	----	406	----	----	----	----	80	UNCH				
6000	1.90	1.90	1.90	/1.20	1.90/1.20	----	----	1.30	-	0.70	.0065	----	----	----	----	----	----	406	----	----	----	17963	+				
6025	----	----	----	/1.40A	1.90B/1.40A	----	----	1.30	-	0.70	.0064	----	----	----	----	----	----	----	----	----	----	13	UNCH				
6050	----	----	----	/1.40A	1.90B/1.40A	----	----	1.30	-	0.60	.0064	----	----	----	----	----	----	----	----	----	----	64	UNCH				
6100	1.70	1.70	1.80	/1.30A	1.80/1.30A	----	----	1.20	-	0.60	.0058	----	----	10	----	----	----	10	----	----	----	159	-				
6150	----	----	----	/1.30A	1.70B/1.30A	----	----	1.20	-	0.60	.0057	----	----	----	----	----	----	----	----	----	----	91	UNCH				
6200	----	----	----	/1.20A	1.60B/1.20A	----	----	1.10	-	0.60	.0053	----	----	----	----	----	----	----	----	----	----	3068	UNCH				
6250	1.50	1.50	1.50	/1.20A	1.60B/1.20A	----	----	1.10	-	0.60	.0052	----	----	7	----	----	----	7	----	----	----	325	UNCH				
6300	1.50	1.50	1.50	/1.10A	1.50/1.10A	----	----	1.00	-	0.60	.0047	----	----	20	----	----	----	20	----	----	----	892	+				
6400	----	----	----	/1.00A	1.40B/1.00A	----	----	0.90	-	0.60	.0042	----	----	----	----	----	----	----	----	----	----	876	UNCH				
6500	1.30	1.30	1.30	/0.80	1.30/0.80	----	----	0.90	-	0.50	.0041	----	----	5	----	----	----	5	----	----	----	4997	-				
6750	----	----	----	/0.90A	1.00B/0.90A	----	----	0.70	-	0.50	.0031	----	----	----	----	----	----	----	----	----	----	130	UNCH				
6775	----	----	----	/0.80A	1.00B/0.80A	----	----	0.70	-	0.40	.0030	----	----	----	----	----	----	----	----	----	----	230	UNCH				
6800	----	----	----	/0.80A	1.00B/0.80A	----	----	0.70	-	0.40	.0030	----	----	----	----	----	----	----	----	----	----	2018	UNCH				
6900	----	----	----	/0.80A	0.90B/0.80A	----	----	0.70	-	0.30	.0030	----	----	----	----	----	----	----	----	----	----	141	UNCH				
7000	----	----	----	/0.70A	1.00B/0.70A	----	----	0.60	-	0.40	.0025	----	----	----	----	----	----	----	----	----	----	6191	UNCH				
7100	----	----	----	/0.70A	0.80B/0.70A	----	----	0.60	-	0.30	.0025	----	----	----	----	----	----	----	----	----	----	8	UNCH				
7125	----	----	----	/0.70A	0.80B/0.70A	----	----	0.60	-	0.30	.0025	----	----	----	----	----	----	----	----	----	----	4	UNCH				
7130	----	----	----	/0.70A	0.70B/0.70A	----	----	0.60	-	0.30	.0025	----	----	----	----	----	----	----	----	----	----	201	UNCH				
7150	----	----	----	/0.70A	0.70B/0.70A	----	----	0.60	-	0.30	.0024	----	----	----	----	----	----	----	----	----	----	142	UNCH				
7175	----	----	----	/0.70A	0.70B/0.70A	----	----	0.60	-	0.20	.0024	----	----	----	----	----	----	----	----	----	----	127	UNCH				
7200	----	----	----	/0.60A	0.70B/0.60A	----	----	0.60	-	0.20	.0024	----	----	----	----	----	----	----	----	----	----	66	UNCH				
7250	----	----	----	/0.60A	0.70B/0.60A	----	----	0.50	-	0.30	.0020	----	----	----	----	----	----	----	----	----	----	509	UNCH				
7500	----	----	----	/0.60A	0.60B/0.60A	----	----	0.40	-	0.30	.0016	----	----	----	----	----	----	----	----	----	----	2435	UNCH				
8000	0.40	0.40	0.40	/0.40	0.40/0.40	----	----	0.30	-	0.20	.0011	----	----	303	----	----	----	303	----	----	----	17136	-				
8125	----	----	----	/0.40A	0.40B/0.40A	----	----	0.30	-	0.10	.0011	----	----	----	----	----	----	----	----	----	----	803	UNCH				
8500	----	----	----	/0.30B/0.40A	0.30B/0.40A	----	----	0.20	-	0.10	.0007	----	----	----	----	----	----	----	----	----	----	511	UNCH				
8630	----	----	----	/0.20B/0.30A	0.20B/0.30A	----	----	0.20	-	0.10	.0007	----	----	----	----	----	----	----	----	----	----	422	UNCH				
8700	----	----	----	/0.20B/0.30A	0.20B/0.30A	----	----	0.20	-	0.10	.0007	----	----	----	----	----	----	----	----	----	----	27	UNCH				
8725	----	----	----	/0.20B/0.30A	0.20B/0.30A	----	----	0.20	-	0.10	.0007	----	----	----	----	----	----	----	----	----	----	217	UNCH				
8750	----	----	----	/0.20B/0.30A	0.20B/0.30A	----	----	0.20	-	0.10	.0007	----	----	----	----	----	----	----	----	----	----	719	UNCH				
8775	----	----	----	/0.20B/0.30A	0.20B/0.30A	----	----	0.20	-	0.10	.0007	----	----	----	----	----	----	----	----	----	----	49	UNCH				
9000	----	----	----	/0.20B/0.30A	0.20B/0.30A	----	----	0.20	-	0.10	.0007	----	----	----	----	----	----	----	----	----	----	640	UNCH				
9250	----	----	----	/0.20B/0.30A	0.20B/0.30A	----	----	0.20	-	UNCH	.0007	----	----	----	----	----	----	----	----	----	----	2	UNCH				
9500	----	----	----	/0.10B/0.30A	0.10B/0.30A	----	----	0.10	-	0.10	.0003	----	----	----	----	----	----	----	----	----	----	876	UNCH				
9600	----	----	----	/0.10B/0.30A	0.10B/0.30A	----	----	0.10	-	0.10	.0003	----	----	----	----	----	----	----	----	----	----	22	UNCH				
9750	----	----	----	/0.10B/0.30A	0.10B/0.30A	----	----	0.10	-	0.10	.0002	----	----	----	----	----	----	----	----	----	----	11	UNCH				
9900	0.40	0.40	0.40	/0.30	0.40/0.30	----	----	0.10	-	0.10	.0001	----	----	5	----	----	----	5	----	----	----	47	UNCH				
10000	----	----	----	/0.20B/0.20A	0.20B/0.20A	----	----	0.10	-	0.10	.0001	----	----	60	----	----	----	60	----	----	----	11378	-				
10500	----	----	----	/0.10B/0.30A	0.10B/0.30A	----	----	0.10	-	0.10	.0000	----	----	----	----	----	----	----	----	----	----	31	UNCH				
11000	----	----	----	/0.30A	0.10B/0.30A	----	----	0.10	-	UNCH	.0000	----	----	----	----	----	----	----	----	----	----	809	UNCH				
13000	----	----	----	/0.10B/0.20A	0.10B/0.20A	----	----	0.10	-	UNCH	----	----	----	----	----	----	----	----	----	----	----	697	UNCH				
15000	0.20	0.20	0.20	/0.20	0.20/0.20	----	----	0.10	-	UNCH	----	----	----	4	----	----	----	4	----	----	----	36587	UNCH				
17000	----	----	----	/0.20A	0.10B/0.20A	----	----	0.10	-	UNCH	----	----	----	----	----	----	----	----	----	----	----	52	UNCH				
19000	----	----	----	/0.10A	0.10B/0.20A	----	----	0.10	-	UNCH	----	----	----	----	----	----	----	----	----	----	----	350	UNCH				
20000	----	----	----	/0.10A	0.10B/0.20A	----	----	0.10	-	UNCH	----	----	----	----	----	----	----	----	----	----	----	38018	UNCH				
21000	----	----	----	/0.10A	0.10B/0.20A	----	----	0.10	-	UNCH	----	----	----	----	----	----	----	----	----	----	----	39	UNCH				
23000	----	----	----	/0.10A	0.10B/0.20A	----	----	0.10	-	UNCH	----	----	----	----	----	----	----	----	----	----	----	5	UNCH				
24000	----	----	----	/0.10A	0.10B/0.20A	----	----	0.10	-	UNCH	----	----	----	----	----	----	----	----	----	----	----	167	UNCH				
TOTAL																	24715			1,004	317111	+	9345				
JAN27																											
3200	----	----	----	1.019.30B/----	1019.30B/1006.00A	----	----	1017.10	+	11.10	.9744	----	----	----	----	----	----	----	----	----	----	11	UNCH				
3250	----	----	----	964.20B/----	964.20B/957.10A	----	----	968.00	+	11.10	.9701	----	----	----	----	----	----	----	----	----	----	25	UNCH				
3300	----	----	----	915.10B/907.70A	915.10B/907.70A	----	----	919.00	+	11.00	.9654	----	----	----	----	----	----	----	----	----	----	4	UNCH				
3500	----	----	----	744.80B/710.70A	744.80B/710.70A	----	----	726.30	+	10.50	.9363	----	----	----	----	----	----	----	----	----	----	1	UNCH				
4000	----	----	----	328.80B/282.60A	328.80B/282.60A	----	----	303.00	+	6.50	.7043	----	----	----	----	----	----	----	----	----	----	368	UNCH				
4010	----	----	----	321.70B/276.10A	321.70B/276.10A	----	----	296.30	+	6.40	.6965	----	----	----	----	----	----	----	----	----	----	1	UNCH				
4070	----	----	----	281.20B/238.																							

PG64		BULLETIN #187@										METALS OPTION PRODUCTS										Tue, Sep 29, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG CALL		COMEX GOLD OPTIONS																						
JAN27																								
5175	----	----	----	----	14.208/12.30A	14.208/12.30A	----	----	----	12.50 - 0.50	.0566	----	----	----	----	235	UNCH							
5180	----	----	----	----	14.008/12.20A	14.008/12.20A	----	----	----	12.30 - 0.60	.0558	----	----	----	----	14	UNCH							
5185	----	----	----	----	13.908/12.10A	13.908/12.10A	----	----	----	12.20 - 0.50	.0553	----	----	----	----	9	UNCH							
5190	----	----	----	----	13.708/12.00A	13.708/12.00A	----	----	----	12.00 - 0.60	.0545	----	----	----	----	3	UNCH							
5195	----	----	----	----	13.608/11.80A	13.608/11.80A	----	----	----	11.90 - 0.60	.0541	----	----	----	----	5	UNCH							
5200	----	----	----	----	13.408/11.70A	13.408/11.70A	----	----	----	11.80 - 0.50	.0536	----	----	----	----	897	UNCH							
5205	----	----	----	----	13.308/11.60A	13.308/11.60A	----	----	----	11.60 - 0.60	.0528	----	----	----	----	13	UNCH							
5210	----	----	----	----	13.108/11.40A	13.108/11.40A	----	----	----	11.50 - 0.60	.0523	----	----	----	----	16	UNCH							
5215	----	----	----	----	13.008/11.30A	13.008/11.30A	----	----	----	11.40 - 0.50	.0518	----	----	----	----	20	UNCH							
5225	11.70	11.70	----	----	12.708/11.00A	12.708/11.00A	----	----	----	11.10 - 0.60	.0506	----	----	3	----	108	+							
5230	----	----	----	----	12.608/10.90A	12.608/10.90A	----	----	----	11.00 - 0.60	.0501	----	----	----	----	7	UNCH							
5235	----	----	----	----	12.408/10.80A	12.408/10.80A	----	----	----	10.90 - 0.60	.0496	----	----	----	----	64	UNCH							
5240	----	----	----	----	12.308/10.70A	12.308/10.70A	----	----	----	10.70 - 0.60	.0488	----	----	----	----	15	UNCH							
5245	----	----	----	----	12.208/10.60A	12.208/10.60A	----	----	----	10.60 - 0.60	.0484	----	----	----	----	15	UNCH							
5250	----	----	----	----	12.008/10.40A	12.008/10.40A	----	----	----	10.50 - 0.60	.0479	----	----	----	----	496	UNCH							
5255	----	----	----	----	11.908/10.30A	11.908/10.30A	----	----	----	10.40 - 0.60	.0474	----	----	----	----	2	UNCH							
5260	----	----	----	----	11.808/10.20A	11.808/10.20A	----	----	----	10.30 - 0.60	.0470	----	----	----	----	23	UNCH							
5270	----	----	----	----	11.508/10.00A	11.508/10.00A	----	----	----	10.00 - 0.70	.0457	----	----	----	----	26	UNCH							
5275	10.50	10.50	----	----	11.408/9.90A	11.408/9.90A	----	----	----	9.90 - 0.70	.0453	----	----	3	----	18	+							
5280	11.40	11.40	----	----	11.40/9.80A	11.40/9.80A	----	----	----	9.80 - 0.70	.0448	----	----	13	----	29	+							
5285	10.20	10.20	----	----	11.208/9.70A	11.208/9.70A	----	----	----	9.70 - 0.70	.0444	----	----	3	----	13	+							
5290	----	----	----	----	11.108/9.60A	11.108/9.60A	----	----	----	9.60 - 0.70	.0439	----	----	----	----	31	UNCH							
5300	----	----	----	----	10.908/9.40A	10.908/9.40A	----	----	----	9.40 - 0.70	.0430	----	----	----	----	791	UNCH							
5305	----	----	----	----	10.808/9.30A	10.808/9.30A	----	----	----	9.30 - 0.70	.0426	----	----	----	----	33	UNCH							
5310	----	----	----	----	10.708/9.20A	10.708/9.20A	----	----	----	9.20 - 0.70	.0421	----	----	----	----	15	UNCH							
5320	----	----	----	----	10.408/9.00A	10.408/9.00A	----	----	----	9.00 - 0.70	.0412	----	----	----	----	6	UNCH							
5325	----	----	----	----	10.308/8.90A	10.308/8.90A	----	----	----	8.90 - 0.70	.0408	----	----	----	----	29	UNCH							
5330	----	----	----	----	10.208/8.80A	10.208/8.80A	----	----	----	8.80 - 0.70	.0403	----	----	----	----	2	UNCH							
5340	----	----	----	----	10.008/8.60A	10.008/8.60A	----	----	----	8.60 - 0.70	.0394	----	----	----	----	2	UNCH							
5345	----	----	----	----	10.008/8.50A	10.008/8.50A	----	----	----	8.60 - 0.60	.0393	----	----	----	----	10	UNCH							
5350	----	----	----	----	9.908/8.50A	9.908/8.50A	----	----	----	8.50 - 0.70	.0389	----	----	1	----	2420	+							
5355	----	----	----	----	9.808/8.40A	9.808/8.40A	----	----	----	8.40 - 0.70	.0385	----	----	1	----	12	UNCH							
5360	----	----	----	----	9.708/8.30A	9.708/8.30A	----	----	----	8.30 - 0.70	.0380	----	----	----	----	2	UNCH							
5365	----	----	----	----	9.608/8.20A	9.608/8.20A	----	----	----	8.20 - 0.70	.0376	----	----	----	----	15	UNCH							
5370	----	----	----	----	9.508/8.10A	9.508/8.10A	----	----	----	8.10 - 0.70	.0371	----	----	----	----	13	UNCH							
5375	----	----	----	----	9.408/8.00A	9.408/8.00A	----	----	----	8.10 - 0.70	.0371	----	----	----	----	3	UNCH							
5380	----	----	----	----	9.308/8.00A	9.308/8.00A	----	----	----	8.00 - 0.70	.0366	----	----	----	----	3	UNCH							
5385	----	----	----	----	9.208/7.90A	9.208/7.90A	----	----	----	7.90 - 0.70	.0362	----	----	----	----	22	UNCH							
5390	----	----	----	----	9.208/7.80A	9.208/7.80A	----	----	----	7.80 - 0.70	.0358	----	----	----	----	5	UNCH							
5395	----	----	----	----	9.108/7.70A	9.108/7.70A	----	----	----	7.70 - 0.80	.0353	----	----	----	----	10	UNCH							
5400	----	----	----	----	9.008/7.70A	9.008/7.70A	----	----	----	7.70 - 0.70	.0352	----	----	2	50	519	+							
5410	----	----	----	----	8.808/7.50A	8.808/7.50A	----	----	----	7.50 - 0.70	.0344	----	----	----	----	23	UNCH							
5420	----	----	----	----	8.708/7.40A	8.708/7.40A	----	----	----	7.40 - 0.70	.0339	----	----	----	----	2	UNCH							
5425	----	----	----	----	8.608/7.30A	8.608/7.30A	----	----	----	7.30 - 0.70	.0334	----	----	----	----	7	UNCH							
5430	----	----	----	----	8.508/7.20A	8.508/7.20A	----	----	----	7.20 - 0.80	.0330	----	----	----	----	17	UNCH							
5440	----	----	----	----	8.408/7.10A	8.408/7.10A	----	----	----	7.10 - 0.70	.0325	----	----	----	----	32	UNCH							
5445	----	----	----	----	8.308/7.10A	8.308/7.10A	----	----	----	7.00 - 0.80	.0321	----	----	----	----	14	UNCH							
5450	----	----	----	----	8.208/7.00A	8.208/7.00A	----	----	----	7.00 - 0.70	.0320	----	----	----	----	419	UNCH							
5460	----	----	----	----	8.108/6.90A	8.108/6.90A	----	----	----	6.90 - 0.70	.0315	----	----	----	----	16	UNCH							
5465	----	----	----	----	8.008/6.80A	8.008/6.80A	----	----	----	6.80 - 0.70	.0311	----	----	----	----	4	UNCH							
5470	----	----	----	----	8.008/6.70A	8.008/6.70A	----	----	----	6.70 - 0.80	.0307	----	----	----	----	6	UNCH							
5475	----	----	----	----	7.908/6.70A	7.908/6.70A	----	----	----	6.70 - 0.70	.0306	----	----	----	----	11	UNCH							
5480	----	----	----	----	7.808/6.60A	7.808/6.60A	----	----	----	6.60 - 0.80	.0302	----	----	----	----	5	UNCH							
5485	----	----	----	----	7.808/6.60A	7.808/6.60A	----	----	----	6.60 - 0.70	.0301	----	----	----	----	3	UNCH							
5490	----	----	----	----	7.708/6.50A	7.708/6.50A	----	----	----	6.50 - 0.70	.0297	----	----	----	----	10	UNCH							
5500	7.30	7.30	----	----	7.608/6.40A	7.608/6.40A	----	----	----	6.40 - 0.70	.0292	----	----	522	----	2358	+							
5510	----	----	----	----	7.508/6.30A	7.508/6.30A	----	----	----	6.30 - 0.70	.0287	----	----	----	----	28	UNCH							
5515	----	----	----	----	7.408/6.20A	7.408/6.20A	----	----	----	6.20 - 0.80	.0283	----	----	----	----	2	UNCH							
5520	----	----	----	----	7.408/6.20A	7.408/6.20A	----	----	----	6.20 - 0.70	.0283	----	----	----	----	15	UNCH							
5525	----	----	----	----	7.308/6.10A	7.308/6.10A	----	----	----	6.10 - 0.80	.0278	----	----	----	----	21	UNCH							
5530	----	----	----	----	7.208/6.10A	7.208/6.10A	----	----	----	6.10 - 0.70	.0278	----	----	----	----	7	UNCH							
5540	----	----	----	----	7.108/6.00A	7.108/6.00A	----	----	----	6.00 - 0.70	.0273	----	----	----	----	5	UNCH							
5545	----	----	----	----	7.108/5.90A	7.108/5.90A	----	----	----	5.90 - 0.80	.0269	----	----	----	----	5	UNCH							
5550	----	----	----	----	7.008/5.90A	7.008/5.90A	----	----	----	5.90 - 0.70	.0268	----	----	----	----	11	UNCH							
5555	----	----	----	----	7.008/5.80A	7.008/5.80A	----	----	----	5.80 - 0.80	.0264	----	----	----	----	4	UNCH							
5560	----	----	----	----	6.908/5.80A	6.908/5.80A	----	----	----	5.80 - 0.70	.0264	----	----	----	----	5	UNCH							
5565	----	----	----	----	6.908/5.70A	6.908/5.70A	----	----	----	5.70 - 0.80	.0260	----	----	----	----	16	UNCH							
5570	----	----	----	----	6.808/5.70A	6.808/5.70A	----	----	----	5.70 - 0.80	.0259	----	----	----	----	2	UNCH							
5575	----	----	----	----	6.808/5.70A	6.808/5.70A	----	----	----	5.60 - 0.80	.0255	----	----	----	----	6	UNCH							
5580	----	----	----	----	6.708/5.60A	6.708/5.60A	----	----	----	5.60 - 0.80	.0254	----	----	----	----	1	UNCH							
5600	----	----	----	----	6.508/5.40A	6.508/5.40A	----	----	----	5.40 - 0.80	.0245	----	----	----	----	429	UNCH							
5605	6.40	6.40	----	----	6.508/5.40A	6.508/5.40A	----	----	----	5.40 - 0.80	.0245	----	----	14	----	28	+							
5615	----	----	----	----	6.408/5.30A	6.408/5.30A	----	----	----	5.30 - 0.80	.0240	----	----	----	----	1	UNCH							
5620	----	----	----	----	6.308/5.30A	6.308/5.30A	----	----	----	5.30 - 0.70	.0240	----	----	----	----	2	UNCH							
5625	6.10	6.10	----	----	6.308/5.20A	6.308/5.20A	----	----	----	5.20 - 0.80	.0236	----	----	5	----	7	+							
5650	----	----	----	----	6.108/5.10A	6.108/5.10A	----	----	----	5.00 - 0.80	.0226	----	----	----	----	10	UNCH							
5655	----	----	----	----	6.008/5.00A	6.008/5.00A	----	----	----	5.00 - 0.80	.0226	----	----	----	----	3	UNCH							
5675	----	----	----	----	5.908/4.90A	5.908/4.90A	----	----	----	4.80 - 0.80	.0217	----	----	----	----	3	UNCH							
5690	----	----	----	----	5.808/4.80A	5.808/4.80A	----	----	----	4.70 - 0.90	.0212	----	----	----	----	3	UNCH							
5700	----	----	----	----	5.708/4.70A	5.708/4.70A	----	----	----	4.70 - 0.80	.0211	----	----	----	----	123	UNCH							
5705	----	----	----	----	5.708/4.70A	5.708/4.70A	----	----	----	4.60 - 0.90	.0207	----	----	----	----	19	UNCH							
5720	----	----	----	----	5.608/4.60A	5.608/4.60A	----	----	----	4.60 - 0.80	.0206	----	----	----	----	2	UNCH							
5725	5.70	5.70	----	----	5.70/4.60A	5.70/4.60A	----	----	----	4.50 - 0.80	.0202	----	----	14	----	24	+							
5730	----	----	----	----	5.608/4.50A	5.608/4.50A	----	----	----	4.50 - 0.80	.0202	----	----	----	----	4	UNCH							
5735	----	----	----	----	5.508/4.50A	5.508/4.50A	----	----	----	4.50 - 0.80	.0201	----	----	----	----	1	UNCH							
5745	----	----	----	----	5.508/4.50A	5.508/4.50A	----	----	----	4.40 - 0.80	.0197	----	----	----	----	6	UNCH							
5750	----	----	----	----	5.408/4.40A	5.408/4.40A	----	----	----	4.40 - 0.80	.0197	----	----											

GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
FEB27												
5110	25.00	25.00	26.50B/22.90A	26.50B/22.90A	----	23.80 - 0.50	.0913	----	----	2	----	50 +
5115	24.70	24.70	26.20B/22.70A	26.20B/22.70A	----	23.50 - 0.60	.0903	----	----	4	----	82 +
5120	----	----	25.90B/22.40A	25.90B/22.40A	----	23.30 - 0.50	.0895	----	----	----	----	2
5125	----	----	25.60B/22.30A	25.60B/22.30A	----	23.00 - 0.60	.0885	----	----	----	----	2
5130	----	----	25.30B/22.00A	25.30B/22.00A	----	22.80 - 0.50	.0878	----	----	----	----	2
5135	----	----	25.10B/21.80A	25.10B/21.80A	----	22.50 - 0.60	.0868	----	----	----	----	1
5140	----	----	24.80B/21.60A	24.80B/21.60A	----	22.30 - 0.60	.0860	----	----	----	----	2
5145	----	----	24.50B/21.40A	24.50B/21.40A	----	22.00 - 0.60	.0850	----	----	----	----	4
5150	----	----	24.30B/21.20A	24.30B/21.20A	----	21.80 - 0.60	.0842	----	----	----	----	64
5155	----	----	24.00B/20.90A	24.00B/20.90A	----	21.60 - 0.60	.0835	----	----	----	----	4
5160	----	----	23.70B/20.80A	23.70B/20.80A	----	21.40 - 0.50	.0827	----	----	----	----	6
5165	----	----	23.50B/20.50A	23.50B/20.50A	----	21.10 - 0.60	.0817	----	----	----	----	5
5170	----	----	23.20B/20.30A	23.20B/20.30A	----	20.90 - 0.60	.0810	----	----	----	----	5
5175	----	----	23.00B/20.10A	23.00B/20.10A	----	20.70 - 0.60	.0802	----	----	----	----	127
5180	----	----	22.70B/20.00A	22.70B/20.00A	----	20.50 - 0.60	.0795	----	----	----	----	1
5185	----	----	22.50B/19.80A	22.50B/19.80A	----	20.30 - 0.60	.0787	----	----	----	----	125
5190	----	----	22.20B/19.60A	22.20B/19.60A	----	20.10 - 0.60	.0780	----	----	----	----	3
5200	----	----	21.80B/19.20A	21.80B/19.20A	----	19.60 - 0.70	.0763	----	----	19	----	3021 +
5210	----	----	21.30B/18.90A	21.30B/18.90A	----	19.20 - 0.70	.0748	----	----	----	----	1
5220	----	----	20.90B/18.40A	20.90B/18.40A	----	18.90 - 0.60	.0736	----	----	----	----	27
5225	----	----	20.70B/18.30A	20.70B/18.30A	----	18.70 - 0.60	.0729	----	----	----	----	10
5230	----	----	20.50B/18.20A	20.50B/18.20A	----	18.50 - 0.60	.0722	----	----	----	----	13
5240	----	----	20.10B/17.80A	20.10B/17.80A	----	18.10 - 0.60	.0707	----	----	----	----	9
5245	----	----	19.90B/17.70A	19.90B/17.70A	----	17.90 - 0.70	.0700	----	----	----	----	3
5250	19.40	19.40	19.70B/17.50A	19.70B/17.50A	----	17.70 - 0.70	.0693	----	2	----	----	462
5255	19.20	19.20	19.50B/17.40A	19.50B/17.40A	----	17.60 - 0.60	.0688	----	1	----	----	1
5260	19.00	19.00	19.30B/17.10A	19.30B/17.10A	----	17.40 - 0.60	.0681	----	1	----	----	3
5265	18.80	18.80	19.10B/17.00A	19.10B/17.00A	----	17.20 - 0.70	.0674	----	----	----	----	10
5270	18.70	18.70	18.90B/16.90A	18.90B/16.90A	----	17.10 - 0.60	.0669	----	3	----	----	13
5275	18.50	18.50	18.80B/16.70A	18.80B/16.70A	----	16.90 - 0.60	.0662	----	10	----	----	26
5280	18.30	18.30	18.60B/16.60A	18.60B/16.60A	----	16.70 - 0.70	.0655	----	2	----	----	17 -
5285	18.20	18.20	18.40B/16.50A	18.40B/16.50A	----	16.60 - 0.60	.0651	----	2	----	----	4
5290	18.00	18.00	18.20B/16.20A	18.20B/16.20A	----	16.40 - 0.70	.0644	----	3	----	----	4
5295	17.80	17.80	18.10B/16.20A	18.10B/16.20A	----	16.20 - 0.70	.0637	----	5	----	----	34 -
5300	17.70	17.70	17.90B/16.00A	17.90B/16.00A	----	16.10 - 0.70	.0632	----	20	----	----	937 -
5305	17.50	17.50	17.70B/15.80A	17.70B/15.80A	----	15.90 - 0.70	.0625	----	7	----	----	14
5315	----	----	17.40B/15.50A	17.40B/15.50A	----	15.60 - 0.70	.0614	----	----	----	----	2
5320	----	----	17.30B/15.40A	17.30B/15.40A	----	15.50 - 0.70	.0609	----	----	----	----	8
5330	16.30	16.30	16.90B/15.20A	16.90B/15.20A	----	15.20 - 0.70	.0598	----	17	----	----	18 +
5335	----	----	16.80B/15.10A	16.80B/15.10A	----	15.10 - 0.60	.0594	----	----	----	----	13
5340	----	----	16.60B/14.90A	16.60B/14.90A	----	14.90 - 0.70	.0587	----	----	----	----	5
5345	----	----	16.50B/14.80A	16.50B/14.80A	----	14.80 - 0.70	.0583	----	----	----	----	1
5350	16.10	16.10	16.30B/14.60A	16.30B/14.60A	----	14.60 - 0.70	.0576	----	12	----	----	413 +
5355	----	----	16.20B/14.50A	16.20B/14.50A	----	14.50 - 0.70	.0572	----	----	----	----	19
5360	----	----	16.00B/14.40A	16.00B/14.40A	----	14.40 - 0.70	.0567	----	----	----	----	1
5365	----	----	15.90B/14.20A	15.90B/14.20A	----	14.20 - 0.70	.0560	----	----	----	----	1
5370	----	----	15.80B/14.10A	15.80B/14.10A	----	14.10 - 0.70	.0556	----	----	----	----	4
5375	----	----	15.60B/14.00A	15.60B/14.00A	----	14.00 - 0.70	.0552	----	----	----	----	1
5385	----	----	15.40B/13.70A	15.40B/13.70A	----	13.70 - 0.70	.0541	----	----	----	----	11
5390	----	----	15.20B/13.60A	15.20B/13.60A	----	13.60 - 0.70	.0537	----	----	----	----	4
5400	----	----	15.00B/13.40A	15.00B/13.40A	----	13.40 - 0.70	.0529	----	----	----	----	1565
5425	----	----	14.30B/12.80A	14.30B/12.80A	----	12.80 - 0.70	.0506	----	----	----	----	1
5435	----	----	14.10B/12.60A	14.10B/12.60A	----	12.60 - 0.70	.0498	----	----	----	----	3
5440	----	----	14.00B/12.50A	14.00B/12.50A	----	12.50 - 0.70	.0494	----	----	----	----	2
5450	----	----	13.80B/12.30A	13.80B/12.30A	----	12.20 - 0.80	.0483	----	----	----	----	158
5465	----	----	13.40B/12.00A	13.40B/12.00A	----	11.90 - 0.80	.0471	----	----	----	----	5
5475	----	----	13.20B/11.80A	13.20B/11.80A	----	11.70 - 0.80	.0463	----	----	----	----	1
5490	----	----	12.90B/11.50A	12.90B/11.50A	----	11.40 - 0.80	.0452	----	----	----	----	110
5500	11.90	11.90	12.70B/11.20	12.70B/11.20	----	11.30 - 0.70	.0447	----	345	----	----	2069 +
5510	----	----	12.50B/11.10A	12.50B/11.10A	----	11.10 - 0.70	.0439	----	----	----	----	3
5520	----	----	12.30B/11.00A	12.30B/11.00A	----	10.90 - 0.80	.0431	----	----	----	----	300
5525	----	----	12.20B/10.90A	12.20B/10.90A	----	10.80 - 0.80	.0428	----	----	----	----	2
5530	11.20	11.20	12.10B/10.80A	12.10B/10.80A	----	10.70 - 0.80	.0424	----	20	----	----	105
5540	----	----	11.90B/10.60A	11.90B/10.60A	----	10.50 - 0.80	.0416	----	----	----	----	1
5550	----	----	11.80B/10.50A	11.80B/10.50A	----	10.40 - 0.80	.0412	----	----	----	----	75
5575	----	----	11.30B/10.10A	11.30B/10.10A	----	10.00 - 0.80	.0396	----	----	----	----	5
5600	----	----	10.90B/9.70A	10.90B/9.70A	----	9.60 - 0.80	.0380	----	----	----	----	165
5605	----	----	10.90B/9.60A	10.90B/9.60A	----	9.50 - 0.80	.0376	----	----	----	----	4
5625	----	----	10.60B/9.30A	10.60B/9.30A	----	9.30 - 0.80	.0367	----	----	----	----	25
5650	----	----	10.20B/9.00A	10.20B/9.00A	----	8.90 - 0.80	.0352	----	----	----	----	2
5680	9.10	9.10	9.80B/8.60A	9.80B/8.60A	----	8.50 - 0.90	.0336	----	----	----	----	1
5700	----	----	9.50B/8.40A	9.50B/8.40A	----	8.30 - 0.90	.0327	----	2	----	----	213
5725	----	----	9.20B/8.10A	9.20B/8.10A	----	8.00 - 0.90	.0315	----	----	----	----	300
5735	----	----	9.10B/8.00A	9.10B/8.00A	----	7.90 - 0.90	.0311	----	----	----	----	1
5750	9.00	9.00	9.00B/7.80A	9.00B/7.80A	----	7.80 - 0.80	.0306	----	447	----	----	2135 +
5760	----	----	8.90B/7.70A	8.90B/7.70A	----	7.70 - 0.80	.0302	----	----	----	----	1
5775	----	----	8.70B/7.60A	8.70B/7.60A	----	7.50 - 0.90	.0295	----	----	----	----	299
5790	----	----	8.50B/7.40A	8.50B/7.40A	----	7.40 - 0.90	.0290	----	----	----	----	4
5800	----	----	8.40B/7.30A	8.40B/7.30A	----	7.30 - 0.90	.0286	----	2	----	----	240 +
5820	----	----	8.20B/7.10A	8.20B/7.10A	----	7.10 - 0.90	.0278	----	----	----	----	5
5825	----	----	8.20B/7.10A	8.20B/7.10A	----	7.10 - 0.80	.0278	----	----	----	----	2
5900	----	----	7.60B/6.50A	7.60B/6.50A	----	6.40 - 1.00	.0250	----	----	----	----	14
5950	----	----	7.20B/6.10A	7.20B/6.10A	----	6.10 - 0.90	.0236	----	----	----	----	24
5975	----	----	7.00B/6.00A	7.00B/6.00A	----	5.90 - 1.00	.0229	----	----	----	----	1
6000	6.30	6.30	6.80B/5.80A	6.80B/5.80A	----	5.80 - 0.90	.0224	----	509	----	----	2552 +
6025	----	----	6.70B/5.70A	6.70B/5.70A	----	5.60 - 1.00	.0216	----	----	----	----	4
6100	----	----	6.20B/5.30A	6.20B/5.30A	----	5.20 - 1.00	.0199	----	----	----	----	21
6200	----	----	5.70B/4.80A	5.70B/4.80A	----	4.80 - 0.90	.0181	----	----	----	----	3
6250	----	----	5.50B/4.60A	5.50B/4.60A	----	4.60 - 0.90	.0173	----	----	----	----	34
6300	----	----	5.30B/4.40A	5.30B/4.40A	----	4.40 - 0.90	.0164	----	----	----	----	2
6400	----	----	4.90B/4.10A	4.90B/4.10A	----	4.10 - 0.80	.0151	----	1	----	----	11 +
6500	----	----	4.60B/3.90A	4.60B/3.90A	----	3.80 - 0.90	.0139	----	101	----	----	1047 +
6600	----	----	4.40B/3.60A	4.40B/3.60A	----	3.50 - 0.90	.0127	----	----	----	----	10
6700	----	----	4.10B/3.40A	4.10B/3.40A	----	3.30 - 0.90	.0118	----	2	----	----	22 +
6900	3.60	3.60	3.60B/3.10A	3.70B/3.10A	----	3.00 - 0.80	.0104	----	5	----	----	871
7000	3.40	3.40	3.40B/2.90A	3.50B/2.90A	----	2.80 - 0.80	.0097	----	58	----	----	1033
7100	----	----	3.30B/2.70A	3.30B/2.70A	----	2.70 - 0.80	.0092	----	----	----	----	9
7200	3.00	3.00	3.00B/2.60A	3.20B/2.60A	----	2.50 - 0.80	.0085	----	23	----	----	24 +
7400	2.70	2.70	2.70B/2.40A	2.90B/2.40A	----	2.30 - NEW	.0076	----	13	----	----	13 +
7500	2.30	2.30	2.30B/2.30	2.80B/2.30	----	2.20 - 0.70	.0072	----	34	----	----	825 -
7700	----	----	2.50B/2.10A	2.50B/2.10A	----	2.00 - 0.60	.0064	----	----	----	----	1
7800	----	----	2.40B/2.00A	2.40B/2.00A	----	1.90 - 0.60	.0061	----	----	----	----	1
7900	----	----	2.30B/1.90A	2.30B/1.90A	----	1.80 - 0.60	.0057	----	----	----	----	1262
8000	----	----	2.20B/1.90A	2.20B/1.90A	----	1.70 - 0.60	.0054	----	3	----	----	1453
8500												

PG64		BULLETIN #187@										METALS OPTION PRODUCTS										Tue, Sep 29, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME					OPEN INTEREST				
OG CALL		COMEX GOLD OPTIONS																						
MAR27																								
4465	----	----	----	----	158.80B/136.10A	158.80B/136.10A	----	----	----	145.30 + 2.10	.3829	----	----	----	----	----	120	UNCH						
4470	----	----	----	----	157.10B/134.60A	157.10B/134.60A	----	----	----	143.80 + 2.10	.3799	----	----	----	----	----	6	UNCH						
4475	----	----	----	----	155.40B/132.90A	155.40B/132.90A	----	----	----	142.20 + 2.00	.3769	----	----	----	----	----	2	UNCH						
4480	----	----	----	----	153.80B/131.60A	153.80B/131.60A	----	----	----	140.70 + 2.00	.3739	----	----	----	----	----	50	UNCH						
4495	----	----	----	----	149.10B/127.30A	149.10B/127.30A	----	----	----	136.30 + 2.00	.3650	----	----	----	----	----	1	UNCH						
4500	----	----	----	----	147.50B/125.80A	147.50B/125.80A	----	----	----	134.80 + 1.90	.3620	----	----	----	----	----	525	UNCH						
4525	----	----	----	----	139.80B/119.20A	139.80B/119.20A	----	----	----	127.80 + 1.90	.3476	----	----	----	----	----	2	UNCH						
4535	----	----	----	----	136.80B/116.90A	136.80B/116.90A	----	----	----	125.00 + 1.80	.3418	----	----	----	----	----	20	UNCH						
4550	----	----	----	----	132.50B/112.90A	132.50B/112.90A	----	----	----	121.00 + 1.70	.3334	----	----	----	----	----	241	UNCH						
4555	----	----	----	----	131.10B/111.80A	131.10B/111.80A	----	----	----	119.70 + 1.70	.3306	----	----	----	----	----	20	UNCH						
4580	----	----	----	----	124.30B/105.80A	124.30B/105.80A	----	----	----	113.40 + 1.60	.3170	----	----	----	----	----	29	UNCH						
4590	----	----	----	----	121.60B/103.70A	121.60B/103.70A	----	----	----	111.00 + 1.50	.3117	----	----	----	----	----	20	UNCH						
4600	----	----	----	----	118.90B/101.20A	118.90B/101.20A	----	----	----	108.60 + 1.50	.3065	----	----	----	----	----	302	UNCH						
4605	----	----	----	----	117.90B/100.50A	117.90B/100.50A	----	----	----	107.40 + 1.40	.3038	----	----	----	----	----	33	UNCH						
4610	----	----	----	----	116.50B/99.40A	116.50B/99.40A	----	----	----	106.30 + 1.40	.3013	----	----	----	----	----	302	UNCH						
4615	----	----	----	----	115.30B/98.10A	115.30B/98.10A	----	----	----	105.10 + 1.40	.2987	----	----	----	----	----	20	UNCH						
4640	----	----	----	----	109.20B/93.40A	109.20B/93.40A	----	----	----	99.60 + 1.30	.2861	----	----	----	----	----	10	UNCH						
4645	----	----	----	----	108.10B/92.20A	108.10B/92.20A	----	----	----	98.50 + 1.20	.2836	----	----	----	----	----	2370	UNCH						
4650	----	----	----	----	106.90B/90.90A	106.90B/90.90A	----	----	----	97.40 + 1.20	.2811	----	----	----	----	----	21	UNCH						
4660	----	----	----	----	104.60B/89.20A	104.60B/89.20A	----	----	----	95.30 + 1.10	.2763	----	----	----	----	----	2	UNCH						
4670	----	----	----	----	102.30B/87.10A	102.30B/87.10A	----	----	----	93.30 + 1.10	.2716	----	----	----	----	----	4	UNCH						
4675	----	----	----	----	101.30B/86.10A	101.30B/86.10A	----	----	----	92.30 + 1.10	.2692	----	----	----	----	----	2	UNCH						
4680	----	----	----	----	100.20B/85.60A	100.20B/85.60A	----	----	----	91.30 + 1.00	.2669	----	----	----	----	----	2	UNCH						
4685	----	----	----	----	99.10B/84.60A	99.10B/84.60A	----	----	----	90.30 + 1.00	.2645	----	----	----	----	----	1	UNCH						
4690	----	----	----	----	98.00B/83.40A	98.00B/83.40A	----	----	----	89.30 + 0.90	.2622	----	----	----	----	----	10	UNCH						
4700	----	----	----	----	95.90B/81.70A	95.90B/81.70A	----	----	----	87.40 + 0.90	.2576	----	----	----	----	----	1545	UNCH						
4705	----	----	----	----	94.90B/80.80A	94.90B/80.80A	----	----	----	86.50 + 0.90	.2554	----	----	----	----	----	119	UNCH						
4710	----	----	----	----	93.90B/79.90A	93.90B/79.90A	----	----	----	85.50 + 0.80	.2531	----	----	----	----	----	21	UNCH						
4725	----	----	----	----	90.90B/77.50A	90.90B/77.50A	----	----	----	82.80 + 0.80	.2465	----	----	----	----	----	30	UNCH						
4735	----	----	----	----	88.90B/76.10A	88.90B/76.10A	----	----	----	81.00 + 0.70	.2421	----	----	----	----	----	4	UNCH						
4745	----	----	----	----	87.00B/74.40A	87.00B/74.40A	----	----	----	79.30 + 0.70	.2379	----	----	----	----	----	1	UNCH						
4750	----	----	----	----	86.10B/73.50A	86.10B/73.50A	----	----	----	78.40 + 0.60	.2357	----	----	----	----	----	213	UNCH						
4755	----	----	----	----	85.20B/72.50A	85.20B/72.50A	----	----	----	77.60 + 0.60	.2337	----	----	----	----	----	2372	UNCH						
4760	----	----	----	----	84.30B/72.20A	84.30B/72.20A	----	----	----	76.70 + 0.50	.2315	----	----	----	----	----	51	UNCH						
4765	----	----	----	----	83.40B/71.20A	83.40B/71.20A	----	----	----	75.90 + 0.50	.2294	----	----	----	----	----	52	UNCH						
4770	----	----	----	----	82.50B/70.40A	82.50B/70.40A	----	----	----	75.10 + 0.50	.2274	----	----	----	----	----	50	UNCH						
4775	----	----	----	----	81.60B/69.80A	81.60B/69.80A	----	----	----	74.30 + 0.50	.2254	----	----	----	----	----	1	UNCH						
4785	----	----	----	----	79.90B/68.10A	79.90B/68.10A	----	----	----	72.70 + 0.40	.2214	----	----	----	----	----	3	UNCH						
4790	----	----	----	----	79.00B/67.40A	79.00B/67.40A	----	----	----	71.90 + 0.30	.2194	----	----	----	----	----	1	UNCH						
4795	----	----	----	----	78.20B/67.00A	78.20B/67.00A	----	----	----	71.20 + 0.40	.2175	----	----	----	----	----	4	UNCH						
4800	----	----	----	----	77.10B/66.10A	77.10B/66.10A	----	----	----	70.40 + 0.30	.2155	----	----	----	----	----	246	UNCH						
4810	----	----	----	----	75.70B/64.60A	75.70B/64.60A	----	----	----	68.90 + 0.30	.2116	----	----	----	----	----	16	UNCH						
4820	----	----	----	----	74.10B/63.50A	74.10B/63.50A	----	----	----	67.50 + 0.30	.2080	----	----	----	----	----	20	UNCH						
4830	----	----	----	----	72.50B/62.10A	72.50B/62.10A	----	----	----	66.00 + 0.20	.2041	----	----	44	----	----	64	+	44					
4850	----	----	----	----	69.50B/59.60A	69.50B/59.60A	----	----	----	63.30 + 0.10	.1970	----	----	----	----	----	5	UNCH						
4855	----	----	----	----	68.80B/58.90A	68.80B/58.90A	----	----	----	62.60 + 0.10	.1951	----	----	----	----	----	20	UNCH						
4880	----	----	----	----	65.20B/56.20A	65.20B/56.20A	----	----	----	59.40 UNCH	.1866	----	----	----	----	----	2	UNCH						
4890	----	----	----	----	63.90B/54.90A	63.90B/54.90A	----	----	----	58.10 - 0.10	.1831	----	----	----	----	----	7	UNCH						
4895	----	----	----	----	63.20B/54.20A	63.20B/54.20A	----	----	----	57.50 - 0.10	.1815	----	----	----	----	----	10	UNCH						
4900	----	----	----	----	62.50B/53.80A	62.50B/53.80A	----	----	----	56.90 - 0.10	.1799	----	----	----	----	----	18	UNCH						
4920	----	----	----	----	59.90B/51.60A	59.90B/51.60A	----	----	----	54.60 - 0.10	.1735	----	----	----	----	----	7	UNCH						
4925	----	----	----	----	59.30B/51.00A	59.30B/51.00A	----	----	----	54.00 - 0.10	.1719	----	----	----	----	----	16	UNCH						
4950	55.50	----	55.50	----	56.30B/48.40A	56.30B/48.40A	----	----	----	51.30 - 0.10	.1644	----	----	13	----	----	251	UNCH						
4980	----	----	----	----	52.80B/45.70A	52.80B/45.70A	----	----	----	48.20 - 0.20														

BULLETIN #187@										METALS OPTION PRODUCTS										Tue, Sep 29, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN VOLUME	OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG CALL	COMEX GOLD OPTIONS																							
MAR27																								
6300	----	----	----	----/7.30A	7.90B/7.30A	----	----	----	7.10 - 1.00	.0242	----	----	----	----	----	490	UNCH							
6400	----	----	----	----/7.00A	7.10B/7.00A	----	----	----	6.60 - 0.90	.0222	----	----	----	----	----	1	UNCH							
6500	6.60	6.60		6.60/6.30A	6.90B/6.30A	----	----	----	6.30 - 0.70	.0209	----	----	----	40	----	747 +	20							
TOTAL														173	240	21083 +	314							
APR27																								
3000	----	----	----	----	----	----	----	----	1251.60 + 11.40	.9696	----	----	----	----	----	2	UNCH							
3385	----	----	----	873.00B/----	873.00B/941.80A	----	----	----	883.20 + 10.90	.9196	----	----	----	----	----	1	UNCH							
3500	----	----	----	----	697.50B/872.20A	----	----	----	779.00 + 10.60	.8930	----	----	----	----	----	8	UNCH							
3700	----	----	----	----	527.30B/699.80A	----	----	----	608.10 + 9.30	.8283	----	----	----	----	----	1	UNCH							
3800	----	----	----	549.60B/----	549.60B/527.70A	----	----	----	529.40 + 8.80	.7855	----	----	----	----	----	1	UNCH							
3850	----	----	----	511.50B/----	511.50B/490.50A	----	----	----	492.10 + 8.60	.7617	----	----	----	----	----	1	UNCH							
3950	----	----	----	439.60B/----	439.60B/420.80A	----	----	----	421.80 + 7.80	.7093	----	----	----	----	----	101	UNCH							
4000	----	----	----	405.90B/----	405.90B/388.60A	----	----	----	389.00 + 7.20	.6811	----	----	----	----	----	7	UNCH							
4060	----	----	----	367.80B/340.70A	367.80B/340.70A	----	----	----	352.10 + 6.60	.6456	----	----	----	----	----	1	UNCH							
4110	----	----	----	341.00B/306.40A	341.00B/306.40A	----	----	----	323.20 + 6.00	.6151	----	----	----	----	----	4	UNCH							
4125	----	----	----	331.40B/296.80A	331.40B/296.80A	----	----	----	314.80 + 5.80	.6058	----	----	----	----	----	93	UNCH							
4150	----	----	----	317.10B/285.60A	317.10B/285.60A	----	----	----	301.30 + 5.50	.5902	----	----	----	----	----	1	UNCH							
4170	----	----	----	310.80B/275.60A	310.80B/275.60A	----	----	----	290.80 + 5.30	.5777	----	----	----	----	----	1	UNCH							
4175	----	----	----	307.00B/273.20A	307.00B/273.20A	----	----	----	288.20 + 5.20	.5745	----	----	----	----	----	1	UNCH							
4200	----	----	----	295.20B/259.70A	295.20B/259.70A	----	----	----	275.50 + 4.90	.5588	----	----	----	----	----	100	UNCH							
4210	----	----	----	290.10B/256.60A	290.10B/256.60A	----	----	----	270.50 + 4.70	.5525	----	----	----	----	----	6	UNCH							
4225	----	----	----	282.10B/249.50A	282.10B/249.50A	----	----	----	263.20 + 4.50	.5430	----	----	----	----	----	24	UNCH							
4230	----	----	----	278.90B/247.50A	278.90B/247.50A	----	----	----	260.80 + 4.50	.5399	----	----	----	----	----	100	UNCH							
4250	----	----	----	270.40B/236.80A	270.40B/236.80A	----	----	----	260.80 + 4.20	.5272	----	----	----	----	----	121	UNCH							
4260	----	----	----	265.00B/234.90A	265.00B/234.90A	----	----	----	251.40 + 4.10	.5209	----	----	----	----	----	2	UNCH							
4270	232.00	232.00		260.20B/230.90A	260.20B/230.90A	----	----	----	242.30 + 4.00	.5147	----	----	----	1	----	1	UNCH							
4300	----	----	----	246.80B/216.00A	246.80B/216.00A	----	----	----	229.20 + 3.80	.4960	----	----	----	----	----	305	UNCH							
4340	----	----	----	229.20B/200.80A	229.20B/200.80A	----	----	----	212.60 NEW	.4713	----	----	----	10	----	10	+							
4350	----	----	----	225.10B/196.50A	225.10B/196.50A	----	----	----	208.60 + 3.20	.4653	----	----	----	10	----	114 +	10							
4360	----	----	----	220.90B/193.30A	220.90B/193.30A	----	----	----	204.80 + 3.20	.4592	----	----	----	----	----	2	UNCH							
4365	----	----	----	218.90B/191.80A	218.90B/191.80A	----	----	----	202.80 + 3.10	.4562	----	----	----	----	----	2	UNCH							
4370	----	----	----	216.80B/189.90A	216.80B/189.90A	----	----	----	200.90 + 3.00	.4532	----	----	----	----	----	1	UNCH							
4375	----	----	----	214.90B/187.60A	214.90B/187.60A	----	----	----	199.00 + 3.00	.4502	----	----	----	----	----	40	UNCH							
4395	----	----	----	207.10B/180.60A	207.10B/180.60A	----	----	----	191.60 + 2.80	.4383	----	----	----	----	----	1	UNCH							
4400	----	----	----	204.50B/179.70A	204.50B/179.70A	----	----	----	189.80 + 2.80	.4354	----	----	----	----	----	8	UNCH							
4410	----	----	----	201.40B/175.70A	201.40B/175.70A	----	----	----	186.30 + 2.80	.4295	----	----	----	----	----	1	UNCH							
4415	----	----	----	199.10B/174.10A	199.10B/174.10A	----	----	----	184.50 + 2.70	.4266	----	----	----	----	----	1	UNCH							
4420	----	----	----	196.40B/172.60A	196.40B/172.60A	----	----	----	182.80 + 2.70	.4237	----	----	----	----	----	31	UNCH							
4425	----	----	----	195.70B/170.70A	195.70B/170.70A	----	----	----	181.00 + 2.60	.4208	----	----	----	----	----	3	UNCH							
4440	----	----	----	190.40B/166.00A	190.40B/166.00A	----	----	----	175.90 + 2.50	.4122	----	----	----	----	----	50	UNCH							
4445	----	----	----	188.60B/164.30A	188.60B/164.30A	----	----	----	174.30 + 2.50	.4094	----	----	----	----	----	3	UNCH							
4450	----	----	----	186.90B/162.40A	186.90B/162.40A	----	----	----	172.60 + 2.50	.4065	----	----	----	----	----	263	UNCH							
4455	----	----	----	183.70B/161.30A	183.70B/161.30A	----	----	----	171.00 + 2.50	.4037	----	----	----	----	----	1	UNCH							
4460	----	----	----	183.10B/159.80A	183.10B/159.80A	----	----	----	169.30 + 2.40	.4008	----	----	----	----	----	1	UNCH							
4465	----	----	----	181.50B/158.10A	181.50B/158.10A	----	----	----	167.70 + 2.30	.3980	----	----	----	----	----	4	UNCH							
4470	----	----	----	179.50B/156.70A	179.50B/156.70A	----	----	----	166.10 + 2.30	.3952	----	----	----	----	----	1	UNCH							
4475	----	----	----	178.10B/155.40A	178.10B/155.40A	----	----	----	164.60 + 2.30	.3925	----	----	----	----	----	1	UNCH							
4480	----	----	----	176.50B/154.00A	176.50B/154.00A	----	----	----	163.00 + 2.30	.3897	----	----	----	----	----	20	UNCH							
4485	----	----	----	174.50B/152.00A	174.50B/152.00A	----	----	----	161.40 + 2.20	.3869	----	----	----	----	----	1	UNCH							
4500	----	----	----	169.80B/147.50A	169.80B/147.50A	----	----	----	156.90 + 2.20	.3788	----	----	----	----	----	166	UNCH							
4505	----	----	----	167.80B/146.90A	167.80B/146.90A	----	----	----	155.40 + 2.10	.3761	----	----	----	----	----	2	UNCH							
4515	----	----	----	165.30B/144.00A	165.30B/144.00A	----	----	----	152.40 + 2.00	.3707	----	----	----	----	----	31	UNCH							
4520	----	----	----	162.10B/142.50A	162.10B/142.50A	----	----	----	151.00 + 2.00	.3680	----	----	----	----	----	1	UNCH							
4525	----	----	----	161.20B/141.10A	161.20B/141.10A	----	----	----	149.50 + 1.90	.3653	----	----	----	----	----	20	UNCH							
4540	----	----	----	156.80B/137.30A	156.80B/137.30A	----	----	----	145.30 + 1.90	.3575	----	----	----	----	----	100	UNCH							
4550	----	----	----	154.40B/133.90A	154.40B/133.90A	----	----	----	142.50 + 1.80	.3522	----	----	----	----	----	108	UNCH							
4555	----	----	----	152.20B/133.50A	152.20B/133.50A	----	----	----	141.10 + 1.70	.3496	----	----	----	----	----	5	UNCH							
4565	----	----	----	149.00B/130.80A	149.00B/130.80A	----	----	----	138.40 + 1.70	.3445	----	----	----	----	----	21	UNCH							
4575	----	----	----	147.30B/127.80A	147.30B/127.80A	----	----	----	135.80 + 1.70	.3395	----	----	----	----	----	59	UNCH							
4590	----	----	----	143.20B/124.70A	143.20B/124.70A	----	----	----	131.90 + 1.50	.3320	----	----	----	----	----	32	UNCH							
4595	----	----	----	141.60B/123.70A	141.60B/123.70A	----	----	----	130.60 + 1.50	.3295	----	----	----	----	----	21	UNCH							
4600	----	----	----	140.30B/121.60A	140.30B/121.60A	----	----	----	129.40 + 1.50	.3270	----	----	----	----	----	210	UNCH							
4605	----	----	----	137.70B/120.90A	137.70B/120.90A	----	----	----	128.10 + 1.40	.3245	----	----	----	----	----	20	UNCH							
4615	----	----	----	135.40B/119.30A	135.40B/119.30A	----	----	----	125.70 + 1.40	.3197	----	----	----	----	----	50	UNCH							
4620	----	----	----	134.60B/117.50A	134.60B/117.50A	----	----	----	124.50 + 1.40	.3173	----	----	----	----	----	26	UNCH							
4625	----	----	----	133.90B/116.50A	133.90B/116.50A	----	----	----	123.30 + 1.40	.3150	----	----	----	----	----	10	UNCH							
4640	----	----	----	130.10B/113.30A	130.10B/113.30A	----	----	----	119.80 + 1.30	.3079	----	----	----	----	----	13	UNCH							
4650	----	----	----	127.70B/110.40A	127.70B/110.40A	----	----	----	117.50 + 1.20	.3032	----	----	----	----	----	295	UNCH							
4665	----	----	----	123.40B/107.70A	123.40B/107.70A	----	----	----	114.20 + 1.20	.2964	----	----	----	----	----	20	UNCH							
4670	----	----	----	121.90B/106.80A	121.90B/106.80A	----	----	----	113.10 + 1.10	.2941	----	----	----	----	----	20	UNCH							
4680	----	----	----	119.70B/104.80A	119.70B/104.80A	----	----	----	111.00 + 1.10	.2897	----	----	----	----	----	11	UNCH							
4690	----	----	----	118.30B/103.00A	118.30B/103.00A	----	----	----	108.90 + 1.10	.2853	----	----	----	----	----	11	UNCH							
4695	----	----	----	116.30B/101.60A	116.30B/101.60A	----	----	----	107.80 + 1.00	.2831	----	----	----	----	----	40	UNCH							
4700	----	----	----	115.70B/100.40A	115.70B/100.40A	----	----	----	106.80 + 1.00	.2809	----	----	----	----	----	133	UNCH							
4705	----	----	----	114.00B/100.00A	114.00B/100.00A	----	----	----	105.80 + 1.00	.2788	----	----	----	----	----	66	UNCH							
4710	----	----	----	112.20B/99.30A	112.20B/99.30A	----	----	----	104.80 + 1.00	.2766	----	----	----	----	----	2	UNCH							
4715	----	----	----	112.10B/98.40A	112.10B/98.40A	----	----	----	103.80 + 1.00	.2745	----	----	----	----	----	63	UNCH							
4720	----	----	----	111.00B/97.50A	111.00B/97.50A	----	----	----	102.80 + 1.00	.2724	----	----	----	----	----	4	UNCH							
4725	----	----	----	109.50B/96.60A	109.50B/96.60A	----	----	----	101.80 + 0.90	.2702	----	----	----	----	----	2	UNCH							
4730	----	----	----	109.60B/95.20A	109.60B/95.20A	----	----	----	100.80 + 0.90	.2681	----	----	----	----	----	2	UNCH							
4750	----	----	----	105.50B/91.30A	105.50B/91.30A	----	----	----	97.00 + 0.80	.2599	----	----	----	----	----	121	UNCH							
4760	----	----	----	103.30B/90.50A	103.30B/90.50A	----	----	----	95.20 + 0.80	.2559	----	----	----	----	----	4	UNCH							
4765	----	----	----	102.50B/89.10A	102.50B/89.10A	----	----	----	94.30 + 0.80	.2539	----	----	----	----	----	2	UNCH							
4770	----	----	----	101.00B/88.40A	101.00B/88.40A	----	----	----	93.40 +															

PG64		BULLETIN #187@										METALS OPTION PRODUCTS										Tue, Sep 29, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN VOLUME	OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST							
OG CALL		COMEX GOLD OPTIONS																						
APR27																								
5395	----	----			32.70B/----	32.70B/31.80A	----			31.20 - 0.20	.0959	----	----	----	----	----		4	UNCH					
5400	----	----			32.30B/----	32.30B/31.30A	----			30.90 - 0.30	.0951	----	----	----	----	----		325	UNCH					
5425	----	----			31.20B/----	31.20B/30.00A	----			29.70 - 0.30	.0916	----	----	----	----	----		2	UNCH					
5430	----	----			30.90B/----	30.90B/29.80A	----			29.50 - 0.30	.0910	----	----	----	----	----		2	UNCH					
5450	----	----			30.00B/----	30.00B/28.90A	----			28.50 - 0.40	.0882	----	----	----	----	----		5	UNCH					
5470	----	----			29.10B/----	29.10B/28.10A	----			27.70 - 0.40	.0859	----	----	----	----	----		3	UNCH					
5480	----	----			28.70B/----	28.70B/27.80A	----			27.20 - 0.50	.0845	----	----	----	----	----		1	UNCH					
5490	----	----			28.30B/----	28.30B/27.30A	----			26.80 - 0.50	.0833	----	----	----	----	----		10	UNCH					
5495	----	----			28.10B/----	28.10B/27.10A	----			26.60 - 0.50	.0827	----	----	----	----	----		4	UNCH					
5500	----	----			27.90B/----	27.90B/26.90A	----			26.40 - 0.50	.0821	----	----	----	----	----		4845	UNCH					
5510	----	----			27.30B/----	27.30B/26.50A	----			26.00 - 0.50	.0809	----	----	----	----	----		1	UNCH					
5540	----	----			26.30B/----	26.30B/25.40A	----			24.90 - 0.50	.0777	----	----	----	----	----		6	UNCH					
5550	----	----			25.90B/----	25.90B/25.00A	----			24.50 - 0.50	.0765	----	----	----	----	----		1	UNCH					
5570	----	----			25.10B/----	25.10B/24.30A	----			23.80 - 0.50	.0744	----	----	----	----	----		1	UNCH					
5575	----	----			25.00B/----	25.00B/24.30A	----			23.60 - 0.50	.0739	----	----	----	----	----		3	UNCH					
5600	24.30	24.30			24.50/23.30A	24.50/23.30A	----			22.80 - 0.50	.0714	----	----	----	7	----		4345	UNCH					
5620	----	----			23.40B/----	23.40B/22.70A	----			22.10 - 0.60	.0694	----	----	----	----	----		4	UNCH					
5625	----	----			23.30B/22.40A	23.30B/22.40A	----			22.00 - 0.50	.0690	----	----	----	----	----		2	UNCH					
5650	----	----			22.60B/----	22.60B/21.90A	----			21.20 - 0.60	.0666	----	----	----	----	----		5	UNCH					
5680	----	----			21.70B/20.90A	21.70B/20.90A	----			20.40 - 0.60	.0642	----	----	----	----	----		5	UNCH					
5700	----	----			----/20.30A	20.30B/20.30A	----			19.80 - 0.60	.0624	----	----	----	----	----		7	UNCH					
5750	----	----			----	19.00B/19.20A	----			18.60 - 0.60	.0586	----	----	----	----	----		505	UNCH					
5800	----	----			----/17.90A	17.90B/17.90A	----			17.50 - 0.50	.0552	----	----	----	----	----		70	UNCH					
5820	----	----			17.70B/17.50A	17.70B/17.50A	----			17.00 - 0.60	.0537	----	----	----	----	----		1	UNCH					
5850	----	----			17.30B/16.90A	17.30B/16.90A	----			16.50 - 0.50	.0520	----	----	----	----	----		17	UNCH					
5900	----	----			----/15.90A	16.10B/15.90A	----			15.50 - 0.60	.0489	----	----	----	----	----		3	UNCH					
5925	----	----			15.70B/----	15.70B/15.60A	----			15.10 - 0.50	.0476	----	----	----	----	----		194	UNCH					
5950	----	----			----	15.20B/15.20A	----			14.70 - 0.50	.0463	----	----	----	----	----		1	UNCH					
5975	----	----			----/14.80A	14.80B/14.80A	----			14.30 - 0.60	.0450	----	----	----	----	----		1	UNCH					
6000	----	----			----/14.40A	14.40B/14.40A	----			14.00 - 0.50	.0440	----	----	----	36	----		808 +	36					
6025	----	----			----/14.10A	14.00B/14.10A	----			13.60 - 0.60	.0427	----	----	----	----	----		100	UNCH					
6050	----	----			----/13.60A	13.70B/13.60A	----			13.20 - 0.70	.0415	----	----	----	----	----		52	UNCH					
6100	----	----			----/13.00A	13.10B/13.00A	----			12.60 - 0.70	.0395	----	----	----	----	----		162	UNCH					
6200	----	----			----/11.70A	11.90B/11.70A	----			11.30 - 0.90	.0354	----	----	----	----	----		2	UNCH					
6250	----	----			----/11.20A	11.30B/11.20A	----			10.80 - 0.80	.0338	----	----	----	----	----		31	UNCH					
6400	----	----			----/10.20A	10.10B/10.20A	----			9.50 - 0.90	.0294	----	----	----	----	----		1	UNCH					
6500	----	----			----/9.10A	9.30B/9.10A	----			8.80 - 1.00	.0271	----	----	----	36	----		223 +	36					
TOTAL															100	50		20672 +	142					
MAY27																								
4000	----	----			451.00B/----	451.00B/435.00A	----			435.00 + 7.60	.6901	----	----	----	----	----		1	UNCH					
4050	----	----			418.90B/----	418.90B/403.90A	----			403.80 + 7.20	.6635	----	----	----	----	----		101	UNCH					
4250	----	----			311.30B/279.70A	311.30B/279.70A	----			294.50 + 5.30	.5513	----	----	----	----	----		6	UNCH					
4400	----	----			245.20B/217.00A	245.20B/217.00A	----			229.10 + 3.50	.4666	----	----	----	----	----		6	UNCH					
4420	----	----			236.20B/209.90A	236.20B/209.90A	----			221.50 + 3.30	.4557	----	----	----	----	----		1	UNCH					
4470	----	----			216.90B/192.90A	216.90B/192.90A	----			203.30 + 2.70	.4289	----	----	----	----	----		1	UNCH					
4500	----	----			206.00B/183.40A	206.00B/183.40A	----			193.10 + 2.40	.4133	----	----	----	----	----		1	UNCH					
4505	----	----			205.10B/181.70A	205.10B/181.70A	----			191.50 + 2.40	.4107	----	----	----	----	----		18	UNCH					
4510	----	----			202.60B/180.30A	202.60B/180.30A	----			189.80 + 2.30	.4081	----	----	----	----	----		3	UNCH					
4520	----	----			200.70B/177.10A	200.70B/177.10A	----			186.60 + 2.30	.4031	----	----	----	----	----		1	UNCH					
4550	186.90	186.90			190.00B/168.30A	190.00B/168.30A	----			177.30 + 2.10	.3880	----	----	----	2	----		129	UNCH					
4555	----	----			188.50B/166.90A	188.50B/166.90A	----			175.80 + 2.10	.3856	----	----	----	----	----		18	UNCH					
4600	----	----			174.60B/154.90A	174.60B/154.90A	----			162.90 + 2.00	.3639	----	----	----	----	----		9	UNCH					
4650	----	----			160.40B/142.00A	160.40B/142.00A	----			149.70 + 1.90	.3409	----	----	----	----	----		10	UNCH					
4665	----	----			156.40B/138.40A	156.40B/138.40A	----			145.90 + 1.80	.3342	----	----	----	----	----		1	UNCH					
4700	----	----			148.00B/130.50A	148.00B/130.50A	----			137.50 + 1.80	.3190	----	----	----	----	----		31	UNCH					
4785	----	----			128.00B/113.20A	128.00B/113.20A	----			119.00 + 1.40	.2842	----	----	----	----	----		20	UNCH					
4800	----	----			124.40B/110.30A	124.40B/110.30A	----			116.00 + 1.30	.2784	----	----	----	----	----		72	UNCH					
4810	----	----			122.30B/108.30A	122.30B/108.30A	----			114.00 + 1.20	.2746	----	----	----	----	----		1	UNCH					
4850	----	----			114.40B/101.10A	114.40B/101.10A	----			106.60 + 1.10	.2599	----	----	----	----	----		5	UNCH					
4855	----	----			113.20B/100.30A	113.20B/100.30A	----			105.70 + 1.00	.2581	----	----	----	----	----		2	UNCH					
4860	----	----			112.50B/99.90A	112.50B/99.90A	----			104.80 + 1.00	.2563	----	----	----	----	----		20	UNCH					
4900	----	----			105.00B/93.40A	105.00B/93.40A	----			98.00 + 0.80	.2425	----	----	----	----	----		115	UNCH					
4920	----	----			101.70B/90.10A	101.70B/90.10A	----			94.80 + 0.70	.2358	----	----	----	----	----		2						

BULLETIN #187@										METALS OPTION PRODUCTS										Tue, Sep 29, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG CALL	COMEX GOLD OPTIONS																					
JUN27																						
4435	----	----		250.00B/222.90A	250.00B/222.90A	----	----	234.10 + 3.00	.4545	----	----	----	----	3	UNCH							
4450	----	----		244.00B/218.40A	244.00B/218.40A	----	----	228.70 + 2.90	.4470	----	----	----	----	60	UNCH							
4470	----	----		236.00B/211.40A	236.00B/211.40A	----	----	221.60 + 2.70	.4371	----	----	----	----	2	UNCH							
4475	----	----		234.90B/209.80A	234.90B/209.80A	----	----	219.90 + 2.70	.4346	----	----	----	----	8	UNCH							
4490	----	----		227.80B/204.40A	227.80B/204.40A	----	----	214.80 + 2.70	.4273	----	----	----	----	1	UNCH							
4495	----	----		227.90B/202.80A	227.90B/202.80A	----	----	213.10 + 2.60	.4248	----	----	----	----	2	UNCH							
4500	----	----		226.00B/201.40A	226.00B/201.40A	----	----	211.50 + 2.70	.4224	----	----	----	1270	UNCH								
4520	----	----		219.00B/195.10A	219.00B/195.10A	----	----	205.00 + 2.60	.4128	----	----	----	----	100	UNCH							
4545	----	----		210.30B/187.60A	210.30B/187.60A	----	----	197.10 + 2.60	.4010	----	----	----	----	25	UNCH							
4550	----	----		209.00B/185.80A	209.00B/185.80A	----	----	195.60 + 2.60	.3987	----	----	----	----	83	UNCH							
4575	----	----		200.90B/178.60A	200.90B/178.60A	----	----	188.10 + 2.50	.3872	----	----	----	----	8	UNCH							
4600	----	----		193.20B/171.90A	193.20B/171.90A	----	----	180.90 + 2.50	.3759	----	----	----	----	102	UNCH							
4625	----	----		185.80B/165.50A	185.80B/165.50A	----	----	173.90 + 2.40	.3648	----	----	----	----	24	UNCH							
4630	----	----		184.50B/164.00A	184.50B/164.00A	----	----	172.60 + 2.40	.3626	----	----	----	----	2	UNCH							
4650	----	----		178.70B/158.80A	178.70B/158.80A	----	----	167.20 + 2.30	.3539	----	----	----	----	252	UNCH							
4680	----	----		170.60B/151.60A	170.60B/151.60A	----	----	159.60 + 2.30	.3413	----	----	----	----	1	UNCH							
4700	----	----		165.40B/146.90A	165.40B/146.90A	----	----	154.60 + 2.10	.3330	----	----	----	----	63	UNCH							
4750	----	----		152.90B/135.80A	152.90B/135.80A	----	----	143.00 + 2.00	.3131	----	----	----	----	35	UNCH							
4760	----	----		150.50B/133.70A	150.50B/133.70A	----	----	140.80 + 2.00	.3093	----	----	----	----	15	UNCH							
4790	----	----		143.60B/127.70A	143.60B/127.70A	----	----	134.40 + 1.90	.2979	----	----	----	----	30	UNCH							
4800	----	----		141.40B/125.60A	141.40B/125.60A	----	----	132.30 + 1.90	.2942	----	----	----	----	130	UNCH							
4810	131.10	131.10		139.20B/123.60A	139.20B/123.60A	----	----	130.20 + 1.80	.2905	----	----	1	----	1	UNCH							
4850	----	----		130.60B/116.80A	130.60B/116.80A	----	----	122.40 + 1.60	.2762	----	----	----	----	2	UNCH							
4865	----	----		127.80B/113.80A	127.80B/113.80A	----	----	119.60 + 1.60	.2711	----	----	----	----	75	UNCH							
4900	----	----		121.10B/108.10A	121.10B/108.10A	----	----	113.30 + 1.40	.2593	----	----	----	----	104	UNCH							
5000	----	----		103.80B/92.90A	103.80B/92.90A	----	----	97.20 + 1.00	.2282	----	----	----	1441	UNCH								
5010	----	----		102.20B/91.30A	102.20B/91.30A	----	----	95.80 + 1.00	.2254	----	----	----	----	1	UNCH							
5020	----	----		100.80B/90.50A	100.80B/90.50A	----	----	94.30 + 0.90	.2225	----	----	----	----	2	UNCH							
5025	----	----		99.90B/89.30A	99.90B/89.30A	----	----	93.60 + 0.90	.2211	----	----	----	----	200	UNCH							
5050	----	----		96.30B/86.20A	96.30B/86.20A	----	----	90.20 + 0.90	.2142	----	----	----	----	500	UNCH							
5070	----	----		93.40B/83.50A	93.40B/83.50A	----	----	87.50 + 0.80	.2087	----	----	----	----	2	UNCH							
5085	----	----		91.30B/81.90A	91.30B/81.90A	----	----	85.60 + 0.80	.2048	----	----	----	----	150	UNCH							
5100	----	----		89.10B/80.50A	89.10B/80.50A	----	----	83.70 + 0.70	.2009	----	----	----	----	102	UNCH							
5150	----	----		82.70B/74.40A	82.70B/74.40A	----	----	77.70 + 0.50	.1885	----	----	----	----	650	UNCH							
5170	----	----		80.30B/72.40A	80.30B/72.40A	----	----	75.50 + 0.50	.1838	----	----	----	----	260	UNCH							
5180	----	----		79.20B/71.20A	79.20B/71.20A	----	----	74.40 + 0.40	.1815	----	----	----	----	3	UNCH							
5200	----	----		76.40B/69.60A	76.40B/69.60A	----	----	72.20 + 0.30	.1768	----	----	----	----	584	UNCH							
5210	----	----		75.70B/68.70A	75.70B/68.70A	----	----	71.20 + 0.30	.1747	----	----	----	----	3	UNCH							
5250	----	----		71.30B/64.60A	71.30B/64.60A	----	----	67.20 + 0.20	.1660	----	----	----	----	11	UNCH							
5300	----	----		66.10B/60.30A	66.10B/60.30A	----	----	62.60 + 0.10	.1559	----	----	----	----	4	UNCH							
5350	----	----		61.80B/56.50A	61.80B/56.50A	----	----	58.40 UNCH	.1465	----	----	----	----	3	UNCH							
5360	----	----		61.20B/55.80A	61.20B/55.80A	----	----	57.60 UNCH	.1447	----	----	----	----	325	UNCH							
5400	----	----		57.40B/----	57.40B/55.20A	----	----	54.50 - 0.10	.1377	----	----	----	----	701	UNCH							
5450	----	----		53.60B/----	53.60B/52.10A	----	----	50.90 - 0.30	.1295	----	----	----	----	7	UNCH							
5470	----	----		52.30B/----	52.30B/50.80A	----	----	49.60 - 0.20	.1265	----	----	----	----	1	UNCH							
5500	----	----		49.80B/----	49.80B/48.80A	----	----	47.70 - 0.30	.1220	----	----	----	250	1222 +	200							
5535	----	----		47.50B/----	47.50B/46.70A	----	----	45.50 - 0.40	.1169	----	----	----	----	1	UNCH							
5545	----	----		46.90B/----	46.90B/46.10A	----	----	44.90 - 0.40	.1155	----	----	----	----	8	UNCH							
5600	----	----		43.70B/----	43.70B/43.10A	----	----	41.90 - 0.40	.1083	----	----	----	----	101	UNCH							
5700	----	----		38.50B/----	38.50B/37.80A	----	----	37.00 - 0.60	.0964	----	----	----	----	1	UNCH							
5750	----	----		36.20B/----	36.20B/35.80A	----	----	34.80 - 0.60	.0911	----	----	----	----	149	UNCH							
5800	----	----		34.00B/----	34.00B/33.80A	----	----	32.80 - 0.70	.0861	----	----	----	----	2	UNCH							
5840	----	----		32.50B/----	32.50B/32.20A	----	----	31.40 - 0.70	.0826	----	----	----	----	2	UNCH							
5870	----	----		31.40B/----	31.40B/31.20A	----	----	30.30 - 0.70	.0798	----	----	----	----	3	UNCH							
5875	----	----		31.20B/----	31.20B/31.10A	----	----	30.10 - 0.80	.0793	----	----	----	----	84	UNCH							
5900	----	----		30.30B/----	30.30B/30.20A	----	----	29.30 - 0.80	.0773	----	----	----	----	26	UNCH							
5975	----	----		27.90B/----	27.90B/27.90A	----	----	27.00 - 0.80	.0714	----	----	----	----	21	UNCH							
6000	----	----		----	26.60B/27.30A	----	----	26.30 - 0.80	.0696	----	----	----	----	748	UNCH							
6025	----	----		----	25.90B/26.60A	----	----	25.60 - 0.80	.0679	----	----	----	----	125	UNCH							
6050	----	----		----	25.30B/26.00A	----	----	25.00 - 0.80	.0663	----	----	----	----	3	UNCH							
6100	----	----		----	24.00B/24.70A	----	----	23.70 - 0.90	.0629	----	----	----	----	370	UNCH							
6250	----	----		----	21.00B/21.60A	----	----	20.50 - 1.00	.0545	----	----	----	----	254	UNCH							
6500	----	----		----	17.10B/17.90A	----	----	16.60 - 1.00	.0440	----	----	----	----	920	UNCH							
7000	----	----		----	12.30B/13.00A	----	----	11.80 - 1.00	.0307	----	----	----	----	394	UNCH							
7500	----	----		----	9.50B/10.30A	----	----	9.20 - 1.10	.0232	----	----	----	----	528	UNCH							
8000	9.00	9.00		9.00/8.50A	9.00/8.50A	----	----	7.60 - 1.10	.0186	----	----	1	----	407	UNCH							
8500	----	----		----/7.30A	6.90B/7.30A	----	----	6.50 - 1.10	.0154	----	----	----	----	144	UNCH							
9000	----	----		----/6.50A	6.10B/6.50A	----	----	5.60 - 1.10	.0129	----	----	----	----	74	UNCH							
9500	----	----		----/5.80A	5.30B/5.80A	----	----	4.90 - 1.00	.0110	----	----	----	----	72	UNCH							
10000	----	----		----/5.00A	4.60B/5.00A	----	----	4.30 - 0.90	.0095	----	----	----	----	30	UNCH							
TOTAL												2	350	13453+	300							
JUL27																						
4310	----	----		340.50B/309.20A	340.50B/309.20A	----	----	323.80 + 5.20	.5418	----	----	----	----	2	UNCH							
4325	316.00	316.00		333.70B/303.50A	333.70B/303.50A	----	----	317.00 NEW	.5343	----	----	----	----	2	UNCH							
4340	317.00	317.00		326.60B/296.80A	326.60B/296.80A	----	----	310.30 NEW	.5268	----	----	----	----	2	UNCH							
4350	318.00	318.00		322.50B/293.20A	322.50B/293.20A	----	----	305.90 NEW	.5219	----	----	----	----	2	UNCH							
4475	262.00	262.00		270.30B/243.40A	270.30B/243.40A	----	----	255.30 + 3.80	.4613	----	----	----	----	2	UNCH							
4500	247.00	247.00		259.70B/234.90A	259.70B/234.90A	----	----	246.10 + 3.60	.4495	----	----	----	----	3	UNCH							
4535	----	----		248.50B/223.30A	248.50B/223.30A	----	----	233.90 + 3.50	.4334	----	----	----	----	38	UNCH							
4540	231.00	231.00		246.40B/221.60A	246.40B/221.60A	----	----	232.20 + 3.40	.4311	----	----	2	----	2	UNCH							
4550	----	----		237.90B/213.70A	237.90B/213.70A	----	----	223.90 + 3.20	.4199	----	----	----	----	1	UNCH							
4600	----	----		224.90B/203.00A	224.90B/203.00A	----	----	212.70 + 2.80	.4044	----	----	----	----	40	UNCH							
4750	----	----		182.00B/163.60A	182.00B/163.60A	----	----	171.30 + 1.90	.3428	----	----	----	----	5	UNCH							
4835	----	----		161.40B/144.80A	161.40B/144.80A	----	----	151.60 + 1.60	.3112	----	----	----	----	70	UNCH							
4900	----	----		147.30B/132.10A	147.30B/132.10A	----	----	138.20 + 1.40	.2889	----	----	----	----	10	UNCH							
4950	----	----		137.00B/123.00A	137.00B/123.00A	----	----	128.80 + 1.30	.2727	----	----	----	----	0	UNCH							
4990	----	----		129.70B/116.40A	129.70B/116.40A	----	----	121.70 NEW	.2603	----	----	10	----	10	UNCH							
5000	----	----		127.50B/114.80A	127.50B/114.80A	----	----	120.00 + 1.00	.2573	----	----	----	----	83	UNCH							
5200	----	----		96.70B/87.70A	96.70B/87.70A	----	----	91.20 + 0.60	.2039	----	----	----	----	1	UNCH							
5225	----	----		93.60B/84.70A	93.60B/84.70A	----	----	88.20 + 0.60	.1981	----	----	----	----	2	UNCH							
5250	----	----		90.60B/82.00A	90.60B/82.00A	----	----	85.30 + 0.60	.1925	----	----	----	----	10	UNCH							
5300	----	----		84.50B/77.00A	84.50B/77.00A	----	----	79.90 + 0.60	.1818	----	----	----	----	12	UNCH							
5400	----	----		74.10B/67.70A	74.10B/67.70A																	

BULLETIN #187@				METALS OPTION PRODUCTS										Tue, Sep 29, 2026		PG64	
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST			
OG CALL	COMEX GOLD OPTIONS																
DEC27																	
5000	----	----		----	----	----	----	229.90 + 3.80	.3482	----	----	----	----	50	UNCH		
5650	----	----		----	----	----	----	130.00 + 2.30	.2139	----	----	----	----	200	UNCH		
5700	----	----		----	----	----	----	124.90 + 2.20	.2063	----	----	----	----	150	UNCH		
5800	----	----		----	----	----	----	115.30 + 2.00	.1921	----	----	----	----	200	UNCH		
5880	----	----		----	----	----	----	108.20 + 1.70	.1814	----	----	----	----	125	UNCH		
6300	----	----		----	----	----	----	78.70 + 0.90	.1357	----	----	----	----	18	UNCH		
7500	----	----		----	----	----	----	38.70 + 1.80	.0684	----	----	----	----	70	UNCH		
7800	----	----		----	----	----	----	34.40 + 2.60	.0603	----	----	----	----	284	UNCH		
10000	----	----		18.80b/----	18.80b/24.50A	----	----	21.90 + 6.90	.0348	----	----	----	----	103	UNCH		
10500	----	----		----	----	----	----	20.20 + 6.90	.0316	----	----	----	----	10	UNCH		
TOTAL														1385	0		
FEB28																	
4400	----	----		----	----	----	----	480.70 + 6.50	.5607	----	----	----	----	2	UNCH		
4450	----	----		----	----	----	----	458.50 + 6.20	.5437	----	----	----	----	2	UNCH		
TOTAL														4	0		
APR28																	
5000	----	----		----	----	----	----	312.40 + 4.50	.3975	----	----	----	----	5	UNCH		
TOTAL														5	0		
MAY28																	
5000	----	----		----	----	----	----	334.80 + 4.70	.4113	----	----	----	----	20	UNCH		
TOTAL														20	0		
JUL28																	
5000	----	----		----	----	----	----	369.20 + 4.90	.4283	----	----	----	----	25	UNCH		
TOTAL														25	0		
DEC28																	
5000	----	----		----	----	----	----	459.50 - 2.30	.4638	----	----	----	----	50	UNCH		
5500	----	----		----	----	----	----	342.00 - 3.70	.3652	----	----	----	----	1	UNCH		
5750	----	----		-----/299.90A	-----/299.90A	----	----	299.80 - 4.60	.3259	----	----	----	----	100	UNCH		
TOTAL														151	0		
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST			
MMG MON	MICRO GOLD WEEKLY MONDAY OPTION WEE																
SEP26																	
4220	----	----		----	----	----	----	51.60 UNCH	1.0000	----	----	----	----	0	UNCH		
4300	----	----		----	----	----	----	131.60 UNCH	1.0000	----	----	----	----	0	UNCH		
4350	----	----		----	----	----	----	181.60 UNCH	1.0000	----	----	----	----	0	UNCH		
4370	----	----		----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH		
TOTAL														0	0		
OCT26																	
4300	10.50	10.50		10.50/10.00	10.50/10.00	----	----	8.10 NEW	.1256	----	----	5	----	5 +	5		
TOTAL												5	----	5 +	5		
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST			
GWV WED	GOLD WEEKLY WEDNESDAY OPTION WEEK5																
SEP26																	
3500	----	----		----	-----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH		
3700	----	----		----	-----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	36	UNCH		
3750	0.30	0.30		0.30/0.10A	0.30/0.10A	----	----	0.10 UNCH	----	----	----	5	----	15 +	5		
3800	0.30	0.30		0.30/0.10	0.30/0.10	----	----	0.10 - 0.30	----	----	----	4	----	6 +	3		
3845	0.20	0.20		0.20/0.10A	0.40b/0.10A	----	----	0.10 NEW	----	----	----	3	----	3 +	3		
3850	0.20	0.20		0.20/0.10A	0.50b/0.10A	----	----	0.10 NEW	----	----	----	2	----	2 +	2		
3875	----	----		0.70b/0.10A	0.70b/0.10A	----	----	0.10 - 0.50	.0000	----	----	----	----	1	UNCH		
3880	----	----		0.70b/0.20A	0.70b/0.20A	----	----	0.10 - 0.50	.0000	----	----	----	----	1	UNCH		
3895	0.60	0.60		0.80b/0.10A	0.80b/0.10A	----	----	0.10 NEW	.0000	----	----	2	----	2 +	2		
3900	----	----		0.80b/0.10A	0.80b/0.10A	----	----	0.20 - 0.50	.0001	----	----	1	----	7 +	1		
3925	----	----		1.00b/0.20A	1.00b/0.20A	----	----	0.20 - 0.70	.0001	----	----	----	----	1	UNCH		
3935	----	----		1.10b/0.20A	1.10b/0.20A	----	----	0.20 - 0.70	.0002	----	----	----	----	1	UNCH		
3940	0.20	0.20		1.10b/0.20	1.10b/0.20	----	----	0.30 NEW	.0003	----	----	2	----	2 +	2		
3950	----	----		1.20b/0.20A	1.20b/0.20A	----	----	0.30 NEW	.0004	----	----	1	----	1 +	1		
3955	0.60	0.60		1.30b/0.20A	1.30b/0.20A	----	----	0.30 - 0.80	.0004	----	----	1	----	1	UNCH		
3960	----	----		1.30b/0.20A	1.30b/0.20A	----	----	0.30 - 0.80	.0004	----	----	----	----	10	UNCH		
3975	----	----		1.60b/0.20A	1.60b/0.20A	----	----	0.40 - 0.90	.0007	----	----	----	----	1	UNCH		
3980	1.00	1.00		1.60b/0.20	1.60b/0.20	----	----	0.40 - 1.00	.0007	----	----	58	----	58 +	53		
3985	0.20	0.20		1.70b/0.20	1.70b/0.20	----	----	0.50 - 0.90	.0011	----	----	7	----	8 +	7		
3990	0.50	0.50		1.80b/0.20A	1.80b/0.20A	----	----	0.50 - 1.00	.0011	----	----	9	----	14 +	9		
3995	0.50	0.50		2.00b/0.20	2.00b/0.20	----	----	0.50 - 1.10	.0012	----	----	16	----	16 +	12		
4000	199.50	199.50		217.10b/149.40A	217.10b/149.40A	----	----	180.20 NEW	.9987	----	----	1	----	1 +	1		
4000	1.80	1.80		2.10b/0.30A	2.10b/0.30A	----	----	0.50 - 1.20	.0012	----	----	9	----	115 +	3		
4005	0.50	0.50		2.20b/0.30	2.20b/0.30	----	----	0.60 - 1.20	.0017	----	----	8	----	4	UNCH		
4010	0.60	0.60		2.40b/0.20	2.40b/0.20	----	----	0.60 - 1.30	.0017	----	----	11	----	16 +	11		
4015	1.00	1.00		2.60b/0.30A	2.60b/0.30A	----	----	0.60 - 1.40	.0018	----	----	3	----	17 +	3		
4020	----	----		2.70b/0.30A	2.70b/0.30A	----	----	0.70 - 1.40	.0023	----	----	----	----	6	UNCH		
4025	0.70	0.70		2.90b/0.40A	2.90b/0.40A	----	----	0.70 - 1.60	.0025	----	----	5	----	18 +	1		
4030	----	----		3.10b/0.30A	3.10b/0.30A	----	----	0.80 - 1.60	.0031	----	----	----	----	5	UNCH		
4035	0.50	0.50		3.40b/0.40	3.40b/0.40	----	----	0.80 NEW	.0033	----	----	15	----	15 +	15		
4040	3.30	3.30		3.70b/0.40	3.70b/0.40	----	----	0.90 - 1.90	.0040	----	----	6	----	8 +	1		
4045	----	----		4.10b/0.50A	4.10b/0.50A	----	----	0.90 - 2.10	.0042	----	----	----	----	4	UNCH		
4045	----	----		172.30b/106.70A	172.30b/106.70A	----	----	135.60 + 9.20	.9957	----	----	----	----	1	UNCH		
4050	3.50	3.50		4.40b/0.50A	4.40b/0.50A	----	----	1.00 - 2.30	.0051	----	----	8	----	34	UNCH		
4055	0.60	0.60		4.80b/0.50A	4.80b/0.50A	----	----	1.10 - 2.40	.0061	----	----	5	----	6 -	3		
4060	----	----		157.40b/92.90A	157.40b/92.90A	----	----	120.90 + 8.70	.9927	----	----	----	----	1	UNCH		
4060	2.70	2.70		5.20b/0.60A	5.20b/0.60A	----	----	1.20 - 2.70	.0072	----	----	3	----	12 +	2		
4065	----	----		5.80b/0.60A	5.80b/0.60A	----	----	1.30 - 2.90	.0085	----	----	1	----	6 +	1		
4070	1.00	1.00		6.30b/0.70A	6.30b/0.70A	----	----	1.40 - 3.20	.0099	----	----	5	----	8	UNCH		
4075	4.80																

BULLETIN #187@										METALS OPTION PRODUCTS										Tue, Sep 29, 2026		PG64	
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE		GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW		OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA		EXER CISES		OPEN OUTCRY VOLUME		GLOBEX® VOLUME		PNT VOLUME		OPEN INTEREST	
GOLD WEEKLY WEDNESDAY OPTION WEEK5																							
SEP26																							
4205	-----	-----	66.20B/14.90A	66.20B/14.90A	-----	34.50	- 16.20	.7693	-----	-----	6	-----	9 +	5									
4205	12.00	12.00	26.80B/7.80	26.80B/7.80	-----	9.20	- 4.90	.2306	-----	-----	30	-----	36 +	10									
4210	-----	-----	70.30B/17.00A	70.30B/17.00A	-----	38.20	- 16.10	.8097	-----	-----	3	-----	3 +	1									
4210	9.50	9.50	24.00B/6.70A	24.00B/6.70A	-----	7.90	- 4.80	.1902	-----	-----	42	-----	53 +	11									
4215	6.90	6.90	21.30B/5.60A	21.30B/5.60A	-----	6.70	- 4.70	.1541	-----	-----	23	-----	43 +	10									
4215	-----	-----	74.50B/19.40A	74.50B/19.40A	-----	42.00	- 16.00	.8458	-----	-----	1	-----	5 +	1									
4220	25.90	25.90	78.90B/22.00A	78.90B/22.00A	-----	46.00	- 15.90	.8760	-----	-----	9	-----	19	UNCH									
4220	10.90	10.90	18.90B/4.90A	18.90B/4.90A	-----	5.70	- 4.60	.1239	-----	-----	82	-----	60 +	33									
4225	34.80	34.80	83.20B/24.70A	83.20B/24.70A	-----	50.20	- 15.60	.9003	-----	-----	13	-----	77 +	10									
4225	7.00	7.00	17.00/4.10A	17.00/4.10A	-----	4.90	- 4.30	.0996	-----	-----	62	-----	44 +	30									
4230	7.00	7.00	14.80B/3.60A	14.80B/3.60A	-----	4.20	- 4.10	.0794	-----	-----	57	-----	34 +	16									
4230	35.00	35.00	87.40B/27.80A	87.40B/27.80A	-----	54.50	- 15.40	.9205	-----	-----	4	-----	6 +	3									
4235	-----	-----	92.00B/31.00A	92.00B/31.00A	-----	58.90	- 15.10	.9370	-----	-----	-----	-----	2	UNCH									
4235	7.00	7.00	13.10B/3.10A	13.10B/3.10A	-----	3.60	- 3.80	.0629	-----	353	-----	-----	178 +	159									
4240	-----	-----	96.80B/34.50A	96.80B/34.50A	-----	63.30	- 15.00	.9501	-----	-----	-----	-----	10	UNCH									
4240	6.60	6.60	11.40B/2.60A	11.40B/2.60A	-----	3.10	- 3.60	.0498	-----	68	-----	-----	33 +	27									
4245	-----	-----	101.40B/38.10A	101.40B/38.10A	-----	67.90	- 14.70	.9617	-----	-----	-----	-----	7	UNCH									
4245	3.40	3.40	9.90B/2.30A	9.90B/2.30A	-----	2.60	- 3.40	.0382	-----	32	-----	-----	33 +	19									
4250	4.80	4.80	8.60B/2.00A	8.60B/2.00A	-----	2.30	- 3.10	.0309	-----	334	-----	-----	324 +	247									
4250	102.00	102.00	105.90B/41.90A	105.90B/41.90A	-----	72.50	- 14.50	.9690	-----	10	-----	-----	145 -	5									
4255	81.40	81.40	110.60B/45.70A	110.60B/45.70A	-----	77.20	- 14.20	.9768	-----	2	-----	-----	18 +	1									
4255	3.70	3.70	7.60B/1.70A	7.60B/1.70A	-----	1.90	- 2.90	.0231	-----	13	-----	-----	22 +	9									
4260	2.40	2.40	6.50B/1.50A	6.50B/1.50A	-----	1.70	- 2.70	.0188	-----	34	-----	-----	28 +	14									
4260	-----	-----	115.60B/49.80A	115.60B/49.80A	-----	82.00	NEW	.9811	-----	1	-----	-----	1 +	1									
4265	2.80	2.80	5.60B/1.40A	5.60B/1.40A	-----	1.50	- 2.40	.0151	-----	12	-----	-----	18 +	7									
4265	-----	-----	120.20B/53.90A	120.20B/53.90A	-----	86.80	- 13.70	.9848	-----	-----	-----	-----	4	UNCH									
4270	3.40	3.40	4.90B/1.10	4.90B/1.10	-----	1.30	- 2.20	.0118	-----	15	-----	-----	10 +	5									
4270	-----	-----	125.00B/58.10A	125.00B/58.10A	-----	91.60	- 13.50	.9881	-----	2	-----	-----	10	UNCH									
4275	-----	-----	129.80B/62.30A	129.80B/62.30A	-----	96.40	- 13.40	.9910	-----	2	-----	-----	59 -	1									
4275	3.00	3.00	4.20B/1.00	4.20B/1.00	-----	1.10	- 2.10	.0089	-----	34	-----	-----	49 +	7									
4280	-----	-----	134.50B/66.90A	134.50B/66.90A	-----	101.30	- 13.20	.9925	-----	1	-----	-----	2	UNCH									
4280	2.20	2.20	3.80/0.90A	3.80/0.90A	-----	1.00	- 1.90	.0074	-----	13	-----	-----	13 +	6									
4285	1.70	1.70	3.20B/0.80A	3.20B/0.80A	-----	0.90	- 1.70	.0061	-----	30	-----	-----	26 +	21									
4285	-----	-----	139.50B/71.40A	139.50B/71.40A	-----	106.20	- 13.00	.9938	-----	-----	-----	-----	13	UNCH									
4290	-----	-----	144.30B/76.00A	144.30B/76.00A	-----	111.10	- 12.90	.9950	-----	-----	-----	-----	2	UNCH									
4290	2.00	2.00	2.80B/0.70	2.80B/0.70	-----	0.80	- 1.60	.0049	-----	13	-----	-----	19 +	9									
4295	-----	-----	149.00B/80.60A	149.00B/80.60A	-----	116.00	- 12.70	.9961	-----	1	-----	-----	13	UNCH									
4295	1.00	1.00	2.40B/0.70A	2.40B/0.70A	-----	0.70	- 1.50	.0038	-----	7	-----	-----	7 +	6									
4300	111.10	111.10	154.10B/85.20A	154.10B/85.20A	-----	120.90	- 12.60	.9970	-----	2	-----	-----	158 +	1									
4300	1.60	1.60	2.20B/0.50	2.20B/0.50	-----	0.60	- 1.40	.0029	-----	108	-----	-----	109 +	33									
4305	-----	-----	159.00B/89.90A	159.00B/89.90A	-----	125.80	- 12.60	.9978	-----	7	-----	-----	7	UNCH									
4305	1.50	1.50	1.80B/0.60A	1.80B/0.60A	-----	0.50	- 1.30	.0021	-----	2	-----	-----	8 +	1									
4310	0.70	0.70	1.60B/0.60A	1.60B/0.60A	-----	0.50	NEW	.0020	-----	3	-----	-----	3 +	3									
4310	-----	-----	163.70B/94.80A	163.70B/94.80A	-----	130.80	- 12.40	.9979	-----	-----	-----	-----	2	UNCH									
4315	-----	-----	169.00B/99.50A	169.00B/99.50A	-----	135.70	- 12.40	.9985	-----	-----	-----	-----	8	UNCH									
4315	1.00	1.00	1.40B/0.30	1.40B/0.30	-----	0.40	- 1.10	.0014	-----	35	-----	-----	31 +	29									
4320	0.90	0.90	0.90/0.30	1.30B/0.30	-----	0.40	- 1.00	.0013	-----	2	-----	-----	10 +	2									
4320	-----	-----	173.80B/104.40A	173.80B/104.40A	-----	140.70	- 12.30	.9986	-----	-----	-----	-----	3	UNCH									
4325	-----	-----	178.70B/109.20A	178.70B/109.20A	-----	145.60	- 12.30	.9987	-----	-----	-----	-----	25	UNCH									
4325	0.50	0.50	0.80/0.40A	1.10B/0.40A	-----	0.40	- 0.90	.0012	-----	10	-----	-----	157 +	2									
4330	-----	-----	183.80B/114.10A	183.80B/114.10A	-----	150.60	- 12.20	.9992	-----	-----	-----	-----	2	UNCH									
4330	0.50	0.50	0.50/0.40A	1.10B/0.40A	-----	0.30	- 0.90	.0008	-----	3	-----	-----	7 +	3									
4335	-----	-----	188.60B/118.90A	188.60B/118.90A	-----	155.60	- 12.10	.9992	-----	1	-----	-----	12	UNCH									
4335	0.60	0.60	0.60/0.40A	1.00B/0.40A	-----	0.30	- 0.80	.0007	-----	20	-----	-----	24	UNCH									
4340	-----	-----	186.70B/123.80A	186.70B/123.80A	-----	160.50	- 12.10	.9992	-----	-----	-----	-----	12	UNCH									
4340	0.90	0.90	0.90/0.40A	0.90/0.40A	-----	0.30	- 0.70	.0007	-----	1	-----	-----	9	UNCH									
4345	0.50	0.50	0.50/0.30A	0.90B/0.30A	-----	0.20	- 0.80	.0003	-----	1	-----	-----	2 +	1									
4350	0.80	0.80	0.80/0.30A	0.80/0.30A	-----	0.20	- 0.70	.0003	-----	1	-----	-----	40	UNCH									
4350	-----	-----	197.90B/133.70A	197.90B/133.70A	-----	170.50	- 12.00	.9996	-----	-----	-----	-----	45	UNCH									
4355	0.80	0.80	0.80/0.20	0.80/0.20	-----	0.20	- 0.70	.0003	-----	5	-----	-----	5 +	1									
4360	0.50	0.50	0.50/0.30A	0.70B/0.30A	-----	0.20	NEW	.0003	-----	2	-----	-----	2 +	2									
4360	-----	-----	206.90B/143.50A	206.90B/143.50A	-----	180.50	- 11.90	.9997	-----	-----	-----	-----	3	UNCH									
4365	0.40	0.40	0.40/0.30A	0.60B/0.30A	-----	0.20	NEW	.0003	-----	5	-----	-----	5 +	5									
4370	0.50	0.50	0.50/0.20	0.60B/0.20	-----	0.10	- 0.60	.0001	-----	12	-----	-----	17 +	12									
4375	0.20	0.20	0.20/0.20	0.60B/0.20	-----	0.10	- 0.60	.0000	-----	11	-----	-----	249	UNCH									
4375	175.30	175.30	222.80B/158.30A	222.80B/158.30A	-----	195.40	- 11.90	1.0000	-----	3	-----	-----	106 +	1									
4380	-----	-----	---/0.20A	0.50B/0.20A	-----	0.10	- 0.60	.0000	-----	-----	-----	-----	1	UNCH									
4385	-----	-----	---/0.20A	0.50B/0.20A	-----	0.10	- 0.50	.0000	-----	-----	-----	-----	2	UNCH									
4390	-----	-----	---/0.20A	0.50B/0.20A	-----	0.10	- 0.50	.0000	-----	-----	-----	-----	4	UNCH									
4395	-----	-----	241.40B/178.30A	241.40B/178.30A	-----	215.40	- 11.70	1.0000	-----	-----	-----	-----	13	UNCH									
4395	-----	-----	---/0.20A	0.50B/0.20A	-----	0.10	- 0.50	.0000	-----	-----	-----	-----	5	UNCH									
4400	-----	-----	---/0.20A	0.40B/0.20A	-----	0.10	- 0.40	.0000	-----	10	-----	-----	231	UNCH									
4400	-----	-----	247.70B/183.30A	247.70B/183.30A	-----	220.40	- 11.70	1.0000	-----	1	-----	-----	29 -	1									
4405	0.20	0.20	0.20/0.20	0.40B/0.20	-----	0.10	- 0.40	.0000	-----	1	-----	-----	2 +	1									
4410	-----	-----	256.70B/193.20A	256.70B/193.20A	-----	230.40	- 11.60	1.0000	-----	-----	-----	-----	9	UNCH									
4410	-----	-----	---/0.20A	0.40B/0.20A	-----	0.10	- 0.40	.0000	-----	-----	-----	-----	9	UNCH									
4415	0.20	0.20	0.20/0.20	0.40B/0.20	-----	0.10	- 0.30	.0000	-----	2	-----	-----	5 +	2									
4420	-----	-----	---/0.20A	0.40B/0.20A	-----	0.10	- 0.30	.0000	-----	-----	-----	-----	3	UNCH									
4425	0.20	0.20	0.20/0.20	0.30B/0.20	-----	0.10	- 0.30	.0000	-----	2	-----	-----	51	UNCH									
4425	-----	-----	271.30B/208.20A	271.30B/208.20A	-----	245.40	- 11.50	1.0000	-----	-----	-----	-----	5	UNCH									
4435	-----	-----	---/0.20A	0.30B/0.20A	-----	0.10	- 0.20	.0000	-----	4	-----	-----	4	UNCH									
4440	-----	-----	296.60B/233.10A	296.60B/233.10A	-----	270.40	- 11.40	1.0000	-----	1	-----	-----	3 -	1									
4450	-----	-----	---/0.20A	---/0.20A	-----	0.10	- 0.20	.0000	-----	1	-----	-----	187	UNCH									
4460	-----	-----	---/0.20A	---/0.20A	-----	0.10	- 0.20	.0000	-----	-----	-----	-----	3	UNCH									
4470	-----	-----	---/0.20A	---/0.20A	-----	0.10	- 0.10	.0000	-----	-----	-----	-----	5	UNCH									
4475	-----	-----	321																				

PG64 BULLETIN #187@												METALS OPTION PRODUCTS												Tue, Sep 29, 2026 PG64											
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE		OUTCRY RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																	
GOLD WEEKLY WEDNESDAY OPTION WEEK1																																			
OCT26																																			
4100	106.00	106.00		131.00B/84.20A	131.00B/84.20A	----		101.20	NEW		101.20	-	7.462	----	----	1	----	1	+	1															
4100	29.00	29.00		36.10B/14.30A	36.10B/14.30A	----		21.60	-	8.30		21.60	-	.2536	----	13	----	83	-	1															
4100	----	----		53.60B/29.10A	53.60B/29.10A	----		38.40	-	8.20		38.40	-	.3149	----	4	----	354	-	UNCH															
4125	26.00	26.00		45.60B/19.10A	45.60B/19.10A	----		28.50	-	9.50		28.50	-	.3205	----	10	----	31	-	6															
4125	40.70	40.70		63.70B/35.50A	63.70B/35.50A	----		46.80	-	9.00		46.80	-	.3671	----	151	----	154	+	111															
4125	----	----		126.40B/88.50A	126.40B/88.50A	----		101.40	+	2.30		101.40	+	.6324	----	----	7	UNCH																	
4150	----	----		57.20B/25.40A	57.20B/25.40A	----		37.30	-	10.60		37.30	-	.3966	----	3	----	18	UNCH																
4150	----	----		109.30B/74.90A	109.30B/74.90A	----		86.30	+	1.50		86.30	+	.5767	----	1	----	5	+	1															
4150	----	----		92.00B/55.20A	92.00B/55.20A	----		67.00	NEW			67.00	NEW	.6031	----	1	----	1	+	1															
4150	----	----		75.00B/43.40A	75.00B/43.40A	----		56.60	-	9.80		56.60	-	.4228	----	1	----	56	+	1															
4175	----	----		75.00B/43.70A	75.00B/43.70A	----		52.80	NEW			52.80	NEW	.5213	----	1	----	1	+	1															
4175	----	----		98.40B/66.80A	98.40B/66.80A	----		82.20	-	9.50		82.20	-	.4808	----	----	12	UNCH																	
4175	----	----		107.10B/80.80A	107.10B/80.80A	----		86.90	+	1.80		86.90	+	.5186	----	----	12	UNCH																	
4175	69.60	69.60		93.60B/63.10A	93.60B/63.10A	----		72.70	+	0.90		72.70	+	.5189	----	1	----	11	+	1															
4175	----	----		88.00B/52.60A	88.00B/52.60A	----		68.00	-	10.40		68.00	-	.4806	----	101	----	108	+	98															
4200	52.00	52.00		70.70B/33.30A	70.70B/33.30A	----		48.10	-	11.60		48.10	-	.4784	----	----	19	UNCH																	
4200	----	----		86.20B/43.40A	86.20B/43.40A	----		61.10	-	12.40		61.10	-	.5621	----	9	----	22	-	7															
4200	----	----		79.40B/52.90A	79.40B/52.90A	----		60.60	+	0.20		60.60	+	.4605	----	222	----	237	+	222															
4200	----	----		98.80B/63.30A	98.80B/63.30A	----		80.90	-	11.00		80.90	-	.5390	----	----	2	UNCH																	
4200	49.60	49.60		60.20B/34.20A	60.20B/34.20A	----		40.80	-	1.10		40.80	-	.4377	----	11	----	22	+	9															
4225	36.60	36.60		47.30B/26.50A	47.30B/26.50A	----		31.00	-	1.60		31.00	-	.3572	----	20	----	21	+	20															
4225	----	----		114.60B/75.50A	114.60B/75.50A	----		95.30	-	11.50		95.30	-	.5963	----	----	----	1	UNCH																
4225	70.60	70.60		103.50B/55.50A	103.50B/55.50A	----		76.20	-	12.90		76.20	-	.6426	----	2	----	31	+	1															
4250	----	----		122.40B/69.80A	122.40B/69.80A	----		93.40	-	13.10		93.40	-	.7164	----	----	35	UNCH																	
4250	27.40	27.40		36.70B/20.20A	36.70B/20.20A	----		23.10	-	1.90		23.10	-	.2833	----	5	----	15	+	5															
4250	42.60	42.60		55.70B/36.10A	55.70B/36.10A	----		41.00	NEW			41.00	NEW	.3482	----	13	----	13	+	13															
4250	----	----		131.70B/89.30A	131.70B/89.30A	----		111.20	-	11.90		111.20	-	.6513	----	----	4	UNCH																	
4275	----	----		142.50B/86.00A	142.50B/86.00A	----		112.40	-	13.10		112.40	-	.7798	----	----	161	UNCH																	
4275	21.80	21.80		27.90B/15.50A	27.90B/15.50A	----		17.10	-	1.90		17.10	-	.2199	----	7	----	9	+	7															
4275	----	----		46.20B/29.70A	46.20B/29.70A	----		33.40	-	0.80		33.40	-	.2973	----	----	9	UNCH																	
4300	----	----		169.60B/121.40A	169.60B/121.40A	----		147.20	-	12.10		147.20	-	.7483	----	----	9	UNCH																	
4300	----	----		163.80B/104.10A	163.80B/104.10A	----		132.90	-	13.00		132.90	-	.8313	----	----	21	UNCH																	
4300	----	----		20.90B/11.80A	20.90B/11.80A	----		12.70	-	1.70		12.70	-	.1684	----	8	----	39	+	8															
4300	----	----		38.00B/24.40A	38.00B/24.40A	----		27.10	-	0.80		27.10	-	.2513	----	----	3	UNCH																	
4325	----	----		186.30B/123.70A	186.30B/123.70A	----		154.60	-	12.90		154.60	-	.8723	----	----	7	UNCH																	
4325	12.50	12.50		15.60B/9.00A	15.60B/9.00A	----		9.40	-	1.60		9.40	-	.1274	----	2	----	11	+	1															
4325	----	----		190.10B/139.50A	190.10B/139.50A	----		167.00	-	12.10		167.00	-	.7891	----	----	108	UNCH																	
4325	27.00	27.00		30.80B/19.90A	30.80B/19.90A	----		21.90	-	0.80		21.90	-	.2105	----	1	----	214	+	1															
4350	7.50	7.50		11.70B/6.70A	11.70B/6.70A	----		7.00	-	1.40		7.00	-	.0959	----	9	----	332	UNCH																
4350	----	----		209.10B/144.70A	209.10B/144.70A	----		177.20	-	12.60		177.20	-	.9039	----	----	13	UNCH																	
4350	----	----		25.10B/16.20A	25.10B/16.20A	----		17.70	-	0.70		17.70	-	.1752	----	----	2	UNCH																	
4350	----	----		211.50B/158.60A	211.50B/158.60A	----		187.70	-	12.10		187.70	-	.8244	----	----	2	UNCH																	
4375	----	----		8.60B/5.10A	8.60B/5.10A	----		5.20	-	1.20		5.20	-	.0716	----	4	----	110	-	3															
4375	----	----		232.70B/166.60A	232.70B/166.60A	----		200.40	-	12.40		200.40	-	.9281	----	----	10	UNCH																	
4375	----	----		20.40B/13.60A	20.40B/13.60A	----		14.20	-	0.80		14.20	-	.1444	----	----	15	UNCH																	
4375	----	----		233.30B/178.80A	233.30B/178.80A	----		209.30	-	12.00		209.30	-	.8551	----	----	24	UNCH																	
4400	4.80	4.80		6.40B/3.90A	6.40B/3.90A	----		4.00	-	0.90		4.00	-	.0546	----	1	----	224	+	1															
4400	----	----		255.90B/199.90A	255.90B/199.90A	----		231.50	-	11.90		231.50	-	.8810	----	----	15	UNCH																	
4400	13.30	13.30		16.40B/11.10A	16.40B/11.10A	----		11.40	-	0.80		11.40	-	.1186	----	2	----	110	+	2															
4400	----	----		250.20B/189.40A	250.20B/189.40A	----		224.10	-	12.20		224.10	-	.9452	----	----	44	UNCH																	
4425	----	----		13.20B/9.10A	13.20B/9.10A	----		9.20	-	0.70		9.20	-	.0973	----	----	9	UNCH																	
4425	----	----		278.90B/221.80A	278.90B/221.80A	----		254.20	-	12.00		254.20	-	.9023	----	----	9	UNCH																	
4425	----	----		4.70B/3.00A	4.70B/3.00A	----		3.10	-	0.70		3.10	-	.0418	----	----	9	UNCH																	
4450	----	----		298.70B/237.00A	298.70B/237.00A	----		272.50	-	11.90		272.50	-	.9679	----	----	3	UNCH																	
4450	----	----		302.30B/244.20A	302.30B/244.20A	----		277.50	-	11.90		277.50	-	.9195	----	----	14	UNCH																	
4450	----	----		3.60B/2.40A	3.60B/2.40A	----		2.40	-	0.60		2.40	-	.0319	----	----	29	UNCH																	
4450	----	----		10.70B/7.50A	10.70B/7.50A	----		7.50	-	0.70		7.50	-	.0802	----	----	25	UNCH																	
4475	----	----		8.60B/6.10A	8.60B/6.10A	----		6.10	-	0.70		6.1																							

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GOLD WEEKLY TUESDAY OPTION weeks5															
SEP26															
4050	1.40	1.40		1.80B/0.10	1.80B/0.10	----			0.00 - 1.40	----	----		34	----	0 -
4055	----	----		1.90B/0.10A	1.90B/0.10A	----			0.00 - 1.50	----	----		----	----	0 -
4060	----	----		2.10B/0.10A	2.10B/0.10A	----			0.00 - 1.60	----	----		1	----	0 -
4065	----	----		2.30B/0.10A	2.30B/0.10A	----			0.00 - 1.80	----	----		2	----	0 -
4070	1.70	1.70		2.50B/0.10	2.50B/0.10	----			0.00 - 1.90	----	----		12	----	0 -
4075	1.90	1.90		2.80B/0.10A	2.80B/0.10A	----			0.00 - 2.10	----	----		16	----	0 -
4080	2.00	2.00		3.10B/0.10A	3.10B/0.10A	----			0.00 - 2.30	----	----		2	----	0 -
4085	----	----		3.50B/0.10A	3.50B/0.10A	----			0.00 - 2.60	----	----		----	----	0 -
4090	----	----		3.90B/0.10A	3.90B/0.10A	----			0.00 - 2.90	----	----		6	----	0 -
4090	----	----		116.20B/61.60A	116.20B/61.60A	----			89.70 + 8.40	----	1		----	----	0 -
4095	1.60	1.60		4.50B/0.10	4.50B/0.10	----			0.00 - 3.20	----	----		16	----	0 -
4100	4.80	4.80		5.10B/0.10A	5.10B/0.10A	----			0.00 - 3.60	----	----		47	----	297
4100	----	----		106.20B/53.00A	106.20B/53.00A	----			79.70 + 7.70	----	7		3	----	0 -
4105	3.40	3.40		6.00B/0.10A	6.00B/0.10A	----			0.00 - 4.10	----	----		20	----	0 -
4110	----	----		6.80B/0.10A	6.80B/0.10A	----			0.00 - 4.60	----	----		10	----	0 -
4115	4.00	4.00		7.80B/0.10A	7.80B/0.10A	----			0.00 - 5.20	----	----		3	----	0 -
4120	5.60	5.60		8.90B/0.10A	8.90B/0.10A	----			0.00 - 5.90	----	----		15	----	0 -
4125	3.60	3.60		10.20B/0.10A	10.20B/0.10A	----			0.00 - 6.70	----	----		33	----	0 -
4125	41.20	41.20		81.30B/33.50A	81.30B/33.50A	----			54.70 + 4.60	----	3		6	----	0 -
4130	6.50	6.50		11.90B/0.10	11.90B/0.10	----			0.00 - 7.70	----	----		88	----	0 -
4130	35.00	35.00		76.40B/29.80A	76.40B/29.80A	----			49.70 + 3.60	----	12		23	----	0 -
4135	8.50	8.50		13.70B/0.10A	13.70B/0.10A	----			0.00 - 8.80	----	----		35	----	0 -
4135	----	----		71.30B/26.80A	71.30B/26.80A	----			44.70 + 2.50	----	1		----	----	0 -
4140	8.20	8.20		15.60B/0.10A	15.60B/0.10A	----			0.00 - 10.00	----	----		63	----	85
4140	34.00	34.00		66.40B/23.80A	66.40B/23.80A	----			39.70 + 1.30	----	11		20	----	0 -
4145	----	----		61.40B/20.90A	61.40B/20.90A	----			34.70 - 0.10	----	7		1	----	0 -
4145	6.00	6.00		17.90B/0.10	17.90B/0.10	----			0.00 - 11.40	----	----		74	----	44
4150	23.80	23.80		56.40B/18.40A	56.40B/18.40A	----			29.70 - 1.70	----	40		65	----	0 -
4150	17.50	17.50		20.40B/0.10A	20.40B/0.10A	----			0.00 - 13.00	----	----		107	----	115
4155	9.40	9.40		23.00B/0.10A	23.00B/0.10A	----			0.00 - 14.80	----	----		66	----	49
4155	21.90	21.90		51.50B/16.10A	51.50B/16.10A	----			24.70 - 3.50	----	6		5	----	0 -
4160	14.20	14.20		46.60B/14.00A	46.60B/14.00A	----			19.70 - 5.40	----	39		28	----	33
4160	25.70	25.70		26.30/0.10A	26.30/0.10A	----			0.00 - 16.70	----	----		216	----	46
4165	19.20	19.20		41.80B/12.20A	41.80B/12.20A	----			14.70 - 7.60	----	11		3	----	11
4165	24.00	24.00		29.00B/0.10	29.00B/0.10	----			0.00 - 18.90	----	----		122	----	17
4170	17.80	17.80		32.70B/0.10A	32.70B/0.10A	----			0.00 - 21.40	----	----		185	----	35
4170	15.20	15.20		37.00B/7.70A	37.00B/7.70A	----			9.70 - 10.10	----	55		94	----	55
4175	8.90	8.90		36.30B/0.10A	36.30B/0.10A	----			0.00 - 24.00	----	----		69	----	41
4175	10.20	10.20		32.00B/3.50A	32.00B/3.50A	----			4.70 - 12.70	----	31		36	----	32
4180	10.00	10.00		40.00B/0.10	40.00B/0.10	----			0.30 - 26.60	----	146		351	----	19
4180	11.00	11.00		27.50B/0.20	27.50B/0.20	----			0.00 - 15.30	----	----		169	----	68
4185	11.70	11.70		43.90B/1.30A	43.90B/1.30A	----			5.30 - 24.60	----	56		85	----	14
4185	8.60	8.60		23.00B/0.10A	23.00B/0.10A	----			0.00 - 13.30	----	----		172	----	31
4190	13.50	13.50		47.90B/2.00A	47.90B/2.00A	----			10.30 - 22.90	----	182		268	----	53
4190	12.80	12.80		18.90B/0.10	18.90B/0.10	----			0.00 - 11.60	----	----		170	----	58
4195	5.10	5.10		15.00B/0.10A	15.00B/0.10A	----			0.00 - 10.10	----	----		120	----	32
4195	11.10	11.10		52.30B/3.30A	52.30B/3.30A	----			15.30 - 21.40	----	43		55	----	0 -
4200	5.60	5.60		11.70B/0.10A	11.70B/0.10A	----			0.00 - 8.70	----	----		358	----	383
4200	38.30	38.30		56.60B/4.90A	56.60B/4.90A	----			20.30 - 20.00	----	122		110	----	82
4205	4.00	4.00		8.80B/0.10A	8.80B/0.10A	----			0.00 - 7.60	----	----		50	----	29
4205	9.00	9.00		61.30B/7.20	61.30B/7.20	----			25.30 - 18.90	----	56		42	----	18
4210	----	----		65.50B/10.40A	65.50B/10.40A	----			30.30 - 17.80	----	19		5	----	20
4210	4.60	4.60		6.60B/0.10	6.60B/0.10	----			0.00 - 6.50	----	----		29	----	34
4215	19.00	19.00		70.10B/13.70A	70.10B/13.70A	----			35.30 - 16.90	----	42		4	----	43
4215	2.50	2.50		4.80B/0.10	4.80B/0.10	----			0.00 - 5.60	----	----		64	----	297
4220	2.70	2.70		3.80B/0.10	3.80B/0.10	----			0.00 - 4.90	----	----		77	----	29
4220	----	----		75.00B/17.30A	75.00B/17.30A	----			40.30 - 16.20	----	42		6	----	42
4225	----	----		79.70B/21.30A	79.70B/21.30A	----			45.30 - 15.50	----	28		6	----	29
4225	2.70	2.70		3.10B/0.10	3.10B/0.10	----			0.00 - 4.20	----	----		82	----	33
4230	3.00	3.00		3.00/0.10A	3.00/0.10A	----			0.00 - 3.60	----	----		43	----	42
4230	----	----		84.50B/25.50A	84.50B/25.50A	----			50.30 - 14.90	----	5		1	----	0 -
4235	----	----		89.30B/30.00A	89.30B/30.00A	----			55.30 - 14.40	----	8		1	----	0 -
4235	1.70	1.70		2.30B/0.10A	2.30B/0.10A	----			0.00 - 3.10	----	----		176	----	45
4240	----	----		94.10B/34.70A	94.10B/34.70A	----			60.30 - 14.00	----	31		4	----	31
4240	1.80	1.80		1.90B/0.10	1.90B/0.10	----			0.00 - 2.70	----	----		29	----	13
4245	----	----		99.00B/39.50A	99.00B/39.50A	----			65.30 - 13.60	----	7		----	----	0 -
4245	1.70	1.70		1.80/0.10	1.80/0.10	----			0.00 - 2.30	----	----		68	----	29
4250	72.60	72.60		103.70B/44.30A	103.70B/44.30A	----			70.30 - 13.30	----	57		5	----	59
4250	1.40	1.40		1.40/0.10	1.40/0.10	----			0.00 - 2.00	----	----		367	----	309
4255	----	----		108.70B/49.20A	108.70B/49.20A	----			75.30 - 13.00	----	6		----	----	0 -
4255	----	----		----/0.10A	1.20B/0.10A	----			0.00 - 1.70	----	----		7	----	40
4260	1.20	1.20		1.20/0.10	1.20/0.10	----			0.00 - 1.50	----	----		13	----	16
4260	77.80														

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
GOLD WEEKLY TUESDAY OPTION week3																	
OCT26																	
4625	----	----		4.70B/----	4.70B/4.10A	----	----		4.00	UNCH	.0381	----	----	----	----	1	UNCH
4650	----	----		----/1.60A	1.80B/1.60A	----	----		1.60	- 0.20	.0171	----	----	----	----	7	UNCH
4650	----	----		4.00B/----	4.00B/3.60A	----	----		3.40	UNCH	.0325	----	----	----	----	8	UNCH
4650	----	----		----/0.60A	0.60B/0.60A	----	----		0.50	- 0.20	.0051	----	----	----	----	19	UNCH
4675	----	----		----/1.50A	1.50B/1.50A	----	----		1.40	- 0.20	.0147	----	----	----	----	3	UNCH
4675	----	----		----	0.50B/0.60A	----	----		0.40	- 0.20	.0040	----	----	----	----	7	UNCH
4700	----	----		----/1.30A	1.40B/1.30A	----	----		1.20	- 0.20	.0125	----	----	----	----	12	+
4700	----	----		----/0.50A	0.50B/0.50A	----	----		0.40	- 0.20	.0038	----	1	----	1	+	1
4725	----	----		----	1.20B/1.20A	----	----		1.10	- 0.10	.0112	----	----	----	----	20	UNCH
4725	----	----		----	0.40B/0.50A	----	----		0.40	- 0.10	.0037	----	----	----	----	2	UNCH
4750	----	----		----	1.10B/1.10A	----	----		1.00	- 0.10	.0100	----	----	----	----	20	UNCH
4750	----	----		----/0.40A	0.30B/0.40A	----	----		0.30	- 0.20	.0027	----	----	----	----	2	UNCH
4775	----	----		----	1.00B/1.10A	----	----		0.90	- 0.10	.0089	----	----	----	----	2	UNCH
4775	----	----		----/0.40A	0.30B/0.40A	----	----		0.30	- 0.20	.0026	----	----	----	----	2	UNCH
4800	----	----		----	0.90B/1.00A	----	----		0.80	- 0.10	.0078	----	----	----	----	4	UNCH
4850	----	----		----	----/0.50A	0.20	- 0.10	.0016	----	0.20	- 0.10	.0016	----	----	----	1	UNCH
4900	----	----		0.70B/----	0.70B/0.80A	----	----		0.50	- 0.10	.0046	----	----	----	----	6	UNCH
4900	----	----		----/0.40A	0.20	- 0.10	.0015	----	0.20	- 0.10	.0015	----	----	----	----	2	UNCH
5000	----	----		0.50B/----	0.50B/0.70A	----	----		0.30	UNCH	.0027	----	----	----	----	7	UNCH
5100	----	----		0.40B/----	0.40B/0.60A	----	----		0.20	UNCH	.0017	----	----	----	----	7	UNCH
5100	----	----		----	----/0.30A	----	----		0.10	UNCH	.0002	----	----	----	----	25	UNCH
5200	----	----		----	----/0.30A	----	----		0.10	UNCH	.0000	----	----	----	----	6	UNCH
TOTAL													776	75	3310+	657	
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
GOLD WEEKLY THURSDAY OPTION week3																	
OCT26																	
3500	----	----		----/1.10A	1.20B/1.10A	----	----		1.10	- 0.30	.0081	----	----	----	8	UNCH	
3600	0.60	0.60		0.60/0.20A	0.60/0.20A	----	----		0.10	UNCH	.0000	----	100	----	190	+	
3600	----	----		----/1.70A	2.10B/1.70A	----	----		1.70	- 0.50	.0134	----	----	----	85	UNCH	
3700	----	----		----/1.00A	1.50B/1.00A	----	----		1.00	- 0.70	.0090	----	----	----	11	UNCH	
3700	----	----		----	0.20B/0.20A	----	----		0.10	- 0.10	.0002	----	----	----	56	UNCH	
3700	----	----		----/2.50A	3.70B/2.50A	----	----		2.80	- 0.90	.0233	----	----	----	6	UNCH	
3750	----	----		----/1.20A	2.10B/1.20A	----	----		1.40	- 0.80	.0132	----	----	----	8	UNCH	
3750	----	----		----/0.20A	0.30B/0.20A	----	----		0.20	- 0.30	.0005	----	----	----	10	UNCH	
3750	----	----		4.90B/3.10A	4.90B/3.10A	----	----		3.60	- 1.20	.0309	----	----	----	13	UNCH	
3775	1.70	1.70		1.70/1.40A	2.50B/1.40A	----	----		1.60	NEW	.0155	----	4	----	4	+	
3800	----	----		3.00B/1.50A	3.00B/1.50A	----	----		1.80	- 1.10	.0181	----	----	----	14	UNCH	
3800	----	----		----/0.30A	0.50B/0.30A	----	----		0.20	- 0.40	.0006	----	----	----	1	UNCH	
3800	----	----		10.70B/6.70A	10.70B/6.70A	----	----		8.10	- 1.90	.0625	----	----	----	6	UNCH	
3800	----	----		6.60B/4.00A	6.60B/4.00A	----	----		4.70	- 1.60	.0416	----	1	----	22	UNCH	
3875	----	----		16.80B/10.00A	16.80B/10.00A	----	----		12.40	- 2.90	.0959	----	----	----	6	UNCH	
3875	----	----		5.20B/2.40A	5.20B/2.40A	----	----		3.00	NEW	.0326	----	1	----	1	+	
3875	----	----		10.90B/6.00A	10.90B/6.00A	----	----		7.60	- 2.40	.0686	----	2	----	4	+	
3900	----	----		6.30B/2.80A	6.30B/2.80A	----	----		3.60	- 2.00	.0401	----	----	----	29	UNCH	
3900	----	----		----/0.40A	1.20B/0.40A	----	----		0.50	- 0.70	.0026	----	1	----	30	UNCH	
3900	8.80	8.80		12.90B/7.00A	12.90B/7.00A	----	----		9.00	- 2.80	.0814	----	11	----	26	+	
3900	----	----		19.70B/11.60A	19.70B/11.60A	----	----		14.50	- 3.20	.1115	----	----	----	2	UNCH	
3905	----	----		----/0.40A	1.20B/0.40A	----	----		0.50	- 0.70	.0027	----	----	----	2	UNCH	
3925	----	----		22.90B/13.50A	22.90B/13.50A	----	----		16.90	- 3.80	.1291	----	1	----	6	UNCH	
3925	----	----		292.30B/224.00A	292.30B/224.00A	----	----		255.30	+ 10.50	.9963	----	----	----	5	UNCH	
3925	----	----		7.70B/3.30A	7.70B/3.30A	----	----		4.40	- 2.50	.0500	----	----	----	1	UNCH	
3925	----	----		15.60B/8.30A	15.60B/8.30A	----	----		10.70	- 3.30	.0968	----	----	----	11	UNCH	
3935	1.40	1.40		1.60B/0.50A	1.60B/0.50A	----	----		0.70	- 0.80	.0045	----	10	----	10	+	
3950	----	----		18.70B/9.90A	18.70B/9.90A	----	----		12.90	- 3.80	.1159	----	----	----	11	UNCH	
3950	----	----		267.40B/199.40A	267.40B/199.40A	----	----		230.50	+ 10.40	.9943	----	----	----	5	UNCH	
3950	----	----		1.90B/0.60A	1.90B/0.60A	----	----		0.80	- 1.00	.0056	----	----	----	8	UNCH	
3950	----	----		9.70B/4.00A	9.70B/4.00A	----	----		5.50	- 2.90	.0634	----	----	----	24	UNCH	
3970	----	----		2.40B/0.70A	2.40B/0.70A	----	----		1.00	- 1.10	.0078	----	----	----	1	UNCH	
3975	----	----		2.50B/0.70A	2.50B/0.70A	----	----		1.00	- 1.30	.0080	----	----	----	15	UNCH	
3975	----	----		31.80B/18.70A	31.80B/18.70A	----	----		23.50	- 5.00	.1742	----	----	----	17	UNCH	
3975	----	----		22.50B/11.90A	22.50B/11.90A	----	----		15.50	- 4.40	.1381	----	----	----	10	UNCH	
3975	----	----		12.20B/5.00A	12.20B/5.00A	----	----		6.90	- 3.50	.0804	----	----	----	4	+	
3980	----	----		2.70B/0.70A	2.70B/0.70A	----	----		1.10	- 1.30	.0091	----	2	----	1	+	
3985	----	----		2.80B/0.70A	2.80B/0.70A	----	----		1.10	- 1.40	.0094	----	1	----	2	UNCH	
4000	6.60	6.60		15.40B/6.20A	15.40B/6.20A	----	----		8.80	- 4.20	.1028	----	25	----	28	-	
4000	3.40	3.40		3.60/0.80A	3.60/0.80A	----	----		1.30	- 1.70	.0122	----	21	----	44	UNCH	
4000	----	----		37.20B/22.00A	37.20B/22.00A	----	----		27.70	- 5.80	.2015	----	----	----	47	UNCH	
4000	----	----		27.20B/14.30A	27.20B/14.30A	----	----		18.80	- 5.10	.1651	----	13	----	10	UNCH	
4010	----	----		4.00B/0.90A	4.00B/0.90A	----	----		1.50	- 1.90	.0149	----	----	----	1	UNCH	
4015	1.40	1.40		4.30B/1.00A	4.30B/1.00A	----	----		1.60	NEW	.0164	----	2	----	2	+	
4025	----	----		5.00B/1.00A	5.00B/1.00A	----	----		1.80	- 2.30	.0197	----	----	----	18	UNCH	
4025	----	----		43.50B/26.00A	43.50B/26.00A	----	----		32.70	- 6.50	.2324	----	----	----	2	UNCH	
4025	----	----		19.50B/7.90A	19.50B/7.90A	----	----		11.30	- 5.10	.1315	----	5	----	20	+	
4025	----	----		32.60B/17.40A	32.60B/17.40A	----	----		22.80	- 5.80	.1965	----	----	----	3	UNCH	
4030	1.50	1.50		5.40B/1.10A	5.40B/1.10A	----	----		1.90	- 2.50	.0214	----	1	----	3	UNCH	
4040	1.40	1.40		6.30B/1.20A	6.30B/1.20A	----	----		2.20	- 2.80	.0264	----	2	----	2	+	
4050	32.50	32.50		51.00B/30.70A	51.00B/30.70A	----	----		38.60	- 7.10	.2669	----	4	----	10	+	
4050	4.50	4.50		7.30B/1.40A	7.30B/1.40A	----	----		2.50	- 3.30	.0320	----	63	----	73	+	
4050	----	----		24.70B/10.10A	24.70B/10.10A	----	----		14.60	- 6.10	.1679	----	----	----	78	UNCH	
4050	----	----		39.20B/21.10A	39.20B/21.10A	----	----		27.80	- 6.50	.2332	----	----	----	22	UNCH	
4055	----	----		8.00B/1.40A	8.00B/1.40A	----	----		2.70	- 3.50	.0357	----	----	----	3	UNCH	
4060	1.40	1.40		8.60B/1.40	8.60B/1.40	----	----		2.90	- 3.80	.0395	----	4	----	8	+	
4070	3.10	3.10		10.10B/1.70A	10.10B/1.70A	----	----		3.40	- 4.40	.0492	----	6	----	2	-	
4075	19.00	19.00		31.30B/13.00A	31.30B/13.00A	----	----		19.00	- 7.20	.2135	----	11	----	46	UNCH	
4075	----	----		59.30B/36.40A	59.30B/36.40A	----	----		45.60	- 7.50	.3049	----	----	----	6	UNCH	
4075	3.30	3.30		11.00B/1.80A	11.00B/1.80A	----	----		3.70	- 4.70	.0552	----	23	----	20	+	
4075	----	----		47.00B/25.80A	47.00B/25.80A	----	----		33.90	- 7.20	.2751	----	1	----	15	UNCH	
4080	----	----		11.90B/2.00A	11.90B/2.00A	----	----		4.00	- 5.00	.0614	----	----	----	4	UNCH	
4085	----	----		12.90B/2.20A	12.90B/2.20A	----	----		4.30	NEW	.0681	----	1	----	1	+	
4090	----	----		14.00B/2.20A	14.00B/2.20A	----	----		4.70	- 5.90	.0765	----	----	----	301	UNCH	
4095	6.10	6.10		15.20B/2.50A	15.20B/2.50A	----	----		5.20	- 6.20	.0866	----	9	----	10	+	
4100	22.50	22.50		39.40B/16.90A	39.40B/16.90A	----	----		24.70	- 8.40	.2683	----	13	----	42	-	
4100	----	----		147.20B/107.50A	147.20B/107.50A	----	----		120.70	+ 3.20	.6781	----	----	----	50	UNCH	
4100	10.00	10.00		16.50B/2.70A	16.50B/2.70A	----	----		5.70	- 6.70	.0973	----	69	----	51	+	
4100	41.00	41.00		56.30B/31.50A	56.30B/31.50A	----	----		41.10	- 8.10	.3214	----	4	----	61	+	
4100																	

PG64 BULLETIN #187@												METALS OPTION PRODUCTS												Tue, Sep 29, 2026 PG64											
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE		OUTCRY RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																	
GWR THU GOLD WEEKLY THURSDAY OPTION week3																																			
OCT26																																			
4175	----	----		91.70B/55.50A	91.70B/55.50A	----		71.10	- 10.40	.4807	----			----	----	----	5	----	4	UNCH															
4180	30.60	30.60		50.30B/21.10A	50.30B/21.10A	----		26.40	- 3.10	.5003							2	----	39 -	1															
4180	19.00	19.00		53.00B/13.60A	53.00B/13.60A	----		26.70	- 14.40	.4995							2	----	22	UNCH															
4185	28.60	28.60		56.40B/15.00A	56.40B/15.00A	----		29.30	NEW	.5362							2	----	2 +	2															
4185	26.40	26.40		46.80B/19.40A	46.80B/19.40A	----		24.00	- 3.30	.4637							1	----	8 +	1															
4190	19.00	19.00		59.90B/16.60A	59.90B/16.60A	----		32.00	- 14.80	.5726							1	----	1 +	1															
4190	30.60	30.60		43.40B/17.80A	43.40B/17.80A	----		21.70	- 3.50	.4273							10	----	11 +	10															
4195	20.20	20.20		40.10B/16.40A	40.10B/16.40A	----		19.50	NEW	.3911							2	----	2 +	2															
4200	55.60	55.60		63.90B/37.60A	63.90B/37.60A	----		44.50	- 1.00	.4432							2	----	3 +	2															
4200	36.30	36.30		66.90B/20.20A	66.90B/20.20A	----		37.90	- 15.10	.6433							43	----	232 -	8															
4200	----	----		118.70B/80.40A	118.70B/80.40A	----		97.80	- 10.00	.5272							----	----	1	UNCH															
4200	16.00	16.00		37.10B/15.10A	37.10B/15.10A	----		17.60	- 3.90	.3566							105	----	130 +	50															
4200	----	----		101.60B/66.30A	101.60B/66.30A	----		83.90	- 11.00	.5366							----	----	8	UNCH															
4200	53.70	53.70		89.50B/47.10A	89.50B/47.10A	----		64.80	- 12.20	.5565							10	----	48	UNCH															
4200	----	----		82.40B/55.40A	82.40B/55.40A	----		63.70	+ 0.40	.4630							----	----	63	UNCH															
4205	----	----		70.90B/22.40A	70.90B/22.40A	----		41.10	- 15.20	.6768							10	----	12 +	10															
4205	----	----		34.10B/13.80A	34.10B/13.80A	----		15.80	NEW	.3230							10	----	10 +	10															
4210	----	----		74.70B/24.60A	74.70B/24.60A	----		44.40	- 15.30	.7092							1	----	4 +	1															
4210	14.00	14.00		31.40B/12.60A	31.40B/12.60A	----		14.10	- 4.10	.2907							24	----	57 +	24															
4215	----	----		28.80B/11.50A	28.80B/11.50A	----		12.60	- 4.10	.2605							----	----	4	UNCH															
4220	----	----		82.70B/29.60A	82.70B/29.60A	----		51.60	- 15.30	.7670							----	----	38	UNCH															
4220	20.00	20.00		26.50B/10.30A	26.50B/10.30A	----		11.30	- 4.00	.2329							6	----	27 +	4															
4225	40.20	40.20		51.10B/29.50A	51.10B/29.50A	----		34.60	- 1.30	.3684							10	----	12 +	10															
4225	----	----		106.40B/59.30A	106.40B/59.30A	----		79.80	- 12.70	.6312							1	----	22 +	1															
4225	56.70	56.70		86.90B/32.20A	86.90B/32.20A	----		55.40	- 15.20	.7928							5	----	324 -	1															
4225	14.40	14.40		24.20B/9.10A	24.20B/9.10A	----		10.10	- 3.90	.2071							98	----	107 +	30															
4225	----	----		117.30B/78.60A	117.30B/78.60A	----		98.30	- 11.30	.5916							----	----	1	UNCH															
4225	----	----		130.30B/92.90A	130.30B/92.90A	----		111.80	- 10.60	.5733							----	----	1	UNCH															
4225	----	----		69.60B/46.40A	69.60B/46.40A	----		53.00	- 0.10	.4079							----	----	1	UNCH															
4230	8.50	8.50		22.00B/8.20A	22.00B/8.20A	----		9.00	NEW	.1832							96	----	93 +	93															
4235	----	----		95.30B/38.20A	95.30B/38.20A	----		63.30	- 15.00	.8385							----	----	20	UNCH															
4235	11.70	11.70		20.00B/7.30A	20.00B/7.30A	----		8.00	- 3.70	.1614							3	----	4 -	2															
4240	----	----		18.20B/6.50A	18.20B/6.50A	----		7.10	- 3.60	.1415							----	----	23	UNCH															
4245	9.50	9.50		16.50B/5.80A	16.50B/5.80A	----		6.40	- 3.40	.1251							6	----	9	UNCH															
4245	----	----		104.30B/44.70A	104.30B/44.70A	----		71.70	NEW	.8748							1	----	1 +	1															
4250	6.50	6.50		15.10B/5.20A	15.10B/5.20A	----		5.70	- 3.30	.1094							50	----	50 +	37															
4250	56.50	56.50		108.50B/48.00A	108.50B/48.00A	----		76.00	- 14.50	.8905							1	----	202 -	1															
4250	25.00	25.00		40.50B/23.00A	40.50B/23.00A	----		26.50	- 1.60	.2993							6	----	9 +	4															
4250	50.20	50.20		58.60B/38.60A	58.60B/38.60A	----		43.80	- 0.40	.3551							14	----	24 +	9															
4250	----	----		134.40B/92.30A	134.40B/92.30A	----		114.00	- 11.70	.6444							----	----	2	UNCH															
4250	----	----		124.90B/73.50A	124.90B/73.50A	----		96.70	- 12.90	.7004							----	----	66	UNCH															
4250	----	----		146.70B/106.40A	146.70B/106.40A	----		127.10	- 11.00	.6179							----	----	62	UNCH															
4255	5.10	5.10		13.40B/4.60A	13.40B/4.60A	----		5.10	- 3.10	.0958							46	----	51 +	46															
4260	----	----		12.10B/4.10A	12.10B/4.10A	----		4.50	- 3.00	.0828							----	----	6	UNCH															
4270	4.00	4.00		9.90B/3.30A	9.90B/3.30A	----		3.60	- 2.70	.0629							9	----	11 +	9															
4275	----	----		144.80B/89.50A	144.80B/89.50A	----		115.30	- 13.00	.7613							1	----	22 +	1															
4275	5.50	5.50		8.80B/3.00A	8.80B/3.00A	----		3.30	- 2.50	.0559							22	----	24 +	16															
4275	----	----		131.60B/67.00A	131.60B/67.00A	----		98.50	- 13.80	.9440							2	----	99 +	1															
4275	21.00	21.00		31.50B/17.90A	31.50B/17.90A	----		20.10	- 1.70	.2384							10	----	16 +	9															
4275	----	----		152.60B/107.60A	152.60B/107.60A	----		131.20	- 11.90	.6938							----	----	58	UNCH															
4275	45.00	45.00		48.90B/32.00A	48.90B/32.00A	----		36.00	- 0.60	.3057							5	----	5 +	1															
4280	4.90	4.90		7.90B/2.70A	7.90B/2.70A	----		2.90	- 2.40	.0478							13	----	11 +	10															
4285	5.20	5.20		7.10B/2.40A	7.10B/2.40A	----		2.60	- 2.30	.0416							52	----	52 +	51															
4290	----	----		145.90B/79.60A	145.90B/79.60A	----		112.70	- 13.30	.9628							----	----	1	UNCH															
4290	----	----		6.30B/2.20A	6.30B/2.20A	----		2.40	- 2.10	.0371							3	----	3 +	1															
4295	----	----		5.70B/2.00A	5.70B/2.00A	----		2.10	- 2.00	.0315							1	----	36 +	1															
4300	----	----		165.90B/107.30A	165.90B/107.30A	----		135.40	- 12.90	.8127							----	----	72	UNCH															
4300	3.00	3.00		5.10B/1.80A	5.10B/1.80A	----		1.90	- 1.90	.0275							34	----	45 +	21															
4300	114.30	114.30		155.20B/88.30A	155.20B/88.30A	----		122.20	- 13.20	.9724							1	----	112 -	1															
4300	17.70	17.70		24.20B/13.90A	24.20B/13.90A	----		15.20	- 1.60	.1870							17	----	22 +	11															
4300	----	----		53.20B/36.70A	53.20B/36.70A	----		41.10	- 0.30	.2986							----	----	2	UNCH															
4300	----	----		182.50B/143.70A	182.50B/143.70A																														

BULLETIN #187@										METALS OPTION PRODUCTS										Tue, Sep 29, 2026		PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
GWR THU		GOLD WEEKLY THURSDAY OPTION week2																				
OCT26																						
4525	----	----		2.20B/1.80A		2.20B/1.80A		----		1.70	- 0.40	.0207	----	----	----	----	44	UNCH				
4525	----	----		11.60B/8.50A		11.60B/8.50A		----		9.10	- 0.50	.0807	----	----	----	----	18	UNCH				
4525	----	----		----		----/0.40A		----		0.10	- 0.30	.0002	----	----	----	----	47	UNCH				
4525	----	----		371.70B/308.20A		371.70B/308.20A		----		345.40	- 11.50	.9998	----	----	----	----	3	UNCH				
4525	----	----		6.70B/5.00A		6.70B/5.00A		----		5.10	- 0.30	.0526	----	----	----	----	127	UNCH				
4550	----	----		9.80B/7.50A		9.80B/7.50A		----		7.80	- 0.50	.0697	----	----	----	----	3	UNCH				
4550	----	----		5.60B/4.20A		5.60B/4.20A		----		4.30	- 0.30	.0444	----	----	----	----	14	UNCH				
4550	----	----		397.70B/338.20A		397.70B/338.20A		----		371.50	- 11.60	.9822	----	----	----	----	1	UNCH				
4550	----	----		----		----/0.30A		----		0.10	- 0.20	.0001	----	----	----	----	22	UNCH				
4550	----	----		----/1.50A		1.80B/1.50A		----		1.50	- 0.30	.0177	----	----	----	----	47	UNCH				
4560	----	----		----		----/0.30A		----		0.10	- 0.10	.0000	----	----	----	----	2	UNCH				
4575	----	----		----/1.30A		1.50B/1.30A		----		1.20	- 0.30	.0139	----	----	----	----	54	UNCH				
4575	----	----		----		----/0.30A		----		0.10	- 0.10	.0000	----	----	----	----	28	UNCH				
4575	----	----		8.30B/6.60A		8.30B/6.60A		----		6.70	- 0.50	.0602	----	----	----	----	4	UNCH				
4575	----	----		4.70B/3.60A		4.70B/3.60A		----		3.70	- 0.30	.0379	----	----	----	----	10	UNCH				
4600	----	----		----/404.10A		409.70B/404.10A		----		425.40	- 11.70	.9474	----	----	----	----	0	UNCH				
4600	----	----		----		----/0.30A		----		0.10	- 0.10	.0000	----	----	----	----	34	UNCH				
4600	----	----		----/1.10A		1.30B/1.10A		----		1.10	- 0.20	.0123	----	----	----	----	30	UNCH				
4600	6.30	6.30		7.10B/5.70A		7.10B/5.70A		----		5.80	- 0.50	.0522	----	----	5	----	14	+				
4600	----	----		3.90B/3.00A		3.90B/3.00A		----		3.20	- 0.20	.0326	----	----	----	----	123	UNCH				
4625	----	----		----		----/0.30A		----		0.10	UNCH	.0000	----	----	----	----	47	UNCH				
4625	----	----		----/1.00A		1.10B/1.00A		----		0.90	- 0.30	.0099	----	----	----	----	26	UNCH				
4625	----	----		6.10B/5.00A		6.10B/5.00A		----		5.10	- 0.40	.0459	----	----	----	----	5	UNCH				
4625	----	----		3.20B/2.60A		3.20B/2.60A		----		2.70	- 0.30	.0275	----	----	----	----	22	UNCH				
4650	----	----		----		----/0.20A		----		0.10	UNCH	----	----	----	----	----	19	UNCH				
4650	----	----		----/0.90A		1.00B/0.90A		----		0.80	- 0.20	.0086	----	----	----	----	101	UNCH				
4650	----	----		5.30B/4.40A		5.30B/4.40A		----		4.40	- 0.40	.0397	----	----	----	----	15	UNCH				
4650	----	----		2.80B/2.30A		2.80B/2.30A		----		2.40	- 0.20	.0241	----	----	----	----	40	UNCH				
4675	----	----		4.50B/3.90A		4.50B/3.90A		----		3.90	- 0.40	.0351	----	----	----	----	7	UNCH				
4675	----	----		----		----/0.20A		----		0.10	UNCH	----	----	----	----	----	14	UNCH				
4675	----	----		----/0.80A		0.90B/0.80A		----		0.70	- 0.20	.0073	----	----	----	----	42	UNCH				
4675	----	----		2.40B/2.00A		2.40B/2.00A		----		2.10	- 0.20	.0209	----	----	----	----	66	UNCH				
4700	----	----		----		0.80B/0.80A		----		0.70	- 0.10	.0070	----	----	----	----	57	UNCH				
4700	----	----		----		----/0.30A		----		0.10	UNCH	----	----	----	----	----	33	UNCH				
4700	----	----		4.00B/3.50A		4.00B/3.50A		----		3.40	- 0.40	.0306	----	----	1	----	11	UNCH				
4700	----	----		2.20B/1.80A		2.20B/1.80A		----		1.90	- 0.20	.0186	----	----	----	----	33	UNCH				
4725	----	----		----		----/0.20A		----		0.10	UNCH	----	----	----	----	----	31	UNCH				
4725	----	----		3.50B/3.10A		3.50B/3.10A		----		3.00	- 0.40	.0269	----	----	----	----	12	UNCH				
4725	----	----		----/0.70A		0.70B/0.70A		----		0.60	- 0.20	.0059	----	----	----	----	47	UNCH				
4725	----	----		----/1.70A		1.90B/1.70A		----		1.70	- 0.20	.0164	----	----	----	----	15	UNCH				
4750	----	----		----/2.80A		3.10B/2.80A		----		2.70	- 0.40	.0240	----	----	1	----	10	UNCH				
4750	----	----		----		----/0.30A		----		0.10	UNCH	----	----	----	----	----	16	UNCH				
4750	----	----		----/1.50A		1.70B/1.50A		----		1.50	- 0.20	.0144	----	----	----	----	7	UNCH				
4750	----	----		----		0.60B/0.70A		----		0.50	- 0.20	.0048	----	----	----	----	10	UNCH				
4775	----	----		----		----/0.30A		----		0.10	UNCH	----	----	----	----	----	5	UNCH				
4775	----	----		----/2.50A		2.80B/2.50A		----		2.40	- 0.40	.0213	----	----	----	----	3	UNCH				
4775	----	----		621.00B/561.60A		621.00B/561.60A		----		595.30	- 11.30	1.0000	----	----	----	----	0	UNCH				
4775	----	----		----/0.60A		0.60B/0.60A		----		0.50	- 0.20	.0047	----	----	----	----	2	UNCH				
4775	----	----		----/1.40A		1.60B/1.40A		----		1.30	- 0.30	.0124	----	----	----	----	12	UNCH				
4800	----	----		----		----/0.30A		----		0.10	UNCH	----	----	----	----	----	18	UNCH				
4800	1.50	1.50		1.50/1.30A		1.50/1.30A		----		1.20	- 0.30	.0112	----	----	1	----	5	UNCH				
4800	----	----		----/2.30A		2.50B/2.30A		----		2.20	- 0.30	.0193	----	----	----	----	1	UNCH				
4800	----	----		----		0.50B/0.60A		----		0.50	- 0.10	.0045	----	----	----	----	8	UNCH				
4825	----	----		----		----/0.30A		----		0.10	UNCH	----	----	----	----	----	15	UNCH				
4825	----	----		----/1.20A		1.30B/1.20A		----		1.10	- 0.30	.0102	----	----	----	----	2	UNCH				
4825	----	----		----/0.50A		0.50B/0.50A		----		0.40	- 0.20	.0036	----	----	----	----	2	UNCH				
4825	----	----		----/2.10A		2.30B/2.10A		----		2.00	- 0.30	.0174	----	----	----	----	1	UNCH				
4850	----	----		----/1.90A		2.10B/1.90A		----		1.80	- 0.30	.0156	----	----	----	----	1	UNCH				
4850	----	----		----		----/0.30A		----		0.10	UNCH	----	----	----	----	----	1	UNCH				
4850	----	----		----/0.50A		0.40B/0.50A		----		0.40	- 0.20	.0035	----	----	----	----	3	UNCH				
4875	----	----		----		0.40B/0.50A		----		0.40	- 0.10	.0034	----	----	----	----	7	UNCH				
4900	----	----		----/0.40A		0.40B/0.40A		----		0.30	- 0.20	.0025	----	----	----	----	2	UNCH				
4900	----	----		----		----/0.30A		----		0.10	UNCH	----	----	----	----	----	51	UNCH				
4900	----	----		746.40B/685.20A		746.40B/685.20A		----		720.30	- 11.30	1.0000	----	----	----	----	2	UNCH				
4900	----	----		----/1.60A		1.60B/1.60A		----		1.50	- 0.30	.0128	----	----	----	----	2	UNCH				
4900	----	----		----/1.00A		1.10B/1.00A		----		1.80	- 0.30	.0071	----	----	----	----	11	UNCH				
4925	----	----		----		----/0.30A		----		0.10	UNCH	----	----	----	----	----	3	UNCH				
4925	----	----		----		0.30B/0.40A		----		0.30	- 0.10	.0024	----	----	----	----	1	UNCH				
4950	----	----		----		----/0.30A		----		0.10	UNCH	----	----	----	----	----	7	UNCH				
4950	----	----		----		0.30B/0.40A		----		0.30	- 0.10	.0024	----	----	----	----	200	UNCH				
4975	----	----		----		----/0.50A		----		0.30	- 0.10	.0023	----	----	----	----	1	UNCH				
4975	----	----		----		----/0.30A		----		0.10	UNCH	----	----	----	----	----	9	UNCH				
5000	----	----		----		----/0.30A		----		0.10	UNCH	----	----	----	----	----	3	UNCH				
5000	----	----		----		1.20B/1.40A		----		1.10	- 0.20	.0090	----	----	----	----	21	UNCH				
5000	----	----		----		----/0.50A		----		0.20	- 0.20	.0015	----	----	----	----	45	UNCH				
5000	----	----		----/0.90A		0.90B/0.90A		----		0.70	- 0.30	.0058	----	----	2	----	50	UNCH				
5025	----	----		----		----/0.20A		----		0.10	UNCH	----	----	----	----	----	2	UNCH				
5050	----	----		----		----/0.20A		----		0.10	UNCH	----	----	----	----	----	3	UNCH				
5100	----	----		----		----/0.40A		----		0.20	- 0.10	.0014	----	----	----	----	3	UNCH				
5100	----	----		----		----/0.20A		----		0.10	UNCH	----	----	----	----	----	6	UNCH				
5100	----	----		----		0.70B/0.70A		----		0.50	- 0.20	.0039	----	----	2	----	24	UNCH				
5125	----	----		----		----/0.20A		----		0.10	UNCH	----	----	----	----	----	1	UNCH				
5200	----	----		----		----/0.20A		----		0.10	UNCH	----	----	----	----	----	47	UNCH				
5200	----	----		----		----/0.40A		----		0.10	- 0.10	.0006	----	----	----	----	2	UNCH				
5200	----	----		----		0.50B/0.60A		----		0.30	- 0.20	.0023	----	----	----	----	10	UNCH				
5250	----	----		----		----/0.40A		----		0.10	- 0.10	.0004	----	----	----	----	22	UNCH				
5250	----	----		----		----/0.20A		----		0.10	UNCH	----	----	----	----	----	22	UNCH				
5250	----	----		----		0.40B/0.60A		----		0.30	- 0.10	.0022	----	----	----	----	8	UNCH				
5300	----	----		----		----/0.20A		----		0.10	UNCH	----	----	----	----	----	8	UNCH				
5300	----	----		----		----/0.30A		----		0.10	UNCH	.0002	----	----	----	----	2	UNCH				
5400	----	----		----		----/0.20A		----		0.10	UNCH	----	----	----	----	----	3	UNCH				
5400	----	----		----		----/0.30A		----		0.10	UNCH	.0000	----	----	----	----	5	UNCH				
5500	----	----		----		----/0.30A		----		0.10	UNCH	.0000	----	----	----	----	4	UNCH				
5500	----	----		----		----/0.50A		----		0.10	- 0.10	.0007	----	----	----	----	77	UNCH				
5750	----	----		----		----/0.40A		----		0.10	UNCH	----	----	----	----	----	3	UNCH				
5750	----	----		----		----/0.50A		----		0.10	UNCH	.0001	----	----	----	----	4	UNCH				
TOTAL																			1793	9820+	901	
GLOBEX OPEN		OPEN																				



BULLETIN #187@				METALS OPTION PRODUCTS							Tue, Sep 29, 2026			PG64		
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK4														
SEP26																
4105	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4110	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4115	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4120	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4125	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4130	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4130	----	----	----	----	----			38.40	UNCH	----	----	----	----	----	0	UNCH
4135	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4140	----	----	----	----	----			28.40	UNCH	----	----	----	----	----	0	UNCH
4140	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4145	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4145	----	----	----	----	----			23.40	UNCH	----	----	----	----	----	0	UNCH
4150	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4150	----	----	----	----	----			18.40	UNCH	----	----	----	----	----	0	UNCH
4155	----	----	----	----	----			13.40	UNCH	----	----	----	----	----	0	UNCH
4155	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4160	----	----	----	----	----			8.40	UNCH	----	----	----	----	----	0	UNCH
4160	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4165	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4165	----	----	----	----	----			3.40	UNCH	----	----	----	----	----	0	UNCH
4170	----	----	----	----	----			1.60	UNCH	----	----	----	----	----	0	UNCH
4170	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4175	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4175	----	----	----	----	----			6.60	UNCH	----	----	----	----	----	0	UNCH
4180	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4180	----	----	----	----	----			11.60	UNCH	----	----	----	----	----	0	UNCH
4185	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4185	----	----	----	----	----			16.60	UNCH	----	----	----	----	----	0	UNCH
4190	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4190	----	----	----	----	----			21.60	UNCH	----	----	----	----	----	0	UNCH
4195	----	----	----	----	----			26.60	UNCH	----	----	----	----	----	0	UNCH
4195	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4200	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4200	----	----	----	----	----			31.60	UNCH	----	----	----	----	----	0	UNCH
4205	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4205	----	----	----	----	----			36.60	UNCH	----	----	----	----	----	0	UNCH
4210	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4210	----	----	----	----	----			41.60	UNCH	----	----	----	----	----	0	UNCH
4215	----	----	----	----	----			46.60	UNCH	----	----	----	----	----	0	UNCH
4215	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4220	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4220	----	----	----	----	----			51.60	UNCH	----	----	----	----	----	0	UNCH
4225	----	----	----	----	----			56.60	UNCH	----	----	----	----	----	0	UNCH
4225	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4230	----	----	----	----	----			61.60	UNCH	----	----	----	----	----	0	UNCH
4230	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4235	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4235	----	----	----	----	----			66.60	UNCH	----	----	----	----	----	0	UNCH
4240	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4240	----	----	----	----	----			71.60	UNCH	----	----	----	----	----	0	UNCH
4245	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4245	----	----	----	----	----			76.60	UNCH	----	----	----	----	----	0	UNCH
4250	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4250	----	----	----	----	----			81.60	UNCH	----	----	----	----	----	0	UNCH
4255	----	----	----	----	----			86.60	UNCH	----	----	----	----	----	0	UNCH
4255	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4260	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4260	----	----	----	----	----			91.60	UNCH	----	----	----	----	----	0	UNCH
4265	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4265	----	----	----	----	----			96.60	UNCH	----	----	----	----	----	0	UNCH
4270	----	----	----	----	----			101.60	UNCH	----	----	----	----	----	0	UNCH
4270	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4275	----	----	----	----	----			106.60	UNCH	----	----	----	----	----	0	UNCH
4275	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4280	----	----	----	----	----			111.60	UNCH	----	----	----	----	----	0	UNCH
4280	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4285	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4285	----	----	----	----	----			116.60	UNCH	----	----	----	----	----	0	UNCH
4290	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4290	----	----	----	----	----			121.60	UNCH	----	----	----	----	----	0	UNCH
4295	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4295	----	----	----	----	----			126.60	UNCH	----	----	----	----	----	0	UNCH
4300	----	----	----	----	----			131.60	UNCH	----	----	----	----	----	0	UNCH
4300	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4305	----	----	----	----	----			136.60	UNCH	----	----	----	----	----	0	UNCH
4305	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4310	----	----	----	----	----			141.60	UNCH	----	----	----	----	----	0	UNCH
4310	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4315	----	----	----	----	----			146.60	UNCH	----	----	----	----	----	0	UNCH
4315	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4320	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4320	----	----	----	----	----			151.60	UNCH	----	----	----	----	----	0	UNCH
4325	----	----	----	----	----			156.60	UNCH	----	----	----	----	----	0	UNCH
4325	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4330	----	----	----	----	----			161.60	UNCH	----	----	----	----	----	0	UNCH
4330	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4335	----	----	----	----	----			166.60	UNCH	----	----	----	----	----	0	UNCH
4335	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4340	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4340	----	----	----	----	----			171.60	UNCH	----	----	----	----	----	0	UNCH
4345	----	----	----	----	----			176.60	UNCH	----	----	----	----	----	0	UNCH
4345	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4350	----	----	----	----	----			181.60	UNCH	----	----	----	----	----	0	UNCH
4350	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4355	----	----	----	----	----			186.60	UNCH	----	----	----	----	----	0	UNCH
4360	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4360	----	----	----	----	----			191.60	UNCH	----	----	----	----	----	0	UNCH
4365	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4365	----	----	----	----	----			196.60	UNCH	----	----	----	----	----	0	UNCH
4370	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4375	----	----	----	----	----			206.60	UNCH	----	----	----	----	----	0	UNCH
4375	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4380	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4395	----	----	----	----	----			226.60	UNCH	----	----	----	----	----	0	UNCH
4400	----	----	----	----	----			231.60	UNCH	----	----	----	----	----	0	UNCH
4400	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4405	----	----	----	----	----			236.60	UNCH	----	----	----	----	----	0	UNCH
4405	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4410	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4410	----	----	----	----	----			241.60	UNCH	----	----	----	----	----	0	UNCH
4415	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4415	----	----	----	----	----			246.60	UNCH	----	----	----	----	----	0	UNCH
4420	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4425	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4425	----	----	----	----	----			256.60	UNCH	----	----	----	----	----	0	UNCH
4430	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4450	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4450	----	----	----	----	----			281.60	UNCH	----	----	----	----	----	0	UNCH
4455	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4475	----	----	----	----	----			306.60	UNCH	----	----	----	----	----	0	UNCH
4475	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4480	----	----	----	----	----			0.00	UNCH	----	----	----	----	----	0	UNCH
4500	----	----	----	----	----			33								

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

BULLETIN #187@														METALS OPTION PRODUCTS										Tue, Sep 29, 2026		PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE		OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK2																								
OCT26																										
3000	----	----	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	10	UNCH								
3600	0.60	0.60	----	0.60/0.40	0.60/0.40	----	----	----	----	----	0.20	- 0.40	----	----	4	----	79	+								
3700	----	----	----	----/3.20A	4.60B/3.20A	----	----	----	----	----	3.60	- 1.00	----	----	----	2	UNCH									
3700	----	----	----	----/0.50A	0.70B/0.50A	----	----	----	----	----	0.60	- 0.30	----	----	----	3	UNCH									
3750	----	----	----	----/0.60A	1.00B/0.60A	----	----	----	----	----	0.80	- 0.30	----	----	----	10	UNCH									
3750	----	----	----	----/1.90A	2.90B/1.90A	----	----	----	----	----	2.20	- 0.80	----	----	----	7	UNCH									
3800	1.50	1.50	----	1.50/0.80A	1.50/0.80A	----	----	----	----	----	1.00	- 0.50	----	21	----	23	+									
3800	----	----	----	----/2.40A	4.00B/2.40A	----	----	----	----	----	2.90	- 1.10	----	----	----	1	UNCH									
3875	----	----	----	7.00B/3.60A	7.00B/3.60A	----	----	----	----	----	4.60	- 1.90	----	1	----	2	+									
3875	----	----	----	13.10B/7.70A	13.10B/7.70A	----	----	----	----	----	9.50	- 2.50	----	1	----	2	+									
3900	----	----	----	3.20B/1.40A	3.20B/1.40A	----	----	----	----	----	1.80	- 1.20	----	----	----	31	UNCH									
3900	----	----	----	15.60B/8.90A	15.60B/8.90A	----	----	----	----	----	11.10	- 3.00	----	1	----	16	UNCH									
3900	----	----	----	8.60B/4.30A	8.60B/4.30A	----	----	----	----	----	5.50	- 2.30	----	----	----	2	UNCH									
3925	----	----	----	18.70B/10.40A	18.70B/10.40A	----	----	----	----	----	13.10	- 3.60	----	----	----	1	UNCH									
3925	----	----	----	10.30B/5.00A	10.30B/5.00A	----	----	----	----	----	6.60	NEW	----	2	----	2	+									
3925	----	----	----	4.10B/1.60A	4.10B/1.60A	----	----	----	----	----	2.10	- 1.60	----	----	----	4	UNCH									
3950	26.50	26.50	----	29.30/19.50A	29.30/19.50A	----	----	----	----	----	24.20	NEW	----	2	----	2	+									
3950	----	----	----	5.30B/1.90A	5.30B/1.90A	----	----	----	----	----	2.70	- 1.90	----	----	----	4	UNCH									
3950	240.00	240.00	----	268.20B/203.00A	268.20B/203.00A	----	----	----	----	----	232.30	+	9.40	----	4	----	3	-								
3950	12.00	12.00	----	12.80B/6.00A	12.80B/6.00A	----	----	----	----	----	8.00	- 3.30	----	5	----	6	+									
3975	----	----	----	26.10B/14.70A	26.10B/14.70A	----	----	----	----	----	18.70	- 4.70	----	----	----	15	UNCH									
3975	----	----	----	15.70B/7.30A	15.70B/7.30A	----	----	----	----	----	9.80	- 4.00	----	----	----	2	UNCH									
3975	----	----	----	6.90B/2.40A	6.90B/2.40A	----	----	----	----	----	3.40	- 2.50	----	----	----	51	UNCH									
4000	----	----	----	216.20B/156.90A	216.20B/156.90A	----	----	----	----	----	184.00	+	8.10	----	1	----	1	UNCH								
4000	3.90	3.90	----	9.10B/2.90A	9.10B/2.90A	----	----	----	----	----	4.40	- 3.20	----	12	----	36	+									
4000	11.00	11.00	----	19.50B/9.00A	19.50B/9.00A	----	----	----	----	----	12.30	- 4.60	----	14	----	22	+									
4000	----	----	----	31.20B/17.40A	31.20B/17.40A	----	----	----	----	----	22.40	- 5.30	----	----	----	3	UNCH									
4010	4.30	4.30	----	4.30/3.20A	10.20B/3.20A	----	----	----	----	----	4.90	NEW	----	32	----	32	+									
4025	5.80	5.80	----	12.10B/3.80A	12.10B/3.80A	----	----	----	----	----	5.90	- 4.10	----	6	----	102	+									
4025	----	----	----	24.30B/11.20A	24.30B/11.20A	----	----	----	----	----	15.40	- 5.50	----	----	----	33	UNCH									
4050	5.00	5.00	----	16.20B/5.00	16.20B/5.00	----	----	----	----	----	8.00	- 5.20	----	322	----	352	+									
4050	----	----	----	30.00B/14.00A	30.00B/14.00A	----	----	----	----	----	19.40	- 6.50	----	----	----	114	UNCH									
4075	12.00	12.00	----	21.80B/6.80A	21.80B/6.80A	----	----	----	----	----	11.00	- 6.60	----	32	----	157	UNCH									
4075	----	----	----	52.20B/30.40A	52.20B/30.40A	----	----	----	----	----	38.80	- 7.50	----	----	----	7	UNCH									
4075	----	----	----	37.20B/17.80A	37.20B/17.80A	----	----	----	----	----	24.50	- 7.50	----	----	----	15	UNCH									
4100	----	----	----	126.20B/77.30A	126.20B/77.30A	----	----	----	----	----	95.00	+	3.20	----	9	4	+									
4100	24.40	24.40	----	28.90B/9.50	28.90B/9.50	----	----	----	----	----	15.30	- 8.10	----	68	----	83	+									
4100	----	----	----	61.50B/36.50A	61.50B/36.50A	----	----	----	----	----	46.50	- 8.20	----	----	----	3	UNCH									
4100	----	----	----	45.60B/22.30A	45.60B/22.30A	----	----	----	----	----	30.90	- 8.40	----	----	----	12	UNCH									
4125	58.30	58.30	----	72.00B/43.50A	72.00B/43.50A	----	----	----	----	----	55.40	- 8.80	----	7	----	43	+									
4125	23.80	23.80	----	38.20B/13.30A	38.20B/13.30A	----	----	----	----	----	21.30	- 9.70	----	14	----	34	+									
4125	84.40	84.40	----	104.90B/61.40A	104.90B/61.40A	----	----	----	----	----	76.00	NEW	----	2	----	2	+									
4130	16.50	16.50	----	16.50/14.20A	40.10B/14.20A	----	----	----	----	----	22.80	NEW	----	3	----	3	+									
4150	26.50	26.50	----	49.70B/18.70A	49.70B/18.70A	----	----	----	----	----	29.50	- 11.00	----	11	----	65	+									
4150	----	----	----	85.30B/48.10A	85.30B/48.10A	----	----	----	----	----	59.20	+	0.30	----	----	1	UNCH									
4150	----	----	----	83.40B/52.00A	83.40B/52.00A	----	----	----	----	----	65.60	- 9.30	----	17	----	26	+									
4150	----	----	----	67.40B/35.40A	67.40B/35.40A	----	----	----	----	----	48.20	- 10.30	----	----	----	10	UNCH									
4150	----	----	----	113.40B/83.20A	113.40B/83.20A	----	----	----	----	----	95.20	NEW	----	1	----	1	+									
4165	25.60	25.60	----	25.60/22.80A	57.40B/22.80A	----	----	----	----	----	35.50	NEW	----	1	----	1	+									
4175	50.00	50.00	----	67.70B/36.70A	67.70B/36.70A	----	----	----	----	----	44.70	- 0.90	----	19	----	20	+									
4175	30.90	30.90	----	63.40B/25.90A	63.40B/25.90A	----	----	----	----	----	40.00	- 12.20	----	85	----	95	-									
4175	----	----	----	102.00B/71.40A	102.00B/71.40A	----	----	----	----	----	81.80	NEW	----	1	----	1	+									
4175	----	----	----	80.60B/44.20A	80.60B/44.20A	----	----	----	----	----	59.40	- 11.00	----	----	----	76	UNCH									
4175	----	----	----	96.60B/61.70A	96.60B/61.70A	----	----	----	----	----	77.10	- 9.90	----	----	----	12	UNCH									
4200	49.50	49.50	----	88.00B/60.70A	88.00B/60.70A	----	----	----	----	----	69.60	+	0.70	----	17	8	UNCH									
4200	38.20	38.20	----	79.10B/35.50A	79.10B/35.50A	----	----	----	----	----	53.20	- 13.00	----	20	----	41	+									
4200	----	----	----	52.30B/27.50A	52.30B/27.50A	----	----	----	----	----	32.90	- 1.70	----	----	----	23	+									
4200	----	----	----	91.00B/54.70A	91.00B/54.70A	----	----	----	----	----	72.30	- 11.70	----	----	----	42	UNCH									
4200	61.00	61.00	----	109.00B/72.60A	109.00B/72.60A	----	----	----	----	----	89.90	- 10.50	----	17	----	17	+									
4200	30.20	30.20	----	70.90B/44.90A	70.90B/44.90A	----	----	----	----	----	52.00	NEW	----	1	----	1	+									
4215	----	----	----	44.30B/30.20	44.30B/30.20	----	----	----	----	----	27.00	NEW	----	1	----	1	+									
4220	64.50	64.50	----	75.80B/51.50A	75.80B/51.50A	----	----	----	----	----	25.20	NEW	----	113	----	113	+									
4225	58.60	58.60	----	97.30B/47.70A	97.30B/47.70A	----	----	----	----	----	58.90	+	0.30	----	14	400	+									
4225	29.30	29.30	----	39.60B/20.50A	39.60B/20.50A	----	----	----	----	----	68.80	- 13.50	----	15	----	61	+									
4225	----	----	----	107.20B/67.00A	107.20B/67.00A	----	----	----	----	----	23.60	- 2.20	----	6	----	13	+									
4225	66.40	66.40	----	123.00B/85.00A	123.00B/85.00A	----	----	----	----	----	87.00	- 12.10	----	----	----	18	UNCH									
4230	17.70	17.70	----	66.40/50.40A	101.10B/50.40A	----	----	----	----	----	104.10	- 11.00	----	1	----	2	UNCH									
4250	122.50	122.50	----	29.10B/15.10A	29.10B/15.10A	----	----	----	----	----	72.30	NEW	----	43	----	1	+									
4250	----	----	----	117.00B/62.30A	117.00B/62.30A	----	----	----	----	----	86.90	- 13.60	----	----	----	80	+									
4250	----	----	----	124.90B/81.10A	124.90B/81.10A	----	----	----	----	----	103.40	- 12.30	----	1	----	63	+									
4250	----	----	----	64.50B/43.50A	64.50B/43.50A	----	----	----	----	----	49.50	- 0.10	----	----	----	1	UNCH									
4250	----	----	----	139.70B/98.70A	139.70B/98.70A	----	----	----	----	----	119.60	- 11.40	----	----	----	9	UNCH									
4250	----	----	----	47.30B/29.20A	47.30B/29.20A	----	----	----	----	----	33.20	- 1.10	----	----	----	3	UNCH									
4260	22.30	22.30	----	125.30B/68.90A	125.30B/68.90A	----	----	----	----	----	94.60	NEW	----	1	----	1	+									
4270	----	----	----	22.30/22.30	22.40B/11.70A	----	----	----	----	----	12.40	NEW	----	1	----	1	+									
4275	18.70	18.70	----	157.60B/120.10A	157.60B/120.10A	----	----	----	----	----	136.50	- 11.60	----	9	----	11	UNCH									
4275	----	----	----	21.00B/10.90A	21.00B/10.90A	----	----	----	----	----	11.60	- 2.20	----	----	----	36	+									
4275	----	----	----	138.10B/79.20A	138.10B/79.20A	----	----	----	----	----	106.80	- 13.60	----	----	----	35	UNCH									
4275	42.40	42.40	----	143.90B/96.70A	143.90B/96.70A	----	----	----	----	----	121.30	- 12.50	----	----	----	5	UNCH									
4285	10.20	10.20	----	54.40B/36.50A	54.40B/36.50A	----	----	----	----	----	41.30	NEW	----	1	----	1	+									
4290	9.80	9.80	----	18.40B/9.50A	18.40B/9.50A	----	----	----	----	----	10.00	NEW	----	5	----	5	+									
4300	27.30	27.30	----	17.10B/8.80A	17.10B/8.80A	----	----	----	----	----	9.30	NEW	----	1	----	1	+									
4300	----	----	----	160.30B/98.10A	160.30B/98.10A	----	----	----	----	----	128.30	- 13.30	----	----	----	51	UNCH									
4300	8.60	8.60	----	14.90B/7.60	14.90B/7.60	----	----	----	----	----	8.10	- 2.00	----	12	----	38	+									
4300	----	----	----	30.20B/18.80A	30.20B/18.80A	----	----	----	----	----	20.40	- 1.30	----	16	----	19	+									
4325	162.00	162.00	----	163.80B/114.00A	163.80B/114.00A	----	----	----	----	----	140.50	- 12.70	----	----	----	4	UNCH									
4325	----	----	----	183.20B/118.80A	183.20B/118.80A	----	----	----																		

PG64 BULLETIN #187@													METALS OPTION PRODUCTS				Tue, Sep 29, 2026			PG64	
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
GMW MON OCT26		GOLD WEEKLY MONDAY OPTION WEEK3																			
4625	----	----	4.30B/3.70A	4.30B/3.70A	----	3.60	- 0.20	.0351	----	----	----	----	8	UNCH							
4625	----	----	----/1.60A	1.70B/1.60A	----	1.40	- 0.40	.0158	----	----	----	----	15	UNCH							
4650	----	----	----	0.40B/0.50A	----	0.30	- 0.20	.0029	----	----	----	----	14	UNCH							
4650	----	----	----/1.40A	1.50B/1.40A	----	1.20	- 0.40	.0133	----	----	----	----	3	UNCH							
4675	----	----	----	0.40B/0.50A	----	0.30	- 0.20	.0028	----	----	----	----	10	UNCH							
4675	----	----	----/1.30A	1.30B/1.30A	----	1.10	- 0.40	.0119	----	----	----	----	5	UNCH							
4700	----	----	----	0.30B/0.40A	----	0.30	- 0.10	.0027	----	----	----	----	57	UNCH							
4700	----	----	----/1.20A	1.20B/1.20A	----	1.00	- 0.30	.0106	----	----	----	----	5	UNCH							
4725	----	----	----	0.30B/0.40A	----	0.20	- 0.20	.0017	----	----	----	----	2	UNCH							
4725	----	----	----/1.10A	1.00B/1.10A	----	0.90	- 0.30	.0093	----	----	----	----	6	UNCH							
4750	----	----	596.10B/536.80A	596.10B/536.80A	----	570.40	- 11.30	.9985	----	----	----	----	1	UNCH							
4750	----	----	----	----/0.50A	----	0.20	- 0.10	.0017	----	----	----	----	17	UNCH							
4750	----	----	----	3.50B/4.10A	----	3.90	NEW	.0323	----	----	5	----	5	+							
4750	----	----	----/1.00A	1.00B/1.00A	----	0.80	- 0.30	.0082	----	----	----	----	7	UNCH							
4775	----	----	----	----/0.50A	----	0.20	- 0.10	.0016	----	----	----	----	52	UNCH							
4775	----	----	621.00B/561.80A	621.00B/561.80A	----	595.30	- 11.40	.9985	----	----	----	----	1	UNCH							
4775	----	----	----/0.90A	0.90B/0.90A	----	0.70	- 0.30	.0071	----	----	----	----	3	UNCH							
4800	----	----	----	----/0.40A	----	0.20	- 0.10	.0015	----	----	----	----	10	UNCH							
4800	----	----	----/0.90A	0.80B/0.90A	----	0.70	- 0.30	.0068	----	----	----	----	1	UNCH							
4825	----	----	----	----/0.40A	----	0.20	- 0.10	.0015	----	----	----	----	1	UNCH							
4850	----	----	----	----/0.40A	----	0.10	- 0.10	.0007	----	----	----	----	1	UNCH							
4850	----	----	----	0.70B/0.80A	----	0.60	- 0.20	.0056	----	----	----	----	4	UNCH							
4900	----	----	----	----/0.40A	----	0.10	- 0.10	.0003	----	----	----	----	4	UNCH							
4900	----	----	----	0.60B/0.70A	----	0.50	- 0.20	.0045	----	----	----	----	7	UNCH							
4900	----	----	----	1.00B/1.50A	----	0.90	- 0.10	.0082	----	----	----	----	7	UNCH							
4925	----	----	----	----/0.40A	----	0.10	- 0.10	.0002	----	----	----	----	2	UNCH							
4950	----	----	----	----/0.30A	----	0.10	- 0.10	.0001	----	----	----	----	1	UNCH							
4975	----	----	----	----/0.30A	----	0.10	UNCH	.0001	----	----	----	----	2	UNCH							
5000	0.30	0.30	0.30/0.20A	0.30/0.20A	----	0.10	UNCH	.0000	----	----	1	----	12	UNCH							
5000	----	----	----	0.40B/0.60A	----	0.30	- 0.20	.0026	----	----	----	----	2	UNCH							
5100	----	----	----	----/0.30A	----	0.10	UNCH	.0000	----	----	----	----	13	UNCH							
5100	----	----	----	0.30B/0.60A	----	0.20	- 0.20	.0016	----	----	----	----	7	UNCH							
5200	----	----	----	----/0.30A	----	0.10	UNCH	----	----	----	----	----	2	UNCH							
5250	----	----	----	----/0.40A	----	0.10	UNCH	----	----	----	----	----	7	UNCH							
5300	----	----	----	----/0.40A	----	0.10	UNCH	----	----	----	----	----	11	UNCH							
5400	----	----	----	----/1.80A	----	0.10	UNCH	----	----	----	----	----	11	UNCH							
5500	----	----	----	----/1.50A	----	0.10	UNCH	----	----	----	----	----	8	UNCH							
5750	----	----	----	----/2.00A	----	0.10	UNCH	----	----	----	----	----	40	UNCH							
TOTAL											1165		5395+	649							
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
FMG OPT OCT26		MICRO GOLD WEEKLY FRI OPTION WEEK1																			
4000	----	----	----	----/6.50A	----	2.80	- 2.70	.0334	----	----	----	----	1	UNCH							
TOTAL													1	0							
SILVER OPTIONS ON FUTURES																					
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
RWS THU OCT26		SILVER WEEKLY THURSDAY OPTION week4																			
4750	----	----	0.018B/----	0.018B/0.114A	----	0.018	+ 0.002	.0069	----	----	----	----	1	UNCH							
5000	0.047	0.047	0.052B/0.047	0.052B/0.047	----	0.056	+ 0.009	.0207	----	----	14	----	34	+							
5000	----	----	----	0.009B/0.027A	----	0.009	- 0.004	.0037	----	----	----	----	1	UNCH							
5500	----	----	----/0.175A	0.208B/0.175A	----	0.200	- 0.036	.0800	----	----	----	----	1	UNCH							
5500	0.018	0.018	0.018/0.016A	0.018/0.016A	----	0.007	NEW	.0015	----	----	3	----	3	+							
5500	----	----	0.107B/0.073A	0.107B/0.073A	----	0.082	- 0.008	.0402	----	----	----	----	4	UNCH							
5600	----	----	0.188B/0.106A	0.188B/0.106A	----	0.129	- 0.012	.0640	----	----	----	----	4	UNCH							
5600	----	----	----/5.885A	5.932B/5.885A	----	5.605	- 0.536	.8506	----	----	----	----	1	UNCH							
5700	----	----	0.047B/0.023A	0.047B/0.023A	----	0.030	- 0.009	.0120	----	----	----	----	9	UNCH							
5700	----	----	0.307B/0.160A	0.307B/0.160A	----	0.205	- 0.016	.1014	----	----	----	----	1	UNCH							
5750	----	----	0.387B/0.199A	0.387B/0.199A	----	0.260	- 0.015	.1273	----	----	----	----	1	UNCH							
5800	----	----	0.114B/0.037A	0.114B/0.037A	----	0.055	- 0.019	.0288	----	----	----	----	1	UNCH							
5800	----	----	0.663B/0.511A	0.663B/0.511A	----	0.615	NEW	.2199	----	----	1	+	1								
5850	----	----	0.608B/0.316A	0.608B/0.316A	----	0.421	- 0.003	.1973	----	----	----	----	5	UNCH							
5900	----	----	0.977B/0.728A	0.977B/0.728A	----	0.883	+ 0.026	.2944	----	----	----	----	1	UNCH							
5900	0.119	0.119	0.254B/0.072A	0.254B/0.072A	----	0.117	NEW	.0780	----	----	2	----	2	+							
5950	----	----	0.929B/0.501A	0.929B/0.501A	----	0.671	+ 0.028	.2926	----	----	----	----	6	UNCH							
5950	0.120	0.120	0.371B/0.103A	0.371B/0.103A	----	0.176	NEW	.1284	----	----	3	----	3	+							
5970	----	----	0.429B/0.120A	0.429B/0.120A	----	0.209	NEW	.1563	----	----	3	----	3	+							
6000	0.265	0.265	0.530B/0.153A	0.530B/0.153A	----	0.269	- 0.025	.2069	----	----	13	----	10	+							
6000	----	----	1.131B/0.625A	1.131B/0.625A	----	0.837	+ 0.051	.3485	----	----	1	----	8	UNCH							
6000	----	----	1.368B/1.027A	1.368B/1.027A	----	1.241	+ 0.063	.3801	----	----	----	----	1	UNCH							
6000	----	----	1.700B/1.350A	1.700B/1.350A	----	1.572	+ 0.136	.3949	----	----	----	----	0	UNCH							
6050	0.415	0.415	0.745B/0.233A	0.745B/0.233A	----	0.406	NEW	.3162	----	----	1	----	1	+							
6100	0.780	0.780	1.008B/0.350A	1.008B/0.350A	----	0.601	+ 0.030	.4514	----	----	6	----	9	+							
6100	----	----	1.862B/1.418A	1.862B/1.418A	----	1.697	+ 0.112	.4717	----	----	----	----	4	UNCH							
6100	----	----	1.626B/0.961A	1.626B/0.961A	----	1.261	+ 0.109	.4704	----	----	----	----	3	UNCH							
6110	0.888	0.888	1.067B/0.381A	1.067B/0.381A	----	0.648	+ 0.040	.4801	----	----	2	----	1	UNCH							
6120	----	----	1.128B/0.413A	1.128B/0.413A	----	0.697	NEW	.5091	----	----	3	----	3	+							
6120	0.810	0.810	1.058B/0.643A	1.058B/0.643A	----	0.650	NEW	.4908	----	----	4	----	2	+							
6150	----	----	2.480B/2.016A	2.480B/2.016A	----	2.306	+ 0.208	.5094	----	----	----	----	1	UNCH							
6150	----	----	2.160B/1.645A	2.160B/1.645A	----	1.961	+ 0.140	.5177	----	----	----	----	4	UNCH							
6150	1.024	1.024	1.322B/0.522A	1.322B/0.522A	----	0.861	+ 0.085	.5950	----	----	2	----	3	+							
6180	----	----	1.533B/0.653A	1.533B/0.653A	----	1.048	+ 0.126	.6759	----	----	----	----	45	UNCH							
6190	----	----	1.607B/0.703A	1.607B/0.703A	----	1.116	+ 0.141	.7009	----	----	----	----	1	UNCH							
6200	0.432	0.432	0.602B/0.322A	0.602B/0.322A	----	0.338	- 0.410	.2748	----	----	13	----	11	+							
6200	----	----	2.210B/1.426A	2.210B/1.426A	----	1.812	+ 0.177														



BULLETIN #187@										METALS OPTION PRODUCTS										Tue, Sep 29, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST										
RWS THU	SILVER WEEKLY THURSDAY OPTION week1																					
OCT26																						
6550	----	----	----/0.025A	0.0478/0.025A	----	0.021 - 0.062	.0085	----	----	----	----	16	UNCH									
6550	----	----	4.8498/3.668A	4.8498/3.668A	----	4.367 + 0.503	.9914	----	----	----	----	12	UNCH									
6560	----	----	----/0.027A	0.0448/0.027A	----	0.020 - 0.059	.0079	----	----	----	----	2	UNCH									
6570	----	----	----/0.028A	0.0418/0.028A	----	0.019 - 0.056	.0073	----	----	----	----	5	UNCH									
6580	----	----	----/0.027A	0.0398/0.027A	----	0.018 - 0.053	.0067	----	----	----	----	10	UNCH									
6600	----	----	5.3418/4.157A	5.3418/4.157A	----	4.862 + 0.517	.9943	----	----	----	----	10	UNCH									
6600	----	----	----/0.025A	0.0348/0.025A	----	0.016 - 0.048	.0056	----	----	----	----	4	UNCH									
6600	----	----	5.5088/4.424A	5.5088/4.424A	----	5.039 + 0.445	.9015	----	----	----	----	1	UNCH									
6630	----	----	----/0.025A	0.0288/0.025A	----	0.014 - 0.042	.0046	----	----	----	----	2	UNCH									
6650	----	----	5.7398/5.165A	5.7398/5.165A	----	5.721 + 0.417	.8523	----	----	----	----	13	UNCH									
6690	0.027	0.027	0.027/0.021A	0.027/0.021A	----	0.011 - 0.032	.0031	----	----	6	----	7 +	6									
6700	----	----	----/0.148A	0.1858/0.148A	----	0.140 - 0.085	.0697	----	----	----	----	1	UNCH									
6700	0.013	0.013	0.013/0.013	0.0178/0.013	----	0.010 - 0.031	.0027	----	----	3	----	11 -	1									
6700	----	----	6.4428/5.337A	6.4428/5.337A	----	5.982 + 0.479	.9302	----	----	----	----	1	UNCH									
6750	----	----	----/0.015A	0.0148/0.015A	----	0.008 - 0.026	.0019	----	----	----	----	3	UNCH									
6800	----	----	----/0.015A	0.0068/0.015A	----	0.006 - 0.022	.0012	----	----	----	----	22	UNCH									
6800	----	----	----/0.113A	0.1308/0.113A	----	0.104 - 0.063	.0506	----	----	----	----	1	UNCH									
6800	----	----	----/0.273A	0.3078/0.273A	----	0.258	NEW .1014	----	----	3	----	3 +	3									
6800	----	----	7.2158/6.202A	7.2158/6.202A	----	6.852 + 0.544	.9987	----	----	----	----	5	UNCH									
6850	----	----	7.7168/6.700A	7.7168/6.700A	----	7.350 + 0.548	.9992	----	----	----	----	1	UNCH									
6850	----	----	----/0.015A	0.0048/0.015A	----	0.004 - 0.018	.0007	----	----	----	----	4	UNCH									
6900	----	----	----/0.015A	0.0028/0.015A	----	0.003 - 0.014	.0004	----	----	----	----	19	UNCH									
6950	----	----	----	0.0018/0.014A	----	0.002 - 0.011	.0002	----	----	----	----	10	UNCH									
6980	----	----	----	----/0.015A	----	0.002 - 0.009	.0002	----	----	----	----	1	UNCH									
6990	----	----	----	----/0.015A	----	0.002 - 0.009	.0002	----	----	----	----	1	UNCH									
7000	----	----	----	----/0.014A	----	0.002 - 0.008	.0002	----	----	----	----	3	UNCH									
7000	----	----	----/0.308A	0.3108/0.308A	----	0.281 - 0.087	.0947	----	----	----	----	3	UNCH									
7050	----	----	----	----/0.015A	----	0.001 - 0.007	.0000	----	----	----	----	103	UNCH									
7100	----	----	----/0.149A	0.1408/0.149A	----	0.135 - 0.059	.0522	----	----	----	----	2	UNCH									
7100	----	----	10.2158/9.195A	10.2158/9.195A	----	9.847 + 0.560	.9999	----	----	----	----	1	UNCH									
7200	----	----	----/0.222A	0.2048/0.222A	----	0.195 - 0.057	.0657	----	----	----	----	3	UNCH									
7200	----	----	----	----/0.020A	----	0.001 - 0.004	----	----	----	----	----	1	UNCH									
7200	----	----	----/0.127A	0.1118/0.127A	----	0.113 - 0.048	.0430	----	----	----	----	1	UNCH									
7250	----	----	----/0.119A	0.0998/0.119A	----	0.104 - 0.043	.0393	----	----	----	----	8	UNCH									
7350	----	----	----/0.102A	0.0828/0.102A	----	0.089 - 0.036	.0330	----	----	----	----	0	UNCH									
7400	----	----	----/0.096A	0.0748/0.096A	----	0.083 - 0.032	.0305	----	----	----	----	0	UNCH									
7500	----	----	----	----/0.100A	----	0.001 - 0.001	----	----	----	----	----	1	UNCH									
7500	----	----	----/0.083A	0.0628/0.083A	----	0.071 - 0.029	.0257	----	----	----	----	3	UNCH									
7600	----	----	----/0.128A	0.1008/0.128A	----	0.113 - 0.025	.0365	----	----	----	----	0	UNCH									
7700	----	----	----	0.0208/0.037A	----	0.024 - 0.011	.0083	----	----	----	----	2	UNCH									
8000	----	----	----	0.0258/0.057A	----	0.039 - 0.018	.0128	----	----	----	----	1	UNCH									
8100	----	----	----	0.0118/0.027A	----	0.015 - 0.007	.0046	----	----	----	----	1	UNCH									
8250	----	----	----/0.047A	0.0168/0.047A	----	0.033 - 0.015	.0103	----	----	----	----	1	UNCH									
TOTAL										162	0	895 +	126									
SMW MON	SILVER WEEKLY MONDAY OPTION WEEK4																					
SEP26																						
6000	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH									
6040	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH									
6060	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH									
6070	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH									
6080	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH									
6100	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH									
6110	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH									
6120	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH									
6130	----	----	----	----	----	0.418	UNCH	----	----	----	----	0	UNCH									
6130	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH									
6140	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH									
6150	----	----	----	----	----	0.218	UNCH	----	----	----	----	0	UNCH									
6150	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH									
6160	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH									
6160	----	----	----	----	----	0.118	UNCH	----	----	----	----	0	UNCH									
6170	----	----	----	----	----	0.018	UNCH	----	----	----	----	0	UNCH									
6180	----	----	----	----	----	0.082	UNCH	----	----	----	----	0	UNCH									
6190	----	----	----	----	----	0.182	UNCH	----	----	----	----	0	UNCH									
6200	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH									
6200	----	----	----	----	----	0.282	UNCH	----	----	----	----	0	UNCH									
6210	----	----	----	----	----	0.382	UNCH	----	----	----	----	0	UNCH									
6210	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH									
6220	----	----	----	----	----	0.482	UNCH	----	----	----	----	0	UNCH									
6220	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH									
6240	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH									
6240	----	----	----	----	----	0.682	UNCH	----	----	----	----	0	UNCH									
6250	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH									
6250	----	----	----	----	----	0.782	UNCH	----	----	----	----	0	UNCH									
6260	----	----	----	----	----	0.882	UNCH	----	----	----	----	0	UNCH									
6260	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH									
6270	----	----	----	----	----	0.982	UNCH	----	----	----	----	0	UNCH									
6280	----	----	----	----	----	1.082	UNCH	----	----	----	----	0	UNCH									
6280	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH									
6300	----	----	----	----	----	1.282	UNCH	----	----	----	----	0	UNCH									
6300	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH									
6320	----	----	----	----	----	1.482	UNCH	----	----	----	----	0	UNCH									
6340	----	----	----	----	----	1.682	UNCH	----	----	----	----	0	UNCH									
6350	----	----	----	----	----	1.782	UNCH	----	----	----	----	0	UNCH									
6370	----	----	----	----	----	1.982	UNCH	----	----	----	----	0	UNCH									
6400	----	----	----	----	----	2.282	UNCH	----	----	----	----	0	UNCH									
6410	----	----	----	----	----	2.382	UNCH	----	----	----	----	0	UNCH									
6430	----	----	----	----	----	2.582	UNCH	----	----	----	----	0	UNCH									
6440	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH									
6440	----	----	----	----	----	2.682	UNCH	----	----	----	----	0	UNCH									
6450	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH									
6450	----	----	----	----	----	2.782	UNCH	----	----	----	----	0	UNCH									
6490	----	----	----	----	----	0.000	UNCH	----	----	----	----</											

BULLETIN #187@				METALS OPTION PRODUCTS								Tue, Sep 29, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH	OUTCRY LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SMW MON	SILVER WEEKLY MONDAY OPTION WEEK1																
OCT26																	
6950	----	----	----	----/0.041A	0.032B	/0.041A	----	----	0.029 -	0.027	.0139	----	----	----	5	UNCH	
7150	----	----	----	----/0.034A	0.013B	/0.034A	----	----	0.019 -	0.019	.0080	----	----	----	0	UNCH	
7600	----	----	----	----	0.003B	/0.018A	----	----	0.008 -	0.008	.0027	----	----	----	11	UNCH	
TOTAL													41	0	258 +	11	
SO CALL	COMEX SILVER OPTIONS																
NOV26																	
3500	----	----	----	26.723B/25.780A	26.723B	/25.780A	----	----	26.153 -	0.565	.9986	----	----	----	0	UNCH	
5000	----	----	----	11.878B/10.807A	11.878B	/10.807A	----	----	11.225 -	0.567	.9691	----	1	----	13 -	1	
5500	----	----	----	7.189B/6.247A	7.189B	/6.247A	----	----	6.553 -	0.557	.8729	----	----	----	3	UNCH	
5575	----	----	----	6.530B/5.635A	6.530B	/5.635A	----	----	5.914 -	0.551	.8443	----	----	----	1	UNCH	
5850	----	----	----	4.340B/3.662A	4.340B	/3.662A	----	----	3.827 -	0.503	.6992	----	----	----	4	UNCH	
5900	----	----	----	----/3.364A	3.987B	/3.364A	----	----	3.503 -	0.488	.6668	----	----	----	1	UNCH	
5975	----	----	----	----/2.923A	3.500B	/2.923A	----	----	3.050 -	0.462	.6162	----	----	----	1	UNCH	
6000	3.050	3.050		3.344B/2.792A	3.344B	/2.792A	----	----	2.907 -	0.455	.5990	5	----	----	31 -	2	
6050	2.710	2.710		3.049B/2.541A	3.049B	/2.541A	----	----	2.641 -	0.433	.5642	8	----	----	7 +	5	
6075	2.414	2.414		2.907B/2.414	2.907B	/2.414	----	----	2.515 -	0.422	.5467	2	----	----	8 +	2	
6100	2.299	2.299		2.786B/2.299	2.786B	/2.299	----	----	2.388 -	0.416	.5292	32	----	----	55 +	27	
6125	2.418	2.418		2.653B/2.192	2.653B	/2.192	----	----	2.266 -	0.410	.5117	26	----	----	25 +	18	
6150	2.320	2.320		2.528B/2.086	2.528B	/2.086	----	----	2.157 -	0.395	.4944	17	----	----	11 +	3	
6175	2.160	2.160		2.407B/1.984	2.407B	/1.984	----	----	2.049 -	0.383	.4772	6	----	----	24 +	5	
6200	2.000	2.000		2.290B/1.891A	2.290B	/1.891A	----	----	1.949 -	0.368	.4603	32	----	----	56 +	11	
6225	1.997	1.997		2.179B/1.800A	2.179B	/1.800A	----	----	1.850 -	0.357	.4436	1	----	----	2	UNCH	
6250	1.883	1.883		2.072B/1.709A	2.072B	/1.709A	----	----	1.754 -	0.347	.4270	5	----	----	17 +	4	
6275	----	----	----	-----/1.625A	1.969B	/1.625A	----	----	1.662 -	0.338	.4107	----	----	----	5	UNCH	
6300	1.706	1.706		1.870B/1.543A	1.870B	/1.543A	----	----	1.575 -	0.328	.3947	22	----	----	58 +	12	
6325	1.503	1.503		1.776B/1.465A	1.776B	/1.465A	----	----	1.492 -	0.318	.3791	15	----	----	13 +	5	
6350	1.522	1.522		1.686B/1.387A	1.686B	/1.387A	----	----	1.414 -	0.307	.3638	3	----	----	52	UNCH	
6375	1.405	1.405		1.599B/1.315A	1.599B	/1.315A	----	----	1.340 -	0.295	.3490	7	----	----	26 +	4	
6400	1.283	1.283		1.519B/1.246A	1.519B	/1.246A	----	----	1.270 -	0.283	.3346	8	----	----	68 +	4	
6425	----	----	----	-----/1.181A	1.440B	/1.181A	----	----	1.204 -	0.271	.3207	1	----	----	21 +	1	
6450	----	----	----	-----/1.117A	1.366B	/1.117A	----	----	1.141 -	0.260	.3072	----	----	----	75	UNCH	
6475	1.091	1.091		1.296B/1.059A	1.296B	/1.059A	----	----	1.081 -	0.250	.2940	1	----	----	18	UNCH	
6500	1.120	1.120		1.229B/1.000	1.229B	/1.000	----	----	1.023 -	0.242	.2812	86	----	----	344 +	25	
6525	1.018	1.018		1.165B/0.951A	1.165B	/0.951A	----	----	0.969 -	0.233	.2689	11	----	----	13 +	3	
6550	0.999	0.999		1.104B/0.900A	1.104B	/0.900A	----	----	0.917 -	0.225	.2570	9	----	----	55 +	4	
6575	0.887	0.887		1.047B/0.855A	1.047B	/0.855A	----	----	0.868 -	0.217	.2455	1	----	----	93	UNCH	
6600	0.860	0.860		0.994B/0.810A	0.994B	/0.810A	----	----	0.822 -	0.208	.2345	28	40	----	177 +	21	
6625	0.830	0.830		0.943B/0.768A	0.943B	/0.768A	----	----	0.779 -	0.198	.2240	2	----	----	9 +	2	
6650	0.783	0.783		0.894B/0.728A	0.894B	/0.728A	----	----	0.738 -	0.189	.2139	5	----	----	38	UNCH	
6675	----	----	----	-----/0.692A	0.849B	/0.692A	----	----	0.700 -	0.180	.2043	----	----	----	42	UNCH	
6700	0.744	0.744		0.806B/0.656A	0.806B	/0.656A	----	----	0.664 -	0.171	.1950	14	----	----	121 +	8	
6725	----	----	----	-----/0.623A	0.765B	/0.623A	----	----	0.631 -	0.163	.1864	----	----	----	43	UNCH	
6750	----	----	----	-----/0.592A	0.726B	/0.592A	----	----	0.599 -	0.156	.1780	3	----	----	41	UNCH	
6775	----	----	----	-----/0.562A	0.689B	/0.562A	----	----	0.569 -	0.149	.1699	3	----	----	42 +	3	
6800	0.572	0.572		0.656B/0.535A	0.656B	/0.535A	----	----	0.541 -	0.143	.1624	4	----	----	343	UNCH	
6825	----	----	----	-----/0.508A	0.622B	/0.508A	----	----	0.514 -	0.137	.1550	----	----	----	9	UNCH	
6850	----	----	----	-----/0.485A	0.592B	/0.485A	----	----	0.489 -	0.130	.1481	----	----	----	51	UNCH	
6875	----	----	----	-----/0.462A	0.563B	/0.462A	----	----	0.465 -	0.124	.1414	----	----	----	132	UNCH	
6900	0.475	0.475		0.536B/0.439A	0.536B	/0.439A	----	----	0.443 -	0.118	.1352	14	----	----	88 +	11	
6925	----	----	----	-----/0.420A	0.510B	/0.420A	----	----	0.422 -	0.112	.1292	----	----	----	19	UNCH	
6950	----	----	----	-----/0.401A	0.484B	/0.401A	----	----	0.403 -	0.107	.1237	----	----	----	40	UNCH	
6975	----	----	----	-----/0.383A	0.462B	/0.383A	----	----	0.385 -	0.101	.1184	5	----	----	23 +	5	
7000	0.404	0.404		0.440B/0.365A	0.440B	/0.365A	----	----	0.367 -	0.097	.1132	48	----	----	523 +	19	
7025	----	----	----	-----/0.350A	0.420B	/0.350A	----	----	0.350 -	0.093	.1083	----	----	----	12	UNCH	
7050	0.379	0.379		0.400B/0.335A	0.400B	/0.335A	----	----	0.334 -	0.089	.1036	7	----	----	44 +	4	
7075	0.325	0.325		0.382B/0.324A	0.382B	/0.324A	----	----	0.319 -	0.086	.0991	5	----	----	26 +	5	
7100	0.340	0.340		0.364B/0.309A	0.364B	/0.309A	----	----	0.306 -	0.081	.0951	14	----	----	350 +	4	
7125	----	----	----	-----/0.297A	0.348B	/0.297A	----	----	0.293 -	0.078	.0912	----	----	----	7	UNCH	
7150	----	----	----	-----/0.285A	0.332B	/0.285A	----	----	0.280 -	0.075	.0873	----	----	----	28	UNCH	
7175	----	----	----	-----/0.273A	0.318B	/0.273A	----	----	0.269 -	0.070	.0839	----	----	----	40	UNCH	
7200	0.275	0.275		0.305/0.256	0.305/0.256		----	----	0.259 -	0.064	.0807	15	----	----	122 +	5	
7225	----	----	----	-----/0.251A	0.288B	/0.251A	----	----	0.249 -	0.060	.0776	----	----	----	43	UNCH	
7250	----	----	----	-----/0.241A	0.274B	/0.241A	----	----	0.239 -	0.058	.0745	----	----	----	23	UNCH	
7275	----	----	----	-----/0.232A	0.262B	/0.232A	----	----	0.230 -	0.057	.0716	5	----	----	34 +	5	
7300	0.255	0.255		0.255/0.222A	0.255/0.222A		----	----	0.221 -	0.056	.0688	5	----	----	262 -	3	
7325	0.234	0.234		0.234/0.215A	0.238B	/0.215A	----	----	0.213 -	0.053	.0663	2	----	----	11 +	2	
7350																	

BULLETIN #187@				METALS OPTION PRODUCTS							Tue, Sep 29, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SO CALL	COMEX SILVER OPTIONS														
NOV26															
9550	----	----	----/0.030A	0.021B/0.030A	----	0.025 -	0.007	.0065	----	----	----	3	UNCH		
9575	0.021	0.021	0.021/0.021	0.021/0.021	----	0.025	NEW	.0065	----	24	----	24 +	24		
9600	----	----	----/0.029A	0.020B/0.029A	----	0.024 -	0.007	.0062	----	----	----	1	UNCH		
9625	----	----	----/0.029A	0.020B/0.029A	----	0.024 -	0.007	.0062	----	----	----	9	UNCH		
9700	----	----	----/0.027A	0.019B/0.027A	----	0.022 -	0.007	.0057	----	----	----	1	UNCH		
9775	----	----	----	0.017B/0.029A	----	0.021 -	0.007	.0054	----	----	----	1	UNCH		
9800	----	----	----/0.026A	0.017B/0.026A	----	0.021 -	0.007	.0053	----	----	----	6	UNCH		
9850	----	----	----	0.016B/0.028A	----	0.020 -	0.007	.0051	----	----	----	1	UNCH		
9900	----	----	----	0.015B/0.027A	----	0.019 -	0.007	.0048	----	----	----	10	UNCH		
9950	----	----	----	0.015B/0.025A	----	0.019 -	0.006	.0048	----	----	----	1	UNCH		
10000	0.015	0.015	0.015/0.015	0.015/0.015	----	0.018 -	0.006	.0045	----	2	----	255	UNCH		
10100	----	----	----	0.013B/0.024A	----	0.017 -	0.006	.0042	----	----	----	5	UNCH		
10200	----	----	----/0.021A	0.012B/0.021A	----	0.016 -	0.006	.0040	----	----	----	8	UNCH		
10300	----	----	----	0.010B/0.022A	----	0.015 -	0.006	.0037	----	1	----	4	UNCH		
10400	----	----	----	0.010B/0.020A	----	0.014 -	0.006	.0034	----	----	----	5	UNCH		
10500	----	----	----	0.009B/0.021A	----	0.014 -	0.005	.0034	----	----	----	205	UNCH		
10550	----	----	----/0.020A	----/0.020A	----	0.014 -	0.005	.0034	----	----	----	1	UNCH		
10950	----	----	----/0.018A	----/0.018A	----	0.012 -	0.005	.0028	----	----	----	5	UNCH		
11000	----	----	----/0.020A	----/0.020A	----	0.012 -	0.005	.0028	----	----	----	306	UNCH		
11100	----	----	----/0.025A	----/0.025A	----	0.012 -	0.004	.0027	----	----	----	2	UNCH		
11150	----	----	----	----/0.113A	----	0.011 -	0.005	.0025	----	----	----	1	UNCH		
11500	----	----	----	----/0.112A	----	0.011 -	0.004	.0024	----	----	----	1	UNCH		
11600	----	----	----	----/0.111A	----	0.011 -	0.004	.0024	----	----	----	1	UNCH		
11700	----	----	----	----/0.111A	----	0.010 -	0.005	.0022	----	----	----	27	UNCH		
11725	----	----	----	----/0.111A	----	0.010 -	0.005	.0022	----	----	----	2	UNCH		
11750	----	----	----	----/0.111A	----	0.010 -	0.005	.0022	----	----	----	2	UNCH		
11825	----	----	----	----/0.110A	----	0.010 -	0.005	.0021	----	----	----	2	UNCH		
12000	----	----	----	----/0.110A	----	0.010 -	0.004	.0021	----	----	----	73	UNCH		
12125	----	----	----	----/0.109A	----	0.010 -	0.004	.0021	----	----	----	20	UNCH		
12500	----	----	----	----/0.108A	----	0.009 -	0.004	.0018	----	----	----	11	UNCH		
13000	----	----	----	----/0.107A	----	0.008 -	0.004	.0016	----	----	----	9	UNCH		
14000	----	----	----	----/0.105A	----	0.007 -	0.003	.0013	----	----	----	7	UNCH		
15000	----	----	----	----/0.013A	----	0.006 -	0.002	.0010	----	----	----	20	UNCH		
16000	----	----	----	----/0.103A	----	0.004 -	0.002	.0007	----	----	----	14	UNCH		
17000	----	----	----	----/0.099A	----	0.003 -	0.002	.0005	----	----	----	14	UNCH		
18000	----	----	----	----/0.102A	----	0.002 -	0.002	.0003	----	----	----	10	UNCH		
19000	----	----	----	----/0.102A	----	0.002 -	0.001	.0003	----	----	----	1	UNCH		
20000	----	----	----	----/0.102A	----	0.001 -	0.001	.0001	----	----	----	35	UNCH		
21000	----	----	----	----/0.102A	----	0.001	UNCH	.0000	----	----	----	1	UNCH		
25000	----	----	----	----/0.102A	----	0.001	UNCH	.0000	----	----	----	60	UNCH		
30000	----	----	----	----/0.003A	----	0.001	UNCH	----	----	----	----	15	UNCH		
TOTAL										988	40	11213 +	477		
DEC26															
3875	----	----	23.094B/21.979A	23.094B/21.979A	----	22.405 -	0.566	.9908	----	----	----	1	UNCH		
5000	----	----	12.120B/11.092A	12.120B/11.092A	----	11.448 -	0.569	.9237	----	----	----	35	UNCH		
5250	----	----	9.853B/8.927A	9.853B/8.927A	----	9.217 -	0.565	.8731	----	----	----	50	UNCH		
5500	----	----	7.756B/6.955A	7.756B/6.955A	----	7.172 -	0.554	.7977	----	----	----	1	UNCH		
5550	----	----	7.364B/6.590A	7.364B/6.590A	----	6.791 -	0.552	.7797	----	----	----	4	UNCH		
5600	----	----	6.984B/6.241A	6.984B/6.241A	----	6.423 -	0.548	.7605	----	----	----	1	UNCH		
5700	----	----	----/5.575A	6.252B/5.575A	----	5.730 -	0.529	.7192	----	----	----	1	UNCH		
5800	----	----	----/4.950A	5.574B/4.950A	----	5.087 -	0.507	.6750	----	----	----	102	UNCH		
5825	----	----	----/4.806A	5.413B/4.806A	----	4.935 -	0.501	.6637	----	----	----	1	UNCH		
5900	----	----	----/4.381A	4.949B/4.381A	----	4.498 -	0.481	.6290	----	----	----	2	UNCH		
5950	----	----	----/4.116A	4.655B/4.116A	----	4.223 -	0.468	.6055	----	----	----	1	UNCH		
6000	4.330	4.330	4.380B/3.864A	4.380B/3.864A	----	3.961 -	0.455	.5819	----	5	----	67	UNCH		
6050	3.878	3.878	4.121B/3.627A	4.121B/3.627A	----	3.712 -	0.443	.5582	----	1	----	2 +	1		
6100	3.500	3.500	3.896B/3.402A	3.896B/3.402A	----	3.476 -	0.430	.5347	----	5	----	8 +	3		
6125	----	----	----/3.294A	3.750B/3.294A	----	3.363 -	0.423	.5230	----	4	----	8 +	2		
6150	3.398	3.398	3.631B/3.188A	3.631B/3.188A	----	3.253 -	0.416	.5113	----	2	----	46 +	1		
6175	3.309	3.309	3.516B/3.086A	3.516B/3.086A	----	3.146 -	0.410	.4997	----	2	----	5 +	2		
6200	3.202	3.202	3.405B/2.987A	3.405B/2.987A	----	3.043 -	0.403	.4883	----	13	----	13 +	8		
6225	2.962	2.962	3.296B/2.893A	3.296B/2.893A	----	2.942 -	0.397	.4769	----	1	----	4 +	1		
6250	----	----	----/2.800A	3.190B/2.800A	----	2.845 -	0.389	.4657	----	----	----	11	UNCH		
6275	2.888	2.888	3.089B/2.707A	3.089B/2.707A	----	2.750 -	0.383	.4545	----	1	----	4 +	1		
6300	2.694	2.694	2.990B/2.620A	2.990B/2.620A	----	2.659 -	0.376	.4436	----	4	----	173 +	1		
6325	----	----	----/2.535A	2.893B/2.535A	----	2.571 -	0.368	.4327	----	----	----	7	UNCH		
6350	----	----	----/2.452A	2.801B/2.452A	----	2.485 -	0.362	.4220	----	----	----	83	UNCH		
6375	----	----	----/2.373A	2.709B/2.373A	----	2.402 -	0.355	.4115	----	----	----	10	UNCH		
6400	----	----	----/2.297A	2.621B/2.297A	----	2.322 -	0.348	.4011	----	----	----	235	UNCH		
6425	----	----	----/2.222A	2.536B/2.222A	----	2.245 -	0.341	.3909	----	5	----	8 +	5		
6450	----	----	----/2.148A	2.454B/2.148A	----	2.170 -	0.334	.3809	----	----	----	118	UNCH		
6475	----	----	----/2.078A	2.373B/2.078A	----	2.098 -	0.327	.3711	----	----	----	4	UNCH		
6500	2.090	2.090	2.296B/2.010A	2.296B/2.010A	----	2.029 -	0.319	.3615	----	26	----	1108 +	21		
6525	2.028	2.028	2.223B/1.943A	2.223B/1.943A	----	1.962 -	0.311	.3521	----	1	----	4 +	1		
6550	1.993	1.993	2.151B/1.882A	2.151B/1.882A	----	1.897 -	0.305	.3428	----	4	----	4 +	2		
6575	----	----	----/1.818A	2.080B/1.818A	----	1.835 -	0.297	.3338	----	----	----	2	UNCH		
6600	1.820	1.820	2.013B/1.758A	2.013B/1.758A	----	1.775 -	0.290	.3250	----	5	----	41	UNCH		
6625	----	----	----/1.701A	1.948B/1.701A	----	1.717 -	0.282	.3163	----	----	----	36	UNCH		
6650	1.693	1.693	1.883B/1.646A	1.883B/1.646A	----	1.661 -	0.275	.3079	----	30	----	33 +	28		
6675															



BULLETIN #187@				METALS OPTION PRODUCTS							Tue, Sep 29, 2026			PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL															
COMEX SILVER OPTIONS															
DEC26															
8175	----	----	----	/0.306A	0.327B/0.306A	----	----	0.306 -	0.047	.0650	----	----	----	1	UNCH
8200	----	----	----	/0.299A	0.324B/0.299A	----	----	0.299 -	0.046	.0635	----	----	----	609	UNCH
8225	----	----	----	/0.293A	0.318B/0.293A	----	----	0.293 -	0.045	.0622	----	----	----	20	UNCH
8250	----	----	----	/0.287A	0.310B/0.287A	----	----	0.287 -	0.043	.0609	----	----	----	2	UNCH
8275	----	----	----	/0.281A	0.304B/0.281A	----	----	0.281 -	0.042	.0596	----	----	----	5	UNCH
8300	----	----	----	/0.276A	0.297B/0.276A	----	----	0.275 -	0.041	.0584	----	----	----	55	UNCH
8325	----	----	----	/0.270A	0.291B/0.270A	----	----	0.270 -	0.039	.0573	----	----	----	7	UNCH
8375	----	----	----	/0.260A	0.277B/0.260A	----	----	0.259 -	0.038	.0549	----	----	----	7	UNCH
8400	----	----	----	/0.255A	0.271B/0.255A	----	----	0.254 -	0.037	.0538	----	----	----	54	UNCH
8425	----	----	----	/0.250A	0.266B/0.250A	----	----	0.249 -	0.036	.0527	----	----	----	9	UNCH
8450	----	----	----	/0.245A	0.260B/0.245A	----	----	0.244 -	0.035	.0517	----	----	----	5	UNCH
8475	----	----	----	/0.240A	0.255B/0.240A	----	----	0.239 -	0.034	.0506	----	----	----	5	UNCH
8500	0.250	0.250		0.250/0.231	0.250/0.231	----	----	0.234 -	0.034	.0496	----	30	----	2012 +	8
8525	----	----	----	/0.231A	0.244B/0.231A	----	----	0.230 -	0.033	.0487	----	----	----	1	UNCH
8550	----	----	----	/0.227A	0.239B/0.227A	----	----	0.226 -	0.031	.0478	----	----	----	29	UNCH
8575	----	----	----	/0.223A	0.234B/0.223A	----	----	0.222 -	0.030	.0469	----	----	----	3	UNCH
8600	----	----	----	/0.219A	0.229B/0.219A	----	----	0.218 -	0.030	.0460	----	----	----	244	UNCH
8625	----	----	----	/0.215A	0.224B/0.215A	----	----	0.214 -	0.029	.0451	----	----	----	2	UNCH
8675	----	----	----	/0.207A	0.215B/0.207A	----	----	0.206 -	0.028	.0434	----	----	----	4	UNCH
8700	----	----	----	/0.204A	0.211B/0.204A	----	----	0.202 -	0.027	.0426	----	----	----	30	UNCH
8725	----	----	----	/0.200A	0.207B/0.200A	----	----	0.199 -	0.026	.0419	----	----	----	5	UNCH
8750	----	----	----	/0.197A	0.203B/0.197A	----	----	0.195 -	0.026	.0410	----	----	----	1	UNCH
8775	----	----	----	/0.194A	0.199B/0.194A	----	----	0.192 -	0.025	.0404	----	----	----	51	UNCH
8800	----	----	----	/0.190A	0.195B/0.190A	----	----	0.188 -	0.026	.0395	----	----	----	324	UNCH
8850	----	----	----	/0.184A	0.188B/0.184A	----	----	0.181 -	0.025	.0380	----	----	----	2	UNCH
8900	----	----	----	/0.178A	0.181B/0.178A	----	----	0.175 -	0.025	.0367	----	----	----	79	UNCH
8925	----	----	----	/0.175A	0.178B/0.175A	----	----	0.171 -	0.026	.0359	----	----	----	10	UNCH
8950	----	----	----	/0.173A	0.174B/0.173A	----	----	0.168 -	0.025	.0353	----	----	----	12	UNCH
8975	----	----	----	/0.170A	0.171B/0.170A	----	----	0.165 -	0.025	.0346	----	----	----	15	UNCH
9000	0.166	0.166		0.170/0.166	0.170/0.166	----	----	0.162 -	0.026	.0340	----	22	----	2137 -	1
9025	----	----	----	/0.164A	0.165B/0.164A	----	----	0.159 -	0.026	.0333	----	----	----	6	UNCH
9050	----	----	----	/0.162A	0.162B/0.162A	----	----	0.156 -	0.026	.0327	----	----	----	235	UNCH
9075	----	----	----	/0.159A	0.159B/0.159A	----	----	0.154 -	0.025	.0322	----	----	----	7	UNCH
9100	----	----	----	/0.157A	0.157B/0.157A	----	----	0.151 -	0.025	.0316	----	----	----	21	UNCH
9125	----	----	----	/0.154A	0.154B/0.154A	----	----	0.149 -	0.024	.0311	----	----	----	1	UNCH
9150	----	----	----	/0.152A	0.151B/0.152A	----	----	0.146 -	0.025	.0305	----	----	----	8	UNCH
9200	----	----	----	/0.147A	0.147B/0.147A	----	----	0.142 -	0.023	.0296	----	----	----	5	UNCH
9225	----	----	----	/0.145A	0.145B/0.145A	----	----	0.140 -	0.023	.0292	----	----	----	16	UNCH
9250	----	----	----	/0.143A	0.142B/0.143A	----	----	0.138 -	0.022	.0287	----	----	----	20	UNCH
9275	----	----	----	/0.141A	0.140B/0.141A	----	----	0.136 -	0.022	.0283	----	----	----	25	UNCH
9300	----	----	----	/0.139A	0.138B/0.139A	----	----	0.134 -	0.022	.0278	----	----	----	185	UNCH
9350	----	----	----	/0.135A	0.134B/0.135A	----	----	0.130 -	0.021	.0269	----	----	----	6	UNCH
9375	----	----	----	/0.133A	0.132B/0.133A	----	----	0.128 -	0.021	.0265	----	----	----	5	UNCH
9400	----	----	----	/0.131A	0.130B/0.131A	----	----	0.126 -	0.020	.0261	----	----	----	63	UNCH
9425	----	----	----	/0.129A	0.128B/0.129A	----	----	0.125 -	0.019	.0258	----	----	----	10	UNCH
9450	----	----	----	/0.127A	0.126B/0.127A	----	----	0.123 -	0.019	.0254	----	----	----	10	UNCH
9475	0.123	0.123		0.123/0.123	0.124B/0.123	----	----	0.121 -	NEW	.0250	----	1	----	1 +	1
9500	0.120	0.120		0.124/0.115	0.124/0.115	----	----	0.120 -	0.018	.0247	----	44	----	1359 +	44
9525	----	----	----	/0.123A	0.120B/0.123A	----	----	0.118 -	0.018	.0243	----	----	----	60	UNCH
9550	----	----	----	/0.121A	0.119B/0.121A	----	----	0.116 -	0.018	.0239	----	----	----	8	UNCH
9600	----	----	----	/0.118A	0.115B/0.118A	----	----	0.113 -	0.018	.0232	----	----	----	53	UNCH
9625	----	----	----	/0.116A	0.114B/0.116A	----	----	0.112 -	0.017	.0229	----	----	----	18	UNCH
9700	----	----	----	/0.112A	0.109B/0.112A	----	----	0.107 -	0.017	.0219	----	----	----	54	UNCH
9750	----	----	----	/0.109A	0.106B/0.109A	----	----	0.104 -	0.016	.0212	----	----	----	10	UNCH
9800	0.114	0.114		0.114/0.106A	0.114/0.106A	----	----	0.101 -	0.016	.0206	----	5	----	63 +	5
9825	----	----	----	/0.105A	0.102B/0.105A	----	----	0.100 -	0.016	.0203	----	----	----	18	UNCH
9875	----	----	----	/0.102A	0.099B/0.102A	----	----	0.097 -	0.016	.0197	----	----	----	1	UNCH
9900	0.090	0.090		0.090/0.090	0.094B/0.090	----	----	0.096 -	0.015	.0195	----	3	----	58	UNCH
9950	----	----	----	/0.099A	0.092B/0.099A	----	----	0.093 -	0.016	.0189	----	----	----	2	UNCH
10000	0.095	0.095		0.095/0.087	0.100B/0.087	----	----	0.091 -	0.015	.0184	----	2	----	1871 +	1
10025	----	----	----	/0.095A	0.088B/0.095A	----	----	0.090 -	0.014	.0182	----	----	----	3	UNCH
10050	----	----	----	/0.094A	0.087B/0.094A	----	----	0.089 -	0.014	.0180	----	----	----	11	UNCH
10100	----	----	----	/0.092A	0.084B/0.092A	----	----	0.086 -	0.014	.0173	----	----	----	9	UNCH
10125	----	----	----	/0.090A	0.083B/0.090A	----	----	0.085 -	0.014	.0171	----	----	----	2	UNCH
10150	----	----	----	/0.089A	0.082B/0.089A	----	----	0.084 -	0.014	.0169	----	----	----	1	UNCH
10175	----	----	----	/0.088A	0.081B/0.088A	----	----	0.083 -	0.014	.0167	----	----	----	4	UNCH
10200	----	----	----	/0.087A	0.080B/0.087A	----	----	0.082 -	0.013	.0165	----	----	----	12	UNCH
10250	----	----	----	/0.085A	0.078B/0.085A	----	----	0.080 -	0.013	.0160	----	----	----	2	UNCH
10300	----	----	----	/0.084A	0.076B/0.084A	----	----	0.078 -	0.013	.0156	----	----	----	12	UNCH
10350	----	----	----	/0.082A	0.073B/0.082A	----	----	0.076 -							

BULLETIN #187@				METALS OPTION PRODUCTS								Tue, Sep 29, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST			
SO CALL	COMEX SILVER OPTIONS																
JAN27																	
6100	----	----	----/4. 677A	5. 179B/4. 677A	----	4. 772 - 0. 455	.5690	----	----	----	----	----	3	UNCH			
6175	----	----	----/4. 344A	4. 815B/4. 344A	----	4. 424 - 0. 441	.5414	----	----	----	----	----	2	UNCH			
6225	----	----	----/4. 135A	4. 583B/4. 135A	----	4. 205 - 0. 431	.5232	----	----	----	----	----	50	UNCH			
6250	----	----	----/4. 033A	4. 471B/4. 033A	----	4. 100 - 0. 425	.5142	----	----	----	----	----	13	UNCH			
6300	----	----	----/3. 838A	4. 255B/3. 838A	----	3. 897 - 0. 414	.4964	----	----	----	----	----	20	UNCH			
6325	3. 914	3. 914	4. 151B/3. 743A	4. 151B/3. 743A	----	3. 799 - 0. 410	.4875	----	----	1	----	----	1	UNCH			
6400	----	----	----/3. 474A	3. 851B/3. 474A	----	3. 520 - 0. 394	.4616	----	----	----	----	----	100	UNCH			
6475	----	----	----/3. 228A	3. 575B/3. 228A	----	3. 261 - 0. 380	.4364	----	----	----	----	----	1	UNCH			
6500	3. 366	3. 366	3. 486B/3. 149A	3. 486B/3. 149A	----	3. 179 - 0. 375	.4282	----	----	19	----	----	38 +	17			
6575	----	----	----/2. 923A	3. 235B/2. 923A	----	2. 947 - 0. 360	.4043	----	----	----	----	----	1	UNCH			
6600	----	----	----/2. 852A	3. 156B/2. 852A	----	2. 873 - 0. 355	.3965	----	----	15	----	----	136 +	15			
6625	----	----	----/2. 782A	3. 078B/2. 782A	----	2. 802 - 0. 349	.3889	----	----	----	----	----	3	UNCH			
6650	----	----	----/2. 714A	3. 002B/2. 714A	----	2. 732 - 0. 345	.3814	----	----	----	----	----	1	UNCH			
6700	2. 585	2. 585	2. 858B/2. 584A	2. 858B/2. 584A	----	2. 599 - 0. 334	.3667	----	----	11	----	----	12 +	8			
6725	----	----	----/2. 520A	2. 788B/2. 520A	----	2. 534 - 0. 330	.3595	----	----	----	----	----	25	UNCH			
6775	----	----	----/2. 397A	2. 654B/2. 397A	----	2. 412 - 0. 320	.3456	----	----	----	----	----	1	UNCH			
6800	----	----	----/2. 340A	2. 590B/2. 340A	----	2. 353 - 0. 315	.3387	----	----	----	----	----	201	UNCH			
6900	----	----	----/2. 124A	2. 349B/2. 124A	----	2. 133 - 0. 297	.3127	----	----	----	----	----	2	UNCH			
7000	----	----	----/1. 928A	2. 133B/1. 928A	----	1. 935 - 0. 280	.2885	----	----	15	----	----	54 +	10			
7050	----	----	----/1. 837A	2. 034B/1. 837A	----	1. 844 - 0. 272	.2770	----	----	----	----	----	1	UNCH			
7100	----	----	----/1. 752A	1. 938B/1. 752A	----	1. 758 - 0. 264	.2661	----	----	----	----	----	18	UNCH			
7150	----	----	----/1. 672A	1. 850B/1. 672A	----	1. 677 - 0. 256	.2556	----	----	----	----	----	10	UNCH			
7200	----	----	----/1. 596A	1. 766B/1. 596A	----	1. 600 - 0. 248	.2455	----	----	----	----	----	1	UNCH			
7300	----	----	----/1. 457A	1. 608B/1. 457A	----	1. 460 - 0. 232	.2266	----	----	----	----	----	10	UNCH			
7375	1. 417	1. 417	1. 501B/1. 362A	1. 501B/1. 362A	----	1. 365 - 0. 220	.2136	----	----	1	----	----	2 +	1			
7400	1. 386	1. 386	1. 469B/1. 333A	1. 469B/1. 333A	----	1. 335 - 0. 216	.2094	----	----	1	----	----	3	UNCH			
7425	1. 356	1. 356	1. 439B/1. 303A	1. 439B/1. 303A	----	1. 306 - 0. 212	.2053	----	----	1	----	----	2 +	1			
7475	----	----	----/1. 248A	1. 375B/1. 248A	----	1. 249 - 0. 205	.1973	----	----	----	----	----	37	UNCH			
7500	----	----	----/1. 220A	1. 344B/1. 220A	----	1. 222 - 0. 202	.1935	----	----	5	----	----	41 +	3			
7550	----	----	----/1. 169A	1. 288B/1. 169A	----	1. 170 - 0. 196	.1861	----	----	----	----	----	4	UNCH			
7575	----	----	----/1. 145A	1. 260B/1. 145A	----	1. 145 - 0. 193	.1825	----	----	----	----	----	3	UNCH			
7600	----	----	----/1. 120A	1. 232B/1. 120A	----	1. 121 - 0. 189	.1790	----	----	----	----	----	2	UNCH			
7650	----	----	----/1. 074A	1. 181B/1. 074A	----	1. 074 - 0. 184	.1722	----	----	----	----	----	6	UNCH			
7675	----	----	----/1. 053A	1. 156B/1. 053A	----	1. 052 - 0. 181	.1690	----	----	----	----	----	4	UNCH			
7700	----	----	----/1. 030A	1. 131B/1. 030A	----	1. 030 - 0. 178	.1657	----	----	----	----	----	4	UNCH			
7800	----	----	----/0. 950A	1. 041B/0. 950A	----	0. 950 - 0. 165	.1538	----	----	----	----	----	61	UNCH			
7900	----	----	----/0. 878A	0. 960B/0. 878A	----	0. 878 - 0. 152	.1429	----	----	----	----	----	9	UNCH			
7950	----	----	----/0. 846A	0. 925B/0. 846A	----	0. 845 - 0. 145	.1378	----	----	----	----	----	1	UNCH			
7975	0. 857	0. 857	0. 907B/0. 831A	0. 907B/0. 831A	----	0. 829 - 0. 142	.1353	----	----	1	----	----	2 +	1			
8000	0. 845	0. 845	0. 887B/0. 815A	0. 887B/0. 815A	----	0. 814 - 0. 138	.1330	----	----	35	----	----	156 +	15			
8100	----	----	----/0. 757A	0. 821B/0. 757A	----	0. 755 - 0. 130	.1238	----	----	----	----	----	2	UNCH			
8200	----	----	----/0. 705A	0. 763B/0. 705A	----	0. 702 - 0. 120	.1155	----	----	----	----	----	10	UNCH			
8300	----	----	----/0. 656A	0. 709B/0. 656A	----	0. 654 - 0. 106	.1079	----	----	----	----	----	49	UNCH			
8350	----	----	----/0. 640A	0. 686B/0. 640A	----	0. 631 - 0. 102	.1042	----	----	----	----	----	2	UNCH			
8400	----	----	----/0. 620A	0. 661B/0. 620A	----	0. 610 - 0. 100	.1008	----	----	----	----	----	1	UNCH			
8500	----	----	----/0. 579A	0. 616B/0. 579A	----	0. 571 - 0. 098	.0945	----	----	24	----	----	26 +	24			
8600	----	----	----/0. 546A	0. 575B/0. 546A	----	0. 534 - 0. 091	.0885	----	----	----	----	----	1	UNCH			
8700	----	----	----/0. 508A	0. 532B/0. 508A	----	0. 502 - 0. 082	.0833	----	----	----	----	----	2	UNCH			
8750	----	----	----/0. 494A	0. 512B/0. 494A	----	0. 487 - 0. 079	.0808	----	----	----	----	----	2	UNCH			
8800	----	----	----/0. 479A	0. 500B/0. 479A	----	0. 473 - 0. 076	.0784	----	----	----	----	----	3	UNCH			
8825	----	----	----/0. 473A	0. 487B/0. 473A	----	0. 466 - 0. 075	.0773	----	----	----	----	----	1	UNCH			
8975	----	----	----/0. 435A	0. 450B/0. 435A	----	0. 428 - 0. 067	.0709	----	----	----	----	----	1	UNCH			
9000	0. 446	0. 446	0. 446/0. 429A	0. 446/0. 429A	----	0. 423 - 0. 065	.0700	----	----	5	----	----	321 +	2			
9025	----	----	----/0. 423A	0. 442B/0. 423A	----	0. 417 - 0. 064	.0690	----	----	----	----	----	1	UNCH			
9100	----	----	----/0. 406A	0. 423B/0. 406A	----	0. 400 - 0. 060	.0661	----	----	----	----	----	3	UNCH			
9125	----	----	----/0. 401A	0. 418B/0. 401A	----	0. 395 - 0. 059	.0653	----	----	----	----	----	1	UNCH			
9200	----	----	----/0. 385A	0. 401B/0. 385A	----	0. 380 - 0. 055	.0627	----	----	----	----	----	3	UNCH			
9300	0. 365	0. 365	0. 380B/0. 365	0. 380B/0. 365	----	0. 361 - NEW	.0595	----	----	1	----	----	1 +	1			
9325	----	----	----/0. 362A	0. 374B/0. 362A	----	0. 356 - 0. 051	.0587	----	----	----	----	----	1	UNCH			
9400	----	----	----/0. 350A	0. 360B/0. 350A	----	0. 343 - 0. 049	.0564	----	----	----	----	----	1	UNCH			
9450	----	----	----/0. 340A	0. 351B/0. 340A	----	0. 335 - 0. 047	.0551	----	----	----	----	----	2	UNCH			
9475	----	----	----/0. 336A	0. 346B/0. 336A	----	0. 331 - 0. 047	.0544	----	----	----	----	----	1	UNCH			
9500	----	----	----/0. 334A	0. 342B/0. 334A	----	0. 327 - 0. 046	.0537	----	----	2	----	----	36 +	1			
9525	----	----	----/0. 330A	0. 337B/0. 330A	----	0. 323 - 0. 046	.0530	----	----	----	----	----	1	UNCH			
9600	----	----	----/0. 319A	0. 325B/0. 319A	----	0. 312 - 0. 044	.0511	----	----	----	----	----	1	UNCH			
9700	----	----	----/0. 305A	0. 310B/0. 305A	----	0. 298 - 0. 042	.0487	----	----	----	----	----	4	UNCH			
9900	----	----	----/0. 280A	0. 282B/0. 280A	----	0. 273 - 0. 038	.0444	----	----	----	----	----	2	UNCH			
9975	----	----	----/0. 271A	0. 274B/0. 271A	----	0. 265 - 0. 036	.0430	----	----	----	----	----</					

BULLETIN #187@				METALS OPTION PRODUCTS							Tue, Sep 29, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST
SO CALL																
FEB27																
12975	----	----	----	----/0.191A	0.178B/0.191A	----	----	----	0.181 -	0.022	.0244	----	----	----	----	3
25000	----	----	----	----	0.013B/0.050A	----	----	----	0.020 -	0.005	.0025	----	----	----	----	2
30000	----	----	----	----	0.003B/0.096A	----	----	----	0.018 -	0.002	.0021	----	----	----	----	57
TOTAL													98	0	2137 +	85
MAR27																
6000	----	----	----	----/6.402A	6.877B/6.402A	----	----	----	6.496 -	0.468	.5998	----	----	----	----	1
6175	----	----	----	----/5.635A	6.063B/5.635A	----	----	----	5.696 -	0.448	.5501	----	----	----	----	1
6300	----	----	----	----/5.149A	5.529B/5.149A	----	----	----	5.184 -	0.432	.5155	----	----	----	----	10
6350	5.073	5.073		5.329B/4.959A	5.329B/4.959A	----	----	----	4.992 -	NEW	.5020	----	10	----	10 +	10
6400	----	----	----	----/4.779A	5.135B/4.779A	----	----	----	4.808 -	0.419	.4887	----	----	----	----	1
6450	----	----	----	----/4.614A	4.946B/4.614A	----	----	----	4.631 -	0.413	.4756	----	----	----	----	20
6475	4.728	4.728		4.856B/4.529A	4.856B/4.529A	----	----	----	4.545 -	NEW	.4691	----	1	----	1 +	1
6500	----	----	----	----/4.445A	4.768B/4.445A	----	----	----	4.461 -	0.405	.4627	----	----	----	----	10
6600	----	----	----	----/4.141A	4.426B/4.141A	----	----	----	4.140 -	0.392	.4377	----	----	----	----	11
6775	----	----	----	----/3.639A	3.894B/3.639A	----	----	----	3.639 -	0.365	.3965	----	----	----	----	2
6800	----	----	----	----/3.573A	3.825B/3.573A	----	----	----	3.573 -	0.362	.3909	----	----	----	----	35
6825	----	----	----	----/3.507A	3.756B/3.507A	----	----	----	3.509 -	0.357	.3853	----	----	----	----	5
7000	----	----	----	----/3.094A	3.315B/3.094A	----	----	----	3.093 -	0.332	.3484	----	3	----	179 +	3
7100	----	----	----	----/2.881A	3.088B/2.881A	----	----	----	2.881 -	0.318	.3289	----	----	----	----	1
7225	----	----	----	----/2.642A	2.829B/2.642A	----	----	----	2.639 -	0.302	.3059	----	----	----	----	12
7375	----	----	----	----/2.390A	2.547B/2.390A	----	----	----	2.382 -	0.282	.2806	----	----	----	----	10
7400	----	----	----	----/2.350A	2.510B/2.350A	----	----	----	2.342 -	0.279	.2766	----	----	----	----	3
7475	----	----	----	----/2.233A	2.381B/2.233A	----	----	----	2.227 -	0.270	.2649	----	----	----	----	1
7500	----	----	----	----/2.194A	2.346B/2.194A	----	----	----	2.190 -	0.268	.2612	----	----	----	100	UNCH
7550	----	----	----	----/2.124A	2.265B/2.124A	----	----	----	2.119 -	0.262	.2538	----	----	----	----	2
7600	----	----	----	----/2.057A	2.192B/2.057A	----	----	----	2.051 -	0.256	.2467	----	----	----	----	3
7700	----	----	----	----/1.931A	2.054B/1.931A	----	----	----	1.923 -	0.245	.2332	----	----	----	----	8
7725	----	----	----	----/1.901A	2.022B/1.901A	----	----	----	1.893 -	0.242	.2300	----	----	----	----	10
7750	----	----	----	----/1.869A	1.990B/1.869A	----	----	----	1.863 -	0.239	.2268	----	----	----	----	1
7800	----	----	----	----/1.811A	1.928B/1.811A	----	----	----	1.805 -	0.234	.2206	----	----	----	----	3
7900	----	----	----	----/1.705A	1.812B/1.705A	----	----	----	1.697 -	0.224	.2087	----	----	----	----	6
7950	----	----	----	----/1.653A	1.758B/1.653A	----	----	----	1.646 -	0.219	.2031	----	----	----	----	1
8000	----	----	----	----/1.605A	1.703B/1.605A	----	----	----	1.597 -	0.214	.1977	----	3	----	248 +	2
8050	----	----	----	----/1.558A	1.653B/1.558A	----	----	----	1.550 -	0.209	.1924	----	----	----	----	1
8075	1.561	1.561		1.628B/1.535A	1.628B/1.535A	----	----	----	1.527 -	NEW	.1898	----	61	----	61 +	61
8100	----	----	----	----/1.513A	1.605B/1.513A	----	----	----	1.505 -	0.204	.1873	----	1	----	22 +	1
8125	----	----	----	----/1.491A	1.580B/1.491A	----	----	----	1.483 -	0.202	.1848	----	----	----	----	1
8250	----	----	----	----/1.387A	1.470B/1.387A	----	----	----	1.380 -	0.190	.1730	----	----	----	----	5
8300	----	----	----	----/1.349A	1.428B/1.349A	----	----	----	1.342 -	0.185	.1686	----	----	----	----	1
8500	----	----	----	----/1.213A	1.278B/1.213A	----	----	----	1.202 -	0.169	.1522	----	----	----	----	15
8600	----	----	----	----/1.152A	1.211B/1.152A	----	----	----	1.140 -	0.160	.1448	----	----	----	----	1
8650	----	----	----	----/1.123A	1.181B/1.123A	----	----	----	1.111 -	0.156	.1413	----	----	----	----	10
8700	----	----	----	----/1.094A	1.150B/1.094A	----	----	----	1.083 -	0.152	.1379	----	----	----	----	1
8800	----	----	----	----/1.041A	1.092B/1.041A	----	----	----	1.030 -	0.144	.1315	----	----	----	----	9
9000	0.960	0.960		0.960/0.947A	0.989B/0.947A	----	----	----	0.935 -	0.130	.1198	----	5	----	786 +	5
9200	----	----	----	----/0.871A	0.899B/0.871A	----	----	----	0.852 -	0.118	.1095	----	----	----	----	26
9500	----	----	----	----/0.764A	0.785B/0.764A	----	----	----	0.748 -	0.101	.0963	----	----	----	----	52
9675	----	----	----	----/0.717A	0.724B/0.717A	----	----	----	0.697 -	0.092	.0898	----	----	----	----	1
9700	----	----	----	----/0.700A	0.717B/0.700A	----	----	----	0.690 -	0.091	.0889	----	----	----	----	87
9800	----	----	----	----/0.675A	0.691B/0.675A	----	----	----	0.663 -	0.087	.0854	----	----	----	----	314
10000	0.655	0.655		0.655/0.624A	0.655/0.624A	----	----	----	0.615 -	0.079	.0792	----	4	----	469 +	4
10300	----	----	----	----/0.566A	0.573B/0.566A	----	----	----	0.553 -	0.068	.0710	----	----	----	----	28
10500	----	----	----	----/0.529A	0.534B/0.529A	----	----	----	0.517 -	0.063	.0663	----	----	----	----	35
10825	----	----	----	----/0.479A	0.481B/0.479A	----	----	----	0.466 -	0.055	.0595	----	----	----	----	23
10875	----	----	----	----/0.472A	0.473B/0.472A	----	----	----	0.459 -	0.054	.0586	----	----	----	----	20
11000	----	----	----	----/0.455A	0.456B/0.455A	----	----	----	0.442 -	0.052	.0564	----	----	----	----	212
11125	----	----	----	----/0.439A	0.439B/0.439A	----	----	----	0.426 -	0.050	.0542	----	----	----	----	1
11175	----	----	----	----/0.433A	0.433B/0.433A	----	----	----	0.420 -	0.049	.0534	----	----	----	----	1
11200	----	----	----	----/0.430A	0.429B/0.430A	----	----	----	0.417 -	0.049	.0530	----	----	----	----	1
11225	----	----	----	----/0.427A	0.426B/0.427A	----	----	----	0.414 -	0.048	.0526	----	----	----	----	1
11500	----	----	----	----/0.396A	0.395B/0.396A	----	----	----	0.384 -	0.044	.0486	----	----	----	----	22
12000	0.350	0.350		0.350/0.350	0.350/0.350	----	----	----	0.338 -	0.039	.0424	----	1	----	218	UNCH
12500	----	----	----	----/0.311A	0.307B/0.311A	----	----	----	0.300 -	0.035	.0374	----	6	----	8 +	6
12650	----	----	----	----/0.301A	0.296B/0.301A	----	----	----	0.290 -	0.034	.0361	----	----	----	----	5
13000	----	----	----	----/0.280A	0.274B/0.280A	----	----	----	0.269 -	0.031	.0333	----	----	----	----	335
14000	----	----	----	----/0.231A	0.222B/0.231A	----	----	----	0.221 -	0.024	.0269	----	----	----	----	152
15000	----	----	----	----/0.195A	0.183B/0B											



2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

	BULLETIN #187@				METALS OPTION PRODUCTS				Tue, Sep 29, 2026				PG64		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL	COMEX SILVER OPTIONS														
JUN27															
6225	----	----	----	----/7.775A	8.046B/7.775A	----	----	----	7.767 -	0.474 .5763	----	----	----	----	22
6500	----	----	----	----/6.722A	6.944B/6.722A	----	----	----	6.691 -	0.440 .5194	----	----	----	----	2
7050	----	----	----	----/5.043A	5.225B/5.043A	----	----	----	5.024 -	0.357 .4185	----	----	----	----	1
8000	----	----	----	----/3.230A	3.293B/3.230A	----	----	----	3.175 -	0.251 .2871	----	----	----	----	136
8075	----	----	----	----/3.126A	3.180B/3.126A	----	----	----	3.067 -	0.249 .2788	----	----	----	----	1
8500	----	----	----	----/2.607A	2.646B/2.607A	----	----	----	2.538 -	0.236 .2367	----	----	----	----	200
8700	----	----	----	----/2.402A	2.432B/2.402A	----	----	----	2.335 -	0.226 .2198	----	----	----	----	2
8800	----	----	----	----/2.316A	2.340B/2.316A	----	----	----	2.243 -	0.220 .2120	----	----	----	----	1
9350	----	----	----	----/1.879A	1.898B/1.879A	----	----	----	1.823 -	0.187 .1752	----	----	----	----	2
10000	----	----	----	----/1.512A	1.516B/1.512A	----	----	----	1.466 -	0.149 .1426	----	----	----	----	10
11000	----	----	----	----/1.129A	1.117B/1.129A	----	----	----	1.087 -	0.113 .1069	----	----	----	----	155
12000	----	----	----	----/0.890A	0.857B/0.890A	----	----	----	0.841 -	0.090 .0831	----	----	----	----	5
12500	----	----	----	----/0.798A	0.744B/0.798A	----	----	----	0.745 -	0.081 .0737	----	----	----	----	10
13000	----	----	----	----/0.722A	0.665B/0.722A	----	----	----	0.657 -	0.073 .0653	----	----	----	----	6
13075	----	----	----	----/0.710A	0.654B/0.710A	----	----	----	0.645 -	0.072 .0642	----	----	----	----	1
TOTAL														0	557
JUL27															
2000	----	----	----	----	----	----	----	----	43.103 -	0.594 .9918	----	----	----	----	1
6800	----	----	----	----/6.400A	6.279B/6.400A	----	----	----	6.219 -	0.389 .4722	----	----	----	----	1
6900	----	----	----	----/5.927A	5.985B/5.927A	----	----	----	5.933 -	0.373 .4554	----	----	----	----	1
7000	----	----	----	----/5.655A	5.861B/5.655A	----	----	----	5.662 -	0.359 .4392	----	----	----	----	25
7800	----	----	----	----/3.973A	4.033B/3.973A	----	----	----	3.923 -	0.303 .3273	----	----	----	----	1
7900	----	----	----	----/3.790A	3.815B/3.790A	----	----	----	3.743 -	0.308 .3151	----	----	----	----	1
7950	----	----	----	----/3.696A	3.776B/3.696A	----	----	----	3.655 -	0.312 .3092	----	----	----	----	1
10000	1.700	1.700		1.750B/1.700	1.750B/1.700	----	----	----	1.738 -	0.171 .1587	----	----	4		4 +
10100	----	----	----	----/1.852A	1.622B/1.852A	----	----	----	1.687 -	0.166 .1543	----	----	----	----	2
10300	----	----	----	----	1.522B/1.753A	----	----	----	1.590 -	0.158 .1459	----	----	----	----	1
10500	----	----	----	----	1.429B/1.663A	----	----	----	1.501 -	0.151 .1381	----	----	----	----	1
10700	----	----	----	----	1.345B/1.581A	----	----	----	1.418 -	0.145 .1309	----	----	----	----	1
11000	----	----	----	----	1.230B/1.466A	----	----	----	1.305 -	0.138 .1209	----	----	----	----	2
11100	----	----	----	----	1.196B/1.431A	----	----	----	1.272 -	0.134 .1179	----	----	----	----	2
12000	----	----	----	----	0.932B/1.175A	----	----	----	1.054 -	0.076 .0973	----	----	----	----	2
12100	----	----	----	----	0.909B/1.151A	----	----	----	1.038 -	0.067 .0956	----	----	----	----	21
13000	----	----	----	----	0.831B/0.972A	----	----	----	0.934 +	0.016 .0841	----	----	----	----	2
13100	----	----	----	----	0.712B/0.955A	----	----	----	0.926 +	0.025 .0832	----	----	----	----	21
TOTAL													4	0	90 +
AUG27															
7500	----	----	----	----/5.350A	5.166B/5.350A	----	----	----	5.126 -	0.369 .3881	----	----	----	----	8
8500	----	----	----	----/3.658A	3.448B/3.658A	----	----	----	3.460 -	0.277 .2794	----	----	----	----	8
TOTAL														0	16
SEP27															
8500	----	----	----	----/4.075A	3.853B/4.075A	----	----	----	3.866 -	0.291 .2950	----	----	----	----	25
TOTAL														0	25
DEC27															
4000	----	----	----	----	----	----	----	----	25.805 -	0.549 .8944	----	----	----	----	1
7175	----	----	----	----	----	----	----	----	8.951 -	0.314 .4968	----	----	----	----	80
20000	----	----	----	----	----	----	----	----	1.422 -	0.063 .0897	----	----	----	----	25
TOTAL														0	106
MAR28															
6900	----	----	----	----	----	----	----	----	11.241 -	0.351 .5529	----	----	----	----	1
TOTAL														0	1
SO PUT	COMEX SILVER OPTIONS														
NOV26															
2900	----	----	----	----	----/0.011A	----	----	----	0.001 -	0.001 .0002	----	----	----	----	1
3975	----	----	----	----	----/0.021A	----	----	----	0.013 -	UNCH .0034	----	----	----	----	2
4000	----	----	----	----/0.012A	----/0.012A	----	----	----	0.014 -	UNCH .0037	----	----	----	----	4
4075	0.015	0.015		0.015/0.015	0.015/0.015	----	----	----	0.015 -	UNCH .0040	----	----	7		7 +
4150	----	----	----	----	0.007B/0.029A	----	----	----	0.016 -	0.001 .0044	----	----	----	----	1
4175	----	----	----	----	0.009B/0.029A	----	----	----	0.017 -	0.001 .0047	----	----	----	----	10
4200	----	----	----	----	0.009B/0.031A	----	----	----	0.018 -	0.001 .0050	----	----	----	----	1
4500	----	----	----	----	0.030B/0.037A	----	----	----	0.029 -	0.003 .0089	----	2	----	----	85 -
4550	----	----	----	----	0.030B/0.039A	----	----	----	0.032 -	0.004 .0099	----	----	----	----	2
4600	----	----	----	----	0.034B/0.040A	----	----	----	0.035 -	0.005 .0110	----	----	----	----	3
4625	----	----	----	----	0.036B/0.043A	----	----	----	0.037 -	0.005 .0117	----	----	----	----	1
4650	----	----	----	----	0.038B/0.045A	----	----	----	0.039 -	0.005 .0124	----	----	----	----	2
4700	----	----	----	0.050B/----	0.050B/0.049A	----	----	----	0.044 -	0.005 .0141	----	----	----	----	22
4750	----	----	----	0.057B/0.045A	0.057B/0.045A	----	----	----	0.049 -	0.006 .0158	----	----	----	----	1
4800	0.051	0.051		0.066B/0.051	0.066B/0.051	----	----	----	0.056 -	0.005 .0181	----	2	----	----	20 +
4825	----	----	----	0.072B/0.061A	0.072B/0.061A	----	----	----	0.059 -	0.005 .0192	----	----	----	----	4
4850	----	----	----	0.076B/0.062A	0.076B/0.062A	----	----	----	0.063 -	0.004 .0206	----	----	----	----	8
4875	----	----	----	0.082B/0.064A	0.082B/0.064A	----	----	----	0.067 -	0.004 .0219	----	----	----	----	2
4900	----	----	----	0.089B/0.068A	0.089B/0.068A	----	----	----	0.071 -	0.005 .0233	----	1	----	----	67
4950	----	----	----	0.103B/0.077A	0.103B/0.077A	----	----	----	0.081 -	0.004 .0267	----	----	----	----	1
4975	----	----	----	0.110B/0.082A	0.110B/0.082A	----	----	----	0.087 -	0.004 .0287	----	----	----	----	5
5000	0.120	0.120		0.120/0.087A	0.120/0.087A	----	----	----	0.093 -	0.004 .0307	----	10	----	----	359 -
5050	----	----	----	0.139B/0.099A	0.139B/0.099A	----	----	----	0.106 -	0.005 .0351	----	----	----	----	1
5100	0.140	0.140		0.160B/0.103	0.160B/0.103	----	----	----	0.122 -	0.007 .0404	----	3	----	----	211 +
5150	----	----	----	0.186B/0.128A	0.186B/0.128A	----	----	----	0.141 -	0.009 .0466	----				

BULLETIN #187@				METALS OPTION PRODUCTS							Tue, Sep 29, 2026			PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT	COMEX SILVER OPTIONS													
NOV26														
6525	----	----	----	5.5008/4.549A	5.5008/4.549A	----	----	5.056 + 0.331	.7309	----	----	----	----	31 UNCH
6550	----	----	----	5.7008/4.739A	5.7008/4.739A	----	----	5.253 + 0.339	.7428	----	----	----	----	31 UNCH
6575	----	----	----	5.9038/4.937A	5.9038/4.937A	----	----	5.454 + 0.348	.7543	----	----	----	----	19 UNCH
6600	----	----	----	6.1098/5.133A	6.1098/5.133A	----	----	5.657 + 0.356	.7653	----	----	1	----	172 UNCH
6625	----	----	----	6.3178/5.332A	6.3178/5.332A	----	----	5.863 + 0.365	.7758	----	----	----	----	28 UNCH
6650	----	----	----	6.5288/5.529A	6.5288/5.529A	----	----	6.072 + 0.375	.7860	----	----	----	----	39 UNCH
6675	----	----	----	6.7418/5.732A	6.7418/5.732A	----	----	6.284 + 0.385	.7956	----	----	----	----	68 UNCH
6700	----	----	----	6.9578/5.938A	6.9578/5.938A	----	----	6.497 + 0.393	.8048	----	----	----	----	136 UNCH
6725	----	----	----	7.1718/6.147A	7.1718/6.147A	----	----	6.713 + 0.401	.8135	----	----	----	----	83 UNCH
6750	----	----	----	7.3898/6.357A	7.3898/6.357A	----	----	6.931 + 0.408	.8219	----	----	----	----	101 UNCH
6775	----	----	----	7.6098/6.570A	7.6098/6.570A	----	----	7.151 + 0.416	.8299	----	----	----	----	21 UNCH
6800	7.209	7.209	----	7.8328/6.786A	7.8328/6.786A	----	----	7.372 + 0.422	.8375	----	----	4	----	155 - 3
6825	----	----	----	8.0578/7.003A	8.0578/7.003A	----	----	7.595 + 0.429	.8448	----	----	----	----	2 UNCH
6850	----	----	----	8.2818/7.222A	8.2818/7.222A	----	----	7.819 + 0.435	.8517	----	----	----	----	7 UNCH
6875	----	----	----	8.5078/7.442A	8.5078/7.442A	----	----	8.045 + 0.441	.8584	----	----	----	----	1 UNCH
6900	----	----	----	8.7338/7.664A	8.7338/7.664A	----	----	8.272 + 0.447	.8646	----	----	----	----	25 UNCH
6925	----	----	----	8.9648/7.888A	8.9648/7.888A	----	----	8.501 + 0.453	.8706	----	----	----	----	1 UNCH
6950	----	----	----	9.1948/8.114A	9.1948/8.114A	----	----	8.731 + 0.458	.8761	----	----	----	----	10 UNCH
6975	----	----	----	9.4258/8.340A	9.4258/8.340A	----	----	8.962 + 0.463	.8814	----	----	----	----	5 UNCH
7000	----	----	----	9.6578/8.568A	9.6578/8.568A	----	----	9.194 + 0.468	.8866	----	----	----	----	79 UNCH
7025	----	----	----	9.8918/8.797A	9.8918/8.797A	----	----	9.426 + 0.471	.8916	----	----	----	----	8 UNCH
7050	----	----	----	10.1258/9.028A	10.1258/9.028A	----	----	9.660 + 0.476	.8963	----	----	----	----	84 UNCH
7075	----	----	----	10.3608/9.259A	10.3608/9.259A	----	----	9.895 + 0.480	.9007	----	----	----	----	1 UNCH
7100	----	----	----	10.5928/9.492A	10.5928/9.492A	----	----	10.131 + 0.484	.9047	----	----	----	----	4 UNCH
7125	----	----	----	10.8328/9.725A	10.8328/9.725A	----	----	10.368 + 0.487	.9087	----	----	----	----	1 UNCH
7150	----	----	----	11.0708/9.959A	11.0708/9.959A	----	----	10.605 + 0.490	.9126	----	----	----	----	2 UNCH
7175	----	----	----	11.3088/10.194A	11.3088/10.194A	----	----	10.843 + 0.495	.9160	----	----	----	----	1 UNCH
7200	----	----	----	11.5478/10.430A	11.5478/10.430A	----	----	11.083 + 0.502	.9192	----	----	----	----	2 UNCH
7225	----	----	----	11.7868/10.667A	11.7868/10.667A	----	----	11.322 + 0.505	.9223	----	----	----	----	2 UNCH
7275	----	----	----	12.2668/11.142A	12.2668/11.142A	----	----	11.803 + 0.509	.9282	----	----	----	----	1 UNCH
7300	----	----	----	12.5078/11.381A	12.5078/11.381A	----	----	12.043 + 0.510	.9310	----	----	----	----	4 UNCH
7400	----	----	----	13.4758/12.340A	13.4758/12.340A	----	----	13.011 + 0.518	.9408	----	----	----	----	25 UNCH
7500	----	----	----	14.4488/13.307A	14.4488/13.307A	----	----	13.985 + 0.526	.9488	----	----	----	----	22 UNCH
7525	----	----	----	14.6948/13.550A	14.6948/13.550A	----	----	14.229 + 0.527	.9507	----	----	----	----	1 UNCH
7650	----	----	----	15.9198/14.768A	15.9198/14.768A	----	----	15.453 + 0.534	.9584	----	----	----	----	1 UNCH
7700	----	----	----	16.4108/15.258A	16.4108/15.258A	----	----	15.945 + 0.537	.9611	----	----	----	----	52 UNCH
7725	----	----	----	16.5788/15.503A	16.5788/15.503A	----	----	16.190 + 0.537	.9623	----	----	----	----	1 UNCH
7750	----	----	----	16.8188/15.748A	16.8188/15.748A	----	----	16.436 + 0.537	.9636	----	----	----	----	1 UNCH
7775	----	----	----	17.0678/15.993A	17.0678/15.993A	----	----	16.682 + 0.538	.9648	----	----	----	----	1 UNCH
7800	----	----	----	17.3148/16.239A	17.3148/16.239A	----	----	16.929 + 0.539	.9659	----	----	----	----	1 UNCH
7825	----	----	----	17.5578/16.485A	17.5578/16.485A	----	----	17.176 + 0.540	.9669	----	----	----	----	2 UNCH
7900	----	----	----	18.2988/17.223A	18.2988/17.223A	----	----	17.917 + 0.543	.9693	----	----	----	----	3 UNCH
7975	----	----	----	19.0438/18.007A	19.0438/18.007A	----	----	18.660 + 0.546	.9719	----	----	----	----	1 UNCH
8000	----	----	----	19.2498/18.254A	19.2498/18.254A	----	----	18.907 + 0.547	.9726	----	----	----	----	1 UNCH
8150	----	----	----	20.7748/19.738A	20.7748/19.738A	----	----	20.393 + 0.549	.9768	----	----	----	----	1 UNCH
8500	----	----	----	24.2538/23.208A	24.2538/23.208A	----	----	23.868 + 0.551	.9844	----	----	----	----	66 UNCH
9000	----	----	----	29.2318/28.192A	29.2318/28.192A	----	----	28.853 + 0.559	.9901	----	----	----	----	5 UNCH
10000	----	----	----	39.2028/38.212A	39.2028/38.212A	----	----	38.847 + 0.565	.9954	----	----	----	----	4 UNCH
TOTAL												668	0	7372 + 335
DEC26														
1500	----	----	----	----	---/0.010A	----	----	0.001	UNCH	---	----	----	----	180 UNCH
2000	----	----	----	----	----/0.014A	----	----	0.001	UNCH	.0000	----	----	----	10 UNCH
2500	----	----	----	----	----/0.019A	----	----	0.002 - 0.001	.0003	----	----	----	----	32 UNCH
3000	----	----	----	----	----/0.026A	----	----	0.009 - 0.001	.0017	----	----	----	----	95 UNCH
3100	----	----	----	----	----/0.029A	----	----	0.011 - 0.001	.0021	----	----	----	----	1 UNCH
3150	----	----	----	----	----/0.030A	----	----	0.013	UNCH	.0024	----	----	----	1 UNCH
3200	----	----	----	----	----/0.032A	----	----	0.014 - 0.001	.0026	----	----	----	----	1 UNCH
3500	----	----	----	----	0.0198/0.031A	----	----	0.026	UNCH	.0051	----	----	----	38 UNCH
3600	----	----	----	----	0.0238/0.035A	----	----	0.030 - 0.001	.0060	----	----	----	----	1 UNCH
3700	----	----	----	----	0.0288/0.038A	----	----	0.034 - 0.002	.0069	----	----	1	----	3 + 1
3800	----	----	----	----	0.0318/0.043A	----	----	0.039 - 0.003	.0081	----	----	----	----	2 UNCH
3850	----	----	----	----	0.0378/0.046A	----	----	0.041 - 0.004	.0086	----	----	----	----	1 UNCH
3925	----	----	----	----	0.0428/0.051A	----	----	0.046 - 0.004	.0098	----	----	----	----	1 UNCH
4000	0.055	0.055	----	0.055/0.039	0.055/0.039	----	----	0.051 - 0.006	.0110	----	----	5	----	121 + 3
4100	----	----	----	----/0.063A	0.0598/0.063A	----	----	0.059 - 0.007	.0130	----	----	----	----	3 UNCH
4200	----	----	----	----/0.074A	0.0778/0.074A	----	----	0.069 - 0.009	.0154	----	----	----	----	197 UNCH
4250	----	----	----	----/0.079A	0.0858/0.079A	----	----	0.075 - 0.010	.0169	----	----	----	----	1 UNCH
4300	----	----	----	0.0948/0.086A	0.0948/0.086A	----	----	0.082 - 0.010	.0185	----	----	----	----	20 UNCH
4400	----	----	----	0.1158/0.098A	0.1158/0.098A	----	----	0.099 - 0.011	.0225	----	----	----	----	2 UNCH
4500	0.113	0.113	----	0.1428/0.113	0.1428/0.113	----	----	0.119 - 0.012	.0273	----	----			



BULLETIN #187@				METALS OPTION PRODUCTS								Tue, Sep 29, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST	
SO PUT	COMEX SILVER OPTIONS																
DEC26																	
6425	5.199	5.199		5.734B/4.910A	5.734B/4.910A	----	5.327	+	0.222	.6088	----	----	1	----	15		UNCH
6450	----	----	----	5.910B/5.079A	5.910B/5.079A	----	5.501	+	0.229	.6188	----	----	----	----	39		UNCH
6475	----	----	----	6.098B/5.250A	6.098B/5.250A	----	5.678	+	0.236	.6287	----	----	----	----	3		UNCH
6500	----	----	----	6.279B/5.427A	6.279B/5.427A	----	5.857	+	0.243	.6383	----	----	----	----	945		UNCH
6525	----	----	----	6.458B/5.604A	6.458B/5.604A	----	6.039	+	0.251	.6477	----	----	----	----	25		UNCH
6550	----	----	----	6.642B/5.774A	6.642B/5.774A	----	6.223	+	0.258	.6570	----	----	----	----	35		UNCH
6575	----	----	----	6.836B/5.955A	6.836B/5.955A	----	6.410	+	0.266	.6660	----	----	----	----	1		UNCH
6600	----	----	----	7.021B/6.134A	7.021B/6.134A	----	6.599	+	0.274	.6748	----	----	----	----	97		UNCH
6625	----	----	----	7.208B/6.329A	7.208B/6.329A	----	6.789	+	0.280	.6834	----	----	----	----	33		UNCH
6650	----	----	----	7.404B/6.509A	7.404B/6.509A	----	6.982	+	0.287	.6919	----	----	----	----	20		UNCH
6675	----	----	----	7.600B/6.702A	7.600B/6.702A	----	7.177	+	0.294	.7001	----	----	----	----	1		UNCH
6700	----	----	----	7.804B/6.884A	7.804B/6.884A	----	7.374	+	0.301	.7082	----	----	----	----	40		UNCH
6725	----	----	----	8.004B/7.083A	8.004B/7.083A	----	7.572	+	0.307	.7161	----	----	----	----	5		UNCH
6750	----	----	----	8.198B/7.279A	8.198B/7.279A	----	7.772	+	0.313	.7238	----	----	----	----	7		UNCH
6775	----	----	----	8.407B/7.471A	8.407B/7.471A	----	7.974	+	0.320	.7313	----	----	----	----	4		UNCH
6800	----	----	----	8.612B/7.669A	8.612B/7.669A	----	8.177	+	0.325	.7385	----	----	----	----	147		UNCH
6825	----	----	----	8.819B/7.870A	8.819B/7.870A	----	8.383	+	0.332	.7457	----	----	----	----	1		UNCH
6850	----	----	----	9.018B/8.074A	9.018B/8.074A	----	8.590	+	0.338	.7526	----	----	----	----	78		UNCH
6875	----	----	----	9.227B/8.275A	9.227B/8.275A	----	8.798	+	0.344	.7593	----	----	----	----	2		UNCH
6900	----	----	----	9.442B/8.479A	9.442B/8.479A	----	9.008	+	0.350	.7658	----	----	----	----	20		UNCH
6950	----	----	----	9.862B/8.890A	9.862B/8.890A	----	9.432	+	0.361	.7784	----	----	----	----	24		UNCH
7000	----	----	----	10.301B/9.310A	10.301B/9.310A	----	9.862	+	0.372	.7903	----	----	----	----	253		UNCH
7050	----	----	----	10.736B/9.735A	10.736B/9.735A	----	10.296	+	0.382	.8015	----	----	----	----	1		UNCH
7075	----	----	----	10.955B/9.954A	10.955B/9.954A	----	10.515	+	0.388	.8068	----	----	----	----	21		UNCH
7100	----	----	----	11.175B/10.165A	11.175B/10.165A	----	10.735	+	0.393	.8120	----	----	----	----	5		UNCH
7200	----	----	----	12.067B/11.040A	12.067B/11.040A	----	11.626	+	0.413	.8313	----	----	----	----	14		UNCH
7225	----	----	----	12.292B/11.262A	12.292B/11.262A	----	11.851	+	0.417	.8358	----	----	----	----	2		UNCH
7250	----	----	----	12.518B/11.484A	12.518B/11.484A	----	12.076	+	0.420	.8401	----	----	----	----	49		UNCH
7300	----	----	----	12.972B/11.932A	12.972B/11.932A	----	12.530	+	0.428	.8485	----	----	----	----	3		UNCH
7425	----	----	----	14.122B/13.065A	14.122B/13.065A	----	13.678	+	0.446	.8672	----	----	----	----	1		UNCH
7500	----	----	----	14.809B/13.759A	14.809B/13.759A	----	14.376	+	0.458	.8770	----	----	----	----	33		UNCH
7550	----	----	----	15.286B/14.222A	15.286B/14.222A	----	14.844	+	0.465	.8831	----	----	----	----	2		UNCH
7600	----	----	----	15.758B/14.682A	15.758B/14.682A	----	15.314	+	0.471	.8887	----	----	----	----	2		UNCH
7700	----	----	----	16.703B/15.619A	16.703B/15.619A	----	16.259	+	0.482	.8992	----	----	----	----	14		UNCH
7750	----	----	----	17.180B/16.090A	17.180B/16.090A	----	16.734	+	0.486	.9040	----	----	----	----	6		UNCH
7800	----	----	----	17.657B/16.563A	17.657B/16.563A	----	17.211	+	0.491	.9085	----	----	----	----	21		UNCH
7850	----	----	----	18.136B/17.038A	18.136B/17.038A	----	17.689	+	0.495	.9128	----	----	----	----	12		UNCH
7875	----	----	----	18.376B/17.276A	18.376B/17.276A	----	17.929	+	0.497	.9148	----	----	----	----	1		UNCH
7900	----	----	----	18.616B/17.515A	18.616B/17.515A	----	18.169	+	0.499	.9167	----	----	----	----	19		UNCH
8000	----	----	----	19.566B/18.472A	19.566B/18.472A	----	19.132	+	0.507	.9240	----	----	----	----	57		UNCH
8100	----	----	----	20.545B/19.434A	20.545B/19.434A	----	20.099	+	0.514	.9306	----	----	----	----	1		UNCH
8200	----	----	----	21.517B/20.401A	21.517B/20.401A	----	21.070	+	0.520	.9363	----	----	----	----	42		UNCH
8250	----	----	----	22.005B/20.886A	22.005B/20.886A	----	21.557	+	0.523	.9389	----	----	----	----	1		UNCH
8350	----	----	----	22.981B/21.858A	22.981B/21.858A	----	22.532	+	0.528	.9438	----	----	----	----	9		UNCH
8400	----	----	----	23.471B/22.345A	23.471B/22.345A	----	23.021	+	0.530	.9460	----	----	----	----	50		UNCH
8500	----	----	----	24.451B/23.322A	24.451B/23.322A	----	24.000	+	0.533	.9503	----	----	----	----	166		UNCH
8550	----	----	----	24.943B/23.811A	24.943B/23.811A	----	24.491	+	0.535	.9520	----	----	----	----	25		UNCH
8600	----	----	----	25.434B/24.301A	25.434B/24.301A	----	24.982	+	0.537	.9538	----	----	----	----	9		UNCH
8800	----	----	----	27.382B/26.265A	27.382B/26.265A	----	26.951	+	0.542	.9603	----	----	----	----	12		UNCH
8900	----	----	----	28.369B/27.250A	28.369B/27.250A	----	27.937	+	0.543	.9631	----	----	----	----	30		UNCH
9000	----	----	----	29.358B/28.237A	29.358B/28.237A	----	28.924	+	0.543	.9659	----	----	----	----	3		UNCH
9050	----	----	----	29.853B/28.731A	29.853B/28.731A	----	29.418	+	0.543	.9671	----	----	----	----	110		UNCH
9500	----	----	----	34.319B/33.209A	34.319B/33.209A	----	33.882	+	0.551	.9752	----	----	----	----	2		UNCH
9850	----	----	----	37.800B/36.694A	37.800B/36.694A	----	37.364	+	0.555	.9798	----	----	----	----	8		UNCH
9950	----	----	----	38.792B/37.692A	38.792B/37.692A	----	38.360	+	0.556	.9810	----	----	----	----	1		UNCH
10000	----	----	----	39.296B/38.191A	39.296B/38.191A	----	38.858	+	0.556	.9815	----	----	----	----	6		UNCH
10025	----	----	----	39.540B/38.441A	39.540B/38.441A	----	39.108	+	0.558	.9817	----	----	----	----	3		UNCH
10125	----	----	----	40.533B/39.440A	40.533B/39.440A	----	40.105	+	0.559	.9828	----	----	----	----	1		UNCH
10500	----	----	----	44.269B/43.188A	44.269B/43.188A	----	43.848	+	0.562	.9858	----	----	----	----	10		UNCH
10700	----	----	----	46.263B/45.194A	46.263B/45.194A	----	45.847	+	0.564	.9873	5	----	----	----	0	-	5
10800	----	----	----	47.264B/46.197A	47.264B/46.197A	----	46.847	+	0.565	.9879	2	----	----	----	0	-	2
11000	----	----	----	49.257B/48.201A	49.257B/48.201A	----	48.847	+	0.565	.9890	2	----	----	----	0	-	2
12000	----	----	----	59.229B/58.213A	59.229B/58.213A	----	58.847	+	0.565	.9930	1	----	----	----	0	-	1
TOTAL																	

BULLETIN #187@				METALS OPTION PRODUCTS							Tue, Sep 29, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO PUT	COMEX SILVER OPTIONS													
FEB27														
5275	----	----	1.602B/1.348A	1.602B/1.348A	----	1.440 + 0.028	.1867	----	----	----	----	20	UNCH	
5300	----	----	1.668B/1.403A	1.668B/1.403A	----	1.498 + 0.030	.1928	----	----	----	----	1	UNCH	
5375	1.612	1.612	1.871B/1.574A	1.871B/1.574A	----	1.685 NEW	.2117	----	----	44	----	44 +	44	
5400	----	----	1.939B/1.637A	1.939B/1.637A	----	1.752 + 0.036	.2182	----	----	----	----	3	UNCH	
5500	----	----	2.251B/1.904A	2.251B/1.904A	----	2.039 + 0.044	.2453	----	----	----	----	3	UNCH	
5600	----	----	2.595B/2.206A	2.595B/2.206A	----	2.361 + 0.052	.2740	----	----	----	----	7	UNCH	
5700	----	----	2.974B/2.538A	2.974B/2.538A	----	2.719 + 0.061	.3039	----	----	----	----	1	UNCH	
5725	----	----	3.072B/2.632A	3.072B/2.632A	----	2.815 + 0.064	.3115	----	----	----	----	1	UNCH	
5800	----	----	3.387B/2.914A	3.387B/2.914A	----	3.115 + 0.073	.3347	----	----	----	----	10	UNCH	
5875	----	----	3.725B/3.213A	3.725B/3.213A	----	3.435 + 0.081	.3583	----	----	----	----	10	UNCH	
6000	3.842	3.842	4.333B/3.768A	4.333B/3.768A	----	4.016 + 0.097	.3980	----	----	5	----	6 +	5	
6050	----	----	4.591B/4.006A	4.591B/4.006A	----	4.265 + 0.105	.4140	----	----	----	----	17	UNCH	
6100	----	----	4.852B/4.254A	4.852B/4.254A	----	4.522 + 0.111	.4299	----	----	----	----	1	UNCH	
6200	----	----	5.411B/4.774A	5.411B/4.774A	----	5.065 + 0.126	.4615	----	----	6	----	7 +	6	
6400	----	----	6.625B/5.921A	6.625B/5.921A	----	6.257 + 0.158	.5224	----	----	----	----	1	UNCH	
6500	----	----	7.281B/6.540A	7.281B/6.540A	----	6.902 + 0.174	.5513	----	----	----	----	21	UNCH	
6600	----	----	7.940B/7.194A	7.940B/7.194A	----	7.578 + 0.190	.5790	----	----	----	----	6	UNCH	
6700	----	----	8.640B/7.874A	8.640B/7.874A	----	8.282 + 0.207	.6054	----	----	----	----	11	UNCH	
6825	----	----	9.560B/8.784A	9.560B/8.784A	----	9.197 + 0.228	.6364	----	----	----	----	5	UNCH	
7000	----	----	10.906B/10.098A	10.906B/10.098A	----	10.536 + 0.257	.6763	----	----	----	----	5	UNCH	
7225	----	----	12.717B/11.868A	12.717B/11.868A	----	12.346 + 0.293	.7214	----	----	----	----	1	UNCH	
7250	----	----	12.924B/12.071A	12.924B/12.071A	----	12.552 + 0.296	.7260	----	----	----	----	1	UNCH	
7400	----	----	14.184B/13.306A	14.184B/13.306A	----	13.811 + 0.318	.7519	----	----	----	----	2	UNCH	
7575	----	----	15.693B/14.796A	15.693B/14.796A	----	15.318 + 0.341	.7787	----	----	----	----	20	UNCH	
8075	----	----	20.185B/19.234A	20.185B/19.234A	----	19.803 + 0.398	.8384	----	----	----	----	5	UNCH	
8150	----	----	20.868B/19.919A	20.868B/19.919A	----	20.494 + 0.407	.8456	----	----	----	----	10	UNCH	
8225	----	----	21.563B/20.603A	21.563B/20.603A	----	21.188 + 0.414	.8523	----	----	----	----	10	UNCH	
8250	----	----	21.795B/20.834A	21.795B/20.834A	----	21.420 + 0.417	.8545	----	----	55	0	266 +	55	
TOTAL														
MAR27														
4000	----	----	0.272B/----	0.272B/0.266A	----	0.269 + 0.006	.0367	----	----	----	----	299	UNCH	
4200	0.372	0.372	0.378B/0.355A	0.378B/0.355A	----	0.361 NEW	.0490	----	----	1	----	1 +	1	
4300	----	----	0.444B/----	0.444B/0.410A	----	0.419 + 0.012	.0566	----	----	----	----	5	UNCH	
4500	----	----	0.621B/----	0.621B/0.552A	----	0.569 + 0.018	.0753	----	----	----	----	50	UNCH	
4775	----	----	0.959B/0.831A	0.959B/0.831A	----	0.870 + 0.025	.1103	----	----	----	----	5	UNCH	
4800	----	----	0.998B/0.861A	0.998B/0.861A	----	0.904 + 0.026	.1141	----	----	----	----	5	UNCH	
4900	----	----	1.161B/0.999A	1.161B/0.999A	----	1.054 + 0.029	.1302	----	----	----	----	5	UNCH	
5000	----	----	1.349B/1.160A	1.349B/1.160A	----	1.226 + 0.033	.1480	----	----	----	----	77	UNCH	
5050	----	----	1.459B/1.248A	1.459B/1.248A	----	1.322 + 0.035	.1576	----	----	----	----	9	UNCH	
5075	----	----	1.511B/1.295A	1.511B/1.295A	----	1.372 + 0.036	.1626	----	----	----	----	1	UNCH	
5100	----	----	1.565B/1.343A	1.565B/1.343A	----	1.424 + 0.037	.1676	----	----	----	----	2	UNCH	
5150	----	----	1.681B/1.445A	1.681B/1.445A	----	1.533 + 0.039	.1780	----	----	----	----	6	UNCH	
5200	----	----	1.806B/1.552A	1.806B/1.552A	----	1.648 + 0.041	.1888	----	----	2	----	3 +	2	
5300	----	----	2.081B/1.788A	2.081B/1.788A	----	1.901 + 0.045	.2115	----	----	----	----	2	UNCH	
5350	----	----	2.228B/1.917A	2.228B/1.917A	----	2.039 + 0.048	.2234	----	----	----	----	8	UNCH	
5400	----	----	2.383B/2.052A	2.383B/2.052A	----	2.185 + 0.051	.2356	----	----	----	----	23	UNCH	
5425	----	----	2.465B/2.124A	2.465B/2.124A	----	2.261 + 0.052	.2419	----	----	----	----	2	UNCH	
5500	----	----	2.720B/2.351A	2.720B/2.351A	----	2.501 + 0.057	.2611	----	----	----	----	554	UNCH	
5600	----	----	3.088B/2.679A	3.088B/2.679A	----	2.850 + 0.063	.2876	----	----	----	----	9	UNCH	
5700	----	----	3.489B/3.037A	3.489B/3.037A	----	3.233 + 0.071	.3149	----	----	----	----	3	UNCH	
5800	----	----	3.925B/3.433A	3.925B/3.433A	----	3.650 + 0.079	.3429	----	----	----	----	2	UNCH	
6000	----	----	4.903B/4.329A	4.903B/4.329A	----	4.586 + 0.097	.3998	----	----	----	----	89	UNCH	
6100	----	----	5.435B/4.826A	5.435B/4.826A	----	5.104 + 0.108	.4282	----	----	1	----	2 +	1	
6200	----	----	6.001B/5.356A	6.001B/5.356A	----	5.655 + 0.120	.4564	----	----	----	----	1	UNCH	
6375	----	----	7.061B/6.360A	7.061B/6.360A	----	6.693 + 0.142	.5042	----	----	----	----	1	UNCH	
6450	----	----	7.541B/6.813A	7.541B/6.813A	----	7.165 + 0.152	.5239	----	----	----	----	1	UNCH	
6500	----	----	7.861B/7.126A	7.861B/7.126A	----	7.489 + 0.160	.5368	----	----	----	----	20	UNCH	
6800	----	----	9.940B/9.162A	9.940B/9.162A	----	9.565 + 0.204	.6087	----	----	----	----	1	UNCH	
6825	----	----	10.120B/9.350A	10.120B/9.350A	----	9.748 + 0.208	.6142	----	----	----	----	2	UNCH	
6850	----	----	10.300B/9.522A	10.300B/9.522A	----	9.931 + 0.211	.6197	----	----	----	----	1	UNCH	
6950	----	----	11.060B/10.258A	11.060B/10.258A	----	10.680 + 0.227	.6410	----	----	----	----	2	UNCH	
7000	----	----	11.440B/10.626A	11.440B/10.626A	----	11.061 + 0.233	.6511	----	----	----	----	3	UNCH	
7225	----	----	13.205B/12.372A	13.205B/12.372A	----	12.833 + 0.265	.6937	----	----	----	----	10	UNCH	
7500	----	----	15.476B/14.610A	15.476B/14.610A	----	15.105 + 0.299	.7384	----	----	----	----	3	UNCH	
7575	----	----	16.113B/15.223A	16.113B/15.223A	----	15.742 + 0.308	.7493	----	----	----	----	1	UNCH	
7600	----	----	16.327B/15.434A	16.327B/15.434A	----	15.956 + 0.311	.7528	----	----	----	----	1	UNCH	
7625	----	----	16.541B/15.653A	16.541B/15.653A	----	16.170 + 0.314	.7563	----	----	----	----	10	UNCH	
7750	----	----	17.623B/16.719A	17.623B/16.719A	----	17.253 + 0.328	.7728	----	----	----	----	10	UNCH	
8000	----	----	19.833B/18.903A	19.833B/18.903A	----	19.465 + 0.355	.8019	----	----	----	----	1	UNCH	
8100	----	----	20.731B/19.798A	20.731B/19.798A	----	20.364 + 0.365	.8123	----	----	----	----	6	UNCH	
8300	----	----	22.550B/21.613A	22.550B/21.613A	----	22.185 + 0.385	.8310	----	----	----	----	50	UNCH	
8500	----	----	24.395B/23.446A	24.395B/23.446A	----	24.031 + 0.403	.8474	----	----	----	----	3	UNCH	
8600	----	----	25.325B/24.366A	25.325B/24.366A	----	24.962 + 0.411	.8548	----	----	----	----			



BULLETIN #187@			METALS OPTION PRODUCTS								Tue, Sep 29, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO PUT	COMEX SILVER OPTIONS													
TOTAL											0	196		
SEP27														
5500	----	----	4.628B/----	4.628B/4.698A	----	4.595 + 0.037	.2757	----	----	----	----	10		
5800	----	----	5.951B/----	5.951B/5.975A	----	5.889 + 0.056	.3286	----	----	----	----	1		
5900	----	----	6.422B/----	6.422B/6.448A	----	6.368 + 0.064	.3465	----	----	----	----	1		
TOTAL											0	12		
DEC27														
7175	----	----	----	----	----	15.898 + 0.274	.5021	----	----	----	----	25		
TOTAL											0	25		
DEC28														
7175	----	----	----	----	----	18.203 + 0.215	.4141	----	----	----	----	40		
TOTAL											0	40		
S01 CALL	SILVER OPTIONS													
OCT26														
6000	1.680	1.680	2.138B/1.455A	2.138B/1.455A	----	1.603	NEW .7248	----	----	1	----	1 +		
6030	1.615	1.615	1.900B/1.281A	1.900B/1.281A	----	1.396	NEW .6735	----	----	1	----	1 +		
6090	1.145	1.145	1.459B/0.980A	1.459B/0.980A	----	1.030	NEW .5579	----	----	1	----	1 +		
6100	1.010	1.010	1.395B/0.936A	1.395B/0.936A	----	0.975 - 0.490	.5376	----	----	1	----	5		
6120	1.010	1.010	1.263B/0.852A	1.263B/0.852A	----	0.873	NEW .4967	----	----	2	----	0		
6150	----	----	-----/0.721A	1.084B/0.721A	----	0.733 - 0.447	.4354	----	----	----	----	8		
6190	0.846	0.846	0.872B/0.565A	0.872B/0.565A	----	0.574	NEW .3567	----	----	2	----	1 +		
6200	0.771	0.771	0.824B/0.532A	0.824B/0.532A	----	0.539	NEW .3380	----	----	3	----	3 +		
6240	----	----	-----/0.415A	0.652B/0.415A	----	0.417	NEW .2686	----	----	10	----	10 +		
6250	0.455	0.455	0.616B/0.384A	0.616B/0.384A	----	0.391	NEW .2528	----	----	6	----	5 +		
6260	0.500	0.500	0.577B/0.366A	0.577B/0.366A	----	0.366	NEW .2375	----	----	3	----	3 +		
6300	0.282	0.282	0.446B/0.276A	0.446B/0.276A	----	0.281 - 0.283	.1833	----	----	2	----	3 +		
6350	----	----	-----/0.201A	0.331B/0.201A	----	0.202 - 0.229	.1302	----	----	8	----	12 +		
6400	----	----	-----/0.150A	0.248B/0.150A	----	0.146 - 0.182	.0914	----	210	----	----	214 +		
6450	0.226	0.226	0.226/0.111A	0.226/0.111A	----	0.107 - 0.142	.0642	----	----	2	----	5 +		
6500	0.151	0.151	0.151/0.087A	0.151/0.087A	----	0.080 - 0.110	.0455	----	----	214	----	223 +		
6540	----	----	-----/0.071A	0.105B/0.071A	----	0.064 - 0.091	.0347	----	----	----	----	1		
6550	----	----	-----/0.068A	0.087B/0.068A	----	0.061 - 0.086	.0327	----	----	----	----	47		
6600	----	----	-----/0.055A	0.077B/0.055A	----	0.047 - 0.069	.0236	----	----	----	----	6		
6620	0.060	0.060	0.060/0.051A	0.071B/0.051A	----	0.043	NEW .0210	----	----	3	----	3 +		
6630	----	----	-----/0.049A	0.068B/0.049A	----	0.041	NEW .0198	----	----	16	----	16 +		
6650	----	----	-----/0.046A	0.062B/0.046A	----	0.037 - 0.056	.0174	----	----	----	----	9		
6700	0.050	0.050	0.050/0.038A	0.053B/0.038A	----	0.030 - 0.047	.0132	----	1	----	----	5		
6750	----	----	-----/0.035A	0.043B/0.035A	----	0.025 - 0.040	.0103	----	----	----	----	12		
6800	----	----	-----/0.033A	0.035B/0.033A	----	0.022 - 0.034	.0084	----	----	----	----	2		
6850	----	----	-----/0.031A	0.030B/0.031A	----	0.019 - 0.031	.0068	----	----	----	----	1		
6900	0.026	0.026	0.026/0.026	0.026/0.026	----	0.017 - 0.028	.0057	----	1	----	----	8		
6950	----	----	-----/0.027A	0.016B/0.027A	----	0.013 - 0.023	.0041	----	----	----	----	1		
7000	----	----	-----/0.023A	0.013B/0.023A	----	0.010 - 0.019	.0030	----	----	----	----	26		
7050	----	----	-----/0.021A	0.011B/0.021A	----	0.008 - 0.016	.0022	----	----	----	----	3		
7100	----	----	-----/0.019A	0.009B/0.019A	----	0.006 - 0.014	.0015	----	----	----	----	1		
7150	----	----	----	0.007B/0.018A	----	0.005 - 0.012	.0012	----	----	----	----	1		
7200	----	----	----	0.005B/0.016A	----	0.004 - 0.011	.0009	----	----	----	----	11		
7250	----	----	----	0.004B/0.015A	----	0.004 - 0.009	.0008	----	----	----	----	2		
7300	----	----	----	0.002B/0.019A	----	0.003 - 0.009	.0006	----	----	----	----	0		
7400	----	----	----	-----/0.020A	----	0.002 - 0.007	.0003	----	----	----	----	4		
7500	----	----	----	-----/0.019A	----	0.002 - 0.006	.0003	----	----	----	----	2		
7600	----	----	----	-----/0.019A	----	0.002 - 0.005	.0003	----	----	----	----	1		
8750	----	----	----	-----/0.101A	----	0.001	UNCH ----	----	----	----	----	10		
TOTAL										487	0	674 +		
S01 PUT	SILVER OPTIONS													
OCT26														
5400	----	----	----	0.010B/0.024A	----	0.015 - 0.007	.0048	----	----	----	----	6		
5500	----	----	-----/0.030A	0.028B/0.030A	----	0.024 - 0.009	.0090	----	----	----	----	1		
5600	----	----	0.052B/0.034A	0.052B/0.034A	----	0.039 - 0.011	.0171	----	----	----	----	13		
5700	----	----	0.110B/0.051A	0.110B/0.051A	----	0.068 - 0.012	.0343	----	----	----	----	3		
5750	0.130	0.130	0.155B/0.063A	0.155B/0.063A	----	0.091	NEW .0489	----	----	1	----	1 +		
5800	0.190	0.190	0.214B/0.083A	0.214B/0.083A	----	0.124 - 0.013	.0703	----	----	2	----	12 +		
5850	----	----	0.293B/0.118A	0.293B/0.118A	----	0.171 - 0.010	.1012	----	----	----	----	1		
5870	0.310	0.310	0.336B/0.124A	0.336B/0.124A	----	0.194 - 0.009	.1164	----	1	----	----	1		
5890	----	----	0.381B/0.141A	0.381B/0.141A	----	0.221 - 0.007	.1341	----	----	----	----	1		
5900	0.300	0.300	0.405B/0.150	0.405B/0.150	----	0.236 - 0.006	.1438	----	2	----	----	15		
5950	0.250	0.250	0.548B/0.209A	0.548B/0.209A	----	0.327 + 0.003	.2014	----	3	----	----	2 +		
6000	0.540	0.540	0.725B/0.290A	0.725B/0.290A	----	0.451 + 0.019	.2751	----	43	----	----	57 -		
6010	----	----	0.766B/0.308A	0.766B/0.308A	----	0.480 + 0.023	.2916	----	----	----	----	1		
6050	----	----	0.950B/0.399A	0.950B/0.399A	----	0.614 + 0.043	.3634	----	----	----	----	20		
6100	----	----	1.210B/0.548A	1.210B/0.548A	----	0.822 + 0.075	.4623	----	1	----	----	7 +		
6120	----	----	1.326B/0.618A	1.326B/0.618A	----	0.920	NEW .5032	----	2	----	----	2 +		
6150	0.906	0.906	1.513B/0.739A	1.513B/0.739A	----	1.080 + 0.118	.5645	----	3	----	----	6 -		
6170	----	----	1.646B/0.829A	1.646B/0.829A	----	1.197 + 0.138	.6045	----	----	----	----	5		
6180	----	----	1.711B/0.878A	1.711B/0.878A	----	1.258 + 0.148	.6240	----	----	----	----	5		
6190	----	----	1.780B/0.927A	1.780B/0.927A	----	1.321 + 0.158	.6432	----	1	----	----	1		
6200	----	----	1.849B/0.978A	1.849B/0.978A	----	1.386 + 0.169	.6619	----	----	----	----	32		
6210	----	----	1.922B/1.032A	1.922B/1.032A	----	1.453 + 0.180	.6801	----	----	----	----	1		
6220	----	----	1.997B/1.089A	1.997B/1.089A	----	1.521 + 0.190	.6977	----	2	----	----	4 +		
6230	1.548	1.548	2.070B/1.146A	2.070B/1.146A	----	1.592 + 0.202	.7148	----	2	----	----	3 +		
6250	----	----	2.228B/1.267A	2.228B/1.267A	----	1.737 + 0.225	.7471	----	----	----	----	19		
6300	----	----	2.630B/1.601A	2.630B/1.601A	----	2.127 + 0.281	.8166	----	----	----	----	18		
6350	----	----	3.048B/1.971A	3.048B/1.971A	----	2.548 + 0.335	.8697	----	----	----	----	5		
6400	----	----	3.491B/2.376A	3.491B/2.376A	----	2.992 + 0.383	.9085	----	----	----	----	19		
6450	----	----	3.946B/2.808A	3.946B/2.808A	----	3.453 + 0.42								

PG64	BULLETIN #187@										METALS OPTION PRODUCTS				Tue, Sep 29, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST							
S02 PUT	SILVER OPTIONS																		
OCT26																			
6400	----	----	3.783B/2.818A	3.783B/2.818A	----	3.334 + 0.322	.7775	----	----	----	----	1	UNCH						
6500	----	----	4.643B/3.610A	4.643B/3.610A	----	4.179 + 0.385	.8418	----	----	----	----	1	UNCH						
6550	----	----	5.094B/4.032A	5.094B/4.032A	----	4.623 + 0.412	.8668	----	----	----	----	5	UNCH						
6700	----	----	6.471B/5.372A	6.471B/5.372A	----	6.012 + 0.472	.9190	----	----	----	----	1	UNCH						
TOTAL										15	0	98 +	9						
S03 CALL	SILVER OPTIONS																		
OCT26																			
5800	4.132	4.132	4.362B/3.807A	4.362B/3.807A	----	3.819 NEW	.7714	----	----	1	----	1 +	1						
6100	----	----	-----/1.880A	2.305B/1.880A	----	1.919 NEW	.5282	----	----	3	----	2 +	2						
6600	----	----	-----/0.483A	0.596B/0.483A	----	0.478 - 0.180	.1762	----	----	----	----	4	UNCH						
6650	----	----	-----/0.425A	0.515B/0.425A	----	0.417 - 0.162	.1556	----	----	----	----	8	UNCH						
6700	----	----	-----/0.372A	0.452B/0.372A	----	0.366 - 0.144	.1378	----	----	----	----	5	UNCH						
6800	----	----	-----/0.295A	0.345B/0.295A	----	0.285 - 0.116	.1085	----	----	----	----	2	UNCH						
6900	----	----	-----/0.235A	0.267B/0.235A	----	0.226 - 0.094	.0863	----	----	----	----	5	UNCH						
7000	----	----	-----/0.195A	0.207B/0.195A	----	0.182 - 0.077	.0693	----	----	----	----	9	UNCH						
7050	----	----	-----/0.177A	0.185B/0.177A	----	0.165 - 0.069	.0626	----	----	----	----	2	UNCH						
7100	0.155	0.155	0.163B/0.155	0.163B/0.155	----	0.150 - 0.062	.0566	----	----	1	----	20 +	1						
7150	0.140	0.140	0.144B/0.140	0.144B/0.140	----	0.137 - 0.056	.0514	----	----	1	----	5	UNCH						
7200	----	----	-----/0.139A	0.130B/0.139A	----	0.126 - 0.050	.0469	----	----	----	----	6	UNCH						
7400	----	----	-----/0.103A	0.089B/0.103A	----	0.092 - 0.032	.0332	----	----	----	----	5	UNCH						
TOTAL										6	0	74 +	4						
S03 PUT	SILVER OPTIONS																		
OCT26																			
5000	----	----	-----/0.058A	0.026B/0.058A	----	0.044 - 0.048	.0166	----	----	----	----	1	UNCH						
5700	0.402	0.402	0.605B/0.384A	0.605B/0.384A	----	0.467 + 0.006	.1682	----	----	6	----	7 +	6						
5800	----	----	0.864B/0.549A	0.864B/0.549A	----	0.671 + 0.035	.2284	----	----	----	----	15	UNCH						
5900	----	----	1.182B/0.773A	1.182B/0.773A	----	0.948 + 0.067	.3012	----	----	----	----	4	UNCH						
5950	----	----	1.387B/0.914A	1.387B/0.914A	----	1.118 + 0.085	.3415	----	----	----	----	2	UNCH						
6000	----	----	1.559B/1.079A	1.559B/1.079A	----	1.310 + 0.103	.3837	----	----	----	----	35	UNCH						
6050	----	----	1.801B/1.266A	1.801B/1.266A	----	1.526 + 0.123	.4274	----	----	----	----	5	UNCH						
6100	1.922	1.922	2.091B/1.469A	2.091B/1.469A	----	1.766 + 0.143	.4717	----	----	40	----	52 +	27						
6150	----	----	2.358B/1.700A	2.358B/1.700A	----	2.030 + 0.165	.5159	----	----	----	----	2	UNCH						
6200	----	----	2.629B/1.955A	2.629B/1.955A	----	2.317 + 0.187	.5593	----	----	----	----	16	UNCH						
6250	----	----	2.862B/2.237A	2.862B/2.237A	----	2.627 + 0.211	.6014	----	----	----	----	10	UNCH						
6300	----	----	3.222B/2.538A	3.222B/2.538A	----	2.959 + 0.236	.6414	----	----	----	----	5	UNCH						
6350	----	----	3.587B/2.881A	3.587B/2.881A	----	3.311 + 0.261	.6789	----	----	----	----	5	UNCH						
6500	----	----	4.491B/3.971A	4.491B/3.971A	----	4.472 + 0.338	.7747	----	----	----	----	10	UNCH						
6600	----	----	5.338B/4.775A	5.338B/4.775A	----	5.317 + 0.383	.8237	----	----	----	----	5	UNCH						
6650	----	----	5.778B/5.189A	5.778B/5.189A	----	5.756 + 0.403	.8442	----	----	----	----	6	UNCH						
6700	----	----	6.220B/5.629A	6.220B/5.629A	----	6.204 + 0.420	.8621	----	----	----	----	20	UNCH						
TOTAL										46	0	211 +	33						
SWW WED	SILVER WEEKLY WEDNESDAY OPTION WEEK																		
SEP26																			
5700	0.009	0.009	0.009/0.009	0.018B/0.009	----	0.010 NEW	.0010	----	----	1	----	1 +	1						
5790	0.028	0.028	0.045B/0.018A	0.045B/0.018A	----	0.018 NEW	.0032	----	----	1	----	1 +	1						
5800	----	----	0.046B/0.015A	0.046B/0.015A	----	0.020 - 0.021	.0039	----	----	----	----	2	UNCH						
5850	----	----	0.090B/0.020A	0.090B/0.020A	----	0.030 - 0.029	.0084	----	----	----	----	1	UNCH						
5890	----	----	0.138B/0.027A	0.138B/0.027A	----	0.043 - 0.038	.0161	----	----	----	----	3	UNCH						
5930	0.076	0.076	0.204B/0.036A	0.204B/0.036A	----	0.065 NEW	.0324	----	----	4	----	2 +	2						
5940	0.060	0.060	0.221B/0.039A	0.221B/0.039A	----	0.072 NEW	.0384	----	----	23	----	9 +	9						
5950	0.085	0.085	0.247B/0.041A	0.247B/0.041A	----	0.080 NEW	.0456	----	----	9	----	5 +	5						
5960	0.106	0.106	0.268B/0.045A	0.268B/0.045A	----	0.089 NEW	.0542	----	----	9	----	4 +	4						
5970	0.111	0.111	0.295B/0.049A	0.295B/0.049A	----	0.100 NEW	.0648	----	----	15	----	6 +	6						
5980	0.085	0.085	0.322B/0.055A	0.322B/0.055A	----	0.111 NEW	.0764	----	----	8	----	3 +	3						
5990	0.139	0.139	0.351B/0.060A	0.351B/0.060A	----	0.124 NEW	.0903	----	----	10	----	7 +	7						
6000	0.235	0.235	0.388B/0.072A	0.388B/0.072A	----	0.139 - 0.058	.1068	----	----	31	----	27 +	15						
6010	0.132	0.132	0.418B/0.075A	0.418B/0.075A	----	0.155 NEW	.1253	----	----	20	----	6 +	6						
6020	0.125	0.125	0.454B/0.080A	0.454B/0.080A	----	0.174 NEW	.1472	----	----	20	----	14 +	14						
6030	0.229	0.229	0.499B/0.087A	0.499B/0.087A	----	0.194 NEW	.1713	----	----	7	----	4 +	4						
6040	0.256	0.256	0.541B/0.098A	0.541B/0.098A	----	0.217 NEW	.1989	----	----	21	----	6 +	6						
6050	0.179	0.179	0.586B/0.108A	0.586B/0.108A	----	0.242 - 0.053	.2294	----	----	32	----	26 +	22						
6060	0.297	0.297	0.634B/0.124A	0.634B/0.124A	----	0.270 NEW	.2633	----	----	11	----	3 +	3						
6070	0.303	0.303	0.684B/0.136A	0.684B/0.136A	----	0.301 NEW	.3002	----	----	4	----	4 +	4						
6080	0.365	0.365	0.737B/0.155A	0.737B/0.155A	----	0.336 NEW	.3403	----	----	10	----	6 +	6						
6090	0.614	0.614	1.123B/0.600A	1.123B/0.600A	----	0.628 NEW	.6170	----	----	1	----	1 +	1						
6090	0.505	0.505	0.792B/0.173A	0.792B/0.173A	----	0.375 NEW	.3829	----	----	10	----	4 +	4						
6100	0.557	0.557	1.044B/0.545A	1.044B/0.545A	----	0.570 NEW	.5727	----	----	7	----	6 +	6						
6100	0.250	0.250	0.850B/0.193A	0.850B/0.193A	----	0.417 - 0.019	.4272	----	----	24	----	20 +	10						
6110	0.278	0.278	0.911B/0.218A	0.911B/0.218A	----	0.464 NEW	.4728	----	----	4	----	3 +	3						
6120	0.546	0.546	0.974B/0.241A	0.974B/0.241A	----	0.514 NEW	.5187	----	----	1	----	1 +	1						
6120	----	----	-----/0.449A	0.887B/0.449A	----	0.467 NEW	.4812	----	----	2	----	0	UNCH						
6130	----	----	-----/0.403A	0.816B/0.403A	----	0.421 NEW	.4357	----	----	1	----	1 +	1						
6130	0.317	0.317	1.039B/0.269A	1.039B/0.269A	----	0.568 + 0.022	.5642	----	----	3	----	4 +	1						
6140	0.344	0.344	1.107B/0.303A	1.107B/0.303A	----	0.625 NEW	.6088	----	----	2	----	2 +	2						
6150	0.551	0.551	0.683B/0.322A	0.683B/0.322A	----	0.338 NEW	.3480	----	----	3	----	2 +	2						
6150	0.715	0.715	1.176B/0.337A	1.176B/0.337A	----	0.685 NEW	.6519	----	----	11	----	10 +	10						
6160	0.331	0.331	0.621B/0.287A	0.621B/0.287A	----	0.302 NEW	.3072	----	----	2	----	2 +	2						
6170	0.390	0.390																	

BULLETIN #187@										METALS OPTION PRODUCTS										Tue, Sep 29, 2026				PG64
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE		GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW		OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA		EXER CISES		OPEN OUTCRY VOLUME		GLOBEX® VOLUME		PNT VOLUME		OPEN INTEREST		
SWW WED SILVER WEEKLY WEDNESDAY OPTION WEEK																								
OCT26																								
5900	----	----	----	0.6738/0.332A	0.6738/0.332A	----	----	----	----	0.460 + 0.010	.2261	----	----	----	----	----	----	5	----	----	1	UNCH		
6000	1.091	1.091	----	1.2928/0.961A	1.2928/0.961A	----	----	----	----	1.186 NEW	.3769	----	----	----	----	----	----	5	----	----	5 +	5		
6150	----	----	----	1.8018/1.077A	1.8018/1.077A	----	----	----	----	1.429 + 0.137	.5372	----	----	----	----	----	----	----	----	2	UNCH			
6200	1.161	1.161	----	1.1748/0.851A	1.1748/0.851A	----	----	----	----	0.877 NEW	.3968	----	----	----	----	----	3	----	----	3 +	3			
6250	0.797	0.797	----	0.9568/0.685A	0.9568/0.685A	----	----	----	----	0.705 - 0.349	.3350	----	----	----	----	----	5	----	----	7 +	5			
6300	----	----	----	2.8278/2.406A	2.8278/2.406A	----	----	----	----	2.824 + 0.196	.6555	----	----	----	----	----	----	----	----	2	UNCH			
6300	----	----	----	-----/0.549A	0.7728/0.549A	----	----	----	----	0.563 NEW	.2789	----	----	----	----	----	2	----	----	2 +	2			
6350	----	----	----	3.2478/2.285A	3.2478/2.285A	----	----	----	----	2.793 + 0.296	.7705	----	----	----	----	----	----	----	----	2	UNCH			
6450	----	----	----	4.1058/3.061A	4.1058/3.061A	----	----	----	----	3.628 + 0.370	.8484	----	----	----	----	----	----	----	----	8	UNCH			
6500	----	----	----	-----/0.233A	0.3218/0.233A	----	----	----	----	0.227 - 0.164	.1227	----	----	----	----	----	----	----	----	3	UNCH			
6650	----	----	----	-----/0.136A	0.1738/0.136A	----	----	----	----	0.124 - 0.093	.0666	----	----	----	----	----	----	----	----	3	UNCH			
6700	----	----	----	-----/0.116A	0.1318/0.116A	----	----	----	----	0.105 - 0.076	.0555	----	----	----	----	----	----	----	----	60	UNCH			
6900	----	----	----	-----/0.069A	0.0738/0.069A	----	----	----	----	0.060 - 0.036	.0293	----	----	----	----	----	----	----	----	2	UNCH			
6950	----	----	----	-----/0.062A	0.0648/0.062A	----	----	----	----	0.053 - 0.032	.0254	----	----	----	----	----	----	----	----	5	UNCH			
7400	----	----	----	-----/0.039A	0.0228/0.039A	----	----	----	----	0.025 - 0.016	.0097	----	----	----	----	----	----	----	15	0	143 +	15		
TOTAL																								
TWS TUE SILVER WEEKLY TUESDAY OPTION week5																								
SEP26																								
4750	----	----	----	----	-----/0.016A	----	----	----	----	0.000 - 0.001	----	----	----	----	----	----	----	----	----	0 -	34	UNCH		
5000	0.009	0.009	----	0.009/0.009	0.009/0.009	----	----	----	----	0.000 NEW	----	----	----	----	----	----	1	----	----	0	UNCH			
5780	0.015	0.015	----	0.015/0.012A	0.015/0.012A	----	----	----	----	0.000 NEW	----	----	----	----	----	----	1	----	----	0	UNCH			
5800	----	----	----	-----/0.012A	0.0098/0.012A	----	----	----	----	0.000 - 0.014	----	----	----	----	----	----	----	----	----	0 -	3	UNCH		
5860	0.021	0.021	----	0.0258/0.012A	0.0258/0.012A	----	----	----	----	0.000 NEW	----	----	----	----	----	----	1	----	----	0	UNCH			
5950	----	----	----	0.1018/0.009A	0.1018/0.009A	----	----	----	----	0.000 - 0.053	----	----	----	----	----	----	----	----	----	0 -	3	UNCH		
5970	----	----	----	0.1298/0.006A	0.1298/0.006A	----	----	----	----	0.000 - 0.065	----	----	----	----	----	----	3	----	----	0 -	3	UNCH		
5980	----	----	----	0.1478/0.006A	0.1478/0.006A	----	----	----	----	0.000 NEW	----	----	----	----	----	----	1	----	----	0	UNCH			
6000	0.048	0.048	----	0.1918/0.005A	0.1918/0.005A	----	----	----	----	0.000 - 0.090	----	----	----	----	----	----	1	----	----	0 -	22	UNCH		
6010	0.090	0.090	----	0.2198/0.005A	0.2198/0.005A	----	----	----	----	0.000 - 0.101	----	----	----	----	----	----	4	----	----	0 -	1	UNCH		
6020	----	----	----	0.2508/0.004A	0.2508/0.004A	----	----	----	----	0.000 - 0.112	----	----	----	----	----	----	----	----	----	0 -	1	UNCH		
6030	----	----	----	0.2828/0.005A	0.2828/0.005A	----	----	----	----	0.000 - 0.125	----	----	----	----	----	----	3	----	----	0 -	7	UNCH		
6040	0.226	0.226	----	0.3208/0.005A	0.3208/0.005A	----	----	----	----	0.000 - 0.140	----	----	----	----	----	----	9	----	----	0 -	6	UNCH		
6050	0.092	0.092	----	0.3678/0.002	0.3678/0.002	----	----	----	----	0.000 - 0.156	----	----	----	----	----	----	17	----	----	0 -	13	UNCH		
6060	0.220	0.220	----	0.4138/0.008A	0.4138/0.008A	----	----	----	----	0.000 - 0.173	----	----	----	----	----	----	15	----	----	0 -	20	UNCH		
6070	0.080	0.080	----	0.4628/0.005A	0.4628/0.005A	----	----	----	----	0.000 - 0.193	----	----	----	----	----	----	5	----	----	0 -	8	UNCH		
6080	0.165	0.165	----	0.5148/0.005	0.5148/0.005	----	----	----	----	0.000 - 0.215	----	----	----	----	----	----	6	----	----	0 -	5	UNCH		
6090	0.006	0.006	----	0.5718/0.006	0.5718/0.006	----	----	----	----	0.000 - 0.239	----	----	----	----	----	----	2	----	----	0 -	1	UNCH		
6100	0.472	0.472	----	0.6918/0.135A	0.6918/0.135A	----	----	----	----	0.153 NEW	----	----	1	----	----	----	2	----	----	0	UNCH			
6100	0.445	0.445	----	0.6298/0.007	0.6298/0.007	----	----	----	----	0.000 - 0.265	----	----	----	----	----	----	34	----	----	0 -	6	UNCH		
6110	0.016	0.016	----	0.6938/0.011A	0.6938/0.011A	----	----	----	----	0.000 - 0.294	----	----	----	----	----	----	7	----	----	0	UNCH			
6110	0.288	0.288	----	0.5968/0.063A	0.5968/0.063A	----	----	----	----	0.053 NEW	----	----	8	----	----	----	8	----	----	0	UNCH			
6120	0.517	0.517	----	0.7608/0.022A	0.7608/0.022A	----	----	----	----	0.047 - 0.279	----	----	8	----	----	----	15	----	----	0 -	5	UNCH		
6120	----	----	----	-----/0.009A	0.5098/0.009A	----	----	----	----	0.000 NEW	----	----	----	----	----	----	2	----	----	0	UNCH			
6130	0.045	0.045	----	0.045/0.004A	0.4568/0.004A	----	----	----	----	0.000 NEW	----	----	----	----	----	----	23	----	----	0	UNCH			
6130	0.266	0.266	----	0.8298/0.033A	0.8298/0.033A	----	----	----	----	0.147 - 0.213	----	----	15	----	----	----	17	----	----	0 -	12	UNCH		
6140	0.073	0.073	----	0.9018/0.054A	0.9018/0.054A	----	----	----	----	0.247 NEW	----	----	2	----	----	----	2	----	----	0	UNCH			
6140	0.077	0.077	----	0.077/0.003A	0.4078/0.003A	----	----	----	----	0.000 - 0.716	----	----	----	----	----	----	29	----	----	0 -	3	UNCH		
6150	0.400	0.400	----	0.9818/0.082A	0.9818/0.082A	----	----	----	----	0.347 - 0.091	----	----	36	----	----	----	3	----	----	0 -	36	UNCH		
6150	0.210	0.210	----	0.277/0.001A	0.3608/0.001A	----	----	----	----	0.000 - 0.656	----	----	----	----	----	----	20	----	----	0 -	1	UNCH		
6160	----	----	----	1.0638/0.139A	1.0638/0.139A	----	----	----	----	0.447 - 0.035	----	----	32	----	----	----	2	----	----	0 -	34	UNCH		
6160	0.012	0.012	----	0.012/0.008A	0.3228/0.008A	----	----	----	----	0.000 NEW	----	----	----	----	----	----	4	----	----	0	UNCH			
6170	0.180	0.180	----	0.180/0.008A	0.2878/0.008A	----	----	----	----	0.000 - 0.547	----	----	----	----	----	----	14	----	----	0 -	3	UNCH		
6170	0.330	0.330	----	1.1458/0.189A	1.1458/0.189A	----	----	----	----	0.547 + 0.018	----	----	1	----	----	----	2	----	----	0 -	2	UNCH		
6180	----	----	----	1.2218/0.249A	1.2218/0.249A	----	----	----	----	0.647 + 0.067	----	----	6	----	----	----	----	----	----	0 -	6	UNCH		
6180	0.067	0.067	----	0.101/0.006A	0.2568/0.006A	----	----	----	----	0.000 NEW	----	----	----	----	----	----	9	----	----	0	UNCH			
6190	0.065	0.065	----	0.065/0.006A	0.2298/0.006A	----	----	----	----	0.000 - 0.451	----	----	----	----	----	----	3	----	----	0 -	1	UNCH		
6200	----	----	----	1.3968/0.398A	1.3968/0.398A	----	----	----	----	0.847 + 0.157	----	----	33	----	----	----	----	----	----	0 -	33	UNCH		
6200	0.200	0.200	----	0.200/0.001	0.2038/0.001	----	----	----	----	0.000 - 0.408	----	----	----	----	----	----	11	----	----	0 -	1	UNCH		
6210	----	----	----	1.4858/0.480A	1.4858/0.480A	----	----	----	----	0.947 + 0.196	----	----	1	----	----	----	----	----	----	0 -	1	UNCH		
6210	----	----	----	-----/0.007A	0.1808/0.007A	----	----	----	----	0.000 NEW	----	----	----	----	----	----	4	----	----	0	UNCH			
6220	0.100	0.100	----	0.100/0.008A	0.1598/0.00																			

BULLETIN #187@				METALS OPTION PRODUCTS										Tue, Sep 29, 2026			PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
COPPER WEEKLY MONDAY OPTION WEEK4																		
HMW MON SEP26																		
658	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH					
658	----	----	----	----	----	0.0535	UNCH	----	----	----	----	0	UNCH					
660	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH					
662	----	----	----	----	----	0.0135	UNCH	----	----	----	----	0	UNCH					
664	----	----	----	----	----	0.0065	UNCH	----	----	----	----	0	UNCH					
664	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH					
665	----	----	----	----	----	0.0165	UNCH	----	----	----	----	0	UNCH					
666	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH					
668	----	----	----	----	----	0.0465	UNCH	----	----	----	----	0	UNCH					
670	----	----	----	----	----	0.0665	UNCH	----	----	----	----	0	UNCH					
672	----	----	----	----	----	0.0865	UNCH	.0000	----	----	----	0	UNCH					
676	----	----	----	----	----	0.1265	UNCH	----	----	----	----	0	UNCH					
677	----	----	----	----	----	0.1365	UNCH	----	----	----	----	0	UNCH					
680	----	----	----	----	----	0.1665	UNCH	----	----	----	----	0	UNCH					
681	----	----	----	----	----	0.1765	UNCH	----	----	----	----	0	UNCH					
682	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH					
TOTAL												0						
COPPER WEEKLY THURSDAY OPT week4																		
OCT26																		
500	----	----	----	-----/0.0085A	----	0.0005	UNCH	.0000	----	----	----	19	UNCH					
525	----	----	----	-----/0.0070A	----	0.0005	UNCH	----	----	----	----	30	UNCH					
615	----	----	----	-----/0.0075A	----	0.0040	+	0.0005	.0270	----	----	30	UNCH					
625	----	----	----	0.0015B/0.0065A	----	0.0055	-	0.0005	.0427	----	----	1	UNCH					
625	----	----	----	0.0320B/0.0485A	----	0.0450	NEW	.1832	----	10	----	10	+					
630	----	----	----	0.0030B/0.0080A	----	0.0070	-	0.0020	.0577	----	----	135	UNCH					
635	----	----	----	0.0075B/0.0110A	----	0.0095	-	0.0040	.0817	----	----	59	UNCH					
640	----	----	----	0.0155B/0.0150A	----	0.0145	-	0.0080	.1246	----	----	20	UNCH					
645	----	----	----	0.0295B/0.0225A	----	0.0245	-	0.0105	.1958	----	----	32	UNCH					
650	----	----	----	0.0495B/0.0340A	----	0.0405	-	0.0110	.2884	----	----	51	UNCH					
650	----	----	----	0.0815B/0.0655A	----	0.0755	-	0.0040	.3524	----	----	1	UNCH					
655	----	----	----	0.0735B/0.0520A	----	0.0630	-	0.0090	.3897	----	----	1	UNCH					
660	----	----	----	0.0925B/0.0740A	----	0.0910	-	0.0055	.4869	----	----	1	UNCH					
675	----	----	----	0.1915B/0.1655A	----	0.1945	+	0.0035	.7190	----	----	10	UNCH					
680	----	----	----	0.0535B/0.0445A	----	0.0380	-	0.0240	.2248	----	----	55	UNCH					
685	0.0310	0.0310	----	0.0310/0.0310	----	0.0300	NEW	.1785	----	15	----	15	+					
690	0.0235	0.0235	----	0.0235/0.0215	----	0.0235	-	0.0200	.1403	27	----	61	+					
695	----	----	----	0.0280B/0.0240A	----	0.0185	-	0.0180	.1101	----	----	14	UNCH					
700	----	----	----	0.0225B/0.0200A	----	0.0145	-	0.0165	.0858	----	----	26	UNCH					
710	----	----	----	0.0390B/0.0545A	----	0.0440	NEW	.1683	----	10	----	10	+					
725	----	----	----	0.0160B/0.0185A	----	0.0135	-	0.0085	.0664	----	----	2	UNCH					
775	----	----	----	0.0070A	----	0.0005	-	0.0010	.0021	----	----	1	UNCH					
800	----	----	----	0.0065A	----	0.0005	UNCH	.0003	----	----	----	29	UNCH					
850	----	----	----	0.0080A	----	0.0005	-	0.0005	.0023	----	----	19	UNCH					
TOTAL										62		632	+					
COPPER WEEKLY TUESDAY OPTION week5																		
SEP26																		
525	----	----	----	-----/0.0095A	----	0.0000	-	0.0005	----	----	----	0	-					
628	----	----	----	-----/0.0065A	----	0.0000	-	0.0005	----	----	----	0	-					
630	----	----	----	-----/0.0065A	----	0.0000	-	0.0005	----	----	----	0	-					
645	----	----	----	-----/0.0065A	----	0.0000	-	0.0015	----	----	----	0	-					
650	----	----	----	-----/0.0065A	----	0.0000	-	0.0045	----	----	----	0	-					
653	----	----	----	-----/0.0065A	0.0005B/0.0065A	0.0000	-	0.0075	----	----	----	0	-					
655	----	----	----	-----/0.0065A	0.0010B/0.0065A	0.0000	-	0.0105	----	----	----	0	-					
657	----	----	----	-----/0.0065A	0.0085B/0.0065A	0.0000	-	0.0150	----	----	----	0	-					
658	0.0235	0.0235	0.0235/0.0065A	0.0235/0.0065A	----	0.0000	NEW	----	----	2	----	0	UNCH					
660	----	----	----	-----/0.0075A	0.0180B/0.0075A	0.0000	-	0.0250	----	----	----	0	-					
660	0.0315	0.0315	0.0315/0.0150A	0.0425B/0.0150A	----	0.0035	NEW	----	2	----	----	0	UNCH					
661	----	----	----	-----/0.0075A	0.0355B/0.0075A	0.0000	-	0.0525	----	----	----	0	-					
663	0.0055	0.0055	0.0055/0.0055	0.0385B/0.0055	----	0.0265	NEW	----	1	----	----	0	UNCH					
663	----	----	----	-----/0.0065A	0.0245B/0.0065A	0.0000	-	0.0425	----	----	----	0	-					
665	----	----	----	0.0550B/0.0270A	0.0550B/0.0270A	0.0465	-	0.0040	----	2	----	0	-					
665	0.0035	0.0035	0.0035/0.0035	0.0210B/0.0035	----	0.0000	-	0.0345	----	1	----	0	-					
666	0.0195	0.0195	0.0205/0.0065A	0.0205/0.0065A	----	0.0000	NEW	----	2	----	----	0	UNCH					
669	0.0045	0.0045	0.0045/0.0045	0.0085B/0.0045	----	0.0000	NEW	----	6	----	----	0	UNCH					
670	----	----	----	-----/0.0065A	0.0060B/0.0065A	0.0000	-	0.0205	----	----	----	0	-					
671	----	----	----	-----/0.0065A	0.0045B/0.0065A	0.0000	-	0.0185	----	----	----	0	-					
676	0.1605	0.1605	0.1610B/0.1240A	0.1610B/0.1240A	----	0.1565	+	0.0195	----	1	----	0	-					
678	----	----	0.1810B/0.1435A	0.1810B/0.1435A	----	0.1765	+	0.0220	----	3	----	0	-					
678	----	----	-----/0.0065A	-----/0.0065A	----	0.0000	-	0.0080	----	----	----	0	-					
740	----	----	----	-----/0.0065A	----	0.0000	-	0.0005	----	----	----	0	-					
TOTAL										15		0	-					
COPPER WEEKLY WEDNESDAY OPTON WEEK																		
SEP26																		
500	----	----	----	-----/0.0280A	----	0.0005	UNCH	.0000	----	----	----	30	UNCH					
500	----	----	----	-----/0.0070A	----	0.0005	UNCH	----	----	----	----	19	UNCH					
635	----	----	----	-----/0.0305A	0.0300B/0.0305A	0.0305	-	0.0035	.1769	----	----	1	UNCH					
645	0.0305	0.0305	0.0370B/0.0280A	0.0370B/0.0280A	----	0.0305	-	0.0035	.2197	1	----	4	+					
650	----	----	0.0590B/0.0410A	0.0590B/0.0410A	----	0.0485	-	0.0040	.3080	----	----	7	UNCH					
655	----	----	0.0825B/0.0600A	0.0825B/0.0600A	----	0.0715	-	0.0050	.3992	----	----	1	UNCH					
660	0.1125	0.1125	0.1210B/0.1120A	0.1210B/0.1120A	----	0.1030	NEW	.5129	----	1	----	1	+					
665	----	----	-----/0.1095A	0.1295B/0.1095A	----	0.1305	-	0.0020	.5666	----	----	1	UNCH					
675	0.0595	0.0595	0.0595/0.0595	0.0760B/0.0595	----	0.0550	NEW	.2978	----	10	----	10	+					
685	0.0400	0.0400	0.0400/0.0395A	0.0510B/0.0395A	----	0.0355	NEW	.1978	----	1	----	1	+					
700	----	----	-----/0.0245A	0.0285B/0.0245A	----	0.0185	-	0.0175	.1036	----	----	15	UNCH					
720	----	----	-----/0.0130A	0.0115B/0.0130A	----	0.0090	-	0.0095	.0473	----	----	1	UNCH					
TOTAL										13		91	+					

PG64		BULLETIN #187@										METALS OPTION PRODUCTS										Tue, Sep 29, 2026			PG64
		GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME			OPEN INTEREST									
HWW WED SEP26		COPPER WEEKLY WEDNESDAY OPTION WEEK																							
525	----	----	----	----	----/0.0020A	----	0.0005	UNCH	----	----	----	----	----	----	29	UNCH									
550	----	----	----	----	----/0.0020A	----	0.0005	UNCH	----	----	----	----	----	1	UNCH										
625	----	----	----	----	----/0.0025A	----	0.0005	UNCH	----	----	----	----	----	1	UNCH										
630	----	----	----	----	----/0.0030A	----	0.0005	- 0.0005	----	----	----	----	----	1	UNCH										
635	----	----	----	----	----/0.0035A	----	0.0005	- 0.0015	.0000	----	----	----	----	1	UNCH										
645	----	----	----	----/0.0055A	0.0005B/0.0055A	----	0.0020	- 0.0055	.0101	----	----	----	----	15	UNCH										
650	0.0030	0.0030	0.0030/0.0030	0.0075B/0.0030	----	0.0055	- 0.0080	.0506	----	----	29	----	----	33	+	27									
654	----	----	----/0.0115A	0.0195B/0.0115A	----	0.0145	- 0.0095	.1724	----	----	----	----	----	4	UNCH										
655	0.0135	0.0135	0.0200/0.0125A	0.0235B/0.0125A	----	0.0180	- 0.0095	.2182	----	----	8	----	----	13	+	8									
658	----	----	----/0.0185A	0.0390B/0.0185A	----	0.0305	- 0.0090	.3716	----	----	----	----	----	1	UNCH										
660	----	----	----/0.0240A	0.0485B/0.0240A	----	0.0405	- 0.0085	.4790	----	----	----	----	----	1	UNCH										
661	----	----	0.0550B/0.0275A	0.0550B/0.0275A	----	0.0465	- 0.0075	.5315	----	----	----	----	----	1	UNCH										
661	0.0430	0.0430	0.0430/0.0430	0.0645B/0.0430	----	0.0400	NEW	.4684	----	23	----	----	----	18	+	18									
665	----	----	0.0820B/0.0450A	0.0820B/0.0450A	----	0.0725	- 0.0040	.7157	----	----	----	----	----	35	UNCH										
665	0.0440	0.0440	0.0440/0.0340A	0.0480B/0.0340A	----	0.0260	- 0.0340	.2842	----	3	----	----	----	10	UNCH										
666	0.0420	0.0420	0.0420/0.0305A	0.0440B/0.0305A	----	0.0230	NEW	.2452	----	2	----	----	----	2	+	2									
670	----	----	0.1200B/0.0785A	0.1200B/0.0785A	----	0.1105	+	0.0005	.8731	----	----	----	----	6	UNCH										
670	----	----	----/0.0220A	0.0310B/0.0220A	----	0.0140	NEW	.1268	----	2	----	----	----	2	+	2									
675	0.0170	0.0170	0.0170/0.0115	0.0200B/0.0115	----	0.0075	NEW	.0498	----	40	----	----	----	40	+	40									
681	0.0070	0.0070	0.0070/0.0070	0.0095B/0.0070	----	0.0035	NEW	.0145	----	2	----	----	----	2	+	2									
685	----	----	----/0.0085A	0.0050B/0.0085A	----	0.0020	- 0.0140	.0057	----	----	----	----	----	1	UNCH										
690	----	----	----/0.0065A	0.0015B/0.0065A	----	0.0010	- 0.0105	.0017	----	----	----	----	----	30	UNCH										
775	----	----	----	----/0.0020A	----	0.0005	UNCH	----	----	----	109	----	----	248	+	99									
TOTAL																									
OCT26																									
500	----	----	----	----	----/0.0070A	----	0.0005	UNCH	----	----	----	----	----	11	UNCH										
500	----	----	----	----	----/0.0275A	----	0.0005	UNCH	.0000	----	----	----	----	30	UNCH										
525	----	----	----	----	----/0.0070A	----	0.0005	UNCH	.0000	----	----	----	----	19	UNCH										
565	----	----	----	----	----/0.0075A	----	0.0005	- 0.0005	.0025	----	----	----	----	1	UNCH										
575	----	----	----	----	----/0.0080A	----	0.0015	UNCH	.0074	----	----	----	----	1	UNCH										
600	----	----	----	----	----/0.0095A	----	0.0035	UNCH	.0206	----	----	----	----	9	UNCH										
610	----	----	----	----	0.0055B/0.0110A	----	0.0085	- 0.0020	.0520	----	----	----	----	1	UNCH										
625	----	----	----/0.0095A	0.0040B/0.0095A	----	0.0070	- 0.0035	.0544	----	----	----	----	----	10	UNCH										
630	----	----	----/0.0400A	0.0370B/0.0400A	----	0.0410	+	0.0005	.1888	----	----	----	----	15	UNCH										
635	----	----	----/0.0155A	0.0155B/0.0155A	----	0.0150	- 0.0060	.1145	----	----	----	----	----	31	UNCH										
635	----	----	----/0.0335A	0.0340B/0.0335A	----	0.0350	- 0.0015	.1898	----	----	----	----	----	15	UNCH										
640	----	----	----/0.0225A	0.0275B/0.0225A	----	0.0240	- 0.0060	.1706	----	----	----	----	----	57	UNCH										
645	----	----	0.0435B/0.0330A	0.0435B/0.0330A	----	0.0380	- 0.0050	.2434	----	----	----	----	----	100	UNCH										
650	----	----	0.0660B/0.0475A	0.0660B/0.0475A	----	0.0570	- 0.0040	.3247	----	----	----	----	----	16	UNCH										
660	0.1055	0.1055	0.1055/0.0895A	0.1090B/0.0895A	----	0.1075	- 0.0020	.4866	----	20	----	----	----	23	+	19									
665	----	----	----/0.1160A	0.1365B/0.1160A	----	0.1380	- 0.0010	.5609	----	----	----	----	----	20	UNCH										
665	0.0930	0.0930	0.0930/0.0930	0.1160B/0.0930	----	0.0915	NEW	.4388	----	1	----	----	----	1	+	1									
670	----	----	----/0.1465A	0.1715B/0.1465A	----	0.1715	UNCH	.6285	----	----	----	----	----	11	UNCH										
670	----	----	----/0.1095A	0.1180B/0.1095A	----	0.1000	- 0.0265	.4004	----	----	----	----	----	10	UNCH										
675	----	----	0.2110B/0.1795A	0.2110B/0.1795A	----	0.2080	+	0.0015	.6882	----	----	----	----	35	UNCH										
675	----	----	----/0.0685A	0.0830B/0.0685A	----	0.0615	- 0.0285	.3115	----	----	----	----	----	81	UNCH										
680	----	----	----/0.2260A	0.2290B/0.2260A	----	0.2465	+	0.0035	.7398	----	----	----	----	22	UNCH										
680	----	----	----/0.0570A	0.0685B/0.0570A	----	0.0505	- 0.0265	.2599	----	----	----	----	----	20	UNCH										
690	0.0340	0.0340	0.0340/0.0305	0.0475B/0.0305	----	0.0335	- 0.0220	.1769	----	17	----	----	----	23	+	13									
695	0.0255	0.0255	0.0255/0.0255	0.0390B/0.0255	----	0.0275	- 0.0195	.1457	----	16	----	----	----	16	+	15									
700	0.0255	0.0255	0.0255/0.0190	0.0335B/0.0190	----	0.0225	- 0.0175	.1195	----	27	----	----	----	23	+	12									
705	0.0155	0.0155	0.0155/0.0140	0.0265B/0.0140	----	0.0185	- 0.0155	.0981	----	15	----	----	----	20	+	15									
710	0.0210	0.0210	0.0210/0.0210	0.0300B/0.0210	----	0.0270	NEW	.1241	----	5	----	----	----	5	+	5									
715	0.0240	0.0240	0.0290B/0.0230A	0.0290B/0.0230A	----	0.0295	NEW	.1266	----	5	----	----	----	5	+	5									
730	----	----	----/0.0115A	0.0090B/0.0115A	----	0.0075	- 0.0070	.0379	----	----	----	----	----	3	UNCH										
740	----	----	----	0.0055B/0.0110A	----	0.0050	- 0.0055	.0249	----	----	----	----	----	1	UNCH										
750	----	----	----	0.0035B/0.0100A	----	0.0035	- 0.0035	.0170	----	----	----	----	----	2	UNCH										
800	----	----	----	----/0.0070A	----	0.0005	- 0.0005	.0021	----	----	----	----	----	1	UNCH										
800	0.0045	0.0045	0.0045/0.0045	0.0045/0.0045	----	0.0030	NEW	.0133	----	9	----	----	----	9	+	9									
850	----	----	----	----/0.0070A	----	0.0005	UNCH	.0000	----	----	115	----	----	30	UNCH										
TOTAL																	677 + 94								
NOV26																									
610	----	----	----	0.0245B/0.0390A	----	0.0335	UNCH	.1294	----	----	----	----	----	2	UNCH										
615	----	----	----	0.0310B/0.0450A	----	0.0405	+	0.0005	.1524	----	----	----	----	40	UNCH										
620	----	----	----	0.0400B/0.0525A	----	0.0490	UNCH	.1789	----	----	----	----	----	30	UNCH										
625	----	----	----	0.0500B/0.0610A	----	0.0595	UNCH	.2092	----	----	----	----	----	1	UNCH										
660	----	----	----/0.2110A	0.2160B/0.2110A	----	0.1995	- 0.0260	.5171	----	----	----	----	----	1	UNCH										
670	----	----	----/0.1700A	0.1705B/0.1700A	----	0.1580	- 0.0245	.4380	----	----	----	----	----	1	UNCH										
675	----	----	0.2815B/0.2670A	0.2815B/0.2670A	----	0.2865	+	0.0065	.5982	----	----	----	----	1	UNCH										
675	----	----	----/0.1520A	0.1505B/0.1520A	----	0.1405	- 0.0230	.4008	----	----	----	----	----	1	UNCH										
685	----	----	----/0.1215A	0.1170B/0.1215A	----	0.1100	- 0.0210	.3317	----	----	----	----	----	2	UNCH										
700	----	----	----/0.0870A	0.0785B/0.0870A	----	0.0760	- 0.0170	.2448	----	----	----	----	----	1	UNCH										
720	----	----	----/0.0570A	0.0445B/0.0570A	----	0.0465	- 0.0120	.1597	----	----	----	----	----	1	UNCH										
755	----	----	----	0.0155B/0.0310A	----	0.0215	- 0.0065	.0773	----	----	----	----	----	1	UNCH										
850	----	----	----	0.0005B/0.0120A	----	0.0025	- 0.0010	.0097	----	----	----	----	----	1	UNCH										
TOTAL																	83								
DEC26																									
575	----	----	----	0.0145B/0.0325A	----	0.0220	+	0.0015	.0656	----	----	----	----	4	UNCH										
600	----	----	----	0.0350B/0.0520A	----	0.0455	+	0.0030	.1253	----	----	----	----	4	UNCH										
625	----	----	----	0.0790B/0.0925A	----	0.0895	+	0.0030	.2211	----	----	----	----	1	UNCH										
645	----	----	----	0.1400B/0.1490A	----	0.1520	+	0.0050	.3276	----	----	----	----	25	UNCH										
650	----	----	----	0.1595B/0.1675A	----	0.1720	+	0.0055																	

BULLETIN #187@				METALS OPTION PRODUCTS										Tue, Sep 29, 2026				PG64	
	GLOBAL OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST				
HX CALL	COMEX COPPER OPTIONS																		
NOV26																			
770	----	----		----/0.0090A	0.0105B/0.0090A	----		0.0090 - 0.0040	.0377	----	----	----	----		1	UNCH			
775	0.0075	0.0075		0.0075/0.0075	0.0095B/0.0075	----		0.0080 - 0.0040	.0335	----	----	3	----		463 -	1			
800	0.0055	0.0055		0.0055/0.0050A	0.0055/0.0050A	----		0.0050 - 0.0025	.0205	----	----	6	----		254 -	6			
825	----	----		----/0.0040A	0.0025B/0.0040A	----		0.0035 - 0.0020	.0138	----	----	2	----		91	UNCH			
850	0.0030	0.0030		0.0030/0.0030	0.0030/0.0030	----		0.0025 - 0.0015	.0095	----	----	1	----		93	UNCH			
875	----	----		----/0.0020A	0.0005B/0.0020A	----		0.0020 - 0.0010	.0072	----	----	----	----		9	UNCH			
900	----	----		----/0.0020A	0.0010 - 0.0010	----		0.0010 - 0.0010	.0037	----	----	----	----		19	UNCH			
925	----	----		----	----/0.0015A	----		0.0005 - 0.0005	.0019	----	----	----	----		41	UNCH			
950	----	----		----	----/0.0015A	----		0.0005 - 0.0005	.0009	----	----	----	----		3	UNCH			
975	----	----		----	----/0.0015A	----		0.0005	UNCH	.0004	----	----	----		31	UNCH			
TOTAL												519			6411+	167			
DEC26																			
525	----	----		1.3925B/1.3695A	1.3925B/1.3695A	----		1.3575 - 0.0290	.9755	----	----	----	----		123	UNCH			
535	----	----		----	----	----		1.2590 - 0.0285	.9703	----	----	----	----		1	UNCH			
550	----	----		----	1.1385B/1.1500A	----		1.1120 - 0.0280	.9599	----	----	----	----		2	UNCH			
555	----	----		1.0995B/1.0710A	1.0995B/1.0710A	----		1.0635 - 0.0280	.9561	----	----	----	----		1	UNCH			
565	----	----		1.0185B/0.9740A	1.0185B/0.9740A	----		0.9665 - 0.0280	.9444	----	----	----	----		45	UNCH			
575	----	----		0.9230B/0.8780A	0.9230B/0.8780A	----		0.8715 - 0.0280	.9296	----	----	----	----		123	UNCH			
585	----	----		0.8285B/0.7865A	0.8285B/0.7865A	----		0.7785 - 0.0280	.9093	----	----	----	----		1	UNCH			
590	----	----		0.7835B/0.7390A	0.7835B/0.7390A	----		0.7330 - 0.0280	.8962	----	----	----	----		201	UNCH			
595	----	----		0.7380B/0.6945A	0.7380B/0.6945A	----		0.6885 - 0.0280	.8808	----	----	----	----		163	UNCH			
600	----	----		0.6940B/0.6485A	0.6940B/0.6485A	----		0.6450 - 0.0280	.8643	----	----	----	----		603	UNCH			
605	----	----		0.6490B/0.6105A	0.6490B/0.6105A	----		0.6025 - 0.0280	.8449	----	----	----	----		1	UNCH			
610	----	----		0.6080B/0.5680A	0.6080B/0.5680A	----		0.5615 - 0.0280	.8237	----	----	----	----		200	UNCH			
615	----	----		0.5660B/0.5295A	0.5660B/0.5295A	----		0.5215 - 0.0285	.8001	----	----	----	----		1	UNCH			
620	----	----		0.5285B/0.4880A	0.5285B/0.4880A	----		0.4835 - 0.0285	.7738	----	----	----	----		421	UNCH			
625	----	----		0.4895B/0.4525A	0.4895B/0.4525A	----		0.4475 - 0.0280	.7458	----	----	----	----		57	UNCH			
630	----	----		0.4535B/0.4165A	0.4535B/0.4165A	----		0.4130 - 0.0275	.7160	----	----	----	----		310	UNCH			
635	----	----		0.4185B/0.3855A	0.4185B/0.3855A	----		0.3805 - 0.0270	.6847	----	----	----	----		5	UNCH			
640	----	----		0.3855B/0.3555A	0.3855B/0.3555A	----		0.3500 - 0.0260	.6526	----	----	----	----		29	UNCH			
645	----	----		0.3545B/0.3270A	0.3545B/0.3270A	----		0.3210 - 0.0255	.6198	----	----	----	----		1	UNCH			
650	0.3060	0.3060		0.3280B/0.2955A	0.3280B/0.2955A	----		0.2940 - 0.0250	.5867	----	----	1	----		552	UNCH			
655	----	----		0.3005B/0.2705A	0.3005B/0.2705A	----		0.2690 - 0.0240	.5535	----	----	8	----		126	UNCH			
660	0.2650	0.2650		0.2755B/0.2460A	0.2755B/0.2460A	----		0.2460 - 0.0230	.5205	----	----	21	----		405 +	21			
665	----	----		0.2520B/0.2255A	0.2520B/0.2255A	----		0.2245 - 0.0220	.4882	----	----	10	----		44 +	7			
670	0.2150	0.2150		0.2305B/0.2040A	0.2305B/0.2040A	----		0.2045 - 0.0215	.4566	----	----	16	----		366 +	6			
675	----	----		0.2105B/0.1860A	0.2105B/0.1860A	----		0.1865 - 0.0205	.4262	----	----	----	----		359	UNCH			
680	0.1705	0.1705		0.1915B/0.1700A	0.1915B/0.1700A	----		0.1700 - 0.0190	.3970	----	----	38	----		754	UNCH			
685	----	----		0.1745B/0.1545A	0.1745B/0.1545A	----		0.1545 - 0.0185	.3689	----	----	2	----		392	UNCH			
690	----	----		0.1590B/0.1410A	0.1590B/0.1410A	----		0.1405 - 0.0175	.3423	----	----	----	----		273	UNCH			
695	----	----		----/0.1285A	0.1445B/0.1285A	----		0.1280 - 0.0165	.3173	----	----	----	----		165	UNCH			
700	0.1200	0.1200		0.1315B/0.1170A	0.1315B/0.1170A	----		0.1165 - 0.0155	.2937	----	----	14	----		3212 -	8			
705	----	----		----/0.1075A	0.1195B/0.1075A	----		0.1055 - 0.0150	.2710	----	----	20	----		154 +	8			
710	----	----		----/0.0980A	0.1090B/0.0980A	----		0.0960 - 0.0140	.2503	----	----	1	----		119	UNCH			
715	----	----		----/0.0900A	0.0990B/0.0900A	----		0.0875 - 0.0130	.2311	----	----	----	----		61	UNCH			
720	0.0920	0.0920		0.0920/0.0820A	0.0920/0.0820A	----		0.0795 - 0.0125	.2129	----	----	24	----		109 +	19			
725	0.0785	0.0785		0.0785/0.0740A	0.0825B/0.0740A	----		0.0725 - 0.0115	.1964	----	----	6	----		1462 +	5			
730	----	----		----/0.0675A	0.0750B/0.0675A	----		0.0665 - 0.0100	.1816	----	----	50	----		567 +	2			
735	0.0635	0.0635		0.0635/0.0625A	0.0680B/0.0625A	----		0.0605 - 0.0095	.1671	----	----	13	----		133 +	11			
740	0.0560	0.0560		0.0560/0.0560	0.0620B/0.0560	----		0.0550 - 0.0095	.1536	----	----	27	----		149 +	17			
745	0.0555	0.0555		0.0555/0.0525A	0.0570B/0.0525A	----		0.0505 - 0.0085	.1420	----	----	6	----		10 +	6			
750	----	----		----/0.0480A	0.0520B/0.0480A	----		0.0465 - 0.0075	.1314	----	----	20	----		1110 -	20			
755	0.0445	0.0445		0.0480B/0.0445	0.0480B/0.0445	----		0.0425 - 0.0075	.1210	----	----	2	----		20 +	2			
770	----	----		----/0.0345A	0.0370B/0.0345A	----		0.0330 - 0.0060	.0955	----	----	1	----		1168	UNCH			
775	----	----		----/0.0320A	0.0340B/0.0320A	----		0.0305 - 0.0055	.0886	----	----	----	----		636	UNCH			
780	----	----		----/0.0295A	0.0310B/0.0295A	----		0.0280 - 0.0055	.0817	----	----	----	----		206	UNCH			
800	0.0225	0.0225		0.0225/0.0215A	0.0225/0.0215A	----		0.0205 - 0.0045	.0605	----	----	25	----		1412 +	13			
825	----	----		----/0.0155A	0.0155B/0.0155A	----		0.0145 - 0.0035	.0429	----	----	----	----		479	UNCH			
850	----	----		----/0.0115A	0.0105B/0.0115A	----		0.0105 - 0.0030	.0310	----	----	----	----		311	UNCH			
875	----	----		----/0.0085A	0.0075B/0.0085A	----		0.0080 - 0.0020	.0233	----	----	----	----		23	UNCH			
900	----	----		----/0.0070A	0.0055B/0.0070A	----		0.0060 - 0.0020	.0174	----	----	----	----		511	UNCH			
925	----	----		----/0.0055A	0.0035B/0.0055A	----		0.0045 - 0.0015	.0130	----	----	----	----		12	UNCH			
950	----	----		----/0.0045A	0.0025B/0.0045A	----		0.0035 - 0.0015	.0100	----	----	----	----		152	UNCH			
975	----	----		----	0.0020B/0.0040A	----		0.0030 - 0.0010	.0084	----	----	----	----	</					



CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY



PG64 BULLETIN #187@			METALS OPTION PRODUCTS										Tue, Sep 29, 2026			PG64	
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
HGX CALL		COMEX COPPER OPTIONS															
MAR27																	
725	----	----	----/0.2555A	0.2450B/0.2555A	----	0.2415	- 0.0155	.3496	----	----	----	----	38	UNCH			
740	----	----	----/0.2195A	0.2075B/0.2195A	----	0.2055	- 0.0145	.3079	----	----	----	----	16	UNCH			
750	----	----		0.1860B/0.1985A	----	0.1845	- 0.0140	.2824	----	----	----	----	219	UNCH			
755	----	----		0.1755B/0.1890A	----	0.1750	- 0.0135	.2704	----	----	----	----	1	UNCH			
770	----	----		0.1485B/0.1630A	----	0.1500	- 0.0115	.2375	----	----	----	----	575	UNCH			
775	----	----		0.1405B/0.1560A	----	0.1425	- 0.0110	.2274	----	----	----	----	619	UNCH			
800	----	----		0.1065B/0.1240A	----	0.1110	- 0.0090	.1832	----	----	----	----	89	UNCH			
850	----	----		0.0625B/0.0820A	----	0.0695	- 0.0055	.1201	----	----	----	----	544	UNCH			
875	----	----		0.0490B/0.0685A	----	0.0575	- 0.0050	.0999	----	----	----	----	39	UNCH			
900	----	----		0.0385B/0.0580A	----	0.0475	- 0.0040	.0832	----	----	----	----	26	UNCH			
950	----	----		0.0245B/0.0435A	----	0.0315	- 0.0025	.0565	----	----	----	----	3	UNCH			
1000	----	----		0.0150B/0.0340A	----	0.0200	- 0.0015	.0372	----	----	----	----	23	UNCH			
TOTAL													3053				
APR27																	
675	----	----		0.4970B/0.5155A	----	0.4920	- 0.0205	.5435	----	----	----	----	1	UNCH			
680	----	----		0.4750B/0.4940A	----	0.4705	- 0.0205	.5271	----	----	----	----	5	UNCH			
720	----	----		0.3260B/0.3500A	----	0.3270	- 0.0175	.4050	----	----	----	----	0	UNCH			
740	----	----		0.2680B/0.2935A	----	0.2715	- 0.0165	.3512	----	----	----	----	0	UNCH			
775	----	----		0.1895B/0.2165A	----	0.1955	- 0.0135	.2703	----	----	----	----	3	UNCH			
1000	----	----		0.0220B/0.0515A	----	0.0285	- 0.0035	.0488	----	----	----	----	2	UNCH			
TOTAL													11				
MAY27																	
685	----	----		0.5000B/0.5335A	----	0.5020	- 0.0205	.5171	----	----	----	----	2	UNCH			
700	----	----		0.4405B/0.4765A	----	0.4455	- 0.0195	.4747	----	----	----	----	13	UNCH			
705	----	----		0.4220B/0.4585A	----	0.4280	- 0.0190	.4610	----	----	----	----	2	UNCH			
750	----	----		0.2860B/0.3245A	----	0.2965	- 0.0155	.3490	----	----	----	----	10	UNCH			
800	----	----		0.1830B/0.2225A	----	0.1950	- 0.0120	.2497	----	----	----	----	40	UNCH			
1000	----	----		0.0315B/0.0710A	----	0.0450	- 0.0040	.0677	----	----	----	----	40	UNCH			
TOTAL													107				
JUN27																	
700	----	----		0.5065B/0.5540A	----	0.5105	- 0.0260	.4994	----	----	----	----	11	UNCH			
750	----	----		0.3600B/0.3930A	----	0.3770	+ 0.0020	.3870	----	----	----	----	532	UNCH			
770	----	----		0.2935B/0.3420A	----	0.3185	- 0.0055	.3430	----	----	----	----	22	UNCH			
TOTAL													565				
HGX PUT		COMEX COPPER OPTIONS															
NOV26																	
390	----	----	----	----/0.0010A	----	0.0005	UNCH	.0000	----	----	----	----	3	UNCH			
400	----	----	----	----/0.0010A	----	0.0005	UNCH	.0000	----	----	----	----	17	UNCH			
405	----	----	----	----/0.0015A	----	0.0005	UNCH	.0001	----	----	----	----	10	UNCH			
410	----	----	----	----/0.0015A	----	0.0005	UNCH	.0001	----	----	----	----	57	UNCH			
425	----	----	----	----/0.0015A	----	0.0005	UNCH	.0004	----	----	----	----	40	UNCH			
430	----	----	----	----/0.0015A	----	0.0005	UNCH	.0006	----	----	----	----	4	UNCH			
435	----	----	----	----/0.0015A	----	0.0005	UNCH	.0008	----	----	----	----	215	UNCH			
475	----	----	----	0.0010B/0.0025A	----	0.0020	+ 0.0010	.0058	----	----	----	----	52	UNCH			
480	----	----	----	0.0010B/0.0030A	----	0.0020	+ 0.0005	.0060	----	----	----	----	3	UNCH			
490	----	----	----	0.0015B/0.0030A	----	0.0020	UNCH	.0063	----	----	----	----	3	UNCH			
500	----	----	----	0.0015B/0.0025A	----	0.0020	UNCH	.0067	----	1	----	----	117	UNCH			
510	----	----	----	0.0020B/0.0040A	----	0.0025	UNCH	.0086	----	----	----	----	10	UNCH			
520	----	----	----	0.0025B/0.0045A	----	0.0030	UNCH	.0106	----	----	----	----	5	UNCH			
525	----	----	----	0.0030B/0.0045A	----	0.0030	- 0.0005	.0110	----	----	----	----	8	UNCH			
530	----	----	----	0.0030B/0.0050A	----	0.0035	UNCH	.0128	----	----	----	----	2	UNCH			
535	----	----	----	0.0035B/0.0050A	----	0.0040	UNCH	.0148	----	----	----	----	32	UNCH			
540	----	----	----	0.0035B/0.0055A	----	0.0045	UNCH	.0168	----	----	----	----	19	UNCH			
550	----	----	----	0.0040B/0.0060A	----	0.0050	UNCH	.0197	----	----	----	----	175	UNCH			
560	----	----	----	0.0050B/0.0065A	----	0.0055	UNCH	.0230	----	3	----	----	405	- 3			
565	----	----	----	0.0055B/0.0070A	----	0.0060	UNCH	.0256	----	----	----	----	27	UNCH			
570	----	----	----	0.0060B/0.0075A	----	0.0065	- 0.0005	.0285	----	----	----	----	21	UNCH			
575	0.0070	0.0070	0.0070/0.0070	0.0070/0.0070	----	0.0070	- 0.0005	.0315	----	1	----	----	65	- 1			
580	----	----	----/0.0080A	0.0080B/0.0080A	----	0.0080	- 0.0005	.0365	----	3	----	----	67	UNCH			
585	0.0090	0.0090	0.0090/0.0090	0.0090/0.0090	----	0.0090	- 0.0005	.0418	----	8	----	----	60	- 3			
590	0.0100	0.0100	0.0100/0.0100	0.0105B/0.0100	----	0.0105	- 0.0005	.0491	----	10	----	----	290	- 2			
595	0.0130	0.0130	0.0130/0.0115A	0.0130/0.0115A	----	0.0125	UNCH	.0584	----	4	----	----	184	UNCH			
600	0.0165	0.0165	0.0170/0.0130A	0.0170/0.0130A	----	0.0150	UNCH	.0699	UNCH	37	400	----	1327	+ 380			
605	0.0195	0.0195	0.0195/0.0155A	0.0195/0.0155A	----	0.0180	UNCH	.0836	----	2	----	----	103	UNCH			
610	0.0235	0.0235	0.0235/0.0190A	0.0235/0.0190A	----	0.0220	+ 0.0005	.1008	----	8	----	----	294	- 8			
615	0.0250	0.0250	0.0275B/0.0225A	0.0275B/0.0225A	----	0.0270	UNCH	.1215	----	1	----	----	91	- 1			
620	0.0350	0.0350	0.0350/0.0280A	0.0350/0.0280A	----	0.0340	+ 0.0005	.1480	----	180	----	----	295	+ 135			
624	----	----	0.0415B/0.0330A	0.0415B/0.0330A	----	0.0405	+ 0.0005	.1717	----	----	----	----	2	UNCH			
625	0.0400	0.0400	0.0430B/0.0345A	0.0430B/0.0345A	----	0.0425	+ 0.0010	.1785	----	2	----	----	266	UNCH			
626	----	----	0.0450B/0.0360A	0.0450B/0.0360A	----	0.0440	+ 0.0005	.1842	----	1	----	----	3	+ 1			
629	----	----	0.0520B/0.0410A	0.0520B/0.0410A	----	0.0505	+ 0.0010	.2057	----	----	----	----	4	UNCH			
630	0.0500	0.0500	0.0545B/0.0430A	0.0545B/0.0430A	----	0.0525	+ 0.0005	.2125	----	15	----	----	284	+ 12			
631	0.0545	0.0545	0.0570B/0.0450A	0.0570B/0.0450A	----	0.0550	+ 0.0005	.2203	----	3	----	----	23	+ 1			
634	0.0560	0.0560	0.0650B/0.0515A	0.0650B/0.0515A	----	0.0625	+ 0.0005	.2436	----	2	----	----	7	UNCH			
635	0.0630	0.0630	0.0675B/0.0535A	0.0675B/0.0535A	----	0.0655	+ 0.0010	.2522	----	4	----	----	184	+ 3			
636	----	----	0.0710B/0.0560A	0.0710B/0.0560A	----	0.0680	NEW	.2600	----	48	----	----	48	+ 48			
640	0.0795	0.0795	0.0840B/0.0660A	0.0840B/0.0660A	----	0.0805	+ 0.0010	.2947	----	21	----	----	886	+ 3			
645	0.0910	0.0910	0.1030B/0.0815A	0.1030B/0.0815A	----	0.0980	+ 0.0015	.3400	----	3	----	----	143	UNCH			
650	0.1165	0.1165	0.1240B/0.0980A	0.1240B/0.0980A	----	0.1185	+ 0.0020	.3876	----	50	----	----	466	+ 27			
655	0.1435	0.1435	0.1485B/0.1185A	0.1485B/0.1185A	----	0.1420	+ 0.0035	.4359	----	42	----	----	978	+ 5			
660	0.1660	0.1660	0.1750B/0.1410A	0.1750B/0.1410A	----	0.1675	+ 0.0040	.4840	----	110	----	----	359	+ 42			
664	----	----	0.1980B/0.1630A	0.1980B/0.1630A	----	0.1900	+ 0.0055	.5217	----	----	----	----	1	UNCH			
665	0.1790	0.1790	0.2035B/0.1685A	0.2035B/0.1685A	----	0.1955	+ 0.0050	.5310	----	3	----	----	51	UNCH			
670	0.2010	0.2010	0.2325B/0.1955A	0.2325B/0.1955A	----	0.2260	+ 0.0065	.5764	----	1	----	----	212	UNCH			
675	0.2565	0.2565	0.2590B/0.2265A	0.2590B/0.2265A	----	0.2590	+ 0.0080	.6198	----	76	----	----	100	- 38			
680	----	----	0.2935B/0.2595A	0.2935B/0.2595A	----	0.2935	+ 0.0090	.6602	----	----	----	----	65	UNCH			
685	----	----	0.3310B/0.2940A	0.3310B/0.2940A	----	0.3305	+ 0.0110	.6974	----	----	----	----	88	UNCH			
690	----	----	0.3695B/0.3305A	0.3695B/0.3305A	----	0.3685	+ 0.0120	.7317	----	----	----	----	9	UNCH			
695	----	----	0.4045B/0.3690A	0.4045B/0.3690A	----	0.4085	+ 0.0135	.7630	----	3	----	----	3	UNCH			
700	----	----	0.4450B/0.4075A	0.4450B/0.4075A	----	0.4500	+ 0.0150	.7908	----	----	----	----	26	UNCH			
725	----	----	0.6660B/0.6245A	0.6660B/0.6245A	----	0.6720	+ 0.0215	.8894	----	----	----	----	3	UNCH			
735	----	----	0.7590B/0.7165A	0.7590B/0.7165A	----	0.7655	+ 0.0230	.9145	----	----	----	----	2	UNCH			
TOTAL										400	639		8214	+ 601			
DEC26																	
350	----	----	----	----/0.0015A	----	0.0005	UNCH	.0001	----	----	----	----	46	UNCH			
360	----	----	----	----/0.0015A	----	0.0005	UNCH	.0002	----	----	----	----	31	UNCH			
380	----	----	----	----/0.0020A	----	0.0005	UNCH	.0007	----	----	----	----	22	UNCH			
385	----	----	----	----/0.0020A	----	0.0005	UNCH	.0010	----	----	----	----	1	UNCH			
390	----	----	----	----/0.0020A	----	0.0005	UNCH	.0012	----	----	----	----	45	UNCH			
395	----	----	----	----/0.0020A	----	0.0010	+ 0.0005	.0023	----	----	----	----	3	UNCH			
400	----	----	----	----/0.0025A	----	0.0015	+ 0.0005	.0033	----	----	----	----	31	UNCH			
420	----	----		0.0010B/0.0030A	----	0.0020	+ 0.0005	.0046	----	----	----	----	2	UNCH			
425	----	----		0.0010B/0.0030A	----	0.0020	+ 0.0005	.0048	----	----	----	----	60	UNCH			
450	----	----		0.0020B/0.0040A	----	0.0030	+ 0.0005	.0075	----	----	----	----	37	UNCH			
460	----	----		0.0025B/0.0045A	----	0.0035	+ 0.0010	.0089	----	----	----	----	2	UNCH			
470	----	----		0													

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

BULLETIN #187@				METALS OPTION PRODUCTS										Tue, Sep 29, 2026		PG64	
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
HX PUT		COMEX COPPER OPTIONS															
DEC26																	
610	0.0595	0.0595	0.0635B/0.0540A	0.0635B/0.0540A	----	0.0600	+ 0.0015	.1761	----	----	2	----	157	+			
615	----	----	0.0735B/0.0625A	0.0735B/0.0625A	----	0.0700	+ 0.0010	.1997	----	----	1	----	142	+			
620	----	----	0.0850B/0.0730A	0.0850B/0.0730A	----	0.0820	+ 0.0015	.2260	----	----	----	----	174	UNCH			
625	0.0960	0.0960	0.0990B/0.0845A	0.0990B/0.0845A	----	0.0955	+ 0.0015	.2539	----	----	22	----	465	+			
630	----	----	0.1145B/0.0975A	0.1145B/0.0975A	----	0.1110	+ 0.0025	.2838	----	----	----	----	715	UNCH			
635	0.1250	0.1250	0.1320B/0.1130A	0.1320B/0.1130A	----	0.1285	+ 0.0030	.3151	----	125	----	----	409	+			
640	0.1480	0.1480	0.1515B/0.1305A	0.1515B/0.1305A	----	0.1475	+ 0.0035	.3471	----	78	----	----	222	+			
645	0.1675	0.1675	0.1730B/0.1490A	0.1730B/0.1490A	----	0.1685	+ 0.0045	.3799	----	2	----	----	436	+			
650	0.1920	0.1920	0.1965B/0.1695A	0.1965B/0.1695A	----	0.1910	+ 0.0050	.4130	----	28	----	----	686	+			
655	----	----	0.2215B/0.1920A	0.2215B/0.1920A	----	0.2160	+ 0.0060	.4463	----	----	----	----	617	UNCH			
660	0.2425	0.2425	0.2485B/0.2175A	0.2485B/0.2175A	----	0.2425	+ 0.0065	.4793	----	21	----	----	142	+			
665	0.2710	0.2710	0.2770B/0.2425A	0.2770B/0.2425A	----	0.2710	+ 0.0080	.5116	----	101	----	----	467	+			
670	----	----	0.3080B/0.2705A	0.3080B/0.2705A	----	0.3005	+ 0.0085	.5432	----	----	----	----	1136	UNCH			
675	----	----	0.3400B/0.3020A	0.3400B/0.3020A	----	0.3320	+ 0.0090	.5736	----	----	----	----	277	UNCH			
680	----	----	0.3640B/0.3340A	0.3640B/0.3340A	----	0.3655	+ 0.0105	.6028	----	----	----	----	56	UNCH			
685	----	----	0.3985B/0.3675A	0.3985B/0.3675A	----	0.4000	+ 0.0115	.6309	----	----	----	----	47	UNCH			
690	----	----	0.4345B/0.4035A	0.4345B/0.4035A	----	0.4355	+ 0.0120	.6575	----	----	----	----	1	UNCH			
700	----	----	0.5100B/0.4760A	0.5100B/0.4760A	----	0.5110	+ 0.0145	.7061	----	----	----	----	3	UNCH			
730	----	----	0.7535B/0.7175A	0.7535B/0.7175A	----	0.7595	+ 0.0195	.8182	----	----	----	----	1	UNCH			
750	----	----	0.9315B/0.8940A	0.9315B/0.8940A	----	0.9390	+ 0.0220	.8684	----	----	----	----	1	UNCH			
TOTAL										250	615		11433	+			
JAN27																	
370	----	----	----	0.0005B/0.0100A	----	0.0035	- 0.0005	.0058	----	----	----	----	1	UNCH			
390	----	----	----	0.0005B/0.0110A	----	0.0045	- 0.0005	.0077	----	----	----	----	40	UNCH			
400	----	----	----	0.0005B/0.0110A	----	0.0055		UNCH	.0093	----	----	----	12	UNCH			
425	----	----	----	0.0005B/0.0125A	----	0.0065	- 0.0005	.0119	----	----	----	----	30	UNCH			
430	----	----	----	0.0005B/0.0125A	----	0.0065	- 0.0005	.0121	----	----	----	----	1	UNCH			
435	----	----	----	0.0005B/0.0130A	----	0.0070	- 0.0005	.0131	----	----	----	----	1	UNCH			
440	----	----	----	0.0005B/0.0130A	----	0.0070	- 0.0005	.0134	----	----	----	----	10	UNCH			
450	----	----	----	0.0005B/0.0140A	----	0.0075	- 0.0005	.0148	----	----	----	----	2	UNCH			
465	----	----	----	0.0005B/0.0150A	----	0.0080	- 0.0005	.0167	----	----	----	----	1	UNCH			
510	----	----	----	0.0070B/0.0190A	----	0.0130	+ 0.0010	.0302	----	----	----	----	4	UNCH			
515	----	----	----	0.0085B/0.0160A	----	0.0140	+ 0.0015	.0327	----	----	----	----	4	UNCH			
520	----	----	----	0.0095B/0.0170A	----	0.0150	+ 0.0015	.0353	----	----	----	----	2	UNCH			
525	----	----	----	0.0105B/0.0180A	----	0.0165	+ 0.0020	.0389	----	----	----	----	3	UNCH			
540	----	----	----	0.0150B/0.0230A	----	0.0210	+ 0.0025	.0502	----	----	----	----	2	UNCH			
550	----	----	----	0.0200B/0.0270A	----	0.0250	+ 0.0025	.0601	----	----	----	----	208	UNCH			
555	----	----	----	0.0220B/0.0290A	----	0.0275	+ 0.0025	.0660	----	----	----	----	1	UNCH			
560	----	----	----	0.0240B/0.0325A	----	0.0305	+ 0.0025	.0729	----	----	----	----	3	UNCH			
570	----	----	----	0.0310B/0.0385A	----	0.0380	+ 0.0030	.0895	----	----	----	----	1	UNCH			
580	----	----	----	0.0400B/0.0485A	----	0.0470		NEW	.1089	----	2	----	2	+			
590	----	----	----	0.0520B/0.0615A	----	0.0590	+ 0.0025	.1332	----	----	5	----	15	+			
595	----	----	----	0.0590B/0.0670A	----	0.0665	+ 0.0030	.1475	----	----	1	----	3	+			
600	----	----	----	0.0670B/0.0750A	----	0.0745	+ 0.0030	.1625	----	----	----	50	409	+			
605	----	----	----	0.0750B/0.0840A	----	0.0835	+ 0.0030	.1787	----	----	----	----	5	UNCH			
610	----	----	----	0.0855B/0.0930A	----	0.0935	+ 0.0030	.1962	----	----	----	----	3	UNCH			
620	----	----	----	0.1085B/0.1160A	----	0.1175	+ 0.0035	.2351	----	----	----	----	13	UNCH			
625	----	----	----	0.1225B/0.1290A	----	0.1315	+ 0.0040	.2562	----	----	----	----	2	UNCH			
630	----	----	----	0.1375B/0.1425A	----	0.1465	+ 0.0040	.2781	----	----	----	----	1	UNCH			
635	----	----	----	0.1540B/0.1585A	----	0.1630	+ 0.0045	.3009	----	----	----	----	2	UNCH			
640	----	----	-----/0.1755A	0.1720B/0.1755A	----	0.1810	+ 0.0050	.3245	----	----	----	----	3	UNCH			
645	----	----	-----/0.1935A	0.1915B/0.1935A	----	0.2005	+ 0.0055	.3486	----	----	----	----	3	UNCH			
650	----	----	-----/0.2135A	0.2120B/0.2135A	----	0.2215	+ 0.0060	.3732	----	----	----	----	73	UNCH			
660	----	----	-----/0.2565A	0.2580B/0.2565A	----	0.2680	+ 0.0075	.4230	----	----	----	----	1	UNCH			
670	----	----	-----/0.3065A	0.3100B/0.3065A	----	0.3200	+ 0.0085	.4727	----	----	----	----	2	UNCH			
685	----	----	0.3990B/0.3910A	0.3990B/0.3910A	----	0.4090	+ 0.0120	.5441	----	----	----	----	1	UNCH			
690	----	----	0.4310B/0.4210A	0.4310B/0.4210A	----	0.4410	+ 0.0125	.5667	----	----	----	----	2	UNCH			
695	----	----	0.4640B/0.4530A	0.4640B/0.4530A	----	0.4740	+ 0.0135	.5886	----	----	----	----	1	UNCH			
800	----	----	----	----	----	1.3400	+ 0.0240	.8783	----	----	----	----	1	UNCH			
TOTAL										50	8		868	+			
FEB27																	
300	----	----	----	-----/0.0095A	----	0.0020		UNCH	.0028	----	----	----	1	UNCH			
400	----	----	----	0.0005B/0.0140A	----	0.0070	- 0.0005	.0113	----	----	----	----	10	UNCH			
450	----	----	----	0.0010B/0.0185A	----	0.0100		UNCH	.0185	----	----	----	3	UNCH			
480	----	----	----	0.0050B/0.0225A	----	0.0135	+ 0.0010	.0266	----	----	----	----	4	UNCH			
500	----	----	----	0.0090B/0.0245A	----	0.0175	+ 0.0010	.0354	----	----	----	----	8	UNCH			
520	----	----	----	0.0150B/0.0305A	----	0.0240	+ 0.0015	.0489	----	----	----	----	2	UNCH			
560	----	----	----	0.0400B/0.0555A	----	0.0495	+ 0.0025	.0979	----	----	----	----	50	UNCH			
600	----	----	----	0.1000B/0.1130A	----	0.1100	+ 0.0035	.1944	----	----	----	----	80	UNCH			
620	----	----	----	0.1520B/0.1620A	----	0.1625	+ 0.0050	.2635	----	----	----	----	2	UNCH			
630	----	----	----	0.1845B/0.1930A	----	0.1955	+ 0.0055	.3021	----	----	----	----	1	UNCH			
650	----	----	----	0.2640B/0.2700A	----	0.2765	+ 0.0075	.3845	----	----	----	----	60	UNCH			
TOTAL													221				
MAR27																	
400	----	----	----	0.0005B/0.0175A	----	0.0095	- 0.0005	.0143	----	----	----	----	8	UNCH			
500	----	----	----	0.0145B/0.0350A	----	0.0250	+ 0.0020	.0453	----	----	----	----	200	UNCH			
525	----	----	----	0.0265B/0.0450A	----	0.0375	+ 0.0030	.0673	----	----	----	----	10	UNCH			
550	----	----	----	0.0465B/0.0655A	----	0.0580	+ 0.0030	.1009	----	----	----	----	230	UNCH			
575	----	----	----	0.0790B/0.0980A	----	0.0910	+ 0.0030	.1498	----	----	----	----	30	UNCH			
580	----	----	----	0.0875B/0.1060A	----	0.0995	+ 0.0030	.1615	----	----	----	----	10	UNCH			
595	----	----	----	0.1180B/0.1355A	----	0.1305	+ 0.0035	.2016	----	----	----	----	16	UNCH			
600	0.1500	0.1500	0.1500/0.1470A	0.1500/0.1470A	----	0.1430	+ 0.0040	.2166	----	5	----	----	327	+			
620	----	----	----	0.1880B/0.2015A	----	0.2015	+ 0.0055	.2814	----	----	----	----	65	UNCH			
640	----	----	----	0.2630B/0.2740A	----	0.2775	+ 0.0075	.3534	----	----	----	----	1	UNCH			
660	----	----	----	0.3565B/0.3645A	----	0.3710	+ 0.0095	.4283	----	----	----	----	3	UNCH			
675	----	----	----	0.4375B/0.4420A	----	0.4515	+ 0.0105	.4840	----	----	----	----	8	UNCH			
TOTAL											5		908	+			
APR27																	
400	----	----	----	0.0005B/0.0250A	----	0.0125	- 0.0010	.0172	----	----	----	----	8	UNCH			
500	0.0325	0.0325	0.0325/0.0325	0.0325/0.0325	----	0.0325	+ 0.0020	.0522	----	----	2	----	6	+			
540	----	----	----	0.0435B/0.0740A	----	0.0605	+ 0.0030	.0941	----	----	----	----	2	UNCH			
680	----	----	----	0.4710B/0.4935A	----	0.4945	+ 0.0105	.4724	----	----	----	----	5	UNCH			
700	----	----	----	0.5910B/0.6100A	----	0.6140	+ 0.0120	.5356	----	----	----	----	1	UNCH			
TOTAL											2		22	+			
MAY27																	
400	----	----	----	0.0005B/0.0325A	----	0.0165	- 0.0005	.0211	----	----	----	----	8	UNCH			
600	0.2000	0.2000	0.2050/0.2000	0.2050/0.2000	----	0.1995	+ 0.0055	.2342	----	----	2	----	32	+			
660	0.4035	0.4035	0.4085B/0.4035	0.4085B/0.4035	----	0.4385		NEW	.4080	----	1	----	1	+			
700	----	----	----	0.6370B/0.6700A	----	0.6660	+ 0.0115	.5247	----	----	----	----	2	UNCH			
TOTAL											3		43	+			
JUN27																	
500	----	----	----	0.0280B/0.0740A	----	0.0520	+ 0.0025	.0682	----	----	----	----	40	UNCH			
570	----	----	----	0.1105B/0.1610A	----	0.1390	+ 0.0040	.1643	----	----	----	----	1	UNCH			
620	----	----	----	0.2435B/0.2935A	----	0.2745	+ 0.0055	.2800	----	----	----	----	1				

BULLETIN #187@				METALS OPTION PRODUCTS								Tue, Sep 29, 2026				PG64
	LOBEX OPEN	OPEN OPEN	OUTCRY RANGE	LOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
COPPER OPTIONS																
HXE CALL																
OCT26																
750	----			----/0.0025A	----	/0.0025A	----		0.0005	NEW	.0014	----				37
750	----			----	0.0050B/0.0090A	----	----		0.0040	- 0.0045	.0201	----				1
775	----			----	0.0040B/0.0085A	----	----		0.0040	- 0.0025	.0186	----				2
800	----			----/0.0030A	----	/0.0030A	----		0.0020	- 0.0020	.0080	----				33
825	----			----	----/0.0020A	----	----		0.0005	UNCH	----	----				1
TOTAL													394			3514+
COPPER OPTIONS																
HXE PUT																
OCT26																
500	----			----	----/0.0020A	----	----		0.0005	UNCH	.0000	----				19
575	----			----	0.0005B/0.0040A	----	----		0.0010	- 0.0010	.0056	----				3
605	----			----	----/0.0030A	----	----		0.0015	- 0.0015	.0064	----				1
610	----			----/0.0075A	0.0025B/0.0075A	----	----		0.0070	- 0.0020	.0430	----				1
610	----			----	0.0090B/0.0125A	----	----		0.0100	- 0.0010	.0589	----				2
615	----			----/0.0035A	----/0.0035A	----	----		0.0035	- 0.0015	.0176	----				2
620	----			----/0.0040A	----/0.0040A	----	----		0.0045	- 0.0020	.0246	----				11
620	----			----/0.0110A	0.0055B/0.0110A	----	----		0.0100	- 0.0025	.0656	----				2
620	----			----/0.0185A	0.0145B/0.0185A	----	----		0.0185	NEW	.1025	----	10			10
625	----			----/0.0125A	0.0090B/0.0125A	----	----		0.0125	- 0.0030	.0837	----				11
630	----			----/0.0065A	0.0005B/0.0065A	----	----		0.0060	- 0.0025	.0408	----				22
640	----			----/0.0130A	0.0090B/0.0130A	----	----		0.0110	- 0.0050	.0902	----				16
640	----			----/0.0315A	0.0370B/0.0315A	----	----		0.0335	- 0.0050	.2041	----				1
643	0.0130	0.0130		0.0130/0.0130	0.0145B/0.0130	----	----		0.0145	NEW	.1220	----	1			1
645	0.0115	0.0115		0.0115/0.0115	0.0200B/0.0115	----	----		0.0180	- 0.0065	.1511	----	1			31
645	0.0500	0.0500		0.0500/0.0380	0.0545B/0.0380	----	----		0.0485	NEW	.2701	----	8			8
650	0.0280	0.0280		0.0385B/0.0230	0.0385B/0.0230	----	----		0.0315	- 0.0060	.2491	----	16			61
655	----			0.0600B/0.0410A	0.0600B/0.0410A	----	----		0.0520	- 0.0050	.3677	----				20
660	----			----/0.0615A	0.0820B/0.0615A	----	----		0.0790	- 0.0030	.4867	----				26
660	----			----/0.1025A	0.1215B/0.1025A	----	----		0.1215	- 0.0005	.4862	----				10
660	----			0.1430B/0.1225A	0.1430B/0.1225A	----	----		0.1420	+	0.0025	.4852	----	10		20
665	----			0.1145B/0.0875A	0.1145B/0.0875A	----	----		0.1105	- 0.0020	.5937	----	7			24
665	----			----/0.1290A	0.1485B/0.1290A	----	----		0.1525	NEW	.5511	----	10			10
670	----			----/0.1195A	0.1455B/0.1195A	----	----		0.1460	- 0.0005	.6848	----				591
670	----			0.1835B/0.1585A	0.1835B/0.1585A	----	----		0.1860	+	0.0075	.6107	----			1
670	----			0.2025B/0.1770A	0.2025B/0.1770A	----	----		0.2035	- 0.0060	.5930	----				2
675	----			----/0.1560A	0.1680B/0.1560A	----	----		0.1845	+	0.0010	.7583	----			593
680	----			0.2295B/0.1955A	0.2295B/0.1955A	----	----		0.2260	+	0.0035	.8180	----			1360
685	----			0.2720B/0.2335A	0.2720B/0.2335A	----	----		0.2690	+	0.0065	.8647	----			1
TOTAL													63			2860+
ALUMINIUM OPTIONS ON FUTURES																
	LOBEX OPEN	OPEN OPEN	OUTCRY RANGE	LOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
PLATINUM OPTIONS ON FUTURES																
	LOBEX OPEN	OPEN OPEN	OUTCRY RANGE	LOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
NYMEX PALLADIUM OPTIONS																
PAO CALL																
NOV26																
1300	20.50	20.50		22.10/20.30A	22.10/20.30A	----	----		16.80	- 3.60	.2469	----				21
1350	----			----	12.60B/14.30A	----	----		11.10	- 1.80	.1639	----				2
1400	----			----	8.00B/10.40A	----	----		7.40	- 1.20	.1096	----				93
1450	----			----	4.60B/7.50A	----	----		4.70	- 1.10	.0710	----				86
1500	----			----	2.20B/5.60A	----	----		3.20	- 0.80	.0481	----				5
1550	----			----	0.70B/4.40A	----	----		2.20	- 0.60	.0329	----				14
1600	----			----	----/3.80A	----	----		1.60	- 0.40	.0236	----				5
1750	----			----	----/2.80A	----	----		0.60	- 0.20	.0086	----				1
TOTAL													20			227+
NYMEX PALLADIUM OPTIONS																
DEC26																
1250	----			59.60B/54.50A	59.60B/54.50A	----	----		50.50	- 5.10	.4402	----				200
1300	----			41.80B/39.80A	41.80B/39.80A	----	----		36.50	- 4.00	.3390	----				6
1315	----			37.70B/36.50A	37.70B/36.50A	----	----		33.30	- 3.70	.3132	----				90
1425	----			----	19.30B/22.00A	----	----		18.20	- 1.90	.1795	----				39
1450	----			----	16.90B/20.10A	----	----		16.30	- 1.60	.1606	----				65
1500	----			----	13.40B/16.80A	----	----		13.20	- 1.20	.1296	----				35
1550	----			----	10.50B/14.10A	----	----		10.80	- 1.10	.1056	----				66
1585	----			----	8.70B/12.50A	----	----		9.40	- 1.10	.0917	----				3
1600	----			----	8.10B/11.90A	----	----		8.80	- 1.10	.0860	----				95
1650	----			----	6.10B/10.10A	----	----		7.10	- 1.20	.0697	----				64
1700	----			----	4.50B/8.60A	----	----		5.80	- 1.20	.0571	----				10
1775	----			----	2.70B/7.00A	----	----		4.30	- 1.20	.0425	----				100
1800	----			----	2.30B/6.60A	----	----		3.90	- 1.20	.0386	----				55
1925	----			----	0.60B/5.20A	----	----		2.40	- 0.80	.0239	----				46
1995	----			----	0.10B/4.70A	----	----		1.90	- 0.70	.0189	----				6
2000	----			----	----/4.60A	----	----		1.90	- 0.60	.0188	----				1
3000	----			----	----/2.70A	----	----		0.60	- 0.30	.0047	----				1
TOTAL																882
NYMEX PALLADIUM OPTIONS																
MAR27																
1350	----			68.80B/----	68.80B/71.00A	----	----		64.50	- 3.60	.3790	----				75
1400	----			----	56.50B/60.00A	56.50B/60.00A	----	----	53.70	- 3.10	.3255	----				10
1600	----			----	28.70B/35.10A	28.70B/35.10A	----	----	29.50	- 1.60	.1875	----				10
TOTAL																95
NYMEX PALLADIUM OPTIONS																
JUN27																
1375	----			----	----	----	----		109.60	- 4.50	.4396	----				50
TOTAL																50
NYMEX PALLADIUM OPTIONS																
PAO PUT																
NOV26																
1200	----			----/27.90A	31.20B/27.90A	----	----		34.80	+	2.60	.4296	----			24
1225	----															

BULLETIN #187@				METALS OPTION PRODUCTS							Tue, Sep 29, 2026				PG64	
	GLOBAL OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST	
PLW OOF	PLATINUM WEEKLY FRIDAY OPTION week1															
OCT26																
1750	----	----	----	59.50B/----	59.50B/41.00A	----	----	58.30 + 26.20	.7922	----	----	----	----	5		UNCH
1750	----	----	----	----/12.20A	20.10B/12.20A	----	----	9.40 - 17.40	.2077	----	----	----	----	1		UNCH
1800	----	----	----	----/6.40A	4.10B/6.40A	----	----	3.20 - 8.00	.0649	----	----	----	----	20		UNCH
1825	----	----	----	----/5.00A	1.20B/5.00A	----	----	1.80 - 5.30	.0337	----	----	----	----	16		UNCH
1875	----	----	----	----	----/3.50A	----	----	0.50 - 2.10	.0075	----	----	----	----	7		UNCH
TOTAL														50		0
PO CALL	PLATINUM OPTIONS															
NOV26																
1775	31.00	31.00		35.00/31.00	40.40B/31.00	----	----	30.50 - 18.40	.3239	----	----	2	----	1		UNCH
1800	25.70	25.70		25.70/25.70	31.90B/25.70	----	----	24.50 - 15.30	.2709	----	----	46	----	46 +		45
1825	----	----	----	----/22.20A	24.70B/22.20A	----	----	19.90 - 12.30	.2262	----	----	----	----	8		UNCH
1850	----	----	----	----/18.60A	18.90B/18.60A	----	----	16.40 - 9.70	.1896	----	----	----	----	149		UNCH
1875	14.10	14.10		14.10/14.10	17.10B/14.10	----	----	13.50 - 7.80	.1584	----	----	29	----	83 +		25
1900	12.00	12.00		12.30/12.00	12.30/12.00	----	----	11.20 - 6.30	.1328	----	----	40	----	184 +		10
1925	----	----	----	----/11.40A	8.70B/11.40A	----	----	9.30 - 5.20	.1112	----	----	----	----	68		UNCH
1950	----	----	----	----/9.80A	6.70B/9.80A	----	----	7.70 - 4.40	.0929	----	----	----	----	119		UNCH
2000	6.60	6.60		6.60/6.60	6.60/6.60	----	----	5.40 - 3.00	.0657	----	----	20	----	200 +		20
2050	----	----	----	----	2.00B/5.90A	----	----	3.80 - 2.10	.0465	----	----	----	----	15		UNCH
2100	----	----	----	----	0.80B/4.90A	----	----	2.60 - 1.40	.0322	----	----	----	----	54		UNCH
2200	----	----	----	----	----/2.00A	----	----	1.30 - 0.70	.0161	----	----	----	----	210		UNCH
2250	----	----	----	----	----/3.30A	----	----	0.90 - 0.50	.0112	----	----	----	----	40		UNCH
2500	----	----	----	----	----/2.50A	----	----	0.20 - 0.10	.0024	----	----	----	----	20		UNCH
TOTAL												137		1197 +		104
DEC26																
1700	99.00	99.00		99.00/89.50A	104.40B/89.50A	----	----	88.20 NEW	.5272	----	----	1	----	1 +		1
1900	----	----	----	----/33.10A	34.70B/33.10A	----	----	30.80 - 11.40	.2332	----	----	----	----	102		UNCH
1950	----	----	----	----/26.30A	25.80B/26.30A	----	----	24.20 - 8.60	.1882	----	----	----	----	10		UNCH
1975	----	----	----	----/23.60A	22.60B/23.60A	----	----	21.40 - 7.50	.1687	----	----	----	----	9		UNCH
2000	----	----	----	----/21.20A	19.00B/21.20A	----	----	19.00 - 6.50	.1514	----	----	----	----	122		UNCH
2200	----	----	----	----/9.80A	5.90B/9.80A	----	----	7.50 - 2.60	.0639	----	----	----	----	101		UNCH
2250	----	----	----	----	4.30B/8.40A	----	----	6.00 - 2.10	.0517	----	----	----	----	51		UNCH
2500	----	----	----	----	0.50B/5.00A	----	----	2.20 - 0.80	.0195	----	----	----	----	50		UNCH
TOTAL												1		446 +		1
JAN27																
1700	----	----	----	----/111.20A	123.30B/111.20A	----	----	109.50 - 25.00	.5332	----	----	----	----	1		UNCH
1745	----	----	----	----/93.40A	102.30B/93.40A	----	----	91.40 - 22.20	.4694	----	----	----	----	2		UNCH
1800	----	----	----	----/75.40A	81.30B/75.40A	----	----	73.30 - 18.80	.3977	----	----	----	----	3		UNCH
1900	54.00	54.00		54.00/49.80A	54.00/49.80A	----	----	49.00 - 13.40	.2883	----	----	271	775	575 -		227
1950	----	----	----	----/42.60A	42.60B/42.60A	----	----	40.20 - 11.10	.2442	----	----	----	----	886		UNCH
2000	----	----	----	----/35.50A	34.20B/35.50A	----	----	33.10 - 9.00	.2066	----	----	----	----	1163		UNCH
2050	----	----	----	----/29.80A	27.40B/29.80A	----	----	27.30 - 7.40	.1746	----	----	----	----	250		UNCH
2100	----	----	----	----/25.10A	22.10B/25.10A	----	----	22.60 - 6.00	.1476	----	----	----	----	81		UNCH
2150	----	----	----	----/21.30A	17.90B/21.30A	----	----	18.80 - 5.00	.1250	----	----	----	----	402		UNCH
2200	----	----	----	----/18.20A	14.40B/18.20A	----	----	15.70 - 4.10	.1060	----	----	----	----	214		UNCH
2300	----	----	----	----/13.70A	9.30B/13.70A	----	----	11.10 - 2.90	.0768	----	----	----	----	108		UNCH
2350	----	----	----	----	7.50B/12.00A	----	----	9.40 - 2.50	.0657	----	----	----	----	603		UNCH
2360	----	----	----	----	7.10B/11.70A	----	----	9.10 - 2.40	.0637	----	----	----	----	100		UNCH
2400	----	----	----	----	6.00B/10.60A	----	----	8.10 - 2.10	.0569	----	----	----	----	57		UNCH
2500	----	----	----	----	3.80B/8.70A	----	----	6.10 - 1.50	.0431	----	----	----	----	539		UNCH
2600	----	----	----	----	2.30B/7.40A	----	----	4.80 - 1.00	.0339	----	----	----	----	100		UNCH
2650	----	----	----	----	1.80B/6.90A	----	----	4.20 - 0.90	.0297	----	----	----	----	100		UNCH
3000	----	----	----	----	----/4.90A	----	----	1.40 - 0.30	.0105	----	----	775	271	1		UNCH
TOTAL												775	271	5185 -		227
APR27																
1700	----	----	----	----/169.80A	179.80B/169.80A	----	----	165.60 - 26.40	.5673	----	----	----	----	100		UNCH
1775	----	----	----	----/140.20A	146.50B/140.20A	----	----	134.90 - 23.90	.4928	----	----	----	----	100		UNCH
1790	----	----	----	----/134.90A	140.70B/134.90A	----	----	129.40 - 23.40	.4785	----	----	----	----	12		UNCH
1900	101.00	101.00		101.00/97.00	103.70B/97.00	----	----	95.90 - 19.30	.3822	----	----	250	500	900 +		750
2000	----	----	----	----/79.60A	79.00B/79.60A	----	----	73.40 - 15.90	.3089	----	----	----	----	20		UNCH
2100	----	----	----	----/63.40A	60.70B/63.40A	----	----	57.60 - 12.30	.2510	----	----	----	----	30		UNCH
2200	----	----	----	----/51.30A	47.00B/51.30A	----	----	46.80 - 8.80	.2074	----	----	----	----	30		UNCH
2300	----	----	----	----/42.10A	36.90B/42.10A	----	----	38.50 - 6.30	.1728	----	----	----	----	20		UNCH
2400	----	----	----	----/35.00A	29.30B/35.00A	----	----	31.40 - 5.10	.1433	----	----	----	----	20		UNCH
2600	----	----	----	----	18.60B/24.80A	----	----	21.10 - 3.70	.0994	----	----	----	----	50		UNCH
2700	----	----	----	----	14.90B/21.20A	----	----	17.50 - 3.00	.0835	----	----	----	----	50		UNCH
TOTAL												500	250	1332 +		750
JUL27																
1930	----	----	----	----	----	----	----	145.70 - 19.50	.4306	----	----	----	----	110		UNCH
TOTAL														110		0
JUL28																
1900	----	----	----	----	----	----	----	291.60 - 22.50	.5444	----	----	----	----	250		UNCH
TOTAL														250		0
PO PUT	PLATINUM OPTIONS															
NOV26																
1300	----	----	----	----	----/2.40A	----	----	0.10 UNCH	.0016	----	----	----	----	20		UNCH
1400	----	----	----	----	----/3.10A	----	----	0.70 + 0.20	.0113	----	----	----	----	40		UNCH

OPTIONS EOO'S AND BLOCKS				
PRODUCT		STRIKE PRICE	EEO VOLUME	BLOCK VOLUME
OG CALL COMEX GOLD OPTIONS				
NOV26	CALL			
OG		4350	0	150
TOTALS			0	150
DEC26	CALL			
OG		4400	0	25
OG		4450	0	440
OG		4500	0	25
OG		4700	0	364
OG		5200	0	150
TOTALS			0	1004
JAN27	CALL			
OG		5400	0	50
TOTALS			0	50
MAR27	CALL			
OG		5600	0	240
TOTALS			0	240
APR27	CALL			
OG		5200	0	50
TOTALS			0	50
JUN27	CALL			
OG		4300	0	100
OG		5500	0	250
TOTALS			0	350
OG PUT COMEX GOLD OPTIONS				
NOV26	PUT			
OG		4000	0	100
OG		4050	0	280
TOTALS			0	380
DEC26	PUT			
OG		3700	0	310
OG		3950	0	440
OG		5200	0	150
TOTALS			0	900
FEB27	PUT			
OG		4000	0	50
TOTALS			0	50
MAR27	PUT			
OG		3900	0	480
TOTALS			0	480
JUN27	PUT			
OG		3500	0	250
OG		4300	0	100
TOTALS			0	350
SO CALL COMEX SILVER OPTIONS				
NOV26	CALL			
SO		6600	0	40
TOTALS			0	40
DEC26	CALL			
SO		7000	0	100
SO		7800	0	88
TOTALS			0	188
APR27	CALL			
SO		7800	0	100
TOTALS			0	100
SO PUT COMEX SILVER OPTIONS				
DEC26	PUT			
SO		5100	0	30
SO		5700	0	100
SO		6000	0	44
TOTALS			0	174
APR27	PUT			
SO		5500	0	100
TOTALS			0	100
HX PUT COMEX COPPER OPTIONS				
NOV26	PUT			
HX		600	0	400
TOTALS			0	400
DEC26	PUT			
HX		595	0	200
HX		600	0	50
TOTALS			0	250
JAN27	PUT			
HX		600	0	50
TOTALS			0	50
PO CALL PLATINUM OPTIONS				
JAN27	CALL			
PO		1900	0	775
TOTALS			0	775
APR27	CALL			
PO		1900	0	500
TOTALS			0	500
PO PUT PLATINUM OPTIONS				
JAN27	PUT			
PO		1450	0	200
PO		1550	0	200
TOTALS			0	400
GWW WED GOLD WEEKLY WEDNESDAY OPTION WEEKS				
SEP26	PUT			
G5W		4165	0	125
TOTALS			0	125
COO OPT COBALT METAL (FASTMARKETS) APO				
JAN27	PUT			
COO		1900	0	100
TOTALS			0	100
FEB27	PUT			
COO		1900	0	100
TOTALS			0	100
MAR27	PUT			
COO		1900	0	100
TOTALS			0	100
GWT TUE GOLD WEEKLY TUESDAY OPTION week1				



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000



PG64	BULLETIN #187@			METALS OPTION PRODUCTS		Tue, Sep 29, 2026	PG64
OCT26	PUT						
G1T		4125	0	75			
TOTALS			0	75			