

PG64

BULLETIN #188@

METALS OPTION PRODUCTS

Wed, Sep 30, 2026

PG64

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY
R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY’S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES														
EXPIRATION:	SEP26	SEP26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27	MAY27	JUN27	JUL27	AUG27
COO OPT	09/30			10/30	11/30	12/31	01/29	02/26	03/31				07/30	08/31
ECG10 OP		09/29	09/30											
ECG11 OP		09/29	09/30											
ECG13 OP		09/29	09/30											
ECG15 OP		09/29	09/30											
ECG16 OP		09/29	09/30											
ECGC OOF		09/29	09/30											
ECHG OOF		09/29	09/30											
ECSI OOF		09/29	09/30											
EHO OPT	09/30			10/30	11/30	12/31								
FMG OPT				10/02										
GMW MON				10/26										
GWR THU				10/22										
GWT TUE	09/29			10/20	11/03									
GWV WED	09/30			10/21										
HMW MON				10/26										
HRO OPT	09/29			10/27	11/24	12/29	01/26	02/23	03/30	04/27	05/25	06/29	07/27	08/24
HWR THU				10/22										
HWT TUE	09/29			10/20										
HWV WED	09/30			10/21	11/04	12/02								
HX CALL				10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25			
HX PUT							01/26	02/23	03/24	04/27	05/25			
HXE CALL				10/16										
HXE PUT				10/16										
LHO OPT	09/30			10/30	11/30	12/31	01/29	02/26	03/31					
MMG MON				10/05										
OG CALL					10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27
OG PUT					10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27
OG1 CALL				10/02										
OG1 PUT				10/02										
OG2 CALL				10/09										
OG2 PUT				10/09										
OG3 CALL				10/16										
OG3 PUT				10/16										
OG4 CALL				10/23										
OG4 PUT				10/23										
OMG OPT					10/27	11/24	12/28					05/19		
PAO CALL					10/21	11/18			02/17					
PAO PUT					10/21	11/18			02/17					
PAW OOF				10/09										
PLW OOF				10/02										
PO CALL					10/21	11/18	12/16			03/17			06/16	
PO PUT					10/21	11/18	12/16			03/17			06/16	
RWS THU				10/22										
SMW MON				10/26										
SO CALL					10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27
SO PUT					10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	
SO1 CALL				10/02										
SO1 PUT				10/02										
SO2 CALL				10/09										
SO2 PUT				10/09										
SO3 CALL				10/16										
SO3 PUT				10/16										
SO4 CALL				10/23										
SO4 PUT				10/23										
SWW WED	09/30			10/21										
TWS TUE	09/29			10/20										
WMG WED	09/30													

GOLD OPTIONS ON FUTURES														
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED SEP26	MICRO GOLD WEEKLY WED OPTION WEEK5													
4050	----	----	----	----	----	----	----	0.00 - 1.00	----	----	----	----	----	0 - 1
4100	----	----	----	----/1.80A	----/1.80A	----	----	0.00 - 2.50	----	----	----	----	----	0 - 1
4150	----	----	----	----	----	----	----	0.00 - 8.80	----	----	----	----	----	0 - 1
4200	42.30	42.30	42.30	42.30/40.00A	42.30/40.00A	----	----	0.00 - 10.70	----	----	----	1	----	0 - 1
4230	----	----	----	----	----	----	----	43.30 - 11.20	----	1	----	----	----	0 - 1
TOTAL												1	----	0 - 5
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT NOV26	MICRO GOLD OPTIONS													
3650	----	----	----	----	----/15.00A	----	----	4.50 - 0.70	----	----	----	----	----	2 UNCH
3900	----	----	----	----	----/885.90A	----	----	16.10 - 2.20	----	----	----	----	----	1 UNCH
4000	----	----	----	----	----	----	----	216.20 + 3.50	----	----	----	----	----	1 UNCH
4000	----	----	----	----	----/895.40A	----	----	30.00 - 3.40	----	----	----	----	----	2 UNCH
4005	----	----	----	----	----	----	----	212.20 + 3.50	----	----	----	----	----	1 UNCH
4025	----	----	----	----	----/899.10A	----	----	35.10 - 3.80	----	----	----	----	----	1 UNCH
4185	----	----	----	----	----/1380.60A	----	----	91.60 - 6.40	----	----	----	----	----	1 UNCH
4300	----	----	----	----	50.00B/1441.80A	----	----	160.90 - 7.60	----	----	----	----	----	1 UNCH
5810	----	----	----	----	----/848.80A	----	----	0.30 - 0.10	----	----	----	----	----	2 UNCH
5850	----	----	----	----	----/859.80A	----	----	0.30 - 0.10	----	----	----	----	----	3 UNCH
5900	----	----	----	----	----/849.90A	----	----	0.30 - 0.10	----	----	----	----	----	5 UNCH
6500	----	----	----	----	----/847.70A	----	----	0.10 - 0.10	----	----	----	----	----	4 UNCH
TOTAL														24 UNCH
DEC26														
3900	----	----	----	----	----	----	----	42.90 - 2.60	----	----	----	----	----	1 UNCH
3990	----	----	----	----	----	----	----	63.60 - 3.40	----	----	----	----	----	2 UNCH
4000	----	----	----	----	----	----	----	66.40 - 3.50	----	----	----	----	----	2 UNCH
4500	----	----	----	----	----	----	----	354.70 - 7.30	----	----	----	----	----	3 UNCH
4650	----	----	----	----	----	----	----	23.60 - 0.60	----	----	----	----	----	1 UNCH
4700	----	----	----	----	----	----	----	19.50 - 0.50	----	----	----	----	----	10 UNCH
4800	----	----	----	----	----	----	----	13.40 - 0.60	----	----	----	----	----	1 UNCH
TOTAL														20 UNCH
JAN27														
4010	----	----	----	----	----	----	----	299.50 + 3.20	----	----	----	----	----	1 UNCH
4600	407.00	407.00	407.00	407.00/407.00	407.00/407.00	----	----	435.10 NEW	----	----	----	1	----	1 + 1
TOTAL												1	----	2 + 1
OCT27														
4410	----	----	----	----	----	----	----	349.40 - 0.30	----	----	----	----	----	1 UNCH
TOTAL														1 UNCH
FEB28														
4600	----	----	----	----	----	----	----	393.40 - 4.50	----	----	----	----	----	1 UNCH
TOTAL														1 UNCH

	BULLETIN #188@				METALS OPTION PRODUCTS							wed, Sep 30, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG4 PUT OCT26	GOLD OPTIONS																
3700	----	----	----	----/3.60A	4.60B/3.60A	----	----	4.40 - 0.80	.0336	----	----	----	----	5	UNCH		
3825	----	----	----	----/6.20A	9.00B/6.20A	----	----	8.70 NEW	.0679	----	----	1	----	1 +	1		
3875	----	----	----	----/8.00A	12.10B/8.00A	----	----	11.60 NEW	.0907	----	----	1	----	1 +	1		
3900	----	----	----	----/9.20A	14.10B/9.20A	----	----	13.50 - 2.00	.1052	----	----	----	----	2	UNCH		
3925	----	----	----	----/10.70A	16.40B/10.70A	----	----	15.80 - 2.30	.1222	----	----	----	----	2	UNCH		
3950	----	----	----	----/12.50A	19.40B/12.50A	----	----	18.60 - 2.60	.1422	----	----	----	----	3	UNCH		
3975	----	----	----	----/14.60A	23.00B/14.60A	----	----	22.00 - 2.90	.1655	----	----	----	----	2	UNCH		
4000	----	----	----	----/17.20A	27.20B/17.20A	----	----	26.00 - 3.40	.1920	----	----	----	----	3	UNCH		
4025	----	----	----	----/20.30A	32.10B/20.30A	----	----	30.80 - 3.80	.2221	----	----	----	----	1	UNCH		
4125	----	----	----	----/40.30A	62.00B/40.30A	----	----	59.40 - 5.80	.3760	----	----	----	----	1	UNCH		
4175	79.90	79.90		83.90/55.90A	83.90/55.90A	----	----	80.70 - 6.60	.4676	----	----	22	----	46 +	7		
4200	----	----	----	----/65.80A	97.10B/65.80A	----	----	93.30 NEW	.5146	----	----	1	----	1 +	1		
TOTAL												25		68 +	10		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG4 CALL OCT26	GOLD OPTIONS																
4175	89.70	89.70		127.30B/88.90A	127.30B/88.90A	----	----	92.40 + 0.40	.5317	----	----	7	----	28	UNCH		
4350	----	----	----	48.40B/28.40A	48.40B/28.40A	----	----	30.40 - 0.70	.2357	----	----	----	----	1	UNCH		
4375	37.30	37.30		41.50B/23.80A	41.50B/23.80A	----	----	25.50 NEW	.2040	----	----	5	----	5 +	5		
4400	----	----	----	35.20B/19.80A	35.20B/19.80A	----	----	21.30 - 1.00	.1755	----	----	----	----	2	UNCH		
4450	24.50	24.50		25.80B/13.90A	25.80B/13.90A	----	----	14.90 - 1.10	.1288	----	----	1	----	1	UNCH		
4500	11.40	11.40		18.40B/9.80A	18.40B/9.80A	----	----	10.50 - 1.20	.0939	----	----	400	----	401 +	400		
4650	----	----	----	7.00B/3.90A	7.00B/3.90A	----	----	3.80 - 1.20	.0360	----	----	----	----	1	UNCH		
4675	----	----	----	6.00B/3.50A	6.00B/3.50A	----	----	3.30 - 1.20	.0312	----	----	----	----	4	UNCH		
TOTAL												413		443 +	405		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG3 PUT OCT26	GOLD OPTIONS																
3500	----	----	----	----/1.00A	0.90B/1.00A	----	----	1.10 - 0.20	.0080	----	----	----	----	2	UNCH		
3600	----	----	----	----/1.50A	1.50B/1.50A	----	----	1.70 - 0.30	.0132	----	----	----	----	5	UNCH		
3700	----	----	----	----/2.10A	2.50B/2.10A	----	----	2.60 - 0.60	.0218	----	----	----	----	3	UNCH		
3750	----	----	----	----/2.60A	3.30B/2.60A	----	----	3.30 - 0.80	.0286	----	----	----	----	3	UNCH		
3800	3.30	3.30		4.40B/3.20A	4.40B/3.20A	----	----	4.40 - 0.90	.0391	----	----	2	----	18	UNCH		
3875	----	----	----	----/4.80A	7.30B/4.80A	----	----	7.00 - 1.40	.0638	----	----	----	----	3	UNCH		
3900	----	----	----	----/5.60A	8.70B/5.60A	----	----	8.30 - 1.60	.0759	----	----	1	----	24 -	1		
3950	----	----	----	----/7.70A	12.50B/7.70A	----	----	12.00 - 2.10	.1089	----	----	----	----	8	UNCH		
3975	----	----	----	----/9.10A	15.20B/9.10A	----	----	14.50 - 2.50	.1304	----	----	1	----	15 +	1		
4000	13.40	13.40		18.50B/10.90A	18.50B/10.90A	----	----	17.60 - 2.90	.1561	----	----	11	----	55 +	2		
4025	18.00	18.00		22.60B/13.20A	22.60B/13.20A	----	----	21.40 - 3.40	.1864	----	----	11	----	66 +	11		
4050	26.40	26.40		27.60B/16.00A	27.60B/16.00A	----	----	26.20 - 3.80	.2221	----	----	1	----	28	UNCH		
4075	----	----	----	----/19.50A	33.60B/19.50A	----	----	31.90 - 4.40	.2624	----	----	1	----	22	UNCH		
4100	30.00	30.00		40.90B/23.80	40.90B/23.80	----	----	38.80 - 4.90	.3077	----	----	423	----	145 +	68		
4125	----	----	----	----/29.30A	49.50B/29.30A	----	----	47.00 - 5.40	.3572	----	----	----	----	7	UNCH		
4150	----	----	----	----/35.70A	59.40B/35.70A	----	----	56.60 - 5.80	.4101	----	----	----	----	15	UNCH		
4175	----	----	----	----/43.60A	70.80B/43.60A	----	----	67.50 - 6.30	.4651	----	----	----	----	20	UNCH		
4200	81.30	81.30		81.30/52.80A	83.70B/52.80A	----	----	80.00 - 6.70	.5211	----	----	21	----	40 +	20		
4225	71.00	71.00		98.20B/63.30A	98.20B/63.30A	----	----	94.00 - 7.00	.5766	----	----	1	----	45 -	1		
4250	----	----	----	----/75.30A	114.10B/75.30A	----	----	109.40 - 7.30	.6300	----	----	----	----	2	UNCH		
4275	----	----	----	----/88.50A	131.20B/88.50A	----	----	126.20 - 7.50	.6805	----	----	----	----	3	UNCH		
4300	----	----	----	----/103.50A	149.60B/103.50A	----	----	144.20 - 7.70	.7270	----	----	----	----	2	UNCH		
4350	----	----	----	----/137.60A	189.50B/137.60A	----	----	183.70 - 7.80	.8057	----	----	----	----	30	UNCH		
4400	----	----	----	----/175.90A	233.00B/175.90A	----	----	226.60 - 7.80	.8648	----	----	----	----	30	UNCH		
4500	----	----	----	----/262.30A	325.90B/262.30A	----	----	318.90 - 7.70	.9367	----	----	----	----	3	UNCH		
4600	----	----	----	----/413.20A	419.30B/413.20A	----	----	415.80 - 7.50	.9692	----	----	----	----	1	UNCH		
4625	----	----	----	----/437.70A	443.90B/437.70A	----	----	440.30 - 7.50	.9736	----	----	----	----	1	UNCH		
TOTAL												473		596 +	100		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG3 CALL OCT26	GOLD OPTIONS																
4150	----	----	----	135.30B/88.90A	135.30B/88.90A	----	----	93.20 + 1.20	.5894	----	----	----	----	1	UNCH		
4175	----	----	----	118.00B/75.30A	118.00B/75.30A	----	----	79.20 + 0.70	.5344	----	----	----	----	34	UNCH		
4200	69.00	69.00		102.20B/63.30A	102.20B/63.30A	----	----	66.70 + 0.30	.4784	----	----	58	----	57 +	46		
4225	----	----	----	87.90B/52.70A	87.90B/52.70A	----	----	55.70 - 0.10	.4230	----	----	4	----	10 +	4		
4250	----	----	----	74.90B/43.40A	74.90B/43.40A	----	----	46.20 NEW	.3695	----	----	66	----	66 +	66		
4275	----	----	----	63.30B/35.50A	63.30B/35.50A	----	----	38.00 - 0.60	.3190	----	----	----	----	5	UNCH		
4300	29.20	29.20		53.30B/28.90A	53.30B/28.90A	----	----	31.10 - 0.70	.2726	----	----	45	----	38 +	32		
4325	----	----	----	44.80B/23.40A	44.80B/23.40A	----	----	25.30 - 0.90	.2306	----	----	----	----	35	UNCH		
4350	----	----	----	37.30B/18.90A	37.30B/18.90A	----	----	20.60 - 0.90	.1939	----	----	1	----	35 +	1		
4375	----	----	----	30.70B/15.20A	30.70B/15.20A	----	----	16.70 - 0.90	.1618	----	----	1	----	16	UNCH		
4400	18.30	18.30		25.50B/12.20A	25.50B/12.20A	----	----	13.60 - 0.80	.1347	----	----	9	----	196 +	6		
4425	----	----	----	20.90B/9.80A	20.90B/9.80A	----	----	11.00 - 0.90	.1113	----	----	----	----	9	UNCH		
4450	14.00	14.00		17.20B/8.00A	17.20B/8.00A	----	----	9.00 - 0.80	.0924	----	----	2	----	205 -	2		
4475	12.80	12.80		14.10B													

PG64	BULLETIN #188@										METALS OPTION PRODUCTS										wed, Sep 30, 2026		PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
OG2 PUT OCT26	GOLD OPTIONS																							
4350	----	----	----	----/121.70A	179.00B/121.70A	----	----	----	172.50 - 8.20	.8801	----	----	----	----	17	UNCH								
4375	----	----	----	----/141.90A	202.00B/141.90A	----	----	----	195.20 - 8.00	.9084	----	----	----	----	2	UNCH								
4400	----	----	----	----/163.10A	225.50B/163.10A	----	----	----	218.40 - 8.00	.9301	----	----	1	----	26 +	1								
4500	----	----	----	----/258.00A	316.80B/258.00A	----	----	----	315.10 - 7.60	.9734	----	----	----	----	1	UNCH								
4550	----	----	----	----/306.90A	366.10B/306.90A	----	----	----	364.40 - 7.50	.9839	----	----	----	----	2	UNCH								
4575	----	----	----	----/331.20A	390.80B/331.20A	----	----	----	389.20 - 7.40	.9868	----	----	----	----	1	UNCH								
4700	----	----	----	----/454.80A	515.20B/454.80A	----	----	----	513.60 - 7.20	.9938	----	----	----	----	1	UNCH								
TOTAL																					610	1866+	279	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
OG2 CALL OCT26	GOLD OPTIONS																							
4075	----	----	----	184.50B/123.00A	184.50B/123.00A	----	----	----	129.10 + 2.90	.8007	----	----	----	----	2	UNCH								
4100	131.50	131.50	----	162.20B/103.80A	162.20B/103.80A	----	----	----	109.40 + 2.10	.7483	----	----	2	----	2 +	1								
4125	----	----	----	141.10B/86.10A	141.10B/86.10A	----	----	----	91.20 + 1.40	.6867	----	----	----	----	1	UNCH								
4150	98.20	98.20	----	121.00B/70.20A	121.00B/70.20A	----	----	----	74.70 + 0.70	.6174	----	----	2	----	4	UNCH								
4175	----	----	----	102.50B/56.20A	102.50B/56.20A	----	----	----	60.10 UNCH	.5422	----	----	----	----	3	UNCH								
4200	66.60	66.60	----	85.50B/44.30A	85.50B/44.30A	----	----	----	47.60 - 0.50	.4647	----	----	14	----	201 +	1								
4225	----	----	----	70.20B/34.20A	70.20B/34.20A	----	----	----	37.00 - 0.90	.3885	----	----	----	----	10	UNCH								
4250	40.50	40.50	----	56.90B/25.90A	56.90B/25.90A	----	----	----	28.40 - 1.20	.3172	----	----	28	----	70 +	26								
4275	35.20	35.20	----	45.50B/19.40A	45.50B/19.40A	----	----	----	21.60 - 1.40	.2538	----	----	3	----	21 +	3								
4300	33.00	33.00	----	36.10B/14.50A	36.10B/14.50A	----	----	----	16.40 - 1.30	.2002	----	----	28	----	51 +	20								
4325	11.90	11.90	----	28.20B/10.70A	28.20B/10.70A	----	----	----	12.30 - 1.40	.1551	----	----	7	----	57 +	7								
4350	14.30	14.30	----	22.00B/8.00A	22.00B/8.00A	----	----	----	9.30 - 1.20	.1196	----	----	205	15	175	UNCH								
4375	----	----	----	17.10B/5.90A	17.10B/5.90A	----	----	----	7.00 - 1.10	.0913	----	----	2	----	44 +	2								
4400	11.00	11.00	----	13.10B/4.50	13.10B/4.50	----	----	----	5.30 - 1.00	.0696	----	----	118	----	227 +	29								
4425	8.70	8.70	----	10.10B/3.40A	10.10B/3.40A	----	----	----	4.10 - 0.90	.0537	----	----	27	----	67 +	11								
4450	4.00	4.00	----	7.80B/2.70A	7.80B/2.70A	----	----	----	3.20 - 0.80	.0416	----	----	1	----	101 +	1								
4475	----	----	----	6.00B/2.10A	6.00B/2.10A	----	----	----	2.60 - 0.60	.0332	----	----	1	----	53 -	1								
4500	3.60	3.60	----	4.70B/1.70	4.70B/1.70	----	----	----	2.10 - 0.50	.0264	----	----	8	----	58	UNCH								
4525	1.70	1.70	----	3.70B/1.40A	3.70B/1.40A	----	----	----	1.60 - 0.60	.0200	----	----	25	----	55 +	14								
4550	1.40	1.40	----	3.00B/1.20A	3.00B/1.20A	----	----	----	1.30 - 0.50	.0159	----	----	1	----	61 +	1								
4575	----	----	----	2.40B/1.00A	2.40B/1.00A	----	----	----	1.10 - 0.40	.0131	----	----	----	----	64	UNCH								
4600	2.00	2.00	----	2.20/0.90A	2.20/0.90A	----	----	----	1.00 - 0.30	.0115	----	----	75	----	60 -	42								
4625	----	----	----	1.60B/0.80A	1.60B/0.80A	----	----	----	0.80 - 0.30	.0091	----	----	----	----	45	UNCH								
4650	----	----	----	1.30B/0.70A	1.30B/0.70A	----	----	----	0.70 - 0.30	.0077	----	----	----	----	17	UNCH								
4675	----	----	----	1.10B/0.60A	1.10B/0.60A	----	----	----	0.60 - 0.30	.0065	----	----	----	----	32	UNCH								
4700	----	----	----	1.00B/0.60A	1.00B/0.60A	----	----	----	0.60 - 0.20	.0062	----	----	----	----	23	UNCH								
4725	----	----	----	0.80B/0.60A	0.80B/0.60A	----	----	----	0.50 - 0.20	.0051	----	----	----	----	30	UNCH								
4750	----	----	----	0.70B/0.50A	0.70B/0.50A	----	----	----	0.50 - 0.10	.0049	----	----	----	----	45	UNCH								
4775	----	----	----	----/0.50A	0.60B/0.50A	----	----	----	0.50 - 0.10	.0047	----	----	----	----	29	UNCH								
4800	----	----	----	----/0.40A	0.60B/0.40A	----	----	----	0.40 - 0.20	.0037	----	----	----	----	7	UNCH								
4850	----	----	----	----/0.40A	0.40B/0.40A	----	----	----	0.40 - 0.10	.0035	----	----	----	----	5	UNCH								
4900	----	----	----	----/0.30A	0.30B/0.30A	----	----	----	0.30 - 0.10	.0025	----	----	6	----	19	UNCH								
5000	----	----	----	----	----/0.40A	----	----	----	0.20 - 0.10	.0015	----	----	----	----	177	UNCH								
5100	----	----	----	----	----/0.40A	----	----	----	0.20 UNCH	.0014	----	----	----	----	97	UNCH								
5200	----	----	----	----	----/0.30A	----	----	----	0.10 - 0.10	.0006	----	----	----	----	41	UNCH								
5250	----	----	----	----	----/0.30A	----	----	----	0.10 - 0.10	.0004	----	----	6	----	6	UNCH								
TOTAL																					559	15	1960 +	73
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
OG1 PUT OCT26	GOLD OPTIONS																							
3500	----	----	----	----	----/0.30A	----	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH								
3600	----	----	----	----	----/0.20A	----	----	----	0.10 UNCH	.0000	----	----	----	----	21	UNCH								
3700	----	----	----	----/0.30A	----/0.30A	----	----	----	0.10 - 0.30	.0002	----	----	----	----	6	UNCH								
3750	----	----	----	----/0.30A	----/0.30A	----	----	----	0.20 - 0.30	.0005	----	----	----	----	3	UNCH								
3795	0.20	0.20	----	0.20/0.20	0.20/0.20	----	----	----	0.20 - NEW	.0006	----	----	2	----	2 +	2								
3800	0.20	0.20	----	0.20/0.20	0.30B/0.20	----	----	----	0.30 - 0.30	.0010	----	----	1	----	71 -	1								
3815	----	----	----	----/0.30A	0.40B/0.30A	----	----	----	0.30 - 0.30	.0010	----	----	----	----	1	UNCH								
3835	0.40	0.40	----	0.40/0.30A	0.40/0.30A	----	----	----	0.30 - NEW	.0011	----	----	6	----	6 +	6								
3860	0.50	0.50	----	0.50/0.40A	0.50/0.40A	----	----	----	0.40 - NEW	.0017	----	----	9	----	9 +	9								
3870	0.50	0.50	----	0.50/0.40A	0.50/0.40A	----	----	----	0.40 - NEW	.0017	----	----	1	----	1 +	1								
3875	----	----	----	----/0.40A	0.50B/0.40A	----	----	----	0.50 - 0.40	.0023	----	----	----	----	12	UNCH								
3890	----	----	----	----/0.40A	0.60B/0.40A	----	----	----	0.50 - 0.50	.0024	----	----	----	----	4	UNCH								
3895	----	----	----	----/0.50A	0.70B/0.50A	----	----	----	0.60 - 0.40	.0031	----	----	----	----	5	UNCH								
3900	0.70	0.70	----	0.70/0.50A	0.70/0.50A	----	----	----	0.60 - 0.50	.0031	----	----	1	----	156 -	1								
3910	0.90	0.90	----	0.90/0.50A	0.90/0.50A	----	----	----	0.60 - 0.60	.0033	----	----	5	----	5 +	4								
3920	----	----	----	----/0.60A	0.90B/0.60A	----	----	----	0.70 - 0.50	.0040	----	----	----	----	2	UNCH								
3925	----	----	----	----/0.60A	0.90B/0.60A	----	----	----	0.70 - 0.60	.0041	----	----	----	----	162	UNCH								
3930	----	----	----	----/0.60A	1.00B/0.60A	----	----	----	0.80 - 0.60	.0049	----	----	----	----	1	UNCH								
3940	----	----	----	----/0.60A	1.00B/0.60A	----	----	----	0.80 - 0.70	.0051	----	----	----	----	1	UNCH								
3950	0.80	0.80	----	0.80/0.70A	1.10B/0.70A	----	----	----	0.90 - 0.70	.0061	----	----	8	----	32 +	2								
3955	----	----	----	----/0.70A	1.20B/0.70A	----	----	----	0.90 - 0.80	.0063	----	----	----	----	1	UNCH								
3960	----	----	----	----/0.70A	1.20B/0.70A	----	----	----	1.00 - 0.80	.0072	----	----	----	----	1	UNCH								
3965	----	----	----	----/0.70A	1.30B/0.70A	----	----	----	1.00 - 0.90	.0074	----	----	----	----	1	UNCH								
3970	----	----	----	----/0.80A	1.30B/0.80A	----	----	----	1.10 - 0.90	.0083	----	----	----	----	19	UNCH								
3975	0.80	0.80	----	0.80/0.80	1.40B/0.80	----	----	----	1.10 - 1.00	.0086	----	----	1	----	39 +	1								
3980	1.50	1.50	----	1.50/0.80A	1.50/0.80A	----	----	----	1.20 - 1.00	.0096	----	----	1	----	129	UNCH								
3985	----	----	----	----/0.80A	1.50B/0.80A	----	----	----	1.20 - 1.10	.0099	----	----	----	----	52 -	1								
3990	1.30	1.30	----	1.30/0.90A	1.60B/0.90A	----	----	----	1.30 - 1.20	.0110	----	----	3	----	5 +	1								
3995	----	----	----	----/0.90A	1.70B/0.90A	----	----	----	1.40 - 1.20	.0122	----	----	----	----	4	UNCH								
4000	1.90	1.90	----	1.90/0.90A	1.90/0.90A	----	----	----	1.50 - 1.30	.0135	----	----	68	----	349 +	2								
4005	----	----	----	----/1.00A	1.90B/1.00A	----	----	----	1.60 - 1.30	.0148	----	----	----	----	19	UNCH								
4010	----	----	----	----/1.00A	2.00B/1.00A	----	----	----	1.70 - 1.40	.0162	----	----	----	----	2	UNCH								
4015	----	----	----	----/1.00A	2.10B/1.00A	----	----	----	1.80 - 1.50	.0177	----	----	----	----	18	UNCH								
4020	1.00	1.00	----	1.00/1.00	2.30B/1.00	----	----	----	1.90 - NEW	.0193	----	----	10	----	10 +	10								
4025	1.90	1.90	----	2.20/1.10A	2.40B/1.10A	----	----	----	2.00 - 1.80	.0209	----	----	22	----	119 +	5								
4030	2.40	2.40	----	2.60B/1.20A	2.60B/1.20A	----	----	----	2.10 - 1.90	.0226	----	----	19	----	20 +	4								
4035	----	----	----	----/1.30A	2.80B/1.30A	----	----	----	2.30 - 2.00	.0255	----	----	2	----	9 +	2								
4040	2.80	2.80	----	3.00B/1.30A	3.00B/1.30A	----	----	----	2.50 - 2.10	.0285	----	----	14	----	88 +	7								
4045	----	----	----	----/1.40A	3.20B/1.40A	----	----	----	2.70 - 2.20	.0316	----	----	----	----	13	UNCH								
4050	2.70	2.70	----	3.30/1.50A	3.40B/1.50A	----	----	----	2.90 - 2.40	.0349	----	----	52	----	147 +	23								
4055	2.50	2.50	----	3.50/1.50A	3.70B/1.50A	----	----	----	3.10 - 2.60	.0384	----	----	3	----	27 +	3								
4060	2.70	2.70	----	3.70/1.60A	4.00B/1.60A	----	----	----	3.40 - 2.70	.0433	----	----	7	----	24 +	7								
4065	4.00	4.00	----	4.20/1.70A	4.30B/1.70A	----	----	----	3.60 - 3.00	.0472	----													

PG64

BULLETIN #188@

METALS OPTION PRODUCTS

wed, Sep 30, 2026

PG64

	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST	
OG1 PUT			GOLD OPTIONS														
OCT26																	
4245	48.20	48.20		74.70B/31.70A	74.70B/31.70A	----	----		68.80	NEW	----	----	17	----		11 + 11	
4250	45.00	45.00		78.70B/34.20A	78.70B/34.20A	----	----		72.70	- 9.70	----	----	16	----	413 +	6	
4255	----	----		----/36.90A	83.00B/36.90A	----	----		76.80	- 9.70	----	----	----	----	1	UNCH	
4260	----	----		----/39.60A	87.20B/39.60A	----	----		81.00	- 9.60	----	----	----	----	1	UNCH	
4270	----	----		----/45.50A	96.00B/45.50A	----	----		89.60	NEW	----	----	1	----	1 +	1	
4275	----	----		----/48.50A	100.50B/48.50A	----	----		93.90	- 9.30	----	----	2	----	141 +	1	
4280	96.70	96.70		105.00B/51.80A	105.00B/51.80A	----	----		98.40	- 9.10	----	----	1	----	1	UNCH	
4300	69.50	69.50		123.50B/65.80A	123.50B/65.80A	----	----		116.60	- 8.80	----	----	5	----	435 -	1	
4310	----	----		----/73.30A	133.00B/73.30A	----	----		126.00	- 8.60	----	----	----	----	1	UNCH	
4320	----	----		----/81.20A	142.60B/81.20A	----	----		135.50	- 8.50	----	----	----	----	1	UNCH	
4325	----	----		----/85.30A	147.60B/85.30A	----	----		140.30	- 8.40	----	----	----	----	185	UNCH	
4330	----	----		----/89.50A	152.10B/89.50A	----	----		145.10	- 8.40	----	----	----	----	1	UNCH	
4340	----	----		----/98.00A	162.00B/98.00A	----	----		154.80	- 8.20	----	----	----	----	1	UNCH	
4350	----	----		----/106.70A	172.00B/106.70A	----	----		164.50	- 8.20	----	----	----	----	160	UNCH	
4375	----	----		----/129.30A	196.50B/129.30A	----	----		189.10	- 7.90	----	----	----	----	153	UNCH	
4400	184.90	184.90		221.30B/152.90A	221.30B/152.90A	----	----		213.90	- 7.60	----	----	3	----	170 -	1	
4425	218.80	218.80		246.20B/177.10A	246.20B/177.10A	----	----		238.70	- 7.50	----	----	1	----	52 +	1	
4450	----	----		----/201.30A	270.90B/201.30A	----	----		263.60	- 7.40	----	----	----	----	16	UNCH	
4475	----	----		295.90B/225.80A	295.90B/225.80A	----	----		288.50	- 7.30	----	----	----	----	25	UNCH	
4500	----	----		----/254.60A	317.20B/254.60A	----	----		313.50	- 7.20	----	----	----	----	1	UNCH	
4525	----	----		----/279.40A	342.20B/279.40A	----	----		338.40	NEW	----	----	2	----	2 +	2	
4575	----	----		395.80B/327.70A	395.80B/327.70A	----	----		388.40	- 7.10	1.0000	----	----	----	4	UNCH	
4590	----	----		----/344.20A	407.10B/344.20A	----	----		403.40	- 7.10	1.0000	1	----	----	0 -	1	
4625	----	----		445.70B/377.80A	445.70B/377.80A	----	----		438.40	- 7.00	1.0000	----	----	----	2	UNCH	
4725	----	----		----/479.00A	542.00B/479.00A	----	----		538.30	- 7.00	1.0000	1	----	----	0 -	1	
10000	----	----		----/5,755.40A	5815.70B/5755.40A	----	----		5813.30	- 7.00	1.0000	100	----	100	----	0	UNCH
TOTAL													1373		6211+	332	

	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST
OG1 CALL																
OCT26																
4050	----	----		201.40B/132.40A	201.40B/132.40A	----	----		139.60 + 4.60	.9649	----	----	----	----	2	UNCH
4065	----	----		186.50B/118.40A	186.50B/118.40A	----	----		125.30 + 4.10	.9527	----	----	----	----	2	UNCH
4100	----	----		152.60B/86.90A	152.60B/86.90A	----	----		93.30 + 2.50	.8981	----	----	----	----	3	UNCH
4125	86.80	86.80		128.90B/66.40A	128.90B/66.40A	----	----		72.20 + 1.10	.8257	----	----	1	----	6	UNCH
4130	----	----		124.30B/62.60A	124.30B/62.60A	----	----		68.20 + 0.80	.8071	----	----	----	----	1	UNCH
4140	----	----		115.10B/55.20A	115.10B/55.20A	----	----		60.50 + 0.20	.7654	----	----	----	----	8	UNCH
4150	94.00	94.00		106.20B/48.30A	106.20B/48.30A	----	----		53.30 - 0.40	.7172	----	----	4	----	4 -	4
4155	----	----		101.80B/45.10A	101.80B/45.10A	----	----		49.80 - 0.70	.6915	----	----	----	----	4	UNCH
4160	----	----		97.40B/42.00A	97.40B/42.00A	----	----		46.50 - 1.00	.6640	----	----	1	----	25	UNCH
4165	64.50	64.50		93.10B/39.00A	93.10B/39.00A	----	----		43.30 - 1.30	.6356	----	----	1	----	6 -	1
4170	57.00	57.00		88.90B/36.10A	88.90B/36.10A	----	----		40.20 - 1.50	.6062	----	----	3	----	8	UNCH
4175	40.40	40.40		84.90B/33.40A	84.90B/33.40A	----	----		37.30 - 1.80	.5758	----	----	3	----	10 -	1
4180	59.60	59.60		80.70B/30.80A	80.70B/30.80A	----	----		34.50 - 2.00	.5449	----	----	3	----	18 +	2
4185	33.00	33.00		76.90B/28.30A	76.90B/28.30A	----	----		31.90 - 2.10	.5136	----	----	4	----	8 +	1
4195	25.00	25.00		69.20B/23.80A	69.20B/23.80A	----	----		27.00 - 2.50	.4508	----	----	1	----	5 +	1
4200	38.00	38.00		65.60B/21.80A	65.60B/21.80A	----	----		24.80 - 2.60	.4199	----	----	74	----	115 +	29
4205	37.20	37.20		62.00B/19.80A	62.00B/19.80A	----	----		22.70 - 2.70	.3893	----	----	27	----	19 +	6
4210	22.90	22.90		58.50B/18.00A	58.50B/18.00A	----	----		20.70 - 2.80	.3593	----	----	22	----	26 +	16
4215	39.10	39.10		55.10B/16.40A	55.10B/16.40A	----	----		18.90 - 2.80	.3305	----	----	12	----	10 +	3
4220	30.20	30.20		51.90B/14.80A	51.90B/14.80A	----	----		17.20 - 2.80	.3027	----	----	24	----	39 +	16
4225	31.20	31.20		48.80B/13.40A	48.80B/13.40A	----	----		15.60 - 2.90	.2759	----	----	61	----	63 +	44
4230	30.50	30.50		45.80B/12.20A	45.80B/12.20A	----	----		14.10 - 2.90	.2503	----	----	34	----	23 +	4
4235	18.30	18.30		43.00B/10.90A	43.00B/10.90A	----	----		12.80 - 2.80	.2268	----	----	7	----	7 +	5
4240	24.50	24.50		40.20B/9.80A	40.20B/9.80A	----	----		11.60 - 2.80	.2047	----	----	14	----	18 +	11
4245	34.00	34.00		37.60B/8.80A	37.60B/8.80A	----	----		10.50 - 2.70	.1842	----	----	14	----	15 +	10
4250	21.70	21.70		35.10B/7.90A	35.10B/7.90A	----	----		9.40 - 2.80	.1642	----	----	185	----	181 +	100
4255	----	----		32.70B/7.10A	32.70B/7.10A	----	----		8.50 - 2.70	.1469	----	----	6	----	13 -	2
4260	25.50	25.50		30.40B/6.30A	30.40B/6.30A	----	----		7.70 - 2.70	.1314	----	----	45	----	78 +	23
4265	7.30	7.30		28.30B/5.70A	28.30B/5.70A	----	----		6.90 - 2.60	.1163	----	----	12	----	10 +	6
4270	16.00	16.00		26.30B/5.10A	26.30B/5.10A	----	----		6.30 - 2.40	.1042	----	----	8	----	57 +	7
4275	17.90	17.90		24.40B/4.60A	24.40B/4.60A	----	----		5.60 - 2.40	.0913	----	----	12	----	53 +	7
4280	18.70	18.70		22.60B/4.10A	22.60B/4.10A	----	----		5.10 - 2.20	.0814	----	----	5	----	17 +	3
4285	6.70	6.70		20.90B/3.70A	20.90B/3.70A	----	----		4.60 - 2.10	.0719	----	----	5	----	30	UNCH
4290	12.20	12.20		19.20B/3.30A	19.20B/3.30A	----	----		4.10 - 2.00	.0628	----	----	22	----	15 +	9
4295	13.50	13.50		17.80B/3.00A	17.80B/3.00A	----	----		3.70 - 1.90	.0553	----	----	12	----	18 +	6
4300	10.50	10.50		16.30B/2.70A	16.30B/2.70A	----	----		3.30 - 1.80	.0482	----	----	243	----	303 +	12
4305	4.50	4.50		15.00B/2.40A	15.00B/2.40A	----	----		3.00 - 1.70	.0427	----	----	20	----	30 +	18
4310	10.80	10.80		13.80B/2.10A	13.80B/2.10A	----	----		2.70 - 1.70	.0374	----	----	15	----	9 +	8
4315	2.10	2.10		12.80B/1.90A	12.80B/1.90A	----	----		2.50 - 1.50	.0336	----	----	5	----	10 +	5
4320	2.60	2.60		11.70B/1.80A	11.70B/1.80A	----	----		2.20 - 1.50	.0287	----	----	26	----	26 +	25
4325	5.50	5.50		10.70B/1.60A	10.70B/1.60A	----	----		2.00 - 1.50	.0254	----	----	28	----	206 -	1
4330	9.30	9.30		9.80B/1.50A	9.80B/1.50A	----	----		1.80 - 1.40	.0221	----	----	31	----	44 +	13
4335	----	----		9.00B/1.30A	9.00B/1.30A	----	----		1.60 NEW	.0191	----	----	1	----	1 +	1
4340	----	----		8.30B/1.20A	8.30B/1.20A	----	----		1.50 - 1.30	.0173	----	----	----	----	17	UNCH
4345	----	----		7.60B/1.10A	7.60B/1.10A	----	----		1.40 - 1.20	.0156	----	----	1	----	8 +	1
4350	5.20	5.20		7.00/1.00A	7.00/1.00A	----	----		1.20 - 1.20	.0130	----	----	89	----	222 +	21
4355	----	----		6.30B/0.90A	6.30B/0.90A	----	----		1.10 - 1.10	.0115	----	----	----	----	5	UNCH
4360	----	----		5.70B/0.90A	5.70B/0.90A	----	----		1.10 - 1.00	.0111	----	----	1	----	5	UNCH
4365	----	----		5.30B/0.80A	5.30B/0.80A	----	----		1.00 - 1.00	.0098	----	----	1	----	2 +	1
4370	----	----		4.90B/0.70A	4.90B/0.70A	----	----		0.90 - 0.90	.0085	----	----	----	----	1	UNCH
4375	2.30	2.30		4.40B/0.70A	4.40B/0.70A	----	----		0.80 - 0.90	.0073	----	----	18	----	450 +	3
4380	0.60	0.60		4.10B/0.60	4.10B/0.60	----	----		0.80 - 0.80	.0071	----	----	4	----	5 +	2
4385	----	----		3.70B/0.60A	3.70B/0.60A	----	----		0.70 NEW	.0060	----	----	1	----	1 +	1
4390	1.10	1.10		3.40B/0.60A	3.40B/0.60A	----	----		0.70 - 0.70	.0058	----	----	1	----	1	UNCH
4395	1.70	1.70		3.10B/0.50	3.10B/0.50	----	----		0.60 - 0.70	.0048	----	----	2	----	3	UNCH
4400	2.20	2.20		2.80/0.50A	2.80/0.50A	----	----		0.60 - 0.70	.0047	----	----	24	----	569 -	50
4405	----	----		2.60B/0.50A	2.60B/0.50A	----	----		0.60 - 0.60	.0045	----	----	----	----	1	UNCH
4410	----	----		2.40B/0.40A	2.40B/0.40A	----	----		0.50 - 0.60	.0036	----	----	----	----	3	UNCH
4415	----	----		2.20B/0.40A	2.20B/0.40A	----	----		0.50 - 0.60	.0035	----	----	1	----	11 +	1
4420	----	----		2.00B/0.40A	2.00B/0.40A	----	----		0.50 - 0.50	.0034	----	----	----	----	1	UNCH
4425	1.30	1.30		1.80B/0.40A	1.80B/0.40A	----	----		0.40 - 0.50	.0026	----	----	5	----	249 +	1
4430	1.00	1.00		1.20B/0.30	1.20B/0.30	----	----		0.30 - 0.40	.0017	----	----	6	----	150 +	2
4435	0.40	0.40		1.10B/0.30A	1.10B/0.30A	----	----		0.30 NEW	.0016	----	----	1	----	1 +	1
4440	0.20	0.20		0.90B/0.20	0.90B/0.20	----	----		0.30 - 0.30	.0015	----	----	1	----	3 -	1
4445	0.20	0.20		0.90B/0.20	0.90B/0.20	----	----		0.30 - 0.30	.0015	----	----	6	----	76	UNCH
4450	0.70	0.70		0.70/0.20A	0.70/0.20A	----	----		0.20 - 0.30	.0008	----	----	13	----	326 +	11
4455	----	----		0.60B/0.20A	0.60B/0.20A	----	----		0.20 - 0.30	.0008	----	----	----	----	1	UNCH
4460	0.30	0.30		0.50B/0.20A	0.50B/0.20A	----	----		0.20 - 0.20	.0008	----	----	2	----	54	UNCH
4465	----	----		----/0.20A	0.40B/0.20A	----	----		0.10 - 0.30	.0002	----	----	----	----	1	UNCH
4470	0.30	0.30		0.30/0.20A	0.30/0.20A	----	----		0.10 - 0.20	.0001	----	----	2	----	371	UNCH
4475	0.20	0.20		0.20/0.20A	0.30B/0.20A	----	----		0.10 - 0.20	.0001	----	----	----	----	1	UNCH
4480	----	----		0.20/0.20	0.20/0.20	----	----		0.10 - 0.20	.0000	----	----	1	----	31	UNCH
4485	----	----		----	0.10B/0.20A	----	----		0.10 - 0.10	.0000	----	----	----	----	319	UNCH
4490	----	----		----	----/0.20A	----	----		0.10 - 0.10	.0000	----	----	----	----	29	UNCH
4495	----	----		----	----/0.20A	----	----		0.10 UNCH	----	----	----	----	----	76	UNCH
4500	----	----		----	----/0.20A	----	----		0.10 UNCH	----	----	----	----	----	15	UNCH
4505	----	----		----	----/0.20A	----	----		0.10 UNCH	----	----	----	----	----	36	UNCH
4510	----	----		----	----/0.20A	----	----		0.10 UNCH	----	----	----	----	----	18	UNCH
4515	----	----		----	----/0.20A	----	----		0.10 UNCH	----	----	----	----	----	104	UNCH
4520	----	----		----	0.10B/0.20A	----	----		0.10 UNCH	----	----	----	----	----	28	UNCH
4525	----	----		----	----/0.20A	----	----		0.10 UNCH	----	----	----	----	----	57	UNCH
4530	----	----		----	----/0.20A	----	----		0.10 UNCH	----	----	----	----	----	101	UNCH
4535	----	----		----	----/0.20A	----	----		0.10 UNCH	----	----	----	----	----	27	UNCH
4540	----	----		----	----/0.20A	----	----		0.10 UNCH	----	----	----	----	----	8	UNCH
4545	0.30	0.30		0.30/0.20A	0.30/0.20A	----	----		0.10 UNCH	----	----	----	----	----	5	UNCH
4550	----	----		----/0.20A	0.30B/0.20A	----	----		0.10 - 0.20	.0001	----	----	----	----	6	UNCH
4555	0.20	0.20		0.20/0.20	0.20/0.20	----	----		0.10 - 0.20	.0000	----	----	1	----	15	UNCH
4560	----	----		----	0.10B/0.20A	----	----		0.10 - 0.10	.0000	----	----	----	----	319	UNCH
4565	----	----		----	----/0.20A	----	----		0.10 - 0.10	.0000	----	----	----	----	29	UNCH
4570	----	----		----	----/0.20A	----	----		0.1							

BULLETIN #188@				METALS OPTION PRODUCTS										wed, Sep 30, 2026				PG64	
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG PUT		COMEX GOLD OPTIONS																	
NOV26																			
2500	----	----	----	----	----	----/0.20A	----	----	0.10	UNCH	.0000	----	----	----	12	UNCH			
2600	----	----	----	----	----	0.10B/0.20A	----	----	0.10	UNCH	.0000	----	----	----	11	UNCH			
2625	----	----	----	----	----	----/0.20A	----	----	0.10	UNCH	.0000	----	----	----	8	UNCH			
2650	----	----	----	----	----	----/0.20A	----	----	0.10	UNCH	.0000	----	----	----	60	UNCH			
2675	----	----	----	----	----	----/0.20A	----	----	0.10	UNCH	.0000	----	----	----	8	UNCH			
2700	----	----	----	----	----	----/0.20A	----	----	0.10	UNCH	.0000	----	----	----	154	UNCH			
2725	----	----	----	----	----	----/0.20A	----	----	0.10	UNCH	.0001	----	----	----	2	UNCH			
2750	----	----	----	----	----	----/0.20A	----	----	0.10	UNCH	.0001	----	----	----	27	UNCH			
2775	----	----	----	----	----	----/0.20A	----	----	0.10	UNCH	.0002	----	----	----	1	UNCH			
2800	----	----	----	----	----	----/0.20A	----	----	0.10	UNCH	.0002	----	----	----	92	UNCH			
2820	----	----	----	----	----	----/0.20A	----	----	0.10	UNCH	.0003	----	----	----	19	UNCH			
2825	----	----	----	----	----	----/0.20A	----	----	0.10	UNCH	.0003	----	----	----	32	UNCH			
2840	----	----	----	----	----	----/0.20A	----	----	0.10	UNCH	.0004	----	----	----	42	UNCH			
2850	----	----	----	----	----	0.10B/0.20A	----	----	0.10	- 0.10	.0004	----	----	----	1	UNCH			
2860	----	----	----	----	----	0.10B/0.20A	----	----	0.10	- 0.10	.0005	----	----	----	7	UNCH			
2870	----	----	----	----	----	0.10B/0.20A	----	----	0.10	- 0.10	.0005	----	----	----	1	UNCH			
2890	----	----	----	----	----	0.10B/0.20A	----	----	0.20	UNCH	.0010	----	----	----	1	UNCH			
2895	----	----	----	----	----	0.10B/0.20A	----	----	0.20	UNCH	.0011	----	----	----	29	UNCH			
2900	----	----	----	----	----	0.20B/0.30A	----	----	0.20	UNCH	.0011	----	----	----	75	UNCH			
2910	----	----	----	----	----	0.10B/0.30A	----	----	0.20	- 0.10	.0011	----	----	----	1	UNCH			
2925	----	----	----	----	----	0.20B/0.30A	----	----	0.20	- 0.10	.0011	----	----	----	11	UNCH			
2935	----	----	----	----	----	0.20B/0.30A	----	----	0.30	UNCH	.0016	----	----	----	1	UNCH			
2940	----	----	----	----	----	0.20B/0.30A	----	----	0.30	UNCH	.0016	----	----	----	2	UNCH			
2945	----	----	----	----	----	0.20B/0.30A	----	----	0.30	UNCH	.0016	----	----	----	21	UNCH			
2950	----	----	----	----	----	0.20B/0.30A	----	----	0.30	UNCH	.0016	----	----	----	10	UNCH			
2965	----	----	----	----	----/0.30A	0.20B/0.30A	----	----	0.30	- 0.10	.0016	----	----	----	140	UNCH			
2975	----	----	----	----	----/0.30A	0.20B/0.30A	----	----	0.30	- 0.10	.0016	----	----	----	20	UNCH			
2995	----	----	----	----	----/0.30A	0.20B/0.30A	----	----	0.30	- 0.10	.0017	----	----	----	30	UNCH			
3000	0.30	0.30	0.30	0.30/0.30	0.30/0.30	0.30/0.30	----	----	0.30	- 0.10	.0017	----	5	----	327	+			
3005	----	----	----	----	----	0.30B/0.40A	----	----	0.30	- 0.10	.0017	----	----	----	1	UNCH			
3015	----	----	----	----	----	0.30B/0.40A	----	----	0.30	- 0.10	.0017	----	----	----	2	UNCH			
3020	----	----	----	----	----	0.30B/0.40A	----	----	0.30	- 0.10	.0017	----	----	----	506	UNCH			
3025	----	----	----	----	----	0.30B/0.40A	----	----	0.30	- 0.10	.0017	----	----	----	35	UNCH			
3030	----	----	----	----	----	0.30B/0.40A	----	----	0.40	UNCH	.0022	----	----	----	2	UNCH			
3040	----	----	----	----	----/0.40A	0.30B/0.40A	----	----	0.40	- 0.10	.0022	----	----	----	10	UNCH			
3050	----	----	----	----	----/0.40A	0.30B/0.40A	----	----	0.40	- 0.10	.0022	----	----	----	10	UNCH			
3070	----	----	----	----	----/0.40A	0.30B/0.40A	----	----	0.40	- 0.10	.0023	----	----	----	1	UNCH			
3075	----	----	----	----	----	0.30B/0.50A	----	----	0.40	- 0.10	.0023	----	----	----	12	UNCH			
3080	----	----	----	----	----	0.40B/0.50A	----	----	0.40	- 0.10	.0023	----	----	----	13	UNCH			
3085	----	----	----	----	----	0.40B/0.50A	----	----	0.40	- 0.10	.0023	----	----	----	27	UNCH			
3090	----	----	----	----	----	0.40B/0.50A	----	----	0.40	- 0.10	.0023	----	----	----	5	UNCH			
3100	----	----	----	----	----/0.50A	0.40B/0.50A	----	----	0.50	- 0.10	.0029	----	----	----	25	UNCH			
3110	----	----	----	----	----/0.50A	0.40B/0.50A	----	----	0.50	- 0.10	.0029	----	----	----	22	UNCH			
3120	----	----	----	----	----/0.50A	0.40B/0.50A	----	----	0.50	- 0.10	.0029	----	----	----	15	UNCH			
3130	----	----	----	----	----/0.50A	0.40B/0.50A	----	----	0.50	- 0.10	.0029	----	----	----	1	UNCH			
3150	----	----	----	----	----/0.50A	0.50B/0.50A	----	----	0.60	- 0.10	.0035	----	----	----	38	UNCH			
3160	----	----	----	----	----/0.60A	0.50B/0.60A	----	----	0.60	- 0.10	.0035	----	----	----	8	UNCH			
3175	----	----	----	----	----/0.60A	0.50B/0.60A	----	----	0.60	- 0.10	.0036	----	----	----	10	UNCH			
3180	----	----	----	----	----/0.60A	0.60B/0.60A	----	----	0.60	- 0.20	.0036	----	----	----	11	UNCH			
3185	----	----	----	----	----/0.60A	0.60B/0.60A	----	----	0.60	- 0.20	.0036	----	----	----	2	UNCH			
3190	----	----	----	----	----/0.60A	0.60B/0.60A	----	----	0.70	- 0.10	.0042	----	----	----	5	UNCH			
3195	----	----	----	----	----/0.60A	0.60B/0.60A	----	----	0.70	- 0.10	.0042	----	----	----	1	UNCH			
3200	----	----	----	----	----/0.60A	0.60B/0.60A	----	----	0.70	- 0.10	.0042	----	----	----	331	UNCH			
3205	----	----	----	----	----/0.60A	0.60B/0.60A	----	----	0.70	- 0.10	.0042	----	----	----	1	UNCH			
3210	0.80	0.80	0.80	0.80/0.70A	0.80/0.70A	0.80/0.70A	----	----	0.70	- 0.20	.0042	----	3	----	500	UNCH			
3215	----	----	----	----	----	0.70B/0.70A	----	----	0.70	- 0.20	.0043	----	----	----	1	UNCH			
3220	----	----	----	----	----	0.70B/0.70A	----	----	0.70	- 0.20	.0043	----	----	----	9	UNCH			
3225	----	----	----	----	----	0.70B/0.70A	----	----	0.80	- 0.10	.0048	----	----	----	9	UNCH			
3230	----	----	----	----	----	0.70B/0.70A	----	----	0.80	- 0.10	.0048	----	----	----	13	UNCH			
3235	----	----	----	----	----	0.70B/0.70A	----	----	0.80	- 0.10	.0049	----	----	----	5	UNCH			
3240	----	----	----	----	----	0.70B/0.70A	----	----	0.80	- 0.20	.0049	----	----	----	0	UNCH			
3245	----	----	----	----	----	0.70B/0.70A	----	----	0.80	- 0.20	.0049	----	----	----	20	UNCH			
3250	----	----	----	----	----	0.80B/0.70A	----	----	0.80	- 0.20	.0049	----	----	----	198	UNCH			
3255	----	----	----	----	----	0.80B/0.80A	----	----	0.90	- 0.10	.0055	----	----	----	21	UNCH			
3260	----	----	----	----	----	0.80B/0.80A	----	----	0.90	- 0.10	.0055	----	----	----	8	UNCH			
3265	----	----	----	----	----	0.90B/0.80A	----	----	0.90	- 0.20	.0055	----	----	----	2	UNCH			
3270	----	----	----	----	----	0.90B/0.80A	----	----	0.90	- 0.20	.0056	----	----	----	11	UNCH			
3275	----	----	----	----	----	0.90B/0.80A	----	----	0.90	- 0.20	.0056	----	----	----	5	UNCH			
3280	----	----	----	----	----	0.90B/0.80A	----	----	1.00	- 0.10	.0061	----	----	----	30	UNCH			
3285	----	----	----	----	----	0.90B/0.90A	----	----	1.00	- 0.10	.0062	----	----	----	4	UNCH			
3290	----	----	----	----	----	1.00B/0.90A	----	----	1.00	- 0.20	.0062	----	----	----	2	UNCH			
3295	----	----	----	----	----	1.00B/0.90A	----	----	1.00	- 0.20	.0062	----	----	----	10	UNCH			
3300	----	----	----	----	----	1.00B/0.90A	----	----	1.00	- 0.20	.0063	----	----	----	262	UNCH			
3305	----	----	----	----	----	1.00B/0.90A	----	----	1.10	- 0.10	.0068	----	----	----	55	UNCH			
3310	----	----	----	----	----	1.10B/0.90A	----	----	1.10	- 0.20	.0069	----	----	----	4	UNCH			
3315	----	----	----	----	----	1.10B/1.00A	----	----	1.10	- 0.20	.0069	----	----	----	11	UNCH			
3320	----	----	----	----	----	1.10B/1.00A	----	----	1.10	- 0.20	.0069	----	----	----	42	UNCH			
3325	----	----	----	----	----	1.20B/1.00A	----	----	1.20	- 0.10	.0075	----	----	----	20	UNCH			
3330	----	----	----	----	----	1.20B/1.00A	----	----	1.20	- 0.20	.0075	----	----	----	3	UNCH			
3335	----	----	----	----	----	1.20B/1.00A	----	----	1.20	- 0.20	.0076	----	----	----	33	UNCH			
3340	----	----	----	----	----	1.30B/1.10A	----	----	1.30	- 0.10	.0081	----	----	----	20	UNCH			
3345	----	----	----	----	----	1.30B/1.10A	----	----	1.30	- 0.10	.0082	----	----	----	5	UNCH			
3350	----	----	----	----	----	1.30B/1.10A	----	----	1.30	- 0.20	.0082	----	----	----	386	UNCH			
3355	----	----	----	----	----	1.30B/1.10A	----	----	1.40	- 0.10	.0088	----	----	----	3	UNCH			
3360	1.10	1.10	1.10	1.40B/1.10	1.40B/1.10	1.40B/1.10	----	----	1.40	- 0.10	.0088	----	1	----	15	UNCH			
3365	1.10	1.10	1.10	1.40B/1.10	1.40B/1.10	1.40B/1.10	----	----	1.40	NEW	.0089	----	1	----	1	+			
3370	1.10	1.10	1.10	1.40B/1.10	1.40B/1.10	1.40B/1.10	----	----	1.40	NEW	.0089	----	1	----	1	+			
3375	----	----	----	----	----	1.50B/1.20A	----	----	1.50	- 0.10	.0095	----	----	----	7	UNCH			
3380	----	----	----	----	----	1.50B/1.20A	----	----	1.50	- 0.20	.0096	----	----	----	21	UNCH			
3385	----	----	----	----	----	1.50B/1.30A	----	----	1.50	- 0.20	.0096	----	----	----	3	UNCH			
3390	----	----	----	----	----	1.60B/1.30A	----	----	1.60	- 0.10	.0102	----	----	----	9	UNCH			
3395	----	----	----	----	----	1.60B/1.30A	----	----	1.60	- 0.20	.0103	----	----	----	132	UNCH			
3400	1.20	1.20	1.20	1.60/1.20	1.60/1.20	1.60/1.20	----	----	1.70	- 0.10	.0108	----	83	----	320	+			
3405	1.50	1.50	1.50	1.70B/1.40	1.70B/1.40	1.70B/1.40	----	----	1.70	- 0.10	.0109	----	91	----	93	+			
3410	1.50	1.50	1.50	1.70B/1.40A	1.70B/1.40A	1.70B/1.40A	----	----	1.70	- 0.20	.0110	----	56	----	58	+			
3415	----	----	----	----	----	1.70B/1.40A	----	----	1.80	- 0.10	.0115	----	----	----	1	UNCH			
3420	----	----	----	----	----	1.80B/1.40A	----	----	1.80	- 0.20	.0116	----	----	----	21	UNCH			
3425	----	----	----	----	----	1.80B/1.50A	----	----	1.80	- 0.20	.0117	----	----	----	44	UNCH			
3430	1.90	1.90	1.90	1.90/1.50A	1.90/1.50A	1.90/1.50A	----	----	1.90										

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN VOLUME	OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT		COMEX GOLD OPTIONS																
NOV26																		
3635	----	----	----	/3.20A	4.30B/3.20A	----	4.20	- 0.60	.0297	----	----	----	----	----	----	16	UNCH	
3640	----	----	----	/3.20A	4.40B/3.20A	----	4.30	- 0.60	.0304	----	----	----	----	----	----	21	UNCH	
3645	----	----	----	/3.30A	4.50B/3.30A	----	4.40	- 0.60	.0312	----	----	----	----	----	----	16	UNCH	
3650	----	----	----	/3.40A	4.60B/3.40A	----	4.50	- 0.70	.0320	----	----	----	3	----	----	214	+	
3655	----	----	----	/3.40A	4.70B/3.40A	----	4.60	- 0.70	.0327	----	----	----	----	----	----	37	UNCH	
3660	----	----	----	/3.50A	4.80B/3.50A	----	4.70	- 0.70	.0335	----	----	1	----	----	----	110	UNCH	
3665	----	----	----	/3.60A	5.00B/3.60A	----	4.80	- 0.70	.0343	----	----	----	----	----	----	35	UNCH	
3670	----	----	----	/3.60A	5.10B/3.60A	----	4.90	- 0.70	.0351	----	----	----	----	----	----	70	UNCH	
3675	----	----	----	/3.70A	5.20B/3.70A	----	5.00	- 0.80	.0359	----	----	34	----	----	----	314	+	
3680	----	----	----	/3.80A	5.30B/3.80A	----	5.20	- 0.70	.0372	----	----	----	----	----	----	82	UNCH	
3685	----	----	----	/3.90A	5.40B/3.90A	----	5.30	- 0.70	.0380	----	----	----	----	----	----	20	UNCH	
3690	4.10	4.10	----	5.60B/3.90A	5.60B/3.90A	----	5.40	- 0.80	.0388	----	----	1	----	----	----	22	UNCH	
3695	5.20	5.20	----	5.70B/4.00A	5.70B/4.00A	----	5.50	- 0.80	.0396	----	----	5	----	----	----	36	+	
3700	5.30	5.30	----	6.00/4.10A	6.00/4.10A	----	5.70	- 0.70	.0410	----	----	169	----	----	----	2441	+	
3705	----	----	----	/4.20A	6.00B/4.20A	----	5.80	- 0.80	.0418	----	----	----	----	----	----	39	UNCH	
3710	----	----	----	/4.30A	6.10B/4.30A	----	5.90	- 0.80	.0427	----	----	----	----	----	----	22	+	
3715	5.60	5.60	----	6.30B/4.40A	6.30B/4.40A	----	6.10	- 0.80	.0441	----	----	5	----	----	----	6	-	
3720	----	----	----	/4.40A	6.40B/4.40A	----	6.20	- 0.90	.0450	----	----	1	----	----	----	97	UNCH	
3725	----	----	----	/4.50A	6.60B/4.50A	----	6.30	- 0.90	.0458	----	----	----	----	----	----	64	UNCH	
3730	6.40	6.40	----	6.70B/4.60A	6.70B/4.60A	----	6.50	- 0.90	.0473	----	----	2	----	----	----	16	+	
3735	6.50	6.50	----	6.90B/4.70A	6.90B/4.70A	----	6.70	- 0.90	.0487	----	----	5	----	----	----	45	UNCH	
3740	6.70	6.70	----	7.10B/4.80A	7.10B/4.80A	----	6.80	- 1.00	.0496	----	----	1	----	----	----	100	UNCH	
3745	----	----	----	/4.90A	7.30B/4.90A	----	7.00	- 1.00	.0510	----	----	----	----	----	----	665	-	
3750	6.90	6.90	----	7.40B/5.10A	7.40B/5.10A	----	7.20	- 0.90	.0525	----	----	15	----	----	----	29	+	
3755	6.80	6.80	----	7.60B/5.20A	7.60B/5.20A	----	7.30	- 1.00	.0535	----	----	5	----	----	----	46	+	
3760	6.20	6.20	----	7.80B/5.30A	7.80B/5.30A	----	7.50	- 1.10	.0549	----	----	15	----	----	----	8	+	
3765	6.20	6.20	----	8.00B/5.40A	8.00B/5.40A	----	7.70	- 1.10	.0564	----	----	5	----	----	----	67	-	
3770	5.90	5.90	----	8.20B/5.50A	8.20B/5.50A	----	7.90	- 1.10	.0579	----	----	4	----	----	----	160	-	
3775	6.80	6.80	----	8.40B/5.70A	8.40B/5.70A	----	8.10	- 1.10	.0594	----	----	24	----	----	----	18	+	
3780	8.10	8.10	----	8.70B/5.80A	8.70B/5.80A	----	8.30	- 1.10	.0610	----	----	15	----	----	----	18	-	
3785	7.80	7.80	----	8.90B/5.90A	8.90B/5.90A	----	8.50	- 1.20	.0625	----	----	10	----	----	----	40	UNCH	
3790	----	----	----	/6.10A	9.10B/6.10A	----	8.70	- 1.20	.0641	----	----	----	----	----	----	8	UNCH	
3795	----	----	----	/6.20A	9.40B/6.20A	----	9.00	- 1.20	.0661	----	----	----	----	----	----	47	+	
3800	8.40	8.40	----	9.60B/6.40A	9.60B/6.40A	----	9.20	- 1.30	.0677	----	----	134	----	----	----	1031	-	
3805	6.70	6.70	----	9.90B/6.50A	9.90B/6.50A	----	9.40	- 1.30	.0694	----	----	21	----	----	----	45	UNCH	
3810	----	----	----	/6.70A	10.20B/6.70A	----	9.70	- 1.30	.0715	----	----	----	----	----	----	250	+	
3815	9.90	9.90	----	10.40B/6.80A	10.40B/6.80A	----	10.00	- 1.30	.0736	----	----	25	----	----	----	156	+	
3820	8.70	8.70	----	10.70B/7.00	10.70B/7.00	----	10.20	- 1.40	.0753	----	----	23	----	----	----	82	UNCH	
3825	----	----	----	/7.20A	11.00B/7.20A	----	10.50	- 1.50	.0774	----	----	----	----	----	----	103	+	
3830	9.00	9.00	----	11.30B/7.40	11.30B/7.40	----	10.80	- 1.50	.0796	----	----	76	----	----	----	241	+	
3835	9.30	9.30	----	11.60B/7.60A	11.60B/7.60A	----	11.10	- 1.50	.0818	----	----	74	----	----	----	184	+	
3840	8.00	8.00	----	12.00B/7.80A	12.00B/7.80A	----	11.40	- 1.60	.0840	----	----	128	----	----	----	105	+	
3845	11.40	11.40	----	12.30B/8.00A	12.30B/8.00A	----	11.70	- 1.70	.0863	----	----	33	----	----	----	1470	+	
3850	8.30	8.30	----	12.70B/8.20A	12.70B/8.20A	----	12.10	- 1.60	.0890	----	----	62	500	----	----	155	UNCH	
3855	----	----	----	/8.40A	13.00B/8.40A	----	12.40	- 1.70	.0913	----	----	----	----	----	----	148	+	
3860	12.40	12.40	----	13.40B/8.60A	13.40B/8.60A	----	12.80	- 1.70	.0940	----	----	59	----	----	----	86	+	
3865	11.10	11.10	----	13.80B/8.90A	13.80B/8.90A	----	13.10	- 1.90	.0963	----	6	----	----	----	----	103	UNCH	
3870	----	----	----	/9.10A	14.20B/9.10A	----	13.50	- 1.90	.0992	----	----	1	----	----	----	270	UNCH	
3875	----	----	----	/9.40A	14.60B/9.40A	----	13.90	- 1.90	.1020	----	----	1	----	----	----	96	UNCH	
3880	----	----	----	/9.60A	15.10B/9.60A	----	14.30	- 2.00	.1048	----	----	1	----	----	----	86	UNCH	
3885	----	----	----	/9.90A	15.50B/9.90A	----	14.70	- 2.10	.1077	----	----	----	----	----	----	239	UNCH	
3890	14.90	14.90	----	16.00B/10.20A	16.00B/10.20A	----	15.20	- 2.10	.1110	----	31	----	----	----	----	67	+	
3895	15.10	15.10	----	16.50B/10.40A	16.50B/10.40A	----	15.60	- 2.20	.1140	----	20	----	----	----	----	1808	+	
3900	15.00	15.00	----	17.00B/10.80A	17.00B/10.80A	----	16.10	- 2.20	.1173	----	197	----	----	----	----	130	+	
3905	14.20	14.20	----	17.50B/11.10A	17.50B/11.10A	----	16.60	- 2.30	.1207	----	2	----	----	----	----	178	UNCH	
3910	----	----	----	/11.40A	18.00B/11.40A	----	17.10	- 2.30	.1242	----	----	----	----	----	----	83	+	
3915	17.20	17.20	----	18.60B/11.70A	18.60B/11.70A	----	17.60	- 2.40	.1276	----	4	----	----	----	----	228	UNCH	
3920	----	----	----	/12.10A	19.20B/12.10A	----	18.20	- 2.40	.1315	----	----	8	----	----	----	160	-	
3925	15.60	15.60	----	19.70B/12.40A	19.70B/12.40A	----	18.70	- 2.50	.1350	----	----	22	----	----	----	158	-	
3930	12.80	12.80	----	20.40B/12.80	20.40B/12.80	----	19.30	- 2.60	.1390	----	----	8	----	----	----	52	+	
3935	17.20	17.20	----	21.00B/13.20A	21.00B/13.20A	----	19.90	- 2.60	.1430	----	----	2	----	----	----	46	+	
3940	17.60	17.60	----	21.70B/13.60A	21.70B/13.60A	----	20.50	- 2.70	.1470	----	----	20	----	----	----	57	+	
3945	16.60	16.60	----	22.30B/14.00A	22.30B/14.00A	----	21.20	- 2.70	.1514	----	----	165	----	----	----	489	+	
3950	19.00	19.00	----	23.10B/14.40A	23.10B/14.40A	----	21.90	- 2.80	.1558	----	5	----	----	----	----	137	UNCH	
3955	18.30	18.30	----	23.80B/14.90A	23.80B/14.90A	----	22.60	- 2.80	.1603	----	----	5	----	----	----	272	-	
3960	22.80	22.80	----	24.50B/15.40A	24.50B/15.40A	----	23.30	- 2.90	.1648	----	4	----	----	----</				



CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499

Customer Service: (312) 930-1000

PRELIMINARY



PG64 BULLETIN #188@				METALS OPTION PRODUCTS							wed, sep 30, 2026		PG64		
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST
OG PUT NOV26	COMEX GOLD OPTIONS														
4320	----	----	----	/134.10A	180.70B/134.10A	----	----	175.20 - 7.70	.7075	----	----	----	----	213	UNCH
4325	----	----	----	/137.30A	184.40B/137.30A	----	----	178.90 - 7.70	.7145	----	----	----	----	266	UNCH
4330	147.00	147.00	----	188.20B/140.60A	188.20B/140.60A	----	----	182.60 - 7.80	.7216	----	----	2	----	279	UNCH
4335	----	----	----	/143.80A	192.00B/143.80A	----	----	186.30 - 7.90	.7283	----	----	----	----	52	UNCH
4340	180.00	180.00	----	195.80B/147.20A	195.80B/147.20A	----	----	190.10 - 7.90	.7351	----	----	1	----	190	UNCH
4345	----	----	----	/150.50A	199.70B/150.50A	----	----	194.00 - 7.90	.7418	----	----	----	----	53	UNCH
4350	178.50	178.50	----	203.60B/153.90A	203.60B/153.90A	----	----	197.80 - 8.00	.7482	----	----	6	----	1017	- 3
4355	----	----	----	/157.40A	207.50B/157.40A	----	----	201.70 - 8.90	.7546	----	----	----	----	31	UNCH
4360	----	----	----	/160.90A	211.50B/160.90A	----	----	205.60 - 7.90	.7610	----	----	1	----	80	UNCH
4365	----	----	----	/164.40A	215.50B/164.40A	----	----	209.50 - 8.00	.7670	----	----	----	----	95	UNCH
4370	217.40	217.40	----	217.40/167.90A	219.50B/167.90A	----	----	213.50 - 8.00	.7734	----	----	1	----	44	UNCH
4375	----	----	----	/171.50A	223.50B/171.50A	----	----	217.50 - 8.00	.7790	----	----	36	----	421	- 16
4380	----	----	----	/175.10A	227.60B/175.10A	----	----	221.60 - 7.90	.7850	----	----	10	----	269	+ 4
4385	----	----	----	/178.80A	231.70B/178.80A	----	----	225.60 - 8.00	.7907	----	----	----	----	85	UNCH
4390	----	----	----	/182.50A	235.80B/182.50A	----	----	229.70 - 8.00	.7963	----	----	----	----	221	UNCH
4395	----	----	----	/186.20A	240.00B/186.20A	----	----	233.80 - 8.00	.8019	----	----	----	----	53	UNCH
4400	----	----	----	/190.00A	244.20B/190.00A	----	----	238.00 - 8.00	.8071	----	----	2	----	2231	- 2
4405	237.60	237.60	----	248.40B/193.80A	248.40B/193.80A	----	----	242.20 - 8.00	.8122	----	----	14	----	51	- 6
4410	----	----	----	/197.60A	252.60B/197.60A	----	----	246.40 - 8.00	.8174	----	----	----	----	66	UNCH
4415	----	----	----	/201.50A	256.90B/201.50A	----	----	250.60 - 8.00	.8226	----	----	----	----	280	UNCH
4420	----	----	----	/205.40A	261.20B/205.40A	----	----	254.80 - 8.00	.8273	----	----	10	----	82	UNCH
4425	----	----	----	/209.30A	265.50B/209.30A	----	----	259.10 - 8.00	.8324	----	----	1	----	343	- 1
4430	----	----	----	/213.20A	269.80B/213.20A	----	----	263.40 - 8.00	.8367	----	----	----	----	134	UNCH
4435	----	----	----	/217.20A	274.20B/217.20A	----	----	267.70 - 8.00	.8413	----	----	----	----	74	UNCH
4440	----	----	----	/221.20A	278.60B/221.20A	----	----	272.10 - 7.90	.8460	----	----	----	----	157	UNCH
4445	----	----	----	/225.30A	283.00B/225.30A	----	----	276.40 - 8.00	.8502	----	----	----	----	32	UNCH
4450	----	----	----	/229.30A	287.40B/229.30A	----	----	280.80 - 8.00	.8544	----	----	----	----	918	UNCH
4455	----	----	----	/233.40A	291.80B/233.40A	----	----	285.20 - 8.00	.8586	----	----	----	----	27	UNCH
4460	----	----	----	/237.60A	296.30B/237.60A	----	----	289.60 - 8.00	.8623	----	----	----	----	56	UNCH
4465	----	----	----	/241.70A	300.70B/241.70A	----	----	294.10 - 7.90	.8664	----	----	10	----	25	UNCH
4470	----	----	----	/245.90A	305.20B/245.90A	----	----	298.50 - 8.00	.8701	----	----	10	----	43	- 10
4475	----	----	----	/250.10A	309.70B/250.10A	----	----	303.00 - 7.90	.8737	----	----	19	----	97	- 2
4480	----	----	----	/254.30A	314.30B/254.30A	----	----	307.50 - 7.90	.8773	----	----	----	----	21	UNCH
4485	----	----	----	/258.50A	318.80B/258.50A	----	----	312.00 - 7.90	.8809	----	----	----	----	51	UNCH
4490	----	----	----	/262.80A	323.40B/262.80A	----	----	316.60 - 7.80	.8845	----	----	----	----	36	UNCH
4495	----	----	----	/267.10A	327.90B/267.10A	----	----	321.10 - 7.80	.8876	----	----	----	----	27	UNCH
4500	----	----	----	/271.40A	332.50B/271.40A	----	----	325.70 - 7.80	.8907	----	----	9	----	368	+ 6
4505	----	----	----	/275.70A	337.10B/275.70A	----	----	330.20 - 7.80	.8942	----	----	----	----	21	UNCH
4510	321.70	321.70	----	341.70B/280.00A	341.70B/280.00A	----	----	334.80 - 7.80	.8973	----	----	1	----	188	+ 1
4515	----	----	----	/284.40A	346.40B/284.40A	----	----	339.40 - 7.80	.9003	----	----	----	----	9	UNCH
4520	----	----	----	/288.80A	351.00B/288.80A	----	----	344.00 - 7.80	.9028	----	----	----	----	36	UNCH
4525	----	----	----	/293.20A	355.60B/293.20A	----	----	348.70 - 7.70	.9057	----	----	----	----	107	UNCH
4530	----	----	----	/297.60A	360.30B/297.60A	----	----	353.30 - 7.80	.9087	----	----	----	----	286	UNCH
4535	----	----	----	/302.00A	365.00B/302.00A	----	----	358.00 - 7.70	.9112	----	----	----	----	37	UNCH
4540	----	----	----	/306.50A	369.70B/306.50A	----	----	362.60 - 7.80	.9136	----	----	----	----	40	UNCH
4545	376.70	376.70	----	/310.90A	374.40B/310.90A	----	----	367.30 - 7.70	.9160	----	----	----	----	20	UNCH
4550	----	----	----	379.10B/315.40A	379.10B/315.40A	----	----	372.00 - 7.70	.9183	----	----	1	----	431	+ 1
4555	----	----	----	/319.90A	383.80B/319.90A	----	----	376.70 - 7.70	.9207	----	----	----	----	5	UNCH
4560	----	----	----	/324.40A	388.50B/324.40A	----	----	381.40 - 7.70	.9231	----	----	----	----	47	UNCH
4565	----	----	----	/329.00A	393.30B/329.00A	----	----	386.10 - 7.70	.9254	----	----	----	----	56	UNCH
4570	----	----	----	/333.50A	398.00B/333.50A	----	----	390.80 - 7.70	.9278	----	----	----	----	39	UNCH
4575	----	----	----	/338.10A	402.80B/338.10A	----	----	395.60 - 7.70	.9295	----	----	----	----	11	UNCH
4580	----	----	----	/342.60A	407.50B/342.60A	----	----	400.30 - 7.70	.9318	----	----	----	----	21	UNCH
4585	----	----	----	/347.20A	412.30B/347.20A	----	----	405.10 - 7.70	.9336	----	----	----	----	160	UNCH
4590	----	----	----	/351.80A	417.10B/351.80A	----	----	409.90 - 7.60	.9353	----	----	----	----	87	UNCH
4595	----	----	----	/356.40A	421.90B/356.40A	----	----	414.60 - 7.70	.9370	----	----	----	----	15	UNCH
4600	----	----	----	/361.00A	426.70B/361.00A	----	----	419.40 - 7.70	.9393	----	----	----	----	196	UNCH
4605	----	----	----	/365.70A	429.20B/365.70A	----	----	424.20 - 7.70	.9409	----	----	----	----	12	UNCH
4610	----	----	----	/370.30A	433.90B/370.30A	----	----	429.00 - 7.70	.9426	----	----	----	----	8	UNCH
4615	----	----	----	/375.00A	438.50B/375.00A	----	----	433.80 - 7.60	.9437	----	----	----	----	15	UNCH
4620	----	----	----	/379.80A	443.40B/379.80A	----	----	438.60 - 7.70	.9453	----	----	----	----	17	UNCH
4625	----	----	----	/384.30A	448.20B/384.30A	----	----	443.40 - 7.70	.9469	----	----	----	----	23	UNCH
4630	----	----	----	/389.00A	453.00B/389.00A	----	----	448.30 - 7.60	.9486	----	----	----	----	22	UNCH
4635	----	----	----	/393.70A	457.90B/393.70A	----	----	453.10 - 7.60	.9496	----	----	----	----	22	UNCH
4640	----	----	----	/398.40A	462.70B/398.40A	----	----	457.90 - 7.60	.9512	----	----	----	----	91	UNCH
4645	----	----	----	/403.30A	467.50B/403.30A	----	----	462.80 - 7.60	.9528	----	----	----	----	28	UNCH
4650	----	----	----	/407.90A	472.40B/407.90A	----	----	467.60 - 7.60	.9538	----	----	----	----	217	UNCH
4655	----	----	----	/412.60A	477.30B/412.60A	----	----	472.50 - 7.60	.9548	----	----	----	----	55	UNCH
4660	----	----	----	/417.40A	482.10B/417.40A	----	----	477.30 - 7.60	.9564	----	----	----	----	6	UNCH
4665	----	----	----	/425.10A	487.00B/425.10A	----	----	482.20 - 7.60	.9573	----	----	----	----	2	UNCH
4670	----	----	----	/429.60A	491.90B/429.60A	----	----	487.10 - 7.50	.9589	----	----	----	----	15	UNCH
4675	----	----	----	/434.40A	496.70B/434.40A	----	----	491.90 - 7.60	.9598	----	----	----	----	86	UNCH
4680	----	----	----	/439.20A	501.60B/439.20A	----	----	496.80 - 7.60	.9608	----	----	----	----	50	UNCH
4685	----	----	----	/444.20A	506.50B/444.20A	----	----	501.70 - 7.50	.9617	----	----	----	----	12	UNCH
4690	----	----	----	/448.40A	511.40B/448.40A	----	----	506.60 - 7.50	.9626	----	----	----	----	8	UNCH
4695	471.00	471.00	----	516.20B/453.20A	516.20B/453.20A	----	----	511.40 - 7.60	.9635	----	----	6	----	5	- 5
4700	----	----	----	/458.40A	521.20B/458.40A	----	----	516.30 - 7.60	.9644	----	----	----	----	224	UNCH
4710	----	----	----	/468.20A	531.00B/468.20A	----	----	526.10 - 7.60	.9668	----	----	----	----	2	UNCH
4715	----	----	----	/473.00A	535.90B/473.00A	----	----	531.00 - 7.60	.9671	----	----	----	----	2	UNCH
4720	----	----	----	/477.70A	540.70B/477.70A	----	----	535.90 - 7.60	.9679	----	----	----	----	4	UNCH
4725	----	----	----	/482.80A	545.70B/482.80A	----	----	540.80 - 7.60	.9688	----	----	----	----	12	UNCH
4730	----	----	----	/487.00A	550.60B/487.00A	----	----	545.80 - 7.50	.9697	----	----	----	----	10	UNCH
4735	----	----	----	/492.20A	555.60B/492.20A	----	----	550.70 - 7.50	.9706	----	----	----	----	4	UNCH
4740	----	----	----	/497.10A	560.50B/497.10A	----	----	555.60 - 7.50	.9714	----	----	----	----	4	UNCH
4745	----	----	----	/502.20A	565.40B/502.20A	----	----	560.50 - 7.50	.9723	----	----	----	----	9	UNCH
4750	----	----	----	/506.80A	570.30B/506.80A	----	----	565.40 - 7.50	.9724	----	----	----	----	201	UNCH
4755	----	----	----	/511.70A	575.30B/511.70A	----	----	570.40 - 7.40	.9733	----	----	----	----	6	UNCH
4760	----	----	----	/516.50A	580.20B/516.50A	----	----	575.30 - 7.40	.9741	----	----	----	----	10	UNCH
4770	----	----	----	/525.90A	590.10B/525.90A	----	----	585.10 - 7.50	.9751	----	----	----	----	5	UNCH
4775	----	----	----	/531.50A	595.00B/531.50A	----	----	590.10 - 7.40	.9760	----	----	----	----	12	UNCH
4790	----	----	----	/545.40A	609.80B/545.40A	----	----	604.90 - 7.40	.9771	----	----	----	----	11	UNCH
4800	----	----	----	/555.90A	619.60B/555.90A	----	----	614.80 - 7.40	.9780	----	----	120	----	120	+ 82
4805	----	----	----	/560.10A	62										

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.



BULLETIN #188@				METALS OPTION PRODUCTS										wed, Sep 30, 2026				PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG PUT		COMEX GOLD OPTIONS																
NOV26																		
5140	----	----	----	----	/892.80A	958.40B/892.80A	----	953.30	- 7.10	.9936	2	----	----	----	0 -	2		
5160	----	----	----	----	/912.80A	978.40B/912.80A	----	973.30	- 7.10	.9944	1	----	----	----	0 -	1		
5185	----	----	----	----	/938.00A	1003.30B/938.00A	----	998.30	- 7.10	.9946	1	----	----	----	0 -	1		
5190	----	----	----	----	/942.70A	1008.30B/942.70A	----	1003.30	- 7.10	.9946	1	----	----	----	1 -	1		
5200	----	----	----	----	/952.70A	1018.30B/952.70A	----	1013.30	- 7.10	.9946	61	----	----	----	1 -	61		
5205	----	----	----	----	/957.70A	1023.30B/957.70A	----	1018.30	- 7.10	.9947	2	----	----	----	0 -	2		
5215	----	----	----	----	/967.70A	1033.30B/967.70A	----	1028.30	- 7.00	.9947	----	----	----	----	1	UNCH		
5220	----	----	----	----	/972.70A	1038.30B/972.70A	----	1033.30	- 7.00	.9947	----	----	----	----	0	UNCH		
5225	----	----	----	----	/978.00A	1043.30B/978.00A	----	1038.30	- 7.00	.9955	----	----	----	----	1	UNCH		
5260	----	----	----	----	/1,014.50A	1078.30B/1014.50A	----	1073.30	- 7.00	.9956	----	----	----	----	0	UNCH		
5265	----	----	----	----	/1,017.90A	1083.30B/1017.90A	----	1078.30	- 7.00	.9957	2	----	----	----	0 -	2		
5280	----	----	----	----	/1,032.90A	1098.30B/1032.90A	----	1093.30	- 7.00	.9957	----	----	----	----	0	UNCH		
5295	----	----	----	----	/1,047.70A	1113.30B/1047.70A	----	1108.30	- 7.00	.9958	----	----	----	----	0	UNCH		
5300	----	----	----	----	/1,052.70A	1118.30B/1052.70A	----	1113.30	- 7.00	.9965	----	----	----	----	0	UNCH		
5310	----	----	----	----	/1,062.70A	1128.30B/1062.70A	----	1123.30	- 7.00	.9966	----	----	----	----	0	UNCH		
5315	----	----	----	----	/1,067.20A	1133.30B/1067.20A	----	1128.30	- 7.00	.9966	----	----	----	----	0	UNCH		
5395	----	----	----	----	/1,148.20A	1213.30B/1148.20A	----	1208.30	- 7.00	.9969	----	----	----	----	6	UNCH		
5400	----	----	----	----	/1,152.60A	1218.30B/1152.60A	----	1213.30	- 7.00	.9976	----	----	----	----	6	UNCH		
TOTAL															4138	775	62731+	1438
DEC26																		
1350	----	----	----	----	----	/0.20A	----	0.10	UNCH	----	----	----	----	----	17	UNCH		
1375	----	----	----	----	----	/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH		
1400	----	----	----	----	----	/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH		
1500	----	----	----	----	----	/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH		
1600	----	----	----	----	----	/0.20A	----	0.10	UNCH	----	----	----	----	----	219	UNCH		
1700	----	----	----	----	----	/0.20A	----	0.10	UNCH	.0000	----	----	----	----	200	UNCH		
1740	----	----	----	----	----	/0.20A	----	0.10	UNCH	.0000	----	----	----	----	5	UNCH		
1750	----	----	----	----	----	/0.20A	----	0.10	UNCH	.0000	----	----	----	----	3	UNCH		
1800	----	----	----	----	----	/0.20A	----	0.10	UNCH	.0000	----	----	----	----	1	UNCH		
1845	----	----	----	----	----	/0.20A	----	0.10	UNCH	.0000	----	----	----	----	60	UNCH		
1850	----	----	----	----	----	/0.20A	----	0.10	UNCH	.0000	----	----	----	----	5	UNCH		
1870	----	----	----	----	----	/0.20A	----	0.10	UNCH	.0000	----	----	----	----	3	UNCH		
1875	----	----	----	----	----	/0.20A	----	0.10	UNCH	.0000	----	----	----	----	3	UNCH		
1900	----	----	----	----	----	/0.20A	----	0.10	UNCH	.0000	----	----	----	----	6	UNCH		
1930	----	----	----	----	----	/0.20A	----	0.10	UNCH	.0001	----	----	----	----	8	UNCH		
2000	----	----	----	----	----	/0.20A	----	0.10	UNCH	.0001	----	----	----	----	10	UNCH		
2100	----	----	----	----	----	/0.30A	----	0.20	UNCH	.0006	----	----	----	----	1	UNCH		
2125	----	----	----	----	----	0.10B/0.30A	----	0.20	UNCH	.0006	----	----	----	----	10	UNCH		
2200	----	----	----	----	----	0.10B/0.30A	----	0.20	UNCH	.0007	----	----	----	----	12	UNCH		
2210	----	----	----	----	----	0.10B/0.30A	----	0.20	UNCH	.0007	----	----	----	----	14	UNCH		
2225	----	----	----	----	----	0.10B/0.30A	----	0.20	UNCH	.0007	----	----	----	----	2	UNCH		
2235	----	----	----	----	----	0.10B/0.30A	----	0.20	UNCH	.0007	----	----	----	----	1	UNCH		
2240	----	----	----	----	----	0.10B/0.30A	----	0.20	UNCH	.0007	----	----	----	----	2	UNCH		
2245	----	----	----	----	----	0.10B/0.30A	----	0.20	UNCH	.0007	----	----	----	----	3	UNCH		
2250	----	----	----	----	----	0.10B/0.30A	----	0.20	UNCH	.0007	----	----	----	----	1	UNCH		
2260	----	----	----	----	----	0.10B/0.30A	----	0.20	UNCH	.0007	----	----	----	----	13	UNCH		
2280	----	----	----	----	----	0.10B/0.30A	----	0.20	UNCH	.0007	----	----	----	----	1	UNCH		
2300	----	----	----	----	----	0.10B/0.30A	----	0.20	- 0.10	.0007	----	----	----	----	5	UNCH		
2320	----	----	----	----	----	0.10B/0.30A	----	0.20	- 0.10	.0007	----	----	----	----	1	UNCH		
2325	----	----	----	----	----	0.10B/0.30A	----	0.20	- 0.10	.0007	----	----	----	----	15	UNCH		
2395	----	----	----	----	----	0.20B/0.40A	----	0.30	UNCH	.0011	----	----	----	----	10	UNCH		
2400	----	----	----	----	----	0.20B/0.40A	----	0.30	UNCH	.0011	----	----	----	----	15	UNCH		
2425	----	----	----	----	----	0.20B/0.40A	----	0.30	UNCH	.0011	----	----	----	----	11	UNCH		
2440	----	----	----	----	----	0.20B/0.40A	----	0.30	UNCH	.0012	----	----	----	----	1	UNCH		
2450	----	----	----	----	----	0.20B/0.40A	----	0.40	UNCH	.0015	----	----	----	----	24	UNCH		
2470	----	----	----	----	----	0.20B/0.40A	----	0.40	UNCH	.0015	----	----	----	----	2	UNCH		
2490	----	----	----	----	----	0.20B/0.40A	----	0.40	UNCH	.0015	----	----	----	----	11	UNCH		
2495	----	----	----	----	----	0.20B/0.40A	----	0.40	UNCH	.0015	----	----	----	----	30	UNCH		
2500	----	----	----	----	----	0.30B/0.40A	----	0.40	UNCH	.0016	----	----	----	----	462	UNCH		
2550	----	----	----	----	----	0.30B/0.50A	----	0.50	UNCH	.0020	----	----	----	----	5	UNCH		
2560	----	----	----	----	----	0.30B/0.50A	----	0.50	UNCH	.0020	----	----	----	----	20	UNCH		
2565	----	----	----	----	----	0.30B/0.50A	----	0.50	UNCH	.0020	----	----	----	----	32	UNCH		
2570	----	----	----	----	----	0.30B/0.50A	----	0.50	UNCH	.0020	----	----	----	----	10	UNCH		
2575	----	----	----	----	----	0.30B/0.50A	----	0.50	UNCH	.0020	----	----	----	----	16	UNCH		
2580	----	----	----	----	----	0.30B/0.50A	----	0.50	UNCH	.0020	----	----	----	----	5	UNCH		
2590	----	----	----	----	----	0.40B/0.50A	----	0.50	UNCH	.0020	----	----	----	----	18	UNCH		
2600	----	----	----	----	----	0.40B/0.60A	----	0.50	- 0.10	.0020	----	----	----	----	25	UNCH		
2605	----	----	----	----	----	0.40B/0.60A	----	0.50	- 0.10	.0020	----	----	----	----	1	UNCH		
2610	----	----	----	----	----	0.40B/0.60A	----	0.50	- 0.10	.0020	----	----	----	3	UNCH			
2615	----	----	----	----	----	0.40B/0.60A	----	0.50	NEW	.0020	----	----	----	2	+	2		
2645	----	----	----	----	/0.60A	0.50B/0.60A	----	0.60	- 0.10	.0024	----	----	----	----	7	UNCH		
2650	----	----	----	----	/0.60A	0.50B/0.60A	----	0.60	- 0.10	.0025	----	----	----	----	1	UNCH		
2655	----	----	----	----	/0.60A	0.50B/0.60A	----	0.60	- 0.10	.0025	----	----	----	----	2	UNCH		
2660	----	----	----	----	----	0.50B/0.70A	----	0.60	- 0.10	.0025	----	----	----	----	3	UNCH		
2675	----	----	----	----	----	0.50B/0.70A	----	0.60	- 0.10	.0025	----	----	----	----	4	UNCH		
2695	----	----	----	----	/0.70A	0.60B/0.70A	----	0.60	- 0.20	.0025	----	----	----	----	14	UNCH		
2700	----	----	----	----	/0.70A	0.60B/0.70A	----	0.70	- 0.10	.0029	----	----	----	----	5	UNCH		
2705	----	----	----	----	/0.70A	0.60B/0.70A	----	0.70	- 0.10	.0029	----	----	----	----	10	UNCH		
2710	----	----	----	----	/0.70A	0.60B/0.70A	----	0.70	- 0.10	.0029	----	----	----	----	4	UNCH		
2735	----	----	----	----	/0.80A	0.70B/0.80A	----	0.70	- 0.20	.0030	----	----	----	----	4	UNCH		
2740	----	----	----	----	/0.80A	0.70B/0.80A	----	0.80	- 0.10	.0034	----	----	----	----	3</			

BULLETIN #188@		METALS OPTION PRODUCTS										wed, Sep 30, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT	COMEX GOLD OPTIONS													
DEC26														
3280	----	----	---/3.60A	4.40B/3.60A	----	4.40 - 0.30	.0208	----	----	----	----	5		
3285	----	----	---/3.70A	4.50B/3.70A	----	4.50 - 0.30	.0213	----	----	----	----	11		
3290	----	----	---/3.80A	4.50B/3.80A	----	4.60 - 0.20	.0217	----	----	----	----	7		
3295	----	----	---/3.80A	4.60B/3.80A	----	4.60 - 0.30	.0218	----	----	----	----	1		
3300	4.20	4.20	4.70B/3.90A	4.70B/3.90A	----	4.70 - 0.30	.0223	----	----	4	----	644		
3310	----	----	---/4.00A	4.90B/4.00A	----	4.80 - 0.30	.0229	----	----	----	----	1		
3315	----	----	---/4.00A	5.00B/4.00A	----	4.90 - 0.30	.0233	----	----	----	----	11		
3325	5.10	5.10	5.10/4.10A	5.10/4.10A	----	5.00 - 0.40	.0239	----	----	5	----	104 +		
3330	----	----	---/4.20A	5.20B/4.20A	----	5.10 - 0.40	.0244	----	----	----	----	2		
3345	----	----	---/4.40A	5.40B/4.40A	----	5.40 - 0.30	.0259	----	----	----	----	3		
3350	5.50	5.50	5.50/4.40A	5.50/4.40A	----	5.40 - 0.40	.0260	----	----	11	----	35 +		
3360	----	----	---/4.50A	5.70B/4.50A	----	5.60 - 0.40	.0270	----	----	----	----	17		
3365	----	----	---/4.60A	5.80B/4.60A	----	5.70 - 0.40	.0275	----	----	----	----	7		
3370	----	----	---/4.70A	5.90B/4.70A	----	5.80 - 0.40	.0280	----	----	----	----	3		
3375	----	----	---/4.70A	6.00B/4.70A	----	5.90 - 0.40	.0285	----	----	----	----	266		
3380	----	----	---/4.80A	6.10B/4.80A	----	6.00 - 0.40	.0290	----	----	----	----	12		
3385	----	----	---/4.90A	6.20B/4.90A	----	6.10 - 0.40	.0295	----	----	----	----	35		
3390	----	----	---/4.90A	6.30B/4.90A	----	6.10 - 0.50	.0297	----	----	----	----	101		
3395	5.20	5.20	6.40B/5.00A	6.40B/5.00A	----	6.20 - 0.50	.0302	----	----	1	----	5 -		
3400	6.00	6.00	6.50B/5.10A	6.50B/5.10A	----	6.30 - 0.50	.0307	----	----	6	----	2209		
3410	----	----	---/5.20A	6.70B/5.20A	----	6.50 - 0.50	.0317	----	----	----	----	63		
3420	----	----	---/5.40A	6.90B/5.40A	----	6.80 - 0.40	.0331	----	----	1	----	4 +		
3425	----	----	---/5.50A	7.00B/5.50A	----	6.90 - 0.40	.0337	----	----	----	----	382		
3430	----	----	---/5.50A	7.10B/5.50A	----	7.00 - 0.40	.0342	----	----	----	----	2		
3435	----	----	---/5.60A	7.30B/5.60A	----	7.10 - 0.40	.0347	----	----	----	----	18		
3440	----	----	---/5.70A	7.40B/5.70A	----	7.20 - 0.50	.0353	----	----	----	----	11		
3445	----	----	---/5.80A	7.50B/5.80A	----	7.30 - 0.50	.0358	----	----	----	----	4		
3450	----	----	---/5.90A	7.60B/5.90A	----	7.40 - 0.50	.0364	----	----	150	----	1312 +		
3455	----	----	---/6.00A	7.70B/6.00A	----	7.60 - 0.40	.0373	----	----	----	----	2		
3460	----	----	---/6.10A	7.90B/6.10A	----	7.70 - 0.50	.0379	----	----	----	----	72		
3465	----	----	---/6.20A	8.00B/6.20A	----	7.80 - 0.50	.0384	----	----	----	----	227		
3470	----	----	---/6.20A	8.10B/6.20A	----	7.90 - 0.50	.0390	----	----	----	----	20		
3475	----	----	---/6.30A	8.30B/6.30A	----	8.10 - 0.50	.0399	----	----	----	----	232		
3480	----	----	---/6.40A	8.40B/6.40A	----	8.20 - 0.50	.0405	----	----	----	----	1288		
3485	----	----	---/6.50A	8.50B/6.50A	----	8.30 - 0.60	.0411	----	----	----	----	129		
3490	8.70	8.70	8.70/6.60A	8.70/6.60A	----	8.50 - 0.50	.0420	----	----	1	----	30 -		
3495	----	----	---/6.70A	8.80B/6.70A	----	8.60 - 0.60	.0426	----	----	----	----	23		
3500	8.50	8.50	9.00B/6.90A	9.00B/6.90A	----	8.80 - 0.50	.0435	----	----	101	----	6061 -		
3505	----	----	---/7.00A	9.10B/7.00A	----	8.90 - 0.60	.0441	----	----	----	----	19		
3510	----	----	---/7.10A	9.30B/7.10A	----	9.10 - 0.50	.0451	----	----	----	----	252		
3515	----	----	---/7.20A	9.50B/7.20A	----	9.20 - 0.60	.0457	----	----	----	----	136		
3520	----	----	---/7.30A	9.60B/7.30A	----	9.40 - 0.60	.0466	----	----	----	----	23		
3525	----	----	---/7.40A	9.80B/7.40A	----	9.60 - 0.50	.0476	----	----	----	----	205		
3530	----	----	---/7.50A	9.90B/7.50A	----	9.70 - 0.60	.0482	----	----	----	----	1		
3540	----	----	---/7.80A	10.30B/7.80A	----	10.10 - 0.60	.0502	----	----	----	----	23		
3545	10.20	10.20	10.50B/7.90A	10.50B/7.90A	----	10.20 - 0.70	.0508	----	----	1	----	20		
3550	----	----	---/8.10A	10.70B/8.10A	----	10.40 - 0.60	.0518	----	----	2	----	2162 +		
3555	----	----	---/8.20A	10.90B/8.20A	----	10.60 - 0.60	.0528	----	----	----	----	2		
3560	----	----	---/8.30A	11.10B/8.30A	----	10.80 - 0.60	.0538	----	----	----	----	84		
3565	----	----	---/8.50A	11.30B/8.50A	----	11.00 - 0.60	.0548	----	----	----	----	33		
3570	----	----	---/8.60A	11.50B/8.60A	----	11.20 - 0.70	.0558	----	----	----	----	18		
3575	----	----	---/8.70A	11.70B/8.70A	----	11.40 - 0.70	.0569	----	----	----	----	11		
3580	----	----	---/8.90A	11.90B/8.90A	----	11.60 - 0.70	.0579	----	----	----	----	16		
3585	----	----	---/9.00A	12.20B/9.00A	----	11.80 - 0.70	.0589	----	----	----	----	334		
3590	----	----	---/9.20A	12.40B/9.20A	----	12.00 - 0.70	.0599	----	----	----	----	46		
3595	----	----	---/9.40A	12.60B/9.40A	----	12.30 - 0.70	.0613	----	----	----	----	115		
3600	11.10	11.10	12.80/9.50A	12.80/9.50A	----	12.50 - 0.70	.0624	----	----	31	----	1947 -		
3605	10.70	10.70	13.10B/9.70A	13.10B/9.70A	----	12.70 - 0.80	.0634	----	----	4	----	41 +		
3610	10.90	10.90	13.30B/9.90A	13.30B/9.90A	----	13.00 - 0.70	.0648	----	----	4	----	35 +		
3615	11.10	11.10	13.60B/10.00A	13.60B/10.00A	----	13.20 - 0.80	.0659	----	----	4	----	39 +		
3620	----	----	---/10.20A	13.80B/10.20A	----	13.50 - 0.70	.0673	----	----	----	----	6		
3625	10.80	10.80	14.10B/10.40A	14.10B/10.40A	----	13.70 - 0.80	.0684	----	----	7	----	41 +		
3630	11.00	11.00	14.40B/10.60A	14.40B/10.60A	----	14.00 - NEW	.0698	----	----	10	----	10 +		
3635	----	----	---/10.80A	14.70B/10.80A	----	14.20 - 0.90	.0709	----	----	----	----	47		
3640	----	----	---/11.00A	14.90B/11.00A	----	14.50 - 0.90	.0724	----	----	----	----	18		
3645	----	----	---/11.20A	15.20B/11.20A	----	14.80 - 0.90	.0738	----	----	----	----	57		
3650	----	----	---/11.40A	15.50B/11.40A	----	15.10 - 0.90	.0752	----	----	22	----	1647 +		
3655	----	----	---/11.60A	15.80B/11.60A	----	15.40 - 0.90	.0767	----	----	----	----	244		
3660	----	----	---/11.80A	16.10B/11.80A	----	15.70 - 0.90	.0782	----	----	----	----	52		
3665	----	----	---/12.10A	16.40B/12.10A	----	16.00 - 0.90	.0796	----	----	----	----	19		
3670	14.20	14.20	16.80B/12.30A	16.80B/12.30A	----	16.30 - 1.00	.0811	----	----	2	----	124 +		
3675	----	----	---/12.50A	17.10B/12.50A	----	16.60 - 1.00	.0826	----	----	2	----	139 +		
3680	14.80	14.80	17.50B/12.80A	17.50B/12.80A	----	17.00 - 1.00	.0844	----	----	1	----	52		
3685	----	----	---/13.00A	17.80B/13.00A	----	17.30 - 1.00	.0859	----	----	----	----	407		
3690	17.30	17.30	18.20B/13.30A	18.20B/13.30A	----	17.60 - 1.10	.0875	----	----	5	----	21 +		
3695	----	----	---/13.50A	18.50B/13.50A	----	18.00 - 1.10	.0893	----	----	1	----	17 +		
3700	15.50	15.50	18.90B/13.80A	18.90B/13.80A	----	18.40 - 1.10	.0912	----	----	151	120	2416 +		
3705	14.20	14.20	19.30B/14.00A	19.30B/14.00A	----	18.70 - 1.10	.0927	----	----	1	----	44		
3710	17.30	17.30	19.70B/14.30A	19.70B/14.30A	----	19.10 - 1.20	.0946	----	----	1	----	129		
3715	17.70	17.70	20.10B/14.60A	20.10B/14.60A	----	19.50 - 1.20	.0964	----	----	1	----	162		
3720	18.10	18.10	20.50B/14.90A	20.50B/14.90A	----	19.90 - 1.20	.0983	----	----	4	----	54 +		
3725	18.40	18.40	21.00B/15.20A	21.00B/15.20A	----	20.30 - 1.20	.1002	----	----	12	----	142 -		
3730	17.70	17.70	21.40B/15.50A	21.40B/15.50A	----	20.70 - 1.30	.1021	----	----	6	----	421 -		
3735	----	----	---/15.80A	21.80B/15.80A	----	21.20 - 1.20	.1043	----	----	----	----	164		
3740	----	----	---/16.10A	22.30B/16.10A	----	21.60 - 1.30	.1063	----	----	----	----	61		
3745	----	----	---/16.50A	22.80B/16.50A	----	22.10 - 1.30	.1085	----	----	----	----	62		
3750	19.70	19.70	23.30B/16.80A	23.30B/16.80A	----	22.50 - 1.40	.1104	----	----	177	----	1868 +		
3755	----	----	---/17.10A	23.70B/17.10A	----	23.00 - 1.40	.1127	----	----	3	----	40 +		
3760	20.30	20.30	24.30B/17.50A	24.30B/17.50A	----	23.50 - 1.40	.1149	----	----	1	----	126		
3765	----	----	---/17.90A	24.80B/17.90A	----	24.00 - 1.40	.1172	----	----	----	----	21		
3770	----	----	---/18.20A	25.30B/18.20A	----	24.50 - 1.50	.1195	----	----	3	----	21		
3775	24.70	24.70	25.80B/18.60A	25.80B/18.60A	----	25.00 - 1.50	.1218	----	----	8	----	62 +		
3780	25.50	25.50	26.40B/19.00A	26.40B/19.00A	----	25.60 - 1.50	.1243	----	----	10	----	67		
3785	22.50	22.50	27.00B/19.40A	27.00B/19.40A	----	26.10 - 1.60	.1266	----	----	21	----	83 +		
3790	25.70	25.70	27.50B/19.80A	27.50B/19.80A	----	26.70 - 1.60	.1292	----	----	5	----	142 +		
3795	20.30	20.30	28.10B/20.20A	28.10B/20.20A	----	27.20 - 1.70	.1316	----	----	6	----	55 +		
3800	24.80	24.80	28.70B/20.70A	28.70B/20.70A	----	27.80 - 1.70	.1342	----	----	421	----	1416 +		
3805	24.80	24.80	29.30B/21.10A	29.30B/21.10A	----	28.40 - 1.80	.1368	----	----	18	----	37 +		
3810	28.10	28.10	30.00B/21.60A	30.00B/21.60A	----	29.00 - 1.80	.1395	----	----	1	----	119 -		
3815	25.90	25.90	30.60B/22.00A	30.60B/22.00A	----	29.70 - 1.80	.1424	----	----	16	----	62 -		
3820	26.90	26.90	31.30B/22.50A	31.30B/22.50A	----	30.30 - 1.90	.1450	----	----	12	----	29 -		
3825	26.80	26.80	32.00B/23.00A	32.00B/23.00A	----	31.00 - 1.90	.1480	----	----	10	----	107 -		
3830	30.00	30.00	32.70B/23.50A	32.70B/23.50A	----	31.60 - 2.00	.1507	----	----	4	----	48		
3835	----	----	---/24.00A	33.40B/24.00A	----	32.30 - 2.00	.1536	----	----	----	----	8		
3840	----	----	---/24.50A	34.10B/24.50A	----	33.00 - 2.								

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG	PUT	COMEX GOLD OPTIONS														
DEC26																
4005	61.40	61.40		70.00B/51.30A	70.00B/51.30A	----		67.80 - 3.60	.2861	----	----	2	----		88	UNCH
4010	64.20	64.20		71.50B/52.40A	71.50B/52.40A	----		69.30 - 3.60	.2909	----	----	4	----		42	UNCH
4015	----	----		----/53.60A	73.10B/53.60A	----		70.80 - 3.70	.2958	----	----	1	----		65	- 1
4020	67.40	67.40		74.60B/54.80A	74.60B/54.80A	----		72.30 - 3.80	.3007	----	----	4	----		56	UNCH
4025	----	----		----/56.00A	76.20B/56.00A	----		73.80 - 3.90	.3056	----	20	----	----		845	UNCH
4030	73.10	73.10		77.80B/57.30A	77.80B/57.30A	----		75.40 - 3.90	.3106	----	4	----	----		30	+
4035	69.00	69.00		79.40B/58.60A	79.40B/58.60A	----		77.00 - 4.00	.3157	----	3	----	----		91	+
4040	----	----		----/59.90A	81.10B/59.90A	----		78.60 - 4.10	.3207	----	----	----	----		153	UNCH
4045	----	----		----/61.20A	82.80B/61.20A	----		80.30 - 4.10	.3259	----	----	----	----		19	UNCH
4050	68.90	68.90		84.50B/62.60A	84.50B/62.60A	----		82.00 - 4.10	.3311	----	315	----	----		2469	+
4055	----	----		----/64.00A	86.30B/64.00A	----		83.70 - 4.20	.3363	----	----	----	----		17	UNCH
4060	66.80	66.80		88.10B/65.40A	88.10B/65.40A	----		85.50 - 4.20	.3416	----	7	----	----		125	UNCH
4065	86.30	86.30		90.00B/66.80A	90.00B/66.80A	----		87.30 - 4.30	.3469	----	10	----	----		89	- 10
4070	69.00	69.00		91.80B/68.30A	91.80B/68.30A	----		89.10 - 4.30	.3522	----	1	----	----		36	+
4075	81.40	81.40		93.70B/69.80A	93.70B/69.80A	----		90.90 - 4.40	.3575	----	15	----	----		312	+
4080	84.50	84.50		95.60B/71.30A	95.60B/71.30A	----		92.80 - 4.50	.3629	----	1	----	----		512	UNCH
4085	93.80	93.80		97.50B/72.90A	97.50B/72.90A	----		94.70 - 4.50	.3683	----	1	----	----		52	UNCH
4090	96.60	96.60		99.50B/74.50A	99.50B/74.50A	----		96.60 - 4.60	.3737	----	1	----	----		284	- 1
4095	97.10	97.10		101.50B/76.10A	101.50B/76.10A	----		98.60 - 4.60	.3792	----	1	----	----		73	UNCH
4100	93.10	93.10		103.60B/77.80A	103.60B/77.80A	----		100.60 - 4.70	.3847	----	131	100	----		2178	+
4105	----	----		----/79.40A	105.60B/79.40A	----		102.60 - 4.80	.3902	----	----	----	----		95	UNCH
4110	----	----		----/81.10A	107.70B/81.10A	----		104.70 - 4.80	.3958	----	----	----	----		69	UNCH
4115	107.10	107.10		107.10/82.90A	109.90B/82.90A	----		106.70 - 4.90	.4013	----	1	----	----		77	UNCH
4120	105.70	105.70		112.00B/84.60A	112.00B/84.60A	----		108.90 - 4.90	.4069	----	1	----	----		592	UNCH
4125	96.00	96.00		114.20B/86.40A	114.20B/86.40A	----		111.00 - 5.00	.4125	----	16	----	----		204	+
4130	111.80	111.80		116.40B/88.30A	116.40B/88.30A	----		113.20 - 5.00	.4182	----	2	----	----		737	+
4135	----	----		----/90.10A	118.70B/90.10A	----		115.40 - 5.10	.4238	----	----	----	----		38	UNCH
4140	----	----		----/92.00A	121.00B/92.00A	----		117.70 - 5.10	.4295	----	1	----	----		77	UNCH
4145	104.60	104.60		123.30B/93.90A	123.30B/93.90A	----		119.90 - 5.20	.4351	----	1	----	----		64	+
4150	110.50	110.50		125.70B/95.90A	125.70B/95.90A	----		122.20 - 5.30	.4408	----	56	----	----		1290	- 7
4155	----	----		----/97.90A	128.10B/97.90A	----		124.60 - 5.30	.4465	----	----	----	----		35	UNCH
4160	117.10	117.10		130.40B/99.90A	130.40B/99.90A	----		127.00 - 5.30	.4522	----	2	----	----		367	UNCH
4165	107.30	107.30		132.80B/101.90A	132.80B/101.90A	----		129.40 - 5.40	.4579	----	1	----	----		87	UNCH
4170	116.70	116.70		135.30B/104.00A	135.30B/104.00A	----		131.80 - 5.40	.4636	----	2	----	----		68	- 1
4175	125.20	125.20		137.80B/106.10A	137.80B/106.10A	----		134.30 - 5.50	.4693	----	72	----	----		507	+
4180	130.20	130.20		140.30B/108.30A	140.30B/108.30A	----		136.80 - 5.50	.4751	----	16	----	----		59	+
4185	132.90	132.90		143.00B/110.40A	143.00B/110.40A	----		139.30 - 5.60	.4808	----	6	----	----		53	+
4190	129.80	129.80		145.60B/112.60A	145.60B/112.60A	----		141.80 - 5.70	.4865	----	18	----	----		364	+
4195	137.60	137.60		148.30B/114.90A	148.30B/114.90A	----		144.40 - 5.70	.4922	----	13	----	----		41	UNCH
4200	138.00	138.00		150.90B/117.10A	150.90B/117.10A	----		147.10 - 5.70	.4979	----	89	----	----		2497	- 34
4205	138.30	138.30		153.50B/119.40A	153.50B/119.40A	----		149.70 - 5.80	.5036	----	6	----	----		51	- 2
4210	143.10	143.10		156.20B/121.80A	156.20B/121.80A	----		152.40 - 5.80	.5093	----	9	----	----		110	+
4215	148.00	148.00		159.00B/124.10A	159.00B/124.10A	----		155.10 - 5.90	.5150	----	24	----	----		178	+
4220	----	----		----/126.50A	161.70B/126.50A	----		157.90 - 5.90	.5207	----	----	----	----		60	UNCH
4225	147.20	147.20		164.60B/128.90A	164.60B/128.90A	----		160.60 - 6.00	.5263	----	3	----	----		192	+
4230	156.30	156.30		167.50B/131.50A	167.50B/131.50A	----		163.40 - 6.00	.5320	----	23	----	----		438	+
4235	154.00	154.00		170.30B/133.90A	170.30B/133.90A	----		166.30 - 6.00	.5376	----	3	----	----		124	UNCH
4240	156.70	156.70		173.30B/136.50A	173.30B/136.50A	----		169.10 - 6.10	.5432	----	4	----	----		51	+
4245	----	----		----/139.00A	176.20B/139.00A	----		172.00 - 6.20	.5488	----	----	----	----		39	UNCH
4250	159.70	159.70		179.20B/141.50A	179.20B/141.50A	----		175.00 - 6.10	.5543	----	10	----	----		2634	+
4255	----	----		----/144.20A	182.10B/144.20A	----		177.90 - 6.20	.5598	----	----	----	----		33	UNCH
4260	----	----		----/146.80A	185.20B/146.80A	----		180.90 - 6.30	.5654	----	----	----	----		79	UNCH
4265	----	----		----/149.40A	188.30B/149.40A	----		183.90 - 6.30	.5709	----	----	----	----		110	UNCH
4270	----	----		----/152.20A	191.30B/152.20A	----		187.00 - 6.30	.5764	----	----	----	----		22	UNCH
4275	----	----		----/154.90A	194.40B/154.90A	----		190.10 - 6.30	.5818	----	----	----	----		153	UNCH
4280	167.70	167.70		197.60B/157.70A	197.60B/157.70A	----		193.20 - 6.40	.5872	----	8	----	----		174	+
4285	----	----		----/160.50A	200.80B/160.50A	----		196.30 - 6.40	.5926	----	----	----	----		37	UNCH
4290	----	----		----/163.20A	204.00B/163.20A	----		199.40 - 6.50	.5980	----	19	----	----		263	+
4295	----	----		----/166.10A	207.20B/166.10A	----		202.60 - 6.50	.6033	----	----	----	----		87	UNCH
4300	186.00	186.00		210.50B/168.90A	210.50B/168.90A	----		205.90 - 6.50	.6086	----	8	----	----		3384	- 1
4305	----	----		----/171.90A	213.80B/171.90A	----		209.10 - 6.60	.6139	----	----	----	----		22	UNCH
4310	----	----		----/174.80A	217.10B/174.80A	----		212.40 - 6.60	.6191	----	----	----	----		237	UNCH
4315	----	----		----/177.80A	220.40B/177.80A	----		215.70 - 6.60	.6243	----	----	----	----		50	UNCH
4320	----	----		----/180.80A	223.80B/180.80A	----		219.00 - 6.70	.6295	----	----	----	----		249	UNCH
4325	----	----		----/183.80A	227.20B/183.80A	----		222.40 - 6.70	.6346</							



GLOBEX			OPEN OUTCRY			GLOBEX			OPEN OUTCRY			OPEN OUTCRY			SETT.PRICE			DELTA			EXER			OPEN			GLOBEX®			PNT			OPEN																							
OPEN			OPEN RANGE			HIGH/LOW			HIGH/LOW			CLOSE RANGE			& PT.CHGE.						CISES			OUTCRY VOLUME			VOLUME			VOLUME			INTEREST																							
OG PUT			COMEX GOLD OPTIONS																																																					
DEC26																																																								
4695			----/470.10A																								532.60B/470.10A			----			526.00 - 7.50			.8897			----			----			----			34			UNCH					
4700 520.10			537.30B/474.60A																								537.30B/474.60A			----			530.60 - 7.60			.8913			----			----			12			719 - 12								
4705 491.80			541.90B/479.10A																								541.90B/479.10A			----			535.20 - 7.60			.8933			----			1			16			UNCH								
4710			----/483.60A																								546.40B/483.60A			----			539.90 - 7.50			.8952			----			----			21			UNCH								
4715 535.30			551.10B/488.10A																								551.10B/488.10A			----			544.50 - 7.50			.8968			----			1			12 - 1											
4720 498.00			555.70B/492.60A																								555.70B/492.60A			----			549.10 - 7.60			.8988			----			1			16 - 1											
4725 519.50			560.40B/497.10A																								560.40B/497.10A			----			553.80 - 7.50			.9003			----			2			139			UNCH								
4730			----/501.60A																								565.00B/501.60A			----			558.40 - 7.60			.9023			----			----			9			UNCH								
4735			----/506.20A																								569.70B/506.20A			----			563.10 - 7.50			.9039			----			----			7			UNCH								
4740 533.30			574.50B/510.70A																								574.50B/510.70A			----			567.80 - 7.50			.9054			----			1			7			UNCH								
4745 547.40			579.10B/515.20A																								579.10B/515.20A			----			572.40 - 7.60			.9070			----			2			4 + 2											
4750 526.20			583.70B/519.80A																								583.70B/519.80A			----			577.10 - 7.60			.9085			----			7			74 - 3											
4755			----/524.40A																								588.40B/524.40A			----			581.80 - 7.60			.9101			----			----			18			UNCH								
4760			----/528.90A																								593.10B/528.90A			----			586.50 - 7.50			.9116			----			----			25			UNCH								
4765			----/533.50A																								597.80B/533.50A			----			591.20 - 7.60			.9132			----			----			2			UNCH								
4770			----/538.10A																								602.60B/538.10A			----			595.90 - 7.60			.9147			----			----			1			UNCH								
4775			----/542.70A																								607.30B/542.70A			----			600.60 - 7.60			.9163			----			----			6			UNCH								
4780			----/547.30A																								612.00B/547.30A			----			605.40 - 7.50			.9174			----			----			2			UNCH								
4790			----/556.50A																								621.50B/556.50A			----			614.80 - 7.50			.9201			----			----			73			UNCH								
4795			----/561.20A																								626.20B/561.20A			----			619.50 - 7.60			.9216			----			----			1			UNCH								
4800			----/565.80A																								631.00B/565.80A			----			624.30 - 7.50			.9227			----			----			362			UNCH								
4810			----/575.10A																								640.50B/575.10A			----			633.80 - 7.50			.9254			----			----			60			UNCH								
4815			----/579.70A																								645.20B/579.70A			----			638.50 - 7.60			.9269			----			----			9			UNCH								
4820 615.70			650.00B/584.40A																								650.00B/584.40A			----			643.30 - 7.50			.9280			----			1			24 + 1											
4825 615.30			654.80B/589.20A																								654.80B/589.20A			----			648.10 - 7.50			.9291			----			1			114 + 1											
4830			----/593.80A																								659.60B/593.80A			----			652.80 - 7.60			.9302			----			----			15			UNCH								
4835 630.70			664.30B/598.40A																								664.30B/598.40A			----			657.60 - 7.60			.9314			----			1			126 + 1											
4850			----/612.50A																								676.10B/612.50A			----			672.00 - 7.50			.9351			----			----			16			UNCH								
4855			----/617.20A																								680.90B/617.20A			----			676.80 - 7.50			.9361			----			----			3			UNCH								
4860 654.50			685.70B/621.90A																								685.70B/621.90A			----			681.60 - 7.50			.9372			----			1			6 + 1											
4865			----/626.60A																								690.40B/626.60A			----			686.40 - 7.50			.9379			----			----			2			UNCH								
4870			----/631.50A																								695.40B/631.50A			----			691.20 - 7.50			.9390			----			----			16			UNCH								
4875			----/636.10A																								700.10B/636.10A			----			696.00 - 7.50			.9401			----			----			2			UNCH								
4880 691.00			705.00B/640.80A																								705.00B/640.80A			----			700.80 - 7.50			.9412			----			2			12 + 1											
4885 682.00			709.80B/645.70A																								709.80B/645.70A			----			705.60 NEW			.9418			----			1			1 + 1											
4895 687.00			719.50B/655.00A																								719.50B/655.00A			----			715.30 NEW			.9440			----			2			2 + 2											
4900			----/659.80A																								724.30B/659.80A			----			720.10 - 7.50			.9446			----			----			112			UNCH								
4905 692.90			729.10B/664.70A																								729.10B/664.70A			----			725.00 NEW			.9457			----			1			1 + 1											
4920			----/679.00A																								743.60B/679.00A			----			739.50 - 7.50			.9480			----			----			4			UNCH								
4925			----/683.60A																								748.50B/683.60A			----			744.30 - 7.50			.9491			----			----			240			UNCH								
4930			----/688.40A																								753.40B/688.40A			----			749.20 - 7.50			.9497			----			----			5			UNCH								
4935			----/693.20A																								758.20B/693.20A			----			754.10 - 7.40			.9508			----			----			5			UNCH								
4940 750.70			763.10B/698.00A																								763.10B/698.00A			----			758.90 - 7.50			.9514			----			1			30 + 1											
4945			----/705.70A																								767.80B/705.70A			----			763.80 - 7.40			.9520			----			----			1			UNCH								
4950			----/710.70A																								772.80B/710.70A			----			768.70 - 7.40			.9531			----			----			25			UNCH								
4955			----/715.60A																								777.70B/715.60A			----			773.50 - 7.50			.9537			----			----			1			UNCH								
4965			----/725.00A																								787.40B/725.00A			----			783.30 - 7.40			.9549			----			----			1			UNCH								
4970			----/729.80A																								792.30B/729.80A			----			788.20 - 7.40			.9556			----			----			1			UNCH								
4975			----/734.70A																								797.20B/734.70A			----			793.00 - 7.50			.9566			----			----			42			UNCH								
4980			----/739.70A																								802.10B/739.70A			----			797.90 - 7.40			.9572			----			----			6			UNCH								
4985			----/744.00A																								806.90B/744.00A			----			802.80 - 7.40			.9578			----			----			2			UNCH								
4990			----/749.30A																								811.80B/749.30A			----			807.70 - 7.40			.9584			----			----			2			UNCH								
4995			----/753.70A																								816.70B/753.70A			----			812.60 - 7.40			.9590			----			----			37			UNCH								
5000			----/758.80A																								821.60B/758.80A			----			817.50 - 7.40			.9596			----			----			559			UNCH								
5010			----/768.50A																								831.40B/768.50A			----			827.30 - 7.40			.9608			----			----			3			UNCH								
5015			----/773.40A																								836.30B/773.40A			----			832.20 - 7.40			.9614			----			----			4			UNCH								
5020			----/778.20A																								841.20B/778.20A			----			837.10 - 7.30			.9620			----			----			10			UNCH								
5025			----/783.40A																								846.10B/783.40A			----			842.00 - 7.30			.9626			----			----			217			UNCH								
5030			----/788.20A																								851.00B/788.20A			----			846.90 - 7.30			.9632			----			----			3			UNCH								
5035			----/792.80A																								855.80B/792.80A			----			851.80 - 7.30			.9637			----			----			13			UNCH								
5040			----/797.70A																								860.80B/797.70A			----			856.70 - 7.40			.9643			----			----			2			UNCH								
5045			----/802.80A																								865.80B/802.80A			----			861.60 - 7.40			.9649			----			----			3			UNCH								
5050			----/807.40A																								870.70B/807.40A			----			866.50 - 7.40			.9655			----			----			201			UNCH								
5070			----/827.20A																								890.40B/827.20A			----			886.20 - 7.30			.9674			----			----			2			UNCH								
5075			----/831.80A																								895.30B/831.80A			----			891.10 - 7.30			.9679			----			----			100			UNCH								
5095			----/851.40A																								915.00B/851.40A			----			910.80 - 7.30			.9698			----			----			6			UNCH								
5100			----/856.60A																								919.90B/856.60A			----			915.70 - 7.40			.9703			----			----			30			UNCH								
5150			----/905.00A																								969.30B/905.00A			----			965.10 - 7.30			.9741			----			----			1			UNCH								
5195			----/949.70A																								1014.00B/949.70A			----			1009.60 - 7.30			.9772			----			----			5			UNCH								
5200			----/954.20A																								1018.90B/954.20A			----			1014.60 - 7.30			.9778			----			----			171			UNCH								
5240			----/994.10A																								1058.70B/994.10A			----			1054.20 - 7.30			.9798			----			----			1			UNCH								
5250			----/1,004.00A																								1068.60B/1004.00A			----			1064.20 - 7.20			.9804			----			----			127			UNCH								
5290			----/1,043.60A																								1108.40B/1043.60A			----			1103.90 - 7.30			.9824			----			----			1			UNCH								
5295			----/1,049.90A																								1113.40B/1049.90A			----			1108.90 - 7.20			.9829			----			----			1			UNCH								
5300			----/1,053.50A																								1118.40B/1053.50A			----			1113.90 - 7.20			.9830			----			----			8			UNCH								
5350			----/1,104.50A																								1168.30B/1104.50A			----			1163.70 - 7.10			.9850			----			----			0			UNCH								
5360			----/1,113.10A																								1178.30B/1113.10A			----			1173.60 - 7.20			.9851			----			----			100			UNCH								
5370			----/1,123.30A																								1188.30B/1123.30A			----			1183.60 - 7.20			.9857			----			----			20			UNCH								
5375			----/1,127.60A																								1193.30B/1127.60A			----			1188.60 - 7.10			.9857			----			----			34			UNCH								
5400			----/1,152.90A																								1218.30B/1152.90A			----			1213.50 - 7.10			.9865			----			----			112			UNCH								
5415			----/1,167.90A																								1233.30B/1167.90A			----			1228.50 - 7.10			.9871			----			----			4			UNCH								
5460			----/1,213.40A																								1278.30B/1213.40A			----			1273.40 - 7.10			.9880			200			----			0 - 200											
5465			----/1,218.00A																								1283.30B/1218.00A			----			1278.40 - 7.10			.9885			----			----			50			UNCH								
5480			----/1,232.70A																								1298.30B/1232.70A			----			1293.40 - 7.00			.9886			----			----			50			UNCH								
5485			----/1,237.70A																								1303.30B/1237.70A			----			1298.40 - 7.00			.9887			1			----			0 - 1											
5500 1257.00			1,318.30B/1,252																								1318.30B/1252.70A			----			1313.30 - 7.10			.9893			----			4			76 + 4											
5525			----/1,278.10A																								1343.20B/1278.10A			----			1338.30 - 7.10			.9900			79			----			1 - 79											
5550			----/1,302.90A																								1368.30B/1302.90A			----			1363.30 - 7.00			.9907			1			----			0 - 1											
5600			----/1,35																																																					

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS													
JAN27															
3325	----	----	----	/7.40A	9.00B/7.40A	----	----	8.90 - 0.30	.0355	----	----	2	----	302 +	2
3350	----	----	----	/7.90A	9.60B/7.90A	----	----	9.50 - 0.40	.0381	----	----	----	----	4	UNCH
3370	----	----	----	/8.40A	10.20B/8.40A	----	----	10.10 - 0.40	.0405	----	----	----	----	3	UNCH
3380	----	----	----	/8.60A	10.50B/8.60A	----	----	10.40 - 0.40	.0418	----	----	----	----	67	UNCH
3385	----	----	----	/8.70A	10.70B/8.70A	----	----	10.60 - 0.30	.0425	----	----	----	----	3	UNCH
3395	----	----	----	/9.00A	11.00B/9.00A	----	----	10.90 - 0.40	.0438	----	----	----	----	2	UNCH
3400	9.80	9.80	----	11.20B/9.10A	11.20B/9.10A	----	----	11.10 - 0.30	.0446	----	2	----	----	350	UNCH
3410	----	----	----	/9.30A	11.50B/9.30A	----	----	11.40 - 0.40	.0458	----	----	----	----	4	UNCH
3420	----	----	----	/9.60A	11.90B/9.60A	----	----	11.70 - 0.50	.0471	----	----	----	----	6	UNCH
3425	----	----	----	/9.70A	12.10B/9.70A	----	----	11.90 - 0.40	.0479	----	----	----	----	3	UNCH
3430	----	----	----	/9.90A	12.30B/9.90A	----	----	12.10 - 0.40	.0487	----	----	----	----	5	UNCH
3440	----	----	----	/10.20A	12.60B/10.20A	----	----	12.50 - 0.40	.0503	----	----	----	----	5	UNCH
3445	----	----	----	/10.30A	12.80B/10.30A	----	----	12.70 - 0.40	.0511	----	----	----	----	1	UNCH
3450	----	----	----	/10.50A	13.00B/10.50A	----	----	12.90 - 0.40	.0519	----	----	----	----	52	UNCH
3455	----	----	----	/10.60A	13.20B/10.60A	----	----	13.10 - 0.40	.0527	----	----	----	----	2	UNCH
3460	----	----	----	/10.80A	13.50B/10.80A	----	----	13.30 - 0.50	.0535	----	----	----	----	1	UNCH
3480	----	----	----	/11.50A	14.30B/11.50A	----	----	14.10 - 0.50	.0568	----	----	----	----	2	UNCH
3495	----	----	----	/12.00A	15.00B/12.00A	----	----	14.80 - 0.60	.0596	----	----	----	----	54	UNCH
3500	13.30	13.30	----	15.30B/12.20A	15.30B/12.20A	----	----	15.00 - 0.60	.0605	----	5	----	----	135	UNCH
3510	----	----	----	/12.60A	15.80B/12.60A	----	----	15.50 - 0.60	.0625	----	----	----	----	2	UNCH
3520	----	----	----	/12.90A	16.30B/12.90A	----	----	16.00 - 0.70	.0645	----	----	----	----	5	UNCH
3530	----	----	----	/13.40A	16.80B/13.40A	----	----	16.60 - 0.60	.0667	----	----	----	----	18	UNCH
3535	----	----	----	/13.60A	17.10B/13.60A	----	----	16.80 - 0.70	.0676	----	----	----	----	7	UNCH
3540	----	----	----	/13.80A	17.40B/13.80A	----	----	17.10 - 0.70	.0688	----	1	----	----	2 -	1
3545	----	----	----	/14.00A	17.70B/14.00A	----	----	17.40 - 0.70	.0699	----	----	----	----	2	UNCH
3550	----	----	----	/14.20A	18.00B/14.20A	----	----	17.70 - 0.70	.0711	----	----	----	----	1140	UNCH
3560	----	----	----	/14.70A	18.60B/14.70A	----	----	18.30 - 0.70	.0734	----	----	----	----	6	UNCH
3565	----	----	----	/14.90A	18.90B/14.90A	----	----	18.60 - 0.70	.0746	----	----	----	----	5	UNCH
3570	----	----	----	/15.20A	19.20B/15.20A	----	----	18.90 - 0.70	.0757	----	----	----	----	3	UNCH
3575	----	----	----	/15.40A	19.60B/15.40A	----	----	19.20 - 0.80	.0769	----	----	----	----	29	UNCH
3580	----	----	----	/15.70A	20.00B/15.70A	----	----	19.50 - 0.80	.0781	----	----	----	----	8	UNCH
3585	----	----	----	/15.90A	20.30B/15.90A	----	----	19.90 - 0.80	.0796	----	----	----	----	215	UNCH
3595	----	----	----	/16.50A	21.00B/16.50A	----	----	20.50 - 0.90	.0820	----	----	----	----	11	UNCH
3600	17.10	17.10	----	21.40B/16.70A	21.40B/16.70A	----	----	20.90 - 0.80	.0834	----	12	----	----	248	UNCH
3605	----	----	----	/17.00A	21.70B/17.00A	----	----	21.20 - 0.90	.0846	----	----	----	----	17	UNCH
3610	----	----	----	/17.30A	22.10B/17.30A	----	----	21.60 - 0.90	.0861	----	----	----	----	3	UNCH
3615	19.70	19.70	----	22.50B/17.60A	22.50B/17.60A	----	----	22.00 - 0.90	.0876	----	1	----	----	27 +	1
3620	----	----	----	/17.90A	22.90B/17.90A	----	----	22.40 - 0.90	.0891	----	----	----	----	19	UNCH
3625	----	----	----	/18.20A	23.30B/18.20A	----	----	22.70 - 1.00	.0903	----	----	----	----	18	UNCH
3630	19.10	19.10	----	23.70B/18.50A	23.70B/18.50A	----	----	23.10 - 1.00	.0918	----	1	----	----	15 +	1
3640	21.60	21.60	----	24.50B/19.10A	24.50B/19.10A	----	----	23.90 - 1.00	.0948	----	4	----	----	5 +	4
3650	----	----	----	/19.70A	25.40B/19.70A	----	----	24.80 - 1.00	.0981	----	1	----	----	48 +	1
3665	----	----	----	/20.80A	26.70B/20.80A	----	----	26.10 - 1.10	.1029	----	----	----	----	1	UNCH
3670	----	----	----	/21.20A	27.20B/21.20A	----	----	26.60 - 1.10	.1047	----	----	----	----	2	UNCH
3680	----	----	----	/21.90A	28.10B/21.90A	----	----	27.50 - 1.20	.1080	----	----	----	----	1	UNCH
3685	----	----	----	/22.30A	28.60B/22.30A	----	----	28.00 - 1.20	.1098	----	----	----	----	15	UNCH
3690	28.60	28.60	----	29.20B/22.70A	29.20B/22.70A	----	----	28.50 - 1.20	.1116	----	16	----	----	22 +	16
3695	----	----	----	/23.10A	29.70B/23.10A	----	----	29.00 - 1.30	.1134	----	----	----	----	9	UNCH
3700	----	----	----	----	----	----	----	29.50 - 1.30	.1153	----	16	----	----	506 +	4
3705	----	----	----	/23.90A	30.80B/23.90A	----	----	30.00 - 1.40	.1171	----	----	----	----	1	UNCH
3710	----	----	----	/24.30A	31.30B/24.30A	----	----	30.60 - 1.30	.1191	----	----	----	----	1	UNCH
3715	----	----	----	/24.70A	31.90B/24.70A	----	----	31.10 - 1.40	.1210	----	----	----	----	1	UNCH
3720	----	----	----	/25.20A	32.40B/25.20A	----	----	31.70 - 1.40	.1230	----	----	----	----	4	UNCH
3725	----	----	----	/25.60A	33.00B/25.60A	----	----	32.30 - 1.40	.1251	----	----	----	----	31	UNCH
3730	----	----	----	/26.10A	33.70B/26.10A	----	----	32.80 - 1.50	.1270	----	----	----	----	3	UNCH
3735	----	----	----	/26.60A	34.30B/26.60A	----	----	33.40 - 1.50	.1290	----	----	----	----	3	UNCH
3740	----	----	----	/27.00A	34.80B/27.00A	----	----	34.00 - 1.50	.1311	----	----	----	----	20	UNCH
3745	----	----	----	/27.50A	35.50B/27.50A	----	----	34.60 - 1.60	.1332	----	----	----	----	34	UNCH
3750	----	----	----	/28.00A	36.10B/28.00A	----	----	35.30 - 1.50	.1355	----	----	----	----	38	UNCH
3755	----	----	----	/28.50A	36.80B/28.50A	----	----	35.90 - 1.60	.1377	----	----	----	----	5	UNCH
3760	----	----	----	/29.00A	37.50B/29.00A	----	----	36.60 - 1.60	.1400	----	----	----	----	43	UNCH
3770	----	----	----	/30.10A	38.80B/30.10A	----	----	37.90 - 1.70	.1444	----	----	----	----	21	UNCH
3775	37.30	37.30	----	39.50B/30.60A	39.50B/30.60A	----	----	38.60 - 1.70	.1468	----	4	----	----	15	UNCH
3780	----	----	----	/31.20A	40.30B/31.20A	----	----	39.30 - 1.70	.1491	----	2	----	----	7	+
3785	----	----	----	/31.80A	41.00B/31.80A	----	----	40.00 - 1.80	.1515	----	----	----	----	1	UNCH
3790	----	----	----	/32.30A	41.80B/32.30A	----	----	40.70 - 1.80	.1539	----	1	----	----	22 +	1
3795	37.80	37.80	----	42.50B/32.90A	42.50B/32.90A	----	----	41.50 - 1.80	.1564	----	10	----	----	10 +	5
3800	----	----	----	/33.50A	43.30B/33.50A	----	----	42.20 - 1.90	.1588	----	25	----	----	710 -	25
3805	----	----	----	/34.20A	44.10B/34.20A	----	----	43.00 - 1.90	.1614	----	----	----	----	4	UNCH
3810	----	----	----	/34.80A	44.90B/34.80A	----	----	43.80 - 1.90	.1640	----	----	----	----	2	UNCH
3815	----	----	----	/35.40A	45.70B/35.40A	----	----	44.60 - 1.90	.1666	----	----	----	----	10	UNCH
3820	----	----	----	/36.10A	46.50B/36.10A	----	----	45.40 - 2.00	.1692	----	----	----	----	1	UNCH
3825	----	----	----	/36.70A	47.40B/36.70A	----	----	46.20 - 2.10	.1718	----	----	----	----	11	UNCH
3830	----	----	----	/37.40A	48.30B/37.40A	----	----	47.10 - 2.00	.1746	----	2	----	----	15	UNCH
3835	----	----	----	/38.10A	49.20B/38.10A	----	----	47.90 - 2.10	.1773	----	----	----	----	6	UNCH
3840	----	----	----	/38.80A	50.00B/38.80A	----	----	48.80 - 2.10	.1801	----	----	----	----	2	UNCH
3850	----	----	----	/40.30A	51.90B/40.30A	----	----	50.60 - 2.20	.1857	----	2	----	----	766 +	2
3855	----	----	----	/41.00A	52.80B/41.00A	----	----	51.50 - 2.30	.1886	----	----	----	----	9	UNCH
3860	----	----	----	/41.80A	53.80B/41.80A	----	----	52.50 - 2.20	.1916	----	----	----	----	110	UNCH
3870	----	----	----	/43.30A	55.80B/43.30A	----	----	54.40 - 2.30	.1975	----	----	----	----	14	UNCH
3875	----	----	----	/44.10A	56.80B/44.10A	----	----	55.40 - 2.40	.2005	----	----	----	----	6	UNCH
3880	----	----	----	/44.90A	57.80B/44.90A	----	----	56.40 - 2.40	.2035	----	----	----	----	8	UNCH
3885	----	----	----	/45.80A	58.90B/45.80A	----	----	57.40 - 2.50	.2066	----	----	----	----	10	UNCH
3890	----	----	----	/46.60A	60.00B/46.60A	----	----	58.50 - 2.50	.2098	----	1	----	----	35 +	1
3895	----	----	----	/47.50A	61.00B/47.50A	----	----	59.50 - 2.60	.2129	----	----	----	----	34	UNCH
3900	58.90	58.90	----	62.20B/48.40A	62.20B/48.40A	----	----	60.60 - 2.60	.2161	----	24	----	----	175 +	8
3905	----	----	----	/49.30A	63.30B/49.30A	----	----	61.70 - 2.60	.2193	----	----	----	----	26	UNCH
3910	----	----	----	/50.20A	64.40B/50.20A	----	----	62.80 - 2.70	.2226	----	----	----	----	8	UNCH
3915	----	----	----	/51.10A	65.60B/51.10A	----	----	64.00 - 2.60	.2259	----	----	----	----	66	UNCH
3920	----	----	----	/52.10A	66.80B/52.10A	----	----	65.10 - 2.70	.2292	----	----	----	----	4	UNCH
3925	----	----	----	/53.00A	68.00B/53.00A	----	----	66.30 - 2.80	.2326	----	----	----	----	4	UNCH
3930	----	----	----	/54.00A	69.20B/54.00A	----	----	67.50 - 2.80	.2360	----	----	----	----	6	UNCH
3935	67.80	67.80	----	70.40B/55.00A	70.40B/55.00A	----	----	68.70 - 2.80	.2394	----	2	----	----	14 +	2
3940	----	----	----	/56.00A	71.70B/56.00A	----	----	70.00 - 2.80	.2430	----	----	----	----	2	UNCH
3945	59.60	59.60	----	73.00B/57.10A	73.00B/57.10A	----	----	71.20 - 2.90	.2460	----	1	----	----	50	UNCH
3950	68.00	68.00	----	74.30B/58.10A	74.30B/58.10A	----	----	72.50 - 2.90	.2500	----					



CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499

Customer Service: (312) 930-1000

PRELIMINARY



PG64 BULLETIN #188@				METALS OPTION PRODUCTS							Wed, Sep 30, 2026		PG64			
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT JAN27	COMEX GOLD OPTIONS															
4160	----	----	----	/121.30A	149.90B/121.30A	----			146.60 - 4.90	.4226	----	----	----	----	210	UNCH
4165	----	----	----	/123.30A	152.20B/123.30A	----			148.90 - 4.90	.4271	----	----	----	----	20	UNCH
4170	----	----	----	/125.30A	154.60B/125.30A	----			151.20 - 5.00	.4316	----	----	----	----	3	UNCH
4175	----	----	----	/127.30A	156.90B/127.30A	----			153.60 - 5.00	.4361	----	----	----	----	16	UNCH
4180	----	----	----	/129.40A	159.40B/129.40A	----			155.90 - 5.10	.4406	----	----	----	----	17	UNCH
4185	----	----	----	/131.50A	161.80B/131.50A	----			158.30 - 5.10	.4451	----	----	----	----	38	UNCH
4190	----	----	----	/133.70A	164.10B/133.70A	----			160.80 - 5.00	.4496	----	----	----	----	6	UNCH
4195	----	----	----	/135.80A	166.60B/135.80A	----			163.20 - 5.10	.4541	----	----	----	----	11	UNCH
4200	139.50	139.50		169.10B/138.00A	169.10B/138.00A				165.70 - 5.10	.4586	----	----	4	----	343	UNCH
4205	----	----	----	/140.20A	171.60B/140.20A	----			168.20 - 5.20	.4632	----	----	----	----	6	UNCH
4210	----	----	----	/142.40A	174.30B/142.40A	----			170.70 - 5.20	.4677	----	----	----	----	7	UNCH
4215	----	----	----	/144.60A	176.80B/144.60A	----			173.20 - 5.30	.4722	----	----	----	----	3	UNCH
4220	----	----	----	/146.90A	179.40B/146.90A	----			175.80 - 5.30	.4767	----	----	----	----	1	UNCH
4225	----	----	----	/149.30A	182.00B/149.30A	----			178.40 - 5.30	.4812	----	----	----	----	6	UNCH
4230	----	----	----	/151.50A	184.70B/151.50A	----			181.00 - 5.40	.4857	----	5	----	----	34 +	4
4235	----	----	----	/153.90A	187.30B/153.90A	----			183.70 - 5.40	.4902	----	----	----	----	72	UNCH
4240	----	----	----	/156.30A	190.00B/156.30A	----			186.40 - 5.40	.4947	----	----	----	----	10	UNCH
4245	----	----	----	/158.70A	192.80B/158.70A	----			189.10 - 5.40	.4992	----	----	2	----	11 +	2
4250	----	----	----	/161.10A	195.40B/161.10A	----			191.80 - 5.50	.5037	----	----	----	100	223 +	100
4255	----	----	----	/163.60A	198.30B/163.60A	----			194.50 - 5.50	.5081	----	----	----	----	19	UNCH
4260	----	----	----	/166.00A	201.10B/166.00A	----			197.30 - 5.50	.5126	----	----	----	----	13	UNCH
4265	197.30	197.30		203.80B/168.60A	203.80B/168.60A				200.10 - 5.60	.5171	----	14	----	----	29 +	13
4270	----	----	----	/171.20A	206.80B/171.20A	----			202.90 - 5.60	.5215	----	----	----	----	25	UNCH
4275	----	----	----	/173.70A	209.50B/173.70A	----			205.80 - 5.60	.5259	----	----	----	----	88	UNCH
4280	----	----	----	/176.20A	212.50B/176.20A	----			208.60 - 5.70	.5303	----	----	----	----	11	UNCH
4285	197.10	197.10		215.40B/178.90A	215.40B/178.90A				211.50 - 5.70	.5347	----	7	----	----	8 +	6
4290	----	----	----	/181.50A	218.40B/181.50A	----			214.40 - 5.70	.5391	----	----	----	----	2	UNCH
4295	----	----	----	/184.10A	221.40B/184.10A	----			217.40 - 5.70	.5435	----	----	----	----	31	UNCH
4300	211.10	211.10		224.30B/186.80A	224.30B/186.80A				220.30 - 5.80	.5479	----	3	----	----	202 +	3
4310	----	----	----	/192.30A	230.40B/192.30A	----			226.30 - 5.80	.5566	----	----	----	----	50	UNCH
4315	----	----	----	/195.00A	233.50B/195.00A	----			229.40 - 5.80	.5609	----	----	----	----	5	UNCH
4320	----	----	----	/197.70A	236.50B/197.70A	----			232.40 - 5.90	.5651	----	----	----	----	7	UNCH
4325	221.10	221.10		239.60B/200.60A	239.60B/200.60A				235.50 - NEW	.5694	----	8	----	----	8 +	8
4330	----	----	----	/203.30A	242.80B/203.30A	----			238.60 - 5.90	.5737	----	----	----	----	70	UNCH
4335	----	----	----	/206.20A	245.90B/206.20A	----			241.70 - 5.90	.5779	----	----	----	----	1	UNCH
4340	----	----	----	/209.00A	249.10B/209.00A	----			244.90 - 5.90	.5822	----	----	----	----	9	UNCH
4345	----	----	----	/212.00A	252.30B/212.00A	----			248.00 - 6.00	.5864	----	----	----	----	16	UNCH
4350	----	----	----	/214.80A	255.30B/214.80A	----			251.20 - 6.00	.5906	----	----	----	----	123	UNCH
4355	----	----	----	/217.80A	258.40B/217.80A	----			254.40 - 6.10	.5948	----	----	----	----	65	UNCH
4360	----	----	----	/220.70A	261.70B/220.70A	----			257.70 - 6.00	.5989	----	----	----	----	4	UNCH
4365	----	----	----	/223.70A	265.00B/223.70A	----			260.90 - 6.10	.6030	----	----	----	----	22	UNCH
4370	----	----	----	/226.70A	268.20B/226.70A	----			264.20 - 6.10	.6071	----	----	----	----	34	UNCH
4375	----	----	----	/229.70A	271.60B/229.70A	----			267.50 - 6.10	.6112	----	----	----	----	201	UNCH
4380	----	----	----	/232.90A	274.90B/232.90A	----			270.80 - 6.20	.6153	----	----	----	----	27	UNCH
4385	----	----	----	/235.80A	278.30B/235.80A	----			274.10 - 6.20	.6193	----	----	----	----	63	UNCH
4390	----	----	----	/238.90A	281.70B/238.90A	----			277.50 - 6.20	.6233	----	----	----	----	11	UNCH
4395	----	----	----	/242.00A	285.10B/242.00A	----			280.90 - 6.20	.6273	----	----	----	----	4	UNCH
4400	----	----	----	/245.20A	288.60B/245.20A	----			284.30 - 6.20	.6313	----	----	----	----	414	UNCH
4405	----	----	----	/248.30A	292.10B/248.30A	----			287.70 - 6.30	.6352	----	----	----	----	7	UNCH
4410	----	----	----	/251.50A	295.40B/251.50A	----			291.10 - 6.40	.6391	----	----	----	----	4	UNCH
4420	----	----	----	/258.30A	302.40B/258.30A	----			298.10 - 6.30	.6468	----	----	----	----	6	UNCH
4425	----	----	----	/261.70A	305.90B/261.70A	----			301.60 - 6.40	.6507	----	----	----	----	94	UNCH
4430	----	----	----	/265.00A	309.30B/265.00A	----			305.10 - 6.40	.6545	----	----	----	----	2	UNCH
4435	----	----	----	/268.20A	312.80B/268.20A	----			308.60 - 6.50	.6584	----	----	----	----	2	UNCH
4440	----	----	----	/271.60A	316.60B/271.60A	----			312.20 - 6.50	.6621	----	----	----	----	5	UNCH
4445	----	----	----	/274.90A	320.20B/274.90A	----			315.80 - 6.50	.6659	----	----	----	----	11	UNCH
4450	----	----	----	/278.10A	324.00B/278.10A	----			319.40 - 6.50	.6695	----	----	----	----	416	UNCH
4455	----	----	----	/281.60A	327.50B/281.60A	----			323.00 - 6.50	.6732	----	----	----	----	14	UNCH
4460	----	----	----	/285.00A	331.20B/285.00A	----			326.60 - 6.60	.6768	----	----	----	----	7	UNCH
4465	----	----	----	/288.90A	334.90B/288.90A	----			330.20 - 6.60	.6804	----	----	----	----	8	UNCH
4470	----	----	----	/292.10A	338.50B/292.10A	----			333.90 - 6.60	.6840	----	----	----	----	3	UNCH
4475	----	----	----	/295.50A	342.30B/295.50A	----			337.60 - 6.60	.6876	----	----	----	----	91	UNCH
4480	----	----	----	/298.90A	346.00B/298.90A	----			341.30 - 6.70	.6912	----	----	----	----	112	UNCH
4485	----	----	----	/302.40A	349.70B/302.40A	----			345.00 - 6.70	.6947	----	----	----	----	11	UNCH
4490	----	----	----	/306.20A	353.50B/306.20A	----			348.80 - 6.70	.6981	----	----	----	----	20	UNCH
4495	----	----	----	/309.20A	357.20B/309.20A	----			352.50 - 6.70	.7016	----	----	----	----	13	UNCH
4500	----	----	----	/313.30A	361.10B/313.30A	----			356.30 - 6.70	.7050	----	----	----	----	291	UNCH
4505	----	----	----	/316.80A	364.80B/316.80A	----			360.10 - 6.70	.7085	----	----	----	----	28	UNCH
4510	----	----	----	/320.10A	368.70B/320.10A	----			363.90 - 6.80	.7119	----	----	----	----	9	UNCH
4515	----	----	----	/323.50A	372.20B/323.50A	----			367.70 - 6.80	.7152	----	----	----	----	1	UNCH
4520	----	----	----	/327.20A	376.40B/327.20A	----			371.60 - 6.70	.7184	----	----	----	----	15	UNCH
4530	----	----	----	/334.80A	383.90B/334.80A	----			379.30 - 6.80	.7250	----	----	----	----	1	UNCH
4535	----	----	----	/338.10A	388.10B/338.10A	----			383.20 - 6.80	.7282	----	----	----	----	11	UNCH
4545	392.10	392.10		395.90B/345.80A	395.90B/345.80A				391.00 - 6.90	.7346	----	1	----	----	6 +	1
4550	----	----	----	/349.10A	399.60B/349.10A	----			394.90 - 6.90	.7378	----	----	----	----	2	UNCH
4555	----	----	----	/353.20A	403.50B/353.20A	----			398.90 - 6.90	.7409	----	----	----	----	2	UNCH
4560	----	----	----	/357.10A	407.60B/357.10A	----			402.90 - 6.80	.7440	----	----	----	----	2	UNCH
4570	----	----	----	/364.60A	415.60B/364.60A	----			410.80 - 6.90	.7499	----	----	----	----	1	UNCH
4575	----	----	----	/368.40A	420.00B/368.40A	----			414.80 - 7.00	.7530	----	----	----	----	40	UNCH
4580	----	----	----	/372.00A	423.60B/372.00A	----			418.90 - 6.90	.7558	----	----	----	----	1	UNCH
4585	----	----	----	/375.80A	427.70B/375.80A	----			422.90 - 6.90	.7589	----	----	----	----	1	UNCH
4600	407.00	407.00		440.30B/387.40A	440.30B/387.40A				435.10 - 7.00	.7675	----	1	----	----	129 +	1
4605	----	----	----	/391.60A	444.50B/391.60A	----			439.20 - 7.00	.7703	----	----	----	----	3	UNCH
4610	----	----	----	/395.50A	448.20B/395.50A	----			443.30 - 7.00	.7730	----	----	----	----	1	UNCH
4615	----	----	----	/399.40A	452.10B/399.40A	----			447.40 - 7.00	.7759	----	----	----	----	1	UNCH
4620	----	----	----	/403.10A	456.80B/403.10A	----			451.50 - 7.00	.7785	----	----	----	----	21	UNCH
4625	----	----	----	/407.30A	461.00B/407.30A	----			455.70 - 7.00	.7812	----	----	----	----	15	UNCH
4630	----	----	----	/411.30A	465.10B/411.30A	----			459.80 - 7.00	.7838	----	----	----	----	3	UNCH
4635	----	----	----	/415.30A	469.00B/415.30A	----			464.00 - 7.00	.7864	----	----	----	----	1	UNCH
4640	----	----	----	/419.00A	473.00B/419.00A	----			468.20 - 7.00	.7891	----	----	----	----	2	UNCH
4645	----	----	----	/423.30A	476.90B/423.30A	----			472.40 - 7.00	.7917	----	----	----	----		

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.

GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT	COMEX GOLD OPTIONS											
FEB27												
3020	5.90	5.90	6.00B/5.50A	6.00B/5.50A	----	6.00	NEW	.0206	----	14	----	14 +
3025	----	----	----/5.50A	6.10B/5.50A	----	6.10	- 0.20	.0209	----	----	----	UNCH
3040	----	----	----/5.70A	6.30B/5.70A	----	6.30	- 0.20	.0217	----	300	----	UNCH
3050	----	----	----/5.80A	6.50B/5.80A	----	6.50	- 0.20	.0223	----	5	----	UNCH
3090	----	----	----/6.40A	7.10B/6.40A	----	7.10	- 0.30	.0246	----	----	----	UNCH
3095	6.60	6.60	7.20B/6.40A	7.20B/6.40A	----	7.20	- 0.30	.0250	----	16	----	20 +
3100	----	----	----/6.50A	7.30B/6.50A	----	7.30	- 0.20	.0253	----	----	----	9
3110	----	----	----/6.70A	7.50B/6.70A	----	7.50	- 0.20	.0261	----	----	----	18
3135	----	----	----/7.10A	8.00B/7.10A	----	8.00	- 0.20	.0279	----	----	----	6
3160	----	----	----/7.50A	8.50B/7.50A	----	8.50	- 0.30	.0297	----	----	----	2
3200	----	----	----/8.20A	9.50B/8.20A	----	9.50	- 0.20	.0333	----	----	----	211
3225	----	----	----/8.80A	10.20B/8.80A	----	10.10	- 0.30	.0355	----	----	----	19
3235	----	----	----/9.00A	10.40B/9.00A	----	10.40	- 0.30	.0366	----	----	----	6
3250	----	----	----/9.30A	10.90B/9.30A	----	10.80	- 0.30	.0381	----	----	----	201
3300	----	----	----/10.60A	12.50B/10.60A	----	12.40	- 0.40	.0438	----	----	----	18
3310	----	----	----/10.90A	12.90B/10.90A	----	12.80	- 0.40	.0452	----	----	----	2
3315	----	----	----/11.00A	13.10B/11.00A	----	13.00	- 0.30	.0459	----	----	----	1
3350	----	----	----/12.10A	14.50B/12.10A	----	14.30	- 0.40	.0505	----	----	----	147
3400	----	----	----/13.90A	16.80B/13.90A	----	16.60	- 0.50	.0585	----	----	----	34
3425	----	----	----/14.90A	18.10B/14.90A	----	17.80	- 0.60	.0627	----	----	----	42
3430	----	----	----/15.10A	18.30B/15.10A	----	18.10	- 0.60	.0637	----	----	----	20
3440	----	----	----/15.50A	18.90B/15.50A	----	18.60	- 0.60	.0654	----	----	----	5
3445	----	----	----/15.80A	19.20B/15.80A	----	18.90	- 0.60	.0664	----	----	----	1
3450	----	----	----/16.00A	19.50B/16.00A	----	19.20	- 0.60	.0674	----	----	----	54
3465	----	----	----/16.70A	20.40B/16.70A	----	20.10	- 0.60	.0705	----	----	----	6
3475	----	----	----/17.20A	21.00B/17.20A	----	20.70	- 0.70	.0725	----	----	----	250
3480	----	----	----/17.50A	21.40B/17.50A	----	21.00	- 0.70	.0736	----	----	----	2
3490	----	----	----/18.00A	22.00B/18.00A	----	21.70	- 0.70	.0758	----	----	----	20
3500	21.30	21.30	22.70B/18.50A	22.70B/18.50A	----	22.30	- 0.80	.0779	----	3	----	272 +
3515	----	----	----/19.40A	23.80B/19.40A	----	23.40	- 0.80	.0815	----	----	----	3
3520	----	----	----/19.60A	24.20B/19.60A	----	23.70	- 0.80	.0826	----	----	----	22
3525	----	----	----/19.90A	24.50B/19.90A	----	24.10	- 0.80	.0839	----	----	----	6
3540	----	----	----/20.90A	25.70B/20.90A	----	25.20	- 0.90	.0876	----	----	----	20
3550	----	----	----/21.50A	26.50B/21.50A	----	26.00	- 1.00	.0902	----	----	----	2
3555	----	----	----/21.80A	27.00B/21.80A	----	26.50	- 0.90	.0917	----	----	----	25
3575	----	----	----/23.20A	28.70B/23.20A	----	28.20	- 1.00	.0972	----	----	----	205
3585	----	----	----/23.90A	29.60B/23.90A	----	29.10	- 1.00	.1000	----	----	----	1
3590	----	----	----/24.30A	30.10B/24.30A	----	29.50	- 1.10	.1014	----	----	----	19
3600	----	----	----/25.10A	31.10B/25.10A	----	30.50	- 1.00	.1045	----	4	----	1109
3605	29.90	29.90	31.50B/25.50A	31.50B/25.50A	----	30.90	NEW	.1059	----	18	----	18 +
3610	----	----	----/25.90A	32.10B/25.90A	----	31.40	- 1.20	.1074	----	20	----	8 +
3625	33.30	33.30	33.60B/27.10A	33.60B/27.10A	----	33.00	- 1.20	.1124	----	10	----	11 +
3630	----	----	----/27.60A	34.20B/27.60A	----	33.50	- 1.20	.1140	----	----	----	2
3645	35.50	35.50	35.90B/28.90A	35.90B/28.90A	----	35.10	NEW	.1189	----	26	----	26 +
3650	35.20	35.20	36.40B/29.40A	36.40B/29.40A	----	35.70	- 1.30	.1207	----	11	----	331 +
3660	----	----	----/30.30A	37.60B/30.30A	----	36.90	- 1.30	.1244	----	----	----	2
3665	----	----	----/30.80A	38.20B/30.80A	----	37.50	- 1.30	.1262	----	----	----	5
3680	----	----	----/32.30A	40.10B/32.30A	----	39.30	- 1.40	.1317	----	----	----	16
3695	41.70	41.70	42.10B/33.90A	42.10B/33.90A	----	41.20	- 1.50	.1374	----	8	----	16 +
3700	38.60	38.60	42.80B/34.40A	42.80B/34.40A	----	41.90	- 1.50	.1394	----	21	----	1070 -
3705	----	----	----/35.10A	43.50B/35.10A	----	42.60	- 1.50	.1414	----	----	----	2
3710	42.70	42.70	44.20B/35.60A	44.20B/35.60A	----	43.30	NEW	.1435	----	9	----	9 +
3720	----	----	----/36.80A	45.70B/36.80A	----	44.70	- 1.60	.1476	----	----	----	19
3725	----	----	----/37.40A	46.40B/37.40A	----	45.40	- 1.70	.1497	----	----	----	2
3730	45.60	45.60	47.10B/38.00A	47.10B/38.00A	----	46.20	- 1.60	.1519	----	5	----	7 +
3745	----	----	----/39.90A	49.50B/39.90A	----	48.40	- 1.80	.1583	----	----	----	15
3750	----	----	----/40.60A	50.30B/40.60A	----	49.20	- 1.80	.1606	----	----	----	47
3780	----	----	----/44.70A	55.40B/44.70A	----	54.20	- 2.00	.1745	----	----	----	1
3790	----	----	----/46.20A	57.20B/46.20A	----	56.00	- 2.00	.1795	----	----	----	6
3795	----	----	----/46.90A	58.20B/46.90A	----	56.90	- 2.00	.1819	----	----	----	5
3800	----	----	----/47.70A	59.10B/47.70A	----	57.80	- 2.10	.1844	----	----	----	200
3805	----	----	----/48.50A	60.10B/48.50A	----	58.80	- 2.10	.1870	----	----	----	12
3815	----	----	----/50.10A	62.00B/50.10A	----	60.70	- 2.10	.1921	----	----	----	22
3820	----	----	----/50.90A	63.00B/50.90A	----	61.70	- 2.20	.1948	----	----	----	22
3825	57.90	57.90	64.00B/51.70A	64.00B/51.70A	----	62.70	- 2.20	.1974	----	1	----	501
3835	----	----	----/53.40A	66.10B/53.40A	----	64.70	- 2.30	.2027	----	8	----	9 +
3840	----	----	----/54.30A	67.20B/54.30A	----	65.70	- 2.40	.2054	----	----	----	10
3845	----	----	----/55.20A	68.30B/55.20A	----	66.80	- 2.40	.2082	----	----	----	6
3850	----	----	----/56.10A	69.40B/56.10A	----	67.90	- 2.40	.2110	----	----	----	1357
3860	----	----	----/57.90A	71.60B/57.90A	----	70.10	- 2.40	.2166	----	----	----	10
3865	----	----	----/58.90A	72.80B/58.90A	----	71.20	- 2.50	.2195	----	----	----	1
3875	----	----	----/60.80A	75.10B/60.80A	----	73.50	- 2.50	.2252	----	----	----	13
3880	----	----	----/61.80A	76.30B/61.80A	----	74.70	- 2.50	.2282	----	----	----	44
3885	----	----	----/62.80A	77.50B/62.80A	----	75.90	- 2.60	.2312	----	----	----	201
3890	----	----	----/63.80A	78.80B/63.80A	----	77.10	- 2.60	.2342	----	----	----	17
3895	----	----	----/64.90A	80.00B/64.90A	----	78.30	- 2.70	.2371	----	----	----	2
3900	----	----	----/65.90A	81.30B/65.90A	----	79.50	- 2.80	.2401	----	----	----	317
3905	----	----	----/67.00A	82.60B/67.00A	----	80.80	- 2.70	.2432	----	----	----	5
3915	----	----	----/69.20A	85.20B/69.20A	----	83.40	- 2.80	.2495	----	----	----	5
3920	----	----	----/70.30A	86.50B/70.30A	----	84.70	- 2.80	.2526	----	----	----	200
3925	----	----	----/71.40A	87.90B/71.40A	----	86.00	- 2.90	.2557	----	2	----	2 +
3930	----	----	----/72.60A	89.30B/72.60A	----	87.40	- 2.90	.2590	----	----	----	7
3935	----	----	----/73.70A	90.70B/73.70A	----	88.80	- 2.90	.2622	----	----	----	23
3940	----	----	----/74.90A	92.10B/74.90A	----	90.10	- 3.00	.2653	----	3	----	22 +
3945	----	----	----/76.10A	93.50B/76.10A	----	91.60	- 3.00	.2687	----	----	----	2
3950	93.60	93.60	93.60B/77.30A	95.00B/77.30A	----	93.00	- 3.00	.2720	----	21	----	190 +
3960	----	----	----/79.80A	97.90B/79.80A	----	95.90	- 3.10	.2786	----	----	----	17
3965	----	----	----/81.10A	99.40B/81.10A	----	97.40	- 3.10	.2819	----	----	----	20
3970	----	----	----/82.40A	101.00B/82.40A	----	98.90	- 3.20	.2853	----	----	----	3
3975	92.30	92.30	102.50B/83.70A	102.50B/83.70A	----	100.40	NEW	.2887	----	1	----	1 +
3980	----	----	----/85.00A	104.10B/85.00A	----	102.00	- 3.20	.2922	----	----	----	2
3985	102.40	102.40	105.70B/86.30A	105.70B/86.30A	----	103.50	NEW	.2956	----	5	----	5 +
3990	----	----	----/87.70A	107.30B/87.70A	----	105.10	- 3.30	.2990	----	----	----	6
3995	----	----	----/89.10A	108.90B/89.10A	----	106.70	- 3.40	.3025	----	----	----	5
4000	107.40	107.40	110.50B/90.50A	110.50B/90.50A	----	108.30	- 3.50	.3060	----	18	----	771 +
4005	----	----	----/91.90A	112.20B/91.90A	----	110.00	- 3.40	.3096	----	----	----	32
4010	----	----	----/93.40A	113.90B/93.40A	----	111.60	- 3.50	.3130	----	----	----	4
4015	----	----	----/94.80A	115.60B/94.80A	----	113.30	- 3.60	.3166	----	----	----	4
4020	----	----	----/96.30A	117.30B/96.30A	----	115.00	- 3.60	.3202	----	----	----	2
4025	117.50	117.50	117.50B/97.70A	119.00B/97.70A	----	116.80	- 3.60	.3238	----	1	----	36
4030	----	----	----/99.30A	120.80B/99.30A	----	118.50	- 3.70	.3274	----	----	----	30
4035	----	----	----/100.90A	122.60B/100.90A	----	120.30	- 3.70	.3311	----	----	----	19
4040	----	----	----/102.40A	124.50B/102.40A	----	122.10	- 3.70	.3347	----	----	----	205
4050	----	----	----/105.50A	128.20B/105.50A	----	125.70	- 3.80	.3421	----	2	----	645
4055	----	----	----/107.20A	130.00B/107.20A	----	127.50	- 3.90	.3457	----	----	----	2
4060	----	----	----/108.80A	132.00B/108.80A	----	129.40	- 3.90	.3495	----	----	----	4
4065	----	----	----/110.50A	133.90B/110.50A	----	131.30	- 4.00	.3532	----	----	----	3
4070	----	----	----/112.10A	135.90B/112.10A	----	133.20	- 4.00	.3569	----	----	----	19
4075	----	----	----/113.90A									



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

BULLETIN #188@				METALS OPTION PRODUCTS										wed, Sep 30, 2026				PG64	
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
OG PUT		COMEX GOLD OPTIONS																	
FEB27																			
4240	200.00	200.00	215.00B/182.00A	215.00B/182.00A	----	211.60	- 5.10	.4893	----	----	1	----	3 +	1					
4245	----	----	----/184.50A	217.80B/184.50A	----	214.30	- 5.10	.4932	----	----	----	----	19	UNCH					
4250	200.20	200.20	220.60B/186.90A	220.60B/186.90A	----	217.10	- 5.10	.4971	----	29	----	----	463 +	12					
4255	----	----	----/189.50A	223.30B/189.50A	----	219.80	- 5.10	.5010	----	----	----	----	30	UNCH					
4260	204.50	204.50	226.00B/191.90A	226.00B/191.90A	----	222.60	- 5.10	.5049	----	4	----	----	6 +	4					
4265	224.50	224.50	228.90B/194.40A	228.90B/194.40A	----	225.40	- 5.10	.5088	----	6	----	----	17 +	6					
4270	202.00	202.00	231.70B/197.20A	231.70B/197.20A	----	228.20	- 5.10	.5127	----	7	----	----	23 +	4					
4275	----	----	----/199.70A	234.60B/199.70A	----	231.00	- 5.20	.5165	----	3	----	----	58 +	3					
4280	208.00	208.00	237.30B/202.40A	237.30B/202.40A	----	233.80	- 5.20	.5204	----	28	----	----	28 +	24					
4285	224.50	224.50	240.30B/204.90A	240.30B/204.90A	----	236.70	NEW	.5243	----	6	----	----	6 +	6					
4290	----	----	----/207.60A	243.20B/207.60A	----	239.60	- 5.20	.5281	----	----	----	----	4	UNCH					
4300	----	----	----/212.70A	249.10B/212.70A	----	245.40	- 5.30	.5357	----	----	----	----	289	UNCH					
4315	----	----	----/221.10A	258.10B/221.10A	----	254.40	- 5.30	.5471	----	----	----	----	113	UNCH					
4320	----	----	----/223.80A	261.10B/223.80A	----	257.40	- 5.40	.5509	----	----	----	----	50	UNCH					
4325	----	----	----/226.60A	264.20B/226.60A	----	260.40	- 5.40	.5547	----	----	----	----	19	UNCH					
4330	----	----	----/229.30A	267.20B/229.30A	----	263.50	- 5.40	.5584	----	----	----	----	6	UNCH					
4335	----	----	----/232.20A	270.30B/232.20A	----	266.50	- 5.50	.5621	----	----	----	----	136	UNCH					
4340	----	----	----/235.00A	273.40B/235.00A	----	269.60	- 5.50	.5658	----	----	----	----	23	UNCH					
4345	----	----	----/237.90A	276.60B/237.90A	----	272.70	- 5.50	.5695	----	----	----	----	31	UNCH					
4350	261.50	261.50	279.70B/240.70A	279.70B/240.70A	----	275.90	- 5.50	.5733	----	1	----	----	28 -	1					
4355	----	----	----/243.70A	282.80B/243.70A	----	279.00	- 5.60	.5769	----	----	----	----	5	UNCH					
4360	----	----	----/246.60A	286.10B/246.60A	----	282.20	- 5.60	.5806	----	----	----	----	19	UNCH					
4365	----	----	----/249.60A	289.30B/249.60A	----	285.40	- 5.60	.5842	----	----	----	----	50	UNCH					
4370	----	----	----/252.50A	292.50B/252.50A	----	288.60	- 5.60	.5879	----	----	----	----	37	UNCH					
4375	----	----	----/255.60A	295.70B/255.60A	----	291.80	- 5.70	.5915	----	----	----	----	25	UNCH					
4380	----	----	----/258.50A	298.80B/258.50A	----	295.00	- 5.80	.5951	----	----	----	----	21	UNCH					
4385	----	----	----/261.50A	302.10B/261.50A	----	298.30	- 5.80	.5987	----	----	----	----	207	UNCH					
4390	----	----	----/264.50A	305.40B/264.50A	----	301.60	- 5.80	.6022	----	----	----	----	60	UNCH					
4395	----	----	----/267.70A	308.60B/267.70A	----	304.90	- 5.80	.6058	----	----	----	----	7	UNCH					
4400	----	----	----/270.60A	312.00B/270.60A	----	308.20	- 5.90	.6093	----	----	----	----	576	UNCH					
4405	----	----	----/273.80A	315.30B/273.80A	----	311.50	- 5.90	.6128	----	----	----	----	24	UNCH					
4410	----	----	----/276.80A	318.70B/276.80A	----	314.90	- 5.90	.6163	----	----	----	----	18	UNCH					
4425	----	----	----/286.30A	328.70B/286.30A	----	325.10	- 6.00	.6266	----	----	----	----	10	UNCH					
4430	----	----	----/289.60A	332.30B/289.60A	----	328.50	- 6.00	.6301	----	----	----	----	255	UNCH					
4435	----	----	----/292.70A	335.60B/292.70A	----	331.90	- 6.10	.6335	----	----	----	----	5	UNCH					
4440	----	----	----/296.20A	339.10B/296.20A	----	335.40	- 6.10	.6369	----	----	----	----	6	UNCH					
4445	----	----	----/299.70A	342.60B/299.70A	----	338.90	- 6.10	.6402	----	----	----	----	11	UNCH					
4450	----	----	----/303.20A	346.10B/303.20A	----	342.40	- 6.10	.6436	----	----	----	----	193	UNCH					
4455	----	----	----/306.60A	349.60B/306.60A	----	345.90	- 6.20	.6469	----	----	----	----	9	UNCH					
4460	----	----	----/310.00A	353.20B/310.00A	----	349.40	- 6.20	.6502	----	----	----	----	74	UNCH					
4465	----	----	----/313.50A	356.70B/313.50A	----	352.90	- 6.30	.6535	----	----	----	----	13	UNCH					
4470	----	----	----/316.80A	360.30B/316.80A	----	356.50	- 6.30	.6568	----	----	----	----	6	UNCH					
4475	----	----	----/320.20A	363.90B/320.20A	----	360.10	- 6.30	.6600	----	----	----	----	25	UNCH					
4480	----	----	----/323.50A	367.50B/323.50A	----	363.70	- 6.30	.6632	----	----	----	----	8	UNCH					
4490	----	----	----/330.30A	374.70B/330.30A	----	370.90	- 6.40	.6696	----	----	----	----	24	UNCH					
4495	----	----	----/333.80A	378.50B/333.80A	----	374.60	- 6.40	.6728	----	----	----	----	29	UNCH					
4500	----	----	----/337.20A	382.00B/337.20A	----	378.20	- 6.40	.6759	----	----	----	----	123	UNCH					
4505	----	----	----/340.70A	385.70B/340.70A	----	381.90	- 6.40	.6791	----	----	----	----	15	UNCH					
4510	----	----	----/344.20A	389.60B/344.20A	----	385.60	- 6.40	.6821	----	----	----	----	5	UNCH					
4515	----	----	----/347.70A	393.30B/347.70A	----	389.30	- 6.50	.6852	----	----	----	----	20	UNCH					
4520	----	----	----/351.20A	397.00B/351.20A	----	393.00	- 6.50	.6882	----	----	----	----	50	UNCH					
4550	----	----	----/372.50A	419.70B/372.50A	----	415.60	- 6.70	.7061	----	----	----	----	109	UNCH					
4555	----	----	----/376.20A	423.00B/376.20A	----	419.50	- 6.60	.7089	----	----	----	----	1	UNCH					
4570	----	----	----/387.10A	435.10B/387.10A	----	431.00	- 6.70	.7175	----	----	----	----	19	UNCH					
4575	----	----	----/390.80A	439.10B/390.80A	----	434.90	- 6.70	.7203	----	----	----	----	32	UNCH					
4580	----	----	----/394.50A	442.90B/394.50A	----	438.80	- 6.70	.7232	----	----	----	----	3	UNCH					
4585	----	----	----/398.20A	446.80B/398.20A	----	442.70	- 6.70	.7258	----	----	----	----	18	UNCH					
4600	----	----	----/409.50A	458.80B/409.50A	----	454.50	- 6.80	.7340	----	----	----	----	165	UNCH					
4615	----	----	----/420.70A	470.20B/420.70A	----	466.40	- 6.80	.7421	----	----	----	----	1	UNCH					
4625	----	----	----/428.40A	478.80B/428.40A	----	474.40	- 6.80	.7473	----	----	----	----	3	UNCH					
4630	----	----	----/432.20A	482.70B/432.20A	----	478.40	- 6.90	.7498	----	----	----	----	7	UNCH					
4635	----	----	----/436.00A	486.50B/436.00A	----	482.50	- 6.80	.7523	----	----	----	----	2	UNCH					
4640	----	----	----/439.90A	490.80B/439.90A	----	486.50	- 6.90	.7548	----	----	----	----	3	UNCH					
4650	----	----	----/447.80A	498.50B/447.80A	----	494.60	- 6.90	.7598	----	----	----	----	1	UNCH					
4655	----	----	----/451.60A	502.60B/451.60A	----	498.70	- 6.90	.7622	----	----	----	----	1	UNCH					
4660	471.40	471.40	507.40B/455.50A	507.40B/455.50A	----	502.80	- 6.90	.7647	----	7	----	----	443 +	7					
4665	----	----	----/459.50A	511.40B/459.50A	----	506.90	- 6.90	.7671	----	----	----	----	3	UNCH					
4680	----	----	----/471.30A	523.80B/471.30A	----	519.30	- 6.90	.7742	----	----	----	----	1	UNCH					
4690	----	----	----/479.30A	531.80B/479.30A	----	527.60	- 6.90	.7789	----	----	----	----	3	UNCH					
4695	517.80	517.80	536.30B/483.30A	536.30B/483.30A	----	531.80	- 6.90	.7812	----	3	----	----	28 +	3					
4700	----	----	----/487.30A	540.40B/487.30A	----	536.00	- 6.90	.7834	----	----	----	----	133	UNCH					
4705	----	----	----/491.30A	544.70B/491.30A	----	540.10	- 7.00	.7856	----	----	----	----	3	UNCH					
4710	----	----	----/495.40A	548.90B/495.40A	----	544.30	- 7.00	.7879	----	----	----	----	3	UNCH					
4725	----	----	----/507.60A	561.10B/507.60A	----	557.00	- 7.00	.7944	----	----	----	----	10	UNCH					
4730	----	----	----/511.60A	565.30B/511.60A	----	561.20	- 7.00	.7965	----	----	----	----	16	UNCH					
4750	561.10	561.10	579.40B/528.10A	579.40B/528.10A	----	578.30	- 7.00	.8049	----	12	----	----	43 +	12					
4755	561.10	561.10	583.00B/532.20A	583.00B/532.20A	----	582.60	- 7.00	.8070	----	30	----	----	31 +	30					
4760	567.70	567.70	583.60B/536.30A	583.60B/536.30A	----	586.90	NEW	.8109	----	3	----	----	3 +	3					
4765	572.60	572.60	592.40B/540.50A	592.40B/540.50A	----	591.20	NEW	.8090	----	8	----	----	8 +	8					
4775	575.40	575.40	600.90B/548.80A	600.90B/548.80A	----	599.80	- 7.00	.8149	----	12	----	----	13 +	12					
4780	562.00	562.00	605.30B/553.00A	605.30B/553.00A	----	604.20	NEW	.8167	----	8	----	----	8 +	8					
4785	----	----	----/557.20A	609.50B/557.20A	----	608.50	- 7.00	.8188	----	----	----	----	100	UNCH					
4800	----	----	----/569.90A	622.60B/569.90A	----	621.60	- 7.00	.8244	----	----	----	----	311	UNCH					
4805	----	----	----/574.10A	627.00B/574.10A	----	625.90	- 7.10	.8263	----	----	----	----	2	UNCH					
4810	----	----	----/581.70A	631.40B/581.70A	----	630.30	- 7.10	.8281	----	----	----	----	20	UNCH					
4825	----	----	----/594.50A	644.50B/594.50A	----	643.50	- 7.10	.8335	----	----	----	----	5	UNCH					
4835	----	----	----/603.10A	653.40B/603.10A	----	652.40	- 7.00	.8370	----	----	----	----	1	UNCH					
4840	----	----	----/609.10A	657.80B/609.10A	----	656.80	- 7.00	.8386	----	----	----	----	1	UNCH					
4845	----	----	----/613.50A	662.20B/613.50A	----	661.20	- 7.10	.8402	----	----	----	----	3	UNCH					
4855	----	----	----/622.20A	671.00B/622.20A	----	670.10	- 7.10	.8437	----	----	----	----	3	UNCH					
4900	----	----	----/661.90A	711.20B/661.90A	----	710.50	- 7.00	.8577	----	----	----	----	4	UNCH					
4905	----	----	----/666.30A	715.70B/666.30A	----	715.00	- 7.10	.8593	----	----	----	----	4	UNCH					
4950	----	----	----/706.60A	756.50B/706.60A	----	756.00	- 7.00	.8721	----	----	----	----	1	UNCH					
4955	----	----	----/711.20A	761.10B/711.20A	----	760.50	- 7.10	.8734	----	----	----	----	1	UNCH					
5000	----	----	----/752.10A	802.30B/752.10A	----	802.00													

BULLETIN #188@				METALS OPTION PRODUCTS										wed, Sep 30, 2026		PG64	
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT		COMEX GOLD OPTIONS															
MAR27																	
3700	----	----	----	/42.90A	51.10B/42.90A	----	50.50	- 1.60	.1475	----	----	----	20	----	29	- 17	
3725	----	----	----	/46.00A	55.10B/46.00A	----	54.40	- 1.70	.1573	----	----	----	----	----	17	UNCH	
3740	----	----	----	/48.10A	57.60B/48.10A	----	56.80	- 1.80	.1634	----	----	----	----	----	29	UNCH	
3750	----	----	----	/49.50A	59.30B/49.50A	----	58.50	- 1.80	.1676	----	----	----	----	----	10	UNCH	
3760	----	----	----	/51.00A	61.00B/51.00A	----	60.20	- 1.90	.1718	----	----	----	----	----	1	UNCH	
3775	----	----	----	/53.30A	63.80B/53.30A	----	62.90	- 2.00	.1783	----	----	----	----	----	1	UNCH	
3780	----	----	----	/54.10A	64.80B/54.10A	----	63.80	- 2.00	.1805	----	----	----	----	----	25	UNCH	
3785	----	----	----	/54.90A	65.70B/54.90A	----	64.80	- 2.00	.1828	----	----	----	----	----	1	UNCH	
3790	----	----	----	/55.70A	66.70B/55.70A	----	65.70	- 2.10	.1850	----	----	----	----	----	1	UNCH	
3795	----	----	----	/56.50A	67.70B/56.50A	----	66.70	- 2.10	.1874	----	----	----	----	----	1	UNCH	
3800	----	----	----	/57.30A	68.60B/57.30A	----	67.70	- 2.10	.1897	----	----	----	----	----	96	UNCH	
3810	----	----	----	/59.00A	70.60B/59.00A	----	69.60	- 2.20	.1943	----	----	----	----	----	1	UNCH	
3815	----	----	----	/59.90A	71.70B/59.90A	----	70.70	- 2.20	.1968	----	----	----	----	----	1	UNCH	
3820	----	----	----	/60.80A	72.90B/60.80A	----	71.70	- 2.20	.1991	----	----	----	----	----	30	UNCH	
3825	----	----	----	/61.60A	73.80B/61.60A	----	72.70	- 2.30	.2015	----	----	----	----	----	131	UNCH	
3830	----	----	----	/62.60A	74.90B/62.60A	----	73.80	- 2.30	.2040	----	----	----	----	----	1	UNCH	
3840	----	----	----	/64.40A	77.00B/64.40A	----	76.00	- 2.30	.2089	----	----	----	----	----	2	UNCH	
3845	----	----	----	/65.50A	78.20B/65.50A	----	77.10	- 2.30	.2114	----	----	----	----	----	1	UNCH	
3850	----	----	----	/66.30A	79.30B/66.30A	----	78.20	- 2.40	.2139	----	----	----	----	----	48	UNCH	
3855	----	----	----	/67.30A	80.40B/67.30A	----	79.30	- 2.40	.2165	----	----	----	----	----	3	UNCH	
3860	----	----	----	/68.30A	81.60B/68.30A	----	80.40	- 2.50	.2190	----	----	----	----	----	2	UNCH	
3865	----	----	----	/69.30A	82.80B/69.30A	----	81.60	- 2.50	.2216	----	----	----	----	----	26	UNCH	
3870	79.70	79.70	79.70	84.00B/70.30A	84.00B/70.30A	84.00B/70.30A	82.80	- 2.50	.2242	----	----	1	----	----	3	UNCH	
3875	----	----	----	/71.30A	85.20B/71.30A	----	84.00	- 2.50	.2269	----	----	----	----	----	12	UNCH	
3885	----	----	----	/73.40A	87.60B/73.40A	----	86.40	- 2.60	.2321	----	----	----	----	----	1	UNCH	
3890	----	----	----	/74.40A	88.90B/74.40A	----	87.60	- 2.70	.2348	----	----	----	----	----	1	UNCH	
3900	----	----	----	/76.70A	91.50B/76.70A	----	90.20	- 2.70	.2403	----	----	131	100	1277	+	109	
3935	----	----	----	/84.80A	100.90B/84.80A	----	99.50	- 2.90	.2599	----	----	----	----	----	213	UNCH	
3945	----	----	----	/87.10A	103.80B/87.10A	----	102.30	- 3.00	.2657	----	----	----	----	----	25	UNCH	
3950	----	----	----	/88.60A	105.30B/88.60A	----	103.80	- 3.00	.2687	----	----	----	----	----	5	UNCH	
3975	----	----	----	/94.80A	112.90B/94.80A	----	111.20	- 3.20	.2835	----	----	----	----	----	1	UNCH	
4000	----	----	----	/101.70A	120.80B/101.70A	----	119.10	- 3.30	.2989	----	----	----	----	----	89	UNCH	
4020	----	----	----	/107.50A	127.50B/107.50A	----	125.70	- 3.50	.3114	----	----	----	----	----	40	UNCH	
4050	----	----	----	/116.70A	138.10B/116.70A	----	136.20	- 3.60	.3306	----	----	----	----	----	40	UNCH	
4070	----	----	----	/123.30A	145.60B/123.30A	----	143.50	- 3.80	.3437	----	----	----	----	----	1	UNCH	
4075	----	----	----	/125.00A	147.30B/125.00A	----	145.40	- 3.80	.3470	----	----	----	----	----	249	UNCH	
4080	138.40	138.40	138.40	149.40B/126.70A	149.40B/126.70A	149.40B/126.70A	147.30	NEW	.3503	----	----	1	----	----	1	+	1
4100	----	----	----	/133.50A	157.30B/133.50A	----	155.10	- 4.00	.3637	----	----	----	----	----	340	UNCH	
4130	----	----	----	/144.90A	169.80B/144.90A	----	167.50	- 4.10	.3841	----	----	----	----	----	390	UNCH	
4135	----	----	----	/146.60A	172.00B/146.60A	----	169.60	- 4.20	.3875	----	----	----	----	----	40	UNCH	
4140	----	----	----	/148.70A	174.10B/148.70A	----	171.70	- 4.20	.3910	----	----	----	----	----	2	UNCH	
4145	----	----	----	/150.30A	176.30B/150.30A	----	173.90	- 4.20	.3944	----	----	----	----	----	1	UNCH	
4150	----	----	----	/152.50A	178.60B/152.50A	----	176.00	- 4.30	.3978	----	----	----	----	----	11	UNCH	
4155	----	----	----	/154.40A	180.70B/154.40A	----	178.20	- 4.40	.4013	----	----	----	----	----	21	UNCH	
4160	----	----	----	/156.50A	182.90B/156.50A	----	180.50	- 4.30	.4048	----	----	----	----	----	1	UNCH	
4165	----	----	----	/158.50A	185.30B/158.50A	----	182.70	- 4.40	.4082	----	----	----	----	----	40	UNCH	
4170	----	----	----	/160.50A	187.50B/160.50A	----	185.00	- 4.30	.4117	----	----	----	----	----	1	UNCH	
4175	----	----	----	/163.10A	189.90B/163.10A	----	187.20	- 4.40	.4152	----	----	----	----	----	4	UNCH	
4200	----	----	----	/172.90A	201.60B/172.90A	----	198.90	- 4.50	.4326	----	----	----	----	----	577	UNCH	
4205	----	----	----	/175.20A	204.10B/175.20A	----	201.30	- 4.60	.4361	----	----	----	----	----	4	UNCH	
4215	----	----	----	/179.60A	208.90B/179.60A	----	206.20	- 4.50	.4431	----	----	----	----	----	50	UNCH	
4235	----	----	----	/188.80A	219.00B/188.80A	----	216.10	- 4.60	.4571	----	----	----	----	----	27	UNCH	
4250	----	----	----	/195.60A	226.80B/195.60A	----	223.80	- 4.60	.4676	----	----	----	----	----	19	UNCH	
4255	----	----	----	/198.20A	229.40B/198.20A	----	226.40	- 4.60	.4711	----	----	----	----	----	1	UNCH	
4260	----	----	----	/200.80A	232.10B/200.80A	----	229.00	- 4.60	.4746	----	----	----	----	----	4	UNCH	
4265	----	----	----	/202.90A	234.70B/202.90A	----	231.60	- 4.70	.4781	----	----	----	----	----	1	UNCH	
4270	----	----	----	/205.30A	237.30B/205.30A	----	234.30	- 4.60	.4816	----	----	----	----	----	35	UNCH	
4285	----	----	----	/212.70A	245.40B/212.70A	----	242.30	- 4.70	.4920	----	----	----	----	----	100	UNCH	
4300	----	----	----	/220.40A	254.00B/220.40A	----	250.60	- 4.60	.5024	----	----	----	----	----	201	UNCH	
4320	----	----	----	/230.60A	265.20B/230.60A	----	261.90	- 4.60	.5161	----	----	----	----	----	2	UNCH	
4325	----	----	----	/234.50A	268.10B/234.50A	----	264.70	- 4.70	.5196	----	----	----	----	----	20	UNCH	
4350	----	----	----	/246.70A	282.70B/246.70A	----	279.40	- 4.70	.5365	----	----	----	----	----	41	UNCH	
4370	----	----	----	/258.30A	294.90B/258.30A	----	291.40	- 4.90	.5499	----	----	----	----	----	270	UNCH	
4375	----	----	----	/262.90A	297.90B/262.90A	----	294.50	- 5.00	.5532	----	----	----	----	----	1	UNCH	
4395	----	----	----	/274.70A	310.40B/274.70A	----	306.90	- 5.20	.5664	----	----	----	----	----	4	UNCH	
4400	----	----	----	/277.00A	313.60B/277.00A	----	310.00	- 5.30	.5696	----	----	----	----	----	27	UNCH	
4420	----	----	----	/289.10A	326.50B/289.10A	----	322.80	- 5.40	.5826	----	----	----	----	----	10	UNCH	
4425	----	----	----	/290.20A	329.70B/290.20A	----	326.00	- 5.40	.5858	----	----	----	----	----	4	UNCH	
4440	----	----	----	/301.50A	339.20B/301.50A	----	335.70	- 5.50	.5954	----	----	----	----	----	52	UNCH	
4450</																	

PG64		BULLETIN #188@										METALS OPTION PRODUCTS										wed, Sep 30, 2026		PG64	
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN VOLUME	OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG PUT		COMEX GOLD OPTIONS																							
APR27																									
3855					---/83.50A	97.60B/83.50A	---	96.40	- 2.80	.2330		---	---	---	---	---	12	UNCH							
3860	92.30	92.30			98.70B/84.70A	98.70B/84.70A	---	97.60	- 2.90	.2354		---	---	---	13	---	77	+							
3865					---/85.70A	100.20B/85.70A	---	98.90	- 2.90	.2379		---	---	---	---	---	50	UNCH							
3885					---/90.30A	105.50B/90.30A	---	104.10	- 3.00	.2480		---	---	---	---	---	1	UNCH							
3895					---/92.70A	108.10B/92.70A	---	106.90	- 3.00	.2532		---	---	---	---	---	40	UNCH							
3900					---/94.00A	109.60B/94.00A	---	108.20	- 3.10	.2557		---	---	---	---	---	225	UNCH							
3905					---/95.20A	111.10B/95.20A	---	109.60	- 3.20	.2583		---	---	---	---	---	20	UNCH							
3910					---/96.50A	112.50B/96.50A	---	111.00	- 3.20	.2609		---	---	---	---	---	1	UNCH							
3925					---/100.30A	116.80B/100.30A	---	115.30	- 3.30	.2689		---	---	---	---	---	5	UNCH							
3930					---/101.50A	118.40B/101.50A	---	116.80	- 3.30	.2716		---	---	---	---	---	20	UNCH							
3935					---/103.00A	119.80B/103.00A	---	118.30	- 3.30	.2743		---	---	---	---	---	6	UNCH							
3950					---/106.80A	124.40B/106.80A	---	122.90	- 3.40	.2825		---	---	---	1	---	3	UNCH							
3960					---/109.90A	127.60B/109.90A	---	126.00	- 3.50	.2880		---	---	---	---	---	2	UNCH							
3970					---/112.60A	131.00B/112.60A	---	129.10	- 3.60	.2936		---	---	---	---	---	13	UNCH							
3980					---/115.80A	134.20B/115.80A	---	132.40	- 3.60	.2992		---	---	---	---	---	1	UNCH							
3995	130.90	130.90			139.30B/120.10A	139.30B/120.10A	---	137.40	- NEW	.3078		---	---	---	4	---	4	+							
4000					---/121.40A	141.00B/121.40A	---	139.10	- 3.70	.3107		---	---	---	1	---	361	UNCH							
4050					---/138.00A	159.20B/138.00A	---	157.20	- 4.00	.3401		---	---	---	---	---	5	UNCH							
4055	148.70	148.70			161.10B/139.20A	161.10B/139.20A	---	159.10	- NEW	.3431		---	---	---	50	---	50	+							
4060					---/141.10A	162.90B/141.10A	---	161.00	- 4.00	.3461		---	---	---	---	---	1	UNCH							
4065					---/142.60A	165.00B/142.60A	---	162.90	- 4.10	.3492		---	---	---	---	---	36	UNCH							
4080					---/148.10A	171.00B/148.10A	---	168.90	- 4.10	.3583		---	---	---	---	---	1	UNCH							
4095					---/153.40A	177.10B/153.40A	---	174.90	- 4.20	.3675		---	---	---	---	---	5	UNCH							
4100					---/155.40A	179.10B/155.40A	---	177.00	- 4.20	.3706		---	---	---	---	---	818	UNCH							
4125					---/164.80A	189.70B/164.80A	---	187.60	- 4.30	.3861		---	---	---	---	---	353	UNCH							
4145					---/173.10A	198.50B/173.10A	---	196.30	- 4.40	.3985		---	---	---	---	---	1	UNCH							
4150					---/174.80A	200.80B/174.80A	---	198.50	- 4.50	.4017		---	---	---	---	---	139	UNCH							
4160					---/179.40A	205.40B/179.40A	---	203.10	- 4.40	.4080		---	---	---	---	---	30	UNCH							
4165					---/182.40A	207.50B/182.40A	---	205.30	- 4.50	.4111		---	---	---	---	---	4	UNCH							
4195					---/195.30A	222.00B/195.30A	---	219.40	- 4.60	.4301		---	---	---	---	---	3	UNCH							
4200					---/196.60A	224.30B/196.60A	---	221.80	- 4.60	.4333		---	---	---	---	---	174	UNCH							
4210					---/200.90A	229.30B/200.90A	---	226.70	- 4.60	.4396		---	---	---	---	---	6	UNCH							
4230					---/210.70A	239.40B/210.70A	---	236.60	- 4.70	.4523		---	---	---	---	---	105	UNCH							
4245					---/217.80A	247.20B/217.80A	---	244.30	- 4.70	.4618		---	---	---	---	---	1	UNCH							
4250					---/219.00A	249.60B/219.00A	---	246.90	- 4.70	.4650		---	---	---	---	---	120	UNCH							
4255					---/223.00A	252.30B/223.00A	---	249.50	- 4.80	.4682		---	---	---	---	---	15	UNCH							
4260					---/225.20A	254.90B/225.20A	---	252.10	- 4.80	.4713		---	---	---	---	---	15	UNCH							
4275					---/232.00A	262.90B/232.00A	---	260.10	- 4.80	.4808		---	---	---	---	---	20	UNCH							
4285					---/237.40A	268.50B/237.40A	---	265.50	- 4.80	.4871		---	---	---	---	---	50	UNCH							
4290					---/239.50A	271.10B/239.50A	---	268.20	- 4.90	.4902		---	---	---	---	---	1	UNCH							
4300					---/244.70A	276.80B/244.70A	---	273.70	- 4.90	.4965		---	---	---	---	---	256	UNCH							
4330					---/260.40A	293.70B/260.40A	---	290.70	- 5.00	.5152		---	---	---	---	---	5	UNCH							
4345					---/269.60A	302.50B/269.60A	---	299.40	- 5.00	.5244		---	---	---	---	---	6	UNCH							
4350					---/270.10A	305.50B/270.10A	---	302.30	- 5.10	.5275		---	---	---	---	---	83	UNCH							
4365					---/281.20A	314.40B/281.20A	---	311.30	- 5.00	.5366		---	---	---	---	---	1	UNCH							
4370					---/284.00A	317.40B/284.00A	---	314.30	- 5.10	.5396		---	---	---	---	---	1	UNCH							
4375					---/286.20A	320.40B/286.20A	---	317.30	- 5.10	.5427		---	---	---	---	---	8	UNCH							
4385					---/292.60A	326.50B/292.60A	---	323.40	- 5.10	.5487		---	---	---	---	---	3	UNCH							
4395					---/298.10A	332.70B/298.10A	---	329.60	- 5.10	.5546		---	---	---	---	---	2	UNCH							
4400					---/300.70A	335.90B/300.70A	---	332.70	- 5.10	.5576		---	---	---	---	---	30	UNCH							
4405					---/304.30A	339.00B/304.30A	---	335.80	- 5.20	.5606		---	---	---	---	---	1	UNCH							
4410					---/307.40A	342.10B/307.40A	---	338.90	- 5.20	.5635		---	---	---	---	---	2	UNCH							
4415					---/310.10A	345.40B/310.10A	---	342.10	- 5.20	.5665		---	---	---	---	---	3	UNCH							
4420					---/313.20A	348.60B/313.20A	---	345.30	- 5.20	.5694		---	---	---	---	---	31	UNCH							
4425					---/316.00A	351.60B/316.00A	---	348.50	- 5.20	.5723		---	---	---	---	---	5	UNCH							
4430					---/319.00A	354.60B/319.00A	---	351.70	- 5.20	.5752		---	---	---	---	---	1	UNCH							
4435					---/322.00A	358.00B/322.00A	---	354.90	- 5.20	.5781		---	---	---	---	---	13	UNCH							
4440					---/325.40A	361.10B/325.40A	---	358.10	- 5.20	.5810		---	---	---	---	---	50	UNCH							
4450					---/331.00A	367.50B/331.00A	---	364.60	- 5.30	.5868		---	---	---	---	---	138	UNCH							
4455					---/334.70A	371.10B/334.70A	---	367.90	- 5.30	.5897		---	---	---	---	---	2	UNCH							
4460					---/337.60A	374.40B/337.60A	---	371.20	- 5.30	.5925		---	---	---	---	---	2	UNCH							
4465					---/340.90A	377.70B/340.90A	---	374.50	- 5.30	.5953		---	---	---	---	---	3	UNCH							
4470					---/344.20A	381.10B/344.20A	---	377.80	- 5.30	.5981		---	---	---	---	---	4	UNCH							
4475					---/347.30A	384.30B/347.30A	---	381.10	- 5.40	.6010		---	---	---	---	---	2	UNCH							
4480					---/350.40A	387.80B/350.40A	---	384.40	- 5.40	.6038		---	---	---	---	---	1	UNCH							
4490					---/357.10A	394.60B/357.10A	---	391.20	- 5.40	.6094		---	---	---	---	---	31	UNCH							
4495					---/360.20A	398.00B/360.20A	---	394.50	- 5.50	.6121		---	---	---	---	---	11	UNCH							
4500					---/363.50A	401.30B/363.50A	---	397.90	- 5.50	.6149		---	---	---	---	---	258	UNCH							
4510					---/370.00A	408.20B/370.00A	---	404.80	- 5.50	.6204		---	---	---	---	---	1	UNCH							
4515					---/373.40A	411.60B/373.40A	---	408.20	- 5.60	.6231		---	---	---	---	---	1	UNCH							
4535					---/386.70A	424.10B/386.70A	---	422.10	- 5.70	.6339		---	---	---	---	---	13	UNCH							
4540					---/389.90A	427.60B/389.90A	---	425.60	- 5.70	.6365		---	---	---	---	---	100	UNCH							
4545					---/393.10A	431.20B/393.10A	---	429.10	- 5.70	.6392		---	---	---	---	---	1	UNCH							
4550					---/396.50A	434.70B/396.50A	---	432.60	- 5.80	.6418		---	---	---	---	---	100	UNCH							
4565					---/406.80A	445.50B/406.80A	---	443.30	- 5.80	.6497		---	---	---	---	---	10	UNCH							
4575					---/413.70A	452.70B/413.70A	---	450.50	- 5.80	.6547		---	---	---	---	---	50	UNCH							
4590					---/424.50A	463.70B/424.50A	---	461.50	- 5.70	.6623		---	---	---	---	---	4	UNCH							
4600					---/432.30A	471.00B/432.30A	---	468.80	- 5.80	.6673		---	---	---	---	---	229	UNCH							
4610					---/439.30A	478.40B/439.30A	---	476.20	- 5.80	.6722		---	---	---	---	---	4	UNCH							
4620					---/446.50A	486.00B/446.50A	---	483.70	- 5.70	.6771		---	---	---											



PRELIMINARY



PG64		BULLETIN #188@										METALS OPTION PRODUCTS										wed, Sep 30, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN VOLUME	OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST							
OG PUT		COMEX GOLD OPTIONS																						
MAY27																								
4075	----	----	----	----	/157.10A	177.50B	/157.10A	----	----	175.70 - 3.90	.3418	----	----	----	----	----	1	UNCH						
4100	----	----	----	----	/166.00A	187.40B	/166.00A	----	----	185.50 - 4.00	.3556	----	----	----	----	----	65	UNCH						
4115	----	----	----	----	/171.70A	193.60B	/171.70A	----	----	191.50 - 4.20	.3639	----	----	----	----	----	2	UNCH						
4200	----	----	----	----	/205.90A	231.10B	/205.90A	----	----	228.70 - 4.50	.4121	----	----	----	----	----	310	UNCH						
4240	----	----	----	----	/223.70A	250.30B	/223.70A	----	----	247.80 - 4.60	.4351	----	----	----	----	----	14	UNCH						
4250	----	----	----	----	/228.30A	255.40B	/228.30A	----	----	252.70 - 4.70	.4409	----	----	----	----	----	1	UNCH						
4270	----	----	----	----	/237.60A	265.40B	/237.60A	----	----	262.80 - 4.70	.4524	----	----	----	----	----	10	UNCH						
4300	----	----	----	----	/252.30A	281.00B	/252.30A	----	----	278.40 - 4.70	.4697	----	----	----	----	----	7	UNCH						
4340	----	----	----	----	/272.40A	303.00B	/272.40A	----	----	300.20 - 4.70	.4925	----	----	----	----	----	1	UNCH						
4350	----	----	----	----	/277.60A	308.70B	/277.60A	----	----	305.80 - 4.70	.4981	----	----	----	----	----	24	UNCH						
4400	----	----	----	----	/304.90A	337.50B	/304.90A	----	----	334.70 - 4.70	.5261	----	----	----	----	----	36	UNCH						
4405	----	----	----	----	/308.10A	340.80B	/308.10A	----	----	337.70 - 4.60	.5289	----	----	----	----	----	31	UNCH						
4410	----	----	----	----	/311.10A	343.70B	/311.10A	----	----	340.70 - 4.60	.5316	----	----	----	----	----	1	UNCH						
4450	----	----	----	----	/334.20A	367.70B	/334.20A	----	----	365.20 - 4.60	.5533	----	----	----	----	----	15	UNCH						
4470	----	----	----	----	/346.00A	380.30B	/346.00A	----	----	377.80 - 4.50	.5640	----	----	----	----	----	1	UNCH						
4490	----	----	----	----	/358.50A	393.30B	/358.50A	----	----	390.60 - 4.50	.5746	----	----	----	----	----	1	UNCH						
4495	----	----	----	----	/361.60A	396.40B	/361.60A	----	----	393.80 - 4.60	.5772	----	----	----	----	----	1	UNCH						
4500	----	----	----	----	/364.70A	399.70B	/364.70A	----	----	397.10 - 4.50	.5798	----	----	----	----	----	24	UNCH						
4510	----	----	----	----	/370.70A	406.30B	/370.70A	----	----	403.60 - 4.60	.5850	----	----	----	----	----	4	UNCH						
4550	----	----	----	----	/396.10A	433.10B	/396.10A	----	----	430.30 - 4.70	.6053	----	----	----	----	----	1	UNCH						
4575	----	----	----	----	/412.60A	450.30B	/412.60A	----	----	447.40 - 4.80	.6176	----	----	----	----	----	1	UNCH						
4600	----	----	----	----	/429.30A	465.50B	/429.30A	----	----	464.80 - 5.00	.6298	----	----	----	----	----	6	UNCH						
4640	----	----	----	----	/456.50A	494.10B	/456.50A	----	----	493.20 - 5.30	.6486	----	----	----	----	----	1	UNCH						
4650	----	----	----	----	/463.30A	501.30B	/463.30A	----	----	500.50 - 5.20	.6532	----	----	----	----	----	100	UNCH						
4700	----	----	----	----	/500.50A	538.40B	/500.50A	----	----	537.30 - 5.50	.6755	----	----	----	----	----	71	UNCH						
4725	----	----	----	----	/518.50A	557.30B	/518.50A	----	----	556.10 - 5.60	.6862	----	----	----	----	----	1	UNCH						
4760	----	----	----	----	/544.40A	584.20B	/544.40A	----	----	582.90 - 5.60	.7008	----	----	----	----	----	1	UNCH						
4775	----	----	----	----	/555.50A	595.70B	/555.50A	----	----	594.60 - 5.60	.7069	----	----	----	----	----	3	UNCH						
5050	----	----	----	----	/775.30A	823.20B	/775.30A	----	----	821.30 - 5.80	.7997	----	----	----	----	----	1	UNCH						
5150	----	----	----	----	/860.70A	858.40B	/860.70A	----	----	908.90 - 5.70	.8258	----	----	----	----	----	339	UNCH						
TOTAL																5	1861+	3						
JUN27																								
2000	----	----	----	----	1.70B	/2.70A	----	----	----	2.30 - 0.10	.0048	----	----	----	----	----	2	UNCH						
2100	----	----	----	----	2.20B	/3.10A	----	----	----	2.70 - 0.20	.0058	----	----	----	----	----	1	UNCH						
2400	----	----	----	----	4.30B	/5.10A	----	----	----	4.70 - 0.30	.0107	----	----	----	----	----	1	UNCH						
2600	----	----	----	----	6.50B	/7.30A	----	----	----	7.00 - 0.30	.0164	----	----	----	----	----	1	UNCH						
2800	----	----	----	----	/10.60A	10.00B	/10.60A	----	----	10.60 - 0.30	.0253	----	----	----	----	----	216	UNCH						
2900	----	----	----	----	/12.90A	12.40B	/12.90A	----	----	13.10 - 0.40	.0315	----	----	----	----	----	1	UNCH						
3000	15.00	15.00	----	15.60B	/14.70	15.60B	/14.70	----	----	16.30 - 0.40	.0393	----	----	----	3	----	118	- 3						
3300	----	----	----	/30.20A	32.00B	/30.20A	----	----	----	32.50 - 0.90	.0768	----	----	----	----	----	110	UNCH						
3500	46.20	46.20	----	52.10B	/46.20	52.10B	/46.20	----	----	52.40 - 1.40	.1192	----	----	----	1	----	793	+ 1						
3550	53.50	53.50	----	59.00B	/53.30A	59.00B	/53.30A	----	----	59.00 - NEW	.1326	----	----	----	1	----	1	+						
3575	----	----	----	/56.50A	62.70B	/56.50A	----	----	----	62.70 - 1.70	.1398	----	----	----	----	----	2	UNCH						
3600	61.50	61.50	----	66.60B	/59.90A	66.60B	/59.90A	----	----	66.50 - 1.80	.1472	----	----	----	1	----	63	UNCH						
3625	----	----	----	/63.00A	70.70B	/63.00A	----	----	----	70.60 - 1.90	.1550	----	----	----	----	----	455	UNCH						
3650	----	----	----	/66.50A	75.00B	/66.50A	----	----	----	74.90 - 2.00	.1631	----	----	----	----	----	2	UNCH						
3655	----	----	----	/67.40A	76.00B	/67.40A	----	----	----	75.80 - 2.00	.1648	----	----	----	----	----	1	UNCH						
3675	----	----	----	/70.50A	79.70B	/70.50A	----	----	----	79.50 - 2.00	.1716	----	----	----	----	----	4	UNCH						
3700	----	----	----	/75.00A	84.60B	/75.00A	----	----	----	84.30 - 2.10	.1804	----	----	----	----	----	2389	UNCH						
3725	----	----	----	/79.40A	89.70B	/79.40A	----	----	----	89.30 - 2.30	.1894	----	----	----	----	----	6	UNCH						
3750	----	----	----	/84.30A	95.10B	/84.30A	----	----	----	94.70 - 2.30	.1988	----	----	----	----	----	140	UNCH						
3775	----	----	----	/89.20A	100.80B	/89.20A	----	----	----	100.30 - 2.40	.2085	----	----	----	----	----	13	UNCH						
3785	----	----	----	/91.50A	103.20B	/91.50A	----	----	----	102.70 - 2.40	.2126	----	----	----	----	----	2	UNCH						
3800	----	----	----	/94.40A	106.90B	/94.40A	----	----	----	106.20 - 2.50	.2186	----	----	----	----	----	588	UNCH						
3805	----	----	----	/95.60A	108.00B	/95.60A	----	----	----	107.50 - 2.50	.2207	----	----	----	----	----	1	UNCH						
3850	----	----	----	/106.10A	119.70B	/106.10A	----	----	----	119.00 - 2.70	.2396	----	----	----	----	----	150	UNCH						
3875	----	----	----	/112.20A	126.70B	/112.20A	----	----	----	125.90 - 2.70	.2506	----	----	----	----	----	1	UNCH						
3900	----	----	----	/118.70A	134.00B	/118.70A	----	----	----	133.00 - 2.90	.2617	----	----	----	----	----	400	UNCH						
3925	----	----	----	/125.50A	141.60B	/125.50A	----	----	----	140.60 - 2.90	.2733	----	----	----	----	----	150	UNCH						
3950	----	----	----	/133.20A	149.50B	/133.20A	----	----	----	148.40 - 3.00	.2850	----	----	----	----	----	651	UNCH						
3970	----	----	----	/138.80A	156.10B	/138.80A	----	----	----	154.90 - 3.10	.2945	----	----	----	----	----	260	UNCH						
4000	----	----	----	/148.30A	166.40B	/148.30A	----	----	----	165.20 - 3.10	.3092	----	----	----	----	----	1309	UNCH						
4025	----	----	----	/156.20A	175.40B	/156.20A	----	----	----	174.10 - 3.20	.3216	----	----	----	----	----	1	UNCH						
4050	----	----	----	/164.80A	184.90B	/164.80A	----	----	----	183.40 - 3.20	.3343	----	----	----	----	----	600	UNCH						
4075	----	----	----	/173.90A	194.60B	/173.90A	----	----	----	193.00 - 3.30	.3471	----	----	----	----	----	325	UNCH						
4100	----	----	----	/183.30A	204.70B	/183.30A	----	----	----	203.10 - 3.30	.3601	----	----	----	----	----	151	UNCH						
4110	----	----	----	/186.90A	208.70B	/186.90A	----	----	----	207.20 - 3.40	.3653	----	----	----	----	----	44	UNCH						
4130	----	----	----	/195.20A	217.30B	/195.20A	----	----	----	215.60 - 3.40	.3758	----	----	----	----	----	20	UNCH						
4140	----	----	----	/199.20A	221.70B	/199.20A	----	----	----	219.90 - 3.40	.3811	----	----	----	----	----	1	UNCH						
414																								

PG64	BULLETIN #188@										METALS OPTION PRODUCTS				wed, Sep 30, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST							
OG PUT	COMEX GOLD OPTIONS																		
JUL27																			
4360	318.00	318.00	331.30B/303.10A	331.30B/303.10A	----	329.10 - 4.60	.4749	----	----	1	----	2 -	1						
4370	320.00	320.00	336.70B/308.30A	336.70B/308.30A	----	334.60 NEW	.4799	----	----	2	----	2 +	2						
4375	317.50	317.50	339.50B/310.80A	339.50B/310.80A	----	337.30 NEW	.4824	----	----	2	----	2 +	2						
4390	----	----	----/318.80A	347.80B/318.80A	----	345.70 - 4.60	.4898	----	----	----	----	5	UNCH						
4400	----	----	----/324.00A	352.70B/324.00A	----	351.30 - 4.60	.4947	----	----	----	----	5	UNCH						
4475	390.30	390.30	396.80B/368.70A	396.80B/368.70A	----	395.40 - 4.50	.5309	----	----	1	----	3	UNCH						
4500	----	----	----/383.60A	412.30B/383.60A	----	410.70 - 4.50	.5428	----	----	----	----	3	UNCH						
4535	----	----	----/404.20A	434.30B/404.20A	----	432.70 - 4.50	.5590	----	----	----	----	3	UNCH						
4540	----	----	----/407.50A	437.50B/407.50A	----	435.90 - 4.50	.5613	----	----	----	----	1	UNCH						
4565	----	----	----/423.10A	453.70B/423.10A	----	452.00 - 4.60	.5726	----	----	----	----	1	UNCH						
TOTAL										10		57 +	7						
AUG27																			
3000	----	----	----/23.00A	21.40B/23.00A	----	22.60 - 0.90	.0475	----	----	----	----	1	UNCH						
3400	----	----	----/50.90A	52.20B/50.90A	----	54.60 - 1.20	.1086	----	----	----	----	1	UNCH						
3500	----	----	----/65.30A	65.90B/65.30A	----	67.50 - 1.30	.1315	----	----	----	----	1	UNCH						
3950	161.20	161.20	169.80B/156.30A	169.80B/156.30A	----	168.70 NEW	.2830	----	----	100	----	100 +	100						
4000	----	----	----/172.80A	186.90B/172.80A	----	185.60 - 3.10	.3044	----	----	----	----	4	UNCH						
4065	----	----	----/194.80A	211.00B/194.80A	----	209.70 - 3.50	.3333	----	----	----	----	300	UNCH						
4185	262.00	262.00	262.70/242.00A	262.70/242.00A	----	260.10 NEW	.3888	----	----	4	----	4 +	4						
4200	----	----	----/248.60A	268.40B/248.60A	----	267.00 - 4.20	.3959	----	----	----	----	3	UNCH						
4220	273.00	273.00	279.00/256.00A	279.00/256.00A	----	276.30 NEW	.4053	----	----	5	----	3 +	3						
4320	----	----	----/302.90A	327.40B/302.90A	----	326.10 - 4.70	.4528	----	----	----	----	1	UNCH						
4350	344.00	344.00	344.00/318.50A	344.00/318.50A	----	342.10 - 4.70	.4670	----	----	1	----	1 -	1						
4355	335.00	335.00	346.30B/320.90A	346.30B/320.90A	----	344.80 - 4.70	.4694	----	----	1	----	2 -	1						
4360	338.00	338.00	348.30B/322.50A	348.30B/322.50A	----	347.50 - 4.80	.4717	----	----	2	----	1 -	1						
4390	335.00	335.00	363.80B/335.00	363.80B/335.00	----	364.10 NEW	.4857	----	----	2	----	2 +	2						
4400	339.00	339.00	367.30B/339.00	367.30B/339.00	----	369.80 NEW	.4903	----	----	1	----	1 +	1						
4505	----	----	----/411.20A	428.30B/411.20A	----	432.10 - 4.90	.5379	----	----	----	----	2	UNCH						
4535	----	----	----/429.10A	447.20B/429.10A	----	450.80 - 4.90	.5511	----	----	----	----	2	UNCH						
4555	----	----	----/441.20A	460.00B/441.20A	----	463.60 - 4.90	.5597	----	----	----	----	2	UNCH						
4565	----	----	----/447.30A	466.40B/447.30A	----	470.10 - 4.90	.5639	----	----	----	----	1	UNCH						
4600	----	----	----/469.20A	489.40B/469.20A	----	493.00 - 4.90	.5787	----	----	----	----	1	UNCH						
4665	----	----	----/511.10A	533.40B/511.10A	----	537.00 - 4.90	.6052	----	----	----	----	1	UNCH						
TOTAL										116		434 +	107						
SEP27																			
4115	----	----	----	0.20B/462.90A	----	232.50 - 4.10	.3431	----	----	----	----	300	UNCH						
4150	----	----	----	0.20B/481.50A	----	246.70 - 4.30	.3583	----	----	----	----	50	UNCH						
4575	----	----	----	176.10B/734.90A	----	470.10 - 4.90	.5449	----	----	----	----	0	UNCH						
4585	----	----	----	182.00B/741.20A	----	476.50 - 4.80	.5490	----	----	----	----	0	UNCH						
TOTAL												350	0						
OCT27																			
3900	----	----	----	----	----	171.80 - 1.80	.2617	----	----	----	----	200	UNCH						
TOTAL												200	0						
DEC27																			
2800	----	----	----	----	----	47.60 - 0.50	.0635	----	----	----	----	16	UNCH						
3700	----	----	----	----	----	159.20 - 1.30	.2100	----	----	----	----	100	UNCH						
3715	----	----	----	----	----	162.60 - 1.40	.2140	----	----	----	----	150	UNCH						
3820	----	----	----	----	----	188.90 - 1.50	.2435	----	----	----	----	50	UNCH						
4130	----	----	----	----	----	291.90 - 1.90	.3454	----	----	----	----	168	UNCH						
4500	----	----	----	----	----	471.40 - 2.60	.4818	----	----	----	----	170	UNCH						
4630	----	----	----	----	----	548.90 - 2.70	.5277	----	----	----	----	284	UNCH						
4860	----	----	----	----	----	701.90 - 3.10	.6021	----	----	----	----	100	UNCH						
5000	----	----	----	----	----	803.90 - 3.20	.6422	----	----	----	----	50	UNCH						
5650	----	----	----	----	----	1337.50 - 3.70	.7792	----	----	----	----	200	UNCH						
5880	----	----	----	----	----	1541.70 - 3.80	.8127	----	----	----	----	200	UNCH						
TOTAL												1488	0						
JAN28																			
5000	----	----	----	----	----	792.60 - 8.90	.6218	----	----	----	----	1	UNCH						
5100	----	----	----	----	----	867.50 - 7.80	.6477	----	----	----	----	1	UNCH						
TOTAL												2	0						
FEB28																			
4400	----	----	----	----	----	433.70 - 6.40	.4278	----	----	----	----	11	UNCH						
TOTAL												11	0						
APR28																			
4400	----	----	----/430.00A	----/430.00A	----	443.00 - 13.30	.4133	----	----	----	----	5	UNCH						
TOTAL												5	0						
MAY28																			
4500	----	----	----	----	----	490.50 - 10.30	.4323	----	----	----	----	20	UNCH						
TOTAL												20	0						
JUL28																			
4500	----	----	----	----	----	492.70 - 25.00	.4190	----	----	----	----	25	UNCH						
TOTAL												25	0						
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST							
OG CALL	COMEX GOLD OPTIONS																		
NOV26																			
3350	----	----	894.90B/----	894.90B/832.10A	----	837.10 + 7.00	.9919	----	----	----	----	1	UNCH						
3390	----	----	856.50B/----	856.50B/792.30A	----	797.30 + 6.90	.9898	----	----	----	----	1	UNCH						
3400	----	----	847.60B/----	847.60B/782.30A	----	787.30 + 6.90	.9892	----	----	----	----	34	UNCH						
3445	----	----	802.50B/----	802.50B/737.70A	----	742.60 + 6.80	.9869	----	----	----	----	1	UNCH						
3450	----	----	798.30B/----	798.30B/732.80A	----	737.70 + 6.90	.9868	----	----	----	----	161	UNCH						
3500	----	----	748.10B/----	748.10B/683.10A	----	688.10 + 6.80	.9832	----	----	----	----	224	UNCH						
3550	666.90	666.90	698.20B/633.80A	698.20B/633.80A	----	638.70 NEW	.9794	----	----	8	----	8 +	8						
3600	----	----	648.70B/----	648.70B/584.40A	----	589.30 + 6.50	.9746	----	----	----	----	3	UNCH						
3700	----	----	550.10B/----	550.10B/486.50A	----	491.40 + 6.20	.9586	----	----	----	----	3							

PG64 BULLETIN #188@										METALS OPTION PRODUCTS										wed, Sep 30, 2026		PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
OG CALL		COMEX GOLD OPTIONS																				
NOV26																						
4070	----	----	----	211.80B/157.60A	211.80B/157.60A	----	163.00	+ 2.40	.7030	----	----	----	----	----	----	5	UNCH					
4075	----	----	----	207.80B/154.20A	207.80B/154.20A	----	159.50	+ 2.30	.6957	----	----	----	----	----	----	7	UNCH					
4080	----	----	----	203.80B/150.70A	203.80B/150.70A	----	156.00	+ 2.20	.6883	----	----	----	----	----	----	39	UNCH					
4085	----	----	----	199.80B/147.40A	199.80B/147.40A	----	152.50	+ 2.00	.6806	----	----	----	----	----	----	87	UNCH					
4090	----	----	----	196.10B/144.00A	196.10B/144.00A	----	149.10	+ 2.00	.6729	----	----	----	----	----	----	12	UNCH					
4095	----	----	----	192.30B/140.70A	192.30B/140.70A	----	145.80	+ 1.90	.6652	----	----	----	1	----	----	16	UNCH					
4100	----	----	----	188.60B/137.50A	188.60B/137.50A	----	142.50	+ 1.80	.6573	----	----	----	1	----	----	341 +	1					
4105	----	----	----	184.80B/134.30A	184.80B/134.30A	----	139.20	+ 1.70	.6494	----	----	----	----	----	----	16	UNCH					
4110	----	----	----	181.10B/131.20A	181.10B/131.20A	----	136.00	+ 1.70	.6413	----	----	----	1	----	----	26 -	1					
4115	----	----	----	177.50B/128.10A	177.50B/128.10A	----	132.80	+ 1.50	.6332	----	----	----	----	----	----	20	UNCH					
4120	131.40	----	131.40	173.80B/125.00A	173.80B/125.00A	----	129.70	+ 1.50	.6250	----	----	----	5	----	----	22	UNCH					
4125	----	----	----	170.30B/122.00A	170.30B/122.00A	----	126.60	+ 1.40	.6166	----	----	----	----	----	----	153	UNCH					
4130	127.20	----	127.20	166.50B/119.00A	166.50B/119.00A	----	123.60	+ 1.40	.6083	----	----	----	1	----	----	26 +	1					
4135	----	----	----	163.00B/116.20A	163.00B/116.20A	----	120.60	+ 1.30	.5999	----	----	----	----	----	----	68	UNCH					
4140	----	----	----	159.70B/113.20A	159.70B/113.20A	----	117.60	+ 1.20	.5914	----	----	----	----	----	----	17	UNCH					
4145	111.50	----	111.50	156.40B/110.50A	156.40B/110.50A	----	114.80	+ 1.20	.5829	----	----	----	1	----	----	30 +	1					
4150	131.50	----	131.50	152.90B/107.60A	152.90B/107.60A	----	111.90	+ 1.10	.5743	----	----	----	3	----	----	552 -	2					
4155	----	----	----	149.50B/104.90A	149.50B/104.90A	----	109.10	+ 1.00	.5657	----	----	----	----	----	----	52	UNCH					
4160	121.30	----	121.30	146.30B/102.30A	146.30B/102.30A	----	106.40	+ 1.00	.5571	----	----	----	4	----	----	33 -	1					
4165	119.70	----	119.70	143.30B/99.60A	143.30B/99.60A	----	103.70	+ 0.90	.5484	----	----	----	11	----	----	28 +	2					
4170	132.70	----	132.70	139.90B/97.00A	139.90B/97.00A	----	101.00	+ 0.80	.5397	----	----	----	2	----	----	36 +	1					
4175	----	----	----	136.60B/94.50A	136.60B/94.50A	----	98.40	+ 0.70	.5309	----	----	----	----	----	----	118	UNCH					
4180	110.20	----	110.20	133.50B/92.00A	133.50B/92.00A	----	95.80	+ 0.60	.5222	----	----	----	3	----	----	42 +	1					
4185	101.50	----	101.50	130.50B/89.50A	130.50B/89.50A	----	93.30	+ 0.60	.5134	----	----	----	31	----	----	41 +	14					
4190	95.10	----	95.10	127.40B/87.00A	127.40B/87.00A	----	90.80	+ 0.50	.5047	----	----	----	10	----	----	47 +	4					
4195	92.00	----	92.00	124.50B/84.80A	124.50B/84.80A	----	88.40	+ 0.40	.4959	----	----	----	7	----	----	68 +	6					
4200	97.80	----	97.80	121.50B/82.50A	121.50B/82.50A	----	86.00	+ 0.30	.4872	----	----	----	67	----	----	959 -	13					
4205	99.10	----	99.10	118.60B/80.10A	118.60B/80.10A	----	83.70	+ 0.30	.4784	----	----	----	5	----	----	27	UNCH					
4210	95.70	----	95.70	115.80B/77.90A	115.80B/77.90A	----	81.40	+ 0.20	.4697	----	----	----	17	----	----	116 +	5					
4215	90.90	----	90.90	113.00B/75.80A	113.00B/75.80A	----	79.10	+ 0.10	.4610	----	----	----	13	----	----	16 +	5					
4220	88.20	----	88.20	110.20B/73.60A	110.20B/73.60A	----	76.90	UNCH	.4523	----	----	----	18	----	----	60 +	10					
4225	88.50	----	88.50	107.50B/71.60A	107.50B/71.60A	----	74.80	UNCH	.4437	----	----	----	37	----	----	254 +	7					
4230	86.10	----	86.10	104.90B/69.50A	104.90B/69.50A	----	72.70	UNCH	.4351	----	----	----	22	----	----	49	UNCH					
4235	83.90	----	83.90	102.30B/67.50A	102.30B/67.50A	----	70.60	- 0.10	.4265	----	----	----	16	----	----	126	UNCH					
4240	82.70	----	82.70	99.70B/65.60A	99.70B/65.60A	----	68.60	- 0.10	.4180	----	----	----	13	----	----	16 +	8					
4245	79.60	----	79.60	97.30B/63.60A	97.30B/63.60A	----	66.60	- 0.20	.4095	----	----	----	10	----	----	89 +	2					
4250	79.10	----	79.10	94.70B/61.80A	94.70B/61.80A	----	64.70	- 0.20	.4012	----	----	----	43	----	----	803 +	20					
4255	72.90	----	72.90	92.40B/59.90A	92.40B/59.90A	----	62.80	- 0.20	.3928	----	----	----	2	----	----	32 +	1					
4260	----	----	----	90.00B/58.20A	90.00B/58.20A	----	61.00	- 0.20	.3846	----	----	----	----	----	----	21	UNCH					
4265	61.40	----	61.40	87.70B/56.40A	87.70B/56.40A	----	59.20	- 0.30	.3764	----	----	----	8	----	----	23 +	7					
4270	83.80	----	83.80	85.40B/54.70A	85.40B/54.70A	----	57.50	- 0.30	.3683	----	----	----	3	----	----	11	UNCH					
4275	73.50	----	73.50	83.20B/53.00A	83.20B/53.00A	----	55.80	- 0.30	.3603	----	----	----	60	----	----	184 +	8					
4280	75.50	----	75.50	81.00B/51.40A	81.00B/51.40A	----	54.10	- 0.40	.3523	----	----	----	3	----	----	15	UNCH					
4285	63.00	----	63.00	78.90B/49.80A	78.90B/49.80A	----	52.50	- 0.40	.3444	----	----	----	4	----	----	21 +	1					
4290	65.50	----	65.50	76.80B/48.30A	76.80B/48.30A	----	50.90	- 0.50	.3366	----	----	----	15	----	----	23 +	3					
4295	----	----	----	74.70B/46.80A	74.70B/46.80A	----	49.40	- 0.60	.3290	----	----	----	----	----	----	102	UNCH					
4300	60.90	----	60.90	72.70B/45.30A	72.70B/45.30A	----	47.90	- 0.60	.3214	----	----	----	222	----	----	1959 +	9					
4305	56.80	----	56.80	70.70B/43.90A	70.70B/43.90A	----	46.40	- 0.70	.3138	----	----	----	69	----	----	101 +	46					
4310	52.90	----	52.90	68.80B/42.50A	68.80B/42.50A	----	45.00	- 0.70	.3065	----	----	----	7	----	----	257 -	2					
4315	47.00	----	47.00	66.90B/41.20A	66.90B/41.20A	----	43.60	- 0.70	.2991	----	----	----	6	----	----	32 +	5					
4320	56.50	----	56.50	65.00B/39.90A	65.00B/39.90A	----	42.20	- 0.80	.2918	----	----	----	6	----	----	208	UNCH					
4325	50.60	----	50.60	63.30B/38.60A	63.30B/38.60A	----	40.90	- 0.80	.2848	----	----	----	90	----	----	454 +	55					
4330	38.10	----	38.10	61.50B/37.40A	61.50B/37.40A	----	39.60	- 0.90	.2777	----	----	----	5	----	----	168 +	4					
4335	48.50	----	48.50	59.80B/36.20A	59.80B/36.20A	----	38.40	- 0.90	.2710	----	----	----	52	----	----	383 +	34					
4340	47.70	----	47.70	58.10B/35.00A	58.10B/35.00A	----	37.20	- 0.90	.2642	----	----	----	6	----	----	64	UNCH					
4345	45.00	----	45.00	56.50B/33.80A	56.50B/33.80A	----	36.00	- 1.00	.2575	----	----	----	14	----	----	55 -	2					
4350	44.00	----	44.00	54.90B/32.80A	54.90B/32.80A	----	34.90	- 1.00	.2511	----	----	----	150	----	----	722 +	2					
4355	52.00	----	52.00	53.20B/31.70A	53.20B/31.70A	----	33.80	- 1.00	.2447	----	----	----	4	----	----	32	UNCH					
4360	40.00	----	40.00	51.70B/30.60A	51.70B/30.60A	----	32.70	- 1.00	.2383	----	----	----	80	----	----	117 -	11					
4365	42.50	----	42.50	50.30B/29.70A	50.30B/29.70A	----	31.70	- 0.														

BULLETIN #188@										METALS OPTION PRODUCTS										wed, Sep 30, 2026		PG64
GLOBEX OPEN		OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN	OUTCRY HIGH/LOW	OPEN		OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG CALL		COMEX GOLD OPTIONS																				
NOV26																						
4755	2.90	2.90		5.00B/2.70A	5.00B/2.70A	----	----	----	----	3.00 - 0.50	.0265	----	----	----	2	----	----	132	UNCH			
4760	2.90	2.90		4.90B/2.70A	4.90B/2.70A	----	----	----	----	2.90 - 0.60	.0257	----	----	----	1	----	----	72 +	1			
4765	----	----		4.80B/2.60A	4.80B/2.60A	----	----	----	----	2.90 - 0.50	.0255	----	----	----	48	----	----	89 +	20			
4770	----	----		4.60B/2.50A	4.60B/2.50A	----	----	----	----	2.80 - 0.50	.0247	----	----	----	1	----	----	73	UNCH			
4775	3.00	3.00		4.50B/2.50A	4.50B/2.50A	----	----	----	----	2.70 - 0.50	.0239	----	----	----	3	----	----	260 -	3			
4780	----	----		4.40B/2.40A	4.40B/2.40A	----	----	----	----	2.70 - 0.50	.0237	----	----	----	----	----	117	UNCH				
4785	----	----		4.30B/2.40A	4.30B/2.40A	----	----	----	----	2.60 - 0.50	.0229	----	----	----	1	----	----	57	UNCH			
4790	----	----		4.20B/2.30A	4.20B/2.30A	----	----	----	----	2.60 - 0.40	.0228	----	----	----	----	----	40	UNCH				
4795	----	----		4.10B/2.30A	4.10B/2.30A	----	----	----	----	2.50 - 0.50	.0220	----	----	----	----	----	131	UNCH				
4800	4.00	4.00		4.00/2.20A	4.00/2.20A	----	----	----	----	2.50 - 0.40	.0218	----	----	----	461	----	3462 -	116				
4805	----	----		3.90B/2.20A	3.90B/2.20A	----	----	----	----	2.40 - 0.50	.0210	----	----	----	----	----	84	UNCH				
4810	----	----		3.80B/2.10A	3.80B/2.10A	----	----	----	----	2.40 - 0.40	.0209	----	----	----	----	----	89	UNCH				
4815	----	----		3.70B/2.10A	3.70B/2.10A	----	----	----	----	2.30 - 0.40	.0201	----	----	----	----	----	64	UNCH				
4820	----	----		3.60B/2.10A	3.60B/2.10A	----	----	----	----	2.30 - 0.40	.0200	----	----	----	----	----	356	UNCH				
4825	----	----		3.60B/2.00A	3.60B/2.00A	----	----	----	----	2.20 - 0.40	.0192	----	----	----	----	----	266	UNCH				
4830	----	----		3.50B/2.00A	3.50B/2.00A	----	----	----	----	2.20 - 0.40	.0191	----	----	----	----	----	41	UNCH				
4835	----	----		3.40B/1.90A	3.40B/1.90A	----	----	----	----	2.10 - 0.40	.0183	----	----	----	----	----	112	UNCH				
4840	----	----		3.30B/1.90A	3.30B/1.90A	----	----	----	----	2.10 - 0.40	.0182	----	----	----	----	----	53	UNCH				
4845	2.70	2.70		3.30B/1.90A	3.30B/1.90A	----	----	----	----	2.00 - 0.40	.0174	----	----	----	4	----	74 +	4				
4850	3.00	3.00		3.20B/1.80A	3.20B/1.80A	----	----	----	----	2.00 - 0.40	.0174	----	----	----	194	----	1541 -	100				
4855	----	----		3.10B/1.80A	3.10B/1.80A	----	----	----	----	2.00 - 0.30	.0173	----	----	----	----	----	66	UNCH				
4860	----	----		3.10B/1.80A	3.10B/1.80A	----	----	----	----	1.90 - 0.40	.0165	----	----	----	----	----	176	UNCH				
4865	----	----		3.00B/1.70A	3.00B/1.70A	----	----	----	----	1.90 - 0.30	.0164	----	----	----	----	----	36	UNCH				
4870	----	----		2.90B/1.70A	2.90B/1.70A	----	----	----	----	1.80 - 0.40	.0156	----	----	----	----	----	41	UNCH				
4875	2.40	2.40		2.90B/1.70A	2.90B/1.70A	----	----	----	----	1.80 - 0.40	.0155	----	----	----	31	----	195 -	1				
4880	----	----		2.80B/1.60A	2.80B/1.60A	----	----	----	----	1.80 - 0.30	.0155	----	----	----	----	----	522	UNCH				
4885	----	----		2.70B/1.60A	2.70B/1.60A	----	----	----	----	1.70 - 0.40	.0147	----	----	----	----	----	57	UNCH				
4890	----	----		2.70B/1.60A	2.70B/1.60A	----	----	----	----	1.70 - 0.40	.0146	----	----	----	----	----	159	UNCH				
4895	----	----		2.60B/1.60A	2.60B/1.60A	----	----	----	----	1.70 - 0.30	.0145	----	----	----	----	----	88	UNCH				
4900	2.40	2.40		2.60B/1.50A	2.60B/1.50A	----	----	----	----	1.60 - 0.40	.0138	----	----	----	1045	----	8225 -	886				
4905	----	----		2.50B/1.50A	2.50B/1.50A	----	----	----	----	1.60 - 0.40	.0137	----	----	----	----	----	327	UNCH				
4910	----	----		2.50B/1.50A	2.50B/1.50A	----	----	----	----	1.60 - 0.30	.0137	----	----	----	----	----	101	UNCH				
4915	----	----		2.40B/1.50A	2.40B/1.50A	----	----	----	----	1.60 - 0.30	.0136	----	----	----	----	----	15	UNCH				
4920	----	----		2.40B/1.40A	2.40B/1.40A	----	----	----	----	1.50 - 0.40	.0128	----	----	----	----	----	50	UNCH				
4925	----	----		2.30B/1.40A	2.30B/1.40A	----	----	----	----	1.50 - 0.30	.0128	----	----	----	----	----	73	UNCH				
4930	----	----		2.30B/1.40A	2.30B/1.40A	----	----	----	----	1.50 - 0.30	.0127	----	----	----	----	----	48	UNCH				
4935	----	----		2.20B/1.40A	2.20B/1.40A	----	----	----	----	1.50 - 0.30	.0126	----	----	----	----	----	69	UNCH				
4940	----	----		2.20B/1.30A	2.20B/1.30A	----	----	----	----	1.40 - 0.30	.0119	----	----	----	----	----	80	UNCH				
4945	----	----		2.10B/1.30A	2.10B/1.30A	----	----	----	----	1.40 - 0.30	.0118	----	----	----	----	----	34	UNCH				
4950	----	----		2.10B/1.30A	2.10B/1.30A	----	----	----	----	1.40 - 0.30	.0118	----	----	----	15	----	534	UNCH				
4955	----	----		2.00B/1.30A	2.00B/1.30A	----	----	----	----	1.40 - 0.30	.0117	----	----	----	----	----	40	UNCH				
4960	----	----		2.00B/1.30A	2.00B/1.30A	----	----	----	----	1.30 - 0.30	.0110	----	----	----	----	----	51	UNCH				
4965	----	----		1.90B/1.30A	1.90B/1.30A	----	----	----	----	1.30 - 0.30	.0109	----	----	----	----	----	48	UNCH				
4970	----	----		1.90B/1.20A	1.90B/1.20A	----	----	----	----	1.30 - 0.30	.0109	----	----	----	----	----	29	UNCH				
4975	----	----		1.90B/1.20A	1.90B/1.20A	----	----	----	----	1.30 - 0.30	.0108	----	----	----	15	----	137 +	3				
4980	1.70	1.70		1.80B/1.20A	1.80B/1.20A	----	----	----	----	1.20 - 0.40	.0101	----	----	----	1	----	36 +	1				
4985	----	----		1.80B/1.20A	1.80B/1.20A	----	----	----	----	1.20 - 0.30	.0101	----	----	----	----	----	125	UNCH				
4990	----	----		1.70B/1.20A	1.70B/1.20A	----	----	----	----	1.20 - 0.30	.0100	----	----	----	----	----	33	UNCH				
4995	----	----		1.70B/1.20A	1.70B/1.20A	----	----	----	----	1.20 - 0.30	.0100	----	----	----	----	----	123	UNCH				
5000	1.80	1.80		1.80/1.20A	1.80/1.20A	----	----	----	----	1.20 - 0.30	.0099	----	----	----	78	----	3696 -	46				
5005	----	----		1.60B/1.10A	1.60B/1.10A	----	----	----	----	1.20 - 0.30	.0099	----	----	----	----	----	57	UNCH				
5010	----	----		1.60B/1.10A	1.60B/1.10A	----	----	----	----	1.10 - 0.30	.0092	----	----	----	----	----	56	UNCH				
5015	----	----		1.60B/1.10A	1.60B/1.10A	----	----	----	----	1.10 - 0.30	.0091	----	----	----	----	----	36	UNCH				
5020	----	----		1.60B/1.10A	1.60B/1.10A	----	----	----	----	1.10 - 0.30	.0091	----	----	----	----	----	58	UNCH				
5025	----	----		1.50B/1.10A	1.50B/1.10A	----	----	----	----	1.10 - 0.30	.0090	----	----	----	----	----	501	UNCH				
5030	----	----		1.50B/1.10A	1.50B/1.10A	----	----	----	----	1.10 - 0.30	.0090	----	----	----	----	----	82	UNCH				
5035	----	----		1.50B/1.00A	1.50B/1.00A	----	----	----	----	1.10 - 0.30	.0090	----	----	----	----	----	82	UNCH				
5040	1.40	1.40		1.50B/1.00A	1.50B/1.00A	----	----	----	----	1.00 - 0.30	.0083	----	----	----	11	----	162 -	11				
5045	----	----		1.40B/1.00A	1.40B/1.00A	----	----	----	----	1.00 - 0.30	.0082	----	----	----	----	----	42	UNCH				
5050	----	----		1.40B/1.00A	1.40B/1.00A	----	----	----	----	1.00 - 0.30	.0082	----	----	----	----	----	1023	UNCH				
5055	----	----		1.40B/1.00A	1.40B/1.00A	----	----	----	----	1.00 - 0.30	.0081	----	----	----	----	----	120	UNCH				
5060	----	----		1.40B/1.00A	1.40B/1.00A	----	----	----	----	1.00 - 0.30	.0081	----	----	----	----	----	43	UNCH				
5065	----	----		----/1.00A	1.30B/1.00A	----	----	----	----	1.00 - 0.30	.0081	----	----	----	----	----	45	UNCH				
5070	----	----		----/1.00A	1.30B/1.00A	----	----	----	----	1.00 - 0.30	.0080	----	----	----								



GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS														
NOV26																
5440	----	----	----	/0.50A	0.50B/0.50A	0.50B/0.50A	----	0.50 - 0.20	.0035	----	----	----	----	----	3	UNCH
5445	----	----	----	/0.50A	0.50B/0.50A	0.50B/0.50A	----	0.50 - 0.20	.0034	----	----	----	----	----	33	UNCH
5450	----	----	----	/0.50A	0.50B/0.50A	0.50B/0.50A	----	0.50 - 0.20	.0034	----	----	----	----	----	571	UNCH
5455	----	----	----	/0.50A	0.50B/0.50A	0.50B/0.50A	----	0.50 - 0.20	.0034	----	----	----	----	----	43	UNCH
5460	----	----	----	/0.50A	0.50B/0.50A	0.50B/0.50A	----	0.50 - 0.20	.0034	----	----	----	----	----	20	UNCH
5465	----	----	----	/0.50A	0.50B/0.50A	0.50B/0.50A	----	0.50 - 0.20	.0034	----	----	----	----	----	6	UNCH
5470	----	----	----	/0.50A	0.50B/0.50A	0.50B/0.50A	----	0.50 - 0.20	.0034	----	----	----	----	----	8	UNCH
5475	0.50	0.50	----	0.50/0.50	0.50/0.50	0.50/0.50	----	0.50 - 0.20	.0034	----	----	----	10	----	253	UNCH
5480	----	----	----	/0.50A	0.50B/0.50A	0.50B/0.50A	----	0.50 - 0.20	.0034	----	----	----	----	----	39	UNCH
5485	----	----	----	/0.50A	0.50B/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0034	----	----	----	----	----	30	UNCH
5490	----	----	----	/0.50A	0.50B/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0034	----	----	----	----	----	29	UNCH
5495	----	----	----	/0.50A	0.50B/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0034	----	----	----	----	----	3	UNCH
5500	0.70	0.70	----	0.70/0.50A	0.70/0.50A	0.70/0.50A	----	0.50 - 0.10	.0033	----	----	----	5	----	2371	- 5
5505	----	----	----	/0.50A	0.50B/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0033	----	----	----	----	----	28	UNCH
5510	----	----	----	/0.50A	0.50B/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0033	----	----	----	----	----	10	UNCH
5515	----	----	----	/0.50A	0.40B/0.50A	0.40B/0.50A	----	0.50 - 0.10	.0033	----	----	----	----	----	17	UNCH
5520	----	----	----	/0.50A	0.40B/0.50A	0.40B/0.50A	----	0.50 - 0.10	.0033	----	----	----	----	----	29	UNCH
5525	----	----	----	/0.40A	0.40B/0.40A	0.40B/0.40A	----	0.50 - 0.10	.0033	----	----	----	----	----	29	UNCH
5530	0.40	0.40	----	0.40/0.40	0.50B/0.40	0.50B/0.40	----	0.50 - 0.10	.0033	----	----	----	4	----	12	+
5535	----	----	----	/0.40A	0.40B/0.40A	0.40B/0.40A	----	0.50 - 0.10	.0033	----	----	----	----	----	28	UNCH
5540	----	----	----	/0.40A	0.40B/0.40A	0.40B/0.40A	----	0.50 - 0.10	.0033	----	----	----	----	----	21	UNCH
5545	----	----	----	/0.40A	0.40B/0.40A	0.40B/0.40A	----	0.50 - 0.10	.0033	----	----	----	----	----	38	UNCH
5550	----	----	----	/0.40A	0.40B/0.40A	0.40B/0.40A	----	0.50 - 0.10	.0033	----	----	----	----	----	50	UNCH
5555	----	----	----	/0.40A	0.40B/0.40A	0.40B/0.40A	----	0.50 - 0.10	.0032	----	----	----	----	----	8	UNCH
5560	----	----	----	/0.40A	0.40B/0.40A	0.40B/0.40A	----	0.50 - 0.10	.0032	----	----	----	----	----	19	UNCH
5565	----	----	----	/0.40A	0.40B/0.40A	0.40B/0.40A	----	0.50 - 0.10	.0032	----	----	----	----	----	12	UNCH
5570	----	----	----	/0.40A	0.40B/0.40A	0.40B/0.40A	----	0.50 - 0.10	.0032	----	----	----	----	----	33	UNCH
5575	----	----	----	/0.40A	0.40B/0.40A	0.40B/0.40A	----	0.50 - 0.10	.0032	----	----	----	----	----	67	UNCH
5580	----	----	----	/0.40A	0.40B/0.40A	0.40B/0.40A	----	0.40 - 0.20	.0026	----	----	----	----	----	49	UNCH
5585	----	----	----	/0.40A	0.40B/0.40A	0.40B/0.40A	----	0.40 - 0.20	.0026	----	----	----	----	----	19	UNCH
5590	----	----	----	/0.40A	0.40B/0.40A	0.40B/0.40A	----	0.40 - 0.20	.0026	----	----	----	----	----	17	UNCH
5595	----	----	----	/0.40A	0.40B/0.40A	0.40B/0.40A	----	0.40 - 0.20	.0026	----	----	----	----	----	26	UNCH
5600	----	----	----	/0.40A	0.40B/0.40A	0.40B/0.40A	----	0.40 - 0.20	.0026	----	----	----	----	----	161	UNCH
5605	----	----	----	/0.40A	0.40B/0.40A	0.40B/0.40A	----	0.40 - 0.20	.0026	----	----	----	----	----	37	UNCH
5610	----	----	----	/0.40A	0.40B/0.40A	0.40B/0.40A	----	0.40 - 0.20	.0026	----	----	----	----	----	8	UNCH
5615	----	----	----	/0.40A	0.40B/0.40A	0.40B/0.40A	----	0.40 - 0.20	.0026	----	----	----	----	----	61	UNCH
5620	----	----	----	/0.40A	0.40B/0.40A	0.40B/0.40A	----	0.40 - 0.20	.0026	----	----	----	----	----	5	UNCH
5625	----	----	----	/0.40A	0.40B/0.40A	0.40B/0.40A	----	0.40 - 0.20	.0026	----	----	----	----	----	7	UNCH
5630	----	----	----	/0.40A	0.40B/0.40A	0.40B/0.40A	----	0.40 - 0.20	.0026	----	----	----	----	----	7	UNCH
5635	----	----	----	/0.40A	0.30B/0.40A	0.30B/0.40A	----	0.40 - 0.20	.0026	----	----	----	----	----	18	UNCH
5640	----	----	----	/0.40A	0.30B/0.40A	0.30B/0.40A	----	0.40 - 0.10	.0026	----	----	----	----	----	6	UNCH
5645	----	----	----	/0.40A	0.30B/0.40A	0.30B/0.40A	----	0.40 - 0.10	.0025	----	----	----	----	----	15	UNCH
5650	----	----	----	/0.40A	0.30B/0.40A	0.30B/0.40A	----	0.40 - 0.10	.0025	----	----	----	----	----	55	UNCH
5655	----	----	----	/0.40A	0.30B/0.40A	0.30B/0.40A	----	0.40 - 0.10	.0025	----	----	----	----	----	5	UNCH
5660	----	----	----	/0.40A	0.30B/0.40A	0.30B/0.40A	----	0.40 - 0.10	.0025	----	----	----	----	----	1	UNCH
5665	----	----	----	/0.40A	0.30B/0.40A	0.30B/0.40A	----	0.40 - 0.10	.0025	----	----	----	----	----	14	UNCH
5670	0.30	0.30	----	0.30/0.30	0.30/0.30	0.30/0.30	----	0.40 - 0.10	.0025	----	----	----	4	----	14	+
5675	----	----	----	/0.40A	0.30B/0.40A	0.30B/0.40A	----	0.40 - 0.10	.0025	----	----	----	----	----	9	UNCH
5680	----	----	----	/0.40A	0.30B/0.40A	0.30B/0.40A	----	0.40 - 0.10	.0025	----	----	----	----	----	45	UNCH
5685	----	----	----	/0.30A	0.30B/0.30A	0.30B/0.30A	----	0.40 - 0.10	.0025	----	----	----	----	----	8	UNCH
5690	----	----	----	/0.30A	0.30B/0.30A	0.30B/0.30A	----	0.40 - 0.10	.0025	----	----	----	----	----	68	UNCH
5695	----	----	----	/0.30A	0.40B/0.30A	0.40B/0.30A	----	0.40 - 0.10	.0025	----	----	----	----	----	25	UNCH
5700	----	----	----	/0.30A	0.30B/0.30A	0.30B/0.30A	----	0.40 - 0.10	.0025	----	----	----	----	----	120	UNCH
5705	----	----	----	/0.30A	0.30B/0.30A	0.30B/0.30A	----	0.30 - 0.20	.0019	----	----	----	----	----	1	UNCH
5710	----	----	----	/0.30A	0.30B/0.30A	0.30B/0.30A	----	0.30 - 0.20	.0019	----	----	----	----	----	2	UNCH
5720	----	----	----	/0.30A	0.30B/0.30A	0.30B/0.30A	----	0.30 - 0.20	.0019	----	----	----	----	----	6	UNCH
5725	----	----	----	/0.30A	0.30B/0.30A	0.30B/0.30A	----	0.30 - 0.20	.0019	----	----	----	----	----	3	UNCH
5730	----	----	----	/0.30A	0.30B/0.30A	0.30B/0.30A	----	0.30 - 0.20	.0019	----	----	----	----	----	27	UNCH
5740	----	----	----	/0.30A	0.30B/0.30A	0.30B/0.30A	----	0.30 - 0.20	.0019	----	----	----	----	----	4	UNCH
5750	----	----	----	/0.30A	0.30B/0.30A	0.30B/0.30A	----	0.30 - 0.20	.0019	----	----	----	----	----	599	UNCH
5770	----	----	----	/0.30A	0.30B/0.30A	0.30B/0.30A	----	0.30 - 0.20	.0019	----	----	----	----	----	11	UNCH
5775	----	----	----	/0.30A	0.30B/0.30A	0.30B/0.30A	----	0.30 - 0.20	.0019	----	----	----	----	----	8	UNCH
5780	----	----	----	/0.30A	0.30B/0.30A	0.30B/0.30A	----	0.30 - 0.20	.0019	----	----	----	----	----	6	UNCH
5790	----	----	----	/0.40A	0.30B/0.40A	0.30B/0.40A	----	0.30 - 0.20	.0018	----	----	----	----	----	6	UNCH
5800	----	----	----	/0.30A	0.30B/0.30A	0.30B/0.30A	----	0.30 - 0.10	.0018	----	----	----	----	----	208	UNCH
5810	----	----	----	/0.30A	0.30B/0.30A	0.30B/0.30A	----	0.30 - 0.10	.0018	----	----	----	----	----	21	UNCH
5825	----	----	----	/0.30A	0.30B/0.30A	0.30B/0.30A	----	0.30 - 0.10	.0018	----	----	----	----	----	41	UNCH
5850	0.40	0.40	----	0.40/0.30A	0.40/0.30A	0.40/0.30A	----	0.30 - 0.10	.0018	----	----	----	1	----	42	- 1
5875	----	----	----	/0.30A	0.30B/0.30A	0.30B/0.30A	----	0.30 - 0.10	.0018	----	----	----	----	----	10	UNCH
5900	----	----	----	/0.30A	0.30B/0.30A	0.30B/0.30A	----	0.30 - 0.10	.0018	----	----	----	----	----	285	UNCH
5925	----	----	----	/0.30A	0.30B/0.30A	0.30B/0.30A	----	0.30 - 0.10	.0017	----	----	----	----	----	15	UNCH
5950	----	----	----	/0.30A	0.30B/0.30A	0.30B/0.30A	----	0.20 - 0.20	.0012	----	----	----	----	----	41	UNCH
5975	----	----	----	----	0.20B/0.30A	0.20B/0.30A	----	0.20 - 0.10	.0012	----	----	----	----	----	34	UNCH
6000	0.30	0.30	----	0.30/0.30	0.30/0.30	0.30/0.30	----	0.20 - 0.10	.0012	----	----	----	200	----	2767	+
6100	----	----	----	----	0.20B/0.30A	0.20B/0.30A	----	0.20 - 0.10	.0011	----	----	----	----	----	41	UNCH
6200	0.20	0.20	----	0.20/0.20	0.20/0.20	0.20/0.20	----	0.20 - 0.10	.0011	----	----	----	10	----	60	+
6250	----	----	----	----	0.10B/0.30A	0.10B/0.30A	----	0.20 UNCH	.0011	----	----	----	----	----	37	UNCH
6300	----	----	----	----	0.10B/0.30A	0.10B/0.30A	----	0.20 UNCH	.0010	----	----	----	----	----	344	UNCH
6400	----	----	----	----	0.20B/0.20A	0.20B/0.20A	----	0.10 - 0.10	.0005	----	----	----	----	----	123	UNCH
6500	----	----	----	----	0.10B/0.30A	0.10B/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	----	1918	UNCH
8000	----	----	----	----	----	/0.20A	----	0.10 UNCH	----	----	----	----	----	----	995	UNCH
9000	----	----	----	----	----	/0.20A	----	0.10 UNCH	----	----	----	----	----	----	1591	UNCH
20000	----	----	----	----	----	/0.10A	----	0.10 UNCH	----	----	----	----	----	----	1346	UNCH
TOTAL													6956	----	95899	- 466
DEC26																
1500	----	----	----	----	----	----	----	2686.70 + 7.00	1.0000	100	----	----	100	----	0	UNCH
2495	----	----	----	1,705.80B/----	1705.80B/1764.70A	1705.80B/1764.70A	----	1691.70 + 7.00	1.0000	75	----	----	75	----	0	UNCH
2500	----	----	----	1,700.80B/----	1700.80B/1739.00A	1700.80B/1739.00A	----	1686.70 + 7.00	1.0000	312	----	----	299	----	608	- 13
2505	----	----	----	1,679.80B/----	1679.80B/1724.80A	1679.80B/1724.80A	----	1681.70 + 7.00	1.0000	75	----	----	75	----	0	UNCH
3000	1229.50	1229.50	----	1,247.30B/1,181	1247.30B/1181.70A	1247.30B/1181.70A	----	1186.70 + 6.90	.9922	----	----	----	1	----	1	



BULLETIN #188@													METALS OPTION PRODUCTS										Wed, Sep 30, 2026				PG64	
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE		GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW		OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST											
OG CALL		COMEX GOLD OPTIONS																										
DEC26																												
4070	----	----	248.30B/200.20A	248.30B/200.20A	----	----	205.20	+	2.60	.6464	----	----	----	----	----	----	38	UNCH										
4075	----	----	244.90B/197.10A	244.90B/197.10A	----	----	202.10	+	2.60	.6411	----	----	----	----	----	----	24	UNCH										
4080	----	----	241.30B/194.10A	241.30B/194.10A	----	----	199.00	+	2.50	.6357	----	----	----	----	----	----	136	UNCH										
4085	----	----	237.90B/191.00A	237.90B/191.00A	----	----	195.90	+	2.50	.6303	----	----	----	----	----	----	8	UNCH										
4090	----	----	234.70B/188.00A	234.70B/188.00A	----	----	192.90	+	2.40	.6249	----	----	----	----	----	----	41	UNCH										
4095	----	----	231.20B/185.20A	231.20B/185.20A	----	----	189.80	+	2.30	.6194	----	----	----	----	----	----	10	UNCH										
4100	184.80	184.80	227.90B/182.10A	227.90B/182.10A	----	----	186.90	+	2.30	.6139	----	----	----	3	----	----	1260	+										
4105	----	----	224.60B/179.20A	224.60B/179.20A	----	----	183.90	+	2.20	.6084	----	----	----	----	----	----	15	UNCH										
4110	206.80	206.80	221.40B/176.40A	221.40B/176.40A	----	----	181.00	+	2.20	.6028	----	----	----	2	----	----	170	UNCH										
4115	----	----	218.10B/173.50A	218.10B/173.50A	----	----	178.10	+	2.10	.5973	----	----	----	----	----	----	18	UNCH										
4120	----	----	214.90B/170.70A	214.90B/170.70A	----	----	175.20	+	2.00	.5917	----	----	----	----	----	----	28	UNCH										
4125	----	----	211.80B/168.00A	211.80B/168.00A	----	----	172.40	+	2.00	.5861	----	----	----	----	----	----	22	UNCH										
4130	----	----	208.60B/165.30A	208.60B/165.30A	----	----	169.60	+	1.90	.5804	----	----	----	----	----	----	702	UNCH										
4135	----	----	205.40B/162.60A	205.40B/162.60A	----	----	166.90	+	1.90	.5748	----	----	----	----	----	----	51	UNCH										
4140	----	----	202.20B/159.90A	202.20B/159.90A	----	----	164.10	+	1.80	.5691	----	----	----	----	----	----	69	UNCH										
4145	----	----	199.30B/157.10A	199.30B/157.10A	----	----	161.40	+	1.70	.5635	----	----	----	----	----	----	UNCH	UNCH										
4150	----	----	196.40B/154.50A	196.40B/154.50A	----	----	158.80	+	1.70	.5578	----	----	----	2	----	----	229	-										
4155	----	----	193.30B/152.00A	193.30B/152.00A	----	----	156.10	+	1.60	.5521	----	----	----	----	----	----	19	UNCH										
4160	----	----	190.20B/149.50A	190.20B/149.50A	----	----	153.50	+	1.60	.5464	----	----	----	----	----	----	129	UNCH										
4165	----	----	187.40B/146.90A	187.40B/146.90A	----	----	151.00	+	1.60	.5407	----	----	----	1	----	----	53	+										
4170	183.00	183.00	184.50B/144.40A	184.50B/144.40A	----	----	148.40	+	1.50	.5350	----	----	----	1	----	----	83	UNCH										
4175	----	----	181.60B/141.90A	181.60B/141.90A	----	----	145.90	+	1.50	.5292	----	----	----	1	----	----	829	UNCH										
4180	----	----	178.80B/139.50A	178.80B/139.50A	----	----	143.40	+	1.40	.5235	----	----	----	12	----	----	21	+										
4185	----	----	175.90B/137.20A	175.90B/137.20A	----	----	141.00	+	1.40	.5178	----	----	----	1	----	----	40	UNCH										
4190	----	----	173.20B/134.70A	173.20B/134.70A	----	----	138.60	+	1.40	.5121	----	----	----	3	----	----	470	UNCH										
4195	136.20	136.20	170.50B/132.40A	170.50B/132.40A	----	----	136.20	+	1.30	.5064	----	----	----	13	----	----	15	+										
4200	143.70	143.70	167.70B/130.10A	167.70B/130.10A	----	----	133.80	+	1.20	.5007	----	----	----	71	----	----	1414	+										
4205	141.30	141.30	165.00B/127.90A	165.00B/127.90A	----	----	131.50	+	1.20	.4950	----	----	----	22	----	----	44	+										
4210	144.90	144.90	162.50B/125.60A	162.50B/125.60A	----	----	129.20	+	1.10	.4893	----	----	----	1	----	----	20	UNCH										
4215	142.40	142.40	159.80B/123.40A	159.80B/123.40A	----	----	126.90	+	1.00	.4836	----	----	----	5	----	----	10	+										
4220	138.30	138.30	157.30B/121.20A	157.30B/121.20A	----	----	124.70	+	1.00	.4779	----	----	----	11	----	----	187	+										
4225	136.00	136.00	154.70B/119.10A	154.70B/119.10A	----	----	122.50	+	1.00	.4723	----	----	----	1	----	----	317	+										
4230	135.40	135.40	152.10B/116.90A	152.10B/116.90A	----	----	120.30	+	0.90	.4666	----	----	----	1	----	----	47	+										
4235	131.40	131.40	149.60B/114.80A	149.60B/114.80A	----	----	118.20	+	0.90	.4610	----	----	----	2	----	----	12	+										
4240	129.10	129.10	147.10B/112.80A	147.10B/112.80A	----	----	116.10	+	0.90	.4554	----	----	----	2	----	----	34	UNCH										
4245	123.10	123.10	144.80B/110.70A	144.80B/110.70A	----	----	114.00	+	0.80	.4498	----	----	----	5	----	----	219	+										
4250	126.40	126.40	142.40B/108.70A	142.40B/108.70A	----	----	112.00	+	0.80	.4443	----	----	----	10	----	----	1018	+										
4255	120.40	120.40	140.10B/106.80A	140.10B/106.80A	----	----	110.00	+	0.80	.4388	----	----	----	2	----	----	116	+										
4260	120.40	120.40	137.70B/104.80A	137.70B/104.80A	----	----	108.00	+	0.70	.4332	----	----	----	9	----	----	181	+										
4265	118.30	118.30	135.40B/102.90A	135.40B/102.90A	----	----	106.00	+	0.70	.4277	----	----	----	3	----	----	9	+										
4270	116.30	116.30	133.10B/101.00A	133.10B/101.00A	----	----	104.10	+	0.70	.4222	----	----	----	2	----	----	26	UNCH										
4275	105.80	105.80	130.80B/99.10A	130.80B/99.10A	----	----	102.20	+	0.60	.4168	----	----	----	22	----	----	69	+										
4280	114.10	114.10	128.60B/97.30A	128.60B/97.30A	----	----	100.30	+	0.60	.4114	----	----	----	1	----	----	68	UNCH										
4285	----	----	126.40B/95.50A	126.40B/95.50A	----	----	98.50	+	0.60	.4060	----	----	----	20	----	----	23	+										
4290	110.50	110.50	124.20B/93.80A	124.20B/93.80A	----	----	96.60	+	0.40	.4006	----	----	----	5	----	----	72	+										
4295	----	----	122.20B/92.00A	122.20B/92.00A	----	----	94.90	+	0.50	.3953	----	----	----	----	----	----	93	UNCH										
4300	109.90	109.90	120.10B/90.30A	120.10B/90.30A	----	----	93.10	+	0.40	.3900	----	----	----	117	----	----	1512	+										
4305	----	----	118.00B/88.60A	118.00B/88.60A	----	----	91.40	+	0.40	.3848	----	----	----	----	----	----	37	UNCH										
4310	----	----	115.90B/87.00A	115.90B/87.00A	----	----	89.70	+	0.40	.3795	----	----	----	----	----	----	49	UNCH										
4315	----	----	114.00B/85.30A	114.00B/85.30A	----	----	88.00	+	0.30	.3743	----	----	----	----	----	----	12	UNCH										
4320	101.00	101.00	112.00B/83.70A	112.00B/83.70A	----	----	86.30	+	0.20	.3691	----	----	----	2	----	----	181	UNCH										
4325	----	----	110.00B/82.10A	110.00B/82.10A	----	----	84.70	+	0.20	.3640	----	----	----	9	----	----	106	+										
4330	106.30	106.30	108.10B/80.60A	108.10B/80.60A	----	----	83.10	+	0.20	.3589	----	----	----	14	----	----	110	+										
4335	----	----	106.20B/79.00A	106.20B/79.00A	----	----	81.60	+	0.20	.3540	----	----	----	----	----	----	58	UNCH										
4340	----	----	104.40B/77.50A	104.40B/77.50A	----	----	80.00	+	0.10	.3489	----	----	----	----	----	----	39	UNCH										
4345	----	----	102.50B/76.00A	102.50B/76.00A	----	----	78.50	+	0.10	.3439	----	----	----	----	----	----	22	UNCH										
4350	95.00	95.00	100.70B/74.50A	100.70B/74.50A	----	----	77.00	+	0.10	.3390	----	----	----	9	----	----	1130	+										
4355	----	----	98.90B/73.10A	98.90B/73.10A	----	----	75.50	UNCH		.3341	----	----	----	----	----	----	15	UNCH										
4360	74.80	74.80	97.10B/71.70A	97.10B/71.70A	----	----	74.10	UNCH		.3293	----	----	----	1	----	----	24	+										
4365	93.60	93.60	95.40B/70.30A	95.40B/70.30A	----	----	72.70	UNCH		.3245	----	----	----	1	----	----	16	+										
4370	80.40	80.40	93.70B/68.90A	93.70B/68.90A	----	----	71.30	UNCH		.3197	----	----	----	6	----	----	71	+										
4375	75.00	75.00	92.00B/67.60A	92.00B/67.60A	----	----	69.90	-	0.10	.3150	----	----	----	11	----	----	534	+										
4380	74.30	74.30	90.40B/66.40A	90.40B/66.40A	----	----	68.60	UNCH		.3104	----	----	----	1	----	----	119	-										
4385	67.80	67.80	88.80B/65.00A	88.80B/65.00A	----	----	67.30	UNCH		.3058	----	----	----	4	----	----	22	-										
4390	----	----	87.10B/63.80A	87.10B/63.80A	----	----	66.00	-	0.10	.3012	----	----	----	----	----	----	76	UNCH										
4395	----	----	85.60B/62.50A	85.60B/62.50A	----	----	64.70	-	0.10	.2966	----	----	----	----	----	----	104	UNCH										
4400	70.00	70.00	84.00B/61.20A	84.00B/61.20A	----	----	63.50	-	0.10	.2923	----	----	----	195	----	----	2085	+										
4405	----	----	82.50B/60.00A	82.50B/60.00A	----	----	62.20	-	0.20	.2877	----	----	----	----	----	----	55	UNCH										
4410	----	----	81.00B/58.90A	81.00B/58.90A	----	----	61.00	-	0.20	.2833	----	----	----	----	----	----	89	UNCH										
4415	73.10	73.10	79.50B/57.70A	79.50B/57.70A	----	----	59.80	-	0.20	.2789	----	----	----	4	----	----	150	UNCH										
4420	65.90	65.90	78.10B/56.60A	78.10B/56.60A	----	----	58.70	-	0.20	.2748	----	----	----	5	----	----	53	+										
4425	69.20	69.20	76.70B/55.40A	76.70B/55.40A	----	----	57.50	-	0.30	.2704	----	----	----	4	----	----	359	+										
4430	----	----	75.30B/54.30A	75.30B/54.30A	----	----	56.40	-	0.30	.2663	----	----	----	----	----	----	76	UNCH										
4435	67.60	67.60	73.90B/53.30A	73.90B/53.30A	----	----	55.30	-	0.30	.2621	----	----	----	1	----	----	53	+										
4440	67.60	67.60	72.50B/52.30A	72.50B/52.30A	----	----	54.30	-	0.20	.2582	----	----	----	3	----	----	49	+										
4445	53.30	53.30	71.20B/51.20A	71.20B/51.20A	----	----	53.20	-	0.30	.2540	----	----	----	5	----	----	38	UNCH										
4450	60.40	60.40	69.90B/50.20A	69.90B/50.20A	----	----	52.20	-	0.30	.2501	----	----	----	252	----	----	1364	+										
4455	53.20	53.20	68.60B/49.20A	68.60B/49.20A	----	----	51.10	-	0.30	.2460	----	----	----	4	----	----	120	+										
4460	61.70	61.70	67.30B/48.20A	67																								

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

PG64		BULLETIN #188@										METALS OPTION PRODUCTS										wed, Sep 30, 2026		PG64
		GLOBAL OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME										
OG CALL		COMEX GOLD OPTIONS																						
DEC26																								
4755	----	----	----	----	22.308/15.00A	22.308/15.00A	----	----	15.80 - 0.60	.0890	----	----	----	----	----	----	----	----	----	----	41	UNCH	----	----
4760	----	----	----	----	21.808/14.70A	21.808/14.70A	----	----	15.50 - 0.60	.0875	----	----	----	----	----	----	----	----	----	----	161	UNCH	----	----
4765	----	----	----	----	21.408/14.50A	21.408/14.50A	----	----	15.20 - 0.60	.0860	----	----	----	----	----	----	----	----	----	----	88	UNCH	----	----
4770	----	----	----	----	21.008/14.20A	21.008/14.20A	----	----	14.90 - 0.60	.0844	----	----	----	----	----	----	----	----	----	----	51	UNCH	----	----
4775	14.30	14.30	14.30	14.30	20.708/13.90A	20.708/13.90A	----	----	14.60 - 0.70	.0829	----	----	3	----	----	----	----	----	----	----	167	-	1	----
4780	----	----	----	----	20.308/13.70A	20.308/13.70A	----	----	14.40 - 0.60	.0817	----	----	----	----	----	----	----	----	----	----	41	UNCH	----	----
4785	----	----	----	----	19.908/13.40A	19.908/13.40A	----	----	14.10 - 0.60	.0802	----	----	----	----	----	----	----	----	----	----	67	UNCH	----	----
4790	16.10	16.10	16.10	16.10	19.608/13.20A	19.608/13.20A	----	----	13.90 - 0.60	.0791	----	----	1	----	----	----	----	----	----	----	309	-	1	----
4795	----	----	----	----	19.208/12.90A	19.208/12.90A	----	----	13.60 - 0.60	.0776	----	----	----	----	----	----	----	----	----	----	142	UNCH	----	----
4800	15.20	15.20	15.20	15.20	18.90/12.70A	18.90/12.70A	----	----	13.40 - 0.60	.0765	----	----	179	----	----	----	----	----	----	----	9203	+	20	----
4805	----	----	----	----	18.508/12.50A	18.508/12.50A	----	----	13.10 - 0.60	.0749	----	----	----	----	----	----	----	----	----	----	45	UNCH	----	----
4810	----	----	----	----	18.208/12.20A	18.208/12.20A	----	----	12.90 - 0.60	.0738	----	----	----	----	----	----	----	----	----	----	86	UNCH	----	----
4815	----	----	----	----	17.908/12.00A	17.908/12.00A	----	----	12.60 - 0.70	.0723	----	----	----	----	----	----	----	----	----	----	33	UNCH	----	----
4820	----	----	----	----	17.508/11.80A	17.508/11.80A	----	----	12.40 - 0.60	.0712	----	----	----	----	----	----	----	----	----	----	199	UNCH	----	----
4825	12.00	12.00	12.00	12.00	17.308/11.60A	17.308/11.60A	----	----	12.20 - 0.60	.0701	----	----	1	----	----	----	----	----	----	----	264	-	1	----
4830	----	----	----	----	16.908/11.40A	16.908/11.40A	----	----	12.00 - 0.60	.0690	----	----	----	----	----	----	----	----	----	----	39	UNCH	----	----
4835	----	----	----	----	16.608/11.20A	16.608/11.20A	----	----	11.80 - 0.60	.0679	----	----	----	----	----	----	----	----	----	----	169	UNCH	----	----
4840	----	----	----	----	16.308/10.90A	16.308/10.90A	----	----	11.50 - 0.70	.0664	----	----	----	----	----	----	----	----	----	----	162	UNCH	----	----
4845	----	----	----	----	16.008/10.80A	16.008/10.80A	----	----	11.30 - 0.70	.0653	----	----	----	----	----	----	----	----	----	----	43	UNCH	----	----
4850	10.60	10.60	10.60	10.60	15.808/10.60	15.808/10.60	----	----	11.10 - 0.70	.0643	----	----	25	----	----	----	----	----	----	----	2258	-	21	----
4855	----	----	----	----	15.508/10.40A	15.508/10.40A	----	----	10.90 - 0.70	.0632	----	----	1	----	----	----	----	----	----	----	116	UNCH	----	----
4860	----	----	----	----	15.208/10.20A	15.208/10.20A	----	----	10.70 - 0.70	.0621	----	----	1	----	----	----	----	----	----	----	86	+	1	----
4865	----	----	----	----	14.908/10.00A	14.908/10.00A	----	----	10.60 - 0.60	.0614	----	----	----	----	----	----	----	----	----	----	55	UNCH	----	----
4870	----	----	----	----	14.708/9.90A	14.708/9.90A	----	----	10.40 - 0.60	.0604	----	----	----	----	----	----	----	----	----	----	60	UNCH	----	----
4875	----	----	----	----	14.508/9.70A	14.508/9.70A	----	----	10.20 - 0.60	.0593	----	----	2	----	----	----	----	----	----	----	223	UNCH	----	----
4880	10.20	10.20	10.20	10.20	14.208/9.50A	14.208/9.50A	----	----	10.00 - 0.60	.0582	----	----	2	----	----	----	----	----	----	----	297	+	1	----
4885	----	----	----	----	13.908/9.40A	13.908/9.40A	----	----	9.90 - 0.60	.0576	----	----	----	----	----	----	----	----	----	----	64	UNCH	----	----
4890	----	----	----	----	13.708/9.20A	13.708/9.20A	----	----	9.70 - 0.60	.0565	----	----	----	----	----	----	----	----	----	----	28	UNCH	----	----
4895	----	----	----	----	13.408/9.00A	13.408/9.00A	----	----	9.50 - 0.60	.0554	----	----	----	----	----	----	----	----	----	----	253	UNCH	----	----
4900	11.80	11.80	11.80	11.80	13.208/8.90A	13.208/8.90A	----	----	9.40 - 0.60	.0548	----	----	41	----	----	----	----	----	----	----	5599	-	31	----
4905	----	----	----	----	13.008/8.70A	13.008/8.70A	----	----	9.20 - 0.60	.0537	----	----	22	----	----	----	----	----	----	----	48	-	1	----
4910	11.50	11.50	11.50	11.50	12.808/8.60A	12.808/8.60A	----	----	9.00 - 0.60	.0527	----	----	2	----	----	----	----	----	----	----	2065	UNCH	----	----
4915	----	----	----	----	12.508/8.50A	12.508/8.50A	----	----	8.90 - 0.60	.0521	----	----	----	----	----	----	----	----	----	----	55	UNCH	----	----
4920	11.20	11.20	11.20	11.20	12.308/8.30A	12.308/8.30A	----	----	8.80 - 0.50	.0514	----	----	10	----	----	----	----	----	----	----	138	UNCH	----	----
4925	----	----	----	----	12.108/8.20A	12.108/8.20A	----	----	8.60 - 0.60	.0504	----	----	----	----	----	----	----	----	----	----	465	UNCH	----	----
4930	10.00	10.00	10.00	10.00	11.908/8.00A	11.908/8.00A	----	----	8.50 - 0.60	.0498	----	----	1	----	----	----	----	----	----	----	37	UNCH	----	----
4935	----	----	----	----	11.708/7.90A	11.708/7.90A	----	----	8.30 - 0.60	.0487	----	----	----	----	----	----	----	----	----	----	18	UNCH	----	----
4940	----	----	----	----	11.508/7.80A	11.508/7.80A	----	----	8.20 - 0.60	.0481	----	----	22	----	----	----	----	----	----	----	55	-	21	----
4945	----	----	----	----	11.308/7.70A	11.308/7.70A	----	----	8.10 - 0.50	.0475	----	----	----	----	----	----	----	----	----	----	31	UNCH	----	----
4950	----	----	----	----	11.108/7.50A	11.108/7.50A	----	----	7.90 - 0.60	.0465	----	----	----	----	----	----	----	----	----	----	761	UNCH	----	----
4955	----	----	----	----	11.008/7.40A	11.008/7.40A	----	----	7.80 - 0.60	.0459	----	----	----	----	----	----	----	----	----	----	27	UNCH	----	----
4960	----	----	----	----	10.808/7.30A	10.808/7.30A	----	----	7.70 - 0.50	.0452	----	----	----	----	----	----	----	----	----	----	158	UNCH	----	----
4965	9.10	9.10	9.10	9.10	10.608/7.20A	10.608/7.20A	----	----	7.60 - 0.50	.0446	----	----	9	----	----	----	----	----	----	----	144	+	9	----
4970	----	----	----	----	10.408/7.10A	10.408/7.10A	----	----	7.50 - 0.50	.0440	----	----	----	----	----	----	----	----	----	----	70	UNCH	----	----
4975	----	----	----	----	10.208/7.00A	10.208/7.00A	----	----	7.30 - 0.60	.0430	----	----	----	----	----	----	----	----	----	----	75	UNCH	----	----
4980	----	----	----	----	10.108/6.80A	10.108/6.80A	----	----	7.20 - 0.60	.0424	----	----	----	----	----	----	----	----	----	----	81	UNCH	----	----
4985	7.20	7.20	7.20	7.20	9.908/6.70A	9.908/6.70A	----	----	7.10 - 0.50	.0418	----	----	1	----	----	----	----	----	----	----	89	UNCH	----	----
4990	----	----	----	----	9.808/6.60A	9.808/6.60A	----	----	7.00 - 0.50	.0412	----	----	1	----	----	----	----	----	----	----	431	UNCH	----	----
4995	----	----	----	----	9.608/6.50A	9.608/6.50A	----	----	6.90 - 0.50	.0407	----	----	----	----	----	----	----	----	----	----	60	UNCH	----	----
5000	8.00	8.00	8.00	8.00	9.408/6.40	9.408/6.40	----	----	6.80 - 0.50	.0401	----	----	210	----	----	----	----	----	----	----	11644	-	113	----
5005	7.40	7.40	7.40	7.40	9.308/6.30A	9.308/6.30A	----	----	6.70 - 0.50	.0395	----	----	1	----	----	----	----	----	----	----	35	UNCH	----	----
5010	----	----	----	----	9.108/6.20A	9.																		

PG64		BULLETIN #188@										METALS OPTION PRODUCTS										wed, Sep 30, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME			OPEN INTEREST						
OG CALL		COMEX GOLD OPTIONS																						
DEC26																								
5440	----	----			3.00B/2.30A	3.00B/2.30A	----	----		2.30 - 0.30	.0132	----	----	----	----			12	UNCH					
5445	----	----			3.00B/2.20A	3.00B/2.20A	----	----		2.30 - 0.30	.0131	----	----	----	----			45	UNCH					
5450	----	----			2.90B/2.20A	2.90B/2.20A	----	----		2.30 - 0.30	.0131	----	----	42	----			447	UNCH					
5455	----	----			2.90B/2.20A	2.90B/2.20A	----	----		2.30 - 0.30	.0131	----	----	----	----			28	UNCH					
5460	----	----			2.90B/2.20A	2.90B/2.20A	----	----		2.30 - 0.20	.0130	----	----	----	----			48	UNCH					
5465	----	----			2.80B/2.20A	2.80B/2.20A	----	----		2.20 - 0.30	.0125	----	----	----	----			70	UNCH					
5470	----	----			2.80B/2.20A	2.80B/2.20A	----	----		2.20 - 0.30	.0125	----	----	----	----			21	UNCH					
5475	----	----			2.80B/2.10A	2.80B/2.10A	----	----		2.20 - 0.30	.0125	----	----	----	----			588	UNCH					
5480	----	----			2.70B/2.10A	2.70B/2.10A	----	----		2.20 - 0.30	.0125	----	----	----	----			104	UNCH					
5485	----	----			2.70B/2.10A	2.70B/2.10A	----	----		2.20 - 0.20	.0124	----	----	----	----			7	UNCH					
5490	----	----			2.70B/2.10A	2.70B/2.10A	----	----		2.20 - 0.20	.0124	----	----	----	----			25	UNCH					
5495	----	----			2.70B/2.10A	2.70B/2.10A	----	----		2.10 - 0.30	.0119	----	----	----	----			100	UNCH					
5500	2.50	2.50			2.60B/2.10	2.60B/2.10	----	----		2.10 - 0.30	.0119	----	----	438	----	17227	-	33						
5505	----	----			2.60B/2.00A	2.60B/2.00A	----	----		2.10 - 0.30	.0118	----	----	----	----			15	UNCH					
5510	----	----			2.60B/2.00A	2.60B/2.00A	----	----		2.10 - 0.20	.0118	----	----	----	----			37	UNCH					
5515	----	----			2.60B/2.00A	2.60B/2.00A	----	----		2.10 - 0.20	.0118	----	----	----	----			11	UNCH					
5520	----	----			2.50B/2.00A	2.50B/2.00A	----	----		2.10 - 0.20	.0118	----	----	----	----			26	UNCH					
5525	----	----			2.50B/2.00A	2.50B/2.00A	----	----		2.00 - 0.30	.0113	----	----	----	----			129	UNCH					
5530	----	----			2.50B/2.00A	2.50B/2.00A	----	----		2.00 - 0.30	.0112	----	----	----	----			7	UNCH					
5535	----	----			2.50B/2.00A	2.50B/2.00A	----	----		2.00 - 0.30	.0112	----	----	----	----			10	UNCH					
5540	----	----			2.50B/2.00A	2.50B/2.00A	----	----		2.00 - 0.30	.0112	----	----	----	----			33	UNCH					
5545	----	----			2.40B/1.90A	2.40B/1.90A	----	----		2.00 - 0.20	.0112	----	----	----	----			5	UNCH					
5550	----	----			2.40B/1.90A	2.40B/1.90A	----	----		1.90 - 0.30	.0107	----	----	----	----			446	UNCH					
5555	----	----			2.40B/1.90A	2.40B/1.90A	----	----		1.90 - 0.30	.0107	----	----	----	----			9	UNCH					
5560	----	----			2.40B/1.90A	2.40B/1.90A	----	----		1.90 - 0.30	.0106	----	----	----	----			23	UNCH					
5565	----	----			2.30B/1.90A	2.30B/1.90A	----	----		1.90 - 0.30	.0106	----	----	----	----			27	UNCH					
5570	----	----			2.30B/1.90A	2.30B/1.90A	----	----		1.90 - 0.30	.0106	----	----	----	----			257	UNCH					
5575	----	----			2.30B/1.90A	2.30B/1.90A	----	----		1.90 - 0.30	.0106	----	----	----	----			28	UNCH					
5580	----	----			2.30B/1.80A	2.30B/1.80A	----	----		1.90 - 0.30	.0105	----	----	----	----			7	UNCH					
5585	----	----			2.30B/1.80A	2.30B/1.80A	----	----		1.80 - 0.30	.0101	----	----	----	----			9	UNCH					
5590	----	----			2.20B/1.80A	2.20B/1.80A	----	----		1.80 - 0.30	.0100	----	----	----	----			5	UNCH					
5595	----	----			2.20B/1.80A	2.20B/1.80A	----	----		1.80 - 0.30	.0100	----	----	----	----			10	UNCH					
5600	----	----			2.20B/1.80A	2.20B/1.80A	----	----		1.80 - 0.30	.0100	----	----	----	----			3122	UNCH					
5605	----	----			2.20B/1.80A	2.20B/1.80A	----	----		1.80 - 0.30	.0100	----	----	----	----			31	UNCH					
5610	----	----			2.20B/1.80A	2.20B/1.80A	----	----		1.80 - 0.30	.0099	----	----	----	----			8	UNCH					
5615	----	----			----/1.80A	2.10B/1.80A	----	----		1.70 - 0.40	.0095	----	----	----	----			34	UNCH					
5620	1.70	1.70			1.70/1.70	2.10B/1.70	----	----		1.70 - 0.40	.0094	----	----	1	----			13	UNCH					
5625	----	----			----/1.70A	2.10B/1.70A	----	----		1.70 - 0.40	.0094	----	----	----	----			4	UNCH					
5630	----	----			----/1.70A	2.10B/1.70A	----	----		1.70 - 0.40	.0094	----	----	----	----			8	UNCH					
5635	----	----			2.10B/1.70A	2.10B/1.70A	----	----		1.70 - 0.30	.0094	----	----	----	----			35	UNCH					
5640	----	----			2.10B/1.70A	2.10B/1.70A	----	----		1.70 - 0.30	.0094	----	----	----	----			2	UNCH					
5645	----	----			----/1.70A	2.00B/1.70A	----	----		1.70 - 0.30	.0093	----	----	----	----			352	UNCH					
5650	----	----			----/1.70A	2.00B/1.70A	----	----		1.70 - 0.30	.0093	----	----	----	----			40	UNCH					
5655	----	----			----/1.70A	2.00B/1.70A	----	----		1.60 - 0.40	.0088	----	----	----	----			28	UNCH					
5660	----	----			----/1.70A	2.00B/1.70A	----	----		1.60 - 0.40	.0088	----	----	----	----			6	UNCH					
5665	----	----			----/1.70A	2.00B/1.70A	----	----		1.60 - 0.40	.0088	----	----	----	----			161	UNCH					
5670	----	----			2.00B/1.60A	2.00B/1.60A	----	----		1.60 - 0.30	.0088	----	----	----	----			57	UNCH					
5675	----	----			2.00B/1.60A	2.00B/1.60A	----	----		1.60 - 0.30	.0088	----	----	----	----			40	UNCH					
5680	----	----			----/1.60A	1.90B/1.60A	----	----		1.60 - 0.30	.0087	----	----	----	----			28	UNCH					
5685	----	----			----/1.60A	1.90B/1.60A	----	----		1.60 - 0.30	.0087	----	----	----	----			63	UNCH					
5690	----	----			----/1.60A	1.90B/1.60A	----	----		1.60 - 0.30	.0087	----	----	----	----			37	UNCH					
5695	----	----			----/1.60A	1.90B/1.60A	----	----		1.60 - 0.30	.0087	----	----	5	----			833	+					
5700	1.40	1.40			1.40/1.40	1.90B/1.40	----	----		1.60 - 0.30	.0087	----	----	----	14	----		1	UNCH					
5705	----	----			1.90B/1.60A	1.90B/1.60A	----	----		1.60 - 0.20	.0086	----	----	----	----			58	UNCH					
5710	----	----			1.90B/1.60A	1.90B/1.60A	----	----		1.60 - 0.20	.0086	----	----	----	----			4	UNCH					
5720	----	----			----/1.50A	1.80B/1.50A	----	----		1.60 - 0.20	.0086	----	----	----	----			50	UNCH					
5725	----	----			----/1.50A	1.80B/1.50A	----	----		1.50 - 0.30	.0081	----	----	----	----			14	UNCH					
5730	----	----			----/1.50A	1.80B/1.50A	----	----		1.50 - 0.30	.0081	----	----	----	----			14	UNCH					
5740	----	----			----/1.50A	1.80B/1.50A	----	----		1.50 - 0.30	.0081	----	----	----	----			536	UNCH					
5750	----	----			----/1.50A	1.70B/1.50A	----	----		1.50 - 0.20	.0080	----	----	----	----			10	UNCH					
5760	----	----			----/1.50A	1.70B/1.50A	----	----		1.50 - 0.20	.0080	----	----	----	----			27	UNCH					
5770	----	----			----/1.40A	1.70B/1.40A	----	----		1.50 - 0.20	.0080	----	----	----	----			8	UNCH					
5775	----	----			----/1.40A	1.70B/1.40A	----	----		1.50 - 0.20	.0080	----	----	----	----			9	UNCH					
5780	----	----			----/1.40A	1.70B/1.40A	----	----		1.50 - 0.20	.0079	----	----	----	----			10	UNCH					
5790	----	----		</																				

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS													
JAN27															
4130	----	----	----	264.30B/220.30A	264.30B/220.30A	----	----	224.30 + 2.10	.6020	----	----	----	----	1	UNCH
4140	----	----	----	258.10B/214.20A	258.10B/214.20A	----	----	218.70 + 2.00	.5931	----	----	----	----	1	UNCH
4150	----	----	----	252.10B/208.70A	252.10B/208.70A	----	----	213.10 + 1.80	.5842	----	----	----	----	6	UNCH
4155	----	----	----	249.10B/206.10A	249.10B/206.10A	----	----	210.40 + 1.80	.5797	----	----	----	----	1	UNCH
4160	----	----	----	246.10B/203.50A	246.10B/203.50A	----	----	207.70 + 1.80	.5752	----	----	----	----	213	UNCH
4165	----	----	----	243.10B/200.80A	243.10B/200.80A	----	----	205.10 + 1.80	.5708	----	----	----	----	1	UNCH
4170	----	----	----	240.20B/198.10A	240.20B/198.10A	----	----	202.40 + 1.70	.5663	----	----	----	----	3	UNCH
4180	----	----	----	234.50B/193.00A	234.50B/193.00A	----	----	197.20 + 1.60	.5573	----	----	7	----	17	+
4185	----	----	----	231.60B/190.60A	231.60B/190.60A	----	----	194.70 + 1.60	.5527	----	----	----	2	4	UNCH
4190	196.00	196.00	----	228.80B/188.10A	228.80B/188.10A	----	----	192.10 + 1.50	.5482	----	----	----	----	10	+
4200	212.90	212.90	----	223.60B/183.00A	223.60B/183.00A	----	----	187.10 + 1.50	.5392	----	----	21	----	70	+
4205	217.70	217.70	----	220.80B/180.60A	220.80B/180.60A	----	----	184.60 + 1.40	.5347	----	----	4	----	10	+
4215	----	----	----	215.40B/175.80A	215.40B/175.80A	----	----	179.80 + 1.40	.5256	----	----	----	----	11	UNCH
4220	----	----	----	212.60B/173.60A	212.60B/173.60A	----	----	177.40 + 1.40	.5211	----	----	7	----	25	+
4225	----	----	----	210.10B/171.20A	210.10B/171.20A	----	----	175.00 + 1.30	.5166	----	----	----	----	101	UNCH
4230	173.80	173.80	----	207.40B/168.80A	207.40B/168.80A	----	----	172.70 + 1.30	.5121	----	----	12	----	26	+
4235	172.50	172.50	----	204.80B/166.60A	204.80B/166.60A	----	----	170.40 + 1.30	.5076	----	----	10	----	23	+
4240	----	----	----	202.20B/164.30A	202.20B/164.30A	----	----	168.10 + 1.20	.5031	----	----	----	----	7	UNCH
4245	----	----	----	199.70B/162.10A	199.70B/162.10A	----	----	165.80 + 1.20	.4986	----	----	2	----	6	+
4250	----	----	----	197.20B/159.90A	197.20B/159.90A	----	----	163.60 + 1.20	.4941	----	----	----	----	623	UNCH
4255	173.40	173.40	----	194.70B/157.70A	194.70B/157.70A	----	----	161.40 + 1.20	.4897	----	----	7	----	8	+
4260	----	----	----	192.20B/155.60A	192.20B/155.60A	----	----	159.20 + 1.10	.4852	----	----	7	----	12	+
4270	----	----	----	187.30B/151.30A	187.30B/151.30A	----	----	154.90 + 1.10	.4763	----	----	----	----	5	UNCH
4280	----	----	----	182.50B/147.20A	182.50B/147.20A	----	----	150.70 + 1.00	.4675	----	----	7	----	10	+
4290	----	----	----	177.80B/143.20A	177.80B/143.20A	----	----	146.60 + 1.00	.4587	----	----	----	----	2	UNCH
4300	----	----	----	173.20B/139.20A	173.20B/139.20A	----	----	142.50 + 0.90	.4499	----	----	8	----	72	UNCH
4305	----	----	----	170.90B/137.30A	170.90B/137.30A	----	----	140.60 + 0.90	.4456	----	----	----	----	9	UNCH
4310	----	----	----	168.70B/135.30A	168.70B/135.30A	----	----	138.60 + 0.80	.4413	----	----	----	----	3	UNCH
4320	162.30	162.30	----	164.40B/131.60A	164.40B/131.60A	----	----	134.80 NEW	.4327	----	----	1	----	1	+
4325	160.10	160.10	----	162.20B/129.70A	162.20B/129.70A	----	----	132.90 + 0.80	.4284	----	----	1	----	2	+
4330	----	----	----	160.10B/127.90A	160.10B/127.90A	----	----	131.00 + 0.70	.4241	----	----	----	----	60	UNCH
4335	----	----	----	158.00B/126.10A	158.00B/126.10A	----	----	129.20 + 0.70	.4199	----	----	----	----	3	UNCH
4340	153.60	153.60	----	155.90B/124.30A	155.90B/124.30A	----	----	127.40 NEW	.4157	----	----	2	----	2	+
4345	----	----	----	153.80B/122.50A	153.80B/122.50A	----	----	125.60 + 0.70	.4115	----	----	----	----	5	UNCH
4350	----	----	----	151.70B/120.70A	151.70B/120.70A	----	----	123.80 + 0.60	.4073	----	----	----	----	105	UNCH
4355	----	----	----	149.70B/119.00A	149.70B/119.00A	----	----	122.00 + 0.60	.4031	----	----	----	----	71	UNCH
4360	145.60	145.60	----	147.70B/117.30A	147.70B/117.30A	----	----	120.30 + 0.60	.3990	----	----	1	----	90	+
4365	----	----	----	145.70B/115.60A	145.70B/115.60A	----	----	118.60 + 0.50	.3948	----	----	----	----	243	UNCH
4370	----	----	----	143.80B/114.00A	143.80B/114.00A	----	----	116.90 + 0.50	.3907	----	----	----	----	35	UNCH
4375	----	----	----	141.80B/112.30A	141.80B/112.30A	----	----	115.20 + 0.40	.3866	----	----	----	----	204	UNCH
4380	----	----	----	139.80B/110.70A	139.80B/110.70A	----	----	113.60 + 0.50	.3826	----	----	----	----	1	UNCH
4385	----	----	----	138.00B/109.10A	138.00B/109.10A	----	----	112.00 + 0.50	.3786	----	----	----	----	23	UNCH
4390	----	----	----	136.10B/107.60A	136.10B/107.60A	----	----	110.40 + 0.40	.3746	----	----	----	----	7	UNCH
4395	----	----	----	134.20B/106.00A	134.20B/106.00A	----	----	108.80 + 0.40	.3706	----	----	----	----	4	UNCH
4400	----	----	----	132.40B/104.50A	132.40B/104.50A	----	----	107.20 + 0.30	.3666	----	----	41	----	370	+
4405	----	----	----	130.60B/103.00A	130.60B/103.00A	----	----	105.70 + 0.40	.3627	----	----	----	----	5	UNCH
4410	----	----	----	128.80B/101.50A	128.80B/101.50A	----	----	104.20 + 0.30	.3588	----	----	----	----	22	UNCH
4415	124.80	124.80	----	127.00B/100.10A	127.00B/100.10A	----	----	102.60 + 0.20	.3548	----	----	7	----	8	+
4420	----	----	----	125.30B/98.60A	125.30B/98.60A	----	----	101.20 + 0.30	.3511	----	----	----	----	20	UNCH
4425	----	----	----	123.60B/97.10A	123.60B/97.10A	----	----	99.70 + 0.20	.3472	----	----	----	----	59	UNCH
4430	----	----	----	121.90B/95.80A	121.90B/95.80A	----	----	98.30 + 0.20	.3434	----	----	----	----	9	UNCH
4435	----	----	----	120.20B/94.40A	120.20B/94.40A	----	----	96.80 + 0.10	.3396	----	----	----	----	12	UNCH
4440	----	----	----	118.60B/93.00A	118.60B/93.00A	----	----	95.40 + 0.10	.3358	----	----	----	----	63	UNCH
4445	----	----	----	116.90B/91.60A	116.90B/91.60A	----	----	94.00 + 0.10	.3321	----	----	----	----	2	UNCH
4450	106.10	106.10	----	115.30B/90.20A	115.30B/90.20A	----	----	92.70 + 0.10	.3284	----	----	40	----	273	+
4455	----	----	----	113.70B/88.90A	113.70B/88.90A	----	----	91.30 + 0.10	.3247	----	----	----	----	9	UNCH
4460	----	----	----	112.10B/87.60A	112.10B/87.60A	----	----	90.00 + 0.10	.3211	----	----	----	----	11	UNCH
4465	----	----	----	110.60B/86.30A	110.60B/86.30A	----	----	88.70 + 0.10	.3175	----	----	----	----	14	UNCH
4470	----	----	----	109.10B/85.00A	109.10B/85.00A	----	----	87.40 UNCH	.3139	----	----	----	----	16	UNCH
4475	89.50	89.50	----	107.50B/83.80A	107.50B/83.80A	----	----	86.10 UNCH	.3103	----	----	3	----	61	UNCH
4480	----	----	----	106.00B/82.60A	106.00B/82.60A	----	----	84.80 - 0.10	.3067	----	----	----	----	113	UNCH
4485	----	----	----	104.60B/81.30A	104.60B/81.30A	----	----	83.60 UNCH	.3033	----	----	----	----	4	UNCH
4490	92.50	92.50	----	103.10B/80.10A	103.10B/80.10A	----	----	82.40 UNCH	.2998	----	----	2	----	10	UNCH
4495	----	----	----	101.60B/78.90A	101.60B/78.90A	----	----	81.20 UNCH	.2964	----	----	----	----	3	UNCH
4500	88.60	88.60	----	100.20B/77.80A	100.20B/77.80A	----	----	80.00 - 0.10	.2929	----	----	52	----	1444	+
4505	----	----	----	98.80B/76.60A	98.80B/76.60A	----	----	78.80 - 0.10	.2895	----	----	----	----	5	UNCH
4510	----	----	----	97.40B/75.50A	97.40B/75.50A	----	----	77.60							

PG64		BULLETIN #188@										METALS OPTION PRODUCTS										wed, Sep 30, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
OG CALL	COMEX GOLD OPTIONS																							
JAN27																								
4880	----	----	----	34.20B/25.30A	34.20B/25.30A	----	----	----	26.10 - 0.70	.1136	----	----	----	----	28	UNCH								
4885	----	----	----	33.60B/25.00A	33.60B/25.00A	----	----	----	25.80 - 0.60	.1123	----	----	----	----	42	UNCH								
4890	----	----	----	33.30B/24.60A	33.30B/24.60A	----	----	----	25.40 - 0.60	.1108	----	----	----	----	4	UNCH								
4895	24.20	24.20	----	32.80B/24.20	32.80B/24.20	----	----	----	25.10 - 0.60	.1096	----	----	3	----	27	+								
4900	29.40	29.40	----	32.40B/23.90A	32.40B/23.90A	----	----	----	24.70 - 0.60	.1081	----	----	13	----	2715	+								
4905	23.70	23.70	----	31.80B/23.60A	31.80B/23.60A	----	----	----	24.40 - 0.60	.1068	----	----	9	----	11	+								
4910	23.50	23.50	----	31.50B/23.20A	31.50B/23.20A	----	----	----	24.00 - 0.70	.1053	----	----	2	----	29	+								
4915	----	----	----	31.00B/22.90A	31.00B/22.90A	----	----	----	23.70 - 0.60	.1041	----	----	----	----	95	UNCH								
4920	----	----	----	30.50B/22.60A	30.50B/22.60A	----	----	----	23.40 - 0.60	.1029	----	----	----	----	18	UNCH								
4925	----	----	----	30.10B/22.30A	30.10B/22.30A	----	----	----	23.00 - 0.70	.1013	----	----	----	----	3	UNCH								
4930	----	----	----	29.80B/22.00A	29.80B/22.00A	----	----	----	22.70 - 0.60	.1001	----	----	----	----	2	UNCH								
4935	----	----	----	29.40B/21.70A	29.40B/21.70A	----	----	----	22.40 - 0.60	.0989	----	----	----	----	1	UNCH								
4940	----	----	----	29.00B/21.40A	29.00B/21.40A	----	----	----	22.10 - 0.60	.0977	----	----	----	----	3	UNCH								
4945	----	----	----	28.50B/21.10A	28.50B/21.10A	----	----	----	21.80 - 0.60	.0965	----	----	----	----	6	UNCH								
4950	----	----	----	28.10B/20.80A	28.10B/20.80A	----	----	----	21.50 - 0.60	.0953	----	----	----	----	357	UNCH								
4955	----	----	----	27.80B/20.50A	27.80B/20.50A	----	----	----	21.20 - 0.60	.0941	----	----	----	----	2	UNCH								
4960	----	----	----	27.40B/20.20A	27.40B/20.20A	----	----	----	20.90 - 0.60	.0929	----	----	----	----	4	UNCH								
4965	23.50	23.50	----	27.00B/20.00A	27.00B/20.00A	----	----	----	20.60 - 0.60	.0917	----	----	20	----	20	+								
4970	----	----	----	26.60B/19.70A	26.60B/19.70A	----	----	----	20.30 - 0.70	.0905	----	----	----	----	3	UNCH								
4975	----	----	----	26.30B/19.40A	26.30B/19.40A	----	----	----	20.10 - 0.60	.0896	----	----	----	----	3	UNCH								
4980	----	----	----	25.90B/19.20A	25.90B/19.20A	----	----	----	19.80 - 0.60	.0884	----	----	----	----	1	UNCH								
4985	----	----	----	25.60B/18.90A	25.60B/18.90A	----	----	----	19.50 - 0.60	.0872	----	----	----	----	16	UNCH								
4990	----	----	----	25.20B/18.60A	25.20B/18.60A	----	----	----	19.30 - 0.60	.0863	----	----	----	----	24	UNCH								
4995	----	----	----	24.90B/18.40A	24.90B/18.40A	----	----	----	19.00 - 0.60	.0851	----	----	----	----	6	UNCH								
5000	22.80	22.80	----	24.60B/18.20A	24.60B/18.20A	----	----	----	18.80 - 0.60	.0842	----	----	843	----	4320	+								
5005	----	----	----	24.20B/17.90A	24.20B/17.90A	----	----	----	18.50 - 0.60	.0830	----	----	1	----	15	+								
5010	----	----	----	23.90B/17.70A	23.90B/17.70A	----	----	----	18.30 - 0.60	.0821	----	----	----	----	74	UNCH								
5015	----	----	----	23.60B/17.40A	23.60B/17.40A	----	----	----	18.00 - 0.60	.0809	----	----	----	----	3	UNCH								
5020	----	----	----	23.30B/17.20A	23.30B/17.20A	----	----	----	17.80 - 0.60	.0801	----	----	----	----	2	UNCH								
5025	----	----	----	23.00B/17.00A	23.00B/17.00A	----	----	----	17.50 - 0.60	.0789	----	----	----	----	9	UNCH								
5030	----	----	----	22.70B/16.80A	22.70B/16.80A	----	----	----	17.30 - 0.60	.0780	----	----	----	----	5	UNCH								
5035	----	----	----	22.40B/16.50A	22.40B/16.50A	----	----	----	17.10 - 0.60	.0772	----	----	----	----	30	UNCH								
5040	19.10	19.10	----	22.10B/16.30A	22.10B/16.30A	----	----	----	16.90 - 0.50	.0763	----	----	5	----	19	+								
5045	----	----	----	21.80B/16.10A	21.80B/16.10A	----	----	----	16.60 - 0.60	.0751	----	----	----	----	2	UNCH								
5050	----	----	----	21.50B/15.90A	21.50B/15.90A	----	----	----	16.40 - 0.60	.0743	----	----	----	----	267	UNCH								
5055	----	----	----	21.20B/15.70A	21.20B/15.70A	----	----	----	16.20 - 0.60	.0734	----	----	----	----	11	UNCH								
5060	17.50	17.50	----	21.00B/15.50A	21.00B/15.50A	----	----	----	16.00 - 0.60	.0725	----	----	1	----	40	UNCH								
5065	----	----	----	20.70B/15.30A	20.70B/15.30A	----	----	----	15.80 - 0.60	.0717	----	----	----	----	2	UNCH								
5070	----	----	----	20.40B/15.10A	20.40B/15.10A	----	----	----	15.60 - 0.60	.0708	----	----	----	----	8	UNCH								
5075	----	----	----	20.10B/14.90A	20.10B/14.90A	----	----	----	15.40 - 0.60	.0700	----	----	----	----	9	UNCH								
5080	16.80	16.80	----	19.90B/14.70A	19.90B/14.70A	----	----	----	15.20 - 0.60	.0691	----	----	13	----	19	+								
5085	----	----	----	19.60B/14.50A	19.60B/14.50A	----	----	----	15.00 - 0.60	.0683	----	----	----	----	33	UNCH								
5090	----	----	----	19.40B/14.30A	19.40B/14.30A	----	----	----	14.80 - 0.60	.0674	----	----	----	----	3	UNCH								
5095	----	----	----	19.10B/14.20A	19.10B/14.20A	----	----	----	14.60 - 0.60	.0666	----	----	----	----	3	UNCH								
5100	----	----	----	18.90B/14.00A	18.90B/14.00A	----	----	----	14.40 - 0.60	.0657	----	----	4	----	316	+								
5105	----	----	----	18.60B/13.80A	18.60B/13.80A	----	----	----	14.30 - 0.50	.0652	----	----	----	----	27	UNCH								
5110	----	----	----	18.40B/13.60A	18.40B/13.60A	----	----	----	14.10 - 0.50	.0644	----	----	----	----	2	UNCH								
5115	----	----	----	18.10B/13.50A	18.10B/13.50A	----	----	----	13.90 - 0.50	.0635	----	----	----	----	14	UNCH								
5120	----	----	----	17.90B/13.30A	17.90B/13.30A	----	----	----	13.70 - 0.60	.0627	----	----	----	----	3	UNCH								
5125	----	----	----	17.70B/13.10A	17.70B/13.10A	----	----	----	13.60 - 0.50	.0622	----	----	----	----	44	UNCH								
5130	14.70	14.70	----	17.50B/13.00A	17.50B/13.00A	----	----	----	13.40 - 0.50	.0614	----	----	1	----	20	+								
5135	----	----	----	17.20B/12.80A	17.20B/12.80A	----	----	----	13.20 - 0.50	.0605	----	----	----	----	52	UNCH								
5140	----	----	----	17.00B/12.60A	17.00B/12.60A	----	----	----	13.10 - 0.50	.0600	----	----	----	----	19	UNCH								
5145	16.10	16.10	----	16.80B/12.50A	16.80B/12.50A	----	----	----	12.90 - 0.50	.0592	----	----	12	----	24	+								
5150	13.90	13.90	----	16.60B/12.30A	16.60B/12.30A	----	----	----	12.70 - 0.60	.0584	----	----	21	----	254	+								
5155	12.70	12.70	----	16.40B/12.20A	16.40B/12.20A	----	----	----	12.60 - 0.50	.0579	----	----	5	----	22	+								
5160	----	----	----	16.20B/12.00A	16.20B/12.00A	----	----	----	12.40 - 0.50	.0571	----	----	----	----	17	UNCH								
5165	----	----	----	16.00B/11.90A	16.00B/11.90A	----	----	----	12.30 - 0.50	.0566	----	----	----	----	7	UNCH								
5170	12.80	12.80	----	15.80B/11.70A	15.80B/11.70A	----	----	----	12.10 - 0.50	.0557	----	----	14	----	14	+								
5175	----	----	----	15.60B/11.60A	15.60B/11.60A	----	----	----	12.00 - 0.50	.0552	----	----	----	----	235	UNCH								
5180	----	----	----	15.40B/11.50A	15.40B/11.50A	----	----	----	11.80 - 0.50	.0544	----	----	----	----	14	UNCH								
5185	----	----	----	15.20B/11.30A	15.20B/11.30A	----	----	----	11.70 - 0.50	.0539	----	----	----	----	9	UNCH								
5190	----	----	----	15.00B/11.20A	15.00B/11.20A	----	----	----	11.60 - 0.40	.0534	----	----	----	----	3	UNCH								
5195	----	----	----	14.80B/11.10A	14.80B/11.10A	----	----	----	11.40 - 0.50	.0526	----	----	----	----	5	UNCH								
5200	11.00	11.00	----	14.70B/10.90A	14.70B/10.90A	----	----	----	11.30 - 0.50	.0521	----	----	15	----	910	+								
5205	14.00	14.00	----	14.50B/10.80A	14.50B/10.80A	----	----	----	11.10 - 0.50	.0513	----	----	12	----	25	+								
5210	----	----	----	14.30B/10.70A	14.30B/10.70A	----	----	----	11.00 - 0.50	.0509	----	----	----	----	16	UNCH								
5215	----	----	----	14.10B/10.60A	14.10B/10.60A	----	----	----	10.90 - 0.50	.0504	----	----	----	----	20	UNCH								
5220	12.80	12.80	----	14.00B/10.50A	14.00B/10.50A	----	----	----	10.80 - NEW	.0499	----	----	12	----	12	+								
5225	----	----	----	13.80B/10.30A	13.80B/10.30A	----	----	----	10.60 - 0.50	.0491	----	----	----	----	108	UNCH								
5230	----	----	----	13.60B/10.20A	13.60B/10.20A	----	----	----	10.50 - 0.50	.0486	----	----	----	----	7	UNCH								
5235	----	----	----	13.50B/10.10A	13.50B/10.10A	----	----	----	10.40 - 0.50	.0481	----	----	----	----	64	UNCH								
5240	----	----	----	13.30B/10.00A	13.30B/10.00A	----	----	----	10.30 - 0.40	.0477	----	----	----	----	5	UNCH								
5245	----	----	----	13.20B/9.90A	13.20B/9.90A	----	----	----	10.10 - 0.50	.0469	----	----	----	----	15	UNCH								
5250	10.90	10.90	----	13.00B/9.70	13.00B/9.70	----	----	----	10.00 - 0.50	.0464	----	----	428	----	854	+								
5255	----	----	----	12.80B/9.70A	12.80B/9.70A	----	----	----	9.90 - 0.50	.0459	----	----	----	----	2	UNCH								
5260	----	----	----	12.70B/9.60A	12.70B/9.60A	----	----	----	9.80 - 0.50	.0455	----	----	----	----	23	UNCH								
5270	----	----	----	12.40B/9.30A	12.40B/9.30A	----	----	----	9.60 - 0.40	.0445	----	----	----	----	26	UNCH								
5275	----	----	----	12.30B/9.20A	12.30B/9.20A	----	----	----	9.50 - 0.40	.0441	----	----	----	----	18	UNCH								
5280	----	----	----	12.10B/9.10A	12.10B/9.10A	----	----	----	9.40 - 0.40	.0436	----	----	----	----	29	UNCH								
5285	----	----	----	12.00B/9.00A	12.00B/9.00A	----	----	----	9.30 - 0.40	.0432	----	----	----	----	13	UNCH								
5290	----	----	----	11.80B/8.90A	11.80B/8.90A	----	----	----	9.20 - 0.40	.0427	----	----	----	----	31	UNCH								
5300	----	----	----	11.60B/8.80A	11.60B/8.80A	----	----	----	9.00 - 0.40	.0418	----	----	14	----	793	+								
5305	----	----	----	11.40B/8.70A	11.40B/8.70A	----	----	----	8.90 - 0.40	.0413	----	----	----	----	33	UNCH								
5310	----	----	----	11.30B/8.60A	11.30B/8.60A	----	----	----	8.80 - 0.40	.0409	----	----	----	----	15	UNCH								
5320	----	----	----	11.10B/8.40A	11.10B/8.40A	----	----	----	8.60 - 0.40	.0400	----	----	----	----	6	UNCH								
5325	----	----	----	10.90B/8.30A	10.90B/8.30A	----	----	----	8.50 - 0.40	.0395	----	----	----	----	29	UNCH								
5330	----	----	----	10.																				

PG64	BULLETIN #188@										METALS OPTION PRODUCTS										wed, Sep 30, 2026										PG64
	GLOBEX OPEN		OPEN OUTCRY OPEN		OUTCRY RANGE		GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW		OPEN OUTCRY CLOSE		OUTCRY RANGE		SETT.PRICE & PT.CHGE.		DELTA		EXER CISES		OPEN OUTCRY VOLUME		GLOBEX® VOLUME		PNT VOLUME		OPEN INTEREST				
OG CALL	COMEX GOLD OPTIONS																														
JAN27																															
5655	----	----	----	5.80B/4.60A	5.80B/4.60A	----	----	----	----	----	----	----	----	----	4.60 - 0.40	.0212	----	----	----	----	----	----	----	----	----	----	----	3	UNCH		
5675	----	----	----	5.60B/4.50A	5.60B/4.50A	----	----	----	----	----	----	----	----	----	4.50 - 0.30	.0207	----	----	----	----	----	----	----	----	----	----	----	3	UNCH		
5690	----	----	----	5.40B/4.40A	5.40B/4.40A	----	----	----	----	----	----	----	----	----	4.40 - 0.30	.0202	----	----	----	----	----	----	----	----	----	----	----	3	UNCH		
5700	----	----	----	5.30B/4.30A	5.30B/4.30A	----	----	----	----	----	----	----	----	----	4.30 - 0.40	.0198	----	----	----	----	----	----	6	----	----	----	123	UNCH			
5705	----	----	----	5.30B/4.30A	5.30B/4.30A	----	----	----	----	----	----	----	----	----	4.30 - 0.30	.0197	----	----	----	----	----	----	----	----	----	----	19	UNCH			
5720	----	----	----	5.20B/4.20A	5.20B/4.20A	----	----	----	----	----	----	----	----	----	4.20 - 0.40	.0192	----	----	----	----	----	----	----	----	----	----	2	UNCH			
5725	----	----	----	5.10B/4.20A	5.10B/4.20A	----	----	----	----	----	----	----	----	----	4.20 - 0.30	.0192	----	----	----	----	----	----	----	----	----	----	24	UNCH			
5730	----	----	----	5.10B/4.10A	5.10B/4.10A	----	----	----	----	----	----	----	----	----	4.20 - 0.30	.0192	----	----	----	----	----	----	----	----	----	----	4	UNCH			
5735	4.10	4.10		5.10B/4.10	5.10B/4.10	----	----	----	----	----	----	----	----	----	4.10 - 0.40	.0188	----	----	----	----	----	4	----	----	----	5 +	4	UNCH			
5745	----	----	----	5.00B/4.10A	5.00B/4.10A	----	----	----	----	----	----	----	----	----	4.10 - 0.30	.0187	----	----	----	----	----	----	----	----	----	----	6	UNCH			
5750	----	----	----	5.00B/4.00A	5.00B/4.00A	----	----	----	----	----	----	----	----	----	4.00 - 0.40	.0183	----	----	----	----	----	----	----	----	----	----	245	UNCH			
5760	----	----	----	4.90B/4.00A	4.90B/4.00A	----	----	----	----	----	----	----	----	----	4.00 - 0.30	.0182	----	----	----	----	----	----	----	----	----	----	4	UNCH			
5770	3.90	3.90		4.80B/3.90	4.80B/3.90	----	----	----	----	----	----	----	----	----	3.90 - 0.40	.0178	----	----	----	----	----	----	6	----	----	----	28 +	6	UNCH		
5775	----	----	----	4.80B/3.90A	4.80B/3.90A	----	----	----	----	----	----	----	----	----	3.90 - 0.30	.0177	----	----	----	----	----	----	----	----	----	----	215	UNCH			
5800	----	----	----	4.60B/3.80A	4.60B/3.80A	----	----	----	----	----	----	----	----	----	3.80 - 0.30	.0172	----	----	----	----	----	----	----	----	----	----	310	UNCH			
5820	----	----	----	4.50B/3.70A	4.50B/3.70A	----	----	----	----	----	----	----	----	----	3.70 - 0.30	.0167	----	----	----	----	----	----	----	----	----	----	7	UNCH			
5840	----	----	----	4.40B/3.60A	4.40B/3.60A	----	----	----	----	----	----	----	----	----	3.60 - 0.30	.0162	----	----	----	----	----	----	----	----	----	----	12	UNCH			
5850	----	----	----	4.30B/3.60A	4.30B/3.60A	----	----	----	----	----	----	----	----	----	3.60 - 0.30	.0162	----	----	----	----	----	----	----	----	----	----	4	UNCH			
5875	----	----	----	4.20B/3.50A	4.20B/3.50A	----	----	----	----	----	----	----	----	----	3.40 - 0.40	.0153	----	----	----	----	----	----	----	----	----	----	5	UNCH			
5900	----	----	----	4.00B/3.40A	4.00B/3.40A	----	----	----	----	----	----	----	----	----	3.30 - 0.40	.0148	----	----	----	----	----	----	----	----	----	----	216	UNCH			
5925	----	----	----	3.90B/3.30A	3.90B/3.30A	----	----	----	----	----	----	----	----	----	3.30 - 0.30	.0147	----	----	----	----	----	----	----	----	----	----	8	UNCH			
5950	----	----	----	3.80B/3.20A	3.80B/3.20A	----	----	----	----	----	----	----	----	----	3.20 - 0.30	.0142	----	----	----	----	----	----	----	----	----	----	1	UNCH			
5975	----	----	----	3.70B/3.10A	3.70B/3.10A	----	----	----	----	----	----	----	----	----	3.10 - 0.30	.0137	----	----	----	----	----	----	----	----	----	----	14	UNCH			
6000	----	----	----	3.60B/3.00A	3.60B/3.00A	----	----	----	----	----	----	----	----	----	3.00 - 0.30	.0133	----	----	----	----	----	----	----	----	----	----	923	UNCH			
6025	----	----	----	3.50B/3.00A	3.50B/3.00A	----	----	----	----	----	----	----	----	----	2.90 - 0.30	.0128	----	----	----	----	----	----	----	----	----	----	253	UNCH			
6100	2.50	2.50		3.20B/2.50	3.20B/2.50	----	----	----	----	----	----	----	----	----	2.70 - 0.30	.0118	----	----	----	----	----	----	3	----	----	----	11 +	3	UNCH		
6250	----	----	----	2.80B/2.50A	2.80B/2.50A	----	----	----	----	----	----	----	----	----	2.40 - 0.20	.0102	----	----	----	----	----	----	----	----	----	----	90	UNCH			
6300	2.20	2.20		2.60B/2.20	2.60B/2.20	----	----	----	----	----	----	----	----	----	2.30 - 0.20	.0097	----	----	----	----	----	----	2	----	----	----	562 +	2	UNCH		
6400	----	----	----	----/2.20A	2.40B/2.20A	----	----	----	----	----	----	----	----	----	2.10 - 0.30	.0088	----	----	----	----	----	----	----	----	----	----	14	UNCH			
6500	2.30	2.30		2.30/2.00A	2.30/2.00A	----	----	----	----	----	----	----	----	----	2.00 - 0.20	.0082	----	----	----	----	----	----	12	----	----	----	1336 -	12	UNCH		
6600	----	----	----	----/1.90A	2.10B/1.90A	----	----	----	----	----	----	----	----	----	1.90 - 0.20	.0076	----	----	----	----	----	----	----	----	----	----	4	UNCH			
7000	----	----	----	----/1.50A	1.60B/1.50A	----	----	----	----	----	----	----	----	----	1.50 - 0.20	.0057	----	----	----	----	----	----	----	----	----	----	150	UNCH			
7200	----	----	----	----/1.40A	1.50B/1.40A	----	----	----	----	----	----	----	----	----	1.30 - 0.20	.0049	----	----	----	----	----	----	----	----	----	----	1	UNCH			
7700	----	----	----	----/1.10A	1.10B/1.10A	----	----	----	----	----	----	----	----	----	1.10 - 0.10	.0039	----	----	----	----	----	----	----	20	----	----	257	UNCH			
7800	----	----	----	----/1.00A	1.10B/1.00A	----	----	----	----	----	----	----	----	----	1.00 - 0.20	.0035	----	----	----	----	----	----	----	----	----	----	271	UNCH			
7900	----	----	----	----/1.00A	1.00B/1.00A	----	----	----	----	----	----	----	----	----	1.00 - 0.10	.0034	----	----	----	----	----	----	----	----	----	----	12	UNCH			
8000	----	----	----	----/1.00A	1.00B/1.00A	----	----	----	----	----	----	----	----	----	0.90 - 0.20	.0031	----	----	----	----	----	----	----	----	----	----	8	UNCH			
9000	----	----	----	----	0.60B/0.70A	----	----	----	----	----	----	----	----	----	0.70 UNCH	.0022	----	----	----	----	----	----	----	----	----	----	568	UNCH			
10000	----	----	----	----	0.50B/0.50A	----	----	----	----	----	----	----	----	----	0.60 + 0.10	.0017	----	----	----	----	----	----	----	----	----	----	212	UNCH			
20000	----	----	----	----	----/0.20A	----	----	----	----	----	----	----	----	----	0.10 UNCH	.0002	----	----	----	----	----	----	----	20	----	----	268 +	20	UNCH		
TOTAL																							2428				38589 +	1803			
FEB27																															
3500	----	----	----	785.10B/----	785.10B/733.50A	----	----	----	----	----	----	----	----	----	738.30 + 6.00	.9204	----	----	----	----	----	----	----	----	----	----	2	UNCH			
3855	447.80	447.80		476.00B/425.70A	476.00B/425.70A	----	----	----	----	----	----	----	----	----	432.10 NEW	.7837	----	----	----	----	----	----	----	1	----	----	----	1 +	1	UNCH	
3860	444.50	444.50		472.10B/422.10A	472.10B/422.10A	----	----	----	----	----	----	----	----	----	428.30 NEW	.7808	----	----	----	----	----	----	----	1	----	----	----	1 +	1	UNCH	
3950	----	----	----	407.60B/356.30A	407.60B/356.30A	----	----	----	----	----	----	----	----	----	361.90 + 3.60	.7254	----	----	----	----	----	----	----	----	----	----	----	1	UNCH		
4000	----	----	----	371.60B/322.50A	371.60B/322.50A	----	----	----	----	----	----	----	----	----	327.80 + 3.30.																

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS														
FEB27																
4650	----	----		86.60B/68.70A	86.60B/68.70A	----			70.30 - 0.20	.2378	----	----	----	----	115	UNCH
4655	----	----		85.50B/67.80A	85.50B/67.80A	----			69.40 - 0.30	.2353					18	UNCH
4660	----	----		84.50B/67.00A	84.50B/67.00A	----			68.50 - 0.30	.2328					453	UNCH
4665	69.20	69.20		83.50B/66.10A	83.50B/66.10A	----			67.70 - 0.30	.2305			7		19	UNCH
4675	----	----		81.50B/64.50A	81.50B/64.50A	----			66.00 - 0.30	.2257					6	UNCH
4680	----	----		80.50B/63.70A	80.50B/63.70A	----			65.20 - 0.30	.2234					23	UNCH
4690	----	----		78.60B/62.10A	78.60B/62.10A	----			63.50 - 0.40	.2187					45	UNCH
4695	76.20	76.20		77.60B/61.40A	77.60B/61.40A	----			62.70 - 0.40	.2164			2		29 +	2
4700	68.80	68.80		76.70B/60.60A	76.70B/60.60A	----			62.00 - 0.30	.2143			32		464 +	27
4705	----	----		75.70B/59.80A	75.70B/59.80A	----			61.20 - 0.40	.2120					16	UNCH
4710	----	----		74.80B/59.10A	74.80B/59.10A	----			60.40 - 0.40	.2097					22	UNCH
4715	----	----		73.90B/58.30A	73.90B/58.30A	----			59.70 - 0.40	.2076					18	UNCH
4730	----	----		71.30B/56.20A	71.30B/56.20A	----			57.50 - 0.40	.2011					29	UNCH
4735	----	----		70.40B/55.50A	70.40B/55.50A	----			56.80 - 0.40	.1991					2	UNCH
4740	----	----		69.60B/54.80A	69.60B/54.80A	----			56.10 - 0.40	.1970					18	UNCH
4745	----	----		68.70B/54.10A	68.70B/54.10A	----			55.40 - 0.40	.1949					15	UNCH
4750	----	----		68.00B/53.40A	68.00B/53.40A	----			54.70 - 0.40	.1928			400		476 -	95
4755	----	----		67.10B/52.80A	67.10B/52.80A	----			54.00 - 0.40	.1908					61	UNCH
4760	----	----		66.30B/52.10A	66.30B/52.10A	----			53.30 - 0.50	.1887					107	UNCH
4770	64.10	64.10		64.70B/50.80A	64.70B/50.80A	----			52.00 - NEW	.1848			4		4 +	4
4775	----	----		63.90B/50.20A	63.90B/50.20A	----			51.40 - 0.40	.1829					14	UNCH
4785	----	----		62.40B/49.00A	62.40B/49.00A	----			50.10 - 0.50	.1790					100	UNCH
4790	----	----		61.70B/48.40A	61.70B/48.40A	----			49.50 - 0.50	.1771					19	UNCH
4795	----	----		61.00B/47.80A	61.00B/47.80A	----			48.90 - 0.50	.1753			4		47 +	4
4800	46.90	46.90		60.30B/46.90	60.30B/46.90	----			48.30 - 0.50	.1734			35		2072 +	2
4805	----	----		59.50B/46.60A	59.50B/46.60A	----			47.70 - 0.50	.1716					2	UNCH
4810	----	----		58.80B/46.00A	58.80B/46.00A	----			47.10 - 0.50	.1697					29	UNCH
4825	----	----		56.80B/44.40A	56.80B/44.40A	----			45.40 - 0.50	.1644					207	UNCH
4830	----	----		56.00B/43.80A	56.00B/43.80A	----			44.90 - 0.50	.1628					47	UNCH
4835	----	----		55.30B/43.30A	55.30B/43.30A	----			44.30 - 0.50	.1609			4		23 +	2
4845	----	----		54.00B/42.20A	54.00B/42.20A	----			43.30 - 0.40	.1577					3	UNCH
4850	47.90	47.90		53.50B/41.70A	53.50B/41.70A	----			42.70 - 0.50	.1559			6		118 +	6
4855	----	----		52.80B/41.20A	52.80B/41.20A	----			42.20 - 0.50	.1543					2	UNCH
4860	----	----		52.10B/40.70A	52.10B/40.70A	----			41.70 - 0.50	.1526					12	UNCH
4870	----	----		50.90B/39.70A	50.90B/39.70A	----			40.70 - 0.50	.1494					80	UNCH
4875	----	----		50.40B/39.30A	50.40B/39.30A	----			40.20 - 0.50	.1478					233	UNCH
4880	----	----		49.70B/38.80A	49.70B/38.80A	----			39.70 - 0.50	.1462					7	UNCH
4885	----	----		49.10B/38.30A	49.10B/38.30A	----			39.30 - 0.40	.1449					3	UNCH
4900	----	----		47.50B/37.00A	47.50B/37.00A	----			37.90 - 0.50	.1403			17		354 +	1
4905	----	----		46.90B/36.50A	46.90B/36.50A	----			37.40 - 0.50	.1387					17	UNCH
4920	----	----		45.20B/35.20A	45.20B/35.20A	----			36.10 - 0.50	.1344					6	UNCH
4925	----	----		44.70B/34.80A	44.70B/34.80A	----			35.70 - 0.50	.1331					5	UNCH
4930	----	----		44.20B/34.40A	44.20B/34.40A	----			35.20 - 0.50	.1315					46	UNCH
4935	----	----		43.70B/34.00A	43.70B/34.00A	----			34.80 - 0.50	.1301					2	UNCH
4945	----	----		42.70B/33.20A	42.70B/33.20A	----			34.00 - 0.50	.1275					18	UNCH
4950	----	----		42.20B/32.80A	42.20B/32.80A	----			33.60 - 0.50	.1261					40	UNCH
4955	----	----		41.70B/32.40A	41.70B/32.40A	----			33.20 - 0.50	.1248					2	UNCH
4960	----	----		41.20B/32.00A	41.20B/32.00A	----			32.80 - 0.50	.1234					8	UNCH
4970	----	----		40.20B/31.30A	40.20B/31.30A	----			32.10 - 0.50	.1210					3	UNCH
4975	----	----		39.80B/30.90A	39.80B/30.90A	----			31.70 - 0.50	.1197					3	UNCH
4990	----	----		38.40B/29.90A	38.40B/29.90A	----			30.60 - 0.50	.1159					8	UNCH
4995	----	----		38.00B/29.50A	38.00B/29.50A	----			30.20 - 0.50	.1146					20	UNCH
5000	36.50	36.50		37.60B/29.10	37.60B/29.10	----			29.90 - 0.50	.1135			410		2831 -	184
5005	----	----		37.10B/28.90A	37.10B/28.90A	----			29.50 - 0.50	.1122					32	UNCH
5010	----	----		36.70B/28.50A	36.70B/28.50A	----			29.20 - 0.50	.1112					13	UNCH
5020	----	----		35.90B/27.90A	35.90B/27.90A	----			28.50 - 0.50	.1088					5	UNCH
5025	----	----		35.50B/27.50A	35.50B/27.50A	----			28.20 - 0.50	.1077					30	UNCH
5030	----	----		35.10B/27.20A	35.10B/27.20A	----			27.90 - 0.50	.1066					6	UNCH
5040	----	----		34.30B/26.60A	34.30B/26.60A	----			27.30 - 0.50	.1045					1	UNCH
5045	26.60	26.60		33.90B/26.30A	33.90B/26.30A	----			27.00 - 0.40	.1035			11		55 +	5
5050	----	----		33.50B/26.00A	33.50B/26.00A	----			26.70 - 0.40	.1024					122	UNCH
5055	----	----		33.10B/25.70A	33.10B/25.70A	----			26.30 - 0.50	.1011					2	UNCH
5060	----	----		32.70B/25.50A	32.70B/25.50A	----			26.10 - 0.40	.1003					1	UNCH
5065	----	----		32.40B/25.20A	32.40B/25.20A	----			25.80 - 0.40	.0993					3	UNCH
5075	----	----		31.70B/24.60A	31.70B/24.60A	----			25.20 - 0.50	.0972					157	UNCH
5090	----	----		30.60B/23.80A	30.60B/23.80A	----			24.40 - 0.40	.0943					2	UNCH
5095	----	----		30.30B/23.50A	30.30B/23.50A	----			24.10 - 0.50	.0933					9	UNCH
5100	----	----		30.00B/23.30A	30.00B/23.30A	----			23.80 - 0.50	.0922					974	UNCH
5105	----	----		29.60B/23.00A	29.60B/23.00A	----			23.60 - 0.40	.0914			2		40	UNCH
5110	26.10	26.10		29.30B/22.80A	29.30B/22.80A	----			23.30 - 0.50	.0904			22		56 +	6
5115	----	----		29.00B/22.50A	29.00B/22.50A	----			23.00 - 0.50	.0894</						

PG64		BULLETIN #188@										METALS OPTION PRODUCTS										wed, Sep 30, 2026		PG64												
GLOBEX		OPEN	OUTCRY	GLOBEX		OPEN		OUTCRY		GLOBEX		OPEN	OUTCRY	SETT.PRICE		DELTA		EXER	OPEN	OUTCRY	GLOBEX®	PNT	OPEN													
OG CALL		COMEX GOLD OPTIONS																																	INTEREST	
FEB27																																				
5625	----	----	----	10.90B/8.80A		10.90B/8.80A		10.40B/8.50A		10.40B/8.50A		----	8.90 - 0.40		.0356		----	----	----	----	----	----	----	25	UNCH											
5650	----	----	----	10.40B/8.50A		10.40B/8.50A		10.00B/8.20A		10.00B/8.20A		----	8.60 - 0.30		.0344		----	----	----	----	----	----	----	2	UNCH											
5680	----	----	----	9.70B/7.90A		9.70B/7.90A		9.30B/7.70A		9.30B/7.70A		----	8.20 - 0.30		.0328		----	----	----	----	----	----	----	1	UNCH											
5700	----	----	----	9.30B/7.70A		9.30B/7.70A		9.20B/7.60A		9.20B/7.60A		----	8.00 - 0.30		.0319		----	----	----	----	----	----	213	UNCH												
5725	----	----	----	9.20B/7.60A		9.20B/7.60A		9.00B/7.40A		9.00B/7.40A		----	7.70 - 0.30		.0307		----	----	----	----	----	----	300	UNCH												
5735	----	----	----	9.00B/7.40A		9.00B/7.40A		8.90B/7.30A		8.90B/7.30A		----	7.60 - 0.30		.0303		----	----	----	----	----	----	1	UNCH												
5750	----	----	----	8.90B/7.30A		8.90B/7.30A		8.70B/7.20A		8.70B/7.20A		----	7.40 - 0.40		.0295		----	17	----	----	----	2145 +	10													
5760	----	----	----	8.70B/7.20A		8.70B/7.20A		8.50B/7.00A		8.50B/7.00A		----	7.30 - 0.40		.0291		----	----	----	----	----	----	1	UNCH												
5775	----	----	----	8.50B/7.00A		8.50B/7.00A		8.40B/6.90A		8.40B/6.90A		----	7.20 - 0.30		.0286		----	----	----	----	----	299	UNCH													
5790	----	----	----	8.40B/6.90A		8.40B/6.90A		8.30B/6.80A		8.30B/6.80A		----	7.10 - 0.30		.0282		----	----	----	----	----	4	UNCH													
5800	----	----	----	8.30B/6.80A		8.30B/6.80A		8.20B/6.70A		8.20B/6.70A		----	7.00 - 0.30		.0278		----	----	----	----	----	240	UNCH													
5820	----	----	----	8.20B/6.70A		8.20B/6.70A		8.10B/6.60A		8.10B/6.60A		----	6.80 - 0.30		.0270		----	----	----	----	----	5	UNCH													
5825	----	----	----	8.10B/6.60A		8.10B/6.60A		8.00B/6.50A		8.00B/6.50A		----	6.70 - 0.40		.0266		----	----	----	----	----	2	UNCH													
5900	----	----	----	7.30B/6.20A		7.30B/6.20A		6.90B/5.80A		6.90B/5.80A		----	6.20 - 0.20		.0244		----	----	----	----	----	14	UNCH													
5950	----	----	----	6.90B/5.80A		6.90B/5.80A		6.70B/5.70A		6.70B/5.70A		----	5.80 - 0.30		.0228		----	----	----	----	----	24	UNCH													
5975	----	----	----	6.70B/5.70A		6.70B/5.70A		6.50B/5.50		6.50B/5.50		----	5.70 - 0.20		.0223		----	----	----	----	----	1	UNCH													
6000	6.20	6.20	6.20	6.50B/5.50		6.50B/5.50		6.30B/5.40A		6.30B/5.40A		----	5.50 - 0.30		.0215		----	885	----	----	----	2936 +	384													
6025	----	----	----	6.30B/5.40A		6.30B/5.40A		6.20B/5.30A		6.20B/5.30A		----	5.40 - 0.20		.0210		----	----	----	----	----	4	UNCH													
6100	5.50	5.50	5.50	6.20B/5.30A		6.20B/5.30A		6.00B/5.00A		6.00B/5.00A		----	5.00 - 0.20		.0193		----	26	----	----	----	47 +	26													
6200	----	----	----	5.30B/4.50A		5.30B/4.50A		5.00B/4.30A		5.00B/4.30A		----	4.50 - 0.30		.0173		----	----	----	----	----	3	UNCH													
6250	4.70	4.70	4.70	5.00B/4.30A		5.00B/4.30A		4.80B/4.20A		4.80B/4.20A		----	4.30 - 0.30		.0164		----	10	----	----	----	34	UNCH													
6300	----	----	----	4.80B/4.20A		4.80B/4.20A		4.40B/3.80A		4.40B/3.80A		----	4.10 - 0.30		.0156		----	----	----	----	----	2	UNCH													
6400	----	----	----	4.40B/3.80A		4.40B/3.80A		4.30B/3.70A		4.30B/3.70A		----	3.80 - 0.30		.0143		----	----	----	----	----	11	UNCH													
6500	----	----	----	4.30B/3.70A		4.30B/3.70A		4.10B/3.50A		4.10B/3.50A		----	3.60 - 0.20		.0133		----	2	----	----	1048 +	1														
6600	----	----	----	3.80B/3.30A		3.80B/3.30A		3.50B/3.00		3.50B/3.00		----	3.30 - 0.20		.0121		----	----	----	----	----	10	UNCH													
6700	3.00	3.00	3.00	3.50B/3.00		3.50B/3.00		3.10B/2.80A		3.10B/2.80A		----	3.10 - 0.20		.0112		----	9	----	----	31 +	9														
6900	----	----	----	3.10B/2.80A		3.10B/2.80A		2.90B/2.50		2.90B/2.50		----	2.80 - 0.20		.0099		----	----	----	----	----	871	UNCH													
7000	2.50	2.50	2.50	2.90B/2.50		2.90B/2.50		2.80B/2.50A		2.80B/2.50A		----	2.60 - 0.20		.0091		----	7	----	----	1040 +	7														
7100	2.70	2.70	2.70	2.80B/2.50A		2.80B/2.50A		2.60B/2.40A		2.60B/2.40A		----	2.50 - 0.20		.0086		----	34	----	----	43 +	34														
7200	----	----	----	2.60B/2.40A		2.60B/2.40A		2.40B/2.20A		2.40B/2.20A		----	2.40 - 0.10		.0082		----	----	----	----	----	24	UNCH													
7400	----	----	----	2.40B/2.20A		2.40B/2.20A		2.20B/2.10		2.20B/2.10		----	2.20 - 0.10		.0073		----	----	----	----	----	13	UNCH													
7500	2.10	2.10	2.10	2.10B/2.10		2.10B/2.10		2.00B/1.90A		2.00B/1.90A		----	2.10 - NEW		.0069		----	56	----	----	819 -	6														
7600	2.00	2.00	2.00	2.00B/2.00		2.00B/2.00		1.90B/1.80A		1.90B/1.80A		----	2.00 - NEW		.0066		----	7	----	----	7 +	7														
7700	----	----	----	----/1.90A		----/1.90A		1.80B/1.70A		1.80B/1.70A		----	1.90 - 0.10		.0062		----	----	----	----	----	1	UNCH													
7800	----	----	----	----/1.80A		----/1.80A		1.70B/1.70		1.70B/1.70		----	1.80 - 0.10		.0058		----	----	----	----	----	1	UNCH													
7900	----	----	----	----/1.70A		----/1.70A		1.40B/1.40A		1.40B/1.40A		----	1.80 UNCH		.0057		----	----	----	----	----	1262	UNCH													
8000	1.70	1.70	1.70	1.70B/1.70		1.70B/1.70		1.20B/1.20		1.20B/1.20		----	1.70 UNCH		.0054		----	1	----	----	1454 +	1														
8500	----	----	----	----		----		1.10B/1.20A		1.10B/1.20A		----	1.40 UNCH		.0043		----	----	----	----	----	325	UNCH													
8900	1.20	1.20	1.20	1.20B/1.20		1.20B/1.20		1.10B/1.10		1.10B/1.10		----	1.20 UNCH		.0036		----	16	----	----	16 +	16														
9000	----	----	----	----		----		1.10B/1.10		1.10B/1.10		----	1.20 + 0.10		.0035		----	----	----	----	----	147	UNCH													
9100	1.10	1.10	1.10	1.10B/1.10		1.10B/1.10		1.10B/1.10		1.10B/1.10		----	1.20 + 0.10		.0035		----	----	21	----	----	78 +	72													
TOTAL																					2468	365	40747 +													
MAR27																																				
3480	----	----	----	----		778.20B/798.00A		760.20B/779.50A		760.20B/779.50A		----	795.30 + 5.50		.9155		----	----	----	----	----	1	UNCH													
3500	----	----	----	----		760.20B/779.50A		750.20B/769.00A		750.20B/769.00A		----	777.00 + 5.40		.9108		----	----	----	----	----	2	UNCH													
4080	----	----	----	360.20B/317.90A		360.20B/317.90A		347.50B/305.10A		347.50B/305.10A		----	321.20 + 2.30		.6463		----	----	----	----	----	12	UNCH													
4100	----	----	----	347.50B/305.10A		347.50B/305.10A		328.80B/288.00A		328.80B/288.00A		----	309.20 + 2.10		.6329		----	----	----	----	----	30	UNCH													
4130	----	----	----	328.80B/288.00A		328.80B/288.00A		316.80B/276.50A		316.80B/276.50A		----	291.90 + 2.00		.6125		----	----	----	----	----	10	UNCH													
4150	----	----	----	316.80B/276.50A		316.80B/276.50A		291.60B/253.10A		291.60B/253.10A		----	280.80 + 1.90		.5988		----	----	----	----	----	2	UNCH													
4195	----	----	----	291.60B/253.10A		291.60B/253.10A		289.70B/250.70A		289.70B/250.70A		----	256.80 + 1.60		.5675		----	----	----	----	----	51	UNCH													
4200	----	----	----	289.70B/250.70A		289.70B/250.70A		284.60B/245.50A		284.60B/245.50A		----	254.20 + 1.60		.5640		----	----	----	----	----	1	UNCH													
4210	----	----	----	284.60B/245.50A		284.60B/245.50A		281.80B/243.20A		281.80B/243.20A		----	249.20 + 1.60		.5570		----	----	----	----	----	3	UNCH													
4215	----	----	----	281.80B/243.20A		281.80B/243.20A		279.30B/240.70A		279.30B/240.70A		----	246.70 + 1.60		.5535		----	----	----	----	----	1	UNCH													
4220	----	----	----	279.30B/240.70A		279.30B/240.70A		276.60B/238.40A		276.60B/238.40A		----	244.20 + 1.60		.5500		----	----	----	----	----	2	UNCH													
4225	----	----	----	276.60B/238.40A		276.60B/238.40A		263.50B/226.50A		263.50B/226.50A		----	241.70 + 1.50		.5465		----	----	----	----	----	2	UNCH													
4250	----	----	----	263.50B/226.50A		263.50B/226.50A		253.10B/217.20A		253.10B/217.20A		----	229.70 + 1.50		.5290		----	----	----	----	----	1	UNCH													
4270	----	----	----	253.10B/217.20A		253.10B/217.20A		239.10B/204.30A		239.10B/204.30A		----	220.40 + 1.40		.5150		----	----	----	----	----	241	UNCH													
4300	----	----	----	239.10B/204.30A		239.10B/204.30A		220.40B/187.80A		220.40B/187.80A		----	207.10 + 1.50		.4942		----	----	----	----	----	1	UNCH													
4340	----	----	----	220.40B/187.80A		220.40B/187.80A		218.40B/185.80A		218.40B/185.80A		----	190.50 + 1.40		.4668		----	----	----	----	----	1	UNCH													
4345	----	----	----	218.40B/185.80A		218.40B/185.80A		216.00B/183.70A		216.00B/183.70A		----	188.50 + 1.40		.4635		----	----	----	----	----	20	UNCH													
4350	----	----	----	216.00B/183.70A		216.00B/183.70A		207.40B/176.20A		207.40B/176.20A		----	186.50 + 1.30		.4601		----	----	----	----	----	270	UNCH													
4370	----	----	----	207.40B/176.20A		207.40B/176.20A		203.30B/172.60A		203.30B/172.60A		----	178.80 + 1.20		.4467		----	----	----	----	----	3	UNCH													
4380	----	----	----	203.30B/172.60A		203.30B/172.60A		197.20B/167.00A		197.20B/167.00A		----	175.10 + 1.10		.4401		----	----	----	----	----	583	UNCH													
4395	----	----	----	197.20B/167.00A		197.20B/167.00A		195.80B/165.30A		195.80B/165.30A		----	169.60 + 0.90		.4302		----	----	----	----	----	1	UNCH													
4400	----	----	----	195.80B/165.30A		195.80B/165.30A		187.50B/158.30A		187.50B/158.30A		----	167.80 + 0.90		.4270		----	----	----	----	----	1	UNCH													
4420	----	----	----	187.50B/158.30A		187.50B/158.30A		185.60B/156.70A		185.60B/156.70A																										

PG64		BULLETIN #188@										METALS OPTION PRODUCTS										wed, Sep 30, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG CALL		COMEX GOLD OPTIONS																						
MAR27																								
5160	----	----			40.208/32.70A	40.208/32.70A	----	----		33.10 - 0.60	.1121	----	----	----	----		13	UNCH						
5165	----	----			39.808/32.40A	39.808/32.40A	----	----		32.80 - 0.60	.1112	----	----	----	----		101	UNCH						
5175	32.90	32.90			39.108/31.70A	39.108/31.70A	----	----		32.20 - 0.50	.1093	----	----	1	----		1	UNCH						
5180	----	----			38.708/31.40A	38.708/31.40A	----	----		31.80 - 0.60	.1081	----	----	----	----		2	UNCH						
5185	----	----			38.208/31.10A	38.208/31.10A	----	----		31.50 - 0.60	.1072	----	----	----	----		1	UNCH						
5190	----	----			37.908/30.80A	37.908/30.80A	----	----		31.20 - 0.60	.1063	----	----	----	----		363	UNCH						
5195	31.60	31.60			37.508/30.50A	37.508/30.50A	----	----		30.90 - 0.60	.1053	----	----	1	----		2	UNCH						
5200	----	----			37.208/30.20A	37.208/30.20A	----	----		30.60 - 0.60	.1044	----	----	----	----		272	UNCH						
5205	----	----			36.708/29.90A	36.708/29.90A	----	----		30.40 - 0.50	.1037	----	----	----	----		2	UNCH						
5210	----	----			36.408/29.60A	36.408/29.60A	----	----		30.10 - 0.60	.1028	----	----	----	----		2	UNCH						
5215	----	----			36.008/29.30A	36.008/29.30A	----	----		29.80 - 0.60	.1018	----	----	----	----		4	UNCH						
5220	----	----			35.708/29.10A	35.708/29.10A	----	----		29.50 - 0.60	.1009	----	----	----	----		17	UNCH						
5225	----	----			35.308/28.80A	35.308/28.80A	----	----		29.20 - 0.60	.1000	----	----	----	----		6	UNCH						
5230	----	----			35.008/28.50A	35.008/28.50A	----	----		28.90 - 0.60	.0991	----	----	----	----		8	UNCH						
5235	----	----			34.708/28.30A	34.708/28.30A	----	----		28.70 - 0.60	.0984	----	----	----	----		8	UNCH						
5240	----	----			34.408/28.00A	34.408/28.00A	----	----		28.40 - 0.60	.0974	----	----	----	----		10	UNCH						
5245	----	----			34.008/27.70A	34.008/27.70A	----	----		28.10 - 0.60	.0965	----	----	----	----		12	UNCH						
5250	----	----			33.708/27.50A	33.708/27.50A	----	----		27.90 - 0.60	.0958	----	----	----	----		114	UNCH						
5255	----	----			33.408/27.20A	33.408/27.20A	----	----		27.60 - 0.60	.0949	----	----	----	----		18	UNCH						
5260	----	----			33.108/27.00A	33.108/27.00A	----	----		27.40 - 0.60	.0942	----	----	----	----		7	UNCH						
5265	----	----			32.708/26.80A	32.708/26.80A	----	----		27.10 - 0.60	.0933	----	----	----	----		27	UNCH						
5270	----	----			32.408/26.60A	32.408/26.60A	----	----		26.80 - 0.70	.0924	----	----	----	----		9	UNCH						
5275	----	----			32.108/26.30A	32.108/26.30A	----	----		26.60 - 0.60	.0917	----	----	----	----		136	UNCH						
5280	----	----			31.808/26.00A	31.808/26.00A	----	----		26.40 - 0.60	.0910	----	----	----	----		17	UNCH						
5285	----	----			31.508/25.80A	31.508/25.80A	----	----		26.10 - 0.60	.0901	----	----	----	----		21	UNCH						
5290	----	----			31.208/25.60A	31.208/25.60A	----	----		25.90 - 0.60	.0894	----	----	----	----		28	UNCH						
5295	----	----			30.908/25.30A	30.908/25.30A	----	----		25.60 - 0.60	.0885	----	----	----	----		55	UNCH						
5300	25.20	25.20			30.608/25.10A	30.608/25.10A	----	----		25.40 - 0.60	.0879	----	----	1	----		71	UNCH						
5305	----	----			30.408/24.90A	30.408/24.90A	----	----		25.20 - 0.60	.0872	----	----	----	----		2	UNCH						
5330	----	----			29.008/23.80A	29.008/23.80A	----	----		24.10 - 0.60	.0836	----	----	----	----		30	UNCH						
5345	----	----			28.208/23.20A	28.208/23.20A	----	----		23.40 - 0.60	.0814	----	----	----	----		7	UNCH						
5350	----	----			28.008/23.00A	28.008/23.00A	----	----		23.20 - 0.60	.0807	----	----	----	----		1	UNCH						
5380	----	----			26.508/21.80A	26.508/21.80A	----	----		22.00 - 0.60	.0768	----	----	----	----		12	UNCH						
5390	----	----			26.008/21.40A	26.008/21.40A	----	----		21.60 - 0.60	.0755	----	----	----	----		10	UNCH						
5400	----	----			25.608/21.10A	25.608/21.10A	----	----		21.20 - 0.60	.0742	----	----	----	----		87	UNCH						
5420	----	----			24.708/20.40A	24.708/20.40A	----	----		20.50 - 0.50	.0718	----	----	----	----		20	UNCH						
5430	----	----			24.208/20.10A	24.208/20.10A	----	----		20.20 - 0.50	.0708	----	----	----	----		10	UNCH						
5435	----	----			24.108/19.90A	24.108/19.90A	----	----		20.00 - 0.50	.0701	----	----	----	----		12	UNCH						
5445	----	----			23.708/19.60A	23.708/19.60A	----	----		19.70 - 0.50	.0691	----	----	----	----		1	UNCH						
5450	----	----			23.408/19.40A	23.408/19.40A	----	----		19.50 - 0.50	.0685	----	----	----	----		113	UNCH						
5500	----	----			21.408/17.90A	21.408/17.90A	----	----		17.90 - 0.50	.0631	----	----	----	----		880	UNCH						
5505	----	----			21.308/17.80A	21.308/17.80A	----	----		17.80 - 0.40	.0627	----	----	----	----		130	UNCH						
5550	----	----			19.808/16.60A	19.808/16.60A	----	----		16.50 - 0.50	.0583	----	----	----	----		4	UNCH						
5555	----	----			19.608/16.50A	19.608/16.50A	----	----		16.40 - 0.40	.0580	----	----	----	----		13	UNCH						
5600	----	----			18.308/15.40A	18.308/15.40A	----	----		15.30 - 0.50	.0542	----	----	----	----		1244	UNCH						
5615	15.30	15.30			17.808/15.10A	17.808/15.10A	----	----		15.00 - 0.40	.0531	----	----	1	----		1 -	1						
5620	15.30	15.30			17.708/14.90A	17.708/14.90A	----	----		14.80 - 0.50	.0525	----	----	1	----		2 -	1						
5625	----	----			17.608/14.80A	17.608/14.80A	----	----		14.70 - 0.50	.0521	----	----	----	----		19	UNCH						
5630	----	----			17.408/14.70A	17.408/14.70A	----	----		14.60 - 0.50	.0518	----	----	----	----		12	UNCH						
5635	----	----			17.308/14.60A	17.308/14.60A	----	----		14.50 - 0.50	.0514	----	----	----	----		13	UNCH						
5650	----	----			16.908/14.30A	16.908/14.30A	----	----		14.20 - 0.50	.0503	----	----	----	----		6	UNCH						
5670	----	----			16.408/14.00A	16.408/14.00A	----	----		13.80 - 0.50	.0489	----	----	----	----		1	UNCH						
5700	----	----			15.708/13.30A	15.708/13.30A	----	----		13.20 - 0.50	.0468	----	----	----	----		30	UNCH						
5750	----	----			14.608/12.40A	14.608/12.40A	----	----		12.30 - 0.60	.0436	----	----	----	----		3	UNCH						
5755	----	----			14.508/12.40A	14.508/12.40A	----	----		12.30 - 0.50	.0436	----	----	----	----		3	UNCH						
5790	----	----			13.808/11.80A	13.808/11.80A	----	----		11.70 - 0.50	.0415	----	----	----	----		49	UNCH						
5800	----	----			13.608/11.60A	13.608/11.60A	----	----		11.50 - 0.60	.0408	----	----	----	----		2	UNCH						
5810	----	----			13.408/11.50A	13.408/11.50A	----	----		11.40 - 0.50	.0404	----	----	----	----		15	UNCH						
5820	----	----			13.208/11.50A	13.208/11.50A	----	----		11.20 - 0.60	.0397	----	----	----	----		1	UNCH						
5825	----	----			13.108/11.30A	13.108/11.30A	----	----		11.20 - 0.50	.0396	----	----	----	----		13	UNCH						
5850	----	----			12.708/11.00A	12.708/11.00A	----	----		10.80 - 0.50	.0383	----	----	----	----		3	UNCH						
5860	----	----			12.608/10.90A	12.608/10.90A	----	----		10.70 - 0.50	.0379	----	----	----	----		6	UNCH						
5875	----	----			12.308/10.70A	12.308/10.70A	----	----		10.50 - 0.50	.0371	----	----	----	----		13	UNCH						
5900	----	----			11.908/10.40A	11.908/10.40A	----	----		10.20 - 0.50	.0360	----	----	----	----		9	UNCH						
5950	----	----			11.208/9.70A	11.208/9.70A	----	----		9.60 - 0.50	.0339	----	----	----	----		18	UNCH						

BULLETIN #188@										METALS OPTION PRODUCTS										wed, Sep 30, 2026		PG64
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG CALL																						
MAY27																						
4955	----	----	103.30B/88.40A	103.30B/88.40A	----	----	----	89.10 - 0.30	.2249	----	----	----	----	----	9	UNCH						
4970	----	----	100.50B/86.20A	100.50B/86.20A	----	----	----	86.90 - 0.30	.2202	----	----	----	----	----	9	UNCH						
5000	----	----	95.70B/82.10A	95.70B/82.10A	----	----	----	82.60 - 0.40	.2110	----	----	----	----	151	UNCH							
5040	----	----	89.90B/76.80A	89.90B/76.80A	----	----	----	77.30 - 0.50	.1994	----	----	----	----	37	UNCH							
5070	----	----	85.60B/73.10A	85.60B/73.10A	----	----	----	73.60 - 0.60	.1912	----	----	----	----	10	UNCH							
5100	----	----	81.60B/69.70A	81.60B/69.70A	----	----	----	70.10 - 0.60	.1833	----	----	----	----	7	UNCH							
5130	----	----	77.70B/66.40A	77.70B/66.40A	----	----	----	66.80 - 0.60	.1758	----	----	----	----	1	UNCH							
5140	----	----	76.40B/65.30A	76.40B/65.30A	----	----	----	65.80 - 0.50	.1734	----	----	----	----	2	UNCH							
5145	----	----	75.80B/64.80A	75.80B/64.80A	----	----	----	65.20 - 0.60	.1721	----	----	----	----	1	UNCH							
5150	----	----	75.20B/64.30A	75.20B/64.30A	----	----	----	64.70 - 0.50	.1709	----	----	----	----	2	UNCH							
5170	----	----	72.90B/62.30A	72.90B/62.30A	----	----	----	62.80 - 0.40	.1664	----	----	----	----	20	UNCH							
5180	----	----	71.40B/61.30A	71.40B/61.30A	----	----	----	61.80 - 0.40	.1641	----	----	----	----	1	UNCH							
5185	----	----	71.30B/60.90A	71.30B/60.90A	----	----	----	61.30 - 0.40	.1629	----	----	----	----	37	UNCH							
5200	----	----	69.50B/59.30A	69.50B/59.30A	----	----	----	59.90 - 0.30	.1596	----	----	----	----	159	UNCH							
5215	----	----	68.00B/58.00A	68.00B/58.00A	----	----	----	58.50 - 0.30	.1563	----	----	----	----	20	UNCH							
5220	----	----	67.30B/57.60A	67.30B/57.60A	----	----	----	58.00 - 0.40	.1552	----	----	----	----	39	UNCH							
5225	----	----	66.90B/57.10A	66.90B/57.10A	----	----	----	57.60 - 0.30	.1542	----	----	----	----	2	UNCH							
5235	----	----	65.90B/56.20A	65.90B/56.20A	----	----	----	56.70 - 0.30	.1520	----	----	----	----	25	UNCH							
5240	----	----	65.30B/55.90A	65.30B/55.90A	----	----	----	56.20 - 0.40	.1509	----	----	----	----	29	UNCH							
5250	----	----	64.40B/55.00A	64.40B/55.00A	----	----	----	55.30 - 0.40	.1488	----	----	----	----	231	UNCH							
5275	----	----	61.90B/52.90A	61.90B/52.90A	----	----	----	53.20 - 0.50	.1437	----	----	----	----	25	UNCH							
5300	----	----	59.40B/50.90A	59.40B/50.90A	----	----	----	51.20 - 0.50	.1389	----	----	----	----	1	UNCH							
5345	51.90	51.90	55.60B/47.70A	55.60B/47.70A	----	----	----	47.80 - 0.60	.1306	----	----	2	----	2	UNCH							
5365	----	----	53.90B/46.50A	53.90B/46.50A	----	----	----	46.50 - 0.50	.1273	----	----	----	----	3	UNCH							
5395	----	----	51.50B/44.50A	51.50B/44.50A	----	----	----	44.50 - 0.50	.1222	----	----	----	----	1	UNCH							
5400	----	----	51.20B/44.10A	51.20B/44.10A	----	----	----	44.10 - 0.50	.1213	----	----	----	----	29	UNCH							
5450	----	----	47.70B/41.10A	47.70B/41.10A	----	----	----	41.10 - 0.30	.1137	----	----	----	----	10	UNCH							
5500	----	----	44.10B/38.30A	44.10B/38.30A	----	----	----	38.20 - 0.30	.1063	----	----	----	----	4	UNCH							
5515	----	----	43.20B/37.50A	43.20B/37.50A	----	----	----	37.40 - 0.30	.1042	----	----	----	----	7	UNCH							
5550	37.60	37.60	41.00B/32.00	41.00B/32.00	----	----	----	35.60 - 0.30	.0996	----	----	5	----	254	+							
5630	----	----	36.70B/32.10A	36.70B/32.10A	----	----	----	31.80 - 0.60	.0897	----	----	----	----	2	UNCH							
5650	----	----	35.80B/31.30A	35.80B/31.30A	----	----	----	30.90 - 0.70	.0874	----	----	----	----	5	UNCH							
5665	----	----	35.00B/30.70A	35.00B/30.70A	----	----	----	30.30 - 0.70	.0857	----	----	----	----	1	UNCH							
5700	----	----	33.40B/29.40A	33.40B/29.40A	----	----	----	28.90 - 0.70	.0820	----	----	----	----	37	UNCH							
5800	----	----	29.30B/25.90A	29.30B/25.90A	----	----	----	25.30 - 0.80	.0724	----	----	----	----	2	UNCH							
5820	----	----	28.40B/25.30A	28.40B/25.30A	----	----	----	24.70 - 0.80	.0707	----	----	----	----	46	UNCH							
5840	----	----	27.80B/----	27.80B/24.80A	----	----	----	24.10 - 0.70	.0690	----	----	----	----	1	UNCH							
5850	----	----	27.30B/24.50A	27.30B/24.50A	----	----	----	23.80 - 0.80	.0682	----	----	----	----	68	UNCH							
5900	----	----	25.50B/----	25.50B/23.20A	----	----	----	22.40 - 0.80	.0643	----	----	----	----	7	UNCH							
5910	----	----	24.60B/----	24.60B/22.90A	----	----	----	22.10 - 0.80	.0635	----	----	----	----	1	UNCH							
5950	----	----	23.40B/----	23.40B/21.90A	----	----	----	21.10 - 0.80	.0607	----	----	----	----	1	UNCH							
5975	----	----	22.60B/----	22.60B/21.40A	----	----	----	20.50 - 0.80	.0590	----	----	----	----	1	UNCH							
6000	----	----	22.10B/----	22.10B/20.80A	----	----	----	19.90 - 0.90	.0574	----	----	----	----	123	UNCH							
6050	----	----	20.70B/----	20.70B/19.80A	----	----	----	18.90 - 0.80	.0545	----	----	----	----	1	UNCH							
6100	----	----	19.70B/----	19.70B/18.80A	----	----	----	17.90 - 0.80	.0516	----	----	----	----	2	UNCH							
6250	----	----	16.60B/----	16.60B/16.40A	----	----	----	15.40 - 0.80	.0444	----	----	----	----	50	UNCH							
6500	----	----	13.20B/----	13.20B/13.40A	----	----	----	12.30 - 0.80	.0352	----	----	----	----	23	UNCH							
8000	----	----	----	5.40B/6.30A	----	----	----	5.80 - 0.10	.0150	----	----	----	----	21	UNCH							
TOTAL																						
9																						
2104 +																						
4																						
JUN27																						
4000	----	----	492.70B/----	492.70B/450.70A	----	----	----	452.90 + 2.40	.6857	----	----	----	----	37	UNCH							
4100	----	----	429.20B/388.70A	429.20B/388.70A	----	----	----	392.60 + 2.10	.6347	----	----	----	----	1	UNCH							
4150	376.10	376.10	399.60B/361.20A	399.60B/361.20A	----	----	----	364.80 + 2.00	.6083	----	----	2	----	3	+							
4165	----	----	392.30B/353.30A	392.30B/353.30A	----	----	----	356.70 NEW	.6003	----	----	7	----	7	+							
4250	----	----	347.10B/310.40A	347.10B/310.40A	----	----	----	313.70 + 1.70	.5546	----	----	----	----	2	UNCH							
4280	----	----	331.90B/296.60A	331.90B/296.60A	----	----	----	299.50 + 1.50	.5384	----	----	----	----	3	UNCH							
4285	----	----	329.30B/294.40A	329.30B/294.40A	----	----	----	297.20 + 1.50	.5357	----	----	----	----	100	UNCH							
4300	----	----	322.40B/287.80A	322.40B/287.80A	----	----	----	290.40 + 1.50	.5277	----	----	----	----	165	UNCH							
4305	----	----	320.00B/285.50A	320.00B/285.50A	----	----	----	288.20 + 1.50	.5250	----	----	----	----	2	UNCH							
4315	----	----	314.70B/280.90A	314.70B/280.90A	----	----	----	283.70 + 1.40	.5196	----	----	----	----	1	UNCH							
4320	----	----	312.80B/278.70A	312.80B/278.70A	----	----	----	281.50 + 1.40	.5170	----	----	----	----	1	UNCH							
4325	----	----	310.50B/276.80A	310.50B/276.80A	----	----	----	279.40 + 1.50	.5143	----	----	2	----	52	+							
4350	----	----	298.40B/266.30A	298.40B/266.30A	----	----	----	268.70 + 1.40	.5010	----	----	----	----	1	UNCH							
4355	----	----	296.30B/264.20A	296.30B/264.20A	----	----	----	266.60 + 1.30	.4984	----	----	----	----	1	UNCH							
4365	----	----	292.30B/260.00A	292.30B/260.00A	----	----	----	262.40 + 1.20	.4931	----	----	----	----	1	UNCH							
4370	----	----	290.10B/257.90A	290.10B/257.90A	----	----	----	260.40 + 1.30	.4905	----	----	----	----	2	UNCH							
4375	----	----	287.20B/256.00A	287.20B/256.00A	----	----	----	258.30 + 1.20	.4879	----	----	----	----	32	UNCH							
4380	----	----	285.70B/254.00A	285.70B/254.00A	----	----	----	256.30 + 1.20	.4853	----	----	----	----	3	UNCH							
4400	----	----	276.80B/246.20A	276.80B/246.20A	----	----	----	248.40 + 1.10	.4749	----	----	----	----	5	UNCH							
4410	----	----	273.00B/242.40A	273.00B/242.40A	----	----	----	244.50 + 1.10	.4697	----	----	----	----	3	UNCH							
4415	----	----	270.90B/240.40A	270.90B/240.40A	----	----	----	242.60 + 1.10	.4671	----	----	----	----	1	UNCH							
4420	----	----	268.80B/238.60A	268.80B/238.60A	----	----	----	240.70 + 1.00	.4646	----	----	----	----	4	UNCH							
4435	----	----	263.00B/233.10A	263.00B/233.10A	----	----	----	235.00 + 0.90	.4569	----	----	----	----	3	UNCH							
4450	----	----	257.80B/227.50A	257.80B/227.50A	----	----	----	229.50 + 0.80	.4493	----	----	----	----	60	UNCH							
4470	----	----	249.80B/220.50A	249.80B/220.50A	----	----	----	222.40 + 0.80	.4393	----	----	----	----	2	UNCH							
4475	----	----	247.90B/218.90A	247.90B/218.90A	----	----	----	220.60 + 0.70	.4368	----	----	----	----	8	UNCH							
4490	----	----	242.30B/213.60A	242.30B/213.60A	----	----	----	215.40 + 0.60	.4293	----	----	----	----	1	UNCH							
4495	----	----	240.60B/212.00A	240.60B/212.00A	----	----	----	213.70 + 0.60	.4269	----	----	----	----	2	UNCH							
4500	----	----	238.60B/210.30A	238.60B/210.30A	----	----	----	212.10 + 0.60	.4245	----	----	120	----	1390	+							
4520	----	----	231.60B/203.80A	231.60B/203.80A	----	----	----	205.40 + 0.40	.4147	----	----	----	----	100	UNCH							
4545	----	----	223.00B/195.80A	223.00B/195.80A	----	----	----	197.40 +														

BULLETIN #188@										METALS OPTION PRODUCTS										wed, Sep 30, 2026				PG64		
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE				SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME				OPEN INTEREST						
OG CALL		COMEX GOLD OPTIONS																								
JUN27																										
7500					8.80B/9.70A						9.00 - 0.20	.0228													528	UNCH
8000	8.40	8.40		8.40/8.00A	8.40/8.00A						7.40 - 0.20	.0182			1										408	+
8500					5.70B/6.90A						6.40 - 0.10	.0152													144	UNCH
9000					4.90B/6.10A						5.50 - 0.10	.0127													74	UNCH
9500					4.30B/5.30A						4.80 - 0.10	.0109													72	UNCH
10000					3.80B/4.60A						4.10 - 0.20	.0091													30	UNCH
TOTAL															293		360								13866	+
JUL27																										
4310				355.50B/321.60A	355.50B/321.60A						324.30 + 0.50	.5442													2	UNCH
4315	336.00	336.00		352.10B/319.40A	352.10B/319.40A						322.00 NEW	.5417			2										2	+
4325				348.30B/315.00A	348.30B/315.00A						317.40 + 0.40	.5366													2	UNCH
4335	316.00	316.00		343.50B/310.40A	343.50B/310.40A						312.90 NEW	.5316			3										3	+
4340				340.80B/308.20A	340.80B/308.20A						310.70 + 0.40	.5291													2	UNCH
4350				335.80B/303.90A	335.80B/303.90A						306.30 + 0.40	.5241													2	UNCH
4360	315.00	315.00		331.00B/299.50A	331.00B/299.50A						301.90 NEW	.5191			2										2	+
4370	320.00	320.00		326.80B/295.30A	326.80B/295.30A						297.60 NEW	.5142			2										2	+
4375	319.00	319.00		324.20B/293.20A	324.20B/293.20A						295.40 NEW	.5117			2										2	+
4475	261.00	261.00		282.30B/253.60A	282.30B/253.60A						255.70 + 0.40	.4632			1										1	-
4500				274.10B/244.50A	274.10B/244.50A						246.50 + 0.40	.4514													3	UNCH
4535				260.30B/232.40A	260.30B/232.40A						234.30 + 0.40	.4352													38	UNCH
4540				258.10B/230.60A	258.10B/230.60A						232.60 + 0.40	.4329													2	UNCH
4565				250.00B/222.40A	250.00B/222.40A						224.30 + 0.40	.4215													1	UNCH
4600				237.90B/211.30A	237.90B/211.30A						213.10 + 0.40	.4060													40	UNCH
4700	184.70	184.70		206.50B/182.60A	206.50B/182.60A						184.00 UNCH	.3635			30										29	+
4750				192.10B/169.90A	192.10B/169.90A						171.00 - 0.30	.3436													5	UNCH
4835				170.20B/150.30A	170.20B/150.30A						151.10 - 0.50	.3117													70	UNCH
4900				155.70B/136.90A	155.70B/136.90A						137.60 - 0.60	.2891													10	UNCH
4950				145.10B/127.60A	145.10B/127.60A						128.20 - 0.60	.2728													0	UNCH
4990				137.20B/120.70A	137.20B/120.70A						121.10 - 0.60	.2604													10	UNCH
5000				135.20B/118.90A	135.20B/118.90A						119.40 - 0.60	.2573													83	UNCH
5200				102.70B/90.30A	102.70B/90.30A						90.50 - 0.70	.2036													1	UNCH
5225				98.60B/87.30A	98.60B/87.30A						87.50 - 0.70	.1977													2	UNCH
5250				96.10B/84.40A	96.10B/84.40A						84.60 - 0.70	.1920													10	UNCH
5300				89.90B/79.00A	89.90B/79.00A						79.10 - 0.80	.1811													12	UNCH
5400				78.30B/69.30A	78.30B/69.30A						69.30 - 0.90	.1613													17	UNCH
5500				69.30B/61.00A	69.30B/61.00A						61.10 - 0.70	.1440													39	UNCH
6750					17.80B/18.80A						17.90 - 0.20	.0443													9	UNCH
TOTAL															42										401	+
AUG27																										
4185	396.00	396.00		430.30B/396.00	430.30B/396.00						403.70 NEW	.6046			4										4	+
4210	389.00	389.00		416.60B/389.00	416.60B/389.00						390.80 NEW	.5928			2										2	+
4220	388.00	388.00		411.20B/381.00	411.20B/381.00						385.80 NEW	.5881			5										1	+
4300				370.00B/345.80A	370.00B/345.80A						347.10 + 0.40	.5501													2	UNCH
4305				367.50B/343.20A	367.50B/343.20A						344.80 + 0.30	.5477													2	UNCH
4320				360.20B/336.60A	360.20B/336.60A						338.00 + 0.30	.5406													1	UNCH
4350	351.00	351.00		352.10B/323.00	352.10B/323.00						324.70 NEW	.5264			3										2	+
4360	343.00	343.00		350.00/318.60A	350.00/318.60A						320.40 NEW	.5217			2										2	+
4370				337.10B/314.40A	337.10B/314.40A						316.10 + 0.20	.5170													150	+
4390	337.00	337.00		339.00/306.40A	339.00/306.40A						307.70 NEW	.5077			2										2	+
4535				277.20B/251.30A	277.20B/251.30A						252.90 UNCH	.4424													3	UNCH
5000	136.30	136.30		149.30B/135.00A	149.30B/135.00A						135.70 + 0.20	.2726			20										23	+
5200				115.30B/104.40A	115.30B/104.40A						104.60 + 0.10	.2193													2	UNCH
5210				114.10B/-----	114.10B/103.30A						103.30 + 0.10	.2170													3	UNCH
5250				108.70B/-----	108.70B/98.10A						98.20 + 0.10	.2078													20	UNCH

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GOLD WEEKLY WEDNESDAY OPTION WEEK5															
SEP26															
3500	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
3700	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
3750	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
3800	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
3845	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
3850	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
3875	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
3880	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
3895	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
3900	----	----	----	/0.10A	/0.10A	/0.10A	----	----	0.00 - 0.20	----	----	----	----	----	0 -
3925	----	----	----	/0.10A	/0.10A	/0.10A	----	----	0.00 - 0.20	----	----	----	----	----	0 -
3935	----	----	----	/0.10A	/0.10A	/0.10A	----	----	0.00 - 0.20	----	----	----	----	----	0 -
3940	----	----	----	/0.10A	/0.10A	/0.10A	----	----	0.00 - 0.30	----	----	----	----	----	0 -
3950	----	----	----	/0.10A	/0.10A	/0.10A	----	----	0.00 - 0.30	----	----	----	----	----	0 -
3955	----	----	----	/0.10A	/0.10A	/0.10A	----	----	0.00 - 0.30	----	----	----	----	----	0 -
3960	----	----	----	/0.10A	/0.10A	/0.10A	----	----	0.00 - 0.30	----	----	----	----	----	0 -
3975	----	----	----	/0.10A	/0.10A	/0.10A	----	----	0.00 - 0.40	----	----	----	----	----	0 -
3980	----	----	----	/0.10A	/0.10A	/0.10A	----	----	0.00 - 0.40	----	----	----	----	----	0 -
3985	----	----	----	/0.10A	/0.10A	/0.10A	----	----	0.00 - 0.50	----	----	----	----	----	0 -
3990	----	----	----	/0.10A	/0.10A	/0.10A	----	----	0.00 - 0.50	----	----	----	----	----	0 -
3995	----	----	----	/0.10A	/0.10A	/0.10A	----	----	0.00 - 0.50	----	----	----	----	----	0 -
4000	226.20	226.20	226.20	249.90B/182.20A	249.90B/182.20A	249.90B/182.20A	186.70 + 6.50	1	3	----	----	----	----	----	0 -
4000	----	----	----	/0.10A	/0.10A	/0.10A	0.00 - 0.50	----	----	----	----	----	----	----	0 -
4005	----	----	----	/0.10A	/0.10A	/0.10A	0.00 - 0.60	----	----	----	----	----	----	----	0 -
4010	----	----	----	/0.10A	/0.10A	/0.10A	0.00 - 0.60	----	----	----	----	----	----	----	0 -
4015	0.10	0.10	0.10	0.10/0.10	0.10/0.10	0.10/0.10	0.00 - 0.60	----	----	----	----	1	----	----	0 -
4020	----	----	----	/0.10A	/0.10A	/0.10A	0.00 - 0.70	----	----	----	----	----	----	----	0 -
4025	----	----	----	/0.10A	/0.10A	/0.10A	0.00 - 0.70	----	----	----	----	2	----	----	0 -
4030	----	----	----	/0.10A	/0.10A	/0.10A	0.00 - 0.80	----	----	----	----	----	----	----	0 -
4035	----	----	----	/0.10A	/0.10A	/0.10A	0.00 - 0.80	----	----	----	----	----	----	----	0 -
4040	0.30	0.30	0.30	0.30/0.10A	0.30/0.10A	0.30/0.10A	0.00 - 0.90	----	----	----	----	1	----	----	0 -
4045	----	----	----	204.90B/----	204.90B/137.30A	204.90B/137.30A	141.70 + 6.10	1	----	----	----	----	----	----	0 -
4045	----	----	----	/0.10A	0.30B/0.10A	0.30B/0.10A	0.00 - 0.90	----	----	----	----	----	----	----	0 -
4050	0.10	0.10	0.10	0.10/0.10	0.30B/0.10	0.30B/0.10	0.00 - 1.00	----	----	----	----	1	----	----	0 -
4055	----	----	----	/0.10A	0.40B/0.10A	0.40B/0.10A	0.00 - 1.10	----	----	----	----	----	----	----	0 -
4060	----	----	----	190.10B/----	190.10B/122.30A	190.10B/122.30A	126.70 + 5.80	1	----	----	----	1	----	----	0 -
4060	0.10	0.10	0.10	0.10/0.10	0.40B/0.10	0.40B/0.10	0.00 - 1.20	----	----	----	----	1	----	----	0 -
4065	----	----	----	/0.10A	0.50B/0.10A	0.50B/0.10A	0.00 - 1.30	----	----	----	----	1	----	----	0 -
4070	----	----	----	/0.10A	0.50B/0.10A	0.50B/0.10A	0.00 - 1.40	----	----	----	----	----	----	----	0 -
4075	0.50	0.50	0.50	0.50/0.10A	0.60B/0.10A	0.60B/0.10A	0.00 - 1.50	----	----	----	----	4	----	----	0 -
4080	0.20	0.20	0.20	0.20/0.10A	0.60B/0.10A	0.60B/0.10A	0.00 - 1.60	----	----	----	----	2	----	----	0 -
4085	----	----	----	/0.10A	0.70B/0.10A	0.70B/0.10A	0.00 - 1.80	----	----	----	----	----	----	----	0 -
4090	0.60	0.60	0.60	0.60/0.10	0.80B/0.10	0.80B/0.10	0.00 - 2.00	----	----	----	----	13	----	----	0 -
4095	0.30	0.30	0.30	0.30/0.10A	0.90B/0.10A	0.90B/0.10A	0.00 - 2.20	----	----	----	----	1	----	----	0 -
4100	1.00	1.00	1.00	1.20/0.10	1.20/0.10	1.20/0.10	0.00 - 2.50	----	----	----	----	106	----	----	0 -
4105	----	----	----	/0.10A	1.10B/0.10A	1.10B/0.10A	0.00 - 2.80	----	----	----	----	1	----	----	0 -
4105	----	----	----	145.30B/77.40A	145.30B/77.40A	145.30B/77.40A	81.70 + 4.20	1	----	----	----	----	----	----	0 -
4110	1.20	1.20	1.20	1.20/0.10	1.30B/0.10	1.30B/0.10	0.00 - 3.10	----	----	----	----	161	----	----	0 -
4115	1.20	1.20	1.20	1.20/0.10A	1.30B/0.10A	1.30B/0.10A	0.00 - 3.50	----	----	----	----	9	----	----	0 -
4120	1.50	1.50	1.50	1.60B/0.10A	1.60B/0.10A	1.60B/0.10A	0.00 - 4.00	----	----	----	----	7	----	----	0 -
4125	2.00	2.00	2.00	2.00/0.10A	2.00/0.10A	2.00/0.10A	0.00 - 4.50	----	----	----	----	14	----	----	0 -
4130	----	----	----	120.20B/52.30A	120.20B/52.30A	120.20B/52.30A	56.70 + 1.90	1	----	----	----	----	----	----	0 -
4130	1.40	1.40	1.40	1.40/0.10A	2.20B/0.10A	2.20B/0.10A	0.00 - 5.10	----	----	----	----	5	----	----	0 -
4135	1.30	1.30	1.30	1.30/0.10A	2.40B/0.10A	2.40B/0.10A	0.00 - 5.80	----	----	----	----	6	----	----	0 -
4135	106.20	106.20	106.20	115.30B/47.30A	115.30B/47.30A	115.30B/47.30A	51.70 + 1.20	5	----	----	----	3	----	----	0 -
4140	2.50	2.50	2.50	2.90B/0.10	2.90B/0.10	2.90B/0.10	0.00 - 6.70	----	----	----	----	20	----	----	0 -
4140	----	----	----	110.50B/42.30A	110.50B/42.30A	110.50B/42.30A	46.70 + 0.30	1	----	----	----	----	----	----	0 -
4145	3.10	3.10	3.10	3.10/0.10A	3.20B/0.10A	3.20B/0.10A	0.00 - 7.70	----	----	----	----	2	----	----	0 -
4145	72.50	72.50	72.50	105.30B/37.30A	105.30B/37.30A	105.30B/37.30A	41.70 NEW	2	----	----	----	6	----	----	0
4150	3.50	3.50	3.50	3.60B/0.10	3.60B/0.10	3.60B/0.10	0.00 - 8.80	----	----	----	----	70	----	----	0 -
4150	----	----	----	100.30B/32.30A	100.30B/32.30A	100.30B/32.30A	36.70 - 1.80	18	----	----	----	1	----	----	0 -
4155	----	----	----	95.60B/27.30A	95.60B/27.30A	95.60B/27.30A	31.70 - 3.00	4	----	----	----	----	----	----	0 -
4155	3.50	3.50	3.50	4.40B/0.10A	4.40B/0.10A	4.40B/0.10A	0.00 - 10.00	----	----	----	----	12	----	----	0 -
4160	72.70	72.70	72.70	90.40B/22.30A	90.40B/22.30A	90.40B/22.30A	26.70 - 4.50	5	----	----	----	1	----	----	0 -
4160	5.30	5.30	5.30	5.30/0.10A	5.30/0.10A	5.30/0.10A	0.00 - 11.50	----	----	----	----	41	----	----	0 -
4165	----	----	----	85.60B/17.30A	85.60B/17.30A	85.60B/17.30A	21.70 - 6.20	6	----	----	----	----	----	----	0 -
4165	4.80	4.80	4.80	5.00/0.10	6.00B/0.10	6.00B/0.10	0.00 - 13.20	----	----	----	----	63	----	----	0 -
4170	5.30	5.30	5.30	7.50/0.10	7.50/0.10	7.50/0.10	0.00 - 15.00	----	----	----	----	119	----	----	0 -
4170	38.50	38.50	38.50	80.50B/12.30A	80.50B/12.30A	80.50B/12.30A	16.70 - 8.00	11	----	----	----	16	----	----	0 -
4175	38.00	38.00	38.00	75.60B/7.40A	75.60B/7.40A	75.60B/7.40A	11.70 - 10.10	22	----	----	----	5	----	----	0 -
4175	9.00	9.00	9.00	9.00/0.10	9.00/0.10	9.00/0.10	0.00 - 17.10	----	----	----	----	136	----	----	0 -
4180	7.80	7.80	7.80	10.60/0.10	10.60/0.10	10.60/0.10									

GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GOLD WEEKLY WEDNESDAY OPTION WEEK5												
4345	----	----	0.50B/0.10A	0.50B/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 -
4350	168.30	168.30	168.30/100.10A	168.30/100.10A	----	163.30 - 7.20	----	44	----	1	----	0 -
4350	----	----	0.50B/0.10A	0.50B/0.10A	----	0.00 - 0.20	----	----	----	1	----	0 -
4355	----	----	0.40B/0.10A	0.40B/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 -
4360	0.40	0.40	----/110.30A	177.60B/110.30A	----	173.30 - 7.20	----	3	----	----	----	0 -
4360	----	----	0.40/0.10	0.40/0.10	----	0.00 - 0.20	----	----	----	2	----	0 -
4365	0.20	0.20	0.30B/0.10A	0.30B/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 -
4370	0.20	0.20	0.20/0.10A	0.20/0.10A	----	0.00 - 0.10	----	----	----	1	----	0 -
4375	----	----	----/125.10A	192.60B/125.10A	----	188.30 - 7.10	----	106	----	----	----	0 -
4375	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -
4380	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -
4385	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -
4390	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -
4395	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -
4395	----	----	----/145.20A	212.60B/145.20A	----	208.30 - 7.10	----	13	----	----	----	0 -
4400	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -
4400	----	----	----/150.20A	217.70B/150.20A	----	213.30 - 7.10	----	29	----	----	----	0 -
4405	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -
4410	----	----	----/160.20A	227.60B/160.20A	----	223.30 - 7.10	----	9	----	----	----	0 -
4410	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -
4415	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -
4420	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -
4425	----	----	----/175.20A	242.60B/175.20A	----	238.30 - 7.10	----	5	----	----	----	0 -
4425	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -
4435	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	8	----	0 -
4450	----	----	----/200.20A	267.80B/200.20A	----	263.30 - 7.10	----	3	----	1	----	0 -
4460	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -
4470	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -
4475	----	----	----/225.20A	292.60B/225.20A	----	288.30 - 7.10	----	2	----	1	----	0 -
4475	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -
4480	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -
4485	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -
4500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -
4515	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -
4525	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	2	----	0 -
4525	----	----	----/275.20A	342.70B/275.20A	----	338.30 - 7.10	----	2	----	----	----	0 -
4550	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -
4575	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -
4600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -
4625	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -
4650	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	2	----	0 -
4675	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -
4700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -
4725	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -
4750	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -
4775	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -
4800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -
4825	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -
4850	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -
4875	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 -
4900	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -
4925	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 -
4950	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 -
5000	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 -
5100	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 -
5500	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	6525	----	0 -
TOTAL												
OCT26												
3250	975.00	975.00	995.80B/931.50A	995.80B/931.50A	----	936.70 - NEW	1.0000	3	----	3	----	0
3700	----	----	----/1.60A	1.80B/1.60A	----	1.90 - 0.50	.0167	----	----	----	----	15
3750	0.80	0.80	0.80/0.70A	0.80/0.70A	----	0.70 - 0.50	.0065	----	----	2	----	3
3800	----	----	----/0.90A	1.00B/0.90A	----	1.00 - 0.50	.0100	----	----	----	----	11
3875	----	----	----/6.70A	10.00B/6.70A	----	9.60 - 1.70	.0801	----	----	----	----	10
3900	----	----	----/4.30A	6.60B/4.30A	----	6.40 - 1.50	.0630	----	----	----	----	16
3900	2.00	2.00	2.00/1.50A	2.10B/1.50A	----	2.00 - 0.90	.0234	----	----	4	----	4 +
3925	----	----	----/5.00A	8.00B/5.00A	----	7.70 - 1.80	.0762	----	----	----	----	1
3925	1.70	1.70	2.20/1.70	2.60B/1.70	----	2.50 - 1.10	.0302	----	----	14	----	13 +
3950	----	----	----/2.00A	3.20B/2.00A	----	3.20 - 1.30	.0398	----	----	----	----	3
3950	----	----	----/5.90A	9.80B/5.90A	----	9.30 - 2.10	.0922	----	----	----	----	15
3975	3.70	3.70	4.20B/2.40A	4.20B/2.40A	----	4.00 - 1.60	.0513	----	----	18	----	29 +
3975	----	----	----/7.10A	12.00B/7.10A	----	11.50 - 2.30	.1131	----	----	11	----	37 +
4000	22.00	22.00	23.70B/14.70A	23.70B/14.70A	----	22.60 - NEW	.1791	----	----	1	----	1 +
4000	----	----	----/8.60A	14.80B/8.60A	----	14.20 - 2.70	.1380	----	----	----	----	3
4000	----	----	----/3.00A	5.50B/3.00A	----	5.20 - 2.00	.0681	----	----	----	----	2
4025	----	----	----/10.50A	18.40B/10.50A	----	17.50 - 3.20	.1676	----	----	----	----	25
4025	----	----	----/3.80A	7.30B/3.80A	----	6.90 - NEW	.0914	----	----	5	----	5 +
4050	7.00	7.00	9.80B/4.80A	9.80B/4.80A	----	32.30 - 4.20	.2437	----	----	----	----	2
4050	21.80	21.80	22.90B/12.90A	22.90B/12.90A	----	9.10 - 3.20	.1217	----	----	1	----	27
4075	----	----	----/25.20A	40.50B/25.20A	----	21.80 - 3.70	.2037	----	----	16	----	142
4075	----	----	----/15.90A	28.50B/15.90A	----	38.60 - NEW	.2822	----	----	2	----	2 +
4075	9.50	9.50	13.40B/6.30A	13.40B/6.30A	----	27.00 - 4.30	.2452	----	----	1	----	28
4100	----	----	----/30.10A	48.20B/30.10A	----	12.30 - 4.00	.1632	----	----	2	----	39 +
4100	13.90	13.90	18.30B/8.40A	18.30B/8.40A	----	46.00 - 5.30	.3243	----	----	10	----	14 +
4100	----	----	----/19.80A	35.40B/19.80A	----	16.80 - 4.80	.2177	----	----	6	----	83
4100	----	----	----/19.80A	35.40B/19.80A	----	33.40 - 5.00	.2927	----	----	10	----	364 +
4100	----	----	158.30B/97.70A	158.30B/97.70A	----	103.40 + 2.20	.7821	----	----	----	----	1
4125	----	----	149.50B/98.00A	149.50B/98.00A	----	102.90 + 1.50	.6536	----	----	----	----	7
4125	38.10	38.10	43.60B/24.70A	43.60B/24.70A	----	41.30 - 5.50	.3459	----	----	1	----	155 +
4125	14.20	14.20	24.80B/11.30A	24.80B/11.30A	----	22.80 - 5.70	.2847	----	----	16	----	24

BULLETIN #188@												METALS OPTION PRODUCTS												wed, Sep 30, 2026												PG64	
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW		OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME			OPEN INTEREST																	
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK2																																			
OCT26																																					
4425	----	----				----/192.60A		253.20B/192.60A	----			246.40	- 7.80	.9067	----	----	----	----			9	UNCH															
4425	----	----				6.50B/1.90A		6.50B/1.90A	----			2.30	- 0.80	.0328	----	----	----	----			9	UNCH															
4425	----	----				17.20B/7.50A		17.20B/7.50A	----			8.40	- 0.80	.0929	----	----	----	----			9	UNCH															
4450	5.00	5.00				5.00/1.50A		5.00/1.50A	----			1.80	- 0.60	.0249	----	2	----	----			29	UNCH															
4450	----	----				----/214.30A		276.70B/214.30A	----			269.70	- 7.80	.9246	----	----	----	----			14	UNCH															
4450	----	----				----/205.00A		272.10B/205.00A	----			264.90	- 7.60	.9749	----	----	----	----			3	UNCH															
4450	----	----				13.80B/6.00A		13.80B/6.00A	----			6.70	- 0.80	.0751	----	----	----	----			25	UNCH															
4475	----	----				11.20B/4.90A		11.20B/4.90A	----			5.50	- 0.60	.0618	----	11	----	----			11	+															
4475	----	----				3.70B/1.20A		3.70B/1.20A	----			1.40	- 0.50	.0189	----	----	----	----			37	UNCH															
4500	----	----				2.80B/1.00A		2.80B/1.00A	----			1.10	- 0.40	.0144	----	----	----	----			172	UNCH															
4500	----	----				9.00B/4.00A		9.00B/4.00A	----			4.50	- 0.60	.0506	----	----	----	----			15	UNCH															
4525	----	----				----/297.80A		349.60B/297.80A	----			345.10	- 7.80	.9295	----	----	----	----			1	UNCH															
4525	1.10	1.10				2.10B/0.80A		2.10B/0.80A	----			0.90	- 0.40	.0114	----	1	----	----			53	+															
4525	----	----				7.40B/3.30A		7.40B/3.30A	----			3.70	- 0.50	.0416	----	----	----	----			116	UNCH															
4550	----	----				6.00B/2.70A		6.00B/2.70A	----			3.10	- 0.50	.0347	----	----	----	----			2	UNCH															
4550	1.20	1.20				1.70B/0.70A		1.70B/0.70A	----			0.80	- 0.40	.0097	----	3	----	----			24	UNCH															
4575	----	----				9.40B/4.90A		9.40B/4.90A	----			5.20	- 0.80	.0506	----	----	----	----			7	UNCH															
4575	2.40	2.40				5.00B/2.30A		5.00B/2.30A	----			2.60	- 0.40	.0289	----	1	----	----			7	UNCH															
4575	----	----				1.30B/0.60A		1.30B/0.60A	----			0.70	- 0.40	.0081	----	----	----	----			47	UNCH															
4600	----	----				7.90B/4.20A		7.90B/4.20A	----			4.40	- 0.70	.0430	----	----	----	----			3	UNCH															
4600	----	----				4.10B/1.90A		4.10B/1.90A	----			2.20	- 0.40	.0242	----	----	----	----			17	UNCH															
4600	----	----				1.00B/0.50A		1.00B/0.50A	----			0.60	- 0.30	.0067	----	----	----	----			254	UNCH															
4625	----	----				6.60B/3.60A		6.60B/3.60A	----			3.70	- 0.80	.0363	----	----	----	----			1	UNCH															
4625	----	----				----/0.50A		0.80B/0.50A	----			0.50	- 0.30	.0054	----	----	----	----			254	UNCH															
4625	----	----				3.40B/1.70A		3.40B/1.70A	----			1.90	- 0.40	.0207	----	----	----	----			6	UNCH															
4650	----	----				5.60B/3.20A		5.60B/3.20A	----			3.20	- 0.70	.0314	----	----	----	----			5	UNCH															
4650	----	----				2.80B/1.40A		2.80B/1.40A	----			1.60	- 0.40	.0173	----	----	----	----			51	UNCH															
4650	----	----				----/426.80A		464.70B/426.80A	----			464.50	- 7.30	.9826	----	----	----	----			1	UNCH															
4650	----	----				----/0.50A		0.70B/0.50A	----			0.50	- 0.20	.0052	----	----	----	----			3	UNCH															
4675	----	----				4.80B/2.80A		4.80B/2.80A	----			2.80	- 0.60	.0273	----	----	----	----			2	UNCH															
4675	----	----				2.40B/1.20A		2.40B/1.20A	----			1.40	- 0.40	.0149	----	----	----	----			6	UNCH															
4675	----	----				----/0.50A		0.60B/0.50A	----			0.40	- 0.30	.0040	----	----	----	----			21	UNCH															
4700	----	----				1.90B/1.10A		1.90B/1.10A	----			1.20	- 0.40	.0126	----	----	----	----			17	UNCH															
4700	----	----				----/0.40A		0.50B/0.40A	----			0.30	- 0.30	.0030	----	----	----	----			37	UNCH															
4725	----	----				----/0.40A		0.40B/0.40A	----			0.30	- 0.20	.0028	----	----	----	----			3	UNCH															
4725	----	----				1.70B/1.00A		1.70B/1.00A	----			1.10	- 0.30	.0114	----	----	----	----			5	UNCH															
4750	----	----				1.40B/0.90A		1.40B/0.90A	----			1.00	- 0.30	.0101	----	----	----	----			2	UNCH															
4750	----	----				----/0.30A		0.40B/0.30A	----			0.30	- 0.20	.0027	----	----	----	----			2	UNCH															
4775	----	----				1.20B/0.90A		1.20B/0.90A	----			0.90	- 0.20	.0090	----	----	----	----			1	UNCH															
4825	----	----				1.00B/0.80A		1.00B/0.80A	----			0.70	- 0.20	.0068	----	----	----	----			4	UNCH															
4825	----	----				----/0.40A		0.20	----			0.20	- 0.10	.0017	----	----	----	----			1	UNCH															
4850	----	----				0.90B/0.70A		0.90B/0.70A	----			0.60	- 0.20	.0058	----	----	----	----			5	UNCH															
4850	----	----				----/0.40A		0.10	----			0.10	- 0.20	.0008	----	----	----	----			1	UNCH															
4900	----	----				----		0.70B/0.70A	----			0.50	- 0.20	.0047	----	----	----	----			16	UNCH															
5100	----	----				----		0.40B/0.50A	----			0.30	- 0.10	.0024	----	----	----	----			15	UNCH															
5100	----	----				----		----/0.30A	----			0.10	UNCH	.0000	----	----	----	----			8	UNCH															
TOTAL																316					4676+	206															
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW		OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME			OPEN INTEREST																	
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week5																																			
SEP26																																					
3900	----	----				----		----	----			0.00	UNCH	----	----	----	----			0	UNCH																
3925	----	----				----		----	----			0.00	UNCH	----	----	----	----			0	UNCH																
3940	----	----				----		----	----			0.00	UNCH	----	----	----	----			0	UNCH																
3950	----	----				----		----	----			0.00	UNCH	----	----	----	----			0	UNCH																
3965	----	----				----		----	----			0.00	UNCH	----	----	----	----			0	UNCH																
3970	----	----				----		----	----			0.00	UNCH	----	----	----	----			0	UNCH																
3980	----	----				----		----	----			0.00	UNCH	----	----	----	----			0	UNCH																
3990	----	----				----		----	----			0.00	UNCH	----	----	----	----			0	UNCH																
3995	----	----				----		----	----			0.00	UNCH	----	----	----	----			0	UNCH																
4000	----	----				----		----	----			0.00	UNCH	----	----	----	----			0	UNCH																
4015	----	----				----		----	----			0.00	UNCH	----	----	----	----			0	UNCH																
4025	----	----				----		----	----			0.00	UNCH	----	----	----	----			0	UNCH																
4030	----	----				----		----	----			0.00	UNCH	----	----	----	----			0	UNCH																
4045	----	----				----		----	----			0.00	UNCH	----	----	----	----			0	UNCH																
4050	----	----				----		----	----			0.00	UNCH	----	----	----	----			0	UNCH																
4060	----	----				----		----	----			0.00	UNCH	----	----	----	----			0	UNCH																
4065	----	----				----		----	----			0.00	UNCH	----	----	----	----			0	UNCH																
4070	----	----				----		----	----			0.00	UNCH	----	----	----	----			0	UNCH																
4075	----	----				----		----	----			0.00	UNCH	----	----	----	----			0	UNCH																
4080	----	----				----		----	----			0.00	UNCH	----	----	----	----			0	UNCH																
4090	----	----				----		----	----			0.00	UNCH	----	----	----	----			0	UNCH																
4090	----	----				----		----	----			89.70	UNCH	----	----	----	----			0	UNCH																
4095	----	----				----		----	----			0.00	UNCH	----	----	----	----			0	UNCH																
4100	----	----				----		----	----			0.00	UNCH	----	----	----	----			0	UNCH																
4100	----	----				----		----	----			79.70	UNCH	----	----	----	----			0	UNCH																
4105	----	----				----		----	----			0.00	UNCH	----	----	----	----			0	UNCH																
4110	----	----				----		----	----			0.00	UNCH	----	----	----	----			0	UNCH																
4115	----	----				----		----	----			0.00	UNCH	----	----	----	----			0	UNCH																
4120	----	----				----		----	----			0.00	UNCH	----	----	----	----			0	UNCH																
4125	----	----				----		----	----			0.00	UNCH	----	----	----	----			0	UNCH																
4125	----	----				----		----	----			54.70	UNCH	----	----	----	----			0	UNCH																
4130	----	----				----		----	----			49.70	UNCH	----	----	----	----			0	UNCH																
4130	----	----				----		----	----			0.00	UNCH	----	----	----	----			0	UNCH																
4135	----	----				----		----	----			44.70	UNCH	----	----	----	----			0	UNCH																
4135	----	----				----		----	----			0.00	UNCH	----	----	----	----			0	UNCH																
4140	----	----				----		----	----			39.70	UNCH	----	----	----	----			0	UNCH																
4140	----	----				----		----	----			0.00	UNCH	----	----	----	----			0	UNCH																
4145	----	----				----		----	----			34.70	UNCH	----	----	----	----			0	UNCH																
4145	----	----				----		----	----			0.00	UNCH	----	----	----	----			0	UNCH																
4150	----	----				----		----	----			29.70	UNCH																								



PRELIMINARY



BULLETIN #188@										METALS OPTION PRODUCTS										wed, Sep 30, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
GWT TUE		GOLD WEEKLY TUESDAY OPTION week5																				
SEP26																						
4255	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH				
4260	----	----	----	----	----	----	----	----	----	80.30	UNCH	----	----	----	----	----	0	UNCH				
4260	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH				
4265	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH				
4265	----	----	----	----	----	----	----	----	----	85.30	UNCH	----	----	----	----	----	0	UNCH				
4270	----	----	----	----	----	----	----	----	----	90.30	UNCH	----	----	----	----	----	0	UNCH				
4270	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH				
4275	----	----	----	----	----	----	----	----	----	95.30	UNCH	----	----	----	----	----	0	UNCH				
4275	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH				
4280	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH				
4280	----	----	----	----	----	----	----	----	----	100.30	UNCH	----	----	----	----	----	0	UNCH				
4285	----	----	----	----	----	----	----	----	----	105.30	UNCH	----	----	----	----	----	0	UNCH				
4285	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH				
4290	----	----	----	----	----	----	----	----	----	110.30	UNCH	----	----	----	----	----	0	UNCH				
4290	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH				
4295	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH				
4295	----	----	----	----	----	----	----	----	----	115.30	UNCH	----	----	----	----	----	0	UNCH				
4300	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH				
4300	----	----	----	----	----	----	----	----	----	120.30	UNCH	----	----	----	----	----	0	UNCH				
4305	----	----	----	----	----	----	----	----	----	125.30	UNCH	----	----	----	----	----	0	UNCH				
4310	----	----	----	----	----	----	----	----	----	130.30	UNCH	----	----	----	----	----	0	UNCH				
4320	----	----	----	----	----	----	----	----	----	140.30	UNCH	----	----	----	----	----	0	UNCH				
4325	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH				
4325	----	----	----	----	----	----	----	----	----	145.30	UNCH	----	----	----	----	----	0	UNCH				
4330	----	----	----	----	----	----	----	----	----	150.30	UNCH	----	----	----	----	----	0	UNCH				
4335	----	----	----	----	----	----	----	----	----	155.30	UNCH	----	----	----	----	----	0	UNCH				
4340	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH				
4340	----	----	----	----	----	----	----	----	----	160.30	UNCH	----	----	----	----	----	0	UNCH				
4350	----	----	----	----	----	----	----	----	----	170.30	UNCH	----	----	----	----	----	0	UNCH				
4350	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH				
4355	----	----	----	----	----	----	----	----	----	175.30	UNCH	----	----	----	----	----	0	UNCH				
4365	----	----	----	----	----	----	----	----	----	185.30	UNCH	----	----	----	----	----	0	UNCH				
4365	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH				
4375	----	----	----	----	----	----	----	----	----	195.30	UNCH	----	----	----	----	----	0	UNCH				
4400	----	----	----	----	----	----	----	----	----	220.30	UNCH	----	----	----	----	----	0	UNCH				
4425	----	----	----	----	----	----	----	----	----	245.30	UNCH	----	----	----	----	----	0	UNCH				
4435	----	----	----	----	----	----	----	----	----	255.30	UNCH	----	----	----	----	----	0	UNCH				
4450	----	----	----	----	----	----	----	----	----	270.30	UNCH	----	----	----	----	----	0	UNCH				
4500	----	----	----	----	----	----	----	----	----	320.30	UNCH	----	----	----	----	----	0	UNCH				
4525	----	----	----	----	----	----	----	----	----	345.30	UNCH	----	----	----	----	----	0	UNCH				
4550	----	----	----	----	----	----	----	----	----	370.30	UNCH	----	----	----	----	----	0	UNCH				
4590	----	----	----	----	----	----	----	----	----	410.30	UNCH	----	----	----	----	----	0	UNCH				
4675	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH				
TOTAL																	0					
OCT26																						
3500	----	----	----	----	-----/0.60A	0.40B/0.60A		----	----	0.50 - 0.30	.0039	----	----	----	----	----	1	UNCH				
3700	----	----	----	----	-----/2.70A	3.30B/2.70A		----	----	3.20 - 0.70	.0262	----	----	----	----	----	6	UNCH				
3750	----	----	----	----	-----/0.60A	0.50B/0.60A		----	----	0.60 - 0.30	.0053	----	----	----	----	----	6	UNCH				
3750	----	----	----	----	-----/1.60A	1.90B/1.60A		----	----	1.90 - 0.60	.0181	----	----	----	----	----	50	UNCH				
3800	----	----	----	----	-----/2.00A	2.50B/2.00A		----	----	2.60 - 0.70	.0256	----	----	----	----	----	3	UNCH				
3850	1.10	1.10	----	1.10/0.90A	1.10/0.90A			----	----	1.10 - 0.60	.0116	----	----	1	----	6 +	1					
3875	----	----	----	-----/6.10A	9.10B/6.10A		----	----	9.00 - 1.40	.0766	----	----	----	----	----	10	UNCH					
3875	----	----	----	-----/1.00A	1.40B/1.00A		----	----	1.30 - 0.70	.0144	----	----	----	----	----	2	UNCH					
3900	----	----	----	-----/1.20A	1.60B/1.20A		----	----	1.60 - 0.80	.0185	----	----	----	----	----	2	UNCH					
3900	----	----	----	-----/3.40A	5.10B/3.40A		----	----	5.00 - 1.30	.0527	----	----	----	----	----	2	UNCH					
3925	----	----	----	-----/4.00A	6.20B/4.00A		----	----	6.00 - 1.60	.0640	----	----	----	----	----	1	UNCH					
3950	----	----	----	-----/1.60A	2.50B/1.60A		----	----	2.40 - 1.20	.0305	----	----	----	1	----	21 +	1					
3950	----	----	----	298.40B/236.80A	298.40B/236.80A		----	----	243.80 + 5.20	.9212	----	----	----	----	----	1	UNCH					
3950	----	----	----	-----/4.70A	7.70B/4.70A		----	----	7.30 - 1.90	.0784	----	----	----	----	----	5	UNCH					
3960	2.60	2.60	----	2.60/2.60	2.70B/1.70A		----	----	2.60 - NEW	.0337	----	----	13	----	----	13 +	13					
3975	2.90	2.90	----	2.90/1.90A	3.20B/1.90A		----	----	3.10 - 1.40	.0409	----	----	14	----	----	24 +	14					
3975	7.10	7.10	----	9.50B/5.70A	9.50B/5.70A		----	----	9.10 - 2.20	.0975	----	----	1	----	----	3 +	1					
3980	3.20	3.20	----	3.20/3.10	3.40B/2.00A		----	----	3.20 - NEW	.0427	----	----	2	----	----	2 +	2					
4000	4.10	4.10	----	4.10/2.30A	4.20B/2.30A		----	----	4.00 - 1.80	.0547	----	----	42	----	----	53 +	28					
4000	----	----	----	248.00B/183.50A	248.00B/183.50A		----	----	190.60 + 5.20	.9451	----	----	----	----	----	1	UNCH					
4000	----	----	----	-----/6.90A	12.00B/6.90A		----	----	11.30 - 2.60	.1205	----	----	----	----	----	4	UNCH					
4025	5.10	5.10	----	5.60B/2.90A	5.60B/2.90A		----	----	5.40 - 2.20	.0755	----	----	25	----	----	30 +	21					
4025	14.00	14.00	----	15.10B/8.40A	15.10B/8.40A		----	----	14.20 - 3.10	.1495	----	----	4	----	----	75	UNCH					
4050	7.40	7.40	----	7.40/3.80A	7.80B/3.80A		----	----	7.30 - 2.80	.1038	----	----	4	----	----	17	UNCH					
4050	----	----	----	203.20B/137.20A	203.20B/137.20A		----	----	143.90 + 4.10	.8959	----	----	----	----	----	2	UNCH					
4050	----	----	----	-----/10.40A	19.10B/10.40A		----	----	18.00 - 3.60	.1853	----	----	----	----	----	67	UNCH					
4050	----	----	----	209.80B/148.20A	209.80B/148.20A		----	----	154.50 + 3.40	.8143	----	----	----	----	----	2	UNCH					
4075	9.70	9.70	----	10.80B/4.90A	10.80B/4.90A		----	----	10.00 - 3.70	.1431	----	----	11	----	----	20 +	1					
4075	----	----	----	-----/23.20A	38.10B/23.20A		----	----	36.40 - 4.70	.2763	----	----	----	----	----	2	UNCH					
4075	22.30	22.30	----	24.20B/13.00A	24.20B/13.00A		----	----	22.70 - 4.30	.2276	----	----	1	----	----	65	UNCH					
4100	----	----	----	-----/28.10A	45.70B/28.10A		----	----	43.80 - 5.10	.3197	----	----	----	----	----	4	UNCH					
4100	10.00	10.00	----	15.20B/6.70A	15.20B/6.70A		----	----	14.00 - 4.50	.1974	----	----	176	----	----	169 +	120					
4100	----	----	----	166.10B/109.90A	166.10B/109.90A		----	----	115.30 + 2.10	.7222	----	----	----	----	----	1	UNCH					
4100	----	----	----	-----/16.40A	30.60B/16.40A		----	----	28.70 - 4.90	.2774	----	----	----	----	----	17	UNCH					
4125	17.60	17.60	----	21.30B/9.20A	21.30B/9.20A		----	----	19.50 - 5.60	.2668	----	----	15	----	----	96 -	10					
4125	----	----	----	-----/20.80A	38.40B/20.80A		----	----	36.10 - 5.50	.3338	----	----	----	----	----	14	UNCH					
4125	----	----	----	145.50B/92.80A	145.50B/92.80A		----	----	97.70 + 1.40	.6658	----	----	----	----	----	0	UNCH					
4150	27.50	27.50	----	27.50/12.70A	29.50B/12.70A		----	----	27.00 - 6.60	.3516	----	----	3	----	----	28 +	2					
4150	----	----	----	112.80B/59.10A	112.80B/59.10A		----	----	6													

G64		BULLETIN #188@										METALS OPTION PRODUCTS										wed, Sep 30, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
GWT TUE		GOLD WEEKLY TUESDAY OPTION week2																						
OCT26																								
4400	----	----			17.30B/7.10A	17.30B/7.10A	----	----	----	8.00 - 1.00	.0958	----	----	----	----		16	UNCH						
4425	----	----			5.00B/1.30A	5.00B/1.30A	----	----	----	1.60 - 0.70	.0233				3	----		53	+	3				
4425	----	----			----/189.30A	251.40B/189.30A	----	----	----	244.30 - 8.00	.9234			----	----		1	UNCH						
4425	6.70	6.70			13.70B/5.50A	13.70B/5.50A	----	----	----	6.30 - 0.90	.0762				19	----		21	+	14				
4450	----	----			----/207.40A	268.10B/207.40A	----	----	----	264.40 - 7.60	.9830			----	----		1	UNCH						
4450	1.10	1.10			3.60B/1.00A	3.60B/1.00A	----	----	----	1.20 - 0.60	.0169			----	----		60	UNCH						
4450	4.90	4.90			11.00B/4.40A	11.00B/4.40A	----	----	----	5.00 - 0.90	.0609			----	----		33	UNCH						
4475	----	----			2.70B/0.80A	2.70B/0.80A	----	----	----	1.00 - 0.50	.0134			----	----		18	UNCH						
4475	----	----			----/231.50A	292.90B/231.50A	----	----	----	289.20 - NEW	.9865			----	----		1	+	1					
4475	----	----			8.80B/3.50A	8.80B/3.50A	----	----	----	4.00 - 0.80	.0488			----	----		5	UNCH						
4500	----	----			2.00B/0.70A	2.00B/0.70A	----	----	----	0.80 - 0.40	.0103			----	----		22	+	2					
4500	----	----			7.00B/2.80A	7.00B/2.80A	----	----	----	3.30 - 0.70	.0399			----	----		31	+	4					
4525	----	----			1.50B/0.60A	1.50B/0.60A	----	----	----	0.70 - 0.30	.0085			----	----		50	UNCH						
4525	----	----			5.60B/2.30A	5.60B/2.30A	----	----	----	2.70 - 0.60	.0325			----	----		31	UNCH						
4550	----	----			1.20B/0.50A	1.20B/0.50A	----	----	----	0.60 - 0.30	.0070			----	----		7	UNCH						
4550	----	----			4.50B/1.90A	4.50B/1.90A	----	----	----	2.30 - 0.50	.0272			----	----		24	UNCH						
4575	----	----			0.90B/0.50A	0.90B/0.50A	----	----	----	0.50 - 0.20	.0056			----	----		2	UNCH						
4575	----	----			----/329.80A	392.20B/329.80A	----	----	----	388.60 - 7.30	.9944			----	----		2	UNCH						
4575	----	----			3.70B/1.60A	3.70B/1.60A	----	----	----	1.90 - 0.50	.0223			----	----		41	UNCH						
4600	----	----			0.70B/0.40A	0.70B/0.40A	----	----	----	0.40 - 0.20	.0043			----	----		28	UNCH						
4600	----	----			7.10B/3.80A	7.10B/3.80A	----	----	----	4.00 - 0.60	.0399			----	----		5	UNCH						
4600	----	----			3.00B/1.40A	3.00B/1.40A	----	----	----	1.60 - 0.50	.0186			----	----		29	UNCH						
4625	----	----			----/0.40A	0.60B/0.40A	----	----	----	0.30 - 0.30	.0031			----	----		1	UNCH						
4625	----	----			5.80B/3.30A	5.80B/3.30A	----	----	----	3.40 - 0.60	.0340			----	----		1	UNCH						
4625	----	----			2.50B/1.20A	2.50B/1.20A	----	----	----	1.40 - 0.40	.0159			----	----		22	UNCH						
4650	----	----			5.10B/2.90A	5.10B/2.90A	----	----	----	2.90 - 0.50	.0290			----	----		7	UNCH						
4650	----	----			----/0.30A	0.50B/0.30A	----	----	----	0.30 - 0.20	.0030			----	----		19	UNCH						
4650	----	----			2.10B/1.10A	2.10B/1.10A	----	----	----	1.20 - 0.40	.0135			----	----		8	UNCH						
4675	----	----			----/0.30A	0.40B/0.30A	----	----	----	0.30 - 0.10	.0028			----	----		3	UNCH						
4675	----	----			1.70B/1.00A	1.70B/1.00A	----	----	----	1.00 - 0.40	.0111			----	----		4	UNCH						
4700	----	----			----/0.30A	0.30B/0.30A	----	----	----	0.20 - 0.20	.0018			----	----		12	UNCH						
4700	----	----			1.40B/0.90A	1.40B/0.90A	----	----	----	0.90 - 0.30	.0098			----	----		7	UNCH						
4725	----	----			----/0.30A	0.30B/0.30A	----	----	----	0.20 - 0.20	.0018			----	----		2	UNCH						
4725	----	----			1.20B/0.80A	1.20B/0.80A	----	----	----	0.80 - 0.30	.0085			----	----		20	UNCH						
4750	----	----			----/0.40A	----	----	----	----	0.20 - 0.10	.0017			----	----		2	UNCH						
4750	----	----			1.10B/0.70A	1.10B/0.70A	----	----	----	0.70 - 0.30	.0074			----	----		20	UNCH						
4775	----	----			1.00B/0.70A	1.00B/0.70A	----	----	----	0.70 - 0.20	.0071			----	----		2	UNCH						
4775	----	----			----/0.40A	----	----	----	----	0.20 - 0.10	.0016			----	----		2	UNCH						
4800	----	----			----/0.70A	0.80B/0.70A	----	----	----	0.60 - 0.20	.0060			----	----		4	UNCH						
4850	----	----			----	----/0.30A	----	----	----	0.10 - 0.10	.0003			----	----		1	UNCH						
4900	----	----			----	----/0.30A	----	----	----	0.10 - 0.10	.0001			----	----		2	UNCH						
4900	----	----			0.60B/----	0.60B/0.60A	----	----	----	0.40 - 0.10	.0037			----	----		6	UNCH						
5000	0.30	0.30			0.40B/0.30	0.40B/0.30	----	----	----	0.30 UNCH	.0026			1	----		7	UNCH						
5100	----	----			----	----/0.30A	----	----	----	0.10 UNCH	----			----	----		25	UNCH						
5100	----	----			----	----/0.50A	----	----	----	0.20 UNCH	.0016			----	----		7	UNCH						
5200	----	----			----	----/0.30A	----	----	----	0.10 UNCH	----			----	----		6	UNCH						
TOTAL														599	225	3758+	448							
NOV26																								
4000	----	----			----	38.70B/31.30A	----	----	----	38.10 - NEW	.2287	----	----	1	----		1	+	1					
4200	----	----				125.10B/100.40A	----	----	----	95.80 - NEW	.4906			1	----		1	+	1					
4200	114.90	114.90			114.90/114.90	114.90/91.50A	----	----	----	109.00 - NEW	.5085			1	----		1	+	1					
TOTAL														3		3+								
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
GWR THU		GOLD WEEKLY THURSDAY OPTION week3																						
OCT26																								
3500	----	----			----/0.90A	0.80B/0.90A	----	----	----	0.90 - 0.20	.0067	----	----	----	----		8	UNCH						
3600	----	----			----/0.20A	----	----	----	----	0.10 UNCH	----			----	----		190	UNCH						
3600	----	----			----/1.30A	1.30B/1.30A	----	----	----	1.40 - 0.30	.0112			----	----		85	UNCH						
3700	----	----			----/0.20A	----	----	----	----	0.10 UNCH	----			----	----		56	UNCH						
3700	----	----			----/0.70A	0.60B/0.70A	----	----	----	0.70 - 0.30	.0062			----	----		11	UNCH						
3700	----	----			----/1.90A	2.20B/1.90A	----	----	----	2.30 - 0.50	.0196			----	----		16	UNCH						
3750	----	----			----/0.20A	----	----	----	----	0.10 - 0.10	----			----	----		10	UNCH						
3750	----	----			----/2.30A	2.90B/2.30A	----	----	----	2.90 - 0.70	.0257			----	----		13	UNCH						
3750	----	----			----/0.90A	0.90B/0.90A	----	----	----	0.90 - 0.50	.0086			----	----		8	UNCH						
3775	----	----			----/1.00A	1.10B/1.00A	----	----	----	1.10 - 0.50	.0108			----	----		4	UNCH						
3800	----	----			----/0.20A	----	----	----	----	0.10 - 0.10	----													

BULLETIN #188@										METALS OPTION PRODUCTS										wed, Sep 30, 2026		PG64	
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE		GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW		OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA		EXER CISES		OPEN OUTCRY VOLUME		GLOBEX® VOLUME		PNT VOLUME		OPEN INTEREST	
GWR THU		GOLD WEEKLY THURSDAY OPTION week4																					
4100	----	----			----/32.10A	50.50B/32.10A	----			48.30 - 5.30	.3288	----	----	----	----	----	----	----	----	----	14	UNCH	
4100	----	----			171.50B/117.50A	171.50B/117.50A	----			122.70 + 2.00	.6990	----	----	----	----	----	----	----	13	----	50	UNCH	
4100	----	----			----/22.10A	38.10B/22.10A	----			36.10 - 5.00	.3005	----	13	13	----	----	----	13	----	73	+	12	
4100	13.70	13.70			21.40B/10.40A	21.40B/10.40A	----			19.90 - 4.80	.2363	----	23	23	----	----	----	23	----	42	UNCH		
4105	2.50	2.50			2.50/0.90A	3.50B/0.90A	----			2.00 NEW	.0218	----	7	13	----	----	----	13	----	7	+	7	
4110	3.80	3.80			3.80/1.00	3.80/1.00	----			2.30 - 4.50	.0274	----	125	125	----	----	----	125	----	132	+	105	
4115	1.70	1.70			1.70/1.10A	4.20B/1.10A	----			2.60 - 4.90	.0339	----	6	6	----	----	----	6	----	6	+	4	
4120	1.40	1.40			3.00/1.20A	4.50B/1.20A	----			2.90 - 5.40	.0411	----	9	9	----	----	----	9	----	83	+	3	
4120	125.20	125.20			131.10B/62.90A	131.10B/62.90A	----			69.60 + 1.60	.9588	----	3	3	----	----	----	3	----	0	-	1	
4125	2.00	2.00			3.90/1.30A	4.90B/1.30A	----			3.30 - 5.80	.0509	----	43	43	----	----	----	43	----	67	+	5	
4125	----	----			----/38.20A	59.70B/38.20A	----			57.10 - 5.80	.3731	----	----	----	----	----	----	----	----	10	UNCH		
4125	40.10	40.10			46.50B/27.10A	46.50B/27.10A	----			44.10 - 5.60	.3517	----	1	1	----	----	----	1	----	41	+	1	
4125	----	----			----/13.70A	28.40B/13.70A	----			26.30 - 5.60	.3004	----	----	100	100	----	----	----	133	+	89		
4130	2.80	2.80			4.60/1.30A	5.80B/1.30A	----			3.80 - 6.30	.0636	----	34	34	----	----	----	34	----	73	+	17	
4130	119.20	119.20			121.50B/54.00A	121.50B/54.00A	----			60.50 + 0.70	.9363	----	1	1	----	----	----	1	----	0	-	1	
4135	5.20	5.20			5.30/1.40	6.30B/1.40	----			4.40 - 6.80	.0795	----	31	31	----	----	----	31	----	15	+	14	
4135	----	----			116.50B/49.80A	116.50B/49.80A	----			56.10 + 0.30	.9204	----	----	5	5			----	5	UNCH			
4140	4.00	4.00			6.20/1.60A	7.00B/1.60A	----			5.00 - 7.30	.0973	----	44	44	----	----	----	44	----	42	+	32	
4140	----	----			111.60B/45.70A	111.60B/45.70A	----			51.70 - 0.30	.9026	----	1	1	----	----	----	1	----	1	+	1	
4145	95.00	95.00			106.80B/41.50A	106.80B/41.50A	----			47.50 - 0.80	.8793	----	2	2	----	----	----	2	----	2	+	1	
4145	7.10	7.10			7.20/1.70A	7.90B/1.70A	----			5.80 - 7.80	.1205	----	8	8	----	----	----	8	----	21	+	4	
4150	2.60	2.60			8.50/1.90A	8.80B/1.90A	----			6.80 - 8.20	.1495	----	79	79	----	----	----	79	----	112	+	9	
4150	47.10	47.10			102.00B/37.70A	102.00B/37.70A	----			43.40 - 1.30	.8504	----	2	2	----	----	----	2	----	4	+	1	
4150	42.60	42.60			56.40B/33.30A	56.40B/33.30A	----			53.60 - 6.10	.4068	----	7	7	----	----	----	7	----	130	+	7	
4150	----	----			133.10B/86.00A	133.10B/86.00A	----			90.20 + 0.90	.5927	----	----	29	29			----	29	UNCH			
4150	----	----			----/45.60A	69.90B/45.60A	----			67.10 - 6.20	.4195	----	----	4	4			----	4	UNCH			
4150	33.50	33.50			37.40B/18.20A	37.40B/18.20A	----			34.50 - 6.40	.3742	----	7	7	----	----	----	7	----	42	UNCH		
4150	----	----			118.40B/66.60A	118.40B/66.60A	----			71.20 + 0.60	.6255	----	----	1	1			----	1	UNCH			
4155	----	----			97.20B/34.00A	97.20B/34.00A	----			39.50 - 1.80	.8187	----	1	1	----	----	----	1	----	2	UNCH		
4155	4.50	4.50			9.90/2.10A	9.90/2.10A	----			7.80 - 8.80	.1812	----	28	28	----	----	----	28	----	37	+	11	
4160	8.80	8.80			11.10B/2.30A	11.10B/2.30A	----			9.10 - 9.20	.2201	----	36	36	----	----	----	36	----	42	+	2	
4160	29.90	29.90			92.50B/29.90	92.50B/29.90	----			35.80 NEW	.7798	----	4	4	----	----	----	4	----	3	+	3	
4165	9.20	9.20			13.10/2.50A	13.10/2.50A	----			10.50 - 9.70	.2632	----	10	10	----	----	----	10	----	46	UNCH		
4165	34.30	34.30			87.80B/27.20A	87.80B/27.20A	----			32.20 - 2.70	.7367	----	1	1	----	----	----	1	----	2	+	1	
4170	11.80	11.80			14.60B/2.80A	14.60B/2.80A	----			12.10 - 10.10	.3113	----	13	13	----	----	----	13	----	9	+	5	
4170	77.70	77.70			83.10B/24.00A	83.10B/24.00A	----			28.70 - 3.20	.6886	----	1	1	----	----	----	1	----	2	UNCH		
4175	23.50	23.50			78.50B/21.20A	78.50B/21.20A	----			25.50 - 3.60	.6368	----	2	2	----	----	----	2	----	17	+	2	
4175	5.70	5.70			17.10/3.20A	17.10/3.20A	----			13.80 - 10.60	.3631	----	62	62	----	----	----	62	----	108	+	13	
4175	81.40	81.40			81.40/53.80A	81.50B/53.80A	----			78.40 - 6.50	.4673	----	3	3	----	----	----	3	----	3	UNCH		
4175	----	----			----/41.10A	67.90B/41.10A	----			64.50 - 6.60	.4643	----	----	4	4			----	4	UNCH			
4175	----	----			99.40B/52.70A	99.40B/52.70A	----			56.50 - 0.10	.5446	----	17	17	----	----	----	17	----	18	+	16	
4175	----	----			115.60B/72.40A	115.60B/72.40A	----			76.20 + 0.40	.5352	----	----	2	2			----	2	UNCH			
4175	35.40	35.40			48.40B/24.10A	48.40B/24.10A	----			44.80 - 7.10	.4551	----	45	45	----	----	----	45	----	78	-	23	
4180	8.80	8.80			19.30B/3.60A	19.30B/3.60A	----			15.90 - 10.80	.4198	----	53	53	----	----	----	53	----	45	+	23	
4180	69.10	69.10			74.00B/18.50A	74.00B/18.50A	----			22.60 - 3.80	.5801	----	22	22	----	----	----	22	----	47	+	8	
4185	18.20	18.20			69.50B/16.00A	69.50B/16.00A	----			19.80 - 4.20	.5217	----	20	20	----	----	----	20	----	25	+	17	
4185	4.70	4.70			21.60B/4.10A	21.60B/4.10A	----			18.10 - 11.20	.4781	----	17	17	----	----	----	17	----	13	+	11	
4190	41.50	41.50			65.30B/13.80A	65.30B/13.80A	----			17.30 - 4.40	.4623	----	41	41	----	----	----	41	----	24	+	13	
4190	17.70	17.70			24.80/4.60A	24.80/4.60A	----			20.60 - 11.40	.5376	----	21	21	----	----	----	21	----	17	+	16	
4195	13.60	13.60			60.90B/11.90A	60.90B/11.90A	----			15.00 - 4.50	.4034	----	3	3	----	----	----	3	----	5	+	3	
4195	6.20	6.20			27.50B/5.30A	27.50B/5.30A	----			23.30 NEW	.5964	----	12	12	----	----	----	12	----	6	+	6	
4200	36.00	36.00			56.80B/10.10	56.80B/10.10	----			12.90 - 4.70	.3464	----	181	181	----	----	----	181	----	208	+	78	
4200	21.20	21.20			31.00B/6.10A	31.00B/6.10A	----			26.20 - 11.70	.6535	----	80	80	----	----	----	80	----	247	+	15	
4200	61.70	61.70			99.60B/60.30A	99.60B/60.30A	----			63.70 UNCH	.4767	----	6	6	----	----	----	6	----	69	+	6	
4200	----	----			----/63.40A	94.60B/63.40A	----			91.00 - 6.80	.5156	----	----	1	1			----	1	UNCH			
4200	91.70	91.70			111.90B/74.50A	111.90B/74.50A	----			77.70 + 0.20	.4838	----	7	7	----	----	----	7	----	7	+	7	
4200	56.90	56.90			61.50B/31.70A	61.50B/31.70A	----			57.20 - 7.60	.5388	----	1	1	----	----	----	1	----	47	-	1	
4200	----	----			----/50.10A	80.70B/50.10A	----			77.00 - 6.90	.5228	----	----	8	8			----	8	UNCH			
4200	41.00	41.00			82.20B/40.70A	82.20B/40.70A	----			43.90 - 0.60	.4609	----	9	9	----	----	----	9	----	13	+	8	
4205	10.70	10.70			52.70B/8.60A	52.70B/8.60A	----			11.00 - 4.80	.2922	----	3	3	----	----	----	3	----	13	+	3	
4205	----	----			----/7.00A	34.30B/7.00A	----			29.30 - 11.80	.7077	----	4	4	----	----	----	4	----	12	UNCH		
4210	20.10	20.10			48.90B/7.30A	48.90B/7.30A	----			9.40 - 4.70	.2434	----	42	42	----	----	----	42	----	77	+	20	
4210	16.90	16.90			38.00B/8.00A	38.00B/8.00A	----			32.70 - 11.70	.7565	----	28	28	----	----	----	28	----	23	+	19	
4215	13.20	13.20			41.90B/9.20A	41.90B/9.20A	----			36.30 NEW	.8001	----	11	11	----	----	----	11	----	8	+	8	
4215	23.80	23.80			45.10B/6.10	45.10B/6.10	----			8.00 - 4.60	.1998	----	60	60	----	----	----	60	----	53	+	45	
4220	27.60	27.60			41.50B/5.10A	41.50B/5.10A	----			6.80 - 4.50	.1621	----	61	61	----	----	----	61	----	53	+	26	
4220	11.60	11.60			45.90B/10.50A	45.90B/10.50A	----			40.10 - 11.50	.8378	----	9	9	----	----	----	9	----	45	+	7	
4225	28.10	28.10			38.10B/4.30A	38.10B/4.30A	----			5.70 - 4.40	.1288	----	43	43	----	----	----	43	----	111	+	4	
4225	15.00	15.00			50.00B/12.00A	50.00B/12.00A	----			44.00 - 11.40	.8711	----	52	52	----	----	----	52	----	295	-	295	
4225	----	----			----/74.30A	108.70B/74.30A</																	

BULLETIN #188@										METALS OPTION PRODUCTS										wed, Sep 30, 2026				PG64	
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
GWR THU		GOLD WEEKLY THURSDAY OPTION week1																							
OCT26																									
4360	0.90	0.90		1.70B/0.10A	1.70B/0.10A	----		0.10	-	0.60		.0000	----	----	2	----		3 +	1						
4370	----	----		1.30B/0.10A	1.30B/0.10A	----		0.10	-	0.60		----	----	----	----	----	16	UNCH							
4375	0.80	0.80		1.20B/0.10A	1.20B/0.10A	----		0.10	-	0.50		----	----	----	4	----	289 +	4							
4375	----	----		28.50B/13.60A	28.50B/13.60A	----		15.00	-	0.90		.1519	----	----	----	----	7	UNCH							
4375	----	----		----/153.80A	209.40B/153.80A	----		203.00	-	7.90		.8476	----	----	----	----	16	UNCH							
4375	160.40	160.40		195.80B/126.20A	195.80B/126.20A	----		188.40	-	7.50		1.0000	----	----	2	----	67	UNCH							
4375	----	----		----/139.50A	200.70B/139.50A	----		193.80	-	8.00		.9225	----	----	----	----	5	UNCH							
4375	----	----		----/172.80A	215.70B/172.80A	----		211.70	-	7.90		.8025	----	----	----	----	1	UNCH							
4375	11.40	11.40		14.50B/4.70A	14.50B/4.70A	----		5.60	-	1.10		.0773	----	101	----	245 +	101								
4380	----	----		1.00B/0.10A	1.00B/0.10A	----		0.10	-	0.50		----	----	----	----	1	UNCH								
4385	0.70	0.70		1.00B/0.10A	1.00B/0.10A	----		0.10	-	0.50		----	----	----	15	----	26 +	15							
4390	----	----		0.80B/0.10A	0.80B/0.10A	----		0.10	-	0.40		----	----	----	----	1	UNCH								
4395	0.20	0.20		0.80B/0.10A	0.80B/0.10A	----		0.10	-	NEW		----	----	----	1	----	1 +	1							
4400	----	----		0.70B/0.10A	0.70B/0.10A	----		0.10	-	0.40		----	----	----	----	----	119	UNCH							
4400	----	----		23.30B/10.90A	23.30B/10.90A	----		12.10	-	0.80		.1252	----	----	----	----	75	UNCH							
4400	----	----		----/173.70A	231.60B/173.70A	----		225.10	-	7.80		.8744	----	----	----	----	19	UNCH							
4400	----	----		220.90B/150.90A	220.90B/150.90A	----		213.40	-	7.30		1.0000	3	----	----	82 -	3								
4400	27.40	27.40		33.20B/18.50A	33.20B/18.50A	----		19.80	-	1.00		.1686	----	----	1	----	2 +	1							
4400	----	----		11.00B/3.50A	11.00B/3.50A	----		4.20	-	0.90		.0579	----	13	----	56 +	10								
4400	----	----		----/161.10A	224.50B/161.10A	----		217.40	-	7.90		.9419	----	----	76	UNCH									
4405	0.50	0.50		0.70B/0.10A	0.70B/0.10A	----		0.10	-	NEW		----	----	----	2	----	2 +	2							
4410	0.50	0.50		0.60B/0.10A	0.60B/0.10A	----		0.10	-	0.30		----	----	----	1	----	2 +	1							
4420	0.70	0.70		0.70/0.10A	0.70/0.10A	----		0.10	-	NEW		----	----	----	1	----	1 +	1							
4425	----	----		----/194.40A	254.50B/194.40A	----		247.70	-	7.90		.8972	----	----	9	UNCH									
4425	0.30	0.30		0.30/0.10A	0.40B/0.10A	----		0.10	-	0.30		----	----	----	3	----	64 +	3							
4425	----	----		245.80B/178.20A	245.80B/178.20A	----		238.40	-	7.20		1.0000	----	----	5	UNCH									
4425	----	----		28.40B/15.40A	28.40B/15.40A	----		16.60	-	1.00		.1444	----	----	2	UNCH									
4425	----	----		8.40B/2.70A	8.40B/2.70A	----		3.20	-	0.80		.0437	----	----	36	UNCH									
4425	----	----		19.00B/8.70A	19.00B/8.70A	----		9.70	-	0.90		.1024	----	----	13	UNCH									
4435	0.20	0.20		0.40B/0.10A	0.40B/0.10A	----		0.10	-	0.20		----	----	4	----	5 +	4								
4450	----	----		270.70B/203.10A	270.70B/203.10A	----		263.40	-	7.20		1.0000	----	----	5	UNCH									
4450	0.10	0.10		0.10/0.10	0.30B/0.10	----		0.10	-	0.20		----	----	5	----	158 -	1								
4450	----	----		----/216.00A	277.70B/216.00A	----		270.90	-	7.80		.9153	----	----	6	UNCH									
4450	----	----		15.50B/7.00A	15.50B/7.00A	----		7.90	-	0.80		.0844	----	----	49	UNCH									
4450	----	----		23.70B/12.80A	23.70B/12.80A	----		13.90	-	1.00		.1233	----	----	4	UNCH									
4450	5.50	5.50		6.40B/2.00A	6.40B/2.00A	----		2.50	-	0.70		.0336	----	4	----	118 +	4								
4455	0.30	0.30		0.30/0.10A	0.30/0.10A	----		0.10	-	NEW		----	----	4	----	4 +	4								
4460	----	----		----/0.10A	0.20B/0.10A	----		0.10	-	0.20		----	----	----	24	UNCH									
4475	----	----		295.70B/228.20A	295.70B/228.20A	----		288.40	-	7.10		1.0000	----	6	----	1 -	5								
4475	7.40	7.40		12.70B/5.70A	12.70B/5.70A	----		6.50	-	0.70		.0698	----	2	----	47	UNCH								
4475	----	----		----/0.10A	0.10B/0.10A	----		0.10	-	0.10		----	----	----	34	UNCH									
4475	----	----		----/254.40A	303.80B/254.40A	----		299.40	-	7.90		.8947	----	----	1	UNCH									
4475	11.70	11.70		20.30B/10.70A	20.30B/10.70A	----		11.60	-	1.00		.1048	----	4	----	12 +	4								
4475	----	----		----/230.00A	293.70B/230.00A	----		290.10	-	7.50		.9746	----	----	1	UNCH									
4475	----	----		4.80B/1.60A	4.80B/1.60A	----		1.90	-	0.70		.0252	----	----	8	UNCH									
4500	----	----		10.30B/4.60A	10.30B/4.60A	----		5.30	-	0.70		.0573	----	----	41	UNCH									
4500	----	----		320.70B/252.70A	320.70B/252.70A	----		313.40	-	7.00		1.0000	11	----	6	----	10 -	16							
4500	----	----		----/0.20A	326.80B/276.40A	----		322.50	-	7.90		.9099	----	----	137	UNCH									
4500	----	----		16.90B/9.00A	16.90B/9.00A	----		9.80	-	0.90		.0896	----	----	2	UNCH									
4500	----	----		3.80B/1.30A	3.80B/1.30A	----		1.50	-	0.60		.0195	----	22	----	14	UNCH								
4505	----	----		----/0.20A	345.80B/277.90A	----		0.10	-	0.10		----	----	1	----	93 +	17								
4525	----	----		345.80B/277.90A	345.80B/277.90A	----		338.40	-	7.00		1.0000	1	----	2	----	0 -	3							
4525	----	----		----/0.20A	345.80B/277.90A	----		0.10	-	UNCH		----	----	----	47	UNCH									
4525	----	----		8.40B/3.80A	8.40B/3.80A	----		4.40	-	0.70		.0476	----	----	127	UNCH									
4525	----	----		2.90B/1.10A	2.90B/1.10A	----		1.30	-	0.40		.0163	----	----	44	UNCH									
4525	----	----		14.40B/7.60A	14.40B/7.60A	----		8.20	-	0.90		.0760	----	----	18	UNCH									
4550	----	----		----/0.20A	12.20B/6.60A	----		0.10	-	UNCH		----	----	----	22	UNCH									
4550	----	----		12.20B/6.60A	12.20B/6.60A	----		7.00	-	0.80		.0653	----	----	3	UNCH									
4550	----	----		7.00B/3.20A	7.00B/3.20A	----		3.70	-	0.60		.0399	----	1	----	13 -	1								
4550	----	----		2.30B/0.90A	2.30B/0.90A	----		1.00	-	0.50		.0123	----	----	47	UNCH									
4550	----	----		----/306.10A	367.90B/306.10A	----		364.10	-	7.40		.9876	----	----	1	UNCH									
4560	----	----		----	367.90B/306.10A	----		0.10	-	UNCH		----	----	----	2	UNCH									
4575	----	----		----/0.20A	367.90B/306.10A	----		0.10	-	UNCH		----	----	----	28	UNCH									
4575	----	----		5.80B/2.70A	5.80B/2.70A	----		3.10	-	0.60		.0334	----	----	10	UNCH									
4575	----	----		10.30B/5.50A	10.30B/5.50A	----		5.90	-	0.80		.0555	----	----	4	UNCH									
4575	----	----		1.80B/0.80A	1.80B/0.80A	----		0.90	-	0.30		.0107	----	11	----	65 +	11								
4600	----	----		----/0.10A	4.80B/2.30A	----		0.10	-	UNCH		----	----	----	34	UNCH									
4600	----	----		4.80B/2.30A	4.80B/2.30A	----																			

PG64		BULLETIN #188@										METALS OPTION PRODUCTS										wed, Sep 30, 2026		PG64		
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST										
GWR THU OCT26		GOLD WEEKLY THURSDAY OPTION week2																								
5250	----	----	----	----	----	----	/0.30A	----	----	0.10	UNCH	.0000	----	----	----	----	2	UNCH								
5250	----	----	----	----	----	----	/0.50A	----	----	0.20	- 0.10	.0015	----	----	----	----	8	UNCH								
5300	----	----	----	----	----	----	/0.20A	----	----	0.10	UNCH	----	----	----	----	----	8	UNCH								
5300	----	----	----	----	----	----	/0.30A	----	----	0.10	UNCH	.0000	----	----	----	----	2	UNCH								
5400	----	----	----	----	----	----	/0.20A	----	----	0.10	UNCH	----	----	----	----	----	3	UNCH								
5400	----	----	----	----	----	----	/0.30A	----	----	0.10	UNCH	----	----	----	----	----	5	UNCH								
5500	----	----	----	----	----	----	/0.40A	----	----	0.10	UNCH	.0007	----	----	----	----	77	UNCH								
5500	----	----	----	----	----	----	/0.30A	----	----	0.10	UNCH	----	----	----	----	----	4	UNCH								
5750	----	----	----	----	----	----	/0.30A	----	----	0.10	UNCH	.0001	----	----	----	----	4	UNCH								
5750	----	----	----	----	----	----	/1.40A	----	----	0.10	UNCH	----	----	----	----	----	3	UNCH								
TOTAL														3619	100	11628 +	1808									
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST										
GMW MON OCT26		GOLD WEEKLY MONDAY OPTION WEEK2																								
3000	----	----	----	----	----	----	/1.60A	----	----	0.10	UNCH	----	----	----	----	10	UNCH									
3600	0.10	0.10	0.10/0.10	0.10/0.10	0.10/0.10	0.10/0.10	0.10/0.10	----	----	0.10	- 0.10	.0006	----	1	----	79	UNCH									
3700	1.10	1.10	1.10/1.10	1.10/1.10	1.10/1.10	1.10/1.10	1.10/1.10	----	----	1.30	NEW	.0119	----	10	----	10 +	10									
3700	----	----	----	----	----	----	/0.30A	0.20B/0.30A	----	0.30	- 0.30	.0022	----	----	----	3	UNCH									
3700	----	----	----	----	----	----	/2.40A	2.90B/2.40A	----	2.90	- 0.70	.0242	----	----	----	2	UNCH									
3750	----	----	----	----	----	----	/1.40A	1.50B/1.40A	----	1.70	- 0.50	.0163	----	----	----	7	UNCH									
3750	----	----	----	----	----	----	/0.40A	0.30B/0.40A	----	0.40	- 0.40	.0032	----	----	----	10	UNCH									
3800	----	----	----	----	----	----	/1.70A	2.10B/1.70A	----	2.20	- 0.70	.0222	----	30	----	31 +	30									
3800	----	----	----	----	----	----	/0.50A	0.50B/0.50A	----	0.60	- 0.40	.0054	----	2	----	23	UNCH									
3825	----	----	----	----	----	----	/0.60A	0.70B/0.60A	----	0.70	NEW	.0066	----	1	----	1 +	1									
3875	----	----	----	----	----	----	/2.50A	3.50B/2.50A	----	3.50	- 1.10	.0378	----	----	----	2	UNCH									
3875	----	----	----	----	----	----	/5.50A	8.20B/5.50A	----	8.00	- 1.50	.0707	----	----	----	2	UNCH									
3900	----	----	----	----	----	----	/6.40A	9.70B/6.40A	----	9.50	- 1.60	.0838	----	----	----	16	UNCH									
3900	4.40	4.40	4.40/2.90A	4.40/2.90A	4.40/2.90A	4.40/2.90A	4.40/2.90A	----	----	4.20	- 1.30	.0461	----	1	----	3 +	1									
3900	----	----	----	----	----	----	/0.90A	1.20B/0.90A	----	1.00	- 0.80	.0114	----	1	----	32 +	1									
3925	----	----	----	----	----	----	/3.40A	5.30B/3.40A	----	5.10	- 1.50	.0567	----	----	----	2	UNCH									
3925	----	----	----	----	----	----	/1.00A	1.50B/1.00A	----	1.30	- 0.80	.0157	----	2	----	4	UNCH									
3925	----	----	----	----	----	----	/7.50A	11.60B/7.50A	----	11.20	- 1.90	.0988	----	----	----	1	UNCH									
3950	----	----	----	----	----	----	/1.20A	1.80B/1.20A	----	1.60	- 1.10	.0205	----	----	----	4	UNCH									
3950	----	----	----	----	----	----	/14.90A	20.40B/14.90A	----	20.20	- 4.00	.1492	----	----	----	2	UNCH									
3950	----	----	----	----	----	----	/4.00A	6.50B/4.00A	----	6.20	- 1.80	.0698	----	----	----	6	UNCH									
3950	----	----	----	----	298.40B/230.90A	298.40B/230.90A	298.40B/230.90A	----	----	238.20 +	5.90	.9794	----	----	----	3	UNCH									
3975	----	----	----	----	----	----	/10.30A	16.70B/10.30A	----	16.00	- 2.70	.1389	----	----	----	15	UNCH									
3975	----	----	----	----	----	----	/4.80A	8.20B/4.80A	----	7.80	- 2.00	.0878	----	----	----	2	UNCH									
3975	----	----	----	----	----	----	/1.40A	2.30B/1.40A	----	2.10	- 1.30	.0283	----	----	----	51	UNCH									
4000	20.00	20.00	20.10B/12.30A	20.10B/12.30A	20.10B/12.30A	20.10B/12.30A	20.10B/12.30A	----	----	19.30	- 3.10	.1649	----	2	----	4 +	1									
4000	----	----	----	----	----	----	/5.90A	10.30B/5.90A	----	9.80	- 2.50	.1100	----	5	----	22	UNCH									
4000	----	----	----	----	247.50B/182.20A	247.50B/182.20A	247.50B/182.20A	----	----	189.50 +	5.50	.9602	----	----	----	1	UNCH									
4000	2.40	2.40	2.90/1.70A	3.00B/1.70A	2.90/1.70A	3.00B/1.70A	3.00B/1.70A	----	----	2.80	- 1.60	.0397	----	23	----	40 +	4									
4010	3.30	3.30	3.30/1.90A	3.40B/1.90A	3.30/1.90A	3.40B/1.90A	3.40B/1.90A	----	----	3.20	- 1.70	.0460	----	1	----	33 +	1									
4020	3.70	3.70	3.70/2.00A	3.80B/2.00A	3.70/2.00A	3.80B/2.00A	3.80B/2.00A	----	----	3.60	NEW	.0527	----	1	----	1 +	1									
4025	----	----	----	----	----	----	/7.30A	13.20B/7.30A	----	12.50	- 2.90	.1386	----	5	----	33	UNCH									
4025	----	----	----	----	----	----	/2.10A	4.10B/2.10A	----	3.80	- 2.10	.0562	----	1	----	101 -	1									
4030	4.10	4.10	4.40B/2.20A	4.40B/2.20A	4.40B/2.20A	4.40B/2.20A	4.40B/2.20A	----	----	4.10	NEW	.0610	----	10	----	10 +	10									
4035	4.30	4.30	4.60B/2.30A	4.60B/2.30A	4.60B/2.30A	4.60B/2.30A	4.60B/2.30A	----	----	4.40	NEW	.0658	----	10	----	10 +	10									
4040	4.30	4.30	5.00B/2.40A	5.00B/2.40A	5.00B/2.40A	5.00B/2.40A	5.00B/2.40A	----	----	4.70	NEW	.0707	----	5	----	5 +	5									
4045	4.70	4.70	5.30B/2.60A	5.30B/2.60A	5.30B/2.60A	5.30B/2.60A	5.30B/2.60A	----	----	5.00	NEW	.0758	----	10	----	10 +	10									
4050	----	----	----	----	----	----	/9.10A	16.90B/9.10A	----	15.90	- 3.50	.1735	----	----	----	114	UNCH									
4050	----	----	----	----	----	----	/2.70A	5.60B/2.70A	----	5.30	- 2.70	.0811	----	1	----	352	UNCH									
4075	----	----	----	----	----	----	/21.50A	35.90B/21.50A	----	34.30	- 4.50	.2703	----	----	----	7	UNCH									
4075	7.30	7.30	8.10B/3.50A	8.10B/3.50A	8.10B/3.50A	8.10B/3.50A	8.10B/3.50A	----	----	7.40	- 3.60	.1163	----	68	----	217 +	60									
4075	----	----	----	----	----	----	/11.40A	21.70B/11.40A	----	20.40	- 4.10	.2165	----	1	----	15	UNCH									
4090	8.20	8.20	8.20/4.20A	10.20B/4.20A	8.20/4.20A	10.20B/4.20A	10.20B/4.20A	----	----	9.20	NEW	.1453	----	4	----	4 +	4									
4100	7.10	7.10	11.80B/4.80	11.80B/4.80	11.80B/4.80	11.80B/4.80	11.80B/4.80	----	----	10.70	- 4.60	.1686	----	6	----	83	UNCH									
4100	15.00	15.00	27.70B/14.60A	27.70B/14.60A	27.70B/14.60A	27.70B/14.60A	27.70B/14.60A	----	----	26.00	- 4.90	.2670	----	13	----	16 +	15									
4100	38.20	38.20	43.30B/26.10A	43.30B/26.10A	43.30B/26.10A	43.30B/26.10A	43.30B/26.10A	----	----	41.50	- 5.00	.3146	----	15	----	18 +	15									
4100	----	----	154.70B/91.30A	154.70B/91.30A	154.70B/91.30A	154.70B/91.30A	154.70B/91.30A	----	----	40.40 +	2.40	.8312	----	4	----	4	UNCH									
4125	----	----	----	----	----	----	/31.80A	52.20B/31.80A	----	49.80	- 5.60	.3623	----	----	----	43	UNCH									
4125	----	----	----	----	----	----	/131.90B/71.80A	131.90B/71.80A	----	77.20	+ 1.20	.7590	----	----	----	2	UNCH									
4125	12.00	12.00	17.50B/6.70A	17.50B/6.70A	17.50B/6.70A	17.50B/6.70A	17.50B/6.70A	----	----	15.60	- 5.70	.2408	----	3	----	33 -	1									
4130	12.00	12.00	18.70B/7.20A	18.70B/7.20A	18.70B/7.20A	18.70B/7.20A	18.70B/7.20A	----	----	16.80	- 6.00	.2576	----	11	----	14 +	11									
4135	14.90	14.90	20.10B/7.80A	20.10B/7.80A	20.10B/7.80A	20.10B/7.80A	20.10B/7.80A	----	----	18.10	NEW	.2753	----	2	----	2 +	2									
4150	----	----	132.70B/92.00A	132.70B/92.00A	132.70B/92.00A	132.70B/92.00A	132.70B/92.00A	----	----	96.20 +	1.00	.5862	----	----	----	1	UNCH									
4150	----	----	/23.90A	44.70B/23.90A	44.70B/23.90A	44.70B/23.90A	44.70B/23.90A	----	----	41.90	- 6.30	.3905	----	----	----	10	UNCH									
4150	15.00	15.00	25.50/9.70A	25.50/9.70A	25.50/9.70A	25.50/9.70A	25.50/9.70A	----	----	22.60	- 6.90	.3333	----	3	----	64 -	1									
4150	----	----	/38.70A	62.20B/38.70A	62.20B/38.70A	62.20B/38.70A	62.20B/38.70A	----	----	59.60	- 6.00	.4132	----	----	----	26	UNCH									
4150	----	----	110.00B/54.60A	110.00B/54.60A	110.00B/54.60A	110.00B/54.60A	110.00B/54.60A	----	----	59.20	UNCH	.6665	----	----	----	1	UNCH									
4165	----	----	/12.20A	31.10B/12.20A	31.10B/12.20A	31.10B/12.20A	31.10B/12.20A	----	----	28.00	- 7.50	.3970	----	----	----	1	UNCH									
4175	----	----	116.10B/78.80A	116.10B/78.80A	116.10B/78.80A	116.10B/78.80A	116.10B/78.80A	----	----	82.30 +	0.50	.5336	----	----	----	1	UNCH									
4175	----	----	/30.40A	55.80B/30.40A	55.80B/30.40A	55.80B/30.40A	55.80B/30.40A	----	----	52.50	- 6.90	.4599	----	----	----	76	UNCH									
4175	----	----	/46.50A	73.70B/46.50A	73.70B/46.50A	73.70B/46.50A	73.70B/46.50A	----	----	70.60	- 6.50	.4658	----	----	----	12	UNCH									
4175	----	----	/14.10A	35.70B/14.10A	35.70B/14.10A	35.70B/14.10A	35.70B/14.10A	----	----	32.20	- 7.80	.4420	----	----	----	95	UNCH									
4175	----	----	89.40B/40.10A	89.40B/40.10A	89.40B/40.10A	89.40B/40.10A	89.40B/40.10A	----	----	43.80	- 0.90	.5578	----	3	----	23 +	3									
4180	----	----	/15.20A	38.10B/15.20A	38.10B/15.20A	38.10B/15.20A	38.10B/15.20A	----	----	34.40	NEW	.4648	----	10	----	10 +	10									
4180	68.00	68.00	85.50B/37.50A	85.50B/37.50A	85.50B/37.50A	85.5																				

PG64

BULLETIN #188@

METALS OPTION PRODUCTS

wed, Sep 30, 2026

PG64

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON GOLD WEEKLY MONDAY OPTION WEEK2												
OCT26												
4350	19.00	19.00	24.80B/10.00A	24.80B/10.00A	----	11.30 - 1.10	.1377	----	----	1	----	11 UNCH
4350	6.50	6.50	10.60B/2.40A	10.60B/2.40A	----	2.80 - 1.30	.0464	----	----	357	----	382 + 291
4350	----	----	----/110.50A	173.30B/110.50A	----	166.10 - 8.20	.9534	----	----	----	----	14 UNCH
4375	----	----	----/166.70A	210.90B/166.70A	----	206.70 - 7.90	.8258	----	----	----	----	0 UNCH
4375	----	----	----/145.00A	203.60B/145.00A	----	196.80 - 8.00	.8914	----	----	----	----	5 UNCH
4375	----	----	----/132.40A	197.40B/132.40A	----	190.20 - 8.00	.9681	----	----	----	----	39 UNCH
4375	----	----	19.60B/7.60A	19.60B/7.60A	----	8.70 - 1.00	.1082	----	1	----	----	12 + 1
4375	----	----	33.30B/17.30A	33.30B/17.30A	----	18.80 - 0.80	.1737	----	----	----	----	1 UNCH
4375	4.20	4.20	7.40B/1.70A	7.40B/1.70A	----	2.00 - 1.00	.0317	----	2	----	----	6 UNCH
4380	2.10	2.10	6.80B/1.60A	6.80B/1.60A	----	1.90 NEW	.0298	----	1	----	----	1 + 1
4400	----	----	15.40B/5.90A	15.40B/5.90A	----	6.70 - 1.00	.0846	----	----	----	----	3 UNCH
4400	----	----	----/165.80A	226.80B/165.80A	----	219.80 - 8.00	.9151	----	----	----	----	10 UNCH
4400	3.00	3.00	5.10B/1.20A	5.10B/1.20A	----	1.50 - 0.70	.0226	----	----	465	----	384 + 309
4400	27.40	27.40	27.60B/14.10A	27.60B/14.10A	----	15.40 - 0.90	.1459	----	6	700	----	700 UNCH
4400	----	----	----/155.20A	221.90B/155.20A	----	214.70 - 7.70	.9773	----	----	----	----	34 UNCH
4425	5.90	5.90	11.90B/4.50A	11.90B/4.50A	----	5.30 - 0.80	.0671	----	6	----	----	9 + 6
4425	----	----	23.00B/11.50A	23.00B/11.50A	----	12.60 - 0.90	.1221	----	----	----	----	9 UNCH
4425	----	----	3.60B/0.90A	3.60B/0.90A	----	1.10 - 0.60	.0158	----	----	----	----	10 UNCH
4425	----	----	----/178.80A	246.50B/178.80A	----	239.30 - 7.60	.9841	----	----	----	----	3 UNCH
4440	1.90	1.90	2.90B/0.80A	2.90B/0.80A	----	0.90 NEW	.0125	----	2	----	----	2 + 2
4450	----	----	----/209.90A	270.80B/209.90A	----	267.20 - 7.70	.9465	----	----	----	----	2 UNCH
4450	21.90	21.90	25.30B/16.40A	25.30B/16.40A	----	16.30 NEW	.1363	----	15	----	----	4 + 4
4450	----	----	----/204.60A	271.30B/204.60A	----	264.00 - 7.50	.9890	----	----	----	----	37 UNCH
4450	----	----	9.50B/3.50A	9.50B/3.50A	----	4.20 - 0.70	.0532	----	----	----	----	20 UNCH
4450	----	----	2.50B/0.70A	2.50B/0.70A	----	0.80 - 0.50	.0109	----	----	----	----	99 UNCH
4475	----	----	1.80B/0.60A	1.80B/0.60A	----	0.60 - 0.50	.0078	----	----	----	----	19 UNCH
4500	----	----	17.90B/12.10A	17.90B/12.10A	----	11.50 - 1.40	.1001	----	----	----	----	5 UNCH
4500	----	----	5.90B/2.30A	5.90B/2.30A	----	2.70 - 0.50	.0339	----	----	----	----	106 UNCH
4500	----	----	1.30B/0.50A	1.30B/0.50A	----	0.50 - 0.40	.0061	----	----	350	----	248 - 149
4500	----	----	----/253.90A	321.00B/253.90A	----	313.70 - 7.30	.9938	----	----	----	----	4 UNCH
4525	5.80	5.80	11.00B/5.50A	11.00B/5.50A	----	5.80 - 0.80	.0593	----	1	----	----	2 UNCH
4525	----	----	1.00B/0.40A	1.00B/0.40A	----	0.40 - 0.30	.0046	----	----	----	----	32 UNCH
4525	----	----	----/278.60A	345.90B/278.60A	----	338.60 - 7.30	.9953	----	----	----	----	9 UNCH
4550	----	----	3.70B/1.60A	3.70B/1.60A	----	1.90 - 0.30	.0231	----	----	----	----	4 UNCH
4550	----	----	9.10B/4.60A	9.10B/4.60A	----	4.90 - 0.70	.0502	----	----	----	----	2 UNCH
4550	----	----	0.70B/0.40A	0.70B/0.40A	----	0.30 - 0.30	.0033	----	----	----	----	49 UNCH
4550	----	----	----/304.70A	367.30B/304.70A	----	363.50 - 7.30	.9967	----	----	----	----	1 UNCH
4575	2.40	2.40	3.00B/1.30A	3.00B/1.30A	----	1.60 - 0.30	.0192	----	1	----	----	20 UNCH
4575	----	----	----/0.40A	0.50B/0.40A	----	0.30 - 0.20	.0031	----	----	----	----	6 UNCH
4600	----	----	2.50B/1.10A	2.50B/1.10A	----	1.30 - 0.30	.0154	----	----	----	----	3 UNCH
4600	----	----	6.30B/3.30A	6.30B/3.30A	----	3.50 - 0.70	.0360	----	----	----	----	2 UNCH
4600	----	----	----	0.40B/0.40A	----	0.20 - 0.20	.0020	----	----	----	----	93 UNCH
4600	----	----	----/354.50A	417.20B/354.50A	----	413.40 - 7.20	.9981	----	----	----	----	1 UNCH
4625	----	----	2.00B/1.00A	2.00B/1.00A	----	1.10 - 0.30	.0129	----	----	----	----	15 UNCH
4625	----	----	5.30B/2.90A	5.30B/2.90A	----	3.00 - 0.60	.0307	----	----	----	----	8 UNCH
4625	----	----	----/0.30A	0.30B/0.30A	----	0.20 - 0.20	.0019	----	----	----	----	24 UNCH
4650	----	----	1.70B/0.90A	1.70B/0.90A	----	1.00 - 0.20	.0114	----	----	----	----	3 UNCH
4650	----	----	----	0.30B/0.30A	----	0.20 - 0.10	.0018	----	----	----	----	14 UNCH
4675	----	----	1.40B/0.80A	1.40B/0.80A	----	0.90 - 0.20	.0100	----	----	----	----	5 UNCH
4675	----	----	----/0.20A	0.20B/0.20A	----	0.10 - 0.20	.0008	----	----	----	----	10 UNCH
4700	----	----	----/0.20A	0.10B/0.20A	----	0.10 - 0.20	.0005	----	----	----	----	57 UNCH
4700	----	----	1.20B/0.70A	1.20B/0.70A	----	0.80 - 0.20	.0087	----	----	----	----	5 UNCH
4725	----	----	1.00B/0.70A	1.00B/0.70A	----	0.70 - 0.20	.0075	----	----	----	----	6 UNCH
4725	----	----	----/0.30A	----	----	0.10 - 0.10	.0003	----	----	----	----	2 UNCH
4750	----	----	0.90B/0.60A	0.90B/0.60A	----	0.60 - 0.20	.0063	----	----	----	----	7 UNCH
4750	----	----	----	2.50B/4.60A	----	3.50 - 0.40	.0299	----	----	----	----	5 UNCH
4750	----	----	----/504.30A	566.90B/504.30A	----	563.30 - 7.10	1.0000	----	----	----	----	1 UNCH
4750	----	----	----/0.30A	----	----	0.10 - 0.10	.0001	----	----	----	----	17 UNCH
4775	----	----	0.80B/0.60A	0.80B/0.60A	----	0.60 - 0.10	.0061	----	----	----	----	3 UNCH
4775	----	----	----/0.30A	----	----	0.10 - 0.10	.0000	----	----	----	----	52 UNCH
4775	----	----	----/529.30A	591.90B/529.30A	----	588.30 - 7.00	1.0000	----	----	----	----	1 UNCH
4800	----	----	0.70B/0.70A	0.70B/0.70A	----	0.50 - 0.20	.0050	----	----	----	----	1 UNCH
4800	----	----	----	----/0.30A	----	0.10 - 0.10	.0000	----	----	----	----	10 UNCH
4825	----	----	----/0.30A	----	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH
4850	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
4850	----	----	----	0.60B/0.60A	----	0.40 - 0.20	.0039	----	----	----	----	4 UNCH
4900	----	----	----	0.50B/0.50A	----	0.30 - 0.20	.0028	----	----	----	----	7 UNCH
4900	----	----	----/0.30A	----	----	0.10 UNCH	----	----	----	----	----	4 UNCH
4900	----	----	1.00B/----	1.00B/1.10A	----	0.70 - 0.20	.0066	----	----	----	----	7 UNCH
4925	----	----	----/0.30A	----	----	0.10 UNCH	----	----	----	----	----	2 UNCH
4950	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
4975	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5000	----	----	----	----/0.50A	----	0.20 - 0.10	.0018	----	----	----	----	2 UNCH
5000	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
5100	----	----	----	----/0.40A	----	0.20 UNCH	.0016	----	----	----	----	7 UNCH
5100	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
5200	----	----	----	----/0.40A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5250	----	----	----	----/1.30A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
5300	----	----	----	----/1.20A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
5400	----	----	----	----/1.50A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
5500	----	----	----	----/1.60A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
5750	----	----	----	----/1.50A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
TOTAL										1864		6297 + 902

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FMG OPT MICRO GOLD WEEKLY FRI OPTION WEEK1												
OCT26												
4000	----	----	----	----	----	1.50 - 1.30	.0135	----	----	----	----	1 UNCH
4100	5.00	5.00	5.00/5.00	5.00/5.00	----	6.60 NEW	.1018	----	----	1	----	1 + 1
4150	11.00	11.00	11.00/11.00	11.00/11.00	----	16.60 NEW	.2826	----	----	1	----	1 + 1
4190	24.00	24.00	24.00/24.00	24.00/24.00	----	32.70 NEW	.5176	----	----	1	----	1 + 1
4200	33.00	33.00	33.00/33.00	33.00/33.00	----	38.00 NEW	.5800	----	----	1	----	1 + 1
TOTAL										4		5 + 4

SILVER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU	SILVER WEEKLY THURSDAY OPTION week4												
OCT26													
4750	----	----	0.020B/----	0.020B/0.050A	----	0.020 + 0.002	.0078	----	----	----	----	----	1 UNCH
5000	----	----	----	0.007B/0.022A	----	0.007 - 0.002	.0030	----	----	----	----	----	1 UNCH
5000	----	----	----	0.054B/0.077A	----	0.061 + 0.005	.0230	----	----	----	----	----	34 UNCH
5500	----	----	----	----/0.015A	----	0.001 - 0.006	----	----	----	----	----	----	3 UNCH
5500	0.165	0.165	0.210/0.165	0.210/0.165	----	0.204 + 0.004	.0865	----	----	4	----	----	5 + 4
5500	----	----	----/0.065A	0.075B/0.065A	----	0.078 - 0.004	.0411	----	----	4	----	----	2 - 2
5600	5.054	5.054	5.054/5.054	5.522B/5.054	----	5.051 - 0.554	.8346	----	----	1	----	----	2 + 1
5600	----	----	0.130B/0.095A	0.130B/0.095A	----	0.128 - 0.001	.0685	----	----	4	----	----	2 - 2
5600	0.310	0.310	0.316B/0.239A	0.316B/0.239A	----	0.307 NEW	.1262	----	----	1	----	----	1 + 1
5700	----	----	0.220B/0.150A	0.220B/0.150A	----	0.213 + 0.008	.1134	----	----	----	----	----	1 UNCH
5700	----	----	----/0.013A	0.011B/0.013A	----	0.009 - 0.021	.0010	----	----	----	----	----	1 UNCH
5750	----	----	0.289B/0.192A	0.289B/0.192A	----	0.276 + 0.016	.1451	----	----	----	----	----	0 UNCH
5800	----	----	0.703B/0.495A	0.703B/0.495A	----	0.682 + 0.067	.2510	----	----	1	----	----	1 - 1
5800	0.031	0.031	0.036B/0.016A	0.036B/0.016A	----	0.026 - 0.029	.0073	----	----	5	----	----	6 + 5
5850	----	----	0.487B/0.303A	0.487B/0.303A	----	0.464 + 0.043	.2313	----	----	----	----	----	5 UNCH
5860	0.048	0.048	0.048/0.026A	0.071B/0.026A	----	0.050 NEW	.0226	----	----	3	----	----	3 + 3
5870	0.054	0.054	0.054/0.028A	0.080B/0.028A	----	0.056 NEW	.0273	----	----	3	----	----	3 + 3
5880	0.080	0.080	0.080/0.030A	0.089B/0.030A	----	0.063 NEW	.0330	----	----	2	----	----	2 + 2
5890	0.089	0.089	0.089/0.031A	0.099B/0.031A	----	0.071 NEW	.0400	----	----	3	----	----	3 + 3
5900	0.109	0.109	0.109/0.037A	0.111B/0.037A	----	0.080 - 0.037	.0483	----	----	20	----	----	17 + 15
5900	----	----	1.024B/0.707A	1.024B/0.707A	----	0.988 + 0.105	.3359	----	----	----	----	----	1 UNCH
5910	0.121	0.121	0.121/0.038A	0.123B/0.038A	----	0.089 NEW	.0574	----	----	4	----	----	4 + 4
5930	0.118	0.118	0.153B/0.046A	0.153B/0.046A	----	0.113 NEW	.0825	----	----	4	----	----	4 + 4
5940	0.110	0.110	0.170B/0.051A	0.170B/0.051A	----	0.127 NEW	.0981	----	----	24	----	----	20 + 20
5950	0.123	0.123	0.189B/0.057A	0.189B/0.057A	----	0.143 - 0.033	.1165	----	----	5	----	----	7 + 4
5950	----	----	0.799B/0.474A	0.799B/0.474A	----	0.757 + 0.086	.3465	----	----	----	----	----	6 UNCH
5960	0.107	0.107	0.210B/0.064A	0.210B/0.064A	----	0.161 NEW	.1377	----	----	11	----	----	7 + 7
5970	0.105	0.105	0.234B/0.072A	0.234B/0.072A	----	0.181 - 0.028	.1619	----	----	21	----	----	22 + 19
5980	0.133	0.133	0.260B/0.081A	0.260B/0.081A	----	0.204 NEW	.1896	----	----	12	----	----	6 + 3

BULLETIN #188@				METALS OPTION PRODUCTS					Wed, Sep 30, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
RWS THU	SILVER WEEKLY THURSDAY OPTION week1												
OCT26													
5990	0.160	0.160	0.2888/0.091A	0.2888/0.091A	----	0.229	NEW .2203	----	----	25	----	25 +	25
6000	----	----	1.0028/0.592A	1.0028/0.592A	----	0.953	+ 0.116 .4125	----	----	----	----	8	UNCH
6000	----	----	1.4428/0.992A	1.4428/0.992A	----	1.391	+ 0.150 .4309	----	----	----	----	1	UNCH
6000	0.134	0.134	0.3218/0.102A	0.3218/0.102A	----	0.257	- 0.012 .2544	----	16	16 +	6	5 +	6
6010	0.149	0.149	0.3568/0.117A	0.3568/0.117A	----	0.288	NEW .2917	----	5	5 +	5	4 +	4
6020	0.140	0.140	0.3758/0.133A	0.3758/0.133A	----	0.323	NEW .3322	----	5	5 +	5	4 +	4
6030	0.351	0.351	0.4188/0.150A	0.4188/0.150A	----	0.360	NEW .3749	----	4	4 +	4	9 +	9
6040	0.185	0.185	0.4638/0.166A	0.4638/0.166A	----	0.401	NEW .4198	----	9	9 +	1	1 +	1
6050	0.450	0.450	1.7188/0.447A	1.7188/0.447A	----	0.512	NEW .5338	----	1	1 +	8	9 +	8
6050	0.207	0.207	0.5128/0.183A	0.5128/0.183A	----	0.446	+ 0.040 .4661	----	11	11 +	1	1 +	1
6050	2.004	2.004	2.8408/1.980A	2.8408/1.980A	----	2.036	NEW .5215	----	1	1 +	2	2 +	2
6070	0.460	0.460	0.6258/0.219A	0.6258/0.219A	----	0.547	NEW .5602	----	2	2 +	1	1 +	1
6080	0.354	0.354	0.6878/0.241A	0.6878/0.241A	----	0.603	NEW .6063	----	2	2 +	1	1 +	1
6080	----	----	1.4728/0.320A	1.4728/0.320A	----	0.369	NEW .3936	----	2	2 +	4	4 +	4
6090	0.536	0.536	0.7528/0.268A	0.7528/0.268A	----	0.662	NEW .6511	----	2	2 +	1	1 +	1
6090	0.311	0.311	1.3938/0.286A	1.3938/0.286A	----	0.328	NEW .3488	----	4	4 +	10	10 +	7
6100	----	----	1.9688/1.364A	1.9688/1.364A	----	1.900	+ 0.203 .5292	----	7	7 +	3	3 +	3
6100	0.360	0.360	0.8218/0.294A	0.8218/0.294A	----	0.725	+ 0.124 .6937	----	10	10 +	4	4 +	4
6100	0.940	0.940	1.3168/0.229	1.3168/0.229	----	0.291	NEW .3062	----	3	3 +	1	1 +	1
6100	----	----	1.5238/0.908A	1.5238/0.908A	----	1.449	+ 0.188 .5504	----	----	----	----	----	----
6110	----	----	0.8938/0.322A	0.8938/0.322A	----	0.792	+ 0.144 .7333	----	----	----	----	----	----
6120	----	----	0.9688/0.353A	0.9688/0.353A	----	0.861	+ 0.164 .7704	----	----	----	----	----	----
6120	0.267	0.267	1.1688/0.196A	1.1688/0.196A	----	0.227	- 0.423 .2295	----	6	6 +	2	2 +	2
6130	0.558	0.558	1.0468/0.385A	1.0468/0.385A	----	0.934	NEW .8037	----	5	5 +	4	4 +	4
6130	0.592	0.592	1.0978/0.174A	1.0978/0.174A	----	0.200	NEW .1962	----	1	1 +	1	1 +	1
6150	0.675	0.675	1.2088/0.460A	1.2088/0.460A	----	1.088	+ 0.227 .8601	----	----	----	----	----	----
6150	----	----	2.5938/1.957A	2.5938/1.957A	----	2.531	+ 0.225 .5582	----	6	6 +	1	1 +	1
6150	0.180	0.180	0.9638/0.129	0.9638/0.129	----	0.154	NEW .1398	----	----	----	----	----	----
6150	----	----	2.2578/1.586A	2.2578/1.586A	----	2.192	+ 0.231 .5771	----	----	----	----	----	----
6160	0.151	0.151	0.8998/0.121A	0.8998/0.121A	----	0.135	NEW .1168	----	4	4 +	3	3 +	3
6170	0.132	0.132	0.8388/0.106A	0.8388/0.106A	----	0.119	NEW .0976	----	3	3 +	1	1 +	1
6170	0.575	0.575	1.3818/0.539A	1.3818/0.539A	----	1.253	NEW .9023	----	17	17 +	45	45 +	45
6180	0.280	0.280	0.7828/0.093A	0.7828/0.093A	----	0.104	NEW .0805	----	----	----	----	----	----
6180	----	----	1.4708/0.587A	1.4708/0.587A	----	1.338	+ 0.290 .9194	----	----	----	----	----	----
6190	----	----	1.5608/0.632A	1.5608/0.632A	----	1.425	+ 0.309 .9337	----	----	----	----	----	----
6190	0.093	0.093	0.7268/0.082A	0.7268/0.082A	----	0.091	NEW .0662	----	4	4 +	39	39 +	1
6200	0.879	0.879	1.6508/0.678A	1.6508/0.678A	----	1.514	+ 0.329 .9455	----	1	1 +	1	1 +	1
6200	1.100	1.100	1.3528/0.613A	1.3528/0.613A	----	0.652	NEW .3207	----	----	----	----	----	----
6200	----	----	2.9058/2.203A	2.9058/2.203A	----	2.844	+ 0.251 .5964	----	----	----	----	----	----
6200	----	----	2.1708/1.350A	2.1708/1.350A	----	2.085	+ 0.273 .6792	----	17	17 +	15	15 +	15
6200	0.616	0.616	0.6738/0.072A	0.6738/0.072A	----	0.080	- 0.258 .0544	----	----	----	----	----	----
6210	----	----	1.7448/0.728A	1.7448/0.728A	----	1.604	+ 0.347 .9555	----	2	2 +	24	24 +	24
6210	0.073	0.073	0.6228/0.065A	0.6228/0.065A	----	0.070	- 0.240 .0444	----	----	----	----	----	----
6220	----	----	0.5748/0.062A	0.5748/0.062A	----	0.062	- 0.223 .0365	----	4	4 +	1	1 +	1
6230	0.087	0.087	0.5288/0.051A	0.5288/0.051A	----	0.054	NEW .0294	----	----	----	----	----	----
6250	----	----	2.1218/0.950A	2.1218/0.950A	----	1.976	+ 0.411 .9804	----	12	12 +	14	14 +	14
6250	0.194	0.194	0.4468/0.035A	0.4468/0.035A	----	0.042	- 0.177 .0195	----	----	----	----	----	----
6250	----	----	2.5448/1.618A	2.5448/1.618A	----	2.450	+ 0.315 .7351	----	----	----	----	----	----
6250	----	----	3.2468/2.481A	3.2468/2.481A	----	3.176	+ 0.277 .6328	----	10	10 +	6	6 +	6
6260	0.157	0.157	0.4088/0.037A	0.4088/0.037A	----	0.038	- 0.162 .0163	----	2	2 +	8	8 +	8
6270	0.103	0.103	0.3738/0.033A	0.3738/0.033A	----	0.033	NEW .0130	----	----	----	----	----	----
6280	0.100	0.100	0.3418/0.029A	0.3418/0.029A	----	0.030	- 0.138 .0109	----	2	2 +	3	3 +	3
6290	0.089	0.089	0.3118/0.027A	0.3118/0.027A	----	0.027	- 0.127 .0090	----	1	1 +	14	14 +	14
6290	----	----	2.5078/1.215A	2.5078/1.215A	----	2.360	NEW .9909	----	----	----	----	----	----
6300	----	----	2.6048/1.286A	2.6048/1.286A	----	2.458	+ 0.471 .9925	----	17	17 +	5	5 +	5
6300	0.173	0.173	0.2838/0.025A	0.2838/0.025A	----	0.024	- 0.117 .0074	----	----	----	----	----	----
6300	----	----	2.9458/1.918A	2.9458/1.918A	----	2.842	+ 0.354 .7834	----	----	----	----	----	----
6300	----	----	3.6018/2.765A	3.6018/2.765A	----	3.527	+ 0.302 .6672	----	----	----	----	----	----
6300	----	----	1.6918/1.071A	1.6918/1.071A	----	1.098	- 0.284 .3326	----	2	2 +	2	2 +	2
6310	0.080	0.080	0.2578/0.023A	0.2578/0.023A	----	0.021	NEW .0059	----	1	1 +	5	5 +	5
6330	----	----	2.9018/1.512A	2.9018/1.512A	----	2.751	NEW .9959	----	2	2 +	1	1 +	1
6340	----	----	2.9988/1.591A	2.9988/1.591A	----	2.850	+ 0.504 .9964	----	1	1 +	35	35 +	35
6350	0.007	0.007	0.1768/0.007	0.1768/0.007	----	0.014	- 0.077 .0028	----	----	----	----	----	----
6350	3.553	3.553	3.9728/3.168A	3.9728/3.168A	----	3.895	NEW .6994	----	1	1 +	1	1 +	1
6350	----	----	3.0988/1.671A	3.0988/1.671A	----	2.948	+ 0.510 .9971	----	----	----	----	----	----
6350	----	----	3.3668/2.274A	3.3668/2.274A	----	3.257	+ 0.390 .8244	----	1	1 +	1	1 +	1
6370	0.046	0.046	0.1448/0.015A	0.1448/0.015A	----	0.012	NEW .0020	----	1	1 +	3	3 +	3
6400	----	----	3.2968/1.837A	3.2968/1.837A	----	3.146	NEW .9979	----	1	1 +	4	4 +	4
6400	----	----	0.1088/0.012A	0.10									



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

BULLETIN #188@				METALS OPTION PRODUCTS							Wed, Sep 30, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SMW MON	SILVER WEEKLY MONDAY OPTION WEEK3													
OCT26														
5900	----	----	1.146B/0.881A	1.146B/0.881A	----	1.122			.3470	----	----	1 +	1	
5900	0.222	0.222	0.374B/0.201A	0.374B/0.201A	----	0.347 +	0.024		.2248	----	3	8 +	1	
5950	----	----	0.975B/0.626A	0.975B/0.626A	----	0.934 +	0.100		.3655	----	----	5	UNCH	
6000	0.695	0.695	0.700B/0.367A	0.700B/0.367A	----	0.650 +	0.080		.3857	----	1	8 +	1	
6000	----	----	1.181B/0.760A	1.181B/0.760A	----	1.137 +	0.126		.4224	----	----	26	UNCH	
6080	----	----	1.101B/0.571A	1.101B/0.571A	----	1.023	NEW		.5384	----	4	4 +	4	
6100	0.700	0.700	1.219B/0.635A	1.219B/0.635A	----	1.136	NEW		.5765	----	1	1 +	1	
6100	----	----	1.705B/1.103A	1.705B/1.103A	----	1.637 +	0.192		.5397	----	----	2	UNCH	
6150	----	----	1.548B/0.822A	1.548B/0.822A	----	1.450 +	0.229		.6671	----	----	2	UNCH	
6250	----	----	2.323B/1.321A	2.323B/1.321A	----	2.203 +	0.343		.8121	----	----	4	UNCH	
6250	----	----	3.192B/2.921A	3.192B/2.921A	----	3.278 +	0.243		.6242	----	----	6	UNCH	
6300	----	----	2.755B/1.632A	2.755B/1.632A	----	2.628 +	0.394		.8626	----	----	25	UNCH	
6300	----	----	1.429B/0.891A	1.429B/0.891A	----	0.918 +	0.294		.3123	----	----	52	UNCH	
6300	----	----	0.621B/0.178A	0.621B/0.178A	----	0.195 -	0.193		.1373	----	----	4 +	2	
6350	0.477	0.477	0.928B/0.445A	0.928B/0.445A	----	0.463	NEW		.2157	5	----	5 +	5	
6350	----	----	0.470B/0.127A	0.470B/0.127A	----	0.141 -	0.151		.0992	----	----	1	UNCH	
6350	----	----	3.207B/1.979A	3.207B/1.979A	----	3.074 +	0.436		.9007	----	----	7	UNCH	
6400	----	----	3.676B/2.358A	3.676B/2.358A	----	3.536 +	0.470		.9278	----	----	2	UNCH	
6500	----	----	0.196B/0.056A	0.196B/0.056A	----	0.060 -	0.070		.0393	----	----	21	UNCH	
6500	----	----	4.636B/3.194A	4.636B/3.194A	----	4.492 +	0.517		.9606	4	----	4	UNCH	
6510	----	----	0.185B/0.054A	0.185B/0.054A	----	0.057 -	0.067		.0370	----	----	1	UNCH	
6650	----	----	0.076B/0.032A	0.076B/0.032A	----	0.030 -	0.039		.0175	----	----	1	UNCH	
6700	----	----	6.525B/5.047A	6.525B/5.047A	----	6.457 +	0.555		.9860	----	----	0	UNCH	
6700	----	----	0.265B/0.134A	0.265B/0.134A	----	0.133 -	0.075		.0657	----	----	1	UNCH	
6750	----	----	0.414B/0.261A	0.414B/0.261A	----	0.260 -	0.119		.1024	----	----	50	UNCH	
6750	----	----	----/0.028A	0.045B/0.028A	----	0.021 -	0.029		.0112	----	----	3	UNCH	
6900	----	----	----/0.020A	0.021B/0.020A	----	0.014 -	0.019		.0065	----	----	2	UNCH	
6950	----	----	----/0.018A	0.017B/0.018A	----	0.012 -	0.017		.0054	----	----	5	UNCH	
7600	----	----	----	----/0.016A	----	0.003 -	0.005		.0008	----	----	11	UNCH	
TOTAL										25	0	277 +	19	
SO CALL	COMEX SILVER OPTIONS													
NOV26														
5000	----	----	11.986B/10.503A	11.986B/10.503A	----	10.641 -	0.584		.9676	----	----	13	UNCH	
5500	----	----	7.340B/5.879A	7.340B/5.879A	----	6.003 -	0.550		.8590	----	----	3	UNCH	
5575	----	----	6.679B/5.258A	6.679B/5.258A	----	5.375 -	0.539		.8268	----	----	1	UNCH	
5700	4.307	4.307	5.624B/4.288A	5.624B/4.288A	----	4.398	NEW		.7616	1	----	1 +	1	
5850	----	----	4.465B/3.262A	4.465B/3.262A	----	3.360 -	0.467		.6664	22	----	26 +	22	
5900	----	----	4.109B/2.958A	4.109B/2.958A	----	3.051 -	0.452		.6316	1	----	2 +	1	
5950	2.880	2.880	3.772B/2.669A	3.772B/2.669A	----	2.760	NEW		.5958	3	----	3 +	3	
5975	----	----	3.609B/2.536A	3.609B/2.536A	----	2.622 -	0.428		.5776	----	----	1	UNCH	
6000	3.160	3.160	3.452B/2.405A	3.452B/2.405A	----	2.491 -	0.416		.5593	36	----	40 +	9	
6050	2.931	2.931	3.151B/2.162A	3.151B/2.162A	----	2.240 -	0.401		.5227	9	----	7	UNCH	
6075	2.688	2.688	3.007B/2.046A	3.007B/2.046A	----	2.122 -	0.393		.5044	6	----	8	UNCH	
6100	2.570	2.570	2.870B/1.936A	2.870B/1.936A	----	2.010 -	0.378		.4862	32	----	69 +	14	
6125	2.348	2.348	2.752B/1.833A	2.752B/1.833A	----	1.903 -	0.363		.4682	27	----	30 +	5	
6150	2.269	2.269	2.622B/1.733A	2.622B/1.733A	----	1.797 -	0.360		.4503	17	----	21 +	10	
6175	2.157	2.157	2.497B/1.638A	2.497B/1.638A	----	1.702 -	0.347		.4328	24	----	41 +	17	
6200	2.086	2.086	2.377B/1.546A	2.377B/1.546A	----	1.608 -	0.341		.4155	18	----	59 +	3	
6225	1.959	1.959	2.262B/1.460A	2.262B/1.460A	----	1.520 -	0.330		.3986	51	----	47 +	45	
6250	1.934	1.934	2.151B/1.378A	2.151B/1.378A	----	1.437 -	0.317		.3821	2	----	14 -	1	
6275	1.659	1.659	2.045B/1.301A	2.045B/1.301A	----	1.357 -	0.305		.3659	1	----	6 +	1	
6300	1.737	1.737	1.943B/1.227A	1.943B/1.227A	----	1.281 -	0.294		.3501	19	----	59 +	1	
6325	1.640	1.640	1.845B/1.157A	1.845B/1.157A	----	1.208 -	0.284		.3347	50	----	32 +	21	
6350	----	----	1.752B/1.091A	1.752B/1.091A	----	1.140 -	0.274		.3198	10	----	62 +	10	
6375	1.477	1.477	1.663B/1.029A	1.663B/1.029A	----	1.075 -	0.265		.3053	22	----	28 +	2	
6400	1.370	1.370	1.578B/0.970A	1.578B/0.970A	----	1.014 -	0.256		.2913	13	----	71 +	3	
6425	----	----	1.496B/0.916A	1.496B/0.916A	----	0.956 -	0.248		.2778	----	----	21	UNCH	
6450	1.265	1.265	1.419B/0.864A	1.419B/0.864A	----	0.902 -	0.239		.2648	1	----	75	UNCH	
6475	1.152	1.152	1.346B/0.815A	1.346B/0.815A	----	0.850 -	0.231		.2522	11	----	25 +	7	
6500	1.127	1.127	1.277B/0.769A	1.277B/0.769A	----	0.802 -	0.221		.2402	56	----	353 +	9	
6525	1.120	1.120	1.210B/0.726A	1.210B/0.726A	----	0.757 -	0.212		.2288	37	----	21 +	8	
6550	0.988	0.988	1.148B/0.686A	1.148B/0.686A	----	0.715 -	0.202		.2179	17	----	52 -	3	
6575	----	----	1.088B/0.647A	1.088B/0.647A	----	0.675 -	0.193		.2073	----	----	93	UNCH	
6600	0.877	0.877	1.032B/0.611A	1.032B/0.611A	----	0.638 -	0.184		.1974	18	----	177	UNCH	
6625	0.615	0.615	0.978B/0.578A	0.978B/0.578A	----	0.603 -	0.176		.1879	4	----	13 +	4	
6650	0.814	0.814	0.928B/0.546A	0.928B/0.546A	----	0.570 -	0.168		.1787	4	----	36 -	2	
6675	0.880	0.880	0.880/0.517A	0.880/0.517A	----	0.539 -	0.161		.1701	8	----	40 -	2	
6700	0.540	0.540	0.835B/0.488A	0.835B/0.488A	----	0.510 -	0.154		.1619	6	----	122 +	1	
6725	0.800	0.800	0.800/0.462A	0.800/0.462A	----	0.483 -	0.148		.1541	1	----	44 +	1	
6750	----	----	0.752B/0.437A	0.752B/0.437A	----	0.457 -	0.142		.1466	----	----	41	UNCH	
6775	0.509	0.509	0.715B/0.415A	0.715B/0.415A	----	0.433 -	0.136		.1395	4	----	46 +	4	
6800	0.600	0.600	0.679B/0.393A	0.679B/0.393A	----	0.411 -	0.130		.1329	10	----	344 +	1	
6825	----	----	0.645B/0.373A	0.645B/0.373A	----	0.389 -	0.125		.1264	----	----	9	UNCH	
6850	0.554	0.554	0.611B/0.354A	0.611B/0.354A	----	0.369 -	0.120		.1203	3	----	51	UNCH	
6875	----	----	0.581B/0.336A	0.581B/0.336A	----	0.351 -	0.114		.1148	----	----</			

	BULLETIN #188@				METALS OPTION PRODUCTS					Wed, Sep 30, 2026				PG64		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL	COMEX SILVER OPTIONS															
NOV26																
8500	----	----	----	----/0.038A	0.052B/0.038A	----	0.030	- 0.024	.0094	----	----	----	----	----	521	UNCH
8600	0.040	0.040	0.040	0.040/0.034A	0.040/0.034A	----	0.026	- 0.023	.0081	----	----	----	2	----	81 +	2
8625	----	----	----	----/0.033A	0.039B/0.033A	----	0.025	- 0.023	.0078	----	----	----	----	----	1	UNCH
8675	----	----	----	----/0.029A	0.037B/0.029A	----	0.024	- 0.022	.0074	----	----	----	----	----	4	UNCH
8700	----	----	----	----/0.031A	0.036B/0.031A	----	0.023	- 0.022	.0071	----	----	----	----	----	59	UNCH
8725	----	----	----	----/0.031A	0.035B/0.031A	----	0.022	- 0.022	.0068	----	----	----	----	----	1	UNCH
8750	----	----	----	----/0.030A	0.034B/0.030A	----	0.022	- 0.021	.0068	----	----	----	----	----	2	UNCH
8800	0.024	0.024	0.024	0.024/0.024	0.032B/0.024	----	0.020	- 0.021	.0062	----	----	3	----	----	103	UNCH
8850	----	----	----	----/0.025A	0.030B/0.025A	----	0.019	- 0.021	.0059	----	----	----	----	----	13	UNCH
8900	----	----	----	----/0.026A	0.029B/0.026A	----	0.018	- 0.021	.0055	----	----	----	----	----	8	UNCH
8925	----	----	----	----/0.026A	0.028B/0.026A	----	0.018	- 0.020	.0055	----	----	----	----	----	1	UNCH
8950	----	----	----	----/0.025A	0.027B/0.025A	----	0.018	- 0.019	.0055	----	----	----	----	----	3	UNCH
8975	----	----	----	----/0.025A	0.026B/0.025A	----	0.017	- 0.020	.0052	----	----	----	----	----	1	UNCH
9000	0.035	0.035	0.035	0.035/0.020	0.035/0.020	----	0.017	- 0.019	.0051	----	----	7	----	----	228 +	7
9025	----	----	----	----/0.024A	0.025B/0.024A	----	0.017	- 0.018	.0051	----	----	----	----	----	1	UNCH
9050	----	----	----	----/0.024A	0.024B/0.024A	----	0.016	- 0.019	.0048	----	----	----	----	----	1	UNCH
9100	----	----	----	----/0.022A	0.023B/0.022A	----	0.016	- 0.018	.0048	----	----	----	----	----	5	UNCH
9150	----	----	----	----/0.022A	0.022B/0.022A	----	0.016	- 0.017	.0047	----	----	----	----	----	1	UNCH
9200	----	----	----	----/0.020A	0.021B/0.020A	----	0.016	- 0.016	.0047	----	----	----	----	----	6	UNCH
9225	----	----	----	----/0.020A	0.020B/0.020A	----	0.015	- 0.016	.0044	----	----	----	----	----	10	UNCH
9250	----	----	----	----/0.020A	0.020B/0.020A	----	0.015	- 0.016	.0044	----	----	----	----	----	7	UNCH
9300	----	----	----	----/0.019A	0.019B/0.019A	----	0.015	- 0.015	.0043	----	----	----	----	----	11	UNCH
9325	----	----	----	----/0.019A	0.018B/0.019A	----	0.015	- 0.014	.0043	----	----	----	----	----	1	UNCH
9350	----	----	----	----/0.018A	0.018B/0.018A	----	0.015	- 0.014	.0043	----	----	----	----	----	11	UNCH
9400	----	----	----	----/0.020A	0.017B/0.020A	----	0.015	- 0.013	.0043	----	----	----	----	----	77	UNCH
9450	----	----	----	----/0.018A	0.015B/0.018A	----	0.014	- 0.013	.0040	----	----	----	----	----	5	UNCH
9500	----	----	----	----/0.011A	0.015B/0.011A	----	0.014	- 0.012	.0039	----	----	----	----	----	365	UNCH
9550	----	----	----	----/0.014A	0.014B/0.014A	----	0.014	- 0.011	.0039	----	----	----	----	----	3	UNCH
9575	----	----	----	----/0.017A	0.013B/0.017A	----	0.013	- 0.012	.0036	----	----	----	----	----	24	UNCH
9600	----	----	----	----/0.017A	0.013B/0.017A	----	0.013	- 0.011	.0036	----	----	----	----	----	1	UNCH
9625	----	----	----	----/0.015A	0.013B/0.015A	----	0.013	- 0.011	.0036	----	----	----	----	----	9	UNCH
9700	----	----	----	----/0.016A	0.012B/0.016A	----	0.012	- 0.010	.0033	----	----	----	----	----	1	UNCH
9775	----	----	----	----/0.012A	0.010B/0.012A	----	0.012	- 0.009	.0033	----	----	----	----	----	1	UNCH
9800	----	----	----	----/0.015A	0.010B/0.015A	----	0.011	- 0.010	.0030	----	----	----	----	----	6	UNCH
9850	----	----	----	----/0.015A	0.009B/0.015A	----	0.011	- 0.009	.0030	----	----	----	----	----	1	UNCH
9900	0.020	0.020	0.020	0.020/0.014A	0.020/0.014A	----	0.011	- 0.008	.0030	----	----	3	----	----	10	UNCH
9950	----	----	----	----/0.012A	0.008B/0.012A	----	0.010	- 0.009	.0027	----	----	----	----	----	1	UNCH
10000	----	----	----	----/0.011A	0.008B/0.011A	----	0.010	- 0.008	.0027	----	----	----	----	----	255	UNCH
10100	----	----	----	----/0.013A	0.007B/0.013A	----	0.010	- 0.007	.0026	----	----	----	----	----	5	UNCH
10200	0.010	0.010	0.010	0.017B/0.010	0.017B/0.010	----	0.009	- 0.007	.0024	----	----	1	----	----	8	UNCH
10300	----	----	----	----/0.010A	0.005B/0.010A	----	0.009	- 0.006	.0023	----	----	----	----	----	4	UNCH
10400	----	----	----	----/0.009A	0.001B/0.009A	----	0.008	- 0.006	.0021	----	----	----	----	----	5	UNCH
10450	0.008	0.008	0.008	0.008/0.008	0.008/0.008	----	0.008	- NEW	.0021	----	----	1	----	----	1 +	1
10500	----	----	----	----/0.010A	----	----	0.008	- 0.006	.0020	----	----	----	----	----	205	UNCH
10550	----	----	----	----/0.014A	----	----	0.008	- 0.006	.0020	----	----	----	----	----	1	UNCH
10950	----	----	----	----/0.026A	----	----	0.007	- 0.005	.0017	----	----	----	----	----	5	UNCH
11000	----	----	----	----/0.028A	----	----	0.007	- 0.005	.0017	----	----	----	----	----	306	UNCH
11100	----	----	----	----/0.092A	----	----	0.007	- 0.005	.0017	----	----	----	----	----	2	UNCH
11150	----	----	----	----/0.092A	----	----	0.007	- 0.004	.0017	----	----	----	----	----	1	UNCH
11500	----	----	----	----/0.091A	----	----	0.007	- 0.004	.0016	----	----	----	----	----	1	UNCH
11600	----	----	----	----/0.091A	----	----	0.007	- 0.004	.0016	----	----	----	----	----	1	UNCH
11700	0.030	0.030	0.030	0.030/0.029A	0.030/0.029A	----	0.007	- 0.003	.0016	----	----	2	----	----	27	UNCH
11725	----	----	----	----/0.090A	----	----	0.007	- 0.003	.0015	----	----	----	----	----	2	UNCH
11750	----	----	----	----/0.090A	----	----	0.007	- 0.003	.0015	----	----	----	----	----	2	UNCH
11825	----	----	----	----/0.090A	----	----	0.007	- 0.003	.0015	----	----	----	----	----	2	UNCH
12000	----	----	----	----/0.090A	----	----	0.007	- 0.003	.0015	----	----	----	----	----	73	UNCH
12125	----	----	----	----/0.090A	----	----	0.007	- 0.003	.0015	----	----	----	----	----	20	UNCH
12500	----	----	----	----/0.089A	----	----	0.007	- 0.002	.0014	----	----	----	----	----	11	UNCH
13000	----	----	----	----/0.088A	----	----	0.006	- 0.002	.0012	----	----	----	----	----	9	UNCH
14000	----	----	----	----/0.087A	----	----	0.005	- 0.002	.0009	----	----	----	----	----	7	UNCH
15000	----	----	----	----/0.087A	----	----	0.004	- 0.002	.0007	----	----	----	----	----	20	UNCH
16000	----	----	----	----/0.013A	----	----	0.003	- 0.001	.0005	----	----	----	----	----	14	UNCH
17000	----	----	----	----/0.086A	----	----	0.002	- 0.001	.0003	----	----	----	----	----	14	UNCH
18000	----	----	----	----/0.086A	----	----	0.002	- UNCH	.0003	----	----	----	----	----	10	UNCH
19000	----	----	----	----/0.086A	----	----	0.001	- 0.001	.0001	----	----	----	----	----	1	UNCH
20000	----	----	----	----/0.086A	----	----	0.001	- UNCH	.0000	----	----	----	----	----	35	UNCH
21000	----	----	----	----/0.086A	----	----	0.001	- UNCH	.0000	----	----	----	----	----	1	UNCH
25000	----	----	----	----/0.086A	----	----	0.001	- UNCH	----	----	----	----	----	----	60	UNCH
30000	----	----	----	----	----/0.003A	----	0.001	- UNCH	----	----	----	----	----	----	15	UNCH
TOTAL													1000	0	11366 +	155
DEC26																
3875	----	----	----	23.272B/21.697A	23.272B/21.697A	----	21.818	- 0.587	.9911	----	----	----</				

BULLETIN #188@				METALS OPTION PRODUCTS								Wed, Sep 30, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	OPEN CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL																	
COMEX SILVER OPTIONS																	
DEC26																	
7450	----	----	----	0.7178/0.510A	0.7178/0.510A	----	----	0.526	- 0.094	.1143	----	----	----	----	1	UNCH	
7475	----	----	----	0.6978/0.496A	0.6978/0.496A	----	----	0.512	- 0.092	.1114	----	----	----	----	1	UNCH	
7500	0.624	0.624		0.6778/0.483A	0.6778/0.483A	----	----	0.498	- 0.090	.1085	----	----	29	----	1461	- 12	
7525	----	----	----	0.6598/0.471A	0.6598/0.471A	----	----	0.484	- 0.088	.1056	----	----	----	----	20	UNCH	
7550	----	----	----	0.6418/0.458A	0.6418/0.458A	----	----	0.471	- 0.086	.1029	----	----	----	----	56	UNCH	
7575	----	----	----	0.6238/0.445A	0.6238/0.445A	----	----	0.459	- 0.084	.1003	----	----	----	----	1	UNCH	
7600	----	----	----	0.6078/0.435A	0.6078/0.435A	----	----	0.447	- 0.082	.0978	----	----	----	----	267	UNCH	
7650	----	----	----	0.5758/0.420A	0.5758/0.420A	----	----	0.424	- 0.078	.0929	----	----	----	----	3	UNCH	
7675	----	----	----	0.5598/0.411A	0.5598/0.411A	----	----	0.413	- 0.076	.0906	----	----	----	----	1	UNCH	
7700	----	----	----	0.5458/0.399A	0.5458/0.399A	----	----	0.402	- 0.075	.0883	----	----	----	----	275	UNCH	
7725	----	----	----	0.5308/0.390A	0.5308/0.390A	----	----	0.392	- 0.073	.0862	----	----	----	----	1	UNCH	
7750	----	----	----	0.5178/0.381A	0.5178/0.381A	----	----	0.382	- 0.072	.0840	----	----	----	----	4	UNCH	
7775	----	----	----	0.5038/0.371A	0.5038/0.371A	----	----	0.372	- 0.070	.0819	----	----	----	----	10	UNCH	
7800	0.460	0.460		0.4908/0.362A	0.4908/0.362A	----	----	0.363	- 0.069	.0799	----	----	65	----	178	- 15	
7825	----	----	----	0.4788/0.353A	0.4788/0.353A	----	----	0.354	- 0.067	.0780	----	----	----	----	2	UNCH	
7850	----	----	----	0.4668/0.344A	0.4668/0.344A	----	----	0.345	- 0.066	.0761	----	----	2	----	9	+	
7875	----	----	----	0.4548/0.337A	0.4548/0.337A	----	----	0.337	- 0.064	.0743	----	----	----	----	9	UNCH	
7900	----	----	----	0.4418/0.323A	0.4418/0.323A	----	----	0.329	- 0.063	.0726	----	----	----	----	57	UNCH	
7925	----	----	----	0.4308/0.316A	0.4308/0.316A	----	----	0.321	- 0.062	.0708	----	----	----	----	6	UNCH	
7950	----	----	----	0.4208/0.308A	0.4208/0.308A	----	----	0.313	- 0.061	.0691	----	----	----	----	59	UNCH	
7975	----	----	----	0.4098/0.301A	0.4098/0.301A	----	----	0.306	- 0.059	.0676	----	----	----	----	1	UNCH	
8000	0.355	0.355		0.3908/0.291	0.3908/0.291	----	----	0.299	- 0.058	.0660	----	----	131	----	1167	+	
8025	----	----	----	0.3768/0.288A	0.3768/0.288A	----	----	0.292	- 0.057	.0645	----	----	----	----	11	UNCH	
8050	----	----	----	0.3718/0.281A	0.3718/0.281A	----	----	0.286	- 0.055	.0631	----	----	----	----	22	UNCH	
8075	----	----	----	0.3638/0.275A	0.3638/0.275A	----	----	0.279	- 0.055	.0616	----	----	----	----	46	UNCH	
8100	0.311	0.311		0.3558/0.269A	0.3558/0.269A	----	----	0.273	- 0.053	.0603	----	----	4	----	59	+	
8125	----	----	----	0.3468/0.263A	0.3468/0.263A	----	----	0.267	- 0.052	.0590	----	----	----	----	19	UNCH	
8150	----	----	----	0.3388/0.258A	0.3388/0.258A	----	----	0.262	- 0.051	.0578	----	----	----	----	11	UNCH	
8175	----	----	----	0.3308/0.252A	0.3308/0.252A	----	----	0.256	- 0.050	.0565	----	----	----	----	1	UNCH	
8200	----	----	----	0.3228/0.247A	0.3228/0.247A	----	----	0.251	- 0.048	.0553	----	----	----	----	609	UNCH	
8225	----	----	----	0.3158/0.242A	0.3158/0.242A	----	----	0.245	- 0.048	.0540	----	----	----	----	20	UNCH	
8250	----	----	----	0.3138/0.237A	0.3138/0.237A	----	----	0.240	- 0.047	.0529	----	----	----	----	2	UNCH	
8275	----	----	----	0.3108/0.232A	0.3108/0.232A	----	----	0.235	- 0.046	.0518	----	----	----	----	5	UNCH	
8300	----	----	----	0.3038/0.227A	0.3038/0.227A	----	----	0.230	- 0.045	.0507	----	----	----	----	7	UNCH	
8325	----	----	----	0.2978/0.222A	0.2978/0.222A	----	----	0.225	- 0.045	.0496	----	----	----	----	57	UNCH	
8375	----	----	----	0.2848/0.214A	0.2848/0.214A	----	----	0.216	- 0.043	.0475	----	----	----	----	7	UNCH	
8400	----	----	----	0.2788/0.209A	0.2788/0.209A	----	----	0.211	- 0.043	.0465	----	----	----	----	54	UNCH	
8425	----	----	----	0.2728/0.205A	0.2728/0.205A	----	----	0.207	- 0.042	.0455	----	----	----	----	9	UNCH	
8450	----	----	----	0.2668/0.201A	0.2668/0.201A	----	----	0.202	- 0.042	.0445	----	----	----	----	5	UNCH	
8475	----	----	----	0.2618/0.197A	0.2618/0.197A	----	----	0.198	- 0.041	.0436	----	----	----	----	5	UNCH	
8500	0.244	0.244		0.266/0.193A	0.266/0.193A	----	----	0.194	- 0.040	.0427	----	----	104	----	2033	+	
8525	----	----	----	0.2508/0.190A	0.2508/0.190A	----	----	0.190	- 0.040	.0418	----	----	----	----	1	UNCH	
8550	----	----	----	0.2458/0.186A	0.2458/0.186A	----	----	0.186	- 0.040	.0409	----	----	----	----	29	UNCH	
8575	----	----	----	0.2408/0.182A	0.2408/0.182A	----	----	0.182	- 0.040	.0400	----	----	----	----	3	UNCH	
8600	----	----	----	0.2358/0.178A	0.2358/0.178A	----	----	0.178	- 0.040	.0392	----	----	----	----	244	UNCH	
8625	----	----	----	0.2308/0.175A	0.2308/0.175A	----	----	0.175	- 0.039	.0385	----	----	----	----	2	UNCH	
8675	----	----	----	0.2218/0.169A	0.2218/0.169A	----	----	0.168	- 0.038	.0369	----	----	----	----	4	UNCH	
8700	----	----	----	0.2178/0.165A	0.2178/0.165A	----	----	0.164	- 0.038	.0361	----	----	----	----	30	UNCH	
8725	----	----	----	0.2138/0.162A	0.2138/0.162A	----	----	0.161	- 0.038	.0354	----	----	----	----	5	UNCH	
8750	----	----	----	0.2098/0.160A	0.2098/0.160A	----	----	0.158	- 0.037	.0347	----	----	----	----	1	UNCH	
8775	----	----	----	0.2048/0.157A	0.2048/0.157A	----	----	0.155	- 0.037	.0340	----	----	----	----	51	UNCH	
8800	----	----	----	0.2008/0.154A	0.2008/0.154A	----	----	0.152	- 0.036	.0333	----	----	----	----	324	UNCH	
8850	----	----	----	0.1928/0.148A	0.1928/0.148A	----	----	0.147	- 0.034	.0322	----	----	----	----	2	UNCH	
8900	----	----	----	0.1868/0.143A	0.1868/0.143A	----	----	0.141	- 0.034	.0309	----	----	----	----	79	UNCH	
8925	----	----	----	0.1828/0.141A	0.1828/0.141A	----	----	0.139	- 0.032	.0304	----	----	----	----	10	UNCH	
8950	----	----	----	0.1798/0.138A	0.1798/0.138A	----	----	0.137	- 0.031	.0299	----	----	----	----	12	UNCH	
8975	----	----	----	0.1758/0.136A	0.1758/0.136A	----	----	0.134	- 0.031	.0293	----	----	----	----	15	UNCH	
9000	0.165	0.165		0.1728/0.133A	0.1728/0.133A	----	----	0.132	- 0.030	.0288	----	----	19	----	2137	UNCH	
9025	----	----	----	0.1698/0.131A	0.1698/0.131A	----	----	0.130	- 0.029	.0283	----	----	----	----	6	UNCH	
9050	----	----	----	0.1668/0.129A	0.1668/0.129A	----	----	0.127	- 0.029	.0277	----	----	----	----	235	UNCH	
9075	----	----	----	0.1638/0.126A	0.1638/0.126A	----	----	0.125	- 0.029	.0272	----	----	----	----	7	UNCH	
9100	----	----	----	0.1608/0.124A	0.1608/0.124A	----	----	0.123	- 0.028	.0268	----	----	----				



	BULLETIN #188@			METALS OPTION PRODUCTS							Wed, Sep 30, 2026			PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL	COMEX SILVER OPTIONS														
DEC26															
12800	----	----	----	----/0.026A	0.017B/0.026A	----			0.018 - 0.009	.0035	----	----	----	----	7
12900	----	----	----		0.017B/0.026A	----			0.018 - 0.008	.0035	----	----	----	----	3
13000	----	----	----		0.016B/0.029A	----			0.017 - 0.008	.0033	----	----	----	----	370
13500	----	----	----		0.012B/0.025A	----			0.016 - 0.008	.0030	----	----	----	----	24
14000	----	----	----		0.009B/0.025A	----			0.015 - 0.008	.0028	----	----	----	----	118
14200	----	----	----		0.008B/0.024A	----			0.015 - 0.008	.0027	----	----	----	----	2
15000	----	----	----		0.008B/0.039A	----			0.013 - 0.007	.0023	----	----	----	----	1773
16000	----	----	----	----/0.098A	----	----			0.010 - 0.002	.0017	----	----	----	----	1615
17000	----	----	----	----/0.096A	----	----			0.006 + 0.001	.0010	----	----	----	----	87
18000	----	----	----	----/0.094A	----	----			0.004 - 0.001	.0007	----	----	----	----	202
19000	----	----	----	----/0.093A	----	----			0.004	UNCH	.0006	----	----	----	6
20000	----	----	----	0.004B/----	0.004B/0.092A	----			0.004 + 0.002	.0006	----	----	----	----	494
21000	----	----	----	0.004B/----	0.004B/0.092A	----			0.004 + 0.003	.0006	----	----	----	----	7
22000	----	----	----	----/0.091A	----	----			0.004 + 0.003	.0006	----	----	----	----	7
23000	----	----	----	0.004B/----	0.004B/0.091A	----			0.004 + 0.003	.0006	----	----	----	----	37
24000	----	----	----	----/0.090A	----	----			0.004 + 0.003	.0006	----	----	----	----	2
25000	----	----	----	0.004B/----	0.004B/0.005A	----			0.004 + 0.003	.0005	----	----	----	----	239
26000	----	----	----	----/0.090A	----	----			0.003 + 0.002	.0004	----	----	----	----	3
30000	----	----	----	----/0.089A	----	----			0.001	UNCH	.0000	----	----	----	111
32000	----	----	----	----/0.089A	----	----			0.001	UNCH	.0000	----	----	----	12
35000	----	----	----	----/0.089A	----	----			0.001	UNCH	.0000	----	----	----	1
40000	----	----	----	----/0.049A	----	----			0.001	UNCH	----	----	----	----	25
90000	----	----	----	----/0.088A	----	----			0.001	UNCH	----	----	----	----	10
100000	----	----	----	----/0.003A	----	----			0.001	UNCH	----	----	----	----	10
TOTAL													720	0	25593 +
JAN27															
5700	----	----	----	7.648B/6.467A	7.648B/6.467A	----			6.566 - 0.461	.6957	----	----	----	----	1
6100	----	----	----	5.258B/4.319A	5.258B/4.319A	----			4.395 - 0.377	.5468	----	----	----	----	3
6175	----	----	----	4.910B/3.995A	4.910B/3.995A	----			4.067 - 0.357	.5189	----	----	----	----	2
6200	4.671		4.671	4.791B/3.894A	4.791B/3.894A	----			3.963	NEW	.5097	----	13		13 +
6225	----	----	----	4.675B/3.791A	4.675B/3.791A	----			3.861 - 0.344	.5005	----	----	----	----	50
6250	----	----	----	4.561B/3.695A	4.561B/3.695A	----			3.762 - 0.338	.4915	----	----	----	----	13
6300	----	----	----	4.341B/3.506A	4.341B/3.506A	----			3.571 - 0.326	.4736	----	----	----	----	20
6325	----	----	----	4.235B/3.416A	4.235B/3.416A	----			3.478 - 0.321	.4648	----	----	----	----	1
6400	3.808		3.808	3.931B/3.156A	3.931B/3.156A	----			3.215 - 0.305	.4389	----	10			100
6425	----	----	----	3.834B/3.076A	3.834B/3.076A	----			3.132	NEW	.4304	----	1	+	1
6475	----	----	----	3.648B/2.919A	3.648B/2.919A	----			2.972 - 0.289	.4139	----	1	----	----	1
6500	3.340		3.340	3.558B/2.845A	3.558B/2.845A	----			2.895 - 0.284	.4057	----	42			46 +
6575	----	----	----	3.302B/2.628A	3.302B/2.628A	----			2.678 - 0.269	.3822	----	----	----	----	1
6600	----	----	----	3.221B/2.562A	3.221B/2.562A	----			2.610 - 0.263	.3745	----	----	----	----	136
6625	2.632		2.632	3.141B/2.496A	3.141B/2.496A	----			2.543 - 0.259	.3670	----	1		+	1
6650	----	----	----	3.064B/2.435A	3.064B/2.435A	----			2.479 - 0.253	.3597	----	----	----	----	1
6700	----	----	----	2.916B/2.313A	2.916B/2.313A	----			2.355 - 0.244	.3453	----	----	----	----	12
6725	----	----	----	2.845B/2.253A	2.845B/2.253A	----			2.295 - 0.239	.3383	----	----	----	----	25
6775	----	----	----	2.708B/2.142A	2.708B/2.142A	----			2.181 - 0.231	.3246	----	----	----	----	1
6800	----	----	----	2.642B/2.087A	2.642B/2.087A	----			2.127 - 0.226	.3180	----	----	----	----	201
6900	----	----	----	2.396B/1.889A	2.396B/1.889A	----			1.923 - 0.210	.2927	----	----	----	----	2
7000	----	----	----	2.173B/1.711A	2.173B/1.711A	----			1.741 - 0.194	.2693	----	7	81		141 +
7050	----	----	----	2.072B/1.629A	2.072B/1.629A	----			1.658 - 0.186	.2583	----	----	----	----	1
7100	----	----	----	1.975B/1.552A	1.975B/1.552A	----			1.580 - 0.178	.2479	----	----	----	----	18
7150	----	----	----	1.884B/1.479A	1.884B/1.479A	----			1.507 - 0.170	.2379	----	----	----	----	10
7200	----	----	----	1.798B/1.410A	1.798B/1.410A	----			1.437 - 0.163	.2282	----	75		+	75
7300	----	----	----	1.639B/1.285A	1.639B/1.285A	----			1.309 - 0.151	.2103	----	----	----	----	10
7375	----	----	----	1.530B/1.200A	1.530B/1.200A	----			1.222 - 0.143	.1978	----	----	----	----	2
7400	----	----	----	1.496B/1.173A	1.496B/1.173A	----			1.195 - 0.140	.1939	----	----	----	----	3
7425	----	----	----	1.463B/1.147A	1.463B/1.147A	----			1.169 - 0.137	.1900	----	----	----	----	2
7475	----	----	----	1.399B/1.098A	1.399B/1.098A	----			1.118 - 0.131	.1826	----	----	----	----	37
7500	----	----	----	1.368B/1.073A	1.368B/1.073A	----			1.094 - 0.128	.1790	----	50		+	42
7550	----	----	----	1.309B/1.028A	1.309B/1.028A	----			1.047 - 0.123	.1720	----	----	----	----	4
7575	----	----	----	1.282B/1.006A	1.282B/1.006A	----			1.025 - 0.120	.1687	----	----	----	----	3
7600	----	----	----	1.253B/0.984A	1.253B/0.984A	----			1.004 - 0.117	.1654	----	----	----	----	2
7650	----	----	----	1.201B/0.944A	1.201B/0.944A	----			0.962 - 0.112	.1591	----	----	----	----	6
7675	----	----	----	1.175B/0.925A	1.175B/0.925A	----			0.943 - 0.109	.1561	----	----	----	----	4
7700	----	----	----	1.150B/0.904A	1.150B/0.904A	----			0.923 - 0.107	.1531	----	1		+	4
7800	----	----	----	1.058B/0.834A	1.058B/0.834A	----			0.851 - 0.099	.1419	----	----	----	----	61
7900	----	----	----	0.975B/0.769A	0.975B/0.769A	----			0.786 - 0.092	.1317	----	8		+	6
7950	----	----	----	0.937B/0.741A	0.937B/0.741A	----			0.755 - 0.090	.1268	----	----	----	----	1
7975	----	----	----	0.918B/0.726A	0.918B/0.726A	----			0.741 - 0.088	.1245	----	----	----	----	2
8000	0.872		0.872	0.900B/0.714A	0.900B/0.714A	----			0.726 - 0.088	.1222	----	3			155 -
8100	----	----	----	0.833B/0.662A	0.833B/0.662A	----			0.673 - 0.082	.1137	----	----	----	----	2
8200	----	----	----	0.772B/0.616A	0.772B/0.616A	----			0.626 - 0.076	.1060	----	----	----	----	10
8300	----	----	----	0.718B/0.576A	0.718B/0.576A	----			0.586 - 0.068	.0992	----	1			49
8325	0.639		0.639	0											

BULLETIN #188@				METALS OPTION PRODUCTS								Wed, Sep 30, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	OPEN CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL	COMEX SILVER OPTIONS															
FEB27																
7350	----	----	----	2.1188/1.743A	2.1188/1.743A	----	----	1.764	- 0.167	.2411	----	----	----	----	1 UNCH	
7450	----	----	----	1.9618/1.615A	1.9618/1.615A	----	----	1.634	- 0.156	.2255	----	----	----	----	1 UNCH	
7475	----	----	----	1.9248/1.584A	1.9248/1.584A	----	----	1.603	- 0.153	.2217	----	----	----	----	10 UNCH	
7500	1.552	1.552	----	1.8888/1.552	1.8888/1.552	----	----	1.573	- 0.151	.2180	----	----	2	280 +	2 UNCH	
7550	----	----	----	1.8188/1.500A	1.8188/1.500A	----	----	1.515	- 0.146	.2109	----	----	2	334	5 UNCH	
7600	----	----	----	1.7518/1.446A	1.7518/1.446A	----	----	1.461	- 0.140	.2041	----	----	----	5	1 UNCH	
7700	----	----	----	1.6268/1.345A	1.6268/1.345A	----	----	1.358	- 0.131	.1912	----	----	----	61	1 UNCH	
7775	----	----	----	1.5408/1.276A	1.5408/1.276A	----	----	1.288	- 0.124	.1822	----	----	----	1	1 UNCH	
7800	----	----	----	1.5138/1.253A	1.5138/1.253A	----	----	1.265	- 0.123	.1792	----	----	----	25	1 UNCH	
7900	----	----	----	1.4098/1.170A	1.4098/1.170A	----	----	1.181	- 0.114	.1683	----	----	----	1	1 UNCH	
8000	1.132	1.132	----	1.3158/1.095A	1.3158/1.095A	----	----	1.104	- 0.106	.1581	----	53	----	61 +	36 UNCH	
8050	----	----	----	1.2708/1.060A	1.2708/1.060A	----	----	1.068	- 0.102	.1533	----	----	----	50	1 UNCH	
8200	----	----	----	1.1498/0.963A	1.1498/0.963A	----	----	0.969	- 0.093	.1399	----	----	----	2	1 UNCH	
8300	----	----	----	1.0778/0.905A	1.0778/0.905A	----	----	0.911	- 0.086	.1320	----	----	----	20	1 UNCH	
8400	----	----	----	1.0108/0.853A	1.0108/0.853A	----	----	0.857	- 0.082	.1245	----	----	----	1	1 UNCH	
8500	----	----	----	0.9508/0.803A	0.9508/0.803A	----	----	0.808	- 0.077	.1176	----	----	----	121	1 UNCH	
8550	----	----	----	0.9218/0.781A	0.9218/0.781A	----	----	0.785	- 0.075	.1144	----	----	----	12	1 UNCH	
8800	----	----	----	0.7958/0.681A	0.7958/0.681A	----	----	0.682	- 0.065	.0998	----	----	----	12	1 UNCH	
9000	----	----	----	0.7118/0.619A	0.7118/0.619A	----	----	0.613	- 0.056	.0899	----	----	----	24	1 UNCH	
9200	----	----	----	0.6408/0.558A	0.6408/0.558A	----	----	0.555	- 0.051	.0814	----	----	----	89	1 UNCH	
9425	----	----	----	0.5688/0.505A	0.5688/0.505A	----	----	0.501	- 0.047	.0734	----	----	----	22	1 UNCH	
9500	----	----	----	0.5418/0.488A	0.5418/0.488A	----	----	0.484	- 0.047	.0709	----	----	----	35	1 UNCH	
9800	----	----	----	0.4818/0.430A	0.4818/0.430A	----	----	0.426	- 0.041	.0622	----	----	----	2	1 UNCH	
10000	----	----	----	0.4458/0.398A	0.4458/0.398A	----	----	0.392	- 0.037	.0571	----	----	----	112	1 UNCH	
10200	----	----	----	0.4118/0.369A	0.4118/0.369A	----	----	0.363	- 0.034	.0527	----	----	----	83	1 UNCH	
10225	----	----	----	0.4078/0.366A	0.4078/0.366A	----	----	0.360	- 0.033	.0523	----	----	----	10	1 UNCH	
10500	----	----	----	0.3658/0.332A	0.3658/0.332A	----	----	0.325	- 0.030	.0470	----	----	----	4	1 UNCH	
10725	----	----	----	0.3368/0.308A	0.3368/0.308A	----	----	0.301	- 0.028	.0433	----	----	----	5	1 UNCH	
11000	----	----	----	0.3078/0.282A	0.3078/0.282A	----	----	0.275	- 0.026	.0394	----	----	----	14	1 UNCH	
11100	----	----	----	0.2968/0.274A	0.2968/0.274A	----	----	0.267	- 0.025	.0382	----	----	----	1	1 UNCH	
11400	----	----	----	0.2698/0.251A	0.2698/0.251A	----	----	0.244	- 0.023	.0347	----	----	----	4	1 UNCH	
11500	----	----	----	0.2618/0.244A	0.2618/0.244A	----	----	0.237	- 0.023	.0336	----	----	----	2	1 UNCH	
11700	----	----	----	----/0.229A	0.2448/0.229A	----	----	0.224	- 0.022	.0316	----	----	----	6	1 UNCH	
12000	----	----	----	----/0.213A	0.2258/0.213A	----	----	0.207	- 0.021	.0290	----	----	----	24	1 UNCH	
12400	----	----	----	----/0.193A	0.2008/0.193A	----	----	0.187	- 0.020	.0260	----	----	----	4	1 UNCH	
12500	----	----	----	----/0.187A	0.1958/0.187A	----	----	0.182	- 0.020	.0253	----	----	----	66	1 UNCH	
12950	----	----	----	----/0.167A	0.1748/0.167A	----	----	0.164	- 0.018	.0226	----	----	----	1	1 UNCH	
12975	----	----	----	----/0.169A	0.1738/0.169A	----	----	0.163	- 0.018	.0224	----	----	----	3	1 UNCH	
25000	----	----	----	----	0.0128/0.048A	----	----	0.018	- 0.002	.0023	----	----	----	2	1 UNCH	
30000	----	----	----	----	----/0.058A	----	----	0.016	- 0.002	.0019	----	----	71	0	57 UNCH	
TOTAL															2191 + 54	
MAR27																
6000	6.483	6.483	----	6.9608/6.010A	6.9608/6.010A	----	----	6.090	- 0.406	.5830	----	----	1	----	2 + 1	
6025	6.364	6.364	----	6.8338/5.901A	6.8338/5.901A	----	----	5.974	- NEW	.5757	----	----	1	----	1 + 1	
6050	6.247	6.247	----	6.7098/5.783A	6.7098/5.783A	----	----	5.861	- NEW	.5685	----	----	1	----	1 + 1	
6075	6.132	6.132	----	6.5878/5.673A	6.5878/5.673A	----	----	5.749	- NEW	.5612	----	----	1	----	1 + 1	
6175	----	----	----	6.1518/5.252A	6.1518/5.252A	----	----	5.322	- 0.374	.5326	----	----	----	1	1 UNCH	
6300	----	----	----	5.6098/4.770A	5.6098/4.770A	----	----	4.833	- 0.351	.4978	----	----	----	10	1 UNCH	
6350	----	----	----	5.4058/4.589A	5.4058/4.589A	----	----	4.651	- 0.341	.4843	----	----	----	10	1 UNCH	
6400	----	----	----	5.2098/4.422A	5.2098/4.422A	----	----	4.476	- 0.332	.4709	----	40	----	40 +	39 UNCH	
6450	----	----	----	5.0208/4.250A	5.0208/4.250A	----	----	4.307	- 0.324	.4578	----	----	----	20	1 UNCH	
6475	----	----	----	4.9288/4.174A	4.9288/4.174A	----	----	4.226	- 0.319	.4514	----	----	----	1	1 UNCH	
6500	----	----	----	4.8388/4.092A	4.8388/4.092A	----	----	4.146	- 0.315	.4450	----	----	----	10	1 UNCH	
6600	----	----	----	4.4948/3.795A	4.4948/3.795A	----	----	3.842	- 0.298	.4201	----	----	----	11	1 UNCH	
6775	3.404	3.404	----	3.9548/3.327A	3.9548/3.327A	----	----	3.368	- 0.271	.3793	----	15	----	16 +	14 UNCH	
6800	----	----	----	3.8828/3.265A	3.8828/3.265A	----	----	3.306	- 0.267	.3738	----	----	----	35	1 UNCH	
6825	----	----	----	3.8128/3.206A	3.8128/3.206A	----	----	3.245	- 0.264	.3683	----	----	----	5	1 UNCH	
7000	----	----	----	3.3648/2.819A	3.3648/2.819A	----	----	2.854	- 0.239	.3320	----	----	----	179	1 UNCH	
7100	----	----	----	3.1338/2.624A	3.1338/2.624A	----	----	2.655	- 0.226	.3129	----	----	----	1	1 UNCH	
7225	----	----	----	2.8708/2.402A	2.8708/2.402A	----	----	2.430	- 0.209	.2906	----	----	----	12	1 UNCH	
7375	----	----	----	2.5888/2.167A	2.5888/2.167A	----	----	2.191	- 0.191	.2660	----	----	----	10	1 UNCH	
7400	----	----	----	2.5458/2.132A	2.5458/2.132A	----	----	2.154	- 0.188	.2622	----	40	----	40 +	37 UNCH	
7475	----	----	----	2.4198/2.026A	2.4198/2.026A	----	----	2.048	- 0.179	.2510	----	----	----	1	1 UNCH	
7500	----	----	----	2.3798/1.994A	2.3798/1.994A	----	----	2.014	- 0.176	.2473	----	1	----	101 +	1 UNCH	
7550	1.940	1.940	----	2.3018/1.930A	2.3018/1.930A	----	----	1.948	- 0.171	.2403	----	1	----	3 +	1 UNCH	
7600	----	----	----	2.2268/1.866A	2.2268/1.866A	----	----	1.886	- 0.165	.2335	----	----	----	3	1 UNCH	
7625	1.870	1.870														

	BULLETIN #188@			METALS OPTION PRODUCTS							Wed, Sep 30, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS													
APR27														
8000	----	----	2.229B/1.977A	2.229B/1.977A	----	1.973 -	0.164	.2217	----	----	----	12	UNCH	
8400	----	----	1.816B/1.615A	1.816B/1.615A	----	1.601 -	0.133	.1835	----	----	----	4	UNCH	
8425	1.772	1.772	1.784B/1.593A	1.784B/1.593A	----	1.581	NEW	.1814	----	1	----	1 +	1	
8500	----	----	1.726B/1.530A	1.726B/1.530A	----	1.524 -	0.126	.1754	----	----	----	1	UNCH	
8525	----	----	1.707B/1.519A	1.707B/1.519A	----	1.505 -	0.125	.1733	----	----	----	9	UNCH	
8975	----	----	1.384B/1.236A	1.384B/1.236A	----	1.219 -	0.101	.1423	----	----	----	5	UNCH	
9000	----	----	1.365B/1.211A	1.365B/1.211A	----	1.206 -	0.100	.1409	----	----	----	10	UNCH	
10000	----	----	0.905B/0.812A	0.905B/0.812A	----	0.810 -	0.065	.0958	----	----	----	7	UNCH	
10500	----	----	0.748B/0.694A	0.748B/0.694A	----	0.685 -	0.053	.0810	----	----	----	18	UNCH	
10775	----	----	-----/0.645A	0.676B/0.645A	----	0.630 -	0.047	.0743	----	----	----	1	UNCH	
11000	----	----	-----/0.609A	0.622B/0.609A	----	0.590 -	0.042	.0695	----	----	----	20	UNCH	
11225	----	----	-----/0.573A	0.568B/0.573A	----	0.554 -	0.038	.0652	----	----	----	25	UNCH	
12000	----	----	-----/0.473A	0.451B/0.473A	----	0.455 -	0.026	.0531	----	----	----	3	UNCH	
13000	0.396	0.396	0.396/0.384A	0.396/0.384A	----	0.363 -	0.016	.0419	----	1	----	17	UNCH	
TOTAL										22	60	428 +	81	
MAY27														
6325	----	----	6.876B/6.131A	6.876B/6.131A	----	6.179 -	0.374	.5232	----	----	----	6	UNCH	
6700	----	----	5.550B/4.899A	5.550B/4.899A	----	4.939 -	0.320	.4435	----	----	----	1	UNCH	
7000	----	----	4.657B/4.119A	4.657B/4.119A	----	4.145 -	0.292	.3871	----	----	----	23	UNCH	
7300	----	----	3.937B/3.487A	3.937B/3.487A	----	3.503 -	0.241	.3377	----	----	----	3	UNCH	
7500	----	----	3.518B/3.136A	3.518B/3.136A	----	3.144 -	0.218	.3085	----	----	----	4	UNCH	
8000	----	----	2.697B/2.429A	2.697B/2.429A	----	2.434 -	0.180	.2474	----	----	----	30	UNCH	
8500	----	----	2.153B/1.924A	2.153B/1.924A	----	1.924 -	0.150	.2005	----	----	----	12	UNCH	
8825	----	----	1.860B/1.671A	1.860B/1.671A	----	1.670 -	0.131	.1761	----	----	----	4	UNCH	
8875	----	----	1.833B/1.643A	1.833B/1.643A	----	1.635 -	0.128	.1727	----	----	----	1	UNCH	
9000	----	----	1.728B/1.562A	1.728B/1.562A	----	1.553 -	0.121	.1646	----	----	----	47	UNCH	
9150	----	----	1.622B/1.478A	1.622B/1.478A	----	1.463 -	0.112	.1556	----	----	----	1	UNCH	
9525	----	----	1.406B/1.277A	1.406B/1.277A	----	1.269 -	0.094	.1359	----	----	----	2	UNCH	
9650	----	----	1.346B/1.224A	1.346B/1.224A	----	1.214 -	0.088	.1302	----	----	----	1	UNCH	
9925	----	----	1.206B/1.113A	1.206B/1.113A	----	1.105 -	0.076	.1189	----	----	----	5	UNCH	
10000	----	----	1.195B/1.086A	1.195B/1.086A	----	1.078 -	0.073	.1160	----	----	----	3	UNCH	
10075	----	----	1.152B/1.060A	1.152B/1.060A	----	1.052 -	0.071	.1133	----	----	----	2	UNCH	
10225	----	----	1.091B/1.011A	1.091B/1.011A	----	1.003 -	0.066	.1081	----	----	----	1	UNCH	
10500	----	----	1.001B/0.931A	1.001B/0.931A	----	0.923 -	0.057	.0995	----	----	----	2	UNCH	
11000	----	----	0.862B/0.806A	0.862B/0.806A	----	0.802 -	0.044	.0864	----	----	----	27	UNCH	
11200	----	----	-----/0.771A	0.793B/0.771A	----	0.761 -	0.040	.0819	----	----	----	5	UNCH	
12000	----	----	-----/0.633A	0.612B/0.633A	----	0.625 -	0.028	.0670	----	----	----	4	UNCH	
12200	----	----	-----/0.605A	0.580B/0.605A	----	0.597 -	0.026	.0639	----	----	----	1	UNCH	
15000	0.370	0.370	0.370/0.370	0.370/0.370	----	0.343 -	0.015	.0362	----	20	----	112 -	20	
20000	----	----	----	0.153B/0.217A	----	0.184 -	0.010	.0186	----	----	----	169	UNCH	
TOTAL										20	0	466 -	20	
JUN27														
5450	----	----	----	----	----	11.296 -	0.506	.7313	----	----	----	1	UNCH	
5700	----	----	10.627B/9.746A	10.627B/9.746A	----	9.833 -	0.492	.6779	----	----	----	1	UNCH	
5825	----	----	9.966B/9.107A	9.966B/9.107A	----	9.168 -	0.483	.6505	----	----	----	1	UNCH	
6225	----	----	8.004B/7.290A	8.004B/7.290A	----	7.329 -	0.438	.5625	----	----	----	22	UNCH	
6400	----	----	7.268B/6.646A	7.268B/6.646A	----	6.655	NEW	.5256	----	1	----	1 +	1	
6500	----	----	6.900B/6.269A	6.900B/6.269A	----	6.300 -	0.391	.5052	----	----	----	2	UNCH	
6600	----	----	6.532B/5.961A	6.532B/5.961A	----	5.966	NEW	.4854	----	1	----	1 +	1	
7050	----	----	5.192B/4.662A	5.192B/4.662A	----	4.705 -	0.319	.4042	----	----	----	1	UNCH	
7575	4.113	4.113	4.113/3.623A	4.113/3.623A	----	3.622	NEW	.3264	----	1	----	1 +	1	
8000	----	----	3.190B/2.975A	3.190B/2.975A	----	2.949 -	0.226	.2746	----	----	----	136	UNCH	
8075	----	----	3.078B/2.876A	3.078B/2.876A	----	2.846 -	0.221	.2664	----	----	----	1	UNCH	
8500	----	----	2.559B/2.399A	2.559B/2.399A	----	2.350 -	0.188	.2255	----	----	----	200	UNCH	
8700	----	----	2.353B/2.211A	2.353B/2.211A	----	2.159 -	0.176	.2091	----	----	----	2	UNCH	
8800	----	----	2.260B/2.127A	2.260B/2.127A	----	2.072 -	0.171	.2014	----	----	----	1	UNCH	
9350	----	----	1.829B/1.730A	1.829B/1.730A	----	1.681 -	0.142	.1661	----	----	----	2	UNCH	
10000	----	----	-----/1.390A	1.451B/1.390A	----	1.355 -	0.111	.1351	----	----	----	10	UNCH	
11000	----	----	-----/1.042A	1.062B/1.042A	----	1.027 -	0.060	.1027	----	----	----	155	UNCH	
12000	----	----	-----/0.820A	0.810B/0.820A	----	0.800 -	0.041	.0801	----	----	----	5	UNCH	
12500	----	----	-----/0.733A	0.719B/0.733A	----	0.709 -	0.036	.0711	----	----	----	10	UNCH	
13000	----	----	----	0.640B/0.663A	----	0.625 -	0.032	.0629	----	----	----	6	UNCH	
13075	----	----	----	0.631B/0.652A	----	0.614 -	0.031	.0619	----	----	----	1	UNCH	
TOTAL										3	0	560 +	3	
JUL27														
2000	----	----	----	----	----	42.486 -	0.617	.9923	----	----	----	1	UNCH	
6800	----	----	6.275B/5.831A	6.275B/5.831A	----	5.843 -	0.376	.4583	----	----	----	1	UNCH	
6900	----	----	5.976B/5.567A	5.976B/5.567A	----	5.563 -	0.370	.4413	----	----	----	1	UNCH	
7000	----	----	5.905B/5.279A	5.905B/5.279A	----	5.299 -	0.363	.4250	----	----	----	25	UNCH	
7800	----	----	4.057B/3.654A	4.057B/3.654A	----	3.662 -	0.261	.3147	----	----	----	1	UNCH	
7900	----	----	3.869B/3.499A	3.869B/3.499A	----	3.503 -	0.240	.3032	----	----	----	1	UNCH	
7950	----	----	3.777B/3.505A	3.777B/3.505A	----	3.427 -	0.228	.2976	----	----	----	1	UNCH	
10000	----	----	----	1.635B/1.780A	----	1.621 -	0.117	.1514	----	----	----	4	UNCH	
10100	----	----	----	1.581B/1.732A	----	1.573 -	0.114	.1472	----	----	----	2	UNCH	
10300	----	----	----	1.483B/1.640A	----	1.482 -	0.108	.1391	----	----	----	1	UNCH	
10500	----	----	----	1.389B										



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

BULLETIN #188@				METALS OPTION PRODUCTS						Wed, Sep 30, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO PUT	COMEX SILVER OPTIONS													
NOV26														
5275	0.186	0.186	0.2228/0.182A	0.2228/0.182A	----	0.219 +	0.011 .0734	----	----	3	----	17	UNCH	
5300	0.190	0.190	0.2458/0.190	0.2458/0.190	----	0.237 +	0.015 .0790	----	----	284	----	410 +	254	
5325	0.229	0.229	0.2658/0.208A	0.2658/0.208A	----	0.255 +	0.014 .0847	----	----	2	----	8 +	1	
5350	----	----	0.2888/0.224A	0.2888/0.224A	----	0.276 +	0.016 .0912	----	----	----	----	21	UNCH	
5375	----	----	0.3128/0.239A	0.3128/0.239A	----	0.300 +	0.020 .0983	----	5	----	----	45 +	5	
5400	0.332	0.332	0.3398/0.267A	0.3398/0.267A	----	0.326 +	0.024 .1059	----	277	----	----	355 +	274	
5425	----	----	0.3678/0.288A	0.3678/0.288A	----	0.354 +	0.028 .1140	----	----	----	----	6	UNCH	
5450	0.322	0.322	0.3988/0.309A	0.3988/0.309A	----	0.383 +	0.030 .1224	----	5	----	----	13 +	5	
5475	0.347	0.347	0.4328/0.320A	0.4328/0.320A	----	0.415 +	0.033 .1314	----	3	----	----	55 +	3	
5500	0.340	0.340	0.4688/0.340	0.4688/0.340	----	0.449 +	0.035 .1409	----	22	----	----	409 +	13	
5525	0.404	0.404	0.5078/0.368A	0.5078/0.368A	----	0.486 +	0.038 .1510	----	5	----	----	12 +	5	
5550	0.435	0.435	0.5498/0.396A	0.5498/0.396A	----	0.527 +	0.043 .1618	----	4	----	----	20 +	3	
5575	0.547	0.547	0.5948/0.427A	0.5948/0.427A	----	0.570 +	0.047 .1730	----	6	----	----	67 +	5	
5600	0.588	0.588	0.6428/0.459A	0.6428/0.459A	----	0.617 +	0.052 .1849	----	11	----	----	172 +	10	
5625	----	----	0.6948/0.496A	0.6948/0.496A	----	0.667 +	0.057 .1974	----	----	----	----	23	UNCH	
5650	----	----	0.7498/0.535A	0.7498/0.535A	----	0.721 +	0.063 .2104	----	----	----	----	36	UNCH	
5675	0.672	0.672	0.8088/0.575A	0.8088/0.575A	----	0.779 +	0.069 .2241	----	2	----	----	71 +	2	
5700	0.740	0.740	0.880/0.622A	0.880/0.622A	----	0.840 +	0.075 .2382	----	10	----	----	390	UNCH	
5725	0.805	0.805	0.9398/0.669A	0.9398/0.669A	----	0.905 +	0.081 .2528	----	27	----	----	65 +	23	
5750	0.838	0.838	1.0118/0.719A	1.0118/0.719A	----	0.975 +	0.088 .2681	----	84	----	----	360 +	71	
5775	0.844	0.844	1.0878/0.775A	1.0878/0.775A	----	1.049 +	0.095 .2837	----	3	----	----	97	UNCH	
5800	0.948	0.948	1.1678/0.833A	1.1678/0.833A	----	1.127 +	0.102 .2998	----	17	----	----	278 -	2	
5825	1.000	1.000	1.2528/0.895A	1.2528/0.895A	----	1.211 +	0.111 .3165	----	4	----	----	78 +	1	
5850	1.010	1.010	1.3428/0.961A	1.3428/0.961A	----	1.299 +	0.119 .3334	----	2	----	----	32 +	1	
5875	1.185	1.185	1.4388/1.031A	1.4388/1.031A	----	1.392 +	0.127 .3507	----	4	----	----	149 +	1	
5900	1.348	1.348	1.545/1.105A	1.545/1.105A	----	1.489 +	0.134 .3683	----	47	----	----	212 +	15	
5925	1.410	1.410	1.6438/1.182A	1.6438/1.182A	----	1.590 +	0.140 .3860	----	2	----	----	33	UNCH	
5950	1.702	1.702	1.7548/1.265A	1.7548/1.265A	----	1.696 +	0.147 .4040	----	1	----	----	40 -	1	
5975	1.660	1.660	1.8698/1.352A	1.8698/1.352A	----	1.808 +	0.157 .4222	----	3	----	----	68	UNCH	
6000	1.682	1.682	1.990/1.445A	1.990/1.445A	----	1.926 +	0.169 .4405	----	32	----	----	472 -	6	
6025	----	----	2.1148/1.542A	2.1148/1.542A	----	2.049 +	0.180 .4588	----	1	----	----	21	UNCH	
6050	2.187	2.187	2.2438/1.643A	2.2438/1.643A	----	2.175 +	0.185 .4772	----	5	----	----	33 +	2	
6075	2.000	2.000	2.3758/1.748A	2.3758/1.748A	----	2.306 +	0.193 .4955	----	7	----	----	50 +	4	
6100	2.129	2.129	2.5158/1.859A	2.5158/1.859A	----	2.443 +	0.208 .5136	----	28	----	----	221 +	11	
6125	2.256	2.256	2.6598/1.974A	2.6598/1.974A	----	2.585 +	0.222 .5316	----	15	----	----	21 +	2	
6150	2.388	2.388	2.8098/2.094A	2.8098/2.094A	----	2.729 +	0.226 .5496	----	14	----	----	115 +	4	
6175	2.529	2.529	2.9628/2.217A	2.9628/2.217A	----	2.883 +	0.239 .5670	----	16	----	----	25 +	3	
6200	2.654	2.654	3.1178/2.346A	3.1178/2.346A	----	3.038 +	0.244 .5844	----	10	----	----	309 +	2	
6225	----	----	3.2798/2.480A	3.2798/2.480A	----	3.200 +	0.256 .6013	----	----	----	----	15	UNCH	
6250	2.816	2.816	3.4468/2.619A	3.4468/2.619A	----	3.366 +	0.268 .6178	----	4	----	----	110 +	1	
6275	----	----	3.6188/2.762A	3.6188/2.762A	----	3.535 +	0.280 .6339	----	----	----	----	26	UNCH	
6300	3.046	3.046	3.798/2.909A	3.798/2.909A	----	3.709 +	0.292 .6497	----	25	----	----	139 +	5	
6325	----	----	3.9738/3.061A	3.9738/3.061A	----	3.886 +	0.302 .6652	----	1	----	----	8	UNCH	
6350	----	----	4.1578/3.217A	4.1578/3.217A	----	4.067 +	0.312 .6801	----	----	----	----	88	UNCH	
6375	----	----	4.3448/3.378A	4.3448/3.378A	----	4.251 +	0.320 .6946	----	5	----	----	35 +	5	
6400	----	----	4.5358/3.560A	4.5358/3.560A	----	4.440 +	0.330 .7085	----	----	----	----	157	UNCH	
6425	----	----	4.7298/3.729A	4.7298/3.729A	----	4.631 +	0.338 .7221	----	----	----	----	9	UNCH	
6450	----	----	4.9278/3.901A	4.9278/3.901A	----	4.826 +	0.346 .7350	----	----	----	----	17	UNCH	
6475	----	----	5.1278/4.078A	5.1278/4.078A	----	5.025 +	0.356 .7476	----	----	----	----	62	UNCH	
6500	----	----	5.3308/4.257A	5.3308/4.257A	----	5.226 +	0.365 .7596	----	1	----	----	345 -	1	
6525	----	----	5.5358/4.441A	5.5358/4.441A	----	5.430 +	0.374 .7711	----	----	----	----	31	UNCH	
6550	----	----	5.7448/4.627A	5.7448/4.627A	----	5.637 +	0.384 .7820	----	----	----	----	31	UNCH	
6575	----	----	5.9558/4.817A	5.9558/4.817A	----	5.847 +	0.393 .7925	----	----	----	----	19	UNCH	
6600	----	----	6.1688/5.010A	6.1688/5.010A	----	6.059 +	0.402 .8025	----	----	----	----	172	UNCH	
6625	----	----	6.3858/5.207A	6.3858/5.207A	----	6.274 +	0.411 .8120	----	----	----	----	28	UNCH	
6650	----	----	6.6028/5.405A	6.6028/5.405A	----	6.490 +	0.418 .8211	----	----	----	----	39	UNCH	
6675	----	----	6.8238/5.607A	6.8238/5.607A	----	6.709 +	0.425 .8298	----	----	----	----	68	UNCH	
6700	----	----	7.0438/5.811A	7.0438/5.811A	----	6.929 +	0.432 .8380	----	1	----	----	136	UNCH	
6725	----	----	7.2678/6.018A	7.2678/6.018A	----	7.152 +	0.439 .8458	----	----	----	----	83	UNCH	
6750	----	----	7.4948/6.227A	7.4948/6.227A	----	7.376 +	0.445 .8533	----	----	----	----	101	UNCH	
6775	----	----	7.7198/6.438A	7.7198/6.438A	----	7.601 +	0.450 .8603	----	----	----	----	21	UNCH	
6800	----	----	7.9478/6.652A	7.9478/6.652A	----	7.828 +	0.456 .8669	----	----	----	----	151	UNCH	
6825	----	----	8.1778/6.867A	8.1778/6.867A	----	8.056 +	0.461 .8735	----	----	----	----	2	UNCH	
6850	----	----	8.4088/7.084A	8.4088/7.084A	----	8.286 +	0.467 .8795	----	----	----	----	7	UNCH	
6875	----	----	8.6398/7.303A	8.6398/7.303A	----	8.517 +	0.472 .8851	----	----	----	----	1	UNCH	
6900	8.650	8.650	8.8728/7.524A	8.8728/7.524A	----	8.749 +	0.477 .8906	----	1	----	----	26 +	1	
6925	----	----	9.1088/7.747A	9.1088/7.747A	----	8.982 +	0.481 .8956	----	----	----	----	1	UNCH	
6950	----	----	9.3438/7.974A	9.3438/7.974A	----	9.216 +	0.485 .9006	----	----	----	----	10	UNCH	
6975	----	----	9.5798/8.199A	9.5798/8.199A	----	9.452 +	0.490 .9051	----	----	----	----	5	UNCH	
7000	8.813	8.813	9.8148/8.426A	9.8148/8.426A	----	9.688 +	0.494 .9093	----	1	----	----	79	UNCH	
7025	----	----	10.0.0											



BULLETIN #188@				METALS OPTION PRODUCTS										Wed, Sep 30, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SO PUT DEC26	COMEX SILVER OPTIONS																	
5125	----	----	----	0.4958/0.421A	0.4958/0.421A	----	0.482	+	0.029	.1064	----	----	----	----	5	UNCH		
5150	0.426	0.426		0.5258/0.426	0.5258/0.426	----	0.511	+	0.030	.1121	----	----	1	----	16 +	1		
5175	----	----	----	0.5568/0.469A	0.5568/0.469A	----	0.541	+	0.032	.1179	----	----	----	----	2	UNCH		
5200	----	----	----	0.5898/0.483A	0.5898/0.483A	----	0.573	+	0.035	.1240	----	----	21	----	101 +	1		
5225	----	----	----	0.6248/0.504A	0.6248/0.504A	----	0.607	+	0.038	.1304	----	----	----	----	5	UNCH		
5250	----	----	----	0.6618/0.532A	0.6618/0.532A	----	0.643	+	0.041	.1371	----	----	----	----	149	UNCH		
5300	----	----	----	0.7418/0.593A	0.7418/0.593A	----	0.721	+	0.047	.1512	----	----	3	----	55 +	1		
5325	----	----	----	0.7858/0.626A	0.7858/0.626A	----	0.763	+	0.050	.1586	----	----	----	----	47	UNCH		
5350	0.837	0.837		0.837/0.662A	0.837/0.662A	----	0.807	+	0.054	.1663	----	----	2	----	10 +	2		
5375	----	----	----	0.8798/0.699A	0.8798/0.699A	----	0.854	+	0.058	.1744	----	----	----	----	3	UNCH		
5400	0.937	0.937		0.937/0.738A	0.937/0.738A	----	0.903	+	0.062	.1827	----	----	23	----	118 +	7		
5425	0.991	0.991		0.991/0.779A	0.991/0.779A	----	0.955	+	0.066	.1913	----	----	3	----	15 -	1		
5450	0.925	0.925		1.0398/0.822A	1.0398/0.822A	----	1.011	+	0.071	.2003	----	----	12	----	10	UNCH		
5475	----	----	----	1.0978/0.868A	1.0978/0.868A	----	1.068		NEW	.2094	----	----	1	----	1	+		
5500	1.034	1.034		1.1598/0.916A	1.1598/0.916A	----	1.128	+	0.080	.2188	----	----	11	----	853 -	3		
5525	----	----	----	1.2238/0.967A	1.2238/0.967A	----	1.190	+	0.085	.2283	----	----	----	----	8	UNCH		
5550	----	----	----	1.2918/1.020A	1.2918/1.020A	----	1.256	+	0.091	.2382	----	----	----	----	8	UNCH		
5575	----	----	----	1.3618/1.076A	1.3618/1.076A	----	1.325	+	0.097	.2484	----	----	----	----	180	UNCH		
5600	1.183	1.183		1.4358/1.134A	1.4358/1.134A	----	1.398	+	0.103	.2588	----	----	4	----	121 +	1		
5625	----	----	----	1.5118/1.195A	1.5118/1.195A	----	1.474	+	0.108	.2695	----	----	----	----	5	UNCH		
5650	----	----	----	1.5918/1.259A	1.5918/1.259A	----	1.553	+	0.113	.2803	----	----	----	----	31	UNCH		
5675	1.584	1.584		1.6748/1.325A	1.6748/1.325A	----	1.634	+	0.117	.2913	----	----	1	----	4 +	1		
5700	----	----	----	1.7618/1.395A	1.7618/1.395A	----	1.718	+	0.121	.3024	----	----	----	----	220	UNCH		
5725	1.807	1.807		1.8518/1.467A	1.8518/1.467A	----	1.806	+	0.126	.3137	----	----	1	----	108 +	1		
5750	1.770	1.770		1.9448/1.542A	1.9448/1.542A	----	1.897	+	0.130	.3252	----	----	24	----	224 +	1		
5775	----	----	----	2.0418/1.621A	2.0418/1.621A	----	1.992	+	0.135	.3369	----	----	----	----	24	UNCH		
5800	----	----	----	2.1418/1.703A	2.1418/1.703A	----	2.090	+	0.140	.3486	----	----	1	----	264	UNCH		
5825	----	----	----	2.2458/1.790A	2.2458/1.790A	----	2.192	+	0.146	.3605	----	----	----	----	3	UNCH		
5850	2.120	2.120		2.3528/1.878A	2.3528/1.878A	----	2.298	+	0.152	.3725	----	----	13	----	23 -	11		
5875	----	----	----	2.4628/1.970A	2.4628/1.970A	----	2.407	+	0.158	.3846	----	----	----	----	12	UNCH		
5900	2.257	2.257		2.5818/2.065A	2.5818/2.065A	----	2.520	+	0.165	.3967	----	----	5	----	191	UNCH		
5925	----	----	----	2.6988/2.163A	2.6988/2.163A	----	2.636	+	0.171	.4088	----	----	----	----	8	UNCH		
5950	----	----	----	2.8198/2.265A	2.8198/2.265A	----	2.755	+	0.177	.4210	----	----	1	----	11 +	1		
5975	----	----	----	2.9448/2.370A	2.9448/2.370A	----	2.878	+	0.184	.4332	----	----	----	----	4	UNCH		
6000	----	----	----	3.0728/2.478A	3.0728/2.478A	----	3.004	+	0.191	.4454	----	----	9	----	509 +	3		
6025	----	----	----	3.2038/2.589A	3.2038/2.589A	----	3.134	+	0.198	.4576	----	----	1	----	46 +	1		
6050	----	----	----	3.3388/2.704A	3.3388/2.704A	----	3.267	+	0.205	.4697	----	----	----	----	8	UNCH		
6075	3.488	3.488		3.488/2.822A	3.488/2.822A	----	3.404	+	0.213	.4817	----	----	1	----	4	UNCH		
6100	3.215	3.215		3.631/2.944A	3.631/2.944A	----	3.544	+	0.220	.4937	----	----	14	----	72 +	7		
6125	3.309	3.309		3.7588/3.069A	3.7588/3.069A	----	3.687	+	0.228	.5056	----	----	2	----	11 +	1		
6150	3.484	3.484		3.9078/3.197A	3.9078/3.197A	----	3.833	+	0.235	.5174	----	----	2	----	40	UNCH		
6175	3.625	3.625		4.0588/3.328A	4.0588/3.328A	----	3.982	+	0.242	.5291	----	----	3	----	4	UNCH		
6200	3.858	3.858		4.2118/3.463A	4.2118/3.463A	----	4.135	+	0.250	.5406	----	----	5	----	79 +	2		
6225	----	----	----	4.3708/3.601A	4.3708/3.601A	----	4.291	+	0.257	.5520	----	----	----	----	2	UNCH		
6250	----	----	----	4.5318/3.742A	4.5318/3.742A	----	4.449	+	0.264	.5633	----	----	----	----	5	UNCH		
6275	----	----	----	4.6928/3.886A	4.6928/3.886A	----	4.611	+	0.271	.5745	----	----	----	----	13	UNCH		
6300	----	----	----	4.8528/4.033A	4.8528/4.033A	----	4.775	+	0.278	.5854	----	----	----	----	88	UNCH		
6325	----	----	----	5.0218/4.183A	5.0218/4.183A	----	4.943	+	0.286	.5962	----	----	----	----	10	UNCH		
6350	----	----	----	5.1938/4.336A	5.1938/4.336A	----	5.113	+	0.293	.6068	----	----	----	----	49	UNCH		
6375	----	----	----	5.3698/4.492A	5.3698/4.492A	----	5.286	+	0.299	.6172	----	----	----	----	5	UNCH		
6400	----	----	----	5.5458/4.651A	5.5458/4.651A	----	5.461	+	0.306	.6274	----	----	----	----	28	UNCH		
6425	----	----	----	5.7248/4.812A	5.7248/4.812A	----	5.639	+	0.312	.6374	----	----	----	----	15	UNCH		
6450	----	----	----	5.9088/4.977A	5.9088/4.977A	----	5.820	+	0.319	.6472	----	----	----	----	39	UNCH		
6475	----	----	----	6.0948/5.144A	6.0948/5.144A	----	6.003	+	0.325	.6569	----	----	----	----	3	UNCH		
6500	----	----	----	6.2818/5.315A	6.2818/5.315A	----	6.189	+	0.332	.6663	----	----	----	----	945	UNCH		
6525	----	----	----	6.4698/5.504A	6.4698/5.504A	----	6.377	+	0.338	.6755	----	----	----	----	25	UNCH		
6550	----	----	----	6.6588/5.679A	6.6588/5.679A	----	6.568	+	0.345	.6844	----	----	----	----	35	UNCH		
6575	----	----	----	6.8548/5.856A	6.8548/5.856A	----	6.761	+	0.351	.6931	----	----	----	----	1	UNCH		
6600	----	----	----	7.0518/6.036A	7.0518/6.036A	----	6.956	+	0.357	.7017	----	----	----	----	97	UNCH		
6625	----	----	----	7.2458/6.218A	7.2458/6.218A	----	7.152	+	0.363	.7100	----	----	----	----	33	UNCH		
6650	----	----	----	7.4458/6.402A	7.4458/6.402A	----	7.351	+	0.369	.7181	----	----	----	----	20	UNCH		
6675	----	----	----	7.6468/6.589A	7.6468/6.589A	----	7.551	+	0.374	.7260	----	----	----	----	1	UNCH		
6700	----	----	----	7.8508/6.777A	7.8508/6.777A	----	7.754	+	0.380	.7338	----	----	----	----	40	UNCH		
6725	----	----	----	8.0548/6.968A	8.0548/6.968A	----	7.957	+	0.385	.7413	----	----	----	----	5	UNCH		
6750	----	----	----	8.2618/7.161A	8.2618/7.161A	----	8.162	+	0.390	.7486	----	----	----	----	7	UNCH		
6775	----	----	----	8.4698/7.355A	8.4698/7.355A	----	8.369	+	0.39									

	BULLETIN #188@				METALS OPTION PRODUCTS				Wed, Sep 30, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO PUT	COMEX SILVER OPTIONS													
JAN27														
5450	1.446	1.446	1.512B/1.269A	1.512B/1.269A	----	1.489 + 0.087	.2209	----	----	2	----	16 +	2	
5475	----	----	1.578B/1.325A	1.578B/1.325A	----	1.555 + 0.091	.2286	----	----	----	----	196	UNCH	
5500	1.432	1.432	1.649B/1.383A	1.649B/1.383A	----	1.624 + 0.096	.2365	----	----	3	81	93 +	80	
5525	----	----	1.721B/1.443A	1.721B/1.443A	----	1.695 + 0.101	.2445	----	----	----	----	7	UNCH	
5550	----	----	1.795B/1.505A	1.795B/1.505A	----	1.768 + 0.105	.2526	----	----	----	----	4	UNCH	
5575	----	----	1.871B/1.569A	1.871B/1.569A	----	1.844 + 0.109	.2608	----	----	----	----	7	UNCH	
5600	----	----	1.952B/1.636A	1.952B/1.636A	----	1.923 + 0.114	.2692	----	141	----	----	143 +	132	
5625	----	----	2.034B/1.705A	2.034B/1.705A	----	2.004 + 0.118	.2777	----	----	----	----	3	UNCH	
5700	----	----	2.299B/1.927A	2.299B/1.927A	----	2.264 + 0.134	.3040	----	----	----	----	7	UNCH	
5775	----	----	2.585B/2.170A	2.585B/2.170A	----	2.549 + 0.150	.3311	----	----	----	----	1	UNCH	
5800	----	----	2.690B/2.257A	2.690B/2.257A	----	2.649 + 0.155	.3402	----	1	----	----	29	UNCH	
5850	----	----	2.902B/2.438A	2.902B/2.438A	----	2.858 + 0.166	.3587	----	----	----	----	1	UNCH	
5900	----	----	3.124B/2.631A	3.124B/2.631A	----	3.078 + 0.176	.3775	----	----	----	----	18	UNCH	
6000	----	----	3.603B/3.047A	3.603B/3.047A	----	3.548 + 0.196	.4152	----	----	138	----	169	UNCH	
6100	----	----	4.126B/3.508A	4.126B/3.508A	----	4.063 + 0.218	.4529	----	----	----	----	44 -	96	
6125	----	----	4.264B/3.625A	4.264B/3.625A	----	4.199 + 0.224	.4623	----	----	1	----	12	UNCH	
6200	4.390	4.390	4.691B/4.005A	4.691B/4.005A	----	4.623 + 0.244	.4900	----	1	----	----	19 +	1	
6225	----	----	4.838B/4.137A	4.838B/4.137A	----	4.769 + 0.250	.4992	----	----	----	----	50	UNCH	
6275	----	----	5.140B/4.408A	5.140B/4.408A	----	5.069 + 0.262	.5172	----	----	----	----	2	UNCH	
6300	----	----	5.295B/4.547A	5.295B/4.547A	----	5.223 + 0.269	.5261	----	----	----	----	1	UNCH	
6325	----	----	5.453B/4.689A	5.453B/4.689A	----	5.379 + 0.275	.5349	----	----	----	----	2	UNCH	
6350	----	----	5.613B/4.833A	5.613B/4.833A	----	5.537 + 0.280	.5437	----	----	----	----	9	UNCH	
6375	----	----	5.774B/4.979A	5.774B/4.979A	----	5.697 + 0.285	.5523	----	----	----	----	25	UNCH	
6400	----	----	5.939B/5.128A	5.939B/5.128A	----	5.860 + 0.290	.5608	----	----	----	----	33	UNCH	
6475	6.383	6.383	6.433B/5.589A	6.433B/5.589A	----	6.361 NEW	.5858	----	1	----	----	1 +	1	
6500	----	----	6.605B/5.747A	6.605B/5.747A	----	6.533 + 0.311	.5939	----	----	----	----	56	UNCH	
6525	----	----	6.780B/5.908A	6.780B/5.908A	----	6.706 + 0.316	.6019	----	----	----	----	1	UNCH	
6575	----	----	7.136B/6.235A	7.136B/6.235A	----	7.060 + 0.327	.6175	----	----	----	----	5	UNCH	
6700	----	----	8.055B/7.114A	8.055B/7.114A	----	7.977 + 0.351	.6544	----	----	----	----	13	UNCH	
6725	----	----	8.244B/7.291A	8.244B/7.291A	----	8.166 + 0.356	.6614	----	----	----	----	15	UNCH	
6800	----	----	8.825B/7.832A	8.825B/7.832A	----	8.742 + 0.369	.6817	----	----	----	----	2	UNCH	
6900	----	----	9.617B/8.579A	9.617B/8.579A	----	9.531 + 0.385	.7070	----	----	----	----	16	UNCH	
6925	----	----	9.818B/8.770A	9.818B/8.770A	----	9.732 + 0.390	.7131	----	----	----	----	24	UNCH	
6950	----	----	10.021B/8.962A	10.021B/8.962A	----	9.935 + 0.394	.7190	----	----	----	----	1	UNCH	
7000	----	----	10.431B/9.351A	10.431B/9.351A	----	10.343 + 0.402	.7304	----	----	----	----	20	UNCH	
7100	----	----	11.265B/10.145A	11.265B/10.145A	----	11.176 + 0.419	.7518	----	----	----	----	27	UNCH	
7125	----	----	11.476B/10.347A	11.476B/10.347A	----	11.387 + 0.423	.7569	----	----	----	----	1	UNCH	
7175	----	----	11.903B/10.755A	11.903B/10.755A	----	11.812 + 0.430	.7667	----	----	----	----	1	UNCH	
7200	----	----	12.117B/10.961A	12.117B/10.961A	----	12.026 + 0.433	.7715	----	----	----	----	1	UNCH	
7350	----	----	13.427B/12.218A	13.427B/12.218A	----	13.330 + 0.451	.7979	----	----	----	----	1	UNCH	
8600	----	----	25.115B/23.678A	25.115B/23.678A	----	25.005 + 0.547	.9182	----	----	----	----	1	UNCH	
8850	----	----	27.543B/26.084A	27.543B/26.084A	----	27.430 + 0.554	.9298	----	----	----	----	9	UNCH	
TOTAL										292	81	1671 +	122	
FEB27														
3475	----	----	0.065B/-----	0.065B/0.095A	----	0.071 + 0.010	.0113	----	----	----	----	1	UNCH	
4000	----	----	----	0.170B/0.182A	----	0.178 + 0.007	.0282	----	----	----	----	1	UNCH	
4750	----	----	0.629B/0.586A	0.629B/0.586A	----	0.631 + 0.028	.0939	----	----	----	----	1	UNCH	
5000	----	----	0.969B/0.865A	0.969B/0.865A	----	0.963 + 0.045	.1359	----	----	----	----	17	UNCH	
5100	----	----	1.147B/1.015A	1.147B/1.015A	----	1.138 + 0.055	.1565	----	----	----	----	1	UNCH	
5200	----	----	1.352B/1.189A	1.352B/1.189A	----	1.341 + 0.065	.1792	----	----	----	----	1	UNCH	
5225	----	----	1.408B/1.236A	1.408B/1.236A	----	1.396 + 0.067	.1852	----	----	----	----	5	UNCH	
5275	----	----	1.526B/1.337A	1.526B/1.337A	----	1.513 + 0.073	.1976	----	----	----	----	20	UNCH	
5300	----	----	1.588B/1.390A	1.588B/1.390A	----	1.574 + 0.076	.2039	----	----	----	----	1	UNCH	
5375	----	----	1.788B/1.559A	1.788B/1.559A	----	1.770 + 0.085	.2237	----	----	----	----	44	UNCH	
5400	----	----	1.858B/1.620A	1.858B/1.620A	----	1.840 + 0.088	.2306	----	----	----	----	3	UNCH	
5500	----	----	2.165B/1.882A	2.165B/1.882A	----	2.141 + 0.102	.2589	----	1	----	----	3	UNCH	
5600	----	----	2.502B/2.177A	2.502B/2.177A	----	2.479 + 0.118	.2888	----	----	----	----	7	UNCH	
5700	----	----	2.887B/2.507A	2.887B/2.507A	----	2.854 + 0.135	.3198	----	----	----	----	1	UNCH	
5725	----	----	2.988B/2.595A	2.988B/2.595A	----	2.953 + 0.138	.3277	----	----	----	----	1	UNCH	
5800	----	----	3.305B/2.874A	3.305B/2.874A	----	3.267 + 0.152	.3517	----	----	----	----	10	UNCH	
5825	3.430	3.430	3.430/2.971A	3.430/2.971A	----	3.376 NEW	.3597	----	12	----	----	12 +	12	
5875	----	----	3.644B/3.173A	3.644B/3.173A	----	3.602 + 0.167	.3759	----	----	----	----	10	UNCH	
6000	----	----	4.258B/3.718A	4.258B/3.718A	----	4.209 + 0.193	.4166	----	----	----	----	6	UNCH	
6050	----	----	4.520B/3.953A	4.520B/3.953A	----	4.468 + 0.203	.4329	----	----	----	----	17	UNCH	
6100	----	----	4.790B/4.197A	4.790B/4.197A	----	4.737 + 0.215	.4491	----	----	----	----	1	UNCH	
6200	----	----	5.358B/4.711A	5.358B/4.711A	----	5.301 + 0.236	.4810	----	----	----	----	7	UNCH	
6250	----	----	5.653B/4.982A	5.653B/4.982A	----	5.596 NEW	.4966	----	9	----	----	9 +	9	
6400	----	----	6.598B/5.844A	6.598B/5.844A	----	6.533 + 0.276	.5421	----	----	----	----	1	UNCH	
6500	----	----	7.265B/6.464A	7.265B/6.464A	----	7.197 + 0.295	.5709	----	----	----	----	21	UNCH	
6600	----	----	7.952B/7.107A	7.952B/7.107A	----	7.891 + 0.313	.5983	----	----	----	----	6	UNCH	
6700	----	----	8.669B/7.782A	8.669B/7.782A	----	8.611 + 0.329	.6244	----	----	----	----	11	UNCH	
6825	----	----	9.608B/8.699A	9.608B/8.699A	----	9.547 + 0.350	.6549	----	----	----	----	5	UNCH	
7000														

BULLETIN #188@				METALS OPTION PRODUCTS							wed, Sep 30, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO PUT	COMEX SILVER OPTIONS															
APR27																
4500	----	----	----	0.729B/0.712A	0.729B/0.712A	----	----	0.732 + 0.010	.0873	----	----	----	----	36	UNCH	
4800	----	----	----	1.139B/1.084A	1.139B/1.084A	----	----	1.133 + 0.024	.1282	----	----	----	----	2	UNCH	
5000	----	----	----	1.517B/1.425A	1.517B/1.425A	----	----	1.509 + 0.037	.1629	----	----	----	----	62	UNCH	
5400	----	----	----	2.592B/2.400A	2.592B/2.400A	----	----	2.578 + 0.076	.2483	----	----	----	----	2	UNCH	
5500	----	----	----	2.927B/2.715A	2.927B/2.715A	----	----	2.918 + 0.088	.2724	----	----	----	----	101	UNCH	
5600	----	----	----	3.296B/3.022A	3.296B/3.022A	----	----	3.289 + 0.101	.2972	----	----	----	----	11	UNCH	
6000	----	----	----	5.107B/4.692A	5.107B/4.692A	----	----	5.088 + 0.163	.4007	----	----	----	60	174 +	60	
6200	----	----	----	6.196B/5.699A	6.196B/5.699A	----	----	6.173 + 0.202	.4525	----	----	----	----	1	UNCH	
6400	----	----	----	7.401B/6.815A	7.401B/6.815A	----	----	7.371 + 0.241	.5022	----	----	----	----	1	UNCH	
6500	----	----	----	8.041B/7.439A	8.041B/7.439A	----	----	8.009 + 0.259	.5260	----	----	----	----	3	UNCH	
6600	----	----	----	8.701B/8.059A	8.701B/8.059A	----	----	8.671 + 0.275	.5490	----	----	----	----	1	UNCH	
7000	----	----	----	11.581B/10.840A	11.581B/10.840A	----	----	11.538 + 0.330	.6322	----	----	----	----	5	UNCH	
8000	----	----	----		5.940B/32.869A	----	----	19.818 + 0.444	.7778	----	----	----	----	2	UNCH	
8725	----	----	----		11.629B/40.368A	----	----	26.395 + 0.498	.8410	----	----	----	----	3	UNCH	
TOTAL													60	432 +	60	
MAY27																
4500	0.922	0.922		0.945B/0.921A	0.945B/0.921A	----	----	0.956 + 0.019	.1012	----	----	1	----	6 +	1	
4700	----	----	----	1.243B/1.197A	1.243B/1.197A	----	----	1.252 + 0.029	.1281	----	----	----	----	25	UNCH	
4850	----	----	----	1.520B/1.451A	1.520B/1.451A	----	----	1.529 + 0.039	.1516	----	----	----	----	5	UNCH	
5000	----	----	----	1.855B/1.754A	1.855B/1.754A	----	----	1.858 + 0.049	.1778	----	----	----	----	20	UNCH	
5500	3.150	3.150		3.388B/3.150	3.388B/3.150	----	----	3.380 + 0.092	.2820	----	1	----	2 +	1		
6000	----	----	----	5.661B/5.240A	5.661B/5.240A	----	----	5.644 + 0.170	.4004	----	----	----	----	1	UNCH	
6500	8.066	8.066		8.631B/8.018A	8.631B/8.018A	----	----	8.593 + 0.246	.5145	1	----	----	65 +	1		
6525	----	----	----	8.779B/8.189A	8.779B/8.189A	----	----	8.757 + 0.250	.5198	----	----	----	----	16	UNCH	
6675	----	----	----	9.791B/9.135A	9.791B/9.135A	----	----	9.760 + 0.275	.5508	----	----	----	----	5	UNCH	
6750	----	----	----	10.318B/9.621A	10.318B/9.621A	----	----	10.279 + 0.291	.5657	----	----	----	----	10	UNCH	
7300	----	----	----	14.432B/13.661A	14.432B/13.661A	----	----	14.400 + 0.362	.6617	----	----	----	----	10	UNCH	
7900	----	----	----			----	----	19.369 + 0.420	.7410	----	----	----	----	10	UNCH	
8300	----	----	----			----	----	22.869 + 0.445	.7816	----	----	----	----	5	UNCH	
8325	----	----	----			----	----	23.092 + 0.447	.7839	----	----	----	----	2	UNCH	
8350	----	----	----			----	----	23.315 + 0.449	.7862	----	----	----	----	2	UNCH	
8500	----	----	----			----	----	24.662 + 0.459	.7990	----	----	----	----	9	UNCH	
TOTAL												3	0	185 +	3	
JUN27																
4000	----	----	----		0.517B/0.578A	----	----	0.572 + 0.010	.0586	----	----	----	----	1	UNCH	
4500	----	----	----		1.065B/1.098A	----	----	1.127 + 0.037	.1078	----	----	----	----	3	UNCH	
4700	----	----	----	-----/1.401A	1.393B/1.401A	----	----	1.457 + 0.051	.1343	----	----	----	----	510	UNCH	
5500	----	----	----	3.600B/3.472A	3.600B/3.472A	----	----	3.645 + 0.100	.2784	----	----	----	----	3	UNCH	
6000	----	----	----	5.874B/5.543A	5.874B/5.543A	----	----	5.873 + 0.138	.3876	----	----	----	----	5	UNCH	
6400	----	----	----	8.165B/7.704A	8.165B/7.704A	----	----	8.139 + 0.196	.4738	----	----	----	----	1	UNCH	
6500	----	----	----	8.786B/8.302A	8.786B/8.302A	----	----	8.765 + 0.214	.4942	----	----	----	----	10	UNCH	
6800	----	----	----	10.777B/10.199A	10.777B/10.199A	----	----	10.758 + 0.261	.5519	----	----	----	----	1	UNCH	
7000	----	----	----	12.216B/11.567A	12.216B/11.567A	----	----	12.195 + 0.283	.5868	----	----	----	----	16	UNCH	
7050	----	----	----	12.577B/11.927A	12.577B/11.927A	----	----	12.566 + 0.288	.5951	----	----	----	----	1	UNCH	
TOTAL													0	551	0	
JUL27																
5000	----	----	----	-----/2.312A	2.365B/2.312A	----	----	2.439 + 0.056	.1923	----	----	----	----	20	UNCH	
5500	----	----	----	3.998B/3.829A	3.998B/3.829A	----	----	4.081 + 0.105	.2849	----	----	----	----	50	UNCH	
6500	----	----	----	9.276B/8.784A	9.276B/8.784A	----	----	9.251 + 0.210	.4868	----	----	----	----	1	UNCH	
6900	----	----	----	11.935B/11.321A	11.935B/11.321A	----	----	11.937 + 0.236	.5579	----	----	----	----	100	UNCH	
7000	----	----	----	12.637B/12.045A	12.637B/12.045A	----	----	12.653 + 0.244	.5743	----	----	----	----	25	UNCH	
TOTAL													0	196	0	
SEP27																
5500	----	----	----		4.517B/4.658A	----	----	4.695 + 0.100	.2844	----	----	----	----	10	UNCH	
5800	----	----	----		5.837B/5.928A	----	----	6.021 + 0.132	.3386	----	----	----	----	1	UNCH	
5900	----	----	----		6.325B/6.399A	----	----	6.511 + 0.143	.3569	----	----	----	----	1	UNCH	
TOTAL													0	12	0	
DEC27																
7175	----	----	----			----	----	16.193 + 0.295	.5107	----	----	----	----	0	25	
TOTAL														0	25	
DEC28																
7175	----	----	----			----	----	18.444 + 0.241	.4200	----	----	----	----	0	40	
TOTAL														0	40	
SO1 CALL	SILVER OPTIONS															
OCT26																
6000	----	----	----	2.270B/0.994A	2.270B/0.994A	----	----	1.086 - 0.517	.6451	----	----	1	----	2 +	1	
6030	----	----	----	2.024B/0.824A	2.024B/0.824A	----	----	0.905 - 0.491	.5725	----	----	----	----	1	UNCH	
6090	----	----	----	1.569B/0.543A	1.569B/0.543A	----	----	0.602 - 0.428	.4196	----	----	----	----	1	UNCH	
6100	0.519	0.519		1.498B/0.504A	1.498B/0.504A	----	----	0.559 - 0.416	.3944	----	14	----	----	16 +	10	
6120	----	----	----	1.362B/0.435A	1.362B/0.435A	----	----	0.481 - 0.392	.3456	----	----	----	----	0	UNCH	
6140	0.483	0.483		1.234B/0.370A	1.234B/0.370A	----	----	0.410 - NEW	.2990	----	2	----	----	2 +	2	
6150	0.450	0.450		1.172B/0.342A	1.172B/0.342A	----	----	0.378 - 0.355	.2769	----	3	----	----	9 +	1	
6160	0.368	0.368		1.112B/0.314A	1.112B/0.314A	----	----	0.348 - NEW	.2557	----	2	----	----	2 +	2	
6170	0.390	0.390		1.058B/0.290A	1.058B/0.290A	----	----	0.321 - NEW	.2358	----	9	----	----	4 +	4	
6180	0.363	0.363		1.002B/0.267A	1.002B/0.267A	----	----	0.295 - NEW	.2167	----	2	----	----	2 +	2	
6190	0.338	0.338		0.948B/0.249A	0.948B/0.249A	----	----	0.								



BULLETIN #188@										METALS OPTION PRODUCTS										Wed, Sep 30, 2026				PG64
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE		GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW		OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA		EXER CISES		OPEN OUTCRY VOLUME		GLOBEX® VOLUME		PNT VOLUME		OPEN INTEREST		
S03 PUT		SILVER OPTIONS																						
OCT26																								
6600	----	----	5.869B/4.645A	5.869B/4.645A	----	5.761 + 0.444	.8643	----	----	----	----	----	----	----	----	----	----	----	----	----	5	UNCH		
6650	----	----	6.327B/5.061A	6.327B/5.061A	----	6.215 + 0.459	.8817	----	----	----	----	----	----	----	----	----	----	----	----	6	UNCH			
6700	----	----	6.790B/5.488A	6.790B/5.488A	----	6.677 + 0.473	.8963	----	----	----	----	----	----	----	----	----	40	----	----	0	248 +	37		
TOTAL																								
S04 CALL		SILVER OPTIONS																						
OCT26																								
6450	0.970	0.970	1.200/0.776	1.200/0.776	----	0.795	NEW .2500	----	----	----	----	----	----	----	----	12	----	12	----	0	3 +	3		
TOTAL																								
S04 PUT		SILVER OPTIONS																						
OCT26																								
5600	0.451	0.451	0.543B/0.420A	0.543B/0.420A	----	0.540	NEW .1729	----	----	----	----	----	----	----	----	1	----	----	----	1 +	1			
5650	0.610	0.610	0.641B/0.516A	0.641B/0.516A	----	0.633	NEW .1981	----	----	----	----	----	----	----	----	1	----	----	----	1 +	3			
5750	0.787	0.787	0.886B/0.664A	0.886B/0.664A	----	0.867	NEW .2567	----	----	----	----	----	----	----	----	4	----	----	----	3 +	3			
5900	1.336	1.336	1.389B/1.089A	1.389B/1.089A	----	1.357	NEW .3616	----	----	----	----	----	----	----	----	2	----	----	----	2 +	2			
TOTAL																								
SWM WED		SILVER WEEKLY WEDNESDAY OPTION WEEK																						
SEP26																								
5700	----	----	----	-----/0.016A	----	0.000 - 0.010	----	----	----	----	----	----	----	----	----	----	----	----	----	0 -	1			
5790	----	----	----	-----/0.012A	0.001B/0.012A	----	0.000 - 0.018	----	----	----	----	----	----	----	----	----	----	----	----	0 -	1			
5800	----	----	----	-----/0.013A	-----/0.013A	----	0.000 - 0.020	----	----	----	----	----	----	----	----	----	----	----	----	0 -	2			
5850	----	----	----	-----/0.011A	0.003B/0.011A	----	0.000 - 0.030	----	----	----	----	----	----	----	----	----	----	----	----	0 -	1			
5890	----	----	----	-----/0.010A	0.011B/0.010A	----	0.000 - 0.043	----	----	----	----	----	----	----	----	----	----	----	----	0 -	3			
5930	----	----	----	-----/0.009A	0.024B/0.009A	----	0.000 - 0.065	----	----	----	----	----	----	----	----	----	----	----	----	0 -	2			
5940	----	----	----	-----/0.006A	0.025B/0.006A	----	0.000 - 0.072	----	----	----	----	----	----	----	----	----	----	----	----	0 -	9			
5950	----	----	----	-----/0.007A	0.040B/0.007A	----	0.000 - 0.080	----	----	----	----	----	----	----	----	----	----	----	----	0 -	5			
5960	----	----	----	-----/0.008A	0.043B/0.008A	----	0.000 - 0.089	----	----	----	----	----	----	----	----	----	----	----	----	0 -	4			
5970	----	----	----	-----/0.007A	0.051B/0.007A	----	0.000 - 0.100	----	----	----	----	----	----	----	----	4	----	----	----	0 -	6			
5980	----	----	----	-----/0.007A	0.059B/0.007A	----	0.000 - 0.111	----	----	----	----	----	----	----	----	----	----	----	----	0 -	3			
5990	----	----	----	-----/0.007A	0.068B/0.007A	----	0.000 - 0.124	----	----	----	----	----	----	----	----	----	----	----	----	0 -	7			
6000	0.040	0.040	0.040/0.007A	0.079B/0.007A	----	0.000 - 0.139	----	----	----	----	----	----	----	----	----	7	----	----	----	0 -	26			
6010	0.037	0.037	0.037/0.005A	0.092B/0.005A	----	0.000 - 0.155	----	----	----	----	----	----	----	----	----	2	----	----	----	0 -	6			
6020	0.017	0.017	0.053/0.005A	0.107B/0.005A	----	0.000 - 0.174	----	----	----	----	----	----	----	----	----	17	----	----	----	0 -	14			
6030	0.033	0.033	0.085/0.007A	0.126B/0.007A	----	0.000 - 0.194	----	----	----	----	----	----	----	----	----	19	----	----	----	0 -	4			
6040	0.035	0.035	0.046/0.003	0.144B/0.003	----	0.000 - 0.217	----	----	----	----	----	----	----	----	----	34	----	----	----	0 -	6			
6050	0.160	0.160	1.621B/0.020A	1.621B/0.020A	----	0.066	NEW	1	----	----	----	----	----	----	----	2	----	----	----	0	UNCH			
6050	0.088	0.088	0.165B/0.011A	0.165B/0.011A	----	0.000 - 0.242	----	----	----	----	----	----	----	----	----	104	----	----	----	0 -	26			
6060	0.190	0.190	0.200/0.023A	0.200/0.023A	----	0.034 - 0.236	50	----	----	----	----	----	----	----	----	82	----	----	----	0 -	3			
6060	0.075	0.075	1.530B/0.008A	1.530B/0.008A	----	0.000	NEW	----	----	----	----	----	----	----	----	4	----	----	----	0	UNCH			
6070	0.046	0.046	0.266B/0.031A	0.266B/0.031A	----	0.134 - 0.167	2	----	----	----	----	----	----	----	----	11	----	----	----	0 -	4			
6070	0.250	0.250	1.440B/0.007A	1.440B/0.007A	----	0.000	NEW	----	----	----	----	----	----	----	----	8	----	----	----	0	UNCH			
6080	0.253	0.253	1.352B/0.007A	1.352B/0.007A	----	0.000	NEW	----	----	----	----	----	----	----	----	1	----	----	----	0	UNCH			
6080	0.206	0.206	0.350B/0.044A	0.350B/0.044A	----	0.234 - 0.102	7	----	----	----	----	----	----	----	----	9	----	----	----	0 -	6			
6090	----	----	0.447B/0.064A	0.447B/0.064A	----	0.334 - 0.041	5	----	----	----	----	----	----	----	----	1	----	----	----	0 -	4			
6090	0.066	0.066	1.266B/0.002	1.266B/0.002	----	0.000 - 0.628	----	----	----	----	----	----	----	----	----	16	----	----	----	0 -	1			
6100	0.310	0.310	1.181B/0.007A	1.181B/0.007A	----	0.000 - 0.570	----	----	----	----	----	----	----	----	----	24	----	----	----	0 -	6			
6100	0.200	0.200	0.547B/0.081A	0.547B/0.081A	----	0.434 + 0.017	27	----	----	----	----	----	----	----	----	52	----	----	----	0 -	20			
6110	0.300	0.300	0.646B/0.103A	0.646B/0.103A	----	0.534 + 0.070	3	----	----	----	----	----	----	----	----	6	----	----	----	0 -	3			
6110	0.389	0.389	1.098B/0.005A	1.098B/0.005A	----	0.000	NEW	----	----	----	----	----	----	----	----	2	----	----	----	0	UNCH			
6120	----	----	1.018B/0.003A	1.018B/0.003A	----	0.000 - 0.467	----	----	----	----	----	----	----	----	----	----	----	----	----	0	UNCH			
6120	0.230	0.230	0.748B/0.136A	0.748B/0.136A	----	0.634 + 0.120	8	----	----	----	----	----	----	----	----	12	----	----	----	0 -	1			
6130	0.302	0.302	0.940B/0.003A	0.940B/0.003A	----	0.000 - 0.421	----	----	----	----	----	----	----	----	----	6	----	----	----	0 -	1			
6130	0.385	0.385	0.845B/0.163A	0.845B/0.163A	----	0.734 + 0.166	6	----	----	----	----	----	----	----	----	7	----	----	----	0 -	4			
6140	0.515	0.515	0.865B/0.003A	0.865B/0.003A	----	0.000	NEW	----	----	----	----	----	----	----	----	1	----	----	----	0	UNCH			
6140	0.258	0.258	0.945B/0.188A	0.945B/0.188A	----	0.834 + 0.209	6	----	----	----	----	----	----	----	----	5	----	----	----	0 -	2			
6150	0.280	0.280	1.045B/0.219A	1.045B/0.219A	----	0.934 + 0.249	12	----	----	----	----	----	----	----	----	4	----	----	----	0 -	10			
6150	0.180	0.180	0.794B/0.001A	0.794B/0.001A	----	0.000 - 0.338	----	----	----	----	----	----	----	----	----	4	----	----	----	0 -	2			
6160	0.292	0.292	1.145B/0.250A	1.145B/0.250A	----	1.034	NEW	7	----	----	----	----	----	----	----	8	----	----	----	0	UNCH			
6160	0.180	0.180	0.725B/0.005A	0.725B/0.005A	----	0.000 - 0.302	----	----	----	----	----	----	----	----	----	19	----	----	----	0 -	2			
6170	0.111	0.111	0.660B/0.008A	0.660B/0.008A	----	0.000 - 0.269	----	----	----	----	----	----	----	----	----	21	----	----	----	0 -	1			
6180	0.092	0.092	0.599B/0.011A	0.599B/0.011A	----	0.000 - 0.238	----	----	----	----	----	----	----	----	----	1	----	----	----	0 -	2			
6190	0.093	0.093	0.544B/0.009A	0.544B/0.009A	----	0.000 - 0.210	----	----	----	----	----	----	----	----	----	4	----	----	----	0 -	11			
6200	0.288	0.288	0.490B/0.001A	0.490B/0.001A	----	0.000 - 0.185	----	----	----	----	----	----	----	----	----	75	----	----	----	0 -	60			
6200	----	----	1.546B/0.426A	1.546B/0.426A	----	1.434 + 0.402	18	----	----	----	----	----	----	----	----	----	----	----	----	0 -	18			
6210	----	----	0.440B/0.010A	0.440B/0.010A	----	0.000 - 0.162	----	----	----	----	----													

BULLETIN #188@										METALS OPTION PRODUCTS				Wed, Sep 30, 2026		PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK															
OCT26																	
7400	----	----	-----/0.021A	0.011B/0.021A	----	0.014 - 0.011	.0053	----	----	----	108	----	0				
TOTAL												249 +	106				
TWS TUE		SILVER WEEKLY TUESDAY OPTION week5															
SEP26																	
5000	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
5780	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
5860	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
5970	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
5980	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6000	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6010	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6030	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6040	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6050	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6060	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6070	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6080	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6090	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6100	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6100	----	----	----	----	----	0.153	UNCH	----	----	----	----	0	UNCH				
6110	----	----	----	----	----	0.053	UNCH	----	----	----	----	0	UNCH				
6110	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6120	----	----	----	----	----	0.047	UNCH	----	----	----	----	0	UNCH				
6120	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6130	----	----	----	----	----	0.147	UNCH	----	----	----	----	0	UNCH				
6130	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6140	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6140	----	----	----	----	----	0.247	UNCH	----	----	----	----	0	UNCH				
6150	----	----	----	----	----	0.347	UNCH	----	----	----	----	0	UNCH				
6150	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6160	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6160	----	----	----	----	----	0.447	UNCH	----	----	----	----	0	UNCH				
6170	----	----	----	----	----	0.547	UNCH	----	----	----	----	0	UNCH				
6170	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6180	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6180	----	----	----	----	----	0.647	UNCH	----	----	----	----	0	UNCH				
6190	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6200	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6200	----	----	----	----	----	0.847	UNCH	----	----	----	----	0	UNCH				
6210	----	----	----	----	----	0.947	UNCH	----	----	----	----	0	UNCH				
6210	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6220	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6230	----	----	----	----	----	1.147	UNCH	----	----	----	----	0	UNCH				
6240	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6250	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6260	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6300	----	----	----	----	----	1.847	UNCH	----	----	----	----	0	UNCH				
6300	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6330	----	----	----	----	----	2.147	UNCH	----	----	----	----	0	UNCH				
6340	----	----	----	----	----	2.247	UNCH	----	----	----	----	0	UNCH				
6350	----	----	----	----	----	2.347	UNCH	----	----	----	----	0	UNCH				
6370	----	----	----	----	----	2.547	UNCH	----	----	----	----	0	UNCH				
6370	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6400	----	----	----	----	----	2.847	UNCH	----	----	----	----	0	UNCH				
6400	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6420	----	----	----	----	----	3.047	UNCH	----	----	----	----	0	UNCH				
6430	----	----	----	----	----	3.147	UNCH	----	----	----	----	0	UNCH				
6450	----	----	----	----	----	3.347	UNCH	----	----	----	----	0	UNCH				
6490	----	----	----	----	----	3.747	UNCH	----	----	----	----	0	UNCH				
6500	----	----	----	----	----	3.847	UNCH	----	----	----	----	0	UNCH				
6600	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6750	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6750	----	----	----	----	----	6.347	UNCH	----	----	----	----	0	UNCH				
TOTAL											0	0	0				
OCT26																	
4750	----	----	0.014B/----	0.014B/0.043A	----	0.012 - 0.001	.0051	----	----	----	----	34	UNCH				
5800	0.422	0.422	0.567B/0.390A	0.567B/0.390A	----	0.549	NEW .2292	----	----	10	----	10 +	10				
5950	0.449	0.449	0.617B/0.340A	0.617B/0.340A	----	0.574	NEW .3191	----	----	40	----	40 +	40				
6050	----	----	1.045B/0.567A	1.045B/0.567A	----	0.981 + 0.129	.4810	----	----	----	----	1	UNCH				
6050	----	----	1.515B/0.999A	1.515B/0.999A	----	1.455 + 0.175	.4808	----	----	----	----	11	UNCH				
6100	1.025	1.025	1.725B/0.755A	1.725B/0.755A	----	0.815	NEW .4347	----	2	----	----	2 +	2				
6150	----	----	1.647B/0.919A	1.647B/0.919A	----	1.559 + 0.224	.6453	----	----	----	----	22	UNCH				
6200	1.779	1.779	2.414B/1.645A	2.414B/1.645A	----	2.343	NEW .6405	----	2	----	----	2 +	2				
6200	----	----	2.785B/2.147A	2.785B/2.147A	----	2.722 + 0.237	.6050	----	----	----	----	1	UNCH				
6250	----	----	2.402B/1.420A	2.402B/1.420A	----	2.290 + 0.326	.7796	----	----	----	----	5	UNCH				
6250	----	----	0.920B/0.329A	0.920B/0.329A	----	0.357 - 0.261	.2203	----	----	----	----	6	UNCH				
6350	----	----	0.571B/0.184A	0.571B/0.184A	----	0.202 - 0.174	.1291	----	----	----	----	1	UNCH				
6370	0.166	0.166	0.166B/0.164A	0.517B/0.164A	----	0.181	NEW .1158	----	1	----	----	1 +	1				
6390	----	----	----	3.628B/2.363A	----	3.494	NEW .8962	----	1	----	----	1 +	1				
6400	----	----	0.444B/0.139A	0.444B/0.139A	----	0.153 - 0.140	.0979	----	----	----	----	1	UNCH				
6450	0.251	0.251	0.344B/0.118A	0.344B/0.118A	----	0.117 - 0.112	.0744	----	3	----	----	2 +	1				
6500	0.220	0.220	0.267B/0.086A	0.267B/0.086A	----	0.091	NEW .0570	----	3	----	----	3 +	3				
6700	----	----	6.544B/5.079A	6.544B/5.079A	----	6.471 + 0.545	.9774	----	----	----	----	1	UNCH				
6750	----	----	0.075B/0.036A	0.075B/0.036A	----	0.034 - 0.036	.0185	----	----	----	----	0	UNCH				
6900	0.034	0.034	0.034B/0.030A	0.041B/0.030A	----	0.023	NEW .0113	----	1	----	----	1 +	1				
7000	----	----	-----/0.026A	0.029B/0.026A	----	0.019 - 0.019	.0087	----	----	----	----	4	UNCH				
7050	----	----	-----/0.024A	0.025B/0.024A	----	0.017 - 0.017	.0075	----	----	----	----	4	UNCH				
7700	----	----	-----/0.035A	0.020B/0.035A	----	0.022 - 0.017	.0084	----	----	----	----	1	UNCH				
8750	0.009	0.009	0.011B/0.009	0.011B/0.009	----	0.007 - 0.002	.0024	----	1	----	----	34 +	1				
TOTAL									64	0		188 +	62				
COPPER OPTIONS ON FUTURES																	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
HWW MON		COPPER WEEKLY MONDAY OPTION WEEK3															
OCT26																	
500	----	----	----	-----/0.0080A	----	0.0005	UNCH	.0000	----	----	----	19	UNCH				
525	----	----	----	-----/0.0065A	----	0.0005	UNCH	----	----	----	----	30	UNCH				
615	----	----	----	-----/0.0085A	----	0.0015 - 0.0025	.0105	----	----	----	----	30	UNCH				
625	----	----	----	-----/0.0075A	----	0.0025 - 0.0030	.0204	----	----	----	----	1	UNCH				
625	----	----	-----/0.0415A	0.0330B/0.0415A	----	0.0395 - 0.0055	.1672	----	----	----	----	10	UNCH				
630	----	----	----	0.0005B/0.0085A	----	0.0030 - 0.0040	.0270	----	----	----	----	135	UNCH				

PG64	BULLETIN #188@										METALS OPTION PRODUCTS										Wed, Sep 30, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST											
HWW WED COPPER WEEKLY WEDNESDAY OPTION WEEK																									
OCT26																									
705	0.0170	0.0170	0.0170/0.0170	0.0180B/0.0170	----		0.0170 - 0.0015	.0933	----	----	15	----		31 +	11										
710	----	----	0.0325B/----	0.0325B/0.0330A	----		0.0310 + 0.0040	.1369	----	----	----	----		5	UNCH										
715	----	----	0.0405B/----	0.0405B/0.0380A	----		0.0400 + 0.0105	.1535	----	----	----	----		5	UNCH										
730	----	----	----	0.0055B/0.0125A	----		0.0075 UNCH	.0374	----	----	----	----		3	UNCH										
740	----	----	----	0.0035B/0.0115A	----		0.0050 UNCH	.0244	----	----	----	----		1	UNCH										
750	----	----	----	0.0020B/0.0100A	----		0.0030 - 0.0005	.0145	----	----	----	----		2	UNCH										
800	----	----	----	----/0.0075A	----		0.0005 UNCH	.0020	----	----	----	----		1	UNCH										
800	----	----	0.0035B/----	0.0035B/0.0075A	----		0.0050 + 0.0020	.0200	----	----	----	----		9	UNCH										
850	----	----	----	----/0.0070A	----		0.0005 UNCH	.0000	----	----	----	----		30	UNCH										
TOTAL											128			733 +	56										
NOV26																									
610	----	----	----	0.0235B/0.0385A	----		0.0315 - 0.0020	.1222	----	----	----	----		2	UNCH										
615	----	----	----	0.0305B/0.0445A	----		0.0385 - 0.0020	.1450	----	----	----	----		40	UNCH										
620	----	----	----	0.0395B/0.0520A	----		0.0470 - 0.0020	.1712	----	----	----	----		30	UNCH										
625	----	----	----	0.0500B/0.0610A	----		0.0575 - 0.0020	.2010	----	----	----	----		1	UNCH										
660	----	----	0.2405B/----	0.2405B/0.2190A	----		0.2140 + 0.0145	.5317	----	----	----	----		1	UNCH										
670	----	----	0.1935B/----	0.1935B/0.1780A	----		0.1725 + 0.0145	.4547	----	----	----	----		1	UNCH										
675	----	----	0.1730B/----	0.1730B/0.1605A	----		0.1540 + 0.0135	.4180	----	----	----	----		1	UNCH										
675	----	----	----/0.2620A	0.2795B/0.2620A	----		0.2825 - 0.0040	.5810	----	----	----	----		1	UNCH										
685	----	----	0.1370B/----	0.1370B/0.1295A	----		0.1230 + 0.0130	.3506	----	----	----	----		2	UNCH										
700	----	----	0.0955B/----	0.0955B/0.0945A	----		0.0875 + 0.0115	.2647	----	----	----	----		1	UNCH										
720	----	----	0.0565B/----	0.0565B/0.0630A	----		0.0555 + 0.0090	.1782	----	----	----	----		1	UNCH										
755	----	----	----	0.0215B/0.0340A	----		0.0265 + 0.0050	.0896	----	----	----	----		1	UNCH										
850	----	----	----	0.0005B/0.0130A	----		0.0035 + 0.0010	.0128	----	----	----	----		1	UNCH										
TOTAL														83											
DEC26																									
575	----	----	----	0.0130B/0.0305A	----		0.0195 - 0.0025	.0598	----	----	----	----		4	UNCH										
600	----	----	----	0.0330B/0.0500A	----		0.0415 - 0.0040	.1171	----	----	----	----		4	UNCH										
625	----	----	----	0.0775B/0.0905A	----		0.0845 - 0.0050	.2117	----	----	----	----		1	UNCH										
645	----	----	----/0.1465A	0.1395B/0.1465A	----		0.1460 - 0.0060	.3173	----	----	----	----		25	UNCH										
650	----	----	----/0.1645A	0.1590B/0.1645A	----		0.1655 - 0.0065	.3462	----	----	----	----		11	UNCH										
690	----	----	0.2260B/----	0.2260B/0.2155A	----		0.2055 + 0.0090	.4221	----	----	----	----		1	UNCH										
695	----	----	0.2080B/----	0.2080B/0.1990A	----		0.1895 + 0.0090	.3964	----	----	----	----		1	UNCH										
700	----	----	----/0.4285A	0.4450B/0.4285A	----		0.4475 - 0.0100	.6268	----	----	----	----		1	UNCH										
720	----	----	0.1350B/----	0.1350B/0.1340A	----		0.1250 + 0.0075	.2839	----	----	----	----		2	UNCH										
745	----	----	0.0865B/----	0.0865B/0.0920A	----		0.0825 + 0.0060	.1993	----	----	----	----		2	UNCH										
TOTAL														52											
HX CALL COMEX COPPER OPTIONS																									
NOV26																									
535	----	----	----	----	----		1.2735 + 0.0180	.9868	----	----	----	----		1	UNCH										
545	----	----	----	----	----		1.1740 + 0.0175	.9842	----	----	----	----		1	UNCH										
580	----	----	----	----	----		0.8275 + 0.0175	.9657	----	----	----	----		2	UNCH										
585	----	----	0.7810B/----	0.7810B/0.7675A	----		0.7785 + 0.0175	.9606	----	----	----	----		1	UNCH										
595	----	----	0.7440B/----	0.7440B/0.6710A	----		0.6815 + 0.0170	.9458	----	----	----	----		2	UNCH										
600	----	----	0.6945B/----	0.6945B/0.6230A	----		0.6340 + 0.0170	.9345	----	----	----	----		4	UNCH										
610	----	----	----	----	----		0.5410 + 0.0165	.9056	----	----	----	----		14	UNCH										
630	----	----	0.4255B/----	0.4255B/0.3630A	----		0.3715 + 0.0160	.7959	----	----	----	----		1	UNCH										
635	----	----	0.3855B/----	0.3855B/0.3260A	----		0.3345 + 0.0165	.7580	----	----	----	----		2	UNCH										
640	----	----	0.3495B/----	0.3495B/0.2920A	----		0.2995 + 0.0160	.7164	----	----	----	----		340	UNCH										
645	----	----	0.3130B/----	0.3130B/0.2600A	----		0.2675 + 0.0160	.6718	----	----	----	----		1	UNCH										
650	----	----	0.2810B/----	0.2810B/0.2295A	----		0.2380 + 0.0160	.6260	----	----	----	----		40	UNCH										
655	0.2040	0.2040	0.2510B/0.2020	0.2510B/0.2020	----		0.2110 + 0.0160	.5791	----	----	4	----		11 +	2										
660	----	----	0.2250B/----	0.2250B/0.1795A	----		0.1870 + 0.0160	.5327	----	----	141	----		407 +	80										
664	----	----	0.2045B/----	0.2045B/0.1620A	----		0.1695 + 0.0160	.4964	----	----	----	----		45	UNCH										
665	0.1645	0.1645	0.1995B/0.1580A	0.1995B/0.1580A	----		0.1655 + 0.0160	.4875	----	----	2	----		86 -	1										
666	----	----	0.1945B/----	0.1945B/0.1540A	----		0.1615 + 0.0165	.4786	----	----	----	----		7	UNCH										
670	----	----	0.1770B/----	0.1770B/0.1375A	----		0.1460 + 0.0160	.4439	----	----	----	----		393	UNCH										
675	----	----	0.1565B/----	0.1565B/0.1200A	----		0.1285 + 0.0160	.4024	----	----	----	----		317	UNCH										
680	0.1135	0.1135	0.1375B/0.1055A	0.1375B/0.1055A	----		0.1130 + 0.0155	.3635	----	----	11	----		216 -	11										
685	0.1130	0.1130	0.1210B/0.0935	0.1210B/0.0915A	----		0.0995 + 0.0150	.3275	----	----	138	----		343 +	45										
690	0.1010	0.1010	0.1065B/0.0780	0.1065B/0.0780	----		0.0875 + 0.0145	.2941	----	----	399	----		296 +	164										
695	0.0725	0.0725	0.0935B/0.0725	0.0935B/0.0690A	----		0.0770 + 0.0140	.2637	----	----	21	----		289 +	11										
700	0.0640	0.0640	0.0820B/0.0640	0.0820B/0.0605A	----		0.0675 + 0.0130	.2356	----	----	216	----		603 +	94										
705	0.0540	0.0540	0.0715B/0.0540	0.0715B/0.0520A	----		0.0590 + 0.0120	.2098	----	----	7	----		308	UNCH										
710	0.0470	0.0470	0.0625B/0.0470	0.0625B/0.0455A	----		0.0520 + 0.0110	.1873	----	----	3	----		311 +	3										
714	0.0510	0.0510	0.0555B/0.0510																						

BULLETIN #188@										METALS OPTION PRODUCTS										wed, Sep 30, 2026		PG64
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
HX CALL		COMEX COPPER OPTIONS																				
DEC26																						
755	0.0485	0.0485	0.0550B/0.0460A	0.0550B/0.0460A	----	0.0475	+	0.0050	.1306	----	----	20	----	36	+	16						
770	0.0400	0.0400	0.0425B/0.0400	0.0425B/0.0360A	----	0.0375	+	0.0045	.1045	----	----	2	----	1170	+	2						
775	----	----	0.0390B/----	0.0390B/0.0335A	----	0.0345	+	0.0040	.0967	----	----	----	----	636	UNCH	UNCH						
780	----	----	0.0360B/----	0.0360B/0.0310A	----	0.0320	+	0.0040	.0899	----	----	----	----	206	UNCH	UNCH						
800	0.0240	0.0240	0.0265B/0.0240	0.0265B/0.0230A	----	0.0240	+	0.0035	.0679	----	----	10	----	1414	+	2						
825	0.0155	0.0155	0.0180B/0.0155	0.0180B/0.0155	----	0.0170	+	0.0025	.0484	----	----	1	----	480	+	1						
850	----	----	0.0125B/----	0.0125B/0.0115A	----	0.0125	+	0.0020	.0354	----	----	----	----	311	UNCH	UNCH						
875	----	----	0.0090B/----	0.0090B/0.0085A	----	0.0095	+	0.0015	.0267	----	----	----	----	23	UNCH	UNCH						
900	----	----	0.0065B/----	0.0065B/0.0070A	----	0.0075	+	0.0015	.0208	----	----	----	----	511	UNCH	UNCH						
925	----	----	----	0.0045B/0.0055A	----	0.0055	+	0.0010	.0153	----	----	----	----	12	UNCH	UNCH						
950	----	----	----	0.0030B/0.0045A	----	0.0045	+	0.0010	.0123	----	----	----	----	152	UNCH	UNCH						
975	----	----	----	0.0020B/0.0040A	----	0.0035	+	0.0005	.0095	----	----	----	----	54	UNCH	UNCH						
1000	----	----	----	0.0015B/0.0035A	----	0.0025	UNCH		.0069	----	----	----	----	13	UNCH	UNCH						
1100	0.0005	0.0005	0.0005/0.0005	0.0005/0.0005	----	0.0010	UNCH		.0027	----	2	----	----	95	+	2						
TOTAL											274			17939	+	39						
JAN27																						
500	----	----	----	----	----	1.7285	+	0.0180	.9764	----	----	----	----	1	UNCH	UNCH						
600	----	----	----	----	----	0.7915	+	0.0155	.8434	----	----	----	----	2	UNCH	UNCH						
650	----	----	0.4735B/----	0.4735B/0.4420A	----	0.4410	+	0.0145	.6347	----	----	----	----	79	UNCH	UNCH						
665	----	----	0.3905B/----	0.3905B/0.3655A	----	0.3635	+	0.0140	.5609	----	----	----	----	1	UNCH	UNCH						
675	----	----	0.3420B/----	0.3420B/0.3190A	----	0.3190	+	0.0135	.5125	----	----	----	----	1	UNCH	UNCH						
680	----	----	0.3195B/----	0.3195B/0.2990A	----	0.2985	+	0.0130	.4888	----	----	----	----	3	UNCH	UNCH						
685	----	----	0.2985B/----	0.2985B/0.2800A	----	0.2795	+	0.0130	.4658	----	----	----	----	47	UNCH	UNCH						
690	----	----	0.2780B/----	0.2780B/0.2615A	----	0.2615	+	0.0125	.4433	----	----	----	----	15	UNCH	UNCH						
695	----	----	0.2600B/----	0.2600B/0.2445A	----	0.2445	+	0.0120	.4215	----	----	----	----	5	UNCH	UNCH						
700	----	----	0.2425B/----	0.2425B/0.2285A	----	0.2285	+	0.0115	.4003	----	----	127	----	160	+	102						
710	----	----	0.2115B/----	0.2115B/0.2000A	----	0.1995	+	0.0105	.3602	----	----	----	----	5	UNCH	UNCH						
715	----	----	0.1970B/----	0.1970B/0.1865A	----	0.1860	+	0.0100	.3410	----	----	----	----	800	UNCH	UNCH						
720	----	----	0.1830B/----	0.1830B/0.1740A	----	0.1735	+	0.0095	.3227	----	----	----	----	12	UNCH	UNCH						
725	----	----	0.1700B/----	0.1700B/0.1620A	----	0.1615	+	0.0090	.3049	----	----	----	----	132	UNCH	UNCH						
730	----	----	0.1600B/----	0.1600B/0.1520A	----	0.1505	+	0.0085	.2880	----	----	----	----	505	UNCH	UNCH						
740	----	----	0.1375B/----	0.1375B/0.1330A	----	0.1305	+	0.0075	.2563	----	----	----	----	101	UNCH	UNCH						
750	----	----	0.1190B/----	0.1190B/0.1155A	----	0.1135	+	0.0065	.2280	----	----	----	----	790	UNCH	UNCH						
755	----	----	0.1100B/----	0.1100B/0.1095A	----	0.1060	+	0.0065	.2150	----	----	2	----	2	UNCH	UNCH						
760	----	----	0.1025B/----	0.1025B/0.1015A	----	0.0990	+	0.0060	.2028	----	----	1	----	1	UNCH	UNCH						
775	----	----	0.0825B/----	0.0825B/0.0855A	----	0.0805	+	0.0045	.1695	----	----	----	----	421	UNCH	UNCH						
800	0.0690	0.0690	0.0690/0.0630A	0.0690/0.0630A	----	0.0585	+	0.0035	.1270	----	4	----	----	1015	+	4						
825	----	----	0.0420B/----	0.0420B/0.0480A	----	0.0435	+	0.0025	.0963	----	----	----	----	11	UNCH	UNCH						
850	----	----	0.0320B/----	0.0320B/0.0375A	----	0.0325	+	0.0020	.0731	----	----	----	----	28	UNCH	UNCH						
875	----	----	0.0240B/----	0.0240B/0.0295A	----	0.0240	NEW		.0551	----	1	----	----	1	+	1						
900	----	----	0.0185B/----	0.0185B/0.0240A	----	0.0180	+	0.0015	.0419	----	----	----	----	304	UNCH	UNCH						
950	----	----	0.0115B/----	0.0115B/0.0170A	----	0.0105	+	0.0010	.0249	----	----	----	----	3	UNCH	UNCH						
1000	----	----	0.0065B/----	0.0065B/0.0140A	----	0.0065	+	0.0005	.0155	----	----	----	----	13	UNCH	UNCH						
TOTAL										127	5			4458	+	107						
FEB27																						
600	----	----	----	----	----	0.8250	+	0.0150	.8106	----	----	----	----	2	UNCH	UNCH						
610	----	----	----	----	----	0.7495	+	0.0145	.7781	----	----	----	----	1	UNCH	UNCH						
625	----	----	0.6810B/----	0.6810B/0.6460A	----	0.6440	+	0.0135	.7239	----	----	----	----	2	UNCH	UNCH						
640	----	----	0.5830B/----	0.5830B/0.5530A	----	0.5500	+	0.0130	.6642	----	----	----	----	1	UNCH	UNCH						
650	----	----	0.5230B/----	0.5230B/0.4970A	----	0.4930	+	0.0120	.6226	----	----	----	----	41	UNCH	UNCH						
655	----	----	0.4955B/----	0.4955B/0.4710A	----	0.4665	+	0.0120	.6016	----	----	----	----	1	UNCH	UNCH						
660	----	----	0.4690B/----	0.4690B/0.4460A	----	0.4415	+	0.0120	.5806	----	----	----	----	1	UNCH	UNCH						
670	----	----	0.4190B/----	0.4190B/0.4000A	----	0.3945	+	0.0115	.5387	----	----	----	----	1	UNCH	UNCH						
685	----	----	0.3525B/----	0.3525B/0.3385A	----	0.3320	+	0.0105	.4777	----	----	----	----	30	UNCH	UNCH						
700	----	----	0.2955B/----	0.2955B/0.2855A	----	0.2785	+	0.0095	.4201	----	----	----	----	50	UNCH	UNCH						
705	----	----	0.2785B/----	0.2785B/0.2695A	----	0.2630	+	0.0100	.4021	----	----	----	----	1	UNCH	UNCH						
725	----	----	0.2185B/----	0.2185B/0.2140A	----	0.2075	+	0.0090	.3346	----	----	----	----	9	UNCH	UNCH						
735	----	----	0.1935B/----	0.1935B/0.1905A	----	0.1845	+	0.0090	.3045	----	----	----	----	30	UNCH	UNCH						
740	----	----	0.1820B/----	0.1820B/0.1805A	----	0.1740	+	0.0085	.2902	----	----	----	----	10	UNCH	UNCH						
745	----	----	0.1715B/----	0.1715B/0.1705A	----	0.1640	+	0.0085	.2765	----	----	----	----	2	UNCH	UNCH						
750	----	----	0.1605B/----	0.1605B/0.1610A	----	0.1545	+	0.0080	.2633	----	----	----	----	73	UNCH	UNCH						
765	----	----	0.1335B/----	0.1335B/0.1360A	----	0.1295	+	0.0070	.2271	----	----	----	----	2	UNCH	UNCH						
850	----	----	0.0485B/----	0.0485B/0.0585A	----	0.0500	+	0.0035	.0977	----	----	----	----	60	UNCH	UNCH						
900	----	----	0.0285B/----	0.0285B/0.0390A	----	0.0300	+	0.0020	.0607	----	----	----	----	49	UNCH	UNCH						
925	----	----	----	0.0220B/0.0350A	----	0.0240	+	0.0020	.0490	----	----	----	----	6	UNCH	UNCH						
950	----	----	----	0.0170B/0.0295A	----	0.0195	+	0.0015	.0399	----	----	----	----	2	UNCH	UNCH						
1000	----	----	----	0.0100B/0.0220A	----	0.0135	+	0.0010	.0276	----	----	----	----	57	UNCH	UNCH						
TOTAL														431								
MAR27																						



CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY



G64		BULLETIN #188@										METALS OPTION PRODUCTS										Wed, Sep 30, 2026				PG64	
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE		GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW		OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA		EXER CISES		OPEN OUTCRY VOLUME		GLOBEX® VOLUME		PNT VOLUME		OPEN INTEREST					
HX PUT		COMEX COPPER OPTIONS																									
NOV26																											
530	----	----	----	----	0.0025B/0.0045A	----	0.0035	UNCH	-.0126	----	----	----	----	----	----	----	----	----	----	----	2	UNCH					
535	----	----	----	----	0.0025B/0.0045A	----	0.0035	-	0.0005	-.0131	----	----	----	----	----	----	----	----	----	----	32	UNCH					
540	----	----	----	----	0.0030B/0.0050A	----	0.0040	-	0.0005	-.0151	----	----	----	----	----	----	----	----	----	----	19	UNCH					
550	----	----	----	----	0.0035B/0.0050A	----	0.0045	-	0.0005	-.0179	----	----	----	----	----	----	----	----	----	----	175	UNCH					
560	----	----	----	----	0.0040B/0.0060A	----	0.0050	-	0.0005	-.0210	----	----	----	----	----	----	----	----	----	----	405	UNCH					
565	----	----	----	----	0.0045B/0.0060A	----	0.0055	-	0.0005	-.0236	----	----	----	----	----	----	----	----	----	----	27	UNCH					
570	0.0050	0.0050	0.0055/0.0050	0.0055/0.0050	0.0055/0.0050	----	0.0060	-	0.0005	-.0263	----	----	----	----	----	----	----	3	----	----	23	+					
575	----	----	----	----	0.0060B/0.0075A	----	0.0065	-	0.0005	-.0293	----	----	----	----	----	----	----	----	----	----	65	UNCH					
580	----	----	----	----	0.0070B/0.0080A	----	0.0075	-	0.0005	-.0341	----	----	----	----	----	----	----	2	----	----	67	UNCH					
585	----	----	----/0.0080A	0.0085B/0.0080A	0.0085B/0.0080A	----	0.0085	-	0.0005	-.0393	----	----	----	----	----	----	----	----	----	----	60	UNCH					
590	----	----	----/0.0090A	0.0100B/0.0090A	0.0100B/0.0090A	----	0.0100	-	0.0005	-.0464	----	----	----	----	----	----	----	----	----	----	290	UNCH					
595	----	----	----/0.0105A	0.0120B/0.0105A	0.0120B/0.0105A	----	0.0115	-	0.0010	-.0540	----	----	----	----	----	----	----	----	----	----	184	UNCH					
600	0.0140	0.0140	0.0140/0.0125A	0.0140/0.0125A	0.0140/0.0125A	----	0.0140	-	0.0010	-.0653	----	----	----	----	----	----	55	----	----	1349	+						
605	----	----	----/0.0150A	0.0175B/0.0150A	0.0175B/0.0150A	----	0.0170	-	0.0010	-.0787	----	----	----	----	----	----	1	----	----	103	UNCH						
610	0.0190	0.0190	0.0220B/0.0180A	0.0220B/0.0180A	0.0220B/0.0180A	----	0.0205	-	0.0015	-.0942	----	----	----	----	----	----	80	----	----	324	+						
615	0.0250	0.0250	0.0275B/0.0220A	0.0275B/0.0220A	0.0275B/0.0220A	----	0.0260	-	0.0010	-.1159	----	----	----	----	----	----	5	----	----	95	+						
620	0.0315	0.0315	0.0345B/0.0275A	0.0345B/0.0275A	0.0345B/0.0275A	----	0.0325	-	0.0015	-.1407	----	----	----	----	----	----	3	----	----	295	UNCH						
624	0.0380	0.0380	0.0420B/0.0330A	0.0420B/0.0330A	0.0420B/0.0330A	----	0.0390	-	0.0015	-.1640	----	----	----	----	----	----	1	----	----	3	+						
625	----	----	0.0440B/0.0345A	0.0440B/0.0345A	0.0440B/0.0345A	----	0.0405	-	0.0020	-.1696	----	----	----	----	----	----	----	----	----	266	UNCH						
626	0.0430	0.0430	0.0460B/0.0360A	0.0460B/0.0360A	0.0460B/0.0360A	----	0.0425	-	0.0015	-.1762	----	----	----	----	----	----	3	----	----	2	-						
629	----	----	0.0520B/0.0410A	0.0520B/0.0410A	0.0520B/0.0410A	----	0.0485	-	0.0020	-.1963	----	----	----	----	----	----	----	----	----	4	UNCH						
630	0.0495	0.0495	0.0550B/0.0425	0.0550B/0.0425	0.0550B/0.0425	----	0.0510	-	0.0015	-.2039	----	----	----	----	----	----	7	----	----	282	-						
631	----	----	0.0575B/0.0450A	0.0575B/0.0450A	0.0575B/0.0450A	----	0.0530	-	0.0020	-.2106	----	----	----	----	----	----	----	----	----	23	UNCH						
634	----	----	0.0650B/0.0515A	0.0650B/0.0515A	0.0650B/0.0515A	----	0.0605	-	0.0020	-.2335	----	----	----	----	----	----	----	----	----	7	UNCH						
635	0.0600	0.0600	0.0685B/0.0540A	0.0685B/0.0540A	0.0685B/0.0540A	----	0.0635	-	0.0020	-.2419	----	----	----	----	----	----	32	----	----	165	-						
636	0.0560	0.0560	0.0715B/0.0560	0.0715B/0.0560	0.0715B/0.0560	----	0.0665	-	0.0015	-.2502	----	----	----	----	----	----	100	----	----	121	+						
640	0.0665	0.0665	0.0845B/0.0660A	0.0845B/0.0660A	0.0845B/0.0660A	----	0.0785	-	0.0020	-.2834	----	----	----	----	----	----	29	----	----	894	+						
645	0.0995	0.0995	0.1025B/0.0815A	0.1025B/0.0815A	0.1025B/0.0815A	----	0.0965	-	0.0015	-.3281	----	----	----	----	----	----	99	----	----	235	+						
650	0.1010	0.1010	0.1245B/0.0985A	0.1245B/0.0985A	0.1245B/0.0985A	----	0.1165	-	0.0020	-.3738	----	----	----	----	----	----	73	----	----	471	+						
655	0.1405	0.1405	0.1480B/0.1180A	0.1480B/0.1180A	0.1480B/0.1180A	----	0.1400	-	0.0020	-.4207	----	----	----	----	----	----	75	----	----	946	-						
660	0.1535	0.1535	0.1745B/0.1400A	0.1745B/0.1400A	0.1745B/0.1400A	----	0.1655	-	0.0020	-.4671	----	----	----	----	----	----	185	----	----	403	+						
664	0.1890	0.1890	0.1955B/0.1600A	0.1955B/0.1600A	0.1955B/0.1600A	----	0.1880	-	0.0020	-.5035	----	----	----	----	----	----	28	----	----	29	+						
665	----	----	0.2015B/0.1650A	0.2015B/0.1650A	0.2015B/0.1650A	----	0.1940	-	0.0015	-.5124	----	----	----	----	----	----	2	----	----	52	+						
666	0.1850	0.1850	0.2075B/0.1705A	0.2075B/0.1705A	0.2075B/0.1705A	----	0.1995	NEW	-.5212	----	----	----	----	----	----	----	76	----	----	6	+						
670	0.1950	0.1950	0.2325B/0.1925A	0.2325B/0.1925A	0.2325B/0.1925A	----	0.2240	-	0.0020	-.5559	----	----	----	----	----	----	3	----	----	213	+						
675	----	----	0.2645B/0.2215A	0.2645B/0.2215A	0.2645B/0.2215A	----	0.2570	-	0.0020	-.5974	----	----	----	----	----	----	----	----	----	100	UNCH						
680	----	----	0.2990B/0.2530A	0.2990B/0.2530A	0.2990B/0.2530A	----	0.2915	-	0.0020	-.6364	----	----	----	----	----	----	----	----	----	65	UNCH						
685	----	----	0.3355B/0.2875A	0.3355B/0.2875A	0.3355B/0.2875A	----	0.3275	-	0.0030	-.6724	----	----	----	----	----	----	----	----	----	88	UNCH						
690	----	----	0.3735B/0.3225A	0.3735B/0.3225A	0.3735B/0.3225A	----	0.3655	-	0.0030	-.7057	----	----	----	----	----	----	----	----	----	9	UNCH						
695	----	----	0.4120B/0.3600A	0.4120B/0.3600A	0.4120B/0.3600A	----	0.4045	-	0.0040	-.7361	----	----	----	----	----	----	----	----	----	3	UNCH						
700	----	----	0.4530B/0.3980A	0.4530B/0.3980A	0.4530B/0.3980A	----	0.4450	-	0.0050	-.7643	----	----	----	----	----	----	----	----	----	26	UNCH						
725	----	----	----/0.6070A	0.6705B/0.6070A	0.6705B/0.6070A	----	0.6630	-	0.0090	-.8665	----	----	----	----	----	----	----	----	----	3	UNCH						
735	----	----	----/0.6970A	0.7630B/0.6970A	0.7630B/0.6970A	----	0.7555	-	0.0100	-.8931	----	----	----	----	----	----	----	----	----	2	UNCH						
TOTAL																		863		8478		+					
DEC26																											
350	----	----	----	----	----/0.0015A	----	0.0005	UNCH	-.0001	----	----	----	----	----	----	----	----	----	----	46	UNCH						
360	----	----	----	----	----/0.0015A	----	0.0005	UNCH	-.0002	----	----	----	----	----	----	----	----	----	----	31	UNCH						
380	----	----	----	----	----/0.0015A	----	0.0005	UNCH	-.0007	----	----	----	----	----	----	----	----	----	----	22	UNCH						
385	----	----	----	----	----/0.0020A	----	0.0005	UNCH	-.0010	----	----	----	----	----	----	----	----	----	----	1	UNCH						
390	----	----	----	----	----/0.0020A	----	0.0005	UNCH	-.0012	----	----	----	----	----	----	----	----	----	----	45	UNCH						
395	----	----	----	----	----/0.0020A	----	0.0010	UNCH	-.0023	----	----	----	----	----	----	----	----	----	----	3	UNCH						
400	----	----	----	----	----/0.0020A	----	0.0010	-	0.0005	-.0024	----	----	----	----	----	----	----	----	----	31	UNCH						
420	----	----	----	----	0.0005B/0.0030A	----	0.0015	-	0.0005	-.0036	----	----	----	----	----	----	----	----	----	2	UNCH						
425	----	----	----	----	0.0005B/0.0030A	----	0.0020	UNCH	-.0047	----	----	----	----	----	----	----	----	----	----	60	UNCH						
450	----	----	----	----	0.0015B/0.0040A	----	0.0030	UNCH	-.0074	----	----	----	----	----	----	----	----	----	----	37	UNCH						
460	----	----	----	----	0.0020B/0.0045A	----	0.0030	-	0.0005	-.0078	----	----	----	----	----	----	----	----	----	2	UNCH						
470	----	----	----	----	0.0025B/0.0050A	----	0.0040	UNCH	-.0103	----	----	----	----	----	----	----	----	----	----	36	UNCH						
475	----	----	----	----	0.0030B/0.0050A	----	0.0040	UNCH	-.0106	----	----	----	----	----	----	----	----	----	----	34	UNCH						
480	----	----	----	----	0.0030B/0.0055A	----	0.0045	UNCH	-.0119	----	----	----	----	----	----	----	----	----	----	18	UNCH						
485	----	----	----	----	0.0035B/0.0055A	----	0.0045	-	0.0005	-.0122	----	----	----	----	----	----	----	----	----	1	UNCH						
490	----	----	----	----	0.0035B/0.0060A	----	0.0050	UNCH	-.0136	----	----	----	----	----	----	----	----	----	----	18	UNCH						
495	----	----	----	----	0.0040B/0.0060A	----	0.0055	UNCH	-.0151	----	----	----	----	----	----	----	----	----	----	1	UNCH						
500	----	----	----	----	0.0040B/0.0065A	----	0.0055	-	0.0005	-.0156	----	----	----	----	----	----	----	----	----	221	UNCH						
505	----	----	----	----	0.0045B/0.0070A	----	0.0060	UNCH	-.0171	----	----	----	----	----	----	----	----	----	----	1	UNCH						
510	----	----	----	----	0.0050B/0.0070A	----	0.0060	-	0.0005	-.0176	----	----	----	----	----	----	----	----	----	8	UNCH						
515	----	----	----	----	0.0055B/0.0075A	----	0.0065	-	0.0005	-.0193	----	----	----	----	----	----	----	----	----	2	UNCH						
520	----	----	----	----	0.0060B/0.0080A	----	0.0070	-	0.0005	-.0211	----	----	----	----	----	----	----	----	----	8	UNCH						
525	----	----	----	----	0.0065B/0.0085A	----	0.0075	-	0.0005	-.0229	----	----	----	----	----	----	----	----	----	31	UNCH						
530	----	----	----	----	0.0070B/0.0090A	----	0.0080	-	0.0010	-.0248	----	----	----	----	----	----	----	----	----	89	UNCH						
535	----	----	----	----	0.0075B/0.0095A	----	0.0085	-	0.0010	-.0269	----	----	----	----	----	----	----	----	----	1	UNCH						
540	----	----	----	----	0.0085B/0.0105A	----	0.0090	-	0.0015	-.0290	----	----	----	----	----	----	----	----	----	8	UNCH						
545	----	----	----	----	0.0095B/0.0110A	----	0.0100	-	0.0010	-.0324	----	----	----	----	----	----	----	----	----	49	UNCH						
550	----	----	----/0.0115A	0.0110B/0.0115A	0.0110B/0.0115A	----	0.0110	-	0.0015	-.0360	----	----	----	----													

ALUMINIUM OPTIONS ON FUTURES

GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL [®] VOLUME	PNT VOLUME	OPEN INTEREST
----------------	--------------	-----------------	--------------------	------------------	-----------------	-----------------	--------------------------	-------	---------------	--------------------------	-------------------------------	---------------	------------------

PLATINUM OPTIONS ON FUTURES

GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL [®] VOLUME	PNT VOLUME	OPEN INTEREST
----------------	--------------	-----------------	--------------------	------------------	-----------------	-----------------	--------------------------	-------	---------------	--------------------------	-------------------------------	---------------	------------------

PAO CALL													
NOV26													
1300	----	----	20.10B/----	20.10B/19.80A	----		17.00 + 0.20	.2466	----	----	----	----	21 UNCH
1350	----	----	11.40B/----	11.40B/14.10A	----		11.20 + 0.10	.1637	----	----	----	----	2 UNCH
1400	----	----		6.80B/10.10A	----		7.50 + 0.10	.1099	----	----	----	----	93 UNCH
1450	----	----		3.70B/7.20A	----		4.80 + 0.10	.0715	----	----	----	----	86 UNCH
1500	----	----		1.60B/5.40A	----		3.20 UNCH	.0478	----	----	----	----	5 UNCH
1550	----	----		0.30B/4.40A	----		2.20 UNCH	.0327	----	----	----	----	14 UNCH
1600	----	----		----/3.80A	----		1.60 UNCH	.0234	----	----	----	----	5 UNCH
1750	----	----		----/2.80A	----		0.60 UNCH	.0085	----	----	----	----	1 UNCH
TOTAL													2270

DEC26													
1250	----	----	57.80B/----	57.80B/53.40A	----		50.30 - 0.20	.4377	----	----	----	----	200 UNCH
1300	----	----	40.30B/----	40.30B/39.40A	----		36.80 + 0.30	.3385	----	----	----	----	6 UNCH
1315	----	----	36.20B/----	36.20B/36.00A	----		33.70 + 0.40	.3134	----	----	----	----	90 UNCH
1425	----	----		18.20B/22.00A	----		19.00 + 0.80	.1833	----	----	----	----	39 UNCH
1450	----	----		16.10B/20.10A	----		17.00 + 0.70	.1641	----	----	----	----	65 UNCH
1500	----	----		12.70B/16.80A	----		13.70 + 0.50	.1322	----	----	----	----	35 UNCH
1550	----	----		9.90B/14.10A	----		11.20 + 0.40	.1078	----	----	----	----	66 UNCH
1585	----	----		8.20B/12.50A	----		9.70 + 0.30	.0935	----	----	----	----	3 UNCH
1600	----	----		7.60B/11.80A	----		9.10 + 0.30	.0878	----	----	----	----	95 UNCH
1650	----	----		5.70B/10.00A	----		7.30 + 0.20	.0710	----	----	----	----	64 UNCH
1700	----	----		4.10B/8.60A	----		5.90 + 0.10	.0577	----	----	----	----	10 UNCH
1775	----	----		2.40B/7.00A	----		4.40 + 0.10	.0431	----	----	----	----	100 UNCH
1800	----	----		2.00B/6.60A	----		4.00 + 0.10	.0393	----	----	----	----	55 UNCH
1925	----	----		0.50B/5.20A	----		2.50 + 0.10	.0247	----	----	----	----	46 UNCH
1995	----	----		----/4.70A	----		2.00 + 0.10	.0197	----	----	----	----	6 UNCH
2000	----	----		----/4.70A	----		1.90 UNCH	.0188	----	----	----	----	1 UNCH
3000	----	----		----/2.70A	----		0.60 UNCH	.0047	----	----	----	----	1 UNCH
TOTAL													8820

MAR27													
1350	----	----	67.50B/----	67.50B/70.20A	----		64.70 + 0.20	.3789	----	----	----	----	75 UNCH
1400	----	----	55.20B/----	55.20B/59.30A	----		53.90 + 0.20	.3256	----	----	----	----	10 UNCH
1600	----	----		27.60B/35.00A	----		29.80 + 0.30	.1884	----	----	----	----	10 UNCH
TOTAL													950

JUN27													
1375	----	----	----	----	----		109.30 - 0.30	.4392	----	----	----	----	50 UNCH
TOTAL													500

PAO PUT													
NOV26													
1200	----	----	----/29.30A	32.70B/29.30A	----		35.10 + 0.30	.4344	----	----	----	----	24 UNCH
1225	----	----	----/41.10A	47.10B/41.10A	----		49.30 + 0.60	.5308	----	----	----	----	11 UNCH
1250	----	----	----/55.00A	63.70B/55.00A	----		65.70 + 0.90	.6181	----	----	----	----	108 UNCH
1275	----	----	----/70.60A	82.50B/70.60A	----		84.20 + 1.30	.6929	----	----	----	----	16 UNCH
1300	----	----	103.10B/88.00A	103.10B/88.00A	----		104.40 + 1.40	.7533	----	----	----	----	13 UNCH
1350	----	----	147.70B/128.40A	147.70B/128.40A	----		148.60 + 1.50	.8362	----	----	----	----	4 UNCH
TOTAL													1760

DEC26													
1050	----	----		6.00B/10.70A	----		9.40 + 0.30	.1150	----	----	----	----	5 UNCH
1150	----	----	----/31.30A	31.80B/31.30A	----		34.40 + 0.50	.3160	----	----	----	----	15 UNCH
1200	----	----	----/51.40A	55.00B/51.40A	----		57.50 + 0.70	.4426	----	----	----	----	53 UNCH
1250	----	----	----/77.70A	85.00B/77.70A	----		87.80 + 1.20	.5621	----	----	----	----	5 UNCH
1300	----	----	----/109.60A	121.30B/109.60A	----		124.10 + 1.70	.6613	----	----	----	----	100 UNCH
1315	----	----			----		135.90 + 1.80	.6863	----	----	----	----	90 UNCH
1380	----	----			----		190.60 + 2.10	.7731	----	----	----	----	1 UNCH
1400	----	----	206.50B/188.30A	206.50B/188.30A	----		208.30 + 2.20	.7940	----	----	----	----	150 UNCH
1500	----	----	299.30B/278.50A	299.30B/278.50A	----		300.20 + 1.80	.8676	----	----	----	----	40 UNCH
TOTAL													4590

MAR27													
1100	----	----		37.70B/42.70A	----		44.40 + 2.20	.2600	----	----	----	----	5 UNCH
1200	----	----	----/83.60A	82.10B/83.60A	----		88.30 + 1.80	.4136	----	----	----	----	10 UNCH
1350	----	----	----/174.60A	179.90B/174.60A	----		184.50 + 1.00	.6207	----	----	----	----	75 UNCH
TOTAL													900

PAW OOF													
OCT26													
1250	----	----	22.30B/----	22.30B/19.10A	----		16.30 - 0.90	.3192	----	----	----	----	4 UNCH
1300	----	----		8.40B/11.30A	----		7.90 - 0.70	.1608	----	----	----	----	12 UNCH
1350	----	----		----/2.70A	----		0.10 - 0.30	.0010	----	----	----	----	2 UNCH
TOTAL													180

PLW OOF													
OCT26													
1725	----	----	27.90B/----	27.90B/20.90A	----		20.10 + 4.20	.4539	----	----	----	----	1 UNCH
1750	----	----	----/34.10A	42.20B/34.10A	----		42.20 - 16.10	.7370	----	----	----	----	5 UNCH
1750	----	----	16.40B/----	16.40B/12.00A	----		11.10 + 1.70	.2629	----	----	----	----	1 UNCH
1800	----	----		2.70B/5.70A	----		2.70 - 0.50	.0548	----	----	----	----	20 UNCH
1825	----	----		0.50B/4.30A	----		1.30 - 0.50	.0219	----	----	----	----	16 UNCH
1875	----	----		----/3.10A	----		0.30 - 0.20	.0031	----	----	----	----	7 UNCH
TOTAL													500

PO CALL													
NOV26													
1775	38.90	38.90	39.20B/36.00A	39.20B/36.00A	----		34.90 + 4.40	.3636	----	----	8	----	9 + 8
1800	27.60	27.60	30.90B/27.60	30.90B/27.60	----		27.80 + 3.30	.3043	----	----	127	----	152 + 106
1825	22.20	22.20	24.20B/22.20	24.20B/22.20	----		22.20 + 2.30	.2527	----	----	27	----	35 + 27
1850	----	----	22.80B/----	22.80B/18.30A	----		17.80 + 1.40	.2089	----	----	----	----	149 UNCH
1875	14.30	14.30	14.70B/14.30	14.70B/14.30	----		14.30 + 0.80	.1720	----	----	5	----	88 + 5
1900	11.90	11.90	11.90/11.80	11.90/11.80	----		11.60 + 0.40	.1420	----	----	100	----	239 + 55
1925	----	----		8.80B/11.40A	----		9.50 + 0.20	.1176	----	----	----	----	68 UNCH
1950	----	----		6.70B/9.60A	----		7.90 + 0.20	.0982	----	----	----	----	119 UNCH
2000	----	----		3.70B/7.20A	----		5.40 UNCH	.0679	----	----	----	----	200 UNCH
2050	----	----		1.80B/5.60A	----		3.70 - 0.10	.0469	----	----	----	----	15 UNCH
2100	----	----		0.70B/4.70A	----		2.40 - 0.20	.0310	----	----	----	----	54 UNCH
2200	----	----		----/1.30A	----		1.80 - 0.20	.0143	----	----	----	----	210 UNCH
2250	----	----		----/3.20A	----		0.80 - 0.10	.0103	----	----	----	----	40 UNCH
2500	----	----		----/2.40A	----		0.10 - 0.10	.0013	----	----	----	----	20 UNCH
TOTAL											267		1398 + 201

DEC26													
1700	----	----	104.00B/----	104.00B/96.90A	----		96.60 + 8.40	.5598	----	----	----	----	1 UNCH
1900	----	----	35.10B/----	35.10B/35.20A	----		33.20 + 2.40	.2501	----	----	----	----	102 UNCH
1950	----	----	26.50B/----	26.50B/27.70A	----		25.80 + 1.60	.2007	----	----	----	----	10 UNCH
1975	----	----	22.90B/----	22.90B/24.70A	----		22.80 + 1.40	.1798	----	----	----	----	9 UNCH
2000	----	----	19.90B/----	19.90B/22.00A	----		20.20 + 1.20	.1612	----	----	----	----	122 UNCH
2200	----	----		6.00B/9.80A	----		7.70 + 0.20	.0663	----	----	----	----	101 UNCH
2250	----	----		4.40B/8.40A	----		6.10 + 0.10	.0532	----	----	----	----	51 UNCH
2500	----	----		0.50B/5.00A	----		2.20 UNCH	.0197	----	----	----	----	50 UNCH
TOTAL													4460

JAN27														
1700	----	----	124.90B/----	124.90B/118.40A	----		117.30 + 7.80	.5590	----	----	----	----	1	UNCH
1745	----	----	104.10B/----	104.10B/99.50A	----		97.90 + 6.50	.4938	----	----	----	----	2	UNCH
1800	----	----	83.00B/----	83.00B/80.20A	----		78.30 + 5.00	.4192	----	----	----	----	3	UNCH
1850	----	----	67.40B/----	67.40B/65.90A	----		63.90 NEW	.3582	----	----	----	30	30 +	30
1900	----	----	54.50B/----	54.50B/54.20A	----		52.10 + 3.10	.3042	----	----	----	----	575	UNCH
1950	----	----	44.20B/----	44.20B/44.80A	----		42.60 + 2.40	.2574	----	----	----	----	886	UNCH
2000	----	----	35.70B/----	35.70B/37.20A	----		35.00 + 1.90	.2176	----	----	----	1163	UNCH	
2050	----	----	28.90B/----	28.90B/31.10A	----		28.70 + 1.40	.1833	----	----	----	----	250	UNCH
2100	----	----	23.30B/----	23.30B/26.00A	----		23.70 + 1.10	.1547	----	----	----	----	81	UNCH
2150	----	----	18.80B/----	18.80B/22.00A	----		19.60 + 0.80	.1305	----	----	----	90	462 +	60

PG64	BULLETIN #188@										METALS OPTION PRODUCTS										Wed, Sep 30, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST												
PO CALL	PLATINUM OPTIONS																								
JAN27																									
2200	----	----	----	15.10B/18.60A	----	16.30	+ 0.60	.1103	----	----	----	----	214	UNCH											
2300	----	----	----	9.70B/13.80A	----	11.40	+ 0.30	.0793	----	----	----	----	108	UNCH											
2350	----	----	----	7.80B/12.10A	----	9.60	+ 0.20	.0675	----	----	----	90	693 +	90											
2360	----	----	----	7.40B/11.80A	----	9.30	+ 0.20	.0655	----	----	----	----	100	UNCH											
2400	----	----	----	6.20B/10.70A	----	8.20	+ 0.10	.0581	----	----	----	----	57	UNCH											
2500	----	----	----	4.00B/8.70A	----	6.20	+ 0.10	.0441	----	----	----	----	539	UNCH											
2600	----	----	----	2.50B/7.40A	----	4.80	UNCH	.0341	----	----	----	----	100	UNCH											
2650	----	----	----	2.00B/6.90A	----	4.30	+ 0.10	.0305	----	----	----	----	100	UNCH											
3000	----	----	----	----/4.90A	----	1.40	UNCH	.0105	----	----	----	----	1	UNCH											
TOTAL										210			5365 +	180											
APR27																									
1700	----	----	181.50B/----	181.50B/177.00A	----	175.30	+ 9.70	.5851	----	----	----	----	100	UNCH											
1775	----	----	148.10B/----	148.10B/145.80A	----	143.60	+ 8.70	.5106	----	----	----	----	100	UNCH											
1790			142.20B/----	142.20B/140.30A	----	137.90	+ 8.50	.4962	----	----	----	----	12	UNCH											
1900	108.00	108.00	108.00/100.00	108.00/100.00	----	102.10	+ 6.20	.3980	----		80	10	990 +	90											
2000	----	----	80.40B/----	80.40B/82.00A	----	78.40	+ 5.00	.3229	----	----	----	----	20	UNCH											
2100	----	----	61.80B/----	61.80B/64.70A	----	61.20	+ 3.60	.2623	----	----	----	----	30	UNCH											
2200	----	----	48.20B/----	48.20B/52.20A	----	48.60	+ 1.80	.2143	----	----	----	----	30	UNCH											
2300	----	----		38.00B/42.70A	----	39.00	+ 0.50	.1759	----	----	----	----	20	UNCH											
2400	----	----		30.10B/35.40A	----	31.70	+ 0.30	.1455	----	----	----	----	20	UNCH											
2600	----	----		19.10B/24.90A	----	21.30	+ 0.20	.1007	----	----	----	----	50	UNCH											
2700	----	----		15.30B/21.20A	----	17.60	+ 0.10	.0843	----		10		50	UNCH											
TOTAL											80		1422 +	90											
JUL27																									
1930	----	----	----	----	----	153.20	+ 7.50	.4433	----	----	----	----	110	UNCH											
TOTAL													110	0											
JUL28																									
1900	----	----	----	----	----	301.00	+ 9.40	.5527	----	----	----	----	250	UNCH											
TOTAL													250	0											
PO PUT	PLATINUM OPTIONS																								
NOV26																									
1300	----	----	----	----/2.20A	----	0.10	UNCH	.0016	----	----	----	----	20	UNCH											
1400	----	----	----	----/2.80A	----	0.40	- 0.30	.0068	----	----	----	----	40	UNCH											
1475	----	----	----	----/2.90A	----	1.90	- 1.00	.0294	----	----	----	----	115	UNCH											
1550	----	----	----/8.20A	4.80B/8.20A	----	7.00	- 2.60	.0948	----	----	----	----	1	UNCH											
1600	14.30	14.30	14.30/14.30	14.30/14.30	----	14.50	- 4.50	.1760	----		110	----	220 +	10											
1625	----	----	----/19.60A	18.20B/19.60A	----	20.10	- 5.80	.2293	----	----	----	----	22	UNCH											
1650	----	----	----/25.90A	25.50B/25.90A	----	27.30	- 7.30	.2907	----	----	----	----	48	UNCH											
1675	----	----	----/33.60A	34.80B/33.60A	----	36.30	- 8.80	.3583	----	----	----	----	48	UNCH											
1700	46.00	46.00	47.00/43.30A	47.00/43.30A	----	47.20	- 10.20	.4294	----		10	----	251 -	4											
1725	54.50	54.50	59.00B/54.50	59.00B/54.50	----	60.00	- 11.30	.5012	----	----	5	----	87 +	5											
1750	----	----	----/68.20A	73.90B/68.20A	----	74.60	- 12.40	.5710	----	----	----	----	123	UNCH											
1775	----	----	----/82.80A	90.70B/82.80A	----	90.90	- 13.40	.6363	----	----	----	----	79	UNCH											
1800	----	----	----/99.10A	109.10B/99.10A	----	108.80	- 14.50	.6956	----	----	----	----	23	UNCH											
1825	----	----	----/116.80A	128.90B/116.80A	----	128.10	- 15.60	.7472	----	----	----	----	15	UNCH											
1850	----	----	----/136.10A	149.80B/136.10A	----	148.60	- 16.50	.7910	----	----	100	----	100	UNCH											
TOTAL											225		1192 +	11											
DEC26																									
1250	----	----	----/0.90A	----/0.90A	----	0.70	- 0.30	.0080	----	----	----	----	20	UNCH											
1550	----	----	----/24.30A	21.40B/24.30A	----	23.80	- 4.20	.1863	----	----	----	----	1	UNCH											
1600	----	----	----/36.10A	34.50B/36.10A	----	36.60	- 5.90	.2610	----	----	----	----	1	UNCH											
1625	----	----	----/43.50A	42.80B/43.50A	----	44.80	- 6.80	.3032	----	----	----	----	10	UNCH											
1650	----	----	----/52.20A	52.30B/52.20A	----	54.30	- 7.80	.3477	----	----	----	----	19	UNCH											
1675	----	----	----/62.30A	63.30B/62.30A	----	65.30	- 8.70	.3937	----	----	----	----	9	UNCH											
1750	----	----	----/99.80A	104.20B/99.80A	----	105.70	- 11.30	.5302	----	----	----	----	20	UNCH											
TOTAL													80	0											
JAN27																									
1400	----	----	----	8.80B/13.70A	----	11.80	- 1.90	.0857	----	----	----	----	100	UNCH											
1450	----	----	----/19.70A	15.20B/19.70A	----	18.10	- 2.80	.1233	----	----	----	----	200	UNCH											
1500	----	----	----/28.10A	24.10B/28.10A	----	26.90	- 3.80	.1709	----	----	----	----	325	UNCH											
1550	----	----	----/39.30A	36.10B/39.30A	----	38.80	- 5.10	.2284	----	----	----	----	200	UNCH											
1575	----	----	----/46.10A	43.50B/46.10A	----	46.10	- 5.80	.2605	----	----	----	----	20	UNCH											
1600	----	----	----/53.70A	51.80B/53.70A	----	54.40	- 6.60	.2945	----	----	----	----	10	UNCH											
1650	----	----	----/72.40A	71.90B/72.40A	----	74.30	- 8.30	.3666	----	----	----	----	45	UNCH											
1700	----	----	----/95.40A	96.40B/95.40A	----	98.50	- 10.00	.4407	----	----	----	----	61	UNCH											
1750	----	----	----/122.30A	125.10B/122.30A	----	126.80	- 11.50	.5130	----	----	----	----	120	UNCH											
1800	----	----	----/152.90A	157.70B/152.90A	----	158.80	- 12.80	.5805	----	----	----	----	5	UNCH											
1900	----	----	----/223.00A	231.70B/223.00A	----	232.10	- 14.70	.6955	----	----	----	----	100	UNCH											
2000	----	----	----/302.70A	314.60B/302.70A	----	314.30	- 15.90	.7821	----	----	----	----	200	UNCH											
TOTAL													1386	0											
APR27																									
1400	----	----	----/34.30A	27.40B/34.30A	----	31.40	- 3.40	.1404	----	----	----	----	30	UNCH											
1500	----	----	----/56.80A	50.70B/56.80A	----	54.40	- 5.60	.2180	----	----	----	----	10	UNCH											
1600	----	----	----/89.60A	84.90B/89.60A	----	88.90	- 7.20	.3127	----	----	----	----	10	UNCH											
1790	----	----	----/184.20A	183.20B/184.20A	----	187.30	- 9.10	.5033	----	----	----	----	27	UNCH											
TOTAL													77	0											
JUL27																									
1930	----	----	----	----	----	320.30	- 10.30	.5560	----	----	----	----	110	UNCH											
TOTAL													110	0											

OPTIONS EOO'S AND BLOCKS				
PRODUCT		STRIKE PRICE	EEO VOLUME	BLOCK VOLUME
OG CALL COMEX GOLD OPTIONS				
DEC26	CALL			
OG		4500	0	335
OG		4700	0	300
TOTALS			0	635
FEB27				
OG	CALL			
OG		4500	0	335
OG		5500	0	30
TOTALS			0	365
MAR27				
OG	CALL			
OG		4700	0	100
TOTALS			0	100
JUN27				
OG	CALL			
OG		4500	0	120
OG		5500	0	240
TOTALS			0	360
DEC27				
OG	CALL			
OG		4500	0	100
TOTALS			0	100
OG PUT COMEX GOLD OPTIONS				
NOV26	PUT			
OG		3850	0	500
OG		4000	0	275
TOTALS			0	775
DEC26				
OG	PUT			
OG		3700	0	120
OG		4000	0	200
OG		4100	0	100
TOTALS		0	420	
JAN27				
OG	PUT			
OG		4250	0	100
TOTALS			0	100
FEB27				
OG	PUT			
OG		5500	0	30
TOTALS			0	30
MAR27				
OG	PUT			
OG		3900	0	100
TOTALS			0	100
SO CALL COMEX SILVER OPTIONS				
JAN27	CALL			
SO		7000	0	81
TOTALS			0	81
APR27				
SO	CALL			
SO		7000	0	60
TOTALS			0	60
SO PUT COMEX SILVER OPTIONS				
JAN27	PUT			
SO		5500	0	81
TOTALS			0	81
APR27				
SO	PUT			
SO		6000	0	60
TOTALS			0	60
HX CALL COMEX COPPER OPTIONS				
JAN27	CALL			
HX		700	0	127
TOTALS			0	127
PO CALL PLATINUM OPTIONS				
JAN27	CALL			
PO		1850	0	30
PO		2150	0	90
PO		2350	0	90
TOTALS			0	210
APR27				
PO	CALL			
PO		1900	0	10
TOTALS			0	10
OG2 CALL GOLD OPTIONS				
OCT26	CALL			
OG2		4350	0	15
TOTALS			0	15
HRO OPT U.S. MIDWEST DOMESTIC HOT-ROLLED CO				
OCT26	PUT			
HRO		127500	0	125
TOTALS			0	125
DEC26				
HRO	PUT			
HRO		127500	0	125
TOTALS			0	125
GWR THU GOLD WEEKLY THURSDAY OPTION week2				
OCT26	PUT			
G2R		4125	0	100
TOTALS			0	100
GWT TUE GOLD WEEKLY TUESDAY OPTION week1				
OCT26	CALL			
G1T		4325	0	125
TOTALS			0	125
GWT TUE GOLD WEEKLY TUESDAY OPTION week2				
OCT26	CALL			
G2T		4350	0	100
TOTALS			0	100