

PG64

BULLETIN #189@

METALS OPTION PRODUCTS

Thu, Oct 01, 2026

PG64

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY
R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY’S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES														
EXPIRATION:	SEP26	SEP26	OCT26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27	MAY27	JUN27	JUL27	AUG27
COO OPT	09/30		10/30		11/30	12/31	01/29	02/26	03/31				07/30	08/31
ECG10 OP		09/30		10/01										
ECG11 OP		09/30		10/01										
ECG13 OP		09/30		10/01										
ECG15 OP		09/30		10/01										
ECG16 OP		09/30		10/01										
ECGC OOF		09/30		10/01										
ECHG OOF		09/30		10/01										
ECSI OOF		09/30		10/01										
EHO OPT	09/30		10/30		11/30	12/31								
FMG OPT			10/02											
GMW MON			10/26											
GWR THU			10/22											
GWT TUE			10/20		11/03									
GWW WED	09/30		10/28											
HMW MON			10/26											
HRO OPT	09/29		10/27		11/24	12/29	01/26	02/23	03/30	04/27	05/25	06/29	07/27	08/24
HWR THU			10/22											
HWT TUE			10/20											
HWW WED	09/30		10/21		11/03	12/02	01/06	02/23	03/24	04/27	05/25			
HX CALL					11/04	12/02	12/28	01/26	02/23	03/24	04/27	05/25		
HX PUT					10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25		
HXE CALL			10/16											
HXE PUT			10/16											
LHO OPT	09/30		10/30		11/30	12/31	01/29	02/26	03/31					
MMG MON			10/05											
OG CALL					10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27
OG PUT					10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27
OG1 CALL			10/02											
OG1 PUT			10/02											
OG2 CALL			10/09											
OG2 PUT			10/09											
OG3 CALL			10/16											
OG3 PUT			10/16											
OG4 CALL			10/23											
OG4 PUT			10/23											
OMG OPT					10/27	11/24	12/28							
PAO CALL					10/21	11/18			02/17			05/19		
PAO PUT					10/21	11/18			02/17					
PAW OOF			10/09											
PLW OOF			10/02											
PO CALL					10/21	11/18	12/16			03/17			06/16	
PO PUT					10/21	11/18	12/16			03/17			06/16	
RWS THU			10/22											
SMW MON			10/26											
SO CALL					10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27
SO PUT					10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	
SO1 CALL			10/02											
SO1 PUT			10/02											
SO2 CALL			10/09											
SO2 PUT			10/09											
SO3 CALL			10/16											
SO3 PUT			10/16											
SO4 CALL			10/23											
SO4 PUT			10/23											
SWW WED	09/30		10/21											
TWS TUE			10/20		11/03									
WMG WED	09/30													

GOLD OPTIONS ON FUTURES														
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED SEP26		MICRO GOLD WEEKLY WED OPTION WEEK5												
4200		----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4230		----	----	----	----	----	----	43.30 UNCH	----	----	----	----	----	0 UNCH
TOTAL														0
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT NOV26		MICRO GOLD OPTIONS												
3650		----	----	----	----	----	----	3.90 - 0.60	----	----	----	----	----	2 UNCH
3900		----	----	----	----	----	----	13.40 - 2.70	----	----	----	----	----	1 UNCH
4000		----	----	----	----	----	----	226.80 + 10.60	----	----	----	----	----	1 UNCH
4000		----	----	----	----	----	----	25.00 - 5.00	----	----	----	----	----	2 UNCH
4005		----	----	----	----	----	----	222.70 + 10.50	----	----	----	----	----	1 UNCH
4025		----	----	----	----	----	----	29.40 - 5.70	----	----	----	----	----	1 UNCH
4185		----	----	----	----	----	----	80.00 - 11.60	----	----	----	----	----	1 UNCH
4300		----	----	----	50.00B/2115.60A	----	----	146.50 - 14.40	----	----	----	----	----	1 UNCH
5810		----	----	----	----	----	----	0.30 UNCH	----	----	----	----	----	2 UNCH
5850		----	----	----	----	----	----	0.30 UNCH	----	----	----	----	----	3 UNCH
5900		----	----	----	----	----	----	0.30 UNCH	----	----	----	----	----	5 UNCH
6500		----	----	----	----	----	----	0.10 UNCH	----	----	----	----	----	4 UNCH
TOTAL														24
DEC26														
3900		----	----	----	----	----	----	38.80 - 4.10	----	----	----	----	----	1 UNCH
3990		----	----	----	----	----	----	57.70 - 5.90	----	----	----	----	----	2 UNCH
4000		----	----	----	----	----	----	60.20 - 6.20	----	----	----	----	----	2 UNCH
4500		----	----	----	----	----	----	340.20 - 14.50	----	----	----	----	----	3 UNCH
4650		----	----	----	----	----	----	24.00 + 0.40	----	----	----	----	----	1 UNCH
4700		----	----	----	----	----	----	19.80 + 0.30	----	----	----	----	----	10 UNCH
4800		----	----	----	----	----	----	13.50 + 0.10	----	----	----	----	----	1 UNCH
TOTAL														20
JAN27														
4010		----	----	----	----	----	----	309.10 + 9.60	----	----	----	----	----	1 UNCH
4600		430.00	430.00	430.00/430.00	430.00/430.00	----	----	421.20 - 13.90	----	----	----	2	----	3 + 2
TOTAL												2		4 + 2
OCT27														
4410		----	----	----	----	----	----	356.20 + 6.80	----	----	----	----	----	1 UNCH
TOTAL														1
FEB28														
4600		----	----	----	----	----	----	399.50 + 6.10	----	----	----	----	----	1 UNCH
TOTAL														1
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 PUT OCT26		GOLD OPTIONS												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.



BULLETIN #189@				METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64	
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST			
OG4 PUT OCT26	GOLD OPTIONS																
3700	----	----		----/3.70A	4.30B/3.70A	----		3.70 - 0.70	.0287	----	----	----	----	5	UNCH		
3800	5.80	5.80		5.80/5.80	7.20B/5.80	----		6.30 NEW	.0503	----	----	1	----	1 +	1		
3825	----	----		----/6.80A	8.50B/6.80A	----		7.30 - 1.40	.0584	----	----	----	----	1	UNCH		
3875	9.70	9.70		9.70/9.00A	11.60B/9.00A	----		9.60 - 2.00	.0776	----	----	10	----	11 +	10		
3900	----	----		13.60B/10.40A	13.60B/10.40A	----		11.10 - 2.40	.0899	----	----	----	----	2	UNCH		
3925	----	----		16.10B/12.10A	16.10B/12.10A	----		13.00 - 2.80	.1049	----	----	----	----	2	UNCH		
3950	15.30	15.30		19.10B/14.20A	19.10B/14.20A	----		15.20 - 3.40	.1221	----	----	2	----	4 +	1		
3975	----	----		22.80B/16.70A	22.80B/16.70A	----		17.90 - 4.10	.1424	----	----	----	----	2	UNCH		
4000	----	----		27.10B/19.80A	27.10B/19.80A	----		21.30 - 4.70	.1667	----	----	----	----	3	UNCH		
4025	----	----		32.30B/23.50A	32.30B/23.50A	----		25.30 - 5.50	.1944	----	----	----	----	1	UNCH		
4125	----	----		63.20B/46.30A	63.20B/46.30A	----		50.30 - 9.10	.3432	----	----	----	----	1	UNCH		
4175	----	----		85.50B/64.10A	85.50B/64.10A	----		69.60 - 11.10	.4365	----	----	----	----	46	UNCH		
4200	----	----		99.20B/75.30A	99.20B/75.30A	----		81.30 - 12.00	.4856	----	----	25	----	26 +	25		
TOTAL												38		105 +	37		
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST			
OG4 CALL OCT26	GOLD OPTIONS																
4175	----	----		107.30B/83.10A	107.30B/83.10A	----		96.80 + 4.40	.5628	----	----	----	----	28	UNCH		
4200	----	----		94.40B/71.50A	94.40B/71.50A	----		83.60 NEW	.5138	----	----	25	----	25 +	25		
4350	----	----		36.10B/26.20A	36.10B/26.20A	----		30.50 + 0.10	.2457	----	----	1	----	1	UNCH		
4375	21.00	21.00		30.00B/21.00	30.00B/21.00	----		25.40 - 0.10	.2115	----	----	5	----	5	UNCH		
4400	----	----		25.20B/18.20A	25.20B/18.20A	----		21.10 - 0.20	.1810	----	----	----	----	2	UNCH		
4450	----	----		17.30B/12.70A	17.30B/12.70A	----		14.70 - 0.20	.1318	----	----	----	----	1	UNCH		
4500	----	----		12.00B/8.80A	12.00B/8.80A	----		10.30 - 0.20	.0954	----	----	----	----	401	UNCH		
4650	----	----		4.10B/3.60A	4.10B/3.60A	----		4.00 + 0.20	.0381	----	----	----	----	1	UNCH		
4675	----	----		3.50B/3.10A	3.50B/3.10A	----		3.50 + 0.20	.0332	----	----	----	----	4	UNCH		
4700	3.10	3.10		3.10/2.80A	3.10/2.80A	----		3.10 NEW	.0293	----	----	1	----	1 +	1		
TOTAL												32		469 +	26		
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST			
OG3 PUT OCT26	GOLD OPTIONS																
3500	0.70	0.70		0.70/0.70	0.70/0.70	----		0.90 - 0.20	.0066	----	----	1	----	3 +	1		
3600	----	----		----/1.20A	1.30B/1.20A	----		1.30 - 0.40	.0103	----	----	----	----	5	UNCH		
3700	----	----		----/1.80A	2.30B/1.80A	----		2.10 - 0.50	.0178	----	----	----	----	3	UNCH		
3750	----	----		----/2.30A	3.00B/2.30A	----		2.70 - 0.60	.0236	----	----	2	----	3	UNCH		
3800	3.00	3.00		3.00/3.00	4.10B/3.00	----		3.50 - 0.90	.0317	----	----	1	----	19 +	1		
3875	----	----		----/4.70A	6.70B/4.70A	----		5.40 - 1.60	.0511	----	----	----	----	3	UNCH		
3900	----	----		----/5.60A	8.20B/5.60A	----		6.40 - 1.90	.0611	----	----	3	----	23 -	1		
3950	11.00	11.00		11.00/8.00A	12.00B/8.00A	----		9.10 - 2.90	.0876	----	----	25	----	24 +	16		
3975	13.40	13.40		14.90B/9.80A	14.90B/9.80A	----		11.00 - 3.50	.1056	----	----	2	----	17 +	2		
4000	13.20	13.20		18.20B/12.00A	18.20B/12.00A	----		13.50 - 4.10	.1283	----	----	45	----	96 +	41		
4025	20.20	20.20		22.40B/14.80A	22.40B/14.80A	----		16.50 - 4.90	.1549	----	----	17	----	75 +	9		
4050	19.40	19.40		27.70B/18.30A	27.70B/18.30A	----		20.30 - 5.90	.1870	----	----	5	----	32 +	4		
4075	----	----		34.00B/22.60A	34.00B/22.60A	----		25.00 - 6.90	.2245	----	----	----	----	22	UNCH		
4100	30.10	30.10		41.50B/27.80A	41.50B/27.80A	----		30.80 - 8.00	.2679	----	----	25	----	159 +	14		
4125	41.50	41.50		50.50B/34.10A	50.50B/34.10A	----		37.80 - 9.20	.3165	----	----	4	----	8 +	1		
4150	----	----		60.60B/41.70A	60.60B/41.70A	----		46.20 - 10.40	.3700	----	----	----	----	15	UNCH		
4175	----	----		72.50B/50.60A	72.50B/50.60A	----		56.00 - 11.50	.4270	----	----	----	----	20	UNCH		
4200	67.60	67.60		86.10B/60.90A	86.10B/60.90A	----		67.50 - 12.50	.4864	----	----	1	----	41 +	1		
4225	----	----		100.70B/72.90A	100.70B/72.90A	----		80.50 - 13.50	.5461	----	----	----	----	45	UNCH		
4250	----	----		117.00B/86.30A	117.00B/86.30A	----		95.20 - 14.20	.6045	----	----	----	----	2	UNCH		
4275	----	----		134.90B/101.30A	134.90B/101.30A	----		111.40 - 14.80	.6600	----	----	----	----	3	UNCH		
4300	----	----		153.60B/117.70A	153.60B/117.70A	----		128.90 - 15.30	.7114	----	----	----	----	2	UNCH		
4350	----	----		194.50B/154.40A	194.50B/154.40A	----		167.70 - 16.00	.7988	----	----	----	----	30	UNCH		
4400	223.10	223.10		238.90B/195.30A	238.90B/195.30A	----		210.40 - 16.20	.8639	----	----	1	----	30	UNCH		
4500	----	----		326.60B/285.40A	326.60B/285.40A	----		302.90 - 16.00	.9388	----	----	----	----	3	UNCH		
4600	----	----		424.20B/387.20A	424.20B/387.20A	----		400.00 - 15.80	.9703	----	----	----	----	1	UNCH		
4625	----	----		448.80B/411.70A	448.80B/411.70A	----		424.60 - 15.70	.9749	----	----	----	----	1	UNCH		
4725	530.00	530.00		548.00B/510.50A	548.00B/510.50A	----		523.60 NEW	.9856	----	----	1	----	1 +	1		
TOTAL												133		686 +	90		
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST			
OG3 CALL OCT26	GOLD OPTIONS																
4150	----	----		112.20B/82.60A	112.20B/82.60A	----		98.40 + 5.20	.6295	----	----	----	----	1	UNCH		
4175	----	----		96.10B/69.50A	96.10B/69.50A	----		83.30 + 4.10	.5725	----	----	----	----	34	UNCH		
4200	----	----		81.90B/57.80A	81.90B/57.80A	----		69.80 + 3.10	.5132	----	----	2	----	56 -	1		
4225	----	----		68.70B/47.70A	68.70B/47.70A	----		57.90 + 2.20	.4534	----	----	----	----	10	UNCH		
4250	42.50	42.50		57.10B/39.20A	57.10B/39.20A	----		47.60 + 1.40	.3950	----	----	1	----	66	UNCH		
4275	----	----		47.30B/31.90A	47.30B/31.90A	----		38.80 + 0.80	.3395	----	----	----	----	5	UNCH		
4300	30.90	30.90		38.70B/25.80A	38.70B/25.80A	----		31.40 + 0.30	.2882	----	----	21	----	51 +	13		
4325	----	----		31.10B/20.90A	31.10B/20.90A	----		25.20 - 0.10	.2415	----	----	----	----	35	UNCH		
4350	20.00	20.00		25.20B/16.70A	25.20B/16.70A	----		20.20 - 0.40	.2008	----	----	11	----	45 +	10		
4375	----	----		20.30B/13.30A	20.30B/13.30A	----		16.20 - 0.50	.1658	----	----	40	----	56 +	40		
4400	15.00	15.00		16.20B/10.60A	16.20B/10.60A	----		12.90 - 0.70	.1357	----	----	1	----	195 -	1		
4425	----	----		13.00B/8.50A	13.00B/8.50A	----		10.30 - 0.70	.1107	----	----	----	----	9	UNCH		
4450	9.80	9.80		10.40B/6.80A	10.40B/6.80A	----		8.30 - 0.70	.0								

	BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026										PG64					
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST																				
OG2 PUT OCT26	GOLD OPTIONS																																			
4175	46.70	46.70		53.50B/31.60A	53.50B/31.60A	----			36.50 - 11.90	.4012	----	----	10	----		203 -																	4			
4200	50.60	50.60		67.10B/41.40A	67.10B/41.40A	----			47.60 - 13.30	.4864	----	----	44	----		134 +																	22			
4225	58.80	58.80		82.60B/53.50A	82.60B/53.50A	----			60.90 - 14.40	.5726	----	----	3	----		42 +																	1			
4250	----	----		100.30B/67.30A	100.30B/67.30A	----			76.40 - 15.30	.6549	----	----	3	----		29 -																	1			
4275	----	----		119.60B/83.20A	119.60B/83.20A	----			93.90 - 16.00	.7287	----	----	3	----		50 +																	1			
4300	----	----		140.60B/100.70A	140.60B/100.70A	----			113.20 - 16.40	.7918	----	----	2	----		24 -																	1			
4325	----	----		162.20B/120.20A	162.20B/120.20A	----			134.00 - 16.50	.8428	----	----	----	----		25																	UNCH			
4350	----	----		185.00B/140.70A	185.00B/140.70A	----			155.90 - 16.60	.8829	----	----	----	----		17																	UNCH			
4375	----	----		208.50B/162.80A	208.50B/162.80A	----			178.70 - 16.50	.9131	----	----	----	----		2																	UNCH			
4400	----	----		232.30B/185.40A	232.30B/185.40A	----			202.20 - 16.20	.9347	----	----	----	----		26																	UNCH			
4500	----	----		317.00B/288.70A	317.00B/288.70A	----			299.40 - 15.70	.9752	----	----	1	----		2 +																	1			
4550	----	----		366.50B/337.90A	366.50B/337.90A	----			348.80 - 15.60	.9839	----	----	----	----		2																	UNCH			
4575	----	----		391.40B/362.70A	391.40B/362.70A	----			373.60 - 15.60	.9868	----	----	----	----		1																	UNCH			
4700	----	----		515.90B/487.10A	515.90B/487.10A	----			498.10 - 15.50	.9939	----	----	----	----		1																	UNCH			
TOTAL													242			1984 +																	118			
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST																				
OG2 CALL OCT26	GOLD OPTIONS																																			
4075	----	----		156.30B/115.20A	156.30B/115.20A	----			138.70 + 9.60	.8520	----	----	----	----		2																	UNCH			
4100	----	----		134.50B/96.30A	134.50B/96.30A	----			117.70 + 8.30	.8056	----	----	----	----		2																	UNCH			
4125	----	----		114.10B/79.00A	114.10B/79.00A	----			97.90 + 6.70	.7472	----	----	----	----		1																	UNCH			
4150	----	----		95.10B/63.50A	95.10B/63.50A	----			79.90 + 5.20	.6777	----	----	----	----		4																	UNCH			
4175	----	----		77.80B/50.10A	77.80B/50.10A	----			63.80 + 3.70	.5985	----	----	----	----		3																	UNCH			
4200	54.50	54.50		63.00B/38.90A	63.00B/38.90A	----			49.90 + 2.30	.5133	----	----	14	----		208 +																	7			
4225	44.40	44.40		49.30B/29.60A	49.30B/29.60A	----			38.20 + 1.20	.4271	----	----	34	----		41 +																	31			
4250	26.80	26.80		38.30B/22.30A	38.30B/22.30A	----			28.70 + 0.30	.3448	----	----	54	----		116 +																	46			
4275	20.60	20.60		28.90B/16.40A	28.90B/16.40A	----			21.30 - 0.30	.2710	----	----	12	----		29 +																	8			
4300	12.80	12.80		21.50B/11.90A	21.50B/11.90A	----			15.60 - 0.80	.2079	----	----	88	----		110 +																	59			
4325	14.30	14.30		15.90B/8.70A	15.90B/8.70A	----			11.40 - 0.90	.1569	----	----	39	----		91 +																	34			
4350	7.40	7.40		11.60B/6.30A	11.60B/6.30A	----			8.30 - 1.00	.1168	----	----	64	----		197 +																	22			
4375	7.90	7.90		8.90/4.70	8.90/4.70	----			6.10 - 0.90	.0867	----	----	17	----		49 +																	5			
4400	4.40	4.40		6.40B/3.50A	6.40B/3.50A	----			4.60 - 0.70	.0651	----	----	5	----		225 -																	2			
4425	2.90	2.90		4.80B/2.70A	4.80B/2.70A	----			3.60 - 0.50	.0501	----	----	19	----		69 +																	2			
4450	----	----		3.60B/2.10A	3.60B/2.10A	----			2.80 - 0.40	.0383	----	----	----	----		101																	UNCH			
4475	----	----		2.80B/1.70A	2.80B/1.70A	----			2.30 - 0.30	.0306	----	----	----	----		53																	UNCH			
4500	1.40	1.40		2.10B/1.40	2.10B/1.40	----			1.90 - 0.20	.0246	----	----	669	----		685 +																	627			
4525	----	----		1.70B/1.10A	1.70B/1.10A	----			1.60 UNCH	.0201	----	----	2	----		55																	UNCH			
4550	0.90	0.90		1.20/0.90	1.30B/0.90	----			1.30 UNCH	.0159	----	----	25	----		66 +																	5			
4575	1.00	1.00		1.00/0.80A	1.00/0.80A	----			1.10 UNCH	.0131	----	----	40	----		64																	UNCH			
4600	0.90	0.90		0.90/0.70A	0.90/0.70A	----			0.90 - 0.10	.0105	----	----	38	----		58 -																	2			
4625	----	----		----/0.70A	0.70B/0.70A	----			0.80 UNCH	.0090	----	----	----	----		45																	UNCH			
4650	----	----		----/0.60A	0.60B/0.60A	----			0.80 + 0.10	.0086	----	----	----	----		17																	UNCH			
4675	----	----		----	0.50B/0.60A	----			0.70 + 0.10	.0073	----	----	----	----		32																	UNCH			
4700	----	----		----	0.50B/0.60A	----			0.60 UNCH	.0061	----	----	----	----		23																	UNCH			

PG64		BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG1 PUT		GOLD OPTIONS																						
OCT26																								
4195	25.00	25.00			42.10B/16.40A	42.10B/16.40A	----	----		21.40	- 13.90		----	----	22	----	25 +	12						
4200	39.00	39.00			45.40B/18.20	45.40B/18.20	----	----		23.70	- 14.30		----	----	256	----	393 -	58						
4205	34.70	34.70			48.70B/20.30A	48.70B/20.30A	----	----		26.20	- 14.80		----	26	----	27 +	21							
4210	27.00	27.00			52.30B/22.50A	52.30B/22.50A	----	----		28.80	- 15.20		----	6	----	28 +	3							
4220	----	----			59.50B/27.40A	59.50B/27.40A	----	----		34.70	- 15.80		----	3	----	9 +	3							
4225	35.00	35.00			63.50B/30.10A	63.50B/30.10A	----	----		37.80	- 16.10		----	3	----	69 -	1							
4230	56.00	56.00			67.60B/33.00A	67.60B/33.00A	----	----		41.10	- 16.30		----	1	----	3 -	1							
4235	----	----			71.40B/36.10A	71.40B/36.10A	----	----		44.60	- 16.50		----	4	----	14 +	4							
4240	----	----			75.50B/39.50A	75.50B/39.50A	----	----		48.20	- 16.70		----	1	----	9	UNCH							
4245	----	----			80.00B/42.70A	80.00B/42.70A	----	----		52.00	- 16.80		----	----	----	11	UNCH							
4250	66.50	66.50			84.40B/45.60A	84.40B/45.60A	----	----		55.90	- 16.80		----	18	----	413	UNCH							
4255	----	----			88.80B/49.40A	88.80B/49.40A	----	----		59.90	- 16.90		----	----	----	1	UNCH							
4260	62.30	62.30			92.90B/52.90A	92.90B/52.90A	----	----		64.10	- 16.90		----	2	----	2 +	1							
4270	----	----			102.20B/60.20A	102.20B/60.20A	----	----		72.60	- 17.00		----	----	----	1	UNCH							
4275	----	----			106.90B/64.10A	106.90B/64.10A	----	----		77.10	- 16.80		----	1	----	141	UNCH							
4280	----	----			111.60B/68.10A	111.60B/68.10A	----	----		81.60	- 16.80		----	----	----	1	UNCH							
4285	----	----			116.30B/72.10A	116.30B/72.10A	----	----		86.10	NEW		----	1	----	1 +	1							
4300	----	----			130.60B/84.80A	130.60B/84.80A	----	----		100.10	- 16.50		----	1	----	435	UNCH							
4310	----	----			140.30B/93.30A	140.30B/93.30A	----	----		109.70	- 16.30		----	----	----	1	UNCH							
4320	----	----			149.70B/102.50A	149.70B/102.50A	----	----		119.30	- 16.20		----	----	----	1	UNCH							
4325	108.90	108.90			154.90B/107.10A	154.90B/107.10A	----	----		124.10	- 16.20		----	2	----	186 +	1							
4330	----	----			159.80B/111.60A	159.80B/111.60A	----	----		129.00	- 16.10		----	----	----	1	UNCH							
4340	----	----			169.60B/121.00A	169.60B/121.00A	----	----		138.80	- 16.00		----	----	----	1	UNCH							
4350	----	----			179.50B/130.70A	179.50B/130.70A	----	----		148.60	- 15.90		----	----	----	160	UNCH							
4375	175.20	175.20			204.30B/154.90A	204.30B/154.90A	----	----		173.30	- 15.80		----	1	----	154 +	1							
4400	194.00	194.00			225.90B/183.60A	225.90B/183.60A	----	----		198.10	- 15.80		----	5	----	170	UNCH							
4425	218.60	218.60			250.70B/208.70A	250.70B/208.70A	----	----		222.90	- 15.80		----	1	----	52	UNCH							
4450	----	----			272.70B/234.20A	272.70B/234.20A	----	----		247.90	- 15.70		----	----	----	16	UNCH							
4475	----	----			297.60B/259.10A	297.60B/259.10A	----	----		272.80	- 15.70	1.0000	----	----	----	25	UNCH							
4500	----	----			322.60B/284.60A	322.60B/284.60A	----	----		297.80	- 15.70	1.0000	----	1	----	1	UNCH							
4525	----	----			347.60B/309.10A	347.60B/309.10A	----	----		322.80	- 15.60	1.0000	----	2	----	0 -	2							
4575	----	----			397.60B/359.10A	397.60B/359.10A	----	----		372.80	- 15.60	1.0000	4	----	----	0 -	4							
4590	----	----			412.60B/374.50A	412.60B/374.50A	----	----		387.80	- 15.60	1.0000	----	----	----	0	UNCH							
4625	----	----			447.60B/409.10A	447.60B/409.10A	----	----		422.80	- 15.60	1.0000	----	----	----	2	UNCH							
4725	----	----			547.40B/509.60A	547.40B/509.60A	----	----		522.80	- 15.50	1.0000	----	----	----	0	UNCH							
10000	----	----			5,822.40B/5,784	5822.40B/5784.50A	----	----		5797.70	- 15.60	1.0000	----	----	----	0	UNCH							
TOTAL														2234		6807 +	596							
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG1 CALL		GOLD OPTIONS																						
OCT26																								
4000	200.00	200.00			221.70B/172.60A	221.70B/172.60A	----	----		202.70	NEW		----	----	1	----	1 +	1						
4050	----	----			172.20B/124.10A	172.20B/124.10A	----	----		153.10	+ 13.50		----	----	----	2	UNCH							
4065	----	----			157.50B/110.10A	157.50B/110.10A	----	----		138.40	+ 13.10		----	----	----	2	UNCH							
4100	----	----			123.70B/79.10A	123.70B/79.10A	----	----		104.60	+ 11.30		----	----	----	3	UNCH							
4125	----	----			100.30B/58.90A	100.30B/58.90A	----	----		81.50	+ 9.30		----	----	----	6	UNCH							
4130	----	----			95.50B/55.20A	95.50B/55.20A	----	----		77.00	+ 8.80		----	----	----	1	UNCH							
4140	----	----			86.80B/48.10A	86.80B/48.10A	----	----		68.30	+ 7.80		----	----	----	8	UNCH							
4150	----	----			77.90B/41.50A	77.90B/41.50A	----	----		60.00	+ 6.70		----	3	----	7 +	3							
4155	----	----			73.70B/38.50A	73.70B/38.50A	----	----		55.90	+ 6.10		----	----	----	4	UNCH							
4160	54.80	54.80			69.60B/35.40A	69.60B/35.40A	----	----		52.00	+ 5.50		----	2	----	27 +	2							
4165	----	----			65.90B/32.70A	65.90B/32.70A	----	----		48.30	+ 5.00		----	----	----	6	UNCH							
4170	----	----			61.60B/30.10A	61.60B/30.10A	----	----		44.60	+ 4.40		----	----	----	8	UNCH							
4175	33.90	33.90			57.80B/27.60A	57.80B/27.60A	----	----		41.10	+ 3.80		----	3	----	12 +	2							
4180	31.00	31.00			54.10B/25.20A	54.10B/25.20A	----	----		37.80	+ 3.30		----	29	----	36 +	18							
4185	29.60	29.60			50.50B/22.50	50.50B/22.50	----	----		34.60	+ 2.70		----	32	----	23 +	13							
4190	25.80	25.80			47.00B/20.60A	47.00B/20.60A	----	----		31.60	NEW		----	12	----	8 +	8							
4195	26.50	26.50			43.70B/18.50A	43.70B/18.50A	----	----		28.70	+ 1.70		----	58	----	33 +	28							
4200	17.50	17.50			40.60B/16.40A	40.60B/16.40A	----	----		26.00	+ 1.20		----	236	----	212 +	97							
4205	20.60	20.60			38.00B/14.70A	38.00B/14.70A	----	----		23.50	+ 0.80		----	50	----	29 +	10							
4210	20.00	20.00			34.90B/13.10A	34.90B/13.10A	----	----		21.10	+ 0.40		----	60	----	31 +	8							
4215	13.00	13.00			32.10B/11.50A	32.10B/11.50A	----	----		19.00	+ 0.20		----	163	----	90 +	80							
4220	20.00	20.00			29.70B/10.20A	29.70B/10.20A	----	----		17.00	- 0.20		----	79	----	50 +	11							
4225	13.60	13.60			26.90B/8.90A	26.90B/8.90A	----	----		15.10	- 0.50		----	188	----	154 +	91							
4230	14.00	14.00			25.00B/7.80A	25.00B/7.80A	----	----		13.50	- 0.60		----	102	----	69 +	46							
4235	12.60	12.60			22.80B/6.80A	22.80B/6.80A	----	----		11.90	- 0.90		----	75	----	57 +	50							
4240	10.00	10.00			20.80B/6.00A	20.80B/6.00A	----	----		10.50	- 1.10		----	63	----	64 +	46							
4245	12.40	12.40			18.50B/5.20A	18.50B/5.20A	----	----		9.30	- 1.20		----	124	----	82 +	67							
4250	7.90	7.90			16.60B/4.60A	16.60B/4.60A	----	----		8.20	- 1.20		----	439	50	461 +	280							
4255	6.20	6.20			15.20B/4.00A	15.20B/4.00A	----	----		7.20	- 1.30		----	17	----	21 +	8							
4260	10.80	10.80			13.90B/3.60A	13.90B/3.60A	----	----		6.40	- 1.30		----	59	----	100 +	22							
4265	5.00	5.00			12.10B/3.10A	12.10B/3.10A	----	----		5.60	- 1.30		----	27	----	24 +	14							
4270	6.00	6.00			11.00B/2.80A	11.00B/2.80A	----	----		5.00	- 1.30		----	71	----	67 +	10							
4275	5.50	5.50			9.70B/2.50A	9.70B/2.50A	----	----		4.40	- 1.20		----	209	----	142 +	85							
4280	5.10	5.10			9.00B/2.10A	9.00B/2.10A	----	----		3.90	- 1.20		----	83	----	84 +	67							
4285	4.30	4.30			7.80B/1.90A	7.80B/1.90A	----	----		3.40	- 1.20		----	101	----	99 +	69							
4290	5.50	5.50			7.10B/1.70A	7.10B/1.70A	----	----		3.00	- 1.10		----	26	----	20 +	4							
4295	3.90	3.90			6.30B/1.50A	6.30B/1.50A	----	----		2.70	- 1.00		----	21	----	32 +	14							
4300	1.90	1.90			5.50B/1.40	5.50B/1.40	----	----		2.40	- 0.90		----	545	----	610 +	307							
4305	2.10	2.10			4.90B/1.20A	4.90B/1.20A	----	----		2.20	- 0.80		----	5	----	32 +	2							
4310	2.10	2.10			4.30B/1.10A	4.30B/1.10A	----	----		2.00	- 0.70		----	22	----	11 +	2							
4315	----	----			4.10B/1.00A	4.10B/1.00A	----	----		1.80	- 0.70		----	1	----	9	1							
4320	1.00	1.00			3.60B/0.90A	3.60B/0.90A	----	----		1.60	- 0.60		----	9	----	27 +	1							
4325	1.80	1.80																						

BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
OG1 CALL	GOLD OPTIONS																							
TOTAL													3416	50	6532 +	1573								
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
OG PUT	COMEX GOLD OPTIONS																							
NOV26																								
1000	----	----		----	----/0.10A				0.10	UNCH	----	----	----	----	1750	UNCH								
1500	----	----		----	----/0.10A				0.10	UNCH	----	----	----	----	200	UNCH								
2000	----	----		----	----/0.10A				0.10	UNCH	----	----	----	----	38	UNCH								
2100	----	----		----	----/0.20A				0.10	UNCH	----	----	----	----	132	UNCH								
2200	----	----		----	----/0.20A				0.10	UNCH	----	----	----	----	28	UNCH								
2300	----	----		----	----/0.20A				0.10	UNCH	----	----	----	----	3	UNCH								
2400	----	----		----	----/0.20A				0.10	UNCH	----	----	----	----	13	UNCH								
2500	----	----		----	----/0.20A				0.10	UNCH	----	----	----	----	12	UNCH								
2600	----	----		----	----/0.20A				0.10	UNCH	.0000	----	----	----	11	UNCH								
2625	----	----		----	----/0.20A				0.10	UNCH	.0000	----	----	----	8	UNCH								
2650	----	----		----	----/0.20A				0.10	UNCH	.0000	----	----	----	60	UNCH								
2675	----	----		----	----/0.20A				0.10	UNCH	.0000	----	----	----	8	UNCH								
2700	----	----		----	----/0.20A				0.10	UNCH	.0000	----	----	----	154	UNCH								
2725	----	----		----	----/0.20A				0.10	UNCH	.0000	----	----	----	2	UNCH								
2750	----	----		----	----/0.10A				0.10	UNCH	.0001	----	----	----	27	UNCH								
2775	----	----		----	----/0.20A				0.10	UNCH	.0001	----	----	----	1	UNCH								
2800	0.10	0.10		0.10/0.10	0.10/0.10				0.10	UNCH	.0001	----	1	----	92	UNCH								
2820	0.10	0.10		0.10/0.10	0.10/0.10				0.10	UNCH	.0002	----	1	----	20 +	1								
2825	0.10	0.10		0.10/0.10	0.10/0.10				0.10	UNCH	.0002	----	1	----	33 +	1								
2840	----	----		----	----/0.20A				0.10	UNCH	.0002	----	----	----	1	UNCH								
2850	----	----		----	0.10B/0.20A				0.10	UNCH	.0003	----	----	----	42	UNCH								
2860	----	----		----	----/0.20A				0.10	UNCH	.0003	----	----	----	1	UNCH								
2870	----	----		----	----/0.20A				0.10	UNCH	.0004	----	----	----	7	UNCH								
2890	----	----		----	----/0.20A				0.10	-	0.10	.0005	----	----	1	UNCH								
2895	----	----		----	----/0.20A				0.10	-	0.10	.0005	----	----	29	UNCH								
2900	----	----		----	0.10B/0.20A				0.10	-	0.10	.0005	----	----	75	UNCH								
2910	----	----		----	----/0.20A				0.20	UNCH	.0010	----	----	----	1	UNCH								
2925	----	----		----	0.10B/0.20A				0.20	UNCH	.0011	----	----	----	11	UNCH								
2935	----	----		----	0.10B/0.30A				0.20	-	0.10	.0011	----	----	1	UNCH								
2940	----	----		----	0.10B/0.30A				0.20	-	0.10	.0011	----	----	2	UNCH								
2945	----	----		----	0.10B/0.30A				0.20	-	0.10	.0011	----	----	21	UNCH								
2950	----	----		----	0.10B/0.30A				0.20	-	0.10	.0011	----	----	10	UNCH								
2965	----	----		----	0.20B/0.30A				0.20	-	0.10	.0011	----	----	140	UNCH								
2975	----	----		----	0.20B/0.30A				0.20	-	0.10	.0011	----	----	20	UNCH								
2995	----	----		----	0.20B/0.30A				0.20	-	0.10	.0011	----	----	30	UNCH								
3000	0.30	0.30		0.30/0.30	0.30/0.30				0.20	-	0.10	.0011	4	----	325 -	2								
3005	----	----		----	0.20B/0.30A				0.20	-	0.10	.0011	----	----	1	UNCH								
3015	----	----		----	0.20B/0.30A				0.30	UNCH	.0017	----	----	----	2	UNCH								
3020	----	----		----	0.20B/0.30A				0.30	UNCH	.0017	----	----	----	506	UNCH								
3025	----	----		----	0.20B/0.30A				0.30	UNCH	.0017	----	----	----	35	UNCH								
3030	----	----		----/0.30A	0.20B/0.30A				0.30	-	0.10	.0017	----	----	2	UNCH								
3040	----	----		----	0.20B/0.40A				0.30	-	0.10	.0017	----	----	10	UNCH								
3050	----	----		----	0.20B/0.40A				0.30	-	0.10	.0017	----	----	10	UNCH								
3070	----	----		----	0.30B/0.40A				0.30	-	0.10	.0017	----	----	1	UNCH								
3075	----	----		----	0.30B/0.40A				0.30	-	0.10	.0017	----	----	12	UNCH								
3080	----	----		----	0.30B/0.40A				0.30	-	0.10	.0018	----	----	13	UNCH								
3085	----	----		----	0.30B/0.40A				0.30	-	0.10	.0018	----	----	27	UNCH								
3090	----	----		----	0.30B/0.40A				0.30	-	0.10	.0018	----	----	5	UNCH								
3100	----	----		----/0.40A	0.30B/0.40A				0.40	-	0.10	.0023	----	----	25	UNCH								
3110	----	----		----/0.40A	0.30B/0.40A				0.40	-	0.10	.0023	----	----	22	UNCH								
3120	----	----		----/0.40A	0.30B/0.40A				0.40	-	0.10	.0023	----	----	15	UNCH								
3130	----	----		----/0.40A	0.40B/0.40A				0.40	-	0.10	.0024	----	----	1	UNCH								
3150	----	----		----/0.50A	0.40B/0.50A				0.40	-	0.20	.0024	----	----	38	UNCH								
3160	----	----		----/0.50A	0.40B/0.50A				0.50	-	0.10	.0030	----	----	8	UNCH								
3175	----	----		----/0.50A	0.50B/0.50A				0.50	-	0.10	.0030	----	----	10	UNCH								
3180	----	----		----/0.50A	0.50B/0.50A				0.50	-	0.10	.0030	----	----	11	UNCH								
3185	----	----		----/0.50A	0.50B/0.50A				0.50	-	0.10	.0030	----	----	2	UNCH								
3190	----	----		----/0.50A	0.50B/0.50A				0.50	-	0.20	.0031	----	----	5	UNCH								
3195	----	----		----/0.50A	0.50B/0.50A				0.50	-	0.20	.0031	----	----	1	UNCH								
3200	0.50	0.50		0.60/0.50	0.60/0.50				0.50	-	0.20	.0031	3	----	330 -	1								
3205	----	----		----/0.60A	0.60B/0.60A				0.60	-	0.10	.0036	----	----	1	UNCH								
3210	0.50	0.50		0.50/0.50	0.60B/0.50				0.60	-	0.10	.0036	1	----	501 +	1								
3215	----	----		----/0.60A	0.50B/0.60A				0.60	-	0.10	.0037	----	----	1	UNCH								
3220	----	----		----/0.60A	0.60B/0.60A				0.60	-	0.10	.0037	----	----	9	UNCH								
3225	----	----		----/0.60A	0.60B/0.60A				0.60	-	0.20	.0037	----	----	9	UNCH								
3230	----	----		----/0.60A	0.60B/0.60A				0.60	-	0.20	.0037	----	----	13	UNCH								
3235	----	----		----/0.60A	0.70B/0.60A				0.60	-	0.20	.0037	----	----	5	UNCH								
3240	0.60	0.60		0.60/0.60	0.70B/0.60				0.60	-	0.20	.0038	9	----	9 +	9								
3245	----	----		----/0.70A	0.70B/0.70A				0.70	-	0.10	.0043	----	----	20	UNCH								
3250	----	----		----/0.70A	0.70B/0.70A				0.70	-	0.10	.0043	----	----	198	UNCH								
3255	----	----		----/0.70A	0.70B/0.70A				0.70	-	0.20	.0044	----	----	21	UNCH								
3260	----	----		----/0.70A	0.80B/0.70A				0.70	-	0.20	.0044	----	----	8	UNCH								
3265	----	----		----/0.70A	0.80B/0.70A				0.70	-	0.20	.0044	----	----	2	UNCH								
3270	----	----		----/0.70A	0.80B/0.70A				0.70	-	0.20	.0044	----	----	11	UNCH								
3275	----	----		----/0.70A	0.80B/0.70A				0.80	-	0.10	.0050	5	----	5	UNCH								
3280	----	----		----/0.80A	0.80B/0.80A				0.80	-	0.20	.0050	----	----	30	UNCH								
3285	----	----		----/0.80A	0.90B/0.80A				0.80	-	0.20	.0050	----	----	4	UNCH								
3290	----	----		----/0.80A	0.90B/0.80A				0.80	-	0.20	.0051	----	----	2	UNCH								
3295	----	----		----/0.80A	0.90B/0.80A				0.80	-	0.20	.0051	----	----	10	UNCH								
3300	1.00	1.00		1.00/0.80A	1.00/0.80A				0.90	-	0.10	.0056	6	----	262	UNCH								
3305	----	----		----/0.90A	1.00B/0.90A				0.90	-	0.20	.0057	----	----	55	UNCH								
3310	----	----		----/0.90A	1.00B/0.90A				0.90	-	0.20	.0057	----	----	4	UNCH								
3315	----	----		----/0.90A	1.00B/0.90A				0.90	-	0.20	.0057	----	----	11	UNCH								
3320	----	----		----/0.90A	1.00B/0.90A				0.90	-	0.20	.0058	----	----	42	UNCH								
3325	----	----		----/0.90A	1.10B/0.90A				1.00	-	0.20	.0063	----	----	20	UNCH								
3330	----	----		----/0.90A	1.10B/0.90A				1.00	-	0.20	.0064	----	----	3	UNCH								
3335	----	----		----/1.00A	1.10B/1.00A				1.00	-	0.20	.0064	----	----	33	UNCH								
3340	----	----		----/1.00A	1.20B/1.00A				1.00	-	0.30	.0064	----	----	20	UNCH								
3345	----	----		----/1.00A	1.20B/1.00A				1.10	-	0.20	.0070	----	----	5	UNCH								
3350	----	----		----/1.00A	1.20B/1.00A				1.10	-	0.20	.0070	----	----	386	UNCH								
3355	----	----		----/1.10A	1.30B/1.10A				1.10	-	0.30	.0071	----	----	3	UNCH								
3360	----	----		----/1.10A	1.30B/1.10A				1.10	-	0.30	.0071	----	----	15	UNCH								
3365	----	----		----/1.10A	1.30B/1.10A				1.20	-	0.20	.0077	----	----	1	UNCH								
3370	----	----		----/1.20A	1.30B/1.20A				1.20	-	0.20	.0077	----	----	1	UNCH								
3375	----	----		----/1.20A	1.40B/1.20A				1.20	-	0.30	.0078	----	----	7	UNCH								
3380	----	----		----/1.20A	1.40B/1.20A				1.20	-	0.30	.0078	----	----	21	UNCH								
3385	----	----		----/1.20A	1.40B/1.20A				1.30	-	0.20	.0084	----	----	3	UNCH								
3390	----	----		----/1.20A	1.50B/1.20A				1.30	-	0.30	.0084	----	----	9	UNCH								
3395	----	----		----/1.30A	1.50B/1.30A				1.30	-	0.30	.0085	----	----	132	UNCH								
3400	1.20	1.20		1.20/1.20	1.50B/1.2																			

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS															
NOV26																
3555	----	----	----	/2.40A	2.90B/2.40A	----	----	----	2.60 - 0.40	.0180	----	----	----	----	4	UNCH
3560	----	----	----	/2.50A	3.00B/2.50A	----	----	----	2.70 - 0.40	.0186	----	----	----	----	34	UNCH
3565	----	----	----	/2.50A	3.00B/2.50A	----	----	----	2.70 - 0.50	.0188	----	----	----	----	12	UNCH
3570	----	----	----	/2.60A	3.10B/2.60A	----	----	----	2.80 - 0.40	.0194	----	----	----	----	1	UNCH
3575	----	----	----	/2.60A	3.20B/2.60A	----	----	----	2.80 - 0.50	.0196	----	----	----	308	UNCH	
3585	----	----	----	/2.70A	3.30B/2.70A	----	----	----	2.90 - 0.50	.0204	----	----	----	7	UNCH	
3590	2.90	2.90	2.90	/2.80A	3.40B/2.80A	----	----	----	3.00 - 0.50	.0211	----	----	1	----	11	+
3595	----	----	----	/2.90A	3.50B/2.90A	----	----	----	3.10 - 0.50	.0218	----	----	----	----	38	UNCH
3600	3.10	3.10	3.10	/2.90A	3.60B/2.90A	----	----	----	3.10 - 0.50	.0219	----	----	51	----	1805	UNCH
3605	----	----	----	/3.00A	3.70B/3.00A	----	----	----	3.20 - 0.50	.0226	----	----	----	----	3	UNCH
3610	----	----	----	/3.00A	3.70B/3.00A	----	----	----	3.30 - 0.50	.0233	----	----	----	----	1	UNCH
3615	----	----	----	/3.10A	3.80B/3.10A	----	----	----	3.30 - 0.60	.0235	----	----	----	----	3	UNCH
3620	----	----	----	/3.20A	3.90B/3.20A	----	----	----	3.40 - 0.60	.0242	----	----	----	----	7	UNCH
3625	----	----	----	/3.20A	4.00B/3.20A	----	----	----	3.50 - 0.50	.0249	----	----	40	----	57	+
3630	----	----	----	/3.30A	4.10B/3.30A	----	----	----	3.60 - 0.50	.0256	----	----	----	----	11	UNCH
3635	----	----	----	/3.40A	4.20B/3.40A	----	----	----	3.60 - 0.60	.0258	----	----	----	----	16	UNCH
3640	----	----	----	/3.40A	4.30B/3.40A	----	----	----	3.70 - 0.60	.0265	----	----	----	----	21	UNCH
3645	----	----	----	/3.50A	4.40B/3.50A	----	----	----	3.80 - 0.60	.0273	----	----	----	----	16	UNCH
3650	4.20	4.20	4.20	/3.60A	4.50B/3.60A	----	----	----	3.90 - 0.60	.0280	----	----	1	----	214	UNCH
3655	----	----	----	/3.70A	4.60B/3.70A	----	----	----	4.00 - 0.60	.0288	----	----	----	----	37	UNCH
3660	3.90	3.90	3.90	/3.80A	4.70B/3.80A	----	----	----	4.00 - 0.70	.0290	----	----	1	----	111	+
3665	----	----	----	/3.80A	4.80B/3.80A	----	----	----	4.10 - 0.70	.0297	----	----	----	----	35	UNCH
3670	----	----	----	/3.90A	4.90B/3.90A	----	----	----	4.20 - 0.70	.0305	----	----	----	----	70	UNCH
3675	----	----	----	/4.00A	5.00B/4.00A	----	----	----	4.30 - 0.70	.0313	----	----	----	----	314	UNCH
3680	----	----	----	/4.10A	5.10B/4.10A	----	----	----	4.40 - 0.80	.0321	----	----	----	----	82	UNCH
3685	----	----	----	/4.20A	5.20B/4.20A	----	----	----	4.50 - 0.80	.0328	----	----	----	----	20	UNCH
3690	----	----	----	/4.30A	5.30B/4.30A	----	----	----	4.60 - 0.80	.0336	----	----	----	----	22	UNCH
3695	----	----	----	/4.40A	5.50B/4.40A	----	----	----	4.70 - 0.80	.0344	----	----	----	----	36	UNCH
3700	----	----	----	/4.50A	5.60B/4.50A	----	----	----	4.80 - 0.90	.0353	----	----	----	----	2441	UNCH
3705	----	----	----	/4.60A	5.70B/4.60A	----	----	----	4.90 - 0.90	.0361	----	----	----	----	112	UNCH
3710	----	----	----	/4.70A	5.90B/4.70A	----	----	----	5.00 - 0.90	.0369	----	----	----	----	39	UNCH
3715	----	----	----	/4.80A	6.00B/4.80A	----	----	----	5.20 - 0.90	.0383	----	----	----	----	22	UNCH
3720	----	----	----	/4.90A	6.20B/4.90A	----	----	----	5.30 - 0.90	.0391	----	----	----	----	6	UNCH
3725	----	----	----	/5.00A	6.30B/5.00A	----	----	----	5.40 - 0.90	.0400	----	----	----	----	97	UNCH
3730	----	----	----	/5.10A	6.50B/5.10A	----	----	----	5.50 - 1.00	.0408	----	----	----	----	64	UNCH
3735	----	----	----	/5.20A	6.70B/5.20A	----	----	----	5.70 - 1.00	.0422	----	----	----	----	16	UNCH
3740	6.30	6.30	6.30	/5.30A	6.80B/5.30A	----	----	----	5.80 - 1.00	.0431	----	----	2	----	45	UNCH
3745	6.30	6.30	6.30	/5.50A	7.00B/5.50A	----	----	----	5.90 - 1.10	.0440	----	----	9	----	107	+
3750	6.30	6.30	6.30	/5.60A	7.20B/5.60A	----	----	----	6.10 - 1.10	.0455	----	----	9	----	667	+
3755	6.60	6.60	6.60	/5.70A	7.40B/5.70A	----	----	----	6.20 - 1.10	.0464	----	----	11	----	29	UNCH
3760	----	----	----	/5.90A	7.50B/5.90A	----	----	----	6.40 - 1.10	.0478	----	----	----	----	46	UNCH
3765	----	----	----	/6.00A	7.70B/6.00A	----	----	----	6.50 - 1.20	.0488	----	----	----	----	8	UNCH
3770	----	----	----	/6.20A	8.00B/6.20A	----	----	----	6.70 - 1.20	.0502	----	----	----	----	67	UNCH
3775	7.60	7.60	7.60	/6.30	8.10B/6.30	----	----	----	6.90 - 1.20	.0517	----	----	32	----	163	+
3780	7.50	7.50	7.50	/6.50A	8.40B/6.50A	----	----	----	7.00 - 1.30	.0527	----	----	22	----	33	+
3785	----	----	----	/6.60A	8.60B/6.60A	----	----	----	7.20 - 1.30	.0542	----	----	----	----	18	UNCH
3790	7.90	7.90	7.90	/6.80A	8.80B/6.80A	----	----	----	7.40 - 1.30	.0558	----	----	20	----	57	+
3795	----	----	----	/6.90A	9.00B/6.90A	----	----	----	7.60 - 1.40	.0573	----	----	----	----	8	UNCH
3800	7.30	7.30	7.30	/7.10A	9.40B/7.10A	----	----	----	7.80 - 1.40	.0588	----	----	2335	3180	3592	+
3805	----	----	----	/7.30A	9.60B/7.30A	----	----	----	8.00 - 1.40	.0604	----	----	7	----	47	UNCH
3810	9.10	9.10	9.10	/7.50A	9.90B/7.50A	----	----	----	8.20 - 1.50	.0620	----	----	1	----	44	-
3815	7.90	7.90	7.90	/7.70A	10.10B/7.70A	----	----	----	8.40 - 1.60	.0636	----	----	31	----	281	+
3820	8.70	8.70	8.70	/7.90A	10.30B/7.90A	----	----	----	8.60 - 1.60	.0652	----	----	16	----	143	-
3825	----	----	----	/8.10A	10.80B/8.10A	----	----	----	8.90 - 1.60	.0674	----	----	----	----	82	UNCH
3830	9.00	9.00	9.00	/8.30A	11.10B/8.30A	----	----	----	9.10 - 1.70	.0690	----	----	20	----	94	-
3835	----	----	----	/8.50A	11.40B/8.50A	----	----	----	9.30 - 1.80	.0707	----	----	----	----	241	UNCH
3840	----	----	----	/8.80A	11.70B/8.80A	----	----	----	9.60 - 1.80	.0729	----	----	7	----	191	+
3845	----	----	----	/9.00A	12.00B/9.00A	----	----	----	9.80 - 1.90	.0746	----	----	----	----	105	UNCH
3850	12.30	12.30	12.30	/9.30A	12.40B/9.30A	----	----	----	10.10 - 2.00	.0768	----	----	8	----	1472	+
3855	10.80	10.80	10.80	/9.50A	12.70B/9.50A	----	----	----	10.40 - 2.00	.0791	----	----	20	----	155	UNCH
3860	----	----	----	/9.80A	13.20B/9.80A	----	----	----	10.70 - 2.10	.0813	----	----	----	----	148	UNCH
3865	----	----	----	/10.10A	13.60B/10.10A	----	----	----	11.00 - 2.10	.0836	----	----	----	----	86	UNCH
3870	----	----	----	/10.40A	14.00B/10.40A	----	----	----	11.30 - 2.20	.0859	----	----	----	----	103	UNCH
3875	----	----	----	/10.70A	14.40B/10.70A	----	----	----	11.60 - 2.30	.0882	----	----	----	----	270	UNCH
3880	----	----	----	/11.00A	14.90B/11.00A	----	----	----	11.90 - 2.40	.0906	----	----	----	----	96	UNCH
3885	----	----	----	/11.30A	15.20B/11.30A	----	----	----	12.30 - 2.40	.0934	----	----	----	----	86	UNCH
3890	13.00	13.00	13.00	/11.60A	15.70B/11.60A	----	----	----	12.60 - 2.60	.0958	----	----	10	----	247	+
3895	----	----	----	/12.00A	16.20B/12.00A	----	----	----	13.00 - 2.60	.0987	----	----	----	----	67	UNCH
3900	14.60	14.60	14.60	/12.30A	16.80B/12.30A	----	----	----	13.40 - 2.70	.1017	----	----	277	1000	1349	-
3905	----	----	----	/12.70A	17.30B/12.70A	----	----	----	13.80 - 2.80	.1046	----	----	----	----	130	UNCH
3910	15.20	15.20	15.20	/13.10A	17.80B/13.10A	----	----	----	14.20 - 2.90	.1076	----	----	5	----	178	UNCH
3915	----	----	----	/13.50A	18.40B/13.50A	----	----	----	14.70 - 2.90	.1110	----	----	----	----</		

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT	COMEX GOLD OPTIONS															
NOV26																
4245	110.50	110.50		132.00B/102.70A	132.00B/102.70A	----		111.60 - 13.20	.5670	----	----	6	----	46	+	6
4250	122.10	122.10		135.40B/105.50A	135.40B/105.50A	----		114.60 - 13.20	.5759	----	----	27	----	969	+	4
4255	123.90	123.90		138.70B/108.40A	138.70B/108.40A	----		117.50 - 13.50	.5848	----	----	4	----	58	+	4
4260	111.50	111.50		142.00B/111.20A	142.00B/111.20A	----		120.60 - 13.50	.5937	----	----	6	----	294	+	2
4265	131.40	131.40		145.30B/114.00A	145.30B/114.00A	----		123.70 - 13.60	.6024	----	----	3	----	155		UNCH
4270	124.10	124.10		148.70B/116.90A	148.70B/116.90A	----		126.80 - 13.80	.6110	----	----	4	----	75		UNCH
4275	----	----		152.20B/119.90A	152.20B/119.90A	----		130.00 - 13.80	.6197	----	----	----	----	436		UNCH
4280	----	----		155.60B/123.00A	155.60B/123.00A	----		133.20 - 14.00	.6282	----	----	----	----	165		UNCH
4285	----	----		159.10B/126.20A	159.10B/126.20A	----		136.50 - 14.00	.6366	----	----	----	----	203		UNCH
4290	----	----		162.60B/129.40A	162.60B/129.40A	----		139.80 - 14.10	.6450	----	----	----	----	28		UNCH
4295	----	----		166.20B/132.50A	166.20B/132.50A	----		143.10 - 14.30	.6533	----	----	----	----	219		UNCH
4300	----	----		169.80B/135.70A	169.80B/135.70A	----		146.50 - 14.40	.6615	----	----	----	----	2406		UNCH
4305	----	----		173.60B/138.80A	173.60B/138.80A	----		150.00 - 14.40	.6695	----	----	----	----	36		UNCH
4310	154.40	154.40		177.20B/142.30A	177.20B/142.30A	----		153.40 - 14.60	.6774	----	----	1	----	45		UNCH
4315	----	----		180.90B/145.50A	180.90B/145.50A	----		157.00 - 14.60	.6854	----	----	----	----	75		UNCH
4320	----	----		184.70B/149.00A	184.70B/149.00A	----		160.50 - 14.70	.6930	----	----	6	----	211	-	2
4325	153.50	153.50		188.50B/152.30A	188.50B/152.30A	----		164.10 - 14.80	.7007	----	----	4	----	262	-	4
4330	----	----		192.40B/155.90A	192.40B/155.90A	----		167.80 - 14.80	.7081	----	----	----	----	279		UNCH
4335	----	----		196.20B/159.40A	196.20B/159.40A	----		171.50 - 14.80	.7155	----	----	----	----	52		UNCH
4340	----	----		200.20B/162.80A	200.20B/162.80A	----		175.20 - 14.90	.7228	----	----	----	----	190		UNCH
4345	----	----		204.20B/166.40A	204.20B/166.40A	----		179.00 - 15.00	.7299	----	----	----	----	53		UNCH
4350	----	----		208.10B/170.00A	208.10B/170.00A	----		182.80 - 15.00	.7369	----	----	----	----	1017		UNCH
4355	----	----		212.10B/173.70A	212.10B/173.70A	----		186.60 - 15.10	.7439	----	----	----	----	31		UNCH
4360	----	----		216.00B/177.40A	216.00B/177.40A	----		190.40 - 15.20	.7506	----	----	2	----	80		UNCH
4365	----	----		220.20B/181.10A	220.20B/181.10A	----		194.30 - 15.20	.7573	----	----	----	----	95		UNCH
4370	----	----		224.40B/184.80A	224.40B/184.80A	----		198.20 - 15.30	.7640	----	----	----	----	44		UNCH
4375	----	----		228.40B/188.60A	228.40B/188.60A	----		202.20 - 15.30	.7703	----	----	----	----	421		UNCH
4380	----	----		232.60B/192.50A	232.60B/192.50A	----		206.20 - 15.40	.7765	----	----	----	----	269		UNCH
4385	----	----		236.70B/196.30A	236.70B/196.30A	----		210.20 - 15.40	.7828	----	----	----	----	85		UNCH
4390	----	----		241.00B/200.20A	241.00B/200.20A	----		214.30 - 15.40	.7887	----	----	----	----	221		UNCH
4395	----	----		245.20B/204.20A	245.20B/204.20A	----		218.30 - 15.50	.7946	----	----	----	----	53		UNCH
4400	----	----		249.60B/208.10A	249.60B/208.10A	----		222.40 - 15.60	.8004	----	----	----	1000	1231	-	1000
4405	----	----		253.90B/212.10A	253.90B/212.10A	----		226.60 - 15.60	.8062	----	----	----	----	51		UNCH
4410	----	----		258.10B/216.20A	258.10B/216.20A	----		230.80 - 15.60	.8116	----	----	2	----	66		UNCH
4415	242.70	242.70		262.50B/220.20A	262.50B/220.20A	----		235.00 - 15.60	.8170	----	----	3	----	280		UNCH
4420	243.80	243.80		266.80B/224.30A	266.80B/224.30A	----		239.20 - 15.60	.8220	----	----	1	----	82		UNCH
4425	251.30	251.30		271.20B/228.40A	271.20B/228.40A	----		243.50 - 15.60	.8269	----	----	1	----	343		UNCH
4430	261.30	261.30		275.50B/232.60A	275.50B/232.60A	----		247.80 - 15.60	.8318	----	----	1	----	133	-	1
4435	----	----		280.00B/236.90A	280.00B/236.90A	----		252.10 - 15.60	.8367	----	----	----	----	74		UNCH
4440	----	----		284.50B/241.10A	284.50B/241.10A	----		256.40 - 15.70	.8416	----	----	----	----	157		UNCH
4445	----	----		288.80B/245.20A	288.80B/245.20A	----		260.70 - 15.70	.8465	----	----	----	----	32		UNCH
4450	----	----		293.30B/249.60A	293.30B/249.60A	----		265.10 - 15.70	.8508	----	----	----	----	918		UNCH
4455	----	----		297.90B/253.70A	297.90B/253.70A	----		269.40 - 15.80	.8552	----	----	----	----	27		UNCH
4460	288.40	288.40		302.40B/258.00A	302.40B/258.00A	----		273.80 - 15.80	.8596	----	----	1	----	56		UNCH
4465	----	----		306.90B/262.30A	306.90B/262.30A	----		278.20 - 15.90	.8639	----	----	----	----	25		UNCH
4470	----	----		311.40B/266.80A	311.40B/266.80A	----		282.70 - 15.80	.8677	----	----	----	----	43		UNCH
4475	----	----		316.00B/270.90A	316.00B/270.90A	----		287.20 - 15.80	.8720	----	----	----	----	97		UNCH
4480	----	----		320.60B/275.40A	320.60B/275.40A	----		291.70 - 15.80	.8758	----	----	----	----	21		UNCH
4485	----	----		325.10B/279.80A	325.10B/279.80A	----		296.20 - 15.80	.8791	----	----	----	----	51		UNCH
4490	----	----		329.70B/284.40A	329.70B/284.40A	----		300.70 - 15.90	.8828	----	----	----	----	36		UNCH
4495	----	----		334.30B/288.70A	334.30B/288.70A	----		305.20 - 15.90	.8860	----	----	----	----	27		UNCH
4500	----	----		339.00B/293.30A	339.00B/293.30A	----		309.80 - 15.90	.8898	----	----	----	----	368		UNCH
4505	----	----		343.60B/297.60A	343.60B/297.60A	----		314.40 - 15.80	.8930	----	----	----	----	21		UNCH
4510	----	----		348.30B/302.10A	348.30B/302.10A	----		319.00 - 15.80	.8961	----	----	----	----	188		UNCH
4515	----	----		352.90B/306.80A	352.90B/306.80A	----		323.60 - 15.80	.8993	----	----	----	----	9		UNCH
4520	----	----		357.60B/311.20A	357.60B/311.20A	----		328.20 - 15.80	.9024	----	----	----	----	36		UNCH
4525	----	----		362.30B/315.90A	362.30B/315.90A	----		332.80 - 15.90	.9050	----	----	----	----	107		UNCH
4530	----	----		367.00B/320.30A	367.00B/320.30A	----		337.50 - 15.80	.9081	----	----	----	----	286		UNCH
4535	339.40	339.40		371.70B/324.80A	371.70B/324.80A	----		342.10 - 15.90	.9106	----	----	4	----	38	+	1
4540	----	----		376.40B/329.40A	376.40B/329.40A	----		346.80 - 15.80	.9131	----	----	1	----	40		UNCH
4545	----	----		381.10B/334.00A	381.10B/334.00A	----		351.50 - 15.80	.9156	----	----	----	----	20		UNCH
4550	----	----		385.90B/338.70A	385.90B/338.70A	----		356.10 - 15.90	.9187	----	----	----	----	431		UNCH
4555	----	----		390.60B/343.50A	390.60B/343.50A	----		360.80 - 15.90	.9205	----	----	----	----	5		UNCH
4560	----	----		395.40B/348.00A	395.40B/348.00A	----		365.60 - 15.80	.9230	----	----	----	----	47		UNCH
4565	----	----		400.10B/352.70A	400.10B/352.70A	----		370.30 - 15.80	.9254	----	----	----	----	56		UNCH
4570	----	----		404.90B/30												

BULLETIN #189@				METALS OPTION PRODUCTS										Thu, Oct 01, 2026				PG64	
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG PUT		COMEX GOLD OPTIONS																	
NOV26																			
5015	----	----	----	838.90B/798.40A	838.90B/798.40A	----	----	----	813.00	- 15.50	.9904	----	----	----	----	1	UNCH		
5020	----	----	----	843.90B/803.40A	843.90B/803.40A	----	----	----	818.00	- 15.50	.9904	----	----	----	----	33	UNCH		
5030	----	----	----	853.50B/813.40A	853.50B/813.40A	----	----	----	828.00	- 15.50	.9905	----	----	----	----	5	UNCH		
5055	----	----	----	878.50B/838.30A	878.50B/838.30A	----	----	----	852.90	- 15.50	.9915	----	----	----	----	9	UNCH		
5065	----	----	----	888.50B/848.30A	888.50B/848.30A	----	----	----	862.90	- 15.50	.9915	----	----	----	----	1	UNCH		
5070	----	----	----	893.50B/853.30A	893.50B/853.30A	----	----	----	867.90	- 15.50	.9916	----	----	----	----	0	UNCH		
5075	----	----	----	898.40B/858.30A	898.40B/858.30A	----	----	----	872.90	- 15.50	.9916	----	----	----	----	1	UNCH		
5080	----	----	----	903.40B/863.20A	903.40B/863.20A	----	----	----	877.90	- 15.50	.9924	----	----	----	----	1	UNCH		
5085	----	----	----	908.40B/868.20A	908.40B/868.20A	----	----	----	882.90	- 15.50	.9924	----	----	----	----	2	UNCH		
5090	----	----	----	913.80B/873.30A	913.80B/873.30A	----	----	----	887.90	- 15.50	.9924	----	----	----	----	0	UNCH		
5100	----	----	----	923.80B/883.30A	923.80B/883.30A	----	----	----	897.80	- 15.60	.9925	----	----	----	----	0	UNCH		
5105	----	----	----	928.80B/888.20A	928.80B/888.20A	----	----	----	902.80	- 15.60	.9926	----	----	----	----	0	UNCH		
5110	----	----	----	933.80B/893.20A	933.80B/893.20A	----	----	----	907.80	- 15.60	.9926	----	----	----	----	0	UNCH		
5125	----	----	----	948.80B/908.20A	948.80B/908.20A	----	----	----	922.80	- 15.60	.9934	----	----	----	----	1	UNCH		
5130	----	----	----	953.80B/913.20A	953.80B/913.20A	----	----	----	927.80	- 15.60	.9934	----	----	----	----	0	UNCH		
5140	----	----	----	963.80B/923.20A	963.80B/923.20A	----	----	----	937.80	- 15.50	.9935	----	----	----	----	0	UNCH		
5160	----	----	----	983.80B/943.10A	983.80B/943.10A	----	----	----	957.80	- 15.50	.9936	----	----	----	----	0	UNCH		
5185	----	----	----	1,008.80B/968.1	1008.80B/968.10A	----	----	----	982.70	- 15.60	.9945	----	----	----	----	0	UNCH		
5190	----	----	----	1,013.80B/973.1	1013.80B/973.10A	----	----	----	987.70	- 15.60	.9945	----	----	----	----	1	UNCH		
5200	----	----	----	1,023.80B/983.2	1023.80B/983.20A	----	----	----	997.70	- 15.60	.9945	1	----	1	----	1	UNCH		
5205	----	----	----	1,028.80B/988.1	1028.80B/988.10A	----	----	----	1002.70	- 15.60	.9946	----	----	----	----	0	UNCH		
5215	----	----	----	1,038.80B/998.1	1038.80B/998.10A	----	----	----	1012.70	- 15.60	.9946	----	----	----	----	1	UNCH		
5225	----	----	----	1,048.80B/1,008	1048.80B/1008.10A	----	----	----	1022.70	- 15.60	.9947	----	----	----	----	1	UNCH		
5265	----	----	----	1,088.80B/1,048	1088.80B/1048.10A	----	----	----	1062.70	- 15.60	.9956	----	----	----	----	0	UNCH		
5395	----	----	----	1,218.80B/1,178	1218.80B/1178.10A	----	----	----	1192.70	- 15.60	.9968	----	----	----	----	6	UNCH		
5400	----	----	----	1,223.80B/1,183	1223.80B/1183.10A	----	----	----	1197.70	- 15.60	.9968	----	----	----	----	6	UNCH		
TOTAL														4862	5,230	63965+	1234		
DEC26																			
1350	----	----	----	----	----/0.10A	----	----	----	0.10	UNCH	----	----	----	----	----	17	UNCH		
1375	----	----	----	----	----/0.10A	----	----	----	0.10	UNCH	----	----	----	----	----	1	UNCH		
1400	----	----	----	----	----/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	1	UNCH		
1500	----	----	----	----	----/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	1	UNCH		
1600	----	----	----	----	----/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	219	UNCH		
1700	----	----	----	----	----/0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	----	200	UNCH		
1740	----	----	----	----	----/0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	----	5	UNCH		
1750	----	----	----	----	----/0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	----	3	UNCH		
1800	----	----	----	----	----/0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	----	1	UNCH		
1845	----	----	----	----	----/0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	----	60	UNCH		
1850	----	----	----	----	----/0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	----	5	UNCH		
1870	----	----	----	----	----/0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	----	3	UNCH		
1875	----	----	----	----	----/0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	----	3	UNCH		
1900	----	----	----	----	----/0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	----	6	UNCH		
1930	----	----	----	----	----/0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	----	8	UNCH		
2000	----	----	----	----	----/0.20A	----	----	----	0.10	UNCH	.0001	----	----	----	----	10	UNCH		
2100	----	----	----	----	----/0.20A	----	----	----	0.20	UNCH	.0006	----	----	----	----	1	UNCH		
2125	----	----	----	----	0.10B/0.20A	----	----	----	0.20	UNCH	.0006	----	----	----	----	10	UNCH		
2200	----	----	----	----	0.10B/0.30A	----	----	----	0.20	UNCH	.0007	----	----	----	----	12	UNCH		
2210	----	----	----	----	0.10B/0.30A	----	----	----	0.20	UNCH	.0007	----	----	----	----	14	UNCH		
2225	----	----	----	----	0.10B/0.30A	----	----	----	0.20	UNCH	.0007	----	----	----	----	2	UNCH		
2235	----	----	----	----	0.10B/0.30A	----	----	----	0.20	UNCH	.0007	----	----	----	----	1	UNCH		
2240	----	----	----	----	0.10B/0.30A	----	----	----	0.20	UNCH	.0007	----	----	----	----	2	UNCH		
2245	----	----	----	----	0.10B/0.30A	----	----	----	0.20	UNCH	.0007	----	----	----	----	1	UNCH		
2250	----	----	----	----	0.10B/0.30A	----	----	----	0.20	UNCH	.0007	----	----	----	----	3	UNCH		
2260	----	----	----	----	0.10B/0.30A	----	----	----	0.20	UNCH	.0007	----	----	----	----	1	UNCH		
2280	----	----	----	----	0.10B/0.30A	----	----	----	0.20	UNCH	.0007	----	----	----	----	13	UNCH		
2300	----	----	----	----	0.10B/0.30A	----	----	----	0.20	UNCH	.0007	----	----	----	----	1	UNCH		
2320	----	----	----	----	0.10B/0.30A	----	----	----	0.20	UNCH	.0007	----	----	----	----	5	UNCH		
2325	----	----	----	----	0.10B/0.30A	----	----	----	0.20	UNCH	.0007	----	----	----	----	1	UNCH		
2395	----	----	----	----	0.20B/0.30A	----	----	----	0.30	UNCH	.0011	----	----	----	----	15	UNCH		
2400	----	----	----	----	0.20B/0.30A	----	----	----	0.30	UNCH	.0011	----	----	----	----	10	UNCH		
2425	----	----	----	----	0.20B/0.40A	----	----	----	0.30	UNCH	.0011	----	----	----	----	15	UNCH		
2440	----	----	----	----	0.20B/0.40A	----	----	----	0.30	UNCH	.0011	----	----	----	----	11	UNCH		
2450	----	----	----	----	0.20B/0.40A	----	----	----	0.30	UNCH	.0011	----	----	----	----	1	UNCH		
2470	----	----	----	----	0.20B/0.40A	----	----	----	0.30 - 0.10	.0011	----	----	----	----	----	24	UNCH		
2490	----	----	----	----	0.20B/0.40A	----	----	----	0.30 - 0.10	.0012	----	----	----	----	----	2	UNCH		
2495	----	----	----	----	0.20B/0.40A	----	----	----	0.30 - 0.10	.0012	----	----	----	----	----	11	UNCH		
2500	----	----	----	----	0.30B/0.40A	----	----	----	0.30 - 0.10	.0012	----	----	----	----	----	30	UNCH		
2550	----	----	----	----	0.30B/0.40A	----	----	----	0.30 - 0.10	.0012	----	----	----	----	----	462	UNCH		
2550	----	----	----	----	0.30B/0.50A	----	----	----	0.40 - 0.10	.0016	----	----	----	----	----	5	UNCH		
2560	----	----	----	----	0.30B/0.50A	----	----	----	0.40 - 0.10	.0016	----	----	----	----	----	20	UNCH		
2565	----	----	----	----	0.30B/0.50A	----	----	----	0.40 - 0.10	.0016	----	----	----	----	----	32	UNCH		
2570	----	----	----	----	0.30B/0.50A	----	----	----	0.40 - 0.10	.0016	----	----	----	----	----	10	UNCH		
2575	----	----	----	----	0.30B/0.50A	----	----	----	0.40 - 0.10	.0016	----	----	----	----	----	16	UNCH		
2580	----	----	----	----	0.40B/0.50A	----	----	----	0.40 - 0.10	.0016	----	----	----	----	----	5	UNCH		
2590	----	----	----	----	0.40B/0.50A	----	----	----	0.40 - 0.10	.0016	----	----	----	----	----	18	UNCH		
2600	----	----	----	----	0.40B/0.50A	----	----	----	0.40 - 0.10	.0017	----	----	----	----	----	25	UNCH		
2605	----	----	----	----	0.40B/0.50A	----	----	----	0.40 - 0.10	.0017	----	----	----	----	----	1	UNCH		
2610	----	----																	

GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT DEC26	COMEX GOLD OPTIONS												
3235	----	----	----/3.40A	3.80B/3.40A	----	3.60 - 0.30	.0168	----	----	----	----	12	UNCH
3240	----	----	----/3.50A	3.90B/3.50A	----	3.60 - 0.30	.0169	----	----	----	----	11	UNCH
3245	----	----	----/3.50A	3.90B/3.50A	----	3.70 - 0.30	.0174	----	----	----	----	21	UNCH
3250	----	----	----/3.60A	4.00B/3.60A	----	3.70 - 0.40	.0175	----	----	----	----	500	UNCH
3260	----	----	----/3.70A	4.10B/3.70A	----	3.80 - 0.40	.0180	----	----	----	----	1	UNCH
3265	----	----	----/3.80A	4.20B/3.80A	----	3.90 - 0.30	.0184	----	----	----	----	27	UNCH
3270	----	----	----/3.80A	4.20B/3.80A	----	3.90 - 0.40	.0185	----	----	----	----	24	UNCH
3275	----	----	----/3.90A	4.30B/3.90A	----	4.00 - 0.40	.0190	----	----	----	----	11	UNCH
3280	----	----	----/3.90A	4.40B/3.90A	----	4.10 - 0.30	.0194	----	----	----	----	5	UNCH
3285	----	----	----/4.00A	4.40B/4.00A	----	4.10 - 0.40	.0195	----	----	----	----	11	UNCH
3290	----	----	----/4.00A	4.50B/4.00A	----	4.20 - 0.40	.0200	----	----	----	----	7	UNCH
3295	----	----	----/4.10A	4.50B/4.10A	----	4.30 - 0.30	.0204	----	----	----	----	1	UNCH
3300	4.30	4.30	4.30/4.10A	4.70B/4.10A	----	4.30 - 0.40	.0205	----	----	6	----	644	UNCH
3310	----	----	----/4.30A	4.80B/4.30A	----	4.40 - 0.40	.0211	----	----	----	----	1	UNCH
3315	----	----	----/4.30A	4.90B/4.30A	----	4.50 - 0.40	.0216	----	----	----	----	11	UNCH
3325	----	----	----/4.50A	5.00B/4.50A	----	4.70 - 0.30	.0225	----	----	----	----	104	UNCH
3330	----	----	----/4.50A	5.10B/4.50A	----	4.70 - 0.40	.0226	----	----	----	----	2	UNCH
3345	----	----	----/4.70A	5.40B/4.70A	----	4.90 - 0.50	.0237	----	----	----	----	3	UNCH
3350	----	----	----/4.80A	5.40B/4.80A	----	5.00 - 0.40	.0242	----	----	----	----	35	UNCH
3360	----	----	----/4.90A	5.60B/4.90A	----	5.20 - 0.40	.0251	----	----	----	----	17	UNCH
3365	----	----	----/5.00A	5.70B/5.00A	----	5.20 - 0.50	.0253	----	----	----	----	7	UNCH
3370	----	----	----/5.10A	5.80B/5.10A	----	5.30 - 0.50	.0258	----	----	----	----	3	UNCH
3375	----	----	----/5.20A	5.90B/5.20A	----	5.40 - 0.50	.0263	----	----	----	----	266	UNCH
3380	----	----	----/5.30A	6.00B/5.30A	----	5.50 - 0.50	.0268	----	----	----	----	12	UNCH
3385	----	----	----/5.30A	6.10B/5.30A	----	5.60 - 0.50	.0273	----	----	----	----	35	UNCH
3390	----	----	6.20B/5.40A	6.20B/5.40A	----	5.70 - 0.40	.0278	----	----	----	----	101	UNCH
3395	----	----	6.30B/5.50A	6.30B/5.50A	----	5.70 - 0.50	.0279	----	----	----	----	5	UNCH
3400	----	----	6.40B/5.60A	6.40B/5.60A	----	5.80 - 0.50	.0284	----	----	----	----	2209	UNCH
3410	----	----	6.60B/5.70A	6.60B/5.70A	----	6.00 - 0.50	.0294	----	----	----	----	63	UNCH
3420	----	----	---/5.90A	6.80B/5.90A	----	6.20 - 0.60	.0305	----	----	----	----	4	UNCH
3425	----	----	---/6.00A	6.90B/6.00A	----	6.30 - 0.60	.0310	----	----	----	----	382	UNCH
3430	----	----	---/6.10A	7.00B/6.10A	----	6.40 - 0.60	.0315	----	----	----	----	2	UNCH
3435	----	----	7.20B/6.20A	7.20B/6.20A	----	6.50 - 0.60	.0321	----	----	----	----	18	UNCH
3440	----	----	7.30B/6.30A	7.30B/6.30A	----	6.60 - 0.60	.0326	----	----	----	----	11	UNCH
3445	----	----	7.40B/6.40A	7.40B/6.40A	----	6.70 - 0.60	.0331	----	----	----	----	4	UNCH
3450	----	----	7.50B/6.50A	7.50B/6.50A	----	6.80 - 0.60	.0337	----	----	150	----	1384	+
3455	----	----	---/6.60A	7.60B/6.60A	----	6.90 - 0.70	.0342	----	----	----	----	2	UNCH
3460	----	----	7.80B/6.70A	7.80B/6.70A	----	7.00 - 0.70	.0348	----	----	----	----	72	UNCH
3465	----	----	7.90B/6.80A	7.90B/6.80A	----	7.20 - 0.60	.0357	----	----	----	----	227	UNCH
3470	----	----	8.00B/6.90A	8.00B/6.90A	----	7.30 - 0.60	.0362	----	----	----	----	20	UNCH
3475	----	----	8.20B/7.00A	8.20B/7.00A	----	7.40 - 0.70	.0368	----	----	----	----	232	UNCH
3480	----	----	8.30B/7.20A	8.30B/7.20A	----	7.50 - 0.70	.0373	----	----	----	----	1288	UNCH
3485	----	----	8.50B/7.30A	8.50B/7.30A	----	7.60 - 0.70	.0379	----	----	----	----	129	UNCH
3490	----	----	8.60B/7.40A	8.60B/7.40A	----	7.80 - 0.70	.0388	----	----	----	----	30	UNCH
3495	----	----	8.70B/7.50A	8.70B/7.50A	----	7.90 - 0.70	.0394	----	----	----	----	23	UNCH
3500	8.00	8.00	8.90B/7.60	8.90B/7.60	----	8.00 - 0.80	.0400	----	----	503	----	6456	+
3505	----	----	9.00B/7.80A	9.00B/7.80A	----	8.20 - 0.70	.0409	----	----	----	----	19	UNCH
3510	----	----	9.20B/7.90A	9.20B/7.90A	----	8.30 - 0.80	.0415	----	----	----	----	252	UNCH
3515	----	----	9.40B/8.00A	9.40B/8.00A	----	8.40 - 0.80	.0421	----	----	----	----	136	UNCH
3520	----	----	9.50B/8.20A	9.50B/8.20A	----	8.60 - 0.80	.0431	----	----	----	----	23	UNCH
3525	----	----	9.70B/8.30A	9.70B/8.30A	----	8.70 - 0.90	.0437	----	----	----	----	205	UNCH
3530	----	----	9.80B/8.40A	9.80B/8.40A	----	8.90 - 0.80	.0446	----	----	----	----	1	UNCH
3540	----	----	10.20B/8.70A	10.20B/8.70A	----	9.20 - 0.90	.0462	----	----	----	----	23	UNCH
3545	----	----	10.40B/8.90A	10.40B/8.90A	----	9.30 - 0.90	.0468	----	----	----	----	20	UNCH
3550	----	----	10.60B/9.00A	10.60B/9.00A	----	9.50 - 0.90	.0478	----	----	----	----	2162	UNCH
3555	----	----	10.80B/9.20A	10.80B/9.20A	----	9.70 - 0.90	.0488	----	----	----	----	2	UNCH
3560	----	----	10.90B/9.30A	10.90B/9.30A	----	9.80 - 1.00	.0494	----	----	----	----	84	UNCH
3565	10.10	10.10	11.10B/9.50A	11.10B/9.50A	----	10.00 - 1.00	.0504	----	4	4	----	37	+
3570	----	----	11.40B/9.70A	11.40B/9.70A	----	10.20 - 1.00	.0514	----	2	2	----	16	-
3575	----	----	11.60B/9.80A	11.60B/9.80A	----	10.40 - 1.00	.0524	----	----	----	----	11	UNCH
3580	----	----	11.80B/10.00A	11.80B/10.00A	----	10.50 - 1.10	.0531	----	----	----	----	16	UNCH
3585	----	----	12.10B/10.20A	12.10B/10.20A	----	10.70 - 1.10	.0541	----	----	----	----	334	UNCH
3590	----	----	12.30B/10.40A	12.30B/10.40A	----	10.90 - 1.10	.0551	----	----	----	----	46	UNCH
3595	----	----	12.50B/10.60A	12.50B/10.60A	----	11.10 - 1.20	.0562	----	----	----	----	115	UNCH
3600	11.20	11.20	12.70B/10.80A	12.70B/10.80A	----	11.30 - 1.20	.0572	----	4	4	----	1946	-
3605	----	----	13.00B/11.00A	13.00B/11.00A	----	11.50 - 1.20	.0582	----	----	----	----	41	UNCH
3610	----	----	13.20B/11.20A	13.20B/11.20A	----	11.80 - 1.20	.0596	----	----	----	----	35	UNCH
3615	12.30	12.30	13.50B/11.40A	13.50B/11.40A	----	12.00 - 1.20	.0607	----	1	1	----	39	UNCH
3620	----	----	13.70B/11.60A	13.70B/11.60A	----	12.20 - 1.30	.0617	----	----	----	----	6	UNCH
3625	----	----	14.10B/11.80A	14.10B/11.80A	----	12.40 - 1.30	.0628	----	----	----	----	41	UNCH
3630	13.10	13.10	14.30B/12.00A	14.30B/12.00A	----	12.70 - 1.30	.0642	----	6	6	----	16	+
3635	----	----	14.50B/12.20A	14.50B/12.20A	----	12.90 - 1.30	.0653	----	----	----	----	47	UNCH
3640	----	----	14.90B/12.50A	14.90B/12.50A	----	13.10 - 1.40	.0664	----	----	----	----	18	UNCH
3645	----	----	15.20B/12.70A	15.20B/12.70A	----	13.40 - 1.40	.0678	----	----	----	----	57	UNCH
3650	----	----	15.50B/13.00A	15.50B/13.00A	----	13.70 - 1.40	.0693	----	1	1	----	1647	UNCH
3655	13.80	13.80	15.80B/13.20A	15.80B/13.20A	----	13.90 - 1.50	.0704	----	11	11	----	244	UNCH
3660	----	----	16.10B/13.50A	16.10B/13.50A	----	14.20 - 1.50	.0718	----	----	----	----	52	UNCH
3665	----	----	16.40B/13.70A	16.40B/13.70A	----	14.50 - 1.50	.0733	----	----	----	----	19	UNCH
3670	----	----	16.70B/14.00A	16.70B/14.00A	----	14.70 - 1.60	.0744	----	2	2	----	122	-
3675	----	----	17.10B/14.30A	17.10B/14.30A	----	15.00 - 1.60	.0759	----	----	----	----	139	UNCH
3680	15.10	15.10	17.40B/14.60A	17.40B/14.60A	----	15.30 - 1.70	.0774	----	10	10	----	52	UNCH
3685	----	----	17.80B/14.90A	17.80B/14.90A	----	15.60 - 1.70	.0789	----	----	----	----	407	UNCH
3690	----	----	18.20B/15.20A	18.20B/15.20A	----	15.90 - 1.70	.0804	----	----	----	----	21	UNCH
3695	----	----	18.50B/15.50A	18.50B/15.50A	----	16.30 - 1.70	.0822	----	1	1	----	18	+
3700	18.00	18.00	18.90B/15.80A	18.90B/15.80A	----	16.60 - 1.80	.0837	----	51	51	----	2410	-
3705	16.80	16.80	19.30B/16.10A	19.30B/16.10A	----	16.90 - 1.80	.0852	----	5	5	----	49	+
3710	----	----	19.70B/16.40A	19.70B/16.40A	----	17.30 - 1.80	.0871	----	----	----	----	129	UNCH
3715	18.80	18.80	20.10B/16.70A	20.10B/16.70A	----	17.60 - 1.90	.0886	----	1	1	----	161	-
3720	19.10	19.10	20.60B/17.10A	20.60B/17.10A	----	18.00 - 1.90	.0905	----	2	2	----	54	UNCH
3725	19.60	19.60	21.00B/17.40A	21.00B/17.40A	----	18.40 - 1.90	.0924	----	5	5	----	137	-
3730	20.00	20.00	21.50B/17.80A	21.50B/17.80A	----	18.70 - 2.00	.0940	----	3	3	----	418	-
3735	----	----	21.90B/18.20A	21.90B/18.20A	----	19.10 - 2.10	.0959	----	----	----	----	164	UNCH
3740	----	----	22.40B/18.50A	22.40B/18.50A	----	19.50 - 2.10	.0978	----	----	----	----	61	UNCH
3745	----	----	22.90B/18.90A	22.90B/18.90A	----	19.90 - 2.20	.0997	----	----	----	----	62	UNCH
3750	21.30	21.30	23.30B/19.30A	23.30B/19.30A	----	20.30 - 2.20	.1016	----	219	219	70	1909	+
3755	----	----	23.80B/19.70A	23.80B/19.70A	----	20.80 - 2.20	.1038	----	1	1	----	40	UNCH
3760	----	----	24.30B/20.10A	24.30B/20.10A	----	21.20 - 2.30	.1058	----	----	----	----	126	UNCH
3765	----	----	24.80B/20.60A	24.80B/20.60A	----	21.60 - 2.40	.1078	----	1	1	----	22	+
3770	----	----	25.40B/21.00A	25.40B/21.00A	----	22.10 - 2.40	.1100	----	1	1	----	21	UNCH
3775	----	----	26.00B/21.40A	26.00B/21.40A	----	22.60 - 2.40	.1123	----	----	----	----	62	UNCH
3780	----	----	26.50B/21.90A	26.50B/21.90A	----	23.00 - 2.60	.1143	----	1	1	----	68	+
3785	----	----	27.00B/22.30A	27.00B/22.									

GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS												
DEC26	----	----	59.70B/48.60A	59.70B/48.60A	----	51.70 - 5.30	.2331	----	----	----	----	69	UNCH
3965	52.70	52.70	61.10B/49.70A	61.10B/49.70A	----	52.80 - 5.50	.2372	----	----	9	----	314 +	9
3970	----	----	62.30B/50.80A	62.30B/50.80A	----	54.00 - 5.60	.2416	----	----	----	----	290 -	1
3975	----	----	63.80B/51.90A	63.80B/51.90A	----	55.20 - 5.70	.2460	----	1	----	----	214 -	1
3980	61.20	61.20	65.20B/53.10A	65.20B/53.10A	----	56.40 - 5.80	.2504	----	2	----	----	19 +	1
3985	62.50	62.50	66.60B/54.30A	66.60B/54.30A	----	57.70 - 5.90	.2549	----	9	----	----	379 +	8
3990	----	----	68.10B/55.50A	68.10B/55.50A	----	58.90 - 6.10	.2594	----	1	----	----	21 +	1
3995	62.00	62.00	69.50B/56.70A	69.50B/56.70A	----	60.20 - 6.20	.2640	----	41	----	----	4640 +	7
4000	----	----	71.10B/57.90A	71.10B/57.90A	----	61.60 - 6.20	.2687	----	----	----	----	88	UNCH
4005	67.50	67.50	72.50B/59.20A	72.50B/59.20A	----	62.90 - 6.40	.2733	----	----	7	----	42	UNCH
4010	----	----	74.10B/60.50A	74.10B/60.50A	----	64.30 - 6.50	.2781	----	----	----	----	65	UNCH
4015	66.60	66.60	75.60B/61.80A	75.60B/61.80A	----	65.70 - 6.60	.2829	----	----	1	----	56	UNCH
4020	----	----	77.30B/63.10A	77.30B/63.10A	----	67.10 - 6.70	.2877	----	1	----	----	845	UNCH
4025	----	----	79.00B/64.50A	79.00B/64.50A	----	68.60 - 6.80	.2927	----	----	----	----	30	UNCH
4030	72.50	72.50	80.70B/65.90A	80.70B/65.90A	----	70.10 - 6.90	.2977	----	75	----	----	91	UNCH
4035	70.60	70.60	82.50B/67.40A	82.50B/67.40A	----	71.60 - 7.00	.3026	----	5	----	----	107 -	46
4040	75.00	75.00	84.00B/68.80A	84.00B/68.80A	----	73.10 - 7.20	.3076	----	15	----	----	24 +	5
4045	----	----	85.80B/70.40A	85.80B/70.40A	----	74.70 - 7.30	.3127	----	----	----	----	2469	UNCH
4050	79.10	79.10	87.80B/71.80A	87.80B/71.80A	----	76.30 - 7.40	.3179	----	9	----	----	17	UNCH
4055	85.70	85.70	89.50B/73.40A	89.50B/73.40A	----	78.00 - 7.50	.3231	----	2	----	----	129 +	4
4060	84.20	84.20	91.30B/74.80A	91.30B/74.80A	----	79.60 - 7.70	.3283	----	9	----	----	90 +	1
4065	----	----	93.30B/76.60A	93.30B/76.60A	----	81.30 - 7.80	.3336	----	3	----	----	35 -	1
4070	87.80	87.80	95.20B/78.20A	95.20B/78.20A	----	83.00 - 7.90	.3389	----	1	----	----	313 +	1
4075	----	----	97.10B/79.90A	97.10B/79.90A	----	84.80 - 8.00	.3442	----	3	----	----	510 -	2
4080	90.70	90.70	99.10B/81.50A	99.10B/81.50A	----	86.60 - 8.10	.3496	----	----	----	----	52	UNCH
4085	97.20	97.20	101.20B/83.30A	101.20B/83.30A	----	88.40 - 8.20	.3550	----	4	----	----	284	UNCH
4090	----	----	103.20B/85.10A	103.20B/85.10A	----	90.20 - 8.40	.3605	----	112	40	----	75 +	2
4095	93.40	93.40	105.30B/86.90A	105.30B/86.90A	----	92.10 - 8.50	.3660	----	2	----	----	2052 -	126
4100	----	----	107.20B/88.60A	107.20B/88.60A	----	94.00 - 8.60	.3715	----	1	----	----	94 -	1
4105	101.30	101.30	109.50B/90.50A	109.50B/90.50A	----	96.00 - 8.70	.3771	----	----	----	----	69	UNCH
4110	101.10	101.10	111.60B/92.20A	111.60B/92.20A	----	97.90 - 8.80	.3826	----	2	----	----	77	UNCH
4115	----	----	113.90B/94.00A	113.90B/94.00A	----	100.00 - 8.90	.3883	----	6	----	----	591 -	1
4120	----	----	116.00B/96.00A	116.00B/96.00A	----	102.00 - 9.00	.3939	----	1	----	----	208 +	4
4125	----	----	118.40B/98.00A	118.40B/98.00A	----	104.10 - 9.10	.3996	----	----	----	----	737	UNCH
4130	112.90	112.90	120.50B/100.10A	120.50B/100.10A	----	106.20 - 9.20	.4053	----	----	----	----	38	UNCH
4135	109.60	109.60	123.00B/102.00A	123.00B/102.00A	----	108.30 - 9.40	.4109	----	3	----	----	77	UNCH
4140	----	----	125.40B/104.20A	125.40B/104.20A	----	110.50 - 9.40	.4167	----	6	----	----	65 +	1
4145	----	----	127.70B/106.30A	127.70B/106.30A	----	112.70 - 9.50	.4224	----	----	----	----	1286 -	4
4150	125.60	125.60	130.20B/108.40A	130.20B/108.40A	----	114.90 - 9.70	.4282	----	5	75	----	35	UNCH
4155	119.50	119.50	132.70B/110.60A	132.70B/110.60A	----	117.20 - 9.80	.4339	----	1	----	----	296 -	71
4160	132.00	132.00	135.10B/112.70A	135.10B/112.70A	----	119.50 - 9.90	.4397	----	100	----	----	86 -	1
4165	130.00	130.00	137.70B/114.80A	137.70B/114.80A	----	121.80 - 10.00	.4455	----	15	200	----	167 +	99
4170	125.30	125.30	140.20B/117.20A	140.20B/117.20A	----	124.20 - 10.10	.4513	----	1	----	----	399 -	108
4175	141.30	141.30	143.00B/119.50A	143.00B/119.50A	----	126.60 - 10.20	.4571	----	4	----	----	59	UNCH
4180	----	----	145.40B/121.80A	145.40B/121.80A	----	129.00 - 10.30	.4630	----	1	----	----	49 -	4
4185	136.90	136.90	148.10B/124.20A	148.10B/124.20A	----	131.50 - 10.30	.4688	----	412	----	----	414 +	50
4190	----	----	150.70B/126.50A	150.70B/126.50A	----	134.00 - 10.40	.4746	----	----	----	----	41	UNCH
4195	139.50	139.50	153.40B/129.00A	153.40B/129.00A	----	136.50 - 10.60	.4804	----	16	----	----	2499 +	2
4200	138.60	138.60	156.20B/131.40A	156.20B/131.40A	----	139.10 - 10.60	.4862	----	20	----	----	62 +	11
4205	----	----	158.90B/133.80A	158.90B/133.80A	----	141.70 - 10.70	.4921	----	5	----	----	108 -	2
4210	152.60	152.60	161.80B/136.20A	161.80B/136.20A	----	144.30 - 10.80	.4979	----	4	----	----	178	UNCH
4215	----	----	164.60B/138.70A	164.60B/138.70A	----	146.90 - 11.00	.5037	----	8	----	----	60	UNCH
4220	----	----	167.50B/141.50A	167.50B/141.50A	----	149.60 - 11.00	.5095	----	----	----	----	200 +	8
4225	156.60	156.60	170.40B/143.90A	170.40B/143.90A	----	152.30 - 11.10	.5152	----	----	----	----	438	UNCH
4230	----	----	173.40B/146.50A	173.40B/146.50A	----	155.10 - 11.20	.5210	----	18	----	----	124	UNCH
4235	----	----	176.30B/149.20A	176.30B/149.20A	----	157.90 - 11.20	.5268	----	----	----	----	69 +	18
4240	----	----	179.30B/151.80A	179.30B/151.80A	----	160.70 - 11.30	.5325	----	39	----	----	39	UNCH
4245	----	----	182.30B/154.60A	182.30B/154.60A	----	163.50 - 11.50	.5382	----	2	----	----	2632 -	2
4250	181.60	181.60	185.40B/157.30A	185.40B/157.30A	----	166.40 - 11.50	.5439	----	----	----	----	33	UNCH
4255	----	----	188.40B/160.10A	188.40B/160.10A	----	169.30 - 11.60	.5496	----	1	----	----	79	UNCH
4260	----	----	191.40B/162.90A	191.40B/162.90A	----	172.20 - 11.70	.5553	----	----	----	----	109 -	1
4265	191.90	191.90	194.50B/165.70A	194.50B/165.70A	----	175.20 - 11.80	.5609	----	1	----	----	22	UNCH
4270	----	----	197.80B/168.60A	197.80B/168.60A	----	178.20 - 11.90	.5665	----	----	----	----	153	UNCH
4275	----	----	200.90B/171.50A	200.90B/171.50A	----	181.20 - 12.00	.5721	----	----	----	----	175 +	1
4280	----	----	204.20B/174.40A	204.20B/174.40A	----	184.20 - 12.10	.5777	----	1	----	----	37	UNCH
4285	----	----	207.50B/177.30A	207.50B/177.30A	----	187.30 - 12.10	.5833	----	17	----	----	249 -	14
4290	----	----	210.70B/180.30A	210.70B/180.30A	----	190.40 - 12.20	.5887	----	----	----	----	87	UNCH
4295	----	----	214.00B/183.40A	214.00B/183.40A									

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
COMEX GOLD OPTIONS															
DEC26															
OG PUT	505.50	505.50		502.10B/457.60A	502.10B/457.60A			474.40 - 15.10	.8697					12	UNCH
4655				506.80B/462.00A	506.80B/462.00A			478.90 - 15.10	.8721			1		127	- 1
4660				511.40B/466.50A	511.40B/466.50A			483.40 - 15.20	.8741					55	UNCH
4665				515.90B/471.00A	515.90B/471.00A			488.00 - 15.10	.8765					20	UNCH
4670				520.50B/475.50A	520.50B/475.50A			492.50 - 15.20	.8785					16	UNCH
4675				525.10B/480.00A	525.10B/480.00A			497.10 - 15.20	.8805					64	UNCH
4680				529.80B/484.50A	529.80B/484.50A			501.70 - 15.10	.8825					19	UNCH
4685				534.30B/489.10A	534.30B/489.10A			506.30 - 15.10	.8845					146	UNCH
4690				538.90B/493.60A	538.90B/493.60A			510.90 - 15.10	.8865					34	UNCH
4695				543.70B/498.20A	543.70B/498.20A			515.50 - 15.10	.8885					711	- 8
4700	511.70	511.70		548.20B/502.70A	548.20B/502.70A			520.10 - 15.10	.8905			9		16	UNCH
4705				553.00B/507.30A	553.00B/507.30A			524.70 - 15.20	.8925					21	UNCH
4710				557.60B/511.90A	557.60B/511.90A			529.30 - 15.20	.8941					12	UNCH
4715				562.20B/516.50A	562.20B/516.50A			533.90 - 15.20	.8961					16	UNCH
4720				566.90B/521.10A	566.90B/521.10A			538.60 - 15.20	.8977			2		141	+
4725	539.10	539.10		571.70B/525.70A	571.70B/525.70A			543.20 - 15.20	.8997					9	UNCH
4730				576.30B/530.30A	576.30B/530.30A			547.90 - 15.20	.9013					7	UNCH
4735				581.00B/534.90A	581.00B/534.90A			552.50 - 15.30	.9032					4	UNCH
4740				585.70B/539.50A	585.70B/539.50A			557.20 - 15.20	.9048					7	UNCH
4745				590.40B/544.20A	590.40B/544.20A			561.80 - 15.30	.9064			1		74	UNCH
4750	567.90	567.90		595.20B/548.80A	595.20B/548.80A			566.50 - 15.30	.9080					18	UNCH
4755				599.80B/553.50A	599.80B/553.50A			571.20 - 15.30	.9096					25	UNCH
4760				604.60B/558.10A	604.60B/558.10A			575.90 - 15.30	.9111					2	UNCH
4765				609.30B/562.80A	609.30B/562.80A			580.60 - 15.30	.9127					1	UNCH
4770				614.00B/567.50A	614.00B/567.50A			585.30 - 15.30	.9143					6	UNCH
4775				618.90B/572.10A	618.90B/572.10A			590.00 - 15.40	.9158					2	UNCH
4780				628.40B/581.50A	628.40B/581.50A			599.50 - 15.30	.9186					73	UNCH
4790				633.20B/586.20A	633.20B/586.20A			604.20 - 15.30	.9197					1	UNCH
4795				637.80B/590.90A	637.80B/590.90A			608.90 - 15.40	.9213					362	UNCH
4800				647.50B/600.40A	647.50B/600.40A			618.40 - 15.40	.9240					60	UNCH
4810				652.10B/605.10A	652.10B/605.10A			623.20 - 15.30	.9251					9	UNCH
4815				656.80B/609.80A	656.80B/609.80A			627.90 - 15.40	.9266					24	UNCH
4820				661.40B/614.60A	661.40B/614.60A			632.70 - 15.40	.9278					114	UNCH
4825				666.60B/619.30A	666.60B/619.30A			637.50 - 15.30	.9289					15	UNCH
4830				671.40B/624.10A	671.40B/624.10A			642.20 - 15.40	.9300					126	UNCH
4835				685.80B/638.30A	685.80B/638.30A			656.60 - 15.40	.9334					16	UNCH
4840				684.10B/646.50A	684.10B/646.50A			661.40 - 15.40	.9345					3	UNCH
4845				688.90B/653.30A	688.90B/653.30A			666.20 - 15.40	.9356					6	UNCH
4850				693.70B/658.00A	693.70B/658.00A			671.00 - 15.40	.9367					2	UNCH
4855				698.50B/662.80A	698.50B/662.80A			675.80 - 15.40	.9378					2	UNCH
4860				703.30B/667.70A	703.30B/667.70A			680.60 - 15.40	.9389					16	UNCH
4865				708.10B/672.50A	708.10B/672.50A			685.40 - 15.40	.9400					12	UNCH
4870				712.90B/677.30A	712.90B/677.30A			690.20 - 15.40	.9407					1	UNCH
4875				722.60B/686.90A	722.60B/686.90A			699.90 - 15.40	.9428					2	UNCH
4880				727.40B/691.80A	727.40B/691.80A			704.70 - 15.40	.9435					112	UNCH
4885				732.20B/696.60A	732.20B/696.60A			709.60 - 15.40	.9446					1	UNCH
4890				746.70B/711.10A	746.70B/711.10A			724.10 - 15.40	.9470					4	UNCH
4895				751.60B/715.90A	751.60B/715.90A			728.90 - 15.40	.9480					240	UNCH
4900				756.40B/720.80A	756.40B/720.80A			733.80 - 15.40	.9487					5	UNCH
4905				761.30B/725.70A	761.30B/725.70A			738.60 - 15.50	.9498					5	UNCH
4910				766.10B/730.50A	766.10B/730.50A			743.50 - 15.40	.9504					30	UNCH
4915				771.00B/735.40A	771.00B/735.40A			748.40 - 15.40	.9510					1	UNCH
4920				775.80B/740.20A	775.80B/740.20A			753.20 - 15.50	.9521					25	UNCH
4925				780.70B/745.10A	780.70B/745.10A			758.10 - 15.40	.9527					1	UNCH
4930				790.40B/754.80A	790.40B/754.80A			767.80 - 15.50	.9540					1	UNCH
4935				795.30B/759.70A	795.30B/759.70A			772.70 - 15.50	.9550					1	UNCH
4940				800.20B/764.60A	800.20B/764.60A			777.60 - 15.40	.9556					42	UNCH
4945				805.10B/769.50A	805.10B/769.50A			782.50 - 15.40	.9563					6	UNCH
4950				809.90B/774.40A	809.90B/774.40A			787.40 - 15.40	.9569					2	UNCH
4955				814.80B/779.20A	814.80B/779.20A			792.20 - 15.50	.9575					2	UNCH
4960				819.70B/784.10A	819.70B/784.10A			797.10 - 15.50	.9581					37	UNCH
4965				824.60B/789.00A	824.60B/789.00A			802.00 - 15.50	.9587					559	UNCH
4970				834.40B/798.80A	834.40B/798.80A			811.80 - 15.50	.9599					3	UNCH
4975				839.30B/803.70A	839.30B/803.70A			816.70 - 15.50	.9605					4	UNCH
4980				844.20B/808.60A	844.20B/808.60A			821.60 - 15.50	.9611					10	UNCH
4985				849.10B/813.50A	849.10B/813.50A			826.50 - 15.50	.9617					217	UNCH
4990				854.00B/818.40A	854.00B/818.40A			831.40 - 15.50	.9623					3	UNCH
4995				858.90B/823.30A	858.90B/823.30A			836.30 - 15.50	.9629					13	UNCH
5000				863.80B/828.20A	863.80B/828.20A			841.20 - 15.50	.9635					2	UNCH
5005				868.70B/833.10A	868.70B/833.10A			846.10 - 15.50	.9641					3	UNCH
5010				873.60B/838.00A	873.60B/838.00A			851.10 - 15.40	.9647					201	UNCH
5015				893.40B/857.70A	893.40B/857.70A			870.70 - 15.50	.9665					2	UNCH
5020				898.30B/862.60A	898.30B/862.60A			875.60 - 15.50	.9671					100	UNCH
5025				918.00B/882.30A	918.00B/882.30A			895.30 - 15.50	.9690					6	UNCH
5030				923.00B/887.30A	923.00B/887.30A			900.30 - 15.40	.9691					30	UNCH
5035				972.50B/936.60A	972.50B/936.60A			949.70 - 15.40	.9734					1	UNCH
5040				1,017.40B/981.00A	1,017.40B/981.00A			994.20 - 15.40	.9760					5	UNCH
5045				1,022.40B/986.00A	1,022.40B/986.00A			999.20 - 15.40	.9766					174	+
5050	994.20	994.20		1,062.40B/1,025.50A	1,062.40B/1,025.50A			1038.80 - 15.40	.9786			3		1	UNCH
5055				1,072.50B/1,035.40A	1,072.50B/1,035.40A			1048.80 - 15.40	.9793					127	UNCH
5060				1,112.70B/1,075.00A	1,112.70B/1,075.00A			1088.50 - 15.40	.9812					1	UNCH
5065				1,117.70B/1,079.90A	1,117.70B/1,079.90A			1093.50 - 15.40	.9813					1	UNCH
5070	1110.50	1110.50		1,122.80B/1,084.80A	1,122.80B/1,084.80A			1098.50 - 15.40	.9818			1		9	+
5075				1,183.20B/1,144.20A	1,183.20B/1,144.20A			1158.20 - 15.40	.9840					100	UNCH
5080				1,192.90B/1,154.10A	1,192.90B/1,154.10A			1168.10 - 15.50	.9846					20	UNCH
5085				1,198.30B/1,159.00A	1,198.30B/1,159.00A			1173.10 - 15.50	.9846					34	UNCH
5090	1209.00	1209.00		1,223.40B/1,183.80A	1,223.40B/1,183.80A			1198.00 - 15.50	.9853			2		114	+
5095				1,238.10B/1,198.70A	1,238.10B/1,198.70A			1213.00 - 15.50	.9860					4	UNCH
5100	1261.00	1261.00		1,273.20B/1,233.50A	1,273.20B/1,233.50A			1247.90 - NEW	.9873			2		2	+
5105				1,283.60B/1,243.40A	1,283.60B/1,243.40A			1257.90 - 15.50	.9873					0	UNCH
5110				1,288.60B/1,248.40A	1,288.60B/1,248.40A			1262.90 - 15.50	.9874					50	UNCH
5115				1,303.30B/1,263.40A	1,303.30B/1,263.40A			1277.80 - 15.60	.9880					50	UNCH
5120				1,308.30B/1,268.40A	1,308.30B/1,268.40A										

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS															
JAN27																
3270	----	----	----	/6.90A	7.60B/6.90A	----	----	----	7.10 - 0.50	.0283	----	----	----	----	22	UNCH
3280	----	----	----	/7.10A	7.80B/7.10A	----	----	----	7.30 - 0.50	.0292	----	----	----	----	1	UNCH
3285	----	----	----	/7.20A	7.90B/7.20A	----	----	----	7.40 - 0.50	.0296	----	----	----	----	2	UNCH
3295	----	----	----	/7.40A	8.20B/7.40A	----	----	----	7.70 - 0.50	.0307	----	----	----	----	6	UNCH
3300	----	----	----	/7.50A	8.30B/7.50A	----	----	----	7.80 - 0.50	.0311	----	----	----	----	62	UNCH
3305	----	----	----	/7.60A	8.40B/7.60A	----	----	----	7.90 - 0.50	.0316	----	----	----	----	15	UNCH
3310	----	----	----	/7.70A	8.50B/7.70A	----	----	----	8.00 - 0.50	.0320	----	----	----	----	6	UNCH
3325	----	----	----	/8.00A	8.90B/8.00A	----	----	----	8.30 - 0.60	.0333	----	----	----	----	302	UNCH
3350	----	----	----	9.60B/8.60A	9.60B/8.60A	----	----	----	8.90 - 0.60	.0359	----	----	----	----	4	UNCH
3370	----	----	----	10.20B/9.10A	10.20B/9.10A	----	----	----	9.50 - 0.60	.0383	----	----	----	----	3	UNCH
3380	----	----	----	10.50B/9.40A	10.50B/9.40A	----	----	----	9.80 - 0.60	.0395	----	----	----	----	67	UNCH
3385	9.70	9.70		10.70B/9.50A	10.70B/9.50A	----	----	----	9.90 - 0.70	.0400	----	10	----	10 +	7	
3395	----	----	----	11.00B/9.80A	11.00B/9.80A	----	----	----	10.20 - 0.70	.0412	----	----	----	----	2	UNCH
3400	----	----	----	11.20B/9.90A	11.20B/9.90A	----	----	----	10.40 - 0.70	.0420	----	----	----	----	350	UNCH
3410	----	----	----	11.50B/10.20A	11.50B/10.20A	----	----	----	10.70 - 0.70	.0432	----	----	----	----	4	UNCH
3415	11.30	11.30		11.70B/10.40A	11.70B/10.40A	----	----	----	10.80 - NEW	.0437	----	5	----	5 +	5	
3420	----	----	----	11.90B/10.50A	11.90B/10.50A	----	----	----	11.00 - 0.70	.0445	----	----	----	----	6	UNCH
3425	----	----	----	12.10B/10.70A	12.10B/10.70A	----	----	----	11.20 - 0.70	.0453	----	----	----	----	3	UNCH
3430	----	----	----	12.20B/10.80A	12.20B/10.80A	----	----	----	11.30 - 0.80	.0458	----	----	----	----	5	UNCH
3440	----	----	----	12.60B/11.20A	12.60B/11.20A	----	----	----	11.70 - 0.80	.0474	----	----	----	----	5	UNCH
3445	----	----	----	12.80B/11.40A	12.80B/11.40A	----	----	----	11.90 - 0.80	.0482	----	----	----	----	1	UNCH
3450	----	----	----	13.00B/11.50A	13.00B/11.50A	----	----	----	12.10 - 0.80	.0490	----	2	----	54 +	2	
3455	----	----	----	13.30B/11.70A	13.30B/11.70A	----	----	----	12.20 - 0.90	.0495	----	----	----	----	2	UNCH
3460	----	----	----	13.50B/11.90A	13.50B/11.90A	----	----	----	12.40 - 0.90	.0503	----	----	----	----	1	UNCH
3480	----	----	----	14.40B/12.70A	14.40B/12.70A	----	----	----	13.20 - 0.90	.0535	----	----	----	----	2	UNCH
3495	----	----	----	15.10B/13.30A	15.10B/13.30A	----	----	----	13.90 - 0.90	.0563	----	----	----	----	54	UNCH
3500	----	----	----	15.40B/13.50A	15.40B/13.50A	----	----	----	14.10 - 0.90	.0571	----	----	----	----	135	UNCH
3510	----	----	----	15.80B/13.90A	15.80B/13.90A	----	----	----	14.50 - 1.00	.0588	----	----	----	----	2	UNCH
3520	----	----	----	16.40B/14.30A	16.40B/14.30A	----	----	----	15.00 - 1.00	.0608	----	----	----	----	5	UNCH
3530	16.10	16.10		16.90B/14.80A	16.90B/14.80A	----	----	----	15.50 - 1.10	.0628	----	4	----	21 +	3	
3535	----	----	----	17.20B/15.00A	17.20B/15.00A	----	----	----	15.80 - 1.00	.0639	----	----	----	----	7	UNCH
3540	----	----	----	17.50B/15.30A	17.50B/15.30A	----	----	----	16.00 - 1.10	.0648	----	----	----	----	2	UNCH
3545	----	----	----	17.80B/15.60A	17.80B/15.60A	----	----	----	16.30 - 1.10	.0659	----	----	----	----	2	UNCH
3550	15.90	15.90		18.10B/15.80A	18.10B/15.80A	----	----	----	16.50 - 1.20	.0668	----	1	----	1140	UNCH	
3560	----	----	----	18.70B/16.30A	18.70B/16.30A	----	----	----	17.10 - 1.20	.0691	----	----	----	----	6	UNCH
3565	----	----	----	19.00B/16.60A	19.00B/16.60A	----	----	----	17.40 - 1.20	.0703	----	----	----	----	5	UNCH
3570	----	----	----	19.30B/16.90A	19.30B/16.90A	----	----	----	17.70 - 1.20	.0714	----	----	----	----	3	UNCH
3575	----	----	----	19.70B/17.10A	19.70B/17.10A	----	----	----	17.90 - 1.30	.0723	----	----	----	----	29	UNCH
3580	----	----	----	20.00B/17.50A	20.00B/17.50A	----	----	----	18.20 - 1.30	.0735	----	----	----	----	8	UNCH
3585	----	----	----	20.40B/17.70A	20.40B/17.70A	----	----	----	18.50 - 1.40	.0747	----	----	----	----	215	UNCH
3595	----	----	----	21.00B/18.30A	21.00B/18.30A	----	----	----	19.20 - 1.30	.0773	----	1	----	11	UNCH	
3600	----	----	----	21.50B/18.70A	21.50B/18.70A	----	----	----	19.50 - 1.40	.0785	----	1	----	249 +	1	
3605	----	----	----	21.80B/19.00A	21.80B/19.00A	----	----	----	19.80 - 1.40	.0797	----	----	----	17	UNCH	
3610	21.00	21.00		22.10B/19.30A	22.10B/19.30A	----	----	----	20.20 - 1.40	.0812	----	2	----	5 +	2	
3615	----	----	----	22.50B/19.60A	22.50B/19.60A	----	----	----	20.50 - 1.50	.0824	----	----	----	----	27	UNCH
3620	----	----	----	22.90B/20.00A	22.90B/20.00A	----	----	----	20.90 - 1.50	.0839	----	----	----	----	19	UNCH
3625	23.20	23.20		23.30B/20.30A	23.30B/20.30A	----	----	----	21.20 - 1.50	.0851	----	18	----	23 +	5	
3630	----	----	----	23.80B/20.70A	23.80B/20.70A	----	----	----	21.60 - 1.50	.0866	----	----	----	----	15	UNCH
3635	23.50	23.50		24.10B/21.00A	24.10B/21.00A	----	----	----	21.90 - NEW	.0878	----	1	----	1 +	1	
3640	----	----	----	24.60B/21.40A	24.60B/21.40A	----	----	----	22.30 - 1.60	.0893	----	----	----	----	5	UNCH
3650	----	----	----	25.50B/22.10A	25.50B/22.10A	----	----	----	23.10 - 1.70	.0923	----	----	----	----	48	UNCH
3655	25.10	25.10		25.90B/22.50A	25.90B/22.50A	----	----	----	23.50 - NEW	.0938	----	1	----	1 +	1	
3665	----	----	----	26.80B/23.30A	26.80B/23.30A	----	----	----	24.30 - 1.80	.0969	----	----	----	----	1	UNCH
3670	----	----	----	27.30B/23.60A	27.30B/23.60A	----	----	----	24.70 - 1.90	.0984	----	----	----	----	2	UNCH
3680	----	----	----	28.40B/24.50A	28.40B/24.50A	----	----	----	25.60 - 1.90	.1017	----	----	----	----	1	UNCH
3685	26.50	26.50		28.90B/24.90A	28.90B/24.90A	----	----	----	26.10 - 1.90	.1035	----	8	----	23 +	8	
3690	----	----	----	29.30B/25.40A	29.30B/25.40A	----	----	----	26.50 - 2.00	.1050	----	----	----	----	22	UNCH
3695	----	----	----	29.80B/25.90A	29.80B/25.90A	----	----	----	27.00 - 2.00	.1068	----	----	----	----	9	UNCH
3700	42.50	42.50		42.50/40.00A	42.50/40.00A	----	----	----	27.50 - 2.00	.1086	----	252	----	733 +	227	
3705	----	----	----	30.90B/26.70A	30.90B/26.70A	----	----	----	27.90 - 2.10	.1102	----	----	----	----	1	UNCH
3710	----	----	----	31.40B/27.20A	31.40B/27.20A	----	----	----	28.40 - 2.20	.1120	----	----	----	----	1	UNCH
3715	30.70	30.70		32.10B/27.60A	32.10B/27.60A	----	----	----	28.90 - 2.20	.1139	----	6	----	7 +	6	
3720	29.60	29.60		32.70B/28.10A	32.70B/28.10A	----	----	----	29.50 - 2.20	.1159	----	5	----	9 +	5	
3725	----	----	----	33.20B/28.60A	33.20B/28.60A	----	----	----	30.00 - 2.30	.1178	----	----	----	----	31	UNCH
3730	----	----	----	33.80B/29.10A	33.80B/29.10A	----	----	----	30.50 - 2.30	.1196	----	----	----	----	3	UNCH
3735	----	----	----	34.50B/29.70A	34.50B/29.70A	----	----	----	31.10 - 2.30	.1217	----	----	----	----	3	

BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64	
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE		GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW		OPEN OUTCRY CLOSE RANGE		SETTL.PRICE & PT.CHGE.		DELTA		EXER CISES		OPEN OUTCRY VOLUME		GLOBEX® VOLUME		PNT VOLUME		OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS																					
JAN27																							
4110	----	----	----	129.90B/111.80A	129.90B/111.80A	----	----	----	----	117.30	- 7.80	.3639	----	----	----	----	----	----	----	----	45	UNCH	4
4115	----	----	----	132.00B/113.70A	132.00B/113.70A	----	----	----	----	119.30	- 7.80	.3683	----	----	----	----	----	----	----	----	31	UNCH	1
4120	----	----	----	134.10B/115.60A	134.10B/115.60A	----	----	----	----	121.30	- 7.90	.3726	----	----	----	----	----	----	----	----	6	UNCH	1
4125	----	----	----	136.30B/117.50A	136.30B/117.50A	----	----	----	----	123.30	- 8.00	.3770	----	----	----	----	----	8	----	----	377	+	4
4130	131.90	131.90	----	138.60B/119.50A	138.60B/119.50A	----	----	----	----	125.30	- 8.10	.3814	----	----	----	----	12	----	----	24	+	12	
4135	----	----	----	140.70B/121.50A	140.70B/121.50A	----	----	----	----	127.30	- 8.20	.3858	----	----	----	----	----	----	----	45	UNCH	1	
4140	----	----	----	143.00B/123.50A	143.00B/123.50A	----	----	----	----	129.40	- 8.30	.3903	----	----	----	----	18	----	----	62	+	1	
4145	----	----	----	145.20B/125.50A	145.20B/125.50A	----	----	----	----	131.50	- 8.40	.3947	----	----	----	----	----	----	----	43	UNCH	1	
4150	----	----	----	147.40B/127.50A	147.40B/127.50A	----	----	----	----	133.70	- 8.40	.3992	----	----	----	----	1	----	----	259	-	1	
4155	----	----	----	149.80B/129.60A	149.80B/129.60A	----	----	----	----	135.80	- 8.50	.4037	----	----	----	----	----	----	----	6	UNCH	1	
4160	139.80	139.80	----	152.20B/131.70A	152.20B/131.70A	----	----	----	----	138.00	- 8.60	.4082	----	----	----	----	1	----	----	211	+	1	
4165	----	----	----	154.50B/133.80A	154.50B/133.80A	----	----	----	----	140.20	- 8.70	.4127	----	----	----	----	----	----	----	20	UNCH	1	
4170	----	----	----	156.90B/135.90A	156.90B/135.90A	----	----	----	----	142.40	- 8.80	.4172	----	----	----	----	1	----	----	3	UNCH	1	
4175	----	----	----	159.30B/138.10A	159.30B/138.10A	----	----	----	----	144.70	- 8.90	.4217	----	----	----	----	----	----	----	16	UNCH	1	
4180	146.80	146.80	----	161.80B/140.30A	161.80B/140.30A	----	----	----	----	147.00	- 8.90	.4263	----	----	----	----	3	----	----	17	UNCH	1	
4185	----	----	----	164.10B/142.50A	164.10B/142.50A	----	----	----	----	149.30	- 9.00	.4308	----	----	----	----	----	----	----	38	UNCH	1	
4190	152.90	152.90	----	166.60B/144.80A	166.60B/144.80A	----	----	----	----	151.60	- 9.20	.4353	----	----	----	----	1	----	----	7	+	1	
4195	----	----	----	169.10B/147.00A	169.10B/147.00A	----	----	----	----	154.00	- 9.20	.4399	----	----	----	----	----	----	----	11	UNCH	1	
4200	166.00	166.00	----	171.80B/149.30A	171.80B/149.30A	----	----	----	----	156.40	- 9.30	.4444	----	----	----	----	36	----	----	372	+	29	
4205	----	----	----	174.20B/151.70A	174.20B/151.70A	----	----	----	----	158.80	- 9.40	.4490	----	----	----	----	----	----	----	6	UNCH	1	
4210	----	----	----	176.90B/154.00A	176.90B/154.00A	----	----	----	----	161.20	- 9.50	.4535	----	----	----	----	----	----	----	7	UNCH	1	
4215	----	----	----	179.50B/156.40A	179.50B/156.40A	----	----	----	----	163.70	- 9.50	.4581	----	----	----	----	----	----	----	3	UNCH	1	
4220	----	----	----	182.20B/158.80A	182.20B/158.80A	----	----	----	----	166.20	- 9.60	.4627	----	----	----	----	----	----	----	1	UNCH	1	
4225	----	----	----	184.90B/161.20A	184.90B/161.20A	----	----	----	----	168.70	- 9.70	.4672	----	----	----	----	----	----	----	3	UNCH	1	
4230	181.00	181.00	----	187.50B/163.60A	187.50B/163.60A	----	----	----	----	171.20	- 9.80	.4718	----	----	----	----	8	----	----	34	UNCH	1	
4235	----	----	----	190.20B/166.10A	190.20B/166.10A	----	----	----	----	173.80	- 9.90	.4763	----	----	----	----	26	----	----	80	+	8	
4240	----	----	----	193.00B/168.60A	193.00B/168.60A	----	----	----	----	176.40	- 10.00	.4809	----	----	----	----	2	----	----	12	+	2	
4245	178.50	178.50	----	195.70B/171.10A	195.70B/171.10A	----	----	----	----	179.00	- 10.10	.4855	----	----	----	----	3	----	----	14	+	3	
4250	----	----	----	198.40B/173.70A	198.40B/173.70A	----	----	----	----	181.60	- 10.20	.4900	----	----	----	----	19	----	----	240	+	17	
4255	----	----	----	201.30B/176.10A	201.30B/176.10A	----	----	----	----	184.30	- 10.20	.4945	----	----	----	----	----	----	----	19	UNCH	1	
4260	----	----	----	204.10B/178.80A	204.10B/178.80A	----	----	----	----	187.00	- 10.30	.4991	----	----	----	----	----	----	----	13	UNCH	1	
4265	195.10	195.10	----	207.00B/181.30A	207.00B/181.30A	----	----	----	----	189.70	- 10.40	.5036	----	----	----	----	7	----	----	35	+	6	
4270	194.30	194.30	----	209.80B/184.10A	209.80B/184.10A	----	----	----	----	192.40	- 10.50	.5081	----	----	----	----	7	----	----	32	+	7	
4275	205.60	205.60	----	212.80B/186.80A	212.80B/186.80A	----	----	----	----	195.20	- 10.60	.5126	----	----	----	----	1	----	----	89	+	1	
4280	----	----	----	215.70B/189.30A	215.70B/189.30A	----	----	----	----	198.00	- 10.60	.5171	----	----	----	----	----	----	----	11	UNCH	1	
4285	----	----	----	218.70B/192.00A	218.70B/192.00A	----	----	----	----	200.80	- 10.70	.5216	----	----	----	----	----	----	----	8	UNCH	1	
4290	----	----	----	221.80B/194.70A	221.80B/194.70A	----	----	----	----	203.60	- 10.80	.5261	----	----	----	----	----	----	----	2	UNCH	1	
4295	----	----	----	224.60B/197.50A	224.60B/197.50A	----	----	----	----	206.50	- 10.90	.5305	----	----	----	----	----	----	----	31	UNCH	1	
4300	----	----	----	227.70B/200.50A	227.70B/200.50A	----	----	----	----	209.40	- 10.90	.5350	----	----	----	----	11	----	----	211	+	9	
4310	----	----	----	233.80B/206.00A	233.80B/206.00A	----	----	----	----	215.20	- 11.10	.5438	----	----	----	----	----	----	----	50	UNCH	1	
4315	----	----	----	236.90B/208.80A	236.90B/208.80A	----	----	----	----	218.20	- 11.20	.5482	----	----	----	----	----	----	----	5	UNCH	1	
4320	----	----	----	240.00B/211.60A	240.00B/211.60A	----	----	----	----	221.20	- 11.20	.5526	----	----	----	----	----	----	----	7	UNCH	1	
4325	----	----	----	243.10B/214.60A	243.10B/214.60A	----	----	----	----	224.20	- 11.30	.5570	----	----	----	----	----	----	----	8	UNCH	1	
4330	----	----	----	246.40B/217.50A	246.40B/217.50A	----	----	----	----	227.20	- 11.40	.5614	----	----	----	----	----	----	----	70	UNCH	1	
4335	----	----	----	249.50B/220.40A	249.50B/220.40A	----	----	----	----	230.30	- 11.40	.5657	----	----	----	----	----	----	----	1	UNCH	1	
4340	----	----	----	252.80B/223.40A	252.80B/223.40A	----	----	----	----	233.30	- 11.60	.5701	----	----	----	----	----	----	----	9	UNCH	1	
4345	----	----	----	255.70B/226.40A	255.70B/226.40A	----	----	----	----	236.40	- 11.60	.5744	----	----	----	----	----	----	----	16	UNCH	1	
4350	----	----	----	258.60B/229.50A	258.60B/229.50A	----	----	----	----	239.60	- 11.60	.5786	----	----	----	----	----	----	----	123	UNCH	1	
4355	----	----	----	261.80B/232.50A	261.80B/232.50A	----	----	----	----	242.70	- 11.70	.5829	----	----	----	----	----	----	----	65	UNCH	1	
4360	----	----	----	265.10B/235.60A	265.10B/235.60A	----	----	----	----	245.90	- 11.80	.5872	----	----	----	----	----	----	----	4	UNCH	1	
4365	----	----	----	268.30B/238.60A	268.30B/238.60A	----	----	----	----	249.10	- 11.80	.5914	----	----	----	----	8	----	----	22	UNCH	1	
4370	248.60	248.60	----	271.80B/241.80A	271.80B/241.80A	----	----	----	----	252.30	- 11.90	.5956	----	----	----	----	----	----	----	42	+	8	
4375	----	----	----	275.00B/244.90A	275.00B/244.90A	----	----	----	----	255.50	- 12.00	.5998	----	----	----	----	----	----	----	201	UNCH	1	
4380	----	----	----	278.50B/248.10A	278.50B/248.10A	----	----	----	----	258.80	- 12.00	.6040	----	----	----	----	----	----	----	27	UNCH	1	
4385	----	----	----	281.90B/251.20A	281.90B/251.20A	----	----	----	----	262.00	- 12.10	.6081	----	----	----	----	----	----	----	63	UNCH	1	
4390	----	----	----	285.30B/254.70A	285.30B/254.70A	----	----	----	----	265.30	- 12.20	.6122	----	----	----	----	----	----	----	11	UNCH	1	
4395	----	----	----	288.80B/259.60A	288.80B/259.60A	----	----	----	----	268.70	- 12.20	.6163	----	----	----	----	----	----	----	11	UNCH	1	
4400	----	----	----	292.20B/262.80A	292.20B/262.80A	----	----	----	----	272.00	- 12.30	.6204	----	----	----	----	2	----	----	415	+	1	
4405	----	----	----	295.70B/266.30A	295.70B/266.30A	----	----	----	----	275.40	- 12.30	.6244	----	----	----	----	----	----	----	7	UNCH	1	
4410	----	----	----	299.20B/269.40A	299.20B/269.40A	----	----	----	----	278.70	- 12.40	.6285	----	----	----	----	----	----	----	4	UNCH	1	
4415	----	----	----	306.30B/276.10A	306.30B/276.10A	----	----	----	----	285.60	- 12.50	.6365	----	----	----	----	----	----	----	6	UNCH	1	
4420	----	----	----	309.80B/279.50A	309.80B/279.50A	----	----	----	----	289.00	- 12.60	.6404	----	----	----	----	----	----	----	94	UNCH	1	
4425	----	----	----	313.30B/282.90A	313.30B/282.90A	----	----	----	----	292.50	- 12.60	.6443	----	----	----	----	----	----	----	2	UNCH	1	
4430	----	----	----	317.00B/286.30A	317.00B/286.30A	----	----	----	----	296.00	- 12.60	.6482	----	----	----	----	----	----	----	5	UNCH	1	
4435	----	----	----	320.60B/289.70A	320.60B/289.70A	----	----	----	----	299.50	- 12.70	.6521	----	----	----	----	----	----	----	11	UNCH	1	
4440	----	----	----	324.20B/293.40A	324.20B/293.40A	----	----	----	----	303.00	- 12.80	.6559	----	----	----	----	----	----	----	1	UNCH	1	
4445	----	----	----	327.90B/296.60A	327.90B/296.60A	----	----	----	----	306.60	- 12.80	.6598	----	----	----	----	1	----	----	417	+	1	
4450	----	----	----	331.40B/300.30A	331.40B/300.30A	----	----	----	----	310.10	- 12.90	.6636	----	----	----	----	----	----	----	14	UNCH	1	
4455	----	----	----	335.10B/303.70A	335.10B/303.70A	----	----	----	----	313.70	- 12.90	.6672	----	----	----	----	----	----	----	7	UNCH	1	
4460	----	----																					

BULLETIN #189@														METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST												
COMEX GOLD OPTIONS																										
FEB27																										
2700	----	----	----/2.70A	2.70B/2.70A	----	----	----	2.60 - 0.20	.0084	----	----	----	----	10	UNCH											
2775	----	----	----/3.20A	3.20B/3.20A	----	----	----	3.10 - 0.20	.0102	----	----	----	----	1	UNCH											
2800	3.30	3.30	3.40/3.30	3.50B/3.30	----	----	----	3.30 - 0.20	.0109	----	----	2	----	45	UNCH											
2850	----	----	----/3.80A	3.90B/3.80A	----	----	----	3.80 - 0.20	.0126	----	----	----	----	1	UNCH											
2900	4.10	4.10	4.10/4.10	4.40B/4.10	----	----	----	4.30 - 0.20	.0144	----	1	----	----	17 +	1											
2950	----	----	----/4.80A	4.90B/4.80A	----	----	----	4.80 - 0.30	.0163	----	----	----	----	1	UNCH											
2960	----	----	----/4.90A	5.10B/4.90A	----	----	----	4.90 - 0.30	.0167	----	----	----	----	1	UNCH											
2980	----	----	----/5.10A	5.30B/5.10A	----	----	----	5.20 - 0.20	.0177	----	----	----	----	60	UNCH											
3000	----	----	----/5.40A	5.60B/5.40A	----	----	----	5.40 - 0.30	.0185	----	----	----	----	234	UNCH											
3005	----	----	----/5.40A	5.70B/5.40A	----	----	----	5.50 - 0.30	.0188	----	----	----	----	15	UNCH											
3020	----	----	----/5.60A	5.90B/5.60A	----	----	----	5.70 - 0.30	.0196	----	----	----	----	14	UNCH											
3025	----	----	----/5.70A	6.00B/5.70A	----	----	----	5.80 - 0.30	.0199	----	----	----	----	2	UNCH											
3040	----	----	----/5.90A	6.20B/5.90A	----	----	----	6.00 - 0.30	.0207	----	----	----	----	300	UNCH											
3050	----	----	----/6.00A	6.40B/6.00A	----	----	----	6.20 - 0.30	.0213	----	----	----	----	5	UNCH											
3090	----	----	----/6.70A	7.10B/6.70A	----	----	----	6.80 - 0.30	.0236	----	----	----	----	5	UNCH											
3095	----	----	----/6.80A	7.10B/6.80A	----	----	----	6.90 - 0.30	.0239	----	----	----	----	20	UNCH											
3100	----	----	----/6.80A	7.20B/6.80A	----	----	----	7.00 - 0.30	.0243	----	----	----	----	9	UNCH											
3110	----	----	----/7.00A	7.40B/7.00A	----	----	----	7.20 - 0.30	.0250	----	----	----	----	18	UNCH											
3135	----	----	----/7.50A	7.90B/7.50A	----	----	----	7.60 - 0.40	.0265	----	----	----	----	6	UNCH											
3160	----	----	----/7.90A	8.50B/7.90A	----	----	----	8.20 - 0.30	.0286	----	----	----	----	2	UNCH											
3200	----	----	----/8.80A	9.40B/8.80A	----	----	----	9.10 - 0.40	.0319	----	----	----	----	211	UNCH											
3225	----	----	----/9.40A	10.10B/9.40A	----	----	----	9.70 - 0.40	.0341	----	----	----	----	19	UNCH											
3235	----	----	----/9.60A	10.40B/9.60A	----	----	----	9.90 - 0.50	.0349	----	----	----	----	6	UNCH											
3250	----	----	10.90B/10.00A	10.90B/10.00A	----	----	----	10.40 - 0.40	.0366	----	----	----	----	201	UNCH											
3300	----	----	12.50B/11.50A	12.50B/11.50A	----	----	----	11.90 - 0.50	.0420	----	----	----	----	18	UNCH											
3310	----	----	12.90B/11.80A	12.90B/11.80A	----	----	----	12.20 - 0.60	.0431	----	----	----	----	2	UNCH											
3315	----	----	13.10B/12.00A	13.10B/12.00A	----	----	----	12.40 - 0.60	.0438	----	----	----	----	1	UNCH											
3350	----	----	14.40B/13.10A	14.40B/13.10A	----	----	----	13.70 - 0.60	.0484	----	----	----	----	147	UNCH											
3400	----	----	16.80B/15.10A	16.80B/15.10A	----	----	----	15.80 - 0.80	.0558	----	----	----	----	34	UNCH											
3425	----	----	18.10B/16.30A	18.10B/16.30A	----	----	----	16.90 - 0.90	.0597	----	----	----	----	42	UNCH											
3430	----	----	18.40B/16.60A	18.40B/16.60A	----	----	----	17.20 - 0.90	.0607	----	----	----	----	20	UNCH											
3440	----	----	18.90B/17.00A	18.90B/17.00A	----	----	----	17.70 - 0.90	.0624	----	----	----	----	5	UNCH											
3445	----	----	19.20B/17.30A	19.20B/17.30A	----	----	----	18.00 - 0.90	.0634	----	----	----	----	1	UNCH											
3450	----	----	19.50B/17.50A	19.50B/17.50A	----	----	----	18.20 - 1.00	.0642	----	----	----	----	54	UNCH											
3465	----	----	20.50B/18.40A	20.50B/18.40A	----	----	----	19.10 - 1.00	.0672	----	----	----	----	6	UNCH											
3475	----	----	21.10B/18.90A	21.10B/18.90A	----	----	----	19.60 - 1.10	.0690	----	----	----	----	250	UNCH											
3480	----	----	21.40B/19.20A	21.40B/19.20A	----	----	----	19.90 - 1.10	.0700	----	----	----	----	2	UNCH											
3490	----	----	22.10B/19.70A	22.10B/19.70A	----	----	----	20.50 - 1.20	.0721	----	----	----	----	20	UNCH											
3500	----	----	22.80B/20.30A	22.80B/20.30A	----	----	----	21.20 - 1.10	.0744	----	1	----	----	272	UNCH											
3515	----	----	23.90B/21.30A	23.90B/21.30A	----	----	----	22.20 - 1.20	.0777	----	----	----	----	3	UNCH											
3520	----	----	24.30B/21.60A	24.30B/21.60A	----	----	----	22.50 - 1.20	.0788	----	----	----	----	22	UNCH											
3525	----	----	24.60B/21.90A	24.60B/21.90A	----	----	----	22.80 - 1.30	.0798	----	----	----	----	6	UNCH											
3540	----	----	25.80B/23.00A	25.80B/23.00A	----	----	----	23.90 - 1.30	.0834	----	----	----	----	20	UNCH											
3550	----	----	26.60B/23.70A	26.60B/23.70A	----	----	----	24.70 - 1.30	.0860	----	----	----	----	2	UNCH											
3555	----	----	27.10B/24.00A	27.10B/24.00A	----	----	----	25.00 - 1.50	.0871	----	----	----	----	25	UNCH											
3575	----	----	28.80B/25.50A	28.80B/25.50A	----	----	----	26.60 - 1.60	.0923	----	----	----	----	205	UNCH											
3585	----	----	29.70B/26.40A	29.70B/26.40A	----	----	----	27.50 - 1.60	.0952	----	----	----	----	1	UNCH											
3590	----	----	30.20B/26.80A	30.20B/26.80A	----	----	----	27.90 - 1.60	.0965	----	----	----	----	19	UNCH											
3600	----	----	31.30B/27.60A	31.30B/27.60A	----	----	----	28.80 - 1.70	.0994	----	----	----	----	1109	UNCH											
3605	----	----	31.70B/28.10A	31.70B/28.10A	----	----	----	29.20 - 1.70	.1008	----	----	----	----	18	UNCH											
3610	----	----	32.20B/28.40A	32.20B/28.40A	----	----	----	29.70 - 1.70	.1023	----	----	----	----	8	UNCH											
3625	----	----	33.80B/29.80A	33.80B/29.80A	----	----	----	31.10 - 1.90	.1068	----	----	----	----	11	UNCH											
3630	----	----	34.30B/30.30A	34.30B/30.30A	----	----	----	31.60 - 1.90	.1084	----	----	----	----	2	UNCH											
3645	----	----	36.10B/31.70A	36.10B/31.70A	----	----	----	33.20 - 1.90	.1133	----	----	----	----	26	UNCH											
3650	----	----	36.70B/32.20A	36.70B/32.20A	----	----	----	33.70 - 2.00	.1149	----	1	----	----	332 +	1											
3660	----	----	37.90B/33.30A	37.90B/33.30A	----	----	----	34.80 - 2.10	.1183	----	----	----	----	5	UNCH											
3665	----	----	38.50B/33.80A	38.50B/33.80A	----	----	----	35.30 - 2.20	.1200	----	----	----	----	2	UNCH											
3675	37.70	37.70	37.70	39.70B/34.90A	39.70B/34.90A	----	----	36.50 - NEW	.1236	----	----	4	----	4 +	4											
3680	38.70	38.70	38.70	40.40B/35.60A	40.40B/35.60A	----	----	37.10 - 2.20	.1254	----	7	----	----	23 +	7											
3695	----	----	42.50B/37.30A	42.50B/37.30A	----	----	----	38.90 - 2.30	.1309	----	----	----	----	16	UNCH											
3700	40.70	40.70	40.70	43.20B/37.80A	43.20B/37.80A	----	----	39.50 - 2.40	.1327	----	18	----	----	1088 +	18											
3705	41.50	41.50	41.50	43.90B/38.50A	43.90B/38.50A	----	----	40.10 - 2.50	.1346	----	5	----	----	6 +	4											
3710	----	----	44.60B/39.00A	44.60B/39.00A	----	----	----	40.80 - 2.50	.1366	----	----	----	----	9	UNCH											
3715	43.60	43.60	43.60	45.30B/39.70A	45.30B/39.70A	----	----	41.50 - NEW	.1386	----	16	----	----	16 +	16											
3720	----	----	46.00B/40.20A	46.00B/40.20A	----	----	----	42.10 - 2.60	.1405	----	----	----	----	19	UNCH											
3725	43.60	43.60	43.60	46.70B/41.00A	46.70B/41.00A	----	----	42.80 - 2.60	.1426	----	24	----	----	26 +	24											
3730	----	----	47.60B/41.60A	47.60B/41.60A	----	----	----	43.50 - 2.70	.1446	----	----	----	----	7	UNCH											
3745	47.00	47.00	47.00	49.90B/43.70A	49.90B/43.70A	----	----	45.60 - 2.80	.1508	----	10	----	----	25 +	10											
3750	----	----	50.80B/44.40A	50.80B/44.40A	----	----	----	46.40 - 2.80	.1531	----	----	----	----	47	UNCH											
3780	----	----	55.90B/48.90A	55.90B/48.90A	----	----	----	51.10 - 3.10	.1665	----	----	----	----	1	UNCH											
3785	----	----	56.80B/49.60A	56.80B/49.60A	----	----	----	51.90 - NEW	.1688	----	1	----	----	1 +	1											
3790	----	----	57.80B/50.50A	57.80B/50.50A	----	----	----	52.80 - 3.20	.1712	----	----	----	----	6	UNCH											
3795	----	----	58.70B/51.30A	58.70B/51.30A	----	----	----	53.60 - 3.30	.1735	----	----	----	----	5	UNCH											
3800	----	----	59.70B/52.10A	59.70B/52.10A	----	----	----	54.50 - 3.30	.1760	----	----	15	----	188 -	12											
3805	----	----	60.60B/53.00A	60.60B/53.00A	----	----	----	55.40 - 3.40	.1785	----	----	----	----	12	UNCH											
3815	----	----	62.60B/54.70A	62.60B/54.70A	----	----	----	57.20 - 3.50	.1834	----	----	----	----	10	UNCH											
3820	----	----	63.60B/55.60A	63.60B/55.60A	----	----	----	58.10 - 3.60	.1859	----	----	----	----	22	UNCH											
3825	----	----	64.60B/56.50A	64.60B/56.50A	----	----	----	59.00 - 3.70	.1884	----	----	----	----	501	UNCH											
3835	----	----	66.70B/58.30A	66.70B/58.30A	----	----	----	61.00 - 3.70	.1937	----	1	----	----	9	UNCH											
3840	----	----	67.80B/59.10A	67.80B/59.10A	----	----	----	61.90 - 3.80	.1962	----	----	----	----	10	UNCH											
3845	----	----	68.90B/60.20A	68.90B/60.20A	----	----	----	62.90 - 3.90	.1989	----	----	----	----	6	UNCH											
3850	----	----	70.00B/61.20A	70.00B/61.20A	----	----	----	64.00 - 3.90	.2017	----	----	----	----	1357	UNCH											
3860	----	----	72.30B/63.10A	72.30B/63.10A	----	----	----	66.00 - 4.10	.2070	----	----	----	----	10	UNCH											
3865	----	----	73.40B/64.20A	73.40B/64.20A	----	----	----	67.10 - 4.10	.2098	----	----	----	----	1	UNCH											
3875	----	----	75.80B/66.20A	75.80B/66.20A	----	----	----	69.30 - 4.20	.2155	----	----	----	----	13	UNCH											
3880	----	----	77.00B/67.30A	77.00B/67.30A	----	----	----	70.40 - 4.30	.2183	----	----	----	----	44	UNCH											
3885	----	----	78.20B/68.40A	78.20B/68.40A	----	----	----	71.50 - 4.40	.2212	----	----	----	----	201	UNCH											
3890	----	----	79.60B/69.50A	79.60B/69.50A	----	----	----	72.60 - 4.50	.2240	----	----	----	----	17	UNCH											
3895	----	----	80.70B/70.60A	80.70B/70.60A	----	----	----	73.80 - 4.50	.2270	----	----	----	----	2	UNCH											
3900	----	----	82.00B/71.70A	82.00B/71.70A	----	----	----	75.00 - 4.50	.2300	----	1	200	----	241 -	76											
3905	----	----	83.30B/72.80A	83.30B/72.80A	----	----	----	76.20 - 4.60	.2330	----	----	----	----	5	UNCH											
3915	----	----	86.00B/75.20A	86.00B/75.20A	----	----	----	78.60 - 4.80	.2390	----	----	----	----	5												

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS													
FEB27															
4165	----	----	----	179.40B/158.80A	179.40B/158.80A	----	----	165.40 - 8.40	.4178	----	----	----	----	20	UNCH
4170	----	----	----	181.80B/161.00A	181.80B/161.00A	----	----	167.70 - 8.50	.4218	----	----	----	----	6	UNCH
4175	----	----	----	184.20B/163.30A	184.20B/163.30A	----	----	170.00 - 8.60	.4257	----	----	----	----	16	UNCH
4185	173.10	173.10	----	189.20B/167.80A	189.20B/167.80A	----	----	174.70 - 8.70	.4336	----	1	----	----	5 +	1
4190	----	----	----	191.70B/170.10A	191.70B/170.10A	----	----	177.00 - 8.90	.4376	----	----	----	----	2	UNCH
4195	----	----	----	194.20B/172.40A	194.20B/172.40A	----	----	179.40 - 8.90	.4415	----	----	----	----	22	UNCH
4200	190.30	190.30	----	196.70B/174.80A	196.70B/174.80A	----	----	181.80 - 9.00	.4455	----	93	----	----	458 -	16
4205	----	----	----	199.30B/177.10A	199.30B/177.10A	----	----	184.30 - 9.10	.4495	----	----	----	----	8	UNCH
4210	188.20	188.20	----	201.90B/179.50A	201.90B/179.50A	----	----	186.70 - 9.20	.4534	----	1	----	----	10 +	1
4220	----	----	----	207.10B/184.30A	207.10B/184.30A	----	----	191.70 - 9.40	.4614	----	2	----	----	24 +	2
4225	198.00	198.00	----	209.80B/186.80A	209.80B/186.80A	----	----	194.20 - 9.50	.4653	----	3	----	----	22 +	3
4230	198.70	198.70	----	212.50B/189.20A	212.50B/189.20A	----	----	196.80 - 9.50	.4693	----	1	----	----	19 +	1
4235	198.90	198.90	----	215.20B/191.70A	215.20B/191.70A	----	----	199.30 - 9.70	.4733	----	19	----	----	42 +	6
4240	----	----	----	218.00B/194.20A	218.00B/194.20A	----	----	201.90 - 9.70	.4773	----	----	----	----	3	UNCH
4245	----	----	----	220.60B/196.80A	220.60B/196.80A	----	----	204.50 - 9.80	.4812	----	8	----	----	21 +	2
4250	----	----	----	223.50B/199.30A	223.50B/199.30A	----	----	207.20 - 9.90	.4852	----	----	----	----	463	UNCH
4255	----	----	----	226.10B/201.90A	226.10B/201.90A	----	----	209.80 - 10.00	.4891	----	----	----	----	30	UNCH
4260	221.80	221.80	----	229.00B/204.50A	229.00B/204.50A	----	----	212.50 - 10.10	.4931	----	3	----	----	9 +	3
4265	218.90	218.90	----	231.80B/207.10A	231.80B/207.10A	----	----	215.20 - 10.20	.4970	----	6	----	----	22 +	5
4270	223.90	223.90	----	234.60B/209.80A	234.60B/209.80A	----	----	217.90 - 10.30	.5009	----	10	----	----	32 +	9
4275	----	----	----	237.60B/212.40A	237.60B/212.40A	----	----	220.70 - 10.30	.5049	----	----	----	----	58	UNCH
4280	----	----	----	240.50B/215.10A	240.50B/215.10A	----	----	223.40 - 10.40	.5088	----	----	----	----	28	UNCH
4285	----	----	----	243.40B/217.80A	243.40B/217.80A	----	----	226.20 - 10.50	.5127	----	----	----	----	6	UNCH
4290	----	----	----	246.30B/220.50A	246.30B/220.50A	----	----	229.00 - 10.60	.5166	----	----	----	----	4	UNCH
4300	----	----	----	252.20B/226.00A	252.20B/226.00A	----	----	234.70 - 10.70	.5244	----	----	----	----	289	UNCH
4315	----	----	----	261.20B/234.50A	261.20B/234.50A	----	----	243.40 - 11.00	.5360	----	----	----	----	113	UNCH
4320	----	----	----	264.40B/237.50A	264.40B/237.50A	----	----	246.30 - 11.10	.5398	----	----	----	----	50	UNCH
4325	----	----	----	267.40B/240.20A	267.40B/240.20A	----	----	249.30 - 11.10	.5436	----	----	----	----	19	UNCH
4330	----	----	----	270.50B/243.10A	270.50B/243.10A	----	----	252.30 - 11.20	.5475	----	----	----	----	6	UNCH
4335	----	----	----	273.70B/246.20A	273.70B/246.20A	----	----	255.30 - 11.20	.5513	----	----	----	----	136	UNCH
4340	----	----	----	276.80B/249.10A	276.80B/249.10A	----	----	258.30 - 11.30	.5551	----	----	----	----	23	UNCH
4345	----	----	----	279.80B/251.90A	279.80B/251.90A	----	----	261.40 - 11.30	.5589	----	----	----	----	31	UNCH
4350	----	----	----	283.10B/254.90A	283.10B/254.90A	----	----	264.40 - 11.50	.5627	----	----	----	----	28	UNCH
4355	----	----	----	286.30B/257.90A	286.30B/257.90A	----	----	267.50 - 11.50	.5664	----	----	----	----	5	UNCH
4360	----	----	----	289.70B/261.00A	289.70B/261.00A	----	----	270.60 - 11.60	.5701	----	----	----	----	19	UNCH
4365	----	----	----	292.60B/264.00A	292.60B/264.00A	----	----	273.80 - 11.60	.5739	----	----	----	----	50	UNCH
4370	----	----	----	295.90B/267.10A	295.90B/267.10A	----	----	276.90 - 11.70	.5776	----	----	----	----	37	UNCH
4375	----	----	----	299.10B/270.10A	299.10B/270.10A	----	----	280.10 - 11.70	.5813	----	----	----	----	25	UNCH
4380	----	----	----	300.70B/273.20A	300.70B/273.20A	----	----	283.30 - 11.70	.5849	----	----	----	----	21	UNCH
4385	----	----	----	303.80B/276.30A	303.80B/276.30A	----	----	286.50 - 11.80	.5886	----	----	----	----	207	UNCH
4390	----	----	----	307.30B/279.50A	307.30B/279.50A	----	----	289.70 - 11.90	.5922	----	----	----	----	60	UNCH
4395	----	----	----	310.50B/282.60A	310.50B/282.60A	----	----	293.00 - 11.90	.5958	----	----	----	----	7	UNCH
4400	----	----	----	313.80B/285.90A	313.80B/285.90A	----	----	296.30 - 11.90	.5995	----	----	----	----	576	UNCH
4405	----	----	----	317.20B/289.00A	317.20B/289.00A	----	----	299.50 - 12.00	.6030	----	----	----	----	24	UNCH
4410	----	----	----	319.90B/292.20A	319.90B/292.20A	----	----	302.80 - 12.10	.6066	----	----	----	----	18	UNCH
4425	----	----	----	330.10B/302.60A	330.10B/302.60A	----	----	312.90 - 12.20	.6172	----	----	----	----	10	UNCH
4430	----	----	----	333.50B/305.90A	333.50B/305.90A	----	----	316.30 - 12.20	.6207	----	----	----	----	255	UNCH
4435	----	----	----	337.00B/309.30A	337.00B/309.30A	----	----	319.70 - 12.20	.6242	----	----	----	----	5	UNCH
4440	----	----	----	340.40B/312.60A	340.40B/312.60A	----	----	323.10 - 12.30	.6276	----	----	----	----	6	UNCH
4445	----	----	----	343.90B/318.00A	343.90B/318.00A	----	----	326.50 - 12.40	.6311	----	----	----	----	11	UNCH
4450	----	----	----	347.40B/321.40A	347.40B/321.40A	----	----	330.00 - 12.40	.6345	----	----	----	----	193	UNCH
4455	----	----	----	351.00B/324.80A	351.00B/324.80A	----	----	333.40 - 12.50	.6378	----	----	----	----	9	UNCH
4460	----	----	----	354.50B/328.20A	354.50B/328.20A	----	----	336.90 - 12.50	.6412	----	----	----	----	74	UNCH
4465	----	----	----	358.00B/331.60A	358.00B/331.60A	----	----	340.40 - 12.50	.6447	----	----	----	----	13	UNCH
4470	----	----	----	361.60B/335.10A	361.60B/335.10A	----	----	344.00 - 12.50	.6480	----	----	----	----	6	UNCH
4475	----	----	----	365.20B/338.60A	365.20B/338.60A	----	----	347.50 - 12.60	.6513	----	----	----	----	25	UNCH
4480	----	----	----	368.80B/342.10A	368.80B/342.10A	----	----	351.00 - 12.70	.6546	----	----	----	----	8	UNCH
4490	364.80	364.80	----	376.10B/349.10A	376.10B/349.10A	----	----	358.20 - 12.70	.6612	----	----	6	----	23 -	1
4495	368.60	368.60	----	379.70B/352.70A	379.70B/352.70A	----	----	361.80 - 12.80	.6643	----	----	3	----	28	UNCH
4500	372.10	372.10	----	383.40B/356.30A	383.40B/356.30A	----	----	365.40 - 12.80	.6675	----	----	6	----	123	UNCH
4505	382.10	382.10	----	387.00B/359.80A	387.00B/359.80A	----	----	369.10 - 12.80	.6708	----	----	3	----	15	UNCH
4510	----	----	----	390.70B/363.40A	390.70B/363.40A	----	----	372.70 - 12.90	.6740	----	----	----	----	5	UNCH
4515	----	----	----	394.40B/367.00A	394.40B/367.00A	----	----	376.40 - 12.90	.6771	----	----	----	----	20	UNCH
4520	----	----	----	398.20B/370.70A	398.20B/370.70A	----	----	380.10 - 12.90	.6802	----	----	----	----	50	UNCH
4550	----	----	----	420.80B/392.80A	420.80B/392.80A	----	----	402.50 - 13.10	.6986	----	----	----	----	109	UNCH
4555	----	----	----	424.60B/396.70A	424.60B/396.70A	----	----	406.30 - 13.20	.7015	----	----	----	----	1	UNCH
4570	----	----	----	436.20B/407.90A	436.20B/407.90A	----	----	417.70 - 13.30	.7103	----	----	----	----	19	UNCH
4575	----	----	----	440.10B/411.70A	440.10B/411.70A	----	----	421.50 - 13.40	.7133	----	----	----	----	32	UNCH
4580	----	----	----	444.00B/415.50A	444.00B/415.50A	----	----	425.40 - 13.40	.7161	----	----	----	----	3	UNCH
4585	----	----	----	447.90B/419.30A	447.90B/419.30A	----	----	429.30 - 13.40	.7189	----	----	----	----	18	UNCH
4600	----	----	----	459.70B/430.90A	459.70B/430.90A	----	----	441.00 - 13.50	.7273	----	----	----	----	165	UNCH
4615	----	----	----	471.60B/442.70A	471.60B/442.70A	----	----	452.80 - 13.60	.7355	----	----	----	----	1	UNCH
4625	----	----	----	479.60B/450.50A	479.60B/450.50A	----	----	460.70 - 13.70	.7408	----	----	----	----	3	UNCH
4630	----	----	----	483.60B/454.40A	483.60B/454.40A	----	----	464.70 - 13.70	.7435	----	----	----	----	7	UNCH
4635	----	----	----	487.60B/458.60A	487.60B/458.60A	----	----	468.70 - 13.80	.7462	----	----	----	----	2	UNCH
4640	----	----	----	491.60B/462.40A	491.60B/462.40A	----	----	472.70 - 13.80	.7487	----	----	----	----	3	UNCH
4650	----	----	----	499.80B/470.60A	499.80B/470.60A	----	----	480.80 - 13.80	.7537	----	----	----	----	1	UNCH
4655	----	----	----	503.80B/474.60A	503.80B/474.60A	----	----	484.90 - 13.80	.7564	----	----	----	----	1	UNCH
4660	----	----	----	507.90B/478.20A	507.90B/478.20A	----	----	488.90 - 13.90	.7588	----	----	----	----	443	UNCH
4665	----	----	----	512.00B/482.50A	512.00B/482.50A	----	----	493.00 - 13.90	.7613	----	----	----	----	3	UNCH
4680	----	----	----	524.40B/494.60A	524.40B/494.60A	----	----	505.30 - 14.00	.7686	----	----	----	----	3	UNCH
4690	----	----	----	532.60B/503.00A	532.60B/503.00A	----	----	513.60 - 14.00	.7734	----	----	----	----	1	UNCH
4695	----	----	----	536.80B/506.90A	536.80B/506.90A	----	----	517.70 - 14.10	.7758	----	----	----	----	28	UNCH
4700	----	----	----	541.00B/511.10A	541.00B/511.10A	----	----	521.90 - 14.10	.7781	----	----	----	----	133	UNCH
4705	----	----	----	545.10B/515.20A	545.10B/515.20A	----	----	526.00 - 14.10	.7804	----	----	----	----	3	UNCH
4710	----	----	----	549.30B/519.30A	549.30B/519.30A	----	----	530.20 - 14.10	.7827	----	----	----	----	3	UNCH
4725	----	----	----	559.20B/532.00A	559.20B/532.00A	----	----	542.80 - 14.20	.78						

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS															
MAR27																
3400	----	----	----	/20.20A	21.10B/20.20A	----	20.50	- 0.90	.0641	----	----	----	----	----	401	UNCH
3425	----	----	----	/21.60A	22.70B/21.60A	----	21.90	- 1.00	.0684	----	----	----	----	----	29	UNCH
3450	----	----	----	/23.10A	24.20B/23.10A	----	23.50	- 1.00	.0731	----	----	----	----	----	43	UNCH
3500	----	----	----	/26.60A	28.20B/26.60A	----	27.00	- 1.30	.0835	----	----	----	----	----	494	UNCH
3525	----	----	----	/28.50A	30.10B/28.50A	----	29.00	- 1.40	.0893	----	----	----	----	----	120	UNCH
3540	----	----	----	/29.70A	31.50B/29.70A	----	30.20	- 1.50	.0928	----	----	----	----	----	1	UNCH
3545	----	----	----	/30.10A	31.90B/30.10A	----	30.70	- 1.50	.0942	----	----	----	----	----	1	UNCH
3550	----	----	----	/30.60A	32.50B/30.60A	----	31.10	- 1.50	.0954	----	----	----	----	----	250	UNCH
3565	----	----	----	/31.90A	34.10B/31.90A	----	32.50	- 1.60	.0993	----	----	----	----	----	2	UNCH
3575	----	----	----	/32.80A	35.10B/32.80A	----	33.40	- 1.70	.1019	----	----	----	----	----	20	UNCH
3580	----	----	----	/33.30A	35.60B/33.30A	----	33.90	- 1.70	.1033	----	----	----	----	----	1	UNCH
3600	----	----	----	37.80B/35.10A	37.80B/35.10A	----	35.90	- 1.80	.1089	----	----	----	----	----	1501	UNCH
3650	----	----	----	44.20B/40.50A	44.20B/40.50A	----	41.60	- 2.00	.1244	----	----	----	----	----	129	UNCH
3700	----	----	----	51.30B/46.80A	51.30B/46.80A	----	48.20	- 2.30	.1417	----	----	----	----	----	29	UNCH
3725	----	----	----	55.20B/50.20A	55.20B/50.20A	----	51.80	- 2.60	.1510	----	----	----	----	----	17	UNCH
3740	----	----	----	57.70B/52.50A	57.70B/52.50A	----	54.20	- 2.60	.1570	----	----	----	----	----	29	UNCH
3750	----	----	----	59.60B/54.10A	59.60B/54.10A	----	55.80	- 2.70	.1611	----	----	----	----	----	10	UNCH
3760	----	----	----	61.30B/55.50A	61.30B/55.50A	----	57.40	- 2.80	.1651	----	----	----	----	----	1	UNCH
3775	----	----	----	64.10B/58.10A	64.10B/58.10A	----	60.00	- 2.90	.1715	----	----	----	----	----	1	UNCH
3780	----	----	----	65.00B/58.90A	65.00B/58.90A	----	60.90	- 2.90	.1737	----	----	----	----	----	25	UNCH
3785	----	----	----	66.00B/59.80A	66.00B/59.80A	----	61.80	- 3.00	.1759	----	----	----	----	----	1	UNCH
3790	----	----	----	66.90B/60.70A	66.90B/60.70A	----	62.70	- 3.00	.1780	----	----	----	----	----	1	UNCH
3795	----	----	----	67.90B/61.60A	67.90B/61.60A	----	63.60	- 3.10	.1802	----	----	----	----	----	1	UNCH
3800	----	----	----	68.90B/62.30A	68.90B/62.30A	----	64.60	- 3.10	.1826	----	----	----	----	----	96	UNCH
3810	----	----	----	71.00B/64.10A	71.00B/64.10A	----	66.50	- 3.10	.1871	----	----	----	----	----	1	UNCH
3815	----	----	----	72.10B/65.10A	72.10B/65.10A	----	67.40	- 3.30	.1893	----	----	----	----	----	1	UNCH
3820	----	----	----	73.00B/66.20A	73.00B/66.20A	----	68.40	- 3.30	.1917	----	----	----	----	----	30	UNCH
3825	----	----	----	74.30B/67.10A	74.30B/67.10A	----	69.40	- 3.30	.1940	----	----	----	----	----	131	UNCH
3830	----	----	----	75.30B/68.10A	75.30B/68.10A	----	70.40	- 3.40	.1964	----	----	----	----	----	1	UNCH
3840	----	----	----	77.40B/70.00A	77.40B/70.00A	----	72.50	- 3.50	.2012	----	----	----	----	----	2	UNCH
3845	----	----	----	78.50B/71.00A	78.50B/71.00A	----	73.60	- 3.50	.2037	----	----	----	----	----	1	UNCH
3850	----	----	----	79.80B/72.10A	79.80B/72.10A	----	74.60	- 3.60	.2061	----	----	----	----	----	48	UNCH
3855	----	----	----	81.00B/73.10A	81.00B/73.10A	----	75.70	- 3.60	.2086	----	----	----	----	----	3	UNCH
3860	----	----	----	82.10B/74.10A	82.10B/74.10A	----	76.80	- 3.60	.2111	----	----	----	----	----	2	UNCH
3865	----	----	----	83.30B/75.20A	83.30B/75.20A	----	77.90	- 3.70	.2136	----	----	----	----	----	26	UNCH
3870	----	----	----	84.60B/76.30A	84.60B/76.30A	----	79.00	- 3.80	.2161	----	----	----	----	----	3	UNCH
3875	----	----	----	85.80B/77.30A	85.80B/77.30A	----	80.20	- 3.80	.2187	----	----	----	----	----	12	UNCH
3885	----	----	----	88.30B/79.40A	88.30B/79.40A	----	82.50	- 3.90	.2239	----	----	----	----	----	1	UNCH
3890	----	----	----	89.60B/80.70A	89.60B/80.70A	----	83.70	- 3.90	.2265	----	----	----	----	----	1	UNCH
3900	89.20	89.20	89.20	92.10B/83.00A	92.10B/83.00A	----	86.10	- 4.10	.2318	----	----	----	150	----	1214	- 63
3935	----	----	----	101.80B/91.70A	101.80B/91.70A	----	95.00	- 4.50	.2510	----	----	----	----	----	213	UNCH
3945	----	----	----	104.60B/94.20A	104.60B/94.20A	----	97.70	- 4.60	.2566	----	----	----	----	----	25	UNCH
3950	----	----	----	106.10B/95.40A	106.10B/95.40A	----	99.10	- 4.70	.2595	----	----	----	----	----	5	UNCH
3975	----	----	----	113.70B/102.40A	113.70B/102.40A	----	106.20	- 5.00	.2741	----	----	----	----	----	1	UNCH
4000	----	----	----	121.90B/109.80A	121.90B/109.80A	----	113.70	- 5.40	.2891	----	----	----	----	----	89	UNCH
4020	----	----	----	128.70B/115.60A	128.70B/115.60A	----	120.10	- 5.60	.3015	----	----	----	----	----	40	UNCH
4050	----	----	----	139.50B/125.50A	139.50B/125.50A	----	130.20	- 6.00	.3205	----	----	----	----	----	40	UNCH
4070	----	----	----	147.10B/132.30A	147.10B/132.30A	----	137.20	- 6.30	.3334	----	----	----	----	----	1	UNCH
4075	----	----	----	149.00B/134.20A	149.00B/134.20A	----	139.10	- 6.30	.3367	----	----	----	----	----	249	UNCH
4080	----	----	----	150.90B/135.80A	150.90B/135.80A	----	140.90	- 6.40	.3400	----	----	----	----	----	1	UNCH
4100	----	----	----	159.00B/143.30A	159.00B/143.30A	----	148.50	- 6.60	.3533	----	----	----	----	----	340	UNCH
4130	----	----	----	171.60B/154.70A	171.60B/154.70A	----	160.40	- 7.10	.3735	----	----	----	----	----	390	UNCH
4135	----	----	----	173.80B/156.50A	173.80B/156.50A	----	162.40	- 7.20	.3769	----	----	----	----	----	40	UNCH
4140	----	----	----	176.10B/158.50A	176.10B/158.50A	----	164.50	- 7.20	.3803	----	----	----	----	----	2	UNCH
4145	----	----	----	178.10B/160.80A	178.10B/160.80A	----	166.60	- 7.30	.3837	----	----	----	----	----	1	UNCH
4150	169.00	169.00	169.00	180.40B/162.80A	180.40B/162.80A	----	168.70	- 7.30	.3872	----	----	----	1	----	12	+
4155	----	----	----	182.70B/164.80A	182.70B/164.80A	----	170.80	- 7.40	.3906	----	----	----	----	----	21	UNCH
4160	----	----	----	184.90B/167.00A	184.90B/167.00A	----	173.00	- 7.50	.3941	----	----	----	----	----	1	UNCH
4165	----	----	----	187.10B/169.10A	187.10B/169.10A	----	175.10	- 7.60	.3975	----	----	----	----	----	40	UNCH
4170	----	----	----	189.50B/171.30A	189.50B/171.30A	----	177.30	- 7.70	.4010	----	----	----	----	----	1	UNCH
4175	----	----	----	191.90B/173.30A	191.90B/173.30A	----	179.60	- 7.60	.4044	----	----	----	----	----	4	UNCH
4200	----	----	----	204.00B/184.20A	204.00B/184.20A	----	190.90	- 8.00	.4219	----	----	----	----	----	577	UNCH
4205	----	----	----	206.40B/186.40A	206.40B/186.40A	----	193.30	- 8.00	.4254	----	----	----	----	----	4	UNCH
4215	----	----	----	211.10B/191.20A	211.10B/191.20A	----	198.00	- 8.20	.4324	----	----	----	----	----	50	UNCH
4235	----	----	----	221.50B/200.60A	221.50B/200.60A	----	207.70	- 8.40	.4464	----	----	----	----	----	27	UNCH
4250	----	----	----	229.30B/207.80A	229.30B/207.80A	----	215.10	- 8.70	.4570	----	----	----	----	----	19	UNCH
4255	----	----	----	231.80B/210.30A	231.80B/210.30A	----	217.60	- 8.80	.4605	----	----	----	----	----	1	UNCH
4260	----	----	----	234.80B/212.80A	234.80B/212.80A	----	220.20	- 8.80	.4640	----	----	----	----	----	4	UNCH
4265	----	----	----	237.40B/215.30A	237.40B/215.30A	----	222.70	- 8.90	.4675	----	----	----	----	----	1	UNCH
4270	----	----	----	239.90B/217.80A	239.90B/217.80A	----	225.30	- 9.00	.4710	----	----	----	----	----	35	UNCH
4285	----	----	----	248.20B/225.40A	248.20B/225.40A	----	233.10	- 9.20	.4816	----	----	----	----	----	100	UNCH
4300	----	----	----	256.90B/233.10A	256.90B/233.10A	----	241.20	- 9.40	.4920	----	----	----	----	----	201	UNCH
4320	----	----	----	268.20B/243.90A	268.20B/243.90A	----	252.10	- 9.80	.5060	----	----	----	----	----	2	UNCH
4325	----	----	----	270.70B/246.60A	270.70B/246.60A	----	254.90	- 9.80	.5094	----	----	----	----	----	20	UNCH
4350	----	----	----	286.10B/260.30A	286.10B/260.30A	----	269.20	- 10.20	.5266	----	----	----	----	----	41	UNCH
4370	----	----	----	298.10B/271.90A	298.10B/271.90A	----	281.00	- 10.40	.5402	----	----	----	----	----	270	UNCH
4375	----	----	----	300.80B/275.00A	300.80B/275.00A	----	284.00	- 10.50	.5436	----	----	----	----	----	1	UNCH
4395	----	----	----	313.70B/286.80A	313.70B/286.80A	----	296.20	- 10.70	.5569	----	----	----	----	----	4	UNCH
4400	----	----	----	317.10B/289.50A	317.10B/289.50A	----	299.30	- 10.70	.5603	----	----	----	----	----	27	UNCH
4420	----	----	----	329.90B/302.10A	329.90B/302.10A	----	311.80	- 11.00	.5734	----	----	----	----	----	10	UNCH
4425	----	----	----	331.20B/305.10A	331.20B/305.10A	----	315.00	- 11.00	.5767	----	----	----	----	----	4	UNCH
4440	----	----	----	341.10B/314.40A	341.10B/314.40A	----	324.50	- 11.20	.5864	----	----	----	----	----	52	UNCH
4450	----	----	----	344.70B/320.80A	344.70B/320.80A	----	331.00	- 11.30	.5928	----	----	----	----	----	65	UNCH
4460	----	----	----	351.20B/327.20A	351.20B/327.20A	----	337.60	- 11.30	.5992	----	----	----	----	----	1	UNCH
4465	----	----	----	354.50B/330.40A	354.50B/330.40A	----	340.90	- 11.40	.6023	----	----	----	----	----	7	UNCH
4470	----	----	----	357.90B/333.80A	357.90B/333.80A	----	344.20	- 11.40	.6055	----	----	----				

PG64		BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
OG PUT		COMEX GOLD OPTIONS																						
APR27																								
3725	----	----	----	----	69.10B/63.50A	69.10B/63.50A	----	----	65.60 - 2.50	.1691	----	----	----	----	3	UNCH								
3730	----	----	----	----	70.10B/64.40A	70.10B/64.40A	----	----	66.50 - 2.50	.1710	----	----	----	----	20	UNCH								
3735	----	----	----	----	71.10B/65.20A	71.10B/65.20A	----	----	67.40 - 2.50	.1730	----	----	----	----	42	UNCH								
3750	----	----	----	----	74.10B/67.90A	74.10B/67.90A	----	----	70.10 - 2.70	.1790	----	----	----	----	77	UNCH								
3755	----	----	----	----	75.00B/68.90A	75.00B/68.90A	----	----	71.00 - 2.80	.1810	----	----	----	----	20	UNCH								
3780	----	----	----	----	80.30B/73.60A	80.30B/73.60A	----	----	75.90 - 3.10	.1915	----	----	----	----	30	UNCH								
3790	----	----	----	----	82.50B/75.60A	82.50B/75.60A	----	----	78.00 - 3.10	.1958	----	----	----	----	20	UNCH								
3800	85.00	85.00	85.00	85.00	85.00/77.60A	85.00/77.60A	----	----	80.00 - 3.30	.2001	----	----	6	----	215	-								
3815	----	----	----	----	88.30B/80.60A	88.30B/80.60A	----	----	83.30 - 3.40	.2069	----	----	----	----	20	UNCH								
3820	----	----	----	----	89.50B/81.70A	89.50B/81.70A	----	----	84.40 - 3.50	.2092	----	----	----	----	1	UNCH								
3825	----	----	----	----	90.70B/82.80A	90.70B/82.80A	----	----	85.50 - 3.60	.2114	----	----	----	----	50	UNCH								
3845	----	----	----	----	95.50B/87.40A	95.50B/87.40A	----	----	90.10 - 3.80	.2208	----	----	----	----	50	UNCH								
3850	----	----	----	----	96.90B/88.50A	96.90B/88.50A	----	----	91.30 - 3.80	.2231	----	----	----	----	37	UNCH								
3855	----	----	----	----	98.20B/89.70A	98.20B/89.70A	----	----	92.50 - 3.90	.2255	----	----	----	----	12	UNCH								
3860	----	----	----	----	99.50B/90.80A	99.50B/90.80A	----	----	93.70 - 3.90	.2279	----	----	----	----	77	UNCH								
3865	----	----	----	----	100.80B/91.90A	100.80B/91.90A	----	----	94.90 - 4.00	.2303	----	----	----	----	50	UNCH								
3885	----	----	----	----	106.20B/96.90A	106.20B/96.90A	----	----	100.00 - 4.10	.2402	----	----	----	----	1	UNCH								
3895	----	----	----	----	109.10B/99.40A	109.10B/99.40A	----	----	102.60 - 4.30	.2453	----	----	----	----	40	UNCH								
3900	----	----	----	----	110.40B/100.60A	110.40B/100.60A	----	----	104.00 - 4.20	.2479	----	----	100	----	325	+								
3905	----	----	----	----	111.80B/101.90A	111.80B/101.90A	----	----	105.30 - 4.30	.2504	----	----	----	----	20	UNCH								
3910	----	----	----	----	113.30B/103.40A	113.30B/103.40A	----	----	106.70 - 4.30	.2530	----	----	----	----	1	UNCH								
3925	----	----	----	----	117.80B/107.30A	117.80B/107.30A	----	----	110.90 - 4.40	.2608	----	----	----	----	5	UNCH								
3930	----	----	----	----	119.30B/108.80A	119.30B/108.80A	----	----	112.30 - 4.50	.2635	----	----	----	----	20	UNCH								
3935	----	----	----	----	120.80B/110.20A	120.80B/110.20A	----	----	113.80 - 4.50	.2662	----	----	----	----	6	UNCH								
3950	----	----	----	----	125.60B/114.60A	125.60B/114.60A	----	----	118.20 - 4.70	.2742	----	1	----	3	UNCH									
3960	----	----	----	----	128.70B/117.30A	128.70B/117.30A	----	----	121.20 - 4.80	.2796	----	----	----	----	2	UNCH								
3970	----	----	----	----	132.10B/120.50A	132.10B/120.50A	----	----	124.30 - 4.80	.2851	----	----	----	----	13	UNCH								
3980	----	----	----	----	135.30B/123.30A	135.30B/123.30A	----	----	127.50 - 4.90	.2907	----	----	----	----	1	UNCH								
3995	----	----	----	----	140.60B/128.20A	140.60B/128.20A	----	----	132.30 - 5.10	.2991	----	----	----	----	4	UNCH								
4000	----	----	----	----	142.30B/129.60A	142.30B/129.60A	----	----	134.00 - 5.10	.3020	----	----	1	----	361	UNCH								
4050	----	----	----	----	160.70B/146.60A	160.70B/146.60A	----	----	151.30 - 5.90	.3310	----	----	----	----	5	UNCH								
4055	----	----	----	----	162.70B/148.30A	162.70B/148.30A	----	----	153.20 - 5.90	.3340	----	----	----	----	50	UNCH								
4060	----	----	----	----	164.70B/150.10A	164.70B/150.10A	----	----	155.00 - 6.00	.3369	----	----	----	----	1	UNCH								
4065	----	----	----	----	166.50B/151.90A	166.50B/151.90A	----	----	156.90 - 6.00	.3399	----	----	----	----	36	UNCH								
4080	----	----	----	----	172.60B/157.70A	172.60B/157.70A	----	----	162.60 - 6.30	.3490	----	----	----	----	1	UNCH								
4095	----	----	----	----	178.90B/163.20A	178.90B/163.20A	----	----	168.40 - 6.50	.3581	----	----	----	----	5	UNCH								
4100	----	----	----	----	181.00B/165.00A	181.00B/165.00A	----	----	170.40 - 6.60	.3611	----	----	----	----	818	UNCH								
4125	----	----	----	----	191.60B/174.80A	191.60B/174.80A	----	----	180.60 - 7.00	.3765	----	----	----	----	353	UNCH								
4145	----	----	----	----	200.60B/183.30A	200.60B/183.30A	----	----	189.00 - 7.30	.3889	----	----	----	----	1	UNCH								
4150	----	----	----	----	202.90B/185.20A	202.90B/185.20A	----	----	191.20 - 7.30	.3921	----	----	----	----	139	UNCH								
4160	----	----	----	----	207.50B/189.60A	207.50B/189.60A	----	----	195.60 - 7.50	.3983	----	----	----	----	30	UNCH								
4165	----	----	----	----	209.80B/191.70A	209.80B/191.70A	----	----	197.80 - 7.50	.4015	----	----	----	----	4	UNCH								
4195	----	----	----	----	224.10B/205.20A	224.10B/205.20A	----	----	211.50 - 7.90	.4204	----	----	----	----	3	UNCH								
4200	----	----	----	----	226.70B/207.40A	226.70B/207.40A	----	----	213.90 - 7.90	.4236	----	----	----	----	174	UNCH								
4210	----	----	----	----	231.50B/212.00A	231.50B/212.00A	----	----	218.60 - 8.10	.4299	----	----	----	----	6	UNCH								
4230	----	----	----	----	241.70B/221.90A	241.70B/221.90A	----	----	228.30 - 8.30	.4426	----	----	----	----	105	UNCH								
4245	----	----	----	----	249.70B/228.70A	249.70B/228.70A	----	----	235.80 - 8.50	.4522	----	----	----	----	1	UNCH								
4250	----	----	----	----	252.20B/231.00A	252.20B/231.00A	----	----	238.30 - 8.60	.4554	----	----	----	----	120	UNCH								
4255	----	----	----	----	254.70B/233.70A	254.70B/233.70A	----	----	240.90 - 8.60	.4586	----	----	----	----	15	UNCH								
4260	----	----	----	----	257.40B/236.30A	257.40B/236.30A	----	----	243.40 - 8.70	.4617	----	----	----	----	15	UNCH								
4275	----	----	----	----	265.70B/244.20A	265.70B/244.20A	----	----	251.20 - 8.90	.4713	----	----	----	----	20	UNCH								
4285	----	----	----	----	271.10B/249.40A	271.10B/249.40A	----	----	256.50 - 9.00	.4776	----	----	----	----	50	UNCH								
4290	----	----	----	----	273.90B/251.90A	273.90B/251.90A	----	----	259.20 - 9.00	.4808	----	----	----	----	1	UNCH								
4300	----	----	----	----	279.60B/256.50A	279.60B/256.50A	----	----	264.50 - 9.20	.4871	----	----	----	----	256	UNCH								
4330	----	----	----	----	296.60B/273.10A	296.60B/273.10A	----	----	281.10 - 9.60	.5060	----	----	----	----	5	UNCH								
4345	----	----	----	----	305.50B/281.20A	305.50B/281.20A	----	----	289.60 - 9.80	.5153	----	----	----	----	6	UNCH								
4350	----	----	----	----	308.50B/283.80A	308.50B/283.80A	----	----	292.50 - 9.80	.5184	----	----	----	----	83	UNCH								
4365	----	----	----	----	317.20B/292.70A	317.20B/292.70A	----	----	301.20 - 10.10	.5277	----	----	----	----	1	UNCH								
4370	----	----	----	----	320.10B/295.60A	320.10B/295.60A	----	----	304.10 - 10.20	.5307	----	----	----	----	1	UNCH								
4375	----	----	----	----	323.70B/298.50A	323.70B/298.50A	----	----	307.00 - 10.30	.5338	----	----	----	----	8	UNCH								
4385	----	----	----	----	329.50B/304.30A	329.50B/304.30A	----	----	313.00 - 10.40	.5399	----	----	----	----	3	UNCH								
4395	----	----	----	----	335.80B/310.30A	335.80B/310.30A	----	----	319.00 - 10.60	.5460	----	----	----	----	2	UNCH								
4400	----	----	----	----	339.10B/312.90A	339.10B/312.90A	----	----	322.10 - 10.60	.5490	----	----	----	----	30	UNCH								
4405	----	----	----	----	342.30B/316.20A	342.30B/316.20A	----	----	325.10 - 10.70	.5520	----	----	----	----	1	UNCH								
4410	----	----	----	----	345.50B/319.30A	345.50B/319.30A	----	----	328.20 - 10.70	.5550	----	----	----	----	2	UNCH								
4415	----	----	----	----	348.10B/322.00A	348.10B/322.00A	----	----	331.30 - 10.80	.5580	----	----	----	----	3	UNCH								
4420	----	----	----	----	347.30B/325.40A	347.30B/325.40A	----	----	334.40 - 10.90	.5610	----	----	----	----	31	UNCH								
4425	----	----	----	----	348.80B/328.70A	348.80B/328.70A	----	----	337.50 - 11.00	.5640	----	----	----	----	5	UNCH								
4430	----	----	----	----	----/331.40A	351.70B/331.40A	----	----	340.70 - 11.00	.5670	----	----	----	----	1	UNCH								
4435	----	----	----	----	355.10B/334.50A	355.10B/334.50A	----	----	343.80 - 11.10	.5699	----	----	----	----	13	UNCH								
4440	----	----	----	----	358.40B/337.70A	358.40B/337.70A	----	----	347.00 - 11.10	.5729	----	----	----	----	50	UNCH								
4450	----	----	----	----	364.80B/344.00A	364.80B/344.00A	----	----	353.40 - 11.20	.5787	----	----	----	----	138	UNCH								
4455	----	----	----	----	368.20B/347.10A	368.20B/347.10A	----	----	356.60 - 11.30	.5816	----	----	----	----	2	UNCH								
4460	----	----	----	----	371.50B/350.90A	371.50B/350.90A	----	----	359.90 - 11.30	.5845	----	----	----	----	2	UNCH								
4465	----	----	----	----	374.90B/356.20A	374.90B/356.20A	----	----	363.10 - 11.40	.5874	----	----	----	----	3	UNCH								
4470	----	----	----	----	378.20B/359.50A	378.20B/359.50A	----	----	366.40 - 11.40	.5902	----	----	----	----	4	UNCH								
4475	----	----	----	----	381.60B/362.80A	381.60B/362.80A	----	----	369.70 - 11.40	.5931	----	----	----	----	2	UNCH								
4480	----	----	----	----	385.00B/366.00A	385.00B/366.00A	----	----	373.00 - 11.40	.5960	----	----	----	----	1	UNCH								
4490	----	----	----	----	391.80B/372.60A	391.80B/372.60A	----	----	379.70 - 11.50	.6016	----	----	----	----	31	UNCH								
4495	----	----	----	----	395.20B/375.90A	395.20B/375.90A	----	----	383.10 - 11.40	.6044	----	----	----	----	11	UNCH								
4500	----	----	----	----	398.50B/379.20A	398.50B/379.20A	----	----	386.50 - 11.40	.6072	----	----	----	----	258	UNCH								
4510	----	----	----	----	405.20B/385.90A	405.20B/385.90A	----	----	393.30 - 11.50	.6127	----	----	----	----	1	UNCH								
4515	----	----	----	----	408.70B/389.20A	408.70B/389.20A	----	----	396.70 - 11.50	.6155	----	----	----	----	1	UNCH								
4535	----	----	----	----	----/402.70A	422.00B/402.70A	----	----	410.50 - 11.60	.6264	----	----	----	----	13	UNCH								
4540	----	----	----	----	425.70B/406.10A	425.70B/406.10A	----	----	414.00 - 11.60	.6291	----	----	----	----	100	UNCH								
4545	----	----	----	----	----/409.50A	429.10B/409.50A	----</																	

BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST							
OG PUT		COMEX GOLD OPTIONS																				
MAY27																						
3750	----	----	----	83.10B/77.00A	83.10B/77.00A	----	----	----	78.90 - 3.00	.1815	----	----	----	----	32	UNCH						
3780	----	----	----	89.40B/82.90A	89.40B/82.90A	----	----	----	85.00 - 3.30	.1932	----	----	----	----	1	UNCH						
3790	----	----	----	91.80B/85.10A	91.80B/85.10A	----	----	----	87.10 - 3.40	.1972	----	----	----	----	2	UNCH						
3800	----	----	----	94.10B/87.20A	94.10B/87.20A	----	----	----	89.30 - 3.40	.2013	----	----	----	----	29	UNCH						
3815	----	----	----	97.50B/90.10A	97.50B/90.10A	----	----	----	92.70 - 3.50	.2076	----	----	----	----	25	UNCH						
3820	----	----	----	98.90B/91.20A	98.90B/91.20A	----	----	----	93.80 - 3.60	.2096	----	----	----	----	50	UNCH						
3850	----	----	----	106.40B/98.10A	106.40B/98.10A	----	----	----	100.90 - 3.80	.2225	----	----	----	----	4	UNCH						
3870	----	----	----	111.60B/103.10A	111.60B/103.10A	----	----	----	105.90 - 4.00	.2314	----	----	----	----	20	UNCH						
3900	----	----	----	119.90B/110.70A	119.90B/110.70A	----	----	----	113.80 - 4.20	.2451	----	----	----	----	200	UNCH						
3980	----	----	----	144.80B/133.30A	144.80B/133.30A	----	----	----	137.40 - 4.70	.2840	----	----	----	----	1	UNCH						
4000	----	----	----	151.70B/139.50A	151.70B/139.50A	----	----	----	143.80 - 4.90	.2942	----	----	----	----	22	UNCH						
4035	----	----	----	164.00B/151.40A	164.00B/151.40A	----	----	----	155.70 - 5.20	.3124	----	----	----	----	1	UNCH						
4050	----	----	----	169.50B/156.20A	169.50B/156.20A	----	----	----	161.00 - 5.30	.3203	----	----	----	----	10	UNCH						
4065	169.90	169.90	----	175.40B/161.50A	175.40B/161.50A	----	----	----	166.50 - 5.40	.3284	----	----	5	----	258	+						
4075	----	----	----	179.20B/165.20A	179.20B/165.20A	----	----	----	170.20 - 5.50	.3338	----	----	----	----	1	UNCH						
4100	----	----	----	189.30B/174.40A	189.30B/174.40A	----	----	----	179.70 - 5.80	.3474	----	----	----	----	65	UNCH						
4115	----	----	----	195.30B/180.50A	195.30B/180.50A	----	----	----	185.70 - 5.80	.3557	----	----	----	----	2	UNCH						
4200	----	----	----	233.00B/215.40A	233.00B/215.40A	----	----	----	221.90 - 6.80	.4036	----	----	----	----	310	UNCH						
4240	----	----	----	252.80B/234.00A	252.80B/234.00A	----	----	----	240.60 - 7.20	.4265	----	----	----	----	14	UNCH						
4250	----	----	----	258.00B/238.40A	258.00B/238.40A	----	----	----	245.40 - 7.30	.4323	----	----	----	----	1	UNCH						
4270	----	----	----	268.00B/248.40A	268.00B/248.40A	----	----	----	255.20 - 7.60	.4438	----	----	----	----	10	UNCH						
4300	----	----	----	283.70B/263.10A	283.70B/263.10A	----	----	----	270.40 - 8.00	.4611	----	----	----	----	7	UNCH						
4340	----	----	----	306.00B/283.60A	306.00B/283.60A	----	----	----	291.60 - 8.60	.4841	----	----	----	----	1	UNCH						
4350	----	----	----	311.70B/289.50A	311.70B/289.50A	----	----	----	297.10 - 8.70	.4898	----	----	----	----	24	UNCH						
4400	----	----	----	340.50B/316.70A	340.50B/316.70A	----	----	----	325.30 - 9.40	.5180	----	----	----	----	36	UNCH						
4405	----	----	----	343.30B/319.60A	343.30B/319.60A	----	----	----	328.30 - 9.40	.5208	----	----	----	----	31	UNCH						
4410	----	----	----	346.20B/322.50A	346.20B/322.50A	----	----	----	331.20 - 9.50	.5236	----	----	----	----	1	UNCH						
4450	----	----	----	365.40B/346.00A	365.40B/346.00A	----	----	----	355.20 - 10.00	.5456	----	----	----	----	15	UNCH						
4470	----	----	----	377.90B/360.80A	377.90B/360.80A	----	----	----	367.60 - 10.20	.5564	----	----	----	----	1	UNCH						
4490	----	----	----	390.80B/373.20A	390.80B/373.20A	----	----	----	380.20 - 10.40	.5671	----	----	----	----	1	UNCH						
4495	----	----	----	394.00B/376.30A	394.00B/376.30A	----	----	----	383.40 - 10.40	.5697	----	----	----	----	1	UNCH						
4500	----	----	----	397.30B/379.50A	397.30B/379.50A	----	----	----	386.60 - 10.50	.5723	----	----	----	----	24	UNCH						
4510	----	----	----	403.80B/385.90A	403.80B/385.90A	----	----	----	393.10 - 10.50	.5776	----	----	----	----	4	UNCH						
4550	----	----	----	430.40B/411.80A	430.40B/411.80A	----	----	----	419.50 - 10.80	.5982	----	----	----	----	1	UNCH						
4575	----	----	----	447.60B/428.70A	447.60B/428.70A	----	----	----	436.50 - 10.90	.6107	----	----	----	----	1	UNCH						
4600	----	----	----	----/445.50A	463.70B/445.50A	----	----	----	453.70 - 11.10	.6230	----	----	----	----	6	UNCH						
4640	----	----	----	----/474.70A	492.30B/474.70A	----	----	----	482.00 - 11.20	.6421	----	----	----	----	1	UNCH						
4650	----	----	----	----/481.80A	499.60B/481.80A	----	----	----	489.20 - 11.30	.6467	----	----	----	----	100	UNCH						
4700	----	----	----	----/517.90A	536.60B/517.90A	----	----	----	525.80 - 11.50	.6694	----	----	----	----	71	UNCH						
4725	----	----	----	----/536.30A	555.60B/536.30A	----	----	----	544.40 - 11.70	.6802	----	----	----	----	1	UNCH						
4760	----	----	----	----/562.50A	582.50B/562.50A	----	----	----	571.00 - 11.90	.6950	----	----	----	----	1	UNCH						
4775	----	----	----	----/574.00A	594.20B/574.00A	----	----	----	582.60 - 12.00	.7012	----	----	----	----	3	UNCH						
5050	----	----	----	821.70B/797.30A	821.70B/797.30A	----	----	----	808.00 - 13.30	.7961	----	----	----	----	1	UNCH						
5150	----	----	----	----	774.70B/1017.30A	----	----	----	895.30 - 13.60	.8226	----	----	----	----	339	UNCH						
TOTAL														9	1868	+						
JUN27																						
2000	----	----	----	----	1.70B/2.70A	1.70B/2.70A	----	----	2.30 UNCH	.0047	----	----	----	----	2	UNCH						
2100	----	----	----	----	2.20B/3.20A	2.20B/3.20A	----	----	2.70 UNCH	.0057	----	----	----	----	1	UNCH						
2400	----	----	----	----	4.20B/5.20A	4.20B/5.20A	----	----	4.70 UNCH	.0106	----	----	----	----	1	UNCH						
2600	----	----	----	----	6.50B/7.50A	6.50B/7.50A	----	----	6.90 - 0.10	.0161	----	----	----	----	1	UNCH						
2800	----	----	----	----	9.90B/11.00A	9.90B/11.00A	----	----	10.40 - 0.20	.0247	----	----	----	----	216	UNCH						
2900	----	----	----	----	12.40B/13.40A	12.40B/13.40A	----	----	12.90 - 0.20	.0308	----	----	----	----	1	UNCH						
3000	----	----	----	----	15.40B/16.50A	15.40B/16.50A	----	----	16.00 - 0.30	.0384	----	----	----	----	118	UNCH						
3300	35.00	35.00	----	35.00/31.70A	35.00/31.70A	35.00/31.70A	----	----	31.50 - 1.00	.0745	----	----	9	----	119	+						
3500	----	----	----	----/50.50A	51.70B/50.50A	51.70B/50.50A	----	----	50.80 - 1.60	.1158	----	----	----	----	793	UNCH						
3550	----	----	----	----/56.80A	59.00B/56.80A	59.00B/56.80A	----	----	57.20 - 1.80	.1288	----	----	----	----	1	UNCH						
3575	----	----	----	62.80B/59.50A	62.80B/59.50A	62.80B/59.50A	----	----	60.80 - 1.90	.1359	----	----	----	----	2	UNCH						
3600	----	----	----	66.70B/63.10A	66.70B/63.10A	66.70B/63.10A	----	----	64.50 - 2.00	.1431	----	----	----	----	63	UNCH						
3625	----	----	----	70.90B/66.80A	70.90B/66.80A	70.90B/66.80A	----	----	68.50 - 2.10	.1508	----	----	----	----	455	UNCH						
3650	----	----	----	75.40B/70.80A	75.40B/70.80A	75.40B/70.80A	----	----	72.60 - 2.30	.1586	----	----	----	----	2	UNCH						
3655	----	----	----	76.20B/71.80A	76.20B/71.80A	76.20B/71.80A	----	----	73.50 - 2.30	.1603	----	----	----	----	1	UNCH						
3675	----	----	----	80.00B/75.30A	80.00B/75.30A	80.00B/75.30A	----	----	77.10 - 2.40	.1669	----	----	----	----	4	UNCH						
3700	82.00	82.00	----	85.00B/79.90A	85.00B/79.90A	85.00B/79.90A	----	----	81.70 - 2.60	.1754	----	----	9	----	2398	+						
3725	----	----	----	90.20B/84.50A	90.20B/84.50A	90.20B/84.50A	----	----	86.70 - 2.60	.1844	----	----	----	----	6	UNCH						
3750	----	----	----	95.70B/89.30A	95.70B/89.30A	95.70B/89.30A	----	----	91.80 - 2.90	.1935	----	----	----	----	140	UNCH						
3775	----	----	----	101.60B/94.90A	101.60B/94.90A	101.60B/94.90A	----	----	97.30 - 3.00	.2031	----	----	----	----	13	UNCH						
3785	----	----	----	103.90B/97.10A	103.90B/97.10A	103.90B/97.10A	----	----	99.60 - 3.10	.2070	----	----	----	----	2	UNCH						
3800	----	----	----	107.70B/100.20A	107.70B/100.20A	107.70B/100.20A	----	----	103.10 - 3.10	.2130	----	----	----	----	588	UNCH						
380																						

BULLETIN #189@				METALS OPTION PRODUCTS										Thu, Oct 01, 2026				PG64	
	LOBEX OPEN	OPEN OPEN	OUTCRY RANGE	LOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
OG PUT	COMEX GOLD OPTIONS																		
TOTAL												19		12223 +	18				
JUL27																			
3000	----	----	----	----	17.90B/19.60A	----	----	18.80 - 0.20	.0417	----	----	----	----	1	UNCH				
3300	----	----	----	-----/35.90A	35.70B/35.90A	----	----	36.20 - 0.60	.0787	----	----	----	----	1	UNCH				
3500	----	----	----	-----/55.80A	56.70B/55.80A	----	----	56.10 - 1.50	.1183	----	----	----	----	3	UNCH				
3750	----	----	----	101.70B/95.90A	101.70B/95.90A	----	----	97.70 NEW	.1916	----	----	6	----	1 +	1				
3800	----	----	----	113.50B/106.70A	113.50B/106.70A	----	----	109.00 - 3.40	.2097	----	----	6	----	7	UNCH				
3905	----	----	----	142.20B/133.40A	142.20B/133.40A	----	----	136.40 - 4.10	.2512	----	----	----	----	3	UNCH				
4050	----	----	----	191.00B/178.70A	191.00B/178.70A	----	----	183.10 NEW	.3152	----	----	6	----	6 +	6				
4150	----	----	----	231.10B/216.40A	231.10B/216.40A	----	----	221.70 - 5.90	.3629	----	----	----	----	1	UNCH				
4310	----	----	----	307.20B/288.10A	307.20B/288.10A	----	----	295.30 - 7.30	.4426	----	----	----	----	3	UNCH				
4315	----	----	----	309.70B/290.50A	309.70B/290.50A	----	----	297.80 - 7.40	.4452	----	----	----	----	2	UNCH				
4325	----	----	----	315.20B/295.70A	315.20B/295.70A	----	----	303.00 - 7.40	.4502	----	----	----	----	2	UNCH				
4335	----	----	----	320.50B/301.00A	320.50B/301.00A	----	----	308.10 - 7.50	.4552	----	----	----	----	1	UNCH				
4340	----	----	----	323.10B/303.30A	323.10B/303.30A	----	----	310.70 - 7.60	.4577	----	----	----	----	5	UNCH				
4350	----	----	----	328.60B/308.50A	328.60B/308.50A	----	----	316.00 - 7.70	.4628	----	----	----	----	1	UNCH				
4360	----	----	----	334.10B/313.70A	334.10B/313.70A	----	----	321.30 - 7.80	.4678	----	----	----	----	2	UNCH				
4370	318.00		318.00	339.60B/318.00	339.60B/318.00	----	----	326.70 - 7.90	.4728	----	----	1	----	3 +	1				
4375	----	----	----	342.40B/321.50A	342.40B/321.50A	----	----	329.40 - 7.90	.4752	----	----	----	----	2	UNCH				
4390	----	----	----	347.10B/329.40A	347.10B/329.40A	----	----	337.60 - 8.10	.4827	----	----	----	----	5	UNCH				
4400	----	----	----	-----/335.00A	350.20B/335.00A	----	----	343.20 - 8.10	.4876	----	----	----	----	5	UNCH				
4475	----	----	----	-----/380.60A	394.20B/380.60A	----	----	386.50 - 8.90	.5242	----	----	----	----	3	UNCH				
4500	----	----	----	-----/395.50A	409.50B/395.50A	----	----	401.60 - 9.10	.5361	----	----	----	----	3	UNCH				
4535	----	----	----	-----/416.80A	431.60B/416.80A	----	----	423.30 - 9.40	.5525	----	----	----	----	3	UNCH				
4540	----	----	----	-----/419.90A	434.70B/419.90A	----	----	426.40 - 9.50	.5548	----	----	----	----	1	UNCH				
4565	----	----	----	-----/435.50A	450.90B/435.50A	----	----	442.30 - 9.70	.5663	----	----	----	----	1	UNCH				
TOTAL												19		65 +	8				
AUG27																			
3000	----	----	----	----	21.20B/23.40A	----	----	22.40 - 0.20	.0468	----	----	----	----	1	UNCH				
3400	----	----	----	-----/54.20A	51.60B/54.20A	----	----	53.90 - 0.70	.1067	----	----	----	----	1	UNCH				
3500	----	----	----	-----/65.50A	65.10B/65.50A	----	----	66.50 - 1.00	.1291	----	----	----	----	1	UNCH				
3950	----	----	----	-----/162.40A	167.80B/162.40A	----	----	165.30 - 3.40	.2776	----	----	----	----	100	UNCH				
4000	----	----	----	-----/178.10A	185.10B/178.10A	----	----	181.90 - 3.70	.2988	----	----	----	----	4	UNCH				
4065	----	----	----	-----/201.20A	208.70B/201.20A	----	----	205.30 - 4.40	.3272	----	----	----	----	300	UNCH				
4185	----	----	----	-----/249.30A	259.50B/249.30A	----	----	254.40 - 5.70	.3822	----	----	----	----	4	UNCH				
4200	----	----	----	-----/255.90A	266.50B/255.90A	----	----	261.10 - 5.90	.3892	----	----	----	----	3	UNCH				
4220	----	----	----	-----/264.50A	275.80B/264.50A	----	----	270.20 - 6.10	.3986	----	----	----	----	3	UNCH				
4320	----	----	----	-----/313.00A	325.20B/313.00A	----	----	318.70 - 7.40	.4460	----	----	----	----	1	UNCH				
4350	----	----	----	-----/327.90A	341.10B/327.90A	----	----	334.20 - 7.90	.4603	----	----	----	----	1	UNCH				
4355	----	----	----	-----/330.60A	343.80B/330.60A	----	----	336.90 - 7.90	.4626	----	----	----	----	2	UNCH				
4360	----	----	----	-----/333.20A	346.20B/333.20A	----	----	339.50 - 8.00	.4650	----	----	----	----	1	UNCH				
4390	----	----	----	-----/350.20A	362.30B/350.20A	----	----	355.70 - 8.40	.4791	----	----	----	----	2	UNCH				
4400	----	----	----	-----/356.50A	365.70B/356.50A	----	----	361.20 - 8.60	.4838	----	----	----	----	1	UNCH				
4505	----	----	----	-----/420.80A	426.90B/420.80A	----	----	422.10 - 10.00	.5319	----	----	----	----	2	UNCH				
4535	----	----	----	-----/439.10A	445.70B/439.10A	----	----	440.60 - 10.20	.5452	----	----	----	----	2	UNCH				
4555	----	----	----	-----/451.50A	458.50B/451.50A	----	----	453.20 - 10.40	.5540	----	----	----	----	2	UNCH				
4565	----	----	----	-----/457.70A	464.90B/457.70A	----	----	459.50 - 10.60	.5583	----	----	----	----	1	UNCH				
4600	----	----	----	-----/480.00A	487.90B/480.00A	----	----	482.20 - 10.80	.5733	----	----	----	----	1	UNCH				
4665	----	----	----	-----/522.90A	531.90B/522.90A	----	----	525.80 - 11.20	.6002	----	----	----	----	1	UNCH				
TOTAL														434	0				
SEP27																			
4115	----	----	----	----	0.20B/468.70A	----	----	237.60 + 5.10	.3395	----	----	----	----	300	UNCH				
4150	----	----	----	----	0.20B/488.00A	----	----	249.70 + 3.00	.3538	----	----	----	----	50	UNCH				
TOTAL														350	0				
OCT27																			
3900	----	----	----	----	----	----	----	167.80 - 4.00	.2568	----	----	----	----	200	UNCH				
TOTAL														200	0				
DEC27																			
2800	----	----	----	----	----	----	----	46.50 - 1.10	.0622	----	----	----	----	16	UNCH				
3700	----	----	----	----	----	----	----	156.00 - 3.20	.2065	----	----	----	----	100	UNCH				
3715	----	----	----	----	----	----	----	159.40 - 3.20	.2104	----	----	----	----	150	UNCH				
3820	----	----	----	----	----	----	----	185.30 - 3.60	.2397	----	----	----	----	50	UNCH				
4130	----	----	----	----	----	----	----	286.90 - 5.00	.3408	----	----	----	----	168	UNCH				
4500	----	----	----	----	----	----	----	464.70 - 6.70	.4769	----	----	----	----	170	UNCH				
4630	----	----	----	----	----	----	----	541.50 - 7.40	.5229	----	----	----	----	284	UNCH				
4860	----	----	----	----	----	----	----	693.70 - 8.20	.5976	----	----	----	----	100	UNCH				
5000	----	----	----	----	----	----	----	795.10 - 8.80	.6380	----	----	----	----	50	UNCH				
5650	----	----	----	----	----	----	----	1326.90 - 10.60	.7761	----	----	----	----	200	UNCH				
5880	----	----	----	----	----	----	----	1530.50 - 11.20	.8100	----	----	----	----	200	UNCH				
TOTAL														1488	0				
JAN28																			
5000	----	----	----	----	----	----	----	784.10 - 8.50	.6177	----	----	----	----	1	UNCH				
5100	----	----	----	----	----	----	----	858.80 - 8.70	.6438	----	----	----	----	1	UNCH				
TOTAL														2	0				
FEB28																			
4400	----	----	----	----	----	----	----	427.80 - 5.90	.4233	----	----	----	----	11	UNCH				
TOTAL														11	0				
APR28																			
4400	----	----	----	----	----	----	----	437.30 - 5.70	.4091	----	----	----	----	5	UNCH				
TOTAL														5	0				
MAY28																			
4500	----	----	----	----	----	----	----	484.70 - 5.80	.4282	----	----	----	----	20	UNCH				
TOTAL														20	0				
JUL28																			
4500	----	----	----	----	----	----	----	486.90 - 5.80	.4151	----	----	----	----	25	UNCH				
TOTAL														25	0				
	LOBEX OPEN	OPEN OPEN	OUTCRY RANGE	LOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
OG CALL	COMEX GOLD OPTIONS																		
NOV26																			
3350	----	----	----	867.00B/826.60A	867.00B/826.60A	----	----	852.50 + 15.40	.9932	----	----	----	----	1	UNCH				
3390	----	----	----	827.10B/787.20A	827.10B/787.20A	----	----	812.70 + 15.40	.9917	----	----	----	----	1	UNCH				
3400	----	----	----	817.10B/776.90A	817.10B/776.90A	----	----	802.70 + 15.40	.9910	----	----	1	----	34	UNCH				
3445	----	----	----	772.30B/732.20A	772.30B/732.20A	----	----	758.00 + 15.40	.9894	----	----	----	----	1	UNCH				
3450	----	----	----	767.30B/727.40A	767.30B/727.40A	----	----	753.00 + 15.30	.9887	----	----	----	----	161	UNCH				
3500	----	----	----	717.60B/677.80A	717.60B/677.80A	----	----	703.40 + 15.30	.9857	----	----	----	----	224	UNCH				
3550	----	----	----	668.10B/628.30A	668.10B/628.30A	----	----	653.90 + 15.20	.9825	----	----	----	----	8	UNCH				
3600	----	----	----	618.60B/579.00A	618.60B/579.00A	----	----	604.50 + 15.20	.9778	----	----	----	----	3	UNCH				
3700	----	----	----	520.30B/481.10A	520.30B/481.10A	----	----	506.20 + 14.80	.9644	----	----	----	----	3	UNCH				
3735	----	----	----	486.10B/447.10A	486.10B/447.10A	----	----	472.10 + 14.60	.9573	----	----	----	----	1	UNCH				
3765	----	----	----	456.90B/418.20A	456.90B/418.20A	----	----	443.00 + 14.50	.9508	----	----	----	----	1	UNCH				
3775	----	----	----	447.20B/408.60A	447.20B/408.60A	----	----	433.40 + 14.40	.9478	----	----	----	----	1	UNCH				
3780	----	----	----	442.40B/404.20A	442.40B/404.20A	----	----	428.50 + 14.30	.9468	----	----	----	----	1	UNCH				
3800	----	----	----	423.10B/384.80A	423.10B/384.80A	----	----	409.30 + 14.20	.9407	----	----	----	----	4	UNCH				
3820	380.60		380.60	408.30B/360.80A	408.30B/360.80A	----	----	390.20 NEW	.9343	----	----	1	----	1 +	1				
3825	----	----	----	403.50B/356.10A	403.50B/356.10A														

BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE		GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW		OPEN OUTCRY CLOSE RANGE		SETTL.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
OG CALL		COMEX GOLD OPTIONS																				
NOV26																						
3960	----	----	----	278.30B/235.00A	278.30B/235.00A	----	----	261.10	+ 11.60	.8553	----	----	----	----	----	----	2	UNCH				
3985	----	----	----	256.20B/214.40A	256.20B/214.40A	----	----	239.50	+ 11.00	.8330	----	----	----	----	----	----	1	UNCH				
3990	225.00	225.00	----	251.90B/210.50A	251.90B/210.50A	----	----	235.30	+ 10.90	.8279	----	----	----	----	1	----	3	UNCH				
3995	----	----	----	247.60B/206.30A	247.60B/206.30A	----	----	231.00	+ 10.70	.8232	----	----	----	----	----	----	1	UNCH				
4000	----	----	----	243.50B/202.50A	243.50B/202.50A	----	----	226.80	+ 10.60	.8180	----	----	----	----	----	408	UNCH					
4005	----	----	----	239.30B/198.50A	239.30B/198.50A	----	----	222.70	+ 10.50	.8128	----	----	----	----	----	3	UNCH					
4010	----	----	----	235.00B/194.60A	235.00B/194.60A	----	----	218.50	+ 10.30	.8073	----	----	----	----	----	4	UNCH					
4015	----	----	----	230.80B/190.70A	230.80B/190.70A	----	----	214.40	+ 10.20	.8020	----	----	----	----	----	3	UNCH					
4020	----	----	----	226.50B/186.80A	226.50B/186.80A	----	----	210.30	+ 10.00	.7964	----	----	----	----	----	2	UNCH					
4030	----	----	----	218.40B/179.20A	218.40B/179.20A	----	----	202.20	+ 9.60	.7847	----	----	----	----	----	174	UNCH					
4035	----	----	----	214.30B/175.60A	214.30B/175.60A	----	----	198.20	+ 9.50	.7786	----	----	----	----	----	2	UNCH					
4040	----	----	----	210.30B/171.90A	210.30B/171.90A	----	----	194.30	+ 9.40	.7725	----	----	----	----	----	4	UNCH					
4045	----	----	----	206.30B/168.20A	206.30B/168.20A	----	----	190.30	+ 9.10	.7661	----	----	----	----	----	1	UNCH					
4050	182.20	182.20	----	202.30B/164.60A	202.30B/164.60A	----	----	186.40	+ 8.90	.7596	----	----	----	1	----	370	-					
4065	----	----	----	190.60B/153.90A	190.60B/153.90A	----	----	175.00	+ 8.50	.7394	----	----	----	----	----	20	UNCH					
4070	----	----	----	186.70B/150.60A	186.70B/150.60A	----	----	171.20	+ 8.20	.7326	----	----	----	----	----	5	UNCH					
4075	----	----	----	182.90B/147.20A	182.90B/147.20A	----	----	167.50	+ 8.00	.7254	----	----	----	----	----	7	UNCH					
4080	----	----	----	179.10B/143.80A	179.10B/143.80A	----	----	163.90	+ 7.90	.7179	----	----	----	----	----	39	UNCH					
4085	----	----	----	175.40B/140.50A	175.40B/140.50A	----	----	160.30	+ 7.80	.7107	----	----	----	----	----	87	UNCH					
4090	----	----	----	171.70B/137.20A	171.70B/137.20A	----	----	156.70	+ 7.60	.7032	----	----	----	----	----	12	UNCH					
4095	----	----	----	168.00B/133.90A	168.00B/133.90A	----	----	153.10	+ 7.30	.6955	----	----	----	----	----	16	UNCH					
4100	149.10	149.10	----	164.40B/130.70A	164.40B/130.70A	----	----	149.60	+ 7.10	.6877	----	----	----	2	----	341	UNCH					
4105	145.40	145.40	----	160.80B/127.60A	160.80B/127.60A	----	----	146.20	+ 7.00	.6799	----	----	----	1	----	16	UNCH					
4110	----	----	----	157.30B/124.50A	157.30B/124.50A	----	----	142.80	+ 6.80	.6718	----	----	----	----	----	26	UNCH					
4115	142.20	142.20	----	153.80B/121.40A	153.80B/121.40A	----	----	139.40	+ 6.60	.6638	----	----	----	1	----	20	UNCH					
4120	129.80	129.80	----	150.20B/118.40A	150.20B/118.40A	----	----	136.10	+ 6.40	.6555	----	----	----	3	----	22	UNCH					
4125	133.00	133.00	----	146.90B/115.50A	146.90B/115.50A	----	----	132.80	+ 6.20	.6473	----	----	----	1	----	153	UNCH					
4130	----	----	----	143.60B/112.40A	143.60B/112.40A	----	----	129.60	+ 6.00	.6388	----	----	----	----	----	26	UNCH					
4135	113.60	113.60	----	140.30B/109.70A	140.30B/109.70A	----	----	126.50	+ 5.90	.6303	----	----	----	7	----	67	-					
4140	113.30	113.30	----	137.00B/106.90A	137.00B/106.90A	----	----	123.30	+ 5.70	.6217	----	----	----	13	----	30	+					
4145	123.30	123.30	----	133.70B/104.10A	133.70B/104.10A	----	----	120.20	+ 5.40	.6131	----	----	----	3	----	30	UNCH					
4150	114.70	114.70	----	130.60B/101.40A	130.60B/101.40A	----	----	117.20	+ 5.30	.6044	----	----	----	17	----	554	+					
4155	108.70	108.70	----	127.40B/98.80A	127.40B/98.80A	----	----	114.20	+ 5.10	.5956	----	----	----	12	----	49	-					
4160	116.10	116.10	----	124.20B/96.10A	124.20B/96.10A	----	----	111.30	+ 4.90	.5867	----	----	----	10	----	36	+					
4165	----	----	----	121.20B/93.40A	121.20B/93.40A	----	----	108.40	+ 4.70	.5777	----	----	----	----	----	28	UNCH					
4170	116.80	116.80	----	118.30B/90.80A	118.30B/90.80A	----	----	105.50	+ 4.50	.5688	----	----	----	9	----	29	-					
4175	96.30	96.30	----	115.40B/88.50A	115.40B/88.50A	----	----	102.70	+ 4.30	.5598	----	----	----	2	----	120	+					
4180	94.00	94.00	----	112.50B/86.00A	112.50B/86.00A	----	----	100.00	+ 4.20	.5507	----	----	----	39	----	48	+					
4185	----	----	----	110.10B/83.60A	110.10B/83.60A	----	----	97.30	+ 4.00	.5416	----	----	----	----	----	41	UNCH					
4190	----	----	----	107.10B/81.30A	107.10B/81.30A	----	----	94.70	+ 3.90	.5325	----	----	----	2	----	48	+					
4195	85.90	85.90	----	104.20B/79.00A	104.20B/79.00A	----	----	92.10	+ 3.70	.5233	----	----	----	15	----	64	-					
4200	82.00	82.00	----	101.30B/76.80A	101.30B/76.80A	----	----	89.50	+ 3.50	.5142	----	----	----	60	----	996	+					
4205	83.90	83.90	----	98.70B/74.60A	98.70B/74.60A	----	----	87.10	+ 3.40	.5050	----	----	----	4	----	29	+					
4210	82.70	82.70	----	95.90B/72.30A	95.90B/72.30A	----	----	84.60	+ 3.20	.4958	----	----	----	4	----	116	UNCH					
4215	88.90	88.90	----	93.50B/70.30A	93.50B/70.30A	----	----	82.20	+ 3.10	.4867	----	----	----	4	----	17	+					
4220	90.30	90.30	----	90.90B/68.20A	90.90B/68.20A	----	----	79.90	+ 3.00	.4775	----	----	----	8	----	63	+					
4225	75.00	75.00	----	88.80B/66.30A	88.80B/66.30A	----	----	77.60	+ 2.80	.4684	----	----	----	18	----	266	+					
4230	78.20	78.20	----	86.10B/64.30A	86.10B/64.30A	----	----	75.40	+ 2.70	.4593	----	----	----	10	----	52	+					
4235	69.30	69.30	----	84.10B/62.40A	84.10B/62.40A	----	----	73.20	+ 2.60	.4502	----	----	----	3	----	127	+					
4240	71.80	71.80	----	81.60B/60.50A	81.60B/60.50A	----	----	71.10	+ 2.50	.4412	----	----	----	6	----	19	+					
4245	61.10	61.10	----	79.30B/58.70A	79.30B/58.70A	----	----	69.00	+ 2.40	.4323	----	----	----	2	----	89	-					
4250	69.90	69.90	----	76.80B/57.00A	76.80B/57.00A	----	----	67.00	+ 2.30	.4234	----	----	----	610	----	1108	+					
4255	58.60	58.60	----	75.00B/55.20A	75.00B/55.20A	----	----	65.00	+ 2.20	.4145	----	----	----	9	----	33	+					
4260	----	----	----	72.80B/53.60A	72.80B/53.60A	----	----	63.00	+ 2.00	.4056	----	----	----	----	----	21	UNCH					
4265	54.40	54.40	----	70.70B/51.80A	70.70B/51.80A	----	----	61.10	+ 1.90	.3969	----	----	----	3	----	24	+					
4270	60.70	60.70	----	68.70B/50.30A	68.70B/50.30A	----	----	59.30	+ 1.80	.3883	----	----	----	4	----	12	+					
4275	57.00	57.00	----	66.40/48.70A	66.40/48.70A	----	----	57.40	+ 1.60	.3795	----	----	----	93	----	183	-					
4280	56.00	56.00	----	64.60B/47.10A	64.60B/47.10A	----	----	55.70	+ 1.60	.3711	----	----	----	18	----	16	+					
4285	55.40	55.40	----	62.80B/45.60A	62.80B/45.60A	----	----	54.00	+ 1.50	.3627	----	----	----	2	----	21	+					
4290	52.70	52.70	----	61.00B/44.30A	61.00B/44.30A	----	----	52.30	+ 1.40	.3543	----	----	----	57	----	65	+					
4295	52.00	52.00	----	59.10B/42.90A	59.10B/42.90A	----	----	50.60	+ 1.20	.3459	----	----	----	22	----	87	-					
4300	44.70	44.70	----	57.60/41.50A	57.60/41.50A	----	----	49.00	+ 1.10	.3378	----	----	----	722	----	50	2023					
4305	44.80	44.80	----	55.70B/40.10A	55.70B/40.10A	----	----	47.50	+ 1.10	.3298	----	----	----	3	----	101	UNCH					
4310	46.50	46.50	----	54.00B/38.90A	54.00B/38.90A	----	----	46.00	+ 1.00	.3219	----	----	----	5	----	259	+					
4315	42.00	42.00	----	52.20B/37.60A	52.20B/37.60A	----	----	44.50	+ 0.90	.3139	----	----	----	5	----	32	UNCH					
4320	50.10	50.10	----	50.60B/36.40A	50.60B/36.40A	----	----	43.10	+ 0.90	.3062	----	----	----	19	----	208	UNCH					
4325	37.20	37.20	----	48.90B/35.30A	48.90B/35.30A	----	----	41.70	+ 0.80	.2986	----	----	----	64	----	441	-					
4330	42.70	42.70	----	47.50B/34.00A	47.50B/34.00A	----	----	40.40	+ 0.80	.2912	----	----	----	76	----	228	+					
4335	37.90	37.90	----	46.10B/32.90A	46.10B/32.90A	----	----	39.10	+ 0.70	.2838	----	----	----	12	----	371	-					
4340	44.30	44.30	----	44.60B/31.80A	44.60B/31.80A	----	----	37.80	+ 0.60	.2765	----	----	----	23	----	68	+					
4345	37.90	37.90	----	43.10B/30.80A	43.10B/30.80A	----	----	36.60	+ 0.60	.2694	----	----	----	3	----	55	UNCH					
4350	31.90	31.90	----	41.80B/29.80A	41.80B/29.80A	----	----	35.40	+ 0.50	.2624	----	----	----	237	----	784	+					
4355	36.70	36.70	----	40.40B/28.80A	40.40B/28.80A	----	----	34.20	+ 0.40	.2554	----	----	----	22	----	52	+					
4360	34.60	34.60	----	39.40/27.90A	39.40/27.90A	----	----	33.10	+ 0.40	.2487	----	----	----	94	----	114	-					
4365	32.30	32.30	----	37.80B/27.00A	37.80B/27.00A	----	----	32.00	+ 0.30	.2420	----	----	----	1	----	21	UNCH					
4370	34.70	34.70	----	36.60B/26.10A	36.60B/26.10A	----	----	30.90	+ 0.30	.2354	----	----	----	17	----	47	-					
4375	25.30	25.30	----	35.40B/25.30	35.																	



BULLETIN #189@		METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64			
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL	COMEX GOLD OPTIONS																
NOV26																	
5365	----	----	----	----	0.60B/0.60A	----	0.60	UNCH	.0043	----	----	----	----	----	9	UNCH	
5370	----	----	----	----	0.50B/0.60A	----	0.60	UNCH	.0042	----	----	----	----	----	13	UNCH	
5375	----	----	----	----	0.60B/0.60A	----	0.60	UNCH	.0042	----	----	----	----	----	41	UNCH	
5380	----	----	----	----	0.60B/0.60A	----	0.60	UNCH	.0042	----	----	----	----	----	33	UNCH	
5385	----	----	----	----	0.50B/0.60A	----	0.60	UNCH	.0042	----	----	----	----	----	32	UNCH	
5390	----	----	----	----	0.50B/0.60A	----	0.60	UNCH	.0042	----	----	----	----	----	10	UNCH	
5395	----	----	----	----	0.50B/0.60A	----	0.60	UNCH	.0042	----	----	----	----	----	31	UNCH	
5400	0.60	0.60		0.60/0.60		0.60/0.60	0.60	+	0.10	.0042	----	----	2	----	779	UNCH	
5405	----	----	----	----	0.50B/0.60A	----	0.60	+	0.10	.0041	----	----	----	----	55	UNCH	
5410	----	----	----	----	0.50B/0.60A	----	0.60	+	0.10	.0041	----	----	----	----	6	UNCH	
5415	----	----	----	----	0.50B/0.60A	----	0.60	+	0.10	.0041	----	----	----	----	26	UNCH	
5420	----	----	----	----	0.50B/0.60A	----	0.60	+	0.10	.0041	----	----	----	----	36	UNCH	
5425	----	----	----	----	0.50B/0.60A	----	0.60	+	0.10	.0041	----	----	----	----	12	UNCH	
5430	----	----	----	----	0.50B/0.60A	----	0.60	+	0.10	.0041	----	----	----	----	10	UNCH	
5435	----	----	----	----	0.50B/0.60A	----	0.60	+	0.10	.0041	----	----	----	----	6	UNCH	
5440	----	----	----	----	0.50B/0.60A	----	0.50	UNCH	.0035	----	----	----	----	----	3	UNCH	
5445	----	----	----	----	0.50B/0.60A	----	0.50	UNCH	.0035	----	----	----	----	----	33	UNCH	
5450	0.50	0.50		0.50/0.50		0.50/0.50	0.50	UNCH	.0034	----	----	----	1	----	572	+	
5455	----	----	----	----	0.50B/0.60A	----	0.50	UNCH	.0034	----	----	----	----	----	43	UNCH	
5460	----	----	----	----	0.50B/0.50A	----	0.50	UNCH	.0034	----	----	----	----	----	20	UNCH	
5465	----	----	----	----	0.50B/0.60A	----	0.50	UNCH	.0034	----	----	----	----	----	6	UNCH	
5470	----	----	----	----	0.50B/0.60A	----	0.50	UNCH	.0034	----	----	----	----	----	8	UNCH	
5475	----	----	----	----	0.50B/0.50A	----	0.50	UNCH	.0034	----	----	----	----	----	253	UNCH	
5480	----	----	----	----	0.40B/0.60A	----	0.50	UNCH	.0034	----	----	----	----	----	39	UNCH	
5485	----	----	----	----	0.40B/0.60A	----	0.50	UNCH	.0034	----	----	----	----	----	30	UNCH	
5490	----	----	----	----	0.40B/0.50A	----	0.50	UNCH	.0034	----	----	----	----	----	29	UNCH	
5495	----	----	----	----	0.40B/0.60A	----	0.50	UNCH	.0034	----	----	----	----	----	3	UNCH	
5500	0.60	0.60		0.60/0.60		0.60/0.50A	0.50	UNCH	.0034	----	----	----	1	----	2371	UNCH	
5505	----	----	----	----	0.40B/0.50A	----	0.50	UNCH	.0033	----	----	----	----	----	28	UNCH	
5510	----	----	----	----	0.40B/0.50A	----	0.50	UNCH	.0033	----	----	----	----	----	10	UNCH	
5515	----	----	----	----	0.40B/0.50A	----	0.50	UNCH	.0033	----	----	----	----	----	17	UNCH	
5520	----	----	----	----	0.40B/0.50A	----	0.50	UNCH	.0033	----	----	----	----	----	29	UNCH	
5525	----	----	----	----	0.40B/0.50A	----	0.40	-	0.10	.0027	----	----	----	----	29	UNCH	
5530	----	----	----	----	0.40B/0.50A	----	0.40	-	0.10	.0027	----	----	----	----	12	UNCH	
5535	----	----	----	----	0.40B/0.50A	----	0.40	-	0.10	.0027	----	----	----	----	28	UNCH	
5540	----	----	----	----	0.40B/0.50A	----	0.40	-	0.10	.0027	----	----	----	----	21	UNCH	
5545	----	----	----	----	0.40B/0.50A	----	0.40	-	0.10	.0027	----	----	----	----	38	UNCH	
5550	0.40	0.40		0.40/0.40		0.40/0.50A	0.40	-	0.10	.0027	----	----	2	----	50	UNCH	
5555	----	----	----	----	0.40B/0.50A	----	0.40	-	0.10	.0027	----	----	----	----	10	+	
5560	----	----	----	----	0.40B/0.50A	----	0.40	-	0.10	.0027	----	----	----	----	19	UNCH	
5565	----	----	----	----	0.40B/0.50A	----	0.40	-	0.10	.0027	----	----	----	----	12	UNCH	
5570	----	----	----	----	0.40B/0.50A	----	0.40	-	0.10	.0027	----	----	----	----	33	UNCH	
5575	----	----	----	----	0.40B/0.50A	----	0.40	-	0.10	.0026	----	----	----	----	67	UNCH	
5580	----	----	----	----	0.40B/0.50A	----	0.40	UNCH	.0026	----	----	----	----	----	49	UNCH	
5585	----	----	----	----	0.30B/0.40A	----	0.40	UNCH	.0026	----	----	----	----	----	19	UNCH	
5590	----	----	----	----	0.30B/0.50A	----	0.40	UNCH	.0026	----	----	----	----	----	17	UNCH	
5595	----	----	----	----	0.30B/0.50A	----	0.40	UNCH	.0026	----	----	----	----	----	26	UNCH	
5600	----	----	----	----	0.30B/0.40A	----	0.40	UNCH	.0026	----	----	----	----	----	161	UNCH	
5605	----	----	----	----	0.30B/0.40A	----	0.40	UNCH	.0026	----	----	----	----	----	37	UNCH	
5610	----	----	----	----	0.30B/0.40A	----	0.40	UNCH	.0026	----	----	----	----	----	8	UNCH	
5615	----	----	----	----	0.30B/0.40A	----	0.40	UNCH	.0026	----	----	----	----	----	61	UNCH	
5620	----	----	----	----	0.30B/0.50A	----	0.40	UNCH	.0026	----	----	----	----	----	5	UNCH	
5625	----	----	----	----	0.30B/0.40A	----	0.40	UNCH	.0026	----	----	----	----	----	7	UNCH	
5630	----	----	----	----	0.30B/0.40A	----	0.40	UNCH	.0026	----	----	----	----	----	7	UNCH	
5635	----	----	----	----	0.30B/0.40A	----	0.40	UNCH	.0026	----	----	----	----	----	18	UNCH	
5640	----	----	----	----	0.30B/0.40A	----	0.40	UNCH	.0026	----	----	----	----	----	6	UNCH	
5645	----	----	----	----	0.30B/0.40A	----	0.40	UNCH	.0026	----	----	----	----	----	15	UNCH	
5650	----	----	----	----	0.30B/0.40A	----	0.40	UNCH	.0025	----	----	----	----	----	55	UNCH	
5655	----	----	----	----	0.30B/0.40A	----	0.40	UNCH	.0025	----	----	----	----	----	5	UNCH	
5660	----	----	----	----	0.30B/0.40A	----	0.40	UNCH	.0025	----	----	----	----	----	1	UNCH	
5665	----	----	----	----	0.30B/0.40A	----	0.40	UNCH	.0025	----	----	----	----	----	14	UNCH	
5670	----	----	----	----	0.30B/0.40A	----	0.40	UNCH	.0025	----	----	----	----	----	14	UNCH	
5675	----	----	----	----	0.30B/0.40A	----	0.40	UNCH	.0025	----	----	----	----	----	9	UNCH	
5680	----	----	----	----	0.30B/0.40A	----	0.40	UNCH	.0025	----	----	----	----	----	45	UNCH	
5685	----	----	----	----	0.30B/0.40A	----	0.40	UNCH	.0025	----	----	----	----	----	8	UNCH	
5690	----	----	----	----	0.30B/0.40A	----	0.40	UNCH	.0025	----	----	----	----	----	68	UNCH	
5695	----	----	----	----	0.30B/0.40A	----	0.30	-	0.10	.0019	----	----	----	----	25	UNCH	
5700	----	----	----	----	0.30B/0.40A	----	0.30	-	0.10	.0019	----	----	----	----	120	UNCH	
5705	----	----	----	----	0.20B/0.40A	----	0.30	UNCH	.0019	----	----	----	----	----	1	UNCH	
5710	----	----	----	----	0.20B/0.40A	----	0.30	UNCH	.0019	----	----	----	----	----	2	UNCH	
5720	----	----	----	----	0.20B/0.40A	----	0.30	UNCH	.0019	----	----	----	----	----	6	UNCH	
5725	----	----	----	----	0.20B/0.40A	----	0.30	UNCH	.0019	----	----	----	----	----	3	UNCH	
5730	----	----	----	----	0.20B/0.40A	----	0.30	UNCH	.0019	----	----	----	----	----	27	UNCH	
5740	----	----	----	----	0.20B/0.40A	----	0.30	UNCH	.0019	----	----	----	----	----	4	UNCH	
5750	----	----	----	----	0.20B/0.40A	----	0.30	UNCH	.0019	----	----	----	----	----	599	UNCH	
5770	----	----	----	----	0.20B/0.40A	----	0.30	UNCH	.0019	----	----	----	----	----	11	UNCH	
5775	----	----	----	----	0.20B/0.40A	----	0.30	UNCH	.0019	----	----	----	----	----	8	UNCH	
5780	----	----	----	----	0.20B/0.40A	----	0.30	UNCH	.0019	----	----	----	----	----	6	UNCH	
5790	----	----	----	----	0.20B/0.40A	----	0.30	UNCH	.0018	----	----	----	----	----	6	UNCH	
5800	----	----	----	----	0.20B/0.30A	----	0.30	UNCH	.0018	----	----	----	----	----	208	UNCH	
5810	----	----	----	----	0.20B/0.40A	----	0.30	UNCH	.0018	----	----	----	----	----	21	UNCH	
5825	----	----	----	----	0.20B/0.40A	----	0.30	UNCH	.0018	----	----	----	----	----	41	UNCH	
5850	----	----	----	----	0.20B/0.30A	----	0.30	UNCH	.0018	----	----	----	----	----	42	UNCH	
5875	----	----	----	----	0.10B/0.30A	----	0.30	UNCH	.0018	----	----	----	----	----	10	UNCH	
5900	----	----	----	----	0.10B/0.30A	----	0.30	UNCH	.0018	----	----	----	----	----	285	UNCH	
5925	----	----	----	----	0.10B/0.30A	----	0.30	UNCH	.0017	----	----	----	----	----	15	UNCH	
5950	----	----	----	----	0.10B/0.30A	----	0.20	UNCH	.0012	----	----	----	----	----	41	UNCH	
5975	----	----	----	----	0.10B/0.30A	----	0.20	UNCH	.0012	----	----	----	----	----	34	UNCH	
6000	0.20	0.20		0.20/0.20		0.20/0.30A	0.20	UNCH	.0012	----	----	----	5	----	2767	UNCH	
6100	----	----	----	----	0.20/0.20	0.20/0.20	0.20	UNCH	.0011	----	----	----	12	----	47	+	
6200	----	----	----	----	0.10B/0.20A	----	0.20	UNCH	.0011	----	----	----	----	----	60	UNCH	
6250	----	----	----	----	---/0.30A	----	0.20	UNCH	.0011	----	----	----	----	----	37	UNCH	
6300	----	----	----	----	---/0.30A	----	0.10	-	0.10	.0005	----	----	----	----	344	UNCH	
6400	----	----	----	----	---/0.30A	----	0.10	UNCH	.0003	----	----	----	7	----	118	-	
6500	----	----	----	----	---/0.30A	----	0.10	UNCH	.0002	----	----	----	----	----	1918	UNCH	
8000	----	----	----	----	---/0.20A	----	0.10	UNCH	----	----	----	----	----	----	995	UNCH	
9000	----	----	----	----	---/0.10A	----	0.10	UNCH	----	----	----	----	----	----	1591	UNCH	
20000	----	----	----	----	---/0.10A	----	0.10	UNCH	----	----	----	----	----	----	1346	UNCH	
TOTAL													5601	5,280	98731+	2832	
DEC26																	
1500	----	----	----	----	----	1696.30B/1735.60A	----	2702.30	+	15.60	1.0000	250	----	250	----	0	UNCH
2475	----	----	----	----	----	1696.30B/1735.60A	----	1727.30	NEW	1.0000	125	----	125	----	0	UNCH	
2495	----	----	----	----	----	1676.30B/1715.60A	----	1707.30	+	15.60	1.0000	----	----	----	0	UNCH	
2500	----	----	----	----	----	1671.30B/1710.60A	----	1702.30	+	15.60	1.0000	926					

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG CALL		COMEX GOLD OPTIONS															
DEC26																	
3930	----	----		331.30B/291.20A	331.30B/291.20A	----	----	315.40 + 10.90	.7939	----	----	----	----		1	UNCH	
3935	----	----		327.20B/287.40A	327.20B/287.40A	----	----	311.40 + 10.80	.7901	----	----	----	----		11	UNCH	
3950	----	----		315.10B/276.10A	315.10B/276.10A	----	----	299.50 + 10.50	.7781	----	----	4	----		6	+	4
3955	----	----		311.20B/272.40A	311.20B/272.40A	----	----	295.60 + 10.40	.7740	----	----	----	----		1	UNCH	
3960	----	----		307.30B/268.70A	307.30B/268.70A	----	----	291.80 + 10.30	.7698	----	----	----	----		1	UNCH	
3985	----	----		287.90B/250.50A	287.90B/250.50A	----	----	272.70 + 9.70	.7483	----	----	----	----		12	UNCH	
3995	----	----		280.40B/243.30A	280.40B/243.30A	----	----	265.30 + 9.50	.7393	----	----	----	----		4	UNCH	
4000	270.80	270.80		276.60B/239.80A	276.60B/239.80A	----	----	261.60 + 9.40	.7347	----	----	1	----		252	UNCH	
4005	----	----		272.90B/236.50A	272.90B/236.50A	----	----	258.00 + 9.40	.7300	----	----	----	----		2	UNCH	
4015	----	----		265.50B/229.60A	265.50B/229.60A	----	----	250.70 + 9.10	.7205	----	----	----	----		1	UNCH	
4020	----	----		261.90B/226.20A	261.90B/226.20A	----	----	247.20 + 9.00	.7157	----	----	----	----		1	UNCH	
4025	----	----		258.30B/222.90A	258.30B/222.90A	----	----	243.60 + 8.80	.7109	----	----	----	----		2	UNCH	
4030	----	----		254.70B/219.70A	254.70B/219.70A	----	----	240.10 + 8.70	.7060	----	----	----	----		13	UNCH	
4040	----	----		247.60B/213.00A	247.60B/213.00A	----	----	233.10 + 8.50	.6960	----	----	----	----		43	UNCH	
4045	----	----		244.20B/209.80A	244.20B/209.80A	----	----	229.70 + 8.40	.6910	----	----	----	----		2	UNCH	
4050	----	----		240.60B/206.50A	240.60B/206.50A	----	----	226.30 + 8.30	.6859	----	----	----	----		972	UNCH	
4055	226.60	226.60		237.20B/203.40A	237.20B/203.40A	----	----	222.90 NEW	.6808	----	----	1	----		1	+	1
4060	----	----		233.70B/200.20A	233.70B/200.20A	----	----	219.60 + 8.00	.6755	----	----	----	----		105	UNCH	
4065	----	----		230.30B/197.20A	230.30B/197.20A	----	----	216.30 + 7.90	.6703	----	----	----	----		15	UNCH	
4070	----	----		227.00B/194.00A	227.00B/194.00A	----	----	213.00 + 7.80	.6651	----	----	----	----		38	UNCH	
4075	----	----		223.60B/190.90A	223.60B/190.90A	----	----	209.70 + 7.60	.6598	----	----	----	----		24	UNCH	
4080	----	----		220.30B/187.90A	220.30B/187.90A	----	----	206.50 + 7.50	.6544	----	----	----	----		136	UNCH	
4085	----	----		217.00B/184.90A	217.00B/184.90A	----	----	203.30 + 7.40	.6490	----	----	----	----		8	UNCH	
4090	----	----		213.60B/181.90A	213.60B/181.90A	----	----	200.20 + 7.30	.6436	----	----	----	----		41	UNCH	
4095	----	----		210.50B/179.00A	210.50B/179.00A	----	----	197.00 + 7.20	.6382	----	----	----	----		10	UNCH	
4100	----	----		207.30B/176.20A	207.30B/176.20A	----	----	193.90 + 7.00	.6327	----	----	----	----		1260	UNCH	
4105	----	----		204.00B/173.30A	204.00B/173.30A	----	----	190.90 + 7.00	.6271	----	----	----	----		15	UNCH	
4110	----	----		200.90B/170.50A	200.90B/170.50A	----	----	187.80 + 6.80	.6215	----	----	----	----		170	UNCH	
4115	----	----		197.80B/167.60A	197.80B/167.60A	----	----	184.80 + 6.70	.6160	----	----	----	----		18	UNCH	
4120	----	----		194.70B/164.90A	194.70B/164.90A	----	----	181.90 + 6.70	.6103	----	----	----	----		28	UNCH	
4125	----	----		191.70B/162.20A	191.70B/162.20A	----	----	178.90 + 6.50	.6047	----	----	----	----		22	UNCH	
4130	----	----		188.80B/159.40A	188.80B/159.40A	----	----	176.00 + 6.40	.5991	----	----	----	----		702	UNCH	
4135	172.20	172.20		185.70B/156.80A	185.70B/156.80A	----	----	173.20 + 6.30	.5934	----	----	1	----		51	UNCH	
4140	----	----		182.90B/154.10A	182.90B/154.10A	----	----	170.30 + 6.20	.5877	----	----	----	----		69	UNCH	
4145	----	----		179.80B/151.50A	179.80B/151.50A	----	----	167.50 + 6.10	.5819	----	----	----	----		40	UNCH	
4150	----	----		176.90B/148.90A	176.90B/148.90A	----	----	164.70 + 5.90	.5762	----	----	2	----		227	-	2
4155	----	----		174.10B/146.40A	174.10B/146.40A	----	----	162.00 + 5.90	.5705	----	----	----	----		19	UNCH	
4160	154.80	154.80		171.30B/143.90A	171.30B/143.90A	----	----	159.30 + 5.80	.5647	----	----	1	----		128	-	1
4165	----	----		168.60B/141.30A	168.60B/141.30A	----	----	156.60 + 5.60	.5589	----	----	----	----		53	UNCH	
4170	----	----		165.90B/138.80A	165.90B/138.80A	----	----	154.00 + 5.60	.5531	----	----	----	----		83	UNCH	
4175	----	----		163.00B/136.50A	163.00B/136.50A	----	----	151.40 + 5.50	.5473	----	----	----	----		829	UNCH	
4180	151.70	151.70		160.30B/134.10A	160.30B/134.10A	----	----	148.80 + 5.40	.5415	----	----	1	----		22	+	1
4185	140.00	140.00		157.80B/131.70A	157.80B/131.70A	----	----	146.20 + 5.20	.5357	----	----	6	----		34	-	6
4190	148.00	148.00		155.00B/129.30A	155.00B/129.30A	----	----	143.70 + 5.10	.5298	----	----	6	----		471	+	1
4195	----	----		152.40B/127.00A	152.40B/127.00A	----	----	141.20 + 5.00	.5240	----	----	----	----		15	UNCH	
4200	129.40	129.40		150.00B/124.80A	150.00B/124.80A	----	----	138.80 + 5.00	.5182	----	----	46	----		1424	+	10
4205	----	----		147.30B/122.50A	147.30B/122.50A	----	----	136.40 + 4.90	.5124	----	----	----	----		44	UNCH	
4210	----	----		144.80B/120.30A	144.80B/120.30A	----	----	134.00 + 4.80	.5066	----	----	21	----		27	+	7
4215	137.50	137.50		142.50B/118.20A	142.50B/118.20A	----	----	131.60 + 4.70	.5007	----	----	4	----		11	+	1
4220	122.50	122.50		140.20B/116.00A	140.20B/116.00A	----	----	129.30 + 4.60	.4949	----	----	12	----		190	+	3
4225	----	----		137.60B/114.10A	137.60B/114.10A	----	----	127.00 + 4.50	.4892	----	----	----	----		317	UNCH	
4230	135.20	135.20		135.30B/111.90A	135.30B/111.90A	----	----	124.80 + 4.50	.4834	----	----	10	----		50	+	3
4235	123.10	123.10		133.10B/109.90A	133.10B/109.90A	----	----	122.50 + 4.30	.4776	----	----	5	----		12	UNCH	
4240	----	----		130.80B/107.90A	130.80B/107.90A	----	----	120.30 + 4.20	.4718	----	----	----	----		34	UNCH	
4245	----	----		128.30B/105.80A	128.30B/105.80A	----	----	118.20 + 4.20	.4661	----	----	----	----		219	UNCH	
4250	112.70	112.70		126.20B/104.00A	126.20B/104.00A	----	----	116.00 + 4.00	.4604	----	----	24	----		1026	+	8
4255	----	----		124.00B/102.00A	124.00B/102.00A	----	----	113.90 + 3.90	.4547	----	----	----	----		116	UNCH	
4260	121.10	121.10		121.60B/100.10A	121.60B/100.10A	----	----	111.90 + 3.90	.4490	----	----	8	----		183	+	2
4265	113.00	113.00		119.40B/98.30A	119.40B/98.30A	----	----	109.80 + 3.80	.4433	----	----	4	----		9	UNCH	
4270	105.50	105.50		117.60B/96.30A	117.60B/96.30A	----	----	107.80 + 3.70	.4377	----	----	3	----		25	-	1
4275	109.40	109.40		115.20B/94.70A	115.20B/94.70A	----	----	105.80 + 3.60	.4321	----	----	27	----		87	+	18
4280	----	----		113.10B/92.80A	113.10B/92.80A	----	----	103.90 + 3.60	.4265	----	----	1	----		67	-	1
4285	99.50	99.50		111.10B/91.00A	111.10B/91.00A	----	----	101.90 + 3.40	.4209	----	----	4	----		23	UNCH	
4290	102.40	102.40		109.20B/89.30A	109.20B/89.30A	----	----	100.00 + 3.40	.4154	----	----	4	----		68	-	4
4295	96.509																

PG64		BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME					OPEN INTEREST				
OG CALL		COMEX GOLD OPTIONS																						
DEC26																								
4660	----	----	----	----	25.40B/20.40A	25.40B/20.40A	----	----	----	23.10 + 0.40	.1269	----	----	----	----	----	137	UNCH	----	----	137	UNCH	----	----
4665	----	----	----	----	24.90B/20.00A	24.90B/20.00A	----	----	----	22.70 + 0.40	.1248	----	----	1	----	----	94 +	1	----	----	94 +	1	----	----
4670	----	----	----	----	24.40B/19.60A	24.40B/19.60A	----	----	----	22.20 + 0.40	.1225	----	----	----	----	----	94	UNCH	----	----	94	UNCH	----	----
4675	21.30	21.30	21.30	----	23.90B/19.20A	23.90B/19.20A	----	----	----	21.80 + 0.40	.1205	----	----	6	----	----	377 +	5	----	----	377 +	5	----	----
4680	22.70	22.70	22.70	----	23.40B/18.90A	23.40B/18.90A	----	----	----	21.40 + 0.40	.1185	----	----	5	----	----	202	UNCH	----	----	202	UNCH	----	----
4685	----	----	----	----	23.00B/18.50A	23.00B/18.50A	----	----	----	21.00 + 0.40	.1165	----	----	2	----	----	25	UNCH	----	----	25	UNCH	----	----
4690	----	----	----	----	22.50B/18.10A	22.50B/18.10A	----	----	----	20.60 + 0.40	.1145	----	----	2	----	----	278 +	1	----	----	278 +	1	----	----
4695	20.90	20.90	20.90	----	22.10B/17.80A	22.10B/17.80A	----	----	----	20.20 + 0.40	.1125	----	----	4	----	----	324	UNCH	----	----	324	UNCH	----	----
4700	19.50	19.50	19.50	----	21.70B/17.50A	21.70B/17.50A	----	----	----	19.80 + 0.30	.1105	----	587	----	----	5658 +	216	----	----	156	UNCH	----	----	
4705	----	----	----	----	21.20B/17.20A	21.20B/17.20A	----	----	----	19.40 + 0.30	.1085	----	----	----	----	----	136	UNCH	----	----	136	UNCH	----	----
4710	----	----	----	----	20.80B/16.80A	20.80B/16.80A	----	----	----	19.00 + 0.30	.1065	----	----	----	----	----	62	UNCH	----	----	62	UNCH	----	----
4715	----	----	----	----	20.40B/16.50A	20.40B/16.50A	----	----	----	18.70 + 0.30	.1049	----	----	----	----	----	126	UNCH	----	----	126	UNCH	----	----
4720	18.20	18.20	18.20	----	20.00B/16.20A	20.00B/16.20A	----	----	----	18.30 + 0.30	.1030	----	----	4	----	----	143	UNCH	----	----	143	UNCH	----	----
4725	18.10	18.10	18.10	----	19.60B/15.90A	19.60B/15.90A	----	----	----	18.00 + 0.30	.1013	----	----	4	----	9574 +	2	----	----	9574 +	2	----	----	
4730	17.20	17.20	17.20	----	19.20B/15.60A	19.20B/15.60A	----	----	----	17.60 + 0.30	.0994	----	36	----	----	172 +	35	----	----	172 +	35	----	----	
4735	----	----	----	----	18.90B/15.30A	18.90B/15.30A	----	----	----	17.30 + 0.30	.0978	----	----	----	----	70	UNCH	----	----	70	UNCH	----	----	
4740	----	----	----	----	18.50B/15.00A	18.50B/15.00A	----	----	----	16.90 + 0.20	.0958	----	----	----	----	68	UNCH	----	----	68	UNCH	----	----	
4745	----	----	----	----	18.20B/14.70A	18.20B/14.70A	----	----	----	16.60 + 0.20	.0943	----	----	----	----	65	UNCH	----	----	65	UNCH	----	----	
4750	15.60	15.60	15.60	----	17.80B/14.40A	17.80B/14.40A	----	----	----	16.30 + 0.20	.0927	----	53	----	3691 -	4	----	----	----	----	----	----	----	
4755	----	----	----	----	17.40B/14.20A	17.40B/14.20A	----	----	----	16.00 + 0.20	.0911	----	----	----	----	41	UNCH	----	----	41	UNCH	----	----	
4760	----	----	----	----	17.10B/13.90A	17.10B/13.90A	----	----	----	15.70 + 0.20	.0896	----	----	----	----	161	UNCH	----	----	161	UNCH	----	----	
4765	----	----	----	----	16.80B/13.70A	16.80B/13.70A	----	----	----	15.40 + 0.20	.0880	----	----	----	----	88	UNCH	----	----	88	UNCH	----	----	
4770	----	----	----	----	16.40B/13.40A	16.40B/13.40A	----	----	----	15.10 + 0.20	.0864	----	----	----	----	51	UNCH	----	----	51	UNCH	----	----	
4775	15.00	15.00	15.00	----	16.10B/13.20A	16.10B/13.20A	----	----	----	14.80 + 0.20	.0849	----	1	----	166 -	1	----	----	----	----	----	----	----	
4780	----	----	----	----	15.90B/12.90A	15.90B/12.90A	----	----	----	14.50 + 0.10	.0833	----	----	----	----	41	UNCH	----	----	41	UNCH	----	----	
4785	----	----	----	----	15.50B/12.70A	15.50B/12.70A	----	----	----	14.30 + 0.20	.0822	----	----	----	----	67	UNCH	----	----	67	UNCH	----	----	
4790	----	----	----	----	15.20B/12.50A	15.20B/12.50A	----	----	----	14.00 + 0.10	.0806	----	----	----	----	309	UNCH	----	----	309	UNCH	----	----	
4795	----	----	----	----	14.90B/12.20A	14.90B/12.20A	----	----	----	13.80 + 0.20	.0795	----	----	111	----	142	UNCH	----	----	142	UNCH	----	----	
4800	14.50	14.50	14.50	----	14.70B/12.00A	14.70B/12.00A	----	----	----	13.50 + 0.10	.0779	----	111	----	9225 +	22	----	----	----	----	----	----	----	
4805	----	----	----	----	14.50B/11.80A	14.50B/11.80A	----	----	----	13.30 + 0.20	.0768	----	----	----	----	45	UNCH	----	----	45	UNCH	----	----	
4810	----	----	----	----	14.10B/11.60A	14.10B/11.60A	----	----	----	13.00 + 0.10	.0753	----	----	----	----	86	UNCH	----	----	86	UNCH	----	----	
4815	----	----	----	----	13.90B/11.40A	13.90B/11.40A	----	----	----	12.80 + 0.20	.0741	----	----	----	----	33	UNCH	----	----	33	UNCH	----	----	
4820	12.70	12.70	12.70	----	13.60B/11.20A	13.60B/11.20A	----	----	----	12.50 + 0.10	.0726	----	10	----	209 +	10	----	----	----	----	----	----	----	
4825	12.00	12.00	12.00	----	13.40B/11.00A	13.40B/11.00A	----	----	----	12.30 + 0.10	.0715	----	1	----	263 -	1	----	----	----	----	----	----	----	
4830	----	----	----	----	13.10B/10.80A	13.10B/10.80A	----	----	----	12.10 + 0.10	.0704	----	----	----	----	39	UNCH	----	----	39	UNCH	----	----	
4835	----	----	----	----	12.90B/10.60A	12.90B/10.60A	----	----	----	11.90 + 0.10	.0693	----	----	----	----	169	UNCH	----	----	169	UNCH	----	----	
4840	----	----	----	----	12.70B/10.40A	12.70B/10.40A	----	----	----	11.70 + 0.20	.0681	----	----	----	----	162	UNCH	----	----	162	UNCH	----	----	
4845	----	----	----	----	12.40B/10.20A	12.40B/10.20A	----	----	----	11.50 + 0.20	.0670	----	----	----	----	43	UNCH	----	----	43	UNCH	----	----	
4850	11.00	11.00	11.00	----	12.20B/10.00A	12.20B/10.00A	----	----	----	11.30 + 0.20	.0659	----	451	----	2494 +	236	----	----	----	----	----	----	----	
4855	10.80	10.80	10.80	----	12.00B/9.90A	12.00B/9.90A	----	----	----	11.10 + 0.20	.0648	----	9	----	114 -	2	----	----	----	----	----	----	----	
4860	----	----	----	----	11.80B/9.70A	11.80B/9.70A	----	----	----	10.90 + 0.20	.0637	----	----	----	----	86	UNCH	----	----	86	UNCH	----	----	
4865	----	----	----	----	11.60B/9.50A	11.60B/9.50A	----	----	----	10.70 + 0.10	.0626	----	----	----	----	55	UNCH	----	----	55	UNCH	----	----	
4870	----	----	----	----	11.40B/9.40A	11.40B/9.40A	----	----	----	10.50 + 0.10	.0616	----	5	----	65 +	5	----	----	----	----	----	----	----	
4875	10.40	10.40	10.40	----	11.20B/9.20A	11.20B/9.20A	----	----	----	10.30 + 0.10	.0605	----	2	----	223	UNCH	----	----	----	----	----	----	----	
4880	10.00	10.00	10.00	----	11.00B/9.00A	11.00B/9.00A	----	----	----	10.10 + 0.10	.0594	----	18	----	313 +	16	----	----	----	----	----	----	----	
4885	----	----	----	----	10.80B/8.90A	10.80B/8.90A	----	----	----	10.00 + 0.10	.0587	----	----	----	----	64	UNCH	----	----	64	UNCH	----	----	
4890	----	----	----	----	10.60B/8.70A	10.60B/8.70A	----	----	----	9.80 + 0.10	.0576	----	----	----	----	28	UNCH	----	----	28	UNCH	----	----	
4895	9.70	9.70	9.70	----	10.40B/8.60A	10.40B/8.60A	----	----	----	9.60 + 0.10	.0566	----	2	----	253	UNCH	----	----	----	----	----	----	----	
4900	10.00	10.00	10.00	----	10.20B/8.50A	10.20B/8.50A	----	----	----	9.50 + 0.10	.0559	----	212	----	5709 +	110	----	----	----	----	----	----	----	
4905	----	----	----	----	10.10B/8.30A	10.10B/8.30A	----	----	----	9.30 + 0.10	.0548	----	----	----	48	UNCH	----	----	----	----	----	----	----	
4910	9.30	9.30	9.30	----	9.90B/8.20A	9.90B/8.20A	----	----	----	9.20 + 0.20	.0542	----	2	----	2063 -	2	----	----	----	----	----	----	----	

BULLETIN #189@				METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL	COMEX GOLD OPTIONS															
DEC26																
5345	----	----	3.00B/2.70A	3.00B/2.70A	----	----	----	2.90 + 0.10	.0168	----	----	----	----	38	UNCH	
5350	----	----	2.90B/2.60A	2.90B/2.60A	----	----	----	2.90 + 0.20	.0168	----	----	2	----	866 +	2	
5355	----	----	2.90B/2.60A	2.90B/2.60A	----	----	----	2.90 + 0.20	.0167	----	----	----	----	21	UNCH	
5360	----	----	2.90B/2.60A	2.90B/2.60A	----	----	----	2.90 + 0.20	.0167	----	----	----	----	119	UNCH	
5365	----	----	2.80B/2.60A	2.80B/2.60A	----	----	----	2.80 + 0.10	.0162	----	----	----	----	23	UNCH	
5370	----	----	2.80B/2.50A	2.80B/2.50A	----	----	----	2.80 + 0.20	.0161	----	----	----	----	43	UNCH	
5375	----	----	2.80B/2.50A	2.80B/2.50A	----	----	----	2.80 + 0.20	.0161	----	----	----	----	90	UNCH	
5380	----	----	2.80B/2.50A	2.80B/2.50A	----	----	----	2.80 + 0.20	.0160	----	----	----	----	45	UNCH	
5385	----	----	2.80B/2.50A	2.80B/2.50A	----	----	----	2.70 + 0.10	.0155	----	----	----	----	44	UNCH	
5390	----	----	2.70B/----	2.70B/2.50A	----	----	----	2.70 + 0.20	.0155	----	----	----	----	214	UNCH	
5395	----	----	2.70B/2.40A	2.70B/2.40A	----	----	----	2.70 + 0.20	.0154	----	----	----	----	13	UNCH	
5400	----	----	2.70B/2.40A	2.70B/2.40A	----	----	----	2.70 + 0.20	.0154	----	----	4237	----	4237	UNCH	
5405	----	----	2.70B/2.40A	2.70B/2.40A	----	----	----	2.60 + 0.10	.0149	----	----	----	----	54	UNCH	
5410	----	----	2.60B/2.40A	2.60B/2.40A	----	----	----	2.60 + 0.10	.0149	----	----	----	----	28	UNCH	
5415	----	----	2.60B/----	2.60B/2.40A	----	----	----	2.60 + 0.20	.0148	----	----	----	----	4	UNCH	
5420	----	----	2.60B/2.30A	2.60B/2.30A	----	----	----	2.60 + 0.20	.0148	----	----	----	----	11	UNCH	
5425	----	----	2.60B/2.30A	2.60B/2.30A	----	----	----	2.50 + 0.10	.0143	----	----	----	----	259	UNCH	
5430	----	----	2.50B/2.30A	2.50B/2.30A	----	----	----	2.50 + 0.10	.0143	----	----	----	----	16	UNCH	
5435	----	----	2.50B/2.30A	2.50B/2.30A	----	----	----	2.50 + 0.10	.0142	----	----	----	----	23	UNCH	
5440	----	----	2.50B/----	2.50B/2.30A	----	----	----	2.50 + 0.20	.0142	----	----	----	----	12	UNCH	
5445	----	----	2.50B/2.20A	2.50B/2.20A	----	----	----	2.50 + 0.20	.0141	----	----	----	----	45	UNCH	
5450	----	----	2.40B/2.20A	2.40B/2.20A	----	----	----	2.40 + 0.10	.0137	----	----	----	----	447	UNCH	
5455	----	----	2.40B/2.20A	2.40B/2.20A	----	----	----	2.40 + 0.10	.0136	----	----	----	----	28	UNCH	
5460	----	----	2.40B/2.20A	2.40B/2.20A	----	----	----	2.40 + 0.10	.0136	----	----	----	----	48	UNCH	
5465	----	----	2.40B/----	2.40B/2.20A	----	----	----	2.40 + 0.20	.0135	----	----	----	----	70	UNCH	
5470	----	----	2.30B/----	2.30B/2.20A	----	----	----	2.40 + 0.20	.0135	----	----	----	----	21	UNCH	
5475	----	----	2.30B/2.10A	2.30B/2.10A	----	----	----	2.40 + 0.20	.0135	----	----	----	----	588	UNCH	
5480	----	----	2.30B/2.10A	2.30B/2.10A	----	----	----	2.30 + 0.10	.0130	----	----	----	----	104	UNCH	
5485	----	----	2.30B/2.10A	2.30B/2.10A	----	----	----	2.30 + 0.10	.0130	----	----	----	----	7	UNCH	
5490	----	----	2.30B/2.10A	2.30B/2.10A	----	----	----	2.30 + 0.10	.0129	----	----	----	----	25	UNCH	
5495	----	----	2.20B/----	2.20B/2.10A	----	----	----	2.30 + 0.20	.0129	----	----	----	----	100	UNCH	
5500	2.20	2.20	2.40/2.10	2.40/2.10	----	----	----	2.30 + 0.20	.0129	----	----	435	----	17080 -	147	
5505	----	----	2.20B/----	2.20B/2.10A	----	----	----	2.30 + 0.20	.0128	----	----	----	----	15	UNCH	
5510	----	----	2.20B/2.00A	2.20B/2.00A	----	----	----	2.30 + 0.20	.0128	----	----	----	----	37	UNCH	
5515	----	----	2.20B/2.00A	2.20B/2.00A	----	----	----	2.20 + 0.10	.0123	----	----	----	----	11	UNCH	
5520	----	----	2.20B/2.00A	2.20B/2.00A	----	----	----	2.20 + 0.10	.0123	----	----	----	----	26	UNCH	
5525	----	----	2.10B/----	2.10B/2.00A	----	----	----	2.20 + 0.20	.0123	----	----	----	----	129	UNCH	
5530	----	----	2.10B/----	2.10B/2.00A	----	----	----	2.20 + 0.20	.0122	----	----	----	----	7	UNCH	
5535	----	----	2.10B/----	2.10B/2.00A	----	----	----	2.20 + 0.20	.0122	----	----	----	----	10	UNCH	
5540	----	----	2.10B/----	2.10B/2.00A	----	----	----	2.20 + 0.20	.0122	----	----	----	----	33	UNCH	
5545	----	----	2.10B/1.90A	2.10B/1.90A	----	----	----	2.20 + 0.20	.0121	----	----	----	----	5	UNCH	
5550	----	----	2.10B/----	2.10B/1.90A	----	----	----	2.10 + 0.20	.0117	----	----	----	----	446	UNCH	
5555	----	----	2.10B/----	2.10B/1.90A	----	----	----	2.10 + 0.20	.0116	----	----	----	----	9	UNCH	
5560	----	----	2.10B/----	2.10B/1.90A	----	----	----	2.10 + 0.20	.0116	----	----	----	----	23	UNCH	
5565	----	----	2.00B/----	2.00B/1.90A	----	----	----	2.10 + 0.20	.0116	----	----	----	----	27	UNCH	
5570	----	----	2.00B/----	2.00B/1.90A	----	----	----	2.10 + 0.20	.0115	----	----	----	----	257	UNCH	
5575	----	----	2.00B/----	2.00B/1.90A	----	----	----	2.10 + 0.20	.0115	----	----	----	----	28	UNCH	
5580	----	----	2.00B/----	2.00B/1.90A	----	----	----	2.00 + 0.10	.0110	----	----	----	----	7	UNCH	
5585	----	----	2.00B/----	2.00B/1.80A	----	----	----	2.00 + 0.20	.0110	----	----	----	----	9	UNCH	
5590	----	----	2.00B/----	2.00B/1.80A	----	----	----	2.00 + 0.20	.0110	----	----	----	----	5	UNCH	
5595	----	----	1.90B/----	1.90B/1.80A	----	----	----	2.00 + 0.20	.0110	----	----	----	----	10	UNCH	
5600	1.80	1.80	1.90/1.80	1.90/1.80	----	----	----	2.00 + 0.20	.0109	----	----	73	----	3092 -	30	
5605	----	----	1.90B/----	1.90B/1.80A	----	----	----	2.00 + 0.20	.0109	----	----	----	----	31	UNCH	
5610	----	----	1.90B/----	1.90B/1.80A	----	----	----	2.00 + 0.20	.0109	----	----	----	----	8	UNCH	
5615	----	----	1.90B/----	1.90B/1.80A	----	----	----	1.90 + 0.20	.0104	----	----	----	----	34	UNCH	
5620	----	----	1.90B/----	1.90B/1.80A	----	----	----	1.90 + 0.20	.0104	----	----	----	----	13	UNCH	
5625	----	----	1.80B/----	1.80B/1.80A	----	----	----	1.90 + 0.20	.0104	----	----	----	----	4	UNCH	
5630	----	----	1.80B/----	1.80B/1.80A	----	----	----	1.90 + 0.20	.0103	----	----	----	----	8	UNCH	
5635	----	----	1.80B/----	1.80B/1.70A	----	----	----	1.90 + 0.20	.0103	----	----	----	----	35	UNCH	
5640	----	----	1.80B/----	1.80B/1.70A	----	----	----	1.90 + 0.20	.0103	----	----	----	----	2	UNCH	
5645	----	----	1.80B/----	1.80B/1.70A	----	----	----	1.90 + 0.20	.0103	----	----	----	----	352	UNCH	
5650	----	----	1.80B/----	1.80B/1.70A	----	----	----	1.80 + 0.20	.0098	----	----	----	----	38	UNCH	
5655	----	----	1.80B/----	1.80B/1.70A	----	----	----	1.80 + 0.20	.0098	----	----	----	----	28	UNCH	
5660	----	----	1.80B/----	1.80B/1.70A	----	----	----	1.80 + 0.20	.0097	----	----	----	----	6	UNCH	
5665	----	----	1.70B/----	1.70B/1.70A	----	----	----	1.80 + 0.20	.0097	----	----	----	----	161	UNCH	
5670	----	----	1.70B/----	1.70B/1.70A	----	----	----	1.80 + 0.20	.0097	----	----	----	----	57	UNCH	
5675	----	----	1.70B/----	1.70B/1.70A	----	----	----	1.80 + 0.20	.0097	----	----	----	----	40	UNCH	
5680	----	----	1.70B/----	1.70B/1.70A	----	----	----	1.80 + 0.20	.0097	----	----	----	----	28	UNCH	
5685	----	----	1.70B/----	1.70B/1.70A	----	----	----	1.80 + 0.20	.0096	----	----	----	----	63	UNCH	
5690	----	----	1.70B/----	1.70B/1.60A	----	----	----	1.80 + 0.20	.0096	----	----	----	----	37	UNCH	
5695	----	----	1.70B/----	1.70B/1.60A	----	----	----	1.80 + 0.20	.0096	----	----	----	----	833	UNCH	
5700	----	----	1.70B/----	1.70B/1.60A	----	----	----	1.80 + 0.20	.0096	----	----	----	----	14	UNCH	
5705	----	----	1.70B/----	1.70B/1.60A	----	----	----	1.80 + 0.20	.0095	----	----	----	----	58	UNCH	
5710	----	----	1.60B/----	1.60B/1.60A	----	----	----	1.80 + 0.20	.0095	----	----	----	----	4	UNCH	
5720	----	----	1.60B/----	1.60B/1.60A	----	----	----	1.70 + 0.20	.0091	----	----	----	----	50	UNCH	
5725	----	----	1.60B/----	1.60B/1.60A	----	----	----	1.70 + 0.20	.0090							

BULLETIN #189@				METALS OPTION PRODUCTS										Thu, Oct 01, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
OG CALL	COMEX GOLD OPTIONS																
DEC26																	
20000	----	----	----	----	/0.10A	0.10	UNCH	----	----	----	----	38018	UNCH				
21000	----	----	----	----	/0.10A	0.10	UNCH	----	----	----	----	39	UNCH				
23000	----	----	----	----	/0.10A	0.10	UNCH	----	----	----	----	167	UNCH				
24000	----	----	----	----	/0.10A	0.10	UNCH	----	----	----	----	167	UNCH				
TOTAL										6635	1,500	309876	-531				
JAN27												0	UNCH				
3050	----	----	1,200.80B/1.163	1200.80B/1163.30A	----	1187.70	+ 15.60	.9852	1	----	1	13	+				
3150	----	----	1,098.40B/1.066	1098.40B/1066.40A	----	1088.50	+ 15.50	.9798	----	1	----	11	UNCH				
3200	----	----	1,048.00B/1.017	1048.00B/1017.50A	----	1039.10	+ 15.40	.9767	----	----	----	25	UNCH				
3250	----	----	998.30B/968.50A	998.30B/968.50A	----	989.80	+ 15.30	.9728	----	----	----	18	UNCH				
3300	----	----	949.20B/919.50A	949.20B/919.50A	----	940.80	+ 15.30	.9684	----	----	----	1	UNCH				
3500	----	----	756.70B/725.20A	756.70B/725.20A	----	747.30	+ 14.80	.9418	----	----	----	369	+				
4000	----	----	328.30B/295.20A	328.30B/295.20A	----	316.10	+ 9.80	.7241	----	1	----	1	UNCH				
4010	----	----	321.20B/288.50A	321.20B/288.50A	----	309.10	+ 9.60	.7165	----	----	----	1	UNCH				
4070	----	----	280.10B/249.60A	280.10B/249.60A	----	268.70	+ 8.60	.6682	----	----	----	1	UNCH				
4100	----	----	260.90B/232.00A	260.90B/232.00A	----	249.80	+ 8.10	.6427	----	----	----	105	UNCH				
4110	----	----	254.80B/226.00A	254.80B/226.00A	----	243.70	+ 7.90	.6340	----	----	----	1	UNCH				
4125	----	----	245.50B/216.80A	245.50B/216.80A	----	234.70	+ 7.60	.6208	----	----	----	2	UNCH				
4130	----	----	242.60B/214.10A	242.60B/214.10A	----	231.80	+ 7.50	.6164	----	----	----	1	UNCH				
4140	----	----	236.70B/208.50A	236.70B/208.50A	----	226.00	+ 7.30	.6076	----	----	----	1	UNCH				
4150	----	----	230.70B/203.20A	230.70B/203.20A	----	220.30	+ 7.20	.5986	----	----	----	6	UNCH				
4155	----	----	227.90B/200.50A	227.90B/200.50A	----	217.50	+ 7.10	.5942	----	----	----	1	UNCH				
4160	----	----	225.10B/197.90A	225.10B/197.90A	----	214.70	+ 7.00	.5897	----	----	----	213	UNCH				
4165	----	----	223.60B/195.30A	223.60B/195.30A	----	212.00	+ 6.90	.5852	----	----	----	1	UNCH				
4170	----	----	221.10B/192.80A	221.10B/192.80A	----	209.20	+ 6.80	.5807	----	----	----	3	UNCH				
4180	----	----	215.80B/187.70A	215.80B/187.70A	----	203.80	+ 6.60	.5716	----	----	----	17	UNCH				
4185	----	----	213.00B/185.20A	213.00B/185.20A	----	201.20	+ 6.50	.5671	----	----	----	4	UNCH				
4190	----	----	210.30B/182.70A	210.30B/182.70A	----	198.60	+ 6.50	.5625	----	----	----	10	UNCH				
4200	192.20	192.20	204.80B/177.80A	204.80B/177.80A	----	193.40	+ 6.30	.5534	----	2	----	70	UNCH				
4205	----	----	202.30B/175.40A	202.30B/175.40A	----	190.80	+ 6.20	.5489	----	----	----	11	UNCH				
4215	----	----	197.10B/170.70A	197.10B/170.70A	----	185.80	+ 6.00	.5398	----	----	----	11	UNCH				
4220	170.00	170.00	194.40B/168.40A	194.40B/168.40A	----	183.30	+ 5.90	.5352	----	1	----	26	+				
4225	171.70	171.70	191.80B/166.10A	191.80B/166.10A	----	180.90	+ 5.90	.5306	----	7	----	102	+				
4230	----	----	189.30B/163.80A	189.30B/163.80A	----	178.50	+ 5.80	.5261	----	----	----	26	UNCH				
4235	171.40	171.40	186.80B/161.60A	186.80B/161.60A	----	176.10	+ 5.70	.5215	----	38	----	55	+				
4240	173.10	173.10	184.40B/159.40A	184.40B/159.40A	----	173.70	+ 5.60	.5170	----	9	----	16	+				
4245	----	----	181.90B/157.20A	181.90B/157.20A	----	171.30	+ 5.50	.5124	----	2	----	6	UNCH				
4250	----	----	179.50B/155.00A	179.50B/155.00A	----	169.00	+ 5.40	.5079	----	49	----	666	+				
4255	----	----	177.10B/152.80A	177.10B/152.80A	----	166.70	+ 5.30	.5033	----	----	----	8	UNCH				
4260	----	----	174.80B/150.70A	174.80B/150.70A	----	164.40	+ 5.20	.4988	----	----	----	12	UNCH				
4270	155.40	155.40	170.10B/146.50A	170.10B/146.50A	----	160.00	+ 5.10	.4898	----	3	----	8	+				
4275	154.30	154.30	167.80B/144.50A	167.80B/144.50A	----	157.80	NEW	.4852	----	5	----	5	+				
4280	----	----	165.50B/142.60A	165.50B/142.60A	----	155.60	+ 4.90	.4807	----	----	----	10	UNCH				
4290	----	----	161.10B/138.50A	161.10B/138.50A	----	151.30	+ 4.70	.4718	----	----	----	2	UNCH				
4300	142.90	142.90	156.70B/134.70A	156.70B/134.70A	----	147.20	+ 4.70	.4629	----	4	----	72	UNCH				
4305	145.40	145.40	154.60B/132.80A	154.60B/132.80A	----	145.10	+ 4.50	.4584	----	2	----	9	UNCH				
4310	----	----	152.50B/130.80A	152.50B/130.80A	----	143.10	+ 4.50	.4540	----	----	----	3	UNCH				
4315	141.80	141.80	150.40B/129.00A	150.40B/129.00A	----	141.10	NEW	.4496	----	10	----	10	+				
4320	----	----	148.30B/127.10A	148.30B/127.10A	----	139.10	+ 4.30	.4452	----	----	----	1	UNCH				
4325	----	----	146.20B/125.40A	146.20B/125.40A	----	137.10	+ 4.20	.4408	----	----	----	2	UNCH				
4330	----	----	144.20B/123.60A	144.20B/123.60A	----	135.20	+ 4.20	.4365	----	----	----	60	UNCH				
4335	----	----	142.20B/121.80A	142.20B/121.80A	----	133.30	+ 4.10	.4321	----	----	----	3	UNCH				
4340	----	----	140.30B/119.90A	140.30B/119.90A	----	131.40	+ 4.00	.4278	----	----	----	2	UNCH				
4345	132.70	132.70	138.30B/118.30A	138.30B/118.30A	----	129.50	+ 3.90	.4235	----	2	1500	7	+				
4350	----	----	136.40B/116.60A	136.40B/116.60A	----	127.70	+ 3.90	.4192	----	----	----	1605	+				
4355	129.00	129.00	134.50B/114.90A	134.50B/114.90A	----	125.90	+ 3.90	.4150	----	2	----	71	UNCH				
4360	----	----	132.60B/113.20A	132.60B/113.20A	----	124.10	+ 3.80	.4107	----	----	----	90	UNCH				
4365	----	----	130.70B/111.60A	130.70B/111.60A	----	122.30	+ 3.70	.4065	----	----	----	243	UNCH				
4370	122.50	122.50	128.90B/110.00A	128.90B/110.00A	----	120.60	+ 3.70	.4023	----	2	----	37	+				
4375	----	----	127.10B/108.40A	127.10B/108.40A	----	118.80	+ 3.60	.3981	----	----	----	204	UNCH				
4380	----	----	125.30B/106.80A	125.30B/106.80A	----	117.10	+ 3.50	.3939	----	----	----	1	UNCH				
4385	116.20	116.20	123.50B/105.30A	123.50B/105.30A	----	115.40	+ 3.40	.3898	----	3	----	24	+				
4390	----	----	121.70B/103.70A	121.70B/103.70A	----	113.80	+ 3.40	.3857	----	----	----	7	UNCH				
4395	----	----	120.00B/102.20A	120.00B/102.20A	----	112.10	+ 3.30	.3815	----	----	----	4	UNCH				
4400	----	----	118.30B/100.70A	118.30B/100.70A	----	110.50	+ 3.30	.3775	----	11	----	372	+				
4405	----	----	116.60B/99.30A	116.60B/99.30A	----	108.90	+ 3.20	.3735	----	----	----	5	UNCH				
4410	----	----	115.00B/97.80A	115.00B/97.80A	----	107.30	+ 3.10	.3694	----	----	----	22	UNCH				
4415	----	----	113.30B/96.40A	113.30B/96.40A	----	105.80	+ 3.20	.3655	----	----	----	8	UNCH				
4420	----	----	111.70B/94.90A	111.70B/94.90A	----	104.20	+ 3.00	.3614	----	1	----	20	UNCH				
4425	----	----	110.10B/93.60A	110.10B/93.60A	----	102.70	+ 3.00	.3575	----	----	----	59	UNCH				
4430	----	----	108.50B/92.20A	108.50B/92.20A	----	101.20	+ 2.90	.3536	----	----	----	9	UNCH				
4435	----	----	107.00B/90.90A	107.00B/90.90A	----	99.70	+ 2.90	.3497	----	----	----	12	UNCH				
4440	----	----	105.40B/89.50A	105.40B/89.50A	----	98.30	+ 2.90	.3459	----	----	----	63	UNCH				
4445	----	----	103.90B/88.20A	103.90B/88.20A	----	96.90	+ 2.90	.3421	----	----	----	2	UNCH				
4450	----	----	102.40B/86.90A	102.40B/86.90A	----	95.40	+ 2.70	.3382	----	----	----	273	UNCH				
4455	91.50	91.50	100.90B/85.60A	100.90B/85.60A	----	94.00	+ 2.70	.3344	----	7	----	7	-				
4460	92.60	92.60	99.50B/84.30A	99.50B/84.30A	----	92.70	+ 2.70	.3307	----	8	----	10	-				
4465	91.80	91.80	98.00B/83.10A	98.00B/83.10A	----	91.30	+ 2.60	.3269	----	10	----	13	-				
4470	----	----	96.60B/81.90A	96.60B/81.90A	----	90.00	+ 2.60	.3233	----	----	----	16	UNCH				
4475	84.50	84.50	95.30B/80.60A	95.30B/80.60A	----	88.60	+ 2.50	.3195	----	8	----	63	+				
4480	----	----	93.80B/79.50A	93.80B/79.50A	----	87.30	+ 2.50	.3159	----	----	----	113	UNCH				
4485	84.00	84.00	92.50B/78.30A	92.50B/78.30A	----	86.00	+ 2.40	.3123	----	2	----	6	+				
4490	----	----	91.10B/77.10A	91.10B/77.10A	----	84.80	+ 2.40	.3088	----	----	----	10	UNCH				
4495	----	----	89.80B/75.90A	89.80B/75.90A	----	83.50	+ 2.30	.3051	----	----	----	3	UNCH				
4500	78.70	78.70	88.50B/74.80A	88.50B/74.80A	----	82.30	+ 2.30	.3017	----	21	----	1465	+				
4505	----	----	87.20B/73.70A	87.20B/73.70A	----	81.10	+ 2.30	.2982	----	----	----	5	UNCH				
4510	----	----	85.90B/72.60A	85.90B/72.60A	----	79.90	+ 2.30	.2947	----	----	----	190	UNCH				
4515	----	----	84.60B/71.50A	84.60B/71.50A	----	78.70	+ 2.20	.2912	----	----	----	14	UNCH				
4520	----	----	83.40B/70.50A	83.40B/70.50A	----	77.50	+ 2.10	.2878	----	----	----	100	UNCH				
4525	----	----	82.20B/69.40A	82.20B/69.40A	----	76.40	+ 2.10	.2845	----	----	----	4	UNCH				
4530	75.60	75.60	81.00B/68.40A	81.00B/68.40A	----	75.20	+ 2.00	.2810	----	1	----	4	+				
4540	72.10	72.10	78.70B/66.40A	78.70B/66.40A	----	73.00	+ 2.00	.2744	----	10	----	16	+				
4545	----	----	77.50B/65.30A	77.50B/65.30A	----	72.00	+ 2.00	.2713	----	----	----	7	UNCH				
4550	----	----	76.40B/64.40A	76.40B/64.40A	----	70.90	+ 2.00	.2680	----	----	----	97	UNCH				
4555	68.00	68.00	75.30B/63.40A	75.30B/63.40A	----	69.80	+ 1.90	.2648	----	2	----	36	+				
4560	71.00	71.00	74.20B/62.50A	74.20B/62.50A	----	68.80	NEW	.2616	----	10	----	10	+				
4565	----	----	73.10B/61.50A	73.10B/61.50A	----												

BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST							
OG CALL	COMEX GOLD OPTIONS																					
JAN27																						
4770	----	----	----	39.708/33.40A	39.708/33.40A	----	----	----	36.90 + 1.00	.1550	----	----	----	----	46	UNCH						
4775	----	----	----	39.108/33.00A	39.108/33.00A	----	----	----	36.30 + 0.90	.1528	----	----	----	----	16	UNCH						
4780	----	----	----	38.508/32.50A	38.508/32.50A	----	----	----	35.80 + 0.90	.1510	----	----	15	----	12	+						
4785	----	----	----	37.908/32.00A	37.908/32.00A	----	----	----	35.30 + 0.90	.1491	----	----	----	----	38	UNCH						
4790	----	----	----	37.308/31.60A	37.308/31.60A	----	----	----	34.80 + 0.90	.1472	----	----	----	----	11	UNCH						
4795	----	----	----	36.808/31.10A	36.808/31.10A	----	----	----	34.30 + 0.90	.1454	----	----	----	----	27	UNCH						
4800	----	----	----	36.308/30.70A	36.308/30.70A	----	----	----	33.80 + 0.90	.1435	----	----	13	----	2825	UNCH						
4805	----	----	----	35.708/30.20A	35.708/30.20A	----	----	----	33.30 + 0.90	.1417	----	----	----	----	28	UNCH						
4810	----	----	----	35.208/29.70A	35.208/29.70A	----	----	----	32.80 + 0.80	.1398	----	----	----	----	3	UNCH						
4815	----	----	----	34.708/29.30A	34.708/29.30A	----	----	----	32.30 + 0.80	.1380	----	----	----	----	36	UNCH						
4820	----	----	----	34.208/29.00A	34.208/29.00A	----	----	----	31.90 + 0.80	.1364	----	----	----	----	8	UNCH						
4825	----	----	----	33.708/28.60A	33.708/28.60A	----	----	----	31.40 + 0.80	.1345	----	----	----	----	51	UNCH						
4830	----	----	----	33.208/28.20A	33.208/28.20A	----	----	----	31.00 + 0.80	.1330	----	----	----	----	22	UNCH						
4835	----	----	----	32.708/27.70A	32.708/27.70A	----	----	----	30.50 + 0.80	.1311	----	----	----	----	2	UNCH						
4840	----	----	----	32.308/27.30A	32.308/27.30A	----	----	----	30.10 + 0.80	.1296	----	----	----	----	22	UNCH						
4845	----	----	----	31.808/27.00A	31.808/27.00A	----	----	----	29.60 + 0.70	.1277	----	----	----	----	24	UNCH						
4850	----	----	----	31.308/26.60A	31.308/26.60A	----	----	----	29.20 + 0.70	.1262	----	1	----	----	362	UNCH						
4855	----	----	----	30.908/26.20A	30.908/26.20A	----	----	----	28.80 + 0.70	.1246	----	----	----	----	6	UNCH						
4860	----	----	----	30.408/25.80A	30.408/25.80A	----	----	----	28.40 + 0.70	.1231	----	----	----	----	2	UNCH						
4865	----	----	----	29.908/25.50A	29.908/25.50A	----	----	----	28.00 + 0.70	.1215	----	----	----	----	1	UNCH						
4870	----	----	----	29.608/25.10A	29.608/25.10A	----	----	----	27.60 + 0.70	.1200	----	----	----	----	237	UNCH						
4875	26.90	26.90	26.90	29.108/24.70A	29.108/24.70A	----	----	----	27.20 + 0.70	.1184	----	----	2	----	8	+						
4880	27.10	27.10	27.10	28.708/24.40A	28.708/24.40A	----	----	----	26.80 + 0.70	.1169	----	----	18	----	46	+						
4885	----	----	----	28.308/24.10A	28.308/24.10A	----	----	----	26.50 + 0.70	.1156	----	----	----	----	42	UNCH						
4890	25.20	25.20	25.20	27.908/23.70A	27.908/23.70A	----	----	----	26.10 + 0.70	.1141	----	2	----	5	+							
4895	----	----	----	27.408/23.40A	27.408/23.40A	----	----	----	25.70 + 0.60	.1125	----	----	----	----	27	UNCH						
4900	26.20	26.20	26.20	27.108/23.10A	27.108/23.10A	----	----	----	25.40 + 0.70	.1113	----	11	----	2716	+							
4905	24.20	24.20	24.20	26.708/22.80A	26.708/22.80A	----	----	----	25.00 + 0.60	.1097	----	10	----	21	+							
4910	----	----	----	26.408/22.50A	26.408/22.50A	----	----	----	24.70 + 0.70	.1085	----	----	----	29	UNCH							
4915	----	----	----	26.008/22.20A	26.008/22.20A	----	----	----	24.30 + 0.60	.1070	----	----	----	95	UNCH							
4920	----	----	----	25.608/21.80A	25.608/21.80A	----	----	----	24.00 + 0.60	.1057	----	----	----	18	UNCH							
4925	22.90	22.90	22.90	25.208/21.60A	25.208/21.60A	----	----	----	23.60 + 0.60	.1042	----	3	----	4	+							
4930	----	----	----	24.908/21.30A	24.908/21.30A	----	----	----	23.30 + 0.60	.1030	----	----	----	2	UNCH							
4935	----	----	----	24.508/20.90A	24.508/20.90A	----	----	----	23.00 + 0.60	.1017	----	----	----	1	UNCH							
4940	----	----	----	24.208/20.70A	24.208/20.70A	----	----	----	22.70 + 0.60	.1005	----	2	----	3	UNCH							
4945	----	----	----	23.808/20.40A	23.808/20.40A	----	----	----	22.40 + 0.60	.0993	----	----	----	6	UNCH							
4950	----	----	----	23.508/20.10A	23.508/20.10A	----	----	----	22.10 + 0.60	.0981	----	250	----	538	+							
4955	----	----	----	23.208/19.80A	23.208/19.80A	----	----	----	21.80 + 0.60	.0968	----	----	----	2	UNCH							
4960	----	----	----	22.908/19.60A	22.908/19.60A	----	----	----	21.50 + 0.60	.0956	----	----	----	4	UNCH							
4965	----	----	----	22.608/19.30A	22.608/19.30A	----	----	----	21.20 + 0.60	.0944	----	----	----	20	UNCH							
4970	21.50	21.50	21.50	22.308/19.00A	22.308/19.00A	----	----	----	20.90 + 0.60	.0932	----	10	----	13	+							
4975	----	----	----	22.008/18.80A	22.008/18.80A	----	----	----	20.60 + 0.50	.0920	----	----	----	3	UNCH							
4980	----	----	----	21.608/18.60A	21.608/18.60A	----	----	----	20.30 + 0.50	.0908	----	----	----	1	UNCH							
4985	----	----	----	21.308/18.30A	21.308/18.30A	----	----	----	20.00 + 0.50	.0896	----	----	----	16	UNCH							
4990	----	----	----	21.008/18.00A	21.008/18.00A	----	----	----	19.80 + 0.50	.0887	----	----	----	24	UNCH							
4995	----	----	----	20.808/17.80A	20.808/17.80A	----	----	----	19.50 + 0.50	.0875	----	----	----	6	UNCH							
5000	19.40	19.40	19.40	20.70/17.50A	20.70/17.50A	----	----	----	19.20 + 0.40	.0863	----	22	----	4323	+							
5005	----	----	----	20.208/17.30A	20.208/17.30A	----	----	----	19.00 + 0.50	.0854	----	----	----	15	UNCH							
5010	----	----	----	19.908/17.10A	19.908/17.10A	----	----	----	18.70 + 0.40	.0842	----	----	----	74	UNCH							
5015	----	----	----	19.608/16.90A	19.608/16.90A	----	----	----	18.50 + 0.50	.0833	----	----	----	3	UNCH							
5020	----	----	----	19.408/16.70A	19.408/16.70A	----	----	----	18.20 + 0.40	.0821	----	----	----	2	UNCH							
5025	----	----	----	19.108/16.40A	19.108/16.40A	----	----	----	18.00 + 0.50	.0812	----	----	----	9	UNCH							
5030	----	----	----	18.908/16.30A	18.908/16.30A	----	----	----	17.80 + 0.50	.0803	----	----	----	5	UNCH							
5035	17.10	17.10	17.10	18.608/16.00A	18.608/16.00A	----	----	----	17.50 + 0.40	.0792	----	2	----	31	+							
5040	----	----	----	18.408/15.80A	18.408/15.80A	----	----	----	17.30 + 0.40	.0783	----	----	----	19	UNCH							
5045	17.00	17.00	17.00	18.208/15.60A	18.208/15.60A	----	----	----	17.10 + 0.50	.0774	----	1	----	3	+							
5050	17.00	17.00	17.00	17.908/15.30A	17.908/15.30A	----	----	----	16.80 + 0.40	.0762	----	12	----	267	UNCH							
5055	16.70	16.70	16.70	17.708/15.20A	17.708/15.20A	----	----	----	16.60 + 0.40	.0754	----	9	----	18	+							
5060	----	----	----	17.408/15.00A	17.408/15.00A	----	----	----	16.40 + 0.40	.0745	----	----	----	40	UNCH							
5065	----	----	----	17.208/14.80A	17.208/14.80A	----	----	----	16.20 + 0.40	.0736	----	----	----	2	UNCH							
5070	----	----	----	17.008/14.60A	17.008/14.60A	----	----	----	16.00 + 0.40	.0728	----	----	----	8	UNCH							
5075	----	----	----	16.808/14.50A	16.808/14.50A	----	----	----	15.80 + 0.40	.0719	----	----	----	9	UNCH							
5080	----	----	----	16.508/14.30A	16.508/14.30A	----	----	----	15.60 + 0.40	.0711	----	----	----	19	UNCH							
5085	----	----	----	16.308/14.10A	16.308/14.10A	----	----	----	15.40 + 0.40	.0702	----	----	----	33	UNCH							
5090	----	----	----	16.108/13.90A	16.108/13.90A	----	----	----	15.20 + 0.40	.0693	----	----	----	3	UNCH							
5095	----	----	----	15.908/13.80A	15.908/13.80A	----	----	----	15.00 + 0.40	.0685	----	----	----	3	UNCH							
5100	14.40	14.40	14.40	15.708/13.50A	15.708/13.50A	----	----	----	14.80 + 0.40	.0676	----	33	----	349	+							
5105	----	----	----	15.508/13.40A	15.508/13.40A	----	----	----	14.60 + 0.30	.0668	----	----	----	27	UNCH							
5110	----	----	----	15.308/13.20A	15.308/13.20A	----	----	----	14.40 + 0.30	.0660	----	----	----	2	UNCH							
5115	14.80	14.80	14.80	15.108/13.10A	15.108/13.10A	----	----	----	14.30 + 0.40	.0654	----	5	----	19	+							
5120	13.60	13.60	13.60	14.908/12.90A	14.908/12.90A	----	----	----	14.10 + 0.40	.0646	----	10	----	13	+							
5125	----	----	----	14.708/12.70A	14.708/12.70A	----	----	----	13.90 + 0.30	.0637	----	----	----	44	UNCH							
5130	----	----	----	14.508/12.60A	14.508/12.60A	----	----	----	13.70 + 0.30	.0629	----	----	----	20	UNCH							
5135	----	----	----	14.408/12.40A	14.408/12.40A	----	----	----	13.60 + 0.40	.0624	----	----	----	52	UNCH							
5140	13.10	13.10	13.10	14.208/12.40A	14.208/12.40A	----	----	----	13.40 + 0.30	.0616	----	10	----	29	+							
5145	----	----	----	14.008/12.20A	14.008/12.20A	----	----	----	13.20 + 0.30	.0607	----	----	----	24	UNCH							
5150	----	----	----	13.808/12.00A	13.808/12.00A	----	----	----	13.10 + 0.40	.0602	----	----	----	254	UNCH							
5155	----	----	----	13.608/11.90A	13.608/11.90A	----	----	----	12.90 + 0.30	.0594	----	----	----	22	UNCH							
5160	----	----	----	13.508/11.80A	13.508/11.80A	----	----	----	12.80 + 0.40	.0589	----	----	----	17	UNCH							
5165	----	----	----	13.308/11.70A	13.308/11.70A	----	----	----	12.60 + 0.30	.0580	----	----	----	7	UNCH							
5170	----	----	----	13.208/11.50A	13.208/11.50A	----	----	----	12.50 + 0.40	.0575	----	----	----	14	UNCH							
5175	----	----	----	13.008/11.30A	13.008/11.30A	----	----	----	12.30 + 0.30	.0567	----	----	----	235	UNCH							
5180	----	----	----	12.808/11.30A	12.808/11.30A	----	----	----	12.20 + 0.40	.0562	----	----	----	14	UNCH							
5185	----	----	----	12.708/11.10A	12.708/11.10A	----	----	----	12.00 + 0.30	.0554	----	----	----	9	UNCH							
5190	----	----	----	12.508/11.00A	12.508/11.00A	----	----	----	11.90 + 0.30	.0549	----	----	----	3	UNCH							
5195	----	----	----	12.408/10.90A	12.408/10.90A	----	----	----	11.80 + 0.40	.0544	----	----	----	5	UNCH							
5200	11.60	11.60	11.60	12.208/10.70A	12.208/10.70A	----	----	----	11.60 + 0.30	.0536	----	32	----	931	+							
5205	----	----	----	12.108/10.60A	12.108/10.60A	----	----	----	11.50 + 0.40	.0531	----	----	----	25	UNCH							
5210	----	----	----	11.908/10.50A	11.908/10.50A	----	----	----	11.40 + 0.40	.0526												



GLOBEX			OPEN OUTCRY			GLOBEX			OPEN OUTCRY			OPEN OUTCRY			SETT.PRICE			DELTA			EXER			OPEN			GLOBEX®			PNT			OPEN		
OPEN			OPEN RANGE			HIGH/LOW			HIGH/LOW			CLOSE RANGE			& PT.CHGE.						CISES			OUTCRY VOLUME			VOLUME			VOLUME			INTEREST		
OG CALL			COMEX GOLD OPTIONS																																
JAN27																																			
5495	----	----	6.50B/5.90A	6.50B/5.90A	----	6.40	+	0.40	.0296	----	----	----	----	19	UNCH																				
5500	6.20	6.20	6.50B/5.80A	6.50B/5.80A	----	6.40	+	0.40	.0295	----	----	25	----	2355	-	12																			
5510	----	----	6.40B/5.80A	6.40B/5.80A	----	6.20	+	0.30	.0287	----	----	----	----	28	UNCH																				
5515	----	----	6.30B/5.70A	6.30B/5.70A	----	6.20	+	0.40	.0286	----	----	----	----	2	UNCH																				
5520	----	----	6.30B/5.70A	6.30B/5.70A	----	6.10	+	0.30	.0282	----	----	----	----	15	UNCH																				
5525	----	----	6.20B/5.60A	6.20B/5.60A	----	6.10	+	0.40	.0281	----	----	----	----	21	UNCH																				
5530	----	----	6.20B/5.60A	6.20B/5.60A	----	6.00	+	0.30	.0277	----	----	----	----	7	UNCH																				
5540	----	----	6.10B/5.50A	6.10B/5.50A	----	5.90	+	0.30	.0272	----	----	----	----	5	UNCH																				
5545	----	----	6.00B/5.40A	6.00B/5.40A	----	5.90	+	0.40	.0271	----	----	----	----	5	UNCH																				
5550	----	----	6.00B/5.40A	6.00B/5.40A	----	5.80	+	0.30	.0267	----	10	----	----	21	+	10																			
5555	----	----	5.90B/5.30A	5.90B/5.40A	----	5.80	+	0.40	.0267	----	----	----	----	4	UNCH																				
5560	----	----	5.90B/5.30A	5.90B/5.30A	----	5.70	+	0.30	.0263	----	----	----	----	5	UNCH																				
5565	----	----	5.80B/5.20A	5.80B/5.30A	----	5.70	+	0.40	.0262	----	----	----	----	16	UNCH																				
5570	----	----	5.80B/5.20A	5.80B/5.20A	----	5.70	+	0.40	.0261	----	----	----	----	2	UNCH																				
5575	----	----	5.70B/5.20A	5.70B/5.20A	----	5.60	+	0.30	.0257	----	----	----	----	6	UNCH																				
5580	----	----	5.70B/5.20A	5.70B/5.30A	----	5.60	+	0.40	.0257	----	----	----	----	1	UNCH																				
5600	----	----	5.50B/5.00A	5.50B/5.00A	----	5.40	+	0.40	.0247	----	16	----	----	443	+	14																			
5605	----	----	5.40B/5.00A	5.40B/5.00A	----	5.30	+	0.30	.0243	----	----	----	----	28	UNCH																				
5615	----	----	5.40B/5.00A	5.40B/5.00A	----	5.30	+	0.40	.0242	----	----	----	----	1	UNCH																				
5620	----	----	5.30B/4.80A	5.30B/4.80A	----	5.20	+	0.30	.0238	----	----	----	----	2	UNCH																				
5625	----	----	5.30B/4.80A	5.30B/4.80A	----	5.20	+	0.30	.0238	----	----	----	----	7	UNCH																				
5650	----	----	5.10B/4.60A	5.10B/4.60A	----	5.00	+	0.30	.0228	----	6	----	----	10	UNCH																				
5655	----	----	5.00B/5.00A	5.00B/4.60A	----	5.00	+	0.40	.0228	----	----	----	----	3	UNCH																				
5675	----	----	4.90B/5.00A	4.90B/4.50A	----	4.80	+	0.30	.0219	----	----	----	----	3	UNCH																				
5690	----	----	4.80B/5.00A	4.80B/4.40A	----	4.70	+	0.30	.0214	----	----	----	----	3	UNCH																				
5700	----	----	4.70B/5.00A	4.70B/4.30A	----	4.70	+	0.40	.0213	----	----	----	----	123	UNCH																				
5705	----	----	4.70B/5.00A	4.70B/4.30A	----	4.60	+	0.30	.0209	----	----	----	----	19	UNCH																				
5720	----	----	4.60B/5.00A	4.60B/4.20A	----	4.50	+	0.30	.0204	----	----	----	----	2	UNCH																				
5725	4.60	4.60	4.60/4.60	4.60/4.20A	----	4.50	+	0.30	.0204	----	10	----	----	30	+	6																			
5730	----	----	4.50B/5.00A	4.50B/4.20A	----	4.50	+	0.30	.0203	----	----	----	----	4	UNCH																				
5735	----	----	4.50B/5.00A	4.50B/4.20A	----	4.40	+	0.30	.0199	----	----	----	----	5	UNCH																				
5745	----	----	4.40B/5.00A	4.40B/4.10A	----	4.40	+	0.30	.0198	----	----	----	----	6	UNCH																				
5750	4.40	4.40	4.40/4.40	4.40/4.00A	----	4.40	+	0.40	.0198	----	21	----	----	266	+	21																			
5760	----	----	4.30B/5.00A	4.30B/4.00A	----	4.30	+	0.30	.0194	----	----	----	----	4	UNCH																				
5770	----	----	4.30B/5.00A	4.30B/3.90A	----	4.20	+	0.30	.0189	----	----	----	----	28	UNCH																				
5775	----	----	4.30B/5.00A	4.30B/3.90A	----	4.20	+	0.30	.0189	----	----	----	----	215	UNCH																				
5800	4.10	4.10	4.10/4.10	4.10/3.80A	----	4.10	+	0.30	.0184	----	3	----	----	310	UNCH																				
5820	----	----	4.00B/5.00A	4.00B/3.70A	----	4.00	+	0.30	.0179	----	----	----	----	7	UNCH																				
5840	3.90	3.90	3.90/3.90	3.90/3.60A	----	3.90	+	0.30	.0174	----	3	----	----	15	+	3																			
5850	----	----	3.90B/5.00A	3.90B/3.60A	----	3.90	+	0.30	.0173	----	----	----	----	4	UNCH																				
5875	3.80	3.80	3.80/3.80	3.80/3.50A	----	3.70	+	0.30	.0165	----	9	----	----	9	+	4																			
5900	----	----	3.70B/5.00A	3.70B/3.40A	----	3.60	+	0.30	.0160	----	----	----	----	216	UNCH																				
5925	----	----	3.50B/5.00A	3.50B/3.30A	----	3.50	+	0.20	.0155	----	----	----	----	8	UNCH																				
5950	----	----	3.50B/5.00A	3.50B/3.20A	----	3.50	+	0.30	.0153	----	----	----	----	1	UNCH																				
5975	----	----	3.40B/5.00A	3.40B/3.20A	----	3.40	+	0.30	.0148	----	----	----	----	14	UNCH																				
6000	3.30	3.30	3.30/3.30	3.30/3.10A	----	3.30	+	0.30	.0144	----	1	----	----	923	UNCH																				
6025	----	----	3.20B/5.00A	3.20B/3.00A	----	3.20	+	0.30	.0139	----	----	----	----	253	UNCH																				
6100	----	----	3.00B/5.00A	3.00B/2.80A	----	3.00	+	0.30	.0129	----	----	----	----	11	UNCH																				
6250	----	----	2.70B/5.00A	2.70B/2.50A	----	2.70	+	0.30	.0113	----	----	----	----	90	UNCH																				
6300	2.50	2.50	2.50/2.40	2.50/2.40	----	2.60	+	0.30	.0108	----	5	----	----	567	+	5																			
6400	----	----	2.40B/5.00A	2.40B/2.30A	----	2.40	+	0.30	.0098	----	----	----	----	14	UNCH																				
6500	----	----	2.20B/5.00A	2.20B/2.10A	----	2.30	+	0.30	.0092	----	----	----	----	1336	UNCH																				
6600	2.00	2.00	2.10B/2.00	2.10B/2.00	----	2.20	+	0.30	.0086	----	3	----	----	7	+	3																			
7000	----	----	1.60B/5.00A	1.60B/1.70A	----	1.70	+	0.20	.0064	----	----	----	----	150	UNCH																				
7200	----	----	1.40B/5.00A	1.40B/1.50A	----	1.60	+	0.30	.0058	----	----	----	----	1	UNCH																				
7700	----	----	1.10B/5.00A	1.10B/1.20A	----	1.20	+	0.10	.0042	----	----	----	----	257	UNCH																				
7800	----	----	1.10B/5.00A	1.10B/1.20A	----	1.20	+	0.20	.0041	----	----	----	----	271	UNCH																				
7900	----	----	1.00B/5.00A	1.00B/1.10A	----	1.10	+	0.10	.0037	----	----	----	----	12	UNCH																				
8000	----	----	1.00B/5.00A	1.00B/1.10A	----	1.10	+	0.20	.0037	----	----	----	----	8	UNCH																				
9000	----	----	0.60B/0.80A	0.60B/0.80A	----	0.70	UNCH		.0022	----	----	----	----	568	UNCH																				
10000	----	----	0.50B/0.60A	0.50B/0.60A	----	0.50	-	0.10	.0015	----	----	----	----	212	UNCH																				
20000	----	----	0.10	UNCH	----	0.10	UNCH		.0002	----	----	----	----	268	UNCH																				
TOTAL																																			
FEB27																																			
3500	----	----	750.20B/738.20A	750.20B/738.20A	----	752.80	+	14.50	.9240	----	----	----	----	2	UNCH																				
3550	----	----	454.10B/422.20A																																

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

PG64		BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME					OPEN INTEREST				
OG CALL		COMEX GOLD OPTIONS																						
FEB27																								
4520	----	----	----	----	106.30B/92.30A	106.30B/92.30A	----	----	----	100.10 + 2.60	.3172	----	----	----	----	----	62	UNCH						
4525	----	----	----	----	105.00B/91.30A	105.00B/91.30A	----	----	----	98.80 + 2.50	.3140	----	----	----	----	----	25	UNCH						
4535	----	----	----	----	102.40B/88.80A	102.40B/88.80A	----	----	----	96.30 + 2.40	.3078	----	----	----	----	----	1	UNCH						
4540	----	----	----	----	101.10B/87.70A	101.10B/87.70A	----	----	----	95.10 + 2.40	.3048	----	----	----	----	----	100	UNCH						
4545	----	----	----	----	99.80B/86.60A	99.80B/86.60A	----	----	----	93.90 + 2.30	.3018	----	----	----	----	----	1	UNCH						
4550	----	----	----	----	98.60B/85.50A	98.60B/85.50A	----	----	----	92.70 + 2.30	.2988	----	----	----	----	----	206	UNCH						
4555	----	----	----	----	97.40B/84.40A	97.40B/84.40A	----	----	----	91.60 + 2.30	.2959	----	----	----	----	----	5	UNCH						
4560	----	----	----	----	96.10B/83.50A	96.10B/83.50A	----	----	----	90.40 + 2.20	.2929	----	----	----	----	----	18	UNCH						
4565	----	----	----	----	94.90B/82.40A	94.90B/82.40A	----	----	----	89.30 + 2.30	.2900	----	----	----	----	----	13	UNCH						
4570	----	----	----	----	93.70B/81.40A	93.70B/81.40A	----	----	----	88.20 + 2.20	.2872	----	----	----	----	----	19	UNCH						
4575	----	----	----	----	92.60B/80.20A	92.60B/80.20A	----	----	----	87.00 + 2.10	.2842	----	----	----	----	----	10	UNCH						
4585	79.90	79.90	----	----	90.30B/78.30A	90.30B/78.30A	----	----	----	84.90 + 2.10	.2786	----	----	----	2	----	50	UNCH						
4590	79.80	79.80	----	----	89.10B/77.30A	89.10B/77.30A	----	----	----	83.80 + 2.10	.2757	----	----	----	2	----	21	+	2					
4595	----	----	----	----	88.00B/76.20A	88.00B/76.20A	----	----	----	82.70 + 2.00	.2729	----	----	----	----	----	50	UNCH						
4600	83.00	83.00	----	----	86.90B/75.40A	86.90B/75.40A	----	----	----	81.70 + 2.00	.2702	----	----	28	----	2034	+	1						
4605	78.70	78.70	----	----	85.80B/74.40A	85.80B/74.40A	----	----	----	80.70 + 2.00	.2675	----	----	1	----	----	62	UNCH						
4610	----	----	----	----	84.70B/73.50A	84.70B/73.50A	----	----	----	79.60 + 1.90	.2646	----	----	----	----	----	30	UNCH						
4615	----	----	----	----	83.70B/72.50A	83.70B/72.50A	----	----	----	78.60 + 1.90	.2619	----	----	----	----	----	184	UNCH						
4625	----	----	----	----	81.60B/70.70A	81.60B/70.70A	----	----	----	76.70 + 1.90	.2567	----	----	----	----	----	73	UNCH						
4630	----	----	----	----	80.60B/69.80A	80.60B/69.80A	----	----	----	75.70 + 1.80	.2540	----	----	----	----	----	19	UNCH						
4635	----	----	----	----	79.50B/68.90A	79.50B/68.90A	----	----	----	74.70 + 1.70	.2513	----	----	----	----	----	5	UNCH						
4640	----	----	----	----	78.60B/68.00A	78.60B/68.00A	----	----	----	73.80 + 1.70	.2488	----	----	----	----	----	21	UNCH						
4650	----	----	----	----	76.60B/66.30A	76.60B/66.30A	----	----	----	72.00 + 1.70	.2438	----	----	----	----	----	115	UNCH						
4655	----	----	----	----	75.60B/65.50A	75.60B/65.50A	----	----	----	71.00 + 1.60	.2411	----	----	----	----	----	18	UNCH						
4660	----	----	----	----	74.70B/64.60A	74.70B/64.60A	----	----	----	70.20 + 1.70	.2388	----	----	----	----	----	453	UNCH						
4665	----	----	----	----	73.70B/63.80A	73.70B/63.80A	----	----	----	69.30 + 1.60	.2363	----	----	----	----	----	19	UNCH						
4675	----	----	----	----	71.90B/62.20A	71.90B/62.20A	----	----	----	67.50 + 1.50	.2313	----	----	----	----	----	6	UNCH						
4680	----	----	----	----	71.10B/61.40A	71.10B/61.40A	----	----	----	66.70 + 1.50	.2289	----	----	----	----	----	23	UNCH						
4690	----	----	----	----	69.30B/59.90A	69.30B/59.90A	----	----	----	65.00 + 1.50	.2241	----	----	----	----	----	45	UNCH						
4695	----	----	----	----	68.40B/59.10A	68.40B/59.10A	----	----	----	64.20 + 1.50	.2218	----	----	----	----	----	29	UNCH						
4700	60.90	60.90	----	----	67.50B/58.40A	67.50B/58.40A	----	----	----	63.40 + 1.40	.2195	----	----	42	----	498	+	34						
4705	----	----	----	----	66.70B/57.60A	66.70B/57.60A	----	----	----	62.60 + 1.40	.2172	----	----	----	----	----	16	UNCH						
4710	----	----	----	----	65.90B/56.90A	65.90B/56.90A	----	----	----	61.80 + 1.40	.2149	----	----	----	----	----	22	UNCH						
4715	----	----	----	----	65.10B/56.20A	65.10B/56.20A	----	----	----	61.10 + 1.40	.2128	----	----	----	----	----	18	UNCH						
4720	60.30	60.30	----	----	64.30B/55.50A	64.30B/55.50A	----	----	----	60.30 NEW	.2105	----	----	2	----	2	+	2						
4730	----	----	----	----	62.70B/54.10A	62.70B/54.10A	----	----	----	58.80 + 1.30	.2061	----	----	----	----	----	29	UNCH						
4735	----	----	----	----	61.90B/53.40A	61.90B/53.40A	----	----	----	58.10 + 1.30	.2040	----	----	----	----	----	2	UNCH						
4740	----	----	----	----	61.10B/52.80A	61.10B/52.80A	----	----	----	57.30 + 1.20	.2017	----	----	----	----	----	18	UNCH						
4745	----	----	----	----	60.30B/52.10A	60.30B/52.10A	----	----	----	56.60 + 1.20	.1996	----	----	----	----	----	15	UNCH						
4750	----	----	----	----	59.50B/51.50A	59.50B/51.50A	----	----	----	55.90 + 1.20	.1975	----	----	12	----	476	UNCH							
4755	----	----	----	----	58.80B/50.80A	58.80B/50.80A	----	----	----	55.20 + 1.20	.1954	----	----	----	----	----	61	UNCH						
4760	----	----	----	----	58.10B/50.20A	58.10B/50.20A	----	----	----	54.60 + 1.30	.1935	----	----	----	----	----	107	UNCH						
4770	48.50	48.50	----	----	56.70B/48.50	56.70B/48.50	----	----	----	53.20 + 1.20	.1893	----	----	4	----	4	UNCH							
4775	----	----	----	----	55.90B/48.30A	55.90B/48.30A	----	----	----	52.60 + 1.20	.1874	----	----	----	----	----	14	UNCH						
4785	----	----	----	----	54.50B/47.10A	54.50B/47.10A	----	----	----	51.30 + 1.20	.1835	----	----	----	----	----	100	UNCH						
4790	----	----	----	----	53.90B/46.60A	53.90B/46.60A	----	----	----	50.60 + 1.10	.1814	----	----	----	----	----	19	UNCH						
4795	----	----	----	----	53.20B/46.10A	53.20B/46.10A	----	----	----	50.00 + 1.10	.1795	----	----	----	----	----	47	UNCH						
4800	----	----	----	----	52.40B/45.40A	52.40B/45.40A	----	----	----	49.40 + 1.10	.1777	----	----	9	----	2081	+	9						
4805	----	----	----	----	51.80B/45.00A	51.80B/45.00A	----	----	----	48.80 + 1.10	.1758	----	----	----	----	----	2	UNCH						
4810	----	----	----	----	51.20B/44.40A	51.20B/44.40A	----	----	----	48.20 + 1.10	.1739	----	----	----	----	----	29	UNCH						
4825	45.80	45.80	----	----	49.30B/42.70A	49.30B/42.70A	----	----	----	46.40 + 1.00	.1683	----	----	1	----	207	UNCH							
4830	45.90	45.90	----	----	48.70B/42.30A	48.70B/42.30A	----	----	----	45.90 + 1.00	.1667	----	----	3	----	50	+	3						
4835	----	----	----	----	48.20B/41.80A	48.20B/41.80A	----	----	----	45.30 + 1.00	.1649	----	----	----	----	23	UNCH							
4845	43.60	43.60	----	----	47.00B/40.80A	47.00B/40.80A	----	----	----	44.20 + 0.90	.1614	----	----											

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL		COMEX GOLD OPTIONS															
FEB27																	
5345	----	----		15.40B/13.80A	15.40B/13.80A	----	----		14.80 + 0.50	.0589	----	----	----	----		1	UNCH
5350	----	----		15.20B/13.60A	15.20B/13.60A	----	----		14.70 + 0.50	.0585			----	----		413	UNCH
5355	----	----		15.10B/13.60A	15.10B/13.60A	----	----		14.50 + 0.40	.0578			----	----		19	UNCH
5360	----	----		14.90B/13.40A	14.90B/13.40A	----	----		14.40 + 0.50	.0573			----	----		1	UNCH
5365	----	----		14.80B/13.30A	14.80B/13.30A	----	----		14.30 + 0.50	.0569			----	----		1	UNCH
5370	----	----		14.70B/13.20A	14.70B/13.20A	----	----		14.10 + 0.40	.0562			----	----		4	UNCH
5375	----	----		14.50B/13.10A	14.50B/13.10A	----	----		14.00 + 0.40	.0558			----	----		1	UNCH
5385	----	----		14.30B/12.80A	14.30B/12.80A	----	----		13.70 + 0.40	.0547			----	----		11	UNCH
5390	----	----		14.10B/12.70A	14.10B/12.70A	----	----		13.60 + 0.40	.0542			----	----		4	UNCH
5400	----	----		13.90B/12.50A	13.90B/12.50A	----	----		13.40 + 0.50	.0534			----	----		1565	UNCH
5425	----	----		13.30B/12.00A	13.30B/12.00A	----	----		12.80 + 0.40	.0511			----	----		1	UNCH
5435	----	----		13.00B/11.80A	13.00B/11.80A	----	----		12.60 + 0.40	.0503			----	----		3	UNCH
5440	----	----		12.90B/11.70A	12.90B/11.70A	----	----		12.50 + 0.50	.0499			----	----		2	UNCH
5450	----	----		12.70B/11.50A	12.70B/11.50A	----	----		12.30 + 0.50	.0491			----	----		158	UNCH
5465	----	----		12.40B/11.20A	12.40B/11.20A	----	----		12.00 + 0.50	.0479			----	----		5	UNCH
5475	----	----		12.20B/11.00A	12.20B/11.00A	----	----		11.80 + 0.50	.0471			----	----		1	UNCH
5490	----	----		11.90B/10.80A	11.90B/10.80A	----	----		11.50 + 0.50	.0459			----	----		110	UNCH
5500	11.80	11.80		11.80/10.60A	11.80/10.60A	----	----		11.30 + 0.40	.0451			37			2103	+
5510	----	----		11.50B/10.40A	11.50B/10.40A	----	----		11.10 + 0.40	.0443			----	----		3	UNCH
5520	----	----		11.30B/10.30A	11.30B/10.30A	----	----		10.90 + 0.40	.0435			----	----		300	UNCH
5525	----	----		11.20B/10.20A	11.20B/10.20A	----	----		10.80 + 0.40	.0432			----	----		2	UNCH
5530	----	----		11.10B/10.10A	11.10B/10.10A	----	----		10.70 + 0.40	.0428			----	----		105	UNCH
5540	----	----		10.90B/10.00A	10.90B/10.00A	----	----		10.60 + 0.40	.0423			----	----		1	UNCH
5550	----	----		10.70B/9.80A	10.70B/9.80A	----	----		10.40 + 0.40	.0415			----	----		75	UNCH
5575	----	----		10.30B/9.50A	10.30B/9.50A	----	----		10.00 + 0.40	.0399			----	----		5	UNCH
5600	----	----		9.90B/9.10A	9.90B/9.10A	----	----		9.60 + 0.40	.0383			3			165	UNCH
5605	----	----		9.90B/9.00A	9.90B/9.00A	----	----		9.60 + 0.40	.0382						4	UNCH
5625	----	----		9.60B/8.80A	9.60B/8.80A	----	----		9.30 + 0.40	.0370			----	----		25	UNCH
5650	----	----		9.20B/8.50A	9.20B/8.50A	----	----		9.00 + 0.40	.0358			----	----		2	UNCH
5680	----	----		8.80B/-----	8.80B/8.20A	----	----		8.60 + 0.40	.0342			----	----		1	UNCH
5700	----	----		8.60B/7.90A	8.60B/7.90A	----	----		8.30 + 0.30	.0330			----	----		213	UNCH
5725	----	----		8.30B/-----	8.30B/7.70A	----	----		8.10 + 0.40	.0321			----	----		300	UNCH
5735	----	----		8.20B/-----	8.20B/7.60A	----	----		7.90 + 0.30	.0314			----	----		1	UNCH
5750	7.50	7.50		8.00B/7.50	8.00B/7.40A	----	----		7.80 + 0.40	.0309			31			2124	-
5760	----	----		7.90B/-----	7.90B/7.40A	----	----		7.70 + 0.40	.0305			----	----		1	UNCH
5775	----	----		7.70B/-----	7.70B/7.20A	----	----		7.50 + 0.30	.0297			----	----		299	UNCH
5790	----	----		7.60B/-----	7.60B/7.10A	----	----		7.40 + 0.30	.0292			----	----		4	UNCH
5800	----	----		7.50B/-----	7.50B/7.00A	----	----		7.30 + 0.30	.0288			----	----		240	UNCH
5820	----	----		7.30B/-----	7.30B/6.90A	----	----		7.10 + 0.30	.0280			----	----		5	UNCH
5825	----	----		7.30B/-----	7.30B/6.80A	----	----		7.10 + 0.40	.0280			----	----		2	UNCH
5900	----	----		6.60B/-----	6.60B/6.30A	----	----		6.50 + 0.30	.0254			34			47	+
5950	----	----		6.20B/-----	6.20B/5.90A	----	----		6.10 + 0.30	.0238						24	UNCH
5975	----	----		6.10B/-----	6.10B/5.80A	----	----		5.90 + 0.20	.0230						1	UNCH
6000	5.70	5.70		6.10/5.70	6.10/5.60A	----	----		5.80 + 0.30	.0225			522			3456	+
6025	----	----		5.80B/-----	5.80B/5.50A	----	----		5.60 + 0.20	.0217			----	----		4	UNCH
6100	----	----		5.30B/-----	5.30B/5.10A	----	----		5.20 + 0.20	.0200			----	----		47	UNCH
6200	----	----		4.80B/-----	4.80B/4.70A	----	----		4.80 + 0.30	.0182			----	----		3	UNCH
6250	4.70	4.70		4.70/4.70	4.70/4.50A	----	----		4.60 + 0.30	.0174			8			42	+
6300	4.40	4.40		4.40/4.40	4.40/4.30A	----	----		4.50 + 0.40	.0168			1			2	UNCH
6400	----	----		4.10B/-----	4.10B/4.00A	----	----		4.20 + 0.40	.0155			----	----		11	UNCH
6500	----	----		3.80B/-----	3.80B/3.70A	----	----		3.90 + 0.30	.0142			1			1049	+
6600	----	----		3.60B/-----	3.60B/3.50A	----	----		3.70 + 0.40	.0133			----	----		10	UNCH
6700	----	----		3.30B/-----	3.30B/3.30A	----	----		3.50 + 0.40	.0124			----	----		31	UNCH
6900	----	----		3.00B/-----	3.00B/2.90A	----	----		3.10 + 0.30	.0108			----	----		871	UNCH
7000	----	----		2.80B/-----	2.80B/2.80A	----	----		3.00 + 0.40	.0103			40			1000	-
7100	----	----		2.70B/-----	2.70B/2.70A	----	----		2.80 + 0.30	.0095			----	----		43	UNCH
7200	----	----		2.50B/-----	2.50B/2.60A	----	----		2.70 + 0.30	.0090			----	----		24	UNCH
7400	----	----		2.30B/-----	2.30B/2.40A	----	----		2.50 + 0.30	.0082			----	----		13	UNCH
7500	----	----		2.20B/-----	2.20B/2.30A	----	----		2.30 + 0.20	.0075			103			716	-
7600	----	----		2.10B/-----	2.10B/2.20A	----	----		2.20 + 0.20	.0071			----	----		7	UNCH
7700	----	----		2.00B/-----	2.00B/2.10A	----	----		2.10 + 0.20	.0067			----	----		1	UNCH
7800	----	----		1.90B/-----	1.90B/2.00A	----	----		2.00 + 0.20	.0064			----	----		1	UNCH
7900	----	----		-----	1.80B/1.90A	----	----		1.90 + 0.10	.0060			----	----		1262	UNCH
8000	----	----		1.80B/-----	1.80B/1.90A	----	----		1.80 + 0.10	.0056			----	----		1454	UNCH
8500	----	----		-----	1.40B/1.50A	----	----		1.50 + 0.10	.0045			143			312	-
8900	----	----		-----	1.20B/1.30A	----	----		1.20 UNCH	.0036			----	----		16	UNCH
9000	----	----		-----	1.20B/1.30A	----	----		1.20 UNCH	.0035			----	----		147	UNCH
9100	----	----		-----	1.10B/1.20A	----	----		1.20 UNCH	.0035			----	----		78	UNCH
TOTAL													1377			41357	+
MAR27																	
3480	----	----		----	783.10B/816.00A	----	----		809.50 + 14.20	.9189	----	----	----	----		1	UNCH
3500	----	----		----	770.00B/796.90A	----	----		791.109								

PG64		BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
		GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST								
OG CALL		COMEX GOLD OPTIONS																						
MAR27																								
4785	----	----	----	----	77.708/69.50A	77.708/69.50A	----	----	----	74.10 + 1.70	.2270	----	----	----	----	3	UNCH							
4790	----	----	----	----	76.708/68.70A	76.708/68.70A	----	----	----	73.30 + 1.70	.2249	----	----	----	----	4	UNCH							
4795	----	----	----	----	76.008/68.00A	76.008/68.00A	----	----	----	72.50 + 1.70	.2229	----	----	----	----	1	UNCH							
4800	----	----	----	----	75.108/67.20A	75.108/67.20A	----	----	----	71.70 + 1.60	.2209	----	----	----	----	246	UNCH							
4810	----	----	----	----	73.408/65.90A	73.408/65.90A	----	----	----	70.10 + 1.50	.2168	----	----	----	----	26	UNCH							
4820	----	----	----	----	71.808/64.40A	71.808/64.40A	----	----	----	68.60 + 1.50	.2129	----	----	----	----	20	UNCH							
4830	----	----	----	----	70.408/63.10A	70.408/63.10A	----	----	----	67.10 + 1.40	.2090	----	----	----	----	64	UNCH							
4850	----	----	----	----	67.308/60.30A	67.308/60.30A	----	----	----	64.20 + 1.30	.2014	----	----	----	----	5	UNCH							
4855	----	----	----	----	66.708/59.70A	66.708/59.70A	----	----	----	63.50 + 1.30	.1995	----	----	----	----	20	UNCH							
4880	----	----	----	----	63.008/56.70A	63.008/56.70A	----	----	----	60.20 + 1.20	.1906	----	----	----	----	2	UNCH							
4890	----	----	----	----	61.708/55.50A	61.708/55.50A	----	----	----	58.90 + 1.20	.1871	----	----	----	----	7	UNCH							
4895	----	----	----	----	61.108/54.80A	61.108/54.80A	----	----	----	58.20 + 1.10	.1853	----	----	----	----	10	UNCH							
4900	----	----	----	----	60.408/54.30A	60.408/54.30A	----	----	----	57.60 + 1.10	.1836	----	----	----	----	18	UNCH							
4920	----	----	----	----	57.808/52.00A	57.808/52.00A	----	----	----	55.20 + 1.10	.1770	----	----	----	----	7	UNCH							
4925	----	----	----	----	57.208/51.50A	57.208/51.50A	----	----	----	54.60 + 1.00	.1754	----	----	----	----	16	UNCH							
4950	50.80	50.80	----	----	54.108/48.90A	54.108/48.90A	----	----	----	51.80 + 1.00	.1675	----	----	43	----	291	+							
4980	----	----	----	----	50.908/45.90A	50.908/45.90A	----	----	----	48.60 + 0.90	.1585	----	----	----	----	2	UNCH							
4995	----	----	----	----	49.208/44.40A	49.208/44.40A	----	----	----	47.10 + 0.90	.1542	----	----	----	----	72	UNCH							
5000	----	----	----	----	48.708/44.00A	48.708/44.00A	----	----	----	46.60 + 0.90	.1528	----	----	34	----	4043	+							
5010	----	----	----	----	47.708/43.20A	47.708/43.20A	----	----	----	45.60 + 0.80	.1499	----	----	----	----	11	UNCH							
5015	----	----	----	----	47.208/42.70A	47.208/42.70A	----	----	----	45.20 + 0.90	.1487	----	----	----	----	1	UNCH							
5050	----	----	----	----	43.908/39.80A	43.908/39.80A	----	----	----	42.00 + 0.70	.1394	----	----	----	750	751	+							
5060	----	----	----	----	43.008/39.00A	43.008/39.00A	----	----	----	41.20 + 0.80	.1370	----	----	----	----	1	UNCH							
5100	----	----	----	----	39.608/36.30A	39.608/36.30A	----	----	----	38.00 + 0.70	.1274	----	----	----	----	379	UNCH							
5105	----	----	----	----	39.108/36.00A	39.108/36.00A	----	----	----	37.60 + 0.70	.1262	----	----	----	----	5	UNCH							
5125	----	----	----	----	37.308/34.60A	37.308/34.60A	----	----	----	36.10 + 0.60	.1217	----	----	----	----	21	UNCH							
5145	----	----	----	----	35.908/33.30A	35.908/33.30A	----	----	----	34.70 + 0.60	.1174	----	----	----	----	38	UNCH							
5150	----	----	----	----	35.608/32.90A	35.608/32.90A	----	----	----	34.40 + 0.60	.1164	----	----	----	----	41	UNCH							
5155	----	----	----	----	35.208/32.60A	35.208/32.60A	----	----	----	34.00 + 0.60	.1153	----	----	----	----	25	UNCH							
5160	----	----	----	----	34.908/32.30A	34.908/32.30A	----	----	----	33.70 + 0.60	.1143	----	----	----	----	13	UNCH							
5165	----	----	----	----	34.408/32.00A	34.408/32.00A	----	----	----	33.40 + 0.60	.1134	----	----	----	----	101	UNCH							
5175	----	----	----	----	33.808/31.40A	33.808/31.40A	----	----	----	32.70 + 0.50	.1113	----	----	----	----	1	UNCH							
5180	----	----	----	----	33.508/31.10A	33.508/31.10A	----	----	----	32.40 + 0.60	.1103	----	----	----	----	2	UNCH							
5185	----	----	----	----	33.108/30.80A	33.108/30.80A	----	----	----	32.10 + 0.60	.1094	----	----	----	----	1	UNCH							
5190	----	----	----	----	32.808/30.60A	32.808/30.60A	----	----	----	31.80 + 0.60	.1084	----	----	----	----	363	UNCH							
5195	----	----	----	----	32.408/30.30A	32.408/30.30A	----	----	----	31.50 + 0.60	.1075	----	----	----	----	2	UNCH							
5200	----	----	----	----	32.208/30.00A	32.208/30.00A	----	----	----	31.20 + 0.60	.1065	----	----	----	----	272	UNCH							
5205	----	----	----	----	31.908/29.70A	31.908/29.70A	----	----	----	30.90 + 0.50	.1056	----	----	----	----	2	UNCH							
5210	----	----	----	----	31.608/29.40A	31.608/29.40A	----	----	----	30.60 + 0.50	.1047	----	----	----	----	2	UNCH							
5215	----	----	----	----	31.208/29.10A	31.208/29.10A	----	----	----	30.30 + 0.50	.1037	----	----	----	----	4	UNCH							
5220	----	----	----	----	30.908/28.80A	30.908/28.80A	----	----	----	30.00 + 0.50	.1028	----	----	----	----	17	UNCH							
5225	----	----	----	----	30.608/28.60A	30.608/28.60A	----	----	----	29.70 + 0.50	.1019	----	----	----	----	6	UNCH							
5230	----	----	----	----	30.308/28.30A	30.308/28.30A	----	----	----	29.50 + 0.60	.1011	----	----	----	----	6	UNCH							
5235	----	----	----	----	29.908/28.00A	29.908/28.00A	----	----	----	29.20 + 0.50	.1002	----	----	----	----	8	UNCH							
5240	----	----	----	----	29.808/27.80A	29.808/27.80A	----	----	----	28.90 + 0.50	.0993	----	----	----	----	10	UNCH							
5245	----	----	----	----	29.408/27.50A	29.408/27.50A	----	----	----	28.60 + 0.50	.0984	----	----	----	----	12	UNCH							
5250	----	----	----	----	29.008/27.30A	29.008/27.30A	----	----	----	28.40 + 0.50	.0977	----	----	----	----	114	UNCH							
5255	----	----	----	----	28.808/26.90A	28.808/26.90A	----	----	----	28.10 + 0.50	.0967	----	----	----	----	18	UNCH							
5260	----	----	----	----	28.508/26.70A	28.508/26.70A	----	----	----	27.80 + 0.40	.0958	----	----	----	----	7	UNCH							
5265	----	----	----	----	28.308/26.50A	28.308/26.50A	----	----	----	27.60 + 0.50	.0951	----	----	----	----	27	UNCH							
5270	----	----	----	----	28.008/26.30A	28.008/26.30A	----	----	----	27.30 + 0.50	.0942	----	----	----	----	9	UNCH							
5275	----	----	----	----	27.708/26.00A	27.708/26.00A	----	----	----	27.10 + 0.50	.0935	----	----	----	----	136	UNCH							
5280	----	----	----	----	27.408/25.80A	27.408/25.80A	----	----	----	26.80 + 0.40	.0926	----	----	----	----	17	UNCH							
5285	----	----	----	----	27.108/25.60A	27.108/25.60A	----	----	----	26.60 + 0.50	.0919	----	----	----	----	21	UNCH							
5290	----	----	----	----	26.908/25.30A	26.908/25.30A	----	----	----	26.30 + 0.40	.0910	----	----	----	----	28	UNCH							
5295	----	----	----	----	26.608/25.10A	26.608/25.10A	----	----	----	26.10 + 0.50	.0903	----	----	----	----	55	UNCH							
5300	----	----	----	----	26.408/24.90A	26.408/24.90A	----	----	----	25.90 + 0.50	.0896	----	----	----	----	71	UNCH							
5305	----	----	----	----	26.308/24.60A	26.308/24.60A	----	----	----	25.60 + 0.40	.0887	----	----	----	----	2	UNCH							
5330	----	----	----	----	25.208/23.60A	25.208/23.60A	----	----	----	24.50 + 0.40	.0851	----	----	----	----	30	UNCH							
5345	----	----	----	----	24.508/23.00A	24.508/23.00A	----	----	----	23.90 + 0.50	.0831	----	----	----	----	1	UNCH							
5350	----	----	----	----	24.208/22.80A	24.208/22.80A	----	----	----	23.70 + 0.50	.0824	----	----	----	----	7	UNCH							
5380	----	----	----	----	23.108/21.60A	23.108/21.60A	----	----	----	22.50 + 0.50	.0785	----	----	----	----	12	UNCH							
5390	----	----	----	----	22.608/21.30A	22.608/21.30A	----	----	----	22.10 + 0.50	.0772	----	----	----	----	10	UNCH							
5400	----	----	----	----	22.308/20.90A	22.308/20.90A	----	----	----	21.70 + 0.50	.0759	----	----	----	----	87	UNCH							
5420	----	----	----	----	21.508/20.20A	21.508/20.20A	----	----	----	21.00 + 0.50	.0735	----	----	----	----	20	UNCH							
5430	----	----	----	----	21.008/19.90A	21.008/19.90A	----	----	----	20.60 + 0.40	.0722	----	----	----	----	10	UNCH							
5435	----	----	----	----	20.708/19.80A	20.708/19.80A	----	----	----	20.40 + 0.40	.0716	----	----	----	----	12	UNCH							
5445	----	----	----	----	20.308/19.40A	20.308/19.40A	----	----	----	20.10 + 0.40	.0705	----	----	----	----	1	UNCH							
5450	19.00	19.00	----	----	20.108/19.30A	20.108/19.30A	----	----	----	19.90 + 0.40	.0699	----	----	----	----	113	UNCH							
5490	18.40	18.40	----	----	19.008/18.10A	19.008/18.10A	----	----	----	18.70	NEW	.0657	----	----	12	+	12							
5500	----	----	----	----	18.508/17.80A	18.508/17.80A	----	----	----	18.40 + 0.50	.0647	----	----	----	9	889	+							
5505	----	----	----	----	18.408/17.70A	18.408/17.70A	----	----	----	18.20 + 0.40	.0641	----	----	----	----	130	UNCH							
5550	----	----	----	----	17.108/----	17.108/16.60A	----	----	----	17.00 + 0.50	.0599	----	----	----	----	4	UNCH							
5555	----	----	----	----	16.908/----	16.908/16.40A	----	----	----	16.80 + 0.40	.0593	----	----	----	----	13	UNCH							
5600	----	----	----	----	15.808/----	15.808/15.30A	----	----	----	15.70 + 0.40	.0555	----	----	----	----	1244	UNCH							
5615	----	----	----	----	15.408/----	15.408/15.10A	----	----	----	15.40 + 0.40	.0544	----	----	----	----	1	UNCH							
5620	----	----	----	----	15.308/----	15.308/15.00A	----	----	----	15.30 + 0.50	.0540	----	----	----	----	2	UNCH							
5625	----	----	----	----	15.208/----	15.208/14.90A	----	----	----	15.20 + 0.50	.0537	----	----	----	----	19	UNCH							
5630	----	----	----	----	15.108/----	15.108/14.80A	----	----	----	15.10 + 0.50	.0533	----	----	----	----	12	UNCH							
5635	----	----	----	----	15.008/----	15.008/14.70A	----	----	----	14.90 + 0.40	.0527	----	----	----	----	13	UNCH							
5650	----	----	----	----	14.708/----	14.708/14.40A	----	----	----	14.60 + 0.40	.0516	----	----	----	----	6	UNCH							
5670	----	----	----	----	14.208/----	14.208/14.00A	----	----	----	14.20 + 0.40	.0502	----	----	----	----	1	UNCH							
5700	----	----	----	----	13.608/----	13.608/13.40A	----	----	----	13.70 + 0.50	.0484	----	----	----	----	30	UNCH							
5750	----	----	----	----	12.708/----	12.708/12.60A	----	----	----	12.80 + 0.50	.0452	----	----	----	----	3	UNCH							
5755	----	----	----	----	12.708/----	12.708/12.50A	----	----	----	12.70 + 0.40	.0448	----	----	----	----	3	UNCH							
5790	----	----	----	----	12.108/----	12.108/12.00A	----	----	----															

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS													
APR27	----	----		199.80B/180.80A	199.80B/180.80A	----		191.60 + 4.40	.4410	----	----	----	----	1	UNCH
4410	----	----		197.80B/179.10A	197.80B/179.10A	----		189.80 + 4.40	.4380	----	----	----	----	1	UNCH
4415	----	----		196.10B/177.40A	196.10B/177.40A	----		187.90 + 4.30	.4350	----	----	----	----	31	UNCH
4420	----	----		194.40B/175.80A	194.40B/175.80A	----		186.10 + 4.20	.4320	----	----	----	----	3	UNCH
4425	----	----		188.70B/170.70A	188.70B/170.70A	----		180.80 + 4.00	.4232	----	----	----	----	50	UNCH
4440	----	----		186.80B/169.00A	186.80B/169.00A	----		179.10 + 4.00	.4203	----	----	----	----	3	UNCH
4445	----	----		185.30B/167.30A	185.30B/167.30A	----		177.40 + 4.00	.4174	----	----	----	----	263	UNCH
4450	----	----		183.40B/165.80A	183.40B/165.80A	----		175.70 + 4.00	.4145	----	----	----	----	1	UNCH
4455	----	----		181.20B/164.30A	181.20B/164.30A	----		174.00 + 3.90	.4116	----	----	----	----	1	UNCH
4460	----	----		179.90B/162.70A	179.90B/162.70A	----		172.30 + 3.80	.4087	----	----	----	----	4	UNCH
4465	----	----		177.70B/161.10A	177.70B/161.10A	----		170.70 + 3.80	.4058	----	----	----	----	1	UNCH
4470	----	----		175.60B/159.60A	175.60B/159.60A	----		169.00 + 3.70	.4029	----	----	----	----	1	UNCH
4475	----	----		174.80B/158.10A	174.80B/158.10A	----		167.40 + 3.70	.4001	----	----	----	----	20	UNCH
4480	----	----		172.90B/156.40A	172.90B/156.40A	----		165.80 + 3.70	.3973	----	----	----	----	1	UNCH
4485	----	----		168.30B/151.90A	168.30B/151.90A	----		161.10 + 3.70	.3889	----	----	----	----	166	UNCH
4500	----	----		166.30B/150.50A	166.30B/150.50A	----		159.60 + 3.70	.3861	----	----	----	----	2	UNCH
4505	----	----		163.40B/147.60A	163.40B/147.60A	----		156.50 + 3.60	.3806	----	----	----	----	31	UNCH
4515	----	----		161.80B/146.20A	161.80B/146.20A	----		155.10 + 3.70	.3779	----	----	----	----	1	UNCH
4520	----	----		159.90B/144.70A	159.90B/144.70A	----		153.60 + 3.60	.3752	----	----	----	----	20	UNCH
4525	----	----		155.80B/140.60A	155.80B/140.60A	----		149.20 + 3.50	.3670	----	----	----	----	100	UNCH
4540	----	----		152.80B/138.00A	152.80B/138.00A	----		146.40 + 3.60	.3618	----	----	----	----	108	UNCH
4550	----	----		151.20B/136.50A	151.20B/136.50A	----		145.00 + 3.50	.3591	----	----	----	----	5	UNCH
4555	----	----		148.20B/134.20A	148.20B/134.20A	----		142.20 + 3.50	.3538	----	----	----	----	21	UNCH
4565	----	----		145.50B/131.40A	145.50B/131.40A	----		139.50 + 3.40	.3487	----	----	----	----	59	UNCH
4575	----	----		141.20B/127.70A	141.20B/127.70A	----		135.40 + 3.20	.3409	----	----	----	----	32	UNCH
4590	----	----		139.80B/126.50A	139.80B/126.50A	----		134.10 + 3.20	.3383	----	----	----	----	21	UNCH
4595	----	----		138.60B/125.20A	138.60B/125.20A	----		132.70 + 3.00	.3357	----	----	----	----	210	UNCH
4600	----	----		137.10B/124.10A	137.10B/124.10A	----		131.40 + 3.00	.3332	----	----	----	----	20	UNCH
4605	----	----		134.50B/121.70A	134.50B/121.70A	----		128.80 + 2.80	.3281	----	----	----	----	50	UNCH
4615	----	----		133.20B/120.40A	133.20B/120.40A	----		127.60 + 2.80	.3257	----	----	----	----	26	UNCH
4620	----	----		131.80B/119.20A	131.80B/119.20A	----		126.30 + 2.70	.3232	----	----	----	----	10	UNCH
4625	----	----		128.10B/115.80A	128.10B/115.80A	----		122.70 + 2.60	.3159	----	----	----	----	13	UNCH
4640	----	----		125.60B/113.60A	125.60B/113.60A	----		120.30 + 2.50	.3111	----	----	----	----	295	UNCH
4650	----	----		121.90B/110.60A	121.90B/110.60A	----		116.90 + 2.60	.3040	----	----	----	----	20	UNCH
4650	----	----		120.80B/109.30A	120.80B/109.30A	----		115.80 + 2.60	.3017	----	----	----	----	20	UNCH
4665	----	----		118.40B/107.50A	118.40B/107.50A	----		113.60 + 2.60	.2972	----	----	----	----	11	UNCH
4670	----	----		116.00B/105.00A	116.00B/105.00A	----		111.50 + 2.60	.2927	----	----	----	----	11	UNCH
4680	----	----		115.00B/104.40A	115.00B/104.40A	----		110.40 + 2.60	.2904	----	----	----	----	40	UNCH
4690	----	----		113.90B/103.00A	113.90B/103.00A	----		109.40 + 2.70	.2882	----	----	----	----	132	UNCH
4695	----	----		112.70B/102.30A	112.70B/102.30A	----		108.40 + 2.70	.2861	----	----	----	----	66	UNCH
4700	----	----		111.60B/101.00A	111.60B/101.00A	----		107.30 + 2.60	.2838	----	----	----	----	2	UNCH
4715	----	----		110.60B/100.10A	110.60B/100.10A	----		106.30 + 2.60	.2816	----	----	----	----	63	UNCH
4720	----	----		109.50B/99.10A	109.50B/99.10A	----		105.30 + 2.60	.2795	----	----	----	----	4	UNCH
4725	----	----		108.40B/98.50A	108.40B/98.50A	----		104.30 + 2.60	.2773	----	----	----	----	2	UNCH
4730	----	----		107.20B/97.60A	107.20B/97.60A	----		103.30 + 2.60	.2751	----	----	----	----	2	UNCH
4750	----	----		103.30B/93.50A	103.30B/93.50A	----		99.30 + 2.40	.2666	----	----	----	----	121	UNCH
4760	----	----		101.10B/91.80A	101.10B/91.80A	----		97.40 + 2.30	.2624	----	----	----	----	4	UNCH
4765	----	----		100.10B/90.90A	100.10B/90.90A	----		96.50 + 2.30	.2604	----	----	----	----	2	UNCH
4770	----	----		99.10B/90.00A	99.10B/90.00A	----		95.50 + 2.20	.2582	----	----	----	----	10	UNCH
4775	----	----		98.30B/89.20A	98.30B/89.20A	----		94.60 + 2.20	.2562	----	----	----	----	40	UNCH
4785	----	----		96.20B/87.80A	96.20B/87.80A	----		92.70 + 2.10	.2521	----	----	----	----	39	UNCH
4795	----	----		94.30B/85.90A	94.30B/85.90A	----		90.90 + 2.00	.2481	----	----	----	----	40	UNCH
4800	----	----		93.60B/85.00A	93.60B/85.00A	----		90.00 + 1.90	.2461	----	----	100	365 +	100	UNCH
4805	----	----		92.50B/84.40A	92.50B/84.40A	----		89.20 + 2.00	.2442	----	----	----	----	1	UNCH
4810	----	----		91.60B/83.60A	91.60B/83.60A	----		88.30 + 1.90	.2422	----	----	----	----	1	UNCH
4820	----	----		89.80B/81.80A	89.80B/81.80A	----		86.60 + 1.80	.2384	----	----	----	----	2	UNCH
4840	----	----		86.40B/78.90A	86.40B/78.90A	----		83.30 + 1.70	.2309	----	----	----	----	5	UNCH
4845	----	----		85.50B/78.20A	85.50B/78.20A	----		82.50 + 1.70	.2290	----	----	----	----	75	UNCH
4850	----	----		84.90B/77.40A	84.90B/77.40A	----		81.70 + 1.60	.2272	----	----	----	----	100	UNCH
4865	----	----		82.20B/75.30A	82.20B/75.30A	----		79.40 + 1.60	.2218	----	----	----	----	3	UNCH
4870	----	----		81.50B/74.70A	81.50B/74.70A	----		78.60 + 1.50	.2200	----	----	----	----	25	UNCH
4885	----	----		79.10B/72.50A	79.10B/72.50A	----		76.40 + 1.50	.2147	----	----	----	----	21	UNCH
4900	----	----		77.00B/70.30A	77.00B/70.30A	----		74.30 + 1.50	.2097	----	----	----	----	83	UNCH
4905	----	----		76.10B/69.60A	76.10B/69.60A	----		73.60 + 1.50	.2080	----	----	----	----	13	UNCH
4930	----	----		72.60B/66.50A	72.60B/66.50A	----		70.20 + 1.50	.1998	----	----	----	----	5	UNCH
4970	----	----		67.30B/61.80A	67.30B/61.80A	----		65.10 + 1.30	.1874	----	----	----	----	10	UNCH
5000	----	----		63.70B/58.40A	63.70B/58.40A	----		61.60 + 1.30	.1786	----	----	----	----	207	UNCH
5010	----	----		62.40B/57.50A	62.40B/57.50A	----		60.50 + 1.30	.1758	----	----	----	----	4	UNCH
5020	----	----		61.30B/56.50A	61.30B/56.50A	----		59.40 + 1.20	.1730	----	----	----	----	1	UNCH
5025	----	----		60.70B/55.90A	60.70B/55.90A	----		58.80 + 1.20	.1715	----	----	----	----	1	UNCH
5030	----	----		60.10B/55.40A	60.10B/55.40A	----		58.30 + 1.20	.1702	----	----	----	----	1	UNCH
5035	----	----		59.60B/55.00A	59.60B/55.00A	----		57.80 + 1.20	.1689	----	----	----	----	2	UNCH
5040	----	----		59.00B/54.30A	59.00B/54.30A	----		57.20 + 1.10	.1675	----	----	----	----	3	UNCH
5045	----	----		58.50B/54.30A	58.50B/54.30A	----		56.70 + 1.10	.1662	----	----	----	----	30	UNCH
5050	----	----		58.10B/53.40A	58.10B/53.40A	----		56.20 + 1.10	.1649	----	----	----	----	119	UNCH
5055	----	----		57.40B/53.00A	57.40B/53.00A	----		55.70 + 1.10	.1636	----	----	----	----	67	UNCH
5060	----	----		56.90B/52.40A	56.90B/52.40A	----		55.20 + 1.10	.1623	----	----	----	----	27	UNCH
5070	----	----		55.90B/51.60A	55.90B/51.60A	----		54.20 + 1.10	.1597	----	----	----	----	6	UNCH
5075	----	----		55.50B/51.00A	55.50B/51.00A	----		53.70 + 1.00	.1584	----	----	----	----	232	UNCH
5100	----	----		53.00B/48.80A	53.00B/48.80A	----		51.30 + 0.90	.1522	----	----	----	----	940	UNCH
5130	----	----		50.10B/46.40A	50.10B/46.40A	----		48.60 + 0.90	.1451	----	----	----	----	18	UNCH
5140	----	----		49.20B/45.70A	49.20B/45.70A	----		47.70 + 0.80	.1427	----	----	----	----	11	UNCH
5145	----	----		48.80B/45.10A	48.80B/45.10A	----		47.30 + 0.80	.1416	----	----	----	----	8	UNCH
5150	----	----		48.40B/44.70A	48.40B/44.70A	----		46.90 + 0.80	.1405	----	----	----	----	105	UNCH
5170	----	----		46.60B/43.20A	46.60B/43.20A	----		45.20 + 0.70	.1360	----	----	----	----	1	UNCH
5180	----	----		45.80B/43.00A	45.80B/43.00A	----		44.40 + 0.70	.1339	----	----	----	----	18	UNCH
5195	----	----		44.50B/41.90A	44.50B/41.90A	----		43.20 + 0.60	.1307	----	----	----	----	5	UNCH
5200	----	----		44.20B/41.50A	44.20B/41.50A	----		42.90 + 0.70	.1298	----	----	----	----	1429	UNCH
5210	----	----		43.40B/40.80A	43.40B/40.80A	----		42.10 + 0.60	.1277	----	----	----	----	3	UNCH
5215	----	----		43.00B/40.50A	43.00B/40.50A	----		41.70 + 0.50	.1266	----	----	----	----	29	UNCH
5220	----	----		42.70B/40.10A	42.70B/40.10A	----		41.40 + 0.60	.1257	----	----	----	----	1	UNCH
5225	----	----		42.30B/39.80A											

BULLETIN #189@				METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG CALL	COMEX GOLD OPTIONS															
APR27	----	----	----	----	8.50B/9.10A	----	8.90 + 0.40	.0274	----	----	----	----	265	UNCH		
6500	----	----	----	----	8.50B/9.10A	----	8.90 + 0.40	.0274	----	----	----	----	265	UNCH		
TOTAL											100	----	21859+	100		
MAY27																
4000	----	----	----	454.00B/433.90A	454.00B/433.90A	----	447.10 + 10.00	.7013	----	----	----	----	1	UNCH		
4050	----	----	----	421.50B/402.60A	421.50B/402.60A	----	415.10 + 9.60	.6751	----	----	----	----	101	UNCH		
4250	----	----	----	312.30B/287.30A	312.30B/287.30A	----	302.80 + 7.50	.5630	----	----	----	----	6	UNCH		
4400	----	----	----	244.10B/223.20A	244.10B/223.20A	----	235.30 + 5.50	.4773	----	----	----	----	6	UNCH		
4420	----	----	----	235.90B/216.00A	235.90B/216.00A	----	227.40 + 5.20	.4662	----	----	----	----	1	UNCH		
4470	----	----	----	216.70B/198.00A	216.70B/198.00A	----	208.80 + 4.70	.4390	----	----	----	----	1	UNCH		
4500	----	----	----	205.70B/188.10A	205.70B/188.10A	----	198.30 + 4.40	.4230	----	----	----	----	1	UNCH		
4505	----	----	----	204.00B/186.70A	204.00B/186.70A	----	196.60 + 4.30	.4204	----	----	----	----	18	UNCH		
4510	----	----	----	202.40B/184.90A	202.40B/184.90A	----	194.90 + 4.30	.4178	----	----	----	----	2	UNCH		
4520	----	----	----	199.00B/181.80A	199.00B/181.80A	----	191.60 + 4.20	.4126	----	----	----	----	1	UNCH		
4550	----	----	----	188.90B/172.70A	188.90B/172.70A	----	182.00 + 4.00	.3972	----	----	----	----	129	UNCH		
4555	----	----	----	187.20B/171.10A	187.20B/171.10A	----	180.40 + 3.90	.3947	----	----	----	----	18	UNCH		
4600	----	----	----	173.40B/158.40A	173.40B/158.40A	----	167.00 + 3.70	.3724	----	----	----	----	9	UNCH		
4650	----	----	----	158.90B/145.30A	158.90B/145.30A	----	153.30 + 3.50	.3488	----	----	----	----	10	UNCH		
4665	146.70	146.70		154.80B/141.50A	154.80B/141.50A	----	149.40 + 3.50	.3419	----	----	1	----	1	UNCH		
4700	----	----	----	145.70B/133.30A	145.70B/133.30A	----	140.60 + 3.20	.3262	----	----	----	----	31	UNCH		
4785	----	----	----	125.60B/115.30A	125.60B/115.30A	----	121.50 + 2.80	.2905	----	----	----	----	20	UNCH		
4800	----	----	----	122.40B/112.40A	122.40B/112.40A	----	118.40 + 2.70	.2846	----	----	----	----	72	UNCH		
4810	----	----	----	120.30B/110.40A	120.30B/110.40A	----	116.30 + 2.60	.2806	----	----	----	----	1	UNCH		
4850	----	----	----	112.10B/103.40A	112.10B/103.40A	----	108.60 + 2.30	.2654	----	----	----	----	5	UNCH		
4855	----	----	----	111.10B/102.40A	111.10B/102.40A	----	107.70 + 2.30	.2636	----	----	----	----	2	UNCH		
4860	----	----	----	110.20B/101.60A	110.20B/101.60A	----	106.70 + 2.20	.2616	----	----	----	----	20	UNCH		
4900	----	----	----	102.90B/94.90A	102.90B/94.90A	----	99.70 + 2.00	.2474	----	----	----	----	115	UNCH		
4920	----	----	----	99.20B/92.00A	99.20B/92.00A	----	96.30 + 1.80	.2404	----	----	----	----	2	UNCH		
4945	----	----	----	95.10B/88.10A	95.10B/88.10A	----	92.30 + 1.70	.2321	----	----	----	----	9	UNCH		
4950	----	----	----	94.30B/87.40A	94.30B/87.40A	----	91.60 + 1.80	.2306	----	----	----	----	2	UNCH		
4955	----	----	----	93.60B/86.80A	93.60B/86.80A	----	90.80 + 1.70	.2289	----	----	----	----	9	UNCH		
4970	----	----	----	91.20B/84.50A	91.20B/84.50A	----	88.50 + 1.60	.2241	----	----	----	----	9	UNCH		
5000	----	----	----	86.80B/80.40A	86.80B/80.40A	----	84.20 + 1.60	.2148	----	----	----	----	151	UNCH		
5040	----	----	----	81.00B/75.50A	81.00B/75.50A	----	78.90 + 1.60	.2032	----	----	----	----	1	UNCH		
5070	----	----	----	77.20B/71.70A	77.20B/71.70A	----	75.10 + 1.50	.1947	----	----	----	----	37	UNCH		
5100	----	----	----	73.50B/68.40A	73.50B/68.40A	----	71.60 + 1.50	.1868	----	----	----	----	10	UNCH		
5130	----	----	----	70.00B/65.50A	70.00B/65.50A	----	68.20 + 1.40	.1791	----	----	----	----	7	UNCH		
5140	----	----	----	68.70B/64.20A	68.70B/64.20A	----	67.10 + 1.30	.1766	----	----	----	----	1	UNCH		
5145	----	----	----	68.30B/63.90A	68.30B/63.90A	----	66.50 + 1.30	.1753	----	----	----	----	2	UNCH		
5150	----	----	----	67.70B/63.20A	67.70B/63.20A	----	66.00 + 1.30	.1741	----	----	----	----	2	UNCH		
5170	----	----	----	65.60B/61.50A	65.60B/61.50A	----	63.90 + 1.10	.1692	----	----	----	----	20	UNCH		
5180	----	----	----	64.50B/60.30A	64.50B/60.30A	----	62.80 + 1.00	.1668	----	----	----	----	1	UNCH		
5185	----	----	----	64.00B/60.10A	64.00B/60.10A	----	62.30 + 1.00	.1656	----	----	----	----	37	UNCH		
5200	----	----	----	62.60B/58.40A	62.60B/58.40A	----	60.80 + 0.90	.1621	----	----	----	----	159	UNCH		
5215	----	----	----	61.10B/57.30A	61.10B/57.30A	----	59.40 + 0.90	.1588	----	----	----	----	20	UNCH		
5220	----	----	----	60.60B/56.80A	60.60B/56.80A	----	58.90 + 0.90	.1576	----	----	----	----	39	UNCH		
5225	----	----	----	60.10B/56.50A	60.10B/56.50A	----	58.40 + 0.80	.1565	----	----	----	----	2	UNCH		
5235	----	----	----	59.10B/55.40A	59.10B/55.40A	----	57.50 + 0.80	.1543	----	----	----	----	25	UNCH		
5240	----	----	----	58.70B/55.10A	58.70B/55.10A	----	57.10 + 0.90	.1533	----	----	----	----	29	UNCH		
5250	----	----	----	57.80B/54.20A	57.80B/54.20A	----	56.20 + 0.90	.1512	----	----	----	----	231	UNCH		
5275	----	----	----	55.60B/52.10A	55.60B/52.10A	----	54.00 + 0.80	.1460	----	----	----	----	25	UNCH		
5300	----	----	----	53.40B/50.20A	53.40B/50.20A	----	52.00 + 0.80	.1411	----	----	----	----	1	UNCH		
5345	----	----	----	49.80B/47.30A	49.80B/47.30A	----	48.50 + 0.70	.1325	----	----	----	----	2	UNCH		
5365	----	----	----	48.30B/45.80A	48.30B/45.80A	----	47.00 + 0.50	.1289	----	----	----	----	3	UNCH		
5395	----	----	----	46.10B/43.90A	46.10B/43.90A	----	45.00 + 0.50	.1238	----	----	----	----	1	UNCH		
5400	----	----	----	45.50B/43.60A	45.50B/43.60A	----	44.60 + 0.50	.1229	----	----	----	----	29	UNCH		
5430	----	----	----	43.50B/41.70A	43.50B/41.70A	----	42.70	NEW .1181	----	----	4	+	4			
5450	----	----	----	42.20B/40.60A	42.20B/40.60A	----	41.50 + 0.40	.1150	----	----	----	----	10	UNCH		
5500	----	----	----	39.20B/37.90A	39.20B/37.90A	----	38.60 + 0.40	.1076	----	----	----	----	4	UNCH		
5515	----	----	----	38.40B/37.10A	38.40B/37.10A	----	37.80 + 0.40	.1055	----	----	----	----	7	UNCH		
5550	33.00	33.00		36.40B/29.60	36.40B/29.60	----	36.00 + 0.40	.1009	----	----	5	----	259+	5		
5630	----	----	----	32.60B/31.60A	32.60B/31.60A	----	32.20 + 0.40	.0909	----	----	----	----	2	UNCH		
5650	----	----	----	31.70B/30.70A	31.70B/30.70A	----	31.40 + 0.50	.0887	----	----	----	----	5	UNCH		
5665	----	----	----	31.10B/30.20A	31.10B/30.20A	----	30.80 + 0.50	.0871	----	----	----	----	1	UNCH		
5700	----	----	----	29.60B/----	29.60B/29.00A	----	29.40 + 0.50	.0834	----	----	----	----	37	UNCH		
5800	----	----	----	26.00B/----	26.00B/25.70A	----	26.00 + 0.70	.0741	----	----	----	----	2	UNCH		
5820	----	----	----	25.00B/----	25.00B/25.10A	----	25.40 + 0.70	.0724	----	----	----	----	46	UNCH		
5840	----	----	----	24.40B/----	24.40B/24.50A	----	24.80 + 0.70	.0707	----	----	----	----	1	UNCH		
5850	----	----	----	24.10B/----	24.10B/24.20A	----	24.50 + 0.70	.0699	----	----	----	----	68	UNCH		
5900	----	----	----	22.60B/----	22.60B/22.80A	----	23.10 + 0.70	.0660	----	----	----	----	7	UNCH		
5910	----	----	----	22.40B/----	22.40B/22.60A	----	22.80 + 0.70	.0652	----							

BULLETIN #189@				METALS OPTION PRODUCTS								Thu, Oct 01, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG CALL	COMEX GOLD OPTIONS															
JUN27	----	----	----	----	----	----	----	----	----	----	----	----	----	----		
5170	----	----	77.70B/73.20A	77.70B/73.20A	----	76.10 + 1.10	.1863	----	----	----	----	260	UNCH			
5180	----	----	76.50B/72.20A	76.50B/72.20A	----	74.90 + 1.00	.1838	----	----	----	----	3	UNCH			
5200	----	----	74.40B/70.40A	74.40B/70.40A	----	72.80 + 1.00	.1793	----	----	----	----	584	UNCH			
5210	----	----	73.20B/69.10A	73.20B/69.10A	----	71.70 + 0.90	.1769	----	----	----	----	3	UNCH			
5250	----	----	69.20B/65.20A	69.20B/65.20A	----	67.60 + 0.80	.1680	----	----	----	----	51	UNCH			
5300	----	----	64.30B/60.80A	64.30B/60.80A	----	62.90 + 0.70	.1577	----	----	----	----	4	UNCH			
5350	----	----	59.90B/56.80A	59.90B/56.80A	----	58.60 + 0.60	.1480	----	----	----	----	3	UNCH			
5360	----	----	59.00B/56.20A	59.00B/56.20A	----	57.80 + 0.60	.1462	----	----	----	----	325	UNCH			
5400	----	----	55.90B/53.00A	55.90B/53.00A	----	54.70 + 0.60	.1391	----	----	----	----	701	UNCH			
5450	----	----	52.00B/50.00A	52.00B/50.00A	----	51.10 + 0.60	.1308	----	----	----	----	7	UNCH			
5470	----	----	50.60B/48.70A	50.60B/48.70A	----	49.70 + 0.50	.1276	----	----	----	----	1	UNCH			
5500	49.50	49.50	49.50/46.80A	49.50/46.80A	----	47.80 + 0.60	.1231	----	----	10	----	1464 +	2			
5535	----	----	46.00B/44.90A	46.00B/44.90A	----	45.60 + 0.50	.1179	----	----	----	----	1	UNCH			
5545	----	----	45.40B/44.30A	45.40B/44.30A	----	45.00 + 0.50	.1165	----	----	----	----	8	UNCH			
5600	----	----	42.20B/----	42.20B/41.40A	----	41.90 + 0.50	.1090	----	----	----	----	101	UNCH			
5700	----	----	37.10B/36.30A	37.10B/36.30A	----	37.00 + 0.50	.0971	----	----	----	----	1	UNCH			
5750	35.20	35.20	35.20/34.20A	35.20/34.20A	----	34.90 + 0.50	.0918	----	----	5	----	149	UNCH			
5800	----	----	33.00B/32.30A	33.00B/32.30A	----	32.90 + 0.50	.0868	----	----	----	----	3	UNCH			
5840	----	----	31.50B/30.80A	31.50B/30.80A	----	31.40 + 0.50	.0830	----	----	----	----	2	UNCH			
5870	----	----	30.40B/29.70A	30.40B/29.70A	----	30.30 + 0.40	.0803	----	----	----	----	3	UNCH			
5875	----	----	30.20B/----	30.20B/29.70A	----	30.20 + 0.50	.0800	----	----	----	----	84	UNCH			
5900	----	----	29.30B/28.80A	29.30B/28.80A	----	29.40 + 0.50	.0779	----	----	----	----	26	UNCH			
5975	----	----	----	26.60B/26.70A	----	27.10 + 0.50	.0720	----	----	----	----	21	UNCH			
6000	----	----	----	25.80B/26.00A	----	26.40 + 0.50	.0702	----	----	----	----	748	UNCH			
6025	----	----	----	25.10B/25.30A	----	25.70 + 0.50	.0684	----	----	----	----	125	UNCH			
6050	----	----	----	24.40B/24.70A	----	25.00 + 0.40	.0666	----	----	----	----	3	UNCH			
6100	----	----	----	23.20B/23.50A	----	23.80 + 0.50	.0634	----	----	----	----	370	UNCH			
6250	----	----	20.30B/----	20.30B/20.50A	----	20.70 + 0.50	.0551	----	----	----	----	254	UNCH			
6500	----	----	----	16.00B/17.00A	----	16.70 + 0.40	.0443	----	----	30	----	820	UNCH			
7000	----	----	----	11.30B/12.60A	----	12.00 + 0.50	.0311	----	----	----	----	394	UNCH			
7500	----	----	----	8.70B/10.20A	----	9.40 + 0.40	.0236	----	----	----	----	528	UNCH			
8000	8.00	8.00	8.00/8.00	8.00/8.00	----	7.80 + 0.40	.0190	----	----	58	----	464 +	56			
8500	----	----	----	6.00B/7.40A	----	6.70 + 0.30	.0158	----	----	----	----	144	UNCH			
9000	----	----	----	5.20B/6.50A	----	5.80 + 0.30	.0133	----	----	56	----	130 +	56			
9500	----	----	----	4.60B/5.60A	----	5.10 + 0.30	.0114	----	----	----	----	72	UNCH			
10000	----	----	----	4.00B/5.00A	----	4.50 + 0.40	.0099	----	----	----	----	30	UNCH			
TOTAL										423	400	14108 +	342			
JUL27																
4310	----	----	339.60B/316.70A	339.60B/316.70A	----	331.30 + 7.00	.5514	----	----	----	----	2	UNCH			
4315	----	----	337.20B/314.90A	337.20B/314.90A	----	328.90 + 6.90	.5489	----	----	----	----	2	UNCH			
4325	----	----	332.60B/310.00A	332.60B/310.00A	----	324.30 + 6.90	.5439	----	----	----	----	2	UNCH			
4335	----	----	327.90B/305.40A	327.90B/305.40A	----	319.70 + 6.80	.5388	----	----	----	----	3	UNCH			
4340	----	----	325.50B/303.50A	325.50B/303.50A	----	317.40 + 6.70	.5363	----	----	----	----	2	UNCH			
4350	----	----	321.00B/299.40A	321.00B/299.40A	----	312.90 + 6.60	.5313	----	----	----	----	2	UNCH			
4360	----	----	316.30B/294.80A	316.30B/294.80A	----	308.40 + 6.50	.5263	----	----	----	----	2	UNCH			
4370	----	----	311.70B/290.60A	311.70B/290.60A	----	304.00 + 6.40	.5213	----	----	----	----	2	UNCH			
4375	----	----	309.60B/288.50A	309.60B/288.50A	----	301.80 + 6.40	.5188	----	----	----	----	2	UNCH			
4475	----	----	268.50B/249.40A	268.50B/249.40A	----	261.00 + 5.30	.4700	----	----	----	----	1	UNCH			
4500	244.30	244.30	259.10B/240.60A	259.10B/240.60A	----	251.70 + 5.20	.4581	----	----	2	----	2 -	1			
4535	----	----	245.90B/228.50A	245.90B/228.50A	----	239.10 + 4.80	.4417	----	----	----	----	38	UNCH			
4540	----	----	244.10B/226.90A	244.10B/226.90A	----	237.40 + 4.80	.4394	----	----	----	----	2	UNCH			
4565	----	----	235.50B/218.90A	235.50B/218.90A	----	228.80 + 4.50	.4279	----	----	----	----	1	UNCH			
4600	----	----	223.90B/207.90A	223.90B/207.90A	----	217.40 + 4.30	.4121	----	----	----	----	40	UNCH			
4700	182.70	182.70	193.10B/179.70A	193.10B/179.70A	----	187.70 + 3.70	.3692	----	----	5	----	29	UNCH			
4750	----	----	179.10B/167.20A	179.10B/167.20A	----	174.40 + 3.40	.3490	----	----	6	----	11 +	6			
4835	----	----	157.90B/148.00A	157.90B/148.00A	----	154.10 + 3.00	.3167	----	----	----	----	70	UNCH			
4900	----	----	143.60B/134.70A	143.60B/134.70A	----	140.20 + 2.60	.2937	----	----	----	----	10	UNCH			
4990	----	----	125.90B/118.50A	125.90B/118.50A	----	123.30 + 2.20	.2644	----	----	----	----	10	UNCH			
5000	----	----	124.20B/116.90A	124.20B/116.90A	----	121.50 + 2.10	.2613	----	----	----	----	83	UNCH			
5200	----	----	93.70B/88.90A	93.70B/88.90A	----	92.00 + 1.50	.2066	----	----	----	----	1	UNCH			
5225	----	----	90.60B/86.00A	90.60B/86.00A	----	88.90 + 1.40	.2006	----	----	----	----	2	UNCH			
5250	----	----	87.50B/83.10A	87.50B/83.10A	----	86.00 + 1.40	.1949	----	----	----	----	10	UNCH			
5300	----	----	81.80B/77.80A	81.80B/77.80A	----	80.40 + 1.30	.1838	----	----	----	----	12	UNCH			
5400	----	----	71.70B/68.30A	71.70B/68.30A	----	70.40 + 1.10	.1636	----	----	----	----	17	UNCH			
5495	----	----	63.50B/60.70A	63.50B/60.70A	----	62.30 NEW	.1467	----	----	6	----	1 +	1			
5500	----	----	63.10B/60.30A	63.10B/60.30A	----	61.90 + 0.80	.1459	----	----	----	----	39	UNCH			
5620	----	----	54.20B/52.50A	54.20B/52.50A	----	53.30 NEW	.1274	----	----	6	----	1 +	1			
6750	----	----	----	17.20B/18.70A	----	18.10 + 0.20	.0448	----	----	----	----	9	UNCH			
TOTAL										25		408 +	7			
AUG27																
4185	----	----	413.60B/----	413.60B/404.40A	----	412.30 + 8.60	.6113	----	----	----	----	4	UNCH			
4210	----	----	400.30B/----	400.30B/391.50A	----	399.19										



PG64	BULLETIN #189@										METALS OPTION PRODUCTS				Thu, Oct 01, 2026				PG64
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST					
OG CALL																			
APR28																			
5000	----	----		----	315.00B/----	----		320.80 + 4.80	.4035	----	----	----	----		5			UNCH	0
TOTAL															5				
MAY28																			
5000	----	----		----	----	----		346.50 + 5.00	.4183	----	----	----	----		20			UNCH	0
TOTAL															20				
JUL28																			
5000	----	----		----	----	----		372.00 + 5.30	.4319	----	----	----	----		25			UNCH	0
TOTAL															25				
DEC28																			
5000	----	----		----	----	----		467.10 + 5.50	.4683	----	----	----	----		50			UNCH	
5500	----	----		----	----	----		331.20 - 12.30	.3622	----	----	----	----		1			UNCH	
5750	----	----		----	----	----		279.70 - 21.50	.3173	----	----	----	----		100			UNCH	
TOTAL															151				0
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST					
MMG MON																			
OCT26																			
4300	----	----		----	----	----		5.10 - 1.30	.0985	----	----	----	----		3			UNCH	0
TOTAL															3				
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST					
GWV WED																			
SEP26																			
4000	----	----		----	----	----		186.70 UNCH	----	----	----	----	----		0			UNCH	
4015	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4025	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4040	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4045	----	----		----	----	----		141.70 UNCH	----	----	----	----	----		0			UNCH	
4050	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4060	----	----		----	----	----		126.70 UNCH	----	----	----	----	----		0			UNCH	
4060	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4065	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4075	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4080	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4090	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4095	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4100	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4105	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4105	----	----		----	----	----		81.70 UNCH	----	----	----	----	----		0			UNCH	
4110	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4115	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4120	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4125	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4130	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4130	----	----		----	----	----		56.70 UNCH	----	----	----	----	----		0			UNCH	
4135	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4135	----	----		----	----	----		51.70 UNCH	----	----	----	----	----		0			UNCH	
4140	----	----		----	----	----		46.70 UNCH	----	----	----	----	----		0			UNCH	
4140	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4145	----	----		----	----	----		41.70 UNCH	----	----	----	----	----		0			UNCH	
4145	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4150	----	----		----	----	----		36.70 UNCH	----	----	----	----	----		0			UNCH	
4150	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4155	----	----		----	----	----		31.70 UNCH	----	----	----	----	----		0			UNCH	
4155	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4160	----	----		----	----	----		26.70 UNCH	----	----	----	----	----		0			UNCH	
4160	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4165	----	----		----	----	----		21.70 UNCH	----	----	----	----	----		0			UNCH	
4165	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4170	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4170	----	----		----	----	----		16.70 UNCH	----	----	----	----	----		0			UNCH	
4175	----	----		----	----	----		11.70 UNCH	----	----	----	----	----		0			UNCH	
4175	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4180	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4180	----	----		----	----	----		6.70 UNCH	----	----	----	----	----		0			UNCH	
4185	----	----		----	----	----		1.70 UNCH	----	----	----	----	----		0			UNCH	
4185	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4190	----	----		----	----	----		3.30 UNCH	----	----	----	----	----		0			UNCH	
4190	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4195	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4195	----	----		----	----	----		8.30 UNCH	----	----	----	----	----		0			UNCH	
4200	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4200	----	----		----	----	----		13.30 UNCH	----	----	----	----	----		0			UNCH	
4205	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4205	----	----		----	----	----		18.30 UNCH	----	----	----	----	----		0			UNCH	
4210	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4210	----	----		----	----	----		23.30 UNCH	----	----	----	----	----		0			UNCH	
4215	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4215	----	----		----	----	----		28.30 UNCH	----	----	----	----	----		0			UNCH	
4220	----	----		----	----	----		0.00 UNCH	----	----	----	----	----		0			UNCH	
4220	----	----		----	----	----		33.30 UNCH	----	----	----	----	----		0			UNCH	
4225	----																		

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GOLD WEEKLY WEDNESDAY OPTION WEEK5																
SEP26																
4340	----	----	----	----	----	----	----	----	153.30	UNCH	----	----	----	----	0	UNCH
4340	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH
4350	----	----	----	----	----	----	----	----	163.30	UNCH	----	----	----	----	0	UNCH
4350	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH
4360	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH
4360	----	----	----	----	----	----	----	----	173.30	UNCH	----	----	----	----	0	UNCH
4370	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH
4375	----	----	----	----	----	----	----	----	188.30	UNCH	----	----	----	----	0	UNCH
4395	----	----	----	----	----	----	----	----	208.30	UNCH	----	----	----	----	0	UNCH
4400	----	----	----	----	----	----	----	----	213.30	UNCH	----	----	----	----	0	UNCH
4410	----	----	----	----	----	----	----	----	223.30	UNCH	----	----	----	----	0	UNCH
4425	----	----	----	----	----	----	----	----	238.30	UNCH	----	----	----	----	0	UNCH
4450	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH
4450	----	----	----	----	----	----	----	----	263.30	UNCH	----	----	----	----	0	UNCH
4475	----	----	----	----	----	----	----	----	288.30	UNCH	----	----	----	----	0	UNCH
4525	----	----	----	----	----	----	----	----	338.30	UNCH	----	----	----	----	0	UNCH
4650	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH
TOTAL																
OCT26																
3250	----	----	----	965.50B/927.60A	965.50B/927.60A	----	----	----	952.30	+ 15.60	1.0000	----	----	----	0	UNCH
3700	----	----	----	-----/1.40A	1.50B/1.40A	----	----	----	1.50	- 0.40	.0132	----	----	----	15	UNCH
3750	0.40	0.40	----	0.40/0.40	0.40/0.40	0.40/0.40	----	----	0.50	- 0.20	.0043	----	11	----	14	+
3800	----	----	----	----/0.50A	0.70B/0.50A	0.70B/0.50A	----	----	0.60	- 0.40	.0057	----	----	----	11	UNCH
3875	----	----	----	----/7.30A	9.50B/7.30A	9.50B/7.30A	----	----	7.80	- 1.80	.0674	----	----	----	10	UNCH
3875	12.40	12.40	----	12.40/11.90A	13.70B/11.90A	13.70B/11.90A	----	----	12.60	NEW	.0930	----	8	----	8	+
3900	----	----	----	----/4.00A	6.10B/4.00A	6.10B/4.00A	----	----	4.80	- 1.60	.0492	----	----	----	16	UNCH
3900	1.40	1.40	----	1.40/0.90A	1.70B/0.90A	1.70B/0.90A	----	----	1.20	- 0.80	.0139	----	1	----	4	UNCH
3910	1.50	1.50	----	1.50/1.00A	1.90B/1.00A	1.90B/1.00A	----	----	1.20	NEW	.0143	----	1	----	1	+
3920	1.10	1.10	----	1.10/1.10	2.00B/1.10	2.00B/1.10	----	----	1.30	NEW	.0158	----	1	----	0	UNCH
3925	----	----	----	----/1.10A	2.10B/1.10A	2.10B/1.10A	----	----	1.40	- 1.10	.0171	----	----	----	13	UNCH
3925	----	----	----	----/4.80A	7.30B/4.80A	7.30B/4.80A	----	----	5.70	- 2.00	.0592	----	----	----	1	UNCH
3950	----	----	----	----/1.40A	2.80B/1.40A	2.80B/1.40A	----	----	1.70	- 1.50	.0218	----	----	----	3	UNCH
3950	7.40	7.40	----	7.40/5.90A	9.20B/5.90A	9.20B/5.90A	----	----	6.90	- 2.40	.0722	----	1	----	16	+
3975	----	----	----	----/1.70A	3.70B/1.70A	3.70B/1.70A	----	----	2.20	- 1.80	.0294	----	----	----	29	UNCH
3975	----	----	----	----/7.30A	11.40B/7.30A	11.40B/7.30A	----	----	8.40	- 3.10	.0883	----	----	----	37	UNCH
3995	3.20	3.20	----	3.20/2.10A	4.60B/2.10A	4.60B/2.10A	----	----	2.70	NEW	.0373	----	1	----	1	+
4000	29.10	29.10	----	29.10/29.10	29.90B/25.30A	29.90B/25.30A	----	----	26.20	NEW	.1856	----	20	----	20	+
4000	21.00	21.00	----	23.50B/16.80A	23.50B/16.80A	23.50B/16.80A	----	----	18.20	- 4.40	.1532	----	2	----	3	+
4000	----	----	----	----/2.20A	5.00B/2.20A	5.00B/2.20A	----	----	2.90	- 2.30	.0403	----	----	----	2	UNCH
4000	----	----	----	14.30B/9.00A	14.30B/9.00A	14.30B/9.00A	----	----	10.40	- 3.80	.1090	----	----	----	3	UNCH
4005	3.40	3.40	----	3.40/2.30A	5.30B/2.30A	5.30B/2.30A	----	----	3.00	NEW	.0422	----	1	----	1	+
4010	3.60	3.60	----	3.60/2.50A	5.60B/2.50A	5.60B/2.50A	----	----	3.20	NEW	.0452	----	1	----	1	+
4020	5.80	5.80	----	5.80/2.80A	6.30B/2.80A	6.30B/2.80A	----	----	3.60	NEW	.0515	----	20	----	5	+
4025	----	----	----	18.00B/11.40A	18.00B/11.40A	18.00B/11.40A	----	----	12.90	- 4.60	.1343	----	----	----	25	UNCH
4025	----	----	----	----/2.90A	6.70B/2.90A	6.70B/2.90A	----	----	3.80	- 3.10	.0548	----	----	----	5	UNCH
4050	----	----	----	22.80B/14.40A	22.80B/14.40A	22.80B/14.40A	----	----	16.20	- 5.60	.1659	----	----	----	142	UNCH
4050	4.70	4.70	----	9.30B/4.00A	9.30B/4.00A	9.30B/4.00A	----	----	5.20	- 3.90	.0768	----	4	----	29	+
4050	----	----	----	34.20B/24.30A	34.20B/24.30A	34.20B/24.30A	----	----	26.40	- 5.90	.2131	----	----	----	2	UNCH
4060	6.70	6.70	----	6.70/4.60A	10.70B/4.60A	10.70B/4.60A	----	----	6.00	NEW	.0888	----	8	----	8	+
4075	----	----	----	40.90B/29.10A	40.90B/29.10A	40.90B/29.10A	----	----	31.70	- 6.90	.2492	----	----	----	2	UNCH
4075	22.60	22.60	----	28.60B/18.20A	28.60B/18.20A	28.60B/18.20A	----	----	20.40	- 6.60	.2040	----	12	----	32	+
4075	11.60	11.60	----	13.00B/5.70A	13.00B/5.70A	13.00B/5.70A	----	----	7.30	- 5.00	.1089	----	1	----	40	+
4100	----	----	----	48.90B/35.10A	48.90B/35.10A	48.90B/35.10A	----	----	38.00	- 8.00	.2897	----	----	----	14	UNCH
4100	9.40	9.40	----	18.20B/8.20A	18.20B/8.20A	18.20B/8.20A	----	----	10.30	- 6.50	.1533	----	8	----	83	UNCH
4100	----	----	----	35.70B/23.00A	35.70B/23.00A	35.70B/23.00A	----	----	25.70	- 7.70	.2490	----	32	----	396	+
4100	----	----	----	130.20B/89.90A	130.20B/89.90A	130.20B/89.90A	----	----	112.50	+ 9.10	.8465	----	----	----	1	UNCH
4115	----	----	----	22.00B/10.30A	22.00B/10.30A	22.00B/10.30A	----	----	12.70	NEW	.1873	----	16	----	8	+
4120	14.10	14.10	----	23.40B/11.10A	23.40B/11.10A	23.40B/11.10A	----	----	13.60	NEW	.1998	----	23	----	20	+
4125	34.30	34.30	----	44.40B/28.80A	44.40B/28.80A	44.40B/28.80A	----	----	32.30	- 9.00	.3009	----	1	----	154	-
4125	----	----	----	124.20B/91.10A	124.20B/91.10A	124.20B/91.10A	----	----	109.50	+ 6.60	.6987	----	----	----	1	UNCH
4125	14.00	14.00	----	25.20B/12.00A	25.20B/12.00A	25.20B/12.00A	----	----	16.80	- 8.20	.2133	----	6	----	30	+
4135	17.00	17.00	----	28.40B/13.90A	28.40B/13.90A	28.40B/13.90A	----	----	16.80	NEW	.2421	----	10	----	10	+
4150	19.20	19.20	----	34.30B/17.40A	34.30B/17.40A	34.30B/17.40A	----	----	20.70	- 10.00	.2906	----	----	----	35	+
4150	62.80	62.80	----	88.80B/55.90A	88.80B/55.90A	88.80B/55.90A	----	----	72.90	+ 5.50	.7092	----	2	----	3	+
4150	----	----	----	106.30B/76.40A	106.30B/76.40A	106.30B/76.40A	----	----	92.60	+ 5.40	.6410	----	----	----	1	UNCH
4150	----	----	----	54.40B/36.00A	54.40B/36.00A	54.40B/36.00A	----	----	40.30	- 10.30	.3586	----	----	----	56	UNCH
4160	----	----	----	38.40B/20.00A	38.40B/20.00A	38.40B/20.00A	----	----	23.70	NEW	.3259	----	2	----	1	+
4165	30.60	30.60	----	40.70B/21.40A	40.70B/21.40A	40.70B/21.40A	----	----	25.30	NEW	.3442	----	2	----	2	+
4170	----	----	----	43.10B/22.90A	43.10B/22.90A	43.10B/22.90A	----	----	27.10	NEW	.3635	----	2	----	1	+
4175	89.30	89.30	----	102.40B/78.10A	102.40B/78.10A	102.40B/78.10A	----	----	92.10	+ 4.80	.5657	----	10	----	12	+
4175	37.20	37.20	----	45.80B/24.50A	45.80B/24.50A	45.80B/24.50A	----	----	28.90	- 11.90	.3829	----	18	----	42	+
4175	----	----	----	90.00B/63.20A	90.00B/63.20A	90.00B/63.20A	----	----	77.20	+ 4.10	.5784	----	----	----	11	UNCH
4175	57.80	57.80	----	70.70B/42.50A	70.70B/42.50A	70.70B/42.50A	----	----	56.20	+ 3.70	.6168	----	1	----	2	+
4175	----	----	----	66.20B/44.60A	66.20B/44.60A	66.20B/44.60A	----	----	50.00	- 11.40	.4212	----	----	----	108	+
4175	69.40	69.40	----	80.80B/59.10A	80.80B/59.10A	80.80B/59.10A	----	----	64.90	- 10.80	.4337	----	3	----	14	+
4185	40.40	40.40	----	40.40/40.40	64.00B/37.70A	64.00B/37.70A	----	----	50.20	NEW	.5765	----	1	----	1	+
4200	----	----	----	94.20B/70.10A	94.20B/70.10A	94.20B/70.10A	----	----	76.20	- 11.90	.4859	----	----	----	1	UNCH
4200	83.00	83.00	----	88.00B/83.00	99.60B/82.60A	99.60B/82.60A	----	----	92.00	NEW	.5143	----	2	----	2	+
4200	49.20	49.20	----	59.50B/33.90A	59.50B/33.90A	59.50B/33.90A	----	----	39.70	- 13.50	.4857	----	35	----	37	+
4200	----	----	----	75.80B/51.90A	75.80B/51.90A	75.80B/51.90A	----	----	63.60	+ 3.00	.5130	----	----	----	237	UNCH
4200	----	----	----	79.60B/54.80A	79.60B/54.80A	79.60B/54.80A	----	----	61.30	- 12.60	.4866	----	1	----	4	+
4200	37.50	37.50	----	54.90B/31.40A	54.90B/31.40A	54.90B/31.40A	----	----	42.00	+ 2.10	.5141	----	55	----	33	+
4210	32.50	32.50	----	32.50/32.50	49.20B/27.60A	49.20B/27.60A	----	----	37.10	NEW	.4720	----	5	----	5	+
4210	----	----	----	65.70B/38.40A	65.70B/38.40A	65.70B/38.40A	----	----	44.80	NEW	.5278	----	12	----	12	+
4215	38.50	38.50	----	38.50/32.00	46.50B/25.90A	46.50B/25.90A	----	----	34.80	NEW	.4510	----	19	----	19	+
4225	32.50	32.50	----	41.80B/22.80A	41.80B/22.80A	41.80B/22.80A	----	----	30.50	+ 0.90	.4096	----	10	----	31	+
4225	----	----	----	62.60B/41.90A	62.60B/41.90A	62.60B/41.90A	----	----	51.80	+ 2.10	.4471	----	167	----	198	+
4225	----	----	----	94.70B/66.80A	94.70B/66.80A	94.70B/66.80A	----	----	74.50	- 13.40	.5525	----				

BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
GWW WED																						
GOLD WEEKLY WEDNESDAY OPTION WEEK1																						
OCT26																						
4525	----	----	----	0.70A	0.80B/0.70A	----	----	0.80 - 0.10	.0100	----	----	----	----	53	UNCH							
4525	----	----	346.40B/318.70A	346.40B/318.70A	----	----	----	329.10 - 16.00	.9303	----	----	----	----	1	UNCH							
4525	----	----	3.90B/2.70A	3.90B/2.70A	----	----	----	3.30 - 0.40	.0391	----	----	----	----	116	UNCH							
4550	----	----	----/2.30A	3.10B/2.30A	----	----	----	2.80 - 0.30	.0327	----	----	----	----	2	UNCH							
4550	----	----	----/0.60A	0.60B/0.60A	----	----	----	0.70 - 0.10	.0083	----	----	----	----	24	UNCH							
4575	----	----	----/1.90A	2.60B/1.90A	----	----	----	2.30 - 0.30	.0267	----	----	----	----	7	UNCH							
4575	----	----	----/0.50A	0.50B/0.50A	----	----	----	0.60 - 0.10	.0068	----	----	----	----	47	UNCH							
4575	----	----	5.50B/4.40A	5.50B/4.40A	----	----	----	5.00 - 0.20	.0503	----	----	----	----	2	UNCH							
4600	----	----	----/0.50A	0.40B/0.50A	----	----	----	0.50 - 0.10	.0055	----	----	----	----	254	UNCH							
4600	----	----	----/1.70A	2.10B/1.70A	----	----	----	2.00 - 0.20	.0228	----	----	----	----	17	UNCH							
4600	----	----	4.50B/3.70A	4.50B/3.70A	----	----	----	4.30 - 0.10	.0432	----	----	----	----	3	UNCH							
4625	----	----	----	0.40B/0.50A	----	----	----	0.40 - 0.10	.0042	----	----	----	----	254	UNCH							
4625	----	----	----/1.40A	1.80B/1.40A	----	----	----	1.70 - 0.20	.0192	----	----	----	----	6	UNCH							
4625	----	----	3.80B/3.30A	3.80B/3.30A	----	----	----	3.70 UNCH	.0371	----	----	----	----	1	UNCH							
4650	----	----	----/444.60A	444.20B/444.60A	----	----	----	448.80 - 15.70	.9833	----	----	----	----	1	UNCH							
4650	----	----	----	0.30B/0.50A	----	----	----	0.40 - 0.10	.0040	----	----	----	----	3	UNCH							
4650	----	----	----/1.30A	1.50B/1.30A	----	----	----	1.50 - 0.10	.0166	----	----	----	----	51	UNCH							
4650	----	----	3.30B/2.80A	3.30B/2.80A	----	----	----	3.20 UNCH	.0320	----	----	----	----	5	UNCH							
4675	----	----	----/1.10A	1.20B/1.10A	----	----	----	1.30 - 0.10	.0142	----	----	----	----	6	UNCH							
4675	----	----	----	0.30B/0.40A	----	----	----	0.30 - 0.10	.0029	----	----	----	----	21	UNCH							
4675	----	----	----/2.50A	2.70B/2.50A	----	----	----	2.70 - 0.10	.0270	----	----	----	----	2	UNCH							
4700	----	----	----/1.00A	1.00B/1.00A	----	----	----	1.10 - 0.10	.0119	----	----	----	----	17	UNCH							
4700	----	----	----	0.20B/0.30A	----	----	----	0.30 UNCH	.0028	----	----	----	----	37	UNCH							
4725	----	----	----/0.90A	0.90B/0.90A	----	----	----	1.00 - 0.10	.0106	----	----	----	----	5	UNCH							
4725	----	----	----	----/0.50A	----	----	----	0.20 - 0.10	.0018	----	----	----	----	3	UNCH							
4750	----	----	----/0.80A	0.80B/0.80A	----	----	----	0.90 - 0.10	.0093	----	----	----	----	2	UNCH							
4750	----	----	----	----/0.40A	----	----	----	0.20 - 0.10	.0017	----	----	----	----	1	UNCH							
4775	----	----	----/0.80A	0.70B/0.80A	----	----	----	0.80 - 0.10	.0081	----	----	----	----	2	UNCH							
4825	----	----	----	0.60B/0.70A	----	----	----	0.60 - 0.10	.0060	----	----	----	----	4	UNCH							
4825	----	----	----	----/0.40A	----	----	----	0.10 - 0.10	.0005	----	----	----	----	1	UNCH							
4850	----	----	----	0.50B/0.70A	----	----	----	0.60 UNCH	.0058	----	----	----	----	1	UNCH							
4850	----	----	----	----/0.40A	----	----	----	0.10 UNCH	.0003	----	----	----	----	5	UNCH							
4900	----	----	----	0.40B/0.70A	----	----	----	0.50 UNCH	.0046	----	----	----	----	16	UNCH							
5100	----	----	----	----/0.50A	----	----	----	0.20 - 0.10	.0017	----	----	----	----	15	UNCH							
5100	----	----	----	----/0.30A	----	----	----	0.10 UNCH	----	----	----	----	----	8	UNCH							
TOTAL												970	5375 +	695								
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
GWT TUE																						
GOLD WEEKLY TUESDAY OPTION week2																						
OCT26																						
3500	----	----	----	0.40A	0.30B/0.40A	----	----	0.30 - 0.20	.0024	----	----	----	----	1	UNCH							
3700	----	----	----	----/2.60A	3.00B/2.60A	----	----	2.60 - 0.60	.0217	----	----	----	----	6	UNCH							
3750	----	----	----	----/0.30A	0.30B/0.30A	----	----	0.20 - 0.40	.0016	----	----	----	----	6	UNCH							
3750	----	----	----	----/1.20A	1.50B/1.20A	----	----	1.40 - 0.50	.0135	----	----	20	----	70 +	20							
3800	----	----	----	----/1.50A	2.10B/1.50A	----	----	1.90 - 0.70	.0191	----	----	----	----	3	UNCH							
3850	----	----	----	----/0.50A	0.70B/0.50A	----	----	0.60 - 0.50	.0059	----	----	1	----	7 +	1							
3875	----	----	----	----/0.60A	1.00B/0.60A	----	----	0.70 - 0.60	.0073	----	----	----	----	2	UNCH							
3875	----	----	----	----/6.60A	8.60B/6.60A	----	----	7.10 - 1.90	.0630	----	----	----	----	10	UNCH							
3900	----	----	----	----/0.70A	1.20B/0.70A	----	----	0.90 - 0.70	.0099	----	----	----	----	2	UNCH							
3900	----	----	----	----/2.90A	4.60B/2.90A	----	----	3.50 - 1.50	.0387	----	----	----	----	2	UNCH							
3915	0.80	0.80	0.80/0.70A	1.40B/0.70A	----	----	----	1.00 NEW	.0114	----	----	3	----	3 +	3							
3925	----	----	----/3.40A	5.80B/3.40A	----	----	----	4.20 - 1.80	.0473	----	----	----	----	1	UNCH							
3950	----	----	----/1.00A	2.10B/1.00A	----	----	----	1.30 - 1.10	.0162	----	----	----	----	21	UNCH							
3950	----	----	----/4.20A	7.20B/4.20A	----	----	----	5.10 - 2.20	.0582	----	----	----	----	5	UNCH							
3950	----	----	273.20B/228.60A	273.20B/228.60A	----	----	----	257.10 + 13.30	.9415	----	----	----	----	1	UNCH							
3960	----	----	----/1.00A	2.30B/1.00A	----	----	----	1.40 - 1.20	.0179	----	----	----	----	13	UNCH							
3975	15.60	15.60	17.90B/12.80A	17.90B/12.80A	----	----	----	14.00 NEW	.1234	----	----	2	----	2 +	2							
3975	----	----	----/1.20A	2.80B/1.20A	----	----	----	1.60 - 1.50	.0212	----	----	----	----	24	UNCH							
3975	----	----	9.20B/5.20A	9.20B/5.20A	----	----	----	6.30 - 2.80	.0726	----	----	----	----	3	UNCH							
3980	----	----	----/1.20A	2.90B/1.20A	----	----	----	1.70 - 1.50	.0228	----	----	----	----	2	UNCH							
4000	----	----	217.50B/179.80A	217.50B/179.80A	----	----	----	204.20 + 13.60	.9715	----	----	----	----	1	UNCH							
4000	----	----	----/1.50A	3.70B/1.50A	----	----	----	2.00 - 2.00	.0283	----	----	1	----	54 +	1							
4000	----	----	11.50B/6.60A	11.50B/6.60A	----	----	----	7.90 - 3.40	.0913	----	----	----	----	4	UNCH							
4025	----	----	----/2.00A	5.20B/2.00A	----	----	----	2.70 - 2.70	.0402	----	----	----	----	30	UNCH							
4025	----	----	14.80B/8.40A	14.80B/8.40A	----	----	----	2.90 - 4.30	.1144	----	----	----	----	75	UNCH							
4045	3.30	3.30	3.30/2.60A	6.80B/2.60A	----	----	----	3.50 NEW	.0540	----	----	3	----	3 +	3							
4050	27.40	27.40	32.00B/22.60A	32.00B/22.60A	----	----	----	24.60 NEW	.2061	----	----	3	----	3 +	3							
4050	3.50	3.50	3.50/2.80A	7.30B/2.80A	----	----	----	3.70 - 3.60	.0577	----	----	----	----	19 +	3							
4050	12.30	12.30	18.90B/10.80A	18.90B/10.80A	----	----	----	12.70 - 5.30	.1449	----	----	24	----	70 +	3							
4050	----	----	182.40B/140.70A	182.40B/140.70A	----	----	----	164.80 + 10.30	.8547	----	----	----	----	2	UNCH							
4050	----	----	174.60B/128.80A	174.60B/128.80A	----	----	----	155.90 + 12.00	.9421	----	----	----	----	2	UNCH							
4055	3.30	3.30	7.90B/3.00A	7.90B/3.00A	----	----	----	4.00 NEW	.0627	----	----	5	----	5 +	5							
4060	3.40	3.40	8.40B/3.30A	8.40B/3.30A	----	----	----	4.30 NEW	.0679	----	----	1	----	1 +	1							
4065	----	----	9.10B/3.50A	9.10B/3.50A	----	----	----	4.60 NEW	.0732	----	----	----	----	1 +	1							
4075	5.10	5.10	10.50B/4.10A	10.50B/4.10A	----	----	----	5.30 - 4.70	.0853	----	----	5	----	22 +	2							
4075	----	----	38.70B/27.30A	38.70B/27.30A	----	----	----	29.80 - 6.60	.2429	----	----	----	----	2	UNCH							
4075	----	----	24.10B/14.10A	24.10B/14.10A	----	----	----	16.20 - 6.50	.1819	----	----	----	----	65	UNCH							
4080	4.70	4.70	11.30B/4.40A	11.30B/4.40A	----	----	----	5.70 NEW	.0922	----	----	16	----	16 +	16							
4085	----	----	12.10B/4.80A	12.10B/4.80A	----	----	----	6.20 NEW	.1004	----	----	2	----	2 +	2							
4090	7.70	7.70	13.00B/5.10A	13.00B/5.10A	----	----	----	6.70 NEW	.1087	----	----	7	----	7 +	7							
4100	----	----	46.50B/33.00A	46.50B/33.00A	----	----	----	36.10 - 7.70	.2845	----	----	----	----	4	UNCH							
4100	----	----	15.10B/6.00A	15.10B/6.00A	----	----	----	7.80 - 6.20	.1271	----	----	3	----	171 +	2							
4100	----	----	30.80B/18.40A	30.80B/18.40A	----	----	----	20.90 - 7.80	.2280	----	----	----	----	17	UNCH							
4100	----	----	139.50B/102.70A	139.50B/102.70A	----	----	----	123.10 + 7.80	.7717	----	----	----	----	1	UNCH							
4120	14.20	14.20	20.10B/8.50A	20.10B/8.50A	----	----	----	10.60 NEW	.1727	----	----	14	----	5 +	5							
4125	----	----	39.00B/23.70A	39.00B/23.70A	----	----	----	26.90 - 9.20	.2825	----	----	----	150	164 +	150							
4125	----	----	21.60B/9.20A	21.60B/9.20A	----	----	----	11.50 - 8.00	.1865	----	----	5	----	96	UNCH							
4135	----	----	24.80B/10.90A	24.80B/10.90A	----	----	----	13.50 NEW	.2166	----	----	----	----	3 +	3							
4145	----	----	28.40B/12.90A	28.40B/12.90A	----	----	----	15.70 NEW	.2494	----	----	11	----	11 +	11							
4150	----	----	85.70B/52.20A	85.70B/52.20A	----	----	----	69.30 + 5.60	.7322	----	----	----	----	4	UNCH							
4150	----	----	66.20B/47.50A	66.20B/47.50A	----	----	----	52.20 - 9.90	.3797	----	----	----	----	19	UNCH							
4150	22.80	22.80	30.50B/14.00A	30.50B/14.00A	----	----	----	17.00 - 10.00	.2676	----	----	14	----	29 +	1							
4150	36.00	36.00	49.00B/30.40A	49.00B/30.40A	----	----	----	34.50 - 10.50	.3451	----	----	7	----	43	UNCH							
4150	----	----	101.60B/70.80A	101.60B/70.80A	----	----	----	86.70 + 5.00	.6546	----	----	----	----	2	UNCH							
4175	----	----	67.20B/38.60A	67.20B/38.60A	----	----	----	52.10 + 3.60	.6306	----	----	----	----	82	UNCH							
4175	48.30	48.30	60.60B/38.70A	60.60B/38.70A	----	----	----	43.80 - 11.90	.4139	----	----	56	----	74 +	56							
4175	24.90	24.90	41.80B/20.60A	41.80B/20.60A	----	----	----	24.80 - 12.00	.3692	----	----	10	----	212 +	1							
4180	27.80	27.80	44.50B/22.20A	44.50B/22.20A	----	----	----	26.70 NEW	.3916	----	----	1	----	1 +	1							
4185	----	----	60.50B/33.90A	60.50B/33.9																		

PG64		BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026				PG64																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
GWT TUE		GOLD WEEKLY TUESDAY OPTION week1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
OCT26																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				</

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GOLD WEEKLY THURSDAY OPTION week2															
3950	2.30	2.30		2.30/1.90A	3.70B/1.90A	----			2.40 - 1.60	.0302	----	----	3	----	27 +
3950	----	----		17.70B/13.00A	17.70B/13.00A	----			14.00 - 3.20	.1162	----	----	----	----	2 -
3965	----	----		----/0.10A	----/0.10A	----			0.00 - 0.20	----	----	----	----	----	0 -
3970	----	----		----/0.10A	----/0.10A	----			0.00 - 0.20	----	----	----	----	----	0 -
3975	----	----		13.20B/8.60A	13.20B/8.60A	----			9.80 - 3.20	.0979	----	----	7	----	9 -
3975	----	----		21.20B/15.40A	21.20B/15.40A	----			16.60 - 3.80	.1364	----	----	----	----	17 -
3975	3.80	3.80		3.80/2.40A	4.80B/2.40A	----			3.10 - 2.00	.0401	----	----	1	5 +	1
3975	----	----		----/0.10A	----/0.10A	----			0.00 - 0.20	----	----	----	2	0 -	26
3980	----	----		----/0.10A	----/0.10A	----			0.00 - 0.20	----	----	----	----	----	0 -
3985	----	----		----/0.10A	0.10B/0.10A	----			0.00 - 0.30	----	----	----	----	----	0 -
3990	0.20	0.20		0.20/0.10A	0.20/0.10A	----			0.00 - 0.30	----	----	----	10	0 -	1
4000	0.30	0.30		0.30/0.10A	0.30/0.10A	----			0.00 - 0.30	----	----	----	1	0 -	58
4000	----	----		16.20B/10.60A	16.20B/10.60A	----			12.10 - 3.80	.1199	----	----	52	118 +	48
4000	18.60	18.60		25.30B/18.30A	25.30B/18.30A	----			19.80 - 4.50	.1604	----	----	----	8	UNCH
4000	4.50	4.50		4.50/3.10A	6.40B/3.10A	----			3.90 - 2.70	.0522	----	----	11	71 +	2
4010	----	----		----/0.10A	0.30B/0.10A	----			0.00 - 0.40	----	----	----	----	----	0 -
4015	----	----		----/0.10A	0.30B/0.10A	----			0.00 - 0.40	----	----	----	----	----	0 -
4020	0.10	0.10		0.10/0.10	0.40B/0.10	----			0.00 - 0.50	----	----	----	1	0 -	1
4025	----	----		30.40B/21.90A	30.40B/21.90A	----			23.60 - 5.20	.1879	----	----	----	----	14 -
4025	18.60	18.60		20.30B/13.20A	20.30B/13.20A	----			14.90 - 4.60	.1461	----	----	70	71 +	68
4025	----	----		----/4.00A	8.60B/4.00A	----			5.20 - 3.40	.0707	----	----	1	21 +	1
4025	0.10	0.10		0.10/0.10	0.40B/0.10	----			0.00 - 0.50	----	----	----	2	0 -	46
4030	----	----		----/0.10A	0.50B/0.10A	----			0.00 - 0.60	----	----	----	----	----	0 -
4035	----	----		----/0.10A	0.50B/0.10A	----			0.00 - 0.60	----	----	----	----	----	0 -
4040	----	----		----/0.10A	0.60B/0.10A	----			0.00 - 0.70	----	----	----	----	----	0 -
4045	0.70	0.70		0.70/0.10	0.70/0.10	----			0.00 - 0.70	----	----	----	3	0 -	1
4050	0.60	0.60		0.70/0.10A	0.70/0.10A	----			0.00 - 0.80	----	----	----	4	0 -	72
4050	20.60	20.60		25.30B/16.50A	25.30B/16.50A	----			18.40 - 5.60	.1776	----	476	432 +	409	409
4050	27.70	27.70		36.20B/26.10A	36.20B/26.10A	----			28.30 - 6.00	.2199	----	5	15 -	2	2
4050	6.60	6.60		11.70B/5.50A	11.70B/5.50A	----			6.90 - 4.40	.0953	----	137	163 +	96	96
4055	----	----		----/0.10A	0.80B/0.10A	----			0.00 - 0.80	----	----	----	1	0 -	3
4060	----	----		----/0.10A	0.90B/0.10A	----			0.00 - 0.90	----	----	----	2	0 -	10
4065	----	----		----/0.10A	1.00B/0.10A	----			0.00 - 1.00	----	----	----	----	----	0 -
4070	----	----		----/0.10A	1.10B/0.10A	----			0.00 - 1.10	----	----	----	----	----	0 -
4075	0.40	0.40		1.20B/0.10A	1.20B/0.10A	----			0.00 - 1.10	----	----	----	7	0 -	29
4075	----	----		31.40B/20.60A	31.40B/20.60A	----			22.90 - 6.60	.2156	----	----	----	16	UNCH
4075	10.70	10.70		15.80B/7.60A	15.80B/7.60A	----			9.40 - 5.60	.1297	----	4	94	UNCH	UNCH
4075	----	----		43.30B/31.10A	43.30B/31.10A	----			33.80 - 6.90	.2557	----	----	6	UNCH	UNCH
4080	----	----		1.30B/0.10A	1.30B/0.10A	----			0.00 - 1.20	----	----	----	5	0 -	5
4085	1.20	1.20		1.50B/0.10	1.50B/0.10	----			0.00 - 1.40	----	----	----	----	0 -	2
4090	1.30	1.30		1.60B/0.10A	1.60B/0.10A	----			0.00 - 1.50	----	----	----	12	0 -	305
4095	----	----		1.80B/0.10A	1.80B/0.10A	----			0.00 - 1.60	----	----	----	3	0 -	143
4100	12.00	12.00		21.40B/10.60A	21.40B/10.60A	----			12.90 - 7.00	.1758	----	7	49 +	7	7
4100	1.60	1.60		2.00/0.10A	2.00/0.10A	----			0.00 - 1.80	----	----	40	0 -	82	82
4100	----	----		145.80B/110.40A	145.80B/110.40A	----			130.60 + 7.90	.7401	----	----	50	UNCH	UNCH
4100	----	----		38.70B/25.50A	38.70B/25.50A	----			28.40 - 7.70	.2594	----	----	73	UNCH	UNCH
4100	----	----		51.30B/37.20A	51.30B/37.20A	----			40.30 - 8.00	.2955	----	----	14	UNCH	UNCH
4105	82.50	82.50		116.60B/68.60A	116.60B/68.60A	----			97.30 - NEW	----	2	4	0 -	7	7
4105	----	----		2.20B/0.10A	2.20B/0.10A	----			0.00 - 2.00	----	----	4	0 -	1	1
4110	0.90	0.90		2.50B/0.10A	2.50B/0.10A	----			0.00 - 2.30	----	7	24	0 -	132	132
4110	----	----		111.70B/64.00A	111.70B/64.00A	----			92.30 - NEW	----	7	7	0 -	UNCH	UNCH
4115	----	----		106.70B/59.40A	106.70B/59.40A	----			87.30 - NEW	----	7	7	0 -	UNCH	UNCH
4115	1.90	1.90		2.90B/0.10A	2.90B/0.10A	----			0.00 - 2.60	----	----	10	0 -	6	6
4120	2.10	2.10		3.40B/0.10A	3.40B/0.10A	----			0.00 - 2.90	----	----	17	0 -	83	83
4120	----	----		101.80B/54.80A	101.80B/54.80A	----			82.30 + 12.70	----	----	----	0 -	UNCH	UNCH
4125	4.00	4.00		4.00/0.10	4.00/0.10	----			0.00 - 3.30	----	----	21	0 -	67	67
4125	15.90	15.90		28.90B/15.00A	28.90B/15.00A	----			17.80 - 8.50	.2355	----	27	141 +	8	8
4125	63.00	63.00		96.90B/50.70A	96.90B/50.70A	----			77.30 - NEW	----	----	2	0 -	UNCH	UNCH
4125	----	----		60.80B/44.30A	60.80B/44.30A	----			48.00 - 9.10	.3391	----	----	10	UNCH	UNCH
4125	33.50	33.50		47.40B/31.60A	47.40B/31.60A	----			35.20 - 8.90	.3095	----	7	41	UNCH	UNCH
4130	----	----		91.90B/46.00A	91.90B/46.00A	----			72.30 + 11.80	----	----	----	0 -	UNCH	UNCH
4130	3.70	3.70		4.50/0.10	4.50/0.10	----			0.00 - 3.80	----	----	101	0 -	73	73
4135	5.00	5.00		5.30B/0.10A	5.30B/0.10A	----			0.00 - 4.40	----	----	18	0 -	15	15
4135	----	----		87.00B/42.00A	87.00B/42.00A	----			67.30 + 11.20	----	5	----	0 -	5	5
4140	2.80	2.80		6.30B/0.10A	6.30B/0.10A	----			0.00 - 5.00	----	----	14	0 -	42	42
4140	----	----		82.20B/38.10A	82.20B/38.10A	----			62.30 + 10.60	----	1	----	0 -	1	1
4145	----	----		77.30B/34.00A	77.30B/34.00A	----			57.30 + 9.80	----	2	----	0 -	2	2
4145	7.50	7.50		7.50/0.10	7.50/0.10	----			0.00 - 5.80	----	----	26	0 -	21	21
4150	91.70	91.70		92.10B/59.80A	92.10B/59.80A	----			76.60 + 5.40	.6913	----	2	2 +	1	1
4150	51.00	51.00		72.60B/30.40A	72.60B/30.40A	----			52.30 + 8.90	----	3	4	0 -	4	4
4150	5.10	5.10		8.60B/0.10	8.60B/0.10	----			0.00 - 6.80	----	----	35	0 -	112	112
4150	----	----		109.30B/79.60A	109.30B/79.60A	----			95.70 + 5.50	.6347	----	----	29	UNCH	UNCH
4150															

BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
GWR THU		GOLD WEEKLY THURSDAY OPTION week1																				
OCT26																						
4260	----	----	----	89.40B/42.50A		89.40B/42.50A		----		57.70 NEW		----	1	----	1	----	----	0	UNCH			
4260	2.00	2.00	----	3.00B/0.10A		3.00B/0.10A		----		0.00 - 1.70		----	----	----	10	----	----	0 -	52			
4265	1.20	1.20	----	2.30B/0.10A		2.30B/0.10A		----		0.00 - 1.40		----	----	----	28	----	----	0 -	2			
4270	1.60	1.60	----	1.90B/0.10A		1.90B/0.10A		----		0.00 - 1.20		----	----	----	20	----	----	0 -	41			
4275	76.50	76.50	----	103.90B/55.70A		103.90B/55.70A		----		72.70 - 16.60		----	97	----	2	----	----	0 -	98			
4275	1.00	1.00	----	1.50/0.10A		1.50/0.10A		----		0.00 - 1.00		----	----	----	47	----	----	0 -	26			
4275	17.80	17.80	----	25.70B/13.80A		25.70B/13.80A		----		18.20 - 0.60		.2523	----	----	3	----	16	UNCH	UNCH			
4275	----	----	----	132.10B/98.50A		132.10B/98.50A		----		108.50 - 15.00		.6684	----	----	----	58	UNCH	UNCH	UNCH			
4275	----	----	----	117.30B/79.90A		117.30B/79.90A		----		90.80 - 16.20		.7474	----	----	----	22	UNCH	UNCH	UNCH			
4275	34.40	34.40	----	44.50B/29.50A		44.50B/29.50A		----		35.90 + 0.60		.3312	----	----	9	----	22 +	4	4			
4280	1.00	1.00	----	1.30B/0.10		1.30B/0.10		----		0.00 - 0.80		----	----	----	7	----	0 -	38	38			
4285	1.00	1.00	----	1.00/0.10A		1.00/0.10A		----		0.00 - 0.70		----	----	----	3	----	0 -	59	59			
4290	----	----	----	119.00B/69.70A		119.00B/69.70A		----		87.70 - 16.20		----	2	----	1	----	0 -	2	2			
4290	0.30	0.30	----	0.70B/0.10A		0.70B/0.10A		----		0.00 - 0.60		----	----	----	2	----	0 -	16	16			
4295	0.30	0.30	----	0.60B/0.10		0.60B/0.10		----		0.00 - 0.50		----	----	----	3	----	0 -	43	43			
4300	84.80	84.80	----	129.10B/79.50A		129.10B/79.50A		----		97.70 - 16.00		----	109	----	3	----	0 -	111	111			
4300	0.30	0.30	----	0.60B/0.10		0.60B/0.10		----		0.00 - 0.40		----	----	----	6	----	0 -	118	118			
4300	11.80	11.80	----	18.70B/9.80A		18.70B/9.80A		----		12.90 - 1.00		.1870	----	----	11	----	81 +	5	5			
4300	----	----	----	157.70B/132.30A		157.70B/132.30A		----		138.90 - 14.70		.6800	----	----	----	2	UNCH	UNCH	UNCH			
4300	28.50	28.50	----	36.00B/23.60A		36.00B/23.60A		----		28.70 + 0.10		.2780	----	----	15	----	71 +	8	8			
4300	40.70	40.70	----	49.20B/35.20A		49.20B/35.20A		----		41.40 + 0.90		.3194	----	----	2	----	4 +	2	2			
4300	----	----	----	151.30B/115.10A		151.30B/115.10A		----		126.30 - 15.50		.7216	----	----	----	100	UNCH	UNCH	UNCH			
4300	----	----	----	138.50B/97.90A		138.50B/97.90A		----		110.50 - 16.60		.8127	----	----	----	72	UNCH	UNCH	UNCH			
4305	----	----	----	0.40B/0.10A		0.40B/0.10A		----		0.00 - 0.30		----	----	----	----	0 -	13	13	13			
4310	----	----	----	139.00B/89.30A		139.00B/89.30A		----		107.70 - 15.90		----	1	----	----	0 -	1	1	1			
4310	0.40	0.40	----	0.40/0.10		0.40/0.10		----		0.00 - 0.30		----	----	----	3	----	0 -	7	7			
4315	----	----	----	0.30B/0.10A		0.30B/0.10A		----		0.00 - 0.20		----	----	----	----	0 -	8	8	8			
4320	0.40	0.40	----	0.40/0.10		0.40/0.10		----		0.00 - 0.20		----	----	----	7	----	0 -	8	8			
4325	31.80	31.80	----	41.30B/29.30A		41.30B/29.30A		----		34.40 NEW		.2769	----	----	1	----	1 +	1	1			
4325	123.10	123.10	----	153.90B/104.10A		153.90B/104.10A		----		122.70 - 15.80		----	16	----	2	----	0 -	17	17			
4325	0.10	0.10	----	0.10/0.10		0.20B/0.10		----		0.00 - 0.20		----	----	----	1	----	0 -	46	46			
4325	----	----	----	171.60B/133.00A		171.60B/133.00A		----		145.40 - 15.80		.7686	----	----	----	17	UNCH	UNCH	UNCH			
4325	----	----	----	28.90B/18.90A		28.90B/18.90A		----		22.90 - 0.20		.2309	----	----	9	----	19 -	4	4			
4325	9.60	9.60	----	13.40B/7.00A		13.40B/7.00A		----		9.10 - 1.10		.1358	----	----	15	----	115 +	9	9			
4325	----	----	----	160.60B/117.70A		160.60B/117.70A		----		131.70 - 16.70		.8639	----	----	----	126	UNCH	UNCH	UNCH			
4330	----	----	----	----/0.10A		0.20B/0.10A		----		0.00 - 0.20		----	----	----	----	0 -	15	15	15			
4335	----	----	----	----/0.10A		----/0.10A		----		0.00 - 0.10		----	----	----	----	0 -	6	6	6			
4335	----	----	----	164.00B/114.00A		164.00B/114.00A		----		132.70 - 15.70		----	2	----	2	----	0 -	2	2			
4340	----	----	----	----/0.10A		----/0.10A		----		0.00 - 0.10		----	----	----	----	0 -	4	4	4			
4340	----	----	----	169.00B/119.00A		169.00B/119.00A		----		137.70 - 15.70		----	10	----	----	0 -	10	10	10			
4345	----	----	----	----/0.10A		----/0.10A		----		0.00 - 0.10		----	----	----	----	0 -	3	3	3			
4350	0.20	0.20	----	0.20/0.20		0.20/0.10A		----		0.00 - 0.10		----	----	----	5	----	0 -	94	94			
4350	5.00	5.00	----	9.60B/5.00		9.60B/5.00		----		6.50 - 1.10		.0981	----	----	161	----	214 +	127	127			
4350	----	----	----	178.90B/129.00A		178.90B/129.00A		----		147.70 - 15.70		----	52	----	----	0 -	52	52	52			
4350	----	----	----	23.10B/15.00A		23.10B/15.00A		----		18.10 - 0.50		.1895	----	----	1	----	13 +	1	1			
4350	----	----	----	196.70B/167.50A		196.70B/167.50A		----		176.00 - 15.40		.7608	----	----	----	1	UNCH	UNCH	UNCH			
4350	----	----	----	34.40B/24.40A		34.40B/24.40A		----		28.60 + 0.10		.2386	----	----	----	1	UNCH	UNCH	UNCH			
4350	----	----	----	192.80B/152.20A		192.80B/152.20A		----		165.60 - 16.10		.8101	----	----	----	1	UNCH	UNCH	UNCH			
4350	----	----	----	183.70B/138.90A		183.70B/138.90A		----		154.10 - 16.60		.9016	----	----	----	13	UNCH	UNCH	UNCH			
4360	----	----	----	188.70B/139.00A		188.70B/139.00A		----		157.70 - 15.70		----	1	----	----	0 -	1	1	1			
4360	----	----	----	----/0.10A		----/0.10A		----		0.00 - 0.10		----	----	----	----	0 -	3	3	3			
4370	----	----	----	----/0.10A		----/0.10A		----		0.00 - 0.10		----	----	----	----	0 -	16	16	16			
4375	3.60	3.60	----	6.90B/3.60		6.90B/3.60		----		4.70 - 0.90		.0709	----	----	28	----	270 +	25	25			
4375	----	----	----	203.90B/154.00A		203.90B/154.00A		----		172.70 - 15.70		----	67	----	----	0 -	67	67	67			
4375	----	----	----	207.30B/161.20A		207.30B/161.20A		----		177.30 - 16.50		.9289	----	----	----	5	UNCH	UNCH	UNCH			
4375	----	----	----	18.40B/11.80A		18.40B/11.80A		----		14.40 - 0.60		.1549	----	----	----	7	UNCH	UNCH	UNCH			
4375	----	----	----	215.10B/172.50A		215.10B/172.50A		----		186.90 - 16.10		.8447	----	----	----	16	UNCH	UNCH	UNCH			
4375	----	----	----	217.40B/187.10A		217.40B/187.10A		----		196.00 - 15.70		.7956	----	----	----	1	UNCH	UNCH	UNCH			
4380	----	----	----	----/0.10A		----/0.10A		----		0.00 - 0.10		----	----	----	----	0 -	1	1	1			
4385	----	----	----	----/0.10A		----/0.10A		----		0.00 - 0.10		----	----	----	----	0 -	26	26	26			
4390	----	----	----	----/0.10A		----/0.10A		----		0.00 - 0.10		----	----	----	----	0 -	1	1	1			
4395	----	----	----	----/0.10A		----/0.10A		----		0.00 - 0.10		----	----	----	----	0 -	1	1	1			
4400	2.60	2.60	----	5.00B/2.60		5.00B/2.60		----		3.50 - 0.70		.0520	----	----	56	----	110 +	54	54			
4400	0.10	0.10	----	0.10/0.10		0.10/0.10		----		0.00 - 0.10		----	----	----	20	----	119	119	119			
4400	----	----	----	228.90B/179.00A		228.90B/179.00A		----		197.70 - 15.70		----	82	----	1	----	0 -	82	82			
4400	----	----	----	225.20B/183.90A		225.20B/183.90A		----		201.10 - 16.30		.9478	----	----	----	76	UNCH	UNCH	UNCH			
4400	----	----	----	237.70B/193.70A		237.70B/193.70A		----		208.90 - 16.20		.8740	----	----	----	19	UNCH	UNCH	UNCH			
4400	13.10	13.10	----	14.40B/9.40A		14.40B/9.40A		----		11.40 - 0.70		.1256	----	----	3	----	77 +	2	2			
4400	----	----	----	23.60B/16.80A		23.60B/16.80A		----		19.50 - 0.30		.1734	----	----	----	2	UNCH	UNCH	UNCH			
4405	----	----	----	----/0.10A		----/0.10A		----		0.00 - 0.10		----	----	----	----	0 -	2	2	2			
4410	----	----	----	----/0.10A		----/0.10A		----		0.00 - 0.10		----	----	----	----	0 -	2	2	2			
4420	----	----	----	----/0.10A		----/0.10A		----		0.00 - 0.10		----	----	----	----	0 -	1	1	1			
4425	----	----	----	253.90B/203.90A		253.90B/203.90A		----		222.70 - 15.70		----	5	----	----	0 -	5	5	5			
4425	----	----	----	----/0.10A		----/0.10A		----		0.00 - 0.10		----	----	----	----	0 -	64	64	64			
4425	----	----	----	11.40B/7.50A		11.40B/7.50A		----		9.10 - 0.60		.1019	----	----	1	----	12 -	1	1			
4425	----	----	----	19.40B/14.10A		19.40B/14.10A		----		16.10 - 0.50		.1469	----	----	----	2	UNCH	UNCH	UNCH			
4425	----	----	----	260.50B/215.40A		260.50B/215.40A		----		231.50 - 16.20		.8977	----	----	----	9	UNCH	UNCH	UNCH			
4425	2.30	2.30	----	3.70B/2.00A		3.70B/2.00A		----		2.70 - 0.50		.0391	----	----	1	----	36	UNCH	UNCH			
4435	----	----	----	----/0.10A		----/0.10A		----		0.00 - 0.10		----	----	----	----	0 -	5	5	5			
4440	----	----	----	278.90B/228.90A		278.90B/228.90A		----		247.70 - 15.70		----	5	----	----	0 -	5	5	5			
4440	----	----	----	----/0.10A		----/0.10A		----		0.00 - 0.10		----	----	----	----	0 -	158	158	158			
4440	----	----	----	284.50B/238.00A		284.50B/238.00A		----		254.70 - 16.20		.9170	----	----	----	6	UNCH	UNCH	UNCH			
4440	----	----	----	9.20B/6.00A		9.20B/6.00A		----		7.30 - 0.60		.0827	----	----	----	49	UNCH	UNCH				

BULLETIN #189@				METALS OPTION PRODUCTS								Thu, Oct 01, 2026			PG64				
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST			
GWR THU OCT26	GOLD WEEKLY THURSDAY OPTION week1																		
4725	----	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----		0 -	31		
4725	----	----	----	----	0.30B/0.40A	----	----		0.40 UNCH	.0038	----	----	----	----		47	UNCH		
4725	----	----	----	/1.10A	1.20B/1.10A	----	----		1.20 - 0.10	.0125	----	----	----	----		15	UNCH		
4725	----	----	----	/2.30A	2.40B/2.30A	----	----		2.30 - 0.20	.0223	----	----	----	----		12	UNCH		
4750	----	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----		0 -	16		
4750	----	----	----	----	----	/0.50A	----		0.30 - 0.10	.0028	----	----	----	----		10	UNCH		
4750	----	----	----	/2.00A	2.10B/2.00A	----	----		2.10 - 0.10	.0201	----	----	----	----		10	UNCH		
4750	----	----	----	/1.00A	1.00B/1.00A	----	----		1.10 - 0.10	.0112	----	----	----	----		7	UNCH		
4775	----	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----		0 -	5		
4775	----	----	----	/1.80A	1.90B/1.80A	----	----		1.90 UNCH	.0180	----	----	----	----		3	UNCH		
4775	----	----	----	/0.90A	0.90B/0.90A	----	----		1.00 - 0.10	.0100	----	----	----	----		14	UNCH		
4775	----	----	----	----	----	/0.50A	----		0.30 UNCH	.0027	----	----	----	----		2	UNCH		
4800	----	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----		0 -	18		
4800	----	----	----	----	0.80B/0.90A	----	----		0.90 UNCH	.0089	----	----	----	----		5	UNCH		
4800	----	----	----	----	1.70B/1.70A	----	----		1.70 UNCH	.0160	----	----	----	----		1	UNCH		
4800	----	----	----	----	----	/0.50A	----		0.20 - 0.10	.0018	----	----	----	----		8	UNCH		
4825	----	----	----	----	----	/0.10A	----		0.00 - 0.10	----	----	----	----	----		0 -	15		
4825	----	----	----	----	----	/0.50A	----		0.20 - 0.10	.0017	----	----	----	----		2	UNCH		
4825	----	----	----	----	1.50B/1.60A	----	----		1.60 + 0.10	.0148	----	----	----	----		1	UNCH		
4825	----	----	----	----	0.70B/0.80A	----	----		0.80 UNCH	.0078	----	----	----	----		2	UNCH		
4850	----	----	----	----	1.30B/1.40A	----	----		1.40 + 0.10	.0129	----	----	----	----		1	UNCH		
4850	----	----	----	----	----	/0.20A	----		0.00 - 0.10	----	----	----	----	----		0 -	1		
4850	----	----	----	----	0.70B/0.80A	----	----		0.70 - 0.10	.0067	----	----	----	----		4	UNCH		
4850	----	----	----	----	----	/0.40A	----		0.20 UNCH	.0016	----	----	----	----		3	UNCH		
4875	----	----	----	----	----	/0.40A	----		0.10 - 0.10	.0008	----	----	----	----		7	UNCH		
4900	----	----	----	----	1.10B/1.30A	----	----		1.20 + 0.10	.0108	----	----	----	----		2	UNCH		
4900	----	----	----	----	----	/0.20A	----		0.00 - 0.10	----	----	----	----	----		0 -	51		
4900	----	----	----	728.80B/678.90A	728.80B/678.90A	----	----		697.70 -15.70	----	----	----	----	----		0	UNCH		
4900	----	----	----	----	----	/0.40A	----		0.10 - 0.10	.0005	----	----	----	----		2	UNCH		
4900	----	----	----	----	0.60B/0.70A	----	----		0.60 - 0.10	.0056	----	----	----	----		11	UNCH		
4925	----	----	----	----	----	/0.20A	----		0.00 - 0.10	----	----	----	----	----		0 -	3		
4925	----	----	----	----	----	/0.40A	----		0.10 - 0.10	.0003	----	----	----	----		1	UNCH		
4950	----	----	----	----	----	/0.20A	----		0.00 - 0.10	----	----	----	----	----		0 -	7		
4950	----	----	----	----	----	/0.40A	----		0.10 - 0.10	.0002	----	----	----	----		200	UNCH		
4975	----	----	----	----	----	/0.20A	----		0.00 - 0.10	----	----	----	----	----		0 -	9		
4975	----	----	----	----	----	/0.40A	----		0.10 - 0.10	.0001	----	----	----	----		1	UNCH		
5000	----	----	----	----	----	/0.20A	----		0.00 - 0.10	----	----	----	----	----		0 -	3		
5000	----	----	----	----	----	/0.40A	----		0.10 UNCH	.0001	----	----	----	----		45	UNCH		
5000	----	0.20	0.20	0.20/0.20	0.70B/1.00A	0.90 + 0.20	0.077		6				6	----		27 +	6		
5000	----	0.20	0.20	0.20/0.20	0.40B/0.60A	0.50 UNCH	.0043							----		50	UNCH		
5025	----	----	----	----	----	/0.20A	----		0.00 - 0.10	----	----	----	----	----		0 -	2		
5050	----	----	----	----	----	/0.20A	----		0.00 - 0.10	----	----	----	----	----		0 -	3		
5100	----	----	----	----	----	/0.20A	----		0.00 - 0.10	----	----	----	----	----		0 -	6		
5100	----	----	----	----	----	/0.60A	----		0.40 UNCH	.0032	----	5	----	----		24	UNCH		
5100	----	----	----	----	----	/0.30A	----		0.10 UNCH	.0000	----	----	----	----		3	UNCH		
5125	----	----	----	----	----	/0.20A	----		0.00 - 0.10	----	----	----	----	----		0 -	1		
5200	----	----	----	----	----	/0.20A	----		0.00 - 0.10	----	----	----	----	----		0 -	47		
5200	----	----	----	----	----	/0.30A	----		0.10 UNCH	----	----	----	----	----		2	UNCH		
5200	----	----	----	----	----	/0.50A	----		0.20 UNCH	.0016	----	----	----	----		10	UNCH		
5250	----	----	----	----	----	/0.20A	----		0.00 - 0.10	----	----	----	----	----		0 -	22		
5250	----	----	----	----	----	/0.50A	----		0.20 UNCH	.0015	----	4	----	----		8	UNCH		
5250	----	----	----	----	----	/0.30A	----		0.10 UNCH	----	----	----	----	----		2	UNCH		
5300	----	----	----	----	----	/0.20A	----		0.00 - 0.10	----	----	----	----	----		0 -	8		
5300	----	----	----	----	----	/0.30A	----		0.10 UNCH	----	----	----	----	----		2	UNCH		
5400	----	----	----	----	----	/0.20A	----		0.00 - 0.10	----	----	----	----	----		0 -	3		
5400	----	----	----	----	----	/0.30A	----		0.10 UNCH	----	----	----	----	----		5	UNCH		
5500	----	----	----	----	----	/0.40A	----		0.10 UNCH	.0007	----	5	----	----		77	UNCH		
5500	----	----	----	----	----	/1.60A	----		0.10 UNCH	----	----	----	5	----		4	UNCH		
5750	----	----	----	----	----	/0.30A	----		0.10 UNCH	.0001	----	4	----	----		4	UNCH		
5750	----	----	----	----	----	/1.00A	----		0.10 UNCH	----	----	----	4	----		3	UNCH		
TOTAL													6368			6194 -	5433		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST			
GMW MON OCT26	GOLD WEEKLY MONDAY OPTION WEEK2																		
3000	----	----	----	----	----	/0.40A	----		0.10 UNCH	----	----	----	----	----		10	UNCH		
3600	----	----	----	----	----	/0.20A	----		0.10 UNCH	.0000	----	----	----	----		79	UNCH		
3700	----	----	----	----	2.60B/2.50A	----	----		2.30 - 0.60	.0196	----	----	1	----		3 +	1		
3700	----	----	----	----	----	/0.20A	----		0.10 - 0.20	.0005	----	----	----	----		3	UNCH		
3700	----	----	----	----	0.90B/0.80A	----	----		1.00 - 0.30	.0091	----	----	----	----		10	UNCH		
3750	----	----	----	----	1.20B/1.00A	----	----		1.30 - 0.40	.0125	----	----	----	----		7	UNCH		
3750	----	----	----	----	3.40B/2.90A	----	----		3.00 NEW	.0262	----	----	1	----		1 +	1		
3750	----	----	----	----	0.20B/0.20A	----	----		0.20 - 0.20	.0013	----	----	----	----		10	UNCH		
3800	----	----	----	----	1.70B/1.20A	----	----		1.60 - 0.60	.0164	----	----	----	----		31	UNCH		
3800	----	----	----	----	0.30B/0.20A	----													

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GMW MON OCT26 GOLD WEEKLY MONDAY OPTION WEEK1															
19.10	19.10			25.90B/10.10A	25.90B/10.10A	----	----	13.00 - 9.60	.2351	----	----	17	----	60 -	4
4150	62.80	62.80		73.70B/58.50A	73.70B/58.50A	----	----	62.30 NEW	.3922	----	----	11	----	11 +	11
4150	----	----		63.60B/44.90A	63.60B/44.90A	----	----	49.30 - 10.30	.3754	----	----	----	----	26	UNCH
4150	----	----		110.30B/86.10A	110.30B/86.10A	----	----	101.50 + 5.30	.6240	----	----	----	----	1	UNCH
4150	40.10	40.10		45.70B/27.50A	45.70B/27.50A	----	----	31.50 - 10.40	.3365	----	----	13	----	23 +	13
4150	----	----		82.20B/47.70A	82.20B/47.70A	----	----	65.30 + 6.10	.7647	----	----	----	----	1	UNCH
4160	21.20	21.20		30.30B/12.50A	30.30B/12.50A	----	----	15.60 NEW	.2775	----	----	5	----	4 +	4
4165	----	----		32.40B/13.70A	32.40B/13.70A	----	----	17.00 - 11.00	.3000	----	----	----	----	1	UNCH
4165	62.10	62.10		70.50B/39.10A	70.50B/39.10A	----	----	54.30 NEW	.6998	----	----	2	----	1 +	1
4170	----	----		34.80B/15.00A	34.80B/15.00A	----	----	18.50 NEW	.3236	----	----	1	50	51 +	51
4175	----	----		57.50B/35.60A	57.50B/35.60A	----	----	40.60 - 11.90	.4092	----	----	----	----	76	UNCH
4175	67.30	67.30		81.60B/54.20A	81.60B/54.20A	----	----	67.90 NEW	.5905	----	10	----	----	10 +	10
4175	----	----		63.20B/34.00A	63.20B/34.00A	----	----	47.50 + 3.70	.6512	----	----	----	----	23	UNCH
4175	30.20	30.20		37.30B/16.40A	37.30B/16.40A	----	----	20.20 - 12.00	.3486	----	12	----	----	91 -	4
4175	----	----		96.60B/72.90A	96.60B/72.90A	----	----	86.60 + 4.30	.5696	----	----	----	----	1	UNCH
4175	----	----		75.60B/54.10A	75.60B/54.10A	----	----	59.30 - 11.30	.4299	----	----	----	----	12	UNCH
4180	46.50	46.50		59.60B/31.60A	59.60B/31.60A	----	----	44.30 + 3.20	.6255	----	1	----	----	2 +	1
4180	23.30	23.30		40.00B/17.90A	40.00B/17.90A	----	----	22.00 - 12.40	.3743	----	21	----	----	17 +	7
4185	29.20	29.20		56.20B/29.20	56.20B/29.20	----	----	41.20 + 2.70	.5990	----	1	----	----	5	UNCH
4185	32.30	32.30		42.80B/19.50A	42.80B/19.50A	----	----	23.90 - 12.90	.4008	----	1	----	----	5 +	1
4190	----	----		53.00B/27.20A	53.00B/27.20A	----	----	38.30 + 2.30	.5718	----	10	----	----	9 -	1
4190	----	----		45.50B/21.20A	45.50B/21.20A	----	----	26.00 - 13.30	.4280	----	11	----	----	11 +	1
4195	34.60	34.60		49.70B/25.10A	49.70B/25.10A	----	----	35.50 + 1.90	.5441	----	39	----	----	39 +	38
4200	28.70	28.70		46.70B/23.30A	46.70B/23.30A	----	----	32.80 + 1.50	.5162	----	35	----	----	39 -	2
4200	71.00	71.00		84.60B/61.40A	84.60B/61.40A	----	----	73.10 + 3.20	.5133	----	2	----	----	9 +	1
4200	----	----		66.90B/42.80A	66.90B/42.80A	----	----	54.00 + 2.40	.5131	----	----	----	----	2	UNCH
4200	----	----		88.80B/64.60A	88.80B/64.60A	----	----	70.80 - 12.30	.4862	----	----	----	----	17	UNCH
4200	----	----		71.20B/45.60A	71.20B/45.60A	----	----	51.70 - 13.20	.4866	----	----	----	----	42	UNCH
4200	41.00	41.00		51.40B/25.00A	51.40B/25.00A	----	----	30.50 - 14.10	.4836	----	41	----	----	46 +	3
4205	37.80	37.80		54.50B/27.20A	54.50B/27.20A	----	----	33.00 NEW	.5117	----	1	----	----	1 +	1
4210	36.80	36.80		41.40B/19.60A	41.40B/19.60A	----	----	27.90 NEW	.4600	----	2	----	----	2 +	2
4215	19.60	19.60		38.50B/18.00A	38.50B/18.00A	----	----	25.60 + 0.40	.4320	----	11	----	----	7 +	6
4220	32.00	32.00		36.00B/16.40A	36.00B/16.40A	----	----	23.50 + 0.10	.4044	----	58	----	----	152 +	12
4220	----	----		64.80B/34.30A	64.80B/34.30A	----	----	41.20 NEW	.5954	----	10	----	----	10 +	10
4225	----	----		100.30B/76.40A	100.30B/76.40A	----	----	83.90 - 13.20	.5429	----	----	----	----	5	UNCH
4225	28.70	28.70		71.40B/51.30A	71.40B/51.30A	----	----	61.20 + 2.40	.4566	----	----	----	----	400	UNCH
4225	----	----		33.50B/15.00A	33.50B/15.00A	----	----	21.50 - 0.20	.3773	----	8	----	----	24 +	8
4225	----	----		53.50B/33.40A	53.50B/33.40A	----	----	42.30 + 1.40	.4348	----	----	----	----	0	UNCH
4225	76.40	76.40		86.50B/57.60A	86.50B/57.60A	----	----	65.00 - 14.20	.5649	----	----	----	----	19	UNCH
4225	----	----		82.10B/65.60A	82.10B/65.60A	----	----	74.50 NEW	.4665	----	9	----	----	9 +	9
4225	----	----		68.50B/37.00A	68.50B/37.00A	----	----	44.20 - 15.80	.6225	----	----	----	----	81	UNCH
4230	17.40	17.40		72.40B/39.80A	72.40B/39.80A	----	----	47.40 - 16.00	.6487	----	----	----	----	26	UNCH
4230	17.80	17.80		31.00B/13.70A	31.00B/13.70A	----	----	19.70 - 0.40	.3511	----	4	----	----	4 +	1
4235	16.40	16.40		28.70B/12.40A	28.70B/12.40A	----	----	18.00 - 0.60	.3257	----	50	----	----	54 +	50
4240	----	----		26.50B/11.20A	26.50B/11.20A	----	----	16.40 NEW	.3011	----	2	----	----	2 +	2
4250	----	----		103.80B/71.30A	103.80B/71.30A	----	----	80.20 - 15.10	.6401	----	----	----	----	64	UNCH
4250	----	----		42.10B/25.60A	42.10B/25.60A	----	----	32.60 + 0.50	.3595	----	----	----	----	10	UNCH
4250	----	----		22.50B/9.20A	22.50B/9.20A	----	----	13.60 - 1.00	.2553	----	5	----	----	102 +	5
4250	----	----		88.40B/52.00A	88.40B/52.00A	----	----	61.20 - 16.70	.7445	----	----	----	----	80	UNCH
4250	----	----		60.00B/42.60A	60.00B/42.60A	----	----	50.80 + 1.60	.4010	----	----	----	----	3	UNCH
4250	----	----		115.20B/89.60A	115.20B/89.60A	----	----	98.40 - 14.00	.5984	----	----	----	----	1	UNCH
4260	9.10	9.10		96.60B/58.70A	96.60B/58.70A	----	----	68.90 - 16.80	.7857	----	----	----	----	1	UNCH
4270	29.70	29.70		16.30B/6.20A	16.30B/6.20A	----	----	9.20 - 1.40	.1779	----	12	----	----	11 +	5
4275	----	----		32.50B/19.60A	32.50B/19.60A	----	----	24.80 NEW	.2906	----	2	----	----	2 +	2
4275	6.00	6.00		109.80B/69.40A	109.80B/69.40A	----	----	81.00 - 17.00	.8385	----	----	----	----	35	UNCH
4275	----	----		132.60B/108.60A	132.60B/108.60A	----	----	114.40 - 14.60	.6516	----	----	----	----	11	UNCH
4275	----	----		14.80B/5.70A	14.80B/5.70A	----	----	8.30 - 1.40	.1613	----	15	----	----	41 +	8
4275	10.50	10.50		50.40B/35.20A	50.40B/35.20A	----	----	41.80 + 0.90	.3478	----	----	----	----	5	UNCH
4275	----	----		122.60B/87.00A	122.60B/87.00A	----	----	97.40 - 15.70	.7091	----	----	----	----	1	UNCH
4280	10.50	10.50		13.80B/5.10A	13.80B/5.10A	----	----	7.60 - 1.30	.1473	----	2	----	----	12 +	1
4285	6.30	6.30		12.70B/4.60A	12.70B/4.60A	----	----	6.80 - 1.40	.1325	----	4	----	----	9 -	1
4290	----	----		11.50B/4.20A	11.50B/4.20A	----	----	6.20 - 1.40	.1204	----	----	----	----	1	UNCH
4295	----	----		10.70B/3.80A	10.70B/3.80A	----	----	5.60 - 1.40	.1086	----	66	----	----	67 +	66
4295	----	----		127.80B/84.90A	127.80B/84.90A	----	----	98.30 NEW	.8912	----	1	----	----	1 +	1
4300	5.90	5.90		25.20B/14.70A	25.20B/14.70A	----	----	18.70 - 0.50	.2303	----	4	----	----	25 +	4
4300	7.00	7.00		142.90B/104.20A	142.90B/104.20A	----	----	116.30 - 16.10	.7693	----	----	----	----	4	UNCH
4300	4.80	4.80		132.60B/89.00A	132.60B/89.00A	----	----	102.80 - 16.80	.9014	----	----	----	----	51	UNCH
4300	----	----		9.50B/3.50A	9.50B/3.50A	----	----	5.10 - 1.30	.0985	----	145	----	----	162 +	41
4305	----	----		8.90B/3.20A	8.90B/3.20A	----	----	4.70 NEW	.0899	----	14	----	----	14 +	14
4310	----	----		7.90B/2.90A	7.90B/2.90A	----	----	4.20 NEW	.0803	----	43	----	----	43 +	43
4315	29.30	29.30		7.40B/2.60A	7.40B/2.60A	----	----	3.90 - 1.10	.0736	----	----	----	----	3	UNCH
4320	12.80	12.80		151.60B/105.70A	151.60B/105.70A	----	----	121.20 NEW	.9340	----	1	----	----	1 +	1
4325	5.70	5.70		156.40B/110.10A	156.40B/110.10A	----	----	125.90 - 16.60	.9402	----	----	----	----	69	UNCH
4325	----	----		34.00B/23.50A	34.00B/23.50A	----	----	27.90 UNCH	.2536	----	3	----	----	3 +	3
4325	12.80	12.80		164.60B/123.20A	164.60B/123.20A	----	----	136.60 - 16.30	.8201	----	----	----	----	6	UNCH
4325	3.10	3.10		19.10B/11.00A	19.10B/11.00A	----	----	14.00 - 0.70	.1796	----	----	----	----	8 +	3
4325	----	----		6.10B/2.30A	6.10B/2.30A	----	----	3.20 - 1.00	.0596	----	51	----	----	81 +	17
4330	2.70	2.70		170.60B/142.30A	170.60B/142.30A	----	----	150.40 - 15.50	.7459	----	----	----	----	1	UNCH
4330	----	----		5.50B/2.10A	5.50B/2.10A	----	----	3.00 NEW	.0550	----	4	----	----	4 +	4
4340	1.50	1.50		161.20B/114.70A	161.20B/114.70A	----	----	130.60 NEW	.9448	----	2	----	----	2 +	2
4350	12.60	12.60		4.60B/1.80A	4.60B/1.80A	----	----	2.50 - 0.80	.0450	----	1	----	----	2 +	1
4350	0.90	0.90		27.70B/19.10A	27.70B/19.10A	----	----	22.60 - 0.30	.2133	----	----	----	----	12	UNCH
4350	----	----		14.40B/8.20A	14.40B/8.20A	----	----	10.50 - 0.80	.1387	----	----	----	----	12	UNCH
4350	----	----		191.10B/161.70A	191.10B/161.70A	----	----	170.10 - 15.80	.7862	----	----	----	----	12	UNCH
4350	4.00	4.00		186.90B/143.60A	186.90B/143.60A	----	----	158.10 - 16.30	.8610	----	----	----	----	52	UNCH
4350	----	----		4.00B/1.60A	4.00B/1.60A	----	----	2.20 - 0.60	.0383	----	72	----	----	386 +	4
4350	----	----		180.60B/132.90A	180.60B/132.90A	----	----	149.80 - 16.30	.9615	----	----	----	----	14	UNCH
4375	----	----		22.50B/15.40A	22.50B/15.40A	----	----	18.30 - 0.50	.1783	----	----	----	----	1	UNCH
4375	2.10	2.10		10.80B/6.20A	10.80B/6.20A	----	----	7.90 - 0.80	.1064	----	----	----	----	12	UNCH
4375	----	----		209.90B/165.10A	209.90B/165.10A										

PG64		BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
		GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST								
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK1																						
OCT26																								
4675	----	----	----	----	----	----	/0.30A	----	----	0.10	UNCH	.0000	----	----	----	----	10	UNCH						
4675	----	----	----	----	----	----	/0.70A	0.70B/0.70A	----	0.80	- 0.10	.0091	----	----	----	----	5	UNCH						
4700	----	----	----	----	----	----	/0.60A	0.60B/0.60A	----	0.70	- 0.10	.0078	----	----	----	----	5	UNCH						
4700	----	----	----	----	----	----	----	/0.30A	----	0.10	UNCH	.0000	----	----	----	----	57	UNCH						
4725	----	----	----	----	----	----	/0.60A	0.50B/0.60A	----	0.70	UNCH	.0075	----	----	----	----	6	UNCH						
4725	----	----	----	----	----	----	----	/0.30A	----	0.10	UNCH	.0000	----	----	----	----	2	UNCH						
4750	----	----	----	----	----	----	/2.60A	2.50B/2.60A	----	3.00	- 0.50	.0270	----	10	----	----	5	UNCH						
4750	----	----	----	----	----	----	572.40B/534.70A	572.40B/534.70A	----	547.70	- 15.60	1.0000	1	----	----	0	- 1							
4750	----	----	----	----	----	----	----	0.50B/0.60A	----	0.60	UNCH	.0063	----	----	----	----	7	UNCH						
4750	----	----	----	----	----	----	----	/0.30A	----	0.10	UNCH	.0000	----	----	----	----	17	UNCH						
4775	----	----	----	----	----	----	----	/0.30A	----	0.10	UNCH	----	----	----	----	----	52	UNCH						
4775	----	----	----	----	----	----	/0.40A	0.40B/0.40A	----	0.50	- 0.10	.0052	----	----	----	----	3	UNCH						
4775	----	----	----	----	----	----	597.40B/559.70A	597.40B/559.70A	----	572.70	- 15.60	1.0000	----	----	----	----	1	UNCH						
4800	----	----	----	----	----	----	----	0.40B/0.60A	----	0.50	UNCH	.0050	----	----	----	----	1	UNCH						
4800	----	----	----	----	----	----	----	/0.30A	----	0.10	UNCH	----	----	----	----	----	10	UNCH						
4825	----	----	----	----	----	----	----	/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH						
4850	----	----	----	----	----	----	----	/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH						
4850	----	----	----	----	----	----	----	0.30B/0.50A	----	0.40	UNCH	.0038	----	----	----	----	4	UNCH						
4900	----	----	----	----	----	----	0.50B/1.10A	----	----	0.60	- 0.10	.0059	----	----	----	----	7	UNCH						
4900	----	----	----	----	----	----	----	/0.20A	----	0.10	UNCH	----	----	----	----	----	4	UNCH						
4900	----	----	----	----	----	----	----	/0.50A	----	0.30	UNCH	.0028	----	----	----	----	7	UNCH						
4925	----	----	----	----	----	----	----	/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH						
4950	----	----	----	----	----	----	----	/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH						
4975	----	----	----	----	----	----	----	/0.30A	----	0.10	UNCH	----	----	----	----	----	2	UNCH						
5000	----	----	----	----	----	----	----	/0.30A	----	0.10	UNCH	----	----	----	----	----	12	UNCH						
5000	----	----	----	----	----	----	----	/0.50A	----	0.20	UNCH	.0017	----	----	----	----	2	UNCH						
5100	----	----	----	----	----	----	----	/0.40A	----	0.10	- 0.10	.0008	----	----	----	----	7	UNCH						
5100	----	----	----	----	----	----	----	/0.30A	----	0.10	UNCH	----	----	----	----	----	13	UNCH						
5200	----	----	----	----	----	----	----	/0.30A	----	0.10	UNCH	----	----	----	----	----	2	UNCH						
5250	----	----	----	----	----	----	----	/0.30A	----	0.10	UNCH	----	----	----	----	----	7	UNCH						
5300	----	----	----	----	----	----	----	/0.30A	----	0.10	UNCH	----	----	----	----	----	11	UNCH						
5400	----	----	----	----	----	----	----	/0.20A	----	0.10	UNCH	----	----	----	----	----	11	UNCH						
5500	----	----	----	----	----	----	----	/0.20A	----	0.10	UNCH	----	----	----	----	----	8	UNCH						
5750	----	----	----	----	----	----	----	/0.20A	----	0.10	UNCH	----	----	----	----	----	40	UNCH						
TOTAL															1433	50	7004+	707						
		GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST								
FMG OPT		MICRO GOLD WEEKLY FRI OPTION WEEK1																						
OCT26																								
4000	----	----	----	----	----	----	----	----	----	0.40	- 1.10	.0007	----	----	----	----	1	UNCH						
4100	----	----	----	----	----	----	----	----	----	2.30	- 4.30	.0197	----	----	----	----	1	UNCH						
4150	----	----	----	----	----	----	----	----	----	7.70	- 8.90	.1258	----	----	----	----	1	UNCH						
4190	----	----	----	----	----	----	----	----	----	19.30	- 13.40	.3885	----	----	----	----	1	UNCH						
4200	----	----	----	----	----	----	----	----	----	23.70	- 14.30	.4770	----	----	----	----	1	UNCH						
4210	20.00	20.00	20.00	20.00/20.00	20.00/20.00	20.00/20.00	20.00/20.00	20.00/20.00	20.00/20.00	21.10	NEW	.4324	----	1	----	+	1							
4220	20.00	20.00	20.00	20.00/20.00	20.00/20.00	20.00/20.00	20.00/20.00	20.00/20.00	20.00/20.00	17.00	NEW	.3458	----	2	----	+	2							
TOTAL															3	8+	3							
SILVER OPTIONS ON FUTURES																								
		GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST								
RWS THU		SILVER WEEKLY THURSDAY OPTION week4																						
OCT26																								
4750	----	----	----	----	----	0.016B/0.048A	----	----	----	0.018	- 0.002	.0068	----	----	----	----	1	UNCH						
4900	11.719	11.719	11.719	12.702B/11.306A	12.702B/11.306A	12.702B/11.306A	12.702B/11.306A	12.702B/11.306A	12.702B/11.306A	12.175	NEW	----	1	----	1	0	UNCH							
5000	----	----	----	----	----	0.004B/0.019A	----	----	----	0.004	- 0.003	.0016	----	----	----	----	1	UNCH						
5000	----	----	----	----	----	0.046B/0.071A	----	----	----	0.055	- 0.006	.0202	----	----	----	----	34	UNCH						
5500	----	----	----	----	----	/0.049A	0.068B/0.049A	----	----	0.053	- 0.025	.0271	----	----	----	----	2	UNCH						
5500	----	----	----	----	----	/0.140A	0.189B/0.140A	----	----	0.161	- 0.043	.0684	----	----	----	----	5	UNCH						
5500	----	----	----	----	----	----	/0.018A	----	----	0.000	- 0.001	----	----	----	----	0	- 3							
5600	----	----	----	----	----	5.620B/----	5.620B/5.342A	----	----	5.564	+	0.513	.8626	----	----	----	2	UNCH						
5600	----	----	----	----	----	/0.072A	0.125B/0.072A	----	----	0.080	- 0.048	.0432	----	----	----	----	2	UNCH						
5600	----	----	----	----	----	/0.200A	0.295B/0.200A	----	----	0.236	- 0.071	.0992	----	----	----	----	1	UNCH						
5650	0.254	0.254	0.254	0.261/0.239A	0.367B/0.239A	0.367B/0.239A	0.367B/0.239A	0.367B/0.239A	0.367B/0.239A	0.287	NEW	.1192	----	25	----	25	+	25						
5700	----	----	----	----	----	0.001B/0.011A	0.001B/0.011A	----	----	0.000	- 0.009	----	----	----	----	----	0	----						
5700	----	----	----	----	----	0.218B/0.108A	0.218B/0.108A	----	----	0.129	- 0.084	.0720	----	----	----	----	1	UNCH						
5750	----	----	----	----	----	0.285B/0.135A	0.285B/0.135A	----	----	0.169	- 0.107	.0946	----	----	----	----	1	UNCH						
5800	----	----	----	----	----	/0.010A	0.013B/0.010A	----	----	0.000	- 0.026	----	----	----	----	----	0	----						
5800	----	----	----	----	----	0.684B/0.423A	0.684B/0.423A	----	----	0.513	- 0.169	.2015	----	----	----	----	0	UNCH						
5850	----	----	----	----	----	0.485B/0.225A	0.485B/0.225A	----	----	0.293	- 0.171	.1606	----	----	----	----	5	UNCH						
5860	----	----	----	----	----	/0.010A	0.039B/0.010A	----	----	0.000	- 0.050	----	----	----	----	----	0	----						
5870	----	----	----	----	----	/0.009A	0.045B/0.009A	----	----	0.000	- 0.056	----	----	----	----	----	0	----						
5880	----	----	----	----	----	/0.008A	0.053B/0.008A	----	----	0.000	- 0.063	----	----	----	----	----	0	----						
5890	----	----	----	----	----	/0.006A	0.060B/0.006A	----	----	0.000	- 0.071	----	----	----	----	----	0	----						
5900	0.001	0.001	0.001	0.001/0.001	0.071B/0.001	0.071B/0.001	0.071B/0.001	0.071B/0.001	0.071B/0.001	0.000	- 0.080	----	----	11	----	0	- 17							
5900	----	----	----	----	----	1.012B/0.621A	1.012B/0.621A	----	----	0.747	- 0.241	.2770	----	----	----	----	1	UNCH						
5910	----	----	----	----	----	/0.006A	0.082B/0.006A	----	----	0.000	- 0.089	----	----	----	----	----	0	----						
5920	----	----	----	----	----	/0.005A	0.097B/0.005A	----	----	0.000	NEW	----	----	3	----	0	UNCH							
5930	----	----	----	----	----	/0.009A	0.112B/0.009A	----	----	0.000	- 0.113	----	----	----	----	----	0	----						
5940	0.015	0.015	0.015	0.129B/0.005A	0.129B/0.005A	0.129B/0.005A	0.129B/0.005A	0.129B/0.005A	0.129B/0.005A	0.000	- 0.127	----	----	25	----	0	- 20							
5950	0.038	0.038	0.038	0.150B/0.004A	0.150B/0.004A	0.150B/0.004A	0.150B/0.004A	0.150B/0.004A	0.150B/0.004A	0.000	- 0.143	----	----	1	----	0	- 6							
5950	----	----	----	0.803B/0.384A	0.803B/0.384A	0.803B/0.384A	0.803B/0.384A	0.803B/0.384A	0.803B/0.384A	0.496	- 0.261	.2588	----	----	----	6	UNCH							
5960	----	----	----	0.170B/0.005A	0.170B/0.005A	0.170B/0.005A	0.170B/0.005A	0.170B/0.005A	0.170B/0.005A	0.000	- 0.161	----	----	1	----	0	- 7							
5970	----	----	----	0.195B/0.008A	0.195B/0.008A	0.195B/0.008A	0.195B/0.008A	0.195B/0.008A	0.195B/0.008A	0.000	- 0.181	----	----	10	----	0	- 22							
5980	----	----	----	0.223B/0.008A	0.223B/0.008A	0.223B/0.008A	0.223B/0.008A	0.223B/0.008A	0.223B/0.008A	0.000	- 0.204	----	----	6	----	0	- 6							
5990	0.077	0.077	0.077	0.257B/0.008A	0.257B/0.008A	0.257B/0.008A	0.257B/0.008A	0.257B/0.008A	0.257B/0.008A	0.000	- 0.229	----	----	25	----	0	- 25							
6000	0.055	0.055	0.055	0.290B/0.007A	0.290B/0.007A	0.290B/0.007A	0.290B/0.007A	0.290B/0.007A	0.290B/0.007A	0.000	- 0.257	----	----	9	----	0	- 15							
6000	----	----	----	1.010B/0.499A	1.010B/0.499A	1.010B/0.499A	1.010B/0.499A	1.010B/0.499A	1.010B/0.499A	0.638	- 0.315	.3208	----	----	----	8	UNCH							
6000	----	----	----	1.440B/0.898A	1.440B/0.898A	1.440B/0.898A	1.440B/0.898A	1.440B/0.898A	1.440B/0.898A	1.070	- 0.321	.3680	----	----	----	1	UNCH							
6000	0.650	0.650	0.650	1.728B/0.630A	1.728B/0.630A	1.728B/0.630A	1.728B/0.630A	1.728B/0.630A	1.728B/0.630A	1.175	NEW	----	----	2	----	0	UNCH							
6010	----	----	----	0.331B/0.007A	0.331B/0.007A	0.331B/0.007A	0.331B/0.007A	0.331B/0.007A	0.331B/0.007A	0.000	- 0.288	----	----	1	----	0	- 5							
6020	----	----	----	0.374B/0.003A	0.374B/0.003A	0.374B/0.003A	0.374B/0.003A	0.374B/0.003A	0.374B/0.003A	0.000	- 0.323	----	----	15	----	0</								

	BULLETIN #189@				METALS OPTION PRODUCTS					Thu, Oct 01, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
RWS THU	SILVER WEEKLY THURSDAY OPTION week2													
OCT26														
6200	----	----	2.199B/1.295A	2.199B/1.295A	----	1.565 - 0.520	.6170	----	----	----	----	5	UNCH	
6200	----	----	----/2.141A	2.714B/2.141A	----	2.385 - 0.459	.5533	----	----	----	----	1	UNCH	
6210	----	----	0.191B/0.008A	0.191B/0.008A	----	0.000 - 0.070	----	----	----	----	----	0 -	50	
6210	----	----	1.827B/0.498A	1.827B/0.498A	----	0.925 - 0.679	----	15	----	----	----	0 -	15	
6220	0.064	0.064	0.160B/0.005A	0.160B/0.005A	----	0.000 - 0.062	----	----	----	2	----	0 -	24	
6230	----	----	0.134B/0.004A	0.134B/0.004A	----	0.000 - 0.054	----	----	----	----	----	0 -	4	
6250	----	----	2.214B/0.875A	2.214B/0.875A	----	1.325 - 0.651	----	1	----	----	----	0 -	1	
6250	1.148	1.148	1.242B/0.830A	1.242B/0.830A	----	1.015 - NEW	.3772	----	----	4	----	4 +	4	
6250	----	----	2.582B/1.609A	2.582B/1.609A	----	1.893 - 0.557	.6876	----	----	----	----	1	UNCH	
6250	0.060	0.060	0.093B/0.010A	0.093B/0.010A	----	0.000 - 0.042	----	----	1	----	----	0 -	10	
6250	----	----	----/2.429A	3.080B/2.429A	----	2.687 - 0.489	.5939	----	----	----	----	6	UNCH	
6260	----	----	0.077B/0.006A	0.077B/0.006A	----	0.000 - 0.038	----	----	----	----	----	0 -	6	
6270	----	----	0.063B/0.009A	0.063B/0.009A	----	0.000 - 0.033	----	----	----	----	----	0 -	2	
6280	----	----	0.052B/0.009A	0.052B/0.009A	----	0.000 - 0.030	----	----	----	----	----	0 -	8	
6290	----	----	0.043B/0.010A	0.043B/0.010A	----	0.000 - 0.027	----	----	----	----	----	0 -	3	
6290	----	----	2.607B/1.259A	2.607B/1.259A	----	1.725 - 0.635	----	1	----	1	----	0 -	1	
6300	0.008	0.008	0.033B/0.005A	0.033B/0.005A	----	0.000 - 0.024	----	----	1	----	----	0 -	14	
6300	----	----	2.705B/1.350A	2.705B/1.350A	----	1.825 - 0.633	----	14	----	----	----	0 -	14	
6300	----	----	1.361B/1.069A	1.361B/1.069A	----	1.188 + 0.090	.3669	----	----	----	----	1	UNCH	
6300	----	----	----/2.735A	3.432B/2.735A	----	3.010 - 0.517	.6329	----	----	----	----	2	UNCH	
6300	----	----	2.985B/1.946A	2.985B/1.946A	----	2.257 - 0.585	.7505	----	----	----	----	5	UNCH	
6310	----	----	----/0.005A	0.019B/0.005A	----	0.000 - 0.021	----	----	----	----	----	0 -	2	
6330	----	----	3.003B/1.630A	3.003B/1.630A	----	2.125 - 0.626	----	1	----	----	----	0 -	1	
6340	----	----	3.102B/1.721A	3.102B/1.721A	----	2.225 - 0.625	----	5	----	----	----	0 -	5	
6350	----	----	3.423B/2.315A	3.423B/2.315A	----	2.652 - 0.605	.8040	----	----	----	----	1	UNCH	
6350	----	----	----/3.059A	3.718B/3.059A	----	3.353 - 0.542	.6700	----	----	----	----	1	UNCH	
6350	----	----	3.202B/1.817A	3.202B/1.817A	----	2.325 - 0.623	----	35	----	1	----	0 -	35	
6350	----	----	----/0.010A	0.007B/0.010A	----	0.000 - 0.014	----	----	----	----	----	0 -	6	
6370	----	----	3.401B/2.012A	3.401B/2.012A	----	2.525 - 0.621	----	1	----	1	----	0 -	1	
6370	----	----	----/0.007A	0.003B/0.007A	----	0.000 - 0.012	----	----	----	----	----	0 -	1	
6400	----	----	----/0.010A	0.000 - 0.008	----	0.000 - 0.008	----	----	----	----	----	0 -	4	
6400	----	----	0.381B/0.214A	0.381B/0.214A	----	0.248 - 0.011	.1519	----	----	----	----	3	UNCH	
6400	----	----	3.868B/2.715A	3.868B/2.715A	----	3.072 - 0.618	.8480	----	----	----	----	2	UNCH	
6400	0.464	0.464	0.750B/0.464	0.750B/0.464	----	0.589 + 0.025	.2463	----	----	15	----	4 +	1	
6400	----	----	3.700B/2.308A	3.700B/2.308A	----	2.825 - 0.617	----	13	----	----	----	0 -	13	
6410	----	----	----/0.009A	0.000 - 0.007	----	0.000 - 0.007	----	----	----	----	----	0 -	5	
6420	----	----	3.899B/2.502A	3.899B/2.502A	----	3.025 - 0.615	----	4	----	----	----	0 -	4	
6420	0.013	0.013	0.013/0.011A	0.013/0.011A	----	0.000 - 0.006	----	----	3	----	----	0 -	10	
6430	----	----	----/0.011A	0.000 - 0.005	----	0.000 - 0.005	----	----	----	----	----	0 -	2	
6440	----	----	4.097B/2.701A	4.097B/2.701A	----	3.225 - 0.614	----	3	----	----	----	0 -	3	
6450	----	----	0.295B/0.167A	0.295B/0.167A	----	0.189 - 0.019	.1173	----	----	----	----	2	UNCH	
6450	----	----	4.197B/2.805A	4.197B/2.805A	----	3.325 - 0.613	----	28	----	----	----	0 -	28	
6470	----	----	4.398B/3.000A	4.398B/3.000A	----	3.525 - 0.612	----	2	----	----	----	0 -	2	
6500	----	----	4.797B/3.570A	4.797B/3.570A	----	3.968 - 0.632	.9095	----	----	----	----	1	UNCH	
6500	----	----	----/0.016A	0.000 - 0.002	----	0.000 - 0.002	----	----	----	----	----	0 -	3	
6500	----	----	4.699B/3.302A	4.699B/3.302A	----	3.825 - 0.611	----	8	----	----	----	0 -	8	
6500	----	----	0.230B/0.138A	0.230B/0.138A	----	0.145 - 0.024	.0904	----	----	----	----	5	UNCH	
6540	----	----	----/0.017A	0.000 - 0.002	----	0.000 - 0.002	----	----	----	----	----	0 -	74	
6550	----	----	5.199B/3.801A	5.199B/3.801A	----	4.325 - 0.610	----	12	----	----	----	0 -	12	
6550	----	----	5.428B/4.290A	5.428B/4.290A	----	4.661 - 0.615	.8466	----	----	----	----	9	UNCH	
6550	----	----	----/0.021A	0.000 - 0.001	----	0.000 - 0.001	----	----	----	----	----	0 -	16	
6560	----	----	----/0.020A	0.000 - 0.001	----	0.000 - 0.001	----	----	----	----	----	0 -	2	
6570	----	----	----/0.020A	0.000 - 0.001	----	0.000 - 0.001	----	----	----	----	----	0 -	5	
6580	----	----	----/0.019A	0.000 - 0.001	----	0.000 - 0.001	----	----	----	----	----	0 -	10	
6600	----	----	5.699B/4.298A	5.699B/4.298A	----	4.825 - 0.610	----	10	----	----	----	0 -	10	
6600	----	----	----/0.018A	0.000 - 0.001	----	0.000 - 0.001	----	----	----	----	----	0 -	4	
6600	----	----	5.753B/4.479A	5.753B/4.479A	----	4.912 - 0.634	.9452	----	----	----	----	1	UNCH	
6630	----	----	----/0.017A	0.000 - 0.001	----	0.000 - 0.001	----	----	----	----	----	0 -	2	
6650	----	----	6.362B/5.171A	6.362B/5.171A	----	5.561 - 0.623	.8884	----	----	----	----	13	UNCH	
6690	----	----	----/0.015A	0.000 - 0.001	----	0.000 - 0.001	----	----	----	----	----	0 -	7	
6700	----	----	6.725B/5.421A	6.725B/5.421A	----	5.881 - 0.631	.9651	----	----	----	----	1	UNCH	
6700	----	----	0.087B/0.061A	0.087B/0.061A	----	0.059 - 0.024	.0348	----	----	----	----	1	UNCH	
6700	----	----	----/0.014A	0.000 - 0.001	----	0.000 - 0.001	----	----	----	----	----	0 -	11	
6700	0.290	0.290	0.290/0.207A	0.290/0.207A	----	0.206 - NEW	.0954	----	1	----	----	1 +	1	
6750	----	----	----/0.012A	0.000 - 0.001	----	0.000 - 0.001	----	----	----	----	----	0 -	3	
6800	----	----	----/0.012A	0.000 - 0.001	----	0.000 - 0.001	----	----	----	----	----	0 -	22	
6800	----	----	7.696B/6.298A	7.696B/6.298A	----	6.825 - 0.610	----	5	----	----	----	0 -	5	
6800	----	----	----/0.046A	0.059B/0.046A	----	0.042 - 0.020	.0235	----	----	----	----	1	UNCH	
6800	----	----	0.193B/0.147A	0.193B/0.147A	----	0.152 - 0.018	.0706	----	----	----	----	2	UNCH	
6850	----	----	----/0.012A	0.000 - 0.001	----	0.000 - 0.001	----	----	----	----	----	0 -	4	
6850	----	----	8.197B/6.795A	8.197B/6.795A	----	7.325 - 0.610	----	----	----	----	----	0	UNCH	
6900	----	----	----/0.012A	0.000 - 0.001	----	0.000 - 0.001	----	----	----	----	----	0 -	19	
6950	----	----	----/0.012A	0.000 - 0.001	----	0.000 - 0.001	----	----	----	----	----	0 -	10	
6980	----	----	----/0.012A	0.000 - 0.001	----	0.000 - 0.001	----	----	----	----	----	0 -	1	
6990	----	----	----/0.012A	0.000 - 0.001	----	0.000 - 0.001	----	----	----	----	----	0 -	1	
7000	----	----	----/0											



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

BULLETIN #189@				METALS OPTION PRODUCTS										Thu, Oct 01, 2026				PG64					
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE		GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW		OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA		EXER CISES		OPEN OUTCRY VOLUME		GLOBEX® VOLUME		PNT VOLUME		OPEN INTEREST	
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK1																					
TOTAL		68 0 341 + 64																					
SO CALL		COMEX SILVER OPTIONS																					
NOV26																							
5000	----	----	11.687B/10.410A	11.687B/10.410A	----	----	11.238 +	0.597	.9721	----	----	----	----	13	UNCH								
5500	----	----	6.979B/5.788A	6.979B/5.788A	----	----	6.535 +	0.532	.8805	----	----	----	----	3	UNCH								
5575	----	----	6.312B/5.169A	6.312B/5.169A	----	----	5.884 +	0.509	.8531	----	----	----	----	1	UNCH								
5700	----	----	5.254B/4.198A	5.254B/4.198A	----	----	4.851 +	0.453	.7967	----	----	----	----	1	UNCH								
5850	----	----	4.094B/3.176A	4.094B/3.176A	----	----	3.729 +	0.369	.7096	----	----	----	----	26	UNCH								
5900	----	----	3.739B/2.880A	3.739B/2.880A	----	----	3.390 +	0.339	.6764	----	----	----	----	2	UNCH								
5950	3.050	3.050	3.401B/2.578A	3.401B/2.578A	----	----	3.068 +	0.308	.6416	----	----	----	1	3	UNCH								
5975	2.687	2.687	3.240B/2.447A	3.240B/2.447A	----	----	2.915 +	0.293	.6236	----	----	----	3	2 +	1								
6000	3.093	3.093	3.093/2.319A	3.093/2.319A	----	----	2.766 +	0.275	.6053	----	----	----	10	40	UNCH								
6025	2.576	2.576	2.932B/2.196A	2.932B/2.196A	----	----	2.620 +	0.256	.5869	----	----	----	1	1 +	1								
6050	2.601	2.601	2.786B/2.078A	2.786B/2.078A	----	----	2.483 +	0.243	.5681	----	----	----	5	9 +	2								
6075	2.532	2.532	2.658B/1.966A	2.658B/1.966A	----	----	2.352 +	0.230	.5493	----	----	----	3	8	UNCH								
6100	2.270	2.270	2.522B/1.841A	2.522B/1.841A	----	----	2.219 +	0.209	.5303	----	----	----	10	67 -	2								
6125	2.312	2.312	2.393B/1.755A	2.393B/1.755A	----	----	2.106 +	0.203	.5114	----	----	----	6	27 -	3								
6150	1.895	1.895	2.267B/1.661A	2.267B/1.661A	----	----	1.991 +	0.194	.4926	----	----	----	31	28 +	7								
6175	2.010	2.010	2.146B/1.564A	2.146B/1.564A	----	----	1.876 +	0.174	.4738	----	----	----	11	41	UNCH								
6200	1.772	1.772	2.031B/1.474A	2.031B/1.474A	----	----	1.769 +	0.161	.4552	----	----	----	22	77 +	18								
6225	1.794	1.794	1.931/1.393A	1.931/1.393A	----	----	1.668 +	0.148	.4368	----	----	----	78	62 +	15								
6250	1.471	1.471	1.814B/1.314A	1.814B/1.314A	----	----	1.568 +	0.131	.4185	----	----	----	3	14	UNCH								
6275	1.632	1.632	1.712B/1.239A	1.712B/1.239A	----	----	1.473 +	0.116	.4005	----	----	----	1	6	UNCH								
6300	1.584	1.584	1.617/1.168A	1.617/1.168A	----	----	1.389 +	0.108	.3832	----	----	----	16	62 +	3								
6325	1.434	1.434	1.525B/1.099A	1.525B/1.099A	----	----	1.308 +	0.100	.3663	----	----	----	66	30	UNCH								
6350	1.223	1.223	1.438B/1.034A	1.438B/1.034A	----	----	1.224 +	0.084	.3491	----	----	----	1	62	UNCH								
6375	1.350	1.350	1.356B/0.974A	1.356B/0.974A	----	----	1.150 +	0.075	.3329	----	----	----	1	27 -	1								
6400	1.231	1.231	1.278B/0.916A	1.278B/0.916A	----	----	1.081 +	0.067	.3172	----	----	----	4	73 +	2								
6425	----	----	1.205B/0.863A	1.205B/0.863A	----	----	1.015 +	0.059	.3019	----	----	----	----	21	UNCH								
6450	----	----	1.136B/0.814A	1.136B/0.814A	----	----	0.953 +	0.051	.2872	----	----	----	----	75	UNCH								
6475	1.019	1.019	1.071B/0.767A	1.071B/0.767A	----	----	0.894 +	0.044	.2729	----	----	----	6	24 -	1								
6500	0.948	0.948	1.008B/0.722A	1.008B/0.722A	----	----	0.839 +	0.037	.2592	----	----	----	48	361 +	8								
6525	0.875	0.875	0.950B/0.681A	0.950B/0.681A	----	----	0.787 +	0.030	.2459	----	----	----	8	17 -	4								
6550	0.845	0.845	0.912/0.642A	0.912/0.642A	----	----	0.739 +	0.024	.2334	----	----	----	6	53 +	1								
6575	----	----	0.843B/0.608A	0.843B/0.608A	----	----	0.694 +	0.019	.2214	----	----	----	----	93	UNCH								
6600	0.750	0.750	0.793B/0.572A	0.793B/0.572A	----	----	0.651 +	0.013	.2098	----	----	----	3	175 -	2								
6625	0.731	0.731	0.749B/0.541A	0.749B/0.541A	----	----	0.611 +	0.008	.1988	----	----	----	7	20 +	7								
6650	0.596	0.596	0.705B/0.511A	0.705B/0.511A	----	----	0.574 +	0.004	.1883	----	----	----	1	35 -	1								
6675	0.610	0.610	0.666B/0.481A	0.666B/0.481A	----	----	0.539	UNCH	.1783	----	----	----	7	39 -	1								
6700	0.492	0.492	0.627B/0.452A	0.627B/0.452A	----	----	0.507 -	0.003	.1690	----	----	----	29	143 +	21								
6725	0.486	0.486	0.591B/0.427A	0.591B/0.427A	----	----	0.476 -	0.007	.1599	----	----	----	5	45 +	1								
6750	0.484	0.484	0.558B/0.402A	0.558B/0.402A	----	----	0.448 -	0.009	.1514	----	----	----	6	46 +	5								
6775	0.459	0.459	0.527B/0.380A	0.527B/0.380A	----	----	0.421 -	0.012	.1433	----	----	----	3	45 -	1								
6800	0.391	0.391	0.498B/0.360A	0.498B/0.360A	----	----	0.396 -	0.015	.1356	----	----	----	9	341 -	3								
6825	0.380	0.380	0.470B/0.339A	0.470B/0.339A	----	----	0.373 -	0.016	.1284	----	----	----	1	9	UNCH								
6850	0.420	0.420	0.445B/0.321A	0.445B/0.321A	----	----	0.352 -	0.017	.1217	----	----	----	1	52 +	1								
6875	----	----	0.421B/0.305A	0.421B/0.305A	----	----	0.332 -	0.019	.1153	----	----	----	1	133 +	1								
6900	0.368	0.368	0.398B/0.288A	0.398B/0.288A	----	----	0.313 -	0.020	.1092	----	----	----	5	92 +	4								
6925	----	----	0.377B/0.274A	0.377B/0.274A	----	----	0.296 -	0.021	.1036	----	----	----	----	19	UNCH								
6950	0.291	0.291	0.357B/0.260A	0.357B/0.260A	----	----	0.280 -	0.021	.0983	----	----	----	5	44 +	4								
6975	----	----	0.339B/0.247A	0.339B/0.247A	----	----	0.266 -	0.021	.0936	----	----	----	----	23	UNCH								
7000	0.329	0.329	0.329/0.236A	0.329/0.236A	----	----	0.252 -	0.022	.0888	----	----	----	14	537 +	9								
7025	----	----	0.305B/0.224A	0.305B/0.224A	----	----	0.240 -	0.022	.0847	----	----	----	----	12	UNCH								
7050	----	----	0.290B/0.213A	0.290B/0.213A	----	----	0.228 -	0.022	.0805	----	----	----	----	45	UNCH								
7075	----	----	0.274B/0.203A	0.274B/0.203A	----	----	0.216 -	0.023	.0765	----	----	----	----	28	UNCH								
7100	0.261	0.261	0.261/0.194A	0.261/0.194A	----	----	0.205 -	0.023	.0727	----	----	----	8	356 +	5								
7125	----	----	0.238B/0.185A	0.238B/0.185A	----	----	0.194 -	0.024	.0690	----	----	----	----	9	UNCH								
7150	----	----	0.227B/0.176A	0.227B/0.176A	----	----	0.185 -	0.023	.0658	----	----	----	----	28	UNCH								
7175	----	----	0.218B/0.168A	0.218B/0.168A	----	----	0.176 -	0.022	.0626	----	----	----	6	45 +	5								
7200	0.185	0.185	0.207B/0.161A	0.207B/0.161A	----	----	0.169 -	0.021	.0600	----	----	----	7	121	UNCH								
7225	0.184	0.184	0.199B/0.154A	0.199B/0.154A	----	----	0.161 -	0.021	.0572	----	----	----	2	41 -	2								
7250	0.171	0.171	0.194B/0.148A	0.194B/0.148A	----	----	0.154 -	0.020	.0547	----	----	----	1	22 -	1								
7275	----	----	0.185B/0.141A	0.185B/0.141A	----	----	0.147 -	0.020	.0522	----	----	----	5	39 +	5								
7300	----	----	0.177B/0.135A	0.177B/0.135A	----	----	0.140 -	0.021	.0497	----	----	----	1	273	UNCH								
7325	----	----	0.169B/0.129A	0.169B/0.129A	----	----	0.134 -	0.021	.0475	----	----	----	----	11	UNCH								
7350	----	----	0.161B/0.124A	0.161B/0.124A	----	----	0.129 -	0.020	.0457	----	----	----	----	19	UNCH								
7375	----	----	0.153B/0.119A	0.153B/0.119A	----	----	0.123 -	0.020	.0435	----	----	----	----	40	UNCH								
7400	----	----	0.147B/0.115A	0.147B/0.115A	----	----	0.118 -	0.019	.0417	----	----	----	4	249 -	4								
7425	----	----	0.140B/0.110A	0.140B/0.110A	----	----	0.113 -	0.017	.0399	----	----	----	----	23	UNCH								
7450	----	----	0.134B/0.106A	0.134B/0.106A	----	----	0.109 -	0.015	.0384	----	----	----	----	121	UNCH								
7475	----	----	0.129B/0.102A	0.129B/0.102A	----	----	0.104 -	0.015	.0366	----	----	----	----	43	UNCH								
7500	0.124	0.124	0.124/0.098A	0.124/0.098A	----	----	0.100 -	0.014	.0352	----	----	----	4	1085	UNCH								
7525	----	----	0.118B/0.095A	0.118B/0.095A	----	----	0.096 -	0.014	.0337	----	----	----	----	27	UNCH								
7550	----	----	0.113B/0.091A	0.113B/0.091A	----	----	0.092 -	0.014	.0323	----	----	----	----	86	UNCH								
7575	----	----	0.108B/0.088A	0.108B/0.088A	----	----	0.089 -	0.014	.0311	----	----	----	----	17	UNCH					</			

PG64	BULLETIN #189@				METALS OPTION PRODUCTS					Thu, Oct 01, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS													
NOV26														
9600	----	----	----	----/0.015A	----	0.013	UNCH	.0036	----	----	----	1	UNCH	
9625	----	----	----	----/0.015A	----	0.013	UNCH	.0036	----	----	----	9	UNCH	
9700	----	----	----	----/0.014A	----	0.012	UNCH	.0033	----	----	----	1	UNCH	
9775	----	----	----	----/0.012A	----	0.012	UNCH	.0033	----	----	----	1	UNCH	
9800	----	----	----	----/0.013A	----	0.012 +	0.001	.0033	----	----	----	6	UNCH	
9850	----	----	----	----/0.013A	----	0.011	UNCH	.0030	----	----	----	1	UNCH	
9900	----	----	----	----/0.012A	----	0.011	UNCH	.0030	----	----	----	10	UNCH	
9950	----	----	----	----/0.012A	----	0.010	UNCH	.0027	----	----	----	1	UNCH	
10000	0.049	0.049	0.049/0.012A	0.049/0.012A	----	0.010	UNCH	.0027	----	1	----	255	UNCH	
10100	----	----	----	----/0.010A	----	0.009 -	0.001	.0024	----	----	----	5	UNCH	
10200	----	----	----	----/0.011A	----	0.009	UNCH	.0024	----	----	----	8	UNCH	
10300	----	----	----	----/0.015A	----	0.008 -	0.001	.0021	----	----	----	4	UNCH	
10400	----	----	----	----/0.013A	----	0.008	UNCH	.0021	----	----	----	5	UNCH	
10450	----	----	----	----/0.014A	----	0.008	UNCH	.0021	----	----	----	1	UNCH	
10500	----	----	----	----/0.025A	----	0.008	UNCH	.0020	----	----	----	205	UNCH	
10550	----	----	----	----/0.121A	----	0.007 -	0.001	.0018	----	----	----	1	UNCH	
10950	----	----	----	----/0.119A	----	0.006 -	0.001	.0015	----	----	----	5	UNCH	
11000	----	----	----	----/0.119A	----	0.006 -	0.001	.0015	----	14	----	297	- 9	
11100	0.008	0.008	0.009B/0.008	0.009B/0.008	----	0.006 -	0.001	.0014	----	2	----	2	UNCH	
11150	----	----	----	----/0.119A	----	0.006 -	0.001	.0014	----	----	----	1	UNCH	
11500	----	----	----	----/0.118A	----	0.006 -	0.001	.0014	----	----	----	1	UNCH	
11600	----	----	----	----/0.118A	----	0.005 -	0.002	.0012	----	----	----	1	UNCH	
11700	----	----	----	----/0.117A	----	0.005 -	0.002	.0011	----	----	----	27	UNCH	
11725	----	----	----	----/0.117A	----	0.005 -	0.002	.0011	----	----	----	2	UNCH	
11750	----	----	----	----/0.117A	----	0.005 -	0.002	.0011	----	----	----	2	UNCH	
11825	----	----	----	----/0.117A	----	0.005 -	0.002	.0011	----	----	----	2	UNCH	
12000	----	----	----	----/0.117A	----	0.005 -	0.002	.0011	----	----	----	73	UNCH	
12125	----	----	----	----/0.117A	----	0.005 -	0.002	.0011	----	----	----	20	UNCH	
12500	----	----	----	----/0.116A	----	0.005 -	0.002	.0010	----	----	----	11	UNCH	
13000	----	----	----	----/0.116A	----	0.004 -	0.002	.0008	----	----	----	9	UNCH	
14000	----	----	----	----/0.115A	----	0.004 -	0.001	.0007	----	----	----	7	UNCH	
15000	----	----	----	----/0.115A	----	0.004	UNCH	.0007	----	----	----	20	UNCH	
16000	----	----	----	----/0.114A	----	0.003	UNCH	.0005	----	----	----	14	UNCH	
17000	----	----	----	----/0.099A	----	0.002	UNCH	.0003	----	----	----	14	UNCH	
18000	----	----	----	----/0.114A	----	0.001 -	0.001	.0001	----	----	----	10	UNCH	
19000	----	----	----	----/0.114A	----	0.001	UNCH	.0000	----	----	----	1	UNCH	
20000	----	----	----	----/0.114A	----	0.001	UNCH	.0000	----	----	----	35	UNCH	
21000	----	----	----	----/0.114A	----	0.001	UNCH	.0000	----	----	----	1	UNCH	
25000	----	----	----	----/0.114A	----	0.001	UNCH	----	----	----	----	60	UNCH	
30000	----	----	----	----/0.003A	----	0.001	UNCH	----	----	15	----	15	UNCH	
TOTAL										515	0	11461	+ 98	
DEC26														
3875	----	----	22.923B/21.595A	22.923B/21.595A	----	22.427 +	0.609	.9915	----	----	----	1	UNCH	
5000	----	----	11.926B/10.662A	11.926B/10.662A	----	11.453 +	0.568	.9266	----	----	----	35	UNCH	
5250	----	----	9.649B/8.459A	9.649B/8.459A	----	9.197 +	0.524	.8784	----	----	----	50	UNCH	
5500	----	----	7.538B/6.465A	7.538B/6.465A	----	7.122 +	0.454	.8043	----	----	----	1	UNCH	
5550	----	----	7.145B/6.100A	7.145B/6.100A	----	6.737 +	0.439	.7860	----	----	----	4	UNCH	
5600	----	----	6.759B/5.745A	6.759B/5.745A	----	6.362 +	0.419	.7668	----	----	----	1	UNCH	
5700	----	----	6.025B/5.076A	6.025B/5.076A	----	5.649 +	0.382	.7254	----	----	----	1	UNCH	
5800	----	----	5.343B/4.467A	5.343B/4.467A	----	4.987 +	0.343	.6806	----	----	102	UNCH		
5825	----	----	5.180B/4.322A	5.180B/4.322A	----	4.830 +	0.333	.6689	----	----	----	1	UNCH	
5900	----	----	4.714B/3.896A	4.714B/3.896A	----	4.379 +	0.301	.6332	----	----	----	2	UNCH	
5950	----	----	4.420B/3.639A	4.420B/3.639A	----	4.095 +	0.279	.6089	----	----	----	1	UNCH	
6000	----	----	4.139B/3.399A	4.139B/3.399A	----	3.826 +	0.258	.5843	----	----	----	67	UNCH	
6050	----	----	3.889B/3.170A	3.889B/3.170A	----	3.571 +	0.238	.5595	----	----	----	2	UNCH	
6100	3.341	3.341	3.636B/2.954A	3.636B/2.954A	----	3.330 +	0.218	.5348	----	12	----	17	+ 7	
6125	----	----	3.515B/2.850A	3.515B/2.850A	----	3.215 +	0.209	.5225	----	----	----	8	UNCH	
6150	----	----	3.397B/2.753A	3.397B/2.753A	----	3.103 +	0.200	.5103	----	3	----	47	+ 1	
6175	----	----	3.283B/2.657A	3.283B/2.657A	----	2.995 +	0.191	.4981	----	----	----	3	UNCH	
6200	----	----	3.172B/2.564A	3.172B/2.564A	----	2.889 +	0.181	.4860	----	----	----	17	UNCH	
6225	----	----	3.063B/2.472A	3.063B/2.472A	----	2.788 +	0.173	.4741	----	----	----	4	UNCH	
6250	2.900	2.900	2.960B/2.390A	2.960B/2.390A	----	2.689 +	0.164	.4622	----	1	----	11	UNCH	
6275	----	----	2.858B/2.301A	2.858B/2.301A	----	2.593 +	0.156	.4505	----	----	----	4	UNCH	
6300	----	----	2.760B/2.225A	2.760B/2.225A	----	2.501 +	0.148	.4389	----	----	----	171	UNCH	
6325	----	----	2.664B/2.141A	2.664B/2.141A	----	2.412 +	0.141	.4275	----	----	----	8	UNCH	
6350	----	----	2.572B/2.070A	2.572B/2.070A	----	2.325 +	0.132	.4162	----	----	----	85	UNCH	
6375	----	----	2.485B/1.995A	2.485B/1.995A	----	2.242 +	0.125	.4051	----	----	----	10	UNCH	
6400	----	----	2.398B/1.926A	2.398B/1.926A	----	2.161 +	0.118	.3942	----	28	----	252	+ 17	
6425	----	----	2.315B/1.857A	2.315B/1.857A	----	2.084 +	0.111	.3835	----	----	----	8	UNCH	
6450	----	----	2.235B/1.792A	2.235B/1.792A	----	2.009 +	0.104	.3729	----	1	----	119	+ 1	
6475	----	----	2.157B/1.729A	2.157B/1.729A	----	1.937 +	0.098	.3626	----	----	----	4	UNCH	
6500	1.930	1.930	2.081B/1.668A	2.081B/1.668A	----	1.867 +	0.091	.3524	----	15	----	1137	UNCH	
6525	----	----	2.009B/1.611A	2.009B/1.611A	----	1.800 +	0.085	.3425	----	----	----	4	UNCH	
6550	1.911	1.911	1.940B/1.555A	1.940B/1.555A	----	1.735 +	0.078	.3328	----	1	----	4	UNCH	
6575	----	----	1.872B/1.499A	1.872B/1.499A	----	1.673 +	0.072	.3233	----	----	----	2	UNCH	
6600	1.615	1.615	1.807B/1.447A	1.807B/1.447A	----	1.614 +	0.067	.3141	----	15	----	52	+ 9	
6625	----	----	1.745B/1.397A	1.745B/1.397A	----	1.556 +	0.061	.3050	----	----	----	36	UNCH	
6650	1.513	1.513	1.686B/1.348A	1.686B/1.348A	----	1.501 +	0.056	.2962	----	2	----	33	UNCH	
6675	----	----	1.628B/1.302A	1.628B/1.302A	----	1.447 +	0.051	.2875	----	----	----	4	UNCH	
6700	----	----	1.571B/1.257A	1.571B/1.25										

	BULLETIN #189@				METALS OPTION PRODUCTS					Thu, Oct 01, 2026				PG64		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL	COMEX SILVER OPTIONS															
DEC26																
8200	----	----		0.2688/0.227A	0.2688/0.227A	----			0.235 -	0.016 .0535	----	----	----	----	609	UNCH
8225	----	----		0.2638/0.222A	0.2638/0.222A	----			0.230 -	0.015 .0523	----	----	----	----	20	UNCH
8250	----	----		0.2568/0.217A	0.2568/0.217A	----			0.224 -	0.016 .0510	----	----	----	----	2	UNCH
8275	----	----		0.2528/0.212A	0.2528/0.212A	----			0.218 -	0.017 .0497	----	----	----	----	5	UNCH
8300	----	----		0.2458/0.208A	0.2458/0.208A	----			0.213 -	0.017 .0486	----	----	----	----	55	UNCH
8325	----	----		0.2408/0.204A	0.2408/0.204A	----			0.207 -	0.018 .0473	----	----	----	----	7	UNCH
8375	----	----		0.2308/0.195A	0.2308/0.195A	----			0.198 -	0.018 .0452	----	----	----	----	7	UNCH
8400	----	----		0.2258/0.191A	0.2258/0.191A	----			0.193 -	0.018 .0441	----	----	10	----	58 +	4
8425	----	----		0.2198/0.188A	0.2198/0.188A	----			0.190 -	0.017 .0433	----	----	----	----	9	UNCH
8450	----	----		0.2148/0.184A	0.2148/0.184A	----			0.187 -	0.015 .0425	----	----	----	----	5	UNCH
8475	----	----		0.2098/0.180A	0.2098/0.180A	----			0.184 -	0.014 .0418	----	----	----	----	5	UNCH
8500	0.204	0.204		0.210/0.176A	0.210/0.176A	----			0.182 -	0.012 .0412	----	----	4	----	2037 +	4
8525	----	----		0.2018/0.173A	0.2018/0.173A	----			0.180 -	0.010 .0406	----	----	----	----	1	UNCH
8550	----	----		0.1968/0.170A	0.1968/0.170A	----			0.177 -	0.009 .0399	----	----	----	----	29	UNCH
8575	----	----		0.1928/0.166A	0.1928/0.166A	----			0.174 -	0.008 .0392	----	----	----	----	3	UNCH
8600	0.166	0.166		0.1888/0.163A	0.1888/0.163A	----			0.171 -	0.007 .0384	----	----	6	----	244	UNCH
8625	----	----		0.1848/0.160A	0.1848/0.160A	----			0.168 -	0.007 .0377	----	----	----	----	2	UNCH
8675	----	----		0.1778/0.154A	0.1778/0.154A	----			0.161 -	0.007 .0361	----	----	----	----	2	UNCH
8700	----	----		0.1738/0.151A	0.1738/0.151A	----			0.157 -	0.007 .0353	----	----	----	----	30	UNCH
8725	----	----		0.1708/0.148A	0.1708/0.148A	----			0.154 -	0.007 .0346	----	----	----	----	5	UNCH
8750	----	----		0.1668/0.145A	0.1668/0.145A	----			0.150 -	0.008 .0337	----	----	----	----	1	UNCH
8775	----	----		0.1638/0.142A	0.1638/0.142A	----			0.147 -	0.008 .0330	----	----	----	----	51	UNCH
8800	0.167	0.167		0.169/0.140A	0.169/0.140A	----			0.143 -	0.009 .0322	----	----	10	----	324	UNCH
8850	----	----		0.1538/0.135A	0.1538/0.135A	----			0.137 -	0.010 .0308	----	----	----	----	2	UNCH
8900	----	----		0.1478/0.130A	0.1478/0.130A	----			0.131 -	0.010 .0295	----	----	----	----	79	UNCH
8925	----	----		0.1448/0.128A	0.1448/0.128A	----			0.129 -	0.010 .0290	----	----	----	----	10	UNCH
8950	----	----		0.1428/0.125A	0.1428/0.125A	----			0.126 -	0.011 .0283	----	----	----	----	12	UNCH
8975	----	----		0.1398/0.123A	0.1398/0.123A	----			0.124 -	0.010 .0278	----	----	----	----	15	UNCH
9000	0.118	0.118		0.1368/0.118	0.1368/0.118	----			0.122 -	0.010 .0273	----	----	6	----	2131 -	6
9025	----	----		0.1348/0.119A	0.1348/0.119A	----			0.120 -	0.010 .0269	----	----	----	----	6	UNCH
9050	----	----		0.1318/0.117A	0.1318/0.117A	----			0.118 -	0.009 .0264	----	----	----	----	235	UNCH
9075	----	----		0.1298/0.115A	0.1298/0.115A	----			0.115 -	0.010 .0257	----	----	----	----	7	UNCH
9100	0.123	0.123		0.1268/0.113A	0.1268/0.113A	----			0.113 -	0.010 .0253	----	----	1	----	20 -	1
9125	----	----		0.1248/0.111A	0.1248/0.111A	----			0.111 -	0.010 .0248	----	----	----	----	1	UNCH
9150	----	----		0.1228/0.109A	0.1228/0.109A	----			0.109 -	0.010 .0244	----	----	----	----	8	UNCH
9200	----	----		0.1178/0.105A	0.1178/0.105A	----			0.105 -	0.009 .0234	----	----	----	----	5	UNCH
9225	----	----		0.1158/0.103A	0.1158/0.103A	----			0.103 -	0.009 .0230	----	----	----	----	16	UNCH
9250	----	----		0.1138/0.102A	0.1138/0.102A	----			0.101 -	0.009 .0225	----	----	----	----	20	UNCH
9275	----	----		0.1118/0.100A	0.1118/0.100A	----			0.099 -	0.009 .0221	----	----	----	----	25	UNCH
9300	----	----		0.1098/0.098A	0.1098/0.098A	----			0.098 -	0.008 .0218	----	----	----	----	185	UNCH
9350	----	----		0.1058/0.095A	0.1058/0.095A	----			0.094 -	0.009 .0209	----	----	----	----	6	UNCH
9375	----	----		0.1038/0.093A	0.1038/0.093A	----			0.093 -	0.008 .0206	----	----	----	----	5	UNCH
9400	----	----		0.1018/0.092A	0.1018/0.092A	----			0.091 -	0.008 .0202	----	----	----	----	63	UNCH
9425	----	----		0.0998/0.090A	0.0998/0.090A	----			0.089 -	0.009 .0198	----	----	----	----	10	UNCH
9450	----	----		0.0978/0.089A	0.0978/0.089A	----			0.088 -	0.008 .0195	----	----	----	----	10	UNCH
9475	----	----		0.0968/0.087A	0.0968/0.087A	----			0.087 -	0.007 .0193	----	----	----	----	1	UNCH
9500	0.095	0.095		0.095/0.086A	0.095/0.086A	----			0.085 -	0.008 .0188	----	----	1	----	1361 +	1
9525	----	----		0.0928/0.085A	0.0928/0.085A	----			0.084 -	0.007 .0186	----	----	----	----	60	UNCH
9550	----	----		0.0918/0.084A	0.0918/0.084A	----			0.083 -	0.007 .0183	----	----	----	----	8	UNCH
9600	0.082	0.082		0.082/0.082	0.082/0.082	----			0.080 -	0.007 .0176	----	----	1	----	53	UNCH
9625	----	----		----/0.080A	0.0868/0.080A	----			0.079 -	0.007 .0174	----	----	----	----	18	UNCH
9700	----	----		----/0.077A	0.0828/0.077A	----			0.076 -	0.006 .0167	----	----	----	----	54	UNCH
9750	----	----		----/0.077A	0.0788/0.077A	----			0.074 -	0.006 .0162	----	----	----	----	10	UNCH
9800	----	----		----/0.076A	0.0768/0.076A	----			0.072 -	0.006 .0157	----	----	----	----	63	UNCH
9825	----	----		----/0.075A	0.0758/0.075A	----			0.071 -	0.006 .0155	----	----	----	----	18	UNCH
9875	----	----		----/0.073A	0.0738/0.073A	----			0.069 -	0.006 .0150	----	----	----	----	1	UNCH
9900	----	----		----/0.072A	0.0728/0.072A	----			0.068 -	0.006 .0148	----	----	----	----	58	UNCH
9950	----	----		----/0.070A	0.0698/0.070A	----			0.067 -	0.005 .0145	----	----	----	----	2	UNCH
10000	----	----		----/0.068A	0.0648/0.068A	----			0.065 -	0.005 .0140	----	----	14	----	1902 +	14
10025	----	----		----/0.067A	0.0638/0.067A	----			0.064 -	0.005 .0138	----	----	----	----	3	UNCH
10050	----	----		----/0.066A	0.0628/0.066A	----			0.063 -	0.005 .0136	----	----	----	----	11	UNCH
10100	----	----		----/0.065A	0.0608/0.065A	----			0.062 -	0.004 .0133	----	----	----	----	9	UNCH
10125	----	----		----/0.064A	0.0598/0.064A	----			0.061 -	0.004 .0131	----	----	----	----	2	UNCH
10150	----	----		----/0.063A	0.0588/0.063A	----			0.060 -	0.004 .0129	----	----	----	----	1	UNCH
10175	----	----		----/0.062A	0.0578/0.062A	----			0.059 -	0.005 .0127	----	----	----	----	4	UNCH
10200	----	----		----/0.061A	0.0568/0.061A	----			0.058 -	0.005						



BULLETIN #189@				METALS OPTION PRODUCTS				Thu, Oct 01, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL	COMEX SILVER OPTIONS											
JAN27												
5900	5.885	5.885	6.050B/5.212A	6.050B/5.212A	----	5.687	NEW	.6458	----	----	1	1 +
6000	----	----	5.474B/4.701A	5.474B/4.701A	----	5.136 +	0.263	.6079	----	1	----	1 +
6100	----	----	4.961B/4.234A	4.961B/4.234A	----	4.631 +	0.236	.5696	----	----	----	3
6175	----	----	4.594B/3.909A	4.594B/3.909A	----	4.281 +	0.214	.5410	----	----	----	2
6200	----	----	4.479B/3.808A	4.479B/3.808A	----	4.170 +	0.207	.5315	----	----	----	13
6225	----	----	4.364B/3.710A	4.364B/3.710A	----	4.062 +	0.201	.5221	----	----	----	50
6250	----	----	4.253B/3.613A	4.253B/3.613A	----	3.956 +	0.194	.5128	----	----	----	13
6300	----	----	4.039B/3.423A	4.039B/3.423A	----	3.752 +	0.181	.4943	----	----	----	20
6325	----	----	3.937B/3.333A	3.937B/3.333A	----	3.653 +	0.175	.4851	----	----	----	1
6400	----	----	3.638B/3.079A	3.638B/3.079A	----	3.373 +	0.158	.4582	----	----	----	100
6425	----	----	3.546B/2.998A	3.546B/2.998A	----	3.284 +	0.152	.4494	----	----	----	1
6475	----	----	3.366B/2.846A	3.366B/2.846A	----	3.114 +	0.142	.4321	----	----	----	1
6500	2.873	2.873	3.278B/2.769A	3.278B/2.769A	----	3.032 +	0.137	.4236	----	50	----	86 +
6575	----	----	3.033B/2.556A	3.033B/2.556A	----	2.800 +	0.122	.3989	----	----	----	1
6600	----	----	2.955B/2.490A	2.955B/2.490A	----	2.726 +	0.116	.3908	----	----	----	136
6625	----	----	2.879B/2.427A	2.879B/2.427A	----	2.655 +	0.112	.3830	----	----	----	4
6650	----	----	2.805B/2.364A	2.805B/2.364A	----	2.586 +	0.107	.3752	----	----	----	1
6700	----	----	2.663B/2.243A	2.663B/2.243A	----	2.453 +	0.098	.3600	----	----	----	12
6725	----	----	2.595B/2.188A	2.595B/2.188A	----	2.390 +	0.095	.3526	----	----	----	25
6775	----	----	2.465B/2.079A	2.465B/2.079A	----	2.268 +	0.087	.3382	----	----	----	1
6800	----	----	2.403B/2.025A	2.403B/2.025A	----	2.210 +	0.083	.3312	----	----	----	201
6900	----	----	2.170B/1.830A	2.170B/1.830A	----	1.993 +	0.070	.3045	----	----	----	2
7000	1.821	1.821	1.962B/1.655A	1.962B/1.655A	----	1.800 +	0.059	.2797	----	8	----	146 +
7050	----	----	1.867B/1.575A	1.867B/1.575A	----	1.712 +	0.054	.2682	----	----	----	1
7100	----	----	1.777B/1.500A	1.777B/1.500A	----	1.628 +	0.048	.2570	----	----	----	18
7150	----	----	1.692B/1.428A	1.692B/1.428A	----	1.550 +	0.043	.2464	----	----	----	10
7200	----	----	1.612B/1.362A	1.612B/1.362A	----	1.476 +	0.039	.2362	----	----	----	76
7300	1.428	1.428	1.465B/1.240A	1.465B/1.240A	----	1.340 +	0.031	.2171	----	1	----	11 +
7375	----	----	1.366B/1.157A	1.366B/1.157A	----	1.249 +	0.027	.2040	----	----	----	2
7400	----	----	1.334B/1.132A	1.334B/1.132A	----	1.220 +	0.025	.1997	----	----	----	3
7425	----	----	1.302B/1.106A	1.302B/1.106A	----	1.192 +	0.023	.1956	----	----	----	2
7475	----	----	1.245B/1.059A	1.245B/1.059A	----	1.139 +	0.021	.1878	----	----	----	37
7500	----	----	1.217B/1.036A	1.217B/1.036A	----	1.114 +	0.020	.1840	----	3	----	83
7550	----	----	1.164B/0.991A	1.164B/0.991A	----	1.065 +	0.018	.1767	----	----	----	4
7575	----	----	1.138B/0.969A	1.138B/0.969A	----	1.042 +	0.017	.1732	----	----	----	3
7600	----	----	1.113B/0.949A	1.113B/0.949A	----	1.019 +	0.015	.1697	----	----	----	2
7650	----	----	1.064B/0.911A	1.064B/0.911A	----	0.975 +	0.013	.1630	----	----	----	6
7675	----	----	1.042B/0.890A	1.042B/0.890A	----	0.954 +	0.011	.1598	----	----	----	4
7700	----	----	1.020B/0.874A	1.020B/0.874A	----	0.934 +	0.011	.1567	----	90	----	87 +
7800	----	----	0.936B/0.805A	0.936B/0.805A	----	0.858 +	0.007	.1448	----	----	----	61
7900	----	----	0.862B/0.744A	0.862B/0.744A	----	0.791 +	0.005	.1341	----	----	----	15
7950	----	----	0.828B/0.716A	0.828B/0.716A	----	0.760 +	0.005	.1291	----	----	----	1
7975	0.768	0.768	0.812B/0.703A	0.812B/0.703A	----	0.745 +	0.004	.1267	----	5	----	7 +
8000	----	----	0.796B/0.689A	0.796B/0.689A	----	0.730 +	0.004	.1243	----	----	----	155
8100	----	----	0.736B/0.640A	0.736B/0.640A	----	0.676 +	0.003	.1155	----	----	----	2
8200	----	----	0.683B/0.596A	0.683B/0.596A	----	0.627 +	0.001	.1074	----	----	----	10
8300	0.620	0.620	0.635B/0.565A	0.635B/0.565A	----	0.583 -	0.003	.1001	----	1	----	48 -
8325	----	----	0.623B/0.555A	0.623B/0.555A	----	0.572 -	0.005	.0983	----	----	----	1
8350	----	----	0.613B/0.545A	0.613B/0.545A	----	0.562 -	0.005	.0966	----	----	----	2
8400	----	----	0.591B/0.527A	0.591B/0.527A	----	0.543 -	0.005	.0934	----	----	----	1
8500	----	----	0.544B/0.493A	0.544B/0.493A	----	0.506 -	0.006	.0872	----	----	----	26
8600	----	----	0.508B/0.463A	0.508B/0.463A	----	0.472 -	0.008	.0815	----	----	----	1
8700	----	----	0.476B/0.429A	0.476B/0.429A	----	0.441 -	0.010	.0762	----	----	----	2
8750	----	----	0.450B/0.416A	0.450B/0.416A	----	0.428 -	0.009	.0739	----	----	----	2
8800	----	----	0.448B/0.404A	0.448B/0.404A	----	0.415 -	0.009	.0717	----	----	----	3
8825	----	----	0.438B/0.398A	0.438B/0.398A	----	0.409 -	0.009	.0706	----	----	----	1
8975	----	----	0.407B/0.364A	0.407B/0.364A	----	0.376 -	0.007	.0647	----	----	----	1
9000	----	----	0.401B/0.359A	0.401B/0.359A	----	0.371 -	0.006	.0638	----	50	----	372 +
9025	----	----	0.395B/0.354A	0.395B/0.354A	----	0.366 -	0.006	.0629	----	----	----	1
9100	----	----	0.378B/0.339A	0.378B/0.339A	----	0.351 -	0.006	.0603	----	----	----	3
9125	----	----	0.373B/0.335A	0.373B/0.335A	----	0.346 -	0.006	.0594	----	----	----	1
9200	----	----	0.357B/0.321A	0.357B/0.321A	----	0.332 -	0.006	.0570	----	----	----	3
9300	----	----	0.338B/0.305A	0.338B/0.305A	----	0.315 -	0.006	.0539	----	----	----	1
9325	----	----	0.334B/0.301A	0.334B/0.301A	----	0.310 -	0.007	.0531	----	----	----	1
9400	----	----	0.321B/0.290A	0.321B/0.290A	----	0.298 -	0.007	.0510	----	----	----	1
9450	----	----	0.313B/0.283A	0.313B/0.283A	----	0.291 -	0.007	.0497	----	----	----	2
9475	----	----	0.308B/0.279A	0.308B/0.279A	----	0.287 -	0.007	.0490	----	----	----	1
9500	----	----	0.305B/0.276A	0.305B/0.276A	----	0.284 -	0.006	.0485	----	----	----	36
9525	----	----	0.301B/0.273A	0.301B/0.273A	----	0.280 -	0.007	.0478	----	----	----	1
9600	----	----	0.289B/0.263A	0.289B/0.263A	----	0.270 -	0.007	.0460	----	----	----	1
9700	----	----	0.275B/0.250A	0.275B/0.250A	----	0.257 -	0.007	.0437	----	----	----	4
9900	----	----	0.250B/0.228A	0.250B/0.228A	----	0.235 -	0.006	.0397	----	----	----	2
9950	0.224	0.224	0.244B/0.223A	0.244B/0.223A	----	0.230	NEW	.0388	----	2	----	2 +
9975	0.225	0.225	0.242B/0.221A	0.242B/0.221A	----	0.227 -	0.007	.0383	----	3	----	4 +
10000	0.223	0.223	0.239B/0.219A	0.239B/0.219A	----	0.225 -	0.006	.0379	----	3	----	752 -
10050	0.219	0.219	0.234B/0.214A	0.234B/0.214A	----	0.220	NEW	.0371	----	6	----	6 +
10100	----	----	0.228B/0.210A	0.228B/0								

	BULLETIN #189@				METALS OPTION PRODUCTS					Thu, Oct 01, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL														
FEB27														
10000	----	----		0.4108/0.391A	0.4108/0.391A	----		0.399 + 0.007	.0581	----	----	2	----	114 + 2
10200	----	----		0.3788/0.362A	0.3788/0.362A	----		0.371 + 0.008	.0538	----	----	----	----	83 UNCH
10225	----	----		0.3738/0.358A	0.3738/0.358A	----		0.367 + 0.007	.0532	----	----	----	----	10 UNCH
10500	----	----		0.3378/----	0.3378/0.325A	----		0.331 + 0.006	.0478	----	----	----	----	4 UNCH
10725	----	----		0.3098/----	0.3098/0.301A	----		0.306 + 0.005	.0440	----	----	----	----	5 UNCH
11000	----	----		0.2818/----	0.2818/0.275A	----		0.278 + 0.003	.0399	----	----	----	----	14 UNCH
11100	----	----		0.2728/0.266A	0.2728/0.266A	----		0.269 + 0.002	.0385	----	----	----	----	1 UNCH
11400	----	----		0.2488/----	0.2488/0.244A	----		0.245 + 0.001	.0349	----	----	----	----	4 UNCH
11500	----	----		0.2408/----	0.2408/0.237A	----		0.238 + 0.001	.0338	----	----	1	----	3 + 1
11700	----	----		0.2268/----	0.2268/0.224A	----		0.224 UNCH	.0317	----	----	----	----	6 UNCH
12000	----	----		----	0.2068/0.207A	----		0.205 - 0.002	.0289	----	----	----	----	24 UNCH
12400	----	----		-----/0.186A	0.1858/0.186A	----		0.185 - 0.002	.0258	----	----	----	----	4 UNCH
12500	----	----		----	0.1808/0.183A	----		0.180 - 0.002	.0251	----	----	----	----	66 UNCH
12950	----	----		----	0.1608/0.164A	----		0.161 - 0.003	.0223	----	----	----	----	1 UNCH
12975	----	----		-----/0.162A	0.1598/0.162A	----		0.160 - 0.003	.0221	----	----	----	----	3 UNCH
25000	----	----		----	0.0158/0.039A	----		0.027 + 0.009	.0032	----	----	----	----	2 UNCH
30000	----	----		----	-----/0.034A	----		0.016 UNCH	.0019	----	----	----	----	57 UNCH
TOTAL												96	115	2370 + 179
MAR27														
6000	----	----		6.6808/5.931A	6.6808/5.931A	----		6.354 + 0.264	.6005	----	----	----	----	2 UNCH
6025	----	----		6.5558/5.817A	6.5558/5.817A	----		6.233 + 0.259	.5932	----	----	----	----	1 UNCH
6050	----	----		6.4338/5.711A	6.4338/5.711A	----		6.115 + 0.254	.5858	----	----	----	----	1 UNCH
6075	----	----		6.3128/5.601A	6.3128/5.601A	----		5.998 + 0.249	.5785	----	----	----	----	1 UNCH
6175	----	----		5.8508/5.177A	5.8508/5.177A	----		5.553 + 0.231	.5495	----	----	----	----	1 UNCH
6300	----	----		5.3208/4.698A	5.3208/4.698A	----		5.042 + 0.209	.5139	----	----	----	----	10 UNCH
6325	4.784	4.784		5.2208/4.608A	5.2208/4.608A	----		4.946 NEW	.5070	----	1	----	----	1 + 1
6350	4.806	4.806		5.1218/4.523A	5.1218/4.523A	----		4.852 + 0.201	.5001	----	1	----	----	10 UNCH
6400	----	----		4.9298/4.352A	4.9298/4.352A	----		4.669 + 0.193	.4864	----	----	----	----	40 UNCH
6425	4.428	4.428		4.8378/4.269A	4.8378/4.269A	----		4.580 NEW	.4797	----	1	----	----	1 + 1
6450	----	----		4.7468/4.186A	4.7468/4.186A	----		4.493 + 0.186	.4730	----	----	----	----	20 UNCH
6475	----	----		4.6588/4.107A	4.6588/4.107A	----		4.408 + 0.182	.4664	----	----	----	----	1 UNCH
6500	----	----		4.5698/4.028A	4.5698/4.028A	----		4.325 + 0.179	.4599	----	----	----	----	10 UNCH
6600	----	----		4.2388/3.731A	4.2388/3.731A	----		4.008 + 0.166	.4343	----	6	----	----	17 + 6
6775	----	----		3.7138/3.267A	3.7138/3.267A	----		3.515 + 0.147	.3924	----	----	----	----	16 UNCH
6800	----	----		3.6468/3.206A	3.6468/3.206A	----		3.450 + 0.144	.3867	----	----	----	----	35 UNCH
6825	----	----		3.5808/3.145A	3.5808/3.145A	----		3.387 + 0.142	.3811	----	----	----	----	5 UNCH
6900	3.088	3.088		3.3838/2.976A	3.3838/2.976A	----		3.204 NEW	.3646	----	1	----	----	1 + 1
7000	2.903	2.903		3.1468/2.763A	3.1468/2.763A	----		2.979 + 0.125	.3437	----	25	----	----	181 + 2
7100	----	----		2.9278/2.571A	2.9278/2.571A	----		2.771 + 0.116	.3239	----	----	----	----	1 UNCH
7200	----	----		2.7268/2.394A	2.7268/2.394A	----		2.581 NEW	.3053	----	1	218	----	219 + 1
7225	----	----		2.6778/2.353A	2.6778/2.353A	----		2.536 + 0.106	.3008	----	----	----	----	12 UNCH
7375	----	----		2.4108/2.120A	2.4108/2.120A	----		2.285 + 0.094	.2754	----	----	----	----	10 UNCH
7400	----	----		2.3698/2.085A	2.3698/2.085A	----		2.246 + 0.092	.2714	----	----	----	----	40 UNCH
7475	2.008	2.008		2.2538/1.981A	2.2538/1.981A	----		2.135 + 0.087	.2597	----	----	----	----	1 UNCH
7500	----	----		2.2168/1.948A	2.2168/1.948A	----		2.099 + 0.085	.2560	----	135	30	----	171 + 70
7550	----	----		2.1438/1.884A	2.1438/1.884A	----		2.030 + 0.082	.2486	----	----	----	----	3 UNCH
7600	----	----		2.0758/1.824A	2.0758/1.824A	----		1.964 + 0.078	.2416	----	----	----	----	3 UNCH
7625	----	----		2.0398/1.794A	2.0398/1.794A	----		1.932 + 0.077	.2381	----	----	----	----	3 UNCH
7700	----	----		1.9428/1.710A	1.9428/1.710A	----		1.840 + 0.072	.2281	----	----	----	----	8 UNCH
7725	----	----		1.9118/1.682A	1.9118/1.682A	----		1.811 + 0.071	.2249	----	----	----	----	11 UNCH
7750	----	----		1.8818/1.656A	1.8818/1.656A	----		1.782 + 0.069	.2217	----	----	----	----	1 UNCH
7800	----	----		1.8228/1.605A	1.8228/1.605A	----		1.727 + 0.067	.2155	----	----	----	----	3 UNCH
7850	----	----		1.7648/1.556A	1.7648/1.556A	----		1.674 + 0.065	.2096	----	----	----	----	1 UNCH
7875	----	----		1.7358/1.531A	1.7358/1.531A	----		1.648 + 0.064	.2067	----	----	----	----	1 UNCH
7900	----	----		1.7108/1.509A	1.7108/1.509A	----		1.623 + 0.063	.2038	----	----	----	----	7 UNCH
7925	----	----		1.6848/1.487A	1.6848/1.487A	----		1.598 + 0.062	.2010	----	----	----	----	1 UNCH
7950	----	----		1.6588/1.463A	1.6588/1.463A	----		1.574 + 0.061	.1982	----	----	----	----	1 UNCH
8000	----	----		1.6088/1.421A	1.6088/1.421A	----		1.527 + 0.058	.1929	----	1	----	----	277 + 1
8050	----	----		1.5588/1.378A	1.5588/1.378A	----		1.482 + 0.057	.1877	----	----	----	----	1 UNCH
8075	----	----		1.5368/1.359A	1.5368/1.359A	----		1.460 + 0.055	.1851	----	----	----	----	61 UNCH
8100	----	----		1.5128/1.339A	1.5128/1.339A	----		1.438 + 0.054	.1826	----	1	----	----	23 + 1
8125	----	----		1.4918/1.320A	1.4918/1.320A	----		1.417 + 0.053	.1801	----	----	----	----	1 UNCH
8250	----	----		1.3878/1.230A	1.3878/1.230A	----		1.319 + 0.049	.1686	----	----	----	----	5 UNCH
8300	----	----		1.3478/1.196A	1.3478/1.196A	----		1.282 + 0.047	.1642	----	----	----	----	1 UNCH
8450	1.138	1.138		1.2388/1.102A	1.2388/1.102A	----		1.179 NEW	.1518	----	1	----	----	1 + 1
8500	----	----		1.2058/1.073A	1.2058/1.073A	----		1.147 + 0.040	.1480	----	----	----	----	15 UNCH
8600	----	----		1.1428/1.018A	1.1428/1.018A	----		1.087 + 0.037	.1407	----	----	----	----	1 UNCH
8625	----	----		1.1258/1.010A	1.1258/1.010A	----		1.073 + 0.037	.1389	----	----	----	----	1 UNCH
8650	----	----		1.1128/0.993A	1.1128/0.993A	----		1.058 + 0.035	.1371	----	----	----	----	10 UNCH
8700	----	----		1.0838/										

	BULLETIN #189@				METALS OPTION PRODUCTS				Thu, Oct 01, 2026				PG64		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL	COMEX SILVER OPTIONS														
MAY27															
6600	----	----	----	5.617B/5.216A	5.617B/5.216A	----	----	----	5.398 + 0.155	.4752	----	----	20	----	20 +
6700	----	----	----	5.286B/----	5.286B/4.957A	----	----	----	5.076 + 0.137	.4542	----	----	----	----	1
7000	----	----	----	4.429B/4.139A	4.429B/4.139A	----	----	----	4.279 + 0.134	.3969	----	----	----	----	23
7300	----	----	----	3.730B/----	3.730B/3.528A	----	----	----	3.602 + 0.099	.3458	----	----	----	----	3
7500	----	----	----	3.329B/----	3.329B/3.180A	----	----	----	3.221 + 0.077	.3154	----	----	----	----	4
7600	----	----	----	3.154B/----	3.154B/3.005A	----	----	----	3.051 NEW	.3014	----	----	20	----	20 +
8000	----	----	----	2.569B/----	2.569B/2.462A	----	----	----	2.486 + 0.052	.2524	----	----	----	----	30
8500	----	----	----	2.022B/----	2.022B/1.944A	----	----	----	1.967 + 0.043	.2045	----	----	----	----	12
8825	----	----	----	1.742B/----	1.742B/1.697A	----	----	----	1.706 + 0.036	.1795	----	----	----	----	4
8875	----	----	----	1.702B/----	1.702B/1.664A	----	----	----	1.670 + 0.035	.1760	----	----	----	----	1
9000	----	----	----	1.625B/----	1.625B/1.576A	----	----	----	1.585 + 0.032	.1676	----	----	----	----	47
9150	----	----	----	1.527B/----	1.527B/1.486A	----	----	----	1.491 + 0.028	.1583	----	----	----	----	1
9525	----	----	----	1.306B/----	1.306B/1.293A	----	----	----	1.289 + 0.020	.1380	----	----	----	----	2
9650	----	----	----	1.254B/----	1.254B/1.235A	----	----	----	1.230 + 0.016	.1319	----	----	----	----	1
9925	----	----	----	1.132B/----	1.132B/1.125A	----	----	----	1.115 + 0.010	.1200	----	----	----	----	5
10000	----	----	----	1.104B/----	1.104B/1.096A	----	----	----	1.086 + 0.008	.1170	----	----	----	----	3
10075	----	----	----	1.066B/----	1.066B/1.071A	----	----	----	1.059 + 0.007	.1142	----	----	----	----	2
10225	----	----	----	1.013B/----	1.013B/1.022A	----	----	----	1.007 + 0.004	.1087	----	----	----	----	1
10500	----	----	----	0.932B/----	0.932B/0.944A	----	----	----	0.922 - 0.001	.0997	----	----	----	----	2
11000	----	----	----	----	0.788B/0.817A	----	----	----	0.794 - 0.008	.0860	----	----	----	----	27
11200	----	----	----	----	0.747B/0.774A	----	----	----	0.750 - 0.011	.0813	----	----	----	----	5
12000	----	----	----	----	0.587B/0.643A	----	----	----	0.610 - 0.015	.0659	----	----	----	----	4
12200	----	----	----	----	0.560B/0.615A	----	----	----	0.582 - 0.015	.0628	----	----	----	----	1
15000	----	----	----	----	0.309B/0.380A	----	----	----	0.342 - 0.001	.0360	----	----	----	----	112
20000	----	----	----	----	0.152B/0.224A	----	----	----	0.186 + 0.002	.0187	----	----	----	----	169
TOTAL													40	0	506 +
JUN27															
5450	----	----	----	----	10.381B/----	10.381B/9.888A	----	----	11.619 + 0.323	.7437	----	----	----	----	1
5700	----	----	----	9.704B/----	9.704B/9.237A	----	----	----	10.114 + 0.281	.6905	----	----	----	----	1
5825	----	----	----	10.381B/----	10.381B/9.888A	----	----	----	9.429 + 0.261	.6630	----	----	----	----	1
6225	----	----	----	7.781B/----	7.781B/7.408A	----	----	----	7.546 + 0.217	.5744	----	----	----	----	22
6400	----	----	----	7.068B/----	7.068B/6.726A	----	----	----	6.864 + 0.209	.5370	----	----	----	----	1
6500	----	----	----	6.696B/----	6.696B/6.354A	----	----	----	6.503 + 0.203	.5164	----	----	----	----	2
6600	----	----	----	6.324B/----	6.324B/6.013A	----	----	----	6.156 + 0.190	.4962	----	----	----	----	1
7050	----	----	----	4.991B/----	4.991B/4.739A	----	----	----	4.840 + 0.135	.4132	----	----	----	----	1
7575	----	----	----	3.780B/----	3.780B/3.651A	----	----	----	3.750 + 0.128	.3346	----	----	----	----	1
8000	----	----	----	3.076B/----	3.076B/2.997A	----	----	----	3.042 + 0.093	.2811	----	----	----	----	136
8075	----	----	----	2.965B/----	2.965B/2.898A	----	----	----	2.933 + 0.087	.2726	----	----	----	----	1
8500	----	----	----	2.457B/----	2.457B/2.412A	----	----	----	2.408 + 0.058	.2300	----	----	----	----	200
8700	----	----	----	2.257B/----	2.257B/2.227A	----	----	----	2.210 + 0.051	.2131	----	----	----	----	2
8800	----	----	----	2.161B/----	2.161B/2.139A	----	----	----	2.121 + 0.049	.2054	----	----	----	----	1
9350	----	----	----	1.746B/----	1.746B/1.739A	----	----	----	1.721 + 0.040	.1692	----	----	----	----	2
10000	----	----	----	1.390B/----	1.390B/1.400A	----	----	----	1.386 + 0.031	.1376	----	----	----	----	10
11000	----	----	----	1.022B/1.051A	1.022B/1.051A	----	----	----	1.022 - 0.005	.1026	----	----	----	----	155
12000	----	----	----	0.781B/0.820A	0.781B/0.820A	----	----	----	0.785 - 0.015	.0791	----	----	----	----	5
12500	----	----	----	0.688B/0.737A	0.688B/0.737A	----	----	----	0.694 - 0.015	.0701	----	----	----	----	10
13000	----	----	----	0.619B/0.668A	0.619B/0.668A	----	----	----	0.610 - 0.015	.0619	----	----	----	----	6
13075	----	----	----	0.614B/0.664A	0.614B/0.664A	----	----	----	0.599 - 0.015	.0608	----	----	----	----	1
TOTAL														0	560
JUL27															
2000	----	----	----	----	----	----	----	----	43.064 + 0.578	.9912	----	----	----	----	1
6800	----	----	----	5.907B/5.821A	5.907B/5.821A	----	----	----	6.011 + 0.168	.4677	----	----	----	----	1
6900	----	----	----	5.889B/----	5.889B/5.575A	----	----	----	5.717 + 0.154	.4504	----	----	----	----	1
7000	----	----	----	5.618B/5.288A	5.618B/5.288A	----	----	----	5.439 + 0.140	.4336	----	----	----	----	25
7800	3.623	3.623		3.833B/3.623	3.833B/3.623	----	----	----	3.725 + 0.063	.3198	----	----	20	----	21 +
7900	----	----	----	3.681B/----	3.681B/3.571A	----	----	----	3.563 + 0.060	.3080	----	----	----	----	1
7950	----	----	----	3.600B/----	3.600B/3.496A	----	----	----	3.487 + 0.060	.3024	----	----	----	----	1
10000	----	----	----	----	1.467B/1.851A	----	----	----	1.648 + 0.027	.1535	----	----	----	----	4
10100	----	----	----	----	1.417B/1.801A	----	----	----	1.598 + 0.025	.1491	----	----	----	----	2
10300	----	----	----	----	1.322B/1.708A	----	----	----	1.506 + 0.024	.1409	----	----	----	----	1
10500	----	----	----	----	1.239B/1.626A	----	----	----	1.421 + 0.021	.1333	----	----	----	----	1
10700	----	----	----	----	1.157B/1.547A	----	----	----	1.344 + 0.020	.1263	----	----	----	----	1
11000	----	----	----	----	1.055B/1.445A	----	----	----	1.239 + 0.017	.1168	----	----	----	----	2
11100	----	----	----	----	1.018B/1.412A	----	----	----	1.207 + 0.016	.1138	----	----	----	----	2
12000	----	----	----	----	0.781B/1.173A	----	----	----	0.969 + 0.011	.0918	----	----	----	----	2
12100	----	----	----	----	0.760B/1.151A	----	----	----	0.947 + 0.010	.0897	----	----	----	----	21
13000	----	----	----	----	0.596B/0.992A	----	----	----	0.785 + 0.007	.0743	----	----	----	----	2
13100	----	----	----	----	0.581B/0.976A	----	----	----	0.770 + 0.007	.0729	----	----	----	----	21
TOTAL													20	0	110 +
AUG27															
7500	----	----	----	----	4.794B/5.166A	----	----	----	4.959 + 0.116	.3830	----	----	----	----	8
8500	----	----	----	----	3.138B/3.519A	----	----	----	3.312 + 0.068	.2732	----	----	----	----	8
TOTAL														0	16
SEP27															
6000	10.473	10.473		10.473/10.473	10.473/10.305										

BULLETIN #189@				METALS OPTION PRODUCTS								Thu, Oct 01, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT NOV26	COMEX SILVER OPTIONS															
5650	----	----	----	0.7478/0.498A	0.7478/0.498A	----	0.590	- 0.131	.1788	----	----	----	----	----	36	UNCH
5675	0.606	0.606	----	0.8078/0.538A	0.8078/0.538A	----	0.636	- 0.143	.1907	----	----	----	5	----	76 +	5
5700	0.649	0.649	----	0.8728/0.579A	0.8728/0.579A	----	0.685	- 0.155	.2031	----	----	----	19	----	394 +	4
5725	0.675	0.675	----	0.9398/0.627A	0.9398/0.627A	----	0.738	- 0.167	.2162	----	----	----	1	----	66	UNCH
5750	1.020	1.020	----	1.020/0.675A	1.020/0.675A	----	0.795	- 0.180	.2299	----	----	----	15	----	364 +	4
5775	0.920	0.920	----	1.0878/0.728A	1.0878/0.728A	----	0.855	- 0.194	.2442	----	----	----	1	----	97	UNCH
5800	0.874	0.874	----	1.1688/0.783A	1.1688/0.783A	----	0.919	- 0.208	.2589	----	----	----	35	----	283 +	5
5825	----	----	----	1.2538/0.844A	1.2538/0.844A	----	0.988	- 0.223	.2743	----	----	----	----	----	78	UNCH
5850	1.094	1.094	----	1.3488/0.909A	1.3488/0.909A	----	1.061	- 0.238	.2902	----	----	----	1	----	31 -	1
5875	----	----	----	1.4448/0.979A	1.4448/0.979A	----	1.138	- 0.254	.3066	----	----	----	5	----	154 +	5
5900	1.190	1.190	----	1.5458/1.050A	1.5458/1.050A	----	1.220	- 0.269	.3234	----	----	----	40	----	200 +	3
5925	1.237	1.237	----	1.6518/1.128A	1.6518/1.128A	----	1.306	- 0.284	.3406	----	----	----	1	----	33	UNCH
5950	----	----	----	1.7618/1.211A	1.7618/1.211A	----	1.397	- 0.299	.3582	----	----	----	2	----	40	UNCH
5975	1.430	1.430	----	1.8898/1.299A	1.8898/1.299A	----	1.493	- 0.315	.3762	----	----	----	9	----	68 +	1
6000	1.506	1.506	----	2.0118/1.390A	2.0118/1.390A	----	1.594	- 0.332	.3945	----	----	----	20	----	477 +	5
6025	1.697	1.697	----	2.1388/1.488A	2.1388/1.488A	----	1.697	- 0.352	.4129	----	----	----	10	----	26 +	5
6050	2.045	2.045	----	2.2708/1.589A	2.2708/1.589A	----	1.810	- 0.365	.4317	----	----	----	3	----	33	UNCH
6075	1.789	1.789	----	2.4078/1.697A	2.4078/1.697A	----	1.928	- 0.378	.4506	----	----	----	10	----	56 +	6
6100	1.866	1.866	----	2.5368/1.797	2.5368/1.797	----	2.045	- 0.398	.4695	----	----	----	16	----	225 +	4
6125	----	----	----	2.6828/1.929A	2.6828/1.929A	----	2.181	- 0.404	.4884	----	----	----	3	----	19 -	2
6150	2.097	2.097	----	2.8368/2.051A	2.8368/2.051A	----	2.315	- 0.414	.5072	----	----	----	13	----	111 -	4
6175	2.280	2.280	----	2.9788/2.170	2.9788/2.170	----	2.449	- 0.434	.5261	----	----	----	7	----	25	UNCH
6200	2.867	2.867	----	3.1328/2.315A	3.1328/2.315A	----	2.592	- 0.446	.5447	----	----	----	27	----	319 +	10
6225	2.606	2.606	----	3.3048/2.454A	3.3048/2.454A	----	2.741	- 0.459	.5630	----	----	----	10	----	24 +	9
6250	3.200	3.200	----	3.4738/2.598A	3.4738/2.598A	----	2.890	- 0.476	.5813	----	----	----	8	----	111 +	2
6275	----	----	----	3.6428/2.747A	3.6428/2.747A	----	3.045	- 0.490	.5993	----	----	----	10	----	34 +	8
6300	3.062	3.062	----	3.8228/2.901A	3.8228/2.901A	----	3.210	- 0.499	.6166	----	----	----	7	----	143 +	4
6325	----	----	----	4.0098/3.069A	4.0098/3.069A	----	3.378	- 0.508	.6336	----	----	----	----	----	7	UNCH
6350	----	----	----	4.1958/3.224A	4.1958/3.224A	----	3.544	- 0.523	.6507	----	----	----	----	----	88	UNCH
6375	----	----	----	4.3838/3.396A	4.3838/3.396A	----	3.719	- 0.532	.6670	----	----	----	5	----	40 +	5
6400	----	----	----	4.5748/3.567A	4.5748/3.567A	----	3.900	- 0.540	.6827	----	----	----	----	----	157	UNCH
6425	----	----	----	4.7708/3.749A	4.7708/3.749A	----	4.083	- 0.548	.6979	----	----	----	----	----	9	UNCH
6450	----	----	----	4.9708/3.930A	4.9708/3.930A	----	4.270	- 0.556	.7127	----	----	----	----	----	17	UNCH
6475	----	----	----	5.1728/4.116A	5.1728/4.116A	----	4.461	- 0.564	.7270	----	----	----	----	----	62	UNCH
6500	----	----	----	5.3788/4.303A	5.3788/4.303A	----	4.655	- 0.571	.7407	----	----	----	----	----	345	UNCH
6525	----	----	----	5.5868/4.497A	5.5868/4.497A	----	4.853	- 0.577	.7539	----	----	----	----	----	31	UNCH
6550	----	----	----	5.7978/4.693A	5.7978/4.693A	----	5.054	- 0.583	.7665	----	----	----	----	----	31	UNCH
6575	----	----	----	6.0108/4.892A	6.0108/4.892A	----	5.258	- 0.589	.7785	----	----	----	----	----	19	UNCH
6600	----	----	----	6.2258/5.093A	6.2258/5.093A	----	5.465	- 0.594	.7901	----	----	----	----	----	172	UNCH
6625	----	----	----	6.4438/5.299A	6.4438/5.299A	----	5.675	- 0.599	.8011	----	----	----	----	----	28	UNCH
6650	----	----	----	6.6638/5.507A	6.6638/5.507A	----	5.887	- 0.603	.8115	----	----	----	----	----	39	UNCH
6675	----	----	----	6.8858/5.716A	6.8858/5.716A	----	6.102	- 0.607	.8215	----	----	----	----	----	68	UNCH
6700	----	----	----	7.1108/5.930A	7.1108/5.930A	----	6.319	- 0.610	.8309	----	----	----	----	----	136	UNCH
6725	----	----	----	7.3338/6.146A	7.3338/6.146A	----	6.538	- 0.614	.8400	----	----	----	----	----	83	UNCH
6750	----	----	----	7.5628/6.364A	7.5628/6.364A	----	6.759	- 0.617	.8484	----	----	----	----	----	101	UNCH
6775	----	----	----	7.7888/6.587A	7.7888/6.587A	----	6.982	- 0.619	.8566	----	----	----	----	----	21	UNCH
6800	----	----	----	8.0188/6.809A	8.0188/6.809A	----	7.207	- 0.621	.8642	----	----	----	----	----	151	UNCH
6825	----	----	----	8.2498/7.031A	8.2498/7.031A	----	7.433	- 0.623	.8714	----	----	----	----	----	2	UNCH
6850	----	----	----	8.4818/7.255A	8.4818/7.255A	----	7.661	- 0.625	.8781	----	----	----	----	----	7	UNCH
6875	----	----	----	8.7148/7.478A	8.7148/7.478A	----	7.891	- 0.626	.8845	----	----	----	----	----	1	UNCH
6900	----	----	----	8.9458/7.704A	8.9458/7.704A	----	8.122	- 0.627	.8906	----	----	----	----	----	26	UNCH
6925	----	----	----	9.1828/7.934A	9.1828/7.934A	----	8.354	- 0.628	.8962	----	----	----	----	----	1	UNCH
6950	----	----	----	9.4188/8.165A	9.4188/8.165A	----	8.588	- 0.628	.9015	----	----	----	----	----	10	UNCH
6975	----	----	----	9.6578/8.394A	9.6578/8.394A	----	8.823	- 0.629	.9063	----	----	----	----	----	5	UNCH
7000	----	----	----	9.8958/8.626A	9.8958/8.626A	----	9.059	- 0.629	.9110	----	----	----	----	----	79	UNCH
7025	----	----	----	10.1388/8.859A	10.1388/8.859A	----	9.296	- 0.630	.9152	----	----	----	----	----	8	UNCH
7050	----	----	----	10.3718/9.093A	10.3718/9.093A	----	9.534	- 0.630	.9193	----	----	----	----	----	84	UNCH
7075	----	----	----	10.6128/9.329A	10.6128/9.329A	----	9.772	- 0.630	.9234	----	----	----	----	----	1	UNCH
7100	----	----	----	10.8518/9.566A	10.8518/9.566A	----	10.010	- 0.631	.9272	----	----	----	----	----	4	UNCH
7125	----	----	----	11.0938/9.803A	11.0938/9.803A	----	10.250	- 0.630	.9309	----	----	----	----	----	1	UNCH
7150	----	----	----	11.3358/10.040A	11.3358/10.040A	----	10.490	- 0.629	.9341	----	----	----	----	----	2	UNCH
7175	----	----	----	11.5758/10.282A	11.5758/10.282A	----	10.731	- 0.629	.9372	----	----	----	----	----	1	UNCH
7200	----	----	----	11.8198/10.517A	11.8198/10.517A	----	10.973	- 0.628	.9399	----	----	----	----	----		

BULLETIN #189@				METALS OPTION PRODUCTS								Thu, Oct 01, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	OPEN CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT	COMEX SILVER OPTIONS															
DEC26																
5475	----	----	----	1.0928/0.832A	1.0928/0.832A	----	----	0.923	- 0.145	.1868	----	----	----	----	1	UNCH
5500	0.930	0.930		1.1548/0.879A	1.1548/0.879A	----	----	0.975	- 0.153	.1955	----	----	24	----	865 +	12
5525	----	----	----	1.2178/0.929A	1.2178/0.929A	----	----	1.030	- 0.160	.2045	----	----	----	----	8	UNCH
5550	----	----	----	1.2868/0.981A	1.2868/0.981A	----	----	1.088	- 0.168	.2137	----	----	----	----	8	UNCH
5575	----	----	----	1.3568/1.037A	1.3568/1.037A	----	----	1.148	- 0.177	.2232	----	----	----	----	180	UNCH
5600	----	----	----	1.4308/1.094A	1.4308/1.094A	----	----	1.211	- 0.187	.2329	----	12	70	----	136 +	15
5625	----	----	----	1.5078/1.155A	1.5078/1.155A	----	----	1.276	- 0.198	.2429	----	5	----	----	10 +	5
5650	----	----	----	1.5888/1.217A	1.5888/1.217A	----	----	1.345	- 0.208	.2531	----	----	----	----	31	UNCH
5675	----	----	----	1.6718/1.283A	1.6718/1.283A	----	----	1.417	- 0.217	.2636	----	----	----	----	4	UNCH
5700	----	----	----	1.7598/1.352A	1.7598/1.352A	----	----	1.493	- 0.225	.2743	----	8	----	----	220	UNCH
5725	----	----	----	1.8498/1.425A	1.8498/1.425A	----	----	1.572	- 0.234	.2853	----	----	----	----	108	UNCH
5750	----	----	----	1.9438/1.500A	1.9438/1.500A	----	----	1.654	- 0.243	.2964	----	----	----	----	224	UNCH
5775	----	----	----	2.0448/1.578A	2.0448/1.578A	----	----	1.739	- 0.253	.3077	----	1	----	----	23 -	1
5800	----	----	----	2.1458/1.660A	2.1458/1.660A	----	----	1.827	- 0.263	.3192	----	1	----	----	263 -	1
5825	----	----	----	2.2498/1.745A	2.2498/1.745A	----	----	1.919	- 0.273	.3309	----	----	----	----	3	UNCH
5850	----	----	----	2.3578/1.834A	2.3578/1.834A	----	----	2.014	- 0.284	.3426	----	----	----	----	23	UNCH
5875	----	----	----	2.4648/1.928A	2.4648/1.928A	----	----	2.112	- 0.295	.3545	----	----	----	----	12	UNCH
5900	----	----	----	2.5798/2.024A	2.5798/2.024A	----	----	2.214	- 0.306	.3666	----	----	----	----	191	UNCH
5925	----	----	----	2.7038/2.122A	2.7038/2.122A	----	----	2.319	- 0.317	.3787	----	----	----	----	8	UNCH
5950	----	----	----	2.8248/2.227A	2.8248/2.227A	----	----	2.428	- 0.327	.3909	----	----	----	----	11	UNCH
5975	----	----	----	2.9498/2.332A	2.9498/2.332A	----	----	2.541	- 0.337	.4032	----	----	----	----	4	UNCH
6000	2.510	2.510		3.0818/2.441A	3.0818/2.441A	----	----	2.657	- 0.347	.4155	----	3	----	----	510 +	1
6025	----	----	----	3.2278/2.555A	3.2278/2.555A	----	----	2.776	- 0.358	.4279	----	----	----	----	46	UNCH
6050	----	----	----	3.3638/2.671A	3.3638/2.671A	----	----	2.899	- 0.368	.4402	----	----	----	----	8	UNCH
6075	----	----	----	3.5028/2.792A	3.5028/2.792A	----	----	3.026	- 0.378	.4526	----	----	----	----	4	UNCH
6100	3.438	3.438		3.6458/2.917A	3.6458/2.917A	----	----	3.156	- 0.388	.4650	----	14	----	----	72	UNCH
6125	----	----	----	3.7888/3.044A	3.7888/3.044A	----	----	3.290	- 0.397	.4773	----	----	----	----	11	UNCH
6150	----	----	----	3.9268/3.175A	3.9268/3.175A	----	----	3.427	- 0.406	.4895	----	3	----	----	42 +	2
6175	----	----	----	4.0808/3.310A	4.0808/3.310A	----	----	3.567	- 0.415	.5017	----	----	----	----	4	UNCH
6200	----	----	----	4.2348/3.447A	4.2348/3.447A	----	----	3.711	- 0.424	.5137	----	----	----	----	79	UNCH
6225	----	----	----	4.3948/3.589A	4.3948/3.589A	----	----	3.857	- 0.434	.5257	----	----	----	----	2	UNCH
6250	----	----	----	4.5548/3.733A	4.5548/3.733A	----	----	4.008	- 0.441	.5376	----	----	----	----	5	UNCH
6275	----	----	----	4.7208/3.880A	4.7208/3.880A	----	----	4.161	- 0.450	.5493	----	----	----	----	13	UNCH
6300	----	----	----	4.8688/4.031A	4.8688/4.031A	----	----	4.317	- 0.458	.5609	----	----	----	----	88	UNCH
6325	----	----	----	5.0408/4.185A	5.0408/4.185A	----	----	4.477	- 0.466	.5723	----	----	----	----	10	UNCH
6350	----	----	----	5.2128/4.340A	5.2128/4.340A	----	----	4.639	- 0.474	.5836	----	----	----	----	49	UNCH
6375	----	----	----	5.3948/4.502A	5.3948/4.502A	----	----	4.805	- 0.481	.5947	----	----	----	----	5	UNCH
6400	----	----	----	5.5668/4.676A	5.5668/4.676A	----	----	4.973	- 0.488	.6056	----	----	----	----	28	UNCH
6425	----	----	----	5.7548/4.843A	5.7548/4.843A	----	----	5.144	- 0.495	.6163	----	----	----	----	15	UNCH
6450	----	----	----	5.9318/5.012A	5.9318/5.012A	----	----	5.318	- 0.502	.6268	----	----	----	----	39	UNCH
6475	----	----	----	6.1178/5.183A	6.1178/5.183A	----	----	5.495	- 0.508	.6372	----	----	----	----	3	UNCH
6500	----	----	----	6.3058/5.357A	6.3058/5.357A	----	----	5.674	- 0.515	.6473	----	4	----	----	945	UNCH
6525	----	----	----	6.4968/5.535A	6.4968/5.535A	----	----	5.856	- 0.521	.6572	----	----	----	----	25	UNCH
6550	----	----	----	6.6888/5.714A	6.6888/5.714A	----	----	6.040	- 0.528	.6670	----	----	----	----	35	UNCH
6575	----	----	----	6.8818/5.898A	6.8818/5.898A	----	----	6.227	- 0.534	.6765	----	----	----	----	1	UNCH
6600	----	----	----	7.0848/6.079A	7.0848/6.079A	----	----	6.416	- 0.540	.6857	----	----	----	----	97	UNCH
6625	----	----	----	7.2838/6.268A	7.2838/6.268A	----	----	6.608	- 0.544	.6948	----	----	----	----	33	UNCH
6650	----	----	----	7.4838/6.462A	7.4838/6.462A	----	----	6.801	- 0.550	.7036	----	----	----	----	20	UNCH
6675	----	----	----	7.6858/6.649A	7.6858/6.649A	----	----	6.997	- 0.554	.7123	----	----	----	----	1	UNCH
6700	----	----	----	7.8908/6.843A	7.8908/6.843A	----	----	7.195	- 0.559	.7206	----	----	----	----	40	UNCH
6725	----	----	----	8.0978/7.039A	8.0978/7.039A	----	----	7.394	- 0.563	.7288	----	----	----	----	5	UNCH
6750	----	----	----	8.3038/7.240A	8.3038/7.240A	----	----	7.596	- 0.566	.7367	----	----	----	----	7	UNCH
6775	----	----	----	8.5148/7.440A	8.5148/7.440A	----	----	7.799	- 0.570	.7445	----	----	----	----	4	UNCH
6800	----	----	----	8.7238/7.638A	8.7238/7.638A	----	----	8.004	- 0.573	.7521	----	----	----	----	147	UNCH
6825	----	----	----	8.9388/7.842A	8.9388/7.842A	----	----	8.211	- 0.576	.7594	----	----	----	----	1	UNCH
6850	----	----	----	9.1518/8.047A	9.1518/8.047A	----	----	8.420	- 0.579	.7665	----	----	----	----	78	UNCH
6875	----	----	----	9.3678/8.254A	9.3678/8.254A	----	----	8.630	- 0.582	.7735	----	----	----	----	2	UNCH
6900	----	----	----	9.5818/8.463A	9.5818/8.463A	----	----	8.841	- 0.586	.7801	----	----	----	----	20	UNCH
6950	----	----	----	10.0188/8.886A	10.0188/8.886A	----	----	9.269	- 0.591	.7929	----	----	----	----	24	UNCH
7000	----	----	----	10.4608/9.314A	10.4608/9.314A	----	----	9.702	- 0.596	.8050	----	----	----	----	253	UNCH
7050	----	----	----	10.9068/9.748A	10.9068/9.748A	----	----	10.140	- 0.599	.8163	----	----	----	----	1	UNCH
7075	----	----	----	11.1308/9.967A	11.1308/9.967A	----	----	10.361	- 0.601	.8218	----	----	----	----	21	UNCH
7100	----	----	----	11.3568/10.187A	11.3568/10.187A	----	----	10.582	- 0.603	.8270	----	----	----	----	5	UNCH
7200	----	----	----	12.2678/11.078A	12.2678/11.078A	----	----	11.480	- 0.610	.8464	----	----	----	----	14	UNCH
7225	----	----	----													

	BULLETIN #189@										METALS OPTION PRODUCTS					Thu, Oct 01, 2026			PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST			
SO PUT	COMEX SILVER OPTIONS																		
APR27																			
6500	----	----	----	----/7.396A	7.897B/7.396A	----			7.604 -	0.405	.5127	----	----	----	----		3		
6600	----	----	----	8.677B/8.018A	8.677B/8.018A	----			8.255 -	0.416	.5362	----	----	----	----		1		
7000	----	----	----	----/10.799A	11.305B/10.799A	----			11.079 -	0.459	.6215	----	----	----	----		5		
8000	----	----	----	----	6.176B/32.378A	----			19.285 -	0.533	.7722	----	----	----	----		2		
8725	----	----	----	----	11.827B/39.780A	----			25.833 -	0.562	.8378	----	----	----	----		3		
TOTAL															0	432	0		
MAY27																			
4500	----	----	----	----/0.870A	0.906B/0.870A	----			0.878 -	0.078	.0942	----	----	----	----		6		
4700	----	----	----	----/1.148A	1.195B/1.148A	----			1.149 -	0.103	.1195	----	----	----	----		25		
4850	----	----	----	----/1.391A	1.462B/1.391A	----			1.403 -	0.126	.1417	----	----	----	----		5		
5000	----	----	----	----/1.699A	1.740B/1.699A	----			1.710 -	0.148	.1670	----	----	----	----		20		
5500	----	----	----	----/3.108A	3.277B/3.108A	----			3.152 -	0.228	.2688	----	----	----	----		1		
6000	----	----	----	----/5.179A	5.625B/5.179A	----			5.296 -	0.348	.3866	----	----	----	----		1		
6500	----	----	----	8.627B/7.979A	8.627B/7.979A	----			8.188 -	0.405	.5025	----	----	----	----		65		
6525	----	----	----	8.779B/8.158A	8.779B/8.158A	----			8.347 -	0.410	.5079	----	----	----	----		16		
6675	----	----	----	9.805B/9.119A	9.805B/9.119A	----			9.312 -	0.448	.5401	----	----	----	----		2		
6750	----	----	----	----/9.629A	10.223B/9.629A	----			9.828 -	0.451	.5553	----	----	----	----		5		
7300	----	----	----	----/13.619A	14.134B/13.619A	----			13.912 -	0.488	.6536	----	----	----	----		10		
7900	----	----	----	----	----	----			18.836 -	0.533	.7358	----	----	----	----		10		
8300	----	----	----	----	----	----			22.328 -	0.541	.7773	----	----	----	----		5		
8325	----	----	----	----	----	----			22.550 -	0.542	.7796	----	----	----	----		2		
8350	----	----	----	----	----	----			22.773 -	0.542	.7819	----	----	----	----		2		
8500	----	----	----	----	----	----			24.117 -	0.545	.7949	----	----	----	----		9		
TOTAL															0	185	0		
JUN27																			
4000	----	----	----	----/0.567A	0.486B/0.567A	----			0.523 -	0.049	.0543	----	----	----	----		1		
4500	----	----	----	----/1.066A	0.995B/1.066A	----			1.020 -	0.107	.0999	----	----	----	----		3		
4700	----	----	----	----/1.365A	1.291B/1.365A	----			1.323 -	0.134	.1251	----	----	----	----		510		
5500	----	----	----	----/3.402A	3.415B/3.402A	----			3.390 -	0.255	.2660	----	----	----	----		3		
6000	----	----	----	----/5.459A	5.640B/5.459A	----			5.542 -	0.331	.3752	----	----	----	----		5		
6400	----	----	----	----/7.625A	7.936B/7.625A	----			7.782 -	0.357	.4623	----	----	----	----		1		
6500	----	----	----	----/8.223A	8.544B/8.223A	----			8.402 -	0.363	.4830	----	----	----	----		10		
6800	----	----	----	----/10.143A	10.529B/10.143A	----			10.330 -	0.428	.5424	----	----	----	----		1		
7000	----	----	----	----/11.516A	11.947B/11.516A	----			11.760 -	0.435	.5779	----	----	----	----		16		
7050	----	----	----	----/11.879A	12.310B/11.879A	----			12.135 -	0.431	.5862	----	----	----	----		1		
TOTAL															0	551	0		
JUL27																			
5000	----	----	----	----/2.267A	2.315B/2.267A	----			2.270 -	0.169	.1825	----	----	----	----		20		
5500	----	----	----	----/3.785A	3.978B/3.785A	----			3.820 -	0.261	.2734	----	----	----	----		50		
6500	----	----	----	----/8.735A	9.199B/8.735A	----			8.892 -	0.359	.4764	----	----	----	----		1		
6900	----	----	----	11.955B/11.308A	11.955B/11.308A	----			11.526 -	0.411	.5489	----	----	----	----		100		
7000	----	----	----	12.686B/12.039A	12.686B/12.039A	----			12.228 -	0.425	.5657	----	----	----	----		25		
TOTAL															0	196	0		
SEP27																			
5500	----	----	----	----/4.670A	4.357B/4.670A	----			4.473 -	0.222	.2750	----	----	----	----		10		
5800	----	----	----	----/5.945A	5.677B/5.945A	----			5.760 -	0.261	.3289	----	----	----	----		1		
5900	----	----	----	----/6.420A	6.149B/6.420A	----			6.238 -	0.273	.3472	----	----	----	----		1		
TOTAL															0	12	0		
DEC27																			
7175	----	----	----	----	----	----			15.910 -	0.283	.5034	----	----	----	----		25		
TOTAL															0	25	0		
DEC28																			
7175	----	----	----	----	----	----			18.214 -	0.230	.4148	----	----	----	----		40		
TOTAL															0	40	0		
SO1 CALL	SILVER OPTIONS																		
OCT26																			
6000	----	----	----	1.858B/0.917A	1.858B/0.917A	----			1.375 +	0.289	.8604	----	----	1	----		2		
6030	----	----	----	1.604B/0.752A	1.604B/0.752A	----			1.145 +	0.240	.7932	----	----	----	----		1		
6080	----	----	----	1.219B/0.528A	1.219B/0.528A	----			0.804	NEW	.6415	----	1	----		1 +			
6090	----	----	----	1.147B/0.490A	1.147B/0.490A	----			0.744 +	0.142	.6059	----	----	----	----		1		
6100	----	----	----	1.079B/0.454A	1.079B/0.454A	----			0.686 +	0.127	.5693	----	----	----	----		16		
6110	0.682	0.682		1.011B/0.423A	1.011B/0.423A	----			0.631	NEW	.5318	----	1	----		1 +			
6130	----	----	----	0.887B/0.359A	0.887B/0.359A	----			0.530	NEW	.4558	----	3	----		3 +			
6140	----	----	----	0.823B/0.331A	0.823B/0.331A	----			0.483 +	0.073	.4179	----	----	----	----		2		
6150	0.380	0.380		0.765B/0.300A	0.765B/0.300A	----			0.440 +	0.062	.3808	----	20	----		20 +			
6160	----	----	----	0.712B/0.274A	0.712B/0.274A	----			0.399 +	0.051	.3446	----	----	----	----		2		
6170	0.397	0.397		0.660B/0.243A	0.660B/0.243A	----			0.361 +	0.040	.3097	----	1	----		5 +			
6180	----	----	----	0.610B/0.219A	0.610B/0.219A	----			0.326 +	0.031	.2765	----	2	----		4 +			
6190	0.260	0.260		0.563B/0.198A	0.563B/0.198A	----			0.293 +	0.023	.2450	----	10	----		13 +			
6200	0.258	0.258		0.520B/0.179A	0.520B/0.179A	----			0.263 +	0.015	.2157	----	54	----		59 +			
6210	0.400	0.400		0.476B/0.160A	0.476B/0.160A	----			0.236 +	0.009	.1888	----	10	----		5 +			
6220	----	----	----	0.439B/0.141A	0.439B/0.141A	----			0.211 +	0.003	.1641	----	----	----					



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

BULLETIN #189@			METALS OPTION PRODUCTS										Thu, Oct 01, 2026			PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
S01 PUT	SILVER OPTIONS															
OCT26																
5860	0.055	0.055		0.1798/0.025A	0.1798/0.025A	----			0.044 - 0.132	.0140	----	----	5	----	5 +	1
5870	----	----		0.1948/0.027A	0.1948/0.027A	----			0.049 - 0.143	.0168	----	----	----	----	3	UNCH
5880	----	----		0.2138/0.029A	0.2138/0.029A	----			0.055 - 0.153	.0202	----	----	----	----	4	UNCH
5890	0.049	0.049		0.2328/0.032A	0.2328/0.032A	----			0.062 - 0.164	.0244	----	----	11	----	9 +	5
5900	0.089	0.089		0.2538/0.037A	0.2538/0.037A	----			0.069 - 0.176	.0289	----	----	2	----	25 +	2
5910	----	----		0.2758/0.040A	0.2758/0.040A	----			0.077 - 0.188	.0344	----	----	----	----	2	UNCH
5920	----	----		0.2998/0.046A	0.2998/0.046A	----			0.086 - 0.201	.0408	----	----	----	----	1	UNCH
5930	----	----		0.3258/0.053A	0.3258/0.053A	----			0.096 - 0.214	.0482	----	----	----	----	2	UNCH
5940	0.137	0.137		0.3538/0.061A	0.3538/0.061A	----			0.107 - 0.228	.0568	----	5	----	8 +	1	
5950	0.136	0.136		0.3838/0.071A	0.3838/0.071A	----			0.119 - 0.243	.0666	----	24	----	26 +	16	
5960	----	----		0.4168/0.079A	0.4168/0.079A	----			0.132 - 0.258	.0777	----	----	----	----	2	UNCH
5970	0.112	0.112		0.4538/0.088A	0.4538/0.088A	----			0.147 - 0.273	.0907	----	2	----	4 -	2	
5980	0.242	0.242		0.4838/0.099A	0.4838/0.099A	----			0.163 - 0.288	.1051	----	13	----	12 +	11	
5990	----	----		0.5228/0.113A	0.5228/0.113A	----			0.181 - 0.304	.1215	----	----	----	----	2	UNCH
6000	0.195	0.195		0.5678/0.127A	0.5678/0.127A	----			0.200 - 0.320	.1395	----	82	----	108 +	51	
6010	----	----		0.6108/0.141A	0.6108/0.141A	----			0.222 - 0.336	.1602	----	----	----	1	UNCH	
6020	----	----		0.6588/0.158A	0.6588/0.158A	----			0.245 - 0.353	.1824	----	----	----	2	UNCH	
6040	----	----		0.7528/0.192A	0.7528/0.192A	----			0.297 - 0.386	.2331	----	----	----	1	UNCH	
6050	0.593	0.593		0.8068/0.212A	0.8068/0.212A	----			0.326 - 0.403	.2614	----	33	----	48 +	23	
6060	----	----		0.8618/0.234A	0.8618/0.234A	----			0.358 - 0.420	.2920	----	----	----	1	UNCH	
6070	0.694	0.694		0.9198/0.256A	0.9198/0.256A	----			0.393 - 0.435	.3246	----	1	----	2	UNCH	
6080	0.512	0.512		0.9798/0.283A	0.9798/0.283A	----			0.429 - 0.452	.3584	----	3	----	5 +	1	
6100	0.391	0.391		1.1118/0.340A	1.1118/0.340A	----			0.511 - 0.482	.4306	----	2	----	10	UNCH	
6110	0.617	0.617		1.1728/0.375A	1.1728/0.375A	----			0.556	NEW .4681	----	1	----	1 +	1	
6120	0.666	0.666		1.2398/0.409A	1.2398/0.409A	----			0.604 - 0.510	.5061	----	3	----	2	UNCH	
6130	0.656	0.656		1.3108/0.446A	1.3108/0.446A	----			0.655	NEW .5441	----	12	----	10 +	10	
6140	0.635	0.635		1.3838/0.487A	1.3838/0.487A	----			0.708	NEW .5820	----	5	----	5 +	5	
6150	0.680	0.680		1.4568/0.531A	1.4568/0.531A	----			0.765 - 0.547	.6191	----	3	----	8 +	1	
6160	0.742	0.742		1.5418/0.578A	1.5418/0.578A	----			0.824	NEW .6553	----	2	----	2 +	2	
6170	----	----		1.6118/0.627A	1.6118/0.627A	----			0.886 - 0.568	.6902	----	----	----	5	UNCH	
6180	----	----		1.7008/0.679A	1.7008/0.679A	----			0.951 - 0.577	.7234	----	1	----	5	UNCH	
6190	----	----		1.7838/0.733A	1.7838/0.733A	----			1.018 - 0.586	.7549	----	1	----	2 +	1	
6200	----	----		1.8658/0.792A	1.8658/0.792A	----			1.088 - 0.594	.7842	----	----	----	32	UNCH	
6210	----	----		1.9508/0.852A	1.9508/0.852A	----			1.161 - 0.600	.8111	----	----	----	1	UNCH	
6220	----	----		2.0358/0.917A	2.0358/0.917A	----			1.236 - 0.606	.8358	----	1	----	3 -	1	
6230	----	----		2.1228/0.982A	2.1228/0.982A	----			1.313 - 0.611	.8584	----	----	----	3	UNCH	
6250	----	----		2.2998/1.119A	2.2998/1.119A	----			1.474 - 0.619	.8962	----	----	----	19	UNCH	
6300	----	----		2.7598/1.512A	2.7598/1.512A	----			1.906 - 0.630	.9567	----	1	----	17 -	1	
6350	----	----		3.2338/1.945A	3.2338/1.945A	----			2.368 - 0.632	.9833	----	----	----	5	UNCH	
6370	----	----		3.4268/2.119A	3.4268/2.119A	----			2.559	NEW .9889	----	1	----	1 +	1	
6400	----	----		3.7168/2.387A	3.7168/2.387A	----			2.849 - 0.629	.9938	----	----	----	19	UNCH	
6450	----	----		4.2078/2.853A	4.2078/2.853A	----			3.338 - 0.626	.9976	----	----	----	9	UNCH	
6500	----	----		4.6728/3.332A	4.6728/3.332A	----			3.833 - 0.622	.9989	----	----	----	3	UNCH	
6600	----	----		5.6008/4.312A	5.6008/4.312A	----			4.829 - 0.615	.9997	1	----	----	7 -	1	
6650	----	----		6.1058/4.877A	6.1058/4.877A	----			5.328 - 0.613	.9998	----	----	----	4	UNCH	
6700	----	----		6.6098/5.373A	6.6098/5.373A	----			5.827 - 0.612	.9999	----	----	----	6	UNCH	
6750	----	----		7.1078/5.871A	7.1078/5.871A	----			6.326 - 0.612	.9999	3	----	----	3 -	3	
6950	----	----		9.1078/7.867A	9.1078/7.867A	----			8.326 - 0.609	.0000	----	----	----	3	UNCH	
7050	----	----		10.0888/8.866A	10.0888/8.866A	----			9.326 - 0.608	.0000	1	----	----	1 -	1	
7100	----	----		10.5888/9.374A	10.5888/9.374A	----			9.826 - 0.608	.0000	----	----	----	4	UNCH	
TOTAL													225	0	524 +	134
S02 CALL	SILVER OPTIONS															
OCT26																
6200	----	----		1.0948/0.632A	1.0948/0.632A	----			0.827 + 0.097	.3938	----	----	----	----	2	UNCH
6250	----	----		0.8848/0.509A	0.8848/0.509A	----			0.650 + 0.059	.3280	----	----	----	1	UNCH	
6300	----	----		0.7118/0.409A	0.7118/0.409A	----			0.507 + 0.029	.2685	----	1	----	3 +	1	
6350	----	----		0.5688/0.330A	0.5688/0.330A	----			0.393 + 0.006	.2164	----	----	----	6	UNCH	
6400	----	----		0.4538/0.264A	0.4538/0.264A	----			0.305 - 0.010	.1728	----	1	----	5	UNCH	
6450	0.272	0.272		0.3598/0.209A	0.3598/0.209A	----			0.238	NEW .1373	----	1	----	1 +	1	
6500	0.175	0.175		0.2868/0.167A	0.2868/0.167A	----			0.189 - 0.023	.1097	----	2	----	9 +	2	
6550	0.180	0.180		0.2258/0.145A	0.2258/0.145A	----			0.152 - 0.024	.0880	----	4	----	9 +	4	
6650	----	----		0.1478/0.093A	0.1478/0.093A	----			0.103 - 0.022	.0584	----	----	----	38	UNCH	
6700	----	----		0.1138/0.078A	0.1138/0.078A	----			0.085 - 0.021	.0476	----	----	----	1	UNCH	
6750	----	----		0.0958/0.067A	0.0958/0.067A	----			0.071 - 0.020	.0391	----	----	----	30	UNCH	
6900	----	----		---/0.046A	0.0578/0.046A	----			0.043 - 0.018	.0225	----	----	----	8	UNCH	
6950	0.055	0.055		0.055/0.044A	0.055/0.044A	----			0.037 - 0.017	.0189	----	6	----	5 -	1	
7000	----	----		---/0.038A	0.0428/0.038A	----			0.032 - 0.016	.0160	----	----	----	19	UNCH	
7050	----	----		---/0.035A	0.0368/0.035A	----			0.028 - 0.015	.0137	----	----	----	1	UNCH	
7100	----	----		---/0.032A	0.0338/0.032A	----			0.025 - 0.014	.0120	----	----	----	11	UNCH	
7150	----	----		---/0.032A	0.0258/0.032A	----			0.022 - 0.013	.0103	----	----	----	6	UNCH	
7200	----	----		---/0.031A	0.0228/0.031A	----			0.020 - 0.012	.0091	----	----	----	1	UNCH	
7300	----	----		----	0.0178/0.028A	----			0.017 - 0.011	.0074	----	----	----	6	UNCH	
7400	----	----		----	0.0138/0.026A	----			0.014 - 0.010	.0058	----	----	----	2	UNCH	
8000	----	----		----	---/0.019A	----			0.007 - 0.006	.0023	----	----	----	3	UNCH	
8500	----	----		----	---/0.119A	----			0.004 - 0.004	.0011	----	----	----	3	UNCH	
TOTAL													15	0	170 +	7
S02 PUT	SILVER OPTIONS															
OCT26																
5100	----	----		----	0.0118/0.024A	----			0.011 - 0.006	.0047	----	----	----	3	UNCH	
5200	----	----		----	0.0208/0.028A	----			0.018 - 0.008	.0080	----	----	----	1	UNCH	
5400	----	----		---/0.043A	0.0558/0.043A	----			0.046 - 0.017	.0220	----	----	----	1	UNCH	
5500	----	----		---/0.060A	0.0928/0.060A	----			0.070 - 0.030	.0348	----	----	----	3	UNCH	
5600	----	----		---/0.089A	0.1578/0.089A	----			0.107 - 0.051	.0549	----	----	----	15	UNCH	
5650	----	----		0.2058/0.110A	0.2058/0.110A	----			0.135 - 0.066	.0698	----	----	----	1	UNCH	
5700	----	----		0.2638/0.139A	0.2638/0.139A	----			0.170 - 0.086	.0884	----	----	----	30	UNCH	
5750	----	----		0.3408/0.169A	0.3408/0.169A	----			0.216 - 0.110	.1122	----	----	----	9	UNCH	
5800	0.300	0.300		0.4368/0.216A	0.4368/0.216A	----			0.276 - 0.140	.1421	----	5	----	7 +	5	
5850	0.309	0.309		0.5578/0.274A	0.5578/0.274A	----			0.352 - 0.177	.1786	----	3	----	5 +	3	
5900	----	----		0.7098/0.351A	0.7098/0.351A	----			0.449 - 0.220	.2227	----	----	----	10	UNCH	
5950	0.474	0.474		0.8858/0.450A	0.8858/0.450A	----			0.570 - 0.267	.2742	----	4	----	6 +	4	
6000	----	----		1.0998/0.571A	1.0998/0.571A	----			0.719 - 0.318	.3328	----	1	----	12 +	1	
6050	----	----		1.3548/0.723A	1.3548/0.723A	----			0.900 - 0.369	.3974	----	----	----	1	UNCH	
6100	----	----		1												



PG64	BULLETIN #189@										METALS OPTION PRODUCTS					Thu, Oct 01, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
S03 PUT OCT26	SILVER OPTIONS																		
6500	----	----	5.026B/3.918A	5.026B/3.918A	----	4.276 -	0.604	.8085	----	----	----	----	10	UNCH					
6600	----	----	5.925B/4.763A	5.925B/4.763A	----	5.142 -	0.619	.8591	----	----	----	----	5	UNCH					
6650	----	----	6.395B/5.201A	6.395B/5.201A	----	5.592 -	0.623	.8789	----	----	----	----	6	UNCH					
6700	----	----	6.865B/5.650A	6.865B/5.650A	----	6.051 -	0.626	.8960	----	----	----	----	20	UNCH					
TOTAL											7	0	251 +	3					
S04 CALL OCT26	SILVER OPTIONS																		
6450	0.888	0.888	0.965B/0.748A	0.965B/0.748A	----	0.834 +	0.039	.2714	----	----	5	----	8 +	5					
TOTAL											5	0	8 +	5					
S04 PUT OCT26	SILVER OPTIONS																		
5600	----	----	----/0.370A	0.468B/0.370A	----	0.430 -	0.110	.1431	----	----	----	----	1	UNCH					
5650	----	----	----/0.434A	0.593B/0.434A	----	0.505 -	0.128	.1650	----	----	----	----	1	UNCH					
5750	0.680	0.680	0.680/0.595A	0.807B/0.595A	----	0.696 -	0.171	.2170	----	----	2	----	1 -	2					
5900	----	----	1.380B/0.954A	1.380B/0.954A	----	1.107 -	0.250	.3147	----	----	----	----	2	UNCH					
TOTAL											2	0	5 -	2					
SWW WED SEP26	SILVER WEEKLY WEDNESDAY OPTION WEEK																		
5970	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6000	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6010	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6020	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6030	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6040	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6050	----	----	----	----	----	0.066	UNCH	----	----	----	----	----	0	UNCH					
6050	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6060	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6060	----	----	----	----	----	0.034	UNCH	----	----	----	----	----	0	UNCH					
6070	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6070	----	----	----	----	----	0.134	UNCH	----	----	----	----	----	0	UNCH					
6080	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6080	----	----	----	----	----	0.234	UNCH	----	----	----	----	----	0	UNCH					
6090	----	----	----	----	----	0.334	UNCH	----	----	----	----	----	0	UNCH					
6090	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6100	----	----	----	----	----	0.434	UNCH	----	----	----	----	----	0	UNCH					
6100	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6110	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6110	----	----	----	----	----	0.534	UNCH	----	----	----	----	----	0	UNCH					
6120	----	----	----	----	----	0.634	UNCH	----	----	----	----	----	0	UNCH					
6130	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6130	----	----	----	----	----	0.734	UNCH	----	----	----	----	----	0	UNCH					
6140	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6140	----	----	----	----	----	0.834	UNCH	----	----	----	----	----	0	UNCH					
6150	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6150	----	----	----	----	----	0.934	UNCH	----	----	----	----	----	0	UNCH					
6160	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6160	----	----	----	----	----	1.034	UNCH	----	----	----	----	----	0	UNCH					
6170	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6180	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6190	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6200	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6200	----	----	----	----	----	1.434	UNCH	----	----	----	----	----	0	UNCH					
6210	----	----	----	----	----	1.534	UNCH	.0000	----	----	----	----	0	UNCH					
6210	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6220	----	----	----	----	----	1.634	UNCH	----	----	----	----	----	0	UNCH					
6220	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6230	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6230	----	----	----	----	----	1.734	UNCH	----	----	----	----	----	0	UNCH					
6240	----	----	----	----	----	1.834	UNCH	----	----	----	----	----	0	UNCH					
6250	----	----	----	----	----	1.934	UNCH	----	----	----	----	----	0	UNCH					
6250	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6260	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6270	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6280	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6290	----	----	----	----	----	2.334	UNCH	----	----	----	----	----	0	UNCH					
6300	----	----	----	----	----	2.434	UNCH	----	----	----	----	----	0	UNCH					
6300	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6320	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6330	----	----	----	----	----	2.734	UNCH	----	----	----	----	----	0	UNCH					
6350	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6350	----	----	----	----	----	2.934	UNCH	----	----	----	----	----	0	UNCH					
6370	----	----	----	----	----	3.134	UNCH	----	----	----	----	----	0	UNCH					
6400	----	----	----	----	----	3.434	UNCH	----	----	----	----	----	0	UNCH					
6400	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6440	----	----	----	----	----	3.834	UNCH	----	----	----	----	----	0	UNCH					
6500	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH					
6500	----	----	----	----	----	4.434	UNCH	----	----	----	----	----	0	UNCH					
6750	----	----	----	----	----	6.934	UNCH	----	----	----	----	----	0	UNCH					
TOTAL												0	0	0					
OCT26																			
4750	----	----	----/0.310A	0.007B/0.045A	----	0.017 +	0.001	.0065	----	----	----	----	34	UNCH					
5750	----	----	0.306B/0.132A	0.509B/0.310A	----	0.376 -	0.136	.1594	----	----	----	----	35	UNCH					
5800	----	----	0.634B/0.380A	0.306B/0.132A	----	0.173 -	0.122	.1038	----	----	----	----	4	UNCH					
5800	----	----	0.542B/0.232A	0.634B/0.380A	----	0.461 -	0.166	.1911	----	----	----	----	1	UNCH					
5900	----	----	0.911B/0.413A	0.542B/0.232A	----	0.307 -	0.203	.1822	----	----	----	----	1	UNCH					
6000	----	----	1.369B/0.837A	0.911B/0.413A	----	0.541 -	0.312	.3034	----	----	----	----	2	UNCH					
6000	----	----	1.776B/0.934A	1.369B/0.837A	----	1.001 -	0.323	.3628	----	----	----	----	5	UNCH					
6150	----	----	0.898B/0.476A	1.776B/0.934A	----	1.171 -	0.484	.5481	----	----	----	----	2	UNCH					
6200	----	----	0.694B/0.365A	0.898B/0.476A	----	0.643 +	0.078	.3684	----	----	----	----	3	UNCH					
6250	----	----	3.238B/2.309A	0.694B/0.365A	----	0.480 +	0.041	.2917	----	----	----	----	7	UNCH					
6300	0.750	0.750	0.531B/0.282A	3.238B/2.309A	----	2.604 -	0.546	.6794	----	----	2	----	2 +	2					
6300	----	----	0.402B/0.213A	0.531B/0.282A	----	0.782	NEW	.3205	----	----	2	----	UNCH						
6350	----	----	3.385B/2.217A	0.402B/0.213A	----	0.354 +	0.013	.2252	----	----	----	----	62	UNCH					
6350	----	----	4.305B/3.046A	3.385B/2.217A	----	0.259 -	0.006	.1701	----	----	----	----	4	UNCH					
6450	----	----	0.172B/0.096A	4.305B/3.046A	----	2.583 -	0.614	.8298	----	----	----	----	2	UNCH					
6500	----	----	0.075B/0.051A	0.172B/0.096A	----	3.463 -	0.632	.9058	----	----	----	----	8	UNCH					
6650	----	----	----/0.043A	0.273B/0.201A	----	0.104 -	0.026	.0697	----	----	----	----	3	UNCH					
6700	----	----	----/0.029A	0.075B/0.051A	----	0.208 -	0.015	.1006	----	----	----	----	3	UNCH					
6900	----	----	----/0.027A	0.059B/0.043A	----	0.048 -	0.023	.0302	----	----	----	----	3	UNCH					
6950	----	----	----	0.026B/0.029A	----	0.040 -	0.020	.0243											

BULLETIN #189@				METALS OPTION PRODUCTS										Thu, Oct 01, 2026				PG64		
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST				
TWS TUE SILVER WEEKLY TUESDAY OPTION Week2																				
OCT26																				
6500	0.357		0.357	0.405B/0.262A	0.405B/0.262A	----			0.300	NEW	.1506	----	----	3	----	3	+	3		
6500	----		----	0.118B/0.063A	0.118B/0.063A	----			0.066	-	0.025	.0473	----	----	3		UNCH			
6700	----		----	6.615B/5.351A	6.615B/5.351A	----			5.848	-	0.623	.9848	----	----	1		UNCH			
6900	----		----	-----/0.021A	0.011B/0.021A	----			0.013	-	0.010	.0065	----	----	1		UNCH			
7000	----		----	-----/0.018A	0.006B/0.018A	----			0.010	-	0.009	.0046	----	----	4		UNCH			
7050	----		----	----	0.004B/0.017A	----			0.009	-	0.008	.0039	----	----	4		UNCH			
7700	----		----	----	0.015B/0.029A	----			0.016	-	0.006	.0064	----	----	1		UNCH			
8750	----		----	----	-----/0.026A	----			0.005	-	0.002	.0018	----	----	34		UNCH			
TOTAL													89		0	271	+	83		
NOV26																				
5900	----		----	3.791B/-----	3.791B/3.468A	----			3.696	NEW	.6582	----	----	2	----	2	+	2		
6800	----		----	0.664B/0.596A	0.664B/0.596A	----			0.592	NEW	.1716	----	----	2	----	2	+	2		
TOTAL													4		0	4	+	4		
COPPER OPTIONS ON FUTURES																				
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST				
HMR MON COPPER WEEKLY MONDAY OPTION WEEK3																				
OCT26																				
500	----		----	----	-----/0.0105A	----			0.0005	UNCH	.0000	----	----	----	19		UNCH			
525	----		----	----	-----/0.0090A	----			0.0005	UNCH	----	----	----	----	30		UNCH			
615	----		----	----	-----/0.0095A	----			0.0005	-	0.0010	.0033	----	----	30		UNCH			
625	----		----	----	-----/0.0065A	----			0.0015	-	0.0010	.0148	----	----	2	+	1			
625	----		----	----	0.0345B/0.0445A	----			0.0435	+	0.0040	.1998	----	----	10		UNCH			
630	----		----	----	-----/0.0050A	----			0.0020	-	0.0010	.0227	----	----	135		UNCH			
635	----		----	----	0.0005B/0.0060A	----			0.0030	-	0.0015	.0390	----	----	59		UNCH			
635	----		----	0.0490B/0.0385A	0.0490B/0.0385A	----			0.0515	+	0.0090	.2584	----	----	4		UNCH			
639	0.0135	0.0135		0.0135/0.0075A	0.0135/0.0075A	----			0.0060	NEW	.0800	----	4	----	4	+	4			
640	----		----	----	0.0060B/0.0080A	----			0.0070	-	0.0005	.0937	----	----	20		UNCH			
645	0.0100	0.0100		0.0195B/0.0100	0.0195B/0.0100	----			0.0165	+	0.0020	.2056	----	10	----	57	+	10		
650	0.0415	0.0415		0.0420B/0.0210A	0.0420B/0.0210A	----			0.0365	+	0.0090	.3718	----	1	----	52	+	1		
650	----		----	0.0875B/0.0545A	0.0875B/0.0545A	----			0.0825	+	0.0180	.4299	----	----	1		UNCH			
655	----		----	0.0705B/0.0370A	0.0705B/0.0370A	----			0.0640	+	0.0175	.5329	----	----	1		UNCH			
660	0.0700	0.0700		0.0970B/0.0585A	0.0970B/0.0585A	----			0.0970	+	0.0260	.6708	----	2	----	3	+	2		
660	0.0480	0.0480		0.0480/0.0390A	0.0765B/0.0390A	----			0.0350	NEW	.3290	----	1	----	1	+	1			
660	0.1100	0.1100		0.1475B/0.1005A	0.1475B/0.1005A	----			0.1425	NEW	.5860	----	2	----	2	+	2			
665	0.0220	0.0220		0.0220/0.0205	0.0625B/0.0205	----			0.0230	NEW	.2207	----	25	----	25	+	25			
670	0.0125	0.0125		0.0125/0.0125	0.0460B/0.0125	----			0.0145	-	0.0410	.1402	----	25	----	29	+	25		
675	----		----	0.2330B/0.1650A	0.2330B/0.1650A	----			0.2215	+	0.0500	.9108	----	----	10		UNCH			
680	0.0185	0.0185		0.0185/0.0125A	0.0235B/0.0125A	----			0.0060	-	0.0270	.0543	----	10	----	65	+	10		
685	0.0155	0.0155		0.0155/0.0115A	0.0160B/0.0115A	----			0.0040	-	0.0215	.0341	----	15	----	30	+	15		
690	----		----	-----/0.0100A	0.0105B/0.0100A	----			0.0030	-	0.0170	.0236	----	----	61		UNCH			
695	----		----	-----/0.0095A	0.0070B/0.0095A	----			0.0020	-	0.0135	.0148	----	----	14		UNCH			
700	----		----	-----/0.0100A	0.0040B/0.0100A	----			0.0015	-	0.0105	.0103	----	----	42		UNCH			
710	----		----	-----/0.0375A	0.0280B/0.0375A	----			0.0265	-	0.0250	.1176	----	----	10		UNCH			
725	----		----	-----/0.0115A	0.0075B/0.0115A	----			0.0060	-	0.0085	.0335	----	----	2		UNCH			
775	----		----	----	-----/0.0090A	----			0.0005	UNCH	----	----	----	----	1		UNCH			
800	----		----	----	-----/0.0090A	----			0.0005	UNCH	----	----	----	----	29		UNCH			
850	----		----	----	-----/0.0100A	----			0.0005	-	0.0005	.0022	----	----	19		UNCH			
TOTAL													98			767	+	96		
HMR THU COPPER WEEKLY THURSDAY OPT Week4																				
OCT26																				
500	----		----	----	-----/0.0110A	----			0.0015	UNCH	.0053	----	----	----	9		UNCH			
500	----		----	----	-----/0.0090A	----			0.0005	UNCH	----	----	----	----	19		UNCH			
525	----		----	----	-----/0.0100A	----			0.0005	UNCH	.0002	----	----	----	30		UNCH			
600	----		----	----	0.0065B/0.0140A	----			0.0120	+	0.0020	.0645	----	----	1		UNCH			
600	----		----	----	-----/0.0010A	----			0.0000	-	0.0005	----	----	----	0	-	1			
625	----		----	----	-----/0.0010A	----			0.0000	-	0.0005	----	----	----	0	-	1			
635	----		----	0.0615B/0.0505A	0.0615B/0.0505A	----			0.0645	+	0.0125	.2808	----	----	1		UNCH			
640	0.0400	0.0400		0.0560B/0.0400	0.0560B/0.0400	----			0.0575	+	0.0090	.3001	----	5	----	10	+	5		
645	0.0550	0.0550		0.0780B/0.0550	0.0780B/0.0550	----			0.0775	NEW	.3689	----	5	----	5	+	5			
645	----		----	-----/0.0010A	-----/0.0010A	----			0.0000	-	0.0015	----	----	----	0	-	30			
648	0.0105	0.0105		0.0105/0.0010A	0.0105/0.0010A	----			0.0000	NEW	----	----	1	----	0		UNCH			
649	----		----	-----/0.0010A	0.0020B/0.0010A	----			0.0000	-	0.0035	----	----	----	0	-	2			
650	0.0340	0.0340		0.0710B/0.0340	0.0710B/0.0340	----			0.0650	NEW	.4163	----	5	----	5	+	5			
650	----		----	0.1055B/0.0715A	0.1055B/0.0715A	----			0.1020	+	0.0175	.4390	----	----	5		UNCH			
650	----		----	0.0180B/0.0010A	0.0180B/0.0010A	----			0.0000	-	0.0040	----	----	1	----	0	-	36		
652	0.0100	0.0100		0.0140B/0.0015A	0.0140B/0.0015A	----			0.0000	NEW	----	----	12	----	0		UNCH			
653	0.0050	0.0050		0.0200B/0.0025A	0.0200B/0.0025A	----			0.0000	NEW	----	----	1	----	0		UNCH			
654	0.0180	0.0180		0.0280B/0.0040A	0.0280B/0.0040A	----			0.0020	NEW	----	2	----	2	----	0		UNCH		
655	0.0870	0.0870		0.0990B/0.0615A	0.0990B/0.0615A	----			0.0925	NEW	.5173	----	1	----	1	+	1			
655	0.0100	0.0100		0.0350B/0.0050	0.0350B/0.0050	----			0.0120	-	0.0020	----	21	----	6	----	0	-	17	
655	0.0175	0.0175		0.0175/0.0025A	0.0795B/0.0025A	----			0.0000	NEW	----	----	35	----	35	----	0			

BULLETIN #189@				METALS OPTION PRODUCTS										Thu, Oct 01, 2026				PG64						
	GLOBAL OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME									OPEN INTEREST	
COPPER WEEKLY TUESDAY OPTION week1																								
OCT26																								
675	0.0125	0.0125		0.0125/0.0115	0.0430B/0.0115	----			0.0165 - 0.0405	.1341	----	----	10	----									20 +	10
680	0.0225	0.0225		0.0225/0.0155A	0.0320B/0.0155A	----			0.0120 NEW .0955		----	----	15	----									15 +	15
685	----	----		----/0.0140A	0.0240B/0.0140A	----			0.0095 - 0.0265	.0719	----	----	----	----									1	UNCH
700	----	----		----/0.0125A	0.0090B/0.0125A	----			0.0065 - 0.0105	.0404	----	----	----	----									15	UNCH
720	----	----		----	0.0020B/0.0090A	----			0.0060 - 0.0015	.0288	----	----	----	----									1	UNCH
TOTAL													55				159 +	47						
COPPER WEEKLY WEDNESDAY OPTION WEEK																								
NOV26																								
660	0.1600	0.1600		0.1710/0.1600	0.1815B/0.1600	----			0.1510 NEW .4576		----	----	7	----									7 +	7
TOTAL													7				7 +	7						
COPPER WEEKLY WEDNESDAY OPTION WEEK																								
SEP26																								
655	----	----		----	----	----			0.0000 UNCH	----	----	----	----	----									0	UNCH
659	----	----		----	----	----			0.0000 UNCH	----	----	----	----	----									0	UNCH
660	----	----		----	----	----			0.0000 UNCH	----	----	----	----	----									0	UNCH
661	----	----		----	----	----			0.0115 UNCH	----	----	----	----	----									0	UNCH
662	----	----		----	----	----			0.0000 UNCH	----	----	----	----	----									0	UNCH
664	----	----		----	----	----			0.0000 UNCH	----	----	----	----	----									0	UNCH
665	----	----		----	----	----			0.0285 UNCH	----	----	----	----	----									0	UNCH
665	----	----		----	----	----			0.0000 UNCH	----	----	----	----	----									0	UNCH
668	----	----		----	----	----			0.0000 UNCH	----	----	----	----	----									0	UNCH
669	----	----		----	----	----			0.0000 UNCH	----	----	----	----	----									0	UNCH
670	----	----		----	----	----			0.0785 UNCH	----	----	----	----	----									0	UNCH
703	----	----		----	----	----			0.0000 UNCH	----	----	----	----	----									0	UNCH
TOTAL																	0							
OCT26																								
500	----	----		----	----/0.0090A	----			0.0005 UNCH	----	----	----	----	----									11	UNCH
500	----	----		----	----/0.0110A	----			0.0005 UNCH	.0000	----	----	----	----									30	UNCH
525	----	----		----	----/0.0090A	----			0.0005 UNCH	----	----	----	----	----									19	UNCH
565	----	----		----	----/0.0095A	----			0.0005 UNCH	.0007	----	----	----	----									1	UNCH
575	----	----		----	----/0.0095A	----			0.0005 - 0.0005	.0026	----	----	----	----									1	UNCH
600	----	----		----	----/0.0100A	----			0.0025 - 0.0005	.0158	----	----	----	----									9	UNCH
610	----	----		----	0.0040B/0.0095A	----			0.0095 + 0.0020	.0614	----	----	----	----									1	UNCH
625	0.0025	0.0025		0.0025/0.0025	0.0025/0.0025	----			0.0075 + 0.0005	.0631	----	----	2	----									10	UNCH
625	0.0400	0.0400		0.0400/0.0275A	0.0400/0.0275A	----			0.0360 NEW .1817		----	----	5	----									5 +	5
630	----	----		0.0430B/0.0355A	0.0430B/0.0355A	----			0.0470 + 0.0065	.2254	----	----	----	----									15	UNCH
635	----	----		----/0.0100A	0.0070B/0.0100A	----			0.0125 + 0.0015	.1196	----	----	----	----									30	UNCH
635	0.0400	0.0400		0.0400/0.0265A	0.0400/0.0265A	----			0.0345 + 0.0060	.2172	----	----	5	----									20 +	5
640	0.0115	0.0115		0.0180B/0.0115	0.0180B/0.0115	----			0.0195 + 0.0035	.1845	----	----	20	----									107 +	20
645	0.0205	0.0205		0.0375B/0.0205	0.0375B/0.0205	----			0.0335 + 0.0075	.2863	----	----	10	----									110 +	10
650	0.0420	0.0420		0.0630B/0.0345A	0.0630B/0.0345A	----			0.0550 + 0.0130	.4054	----	----	11	----									25 +	9
650	0.1005	0.1005		0.1255B/0.0915A	0.1255B/0.0915A	----			0.1230 NEW .4454		----	----	1	----									1 +	1
660	0.0800	0.0800		0.1230B/0.0770A	0.1230B/0.0770A	----			0.1165 + 0.0250	.6224	----	----	2	----									25 +	2
665	----	----		----/0.0430A	0.0800B/0.0430A	----			0.0410 - 0.0530	.2915	----	----	----	----									6	UNCH
665	----	----		0.1345B/0.1140A	0.1345B/0.1140A	----			0.1530 + 0.0305	.7083	----	----	----	----									20	UNCH
670	----	----		----/0.0670A	0.0915B/0.0670A	----			0.0645 - 0.0455	.3108	----	----	----	----									31	UNCH
670	0.0175	0.0175		0.2000B/0.1465A	0.2000B/0.1465A	----			0.1925 + 0.0370	.7788	----	----	----	----									11	UNCH
675	0.0175	0.0175		0.0175/0.0155	0.0505B/0.0155	----			0.0225 - 0.0400	.1649	----	----	40	----									90 +	9
675	0.0310	0.0310		0.2425B/0.1840A	0.2425B/0.1840A	----			0.2345 + 0.0435	.8349	----	----	----	----									35	UNCH
680	0.0310	0.0310		0.0310/0.0205A	0.0390B/0.0205A	----			0.0165 - 0.0340	.1214	----	----	10	----									20 +	10
680	0.0320	0.0320		0.2875B/0.2280A	0.2875B/0.2280A	----			0.2785 + 0.0495	.8784	----	----	----	----									22	UNCH
685	0.0320	0.0320		0.0320/0.0320	0.0525B/0.0320	----			0.0365 NEW .1861		----	----	5	----									5 +	5
690	0.0410	0.0410		----/0.0140A	0.0230B/0.0140A	----			0.0085 - 0.0240	.0623	----	----	----	----									23	UNCH
690	0.0410	0.0410		0.0410/0.0410	0.0595B/0.0410	----			0.0455 NEW .1975		----	----	5	----									5 +	5
695	----	----		----/0.0125A	0.0170B/0.0125A	----			0.0065 - 0.0195	.0464	----	----	----	----									16	UNCH
700	----	----		----/0.0115A	0.0130B/0.0115A	----			0.0045 - 0.0165	.0319	----	----	----	----									23	UNCH
705	----	----		----/0.0105A	0.0090B/0.0105A	----			0.0035 - 0.0135	.0240	----	----	----	----									31	UNCH
710	----	----		----/0.0190A	0.0195B/0.0190A	----			0.0140 - 0.0170	.0745	----	----	----	----									5	UNCH
715	----	----		----/0.0265A	0.0265B/0.0265A	----			0.0215 - 0.0185	.0972	----	----	----	----									5	UNCH
730	----	----		----	0.0010B/0.0095A	----			0.0010 - 0.0065	.0058	----	----	----	----									3	UNCH
740	----	----		----/0.0105A	0.0005B/0.0105A	----			0.0005 - 0.0045	.0027	----	----	----	----									1	UNCH
750	----	----		----	----/0.0100A	----			0.0005 - 0.0025	.0010	----	----	----	----									2	UNCH
800	----	----		----	----/0.0095A	----			0.0005 UNCH	----	----	----	----	----									1	UNCH
800	----	----		----	----/0.0075A	----			0.0025 - 0.0025	.0109	----	----	----	----						</				

BULLETIN #189@				METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
HX CALL COMEX COPPER OPTIONS																
NOV26																
726	----	----	----/0.0215A	0.0300B/0.0215A	----	0.0210	- 0.0140	.0881	----	----	----	12	UNCH			
730	----	----	----/0.0195A	0.0275B/0.0195A	----	0.0190	- 0.0130	.0799	----	10	----	274	- 6			
735	----	----	----/0.0175A	0.0245B/0.0175A	----	0.0170	- 0.0115	.0714	----	----	----	75	UNCH			
740	----	----	----/0.0155A	0.0215B/0.0155A	----	0.0150	- 0.0105	.0631	----	4	----	148	+ 1			
745	----	----	----/0.0140A	0.0190B/0.0140A	----	0.0135	- 0.0090	.0566	----	----	----	31	UNCH			
750	0.0120	0.0120	0.0120/0.0120	0.0175B/0.0120	----	0.0125	- 0.0080	.0518	----	7	----	283	- 7			
755	0.0120	0.0120	0.0120/0.0115A	0.0155B/0.0115A	----	0.0110	- 0.0070	.0458	----	1	----	46	- 1			
760	----	----	----/0.0105A	0.0140B/0.0105A	----	0.0100	- 0.0065	.0414	----	1	----	8	+ 1			
765	----	----	----/0.0095A	0.0125B/0.0095A	----	0.0090	- 0.0055	.0372	----	----	----	4	UNCH			
770	----	----	----/0.0085A	0.0110B/0.0085A	----	0.0085	- 0.0045	.0346	----	----	----	4	UNCH			
775	0.0080	0.0080	0.0080/0.0080	0.0100B/0.0080	----	0.0075	- 0.0045	.0306	----	3	----	463	UNCH			
800	----	----	----/0.0050A	0.0055B/0.0050A	----	0.0045	- 0.0030	.0182	----	----	----	251	UNCH			
825	----	----	----/0.0030A	0.0030B/0.0030A	----	0.0025	- 0.0025	.0101	----	----	----	92	UNCH			
850	----	----	----/0.0030A	0.0015B/0.0030A	----	0.0020	- 0.0020	.0077	----	----	----	93	UNCH			
875	----	----	----	0.0005B/0.0025A	----	0.0015	- 0.0010	.0055	----	----	----	9	UNCH			
900	0.0005	0.0005	0.0005/0.0005	0.0005/0.0005	----	0.0010	- 0.0010	.0036	----	5	----	21	+ 1			
925	----	----	----	----/0.0020A	----	0.0005	- 0.0005	.0018	----	----	----	43	UNCH			
950	----	----	----	----/0.0015A	----	0.0005	UNCH	.0008	----	----	----	3	UNCH			
975	----	----	----	----/0.0015A	----	0.0005	UNCH	.0004	----	----	----	31	UNCH			
TOTAL									250	461		7095	+ 177			
DEC26																
525	----	----	----/1.3070A	1.3260B/1.3070A	----	1.2925	- 0.0825	.9733	----	----	----	123	UNCH			
535	----	----	----	----	----	1.1945	- 0.0815	.9678	----	----	----	1	UNCH			
550	----	----	----/1.0490A	1.0985B/1.0490A	----	1.0480	- 0.0810	.9556	----	----	----	2	UNCH			
555	----	----	----/1.0010A	1.0500B/1.0010A	----	0.9995	- 0.0805	.9504	----	----	----	1	UNCH			
565	----	----	----/0.9045A	0.9530B/0.9045A	----	0.9035	- 0.0800	.9370	----	----	----	45	UNCH			
575	----	----	----/0.8095A	0.8595B/0.8095A	----	0.8095	- 0.0790	.9191	----	----	----	123	UNCH			
585	----	----	----/0.7190A	0.7660B/0.7190A	----	0.7180	- 0.0775	.8938	----	----	----	1	UNCH			
590	----	----	----/0.6730A	0.7220B/0.6730A	----	0.6735	- 0.0765	.8792	----	----	----	201	UNCH			
595	----	----	----/0.6300A	0.6775B/0.6300A	----	0.6295	- 0.0760	.8623	----	----	----	163	UNCH			
600	----	----	----/0.5880A	0.6345B/0.5880A	----	0.5870	- 0.0745	.8425	----	----	----	603	UNCH			
605	----	----	----/0.5470A	0.5910B/0.5470A	----	0.5455	- 0.0735	.8209	----	----	----	1	UNCH			
610	----	----	----/0.5065A	0.5505B/0.5065A	----	0.5060	- 0.0715	.7968	----	----	----	200	UNCH			
615	----	----	----/0.4685A	0.5105B/0.4685A	----	0.4675	- 0.0700	.7705	----	----	----	1	UNCH			
620	----	----	----/0.4305A	0.4740B/0.4305A	----	0.4310	- 0.0685	.7422	----	----	----	421	UNCH			
625	----	----	----/0.3975A	0.4370B/0.3975A	----	0.3965	- 0.0665	.7119	----	----	----	57	UNCH			
630	----	----	----/0.3645A	0.4195B/0.3645A	----	0.3635	- 0.0645	.6799	----	----	----	310	UNCH			
635	----	----	----/0.3345A	0.3855B/0.3345A	----	0.3330	- 0.0620	.6467	----	----	----	5	UNCH			
640	----	----	----/0.3040A	0.3525B/0.3040A	----	0.3040	- 0.0600	.6127	----	----	----	29	UNCH			
645	----	----	----/0.2720A	0.3235B/0.2720A	----	0.2775	- 0.0575	.5782	----	----	----	1	UNCH			
650	0.2650	0.2650	0.2650/0.2480A	0.2955B/0.2480A	----	0.2525	- 0.0555	.5437	----	1	----	554	+ 1			
655	0.2450	0.2450	0.2830B/0.2260A	0.2830B/0.2260A	----	0.2295	- 0.0530	.5095	----	2	----	128	+ 2			
660	0.2235	0.2235	0.2235/0.2070A	0.2580B/0.2070A	----	0.2085	- 0.0505	.4761	----	6	----	418	UNCH			
665	0.2275	0.2275	0.2350B/0.1875A	0.2350B/0.1875A	----	0.1890	- 0.0485	.4435	----	9	----	48	+ 4			
670	0.1830	0.1830	0.1830/0.1700A	0.2140B/0.1700A	----	0.1715	- 0.0455	.4123	----	7	----	375	+ 7			
675	0.1840	0.1840	0.1950B/0.1515	0.1950B/0.1515	----	0.1550	- 0.0435	.3821	----	41	----	375	+ 16			
680	0.1650	0.1650	0.1770B/0.1410	0.1770B/0.1410	----	0.1405	- 0.0410	.3536	----	6	----	754	- 1			
685	0.1370	0.1370	0.1370/0.1280A	0.1610B/0.1280A	----	0.1275	- 0.0380	.3269	----	2	----	392	UNCH			
690	0.1230	0.1230	0.1230/0.1160A	0.1455B/0.1160A	----	0.1150	- 0.0360	.3011	----	1	----	274	+ 1			
695	----	----	----/0.1055A	0.1325B/0.1055A	----	0.1045	- 0.0335	.2778	----	----	----	179	UNCH			
700	0.1150	0.1150	0.1200B/0.0955A	0.1200B/0.0955A	----	0.0945	- 0.0315	.2555	----	26	----	3208	- 8			
705	----	----	----/0.0870A	0.1090B/0.0870A	----	0.0860	- 0.0290	.2354	----	----	----	154	UNCH			
710	0.0845	0.0845	0.0845/0.0795A	0.0980B/0.0795A	----	0.0780	- 0.0270	.2164	----	2	----	127	+ 2			
715	0.0785	0.0785	0.0785/0.0720A	0.0885B/0.0720A	----	0.0705	- 0.0250	.1984	----	12	----	70	+ 8			
720	----	----	----/0.0660A	0.0810B/0.0660A	----	0.0645	- 0.0230	.1829	----	1	----	109	UNCH			
725	----	----	----/0.0600A	0.0735B/0.0600A	----	0.0585	- 0.0215	.1678	----	----	----	1455	UNCH			
730	----	----	----/0.0550A	0.0670B/0.0550A	----	0.0535	- 0.0195	.1546	----	----	----	580	UNCH			
735	----	----	----/0.0500A	0.0615B/0.0500A	----	0.0485	- 0.0185	.1416	----	----	----	133	UNCH			
740	----	----	----/0.0460A	0.0570B/0.0460A	----	0.0445	- 0.0165	.1306	----	----	----	150	UNCH			
745	0.0420	0.0420	0.0425/0.0420	0.0520B/0.0420	----	0.0410	- 0.0150	.1208	----	3	----	14	+ 3			
750	----	----	----/0.0385A	0.0475B/0.0385A	----	0.0375	- 0.0140	.1112	----	----	----	1076	UNCH			
755	----	----	----/0.0355A	0.0435B/0.0355A	----	0.0345	- 0.0130	.1027	----	----	----	36	UNCH			
770	0.0280	0.0280	0.0280/0.0280	0.0345B/0.0280	----	0.0270	- 0.0105	.0811	----	2	----	1169	- 1			
775	----	----	----/0.0260A	0.0315B/0.0260A	----	0.0250	- 0.0095	.0752	----	----	----	636	UNCH			
780	----	----	----/0.0240A	0.0290B/0.0240A	----	0.0230	- 0.0090	.0695	----	----	----	206	UNCH			
800	0.0205	0.0205	0.0205/0.0180	0.0215B/0.0180	----	0.0175	- 0.0065	.0527	----	22	----	1411	- 3			
825	----	----	----/0.0130A	0.0150B/0.0130A	----	0.0125	- 0.0045	.0375	----	----	----	480	UNCH			
850	----	----	----/0.0100A	0.0100B/0.0100A	----	0.0090	- 0.0035	.0270	----	----	----	311	UNCH			
875	----	----	----/0.0075A	0.0070B/0.0075A	----	0.0070	- 0.0025	.0206	----	----	----	23	UNCH			
900	----	----	----/0.0060A	0.0050B/0.0060A	----	0.0055	- 0.0020	.0159	----	----	----	511	UNCH			
925	----	----	----/0.0050A	0.0035B/0.0050A	----	0.0040	- 0.0015	.0116	----	----	----	12	UNCH			
950	----	----	----/0.0040A	0.0025B/0.0040A	----	0.0035	- 0.0010	.0099								

BULLETIN #189@				METALS OPTION PRODUCTS										Thu, Oct 01, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
HX CALL	COMEX COPPER OPTIONS																	
MAR27																		
625	----	----	----/0.6295A	0.6665B/0.6295A	----	0.6205	- 0.0615	.6806	----	----	----	----	16	UNCH				
640	----	----	----/0.5455A	0.5740B/0.5455A	----	0.5345	- 0.0570	.6240	----	----	----	----	1	UNCH				
645	----	----	----/0.5200A	0.5455B/0.5200A	----	0.5080	- 0.0555	.6047	----	----	----	----	1	UNCH				
650	----	----	----/0.4955A	0.5185B/0.4955A	----	0.4830	- 0.0540	.5855	----	----	----	----	7	UNCH				
660	----	----	----/0.4490A	0.4665B/0.4490A	----	0.4355	- 0.0510	.5470	----	----	1	----	16	+	1			
670	----	----	----/0.4070A	0.4190B/0.4070A	----	0.3920	- 0.0485	.5092	----	----	----	----	1	UNCH				
675	----	----	----/0.3875A	0.3980B/0.3875A	----	0.3720	- 0.0470	.4907	----	----	1	----	41	UNCH				
680	----	----	----/0.3680A	0.3760B/0.3680A	----	0.3525	- 0.0460	.4724	----	----	----	----	30	UNCH				
690	----	----	----/0.3330A	0.3370B/0.3330A	----	0.3165	- 0.0435	.4370	----	----	----	----	2	UNCH				
700	----	----	----/0.3005A	0.3020B/0.3005A	----	0.2840	- 0.0405	.4032	----	----	----	----	741	UNCH				
725	----	----	----/0.2325A	0.2280B/0.2325A	----	0.2155	- 0.0350	.3261	----	----	----	----	38	UNCH				
740	----	----	----/0.2000A	0.1920B/0.2000A	----	0.1825	- 0.0320	.2855	----	----	----	----	16	UNCH				
750	----	----	----/0.1810A	0.1705B/0.1810A	----	0.1635	- 0.0295	.2610	----	----	----	----	219	UNCH				
755	----	----	----/0.1720A	0.1610B/0.1720A	----	0.1550	- 0.0285	.2496	----	----	----	----	1	UNCH				
770	----	----	----/0.1495A	0.1355B/0.1495A	----	0.1325	- 0.0245	.2184	----	----	----	----	575	UNCH				
775	----	----	----/0.1425A	0.1280B/0.1425A	----	0.1255	- 0.0240	.2086	----	----	----	----	619	UNCH				
800	----	----	----/0.1135A	0.0955B/0.1135A	----	0.0975	- 0.0185	.1671	----	----	----	----	89	UNCH				
850	----	----	----	0.0545B/0.0760A	----	0.0615	- 0.0115	.1095	----	----	----	----	544	UNCH				
875	----	----	----	0.0420B/0.0640A	----	0.0510	- 0.0095	.0911	----	----	----	----	39	UNCH				
900	----	----	----	0.0320B/0.0530A	----	0.0420	- 0.0080	.0756	----	----	----	----	26	UNCH				
950	----	----	----	0.0190B/0.0410A	----	0.0275	- 0.0055	.0508	----	----	----	----	3	UNCH				
1000	----	----	----	0.0100B/0.0325A	----	0.0170	- 0.0040	.0327	----	----	----	----	23	UNCH				
TOTAL											2		3054	+	1			
APR27																		
665	0.5000	0.5000	0.5000/0.5000	0.5190B/0.5000	----	0.4970	NEW	.5554	----	----	2	----	2	+	2			
675	----	----	----/0.4790A	0.4730B/0.4790A	----	0.4535	- 0.0485	.5218	----	----	----	----	1	UNCH				
680	----	----	----/0.4590A	0.4515B/0.4590A	----	0.4330	- 0.0470	.5053	----	----	----	----	5	UNCH				
775	----	----	----/0.2020A	0.1755B/0.2020A	----	0.1760	- 0.0265	.2523	----	----	----	----	3	UNCH				
1000	----	----	----	0.0165B/0.0535A	----	0.0260	- 0.0040	.0453	----	----	----	----	2	UNCH				
TOTAL											2		13	+	2			
MAY27																		
685	----	----	----/0.5025A	0.4765B/0.5025A	----	0.4660	- 0.0465	.4975	----	----	----	----	2	UNCH				
700	----	----	----/0.4485A	0.4180B/0.4485A	----	0.4125	- 0.0425	.4551	----	----	----	----	13	UNCH				
705	----	----	----/0.4325A	0.4005B/0.4325A	----	0.3955	- 0.0420	.4414	----	----	----	----	2	UNCH				
750	----	----	----	0.2685B/0.3070A	----	0.2710	- 0.0330	.3305	----	----	----	----	10	UNCH				
800	----	----	----	0.1690B/0.2120A	----	0.1780	- 0.0230	.2348	----	----	----	----	40	UNCH				
1000	----	----	----	0.0245B/0.0735A	----	0.0405	- 0.0060	.0624	----	----	----	----	40	UNCH				
TOTAL													107					
JUN27																		
635	0.7975	0.7975	0.7975/0.7975	0.7975/0.7975	----	0.7705	NEW	.6628	----	----	1	----	1	+	1			
700	----	----	----/0.5250A	0.4840B/0.5250A	----	0.4820	- 0.0445	.4821	----	----	----	----	11	UNCH				
750	----	----	----	0.3600B/0.3730A	----	0.3305	- 0.0360	.3631	----	----	----	----	532	UNCH				
770	----	----	----	0.2765B/0.3245A	----	0.2835	- 0.0325	.3220	----	----	----	----	22	UNCH				
TOTAL											1		566	+	1			
HX PUT	COMEX COPPER OPTIONS																	
NOV26																		
390	----	----	----	----/0.0010A	----	0.0005	UNCH	.0000	----	----	----	----	3	UNCH				
400	----	----	----	----/0.0010A	----	0.0005	UNCH	.0001	----	----	----	----	18	UNCH				
405	----	----	----	----/0.0010A	----	0.0005	UNCH	.0001	----	----	----	----	10	UNCH				
410	----	----	----	----/0.0010A	----	0.0005	UNCH	.0002	----	----	----	----	57	UNCH				
425	----	----	----	----/0.0015A	----	0.0005	UNCH	.0006	----	----	----	----	40	UNCH				
430	----	----	----	----/0.0015A	----	0.0005	UNCH	.0008	----	----	----	----	4	UNCH				
435	----	----	----	----/0.0015A	----	0.0005	UNCH	.0011	----	----	----	----	215	UNCH				
475	----	----	----	0.0010B/0.0025A	----	0.0020	UNCH	.0059	----	----	----	----	52	UNCH				
480	----	----	----	0.0010B/0.0030A	----	0.0025	UNCH	.0073	----	----	----	----	3	UNCH				
490	----	----	----	0.0015B/0.0030A	----	0.0025	UNCH	.0078	----	----	----	----	3	UNCH				
500	----	----	----	0.0015B/0.0035A	----	0.0025	UNCH	.0083	----	----	----	----	117	UNCH				
510	----	----	----	0.0020B/0.0040A	----	0.0030	UNCH	.0103	----	----	----	----	10	UNCH				
520	----	----	----	0.0025B/0.0045A	----	0.0035	+	0.0005	.0124	----	----	----	5	UNCH				
525	----	----	----	0.0030B/0.0045A	----	0.0035	UNCH	.0129	----	----	----	----	8	UNCH				
530	----	----	----	0.0030B/0.0050A	----	0.0040	+	0.0005	.0148	----	----	----	2	UNCH				
535	----	----	----	0.0035B/0.0050A	----	0.0045	+	0.0010	.0169	----	----	----	32	UNCH				
540	0.0040	0.0040	0.0040/0.0040	0.0040/0.0040	----	0.0045	+	0.0005	.0175	----	1	----	19	UNCH				
550	----	----	----	0.0045B/0.0060A	----	0.0055	+	0.0010	.0222	----	----	----	175	UNCH				
560	----	----	----	0.0050B/0.0065A	----	0.0065	+	0.0015	.0274	----	1	----	405	UNCH				
565	----	----	0.0060B/----	0.0060B/0.0070A	----	0.0070	+	0.0015	.0303	----	----	----	27	UNCH				
570	----	----	0.0070B/----	0.0070B/0.0075A	----	0.0080	+	0.0020	.0350	----	----	----	23	UNCH				
575	----	----	0.0080B/----	0.0080B/0.0080A	----	0.0090	+	0.0025	.0401	----	----	----	65	UNCH				
580	----	----	0.0090B/----	0.0090B/0.0080A	----	0.0100	+	0.0025	.0455	----	----	----	67	UNCH				
585	0.0105	0.0105	0.0120B/0.0080A	0.0120B/0.0080A	----	0.0115	+	0.0030	.0529	----	4	----	63	+	3			
590	----	----	0.0145B/0.0090A	0.0145B/0.0090A	----	0.0130	+	0.0030	.0608	----	2	----	289	-	1			
595	0.0135	0.0135	0.0170B/0.0105A	0.0170B/0.0105A	----	0.0155	+	0.0040	.0725	----	55	----	199	+	15			
600	0.0140	0.0140	0.0215/0.0125A	0.0215/0.0125A	----	0.0185	+	0.0045	.0864	----	468	----	1227	-				
605	----	----	0.0245B/0.0150A	0.0245B/0.0150A	----	0.0220	+	0.0050	.1025	----	----	----	103	UNCH				
610	----	----	0.0300B/0.0180A	0.0300B/0.0180A	----	0.0270	+	0.0065	.1238	----	1	----	324	UNCH				
615	----	----	0.0375B/0.0220A	0.0375B/0.0220A	----	0.0330	+	0.0070	.1487	----	----	----	95	UNCH				
620	0.0445	0.0445	0.0470B/0.0270A	0.0470B/0.0270A	----	0.0410	+	0.0085	.1792	----	25	----	293	-				

BULLETIN #189@				METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST		
COMEX COPPER OPTIONS																
HX PUT																
DEC26																
550	0.0130	0.0130	0.0130/0.0130	0.0130/0.0130	----		0.0135 + 0.0025	.0442	----	----	1	----		711		
555	----	----	0.0145B/----	0.0145B/0.0140A	----		0.0150 + 0.0025	.0494	----	----	----	----		3		
560	----	----	0.0160B/----	0.0160B/0.0150A	----		0.0170 + 0.0030	.0560	----	----	2	----		328 -		
565	----	----	0.0185B/----	0.0185B/0.0165A	----		0.0190 + 0.0030	.0628	----	----	----	----		18		
570	----	----	0.0210B/----	0.0210B/0.0185A	----		0.0215 + 0.0035	.0710	----	----	----	----		18		
575	----	----	0.0250B/----	0.0250B/0.0205A	----		0.0245 + 0.0040	.0806	----	----	----	----		437		
580	0.0280	0.0280	0.0295B/0.0280	0.0295B/0.0235A	----		0.0285 + 0.0050	.0926	----	----	2	----		218 +		
585	0.0305	0.0305	0.0355B/0.0260A	0.0355B/0.0260A	----		0.0330 + 0.0060	.1060	----	----	5	----		55 +		
590	0.0365	0.0365	0.0415B/0.0300A	0.0415B/0.0300A	----		0.0380 + 0.0065	.1206	----	----	2	----		244		
595	----	----	0.0480B/0.0345A	0.0480B/0.0345A	----		0.0440 + 0.0075	.1375	----	----	----	----		315		
600	0.0465	0.0465	0.0560B/0.0400A	0.0560B/0.0400A	----		0.0515 + 0.0085	.1573	----	----	78	----		2165 +		
605	----	----	0.0655B/0.0475A	0.0655B/0.0475A	----		0.0600 + 0.0100	.1789	----	----	10	----		38 +		
610	----	----	----	0.2475B/0.1930A	----		0.0700 + 0.0115	.2030	----	----	3	----		173 -		
615	0.0780	0.0780	0.0885B/0.0650A	0.0885B/0.0650A	----		0.0815 + 0.0130	.2293	----	----	2	----		144 +		
620	----	----	0.1020B/0.0755A	0.1020B/0.0755A	----		0.0945 + 0.0145	.2575	----	----	2	----		174		
625	----	----	0.1180B/0.0880A	0.1180B/0.0880A	----		0.1095 + 0.0165	.2879	----	----	----	----		468		
630	----	----	0.1360B/0.1015A	0.1360B/0.1015A	----		0.1265 + 0.0185	.3198	----	----	10	----		725 +		
635	----	----	0.1555B/0.1175A	0.1555B/0.1175A	----		0.1455 + 0.0205	.3531	----	----	2	----		412 +		
640	----	----	0.1780B/0.1355A	0.1780B/0.1355A	----		0.1665 + 0.0230	.3871	----	----	26	----		257 +		
645	0.1900	0.1900	0.2020B/0.1555A	0.2020B/0.1555A	----		0.1895 + 0.0250	.4216	----	----	30	----		465 +		
650	0.2155	0.2155	0.2280B/0.1770A	0.2280B/0.1770A	----		0.2145 + 0.0275	.4561	----	----	3	----		690 +		
655	0.2255	0.2255	0.2555B/0.2005A	0.2555B/0.2005A	----		0.2415 + 0.0300	.4902	----	----	1	----		620 +		
660	----	----	0.2845B/0.2255A	0.2845B/0.2255A	----		0.2700 + 0.0325	.5237	----	----	----	----		157		
665	----	----	0.3135B/0.2525A	0.3135B/0.2525A	----		0.3005 + 0.0350	.5562	----	----	----	----		667		
670	----	----	0.3405B/0.2825A	0.3405B/0.2825A	----		0.3325 + 0.0375	.5875	----	----	----	----		1181		
675	0.3440	0.3440	0.3730B/0.3135A	0.3730B/0.3135A	----		0.3660 + 0.0395	.6177	----	----	4	----		277		
680	----	----	0.4090B/0.3450A	0.4090B/0.3450A	----		0.4015 + 0.0425	.6461	----	----	----	----		56		
685	----	----	0.4460B/0.3900A	0.4460B/0.3900A	----		0.4380 + 0.0450	.6729	----	----	----	----		47		
690	----	----	0.4840B/0.4255A	0.4840B/0.4255A	----		0.4755 + 0.0470	.6986	----	----	----	----		1		
700	----	----	0.5635B/0.4985A	0.5635B/0.4985A	----		0.5545 + 0.0520	.7443	----	----	----	----		3		
730	----	----	0.8115B/----	0.8115B/0.7610A	----		0.8120 + 0.0635	.8452	----	----	----	----		1		
750	----	----	0.9945B/----	0.9945B/0.9395A	----		0.9955 + 0.0690	.8886	----	----	----	----		1		
TOTAL											189			11879 +		
JAN27																
370	----	----	----	-----/0.0125A	----		0.0040 + 0.0005	.0066	----	----	----	----		1		
390	----	----	----	-----/0.0130A	----		0.0055 + 0.0010	.0092	----	----	----	----		40		
400	----	----	----	0.0005B/0.0135A	----		0.0060 + 0.0010	.0102	----	----	----	----		12		
425	----	----	----	0.0005B/0.0145A	----		0.0075 + 0.0010	.0136	----	----	----	----		30		
430	----	----	----	0.0005B/0.0150A	----		0.0080 + 0.0015	.0146	----	----	----	----		1		
435	----	----	----	0.0005B/0.0155A	----		0.0080 + 0.0015	.0149	----	----	----	----		1		
440	----	----	----	0.0005B/0.0155A	----		0.0085 + 0.0015	.0160	----	----	----	----		10		
450	----	----	----	0.0005B/0.0165A	----		0.0085 + 0.0015	.0167	----	----	----	----		1		
465	----	----	----	0.0005B/0.0180A	----		0.0095 + 0.0015	.0195	----	----	----	----		2		
510	----	----	----	0.0045B/0.0230A	----		0.0130 + 0.0020	.0312	----	----	----	----		4		
515	----	----	----	0.0080B/0.0155A	----		0.0140 + 0.0020	.0339	----	----	4	----		4		
520	----	----	----	0.0090B/0.0175A	----		0.0150 + 0.0020	.0366	----	----	----	----		2		
525	----	----	----	0.0100B/0.0180A	----		0.0160 + 0.0020	.0395	----	----	----	----		3		
540	----	----	----	0.0145B/0.0215A	----		0.0210 + 0.0030	.0522	----	----	2	----		3 +		
550	----	----	----	0.0195B/0.0265A	----		0.0260 + 0.0040	.0642	----	----	2	----		209 +		
555	----	----	----	0.0220B/0.0285A	----		0.0290 + 0.0045	.0712	----	----	----	----		1		
560	----	----	----	0.0255B/0.0315A	----		0.0325 + 0.0050	.0792	----	----	----	----		3		
570	----	----	----	0.0335B/0.0405A	----		0.0405 + 0.0060	.0972	----	----	----	----		2		
580	----	----	----	0.0430B/0.0500A	----		0.0510 + 0.0070	.1196	----	----	----	----		2		
590	----	----	----	0.0560B/0.0625A	----		0.0635 + 0.0075	.1456	----	----	----	----		15		
595	----	----	0.0645B/----	0.0645B/0.0725A	----		0.0710 + 0.0080	.1605	----	----	----	----		3		
600	----	----	0.0735B/----	0.0735B/0.0795A	----		0.0795 + 0.0085	.1767	----	----	----	----		409		
605	----	----	0.0835B/----	0.0835B/0.0880A	----		0.0895 + 0.0095	.1947	----	----	4	----		5		
610	----	----	0.0950B/----	0.0950B/0.0990A	----		0.1000 + 0.0100	.2135	----	----	----	----		3		
620	----	----	0.1210B/----	0.1210B/0.1240A	----		0.1265 + 0.0130	.2561	----	----	----	----		13		
625	----	----	0.1385B/----	0.1385B/0.1365A	----		0.1415 + 0.0145	.2787	----	----	----	----		2		
630	----	----	0.1545B/----	0.1545B/0.1520A	----		0.1590 + 0.0165	.3029	----	----	----	----		1		
635	----	----	0.1725B/----	0.1725B/0.1680A	----		0.1775 + 0.0185	.3275	----	----	2	----		2		
640	----	----	0.1925B/----	0.1925B/0.1845A	----		0.1980 + 0.0210	.3528	----	----	----	----		3		
645	----	----	0.2150B/----	0.2150B/0.2035A	----		0.2200 + 0.0235	.3783	----	----	----	----		3		
650	----	----	0.2370B/----	0.2370B/0.2245A	----		0.2435 + 0.0265	.4040	----	----	----	----		73		
660	----	----	0.2880B/----	0.2880B/0.2695A	----		0.2945 + 0.0310	.4550	----	----	----	----		1		
670	----	----	0.3445B/----	0.3445B/0.3200A	----		0.3500 + 0.0345	.5049	----	----	----	----		2		
685	----	----	0.4390B/----	0.4390B/0.4055A	----		0.4415 + 0.0385	.5764	----	----	----	----		1		
690	----	----	0.4735B/----	0.4735B/0.4360A	----		0.4740 + 0.0395	.5991	----	----	----	----		2		
695	----	----	0.5080B/----	0.5080B/0.4680A	----		0.5075 + 0.0405	.6211	----	----	----	----		1		
800	----	----	----	----	----		1.3965 + 0.0715	.8922	----	----	----	----		1		
TOTAL											14			871 +		
FEB27																

BULLETIN #189@										METALS OPTION PRODUCTS				Thu, Oct 01, 2026		PG64
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
HXE CALL		COPPER OPTIONS														
OCT26																
670	0.0125	0.0125	0.0130/0.0100A	0.0325B/0.0100A	----	0.0070 -	0.0365	.0419	----	----	81	----	134 +	5		
675	0.0140	0.0140	0.0140/0.0065	0.0225B/0.0065	----	0.0050 -	0.0270	.0215	----	----	82	----	48 +	6		
675	----	----	----/0.0390A	0.0630B/0.0390A	----	0.0360 -	0.0425	.2159	----	----	----	----	300	UNCH		
675	----	----	----/0.0650A	0.0850B/0.0650A	----	0.0615 -	0.0410	.2796	----	----	----	----	8	UNCH		
680	0.0115	0.0115	0.0115/0.0030	0.0140B/0.0030	----	0.0040 -	0.0200	.0128	----	----	119	----	421 +	71		
680	----	----	----/0.0315A	0.0500B/0.0315A	----	0.0285 -	0.0375	.1727	----	----	----	----	307	UNCH		
680	----	----	----/0.0555A	0.0725B/0.0555A	----	0.0520 -	0.0370	.2402	----	----	----	----	13	UNCH		
685	0.0035	0.0035	0.0035/0.0030A	0.0085B/0.0030A	----	0.0030 -	0.0150	.0072	----	----	31	----	732	UNCH		
685	0.0255	0.0255	0.0255/0.0255	0.0400B/0.0255	----	0.0235	NEW	.1408	----	----	20	----	20 +	20		
688	----	----	----/0.0050A	0.0055B/0.0050A	----	0.0030 -	0.0125	.0064	----	----	----	----	300	UNCH		
690	0.0050	0.0050	0.0050/0.0030	0.0050/0.0030	----	0.0030 -	0.0105	.0059	----	----	9	----	146 +	6		
690	----	----	----/0.0215A	0.0320B/0.0215A	----	0.0190 -	0.0275	.1134	----	----	----	----	27	UNCH		
695	----	----	----/0.0035A	0.0015B/0.0035A	----	0.0025 -	0.0070	.0039	----	----	----	----	463	UNCH		
700	----	----	----/0.0025A	0.0020B/0.0025A	----	0.0015 -	0.0050	.0016	----	----	50	----	37 -	39		
700	0.0165	0.0165	0.0165/0.0145A	0.0205B/0.0145A	----	0.0130 -	0.0200	.0755	----	----	1	----	27	UNCH		
700	----	----	----/0.0300A	0.0350B/0.0300A	----	0.0275 -	0.0235	.1306	----	----	----	----	33	UNCH		
705	----	----	----/0.0025A	0.0005B/0.0025A	----	0.0010	NEW	.0008	----	----	1	----	1 +	1		
705	----	----	----/0.0265A	0.0290B/0.0265A	----	0.0235 -	0.0210	.1120	----	----	----	----	16	UNCH		
710	----	----	----/0.0025A	----/0.0025A	----	0.0005 -	0.0025	.0001	----	----	----	----	16	UNCH		
710	----	----	----/0.0230A	0.0235B/0.0230A	----	0.0205 -	0.0185	.0973	----	----	----	----	9	UNCH		
715	----	----	----/0.0200A	0.0200B/0.0200A	----	0.0175 -	0.0165	.0833	----	----	----	----	25	UNCH		
720	----	----	----	0.0010B/0.0020A	----	0.0005 -	0.0010	.0000	----	----	----	----	2	UNCH		
720	----	----	----/0.0180A	0.0170B/0.0180A	----	0.0155 -	0.0140	.0731	----	----	----	----	111	UNCH		
725	----	----	----/0.0015A	----/0.0015A	----	0.0005 -	0.0005	----	----	----	1	----	451	UNCH		
725	----	----	----/0.0160A	0.0150B/0.0160A	----	0.0135 -	0.0125	.0634	----	----	----	----	116	UNCH		
730	----	----	----/0.0015A	----/0.0015A	----	0.0005	UNCH	----	----	----	----	----	40	UNCH		
740	----	----	----/0.0015A	----/0.0015A	----	0.0005	UNCH	----	----	----	----	----	30	UNCH		
740	----	----	----/0.0115A	0.0095B/0.0115A	----	0.0090 -	0.0090	.0417	----	----	----	----	10	UNCH		
745	----	----	----	----/0.0015A	----	0.0005	UNCH	----	----	----	----	----	30	UNCH		
750	----	----	----	----/0.0015A	----	0.0005	UNCH	----	----	----	----	----	37	UNCH		
750	----	----	----/0.0050A	0.0020B/0.0050A	----	0.0020 -	0.0035	.0100	----	----	----	----	1	UNCH		
775	----	----	----	0.0035B/0.0065A	----	0.0030 -	0.0035	.0139	----	----	----	----	2	UNCH		
800	----	----	----	----/0.0025A	----	0.0005 -	0.0020	.0020	----	----	----	----	33	UNCH		
825	----	----	----	----/0.0010A	----	0.0005	UNCH	----	----	----	----	----	1	UNCH		
TOTAL											537		4130 +	193		
HXE PUT		COPPER OPTIONS														
OCT26																
500	----	----	----	----/0.0015A	----	0.0005	UNCH	----	----	----	----	----	19	UNCH		
575	----	----	----	----/0.0025A	----	0.0005	UNCH	.0009	----	----	----	----	3	UNCH		
605	----	----	----	----/0.0015A	----	0.0005	UNCH	----	----	----	----	----	1	UNCH		
610	----	----	----	0.0010B/0.0045A	----	0.0035 -	0.0010	.0271	----	----	----	----	1	UNCH		
610	----	----	----	0.0095B/0.0120A	----	0.0120 +	0.0015	.0729	----	----	----	----	2	UNCH		
615	----	----	----	----/0.0015A	----	0.0005 -	0.0005	----	----	----	----	----	2	UNCH		
620	----	----	----	----/0.0015A	----	0.0005 -	0.0010	----	----	----	----	----	11	UNCH		
620	----	----	----	0.0035B/0.0070A	----	0.0060 -	0.0010	.0503	----	----	----	----	2	UNCH		
620	----	----	----/0.0165A	0.0170B/0.0165A	----	0.0205 +	0.0035	.1211	----	----	----	----	10	UNCH		
625	----	----	----	0.0055B/0.0095A	----	0.0090 -	0.0005	.0754	----	----	----	----	21	UNCH		
630	----	----	----	----/0.0025A	----	0.0005 -	0.0020	.0003	----	----	----	----	22	UNCH		
630	----	----	----/0.0125A	0.0130B/0.0125A	----	0.0135	UNCH	.1117	----	----	----	----	20	UNCH		
635	0.0205	0.0205	0.0215B/0.0155A	0.0215B/0.0155A	----	0.0205	NEW	.1640	----	----	1	----	1 +	1		
640	----	----	----	0.0010B/0.0050A	----	0.0030 -	0.0020	.0189	----	----	30	----	46 +	30		
640	0.0155	0.0155	0.0340B/0.0155	0.0340B/0.0155	----	0.0320 +	0.0035	.2373	----	----	15	----	16 +	15		
641	0.0050	0.0050	0.0050/0.0050	0.0050/0.0050	----	0.0035	NEW	.0247	----	----	1	----	1 +	1		
643	----	----	----	0.0020B/0.0085A	----	0.0055 -	0.0015	.0484	----	----	----	----	1	UNCH		
644	----	----	----	0.0050B/0.0105A	----	0.0065	NEW	.0629	----	----	1	----	1 +	1		
645	0.0060	0.0060	0.0060/0.0060	0.0085B/0.0060	----	0.0080 -	0.0015	.0843	----	----	1	----	44 -	1		
645	0.0495	0.0495	0.0550B/0.0330A	0.0550B/0.0330A	----	0.0490 +	0.0075	.3266	----	----	1	----	9 +	1		
646	0.0035	0.0035	0.0120B/0.0035	0.0120B/0.0035	----	0.0100	NEW	.1128	----	----	2	----	2 +	2		
648	0.0110	0.0110	0.0205B/0.0110	0.0205B/0.0110	----	0.0150 +	0.0005	.1868	----	----	1	----	6	UNCH		
650	0.0130	0.0130	0.0295B/0.0130	0.0295B/0.0130	----	0.0225 +	0.0035	.2873	----	----	30	----	97 +	21		
650	0.0845	0.0845	0.0845/0.0475A	0.0845/0.0475A	----	0.0720 +	0.0125	.4224	----	----	15	----	32 +	13		
650	----	----	0.1110B/0.0765A	0.1110B/0.0765A	----	0.1075 +	0.0195	.4409	----	----	----	----	4	UNCH		
654	----	----	0.0525B/0.0230A	0.0525B/0.0230A	----	0.0415	NEW	.5089	----	----	1	----	1 +	1		
655	----	----	0.0590B/0.0260A	0.0590B/0.0260A	----	0.0475 +	0.0120	.5630	----	----	----	----	50	UNCH		
658	----	----	0.0800B/0.0370A	0.0800B/0.0370A	----	0.0670 +	0.0185	.7082	----	----	----	----	1	UNCH		
660	0.0590	0.0590	0.0950B/0.0460A	0.0950B/0.0460A	----	0.0820 +	0.0235	.7835	----	----	1	----	26	UNCH		
660	----	----	0.1420B/0.0925A	0.1420B/0.0925A	----	0.1330 +	0.0245	.5975	----	----	----	----	10	UNCH		
660	0.1270	0.1270	0.1720B/0.1235A	0.1720B/0.1235A	----	0.1655 +	0.0295	.5668	----	----	2	----	20	UNCH		
665	----	----	0.1355B/0.0820A	0.1355B/0.0820A	----	0.1235 +	0.0360	.9042	----	----	----	----	24	UNCH		
665	----	----	0.1640B/0.1335A	0.1640B/0.1335A	----	0.1685 +	0.0300	.6705	----	----	----	----	10	UNCH		
670	0.1165	0.1165	0.1815B/0.1135A	0.1815B/0.1135A	----	0.1690 +	0.0470	.9580	----	----	1	----	590 -	1		
670	0.1775	0.1775	0.2025B/0.1650A	0.2025B/0.1650A	----	0.2070 +	0.0355	.7325	----	----	1	----	1	UNCH		
670	----	----	0.2430B/0.1945A	0.2430B/0.1945A	----	0.2350 +	0.0385	.6740	----	----	----	----	2	UNCH		
675	----	----	0.2295B/0.1500A	0.2295B/0.1500A	----	0.2170 +	0.0565	.9784	----	----	----	----	593	UNCH		
680	----	----	0.2780B/0.1905A	0.2780B/0.1905A	----	0.2655 +	0.0630	.9871	----	----	----	----	1360	UNCH		
685	----	----	0.3270B/0.2340A	0.3270B/0.2340A	----	0.3150 +	0.0685	.9927	----	----	----	----	1			

PG64	BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST								
PAO CALL	NYMEX PALLADIUM OPTIONS																						
JUN27	----	----	----	----	----	----			95.30	- 14.00	.4064	----	----	----	----	50	UNCH						
1375																50							
TOTAL																							
PAO PUT	NYMEX PALLADIUM OPTIONS																						
NOV26	----	----	----	52.50B/----	52.50B/36.90A	----			51.20	+ 16.10	.5643	----	----	----	----	24	UNCH						
1200				70.90B/----	70.90B/50.40A	----			68.30	+ 19.00	.6537	----	----	----	----	11	UNCH						
1225				91.40B/----	91.40B/65.70A	----			87.50	+ 21.80	.7276	----	----	----	----	108	UNCH						
1250				113.30B/82.80A	113.30B/82.80A	----			108.70	+ 24.50	.7844	----	----	----	----	16	UNCH						
1275				136.10B/101.90A	136.10B/101.90A	----			130.90	+ 26.50	.8268	----	----	----	----	13	UNCH						
1300				182.60B/144.90A	182.60B/144.90A	----			176.90	+ 28.30	.8880	----	----	----	----	4	UNCH						
1350																176							
TOTAL																							
DEC26	----	----	----	10.20B/----	10.20B/12.30A	----			13.40	+ 4.00	.1591	----	----	----	----	5	UNCH						
1050				45.70B/----	45.70B/37.40A	----			47.50	+ 13.10	.3966	----	----	----	----	15	UNCH						
1150				74.30B/----	74.30B/60.00A	----			75.30	+ 17.80	.5227	----	----	----	----	53	UNCH						
1200				109.80B/----	109.80B/88.50A	----			109.40	+ 21.60	.6326	----	----	----	----	5	UNCH						
1250				150.70B/122.60A	150.70B/122.60A	----			148.40	+ 24.30	.7193	----	----	----	----	100	UNCH						
1300				----	----	----			160.90	+ 25.00	.7410	----	----	----	----	90	UNCH						
1315				----	----	----			217.90	+ 27.30	.8138	----	----	----	----	1	UNCH						
1380				241.00B/204.80A	241.00B/204.80A	----			236.10	+ 27.80	.8301	----	----	----	----	150	UNCH						
1400				335.40B/296.30A	335.40B/296.30A	----			330.00	+ 29.80	.8900	----	----	----	----	40	UNCH						
1500																459							
TOTAL																							
MAR27	----	----	----	50.70B/----	50.70B/48.00A	----			56.10	+ 11.70	.3071	----	----	----	----	5	UNCH						
1100				79.40/78.80	79.40/65.50A	----			76.70	NEW	.3773	----	----	8	----	8	+						
1145	79.40	79.40		81.80/81.40	81.80/67.70A	----			79.20	NEW	.3851	----	----	8	----	8	+						
1150	81.80	81.80		86.80/86.70	86.80/72.40A	----			84.30	NEW	.4007	----	13	----	13	+							
1160	86.70	86.70		100.40B/----	100.40B/92.10A	----			106.40	+ 18.10	.4617	----	----	----	10	UNCH							
1200				206.10B/----	206.10B/187.00A	----			209.60	+ 25.10	.6545	----	----	----	75	UNCH							
1350													29	----	119	+							
TOTAL																							
PAW OOF	PALLADIUM WEEKLY FRIDAY OPTION week																						
OCT26	1150	10.50	10.50	11.40/10.50	11.40/10.50	----			12.10	NEW	.2918	----	15	----	15	+							
1175	6.30	6.30		10.70B/6.30	10.70B/6.00A	----			9.60	NEW	.4046	----	20	----	20	+							
1250				-----/9.70A	12.10B/9.70A	----			7.60	- 8.70	.1749	----	----	----	4	UNCH							
1300				-----/5.60A	3.30B/5.60A	----			3.30	- 4.60	.0757	----	----	----	12	UNCH							
1350				----	-----/2.20A	----			0.10	UNCH	----	----	35	----	2	UNCH							
TOTAL																53	+						
PLW OOF	PLATINUM WEEKLY FRIDAY OPTION week1																						
OCT26	1725	----	----	30.00B/16.50A	30.00B/16.50A	----			15.40	- 4.70	.4733	----	----	----	----	1	UNCH						
1750	----	----	----	42.50B/24.10A	42.50B/24.10A	----			34.20	- 8.00	.8100	----	----	----	----	5	UNCH						
1750	----	----	----	15.30B/8.80A	15.30B/8.80A	----			7.00	- 4.10	.1899	----	----	----	----	1	UNCH						
1800	----	----	----	----	1.30B/3.90A	----			0.90	- 1.80	.0092	----	----	----	----	20	UNCH						
1825	----	----	----	----	-----/3.10A	----			0.30	- 1.00	.0014	----	----	----	----	16	UNCH						
1875	----	----	----	----	-----/2.40A	----			0.10	- 0.20	----	----	----	----	7	UNCH							
TOTAL																50							
PO CALL	PLATINUM OPTIONS																						
NOV26	1775	36.80	36.80	42.00B/35.00A	42.00B/35.00A	----			34.20	- 0.70	.3676	----	----	8	----	17	+						
1800	29.00	29.00		33.20B/27.50	33.20B/27.50	----			27.20	- 0.60	.3064	----	6	----	156	+							
1825	23.00	23.00		26.00B/23.00	26.00B/23.00	----			21.70	- 0.50	.2535	----	4	----	39	+							
1850	----	----	----	20.40B/----	20.40B/19.00A	----			17.40	- 0.40	.2090	----	----	----	149	UNCH							
1875	----	----	----	15.90B/----	15.90B/15.80A	----			14.10	- 0.20	.1725	----	----	----	88	UNCH							
1900	----	----	----	12.40B/----	12.40B/13.30A	----			11.40	- 0.20	.1418	----	----	----	239	UNCH							
1925	----	----	----	9.70B/----	9.70B/11.20A	----			9.20	- 0.30	.1162	----	----	----	68	UNCH							
1950	----	----	----	7.40B/9.50A	7.40B/9.50A	----			7.40	- 0.50	.0948	----	----	----	119	UNCH							
2000	----	----	----	4.20B/7.00A	4.20B/7.00A	----			4.90	- 0.50	.0637	----	----	----	200	UNCH							
2050	----	----	----	2.10B/5.50A	2.10B/5.50A	----			3.40	- 0.30	.0442	----	----	----	15	UNCH							
2100	----	----	----	0.80B/4.60A	0.80B/4.60A	----			2.20	- 0.20	.0290	----	----	----	54	UNCH							
2200	----	----	----	-----/3.50A	-----/3.50A	----			1.00	- 0.10	.0133	----	----	----	210	UNCH							
2250	----	----	----	-----/3.20A	-----/3.20A	----			0.60	- 0.20	.0081	----	----	----	40	UNCH							
2500	----	----	----	-----/2.30A	-----/2.30A	----			0.10	UNCH	.0013	----	----	----	20	UNCH							
TOTAL													18		1414	+							
DEC26	1700	----	----	108.80B/95.40A	108.80B/95.40A	----			97.20	+ 0.60	.5672	----	----	----	----	1	UNCH						
1900	----	----	----	36.80B/----	36.80B/35.00A	----			33.10	- 0.10	.2517	----	----	----	----	102	UNCH						
1950	----	----	----	27.80B/----	27.80B/27.70A	----			25.80	UNCH	.2021	----	----	----	10	UNCH							
1975	----	----	----	24.10B/----	24.10B/24.80A	----			22.90	+ 0.10	.1814	----	----	----	9	UNCH							
2000	----	----	----	21.00B/----	21.00B/22.10A	----			20.20	UNCH	.1621	----	----	----	122	UNCH							
2200	----	----	----	6.50B/9.90A	6.50B/9.90A	----			7.60	- 0.10	.0659	----	----	----	101	UNCH							
2250	----	----	----	4.70B/8.50A	4.70B/8.50A	----			6.00	- 0.10	.0527	----	----	----	51	UNCH							
2500	----	----	----	0.60B/5.00A	0.60B/5.00A	----			2.10	- 0.10	.0190	----	----	----	50	UNCH							
TOTAL															446								
JAN27	1700	----	----	129.70B/117.20A	129.70B/117.20A	----			118.60	+ 1.30	.5648	----	----	----	----	1	UNCH						
1745	----	----	----	107.90B/----	107.90B/98.50A	----			98.90	+ 1.00	.4989	----	----	----	----	2	UNCH						
1800	----	----	----	86.00B/----	86.00B/79.40A	----			79.40	+ 1.10	.4240	----	----	----	----	3	UNCH						
1850	----	----	----	69.80B/----	69.80B/65.30A	----			65.10	+ 1.20	.3630	----	----	----	----	30	UNCH						
1900	----	----	----	56.60B/----	56.60B/53.80A	----			53.10	+ 1.00	.3084	----	----	----	----	575	UNCH						
1950	----	----	----	45.90B/----	45.90B/44.60A	----			42.80	+ 0.20	.2594	----	----	----	----	886	UNCH						
2000	35.00	35.00		37.10B/35.00	37.10B/35.00	----			34.70	- 0.30	.2178	----	14	350	1049	-							
2050	----	----	----	30.00B/----	30.00B/31.20A	----			28.90	+ 0.20	.1848	----	----	----	250	UNCH							
2100	----	----	----	24.30B/----	24.30B/26.20A	----			24.30	+ 0.60	.1576	----	----	----	81								

PRELIMINARY

PG64	BULLETIN #189@										METALS OPTION PRODUCTS						Thu, Oct 01, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST							
PO PUT	PLATINUM OPTIONS																				
NOV26	----	----		91.60B/75.80A	91.60B/75.80A	----		86.30 - 4.60	.6322	----	----	----	----	79	UNCH						
1775	----	----		110.30B/91.60A	110.30B/91.60A	----		104.30 - 4.50	.6935	----	----	----	----	23	UNCH						
1800	----	----		130.40B/109.20A	130.40B/109.20A	----		123.70 - 4.40	.7463	----	----	----	----	15	UNCH						
1825	----	----		151.60B/128.20A	151.60B/128.20A	----		144.40 - 4.20	.7909	----	----	----	----	100	UNCH						
1850	----	----										1		1192	0						
TOTAL																					
DEC26	----	----		----	----/3.30A	----		0.60 - 0.10	.0070	----	----	----	----	20	UNCH						
1250	----	----		----/22.00A	21.00B/22.00A	----		22.70 - 1.10	.1800	----	----	----	----	1	UNCH						
1550	----	----		----/32.90A	34.20B/32.90A	----		35.60 - 1.00	.2551	----	----	----	----	1	UNCH						
1600	----	----		----/39.90A	42.60B/39.90A	----		43.70 - 1.10	.2970	----	----	----	----	10	UNCH						
1625	----	----		----/48.10A	52.20B/48.10A	----		52.80 - 1.50	.3408	----	----	----	----	19	UNCH						
1650	----	----		----/57.50A	63.30B/57.50A	----		63.00 - 2.30	.3862	----	----	----	----	9	UNCH						
1675	----	----		----/93.60A	104.60B/93.60A	----		101.60 - 4.10	.5249	----	----	----	----	20	UNCH						
1750	----	----												80	0						
TOTAL																					
JAN27	----	----		----	8.70B/12.60A	----		11.40 - 0.40	.0832	----	----	----	----	100	UNCH						
1400	----	----		----	15.10B/18.20A	----		17.50 - 0.60	.1199	----	----	----	----	200	UNCH						
1450	----	----		----/26.10A	24.00B/26.10A	----		26.20 - 0.70	.1672	----	----	----	----	325	UNCH						
1500	----	----		----/36.50A	35.90B/36.50A	----		37.90 - 0.90	.2240	----	----	----	----	200	UNCH						
1550	----	----		----/42.90A	43.30B/42.90A	----		45.10 - 1.00	.2558	----	----	----	----	20	UNCH						
1575	----	----		----/50.30A	51.80B/50.30A	----		53.20 - 1.20	.2894	----	----	----	----	10	UNCH						
1600	----	----		----/68.00A	71.90B/68.00A	----		72.40 - 1.90	.3608	----	----	----	----	45	UNCH						
1650	----	----		----/90.00A	96.60B/90.00A	----		95.90 - 2.60	.4350	----	----	----	----	61	UNCH						
1700	----	----		----/116.20A	125.50B/116.20A	----		124.00 - 2.80	.5079	----	----	----	----	120	UNCH						
1750	----	----		----/146.00A	158.30B/146.00A	----		156.10 - 2.70	.5757	----	----	----	----	5	UNCH						
1800	----	----		233.00B/215.40A	233.00B/215.40A	----		229.20 - 2.90	.6913	----	----	----	----	100	UNCH						
1900	----	----		316.30B/294.80A	316.30B/294.80A	----		310.20 - 4.10	.7820	----	----	----	----	200	UNCH						
2000	----	----												1386	0						
TOTAL																					
APR27	----	----		----	27.70B/32.50A	----		31.30 - 0.10	.1392	----	----	----	----	30	UNCH						
1400	----	----		----/53.90A	51.20B/53.90A	----		54.70 + 0.30	.2168	----	----	----	----	10	UNCH						
1500	----	----		----/85.40A	85.50B/85.40A	----		89.40 + 0.50	.3104	----	----	----	----	10	UNCH						
1600	----	----		----/177.90A	184.00B/177.90A	----		186.10 - 1.20	.4991	----	----	----	----	27	UNCH						
1790	----	----												77	0						
TOTAL																					
JUL27	----	----		----	----	----		318.10 - 2.20	.5539	----	----	----	----	110	UNCH						
1930	----	----												110							
TOTAL																					

OPTIONS EOO'S AND BLOCKS				
PRODUCT		STRIKE PRICE	EEO VOLUME	BLOCK VOLUME
OG CALL COMEX GOLD OPTIONS				
NOV26	CALL			
OG		4300	0	50
OG		4400	0	1000
OG		4500	0	50
OG		4510	0	3180
OG		4900	0	1000
TOTALS			0	5280
DEC26	CALL			
OG		4500	0	1500
TOTALS			0	1500
JAN27	CALL			
OG		4350	0	1500
TOTALS			0	1500
MAR27	CALL			
OG		4550	0	750
OG		5050	0	750
TOTALS			0	1500
JUN27	CALL			
OG		4500	0	200
OG		5000	0	200
TOTALS			0	400
OG PUT COMEX GOLD OPTIONS				
NOV26	PUT			
OG		3800	0	3180
OG		3900	0	1000
OG		3950	0	50
OG		4400	0	1000
TOTALS			0	5230
DEC26	PUT			
OG		3750	0	70
OG		4100	0	40
OG		4160	0	75
OG		4175	0	200
TOTALS			0	385
FEB27	PUT			
OG		3900	0	200
OG		4000	0	100
TOTALS			0	300
SO CALL COMEX SILVER OPTIONS				
FEB27	CALL			
SO		8000	0	115
TOTALS			0	115
MAR27	CALL			
SO		7200	0	218
SO		7500	0	30
TOTALS			0	248
SO PUT COMEX SILVER OPTIONS				
DEC26	PUT			
SO		5600	0	70
TOTALS			0	70
FEB27	PUT			
SO		5000	0	115
TOTALS			0	115
MAR27	PUT			
SO		5600	0	218
TOTALS			0	218
HX CALL COMEX COPPER OPTIONS				
NOV26	CALL			
HX		675	0	250
TOTALS			0	250
PO CALL PLATINUM OPTIONS				
JAN27	CALL			
PO		2000	0	350
PO		2500	0	500
TOTALS			0	850
OG1 CALL GOLD OPTIONS				
OCT26	CALL			
OG1		4250	0	50
TOTALS			0	50
HRO OPT U.S. MIDWEST DOMESTIC HOT-ROLLED CO				
OCT26	CALL			
HRO		122500	0	20
TOTALS			0	20
HRO OPT U.S. MIDWEST DOMESTIC HOT-ROLLED CO				
OCT26	PUT			
HRO		115000	0	20
TOTALS			0	20
GMW MON GOLD WEEKLY MONDAY OPTION WEEK1				
OCT26	PUT			
G1M		4170	0	50
TOTALS			0	50
GWT TUE GOLD WEEKLY TUESDAY OPTION Week2				
OCT26	PUT			
G2T		4125	0	150
TOTALS			0	150