

PG64

BULLETIN #189@

METALS OPTION PRODUCTS

Thu, Oct 01, 2026

PG64

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY’S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES														
EXPIRATION:	SEP26	SEP26	OCT26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27	MAY27	JUN27	JUL27	AUG27
COO OPT	09/30		10/30		11/30	12/31	01/29	02/26	03/31				07/30	08/31
ECG10 OP		09/30		10/01										
ECG11 OP		09/30		10/01										
ECG13 OP		09/30		10/01										
ECG15 OP		09/30		10/01										
ECG16 OP		09/30		10/01										
ECGC OOF		09/30		10/01										
ECHG OOF		09/30		10/01										
ECSI OOF		09/30		10/01										
EHO OPT	09/30		10/30		11/30	12/31								
FMG OPT			10/02											
GMW MON			10/26											
GWR THU			10/22											
GWT TUE			10/20		11/03									
GWV WED	09/30		10/28											
HMW MON			10/26											
HRO OPT	09/29		10/27		11/24	12/29	01/26	02/23	03/30	04/27	05/25	06/29	07/27	08/24
HWR THU			10/22											
HWT TUE			10/20											
HWV WED	09/30		10/21		11/03	12/02	01/06	02/23	03/24	04/27	05/25			
HX CALL					11/04	12/02	12/28	01/26	02/23	03/24	04/27	05/25		
HX PUT					10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25		
HXE CALL			10/16											
HXE PUT			10/16											
LHO OPT	09/30		10/30		11/30	12/31	01/29	02/26	03/31					
MMG MON			10/05											
OG CALL					10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27
OG PUT					10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27
OG1 CALL			10/02											
OG1 PUT			10/02											
OG2 CALL			10/09											
OG2 PUT			10/09											
OG3 CALL			10/16											
OG3 PUT			10/16											
OG4 CALL			10/23											
OG4 PUT			10/23											
OMG OPT					10/27	11/24	12/28							
PAO CALL					10/21	11/18			02/17			05/19		
PAO PUT					10/21	11/18			02/17					
PAW OOF			10/09											
PLW OOF			10/02											
PO CALL					10/21	11/18	12/16			03/17			06/16	
PO PUT					10/21	11/18	12/16			03/17			06/16	
RWS THU			10/22											
SMW MON			10/26											
SO CALL					10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27
SO PUT					10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	
SO1 CALL			10/02											
SO1 PUT			10/02											
SO2 CALL			10/09											
SO2 PUT			10/09											
SO3 CALL			10/16											
SO3 PUT			10/16											
SO4 CALL			10/23											
SO4 PUT			10/23											
SWW WED	09/30		10/21											
TWS TUE			10/20		11/03									
WMG WED	09/30													

GOLD OPTIONS ON FUTURES														
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
WMG WED SEP26		MICRO GOLD WEEKLY WED OPTION WEEK5												
4200	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4230	----	----	----	----	----		43.30 UNCH	----	----	----	----	----	0	UNCH
TOTAL													0	0
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OMG OPT NOV26		MICRO GOLD OPTIONS												
3650	----	----	----	----	/15.00A	----	3.90 - 0.60	----	----	----	----	----	2	UNCH
3900	----	----	----	----	/1325.00A	----	13.40 - 2.70	----	----	----	----	----	1	UNCH
4000	----	----	----	----		----	226.80 + 10.60	----	----	----	----	----	1	UNCH
4000	----	----	----	----	/1335.60A	----	25.00 - 5.00	----	----	----	----	----	2	UNCH
4005	----	----	----	----		----	222.70 + 10.50	----	----	----	----	----	1	UNCH
4025	----	----	----	----	/1339.70A	----	29.40 - 5.70	----	----	----	----	----	1	UNCH
4185	----	----	----	----	/2045.40A	----	80.00 - 11.60	----	----	----	----	----	1	UNCH
4300	----	----	----	50.00B/2115.60A		----	146.50 - 14.40	----	----	----	----	----	1	UNCH
5810	----	----	----	----	/1291.70A	----	0.30 UNCH	----	----	----	----	----	2	UNCH
5850	----	----	----	----	/1292.60A	----	0.30 UNCH	----	----	----	----	----	3	UNCH
5900	----	----	----	----	/1292.00A	----	0.30 UNCH	----	----	----	----	----	5	UNCH
6500	----	----	----	----	/1292.00A	----	0.10 UNCH	----	----	----	----	----	4	UNCH
TOTAL													24	0
DEC26														
3900	----	----	----	----	----		38.80 - 4.10	----	----	----	----	----	1	UNCH
3990	----	----	----	----	----		57.70 - 5.90	----	----	----	----	----	2	UNCH
4000	----	----	----	----	----		60.20 - 6.20	----	----	----	----	----	2	UNCH
4500	----	----	----	----	----		340.20 - 14.50	----	----	----	----	----	3	UNCH
4650	----	----	----	----	----		24.00 + 0.40	----	----	----	----	----	1	UNCH
4700	----	----	----	----	----		19.80 + 0.30	----	----	----	----	----	10	UNCH
4800	----	----	----	----	----		13.50 + 0.10	----	----	----	----	----	1	UNCH
TOTAL													20	0
JAN27														
4010	----	----	----	----	----		309.10 + 9.60	----	----	----	----	----	1	UNCH
4600	430.00	430.00	430.00/430.00	430.00/430.00	----		421.20 - 13.90	----	----	----	2	----	3 +	2
TOTAL											2		4 +	2
OCT27														
4410	----	----	----	----	----		356.20 + 6.80	----	----	----	----	----	1	UNCH
TOTAL													1	0
FEB28														
4600	----	----	----	----	----		399.50 + 6.10	----	----	----	----	----	1	UNCH
TOTAL													1	0
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG4 PUT OCT26		GOLD OPTIONS												

BULLETIN #189@				METALS OPTION PRODUCTS										Thu, Oct 01, 2026				PG64	
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST				
OG4 PUT	GOLD OPTIONS																		
OCT26																			
3700	----	----		----/3.70A	4.30B/3.70A	----		3.70 - 0.70	.0287	----	----	----	----	5	UNCH				
3800	5.80	5.80		5.80/5.80	7.20B/5.80	----		6.30 NEW	.0503	----	----	1	----	1 +	1				
3825	----	----		----/6.80A	8.50B/6.80A	----		7.30 - 1.40	.0584	----	----	----	----	1	UNCH				
3875	9.70	9.70		9.70/9.00A	11.60B/9.00A	----		9.60 - 2.00	.0776	----	----	10	----	11 +	10				
3900	----	----		13.60B/10.40A	13.60B/10.40A	----		11.10 - 2.40	.0899	----	----	----	----	2	UNCH				
3925	----	----		16.10B/12.10A	16.10B/12.10A	----		13.00 - 2.80	.1049	----	----	----	----	2	UNCH				
3950	15.30	15.30		19.10B/14.20A	19.10B/14.20A	----		15.20 - 3.40	.1221	----	----	2	----	4 +	1				
3975	----	----		22.80B/16.70A	22.80B/16.70A	----		17.90 - 4.10	.1424	----	----	----	----	2	UNCH				
4000	----	----		27.10B/19.80A	27.10B/19.80A	----		21.30 - 4.70	.1667	----	----	----	----	3	UNCH				
4025	----	----		32.30B/23.50A	32.30B/23.50A	----		25.30 - 5.50	.1944	----	----	----	----	1	UNCH				
4125	----	----		63.20B/46.30A	63.20B/46.30A	----		50.30 - 9.10	.3432	----	----	----	----	1	UNCH				
4175	----	----		85.50B/64.10A	85.50B/64.10A	----		69.60 - 11.10	.4365	----	----	----	----	46	UNCH				
4200	----	----		99.20B/75.30A	99.20B/75.30A	----		81.30 - 12.00	.4856	----	----	25	----	26 +	25				
TOTAL												38		105 +	37				
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST				
OG4 CALL	GOLD OPTIONS																		
OCT26																			
4175	----	----		107.30B/83.10A	107.30B/83.10A	----		96.80 + 4.40	.5628	----	----	----	----	28	UNCH				
4200	----	----		94.40B/71.50A	94.40B/71.50A	----		83.60 NEW	.5138	----	----	25	----	25 +	25				
4350	----	----		36.10B/26.20A	36.10B/26.20A	----		30.50 + 0.10	.2457	----	----	1	----	1	UNCH				
4375	21.00	21.00		30.00B/21.00	30.00B/21.00	----		25.40 - 0.10	.2115	----	----	5	----	5	UNCH				
4400	----	----		25.20B/18.20A	25.20B/18.20A	----		21.10 - 0.20	.1810	----	----	----	----	2	UNCH				
4450	----	----		17.30B/12.70A	17.30B/12.70A	----		14.70 - 0.20	.1318	----	----	----	----	1	UNCH				
4500	----	----		12.00B/8.80A	12.00B/8.80A	----		10.30 - 0.20	.0954	----	----	----	----	401	UNCH				
4650	----	----		4.10B/3.60A	4.10B/3.60A	----		4.00 + 0.20	.0381	----	----	----	----	1	UNCH				
4675	----	----		3.50B/3.10A	3.50B/3.10A	----		3.50 + 0.20	.0332	----	----	----	----	4	UNCH				
4700	3.10	3.10		3.10/2.80A	3.10/2.80A	----		3.10 NEW	.0293	----	----	1	----	1 +	1				
TOTAL												32		469 +	26				
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST				
OG3 PUT	GOLD OPTIONS																		
OCT26																			
3500	0.70	0.70		0.70/0.70	0.70/0.70	----		0.90 - 0.20	.0066	----	----	1	----	3 +	1				
3600	----	----		----/1.20A	1.30B/1.20A	----		1.30 - 0.40	.0103	----	----	----	----	5	UNCH				
3700	----	----		----/1.80A	2.30B/1.80A	----		2.10 - 0.50	.0178	----	----	----	----	3	UNCH				
3750	----	----		----/2.30A	3.00B/2.30A	----		2.70 - 0.60	.0236	----	----	2	----	3	UNCH				
3800	3.00	3.00		3.00/3.00	4.10B/3.00	----		3.50 - 0.90	.0317	----	----	1	----	19 +	1				
3875	----	----		----/4.70A	6.70B/4.70A	----		5.40 - 1.60	.0511	----	----	----	----	3	UNCH				
3900	----	----		----/5.60A	8.20B/5.60A	----		6.40 - 1.90	.0611	----	----	3	----	23 -	1				
3950	11.00	11.00		11.00/8.00A	12.00B/8.00A	----		9.10 - 2.90	.0876	----	----	25	----	24 +	16				
3975	13.40	13.40		14.90B/9.80A	14.90B/9.80A	----		11.00 - 3.50	.1056	----	----	2	----	17 +	2				
4000	13.20	13.20		18.20B/12.00A	18.20B/12.00A	----		13.50 - 4.10	.1283	----	----	45	----	96 +	41				
4025	20.20	20.20		22.40B/14.80A	22.40B/14.80A	----		16.50 - 4.90	.1549	----	----	17	----	75 +	9				
4050	19.40	19.40		27.70B/18.30A	27.70B/18.30A	----		20.30 - 5.90	.1870	----	----	5	----	32 +	4				
4075	----	----		34.00B/22.60A	34.00B/22.60A	----		25.00 - 6.90	.2245	----	----	----	----	22	UNCH				
4100	30.10	30.10		41.50B/27.80A	41.50B/27.80A	----		30.80 - 8.00	.2679	----	----	25	----	159 +	14				
4125	41.50	41.50		50.50B/34.10A	50.50B/34.10A	----		37.80 - 9.20	.3165	----	----	4	----	8 +	1				
4150	----	----		60.60B/41.70A	60.60B/41.70A	----		46.20 - 10.40	.3700	----	----	----	----	15	UNCH				
4175	----	----		72.50B/50.60A	72.50B/50.60A	----		56.00 - 11.50	.4270	----	----	----	----	20	UNCH				
4200	67.60	67.60		86.10B/60.90A	86.10B/60.90A	----		67.50 - 12.50	.4864	----	----	1	----	41 +	1				
4225	----	----		100.70B/72.90A	100.70B/72.90A	----		80.50 - 13.50	.5461	----	----	----	----	45	UNCH				
4250	----	----		117.00B/86.30A	117.00B/86.30A	----		95.20 - 14.20	.6045	----	----	----	----	2	UNCH				
4275	----	----		134.90B/101.30A	134.90B/101.30A	----		111.40 - 14.80	.6600	----	----	----	----	3	UNCH				
4300	----	----		153.60B/117.70A	153.60B/117.70A	----		128.90 - 15.30	.7114	----	----	----	----	2	UNCH				
4350	----	----		194.50B/154.40A	194.50B/154.40A	----		167.70 - 16.00	.7988	----	----	----	----	30	UNCH				
4400	223.10	223.10		238.90B/195.30A	238.90B/195.30A	----		210.40 - 16.20	.8639	----	----	1	----	30	UNCH				
4500	----	----		326.60B/285.40A	326.60B/285.40A	----		302.90 - 16.00	.9388	----	----	----	----	3	UNCH				
4600	----	----		424.20B/387.20A	424.20B/387.20A	----		400.00 - 15.80	.9703	----	----	----	----	1	UNCH				
4625	----	----		448.80B/411.70A	448.80B/411.70A	----		424.60 - 15.70	.9749	----	----	----	----	1	UNCH				
4725	530.00	530.00		548.00B/510.50A	548.00B/510.50A	----		523.60 NEW	.9856	----	----	1	----	1 +	1				
TOTAL												133		686 +	90				
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST				
OG3 CALL	GOLD OPTIONS																		
OCT26																			
4150	----	----		112.20B/82.60A	112.20B/82.60A	----		98.40 + 5.20	.6295	----	----	----	----	1	UNCH				
4175	----	----		96.10B/69.50A	96.10B/69.50A	----		83.30 + 4.10	.5725	----	----	----	----	34	UNCH				
4200	----	----		81.90B/57.80A	81.90B/57.80A	----		69.80 + 3.10	.5132	----	----	2	----	56 -	1				
4225	----	----		68.70B/47.70A	68.70B/47.70														

	BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026										PG64					
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST																				
OG2 PUT OCT26	GOLD OPTIONS																																			
4175	46.70	46.70		53.50B/31.60A	53.50B/31.60A	----	----		36.50 - 11.90	.4012	----	----	10	----		203 -																	4			
4200	50.60	50.60		67.10B/41.40A	67.10B/41.40A	----	----		47.60 - 13.30	.4864	----	----	44	----		134 +																	22			
4225	58.80	58.80		82.60B/53.50A	82.60B/53.50A	----	----		60.90 - 14.40	.5726	----	----	3	----		42 +																	1			
4250	----	----		100.30B/67.30A	100.30B/67.30A	----	----		76.40 - 15.30	.6549	----	----	3	----		29 -																	1			
4275	----	----		119.60B/83.20A	119.60B/83.20A	----	----		93.90 - 16.00	.7287	----	----	3	----		50 +																	1			
4300	----	----		140.60B/100.70A	140.60B/100.70A	----	----		113.20 - 16.40	.7918	----	----	2	----		24 -																	1			
4325	----	----		162.20B/120.20A	162.20B/120.20A	----	----		134.00 - 16.50	.8428	----	----	----	----		25																	UNCH			
4350	----	----		185.00B/140.70A	185.00B/140.70A	----	----		155.90 - 16.60	.8829	----	----	----	----		17																	UNCH			
4375	----	----		208.50B/162.80A	208.50B/162.80A	----	----		178.70 - 16.50	.9131	----	----	----	----		2																	UNCH			
4400	----	----		232.30B/185.40A	232.30B/185.40A	----	----		202.20 - 16.20	.9347	----	----	----	----		26																	UNCH			
4500	----	----		317.00B/288.70A	317.00B/288.70A	----	----		299.40 - 15.70	.9752	----	----	1	----		2 +																	1			
4550	----	----		366.50B/337.90A	366.50B/337.90A	----	----		348.80 - 15.60	.9839	----	----	----	----		2																	UNCH			
4575	----	----		391.40B/362.70A	391.40B/362.70A	----	----		373.60 - 15.60	.9868	----	----	----	----		1																	UNCH			
4700	----	----		515.90B/487.10A	515.90B/487.10A	----	----		498.10 - 15.50	.9939	----	----	----	----		1																	UNCH			
TOTAL													242			1984 +																	118			
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST																				
OG2 CALL OCT26	GOLD OPTIONS																																			
4075	----	----		156.30B/115.20A	156.30B/115.20A	----	----		138.70 + 9.60	.8520	----	----	----	----		2																	UNCH			
4100	----	----		134.50B/96.30A	134.50B/96.30A	----	----		117.70 + 8.30	.8056	----	----	----	----		2																	UNCH			
4125	----	----		114.10B/79.00A	114.10B/79.00A	----	----		97.90 + 6.70	.7472	----	----	----	----		1																	UNCH			
4150	----	----		95.10B/63.50A	95.10B/63.50A	----	----		79.90 + 5.20	.6777	----	----	----	----		4																	UNCH			
4175	----	----		77.80B/50.10A	77.80B/50.10A	----	----		63.80 + 3.70	.5985	----	----	----	----		3																	UNCH			
4200	54.50	54.50		63.00B/38.90A	63.00B/38.90A	----	----		49.90 + 2.30	.5133	----	----	14	----		208 +																	7			
4225	44.40	44.40		49.30B/29.60A	49.30B/29.60A	----	----		38.20 + 1.20	.4271	----	----	34	----		41 +																	31			
4250	26.80	26.80		38.30B/22.30A	38.30B/22.30A	----	----		28.70 + 0.30	.3448	----	----	54	----		116 +																	46			
4275	20.60	20.60		28.90B/16.40A	28.90B/16.40A	----	----		21.30 + 0.30	.2710	----	----	12	----		29 +																	8			
4300	12.80	12.80		21.50B/11.90A	21.50B/11.90A	----	----		15.60 + 0.80	.2079	----	----	88	----		110 +																	59			
4325	14.30	14.30		15.90B/8.70A	15.90B/8.70A	----	----		11.40 + 0.90	.1569	----	----	39	----		91 +																	34			
4350	7.40	7.40		11.60B/6.30A	11.60B/6.30A	----	----		8.30 + 1.00	.1168	----	----	64	----		197 +																	22			
4375	7.90	7.90		8.90/4.70	8.90/4.70	----	----		6.10 + 0.90	.0867	----	----	17	----		49 +																	5			
4400	4.40	4.40		6.40B/3.50A	6.40B/3.50A	----	----		4.60 + 0.70	.0651	----	----	5	----		225 -																	2			
4425	2.90	2.90		4.80B/2.70A	4.80B/2.70A	----	----		3.60 + 0.50	.0501	----	----	19	----		69 +																	2			
4450	----	----		3.60B/2.10A	3.60B/2.10A	----	----		2.80 + 0.40	.0383	----	----	----	----		101																	UNCH			
4475	----	----		2.80B/1.70A	2.80B/1.70A	----	----		2.30 + 0.30	.0306	----	----	----	----		53																	UNCH			
4500	1.40	1.40		2.10B/1.40	2.10B/1.40	----	----		1.90 + 0.20	.0246	----	----	669	----		685 +																	627			
4525	----	----		1.70B/1.10A	1.70B/1.10A	----	----		1.60 UNCH	.0201	----	----	2	----		55																	UNCH			
4550	0.90	0.90		1.20/0.90	1.30B/0.90	----	----		1.30 UNCH	.0159	----	----	25	----		66 +																	5			
4575	1.00	1.00		1.00/0.80A	1.00/0.80A	----	----		1.10 UNCH	.0131	----	----	40	----		64																	UNCH			
4600	0.90	0.90		0.90/0.70A	0.90/0.70A	----	----		0.90 + 0.10	.0105	----	----	38	----		58 -																	2			
4625	----	----		----/0.70A	0.70B/0.70A	----	----		0.80 UNCH	.0090	----	----	----	----		45																	UNCH			
4650	----	----		----/0.60A	0.60B/0.60A	----	----		0.80 + 0.10	.0086	----	----	----	----		17																	UNCH			
4675	----	----		----	0.50B/0.60A	----	----		0.70 + 0.10	.0073	----	----	----	----		32																	UNCH			
4700	----	----		----	0.50B/0.60A	----	----		0.60 UNCH	.0061	----	----	----	----		23																				

BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64			
GLOBEX OPEN		OPEN OPEN		OUTCRY RANGE		GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW		OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA		EXER CISES		OPEN OUTCRY VOLUME		GLOBEX® VOLUME		PNT VOLUME		OPEN INTEREST	
OG1 PUT		GOLD OPTIONS																							
OCT26																									
4195	25.00	25.00			42.10B/16.40A	42.10B/16.40A	----	----	----	----	21.40 - 13.90	.4321	----	----	22	----	----	22	----	----	25 +	12			
4200	39.00	39.00			45.40B/18.20	45.40B/18.20	----	----	----	----	23.70 - 14.30	.4770	----	----	256	----	----	393 -	58	----	----				
4205	34.70	34.70			48.70B/20.30A	48.70B/20.30A	----	----	----	----	26.20 - 14.80	.5223	----	----	26	----	----	27 +	21	----	----				
4210	27.00	27.00			52.30B/22.50A	52.30B/22.50A	----	----	----	----	28.80 - 15.20	.5675	----	----	6	----	----	28 +	3	----	----				
4220	----	----			59.50B/27.40A	59.50B/27.40A	----	----	----	----	34.70 - 15.80	.6541	----	----	3	----	----	9 +	3	----	----				
4225	35.00	35.00			63.50B/30.10A	63.50B/30.10A	----	----	----	----	37.80 - 16.10	.6952	----	----	3	----	----	69 -	1	----	----				
4230	56.00	56.00			67.60B/33.00A	67.60B/33.00A	----	----	----	----	41.10 - 16.30	.7328	----	----	1	----	----	3 -	1	----	----				
4235	----	----			71.40B/36.10A	71.40B/36.10A	----	----	----	----	44.60 - 16.50	.7689	----	----	4	----	----	14 +	4	----	----				
4240	----	----			75.50B/39.50A	75.50B/39.50A	----	----	----	----	48.20 - 16.70	.8015	----	----	1	----	----	9	UNCH	----	----				
4245	----	----			80.00B/42.70A	80.00B/42.70A	----	----	----	----	52.00 - 16.80	.8303	----	----	----	----	----	11	UNCH	----	----				
4250	66.50	66.50			84.40B/45.60A	84.40B/45.60A	----	----	----	----	55.90 - 16.80	.8561	----	----	18	----	----	413	UNCH	----	----				
4255	----	----			88.80B/49.40A	88.80B/49.40A	----	----	----	----	59.90 - 16.90	.8791	----	----	----	----	----	1	UNCH	----	----				
4260	62.30	62.30			92.90B/52.90A	92.90B/52.90A	----	----	----	----	64.10 - 16.90	.8980	----	----	2	----	----	2 +	1	----	----				
4270	----	----			102.20B/60.20A	102.20B/60.20A	----	----	----	----	72.60 - 17.00	.9288	----	----	----	----	----	1	UNCH	----	----				
4275	----	----			106.90B/64.10A	106.90B/64.10A	----	----	----	----	77.10 - 16.80	.9411	----	----	1	----	----	141	UNCH	----	----				
4280	----	----			111.60B/68.10A	111.60B/68.10A	----	----	----	----	81.60 - 16.80	.9511	----	----	----	----	----	1	UNCH	----	----				
4285	----	----			116.30B/72.10A	116.30B/72.10A	----	----	----	----	86.10 - NEW	.9603	----	----	1	----	----	1 +	1	----	----				
4300	----	----			130.60B/84.80A	130.60B/84.80A	----	----	----	----	100.10 - 16.50	.9775	----	----	1	----	----	435	UNCH	----	----				
4310	----	----			140.30B/93.30A	140.30B/93.30A	----	----	----	----	109.70 - 16.30	.9838	----	----	----	----	----	1	UNCH	----	----				
4320	----	----			149.70B/102.50A	149.70B/102.50A	----	----	----	----	119.30 - 16.20	.9889	----	----	----	----	----	1	UNCH	----	----				
4325	108.90	108.90			154.90B/107.10A	154.90B/107.10A	----	----	----	----	124.10 - 16.20	.9903	----	----	2	----	----	186 +	1	----	----				
4330	----	----			159.80B/111.60A	159.80B/111.60A	----	----	----	----	129.00 - 16.10	.9923	----	----	----	----	----	1	UNCH	----	----				
4340	----	----			169.60B/121.00A	169.60B/121.00A	----	----	----	----	138.80 - 16.00	.9943	----	----	----	----	----	1	UNCH	----	----				
4350	----	----			179.50B/130.70A	179.50B/130.70A	----	----	----	----	148.60 - 15.90	.9960	----	----	----	----	----	160	UNCH	----	----				
4375	175.20	175.20			204.30B/154.90A	204.30B/154.90A	----	----	----	----	173.30 - 15.80	.9982	----	----	1	----	----	154 +	1	----	----				
4400	194.00	194.00			225.90B/183.60A	225.90B/183.60A	----	----	----	----	198.10 - 15.80	.9991	----	----	5	----	----	170	UNCH	----	----				
4425	218.60	218.60			250.70B/208.70A	250.70B/208.70A	----	----	----	----	222.90 - 15.80	.9995	----	----	1	----	----	52	UNCH	----	----				
4450	----	----			272.70B/234.20A	272.70B/234.20A	----	----	----	----	247.90 - 15.70	.9998	----	----	----	----	----	16	UNCH	----	----				
4475	----	----			297.60B/259.10A	297.60B/259.10A	----	----	----	----	272.80 - 15.70	1.0000	----	----	----	----	----	25	UNCH	----	----				
4500	----	----			322.60B/284.60A	322.60B/284.60A	----	----	----	----	297.80 - 15.70	1.0000	----	----	1	----	----	1	UNCH	----	----				
4525	----	----			347.60B/309.10A	347.60B/309.10A	----	----	----	----	322.80 - 15.60	1.0000	----	----	2	----	----	0 -	2	UNCH	----				
4575	----	----			397.60B/359.10A	397.60B/359.10A	----	----	----	----	372.80 - 15.60	1.0000	----	----	----	----	----	0 -	4	UNCH	----				
4590	----	----			412.60B/374.50A	412.60B/374.50A	----	----	----	----	387.80 - 15.60	1.0000	----	----	----	----	----	0	UNCH	----	----				
4625	----	----			447.60B/409.10A	447.60B/409.10A	----	----	----	----	422.80 - 15.60	1.0000	----	----	----	----	----	2	UNCH	----	----				
4725	----	----			547.40B/509.60A	547.40B/509.60A	----	----	----	----	522.80 - 15.50	1.0000	----	----	----	----	----	0	UNCH	----	----				
10000	----	----			5,822.40B/5,784	5822.40B/5784.50A	----	----	----	----	5797.70 - 15.60	1.0000	----	----	----	----	----	0	UNCH	----	----				
TOTAL															2234			6807 +	596						
GLOBEX OPEN		OPEN OPEN		OUTCRY RANGE		GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW		OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA		EXER CISES		OPEN OUTCRY VOLUME		GLOBEX® VOLUME		PNT VOLUME		OPEN INTEREST	
OG1 CALL		GOLD OPTIONS																							
OCT26																									
4000	200.00	200.00			221.70B/172.60A	221.70B/172.60A	----	----	----	----	202.70 - NEW	.9992	----	----	1	----	----	1	+	1	----	----			
4050	----	----			172.20B/124.10A	172.20B/124.10A	----	----	----	----	153.10 + 13.50	.9969	----	----	----	----	----	2	UNCH	----	----				
4065	----	----			157.50B/110.10A	157.50B/110.10A	----	----	----	----	138.40 + 13.10	.9945	----	----	----	----	----	2	UNCH	----	----				
4100	----	----			123.70B/79.10A	123.70B/79.10A	----	----	----	----	104.60 + 11.30	.9802	----	----	----	----	----	3	UNCH	----	----				
4125	----	----			100.30B/58.90A	100.30B/58.90A	----	----	----	----	81.50 + 9.30	.9483	----	----	----	----	----	6	UNCH	----	----				
4130	----	----			95.50B/55.20A	95.50B/55.20A	----	----	----	----	77.00 + 8.80	.9383	----	----	----	----	----	1	UNCH	----	----				
4140	----	----			86.80B/48.10A	86.80B/48.10A	----	----	----	----	68.30 + 7.80	.9113	----	----	----	----	----	8	UNCH	----	----				
4150	----	----			77.90B/41.50A	77.90B/41.50A	----	----	----	----	60.00 + 6.70	.8741	----	----	3	----	----	7 +	3	----	----				
4155	----	----			73.70B/38.50A	73.70B/38.50A	----	----	----	----	55.90 + 6.10	.8527	----	----	----	----	----	4	UNCH	----	----				
4160	54.80	54.80			69.60B/35.40A	69.60B/35.40A	----	----	----	----	52.00 + 5.50	.8271	----	----	2	----	----	27 +	2	----	----				
4165	----	----			65.90B/32.70A	65.90B/32.70A	----	----	----	----	48.30 + 5.00	.7976	----	----	----	----	----	6	UNCH	----	----				
4170	----	----			61.60B/30.10A	61.60B/30.10A	----	----	----	----	44.60 + 4.40	.7665	----	----	----	----	----	8	UNCH	----	----				
4175	33.90	33.90			57.80B/27.60A	57.80B/27.60A	----	----	----	----	41.10 + 3.80	.7318	----	----	3	----	----	12 +	2	----	----				
4180	31.00	31.00			54.10B/25.20A	54.10B/25.20A	----	----	----	----	37.80 + 3.30	.6938	----	----	29	----	----	36 +	18	----	----				
4185	29.60	29.60			50.50B/22.50	50.50B/22.50	----	----	----	----	34.60 + 2.70	.6538	----	----	32	----	----	23 +	13	----	----				
4190	25.80	25.80			47.00B/20.60A	47.00B/20.60A	----	----	----	----	31.60 - NEW	.6114	----	----	12	----	----	8 +	8	----	----				
4195	26.50	26.50			43.70B/18.50A	43.70B/18.50A	----	----	----	----	28.70 + 1.70	.5677	----	----	58	----	----	33 +	28	----	----				
4200	17.50	17.50			40.60B/16.40A	40.60B/16.40A	----	----	----	----	26.00 + 1.20	.5229	----	----	236	----	----	212 +	97	----	----				
4205	20.60	20.60			38.00B/14.70A	38.00B/14.70A	----	----	----	----	23.50 + 0.80	.4776	----	----	50	----	----	29 +	10	----	----				
4210	20.00	20.00			34.90B/13.10A	34.90B/13.10A	----	----	----	----	21.10 + 0.40	.4324	----	----	60	----	----	31 +	5	----	----				
4215	13.00	13.00			32.10B/11.50A	32.10B/11.50A	----	----	----	----	19.00 + 0.20	.3884	----	----	163	----	----	90 +	80	----	----				
4220	20.00	20.00			29.70B/10.20A	29.70B/10.20A	----	----	----	----	17.00 - 0.20	.3458	----	----	79	----	----	50 +	11	----	----				
4225	13.60	13.60			26.90B/8.90A	26.90B/8.90A	----	----	----	----	15.10 - 0.50	.3047	----	----	188	----	----	154 +	91	----	----				
4230	14.00	14.00			25.00B/7.80A	25.00B/7.80A	----	----	----	----	13.50 - 0.60	.2671	----	----	102	----	----	69 +	46	----	----				
4235	12.60	12.60			22.80B/6.80A	22.80B/6.80A	----	----	----	----	11.90 - 0.90	.2310	----	----	75	----	----	57 +	50	----	----				
4240	10.00	10.00			20.80B/6.00A	20.80B/6.00A	----	----	----	----	10.50 - 1.10	.1984	----	----	63	----	----	64 +	46	----	----				
4245	12.40	12.40			18.50B/5.20A	18.50B/5.20A	----	----	----	----	9.30 - 1.20	.1696	----	----	124	----	----	82 +	67	----	----				
4250	7.90	7.90			16.60B/4.60A	16.60B/4.60A	----	----	----	----	8.20 - 1.20	.1438	----	----	439	----	50	461 +	280	----	----				
4255	6.20	6.20			15.20B/4.00A	15.20B/4.00A	----	----	----	----	7.20 - 1.30	.1208	----	----	17	----	----	21 +	8	----	----				
4260	10.80	10.80			13.90B/3.60A	13.90B/3.60A	----	----	----	----	6.40 - 1.30	.1019	----	----	59	----	----	100 +	22	----	----				
4265	5.00	5.00			12.10B/3.10A	12.10B/3.10A	----	----	----	----	5.60 - 1.30	.0845	----	----	27	----	----	24 +	14	----	----				
4270																									

BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
OG1 CALL	GOLD OPTIONS																							
TOTAL													3416	50	6532 +	1573								
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
OG PUT	COMEX GOLD OPTIONS																							
NOV26																								
1000	----	----		----	----	/0.10A	----		0.10	UNCH	----	----	----	----	1750	UNCH								
1500	----	----		----	----	/0.10A	----		0.10	UNCH	----	----	----	----	200	UNCH								
2000	----	----		----	----	/0.10A	----		0.10	UNCH	----	----	----	----	38	UNCH								
2100	----	----		----	----	/0.20A	----		0.10	UNCH	----	----	----	----	132	UNCH								
2200	----	----		----	----	/0.20A	----		0.10	UNCH	----	----	----	----	28	UNCH								
2300	----	----		----	----	/0.20A	----		0.10	UNCH	----	----	----	----	3	UNCH								
2400	----	----		----	----	/0.20A	----		0.10	UNCH	----	----	----	----	13	UNCH								
2500	----	----		----	----	/0.20A	----		0.10	UNCH	----	----	----	----	12	UNCH								
2600	----	----		----	----	/0.20A	----		0.10	UNCH	.0000	----	----	----	11	UNCH								
2625	----	----		----	----	/0.20A	----		0.10	UNCH	.0000	----	----	----	8	UNCH								
2650	----	----		----	----	/0.20A	----		0.10	UNCH	.0000	----	----	----	60	UNCH								
2675	----	----		----	----	/0.20A	----		0.10	UNCH	.0000	----	----	----	8	UNCH								
2700	----	----		----	----	/0.20A	----		0.10	UNCH	.0000	----	----	----	154	UNCH								
2725	----	----		----	----	/0.20A	----		0.10	UNCH	.0000	----	----	----	2	UNCH								
2750	----	----		----	----	/0.10A	----		0.10	UNCH	.0001	----	----	----	27	UNCH								
2775	----	----		----	----	/0.20A	----		0.10	UNCH	.0001	----	----	----	1	UNCH								
2800	0.10	0.10		0.10/0.10	0.10/0.10				0.10	UNCH	.0001	----	1	----	92	UNCH								
2820	0.10	0.10		0.10/0.10	0.10/0.10				0.10	UNCH	.0002	----	1	----	20 +	1								
2825	0.10	0.10		0.10/0.10	0.10/0.10				0.10	UNCH	.0002	----	1	----	33 +	1								
2840	----	----		----	----	/0.20A	----		0.10	UNCH	.0002	----	----	----	1	UNCH								
2850	----	----		----	0.10B/0.20A				0.10	UNCH	.0003	----	----	----	42	UNCH								
2860	----	----		----	----	/0.20A	----		0.10	UNCH	.0003	----	----	----	1	UNCH								
2870	----	----		----	----	/0.20A	----		0.10	UNCH	.0004	----	----	----	7	UNCH								
2890	----	----		----	----	/0.20A	----		0.10 -	0.10	.0005	----	----	----	1	UNCH								
2895	----	----		----	----	/0.20A	----		0.10 -	0.10	.0005	----	----	----	29	UNCH								
2900	----	----		----	0.10B/0.20A				0.10 -	0.10	.0005	----	----	----	75	UNCH								
2910	----	----		----	----	/0.20A	----		0.20	UNCH	.0010	----	----	----	1	UNCH								
2925	----	----		----	0.10B/0.20A				0.20	UNCH	.0011	----	----	----	11	UNCH								
2935	----	----		----	0.10B/0.30A				0.20 -	0.10	.0011	----	----	----	1	UNCH								
2940	----	----		----	0.10B/0.30A				0.20 -	0.10	.0011	----	----	----	2	UNCH								
2945	----	----		----	0.10B/0.30A				0.20 -	0.10	.0011	----	----	----	21	UNCH								
2950	----	----		----	0.10B/0.30A				0.20 -	0.10	.0011	----	----	----	10	UNCH								
2965	----	----		----	0.20B/0.30A				0.20 -	0.10	.0011	----	----	----	140	UNCH								
2975	----	----		----	0.20B/0.30A				0.20 -	0.10	.0011	----	----	----	20	UNCH								
2995	----	----		----	0.20B/0.30A				0.20 -	0.10	.0011	----	----	----	30	UNCH								
3000	0.30	0.30		0.30/0.30	0.30/0.30				0.20 -	0.10	.0011	----	4	----	325 -	2								
3005	----	----		----	0.20B/0.30A				0.20 -	0.10	.0011	----	----	----	1	UNCH								
3015	----	----		----	0.20B/0.30A				0.30	UNCH	.0017	----	----	----	2	UNCH								
3020	----	----		----	0.20B/0.30A				0.30	UNCH	.0017	----	----	----	506	UNCH								
3025	----	----		----	0.20B/0.30A				0.30	UNCH	.0017	----	----	----	35	UNCH								
3030	----	----		/0.30A	0.20B/0.30A				0.30 -	0.10	.0017	----	----	----	2	UNCH								
3040	----	----		----	0.20B/0.40A				0.30 -	0.10	.0017	----	----	----	10	UNCH								
3050	----	----		----	0.20B/0.40A				0.30 -	0.10	.0017	----	----	----	10	UNCH								
3070	----	----		----	0.30B/0.40A				0.30 -	0.10	.0017	----	----	----	1	UNCH								
3075	----	----		----	0.30B/0.40A				0.30 -	0.10	.0017	----	----	----	12	UNCH								
3080	----	----		----	0.30B/0.40A				0.30 -	0.10	.0018	----	----	----	13	UNCH								
3085	----	----		----	0.30B/0.40A				0.30 -	0.10	.0018	----	----	----	27	UNCH								
3090	----	----		----	0.30B/0.40A				0.30 -	0.10	.0018	----	----	----	5	UNCH								
3100	----	----		/0.40A	0.30B/0.40A				0.40 -	0.10	.0023	----	----	----	25	UNCH								
3110	----	----		/0.40A	0.30B/0.40A				0.40 -	0.10	.0023	----	----	----	22	UNCH								
3120	----	----		/0.40A	0.30B/0.40A				0.40 -	0.10	.0023	----	----	----	15	UNCH								
3130	----	----		/0.40A	0.40B/0.40A				0.40 -	0.10	.0024	----	----	----	1	UNCH								
3150	----	----		/0.50A	0.40B/0.50A				0.40 -	0.20	.0024	----	----	----	38	UNCH								
3160	----	----		/0.50A	0.40B/0.50A				0.50 -	0.10	.0030	----	----	----	8	UNCH								
3175	----	----		/0.50A	0.50B/0.50A				0.50 -	0.10	.0030	----	----	----	10	UNCH								
3180	----	----		/0.50A	0.50B/0.50A				0.50 -	0.10	.0030	----	----	----	11	UNCH								
3185	----	----		/0.50A	0.50B/0.50A				0.50 -	0.10	.0030	----	----	----	2	UNCH								
3190	----	----		/0.50A	0.50B/0.50A				0.50 -	0.20	.0031	----	----	----	5	UNCH								
3195	----	----		/0.50A	0.50B/0.50A				0.50 -	0.20	.0031	----	----	----	1	UNCH								
3200	0.50	0.50		0.60/0.50	0.60/0.50				0.50 -	0.20	.0031	----	3	----	330 -	1								
3205	----	----		/0.60A	0.60B/0.60A				0.60 -	0.10	.0036	----	----	----	1	UNCH								
3210	0.50	0.50		0.50/0.50	0.60B/0.50				0.60 -	0.10	.0036	----	1	----	501 +	1								
3215	----	----		/0.60A	0.50B/0.60A				0.60 -	0.10	.0037	----	----	----	9	UNCH								
3220	----	----		/0.60A	0.60B/0.60A				0.60 -	0.10	.0037	----	----	----	9	UNCH								
3225	----	----		/0.60A	0.60B/0.60A				0.60 -	0.20	.0037	----	----	----	9	UNCH								
3230	----	----		/0.60A	0.60B/0.60A				0.60 -	0.20	.0037	----	----	----	13	UNCH								
3235	----	----		/0.60A	0.70B/0.60A				0.60 -	0.20	.0037	----	----	----	5	UNCH								
3240	0.60	0.60		0.60/0.60	0.70B/0.60				0.60 -	0.20	.0038	----	9	----	9 +	9								
3245	----	----		/0.70A	0.70B/0.70A				0.70 -	0.10	.0043	----	----	----	20	UNCH								
3250	----	----		/0.70A	0.70B/0.70A				0.70 -	0.10	.0043	----	----	----	198	UNCH								
3255	----	----		/0.70A	0.70B/0.70A				0.70 -	0.20	.0044	----	----	----	21	UNCH								
3260	----	----		/0.70A	0.80B/0.70A				0.70 -	0.20	.0044	----	----	----	8	UNCH								
3265	----	----		/0.70A	0.80B/0.70A				0.70 -	0.20	.0044	----	----	----	2	UNCH								
3270	----	----		/0.70A	0.80B/0.70A				0.70 -	0.20	.0044	----	----	----	11	UNCH								
3275	----	----		/0.70A	0.80B/0.70A				0.80 -	0.10	.0050	----	5	----	5	UNCH								
3280	----	----		/0.80A	0.80B/0.80A				0.80 -	0.20	.0050	----	----	----	30	UNCH								
3285	----	----		/0.80A	0.90B/0.80A				0.80 -	0.20	.0050	----	----	----	4	UNCH								
3290	----	----		/0.80A	0.90B/0.80A				0.80 -	0.20	.0051	----	----	----	2	UNCH								
3295	----	----		/0.80A	0.90B/0.80A				0.80 -	0.20	.0051	----	----	----	10	UNCH								
3300	1.00	1.00		1.00/0.80A	1.00/0.80A				0.90 -	0.10	.0056	----	6	----	262	UNCH								
3305	----	----		/0.90A	1.00B/0.90A				0.90 -	0.20	.0057	----	----	----	55	UNCH								
3310	----	----		/0.90A	1.00B/0.90A				0.90 -	0.20	.0057	----	----	----	4	UNCH								
3315	----	----		/0.90A	1.00B/0.90A				0.90 -	0.20	.0057	----	----	----	11	UNCH								
3320	----	----		/0.90A	1.00B/0.90A				0.90 -	0.20	.0058	----	----	----	42	UNCH								
3325	----	----		/0.90A	1.10B/0.90A				1.00 -	0.20	.0063	----	----	----	20	UNCH								
3330	----	----		/0.90A	1.10B/0.90A				1.00 -	0.20	.0064	----	----	----	3	UNCH								
3335	----	----		/1.00A	1.10B/1.00A				1.00 -	0.20	.0064	----	----	----	33	UNCH								
3340	----	----		/1.00A	1.20B/1.00A				1.00 -	0.30	.0064	----	----	----	20	UNCH								
3345	----	----		/1.00A	1.20B/1.00A				1.10 -	0.20	.0070	----	----	----	5	UNCH								
3350	----	----		/1.00A	1.20B/1.00A				1.10 -	0.20	.0070	----	----	----	386	UNCH								
3355	----	----		/1.10A	1.30B/1.10A				1.10 -	0.30	.0071	----	----	----	3	UNCH								
3360	----	----		/1.10A	1.30B/1.10A				1.10 -	0.30	.0071	----	----	----	15	UNCH								
3365	----	----		/1.10A	1.30B/1.10A				1.20 -	0.20	.0077	----	----	----	1	UNCH								
3370	----	----		/1.20A	1.30B/1.20A				1.20 -	0.20	.0077	----	----	----	1	UNCH								
3375	----	----		/1.20A	1.40B/1.20A				1.20 -	0.30	.0078	----	----	----	7	UNCH								
3380	----	----		/1.20A	1.40B/1.20A				1.20 -	0.30	.0078	----	----	----	21	UNCH								
3385	----	----		/1.20A	1.40B/1.20A				1.30 -	0.20	.0084	----	----	----	3	UNCH								
3390	----	----		/1.20A	1.50B/1.20A				1.30 -	0.30	.0084	----	----	----	9	UNCH								
3395	----	----		/1.30A	1.50B/1.30A				1.30 -	0.30	.0085	----	----	----	132	UNCH								
3400	1.20	1.20		1.20/1.20	1.50B/1.20				1.40 -															

BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME									OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS																						
NOV26																							
3555	----	----	----	/2.40A	2.90B/2.40A	----	----	2.60 - 0.40	.0180	----	----	----	----								4	UNCH	
3560	----	----	----	/2.50A	3.00B/2.50A	----	----	2.70 - 0.40	.0186	----	----	----	----								34	UNCH	
3565	----	----	----	/2.50A	3.00B/2.50A	----	----	2.70 - 0.50	.0188	----	----	----	----								12	UNCH	
3570	----	----	----	/2.60A	3.10B/2.60A	----	----	2.80 - 0.40	.0194	----	----	----	----								1	UNCH	
3575	----	----	----	/2.60A	3.20B/2.60A	----	----	2.80 - 0.50	.0196	----	----	----	----								308	UNCH	
3585	----	----	----	/2.70A	3.30B/2.70A	----	----	2.90 - 0.50	.0204	----	----	----	----								7	UNCH	
3590	2.90	2.90		2.90/2.80A	3.40B/2.80A	----	----	3.00 - 0.50	.0211	----	----	1	----								11 +	1	
3595	----	----	----	/2.90A	3.50B/2.90A	----	----	3.10 - 0.50	.0218	----	----	----	----								38	UNCH	
3600	3.10	3.10		3.10/2.90A	3.60B/2.90A	----	----	3.10 - 0.50	.0219	----	----	51	----								1805	UNCH	
3605	----	----	----	/3.00A	3.70B/3.00A	----	----	3.20 - 0.50	.0226	----	----	----	----								3	UNCH	
3610	----	----	----	/3.00A	3.70B/3.00A	----	----	3.30 - 0.50	.0233	----	----	----	----								1	UNCH	
3615	----	----	----	/3.10A	3.80B/3.10A	----	----	3.30 - 0.60	.0235	----	----	----	----								3	UNCH	
3620	----	----	----	/3.20A	3.90B/3.20A	----	----	3.40 - 0.60	.0242	----	----	----	----								7	UNCH	
3625	----	----	----	/3.20A	4.00B/3.20A	----	----	3.50 - 0.50	.0249	----	----	40	----								57 +	40	
3630	----	----	----	/3.30A	4.10B/3.30A	----	----	3.60 - 0.50	.0256	----	----	----	----								11	UNCH	
3635	----	----	----	/3.40A	4.20B/3.40A	----	----	3.60 - 0.60	.0258	----	----	----	----								16	UNCH	
3640	----	----	----	/3.40A	4.30B/3.40A	----	----	3.70 - 0.60	.0265	----	----	----	----								21	UNCH	
3645	----	----	----	/3.50A	4.40B/3.50A	----	----	3.80 - 0.60	.0273	----	----	----	----								16	UNCH	
3650	4.20	4.20		4.20/3.60A	4.50B/3.60A	----	----	3.90 - 0.60	.0280	----	----	1	----								214	UNCH	
3655	----	----	----	/3.70A	4.60B/3.70A	----	----	4.00 - 0.60	.0288	----	----	----	----								37	UNCH	
3660	3.90	3.90		3.90/3.80A	4.70B/3.80A	----	----	4.00 - 0.70	.0290	----	----	1	----								111 +	1	
3665	----	----	----	/3.80A	4.80B/3.80A	----	----	4.10 - 0.70	.0297	----	----	----	----								35	UNCH	
3670	----	----	----	/3.90A	4.90B/3.90A	----	----	4.20 - 0.70	.0305	----	----	----	----								70	UNCH	
3675	----	----	----	/4.00A	5.00B/4.00A	----	----	4.30 - 0.70	.0313	----	----	----	----								314	UNCH	
3680	----	----	----	/4.10A	5.10B/4.10A	----	----	4.40 - 0.80	.0321	----	----	----	----								82	UNCH	
3685	----	----	----	/4.20A	5.20B/4.20A	----	----	4.50 - 0.80	.0328	----	----	----	----								20	UNCH	
3690	----	----	----	/4.30A	5.30B/4.30A	----	----	4.60 - 0.80	.0336	----	----	----	----								22	UNCH	
3695	----	----	----	/4.40A	5.50B/4.40A	----	----	4.70 - 0.80	.0344	----	----	----	----								36	UNCH	
3700	----	----	----	/4.50A	5.60B/4.50A	----	----	4.80 - 0.90	.0353	----	----	----	----								2441	UNCH	
3705	----	----	----	/4.60A	5.70B/4.60A	----	----	4.90 - 0.90	.0361	----	----	----	----								112	UNCH	
3710	----	----	----	/4.70A	5.90B/4.70A	----	----	5.00 - 0.90	.0369	----	----	----	----								39	UNCH	
3715	----	----	----	/4.80A	6.00B/4.80A	----	----	5.20 - 0.90	.0383	----	----	----	----								22	UNCH	
3720	----	----	----	/4.90A	6.20B/4.90A	----	----	5.30 - 0.90	.0391	----	----	----	----								6	UNCH	
3725	----	----	----	/5.00A	6.30B/5.00A	----	----	5.40 - 0.90	.0400	----	----	----	----								97	UNCH	
3730	----	----	----	/5.10A	6.50B/5.10A	----	----	5.50 - 1.00	.0408	----	----	----	----								64	UNCH	
3735	----	----	----	/5.20A	6.70B/5.20A	----	----	5.70 - 1.00	.0422	----	----	----	----								16	UNCH	
3740	6.30	6.30		6.30/5.30A	6.80B/5.30A	----	----	5.80 - 1.00	.0431	----	----	2	----								45	UNCH	
3745	6.30	6.30		6.30/5.50A	7.00B/5.50A	----	----	5.90 - 1.10	.0440	----	----	9	----								107 +	7	
3750	6.30	6.30		6.30/5.60A	7.20B/5.60A	----	----	6.10 - 1.10	.0455	----	----	9	----								667 +	2	
3755	6.60	6.60		7.40B/5.70A	7.40B/5.70A	----	----	6.20 - 1.10	.0464	----	----	11	----								29	UNCH	
3760	----	----	----	/5.90A	7.50B/5.90A	----	----	6.40 - 1.10	.0478	----	----	----	----								46	UNCH	
3765	----	----	----	/6.00A	7.70B/6.00A	----	----	6.50 - 1.20	.0488	----	----	----	----								8	UNCH	
3770	----	----	----	8.00B/6.20A	8.00B/6.20A	----	----	6.70 - 1.20	.0502	----	----	----	----								67	UNCH	
3775	7.60	7.60		7.60/6.30	8.10B/6.30	----	----	6.90 - 1.20	.0517	----	----	32	----								163 +	3	
3780	7.50	7.50		8.40B/6.50A	8.40B/6.50A	----	----	7.00 - 1.30	.0527	----	----	22	----								33 +	15	
3785	----	----	----	8.60B/6.60A	8.60B/6.60A	----	----	7.20 - 1.30	.0542	----	----	----	----								18	UNCH	
3790	7.90	7.90		8.80B/6.80A	8.80B/6.80A	----	----	7.40 - 1.30	.0558	----	----	20	----								57 +	17	
3795	----	----	----	/6.90A	9.00B/6.90A	----	----	7.60 - 1.40	.0573	----	----	----	----								8	UNCH	
3800	7.30	7.30		9.40B/7.10A	9.40B/7.10A	----	----	7.80 - 1.40	.0588	----	----	2335	3180								3592 +	2561	
3805	----	----	----	9.60B/7.30A	9.60B/7.30A	----	----	8.00 - 1.40	.0604	----	----	7	----								47	UNCH	
3810	9.10	9.10		9.90B/7.50A	9.90B/7.50A	----	----	8.20 - 1.50	.0620	----	----	1	----								44 -	1	
3815	7.90	7.90		10.10B/7.70A	10.10B/7.70A	----	----	8.40 - 1.60	.0636	----	----	31	----								281 +	31	
3820	8.70	8.70		10.30B/7.90A	10.30B/7.90A	----	----	8.60 - 1.60	.0652	----	----	16	----								143 -	13	
3825	----	----	----	10.80B/8.10A	10.80B/8.10A	----	----	8.90 - 1.60	.0674	----	----	----	----								82	UNCH	
3830	9.00	9.00		11.10B/8.30A	11.10B/8.30A	----	----	9.10 - 1.70	.0690	----	----	20	----								94 -	9	
3835	----	----	----	11.40B/8.50A	11.40B/8.50A	----	----	9.30 - 1.80	.0707	----	----	----	----								241	UNCH	
3840	----	----	----	11.70B/8.80A	11.70B/8.80A	----	----	9.60 - 1.80	.0729	----	----	7	----								191 +	7	
3845	----	----	----	12.00B/9.00A	12.00B/9.00A	----	----	9.80 - 1.90	.0746	----	----	----	----							</			

PG64		BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
OG PUT		COMEX GOLD OPTIONS																						
NOV26																								
4245	110.50	110.50			132.00B/102.70A	132.00B/102.70A	----		111.60	- 13.20	-.5670	----	6	----	46	+	6							
4250	122.10	122.10			135.40B/105.50A	135.40B/105.50A	----		114.60	- 13.20	-.5759	----	27	----	969	+	4							
4255	123.90	123.90			138.70B/108.40A	138.70B/108.40A	----		117.50	- 13.50	-.5848	----	4	----	58	+	4							
4260	111.50	111.50			142.00B/111.20A	142.00B/111.20A	----		120.60	- 13.50	-.5937	----	6	----	294	+	2							
4265	131.40	131.40			145.30B/114.00A	145.30B/114.00A	----		123.70	- 13.60	-.6024	----	3	----	155		UNCH							
4270	124.10	124.10			148.70B/116.90A	148.70B/116.90A	----		126.80	- 13.80	-.6110	----	4	----	75		UNCH							
4275	----	----			152.20B/119.90A	152.20B/119.90A	----		130.00	- 13.80	-.6197	----	----	----	436		UNCH							
4280	----	----			155.60B/123.00A	155.60B/123.00A	----		133.20	- 14.00	-.6282	----	----	----	165		UNCH							
4285	----	----			159.10B/126.20A	159.10B/126.20A	----		136.50	- 14.00	-.6366	----	----	----	203		UNCH							
4290	----	----			162.60B/129.40A	162.60B/129.40A	----		139.80	- 14.10	-.6450	----	----	----	28		UNCH							
4295	----	----			166.20B/132.50A	166.20B/132.50A	----		143.10	- 14.30	-.6533	----	----	----	219		UNCH							
4300	----	----			169.80B/135.70A	169.80B/135.70A	----		146.50	- 14.40	-.6615	----	----	----	2406		UNCH							
4305	----	----			173.60B/138.80A	173.60B/138.80A	----		150.00	- 14.40	-.6695	----	----	----	36		UNCH							
4310	154.40	154.40			177.20B/142.30A	177.20B/142.30A	----		153.40	- 14.60	-.6774	----	1	----	45		UNCH							
4315	----	----			180.90B/145.50A	180.90B/145.50A	----		157.00	- 14.60	-.6854	----	----	----	75		UNCH							
4320	----	----			184.70B/149.00A	184.70B/149.00A	----		160.50	- 14.70	-.6930	----	6	----	211	-	2							
4325	153.50	153.50			188.50B/152.30A	188.50B/152.30A	----		164.10	- 14.80	-.7007	----	4	----	262	-	4							
4330	----	----			192.40B/155.90A	192.40B/155.90A	----		167.80	- 14.80	-.7081	----	----	----	279		UNCH							
4335	----	----			196.20B/159.40A	196.20B/159.40A	----		171.50	- 14.80	-.7155	----	----	----	52		UNCH							
4340	----	----			200.20B/162.80A	200.20B/162.80A	----		175.20	- 14.90	-.7228	----	----	----	190		UNCH							
4345	----	----			204.20B/166.40A	204.20B/166.40A	----		179.00	- 15.00	-.7299	----	----	----	53		UNCH							
4350	----	----			208.10B/170.00A	208.10B/170.00A	----		182.80	- 15.00	-.7369	----	----	----	1017		UNCH							
4355	----	----			212.10B/173.70A	212.10B/173.70A	----		186.60	- 15.10	-.7439	----	----	----	31		UNCH							
4360	----	----			216.00B/177.40A	216.00B/177.40A	----		190.40	- 15.20	-.7506	----	2	----	80		UNCH							
4365	----	----			220.20B/181.10A	220.20B/181.10A	----		194.30	- 15.20	-.7573	----	----	----	95		UNCH							
4370	----	----			224.40B/184.80A	224.40B/184.80A	----		198.20	- 15.30	-.7640	----	----	----	44		UNCH							
4375	----	----			228.40B/188.60A	228.40B/188.60A	----		202.20	- 15.30	-.7703	----	----	----	421		UNCH							
4380	----	----			232.60B/192.50A	232.60B/192.50A	----		206.20	- 15.40	-.7765	----	----	----	269		UNCH							
4385	----	----			236.70B/196.30A	236.70B/196.30A	----		210.20	- 15.40	-.7828	----	----	----	85		UNCH							
4390	----	----			241.00B/200.20A	241.00B/200.20A	----		214.30	- 15.40	-.7887	----	----	----	221		UNCH							
4395	----	----			245.20B/204.20A	245.20B/204.20A	----		218.30	- 15.50	-.7946	----	----	----	53		UNCH							
4400	----	----			249.60B/208.10A	249.60B/208.10A	----		222.40	- 15.60	-.8004	----	----	1000	1231	-	1000							
4405	----	----			253.90B/212.10A	253.90B/212.10A	----		226.60	- 15.60	-.8062	----	----	----	51		UNCH							
4410	----	----			258.10B/216.20A	258.10B/216.20A	----		230.80	- 15.60	-.8116	----	2	----	66		UNCH							
4415	242.70	242.70			262.50B/220.20A	262.50B/220.20A	----		235.00	- 15.60	-.8170	----	3	----	280		UNCH							
4420	243.80	243.80			266.80B/224.30A	266.80B/224.30A	----		239.20	- 15.60	-.8220	----	1	----	82		UNCH							
4425	251.30	251.30			271.20B/228.40A	271.20B/228.40A	----		243.50	- 15.60	-.8269	----	1	----	343		UNCH							
4430	261.30	261.30			275.50B/232.60A	275.50B/232.60A	----		247.80	- 15.60	-.8318	----	1	----	133	-	1							
4435	----	----			280.00B/236.90A	280.00B/236.90A	----		252.10	- 15.60	-.8367	----	----	----	74		UNCH							
4440	----	----			284.50B/241.10A	284.50B/241.10A	----		256.40	- 15.70	-.8416	----	----	----	157		UNCH							
4445	----	----			288.80B/245.20A	288.80B/245.20A	----		260.70	- 15.70	-.8465	----	----	----	32		UNCH							
4450	----	----			293.30B/249.60A	293.30B/249.60A	----		265.10	- 15.70	-.8508	----	----	----	918		UNCH							
4455	----	----			297.90B/253.70A	297.90B/253.70A	----		269.40	- 15.80	-.8552	----	----	----	27		UNCH							
4460	288.40	288.40			302.40B/258.00A	302.40B/258.00A	----		273.80	- 15.80	-.8596	----	1	----	56		UNCH							
4465	----	----			306.90B/262.30A	306.90B/262.30A	----		278.20	- 15.90	-.8639	----	----	----	25		UNCH							
4470	----	----			311.40B/266.80A	311.40B/266.80A	----		282.70	- 15.80	-.8677	----	----	----	43		UNCH							
4475	----	----			316.00B/270.90A	316.00B/270.90A	----		287.20	- 15.80	-.8720	----	----	----	97		UNCH							
4480	----	----			320.60B/275.40A	320.60B/275.40A	----		291.70	- 15.80	-.8758	----	----	----	21		UNCH							
4485	----	----			325.10B/279.80A	325.10B/279.80A	----		296.20	- 15.80	-.8791	----	----	----	51		UNCH							
4490	----	----			329.70B/284.40A	329.70B/284.40A	----		300.70	- 15.90	-.8828	----	----	----	36		UNCH							
4495	----	----			334.30B/288.70A	334.30B/288.70A	----		305.20	- 15.90	-.8860	----	----	----	27		UNCH							
4500	----	----			339.00B/293.30A	339.00B/293.30A	----		309.80	- 15.90	-.8898	----	----	----	368		UNCH							
4505	----	----			343.60B/297.60A	343.60B/297.60A	----		314.40	- 15.80	-.8930	----	----	----	21		UNCH							
4510	----	----			348.30B/302.10A	348.30B/302.10A	----		319.00	- 15.80	-.8961	----	----	----	188		UNCH							
4515	----	----			352.90B/306.80A	352.90B/306.80A	----		323.60	- 15.80	-.8993	----	----	----	9		UNCH							
4520	----	----			357.60B/311.20A	357.60B/311.20A	----		328.20	- 15.80	-.9024	----	----	----	36		UNCH							
4525	----	----			362.30B/315.90A	362.30B/315.90A	----		332.80	- 15.90	-.9050	----	----	----	107		UNCH							
4530	----	----			367.00B/320.30A	367.00B/320.30A	----		337.50	- 15.80	-.9081	----	----	----	286		UNCH							
4535	339.40	339.40			371.70B/324.80A	371.70B/324.80A	----		342.10	- 15.90	-.9106	----	4	----	38	+	1							
4540	----	----			376.40B/329.40A	376.40B/329.40A	----		346.80	- 15.80	-.9131	----	1	----	40		UNCH							
4545	----	----			381.10B/334.00A	381.10B/334.00A	----		351.50	- 15.80	-.9156	----	----	----	20		UNCH							
4550	----	----			385.90B/338.70A	385.90B/338.70A	----		356.10	- 15.90	-.9187	----	----	----	431		UNCH							
4555	----	----			390.60B/343.50A	390.60B/343.50A	----		360.80	- 15.90	-.9205	----	----	----	5		UNCH							
4560	----	----			395.40B/348.00A	395.40B/348.00A	----		365.60	- 15.80	-.9230	----	----	----	47		UNCH							
4565	----	----			400.10B/352.70A	400.10B/352.70A	----		370.30	- 15.80	-.9254	----	----	----	56		UNCH							
4570	----	----			404.90B/357.30A	404.90B/357.30A	----		375.00	- 15.80	-.9273	----	----	----	39		UNCH							
4575	----	----			409.80B/362.00A	409.80B/362.00A	----		379.80	- 15.80	-.9297	----	----	----	11		UNCH							
4580	----	----			414.60B/366.70A	414.60B/366.70A	----		384.50	- 15.80	-.9315	----	----	----	21		UNCH							
4585	----	----			419.40B/371.40A	419.40B/371.40A	----		389.30	- 15.80	-.9339	----	----	----	160		UNCH							
4590	----	----			418.60B/376.20A	418.60B/376.20A	----		394.10	- 15.80	-.9356	----	----	----	87		UNCH							
4595	----	----			423.40B/380.90A	423.40B/380.90A	----		398.80	- 15.80	-.9374	----	----	----	15		UNCH							
4600	----	----			428.50B/390.00A	428.50B/390.00A	----		403.60	- 15.80	-.9392	----	----	----	196		UNCH							
4605	----	----			433.40B/394.70A	433.40B/394.70A	----		408.40	- 15.80	-.9409	----	----	----	12		UNCH							
4610	----	----			438.20B/399.50A	438.20B/399.50A	----		413.20	- 15.80	-.9426	----	----	----	8		UNCH							
4615	----	----			442.70B/404.30A	442.70B/404.30A	----		418.00	- 15.80	-.9443	----	----	----	15		UNCH							
4620	----	----			447.90B/409.10A	447.90B/409.10A	----		422.90	- 15.70	-.9454	----	----	----	17		UNCH							
4625	----	----			452.40B/413.90A	452.40B/413.90A	----		427.70	- 15.70	-.9471													



BULLETIN #189@				METALS OPTION PRODUCTS										Thu, Oct 01, 2026				PG64	
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG PUT		COMEX GOLD OPTIONS																	
NOV26																			
5015	----	----		838.90B/798.40A	838.90B/798.40A	----			813.00	- 15.50	.9904	----	----	----	----		1	UNCH	
5020	----	----		843.90B/803.40A	843.90B/803.40A	----			818.00	- 15.50	.9904	----	----	----	----		33	UNCH	
5030	----	----		853.50B/813.40A	853.50B/813.40A	----			828.00	- 15.50	.9905	----	----	----	----		5	UNCH	
5055	----	----		878.50B/838.30A	878.50B/838.30A	----			852.90	- 15.50	.9915	----	----	----	----		9	UNCH	
5065	----	----		888.50B/848.30A	888.50B/848.30A	----			862.90	- 15.50	.9915	----	----	----	----		1	UNCH	
5070	----	----		893.50B/853.30A	893.50B/853.30A	----			867.90	- 15.50	.9916	----	----	----	----	0	UNCH		
5075	----	----		898.40B/858.30A	898.40B/858.30A	----			872.90	- 15.50	.9916	----	----	----	----	1	UNCH		
5080	----	----		903.40B/863.20A	903.40B/863.20A	----			877.90	- 15.50	.9924	----	----	----	----	1	UNCH		
5085	----	----		908.40B/868.20A	908.40B/868.20A	----			882.90	- 15.50	.9924	----	----	----	----	2	UNCH		
5090	----	----		913.80B/873.30A	913.80B/873.30A	----			887.90	- 15.50	.9924	----	----	----	----	0	UNCH		
5100	----	----		923.80B/883.30A	923.80B/883.30A	----			897.80	- 15.60	.9925	----	----	----	----	0	UNCH		
5105	----	----		928.80B/888.20A	928.80B/888.20A	----			902.80	- 15.60	.9926	----	----	----	----	0	UNCH		
5110	----	----		933.80B/893.20A	933.80B/893.20A	----			907.80	- 15.60	.9926	----	----	----	----	0	UNCH		
5125	----	----		948.80B/908.20A	948.80B/908.20A	----			922.80	- 15.60	.9934	----	----	----	----	1	UNCH		
5130	----	----		953.80B/913.20A	953.80B/913.20A	----			927.80	- 15.60	.9934	----	----	----	----	0	UNCH		
5140	----	----		963.80B/923.20A	963.80B/923.20A	----			937.80	- 15.50	.9935	----	----	----	----	0	UNCH		
5160	----	----		983.80B/943.10A	983.80B/943.10A	----			957.80	- 15.50	.9936	----	----	----	----	0	UNCH		
5185	----	----		1,008.80B/968.1	1008.80B/968.10A	----			982.70	- 15.60	.9945	----	----	----	----	0	UNCH		
5190	----	----		1,013.80B/973.1	1013.80B/973.10A	----			987.70	- 15.60	.9945	----	----	----	----	1	UNCH		
5200	----	----		1,023.80B/983.2	1023.80B/983.20A	----			997.70	- 15.60	.9945	1	----	1	----	1	UNCH		
5205	----	----		1,028.80B/988.1	1028.80B/988.10A	----			1002.70	- 15.60	.9946	----	----	----	----	0	UNCH		
5215	----	----		1,038.80B/998.1	1038.80B/998.10A	----			1012.70	- 15.60	.9946	----	----	----	----	1	UNCH		
5225	----	----		1,048.80B/1,008	1048.80B/1008.10A	----			1022.70	- 15.60	.9947	----	----	----	----	1	UNCH		
5265	----	----		1,088.80B/1,048	1088.80B/1048.10A	----			1062.70	- 15.60	.9956	----	----	----	----	0	UNCH		
5395	----	----		1,218.80B/1,178	1218.80B/1178.10A	----			1192.70	- 15.60	.9968	----	----	----	----	6	UNCH		
5400	----	----		1,223.80B/1,183	1223.80B/1183.10A	----			1197.70	- 15.60	.9968	----	----	----	----	6	UNCH		
TOTAL																4862	5,230	63965+	1234
DEC26																			
1350	----	----	----	----	----/0.10A	----	----		0.10	UNCH	----	----	----	----	----		17	UNCH	
1375	----	----	----	----	----/0.10A	----	----		0.10	UNCH	----	----	----	----	----		1	UNCH	
1400	----	----	----	----	----/0.20A	----	----		0.10	UNCH	----	----	----	----	----		1	UNCH	
1500	----	----	----	----	----/0.20A	----	----		0.10	UNCH	----	----	----	----	----		1	UNCH	
1600	----	----	----	----	----/0.20A	----	----		0.10	UNCH	----	----	----	----	----		219	UNCH	
1700	----	----	----	----	----/0.20A	----	----		0.10	UNCH	.0000	----	----	----	----		200	UNCH	
1740	----	----	----	----	----/0.20A	----	----		0.10	UNCH	.0000	----	----	----	----		5	UNCH	
1750	----	----	----	----	----/0.20A	----	----		0.10	UNCH	.0000	----	----	----	----		3	UNCH	
1800	----	----	----	----	----/0.20A	----	----		0.10	UNCH	.0000	----	----	----	----		1	UNCH	
1845	----	----	----	----	----/0.20A	----	----		0.10	UNCH	.0000	----	----	----	----		1	UNCH	
1850	----	----	----	----	----/0.20A	----	----		0.10	UNCH	.0000	----	----	----	----	60	UNCH		
1870	----	----	----	----	----/0.20A	----	----		0.10	UNCH	.0000	----	----	----	----	3	UNCH		
1875	----	----	----	----	----/0.20A	----	----		0.10	UNCH	.0000	----	----	----	----	3	UNCH		
1900	----	----	----	----	----/0.20A	----	----		0.10	UNCH	.0000	----	----	----	----	3	UNCH		
1930	----	----	----	----	----/0.20A	----	----		0.10	UNCH	.0000	----	----	----	----	6	UNCH		
2000	----	----	----	----	----/0.20A	----	----		0.10	UNCH	.0000	----	----	----	----	8	UNCH		
2100	----	----	----	----	----/0.20A	----	----		0.10	UNCH	.0001	----	----	----	----	10	UNCH		
2125	----	----	----	----	0.10B/0.20A	----	----		0.20	UNCH	.0006	----	----	----	----	1	UNCH		
2200	----	----	----	----	0.10B/0.30A	----	----		0.20	UNCH	.0006	----	----	----	----	10	UNCH		
2210	----	----	----	----	0.10B/0.30A	----	----		0.20	UNCH	.0007	----	----	----	----	12	UNCH		
2225	----	----	----	----	0.10B/0.30A	----	----		0.20	UNCH	.0007	----	----	----	----	14	UNCH		
2235	----	----	----	----	0.10B/0.30A	----	----		0.20	UNCH	.0007	----	----	----	----	2	UNCH		
2240	----	----	----	----	0.10B/0.30A	----	----		0.20	UNCH	.0007	----	----	----	----	1	UNCH		
2245	----	----	----	----	0.10B/0.30A	----	----		0.20	UNCH	.0007	----	----	----	----	1	UNCH		
2250	----	----	----	----	0.10B/0.30A	----	----		0.20	UNCH	.0007	----	----	----	----	3	UNCH		
2260	----	----	----	----	0.10B/0.30A	----	----		0.20	UNCH	.0007	----	----	----	----	1	UNCH		
2280	----	----	----	----	0.10B/0.30A	----	----		0.20	UNCH	.0007	----	----	----	----	13	UNCH		
2300	----	----	----	----	0.10B/0.30A	----	----		0.20	UNCH	.0007	----	----	----	----	1	UNCH		
2320	----	----	----	----	0.10B/0.30A	----	----		0.20	UNCH	.0007	----	----	----	----	5	UNCH		
2325	----	----	----	----	0.10B/0.30A	----	----		0.20	UNCH	.0007	----	----	----	----	1	UNCH		
2335	----	----	----	----	0.20B/0.30A	----	----		0.30	UNCH	.0011	----	----	----	----	15	UNCH		
2400	----	----	----	----	0.20B/0.30A	----	----		0.30	UNCH	.0011	----	----	----	----	10	UNCH		
2425	----	----	----	----	0.20B/0.40A	----	----		0.30	UNCH	.0011	----	----	----	----	15	UNCH		
2440	----	----	----	----	0.20B/0.40A	----	----		0.30	UNCH	.0011	----	----	----	----	11	UNCH		
2450	----	----	----	----	0.20B/0.40A	----	----		0.30	- 0.10	.0011	----	----	----	----	1	UNCH		
2470	----	----	----	----	0.20B/0.40A	----	----		0.30	- 0.10	.0012	----	----	----	----	24	UNCH		
2490	----	----	----	----	0.20B/0.40A	----	----		0.30	- 0.10	.0012	----	----	----	----	2	UNCH		
2495	----	----	----	----	0.30B/0.40A	----	----		0.30	- 0.10	.0012	----	----	----	----	11	UNCH		
2500	----	----	----	----	0.30B/0.40A	----	----		0.30	- 0.10	.0012	----	----	----	----	30	UNCH		
2550	----	----	----	----	0.30B/0.50A	----	----		0.40	- 0.10	.0016	----	----	----	----	462	UNCH		
2560	----	----	----	----	0.30B/0.50A	----	----		0.40	- 0.10	.0016	----	----	----	----	5	UNCH		
2565	----	----	----	----	0.30B/0.50A	----	----		0.40	- 0.10	.0016	----	----	----	----	20	UNCH		
2570	----	----	----	----	0.30B/0.50A	----	----		0.40	- 0.10	.0016	----	----	----	----	32	UNCH		
2575	----	----	----	----	0.30B/0.50A	----	----		0.40	- 0.10	.0016	----	----	----	----	10	UNCH		
2580	----	----	----	----	0.40B/0.50A	----	----		0.40	- 0.10	.0016	----	----	----	----	16	UNCH		
2590	----	----	----	----	0.40B/0.50A	----	----		0.40	- 0.10	.0016	----	----	----	----	5	UNCH		
2600	----	----	----	----	0.40B/0.50A	----	----		0.40	- 0.10	.0016	----	----	----	----	18	UNCH		
2605	----	----	----	----	0.40B/0.50A	----	----		0.40	- 0.10	.0017	----	----	----	----	25	UNCH		
2610	----	----	----	----	0.40B/0.50A	----	----		0.40	- 0.10	.0017	----	----	----	----	1	UNCH		
2615	----	----	----	----	0.40B/0.50A	----	----		0.50	UNCH	.0020	----	----	----	----	25	UNCH		
2615	----	----	----	----	0.40B/0.50A	----	----		0.50	UNCH	.0020	----	----	----	----	2	UNCH		
2645	----	----	----	----	0.50B/0.60A	----	----		0.50	- 0.10	.0021	----	----	----	----	7	UNCH		
2650	----	----	----	----	0.50B/0.60A	----	----		0.50	- 0.10	.0021	----	----	----	----	1	UNCH		
2655	----	----	----	----	0.50B/0.60A	----	----		0.50	- 0.10	.0021	----	----	----	----	2	UNCH		
2660	----	----	----	----	0.50B/0.60A	----	----		0.50	- 0.10	.0021	----	----	----	----	3	UNCH		
2675	----	----	----	----	0.50B/0.60A	----	----		0.60	UNCH	.0025	----	----	----	----	4	UNCH		
2695	----	----	----	----	0.60B/0.70A	----	----		0.60	UNCH	.0025	----	----	----	----	14	UNCH		
2700	----	----	----	----	0.60B/0.70A	----	----		0.60	- 0.10	.0025	----	----	----	----	5	UNCH		
2705	----	----	----	----	0.60B/0.70A	----	----		0.60	- 0.10	.0025	----	----	----	----	10	UNCH		
2710	----	----	----	----	0.60B/0.70A	----	----		0.60	- 0.10	.0025	----	----	----	----	4	UNCH		
2735	----	----	----	----	0.70B/0.80A	----	----		0.70	UNCH	.0029	----	----	----	----	4	UNCH		
2740	----	----	----	----	0.70B/0.80A	----	----		0.70	- 0.10	.0030	----	----	----	----	3	UNCH		
2750	----	----	----	----	0.70B/0.80A	----	----		0.70	- 0.10	.0030	----	----	----	----	47	UNCH		
2795	----	----	----	----	/0.90A	0.80B/0.90A	----		0.80	- 0.20	.0035	----	----	----	----	10	UNCH		
2800	----	----	----	----	/0.90A	0.90B/0.90A	----		0.80	- 0.20	.0035	----	----	----	----	82	UNCH		
2850	----	----	----	----	/1.10A	1.10B/1.10A	----		1.00	- 0.20	.0043	----	----	----	----	34	UNCH		
2875	----	----	----	----	/1.20A	1.20B/1.20A	----		1.10	- 0.20	.0048	----	----	----	----	1	UNCH		
2880	----	----	----	----	/1.20A	1.10B/1.20A	----		1.10	- 0.20	.0048	----	----	----	----	1	UNCH		

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT	COMEX GOLD OPTIONS															
DEC26																
3235	----	----	----	---/3.40A	3.80B/3.40A	----	----	3.60 - 0.30	.0168	----	----	----	----	12	UNCH	
3240	----	----	----	---/3.50A	3.90B/3.50A	----	----	3.60 - 0.30	.0169	----	----	----	----	11	UNCH	
3245	----	----	----	---/3.50A	3.90B/3.50A	----	----	3.70 - 0.30	.0174	----	----	----	----	21	UNCH	
3250	----	----	----	---/3.60A	4.00B/3.60A	----	----	3.70 - 0.40	.0175	----	----	----	----	500	UNCH	
3260	----	----	----	---/3.70A	4.10B/3.70A	----	----	3.80 - 0.40	.0180	----	----	----	----	1	UNCH	
3265	----	----	----	---/3.80A	4.20B/3.80A	----	----	3.90 - 0.30	.0184	----	----	----	----	27	UNCH	
3270	----	----	----	---/3.80A	4.20B/3.80A	----	----	3.90 - 0.40	.0185	----	----	----	----	24	UNCH	
3275	----	----	----	---/3.90A	4.30B/3.90A	----	----	4.00 - 0.40	.0190	----	----	----	----	11	UNCH	
3280	----	----	----	---/3.90A	4.40B/3.90A	----	----	4.10 - 0.30	.0194	----	----	----	----	5	UNCH	
3285	----	----	----	---/4.00A	4.40B/4.00A	----	----	4.10 - 0.40	.0195	----	----	----	----	11	UNCH	
3290	----	----	----	---/4.00A	4.50B/4.00A	----	----	4.20 - 0.40	.0200	----	----	----	----	7	UNCH	
3295	----	----	----	---/4.10A	4.50B/4.10A	----	----	4.30 - 0.30	.0204	----	----	----	----	1	UNCH	
3300	4.30	4.30	4.30	4.30/4.10A	4.70B/4.10A	----	----	4.30 - 0.40	.0205	----	----	6	----	644	UNCH	
3310	----	----	----	---/4.30A	4.80B/4.30A	----	----	4.40 - 0.40	.0211	----	----	----	----	1	UNCH	
3315	----	----	----	---/4.30A	4.90B/4.30A	----	----	4.50 - 0.40	.0216	----	----	----	----	11	UNCH	
3325	----	----	----	---/4.50A	5.00B/4.50A	----	----	4.70 - 0.30	.0225	----	----	----	----	104	UNCH	
3330	----	----	----	---/4.50A	5.10B/4.50A	----	----	4.70 - 0.40	.0226	----	----	----	----	2	UNCH	
3345	----	----	----	---/4.70A	5.40B/4.70A	----	----	4.90 - 0.50	.0237	----	----	----	----	3	UNCH	
3350	----	----	----	---/4.80A	5.40B/4.80A	----	----	5.00 - 0.40	.0242	----	----	----	----	35	UNCH	
3360	----	----	----	---/4.90A	5.60B/4.90A	----	----	5.20 - 0.40	.0251	----	----	----	----	17	UNCH	
3365	----	----	----	---/5.00A	5.70B/5.00A	----	----	5.20 - 0.50	.0253	----	----	----	----	7	UNCH	
3370	----	----	----	---/5.10A	5.80B/5.10A	----	----	5.30 - 0.50	.0258	----	----	----	----	3	UNCH	
3375	----	----	----	---/5.20A	5.90B/5.20A	----	----	5.40 - 0.50	.0263	----	----	----	----	266	UNCH	
3380	----	----	----	---/5.30A	6.00B/5.30A	----	----	5.50 - 0.50	.0268	----	----	----	----	12	UNCH	
3385	----	----	----	---/5.30A	6.10B/5.30A	----	----	5.60 - 0.50	.0273	----	----	----	----	35	UNCH	
3390	----	----	----	6.20B/5.40A	6.20B/5.40A	----	----	5.70 - 0.40	.0278	----	----	----	----	101	UNCH	
3395	----	----	----	6.30B/5.50A	6.30B/5.50A	----	----	5.70 - 0.50	.0279	----	----	----	----	5	UNCH	
3400	----	----	----	6.40B/5.60A	6.40B/5.60A	----	----	5.80 - 0.50	.0284	----	----	----	----	2209	UNCH	
3410	----	----	----	6.60B/5.70A	6.60B/5.70A	----	----	6.00 - 0.50	.0294	----	----	----	----	63	UNCH	
3420	----	----	----	---/5.90A	6.80B/5.90A	----	----	6.20 - 0.60	.0305	----	----	----	----	4	UNCH	
3425	----	----	----	---/6.00A	6.90B/6.00A	----	----	6.30 - 0.60	.0310	----	----	----	----	382	UNCH	
3430	----	----	----	---/6.10A	7.00B/6.10A	----	----	6.40 - 0.60	.0315	----	----	----	----	2	UNCH	
3435	----	----	----	7.20B/6.20A	7.20B/6.20A	----	----	6.50 - 0.60	.0321	----	----	----	----	18	UNCH	
3440	----	----	----	7.30B/6.30A	7.30B/6.30A	----	----	6.60 - 0.60	.0326	----	----	----	----	11	UNCH	
3445	----	----	----	7.40B/6.40A	7.40B/6.40A	----	----	6.70 - 0.60	.0331	----	----	----	----	4	UNCH	
3450	----	----	----	7.50B/6.50A	7.50B/6.50A	----	----	6.80 - 0.60	.0337	----	----	150	----	1384	+	
3455	----	----	----	---/6.60A	7.60B/6.60A	----	----	6.90 - 0.70	.0342	----	----	----	----	2	UNCH	
3460	----	----	----	7.80B/6.70A	7.80B/6.70A	----	----	7.00 - 0.70	.0348	----	----	----	----	72	UNCH	
3465	----	----	----	7.90B/6.80A	7.90B/6.80A	----	----	7.20 - 0.60	.0357	----	----	----	----	227	UNCH	
3470	----	----	----	8.00B/6.90A	8.00B/6.90A	----	----	7.30 - 0.60	.0362	----	----	----	----	20	UNCH	
3475	----	----	----	8.20B/7.00A	8.20B/7.00A	----	----	7.40 - 0.70	.0368	----	----	----	----	232	UNCH	
3480	----	----	----	8.30B/7.20A	8.30B/7.20A	----	----	7.50 - 0.70	.0373	----	----	----	----	1288	UNCH	
3485	----	----	----	8.50B/7.30A	8.50B/7.30A	----	----	7.60 - 0.70	.0379	----	----	----	----	129	UNCH	
3490	----	----	----	8.60B/7.40A	8.60B/7.40A	----	----	7.80 - 0.70	.0388	----	----	----	----	30	UNCH	
3495	----	----	----	8.70B/7.50A	8.70B/7.50A	----	----	7.90 - 0.70	.0394	----	----	----	----	23	UNCH	
3500	8.00	8.00	8.00	8.90B/7.60	8.90B/7.60	----	----	8.00 - 0.80	.0400	----	----	503	----	6456	+	
3505	----	----	----	9.00B/7.80A	9.00B/7.80A	----	----	8.20 - 0.70	.0409	----	----	----	----	19	UNCH	
3510	----	----	----	9.20B/7.90A	9.20B/7.90A	----	----	8.30 - 0.80	.0415	----	----	----	----	252	UNCH	
3515	----	----	----	9.40B/8.00A	9.40B/8.00A	----	----	8.40 - 0.80	.0421	----	----	----	----	136	UNCH	
3520	----	----	----	9.50B/8.20A	9.50B/8.20A	----	----	8.60 - 0.80	.0431	----	----	----	----	23	UNCH	
3525	----	----	----	9.70B/8.30A	9.70B/8.30A	----	----	8.70 - 0.90	.0437	----	----	----	----	205	UNCH	
3530	----	----	----	9.80B/8.40A	9.80B/8.40A	----	----	8.90 - 0.80	.0446	----	----	----	----	1	UNCH	
3540	----	----	----	10.20B/8.70A	10.20B/8.70A	----	----	9.20 - 0.90	.0462	----	----	----	----	23	UNCH	
3545	----	----	----	10.40B/8.90A	10.40B/8.90A	----	----	9.30 - 0.90	.0468	----	----	----	----	20	UNCH	
3550	----	----	----	10.60B/9.00A	10.60B/9.00A	----	----	9.50 - 0.90	.0478	----	----	----	----	2162	UNCH	
3555	----	----	----	10.80B/9.20A	10.80B/9.20A	----	----	9.70 - 0.90	.0488	----	----	----	----	2	UNCH	
3560	----	----	----	10.90B/9.30A	10.90B/9.30A	----	----	9.80 - 1.00	.0494	----	----	----	----	84	UNCH	
3565	10.10	10.10	10.10	11.10B/9.50A	11.10B/9.50A	----	----	10.00 - 1.00	.0504	----	----	4	----	37	+	
3570	----	----	----	11.40B/9.70A	11.40B/9.70A	----	----	10.20 - 1.00	.0514	----	----	2	----	16	-	
3575	----	----	----	11.60B/9.80A	11.60B/9.80A	----	----	10.40 - 1.00	.0524	----	----	----	----	11	UNCH	
3580	----	----	----	11.80B/10.00A	11.80B/10.00A	----	----	10.50 - 1.10	.0531	----	----	----	----	16	UNCH	
3585	----	----	----	12.10B/10.20A	12.10B/10.20A	----	----	10.70 - 1.10	.0541	----	----	----	----	334	UNCH	
3590	----	----	----	12.30B/10.40A	12.30B/10.40A	----	----	10.90 - 1.10	.0551	----	----	----	----	46	UNCH	
3595	----	----	----	12.50B/10.60A	12.50B/10.60A	----	----	11.10 - 1.20	.0562	----	----	----	----	115	UNCH	
3600	11.20	11.20	11.20	12.70B/10.80A	12.70B/10.80A	----	----	11.30 - 1.20	.0572	----	----	4	----	1946	-	
3605	----	----	----	13.00B/11.00A	13.00B/11.00A	----	----	11.50 - 1.20	.0582	----	----	----	----	41	UNCH	
3610	----	----	----	13.20B/11.20A	13.20B/11.20A	----	----	11.80 - 1.20	.0596	----	----	----	----	35	UNCH	
3615	12.30	12.30	12.30	13.50B/11.40A	13.50B/11.40A	----	----	12.00 - 1.20	.0607	----	----	1	----	39	UNCH	
3620	----	----	----	13.70B/11.60A	13.70B/11.60A	----	----	12.20 - 1.30	.0617	----	----	----	----	6	UNCH	
3625	----	----	----	14.10B/11.80A	14.10B/11.80A	----	----	12.40 - 1.30	.0628	----	----	----	----	41	UNCH	
3630	13.10	13.10	13.10	14.30B/12.00A	14.30B/12.00A	----	----	12.70 - 1.30	.0642	----	----	6	----	16	+	
3635	----	----	----	14.50B/12.20A	14.50B/12.20A	----	----	12.90 - 1.30	.0653	----	----	----	----	47	UNCH	
3640	----	----	----	14.90B/12.50A	14.90B/12.50A	----	----	13.10 - 1.40	.0664	----	----	----	----	18	UNCH	
3645	----	----	----	15.20B/12.70A	15.20B/12.70A	----	----	13.40 - 1.40	.0678	----	----	----	----	57	UNCH	
3650	----	----	----	15.50B/13.00A	15.50B/13.00A	----	----	13.70 - 1.40	.0693	----	----	1	----	1647	UNCH	
3655	13.80	13.80	13.80	15.80B/13.20A	15.80B/13.20A	----	----	13.90 - 1.50	.0704	----	----	11	----	244	UNCH	
3660	----	----	----	16.10B/13.50A	16.10B/13.50A	----	----	14.20 - 1.50	.0718	----	----	----	----	52	UNCH	
3665	----	----	----	16.40B/13.70A	16.40B/13.70A	----	----	14.50 - 1.50	.0733	----	----	----	----	19	UNCH	
3670	----	----	----	16.70B/14.00A	16.70B/14.00A	----	----	14.70 - 1.60	.0744	----	----	2	----	122	-	
3675	----	----	----	17.10B/14.30A	17.10B/14.30A	----	----	15.00 - 1.60	.0759	----	----	----	----	139	UNCH	
3680	15.10	15.10	15.10	17.40B/14.60A	17.40B/14.60A	----	----	15.30 - 1.70	.0774	----	----	10	----	52	UNCH	
3685	----	----	----	17.80B/14.90A	17.80B/14.90A	----	----	15.60 - 1.70	.0789	----	----	----	----	407	UNCH	
3690	----	----	----	18.20B/15.20A	18.20B/15.20A	----	----	15.90 - 1.70	.0804	----	----	----	----	21	UNCH	
3695	----	----	----	18.50B/15.50A	18.50B/15.50A	----	----	16.30 - 1.70	.0822	----	----	1	----	18	+	
3700	18.00	18.00	18.00	18.90B/15.80A	18.90B/15.80A	----	----	16.60 - 1.80	.0837	----	----	51	----	2410	-	
3705	16.80	16.80	16.80	19.30B/16.10A	19.30B/16.10A	----	----	16.90 - 1.80	.0852	----	----	5	----	49	+	
3710	----	----	----	19.70B/16.40A	19.70B/16.40A	----	----	17.30 - 1.80	.0871	----	----	----	----	129	UNCH	
3715	18.80	18.80	18.80	20.10B/16.70A	20.10B/16.70A	----	----	17.60 - 1.90	.0886	----	----	1	----	161	-	
3720	19.10	19.10	19.10	20.60B/17.10A	20.60B/17.10A	----	----	18.00 - 1.90	.0905	----	----	2	----	54	UNCH	
3725	19.60	19.60	19.60	21.00B/17.40A	21.00B/17.40A	----	----	18.40 - 1.90	.0924	----	----	5	----	137	-	
3730	20.00	20.00	20.00	21.50B/17.80A	21.50B/17.80A	----	----	18.70 - 2.00	.0940	----	----	3	----	418	-	
3735	----	----	----	21.90B/18.20A	21.90B/18.20A	----	----	19.10 - 2.10	.0959	----	----	----	----	164	UNCH	
3740	----	----	----	22.40B/18.50A	22.40B/18.50A	----	----	19.50 - 2.10	.0978	----	----	----	----	61	UNCH	
3745	----	----	----</													

BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST							
OG PUT		COMEX GOLD OPTIONS																				
DEC26																						
3965	----	----	----	59.70B/48.60A	59.70B/48.60A	----	----	----	51.70 - 5.30	.2331	----	----	----	----	69	UNCH						
3970	52.70	52.70	----	61.10B/49.70A	61.10B/49.70A	----	----	----	52.80 - 5.50	.2372	----	----	9	----	314 +	9						
3975	----	----	----	62.30B/50.80A	62.30B/50.80A	----	----	----	54.00 - 5.60	.2416	----	----	----	----	290 -	1						
3980	----	----	----	63.80B/51.90A	63.80B/51.90A	----	----	----	55.20 - 5.70	.2460	----	1	----	----	214 -	1						
3985	61.20	61.20	----	65.20B/53.10A	65.20B/53.10A	----	----	----	56.40 - 5.80	.2504	----	2	----	----	19 +	1						
3990	62.50	62.50	----	66.60B/54.30A	66.60B/54.30A	----	----	----	57.70 - 5.90	.2549	----	9	----	----	379 +	8						
3995	----	----	----	68.10B/55.50A	68.10B/55.50A	----	----	----	58.90 - 6.10	.2594	----	1	----	----	21 +	1						
4000	62.00	62.00	----	69.50B/56.70A	69.50B/56.70A	----	----	----	60.20 - 6.20	.2640	----	41	----	----	4640 +	7						
4005	----	----	----	71.10B/57.90A	71.10B/57.90A	----	----	----	61.60 - 6.20	.2687	----	----	----	----	88	UNCH						
4010	----	----	----	72.50B/59.20A	72.50B/59.20A	----	----	----	62.90 - 6.40	.2733	----	----	----	----	42	UNCH						
4015	67.50	67.50	----	74.10B/60.50A	74.10B/60.50A	----	----	----	64.30 - 6.50	.2781	----	7	----	----	65	UNCH						
4020	----	----	----	75.60B/61.80A	75.60B/61.80A	----	----	----	65.70 - 6.60	.2829	----	----	----	----	56	UNCH						
4025	66.60	66.60	----	77.30B/63.10A	77.30B/63.10A	----	----	----	67.10 - 6.70	.2877	----	1	----	----	845	UNCH						
4030	----	----	----	79.00B/64.50A	79.00B/64.50A	----	----	----	68.60 - 6.80	.2927	----	----	----	----	30	UNCH						
4035	----	----	----	80.70B/65.90A	80.70B/65.90A	----	----	----	70.10 - 6.90	.2977	----	----	----	----	91	UNCH						
4040	72.50	72.50	----	82.50B/67.40A	82.50B/67.40A	----	----	----	71.60 - 7.00	.3026	----	75	----	----	107 -	46						
4045	70.60	70.60	----	84.00B/68.80A	84.00B/68.80A	----	----	----	73.10 - 7.20	.3076	----	5	----	----	24 +	5						
4050	75.00	75.00	----	85.80B/70.40A	85.80B/70.40A	----	----	----	74.70 - 7.30	.3127	----	15	----	----	2469	UNCH						
4055	----	----	----	87.80B/71.80A	87.80B/71.80A	----	----	----	76.30 - 7.40	.3179	----	----	----	----	17	UNCH						
4060	79.10	79.10	----	89.50B/73.40A	89.50B/73.40A	----	----	----	78.00 - 7.50	.3231	----	9	----	----	129 +	4						
4065	85.70	85.70	----	91.30B/74.80A	91.30B/74.80A	----	----	----	79.60 - 7.70	.3283	----	2	----	----	90 +	1						
4070	84.20	84.20	----	93.30B/76.60A	93.30B/76.60A	----	----	----	81.30 - 7.80	.3336	----	3	----	----	35 -	1						
4075	----	----	----	95.20B/78.20A	95.20B/78.20A	----	----	----	83.00 - 7.90	.3389	----	1	----	----	313 +	1						
4080	87.80	87.80	----	97.10B/79.90A	97.10B/79.90A	----	----	----	84.80 - 8.00	.3442	----	3	----	----	510 -	2						
4085	----	----	----	99.10B/81.50A	99.10B/81.50A	----	----	----	86.60 - 8.10	.3496	----	----	----	----	52	UNCH						
4090	----	----	----	101.20B/83.30A	101.20B/83.30A	----	----	----	88.40 - 8.20	.3550	----	----	4	----	284	UNCH						
4095	90.70	90.70	----	103.20B/85.10A	103.20B/85.10A	----	----	----	90.20 - 8.40	.3605	----	----	----	----	75 +	2						
4100	97.20	97.20	----	105.30B/86.90A	105.30B/86.90A	----	----	----	92.10 - 8.50	.3660	----	112	40	----	2052 -	126						
4105	----	----	----	107.20B/88.60A	107.20B/88.60A	----	----	----	94.00 - 8.60	.3715	----	2	----	----	94 -	1						
4110	93.40	93.40	----	109.50B/90.50A	109.50B/90.50A	----	----	----	96.00 - 8.70	.3771	----	1	----	----	69	UNCH						
4115	----	----	----	111.60B/92.20A	111.60B/92.20A	----	----	----	97.90 - 8.80	.3826	----	----	----	----	77	UNCH						
4120	101.30	101.30	----	113.90B/94.00A	113.90B/94.00A	----	----	----	100.00 - 8.90	.3883	----	2	----	----	591 -	1						
4125	101.10	101.10	----	116.00B/96.00A	116.00B/96.00A	----	----	----	102.00 - 9.00	.3939	----	6	----	----	208 +	4						
4130	----	----	----	118.40B/98.00A	118.40B/98.00A	----	----	----	104.10 - 9.10	.3996	----	1	----	----	737	UNCH						
4135	----	----	----	120.50B/100.10A	120.50B/100.10A	----	----	----	106.20 - 9.20	.4053	----	----	----	----	38	UNCH						
4140	----	----	----	123.00B/102.00A	123.00B/102.00A	----	----	----	108.30 - 9.40	.4109	----	----	----	----	77	UNCH						
4145	112.90	112.90	----	125.40B/104.20A	125.40B/104.20A	----	----	----	110.50 - 9.40	.4167	----	3	----	----	65 +	1						
4150	109.60	109.60	----	127.70B/106.30A	127.70B/106.30A	----	----	----	112.70 - 9.50	.4224	----	6	----	----	1286 -	4						
4155	----	----	----	130.20B/108.40A	130.20B/108.40A	----	----	----	114.90 - 9.70	.4282	----	----	----	----	35	UNCH						
4160	----	----	----	132.70B/110.60A	132.70B/110.60A	----	----	----	117.20 - 9.80	.4339	----	5	75	----	296 -	71						
4165	125.60	125.60	----	135.10B/112.70A	135.10B/112.70A	----	----	----	119.50 - 9.90	.4397	----	1	----	----	86 -	1						
4170	119.50	119.50	----	137.70B/114.80A	137.70B/114.80A	----	----	----	121.80 - 10.00	.4455	----	100	----	----	167 +	99						
4175	132.00	132.00	----	140.20B/117.20A	140.20B/117.20A	----	----	----	124.20 - 10.10	.4513	----	15	200	----	399 -	108						
4180	130.00	130.00	----	143.00B/119.50A	143.00B/119.50A	----	----	----	126.60 - 10.20	.4571	----	1	----	----	59	UNCH						
4185	125.30	125.30	----	145.40B/121.80A	145.40B/121.80A	----	----	----	129.00 - 10.30	.4630	----	4	----	----	49 -	4						
4190	141.30	141.30	----	148.10B/124.20A	148.10B/124.20A	----	----	----	131.50 - 10.30	.4688	----	412	----	----	414 +	50						
4195	----	----	----	150.70B/126.50A	150.70B/126.50A	----	----	----	134.00 - 10.40	.4746	----	----	----	----	41	UNCH						
4200	136.90	136.90	----	153.40B/129.00A	153.40B/129.00A	----	----	----	136.50 - 10.60	.4804	----	16	----	----	2499 +	2						
4205	----	----	----	156.20B/131.40A	156.20B/131.40A	----	----	----	139.10 - 10.60	.4862	----	20	----	----	62 +	11						
4210	139.50	139.50	----	158.90B/133.80A	158.90B/133.80A	----	----	----	141.70 - 10.70	.4921	----	5	----	----	108 -	2						
4215	138.60	138.60	----	161.80B/136.20A	161.80B/136.20A	----	----	----	144.30 - 10.80	.4979	----	4	----	----	178	UNCH						
4220	----	----	----	164.60B/138.70A	164.60B/138.70A	----	----	----	146.90 - 11.00	.5037	----	----	----	----	60	UNCH						
4225	152.60	152.60	----	167.50B/141.50A	167.50B/141.50A	----	----	----	149.60 - 11.00	.5095	----	8	----	----	200 +	8						
4230	----	----	----	170.40B/143.90A	170.40B/143.90A	----	----	----	152.30 - 11.10	.5152	----	----	----	----	438	UNCH						
4235	----	----	----	173.40B/146.50A	173.40B/146.50A	----	----	----	155.10 - 11.20	.5210	----	----	----	----	124	UNCH						
4240	156.60	156.60	----	176.30B/149.20A	176.30B/149.20A	----	----	----	157.90 - 11.20	.5268	----	18	----	----	69 +	18						
4245	----	----	----	179.30B/151.80A	179.30B/151.80A	----	----	----	160.70 - 11.30	.5325	----	----	----	----	39	UNCH						
4250	----	----	----	182.30B/154.60A	182.30B/154.60A	----	----	----	163.50 - 11.50	.5382	----	2	----	----	2632 -	2						
4255	----	----	----	185.40B/157.30A	185.40B/157.30A	----	----	----	166.40 - 11.50	.5439	----	----	----	----	33	UNCH						
4260	----	----	----	188.40B/160.10A	188.40B/160.10A	----	----	----	169.30 - 11.60	.5496	----	----	----	----	79	UNCH						
4265	181.60	181.60	----	191.40B/162.90A	191.40B/162.90A	----	----	----	172.20 - 11.70	.5553	----	1	----	----	109 -	1						
4270	----	----	----	194.50B/165.70A	194.50B/165.70A	----	----	----	175.20 - 11.80	.5609	----	----	----	----	22	UNCH						
4275	----	----	----	197.80B/168.60A	197.80B/168.60A	----	----	----	178.20 - 11.90	.5665	----	----	----	----	153	UNCH						
42																						

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
COMEX GOLD OPTIONS															
OG PUT DEC26															
4655	505.50	505.50		502.10B/457.60A	502.10B/457.60A			474.40 - 15.10	.8697					12	UNCH
4660				506.80B/462.00A	506.80B/462.00A			478.90 - 15.10	.8721			1		127 -	1
4665				511.40B/466.50A	511.40B/466.50A			483.40 - 15.20	.8741					55	UNCH
4670				515.90B/471.00A	515.90B/471.00A			488.00 - 15.10	.8765					20	UNCH
4675				520.50B/475.50A	520.50B/475.50A			492.50 - 15.20	.8785					16	UNCH
4680				525.10B/480.00A	525.10B/480.00A			497.10 - 15.20	.8805					64	UNCH
4685				529.80B/484.50A	529.80B/484.50A			501.70 - 15.10	.8825					19	UNCH
4690				534.30B/489.10A	534.30B/489.10A			506.30 - 15.10	.8845					146	UNCH
4695				538.90B/493.60A	538.90B/493.60A			510.90 - 15.10	.8865					34	UNCH
4700	511.70	511.70		543.70B/498.20A	543.70B/498.20A			515.50 - 15.10	.8885		9			711 -	8
4705				548.20B/502.70A	548.20B/502.70A			520.10 - 15.10	.8905					16	UNCH
4710				553.00B/507.30A	553.00B/507.30A			524.70 - 15.20	.8925					21	UNCH
4715				557.60B/511.90A	557.60B/511.90A			529.30 - 15.20	.8941					12	UNCH
4720				562.20B/516.50A	562.20B/516.50A			533.90 - 15.20	.8961					16	UNCH
4725	539.10	539.10		566.90B/521.10A	566.90B/521.10A			538.60 - 15.20	.8977		2			141 +	2
4730				571.70B/525.70A	571.70B/525.70A			543.20 - 15.20	.8997					9	UNCH
4735				576.30B/530.30A	576.30B/530.30A			547.90 - 15.20	.9013					7	UNCH
4740				581.00B/534.90A	581.00B/534.90A			552.50 - 15.30	.9032					7	UNCH
4745				585.70B/539.50A	585.70B/539.50A			557.20 - 15.20	.9048					4	UNCH
4750	567.90	567.90		590.40B/544.20A	590.40B/544.20A			561.80 - 15.30	.9064		1			74	UNCH
4755				595.20B/548.80A	595.20B/548.80A			566.50 - 15.30	.9080					18	UNCH
4760				599.80B/553.50A	599.80B/553.50A			571.20 - 15.30	.9096					25	UNCH
4765				604.60B/558.10A	604.60B/558.10A			575.90 - 15.30	.9111					2	UNCH
4770				609.30B/562.80A	609.30B/562.80A			580.60 - 15.30	.9127					1	UNCH
4775				614.00B/567.50A	614.00B/567.50A			585.30 - 15.30	.9143					6	UNCH
4780				618.90B/572.10A	618.90B/572.10A			590.00 - 15.40	.9158					2	UNCH
4790				628.40B/581.50A	628.40B/581.50A			599.50 - 15.30	.9186					73	UNCH
4795				633.20B/586.20A	633.20B/586.20A			604.20 - 15.30	.9197					1	UNCH
4800				637.80B/590.90A	637.80B/590.90A			608.90 - 15.40	.9213					362	UNCH
4810				647.50B/600.40A	647.50B/600.40A			618.40 - 15.40	.9240					60	UNCH
4815				652.10B/605.10A	652.10B/605.10A			623.20 - 15.30	.9251					9	UNCH
4820				656.80B/609.80A	656.80B/609.80A			627.90 - 15.40	.9266					24	UNCH
4825				661.40B/614.60A	661.40B/614.60A			632.70 - 15.40	.9278					114	UNCH
4830				666.60B/619.30A	666.60B/619.30A			637.50 - 15.30	.9289					15	UNCH
4835				671.40B/624.10A	671.40B/624.10A			642.20 - 15.40	.9300					126	UNCH
4840				685.80B/638.30A	685.80B/638.30A			656.60 - 15.40	.9334					16	UNCH
4855				684.10B/646.50A	684.10B/646.50A			661.40 - 15.40	.9345					3	UNCH
4860				688.90B/653.30A	688.90B/653.30A			666.20 - 15.40	.9356					6	UNCH
4865				693.70B/658.00A	693.70B/658.00A			671.00 - 15.40	.9367					2	UNCH
4870				698.50B/662.80A	698.50B/662.80A			675.80 - 15.40	.9378					2	UNCH
4875				703.30B/667.70A	703.30B/667.70A			680.60 - 15.40	.9389					16	UNCH
4880				708.10B/672.50A	708.10B/672.50A			685.40 - 15.40	.9400					12	UNCH
4885				712.90B/677.30A	712.90B/677.30A			690.20 - 15.40	.9407					1	UNCH
4895				722.60B/686.90A	722.60B/686.90A			699.90 - 15.40	.9428					2	UNCH
4900				727.40B/691.80A	727.40B/691.80A			704.70 - 15.40	.9435					112	UNCH
4905				732.20B/696.60A	732.20B/696.60A			709.60 - 15.40	.9446					1	UNCH
4920				746.70B/711.10A	746.70B/711.10A			724.10 - 15.40	.9470					4	UNCH
4925				751.60B/715.90A	751.60B/715.90A			728.90 - 15.40	.9480					240	UNCH
4930				756.40B/720.80A	756.40B/720.80A			733.80 - 15.40	.9487					5	UNCH
4935				761.30B/725.70A	761.30B/725.70A			738.60 - 15.50	.9498					5	UNCH
4940				766.10B/730.50A	766.10B/730.50A			743.50 - 15.40	.9504					30	UNCH
4945				771.00B/735.40A	771.00B/735.40A			748.40 - 15.40	.9510					1	UNCH
4950				775.80B/740.20A	775.80B/740.20A			753.20 - 15.50	.9521					25	UNCH
4955				780.70B/745.10A	780.70B/745.10A			758.10 - 15.40	.9527					1	UNCH
4965				790.40B/754.80A	790.40B/754.80A			767.80 - 15.50	.9540					1	UNCH
4970				795.30B/759.70A	795.30B/759.70A			772.70 - 15.50	.9550					1	UNCH
4975				800.20B/764.60A	800.20B/764.60A			777.60 - 15.40	.9556					42	UNCH
4980				805.10B/769.50A	805.10B/769.50A			782.50 - 15.40	.9563					6	UNCH
4985				809.90B/774.40A	809.90B/774.40A			787.40 - 15.40	.9569					2	UNCH
4990				814.80B/779.20A	814.80B/779.20A			792.20 - 15.50	.9575					2	UNCH
4995				819.70B/784.10A	819.70B/784.10A			797.10 - 15.50	.9581					37	UNCH
5000				824.60B/789.00A	824.60B/789.00A			802.00 - 15.50	.9587					559	UNCH
5010				834.40B/798.80A	834.40B/798.80A			811.80 - 15.50	.9599					3	UNCH
5015				839.30B/803.70A	839.30B/803.70A			816.70 - 15.50	.9605					4	UNCH
5020				844.20B/808.60A	844.20B/808.60A			821.60 - 15.50	.9611					10	UNCH
5025				849.10B/813.50A	849.10B/813.50A			826.50 - 15.50	.9617					217	UNCH
5030				854.00B/818.40A	854.00B/818.40A			831.40 - 15.50	.9623					3	UNCH
5035				858.90B/823.30A	858.90B/823.30A			836.30 - 15.50	.9629					13	UNCH
5040				863.80B/828.20A	863.80B/828.20A			841.20 - 15.50	.9635					2	UNCH
5045				868.70B/833.10A	868.70B/833.10A			846.10 - 15.50	.9641					3	UNCH
5050				873.70B/838.10A	873.70B/838.10A			851.10 - 15.40	.9647					201	UNCH
5070				893.40B/857.70A	893.40B/857.70A			870.70 - 15.50	.9665					2	UNCH
5075				898.30B/862.60A	898.30B/862.60A			875.60 - 15.50	.9671					100	UNCH
5095				918.00B/882.30A	918.00B/882.30A			895.30 - 15.50	.9690					6	UNCH
5100				923.00B/887.30A	923.00B/887.30A			900.30 - 15.40	.9691					30	UNCH
5150				972.50B/936.60A	972.50B/936.60A			949.70 - 15.40	.9734					1	UNCH
5195				1,017.40B/981.00A	1,017.40B/981.00A			994.20 - 15.40	.9760					5	UNCH
5200	994.20	994.20		1,022.40B/986.00A	1,022.40B/986.00A			999.20 - 15.40	.9766			3		174 +	3
5240				1,062.40B/1,025.50A	1,062.40B/1,025.50A			1038.80 - 15.40	.9786					1	UNCH
5250				1,072.50B/1,035.40A	1,072.50B/1,035.40A			1048.80 - 15.40	.9793					127	UNCH
5290				1,112.70B/1,075.00A	1,112.70B/1,075.00A			1088.50 - 15.40	.9812					1	UNCH
5295				1,117.70B/1,079.90A	1,117.70B/1,079.90A			1093.50 - 15.40	.9813					1	UNCH
5300	1110.50	1110.50		1,122.80B/1,084.80A	1,122.80B/1,084.80A			1098.50 - 15.40	.9818		1			9 +	1
5360				1,183.20B/1,144.20A	1,183.20B/1,144.20A			1158.20 - 15.40	.9840					100	UNCH
5370				1,192.90B/1,154.10A	1,192.90B/1,154.10A			1168.10 - 15.50	.9846					20	UNCH
5375				1,198.30B/1,159.00A	1,198.30B/1,159.00A			1173.10 - 15.50	.9846					34	UNCH
5400	1209.00	1209.00		1,223.40B/1,183.80A	1,223.40B/1,183.80A			1198.00 - 15.50	.9853		2			114 +	2
5415				1,238.10B/1,198.70A	1,238.10B/1,198.70A			1213.00 - 15.50	.9860					4	UNCH
5450	1261.00	1261.00		1,273.20B/1,233.50A	1,273.20B/1,233.50A			1247.90 - NEW	.9873		2			2 +	2
5460				1,283.60B/1,243.40A	1,283.60B/1,243.40A			1257.90 - 15.50	.9873					0	UNCH
5465				1,288.60B/1,248.40A	1,288.60B/1,248.40A			1262.90 - 15.50	.9874					50	UNCH
5480				1,303.30B/1,263.40A	1,303.30B/1,263.40A			1277.80 - 15.60	.9880						

PG64		BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
OG PUT		COMEX GOLD OPTIONS																						
JAN27																								
3270	----	----	----	----	/6.90A	7.60B/6.90A	----	----	7.10 - 0.50	.0283	----	----	----	----	22	UNCH								
3280	----	----	----	----	/7.10A	7.80B/7.10A	----	----	7.30 - 0.50	.0292	----	----	----	----	1	UNCH								
3285	----	----	----	----	/7.20A	7.90B/7.20A	----	----	7.40 - 0.50	.0296	----	----	----	----	2	UNCH								
3295	----	----	----	----	/7.40A	8.20B/7.40A	----	----	7.70 - 0.50	.0307	----	----	----	----	6	UNCH								
3300	----	----	----	----	/7.50A	8.30B/7.50A	----	----	7.80 - 0.50	.0311	----	----	----	----	62	UNCH								
3305	----	----	----	----	/7.60A	8.40B/7.60A	----	----	7.90 - 0.50	.0316	----	----	----	----	15	UNCH								
3310	----	----	----	----	/7.70A	8.50B/7.70A	----	----	8.00 - 0.50	.0320	----	----	----	----	6	UNCH								
3325	----	----	----	----	/8.00A	8.90B/8.00A	----	----	8.30 - 0.60	.0333	----	----	----	----	302	UNCH								
3350	----	----	----	----	9.60B/8.60A	9.60B/8.60A	----	----	8.90 - 0.60	.0359	----	----	----	----	4	UNCH								
3370	----	----	----	----	10.20B/9.10A	10.20B/9.10A	----	----	9.50 - 0.60	.0383	----	----	----	----	3	UNCH								
3380	----	----	----	----	10.50B/9.40A	10.50B/9.40A	----	----	9.80 - 0.60	.0395	----	----	----	----	67	UNCH								
3385	9.70	9.70	----	----	10.70B/9.50A	10.70B/9.50A	----	----	9.90 - 0.70	.0400	----	----	10	----	10 +	7								
3395	----	----	----	----	11.00B/9.80A	11.00B/9.80A	----	----	10.20 - 0.70	.0412	----	----	----	----	2	UNCH								
3400	----	----	----	----	11.20B/9.90A	11.20B/9.90A	----	----	10.40 - 0.70	.0420	----	----	----	----	350	UNCH								
3410	----	----	----	----	11.50B/10.20A	11.50B/10.20A	----	----	10.70 - 0.70	.0432	----	----	----	----	4	UNCH								
3415	11.30	11.30	----	----	11.70B/10.40A	11.70B/10.40A	----	----	10.80 - NEW	.0437	----	----	5	----	5 +	5								
3420	----	----	----	----	11.90B/10.50A	11.90B/10.50A	----	----	11.00 - 0.70	.0445	----	----	----	----	6	UNCH								
3425	----	----	----	----	12.10B/10.70A	12.10B/10.70A	----	----	11.20 - 0.70	.0453	----	----	----	----	3	UNCH								
3430	----	----	----	----	12.20B/10.80A	12.20B/10.80A	----	----	11.30 - 0.80	.0458	----	----	----	----	5	UNCH								
3440	----	----	----	----	12.60B/11.20A	12.60B/11.20A	----	----	11.70 - 0.80	.0474	----	----	----	----	5	UNCH								
3445	----	----	----	----	12.80B/11.40A	12.80B/11.40A	----	----	11.90 - 0.80	.0482	----	----	----	----	1	UNCH								
3450	----	----	----	----	13.00B/11.50A	13.00B/11.50A	----	----	12.10 - 0.80	.0490	----	----	2	----	54 +	2								
3455	----	----	----	----	13.30B/11.70A	13.30B/11.70A	----	----	12.20 - 0.90	.0495	----	----	----	----	2	UNCH								
3460	----	----	----	----	13.50B/11.90A	13.50B/11.90A	----	----	12.40 - 0.90	.0503	----	----	----	----	1	UNCH								
3480	----	----	----	----	14.40B/12.70A	14.40B/12.70A	----	----	13.20 - 0.90	.0535	----	----	----	----	2	UNCH								
3495	----	----	----	----	15.10B/13.30A	15.10B/13.30A	----	----	13.90 - 0.90	.0563	----	----	----	----	54	UNCH								
3500	----	----	----	----	15.40B/13.50A	15.40B/13.50A	----	----	14.10 - 0.90	.0571	----	----	----	----	135	UNCH								
3510	----	----	----	----	15.80B/13.90A	15.80B/13.90A	----	----	14.50 - 1.00	.0588	----	----	----	----	2	UNCH								
3520	----	----	----	----	16.40B/14.30A	16.40B/14.30A	----	----	15.00 - 1.00	.0608	----	----	----	----	5	UNCH								
3530	16.10	16.10	----	----	16.90B/14.80A	16.90B/14.80A	----	----	15.50 - 1.10	.0628	----	----	4	----	21 +	3								
3535	----	----	----	----	17.20B/15.00A	17.20B/15.00A	----	----	15.80 - 1.00	.0639	----	----	----	----	7	UNCH								
3540	----	----	----	----	17.50B/15.30A	17.50B/15.30A	----	----	16.00 - 1.10	.0648	----	----	----	----	2	UNCH								
3545	----	----	----	----	17.80B/15.60A	17.80B/15.60A	----	----	16.30 - 1.10	.0659	----	----	----	----	2	UNCH								
3550	15.90	15.90	----	----	18.10B/15.80A	18.10B/15.80A	----	----	16.50 - 1.20	.0668	----	----	1	----	1140	UNCH								
3560	----	----	----	----	18.70B/16.30A	18.70B/16.30A	----	----	17.10 - 1.20	.0691	----	----	----	----	6	UNCH								
3565	----	----	----	----	19.00B/16.60A	19.00B/16.60A	----	----	17.40 - 1.20	.0703	----	----	----	----	5	UNCH								
3570	----	----	----	----	19.30B/16.90A	19.30B/16.90A	----	----	17.70 - 1.20	.0714	----	----	----	----	3	UNCH								
3575	----	----	----	----	19.70B/17.10A	19.70B/17.10A	----	----	17.90 - 1.30	.0723	----	----	----	----	29	UNCH								
3580	----	----	----	----	20.00B/17.50A	20.00B/17.50A	----	----	18.20 - 1.30	.0735	----	----	----	----	8	UNCH								
3585	----	----	----	----	20.40B/17.70A	20.40B/17.70A	----	----	18.50 - 1.40	.0747	----	----	----	----	215	UNCH								
3595	----	----	----	----	21.00B/18.30A	21.00B/18.30A	----	----	19.20 - 1.30	.0773	----	----	1	----	11	UNCH								
3600	----	----	----	----	21.50B/18.70A	21.50B/18.70A	----	----	19.50 - 1.40	.0785	----	----	1	----	249 +	1								
3605	----	----	----	----	21.80B/19.00A	21.80B/19.00A	----	----	19.80 - 1.40	.0797	----	----	----	----	17	UNCH								
3610	21.00	21.00	----	----	22.10B/19.30A	22.10B/19.30A	----	----	20.20 - 1.40	.0812	----	----	2	----	5 +	2								
3615	----	----	----	----	22.50B/19.60A	22.50B/19.60A	----	----	20.50 - 1.50	.0824	----	----	----	----	27	UNCH								
3620	----	----	----	----	22.90B/20.00A	22.90B/20.00A	----	----	20.90 - 1.50	.0839	----	----	----	----	19	UNCH								
3625	23.20	23.20	----	----	23.30B/20.30A	23.30B/20.30A	----	----	21.20 - 1.50	.0851	----	----	18	----	23 +	5								
3630	----	----	----	----	23.80B/20.70A	23.80B/20.70A	----	----	21.60 - 1.50	.0866	----	----	----	----	15	UNCH								
3635	23.50	23.50	----	----	24.10B/21.00A	24.10B/21.00A	----	----	21.90 - NEW	.0878	----	----	1	----	1 +	1								
3640	----	----	----	----	24.60B/21.40A	24.60B/21.40A	----	----	22.30 - 1.60	.0893	----	----	----	----	5	UNCH								
3650	----	----	----	----	25.50B/22.10A	25.50B/22.10A	----	----	23.10 - 1.70	.0923	----	----	----	----	48	UNCH								
3655	25.10	25.10	----	----	25.90B/22.50A	25.90B/22.50A	----	----	23.50 - NEW	.0938	----	----	1	----	1 +	1								
3665	----	----	----	----	26.80B/23.30A	26.80B/23.30A	----	----	24.30 - 1.80	.0969	----	----	----	----	1	UNCH								
3670	----	----	----	----	27.30B/23.60A	27.30B/23.60A	----	----	24.70 - 1.90	.0984	----	----	----	----	2	UNCH								
3680	26.50	26.50	----	----	28.40B/24.50A	28.40B/24.50A	----	----	25.60 - 1.90	.1017	----	----	----	----	1	UNCH								
3685	----	----	----	----	28.90B/24.90A	28.90B/24.90A	----	----	26.10 - 1.90	.1035	----	----	8	----	23 +	8								
3690	----	----	----	----	29.30B/25.40A	29.30B/25.40A	----	----	26.50 - 2.00	.1050	----	----	----	----	22	UNCH								
3695	----	----	----	----	29.80B/25.90A	29.80B/25.90A	----	----	27.00 - 2.00	.1068	----	----	----	----	9	UNCH								
3700	42.50	42.50	----	----	42.50/40.00A	42.50/40.00A	----	----	27.50 - 2.00	.1086	----	----	252	----	733 +	227								
3705	----	----	----	----	30.90B/26.70A	30.90B/26.70A	----	----	27.90 - 2.10	.1102	----	----	----	----	1	UNCH								
3710	----	----	----	----	31.40B/27.20A	31.40B/27.20A	----	----	28.40 - 2.20	.1120	----	----	----	----	1	UNCH								
3715	30.70	30.70	----	----	32.10B/27.60A	32.10B/27.60A	----	----	28.90 - 2.20	.1139	----	----	6	----	7 +	6								
3720	29.60	29.60	----	----	32.70B/28.10A	32.70B/28.10A	----	----	29.50 - 2.20	.1159	----	----	5	----	9 +	5								
3725	----	----	----	----	33.20B/28.60A	33.20B/28.60A	----	----	30.00 - 2.30	.1178	----	----	----	----	31	UNCH								
3730	----	----	----	----	33.80B/29.10A	33.80B/29.10A	----	----	30.50 - 2.30	.1196	----	----	----	----	3	UNCH								
3735	----	----	----	----	34.50B/29.70A	34.50B/29.70A	----	----	31.10 - 2.30	.1217	----	----	----	----	3	UNCH								
3740	----	----	----	----	35.10B/30.30A	35.10B/30.30A	----	----	31.60 - 2.40	.1235	----	----	----	----	20	UNCH								
3745	----	----	----	----	35.70B/30.80A	35.70B/30.80A	----	----	32.20 - 2.40	.1256	----	----	----	----	34	UNCH								
3750	31.90	31.90	----	----	36.40B/31.20A	36.40B/31.20A	----	----	32.80 - 2.50	.1277	----	----	2	----	38	UNCH								
3755	32.50	32.50	----	----	37.10B/31.90A	37.10B/31.90A	----	----	33.40 - 2.50	.1298	----	----	1	----	5	UNCH								
3760	34.50	34.50	----	----	37.80B/32.50A	37.80B/32.50A	----	----	34.00 - 2.60	.1319	----	----	2	----	45 +	2								
3770	----	----	----	----	39.10B/33.70A	39.10B/33.70A	----	----	35.20 - 2.70	.1361	----	----	----	----	21	UNCH								
3775	----	----	----	----	39.90B/34.10A	39.90B/34.10A	----	----	35.80 - 2.80	.1383	----	----	1	----	16 +	1								
3780	----	----	----	----	40.60B/34.80A	40.60B/34.80A	----	----	36.50 - 2.80	.1406	----	----	----	----	2	UNCH								
3785	----	----	----	----	41.40B/35.40A	41.40B/35.40A	----	----	37.20 - 2.80	.1430	----	----	1	----	8 +	1								
3790	36.80	36.80	----	----	42.10B/36.00A	42.10B/36.00A	----	----	37.80 - 2.90	.1451	----	----	16	----	32 +	10								
3795	----	----	----	----	42.80B/36.70A	42.80B/36.70A	----	----	38.50 - 3.00	.1475	----	----	----	----	10	UNCH								
3800	41.60	41.60	----	----	43.60B/37.40A	43.60B/37.40A	----	----	39.20 - 3.00	.1499	----	----	9	----	713 +	3								
3805	----	----	----	----	44.40B/38.00A	44.40B/38.00A	----	----	39.90 - 3.10	.1522	----	----	----	----	4	UNCH								
3810	----	----	----	----	45.30B/38.80A	45.30B/38.80A	----	----	40.70 - 3.10	.1548	----	----	----	----	2	UNCH								
3815	42.00	42.00	----	----	46.10B/39.50A	46.10B/39.50A	----	----	41.40 - 3.20	.1572	----	----	5	----	15 +	5								
3820	----	----	----	----	47.00B/40.10A	47.00B/40.10A	----	----	42.20 - 3.20	.1598	----	----	----	----	1	UNCH								
3825	----	----	----	----	47.90B/40.90A	47.90B/40.90A	----	----	42.90 - 3.30	.1622	----	----	----	----	11	UNCH								
3830	----	----	----	----	48.70B/41.60A	48.70B/41.60A	----	----	43.70 - 3.40	.1649	----	----	1	----	16 +	1								
3835	----	----	----	----	49.60B/42.30A	49.60B/42.30A	----	----	44.50 - 3.40	.1675	----	----	----	----	6	UNCH								
3840	----	----	----	----	50.60B/43.10A	50.60B/43.10A	----	----	45.30 - 3.50	.1701	----	----	----	----	2	UNCH								
3850	----	----	----	----	52.40B/44.80A	52.40B/44.80A	----	----	47.00 - 3.60	.1756	----	----	1	----	767 +	1								
3855	----	----	----	----	53.40B/45.50A	53.40B/45.50A																		

BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64		
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE		GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW		OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA		EXER CISES		OPEN OUTCRY VOLUME		GLOBEX® VOLUME		PNT VOLUME		OPEN INTEREST		
OG PUT		COMEX GOLD OPTIONS																						
JAN27																								
4110	----	----	----	129.90B/111.80A	129.90B/111.80A	----	----	----	----	117.30	- 7.80	.3639	----	----	----	----	----	----	----	----	45	UNCH	4	1
4115	----	----	----	132.00B/113.70A	132.00B/113.70A	----	----	----	----	119.30	- 7.80	.3683	----	----	----	----	----	----	----	----	31	UNCH	6	1
4120	----	----	----	134.10B/115.60A	134.10B/115.60A	----	----	----	----	121.30	- 7.90	.3726	----	----	----	----	----	----	----	----	6	UNCH	1	1
4125	----	----	----	136.30B/117.50A	136.30B/117.50A	----	----	----	----	123.30	- 8.00	.3770	----	----	----	----	----	8	----	----	377	+	4	12
4130	131.90	131.90	----	138.60B/119.50A	138.60B/119.50A	----	----	----	----	125.30	- 8.10	.3814	----	----	----	----	12	----	----	24	+	12	4	
4135	----	----	----	140.70B/121.50A	140.70B/121.50A	----	----	----	----	127.30	- 8.20	.3858	----	----	----	----	----	----	----	45	UNCH	1	1	
4140	----	----	----	143.00B/123.50A	143.00B/123.50A	----	----	----	----	129.40	- 8.30	.3903	----	----	----	----	18	----	----	62	+	1	1	
4145	----	----	----	145.20B/125.50A	145.20B/125.50A	----	----	----	----	131.50	- 8.40	.3947	----	----	----	----	----	----	----	43	UNCH	1	1	
4150	----	----	----	147.40B/127.50A	147.40B/127.50A	----	----	----	----	133.70	- 8.40	.3992	----	----	----	----	1	----	----	259	-	1	1	
4155	----	----	----	149.80B/129.60A	149.80B/129.60A	----	----	----	----	135.80	- 8.50	.4037	----	----	----	----	----	----	----	6	UNCH	1	1	
4160	139.80	139.80	----	152.20B/131.70A	152.20B/131.70A	----	----	----	----	138.00	- 8.60	.4082	----	----	----	----	1	----	----	211	+	1	1	
4165	----	----	----	154.50B/133.80A	154.50B/133.80A	----	----	----	----	140.20	- 8.70	.4127	----	----	----	----	----	----	----	20	UNCH	1	1	
4170	----	----	----	156.90B/135.90A	156.90B/135.90A	----	----	----	----	142.40	- 8.80	.4172	----	----	----	----	1	----	----	3	UNCH	1	1	
4175	----	----	----	159.30B/138.10A	159.30B/138.10A	----	----	----	----	144.70	- 8.90	.4217	----	----	----	----	----	----	----	16	UNCH	1	1	
4180	146.80	146.80	----	161.80B/140.30A	161.80B/140.30A	----	----	----	----	147.00	- 8.90	.4263	----	----	----	----	3	----	----	17	UNCH	1	1	
4185	----	----	----	164.10B/142.50A	164.10B/142.50A	----	----	----	----	149.30	- 9.00	.4308	----	----	----	----	----	----	----	38	UNCH	1	1	
4190	152.90	152.90	----	166.60B/144.80A	166.60B/144.80A	----	----	----	----	151.60	- 9.20	.4353	----	----	----	----	1	----	----	7	+	1	1	
4195	----	----	----	169.10B/147.00A	169.10B/147.00A	----	----	----	----	154.00	- 9.20	.4399	----	----	----	----	----	----	----	11	UNCH	1	1	
4200	166.00	166.00	----	171.80B/149.30A	171.80B/149.30A	----	----	----	----	156.40	- 9.30	.4444	----	----	----	----	36	----	----	372	+	29	1	
4205	----	----	----	174.20B/151.70A	174.20B/151.70A	----	----	----	----	158.80	- 9.40	.4490	----	----	----	----	----	----	----	6	UNCH	1	1	
4210	----	----	----	176.90B/154.00A	176.90B/154.00A	----	----	----	----	161.20	- 9.50	.4535	----	----	----	----	----	----	----	7	UNCH	1	1	
4215	----	----	----	179.50B/156.40A	179.50B/156.40A	----	----	----	----	163.70	- 9.50	.4581	----	----	----	----	----	----	----	3	UNCH	1	1	
4220	----	----	----	182.20B/158.80A	182.20B/158.80A	----	----	----	----	166.20	- 9.60	.4627	----	----	----	----	----	----	----	1	UNCH	1	1	
4225	----	----	----	184.90B/161.20A	184.90B/161.20A	----	----	----	----	168.70	- 9.70	.4672	----	----	----	----	----	----	8	UNCH	1	1		
4230	181.00	181.00	----	187.50B/163.60A	187.50B/163.60A	----	----	----	----	171.20	- 9.80	.4718	----	----	----	----	8	----	----	34	UNCH	1	1	
4235	----	----	----	190.20B/166.10A	190.20B/166.10A	----	----	----	----	173.80	- 9.90	.4763	----	----	----	----	26	----	----	80	+	8	1	
4240	----	----	----	193.00B/168.60A	193.00B/168.60A	----	----	----	----	176.40	- 10.00	.4809	----	----	----	----	2	----	----	12	+	2	1	
4245	178.50	178.50	----	195.70B/171.10A	195.70B/171.10A	----	----	----	----	179.00	- 10.10	.4855	----	----	----	----	3	----	----	14	+	3	1	
4250	----	----	----	198.40B/173.70A	198.40B/173.70A	----	----	----	----	181.60	- 10.20	.4900	----	----	----	----	19	----	----	240	+	17	1	
4255	----	----	----	201.30B/176.10A	201.30B/176.10A	----	----	----	----	184.30	- 10.20	.4945	----	----	----	----	----	----	----	19	UNCH	1	1	
4260	----	----	----	204.10B/178.80A	204.10B/178.80A	----	----	----	----	187.00	- 10.30	.4991	----	----	----	----	----	----	----	13	UNCH	1	1	
4265	195.10	195.10	----	207.00B/181.30A	207.00B/181.30A	----	----	----	----	189.70	- 10.40	.5036	----	----	----	----	7	----	----	35	+	6	1	
4270	194.30	194.30	----	209.80B/184.10A	209.80B/184.10A	----	----	----	----	192.40	- 10.50	.5081	----	----	----	----	7	----	----	32	+	7	1	
4275	205.60	205.60	----	212.80B/186.80A	212.80B/186.80A	----	----	----	----	195.20	- 10.60	.5126	----	----	----	----	1	----	----	89	+	1	1	
4280	----	----	----	215.70B/189.30A	215.70B/189.30A	----	----	----	----	198.00	- 10.60	.5171	----	----	----	----	----	----	----	11	UNCH	1	1	
4285	----	----	----	218.70B/192.00A	218.70B/192.00A	----	----	----	----	200.80	- 10.70	.5216	----	----	----	----	----	----	----	8	UNCH	1	1	
4290	----	----	----	221.80B/194.70A	221.80B/194.70A	----	----	----	----	203.60	- 10.80	.5261	----	----	----	----	----	----	----	2	UNCH	1	1	
4295	----	----	----	224.60B/197.50A	224.60B/197.50A	----	----	----	----	206.50	- 10.90	.5305	----	----	----	----	----	----	----	31	UNCH	1	1	
4300	----	----	----	227.70B/200.50A	227.70B/200.50A	----	----	----	----	209.40	- 10.90	.5350	----	----	----	----	11	----	----	211	+	9	1	
4310	----	----	----	233.80B/206.00A	233.80B/206.00A	----	----	----	----	215.20	- 11.10	.5438	----	----	----	----	----	----	----	50	UNCH	1	1	
4315	----	----	----	236.90B/208.80A	236.90B/208.80A	----	----	----	----	218.20	- 11.20	.5482	----	----	----	----	----	----	----	7	UNCH	1	1	
4320	----	----	----	240.00B/211.60A	240.00B/211.60A	----	----	----	----	221.20	- 11.20	.5526	----	----	----	----	----	----	----	8	UNCH	1	1	
4325	----	----	----	243.10B/214.60A	243.10B/214.60A	----	----	----	----	224.20	- 11.30	.5570	----	----	----	----	----	----	----	7	UNCH	1	1	
4330	----	----	----	246.40B/217.50A	246.40B/217.50A	----	----	----	----	227.20	- 11.40	.5614	----	----	----	----	----	----	----	70	UNCH	1	1	
4335	----	----	----	249.50B/220.40A	249.50B/220.40A	----	----	----	----	230.30	- 11.40	.5657	----	----	----	----	----	----	----	1	UNCH	1	1	
4340	----	----	----	252.80B/223.40A	252.80B/223.40A	----	----	----	----	233.30	- 11.60	.5701	----	----	----	----	----	----	----	9	UNCH	1	1	
4345	----	----	----	255.70B/226.40A	255.70B/226.40A	----	----	----	----	236.40	- 11.60	.5744	----	----	----	----	----	----	----	16	UNCH	1	1	
4350	----	----	----	258.60B/229.50A	258.60B/229.50A	----	----	----	----	239.60	- 11.60	.5786	----	----	----	----	----	----	----	123	UNCH	1	1	
4355	----	----	----	261.80B/232.50A	261.80B/232.50A	----	----	----	----	242.70	- 11.70	.5829	----	----	----	----	----	----	----	65	UNCH	1	1	
4360	----	----	----	265.10B/235.60A	265.10B/235.60A	----	----	----	----	245.90	- 11.80	.5872	----	----	----	----	----	----	----	4	UNCH	1	1	
4365	----	----	----	268.30B/238.60A	268.30B/238.60A	----	----	----	----	249.10	- 11.80	.5914	----	----	----	----	8	----	----	22	UNCH	1	1	
4370	248.60	248.60	----	271.80B/241.80A	271.80B/241.80A	----	----	----	----	252.30	- 11.90	.5956	----	----	----	----	----	----	----	42	+	8	1	
4375	----	----	----	275.00B/244.90A	275.00B/244.90A	----	----	----	----	255.50	- 12.00	.5998	----	----	----	----	----	----	----	201	UNCH	1	1	
4380	----	----	----	278.50B/248.10A	278.50B/248.10A	----	----	----	----	258.80	- 12.00	.6040	----	----	----	----	----	----	----	27	UNCH	1	1	
4385	----	----	----	281.90B/251.20A	281.90B/251.20A	----	----	----	----	262.00	- 12.10	.6081	----	----	----	----	----	----	----	63	UNCH	1	1	
4390	----	----	----	285.30B/254.70A	285.30B/254.70A	----	----	----	----	265.30	- 12.20	.6122	----	----	----	----	----	----	----	11	UNCH	1	1	
4395	----	----	----	288.80B/259.60A	288.80B/259.60A	----	----	----	----	268.70	- 12.20	.6163	----	----	----	----	----	----	----	11	UNCH	1	1	
4400	----	----	----	292.20B/262.80A	292.20B/262.80A	----	----	----	----	272.00	- 12.30	.6204	----	----	----	----	2	----	----	415	+	1	1	
4405	----	----	----	295.70B/266.30A	295.70B/266.30A	----	----	----	----	275.40	- 12.30	.6244	----	----	----	----	----	----	----	7	UNCH	1	1	
4410	----	----	----	299.20B/269.40A	299.20B/269.40A	----	----	----	----	278.70	- 12.40	.6285	----	----	----	----	----	----	----	4	UNCH	1	1	
4415	----	----	----	306.30B/276.10A	306.30B/276.10A	----	----	----	----	285.60	- 12.50	.6365	----	----	----	----	----	----	----	6	UNCH	1	1	
4420	----	----	----	309.80B/279.50A	309.80B/279.50A	----	----	----	----	289.00	- 12.60	.6404	----	----	----	----	----	----	----	94	UNCH	1	1	
4425	----	----	----	313.30B/282.90A	313.30B/282.90A	----	----	----	----	292.50	- 12.60	.6443	----	----	----	----	----	----	----	2	UNCH	1	1	
4430	----	----	----	317.00B/286.30A	317.00B/286.30A	----	----	----	----	296.00	- 12.60	.6482	----	----	----	----	----	----	----	5	UNCH	1	1	
4435	----	----	----	320.60B/289.70A	320.60B/289.70A	----	----	----	----	299.50	- 12.70	.6521	----	----	----	----	----	----	----	11	UNCH	1	1	
4440	----	----	----	324.20B/293.40A	324.20B/293.40A	----	----	----	----	303.00	- 12.80	.6559	----	----	----	----	----	----	----	1	UNCH	1	1	
4445	----	----	----	327.90B/296.60A	327.90B/296.60A	----	----	----	----	306.60	- 12.80	.6598	----	----	----	----	1	----						

BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
GLOBAL OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST									
COMEX GOLD OPTIONS																						
OG PUT																						
FEB27																						
2700	----	----	----/2.70A	2.70B/2.70A	----	----	2.60 - 0.20	.0084	----	----	----	----	10	UNCH								
2775	----	----	----/3.20A	3.20B/3.20A	----	----	3.10 - 0.20	.0102	----	----	----	----	1	UNCH								
2800	3.30	3.30	3.40/3.30	3.50B/3.30	----	----	3.30 - 0.20	.0109	----	----	2	----	45	UNCH								
2850	----	----	----/3.80A	3.90B/3.80A	----	----	3.80 - 0.20	.0126	----	----	----	----	1	UNCH								
2900	4.10	4.10	4.10/4.10	4.40B/4.10	----	----	4.30 - 0.20	.0144	----	1	----	----	17	+	1							
2950	----	----	----/4.80A	4.90B/4.80A	----	----	4.80 - 0.30	.0163	----	----	----	----	1	UNCH								
2960	----	----	----/4.90A	5.10B/4.90A	----	----	4.90 - 0.30	.0167	----	----	----	----	1	UNCH								
2980	----	----	----/5.10A	5.30B/5.10A	----	----	5.20 - 0.20	.0177	----	----	----	----	60	UNCH								
3000	----	----	----/5.40A	5.60B/5.40A	----	----	5.40 - 0.30	.0185	----	----	----	----	234	UNCH								
3005	----	----	----/5.40A	5.70B/5.40A	----	----	5.50 - 0.30	.0188	----	----	----	----	15	UNCH								
3020	----	----	----/5.60A	5.90B/5.60A	----	----	5.70 - 0.30	.0196	----	----	----	----	14	UNCH								
3025	----	----	----/5.70A	6.00B/5.70A	----	----	5.80 - 0.30	.0199	----	----	----	----	2	UNCH								
3040	----	----	----/5.90A	6.20B/5.90A	----	----	6.00 - 0.30	.0207	----	----	----	----	300	UNCH								
3050	----	----	----/6.00A	6.40B/6.00A	----	----	6.20 - 0.30	.0213	----	----	----	----	5	UNCH								
3090	----	----	----/6.70A	7.10B/6.70A	----	----	6.80 - 0.30	.0236	----	----	----	----	5	UNCH								
3095	----	----	----/6.80A	7.10B/6.80A	----	----	6.90 - 0.30	.0239	----	----	----	----	20	UNCH								
3100	----	----	----/6.80A	7.20B/6.80A	----	----	7.00 - 0.30	.0243	----	----	----	----	9	UNCH								
3110	----	----	----/7.00A	7.40B/7.00A	----	----	7.20 - 0.30	.0250	----	----	----	----	18	UNCH								
3135	----	----	----/7.50A	7.90B/7.50A	----	----	7.60 - 0.40	.0265	----	----	----	----	6	UNCH								
3160	----	----	----/7.90A	8.50B/7.90A	----	----	8.20 - 0.30	.0286	----	----	----	----	2	UNCH								
3200	----	----	----/8.80A	9.40B/8.80A	----	----	9.10 - 0.40	.0319	----	----	----	----	211	UNCH								
3225	----	----	----/9.40A	10.10B/9.40A	----	----	9.70 - 0.40	.0341	----	----	----	----	19	UNCH								
3235	----	----	----/9.60A	10.40B/9.60A	----	----	9.90 - 0.50	.0349	----	----	----	----	6	UNCH								
3250	----	----	10.90B/10.00A	10.90B/10.00A	----	----	10.40 - 0.40	.0366	----	----	----	----	201	UNCH								
3300	----	----	12.50B/11.50A	12.50B/11.50A	----	----	11.90 - 0.50	.0420	----	----	----	----	18	UNCH								
3310	----	----	12.90B/11.80A	12.90B/11.80A	----	----	12.20 - 0.60	.0431	----	----	----	----	2	UNCH								
3315	----	----	13.10B/12.00A	13.10B/12.00A	----	----	12.40 - 0.60	.0438	----	----	----	----	1	UNCH								
3350	----	----	14.40B/13.10A	14.40B/13.10A	----	----	13.70 - 0.60	.0484	----	----	----	----	147	UNCH								
3400	----	----	16.80B/15.10A	16.80B/15.10A	----	----	15.80 - 0.80	.0558	----	----	----	----	34	UNCH								
3425	----	----	18.10B/16.30A	18.10B/16.30A	----	----	16.90 - 0.90	.0597	----	----	----	----	42	UNCH								
3430	----	----	18.40B/16.60A	18.40B/16.60A	----	----	17.20 - 0.90	.0607	----	----	----	----	20	UNCH								
3440	----	----	18.90B/17.00A	18.90B/17.00A	----	----	17.70 - 0.90	.0624	----	----	----	----	5	UNCH								
3445	----	----	19.20B/17.30A	19.20B/17.30A	----	----	18.00 - 0.90	.0634	----	----	----	----	1	UNCH								
3450	----	----	19.50B/17.50A	19.50B/17.50A	----	----	18.20 - 1.00	.0642	----	----	----	----	54	UNCH								
3465	----	----	20.50B/18.40A	20.50B/18.40A	----	----	19.10 - 1.00	.0672	----	----	----	----	6	UNCH								
3475	----	----	21.10B/18.90A	21.10B/18.90A	----	----	19.60 - 1.10	.0690	----	----	----	----	250	UNCH								
3480	----	----	21.40B/19.20A	21.40B/19.20A	----	----	19.90 - 1.10	.0700	----	----	----	----	2	UNCH								
3490	----	----	22.10B/19.70A	22.10B/19.70A	----	----	20.50 - 1.20	.0721	----	----	----	----	20	UNCH								
3500	----	----	22.80B/20.30A	22.80B/20.30A	----	----	21.20 - 1.10	.0744	----	1	----	----	272	UNCH								
3515	----	----	23.90B/21.30A	23.90B/21.30A	----	----	22.20 - 1.20	.0777	----	----	----	----	3	UNCH								
3520	----	----	24.30B/21.60A	24.30B/21.60A	----	----	22.50 - 1.20	.0788	----	----	----	----	22	UNCH								
3525	----	----	24.60B/21.90A	24.60B/21.90A	----	----	22.80 - 1.30	.0798	----	----	----	----	6	UNCH								
3540	----	----	25.80B/23.00A	25.80B/23.00A	----	----	23.90 - 1.30	.0834	----	----	----	----	20	UNCH								
3550	----	----	26.60B/23.70A	26.60B/23.70A	----	----	24.70 - 1.30	.0860	----	----	----	----	2	UNCH								
3555	----	----	27.10B/24.00A	27.10B/24.00A	----	----	25.00 - 1.50	.0871	----	----	----	----	25	UNCH								
3575	----	----	28.80B/25.50A	28.80B/25.50A	----	----	26.60 - 1.60	.0923	----	----	----	----	205	UNCH								
3585	----	----	29.70B/26.40A	29.70B/26.40A	----	----	27.50 - 1.60	.0952	----	----	----	----	1	UNCH								
3590	----	----	30.20B/26.80A	30.20B/26.80A	----	----	27.90 - 1.60	.0965	----	----	----	----	19	UNCH								
3600	----	----	31.30B/27.60A	31.30B/27.60A	----	----	28.80 - 1.70	.0994	----	----	----	1109	UNCH									
3605	----	----	31.70B/28.10A	31.70B/28.10A	----	----	29.20 - 1.70	.1008	----	----	----	----	18	UNCH								
3610	----	----	32.20B/28.40A	32.20B/28.40A	----	----	29.70 - 1.70	.1023	----	----	----	----	8	UNCH								
3625	----	----	33.80B/29.80A	33.80B/29.80A	----	----	31.10 - 1.90	.1068	----	----	----	----	11	UNCH								
3630	----	----	34.30B/30.30A	34.30B/30.30A	----	----	31.60 - 1.90	.1084	----	----	----	----	2	UNCH								
3645	----	----	36.10B/31.70A	36.10B/31.70A	----	----	33.20 - 1.90	.1133	----	----	----	----	26	UNCH								
3650	----	----	36.70B/32.20A	36.70B/32.20A	----	----	33.70 - 2.00	.1149	----	1	----	332	+	1								
3660	----	----	37.90B/33.30A	37.90B/33.30A	----	----	34.80 - 2.10	.1183	----	----	----	----	2	UNCH								
3665	----	----	38.50B/33.80A	38.50B/33.80A	----	----	35.30 - 2.20	.1200	----	----	----	----	5	UNCH								
3675	37.70	37.70	39.70B/34.90A	39.70B/34.90A	----	----	36.50	NEW	.1236	4	----	4	+	4								
3680	38.70	38.70	40.40B/35.60A	40.40B/35.60A	----	----	37.10 - 2.20	.1254	7	----	7	23	+	7								
3695	----	----	42.50B/37.30A	42.50B/37.30A	----	----	38.90 - 2.30	.1309	----	----	----	----	16	UNCH								
3700	40.70	40.70	43.20B/37.80A	43.20B/37.80A	----	----	39.50 - 2.40	.1327	18	1088	+	18										
3705	41.50	41.50	43.90B/38.50A	43.90B/38.50A	----	----	40.10 - 2.50	.1346	5	6	+	4										
3710	----	----	44.60B/39.00A	44.60B/39.00A	----	----	40.80 - 2.50	.1366	----	----	----	----	9	UNCH								
3715	43.60	43.60	45.30B/39.70A	45.30B/39.70A	----	----	41.50	NEW	.1386	16	----	16	+	16								
3720	----	----	46.00B/40.20A	46.00B/40.20A	----	----	42.10 - 2.60	.1405	----	----	----	----	19	UNCH								
3725	43.60	43.60	46.70B/41.00A	46.70B/41.00A	----	----	42.80 - 2.60	.1426	24	26	+	24										
3730	----	----	47.60B/41.60A	47.60B/41.60A	----	----	43.50 - 2.70	.1446	----	----	----	----	7	UNCH								
3745	47.00	47.00	49.90B/43.70A	49.90B/43.70A	----	----	45.60 - 2.80	.1508	10	25	+	10										
3750	----	----	50.80B/44.40A	50.80B/44.40A	----	----	46.40 - 2.80	.1531	----	47	UNCH											
3780	----	----	55.90B/48.90A	55.90B/48.90A	----	----	51.10 - 3.10	.1665	----	1	UNCH											
3785	----	----	56.80B/49.60A	56.80B/49.60A	----	----	51.90	NEW	.1688	1	+	1										
3790	----	----	57.80B/50.50A	57.80B/50.50A	----	----	52.80 - 3.20	.1712	----	6	UNCH											
3795	----	----	58.70B/51.30A	58.70B/51.30A	----	----	53.60 - 3.30	.1735	----	5	UNCH											
3800	----	----	59.70B/52.10A																			

PG64		BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	OPEN OUTCRY CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG PUT		COMEX GOLD OPTIONS																						
FEB27																								
4165	----	----	----	----	179.40B/158.80A	179.40B/158.80A	----	----	165.40	- 8.40	.4178	----	----	----	----	20	UNCH							
4170	----	----	----	----	181.80B/161.00A	181.80B/161.00A	----	----	167.70	- 8.50	.4218	----	----	----	----	6	UNCH							
4175	----	----	----	----	184.20B/163.30A	184.20B/163.30A	----	----	170.00	- 8.60	.4257	----	----	----	----	16	UNCH							
4185	173.10	173.10	----	----	189.20B/167.80A	189.20B/167.80A	----	----	174.70	- 8.70	.4336	----	1	----	5 +	1	UNCH							
4190	----	----	----	----	191.70B/170.10A	191.70B/170.10A	----	----	177.00	- 8.90	.4376	----	----	----	----	2	UNCH							
4195	----	----	----	----	194.20B/172.40A	194.20B/172.40A	----	----	179.40	- 8.90	.4415	----	----	----	----	22	UNCH							
4200	190.30	190.30	----	----	196.70B/174.80A	196.70B/174.80A	----	----	181.80	- 9.00	.4455	----	93	----	458 -	16	UNCH							
4205	----	----	----	----	199.30B/177.10A	199.30B/177.10A	----	----	184.30	- 9.10	.4495	----	----	----	----	8	UNCH							
4210	188.20	188.20	----	----	201.90B/179.50A	201.90B/179.50A	----	----	186.70	- 9.20	.4534	----	1	----	10 +	1	UNCH							
4220	----	----	----	----	207.10B/184.30A	207.10B/184.30A	----	----	191.70	- 9.40	.4614	----	2	----	24 +	2	UNCH							
4225	198.00	198.00	----	----	209.80B/186.80A	209.80B/186.80A	----	----	194.20	- 9.50	.4653	----	3	----	22 +	3	UNCH							
4230	198.70	198.70	----	----	212.50B/189.20A	212.50B/189.20A	----	----	196.80	- 9.50	.4693	----	1	----	19 +	1	UNCH							
4235	198.90	198.90	----	----	215.20B/191.70A	215.20B/191.70A	----	----	199.30	- 9.70	.4733	----	19	----	42 +	6	UNCH							
4240	----	----	----	----	218.00B/194.20A	218.00B/194.20A	----	----	201.90	- 9.70	.4773	----	----	----	3	UNCH								
4245	----	----	----	----	220.60B/196.80A	220.60B/196.80A	----	----	204.50	- 9.80	.4812	----	8	----	21 +	2	UNCH							
4250	----	----	----	----	223.50B/199.30A	223.50B/199.30A	----	----	207.20	- 9.90	.4852	----	----	----	463	UNCH								
4255	----	----	----	----	226.10B/201.90A	226.10B/201.90A	----	----	209.80	-10.00	.4891	----	----	----	30	UNCH								
4260	221.80	221.80	----	----	229.00B/204.50A	229.00B/204.50A	----	----	212.50	-10.10	.4931	----	3	----	9 +	3	UNCH							
4265	218.90	218.90	----	----	231.80B/207.10A	231.80B/207.10A	----	----	215.20	-10.20	.4970	----	6	----	22 +	5	UNCH							
4270	223.90	223.90	----	----	234.60B/209.80A	234.60B/209.80A	----	----	217.90	-10.30	.5009	----	10	----	32 +	9	UNCH							
4275	----	----	----	----	237.60B/212.40A	237.60B/212.40A	----	----	220.70	-10.30	.5049	----	----	----	58	UNCH								
4280	----	----	----	----	240.50B/215.10A	240.50B/215.10A	----	----	223.40	-10.40	.5088	----	----	----	28	UNCH								
4285	----	----	----	----	243.40B/217.80A	243.40B/217.80A	----	----	226.20	-10.50	.5127	----	----	----	6	UNCH								
4290	----	----	----	----	246.30B/220.50A	246.30B/220.50A	----	----	229.00	-10.60	.5166	----	----	----	4	UNCH								
4300	----	----	----	----	252.20B/226.00A	252.20B/226.00A	----	----	234.70	-10.70	.5244	----	----	----	289	UNCH								
4315	----	----	----	----	261.20B/234.50A	261.20B/234.50A	----	----	243.40	-11.00	.5360	----	----	----	113	UNCH								
4320	----	----	----	----	264.40B/237.50A	264.40B/237.50A	----	----	246.30	-11.10	.5398	----	----	----	50	UNCH								
4325	----	----	----	----	267.40B/240.20A	267.40B/240.20A	----	----	249.30	-11.10	.5436	----	----	----	19	UNCH								
4330	----	----	----	----	270.50B/243.10A	270.50B/243.10A	----	----	252.30	-11.20	.5475	----	----	----	6	UNCH								
4335	----	----	----	----	273.70B/246.20A	273.70B/246.20A	----	----	255.30	-11.20	.5513	----	----	----	136	UNCH								
4340	----	----	----	----	276.80B/249.10A	276.80B/249.10A	----	----	258.30	-11.30	.5551	----	----	----	23	UNCH								
4345	----	----	----	----	279.80B/251.90A	279.80B/251.90A	----	----	261.40	-11.30	.5589	----	----	----	31	UNCH								
4350	----	----	----	----	283.10B/254.90A	283.10B/254.90A	----	----	264.40	-11.50	.5627	----	----	----	28	UNCH								
4355	----	----	----	----	286.30B/257.90A	286.30B/257.90A	----	----	267.50	-11.50	.5664	----	----	----	5	UNCH								
4360	----	----	----	----	289.70B/261.00A	289.70B/261.00A	----	----	270.60	-11.60	.5701	----	----	----	19	UNCH								
4365	----	----	----	----	292.60B/264.00A	292.60B/264.00A	----	----	273.80	-11.60	.5739	----	----	----	50	UNCH								
4370	----	----	----	----	295.90B/267.10A	295.90B/267.10A	----	----	276.90	-11.70	.5776	----	----	----	37	UNCH								
4375	----	----	----	----	299.10B/270.10A	299.10B/270.10A	----	----	280.10	-11.70	.5813	----	----	----	25	UNCH								
4380	----	----	----	----	300.70B/273.20A	300.70B/273.20A	----	----	283.30	-11.70	.5849	----	----	----	21	UNCH								
4385	----	----	----	----	303.80B/276.30A	303.80B/276.30A	----	----	286.50	-11.80	.5886	----	----	----	207	UNCH								
4390	----	----	----	----	307.30B/279.50A	307.30B/279.50A	----	----	289.70	-11.90	.5922	----	----	----	60	UNCH								
4395	----	----	----	----	310.50B/282.60A	310.50B/282.60A	----	----	293.00	-11.90	.5958	----	----	----	7	UNCH								
4400	----	----	----	----	313.80B/285.90A	313.80B/285.90A	----	----	296.30	-11.90	.5995	----	----	----	576	UNCH								
4405	----	----	----	----	317.20B/289.00A	317.20B/289.00A	----	----	299.50	-12.00	.6030	----	----	----	24	UNCH								
4410	----	----	----	----	319.90B/292.20A	319.90B/292.20A	----	----	302.80	-12.10	.6066	----	----	----	18	UNCH								
4425	----	----	----	----	330.10B/302.60A	330.10B/302.60A	----	----	312.90	-12.20	.6172	----	----	----	10	UNCH								
4430	----	----	----	----	333.50B/305.90A	333.50B/305.90A	----	----	316.30	-12.20	.6207	----	----	----	255	UNCH								
4435	----	----	----	----	337.00B/309.30A	337.00B/309.30A	----	----	319.70	-12.20	.6242	----	----	----	5	UNCH								
4440	----	----	----	----	340.40B/312.60A	340.40B/312.60A	----	----	323.10	-12.30	.6276	----	----	----	6	UNCH								
4445	----	----	----	----	343.90B/318.00A	343.90B/318.00A	----	----	326.50	-12.40	.6311	----	----	----	11	UNCH								
4450	----	----	----	----	347.40B/321.40A	347.40B/321.40A	----	----	330.00	-12.40	.6345	----	----	----	193	UNCH								
4455	----	----	----	----	351.00B/324.80A	351.00B/324.80A	----	----	333.40	-12.50	.6378	----	----	----	9	UNCH								
4460	----	----	----	----	354.50B/328.20A	354.50B/328.20A	----	----	336.90	-12.50	.6412	----	----	----	74	UNCH								
4465	----	----	----	----	358.00B/331.60A	358.00B/331.60A	----	----	340.40	-12.50	.6447	----	----	----	13	UNCH								
4470	----	----	----	----	361.60B/335.10A	361.60B/335.10A	----	----	344.00	-12.50	.6480	----	----	----	6	UNCH								
4475	----	----	----	----	365.20B/338.60A	365.20B/338.60A	----	----	347.50	-12.60	.6513	----	----	----	25	UNCH								
4480	----	----	----	----	368.80B/342.10A	368.80B/342.10A	----	----	351.00	-12.70	.6546	----	----	----	8	UNCH								
4490	364.80	364.80	----	----	376.10B/349.10A	376.10B/349.10A	----	----	358.20	-12.70	.6612	----	6	----	23 -	1	UNCH							
4495	368.60	368.60	----	----	379.70B/352.70A	379.70B/352.70A	----	----	361.80	-12.80	.6643	----	3	----	28	1	UNCH							
4500	372.10	372.10	----	----	383.40B/356.30A	383.40B/356.30A	----	----	365.40	-12.80	.6675	----	6	----	123	UNCH								
4505	382.10	382.10	----	----	387.00B/359.80A	387.00B/359.80A	----	----	369.10	-12.80	.6708	----	3	----	15	UNCH								
4510	----	----	----	----	390.70B/363.40A	390.70B/363.40A	----	----	372.70	-12.90	.6740	----	----	----	5	UNCH								
4515	----	----	----	----	394.40B/367.00A	394.40B/367.00A	----	----	376.40	-12.90	.6771	----	----	----	20	UNCH								
4520	----	----	----	----	398.20B/370.70A	398.20B/370.70A	----	----	380.10	-12.90	.6802	----	----	----	50	UNCH								
4550	----	----	----	----	420.80B/392.80A	420.80B/392.80A	----	----	402.50	-13.10	.6986	----	----	----	109	UNCH								
4555	----	----	----	----	424.60B/396.70A	424.60B/396.70A	----	----	406.30	-13.20	.7015	----	----	----	1	UNCH								
4570	----	----	----	----	436.20B/407.90A	436.20B/407.90A	----	----	417.70	-13.30	.7103	----	----	----	19	UNCH								
4575	----	----	----	----	440.10B/411.70A	440.10B/411.70A	----	----	421.50	-13.40	.7133	----	----	----	32	UNCH								
4580	----	----	----	----	444.00B/415.50A	444.00B/415.50A	----	----	425.40	-13.40	.7161	----	----	----	3	UNCH								
4585	----	----	----	----	447.90B/419.30A	447.90B/419.30A	----	----	429.30	-13.40	.7189	----	----	----	18	UNCH								
4600	----	----	----	----	459.70B/430.90A	459.70B/430.90A	----	----	441.00	-13.50	.7273	----	----	----	165	UNCH								
4615	----	----	----	----	471.60B/442.70A	471.60B/442.70A	----	----	452.80	-13.60	.7355	----	----	----	1	UNCH								
4625	----	----	----	----	479.60B/450.50A	479.60B/450.50A	----	----	460.70	-13.70	.7408	----	----	----	3	UNCH								
4630	----	----	----	----	483.60B/454.40A	483.60B/454.40A	----	----	464.70	-13.70	.7435	----	----	----	7	UNCH								
4635	----	----	----	----	487.60B/458.60A	487.60B/458.60A	----	----	468.70	-13.80	.7462	----	----	----	2	UNCH								
4640	----	----	----	----	491.60B/462.40A	491.60B/462.40A	----	----	472.70	-13.80	.7487	----	----	----	3	UNCH								
4650	----	----	----	----	499.80B/470.60A	499.80B/470.60A	----	----	480.80	-13.80	.7537	----	----	----	1	UNCH								
4655	----	----	----	----	503.80B/474.60A	503.80B/474.60A	----	----	484.90	-13.80	.7564	----	----	----	1	UNCH								
4660	----	----	----	----	507.90B/478.20A	507.90B/478.20A	----	----	488.90	-13.90	.7588	----	----	----	443	UNCH								
4665	----	----	----	----	512.00B/482.50A	512.00B/482.50A	----	----	493.00	-13.90	.7613	----	----	----	3	UNCH								
4680	----	----	----	----	524.40B/494.60A	524.40B/494.60A	----	----	505.30	-14.00	.7686	----	----	----	3	UNCH								
4690	----	----	----	----	532.60B/503.00A	532.60B/503.00A	----	----	513.60	-14.00	.7734	----	----	----	1	UNCH								
4695	----	----	----	----	536.80B/506.90A	536.80B/506.90A	----	----	517.70	-14.10	.7758	----	----	----	28	UNCH								
4700	----	----	----	----	541.00B/511.10A	541.00B/511.10																		

PG64		BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	OPEN OUTCRY CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG PUT		COMEX GOLD OPTIONS																						
MAR27																								
3400	----	----	----	----	/20.20A	21.10B/20.20A	----	----	20.50	- 0.90	.0641	----	----	----	----	401	UNCH							
3425	----	----	----	----	/21.60A	22.70B/21.60A	----	----	21.90	- 1.00	.0684	----	----	----	----	29	UNCH							
3450	----	----	----	----	/23.10A	24.20B/23.10A	----	----	23.50	- 1.00	.0731	----	----	----	----	43	UNCH							
3500	----	----	----	----	/26.60A	28.20B/26.60A	----	----	27.00	- 1.30	.0835	----	----	----	----	494	UNCH							
3525	----	----	----	----	/28.50A	30.10B/28.50A	----	----	29.00	- 1.40	.0893	----	----	----	----	120	UNCH							
3540	----	----	----	----	/29.70A	31.50B/29.70A	----	----	30.20	- 1.50	.0928	----	----	----	----	1	UNCH							
3545	----	----	----	----	/30.10A	31.90B/30.10A	----	----	30.70	- 1.50	.0942	----	----	----	----	1	UNCH							
3550	----	----	----	----	/30.60A	32.50B/30.60A	----	----	31.10	- 1.50	.0954	----	----	----	----	250	UNCH							
3565	----	----	----	----	/31.90A	34.10B/31.90A	----	----	32.50	- 1.60	.0993	----	----	----	----	2	UNCH							
3575	----	----	----	----	/32.80A	35.10B/32.80A	----	----	33.40	- 1.70	.1019	----	----	----	----	20	UNCH							
3580	----	----	----	----	/33.30A	35.60B/33.30A	----	----	33.90	- 1.70	.1033	----	----	----	----	1	UNCH							
3600	----	----	----	----	37.80B/35.10A	37.80B/35.10A	----	----	35.90	- 1.80	.1089	----	----	----	----	1501	UNCH							
3650	----	----	----	----	44.20B/40.50A	44.20B/40.50A	----	----	41.60	- 2.00	.1244	----	----	----	----	129	UNCH							
3700	----	----	----	----	51.30B/46.80A	51.30B/46.80A	----	----	48.20	- 2.30	.1417	----	----	----	----	29	UNCH							
3725	----	----	----	----	55.20B/50.20A	55.20B/50.20A	----	----	51.80	- 2.60	.1510	----	----	----	----	17	UNCH							
3740	----	----	----	----	57.70B/52.50A	57.70B/52.50A	----	----	54.20	- 2.60	.1570	----	----	----	----	29	UNCH							
3750	----	----	----	----	59.60B/54.10A	59.60B/54.10A	----	----	55.80	- 2.70	.1611	----	----	----	----	10	UNCH							
3760	----	----	----	----	61.30B/55.50A	61.30B/55.50A	----	----	57.40	- 2.80	.1651	----	----	----	----	1	UNCH							
3775	----	----	----	----	64.10B/58.10A	64.10B/58.10A	----	----	60.00	- 2.90	.1715	----	----	----	----	1	UNCH							
3780	----	----	----	----	65.00B/58.90A	65.00B/58.90A	----	----	60.90	- 2.90	.1737	----	----	----	----	25	UNCH							
3785	----	----	----	----	66.00B/59.80A	66.00B/59.80A	----	----	61.80	- 3.00	.1759	----	----	----	----	1	UNCH							
3790	----	----	----	----	66.90B/60.70A	66.90B/60.70A	----	----	62.70	- 3.00	.1780	----	----	----	----	1	UNCH							
3795	----	----	----	----	67.90B/61.60A	67.90B/61.60A	----	----	63.60	- 3.10	.1802	----	----	----	----	1	UNCH							
3800	----	----	----	----	68.90B/62.30A	68.90B/62.30A	----	----	64.60	- 3.10	.1826	----	----	----	----	96	UNCH							
3810	----	----	----	----	71.00B/64.10A	71.00B/64.10A	----	----	66.50	- 3.10	.1871	----	----	----	----	1	UNCH							
3815	----	----	----	----	72.10B/65.10A	72.10B/65.10A	----	----	67.40	- 3.30	.1893	----	----	----	----	1	UNCH							
3820	----	----	----	----	73.00B/66.20A	73.00B/66.20A	----	----	68.40	- 3.30	.1917	----	----	----	----	30	UNCH							
3825	----	----	----	----	74.30B/67.10A	74.30B/67.10A	----	----	69.40	- 3.30	.1940	----	----	----	----	131	UNCH							
3830	----	----	----	----	75.30B/68.10A	75.30B/68.10A	----	----	70.40	- 3.40	.1964	----	----	----	----	1	UNCH							
3840	----	----	----	----	77.40B/70.00A	77.40B/70.00A	----	----	72.50	- 3.50	.2012	----	----	----	----	2	UNCH							
3845	----	----	----	----	78.50B/71.00A	78.50B/71.00A	----	----	73.60	- 3.50	.2037	----	----	----	----	1	UNCH							
3850	----	----	----	----	79.80B/72.10A	79.80B/72.10A	----	----	74.60	- 3.60	.2061	----	----	----	----	48	UNCH							
3855	----	----	----	----	81.00B/73.10A	81.00B/73.10A	----	----	75.70	- 3.60	.2086	----	----	----	----	3	UNCH							
3860	----	----	----	----	82.10B/74.10A	82.10B/74.10A	----	----	76.80	- 3.60	.2111	----	----	----	----	2	UNCH							
3865	----	----	----	----	83.30B/75.20A	83.30B/75.20A	----	----	77.90	- 3.70	.2136	----	----	----	----	26	UNCH							
3870	----	----	----	----	84.60B/76.30A	84.60B/76.30A	----	----	79.00	- 3.80	.2161	----	----	----	----	3	UNCH							
3875	----	----	----	----	85.80B/77.30A	85.80B/77.30A	----	----	80.20	- 3.80	.2187	----	----	----	----	12	UNCH							
3885	----	----	----	----	88.30B/79.40A	88.30B/79.40A	----	----	82.50	- 3.90	.2239	----	----	----	----	1	UNCH							
3890	----	----	----	----	89.60B/80.70A	89.60B/80.70A	----	----	83.70	- 3.90	.2265	----	----	----	----	1	UNCH							
3900	89.20	89.20	89.20	89.20	92.10B/83.00A	92.10B/83.00A	----	----	86.10	- 4.10	.2318	----	----	150	----	1214	- 63							
3935	----	----	----	----	101.80B/91.70A	101.80B/91.70A	----	----	95.00	- 4.50	.2510	----	----	----	----	213	UNCH							
3945	----	----	----	----	104.60B/94.20A	104.60B/94.20A	----	----	97.70	- 4.60	.2566	----	----	----	----	25	UNCH							
3950	----	----	----	----	106.10B/95.40A	106.10B/95.40A	----	----	99.10	- 4.70	.2595	----	----	----	----	5	UNCH							
3975	----	----	----	----	113.70B/102.40A	113.70B/102.40A	----	----	106.20	- 5.00	.2741	----	----	----	----	1	UNCH							
4000	----	----	----	----	121.90B/109.80A	121.90B/109.80A	----	----	113.70	- 5.40	.2891	----	----	----	----	89	UNCH							
4020	----	----	----	----	128.70B/115.60A	128.70B/115.60A	----	----	120.10	- 5.60	.3015	----	----	----	----	40	UNCH							
4050	----	----	----	----	139.50B/125.50A	139.50B/125.50A	----	----	130.20	- 6.00	.3205	----	----	----	----	40	UNCH							
4070	----	----	----	----	147.10B/132.30A	147.10B/132.30A	----	----	137.20	- 6.30	.3334	----	----	----	----	1	UNCH							
4075	----	----	----	----	149.00B/134.20A	149.00B/134.20A	----	----	139.10	- 6.30	.3367	----	----	----	----	249	UNCH							
4080	----	----	----	----	150.90B/135.80A	150.90B/135.80A	----	----	140.90	- 6.40	.3400	----	----	----	----	1	UNCH							
4100	----	----	----	----	159.00B/143.30A	159.00B/143.30A	----	----	148.50	- 6.60	.3533	----	----	----	----	340	UNCH							
4130	----	----	----	----	171.60B/154.70A	171.60B/154.70A	----	----	160.40	- 7.10	.3735	----	----	----	----	390	UNCH							
4135	----	----	----	----	173.80B/156.50A	173.80B/156.50A	----	----	162.40	- 7.20	.3769	----	----	----	----	40	UNCH							
4140	----	----	----	----	176.10B/158.50A	176.10B/158.50A	----	----	164.50	- 7.20	.3803	----	----	----	----	2	UNCH							
4145	----	----	----	----	178.10B/160.80A	178.10B/160.80A	----	----	166.60	- 7.30	.3837	----	----	----	----	1	UNCH							
4150	169.00	169.00	169.00	169.00	180.40B/162.80A	180.40B/162.80A	----	----	168.70	- 7.30	.3872	----	----	1	----	12	+							
4155	----	----	----	----	182.70B/164.80A	182.70B/164.80A	----	----	170.80	- 7.40	.3906	----	----	----	----	21	UNCH							
4160	----	----	----	----	184.90B/167.00A	184.90B/167.00A	----	----	173.00	- 7.50	.3941	----	----	----	----	1	UNCH							
4165	----	----	----	----	187.10B/169.10A	187.10B/169.10A	----	----	175.10	- 7.60	.3975	----	----	----	----	40	UNCH							
4170	----	----	----	----	189.50B/171.30A	189.50B/171.30A	----	----	177.30	- 7.70	.4010	----	----	----	----	1	UNCH							
4175	----	----	----	----	191.90B/173.30A	191.90B/173.30A	----	----	179.60	- 7.60	.4044	----	----	----	----	4	UNCH							
4200	----	----	----	----	204.00B/184.20A	204.00B/184.20A	----	----	190.90	- 8.00	.4219	----	----	----	----	577	UNCH							
4205	----	----	----	----	206.40B/186.40A	206.40B/186.40A	----	----	193.30	- 8.00	.4254	----	----	----	----	4	UNCH							
4215	----	----	----	----	211.10B/191.20A	211.10B/191.20A	----	----	198.00	- 8.20	.4324	----	----	----	----	50	UNCH							
4235	----	----	----	----	221.50B/200.60A	221.50B/200.60A	----	----	207.70	- 8.40	.4464	----	----	----	----	27	UNCH							
4250	----	----	----	----	229.30B/207.80A	229.30B/207.80A	----	----	215.10	- 8.70	.4570	----	----	----	----	19	UNCH							
4255	----	----	----	----	231.80B/210.30A	231.80B/210.30A	----	----	217.60	- 8.80	.4605	----	----	----	----	1	UNCH							
4260	----	----	----	----	234.80B/212.80A	234.80B/212.80A	----	----	220.20	- 8.80	.4640	----	----	----	----	4	UNCH							
4265	----	----	----	----	237.40B/215.30A	237.40B/215.30A	----	----	222.70	- 8.90	.4675	----	----	----	----	1	UNCH							
4270	----	----	----	----	239.90B/217.80A	239.90B/217.80A	----	----	225.30	- 9.00	.4710	----	----	----	----	35	UNCH							
4285	----	----	----	----	248.20B/225.40A	248.20B/225.40A	----	----	233.10	- 9.20	.4816	----	----	----	----	100	UNCH							
4300	----	----	----	----	256.90B/233.10A	256.90B/233.10A	----	----	241.20	- 9.40	.4920	----	----	----	----	201	UNCH							
4320	----	----	----	----	268.20B/243.90A	268.20B/243.90A	----	----	252.10	- 9.80	.5060	----	----	----	----	2	UNCH							
4325	----	----	----	----	270.70B/246.60A	270.70B/246.60A	----	----	254.90	- 9.80	.5094	----	----	----	----	20	UNCH							
4350	----	----	----	----	286.10B/260.30A	286.10B/260.30A	----	----	269.20	- 10.20	.5266	----	----	----	----	41	UNCH							
4370	----	----	----	----	298.10B/271.90A	298.10B/271.90A	----	----	281.00	- 10.40	.5402	----	----	----	----	270	UNCH							
4375	----	----	----	----	300.80B/275.00A	300.80B/275.00A	----	----	284.00	- 10.50	.5436	----	----	----	----	1	UNCH							
4395	----	----	----	----	313.70B/286.80A	313.70B/286.80A	----	----	296.20	- 10.70	.5569	----	----	----	----	4	UNCH							
4400	----	----	----	----	317.10B/289.50A	317.10B/289.50A	----	----	299.30	- 10.70	.5603	----	----	----	----	27	UNCH							
4420	----	----	----	----	329.90B/302.10A	329.90B/302.10A	----	----	311.80	- 11.00	.5734	----	----	----	----	10	UNCH							
4425	----	----	----	----	331.20B/305.10A	331.20B/305.10A	----	----	315.00	- 11.00	.5767	----	----	----	----	4	UNCH							
4440	----	----	----	----	341.10B/314.40A	341.10B/314.40A	----	----	324.50	- 11.20	.5864	----	----	----	----	52	UNCH							
4450	----	----	----	----	344.70B/320.80A	344.70B/320.80A	----	----	331.00	- 11.30	.5928	----	----	----	----	65								

GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT	COMEX GOLD OPTIONS											
APR27	----	----	69.10B/63.50A	69.10B/63.50A	----	65.60 - 2.50	.1691	----	----	----	----	3
3725	----	----	70.10B/64.40A	70.10B/64.40A	----	66.50 - 2.50	.1710	----	----	----	----	20
3730	----	----	71.10B/65.20A	71.10B/65.20A	----	67.40 - 2.50	.1730	----	----	----	----	42
3735	----	----	74.10B/67.90A	74.10B/67.90A	----	70.10 - 2.70	.1790	----	----	----	----	77
3750	----	----	75.00B/68.90A	75.00B/68.90A	----	71.00 - 2.80	.1810	----	----	----	----	20
3755	----	----	80.30B/73.60A	80.30B/73.60A	----	75.90 - 3.10	.1915	----	----	----	----	30
3780	----	----	82.50B/75.60A	82.50B/75.60A	----	78.00 - 3.10	.1958	----	----	----	----	20
3790	85.00	85.00	85.00/77.60A	85.00/77.60A	----	80.00 - 3.30	.2001	----	----	6	----	215 -
3800	----	----	88.30B/80.60A	88.30B/80.60A	----	83.30 - 3.40	.2069	----	----	----	----	20
3815	----	----	89.50B/81.70A	89.50B/81.70A	----	84.40 - 3.50	.2092	----	----	----	----	1
3820	----	----	90.70B/82.80A	90.70B/82.80A	----	85.50 - 3.60	.2114	----	----	----	----	50
3825	----	----	95.50B/87.40A	95.50B/87.40A	----	90.10 - 3.80	.2208	----	----	----	----	50
3845	----	----	96.90B/88.50A	96.90B/88.50A	----	91.30 - 3.80	.2231	----	----	----	----	37
3850	----	----	98.20B/89.70A	98.20B/89.70A	----	92.50 - 3.90	.2255	----	----	----	----	12
3855	----	----	99.50B/90.80A	99.50B/90.80A	----	93.70 - 3.90	.2279	----	----	----	----	77
3860	----	----	100.80B/91.90A	100.80B/91.90A	----	94.90 - 4.00	.2303	----	----	----	----	50
3865	----	----	106.20B/96.90A	106.20B/96.90A	----	100.00 - 4.10	.2402	----	----	----	----	1
3885	----	----	109.10B/99.40A	109.10B/99.40A	----	102.60 - 4.30	.2453	----	----	----	----	40
3895	----	----	110.40B/100.60A	110.40B/100.60A	----	104.00 - 4.20	.2479	----	100	----	----	325 +
3900	----	----	111.80B/101.90A	111.80B/101.90A	----	105.30 - 4.30	.2504	----	----	----	----	20
3905	----	----	113.30B/103.40A	113.30B/103.40A	----	106.70 - 4.30	.2530	----	----	----	----	1
3910	----	----	117.80B/107.30A	117.80B/107.30A	----	110.90 - 4.40	.2608	----	----	----	----	5
3925	----	----	119.30B/108.80A	119.30B/108.80A	----	112.30 - 4.50	.2635	----	----	----	----	20
3930	----	----	120.80B/110.20A	120.80B/110.20A	----	113.80 - 4.50	.2662	----	----	----	----	6
3935	----	----	125.60B/114.60A	125.60B/114.60A	----	118.20 - 4.70	.2742	----	1	----	----	3
3950	----	----	128.70B/117.30A	128.70B/117.30A	----	121.20 - 4.80	.2796	----	----	----	----	2
3960	----	----	132.10B/120.50A	132.10B/120.50A	----	124.30 - 4.80	.2851	----	----	----	----	13
3970	----	----	135.30B/123.30A	135.30B/123.30A	----	127.50 - 4.90	.2907	----	----	----	----	1
3980	----	----	140.60B/128.20A	140.60B/128.20A	----	132.30 - 5.10	.2991	----	----	----	----	4
3995	----	----	142.30B/129.60A	142.30B/129.60A	----	134.00 - 5.10	.3020	----	1	----	----	361
4000	----	----	160.70B/146.60A	160.70B/146.60A	----	151.30 - 5.90	.3310	----	----	----	----	5
4050	----	----	162.70B/148.30A	162.70B/148.30A	----	153.20 - 5.90	.3340	----	----	----	----	50
4055	----	----	164.70B/150.10A	164.70B/150.10A	----	155.00 - 6.00	.3369	----	----	----	----	1
4060	----	----	166.50B/151.90A	166.50B/151.90A	----	156.90 - 6.00	.3399	----	----	----	----	36
4080	----	----	172.60B/157.70A	172.60B/157.70A	----	162.60 - 6.30	.3490	----	----	----	----	1
4095	----	----	178.90B/163.20A	178.90B/163.20A	----	168.40 - 6.50	.3581	----	----	----	----	5
4100	----	----	181.00B/165.00A	181.00B/165.00A	----	170.40 - 6.60	.3611	----	----	----	----	818
4125	----	----	191.60B/174.80A	191.60B/174.80A	----	180.60 - 7.00	.3765	----	----	----	----	353
4145	----	----	200.60B/183.30A	200.60B/183.30A	----	189.00 - 7.30	.3889	----	----	----	----	1
4150	----	----	202.90B/185.20A	202.90B/185.20A	----	191.20 - 7.30	.3921	----	----	----	----	139
4160	----	----	207.50B/189.60A	207.50B/189.60A	----	195.60 - 7.50	.3983	----	----	----	----	30
4165	----	----	209.80B/191.70A	209.80B/191.70A	----	197.80 - 7.50	.4015	----	----	----	----	4
4195	----	----	224.10B/205.20A	224.10B/205.20A	----	211.50 - 7.90	.4204	----	----	----	----	3
4200	----	----	226.70B/207.40A	226.70B/207.40A	----	213.90 - 7.90	.4236	----	----	----	----	174
4210	----	----	231.50B/212.00A	231.50B/212.00A	----	218.60 - 8.10	.4299	----	----	----	----	6
4230	----	----	241.70B/221.90A	241.70B/221.90A	----	228.30 - 8.30	.4426	----	----	----	----	105
4245	----	----	249.70B/228.70A	249.70B/228.70A	----	235.80 - 8.50	.4522	----	----	----	----	1
4250	----	----	252.20B/231.00A	252.20B/231.00A	----	238.30 - 8.60	.4554	----	----	----	----	120
4255	----	----	254.70B/233.70A	254.70B/233.70A	----	240.90 - 8.60	.4586	----	----	----	----	15
4260	----	----	257.40B/236.30A	257.40B/236.30A	----	243.40 - 8.70	.4617	----	----	----	----	15
4275	----	----	265.70B/244.20A	265.70B/244.20A	----	251.20 - 8.90	.4713	----	----	----	----	20
4285	----	----	271.10B/249.40A	271.10B/249.40A	----	256.50 - 9.00	.4776	----	----	----	----	50
4290	----	----	273.90B/251.90A	273.90B/251.90A	----	259.20 - 9.00	.4808	----	----	----	----	1
4300	----	----	279.60B/256.50A	279.60B/256.50A	----	264.50 - 9.20	.4871	----	----	----	----	256
4330	----	----	296.60B/273.10A	296.60B/273.10A	----	281.10 - 9.60	.5060	----	----	----	----	5
4345	----	----	305.50B/281.20A	305.50B/281.20A	----	289.60 - 9.80	.5153	----	----	----	----	6
4350	----	----	308.50B/283.80A	308.50B/283.80A	----	292.50 - 9.80	.5184	----	----	----	----	83
4365	----	----	317.20B/292.70A	317.20B/292.70A	----	301.20 - 10.10	.5277	----	----	----	----	1
4370	----	----	320.10B/295.60A	320.10B/295.60A	----	304.10 - 10.20	.5307	----	----	----	----	1
4375	----	----	323.70B/298.50A	323.70B/298.50A	----	307.00 - 10.30	.5338	----	----	----	----	8
4385	----	----	329.50B/304.30A	329.50B/304.30A	----	313.00 - 10.40	.5399	----	----	----	----	3
4395	----	----	335.80B/310.30A	335.80B/310.30A	----	319.00 - 10.60	.5460	----	----	----	----	2
4400	----	----	339.10B/312.90A	339.10B/312.90A	----	322.10 - 10.60	.5490	----	----	----	----	30
4405	----	----	342.30B/316.20A	342.30B/316.20A	----	325.10 - 10.70	.5520	----	----	----	----	1
4410	----	----	345.50B/319.30A	345.50B/319.30A	----	328.20 - 10.70	.5550	----	----	----	----	2
4415	----	----	348.10B/322.00A	348.10B/322.00A	----	331.30 - 10.80	.5580	----	----	----	----	3
4420	----	----	347.30B/325.40A	347.30B/325.40A	----	334.40 - 10.90	.5610	----	----	----	----	31
4425	----	----	348.80B/328.70A	348.80B/328.70A	----	337.50 - 11.00	.5640	----	----	----	----	5
4430	----	----	---/331.40A	351.70B/331.40A	----	340.70 - 11.00	.5670	----	----	----	----	1
4435	----	----	355.10B/334.50A	355.10B/334.50A	----	343.80 - 11.10	.5699	----	----	----	----	13
4440	----	----	358.40B/337.70A	358.40B/337.70A	----	347.00 - 11.10	.5729	----	----	----	----	50
4450	----	----	364.80B/344.00A	364.80B/344.00A	----	353.40 - 11.20	.5787	----	----	----	----	138
4455	----	----	368.20B/347.10A	368.20B/347.10A	----	356.60 - 11.30	.5816	----	----	----	----	2
4460	----	----	371.50B/350.90A	371.50B/350.90A	----	359.90 - 11.30	.5845	----	----	----	----	2
4465	----	----	374.90B/356.20A	374.90B/356.20A	----	363.10 - 11.40	.5874	----	----	----	----	3
4470	----	----	378.20B/359.50A	378.20B/359.50A	----	366.40 - 11.40	.5902	----	----	----	----	4
4475	----	----	381.60B/362.80A	381.60B/362.80A	----	369.70 - 11.40	.5931	----	----	----	----	2
4480	----	----	385.00B/366.00A	385.00B/366.00A	----	373.00 - 11.40	.5960	----	----	----	----	1
4490	----	----	391.80B/372.60A	391.80B/372.60A	----	379.70 - 11.50	.6016	----	----	----	----	31
4495	----	----	395.20B/375.90A	395.20B/375.90A	----	383.10 - 11.40	.6044	----	----	----	----	11
4500	----	----	398.50B/379.20A	398.50B/379.20A	----	386.50 - 11.40	.6072	----	----	----	----	258
4510	----	----	405.20B/385.90A	405.20B/385.90A	----	393.30 - 11.50	.6127	----	----	----	----	1
4515	----	----	408.70B/389.20A	408.70B/389.20A	----	396.70 - 11.50	.6155	----	----	----	----	1
4535	----	----	---/402.70A	422.00B/402.70A	----	410.50 - 11.60	.6264	----	----	----	----	13
4540	----	----	425.70B/406.10A	425.70B/406.10A	----	414.00 - 11.60	.6291	----	----	----	----	100
4545	----	----	---/409.50A	429.10B/409.50A	----	417.50 - 11.60	.6317	----	----	----	----	1
4550	----	----	432.70B/413.10A	432.70B/413.10A	----	421.10 - 11.50	.6344	----	----	----	----	100
4565	----	----	443.60B/424.20A	443.60B/424.20A	----	431.70 - 11.60	.6423	----	----	----	----	10
4575	----	----	450.80B/431.10A	450.80B/431.10A	----	438.80 - 11.70	.6475	----	----	----	----	50
4590	----	----	461.60B/441.80A	461.60B/441.80A	----	449.50 - 12.00	.6553	----	----	----	----	4
4600	----	----	469.00B/448.90A	469.00B/448.90A	----	456.70 - 12.10	.6605	----	----	----	----	229
4610	----	----	476.40B/456.10A	476.40B/456.10A	----	464.00 - 12.20	.6656	----	----	----	----	4
4620	----	----	483.90B/463.40A	483.90B/463.40A	----	471.30 - 12.40	.6705	----	----	----	----	1
4650	----	----	506.60B/485.60A	506.60B/485.60A	----	493.60 - 12.60	.6852	----	----	----	----	3
4695	----	----	541.30B/519.50A	541.30B/519.50A	----	528.20 - 12.50	.7059	----	----	----	----	1
4700	----	----	545.10B/523.30A	545.10B/523.30A	----	532.10 - 12.50	.7081	----	----	----	----	14
4705	----	----	549.30B/527.20A	549.30B/527.20A	----	536.00 - 12.50	.7103	----	----	----	----	2
4720	----	----	561.00B/538.90A	561.00B/538.90A	----	547.80 - 12.50	.7169	----	----	----	----	9
4725	----	----	565.00B/542.60A	565.00B/542.60A	----	551.70 - 12.50	.7191	----	----	----	----	5
4730	----	----	569.10B/546.50A	569.10B/546.50A	----	555.60 - 12.60	.7213	----	----	----	----	4
4750	----	----	584.90B/562.20A	584.90B/562.20A	----	571.40 - 12.70	.7299	----	----	----	----	1
4765	----	----	597.20B/574.00A	597.20B/574.00								

BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST							
OG PUT		COMEX GOLD OPTIONS																				
MAY27																						
3750	----	----	----	83.10B/77.00A	83.10B/77.00A	----	----	----	78.90 - 3.00	.1815	----	----	----	----	32	UNCH						
3780	----	----	----	89.40B/82.90A	89.40B/82.90A	----	----	----	85.00 - 3.30	.1932	----	----	----	----	1	UNCH						
3790	----	----	----	91.80B/85.10A	91.80B/85.10A	----	----	----	87.10 - 3.40	.1972	----	----	----	----	2	UNCH						
3800	----	----	----	94.10B/87.20A	94.10B/87.20A	----	----	----	89.30 - 3.40	.2013	----	----	----	----	29	UNCH						
3815	----	----	----	97.50B/90.10A	97.50B/90.10A	----	----	----	92.70 - 3.50	.2076	----	----	----	----	25	UNCH						
3820	----	----	----	98.90B/91.20A	98.90B/91.20A	----	----	----	93.80 - 3.60	.2096	----	----	----	----	50	UNCH						
3850	----	----	----	106.40B/98.10A	106.40B/98.10A	----	----	----	100.90 - 3.80	.2225	----	----	----	----	4	UNCH						
3870	----	----	----	111.60B/103.10A	111.60B/103.10A	----	----	----	105.90 - 4.00	.2314	----	----	----	----	20	UNCH						
3900	----	----	----	119.90B/110.70A	119.90B/110.70A	----	----	----	113.80 - 4.20	.2451	----	----	----	----	200	UNCH						
3980	----	----	----	144.80B/133.30A	144.80B/133.30A	----	----	----	137.40 - 4.70	.2840	----	----	----	----	1	UNCH						
4000	----	----	----	151.70B/139.50A	151.70B/139.50A	----	----	----	143.80 - 4.90	.2942	----	----	----	----	22	UNCH						
4035	----	----	----	164.00B/151.40A	164.00B/151.40A	----	----	----	155.70 - 5.20	.3124	----	----	----	----	1	UNCH						
4050	----	----	----	169.50B/156.20A	169.50B/156.20A	----	----	----	161.00 - 5.30	.3203	----	----	----	----	10	UNCH						
4065	169.90	169.90	----	175.40B/161.50A	175.40B/161.50A	----	----	----	166.50 - 5.40	.3284	----	----	5	----	258	+						
4075	----	----	----	179.20B/165.20A	179.20B/165.20A	----	----	----	170.20 - 5.50	.3338	----	----	----	----	1	UNCH						
4100	----	----	----	189.30B/174.40A	189.30B/174.40A	----	----	----	179.70 - 5.80	.3474	----	----	----	----	65	UNCH						
4115	----	----	----	195.30B/180.50A	195.30B/180.50A	----	----	----	185.70 - 5.80	.3557	----	----	----	----	2	UNCH						
4200	----	----	----	233.00B/215.40A	233.00B/215.40A	----	----	----	221.90 - 6.80	.4036	----	----	----	----	310	UNCH						
4240	----	----	----	252.80B/234.00A	252.80B/234.00A	----	----	----	240.60 - 7.20	.4265	----	----	----	----	14	UNCH						
4250	----	----	----	258.00B/238.40A	258.00B/238.40A	----	----	----	245.40 - 7.30	.4323	----	----	----	----	1	UNCH						
4270	----	----	----	268.00B/248.40A	268.00B/248.40A	----	----	----	255.20 - 7.60	.4438	----	----	----	----	10	UNCH						
4300	----	----	----	283.70B/263.10A	283.70B/263.10A	----	----	----	270.40 - 8.00	.4611	----	----	----	----	7	UNCH						
4340	----	----	----	306.00B/283.60A	306.00B/283.60A	----	----	----	291.60 - 8.60	.4841	----	----	----	----	1	UNCH						
4350	----	----	----	311.70B/289.50A	311.70B/289.50A	----	----	----	297.10 - 8.70	.4898	----	----	----	----	24	UNCH						
4400	----	----	----	340.50B/316.70A	340.50B/316.70A	----	----	----	325.30 - 9.40	.5180	----	----	----	----	36	UNCH						
4405	----	----	----	343.30B/319.60A	343.30B/319.60A	----	----	----	328.30 - 9.40	.5208	----	----	----	----	31	UNCH						
4410	----	----	----	346.20B/322.50A	346.20B/322.50A	----	----	----	331.20 - 9.50	.5236	----	----	----	----	1	UNCH						
4450	----	----	----	365.40B/346.00A	365.40B/346.00A	----	----	----	355.20 - 10.00	.5456	----	----	----	----	15	UNCH						
4470	----	----	----	377.90B/360.80A	377.90B/360.80A	----	----	----	367.60 - 10.20	.5564	----	----	----	----	1	UNCH						
4490	----	----	----	390.80B/373.20A	390.80B/373.20A	----	----	----	380.20 - 10.40	.5671	----	----	----	----	1	UNCH						
4495	----	----	----	394.00B/376.30A	394.00B/376.30A	----	----	----	383.40 - 10.40	.5697	----	----	----	----	1	UNCH						
4500	----	----	----	397.30B/379.50A	397.30B/379.50A	----	----	----	386.60 - 10.50	.5723	----	----	----	----	24	UNCH						
4510	----	----	----	403.80B/385.90A	403.80B/385.90A	----	----	----	393.10 - 10.50	.5776	----	----	----	----	4	UNCH						
4550	----	----	----	430.40B/411.80A	430.40B/411.80A	----	----	----	419.50 - 10.80	.5982	----	----	----	----	1	UNCH						
4575	----	----	----	447.60B/428.70A	447.60B/428.70A	----	----	----	436.50 - 10.90	.6107	----	----	----	----	1	UNCH						
4600	----	----	----	----/445.50A	463.70B/445.50A	----	----	----	453.70 - 11.10	.6230	----	----	----	----	6	UNCH						
4640	----	----	----	----/474.70A	492.30B/474.70A	----	----	----	482.00 - 11.20	.6421	----	----	----	----	1	UNCH						
4650	----	----	----	----/481.80A	499.60B/481.80A	----	----	----	489.20 - 11.30	.6467	----	----	----	----	100	UNCH						
4700	----	----	----	----/517.90A	536.60B/517.90A	----	----	----	525.80 - 11.50	.6694	----	----	----	----	71	UNCH						
4725	----	----	----	----/536.30A	555.60B/536.30A	----	----	----	544.40 - 11.70	.6802	----	----	----	----	1	UNCH						
4760	----	----	----	----/562.50A	582.50B/562.50A	----	----	----	571.00 - 11.90	.6950	----	----	----	----	1	UNCH						
4775	----	----	----	----/574.00A	594.20B/574.00A	----	----	----	582.60 - 12.00	.7012	----	----	----	----	3	UNCH						
5050	----	----	----	821.70B/797.30A	821.70B/797.30A	----	----	----	808.00 - 13.30	.7961	----	----	----	----	1	UNCH						
5150	----	----	----	----	774.70B/1017.30A	----	----	----	895.30 - 13.60	.8226	----	----	----	----	339	UNCH						
TOTAL													9	1868 +		7						
JUN27																						
2000	----	----	----	----	1.70B/2.70A	----	----	----	2.30 UNCH	.0047	----	----	----	----	2	UNCH						
2100	----	----	----	----	2.20B/3.20A	----	----	----	2.70 UNCH	.0057	----	----	----	----	1	UNCH						
2400	----	----	----	----	4.20B/5.20A	----	----	----	4.70 UNCH	.0106	----	----	----	----	1	UNCH						
2600	----	----	----	----	6.50B/7.50A	----	----	----	6.90 - 0.10	.0161	----	----	----	----	1	UNCH						
2800	----	----	----	----	9.90B/11.00A	----	----	----	10.40 - 0.20	.0247	----	----	----	----	216	UNCH						
2900	----	----	----	----	12.40B/13.40A	----	----	----	12.90 - 0.20	.0308	----	----	----	----	1	UNCH						
3000	----	----	----	----	15.40B/16.50A	----	----	----	16.00 - 0.30	.0384	----	----	----	----	118	UNCH						
3300	35.00	35.00	----	35.00/31.70A	35.00/31.70A	----	----	----	31.50 - 1.00	.0745	----	----	9	----	119	+						
3500	----	----	----	----/50.50A	51.70B/50.50A	----	----	----	50.80 - 1.60	.1158	----	----	----	----	793	+						
3550	----	----	----	----/56.80A	59.00B/56.80A	----	----	----	57.20 - 1.80	.1288	----	----	----	----	1	UNCH						
3575	----	----	----	62.80B/59.50A	62.80B/59.50A	----	----	----	60.80 - 1.90	.1359	----	----	----	----	2	UNCH						
3600	----	----	----	66.70B/63.10A	66.70B/63.10A	----	----	----	64.50 - 2.00	.1431	----	----	----	----	63	UNCH						
3625	----	----	----	70.90B/66.80A	70.90B/66.80A	----	----	----	68.50 - 2.10	.1508	----	----	----	----	455	UNCH						
3650	----	----	----	75.40B/70.80A	75.40B/70.80A	----	----	----	72.60 - 2.30	.1586	----	----	----	----	2	UNCH						
3655	----	----	----	76.20B/71.80A	76.20B/71.80A	----	----	----	73.50 - 2.30	.1603	----	----	----	----	4	UNCH						
3675	----	----	----	80.00B/75.30A	80.00B/75.30A	----	----	----	77.10 - 2.40	.1669	----	----	----	----	1	UNCH						
3700	82.00	82.00	----	85.00B/79.90A	85.00B/79.90A	----	----	----	81.70 - 2.60	.1754	----	----	9	----	2398	+						
3725	----	----	----	90.20B/84.50A	90.20B/84.50A	----	----	----	86.70 - 2.90	.1844	----	----	----	----	6	UNCH						
3750	----	----	----	95.70B/89.30A	95.70B/89.30A	----	----	----	91.80 - 2.90	.1934	----	----	----	----	140	UNCH						
3775	----	----	----	101.60B/94.90A	101.60B/94.90A	----	----	----	97.30 - 3.00	.2031	----	----	----	----	13	UNCH						
3785	----	----	----	103.90B/97.10A	103.90B/97.10A	----	----	----	99.60 - 3.10	.2070	----	----	----	----	2	UNCH						
3800	----	----	----	107.70B/100.20A	107.70B/100.20A	----	----	----	103.10 - 3.10	.2130	----	----	----	----	588	UNCH						
3805	----	----	----	108.90B/101.40A	108.90B/101.40A	----	----	----	104.20 - 3.30	.2149	----	----	----	----	1	UNCH						
3850	----	----	----	120.80B/112.40A	120.80B/112.40A	----	----	----	115.40 - 3.60	.2335	----	----	----	----	150	UNCH						
3875	----	----	----	127.70B/118.90A	127.70B/118.90A	----	----	----	122.10 - 3.80	.2443	----	----	----	----	1	UNCH						
3900	----	----	----	135.10B/125.60A	135.10B/125.60A	----	----	----	129.10 - 3.90	.2553	----	----	----	----	400	UNCH						
3925	----	----	----	142.90B/132.70A	142.90B/132.70A	----	----	----	136.40 - 4.20	.2666	----	----	----	----	150	UNCH						
3950	----	----	----	150.90B/140.10A	150.90B/140.10A	----	----	----	144.00 - 4.40	.2782	----	----	----	----	651	UNCH						
3970	----	----	----	157.40B/146.30A	157.40B/146.30A	----	----	----	160.30 - 4.60	.2876	----	----	----	----	260	UNCH						
4000	----	----	----	167.90B/156.00A	167.90B/156.00A	----	----	----	150.20 - 5.00	.3020	----	----	1	----	1309	UNCH						
4025	----	----	----	177.00B/164.60A	177.00B/164.60A	----	----	----	168.90 - 5.20	.3143	----	----	----	----	1	UNCH						
4050	----	----	----	186.60B/173.60A	186.60B/173.60A	----	----	----	177.90 - 5.50	.3268	----	----	----	----	600	UNCH						
4075	----	----	----	196.50B/182.50A	196.50B/182.50A	----	----	----	187.30 - 5.70	.3395	----	----	----	----	325	UNCH						
4100	----	----	----	206.80B/192.20A	206.80B/192.20A	----	----	----	197.10 - 6.00	.3524	----	----	----	----	151	UNCH						
4110	----	----	----	210.70B/196.10A	210.70B/196.10A	----	----	----	201.10 - 6.10	.3575	----	----	----	----	44	UNCH						
4130	----	----	----	219.50B/204.00A	219.50B/204.00A	----	----	----	209.30 - 6.30	.3680	----	----	----	----	20	UNCH						
4140	----	----	----	223.80B/208.20A	223.80B/208.20A	----	----	----	213.40 - 6.50	.3732	----	----	----	----	1	UNCH						
4145	----	----	----	226.10B/210.30A	226.10B/210.30A	----	----	----	215.60 - 6.50	.3759	----	----	----	----	100	UNCH						
4185	----	----	----	244.20B/227.20A	244.20B/227.20A	----	----	----	233.00 - 7.00	.3971	----	----	----	----	55	UNCH						
4190	----	----	----	246.70B/229.40A	246.70B/229.40A	----	----	----	235.30 - 7.00	.3998	----	----	----	----	1	UNCH						
4195	----	----	----	249.00B/231.40A	249.00B/231.40A	----	----	----	237.60 - 7.00	.4024	----	----	----	----	20	UNCH						
4200	----	----	----	251.30B/234.10A	251.30B/234.10A	----	----	----	239.80 - 7.20	.4051	----	----	----	----	301	UNCH						
4205	----	----	----	253.60B/235.90A	253.60B/235.90A	----	----	----	242.10 - 7.20	.												

BULLETIN #189@				METALS OPTION PRODUCTS										Thu, Oct 01, 2026				PG64	
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST					
OG PUT	COMEX GOLD OPTIONS																		
TOTAL												19		12223 +	18				
JUL27																			
3000	----	----	----	----	17.90B/19.60A	----	----	18.80 - 0.20	.0417	----	----	----	----	1	UNCH				
3300	----	----	----	-----/35.90A	35.70B/35.90A	----	----	36.20 - 0.60	.0787	----	----	----	----	1	UNCH				
3500	----	----	----	-----/55.80A	56.70B/55.80A	----	----	56.10 - 1.50	.1183	----	----	----	----	3	UNCH				
3750	----	----	----	101.70B/95.90A	101.70B/95.90A	----	----	97.70 NEW	.1916	----	----	6	----	1 +	1				
3800	----	----	----	113.50B/106.70A	113.50B/106.70A	----	----	109.00 - 3.40	.2097	----	----	6	----	7	UNCH				
3905	----	----	----	142.20B/133.40A	142.20B/133.40A	----	----	136.40 - 4.10	.2512	----	----	----	----	3	UNCH				
4050	----	----	----	191.00B/178.70A	191.00B/178.70A	----	----	183.10 NEW	.3152	----	----	6	----	6 +	6				
4150	----	----	----	231.10B/216.40A	231.10B/216.40A	----	----	221.70 - 5.90	.3629	----	----	----	----	1	UNCH				
4310	----	----	----	307.20B/288.10A	307.20B/288.10A	----	----	295.30 - 7.30	.4426	----	----	----	----	3	UNCH				
4315	----	----	----	309.70B/290.50A	309.70B/290.50A	----	----	297.80 - 7.40	.4452	----	----	----	----	2	UNCH				
4325	----	----	----	315.20B/295.70A	315.20B/295.70A	----	----	303.00 - 7.40	.4502	----	----	----	----	2	UNCH				
4335	----	----	----	320.50B/301.00A	320.50B/301.00A	----	----	308.10 - 7.50	.4552	----	----	----	----	1	UNCH				
4340	----	----	----	323.10B/303.30A	323.10B/303.30A	----	----	310.70 - 7.60	.4577	----	----	----	----	5	UNCH				
4350	----	----	----	328.60B/308.50A	328.60B/308.50A	----	----	316.00 - 7.70	.4628	----	----	----	----	1	UNCH				
4360	----	----	----	334.10B/313.70A	334.10B/313.70A	----	----	321.30 - 7.80	.4678	----	----	----	----	2	UNCH				
4370	318.00	318.00		339.60B/318.00	339.60B/318.00	----	----	326.70 - 7.90	.4728	----	----	1	----	3 +	1				
4375	----	----	----	342.40B/321.50A	342.40B/321.50A	----	----	329.40 - 7.90	.4752	----	----	----	----	2	UNCH				
4390	----	----	----	347.10B/329.40A	347.10B/329.40A	----	----	337.60 - 8.10	.4827	----	----	----	----	5	UNCH				
4400	----	----	----	-----/335.00A	350.20B/335.00A	----	----	343.20 - 8.10	.4876	----	----	----	----	5	UNCH				
4475	----	----	----	-----/380.60A	394.20B/380.60A	----	----	386.50 - 8.90	.5242	----	----	----	----	3	UNCH				
4500	----	----	----	-----/395.50A	409.50B/395.50A	----	----	401.60 - 9.10	.5361	----	----	----	----	3	UNCH				
4535	----	----	----	-----/416.80A	431.60B/416.80A	----	----	423.30 - 9.40	.5525	----	----	----	----	3	UNCH				
4540	----	----	----	-----/419.90A	434.70B/419.90A	----	----	426.40 - 9.50	.5548	----	----	----	----	1	UNCH				
4565	----	----	----	-----/435.50A	450.90B/435.50A	----	----	442.30 - 9.70	.5663	----	----	----	----	1	UNCH				
TOTAL												19		65 +	8				
AUG27																			
3000	----	----	----	----	21.20B/23.40A	----	----	22.40 - 0.20	.0468	----	----	----	----	1	UNCH				
3400	----	----	----	-----/54.20A	51.60B/54.20A	----	----	53.90 - 0.70	.1067	----	----	----	----	1	UNCH				
3500	----	----	----	-----/65.50A	65.10B/65.50A	----	----	66.50 - 1.00	.1291	----	----	----	----	1	UNCH				
3950	----	----	----	-----/162.40A	167.80B/162.40A	----	----	165.30 - 3.40	.2776	----	----	----	----	100	UNCH				
4000	----	----	----	-----/178.10A	185.10B/178.10A	----	----	181.90 - 3.70	.2988	----	----	----	----	4	UNCH				
4065	----	----	----	-----/201.20A	208.70B/201.20A	----	----	205.30 - 4.40	.3272	----	----	----	----	300	UNCH				
4185	----	----	----	-----/249.30A	259.50B/249.30A	----	----	254.40 - 5.70	.3822	----	----	----	----	4	UNCH				
4200	----	----	----	-----/255.90A	266.50B/255.90A	----	----	261.10 - 5.90	.3892	----	----	----	----	3	UNCH				
4220	----	----	----	-----/264.50A	275.80B/264.50A	----	----	270.20 - 6.10	.3986	----	----	----	----	3	UNCH				
4320	----	----	----	-----/313.00A	325.20B/313.00A	----	----	318.70 - 7.40	.4460	----	----	----	----	1	UNCH				
4350	----	----	----	-----/327.90A	341.10B/327.90A	----	----	334.20 - 7.90	.4603	----	----	----	----	1	UNCH				
4355	----	----	----	-----/330.60A	343.80B/330.60A	----	----	336.90 - 7.90	.4626	----	----	----	----	2	UNCH				
4360	----	----	----	-----/333.20A	346.20B/333.20A	----	----	339.50 - 8.00	.4650	----	----	----	----	1	UNCH				
4390	----	----	----	-----/350.20A	362.30B/350.20A	----	----	355.70 - 8.40	.4791	----	----	----	----	2	UNCH				
4400	----	----	----	-----/356.50A	365.70B/356.50A	----	----	361.20 - 8.60	.4838	----	----	----	----	1	UNCH				
4505	----	----	----	-----/420.80A	426.90B/420.80A	----	----	422.10 - 10.00	.5319	----	----	----	----	2	UNCH				
4535	----	----	----	-----/439.10A	445.70B/439.10A	----	----	440.60 - 10.20	.5452	----	----	----	----	2	UNCH				
4555	----	----	----	-----/451.50A	458.50B/451.50A	----	----	453.20 - 10.40	.5540	----	----	----	----	2	UNCH				
4565	----	----	----	-----/457.70A	464.90B/457.70A	----	----	459.50 - 10.60	.5583	----	----	----	----	1	UNCH				
4600	----	----	----	-----/480.00A	487.90B/480.00A	----	----	482.20 - 10.80	.5733	----	----	----	----	1	UNCH				
4665	----	----	----	-----/522.90A	531.90B/522.90A	----	----	525.80 - 11.20	.6002	----	----	----	----	1	UNCH				
TOTAL														434	0				
SEP27																			
4115	----	----	----	----	0.20B/468.70A	----	----	237.60 + 5.10	.3395	----	----	----	----	300	UNCH				
4150	----	----	----	----	0.20B/488.00A	----	----	249.70 + 3.00	.3538	----	----	----	----	50	UNCH				
TOTAL														350	0				
OCT27																			
3900	----	----	----	----	----	----	----	167.80 - 4.00	.2568	----	----	----	----	200	UNCH				
TOTAL														200	0				
DEC27																			
2800	----	----	----	----	----	----	----	46.50 - 1.10	.0622	----	----	----	----	16	UNCH				
3700	----	----	----	----	----	----	----	156.00 - 3.20	.2065	----	----	----	----	100	UNCH				
3715	----	----	----	----	----	----	----	159.40 - 3.20	.2104	----	----	----	----	150	UNCH				
3820	----	----	----	----	----	----	----	185.30 - 3.60	.2397	----	----	----	----	50	UNCH				
4130	----	----	----	----	----	----	----	286.90 - 5.00	.3408	----	----	----	----	168	UNCH				
4500	----	----	----	----	----	----	----	464.70 - 6.70	.4769	----	----	----	----	170	UNCH				
4630	----	----	----	----	----	----	----	541.50 - 7.40	.5229	----	----	----	----	284	UNCH				
4860	----	----	----	----	----	----	----	693.70 - 8.20	.5976	----	----	----	----	100	UNCH				
5000	----	----	----	----	----	----	----	795.10 - 8.80	.6380	----	----	----	----	50	UNCH				
5650	----	----	----	----	----	----	----	1326.90 - 10.60	.7761	----	----	----	----	200	UNCH				
5880	----	----	----	----	----	----	----	1530.50 - 11.20	.8100	----	----	----	----	200	UNCH				
TOTAL														1488	0				
JAN28																			
5000	----	----	----	----	----	----	----	784.10 - 8.50	.6177	----	----	----	----	1	UNCH				
5100	----	----	----	----	----	----	----	858.80 - 8.70	.6438	----	----	----	----	1	UNCH				
TOTAL														2	0				
FEB28																			
4400	----	----	----	----	----	----	----	427.80 - 5.90	.4233	----	----	----	----	11	UNCH				
TOTAL														11	0				
APR28																			

GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS											
NOV26													
3960	----	----	278.30B/235.00A	278.30B/235.00A	----	261.10 + 11.60	.8553	----	----	----	----	2	
3985	----	----	256.20B/214.40A	256.20B/214.40A	----	239.50 + 11.00	.8330	----	----	----	----	1	
3990	225.00	225.00	251.90B/210.50A	251.90B/210.50A	----	235.30 + 10.90	.8279	----	----	1	----	3	
3995	----	----	247.60B/206.30A	247.60B/206.30A	----	231.00 + 10.70	.8232	----	----	----	----	1	
4000	----	----	243.50B/202.50A	243.50B/202.50A	----	226.80 + 10.60	.8180	----	----	----	----	408	
4005	----	----	239.30B/198.50A	239.30B/198.50A	----	222.70 + 10.50	.8128	----	----	----	----	3	
4010	----	----	235.00B/194.60A	235.00B/194.60A	----	218.50 + 10.30	.8073	----	----	----	----	4	
4015	----	----	230.80B/190.70A	230.80B/190.70A	----	214.40 + 10.20	.8020	----	----	----	----	3	
4020	----	----	226.50B/186.80A	226.50B/186.80A	----	210.30 + 10.00	.7964	----	----	----	----	2	
4030	----	----	218.40B/179.20A	218.40B/179.20A	----	202.20 + 9.60	.7847	----	----	----	----	174	
4035	----	----	214.30B/175.60A	214.30B/175.60A	----	198.20 + 9.50	.7786	----	----	----	----	2	
4040	----	----	210.30B/171.90A	210.30B/171.90A	----	194.30 + 9.40	.7725	----	----	----	----	4	
4045	----	----	206.30B/168.20A	206.30B/168.20A	----	190.30 + 9.10	.7661	----	----	----	----	1	
4050	182.20	182.20	202.30B/164.60A	202.30B/164.60A	----	186.40 + 8.90	.7596	----	1	----	----	370	
4065	----	----	190.60B/153.90A	190.60B/153.90A	----	175.00 + 8.50	.7394	----	----	----	----	20	
4070	----	----	186.70B/150.60A	186.70B/150.60A	----	171.20 + 8.20	.7326	----	----	----	----	5	
4075	----	----	182.90B/147.20A	182.90B/147.20A	----	167.50 + 8.00	.7254	----	----	----	----	7	
4080	----	----	179.10B/143.80A	179.10B/143.80A	----	163.90 + 7.90	.7179	----	----	----	----	39	
4085	----	----	175.40B/140.50A	175.40B/140.50A	----	160.30 + 7.80	.7107	----	----	----	----	87	
4090	----	----	171.70B/137.20A	171.70B/137.20A	----	156.70 + 7.60	.7032	----	----	----	----	12	
4095	----	----	168.00B/133.90A	168.00B/133.90A	----	153.10 + 7.30	.6955	----	----	----	----	16	
4100	149.10	149.10	164.40B/130.70A	164.40B/130.70A	----	149.60 + 7.10	.6877	----	2	----	----	341	
4105	145.40	145.40	160.80B/127.60A	160.80B/127.60A	----	146.20 + 7.00	.6799	----	1	----	----	16	
4110	----	----	157.30B/124.50A	157.30B/124.50A	----	142.80 + 6.80	.6718	----	----	----	----	26	
4115	142.20	142.20	153.80B/121.40A	153.80B/121.40A	----	139.40 + 6.60	.6638	----	1	----	----	20	
4120	129.80	129.80	150.20B/118.40A	150.20B/118.40A	----	136.10 + 6.40	.6555	----	3	----	----	22	
4125	133.00	133.00	146.90B/115.50A	146.90B/115.50A	----	132.80 + 6.20	.6473	----	1	----	----	153	
4130	----	----	143.60B/112.40A	143.60B/112.40A	----	129.60 + 6.00	.6388	----	----	----	----	26	
4135	113.60	113.60	140.30B/109.70A	140.30B/109.70A	----	126.50 + 5.90	.6303	----	7	----	----	67	
4140	113.30	113.30	137.00B/106.90A	137.00B/106.90A	----	123.30 + 5.70	.6217	----	13	----	----	30	
4145	123.30	123.30	133.70B/104.10A	133.70B/104.10A	----	120.20 + 5.40	.6131	----	3	----	----	30	
4150	114.70	114.70	130.60B/101.40A	130.60B/101.40A	----	117.20 + 5.30	.6044	----	17	----	----	554	
4155	108.70	108.70	127.40B/98.80A	127.40B/98.80A	----	114.20 + 5.10	.5956	----	12	----	----	49	
4160	116.10	116.10	124.20B/96.10A	124.20B/96.10A	----	111.30 + 4.90	.5867	----	10	----	----	36	
4165	----	----	121.20B/93.40A	121.20B/93.40A	----	108.40 + 4.70	.5777	----	----	----	----	28	
4170	116.80	116.80	118.30B/90.80A	118.30B/90.80A	----	105.50 + 4.50	.5688	----	9	----	----	29	
4175	96.30	96.30	115.40B/88.50A	115.40B/88.50A	----	102.70 + 4.30	.5598	----	2	----	----	120	
4180	94.00	94.00	112.50B/86.00A	112.50B/86.00A	----	100.00 + 4.20	.5507	----	39	----	----	48	
4185	----	----	110.10B/83.60A	110.10B/83.60A	----	97.30 + 4.00	.5416	----	----	----	----	41	
4190	----	----	107.10B/81.30A	107.10B/81.30A	----	94.70 + 3.90	.5325	----	2	----	----	48	
4195	85.90	85.90	104.20B/79.00A	104.20B/79.00A	----	92.10 + 3.70	.5233	----	15	----	----	64	
4200	82.00	82.00	101.30B/76.80A	101.30B/76.80A	----	89.50 + 3.50	.5142	----	60	----	----	996	
4205	83.90	83.90	98.70B/74.60A	98.70B/74.60A	----	87.10 + 3.40	.5050	----	4	----	----	29	
4210	82.70	82.70	95.90B/72.30A	95.90B/72.30A	----	84.60 + 3.20	.4958	----	4	----	----	116	
4215	88.90	88.90	93.50B/70.30A	93.50B/70.30A	----	82.20 + 3.10	.4867	----	4	----	----	17	
4220	90.30	90.30	90.90B/68.20A	90.90B/68.20A	----	79.90 + 3.00	.4775	----	8	----	----	63	
4225	75.00	75.00	88.80B/66.30A	88.80B/66.30A	----	77.60 + 2.80	.4684	----	18	----	----	266	
4230	78.20	78.20	86.10B/64.30A	86.10B/64.30A	----	75.40 + 2.70	.4593	----	10	----	----	52	
4235	69.30	69.30	84.10B/62.40A	84.10B/62.40A	----	73.20 + 2.60	.4502	----	3	----	----	127	
4240	71.80	71.80	81.60B/60.50A	81.60B/60.50A	----	71.10 + 2.50	.4412	----	6	----	----	19	
4245	61.10	61.10	79.30B/58.70A	79.30B/58.70A	----	69.00 + 2.40	.4323	----	2	----	----	89	
4250	69.90	69.90	76.80B/57.00A	76.80B/57.00A	----	67.00 + 2.30	.4234	----	610	----	----	1108	
4255	58.60	58.60	75.00B/55.20A	75.00B/55.20A	----	65.00 + 2.20	.4145	----	9	----	----	33	
4260	----	----	72.80B/53.60A	72.80B/53.60A	----	63.00 + 2.00	.4056	----	----	----	----	21	
4265	54.40	54.40	70.70B/51.80A	70.70B/51.80A	----	61.10 + 1.90	.3969	----	3	----	----	24	
4270	60.70	60.70	68.70B/50.30A	68.70B/50.30A	----	59.30 + 1.80	.3883	----	4	----	----	12	
4275	57.00	57.00	66.40/48.70A	66.40/48.70A	----	57.40 + 1.60	.3795	----	93	----	----	183	
4280	56.00	56.00	64.60B/47.10A	64.60B/47.10A	----	55.70 + 1.50	.3711	----	18	----	----	16	
4285	55.40	55.40	62.80B/45.60A	62.80B/45.60A	----	54.00 + 1.40	.3627	----	2	----	----	21	
4290	52.70	52.70	61.00B/44.30A	61.00B/44.30A	----	52.30 + 1.30	.3543	----	57	----	----	65	
4295	52.00	52.00	59.10B/42.90A	59.10B/42.90A	----	50.60 + 1.20	.3459	----	15	----	----	87	
4300	44.70	44.70	57.60/41.50A	57.60/41.50A	----	49.00 + 1.10	.3378	----	722	----	50	2023	
4305	44.80	44.80	55.70B/40.10A	55.70B/40.10A	----	47.50 + 1.00	.3298	----	3	----	----	101	
4310	46.50	46.50	54.00B/38.90A	54.00B/38.90A	----	46.00 + 1.00	.3219	----	5	----	----	259	
4315	42.00	42.00	52.20B/37.60A	52.20B/37.60A	----	44.50 + 0.90	.3139	----	2	----	----	32	
4320	50.10	50.10	50.60B/36.40A	50.60B/36.40A	----	43.10 + 0.90	.3062	----	19	----	----	208	
4325	37.20	37.20	48.90B/35.30A	48.90B/35.30A	----	41.70 + 0.80	.2986	----	64	----	----	441	
4330	42.70	42.70	47.50B/34.00A	47.50B/34.00A	----	40.40 + 0.80	.2912	----	76	----	----	228	
4335	37.90	37.90	46.10B/32.90A	46.10B/32.90A	----	39.10 + 0.70	.2838	----	12	----	----	371	
4340	44.30	44.30	44.60B/31.80A	44.60B/31.80A	----	37.80 + 0.60	.2765	----	23	----	----	68	
4345	37.90	37.90	43.10B/30.80A	43.10B/30.80A	----	36.60 + 0.60	.2694	----	3	----	----	55	
4350	31.90	31.90	41.80B/29.80A	41.80B/29.80A	----	35.40 + 0.50	.2624	----	237	----	----	784	
4355	36.70	36.70	40.40B/28.80A	40.40B/28.80A	----	34.20 + 0.40	.2554	----	22	----	----	52	
4360	34.60	34.60	39.40/27.90A	39.40/27.90A	----	33.10 + 0.40	.2487	----	94	----	----	114	
4365	32.30	32.30	37.80B/27.00A	37.80B/27.00A	----	32.00 + 0.30	.2420	----	1	----	----	21	
4370	34.70	34.70	36.60B/26.10A	36.60B/26.10A	----	30.90 + 0.30	.2354	----	17	----	----	47	
4375	25.30	25.30	35.40B/25.30	35.40B/25.30	----	29.90 + 0.20	.2291	----	30	----	----	514	
4380	----	----	34.30B/24.30A	34.30B/24.30A	----	28.90 + 0.20	.2228	----	2	----	----	224	
4385	27.30	27.30	33.10B/23.50A	33.10B/23.50A	----	27.90 + 0.10	.2165	----	1	----	----	109	
4390	----	----	32.00B/22.80A	32.00B/22.80A	----	27.00 + 0.10	.2106	----	----	----	----	102	
4395	30.30	30.30	31.00B/22.00A	31.00B/22.00A	----	26.10 + 0.10	.2048	----	11	----	----	66	
4400	28.90	28.90	30.00B/21.20A	30.00B/21.20A	----	25.20 UNCH	.1989	----	478	1000	----	2750	
4405	----	----	28.90B/20.50A	28.90B/20.50A	----	24.30 - 0.10	.1931	----	----	----	----	43	
4410	22.60	22.60	28.00B/19.90A	28.00B/19.90A	----	23.50 - 0.10	.1877	----	6	----	----	179	
4415	21.50	21.50	27.10B/19.20A	27.10B/19.20A	----	22.70 - 0.10	.1823	----	2	----	----	54	
4420	20.40	20.40	26.10B/18.50A	26.10B/18.50A	----	22.00 - 0.10	.1773	----	2	----	----	236	
4425	19.00	19.00	25.20B/17.90A	25.20B/17.90A	----	21.30 UNCH	.1724	----	16	----	----	602	
4430	----	----	24.40B/17.30A	24.40B/17.30A	----	20.60 - 0.10	.1675	----	7	----	----	145	
4435	22.70	22.70	23.60B/16.70A	23.60B/16.70A	----	19.90 - 0.10	.1626	----	2	----	----	98	
4440	19.50	19.50	22.80B/16.20A	22.80B/16.20A	----	19.20 - 0.10	.1578	----	2	----	----	229	
4445	----	----	22.00B/15.60A	22.00B/15.60A	----	18.50 - 0.20	.1529	----	----	----	----	108	
4450	20.60	20.60	21.30/15.10A	21.30/15.10A	----	17.90 - 0.20	.1485	----	178	----	----	1105	
4455	----	----	20.60B/14.60A	20.60B/14.60A	----	17.30 - 0.20	.1442	----	----	----	----	63	
4460	----	----	19.90B/14.10A	19.90B/14.10A	----	16.70 - 0.30	.1398	----	----	----	----	115	
4465	----	----	19.10B/13.60A	19.10B/13.60A	----	16.10 - 0.30	.1355	----	----	----	----	87	
4470	----	----	18.50B/13.10A	18.50B/13.10A	----	15.60 - 0.30	.1317	----	----	----	----	182	
4475	----	----	17.90B/12.70A	17.90B/12.70A	----	15.00 - 0							

BULLETIN #189@				METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG CALL	COMEX GOLD OPTIONS																
NOV26																	
4680	----	----	----	4.80B/3.70A	4.80B/3.70A	----	----	4.30 - 0.10	.0390	----	----	----	----	218	UNCH		
4685	3.80	3.80		4.60B/3.60A	4.60B/3.60A	----	----	4.10 - 0.20	.0374	----	----	40	----	213	- 27		
4690	4.30	4.30		4.50B/3.50A	4.50B/3.50A	----	----	4.00 - 0.20	.0364	----	----	1	----	256	UNCH		
4695	----	----	----	4.40B/3.40A	4.40B/3.40A	----	----	3.90 - 0.20	.0355	----	----	----	----	162	UNCH		
4700	4.00	4.00		4.30B/3.30A	4.30B/3.30A	----	----	3.80 - 0.20	.0346	----	----	21	----	3861	- 20		
4705	----	----	----	4.10B/3.20A	4.10B/3.20A	----	----	3.70 - 0.10	.0337	----	----	----	----	100	UNCH		
4710	----	----	----	4.00B/3.20A	4.00B/3.20A	----	----	3.60 - 0.10	.0328	----	----	----	----	152	UNCH		
4715	----	----	----	3.90B/3.10A	3.90B/3.10A	----	----	3.50 - 0.20	.0319	----	----	----	----	88	UNCH		
4720	----	----	----	3.80B/3.00A	3.80B/3.00A	----	----	3.50 - 0.10	.0317	----	----	----	----	124	UNCH		
4725	----	----	----	3.70B/2.90A	3.70B/2.90A	----	----	3.40 - 0.10	.0308	----	----	----	----	285	UNCH		
4730	----	----	----	3.60B/2.90A	3.60B/2.90A	----	----	3.30 - 0.10	.0299	----	----	----	----	173	UNCH		
4735	----	----	----	3.50B/2.80A	3.50B/2.80A	----	----	3.20 - 0.10	.0290	----	----	----	----	135	UNCH		
4740	----	----	----	3.50B/2.70A	3.50B/2.70A	----	----	3.10 - 0.10	.0281	----	----	----	----	137	UNCH		
4745	----	----	----	3.40B/2.70A	3.40B/2.70A	----	----	3.10 UNCH	.0280	----	----	----	----	32	UNCH		
4750	3.00	3.00		3.30B/2.60A	3.30B/2.60A	----	----	3.00 - 0.10	.0271	----	----	112	----	1820	- 55		
4755	----	----	----	3.20B/2.60A	3.20B/2.60A	----	----	2.90 - 0.10	.0262	----	----	----	----	132	UNCH		
4760	----	----	----	3.10B/2.50A	3.10B/2.50A	----	----	2.90 UNCH	.0261	----	----	----	----	72	UNCH		
4765	----	----	----	3.10B/2.50A	3.10B/2.50A	----	----	2.80 - 0.10	.0252	----	----	----	----	89	UNCH		
4770	2.70	2.70		3.00B/2.40A	3.00B/2.40A	----	----	2.70 - 0.10	.0244	----	----	2	----	73	UNCH		
4775	2.70	2.70		2.90B/2.40A	2.90B/2.40A	----	----	2.70 UNCH	.0242	----	----	1	----	260	UNCH		
4780	----	----	----	2.90B/2.30A	2.90B/2.30A	----	----	2.60 - 0.10	.0234	----	----	----	----	117	UNCH		
4785	----	----	----	2.80B/2.30A	2.80B/2.30A	----	----	2.60 UNCH	.0233	----	----	----	----	57	UNCH		
4790	----	----	----	2.70B/2.20A	2.70B/2.20A	----	----	2.50 - 0.10	.0224	----	----	----	----	40	UNCH		
4795	----	----	----	2.70B/2.20A	2.70B/2.20A	----	----	2.50 UNCH	.0223	----	----	----	----	131	UNCH		
4800	2.30	2.30		2.60B/2.10	2.60B/2.10	----	----	2.40 - 0.10	.0215	----	----	25	----	3480	+ 18		
4805	----	----	----	2.50B/2.10A	2.50B/2.10A	----	----	2.40 UNCH	.0213	----	----	----	----	84	UNCH		
4810	----	----	----	2.50B/2.00A	2.50B/2.00A	----	----	2.30 - 0.10	.0205	----	----	----	----	89	UNCH		
4815	----	----	----	2.40B/2.00A	2.40B/2.00A	----	----	2.30 UNCH	.0204	----	----	----	----	64	UNCH		
4820	----	----	----	2.40B/2.00A	2.40B/2.00A	----	----	2.20 - 0.10	.0196	----	----	6	----	350	- 6		
4825	----	----	----	2.30B/1.90A	2.30B/1.90A	----	----	2.20 UNCH	.0195	----	----	----	----	266	UNCH		
4830	----	----	----	2.30B/1.90A	2.30B/1.90A	----	----	2.10 - 0.10	.0187	----	----	6	----	41	UNCH		
4835	----	----	----	2.20B/1.90A	2.20B/1.90A	----	----	2.10 UNCH	.0186	----	----	----	----	112	UNCH		
4840	----	----	----	2.20B/1.80A	2.20B/1.80A	----	----	2.10 UNCH	.0185	----	----	----	----	53	UNCH		
4845	----	----	----	2.20B/1.80A	2.20B/1.80A	----	----	2.00 UNCH	.0177	----	----	----	----	74	UNCH		
4850	----	----	----	2.10B/1.80A	2.10B/1.80A	----	----	2.00 UNCH	.0176	----	----	----	----	1541	UNCH		
4855	----	----	----	2.10B/1.70A	2.10B/1.70A	----	----	2.00 UNCH	.0175	----	----	----	----	66	UNCH		
4860	----	----	----	2.00B/1.70A	2.00B/1.70A	----	----	1.90 UNCH	.0167	----	----	----	----	176	UNCH		
4865	----	----	----	2.00B/1.70A	2.00B/1.70A	----	----	1.90 UNCH	.0166	----	----	----	----	36	UNCH		
4870	----	----	----	1.90B/1.70A	1.90B/1.70A	----	----	1.90 + 0.10	.0165	----	----	----	----	41	UNCH		
4875	1.80	1.80		1.90B/1.60A	1.90B/1.60A	----	----	1.80 UNCH	.0157	----	----	5	----	196	+ 1		
4880	1.90	1.90		1.90/1.60A	1.90/1.60A	----	----	1.80 UNCH	.0157	----	----	2	----	520	- 2		
4885	----	----	----	1.80B/1.60A	1.80B/1.60A	----	----	1.80 + 0.10	.0156	----	----	----	----	57	UNCH		
4890	----	----	----	1.80B/1.60A	1.80B/1.60A	----	----	1.70 UNCH	.0148	----	----	----	----	159	UNCH		
4895	----	----	----	1.80B/1.50A	1.80B/1.50A	----	----	1.70 UNCH	.0147	----	----	----	----	88	UNCH		
4900	1.70	1.70		1.80/1.50A	1.80/1.50A	----	----	1.70 + 0.10	.0146	----	----	125	1000	7224	- 1001		
4905	----	----	----	1.70B/1.50A	1.70B/1.50A	----	----	1.70 + 0.10	.0146	----	----	1	----	326	- 1		
4910	----	----	----	1.70B/1.50A	1.70B/1.50A	----	----	1.60 UNCH	.0138	----	----	----	----	101	UNCH		
4915	----	----	----	----/1.40A	1.60B/1.40A	----	----	1.60 UNCH	.0137	----	----	----	----	15	UNCH		
4920	----	----	----	1.60B/1.40A	1.60B/1.40A	----	----	1.60 + 0.10	.0137	----	----	----	----	50	UNCH		
4925	----	----	----	1.60B/1.40A	1.60B/1.40A	----	----	1.60 + 0.10	.0136	----	----	----	----	73	UNCH		
4930	----	----	----	----/1.40A	1.50B/1.40A	----	----	1.50 UNCH	.0128	----	----	----	----	48	UNCH		
4935	----	----	----	----/1.40A	1.50B/1.40A	----	----	1.50 UNCH	.0128	----	----	----	----	69	UNCH		
4940	----	----	----	1.50B/----	1.50B/1.40A	----	----	1.50 + 0.10	.0127	----	----	----	----	80	UNCH		
4945	----	----	----	1.50B/1.30A	1.50B/1.30A	----	----	1.50 + 0.10	.0127	----	----	----	----	34	UNCH		
4950	----	----	----	----/1.30A	1.40B/1.30A	----	----	1.50 + 0.10	.0126	----	----	----	----	534	UNCH		
4955	----	----	----	----/1.30A	1.40B/1.30A	----	----	1.40 UNCH	.0119	----	----	----	----	40	UNCH		
4960	----	----	----	1.40B/----	1.40B/1.30A	----	----	1.40 + 0.10	.0118	----	----	----	----	51	UNCH		
4965	----	----	----	1.40B/----	1.40B/1.30A	----	----	1.40 + 0.10	.0117	----	----	----	----	48	UNCH		
4970	----	----	----	1.40B/----	1.40B/1.30A	----	----	1.40 + 0.10	.0117	----	----	----	----	29	UNCH		
4975	----	----	----	----	1.30B/1.30A	----	----	1.40 + 0.10	.0116	----	----	----	----	137	UNCH		
4980	----	----	----	1.30B/----	1.30B/1.20A	----	----	1.30 + 0.10	.0109	----	----	----	----	36	UNCH		
4985	----	----	----	1.30B/----	1.30B/1.20A	----	----	1.30 + 0.10	.0109	----	----	----	----	125	UNCH		
4990	----	----	----	1.30B/----	1.30B/1.20A	----	----	1.30 + 0.10	.0108	----	----	----	----	33	UNCH		
4995	----	----	----	1.30B/----	1.30B/1.20A	----	----	1.30 + 0.10	.0108	----	----	----	----	123	UNCH		
5000	1.30	1.30		1.30/1.30	1.30/1.20A	----	----	1.30 + 0.10	.0107	----	----	3	----	3698	+ 2		
5005	----	----	----	----	1.20B/1.20A	----	----	1.20 UNCH	.0100	----	----	----	----	57	UNCH		
5010	----	----	----	1.20B/----	1.20B/1.20A	----	----	1.20 + 0.10	.0099	----	----	----	----	56	UNCH		
5015	----	----	----	1.20B/----	1.20B/1.10A	----	----	1.20 + 0.10	.0099	----	----	----	----	36	UNCH		
5020	----	----	----	1.20B/----	1.20B/1.10A	----	----	1.20 + 0.10	.0098	----	----	----	----	58	UNCH		
5025	----	----	----	----	1.10B/1.10A	----	----	1.20 + 0.10	.0098	----	----	----	----	501	UNCH		
5030	----	----	----	----	1												



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

FINAL

BULLETIN #189@				METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL	COMEX GOLD OPTIONS																
NOV26																	
5365	----	----	----	----	0.60B/0.60A	----	----	----	0.60	UNCH	.0043	----	----	----	----	9	UNCH
5370	----	----	----	----	0.50B/0.60A	----	----	----	0.60	UNCH	.0042	----	----	----	----	13	UNCH
5375	----	----	----	----	0.60B/0.60A	----	----	----	0.60	UNCH	.0042	----	----	----	----	41	UNCH
5380	----	----	----	----	0.60B/0.60A	----	----	----	0.60	UNCH	.0042	----	----	----	----	33	UNCH
5385	----	----	----	----	0.50B/0.60A	----	----	----	0.60	UNCH	.0042	----	----	----	----	32	UNCH
5390	----	----	----	----	0.50B/0.60A	----	----	----	0.60	UNCH	.0042	----	----	----	----	10	UNCH
5395	----	----	----	----	0.50B/0.60A	----	----	----	0.60	UNCH	.0042	----	----	----	----	31	UNCH
5400	0.60	0.60		0.60/0.60	0.60/0.60	0.60/0.60	----	----	0.60 + 0.10	.0042	----	----	2	----	779	UNCH	
5405	----	----	----	----	0.50B/0.60A	----	----	----	0.60 + 0.10	.0041	----	----	----	----	55	UNCH	
5410	----	----	----	----	0.50B/0.60A	----	----	----	0.60 + 0.10	.0041	----	----	----	----	6	UNCH	
5415	----	----	----	----	0.50B/0.60A	----	----	----	0.60 + 0.10	.0041	----	----	----	----	26	UNCH	
5420	----	----	----	----	0.50B/0.60A	----	----	----	0.60 + 0.10	.0041	----	----	----	----	36	UNCH	
5425	----	----	----	----	0.50B/0.60A	----	----	----	0.60 + 0.10	.0041	----	----	----	----	12	UNCH	
5430	----	----	----	----	0.50B/0.60A	----	----	----	0.60 + 0.10	.0041	----	----	----	----	10	UNCH	
5435	----	----	----	----	0.50B/0.60A	----	----	----	0.60 + 0.10	.0041	----	----	----	----	6	UNCH	
5440	----	----	----	----	0.50B/0.60A	----	----	----	0.50	UNCH	.0035	----	----	----	3	UNCH	
5445	----	----	----	----	0.50B/0.60A	----	----	----	0.50	UNCH	.0035	----	----	----	33	UNCH	
5450	0.50	0.50		0.50/0.50	0.50/0.50	0.50/0.50	----	----	0.50	UNCH	.0034	----	1	----	572 +	1	
5455	----	----	----	----	0.50B/0.60A	----	----	----	0.50	UNCH	.0034	----	----	----	43	UNCH	
5460	----	----	----	----	0.50B/0.50A	----	----	----	0.50	UNCH	.0034	----	----	----	20	UNCH	
5465	----	----	----	----	0.50B/0.60A	----	----	----	0.50	UNCH	.0034	----	----	----	6	UNCH	
5470	----	----	----	----	0.50B/0.60A	----	----	----	0.50	UNCH	.0034	----	----	----	8	UNCH	
5475	----	----	----	----	0.50B/0.50A	----	----	----	0.50	UNCH	.0034	----	----	----	253	UNCH	
5480	----	----	----	----	0.40B/0.60A	----	----	----	0.50	UNCH	.0034	----	----	----	39	UNCH	
5485	----	----	----	----	0.40B/0.60A	----	----	----	0.50	UNCH	.0034	----	----	----	30	UNCH	
5490	----	----	----	----	0.40B/0.50A	----	----	----	0.50	UNCH	.0034	----	----	----	29	UNCH	
5495	----	----	----	----	0.40B/0.60A	----	----	----	0.50	UNCH	.0034	----	----	----	3	UNCH	
5500	0.60	0.60		0.60/0.60	0.60/0.50A	0.60/0.50A	----	----	0.50	UNCH	.0034	----	1	----	2371	UNCH	
5505	----	----	----	----	0.40B/0.50A	----	----	----	0.50	UNCH	.0033	----	----	----	28	UNCH	
5510	----	----	----	----	0.40B/0.50A	----	----	----	0.50	UNCH	.0033	----	----	----	10	UNCH	
5515	----	----	----	----	0.40B/0.50A	----	----	----	0.50	UNCH	.0033	----	----	----	17	UNCH	
5520	----	----	----	----	0.40B/0.50A	----	----	----	0.50	UNCH	.0033	----	----	----	29	UNCH	
5525	----	----	----	----	0.40B/0.50A	----	----	----	0.40 - 0.10	.0027	----	----	----	----	29	UNCH	
5530	----	----	----	----	0.40B/0.50A	----	----	----	0.40 - 0.10	.0027	----	----	----	----	12	UNCH	
5535	----	----	----	----	0.40B/0.50A	----	----	----	0.40 - 0.10	.0027	----	----	----	----	28	UNCH	
5540	----	----	----	----	0.40B/0.50A	----	----	----	0.40 - 0.10	.0027	----	----	----	----	21	UNCH	
5545	----	----	----	----	0.40B/0.50A	----	----	----	0.40 - 0.10	.0027	----	----	----	----	38	UNCH	
5550	----	----	----	----	0.40B/0.50A	----	----	----	0.40 - 0.10	.0027	----	----	----	----	50	UNCH	
5555	0.40	0.40		0.40/0.40	0.40/0.40	0.40/0.40	----	----	0.40 - 0.10	.0027	----	----	2	----	10 +	2	
5560	----	----	----	----	0.40B/0.50A	----	----	----	0.40 - 0.10	.0027	----	----	----	----	19	UNCH	
5565	----	----	----	----	0.40B/0.50A	----	----	----	0.40 - 0.10	.0027	----	----	----	----	12	UNCH	
5570	----	----	----	----	0.40B/0.50A	----	----	----	0.40 - 0.10	.0027	----	----	----	----	33	UNCH	
5575	----	----	----	----	0.40B/0.50A	----	----	----	0.40 - 0.10	.0026	----	----	----	----	67	UNCH	
5580	----	----	----	----	0.40B/0.50A	----	----	----	0.40	UNCH	.0026	----	----	----	49	UNCH	
5585	----	----	----	----	0.30B/0.40A	----	----	----	0.40	UNCH	.0026	----	----	----	19	UNCH	
5590	----	----	----	----	0.30B/0.50A	----	----	----	0.40	UNCH	.0026	----	----	----	17	UNCH	
5595	----	----	----	----	0.30B/0.50A	----	----	----	0.40	UNCH	.0026	----	----	----	26	UNCH	
5600	----	----	----	----	0.30B/0.40A	----	----	----	0.40	UNCH	.0026	----	----	----	161	UNCH	
5605	----	----	----	----	0.30B/0.40A	----	----	----	0.40	UNCH	.0026	----	----	----	37	UNCH	
5610	----	----	----	----	0.30B/0.40A	----	----	----	0.40	UNCH	.0026	----	----	----	8	UNCH	
5615	----	----	----	----	0.30B/0.40A	----	----	----	0.40	UNCH	.0026	----	----	----	61	UNCH	
5620	----	----	----	----	0.30B/0.50A	----	----	----	0.40	UNCH	.0026	----	----	----	5	UNCH	
5625	----	----	----	----	0.30B/0.40A	----	----	----	0.40	UNCH	.0026	----	----	----	7	UNCH	
5630	----	----	----	----	0.30B/0.40A	----	----	----	0.40	UNCH	.0026	----	----	----	7	UNCH	
5635	----	----	----	----	0.30B/0.40A	----	----	----	0.40	UNCH	.0026	----	----	----	18	UNCH	
5640	----	----	----	----	0.30B/0.40A	----	----	----	0.40	UNCH	.0026	----	----	----	6	UNCH	
5645	----	----	----	----	0.30B/0.40A	----	----	----	0.40	UNCH	.0026	----	----	----	15	UNCH	
5650	----	----	----	----	0.30B/0.40A	----	----	----	0.40	UNCH	.0025	----	----	----	55	UNCH	
5655	----	----	----	----	0.30B/0.40A	----	----	----	0.40	UNCH	.0025	----	----	----	5	UNCH	
5660	----	----	----	----	0.30B/0.40A	----	----	----	0.40	UNCH	.0025	----	----	----	1	UNCH	
5665	----	----	----	----	0.30B/0.40A	----	----	----	0.40	UNCH	.0025	----	----	----	14	UNCH	
5670	----	----	----	----	0.30B/0.40A	----	----	----	0.40	UNCH	.0025	----	----	----	14	UNCH	
5675	----	----	----	----	0.30B/0.40A	----	----	----	0.40	UNCH	.0025	----	----	----	9	UNCH	
5680	----	----	----	----	0.30B/0.40A	----	----	----	0.40	UNCH	.0025	----	----	----	45	UNCH	
5685	----	----	----	----	0.30B/0.40A	----	----	----	0.40	UNCH	.0025	----	----	----	8	UNCH	
5690	----	----	----	----	0.30B/0.40A	----	----	----	0.40	UNCH	.0025	----	----	----	68	UNCH	
5695	----	----	----	----	0.30B/0.40A	----	----	----	0.30 - 0.10	.0019	----	----	----	25	UNCH		
5700	----	----	----	----	0.30B/0.40A	----	----	----	0.30 - 0.10	.0019	----	----	----	120	UNCH		
5705	----	----	----	----	0.20B/0.40A	----	----	----	0.30	UNCH	.0019	----	----	----	1	UNCH	
5710	----	----	----	----	0.20B/0.40A	----	----	----	0.30	UNCH	.0019	----	----	----	2	UNCH	
5720	----	----	----	----	0.20B/0.40A	----	----	----	0.30	UNCH	.0019	----	----	----	6	UNCH	
5725	----	----	----	----	0.20B/0.40A	----	----	----	0.30	UNCH	.0019	----	----	----	3	UNCH	
5730	----	----	----	----	0.20B/0.40A	----	----	----	0.30	UNCH	.0019	----	----	----	27	UNCH	
5740	----	----	----	----	0.20B/0.40A	----	----	----	0.30	UNCH	.0019	----	----	----	4	UNCH	
5750	----	----	----	----	0.20B/0.40A	----	----	----	0.30	UNCH	.0019	----	----	----	599	UNCH	
5770	----	----	----	----	0.20B/0.40A	----	----	----	0.30	UNCH	.0019	----	----	----	11	UNCH	
5775	----	----	----	----	0.20B/0.40A	----	----	----	0.30	UNCH	.0019	----	----	----	8	UNCH	
5780	----	----	----	----	0.20B/0.40A	----	----	----	0.30	UNCH	.0019	----	----	----	6	UNCH	
5790	----	----	----	----	0.20B/0.40A	----	----	----	0.30	UNCH	.0018	----	----	----	6	UNCH	
5800	----	----	----	----	0.20B/0.30A	----	----	----	0.30	UNCH	.0018	----	----	----	208	UNCH	
5810	----	----	----	----	0.20B/0.40A	----	----	----	0.30	UNCH	.0018	----	----	----	21	UNCH	
5825	----	----	----	----	0.20B/0.40A	----	----	----	0.30	UNCH	.0018	----	----	----	41	UNCH	
5850	----	----	----	----	0.20B/0.30A	----	----	----	0.30	UNCH	.0018	----	----	----	42	UNCH	
5875	----	----	----	----	0.10B/0.30A	----	----	----	0.30	UNCH	.0018	----	----	----	10	UNCH	
5900	----	----	----	----	0.10B/0.30A	----	----	----	0.30	UNCH	.0018	----	----	----	285	UNCH	
5925	----	----	----	----	0.10B/0.30A	----	----	----	0.30	UNCH	.0017	----	----	----	15	UNCH	
5950	----	----	----	----	0.10B/0.30A	----	----	----	0.20	UNCH	.0012	----	----	----	41	UNCH	
5975	----	----	----	----	0.10B/0.30A	----	----	----	0.20	UNCH	.0012	----	----	----	34	UNCH	
6000	----	----	----	----	0.10B/0.30A	----	----	----	0.20	UNCH	.0012	----	5	----	2767	UNCH	
6100	0.20	0.20		0.20/0.20	0.20/0.20	0.20/0.20	----	----	0.20	UNCH	.0011	----	12	----	47 +	6	
6200	----	----	----	----	0.10B/0.20A	----	----	----	0.20	UNCH	.0011	----	----	----	60	UNCH	
6250	----	----	----	----	---/0.30A	----	----	----	0.20	UNCH	.0011	----	----	----	37	UNCH	
6300	----	----	----	----	---/0.30A	----	----	----	0.10 - 0.10	.0005	----	----	----	----	344	UNCH	
6400	----	----	----	----	---/0.30A	----	----	----	0.10	UNCH	.0003	----	7	----	118 -	5	
6500	----	----	----	----	---/0.30A	----	----	----	0.10	UNCH	.0002	----	----	----	1918	UNCH	
8000	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	995	UNCH	
9000	----	----	----	----	---/0.10A	----	----	----	0.10	UNCH	----	----	----	----	1591	UNCH	
20000	----	----	----	----	---/0.10A	----	----	----	0.10	UNCH	----	----	----	----	1346	UNCH	
TOTAL													5601	5,280	98731+	2832	
DEC26																	
1500	----	----	----	----	----	1696.30B/1735.60A	----	----	2702.30	+ 15.60	1.0000	----	----	250	----	0	UNCH
2475	----	----	----	----	----	1727.30	----	----	1727.30	NEW	1.0000	----	----	125	----	0	UNCH
2495	----	----	----	----	----	1676.30B/1715.60A	----	----	1707.30	+ 15.60	1.0000	----	----	----	----	0	

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG CALL		COMEX GOLD OPTIONS															
DEC26																	
3930	----	----	----	331.30B/291.20A	331.30B/291.20A	----	----	315.40 + 10.90	.7939	----	----	----	----	1	UNCH		
3935	----	----	----	327.20B/287.40A	327.20B/287.40A	----	----	311.40 + 10.80	.7901	----	----	----	----	11	UNCH		
3950	----	----	----	315.10B/276.10A	315.10B/276.10A	----	----	299.50 + 10.50	.7781	----	----	4	----	6	+		
3955	----	----	----	311.20B/272.40A	311.20B/272.40A	----	----	295.60 + 10.40	.7740	----	----	----	----	1	UNCH		
3960	----	----	----	307.30B/268.70A	307.30B/268.70A	----	----	291.80 + 10.30	.7698	----	----	----	----	1	UNCH		
3985	----	----	----	287.90B/250.50A	287.90B/250.50A	----	----	272.70 + 9.70	.7483	----	----	----	----	12	UNCH		
3995	----	----	----	280.40B/243.30A	280.40B/243.30A	----	----	265.30 + 9.50	.7393	----	----	----	----	4	UNCH		
4000	270.80	270.80	----	276.60B/239.80A	276.60B/239.80A	----	----	261.60 + 9.40	.7347	----	1	----	----	252	UNCH		
4005	----	----	----	272.90B/236.50A	272.90B/236.50A	----	----	258.00 + 9.40	.7300	----	----	----	----	2	UNCH		
4015	----	----	----	265.50B/229.60A	265.50B/229.60A	----	----	250.70 + 9.10	.7205	----	----	----	----	1	UNCH		
4020	----	----	----	261.90B/226.20A	261.90B/226.20A	----	----	247.20 + 9.00	.7157	----	----	----	----	1	UNCH		
4025	----	----	----	258.30B/222.90A	258.30B/222.90A	----	----	243.60 + 8.80	.7109	----	----	----	----	2	UNCH		
4030	----	----	----	254.70B/219.70A	254.70B/219.70A	----	----	240.10 + 8.70	.7060	----	----	----	----	13	UNCH		
4040	----	----	----	247.60B/213.00A	247.60B/213.00A	----	----	233.10 + 8.50	.6960	----	----	----	----	43	UNCH		
4045	----	----	----	244.20B/209.80A	244.20B/209.80A	----	----	229.70 + 8.40	.6910	----	----	----	----	2	UNCH		
4050	----	----	----	240.60B/206.50A	240.60B/206.50A	----	----	226.30 + 8.30	.6859	----	----	----	----	972	UNCH		
4055	226.60	226.60	----	237.20B/203.40A	237.20B/203.40A	----	----	222.90 NEW	.6808	----	1	----	----	1	+		
4060	----	----	----	233.70B/200.20A	233.70B/200.20A	----	----	219.60 + 8.00	.6755	----	----	----	----	105	UNCH		
4065	----	----	----	230.30B/197.20A	230.30B/197.20A	----	----	216.30 + 7.90	.6703	----	----	----	----	15	UNCH		
4070	----	----	----	227.00B/194.00A	227.00B/194.00A	----	----	213.00 + 7.80	.6651	----	----	----	----	38	UNCH		
4075	----	----	----	223.60B/190.90A	223.60B/190.90A	----	----	209.70 + 7.60	.6598	----	----	----	----	24	UNCH		
4080	----	----	----	220.30B/187.90A	220.30B/187.90A	----	----	206.50 + 7.50	.6544	----	----	----	----	136	UNCH		
4085	----	----	----	217.00B/184.90A	217.00B/184.90A	----	----	203.30 + 7.40	.6490	----	----	----	----	8	UNCH		
4090	----	----	----	213.60B/181.90A	213.60B/181.90A	----	----	200.20 + 7.30	.6436	----	----	----	----	41	UNCH		
4095	----	----	----	210.50B/179.00A	210.50B/179.00A	----	----	197.00 + 7.20	.6382	----	----	----	----	10	UNCH		
4100	----	----	----	207.30B/176.20A	207.30B/176.20A	----	----	193.90 + 7.00	.6327	----	----	----	----	1260	UNCH		
4105	----	----	----	204.00B/173.30A	204.00B/173.30A	----	----	190.90 + 7.00	.6271	----	----	----	----	15	UNCH		
4110	----	----	----	200.90B/170.50A	200.90B/170.50A	----	----	187.80 + 6.80	.6215	----	----	----	----	170	UNCH		
4115	----	----	----	197.80B/167.60A	197.80B/167.60A	----	----	184.80 + 6.70	.6160	----	----	----	----	18	UNCH		
4120	----	----	----	194.70B/164.90A	194.70B/164.90A	----	----	181.90 + 6.70	.6103	----	----	----	----	28	UNCH		
4125	----	----	----	191.70B/162.20A	191.70B/162.20A	----	----	178.90 + 6.50	.6047	----	----	----	----	22	UNCH		
4130	----	----	----	188.80B/159.40A	188.80B/159.40A	----	----	176.00 + 6.40	.5991	----	----	----	----	702	UNCH		
4135	172.20	172.20	----	185.70B/156.80A	185.70B/156.80A	----	----	173.20 + 6.30	.5934	----	1	----	----	51	UNCH		
4140	----	----	----	182.90B/154.10A	182.90B/154.10A	----	----	170.30 + 6.20	.5877	----	----	----	----	69	UNCH		
4145	----	----	----	179.80B/151.50A	179.80B/151.50A	----	----	167.50 + 6.10	.5819	----	----	----	----	40	UNCH		
4150	----	----	----	176.90B/148.90A	176.90B/148.90A	----	----	164.70 + 5.90	.5762	----	2	----	----	227	-		
4155	----	----	----	174.10B/146.40A	174.10B/146.40A	----	----	162.00 + 5.90	.5705	----	----	----	----	19	UNCH		
4160	154.80	154.80	----	171.30B/143.90A	171.30B/143.90A	----	----	159.30 + 5.80	.5647	----	1	----	----	128	-		
4165	----	----	----	168.60B/141.30A	168.60B/141.30A	----	----	156.60 + 5.60	.5589	----	----	----	----	53	UNCH		
4170	----	----	----	165.90B/138.80A	165.90B/138.80A	----	----	154.00 + 5.60	.5531	----	----	----	----	83	UNCH		
4175	----	----	----	163.00B/136.50A	163.00B/136.50A	----	----	151.40 + 5.50	.5473	----	----	----	----	829	UNCH		
4180	151.70	151.70	----	160.30B/134.10A	160.30B/134.10A	----	----	148.80 + 5.40	.5415	----	1	----	----	22	+		
4185	140.00	140.00	----	157.80B/131.70A	157.80B/131.70A	----	----	146.20 + 5.20	.5357	----	6	----	----	34	-		
4190	148.00	148.00	----	155.00B/129.30A	155.00B/129.30A	----	----	143.70 + 5.10	.5298	----	6	----	----	471	+		
4195	----	----	----	152.40B/127.00A	152.40B/127.00A	----	----	141.20 + 5.00	.5240	----	----	----	----	15	UNCH		
4200	129.40	129.40	----	150.00B/124.80A	150.00B/124.80A	----	----	138.80 + 5.00	.5182	----	46	----	----	1424	+		
4205	----	----	----	147.30B/122.50A	147.30B/122.50A	----	----	136.40 + 4.90	.5124	----	----	----	----	44	UNCH		
4210	----	----	----	144.80B/120.30A	144.80B/120.30A	----	----	134.00 + 4.80	.5066	----	21	----	----	27	+		
4215	137.50	137.50	----	142.50B/118.20A	142.50B/118.20A	----	----	131.60 + 4.70	.5007	----	4	----	----	11	+		
4220	122.50	122.50	----	140.20B/116.00A	140.20B/116.00A	----	----	129.30 + 4.60	.4949	----	12	----	----	190	+		
4225	----	----	----	137.60B/114.10A	137.60B/114.10A	----	----	127.00 + 4.50	.4892	----	----	----	----	317	UNCH		
4230	135.20	135.20	----	135.30B/111.90A	135.30B/111.90A	----	----	124.80 + 4.50	.4834	----	10	----	----	50	+		
4235	123.10	123.10	----	133.10B/109.90A	133.10B/109.90A	----	----	122.50 + 4.30	.4776	----	5	----	----	12	UNCH		
4240	----	----	----	130.80B/107.90A	130.80B/107.90A	----	----	120.30 + 4.20	.4718	----	----	----	----	34	UNCH		
4245	----	----	----	128.30B/105.80A	128.30B/105.80A	----	----	118.20 + 4.20	.4661	----	----	----	----	219	UNCH		
4250	112.70	112.70	----	126.20B/104.00A	126.20B/104.00A	----	----	116.00 + 4.00	.4604	----	24	----	----	1026	+		
4255	----	----	----	124.00B/102.00A	124.00B/102.00A	----	----	113.90 + 3.90	.4547	----	----	----	----	116	UNCH		
4260	121.10	121.10	----	121.60B/100.10A	121.60B/100.10A	----	----	111.90 + 3.90	.4490	----	8	----	----	183	+		
4265	113.00	113.00	----	119.40B/98.30A	119.40B/98.30A	----	----	109.80 + 3.80	.4433	----	4	----	----	9	UNCH		
4270	105.50	105.50	----	117.60B/96.30A	117.60B/96.30A	----	----	107.80 + 3.70	.4377	----	3	----	----	25	-		
4275	109.40	109.40	----	115.20B/94.70A	115.20B/94.70A	----	----	105.80 + 3.60	.4321	----	27	----	----	87	+		
4280	----	----	----	113.10B/92.80A	113.10B/92.80A	----	----	103.90 + 3.60	.4265	----	1	----	----	67	-		
4285	99.50	99.50	----	111.10B/91.00A	111.10B/91.00A	----	----	101.90 + 3.40	.4209	----	4	----	----	23	UNCH		
4290	102.40	102.40	----	109.20B/89.30A	109.20B/89.30A	----	----	100.00 + 3.40	.4154	----	4	----	----	68	-		
4295	96.50	96.50	----	107.10B/87.60A	107.10B/87.60A	----	----	98.20 + 3.30	.4099	----	1	----	----	94	+		
4300	96.00	96.00	----	105.10B/86.10A	105.10B/86.10A	----	----	96.30 + 3.20	.4044	----	22	----	----	1511	-		
4305	95.70	95.70	----	103.30B/84.30A	103.30B/84.30A	----	----	94.50 + 3.10	.3989	----	3	----	----	38	+		
4310	91.20	91.20	----	101.30B/82.70A	101.30B/82.70A	----	----	92.70 + 3.00	.3935	----	6	----	----	52	+		
4315	----	----	----	99.40B/81.10A	99.40B/81.10A	----	----	91.00 + 3.00	.3882	----	----	----	----	12	UNCH		
4320	----	----	----	97.60B/79.60A	97.60B/79.60A	----	----	89.30 + 3.00	.3828	----	----	----	----	181	UNCH		
4325	90.70	90.70	----	95.70B/78.10A	95.70B/78.10A	----	----	87.60 + 2.90	.3775	----	4	----	----	110	+		
4330	----	----	----	94.00B/76.50A	94.00B/76.50A	----	----	85.90 + 2.80	.3722	----	----	----	----	110	UNCH		
4335	----	----	----	92.40B/75.00A	92.40B/75.00A	----	----	84.30 + 2.70	.3670	----	----	----	----	58	UNCH		
4340	----	----	----	90.50B/73.50A	90.50B/73.50A	----	----	82.70 + 2.70	.3618	----	----	----	----	39	UNCH		
4345	----	----	----	88.90B/72.20A	88.90B/72.20A	----	----	81.10 + 2.60	.3567	----	----	----	----	22	UNCH		
4350	78.30	78.30	----	87.20B/70.80A	87.20B/70.80A	----	----	79.50 + 2.50	.3515	----	13	----	----	1140	+		
4355	79.20	79.20	----	85.50B/69.20A	85.50B/69.20A	----	----	78.00 + 2.50	.3465	----	2	----	----	17	+		
4360	----	----	----	84.00B/68.10A	84.00B/68.10A	----	----	76.50 + 2.40	.3414	----	----	----	----	24	UNCH		
4365	74.10	74.10	----	82.40B/66.60A	82.40B/66.60A	----	----	75.00 + 2.30	.3364	----	1	----	----	15	-		
4370	----	----	----	80.90B/65.30A	80.90B/65.30A	----	----	73.60 + 2.30	.3316	----	----	----	----	71	UNCH		
4375	74.60	74.60	----	79.10B/64.10A	79.10B/64.10A	----	----	72.10 + 2.20	.3265	----	3	----	----	534	UNCH		
4380	----	----	----	77.80B/62.90A	77.80B/62.90A	----	----	70.70 + 2.10	.3217	----	----	----	----	119	UNCH		
4385	----	----	----	76.30B/61.60A	76.30B/61.60A	----	----	69.40 + 2.10	.3170	----	----	----	----	22	UNCH		
4390	67.90	67.90	----	74.80B/60.30A	74.80B/60.30A	----	----	68.00 + 2.00	.3122	----	5	----	----	76	UNCH		
4395	68.80	68.80	----	73.30B/59.20A	73.30B/59.20A	----	----	66.70 + 2.00	.3075	----	1	----	----	105	+		
4400	68.20	68.20	----	71.80B/58.10A	71.80B/58.10A	----	----	65.40 + 1.90	.3028	----	26	----	----	2074	-		
4405	----	----	----	70.50B/56.80A	70.50B/56.80A	----	----	64.10 + 1.90									

BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
OG CALL		COMEX GOLD OPTIONS																				
DEC26																						
4660	----	----	----	25.40B/20.40A	25.40B/20.40A	----	----	----	----	23.10 + 0.40	.1269	----	----	----	----	137	UNCH					
4665	----	----	----	24.90B/20.00A	24.90B/20.00A	----	----	----	----	22.70 + 0.40	.1248	----	----	1	----	94	+					
4670	----	----	----	24.40B/19.60A	24.40B/19.60A	----	----	----	----	22.20 + 0.40	.1225	----	----	----	----	94	UNCH					
4675	21.30	21.30	21.30	23.90B/19.20A	23.90B/19.20A	----	----	----	----	21.80 + 0.40	.1205	----	----	6	----	377	+					
4680	22.70	22.70	22.70	23.40B/18.90A	23.40B/18.90A	----	----	----	----	21.40 + 0.40	.1185	----	----	5	----	202	UNCH					
4685	----	----	----	23.00B/18.50A	23.00B/18.50A	----	----	----	----	21.00 + 0.40	.1165	----	----	2	----	25	UNCH					
4690	----	----	----	22.50B/18.10A	22.50B/18.10A	----	----	----	----	20.60 + 0.40	.1145	----	----	2	----	278	+					
4695	20.90	20.90	20.90	22.10B/17.80A	22.10B/17.80A	----	----	----	----	20.20 + 0.40	.1125	----	----	4	----	324	UNCH					
4700	19.50	19.50	19.50	21.70B/17.50A	21.70B/17.50A	----	----	----	----	19.80 + 0.30	.1105	----	587	----	----	5658	+					
4705	----	----	----	21.20B/17.20A	21.20B/17.20A	----	----	----	----	19.40 + 0.30	.1085	----	----	----	----	156	UNCH					
4710	----	----	----	20.80B/16.80A	20.80B/16.80A	----	----	----	----	19.00 + 0.30	.1065	----	----	----	----	62	UNCH					
4715	----	----	----	20.40B/16.50A	20.40B/16.50A	----	----	----	----	18.70 + 0.30	.1049	----	----	----	----	126	UNCH					
4720	18.20	18.20	18.20	20.00B/16.20A	20.00B/16.20A	----	----	----	----	18.30 + 0.30	.1030	----	----	4	----	143	UNCH					
4725	18.10	18.10	18.10	19.60B/15.90A	19.60B/15.90A	----	----	----	----	18.00 + 0.30	.1013	----	----	2	----	9574	+					
4730	17.20	17.20	17.20	19.20B/15.60A	19.20B/15.60A	----	----	----	----	17.60 + 0.30	.0994	----	----	36	----	172	+					
4735	----	----	----	18.90B/15.30A	18.90B/15.30A	----	----	----	----	17.30 + 0.30	.0978	----	----	----	----	70	UNCH					
4740	----	----	----	18.50B/15.00A	18.50B/15.00A	----	----	----	----	16.90 + 0.20	.0958	----	----	----	----	68	UNCH					
4745	----	----	----	18.20B/14.70A	18.20B/14.70A	----	----	----	----	16.60 + 0.20	.0943	----	----	----	----	65	UNCH					
4750	15.60	15.60	15.60	17.80B/14.40A	17.80B/14.40A	----	----	----	----	16.30 + 0.20	.0927	----	53	----	----	3691	-					
4755	----	----	----	17.40B/14.20A	17.40B/14.20A	----	----	----	----	16.00 + 0.20	.0911	----	----	----	----	41	UNCH					
4760	----	----	----	17.10B/13.90A	17.10B/13.90A	----	----	----	----	15.70 + 0.20	.0896	----	----	----	----	161	UNCH					
4765	----	----	----	16.80B/13.70A	16.80B/13.70A	----	----	----	----	15.40 + 0.20	.0880	----	----	----	----	88	UNCH					
4770	----	----	----	16.40B/13.40A	16.40B/13.40A	----	----	----	----	15.10 + 0.20	.0864	----	----	----	----	51	UNCH					
4775	15.00	15.00	15.00	16.10B/13.20A	16.10B/13.20A	----	----	----	----	14.80 + 0.20	.0849	----	1	----	----	166	-					
4780	----	----	----	15.90B/12.90A	15.90B/12.90A	----	----	----	----	14.50 + 0.10	.0833	----	----	----	----	41	UNCH					
4785	----	----	----	15.50B/12.70A	15.50B/12.70A	----	----	----	----	14.30 + 0.20	.0822	----	----	----	----	67	UNCH					
4790	----	----	----	15.20B/12.50A	15.20B/12.50A	----	----	----	----	14.00 + 0.10	.0806	----	----	----	----	309	UNCH					
4795	----	----	----	14.90B/12.20A	14.90B/12.20A	----	----	----	----	13.80 + 0.20	.0795	----	----	----	----	142	UNCH					
4800	14.50	14.50	14.50	14.70B/12.00A	14.70B/12.00A	----	----	----	----	13.50 + 0.10	.0779	----	111	----	----	9225	+					
4805	----	----	----	14.50B/11.80A	14.50B/11.80A	----	----	----	----	13.30 + 0.20	.0768	----	----	----	----	45	UNCH					
4810	----	----	----	14.10B/11.60A	14.10B/11.60A	----	----	----	----	13.00 + 0.10	.0753	----	----	----	----	86	UNCH					
4815	----	----	----	13.90B/11.40A	13.90B/11.40A	----	----	----	----	12.80 + 0.20	.0741	----	----	----	----	33	UNCH					
4820	12.70	12.70	12.70	13.60B/11.20A	13.60B/11.20A	----	----	----	----	12.50 + 0.10	.0726	----	10	----	----	209	+					
4825	12.00	12.00	12.00	13.40B/11.00A	13.40B/11.00A	----	----	----	----	12.30 + 0.10	.0715	----	1	----	----	263	-					
4830	----	----	----	13.10B/10.80A	13.10B/10.80A	----	----	----	----	12.10 + 0.10	.0704	----	----	----	----	39	UNCH					
4835	----	----	----	12.90B/10.60A	12.90B/10.60A	----	----	----	----	11.90 + 0.10	.0693	----	----	----	----	169	UNCH					
4840	----	----	----	12.70B/10.40A	12.70B/10.40A	----	----	----	----	11.70 + 0.20	.0681	----	----	----	----	162	UNCH					
4845	----	----	----	12.40B/10.20A	12.40B/10.20A	----	----	----	----	11.50 + 0.20	.0670	----	----	----	----	43	UNCH					
4850	11.00	11.00	11.00	12.20B/10.00A	12.20B/10.00A	----	----	----	----	11.30 + 0.20	.0659	----	451	----	----	2494	+					
4855	10.80	10.80	10.80	12.00B/9.90A	12.00B/9.90A	----	----	----	----	11.10 + 0.20	.0648	----	9	----	----	114	-					
4860	----	----	----	11.80B/9.70A	11.80B/9.70A	----	----	----	----	10.90 + 0.20	.0637	----	----	----	----	86	UNCH					
4865	----	----	----	11.60B/9.50A	11.60B/9.50A	----	----	----	----	10.70 + 0.10	.0626	----	----	----	----	55	UNCH					
4870	----	----	----	11.40B/9.40A	11.40B/9.40A	----	----	----	----	10.50 + 0.10	.0616	----	5	----	----	65	+					
4875	10.40	10.40	10.40	11.20B/9.20A	11.20B/9.20A	----	----	----	----	10.30 + 0.10	.0605	----	2	----	----	223	UNCH					
4880	10.00	10.00	10.00	11.00B/9.00A	11.00B/9.00A	----	----	----	----	10.10 + 0.10	.0594	----	18	----	----	313	+					
4885	----	----	----	10.80B/8.90A	10.80B/8.90A	----	----	----	----	10.00 + 0.10	.0587	----	----	----	----	64	UNCH					
4890	----	----	----	10.60B/8.70A	10.60B/8.70A	----	----	----	----	9.80 + 0.10	.0576	----	----	----	----	28	UNCH					
4895	9.70	9.70	9.70	10.40B/8.60A	10.40B/8.60A	----	----	----	----	9.60 + 0.10	.0566	----	2	----	----	253	UNCH					
4900	10.00	10.00	10.00	10.20B/8.50A	10.20B/8.50A	----	----	----	----	9.50 + 0.10	.0559	----	212	----	----	5709	+					
4905	----	----	----	10.10B/8.30A	10.10B/8.30A	----	----	----	----	9.30 + 0.10	.0548	----	----	----	----	48	UNCH					
4910	9.30	9.30	9.30	9.90B/8.20A	9.90B/8.20A	----	----	----	----	9.20 + 0.20	.0542	----	2	----	----	2063	-					
4915	----	----	----	9.70B/8.00A	9.70B/8.00A	----	----	----	----	9.00 + 0.10	.0531	----	----	----	----	55	UNCH					
4920	8.90	8.90	8.90	9.60B/7.90A	9.60B/7.90A	----	----	----	----	8.90 + 0.10	.0525	----	2	----	----	140	+					
4925	----	----	----	9.40B/7.80A	9.40B/7.80A	----	----	----	----	8.70 + 0.10	.0514	----	----	----	----	465	UNCH					
4930	----	----	----	9.20B/7.70A	9.20B/7.70A	----	----	----	----	8.60 + 0.10	.0508	----	----	----	----	37	UNCH					
4935	----	----	----	9.10B/7.60A	9.10B/7.60A	----	----	----	----	8.40 + 0.10	.0497	----	----	----	----	18	UNCH					
4940	----	----	----	8.90B/7.40A	8.90B/7.40A	----	----	----	----	8.30 + 0.10	.0491	----	----	----	----	55	UNCH					
4945	----	----	----	8.80B/7.30A	8.80B/7.30A	----	----	----	----	8.20 + 0.10	.0485	----	----	----	----	31	UNCH					
4950	----	----	----	8.60B/7.20A	8.60B/7.20A	----	----	----	----	8.00 + 0.10	.0474	----	5	----	----	759	-					
4955	----	----	----	8.50B/7.10A	8.50B/7.10A	----	----	----	----	7.90 + 0.10	.0468	----	----	----	----	27	UNCH					
4960	7.80	7.80	7.80	8.30B/7.00A	8.30B/7.00A	----	----	----	----	7.80 + 0.10	.0462	----	2	----	----	158	UNCH					
4965	----	----	----	8.20B/6.80A	8.20B/6.80A	----	----	----	----	7.70 + 0.10	.0456	----	----	----	----	144	UNCH					
4970	7.50	7.50	7.50	8.10B/6.70A	8.10B/6.70A	----	----	----	----	7.50 UNCH	.0446	----	1	----	----	70	UNCH					
4975	----	----	----	7.90B/6.60A	7.																	

BULLETIN #189@				METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64	
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL		COMEX GOLD OPTIONS															
DEC26																	
5345	----	----	----	3.00B/2.70A	3.00B/2.70A	----	----	----	2.90 + 0.10	.0168	----	----	----	----	38	UNCH	
5350	----	----	----	2.90B/2.60A	2.90B/2.60A	----	----	----	2.90 + 0.20	.0168	----	----	2	----	866 +	2	
5355	----	----	----	2.90B/2.60A	2.90B/2.60A	----	----	----	2.90 + 0.20	.0167	----	----	----	----	21	UNCH	
5360	----	----	----	2.90B/2.60A	2.90B/2.60A	----	----	----	2.90 + 0.20	.0167	----	----	----	----	119	UNCH	
5365	----	----	----	2.80B/2.60A	2.80B/2.60A	----	----	----	2.80 + 0.10	.0162	----	----	----	----	23	UNCH	
5370	----	----	----	2.80B/2.50A	2.80B/2.50A	----	----	----	2.80 + 0.20	.0161	----	----	----	----	43	UNCH	
5375	----	----	----	2.80B/2.50A	2.80B/2.50A	----	----	----	2.80 + 0.20	.0161	----	----	----	----	90	UNCH	
5380	----	----	----	2.80B/2.50A	2.80B/2.50A	----	----	----	2.80 + 0.20	.0160	----	----	----	----	44	UNCH	
5385	----	----	----	2.80B/2.50A	2.80B/2.50A	----	----	----	2.70 + 0.10	.0155	----	----	----	----	45	UNCH	
5390	----	----	----	2.70B/----	2.70B/2.50A	----	----	----	2.70 + 0.20	.0155	----	----	----	----	214	UNCH	
5395	----	----	----	2.70B/2.40A	2.70B/2.40A	----	----	----	2.70 + 0.20	.0154	----	----	----	----	13	UNCH	
5400	----	----	----	2.70B/2.40A	2.70B/2.40A	----	----	----	2.70 + 0.20	.0154	----	----	4237	----	4237	UNCH	
5405	----	----	----	2.70B/2.40A	2.70B/2.40A	----	----	----	2.60 + 0.10	.0149	----	----	----	----	54	UNCH	
5410	----	----	----	2.60B/2.40A	2.60B/2.40A	----	----	----	2.60 + 0.10	.0149	----	----	----	----	28	UNCH	
5415	----	----	----	2.60B/----	2.60B/2.40A	----	----	----	2.60 + 0.20	.0148	----	----	----	----	4	UNCH	
5420	----	----	----	2.60B/2.30A	2.60B/2.30A	----	----	----	2.60 + 0.20	.0148	----	----	----	----	11	UNCH	
5425	----	----	----	2.60B/2.30A	2.60B/2.30A	----	----	----	2.50 + 0.10	.0143	----	----	----	----	259	UNCH	
5430	----	----	----	2.50B/2.30A	2.50B/2.30A	----	----	----	2.50 + 0.10	.0143	----	----	----	----	16	UNCH	
5435	----	----	----	2.50B/2.30A	2.50B/2.30A	----	----	----	2.50 + 0.10	.0142	----	----	----	----	23	UNCH	
5440	----	----	----	2.50B/----	2.50B/2.30A	----	----	----	2.50 + 0.20	.0142	----	----	----	----	12	UNCH	
5445	----	----	----	2.50B/2.20A	2.50B/2.20A	----	----	----	2.50 + 0.20	.0141	----	----	----	----	45	UNCH	
5450	----	----	----	2.40B/2.20A	2.40B/2.20A	----	----	----	2.40 + 0.10	.0137	----	----	----	----	447	UNCH	
5455	----	----	----	2.40B/2.20A	2.40B/2.20A	----	----	----	2.40 + 0.10	.0136	----	----	----	----	28	UNCH	
5460	----	----	----	2.40B/2.20A	2.40B/2.20A	----	----	----	2.40 + 0.10	.0136	----	----	----	----	48	UNCH	
5465	----	----	----	2.40B/----	2.40B/2.20A	----	----	----	2.40 + 0.20	.0135	----	----	----	----	70	UNCH	
5470	----	----	----	2.30B/----	2.30B/2.20A	----	----	----	2.40 + 0.20	.0135	----	----	----	----	21	UNCH	
5475	----	----	----	2.30B/2.10A	2.30B/2.10A	----	----	----	2.40 + 0.20	.0135	----	----	----	----	588	UNCH	
5480	----	----	----	2.30B/2.10A	2.30B/2.10A	----	----	----	2.30 + 0.10	.0130	----	----	----	----	104	UNCH	
5485	----	----	----	2.30B/2.10A	2.30B/2.10A	----	----	----	2.30 + 0.10	.0130	----	----	----	----	7	UNCH	
5490	----	----	----	2.30B/2.10A	2.30B/2.10A	----	----	----	2.30 + 0.10	.0129	----	----	----	----	25	UNCH	
5495	----	----	----	2.20B/----	2.20B/2.10A	----	----	----	2.30 + 0.20	.0129	----	----	----	----	100	UNCH	
5500	2.20	2.20	2.20	2.40/2.10	2.40/2.10	----	----	----	2.30 + 0.20	.0129	----	----	435	----	17080 -	147	
5505	----	----	----	2.20B/----	2.20B/2.10A	----	----	----	2.30 + 0.20	.0128	----	----	----	----	15	UNCH	
5510	----	----	----	2.20B/2.00A	2.20B/2.00A	----	----	----	2.30 + 0.20	.0128	----	----	----	----	37	UNCH	
5515	----	----	----	2.20B/2.00A	2.20B/2.00A	----	----	----	2.20 + 0.10	.0123	----	----	----	----	11	UNCH	
5520	----	----	----	2.20B/2.00A	2.20B/2.00A	----	----	----	2.20 + 0.10	.0123	----	----	----	----	26	UNCH	
5525	----	----	----	2.10B/----	2.10B/2.00A	----	----	----	2.20 + 0.20	.0123	----	----	----	----	129	UNCH	
5530	----	----	----	2.10B/----	2.10B/2.00A	----	----	----	2.20 + 0.20	.0122	----	----	----	----	7	UNCH	
5535	----	----	----	2.10B/----	2.10B/2.00A	----	----	----	2.20 + 0.20	.0122	----	----	----	----	10	UNCH	
5540	----	----	----	2.10B/----	2.10B/2.00A	----	----	----	2.20 + 0.20	.0122	----	----	----	----	33	UNCH	
5545	----	----	----	2.10B/1.90A	2.10B/1.90A	----	----	----	2.20 + 0.20	.0121	----	----	----	----	5	UNCH	
5550	----	----	----	2.10B/----	2.10B/1.90A	----	----	----	2.10 + 0.20	.0117	----	----	----	----	446	UNCH	
5555	----	----	----	2.10B/----	2.10B/1.90A	----	----	----	2.10 + 0.20	.0116	----	----	----	----	9	UNCH	
5560	----	----	----	2.10B/----	2.10B/1.90A	----	----	----	2.10 + 0.20	.0116	----	----	----	----	23	UNCH	
5565	----	----	----	2.00B/----	2.00B/1.90A	----	----	----	2.10 + 0.20	.0116	----	----	----	----	27	UNCH	
5570	----	----	----	2.00B/----	2.00B/1.90A	----	----	----	2.10 + 0.20	.0115	----	----	----	----	257	UNCH	
5575	----	----	----	2.00B/----	2.00B/1.90A	----	----	----	2.10 + 0.20	.0115	----	----	----	----	28	UNCH	
5580	----	----	----	2.00B/----	2.00B/1.90A	----	----	----	2.00 + 0.10	.0110	----	----	----	----	7	UNCH	
5585	----	----	----	2.00B/----	2.00B/1.80A	----	----	----	2.00 + 0.20	.0110	----	----	----	----	9	UNCH	
5590	----	----	----	2.00B/----	2.00B/1.80A	----	----	----	2.00 + 0.20	.0110	----	----	----	----	5	UNCH	
5595	----	----	----	1.90B/----	1.90B/1.80A	----	----	----	2.00 + 0.20	.0110	----	----	73	----	10	UNCH	
5600	1.80	1.80	1.80	1.90/1.80	1.90/1.80	----	----	----	2.00 + 0.20	.0109	----	----	----	----	3092 -	30	
5605	----	----	----	1.90B/----	1.90B/1.80A	----	----	----	2.00 + 0.20	.0109	----	----	----	----	31	UNCH	
5610	----	----	----	1.90B/----	1.90B/1.80A	----	----	----	2.00 + 0.20	.0109	----	----	----	----	8	UNCH	
5615	----	----	----	1.90B/----	1.90B/1.80A	----	----	----	1.90 + 0.20	.0104	----	----	----	----	34	UNCH	
5620	----	----	----	1.90B/----	1.90B/1.80A	----	----	----	1.90 + 0.20	.0104	----	----	----	----	13	UNCH	
5625	----	----	----	1.80B/----	1.80B/1.80A	----	----	----	1.90 + 0.20	.0104	----	----	----	----	4	UNCH	
5630	----	----	----	1.80B/----	1.80B/1.80A	----	----	----	1.90 + 0.20	.0103	----	----	----	----	8	UNCH	
5635	----	----	----	1.80B/----	1.80B/1.70A	----	----	----	1.90 + 0.20	.0103	----	----	----	----	35	UNCH	
5640	----	----	----	1.80B/----	1.80B/1.70A	----	----	----	1.90 + 0.20	.0103	----	----	----	----	8	UNCH	
5645	----	----	----	1.80B/----	1.80B/1.70A	----	----	----	1.90 + 0.20	.0103	----	----	----	----	2	UNCH	
5650	----	----	----	1.80B/----	1.80B/1.70A	----	----	----	1.90 + 0.20	.0103	----	----	----	----	352	UNCH	
5655	----	----	----	1.80B/----	1.80B/1.70A	----	----	----	1.80 + 0.20	.0098	----	----	----	----	38	UNCH	
5660	----	----	----	1.80B/----	1.80B/1.70A	----	----	----	1.80 + 0.20	.0098	----	----	----	----	28	UNCH	
5665	----	----	----	1.80B/----	1.80B/1.70A	----	----	----	1.80 + 0.20	.0097	----	----	----	----	6	UNCH	
5670	----	----	----	1.70B/----	1.70B/1.70A	----	----	----	1.80 + 0.20	.0097	----	----	----	----	161	UNCH	
5675	----	----	----	1.70B/----	1.70B/1.70A	----	----	----	1.80 + 0.20	.0097	----	----	----	----	57	UNCH	
5680	----	----	----	1.70B/----	1.70B/1.70A	----	----	----	1.80 + 0.20	.0097	----	----	----	----	40	UNCH	
5685	----	----	----	1.70B/----	1.70B/1.70A	----	----	----	1.80 + 0.20	.0097	----	----	----	----	28	UNCH	
5690	----	----	----	1.70B/----	1.70B/1.70A	----	----	----	1.80 + 0.20	.0096	----	----	----	----	63	UNCH	
5695	----	----	----	1.70B/----	1.70B/1.60A	----	----	----	1.80 + 0.20	.0096	----	----	----	----	37	UNCH	
5700	----	----	----	1.70B/----	1.70B/1.60A	----	----	----	1.80 + 0.20	.0096	----	----	----	----	833	UNCH	
5705	----	----	----	1.70B/----	1.70B/1.6												

BULLETIN #189@				METALS OPTION PRODUCTS										Thu, Oct 01, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME			OPEN INTEREST			
OG CALL	COMEX GOLD OPTIONS																
DEC26																	
20000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----			38018			
21000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----			39			
23000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----			5			
24000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----			167			
TOTAL										6635	1,500	309974	-	433			
JAN27																	
3050	----	----	1,200.80B/1.163	1200.80B/1163.30A	----	1187.70	+ 15.60	.9852	----	1	----			0			
3150	----	----	1,098.40B/1.066	1098.40B/1066.40A	----	1088.50	+ 15.50	.9798	----	1	----			13 +			
3200	----	----	1,048.00B/1.017	1048.00B/1017.50A	----	1039.10	+ 15.40	.9767	----	----	----			11			
3250	----	----	998.30B/968.50A	998.30B/968.50A	----	989.80	+ 15.30	.9728	----	----	----			25			
3300	----	----	949.20B/919.50A	949.20B/919.50A	----	940.80	+ 15.30	.9684	----	----	----			18			
3500	----	----	756.70B/725.20A	756.70B/725.20A	----	747.30	+ 14.80	.9418	----	----	----			1			
4000	----	----	328.30B/295.20A	328.30B/295.20A	----	316.10	+ 9.80	.7241	1	----	----			369 +			
4010	----	----	321.20B/288.50A	321.20B/288.50A	----	309.10	+ 9.60	.7165	----	----	----			1			
4070	----	----	280.10B/249.60A	280.10B/249.60A	----	268.70	+ 8.60	.6682	----	----	----			1			
4100	----	----	260.90B/232.00A	260.90B/232.00A	----	249.80	+ 8.10	.6427	----	----	----			105			
4110	----	----	254.80B/226.00A	254.80B/226.00A	----	243.70	+ 7.90	.6340	----	----	----			1			
4125	----	----	245.50B/216.80A	245.50B/216.80A	----	234.70	+ 7.60	.6208	----	----	----			2			
4130	----	----	242.60B/214.10A	242.60B/214.10A	----	231.80	+ 7.50	.6164	----	----	----			1			
4140	----	----	236.70B/208.50A	236.70B/208.50A	----	226.00	+ 7.30	.6076	----	----	----			1			
4150	----	----	230.70B/203.20A	230.70B/203.20A	----	220.30	+ 7.20	.5986	----	----	----			6			
4155	----	----	227.90B/200.50A	227.90B/200.50A	----	217.50	+ 7.10	.5942	----	----	----			1			
4160	----	----	225.10B/197.90A	225.10B/197.90A	----	214.70	+ 7.00	.5897	----	----	----			213			
4165	----	----	223.60B/195.30A	223.60B/195.30A	----	212.00	+ 6.90	.5852	----	----	----			1			
4170	----	----	221.10B/192.80A	221.10B/192.80A	----	209.20	+ 6.80	.5807	----	----	----			3			
4180	----	----	215.80B/187.70A	215.80B/187.70A	----	203.80	+ 6.60	.5716	----	----	----			17			
4185	----	----	213.00B/185.20A	213.00B/185.20A	----	201.20	+ 6.50	.5671	----	----	----			4			
4190	----	----	210.30B/182.70A	210.30B/182.70A	----	198.60	+ 6.50	.5625	----	----	----			10			
4200	192.20	192.20	204.80B/177.80A	204.80B/177.80A	----	193.40	+ 6.30	.5534	----	2	----			70			
4205	----	----	202.30B/175.40A	202.30B/175.40A	----	190.80	+ 6.20	.5489	----	----	----			11			
4215	----	----	197.10B/170.70A	197.10B/170.70A	----	185.80	+ 6.00	.5398	----	----	----			11			
4220	170.00	170.00	194.40B/168.40A	194.40B/168.40A	----	183.30	+ 5.90	.5352	----	1	----			26 +			
4225	171.70	171.70	191.80B/166.10A	191.80B/166.10A	----	180.90	+ 5.90	.5306	7	----	----			102 +			
4230	----	----	189.30B/163.80A	189.30B/163.80A	----	178.50	+ 5.80	.5261	----	----	----			26			
4235	171.40	171.40	186.80B/161.60A	186.80B/161.60A	----	176.10	+ 5.70	.5215	38	----	----			55 +			
4240	173.10	173.10	184.40B/159.40A	184.40B/159.40A	----	173.70	+ 5.60	.5170	9	----	----			16 +			
4245	----	----	181.90B/157.20A	181.90B/157.20A	----	171.30	+ 5.50	.5124	2	----	----			6			
4250	----	----	179.50B/155.00A	179.50B/155.00A	----	169.00	+ 5.40	.5079	49	----	----			666 +			
4255	----	----	177.10B/152.80A	177.10B/152.80A	----	166.70	+ 5.30	.5033	----	----	----			8			
4260	----	----	174.80B/150.70A	174.80B/150.70A	----	164.40	+ 5.20	.4988	----	----	----			12			
4270	155.40	155.40	170.10B/146.50A	170.10B/146.50A	----	160.00	+ 5.10	.4898	3	----	----			8 +			
4275	154.30	154.30	167.80B/144.50A	167.80B/144.50A	----	157.80	NEW	.4852	5	----	----			5 +			
4280	----	----	165.50B/142.60A	165.50B/142.60A	----	155.60	+ 4.90	.4807	----	----	----			10			
4290	----	----	161.10B/138.50A	161.10B/138.50A	----	151.30	+ 4.70	.4718	----	----	----			2			
4300	142.90	142.90	156.70B/134.70A	156.70B/134.70A	----	147.20	+ 4.70	.4629	4	----	----			72			
4305	145.40	145.40	154.60B/132.80A	154.60B/132.80A	----	145.10	+ 4.50	.4584	2	----	----			9			
4310	----	----	152.50B/130.80A	152.50B/130.80A	----	143.10	+ 4.50	.4540	----	----	----			3			
4315	141.80	141.80	150.40B/129.00A	150.40B/129.00A	----	141.10	NEW	.4496	10	----	----			10 +			
4320	----	----	148.30B/127.10A	148.30B/127.10A	----	139.10	+ 4.30	.4452	----	----	----			1			
4325	----	----	146.20B/125.40A	146.20B/125.40A	----	137.10	+ 4.20	.4408	----	----	----			2			
4330	----	----	144.20B/123.60A	144.20B/123.60A	----	135.20	+ 4.20	.4365	----	----	----			60			
4335	----	----	142.20B/121.80A	142.20B/121.80A	----	133.30	+ 4.10	.4321	----	----	----			3			
4340	----	----	140.30B/119.90A	140.30B/119.90A	----	131.40	+ 4.00	.4278	----	----	----			2			
4345	132.70	132.70	138.30B/118.30A	138.30B/118.30A	----	129.50	+ 3.90	.4235	2	----	1500			7 +			
4350	----	----	136.40B/116.60A	136.40B/116.60A	----	127.70	+ 3.90	.4192	----	----	----			1605 +			
4355	129.00	129.00	134.50B/114.90A	134.50B/114.90A	----	125.90	+ 3.90	.4150	2	----	----			71			
4360	----	----	132.60B/113.20A	132.60B/113.20A	----	124.10	+ 3.80	.4107	----	----	----			90			
4365	----	----	130.70B/111.60A	130.70B/111.60A	----	122.30	+ 3.70	.4065	----	----	----			243			
4370	122.50	122.50	128.90B/110.00A	128.90B/110.00A	----	120.60	+ 3.70	.4023	2	----	----			37 +			
4375	----	----	127.10B/108.40A	127.10B/108.40A	----	118.80	+ 3.60	.3981	----	----	----			204			
4380	----	----	125.30B/106.80A	125.30B/106.80A	----	117.10	+ 3.50	.3939	----	----	----			1			
4385	116.20	116.20	123.50B/105.30A	123.50B/105.30A	----	115.40	+ 3.40	.3898	3	----	----			24 +			
4390	----	----	121.70B/103.70A	121.70B/103.70A	----	113.80	+ 3.40	.3857	----	----	----			7			
4395	----	----	120.00B/102.20A	120.00B/102.20A	----	112.10	+ 3.30	.3815	----	----	----			4			
4400	----	----	118.30B/100.70A	118.30B/100.70A	----	110.50	+ 3.30	.3775	11	----	----			372 +			
4405	----	----	116.60B/99.30A	116.60B/99.30A	----	108.90	+ 3.20	.3735	----	----	----			5			
4410	----	----	115.00B/97.80A	115.00B/97.80A	----	107.30	+ 3.10	.3694	----	----	----			22			
4415	----	----	113.30B/96.40A	113.30B/96.40A	----	105.80	+ 3.20	.3655	----	----	----			8			
4420	----	----	111.70B/94.90A	111.70B/94.90A	----	104.20	+ 3.00	.3614	1	----	----			20			
4425	----	----	110.10B/93.60A	110.10B/93.60A													

BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
GLOBAL OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST									
OG CALL		COMEX GOLD OPTIONS																				
JAN27																						
4770	----	----	39.708/33.40A	39.708/33.40A	----	----	36.90 + 1.00	.1550	----	----	----	----	46	UNCH								
4775	----	----	39.108/33.00A	39.108/33.00A	----	----	36.30 + 0.90	.1528	----	----	----	----	16	UNCH								
4780	----	----	38.508/32.50A	38.508/32.50A	----	----	35.80 + 0.90	.1510	----	----	15	----	12	+								
4785	----	----	37.908/32.00A	37.908/32.00A	----	----	35.30 + 0.90	.1491	----	----	----	----	38	UNCH								
4790	----	----	37.308/31.60A	37.308/31.60A	----	----	34.80 + 0.90	.1472	----	----	----	----	11	UNCH								
4795	----	----	36.808/31.10A	36.808/31.10A	----	----	34.30 + 0.90	.1454	----	----	----	----	27	UNCH								
4800	----	----	36.308/30.70A	36.308/30.70A	----	----	33.80 + 0.90	.1435	----	----	13	----	2825	UNCH								
4805	----	----	35.708/30.20A	35.708/30.20A	----	----	33.30 + 0.90	.1417	----	----	----	----	28	UNCH								
4810	----	----	35.208/29.70A	35.208/29.70A	----	----	32.80 + 0.80	.1398	----	----	----	----	3	UNCH								
4815	----	----	34.708/29.30A	34.708/29.30A	----	----	32.30 + 0.80	.1380	----	----	----	----	36	UNCH								
4820	----	----	34.208/29.00A	34.208/29.00A	----	----	31.90 + 0.80	.1364	----	----	----	----	8	UNCH								
4825	----	----	33.708/28.60A	33.708/28.60A	----	----	31.40 + 0.80	.1345	----	----	----	----	51	UNCH								
4830	----	----	33.208/28.20A	33.208/28.20A	----	----	31.00 + 0.80	.1330	----	----	----	----	22	UNCH								
4835	----	----	32.708/27.70A	32.708/27.70A	----	----	30.50 + 0.80	.1311	----	----	----	----	2	UNCH								
4840	----	----	32.308/27.30A	32.308/27.30A	----	----	30.10 + 0.80	.1296	----	----	----	----	22	UNCH								
4845	----	----	31.808/27.00A	31.808/27.00A	----	----	29.60 + 0.70	.1277	----	----	----	----	24	UNCH								
4850	----	----	31.308/26.60A	31.308/26.60A	----	----	29.20 + 0.70	.1262	----	----	1	----	362	UNCH								
4855	----	----	30.908/26.20A	30.908/26.20A	----	----	28.80 + 0.70	.1246	----	----	----	----	6	UNCH								
4860	----	----	30.408/25.80A	30.408/25.80A	----	----	28.40 + 0.70	.1231	----	----	----	----	2	UNCH								
4865	----	----	29.908/25.50A	29.908/25.50A	----	----	28.00 + 0.70	.1215	----	----	----	----	1	UNCH								
4870	----	----	29.608/25.10A	29.608/25.10A	----	----	27.60 + 0.70	.1200	----	----	----	----	237	UNCH								
4875	26.90	26.90	29.108/24.70A	29.108/24.70A	----	----	27.20 + 0.70	.1184	----	----	2	----	8	+								
4880	27.10	27.10	28.708/24.40A	28.708/24.40A	----	----	26.80 + 0.70	.1169	----	----	18	----	46	+								
4885	----	----	28.308/24.10A	28.308/24.10A	----	----	26.50 + 0.70	.1156	----	----	----	----	42	UNCH								
4890	25.20	25.20	27.908/23.70A	27.908/23.70A	----	----	26.10 + 0.70	.1141	----	----	2	----	5	+								
4895	----	----	27.408/23.40A	27.408/23.40A	----	----	25.70 + 0.60	.1125	----	----	----	----	27	UNCH								
4900	26.20	26.20	27.108/23.10A	27.108/23.10A	----	----	25.40 + 0.70	.1113	----	----	11	----	2716	+								
4905	24.20	24.20	26.708/22.80A	26.708/22.80A	----	----	25.00 + 0.60	.1097	----	----	10	----	21	+								
4910	----	----	26.408/22.50A	26.408/22.50A	----	----	24.70 + 0.70	.1085	----	----	----	----	29	UNCH								
4915	----	----	26.008/22.20A	26.008/22.20A	----	----	24.30 + 0.60	.1070	----	----	----	----	95	UNCH								
4920	----	----	25.608/21.80A	25.608/21.80A	----	----	24.00 + 0.60	.1057	----	----	----	----	18	UNCH								
4925	22.90	22.90	25.208/21.60A	25.208/21.60A	----	----	23.60 + 0.60	.1042	----	----	3	----	4	+								
4930	----	----	24.908/21.30A	24.908/21.30A	----	----	23.30 + 0.60	.1030	----	----	----	----	2	UNCH								
4935	----	----	24.508/20.90A	24.508/20.90A	----	----	23.00 + 0.60	.1017	----	----	----	----	1	UNCH								
4940	----	----	24.208/20.70A	24.208/20.70A	----	----	22.70 + 0.60	.1005	----	----	2	----	3	UNCH								
4945	----	----	23.808/20.40A	23.808/20.40A	----	----	22.40 + 0.60	.0993	----	----	----	----	6	UNCH								
4950	----	----	23.508/20.10A	23.508/20.10A	----	----	22.10 + 0.60	.0981	----	----	250	----	538	+								
4955	----	----	23.208/19.80A	23.208/19.80A	----	----	21.80 + 0.60	.0968	----	----	----	----	2	UNCH								
4960	----	----	22.908/19.60A	22.908/19.60A	----	----	21.50 + 0.60	.0956	----	----	----	----	4	UNCH								
4965	----	----	22.608/19.30A	22.608/19.30A	----	----	21.20 + 0.60	.0944	----	----	----	----	20	UNCH								
4970	21.50	21.50	22.308/19.00A	22.308/19.00A	----	----	20.90 + 0.60	.0932	----	----	10	----	13	+								
4975	----	----	22.008/18.80A	22.008/18.80A	----	----	20.60 + 0.50	.0920	----	----	----	----	3	UNCH								
4980	----	----	21.608/18.60A	21.608/18.60A	----	----	20.30 + 0.50	.0908	----	----	----	----	1	UNCH								
4985	----	----	21.308/18.30A	21.308/18.30A	----	----	20.00 + 0.50	.0896	----	----	----	----	16	UNCH								
4990	----	----	21.008/18.00A	21.008/18.00A	----	----	19.80 + 0.50	.0887	----	----	----	----	24	UNCH								
4995	----	----	20.808/17.80A	20.808/17.80A	----	----	19.50 + 0.50	.0875	----	----	----	----	6	UNCH								
5000	19.40	19.40	20.70/17.50A	20.70/17.50A	----	----	19.20 + 0.40	.0863	----	----	22	----	4323	+								
5005	----	----	20.208/17.30A	20.208/17.30A	----	----	19.00 + 0.50	.0854	----	----	----	----	15	UNCH								
5010	----	----	19.908/17.10A	19.908/17.10A	----	----	18.70 + 0.40	.0842	----	----	----	----	74	UNCH								
5015	----	----	19.608/16.90A	19.608/16.90A	----	----	18.50 + 0.50	.0833	----	----	----	----	3	UNCH								
5020	----	----	19.408/16.70A	19.408/16.70A	----	----	18.20 + 0.40	.0821	----	----	----	----	2	UNCH								
5025	----	----	19.108/16.40A	19.108/16.40A	----	----	18.00 + 0.50	.0812	----	----	----	----	9	UNCH								
5030	----	----	18.908/16.30A	18.908/16.30A	----	----	17.80 + 0.50	.0803	----	----	----	----	5	UNCH								
5035	17.10	17.10	18.608/16.00A	18.608/16.00A	----	----	17.50 + 0.40	.0792	----	----	2	----	31	+								
5040	----	----	18.408/15.80A	18.408/15.80A	----	----	17.30 + 0.40	.0783	----	----	----	----	19	UNCH								
5045	17.00	17.00	18.208/15.60A	18.208/15.60A	----	----	17.10 + 0.50	.0774	----	----	1	----	3	+								
5050	17.00	17.00	17.908/15.30A	17.908/15.30A	----	----	16.80 + 0.40	.0762	----	----	12	----	267	UNCH								
5055	16.70	16.70	17.708/15.20A	17.708/15.20A	----	----	16.60 + 0.40	.0754	----	----	9	----	18	+								
5060	----	----	17.408/15.00A	17.408/15.00A	----	----	16.40 + 0.40	.0745	----	----	----	----	40	UNCH								
5065	----	----	17.208/14.80A	17.208/14.80A	----	----	16.20 + 0.40	.0736	----	----	----	----	2	UNCH								
5070	----	----	17.008/14.60A	17.008/14.60A	----	----	16.00 + 0.40	.0728	----	----	----	----	8	UNCH								
5075	----	----	16.808/14.50A	16.808/14.50A	----	----	15.80 + 0.40	.0719	----	----	----	----	9	UNCH								
5080	----	----	16.508/14.30A	16.508/14.30A	----	----	15.60 + 0.40	.0711	----	----	----	----	19	UNCH								
5085	----	----	16.308/14.10A	16.308/14.10A	----	----	15.40 + 0.40	.0702	----	----	----	----	33	UNCH								
5090	----	----	16.108/13.90A	16.108/13.90A	----	----	15.20 + 0.40	.0693	----	----	----	----	3	UNCH								
5095	----	----	15.908/13.80A	15.908/13.80A	----	----	15.00 + 0.40	.0685	----	----	----	----	3	UNCH								
5100	14.40	14.40	15.708/13.50A	15.708/13.50A	----	----	14.80 + 0.40	.0676	----	----	33	----	349	+								
5105	----	----	15.508/13.40A	15.508/13.40A	----	----	14.60 + 0.30	.0668	----	----	----	----	27	UNCH								
5110	----	----	15.308/13.20A	15.308/13.20A	----	----	14.40 + 0.30	.0660	----	----	----	----	2	UNCH								
5115	14.80	14.80	15.108/13.10A	15.108/13.10A	----	----	14.30 + 0.40	.0654	----	----	5	----	19	+								
5120	13.60	13.60	14.908/12.90A	14.908/12.90A	----	----	14.10 + 0.40	.0646	----	----	10	----	13	+								
5125	----	----	14.708/12.70A	14.708/12.70A	----	----	13.90 + 0.30	.0637	----	----	----	----	44	UNCH								
5130	----	----	14.508/12.60A	14.508/12.60A	----	----	13.70 + 0.30	.0629	----	----	----	----	20	UNCH								
5135	----	----	14.408/12.40A	14.408/12.40A	----	----	13.60 + 0.40	.0624	----	----	----	----	52	UNCH								
5140	13.10	13.10	14.208/12.40A	14.208/12.40A	----	----	13.40 + 0.30	.0616	----	----	10	----	29	+								
5145	----	----	14.008/12.20A	14.008/12.20A	----	----	13.20 + 0.30	.0607	----	----	----	----	24	UNCH								
5150	----	----	13.808/12.00A	13.808/12.00A	----	----	13.10 + 0.40	.0602	----	----	----	----	254	UNCH								
5155	----	----	13.608/11.90A	13.608/11.90A	----	----	12.90 + 0.30	.0594	----	----	----	----	22	UNCH								
5160	----	----	13.508/11.80A	13.508/11.80A	----	----	12.80 + 0.40	.0589	----	----	----	----	17	UNCH								
5165	----	----	13.308/11.70A	13.308/11.70A	----	----	12.60 + 0.30	.0580	----	----	----	----	7	UNCH								
5170	----	----	13.208/11.50A	13.208/11.50A	----	----	12.50 + 0.40	.0575	----	----	----	----	14	UNCH								
5175	----	----	13.008/11.30A	13.008/11.30A	----	----	12.30 + 0.30	.0567	----	----	----	----	235	UNCH								
5180	----	----	12.808/11.30A	12.808/11.30A	----	----	12.20 + 0.40	.0562	----	----	----	----	14	UNCH								
5185	----	----	12.708/11.10A	12.708/11.10A	----	----	12.00 + 0.30	.0554	----	----	----	----	9	UNCH								
5190	----	----	12.508/11.00A	12.508/11.00A	----	----	11.90 + 0.30	.0549	----	----	----	----	3	UNCH								
5195	----	----	12.408/10.90A	12.408/10.90A	----	----	11.80 + 0.40	.0544	----	----	----	----	5	UNCH								
5200	11.60	11.60	12.208/10.70A	12.208/10.70A	----	----	11.60 + 0.30	.0536	----	----	32	----	931	+								
5205	----	----	12.108/10.60A	12.108/10.60A	----	----	11.50 + 0.40	.0531	----	----	----	----	25	UNCH								
5210	----	----	11.908/10.50A	11.908/10.50A	----	----	11.40 + 0.40	.0526	----	----	----	----	16	UNCH								
5215	----	----	11.808/10.40A	11.808/10.40A	----	----	11.20 + 0.30	.0518	----	----	----	----	20	UNCH								
5220	----	----	11.708/10.30A	11.708/10.30A	----	----	11.10 + 0.30	.0513	----	----	----	----	12	UNCH								
5225	----	----	11.508/10.00A	11.508/10.00A	----	----	11.00 + 0.40	.0508	----	----	----	----	108	UNCH								
5230	----	----	11.408/10.10A	11.408/10.10A	----	----	10.90 + 0.40	.0504	----	----	----	----	7	UNCH								
5235	----	----	11.208/10.00A	11.208/10.00A	----	----	10.70 + 0.30	.0496	----	----	----</											

PG64		BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME					OPEN INTEREST				
OG CALL		COMEX GOLD OPTIONS																						
FEB27																								
4520	----	----	----	----	106.30B/92.30A	106.30B/92.30A	----	----	----	100.10 + 2.60	.3172	----	----	----	----	----	62	UNCH	----	----	62	UNCH	----	----
4525	----	----	----	----	105.00B/91.30A	105.00B/91.30A	----	----	----	98.80 + 2.50	.3140	----	----	----	----	----	25	UNCH	----	----	25	UNCH	----	----
4535	----	----	----	----	102.40B/88.80A	102.40B/88.80A	----	----	----	96.30 + 2.40	.3078	----	----	----	----	----	1	UNCH	----	----	1	UNCH	----	----
4540	----	----	----	----	101.10B/87.70A	101.10B/87.70A	----	----	----	95.10 + 2.40	.3048	----	----	----	----	----	100	UNCH	----	----	100	UNCH	----	----
4545	----	----	----	----	99.80B/86.60A	99.80B/86.60A	----	----	----	93.90 + 2.30	.3018	----	----	----	----	----	1	UNCH	----	----	1	UNCH	----	----
4550	----	----	----	----	98.60B/85.50A	98.60B/85.50A	----	----	----	92.70 + 2.30	.2988	----	----	----	----	----	206	UNCH	----	----	206	UNCH	----	----
4555	----	----	----	----	97.40B/84.40A	97.40B/84.40A	----	----	----	91.60 + 2.30	.2959	----	----	----	----	----	5	UNCH	----	----	5	UNCH	----	----
4560	----	----	----	----	96.10B/83.50A	96.10B/83.50A	----	----	----	90.40 + 2.20	.2929	----	----	----	----	----	18	UNCH	----	----	18	UNCH	----	----
4565	----	----	----	----	94.90B/82.40A	94.90B/82.40A	----	----	----	89.30 + 2.30	.2900	----	----	----	----	----	13	UNCH	----	----	13	UNCH	----	----
4570	----	----	----	----	93.70B/81.40A	93.70B/81.40A	----	----	----	88.20 + 2.20	.2872	----	----	----	----	----	19	UNCH	----	----	19	UNCH	----	----
4575	----	----	----	----	92.60B/80.20A	92.60B/80.20A	----	----	----	87.00 + 2.10	.2842	----	----	----	----	----	10	UNCH	----	----	10	UNCH	----	----
4585	79.90	79.90	79.90	79.90	90.30B/78.30A	90.30B/78.30A	----	----	----	84.90 + 2.10	.2786	----	----	2	----	----	50	UNCH	----	----	50	UNCH	----	----
4590	79.80	79.80	79.80	79.80	89.10B/77.30A	89.10B/77.30A	----	----	----	83.80 + 2.10	.2757	----	----	2	----	----	21	+	2	----	21	+	2	----
4595	----	----	----	----	88.00B/76.20A	88.00B/76.20A	----	----	----	82.70 + 2.00	.2729	----	----	----	----	----	50	UNCH	----	----	50	UNCH	----	----
4600	83.00	83.00	83.00	83.00	86.90B/75.40A	86.90B/75.40A	----	----	----	81.70 + 2.00	.2702	----	----	28	----	2034	+	1	----	2034	+	1	----	----
4605	78.70	78.70	78.70	78.70	85.80B/74.40A	85.80B/74.40A	----	----	----	80.70 + 2.00	.2675	----	----	1	----	----	62	UNCH	----	----	62	UNCH	----	----
4610	----	----	----	----	84.70B/73.50A	84.70B/73.50A	----	----	----	79.60 + 1.90	.2646	----	----	----	----	----	30	UNCH	----	----	30	UNCH	----	----
4615	----	----	----	----	83.70B/72.50A	83.70B/72.50A	----	----	----	78.60 + 1.90	.2619	----	----	----	----	----	184	UNCH	----	----	184	UNCH	----	----
4625	----	----	----	----	81.60B/70.70A	81.60B/70.70A	----	----	----	76.70 + 1.90	.2567	----	----	----	----	----	73	UNCH	----	----	73	UNCH	----	----
4630	----	----	----	----	80.60B/69.80A	80.60B/69.80A	----	----	----	75.70 + 1.80	.2540	----	----	----	----	----	19	UNCH	----	----	19	UNCH	----	----
4635	----	----	----	----	79.50B/68.90A	79.50B/68.90A	----	----	----	74.70 + 1.70	.2513	----	----	----	----	----	5	UNCH	----	----	5	UNCH	----	----
4640	----	----	----	----	78.60B/68.00A	78.60B/68.00A	----	----	----	73.80 + 1.70	.2488	----	----	----	----	----	21	UNCH	----	----	21	UNCH	----	----
4650	----	----	----	----	76.60B/66.30A	76.60B/66.30A	----	----	----	72.00 + 1.70	.2438	----	----	----	----	----	115	UNCH	----	----	115	UNCH	----	----
4655	----	----	----	----	75.60B/65.50A	75.60B/65.50A	----	----	----	71.00 + 1.60	.2411	----	----	----	----	----	18	UNCH	----	----	18	UNCH	----	----
4660	----	----	----	----	74.70B/64.60A	74.70B/64.60A	----	----	----	70.20 + 1.70	.2388	----	----	----	----	----	453	UNCH	----	----	453	UNCH	----	----
4665	----	----	----	----	73.70B/63.80A	73.70B/63.80A	----	----	----	69.30 + 1.60	.2363	----	----	----	----	----	19	UNCH	----	----	19	UNCH	----	----
4675	----	----	----	----	71.90B/62.20A	71.90B/62.20A	----	----	----	67.50 + 1.50	.2313	----	----	----	----	----	6	UNCH	----	----	6	UNCH	----	----
4680	----	----	----	----	71.10B/61.40A	71.10B/61.40A	----	----	----	66.70 + 1.50	.2289	----	----	----	----	----	23	UNCH	----	----	23	UNCH	----	----
4690	----	----	----	----	69.30B/59.90A	69.30B/59.90A	----	----	----	65.00 + 1.50	.2241	----	----	----	----	----	45	UNCH	----	----	45	UNCH	----	----
4695	----	----	----	----	68.40B/59.10A	68.40B/59.10A	----	----	----	64.20 + 1.50	.2218	----	----	----	----	----	29	UNCH	----	----	29	UNCH	----	----
4700	60.90	60.90	60.90	60.90	67.50B/58.40A	67.50B/58.40A	----	----	----	63.40 + 1.40	.2195	----	----	42	----	498	+	34	----	498	+	34	----	----
4705	----	----	----	----	66.70B/57.60A	66.70B/57.60A	----	----	----	62.60 + 1.40	.2172	----	----	----	----	----	16	UNCH	----	----	16	UNCH	----	----
4710	----	----	----	----	65.90B/56.90A	65.90B/56.90A	----	----	----	61.80 + 1.40	.2149	----	----	----	----	----	22	UNCH	----	----	22	UNCH	----	----
4715	----	----	----	----	65.10B/56.20A	65.10B/56.20A	----	----	----	61.10 + 1.40	.2128	----	----	----	----	----	18	UNCH	----	----	18	UNCH	----	----
4720	60.30	60.30	60.30	60.30	64.30B/55.50A	64.30B/55.50A	----	----	----	60.30 NEW	.2105	----	----	2	----	2	+	2	----	2	+	2	----	----
4730	----	----	----	----	62.70B/54.10A	62.70B/54.10A	----	----	----	58.80 + 1.30	.2061	----	----	----	----	----	29	UNCH	----	----	29	UNCH	----	----
4735	----	----	----	----	61.90B/53.40A	61.90B/53.40A	----	----	----	58.10 + 1.30	.2040	----	----	----	----	----	2	UNCH	----	----	2	UNCH	----	----
4740	----	----	----	----	61.10B/52.80A	61.10B/52.80A	----	----	----	57.30 + 1.20	.2017	----	----	----	----	----	18	UNCH	----	----	18	UNCH	----	----
4745	----	----	----	----	60.30B/52.10A	60.30B/52.10A	----	----	----	56.60 + 1.20	.1996	----	----	----	----	----	15	UNCH	----	----	15	UNCH	----	----
4750	----	----	----	----	59.50B/51.50A	59.50B/51.50A	----	----	----	55.90 + 1.20	.1975	----	----	12	----	476	UNCH	----	----	476	UNCH	----	----	
4755	----	----	----	----	58.80B/50.80A	58.80B/50.80A	----	----	----	55.20 + 1.20	.1954	----	----	----	----	----	61	UNCH	----	----	61	UNCH	----	----
4760	----	----	----	----	58.10B/50.20A	58.10B/50.20A	----	----	----	54.60 + 1.30	.1935	----	----	----	----	----	107	UNCH	----	----	107	UNCH	----	----
4770	48.50	48.50	48.50	48.50	56.70B/48.50	56.70B/48.50	----	----	----	53.20 + 1.20	.1893	----	----	4	----	4	UNCH	----	----	4	UNCH	----	----	
4775	----	----	----	----	55.90B/48.30A	55.90B/48.30A	----	----	----	52.60 + 1.20	.1874	----	----	----	----	----	14	UNCH	----	----	14	UNCH	----	----
4785	----	----	----	----	54.50B/47.10A	54.50B/47.10A	----	----	----	51.30 + 1.20	.1835	----	----	----	----	----	100	UNCH	----	----	100	UNCH	----	----
4790	----	----	----	----	53.90B/46.60A	53.90B/46.60A	----	----	----	50.60 + 1.10	.1814	----	----	----	----	----	19	UNCH	----	----	19	UNCH	----	----
4795	----	----	----	----	53.20B/46.10A	53.20B/46.10A	----	----	----	50.00 + 1.10	.1795	----	----	----	----	----	47	UNCH	----	----	47	UNCH	----	----
4800	----	----	----	----	52.40B/45.40A	52.40B/45.40A	----	----	----	49.40 + 1.10	.1777	----	----	9	----	2081	+	9	----	2081	+	9	----	----
4805	----	----	----	----	51.80B/45.00A	51.80B/45.00A	----	----	----	48.80 + 1.10	.1758	----	----	----	----	----	2	UNCH	----	----	2	UNCH	----	----
4810	----	----	----	----	51.20B/44.40A	51.20B/44.40A	----	----	----	48.20 + 1.10	.1739	----	----	----	----	----	29	UNCH	----	----	29	UNCH	----	----
4825	45.80	45.80	45.80	45.80	49.30B/42.70A	49.30B/42.70A																		

PG64		BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST								
OG CALL	COMEX GOLD OPTIONS																							
MAR27	----	----	----	77.708/69.50A	77.708/69.50A	----	----	----	74.10 + 1.70	.2270	----	----	----	----	----	3	UNCH							
4785	----	----	----	76.708/68.70A	76.708/68.70A	----	----	----	73.30 + 1.70	.2249	----	----	----	----	----	1	UNCH							
4790	----	----	----	76.008/68.00A	76.008/68.00A	----	----	----	72.50 + 1.70	.2229	----	----	----	----	----	4	UNCH							
4795	----	----	----	75.108/67.20A	75.108/67.20A	----	----	----	71.70 + 1.60	.2209	----	----	----	----	----	246	UNCH							
4800	----	----	----	73.408/65.90A	73.408/65.90A	----	----	----	70.10 + 1.50	.2168	----	----	----	----	----	26	UNCH							
4810	----	----	----	71.808/64.40A	71.808/64.40A	----	----	----	68.60 + 1.50	.2129	----	----	----	----	----	20	UNCH							
4820	----	----	----	70.408/63.10A	70.408/63.10A	----	----	----	67.10 + 1.40	.2090	----	----	----	----	----	64	UNCH							
4830	----	----	----	67.308/60.30A	67.308/60.30A	----	----	----	64.20 + 1.30	.2014	----	----	----	----	----	5	UNCH							
4850	----	----	----	66.708/59.70A	66.708/59.70A	----	----	----	63.50 + 1.30	.1995	----	----	----	----	----	20	UNCH							
4855	----	----	----	63.008/56.70A	63.008/56.70A	----	----	----	60.20 + 1.20	.1906	----	----	----	----	----	2	UNCH							
4880	----	----	----	61.708/55.50A	61.708/55.50A	----	----	----	58.90 + 1.20	.1871	----	----	----	----	----	7	UNCH							
4890	----	----	----	61.108/54.80A	61.108/54.80A	----	----	----	58.20 + 1.10	.1853	----	----	----	----	----	10	UNCH							
4895	----	----	----	60.408/54.30A	60.408/54.30A	----	----	----	57.60 + 1.10	.1836	----	----	----	----	----	18	UNCH							
4900	----	----	----	57.808/52.00A	57.808/52.00A	----	----	----	55.20 + 1.10	.1770	----	----	----	----	----	7	UNCH							
4920	50.80	50.80	----	57.208/51.50A	57.208/51.50A	----	----	----	54.60 + 1.00	.1754	----	----	----	----	----	16	UNCH							
4925	----	----	----	54.108/48.90A	54.108/48.90A	----	----	----	51.80 + 1.00	.1675	----	----	43	----	----	291	+							
4950	----	----	----	50.908/45.90A	50.908/45.90A	----	----	----	48.60 + 0.90	.1585	----	----	----	----	----	2	UNCH							
4980	----	----	----	49.208/44.40A	49.208/44.40A	----	----	----	47.10 + 0.90	.1542	----	----	----	----	----	72	UNCH							
4995	----	----	----	48.708/44.00A	48.708/44.00A	----	----	----	46.60 + 0.90	.1528	----	----	34	----	----	4043	+							
5000	----	----	----	47.708/43.20A	47.708/43.20A	----	----	----	45.60 + 0.80	.1499	----	----	----	----	----	11	UNCH							
5010	----	----	----	47.208/42.70A	47.208/42.70A	----	----	----	45.20 + 0.90	.1487	----	----	----	----	----	1	UNCH							
5015	----	----	----	43.908/39.80A	43.908/39.80A	----	----	----	42.00 + 0.70	.1394	----	----	----	750	----	751	+							
5050	----	----	----	43.008/39.00A	43.008/39.00A	----	----	----	41.20 + 0.80	.1370	----	----	----	----	----	1	UNCH							
5060	----	----	----	39.608/36.30A	39.608/36.30A	----	----	----	38.00 + 0.70	.1274	----	----	----	----	----	379	UNCH							
5100	----	----	----	39.108/36.00A	39.108/36.00A	----	----	----	37.60 + 0.70	.1262	----	----	----	----	----	5	UNCH							
5105	----	----	----	37.308/34.60A	37.308/34.60A	----	----	----	36.10 + 0.60	.1217	----	----	----	----	----	21	UNCH							
5125	----	----	----	35.908/33.30A	35.908/33.30A	----	----	----	34.70 + 0.60	.1174	----	----	----	----	----	38	UNCH							
5145	----	----	----	35.608/32.90A	35.608/32.90A	----	----	----	34.40 + 0.60	.1164	----	----	----	----	----	41	UNCH							
5150	----	----	----	35.208/32.60A	35.208/32.60A	----	----	----	34.00 + 0.60	.1153	----	----	----	----	----	25	UNCH							
5155	----	----	----	34.908/32.30A	34.908/32.30A	----	----	----	33.70 + 0.60	.1143	----	----	----	----	----	13	UNCH							
5160	----	----	----	34.408/32.00A	34.408/32.00A	----	----	----	33.40 + 0.60	.1134	----	----	----	----	----	101	UNCH							
5165	----	----	----	33.808/31.40A	33.808/31.40A	----	----	----	32.70 + 0.50	.1113	----	----	----	----	----	1	UNCH							
5175	----	----	----	33.508/31.10A	33.508/31.10A	----	----	----	32.40 + 0.60	.1103	----	----	----	----	----	2	UNCH							
5180	----	----	----	33.108/30.80A	33.108/30.80A	----	----	----	32.10 + 0.60	.1094	----	----	----	----	----	1	UNCH							
5185	----	----	----	32.808/30.60A	32.808/30.60A	----	----	----	31.80 + 0.60	.1084	----	----	----	----	----	363	UNCH							
5190	----	----	----	32.408/30.30A	32.408/30.30A	----	----	----	31.50 + 0.60	.1075	----	----	----	----	----	2	UNCH							
5195	----	----	----	32.208/30.00A	32.208/30.00A	----	----	----	31.20 + 0.60	.1065	----	----	----	----	----	272	UNCH							
5200	----	----	----	31.908/29.70A	31.908/29.70A	----	----	----	30.90 + 0.50	.1056	----	----	----	----	----	2	UNCH							
5205	----	----	----	31.608/29.40A	31.608/29.40A	----	----	----	30.60 + 0.50	.1047	----	----	----	----	----	2	UNCH							
5210	----	----	----	31.208/29.10A	31.208/29.10A	----	----	----	30.30 + 0.50	.1037	----	----	----	----	----	4	UNCH							
5215	----	----	----	30.908/28.80A	30.908/28.80A	----	----	----	30.00 + 0.50	.1028	----	----	----	----	----	17	UNCH							
5220	----	----	----	30.608/28.60A	30.608/28.60A	----	----	----	29.70 + 0.50	.1019	----	----	----	----	----	6	UNCH							
5225	----	----	----	30.308/28.30A	30.308/28.30A	----	----	----	29.50 + 0.60	.1011	----	----	----	----	----	6	UNCH							
5230	----	----	----	29.908/28.00A	29.908/28.00A	----	----	----	29.20 + 0.50	.1002	----	----	----	----	----	8	UNCH							
5235	----	----	----	29.808/27.80A	29.808/27.80A	----	----	----	28.90 + 0.50	.0993	----	----	----	----	----	10	UNCH							
5240	----	----	----	29.408/27.50A	29.408/27.50A	----	----	----	28.60 + 0.50	.0984	----	----	----	----	----	12	UNCH							
5245	----	----	----	29.008/27.30A	29.008/27.30A	----	----	----	28.40 + 0.50	.0977	----	----	----	----	----	114	UNCH							
5250	----	----	----	28.808/26.90A	28.808/26.90A	----	----	----	28.10 + 0.50	.0967	----	----	----	----	----	18	UNCH							
5255	----	----	----	28.508/26.70A	28.508/26.70A	----	----	----	27.80 + 0.40	.0958	----	----	----	----	----	7	UNCH							
5260	----	----	----	28.308/26.50A	28.308/26.50A	----	----	----	27.60 + 0.50	.0951	----	----	----	----	----	27	UNCH							
5265	----	----	----	28.008/26.30A	28.008/26.30A	----	----	----	27.30 + 0.50	.0942	----	----	----	----	----	9	UNCH							
5270	----	----	----	27.708/26.00A	27.708/26.00A	----	----	----	27.10 + 0.50	.0935	----	----	----	----	----	136	UNCH							
5275	----	----	----	27.408/25.80A	27.408/25.80A	----	----	----	26.80 + 0.40	.0926	----	----	----	----	----	17	UNCH							
5280	----	----	----	27.108/25.60A	27.108/25.60A	----	----	----	26.60 + 0.50	.0919	----	----	----	----	----	21	UNCH							
5285	----	----	----	26.908/25.30A	26.908/25.30A	----	----	----	26.30 + 0.40	.0910	----	----	----	----	----	28	UNCH							
5290	----	----	----	26.608/25.10A	26.608/25.10A	----	----	----	26.10 + 0.50	.0903	----	----	----	----	----	55	UNCH							
5295	----	----	----	26.408/24.90A	26.408/24.90A	----	----	----	25.90 + 0.50	.0896	----	----	----	----	----	71	UNCH							
5300	----	----	----	26.308/24.60A	26.308/24.60A	----	----	----	25.60 + 0.40	.0887	----	----	----	----	----	2	UNCH							
5305	----	----	----	25.208/23.60A	25.208/23.60A	----	----	----	24.50 + 0.40	.0851	----	----	----	----	----	30	UNCH							
5330	----	----	----	24.508/23.00A	24.508/23.00A	----	----	----	23.90 + 0.50	.0831	----	----	----	----	----	1	UNCH							
5345	----	----	----	24.208/22.80A	24.208/22.80A	----	----	----	23.70 + 0.50	.0824	----	----	----	----	----	7	UNCH							
5350	----	----	----	23.108/21.60A	23.108/21.60A	----	----	----	22.50 + 0.50	.0785	----	----	----	----	----	12	UNCH							
5380	----	----	----	22.608/21.30A	22.608/21.30A	----	----	----	22.10 + 0.50	.0772	----	----	----	----	----	10	UNCH							
5390	----	----	----	22.308/20.90A	22.308/20.90A	----	----	----	21.70 + 0.50	.0759	----	----	----	----	----	87	UNCH							
5400	----	----	----	21.508/20.20A	21.508/20.20A	----	----	----	21.00 + 0.50	.0735	----	----	----	----	----	20	UNCH							
5420	----	----	----	21.008/19.90A	21.008/19.90A	----	----	----	20.60 + 0.40	.0722	----	----	----	----	----	10	UNCH							
5430	----	----	----	20.708/19.80A	20.708/19.80A	----	----	----	20.40 + 0.40	.0716	----	----	----	----	----	12	UNCH							
5435	----	----	----	20.308/19.40A	20.308/19.40A	----	----	----	20.10 + 0.40	.0705	----	----	----	----	----	1	UNCH							
5445	19.00	19.00	----	20.108/19.30A	20.108/19.30A	----	----	----	19.90 + 0.40	.0699	----	----	----	----	----	113	UNCH							
5450	18.40	18.40	----	19.008/18.10A	19.008/18.10A	----	----	----	18.70	NEW	.0657	----	----	12	9	12	+							
5490	----	----	----	18.508/17.80A	18.508/17.80A	----	----	----	18.40 + 0.50	.0647	----	----	----	----	----	889	+							
5500	----	----	----	18.408/17.70A	18.408/17.70A	----	----	----	18.20 + 0.40	.0641	----	----	----	----	----	130	UNCH							
5505	----	----	----	17.108/----	17.108/16.70A	----	----	----	17.00 + 0.50	.0599	----	----	----	----	----	4	UNCH							
5550	----	----	----	16.908/----	16.908/16.40A	----	----	----	16.80 + 0.40	.0593	----	----	----	----	----	13	UNCH							
5555	----	----	----	15.808/----	15.808/15.30A	----	----	----	15.70 + 0.40	.0555	----	----	----	----	----	1244	UNCH							
5600	----	----	----	15.408/----	15.408/15.10A	----	----	----	15.40 + 0.40	.0544	----	----	----	----	----	1	UNCH							
5615	----	----	----	15.308/----	15.308/15.00A	----	----	----	15.30 + 0.50	.0540	----	----	----	----	----	2	UNCH							
5620	----	----	----	15.208/----	15.208/14.90A	----	----	----	15.20 + 0.50	.0537	----	----	----	----	----	19	UNCH							
5625	----	----	----	15.108/----	15.108/14.80A	----	----	----	15.10 + 0.50	.0533	----	----	----	----	----	12	UNCH							
5630	----	----	----	15.008/----	15.008/14.70A	----	----	----	14.90 + 0.40	.0527	----	----	----	----	----	13	UNCH							
5635	----	----	----	14.708/----	14.708/14.40A	----	----	----	14.60 + 0.40	.0516	----	----	----	----	----	6	UNCH							
5650	----	----	----	14.208/----	14.208/14.00A	----	----	----	14.20 + 0.40	.0502	----	----	----	----	----	1	UNCH							
5670	----	----	----	13.608/----	13.608/13.40A	----	----	----	13.70 + 0.50	.0484	----	----	----	----	----	30	UNCH							
5700	----	----	----	12.708/----	12.708/12.60A	----	----	----	12.80 + 0.50	.0452	----	----	----	----	----	3	UNCH							
5750	----	----	----	12.708/----	12.708/12.50A	----	----	----	12.70 + 0.40	.0448	----	----	----	----	----	3	UNCH							
5755	----	----	----	12.108/----	12																			

PG64 BULLETIN #189@			METALS OPTION PRODUCTS							Thu, Oct 01, 2026			PG64	
GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG CALL	COMEX GOLD OPTIONS													
APR27	----	----	199.80B/180.80A	199.80B/180.80A	----	191.60 + 4.40	----	----	----	----	1	UNCH		
4410	----	----	197.80B/179.10A	197.80B/179.10A	----	189.80 + 4.40	----	----	----	----	1	UNCH		
4415	----	----	196.10B/177.40A	196.10B/177.40A	----	187.90 + 4.30	----	----	----	----	31	UNCH		
4420	----	----	194.40B/175.80A	194.40B/175.80A	----	186.10 + 4.20	----	----	----	----	3	UNCH		
4425	----	----	188.70B/170.70A	188.70B/170.70A	----	180.80 + 4.00	----	----	----	----	50	UNCH		
4440	----	----	186.80B/169.00A	186.80B/169.00A	----	179.10 + 4.00	----	----	----	----	3	UNCH		
4445	----	----	185.30B/167.30A	185.30B/167.30A	----	177.40 + 4.00	----	----	----	----	263	UNCH		
4450	----	----	183.40B/165.80A	183.40B/165.80A	----	175.70 + 4.00	----	----	----	----	1	UNCH		
4455	----	----	181.20B/164.30A	181.20B/164.30A	----	174.00 + 3.90	----	----	----	----	1	UNCH		
4460	----	----	179.90B/162.70A	179.90B/162.70A	----	172.30 + 3.80	----	----	----	----	4	UNCH		
4470	----	----	177.70B/161.10A	177.70B/161.10A	----	170.70 + 3.80	----	----	----	----	1	UNCH		
4475	----	----	175.60B/159.60A	175.60B/159.60A	----	169.00 + 3.70	----	----	----	----	1	UNCH		
4480	----	----	174.80B/158.10A	174.80B/158.10A	----	167.40 + 3.70	----	----	----	----	20	UNCH		
4485	----	----	172.90B/156.40A	172.90B/156.40A	----	165.80 + 3.70	----	----	----	----	1	UNCH		
4500	----	----	168.30B/151.90A	168.30B/151.90A	----	161.10 + 3.70	----	----	----	----	166	UNCH		
4505	----	----	166.30B/150.50A	166.30B/150.50A	----	159.60 + 3.70	----	----	----	----	2	UNCH		
4515	----	----	163.40B/147.60A	163.40B/147.60A	----	156.50 + 3.60	----	----	----	----	31	UNCH		
4520	----	----	161.80B/146.20A	161.80B/146.20A	----	155.10 + 3.70	----	----	----	----	1	UNCH		
4525	----	----	159.90B/144.70A	159.90B/144.70A	----	153.60 + 3.60	----	----	----	----	20	UNCH		
4540	----	----	155.80B/140.60A	155.80B/140.60A	----	149.20 + 3.50	----	----	----	----	100	UNCH		
4550	----	----	152.80B/138.00A	152.80B/138.00A	----	146.40 + 3.60	----	----	----	----	108	UNCH		
4555	----	----	151.20B/136.50A	151.20B/136.50A	----	145.00 + 3.50	----	----	----	----	5	UNCH		
4565	----	----	148.20B/134.20A	148.20B/134.20A	----	142.20 + 3.50	----	----	----	----	21	UNCH		
4575	----	----	145.50B/131.40A	145.50B/131.40A	----	139.50 + 3.40	----	----	----	----	59	UNCH		
4590	----	----	141.20B/127.70A	141.20B/127.70A	----	135.40 + 3.20	----	----	----	----	32	UNCH		
4595	----	----	139.80B/126.50A	139.80B/126.50A	----	134.10 + 3.20	----	----	----	----	21	UNCH		
4600	----	----	138.60B/125.20A	138.60B/125.20A	----	132.70 + 3.00	----	----	----	----	210	UNCH		
4605	----	----	137.10B/124.10A	137.10B/124.10A	----	131.40 + 3.00	----	----	----	----	20	UNCH		
4615	----	----	134.50B/121.70A	134.50B/121.70A	----	128.80 + 2.80	----	----	----	----	50	UNCH		
4620	----	----	133.20B/120.40A	133.20B/120.40A	----	127.60 + 2.80	----	----	----	----	26	UNCH		
4625	----	----	131.80B/119.20A	131.80B/119.20A	----	126.30 + 2.70	----	----	----	----	10	UNCH		
4640	----	----	128.10B/115.80A	128.10B/115.80A	----	122.70 + 2.60	----	----	----	----	13	UNCH		
4650	----	----	125.60B/113.60A	125.60B/113.60A	----	120.30 + 2.50	----	----	----	----	295	UNCH		
4665	----	----	121.90B/110.60A	121.90B/110.60A	----	116.90 + 2.60	----	----	----	----	20	UNCH		
4670	----	----	120.80B/109.30A	120.80B/109.30A	----	115.80 + 2.60	----	----	----	----	20	UNCH		
4680	----	----	118.40B/107.50A	118.40B/107.50A	----	113.60 + 2.60	----	----	----	----	11	UNCH		
4690	----	----	116.00B/105.00A	116.00B/105.00A	----	111.50 + 2.60	----	----	----	----	11	UNCH		
4695	----	----	115.00B/104.40A	115.00B/104.40A	----	110.40 + 2.60	----	----	----	----	40	UNCH		
4700	----	----	113.90B/103.00A	113.90B/103.00A	----	109.40 + 2.70	----	----	----	----	132	UNCH		
4705	----	----	112.70B/102.30A	112.70B/102.30A	----	108.40 + 2.70	----	----	----	----	66	UNCH		
4710	----	----	111.60B/101.00A	111.60B/101.00A	----	107.30 + 2.60	----	----	----	----	2	UNCH		
4715	----	----	110.60B/100.10A	110.60B/100.10A	----	106.30 + 2.60	----	----	----	----	63	UNCH		
4720	----	----	109.50B/99.10A	109.50B/99.10A	----	105.30 + 2.60	----	----	----	----	4	UNCH		
4725	----	----	108.40B/98.50A	108.40B/98.50A	----	104.30 + 2.60	----	----	----	----	2	UNCH		
4730	----	----	107.20B/97.60A	107.20B/97.60A	----	103.30 + 2.60	----	----	----	----	2	UNCH		
4750	----	----	103.30B/93.50A	103.30B/93.50A	----	99.30 + 2.40	----	----	----	----	121	UNCH		
4760	----	----	101.10B/91.80A	101.10B/91.80A	----	97.40 + 2.30	----	----	----	----	4	UNCH		
4765	----	----	100.10B/90.90A	100.10B/90.90A	----	96.50 + 2.30	----	----	----	----	2	UNCH		
4770	----	----	99.10B/90.00A	99.10B/90.00A	----	95.50 + 2.20	----	----	----	----	10	UNCH		
4775	----	----	98.30B/89.20A	98.30B/89.20A	----	94.60 + 2.20	----	----	----	----	40	UNCH		
4785	----	----	96.20B/87.80A	96.20B/87.80A	----	92.70 + 2.10	----	----	----	----	39	UNCH		
4795	----	----	94.30B/85.90A	94.30B/85.90A	----	90.90 + 2.00	----	----	----	----	40	UNCH		
4800	----	----	93.60B/85.00A	93.60B/85.00A	----	90.00 + 1.90	----	----	100	----	365 +	100		
4805	----	----	92.50B/84.40A	92.50B/84.40A	----	89.20 + 2.00	----	----	----	----	1	UNCH		
4810	----	----	91.60B/83.60A	91.60B/83.60A	----	88.30 + 1.90	----	----	----	----	1	UNCH		
4820	----	----	89.80B/81.80A	89.80B/81.80A	----	86.60 + 1.80	----	----	----	----	2	UNCH		
4840	----	----	86.40B/78.90A	86.40B/78.90A	----	83.30 + 1.70	----	----	----	----	5	UNCH		
4845	----	----	85.50B/78.20A	85.50B/78.20A	----	82.50 + 1.70	----	----	----	----	75	UNCH		
4850	----	----	84.90B/77.40A	84.90B/77.40A	----	81.70 + 1.60	----	----	----	----	100	UNCH		
4865	----	----	82.20B/75.30A	82.20B/75.30A	----	79.40 + 1.60	----	----	----	----	3	UNCH		
4870	----	----	81.50B/74.70A	81.50B/74.70A	----	78.60 + 1.50	----	----	----	----	25	UNCH		
4885	----	----	79.10B/72.50A	79.10B/72.50A	----	76.40 + 1.50	----	----	----	----	21	UNCH		
4900	----	----	77.00B/70.30A	77.00B/70.30A	----	74.30 + 1.50	----	----	----	----	83	UNCH		
4905	----	----	76.10B/69.60A	76.10B/69.60A	----	73.60 + 1.50	----	----	----	----	13	UNCH		
4930	----	----	72.60B/66.50A	72.60B/66.50A	----	70.20 + 1.50	----	----	----	----	5	UNCH		
4970	----	----	67.30B/61.80A	67.30B/61.80A	----	65.10 + 1.30	----	----	----	----	10	UNCH		
5000	----	----	63.70B/58.40A	63.70B/58.40A	----	61.60 + 1.30	----	----	----	----	207	UNCH		
5010	----	----	62.40B/57.50A	62.40B/57.50A	----	60.50 + 1.30	----	----	----	----	4	UNCH		
5020	----	----	61.30B/56.50A	61.30B/56.50A	----	59.40 + 1.20	----	----	----	----	7	UNCH		
5025	----	----	60.70B/55.90A	60.70B/55.90A	----	58.80 + 1.20	----	----	----	----	1	UNCH		
5030	----	----	60.10B/55.40A	60.10B/55.40A	----	58.30 + 1.20	----	----	----	----	1	UNCH		
5035	----	----	59.60B/55.00A	59.60B/55.00A	----	57.80 + 1.20	----	----	----	----	2	UNCH		
5040	----	----	59.00B/54.30A	59.00B/54.30A	----	57.20 + 1.10	----	----	----	----	3	UNCH		
5045	----	----	58.50B/54.30A	58.50B/54.30A	----	56.70 + 1.10	----	----	----	----	30	UNCH		
5050	----	----	58.10B/53.40A	58.10B/53.40A	----	56.20 + 1.10	----	----	----	----	119	UNCH		
5055	----	----	57.40B/53.00A	57.40B/53.00A	----	55.70 + 1.10	----	----	----	----	67	UNCH		
5060	----	----	56.90B/52.40A	56.90B/52.40A	----	55.20 + 1.10	----	----	----	----	27	UNCH		
5070	----	----	55.90B/51.60A	55.90B/51.60A	----	54.20 + 1.10	----							

2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

BULLETIN #189@				METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG CALL																
APR27																
6500	----	----		----	8.50B/9.10A	----	8.90 + 0.40	.0274	----	----	----	----	265	UNCH		
TOTAL											100		21859+	100		
MAY27																
4000	----	----		454.00B/433.90A	454.00B/433.90A	----	447.10 + 10.00	.7013	----	----	----	----	1	UNCH		
4050	----	----		421.50B/402.60A	421.50B/402.60A	----	415.10 + 9.60	.6751	----	----	----	----	101	UNCH		
4250	----	----		312.30B/287.30A	312.30B/287.30A	----	302.80 + 7.50	.5630	----	----	----	----	6	UNCH		
4400	----	----		244.10B/223.20A	244.10B/223.20A	----	235.30 + 5.50	.4773	----	----	----	----	6	UNCH		
4420	----	----		235.90B/216.00A	235.90B/216.00A	----	227.40 + 5.20	.4662	----	----	----	----	1	UNCH		
4470	----	----		216.70B/198.00A	216.70B/198.00A	----	208.80 + 4.70	.4390	----	----	----	----	1	UNCH		
4500	----	----		205.70B/188.10A	205.70B/188.10A	----	198.30 + 4.40	.4230	----	----	----	----	1	UNCH		
4505	----	----		204.00B/186.70A	204.00B/186.70A	----	196.60 + 4.30	.4204	----	----	----	----	18	UNCH		
4510	----	----		202.40B/184.90A	202.40B/184.90A	----	194.90 + 4.30	.4178	----	----	----	----	2	UNCH		
4520	----	----		199.00B/181.80A	199.00B/181.80A	----	191.60 + 4.20	.4126	----	----	----	----	1	UNCH		
4550	----	----		188.90B/172.70A	188.90B/172.70A	----	182.00 + 4.00	.3972	----	----	----	----	129	UNCH		
4555	----	----		187.20B/171.10A	187.20B/171.10A	----	180.40 + 3.90	.3947	----	----	----	----	18	UNCH		
4600	----	----		173.40B/158.40A	173.40B/158.40A	----	167.00 + 3.70	.3724	----	----	----	----	9	UNCH		
4650	----	----		158.90B/145.30A	158.90B/145.30A	----	153.30 + 3.50	.3488	----	----	----	----	10	UNCH		
4665	146.70	146.70		154.80B/141.50A	154.80B/141.50A	----	149.40 + 3.50	.3419	----		1	----	1	UNCH		
4700	----	----		145.70B/133.30A	145.70B/133.30A	----	140.60 + 3.20	.3262	----	----	----	----	31	UNCH		
4785	----	----		125.60B/115.30A	125.60B/115.30A	----	121.50 + 2.80	.2905	----	----	----	----	20	UNCH		
4800	----	----		122.40B/112.40A	122.40B/112.40A	----	118.40 + 2.70	.2846	----	----	----	----	72	UNCH		
4810	----	----		120.30B/110.40A	120.30B/110.40A	----	116.30 + 2.60	.2806	----	----	----	----	1	UNCH		
4850	----	----		112.10B/103.40A	112.10B/103.40A	----	108.60 + 2.30	.2654	----	----	----	----	5	UNCH		
4855	----	----		111.10B/102.40A	111.10B/102.40A	----	107.70 + 2.30	.2636	----	----	----	----	2	UNCH		
4860	----	----		110.20B/101.60A	110.20B/101.60A	----	106.70 + 2.20	.2616	----	----	----	----	20	UNCH		
4900	----	----		102.90B/94.90A	102.90B/94.90A	----	99.70 + 2.00	.2474	----	----	----	----	115	UNCH		
4920	----	----		99.20B/92.00A	99.20B/92.00A	----	96.30 + 1.80	.2404	----	----	----	----	2	UNCH		
4945	----	----		95.10B/88.10A	95.10B/88.10A	----	92.30 + 1.70	.2321	----	----	----	----	9	UNCH		
4950	----	----		94.30B/87.40A	94.30B/87.40A	----	91.60 + 1.80	.2306	----	----	----	----	2	UNCH		
4955	----	----		93.60B/86.80A	93.60B/86.80A	----	90.80 + 1.70	.2289	----	----	----	----	9	UNCH		
4970	----	----		91.20B/84.50A	91.20B/84.50A	----	88.50 + 1.60	.2241	----	----	----	----	9	UNCH		
5000	----	----		86.80B/80.40A	86.80B/80.40A	----	84.20 + 1.60	.2148	----	----	----	----	151	UNCH		
5040	----	----		81.00B/75.50A	81.00B/75.50A	----	78.90 + 1.60	.2032	----	----	----	----	1	UNCH		
5070	----	----		77.20B/71.70A	77.20B/71.70A	----	75.10 + 1.50	.1947	----	----	----	----	37	UNCH		
5100	----	----		73.50B/68.40A	73.50B/68.40A	----	71.60 + 1.50	.1868	----	----	----	----	10	UNCH		
5130	----	----		70.00B/65.50A	70.00B/65.50A	----	68.20 + 1.40	.1791	----	----	----	----	7	UNCH		
5140	----	----		68.70B/64.20A	68.70B/64.20A	----	67.10 + 1.30	.1766	----	----	----	----	1	UNCH		
5145	----	----		68.30B/63.90A	68.30B/63.90A	----	66.50 + 1.30	.1753	----	----	----	----	2	UNCH		
5150	----	----		67.70B/63.20A	67.70B/63.20A	----	66.00 + 1.30	.1741	----	----	----	----	2	UNCH		
5170	----	----		65.60B/61.50A	65.60B/61.50A	----	63.90 + 1.10	.1692	----	----	----	----	20	UNCH		
5180	----	----		64.50B/60.30A	64.50B/60.30A	----	62.80 + 1.00	.1668	----	----	----	----	1	UNCH		
5185	----	----		64.00B/60.10A	64.00B/60.10A	----	62.30 + 1.00	.1656	----	----	----	----	37	UNCH		
5200	----	----		62.60B/58.40A	62.60B/58.40A	----	60.80 + 0.90	.1621	----	----	----	----	159	UNCH		
5215	----	----		61.10B/57.30A	61.10B/57.30A	----	59.40 + 0.90	.1588	----	----	----	----	20	UNCH		
5220	----	----		60.60B/56.80A	60.60B/56.80A	----	58.90 + 0.90	.1576	----	----	----	----	39	UNCH		
5225	----	----		60.10B/56.50A	60.10B/56.50A	----	58.40 + 0.80	.1565	----	----	----	----	2	UNCH		
5235	----	----		59.10B/55.40A	59.10B/55.40A	----	57.50 + 0.80	.1543	----	----	----	----	25	UNCH		
5240	----	----		58.70B/55.10A	58.70B/55.10A	----	57.10 + 0.90	.1533	----	----	----	----	29	UNCH		
5250	----	----		57.80B/54.20A	57.80B/54.20A	----	56.20 + 0.90	.1512	----	----	----	----	231	UNCH		
5275	----	----		55.60B/52.10A	55.60B/52.10A	----	54.00 + 0.80	.1460	----	----	----	----	25	UNCH		
5300	----	----		53.40B/50.20A	53.40B/50.20A	----	52.00 + 0.80	.1411	----	----	----	----	1	UNCH		
5345	----	----		49.80B/47.30A	49.80B/47.30A	----	48.50 + 0.70	.1325	----	----	----	----	2	UNCH		
5365	----	----		48.30B/45.80A	48.30B/45.80A	----	47.00 + 0.50	.1289	----	----	----	----	3	UNCH		
5395	----	----		46.10B/43.90A	46.10B/43.90A	----	45.00 + 0.50	.1238	----	----	----	----	1	UNCH		
5400	----	----		45.50B/43.60A	45.50B/43.60A	----	44.60 + 0.50	.1229	----	----	----	----	29	UNCH		
5430	----	----		43.50B/41.70A	43.50B/41.70A	----	42.70	NEW .1181	----		4	+	4			
5450	----	----		42.20B/40.60A	42.20B/40.60A	----	41.50 + 0.40	.1150	----	----	----	----	10	UNCH		
5500	----	----		39.20B/37.90A	39.20B/37.90A	----	38.60 + 0.40	.1076	----	----	----	----	4	UNCH		
5515	----	----		38.40B/37.10A	38.40B/37.10A	----	37.80 + 0.40	.1055	----	----	----	----	7	UNCH		
5550	33.00	33.00		36.40B/29.60	36.40B/29.60	----	36.00 + 0.40	.1009	----		5	----	259+	5		
5630	----	----		32.60B/31.60A	32.60B/31.60A	----	32.20 + 0.40	.0909	----	----	----	----	2	UNCH		
5650	----	----		31.70B/30.70A	31.70B/30.70A	----	31.40 + 0.50	.0887	----	----	----	----	5	UNCH		
5665	----	----		31.10B/30.20A	31.10B/30.20A	----	30.80 + 0.50	.0871	----	----	----	----	1	UNCH		
5700	----	----		29.60B/----	29.60B/29.00A	----	29.40 + 0.50	.0834	----	----	----	----	37	UNCH		
5800	----	----		26.00B/----	26.00B/25.70A	----	26.00 + 0.70	.0741	----	----	----	----	2	UNCH		
5820	----	----		25.00B/----	25.00B/25.10A	----	25.40 + 0.70	.0724	----	----	----	----	46	UNCH		
5840	----	----		24.40B/----	24.40B/24.50A	----	24.80 + 0.70	.0707	----	----	----	----	1	UNCH		
5850	----	----		24.10B/----	24.10B/24.20A	----	24.50 + 0.70	.0699	----	----	----	----	68	UNCH		
5900	----	----		22.60B/----	22.60B/22.80A	----	23.10 + 0.70	.0660	----	----	----	----	7	UNCH		
5910	----	----		22.40B/----	22.40B/22.60A	----	22.80 + 0.70	.0652	----	----	----	----	1	UNCH		
5950	----	----		21.30B/----	21.30B/21.70A	----	21.80 + 0.70	.0624	----	----						

BULLETIN #189@				METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL	COMEX GOLD OPTIONS															
JUN27																
5170	----		----	77.70B/73.20A	77.70B/73.20A	----		76.10 + 1.10	.1863	----	----	----	----	260	UNCH	
5180	----		----	76.50B/72.20A	76.50B/72.20A	----		74.90 + 1.00	.1838	----	----	----	----	3	UNCH	
5200	----		----	74.40B/70.40A	74.40B/70.40A	----		72.80 + 1.00	.1793	----	----	----	----	584	UNCH	
5210	----		----	73.20B/69.10A	73.20B/69.10A	----		71.70 + 0.90	.1769	----	----	----	----	3	UNCH	
5250	----		----	69.20B/65.20A	69.20B/65.20A	----		67.60 + 0.80	.1680	----	----	----	----	51	UNCH	
5300	----		----	64.30B/60.80A	64.30B/60.80A	----		62.90 + 0.70	.1577	----	----	----	----	4	UNCH	
5350	----		----	59.90B/56.80A	59.90B/56.80A	----		58.60 + 0.60	.1480	----	----	----	----	3	UNCH	
5360	----		----	59.00B/56.20A	59.00B/56.20A	----		57.80 + 0.60	.1462	----	----	----	----	325	UNCH	
5400	----		----	55.90B/53.00A	55.90B/53.00A	----		54.70 + 0.60	.1391	----	----	----	----	701	UNCH	
5450	----		----	52.00B/50.00A	52.00B/50.00A	----		51.10 + 0.60	.1308	----	----	----	----	7	UNCH	
5470	----		----	50.60B/48.70A	50.60B/48.70A	----		49.70 + 0.50	.1276	----	----	----	----	1	UNCH	
5500	49.50	49.50		49.50/46.80A	49.50/46.80A	----		47.80 + 0.60	.1231	----		10	----	1464 +	2	
5535	----		----	46.00B/44.90A	46.00B/44.90A	----		45.60 + 0.50	.1179	----	----	----	----	1	UNCH	
5545	----		----	45.40B/44.30A	45.40B/44.30A	----		45.00 + 0.50	.1165	----	----	----	----	8	UNCH	
5600	----		----	42.20B/----	42.20B/41.40A	----		41.90 + 0.50	.1090	----	----	----	----	101	UNCH	
5700	----		----	37.10B/36.30A	37.10B/36.30A	----		37.00 + 0.50	.0971	----	----	----	----	1	UNCH	
5750	35.20	35.20		35.20/34.20A	35.20/34.20A	----		34.90 + 0.50	.0918	----		5	----	149	UNCH	
5800	----		----	33.00B/32.30A	33.00B/32.30A	----		32.90 + 0.50	.0868	----	----	----	----	3	UNCH	
5840	----		----	31.50B/30.80A	31.50B/30.80A	----		31.40 + 0.50	.0830	----	----	----	----	2	UNCH	
5870	----		----	30.40B/29.70A	30.40B/29.70A	----		30.30 + 0.40	.0803	----	----	----	----	3	UNCH	
5875	----		----	30.20B/----	30.20B/29.70A	----		30.20 + 0.50	.0800	----	----	----	----	84	UNCH	
5900	----		----	29.30B/28.80A	29.30B/28.80A	----		29.40 + 0.50	.0779	----	----	----	----	26	UNCH	
5975	----		----	----	26.60B/26.70A	----		27.10 + 0.50	.0720	----	----	----	----	21	UNCH	
6000	----		----	----	25.80B/26.00A	----		26.40 + 0.50	.0702	----	----	----	----	748	UNCH	
6025	----		----	----	25.10B/25.30A	----		25.70 + 0.50	.0684	----	----	----	----	125	UNCH	
6050	----		----	----	24.40B/24.70A	----		25.00 + 0.40	.0666	----	----	----	----	3	UNCH	
6100	----		----	----	23.20B/23.50A	----		23.80 + 0.50	.0634	----	----	----	----	370	UNCH	
6250	----		----	20.30B/----	20.30B/20.50A	----		20.70 + 0.50	.0551	----	----	----	----	254	UNCH	
6500	----		----	----	16.00B/17.00A	----		16.70 + 0.40	.0443	----		30	----	790 -	30	
7000	----		----	----	11.30B/12.60A	----		12.00 + 0.50	.0311	----	----	----	----	394	UNCH	
7500	----		----	8.00B/8.00	8.70B/10.20A	----		9.40 + 0.40	.0236	----	----	----	58	528	UNCH	
8000	8.00	8.00		8.00/8.00	8.00/8.00	----		7.80 + 0.40	.0190	----	----	58	----	464 +	56	
8500	----		----	----	6.00B/7.40A	----		6.70 + 0.30	.0158	----	----	----	----	144	UNCH	
9000	----		----	----	5.20B/6.50A	----		5.80 + 0.30	.0133	----	----	56	----	130 +	56	
9500	----		----	----	4.60B/5.60A	----		5.10 + 0.30	.0114	----	----	----	----	72	UNCH	
10000	----		----	----	4.00B/5.00A	----		4.50 + 0.40	.0099	----	----	----	----	30	UNCH	
TOTAL												423	400	14078 +	312	
JUL27																
4310	----		----	339.60B/316.70A	339.60B/316.70A	----		331.30 + 7.00	.5514	----	----	----	----	2	UNCH	
4315	----		----	337.20B/314.90A	337.20B/314.90A	----		328.90 + 6.90	.5489	----	----	----	----	2	UNCH	
4325	----		----	332.60B/310.00A	332.60B/310.00A	----		324.30 + 6.90	.5439	----	----	----	----	2	UNCH	
4335	----		----	327.90B/305.40A	327.90B/305.40A	----		319.70 + 6.80	.5388	----	----	----	----	3	UNCH	
4340	----		----	325.50B/303.50A	325.50B/303.50A	----		317.40 + 6.70	.5363	----	----	----	----	2	UNCH	
4350	----		----	321.00B/299.40A	321.00B/299.40A	----		312.90 + 6.60	.5313	----	----	----	----	2	UNCH	
4360	----		----	316.30B/294.80A	316.30B/294.80A	----		308.40 + 6.50	.5263	----	----	----	----	2	UNCH	
4370	----		----	311.70B/290.60A	311.70B/290.60A	----		304.00 + 6.40	.5213	----	----	----	----	2	UNCH	
4375	----		----	309.60B/288.50A	309.60B/288.50A	----		301.80 + 6.40	.5188	----	----	----	----	2	UNCH	
4475	----		----	268.50B/249.40A	268.50B/249.40A	----		261.00 + 5.30	.4700	----	----	----	----	1	UNCH	
4500	244.30	244.30		259.10B/240.60A	259.10B/240.60A	----		251.70 + 5.20	.4581	----		2	----	2 -	1	
4535	----		----	245.90B/228.50A	245.90B/228.50A	----		239.10 + 4.80	.4417	----	----	----	----	38	UNCH	
4540	----		----	244.10B/226.90A	244.10B/226.90A	----		237.40 + 4.80	.4394	----	----	----	----	2	UNCH	
4565	----		----	235.50B/218.90A	235.50B/218.90A	----		228.80 + 4.50	.4279	----	----	----	----	1	UNCH	
4600	----		----	223.90B/207.90A	223.90B/207.90A	----		217.40 + 4.30	.4121	----	----	----	----	40	UNCH	
4700	182.70	182.70		193.10B/179.70A	193.10B/179.70A	----		187.70 + 3.70	.3692	----		5	----	29	UNCH	
4750	----		----	179.10B/167.20A	179.10B/167.20A	----		174.40 + 3.40	.3490	----	----	6	----	11 +	6	
4835	----		----	157.90B/148.00A	157.90B/148.00A	----		154.10 + 3.00	.3167	----	----	----	----	70	UNCH	
4900	----		----	143.60B/134.70A	143.60B/134.70A	----		140.20 + 2.60	.2937	----	----	----	----	10	UNCH	
4990	----		----	125.90B/118.50A	125.90B/118.50A	----		123.30 + 2.20	.2644	----	----	----	----	10	UNCH	
5000	----		----	124.20B/116.90A	124.20B/116.90A	----		121.50 + 2.10	.2613	----	----	----	----	83	UNCH	
5200	----		----	93.70B/88.90A	93.70B/88.90A	----		92.00 + 1.50	.2066	----	----	----	----	1	UNCH	
5225	----		----	90.60B/86.00A	90.60B/86.00A	----		88.90 + 1.40	.2006	----	----	----	----	2	UNCH	
5250	----		----	87.50B/83.10A	87.50B/83.10A	----		86.00 + 1.40	.1949	----	----	----	----	10	UNCH	
5300	----		----	81.80B/77.80A	81.80B/77.80A	----		80.40 + 1.30	.1838	----	----	----	----	12	UNCH	
5400	----		----	71.70B/68.30A	71.70B/68.30A	----		70.40 + 1.10	.1636	----	----	----	----	17	UNCH	
5495	----		----	63.50B/60.70A	63.50B/60.70A	----		62.30 + NEW	.1467	----	----	6	----	1 +	1	
5500	----		----	63.10B/60.30A	63.10B/60.30A	----		61.90 + 0.80	.1459	----	----	----	----	39	UNCH	
5620	----		----	54.20B/52.50A	54.20B/52.50A	----		53.30 + NEW	.1274	----	----	6	----	1 +	1	
6750	----		----	----	17.20B/18.70A	----		18.10 + 0.20	.0448	----	----	----	25	9	UNCH	
TOTAL														408 +	7	
AUG27																
4185	----		----	413.60B/----	413.60B/404.40A	----		412.30 + 8.60	.6113	----	----	----	----	4	UNCH	
4210	----		----	400.30B/----	400.30B/391.50A	----		399.10 + 8.30	.5995	----	----	----	----	2	UNCH	
4220	----		----	395.00B/----	395.00B/386.50A	----		393.90 + 8.10	.5948	----	----	----	----	1	UNCH	
4300	----		----	354.90B/347.00A	354.90B/347.00A	----		354.20 + 7.10	.5569	----	----	----	----	2	UNCH	
4305	----		----	352.60B/----	352.60B/345.40A	----		351.80 + 7.00	.5545	----	----	----	----	2	UNCH	
4320	----		----	345.50B/336.60A	345.50B/336.60A	----		344.80 + 6.80	.5474	----	----	----	----	1	UNCH	
4350	----		----	334.70B/----	334.70B/325.10A	----		331.10 + 6.40	.5331	----	----	----	----	2	UNCH	
4360	----		----	330.30B/319.40A	330.30B/319.40A	----		326.60 + 6.20	.5284	----	----	----	----	2	UNCH	
4370	----		----	325.70B/----	325.70B/316.80A	----		322.20 + 6.10	.5237	----	----	----	----	150	UNCH	
4390	----		----	315.70B/307.40A	315.70B/307.40A	----		313.50 + 5.80	.5143	----	----	----	----	2	UNCH	
4535	----		----	261.50B/250.10A	261.50B/250.10A	----		256.90 + 4.00	.4483	----	----	----	----	3	UNCH	
5000	----		----	139.30B/134.00A	139.30B/134.00A	----		137.50 + 1.80	.2761	----		3	----	24 +	1	
5100	120.50	120.50		122.70B/117.80A	122.70B/117.80A	----		120.60 + NEW	.2477	----		7	----	5 +	5	
5200	----		----	107.40B/103.90A	107.40B/103.90A	----		106.00 + 1.40	.2221	----	----	----	----	3	UNCH	
5210	----		----	106.00B/102.60A	106.00B/102.60A	----		104.70 + 1.40	.2198	----	----	----	----	2	UNCH	
5250	----		----	100.60B/97.70A	100.60B/97.70A	----		99.50 + 1.30	.2104	----	----	----	----	20	UNCH	
5300	----		----	94.50B/91.90A	94.50B/91.90A	----		93.30 + 1.10	.1992	----	----	----	----	1	UNCH	
5350	----		----	88.50B/86.50A	88.50B/86.50A	----		87.70 + 1.00	.1887	----	----	----	----	1	UNCH	
5400	----		----	83.40B/81.40A	83.40B/81.40A	----		82.40 + 0.90	.1788	----	----	----	----	2	UNCH	
5500	----		----	73.60B/72.30A	73.60B/72.30A	----		72.90 + 0.50	.1605	----	----	----	----	2000	UNCH	
5505	----		----	73.30B/----	73.30B/71.90A	----		72.50 + 0.60	.1597	----	----	----	----	300	UNCH	
5525	----		----	71.20B/----	71.20B/70.30A	----		70.70 + 0.40	.1562	----	----	----	----	59	UNCH	
5550	----		----	69.30B/68.20A	69.30B/68.20A	----		68.70 + 0.40	.1522	----	----	----	----	2000	UNCH	
5925	----		----	----	43.90B/46.20A	----		45.10 + 0.50	.1038	----	----	----	----	65	UNCH	
6750	----		----	----	21.30B/23.00A	----		22.30 + 0.50	.0521	----</						

BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
GWW WED SEP26		GOLD WEEKLY WEDNESDAY OPTION WEEK5																				
4340	----	----	----	----	----	----	----	----	----	153.30	UNCH	----	----	----	----	0	UNCH					
4340	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH					
4350	----	----	----	----	----	----	----	----	----	163.30	UNCH	----	----	----	----	0	UNCH					
4350	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH					
4360	----	----	----	----	----	----	----	----	----	173.30	UNCH	----	----	----	----	0	UNCH					
4360	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH					
4370	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH					
4375	----	----	----	----	----	----	----	----	----	188.30	UNCH	----	----	----	----	0	UNCH					
4395	----	----	----	----	----	----	----	----	----	208.30	UNCH	----	----	----	----	0	UNCH					
4400	----	----	----	----	----	----	----	----	----	213.30	UNCH	----	----	----	----	0	UNCH					
4410	----	----	----	----	----	----	----	----	----	223.30	UNCH	----	----	----	----	0	UNCH					
4425	----	----	----	----	----	----	----	----	----	238.30	UNCH	----	----	----	----	0	UNCH					
4450	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH					
4450	----	----	----	----	----	----	----	----	----	263.30	UNCH	----	----	----	----	0	UNCH					
4475	----	----	----	----	----	----	----	----	----	288.30	UNCH	----	----	----	----	0	UNCH					
4525	----	----	----	----	----	----	----	----	----	338.30	UNCH	----	----	----	----	0	UNCH					
4650	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH					
TOTAL																		0				
OCT26																						
3250	----	----	----	965.50B/927.60A	965.50B/927.60A	----	----	----	----	952.30	+ 15.60	1.0000	----	----	----	0	UNCH					
3700	----	----	----	-----/1.40A	1.50B/1.40A	----	----	----	----	1.50	- 0.40	.0132	----	----	----	15	UNCH					
3750	0.40	0.40	0.40	0.40/0.40	0.40/0.40	----	----	----	----	0.50	- 0.20	.0043	----	11	----	14	+					
3800	----	----	----	----/0.50A	0.70B/0.50A	----	----	----	----	0.60	- 0.40	.0057	----	----	----	11	UNCH					
3875	12.40	12.40	12.40	12.40/11.90A	13.70B/11.90A	----	----	----	----	12.60	NEW	.0930	----	8	----	8	+					
3875	----	----	----	----/7.30A	9.50B/7.30A	----	----	----	----	7.80	- 1.80	.0674	----	----	----	10	UNCH					
3900	----	----	----	----/4.00A	6.10B/4.00A	----	----	----	----	4.80	- 1.60	.0492	----	----	----	16	UNCH					
3900	1.40	1.40	1.40	1.40/0.90A	1.70B/0.90A	----	----	----	----	1.20	- 0.80	.0139	----	1	----	4	+					
3910	1.50	1.50	1.50	1.50/1.00A	1.90B/1.00A	----	----	----	----	1.20	NEW	.0143	----	1	----	1	+					
3920	1.10	1.10	1.10	1.10/1.10	2.00B/1.10	----	----	----	----	1.30	NEW	.0158	----	1	----	0	UNCH					
3925	----	----	----	----/1.10A	2.10B/1.10A	----	----	----	----	1.40	- 1.10	.0171	----	----	----	13	UNCH					
3925	----	----	----	----/4.80A	7.30B/4.80A	----	----	----	----	5.70	- 2.00	.0592	----	----	----	1	UNCH					
3950	7.40	7.40	7.40	7.40/5.90A	9.20B/5.90A	----	----	----	----	6.90	- 2.40	.0722	----	1	----	16	+					
3950	----	----	----	----/1.40A	2.80B/1.40A	----	----	----	----	1.70	- 1.50	.0218	----	----	----	3	UNCH					
3975	----	----	----	----/7.30A	11.40B/7.30A	----	----	----	----	8.40	- 3.10	.0883	----	----	----	37	UNCH					
3975	----	----	----	----/1.70A	3.70B/1.70A	----	----	----	----	2.20	- 1.80	.0294	----	----	----	29	UNCH					
3995	3.20	3.20	3.20	3.20/2.10A	4.60B/2.10A	----	----	----	----	2.70	NEW	.0373	----	1	----	1	+					
4000	21.00	21.00	21.00	23.50B/16.80A	23.50B/16.80A	----	----	----	----	18.20	- 4.40	.1532	----	2	----	3	+					
4000	----	----	----	14.30B/9.00A	14.30B/9.00A	----	----	----	----	10.40	- 3.80	.1090	----	----	----	3	UNCH					
4000	----	----	----	----/2.20A	5.00B/2.20A	----	----	----	----	2.90	- 2.30	.0403	----	----	----	2	UNCH					
4000	29.10	29.10	29.10	29.10/29.10	29.90B/25.30A	----	----	----	----	26.20	NEW	.1856	----	20	----	20	+					
4005	3.40	3.40	3.40	3.40/2.30A	5.30B/2.30A	----	----	----	----	3.00	NEW	.0422	----	1	----	1	+					
4010	3.60	3.60	3.60	3.60/2.50A	5.60B/2.50A	----	----	----	----	3.20	NEW	.0452	----	1	----	1	+					
4020	5.80	5.80	5.80	5.80/2.80A	6.30B/2.80A	----	----	----	----	3.60	NEW	.0515	----	20	----	5	+					
4025	----	----	----	18.00B/11.40A	18.00B/11.40A	----	----	----	----	12.90	- 4.60	.1343	----	----	----	25	UNCH					
4025	----	----	----	----/2.90A	6.70B/2.90A	----	----	----	----	3.80	- 3.10	.0548	----	----	----	5	UNCH					
4050	----	----	----	22.80B/14.40A	22.80B/14.40A	----	----	----	----	16.20	- 5.60	.1659	----	----	----	142	UNCH					
4050	4.70	4.70	4.70	9.30B/4.00A	9.30B/4.00A	----	----	----	----	5.20	- 3.90	.0768	----	4	----	29	+					
4050	----	----	----	34.20B/24.30A	34.20B/24.30A	----	----	----	----	26.40	- 5.90	.2131	----	----	----	2	UNCH					
4060	6.70	6.70	6.70	6.70/4.60A	10.70B/4.60A	----	----	----	----	6.00	NEW	.0888	----	8	----	8	+					
4075	22.60	22.60	22.60	28.60B/18.20A	28.60B/18.20A	----	----	----	----	20.40	- 6.60	.2040	----	12	----	32	+					
4075	11.60	11.60	11.60	13.00B/5.70A	13.00B/5.70A	----	----	----	----	7.30	- 5.00	.1089	----	1	----	40	+					
4075	----	----	----	40.90B/29.10A	40.90B/29.10A	----	----	----	----	31.70	- 6.90	.2492	----	----	----	2	UNCH					
4100	9.40	9.40	9.40	18.20B/8.20A	18.20B/8.20A	----	----	----	----	10.30	- 6.50	.1533	----	8	----	83	UNCH					
4100	----	----	----	130.20B/89.90A	130.20B/89.90A	----	----	----	----	112.50	+ 9.10	.8465	----	----	----	1	UNCH					
4100	----	----	----	35.70B/23.00A	35.70B/23.00A	----	----	----	----	25.70	- 7.70	.2490	----	32	----	396	+					
4100	----	----	----	48.90B/35.10A	48.90B/35.10A	----	----	----	----	38.00	- 8.00	.2897	----	----	----	14	UNCH					
4115	----	----	----	22.00B/10.30A	22.00B/10.30A	----	----	----	----	12.70	NEW	.1873	----	16	----	8	+					
4120	14.10	14.10	14.10	14.10/11.10A	23.40B/11.10A	----	----	----	----	13.60	NEW	.1998	----	23	----	20	+					
4125	34.30	34.30	34.30	44.40B/28.80A	44.40B/28.80A	----	----	----	----	32.30	- 9.00	.3009	----	1	----	154	-					
4125	14.00	14.00	14.00	25.20B/12.00A	25.20B/12.00A	----	----	----	----	14.60	- 8.20	.2133	----	6	----	30	+					
4125	----	----	----	124.20B/91.10A	124.20B/91.10A	----	----	----	----	109.50	+ 6.60	.6987	----	----	----	7	UNCH					
4135	17.00	17.00	17.00	17.00/13.90A	28.40B/13.90A	----	----	----	----	16.80	NEW	.2421	----	10	----	10	+					
4150	----	----	----	106.30B/76.40A	106.30B/76.40A	----	----	----	----	92.60	+ 5.40	.6410	----	----	----	5	UNCH					
4150	----	----	----	54.40B/36.00A	54.40B/36.00A	----	----	----	----	40.30	- 10.30	.3586	----	----	----	56	UNCH					
4150	19.20	19.20	19.20	34.30B/17.40A	34.30B/17.40A	----	----	----	----	20.70	- 10.00	.2906	----	17	----	35	+					
4150	62.80	62.80	62.80	88.80B/55.90A	88.80B/55.90A	----	----	----	----	72.90	+ 5.50	.7092	----	2	----	3	+					
4160	30.60	30.60	30.60	38.40B/20.00A	38.40B/20.00A	----	----	----	----	23.70	NEW	.3259	----	2	----	1	+					
4165	----	----	----	40.70B/21.40A	40.70B/21.40A	----	----	----	----	25.30	NEW	.3442	----	2	----	2	+					
4170	57.80	57.80	57.80	43.10B/22.90A	43.10B/22.90A	----	----	----	----	27.10	NEW	.3635	----	2	----	1	+					
4175	----	----	----	70.70B/42.50A	70.70B/42.50A	----	----	----	----	56.20	+ 3.70	.6168	----	1	----	2	+					
4175	----	----	----	66.20B/44.60A	66.20B/44.60A	----	----	----	----	50.00	- 11.40	.4212	----	----	----	108	UNCH					
4175	37.20	37.20	37.20	90.00B/63.20A	90.00B/63.20A	----	----	----	----	77.20	+ 4.10	.5784	----	----	----	11	UNCH					
4175	69.40	69.40	69.40	45.80B/24.50A	45.80B/24.50A	----	----	----	----	28.90	- 11.90	.3829	----	18	----	42	+					
4175	89.30	89.30	89.30</																			

BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
GWW WED OCT26	GOLD WEEKLY WEDNESDAY OPTION WEEK1																						
4525	----	----	----	----/0.70A	0.80B/0.70A	----	----	----	0.80 - 0.10	.0100	----	----	----	----	53	UNCH							
4525	----	----	----	3.90B/2.70A	3.90B/2.70A	----	----	----	3.30 - 0.40	.0391	----	----	----	----	116	UNCH							
4525	----	----	----	346.40B/318.70A	346.40B/318.70A	----	----	----	329.10 - 16.00	.9303	----	----	----	----	1	UNCH							
4550	----	----	----	----/0.60A	0.60B/0.60A	----	----	----	0.70 - 0.10	.0083	----	----	----	----	24	UNCH							
4550	----	----	----	----/2.30A	3.10B/2.30A	----	----	----	2.80 - 0.30	.0327	----	----	----	----	47	UNCH							
4575	----	----	----	----/0.50A	0.50B/0.50A	----	----	----	0.60 - 0.10	.0068	----	----	----	----	2	UNCH							
4575	----	----	----	----/1.90A	2.60B/1.90A	----	----	----	2.30 - 0.30	.0267	----	----	----	----	7	UNCH							
4575	----	----	----	5.50B/4.40A	5.50B/4.40A	----	----	----	5.00 - 0.20	.0503	----	----	----	----	2	UNCH							
4600	----	----	----	----/0.50A	0.40B/0.50A	----	----	----	0.50 - 0.10	.0055	----	----	----	----	254	UNCH							
4600	----	----	----	----/1.70A	2.10B/1.70A	----	----	----	2.00 - 0.20	.0228	----	----	----	----	17	UNCH							
4600	----	----	----	4.50B/3.70A	4.50B/3.70A	----	----	----	4.30 - 0.10	.0432	----	----	----	----	3	UNCH							
4625	----	----	----	----	0.40B/0.50A	----	----	----	0.40 - 0.10	.0042	----	----	----	----	254	UNCH							
4625	----	----	----	----/1.40A	1.80B/1.40A	----	----	----	1.70 - 0.20	.0192	----	----	----	----	6	UNCH							
4625	----	----	----	3.80B/3.30A	3.80B/3.30A	----	----	----	3.70 UNCH	.0371	1	----	----	----	1	UNCH							
4650	----	----	----	----	0.30B/0.50A	----	----	----	0.40 - 0.10	.0040	----	----	----	----	3	UNCH							
4650	----	----	----	----/1.30A	1.50B/1.30A	----	----	----	1.50 - 0.10	.0166	----	----	----	----	51	UNCH							
4650	----	----	----	----/444.60A	444.20B/444.60A	----	----	----	448.80 - 15.70	.9833	----	----	----	----	1	UNCH							
4650	----	----	----	3.30B/2.80A	3.30B/2.80A	----	----	----	3.20 UNCH	.0320	5	----	----	----	5	UNCH							
4675	----	----	----	----/1.10A	1.20B/1.10A	----	----	----	1.30 - 0.10	.0142	----	----	----	----	6	UNCH							
4675	----	----	----	----	0.30B/0.40A	----	----	----	0.30 - 0.10	.0029	----	----	----	----	21	UNCH							
4675	----	----	----	----/2.50A	2.70B/2.50A	----	----	----	2.70 - 0.10	.0270	----	----	----	----	2	UNCH							
4700	----	----	----	----	0.20B/0.30A	----	----	----	0.30 UNCH	.0028	----	----	----	----	37	UNCH							
4700	----	----	----	----/1.00A	1.00B/1.00A	----	----	----	1.10 - 0.10	.0119	----	----	----	----	17	UNCH							
4725	----	----	----	----/0.90A	0.90B/0.90A	----	----	----	1.00 - 0.10	.0106	----	----	----	----	5	UNCH							
4725	----	----	----	----	----/0.50A	----	----	----	0.20 - 0.10	.0018	----	----	----	----	3	UNCH							
4750	----	----	----	----/0.80A	0.80B/0.80A	----	----	----	0.90 - 0.10	.0093	----	----	----	----	2	UNCH							
4750	----	----	----	----	----/0.40A	----	----	----	0.20 - 0.10	.0017	----	----	----	----	1	UNCH							
4775	----	----	----	----/0.80A	0.70B/0.80A	----	----	----	0.80 - 0.10	.0081	----	----	----	----	2	UNCH							
4825	----	----	----	----	0.60B/0.70A	----	----	----	0.60 - 0.10	.0060	----	----	----	----	4	UNCH							
4825	----	----	----	----	----/0.40A	----	----	----	0.10 - 0.10	.0005	----	----	----	----	1	UNCH							
4850	----	----	----	----	0.50B/0.70A	----	----	----	0.60 UNCH	.0058	----	----	----	----	1	UNCH							
4850	----	----	----	----	----/0.40A	----	----	----	0.10 UNCH	.0003	----	----	----	----	5	UNCH							
4900	----	----	----	----	0.40B/0.70A	----	----	----	0.50 UNCH	.0046	----	----	----	----	16	UNCH							
5100	----	----	----	----	----/0.30A	----	----	----	0.10 UNCH	----	----	----	----	----	8	UNCH							
5100	----	----	----	----	----/0.50A	----	----	----	0.20 - 0.10	.0017	----	----	----	----	15	UNCH							
TOTAL																					970	5375 +	699
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
GWT TUE OCT26	GOLD WEEKLY TUESDAY OPTION week2																						
3500	----	----	----	----/0.40A	0.30B/0.40A	----	----	----	0.30 - 0.20	.0024	----	----	----	----	1	UNCH							
3700	----	----	----	----/2.60A	3.00B/2.60A	----	----	----	2.60 - 0.60	.0217	----	----	----	----	6	UNCH							
3750	----	----	----	----/1.20A	1.50B/1.20A	----	----	----	1.40 - 0.50	.0135	----	----	20	----	70 +	20							
3750	----	----	----	----/0.30A	0.30B/0.30A	----	----	----	0.20 - 0.40	.0016	----	----	----	----	6	UNCH							
3800	----	----	----	----/1.50A	2.10B/1.50A	----	----	----	1.90 - 0.70	.0191	----	----	----	----	3	UNCH							
3850	----	----	----	----/0.50A	0.70B/0.50A	----	----	----	0.60 - 0.50	.0059	----	----	1	----	7 +	1							
3875	----	----	----	----/0.60A	1.00B/0.60A	----	----	----	0.70 - 0.60	.0073	----	----	----	----	2	UNCH							
3875	----	----	----	----/6.60A	8.60B/6.60A	----	----	----	7.10 - 1.90	.0630	----	----	----	----	10	UNCH							
3900	----	----	----	----/2.90A	4.60B/2.90A	----	----	----	3.50 - 1.50	.0387	----	----	----	----	2	UNCH							
3900	----	----	----	----/0.70A	1.20B/0.70A	----	----	----	0.90 - 0.70	.0099	----	----	----	----	2	UNCH							
3915	0.80	0.80	----	0.80/0.70A	1.40B/0.70A	----	----	----	1.00 NEW	.0114	----	----	3	----	3 +	3							
3925	----	----	----	----/3.40A	5.80B/3.40A	----	----	----	4.20 - 1.80	.0473	1	----	----	----	1	UNCH							
3950	----	----	----	----/1.00A	2.10B/1.00A	----	----	----	5.10 - 1.10	.0162	----	----	----	----	21	UNCH							
3950	----	----	----	----/4.20A	7.20B/4.20A	----	----	----	5.10 - 2.20	.0582	----	----	----	----	5	UNCH							
3950	----	----	----	273.20B/228.60A	273.20B/228.60A	----	----	----	257.10 + 13.30	.9415	----	----	----	----	1	UNCH							
3960	----	----	----	----/1.00A	2.30B/1.00A	----	----	----	1.40 - 1.20	.0179	----	----	----	----	13	UNCH							
3975	----	----	----	----/1.20A	2.80B/1.20A	----	----	----	1.60 - 1.50	.0212	----	----	----	----	24	UNCH							
3975	----	----	----	9.20B/5.20A	9.20B/5.20A	----	----	----	6.30 - 2.80	.0726	3	----	----	----	3	UNCH							
3975	15.60	15.60	----	17.90B/12.80A	17.90B/12.80A	----	----	----	14.00 NEW	.1234	----	----	2	----	2 +	2							
3980	----	----	----	----/1.20A	2.90B/1.20A	----	----	----	1.70 - 1.50	.0228	----	----	----	----	2	UNCH							
4000	----	----	----	11.50B/6.60A	11.50B/6.60A	----	----	----	7.90 - 3.40	.0913	----	----	----	----	4	UNCH							
4000	----	----	----	217.50B/179.80A	217.50B/179.80A	----	----	----	204.20 + 13.60	.9715	----	----	----	----	1	UNCH							
4000	----	----	----	----/1.50A	3.70B/1.50A	----	----	----	2.00 - 2.00	.0283	----	----	1	----	54 +	1							
4025	----	----	----	14.80B/8.40A	14.80B/8.40A	----	----	----	9.90 - 4.30	.1144	----	----	----	----	75	UNCH							
4025	----	----	----	----/2.00A	5.20B/2.00A	----	----	----	2.70 - 2.70	.0402	----	----	----	----	30	UNCH							
4045	3.30	3.30	----	3.30/2.60A	6.80B/2.60A	----	----	----	3.50 NEW	.0540	----	----	3	----	3 +	3							
4050	----	----	----	182.40B/140.70A	182.40B/140.70A	----	----	----	164.80 + 10.30	.8547	----	----	----	----	2	UNCH							
4050	12.30	12.30	----	18.90B/10.80A	18.90B/10.80A	----	----	----	12.70 - 5.30	.1449	----	----	24	----	70 +	3							
4050	3.50	3.50	----	3.50/2.80A	7.30B/2.80A	----	----	----	3.70 - 3.60	.0577	----	----	3	----	19 +	2							
4050	----	----	----	174.60B/128.80A	174.60B/128.80A	----	----	----	155.90 + 12.00	.9421	----	----	----	----	2	UNCH							
4050	27.40	27.40	----	32.00B/22.60A	32.00B/22.60A	----	----	----	24.60 NEW	.2061	----	----	3	----	3 +	3							
4055	3.30	3.30	----	7.90B/3.00A	7.90B/3.00A	----	----	----	4.00 NEW	.0627	----	----	----	----	5 +	5							
4060	3.40	3.40	----	8.40B/3.30A	8.40B/3.30A	----	----	----	4.30 NEW	.0679	----	----	----	----	1 +	1							
4065	----	----	----	9.10B/3.50A	9.10B/3.50A	----	----	----	4.60 NEW	.0732	----	----	----	----	1 +	1							
4075	----	----	----	24.10B/14.10A	24.10B/14.10A	----	----	----	16.20 - 6.50	.1819	----	----	----	----	65	UNCH							
4075	5.10	5.10	----	10.50B/4.10A	10.50B/4.10A	----	----	----	5.30 - 4.70	.0853	----	----	----	----	22 +	2							
4075	----	----	----	38.70B/27.30A	38.70B/27.30A	----	----	----	29.80 - 6.60	.2429	----	----	----	----	2	UNCH							
4080	4.70	4.70	----	11.30B/4.40A	11.30B/4.40A	----	----	----	5.70 NEW	.0922	----	----	16	----	16 +	16							
4085	----	----	----	12.10B/4.80A	12.10B/4.80A	----	----	----	6.20 NEW	.1004	----	----	2	----	2 +	2							
4090	7.70	7.70	----	13.00B/5.10A	13.00B/5.10A	----	----	----	6.70 NEW	.1087	----	----	7	----	7 +	7							
4100	----	----	----	30.80B/18.40A	30.80B/18.40A	----	----	----	20.90 - 7.80	.2280	----	----	----	----	17	UNCH							
4100	----	----	----	139.50B/102.70A	139.50B/102.70A	----	----	----	123.10 + 7.80	.7717	----	----	----	----	1	UNCH							
4100	----	----	----	15.10B/6.00A	15.10B/6.00A	----	----	----	7.80 - 6.20	.1271	----	----	3	----	171 +	2							
4100	----	----	----	46.50B/33.00A	46.50B/33.00A	----	----	----	36.10 - 7.70	.2845	----	----	----	----	4	UNCH							
4120	14.20	14.20	----	20.10B/8.50A	20.10B/8.50A	----	----	----	10.60 NEW	.1727	----	----	14	----	5 +	5							
4125	----	----	----	39.00B/23.70A	39.00B/23.70A	----	----	----	26.90 - 9.20	.2825	----	----	----	150	164 +	150							
4125	----	----	----	21.60B/9.20A	21.60B/9.20A	----	----	----	11.50 - 8.00	.1865	----	----	----	----	96	UNCH							
4135	----	----	----	24.80B/10.90A	24.80B/10.90A	----	----	----	13.50 NEW	.2166	----	----	----	----	3 +	3							
4145	----	----	----	28.40B/12.90A	28.40B/12.90A	----	----	----	15.70 NEW	.2494	----	----	11	----	11 +	11							
4150	36.00	36.00	----	49.00B/30.40A	49.00B/30.40A	----	----	----	34.50 - 10.50	.3451	----	----	7	----	43	UNCH							
4150	----	----	----	101.60B/70.80A	101.60B/70.80A	----	----	----	86.70 + 5.00	.6546	----	----	----	----	2	UNCH							
4150	22.80	22.80	----	30.50B/14.00A	30.50B/14.00A	----	----	----	17.00 - 10.00	.2676	----	----	14	----	29 +	1							
4150	----	----	----	85.70B/52.20A	85.70B/52.20A	----	----	----	69.30 + 5.60	.7322	----	----	----	----	4	UNCH							
4150	----	----	----	66.20B/47.50A	66.20B/47.50A	----	----	----	52.20 - 9.90	.3797	----	----	----	----	19	UNCH							
4175	48.30	48.30	----	60.60B/38.70A	60.60B/38.70A	----	----	----	43.80 - 11.90	.4139	----	----	56	----	74 +	56							
41																							

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GOLD WEEKLY TUESDAY OPTION Week2																
OCT26																
4300	----	----	----	145.10B/107.10A	145.10B/107.10A	----	----	----	118.70 - 16.20	.7558	----	----	----	----	27	UNCH
4300	8.00	8.00	----	12.50B/5.50A	12.50B/5.50A	----	----	----	7.70 - 1.00	.1343	----	----	71	----	64 +	40
4300	----	----	----	134.40B/92.00A	134.40B/92.00A	----	----	----	105.30 - 16.60	.8655	----	----	----	----	55	UNCH
4300	----	----	----	44.20B/30.80A	44.20B/30.80A	----	----	----	36.90 + 0.80	.3067	----	----	----	----	1	UNCH
4315	----	----	----	9.90B/4.30A	9.90B/4.30A	----	----	----	5.90 NEW	.1036	----	----	1	----	1 +	1
4325	----	----	----	21.70B/12.90A	21.70B/12.90A	----	----	----	16.10 - 0.80	.1939	----	----	----	----	176	UNCH
4325	----	----	----	166.10B/125.60A	166.10B/125.60A	----	----	----	138.70 - 16.40	.8058	----	----	----	----	8	UNCH
4325	----	----	----	157.60B/112.80A	157.60B/112.80A	----	----	----	127.70 - 16.60	.9123	----	----	----	----	4	UNCH
4325	5.60	5.60	----	8.30B/3.60A	8.30B/3.60A	----	----	----	5.00 - 1.10	.0875	----	----	23	----	164 +	22
4330	5.30	5.30	----	7.80B/3.30A	7.80B/3.30A	----	----	----	4.60 NEW	.0803	----	----	1	----	1 +	1
4340	----	----	----	6.60B/2.80A	6.60B/2.80A	----	----	----	4.00 - 0.90	.0689	----	----	----	----	2	UNCH
4350	----	----	----	188.10B/145.90A	188.10B/145.90A	----	----	----	159.80 - 16.50	.8469	----	----	----	----	17	UNCH
4350	----	----	----	179.20B/134.70A	179.20B/134.70A	----	----	----	151.00 - 16.50	.9418	----	----	----	----	2	UNCH
4350	12.00	12.00	----	16.60B/9.80A	16.60B/9.80A	----	----	----	12.30 - 0.90	.1527	----	----	3	----	149 +	1
4350	4.00	4.00	----	5.60B/2.40A	5.60B/2.40A	----	----	----	3.40 - 0.90	.0580	----	----	10	----	119 -	2
4350	----	----	----	192.90B/163.80A	192.90B/163.80A	----	----	----	172.30 - 15.40	.7759	----	----	----	----	4	UNCH
4350	----	----	----	29.70B/20.80A	29.70B/20.80A	----	----	----	24.90 + 0.20	.2236	----	----	1	----	6	UNCH
4355	3.50	3.50	----	5.20B/2.30A	5.20B/2.30A	----	----	----	3.20 NEW	.0541	----	----	13	----	13 +	13
4360	2.60	2.60	----	4.80B/2.10A	4.80B/2.10A	----	----	----	2.90 NEW	.0490	----	----	1	----	1 +	1
4365	2.50	2.50	----	4.40B/2.00A	4.40B/2.00A	----	----	----	2.80 NEW	.0465	----	----	7	----	7 +	7
4370	2.40	2.40	----	4.10B/1.80A	4.10B/1.80A	----	----	----	2.60 NEW	.0429	----	----	16	----	9 +	9
4375	----	----	----	211.10B/166.90A	211.10B/166.90A	----	----	----	181.90 - 16.40	.8802	----	----	----	----	5	UNCH
4375	10.00	10.00	----	12.70B/7.50A	12.70B/7.50A	----	----	----	9.40 - 0.90	.1195	----	----	11	----	20 +	11
4375	2.00	2.00	----	3.80B/1.70A	3.80B/1.70A	----	----	----	2.40 - 0.60	.0394	----	----	3	----	8 +	1
4375	----	----	----	199.30B/157.80A	199.30B/157.80A	----	----	----	175.00 - 16.20	.9605	----	----	----	----	3	UNCH
4380	1.80	1.80	----	3.50B/1.60A	3.50B/1.60A	----	----	----	2.30 NEW	.0372	----	----	1	----	1 +	1
4385	1.80	1.80	----	3.30B/1.50A	3.30B/1.50A	----	----	----	2.10 NEW	.0338	----	----	2	----	2 +	2
4400	----	----	----	234.40B/188.90A	234.40B/188.90A	----	----	----	204.70 - 16.40	.9066	----	----	----	----	54	UNCH
4400	----	----	----	223.80B/186.90A	223.80B/186.90A	----	----	----	199.40 - 15.90	.9718	----	----	----	----	1	UNCH
4400	6.90	6.90	----	9.70B/5.80A	9.70B/5.80A	----	----	----	7.20 - 0.80	.0930	----	----	11	----	23 +	7
4400	2.30	2.30	----	2.60B/1.30A	2.60B/1.30A	----	----	----	1.80 - 0.40	.0280	----	----	2	----	97 +	1
4425	----	----	----	7.40B/4.50A	7.40B/4.50A	----	----	----	5.70 - 0.60	.0738	----	----	----	----	21	UNCH
4425	----	----	----	258.20B/211.20A	258.20B/211.20A	----	----	----	228.10 - 16.20	.9259	----	----	----	----	1	UNCH
4425	----	----	----	1.80B/1.00A	1.80B/1.00A	----	----	----	1.30 - 0.30	.0193	----	----	----	----	53	UNCH
4450	----	----	----	5.80B/3.50A	5.80B/3.50A	----	----	----	4.50 - 0.50	.0583	----	----	----	----	33	UNCH
4450	0.80	0.80	----	1.30B/0.80	1.30B/0.80	----	----	----	1.00 - 0.20	.0140	----	----	2	----	59 -	1
4450	----	----	----	273.20B/235.60A	273.20B/235.60A	----	----	----	248.60 - 15.80	.9858	----	----	----	----	1	UNCH
4475	----	----	----	4.40B/2.80A	4.40B/2.80A	----	----	----	3.60 - 0.40	.0464	----	----	----	----	5	UNCH
4475	----	----	----	298.00B/260.30A	298.00B/260.30A	----	----	----	273.40 - 15.80	.9893	----	----	----	----	1	UNCH
4475	0.70	0.70	----	0.70/0.70	0.90B/0.70	----	----	----	0.80 - 0.20	.0106	----	----	4	----	19 +	1
4500	----	----	----	---/0.60A	0.70B/0.60A	----	----	----	0.70 - 0.10	.0087	----	----	----	----	22	UNCH
4500	----	----	----	3.40B/2.30A	3.40B/2.30A	----	----	----	2.90 - 0.40	.0371	----	----	----	----	31	UNCH
4525	----	----	----	---/1.90A	2.70B/1.90A	----	----	----	2.40 - 0.30	.0303	----	----	----	----	31	UNCH
4525	----	----	----	---/0.50A	0.50B/0.50A	----	----	----	0.60 - 0.10	.0070	----	----	----	----	50	UNCH
4550	----	----	----	---/0.40A	0.40B/0.40A	----	----	----	0.50 - 0.10	.0055	----	----	----	----	7	UNCH
4550	----	----	----	---/1.60A	2.20B/1.60A	----	----	----	2.00 - 0.30	.0249	----	----	----	----	24	UNCH
4575	1.70	1.70	----	1.70/1.40A	1.80B/1.40A	----	----	----	1.70 - 0.20	.0208	----	----	40	----	35 -	6
4575	----	----	----	---/0.40A	0.30B/0.40A	----	----	----	0.40 - 0.10	.0042	----	----	----	----	2	UNCH
4575	----	----	----	397.70B/359.80A	397.70B/359.80A	----	----	----	373.00 - 15.60	.9957	----	----	----	----	2	UNCH
4600	1.50	1.50	----	1.50/1.20A	1.50/1.20A	----	----	----	1.50 - 0.10	.0179	----	----	20	----	14 -	15
4600	----	----	----	---/0.30A	0.20B/0.30A	----	----	----	0.40 UNCH	.0040	----	----	----	----	28	UNCH
4600	----	----	----	---/3.40A	4.00B/3.40A	----	----	----	3.80 - 0.20	.0392	----	----	----	----	5	UNCH
4625	----	----	----	---/1.00A	1.20B/1.00A	----	----	----	1.30 - 0.10	.0152	----	----	----	----	22	UNCH
4625	----	----	----	---	0.20B/0.30A	----	----	----	0.30 UNCH	.0029	----	----	----	----	1	UNCH
4625	----	----	----	---/2.90A	3.40B/2.90A	----	----	----	3.30 - 0.10	.0339	----	----	----	----	1	UNCH
4650	----	----	----	---/0.90A	1.00B/0.90A	----	----	----	1.10 - 0.10	.0126	----	----	----	----	8	UNCH
4650	----	----	----	---	---/0.40A	----	----	----	0.30 UNCH	.0027	----	----	----	----	19	UNCH
4650	----	----	----	---/2.50A	2.90B/2.50A	----	----	----	2.80 - 0.10	.0287	----	----	----	----	7	UNCH
4675	----	----	----	---/0.80A	0.90B/0.80A	----	----	----	1.00 UNCH	.0112	----	----	----	----	4	UNCH
4675	----	----	----	---	---/0.40A	----	----	----	0.20 - 0.10	.0017	----	----	----	----	3	UNCH
4700	----	----	----	---/0.80A	0.80B/0.80A	----	----	----	0.90 UNCH	.0098	----	----	1	----	7	UNCH
4700	----	----	----	---	---/0.40A	----	----	----	0.20 UNCH	.0016	----	----	----	----	12	UNCH
4725	----	----	----	---/0.70A	0.70B/0.70A	----	----	----	0.80 UNCH	.0086	----	----	----	----	20	UNCH
4725	----	----	----	---	---/0.40A	----	----	----	0.20 UNCH	.0016	----	----	----	----	2	UNCH
4750	0.80	0.80	----	0.80/0.80	0.80/0.70A	----	----	----	0.80 + 0.10	.0083	----	----	33	----	45 +	25
4750	----	----	----	---	---/0.40A	----	----	----	0.10 - 0.10	.0007	----	----	----	----	2	UNCH
4775	----	----	----	---	---/0.30A	----	----	----	0.10 - 0.10	.0004	----	----	----	----	2	UNCH
4775	----	----	----	---/0.60A	0.50B/0.60A	----	----	----	0.70 UNCH	.0071	----	----	1	----	2	UNCH
4800	----	----														

PG64	BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026										PG64							
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE		GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW		OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA		EXER CISES	OPEN OUTCRY VOLUME		GLOBEX® VOLUME		PNT VOLUME		OPEN INTEREST																		
GWR THU	GOLD WEEKLY THURSDAY OPTION week1																																					
OCT26																																						
3950	----			----			----		0.00 - 0.10					----		----				0 -		8																
3950	2.30	2.30		2.30/1.90A	3.70B/1.90A		----		2.40 - 1.60		.0302			----		3				27 +		3																
3965	----	----		----/0.10A	----/0.10A		----		0.00 - 0.20					----		----				0 -		1																
3970	----	----		----/0.10A	----/0.10A		----		0.00 - 0.20					----		----				0 -		3																
3975	----	----		----/0.10A	----/0.10A		----		0.00 - 0.20					----		2				0 -		26																
3975	3.80	3.80		13.20B/8.60A	13.20B/8.60A		----		9.80 - 3.20		.0979			----		7				9 -		2																
3975	3.80	3.80		3.80/2.40A	4.80B/2.40A		----		3.10 - 2.00		.0401			----		1				5 +		1																
3975	----	----		21.20B/15.40A	21.20B/15.40A		----		16.60 - 3.80		.1364			----		----				17		UNCH																
3980	----	----		----/0.10A	----/0.10A		----		0.00 - 0.20					----		----				0 -		2																
3985	----	----		----/0.10A	0.10B/0.10A		----		0.00 - 0.30					----		----				0 -		1																
3990	0.20	0.20		0.20/0.10A	0.20/0.10A		----		0.00 - 0.30					----		10				0 -		1																
4000	4.50	4.50		4.50/3.10A	6.40B/3.10A		----		3.90 - 2.70		.0522			----		11				71 +		2																
4000	----	----		16.20B/10.60A	16.20B/10.60A		----		12.10 - 3.80		.1199			----		52				118 +		48																
4000	0.30	0.30		0.30/0.10A	0.30/0.10A		----		0.00 - 0.30					----		1				0 -		58																
4000	18.60	18.60		25.30B/18.30A	25.30B/18.30A		----		19.80 - 4.50		.1604			----		2				8		UNCH																
4010	----	----		----/0.10A	0.30B/0.10A		----		0.00 - 0.40					----		----				0 -		1																
4015	----	----		----/0.10A	0.30B/0.10A		----		0.00 - 0.40					----		----				0 -		1																
4020	0.10	0.10		0.10/0.10	0.40B/0.10		----		0.00 - 0.50					----		1				0 -		1																
4025	----	----		----/4.00A	8.60B/4.00A		----		5.20 - 3.40		.0707			----		1				21 +		1																
4025	0.10	0.10		0.10/0.10	0.40B/0.10		----		0.00 - 0.50					----		2				0 -		46																
4025	18.60	18.60		20.30B/13.20A	20.30B/13.20A		----		14.90 - 4.60		.1461			----		70				71 +		68																
4025	----	----		30.40B/21.90A	30.40B/21.90A		----		23.60 - 5.20		.1879			----		----				14		UNCH																
4030	----	----		----/0.10A	0.50B/0.10A		----		0.00 - 0.60					----		----				0 -		15																
4035	----	----		----/0.10A	0.50B/0.10A		----		0.00 - 0.60					----		----				0 -		1																
4040	----	----		----/0.10A	0.60B/0.10A		----		0.00 - 0.70					----		3				0 -		53																
4045	0.70	0.70		0.70/0.10	0.70/0.10		----		0.00 - 0.70					----		----				0 -		1																
4050	6.60	6.60		11.70B/5.50A	11.70B/5.50A		----		6.90 - 4.40		.0953			----		137				163 +		96																
4050	20.60	20.60		25.30B/16.50A	25.30B/16.50A		----		18.40 - 5.60		.1776			----		476				432 +		409																

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GOLD WEEKLY THURSDAY OPTION week1																
OCT26																
4260	2.00	2.00		3.00B/0.10A	3.00B/0.10A	----	----		0.00 - 1.70	----	----	----	10	----		0 -
4260	----	----		89.40B/42.50A	89.40B/42.50A	----	----		57.70 NEW	----	----	----	1	----		0 -
4265	1.20	1.20		2.30B/0.10A	2.30B/0.10A	----	----		0.00 - 1.40	----	----	----	28	----		0 -
4270	1.60	1.60		1.90B/0.10A	1.90B/0.10A	----	----		0.00 - 1.20	----	----	----	20	----		0 -
4275	----	----		117.30B/79.90A	117.30B/79.90A	----	----		90.80 -16.20	.7474	----	----	----	----		22 -
4275	----	----		132.10B/98.50A	132.10B/98.50A	----	----		108.50 -15.00	.6684	----	----	----	----		58 -
4275	34.40	34.40		44.50B/29.50A	44.50B/29.50A	----	----		35.90 + 0.60	.3312	----	----	9	----		22 +
4275	17.80	17.80		25.70B/13.80A	25.70B/13.80A	----	----		18.20 - 0.60	.2523	----	----	3	----		16 -
4275	1.00	1.00		1.50/0.10A	1.50/0.10A	----	----		0.00 - 1.00	----	----	----	47	----		0 -
4275	76.50	76.50		103.90B/55.70A	103.90B/55.70A	----	----		72.70 -16.60	----	----	----	2	----		0 -
4280	1.00	1.00		1.30B/0.10	1.30B/0.10	----	----		0.00 - 0.80	----	----	----	7	----		0 -
4285	1.00	1.00		1.00/0.10A	1.00/0.10A	----	----		0.00 - 0.70	----	----	----	3	----		0 -
4290	----	----		119.00B/69.70A	119.00B/69.70A	----	----		87.70 -16.20	----	----	----	2	----		0 -
4290	0.30	0.30		0.70B/0.10A	0.70B/0.10A	----	----		0.00 - 0.60	----	----	----	1	----		0 -
4295	0.30	0.30		0.60B/0.10	0.60B/0.10	----	----		0.00 - 0.50	----	----	----	3	----		0 -
4300	----	----		138.50B/97.90A	138.50B/97.90A	----	----		110.50 -16.60	.8127	----	----	----	----		72 -
4300	----	----		151.30B/115.10A	151.30B/115.10A	----	----		126.30 -15.50	.7216	----	----	----	----		100 -
4300	28.50	28.50		36.00B/23.60A	36.00B/23.60A	----	----		28.70 + 0.10	.2780	----	----	15	----		71 +
4300	11.80	11.80		18.70B/9.80A	18.70B/9.80A	----	----		12.90 - 1.00	.1870	----	----	11	----		81 +
4300	----	----		157.70B/132.30A	157.70B/132.30A	----	----		138.90 -14.70	.6800	----	----	----	----		2 -
4300	84.80	84.80		129.10B/79.50A	129.10B/79.50A	----	----		97.70 -16.00	----	----	----	3	----		0 -
4300	0.30	0.30		0.60B/0.10	0.60B/0.10	----	----		0.00 - 0.40	----	----	----	6	----		0 -
4300	40.70	40.70		49.20B/35.20A	49.20B/35.20A	----	----		41.40 + 0.90	.3194	----	----	2	----		4 +
4305	----	----		0.40B/0.10A	0.40B/0.10A	----	----		0.00 - 0.30	----	----	----	----	----		0 -
4310	0.40	0.40		0.40/0.10	0.40/0.10	----	----		0.00 - 0.30	----	----	----	3	----		0 -
4310	----	----		139.00B/89.30A	139.00B/89.30A	----	----		107.70 -15.90	----	----	----	----	----		0 -
4315	----	----		0.30B/0.10A	0.30B/0.10A	----	----		0.00 - 0.20	----	----	----	----	----		0 -
4320	0.40	0.40		0.40/0.10	0.40/0.10	----	----		0.00 - 0.20	----	----	----	7	----		0 -
4325	9.60	9.60		13.40B/7.00A	13.40B/7.00A	----	----		9.10 - 1.10	.1358	----	15	----	----		115 +
4325	----	----		160.60B/117.70A	160.60B/117.70A	----	----		131.70 -16.70	.8639	----	----	----	----		126 -
4325	----	----		171.60B/133.00A	171.60B/133.00A	----	----		145.40 -15.80	.7686	----	----	----	----		17 -
4325	----	----		28.90B/18.90A	28.90B/18.90A	----	----		22.90 - 0.20	.2309	----	----	9	----		19 -
4325	123.10	123.10		153.90B/104.10A	153.90B/104.10A	----	----		122.70 -15.80	----	----	----	2	----		0 -
4325	31.80	31.80		41.30B/29.30A	41.30B/29.30A	----	----		34.40 NEW	.2769	----	----	1	----		1 +
4325	0.10	0.10		0.10/0.10	0.20B/0.10	----	----		0.00 - 0.20	----	----	----	1	----		0 -
4330	----	----		----/0.10A	0.20B/0.10A	----	----		0.00 - 0.20	----	----	----	----	----		0 -
4335	----	----		164.00B/114.00A	164.00B/114.00A	----	----		132.70 -15.70	----	----	----	2	----		0 -
4335	----	----		----/0.10A	----	----	----		0.00 - 0.10	----	----	----	----	----		0 -
4340	----	----		169.00B/119.00A	169.00B/119.00A	----	----		137.70 -15.70	----	----	----	----	----		0 -
4340	----	----		----/0.10A	----	----	----		0.00 - 0.10	----	----	----	----	----		0 -
4345	----	----		----/0.10A	----	----	----		0.00 - 0.10	----	----	----	----	----		0 -
4350	----	----		183.70B/138.90A	183.70B/138.90A	----	----		154.10 -16.60	.9016	----	----	----	----		13 -
4350	----	----		23.10B/15.00A	23.10B/15.00A	----	----		18.10 - 0.50	.1895	----	1	----	----		13 +
4350	----	----		192.80B/152.20A	192.80B/152.20A	----	----		165.60 -16.10	.8101	----	----	----	----		1 -
4350	----	----		34.40B/24.40A	34.40B/24.40A	----	----		28.60 + 0.10	.2386	----	----	----	----		1 -
4350	----	----		196.70B/167.50A	196.70B/167.50A	----	----		176.00 -15.40	.7608	----	----	----	----		1 -
4350	5.00	5.00		9.60B/5.00	9.60B/5.00	----	----		6.50 - 1.10	.0981	----	161	----	----		214 +
4350	0.20	0.20		0.20/0.20	0.20/0.10A	----	----		0.00 - 0.10	----	----	5	----	----		0 -
4350	----	----		178.90B/129.00A	178.90B/129.00A	----	----		147.70 -15.70	----	----	----	----	----		0 -
4360	----	----		----/0.10A	----	----	----		0.00 - 0.10	----	----	----	----	----		0 -
4360	----	----		188.70B/139.00A	188.70B/139.00A	----	----		157.70 -15.70	----	----	----	----	----		0 -
4370	----	----		----/0.10A	----	----	----		0.00 - 0.10	----	----	----	----	----		0 -
4375	----	----		215.10B/172.50A	215.10B/172.50A	----	----		186.90 -16.10	.8447	----	----	----	----		16 -
4375	----	----		18.40B/11.80A	18.40B/11.80A	----	----		14.40 - 0.60	.1549	----	----	----	----		7 -
4375	----	----		217.40B/187.10A	217.40B/187.10A	----	----		196.00 -15.70	.7956	----	----	----	----		1 -
4375	----	----		207.30B/161.20A	207.30B/161.20A	----	----		177.30 -16.50	.9289	----	----	----	----		5 -
4375	3.60	3.60		6.90B/3.60	6.90B/3.60	----	----		4.70 - 0.90	.0709	----	28	----	----		270 +
4375	----	----		203.90B/154.00A	203.90B/154.00A	----	----		172.70 -15.70	----	----	----	----	----		0 -
4375	----	----		----/0.10A	----	----	----		0.00 - 0.10	----	----	----	----	----		0 -
4380	----	----		----/0.10A	----	----	----		0.00 - 0.10	----	----	----	----	----		0 -
4385	----	----		----/0.10A	----	----	----		0.00 - 0.10	----	----	----	----	----		0 -
4390	----	----		----/0.10A	----	----	----		0.00 - 0.10	----	----	----	----	----		0 -
4395	----	----		----/0.10A	----	----	----		0.00 - 0.10	----	----	----	----	----		0 -
4400	----	----		237.70B/193.70A	237.70B/193.70A	----	----		208.90 -16.20	.8740	----	----	----	----		19 -
4400	13.10	13.10		14.40B/9.40A	14.40B/9.40A	----	----		11.40 - 0.70	.1256	----	3	----	----		77 +
4400	----	----		225.20B/183.90A	225.20B/183.90A	----	----		201.10 -16.30	.9478	----	----	----	----		76 -
4400	2.60	2.60		5.00B/2.60	5.00B/2.60	----	----		3.50 - 0.70	.0520	----	56	----	----		110 +
4400	0.10	0.10		0.10/0.10	0.10/0.10	----	----		0.00 - 0.10	----	----	20	----	----		0 -
4400	----	----		228.90B/179.00A	228.90B/179.00A	----	----		197.70 -15.70	----	----	1	----	----		0 -
4400	----	----		23.60B/16.80A	23.60B/16.80A	----	----		19.50 - 0.30	.1734	----	----	----	----		2 -
4405	----	----		----/0.10A	----	----	----		0.00 - 0.10	----	----	----	----	----		0 -
4410	----	----		----/0.1												



BULLETIN #189@				METALS OPTION PRODUCTS							Thu, Oct 01, 2026			PG64	
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GWR THU GOLD WEEKLY THURSDAY OPTION week3															
OCT26															
4725	----	----	----/1.10A	1.20B/1.10A	----	----	----	1.20 - 0.10	.0125	----	----	----	----	15	UNCH
4725	----	----	----	0.30B/0.40A	----	----	----	0.40 UNCH	.0038	----	----	----	----	47	UNCH
4725	----	----	----	----/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	31
4725	----	----	----/2.30A	2.40B/2.30A	----	----	----	2.30 - 0.20	.0223	----	----	----	----	12	UNCH
4750	----	----	----/1.00A	1.00B/1.00A	----	----	----	1.10 - 0.10	.0112	----	----	----	----	7	UNCH
4750	----	----	----/2.00A	2.10B/2.00A	----	----	----	2.10 - 0.10	.0201	----	----	----	----	10	UNCH
4750	----	----	----	----/0.50A	----	----	----	0.30 - 0.10	.0028	----	----	----	----	10	UNCH
4750	----	----	----	----/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	16
4775	----	----	----/0.90A	0.90B/0.90A	----	----	----	1.00 - 0.10	.0100	----	----	----	----	14	UNCH
4775	----	----	----	----/0.50A	----	----	----	0.30 UNCH	.0027	----	----	----	----	2	UNCH
4775	----	----	----	----/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	5
4775	----	----	----/1.80A	1.90B/1.80A	----	----	----	1.90 UNCH	.0180	----	----	----	----	3	UNCH
4800	----	----	----	----/0.50A	----	----	----	0.20 - 0.10	.0018	----	----	----	----	8	UNCH
4800	----	----	----	0.80B/0.90A	----	----	----	0.90 UNCH	.0089	----	----	----	----	5	UNCH
4800	----	----	----	----/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	18
4800	----	----	----	1.70B/1.70A	----	----	----	1.70 UNCH	.0160	----	----	----	----	1	UNCH
4825	----	----	----	0.70B/0.80A	----	----	----	0.80 UNCH	.0078	----	----	----	----	2	UNCH
4825	----	----	----	----/0.50A	----	----	----	0.20 - 0.10	.0017	----	----	----	----	2	UNCH
4825	----	----	----	----/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	15
4825	----	----	----	1.50B/1.60A	----	----	----	1.60 + 0.10	.0148	----	----	----	----	1	UNCH
4850	----	----	----	----/0.40A	----	----	----	0.20 UNCH	.0016	----	----	----	----	3	UNCH
4850	----	----	----	1.30B/1.40A	----	----	----	1.40 + 0.10	.0129	----	----	----	----	1	UNCH
4850	----	----	----	0.70B/0.80A	----	----	----	0.70 - 0.10	.0067	----	----	----	----	4	UNCH
4850	----	----	----	----/0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	1
4875	----	----	----	----/0.40A	----	----	----	0.10 - 0.10	.0008	----	----	----	----	7	UNCH
4900	----	----	----	----/0.40A	----	----	----	0.10 - 0.10	.0005	----	----	----	----	2	UNCH
4900	----	----	----	0.60B/0.70A	----	----	----	0.60 - 0.10	.0056	----	----	----	----	11	UNCH
4900	----	----	----	----/0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	51
4900	----	----	728.80B/678.90A	728.80B/678.90A	----	----	----	1.20 + 0.10	.0108	----	----	----	----	2	UNCH
4900	----	----	----	----	----	----	----	697.70 - 15.70	----	----	----	----	----	0	UNCH
4925	----	----	----	----/0.40A	----	----	----	0.10 - 0.10	.0003	----	----	----	----	1	UNCH
4925	----	----	----	----/0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	3
4950	----	----	----	----/0.40A	----	----	----	0.10 - 0.10	.0002	----	----	----	----	200	UNCH
4950	----	----	----	----/0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	7
4975	----	----	----	----/0.40A	----	----	----	0.10 - 0.10	.0001	----	----	----	----	1	UNCH
4975	----	----	----	----/0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	9
5000	----	----	----	0.40B/0.60A	----	----	----	0.50 UNCH	.0043	----	----	----	----	50	UNCH
5000	----	----	----	----/0.40A	----	----	----	0.10 UNCH	.0001	----	----	----	----	45	UNCH
5000	----	----	----	----/0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	3
5000	----	----	----	0.70B/1.00A	----	----	----	0.90 + 0.20	.0077	----	----	6	----	27 +	6
5025	----	----	----	----/0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	2
5050	----	----	----	----/0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	3
5100	----	----	----	----/0.30A	----	----	----	0.10 UNCH	.0000	----	----	----	----	3	UNCH
5100	----	----	----	----/0.60A	----	----	----	0.40 UNCH	.0032	----	----	5	----	24	UNCH
5100	----	----	----	----/0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	6
5125	----	----	----	----/0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	1
5200	----	----	----	----/0.50A	----	----	----	0.20 UNCH	.0016	----	----	----	----	10	UNCH
5200	----	----	----	----/0.30A	----	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH
5200	----	----	----	----/0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	47
5250	----	----	----	----/0.30A	----	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH
5250	----	----	----	----/0.50A	----	----	----	0.20 UNCH	.0015	----	----	4	----	8	UNCH
5250	----	----	----	----/0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	22
5300	----	----	----	----/0.30A	----	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH
5300	----	----	----	----/0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	8
5400	----	----	----	----/0.30A	----	----	----	0.10 UNCH	----	----	----	----	----	5	UNCH
5400	----	----	----	----/0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	3
5500	----	----	----	----/1.60A	----	----	----	0.10 UNCH	----	----	----	----	----	4	UNCH
5500	----	----	----	----/0.40A	----	----	----	0.10 UNCH	.0007	----	----	5	----	77	UNCH
5750	----	----	----	----/1.00A	----	----	----	0.10 UNCH	----	----	----	----	----	3	UNCH
5750	----	----	----	----/0.30A	----	----	----	0.10 UNCH	.0001	----	----	4	----	4	UNCH
TOTAL												6368	6194	5433	
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GMW MON GOLD WEEKLY MONDAY OPTION WEEK2															
OCT26															
3000	----	----	----	----/0.40A	----	----	----	0.10 UNCH	----	----	----	----	----	10	UNCH
3600	----	----	----	----/0.20A	----	----	----	0.10 UNCH	.0000	----	----	----	----	79	UNCH
3700	----	----	----/2.50A	2.60B/2.50A	----	----	----	2.30 - 0.60	.0196	----	----	1	----	3 +	1
3700	----	----	----/0.80A	0.90B/0.80A	----	----	----	1.00 - 0.30	.0091	----	----	----	----	10	UNCH
3700	----	----	----/0.20A	----/0.20A	----	----	----	0.10 - 0.20	.0005	----	----	----	----	3	UNCH
3750	----	----	----/2.90A	3.40B/2.90A	----	----	----	3.00 NEW	.0262	----	----	1	----	1 +	1
3750	----	----	----/1.00A	1.20B/1.00A	----	----	----	1.30 - 0.40	.0125	----	----	----	----	7	UNCH
3750	----	----	----/0.20A	0.20B/0.20A	----	----	----	0.20 - 0.20	.0013	----	----	----	----	10	UNCH
3800	----	----	----/1.20A	1.70B/1.20A	----	----	----	1.60 - 0.60	.0164	----	----	----	----	31	UNCH
3800	----	----	----/6.70A	7.50B/6.70A	----	----	----	7.90 NEW	.0592	----	----	1	----	1 +	1
3800	----	----	----/0.20A	0.30B/0.20A	----	----	----	0.20 - 0.40	.0015	----	----	----	----	23	UNCH
3805	0.20	0.20	0.20/0.20	0.30B/0.20	----	----	----	0.20 NEW	.0015	----	----	1	----	1 +	1
3820	0.20	0.20	0.20/0.20	0.40B/0.20	----	----	----	0.30 NEW	.0024	----	----	10	----	10 +	10
3825	----	----	----/4.30A	5.40B/4.30A	----	----	----	4.90 NEW	.0436	----	----	1	----	1 +	1
3825	----	----	----/0.20A	0.40B/0.20A	----	----	----	0.30 - 0.40	.0024	----	----	----	----	1	UNCH
3850	----	----	----/8.80A	10.20B/8.80A	----	----	----	10.10 NEW	.0767	----	----	1	----	1 +	1
3875	----	----	----/1.90A	3.10B/1.90A	----	----	----	2.40 - 1.10	.0269	----	----	----	----	2	UNCH
3875	----	----	----/5.80A	7.70B/5.80A	----	----	----	6.80 - 1.20	.0610	----	----	1	----	3 +	1
3880	0.60	0.60	0.60/0.30A	0.70B/0.30A	----	----	----	0.40 NEW	.0038	----	----	2	----	2 +	2
3900	----	----	----/2.30A	3.80B/2.30A	----	----	----	2.90 - 1.30	.0332	----	----	----	----	3	UNCH
3900	----	----	----/6.80A	9.10B/6.80A	----	----	----	7.90 - 1.60	.0714	----	----	----	----	16	UNCH
3900	----	----	----/0.40A	0.80B/0.40A	----	----	----	0.50 - 0.50	.0050	----	----	----	----	32	UNCH
3925	0.40	0.40	0.40/0.40	1.10B/0.40	----	----	----	0.60 - 0.70	.0065	----	----	2	----	4	UNCH
3925	----	----	----/8.10A	11.00B/8.10A	----	----	----	9.00 - 2.20	.0826	----	----	----	----	1	UNCH
3925	----	----	----/2.70A	4.80B/2.70A	----	----	----	3.40 - 1.70	.0400	----	----	----	----	2	UNCH
3950	----	----	----/15.60A	19.20B/15.60A	----	----	----	16.50 - 3.70	.1285	----	----	----	----	2	UNCH
3950	----	----	----/0.50A	1.40B/0.50A	----	----	----	0.70 - 0.90	.0082	----	----	----	----	4	UNCH
3950	----	----	271.90B/222.60A	271.90B/222.60A	----	----	----	252.90 + 14.70	.9917	----	----	----	----	3	UNCH
3950	----	----	----/3.30A	6.00B/3.30A	----	----	----	4.20 - 2.00	.0502	----	----	2	----	5 -	1
3975	----	----	----/0.70A	1.90B/0.70A	----	----	----	0.90 - 1.20	.0115	----	----	----	----	51	UNCH
3975	----	----	16.30B/11.50A	16.30B/11.50A	----	----	----	12.70 - 3.30	.1163	----	----	----	----	15	UNCH
3975	----	----	----/4.20A	7.70B/4.20A	----	----	----	5.20 - 2.60	.0631	----	----	----	----	2	UNCH
3985	1.00	1.00	1.00/0.70A	2.10B/0.70A	----	----	----	1.00 NEW	.0132	----	----	10	----	10 +	10
3995	0.80	0.80	0.80/0.80	2.40B/0.80	----	----	----	1.20 NEW	.0162	----	----	5	----	5 +	5
4000	----	----	19.90B/13.80A	19.90B/13.80A	----	----	----	15.40 - 3.90	.1394	----	----	----	----	4	UNCH
4000	9.30	9.30	9.90B/5.30A	9.90B/5.30A	----	----	----	6.50 - 3.30	.0797	----	----	31	----	25 +	3
4000	2.30	2.30	2.30/0.90A	2.60B/0.90A	----	----	----	1.20 - 1.60	.0166	----	----	31	----	54 +	14
4000	----	----	222.40B/173.80A	222.40B/173.80A	----	----	----	203.50 + 14.00	.9833	----	----	----	----	1	UNCH
4010	2.20	2.20	2.20/1.00A	3.00B/1.00A	----	----	----	1.40 - 1.80	.0199	----	----	30	----	33	UNCH
4020	----	----	----/1.20A	3.40B/1.20A	----	----	----	1.60 - 2.00	.0234	----	----	1	----	2 +	1
4025	----	----	12.80B/6.80A	12.80B/6.80A	----	----	----	8.40 - 4.10	.1027	----	----	1	----	33	UNCH
4025	2.10	2.10	2.10/1.20A	3.70B/1.20A	----	----									

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.

© Copyright CME Group Inc. All rights reserved.

BULLETIN #189@														METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST										
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK3																								
OCT26																										
4150	----	----		110.30B/86.10A	110.30B/86.10A	----		101.50	+ 5.30	.6240	----	----	----	13	----		1	UNCH								
4150	40.10	40.10		45.70B/27.50A	45.70B/27.50A	----		31.50	+ 10.40	.3365	----	----	----	13	----		23	+								
4150	----	----		63.60B/44.90A	63.60B/44.90A	----		49.30	- 10.30	.3754	----	----	----	11	----		26	+								
4150	62.80	62.80		73.70B/58.50A	73.70B/58.50A	----		62.30	- NEW	.3922	----	----	----	11	----		11	+								
4150	19.10	19.10		25.90B/10.10A	25.90B/10.10A	----		13.00	- 9.60	.2351	----	----	----	17	----		60	-								
4150	----	----		82.20B/47.70A	82.20B/47.70A	----		65.30	+ 6.10	.7647	----	----	----	----	----		1	UNCH								
4160	21.20	21.20		30.30B/12.50A	30.30B/12.50A	----		15.60	- NEW	.2775	----	----	----	5	----		4	+								
4165	----	----		32.40B/13.70A	32.40B/13.70A	----		17.00	- 11.00	.3000	----	----	----	----	----		1	UNCH								
4165	62.10	62.10		70.50B/39.10A	70.50B/39.10A	----		54.30	- NEW	.6998	----	----	----	2	----		1	+								
4170	----	----		34.80B/15.00A	34.80B/15.00A	----		18.50	- NEW	.3236	----	----	----	1	50		51	+								
4175	----	----		63.20B/34.00A	63.20B/34.00A	----		47.50	+ 3.70	.6512	----	----	----	----	----		23	UNCH								
4175	67.30	67.30		81.60B/54.20A	81.60B/54.20A	----		67.90	- NEW	.5905	----	10	----	----	----		10	+								
4175	----	----		96.60B/72.90A	96.60B/72.90A	----		86.60	+ 4.30	.5696	----	----	----	----	----		12	UNCH								
4175	----	----		75.60B/54.10A	75.60B/54.10A	----		59.30	- 11.30	.4299	----	----	----	----	----		12	UNCH								
4175	30.20	30.20		37.30B/16.40A	37.30B/16.40A	----		20.20	- 12.00	.3486	----	12	----	----	----		91	-								
4175	----	----		57.50B/35.60A	57.50B/35.60A	----		40.60	- 11.90	.4092	----	----	----	----	----		76	UNCH								
4180	46.50	46.50		59.60B/31.60A	59.60B/31.60A	----		44.30	+ 3.20	.6255	----	1	----	----	----		2	+								
4180	23.30	23.30		40.00B/17.90A	40.00B/17.90A	----		22.00	- 12.40	.3743	----	21	----	----	----		15	+								
4185	29.20	29.20		56.20B/29.20	56.20B/29.20	----		41.20	+ 2.70	.5990	----	1	----	----	----		5	UNCH								
4185	32.30	32.30		42.80B/19.50A	42.80B/19.50A	----		23.90	- 12.90	.4008	----	1	----	----	----		5	+								
4190	----	----		53.00B/27.20A	53.00B/27.20A	----		38.30	+ 2.30	.5718	----	10	----	----	----		9	-								
4190	----	----		45.50B/21.20A	45.50B/21.20A	----		26.00	- 13.30	.4280	----	11	----	----	----		11	+								
4195	34.60	34.60		49.70B/25.10A	49.70B/25.10A	----		35.50	+ 1.90	.5441	----	39	----	----	----		39	+								
4200	----	----		88.80B/64.60A	88.80B/64.60A	----		70.80	- 12.30	.4862	----	----	----	----	----		17	UNCH								
4200	----	----		66.90B/42.80A	66.90B/42.80A	----		54.00	+ 2.40	.5131	----	----	----	----	----		2	UNCH								
4200	28.70	28.70		46.70B/23.30A	46.70B/23.30A	----		32.80	+ 1.50	.5162	----	35	----	----	----		39	-								
4200	71.00	71.00		84.60B/61.40A	84.60B/61.40A	----		73.10	+ 3.20	.5133	----	2	----	----	----		9	+								
4200	41.00	41.00		51.40B/25.00A	51.40B/25.00A	----		30.50	- 14.10	.4836	----	41	----	----	----		46	+								
4200	----	----		71.20B/45.60A	71.20B/45.60A	----		51.70	- 13.20	.4866	----	----	----	----	----		42	UNCH								
4205	37.80	37.80		54.50B/27.20A	54.50B/27.20A	----		33.00	- NEW	.5117	----	1	----	----	----		1	+								
4210	36.80	36.80		41.40B/19.60A	41.40B/19.60A	----		27.90	- NEW	.4600	----	2	----	----	----		2	+								
4215	19.60	19.60		38.50B/18.00A	38.50B/18.00A	----		25.60	+ 0.40	.4320	----	11	----	----	----		7	+								
4220	32.00	32.00		36.00B/16.40A	36.00B/16.40A	----		23.50	+ 0.10	.4044	----	58	----	----	----		152	+								
4220	----	----		64.80B/34.30A	64.80B/34.30A	----		41.20	- NEW	.5954	----	10	----	----	----		10	+								
4225	----	----		100.30B/76.40A	100.30B/76.40A	----		83.90	- 13.20	.5429	----	----	----	5	----		5	UNCH								
4225	28.70	28.70		33.50B/15.00A	33.50B/15.00A	----		21.50	- 0.20	.3773	----	8	----	----	----		24	+								
4225	----	----		53.50B/33.40A	53.50B/33.40A	----		42.30	+ 1.40	.4348	----	----	----	----	----		0	UNCH								
4225	----	----		71.40B/51.30A	71.40B/51.30A	----		61.20	+ 2.40	.4566	----	----	----	----	----		400	+								
4225	76.40	76.40		82.10B/65.60A	82.10B/65.60A	----		74.50	- NEW	.4665	----	9	----	----	----		9	+								
4225	----	----		68.50B/37.00A	68.50B/37.00A	----		44.20	- 15.80	.6225	----	----	----	----	----		81	UNCH								
4225	----	----		86.50B/57.60A	86.50B/57.60A	----		65.00	- 14.20	.5649	----	----	----	----	----		19	UNCH								
4230	----	----		72.40B/39.80A	72.40B/39.80A	----		47.40	- 16.00	.6487	----	----	----	----	----		26	UNCH								
4230	17.40	17.40		31.00B/13.70A	31.00B/13.70A	----		19.70	- 0.40	.3511	----	4	----	----	----		4	+								
4235	17.80	17.80		28.70B/12.40A	28.70B/12.40A	----		18.00	- 0.60	.3257	----	50	----	----	----		54	+								
4240	16.40	16.40		26.50B/11.20A	26.50B/11.20A	----		16.40	- NEW	.3011	----	2	----	----	----		2	+								
4250	----	----		22.50B/9.20A	22.50B/9.20A	----		13.60	- 1.00	.2553	----	5	----	----	----		102	+								
4250	----	----		42.10B/25.60A	42.10B/25.60A	----		32.60	+ 0.50	.3595	----	----	----	----	----		10	UNCH								
4250	----	----		60.00B/42.60A	60.00B/42.60A	----		50.80	+ 1.60	.4010	----	----	----	----	----		1	UNCH								
4250	----	----		115.20B/89.60A	115.20B/89.60A	----		98.40	- 14.00	.5984	----	----	----	----	----		3	UNCH								
4250	----	----		88.40B/52.00A	88.40B/52.00A	----		61.20	- 16.70	.7445	----	----	----	----	----		80	UNCH								
4250	----	----		103.80B/71.30A	103.80B/71.30A	----		80.20	- 15.10	.6401	----	----	----	----	----		61	UNCH								
4260	9.10	9.10		96.60B/58.70A	96.60B/58.70A	----		68.90	- 16.80	.7857	----	----	----	----	----		1	UNCH								
4270	6.00	6.00		16.30B/6.20A	16.30B/6.20A	----		9.20	- 1.40	.1779	----	12	----	----	----		11	+								
4275	----	----		14.80B/5.70A	14.80B/5.70A	----		8.30	- 1.40	.1613	----	15	----	----	----		41	+								
4275	----	----		122.60B/87.00A	122.60B/87.00A	----		97.40	- 15.70	.7091	----	----	----	----	----		5	UNCH								
4275	29.70	29.70		109.80B/69.40A	109.80B/69.40A	----		81.00	- 17.00	.8385	----	2	----	----	----		35	+								
4275	----	----		32.50B/19.60A	32.50B/19.60A	----		24.80	- NEW	.2906	----	----	----	2	----		2	+								
4275	----	----		50.40B/35.20A	50.40B/35.20A	----		41.80	+ 0.90	.3478	----	----	----	----	----		1	UNCH								
4275	10.50	10.50		132.60B/108.60A	132.60B/108.60A	----		114.40	- 14.60	.6516	----	----	----	----	----		11	UNCH								
4280	----	----		13.80B/5.10A	13.80B/5.10A	----		7.60	- 1.30	.1473	----	2	----	----	----		12	+								
4285	6.30	6.30		12.70B/4.60A	12.70B/4.60A	----		6.80	- 1.40	.1325	----	4	----	----	----		9	-								
4290	----	----		11.50B/4.20A	11.50B/4.20A	----		6.20	- 1.40	.1204	----	----	----	----	----		1	UNCH								
4295	----	----		10.70B/3.80A	10.70B/3.80A	----		5.60	- 1.40	.1086	----	66	----	----	----		67	+								
4295	----	----		127.80B/84.90A	127.80B/84.90A	----		98.30	- NEW	.8912	----	1	----	----	----		1	+								
4300	----	----		132.60B/89.00A	132.60B/89.00A	----		102.80	- 16.80	.9014	----	----	----	----	----		51	UNCH								
4300	5.90	5.90		142.90B/104.20A	142.90B/104.20A	----		116.30	- 16.10	.7693	----	145	----	----	----		4	UNCH								
4300	----	----		9.50B/3.50A	9.50B/3.50A	----		5.10	- 1.30	.0985	----	----	----	----	----		162	+								
4300	7.00	7.00		25.20B/14.70A	25.20B/14.70A	----		18.70	- 0.50	.2303	----	4	----	----	----		25	+								
4305	4.80	4.80		8.90B/3.20A	8.90B/3.20A	----		4.70	- NEW	.0899	----	14	----	----	----		14	+								
4310	----	----		7.90B/2.90A	7.90B/2.90A	----		4.20	- NEW	.0803	----	43	----	----	----		43	+								
4315	----	----		7.40B/2.60A	7.40B/2.60A	----		3.90	- 1.10	.0736	----	----	----	----	----		3	UNCH								
4320	12.80	12.80		151.60B/105.70A	151.60B/105.70A	----		121.20	- NEW	.9340	----	1	----	----	----		1	+								
4325	29.30	29.30		156.40B/110.10A	156.40B/110.10A	----		125.90	- 16.60	.9402	----	----	----	----	----		69	+								
4325	----	----		19.10B/11.00A	19.10B/11.00A	----		14.00	- 0.70	.1796	----	3	----	----	----		8	+								
4325	----	----		164.60B/123.20A	164.60B/123.20A	----		136.60	- 16.30	.8201	----	----	----	----	----		6	UNCH								
4325	3.10	3.10		34.00B/23.50A	34.00B/23.50A	----		27.90	- UNCH	.2536	----	3	----	----	----		3	+								
4325	5.70	5.70		170.60B/142.30A	170.60B/142.30A	----		150.40	- 15.50	.7459	----	----	----	----	----		1	UNCH								
4330	2.70	2.70		6.10B/2.30A	6.10B/2.30A	----		3.20	- 1.00	.0596	----	51	----	----	----		81	+								
4330	----	----		5.50B/2.10A	5.50B/2.10A	----		3.00	- NEW	.0550	----	4	----	----	----		4	+								
4340	----	----		161.20B/114.70A	161.20B/114.70A	----		130.60	- NEW	.9448	----	2	----	----	----		2	+								
4350	----	----		4.60B/1.80A	4.60B/1.80A	----		2.50	- 0.80	.0450	----	1	----	----	----		2	+								
4350	4.00	4.00		27.70B/19.10A	27.70B/19.10A	----		22.60	- 0.30	.2133	----	----	----	----	----		12	UNCH								
4350	----	----</																								

PG64 BULLETIN #189@												METALS OPTION PRODUCTS												Thu, Oct 01, 2026		PG64	
GLOBEX OPEN		OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN	OUTCRY HIGH/LOW	OPEN		OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK1																									
OCT26																											
4675	----	----	----	----	----	----/0.30A	----	----	----	----	0.10	UNCH	.0000	----	----	----	----	10	UNCH								
4675	----	----	----	----	----	0.70B/0.70A	----	----	----	----	0.80	- 0.10	.0091	----	----	----	----	5	UNCH								
4700	----	----	----	----	----	0.60B/0.60A	----	----	----	----	0.70	- 0.10	.0078	----	----	----	----	5	UNCH								
4700	----	----	----	----	----	----/0.30A	----	----	----	----	0.10	UNCH	.0000	----	----	----	----	57	UNCH								
4725	----	----	----	----	----	0.50B/0.60A	----	----	----	----	0.70	UNCH	.0075	----	----	----	----	6	UNCH								
4725	----	----	----	----	----	----/0.30A	----	----	----	----	0.10	UNCH	.0000	----	----	----	----	2	UNCH								
4750	----	----	----	----	----	2.50B/2.60A	----	----	----	----	3.00	- 0.50	.0270	----	----	10	----	5	UNCH								
4750	----	----	----	----	----	0.50B/0.60A	----	----	----	----	0.60	UNCH	.0063	----	----	----	----	7	UNCH								
4750	----	----	----	----	----	----/0.30A	----	----	----	----	0.10	UNCH	.0000	----	----	----	----	17	UNCH								
4750	----	----	----	572.40B/534.70A	----	572.40B/534.70A	----	----	----	547.70	- 15.60	1.0000	----	----	----	----	----	0 -	1								
4775	----	----	----	----/0.40A	----	0.40B/0.40A	----	----	----	0.50	- 0.10	.0052	----	----	----	----	----	3	UNCH								
4775	----	----	----	597.40B/559.70A	----	597.40B/559.70A	----	----	----	572.70	- 15.60	1.0000	----	----	----	----	----	1	UNCH								
4775	----	----	----	----/0.30A	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	----	52	UNCH								
4800	----	----	----	0.40B/0.60A	----	0.40B/0.60A	----	----	----	0.50	UNCH	.0050	----	----	----	----	----	1	UNCH								
4800	----	----	----	----/0.30A	----	----/0.30A	----	----	----	0.10	UNCH	----	----	----	----	----	----	10	UNCH								
4825	----	----	----	----/0.20A	----	----/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	----	1	UNCH								
4850	----	----	----	0.30B/0.50A	----	0.30B/0.50A	----	----	----	0.40	UNCH	.0038	----	----	----	----	----	4	UNCH								
4850	----	----	----	----/0.20A	----	----/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	----	1	UNCH								
4900	----	----	----	----/0.50A	----	----/0.50A	----	----	----	0.30	UNCH	.0028	----	----	----	----	----	7	UNCH								
4900	----	----	----	0.50B/1.10A	----	0.50B/1.10A	----	----	----	0.60	- 0.10	.0059	----	----	----	----	----	7	UNCH								
4900	----	----	----	----/0.20A	----	----/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	----	4	UNCH								
4925	----	----	----	----/0.20A	----	----/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	----	2	UNCH								
4950	----	----	----	----/0.20A	----	----/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	----	1	UNCH								
4975	----	----	----	----/0.30A	----	----/0.30A	----	----	----	0.10	UNCH	----	----	----	----	----	----	2	UNCH								
5000	----	----	----	----/0.50A	----	----/0.50A	----	----	----	0.20	UNCH	.0017	----	----	----	----	----	2	UNCH								
5000	----	----	----	----/0.30A	----	----/0.30A	----	----	----	0.10	UNCH	----	----	----	----	----	----	12	UNCH								
5100	----	----	----	----/0.40A	----	----/0.40A	----	----	----	0.10	- 0.10	.0008	----	----	----	----	----	7	UNCH								
5100	----	----	----	----/0.30A	----	----/0.30A	----	----	----	0.10	UNCH	----	----	----	----	----	----	13	UNCH								
5200	----	----	----	----/0.30A	----	----/0.30A	----	----	----	0.10	UNCH	----	----	----	----	----	----	2	UNCH								
5250	----	----	----	----/0.30A	----	----/0.30A	----	----	----	0.10	UNCH	----	----	----	----	----	----	7	UNCH								
5300	----	----	----	----/0.30A	----	----/0.30A	----	----	----	0.10	UNCH	----	----	----	----	----	----	11	UNCH								
5400	----	----	----	----/0.20A	----	----/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	----	11	UNCH								
5500	----	----	----	----/0.20A	----	----/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	----	8	UNCH								
5750	----	----	----	----	----	----/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	----	40	UNCH								
TOTAL																1433	50	7004+	707								
GLOBEX OPEN		OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN	OUTCRY HIGH/LOW	OPEN		OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
FMG OPT		MICRO GOLD WEEKLY FRI OPTION WEEK1																									
OCT26																											
4000	----	----	----	----	----	----	----	----	----	----	0.40	- 1.10	.0007	----	----	----	----	1	UNCH								
4100	----	----	----	----	----	----	----	----	----	----	2.30	- 4.30	.0197	----	----	----	----	1	UNCH								
4150	----	----	----	----	----	----	----	----	----	----	7.70	- 8.90	.1258	----	----	----	----	1	UNCH								
4190	----	----	----	----	----	----	----	----	----	----	19.30	- 13.40	.3885	----	----	----	----	1	UNCH								
4200	----	----	----	----	----	----	----	----	----	----	23.70	- 14.30	.4770	----	----	----	----	1	UNCH								
4210	20.00	20.00		20.00/20.00		20.00/20.00		----	----	----	21.10	NEW	.4324	----	----	1	----	1 +	1								
4220	20.00	20.00		20.00/20.00		20.00/20.00		----	----	----	17.00	NEW	.3458	----	----	2	----	2 +	2								
TOTAL																3		8+	3								

SILVER OPTIONS ON FUTURES																							
GLOBEX OPEN		OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN	OUTCRY HIGH/LOW	OPEN		OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
RWS THU		SILVER WEEKLY THURSDAY OPTION week4																					
OCT26																							
4750	----	----	----	----	----	0.016B/0.048A	----	----	----	----	0.018	- 0.002	.0068	----	----	----	----	1	UNCH				
4900	11.719	11.719		12.702B/11.306A		12.702B/11.306A		----	----	12.175	NEW	----	----	----	----	1	----	0	UNCH				
5000	----	----	----	----	----	0.004B/0.019A	----	----	----	----	0.004	- 0.003	.0016	----	----	----	----	1	UNCH				
5000	----	----	----	----	----	0.046B/0.071A	----	----	----	----	0.055	- 0.006	.0202	----	----	----	----	34	UNCH				
5500	----	----	----	----/0.049A	----	0.068B/0.049A	----	----	----	----	0.053	- 0.025	.0271	----	----	----	----	2	UNCH				
5500	----	----	----	----/0.140A	----	0.189B/0.140A	----	----	----	----	0.161	- 0.043	.0684	----	----	----	----	5	UNCH				
5500	----	----	----	----/0.018A	----	----/0.018A	----	----	----	----	0.000	- 0.001	----	----	----	----	0 -	3					
5600	----	----	----	5.620B/----	----	5.620B/5.342A	----	----	----	5.564	+ 0.513	.8626	----	----	----	----	----	2	UNCH				
5600	----	----	----	----/0.072A	----	0.125B/0.072A	----	----	----	0.080	- 0.048	.0432	----	----	----	----	----	2	UNCH				
5600	----	----	----	----/0.200A	----	0.295B/0.200A	----	----	----	0.236	- 0.071	.0992	----	----	----	----	----	1	UNCH				
5650	0.254	0.254		0.261/0.239A		0.367B/0.239A		----	----	0.287	NEW	.1192	----	----	25	----	25 +	25					
5700	----	----	----	----	----	0.001B/0.011A	----	----	----	0.000	- 0.009	----	----	----	----	----	0 -	9					
5700	----	----	----	0.218B/0.108A	----	0.218B/0.108A	----	----	----	0.129	- 0.084	.0720	----	----	----	----	----	1	UNCH				
5750	----	----	----	0.285B/0.135A	----	0.285B/0.135A	----	----	----	0.169	- 0.107	.0946	----	----	----	----	----	1	UNCH				
5800	----	----	----	----/0.010A	----	0.013B/0.010A	----	----	----	0.000	- 0.026	----	----	----	----	----	0 -	6					
5800	----	----	----	0.684B/0.423A	----	0.684B/0.423A	----	----	----	0.513	- 0.169	.2015	----	----	----	----	0	UNCH					
5850	----	----	----	0.485B/0.225A	----	0.485B/0.225A	----	----	----	0.293	- 0.171	.1606	----	----	----	----	5	UNCH					
5860	----	----	----	----/0.010A	----	0.039B/0.010A	----	----	----	0.000	- 0.050	----	----	----	----	----	0 -	3					
5870	----	----	----	----/0.009A	----	0.045B/0.009A	----	----	----	0.000	- 0.056	----	----	----	----	----	0 -	3					
5880	----	----	----	----/0.008A	----	0.053B/0.008A	----	----	----	0.000	- 0.063	----	----	----	----	----	0 -	2					
5890	----	----	----	----/0.006A	----	0.060B/0.006A	----	----	----	0.000	- 0.071	----	----	----	1	----	0 -	3					
5900	0.001	0.001		0.001/0.001		0.071B/0.001		----	----	0.000	- 0.080	----	----	----	11	----	0 -	17					
5900	----	----	----	1.012B/0.621A		1.012B/0.621A		----	----	0.747	- 0.241	.2770	----	----	----	----	1	UNCH					
5910	----	----	----	----/0.006A	----	0.082B/0.006A	----	----	----	0.000	- 0.089	----	----	----	----	----	0 -	4					
5920	----	----	----	----/0.005A	----	0.097B/0.005A	----	----	----	0.000	NEW	----	----	----	3	----	0	UNCH					
5930	----	----	----	----/0.009A	----	0.112B/0.009A	----	----	----	0.000	- 0.113	----	----	----	----	----	0 -	4					
5940	0.015	0.015		0.129B/0.005A		0.129B/0.005A		----	</														

BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST										
RWS THU	SILVER WEEKLY THURSDAY OPTION week2																					
OCT26																						
6200	----	----	2.199B/1.295A	2.199B/1.295A	----	1.565 - 0.520	.6170	----	----	----	----	5	UNCH									
6200	----	----	----/2.141A	2.714B/2.141A	----	2.385 - 0.459	.5533	----	----	----	----	1	UNCH									
6210	----	----	0.191B/0.008A	0.191B/0.008A	----	0.000 - 0.070	----	----	----	----	----	0 -	50									
6210	----	----	1.827B/0.498A	1.827B/0.498A	----	0.925 - 0.679	----	----	----	----	----	0 -	15									
6220	0.064	0.064	0.160B/0.005A	0.160B/0.005A	----	0.000 - 0.062	----	----	----	2	----	0 -	24									
6230	----	----	0.134B/0.004A	0.134B/0.004A	----	0.000 - 0.054	----	----	----	----	----	0 -	4									
6250	1.148	1.148	1.242B/0.830A	1.242B/0.830A	----	1.015 - NEW	.3772	----	----	4	----	4 +	4									
6250	----	----	2.214B/0.875A	2.214B/0.875A	----	1.325 - 0.651	----	----	----	----	----	0 -	1									
6250	----	----	2.582B/1.609A	2.582B/1.609A	----	1.893 - 0.557	.6876	----	----	----	----	1	UNCH									
6250	0.060	0.060	0.093B/0.010A	0.093B/0.010A	----	0.000 - 0.042	----	----	1	----	----	0 -	10									
6250	----	----	----/2.429A	3.080B/2.429A	----	2.687 - 0.489	.5939	----	----	----	----	6	UNCH									
6260	----	----	0.077B/0.006A	0.077B/0.006A	----	0.000 - 0.038	----	----	----	----	----	0 -	6									
6270	----	----	0.063B/0.009A	0.063B/0.009A	----	0.000 - 0.033	----	----	----	----	----	0 -	2									
6280	----	----	0.052B/0.009A	0.052B/0.009A	----	0.000 - 0.030	----	----	----	----	----	0 -	8									
6290	----	----	2.607B/1.259A	2.607B/1.259A	----	1.725 - 0.635	----	----	1	----	----	0 -	1									
6290	----	----	0.043B/0.010A	0.043B/0.010A	----	0.000 - 0.027	----	----	----	----	----	0 -	3									
6300	0.008	0.008	0.033B/0.005A	0.033B/0.005A	----	0.000 - 0.024	----	----	1	----	----	0 -	14									
6300	----	----	1.361B/1.069A	1.361B/1.069A	----	1.188 + 0.090	.3669	----	----	----	----	1	UNCH									
6300	----	----	2.705B/1.350A	2.705B/1.350A	----	1.825 - 0.633	----	----	----	----	----	0 -	14									
6300	----	----	----/2.735A	3.432B/2.735A	----	3.010 - 0.517	.6329	----	----	----	----	2	UNCH									
6300	----	----	2.985B/1.946A	2.985B/1.946A	----	2.257 - 0.585	.7505	----	----	----	----	5	UNCH									
6310	----	----	----/0.005A	0.019B/0.005A	----	0.000 - 0.021	----	----	----	----	----	0 -	2									
6330	----	----	3.003B/1.630A	3.003B/1.630A	----	2.125 - 0.626	----	----	----	----	----	0 -	1									
6340	----	----	3.102B/1.721A	3.102B/1.721A	----	2.225 - 0.625	----	----	----	----	----	0 -	5									
6350	----	----	3.202B/1.817A	3.202B/1.817A	----	2.325 - 0.623	----	----	1	----	----	0 -	35									
6350	----	----	3.423B/2.315A	3.423B/2.315A	----	2.652 - 0.605	.8040	----	----	----	----	1	UNCH									
6350	----	----	----/3.059A	3.718B/3.059A	----	3.353 - 0.542	.6700	----	----	----	----	1	UNCH									
6350	----	----	----/0.010A	0.007B/0.010A	----	0.000 - 0.014	----	----	----	----	----	0 -	6									
6370	----	----	----/0.007A	0.003B/0.007A	----	0.000 - 0.012	----	----	----	----	----	0 -	1									
6370	----	----	3.401B/2.012A	3.401B/2.012A	----	2.525 - 0.621	----	----	1	----	----	0 -	1									
6400	----	----	3.700B/2.308A	3.700B/2.308A	----	2.825 - 0.617	----	----	----	----	----	0 -	13									
6400	----	----	----	----/0.010A	----	0.000 - 0.008	----	----	----	----	----	0 -	4									
6400	----	----	0.381B/0.214A	0.381B/0.214A	----	0.248 - 0.011	.1519	----	----	----	----	3	UNCH									
6400	----	----	3.868B/2.715A	3.868B/2.715A	----	3.072 - 0.618	.8480	----	----	----	----	2	UNCH									
6400	0.464	0.464	0.750B/0.464	0.750B/0.464	----	0.589 + 0.025	.2463	----	----	15	----	4 +	1									
6410	----	----	----	----/0.009A	----	0.000 - 0.007	----	----	----	----	----	0 -	5									
6420	----	----	3.899B/2.502A	3.899B/2.502A	----	3.025 - 0.615	----	----	----	----	----	0 -	4									
6420	0.013	0.013	0.013/0.011A	0.013/0.011A	----	0.000 - 0.006	----	----	3	----	----	0 -	10									
6430	----	----	----	----/0.011A	----	0.000 - 0.005	----	----	----	----	----	0 -	2									
6440	----	----	4.097B/2.701A	4.097B/2.701A	----	3.225 - 0.614	----	----	----	----	----	0 -	3									
6450	----	----	0.295B/0.167A	0.295B/0.167A	----	0.189 - 0.019	.1173	----	----	----	----	2	UNCH									
6450	----	----	4.197B/2.805A	4.197B/2.805A	----	3.325 - 0.613	----	----	----	----	----	0 -	28									
6470	----	----	4.398B/3.000A	4.398B/3.000A	----	3.525 - 0.612	----	----	----	----	----	0 -	2									
6500	----	----	4.699B/3.302A	4.699B/3.302A	----	3.825 - 0.611	----	----	----	----	----	0 -	8									
6500	----	----	4.797B/3.570A	4.797B/3.570A	----	3.968 - 0.632	.9095	----	----	----	----	1	UNCH									
6500	----	----	----	----/0.016A	----	0.000 - 0.002	----	----	----	----	----	0 -	3									
6540	----	----	0.230B/0.138A	0.230B/0.138A	----	0.145 - 0.024	.0904	----	----	----	----	5	UNCH									
6540	----	----	----	----/0.017A	----	0.000 - 0.002	----	----	----	----	----	0 -	74									
6550	----	----	5.199B/3.801A	5.199B/3.801A	----	4.325 - 0.610	----	----	----	----	----	0 -	12									
6550	----	----	5.428B/4.290A	5.428B/4.290A	----	4.661 - 0.615	.8466	----	----	----	----	9	UNCH									
6550	----	----	----	----/0.021A	----	0.000 - 0.001	----	----	----	----	----	0 -	16									
6560	----	----	----	----/0.020A	----	0.000 - 0.001	----	----	----	----	----	0 -	2									
6570	----	----	----	----/0.020A	----	0.000 - 0.001	----	----	----	----	----	0 -	5									
6580	----	----	----	----/0.019A	----	0.000 - 0.001	----	----	----	----	----	0 -	10									
6600	----	----	5.699B/4.298A	5.699B/4.298A	----	4.825 - 0.610	----	----	----	----	----	0 -	10									
6600	----	----	----	----/0.018A	----	0.000 - 0.001	----	----	----	----	----	0 -	4									
6600	----	----	5.753B/4.479A	5.753B/4.479A	----	4.912 - 0.634	.9452	----	----	----	----	1	UNCH									
6630	----	----	----	----/0.017A	----	0.000 - 0.001	----	----	----	----	----	0 -	2									
6650	----	----	6.362B/5.171A	6.362B/5.171A	----	5.561 - 0.623	.8884	----	----	----	----	13	UNCH									
6690	----	----	----	----/0.015A	----	0.000 - 0.001	----	----	----	----	----	0 -	7									
6700	----	----	6.725B/5.421A	6.725B/5.421A	----	5.881 - 0.631	.9651	----	----	----	----	1	UNCH									
6700	----	----	0.087B/0.061A	0.087B/0.061A	----	0.059 - 0.024	.0348	----	----	----	----	1	UNCH									
6700	----	----	----	----/0.014A	----	0.000 - 0.001	----	----	----	----	----	0 -	11									
6700	0.290	0.290	0.290/0.207A	0.290/0.207A	----	0.206 - NEW	.0954	----	1	----	----	1 +	1									
6750	----	----	----	----/0.012A	----	0.000 - 0.001	----	----	----	----	----	0 -	3									
6800	----	----	----	----/0.012A	----	0.000 - 0.001	----	----	----	----	----	0 -	22									
6800	----	----	7.696B/6.298A	7.696B/6.298A	----	6.825 - 0.610	----	----	----	----	----	0 -	5									
6800	----	----	----/0.046A	0.059B/0.046A	----	0.042 - 0.020	.0235	----	----	----	----	1	UNCH									
6800	----	----	0.193B/0.147A	0.193B/0.147A	----	0.152 - 0.018	.0706	----	----	----	----	2	UNCH									
6850	----	----	----	----/0.012A	----	0.000 - 0.001	----	----	----	----	----	0 -	4									
6850	----	----	8.197B/6.795A	8.197B/6.795A	----	7.325 - 0.610	----	----	----	----	----	0	UNCH									
6900	----	----	----	----/0.012A	----	0.000 - 0.001	----	----	----	----	----	0 -	19									
6950	----	----	----	----/0.012A	----	0.000 - 0.001	----	----	----	----	----	0 -	10									
6980	----	----	----	----/0.012A	----	0.000 - 0.001	----	----	----	----	----	0 -	1									
6990	----	----	----	----/0.012A	----	0.000 - 0.001	----	----	----	----	----	0 -	1									
7000	----	----	----	----/0.012A	----	0.000 - 0.001	----	----	----	----	----	0 -	3									
7000	----	----	----/0.192A	0.208B/0.192A	----	0.174 - 0.037	.0684	----	----	----	----	3	UNCH									
7050	----	----	----	----/0.012A	----	0.000 - 0.001	----	----	----	----	----	0 -	103									
7100	----	----	10.697B/9.295A	10.697B/9.295A	----	9.825 - 0.609	----	----	----	----	----	0	UNCH									
7100	----	----	----/0.076A	0.081B/0.076A	----	0.072 - 0.016	.0321	----	----	----	----	2	UNCH									
7200	----	----	----/0.063A	0.065B/0.063A	----	0.058 - 0.016	.0254	----	----	----	----	1	UNCH									
7200	----	----	----/0.137A	0.131B/0.137A	----	0.113 - 0.031	.0442	----	----	----	----	3	UNCH									
7200	----	----	----	----/0.012A	----	0.000 - 0.001	----	----	----	----	----	0 -	1									
7250	----	----	----/0.057A	0.059B/0.057A	----	0.053 - 0																



BULLETIN #189@				METALS OPTION PRODUCTS										Thu, Oct 01, 2026				PG64					
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE		GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW		OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA		EXER CISES		OPEN OUTCRY VOLUME		GLOBEX® VOLUME		PNT VOLUME		OPEN INTEREST	
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK1																					
TOTAL																				68	0	341 +	64
SO CALL		COMEX SILVER OPTIONS																					
NOV26																							
5000	----	----	----	11.687B/10.410A	11.687B/10.410A	----	----	11.238 +	0.597	.9721	----	----	----	----	----	----	----	68	0	341 +	64		
5500	----	----	----	6.979B/5.788A	6.979B/5.788A	----	----	6.535 +	0.532	.8805	----	----	----	----	----	----	----	----	----	13	UNCH		
5575	----	----	----	6.312B/5.169A	6.312B/5.169A	----	----	5.884 +	0.509	.8531	----	----	----	----	----	----	----	----	----	3	UNCH		
5700	----	----	----	5.254B/4.198A	5.254B/4.198A	----	----	4.851 +	0.453	.7967	----	----	----	----	----	----	----	----	----	1	UNCH		
5850	----	----	----	4.094B/3.176A	4.094B/3.176A	----	----	3.729 +	0.369	.7096	----	----	----	----	----	----	----	----	26	UNCH			
5900	----	----	----	3.739B/2.880A	3.739B/2.880A	----	----	3.390 +	0.339	.6764	----	----	----	----	----	----	----	----	2	UNCH			
5950	3.050	3.050	----	3.401B/2.578A	3.401B/2.578A	----	----	3.068 +	0.308	.6416	----	----	----	1	----	----	----	1	----	3	UNCH		
5975	2.687	2.687	----	3.240B/2.447A	3.240B/2.447A	----	----	2.915 +	0.293	.6236	----	----	----	3	----	----	----	3	+	2	----		
6000	3.093	3.093	----	3.093/2.319A	3.093/2.319A	----	----	2.766 +	0.275	.6053	----	----	----	10	----	----	----	40	UNCH	----	----		
6025	2.576	2.576	----	2.932B/2.196A	2.932B/2.196A	----	----	2.620 +	0.256	.5869	----	----	----	1	----	----	----	1	+	1	----		
6050	2.601	2.601	----	2.786B/2.078A	2.786B/2.078A	----	----	2.483 +	0.243	.5681	----	----	----	5	----	----	----	9	+	2	----		
6075	2.532	2.532	----	2.658B/1.966A	2.658B/1.966A	----	----	2.352 +	0.230	.5493	----	----	----	3	----	----	----	8	UNCH	----	----		
6100	2.270	2.270	----	2.522B/1.841A	2.522B/1.841A	----	----	2.219 +	0.209	.5303	----	----	----	10	----	----	----	67	-	2	----		
6125	2.312	2.312	----	2.393B/1.755A	2.393B/1.755A	----	----	2.106 +	0.203	.5114	----	----	----	6	----	----	----	27	-	3	----		
6150	1.895	1.895	----	2.267B/1.661A	2.267B/1.661A	----	----	1.991 +	0.194	.4926	----	----	----	31	----	----	----	28	+	7	----		
6175	2.010	2.010	----	2.146B/1.564A	2.146B/1.564A	----	----	1.876 +	0.174	.4738	----	----	----	11	----	----	----	41	UNCH	----	----		
6200	1.772	1.772	----	2.031B/1.474A	2.031B/1.474A	----	----	1.769 +	0.161	.4552	----	----	----	22	----	----	----	77	+	18	----		
6225	1.794	1.794	----	1.931/1.393A	1.931/1.393A	----	----	1.668 +	0.148	.4368	----	----	----	78	----	----	----	62	+	15	----		
6250	1.471	1.471	----	1.814B/1.314A	1.814B/1.314A	----	----	1.568 +	0.131	.4185	----	----	----	3	----	----	----	14	UNCH	----	----		
6275	1.632	1.632	----	1.712B/1.239A	1.712B/1.239A	----	----	1.473 +	0.116	.4005	----	----	----	1	----	----	----	6	UNCH	----	----		
6300	1.584	1.584	----	1.617/1.168A	1.617/1.168A	----	----	1.389 +	0.108	.3832	----	----	----	16	----	----	----	62	+	3	----		
6325	1.434	1.434	----	1.525B/1.099A	1.525B/1.099A	----	----	1.308 +	0.100	.3663	----	----	----	66	----	----	----	27	-	3	----		
6350	1.223	1.223	----	1.438B/1.034A	1.438B/1.034A	----	----	1.224 +	0.084	.3491	----	----	----	1	----	----	----	62	UNCH	----	----		
6375	1.350	1.350	----	1.356B/0.974A	1.356B/0.974A	----	----	1.150 +	0.075	.3329	----	----	----	1	----	----	----	27	-	1	----		
6400	1.231	1.231	----	1.278B/0.916A	1.278B/0.916A	----	----	1.081 +	0.067	.3172	----	----	----	4	----	----	----	73	+	2	----		
6425	----	----	----	1.205B/0.863A	1.205B/0.863A	----	----	1.015 +	0.059	.3019	----	----	----	----	----	----	----	21	UNCH	----	----		
6450	----	----	----	1.136B/0.814A	1.136B/0.814A	----	----	0.953 +	0.051	.2872	----	----	----	----	----	----	----	75	UNCH	----	----		
6475	1.019	1.019	----	1.071B/0.767A	1.071B/0.767A	----	----	0.894 +	0.044	.2729	----	----	----	6	----	----	----	24	-	1	----		
6500	0.948	0.948	----	1.008B/0.722A	1.008B/0.722A	----	----	0.839 +	0.037	.2592	----	----	----	48	----	----	----	361	+	8	----		
6525	0.875	0.875	----	0.950B/0.681A	0.950B/0.681A	----	----	0.787 +	0.030	.2459	----	----	----	8	----	----	----	17	-	4	----		
6550	0.845	0.845	----	0.912/0.642A	0.912/0.642A	----	----	0.739 +	0.024	.2334	----	----	----	6	----	----	----	53	+	1	----		
6575	----	----	----	0.843B/0.608A	0.843B/0.608A	----	----	0.694 +	0.019	.2214	----	----	----	----	----	----	----	93	UNCH	----	----		
6600	0.750	0.750	----	0.793B/0.572A	0.793B/0.572A	----	----	0.651 +	0.013	.2098	----	----	----	3	----	----	----	175	-	2	----		
6625	0.731	0.731	----	0.749B/0.541A	0.749B/0.541A	----	----	0.611 +	0.008	.1988	----	----	----	7	----	----	----	20	+	7	----		
6650	0.596	0.596	----	0.705B/0.511A	0.705B/0.511A	----	----	0.574 +	0.004	.1883	----	----	----	1	----	----	----	35	-	1	----		
6675	0.610	0.610	----	0.666B/0.481A	0.666B/0.481A	----	----	0.539	UNCH	.1783	----	----	----	7	----	----	----	39	-	1	----		
6700	0.492	0.492	----	0.627B/0.452A	0.627B/0.452A	----	----	0.507 -	0.003	.1690	----	----	----	29	----	----	----	143	+	21	----		
6725	0.486	0.486	----	0.591B/0.427A	0.591B/0.427A	----	----	0.476 -	0.007	.1599	----	----	----	5	----	----	----	45	+	1	----		
6750	0.484	0.484	----	0.558B/0.402A	0.558B/0.402A	----	----	0.448 -	0.009	.1514	----	----	----	6	----	----	----	46	+	5	----		
6775	0.459	0.459	----	0.527B/0.380A	0.527B/0.380A	----	----	0.421 -	0.012	.1433	----	----	----	3	----	----	----	45	-	1	----		
6800	0.391	0.391	----	0.498B/0.360A	0.498B/0.360A	----	----	0.396 -	0.015	.1356	----	----	----	9	----	----	----	341	-	3	----		
6825	0.380	0.380	----	0.470B/0.339A	0.470B/0.339A	----	----	0.373 -	0.016	.1284	----	----	----	1	----	----	----	9	UNCH	----	----		
6850	0.420	0.420	----	0.445B/0.321A	0.445B/0.321A	----	----	0.352 -	0.017	.1217	----	----	----	1	----	----	----	52	+	1	----		
6875	----	----	----	0.421B/0.305A	0.421B/0.305A	----	----	0.332 -	0.019	.1153	----	----	----	1	----	----	----	133	+	1	----		
6900	0.368	0.368	----	0.398B/0.288A	0.398B/0.288A	----	----	0.313 -	0.020	.1092	----	----	----	5	----	----	----	92	+	4	----		
6925	----	----	----	0.377B/0.274A	0.377B/0.274A	----	----	0.296 -	0.021	.1036	----	----	----	----	----	----	----	19	UNCH	----	----		
6950	0.291	0.291	----	0.357B/0.260A	0.357B/0.260A	----	----	0.280 -	0.021	.0983	----	----	----	5	----	----	----	44	+	4	----		
6975	----	----	----	0.339B/0.247A	0.339B/0.247A	----	----	0.266 -	0.021	.0936	----	----	----	----	----	----	----	23	UNCH	----	----		
7000	0.329	0.329	----	0.329/0.236A	0.329/0.236A	----	----	0.252 -	0.022	.0888	----	----	----	14	----	----	----	537	+	9	----		
7025	----	----	----	0.305B/0.224A	0.305B/0.224A	----	----	0.240 -	0.022	.0847	----	----	----	----	----	----	----	12	UNCH	----	----		
7050	----	----	----	0.290B/0.213A	0.290B/0.213A	----	----	0.228 -	0.022	.0805	----	----	----	----	----	----	----	45	UNCH	----	----		
7075	----	----	----	0.274B/0.203A	0.274B/0.203A	----	----	0.216 -	0.023	.0765	----	----	----	----	----	----	----	28	UNCH	----	----		
7100	0.261	0.261	----	0.261/0.194A	0.261/0.194A	----	----	0.205 -	0.023	.0727	----	----	----	8	----	----	----	356	+	5	----		
7125	----	----	----	0.238B/0.185A	0.238B/0.185A	----	----	0.194 -	0.024	.0690	----	----	----	----	----	----	----	9	UNCH	----	----		
7150	----	----	----	0.227B/0.176A	0.227B/0.176A	----	----	0.185 -	0.023	.0658	----	----	----	----	----	----	----	28	UNCH	----	----		
7175	----	----	----	0.218B/0.168A	0.218B/0.168A	----	----	0.176 -	0.022	.0626	----	----	----	6	----	----	----	45	+	5	----		
7200	0.185	0.185	----	0.207B/0.161A	0.207B/0.161A	----	----	0.169 -	0.021	.0600	----	----	----	7	----	----	----	121	UNCH	----	----		
7225	0.184	0.184	----	0.199B/0.154A	0.199B/0.154A	----	----	0.161 -	0.021	.0572	----	----	----	2	----	----	----	41	-	2	----		
7250	0.171	0.171	----	0.194B/0.148A	0.194B/0.148A	----	----	0.154 -	0.020	.0547	----	----	----	1	----	----	----	22	-	1	----		
7275	----	----	----	0.185B/0.141A	0.185B/0.141A	----	----	0.147 -	0.020	.0522	----	----	----	5	----	----	----	39	+	5	----		
7300	----	----	----	0.177B/0.135A	0.177B/0.135A	----	----	0.140 -	0.021	.0497	----	----	----	1	----	----	----	273	UNCH	----	----		
7325	----	----	----	0.169B/0.129A	0.169B/0.129A	----	----	0.134 -	0.021	.0475	----	----	----	----	----	----	----	11	UNCH	----	----		
7350	----	----	----	0.161B/0.124A	0.161B/0.124A	----	----	0.129 -	0.020	.0457	----	----	----	----	----	----	----	19	UNCH	----	----		
7375	----	----	----	0.153B/0.119A	0.153B/0.119A	----	----	0.123 -	0.020	.0435	----	----	----	----	----	----	----	40	UNCH	----	----		
7400	----	----	----	0.147B/0.115A	0.147B/0.115A	----	----	0.118 -	0.019	.0417	----	----	----	4	----	----	----	249	-	4	----		
7425	----	----	----	0.140B/0.110A	0.140B/0.110A	----	----	0.113 -	0.017	.0399	----	----	----	----	----	----	----	23	UNCH	----	----		
7450	----	----	----	0.134B/0.106A	0.134B/0.106A	----	----	0.109 -	0.015	.0384	----	----	----	----	----	----	----	121	UNCH	----	----		
7475	----	----	----	0.129B/0.102A	0.129B/0.102A	----	----	0.104 -	0.015	.0366	----	----	----	----	----	----	----	43	UNCH	----	----		
7500	0.124	0.124	----	0.124/0.098A	0.124/0.098A	----	----	0.100 -	0.014	.0352	----	----	----	4	----	----	----	1085	UNCH	----	----		
7525	----	----	----	0.118B/0.095A	0.118B/0.095A	----	----	0.096 -	0.014	.0337	----	----	----	----	----	----	----	27	UNCH	----	----		
7550	----	----	----	0.113B/0.091A	0.113B/0.091A	----	----	0.092 -	0.014	.0323	----	----	----	----	----	----	----	86	UNCH	----	----		
7575	----	----	----																				

	BULLETIN #189@				METALS OPTION PRODUCTS					Thu, Oct 01, 2026				PG64		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS															
NOV26																
9600	----	----	----	----	-----/0.015A	----	----	0.013	UNCH	.0036	----	----	----	1	UNCH	
9625	----	----	----	----	-----/0.015A	----	----	0.013	UNCH	.0036	----	----	----	9	UNCH	
9700	----	----	----	----	-----/0.014A	----	----	0.012	UNCH	.0033	----	----	----	1	UNCH	
9775	----	----	----	----	-----/0.012A	----	----	0.012	UNCH	.0033	----	----	----	1	UNCH	
9800	----	----	----	----	-----/0.013A	----	----	0.012	+	0.001	.0033	----	----	6	UNCH	
9850	----	----	----	----	-----/0.013A	----	----	0.011	UNCH	.0030	----	----	----	1	UNCH	
9900	----	----	----	----	-----/0.012A	----	----	0.011	UNCH	.0030	----	----	----	10	UNCH	
9950	----	----	----	----	-----/0.012A	----	----	0.010	UNCH	.0027	----	----	----	1	UNCH	
10000	0.049	0.049		0.049/0.012A	0.049/0.012A	----	----	0.010	UNCH	.0027	----	1	----	255	UNCH	
10100	----	----	----	----	-----/0.010A	----	----	0.009	-	0.001	.0024	----	----	5	UNCH	
10200	----	----	----	----	-----/0.011A	----	----	0.009	UNCH	.0024	----	----	----	8	UNCH	
10300	----	----	----	----	-----/0.015A	----	----	0.008	-	0.001	.0021	----	----	4	UNCH	
10400	----	----	----	----	-----/0.013A	----	----	0.008	UNCH	.0021	----	----	----	5	UNCH	
10450	----	----	----	----	-----/0.014A	----	----	0.008	UNCH	.0021	----	----	----	1	UNCH	
10500	----	----	----	----	-----/0.025A	----	----	0.008	UNCH	.0020	----	----	----	205	UNCH	
10550	----	----	----	----	-----/0.121A	----	----	0.007	-	0.001	.0018	----	----	1	UNCH	
10950	----	----	----	----	-----/0.119A	----	----	0.006	-	0.001	.0015	----	----	5	UNCH	
11000	----	----	----	----	-----/0.119A	----	----	0.006	-	0.001	.0015	14	----	297	-	
11100	0.008	0.008		0.009B/0.008	0.009B/0.008	----	----	0.006	-	0.001	.0014	2	----	2	UNCH	
11150	----	----	----	----	-----/0.119A	----	----	0.006	-	0.001	.0014	----	----	1	UNCH	
11500	----	----	----	----	-----/0.118A	----	----	0.006	-	0.001	.0014	----	----	1	UNCH	
11600	----	----	----	----	-----/0.118A	----	----	0.005	-	0.002	.0012	----	----	1	UNCH	
11700	----	----	----	----	-----/0.117A	----	----	0.005	-	0.002	.0011	----	----	27	UNCH	
11725	----	----	----	----	-----/0.117A	----	----	0.005	-	0.002	.0011	----	----	2	UNCH	
11750	----	----	----	----	-----/0.117A	----	----	0.005	-	0.002	.0011	----	----	2	UNCH	
11825	----	----	----	----	-----/0.117A	----	----	0.005	-	0.002	.0011	----	----	2	UNCH	
12000	----	----	----	----	-----/0.117A	----	----	0.005	-	0.002	.0011	----	----	73	UNCH	
12125	----	----	----	----	-----/0.117A	----	----	0.005	-	0.002	.0011	----	----	20	UNCH	
12500	----	----	----	----	-----/0.116A	----	----	0.005	-	0.002	.0010	----	----	11	UNCH	
13000	----	----	----	----	-----/0.116A	----	----	0.004	-	0.002	.0008	----	----	9	UNCH	
14000	----	----	----	----	-----/0.115A	----	----	0.004	-	0.001	.0007	----	----	7	UNCH	
15000	----	----	----	----	-----/0.115A	----	----	0.004	UNCH	.0007	----	----	----	20	UNCH	
16000	----	----	----	----	-----/0.114A	----	----	0.003	UNCH	.0005	----	----	----	14	UNCH	
17000	----	----	----	----	-----/0.099A	----	----	0.002	UNCH	.0003	----	----	----	14	UNCH	
18000	----	----	----	----	-----/0.114A	----	----	0.001	-	0.001	.0001	----	----	10	UNCH	
19000	----	----	----	----	-----/0.114A	----	----	0.001	UNCH	.0000	----	----	----	1	UNCH	
20000	----	----	----	----	-----/0.114A	----	----	0.001	UNCH	.0000	----	----	----	35	UNCH	
21000	----	----	----	----	-----/0.114A	----	----	0.001	UNCH	.0000	----	----	----	1	UNCH	
25000	----	----	----	----	-----/0.114A	----	----	0.001	UNCH	----	----	----	----	60	UNCH	
30000	----	----	----	----	-----/0.003A	----	----	0.001	UNCH	----	----	515	0	11459	+	96
TOTAL																
DEC26																
3875	----	----	----	22.923B/21.595A	22.923B/21.595A	----	----	22.427	+	0.609	.9915	----	----	1	UNCH	
5000	----	----	----	11.926B/10.662A	11.926B/10.662A	----	----	11.453	+	0.568	.9266	----	----	35	UNCH	
5250	----	----	----	9.649B/8.459A	9.649B/8.459A	----	----	9.197	+	0.524	.8784	----	----	50	UNCH	
5500	----	----	----	7.538B/6.465A	7.538B/6.465A	----	----	7.122	+	0.454	.8043	----	----	1	UNCH	
5550	----	----	----	7.145B/6.100A	7.145B/6.100A	----	----	6.737	+	0.439	.7860	----	----	4	UNCH	
5600	----	----	----	6.759B/5.745A	6.759B/5.745A	----	----	6.362	+	0.419	.7668	----	----	1	UNCH	
5700	----	----	----	6.025B/5.076A	6.025B/5.076A	----	----	5.649	+	0.382	.7254	----	----	1	UNCH	
5800	----	----	----	5.343B/4.467A	5.343B/4.467A	----	----	4.987	+	0.343	.6806	----	----	102	UNCH	
5825	----	----	----	5.180B/4.322A	5.180B/4.322A	----	----	4.830	+	0.333	.6689	----	----	1	UNCH	
5900	----	----	----	4.714B/3.896A	4.714B/3.896A	----	----	4.379	+	0.301	.6332	----	----	2	UNCH	
5950	----	----	----	4.420B/3.639A	4.420B/3.639A	----	----	4.095	+	0.279	.6089	----	----	1	UNCH	
6000	----	----	----	4.139B/3.399A	4.139B/3.399A	----	----	3.826	+	0.258	.5843	----	----	67	UNCH	
6050	----	----	----	3.889B/3.170A	3.889B/3.170A	----	----	3.571	+	0.238	.5595	----	----	2	UNCH	
6100	3.341	3.341		3.636B/2.954A	3.636B/2.954A	----	----	3.330	+	0.218	.5348	12	----	17	+	7
6125	----	----	----	3.515B/2.850A	3.515B/2.850A	----	----	3.215	+	0.209	.5225	----	----	8	UNCH	
6150	----	----	----	3.397B/2.753A	3.397B/2.753A	----	----	3.103	+	0.200	.5103	3	----	47	+	1
6175	----	----	----	3.283B/2.657A	3.283B/2.657A	----	----	2.995	+	0.191	.4981	----	----	3	UNCH	
6200	----	----	----	3.172B/2.564A	3.172B/2.564A	----	----	2.889	+	0.181	.4860	----	----	17	UNCH	
6225	----	----	----	3.063B/2.472A	3.063B/2.472A	----	----	2.788	+	0.173	.4741	----	----	4	UNCH	
6250	2.900	2.900		2.960B/2.390A	2.960B/2.390A	----	----	2.689	+	0.164	.4622	1	----	11	UNCH	
6275	----	----	----	2.858B/2.301A	2.858B/2.301A	----	----	2.593	+	0.156	.4505	----	----	4	UNCH	
6300	----	----	----	2.760B/2.225A	2.760B/2.225A	----	----	2.501	+	0.148	.4389	----	----	171	UNCH	
6325	----	----	----	2.664B/2.141A	2.664B/2.141A	----	----	2.412	+	0.141	.4275	----	----	8	UNCH	
6350	----	----	----	2.572B/2.070A	2.572B/2.070A	----	----	2.325	+	0.132	.4162	----	----	85	UNCH	
6375	----	----	----	2.485B/1.995A	2.485B/1.995A	----	----	2.242	+	0.125	.4051	----	----	10	UNCH	
6400	----	----	----	2.398B/1.926A	2.398B/1.926A	----	----	2.161	+	0.118	.3942	28	----	252	+	17
6425	----	----	----	2.315B/1.857A	2.315B/1.857A	----	----	2.084	+	0.111	.3835	----	----	8	UNCH	
6450	----	----	----	2.235B/1.792A	2.235B/1.792A	----	----	2.009	+	0.104	.3729	1	----	119	+	1
6475	----	----	----	2.157B/1.729A	2.157B/1.729A	----	----	1.937	+	0.098	.3626	----	----	4	UNCH	
6500	1.930	1.930		2.081B/1.668A	2.081B/1.668A	----	----	1.867	+	0.091	.3524	15	----	1137	UNCH	
6525	----	----	----	2.009B/1												

BULLETIN #189@			METALS OPTION PRODUCTS							Thu, Oct 01, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL	COMEX SILVER OPTIONS												
DEC26													
8200	----	----	0.268B/0.227A	0.268B/0.227A	----	0.235 -	0.016 .0535	----	----	----	----	609	UNCH
8225	----	----	0.263B/0.222A	0.263B/0.222A	----	0.230 -	0.015 .0523	----	----	----	----	20	UNCH
8250	----	----	0.256B/0.217A	0.256B/0.217A	----	0.224 -	0.016 .0510	----	----	----	----	2	UNCH
8275	----	----	0.252B/0.212A	0.252B/0.212A	----	0.218 -	0.017 .0497	----	----	----	----	5	UNCH
8300	----	----	0.245B/0.208A	0.245B/0.208A	----	0.213 -	0.017 .0486	----	----	----	----	55	UNCH
8325	----	----	0.240B/0.204A	0.240B/0.204A	----	0.207 -	0.018 .0473	----	----	----	----	7	UNCH
8375	----	----	0.230B/0.195A	0.230B/0.195A	----	0.198 -	0.018 .0452	----	----	----	----	7	UNCH
8400	----	----	0.225B/0.191A	0.225B/0.191A	----	0.193 -	0.018 .0441	----	10	----	----	58 +	4
8425	----	----	0.219B/0.188A	0.219B/0.188A	----	0.190 -	0.017 .0433	----	----	----	----	9	UNCH
8450	----	----	0.214B/0.184A	0.214B/0.184A	----	0.187 -	0.015 .0425	----	----	----	----	5	UNCH
8475	----	----	0.209B/0.180A	0.209B/0.180A	----	0.184 -	0.014 .0418	----	----	----	----	5	UNCH
8500	0.204	0.204	0.210/0.176A	0.210/0.176A	----	0.182 -	0.012 .0412	----	4	----	----	2037 +	4
8525	----	----	0.201B/0.173A	0.201B/0.173A	----	0.180 -	0.010 .0406	----	----	----	----	1	UNCH
8550	----	----	0.196B/0.170A	0.196B/0.170A	----	0.177 -	0.009 .0399	----	----	----	----	29	UNCH
8575	----	----	0.192B/0.166A	0.192B/0.166A	----	0.174 -	0.008 .0392	----	----	----	----	3	UNCH
8600	0.166	0.166	0.188B/0.163A	0.188B/0.163A	----	0.171 -	0.007 .0384	----	6	----	----	244	UNCH
8625	----	----	0.184B/0.160A	0.184B/0.160A	----	0.168 -	0.007 .0377	----	----	----	----	2	UNCH
8675	----	----	0.177B/0.154A	0.177B/0.154A	----	0.161 -	0.007 .0361	----	----	----	----	4	UNCH
8700	----	----	0.173B/0.151A	0.173B/0.151A	----	0.157 -	0.007 .0353	----	----	----	----	30	UNCH
8725	----	----	0.170B/0.148A	0.170B/0.148A	----	0.154 -	0.007 .0346	----	----	----	----	5	UNCH
8750	----	----	0.166B/0.145A	0.166B/0.145A	----	0.150 -	0.008 .0337	----	----	----	----	1	UNCH
8775	----	----	0.163B/0.142A	0.163B/0.142A	----	0.147 -	0.008 .0330	----	----	----	----	51	UNCH
8800	0.167	0.167	0.169/0.140A	0.169/0.140A	----	0.143 -	0.009 .0322	----	10	----	----	324	UNCH
8850	----	----	0.153B/0.135A	0.153B/0.135A	----	0.137 -	0.010 .0308	----	----	----	----	2	UNCH
8900	----	----	0.147B/0.130A	0.147B/0.130A	----	0.131 -	0.010 .0295	----	----	----	----	79	UNCH
8925	----	----	0.144B/0.128A	0.144B/0.128A	----	0.129 -	0.010 .0290	----	----	----	----	10	UNCH
8950	----	----	0.142B/0.125A	0.142B/0.125A	----	0.126 -	0.011 .0283	----	----	----	----	12	UNCH
8975	----	----	0.139B/0.123A	0.139B/0.123A	----	0.124 -	0.010 .0278	----	----	----	----	15	UNCH
9000	0.118	0.118	0.136B/0.118	0.136B/0.118	----	0.122 -	0.010 .0273	----	6	----	----	2131 -	6
9025	----	----	0.134B/0.119A	0.134B/0.119A	----	0.120 -	0.010 .0269	----	----	----	----	6	UNCH
9050	----	----	0.131B/0.117A	0.131B/0.117A	----	0.118 -	0.009 .0264	----	----	----	----	235	UNCH
9075	0.123	0.123	0.129B/0.115A	0.129B/0.115A	----	0.115 -	0.010 .0257	----	----	----	----	7	UNCH
9100	----	----	0.126B/0.113A	0.126B/0.113A	----	0.113 -	0.010 .0253	----	1	----	----	20 -	1
9125	----	----	0.124B/0.111A	0.124B/0.111A	----	0.111 -	0.010 .0248	----	----	----	----	1	UNCH
9150	----	----	0.122B/0.109A	0.122B/0.109A	----	0.109 -	0.010 .0244	----	----	----	----	8	UNCH
9200	----	----	0.117B/0.105A	0.117B/0.105A	----	0.105 -	0.009 .0234	----	----	----	----	5	UNCH
9225	----	----	0.115B/0.103A	0.115B/0.103A	----	0.103 -	0.009 .0230	----	----	----	----	16	UNCH
9250	----	----	0.113B/0.102A	0.113B/0.102A	----	0.101 -	0.009 .0225	----	----	----	----	20	UNCH
9275	----	----	0.111B/0.100A	0.111B/0.100A	----	0.099 -	0.009 .0221	----	----	----	----	25	UNCH
9300	----	----	0.109B/0.098A	0.109B/0.098A	----	0.098 -	0.008 .0218	----	----	----	----	185	UNCH
9350	----	----	0.105B/0.095A	0.105B/0.095A	----	0.094 -	0.009 .0209	----	----	----	----	6	UNCH
9375	----	----	0.103B/0.093A	0.103B/0.093A	----	0.093 -	0.008 .0206	----	----	----	----	5	UNCH
9400	----	----	0.101B/0.092A	0.101B/0.092A	----	0.091 -	0.008 .0202	----	----	----	----	63	UNCH
9425	----	----	0.099B/0.090A	0.099B/0.090A	----	0.089 -	0.009 .0198	----	----	----	----	10	UNCH
9450	----	----	0.097B/0.089A	0.097B/0.089A	----	0.088 -	0.008 .0195	----	----	----	----	10	UNCH
9475	----	----	0.096B/0.087A	0.096B/0.087A	----	0.087 -	0.007 .0193	----	----	----	----	1	UNCH
9500	0.095	0.095	0.095/0.086A	0.095/0.086A	----	0.085 -	0.008 .0188	----	1	----	----	1361 +	1
9525	----	----	0.092B/0.085A	0.092B/0.085A	----	0.084 -	0.007 .0186	----	----	----	----	60	UNCH
9550	----	----	0.091B/0.084A	0.091B/0.084A	----	0.083 -	0.007 .0183	----	----	----	----	8	UNCH
9600	0.082	0.082	0.082/0.082	0.082/0.082	----	0.080 -	0.007 .0176	----	1	----	----	53	UNCH
9625	----	----	----/0.080A	0.086B/0.080A	----	0.079 -	0.007 .0174	----	----	----	----	18	UNCH
9700	----	----	----/0.077A	0.082B/0.077A	----	0.076 -	0.006 .0167	----	----	----	----	54	UNCH
9750	----	----	----/0.077A	0.078B/0.077A	----	0.074 -	0.006 .0162	----	----	----	----	10	UNCH
9800	----	----	----/0.076A	0.076B/0.076A	----	0.072 -	0.006 .0157	----	----	----	----	63	UNCH
9825	----	----	----/0.075A	0.075B/0.075A	----	0.071 -	0.006 .0155	----	----	----	----	18	UNCH
9875	----	----	----/0.073A	0.073B/0.073A	----	0.069 -	0.006 .0150	----	----	----	----	1	UNCH
9900	----	----	----/0.072A	0.072B/0.072A	----	0.068 -	0.006 .0148	----	----	----	----	58	UNCH
9950	----	----	----/0.070A	0.069B/0.070A	----	0.067 -	0.005 .0145	----	----	----	----	2	UNCH
10000	----	----	----/0.068A	0.064B/0.068A	----	0.065 -	0.005 .0140	----	14	----	----	1902 +	14
10025	----	----	----/0.067A	0.063B/0.067A	----	0.064 -	0.005 .0138	----	----	----	----	3	UNCH
10050	----	----	----/0.066A	0.062B/0.066A	----	0.063 -	0.005 .0136	----	----	----	----	11	UNCH
10100	----	----	----/0.065A	0.060B/0.065A	----	0.062 -	0.004 .0133	----	----	----	----	9	UNCH
10125	----	----	----/0.064A	0.059B/0.064A	----	0.061 -	0.004 .0131	----	----	----	----	2	UNCH
10150	----	----	----/0.063A	0.058B/0.063A	----	0.060 -	0.004 .0129	----	----	----	----	1	UNCH
10175	----	----	----/0.062A	0.057B/0.062A	----	0.059 -	0.005 .0127	----	----	----	----	4	UNCH
10200	----	----	----/0.061A	0.056B/0.061A	----	0.058 -	0.005 .0124	----	----	----	----	14	UNCH
10250	----	----	----/0.060A	0.054B/0.060A	----	0.057 -	0.004 .0122	----	----	----	----	2	UNCH
10300	----	----	----/0.058A	0.052B/0.058A	----	0.055 -	0.004 .0118	----	----	----	----	12	UNCH
10350	----	----	----/0.057A	0.051B/0.057A	----	0.053 -	0.005 .0113	----	----	----	----	2	UNCH
10475	----	----	----	0.047B/0.054A	----	0.050 -	0.004 .0106	----	----	----	----	2	UNCH
10500	----	----	----	0.046B/0.053A	----	0.049 -	0.004 .0104	----	----	----	----	269	UNCH
10550	----	----	----	0.044B/0.052A	----	0.047 -	0.005 .0100	----	----	----	----	3	UNCH
10600	----	----	----	0.043B/0.051A	----	0.046 -	0.004 .0098	----	----	----	----	6	UNCH
10700	----	----	----	----</									



BULLETIN #189@				METALS OPTION PRODUCTS						Thu, Oct 01, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS													
JAN27														
5900	5.885	5.885	6.050B/5.212A	6.050B/5.212A	----	5.687	NEW	.6458	----	----	1	----	1 +	
6000	----	----	5.474B/4.701A	5.474B/4.701A	----	5.136 +	0.263	.6079	----	1	----	1 +	1	
6100	----	----	4.961B/4.234A	4.961B/4.234A	----	4.631 +	0.236	.5696	----	----	----	3	UNCH	
6175	----	----	4.594B/3.909A	4.594B/3.909A	----	4.281 +	0.214	.5410	----	----	----	2	UNCH	
6200	----	----	4.479B/3.808A	4.479B/3.808A	----	4.170 +	0.207	.5315	----	----	----	13	UNCH	
6225	----	----	4.364B/3.710A	4.364B/3.710A	----	4.062 +	0.201	.5221	----	----	----	50	UNCH	
6250	----	----	4.253B/3.613A	4.253B/3.613A	----	3.956 +	0.194	.5128	----	----	----	13	UNCH	
6300	----	----	4.039B/3.423A	4.039B/3.423A	----	3.752 +	0.181	.4943	----	----	----	20	UNCH	
6325	----	----	3.937B/3.333A	3.937B/3.333A	----	3.653 +	0.175	.4851	----	----	----	1	UNCH	
6400	----	----	3.638B/3.079A	3.638B/3.079A	----	3.373 +	0.158	.4582	----	----	----	100	UNCH	
6425	----	----	3.546B/2.998A	3.546B/2.998A	----	3.284 +	0.152	.4494	----	----	----	1	UNCH	
6475	----	----	3.366B/2.846A	3.366B/2.846A	----	3.114 +	0.142	.4321	----	----	----	1	UNCH	
6500	2.873	2.873	3.278B/2.769A	3.278B/2.769A	----	3.032 +	0.137	.4236	----	50	----	86 +	40	
6575	----	----	3.033B/2.556A	3.033B/2.556A	----	2.800 +	0.122	.3989	----	----	----	1	UNCH	
6600	----	----	2.955B/2.490A	2.955B/2.490A	----	2.726 +	0.116	.3908	----	----	----	136	UNCH	
6625	----	----	2.879B/2.427A	2.879B/2.427A	----	2.655 +	0.112	.3830	----	----	----	4	UNCH	
6650	----	----	2.805B/2.364A	2.805B/2.364A	----	2.586 +	0.107	.3752	----	----	----	1	UNCH	
6700	----	----	2.663B/2.243A	2.663B/2.243A	----	2.453 +	0.098	.3600	----	----	----	12	UNCH	
6725	----	----	2.595B/2.188A	2.595B/2.188A	----	2.390 +	0.095	.3526	----	----	----	25	UNCH	
6775	----	----	2.465B/2.079A	2.465B/2.079A	----	2.268 +	0.087	.3382	----	----	----	1	UNCH	
6800	----	----	2.403B/2.025A	2.403B/2.025A	----	2.210 +	0.083	.3312	----	----	----	201	UNCH	
6900	----	----	2.170B/1.830A	2.170B/1.830A	----	1.993 +	0.070	.3045	----	----	----	2	UNCH	
7000	1.821	1.821	1.962B/1.655A	1.962B/1.655A	----	1.800 +	0.059	.2797	----	8	----	146 +	5	
7050	----	----	1.867B/1.575A	1.867B/1.575A	----	1.712 +	0.054	.2682	----	----	----	1	UNCH	
7100	----	----	1.777B/1.500A	1.777B/1.500A	----	1.628 +	0.048	.2570	----	----	----	18	UNCH	
7150	----	----	1.692B/1.428A	1.692B/1.428A	----	1.550 +	0.043	.2464	----	----	----	10	UNCH	
7200	----	----	1.612B/1.362A	1.612B/1.362A	----	1.476 +	0.039	.2362	----	----	----	76	UNCH	
7300	1.428	1.428	1.465B/1.240A	1.465B/1.240A	----	1.340 +	0.031	.2171	----	1	----	11 +	1	
7375	----	----	1.366B/1.157A	1.366B/1.157A	----	1.249 +	0.027	.2040	----	----	----	2	UNCH	
7400	----	----	1.334B/1.132A	1.334B/1.132A	----	1.220 +	0.025	.1997	----	----	----	3	UNCH	
7425	----	----	1.302B/1.106A	1.302B/1.106A	----	1.192 +	0.023	.1956	----	----	----	2	UNCH	
7475	----	----	1.245B/1.059A	1.245B/1.059A	----	1.139 +	0.021	.1878	----	----	----	37	UNCH	
7500	----	----	1.217B/1.036A	1.217B/1.036A	----	1.114 +	0.020	.1840	----	3	----	83	UNCH	
7550	----	----	1.164B/0.991A	1.164B/0.991A	----	1.065 +	0.018	.1767	----	----	----	4	UNCH	
7575	----	----	1.138B/0.969A	1.138B/0.969A	----	1.042 +	0.017	.1732	----	----	----	3	UNCH	
7600	----	----	1.113B/0.949A	1.113B/0.949A	----	1.019 +	0.015	.1697	----	----	----	2	UNCH	
7650	----	----	1.064B/0.911A	1.064B/0.911A	----	0.975 +	0.013	.1630	----	----	----	6	UNCH	
7675	----	----	1.042B/0.890A	1.042B/0.890A	----	0.954 +	0.011	.1598	----	----	----	4	UNCH	
7700	----	----	1.020B/0.874A	1.020B/0.874A	----	0.934 +	0.011	.1567	----	90	----	87 +	83	
7800	----	----	0.936B/0.805A	0.936B/0.805A	----	0.858 +	0.007	.1448	----	----	----	61	UNCH	
7900	----	----	0.862B/0.744A	0.862B/0.744A	----	0.791 +	0.005	.1341	----	----	----	15	UNCH	
7950	----	----	0.828B/0.716A	0.828B/0.716A	----	0.760 +	0.005	.1291	----	----	----	1	UNCH	
7975	0.768	0.768	0.812B/0.703A	0.812B/0.703A	----	0.745 +	0.004	.1267	----	5	----	7 +	5	
8000	----	----	0.796B/0.689A	0.796B/0.689A	----	0.730 +	0.004	.1243	----	----	----	155	UNCH	
8100	----	----	0.736B/0.640A	0.736B/0.640A	----	0.676 +	0.003	.1155	----	----	----	2	UNCH	
8200	----	----	0.683B/0.596A	0.683B/0.596A	----	0.627 +	0.001	.1074	----	----	----	10	UNCH	
8300	0.620	0.620	0.635B/0.565A	0.635B/0.565A	----	0.583 -	0.003	.1001	----	1	----	48 -	1	
8325	----	----	0.623B/0.555A	0.623B/0.555A	----	0.572 -	0.005	.0983	----	----	----	1	UNCH	
8350	----	----	0.613B/0.545A	0.613B/0.545A	----	0.562 -	0.005	.0966	----	----	----	2	UNCH	
8400	----	----	0.591B/0.527A	0.591B/0.527A	----	0.543 -	0.005	.0934	----	----	----	1	UNCH	
8500	----	----	0.544B/0.493A	0.544B/0.493A	----	0.506 -	0.006	.0872	----	----	----	26	UNCH	
8600	----	----	0.508B/0.463A	0.508B/0.463A	----	0.472 -	0.008	.0815	----	----	----	1	UNCH	
8700	----	----	0.476B/0.429A	0.476B/0.429A	----	0.441 -	0.010	.0762	----	----	----	2	UNCH	
8750	----	----	0.450B/0.416A	0.450B/0.416A	----	0.428 -	0.009	.0739	----	----	----	2	UNCH	
8800	----	----	0.448B/0.404A	0.448B/0.404A	----	0.415 -	0.009	.0717	----	----	----	3	UNCH	
8825	----	----	0.438B/0.398A	0.438B/0.398A	----	0.409 -	0.009	.0706	----	----	----	1	UNCH	
8975	----	----	0.407B/0.364A	0.407B/0.364A	----	0.376 -	0.007	.0647	----	----	----	1	UNCH	
9000	----	----	0.401B/0.359A	0.401B/0.359A	----	0.371 -	0.006	.0638	----	50	----	372 +	50	
9025	----	----	0.395B/0.354A	0.395B/0.354A	----	0.366 -	0.006	.0629	----	----	----	1	UNCH	
9100	----	----	0.378B/0.339A	0.378B/0.339A	----	0.351 -	0.006	.0603	----	----	----	3	UNCH	
9125	----	----	0.373B/0.335A	0.373B/0.335A	----	0.346 -	0.006	.0594	----	----	----	1	UNCH	
9200	----	----	0.357B/0.321A	0.357B/0.321A	----	0.332 -	0.006	.0570	----	----	----	3	UNCH	
9300	----	----	0.338B/0.305A	0.338B/0.305A	----	0.315 -	0.006	.0539	----	----	----	1	UNCH	
9325	----	----	0.334B/0.301A	0.334B/0.301A	----	0.310 -	0.007	.0531	----	----	----	1	UNCH	
9400	----	----	0.321B/0.290A	0.321B/0.290A	----	0.298 -	0.007	.0510	----	----	----	1	UNCH	
9450	----	----	0.313B/0.283A	0.313B/0.283A	----	0.291 -	0.007	.0497	----	----	----	2	UNCH	
9475	----	----	0.308B/0.279A	0.308B/0.279A	----	0.287 -	0.007	.0490	----	----	----	1	UNCH	
9500	----	----	0.305B/0.276A	0.305B/0.276A	----	0.284 -	0.006	.0485	----	----	----	36	UNCH	
9525	----	----	0.301B/0.273A	0.301B/0.273A	----	0.280 -	0.007	.0478	----	----	----	1	UNCH	
9600	----	----	0.289B/0.263A	0.289B/0.263A	----	0.270 -	0.007	.0460	----	----	----	1	UNCH	
9700	----	----	0.275B/0.250A	0.275B/0.250A	----	0.257 -	0.007	.0437	----	----	----	4	UNCH	
9900	----	----	0.250B/0.228A	0.250B/0.228A	----	0.235 -	0.006	.0397	----	----	----	2	UNCH	
9950	0.224	0.224	0.244B/0.223A	0.244B/0.223A	----	0.230	NEW	.0388	----	2	----	2 +	2	
9975	0.225	0.225	0.242B/0.221A	0.242B/0.221A	----	0.227 -	0.007	.0383	----					

	BULLETIN #189@				METALS OPTION PRODUCTS					Thu, Oct 01, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL	COMEX SILVER OPTIONS														
FEB27															
10000	----	----		0.4108/0.391A	0.4108/0.391A	----	----		0.399 + 0.007	.0581	----	----	2	----	114 + 2
10200	----	----		0.3788/0.362A	0.3788/0.362A	----	----		0.371 + 0.008	.0538	----	----	----	----	83 UNCH
10225	----	----		0.3738/0.358A	0.3738/0.358A	----	----		0.367 + 0.007	.0532	----	----	----	----	10 UNCH
10500	----	----		0.3378/----	0.3378/0.325A	----	----		0.331 + 0.006	.0478	----	----	----	----	4 UNCH
10725	----	----		0.3098/----	0.3098/0.301A	----	----		0.306 + 0.005	.0440	----	----	----	----	5 UNCH
11000	----	----		0.2818/----	0.2818/0.275A	----	----		0.278 + 0.003	.0399	----	----	----	----	14 UNCH
11100	----	----		0.2728/0.266A	0.2728/0.266A	----	----		0.269 + 0.002	.0385	----	----	----	----	1 UNCH
11100	----	----		0.2488/----	0.2488/0.244A	----	----		0.245 + 0.001	.0349	----	----	----	----	4 UNCH
11400	----	----		0.2408/----	0.2408/0.237A	----	----		0.238 + 0.001	.0338	----	----	1	----	3 + 1
11500	----	----		0.2268/----	0.2268/0.224A	----	----		0.224 UNCH	.0317	----	----	----	----	6 UNCH
11700	----	----		----	0.2068/0.207A	----	----		0.205 - 0.002	.0289	----	----	----	----	24 UNCH
12000	----	----		-----/0.186A	0.1858/0.186A	----	----		0.185 - 0.002	.0258	----	----	----	----	4 UNCH
12400	----	----		----	0.1808/0.183A	----	----		0.180 - 0.002	.0251	----	----	----	----	66 UNCH
12500	----	----		----	0.1608/0.164A	----	----		0.161 - 0.003	.0223	----	----	----	----	1 UNCH
12950	----	----		-----/0.162A	0.1598/0.162A	----	----		0.160 - 0.003	.0221	----	----	----	----	3 UNCH
12975	----	----		----	0.0158/0.039A	----	----		0.027 + 0.009	.0032	----	----	----	----	2 UNCH
25000	----	----		----	-----/0.034A	----	----		0.016 UNCH	.0019	----	----	----	----	57 UNCH
30000	----	----		----	----	----	----		----	----	----	----	----	----	179 UNCH
TOTAL													96	115	2370 + 179
MAR27															
6000	----	----		6.6808/5.931A	6.6808/5.931A	----	----		6.354 + 0.264	.6005	----	----	----	----	2 UNCH
6025	----	----		6.5558/5.817A	6.5558/5.817A	----	----		6.233 + 0.259	.5932	----	----	----	----	1 UNCH
6050	----	----		6.4338/5.711A	6.4338/5.711A	----	----		6.115 + 0.254	.5858	----	----	----	----	1 UNCH
6075	----	----		6.3128/5.601A	6.3128/5.601A	----	----		5.998 + 0.249	.5785	----	----	----	----	1 UNCH
6175	----	----		5.8508/5.177A	5.8508/5.177A	----	----		5.553 + 0.231	.5495	----	----	----	----	1 UNCH
6300	----	----		5.3208/4.698A	5.3208/4.698A	----	----		5.042 + 0.209	.5139	----	----	----	----	10 UNCH
6325	4.784	4.784		5.2208/4.608A	5.2208/4.608A	----	----		4.946 NEW	.5070	----	1	----	----	1 + 1
6350	4.806	4.806		5.1218/4.523A	5.1218/4.523A	----	----		4.852 + 0.201	.5001	----	1	----	----	10 UNCH
6400	----	----		4.9298/4.352A	4.9298/4.352A	----	----		4.669 + 0.193	.4864	----	----	----	----	40 UNCH
6425	4.428	4.428		4.8378/4.269A	4.8378/4.269A	----	----		4.580 NEW	.4797	----	1	----	----	1 + 1
6450	----	----		4.7468/4.186A	4.7468/4.186A	----	----		4.493 + 0.186	.4730	----	----	----	----	20 UNCH
6475	----	----		4.6588/4.107A	4.6588/4.107A	----	----		4.408 + 0.182	.4664	----	----	----	----	1 UNCH
6500	----	----		4.5698/4.028A	4.5698/4.028A	----	----		4.325 + 0.179	.4599	----	----	----	----	10 UNCH
6600	----	----		4.2388/3.731A	4.2388/3.731A	----	----		4.008 + 0.166	.4343	----	6	----	----	17 + 6
6775	----	----		3.7138/3.267A	3.7138/3.267A	----	----		3.515 + 0.147	.3924	----	----	----	----	16 UNCH
6800	----	----		3.6468/3.206A	3.6468/3.206A	----	----		3.450 + 0.144	.3867	----	----	----	----	35 UNCH
6825	----	----		3.5808/3.145A	3.5808/3.145A	----	----		3.387 + 0.142	.3811	----	----	----	----	5 UNCH
6900	3.088	3.088		3.3838/2.976A	3.3838/2.976A	----	----		3.204 NEW	.3646	----	----	----	----	1 + 1
7000	2.903	2.903		3.1468/2.763A	3.1468/2.763A	----	----		2.979 + 0.125	.3437	----	25	----	----	181 + 2
7100	----	----		2.9278/2.571A	2.9278/2.571A	----	----		2.771 + 0.116	.3239	----	----	----	----	1 UNCH
7200	----	----		2.7268/2.394A	2.7268/2.394A	----	----		2.581 NEW	.3053	----	1	218	----	219 + 219
7225	----	----		2.6778/2.353A	2.6778/2.353A	----	----		2.536 + 0.106	.3008	----	----	----	----	12 UNCH
7375	----	----		2.4108/2.120A	2.4108/2.120A	----	----		2.285 + 0.094	.2754	----	----	----	----	10 UNCH
7400	----	----		2.3698/2.085A	2.3698/2.085A	----	----		2.246 + 0.092	.2714	----	----	----	----	40 UNCH
7475	----	----		2.2538/1.981A	2.2538/1.981A	----	----		2.135 + 0.087	.2597	----	----	----	----	1 UNCH
7500	2.008	2.008		2.2168/1.948A	2.2168/1.948A	----	----		2.099 + 0.085	.2560	----	135	30	----	171 + 70
7550	----	----		2.1438/1.884A	2.1438/1.884A	----	----		2.030 + 0.082	.2486	----	----	----	----	3 UNCH
7600	----	----		2.0758/1.824A	2.0758/1.824A	----	----		1.964 + 0.078	.2416	----	----	----	----	3 UNCH
7625	----	----		2.0398/1.794A	2.0398/1.794A	----	----		1.932 + 0.077	.2381	----	----	----	----	3 UNCH
7700	----	----		1.9428/1.710A	1.9428/1.710A	----	----		1.840 + 0.072	.2281	----	----	----	----	8 UNCH
7725	----	----		1.9118/1.682A	1.9118/1.682A	----	----		1.811 + 0.071	.2249	----	----	----	----	11 UNCH
7750	----	----		1.8818/1.656A	1.8818/1.656A	----	----		1.782 + 0.069	.2217	----	----	----	----	1 UNCH
7800	----	----		1.8228/1.605A	1.8228/1.605A	----	----		1.727 + 0.067	.2155	----	----	----	----	3 UNCH
7850	----	----		1.7648/1.556A	1.7648/1.556A	----	----		1.674 + 0.065	.2096	----	----	----	----	1 UNCH
7875	----	----		1.7358/1.531A	1.7358/1.531A	----	----		1.648 + 0.064	.2067	----	----	----	----	1 UNCH
7900	----	----		1.7108/1.509A	1.7108/1.509A	----	----		1.623 + 0.063	.2038	----	----	----	----	7 UNCH
7925	----	----		1.6848/1.487A	1.6848/1.487A	----	----		1.598 + 0.062	.2010	----	----	----	----	1 UNCH
7950	----	----		1.6588/1.463A	1.6588/1.463A	----	----		1.574 + 0.061	.1982	----	----	----	----	1 UNCH
8000	----	----		1.6088/1.421A	1.6088/1.421A	----	----		1.527 + 0.058	.1929	----	1	----	----	277 + 1
8050	----	----		1.5588/1.378A	1.5588/1.378A	----	----		1.482 + 0.057	.1877	----	----	----	----	1 UNCH
8075	----	----		1.5368/1.359A	1.5368/1.359A	----	----		1.460 + 0.055	.1851	----	----	----	----	61 UNCH
8100	----	----		1.5128/1.339A	1.5128/1.339A	----	----		1.438 + 0.054	.1826	----	1	----	----	23 + 1
8125	----	----		1.4918/1.320A	1.4918/1.320A	----	----		1.417 + 0.053	.1801	----	----	----	----	1 UNCH
8250	----	----		1.3878/1.230A	1.3878/1.230A	----	----		1.319 + 0.049	.1686	----	----	----	----	5 UNCH
8300	----	----		1.3478/1.196A	1.3478/1.196A	----	----		1.282 + 0.047	.1642	----	----	----	----	1 UNCH
8450	1.138	1.138		1.2388/1.102A	1.2388/1.102A	----	----		1.179 NEW	.1518	----	1	----	----	1 + 1
8500	----	----		1.2058/1.073A	1.2058/1.073A	----	----		1.147 + 0.040	.1480	----	----	----	----	15 UNCH
8600	----	----		1.1428/1.018A	1.1428/1.018A	----	----		1.087 + 0.037	.1407	----	----	----		

	BULLETIN #189@				METALS OPTION PRODUCTS					Thu, Oct 01, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL	COMEX SILVER OPTIONS														
MAY27															
6600	----	----	----	5.617B/5.216A	5.617B/5.216A	----	----	----	5.398 + 0.155	.4752	----	----	20	----	20 +
6700	----	----	----	5.286B/----	5.286B/4.957A	----	----	----	5.076 + 0.137	.4542	----	----	----	----	1
7000	----	----	----	4.429B/4.139A	4.429B/4.139A	----	----	----	4.279 + 0.134	.3969	----	----	----	----	23
7300	----	----	----	3.730B/----	3.730B/3.528A	----	----	----	3.602 + 0.099	.3458	----	----	----	----	3
7500	----	----	----	3.329B/----	3.329B/3.180A	----	----	----	3.221 + 0.077	.3154	----	----	----	----	4
7600	----	----	----	3.154B/----	3.154B/3.005A	----	----	----	3.051 NEW	.3014	----	----	20	----	20 +
8000	----	----	----	2.569B/----	2.569B/2.462A	----	----	----	2.486 + 0.052	.2524	----	----	----	----	30
8500	----	----	----	2.022B/----	2.022B/1.944A	----	----	----	1.967 + 0.043	.2045	----	----	----	----	12
8825	----	----	----	1.742B/----	1.742B/1.697A	----	----	----	1.706 + 0.036	.1795	----	----	----	----	4
8875	----	----	----	1.702B/----	1.702B/1.664A	----	----	----	1.670 + 0.035	.1760	----	----	----	----	1
9000	----	----	----	1.625B/----	1.625B/1.576A	----	----	----	1.585 + 0.032	.1676	----	----	----	----	47
9150	----	----	----	1.527B/----	1.527B/1.486A	----	----	----	1.491 + 0.028	.1583	----	----	----	----	1
9525	----	----	----	1.306B/----	1.306B/1.293A	----	----	----	1.289 + 0.020	.1380	----	----	----	----	2
9650	----	----	----	1.254B/----	1.254B/1.235A	----	----	----	1.230 + 0.016	.1319	----	----	----	----	1
9925	----	----	----	1.132B/----	1.132B/1.125A	----	----	----	1.115 + 0.010	.1200	----	----	----	----	5
10000	----	----	----	1.104B/----	1.104B/1.096A	----	----	----	1.086 + 0.008	.1170	----	----	----	----	3
10075	----	----	----	1.066B/----	1.066B/1.071A	----	----	----	1.059 + 0.007	.1142	----	----	----	----	2
10225	----	----	----	1.013B/----	1.013B/1.022A	----	----	----	1.007 + 0.004	.1087	----	----	----	----	1
10500	----	----	----	0.932B/----	0.932B/0.944A	----	----	----	0.922 - 0.001	.0997	----	----	----	----	2
11000	----	----	----	----	0.788B/0.817A	----	----	----	0.794 - 0.008	.0860	----	----	----	----	27
11200	----	----	----	----	0.747B/0.774A	----	----	----	0.750 - 0.011	.0813	----	----	----	----	5
12000	----	----	----	----	0.587B/0.643A	----	----	----	0.610 - 0.015	.0659	----	----	----	----	4
12200	----	----	----	----	0.560B/0.615A	----	----	----	0.582 - 0.015	.0628	----	----	----	----	1
15000	----	----	----	----	0.309B/0.380A	----	----	----	0.342 - 0.001	.0360	----	----	----	----	112
20000	----	----	----	----	0.152B/0.224A	----	----	----	0.186 + 0.002	.0187	----	----	----	----	169
TOTAL													40	0	506 +
JUN27															
5450	----	----	----	----	10.381B/----	10.381B/9.888A	----	----	11.619 + 0.323	.7437	----	----	----	----	1
5700	----	----	----	9.704B/----	9.704B/9.237A	----	----	----	10.114 + 0.281	.6905	----	----	----	----	1
5825	----	----	----	10.381B/----	10.381B/9.888A	----	----	----	9.429 + 0.261	.6630	----	----	----	----	1
6225	----	----	----	7.781B/----	7.781B/7.408A	----	----	----	7.546 + 0.217	.5744	----	----	----	----	22
6400	----	----	----	7.068B/----	7.068B/6.726A	----	----	----	6.864 + 0.209	.5370	----	----	----	----	1
6500	----	----	----	6.696B/----	6.696B/6.354A	----	----	----	6.503 + 0.203	.5164	----	----	----	----	2
6600	----	----	----	6.324B/----	6.324B/6.013A	----	----	----	6.156 + 0.190	.4962	----	----	----	----	1
7050	----	----	----	4.991B/----	4.991B/4.739A	----	----	----	4.840 + 0.135	.4132	----	----	----	----	1
7575	----	----	----	3.780B/----	3.780B/3.651A	----	----	----	3.750 + 0.128	.3346	----	----	----	----	1
8000	----	----	----	3.076B/----	3.076B/2.997A	----	----	----	3.042 + 0.093	.2811	----	----	----	----	136
8075	----	----	----	2.965B/----	2.965B/2.898A	----	----	----	2.933 + 0.087	.2726	----	----	----	----	1
8500	----	----	----	2.457B/----	2.457B/2.412A	----	----	----	2.408 + 0.058	.2300	----	----	----	----	200
8700	----	----	----	2.257B/----	2.257B/2.227A	----	----	----	2.210 + 0.051	.2131	----	----	----	----	2
8800	----	----	----	2.161B/----	2.161B/2.139A	----	----	----	2.121 + 0.049	.2054	----	----	----	----	1
9350	----	----	----	1.746B/----	1.746B/1.739A	----	----	----	1.721 + 0.040	.1692	----	----	----	----	2
10000	----	----	----	1.390B/----	1.390B/1.400A	----	----	----	1.386 + 0.031	.1376	----	----	----	----	10
11000	----	----	----	1.022B/1.051A	1.022B/1.051A	----	----	----	1.022 - 0.005	.1026	----	----	----	----	155
12000	----	----	----	0.781B/0.820A	0.781B/0.820A	----	----	----	0.785 - 0.015	.0791	----	----	----	----	5
12500	----	----	----	0.688B/0.737A	0.688B/0.737A	----	----	----	0.694 - 0.015	.0701	----	----	----	----	10
13000	----	----	----	0.619B/0.668A	0.619B/0.668A	----	----	----	0.610 - 0.015	.0619	----	----	----	----	6
13075	----	----	----	0.614B/0.664A	0.614B/0.664A	----	----	----	0.599 - 0.015	.0608	----	----	----	----	1
TOTAL														0	560
JUL27															
2000	----	----	----	----	----	----	----	----	43.064 + 0.578	.9912	----	----	----	----	1
6800	----	----	----	5.907B/5.821A	5.907B/5.821A	----	----	----	6.011 + 0.168	.4677	----	----	----	----	1
6900	----	----	----	5.889B/----	5.889B/5.575A	----	----	----	5.717 + 0.154	.4504	----	----	----	----	1
7000	----	----	----	5.618B/5.288A	5.618B/5.288A	----	----	----	5.439 + 0.140	.4336	----	----	----	----	25
7800	3.623	3.623		3.833B/3.623	3.833B/3.623	----	----	----	3.725 + 0.063	.3198	----	----	20	----	21 +
7900	----	----	----	3.681B/----	3.681B/3.571A	----	----	----	3.563 + 0.060	.3080	----	----	----	----	1
7950	----	----	----	3.600B/----	3.600B/3.496A	----	----	----	3.487 + 0.060	.3024	----	----	----	----	1
10000	----	----	----	----	1.467B/1.851A	----	----	----	1.648 + 0.027	.1535	----	----	----	----	4
10100	----	----	----	----	1.417B/1.801A	----	----	----	1.598 + 0.025	.1491	----	----	----	----	2
10300	----	----	----	----	1.322B/1.708A	----	----	----	1.506 + 0.024	.1409	----	----	----	----	1
10500	----	----	----	----	1.239B/1.626A	----	----	----	1.421 + 0.021	.1333	----	----	----	----	1
10700	----	----	----	----	1.157B/1.547A	----	----	----	1.344 + 0.020	.1263	----	----	----	----	1
11000	----	----	----	----	1.055B/1.445A	----	----	----	1.239 + 0.017	.1168	----	----	----	----	2
11100	----	----	----	----	1.018B/1.412A	----	----	----	1.207 + 0.016	.1138	----	----	----	----	2
12000	----	----	----	----	0.781B/1.173A	----	----	----	0.969 + 0.011	.0918	----	----	----	----	2
12100	----	----	----	----	0.760B/1.151A	----	----	----	0.947 + 0.010	.0897	----	----	----	----	21
13000	----	----	----	----	0.596B/0.992A	----	----	----	0.785 + 0.007	.0743	----	----	----	----	2
13100	----	----	----	----	0.581B/0.976A	----	----	----	0.770 + 0.007	.0729	----	----	----	----	21
TOTAL													20	0	110 +
AUG27															
7500	----	----	----	----	4.794B/5.166A	----	----	----	4.959 + 0.116	.3830	----	----	----	----	8
8500	----	----	----	----	3.138B/3.519A	----	----	----	3.312 + 0.068	.2732	----	----	----	----	8
TOTAL														0	16
SEP27															
6000	10.473	10.473		10.473/10.473	10.473/10.305A	----	----	----	10.278 NEW	.6336	----	----	21</		

BULLETIN #189@				METALS OPTION PRODUCTS								Thu, Oct 01, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT NOV26	COMEX SILVER OPTIONS															
5650	----	----	----	0.7478/0.498A	0.7478/0.498A	----	0.590	-	0.131	.1788	----	----	----	----	36	UNCH
5675	0.606	0.606	----	0.8078/0.538A	0.8078/0.538A	----	0.636	-	0.143	.1907	----	----	5	----	76	+
5700	0.649	0.649	----	0.8728/0.579A	0.8728/0.579A	----	0.685	-	0.155	.2031	----	----	19	----	394	+
5725	0.675	0.675	----	0.9398/0.627A	0.9398/0.627A	----	0.738	-	0.167	.2162	----	----	1	----	67	+
5750	1.020	1.020	----	1.020/0.675A	1.020/0.675A	----	0.795	-	0.180	.2299	----	----	15	----	364	+
5775	0.920	0.920	----	1.0878/0.728A	1.0878/0.728A	----	0.855	-	0.194	.2442	----	----	1	----	97	UNCH
5800	0.874	0.874	----	1.1688/0.783A	1.1688/0.783A	----	0.919	-	0.208	.2589	----	----	35	----	283	+
5825	----	----	----	1.2538/0.844A	1.2538/0.844A	----	0.988	-	0.223	.2743	----	----	----	----	78	UNCH
5850	1.094	1.094	----	1.3488/0.909A	1.3488/0.909A	----	1.061	-	0.238	.2902	----	----	1	----	31	-
5875	----	----	----	1.4448/0.979A	1.4448/0.979A	----	1.138	-	0.254	.3066	----	----	5	----	154	+
5900	1.190	1.190	----	1.5458/1.050A	1.5458/1.050A	----	1.220	-	0.269	.3234	----	----	40	----	201	+
5925	1.237	1.237	----	1.6518/1.128A	1.6518/1.128A	----	1.306	-	0.284	.3406	----	----	1	----	33	UNCH
5950	----	----	----	1.7618/1.211A	1.7618/1.211A	----	1.397	-	0.299	.3582	----	----	2	----	40	UNCH
5975	1.430	1.430	----	1.8898/1.299A	1.8898/1.299A	----	1.493	-	0.315	.3762	----	----	9	----	68	+
6000	1.506	1.506	----	2.0118/1.390A	2.0118/1.390A	----	1.594	-	0.332	.3945	----	----	20	----	477	+
6025	1.697	1.697	----	2.1388/1.488A	2.1388/1.488A	----	1.697	-	0.352	.4129	----	----	10	----	26	+
6050	2.045	2.045	----	2.2708/1.589A	2.2708/1.589A	----	1.810	-	0.365	.4317	----	----	3	----	33	UNCH
6075	1.789	1.789	----	2.4078/1.697A	2.4078/1.697A	----	1.928	-	0.378	.4506	----	----	10	----	56	+
6100	1.866	1.866	----	2.5368/1.797	2.5368/1.797	----	2.045	-	0.398	.4695	----	----	16	----	225	+
6125	----	----	----	2.6828/1.929A	2.6828/1.929A	----	2.181	-	0.404	.4884	----	----	3	----	19	-
6150	2.097	2.097	----	2.8368/2.051A	2.8368/2.051A	----	2.315	-	0.414	.5072	----	----	13	----	111	-
6175	2.280	2.280	----	2.9788/2.170	2.9788/2.170	----	2.449	-	0.434	.5261	----	----	7	----	25	UNCH
6200	2.867	2.867	----	3.1328/2.315A	3.1328/2.315A	----	2.592	-	0.446	.5447	----	----	27	----	319	+
6225	2.606	2.606	----	3.3048/2.454A	3.3048/2.454A	----	2.741	-	0.459	.5630	----	----	10	----	24	+
6250	3.200	3.200	----	3.4738/2.598A	3.4738/2.598A	----	2.890	-	0.476	.5813	----	----	8	----	111	+
6275	----	----	----	3.6428/2.747A	3.6428/2.747A	----	3.045	-	0.490	.5993	----	----	10	----	34	+
6300	3.062	3.062	----	3.8228/2.901A	3.8228/2.901A	----	3.210	-	0.499	.6166	----	----	7	----	143	+
6325	----	----	----	4.0098/3.069A	4.0098/3.069A	----	3.378	-	0.508	.6336	----	----	----	----	7	UNCH
6350	----	----	----	4.1958/3.224A	4.1958/3.224A	----	3.544	-	0.523	.6507	----	----	----	----	88	UNCH
6375	----	----	----	4.3838/3.396A	4.3838/3.396A	----	3.719	-	0.532	.6670	----	----	5	----	40	+
6400	----	----	----	4.5748/3.567A	4.5748/3.567A	----	3.900	-	0.540	.6827	----	----	----	----	157	UNCH
6425	----	----	----	4.7708/3.749A	4.7708/3.749A	----	4.083	-	0.548	.6979	----	----	----	----	9	UNCH
6450	----	----	----	4.9708/3.930A	4.9708/3.930A	----	4.270	-	0.556	.7127	----	----	----	----	17	UNCH
6475	----	----	----	5.1728/4.116A	5.1728/4.116A	----	4.461	-	0.564	.7270	----	----	----	----	62	UNCH
6500	----	----	----	5.3788/4.303A	5.3788/4.303A	----	4.655	-	0.571	.7407	----	----	----	----	345	UNCH
6525	----	----	----	5.5868/4.497A	5.5868/4.497A	----	4.853	-	0.577	.7539	----	----	----	----	31	UNCH
6550	----	----	----	5.7978/4.693A	5.7978/4.693A	----	5.054	-	0.583	.7665	----	----	----	----	31	UNCH
6575	----	----	----	6.0108/4.892A	6.0108/4.892A	----	5.258	-	0.589	.7785	----	----	----	----	19	UNCH
6600	----	----	----	6.2258/5.093A	6.2258/5.093A	----	5.465	-	0.594	.7901	----	----	----	----	172	UNCH
6625	----	----	----	6.4438/5.299A	6.4438/5.299A	----	5.675	-	0.599	.8011	----	----	----	----	28	UNCH
6650	----	----	----	6.6638/5.507A	6.6638/5.507A	----	5.887	-	0.603	.8115	----	----	----	----	39	UNCH
6675	----	----	----	6.8858/5.716A	6.8858/5.716A	----	6.102	-	0.607	.8215	----	----	----	----	68	UNCH
6700	----	----	----	7.1108/5.930A	7.1108/5.930A	----	6.319	-	0.610	.8309	----	----	----	----	136	UNCH
6725	----	----	----	7.3338/6.146A	7.3338/6.146A	----	6.538	-	0.614	.8400	----	----	----	----	83	UNCH
6750	----	----	----	7.5628/6.364A	7.5628/6.364A	----	6.759	-	0.617	.8484	----	----	----	----	101	UNCH
6775	----	----	----	7.7888/6.587A	7.7888/6.587A	----	6.982	-	0.619	.8566	----	----	----	----	21	UNCH
6800	----	----	----	8.0188/6.809A	8.0188/6.809A	----	7.207	-	0.621	.8642	----	----	----	----	151	UNCH
6825	----	----	----	8.2498/7.031A	8.2498/7.031A	----	7.433	-	0.623	.8714	----	----	----	----	2	UNCH
6850	----	----	----	8.4818/7.255A	8.4818/7.255A	----	7.661	-	0.625	.8781	----	----	----	----	7	UNCH
6875	----	----	----	8.7148/7.478A	8.7148/7.478A	----	7.891	-	0.626	.8845	----	----	----	----	1	UNCH
6900	----	----	----	8.9458/7.704A	8.9458/7.704A	----	8.122	-	0.627	.8906	----	----	----	----	26	UNCH
6925	----	----	----	9.1828/7.934A	9.1828/7.934A	----	8.354	-	0.628	.8962	----	----	----	----	1	UNCH
6950	----	----	----	9.4188/8.165A	9.4188/8.165A	----	8.588	-	0.628	.9015	----	----	----	----	10	UNCH
6975	----	----	----	9.6578/8.394A	9.6578/8.394A	----	8.823	-	0.629	.9063	----	----	----	----	5	UNCH
7000	----	----	----	9.8958/8.626A	9.8958/8.626A	----	9.059	-	0.629	.9110	----	----	----	----	79	UNCH
7025	----	----	----	10.1388/8.859A	10.1388/8.859A	----	9.296	-	0.630	.9152	----	----	----	----	8	UNCH
7050	----	----	----	10.3718/9.093A	10.3718/9.093A	----	9.534	-	0.630	.9193	----	----	----	----	84	UNCH
7075	----	----	----	10.6128/9.329A	10.6128/9.329A	----	9.772	-	0.630	.9234	----	----	----	----	1	UNCH
7100	----	----	----	10.8518/9.566A	10.8518/9.566A	----	10.010	-	0.631	.9272	----	----	----	----	4	UNCH
7125	----	----	----	11.0938/9.803A	11.0938/9.803A	----	10.250	-	0.630	.9309	----	----	----	----	1	UNCH
7150	----	----	----	11.3358/10.040A	11.3358/10.040A	----	10.490	-	0.629	.9341	----	----	----	----	2	UNCH
7175	----	----	----	11.5758/10.282A	11.5758/10.282A	----	10.731	-	0.629	.9372	----	----	----	----	1	UNCH
7200	----	----	----	11.8198/10.517A	11.8198/10.517A	----	10.973	-	0.628	.9399	----	----	----	----	2	UNCH
7225	----	----	----	12.0598/10.758A	12.0598/10.758A	----	11.215	-								

BULLETIN #189@				METALS OPTION PRODUCTS								Thu, Oct 01, 2026			PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT	COMEX SILVER OPTIONS														
DEC26															
5475	----	----	----	1.0928/0.832A	1.0928/0.832A	----	0.923	- 0.145	.1868	----	----	----	----	----	1
5500	0.930	0.930		1.1548/0.879A	1.1548/0.879A	----	0.975	- 0.153	.1955	----	----	----	24	----	865 +
5525	----	----	----	1.2178/0.929A	1.2178/0.929A	----	1.030	- 0.160	.2045	----	----	----	----	----	8
5550	----	----	----	1.2868/0.981A	1.2868/0.981A	----	1.088	- 0.168	.2137	----	----	----	----	----	8
5575	----	----	----	1.3568/1.037A	1.3568/1.037A	----	1.148	- 0.177	.2232	----	----	----	----	----	180
5600	----	----	----	1.4308/1.094A	1.4308/1.094A	----	1.211	- 0.187	.2329	----	----	12	70	----	136 +
5625	----	----	----	1.5078/1.155A	1.5078/1.155A	----	1.276	- 0.198	.2429	----	----	5	----	----	10 +
5650	----	----	----	1.5888/1.217A	1.5888/1.217A	----	1.345	- 0.208	.2531	----	----	----	----	----	31
5675	----	----	----	1.6718/1.283A	1.6718/1.283A	----	1.417	- 0.217	.2636	----	----	----	----	----	4
5700	----	----	----	1.7598/1.352A	1.7598/1.352A	----	1.493	- 0.225	.2743	----	----	8	----	----	220
5725	----	----	----	1.8498/1.425A	1.8498/1.425A	----	1.572	- 0.234	.2853	----	----	----	----	----	108
5750	----	----	----	1.9438/1.500A	1.9438/1.500A	----	1.654	- 0.243	.2964	----	----	----	----	----	224
5775	----	----	----	2.0448/1.578A	2.0448/1.578A	----	1.739	- 0.253	.3077	----	----	1	----	----	23 -
5800	----	----	----	2.1458/1.660A	2.1458/1.660A	----	1.827	- 0.263	.3192	----	----	1	----	----	263 -
5825	----	----	----	2.2498/1.745A	2.2498/1.745A	----	1.919	- 0.273	.3309	----	----	----	----	----	3
5850	----	----	----	2.3578/1.834A	2.3578/1.834A	----	2.014	- 0.284	.3426	----	----	----	----	----	23
5875	----	----	----	2.4648/1.928A	2.4648/1.928A	----	2.112	- 0.295	.3545	----	----	----	----	----	12
5900	----	----	----	2.5798/2.024A	2.5798/2.024A	----	2.214	- 0.306	.3666	----	----	----	----	----	191
5925	----	----	----	2.7038/2.122A	2.7038/2.122A	----	2.319	- 0.317	.3787	----	----	----	----	----	8
5950	----	----	----	2.8248/2.227A	2.8248/2.227A	----	2.428	- 0.327	.3909	----	----	----	----	----	11
5975	----	----	----	2.9498/2.332A	2.9498/2.332A	----	2.541	- 0.337	.4032	----	----	----	----	----	4
6000	2.510	2.510		3.0818/2.441A	3.0818/2.441A	----	2.657	- 0.347	.4155	----	----	3	----	----	510 +
6025	----	----	----	3.2278/2.555A	3.2278/2.555A	----	2.776	- 0.358	.4279	----	----	----	----	----	46
6050	----	----	----	3.3638/2.671A	3.3638/2.671A	----	2.899	- 0.368	.4402	----	----	----	----	----	8
6075	----	----	----	3.5028/2.792A	3.5028/2.792A	----	3.026	- 0.378	.4526	----	----	----	----	----	4
6100	3.438	3.438		3.6458/2.917A	3.6458/2.917A	----	3.156	- 0.388	.4650	----	----	14	----	----	72
6125	----	----	----	3.7888/3.044A	3.7888/3.044A	----	3.290	- 0.397	.4773	----	----	----	----	----	11
6150	----	----	----	3.9268/3.175A	3.9268/3.175A	----	3.427	- 0.406	.4895	----	----	3	----	----	42 +
6175	----	----	----	4.0808/3.310A	4.0808/3.310A	----	3.567	- 0.415	.5017	----	----	----	----	----	4
6200	----	----	----	4.2348/3.447A	4.2348/3.447A	----	3.711	- 0.424	.5137	----	----	----	----	----	79
6225	----	----	----	4.3948/3.589A	4.3948/3.589A	----	3.857	- 0.434	.5257	----	----	----	----	----	2
6250	----	----	----	4.5548/3.733A	4.5548/3.733A	----	4.008	- 0.441	.5376	----	----	----	----	----	5
6275	----	----	----	4.7208/3.880A	4.7208/3.880A	----	4.161	- 0.450	.5493	----	----	----	----	----	13
6300	----	----	----	4.8688/4.031A	4.8688/4.031A	----	4.317	- 0.458	.5609	----	----	----	----	----	88
6325	----	----	----	5.0408/4.185A	5.0408/4.185A	----	4.477	- 0.466	.5723	----	----	----	----	----	10
6350	----	----	----	5.2128/4.340A	5.2128/4.340A	----	4.639	- 0.474	.5836	----	----	----	----	----	49
6375	----	----	----	5.3948/4.502A	5.3948/4.502A	----	4.805	- 0.481	.5947	----	----	----	----	----	5
6400	----	----	----	5.5668/4.676A	5.5668/4.676A	----	4.973	- 0.488	.6056	----	----	----	----	----	28
6425	----	----	----	5.7548/4.843A	5.7548/4.843A	----	5.144	- 0.495	.6163	----	----	----	----	----	15
6450	----	----	----	5.9318/5.012A	5.9318/5.012A	----	5.318	- 0.502	.6268	----	----	----	----	----	39
6475	----	----	----	6.1178/5.183A	6.1178/5.183A	----	5.495	- 0.508	.6372	----	----	----	----	----	3
6500	----	----	----	6.3058/5.357A	6.3058/5.357A	----	5.674	- 0.515	.6473	----	----	4	----	----	945
6525	----	----	----	6.4968/5.535A	6.4968/5.535A	----	5.856	- 0.521	.6572	----	----	----	----	----	25
6550	----	----	----	6.6888/5.714A	6.6888/5.714A	----	6.040	- 0.528	.6670	----	----	----	----	----	35
6575	----	----	----	6.8818/5.898A	6.8818/5.898A	----	6.227	- 0.534	.6765	----	----	----	----	----	1
6600	----	----	----	7.0848/6.079A	7.0848/6.079A	----	6.416	- 0.540	.6857	----	----	----	----	----	97
6625	----	----	----	7.2838/6.268A	7.2838/6.268A	----	6.608	- 0.544	.6948	----	----	----	----	----	33
6650	----	----	----	7.4838/6.462A	7.4838/6.462A	----	6.801	- 0.550	.7036	----	----	----	----	----	20
6675	----	----	----	7.6858/6.649A	7.6858/6.649A	----	6.997	- 0.554	.7123	----	----	----	----	----	1
6700	----	----	----	7.8908/6.843A	7.8908/6.843A	----	7.195	- 0.559	.7206	----	----	----	----	----	40
6725	----	----	----	8.0978/7.039A	8.0978/7.039A	----	7.394	- 0.563	.7288	----	----	----	----	----	5
6750	----	----	----	8.3038/7.240A	8.3038/7.240A	----	7.596	- 0.566	.7367	----	----	----	----	----	7
6775	----	----	----	8.5148/7.440A	8.5148/7.440A	----	7.799	- 0.570	.7445	----	----	----	----	----	4
6800	----	----	----	8.7238/7.638A	8.7238/7.638A	----	8.004	- 0.573	.7521	----	----	----	----	----	147
6825	----	----	----	8.9388/7.842A	8.9388/7.842A	----	8.211	- 0.576	.7594	----	----	----	----	----	1
6850	----	----	----	9.1518/8.047A	9.1518/8.047A	----	8.420	- 0.579	.7665	----	----	----	----	----	78
6875	----	----	----	9.3678/8.254A	9.3678/8.254A	----	8.630	- 0.582	.7735	----	----	----	----	----	2
6900	----	----	----	9.5818/8.463A	9.5818/8.463A	----	8.841	- 0.586	.7801	----	----	----	----	----	20
6950	----	----	----	10.0188/8.886A	10.0188/8.886A	----	9.269	- 0.591	.7929	----	----	----	----	----	24
7000	----	----	----	10.4608/9.314A	10.4608/9.314A	----	9.702	- 0.596	.8050	----	----	----	----	----	253
7050	----	----	----	10.9068/9.748A	10.9068/9.748A	----	10.140	- 0.599	.8163	----	----	----	----	----	1
7075	----	----	----	11.1308/9.967A	11.1308/9.967A	----	10.361	- 0.601	.8218	----	----	----	----	----	21
7100	----	----	----	11.3568/10.187A	11.3568/10.187A	----	10.582	- 0.603	.8270	----	----	----	----	----	5
7200	----	----	----	12.2678/11.078A	12.2678/11.078A	----	11.480	- 0.610	.8464	----	----	----	----	----	14
7225	----	----	----	12.4968/11.303A	12.4968/11.303A	----	11.707	- 0.612	.8508	----	----	----	----	----	2
7250	----	----	----	12.7278/11.529A	12.7278/11.529A	----	11.935	- 0.613	.8551	----	----	----	----	----	49
7300	----	----	----	13.1908/11.985A	13.1908/11.985A	----	12.393	- 0.614	.8633	----	----	----	----	----	3
7425															



BULLETIN #189@				METALS OPTION PRODUCTS										Thu, Oct 01, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SO PUT JAN27	COMEX SILVER OPTIONS																	
6225	----	----	----	4.8388/4.126A	4.8388/4.126A	----	4.362	- 0.407	.4776	----	----	----	----	----	50	UNCH		
6275	----	----	----	5.1448/4.403A	5.1448/4.403A	----	4.648	- 0.421	.4962	----	----	----	----	----	2	UNCH		
6300	----	----	----	5.2988/4.544A	5.2988/4.544A	----	4.796	- 0.427	.5054	----	----	----	----	----	1	UNCH		
6325	----	----	----	5.4568/4.690A	5.4568/4.690A	----	4.945	- 0.434	.5146	----	----	----	----	----	2	UNCH		
6350	----	----	----	5.6248/4.836A	5.6248/4.836A	----	5.098	- 0.439	.5236	----	----	----	----	----	9	UNCH		
6375	----	----	----	5.7808/4.987A	5.7808/4.987A	----	5.252	- 0.445	.5326	----	----	----	----	----	25	UNCH		
6400	----	----	----	5.9458/5.138A	5.9458/5.138A	----	5.409	- 0.451	.5415	----	----	----	----	----	33	UNCH		
6475	----	----	----	6.4468/5.609A	6.4468/5.609A	----	5.895	- 0.466	.5676	----	----	----	----	----	1	UNCH		
6500	----	----	----	6.6138/5.771A	6.6138/5.771A	----	6.061	- 0.472	.5760	----	----	----	1	----	57	+		
6525	----	----	----	6.7988/5.935A	6.7988/5.935A	----	6.230	- 0.476	.5844	----	----	----	----	----	1	UNCH		
6575	----	----	----	7.1538/6.281A	7.1538/6.281A	----	6.573	- 0.487	.6008	----	----	----	----	----	5	UNCH		
6700	----	----	----	8.0748/7.156A	8.0748/7.156A	----	7.468	- 0.509	.6397	----	----	----	----	----	13	UNCH		
6725	----	----	----	8.2728/7.343A	8.2728/7.343A	----	7.653	- 0.513	.6471	----	----	----	----	----	15	UNCH		
6800	----	----	----	8.8448/7.887A	8.8448/7.887A	----	8.217	- 0.525	.6685	----	----	----	----	----	2	UNCH		
6900	----	----	----	9.6408/8.655A	9.6408/8.655A	----	8.993	- 0.538	.6952	----	----	----	----	----	16	UNCH		
6925	----	----	----	9.8438/8.847A	9.8438/8.847A	----	9.191	- 0.541	.7016	----	----	----	----	----	24	UNCH		
6950	----	----	----	10.0478/9.039A	10.0478/9.039A	----	9.391	- 0.544	.7079	----	----	----	----	----	1	UNCH		
7000	----	----	----	10.4598/9.450A	10.4598/9.450A	----	9.794	- 0.549	.7199	----	----	----	----	----	20	UNCH		
7100	----	----	----	11.2988/10.261A	11.2988/10.261A	----	10.616	- 0.560	.7427	----	----	----	----	----	27	UNCH		
7125	----	----	----	11.5118/10.465A	11.5118/10.465A	----	10.824	- 0.563	.7480	----	----	----	----	----	1	UNCH		
7175	----	----	----	11.9368/10.884A	11.9368/10.884A	----	11.245	- 0.567	.7585	----	----	----	----	----	1	UNCH		
7200	----	----	----	12.1558/11.092A	12.1558/11.092A	----	11.457	- 0.569	.7635	----	----	----	----	----	1	UNCH		
7350	----	----	----	13.4668/12.374A	13.4668/12.374A	----	12.750	- 0.580	.7915	----	----	----	----	----	1	UNCH		
8050	----	----	----	19.9128/18.704A	19.9128/18.704A	----	19.139	-	NEW .8798	----	----	----	----	----	1	+		
8200	----	----	----	21.3388/20.116A	21.3388/20.116A	----	20.558	-	NEW .8923	----	----	----	1	----	1	+		
8600	----	----	----	25.1998/23.937A	25.1998/23.937A	----	24.389	- 0.616	.9183	----	----	----	----	----	1	UNCH		
8850	----	----	----	27.6318/26.354A	27.6318/26.354A	----	26.814	- 0.616	.9302	----	----	----	----	----	9	UNCH		
10000	37.950	37.950		38.9328/37.640A	38.9328/37.640A	----	38.123	-	NEW .9619	----	----	----	3	----	3	+		
TOTAL													27	0	1685	+		
FEB27																		
3475	----	----	----	----	0.0658/0.091A	----	0.081	+	0.010 .0122	----	----	----	----	----	1	UNCH		
4000	----	----	----	-----/0.168A	0.1628/0.168A	----	0.163	- 0.015	.0259	----	----	----	----	----	1	UNCH		
4200	0.234	0.234		0.234/0.226A	0.234/0.226A	----	0.222	-	NEW .0353	----	----	----	10	----	10	+		
4750	----	----	----	-----/0.538A	0.6178/0.538A	----	0.564	- 0.067	.0852	----	----	----	----	----	1	UNCH		
5000	----	----	----	-----/0.818A	0.9628/0.818A	----	0.850	- 0.113	.1232	----	----	----	----	115	132	+		
5100	----	----	----	1.1408/0.961A	1.1408/0.961A	----	1.003	- 0.135	.1422	----	----	----	----	----	1	UNCH		
5200	----	----	----	1.3468/1.137A	1.3468/1.137A	----	1.184	- 0.157	.1635	----	----	----	----	----	1	UNCH		
5225	----	----	----	1.4018/1.185A	1.4018/1.185A	----	1.234	- 0.162	.1692	----	----	----	----	----	5	UNCH		
5275	----	----	----	1.5198/1.284A	1.5198/1.284A	----	1.339	- 0.174	.1809	----	----	----	----	----	20	UNCH		
5300	----	----	----	1.5838/1.336A	1.5838/1.336A	----	1.395	- 0.179	.1870	----	----	----	25	----	25	+		
5375	----	----	----	1.7828/1.503A	1.7828/1.503A	----	1.574	- 0.196	.2060	----	----	----	----	----	44	UNCH		
5400	----	----	----	1.8548/1.563A	1.8548/1.563A	----	1.638	- 0.202	.2126	----	----	----	----	----	3	UNCH		
5425	1.700	1.700		1.9278/1.627A	1.9278/1.627A	----	1.704	-	NEW .2193	----	----	----	1	----	1	+		
5500	1.880	1.880		2.1598/1.826A	2.1598/1.826A	----	1.915	- 0.226	.2401	----	----	----	6	----	6	+		
5600	----	----	----	2.4998/2.122A	2.4998/2.122A	----	2.228	- 0.251	.2693	----	----	----	----	----	7	UNCH		
5700	----	----	----	2.8798/2.455A	2.8798/2.455A	----	2.578	- 0.276	.2999	----	----	----	----	----	1	UNCH		
5725	----	----	----	2.9868/2.544A	2.9868/2.544A	----	2.672	- 0.281	.3078	----	----	----	----	----	1	UNCH		
5800	----	----	----	3.3038/2.826A	3.3038/2.826A	----	2.967	- 0.300	.3316	----	----	----	----	----	10	UNCH		
5825	----	----	----	3.4148/2.926A	3.4148/2.926A	----	3.071	- 0.305	.3397	----	----	----	----	----	12	UNCH		
5875	----	----	----	3.6408/3.131A	3.6408/3.131A	----	3.285	- 0.317	.3559	----	----	----	----	----	10	UNCH		
6000	----	----	----	4.2538/3.684A	4.2538/3.684A	----	3.862	- 0.347	.3968	----	----	----	----	----	6	UNCH		
6050	----	----	----	4.5208/3.924A	4.5208/3.924A	----	4.111	- 0.357	.4133	----	----	----	----	----	17	UNCH		
6100	4.286	4.286		4.7898/4.168A	4.7898/4.168A	----	4.368	- 0.369	.4297	----	----	----	5	----	6	+		
6200	----	----	----	5.3658/4.694A	5.3658/4.694A	----	4.912	- 0.389	.4623	----	----	----	----	----	7	UNCH		
6250	----	----	----	5.6648/4.972A	5.6648/4.972A	----	5.197	- 0.399	.4783	----	----	----	----	----	9	UNCH		
6400	----	----	----	6.6118/5.856A	6.6118/5.856A	----	6.105	- 0.428	.5250	----	----	----	----	----	1	UNCH		
6500	----	----	----	7.2768/6.484A	7.2768/6.484A	----	6.752	- 0.445	.5547	----	----	----	----	----	21	UNCH		
6600	----	----	----	7.9568/7.145A	7.9568/7.145A	----	7.429	- 0.462	.5832	----	----	----	----	----	6	UNCH		
6700	----	----	----	8.6768/7.846A	8.6768/7.846A	----	8.134	- 0.477	.6102	----	----	----	----	----	11	UNCH		
6825	----	----	----	9.6508/8.739A	9.6508/8.739A	----	9.053	- 0.494	.6420	----	----	----	----	----	5	UNCH		
7000	----	----	----	10.9948/10.069A	10.9948/10.069A	----	10.401	- 0.514	.6825	----	----	----	----	----	5	UNCH		
7225	----	----	----	12.8518/11.881A	12.8518/11.881A	----	12.224	- 0.533	.7279	----	----	----	----	----	1	UNCH		
7250	----	----	----	13.0618/12.087A	13.0618/12.087A	----	12.432	- 0.535	.7325	----	----	----	----	----	1	UNCH		
7400	----	----	----	14.3538/13.342A	14.3538/13.342A	----	13.700	- 0.545	.7584	----	----	----	----	----	2	UNCH		
7575	----	----	----	15.8888/14.847A	15.8888/14.847A	----	15.217	- 0.555	.7852	----	----	----	----	----	20	UNCH		
8075	----	----	----	20.4358/19.312A	20.4358/19.312A	----	19.725	- 0.576	.8443	----	----	----	----	----	5	UNCH		
8150	----	----	----	21.1258/20.005A	21.1258/20.005A	----	20.418	- 0.579	.8513	----	----							

	BULLETIN #189@										METALS OPTION PRODUCTS				Thu, Oct 01, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO PUT	COMEX SILVER OPTIONS																
APR27																	
6500	----	----	----	----/7.396A	7.897B/7.396A	----	----	----	7.604 -	0.405	.5127	----	----	----	3		
6600	----	----	----	8.677B/8.018A	8.677B/8.018A	----	----	----	8.255 -	0.416	.5362	----	----	----	1		
7000	----	----	----	----/10.799A	11.305B/10.799A	----	----	----	11.079 -	0.459	.6215	----	----	----	5		
8000	----	----	----	----	6.176B/32.378A	----	----	----	19.285 -	0.533	.7722	----	----	----	2		
8725	----	----	----	----	11.827B/39.780A	----	----	----	25.833 -	0.562	.8378	----	----	----	3		
TOTAL														0	432		
MAY27																	
4500	----	----	----	----/0.870A	0.906B/0.870A	----	----	----	0.878 -	0.078	.0942	----	----	----	6		
4700	----	----	----	----/1.148A	1.195B/1.148A	----	----	----	1.149 -	0.103	.1195	----	----	----	25		
4850	----	----	----	----/1.391A	1.462B/1.391A	----	----	----	1.403 -	0.126	.1417	----	----	----	5		
5000	----	----	----	----/1.699A	1.740B/1.699A	----	----	----	1.710 -	0.148	.1670	----	----	----	20		
5500	----	----	----	----/3.108A	3.277B/3.108A	----	----	----	3.152 -	0.228	.2688	----	----	----	1		
6000	----	----	----	----/5.179A	5.625B/5.179A	----	----	----	5.296 -	0.348	.3866	----	----	----	1		
6500	----	----	----	8.627B/7.979A	8.627B/7.979A	----	----	----	8.188 -	0.405	.5025	----	----	----	65		
6525	----	----	----	8.779B/8.158A	8.779B/8.158A	----	----	----	8.347 -	0.410	.5079	----	----	----	16		
6675	----	----	----	9.805B/9.119A	9.805B/9.119A	----	----	----	9.312 -	0.448	.5401	----	----	----	2		
6750	----	----	----	----/9.629A	10.223B/9.629A	----	----	----	9.828 -	0.451	.5553	----	----	----	5		
7300	----	----	----	----/13.619A	14.134B/13.619A	----	----	----	13.912 -	0.488	.6536	----	----	----	10		
7900	----	----	----	----	----	----	----	----	18.836 -	0.533	.7358	----	----	----	10		
8300	----	----	----	----	----	----	----	----	22.328 -	0.541	.7773	----	----	----	5		
8325	----	----	----	----	----	----	----	----	22.550 -	0.542	.7796	----	----	----	2		
8350	----	----	----	----	----	----	----	----	22.773 -	0.542	.7819	----	----	----	2		
8500	----	----	----	----	----	----	----	----	24.117 -	0.545	.7949	----	----	----	9		
TOTAL														0	185		
JUN27																	
4000	----	----	----	----/0.567A	0.486B/0.567A	----	----	----	0.523 -	0.049	.0543	----	----	----	1		
4500	----	----	----	----/1.066A	0.995B/1.066A	----	----	----	1.020 -	0.107	.0999	----	----	----	3		
4700	----	----	----	----/1.365A	1.291B/1.365A	----	----	----	1.323 -	0.134	.1251	----	----	510	3		
5500	----	----	----	----/3.402A	3.415B/3.402A	----	----	----	3.390 -	0.255	.2660	----	----	----	3		
6000	----	----	----	----/5.459A	5.640B/5.459A	----	----	----	5.542 -	0.331	.3752	----	----	----	5		
6400	----	----	----	----/7.625A	7.936B/7.625A	----	----	----	7.782 -	0.357	.4623	----	----	----	1		
6500	----	----	----	----/8.223A	8.544B/8.223A	----	----	----	8.402 -	0.363	.4830	----	----	----	10		
6800	----	----	----	----/10.143A	10.529B/10.143A	----	----	----	10.330 -	0.428	.5424	----	----	----	1		
7000	----	----	----	----/11.516A	11.947B/11.516A	----	----	----	11.760 -	0.435	.5779	----	----	----	16		
7050	----	----	----	----/11.879A	12.310B/11.879A	----	----	----	12.135 -	0.431	.5862	----	----	----	1		
TOTAL														0	551		
JUL27																	
5000	----	----	----	----/2.267A	2.315B/2.267A	----	----	----	2.270 -	0.169	.1825	----	----	----	20		
5500	----	----	----	----/3.785A	3.978B/3.785A	----	----	----	3.820 -	0.261	.2734	----	----	----	50		
6500	----	----	----	----/8.735A	9.199B/8.735A	----	----	----	8.892 -	0.359	.4764	----	----	----	1		
6900	----	----	----	11.955B/11.308A	11.955B/11.308A	----	----	----	11.526 -	0.411	.5489	----	----	----	100		
7000	----	----	----	12.686B/12.039A	12.686B/12.039A	----	----	----	12.228 -	0.425	.5657	----	----	----	25		
TOTAL														0	196		
SEP27																	
5500	----	----	----	----/4.670A	4.357B/4.670A	----	----	----	4.473 -	0.222	.2750	----	----	----	10		
5800	----	----	----	----/5.945A	5.677B/5.945A	----	----	----	5.760 -	0.261	.3289	----	----	----	1		
5900	----	----	----	----/6.420A	6.149B/6.420A	----	----	----	6.238 -	0.273	.3472	----	----	----	1		
TOTAL														0	12		
DEC27																	
7175	----	----	----	----	----	----	----	----	15.910 -	0.283	.5034	----	----	----	25		
TOTAL														0	25		
DEC28																	
7175	----	----	----	----	----	----	----	----	18.214 -	0.230	.4148	----	----	----	40		
TOTAL														0	40		
SO1 CALL	SILVER OPTIONS																
OCT26																	
6000	----	----	----	1.858B/0.917A	1.858B/0.917A	----	----	----	1.375 +	0.289	.8604	----	1	----	2		
6030	----	----	----	1.604B/0.752A	1.604B/0.752A	----	----	----	1.145 +	0.240	.7932	----	----	----	1		
6080	----	----	----	1.219B/0.528A	1.219B/0.528A	----	----	----	0.804	NEW	.6415	----	1	----	1 +		
6090	----	----	----	1.147B/0.490A	1.147B/0.490A	----	----	----	0.744 +	0.142	.6059	----	----	----	1		
6100	----	----	----	1.079B/0.454A	1.079B/0.454A	----	----	----	0.686 +	0.127	.5693	----	----	----	16		
6110	0.682	0.682	----	1.011B/0.423A	1.011B/0.423A	----	----	----	0.631	NEW	.5318	----	1	----	1 +		
6130	----	----	----	0.887B/0.359A	0.887B/0.359A	----	----	----	0.530	NEW	.4558	----	3	----	3 +		
6140	----	----	----	0.823B/0.331A	0.823B/0.331A	----	----	----	0.483 +	0.073	.4179	----	----	----	2		
6150	0.380	0.380	----	0.765B/0.300A	0.765B/0.300A	----	----	----	0.440 +	0.062	.3808	----	20	----	11 +		
6160	----	----	----	0.712B/0.274A	0.712B/0.274A	----	----	----	0.399 +	0.051	.3446	----	----	----	2		
6170	0.397	0.397	----	0.660B/0.243A	0.660B/0.243A	----	----	----	0.361 +	0.040	.3097	----	1	----	5 +		
6180	----	----	----	0.610B/0.219A	0.610B/0.219A	----	----	----	0.326 +	0.031	.2765	----	2	----	4 +		
6190	0.260	0.260	----	0.563B/0.198A	0.563B/0.198A	----	----	----	0.293 +	0.023	.2450	----	10	----	13 +		
6200	0.258	0.258	----	0.520B/0.179A	0.520B/0.179A	----	----	----	0.263 +	0.015	.2157	----	54	----	59 +		
6210	0.400	0.400	----	0.476B/0.160A	0.476B/0.160A	----	----	----	0.236 +	0.009	.1888	----	10	----	5 +		
6220	----	----	----	0.439B/0.141A	0.439B/0.141A	----	----	----	0.211 +	0.003	.1641	----	----	----	3		
6230	0.149	0.149	----	0.401B/0.127A	0.401B/0.127A	----	----	----	0.188 -	0.002	.1415	----	2	----	0 -		
6240	0.196	0.196	----	0.367B/0.114A	0.367B/0.114A	----	----	----	0.168 -	0.006	.1218	----	4	----	21 +		
6250	0.204	0.204	----	0.336B/0.101A	0.336B/0.101A	----	----	----	0.149 -	0.010	.1037	----	8	----	11 +		
6260	----	----	----	0.306B/0.089A	0.306B/0.089A	----	----	----	0.132 -	0.014	.0878	----	----	----	7		
6270	----	----	----	0.276B/0.079A	0.276B/0.079A	----	----	----	0.117 -	0.016	.0741	----	----	----	4		
6																	



	BULLETIN #189@										METALS OPTION PRODUCTS					Thu, Oct 01, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
S01 PUT	SILVER OPTIONS																	
OCT26																		
5860	0.055	0.055		0.1798/0.025A	0.1798/0.025A	----	----		0.044 - 0.132	.0140	----	----	5	----	5 +	1		
5870	----	----		0.1948/0.027A	0.1948/0.027A	----	----		0.049 - 0.143	.0168	----	----	----	----	3	UNCH		
5880	----	----		0.2138/0.029A	0.2138/0.029A	----	----		0.055 - 0.153	.0202	----	----	----	----	4	UNCH		
5890	0.049	0.049		0.2328/0.032A	0.2328/0.032A	----	----		0.062 - 0.164	.0244	----	----	11	----	9 +	5		
5900	0.089	0.089		0.2538/0.037A	0.2538/0.037A	----	----		0.069 - 0.176	.0289	----	----	2	----	25 +	2		
5910	----	----		0.2758/0.040A	0.2758/0.040A	----	----		0.077 - 0.188	.0344	----	----	----	----	2	UNCH		
5920	----	----		0.2998/0.046A	0.2998/0.046A	----	----		0.086 - 0.201	.0408	----	----	----	----	1	UNCH		
5930	----	----		0.3258/0.053A	0.3258/0.053A	----	----		0.096 - 0.214	.0482	----	----	----	----	2	UNCH		
5940	0.137	0.137		0.3538/0.061A	0.3538/0.061A	----	----		0.107 - 0.228	.0568	----	5	----	----	8 +	1		
5950	0.136	0.136		0.3838/0.071A	0.3838/0.071A	----	----		0.119 - 0.243	.0666	----	24	----	----	26 +	16		
5960	----	----		0.4168/0.079A	0.4168/0.079A	----	----		0.132 - 0.258	.0777	----	----	----	----	2	UNCH		
5970	0.112	0.112		0.4538/0.088A	0.4538/0.088A	----	----		0.147 - 0.273	.0907	----	2	----	----	4 -	2		
5980	0.242	0.242		0.4838/0.099A	0.4838/0.099A	----	----		0.163 - 0.288	.1051	----	13	----	----	12 +	11		
5990	----	----		0.5228/0.113A	0.5228/0.113A	----	----		0.181 - 0.304	.1215	----	----	----	----	2	UNCH		
6000	0.195	0.195		0.5678/0.127A	0.5678/0.127A	----	----		0.200 - 0.320	.1395	----	82	----	----	108 +	51		
6010	----	----		0.6108/0.141A	0.6108/0.141A	----	----		0.222 - 0.336	.1602	----	----	----	----	1	UNCH		
6020	----	----		0.6588/0.158A	0.6588/0.158A	----	----		0.245 - 0.353	.1824	----	----	----	----	2	UNCH		
6040	----	----		0.7528/0.192A	0.7528/0.192A	----	----		0.297 - 0.386	.2331	----	----	----	----	1	UNCH		
6050	0.593	0.593		0.8068/0.212A	0.8068/0.212A	----	----		0.326 - 0.403	.2614	----	33	----	----	49 +	24		
6060	----	----		0.8618/0.234A	0.8618/0.234A	----	----		0.358 - 0.420	.2920	----	----	----	----	1	UNCH		
6070	0.694	0.694		0.9198/0.256A	0.9198/0.256A	----	----		0.393 - 0.435	.3246	----	1	----	----	2	UNCH		
6080	0.512	0.512		0.9798/0.283A	0.9798/0.283A	----	----		0.429 - 0.452	.3584	----	3	----	----	5 +	1		
6100	0.391	0.391		1.1118/0.340A	1.1118/0.340A	----	----		0.511 - 0.482	.4306	----	2	----	----	10	UNCH		
6110	0.617	0.617		1.1728/0.375A	1.1728/0.375A	----	----		0.556	NEW .4681	----	1	----	----	1 +	1		
6120	0.666	0.666		1.2398/0.409A	1.2398/0.409A	----	----		0.604 - 0.510	.5061	----	3	----	----	2	UNCH		
6130	0.656	0.656		1.3108/0.446A	1.3108/0.446A	----	----		0.655	NEW .5441	----	12	----	----	10 +	10		
6140	0.635	0.635		1.3838/0.487A	1.3838/0.487A	----	----		0.708	NEW .5820	----	5	----	----	5 +	5		
6150	0.680	0.680		1.4568/0.531A	1.4568/0.531A	----	----		0.765 - 0.547	.6191	----	3	----	----	8 +	1		
6160	0.742	0.742		1.5418/0.578A	1.5418/0.578A	----	----		0.824	NEW .6553	----	2	----	----	2 +	2		
6170	----	----		1.6118/0.627A	1.6118/0.627A	----	----		0.886 - 0.568	.6902	----	----	----	----	5	UNCH		
6180	----	----		1.7008/0.679A	1.7008/0.679A	----	----		0.951 - 0.577	.7234	----	1	----	----	5	UNCH		
6190	----	----		1.7838/0.733A	1.7838/0.733A	----	----		1.018 - 0.586	.7549	----	1	----	----	2 +	1		
6200	----	----		1.8658/0.792A	1.8658/0.792A	----	----		1.088 - 0.594	.7842	----	----	----	----	32	UNCH		
6210	----	----		1.9508/0.852A	1.9508/0.852A	----	----		1.161 - 0.600	.8111	----	----	----	----	1	UNCH		
6220	----	----		2.0358/0.917A	2.0358/0.917A	----	----		1.236 - 0.606	.8358	----	1	----	----	3 -	1		
6230	----	----		2.1228/0.982A	2.1228/0.982A	----	----		1.313 - 0.611	.8584	----	----	----	----	3	UNCH		
6250	----	----		2.2998/1.119A	2.2998/1.119A	----	----		1.474 - 0.619	.8962	----	----	----	----	19	UNCH		
6300	----	----		2.7598/1.512A	2.7598/1.512A	----	----		1.906 - 0.630	.9567	----	1	----	----	17 -	1		
6350	----	----		3.2338/1.945A	3.2338/1.945A	----	----		2.368 - 0.632	.9833	----	----	----	----	5	UNCH		
6370	----	----		3.4268/2.119A	3.4268/2.119A	----	----		2.559	NEW .9889	----	1	----	----	1 +	1		
6400	----	----		3.7168/2.387A	3.7168/2.387A	----	----		2.849 - 0.629	.9938	----	----	----	----	19	UNCH		
6450	----	----		4.2078/2.853A	4.2078/2.853A	----	----		3.338 - 0.626	.9976	----	----	----	----	9	UNCH		
6500	----	----		4.6728/3.332A	4.6728/3.332A	----	----		3.833 - 0.622	.9989	----	----	----	----	3	UNCH		
6600	----	----		5.6008/4.312A	5.6008/4.312A	----	----		4.829 - 0.615	.9997	1	----	----	----	7 -	1		
6650	----	----		6.1058/4.877A	6.1058/4.877A	----	----		5.328 - 0.613	.9998	----	----	----	----	4	UNCH		
6700	----	----		6.6098/5.373A	6.6098/5.373A	----	----		5.827 - 0.612	.9999	----	----	----	----	6	UNCH		
6750	----	----		7.1078/5.871A	7.1078/5.871A	----	----		6.326 - 0.612	.9999	3	----	----	----	3 -	3		
6950	----	----		9.1078/7.867A	9.1078/7.867A	----	----		8.326 - 0.609	.0000	----	----	----	----	3	UNCH		
7050	----	----		10.0888/8.866A	10.0888/8.866A	----	----		9.326 - 0.608	.0000	1	----	----	----	1 -	1		
7100	----	----		10.5888/9.374A	10.5888/9.374A	----	----		9.826 - 0.608	.0000	----	----	----	----	4	UNCH		
TOTAL													225	0	525 +	135		
S02 CALL	SILVER OPTIONS																	
OCT26																		
6200	----	----		1.0948/0.632A	1.0948/0.632A	----	----		0.827 + 0.097	.3938	----	----	----	----	2	UNCH		
6250	----	----		0.8848/0.509A	0.8848/0.509A	----	----		0.650 + 0.059	.3280	----	----	----	----	1	UNCH		
6300	----	----		0.7118/0.409A	0.7118/0.409A	----	----		0.507 + 0.029	.2685	----	1	----	----	3 +	1		
6350	----	----		0.5688/0.330A	0.5688/0.330A	----	----		0.393 + 0.006	.2164	----	----	----	----	6	UNCH		
6400	----	----		0.4538/0.264A	0.4538/0.264A	----	----		0.305 - 0.010	.1728	----	1	----	----	5	UNCH		
6450	0.272	0.272		0.3598/0.209A	0.3598/0.209A	----	----		0.238	NEW .1373	----	1	----	----	1 +	1		
6500	0.175	0.175		0.2868/0.167A	0.2868/0.167A	----	----		0.189 - 0.023	.1097	----	2	----	----	9 +	2		
6550	0.180	0.180		0.2258/0.145A	0.2258/0.145A	----	----		0.152 - 0.024	.0880	----	4	----	----	9 +	4		
6650	----	----		0.1478/0.093A	0.1478/0.093A	----	----		0.103 - 0.022	.0584	----	----	----	----	38	UNCH		
6700	----	----		0.1138/0.078A	0.1138/0.078A	----	----		0.085 - 0.021	.0476	----	----	----	----	1	UNCH		
6750	----	----		0.0958/0.067A	0.0958/0.067A	----	----		0.071 - 0.020	.0391	----	----	----	----	30	UNCH		
6900	----	----		-----/0.046A	0.0578/0.046A	----	----		0.043 - 0.018	.0225	----	----	----	----	8	UNCH		
6950	0.055	0.055		0.055/0.044A	0.055/0.044A	----	----		0.037 - 0.017	.0189	----	6	----	----	5 -	1		
7000	----	----		-----/0.038A	0.0428/0.038A	----	----		0.032 - 0.016	.0160	----	----	----	----	19	UNCH		
7050	----	----		-----/0.035A	0.0368/0.035A	----	----</											

PG64	BULLETIN #189@										METALS OPTION PRODUCTS				Thu, Oct 01, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST							
S03 PUT OCT26	SILVER OPTIONS																		
6500	----	----	5.026B/3.918A	5.026B/3.918A	----	4.276 - 0.604	.8085	----	----	----	----	10	UNCH						
6600	----	----	5.925B/4.763A	5.925B/4.763A	----	5.142 - 0.619	.8591	----	----	----	----	5	UNCH						
6650	----	----	6.395B/5.201A	6.395B/5.201A	----	5.592 - 0.623	.8789	----	----	----	----	6	UNCH						
6700	----	----	6.865B/5.650A	6.865B/5.650A	----	6.051 - 0.626	.8960	----	----	----	----	20	UNCH						
TOTAL										7	0	251 +	3						
S04 CALL OCT26	SILVER OPTIONS																		
6450	0.888	0.888	0.965B/0.748A	0.965B/0.748A	----	0.834 + 0.039	.2714	----	----	5	----	8 +	5						
TOTAL										5	0	8 +	5						
S04 PUT OCT26	SILVER OPTIONS																		
5600	----	----	----/0.370A	0.468B/0.370A	----	0.430 - 0.110	.1431	----	----	----	----	1	UNCH						
5650	----	----	----/0.434A	0.593B/0.434A	----	0.505 - 0.128	.1650	----	----	----	----	1	UNCH						
5750	0.680	0.680	0.680/0.595A	0.807B/0.595A	----	0.696 - 0.171	.2170	----	----	2	----	1 -	2						
5900	----	----	1.380B/0.954A	1.380B/0.954A	----	1.107 - 0.250	.3147	----	----	----	----	2	UNCH						
TOTAL										2	0	5 -	2						
SWW WED SEP26	SILVER WEEKLY WEDNESDAY OPTION WEEK																		
5970	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6000	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6010	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6020	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6030	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6040	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6050	----	----	----	----	----	0.066	UNCH	----	----	----	----	0	UNCH						
6050	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6060	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6060	----	----	----	----	----	0.034	UNCH	----	----	----	----	0	UNCH						
6070	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6070	----	----	----	----	----	0.134	UNCH	----	----	----	----	0	UNCH						
6080	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6080	----	----	----	----	----	0.234	UNCH	----	----	----	----	0	UNCH						
6090	----	----	----	----	----	0.334	UNCH	----	----	----	----	0	UNCH						
6090	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6100	----	----	----	----	----	0.434	UNCH	----	----	----	----	0	UNCH						
6100	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6110	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6110	----	----	----	----	----	0.534	UNCH	----	----	----	----	0	UNCH						
6120	----	----	----	----	----	0.634	UNCH	----	----	----	----	0	UNCH						
6130	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6130	----	----	----	----	----	0.734	UNCH	----	----	----	----	0	UNCH						
6140	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6140	----	----	----	----	----	0.834	UNCH	----	----	----	----	0	UNCH						
6150	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6150	----	----	----	----	----	0.934	UNCH	----	----	----	----	0	UNCH						
6160	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6160	----	----	----	----	----	1.034	UNCH	----	----	----	----	0	UNCH						
6170	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6180	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6190	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6200	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6200	----	----	----	----	----	1.434	UNCH	----	----	----	----	0	UNCH						
6210	----	----	----	----	----	1.534	UNCH	.0000	----	----	----	0	UNCH						
6210	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6220	----	----	----	----	----	1.634	UNCH	----	----	----	----	0	UNCH						
6220	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6230	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6230	----	----	----	----	----	1.734	UNCH	----	----	----	----	0	UNCH						
6240	----	----	----	----	----	1.834	UNCH	----	----	----	----	0	UNCH						
6250	----	----	----	----	----	1.934	UNCH	----	----	----	----	0	UNCH						
6250	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6260	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6270	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6280	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6290	----	----	----	----	----	2.334	UNCH	----	----	----	----	0	UNCH						
6300	----	----	----	----	----	2.434	UNCH	----	----	----	----	0	UNCH						
6300	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6320	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6330	----	----	----	----	----	2.734	UNCH	----	----	----	----	0	UNCH						
6350	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6350	----	----	----	----	----	2.934	UNCH	----	----	----	----	0	UNCH						
6370	----	----	----	----	----	3.134	UNCH	----	----	----	----	0	UNCH						
6400	----	----	----	----	----	3.434	UNCH	----	----	----	----	0	UNCH						
6400	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6440	----	----	----	----	----	3.834	UNCH	----	----	----	----	0	UNCH						
6500	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH						
6500	----	----	----	----	----	4.434	UNCH	----	----	----	----	0	UNCH						
6750	----	----	----	----	----	6.934	UNCH	----	----	----	----	0	UNCH						
TOTAL											0	0	0						
OCT26																			
4750	----	----	----/0.310A	0.007B/0.045A	----	0.017 + 0.001	.0065	----	----	----	----	34	UNCH						
5750	----	----	0.306B/0.132A	0.509B/0.310A	----	0.376 - 0.136	.1594	----	----	----	----	35	UNCH						
5800	----	----	0.634B/0.380A	0.306B/0.132A	----	0.173 - 0.122	.1038	----	----	----	----	4	UNCH						
5800	----	----	0.542B/0.232A	0.634B/0.380A	----	0.461 - 0.166	.1911	----	----	----	----	1	UNCH						
5900	----	----	0.911B/0.413A	0.542B/0.232A	----	0.307 - 0.203	.1822	----	----	----	----	1	UNCH						
6000	----	----	1.369B/0.837A	0.911B/0.413A	----	0.541 - 0.312	.3034	----	----	----	----	2	UNCH						
6000	----	----	1.776B/0.934A	1.369B/0.837A	----	1.001 - 0.323	.3628	----	----	----	----	5	UNCH						
6150	----	----	0.898B/0.476A	1.776B/0.934A	----	1.171 - 0.484	.5481	----	----	----	----	2	UNCH						
6200	----	----	0.898B/0.476A	0.898B/0.476A	----	0.643 + 0.078	.3684	----	----	----	----	3	UNCH						
6250	----	----	0.694B/0.365A	0.694B/0.365A	----	0.480 + 0.041	.2917	----	----	----	----	7	UNCH						
6300	----	----	3.238B/2.309A	3.238B/2.309A	----	2.604 - 0.546	.6794	----	----	----	----	2	UNCH						
6300	0.750	0.750	0.991B/0.650A	0.991B/0.650A	----	0.782	NEW .3205	----	----	2	----	2 +	2						
6300	----	----	0.531B/0.282A	0.531B/0.282A	----	0.354 + 0.013	.2252	----	----	----	----	62	UNCH						
6350	----	----	0.402B/0.213A	0.402B/0.213A	----	0.259 - 0.006	.1701	----	----	----	----	4	UNCH						
6350	----	----	3.385B/2.217A	3.385B/2.217A	----	2.583 - 0.614	.8298	----	----	----	----	2	UNCH						
6450	----	----	4.305B/3.046A	4.305B/3.046A	----	3.463 - 0.632	.9058	----	----	----	----	8	UNCH						
6500	----	----	0.172B/0.096A	0.172B/0.096A	----	0.104 - 0.026	.0697	----	----	----	----	3	UNCH						
6650	----	----	0.075B/0.051A	0.075B/0.051A	----	0.048 - 0.023	.0302	----	----	----	----	3	UNCH						
6650	----	----	0.273B/0.201A	0.273B/0.201A	----	0.208 - 0.015	.1006	----	----	----	----	3	UNCH						
6700	----	----	----/0.043A	0.059B/0.043A	----	0.040 - 0.020	.0243	----	----	----	----	60	UNCH						
6900	----	----	----/0.029A	0.026B/0.029A	----	0.022 - 0.012	.0115	----	----	----	----	4	UNCH						
6950	----	----	----/0.027A	0.018B/0.027A	----	0.019 - 0.012	.0096	----	----	----	----	5	UNCH						

BULLETIN #189@				METALS OPTION PRODUCTS							Thu, Oct 01, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
TWS TUE	SILVER WEEKLY TUESDAY OPTION Week2														
OCT26															
6500	0.357	0.357	0.405B/0.262A	0.405B/0.262A	----	0.300	NEW .1506	----	----	3	----	3 +	3		
6500	----	----	0.118B/0.063A	0.118B/0.063A	----	0.066	- 0.025 .0473	----	----	----	----	3	UNCH		
6700	----	----	6.615B/5.351A	6.615B/5.351A	----	5.848	- 0.623 .9848	----	----	----	----	1	UNCH		
6900	----	----	-----/0.021A	0.011B/0.021A	----	0.013	- 0.010 .0065	----	----	----	----	1	UNCH		
7000	----	----	-----/0.018A	0.006B/0.018A	----	0.010	- 0.009 .0046	----	----	----	----	4	UNCH		
7050	----	----	----	0.004B/0.017A	----	0.009	- 0.008 .0039	----	----	----	----	4	UNCH		
7700	----	----	----	0.015B/0.029A	----	0.016	- 0.006 .0064	----	----	----	----	1	UNCH		
8750	----	----	----	-----/0.026A	----	0.005	- 0.002 .0018	----	----	----	----	34	UNCH		
TOTAL										89	0	271 +	83		
NOV26															
5900	----	----	3.791B/-----	3.791B/3.468A	----	3.696	NEW .6582	----	----	2	----	2 +	2		
6800	----	----	0.664B/0.596A	0.664B/0.596A	----	0.592	NEW .1716	----	----	2	----	2 +	2		
TOTAL										4	0	4 +	4		

COPPER OPTIONS ON FUTURES													
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
HMW MON	COPPER WEEKLY MONDAY OPTION WEEK3												
OCT26													
500	----	----	----	-----/0.0105A	----	0.0005	UNCH .0000	----	----	----	----	19	UNCH
525	----	----	----	-----/0.0090A	----	0.0005	UNCH	----	----	----	----	30	UNCH
615	----	----	----	-----/0.0095A	----	0.0005	- 0.0010 .0033	----	----	----	----	30	UNCH
625	----	----	----	-----/0.0065A	----	0.0015	- 0.0010 .0148	----	----	3	----	2 +	1
625	----	----	----	0.0345B/0.0445A	----	0.0435	+ 0.0040 .1998	----	----	----	----	10	UNCH
630	----	----	----	-----/0.0050A	----	0.0020	- 0.0010 .0227	----	----	----	----	135	UNCH
635	----	----	----	0.0005B/0.0060A	----	0.0030	- 0.0015 .0390	----	----	----	----	59	UNCH
635	----	----	0.0490B/0.0385A	0.0490B/0.0385A	----	0.0515	+ 0.0090 .2584	----	----	----	----	4	UNCH
639	0.0135	0.0135	0.0135/0.0075A	0.0135/0.0075A	----	0.0060	NEW .0800	----	----	4	----	4 +	4
640	----	----	----	0.0060B/0.0080A	----	0.0070	- 0.0005 .0937	----	----	----	----	20	UNCH
645	0.0100	0.0100	0.0195B/0.0100	0.0195B/0.0100	----	0.0165	+ 0.0020 .2056	----	----	10	----	57 +	10
650	0.0415	0.0415	0.0420B/0.0210A	0.0420B/0.0210A	----	0.0365	+ 0.0090 .3718	----	----	1	----	52 +	1
650	----	----	0.0875B/0.0545A	0.0875B/0.0545A	----	0.0825	+ 0.0180 .4299	----	----	----	----	1	UNCH
655	----	----	0.0705B/0.0370A	0.0705B/0.0370A	----	0.0640	+ 0.0175 .5329	----	----	----	----	1	UNCH
660	0.0700	0.0700	0.0970B/0.0585A	0.0970B/0.0585A	----	0.0970	+ 0.0260 .6708	----	----	2	----	3 +	2
660	0.0480	0.0480	0.0480/0.0390A	0.0765B/0.0390A	----	0.0350	NEW .3290	----	----	1	----	1 +	1
660	0.1100	0.1100	0.1475B/0.1005A	0.1475B/0.1005A	----	0.1425	NEW .5860	----	----	2	----	2 +	2
665	0.0220	0.0220	0.0220/0.0205	0.0625B/0.0205	----	0.0230	NEW .2207	----	----	25	----	25 +	25
670	0.0125	0.0125	0.0125/0.0125	0.0460B/0.0125	----	0.0145	- 0.0410 .1402	----	----	25	----	29 +	25
675	----	----	0.2330B/0.1650A	0.2330B/0.1650A	----	0.2215	+ 0.0500 .9108	----	----	----	----	10	UNCH
680	0.0185	0.0185	0.0185/0.0125A	0.0235B/0.0125A	----	0.0060	- 0.0270 .0543	----	----	10	----	65 +	10
685	0.0155	0.0155	0.0155/0.0115A	0.0160B/0.0115A	----	0.0040	- 0.0215 .0341	----	----	15	----	30 +	15
690	----	----	-----/0.0100A	0.0105B/0.0100A	----	0.0030	- 0.0170 .0236	----	----	----	----	61	UNCH
695	----	----	-----/0.0095A	0.0070B/0.0095A	----	0.0020	- 0.0135 .0148	----	----	----	----	14	UNCH
700	----	----	-----/0.0100A	0.0040B/0.0100A	----	0.0015	- 0.0105 .0103	----	----	----	----	42	UNCH
710	----	----	-----/0.0375A	0.0280B/0.0375A	----	0.0265	- 0.0250 .1176	----	----	----	----	10	UNCH
725	----	----	-----/0.0115A	0.0075B/0.0115A	----	0.0060	- 0.0085 .0335	----	----	----	----	2	UNCH
775	----	----	----	-----/0.0090A	----	0.0005	UNCH	----	----	----	----	1	UNCH
800	----	----	----	-----/0.0090A	----	0.0005	UNCH	----	----	----	----	29	UNCH
850	----	----	----	-----/0.0100A	----	0.0005	- 0.0005 .0022	----	----	----	----	19	UNCH
TOTAL										98		767 +	96
HWR THU	COPPER WEEKLY THURSDAY OPT Week4												
OCT26													
500	----	----	----	-----/0.0110A	----	0.0015	UNCH .0053	----	----	----	----	9	UNCH
500	----	----	----	-----/0.0090A	----	0.0005	UNCH	----	----	----	----	19	UNCH
525	----	----	----	-----/0.0100A	----	0.0005	UNCH .0002	----	----	----	----	30	UNCH
600	----	----	----	0.0065B/0.0140A	----	0.0120	+ 0.0020 .0645	----	----	----	----	1	UNCH
600	----	----	----	-----/0.0010A	----	0.0000	- 0.0005	----	----	----	----	0 -	1
625	----	----	----	-----/0.0010A	----	0.0000	- 0.0005	----	----	----	----	0 -	1
635	----	----	0.0615B/0.0505A	0.0615B/0.0505A	----	0.0645	+ 0.0125 .2808	----	----	----	----	1	UNCH
640	0.0400	0.0400	0.0560B/0.0400	0.0560B/0.0400	----	0.0575	+ 0.0090 .3001	----	----	5	----	10 +	5
645	0.0550	0.0550	0.0780B/0.0550	0.0780B/0.0550	----	0.0775	NEW .3689	----	----	5	----	5 +	5
645	----	----	-----/0.0010A	-----/0.0010A	----	0.0000	- 0.0015	----	----	----	----	0 -	30
648	0.0105	0.0105	0.0105/0.0010A	0.0105/0.0010A	----	0.0000	NEW	----	----	1	----	0	UNCH
649	----	----	-----/0.0010A	0.0020B/0.0010A	----	0.0000	- 0.0035	----	----	----	----	0 -	2
650	0.0340	0.0340	0.0710B/0.0340	0.0710B/0.0340	----	0.0650	NEW .4163	----	----	5	----	5 +	5
650	----	----	0.1055B/0.0715A	0.1055B/0.0715A	----	0.1020	+ 0.0175 .4390	----	----	----	----	5	UNCH
650	----	----	0.0180B/0.0010A	0.0180B/0.0010A	----	0.0000	- 0.0040	----	----	1	----	0 -	36
652	0.0100	0.0100	0.0140B/0.0015A	0.0140B/0.0015A	----	0.0000	NEW	----	----	12	----	0	UNCH
653	0.0050	0.0050	0.0200B/0.0025A	0.0200B/0.0025A	----	0.0000	NEW	----	----	1	----	0	UNCH
654	0.0180	0.0180	0.0280B/0.0040A	0.0280B/0.0040A	----	0.0020	NEW	----	----	2	----	0	UNCH
655	0.0870	0.0870	0.0990B/0.0615A	0.0990B/0.0615A	----	0.0925	NEW .5173	----	----	1	----	1 +	1
655	0.0100	0.0100	0.0350B/0.0050	0.0350B/0.0050	----	0.0120	- 0.0020	----	----	6	----	0 -	17
655	0.0175	0.0175	0.0175/0.0025A	0.0795B/0.0025A	----	0.0000	NEW	----	----	35	----	0	UNCH
656	0.0110	0.0110	0.0430B/0.0100	0.0430B/0.0100	----	0.0220	NEW	----	----	21	----	0	UNCH
657	0.0180	0.0180	0.0180/0.0015A	0.0615B/0.0015A	----	0.0000	NEW	----	----	4	----	0	UNCH
660	----	----	0.1330B/0.0855A	0.1330B/0.0855A	----	0.1245	+ 0.0250 .6091	----	----	----	----	1	UNCH
660	----	----	0.1650B/0.1185A	0.1650B/0.1185A	----	0.1605	+ 0.0275 .5704	----	----	----	----	1	UNCH
660	----	----	-----/0.1010A	0.1355B/0.1010A	----	0.0985	- 0.0560 .4292	----	----	----	----	1	UNCH
660	----	----	0.0770B/0.0245A	0.0770B/0.0245A	----	0.0620	+ 0.0290	----	----	1	----	0 -	2
660	0.0085	0.0085	0.0100/0.0010A	0.0415B/0.0010A	----	0.0000	NEW	----	----	55	----	0	UNCH
661	0.0325	0.0325	0.0325/0.0010A	0.0370B/0.0010A	----	0.0000	NEW	----	----	3	----	0	UNCH
662	----	----	0.0960B/0.0335A	0.0960B/0.0335A	----	0.0820	+ 0.0385	----	----	----	----	0 -	5
663	----	----	0.1060B/0.0385A	0.1060B/									



BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026			PG64
	GLOBAL OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST									
COPPER WEEKLY TUESDAY OPTION week1																							
OCT26																							
675	0.0125	0.0125		0.0125/0.0115	0.0430B/0.0115	----		0.0165 - 0.0405	.1341	----	----	10	----	20	+	10							
680	0.0225	0.0225		0.0225/0.0155A	0.0320B/0.0155A	----		0.0120 NEW .0955	.0955	----	----	15	----	15	+	15							
685	----	----		----/0.0140A	0.0240B/0.0140A	----		0.0095 - 0.0265	.0719	----	----	----	----	1		UNCH							
700	----	----		----/0.0125A	0.0090B/0.0125A	----		0.0065 - 0.0105	.0404	----	----	----	----	15		UNCH							
720	----	----		----	0.0020B/0.0090A	----		0.0060 - 0.0015	.0288	----	----	----	----	1		UNCH							
TOTAL												55		159	+	47							
NOV26	0.1600	0.1600		0.1710/0.1600	0.1815B/0.1600	----		0.1510 NEW .4576	.4576	----	----	7	----	7	+	7							
TOTAL												7		7	+	7							
COPPER WEEKLY WEDNESDAY OPTION WEEK																							
SEP26																							
655	----	----		----	----	----		0.0000 UNCH	----	----	----	----	----	0		UNCH							
659	----	----		----	----	----		0.0000 UNCH	----	----	----	----	----	0		UNCH							
660	----	----		----	----	----		0.0000 UNCH	----	----	----	----	----	0		UNCH							
661	----	----		----	----	----		0.0115 UNCH	----	----	----	----	----	0		UNCH							
662	----	----		----	----	----		0.0000 UNCH	----	----	----	----	----	0		UNCH							
664	----	----		----	----	----		0.0000 UNCH	----	----	----	----	----	0		UNCH							
665	----	----		----	----	----		0.0285 UNCH	----	----	----	----	----	0		UNCH							
665	----	----		----	----	----		0.0000 UNCH	----	----	----	----	----	0		UNCH							
668	----	----		----	----	----		0.0000 UNCH	----	----	----	----	----	0		UNCH							
669	----	----		----	----	----		0.0000 UNCH	----	----	----	----	----	0		UNCH							
670	----	----		----	----	----		0.0785 UNCH	----	----	----	----	----	0		UNCH							
703	----	----		----	----	----		0.0000 UNCH	----	----	----	----	----	0		UNCH							
TOTAL														0									
OCT26																							
500	----	----		----	----/0.0090A	----		0.0005 UNCH	----	----	----	----	----	11		UNCH							
500	----	----		----	----/0.0110A	----		0.0005 UNCH	.0000	----	----	----	----	30		UNCH							
525	----	----		----	----/0.0090A	----		0.0005 UNCH	----	----	----	----	----	19		UNCH							
565	----	----		----	----/0.0095A	----		0.0005 UNCH	.0007	----	----	----	----	1		UNCH							
575	----	----		----	----/0.0095A	----		0.0005 - 0.0005	.0026	----	----	----	----	1		UNCH							
600	----	----		----	----/0.0100A	----		0.0025 - 0.0005	.0158	----	----	----	----	9		UNCH							
610	----	----		----	0.0040B/0.0095A	----		0.0095 + 0.0020	.0614	----	----	----	----	1		UNCH							
625	0.0025	0.0025		0.0025/0.0025	0.0025/0.0025	----		0.0075 + 0.0005	.0631	----	----	2	----	10		UNCH							
625	0.0400	0.0400		0.0400/0.0275A	0.0400/0.0275A	----		0.0360 NEW .1817	----	----	----	5	----	5	+	5							
630	----	----		0.0430B/0.0355A	0.0430B/0.0355A	----		0.0470 + 0.0065	.2254	----	----	----	----	15		UNCH							
635	----	----		----/0.0100A	0.0070B/0.0100A	----		0.0125 + 0.0015	.1196	----	----	----	----	30		UNCH							
635	0.0400	0.0400		0.0400/0.0265A	0.0400/0.0265A	----		0.0345 + 0.0060	.2172	----	----	5	----	20	+	5							
640	0.0115	0.0115		0.0180B/0.0115	0.0180B/0.0115	----		0.0195 + 0.0035	.1845	----	----	20	----	107	+	20							
645	0.0205	0.0205		0.0375B/0.0205	0.0375B/0.0205	----		0.0335 + 0.0075	.2863	----	----	10	----	110	+	10							
650	0.0420	0.0420		0.0630B/0.0345A	0.0630B/0.0345A	----		0.0550 + 0.0130	.4054	----	----	11	----	25	+	9							
650	0.1005	0.1005		0.1255B/0.0915A	0.1255B/0.0915A	----		0.1230 NEW .4454	----	----	----	1	----	1	+	1							
660	0.0800	0.0800		0.1230B/0.0770A	0.1230B/0.0770A	----		0.1165 + 0.0250	.6224	----	----	2	----	25	+	2							
665	----	----		----/0.0430A	0.0800B/0.0430A	----		0.0410 - 0.0530	.2915	----	----	----	----	6		UNCH							
665	----	----		0.1345B/0.1140A	0.1345B/0.1140A	----		0.1530 + 0.0305	.7083	----	----	----	----	20		UNCH							
670	----	----		----/0.0670A	0.0915B/0.0670A	----		0.0645 - 0.0455	.3108	----	----	----	----	31		UNCH							
670	0.0175	0.0175		0.2000B/0.1465A	0.2000B/0.1465A	----		0.1925 + 0.0370	.7788	----	----	----	----	11		UNCH							
675	0.0175	0.0175		0.0175/0.0155	0.0505B/0.0155	----		0.0225 - 0.0400	.1649	----	----	40	----	90	+	9							
675	0.0310	0.0310		0.2425B/0.1840A	0.2425B/0.1840A	----		0.2345 + 0.0435	.8349	----	----	----	----	35		UNCH							
680	0.0310	0.0310		0.0310/0.0205A	0.0390B/0.0205A	----		0.0165 - 0.0340	.1214	----	----	10	----	20	+	10							
680	0.0320	0.0320		0.2875B/0.2280A	0.2875B/0.2280A	----		0.2785 + 0.0495	.8784	----	----	----	----	22		UNCH							
685	0.0320	0.0320		0.0320/0.0320	0.0525B/0.0320	----		0.0365 NEW .1861	----	----	----	5	----	5	+	5							
690	0.0410	0.0410		----/0.0140A	0.0230B/0.0140A	----		0.0085 - 0.0240	.0623	----	----	----	----	23		UNCH							
690	0.0410	0.0410		0.0410/0.0410	0.0595B/0.0410	----		0.0455 NEW .1975	----	----	----	5	----	5	+	5							
695	----	----		----/0.0125A	0.0170B/0.0125A	----		0.0065 - 0.0195	.0464	----	----	----	----	16		UNCH							
700	----	----		----/0.0115A	0.0130B/0.0115A	----		0.0045 - 0.0165	.0319	----	----	----	----	23		UNCH							
705	----	----		----/0.0105A	0.0090B/0.0105A	----		0.0035 - 0.0135	.0240	----	----	----	----	31		UNCH							
710	----	----		----/0.0190A	0.0195B/0.0190A	----		0.0140 - 0.0170	.0745	----	----	----	----	5		UNCH							
715	----	----		----/0.0265A	0.0265B/0.0265A	----		0.0215 - 0.0185	.0972	----	----	----	----	5		UNCH							
730	----	----		----	0.0010B/0.0095A	----		0.0010 - 0.0065	.0058	----	----	----	----	3		UNCH							
740	----	----		----	----/0.0105A	----		0.0005 - 0.0045	.0027	----	----	----	----	1		UNCH							
750	----	----		----	----/0.0100A	----		0.0005 - 0.0025	.0010	----	----	----	----	2		UNCH							
800	----	----		----	----/0.0095A	----		0.0005 UNCH	----	----	----	----	----	1		UNCH							
800	----	----		----	----/0.0075A	----		0.0025 - 0.0025	.0109	----	----	----	----	9		UNCH							
850	----	----		----	----/0.0090A	----		0.0005 UNCH	----	----	----	----	----	30		UNCH							
TOTAL												116		814	+	81							
NOV26	0.0410	0.0410		0.0410/0.0400	0.0410/0.0400	----		0.0405 + 0.0090	.1552	----	----	10	----	12	+	10							
610	0.0410	0.0410		0.0395B/----	0.0395B/0.0505A	----		0.0495 + 0.0110	.1833	----	----	----	----	40		UNCH							
615	----	----		0.0510B/----	0.0510B/0.0590A	----		0.0600 + 0.0130	.2143	----	----	----	----	30		UNCH							
620	----	----		0.0645B/----	0.0645B/0.0690A	----		0.0720 + 0.0145	.2480	----	----	----	----	1		UNCH							
625	----	----		----/0.1760A	0.1925B/0.1760A	----		0.1615 - 0.0525	.4615	----	----	----	----	1		UNCH							
660	----	----		----/0.1415A	0.1495B/0.1415A	----		0.1260 - 0.0465	.3829	----	----	----	----	1		UNCH							
670	----	----		----/0.1265A	0.1310B/0.1265A	----		0.1115 - 0.0425	.3472	----	----	----	----	1		UNCH							
675	----	----		0.3280B/----	0.3280B/0.2840A	----		0.3225 + 0.0400	.6519	----	----	----	----	1		UNCH							
685	----	----		----/0.1005A	0.1005B/0.1005A	----		0.0865 - 0.0365	.2824	----	----	----	----	2		UNCH							
700	----	----		----/0.0735A	0.0665B/0.0735A	----		0.0595 - 0.0280	.2047	----	----	----	----	1		UNCH							
720	----	----		----/0.0495A	0.0360B/0.0495A	----		0.0370 - 0.0185	.1328	----	----	----	----	1		UNCH							
755	----	----		----	0.0120B/0.0280A	----		0.0175 - 0.0090	.0645	----	----	----	----	1		UNCH							
850	----	----		----	----/0.0110A	----		0.0020 - 0.0015	.0079	----	----	----	----	1		UNCH							
TOTAL												10		93	+	10							
DEC26																							
575	----	----		----	0.0130B/0.0350A	----		0.0240 + 0.0045	.0730	----	----	----	----	4		UNCH							
600	----	----		----	0.0375B/0.0560A	----		0.0505 + 0.0090	.1405	----	----	----	----	4		UNCH							
625	----	----		0.0910B/----	0.0910B/0.0995A	----		0.1005 + 0.0160	.2475	----	----	----	----	1		UNCH							
645	----	----		0.1620B/----	0.1620B/0.1590A	----		0.1690 + 0.0230	.3616	----	----	----	----	25		UNCH							
650	----	----		0.1845B/----	0.1845B/0.1780A	----		0.1905 + 0.0250	.3922	----	----	----	----	11		UNCH							
690	----	----		----/0.1825A	0.1840B/0.1825A	----		0.1665 - 0.0390	.3723	----	----	----	----	1		UNCH							
695	----	----		----/0.1685A	0.1675B/0.1685A	----		0.1520 - 0.0375	.3470	----	----	----	----	1		UNCH							
700	----	----		0.4965B/----	0.4965B/0.4540A	----		0.4955 + 0.0480	.6754	----	----	----	----	1		UNCH							
720	----	----		----/0.1140A	0.1045B/0.1140A	----		0.0975 - 0.0275	.2407	----	----	----	----	2		UNCH							
745	----	----		----/0.0785A	0.0630B/0.0785A	----		0.0630 - 0.0195	.1645	----	----	----	----	2		UNCH							
TOTAL														52									
JAN27	825	----		----	0.0325B/0.0565A	----		0.0365 NEW .0835	.0835	----	----	1	----	1	+	1							
TOTAL												1		1	+	1							
COMEX COPPER OPTIONS																							
NOV26																							
535	----	----		----	----	----		1.1905 - 0.0830	.9830	----	----	----	----	1		UNCH							
545	----	----		----	----	----		1.0915 - 0.0825	.9801	----	----	----	----	1		UNCH							
580	----	----		----/0.7465A	0.7835B/0.7465A	----		0.7465 - 0.0810	.9544	----	----	----	----	2		UNCH							
585	----	----		----/0.6980A	0.7495B/0.6980A	----		0.6980 - 0.0805	.9470	----	----	----	----	1		UNCH							
595	----	----		----/0.6015A	0.6530B/0.6015A	----		0.6020 - 0.0795	.9274	----	----	----	----	2		UNCH							
600	----	----		----/0.5550A	0.6055B/																		

BULLETIN #189@				METALS OPTION PRODUCTS										Thu, Oct 01, 2026				PG64							
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH	OUTCRY LOW	OPEN CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN VOLUME	OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME				OPEN INTEREST					
HX CALL	COMEX COPPER OPTIONS																								
NOV26																									
726	----		----	/0. 0215A	0. 0300B	/0. 0215A	----			0. 0210	- 0. 0140	.0881	----	----	----	----				12	UNCH				
730	----		----	/0. 0195A	0. 0275B	/0. 0195A	----			0. 0190	- 0. 0130	.0799	----	----	10	----				274	-	6			
735	----		----	/0. 0175A	0. 0245B	/0. 0175A	----			0. 0170	- 0. 0115	.0714	----	----	----	----				75	UNCH				
740	----		----	/0. 0155A	0. 0215B	/0. 0155A	----			0. 0150	- 0. 0105	.0631	----	----	4	----				148	+	1			
745	----		----	/0. 0140A	0. 0190B	/0. 0140A	----			0. 0135	- 0. 0090	.0566	----	----	----	----				31	UNCH				
750	0. 0120	0. 0120		0. 0120/0. 0120	0. 0175B	/0. 0120	----			0. 0125	- 0. 0080	.0518	----	----	7	----				283	-	7			
755	0. 0120	0. 0120		0. 0120/0. 0115A	0. 0155B	/0. 0115A	----			0. 0110	- 0. 0070	.0458	----	----	1	----				46	-	1			
760	----		----	/0. 0105A	0. 0140B	/0. 0105A	----			0. 0100	- 0. 0065	.0414	----	----	1	----				8	+	1			
765	----		----	/0. 0095A	0. 0125B	/0. 0095A	----			0. 0090	- 0. 0055	.0372	----	----	----	----				4			UNCH		
770	----		----	/0. 0085A	0. 0110B	/0. 0085A	----			0. 0085	- 0. 0045	.0346	----	----	----	----				4			UNCH		
775	0. 0080	0. 0080		0. 0080/0. 0080	0. 0100B	/0. 0080	----			0. 0075	- 0. 0045	.0306	----	----	3	----				463	UNCH				
800	----		----	/0. 0050A	0. 0055B	/0. 0050A	----			0. 0045	- 0. 0030	.0182	----	----	----	----				251	UNCH				
825	----		----	/0. 0030A	0. 0030B	/0. 0030A	----			0. 0025	- 0. 0025	.0101	----	----	----	----				92	UNCH				
850	----		----	/0. 0030A	0. 0015B	/0. 0030A	----			0. 0020	- 0. 0020	.0077	----	----	----	----				93	UNCH				
875	----		----		0. 0005B	/0. 0025A	----			0. 0015	- 0. 0010	.0055	----	----	----	----				9	UNCH				
900	0. 0005	0. 0005		0. 0005/0. 0005	0. 0005	/0. 0005	----			0. 0010	- 0. 0010	.0036	----	----	5	----				21	+	1			
925	----		----		----	/0. 0020A	----			0. 0005	- 0. 0005	.0018	----	----	----	----				43	UNCH				
950	----		----		----	/0. 0015A	----			0. 0005	UNCH	.0008	----	----	----	----				3	UNCH				
975	----		----		----	/0. 0015A	----			0. 0005	UNCH	.0004	----	----	250	461				31	UNCH				
TOTAL																				7095	+				177
DEC26																									
525	----		----	/1. 3070A	1. 3260B	/1. 3070A	----			1. 2925	- 0. 0825	.9733	----	----	----	----				123	UNCH				
535	----		----				----			1. 1945	- 0. 0815	.9678	----	----	----	----				1	UNCH				
550	----		----	/1. 0490A	1. 0985B	/1. 0490A	----			1. 0480	- 0. 0810	.9556	----	----	----	----				2	UNCH				
555	----		----	/1. 0010A	1. 0500B	/1. 0010A	----			0. 9995	- 0. 0805	.9504	----	----	----	----				1	UNCH				
565	----		----	/0. 9045A	0. 9530B	/0. 9045A	----			0. 9035	- 0. 0800	.9370	----	----	----	----				45	UNCH				
575	----		----	/0. 8095A	0. 8595B	/0. 8095A	----			0. 8095	- 0. 0790	.9191	----	----	----	----				123	UNCH				
585	----		----	/0. 7190A	0. 7660B	/0. 7190A	----			0. 7180	- 0. 0775	.8938	----	----	----	----				1	UNCH				
590	----		----	/0. 6730A	0. 7220B	/0. 6730A	----			0. 6735	- 0. 0765	.8792	----	----	----	----				201	UNCH				
595	----		----	/0. 6300A	0. 6775B	/0. 6300A	----			0. 6295	- 0. 0760	.8623	----	----	----	----				163	UNCH				
600	----		----	/0. 5880A	0. 6345B	/0. 5880A	----			0. 5870	- 0. 0745	.8425	----	----	----	----				603	UNCH				
605	----		----	/0. 5470A	0. 5910B	/0. 5470A	----			0. 5455	- 0. 0735	.8209	----	----	----	----				1	UNCH				
610	----		----	/0. 5065A	0. 5505B	/0. 5065A	----			0. 5060	- 0. 0715	.7968	----	----	----	----				200	UNCH				
615	----		----	/0. 4685A	0. 5105B	/0. 4685A	----			0. 4675	- 0. 0700	.7705	----	----	----	----				1	UNCH				
620	----		----	/0. 4305A	0. 4740B	/0. 4305A	----			0. 4310	- 0. 0685	.7422	----	----	----	----				421	UNCH				
625	----		----	/0. 3975A	0. 4370B	/0. 3975A	----			0. 3965	- 0. 0665	.7119	----	----	----	----				57	UNCH				
630	----		----	/0. 3645A	0. 4195B	/0. 3645A	----			0. 3635	- 0. 0645	.6799	----	----	----	----				310	UNCH				
635	----		----	/0. 3345A	0. 3855B	/0. 3345A	----			0. 3330	- 0. 0620	.6467	----	----	----	----				5	UNCH				
640	----		----	/0. 3040A	0. 3525B	/0. 3040A	----			0. 3040	- 0. 0600	.6127	----	----	----	----				29	UNCH				
645	----		----	/0. 2720A	0. 3235B	/0. 2720A	----			0. 2775	- 0. 0575	.5782	----	----	----	----				1	UNCH				
650	0. 2650	0. 2650		0. 2650/0. 2480A	0. 2955B	/0. 2480A	----			0. 2525	- 0. 0555	.5437	----	----	1	----				554	+	1			
655	0. 2450	0. 2450		0. 2830B	/0. 2260A		----			0. 2295	- 0. 0530	.5095	----	----	2	----				128	+	2			
660	0. 2235	0. 2235		0. 2235/0. 2070A	0. 2580B	/0. 2070A	----			0. 2085	- 0. 0505	.4761	----	----	6	----				418	UNCH				
665	0. 2275	0. 2275		0. 2350B	/0. 1875A		----			0. 1890	- 0. 0485	.4435	----	----	9	----				48	+	4			
670	0. 1830	0. 1830		0. 1830/0. 1700A	0. 2140B	/0. 1700A	----			0. 1715	- 0. 0455	.4123	----	----	7	----				375	+	7			
675	0. 1840	0. 1840		0. 1950B	/0. 1515		----			0. 1550	- 0. 0435	.3821	----	----	41	----				375	+	16			
680	0. 1650	0. 1650		0. 1770B	/0. 1410		----			0. 1405	- 0. 0410	.3536	----	----	6	----				754	-	1			
685	0. 1370	0. 1370		0. 1370/0. 1280A	0. 1610B	/0. 1280A	----			0. 1275	- 0. 0380	.3269	----	----	2	----				392	UNCH				
690	0. 1230	0. 1230		0. 1230/0. 1160A	0. 1455B	/0. 1160A	----			0. 1150	- 0. 0360	.3011	----	----	1	----				274	+	1			
695	----		----	/0. 1055A	0. 1325B	/0. 1055A	----			0. 1045	- 0. 0335	.2778	----	----	----	----				179	UNCH				
700	0. 1150	0. 1150		0. 1200B	/0. 0955A		----			0. 0945	- 0. 0315	.2555	----	----	26	----				3208	-	8			
705	----		----	/0. 087																					

BULLETIN #189@				METALS OPTION PRODUCTS										Thu, Oct 01, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
HX CALL	COMEX COPPER OPTIONS																	
MAR27																		
625	----	----	----/0.6295A	0.6665B/0.6295A	----	0.6205	- 0.0615	.6806	----	----	----	----	16	UNCH				
640	----	----	----/0.5455A	0.5740B/0.5455A	----	0.5345	- 0.0570	.6240	----	----	----	----	1	UNCH				
645	----	----	----/0.5200A	0.5455B/0.5200A	----	0.5080	- 0.0555	.6047	----	----	----	----	1	UNCH				
650	----	----	----/0.4955A	0.5185B/0.4955A	----	0.4830	- 0.0540	.5855	----	----	----	----	7	UNCH				
660	----	----	----/0.4490A	0.4665B/0.4490A	----	0.4355	- 0.0510	.5470	----	----	1	----	16	+	1			
670	----	----	----/0.4070A	0.4190B/0.4070A	----	0.3920	- 0.0485	.5092	----	----	----	----	1	UNCH				
675	----	----	----/0.3875A	0.3980B/0.3875A	----	0.3720	- 0.0470	.4907	----	----	1	----	41	UNCH				
680	----	----	----/0.3680A	0.3760B/0.3680A	----	0.3525	- 0.0460	.4724	----	----	----	----	30	UNCH				
690	----	----	----/0.3330A	0.3370B/0.3330A	----	0.3165	- 0.0435	.4370	----	----	----	----	2	UNCH				
700	----	----	----/0.3005A	0.3020B/0.3005A	----	0.2840	- 0.0405	.4032	----	----	----	----	741	UNCH				
725	----	----	----/0.2325A	0.2280B/0.2325A	----	0.2155	- 0.0350	.3261	----	----	----	----	38	UNCH				
740	----	----	----/0.2000A	0.1920B/0.2000A	----	0.1825	- 0.0320	.2855	----	----	----	----	16	UNCH				
750	----	----	----/0.1810A	0.1705B/0.1810A	----	0.1635	- 0.0295	.2610	----	----	----	----	219	UNCH				
755	----	----	----/0.1720A	0.1610B/0.1720A	----	0.1550	- 0.0285	.2496	----	----	----	----	1	UNCH				
770	----	----	----/0.1495A	0.1355B/0.1495A	----	0.1325	- 0.0245	.2184	----	----	----	----	575	UNCH				
775	----	----	----/0.1425A	0.1280B/0.1425A	----	0.1255	- 0.0240	.2086	----	----	----	----	619	UNCH				
800	----	----	----/0.1135A	0.0955B/0.1135A	----	0.0975	- 0.0185	.1671	----	----	----	----	89	UNCH				
850	----	----		0.0545B/0.0760A	----	0.0615	- 0.0115	.1095	----	----	----	----	544	UNCH				
875	----	----		0.0420B/0.0640A	----	0.0510	- 0.0095	.0911	----	----	----	----	39	UNCH				
900	----	----		0.0320B/0.0530A	----	0.0420	- 0.0080	.0756	----	----	----	----	26	UNCH				
950	----	----		0.0190B/0.0410A	----	0.0275	- 0.0055	.0508	----	----	----	----	3	UNCH				
1000	----	----		0.0100B/0.0325A	----	0.0170	- 0.0040	.0327	----	----	----	----	23	UNCH				
TOTAL											2		3054	+	1			
APR27																		
665	0.5000	0.5000	0.5000/0.5000	0.5190B/0.5000	----	0.4970	NEW	.5554	----	----	2	----	2	+	2			
675	----	----	----/0.4790A	0.4730B/0.4790A	----	0.4535	- 0.0485	.5218	----	----	----	----	1	UNCH				
680	----	----	----/0.4590A	0.4515B/0.4590A	----	0.4330	- 0.0470	.5053	----	----	----	----	5	UNCH				
775	----	----	----/0.2020A	0.1755B/0.2020A	----	0.1760	- 0.0265	.2523	----	----	----	----	3	UNCH				
1000	----	----		0.0165B/0.0535A	----	0.0260	- 0.0040	.0453	----	----	----	----	2	UNCH				
TOTAL											2		13	+	2			
MAY27																		
685	----	----	----/0.5025A	0.4765B/0.5025A	----	0.4660	- 0.0465	.4975	----	----	----	----	2	UNCH				
700	----	----	----/0.4485A	0.4180B/0.4485A	----	0.4125	- 0.0425	.4551	----	----	----	----	13	UNCH				
705	----	----	----/0.4325A	0.4005B/0.4325A	----	0.3955	- 0.0420	.4414	----	----	----	----	2	UNCH				
750	----	----		0.2685B/0.3070A	----	0.2710	- 0.0330	.3305	----	----	----	----	10	UNCH				
800	----	----		0.1690B/0.2120A	----	0.1780	- 0.0230	.2348	----	----	----	----	40	UNCH				
1000	----	----		0.0245B/0.0735A	----	0.0405	- 0.0060	.0624	----	----	----	----	40	UNCH				
TOTAL													107					
JUN27																		
635	0.7975	0.7975	0.7975/0.7975	0.7975/0.7975	----	0.7705	NEW	.6628	----	----	1	----	1	+	1			
700	----	----	----/0.5250A	0.4840B/0.5250A	----	0.4820	- 0.0445	.4821	----	----	----	----	11	UNCH				
750	----	----		0.3600B/0.3730A	----	0.3305	- 0.0360	.3631	----	----	----	----	532	UNCH				
770	----	----		0.2765B/0.3245A	----	0.2835	- 0.0325	.3220	----	----	----	----	22	UNCH				
TOTAL											1		566	+	1			
HX PUT	COMEX COPPER OPTIONS																	
NOV26																		
390	----	----	----	----/0.0010A	----	0.0005	UNCH	.0000	----	----	----	----	3	UNCH				
400	----	----	----	----/0.0010A	----	0.0005	UNCH	.0001	----	----	----	----	18	UNCH				
405	----	----	----	----/0.0010A	----	0.0005	UNCH	.0001	----	----	----	----	10	UNCH				
410	----	----	----	----/0.0010A	----	0.0005	UNCH	.0002	----	----	----	----	57	UNCH				
425	----	----	----	----/0.0015A	----	0.0005	UNCH	.0006	----	----	----	----	40	UNCH				
430	----	----	----	----/0.0015A	----	0.0005	UNCH	.0008	----	----	----	----	4	UNCH				
435	----	----	----	----/0.0015A	----	0.0005	UNCH	.0011	----	----	----	----	215	UNCH				
475	----	----	----	0.0010B/0.0025A	----	0.0020	UNCH	.0059	----	----	----	----	52	UNCH				
480	----	----	----	0.0010B/0.0030A	----	0.0025	UNCH	.0073	----	----	----	----	3	UNCH				
490	----	----	----	0.0015B/0.0030A	----	0.0025	UNCH	.0078	----	----	----	----	3	UNCH				
500	----	----	----	0.0015B/0.0035A	----	0.0025	UNCH	.0083	----	----	----	----	117	UNCH				
510	----	----	----	0.0020B/0.0040A	----	0.0030	UNCH	.0103	----	----	----	----	10	UNCH				
520	----	----	----	0.0025B/0.0045A	----	0.0035	+	0.0005	.0124	----	----	----	5	UNCH				
525	----	----	----	0.0030B/0.0045A	----	0.0035	UNCH	.0129	----	----	----	----	8	UNCH				
530	----	----	----	0.0030B/0.0050A	----	0.0040	+	0.0005	.0148	----	----	----	2	UNCH				
535	----	----	----	0.0035B/0.0050A	----	0.0045	+	0.0010	.0169	----	----	----	32	UNCH				
540	0.0040	0.0040	0.0040/0.0040	0.0040/0.0040	----	0.0045	+	0.0005	.0175	----	1	----	19	UNCH				
550	----	----	----	0.0045B/0.0060A	----	0.0055	+	0.0010	.0222	----	----	----	175	UNCH				
560	----	----	----	0.0050B/0.0065A	----	0.0065	+	0.0015	.0274	----	1	----	405	UNCH				
565	----	----	0.0060B/----	0.0060B/0.0070A	----	0.0070	+	0.0015	.0303	----	----	----	27	UNCH				
570	----	----	0.0070B/----	0.0070B/0.0075A	----	0.0080	+	0.0020	.0350	----	----	----	23	UNCH				
575	----	----	0.0080B/----	0.0080B/0.0080A	----	0.0090	+	0.0025	.0401	----	----	----	65	UNCH				
580	----	----	0.0090B/----	0.0090B/0.0080A	----	0.0100	+	0.0025	.0455	----	----	----	67	UNCH				
585	0.0105	0.0105	0.0120B/0.0080A	0.0120B/0.0080A	----	0.0115	+	0.0030	.0529	----	4	----	63	+	3			
590	----	----	0.0145B/0.0090A	0.0145B/0.0090A	----	0.0130	+	0.0030	.0608	----	2	----	289	-	1			
595	0.0135	0.0135	0.0170B/0.0105A	0.0170B/0.0105A	----	0.0155	+	0.0040	.0725	----	55	----	199	+	15			
600	0.0140	0.0140	0.0215/0.0125A	0.0215/0.0125A	----	0.0185	+	0.0045	.0864	----	468	----	1227	-				
605	----	----	0.0245B/0.0150A	0.0245B/0.0150A	----	0.0220	+	0.0050	.1025	----	----	----	103	UNCH				
610	----	----	0.0300B/0.0180A	0.0300B/0.0180A	----	0.0270	+	0.0065	.1238	----	1	----	324	UNCH				
615	----	----	0.0375B/0.0220A	0.0375B/0.0220A	----	0.0330	+	0.0070	.1487	----	----	----	95	UNCH				
620	0.0445	0.0445	0.0470B/0.0270A	0.0470B/0.0270A	----	0.0410	+	0.0085	.1792	----	25	----	293	-	2			

BULLETIN #189@				METALS OPTION PRODUCTS							Thu, Oct 01, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST	
HX PUT	COMEX COPPER OPTIONS														
DEC26															
550	0.0130	0.0130	0.0130/0.0130	0.0130/0.0130	----		0.0135 + 0.0025	.0442	----	----	1	----		711	
555	----	----	0.0145B/----	0.0145B/0.0140A	----		0.0150 + 0.0025	.0494	----	----	----	----		3	
560	----	----	0.0160B/----	0.0160B/0.0150A	----		0.0170 + 0.0030	.0560	----	----	2	----		328 -	
565	----	----	0.0185B/----	0.0185B/0.0165A	----		0.0190 + 0.0030	.0628	----	----	----	----		18	
570	----	----	0.0210B/----	0.0210B/0.0185A	----		0.0215 + 0.0035	.0710	----	----	----	----		18	
575	----	----	0.0250B/----	0.0250B/0.0205A	----		0.0245 + 0.0040	.0806	----	----	----	----		437	
580	0.0280	0.0280	0.0295B/0.0280	0.0295B/0.0235A	----		0.0285 + 0.0050	.0926	----	----	2	----		218 +	
585	0.0305	0.0305	0.0355B/0.0260A	0.0355B/0.0260A	----		0.0330 + 0.0060	.1060	----	----	5	----		55 +	
590	0.0365	0.0365	0.0415B/0.0300A	0.0415B/0.0300A	----		0.0380 + 0.0065	.1206	----	----	2	----		244	
595	----	----	0.0480B/0.0345A	0.0480B/0.0345A	----		0.0440 + 0.0075	.1375	----	----	----	----		315	
600	0.0465	0.0465	0.0560B/0.0400A	0.0560B/0.0400A	----		0.0515 + 0.0085	.1573	----	----	78	----		2165 +	
605	----	----	0.0655B/0.0475A	0.0655B/0.0475A	----		0.0600 + 0.0100	.1789	----	----	10	----		38 +	
610	----	----	----	0.2475B/0.1930A	----		0.0700 + 0.0115	.2030	----	----	3	----		173 -	
615	0.0780	0.0780	0.0885B/0.0650A	0.0885B/0.0650A	----		0.0815 + 0.0130	.2293	----	----	2	----		144 +	
620	----	----	0.1020B/0.0755A	0.1020B/0.0755A	----		0.0945 + 0.0145	.2575	----	----	2	----		174	
625	----	----	0.1180B/0.0880A	0.1180B/0.0880A	----		0.1095 + 0.0165	.2879	----	----	----	----		468	
630	----	----	0.1360B/0.1015A	0.1360B/0.1015A	----		0.1265 + 0.0185	.3198	----	----	10	----		725 +	
635	----	----	0.1555B/0.1175A	0.1555B/0.1175A	----		0.1455 + 0.0205	.3531	----	----	2	----		412 +	
640	----	----	0.1780B/0.1355A	0.1780B/0.1355A	----		0.1665 + 0.0230	.3871	----	----	26	----		257 +	
645	0.1900	0.1900	0.2020B/0.1555A	0.2020B/0.1555A	----		0.1895 + 0.0250	.4216	----	----	30	----		465 +	
650	0.2155	0.2155	0.2280B/0.1770A	0.2280B/0.1770A	----		0.2145 + 0.0275	.4561	----	----	3	----		690 +	
655	0.2255	0.2255	0.2555B/0.2005A	0.2555B/0.2005A	----		0.2415 + 0.0300	.4902	----	----	1	----		620 +	
660	----	----	0.2845B/0.2255A	0.2845B/0.2255A	----		0.2700 + 0.0325	.5237	----	----	----	----		157	
665	----	----	0.3135B/0.2525A	0.3135B/0.2525A	----		0.3005 + 0.0350	.5562	----	----	----	----		667	
670	----	----	0.3405B/0.2825A	0.3405B/0.2825A	----		0.3325 + 0.0375	.5875	----	----	----	----		1181	
675	0.3440	0.3440	0.3730B/0.3135A	0.3730B/0.3135A	----		0.3660 + 0.0395	.6177	----	----	4	----		277	
680	----	----	0.4090B/0.3450A	0.4090B/0.3450A	----		0.4015 + 0.0425	.6461	----	----	----	----		56	
685	----	----	0.4460B/0.3900A	0.4460B/0.3900A	----		0.4380 + 0.0450	.6729	----	----	----	----		47	
690	----	----	0.4840B/0.4255A	0.4840B/0.4255A	----		0.4755 + 0.0470	.6986	----	----	----	----		1	
700	----	----	0.5635B/0.4985A	0.5635B/0.4985A	----		0.5545 + 0.0520	.7443	----	----	----	----		3	
730	----	----	0.8115B/----	0.8115B/0.7610A	----		0.8120 + 0.0635	.8452	----	----	----	----		1	
750	----	----	0.9945B/----	0.9945B/0.9395A	----		0.9955 + 0.0690	.8886	----	----	----	----		1	
TOTAL											189			11879 +	
JAN27															
370	----	----	----	-----/0.0125A	----		0.0040 + 0.0005	.0066	----	----	----	----		1	
390	----	----	----	-----/0.0130A	----		0.0055 + 0.0010	.0092	----	----	----	----		40	
400	----	----	----	0.0005B/0.0135A	----		0.0060 + 0.0010	.0102	----	----	----	----		12	
425	----	----	----	0.0005B/0.0145A	----		0.0075 + 0.0010	.0136	----	----	----	----		30	
430	----	----	----	0.0005B/0.0150A	----		0.0080 + 0.0015	.0146	----	----	----	----		1	
435	----	----	----	0.0005B/0.0155A	----		0.0080 + 0.0015	.0149	----	----	----	----		1	
440	----	----	----	0.0005B/0.0155A	----		0.0085 + 0.0015	.0160	----	----	----	----		10	
450	----	----	----	0.0005B/0.0165A	----		0.0085 + 0.0015	.0167	----	----	----	----		1	
465	----	----	----	0.0005B/0.0180A	----		0.0095 + 0.0015	.0195	----	----	----	----		2	
510	----	----	----	0.0045B/0.0230A	----		0.0130 + 0.0020	.0312	----	----	----	----		4	
515	----	----	----	0.0080B/0.0155A	----		0.0140 + 0.0020	.0339	----	----	4	----		4	
520	----	----	----	0.0090B/0.0175A	----		0.0150 + 0.0020	.0366	----	----	----	----		2	
525	----	----	----	0.0100B/0.0180A	----		0.0160 + 0.0020	.0395	----	----	----	----		3	
540	----	----	----	0.0145B/0.0215A	----		0.0210 + 0.0030	.0522	----	----	2	----		3 +	
550	----	----	----	0.0195B/0.0265A	----		0.0260 + 0.0040	.0642	----	----	2	----		209 +	
555	----	----	----	0.0220B/0.0285A	----		0.0290 + 0.0045	.0712	----	----	----	----		1	
560	----	----	----	0.0255B/0.0315A	----		0.0325 + 0.0050	.0792	----	----	----	----		3	
570	----	----	----	0.0335B/0.0405A	----		0.0405 + 0.0060	.0972	----	----	----	----		2	
580	----	----	----	0.0430B/0.0500A	----		0.0510 + 0.0070	.1196	----	----	----	----		2	
590	----	----	----	0.0560B/0.0625A	----		0.0635 + 0.0075	.1456	----	----	----	----		15	
595	----	----	0.0645B/----	0.0645B/0.0725A	----		0.0710 + 0.0080	.1605	----	----	----	----		3	
600	----	----	0.0735B/----	0.0735B/0.0795A	----		0.0795 + 0.0085	.1767	----	----	----	----		409	
605	----	----	0.0835B/----	0.0835B/0.0880A	----		0.0895 + 0.0095	.1947	----	----	4	----		5	
610	----	----	0.0950B/----	0.0950B/0.0990A	----		0.1000 + 0.0100	.2135	----	----	----	----		3	
620	----	----	0.1210B/----	0.1210B/0.1240A	----		0.1265 + 0.0130	.2561	----	----	----	----		13	
625	----	----	0.1385B/----	0.1385B/0.1365A	----		0.1415 + 0.0145	.2787	----	----	----	----		2	
630	----	----	0.1545B/----	0.1545B/0.1520A	----		0.1590 + 0.0165	.3029	----	----	----	----		1	
635	----	----	0.1725B/----	0.1725B/0.1680A	----		0.1775 + 0.0185	.3275	----	----	2	----		2	
640	----	----	0.1925B/----	0.1925B/0.1845A	----		0.1980 + 0.0210	.3528	----	----	----	----		3	
645	----	----	0.2150B/----	0.2150B/0.2035A	----		0.2200 + 0.0235	.3783	----	----	----	----		3	
650	----	----	0.2370B/----	0.2370B/0.2245A	----		0.2435 + 0.0265	.4040	----	----	----	----		73	
660	----	----	0.2880B/----	0.2880B/0.2695A	----		0.2945 + 0.0310	.4550	----	----	----	----		1	
670	----	----	0.3445B/----	0.3445B/0.3200A	----		0.3500 + 0.0345	.5049	----	----	----	----		2	
685	----	----	0.4390B/----	0.4390B/0.4055A	----		0.4415 + 0.0385	.5764	----	----	----	----		1	
690	----	----	0.4735B/----	0.4735B/0.4360A	----		0.4740 + 0.0395	.5991	----	----	----	----		2	
695	----	----	0.5080B/----	0.5080B/0.4680A	----		0.5075 + 0.0405	.6211	----	----	----	----		1	
800	----	----	----	----	----		1.3965 + 0.0715	.8922	----	----	----	----		1	
TOTAL											14			871 +	
FEB27															
300	----														



PG60 BULLETIN #189@			METALS OPTION PRODUCTS							Thu, Oct 01, 2026 PG64				
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
HXHE CALL		COPPER OPTIONS												
OCT26														
670	0.0125	0.0125	0.0130/0.0100A	0.0325B/0.0100A	----	0.0070 - 0.0365	.0419	----	----	81	----	134	+	5
675	0.0140	0.0140	0.0140/0.0065	0.0225B/0.0065	----	0.0050 - 0.0270	.0215	----	----	82	----	48	+	6
675	----	----	----/0.0390A	0.0630B/0.0390A	----	0.0360 - 0.0425	.2159	----	----	----	----	300	UNCH	
675	----	----	----/0.0650A	0.0850B/0.0650A	----	0.0615 - 0.0410	.2796	----	----	----	----	8	UNCH	
680	0.0115	0.0115	0.0115/0.0030	0.0140B/0.0030	----	0.0040 - 0.0200	.0128	----	----	119	----	421	+	71
680	----	----	----/0.0315A	0.0500B/0.0315A	----	0.0285 - 0.0375	.1727	----	----	----	----	307	UNCH	
680	----	----	----/0.0555A	0.0725B/0.0555A	----	0.0520 - 0.0370	.2402	----	----	----	----	13	UNCH	
685	0.0035	0.0035	0.0035/0.0030A	0.0085B/0.0030A	----	0.0030 - 0.0150	.0072	----	----	31	----	732	UNCH	
685	0.0255	0.0255	0.0255/0.0255	0.0400B/0.0255	----	0.0235 - NEW	.1408	----	----	20	----	20	+	20
688	----	----	----/0.0050A	0.0055B/0.0050A	----	0.0030 - 0.0125	.0064	----	----	----	----	300	UNCH	
690	0.0050	0.0050	0.0050/0.0030	0.0050/0.0030	----	0.0030 - 0.0105	.0059	----	----	9	----	146	+	6
690	----	----	----/0.0215A	0.0320B/0.0215A	----	0.0190 - 0.0275	.1134	----	----	----	----	27	UNCH	
695	----	----	----/0.0035A	0.0015B/0.0035A	----	0.0025 - 0.0070	.0039	----	----	----	----	463	UNCH	
700	----	----	----/0.0025A	0.0020B/0.0025A	----	0.0015 - 0.0050	.0016	----	----	50	----	37	-	39
700	0.0165	0.0165	0.0165/0.0145A	0.0205B/0.0145A	----	0.0130 - 0.0200	.0755	----	----	1	----	27	UNCH	
700	----	----	----/0.0300A	0.0350B/0.0300A	----	0.0275 - 0.0235	.1306	----	----	----	----	33	UNCH	
705	----	----	----/0.0025A	0.0005B/0.0025A	----	0.0010 - NEW	.0008	----	----	1	----	1	+	1
705	----	----	----/0.0265A	0.0290B/0.0265A	----	0.0235 - 0.0210	.1120	----	----	----	----	16	UNCH	
710	----	----	----/0.0025A	----/0.0025A	----	0.0005 - 0.0025	.0001	----	----	----	----	16	UNCH	
710	----	----	----/0.0230A	0.0235B/0.0230A	----	0.0205 - 0.0185	.0973	----	----	----	----	9	UNCH	
715	----	----	----/0.0200A	0.0200B/0.0200A	----	0.0175 - 0.0165	.0833	----	----	----	----	25	UNCH	
720	----	----	----	0.0010B/0.0020A	----	0.0005 - 0.0010	.0000	----	----	----	----	2	UNCH	
720	----	----	----/0.0180A	0.0170B/0.0180A	----	0.0155 - 0.0140	.0731	----	----	----	----	111	UNCH	
725	----	----	----/0.0015A	----	----	0.0005 - 0.0005	----	----	----	1	----	451	UNCH	
725	----	----	----/0.0160A	0.0150B/0.0160A	----	0.0135 - 0.0125	.0634	----	----	----	----	116	UNCH	
730	----	----	----	----/0.0015A	----	0.0005 - UNCH	----	----	----	----	----	40	UNCH	
740	----	----	----	----/0.0015A	----	0.0005 - UNCH	----	----	----	----	----	30	UNCH	
740	----	----	----/0.0115A	0.0095B/0.0115A	----	0.0090 - 0.0090	.0417	----	----	----	----	10	UNCH	
745	----	----	----	----/0.0015A	----	0.0005 - UNCH	----	----	----	----	----	30	UNCH	
750	----	----	----	----/0.0015A	----	0.0005 - UNCH	----	----	----	----	----	37	UNCH	
750	----	----	----/0.0050A	0.0020B/0.0050A	----	0.0020 - 0.0035	.0100	----	----	----	----	1	UNCH	
775	----	----	----	0.0035B/0.0065A	----	0.0030 - 0.0035	.0139	----	----	----	----	2	UNCH	
800	----	----	----	----/0.0025A	----	0.0005 - 0.0020	.0020	----	----	----	----	33	UNCH	
825	----	----	----	----/0.0010A	----	0.0005 - UNCH	----	----	----	----	----	1	UNCH	
TOTAL										537		4130	+	193
HXHE PUT		COPPER OPTIONS												
OCT26														
500	----	----	----	----/0.0015A	----	0.0005 - UNCH	----	----	----	----	----	19	UNCH	
575	----	----	----	----/0.0025A	----	0.0005 - UNCH	.0009	----	----	----	----	3	UNCH	
605	----	----	----	----/0.0015A	----	0.0005 - UNCH	----	----	----	----	----	1	UNCH	
610	----	----	----	0.0010B/0.0045A	----	0.0035 - 0.0010	.0271	----	----	----	----	1	UNCH	
610	----	----	----	0.0095B/0.0120A	----	0.0120 + 0.0015	.0729	----	----	----	----	2	UNCH	
615	----	----	----	----/0.0015A	----	0.0005 - 0.0005	----	----	----	----	----	2	UNCH	
620	----	----	----	----/0.0015A	----	0.0005 - 0.0010	----	----	----	----	----	11	UNCH	
620	----	----	----	0.0035B/0.0070A	----	0.0060 - 0.0010	.0503	----	----	----	----	2	UNCH	
620	----	----	----/0.0165A	0.0170B/0.0165A	----	0.0205 + 0.0035	.1211	----	----	----	----	10	UNCH	
625	----	----	----	0.0055B/0.0095A	----	0.0090 - 0.0005	.0754	----	----	----	----	21	UNCH	
630	----	----	----	----/0.0025A	----	0.0005 - 0.0020	.0003	----	----	----	----	22	UNCH	
630	----	----	----/0.0125A	0.0130B/0.0125A	----	0.0135 - UNCH	.1117	----	----	----	----	20	UNCH	
635	0.0205	0.0205	0.0215B/0.0155A	0.0215B/0.0155A	----	0.0205 - NEW	.1640	----	----	1	----	1	+	1
640	----	----	----	0.0010B/0.0050A	----	0.0030 - 0.0020	.0189	----	----	30	----	46	+	30
640	0.0155	0.0155	0.0340B/0.0155	0.0340B/0.0155	----	0.0320 + 0.0035	.2373	----	----	15	----	16	+	15
641	0.0050	0.0050	0.0050/0.0050	0.0050/0.0050	----	0.0035 - NEW	.0247	----	----	1	----	1	+	1
643	----	----	----	0.0020B/0.0085A	----	0.0055 - 0.0015	.0484	----	----	----	----	1	UNCH	
644	----	----	----	0.0050B/0.0105A	----	0.0065 - NEW	.0629	----	----	1	----	1	+	1
645	0.0060	0.0060	0.0060/0.0060	0.0085B/0.0060	----	0.0080 - 0.0015	.0843	----	----	1	----	44	-	1
645	0.0495	0.0495	0.0550B/0.0330A	0.0550B/0.0330A	----	0.0490 + 0.0075	.3266	----	----	1	----	9	+	1
646	0.0035	0.0035	0.0120B/0.0035	0.0120B/0.0035	----	0.0100 - NEW	.1128	----	----	2	----	2	+	2
648	0.0110	0.0110	0.0205B/0.0110	0.0205B/0.0110	----	0.0150 + 0.0005	.1868	----	----	1	----	6	UNCH	
650	0.0130	0.0130	0.0295B/0.0130	0.0295B/0.0130	----	0.0225 + 0.0035	.2873	----	----	30	----	97	+	21
650	0.0845	0.0845	0.0845/0.0475A	0.0845/0.0475A	----	0.0720 + 0.0125	.4224	----	----	15	----	32	+	13
650	----	----	0.1110B/0.0765A	0.1110B/0.0765A	----	0.1075 + 0.0195	.4409	----	----	----	----	4	UNCH	
654	----	----	0.0525B/0.0230A	0.0525B/0.0230A	----	0.0415 - NEW	.5089	----	----	1	----	1	+	1
655	----	----	0.0590B/0.0260A	0.0590B/0.0260A	----	0.0475 + 0.0120	.5630	----	----	----	----	50	UNCH	
658	----	----	0.0800B/0.0370A	0.0800B/0.0370A	----	0.0670 + 0.0185	.7082	----	----	----	----	1	UNCH	
660	0.0590	0.0590	0.0950B/0.0460A	0.0950B/0.0460A	----	0.0820 + 0.0235	.7835	----	----	1	----	26	UNCH	
660	----	----	0.1420B/0.0925A	0.1420B/0.0925A	----	0.1330 + 0.0245	.5975	----	----	----	----	10	UNCH	
660	0.1270	0.1270	0.1720B/0.1235A	0.1720B/0.1235A	----	0.1655 + 0.0295	.5668	----	----	2	----	20	UNCH	
665	----	----	0.1355B/0.0820A	0.1355B/0.0820A	----	0.1235 + 0.0360	.9042	----	----	----	----	24	UNCH	
665	----	----	0.1640B/0.1335A	0.1640B/0.1335A	----	0.1685 + 0.0300	.6705	----	----	----	----	10	UNCH	
670	0.1165	0.1165	0.1815B/0.1135A	0.1815B/0.1135A	----	0.1690 + 0.0470	.9580	----	----	1	----	590	-	1
670	0.1775	0.1775	0.2025B/0.1650A	0.2025B/0.1650A	----	0.2070 + 0.0355	.7325	----	----	1	----	1	UNCH	
670	----	----	0.2430B/0.1945A	0.2430B/0.1945A	----	0.2350 + 0.0385	.6740	----	----	----	----	2	UNCH	
675	----	----	0.2295B/0.1500A	0.2295B/0.1500A	----	0.2170 + 0.0565	.9784	----	----	----	----	593	UNCH	
680	----	----	0.2780B/0.1905A	0.2780B/0.1905A	----	0.2655 + 0.0630	.9871	----	----	----	----	1360	UNCH	
685	----	----	0.3270B/0.2340A	0.3270B/0.2340A	----	0.3150 + 0.0685	.9927	----	----	----	----	1	UNCH	
TOTAL										104		3063	+	84
ALUMINIUM OPTIONS ON FUTURES														
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
PLATINUM OPTIONS ON FUTURES														
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
PAO CALL		NYMEX PALLADIUM OPTIONS												
NOV26														
1300	----	----	----/12.40A	13.50B/12.40A	----	11.00 - 6.00	.1730	----	----	----	----	21	UNCH	
1350	----	----	----/8.60A	7.20B/8.60A	----	7.10 - 4.10	.1119	----	----	----	----	2	UNCH	
1400	----	----	----/6.00A	3.70B/6.00A	----	4.30 - 3.20	.0693	----	----	----	----	93	UNCH	
1450	----	----	----/4.50A	1.40B/4.50A	----	2.60 - 2.20	.0426	----	----	----	----	86	UNCH	
1500	----	----	----	----/3.80A	----	1.70 - 1.50	.0277	----	----	----	----	5	UNCH	
1550	----	----	----	----/3.30A	----	1.20 - 1.00	.0192	----	----	----	----	14	UNCH	
1600	----	----	----	----/2.90A	----	0.80 - 0.80	.0127	----	----	----	----	5	UNCH	
1750	----	----	----	----/2.50A	----	0.30 - 0.30	.0045	----	----	----	----	1	UNCH	
TOTAL												227		0
DEC26														
1250	----	----	----/37.70A	47.80B/37.70A	----	39.50 - 10.80	.3672	----	----	----	----	200	UNCH	
1300	----	----	----/28.40A	32.80B/28.40A	----	28.80 - 8.00	.2805	----	----	----	----	6	UNCH	
1315	----	----	----/26.40A	29.60B/26.40A	----	26.30 - 7.40	.2588	----	----	----	----	90	UNCH	
1425	----	----	----/16.80A	14.50B/16.80A	----	15.10 - 3.90	.1515	----	----	----	----	39	UNCH	
1440	12.10	12.10	12.10/12.10	13.50B/12.10	----	14.10 - NEW	.1415	----	----	16	----	16	+	16
1450	----	----	----/15.20A	12.80B/15.20A	----	13.50 - 3.50	.1354	----	----	----	----	65	UNCH	
1500	----	----	----/12.60A	9.90B/12.60A	----	11.00 - 2.70	.1098	----	----	----	----	35	UNCH	
1550	----	----	----/10.50A	7.40B/10.50A	----	8.90 - 2.30	.0889	----	----	----	----	66	UNCH	
1585	----	----	----/9.30A	6.00B/9.30A	----	7.70 - 2.00	.0769	----	----	----	----	3	UNCH	
1600	----	----	----/8.80A	5.50B/8.80A	----	7.20 - 1.90	.0721	----	----	----	----	95	UNCH	
1650	----	----	----	3.90B/7.60A	----	5.70 - 1.60	.0576	----	----	----	----	64	UNCH	
1700	----	----	----	2.70B/										

PG64	BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST							
PAO CALL				NYMEX PALLADIUM OPTIONS																			
JUN27	----	----	----	----	----	----			95.30	- 14.00	.4064	----	----	----	----	50	UNCH						
TOTAL																50	0						
PAO PUT				NYMEX PALLADIUM OPTIONS																			
NOV26	----	----	----	52.50B/----	52.50B/36.90A	----			51.20	+ 16.10	.5643	----	----	----	----	24	UNCH						
1200	----	----	----	70.90B/----	70.90B/50.40A	----			68.30	+ 19.00	.6537	----	----	----	----	11	UNCH						
1225	----	----	----	91.40B/----	91.40B/65.70A	----			87.50	+ 21.80	.7276	----	----	----	----	108	UNCH						
1250	----	----	----	113.30B/82.80A	113.30B/82.80A	----			108.70	+ 24.50	.7844	----	----	----	----	16	UNCH						
1275	----	----	----	136.10B/101.90A	136.10B/101.90A	----			130.90	+ 26.50	.8268	----	----	----	----	13	UNCH						
1300	----	----	----	182.60B/144.90A	182.60B/144.90A	----			176.90	+ 28.30	.8880	----	----	----	----	4	UNCH						
1350	----	----	----									----	----	----	----	176	0						
TOTAL																							
DEC26	----	----	----	10.20B/----	10.20B/12.30A	----			13.40	+ 4.00	.1591	----	----	----	----	5	UNCH						
1050	----	----	----	45.70B/----	45.70B/37.40A	----			47.50	+ 13.10	.3966	----	----	----	----	15	UNCH						
1150	----	----	----	74.30B/----	74.30B/60.00A	----			75.30	+ 17.80	.5227	----	----	----	----	53	UNCH						
1200	----	----	----	109.80B/----	109.80B/88.50A	----			109.40	+ 21.60	.6326	----	----	----	----	5	UNCH						
1250	----	----	----	150.70B/122.60A	150.70B/122.60A	----			148.40	+ 24.30	.7193	----	----	----	----	100	UNCH						
1300	----	----	----	----	----	----			160.90	+ 25.00	.7410	----	----	----	----	90	UNCH						
1315	----	----	----	----	----	----			217.90	+ 27.30	.8138	----	----	----	----	1	UNCH						
1380	----	----	----	241.00B/204.80A	241.00B/204.80A	----			236.10	+ 27.80	.8301	----	----	----	----	150	UNCH						
1400	----	----	----	335.40B/296.30A	335.40B/296.30A	----			330.00	+ 29.80	.8900	----	----	----	----	40	UNCH						
1500	----	----	----									----	----	----	----	459	0						
TOTAL																							
MAR27	----	----	----	50.70B/----	50.70B/48.00A	----			56.10	+ 11.70	.3071	----	----	----	----	5	UNCH						
1100	79.40	79.40	----	79.40/78.80	79.40/65.50A	----			76.70	NEW	.3773	----	----	8	----	8	+						
1145	81.80	81.80	----	81.80/81.40	81.80/67.70A	----			79.20	NEW	.3851	----	----	8	----	8	+						
1150	86.70	86.70	----	86.80/86.70	86.80/72.40A	----			84.30	NEW	.4007	----	13	----	13	+							
1160	1200	----	----	100.40B/----	100.40B/92.10A	----			106.40	+ 18.10	.4617	----	----	----	10	UNCH							
1350	----	----	----	206.10B/----	206.10B/187.00A	----			209.60	+ 25.10	.6545	----	----	----	75	UNCH							
TOTAL													29	----	119	+							
PAW OOF				PALLADIUM WEEKLY FRIDAY OPTION week																			
OCT26	1150	10.50	10.50	11.40/10.50	11.40/10.50	----			12.10	NEW	.2918	----	----	15	----	15	+						
1175	6.30	6.30	----	10.70B/6.30	10.70B/6.00A	----			9.60	NEW	.4046	----	20	----	20	+							
1250	----	----	----	-----/9.70A	12.10B/9.70A	----			7.60	- 8.70	.1749	----	----	----	4	UNCH							
1300	----	----	----	-----/5.60A	3.30B/5.60A	----			3.30	- 4.60	.0757	----	----	----	12	UNCH							
1350	----	----	----	----	-----/2.20A	----			0.10	UNCH	----	----	----	----	2	UNCH							
TOTAL													35	----	53	+							
PLW OOF				PLATINUM WEEKLY FRIDAY OPTION week1																			
OCT26	1725	----	----	30.00B/16.50A	30.00B/16.50A	----			15.40	- 4.70	.4733	----	----	----	----	1	UNCH						
1750	----	----	----	15.30B/8.80A	15.30B/8.80A	----			7.00	- 4.10	.1899	----	----	----	----	1	UNCH						
1750	----	----	----	42.50B/24.10A	42.50B/24.10A	----			34.20	- 8.00	.8100	----	----	----	----	5	UNCH						
1800	----	----	----	----	1.30B/3.90A	----			0.90	- 1.80	.0092	----	----	----	20	UNCH							
1825	----	----	----	----	-----/3.10A	----			0.30	- 1.00	.0014	----	----	----	16	UNCH							
1875	----	----	----	----	-----/2.40A	----			0.10	- 0.20	----	----	----	----	7	UNCH							
TOTAL															50								
PO CALL				PLATINUM OPTIONS																			
NOV26	1775	36.80	36.80	42.00B/35.00A	42.00B/35.00A	----			34.20	- 0.70	.3676	----	----	8	----	17	+						
1800	29.00	29.00	----	33.20B/27.50	33.20B/27.50	----			27.20	- 0.60	.3064	----	6	----	156	+							
1825	23.00	23.00	----	26.00B/23.00	26.00B/23.00	----			21.70	- 0.50	.2535	----	4	----	39	+							
1850	----	----	----	20.40B/----	20.40B/19.00A	----			17.40	- 0.40	.2090	----	----	----	149	UNCH							
1875	----	----	----	15.90B/----	15.90B/15.80A	----			14.10	- 0.20	.1725	----	----	----	88	UNCH							
1900	----	----	----	12.40B/----	12.40B/13.30A	----			11.40	- 0.20	.1418	----	----	----	239	UNCH							
1925	----	----	----	9.70B/----	9.70B/11.20A	----			9.20	- 0.30	.1162	----	----	----	68	UNCH							
1950	----	----	----	----	7.40B/9.50A	----			7.40	- 0.50	.0948	----	----	----	119	UNCH							
2000	----	----	----	----	4.20B/7.00A	----			4.90	- 0.50	.0637	----	----	----	200	UNCH							
2050	----	----	----	----	2.10B/5.50A	----			3.40	- 0.30	.0442	----	----	----	15	UNCH							
2100	----	----	----	----	0.80B/4.60A	----			2.20	- 0.20	.0290	----	----	----	54	UNCH							
2200	----	----	----	----	-----/3.50A	----			1.00	- 0.10	.0133	----	----	----	210	UNCH							
2250	----	----	----	----	-----/3.20A	----			0.60	- 0.20	.0081	----	----	----	40	UNCH							
2500	----	----	----	----	-----/2.30A	----			0.10	UNCH	.0013	----	----	----	20	UNCH							
TOTAL													18	----	1414	+							
DEC26	1700	----	----	108.80B/95.40A	108.80B/95.40A	----			97.20	+ 0.60	.5672	----	----	----	----	1	UNCH						
1900	----	----	----	36.80B/----	36.80B/35.00A	----			33.10	- 0.10	.2517	----	----	----	102	UNCH							
1950	----	----	----	27.80B/----	27.80B/27.70A	----			25.80	UNCH	.2021	----	----	----	10	UNCH							
1975	----	----	----	24.10B/----	24.10B/24.80A	----			22.90	+ 0.10	.1814	----	----	----	9	UNCH							
2000	----	----	----	21.00B/----	21.00B/22.10A	----			20.20	UNCH	.1621	----	----	----	122	UNCH							
2200	----	----	----	----	6.50B/9.90A	----			7.60	- 0.10	.0659	----	----	----	101	UNCH							
2250	----	----	----	----	4.70B/8.50A	----			6.00	- 0.10	.0527	----	----	----	51	UNCH							
2500	----	----	----	----	0.60B/5.00A	----			2.10	- 0.10	.0190	----	----	----	50	UNCH							
TOTAL															446								
JAN27	1700	----	----	129.70B/117.20A	129.70B/117.20A	----			118.60	+ 1.30	.5648	----	----	----	----	1	UNCH						
1745	----	----	----	107.90B/----	107.90B/98.50A	----			98.90	+ 1.00	.4989	----	----	----	2	UNCH							
1800	----	----	----	86.00B/----	86.00B/79.40A	----			79.40	+ 1.10	.4240	----	----	----	3	UNCH							
1850	----	----	----	69.80B/----	69.80B/65.30A	----			65.10	+ 1.20	.3630	----	----	----	30	UNCH							
1900	----	----	----	56.60B/----	56.60B/53.80A	----			53.10	+ 1.00	.3084	----	----	----	575	UNCH							
1950	----	----	----	45.90B/----	45.90B/44.60A	----			42.80	+ 0.20	.2594	----	----	----	886	UNCH							
2000	35.00	35.00	----	37.10B/35.00	37.10B/35.00	----			34.70	- 0.30	.2178	----	14	350	1049	-							
2050	----	----	----	30.00B/----	30.00B/31.20A	----			28.90	+ 0.20	.1848	----	----	----	250	UNCH							
2100	----	----	----	24.30B/----	24.30B/26.20A	----			24.30	+ 0.60	.1576	----	----	----	81	UNCH							
2150	----	----	----	19.70B/----	19.70B/22.30A	----			20.20	+ 0.60	.1334	----	----	----	4								

PG64	BULLETIN #189@										METALS OPTION PRODUCTS										Thu, Oct 01, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST										
PO PUT	PLATINUM OPTIONS																								
NOV26																									
1775	----	----		91.60B/75.80A	91.60B/75.80A	----			86.30 - 4.60	.6322	----	----	----	----		79									
1800	----	----		110.30B/91.60A	110.30B/91.60A	----			104.30 - 4.50	.6935	----	----	----	----		23									
1825	----	----		130.40B/109.20A	130.40B/109.20A	----			123.70 - 4.40	.7463	----	----	----	----		15									
1850	----	----		151.60B/128.20A	151.60B/128.20A	----			144.40 - 4.20	.7909	----	----	----	----		100									
TOTAL													1			1192									
DEC26																									
1250	----	----		----	----/3.30A	----			0.60 - 0.10	.0070	----	----	----	----		20									
1550	----	----		----/22.00A	21.00B/22.00A	----			22.70 - 1.10	.1800	----	----	----	----		1									
1600	----	----		----/32.90A	34.20B/32.90A	----			35.60 - 1.00	.2551	----	----	----	----		1									
1625	----	----		----/39.90A	42.60B/39.90A	----			43.70 - 1.10	.2970	----	----	----	----		10									
1650	----	----		----/48.10A	52.20B/48.10A	----			52.80 - 1.50	.3408	----	----	----	----		19									
1675	----	----		----/57.50A	63.30B/57.50A	----			63.00 - 2.30	.3862	----	----	----	----		9									
1750	----	----		----/93.60A	104.60B/93.60A	----			101.60 - 4.10	.5249	----	----	----	----		20									
TOTAL																80									
JAN27																									
1400	----	----		----	8.70B/12.60A	----			11.40 - 0.40	.0832	----	----	----	----		100									
1450	----	----		----	15.10B/18.20A	----			17.50 - 0.60	.1199	----	----	----	----		200									
1500	----	----		----/26.10A	24.00B/26.10A	----			26.20 - 0.70	.1672	----	----	----	----		325									
1550	----	----		----/36.50A	35.90B/36.50A	----			37.90 - 0.90	.2240	----	----	----	----		200									
1575	----	----		----/42.90A	43.30B/42.90A	----			45.10 - 1.00	.2558	----	----	----	----		20									
1600	----	----		----/50.30A	51.80B/50.30A	----			53.20 - 1.20	.2894	----	----	----	----		10									
1650	----	----		----/68.00A	71.90B/68.00A	----			72.40 - 1.90	.3608	----	----	----	----		45									
1700	----	----		----/90.00A	96.60B/90.00A	----			95.90 - 2.60	.4350	----	----	----	----		61									
1750	----	----		----/116.20A	125.50B/116.20A	----			124.00 - 2.80	.5079	----	----	----	----		120									
1800	----	----		----/146.00A	158.30B/146.00A	----			156.10 - 2.70	.5757	----	----	----	----		5									
1900	----	----		233.00B/215.40A	233.00B/215.40A	----			229.20 - 2.90	.6913	----	----	----	----		100									
2000	----	----		316.30B/294.80A	316.30B/294.80A	----			310.20 - 4.10	.7820	----	----	----	----		200									
TOTAL																1386									
APR27																									
1400	----	----		----	27.70B/32.50A	----			31.30 - 0.10	.1392	----	----	----	----		30									
1500	----	----		----/53.90A	51.20B/53.90A	----			54.70 + 0.30	.2168	----	----	----	----		10									
1600	----	----		----/85.40A	85.50B/85.40A	----			89.40 + 0.50	.3104	----	----	----	----		10									
1790	----	----		----/177.90A	184.00B/177.90A	----			186.10 - 1.20	.4991	----	----	----	----		27									
TOTAL																77									
JUL27																									
1930	----	----		----	----	----			318.10 - 2.20	.5539	----	----	----	----		110									
TOTAL																110									

OPTIONS EOO'S AND BLOCKS				
PRODUCT		STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL COMEX GOLD OPTIONS				
NOV26	CALL			
OG		4300	0	50
OG		4400	0	1000
OG		4500	0	50
OG		4510	0	3180
OG		4900	0	1000
TOTALS			0	5280
DEC26	CALL			
OG		4500	0	1500
TOTALS			0	1500
JAN27	CALL			
OG		4350	0	1500
TOTALS			0	1500
MAR27	CALL			
OG		4550	0	750
OG		5050	0	750
TOTALS			0	1500
JUN27	CALL			
OG		4500	0	200
OG		5000	0	200
TOTALS			0	400
OG PUT COMEX GOLD OPTIONS				
NOV26	PUT			
OG		3800	0	3180
OG		3900	0	1000
OG		3950	0	50
OG		4400	0	1000
TOTALS			0	5230
DEC26	PUT			
OG		3750	0	70
OG		4100	0	40
OG		4160	0	75
OG		4175	0	200
TOTALS			0	385
FEB27	PUT			
OG		3900	0	200
OG		4000	0	100
TOTALS			0	300
SO CALL COMEX SILVER OPTIONS				
FEB27	CALL			
SO		8000	0	115
TOTALS			0	115
MAR27	CALL			
SO		7200	0	218
SO		7500	0	30
TOTALS			0	248
SO PUT COMEX SILVER OPTIONS				
DEC26	PUT			
SO		5600	0	70
TOTALS			0	70
FEB27	PUT			
SO		5000	0	115
TOTALS			0	115
MAR27	PUT			
SO		5600	0	218
TOTALS			0	218
HX CALL COMEX COPPER OPTIONS				
NOV26	CALL			
HX		675	0	250
TOTALS			0	250
PO CALL PLATINUM OPTIONS				
JAN27	CALL			
PO		2000	0	350
PO		2500	0	500
TOTALS			0	850
OG1 CALL GOLD OPTIONS				
OCT26	CALL			
OG1		4250	0	50
TOTALS			0	50
HRO OPT U.S. MIDWEST DOMESTIC HOT-ROLLED CO				
OCT26	CALL			
HRO		122500	0	20
TOTALS			0	20
HRO OPT U.S. MIDWEST DOMESTIC HOT-ROLLED CO				
OCT26	PUT			
HRO		115000	0	20
TOTALS			0	20
GMW MON GOLD WEEKLY MONDAY OPTION WEEK1				
OCT26	PUT			
G1M		4170	0	50
TOTALS			0	50
GWT TUE GOLD WEEKLY TUESDAY OPTION Week2				
OCT26	PUT			
G2T		4125	0	150
TOTALS			0	150