

PG64	BULLETIN #180@										METALS OPTION PRODUCTS					Fri, Sep 18, 2026			PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
OG4 PUT SEP26	GOLD OPTIONS																		
3750	----	----	----	----	----/0.30A	----		0.10 - 0.10	.0007	----	----	----	----	2	UNCH				
3800	----	----	----	----	----/0.40A	----		0.20 UNCH	.0014	----	----	----	----	117	UNCH				
3900	0.20	0.20		0.20/0.20	0.30B/0.20	----		0.40 - 0.20	.0033	----	----	5	----	30	+				
3925	----	----	----	----/0.50A	0.40B/0.50A	----		0.50 - 0.10	.0043	----	----	----	----	1	UNCH				
3950	----	----	----	----/0.50A	0.50B/0.50A	----		0.50 - 0.20	.0045	----	----	----	----	4	UNCH				
3975	0.60	0.60		0.60/0.50	0.60/0.50	----		0.60 - 0.20	.0056	----	----	20	----	55	+				
4000	0.70	0.70		0.80/0.60A	0.80/0.60A	----		0.70 - 0.30	.0067	----	----	8	----	63	+				
4025	0.90	0.90		0.90/0.70A	1.00B/0.70A	----		0.80 - 0.40	.0080	----	----	5	----	157	-				
4050	1.10	1.10		1.10/0.80A	1.30B/0.80A	----		1.00 - 0.40	.0104	----	----	2	----	36	UNCH				
4075	1.30	1.30		1.30/1.00A	1.70B/1.00A	----		1.10 - 0.60	.0120	----	----	7	----	22	+				
4100	1.10	1.10		2.30B/1.00	2.30B/1.00	----		1.40 - 0.70	.0157	----	----	14	----	313	UNCH				
4125	2.10	2.10		3.00B/1.40A	3.00B/1.40A	----		1.70 - 1.00	.0198	----	----	2	----	24	+				
4150	3.40	3.40		3.90B/1.60	3.90B/1.60	----		2.00 - 1.40	.0243	----	----	10	----	237	UNCH				
4175	4.20	4.20		5.10B/2.20A	5.10B/2.20A	----		2.60 - 1.80	.0325	----	----	7	----	74	-				
4200	6.80	6.80		7.00B/2.80A	7.00B/2.80A	----		3.30 - 2.50	.0425	----	----	285	----	308	+				
4225	9.20	9.20		9.50B/3.60A	9.50B/3.60A	----		4.20 - 3.60	.0557	----	----	57	----	37	+				
4250	12.00	12.00		13.00B/4.80	13.00B/4.80	----		5.60 - 4.80	.0753	----	----	206	----	127	-				
4275	16.40	16.40		17.60B/6.80	17.60B/6.80	----		7.50 - 6.60	.1017	----	----	63	----	77	+				
4300	21.50	21.50		23.80B/9.00	23.80B/9.00	----		10.30 - 8.60	.1386	----	----	303	----	256	+				
4325	29.70	29.70		31.60B/12.60A	31.60B/12.60A	----		14.10 - 11.20	.1865	----	----	78	----	103	+				
4350	35.00	35.00		41.50B/17.40A	41.50B/17.40A	----		19.50 - 13.90	.2484	----	----	37	----	138	+				
4375	45.00	45.00		53.70B/24.00A	53.70B/24.00A	----		26.60 - 16.90	.3222	----	----	19	----	36	+				
4400	46.80	46.80		67.60B/32.50	67.60B/32.50	----		36.00 - 19.40	.4064	----	----	53	----	120	-				
4425	51.00	51.00		83.30B/43.30A	83.30B/43.30A	----		47.60 - 21.70	.4952	----	----	18	----	20	UNCH				
4450	----	----	----	101.20B/56.30A	101.20B/56.30A	----		61.30 - 23.80	.5837	----	----	7	----	27	+				
4475	----	----	----	120.40B/71.60A	120.40B/71.60A	----		77.30 - 25.20	.6666	----	----	----	----	5	UNCH				
4500	93.50	93.50		141.00B/88.80A	141.00B/88.80A	----		95.20 - 26.30	.7397	----	----	6	----	32	+				
4525	----	----	----	162.50B/108.00A	162.50B/108.00A	----		114.90 - 26.90	.8016	----	----	----	----	2	UNCH				
4550	----	----	----	184.90B/128.60A	184.90B/128.60A	----		135.90 - 27.30	.8513	----	----	----	----	4	UNCH				
4675	----	----	----	293.40B/243.10A	293.40B/243.10A	----		252.70 - 26.50	.9640	----	----	----	----	1	UNCH				
TOTAL												1212		2448	+				
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
OG4 CALL SEP26	GOLD OPTIONS																		
4075	----	----	----	355.50B/311.30A	355.50B/311.30A	----		350.90 + 24.70	.9879	----	----	----	----	0	UNCH				
4175	----	----	----	257.70B/204.50A	257.70B/204.50A	----		252.30 + 23.30	.9673	----	----	----	----	2	UNCH				
4200	225.00	225.00		235.80B/181.40A	235.80B/181.40A	----		228.00 NEW	.9573	----	----	3	----	3	+				
4225	----	----	----	218.30B/158.90A	218.30B/158.90A	----		204.00 + 21.60	.9441	----	----	----	----	1	UNCH				
4250	----	----	----	195.00B/137.50A	195.00B/137.50A	----		180.40 NEW	.9245	----	----	1	----	1	+				
4275	----	----	----	172.40B/117.10A	172.40B/117.10A	----		157.40 + 18.70	.8980	----	----	----	----	1	UNCH				
4300	----	----	----	150.50B/98.30A	150.50B/98.30A	----		135.10 + 16.60	.8611	----	----	----	----	32	UNCH				
4325	129.70	129.70		129.90B/81.40A	129.90B/81.40A	----		114.00 + 14.10	.8132	----	----	22	----	52	+				
4350	94.50	94.50		110.30B/66.30A	110.30B/66.30A	----		94.30 + 11.20	.7514	----	----	4	----	34	-				
4375	79.20	79.20		92.60B/52.90A	92.60B/52.90A	----		76.50 + 8.40	.6775	----	----	13	----	43	+				
4400	48.70	48.70		76.50B/41.10A	76.50B/41.10A	----		60.90 + 5.80	.5934	----	----	149	----	117	+				
4425	35.50	35.50		62.90B/31.30	62.90B/31.30	----		47.50 + 3.50	.5045	----	----	517	----	246	+				
4430	52.50	52.50		60.20B/29.60A	60.20B/29.60A	----		45.10 + 3.10	.4867	----	----	21	----	22	+				
4450	29.90	29.90		50.70B/23.50A	50.70B/23.50A	----		36.20 + 1.40	.4160	----	----	510	----	311	+				
4460	33.00	33.00		46.30B/20.90A	46.30B/20.90A	----		32.30 NEW	.3818	----	----	7	----	7	+				
4475	29.50	29.50		40.30B/17.10	40.30B/17.10	----		27.20 - 0.10	.3331	----	----	98	----	89	+				
4480	29.00	29.00		38.60B/16.30A	38.60B/16.30A	----		25.70 - 0.20	.3179	----	----	19	----	15	+				
4500	19.10	19.10		32.10/12.70A	32.10/12.70A	----		20.20 - 1.10	.2600	----	----	359	----	400	+				
4525	24.10	24.10		25.10B/9.30A	25.10B/9.30A	----		14.80 - 1.80	.1982	----	----	30	----	48	+				
4550	19.80	19.80		19.80/6.90A	19.80/6.90A	----		10.80 - 2.20	.1485	----	----	172	40	273	+				
4560	10.40	10.40		17.80B/6.20A	17.80B/6.20A	----		9.60 NEW	.1325	----	----	1	----	1	+				
4575	10.10	10.10		15.40B/5.20A	15.40B/5.20A	----		8.00 - 2.20	.1110	----	----	46	----	94	+				
4600	7.50	7.50		12.10B/4.00A	12.10B/4.00A	----		5.90 - 2.10	.0822	----	----	559	----	674	+				
4625	8.40	8.40		9.50B/3.10A	9.50B/3.10A	----		4.40 - 1.90	.0610	----	----	23	----	51	+				
4650	4.40	4.40		7.50B/2.50A	7.50B/2.50A	----		3.40 - 1.70	.0463	----	----	183	----	192	+				
4675	4.90	4.90		6.10B/2.10A	6.10B/2.10A	----		2.70 - 1.40	.0358	----	----	17	----	80	-				
4700	3.00	3.00		4.80B/1.70	4.80B/1.70	----		2.20 - 1.20	.0283	----	----	219	----	234	+				
4725	2.30	2.30		3.90B/1.50A	3.90B/1.50A	----		1.80 - 1.00	.0225	----	----	1	----	41	UNCH				
4750	----	----	----	3.10B/1.30A	3.10B/1.30A	----		1.50 - 0.80	.0181	----	----	3	----	24	+				
4775	1.30	1.30		2.50B/1.10A	2.50B/1.10A	----		1.20 - 0.80	.0141	----	----	2	----	15	+				
4800	1.00	1.00		2.10B/0.90A	2.10B/0.90A	----		1.10 - 0.50	.0124	----	----	3	----	44	UNCH				
4825	----	----	----	1.70B/0.90A	1.70B/0.90A	----		0.90 - 0.50	.0099	----	----	----	----	78	UNCH				
4850	1.00	1.00		1.40B/0.80A	1.40B/0.80A	----		0.80 - 0.40	.0085	----	----	11	----	26	+				
4875	----	----	----	1.10B/0.70A	1.10B/0.70A	----		0.70 - 0.30	.0072	----	----	----	----	18	UNCH				
4900	----	----	----	0.90B/0.60A	0.90B/0.60A	----		0.60 - 0.30	.0060	----	----	8	----	22	+				
4925	----	----	----	0.70B/0.60A	0.70B/0.60A	----		0.50 - 0.30	.0048	----	----	----	----	2	UNCH				
4950	0.50	0.50		0.50/0.50	0.60B/0.50	----		0.50 - 0.20	.0046	----	----	1	----	11	UNCH				
4975	----	----	----	0.50B/0.50A	0.50B/0.50A	----		0.40 - 0.20	.0036	----	----	----	----	13	UNCH				
5000	----	----	----	0.40A	0.40B/0.40A	----		0.40 - 0.20	.0035	----	----	4	----	103	+				
5100	----	----	----	0.30A	0.20B/0.30A	----		0.30 - 0.10	.0023	----	----	----	----	105	UNCH				
5200	0.30	0.30		0.30/0.20A	0.30/0.20A	----		0.20 - 0.10	.0014	----	----	1	----	23	+				
5250	----	----	----	----	0.30A	----		0.20 - 0.10	.0013	----	----	----	----	15	UNCH				
5400	----	----	----	----	0.20A	----		0.10 UNCH	.0006	----	----	----	----	2	UNCH				
5750	----	----	----	----	0.30A	----		0.10 UNCH	.0000	----	----	----	----	2	UNCH				
TOTAL												3007	40	3570	+				
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
OG3 PUT SEP26	GOLD OPTIONS																		
3700	----	----	----	----	----/0.10A	----		0.00 - 0.10	----	----	----	----	----	0	-				
3750	----	----	----	----	----/														



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

FINAL

PG64	BULLETIN #180@										METALS OPTION PRODUCTS					Fri, Sep 18, 2026			PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
OG3 CALL	GOLD OPTIONS																			
SEP26																				
4540	0.20	0.20		0.20/0.10	0.30B/0.10	----		0.00 - 0.40	----	----	----	8	----	0 -	22					
4545	0.20	0.20		0.20/0.10A	0.20/0.10A	----		0.00 - 0.30	----	----	----	2	----	0 -	1					
4550	0.10	0.10		0.30/0.10	0.30/0.10	----		0.00 - 0.30	----	----	----	4	----	0 -	1089					
4555	----	----		----/0.10A	----/0.10A	----		0.00 - 0.30	----	----	----	----	----	0 -	7					
4560	----	----		----/0.10A	----/0.10A	----		0.00 - 0.30	----	----	----	----	----	0 -	30					
4565	----	----		----/0.10A	----/0.10A	----		0.00 - 0.30	----	----	----	----	----	0 -	2					
4570	----	----		----/0.10A	----/0.10A	----		0.00 - 0.30	----	----	----	----	----	0 -	9					
4575	0.10	0.10		0.10/0.10	0.10/0.10	----		0.00 - 0.30	----	----	----	3	----	0 -	296					
4580	----	----		----/0.10A	----/0.10A	----		0.00 - 0.30	----	----	----	----	----	0 -	164					
4585	----	----		----/0.10A	----/0.10A	----		0.00 - 0.30	----	----	----	----	----	0 -	4					
4590	----	----		----/0.10A	----/0.10A	----		0.00 - 0.30	----	----	----	----	----	0 -	5					
4595	----	----		----/0.10A	----/0.10A	----		0.00 - 0.30	----	----	----	----	----	0 -	3					
4600	0.30	0.30		0.30/0.10A	0.30/0.10A	----		0.00 - 0.30	----	----	----	7	----	0 -	515					
4610	----	----		----	----/0.20A	----		0.00 - 0.20	----	----	----	----	----	0 -	11					
4615	----	----		----	----/0.20A	----		0.00 - 0.20	----	----	----	----	----	0 -	15					
4625	----	----		----	----/0.20A	----		0.00 - 0.20	----	----	----	----	----	0 -	139					
4650	----	----		----	----/0.10A	----		0.00 - 0.10	----	----	----	1	----	0 -	945					
4655	----	----		----	----/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -	8					
4670	----	----		----	----/0.20A	----		0.00 - 0.10	----	----	----	----	----	0 -	2					
4675	----	----		----	----/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -	515					
4680	----	----		----	----/0.20A	----		0.00 - 0.10	----	----	----	----	----	0	UNCH					
4685	----	----		----	----/0.20A	----		0.00 - 0.10	----	----	----	----	----	0 -	100					
4700	----	----		----	----/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -	911					
4725	----	----		----	----/0.20A	----		0.00 - 0.10	----	----	----	----	----	0 -	58					
4750	----	----		----	----/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -	526					
4775	----	----		----	----/0.20A	----		0.00 - 0.10	----	----	----	2	----	0 -	18					
4790	----	----		----	----/0.20A	----		0.00 - 0.10	----	----	----	----	----	0 -	2					
4800	0.10	0.10		0.10/0.10	0.10/0.10	----		0.00 - 0.10	----	----	----	5	----	0 -	75					
4825	----	----		----	----/0.20A	----		0.00 - 0.10	----	----	----	----	----	0 -	39					
4850	----	----		----	----/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -	105					
4875	----	----		----	----/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -	14					
4900	----	----		----	----/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -	39					
4925	----	----		----	----/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -	57					
4950	----	----		----	----/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -	24					
4975	----	----		----	----/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -	12					
5000	----	----		----	----/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -	53					
5025	----	----		----	----/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -	8					
5050	----	----		----	----/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -	8					
5075	----	----		----	----/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -	6					
5100	----	----		----	----/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -	9					
5200	----	----		----	----/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -	11					
5300	----	----		----	----/0.20A	----		0.00 - 0.10	----	----	----	----	----	0 -	34					
5400	----	----		----	----/0.20A	----		0.00 - 0.10	----	----	----	----	----	0 -	3					
5600	----	----		----	----/0.20A	----		0.00 - 0.10	----	----	----	----	----	0 -	1					
5750	----	----		----	----/0.20A	----		0.00 - 0.10	----	----	----	----	----	0 -	3					
6000	----	----		----	----/0.20A	----		0.00 - 0.10	----	----	----	----	----	0 -	2					
TOTAL												3450		0 -	10919					
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
OG2 PUT	GOLD OPTIONS																			
OCT26																				
3250	----	----		----/3.10A	4.10B/3.10A	----		0.20 - 0.10	.0011	----	----	----	----	1	UNCH					
3900	----	----		----	4.70B/3.40A	----		3.00 - 1.10	.0237	----	----	----	----	2	UNCH					
3925	----	----		4.70B/3.40A	4.70B/3.40A	----		3.40 - 1.20	.0271	----	----	1	----	2	UNCH					
3950	----	----		5.40B/3.80A	5.40B/3.80A	----		3.80 - 1.40	.0307	----	----	1	----	1 -	1					
3975	----	----		6.20B/4.20A	6.20B/4.20A	----		4.30 - 1.70	.0351	----	----	2	----	3 -	1					
4000	----	----		7.20B/4.70A	7.20B/4.70A	----		4.90 - 2.10	.0404	----	----	----	----	5	UNCH					
4050	----	----		10.50B/6.30A	10.50B/6.30A	----		6.50 - NEW	.0542	----	----	1	----	1 +	1					
4100	13.20	13.20		14.90B/8.70A	14.90B/8.70A	----		9.00 - 4.50	.0748	----	----	9	----	11 +	6					
4125	----	----		17.70B/10.30A	17.70B/10.30A	----		10.60 - 5.40	.0878	----	----	1	----	1 -	1					
4150	----	----		21.20B/12.20A	21.20B/12.20A	----		12.70 - NEW	.1040	----	----	1	----	1 +	1					
4175	----	----		25.50B/14.50A	25.50B/14.50A	----		15.20 - 7.30	.1228	----	----	4	----	4 +	2					
4200	23.30	23.30		30.30B/17.40A	30.30B/17.40A	----		18.20 - 8.60	.1447	----	----	2	----	26 +	1					
4225	----	----		36.20B/20.90A	36.20B/20.90A	----		21.80 - 10.00	.1699	----	----	8	----	17 +	8					
4250	----	----		42.70B/25.10A	42.70B/25.10A	----		26.20 - 11.50	.1991	----	----	4	----	7 +	4					
4275	43.40	43.40		50.50B/30.20A	50.50B/30.20A	----		31.60 - 12.90	.2324	----	----	3	----	44 +	3					
4300	50.30	50.30		59.10B/36.00A	59.10B/36.00A	----		38.00 - 14.40	.2694	----	----	3	----	20 +	3					
4325	----	----		69.20B/43.00A	69.20B/43.00A	----		45.40 - 16.00	.3095	----	----	----	----	10	UNCH					
4350	----	----		80.70B/51.20A	80.70B/51.20A	----		54.00 - 17.50	.3524	----	----	----	----	10	UNCH					
4500	133.00	133.00		169.00B/126.00A	169.00B/126.00A	----		131.00 - NEW	.6258	----	----	1	----	1 +	1					
TOTAL												41		167 +	27					
	GLOBEX OPEN	OPEN OPEN	OUTCRY 																	

PG64	BULLETIN #180@										METALS OPTION PRODUCTS					Fri, Sep 18, 2026			PG64
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST					
OG1 PUT	GOLD OPTIONS																		
OCT26																			
4350	44.10	44.10		63.60B/36.40A	63.60B/36.40A	----		38.90 - 16.30	.3223	----	----	4	----	139	+				
4375	67.10	67.10		76.30B/44.90A	76.30B/44.90A	----		48.00 - 18.20	.3769	----	----	45	----	149	+				
4400	80.20	80.20		90.40B/54.90A	90.40B/54.90A	----		58.60 - 19.90	.4341	----	----	81	----	179	+				
4425	92.80	92.80		105.40B/66.50A	105.40B/66.50A	----		70.60 - 21.60	.4923	----	----	41	----	50	+				
4450	----	----		121.30B/79.60A	121.30B/79.60A	----		84.20 - 22.90	.5502	----	----	----	----	13	UNCH				
4475	----	----		138.50B/94.20A	138.50B/94.20A	----		99.20 - 24.10	.6063	----	----	----	----	23	UNCH				
4575	----	----		219.00B/165.70A	219.00B/165.70A	----		172.20 - 26.80	.7917	----	----	----	----	4	UNCH				
4700	----	----		332.70B/275.60A	332.70B/275.60A	----		283.00 - 27.00	.9162	----	----	----	----	1	UNCH				
TOTAL												452		1209	+				
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST					
OG1 CALL	GOLD OPTIONS																		
OCT26																			
4325	----	----		146.80B/103.90A	146.80B/103.90A	----		131.10 + 10.80	.7277	----	----	----	----	12	UNCH				
4350	114.50	114.50		129.50B/88.80A	129.50B/88.80A	----		113.70 + 8.90	.6772	----	----	2	----	104	+				
4375	102.00	102.00		113.40B/75.50A	113.40B/75.50A	----		97.80 + 7.00	.6226	----	----	70	----	182	+				
4400	67.40	67.40		99.10B/63.60A	99.10B/63.60A	----		83.40 + 5.20	.5655	----	----	52	----	154	+				
4425	69.70	69.70		86.50B/53.20A	86.50B/53.20A	----		70.50 + 3.60	.5072	----	----	35	----	55	+				
4450	----	----		74.40B/44.00A	74.40B/44.00A	----		59.10 + 2.20	.4494	----	----	1	----	37	+				
4475	36.50	36.50		63.00B/36.20A	63.00B/36.20A	----		49.10 + 1.00	.3932	----	----	20	----	60	+				
4500	32.20	32.20		54.30B/29.70A	54.30B/29.70A	----		40.50 - 0.20	.3401	----	----	1	----	34	-				
4525	35.40	35.40		45.80B/24.30A	45.80B/24.30A	----		33.20 - 1.00	.2909	----	----	3	----	3	-				
4550	26.60	26.60		38.70B/19.70A	38.70B/19.70A	----		27.20 - 1.40	.2469	----	----	55	----	77	+				
4575	20.50	20.50		32.70B/16.10A	32.70B/16.10A	----		22.20 - 1.70	.2079	----	----	24	----	28	+				
4600	18.30	18.30		27.60B/13.10A	27.60B/13.10A	----		18.20 - 1.80	.1745	----	----	7	----	206	+				
4625	15.30	15.30		23.10B/10.70A	23.10B/10.70A	----		14.90 - 1.90	.1457	----	----	1	----	19	+				
4650	13.40	13.40		19.20B/8.90A	19.20B/8.90A	----		12.20 - 2.00	.1213	----	----	13	----	72	+				
4675	----	----		16.30B/7.40A	16.30B/7.40A	----		10.00 - 1.90	.1007	----	----	----	----	13	UNCH				
4700	----	----		13.70B/6.20A	13.70B/6.20A	----		8.20 - 1.90	.0835	----	----	24	----	26	+				
4725	----	----		11.50B/5.20A	11.50B/5.20A	----		6.80 - 1.80	.0696	----	----	----	----	14	UNCH				
4750	5.20	5.20		9.90B/4.40A	9.90B/4.40A	----		5.70 - 1.60	.0584	----	----	1	----	104	+				
4775	----	----		8.40B/3.80A	8.40B/3.80A	----		4.80 - 1.50	.0491	----	----	1	----	22	UNCH				
4800	5.90	5.90		7.20B/3.20	7.20B/3.20	----		4.10 - 1.30	.0417	----	----	17	----	20	+				
4850	----	----		5.40B/2.60A	5.40B/2.60A	----		3.10 - 1.00	.0309	----	----	----	----	101	UNCH				
4875	3.00	3.00		4.60B/2.30A	4.60B/2.30A	----		2.70 - 0.90	.0267	----	----	6	----	27	+				
4900	----	----		4.00B/2.10A	4.00B/2.10A	----		2.40 - 0.70	.0234	----	----	----	----	4	UNCH				
5000	1.80	1.80		2.20B/1.40A	2.20B/1.40A	----		1.50 - 0.50	.0139	----	----	2	----	5	+				
5100	----	----		1.20B/1.10A	1.20B/1.10A	----		1.00 - 0.30	.0088	----	----	----	----	6	UNCH				
5200	----	----		----/0.80A	0.70B/0.80A	----		0.70 - 0.20	.0058	----	----	----	----	15	UNCH				
TOTAL												335		1400	+				
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST					
OG PUT	COMEX GOLD OPTIONS																		
OCT26																			
1000	----	----		----	----/0.10A	----		0.10 UNCH	----	----	----	----	----	1	UNCH				
1500	----	----		----	----/0.10A	----		0.10 UNCH	----	----	----	----	----	4	UNCH				
2000	----	----		----	----/0.10A	----		0.10 UNCH	----	----	----	----	----	90	UNCH				
2100	----	----		----	----/0.10A	----		0.10 UNCH	----	----	----	----	----	4	UNCH				
2200	----	----		----	----/0.10A	----		0.10 UNCH	----	----	----	----	----	15	UNCH				
2300	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	4	UNCH				
2400	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	1	UNCH				
2500	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	49	UNCH				
2525	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	1	UNCH				
2550	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	3	UNCH				
2600	----	----		----	----/0.10A	----		0.10 UNCH	----	----	----	----	----	70	UNCH				
2625	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	3	UNCH				
2650	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	5	UNCH				
2675	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	75	UNCH				
2700	----	----		----	----/0.10A	----		0.10 UNCH	----	----	----	----	----	51	UNCH				
2710	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	11	UNCH				
2750	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	9	UNCH				
2780	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	5	UNCH				
2795	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	1	UNCH				
2800	----	----		----	----/0.10A	----		0.10 UNCH	----	----	----	----	----	54	UNCH				
2810	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	1	UNCH				
2820	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	26	UNCH				
2825	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	6	UNCH				
2830	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	1	UNCH				
2850	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	6	UNCH				
2865	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	8	UNCH				
2880	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	1	UNCH				
2900	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	5	UNCH				
2925	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	2	UNCH				
2950	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	158	UNCH				
2970	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	2	UNCH				
2975	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	5	UNCH				
3000	----	----		----	----/0.10A	----		0.10 UNCH	----	----	----	----	----	531	UNCH				
3010	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	1	UNCH				
3025	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	1	UNCH				
3040	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	1	UNCH				
3050	----	----		----	----/0.10A	----		0.10 UNCH	----	----	----	----	----	62	UNCH				
3055	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	2	UNCH				
3090	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	7	UNCH				
3100	----	----		----	----/0.10A	----													

BULLETIN #180@				METALS OPTION PRODUCTS										Fri, Sep 18, 2026			PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW		OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS																	
OCT26																		
3370	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	7	UNCH
3375	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	52	UNCH
3380	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	2	UNCH
3385	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	6	UNCH
3390	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	8	UNCH
3395	----	----	----	----	----	---/0.10A	----	----	----	0.10	UNCH	----	----	----	----	----	36	UNCH
3400	----	----	----	----	----	---/0.10A	----	----	----	0.10	UNCH	----	----	----	----	----	551	UNCH
3405	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	18	UNCH
3410	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	16	UNCH
3415	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	2	UNCH
3420	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	24	UNCH
3425	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	9	UNCH
3430	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	10	UNCH
3435	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	10	UNCH
3440	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	10	UNCH
3445	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	47	UNCH
3450	----	----	----	----	----	---/0.10A	----	----	----	0.10	UNCH	----	----	----	----	----	181	UNCH
3455	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	5	UNCH
3460	----	----	----	----	----	---/0.10A	----	----	----	0.10	UNCH	----	----	----	----	----	118	UNCH
3465	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	11	UNCH
3470	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	9	UNCH
3475	----	----	----	----	----	---/0.10A	----	----	----	0.10	UNCH	----	----	----	----	----	225	UNCH
3480	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	22	UNCH
3485	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	6	UNCH
3490	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	20	UNCH
3495	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	3	UNCH
3500	----	----	----	----	----	---/0.10A	----	----	----	0.10	UNCH	----	----	----	----	----	1205	UNCH
3505	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	24	UNCH
3510	----	----	----	----	----	---/0.10A	----	----	----	0.10	UNCH	----	----	----	----	----	24	UNCH
3515	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	34	UNCH
3520	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	16	UNCH
3525	----	----	----	----	----	---/0.10A	----	----	----	0.10	UNCH	----	----	----	----	----	40	UNCH
3530	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	32	UNCH
3535	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	2	UNCH
3540	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	19	UNCH
3545	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	61	UNCH
3550	----	----	----	----	----	---/0.10A	----	----	----	0.10	UNCH	----	----	----	----	----	213	UNCH
3555	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	25	UNCH
3560	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	48	UNCH
3565	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	83	UNCH
3570	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	7	UNCH
3575	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	7	UNCH
3580	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	7	UNCH
3585	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	48	UNCH
3590	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	17	UNCH
3595	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	19	UNCH
3600	----	----	----	----	----	---/0.10A	----	----	----	0.10	UNCH	----	----	----	----	----	1051	UNCH
3605	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	8	UNCH
3610	----	----	----	----	----	---/0.10A	----	----	----	0.10	UNCH	----	----	----	----	----	115	UNCH
3615	----	----	----	----	----	---/0.10A	----	----	----	0.10	UNCH	----	----	----	----	----	259	UNCH
3620	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	63	UNCH
3625	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	25	UNCH
3630	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	19	UNCH
3635	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	3	UNCH
3640	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	57	UNCH
3645	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	----	----	----	----	----	56	UNCH
3650	----	----	----	----	----	---/0.10A	----	----	----	0.10	UNCH	----	----	----	----	----	413	UNCH
3655	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	----	13	UNCH
3660	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	----	42	UNCH
3665	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	----	85	UNCH
3670	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	----	36	UNCH
3675	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	----	60	UNCH
3680	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	----	72	UNCH
3685	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	----	61	UNCH
3690	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	----	39	UNCH
3695	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	----	69	UNCH
3700	0.10	0.10		0.10/0.10	0.10	0.10	----	----	----	0.10	UNCH	.0000	----	5	----	----	813	-
3705	----	----	----	----	----	---/0.10A	----	----	----	0.10	UNCH	.0000	----	----	----	----	32	UNCH
3710	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	----	15	UNCH
3715	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	----	51	UNCH
3720	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	----	42	UNCH
3725	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	----	155	UNCH
3730	----	----	----	----	----	---/0.10A	----	----	----	0.10	UNCH	.0000	----	----	----	----	32	UNCH
3735	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	----	91	UNCH
3740	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	----	38	UNCH
3745	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	----	39	UNCH
3750	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	----	574	UNCH
3755	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	----	211	UNCH
3760	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	.0001	----	----	----	----	211	UNCH
3765	----	----	----	----	----	---/0.20A	----	----	----	0.10	UNCH	.0001	----	----	----	----	200	UNCH
3770	----	----	----	----	----	---/0.20A	----	----	----	0.10	-	0.10	.0001	----	----	----	36	UNCH
3775	----	----	----	----	----	---/0.20A	----	----	----	0.10	-	0.10	.0001	----	----	----	207	UNCH
3780	----	----	----	----	----	---/0.20A	----	----	----	0.10	-	0.10	.0001	----	----	----	17	UNCH
3785	----	----	----	----	----	---/0.20A	----	----	----	0.10	-	0.10	.0001	----	----	----	34	UNCH
3790	----	----	----	----	----	---/0.20A	----	----	----	0.10	-	0.10	.0002	----	----	----	24	UNCH
3795	----	----	----	----	----	---/0.20A	----	----	----	0.10	-	0.10	.0002	----	----	----	33	UNCH
3800	0.10	0.10		0.30/0.10	0.30	0.10	----	----	----	0.10	-	0.10	.0002	13	----	1581	-	
3805	----	----	----	----	----	---/0.20A	----	----	----	0.10	-	0.10	.0003	----	----	----	308	UNCH
3810	----	----	----	----	----	---/0.20A	----	----	----	0.10	-	0.10	.0003	----	----	----	50	UNCH
3815	----	----	----	----	----	---/0.20A	----	----	----	0.10	-	0.10	.0003	----	----	----	61	UNCH
3820	----	----	----	----	----	---/0.20A	----	----	----	0.10	-	0.10	.0004	----	----	----	85	UNCH
3825	----	----	----	----	----	0.20B/0.20A	----	----	----	0.10	-	0.10	.0004	----	----	----	76	UNCH
3830	----	----	----	----	----	0.20B/0.20A	----	----	----	0.10	-	0.10	.0005	----	----	----	16	UNCH
3835	----	----	----	----	----	0.20B/0.20A	----	----	----	0.10	-	0.10	.0005	----	----	----	19	UNCH
3840	----	----	----	----	----	---/0.20A	----	----	----	0.10	-	0.20	.0006	----	----	----	38	UNCH
3845	----	----	----	----	----	---/0.20A	----	----	----	0.10	-	0.20	.0007	----	----	----	35	UNCH
3850	----	----	----	----	----	---/0.20A	----	----	----	0.10	-	0.20	.0008	2	----	906	+	
3855	----	----	----	----	----	0.20B/0.20A	----	----	----	0.20	-	0.10	.0015	----	----	----	34	UNCH
3860	----	----	----	----	----	0.20B/0.20A	----	----	----	0.20	-	0.10	.0015	----	----	----	92	UNCH
3865	----	----	----	----	----	0.20B/0.20A	----	----	----	0.								

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
OG PUT		COMEX GOLD OPTIONS																		
OCT26		----	----	392.00B/341.30A	392.00B/341.30A	----	----	----	350.00 - 25.60	.9895	----	----	----	----	3	UNCH				
4740	----	----	----	397.10B/349.90A	397.10B/349.90A	----	----	----	355.00 - 25.60	.9907	----	----	----	----	1	UNCH				
4745	----	----	----	402.00B/350.10A	402.00B/350.10A	----	----	----	360.00 - 25.60	.9908	----	----	----	----	176	UNCH				
4750	----	----	----	406.90B/356.70A	406.90B/356.70A	----	----	----	364.90 - 25.60	.9909	----	----	----	----	169	UNCH				
4755	----	----	----	411.90B/364.60A	411.90B/364.60A	----	----	----	369.90 - 25.60	.9910	----	----	----	----	1	UNCH				
4760	----	----	----	417.00B/366.10A	417.00B/366.10A	----	----	----	374.90 - 25.50	.9921	----	----	1	----	11	-				
4765	408.50	408.50	----	421.90B/371.00A	421.90B/371.00A	----	----	----	379.90 - 25.50	.9922	----	----	----	----	3	UNCH				
4770	----	----	----	426.80B/376.40A	426.80B/376.40A	----	----	----	384.80 - 25.60	.9923	----	----	----	----	39	UNCH				
4775	----	----	----	431.80B/384.30A	431.80B/384.30A	----	----	----	389.80 - 25.50	.9924	----	----	----	----	2	UNCH				
4780	----	----	----	436.90B/389.30A	436.90B/389.30A	----	----	----	394.80 - 25.50	.9925	----	----	----	----	1	UNCH				
4785	----	----	----	441.80B/394.20A	441.80B/394.20A	----	----	----	399.80 - 25.50	.9935	----	----	----	----	1	UNCH				
4790	----	----	----	451.70B/401.50A	451.70B/401.50A	----	----	----	409.70 - 25.50	.9937	----	----	----	----	129	UNCH				
4800	----	----	----	456.70B/405.80A	456.70B/405.80A	----	----	----	414.70 - 25.50	.9937	----	----	----	----	12	UNCH				
4805	----	----	----	461.80B/410.90A	461.80B/410.90A	----	----	----	419.70 - 25.40	.9938	----	----	----	----	19	UNCH				
4810	----	----	----	466.70B/415.90A	466.70B/415.90A	----	----	----	424.70 - 25.40	.9938	----	----	----	----	39	UNCH				
4815	----	----	----	471.70B/420.80A	471.70B/420.80A	----	----	----	429.70 - 25.40	.9949	----	----	----	----	3	UNCH				
4820	----	----	----	481.60B/430.70A	481.60B/430.70A	----	----	----	439.60 - 25.40	.9950	----	----	----	----	10	UNCH				
4830	----	----	----	486.60B/435.80A	486.60B/435.80A	----	----	----	444.60 - 25.40	.9950	----	----	----	----	13	UNCH				
4835	----	----	----	491.70B/440.80A	491.70B/440.80A	----	----	----	449.60 - 25.40	.9951	----	----	----	----	18	UNCH				
4840	----	----	----	496.70B/445.70A	496.70B/445.70A	----	----	----	454.60 - 25.40	.9951	----	----	----	----	20	UNCH				
4845	----	----	----	501.50B/450.60A	501.50B/450.60A	----	----	----	459.60 - 25.40	.9952	----	----	----	----	81	UNCH				
4850	----	----	----	526.40B/478.60A	526.40B/478.60A	----	----	----	484.50 - 25.40	.9963	----	----	----	----	1	UNCH				
4855	----	----	----	531.50B/483.60A	531.50B/483.60A	----	----	----	489.50 - 25.40	.9963	----	----	----	----	5	UNCH				
4860	----	----	----	546.40B/498.60A	546.40B/498.60A	----	----	----	504.50 - 25.30	.9964	----	----	----	----	6	UNCH				
4865	----	----	----	551.40B/503.50A	551.40B/503.50A	----	----	----	509.50 - 25.30	.9973	----	----	----	----	91	UNCH				
4870	----	----	----	561.40B/513.70A	561.40B/513.70A	----	----	----	519.50 - 25.30	.9974	----	----	----	----	3	UNCH				
4875	----	----	----	566.30B/518.70A	566.30B/518.70A	----	----	----	524.50 - 25.30	.9974	----	----	----	----	1	UNCH				
4880	----	----	----	571.30B/523.70A	571.30B/523.70A	----	----	----	529.40 - 25.40	.9974	----	----	----	----	1	UNCH				
4885	----	----	----	576.30B/528.60A	576.30B/528.60A	----	----	----	534.40 - 25.30	.9974	----	----	----	----	9	UNCH				
4890	----	----	----	581.30B/533.50A	581.30B/533.50A	----	----	----	539.40 - 25.30	.9975	----	----	----	----	1	UNCH				
4895	----	----	----	586.30B/538.50A	586.30B/538.50A	----	----	----	544.40 - 25.30	.9975	----	----	----	----	5	UNCH				
4900	----	----	----	631.40B/583.40A	631.40B/583.40A	----	----	----	589.40 - 25.30	.9985	----	----	----	----	1	UNCH				
4905	----	----	----	651.40B/603.40A	651.40B/603.40A	----	----	----	609.40 - 25.20	.9986	----	----	----	----	3	UNCH				
4910	----	----	----	661.30B/613.50A	661.30B/613.50A	----	----	----	619.30 - 25.30	.9986	----	----	----	----	1	UNCH				
4915	----	----	----	701.00B/653.30A	701.00B/653.30A	----	----	----	659.30 - 25.30	.9987	----	----	----	----	0	UNCH				
4920	----	----	----	751.20B/703.50A	751.20B/703.50A	----	----	----	709.30 - 25.20	.9999	----	----	----	----	0	UNCH				
4925	----	----	----	846.00B/799.50A	846.00B/799.50A	----	----	----	804.30 - NEW	1.0000	----	----	25	----	25	+				
4930	----	----	----	851.00B/804.50A	851.00B/804.50A	----	----	----	809.30 - 25.20	1.0000	150	----	50	----	1	-				
4935	----	----	----	856.00B/809.50A	856.00B/809.50A	----	----	----	814.30 - NEW	1.0000	----	----	25	----	25	+				
4940	----	----	----	861.00B/814.50A	861.00B/814.50A	----	----	----	819.30 - 25.20	1.0000	----	----	----	----	0	-				
4945	----	----	----	895.80B/849.50A	895.80B/849.50A	----	----	----	854.30 - NEW	1.0000	----	----	19	----	19	+				
4950	----	----	----	900.70B/854.50A	900.70B/854.50A	----	----	----	859.30 - 25.20	1.0000	43	----	43	----	75	UNCH				
4955	----	----	----	905.70B/859.50A	905.70B/859.50A	----	----	----	864.30 - NEW	1.0000	----	----	19	----	19	+				
TOTAL																5315	350	69474	+	1207
NOV26		----	----	----	----	----/0.20A	----	----	0.10	UNCH	----	----	----	----	13	UNCH				
2000	----	----	----	----	----	----/0.20A	----	----	0.10	UNCH	----	----	----	----	107	UNCH				
2100	----	----	----	----	----	----/0.20A	----	----	0.10	UNCH	----	----	----	----	28	UNCH				
2200	0.10	0.10	0.10/0.10	0.10/0.10	0.10/0.10	----	----	----	0.10	UNCH	.0000	----	1	----	3	UNCH				
2300	----	----	----	----	----	----/0.20A	----	----	0.10	UNCH	.0000	----	----	----	13	UNCH				
2400	----	----	----	----	----	----/0.10A	----	----	0.10	UNCH	.0000	----	----	----	11	UNCH				
2500	----	----	----	----	----	----/0.30A	----	----	0.10	UNCH	.0001	----	----	----	11	UNCH				
2600	----	----	----	----	----	----/0.30A	----	----	0.10	UNCH	.0002	----	----	----	8	UNCH				
2625	----	----	----	----	----	----/0.30A	----	----	0.10 - 0.10	.0003	----	----	----	----	60	UNCH				
2650	----	----	----	----	0.10B/0.30A	0.10 - 0.10	----	----	0.10 - 0.10	.0003	----	----	----	----	8	UNCH				
2675	0.20	0.20	0.20/0.20	0.20/0.20	0.20/0.20	0.20 - 0.10	----	----	0.10 - 0.10	.0004	----	----	2	----	151	UNCH				
2700	----	----	----	0.20B/0.30A	0.20B/0.30A	0.20	UNCH	.0008	0.20	UNCH	.0008	----	----	----	2	UNCH				
2725	----	----	----	0.20B/0.30A	0.20B/0.30A	0.20	UNCH	.0008	0.20	UNCH	.0008	----	----	----	21	UNCH				
2750	----	----	----	0.20B/0.30A	0.20B/0.30A	0.20	UNCH	.0008	0.20 - 0.10	.0009	----	----	----	----	1	UNCH				
2775	----	----	----	0.20B/0.30A	0.20B/0.30A	0.20 - 0.10	.0009	----	0.20 - 0.10	.0009	----	----	----	----	92	UNCH				
2800	----	----	----	0.20B/0.30A	0.20B/0.30A	0.20 - 0.10	.0009	----	0.20 - 0.10	.0009	----	----	----	----	15	UNCH				
2820	----	----	----	0.20B/0.40A	0.20B/0.40A	0.20 - 0.10	.0009	----	0.20 - 0.10	.0009	----	----	----	----	30	UNCH				
2825	----	----	----	0.20B/0.40A	0.20B/0.40A	0.20 - 0.10	.0009	----	0.20 - 0.10	.0009	----	----	----	----	1	UNCH				
2840	----	----	----	0.20B/0.40A	0.20B/0.40A	0.30	UNCH	.0013	0.30	UNCH	.0013	----	----	----	42	UNCH				
2850	----	----	----	0.30B/0.40A	0.30B/0.40A	0.30	UNCH	.0013	0.30	UNCH	.0013	----	----	----	1	UNCH				
2860	----	----	----	0.30B/0.40A	0.30B/0.40A	0.30	UNCH	.0013	0.30 - 0.10	.0013	----	----	----	----	7	UNCH				
2870	----	----	----	0.30B/0.40A	0.30B/0.40A	0.30 - 0.10	.0013	----	0.30 - 0.10	.0013	----	----	1	----	28	UNCH				
2895	0.30	0.30	0.30/0.30	0.30/0.30	0.30/0.30	0.30 - 0.10	.0013	----	0.30 - 0.10	.0013	----	----	1	----	75	-				
2900	----	----	----	0.30B/0.40A	0.30B/0.40A	0.30 - 0.10	.0013	----	0.30 - 0.10	.0013	----	----	----	----	1	UNCH				
2910	----	----	----	0.30B/0.40A	0.30B/0.40A	0.30 - 0.10	.0014	----	0.30 - 0.10	.0014	----	----	----	----	11	UNCH				
2915	----	----	----	0.30B/0.40A	0.30B/0.40A	0.30 - 0.10	.0014	----	0.30 - 0.10	.0014	----	----	----	----	1	UNCH				
2925	----	----	----	0.30B/0.40A	0.30B/0.40A	0.30 - 0.10	.0014	----	0.30 - 0.10	.0014	----	----	----	----	2	UNCH				
2935	----	----	----	0.30B/0.40A	0.30B/0.40A	0.40	UNCH	.0018	0.40	UNCH	.0018	----	----	----	21	UNCH				
2940	----	----	----	0.30B/0.40A	0.30B/0.40A	0.40	UNCH	.0018	0.40	UNCH	.0018	----	----	----	10	UNCH				
2945	----	----	----	0.40B/0.40A	0.40B/0.40A	0.40 - 0.10	.0018	----	0.40 - 0.10	.0018	----	----	----	----	138	UNCH				
2950	----	----	----	0.40B/0.40A	0.40B/0.40A	0.40 - 0.10	.0018	----	0.40 - 0.10	.0018	----	----	----	----	20	UNCH				
2965	----	----	----	0.40B/0.40A	0.40B/0.40A	0.40 - 0.10	.0019	----	0.40 - 0.10	.0019	----	----	----	----	30	UNCH				
2975	----	----	----	0.40B/0.50A	0.40B/0.50A	0.40 - 0.10	.0019	----	0.40 - 0.10	.0019	----	----	1	----	328	UNCH				
2995	----	----	----	0.40B/0.50A	0.40B/0.50A	0.40 - 0.10	.0019	----	0.40 - 0.10	.0019	----	----	----	----	1	UNCH				
3000	----	----	----	0.40B/0.50A	0.40B/0.50A	0.40 - 0.10	.0019	----	0.40 - 0.10	.0019	----	----	----	----	2	UNCH				
3005	----	----	----	0.40B/0.50A	0.40B/0.50A	0.50 - 0.10	.0023	----	0.50 - 0.10	.0023	----	----	----	----	505	UNCH				
3015	----	----	----	0.40B/0.50A	0.40B/0.50A	0.50 - 0.10	.0023	----	0.50 - 0.10	.0023	----	----	----	----	35	UNCH				
3020	----	----	----	0.50B/0.50A	0.50B/0.50A	0.50 - 0.10	.0023	----	0.50 - 0.20	.0024	----	----	----	----	10	UNCH				
3025	----	----	----	0.50B/0.60A	0.50B/0.60A	0.60 - 0.10	.0028	----	0.60 - 0.10	.0028	----	----	----	----	22	UNCH				
3030	----	----	----	0.50B/0.60A	0.50B/0.60A	0.60 - 0.10	.0028	----	0.60 - 0.10	.0028	----	----	----	----	13	UNCH				
3035	----	----	----	0.50B/0.60A	0.50B/0.60A	0.60 - 0.10	.0028	----	0.60 - 0.10	.0028	----	----	----	----	25	UNCH				
3040	----	----	----	0.50B/0.60A	0.50B/0.60A	0.60 - 0.10	.0028	----	0.60 - 0.10	.0028	----	----	----	----	5	UNCH				
3045	----	----	----	0.60B/0.60A	0.60B/0.60A	0.60 - 0.10	.0029	----	0.60 - 0.20	.0029	----	----	----	----	32	UNCH				
3050	----	----	----	0.60B/0.60A	0.60B/0															

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT	COMEX GOLD OPTIONS																
NOV26																	
3410	----	----	----	/1. 60A	1. 90B/1. 60A	----	----	----	1. 70 - 0. 30	.0089	----	----	----	----	----	2	UNCH
3420	----	----	----	/1. 70A	2. 00B/1. 70A	----	----	----	1. 70 - 0. 40	.0090	----	----	----	----	----	12	UNCH
3425	----	----	----	/1. 70A	2. 00B/1. 70A	----	----	----	1. 80 - 0. 30	.0094	----	----	----	----	----	23	UNCH
3430	----	----	----	/1. 80A	2. 00B/1. 80A	----	----	----	1. 80 - 0. 30	.0095	----	----	1	----	----	32	UNCH
3440	----	----	----	/1. 80A	2. 10B/1. 80A	----	----	----	1. 80 - 0. 40	.0096	----	----	----	----	----	45	UNCH
3445	----	----	----	/1. 80A	2. 10B/1. 80A	----	----	----	1. 90 - 0. 30	.0100	----	----	----	----	----	1	UNCH
3450	----	----	----	/1. 90A	2. 20B/1. 90A	----	----	----	1. 90 - 0. 40	.0101	----	----	----	----	----	65	UNCH
3455	----	----	----	/1. 90A	2. 20B/1. 90A	----	----	----	1. 90 - 0. 40	.0101	----	----	----	----	----	1	UNCH
3460	----	----	----	/1. 90A	2. 20B/1. 90A	----	----	----	2. 00 - 0. 40	.0106	----	----	----	----	----	29	UNCH
3465	----	----	----	/2. 00A	2. 30B/2. 00A	----	----	----	2. 00 - 0. 40	.0106	----	----	----	----	----	5	UNCH
3470	----	----	----	/2. 00A	2. 30B/2. 00A	----	----	----	2. 00 - 0. 40	.0107	----	----	----	----	----	5	UNCH
3475	----	----	----	/2. 00A	2. 40B/2. 00A	----	----	----	2. 00 - 0. 50	.0107	----	----	----	----	----	19	UNCH
3480	----	----	----	/2. 10A	2. 40B/2. 10A	----	----	----	2. 10 - 0. 40	.0112	----	----	----	----	----	57	UNCH
3485	----	----	----	/2. 10A	2. 50B/2. 10A	----	----	----	2. 10 - 0. 40	.0113	----	----	----	----	----	3	UNCH
3490	----	----	----	/2. 10A	2. 50B/2. 10A	----	----	----	2. 10 - 0. 50	.0113	----	----	----	----	----	2	UNCH
3495	----	----	----	/2. 10A	2. 60B/2. 10A	----	----	----	2. 20 - 0. 40	.0118	----	----	----	----	----	8	UNCH
3500	2. 50	2. 50	----	2. 50/2. 20A	2. 60B/2. 20A	2. 60B/2. 20A	----	----	2. 20 - 0. 50	.0119	----	----	12	----	2718	+	4
3505	2. 60	2. 60	----	2. 60/2. 20A	2. 70B/2. 20A	2. 70B/2. 20A	----	----	2. 20 - 0. 50	.0119	----	----	1	----	3	+	1
3510	----	----	----	/2. 20A	2. 70B/2. 20A	2. 70B/2. 20A	----	----	2. 30 - 0. 40	.0124	----	----	----	----	----	27	UNCH
3515	----	----	----	/2. 30A	2. 80B/2. 30A	2. 80B/2. 30A	----	----	2. 30 - 0. 50	.0125	----	----	----	----	----	161	UNCH
3520	----	----	----	/2. 30A	2. 80B/2. 30A	2. 80B/2. 30A	----	----	2. 30 - 0. 50	.0126	----	----	----	----	----	6	UNCH
3525	----	----	----	/2. 30A	2. 80B/2. 30A	2. 80B/2. 30A	----	----	2. 40 - 0. 50	.0131	----	----	----	----	----	18	UNCH
3530	----	----	----	/2. 40A	2. 90B/2. 40A	2. 90B/2. 40A	----	----	2. 40 - 0. 50	.0131	----	----	----	----	----	1	UNCH
3535	----	----	----	/2. 40A	2. 90B/2. 40A	2. 90B/2. 40A	----	----	2. 40 - 0. 60	.0132	----	----	----	----	----	173	UNCH
3540	----	----	----	/2. 40A	3. 00B/2. 40A	3. 00B/2. 40A	----	----	2. 50 - 0. 50	.0137	----	----	----	----	----	78	UNCH
3545	----	----	----	/2. 50A	3. 00B/2. 50A	3. 00B/2. 50A	----	----	2. 50 - 0. 60	.0138	----	----	----	----	----	55	UNCH
3550	----	----	----	/2. 50A	3. 10B/2. 50A	3. 10B/2. 50A	----	----	2. 50 - 0. 60	.0138	----	----	----	----	----	474	UNCH
3555	----	----	----	/2. 60A	3. 20B/2. 60A	3. 20B/2. 60A	----	----	2. 60 - 0. 60	.0143	----	----	----	----	----	4	UNCH
3560	----	----	----	/2. 60A	3. 20B/2. 60A	3. 20B/2. 60A	----	----	2. 60 - 0. 60	.0144	----	----	----	----	----	34	UNCH
3565	----	----	----	/2. 60A	3. 30B/2. 60A	3. 30B/2. 60A	----	----	2. 60 - 0. 70	.0145	----	----	----	----	----	12	UNCH
3570	----	----	----	/2. 70A	3. 30B/2. 70A	3. 30B/2. 70A	----	----	2. 70 - 0. 60	.0150	----	----	----	----	----	1	UNCH
3575	----	----	----	/2. 70A	3. 40B/2. 70A	3. 40B/2. 70A	----	----	2. 70 - 0. 70	.0151	----	----	----	----	----	175	UNCH
3585	----	----	----	/2. 80A	3. 50B/2. 80A	3. 50B/2. 80A	----	----	2. 80 - 0. 70	.0157	----	----	----	----	----	7	UNCH
3590	----	----	----	/2. 80A	3. 50B/2. 80A	3. 50B/2. 80A	----	----	2. 80 - 0. 80	.0158	----	----	----	----	----	0	UNCH
3595	----	----	----	/2. 90A	3. 60B/2. 90A	3. 60B/2. 90A	----	----	2. 90 - 0. 70	.0163	----	----	----	----	----	23	UNCH
3600	3. 60	3. 60	----	3. 60/2. 90A	3. 70B/2. 90A	3. 70B/2. 90A	----	----	2. 90 - 0. 80	.0164	----	----	8	----	1716	-	4
3605	----	----	----	/3. 00A	3. 70B/3. 00A	3. 70B/3. 00A	----	----	3. 00 - 0. 70	.0169	----	----	----	----	----	3	UNCH
3610	----	----	----	/3. 00A	3. 80B/3. 00A	3. 80B/3. 00A	----	----	3. 00 - 0. 80	.0170	----	----	----	----	----	1	UNCH
3615	----	----	----	/3. 10A	3. 90B/3. 10A	3. 90B/3. 10A	----	----	3. 10 - 0. 80	.0175	----	----	----	----	----	2	UNCH
3620	----	----	----	/3. 10A	3. 90B/3. 10A	3. 90B/3. 10A	----	----	3. 10 - 0. 80	.0176	----	----	----	----	----	4	UNCH
3625	----	----	----	/3. 10A	4. 00B/3. 10A	4. 00B/3. 10A	----	----	3. 10 - 0. 90	.0177	----	----	----	----	----	5	UNCH
3630	----	----	----	/3. 20A	4. 10B/3. 20A	4. 10B/3. 20A	----	----	3. 20 - 0. 90	.0182	----	----	----	----	----	10	UNCH
3635	----	----	----	/3. 20A	4. 10B/3. 20A	4. 10B/3. 20A	----	----	3. 20 - 0. 90	.0183	----	----	----	----	----	13	UNCH
3640	----	----	----	/3. 30A	4. 20B/3. 30A	4. 20B/3. 30A	----	----	3. 30 - 0. 90	.0189	----	----	2	----	16	-	2
3645	----	----	----	/3. 30A	4. 30B/3. 30A	4. 30B/3. 30A	----	----	3. 30 - 1. 00	.0190	----	----	----	----	----	17	UNCH
3650	----	----	----	4. 40B/3. 40A	4. 40B/3. 40A	4. 40B/3. 40A	----	----	3. 40 - 0. 90	.0195	----	----	----	----	----	212	UNCH
3655	----	----	----	/3. 40A	4. 40B/3. 40A	4. 40B/3. 40A	----	----	3. 40 - 1. 00	.0197	----	----	----	----	----	37	UNCH
3660	4. 30	4. 30	----	4. 30/3. 50A	4. 50B/3. 50A	4. 50B/3. 50A	----	----	3. 50 - 1. 00	.0202	----	----	31	----	73	+	27
3665	----	----	----	/3. 50A	4. 60B/3. 50A	4. 60B/3. 50A	----	----	3. 60 - 1. 00	.0208	----	----	----	----	----	35	UNCH
3670	----	----	----	/3. 60A	4. 70B/3. 60A	4. 70B/3. 60A	----	----	3. 60 - 1. 10	.0209	----	----	----	----	----	72	UNCH
3675	----	----	----	4. 80B/3. 60A	4. 80B/3. 60A	4. 80B/3. 60A	----	----	3. 70 - 1. 00	.0214	----	----	1	----	280	-	1
3680	----	----	----	/3. 70A	4. 80B/3. 70A	4. 80B/3. 70A	----	----	3. 70 - 1. 10	.0216	----	----	----	----	----	82	UNCH
3685	----	----	----	/3. 80A	4. 90B/3. 80A	4. 90B/3. 80A	----	----	3. 80 - 1. 10	.0221	----	----	----	----	----	19	UNCH
3690	----	----	----	/3. 80A	5. 00B/3. 80A	5. 00B/3. 80A	----	----	3. 80 - 1. 20	.0223	----	----	2	----	23	-	2
3695	----	----	----	/3. 90A	5. 10B/3. 90A	5. 10B/3. 90A	----	----	3. 90 - 1. 20	.0228	----	----	----	----	----	33	UNCH
3700	4. 60	4. 60	----	4. 60/3. 80	5. 20B/3. 80	5. 20B/3. 80	----	----	4. 00 - 1. 20	.0234	----	----	16	----	979	+	6
3705	----	----	----	/4. 00A	5. 30B/4. 00A	5. 30B/4. 00A	----	----	4. 00 - 1. 30	.0235	----	----	1	----	40	-	1
3710	----	----	----	/4. 00A	5. 40B/4. 00A	5. 40B/4. 00A	----	----	4. 10 - 1. 30	.0241	----	----	----	----	----	35	UNCH
3715	----	----	----	5. 50B/4. 10A	5. 50B/4. 10A	5. 50B/4. 10A	----	----	4. 20 - 1. 20	.0247	----	----	----	----	----	18	UNCH
3720	----	----	----	5. 60B/4. 20A	5. 60B/4. 20A	5. 60B/4. 20A	----	----	4. 20 - 1. 30	.0249	----	----	----	----	----	5	UNCH
3725	----	----	----	5. 70B/4. 20A	5. 70B/4. 20A	5. 70B/4. 20A	----	----	4. 30 - 1. 30	.0255	----	----	----	----	----	120	UNCH
3730	----	----	----	/4. 30A	5. 80B/4. 30A	5. 80B/4. 30A	----	----	4. 40 - 1. 40	.0261	----	----	----	----	----	31	UNCH
3735	----	----	----	/4. 40A	6. 00B/4. 40A	6. 00B/4. 40A	----	----	4. 40 - 1. 50	.0262	----	----	1	----	11	-	1
3740	----	----	----	/4. 50A	6. 00B/4. 50A	6. 00B/4. 50A	----	----	4. 50 - 1. 50	.02							

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG	PUT	COMEX GOLD OPTIONS													
NOV26															
4110	----	----	----	35.90B/23.10A	35.90B/23.10A	----	----	----	23.90 - 8.50	.1398	----	----	2	----	38 UNCH
4115	----	----	----	36.80B/23.70A	36.80B/23.70A	----	----	----	24.60 - 8.70	.1433	----	----	----	----	148 UNCH
4120	30.60	30.60	30.60	37.80B/24.40A	37.80B/24.40A	----	----	----	25.30 - 8.90	.1469	----	----	6	----	85 + 3
4125	31.60	31.60	31.60	38.80B/25.10A	38.80B/25.10A	----	----	----	26.00 - 9.10	.1504	----	----	4	----	425 + 2
4130	----	----	----	39.80B/25.80A	39.80B/25.80A	----	----	----	26.70 - 9.30	.1540	----	----	----	----	141 UNCH
4135	34.20	34.20	34.20	40.90B/26.50A	40.90B/26.50A	----	----	----	27.50 - 9.50	.1579	----	----	3	----	71 UNCH
4140	----	----	----	42.00B/27.20A	42.00B/27.20A	----	----	----	28.30 - 9.60	.1618	----	----	----	----	156 UNCH
4145	----	----	----	43.10B/28.00A	43.10B/28.00A	----	----	----	29.00 - 9.90	.1654	----	----	3	----	169 UNCH
4150	34.20	34.20	34.20	44.30B/28.80A	44.30B/28.80A	----	----	----	29.90 - 10.10	.1696	----	----	43	1289 +	7
4155	----	----	----	45.40B/29.60A	45.40B/29.60A	----	----	----	30.70 - 10.30	.1735	----	----	----	----	37 UNCH
4160	41.10	41.10	41.10	46.60B/30.40A	46.60B/30.40A	----	----	----	31.60 - 10.50	.1778	----	----	15	----	250 - 8
4165	37.50	37.50	37.50	47.80B/31.30A	47.80B/31.30A	----	----	----	32.50 - 10.70	.1820	----	----	6	----	195 + 1
4170	40.70	40.70	40.70	49.10B/32.10A	49.10B/32.10A	----	----	----	33.40 - 10.90	.1862	----	----	5	----	64 UNCH
4175	39.20	39.20	39.20	50.40B/33.00A	50.40B/33.00A	----	----	----	34.30 - 11.20	.1905	----	----	38	----	386 + 11
4180	42.80	42.80	42.80	51.70B/34.00A	51.70B/34.00A	----	----	----	35.30 - 11.40	.1951	----	----	6	----	132 + 5
4185	44.10	44.10	44.10	53.10B/34.90A	53.10B/34.90A	----	----	----	36.30 - 11.60	.1996	----	----	6	----	91 + 2
4190	45.40	45.40	45.40	54.50B/35.90A	54.50B/35.90A	----	----	----	37.30 - 11.80	.2042	----	----	2	----	93 + 2
4195	----	----	----	55.90B/36.90A	55.90B/36.90A	----	----	----	38.40 - 12.00	.2090	----	----	3	----	51 + 1
4200	49.40	49.40	49.40	57.30B/37.90A	57.30B/37.90A	----	----	----	39.50 - 12.20	.2138	----	----	80	----	785 - 10
4205	50.10	50.10	50.10	58.70B/39.00A	58.70B/39.00A	----	----	----	40.60 - 12.40	.2186	----	----	142	----	213 + 93
4210	----	----	----	60.20B/40.10A	60.20B/40.10A	----	----	----	41.70 - 12.70	.2235	----	----	2	----	164 + 1
4215	----	----	----	61.80B/41.20A	61.80B/41.20A	----	----	----	42.90 - 12.90	.2286	----	----	----	----	54 UNCH
4220	55.90	55.90	55.90	63.30B/42.40A	63.30B/42.40A	----	----	----	44.10 - 13.10	.2337	----	----	15	----	26 + 3
4225	----	----	----	64.90B/43.50A	64.90B/43.50A	----	----	----	45.30 - 13.30	.2388	----	----	56	----	108 + 35
4230	56.10	56.10	56.10	66.50B/44.70A	66.50B/44.70A	----	----	----	46.50 - 13.60	.2439	----	----	3	----	55 UNCH
4235	60.60	60.60	60.60	68.20B/46.00A	68.20B/46.00A	----	----	----	47.80 - 13.80	.2492	----	----	24	----	165 + 19
4240	59.00	59.00	59.00	69.90B/47.30A	69.90B/47.30A	----	----	----	49.10 - 14.10	.2546	----	----	15	----	74 + 15
4245	----	----	----	71.70B/48.50A	71.70B/48.50A	----	----	----	50.50 - 14.20	.2601	----	----	----	----	34 UNCH
4250	57.40	57.40	57.40	73.40B/49.90A	73.40B/49.90A	----	----	----	51.90 - 14.40	.2656	----	----	62	----	950 - 12
4255	64.20	64.20	64.20	75.20B/51.20A	75.20B/51.20A	----	----	----	53.30 - 14.70	.2712	----	----	3	----	56 - 1
4260	----	----	----	77.00B/52.60A	77.00B/52.60A	----	----	----	54.70 - 14.90	.2768	----	----	16	----	225 + 14
4265	----	----	----	78.80B/54.00A	78.80B/54.00A	----	----	----	56.20 - 15.10	.2825	----	----	----	----	168 UNCH
4270	68.80	68.80	68.80	80.70B/55.50A	80.70B/55.50A	----	----	----	57.70 - 15.40	.2883	----	----	2	----	55 UNCH
4275	83.00	83.00	83.00	83.00B/57.00A	83.00B/57.00A	----	----	----	59.20 - 15.70	.2940	----	----	11	----	405 + 7
4280	----	----	----	84.60B/58.50A	84.60B/58.50A	----	----	----	60.80 - 15.90	.2999	----	----	1	----	175 UNCH
4285	----	----	----	86.60B/60.00A	86.60B/60.00A	----	----	----	62.40 - 16.10	.3059	----	----	19	----	194 - 19
4290	76.00	76.00	76.00	88.60B/61.60A	88.60B/61.60A	----	----	----	64.00 - 16.40	.3118	----	----	5	----	26 + 3
4295	----	----	----	90.80B/63.20A	90.80B/63.20A	----	----	----	65.70 - 16.60	.3179	----	----	----	----	77 UNCH
4300	73.00	73.00	73.00	92.80B/64.90A	92.80B/64.90A	----	----	----	67.40 - 16.80	.3239	----	----	545	1449 +	80
4305	----	----	----	94.90B/66.60A	94.90B/66.60A	----	----	----	69.20 - 17.00	.3301	----	----	----	----	27 UNCH
4310	----	----	----	97.10B/68.30A	97.10B/68.30A	----	----	----	70.90 - 17.30	.3362	----	----	----	----	34 UNCH
4315	85.00	85.00	85.00	99.30B/70.10A	99.30B/70.10A	----	----	----	72.70 - 17.50	.3425	----	----	51	----	67 + 45
4320	85.70	85.70	85.70	101.50B/71.80A	101.50B/71.80A	----	----	----	74.60 - 17.70	.3488	----	----	10	30	110 + 20
4325	----	----	----	103.80B/73.70A	103.80B/73.70A	----	----	----	76.50 - 17.90	.3551	----	----	1	----	215 + 1
4330	----	----	----	106.20B/75.50A	106.20B/75.50A	----	----	----	78.40 - 18.10	.3614	----	----	25	----	148 + 15
4335	----	----	----	108.50B/77.40A	108.50B/77.40A	----	----	----	80.30 - 18.40	.3678	----	----	----	----	49 UNCH
4340	----	----	----	110.80B/79.30A	110.80B/79.30A	----	----	----	82.30 - 18.60	.3742	----	----	----	----	149 UNCH
4345	----	----	----	113.20B/81.30A	113.20B/81.30A	----	----	----	84.30 - 18.80	.3806	----	----	----	----	19 UNCH
4350	113.90	113.90	113.90	115.70B/83.30A	115.70B/83.30A	----	----	----	86.40 - 19.00	.3871	----	----	11	----	857 UNCH
4355	100.40	100.40	100.40	118.10B/85.30A	118.10B/85.30A	----	----	----	88.50 - 19.20	.3936	----	----	1	----	36 UNCH
4360	94.20	94.20	94.20	120.60B/87.40A	120.60B/87.40A	----	----	----	90.60 - 19.40	.4001	----	----	2	----	72 - 2
4365	108.20	108.20	108.20	123.20B/89.50A	123.20B/89.50A	----	----	----	92.70 - 19.70	.4067	----	----	3	----	74 - 1
4370	----	----	----	125.80B/91.60A	125.80B/91.60A	----	----	----	94.90 - 19.90	.4132	----	----	2	----	40 UNCH
4375	----	----	----	128.50B/93.80A	128.50B/93.80A	----	----	----	97.20 - 20.00	.4198	----	----	----	----	386 + 1
4380	----	----	----	131.00B/96.00A	131.00B/96.00A	----	----	----	99.40 - 20.30	.4264	----	----	22	----	230 + 18
4385	----	----	----	133.70B/98.30A	133.70B/98.30A	----	----	----	101.70 - 20.50	.4330	----	----	2	----	85 UNCH
4390	108.30	108.30	108.30	136.40B/100.60A	136.40B/100.60A	----	----	----	104.10 - 20.70	.4397	----	----	28	----	204 - 28
4395	----	----	----	139.10B/102.90A	139.10B/102.90A	----	----	----	106.50 - 20.90	.4463	----	----	21	----	33 + 8
4400	117.90	117.90	117.90	141.90B/105.20A	141.90B/105.20A	----	----	----	108.90 - 21.10	.4529	----	----	108	2095 -	555
4405	120.40	120.40	120.40	144.80B/107.60A	144.80B/107.60A	----	----	----	111.40 - 21.20	.4596	----	----	24	----	48 + 4
4410	122.90	122.90	122.90	147.70B/110.10A	147.70B/110.10A	----	----	----	113.90 - 21.40	.4662	----	----	21	----	66 + 10
4415	125.50	125.50	125.50	150.40B/112.50A	150.40B/112.50A	----	----	----	116.50 - 21.40	.4728	----	----	13	----	280 + 5
4420	128.00	128.00	128.00	153.30B/115.00A	153.30B/115.00A	----	----	----	119.00 - 21.60	.4794	----	----	28	----	81 + 10
4425	130.60	130.60	130.60	156.30B/117.50A	156.30B/117.50A	----	----	----	121.60 - 21.80	.4861	----	----	33	----	310 + 25
4430	133.30	133.30	133.30	159.20B/120.10A	159.20B/120.10A	----	----	----	124.20 - 21.90	.4927	----	----	15	----	119 + 6
4435	136.00	136.00	136.00	162.20B/122.70A	162.20B/122.70A	----	----	----	126.90 - 22.00	.4993	----	----	5	----	75 - 1
4440	138.70	138.70	138.70	165.30B/125.30A	165.30B/125.30A	----	----	----	129.50 - 22.30	.5059	----	----	2	----	156 + 1
4445	141.40	141.40	141.40	168.40B/128.00A	168.40B/128.00A	----	----	----	132.20 - 22.50	.5124	----	----	1	----	38 UNCH
4450	144.20	144.20	144.20	171.40B/130.70A	171.40B/130.70A	----	----	----	135.00 - 22.60	.5190	----	----	9	----	913 UNCH
4455	147.00	147.00	147.00	174.60B/133.40A	174.60B/133.40A	----	----	----	137.70 - 22.90	.5256	----	----	2	----	27 UNCH
4460	----	----	----	177.80B/136.20A	177.80B/136.20A	----	----	----	140.60 - 23.00	.5321	----	----	----	----	53 UNCH
4465	----	----	----	180.90B/139.00A	180.90B/139.00A	----	----	----	143.40 - 23.20	.5386	----	----	----	----	25 UNCH
4470	----	----	----	184.20B/141.80A	184.20B/141.80A	----	----	----	146.30 - 23.30	.5450	----	----	----	----	53 UNCH
4475	----	----	----	187.50B/144.70A	187.50B/144.70A	----	----	----	149.20 - 23.50	.5515	----	----	1	----	98 - 1
4480	----	----	----	190.50B/147.60A	190.50B/147.60A	----	----	----	152.20 - 23.70	.5578	----	----	1	----	20 UNCH
4485	----	----	----	194.00B/150.50A	194.00B/150.50A	----	----	----	155.20 - 23.80	.5642	----	----	----	----	51 UNCH
4490	----	----	----	197.40B/153.50A	197.40B/153.50A	----	----	----	158.20 - 24.00	.5706	----	----	----	----	38 UNCH
4495	167.60	167.60	167.60	200.70B/156.40A	200.70B/156.40A	----	----	----	161.30 - 24.10	.5769	----	----	2	----	28 UNCH
4500	170.20	170.20	170.20	204.10B/159.50A	204.10B/159.50A	----	----	----	164.30 - 24.30	.5832	----	----	3	----	329 - 1
4505	----	----	----	207.50B/162.50A	207.50B/162.50A	----	----	----	167.50 - 24.40	.5894	----	----	----	----	21 UNCH
4510	----	----	----	211.00B/165.60A	211.00B/165.60A	----									

GLOBEX				OPEN				OUTCRY				GLOBEX				OPEN				OUTCRY				OPEN				OUTCRY				SETT.PRICE				DELTA				EXER				OPEN				GLOBEX®				PNT				OPEN																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
OPEN				OPEN				RANGE				HIGH/LOW				HIGH/LOW				CLOSE				RANGE				CLOSE				PT.CHGE.								CISES				VOLUME				VOLUME				VOLUME				INTEREST																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
OG PUT				COMEX				GOLD				OPTIONS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								</			

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS															
DEC26																
3035	----	----	----	/2.00A	2.10B/2.00A	----	----	----	1.90 - 0.30	.0073	----	----	----	----	1	UNCH
3045	----	----	----	/2.00A	2.10B/2.00A	----	----	----	1.90 - 0.30	.0073	----	----	----	----	3	UNCH
3050	----	----	----	/2.00A	2.10B/2.00A	----	----	----	2.00 - 0.30	.0077	----	----	----	----	9	UNCH
3060	2.10	2.10	----	2.20B/2.10	2.20B/2.10	----	----	----	2.00 - 0.30	.0077	----	----	2	----	211 +	2
3075	----	----	----	/2.20A	2.30B/2.20A	----	----	----	2.10 - 0.30	.0081	----	----	----	----	3	UNCH
3080	----	----	----	/2.20A	2.30B/2.20A	----	----	----	2.10 - 0.30	.0082	----	----	----	----	1	UNCH
3085	----	----	----	/2.20A	2.40B/2.20A	----	----	----	2.20 - 0.30	.0085	----	----	----	----	2	UNCH
3100	----	----	----	/2.20A	2.40B/2.20A	----	----	----	2.20 - 0.40	.0086	----	----	----	----	163	UNCH
3110	2.50	2.50	----	2.50/2.40A	2.50/2.40A	----	----	----	2.30 - NEW	.0090	----	1	----	----	1 +	1
3120	----	----	----	/2.40A	2.60B/2.40A	----	----	----	2.30 - 0.40	.0091	----	----	----	----	3	UNCH
3125	----	----	----	/2.50A	2.60B/2.50A	----	----	----	2.40 - 0.30	.0094	----	----	----	----	1	UNCH
3130	2.60	2.60	----	2.60/2.50A	2.70B/2.50A	----	----	----	2.40 - 0.30	.0094	----	1	----	----	11 +	1
3135	----	----	----	/2.50A	2.70B/2.50A	----	----	----	2.40 - 0.40	.0095	----	----	----	----	1	UNCH
3140	----	----	----	/2.50A	2.70B/2.50A	----	----	----	2.50 - 0.30	.0098	----	----	----	----	2	UNCH
3145	----	----	----	/2.60A	2.70B/2.60A	----	----	----	2.50 - 0.30	.0099	----	----	----	----	2	UNCH
3150	----	----	----	/2.60A	2.80B/2.60A	----	----	----	2.50 - 0.40	.0099	----	----	----	----	121	UNCH
3155	2.80	2.80	----	2.80/2.60A	2.80/2.60A	----	----	----	2.60 - 0.30	.0103	----	1	----	----	6 +	1
3160	2.80	2.80	----	2.80/2.70A	2.90B/2.70A	----	----	----	2.60 - 0.40	.0103	----	2	----	----	4 +	1
3170	----	----	----	/2.70A	2.90B/2.70A	----	----	----	2.70 - 0.30	.0107	----	----	----	----	2	UNCH
3175	2.90	2.90	----	2.90/2.80A	3.00B/2.80A	----	----	----	2.70 - 0.40	.0107	----	2	----	----	63 +	2
3185	----	----	----	/2.80A	3.00B/2.80A	----	----	----	2.80 - 0.30	.0111	----	----	----	----	2	UNCH
3190	3.00	3.00	----	3.00/2.90A	3.10B/2.90A	----	----	----	2.80 - 0.40	.0112	----	2	----	----	2 +	2
3195	----	----	----	/2.90A	3.20B/2.90A	----	----	----	2.80 - 0.40	.0112	----	----	----	----	2	UNCH
3200	3.00	3.00	----	3.00/2.90A	3.20B/2.90A	----	----	----	2.90 - 0.40	.0116	----	2	----	----	193	UNCH
3210	----	----	----	/3.00A	3.20B/3.00A	----	----	----	2.90 - 0.40	.0117	----	----	----	----	1	UNCH
3215	3.20	3.20	----	3.20/3.00A	3.30B/3.00A	----	----	----	3.00 - 0.40	.0120	----	1	----	----	20 +	1
3225	----	----	----	/3.10A	3.40B/3.10A	----	----	----	3.00 - 0.50	.0121	----	----	----	----	4	UNCH
3235	----	----	----	/3.20A	3.50B/3.20A	----	----	----	3.10 - 0.50	.0126	----	----	----	----	1	UNCH
3240	----	----	----	/3.20A	3.50B/3.20A	----	----	----	3.10 - 0.50	.0126	----	----	----	----	11	UNCH
3245	----	----	----	/3.20A	3.60B/3.20A	----	----	----	3.20 - 0.50	.0130	----	----	----	----	19	UNCH
3250	3.10	3.10	----	3.10/3.10	3.60B/3.10	----	----	----	3.20 - 0.50	.0130	----	9	----	----	582 -	4
3260	----	----	----	/3.40A	3.70B/3.40A	----	----	----	3.30 - 0.50	.0134	----	----	----	----	1	UNCH
3265	----	----	----	/3.40A	3.80B/3.40A	----	----	----	3.30 - 0.60	.0135	----	----	----	----	27	UNCH
3270	----	----	----	/3.40A	3.80B/3.40A	----	----	----	3.40 - 0.50	.0139	----	----	----	----	17	UNCH
3275	----	----	----	/3.50A	3.90B/3.50A	----	----	----	3.40 - 0.60	.0139	----	----	----	----	10	UNCH
3280	----	----	----	/3.50A	3.90B/3.50A	----	----	----	3.50 - 0.50	.0143	----	----	----	----	4	UNCH
3285	----	----	----	/3.50A	4.00B/3.50A	----	----	----	3.50 - 0.60	.0144	----	----	----	----	13	UNCH
3290	----	----	----	/3.60A	4.00B/3.60A	----	----	----	3.50 - 0.60	.0144	----	----	----	----	7	UNCH
3295	----	----	----	/3.60A	4.00B/3.60A	----	----	----	3.60 - 0.60	.0148	----	----	----	----	1	UNCH
3300	3.50	3.50	----	3.50/3.50	4.10B/3.50	----	----	----	3.60 - 0.60	.0149	----	7	----	----	681 -	5
3315	----	----	----	/3.80A	4.30B/3.80A	----	----	----	3.80 - 0.60	.0157	----	----	----	----	11	UNCH
3325	----	----	----	/3.90A	4.40B/3.90A	----	----	----	3.90 - 0.60	.0161	----	----	----	----	70	UNCH
3330	----	----	----	/3.90A	4.40B/3.90A	----	----	----	3.90 - 0.70	.0162	----	----	----	----	2	UNCH
3345	----	----	----	/4.10A	4.60B/4.10A	----	----	----	4.00 - 0.80	.0168	----	----	----	----	3	UNCH
3350	----	----	----	/4.10A	4.70B/4.10A	----	----	----	4.10 - 0.70	.0171	----	1	----	----	27	UNCH
3360	----	----	----	/4.20A	4.90B/4.20A	----	----	----	4.20 - 0.70	.0176	----	----	----	----	15	UNCH
3365	----	----	----	/4.30A	4.90B/4.30A	----	----	----	4.20 - 0.80	.0177	----	----	----	----	7	UNCH
3370	----	----	----	/4.30A	4.90B/4.30A	----	----	----	4.30 - 0.80	.0181	----	----	----	----	3	UNCH
3375	----	----	----	/4.40A	5.10B/4.40A	----	----	----	4.30 - 0.80	.0182	----	----	----	----	266	UNCH
3380	----	----	----	/4.40A	5.20B/4.40A	----	----	----	4.40 - 0.80	.0186	----	----	----	----	12	UNCH
3385	----	----	----	/4.50A	5.20B/4.50A	----	----	----	4.40 - 0.90	.0186	----	----	----	----	35	UNCH
3390	----	----	----	/4.50A	5.30B/4.50A	----	----	----	4.50 - 0.80	.0190	----	----	----	----	101	UNCH
3400	----	----	----	/4.60A	5.40B/4.60A	----	----	----	4.60 - 0.90	.0195	----	----	----	----	2150	UNCH
3410	----	----	----	/4.70A	5.60B/4.70A	----	----	----	4.70 - 0.90	.0200	----	----	----	----	63	UNCH
3420	----	----	----	/4.80A	5.70B/4.80A	----	----	----	4.80 - 1.00	.0205	----	----	----	----	3	UNCH
3425	----	----	----	/4.90A	5.80B/4.90A	----	----	----	4.90 - 0.90	.0210	----	----	----	----	382	UNCH
3430	----	----	----	/5.00A	5.90B/5.00A	----	----	----	4.90 - 1.00	.0211	----	----	----	----	2	UNCH
3435	----	----	----	/5.00A	6.00B/5.00A	----	----	----	5.00 - 1.00	.0215	----	----	----	----	18	UNCH
3440	----	----	----	/5.10A	6.00B/5.10A	----	----	----	5.10 - 1.00	.0219	----	----	----	----	9	UNCH
3445	----	----	----	/5.10A	6.20B/5.10A	----	----	----	5.10 - 1.10	.0220	----	----	----	----	4	UNCH
3450	----	----	----	/5.20A	6.20B/5.20A	----	----	----	5.20 - 1.00	.0224	----	----	----	----	1302	UNCH
3455	----	----	----	/5.30A	6.30B/5.30A	----	----	----	5.20 - 1.10	.0225	----	----	----	----	2	UNCH
3460	----	----	----	/5.30A	6.40B/5.30A	----	----	----	5.30 - 1.10	.0229	----	----	----	----	71	UNCH
3465	----	----	----	/5.40A	6.50B/5.40A	----	----	----	5.40 - 1.10	.0234	----	----	----	----	225	UNCH
3470	----	----	----	/5.50A	6.60B/5.50A	----	----	----	5.40 - 1.20	.0235	----	----	----	----	2	UNCH
3475	----	----	----	/5.50A	6.70B/5.50A	----	----	----	5.50 - 1.20	.0239	----	----	----	----	236	UNCH
3480	----	----	----	/5.60A	6.80B/5.60A	----	----	----	5.60 - 1.20	.0243	----	----	----	----	43	UNCH
3485	----	----	----	6.90B/5.70A	6.90B/5.70A	----	----	----	5.70 - 1.10	.0248	----	----	----	----	128	UNCH
3490	----	----	----	7.00B/5.70A	7.00B/5.70A	----	----	----	5.70 - 1.20	.0249	----	----	----	----	29	UNCH
3495	----	----	----	7.10B/5.80A	7.10B/5.80A	----	----	----	5.80 - 1.20	.0253	----	----	----	----	4	UNCH
3500	6.60	6.60	----	7.20B/5.70	7.20B/5.70	----	----	----	5.90 - 1.20	.0258	----	----	86	----	5830 +	45
3505	----	----	----	7.30B/6.00A	7.30B/6.00A	----	----	----	5.90 - 1.30	.0259	----	----	----	----	3	UNCH
3510	----	----	----	7.40B/6.00A	7.40B/6.00A	----	----									

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS															
DEC26																
3845	----	----	----	23.508/17.20A	23.508/17.20A	----	----	----	17.60 - 4.50	.0790	----	----	----	----	7	UNCH
3850	----	----	----	24.008/17.60A	24.008/17.60A	----	----	----	17.90 - 4.60	.0804	----	----	1	----	567	UNCH
3855	----	----	----	24.408/17.90A	24.408/17.90A	----	----	----	18.20 - 4.80	.0817	----	----	11	----	65 +	10
3860	21.40	21.40	----	24.908/18.20A	24.908/18.20A	----	----	----	18.60 - 4.80	.0833	----	----	4	----	29 +	3
3865	----	----	----	25.408/18.60A	25.408/18.60A	----	----	----	19.00 - 4.90	.0850	----	----	2	----	75 +	1
3870	21.90	21.90	----	25.908/19.00A	25.908/19.00A	----	----	----	19.30 - 5.00	.0863	----	----	2	----	13 -	1
3875	20.10	20.10	----	26.408/19.30	26.408/19.30	----	----	----	19.70 - 5.10	.0880	----	----	7	----	94 +	3
3880	----	----	----	26.908/19.70A	26.908/19.70A	----	----	----	20.10 - 5.20	.0896	----	----	1	----	13	UNCH
3885	----	----	----	27.508/20.10A	27.508/20.10A	----	----	----	20.50 - 5.30	.0913	----	----	----	----	44	UNCH
3890	----	----	----	28.008/20.50A	28.008/20.50A	----	----	----	20.90 - 5.40	.0929	----	----	1	----	11 +	1
3895	----	----	----	28.608/20.90A	28.608/20.90A	----	----	----	21.30 - 5.50	.0946	----	----	----	----	238	UNCH
3900	25.00	25.00	----	29.208/21.30A	29.208/21.30A	----	----	----	21.80 - 5.60	.0966	----	----	57	250	3929 +	57
3905	----	----	----	29.808/21.70A	29.808/21.70A	----	----	----	22.20 - 5.70	.0982	----	----	----	----	24	UNCH
3910	27.10	27.10	----	30.408/22.20A	30.408/22.20A	----	----	----	22.70 - 5.80	.1002	----	----	6	----	24 +	5
3915	----	----	----	31.008/22.60A	31.008/22.60A	----	----	----	23.10 - 5.90	.1019	----	----	----	----	250	UNCH
3920	----	----	----	31.608/23.10A	31.608/23.10A	----	----	----	23.60 - 6.00	.1039	----	----	----	----	58	UNCH
3925	----	----	----	32.408/23.50A	32.408/23.50A	----	----	----	24.10 - 6.10	.1058	----	----	3	----	464 +	3
3930	25.70	25.70	----	33.008/24.00A	33.008/24.00A	----	----	----	24.60 - 6.20	.1078	----	----	2	----	33 +	2
3935	----	----	----	33.708/24.50A	33.708/24.50A	----	----	----	25.10 - 6.30	.1098	----	----	----	----	148	UNCH
3940	----	----	----	34.308/25.00A	34.308/25.00A	----	----	----	25.60 - 6.40	.1118	----	----	----	----	53	UNCH
3945	29.80	29.80	----	35.008/25.50A	35.008/25.50A	----	----	----	26.10 - 6.60	.1138	----	----	30	----	37 +	30
3950	30.60	30.60	----	35.808/26.00A	35.808/26.00A	----	----	----	26.60 - 6.70	.1158	----	----	14	----	2770 -	5
3955	28.80	28.80	----	36.508/26.60A	36.508/26.60A	----	----	----	27.20 - 6.80	.1181	----	----	5	----	28 +	5
3960	31.70	31.70	----	37.208/27.10A	37.208/27.10A	----	----	----	27.80 - 6.90	.1204	----	----	13	----	31 +	1
3965	32.80	32.80	----	38.008/27.70A	38.008/27.70A	----	----	----	28.30 - 7.10	.1224	----	----	1	----	64 -	1
3970	----	----	----	38.808/28.20A	38.808/28.20A	----	----	----	28.90 - 7.20	.1247	----	----	----	----	223	UNCH
3975	----	----	----	39.608/28.80A	39.608/28.80A	----	----	----	29.50 - 7.30	.1270	----	----	4	----	211 -	1
3980	----	----	----	40.408/29.40A	40.408/29.40A	----	----	----	30.10 - 7.50	.1293	----	----	4	----	204	UNCH
3985	----	----	----	41.308/30.00A	41.308/30.00A	----	----	----	30.80 - 7.50	.1318	----	----	----	----	8	UNCH
3990	----	----	----	42.108/30.70A	42.108/30.70A	----	----	----	31.40 - 7.70	.1342	----	----	----	----	19	UNCH
3995	36.90	36.90	----	42.908/31.30A	42.908/31.30A	----	----	----	32.10 - 7.80	.1367	----	----	1	----	15	UNCH
4000	41.80	41.80	----	43.808/32.00A	43.808/32.00A	----	----	----	32.80 - 7.90	.1393	----	----	211	----	3890 -	40
4005	----	----	----	44.708/32.60A	44.708/32.60A	----	----	----	33.40 - 8.10	.1416	----	----	----	----	76	UNCH
4010	----	----	----	45.608/33.30A	45.608/33.30A	----	----	----	34.10 - 8.30	.1442	----	----	----	----	33	UNCH
4015	----	----	----	46.608/34.00A	46.608/34.00A	----	----	----	34.90 - 8.30	.1470	----	----	----	----	41	UNCH
4020	----	----	----	47.508/34.70A	47.508/34.70A	----	----	----	35.60 - 8.50	.1496	----	----	----	----	51	UNCH
4025	----	----	----	48.508/35.50A	48.508/35.50A	----	----	----	36.40 - 8.60	.1524	----	----	----	----	829	UNCH
4030	----	----	----	49.408/36.20A	49.408/36.20A	----	----	----	37.10 - 8.80	.1550	----	----	----	----	23	UNCH
4035	----	----	----	50.408/37.00A	50.408/37.00A	----	----	----	37.90 - 8.90	.1578	----	----	----	----	75	UNCH
4040	----	----	----	51.508/37.70A	51.508/37.70A	----	----	----	38.70 - 9.00	.1607	----	----	----	----	182	UNCH
4045	----	----	----	52.508/38.50A	52.508/38.50A	----	----	----	39.50 - 9.20	.1635	----	----	----	----	13	UNCH
4050	47.40	47.40	----	53.608/39.30A	53.608/39.30A	----	----	----	40.40 - 9.30	.1666	----	----	14	----	1188 -	6
4055	----	----	----	54.708/40.20A	54.708/40.20A	----	----	----	41.20 - 9.50	.1694	----	----	----	----	18	UNCH
4060	44.30	44.30	----	55.808/41.00A	55.808/41.00A	----	----	----	42.10 - 9.60	.1725	----	----	1	----	128 -	1
4065	----	----	----	56.908/41.90A	56.908/41.90A	----	----	----	43.00 - 9.70	.1756	----	----	----	----	64	UNCH
4070	----	----	----	58.108/42.70A	58.108/42.70A	----	----	----	43.90 - 9.90	.1787	----	----	1	----	37 +	1
4075	50.60	50.60	----	59.208/43.60A	59.208/43.60A	----	----	----	44.80 - 10.00	.1817	----	----	4	----	369 +	2
4080	----	----	----	60.408/44.50A	60.408/44.50A	----	----	----	45.70 - 10.20	.1848	----	----	----	----	509	UNCH
4085	----	----	----	61.608/45.50A	61.608/45.50A	----	----	----	46.70 - 10.30	.1881	----	----	----	----	46	UNCH
4090	----	----	----	62.808/46.40A	62.808/46.40A	----	----	----	47.70 - 10.50	.1914	----	----	----	----	131	UNCH
4095	----	----	----	64.108/47.40A	64.108/47.40A	----	----	----	48.70 - 10.60	.1947	----	----	----	----	63	UNCH
4100	59.50	59.50	----	65.308/48.40A	65.308/48.40A	----	----	----	49.70 - 10.80	.1980	----	----	53	40	1622 +	46
4105	----	----	----	66.608/49.40A	66.608/49.40A	----	----	----	50.70 - 11.00	.2013	----	----	66	50	93 +	61
4110	57.50	57.50	----	67.908/50.40A	67.908/50.40A	----	----	----	51.80 - 11.10	.2048	----	----	3	----	37 +	3
4115	----	----	----	69.308/51.50A	69.308/51.50A	----	----	----	52.90 - 11.30	.2083	----	----	----	----	72	UNCH
4120	----	----	----	70.708/52.60A	70.708/52.60A	----	----	----	54.00 - 11.40	.2118	----	----	2	----	682 +	2
4125	----	----	----	72.108/53.70A	72.108/53.70A	----	----	----	55.10 - 11.60	.2154	----	----	----	----	178	UNCH
4130	60.20	60.20	----	73.508/54.80A	73.508/54.80A	----	----	----	56.30 - 11.70	.2190	----	----	2	----	736 +	2
4135	----	----	----	74.908/55.90A	74.908/55.90A	----	----	----	57.40 - 12.00	.2226	----	----	1	----	9	UNCH
4140	----	----	----	76.408/57.10A	76.408/57.10A	----	----	----	58.60 - 12.10	.2263	----	----	----	----	72	UNCH
4145	62.70	62.70	----	77.808/58.20A	77.808/58.20A	----	----	----	59.80 - 12.30	.2300	----	----	1	----	70 +	1
4150	67.80	67.80	----	79.308/59.40A	79.308/59.40A	----	----	----	61.10 - 12.40	.2338	----	----	37	150	1064 +	10
4155	60.90	60.90	----	80.908/60.70A	80.908/60.70A	----	----	----	62.30 - 12.60	.2375	----	----	1	----	34 -	1
4160	----	----	----	82.308/61.90A	82.308/61.90A	----	----	----	63.60 - 12.80	.2414	----	----	1	----	357	UNCH
4165	----	----	----	84.008/63.20A	84.008/63.20A	----	----	----	64.90 - 12.90	.2452	----	----	----	----	82	UNCH
4170	73.20	73.20	----	85.608/64.50A	85.608/64.50A	----	----	----	66.20 - 13.10	.2491	----	----	3	----	64 +	3
4175	79.00	79.00	----	87.208/65.80A	87.208/65.80A	----	----	----	67.60 - 13.20	.2531	----	----	1	----	204	UNCH
4180	----	----	----	88.808/67.10A	88.808/67.10A	----	----	----	68.90 - 13.50	.2570	----	----	----	----	49	UNCH
4185	69.00	69.00	----	90.508/68.50A	90.508/68.50A	----	----	----	70.30 - 13.60	.2610	----	----	1	----	28 -	1
4190	----	----	----	92.308/69.80A	92.308/69.80A	----	----	----	71.70 - 13.80	.2651	----	----	----	----	348	UNCH
4195	----	----	----	93.908/71.20A	93.908/71.20A	----	----	----	73.20 - 13.90	.2692	----	----	----	----	31	UNCH
4200	85.00	85.00	----	95.708/72.60A	95.708/72.60A	----	----	----	74.70 - 14.10	.2734	----	----	56	50	2774 +	48
4205	----	----	----	97.408/74.10A	97.408/74.10A	----	----	----	76.10 - 14.30	.2774	----	----	----	----	42	UNCH
4210	----	----	----	99.208/75.60A	99.208/75.60A	----	----	----	77.70 - 14.40	.2817	----	----	2	----	103	UNCH
4215	----	----	----	101.108/77.10A	101.108/77.10A	----	----	----	79.20 - 14.60	.2859	----	----	----	----	164	UNCH
4220	----	----	----	102.908/78.60A	102.908/78.60A	----	----	----	80.80 - 14.80	.2902	----	----	----	----	186	UNCH
4225	----	----	----	104.808/80.20A	104.808/80.20A	----	----	----	82.30 - 15.00	.2943	----	----	----	----	41	UNCH
4230	----	----	----	106.708/81.70A	106.708/81.70A	----	----	----	84.00 - 15.10	.2987	----	----	1	----	424 +	1
4235	86.50	86.50	----	108.608/83.30A	108.608/83.30A	----	----	----	85.60 - 15.30	.3030	----	----	2	----	92 +	1
4240	96.10	96.10	----	110.608/84.90A	110.608/84.90A	----	----	----	87.30 - 15.40	.3074	----	----	14	----	51 +	6
4245	101.70	101.70	----	112.508/86.60A	112.508/86.60A	----	----	----	88.90 - 15.70	.3117	----	----	4	----	32 -	1
4250	97.40	97.40	----	114.508/88.20A	114.508/88.20A	----	----	----	90.70 - 15.80	.3162	----	----	107	----	2240 +	7
4255	----	----	----	116.508/89.90A	116.508/89.90A	----	----	----	92.40 - 16.00	.3206	----	----	----	----	28	UNCH
4260	110.60	110.60	----	118.608/91.70A	118.608/91.70A	----	----	----	94.20 - 16.10	.3251	----	----	3	----	92	UNCH
4265	----	----	----	120.708/93.40A	120.708/93.40A	----	----	----	95.90 - 16.30	.3295	----	----	----	----		

2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

BULLETIN #180@			METALS OPTION PRODUCTS										Fri, Sep 18, 2026			PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME			OPEN INTEREST			
OG PUT																	
DEC26																	
4530	253.60	253.60	266.10B/222.60A	266.10B/222.60A	----	227.50 - 23.80	.5785	----	----	13	----	56 +	12				
4535	233.10	233.10	269.30B/225.70A	269.30B/225.70A	----	230.60 - 23.90	.5830	----	----	2	----	108 +	1				
4540	----	----	271.50B/228.80A	271.50B/228.80A	----	233.80 - 24.00	.5875	----	----	----	----	20	UNCH				
4545	----	----	274.90B/232.00A	274.90B/232.00A	----	237.00 - 24.10	.5918	----	----	----	----	61	UNCH				
4550	----	----	278.10B/235.10A	278.10B/235.10A	----	240.20 - 24.20	.5963	----	----	----	----	320	UNCH				
4555	----	----	281.50B/238.30A	281.50B/238.30A	----	243.40 - 24.30	.6007	----	----	----	----	62	UNCH				
4560	----	----	284.90B/241.70A	284.90B/241.70A	----	246.70 - 24.40	.6050	----	----	----	----	11	UNCH				
4565	----	----	288.40B/244.80A	288.40B/244.80A	----	250.00 - 24.40	.6094	----	----	----	----	5	UNCH				
4570	----	----	291.90B/248.40A	291.90B/248.40A	----	253.30 - 24.50	.6137	----	----	----	----	25	UNCH				
4575	----	----	295.40B/251.70A	295.40B/251.70A	----	256.60 - 24.60	.6180	----	----	----	----	220	UNCH				
4580	----	----	298.90B/255.00A	298.90B/255.00A	----	259.90 - 24.80	.6223	----	----	----	----	179	UNCH				
4585	----	----	302.40B/258.30A	302.40B/258.30A	----	263.30 - 24.80	.6265	----	----	----	----	351	UNCH				
4590	----	----	306.00B/261.60A	306.00B/261.60A	----	266.70 - 24.90	.6307	----	----	----	----	13	UNCH				
4595	----	----	309.60B/265.00A	309.60B/265.00A	----	270.10 - 25.00	.6349	----	----	----	----	31	UNCH				
4600	303.00	303.00	313.20B/268.40A	313.20B/268.40A	----	273.50 - 25.10	.6391	----	1	----	978 +	1					
4605	----	----	316.80B/271.80A	316.80B/271.80A	----	277.00 - 25.10	.6432	----	----	----	24	UNCH					
4610	----	----	320.40B/275.30A	320.40B/275.30A	----	280.50 - 25.10	.6473	----	----	----	22	UNCH					
4615	----	----	324.10B/278.70A	324.10B/278.70A	----	284.00 - 25.20	.6514	----	----	----	5	UNCH					
4620	----	----	327.80B/282.20A	327.80B/282.20A	----	287.50 - 25.30	.6554	----	----	----	61	UNCH					
4625	291.40	291.40	331.40B/285.70A	331.40B/285.70A	----	291.00 - 25.40	.6595	----	4	----	59 +	2					
4630	----	----	335.10B/289.20A	335.10B/289.20A	----	294.50 - 25.50	.6635	----	----	----	4	UNCH					
4635	----	----	338.90B/292.80A	338.90B/292.80A	----	298.10 - 25.50	.6675	----	----	----	27	UNCH					
4640	----	----	342.60B/296.30A	342.60B/296.30A	----	301.70 - 25.60	.6714	----	----	----	118	UNCH					
4650	----	----	350.10B/303.50A	350.10B/303.50A	----	308.90 - 25.70	.6792	----	5	----	235 -	1					
4655	----	----	353.90B/307.10A	353.90B/307.10A	----	312.60 - 25.70	.6830	----	----	----	12	UNCH					
4660	----	----	357.70B/310.70A	357.70B/310.70A	----	316.20 - 25.80	.6868	----	----	----	128	UNCH					
4665	----	----	361.60B/314.40A	361.60B/314.40A	----	319.90 - 25.90	.6906	----	----	----	55	UNCH					
4670	----	----	365.40B/318.00A	365.40B/318.00A	----	323.60 - 25.90	.6944	----	----	----	20	UNCH					
4675	----	----	369.30B/321.70A	369.30B/321.70A	----	327.30 - 26.00	.6981	----	----	----	15	UNCH					
4680	----	----	373.10B/325.40A	373.10B/325.40A	----	331.10 - 26.00	.7019	----	1	----	65	UNCH					
4685	----	----	377.00B/329.30A	377.00B/329.30A	----	334.80 - 26.10	.7055	----	----	----	18	UNCH					
4690	----	----	380.90B/332.80A	380.90B/332.80A	----	338.60 - 26.10	.7091	----	----	----	146	UNCH					
4695	----	----	384.90B/336.60A	384.90B/336.60A	----	342.40 - 26.10	.7128	----	----	----	34	UNCH					
4700	341.50	341.50	388.80B/340.40A	388.80B/340.40A	----	346.20 - 26.20	.7162	----	2	----	731 -	2					
4705	----	----	392.80B/344.10A	392.80B/344.10A	----	350.00 - 26.30	.7199	----	----	----	16	UNCH					
4710	378.20	378.20	396.70B/347.90A	396.70B/347.90A	----	353.90 - 26.30	.7233	----	1	----	22	UNCH					
4715	382.60	382.60	400.70B/351.90A	400.70B/351.90A	----	357.70 - 26.40	.7268	----	7	----	13 -	4					
4720	----	----	404.70B/355.60A	404.70B/355.60A	----	361.60 - 26.40	.7302	----	----	----	17	UNCH					
4725	----	----	408.70B/359.50A	408.70B/359.50A	----	365.50 - 26.40	.7336	----	----	----	139	UNCH					
4730	----	----	412.70B/363.40A	412.70B/363.40A	----	369.40 - 26.50	.7371	----	----	----	9	UNCH					
4735	----	----	416.80B/367.30A	416.80B/367.30A	----	373.30 - 26.50	.7403	----	----	----	5	UNCH					
4740	----	----	420.80B/371.20A	420.80B/371.20A	----	377.30 - 26.50	.7438	----	----	----	7	UNCH					
4745	----	----	424.90B/375.90A	424.90B/375.90A	----	381.20 - 26.60	.7470	----	----	----	2	UNCH					
4750	----	----	429.00B/379.00A	429.00B/379.00A	----	385.20 - 26.60	.7503	----	----	----	74	UNCH					
4755	----	----	433.10B/383.00A	433.10B/383.00A	----	389.20 - 26.60	.7535	----	----	----	18	UNCH					
4760	----	----	437.20B/387.00A	437.20B/387.00A	----	393.20 - 26.70	.7565	----	----	----	25	UNCH					
4765	----	----	441.30B/391.70A	441.30B/391.70A	----	397.20 - 26.70	.7598	----	----	----	2	UNCH					
4770	----	----	445.40B/395.50A	445.40B/395.50A	----	401.30 - 26.70	.7628	----	----	----	1	UNCH					
4775	----	----	449.60B/398.90A	449.60B/398.90A	----	405.30 - 26.80	.7658	----	----	----	5	UNCH					
4780	----	----	453.70B/403.60A	453.70B/403.60A	----	409.40 - 26.80	.7691	----	1	----	2 +	1					
4790	----	----	462.10B/411.10A	462.10B/411.10A	----	417.60 - 26.80	.7749	----	----	----	65	UNCH					
4795	----	----	466.30B/415.70A	466.30B/415.70A	----	421.70 - 26.80	.7779	----	----	----	1	UNCH					
4800	----	----	470.50B/419.30A	470.50B/419.30A	----	425.80 - 26.90	.7809	----	----	----	358	UNCH					
4810	----	----	478.90B/427.50A	478.90B/427.50A	----	434.10 - 26.90	.7865	----	----	----	55	UNCH					
4815	----	----	483.20B/431.70A	483.20B/431.70A	----	438.20 - 27.00	.7893	----	----	----	10	UNCH					
4820	----	----	487.40B/435.80A	487.40B/435.80A	----	442.40 - 27.00	.7921	----	----	----	21	UNCH					
4825	----	----	491.70B/440.00A	491.70B/440.00A	----	446.60 - 27.00	.7949	----	----	----	112	UNCH					
4830	----	----	496.00B/444.10A	496.00B/444.10A	----	450.80 - 27.00	.7977	----	----	----	15	UNCH					
4835	----	----	500.30B/448.40A	500.30B/448.40A	----	455.00 - 27.00	.8004	----	----	----	125	UNCH					
4850	----	----	506.80B/461.00A	506.80B/461.00A	----	467.70 - 27.10	.8083	----	----	----	16	UNCH					
4860	----	----	515.40B/469.90A	515.40B/469.90A	----	476.30 - 27.10	.8134	----	----	----	4	UNCH					
4865	----	----	519.60B/479.30A	519.60B/479.30A	----	480.50 - 27.20	.8159	----	----	----	2	UNCH					
4870	----	----	524.00B/483.60A	524.00B/483.60A	----	484.80 - 27.20	.8184	----	----	----	2	UNCH					
4875	----	----	528.40B/482.80A	528.40B/482.80A	----	489.20 - 27.10	.8207	----	----	----	16	UNCH					
4880	----	----	532.70B/487.00A	532.70B/487.00A	----	493.50 - 27.10	.8232	----	----	----	10	UNCH					
4900	----	----	550.10B/504.50A	550.10B/504.50A	----	510.90 - 27.10	.8325	----	----	----	111	UNCH					
4920	----	----	567.80B/521.90A	567.80B/521.90A	----	528.40 - 27.20	.8415	----	1	----	4	UNCH					
4925	----	----	572.30B/526.30A	572.30B/526.30A	----	532.90 - 27.10	.8435	----	----	----	238	UNCH					
4930	----	----	576.70B/536.50A	576.70B/536.50A	----	537.30 - 27.10	.8457	----	----	----	1	UNCH					
4935	----	----	581.10B/541.00A	581.10B/541.00A.													

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS															
JAN27																
3110	----	----	----	/4. 20A	4. 50B/4. 20A	----	4. 00	- 0.60	.0136	----	----	----	----	----	4	UNCH
3125	----	----	----	/4. 30A	4. 70B/4. 30A	----	4. 20	- 0.60	.0143	----	----	----	----	----	7	UNCH
3160	----	----	----	/4. 60A	5. 00B/4. 60A	----	4. 50	- 0.70	.0155	----	----	----	----	----	1	UNCH
3200	----	----	----	/5. 00A	5. 50B/5. 00A	----	4. 90	- 0.80	.0170	----	----	----	----	----	15	UNCH
3240	----	----	----	/5. 50A	6. 00B/5. 50A	----	5. 40	- 0.80	.0189	----	----	----	----	----	20	UNCH
3250	----	----	----	/5. 60A	6. 20B/5. 60A	----	5. 50	- 0.90	.0193	----	----	----	----	----	1	UNCH
3280	----	----	----	/6. 00A	6. 60B/6. 00A	----	5. 90	- 0.90	.0208	----	----	----	----	----	2	UNCH
3285	----	----	----	/6. 00A	6. 70B/6. 00A	----	5. 90	- 1.00	.0209	----	----	----	----	----	5	UNCH
3295	----	----	----	/6. 20A	6. 90B/6. 20A	----	6. 10	- 1.00	.0216	----	----	----	----	----	57	UNCH
3300	----	----	----	/6. 20A	7. 10B/6. 20A	----	6. 10	- 1.10	.0217	----	----	----	----	----	15	UNCH
3305	----	----	----	/6. 30A	7. 10B/6. 30A	----	6. 20	- 1.10	.0220	----	----	----	----	----	2	UNCH
3310	----	----	----	/6. 40A	7. 10B/6. 40A	----	6. 30	- 1.00	.0224	----	----	----	----	----	3	UNCH
3350	----	----	----	/7. 00A	8. 00B/7. 00A	----	6. 90	- 1.20	.0247	----	----	----	----	----	3	UNCH
3370	----	----	----	/7. 30A	8. 30B/7. 30A	----	7. 20	- 1.30	.0259	----	----	----	----	----	2	UNCH
3380	----	----	----	/7. 50A	8. 60B/7. 50A	----	7. 40	- 1.30	.0267	----	----	----	----	----	56	UNCH
3385	----	----	----	/7. 60A	8. 70B/7. 60A	----	7. 50	- 1.30	.0271	----	----	----	----	----	3	UNCH
3400	----	----	----	/7. 80A	9. 10B/7. 80A	----	7. 70	- 1.50	.0279	----	----	----	----	----	329	UNCH
3420	----	----	----	/8. 20A	9. 60B/8. 20A	----	8. 10	- 1.50	.0295	----	----	----	----	----	6	UNCH
3425	----	----	----	/8. 30A	9. 70B/8. 30A	----	8. 20	- 1.60	.0298	----	----	----	----	----	3	UNCH
3430	----	----	----	/8. 40A	9. 90B/8. 40A	----	8. 30	- 1.60	.0302	----	----	----	----	----	5	UNCH
3440	----	----	----	/8. 60A	10. 10B/8. 60A	----	8. 50	- 1.70	.0310	----	----	----	----	----	5	UNCH
3445	----	----	----	/8. 70A	10. 20B/8. 70A	----	8. 60	- 1.70	.0314	----	----	----	----	----	1	UNCH
3450	----	----	----	/8. 80A	10. 40B/8. 80A	----	8. 70	- 1.70	.0318	----	----	----	2	----	11 +	2
3455	----	----	----	/8. 90A	10. 50B/8. 90A	----	8. 80	- 1.80	.0322	----	----	----	----	----	2	UNCH
3460	----	----	----	/9. 00A	10. 60B/9. 00A	----	9. 00	- 1.70	.0329	----	----	----	----	----	1	UNCH
3480	----	----	----	/9. 50A	11. 30B/9. 50A	----	9. 40	- 1.90	.0345	----	----	----	----	----	2	UNCH
3495	----	----	----	/9. 90A	11. 80B/9. 90A	----	9. 80	- 2.00	.0360	----	----	----	----	----	5	UNCH
3500	----	----	----	12. 00B/10. 00A	12. 00B/10. 00A	----	9. 90	- 2.00	.0364	----	----	----	----	----	83	UNCH
3510	----	----	----	/10. 30A	12. 20B/10. 30A	----	10. 20	- 2.00	.0375	----	----	----	----	----	2	UNCH
3520	----	----	----	/10. 50A	12. 60B/10. 50A	----	10. 50	- 2.10	.0386	----	----	----	----	----	1	UNCH
3530	----	----	----	13. 00B/10. 80A	13. 00B/10. 80A	----	10. 80	- 2.10	.0398	----	----	----	----	----	18	UNCH
3545	----	----	----	/11. 30A	13. 50B/11. 30A	----	11. 20	- 2.30	.0413	----	----	----	----	----	1	UNCH
3550	----	----	----	13. 80B/11. 40A	13. 80B/11. 40A	----	11. 40	- 2.30	.0420	----	----	----	----	----	1140	UNCH
3560	----	----	----	14. 20B/11. 70A	14. 20B/11. 70A	----	11. 70	- 2.40	.0432	----	----	----	----	----	1	UNCH
3565	----	----	----	14. 40B/11. 90A	14. 40B/11. 90A	----	11. 90	- 2.40	.0439	----	----	----	----	----	5	UNCH
3570	----	----	----	14. 60B/12. 00A	14. 60B/12. 00A	----	12. 10	- 2.40	.0446	----	----	----	----	----	3	UNCH
3575	----	----	----	14. 90B/12. 20A	14. 90B/12. 20A	----	12. 20	- 2.50	.0451	----	----	----	----	----	29	UNCH
3580	----	----	----	15. 10B/12. 40A	15. 10B/12. 40A	----	12. 40	- 2.50	.0458	----	----	----	----	----	8	UNCH
3585	----	----	----	15. 30B/12. 60A	15. 30B/12. 60A	----	12. 60	- 2.50	.0465	----	----	----	----	----	215	UNCH
3595	----	----	----	15. 80B/12. 90A	15. 80B/12. 90A	----	13. 00	- 2.50	.0479	----	----	----	----	----	10	UNCH
3600	14. 00	14. 00	----	16. 00B/13. 10A	16. 00B/13. 10A	----	13. 10	- 2.70	.0484	----	----	----	4	----	175	UNCH
3605	----	----	----	16. 30B/13. 30A	16. 30B/13. 30A	----	13. 30	- 2.70	.0491	----	----	----	----	----	16	UNCH
3615	----	----	----	16. 80B/13. 70A	16. 80B/13. 70A	----	13. 70	- 2.80	.0506	----	----	----	----	----	26	UNCH
3620	----	----	----	17. 00B/13. 90A	17. 00B/13. 90A	----	13. 90	- 2.80	.0513	----	----	----	----	----	18	UNCH
3625	15. 10	15. 10	----	17. 30B/14. 10A	17. 30B/14. 10A	----	14. 10	- 2.90	.0521	----	----	----	12	----	14 +	11
3630	----	----	----	17. 60B/14. 30A	17. 60B/14. 30A	----	14. 30	- 2.90	.0528	----	----	----	----	----	14	UNCH
3650	16. 30	16. 30	----	18. 70B/15. 10A	18. 70B/15. 10A	----	15. 20	- 3.10	.0561	----	----	----	3	----	48	UNCH
3670	----	----	----	19. 90B/16. 00A	19. 90B/16. 00A	----	16. 20	- 3.20	.0596	----	----	----	----	----	2	UNCH
3680	----	----	----	20. 60B/16. 50A	20. 60B/16. 50A	----	16. 70	- 3.30	.0614	----	----	----	----	----	1	UNCH
3685	----	----	----	20. 90B/16. 80A	20. 90B/16. 80A	----	16. 90	- 3.40	.0622	----	----	----	----	----	2	UNCH
3690	----	----	----	21. 30B/17. 00A	21. 30B/17. 00A	----	17. 20	- 3.50	.0632	----	----	----	----	----	1	UNCH
3695	----	----	----	21. 60B/17. 30A	21. 60B/17. 30A	----	17. 40	- 3.60	.0640	----	----	----	----	----	9	UNCH
3700	20. 00	20. 00	----	22. 00B/17. 60A	22. 00B/17. 60A	----	17. 70	- 3.60	.0651	----	----	----	4	----	548	UNCH
3705	----	----	----	22. 30B/17. 80A	22. 30B/17. 80A	----	18. 00	- 3.70	.0661	----	----	----	----	----	1	UNCH
3725	----	----	----	23. 80B/19. 00A	23. 80B/19. 00A	----	19. 20	- 3.90	.0703	----	----	----	----	----	30	UNCH
3730	----	----	----	24. 20B/19. 30A	24. 20B/19. 30A	----	19. 50	- 3.90	.0714	----	----	----	----	----	3	UNCH
3735	----	----	----	24. 60B/19. 60A	24. 60B/19. 60A	----	19. 80	- 4.00	.0724	----	----	----	----	----	1	UNCH
3740	----	----	----	25. 00B/19. 90A	25. 00B/19. 90A	----	20. 10	- 4.10	.0735	----	----	----	----	----	20	UNCH
3745	----	----	----	25. 50B/20. 20A	25. 50B/20. 20A	----	20. 40	- 4.20	.0746	----	----	----	----	----	34	UNCH
3750	----	----	----	25. 80B/20. 50A	25. 80B/20. 50A	----	20. 70	- 4.30	.0756	----	----	----	----	----	44	UNCH
3755	----	----	----	26. 30B/20. 90A	26. 30B/20. 90A	----	21. 10	- 4.30	.0769	----	----	----	----	----	7	UNCH
3760	----	----	----	26. 70B/21. 20A	26. 70B/21. 20A	----	21. 40	- 4.40	.0780	----	----	----	----	----	11	UNCH
3770	----	----	----	27. 60B/21. 90A	27. 60B/21. 90A	----	22. 10	- 4.50	.0804	----	----	----	----	----	23	UNCH
3775	----	----	----	28. 10B/22. 20A	28. 10B/22. 20A	----	22. 50	- 4.60	.0818	----	----	----	----	----	9	UNCH
3795	----	----	----	30. 00B/23. 70A	30. 00B/23. 70A	----	24. 00	- 4.90	.0869	----	----	----	----	----	5	UNCH
3800	----	----	----	30. 50B/24. 10A	30. 50B/24. 10A	----	24. 40	- 5.00	.0882	----	----	----	1	----	714 +	1
3805	----	----	----	31. 10B/24. 50A	31. 10B/24. 50A	----	24. 80	- 5.00	.0896	----	----	----	----	----	4	UNCH
3810	----	----	----	31. 60B/24. 90A	31. 60B/24. 90A	----	25. 20	- 5.10	.0909	----	----	----	----	----	1	UNCH
3815	----	----	----	32. 10B/25. 30A	32. 10B/25. 30A	----	25. 60	- 5.20	.0923	----	----	----	----	----	2	UNCH
3825	----	----	----	33. 30B/26. 20A	33. 30B/26. 20A	----	26. 50	- 5.40	.0952	----	----	----	----	----	8	UNCH
3830	----	----	----	33. 80B/26. 60A	33. 80B/26. 60A	----	26. 90	- 5.50	.0966	----	----	----	----	----	2	UNCH
3835	----	----	----	34. 40B/27. 10A	34. 40B/27. 10A	----	27. 40	- 5.50	.0982	----	----	----	----	----	2	UNCH
3840	----	----	----	35. 00B/27. 50A	35. 00B/27. 50A	----	27. 90	- 5.60	.0998	----	----	----	----	----	2	UNCH
3850	32. 10	32. 10	----	36. 20B/28. 40A	36. 20B/28. 40A	----	28. 80	- 5.80	.1028	----	----	----	15	----	268 +	10
3855	----	----	----	36. 80B/28. 90A	36. 80B/28. 90A	----	29. 30	- 5.90	.1044	----	----	----	----	----	2	UNCH
3860	----	----	----	37. 50B/29. 40A	37. 50B/29. 40A	----	29. 80	- 6.00	.1060	----	----	----	----	----	110	UNCH
3870	----	----	----	38. 70B/30. 40A	38. 70B/30. 40A	----	30. 80	- 6.20	.1092	----	----	----	----	----	15	UNCH
3875	----	----	----	39. 40B/30. 90A	39. 40B/30. 90A	----	31. 40	- 6.20	.1111	----	----	----	----	----	6	UNCH
3880	----	----	----	40. 20B/31. 50A	40. 20B/31. 50A	----	31. 90	- 6.30	.1127	----	----	----	----	----	4	UNCH
3885	----	----	----	40. 80B/32. 00A	40. 80B/32. 00A	----	32. 50	- 6.40	.1145	----	----	----	----	----	2	UNCH
3890	36. 80	36. 80	----	41. 50B/32. 50A	41. 50B/32. 50A	----	33. 00	- 6.50	.1162	----	----	----	8	----	34 +	8
3895	----	----	----	42. 20B/33. 10A	42. 20B/33. 10A	----	33. 60	- 6.60	.1180	----	----	----	----	----	11	UNCH
3900	----	----	----	43. 00B/33. 70A	43. 00B/33. 70A	----	34. 20	- 6.70	.1199	----	----	----	----	----	71	UNCH
3905	----	----	----	43. 70B/34. 20A	43. 70B/34. 20A	----	34. 80	- 6.80	.1217	----	----	----	----	----	26	UNCH
3915	----	----	----	45. 20B/35. 40A	45. 20B/35. 40A	----	36. 00	- 7.00	.1255	----	----	----	----	----	65	UNCH
3920	----	----	----	46. 00B/36. 10A	46. 00B/36. 10A	----	36. 60	- 7.10	.1273	----	----	----	----	----	3	UNCH
3925	----	----	----	46. 80B/36. 70A	46. 80B/36. 70A	----	37. 20	- 7.30	.1292	----	----	----	----	----	3	UNCH
3930	----	----	----	47. 60B/37. 30A	47. 60B/37. 30A	----	37. 90	- 7.30	.1313	----	----	----	----	----	1	UNCH
3935	----	----	----	48. 40B/37. 90A	48											

GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT		COMEX GOLD OPTIONS													
JAN27															
4200	104.20	104.20	115.90B/93.30A	115.90B/93.30A	----	95.30	-14.10	.2790	----	----	4	----	211	-	1
4205	----	----	117.60B/94.80A	117.60B/94.80A	----	96.80	-14.30	.2823	----	----	----	----	5		UNCH
4210	----	----	119.40B/96.40A	119.40B/96.40A	----	98.40	-14.40	.2858	----	----	----	----	6		UNCH
4220	----	----	123.00B/99.40A	123.00B/99.40A	----	101.60	-14.70	.2928	----	----	----	----	1		UNCH
4225	----	----	125.00B/101.00A	125.00B/101.00A	----	103.30	-14.80	.2963	----	----	----	----	4		UNCH
4230	----	----	126.90B/102.70A	126.90B/102.70A	----	104.90	-15.00	.2998	----	----	----	----	22		UNCH
4235	----	----	128.80B/104.30A	128.80B/104.30A	----	106.60	-15.10	.3034	----	1	----	----	72	-	1
4240	109.70	109.70	130.70B/106.00A	130.70B/106.00A	----	108.30	-15.20	.3070	----	2	----	----	3	+	2
4250	----	----	134.70B/109.40A	134.70B/109.40A	----	111.80	-15.40	.3142	----	----	----	----	91		UNCH
4255	121.80	121.80	136.60B/111.10A	136.60B/111.10A	----	113.50	-15.60	.3177	----	10	----	----	13	-	7
4260	----	----	138.60B/112.90A	138.60B/112.90A	----	115.30	-15.70	.3214	----	----	----	----	1		UNCH
4265	----	----	140.60B/114.60A	140.60B/114.60A	----	117.10	-15.90	.3250	----	----	----	----	16		UNCH
4270	----	----	142.70B/116.40A	142.70B/116.40A	----	118.90	-16.00	.3287	----	----	----	----	24		UNCH
4275	----	----	144.80B/118.20A	144.80B/118.20A	----	120.80	-16.10	.3324	----	----	----	----	84		UNCH
4280	----	----	146.90B/120.10A	146.90B/120.10A	----	122.60	-16.30	.3360	----	----	----	----	4		UNCH
4285	----	----	149.00B/122.00A	149.00B/122.00A	----	124.50	-16.40	.3397	----	----	----	----	1		UNCH
4290	----	----	151.10B/123.80A	151.10B/123.80A	----	126.40	-16.60	.3435	----	----	----	----	2		UNCH
4295	----	----	153.30B/125.70A	153.30B/125.70A	----	128.40	-16.70	.3472	----	----	----	----	31		UNCH
4300	----	----	155.60B/127.60A	155.60B/127.60A	----	130.30	-16.80	.3509	----	----	----	----	199		UNCH
4310	----	----	159.90B/131.50A	159.90B/131.50A	----	134.30	-17.10	.3585	----	----	----	----	50		UNCH
4315	----	----	162.20B/133.50A	162.20B/133.50A	----	136.30	-17.20	.3623	----	----	----	----	5		UNCH
4320	----	----	164.50B/135.50A	164.50B/135.50A	----	138.30	-17.40	.3660	----	----	----	----	3		UNCH
4330	144.20	144.20	168.90B/139.60A	168.90B/139.60A	----	142.50	-17.60	.3737	----	3	----	----	7		UNCH
4340	----	----	173.70B/143.70A	173.70B/143.70A	----	146.70	-17.90	.3813	----	----	----	----	9		UNCH
4345	----	----	176.10B/145.80A	176.10B/145.80A	----	148.80	-18.00	.3851	----	----	----	----	16		UNCH
4350	----	----	178.60B/148.00A	178.60B/148.00A	----	151.00	-18.10	.3890	----	----	----	----	32		UNCH
4355	----	----	180.80B/150.10A	180.80B/150.10A	----	153.20	-18.20	.3928	----	----	----	----	5		UNCH
4360	----	----	183.40B/152.30A	183.40B/152.30A	----	155.40	-18.40	.3967	----	1	----	----	2	+	1
4365	----	----	185.90B/154.50A	185.90B/154.50A	----	157.60	-18.50	.4005	----	----	----	----	2		UNCH
4370	----	----	188.40B/156.80A	188.40B/156.80A	----	159.90	-18.60	.4044	----	----	----	----	29		UNCH
4375	----	----	190.90B/159.00A	190.90B/159.00A	----	162.10	-18.80	.4082	----	----	----	----	5		UNCH
4380	----	----	193.40B/161.20A	193.40B/161.20A	----	164.40	-18.90	.4121	----	----	----	----	21		UNCH
4385	----	----	195.90B/163.50A	195.90B/163.50A	----	166.70	-19.00	.4160	----	----	----	----	53		UNCH
4390	169.60	169.60	198.50B/165.80A	198.50B/165.80A	----	169.10	NEW	.4199	----	1	----	----	1	+	1
4395	----	----	201.10B/168.20A	201.10B/168.20A	----	171.40	-19.30	.4238	----	----	----	----	4		UNCH
4400	----	----	203.80B/170.50A	203.80B/170.50A	----	173.80	-19.40	.4277	----	1	----	----	352	+	1
4405	----	----	206.30B/172.90A	206.30B/172.90A	----	176.20	-19.50	.4315	----	----	----	----	2		UNCH
4410	----	----	208.90B/175.30A	208.90B/175.30A	----	178.60	-19.60	.4354	----	----	----	----	8		UNCH
4425	----	----	217.10B/182.60A	217.10B/182.60A	----	186.00	-20.00	.4471	----	----	----	----	65		UNCH
4430	----	----	219.70B/185.00A	219.70B/185.00A	----	188.50	-20.10	.4510	----	1	----	----	8	+	1
4435	----	----	222.50B/187.50A	222.50B/187.50A	----	191.00	-20.30	.4549	----	----	----	----	1		UNCH
4440	----	----	225.30B/190.10A	225.30B/190.10A	----	193.60	-20.30	.4588	----	----	----	----	4		UNCH
4445	----	----	228.00B/192.60A	228.00B/192.60A	----	196.20	-20.40	.4627	----	----	----	----	6		UNCH
4450	----	----	230.90B/195.20A	230.90B/195.20A	----	198.70	-20.60	.4666	----	2	----	----	374		UNCH
4455	----	----	233.60B/197.70A	233.60B/197.70A	----	201.40	-20.60	.4704	----	----	----	----	2		UNCH
4465	----	----	239.40B/203.00A	239.40B/203.00A	----	206.60	-20.90	.4782	----	----	----	----	1		UNCH
4470	----	----	242.20B/205.60A	242.20B/205.60A	----	209.30	-21.00	.4821	----	1	----	----	3	+	1
4475	232.10	232.10	245.20B/208.20A	245.20B/208.20A	----	212.00	-21.10	.4859	----	7	----	----	84	+	7
4480	----	----	248.10B/210.90A	248.10B/210.90A	----	214.70	-21.20	.4898	----	----	----	----	111		UNCH
4485	----	----	251.00B/213.60A	251.00B/213.60A	----	217.40	-21.40	.4937	----	----	----	----	11		UNCH
4490	----	----	253.90B/216.30A	253.90B/216.30A	----	220.20	-21.40	.4975	----	----	----	----	8		UNCH
4495	----	----	256.90B/219.10A	256.90B/219.10A	----	223.00	-21.50	.5013	----	----	----	----	13		UNCH
4500	234.90	234.90	260.00B/221.80A	260.00B/221.80A	----	225.80	-21.60	.5051	----	7	----	----	290		UNCH
4505	233.60	233.60	262.90B/224.60A	262.90B/224.60A	----	228.60	-21.70	.5090	----	7	----	----	28	+	5
4510	----	----	265.90B/227.40A	265.90B/227.40A	----	231.40	-21.90	.5128	----	----	----	----	7	+	7
4515	----	----	269.10B/230.20A	269.10B/230.20A	----	234.30	-21.90	.5166	----	----	----	----	1		UNCH
4520	----	----	272.10B/233.10A	272.10B/233.10A	----	237.20	-22.00	.5203	----	----	----	----	15		UNCH
4535	----	----	281.40B/241.70A	281.40B/241.70A	----	245.90	-22.30	.5317	----	----	----	----	1		UNCH
4545	----	----	287.70B/247.50A	287.70B/247.50A	----	251.80	-22.60	.5392	----	----	----	----	5		UNCH
4550	263.20	263.20	290.90B/250.50A	290.90B/250.50A	----	254.80	-22.60	.5429	----	1	----	----	2		UNCH
4555	----	----	294.10B/253.40A	294.10B/253.40A	----	257.80	-22.80	.5466	----	----	----	----	2		UNCH
4560	----	----	297.30B/256.40A	297.30B/256.40A	----	260.90	-22.80	.5503	----	----	----	----	2		UNCH
4575	----	----	307.20B/265.50A	307.20B/265.50A	----	270.10	-23.10	.5613	----	----	----	----	40		UNCH
4580	----	----	310.40B/268.50A	310.40B/268.50A	----	273.20	-23.10	.5650	----	----	----	----	1		UNCH
4585	----	----	313.60B/271.70A	313.60B/271.70A	----	276.30	-23.30	.5686	----	----	----	----	1		UNCH
4600	----	----	323.60B/281.00A	323.60B/281.00A	----	285.80	-23.50	.5794	----	----	----	----	128		UNCH
4605	----	----	326.80B/284.20A	326.80B/284.20A	----	289.00	-23.60	.5830	----	----	----	----	3		UNCH
4610	----	----	330.20B/287.40A	330.20B/287.40A	----	292.30	-23.60	.5866	----	----	----	----	1		UNCH
4615	----	----	333.70B/290.60A	333.70B/290.60A	----	295.50	-23.70	.5901	----	----	----	----	1		UNCH
4620	----	----	337.00B/293.80A	337.00B/293.80A	----	298.80	-23.70	.5936	----	----	----	----	21		UNCH
4625	----	----	340.50B/297.10A	340.50B/297.10A	----	302.00	-23.90	.5971	----	----	----	----	15		UNCH
4630	----	----	343.90B/300.30A	343.90B/300.30A	----	305.30	-23.90	.6007	----	----	----	----	3		UNCH
4635	----	----	346.20B/303.50A	346.20B/303.50A	----	308.60	-24.00	.6041	----	----	----	----	1		UNCH
4640	----	----	349.30B/306.80A	349.30B/306.80A	----	311.90	-24.10	.6075	----	----	----	----	2		UNCH
4645	----	----	352.80B/310.60A	352.80B/310.60A	----	315.30	-24.10	.6110	----	----	----	----	1		UNCH
4650	----	----	356.70B/313.90A	356.70B/313.90A	----	318.70	-24.20	.6145	----	----	----	----	24		UNCH
4655	----	----	360.20B/317.20A	360.20B/317.20A	----	322.00	-24.30	.6178	----	----	----	----	3		UNCH
4660	----	----	363.40B/320.60A	363.40B/320.60A	----	325.40	-24.40	.6212	----	----	----	----	5		UNCH
4665	----	----	367.20B/323.90A	367.20B/323.90A	----	328.80	-24.50	.6247	----	----	----	----	4		UNCH
4670	----	----	370.80B/327.30A	370.80B/327.30A	----	332.20	-24.60	.6280	----	----	----	----	30		UNCH
4675	----	----	374.00B/330.80A	374.00B/330.80A	----	335.70	-24.60	.6313	----	----	----	----	1		UNCH
4685	----	----	381.50B/337.60A	381.50B/337.60A	----	342.60	-24.70	.6380	----	----	----	----	1		UNCH
4700	----	----	392.50B/348.00A	392.50B/348.00A	----	353.10	-24.90	.6478	----	----	----	----	1		UNCH
4710	----	----	399.50B/355.10A	399.50B/355.10A	----	360.20	-25.10	.6542	----	----	----	----	4		UNCH
4750	----	----	429.80B/383.80A	429.80B/383.80A	----	389.20	-25.50	.6793	----	----	----	----	31		UNCH
4760	----	----	437.50B/391.10A	437.50B/391.10A	----	396.60	-25.60	.6853	----	----	----	----	100		UNCH
4800	----	----	468.50B/421.10A	468.50B/421.10A	----	426.70	-26.10	.7088	----	----	----	----	5		UNCH
4805	----	----	472.40B/426.30A	472.40B/426.30A	----	430.60	-26.00	.7116	----	----	----	----	5		UNCH
4820	----	----	484.30B/436.40A	484.30B/436.40A	----	442.10	-26.20	.7199	----	----	----	----	2		UNCH
4840	----	----	499.80B/451.90A	499.80B/451.90A	----										

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT		COMEX GOLD OPTIONS															
FEB27																	
3515	----	----	----	----/15.50A	18.10B/15.50A	----	----	----	15.40 - 2.70	.0500	----	----	----	----	3	UNCH	
3520	----	----	----	----/15.70A	18.40B/15.70A	----	----	----	15.60 - 2.80	.0507	----	----	----	----	22	UNCH	
3525	----	----	----	18.70B/15.90A	18.70B/15.90A	----	----	----	15.80 - 2.80	.0513	----	----	----	----	6	UNCH	
3540	----	----	----	19.50B/16.60A	19.50B/16.60A	----	----	----	16.50 - 2.90	.0535	----	----	----	----	20	UNCH	
3555	----	----	----	20.30B/17.20A	20.30B/17.20A	----	----	----	17.20 - 3.00	.0558	----	----	----	----	25	UNCH	
3575	----	----	----	21.50B/18.20A	21.50B/18.20A	----	----	----	18.20 - 3.20	.0589	----	----	----	----	205	UNCH	
3585	----	----	----	22.20B/18.70A	22.20B/18.70A	----	----	----	18.70 - 3.30	.0605	----	----	----	----	14	UNCH	
3590	----	----	----	22.50B/19.00A	22.50B/19.00A	----	----	----	18.90 - 3.40	.0612	----	----	----	----	14	UNCH	
3600	----	----	----	23.20B/19.50A	23.20B/19.50A	----	----	----	19.50 - 3.40	.0630	----	----	----	----	1089	UNCH	
3610	----	----	----	24.00B/20.10A	24.00B/20.10A	----	----	----	20.10 - 3.50	.0648	----	----	----	----	2	UNCH	
3625	----	----	----	25.10B/20.90A	25.10B/20.90A	----	----	----	20.90 - 3.70	.0674	----	----	----	----	1	UNCH	
3650	----	----	----	27.00B/22.50A	27.00B/22.50A	----	----	----	22.50 - 4.00	.0722	----	----	----	----	300	UNCH	
3660	----	----	----	27.80B/23.10A	27.80B/23.10A	----	----	----	23.20 - 4.00	.0743	----	----	----	----	2	UNCH	
3695	----	----	----	31.00B/25.60A	31.00B/25.60A	----	----	----	25.70 - 4.50	.0819	----	----	----	----	8	UNCH	
3700	----	----	----	31.50B/26.00A	31.50B/26.00A	----	----	----	26.10 - 4.50	.0830	----	----	----	----	1064	UNCH	
3725	----	----	----	34.00B/28.00A	34.00B/28.00A	----	----	----	28.10 - 4.90	.0889	----	----	----	----	2	UNCH	
3750	30.30	30.30	30.30	36.70B/30.10A	36.70B/30.10A	----	----	----	30.40 - 5.20	.0955	----	----	1	----	47	+	
3780	----	----	----	40.20B/33.00A	40.20B/33.00A	----	----	----	33.30 - 5.60	.1038	----	----	----	----	1	UNCH	
3790	----	----	----	41.50B/34.00A	41.50B/34.00A	----	----	----	34.30 - 5.80	.1066	----	----	----	----	1	UNCH	
3795	----	----	----	42.10B/34.50A	42.10B/34.50A	----	----	----	34.90 - 5.90	.1082	----	----	----	----	5	+	
3800	40.40	40.40	40.40	42.80B/35.10A	42.80B/35.10A	----	----	----	35.40 - 6.00	.1096	----	----	3	----	134	+	
3805	----	----	----	43.40B/35.60A	43.40B/35.60A	----	----	----	35.90 - 6.10	.1111	----	----	----	----	10	UNCH	
3815	----	----	----	44.80B/36.70A	44.80B/36.70A	----	----	----	37.10 - 6.20	.1143	----	----	----	----	10	UNCH	
3820	----	----	----	45.40B/37.30A	45.40B/37.30A	----	----	----	37.60 - 6.40	.1158	----	----	----	----	3	UNCH	
3835	----	----	----	47.80B/39.00A	47.80B/39.00A	----	----	----	39.40 - 6.60	.1207	----	----	----	----	3	UNCH	
3850	----	----	----	49.90B/40.80A	49.90B/40.80A	----	----	----	41.30 - 6.90	.1257	----	----	----	----	1341	UNCH	
3860	----	----	----	51.50B/42.10A	51.50B/42.10A	----	----	----	42.60 - 7.00	.1292	----	----	----	----	10	UNCH	
3865	----	----	----	52.30B/42.80A	52.30B/42.80A	----	----	----	43.30 - 7.10	.1310	----	----	----	----	1	UNCH	
3875	----	----	----	54.00B/44.10A	54.00B/44.10A	----	----	----	44.60 - 7.40	.1345	----	----	----	----	12	UNCH	
3880	----	----	----	54.80B/44.80A	54.80B/44.80A	----	----	----	45.30 - 7.40	.1363	----	----	----	----	2	UNCH	
3885	----	----	----	55.60B/45.50A	55.60B/45.50A	----	----	----	46.00 - 7.50	.1382	----	----	----	----	1	UNCH	
3890	----	----	----	56.70B/46.20A	56.70B/46.20A	----	----	----	46.70 - 7.70	.1400	----	----	----	----	3	UNCH	
3895	----	----	----	57.50B/46.80A	57.50B/46.80A	----	----	----	47.50 NEW	.1420	----	----	2	----	2	+	
3900	----	----	----	58.30B/47.60A	58.30B/47.60A	----	----	----	48.20 - 7.80	.1439	----	----	2	----	207	UNCH	
3905	----	----	----	59.30B/48.30A	59.30B/48.30A	----	----	----	49.00 - 7.90	.1459	----	----	----	----	3	UNCH	
3925	----	----	----	63.10B/51.30A	63.10B/51.30A	----	----	----	52.10 - 8.30	.1538	----	----	----	----	1	UNCH	
3935	----	----	----	64.90B/52.90A	64.90B/52.90A	----	----	----	53.70 - 8.50	.1578	----	----	----	----	5	UNCH	
3940	----	----	----	65.90B/53.70A	65.90B/53.70A	----	----	----	54.50 - 8.70	.1599	----	----	----	----	1	UNCH	
3945	----	----	----	66.80B/54.60A	66.80B/54.60A	----	----	----	55.40 - 8.70	.1620	----	----	----	----	1	UNCH	
3950	66.10	66.10	66.10	67.90B/55.50A	67.90B/55.50A	----	----	----	56.20 - 8.90	.1641	----	----	2	----	128	UNCH	
3960	----	----	----	69.90B/57.10A	69.90B/57.10A	----	----	----	58.00 - 9.10	.1685	----	----	----	----	14	UNCH	
3980	----	----	----	74.30B/60.70A	74.30B/60.70A	----	----	----	61.70 - 9.50	.1774	----	----	1	----	2	UNCH	
3990	----	----	----	76.50B/62.60A	76.50B/62.60A	----	----	----	63.60 - 9.70	.1819	----	----	----	----	4	UNCH	
3995	----	----	----	77.70B/63.60A	77.70B/63.60A	----	----	----	64.60 - 9.80	.1843	----	----	----	----	5	UNCH	
4000	64.40	64.40	64.40	79.00B/64.40	79.00B/64.40	----	----	----	65.50 - 10.00	.1865	----	----	2	----	573	UNCH	
4005	----	----	----	80.10B/65.50A	80.10B/65.50A	----	----	----	66.60 - 10.00	.1890	----	----	----	----	32	UNCH	
4010	----	----	----	81.40B/66.50A	81.40B/66.50A	----	----	----	67.60 - 10.20	.1914	----	----	----	----	4	UNCH	
4015	----	----	----	82.50B/67.50A	82.50B/67.50A	----	----	----	68.60 - 10.30	.1937	----	----	----	----	2	UNCH	
4020	----	----	----	83.70B/68.60A	83.70B/68.60A	----	----	----	69.70 - 10.40	.1962	----	----	----	----	2	UNCH	
4025	----	----	----	85.20B/69.70A	85.20B/69.70A	----	----	----	70.70 - 10.60	.1986	----	----	----	----	36	UNCH	
4030	----	----	----	86.40B/70.70A	86.40B/70.70A	----	----	----	71.80 - 10.70	.2011	----	----	----	----	30	UNCH	
4035	----	----	----	87.50B/71.80A	87.50B/71.80A	----	----	----	72.90 - 10.80	.2036	----	----	----	----	19	UNCH	
4040	----	----	----	88.80B/72.90A	88.80B/72.90A	----	----	----	74.00 - 10.90	.2061	----	----	----	----	205	UNCH	
4050	----	----	----	91.70B/75.00A	91.70B/75.00A	----	----	----	76.30 - 11.10	.2112	----	----	----	----	638	UNCH	
4055	----	----	----	92.90B/76.30A	92.90B/76.30A	----	----	----	77.50 - 11.20	.2139	----	----	----	----	2	UNCH	
4060	----	----	----	94.30B/77.40A	94.30B/77.40A	----	----	----	78.60 - 11.40	.2164	----	----	----	----	4	UNCH	
4065	----	----	----	95.70B/78.60A	95.70B/78.60A	----	----	----	79.80 - 11.50	.2190	----	----	----	----	2	UNCH	
4070	----	----	----	97.10B/79.70A	97.10B/79.70A	----	----	----	81.00 - 11.60	.2216	----	----	----	----	20	UNCH	
4075	----	----	----	98.50B/80.90A	98.50B/80.90A	----	----	----	82.30 - 11.60	.2244	----	----	----	----	6	UNCH	
4085	----	----	----	101.50B/83.40A	101.50B/83.40A	----	----	----	84.80 - 11.90	.2298	----	----	----	----	1	UNCH	
4090	----	----	----	102.80B/84.70A	102.80B/84.70A	----	----	----	86.00 - 12.10	.2324	----	----	----	----	19	UNCH	
4095	----	----	----	104.30B/85.90A	104.30B/85.90A	----	----	----	87.30 - 12.20	.2352	----	----	----	----	20	UNCH	
4100	96.50	96.50	96.50	105.90B/87.20A	105.90B/87.20A	----	----	----	88.60 - 12.30	.2380	----	----	1	----	706	+	
4105	----	----	----	107.30B/88.50A	107.30B/88.50A	----	----	----	90.00 - 12.30	.2408	----	----	----	----	1	UNCH	
4110	----	----	----	109.00B/89.80A	109.00B/89.80A	----	----	----	91.30 - 12.50	.2436	----	----	1	----	24	+	
4120	----	----	----	112.00B/92.50A	112.00B/92.50A	----	----	----	94.00 - 12.80	.2492	----	----	----	----	2	UNCH	
4125	----	----	----	113.30B/93.90A	113.30B/93.90A	----	----	----	95.40 - 12.90	.2521	----	----	----	----	21	UNCH	
4135	----	----	----	116.80B/96.60A	116.80B/96.60A	----	----	----	98.30 - 13.10	.2579	----	----	----	----	13	UNCH	
4140	----	----	----	118.20B/98.00A	118.20B/98.00A	----	----	----	99.70 - 13.20	.2608	----	----	----	----	21	UNCH	
4145	----	----	----	120.10B/99.40A	120.10B/99.40A	----	----	----	101.20 - 13.30	.2638	----	----	----	----	50	UNCH	
4150	----	----	----	121.80B/100.80A	121.80B/100.80A	----	----	----	102.70 - 13.40	.2667	----	----	1	----	421	+	
4155	----	----	----	123.60B/102.40A	123.60B/102.40A	----	----	----	104.20 - 13.50	.2697	----	----	----	----	20	UNCH	
4160	----	----	----	125.30B/103.90A	125.30B/103.90A	----	----	----	105.70 - 13.60	.2727	----	----	----	----	200	UNCH	
4165	----	----	----	127.00B/105.30A	127.00B/105.30A	----	----	----	107.20 - 13.80	.2757	----	----	----	----	20	UNCH	
4170	----	----	----	128.90B/106.90A	128.90B/106.90A	----	----	----	108.80 - 13.90	.2787	----	----	----	----	6	UNCH	
4175	126.50	126.50	126.50	130.70B/108.40A	130.70B/108.40A	----	----	----	110.30 - 14.10	.2817	----	----	38	----	6	UNCH	
4200	----	----	----	139.40B/116.30A	139.40B/116.30A	----	----	----	118.40 - 14.70	.2971	----	----	----	----	519	+	
4205	----	----	----	141.70B/118.10A	141.70B/118.10A	----	----	----	120.10 - 14.80	.3002	----	----	----	----	8	UNCH	
4210	----	----	----	143.60B/119.70A	143.60B/119.70A	----	----	----	121.80 - 14.90	.3034	----	----	----	----	2	UNCH	
4225	----	----	----	149.30B/124.90A	149.30B/124.90A	----	----	----	127.00 - 15.20	.3129	----	----	----	----	15	UNCH	
4230	----	----	----	151.30B/126.60A	151.30B/126.60A	----	----	----	128.80 - 15.30	.3161	----	----	----	----	18	UNCH	
4235	----	----	----	153.30B/128.40A	153.30B/128.40A	----	----	----	130.50 - 15.50	.3193	----	----	----	----	18	UNCH	
4240	----	----	----	155.40B/130.20A	155.40B/130.20A	----	----	----	132.30 - 15.70	.3225	----	----	----	----	2	UNCH	
4250	----	----	----	159.40B/133.60A	159.40B/133.60A	----	----	----	136.00 - 15.90	.3290	----	----	----	----	350	UNCH	
4255	----	----	----	161.50B/135.50A	161.50B/135.50A	----	----	----	137.90 - 16.00	.3322	----	----	----	----	5	UNCH	
4265	----	----	----	165.80B/139.30A	165.80B/139.30A	----	----	----	141.60 - 16.30	.3387	----	----	----	----	5	UNCH	
4270	----	----	----	167.80B/141.20A	167.80B/141.20A	----	----	----	143.60 - 16.30	.3421	----	----	----	----	19	UNCH	
4275																	

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT		COMEX GOLD OPTIONS															
FEB27																	
4640	----	----		374.40B/333.00A	374.40B/333.00A	----	----	----	337.60 - 23.70	.5894	----	----	----	----	----	3	UNCH
4650	----	----		381.40B/339.60A	381.40B/339.60A	----	----	----	344.10 - 24.00	.5956	----	----	----	----	----	1	UNCH
4655	----	----		384.80B/342.70A	384.80B/342.70A	----	----	----	347.40 - 24.00	.5987	----	----	----	----	----	1	UNCH
4660	----	----		388.20B/346.00A	388.20B/346.00A	----	----	----	350.80 - 24.00	.6017	----	----	----	----	----	436	UNCH
4665	----	----		391.80B/349.10A	391.80B/349.10A	----	----	----	354.10 - 24.10	.6048	----	----	----	----	----	3	UNCH
4680	----	----		400.30B/360.10A	400.30B/360.10A	----	----	----	364.20 - 24.40	.6138	----	----	----	----	----	3	UNCH
4690	----	----		407.30B/366.80A	407.30B/366.80A	----	----	----	371.10 - 24.40	.6197	----	----	----	----	----	1	UNCH
4695	----	----		410.80B/370.20A	410.80B/370.20A	----	----	----	374.50 - 24.50	.6227	----	----	----	----	----	25	UNCH
4700	----	----		414.40B/373.60A	414.40B/373.60A	----	----	----	378.00 - 24.50	.6256	----	----	----	----	----	133	UNCH
4705	----	----		417.90B/377.10A	417.90B/377.10A	----	----	----	381.40 - 24.60	.6285	----	----	----	----	----	3	UNCH
4710	----	----		421.50B/380.50A	421.50B/380.50A	----	----	----	384.90 - 24.70	.6314	----	----	----	----	----	3	UNCH
4725	----	----		432.30B/391.00A	432.30B/391.00A	----	----	----	395.40 - 24.80	.6401	----	----	----	----	----	10	UNCH
4730	----	----		435.90B/394.40A	435.90B/394.40A	----	----	----	399.00 - 24.80	.6429	----	----	----	----	----	16	UNCH
4750	----	----		450.60B/408.70A	450.60B/408.70A	----	----	----	413.20 - 25.10	.6542	----	----	----	----	----	31	UNCH
4755	----	----		454.30B/413.60A	454.30B/413.60A	----	----	----	416.80 - 25.20	.6569	----	----	----	----	----	1	UNCH
4775	----	----		469.10B/428.20A	469.10B/428.20A	----	----	----	431.40 - 25.30	.6679	----	----	----	----	----	1	UNCH
4785	----	----		476.70B/433.90A	476.70B/433.90A	----	----	----	438.80 - 25.40	.6732	----	----	----	----	----	100	UNCH
4800	----	----		488.00B/444.60A	488.00B/444.60A	----	----	----	449.90 - 25.50	.6812	----	----	----	----	----	312	UNCH
4805	----	----		491.80B/450.10A	491.80B/450.10A	----	----	----	453.60 - 25.60	.6838	----	----	----	----	----	2	UNCH
4810	----	----		495.60B/452.40A	495.60B/452.40A	----	----	----	457.40 - 25.60	.6864	----	----	----	----	----	20	UNCH
4825	----	----		507.20B/463.60A	507.20B/463.60A	----	----	----	468.70 - 25.70	.6941	----	----	----	----	----	5	UNCH
4835	----	----		514.90B/472.60A	514.90B/472.60A	----	----	----	476.30 - 25.80	.6991	----	----	----	----	----	1	UNCH
4840	----	----		518.80B/476.40A	518.80B/476.40A	----	----	----	480.10 - 25.80	.7017	----	----	----	----	----	1	UNCH
4845	----	----		522.70B/480.20A	522.70B/480.20A	----	----	----	483.90 - 25.90	.7042	----	----	----	----	----	3	UNCH
4855	----	----		530.50B/487.80A	530.50B/487.80A	----	----	----	491.60 - 26.00	.7091	----	----	----	----	----	3	UNCH
4900	----	----		566.20B/522.70A	566.20B/522.70A	----	----	----	526.80 - 26.30	.7305	----	----	----	----	----	4	UNCH
4905	----	----		570.20B/526.60A	570.20B/526.60A	----	----	----	530.70 - 26.40	.7328	----	----	----	----	----	4	UNCH
4950	----	----		606.80B/562.60A	606.80B/562.60A	----	----	----	566.90 - 26.60	.7527	----	----	----	----	----	1	UNCH
4955	----	----		610.90B/566.60A	610.90B/566.60A	----	----	----	570.90 - 26.70	.7548	----	----	----	----	----	1	UNCH
5000	642.80	642.80		648.20B/603.40A	648.20B/603.40A	----	----	----	608.00 - 26.80	.7734	----	----	6	----	67	+	3
5005	----	----		652.40B/607.50A	652.40B/607.50A	----	----	----	612.20 - 26.80	.7753	----	----	----	----	----	3	UNCH
5010	----	----		656.60B/611.70A	656.60B/611.70A	----	----	----	616.30 - 26.90	.7773	----	----	----	----	----	1	UNCH
5050	----	----		690.50B/645.10A	690.50B/645.10A	----	----	----	650.00 - 27.10	.7923	----	----	----	----	----	4	UNCH
5055	----	----		694.80B/649.30A	694.80B/649.30A	----	----	----	654.30 - 27.00	.7941	----	----	----	----	----	4	UNCH
5100	----	----		733.50B/687.70A	733.50B/687.70A	----	----	----	692.90 - 27.20	.8098	----	----	----	----	----	2	UNCH
5150	----	----		----/751.60A	754.20B/751.60A	----	----	----	736.60 - 27.20	.8258	----	----	----	----	----	1	UNCH
5175	----	----		----/774.00A	775.50B/774.00A	----	----	----	758.60 - 27.30	.8334	----	----	----	----	----	125	UNCH
5200	----	----		----/796.60A	796.90B/796.60A	----	----	----	780.90 - 27.30	.8406	----	----	----	----	----	1	UNCH
5250	----	----		----/842.20A	840.20B/842.20A	----	----	----	825.80 - 27.30	.8539	----	----	----	----	----	15	UNCH
5320	----	----		----/907.10A	901.70B/907.10A	----	----	----	889.60 - 27.40	.8707	----	----	----	----	----	1	UNCH
5500	----	----		----/1,078.30A	1063.40B/1078.30A	----	----	----	1057.70 - 27.10	.9046	----	----	----	----	----	2	UNCH
5520	----	----		----/1,097.70A	1081.50B/1097.70A	----	----	----	1076.60 - 27.10	.9075	----	----	----	----	----	300	UNCH
5530	----	----		----/1,107.30A	1090.50B/1107.30A	----	----	----	1086.10 - 27.10	.9091	----	----	----	----	----	100	UNCH
5550	----	----		----/1,126.70A	1109.20B/1126.70A	----	----	----	1105.20 - 27.00	.9120	----	----	----	----	----	65	UNCH
5565	----	----		----/1,141.50A	1122.90B/1141.50A	----	----	----	1119.50 - 27.00	.9142	----	----	----	----	----	50	UNCH
6000	----	----		----/1,567.30A	1546.20B/1567.30A	----	----	----	1542.20 - 26.20	.9544	----	----	----	----	----	1	UNCH
TOTAL																	
MAR27																	
3075	----	----		----/7.90A	7.50B/7.90A	----	----	----	7.40 - 1.00	.0207	----	----	----	----	----	1	UNCH
3170	----	----		----/9.40A	9.30B/9.40A	----	----	----	9.00 - 1.30	.0255	----	----	----	----	----	1	UNCH
3200	----	----		----/10.00A	9.90B/10.00A	----	----	----	9.60 - 1.40	.0273	----	----	----	----	----	58	UNCH
3300	----	----		----/12.40A	12.70B/12.40A	----	----	----	11.90 - 1.90	.0343	----	----	----	----	----	482	UNCH
3325	----	----		----/13.00A	13.50B/13.00A	----	----	----	12.60 - 2.00	.0364	----	----	----	----	----	4	UNCH
3400	----	----		----/15.50A	16.30B/15.50A	----	----	----	15.00 - 2.40	.0434	----	----	----	----	----	401	UNCH
3425	----	----		----/16.50A	17.40B/16.50A	----	----	----	15.90 - 2.60	.0461	----	----	----	----	----	29	UNCH
3450	----	----		----/17.50A	18.50B/17.50A	----	----	----	16.90 - 2.80	.0490	----	----	----	----	----	33	UNCH
3500	----	----		----/19.70A	21.10B/19.70A	----	----	----	19.20 - 3.20	.0555	----	----	----	----	----	494	UNCH
3525	----	----		----/21.00A	22.60B/21.00A	----	----	----	20.50 - 3.30	.0591	----	----	----	----	----	120	UNCH
3540	----	----		----/21.90A	23.50B/21.90A	----	----	----	21.30 - 3.50	.0614	----	----	----	----	----	1	UNCH
3545	----	----		----/22.10A	23.80B/22.10A	----	----	----	21.60 - 3.50	.0622	----	----	----	----	----	1	UNCH
3550	----	----		----/22.40A	24.20B/22.40A	----	----	----	21.90 - 3.50	.0630	----	----	----	----	----	250	UNCH
3565	----	----		----/23.30A	25.70B/23.30A	----	----	----	22.70 - 3.80	.0653	----	----	----	----	----	2	UNCH
3575	----	----		----/23.90A	26.50B/23.90A	----	----	----	23.30 - 3.90	.0669	----	----	----	----	----	20	UNCH
3580	----	----		----/24.20A	26.80B/24.20A	----	----	----	23.70 - 3.80	.0679	----	----	----	----	----	1	UNCH
3600	25.20	25.20		25.20B/25.20	28.50B/25.20	----	----	----	25.00 - 4.00	.0715	----	----	1	----	1490	UNCH	
3650	----	----		----/29.00A	32.70B/29.00A	----	----	----	28.60 - 4.60	.0811	----	----	----	----	----	128	UNCH
3700	----	----		----/33.20A	37.60B/33.20A	----	----	----	32.90 - 5.10	.0922	----	----	----	----	----	45	UNCH
3725	----	----		----/35.40A	40.30B/35.40A	----	----	----	35.20 - 5.50	.0982	----	----	----	----	----	17	UNCH
3740	----	----		----/36.80A	42.20B/36.80A	----	----	----	36.80 - 5.60	.1021	----	----	----	----	----	29	UNCH
3750	----	----		----/37.90A	43.40B/37.90A	----	----	----	37.80 - 5.80	.1046	----	----	----	----	----	10	UNCH
3760	----	----		----/39.00A	44.60B/39.00A	----	----	----	38.90 - 5.90	.1073	----	----	----	----	----	1	UNCH
3775	----	----		----/40.60A	46.60B/40.60A	----	----	----	40.60 - 6.10	.1115	----	----	----	----	----	1	UNCH
3780	----	----		----/41.10A	47.30B/41.10A	----	----	----	41.20 - 6.10	.1130	----	----	----	----	----	25	UNCH
3785	----	----		----/41.70A	47.90B/41.70A	----	----	----	41.70 - 6.30	.1143	----	----	----	----	----	1	UNCH
3790	----	----		49.50B/42.30A	49.50B/42.30A	----	----	----	42.30 - 6.40	.1157	----	----	----	----	----	1	UNCH
3795	----	----		50.60B/42.90A	50.60B/42.90A	----	----	----	42.90 - 6.40	.1172	----	----	----	----	----	1	UNCH
3800	----	----		51.50B/43.50A	51.50B/43.50A	----	----	----	43.50 - 6.50	.1186	----	----	----	----	----	94	UNCH
3810	----	----		53.10B/44.80A	53.10B/44.80A	----	----	----	44.80 - 6.60	.1217	----	----	----	----	----	1	UNCH
3815	----	----		53.60B/45.40A	53.60B/45.40A	----	----	----	45.40 - 6.70	.1232	----	----	----	----	----	1	UNCH
3820	----	----		54.60B/45.90A	54.60B/45.90A	----	----	----	46.10 - 6.70	.1248	----	----	----	----	----	30	UNCH
3825	----	----		55.30B/46.60A	55.30B/46.60A	----	----	----	46.70 - 6.90	.1262	----	----	----	----	----	1	UNCH
3830	----	----		55.90B/47.20A	55.90B/47.20A	----	----	----	47.40 - 6.90	.1279	----	----	----	----	----	1	UNCH
3840	----	----		57.50B/48.60A	57.50B/48.60A	----	----	----	48.80 - 7.00	.1311	----	----	----	----	----	2	UNCH
3845	----	----		58.40B/49.20A	58.40B/49.20A	----	----	----	49.50 - 7.10	.1328	----	----	----	----	----	1	UNCH
3850	----	----		59.20B/49.90A	59.20B/49.90A	----	----	----	50.20 - 7.20	.1344	----	----	1	----	48	UNCH	
3855	----	----		60.00B/50.60A	60.00B/50.60A	----	----	----	50.90 - 7.30	.1360	----	----	----	----	----	2	UNCH
3860	----	----		60.80B/51.40A	60.80B/51.40A	----	----	----	51.60 - 7.40	.1377	----	----	----	----	----	2	UNCH
3865	----	----		61.80B/52.00A	61.80B/52.00												



FINAL

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT	COMEX GOLD OPTIONS																
MAR27																	
4500	----	----	----	291.00B/256.00A	291.00B/256.00A	----	----	----	259.40 - 20.50	.4705	----	----	----	----	----	106	UNCH
4515	----	----	----	298.20B/264.10A	298.20B/264.10A	----	----	----	267.60 - 20.50	.4797	----	----	----	----	----	1	UNCH
4520	----	----	----	299.30B/266.80A	299.30B/266.80A	----	----	----	270.30 - 20.60	.4827	----	----	----	----	----	1	UNCH
4525	----	----	----	303.80B/269.30A	303.80B/269.30A	----	----	----	273.00 - 20.70	.4857	----	----	----	----	----	10	UNCH
4540	----	----	----	311.20B/277.80A	311.20B/277.80A	----	----	----	281.40 - 20.90	.4948	----	----	----	----	----	4	UNCH
4585	----	----	----	338.10B/303.50A	338.10B/303.50A	----	----	----	307.20 - 21.70	.5217	----	----	----	----	----	1	UNCH
4600	----	----	----	348.80B/312.00A	348.80B/312.00A	----	----	----	316.10 - 22.00	.5306	----	----	----	----	----	26	UNCH
4610	----	----	----	351.40B/318.30A	351.40B/318.30A	----	----	----	322.10 - 22.20	.5365	----	----	----	----	----	300	UNCH
4650	----	----	----	377.10B/342.70A	377.10B/342.70A	----	----	----	346.60 - 23.10	.5596	----	----	----	----	----	1	UNCH
4660	----	----	----	383.70B/348.50A	383.70B/348.50A	----	----	----	352.90 - 23.30	.5653	----	----	----	----	----	24	UNCH
4680	----	----	----	397.00B/361.90A	397.00B/361.90A	----	----	----	365.70 - 23.60	.5765	----	----	----	----	----	1	UNCH
4700	----	----	----	410.70B/374.70A	410.70B/374.70A	----	----	----	378.70 - 24.00	.5876	----	----	----	----	----	285	UNCH
4710	----	----	----	417.40B/381.20A	417.40B/381.20A	----	----	----	385.30 - 24.10	.5931	----	----	----	----	----	2	UNCH
4750	----	----	----	440.80B/407.90A	440.80B/407.90A	----	----	----	412.30 - 24.60	.6147	----	----	----	----	----	15	UNCH
4810	----	----	----	482.30B/452.10A	482.30B/452.10A	----	----	----	454.30 - 25.30	.6455	----	----	----	----	----	21	UNCH
4850	----	----	----	512.10B/481.00A	512.10B/481.00A	----	----	----	483.30 - 25.60	.6651	----	----	----	----	----	3	UNCH
4900	----	----	----	550.20B/518.00A	550.20B/518.00A	----	----	----	520.60 - 26.00	.6886	----	----	----	----	----	12	UNCH
4905	----	----	----	554.20B/521.70A	554.20B/521.70A	----	----	----	524.40 - 26.00	.6908	----	----	----	----	----	2	UNCH
5000	----	----	----	630.00B/595.00A	630.00B/595.00A	----	----	----	598.20 - 26.70	.7316	----	----	----	----	----	75	UNCH
TOTAL													2	75	8042 +	75	
APR27																	
3000	----	----	----	----/9.10A	8.70B/9.10A	----	----	----	8.50 - 1.20	.0218	----	----	----	----	----	102	UNCH
3100	----	----	----	----/11.00A	10.80B/11.00A	----	----	----	10.40 - 1.50	.0270	----	----	----	----	----	1	UNCH
3200	----	----	----	----/13.40A	13.50B/13.40A	----	----	----	12.80 - 1.90	.0335	----	----	----	----	----	126	UNCH
3225	----	----	----	----/14.10A	14.30B/14.10A	----	----	----	13.60 - 2.00	.0356	----	----	----	----	----	65	UNCH
3300	----	----	----	----/16.60A	17.20B/16.60A	----	----	----	16.00 - 2.40	.0420	----	----	----	----	----	1	UNCH
3350	----	----	----	----/18.60A	19.40B/18.60A	----	----	----	17.90 - NEW	.0470	----	----	25	----	----	25 +	25
3375	----	----	----	----/19.60A	20.60B/19.60A	----	----	----	19.00 - 2.90	.0499	----	----	----	----	----	29	UNCH
3400	----	----	----	----/20.80A	21.90B/20.80A	----	----	----	20.10 - 3.20	.0528	----	----	----	----	----	9	UNCH
3450	----	----	----	----/23.40A	24.80B/23.40A	----	----	----	22.70 - 3.60	.0594	----	----	----	----	----	3	UNCH
3455	----	----	----	----/23.70A	25.10B/23.70A	----	----	----	23.00 - 3.60	.0601	----	----	----	----	----	1	UNCH
3460	----	----	----	----/24.00A	25.50B/24.00A	----	----	----	23.30 - 3.60	.0609	----	----	----	----	----	1	UNCH
3475	----	----	----	----/24.80A	26.50B/24.80A	----	----	----	24.10 - 3.80	.0629	----	----	----	----	----	300	UNCH
3480	----	----	----	----/25.10A	26.80B/25.10A	----	----	----	24.40 - 3.80	.0637	----	----	----	----	----	1	UNCH
3500	----	----	----	----/26.40A	28.60B/26.40A	----	----	----	25.70 - 3.90	.0669	----	----	1	----	----	214 +	1
3545	----	----	----	----/29.40A	32.20B/29.40A	----	----	----	28.80 - 4.30	.0744	----	----	----	----	----	10	UNCH
3550	----	----	----	----/29.80A	32.70B/29.80A	----	----	----	29.10 - 4.40	.0752	----	----	----	----	----	500	UNCH
3555	----	----	----	----/30.20A	33.20B/30.20A	----	----	----	29.50 - 4.40	.0762	----	----	----	----	----	4	UNCH
3565	----	----	----	----/30.90A	34.00B/30.90A	----	----	----	30.30 - 4.40	.0781	----	----	----	----	----	20	UNCH
3590	----	----	----	----/32.70A	36.40B/32.70A	----	----	----	32.30 - 4.70	.0828	----	----	----	----	----	10	UNCH
3595	----	----	----	----/33.20A	36.80B/33.20A	----	----	----	32.70 - 4.70	.0838	----	----	----	----	----	10	UNCH
3600	----	----	----	----/33.60A	37.30B/33.60A	----	----	----	33.10 - 4.80	.0848	----	----	----	----	----	6	UNCH
3650	----	----	----	----/38.20A	42.80B/38.20A	----	----	----	37.80 - 5.20	.0956	----	----	----	----	----	168	UNCH
3680	----	----	----	----/41.00A	46.20B/41.00A	----	----	----	40.80 - 5.70	.1025	----	----	----	----	----	20	UNCH
3690	----	----	----	----/42.10A	47.40B/42.10A	----	----	----	41.90 - 5.80	.1050	----	----	----	----	----	32	UNCH
3700	----	----	----	----/43.20A	48.60B/43.20A	----	----	----	43.00 - 5.90	.1074	----	----	----	----	----	72	UNCH
3725	----	----	----	----/46.00A	52.00B/46.00A	----	----	----	45.90 - 6.20	.1139	----	----	----	----	----	3	UNCH
3730	----	----	----	----/46.70A	52.70B/46.70A	----	----	----	46.50 - 6.30	.1152	----	----	----	----	----	20	UNCH
3735	----	----	----	----/47.30A	53.40B/47.30A	----	----	----	47.20 - 6.30	.1167	----	----	----	----	----	42	UNCH
3750	----	----	----	57.00B/49.10A	57.00B/49.10A	----	----	----	49.00 - 6.60	.1207	----	----	----	----	----	77	UNCH
3755	----	----	----	57.70B/49.70A	57.70B/49.70A	----	----	----	49.70 - 6.60	.1221	----	----	----	----	----	20	UNCH
3780	----	----	----	61.60B/53.00A	61.60B/53.00A	----	----	----	53.00 - 7.00	.1293	----	----	----	----	----	30	UNCH
3790	----	----	----	63.30B/54.30A	63.30B/54.30A	----	----	----	54.40 - 7.20	.1322	----	----	----	----	----	20	UNCH
3800	----	----	----	65.00B/55.80A	65.00B/55.80A	----	----	----	55.80 - 7.30	.1352	----	----	----	----	----	211	UNCH
3815	----	----	----	67.60B/58.00A	67.60B/58.00A	----	----	----	58.10 - 7.50	.1400	----	----	----	----	----	20	UNCH
3820	----	----	----	68.30B/58.60A	68.30B/58.60A	----	----	----	58.80 - 7.70	.1415	----	----	----	----	----	1	UNCH
3825	----	----	----	69.30B/59.50A	69.30B/59.50A	----	----	----	59.60 - 7.70	.1431	----	----	----	----	----	50	UNCH
3845	----	----	----	72.90B/62.40A	72.90B/62.40A	----	----	----	62.80 - 8.00	.1497	----	----	----	----	----	50	UNCH
3850	----	----	----	74.00B/63.20A	74.00B/63.20A	----	----	----	63.60 - 8.20	.1513	----	----	----	----	----	27	UNCH
3855	----	----	----	74.90B/64.00A	74.90B/64.00A	----	----	----	64.50 - 8.20	.1531	----	----	----	----	----	12	UNCH
3860	----	----	----	75.70B/64.80A	75.70B/64.80A	----	----	----	65.30 - 8.30	.1547	----	----	----	----	----	64	UNCH
3865	----	----	----	76.80B/65.60A	76.80B/65.60A	----	----	----	66.20 - 8.40	.1565	----	----	----	----	----	50	UNCH
3885	----	----	----	80.60B/69.10A	80.60B/69.10A	----	----	----	69.70 - 8.70	.1635	----	----	----	----	----	1	UNCH
3895	----	----	----	83.10B/70.90A	83.10B/70.90A	----	----	----	71.60 - 8.90	.1671	----	----	----	----	----	40	UNCH
3900	----	----	----	84.10B/71.80A	84.10B/71.80A	----	----	----	72.50 - 9.00	.1689	----	----	----	----	----	130	UNCH
3905	----	----	----	85.20B/72.80A	85.20B/72.80A	----	----	----	73.50 - 9.00	.1708	----	----	----	----	----	20	UNCH
3910	----	----	----	86.20B/73.70A	86.20B/73.70A	----	----	----	74.40 - 9.20	.1726	----	----	----	----	----	1	UNCH
3925	----	----	----	89.50B/76.60A	89.50B/76.60A	----	----	----	77.40 - 9.40	.1783	----	----	----	----	----	2	UNCH
3930	----	----	----	90.70B/77.60A	90.70B/77.60A	----	----	----	78.40 - 9.50	.1802	----	----	----	----	----	20	UNCH
3935	----	----	----	91.80B/78.60A	91.80B/78.60A	----	----	----	79.40 - 9.60	.1821	----	----	----	----	----	6	UNCH
3950	----	----	----	95.00B/81.50A	95.00B/81.50A	----	----	----	82.50 - 9.80	.1880	----	----	----	----	----	4	UNCH
3960	----	----	----	97.80B/83.60A	97.80B/83.60A	----	----	----	84.60 - 10.10	.1919	----	----	----	----	----	2	UNCH
3970	----	----	----	100.20B/85.80A	100.20B/85.80A	----	----	----	86.80 - 10.20	.1960	----	----	----	----	----	13	UNCH
3980	----	----	----	102.30B/88.00A	102.30B/88.00A	----	----	----	89.00 - 10.40	.2000	----	----	----	----	----	1	UNCH
4000	----	----	----	107.80B/92.50A	107.80B/92.50A	----	----	----	93.60 - 10.80	.2084	----	----	1	----	----	290 +	1
4050	----	----	----	121.70B/104.70A	121.70B/104.70A	----	----	----	106.00 - 11.60	.2302	----	----	----	----	----	5	UNCH
4060	----	----	----	124.80B/107.40A	124.80B/107.40A	----	----	----	108.60 - 11.80	.2347	----	----	----	----	----	1	UNCH
4065	----	----	----	126.30B/108.70A	126.30B/108.70A	----	----	----	110.00 - 11.80	.2370	----	----	----	----	----	26	UNCH
4080	----	----	----	130.70B/112.70A	130.70B/112.70A	----	----	----	114.00 - 12.20	.2438	----	----	----	----	----	1	UNCH
4095	----	----	----	135.50B/116.90A	135.50B/116.90A	----	----	----	118.20 - 12.50	.2508	----	----	----	----	----	1	UNCH
4100	----	----	----	136.60B/118.30A	136.60B/118.30A	----	----	----	119.70 - 12.50	.2532	----	----	25	----	----	818 -	5
4125	----	----	----	145.10B/125.40A	145.10B/125.40A	----	----	----	127.00 - 13.00	.2651	----	----	----	----	----	353	UNCH
4145	----	----	----	152.00B/131.70A	152.00B/131.70A	----	----	----	133.20 - 13.40	.2750	----	----	----	----	----	1	UNCH
4150	----	----	----	154.00B/133.10A	154.00B/133.10A	----	----	----	134.80 - 13.50	.2775	----	----	----	----	----	139	UNCH
4160	----	----	----	157.40B/136.40A	157.40B/136.40A	----	----	----	137.90 - 13.80	.2824	----	----	----	----	----	30	UNCH
4200	----	----	----	171.50B/149.50A	171.50B/149.50A	----	----	----	151.30 - 14.60	.3027	----	----	----	----	----	137	UNCH
4210	----	----	----	175.50B/153.20A	175.50B/153.20A	----	----	----	154.80 - 14.80	.3079	----	----	----				

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT	COMEX GOLD OPTIONS																
TOTAL													116		6263 +	86	
MAY27																	
3250	----	----	----	----/18.70A	18.90B/18.70A	----	----	----	17.90 - 2.50	.0426	----	----	----	----	1	UNCH	
3330	----	----	----	----/22.10A	22.70B/22.10A	----	----	----	21.20 - 3.00	.0504	----	----	----	----	10	UNCH	
3370	----	----	----	----/23.90A	25.00B/23.90A	----	----	----	23.20 - 3.30	.0551	----	----	----	----	20	UNCH	
3430	----	----	----	----/27.30A	28.90B/27.30A	----	----	----	26.50 - 3.90	.0627	----	----	----	----	20	UNCH	
3500	----	----	----	----/32.00A	34.10B/32.00A	----	----	----	31.20 - 4.50	.0732	----	----	----	----	30	UNCH	
3600	----	----	----	----/40.50A	43.60B/40.50A	----	----	----	39.60 - 5.30	.0913	----	----	----	----	15	UNCH	
3700	----	----	----	----/51.00A	55.30B/51.00A	----	----	----	50.50 - 6.30	.1136	----	----	----	----	1	UNCH	
3725	----	----	----	----/54.20A	58.90B/54.20A	----	----	----	53.80 - 6.50	.1200	----	----	----	----	35	UNCH	
3750	----	----	----	65.50B/57.50A	65.50B/57.50A	----	----	----	57.20 - 6.80	.1266	----	----	----	----	32	UNCH	
3780	----	----	----	70.40B/61.70A	70.40B/61.70A	----	----	----	61.50 - 7.30	.1349	----	----	----	----	1	UNCH	
3800	----	----	----	74.00B/64.70A	74.00B/64.70A	----	----	----	64.60 - 7.50	.1407	----	----	----	----	1	UNCH	
3815	----	----	----	76.70B/67.00A	76.70B/67.00A	----	----	----	67.00 - 7.80	.1451	----	----	----	----	25	UNCH	
3820	----	----	----	77.40B/67.30A	77.40B/67.30A	----	----	----	67.80 - 7.90	.1466	----	----	----	----	50	UNCH	
3850	----	----	----	82.90B/72.20A	82.90B/72.20A	----	----	----	72.90 - 8.40	.1559	----	----	----	----	1	UNCH	
3900	----	----	----	93.50B/81.30A	93.50B/81.30A	----	----	----	82.10 - 9.30	.1724	----	----	----	----	200	UNCH	
3980	----	----	----	112.70B/98.00A	112.70B/98.00A	----	----	----	99.00 - 10.80	.2011	----	----	----	----	1	UNCH	
3990	----	----	----	115.40B/100.30A	115.40B/100.30A	----	----	----	101.30 - 11.00	.2049	----	----	----	----	0	UNCH	
4000	----	----	----	117.60B/102.70A	117.60B/102.70A	----	----	----	103.70 - 11.10	.2088	----	----	----	----	32	UNCH	
4035	----	----	----	127.50B/111.10A	127.50B/111.10A	----	----	----	112.30 - 11.80	.2227	----	----	----	----	1	UNCH	
4065	----	----	----	136.60B/119.00A	136.60B/119.00A	----	----	----	120.20 - 12.30	.2350	----	----	12	----	238 +	12	
4100	----	----	----	147.10B/128.70A	147.10B/128.70A	----	----	----	130.00 - 13.00	.2499	----	----	----	----	65	UNCH	
4115	----	----	----	152.10B/133.00A	152.10B/133.00A	----	----	----	134.40 - 13.20	.2564	----	----	----	----	2	UNCH	
4200	----	----	----	181.70B/159.90A	181.70B/159.90A	----	----	----	161.50 - 14.80	.2949	----	----	----	----	305	UNCH	
4250	----	----	----	201.10B/177.60A	201.10B/177.60A	----	----	----	179.30 - 15.70	.3186	----	----	----	----	1	UNCH	
4270	----	----	----	209.30B/185.10A	209.30B/185.10A	----	----	----	186.80 - 16.10	.3283	----	----	----	----	10	UNCH	
4300	----	----	----	221.90B/196.70A	221.90B/196.70A	----	----	----	198.50 - 16.70	.3430	----	----	----	----	7	UNCH	
4340	----	----	----	239.40B/212.90A	239.40B/212.90A	----	----	----	214.90 - 17.50	.3629	----	----	----	----	1	UNCH	
4350	----	----	----	243.80B/217.10A	243.80B/217.10A	----	----	----	219.20 - 17.60	.3680	----	----	----	----	20	UNCH	
4400	----	----	----	267.60B/239.00A	267.60B/239.00A	----	----	----	241.20 - 18.60	.3932	----	----	----	----	35	UNCH	
4450	----	----	----	292.30B/262.10A	292.30B/262.10A	----	----	----	264.70 - 19.40	.4188	----	----	----	----	15	UNCH	
4500	----	----	----	318.60B/286.90A	318.60B/286.90A	----	----	----	289.60 - 20.20	.4444	----	----	----	----	24	UNCH	
4510	----	----	----	324.00B/292.00A	324.00B/292.00A	----	----	----	294.70 - 20.40	.4495	----	----	----	----	4	UNCH	
4550	----	----	----	346.30B/313.00A	346.30B/313.00A	----	----	----	315.80 - 21.20	.4700	----	----	----	----	1	UNCH	
4575	----	----	----	355.10B/326.70A	355.10B/326.70A	----	----	----	329.50 - 21.70	.4827	----	----	----	----	1	UNCH	
4600	----	----	----	369.80B/340.60A	369.80B/340.60A	----	----	----	343.50 - 22.30	.4952	----	----	----	----	6	UNCH	
4640	----	----	----	394.10B/363.70A	394.10B/363.70A	----	----	----	366.60 - 23.20	.5151	----	----	----	----	1	UNCH	
4650	----	----	----	400.20B/369.50A	400.20B/369.50A	----	----	----	372.50 - 23.40	.5200	----	----	----	----	100	UNCH	
4700	----	----	----	431.70B/399.60A	431.70B/399.60A	----	----	----	402.90 - 24.20	.5442	----	----	----	----	71	UNCH	
4725	----	----	----	448.00B/415.30A	448.00B/415.30A	----	----	----	418.60 - 24.60	.5561	----	----	----	----	1	UNCH	
4760	----	----	----	471.20B/437.50A	471.20B/437.50A	----	----	----	441.10 - 25.00	.5724	----	----	----	----	1	UNCH	
4775	----	----	----	481.30B/447.30A	481.30B/447.30A	----	----	----	451.00 - 25.10	.5793	----	----	----	----	3	UNCH	
5050	----	----	----	677.60B/645.70A	677.60B/645.70A	----	----	----	648.30 - 27.20	.6920	----	----	----	----	1	UNCH	
5150	----	----	----	757.30B/723.80A	757.30B/723.80A	----	----	----	727.00 - 27.70	.7263	----	----	----	----	339	UNCH	
TOTAL													12		1728 +	12	
JUN27																	
2000	----	----	----	----	1.80B/2.80A	----	----	----	2.30 - UNCH	.0043	----	----	----	----	2	UNCH	
2100	----	----	----	----	2.30B/3.20A	----	----	----	2.70 - 0.10	.0051	----	----	----	----	1	UNCH	
2800	----	----	----	----/9.80A	9.00B/9.80A	----	----	----	9.00 - 1.10	.0195	----	----	----	----	198	UNCH	
2900	----	----	----	----/11.60A	11.00B/11.60A	----	----	----	10.80 - 1.40	.0237	----	----	----	----	1	UNCH	
3000	----	----	----	----/13.90A	13.50B/13.90A	----	----	----	13.10 - 1.70	.0290	----	----	----	----	126	UNCH	
3300	----	----	----	----/25.10A	26.00B/25.10A	----	----	----	24.30 - 3.40	.0539	----	----	----	----	110	UNCH	
3500	----	----	----	----/38.80A	41.40B/38.80A	----	----	----	38.00 - 5.10	.0824	----	----	----	----	422	UNCH	
3575	----	----	----	----/46.00A	49.30B/46.00A	----	----	----	45.20 - 5.80	.0965	----	----	----	----	1	UNCH	
3600	----	----	----	----/48.60A	52.20B/48.60A	----	----	----	47.90 - 6.10	.1017	----	----	----	----	62	UNCH	
3625	----	----	----	----/51.30A	55.30B/51.30A	----	----	----	50.70 - 6.40	.1070	----	----	----	----	453	UNCH	
3650	----	----	----	----/54.30A	58.70B/54.30A	----	----	----	53.70 - 6.70	.1126	----	----	----	----	3	UNCH	
3675	----	----	----	----/57.40A	62.10B/57.40A	----	----	----	56.90 - 7.00	.1185	----	----	----	----	4	UNCH	
3700	----	----	----	----/60.80A	65.80B/60.80A	----	----	----	60.30 - 7.20	.1247	----	----	----	----	2384	UNCH	
3725	----	----	----	----/64.30A	69.70B/64.30A	----	----	----	63.90 - 7.50	.1312	----	----	----	----	6	UNCH	
3750	----	----	----	----/68.00A	73.90B/68.00A	----	----	----	67.60 - 7.90	.1378	----	----	----	----	140	UNCH	
3775	----	----	----	----/71.80A	78.30B/71.80A	----	----	----	71.60 - 8.20	.1448	----	----	----	----	13	UNCH	
3785	----	----	----	----/73.50A	80.20B/73.50A	----	----	----	73.30 - 8.30	.1477	----	----	----	----	2	UNCH	
3800	----	----	----	----/75.50A	82.90B/75.50A	----	----	----	75.80 - 8.50	.1520	----	----	----	----	574	UNCH	
3805	----	----	----	----/76.20A	84.00B/76.20A	----	----	----	76.70 - 8.50	.1535	----	----	----	----	1	UNCH	
3850	----	----	----	----/84.50A	93.00B/84.50A	----	----	----	84.90 - 9.20	.1673	----	----	----	----	150	UNCH	
3875	----	----	----	----/89.40A	98.50B/89.40A	----	----	----	89.80 - 9.50	.1753	----	----	----	----	1	UNCH	
3900	----	----	----	----/94.40A	104.30B/94.40A	----	----	----	94.90 - 9.90	.1835	----	----	----	----	550	UNCH	
3925	----	----	----	----/99.60A	110.20B/99.60A	----	----	----	100.30 - 10.30	.1921	----	----	----	----	150	UNCH	
3950	----	----	----	----/105.30A	116.50B/105.30A	----	----	----	105.90 - 10.80	.2009	----	----	----	----	651	UNCH	
3970	----	----	----	----/110.00A	121.70B/110.00A	----	----	----	110.60 - 11.10	.2081	----	----	----	----	260	UNCH	
4000	----	----	----	129.70B/117.30A	129.70B/117.30A	----	----	----	118.10 - 11.50	.2193	----	----	----	----	996	UNCH	
4025	----	----	----	136.90B/123.80A	136.90B/123.80A	----	----	----	124.50 - 12.00	.2288	----	----	----	----	1	UNCH	
4050	----	----	----	144.40B/130.60A	144.40B/130.60A	----	----	----	131.30 - 12.40	.2386	----	----	----	----	600	UNCH	
4075	----	----	----	152.10B/137.50A	152.10B/137.50A	----	----	----	138.40 - 12.90	.2487	----	----	----	----	325	UNCH	
4100	----	----	----	160.10B/144.80A	160.10B/144.80A	----	----	----	145.80 - 13.30	.2589	----	----	----	----	1	UNCH	
4110	----	----	----	163.40B/147.90A	163.40B/147.90A	----	----	----	148.80 - 13.50	.2631	----	----	----	----	44	UNCH	
4130	----	----	----	170.20B/153.90A	170.20B/153.90A	----	----	----	155.00 - 13.90	.2715	----	----	----	----	20	UNCH	
4140	----	----	----	173.70B/157.20A	173.70B/157.20A	----	----	----	158.20 - 14.10	.2758	----	----	----	----	1	UNCH	
4185	----	----	----	189.90B/171.90A	189.90B/171.90A	----	----	----	173.20 - 14.90	.2953	----	----	----	----	5	UNCH	
4190	----	----	----	191.60B/173.60A	191.60B/173.60A	----	----	----	174.90 - 15.00	.2975	----	----	----	----	1	UNCH	
4195	----	----	----	193.60B/175.30A	193.60B/175.30A	----	----	----	176.70 - 15.00	.2997	----	----	----	----	20	UNCH	
4200	----	----	----	195.50B/177.30A	195.50B/177.30A	----	----	----	178.40 - 15.20	.3019	----	----	----	----	301	UNCH	
4205	----	----	----	197.40B/178.90A	197.40B/178.90A	----	----	----	180.20 - 15.30	.3042	----	----	----	----	2	UNCH	
4230	----	----	----	207.20B/187.80A	207.20B/187.80A	----	----	----	189.30 - 15.70	.3154	----	----	----	----	44	UNCH	
4240	----	----	----	211.10B/191.50A	211.10B/191.50A	----	----	----	193.00 - 15.90	.3200	----	----	----	----	1	UNCH	
4285	----	----	----	229.80B/209.00A	229.80B/209.00A	----	----	----	210.30 - 16.80	.3406	----	----	----	----	100	UNCH	
4300	----	----	----	236.20B/214.70A	236.20B/214.70A	----	----	----	216.40 - 17.00	.3476	----	----	----	----	163	UNCH	
4325	----	----</															

PG64	BULLETIN #180@										METALS OPTION PRODUCTS				Fri, Sep 18, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG PUT	COMEX GOLD OPTIONS																		
TOTAL														3			308 -	1	
SEP27																			
4115	----	----	----	----	0.20B/373.00A	----		191.10	- 9.60	.2646	----	----	----	----	----	----	300	UNCH	
4150	----	----	----	----	0.20B/388.10A	----		199.40	- 10.90	.2755	----	----	----	----	----	----	50	UNCH	
TOTAL																350	UNCH	0	
OCT27																			
3900	----	----	----	----	----	----		146.30	- 6.20	.2044	----	----	----	----	----	----	200	UNCH	
TOTAL																200	UNCH	0	
DEC27																			
2800	----	----	----	----	----	----		36.50	- 1.60	.0477	----	----	----	----	----	----	16	UNCH	
3700	----	----	----	----	----	----		119.00	- 5.00	.1583	----	----	----	----	----	----	100	UNCH	
3715	----	----	----	----	----	----		121.70	- 5.00	.1615	----	----	----	----	----	----	150	UNCH	
3820	----	----	----	----	----	----		141.90	- 5.80	.1852	----	----	----	----	----	----	50	UNCH	
4130	----	----	----	----	----	----		223.30	- 8.20	.2701	----	----	----	----	----	----	168	UNCH	
4500	----	----	----	----	----	----		372.40	- 11.80	.3932	----	----	----	----	----	----	170	UNCH	
4630	----	----	----	----	----	----		439.10	- 13.00	.4384	----	----	----	----	----	----	284	UNCH	
4860	----	----	----	----	----	----		574.00	- 15.10	.5146	----	----	----	----	----	----	100	UNCH	
5000	----	----	----	----	----	----		665.70	- 16.30	.5573	----	----	----	----	----	----	50	UNCH	
5650	----	----	----	----	----	----		1160.80	- 20.90	.7116	----	----	----	----	----	----	200	UNCH	
5880	----	----	----	----	----	----		1354.90	- 22.00	.7511	----	----	----	----	----	----	200	UNCH	
TOTAL																1488	UNCH	0	
JAN28																			
5000	----	----	----	----	----	----		665.20	- 16.20	.5375	----	----	----	----	----	----	1	UNCH	
5100	----	----	----	----	----	----		732.10	- 17.00	.5654	----	----	----	----	----	----	1	UNCH	
TOTAL																2	UNCH	0	
FEB28																			
4400	----	----	----	----	----	----		350.10	- 10.70	.3495	----	----	----	----	----	----	11	UNCH	
TOTAL																11	UNCH	0	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG CALL	COMEX GOLD OPTIONS																		
OCT26																			
3600	----	----	----	795.50B/749.20A	795.50B/749.20A	----		790.70	+ 25.20	1.0000	----	----	----	----	----	----	0	UNCH	
3700	----	----	----	696.30B/649.10A	696.30B/649.10A	----		690.70	+ 25.20	1.0000	----	----	----	----	----	----	0	UNCH	
3745	----	----	----	651.80B/604.10A	651.80B/604.10A	----		645.70	+ 25.20	1.0000	----	----	----	----	----	----	0	UNCH	
3795	----	----	----	602.20B/554.00A	602.20B/554.00A	----		595.70	+ 25.20	1.0000	----	----	----	----	----	----	0	UNCH	
3800	----	----	----	596.70B/549.10A	596.70B/549.10A	----		590.70	+ 25.20	1.0000	----	----	----	----	----	----	1	UNCH	
3825	----	----	----	572.00B/524.10A	572.00B/524.10A	----		565.70	+ 25.10	.9999	----	----	----	----	----	----	0	UNCH	
3870	----	----	----	526.90B/479.10A	526.90B/479.10A	----		520.80	+ 25.10	.9985	----	----	----	----	----	----	4	UNCH	
3875	----	----	----	521.90B/474.10A	521.90B/474.10A	----		515.80	+ 25.10	.9985	----	----	----	----	----	----	0 -	2	
3890	----	----	----	507.00B/459.00A	507.00B/459.00A	----		500.80	+ 25.10	.9984	----	----	----	----	----	----	0 -	1	
3900	----	----	----	498.90B/449.10A	498.90B/449.10A	----		490.80	+ 25.00	.9975	----	----	----	5	----	111 +	5		
3910	----	----	----	487.20B/439.20A	487.20B/439.20A	----		480.80	+ 25.00	.9975	----	----	----	----	----	----	1	UNCH	
3935	----	----	----	464.40B/414.30A	464.40B/414.30A	----		455.90	+ 25.00	.9965	----	----	----	----	----	----	13	UNCH	
3940	----	----	----	457.10B/409.30A	457.10B/409.30A	----		450.90	+ 25.00	.9964	----	----	----	----	----	----	1	UNCH	
3945	----	----	----	452.20B/404.30A	452.20B/404.30A	----		445.90	+ 25.00	.9964	----	----	----	----	----	----	2	UNCH	
3950	----	----	----	449.50B/399.20A	449.50B/399.20A	----		441.00	+ 25.00	.9964	----	----	----	----	----	----	36	UNCH	
3955	----	----	----	442.30B/394.40A	442.30B/394.40A	----		436.00	+ 25.00	.9963	----	----	----	----	----	----	1	UNCH	
3960	----	----	----	439.50B/389.40A	439.50B/389.40A	----		431.00	+ 25.00	.9963	----	----	----	----	----	----	24	UNCH	
3965	----	----	----	432.30B/384.30A	432.30B/384.30A	----		426.00	+ 25.00	.9953	----	----	----	----	----	----	1	UNCH	
3975	----	----	----	424.60B/374.50A	424.60B/374.50A	----		416.00	+ 24.90	.9952	----	----	----	----	----	----	3	UNCH	
3980	----	----	----	419.60B/369.50A	419.60B/369.50A	----		411.10	+ 25.00	.9952	----	----	----	----	----	----	11	UNCH	
3985	----	----	----	412.40B/364.40A	412.40B/364.40A	----		406.10	+ 25.00	.9951	----	----	----	----	----	----	1	UNCH	
3990	----	----	----	407.40B/359.60A	407.40B/359.60A	----		401.10	+ 25.00	.9942	----	----	----	----	----	----	1	UNCH	
4000	----	----	----	399.00B/348.80A	399.00B/348.80A	----		391.20	+ 25.00	.9940	----	----	----	----	----	----	116	UNCH	
4005	----	----	----	394.70B/344.70A	394.70B/344.70A	----		386.20	+ 25.00	.9939	----	----	----	----	----	----	3	UNCH	
4015	----	----	----	384.80B/334.80A	384.80B/334.80A	----		376.20	+ 24.90	.9929	----	----	----	----	----	----	7	UNCH	
4020	----	----	----	379.70B/329.70A	379.70B/329.70A	----		371.20	+ 24.90	.9928	----	----	----	----	----	----	25	UNCH	
4025	----	----	----	374.10B/324.90A	374.10B/324.90A	----		366.30	+ 24.90	.9927	----	----	----	----	----	----	85	UNCH	
4030	----	----	----	369.20B/319.90A	369.20B/319.90A	----		361.30	+ 24.90	.9926	----	----	----	----	----	----	84	UNCH	
4035	----	----	----	364.00B/315.00A	364.00B/315.00A	----		356.30	+ 24.90	.9915	----	----	----	----	----	----	40	UNCH	
4040	----	----	----	359.80B/310.10A	359.80B/310.10A	----		351.30	+ 24.80	.9914	----	----	----	----	----	----	6	UNCH	
4045	----	----	----	354.90B/305.00A	354.90B/305.00A	----		346.40	+ 24.90	.9913	----	----	----	----	----	----	13	UNCH	
4050	----	----	----	350.20B/300.10A	350.20B/300.10A	----		341.40	+ 24.80	.9912	----	----	----	----	----	----	95	UNCH	
4055	----	----	----	345.00B/295.30A	345.00B/295.30A	----		336.40	+ 24.70	.9901	----	----	----	----	----	----	11	UNCH	
4060	----	----	----	339.40B/290.30A	339.40B/290.30A	----		331.50	+ 24.80	.9899	----	----	----	----	----	----	142	UNCH	
4065	----	----	----	335.00B/285.40A	335.00B/285.40A	----		326.50	+ 24.70	.9898	----	----	----	----	----	----	24	UNCH	
4070	----	----	----	330.00B/280.40A	330.00B/280.40A	----		321.50	+ 24.70	.9886	----	----	----	----	----	----	29	UNCH	
4075	----	----	----	327.10B/275.50A	327.10B/275.50A	----		316.60	+ 24.70	.9885	----	----	----	----	----	----	32	UNCH	
408																			



BULLETIN #180@				METALS OPTION PRODUCTS										Fri, Sep 18, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST							
OG CALL	COMEX GOLD OPTIONS																		
OCT26																			
4385	36.00	36.00	60.50B/28.30A	60.50B/28.30A	----	45.20 + 4.20	.5275	----	----	14	105	276 +	85						
4390	36.80	36.80	57.80B/26.60A	57.80B/26.60A	----	42.60 + 3.70	.5072	----	----	21	----	108 -	3						
4395	41.20	41.20	55.50B/25.00A	55.50B/25.00A	----	40.20 + 3.20	.4869	----	----	26	----	78 +	5						
4400	29.50	29.50	52.90B/23.40A	52.90B/23.40A	----	37.90 + 2.80	.4667	----	1101	----	2888 -	216	3						
4405	44.80	44.80	50.50B/21.90A	50.50B/21.90A	----	35.60 + 2.30	.4465	----	24	----	92 +	3	3						
4410	42.60	42.60	48.30B/20.50A	48.30B/20.50A	----	33.50 + 1.90	.4266	----	22	----	138 +	2	3						
4415	21.40	21.40	45.90B/19.20A	45.90B/19.20A	----	31.50 + 1.50	.4070	----	20	----	148 -	3	3						
4420	41.40	41.40	43.60B/17.80A	43.60B/17.80A	----	29.50 + 1.10	.3875	----	64	----	258 -	18	3						
4425	21.70	21.70	41.70B/16.80A	41.70B/16.80A	----	27.70 + 0.80	.3687	----	20	----	187 -	3	3						
4430	20.80	20.80	39.90/15.60A	39.90/15.60A	----	25.90 + 0.40	.3499	----	20	----	155 +	8	3						
4435	29.70	29.70	37.60B/14.60A	37.60B/14.60A	----	24.30 + 0.10	.3320	----	8	----	100 +	3	3						
4440	26.70	26.70	35.80B/13.60A	35.80B/13.60A	----	22.70 - 0.20	.3142	----	7	----	228 -	3	3						
4445	16.40	16.40	34.10B/12.70A	34.10B/12.70A	----	21.20 - 0.50	.2970	----	6	----	224 +	3	3						
4450	16.40	16.40	32.40B/11.80A	32.40B/11.80A	----	19.80 - 0.70	.2804	----	955	100	2408 +	40	3						
4455	19.00	19.00	30.80B/11.00A	30.80B/11.00A	----	18.50 - 0.90	.2645	----	7	----	59 +	4	3						
4460	19.00	19.00	29.30B/10.30A	29.30B/10.30A	----	17.30 - 1.10	.2494	----	20	----	195 -	2	3						
4465	19.60	19.60	27.80B/9.60A	27.80B/9.60A	----	16.10 - 1.30	.2344	----	11	----	124 +	9	3						
4470	11.70	11.70	26.40B/8.90A	26.40B/8.90A	----	15.00 - 1.40	.2202	----	20	----	234 -	3	3						
4475	22.60	22.60	25.00B/8.30A	25.00B/8.30A	----	14.00 - 1.50	.2069	----	50	----	399 -	UNCH							
4480	12.30	12.30	23.80B/7.80A	23.80B/7.80A	----	13.10 - 1.60	.1945	----	156	----	297 -	UNCH							
4485	22.30	22.30	22.50B/7.30A	22.50B/7.30A	----	12.20 - 1.70	.1823	----	29	----	117 +	15	3						
4490	20.00	20.00	21.30B/6.70	21.30B/6.70	----	11.40 - 1.80	.1710	----	11	----	268 +	1	3						
4495	12.90	12.90	20.30B/6.30A	20.30B/6.30A	----	10.60 - 1.90	.1598	----	5	----	275 -	UNCH							
4500	10.00	10.00	19.20B/5.90	19.20B/5.90	----	9.90 - 1.90	.1497	----	1277	40	3389 +	243	3						
4505	9.60	9.60	18.30B/5.50A	18.30B/5.50A	----	9.20 - 2.00	.1397	----	8	----	153 +	3	3						
4510	15.90	15.90	17.30B/5.20A	17.30B/5.20A	----	8.60 - 2.00	.1308	----	13	----	265 +	6	3						
4515	14.00	14.00	16.30B/4.90A	16.30B/4.90A	----	8.00 - 2.00	.1220	----	21	----	511 +	4	3						
4520	13.30	13.30	15.60B/4.60A	15.60B/4.60A	----	7.50 - 2.00	.1143	----	21	----	206 +	6	3						
4525	9.10	9.10	15.00/4.30A	15.00/4.30A	----	7.00 - 2.00	.1068	----	83	----	481 +	3	3						
4530	7.70	7.70	14.00B/4.00A	14.00B/4.00A	----	6.50 - 2.00	.0994	----	113	----	118 +	45	3						
4535	7.30	7.30	13.30B/3.80A	13.30B/3.80A	----	6.10 - 2.00	.0931	----	8	----	120 -	UNCH							
4540	7.70	7.70	12.60B/3.60A	12.60B/3.60A	----	5.70 - 2.00	.0869	----	124	6	236 +	26	3						
4545	7.30	7.30	12.00B/3.40A	12.00B/3.40A	----	5.30 - 2.00	.0808	----	6	----	120 -	2	3						
4550	5.80	5.80	11.40/3.10	11.40/3.10	----	5.00 - 1.90	.0759	----	1384	1	2325 +	121	3						
4555	6.60	6.60	10.70B/3.00A	10.70B/3.00A	----	4.70 - 1.90	.0711	----	1	----	266 -	UNCH							
4560	6.30	6.30	10.10B/2.90A	10.10B/2.90A	----	4.40 - 1.80	.0664	----	3	----	130 +	2	3						
4565	6.00	6.00	9.70B/2.70A	9.70B/2.70A	----	4.10 - 1.80	.0618	----	2	----	276 -	UNCH							
4570	5.70	5.70	9.20B/2.60A	9.20B/2.60A	----	3.90 - 1.70	.0584	----	3	----	247 -	UNCH							
4575	5.40	5.40	8.70B/2.50	8.70B/2.50	----	3.70 - 1.60	.0550	----	2	----	921 -	1	3						
4580	4.60	4.60	8.20B/2.40A	8.20B/2.40A	----	3.40 - 1.70	.0506	----	3	----	789 -	UNCH							
4585	4.90	4.90	7.90B/2.20A	7.90B/2.20A	----	3.30 - 1.50	.0486	----	2	----	145 -	UNCH							
4590	3.60	3.60	7.50B/2.10A	7.50B/2.10A	----	3.10 - 1.50	.0454	----	1	----	232 -	UNCH							
4595	----	----	7.20B/2.10A	7.20B/2.10A	----	2.90 - 1.50	.0424	----	----	----	176 -	UNCH							
4600	3.50	3.50	7.00/1.90	7.00/1.90	----	2.80 - 1.30	.0405	----	1597	50	4110 +	5	3						
4605	----	----	6.50B/1.90A	6.50B/1.90A	----	2.60 - 1.40	.0375	----	9	----	80 -	UNCH							
4610	4.80	4.80	6.20B/1.80A	6.20B/1.80A	----	2.50 - 1.30	.0357	----	3	----	394 +	4	3						
4615	4.90	4.90	5.90B/1.70A	5.90B/1.70A	----	2.40 - 1.20	.0340	----	3	----	136 +	2	3						
4620	3.00	3.00	5.60B/1.70A	5.60B/1.70A	----	2.20 - 1.20	.0312	----	1	----	99 -	1	3						
4625	3.10	3.10	5.30B/1.60A	5.30B/1.60A	----	2.10 - 1.20	.0295	----	14	----	451 -	8	3						
4630	----	----	5.10B/1.50A	5.10B/1.50A	----	2.00 - 1.10	.0279	----	----	----	324 -	UNCH							
4635	2.00	2.00	4.80B/1.50	4.80B/1.50	----	1.90 - 1.10	.0263	----	4	----	300 -	1	3						
4640	----	----	4.60B/1.40A	4.60B/1.40A	----	1.90 - 1.00	.0259	----	----	----	773 -	UNCH							
4645	----	----	4.30B/1.40A	4.30B/1.40A	----	1.80 - 0.90	.0244	----	2	----	454 -	2	3						
4650	2.20	2.20	4.10B/1.30	4.10B/1.30	----	1.70 - 0.90	.0229	----	22	----	2439 -	3	3						
4655	----	----	4.00B/1.30A	4.00B/1.30A	----	1.60 - 0.90	.0214	----	----	----	70 -	UNCH							
4660	----	----	3.70B/1.20A	3.70B/1.20A	----	1.60 - 0.80	.0211	----	----	----	150 -	UNCH							
4665	----	----	3.60B/1.20A	3.60B/1.20A	----	1.50 - 0.80	.0197	----	----	----	182 -	UNCH							
4670	----	----	3.40B/1.20A	3.40B/1.20A	----	1.40 - 0.80	.0183	----	1	----	234 -	UNCH							
4675	----	----	3.30B/1.10A	3.30B/1.10A	----	1.40 - 0.70	.0181	----	1	----	580 -	UNCH							
4680	----	----	3.10B/1.10A	3.10B/1.10A	----	1.30 - 0.80	.0167	----	----	----	526 -	UNCH							
4685	----	----	3.00B/1.10A	3.00B/1.10A	----	1.30 - 0.70	.0165	----	----	----	429 -	UNCH							
4690	----	----	2.80B/1.00A	2.80B/1.00A	----	1.20 - 0.70	.0152	----	----	----	79 -	UNCH							
4695	1.20	1.20	2.70B/1.00A	2.70B/1.00A	----	1.20 - 0.60	.0150	----	1	----	124 -	1	3						
4700	1.20	1.20	2.60B/0.90	2.60B/0.90	----	1.10 - 0.70	.0137	----	81	9751	50	25	3						
4705	1.00	1.00	2.50B/1.00	2.50B/1.00	----	1.10 - 0.60	.0135	----	25	----	149 +	3	3						
4710	1.00	1.00	2.30B/0.90A	2.30B/0.90A	----	1.10 - 0.50	.0133	----	2	----	113 -	2	3						
4715	----	----	2.20B/0.90A	2.20B/0.90A	----	1.00 - 0.60	.0121	----	2	----	63 -	1	3						
4720	0.80	0.80	2.10B/0.80	2.10B/0.80	----	1.00 - 0.50	.0120	----	3	----	138 -	2	3						
4725	----	----	2.00B/0.80A	2.00B/0.80A	----	1.00 - 0.50	.0118	----	----	----	977 -	UNCH							
4730	----	----	1.90B/0.80A	1.90B/0.80A	----	0.90 - 0.50	.0106	----	----	----	106 -	UNCH							
4735	----	----	1.90B/0.80A	1.90B/0.80A	----	0.90 - 0.50	.0105	----	----	----	46 -	UNCH							
4740	----	----	1.80B/0.80A	1.80B/0.80A	----	0.90 - 0.40	.0104	----	----	----	412 -	UNCH							
4745	----	----	1.70B/0.80A	1.70B/0.80A	----	0.80 - 0.50	.0092	----	----	----	152 -	UNCH							
4750	1.10	1.10	1.60B/0.70A	1.60B/0.70A	----	0.80 - 0.40	.0091	----	274	3438	-	72	3						
4755	----	----	1.50B/0.70A	1.50B/0.70A	----	0.80 - 0.40	.0090	----	----	----	189 -	UNCH							
4760	----	----	1.50B/0.70A	1.50B/0.70A	----	0.80 - 0.40	.0089	----	----	----	55 -	UNCH							
4765	----	----	1.40B/0.70A	1.40B/0.70A	----	0.70 - 0.40	.0078	----	----	----	68 -	UNCH							
4770	----	----	1.40B/0.70A	1.40B/0.70A	----	0.70 - 0.40	.0077	----	----	----	89 -	UNCH							
4775	----	----	1.30B/0.70A	1.30B/0.70A	----	0.70 - 0.40	.0076	----	----	----	377 -	UNCH							
4780	----	----	1.20B/0.60A	1.20B/0.60A	----	0.70 - 0.30	.0076	----	----	----	306 -	UNCH							
4785	----	----	1.20B/0.60A	1.20B/0.60A	----	0.70 - 0.30	.0075	----	----	----	58 -	UNCH							
4790	----	----	1.10B/0.60A	1.10B/0.60A	----	0.60 - 0.40	.0064	----	----	----	64 -	UNCH							
4795	----	----	1.10B/0.60A	1.10B/0.60A	----	0.60 - 0.30	.0064	----	----	----	68 -	UNCH							
4800	0.60	0.60	1.00/0.50	1.00/0.50	----	0.60 - 0.30	.0063	----	309	4731	-	125	3						
4805	----	----	1.00B/0.60A	1.00B/0.60A	----	0.60 - 0.30	.0062	----	----	----	412 -	UNCH							
4810	----	----	0.90B/0.50A	0.90B/0.50A	----	0.60 - 0.20	.0062	----	----	----	96 -	UNCH							
4815	----	----	0.90B/0.50A	0.90B/0.50A	----	0.60 - 0.20	.0061	----	----	----	72 -	UNCH							
4820	0.60	0.60	0.60/0.50A	0.80B/0.50A	----	0.50 - 0.30	.0051	----	1	----	89 -	UNCH							
4825	----	----	----/0.50A	0.80B/0.50A	----	0.50 - 0.30	.0051	----	----	----	732 -	UNCH							
4830	----	----	0.80B/0.50A	0.80B/0.50A	----	0.50 - 0.20	.0050	----	----	----	191 -	UNCH							
4835	0.50	0.50	0.80B/0.50	0.80B/0.50	----	0.50 - 0.20	.0050	----	1	27 +	1	3	3						
4840	----	----	----/0.50A	0.70B/0.50A	----	0.50 - 0.20	.0049	----	----	----	123 -	UNCH							
4845	----	----	----/0.50A	0.70B/0.50A	----	0.50 - 0.20	.0049	----	----	----	45 -	UNCH							
4850	0.50	0.50	0.50/0.40	0.60B/0.40	----	0.50 - 0.20	.0048	----	82	1528	+	74	3						
4855	----	----	----/0.40A	0.60B/0.40A	----	0.40 - 0.20	.0039	----	----	----	14 -	UNCH							
4860	----	----	----/0.40																

BULLETIN #180@										METALS OPTION PRODUCTS										Fri, Sep 18, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST						
OG CALL	COMEX GOLD OPTIONS																					
OCT26																						
5070	----	----		----/0.20A	----/0.20A				0.20 - 0.10	.0014	----	----	----	----		70						
5075	----	----		----/0.20A	----/0.20A				0.10 - 0.20	.0007	----	----	----	----		305						
5080	----	----			----/0.20A				0.10 - 0.10	.0006	----	----	----	----		157						
5085	----	----			----/0.20A				0.10 - 0.10	.0006	----	----	----	----		82						
5090	----	----			----/0.20A				0.10 - 0.10	.0005	----	----	----	----		39						
5095	----	----			----/0.20A				0.10 - 0.10	.0005	----	----	----	----		83						
5100	----	----		----/0.10A	----/0.10A				0.10 - 0.10	.0005	----	----	----	----		2379						
5105	----	----			----/0.20A				0.10 - 0.10	.0004	----	----	----	----		109						
5110	----	----			----/0.20A				0.10 - 0.10	.0004	----	----	----	----		97						
5115	----	----			----/0.20A				0.10 - 0.10	.0004	----	----	----	----		83						
5120	----	----			----/0.20A				0.10 - 0.10	.0003	----	----	----	----		109						
5125	----	----			----/0.20A				0.10 - 0.10	.0003	----	----	----	----		106						
5130	----	----			----/0.20A				0.10 - 0.10	.0003	----	----	----	----		249						
5135	----	----			----/0.20A				0.10 - 0.10	.0002	----	----	----	----		72						
5140	----	----			----/0.20A				0.10 - 0.10	.0002	----	----	----	----		74						
5145	----	----			----/0.20A				0.10 - 0.10	.0002	----	----	----	----		68						
5150	0.10	0.10		0.10/0.10	0.10/0.10	0.10/0.10			0.10 - 0.10	.0002	----	----	5	----	1143 +	1						
5155	----	----			----/0.20A				0.10 UNCH	.0002	----	----	----	----		439						
5160	----	----			----/0.20A				0.10 UNCH	.0002	----	----	----	----		75						
5165	----	----			----/0.20A				0.10 UNCH	.0001	----	----	----	----		42						
5170	----	----			----/0.20A				0.10 UNCH	.0001	----	----	----	----		67						
5175	----	----			----/0.20A				0.10 UNCH	.0001	----	----	----	----		429						
5180	----	----			----/0.20A				0.10 UNCH	.0001	----	----	----	----		64						
5185	----	----			----/0.20A				0.10 UNCH	.0001	----	----	----	----		43						
5190	----	----			----/0.20A				0.10 UNCH	.0001	----	----	----	----		29						
5195	----	----			----/0.20A				0.10 UNCH	.0001	----	----	----	----		243						
5200	0.10	0.10		0.10/0.10	0.10/0.10	0.10/0.10			0.10 UNCH	.0001	----	----	42	----	2843 -	1						
5205	0.10	0.10		0.10/0.10	0.10/0.10	0.10/0.10			0.10 UNCH	.0000	----	----	1	----	206	UNCH						
5210	----	----			----/0.20A				0.10 UNCH	.0000	----	----	----	----	110	UNCH						
5215	----	----			----/0.20A				0.10 UNCH	.0000	----	----	----	----	513	UNCH						
5220	----	----			----/0.20A				0.10 UNCH	.0000	----	----	----	----	26	UNCH						
5225	----	----			----/0.20A				0.10 UNCH	.0000	----	----	----	----	27	UNCH						
5230	----	----			----/0.20A				0.10 UNCH	.0000	----	----	----	----	12	UNCH						
5235	----	----			----/0.10A				0.10 UNCH	.0000	----	----	----	----	13	UNCH						
5240	----	----			----/0.20A				0.10 UNCH	.0000	----	----	----	----	6	UNCH						
5245	----	----			----/0.20A				0.10 UNCH	.0000	----	----	----	----	28	UNCH						
5250	0.10	0.10		0.10/0.10	0.10/0.10	0.10/0.10			0.10 UNCH	.0000	----	----	1	----	1635	UNCH						
5255	----	----			----/0.20A				0.10 UNCH	.0000	----	----	----	----	12	UNCH						
5260	----	----			----/0.20A				0.10 UNCH	.0000	----	----	----	----	21	UNCH						
5265	----	----			----/0.20A				0.10 UNCH	.0000	----	----	----	----	21	UNCH						
5270	----	----			----/0.20A				0.10 UNCH	.0000	----	----	----	----	14	UNCH						
5275	----	----			----/0.10A				0.10 UNCH	.0000	----	----	----	----	54	UNCH						
5280	----	----			----/0.20A				0.10 UNCH	.0000	----	----	----	----	5	UNCH						
5285	----	----			----/0.20A				0.10 UNCH	.0000	----	----	----	----	1	UNCH						
5290	----	----			----/0.20A				0.10 UNCH	.0000	----	----	----	----	8	UNCH						
5295	----	----			----/0.20A				0.10 UNCH	.0000	----	----	----	----	20	UNCH						
5300	----	----			----/0.10A				0.10 UNCH	.0000	----	----	----	----	1337	UNCH						
5305	----	----			----/0.20A				0.10 UNCH	.0000	----	----	----	----	11	UNCH						
5310	----	----			----/0.20A				0.10 UNCH	.0000	----	----	----	----	6	UNCH						
5315	----	----			----/0.20A				0.10 UNCH	.0000	----	----	----	----	34	UNCH						
5320	----	----			----/0.20A				0.10 UNCH	.0000	----	----	----	----	20	UNCH						
5325	----	----			----/0.20A				0.10 UNCH	.0000	----	----	----	----	19	UNCH						
5330	----	----			----/0.10A				0.10 UNCH	.0000	----	----	----	----	19	UNCH						
5335	----	----			----/0.20A				0.10 UNCH	.0000	----	----	----	----	16	UNCH						
5340	----	----			----/0.20A				0.10 UNCH	.0000	----	----	----	----	20	UNCH						
5345	----	----			----/0.20A				0.10 UNCH	.0000	----	----	----	----	177	UNCH						
5350	----	----			----/0.20A				0.10 UNCH	.0000	----	----	----	----	186	UNCH						
5355	----	----			----/0.20A				0.10 UNCH	.0000	----	----	----	----	60	UNCH						
5360	----	----			----/0.20A				0.10 UNCH	.0000	----	----	----	----	3	UNCH						
5365	----	----			----/0.20A				0.10 UNCH	.0000	----	----	----	----	26	UNCH						
5370	----	----			----/0.20A				0.10 UNCH		----	----	----	----	10	UNCH						
5375	----	----			----/0.20A				0.10 UNCH		----	----	----	----	4	UNCH						
5380	----	----			----/0.20A				0.10 UNCH		----	----	----	----	23	UNCH						
5385	----	----			----/0.10A				0.10 UNCH		----	----	----	----	9	UNCH						
5390	----	----			----/0.20A				0.10 UNCH		----	----	----	----	30	UNCH						
5395	----	----			----/0.20A				0.10 UNCH		----	----	----	----	28	UNCH						
5400	----	----			----/0.10A				0.10 UNCH		----	----	----	----	1694	UNCH						
5405	----	----			----/0.10A				0.10 UNCH		----	----	----	----	20	UNCH						
5410	----	----			----/0.20A				0.10 UNCH		----	----	----	----	3	UNCH						
5415	----	----			----/0.20A				0.10 UNCH		----	----	----	----	42	UNCH						
5420	----	----			----/0.20A				0.10 UNCH		----	----	----	----	5	UNCH						
5425	----	----			----/0.20A				0.10 UNCH		----	----	----	----	2	UNCH						
5430	----	----			----/0.20A				0.10 UNCH		----	----	----	----	13	UNCH						
5435	----	----			----/0.20A				0.10 UNCH		----	----	----	----	232	UNCH						
5440	----	----			----/0.20A				0.10 UNCH		----	----	----	----	14	UNCH						
5445	----	----			----/0.20A				0.10 UNCH		----	----	----	----	22	UNCH						
5450	----	----			----/0.20A				0.10 UNCH		----	----	----	----	75	UNCH						
5455	----	----			----/0.20A				0.10 UNCH		----	----	----	----	184	UNCH						
5460	----	----			----/0.20A				0.10 UNCH		----	----	----	----	6	UNCH						
5470	----	----			----/0.20A				0.10 UNCH		----	----	----	----	37	UNCH						
5475	----	----			----/0.20A				0.10 UNCH		----	----	----	----	70	UNCH						
5480	----	----			----/0.20A				0.10 UNCH		----	----	----	----	7	UNCH						
5485	----	----			----/0.20A				0.10 UNCH		----	----	----	----	26	UNCH						
5490	----	----			----/0.20A				0.10 UNCH		----	----	----	----	2	UNCH						
5495	----	----			----/0.20A				0.10 UNCH		----	----	----	----	6	UNCH						
5500	----	----			----/0.10A				0.10 UNCH		----	----	----	----	3783	UNCH						
5505	----	----			----/0.20A				0.10 UNCH		----	----	----	----	7	UNCH						
5510	----	----			----/0.20A				0.10 UNCH		----	----	----	----	26	UNCH						
5515	----	----			----/0.20A				0.10 UNCH		----	----	----	----	1	UNCH						
5520	----	----			----/0.20A				0.10 UNCH		----	----	----	----	13	UNCH						
5525	----	----			----/0.20A				0.10 UNCH		----	----	----	----	15	UNCH						
5530	----	----			----/0.20A				0.10 UNCH		----	----	----	----	2	UNCH						
5535	----	----			----/0.20A				0.10 UNCH		----	----	----	----	4	UNCH						
5540	----	----			----/0.20A				0.10 UNCH		----	----	----	----	36	UNCH						
5545	----	----			----/0.20A				0.10 UNCH		----	----	----	----	15	UNCH						
5550	----	----			----/0.10A				0.10 UNCH		----	----	----	----	299	UNCH						
5555	----	----			----/0.20A				0.10 UNCH		----	----	----	----	2	UNCH						
5560	----	----			----/0.20A				0.10 UNCH		----	----	----	----	29	UNCH						
5565	----	----			----/0.20A				0.10 UNCH		----	----	----	----	5	UNCH						
5570	----	----			----/0.20A				0.10 UNCH		----	----	----	----	5	UNCH						
5575	----	----			----/0.20A				0.10 UNCH		----	----	----	----	12	UNCH						
5585	----	----			----/0.20A				0.10 UNCH		----	----	----	----	7	UNCH						
5590	----	----			----/0.20A				0.10 UNCH		----	----	----	----	9	UNCH						
5600	----	----			----/0.10A				0.10 UNCH		----	----	----	----	306	UNCH						
5605	----	----			----/0.20A				0.10 UNCH		----	----	----	----	1	UNCH						
5610	----	----			----/0.20A				0.10 UNCH		----	----	----	----	1	UNCH						
5615	----	----			----/0.20A				0.10 UNCH		----	----	----	----	5	UNCH						
5620	----	----			----/0.20A				0.10 UNCH		----	----	----	----	33	UNCH						
5625	----	----			----/0.20A				0.10 UNCH		----	----	----	----	5	UNCH						
5630	----	----			----/0.20A				0.10 UNCH		----	----	----	----	10	UNCH						
5640	----	----			----/0.20A				0.10 UNCH		----	----	----	----	2	UNCH						
5650	----	----			----/0.10A				0.10 UNCH		----	----	----	----	449	UNCH						
5655	----	----																				



GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL		COMEX GOLD OPTIONS															
OCT26																	
6200	----	----	----	----	----	/0.20A	----	----	0.10	UNCH	----	----	----	----	505	UNCH	
6250	----	----	----	----	----	/0.20A	----	----	0.10	UNCH	----	----	----	----	21	UNCH	
6300	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	898	UNCH	
6400	----	----	----	----	----	/0.20A	----	----	0.10	UNCH	----	----	----	----	1951	UNCH	
6500	----	----	----	----	----	/0.30A	----	----	0.10	UNCH	----	----	----	----	4101	UNCH	
6800	----	----	----	----	----	/0.20A	----	----	0.10	UNCH	----	----	----	----	1621	UNCH	
6900	----	----	----	----	----	/1.30A	----	----	0.10	UNCH	----	----	----	----	204	UNCH	
7000	----	----	----	----	----	/0.20A	----	----	0.10	UNCH	----	----	----	----	1718	UNCH	
7500	----	----	----	----	----	/0.20A	----	----	0.10	UNCH	----	----	----	----	38	UNCH	
8000	----	----	----	----	----	/0.20A	----	----	0.10	UNCH	----	----	----	----	464	UNCH	
8500	----	----	----	----	----	/0.20A	----	----	0.10	UNCH	----	----	----	----	471	UNCH	
9000	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	127	UNCH	
9500	----	----	----	----	----	/0.20A	----	----	0.10	UNCH	----	----	----	----	461	UNCH	
13000	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	1065	UNCH	
TOTAL													9130	295	138501+	8	
NOV26																	
2950	----	----	----	1,480.00B/1.439	1480.00B/1439.60A	----	----	----	1474.90	+ 25.20	.9999	----	----	----	4	UNCH	
3350	----	----	----	1,080.10B/1.035	1080.10B/1035.40A	----	----	----	1075.00	+ 25.10	.9933	----	----	----	10	UNCH	
3390	----	----	----	1,040.20B/995.1	1040.20B/995.10A	----	----	----	1035.10	+ 25.10	.9921	----	----	----	1	UNCH	
3400	----	----	----	1,030.30B/984.9	1030.30B/984.90A	----	----	----	1025.10	+ 25.00	.9920	----	----	----	2	UNCH	
3445	----	----	----	985.40B/939.80A	985.40B/939.80A	----	----	----	980.30	+ 25.00	.9902	----	----	----	1	UNCH	
3500	----	----	----	930.70B/884.40A	930.70B/884.40A	----	----	----	925.50	+ 24.80	.9882	----	----	----	1	UNCH	
3600	----	----	----	831.30B/784.90A	831.30B/784.90A	----	----	----	826.20	+ 24.60	.9836	----	----	----	3	UNCH	
3700	----	----	----	733.70B/686.50A	733.70B/686.50A	----	----	----	727.20	+ 24.00	.9763	----	----	----	3	UNCH	
3765	----	----	----	670.60B/622.90A	670.60B/622.90A	----	----	----	663.20	+ 23.60	.9702	----	----	----	1	UNCH	
3780	----	----	----	656.10B/608.40A	656.10B/608.40A	----	----	----	648.50	+ 23.50	.9682	----	----	----	1	UNCH	
3800	----	----	----	636.80B/589.10A	636.80B/589.10A	----	----	----	628.90	+ 23.30	.9661	----	----	----	3	UNCH	
3830	----	----	----	607.60B/560.20A	607.60B/560.20A	----	----	----	599.50	+ 22.90	.9615	----	----	----	1	UNCH	
3840	----	----	----	598.00B/550.60A	598.00B/550.60A	----	----	----	589.80	+ 22.80	.9601	----	----	----	3	UNCH	
3850	----	----	----	588.30B/541.00A	588.30B/541.00A	----	----	----	580.10	+ 22.80	.9582	----	----	----	2	UNCH	
3865	----	----	----	573.80B/526.70A	573.80B/526.70A	----	----	----	565.60	+ 22.60	.9556	----	----	----	4	UNCH	
3870	----	----	----	568.90B/521.90A	568.90B/521.90A	----	----	----	560.70	+ 22.50	.9544	----	----	----	1	UNCH	
3875	----	----	----	564.10B/517.20A	564.10B/517.20A	----	----	----	555.90	+ 22.50	.9537	----	----	----	1	UNCH	
3885	----	----	----	554.70B/507.70A	554.70B/507.70A	----	----	----	546.20	+ 22.30	.9513	----	----	----	1	UNCH	
3900	----	----	----	540.30B/490.80A	540.30B/490.80A	----	----	----	531.80	+ 22.10	.9480	----	----	----	4	UNCH	
3905	----	----	----	535.50B/486.10A	535.50B/486.10A	----	----	----	527.00	+ 22.10	.9468	----	----	----	1	UNCH	
3910	----	----	----	530.70B/481.40A	530.70B/481.40A	----	----	----	522.20	+ 22.00	.9456	----	----	----	1	UNCH	
3915	----	----	----	525.90B/476.70A	525.90B/476.70A	----	----	----	517.40	+ 21.90	.9443	----	----	----	1	UNCH	
3920	----	----	----	525.50B/466.30A	525.50B/466.30A	----	----	----	512.50	+ 21.70	.9430	----	----	----	5	UNCH	
3925	----	----	----	520.60B/461.70A	520.60B/461.70A	----	----	----	507.70	+ 21.60	.9422	----	----	----	1	UNCH	
3930	----	----	----	515.90B/457.00A	515.90B/457.00A	----	----	----	502.90	+ 21.50	.9409	----	----	----	2	UNCH	
3935	----	----	----	511.10B/452.20A	511.10B/452.20A	----	----	----	498.20	+ 21.50	.9392	----	----	----	2	UNCH	
3940	----	----	----	506.40B/447.70A	506.40B/447.70A	----	----	----	493.40	+ 21.40	.9379	----	----	----	14	UNCH	
3945	----	----	----	501.70B/443.10A	501.70B/443.10A	----	----	----	488.60	+ 21.20	.9366	----	----	----	1	UNCH	
3950	----	----	----	499.60B/438.50A	499.60B/438.50A	----	----	----	483.90	+ 21.20	.9353	----	----	----	1	UNCH	
3955	----	----	----	494.90B/433.90A	494.90B/433.90A	----	----	----	479.10	+ 21.00	.9336	----	----	----	1	UNCH	
3960	----	----	----	490.40B/429.30A	490.40B/429.30A	----	----	----	474.40	+ 20.90	.9318	----	----	----	2	UNCH	
3985	----	----	----	467.10B/406.60A	467.10B/406.60A	----	----	----	450.90	+ 20.40	.9234	----	----	----	1	UNCH	
3990	----	----	----	462.30B/402.10A	462.30B/402.10A	----	----	----	446.30	+ 20.40	.9212	----	----	----	1	UNCH	
3995	----	----	----	457.70B/397.60A	457.70B/397.60A	----	----	----	441.60	+ 20.20	.9194	----	----	----	1	UNCH	
4000	----	----	----	453.10B/393.10A	453.10B/393.10A	----	----	----	436.90	+ 20.10	.9175	----	----	----	40	UNCH	
4005	----	----	----	448.50B/388.70A	448.50B/388.70A	----	----	----	432.30	+ 20.00	.9153	----	----	----	2	UNCH	
4010	----	----	----	443.90B/384.10A	443.90B/384.10A	----	----	----	427.70	+ 19.90	.9134	----	----	----	4	UNCH	
4015	----	----	----	439.50B/379.80A	439.50B/379.80A	----	----	----	423.00	+ 19.70	.9112	----	----	----	2	UNCH	
4020	----	----	----	435.00B/375.40A	435.00B/375.40A	----	----	----	418.40	+ 19.60	.9089	----	----	----	2	UNCH	
4030	----	----	----	425.80B/366.60A	425.80B/366.60A	----	----	----	409.20	+ 19.30	.9044	----	90	----	174	-	
4035	----	----	----	421.20B/362.10A	421.20B/362.10A	----	----	----	404.70	+ 19.20	.9021	----	----	----	2	UNCH	
4040	----	----	----	416.70B/357.80A	416.70B/357.80A	----	----	----	400.10	+ 19.10	.8998	----	----	----	4	UNCH	
4045	----	----	----	412.40B/353.60A	412.40B/353.60A	----	----	----	395.60	+ 19.00	.8975	----	----	----	1	UNCH	
4050	----	----	----	407.90B/349.30A	407.90B/349.30A	----	----	----	391.00	+ 18.70	.8948	----	----	----	369	UNCH	
4065	----	----	----	394.50B/336.40A	394.50B/336.40A	----	----	----	377.50	+ 18.30	.8869	----	----	----	15	UNCH	
4070	----	----	----	390.00B/332.30A	390.00B/332.30A	----	----	----	373.00	+ 18.10	.8842	----	----	----	5	UNCH	
4075	----	----	----	385.60B/328.10A	385.60B/328.10A	----	----	----	368.60	+ 18.00	.8811	----	----	----	5	UNCH	
4080	----	----	----	381.20B/323.90A	381.20B/323.90A	----	----	----	364.10	+ 17.80	.8783	----	----	----	39	UNCH	
4085	----	----	----	377.00B/319.70A	377.00B/319.70A	----	----	----	359.70	+ 17.60	.8752	----	----	----	89	UNCH	
4090	----	----	----	372.50B/315.50A	372.50B/315.50A	----	----	----	355.30	+ 17.40	.8724	----	----	----	11	UNCH	
4095	----	----	----	368.20B/311.40A	368.20B/311.40A	----	----	----	350.90	+ 17.20	.8692	----	----	----	16	UNCH	
4100	----	----	----	364.00B/307.30A	364.00B/307.30A	----	----	----	346.50	+ 17.00	.8660	----	1	----	330	-	
4105	----	----	----	359.60B/303.30A	359.60B/303.30A	----	----	----	342.10	+ 16.80	.8625	----	----	----	16	UNCH	
4110	----	----	----	355.30B/299.30A	355.30B/299.30A	----	----	----	337.80	+ 16.70	.8593	----	----	----	27	UNCH	
4115	----	----	----	351.10B/295.20A	351.10B/295.20A	----	----	----	333.50	+ 16.50	.8558	----	----	----	20	UNCH	
4120	----	----	----	346.80B/291.20A	346.80B/291.20A	----	----	----	329.20	+ 16.30	.8522	----	----	----	21	UNCH	
4125	----	----	----	342.60B/287.30A	342.60B/287.30A	----	----	----	324.90	+ 16.10	.8487	----	----	----	124	UNCH	
4130	----	----	----	338.40B/283.30A	338.40B/283.30A	----	----	----	320.70	+ 15.90	.8451	----	----	----	16	UNCH	
4135	----	----	----	334.20B/279.40A	334.20B/279.40A	----	----	----	316.40	+ 15.60	.8412	----	----	----	63	UNCH	
4140	----	----	----	330.20B/275.50A	330.20B/275.50A	----	----	----	312.20	+ 15.40	.8373	----	----	----	15	UNCH	
4145	----	----	----	326.00B/271.60A	326.00B/271.60A	----	----	----	308.00	+ 15.20	.8337	----	----	----	12	UNCH	
4150	----	----	----	321.80B/267.80A	321.80B/267.80A	----	----	----	303.90	+ 15.10	.8295	----	----	----	550	UNCH	
4155	----	----	----	317.80B/264.00A	317.80B/264.00A	----	----	----	299.70	+ 14.80	.8255	----	----	----	47	UNCH	
4160	----	----	----	313.80B/260.10A	313.80B/260.10A	----	----	----	295.60	+ 14.60	.8213	----	----	----	14	UNCH	
4165	----	----	----	309.70B/256.50A	309.70B/256.50A	----	----	----	291.50	+ 14.40	.8171	----	----	----	17	UNCH	
4170	----	----	----	305.60B/252.70A	305.60B/252.70A	----	----	----	287.40	+ 14.20	.8128	----	----	----	9	UNCH	
4175	----	----	----	301.60B/249.00A	301.60B/249.00A	----	----	----	283.40	+ 14.00	.8085	----	----	----	10	UNCH	
4180	----	----	----	297.70B/245.40A	297.70B/245.40A	----	----	----	279.40	+ 13.80	.8040	----	----	----	6	UNCH	
4185	----	----	----	293.70B/241.70A	293.70B/241.70A	----	----	----	275.40	+ 13.50	.7994	----	----	----	9	UNCH	
4190	----	----	----	289.80B/238.10A	289.80B/238.10A	----	----	----	271.40	+ 13.30	.7949	----	----	----	9	UNCH	
4195	----	----	----	285.90B/234.50A	285.90B/234.50A	----	----	----	267.50	+ 13.10	.7901	----	----	----	23	UNCH	
4200	----	----	----	282.10B/231.00A	282.10B/231.00A	----	----	----	263.60	+ 12.90	.7852	----	----	----	514	UNCH	
4205	----	----	----	278.20B/227.50A	278.20B/227.50A	----	----	----	259.70	+ 12.60	.7804	----	----	----	12	UNCH	
4210	----	----	----	274.40B/224.00A	274.40B/224.00A	----	----	----	255.90	+ 12.50	.7755	----	----	----	107	UNCH	
4215	----	----	----	270.6													

PG64 BULLETIN #180@			METALS OPTION PRODUCTS										Fri, Sep 18, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST		
OG CALL	COMEX GOLD OPTIONS														
NOV26															
4445	121.80	121.80	130.00B/95.10A	130.00B/95.10A	----	112.20 + 2.70	.4865	----	----	3	----	91 -	1		
4450	119.60	119.60	127.80B/93.20A	127.80B/93.20A	----	110.00 + 2.50	.4800	----	----	53	----	849 +	15		
4455	117.40	117.40	125.40B/91.30A	125.40B/91.30A	----	107.70 + 2.20	.4734	----	----	3	----	52 +	3		
4460	115.30	115.30	123.20B/89.40A	123.20B/89.40A	----	105.60 + 2.10	.4669	----	----	8	----	42 +	5		
4465	113.20	113.20	121.00B/87.50A	121.00B/87.50A	----	103.40 + 1.90	.4604	----	----	3	----	60 +	1		
4470	111.10	111.10	118.80B/85.70A	118.80B/85.70A	----	101.40 + 1.80	.4540	----	----	3	----	42 +	1		
4475	109.00	109.00	116.90B/83.90A	116.90B/83.90A	----	99.30 + 1.60	.4475	----	2	----	----	222	UNCH		
4480	----	----	114.60B/82.10A	114.60B/82.10A	----	97.30 + 1.50	.4411	----	----	----	----	122	UNCH		
4485	----	----	112.50B/80.40A	112.50B/80.40A	----	95.30 + 1.30	.4347	----	----	----	----	39	UNCH		
4490	99.30	99.30	110.40B/78.60A	110.40B/78.60A	----	93.30 + 1.10	.4284	----	5	----	----	54 +	5		
4495	92.70	92.70	108.40B/77.00A	108.40B/77.00A	----	91.40 + 1.00	.4221	----	116	----	----	320 +	101		
4500	86.00	86.00	106.70B/75.30A	106.70B/75.30A	----	89.50 + 0.80	.4158	----	353	----	----	1172 +	172		
4505	85.30	85.30	104.50B/73.60A	104.50B/73.60A	----	87.70 + 0.70	.4096	----	1	----	----	79 +	1		
4510	----	----	102.50B/72.00A	102.50B/72.00A	----	85.80 + 0.50	.4033	----	----	----	----	252	UNCH		
4515	----	----	100.60B/70.50A	100.60B/70.50A	----	84.00 + 0.40	.3972	----	----	----	----	39	UNCH		
4520	----	----	98.80B/68.90A	98.80B/68.90A	----	82.30 + 0.30	.3912	----	----	----	----	17	UNCH		
4525	----	----	97.20B/67.40A	97.20B/67.40A	----	80.50 + 0.10	.3850	----	----	----	----	273	UNCH		
4530	77.20	77.20	95.10B/66.00A	95.10B/66.00A	----	78.90 + 0.10	.3791	----	6	----	----	59 +	1		
4535	----	----	93.40B/64.40A	93.40B/64.40A	----	77.20 UNCH	.3731	----	----	----	----	83	UNCH		
4540	67.70	67.70	91.60B/63.10A	91.60B/63.10A	----	75.50 - 0.20	.3671	----	6	----	----	79	UNCH		
4545	62.30	62.30	89.90B/61.60A	89.90B/61.60A	----	73.90 - 0.30	.3613	----	3	----	----	37 +	1		
4550	72.40	72.40	88.30B/60.20A	88.30B/60.20A	----	72.40 - 0.30	.3555	----	73	----	----	340 +	28		
4555	----	----	86.50B/58.90A	86.50B/58.90A	----	70.80 - 0.40	.3497	----	----	----	----	140	UNCH		
4560	62.10	62.10	84.90B/57.60A	84.90B/57.60A	----	69.30 - 0.50	.3440	----	5	----	----	58	UNCH		
4565	60.80	60.80	83.30B/56.30A	83.30B/56.30A	----	67.80 - 0.60	.3384	----	26	----	----	45 +	26		
4570	65.20	65.20	81.70B/55.10A	81.70B/55.10A	----	66.30 - 0.70	.3327	----	1	----	----	32 +	1		
4575	63.60	63.60	80.30B/53.80A	80.30B/53.80A	----	64.80 - 0.90	.3270	----	3	----	----	58	UNCH		
4580	65.40	65.40	78.60B/52.60A	78.60B/52.60A	----	63.40 - 1.00	.3216	----	3	----	----	94	UNCH		
4585	64.80	64.80	77.10B/51.40A	77.10B/51.40A	----	62.00 - 1.10	.3161	----	5	----	----	162 +	4		
4590	----	----	75.60B/50.30A	75.60B/50.30A	----	60.70 - 1.10	.3108	----	----	----	----	165	UNCH		
4595	51.00	51.00	74.00B/49.10A	74.00B/49.10A	----	59.30 - 1.20	.3054	----	2	----	----	85	UNCH		
4600	54.60	54.60	72.80B/48.00A	72.80B/48.00A	----	58.00 - 1.30	.3001	----	799	100	----	4143 +	209		
4605	52.20	52.20	71.30B/46.90A	71.30B/46.90A	----	56.70 - 1.40	.2949	----	1	----	----	47 +	1		
4610	55.80	55.80	69.90B/45.80A	69.90B/45.80A	----	55.50 - 1.40	.2898	----	83	----	----	137 +	73		
4615	----	----	68.40B/44.80A	68.40B/44.80A	----	54.20 - 1.60	.2846	----	----	----	----	126	UNCH		
4620	----	----	67.10B/43.80A	67.10B/43.80A	----	53.00 - 1.60	.2796	----	25	----	----	91 +	25		
4625	45.70	45.70	66.00B/42.80A	66.00B/42.80A	----	51.80 - 1.70	.2746	----	13	----	----	64 +	12		
4630	51.60	51.60	64.50B/41.80A	64.50B/41.80A	----	50.60 - 1.80	.2696	----	2	----	----	67 +	2		
4635	----	----	63.20B/40.90A	63.20B/40.90A	----	49.50 - 1.80	.2648	----	----	----	----	89	UNCH		
4640	60.50	60.50	62.00B/40.00A	62.00B/40.00A	----	48.40 - 1.90	.2600	----	2	----	----	210 +	2		
4645	42.10	42.10	60.80B/39.00A	60.80B/39.00A	----	47.30 - 1.90	.2553	----	2	----	----	136	UNCH		
4650	45.50	45.50	59.70B/38.10A	59.70B/38.10A	----	46.20 - 2.00	.2505	----	986	----	----	1325 +	683		
4655	----	----	58.50B/37.20A	58.50B/37.20A	----	45.20 - 2.00	.2460	----	----	----	----	138	UNCH		
4660	37.80	37.80	57.30B/36.40A	57.30B/36.40A	----	44.10 - 2.10	.2413	----	1	----	----	47	UNCH		
4665	36.90	36.90	56.20B/35.50A	56.20B/35.50A	----	43.10 - 2.20	.2368	----	2	----	----	173 -	2		
4670	43.10	43.10	55.00B/34.70A	55.00B/34.70A	----	42.20 - 2.10	.2326	----	1	----	----	49 +	1		
4675	35.20	35.20	54.00B/34.00A	54.00B/34.00A	----	41.20 - 2.20	.2282	----	13	----	----	737 +	3		
4680	50.20	50.20	52.90B/33.20A	52.90B/33.20A	----	40.30 - 2.20	.2240	----	7	----	----	115 +	2		
4685	----	----	51.80B/32.40A	51.80B/32.40A	----	39.30 - 2.30	.2196	----	1	----	----	79	UNCH		
4690	37.90	37.90	50.80B/31.70A	50.80B/31.70A	----	38.40 - 2.30	.2154	----	13	----	----	189 +	12		
4695	38.50	38.50	49.80B/31.00A	49.80B/31.00A	----	37.60 - 2.30	.2115	----	1	----	----	30	UNCH		
4700	36.20	36.20	48.80B/30.20A	48.80B/30.20A	----	36.70 - 2.30	.2074	----	473	----	----	3168 +	262		
4705	----	----	47.80B/29.50A	47.80B/29.50A	----	35.90 - 2.30	.2035	----	----	----	----	27	UNCH		
4710	----	----	46.80B/28.90A	46.80B/28.90A	----	35.10 - 2.30	.1997	----	----	----	----	66	UNCH		
4715	----	----	45.90B/28.20A	45.90B/28.20A	----	34.30 - 2.30	.1958	----	2	----	----	46 -	1		
4720	37.70	37.70	45.00B/27.50A	45.00B/27.50A	----	33.50 - 2.30	.1920	----	2	----	----	64	UNCH		
4725	29.00	29.00	44.10B/26.90A	44.10B/26.90A	----	32.70 - 2.40	.1882	----	3	----	----	199	UNCH		
4730	30.90	30.90	43.20B/26.30A	43.20B/26.30A	----	32.00 - 2.40	.1847	----	10	----	----	127 +	10		
4735	----	----	42.30B/25.70A	42.30B/25.70A	----	31.20 - 2.40	.1809	----	----	----	----	114	UNCH		
4740	26.90	26.90	41.40B/25.10A	41.40B/25.10A	----	30.50 - 2.40	.1774	----	26	----	----	119 +	11		
4745	29.80	29.80	40.70B/24.50A	40.70B/24.50A	----	29.80 - 2.40	.1739	----	2	----	----	19 +	2		
4750	38.50	38.50	39.90B/24.00	39.90B/24.00	----	29.20 - 2.40	.1707	----	231	200	----	1691 -	53		
4755	34.20	34.20	39.10B/23.40A	39.10B/23.40A	----	28.50 - 2.40	.1673	----	10	----	----	117 +	1		
4760	22.90	22.90	38.30B/22.90	38.30B/22.90	----	27.90 - 2.40	.1642	----	17	----	----	56 -	11		
4765	23.30	23.30	37.50B/22.40A	37.50B/22.40A	----	27.20 - 2.40	.1607	----	10	----	----	18 +	3		
4770	22.80	22.80	36.80B/21.80A	36.80B/21.80A	----	26.60 - 2.40	.1576	----	3	----	----	62 +	2		
4775	25.90	25.90	36.00B/21.30A	36.00B/21.30A	----	26.00 - 2.40	.1545	----	7	----	----	263 -	1		
4780															

BULLETIN #180@				METALS OPTION PRODUCTS										Fri, Sep 18, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG CALL	COMEX GOLD OPTIONS																		
NOV26																			
5130	----	----		9.10B/5.30A	9.10B/5.30A	----			6.10 - 1.30	.0398	----	----	----	----	95	UNCH			
5135	----	----		9.00B/5.20A	9.00B/5.20A	----			6.00 - 1.20	.0391	----	----	----	----	19	UNCH			
5140	----	----		8.80B/5.10A	8.80B/5.10A	----			5.90 - 1.20	.0385	----	----	2	----	48	UNCH			
5145	----	----		8.70B/5.00A	8.70B/5.00A	----			5.80 - 1.20	.0378	----	----	----	----	25	UNCH			
5150	----	----		8.50B/5.00A	8.50B/5.00A	----			5.70 - 1.20	.0372	----	----	1	----	548	- 1			
5155	----	----		8.40B/4.90A	8.40B/4.90A	----			5.60 - 1.20	.0365	----	----	----	----	8	UNCH			
5160	----	----		8.20B/4.80A	8.20B/4.80A	----			5.50 - 1.20	.0359	----	----	----	----	27	UNCH			
5165	----	----		8.10B/4.70A	8.10B/4.70A	----			5.40 - 1.20	.0352	----	----	----	----	79	UNCH			
5170	6.00	6.00		8.00B/4.70A	8.00B/4.70A	----			5.30 - 1.20	.0346	----	----	3	----	22	UNCH			
5175	----	----		7.90B/4.60A	7.90B/4.60A	----			5.20 - 1.20	.0340	----	----	1	----	285	UNCH			
5180	6.30	6.30		7.70B/4.50A	7.70B/4.50A	----			5.20 - 1.10	.0338	----	----	1	----	87	- 1			
5185	----	----		7.60B/4.50A	7.60B/4.50A	----			5.10 - 1.10	.0332	----	----	----	----	14	UNCH			
5190	6.30	6.30		7.50B/4.40A	7.50B/4.40A	----			5.00 - 1.10	.0325	----	----	2	----	21	- 1			
5195	----	----		7.30B/4.40A	7.30B/4.40A	----			4.90 - 1.10	.0319	----	----	----	----	90	UNCH			
5200	6.00	6.00		7.20B/4.30	7.20B/4.30	----			4.80 - 1.10	.0313	----	----	3	----	1872	+ 1			
5205	----	----		7.10B/4.20A	7.10B/4.20A	----			4.80 - 1.00	.0312	----	----	----	----	7	UNCH			
5210	----	----		7.00B/4.20A	7.00B/4.20A	----			4.70 - 1.10	.0306	----	----	----	----	11	UNCH			
5215	----	----		6.90B/4.10A	6.90B/4.10A	----			4.60 - 1.10	.0299	----	----	----	----	51	UNCH			
5220	----	----		6.80B/4.10A	6.80B/4.10A	----			4.50 - 1.10	.0293	----	----	----	----	34	UNCH			
5225	----	----		6.70B/4.00A	6.70B/4.00A	----			4.50 - 1.00	.0292	----	----	----	----	27	UNCH			
5230	----	----		6.60B/4.00A	6.60B/4.00A	----			4.40 - 1.00	.0286	----	----	----	----	96	UNCH			
5235	----	----		6.50B/3.90A	6.50B/3.90A	----			4.30 - 1.10	.0280	----	----	----	----	21	UNCH			
5240	----	----		6.40B/3.90A	6.40B/3.90A	----			4.30 - 1.00	.0279	----	----	----	----	38	UNCH			
5245	----	----		6.30B/3.80A	6.30B/3.80A	----			4.20 - 1.00	.0273	----	----	----	----	9	UNCH			
5250	4.00	4.00		6.20B/3.80A	6.20B/3.80A	----			4.20 - 0.90	.0272	----	----	5	----	692	UNCH			
5255	----	----		6.10B/3.70A	6.10B/3.70A	----			4.10 - 1.00	.0266	----	----	----	----	4	UNCH			
5260	----	----		6.00B/3.70A	6.00B/3.70A	----			4.00 - 1.00	.0260	----	----	----	----	11	UNCH			
5265	----	----		5.90B/3.60A	5.90B/3.60A	----			4.00 - 0.90	.0259	----	----	----	----	11	UNCH			
5270	----	----		5.80B/3.60A	5.80B/3.60A	----			3.90 - 1.00	.0253	----	----	----	----	15	UNCH			
5275	----	----		5.70B/3.50A	5.70B/3.50A	----			3.90 - 0.90	.0252	----	----	----	----	206	UNCH			
5280	----	----		5.60B/3.50A	5.60B/3.50A	----			3.80 - 0.90	.0246	----	----	----	----	40	UNCH			
5285	----	----		5.50B/3.50A	5.50B/3.50A	----			3.80 - 0.90	.0245	----	----	----	----	17	UNCH			
5290	----	----		5.50B/3.40A	5.50B/3.40A	----			3.80 - 0.80	.0244	----	----	----	----	21	UNCH			
5295	----	----		5.40B/3.40A	5.40B/3.40A	----			3.70 - 0.90	.0238	----	----	----	----	10	UNCH			
5300	----	----		5.30B/3.30A	5.30B/3.30A	----			3.70 - 0.80	.0237	----	----	45	----	1335	+ 1			
5305	----	----		5.20B/3.30A	5.20B/3.30A	----			3.60 - 0.80	.0231	----	----	----	----	31	UNCH			
5310	----	----		5.20B/3.30A	5.20B/3.30A	----			3.60 - 0.80	.0230	----	----	----	----	10	UNCH			
5315	----	----		5.10B/3.20A	5.10B/3.20A	----			3.60 - 0.70	.0229	----	----	----	----	6	UNCH			
5320	----	----		5.00B/3.20A	5.00B/3.20A	----			3.50 - 0.80	.0224	----	----	----	----	19	UNCH			
5325	----	----		4.90B/3.20A	4.90B/3.20A	----			3.50 - 0.70	.0223	----	----	----	----	23	UNCH			
5330	----	----		4.90B/3.10A	4.90B/3.10A	----			3.50 - 0.70	.0222	----	----	1	----	15	- 1			
5335	----	----		4.80B/3.10A	4.80B/3.10A	----			3.50 - 0.60	.0221	----	----	----	----	39	UNCH			
5340	----	----		4.70B/3.10A	4.70B/3.10A	----			3.40 - 0.70	.0215	----	----	----	----	6	UNCH			
5345	----	----		4.70B/3.00A	4.70B/3.00A	----			3.40 - 0.60	.0215	----	----	----	----	12	UNCH			
5350	----	----		4.60B/3.00A	4.60B/3.00A	----			3.40 - 0.60	.0214	----	----	----	----	120	UNCH			
5355	----	----		4.50B/3.00A	4.50B/3.00A	----			3.40 - 0.50	.0213	----	----	2	----	21	- 2			
5360	----	----		4.50B/2.90A	4.50B/2.90A	----			3.30 - 0.60	.0207	----	----	----	----	13	UNCH			
5365	----	----		4.40B/2.90A	4.40B/2.90A	----			3.30 - 0.50	.0207	----	----	----	----	9	UNCH			
5370	----	----		4.40B/2.90A	4.40B/2.90A	----			3.30 - 0.50	.0206	----	----	----	----	13	UNCH			
5375	3.10	3.10		4.30B/2.90A	4.30B/2.90A	----			3.20 - 0.50	.0200	----	----	1	----	41	UNCH			
5380	----	----		4.30B/2.80A	4.30B/2.80A	----			3.20 - 0.50	.0200	----	----	----	----	33	UNCH			
5385	----	----		4.20B/2.80A	4.20B/2.80A	----			3.20 - 0.40	.0199	----	----	----	----	32	UNCH			
5390	----	----		4.10B/2.80A	4.10B/2.80A	----			3.20 - 0.40	.0198	----	----	----	----	10	UNCH			
5395	----	----		4.10B/2.80A	4.10B/2.80A	----			3.10 - 0.40	.0193	----	----	----	----	31	UNCH			
5400	3.40	3.40		4.00B/2.70A	4.00B/2.70A	----			3.10 - 0.40	.0192	----	----	35	----	782	+ 5			
5405	----	----		4.00B/2.70A	4.00B/2.70A	----			3.10 - 0.40	.0191	----	----	----	----	52	UNCH			
5410	----	----		3.90B/2.70A	3.90B/2.70A	----			3.00 - 0.40	.0186	----	----	----	----	6	UNCH			
5415	----	----		3.90B/2.70A	3.90B/2.70A	----			3.00 - 0.40	.0185	----	----	----	----	26	UNCH			
5420	----	----		3.80B/2.60A	3.80B/2.60A	----			2.90 - 0.40	.0180	----	----	----	----	36	UNCH			
5425	----	----		3.80B/2.60A	3.80B/2.60A	----			2.90 - 0.40	.0179	----	----	----	----	4	UNCH			
5430	----	----		3.80B/2.60A	3.80B/2.60A	----			2.90 - 0.40	.0179	----	----	----	----	10	UNCH			
5435	----	----		3.70B/2.60A	3.70B/2.60A	----			2.80 - 0.40	.0173	----	----	----	----	6	UNCH			
5440	----	----		3.70B/2.50A	3.70B/2.50A	----			2.80 - 0.40	.0173	----	----	----	----	3	UNCH			
5445	----	----		3.60B/2.50A	3.60B/2.50A	----			2.80 - 0.40	.0172	----	----	----	----	33	UNCH			
5450	----	----		3.60B/2.50A	3.60B/2.50A	----			2.70 - 0.40	.0167	----	----	26	----	572	+ 12			
5455	----	----		3.50B/2.50A	3.50B/2.50A	----			2.70 - 0.40	.0166	----	----	----	----	43	UNCH			
5460	----	----		3.50B/2.50A	3.50B/2.50A	----			2.70 - 0.40	.0166	----	----	----	----	20	UNCH			
5465	----	----		3.50B/2.40A	3.50B/2.40A	----			2.60 - 0.40	.0160	----	----	----	----	6	UNCH			
5470	----	----		3.40B/2.40A	3.40B/2.40A	----			2.60 - 0.40	.0160	----	----	----	----	8	UNCH			
5475	----	----		3.40B/2.40A	3.40B/2.40A	----			2.60 - 0.40	.0159	----	----	----	----	297	UNCH			
5480	----	----		3.30B/2.40A	3.30B/2.40A	----			2.50 - 0.50	.0154	----	----	----	----	111	UNCH			
5485	----	----		3.30B/2.40A	3.30B/2.40A	----			2.50 - 0.40	.0153	----	----	----	----	30	UNCH			
5490	----	----		3.30B/2.30A	3.30B/2.30A	----			2.50 - 0.40	.0153	----	----	----	----	29	UNCH			
5495	----	----		3.20B/2.30A	3.20B/2.30A	----			2.50 - 0.40	.0152	----	----	----	----	3	UNCH			
5500	2.60	2.60		3.20B/2.30A	3.20B/2.30A	----			2.40 - 0.50	.0147	----	----	5	----	2397	+ 1			
5505	----	----		3.20B/2.30A	3.20B/2.30A	----			2.40 - 0.40	.0146	----	----	----	----	28	UNCH			
5510	----	----		3.10B/2.30A	3.10B/2.30A	----			2.40 - 0.40	.0146	----	----	----	----	10	UNCH			
5515	----	----		3.10B/2.20A	3.10B/2.20A	----			2.40 - 0.40	.0146	----	----	----	----	17	UNCH			
5520	----	----		3.10B/2.20A	3.10B/2.20A	----			2.40 - 0.40	.0145	----	----	----	----	29	UNCH			
5525	----	----		3.00B/2.20A	3.00B/2.20A	----			2.40 - 0.40	.0145	----	----	----	----	27	UNCH			
5530	----	----		3.00B/2.20A	3.00B/2.20A	----			2.30 - 0.40	.0139	----	----	1	----	4	- 1			
5535	----	----		3.00B/2.20A	3.00B/2.20A	----			2.30 - 0.40	.0139	----	----	----	----	25	UNCH			
5540	----	----		2.90B/2.20A	2.90B/2.20A	----			2.30 - 0.40	.0139	----	----	----	----	21	UNCH			
5545	----	----		2.90B/2.10A	2.90B/2.10A	----			2.30 - 0.40	.0138	----	----	----	----	23	UNCH			
5550	2.40	2.40		2.90B/2.00	2.90B/2.00	----			2.30 - 0.30	.0138	----	----	4	----	57	- 4			
5555	----	----		2.90B/2.10A	2.90B/2.10A	----			2.30 - 0.30	.0137	----	----	----	----	8	UNCH			
5560	----	----		2.80B/2.10A	2.80B/2.10A	----			2.20 - 0.40	.0132	----	----	----	----	13	UNCH			
5565	----	----		2.80B/2.10A	2.80B/2.10A	----			2.20 - 0.40	.0132	----	----	----	----	12	UNCH			
5570	----	----		2.80B/2.10A	2.80B/2.10A	----			2.20 - 0.30	.0131	----	----	----	----	33	UNCH			
5575	----	----		2.80B/2.10A	2.80B/2.10A	----			2.20 - 0.30	.0131	----	----	----	----	65	UNCH			
5580	----	----		2.70B/2.00A	2.70B/2.00A	----			2.20 - 0.30	.0131	----	----	----	----	49	UNCH			
5585	----	----		2.70B/2.00A	2.70B/2.00A	----			2.20 - 0.30	.0130	----	----	----	----	21				

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL		COMEX GOLD OPTIONS															
NOV26																	
6200	1.20	1.20		1.20/1.00	1.20/1.00	----	1.00	- 0.20	.0051	----	----	----	3	----	51	-	
6250	----	----		----/1.00A	1.10B/1.00A	----	0.90	- 0.30	.0046	----	----	----	----	34		UNCH	
6300	----	----		----/1.00A	1.10B/1.00A	----	0.90	- 0.20	.0045	----	----	----	----	343		UNCH	
6400	----	----		----/0.90A	1.00B/0.90A	----	0.80	- 0.20	.0039	----	----	----	----	123		UNCH	
6500	0.80	0.80		0.80/0.80	0.80/0.80	----	0.70	- 0.20	.0034	----	----	----	1	----	1920	+	
8000	----	----		----	0.20B/0.30A	----	0.20	UNCH	.0008	----	----	----	----	1001		UNCH	
9000	----	----		----	0.10B/0.20A	----	0.10	UNCH	.0003	----	----	----	----	1570		UNCH	
20000	----	----		----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1346		UNCH	
TOTAL													7398	430	76180	+	2561
DEC26																	
1500	----	----		----	1857.70B/----	----	2924.90	+ 25.20	1.0000	----	----	----	----	----	0	UNCH	
2500	----	----		----	1329.90B/1288.10A	----	1924.90	+ 25.20	1.0000	437	----	437	----	----	608	UNCH	
3100	----	----		1,329.90B/1,288	1279.70B/1237.50A	----	1324.90	+ 25.20	.9923	----	----	----	437	----	0	UNCH	
3150	----	----		1,279.70B/1,237	1229.10B/1186.90A	----	1275.00	+ 25.10	.9908	3	----	----	286	----	20	-	
3200	----	----		1,229.10B/1,186	1193.40B/1151.80A	----	1225.10	+ 25.00	.9889	----	----	----	12	----	52	+	
3235	----	----		1,193.40B/1,151	1178.00B/1136.70A	----	1190.20	+ 24.90	.9879	----	----	----	----	----	0	UNCH	
3250	----	----		1,178.00B/1,136	1126.50B/1086.30A	----	1175.30	+ 24.90	.9874	135	----	173	----	----	65	+	
3300	1107.50	1107.50		1,126.50B/1,086	1126.50B/1086.30A	----	1125.60	+ 24.90	.9854	1	----	104	----	----	264	+	
3350	----	----		1,077.10B/1,036	1077.10B/1036.30A	----	1075.90	+ 24.70	.9830	----	----	----	----	----	1	UNCH	
3395	----	----		1,033.10B/991.6	1033.10B/991.60A	----	1031.30	+ 24.50	.9808	----	----	----	----	----	1	UNCH	
3405	----	----		1,023.20B/981.7	1023.20B/981.70A	----	1021.40	+ 24.50	.9800	----	----	----	----	----	1	UNCH	
3450	----	----		979.30B/937.50A	979.30B/937.50A	----	976.90	+ 24.30	.9774	----	----	----	----	----	1	UNCH	
3500	905.90	905.90		930.60B/888.50A	930.60B/888.50A	----	927.60	+ 24.10	.9739	----	----	3	----	----	13	+	
3550	----	----		882.20B/839.70A	882.20B/839.70A	----	878.40	+ 23.80	.9699	----	----	----	----	----	2	UNCH	
3570	----	----		863.00B/820.20A	863.00B/820.20A	----	858.80	+ 23.70	.9680	----	----	----	----	----	1	UNCH	
3600	----	----		834.10B/791.20A	834.10B/791.20A	----	829.40	+ 23.50	.9650	----	----	----	----	----	2	UNCH	
3700	----	----		737.60B/694.80A	737.60B/694.80A	----	732.30	+ 22.60	.9516	----	----	----	----	----	51	UNCH	
3800	----	----		643.40B/600.50A	643.40B/600.50A	----	636.80	+ 21.30	.9320	----	----	----	----	----	23	UNCH	
3840	----	----		606.30B/563.60A	606.30B/563.60A	----	599.30	+ 20.70	.9215	----	----	----	----	----	1	UNCH	
3860	----	----		588.10B/545.50A	588.10B/545.50A	----	580.80	+ 20.40	.9155	----	----	----	----	----	1	UNCH	
3900	----	----		552.00B/509.80A	552.00B/509.80A	----	544.10	+ 19.60	.9022	----	----	----	----	----	41	UNCH	
3935	----	----		520.90B/479.10A	520.90B/479.10A	----	512.50	+ 18.80	.8889	----	----	----	----	----	11	UNCH	
3950	----	----		507.80B/466.20A	507.80B/466.20A	----	499.10	+ 18.40	.8829	----	----	----	----	----	1	UNCH	
3955	----	----		503.50B/461.90A	503.50B/461.90A	----	494.70	+ 18.30	.8806	----	----	----	----	----	1	UNCH	
3960	----	----		499.30B/458.00A	499.30B/458.00A	----	490.30	+ 18.20	.8783	----	----	----	----	----	1	UNCH	
3985	----	----		477.80B/436.80A	477.80B/436.80A	----	468.40	+ 17.60	.8668	----	----	----	----	----	12	UNCH	
3995	----	----		469.30B/428.50A	469.30B/428.50A	----	459.70	+ 17.30	.8619	----	----	----	----	----	4	UNCH	
4000	----	----		465.20B/424.50A	465.20B/424.50A	----	455.40	+ 17.20	.8593	----	----	----	----	----	245	UNCH	
4005	----	----		460.80B/420.40A	460.80B/420.40A	----	451.10	+ 17.00	.8570	----	----	----	----	----	1	UNCH	
4025	----	----		444.10B/404.10A	444.10B/404.10A	----	434.10	+ 16.50	.8462	----	----	----	----	----	2	UNCH	
4030	----	----		440.00B/396.30A	440.00B/396.30A	----	429.90	+ 16.40	.8436	----	----	----	----	----	13	UNCH	
4040	----	----		431.60B/388.20A	431.60B/388.20A	----	421.50	+ 16.10	.8379	----	----	----	----	----	41	UNCH	
4045	----	----		427.70B/387.60A	427.70B/387.60A	----	417.40	+ 16.00	.8350	----	----	----	----	----	2	UNCH	
4050	----	----		423.50B/379.20A	423.50B/379.20A	----	413.20	+ 15.80	.8320	----	----	----	----	----	973	UNCH	
4060	----	----		415.50B/371.60A	415.50B/371.60A	----	405.00	+ 15.50	.8260	----	----	----	----	----	105	UNCH	
4065	----	----		411.50B/367.60A	411.50B/367.60A	----	400.90	+ 15.40	.8229	----	----	----	----	----	15	UNCH	
4070	----	----		407.40B/363.30A	407.40B/363.30A	----	396.80	+ 15.20	.8199	----	----	----	----	----	38	UNCH	
4075	----	----		403.40B/359.50A	403.40B/359.50A	----	392.80	+ 15.10	.8168	----	----	----	----	----	24	UNCH	
4080	----	----		399.40B/355.90A	399.40B/355.90A	----	388.80	+ 15.00	.8137	----	----	----	----	----	136	UNCH	
4085	----	----		395.60B/350.60A	395.60B/350.60A	----	384.70	+ 14.70	.8104	----	----	----	----	----	8	UNCH	
4090	----	----		391.50B/346.90A	391.50B/346.90A	----	380.70	+ 14.60	.8071	----	----	----	----	----	40	UNCH	
4095	----	----		387.70B/343.20A	387.70B/343.20A	----	376.80	+ 14.50	.8038	----	----	----	----	----	9	UNCH	
4100	----	----		383.80B/339.90A	383.80B/339.90A	----	372.80	+ 14.30	.8005	----	----	----	----	----	1245	UNCH	
4105	----	----		380.00B/336.20A	380.00B/336.20A	----	368.90	+ 14.20	.7971	----	----	----	----	----	15	UNCH	
4110	----	----		376.10B/332.50A	376.10B/332.50A	----	365.00	+ 14.00	.7936	----	----	18	----	170	UNCH		
4115	----	----		375.20B/328.90A	375.20B/328.90A	----	361.10	+ 13.80	.7901	----	----	----	----	----	35	UNCH	
4120	----	----		372.40B/325.30A	372.40B/325.30A	----	357.20	+ 13.70	.7866	----	----	----	----	----	35	UNCH	
4125	----	----		368.60B/321.70A	368.60B/321.70A	----	353.30	+ 13.40	.7831	----	----	----	----	----	21	UNCH	
4130	----	----		364.80B/318.10A	364.80B/318.10A	----	349.50	+ 13.30	.7794	----	----	----	----	----	701	UNCH	
4135	----	----		361.10B/314.60A	361.10B/314.60A	----	345.70	+ 13.20	.7759	----	----	----	----	----	49	UNCH	
4140	----	----		357.30B/311.10A	357.30B/311.10A	----	341.90	+ 13.00	.7722	----	----	----	----	----	69	UNCH	
4145	----	----		353.70B/307.50A	353.70B/307.50A	----	338.20	+ 12.90	.7685	----	----	----	----	----	38	UNCH	
4150	----	----		349.90B/304.10A	349.90B/304.10A	----	334.40	+ 12.60	.7646	----	----	----	----	----	224	UNCH	
4155	----	----		346.40B/300.50A	346.40B/300.50A	----	330.70	+ 12.50	.7609	----	----	----	----	----	17	UNCH	
4160	----	----		342.60B/297.00A	342.60B/297.00A	----	327.00	+ 12.30	.7570	----	----	----	----	----	120	UNCH	
4165	----	----		339.00B/293.60A	339.00B/293.60A	----	323.30	+ 12.10	.7532	----	----	----	----	----	43	UNCH	
4170	----	----		335.40B/290.10A	335.40B/290.10A	----	319.70	+ 12.00	.7493	----	----	----	----	----	68	UNCH	
4175	----	----		331.90B/286.50A	331.90B/286.50A	----	316.10	+ 11.90	.7453	----	----	----	----	----	826	UNCH	
4180	----	----		328.30B/283.20A	328.30B/283.20A	----	312.50	+ 11.70	.7414	----	----	----	----	----	10	UNCH	
4185	----	----		324.80B/280.00A	324.80B/280.00A	----	308.90	+ 11.50	.7374	----	----	----	----	----	11	UNCH	
4190	----	----		321.70B/276.60A	321.70B/276.60A	----	305.30	+ 11.30	.7333	----	----	----	----	----	440	UNCH	
4195	----	----		317.70B/273.30A	317.70B/273.30A	----	301.80	+ 11.10	.7292	----	----	----	----	----	1	UNCH	
4200	271.00	271.00		314.10B/269.80A	314.10B/269.80A	----	298.30	+ 11.00	.7250	----	----	54	----	----	861	-	
4205	----	----		310.80B/266.70A	310.80B/266.70A	----	294.80	+ 10.80	.7210	----	----	----	----	----	14	UNCH	
4210	----	----		307.40B/263.40A	307.40B/263.40A	----	291.30	+ 10.60	.7167	----	----	----	----	----	20	UNCH	
4220	----	----		300.70B/257.10A	300.70B/257.10A	----	284.50	+ 10.30	.7082	----	----	18	----	----	171	UNCH	
4225	----	----		297.20B/253.90A	297.20B/253.90A	----	281.10	+ 10.10	.7040	----	----	----	----	----	327	UNCH	
4230	----	----		293.90B/250.80A	293.90B/250.80A	----	277.70	+ 9.90	.6996	----	----	----	----	----	19	UNCH	
4235	----	----		290.70B/247.70A	290.70B/247.70A	----	274.40	+ 9.80	.6954	----	----	----	----	----	10	UNCH	
4240	----	----		287.40B/244.60A	287.40B/244.60A	----	271.10	+ 9.60	.6910	----	----	----	----	----	27	UNCH	
4245	----	----		284.00B/241.50A	284.00B/241.50A	----	267.80	+ 9.40	.6866	----	----	----	----	----	216	UNCH	
4250	----	----		280.80B/238.30A	280.80B/238.30A	----	264.60	+ 9.30	.6821	----	----	----	----	----	1033	UNCH	
4255	----	----		277.70B/235.40A	277.70B/235.40A	----	261.30	+ 9.10	.6777	----	----	----	----	----	78	UNCH	
4260	----	----		274.40B/232.40A	274.40B/232.40A	----	258.10	+ 8.90	.6732	----	----	----	----	----	157	UNCH	
4265	----	----		271.30B/229.20A	271.30B/229.20A	----	254.90	+ 8.70	.6688	----	----	----	----	----	7	UNCH	
4270	----	----		268.20B/226.50A	268.20B/226.50A	----	251.80	+ 8.60	.6642	----	----	----	----	----	20	UNCH	
4275	----	----		265.00B/223.60A	265.00B/223.60A	----	248.60	+ 8.40	.6597	----	----	----	----	----	20	UNCH	
4280	----	----		262.00B/220.70A	262.00B/220.70A	----	245.50	+ 8.30	.6552	----	----	----	----	----	66	UNCH	
4285	----	----		259.00B/217.40A	259.00B/217.4												



GLOBEX			OPEN OUTCRY			GLOBEX			OPEN OUTCRY			OPEN OUTCRY			SETT.PRICE			DELTA			EXER			OPEN			GLOBEX®			PNT			OPEN		
OPEN			OPEN RANGE			HIGH/LOW			HIGH/LOW			CLOSE RANGE			& PT.CHGE.						CISES			OUTCRY VOLUME			VOLUME			VOLUME			INTEREST		
OG CALL																																			
DEC26																																			
COMEX GOLD OPTIONS																																			
4525	----	----	141.80B/110.20A	141.80B/110.20A	----	----	----	124.80	+	1.30	.4243	----	----	----	----	251	UNCH																		
4530	111.30	111.30	139.70B/108.50A	139.70B/108.50A	----	----	----	123.00	+	1.30	.4199	----	4	----	42 +	3																			
4535	----	----	137.80B/106.90A	137.80B/106.90A	----	----	----	121.10	+	1.10	.4153	----	----	----	31	UNCH																			
4540	----	----	136.00B/105.30A	136.00B/105.30A	----	----	----	119.30	+	1.00	.4109	----	----	----	57	UNCH																			
4545	116.70	116.70	134.10B/103.70A	134.10B/103.70A	----	----	----	117.60	+	1.00	.4065	----	1	----	64	UNCH																			
4550	130.80	130.80	132.30B/102.10A	132.30B/102.10A	----	----	----	115.80	+	0.80	.4020	----	14	----	1384 -	4																			
4555	----	----	130.40B/100.50A	130.40B/100.50A	----	----	----	114.10	+	0.80	.3977	----	----	----	36	UNCH																			
4560	120.10	120.10	128.70B/99.00A	128.70B/99.00A	----	----	----	112.40	+	0.70	.3933	----	13	----	175 -	9																			
4565	107.60	107.60	126.90B/97.50A	126.90B/97.50A	----	----	----	110.70	+	0.60	.3890	----	1	----	40 +	1																			
4570	----	----	125.20B/96.00A	125.20B/96.00A	----	----	----	109.00	+	0.50	.3846	----	----	----	30	UNCH																			
4575	----	----	123.50B/94.60A	123.50B/94.60A	----	----	----	107.40	+	0.50	.3804	----	----	----	419	UNCH																			
4580	----	----	121.80B/93.10A	121.80B/93.10A	----	----	----	105.70	+	0.30	.3761	----	----	----	222	UNCH																			
4585	----	----	120.10B/91.60A	120.10B/91.60A	----	----	----	104.10	+	0.20	.3718	----	----	----	335	UNCH																			
4590	92.10	92.10	118.40B/90.20A	118.40B/90.20A	----	----	----	102.60	+	0.20	.3677	----	11	----	38 +	9																			
4595	----	----	116.80B/88.90A	116.80B/88.90A	----	----	----	101.00	+	0.10	.3635	----	----	----	18	UNCH																			
4600	108.90	108.90	115.20B/87.50A	115.20B/87.50A	----	----	----	99.40	UNCH		.3592	----	308	----	4583 +	69																			
4605	91.40	91.40	113.50B/86.10A	113.50B/86.10A	----	----	----	97.90	-	0.10	.3551	----	2	----	31	UNCH																			
4610	----	----	112.00B/84.80A	112.00B/84.80A	----	----	----	96.40	-	0.10	.3510	----	16	----	54 +	16																			
4615	88.10	88.10	110.40B/83.50A	110.40B/83.50A	----	----	----	94.90	-	0.20	.3469	----	1	----	50	UNCH																			
4620	87.70	87.70	108.90B/82.20A	108.90B/82.20A	----	----	----	93.50	-	0.20	.3429	----	1	----	42 +	1																			
4625	84.20	84.20	107.40B/80.90A	107.40B/80.90A	----	----	----	92.00	-	0.40	.3388	----	6	----	380 +	5																			
4630	----	----	105.80B/79.60A	105.80B/79.60A	----	----	----	90.60	-	0.40	.3349	----	----	----	162	UNCH																			
4635	----	----	104.30B/78.40A	104.30B/78.40A	----	----	----	89.20	-	0.50	.3309	----	----	----	16	UNCH																			
4640	----	----	102.90B/77.10A	102.90B/77.10A	----	----	----	87.80	-	0.50	.3270	----	1	----	130	UNCH																			
4645	80.00	80.00	101.40B/75.80A	101.40B/75.80A	----	----	----	86.50	-	0.50	.3231	----	1	----	12	UNCH																			
4650	84.00	84.00	100.00B/74.70A	100.00B/74.70A	----	----	----	85.10	-	0.60	.3192	----	32	----	1453 +	30																			
4655	77.30	77.30	98.60B/73.60A	98.60B/73.60A	----	----	----	83.80	-	0.70	.3154	----	5	----	29 +	5																			
4660	----	----	97.20B/72.40A	97.20B/72.40A	----	----	----	82.50	-	0.70	.3116	----	----	----	137	UNCH																			
4665	77.90	77.90	95.80B/71.10A	95.80B/71.10A	----	----	----	81.20	-	0.80	.3078	----	1	----	89 +	1																			
4670	72.00	72.00	94.40B/70.10A	94.40B/70.10A	----	----	----	79.90	-	0.90	.3040	----	3	----	103 +	3																			
4675	71.80	71.80	93.20B/69.00A	93.20B/69.00A	----	----	----	78.70	-	0.90	.3003	----	21	----	114 -	5																			
4680	77.40	77.40	91.80B/67.90A	91.80B/67.90A	----	----	----	77.40	-	1.00	.2965	----	1	----	208 -	1																			
4685	75.50	75.50	90.40B/66.80A	90.40B/66.80A	----	----	----	76.20	-	1.00	.2929	----	10	----	24	UNCH																			
4690	75.80	75.80	89.10B/65.70A	89.10B/65.70A	----	----	----	75.00	-	1.10	.2893	----	6	----	272	UNCH																			
4695	75.50	75.50	87.90B/64.70A	87.90B/64.70A	----	----	----	73.80	-	1.10	.2857	----	1	----	320 +	1																			
4700	69.20	69.20	86.70B/63.70A	86.70B/63.70A	----	----	----	72.70	-	1.10	.2822	----	459	150	5003 +	123																			
4705	83.50	83.50	85.40B/62.60A	85.40B/62.60A	----	----	----	71.50	-	1.20	.2786	----	3	----	155	UNCH																			
4710	----	----	84.10B/61.60A	84.10B/61.60A	----	----	----	70.40	-	1.20	.2751	----	----	----	57	UNCH																			
4715	81.90	81.90	82.90B/60.60A	82.90B/60.60A	----	----	----	69.30	-	1.20	.2717	----	55	----	117 +	16																			
4720	----	----	81.70B/59.70A	81.70B/59.70A	----	----	----	68.20	-	1.30	.2682	----	----	----	135	UNCH																			
4725	62.00	62.00	80.70B/58.70A	80.70B/58.70A	----	----	----	67.10	-	1.40	.2648	----	13	----	9594 -	9																			
4730	76.10	76.10	79.40B/57.80A	79.40B/57.80A	----	----	----	66.00	-	1.40	.2614	----	34	----	71 +	17																			
4735	----	----	78.30B/56.90A	78.30B/56.90A	----	----	----	65.00	-	1.40	.2581	----	----	----	48	UNCH																			
4740	----	----	77.10B/55.90A	77.10B/55.90A	----	----	----	63.90	-	1.50	.2547	----	----	----	38	UNCH																			
4745	64.40	64.40	76.00B/55.00A	76.00B/55.00A	----	----	----	62.90	-	1.50	.2514	----	1	----	65	UNCH																			
4750	62.30	62.30	75.00B/54.10A	75.00B/54.10A	----	----	----	61.90	-	1.60	.2482	----	26	----	3763 +	16																			
4755	----	----	73.90B/53.30A	73.90B/53.30A	----	----	----	60.90	-	1.60	.2450	----	1	----	35	UNCH																			
4760	----	----	72.70B/52.40A	72.70B/52.40A	----	----	----	60.00	-	1.60	.2419	----	----	----	133	UNCH																			
4765	53.20	53.20	71.70B/51.60A	71.70B/51.60A	----	----	----	59.00	-	1.70	.2387	----	2	----	77 +	1																			
4770	----	----	70.70B/50.80A	70.70B/50.80A	----	----	----	58.10	-	1.70	.2357	----	----	----	29	UNCH																			
4775	----	----	69.70B/49.90A	69.70B/49.90A	----	----	----	57.20	-	1.70	.2326	----	----	----	187	UNCH																			
4780	----	----	68.70B/49.10A	68.70B/49.10A	----	----	----	56.20	-	1.80	.2294	----	----	----	31	UNCH																			
4785	58.00	58.00	67.60B/48.40A	67.60B/48.40A	----	----	----	55.40	-	1.70	.2266	----	13	----	61 +	3																			
4790	54.20	54.20	66.70B/47.60A	66.70B/47.60A	----	----	----	54.50	-	1.80	.2236	----	55	----	251 +	55																			
4795	53.70	53.70	65.70B/46.80A	65.70B/46.80A	----	----	----	53.60	-	1.80	.2206	----	6	----	142 +	1																			
4800	56.50	56.50	64.80B/46.10A	64.80B/46.10A	----	----	----	52.70	-	1.90	.2176	----	311	----	7293 +	142																			
4805	----	----	63.80B/45.30A	63.80B/45.30A	----	----	----	51.90	-	1.90	.2148	----	----	----	47	UNCH																			
4810	----	----	62.90B/44.60A	62.90B/44.60A	----	----	----	51.10	-	1.90	.2120	----	----	----	85	UNCH																			
4815	----	----	61.90B/43.90A	61.90B/43.90A	----	----	----	50.30	-	1.90	.2092	----	1	----	30	UNCH																			
4820	----	----</																																	

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS														
DEC26																
5210	----	----	----	20.40B/13.70A	20.40B/13.70A	----	----	----	15.30 - 1.80	.0724	----	----	----	----	168	UNCH
5215	----	----	----	20.10B/13.50A	20.10B/13.50A	----	----	----	15.10 - 1.80	.0715	----	----	----	----	122	UNCH
5220	----	----	----	19.90B/13.40A	19.90B/13.40A	----	----	----	14.90 - 1.80	.0706	----	----	----	----	111	UNCH
5225	----	----	----	19.60B/13.20A	19.60B/13.20A	----	----	----	14.70 - 1.80	.0697	----	----	----	----	9409	UNCH
5230	----	----	----	19.30B/13.00A	19.30B/13.00A	----	----	----	14.50 - 1.80	.0688	----	----	----	----	40	UNCH
5235	----	----	----	19.10B/12.90A	19.10B/12.90A	----	----	----	14.40 - 1.70	.0682	----	----	----	----	17	UNCH
5240	----	----	----	18.90B/12.70A	18.90B/12.70A	----	----	----	14.20 - 1.70	.0673	----	----	----	----	16	UNCH
5245	----	----	----	18.60B/12.60A	18.60B/12.60A	----	----	----	14.00 - 1.70	.0664	----	----	----	----	25	UNCH
5250	----	----	----	18.40B/12.40A	18.40B/12.40A	----	----	----	13.80 - 1.70	.0655	----	----	----	----	1872	UNCH
5255	14.30	14.30	----	18.20B/12.30A	18.20B/12.30A	----	----	----	13.70 - 1.70	.0650	----	----	1	----	56	UNCH
5260	14.10	14.10	----	17.90B/12.10A	17.90B/12.10A	----	----	----	13.50 - 1.70	.0641	----	----	1	----	10	UNCH
5265	----	----	----	17.70B/12.00A	17.70B/12.00A	----	----	----	13.30 - 1.70	.0632	----	----	----	----	16	UNCH
5270	----	----	----	17.50B/11.80A	17.50B/11.80A	----	----	----	13.20 - 1.60	.0627	----	----	----	----	63	UNCH
5275	----	----	----	17.30B/11.70A	17.30B/11.70A	----	----	----	13.00 - 1.60	.0618	----	----	----	----	41	UNCH
5280	----	----	----	17.00B/11.60A	17.00B/11.60A	----	----	----	12.80 - 1.70	.0609	----	----	----	----	62	UNCH
5285	----	----	----	16.80B/11.40A	16.80B/11.40A	----	----	----	12.70 - 1.60	.0604	----	----	----	----	24	UNCH
5290	----	----	----	16.70B/11.30A	16.70B/11.30A	----	----	----	12.50 - 1.60	.0595	----	----	----	----	7	UNCH
5295	----	----	----	16.50B/11.20A	16.50B/11.20A	----	----	----	12.40 - 1.60	.0590	----	----	----	----	9	UNCH
5300	14.20	14.20	----	16.30B/11.10A	16.30B/11.10A	----	----	----	12.20 - 1.60	.0581	----	----	16	----	2492 +	7
5305	----	----	----	16.10B/10.90A	16.10B/10.90A	----	----	----	12.10 - 1.60	.0576	----	----	----	----	48	UNCH
5310	----	----	----	15.90B/10.80A	15.90B/10.80A	----	----	----	12.00 - 1.50	.0571	----	----	----	----	45	UNCH
5315	----	----	----	15.70B/10.70A	15.70B/10.70A	----	----	----	11.80 - 1.50	.0562	----	----	----	----	38	UNCH
5320	----	----	----	15.50B/10.60A	15.50B/10.60A	----	----	----	11.70 - 1.50	.0557	----	----	----	----	6	UNCH
5325	12.10	12.10	----	15.30B/10.40A	15.30B/10.40A	----	----	----	11.60 - 1.40	.0552	----	----	15	----	30 -	9
5330	----	----	----	15.10B/10.30A	15.10B/10.30A	----	----	----	11.40 - 1.50	.0543	----	----	----	----	48	UNCH
5335	----	----	----	15.00B/10.20A	15.00B/10.20A	----	----	----	11.30 - 1.50	.0538	----	----	----	----	46	UNCH
5340	11.70	11.70	----	14.80B/10.10A	14.80B/10.10A	----	----	----	11.20 - 1.40	.0533	----	----	2	----	11	UNCH
5345	----	----	----	14.60B/10.00A	14.60B/10.00A	----	----	----	11.10 - 1.40	.0528	----	----	----	----	38	UNCH
5350	----	----	----	14.50B/9.90A	14.50B/9.90A	----	----	----	10.90 - 1.40	.0520	----	----	2	----	853	UNCH
5355	----	----	----	14.30B/9.80A	14.30B/9.80A	----	----	----	10.80 - 1.40	.0515	----	----	----	----	21	UNCH
5360	----	----	----	14.10B/9.70A	14.10B/9.70A	----	----	----	10.70 - 1.40	.0510	----	----	----	----	119	UNCH
5365	----	----	----	14.00B/9.60A	14.00B/9.60A	----	----	----	10.60 - 1.30	.0505	----	----	----	----	23	UNCH
5370	10.50	10.50	----	13.80B/9.50A	13.80B/9.50A	----	----	----	10.50 - 1.30	.0500	----	----	3	----	43 +	3
5375	----	----	----	13.60B/9.40A	13.60B/9.40A	----	----	----	10.40 - 1.30	.0495	----	----	----	----	90	UNCH
5380	----	----	----	13.50B/9.30A	13.50B/9.30A	----	----	----	10.30 - 1.30	.0490	----	----	----	----	45	UNCH
5385	----	----	----	13.30B/9.20A	13.30B/9.20A	----	----	----	10.20 - 1.20	.0485	----	----	----	----	44	UNCH
5390	10.50	10.50	----	13.20B/9.10A	13.20B/9.10A	----	----	----	10.00 - 1.30	.0476	----	----	2	----	209 +	1
5395	----	----	----	13.10B/9.00A	13.10B/9.00A	----	----	----	9.90 - 1.30	.0472	----	----	----	----	7	UNCH
5400	10.30	10.30	----	12.90B/8.90	12.90B/8.90	----	----	----	9.80 - 1.30	.0467	----	----	19	----	3704 +	15
5405	----	----	----	12.80B/8.80A	12.80B/8.80A	----	----	----	9.70 - 1.30	.0462	----	----	----	----	54	UNCH
5410	----	----	----	12.60B/8.70A	12.60B/8.70A	----	----	----	9.60 - 1.20	.0457	----	----	----	----	25	UNCH
5415	----	----	----	12.50B/8.70A	12.50B/8.70A	----	----	----	9.60 - 1.10	.0456	----	----	----	----	4	UNCH
5420	----	----	----	12.40B/8.60A	12.40B/8.60A	----	----	----	9.50 - 1.10	.0451	----	----	----	----	11	UNCH
5425	----	----	----	12.30B/8.50A	12.30B/8.50A	----	----	----	9.40 - 1.10	.0446	----	----	----	----	209	UNCH
5430	----	----	----	12.10B/8.40A	12.10B/8.40A	----	----	----	9.30 - 1.10	.0441	----	----	----	----	16	UNCH
5435	----	----	----	12.00B/8.30A	12.00B/8.30A	----	----	----	9.20 - 1.10	.0436	----	----	----	----	3	UNCH
5440	----	----	----	11.80B/8.30A	11.80B/8.30A	----	----	----	9.10 - 1.10	.0432	----	----	----	----	12	UNCH
5445	----	----	----	11.70B/8.20A	11.70B/8.20A	----	----	----	9.00 - 1.10	.0427	----	----	----	----	45	UNCH
5450	9.40	9.40	----	11.60B/8.10A	11.60B/8.10A	----	----	----	8.90 - 1.10	.0422	----	----	116	----	436 +	67
5455	----	----	----	11.40B/8.00A	11.40B/8.00A	----	----	----	8.80 - 1.10	.0418	----	----	----	----	28	UNCH
5460	9.10	9.10	----	11.30B/7.90A	11.30B/7.90A	----	----	----	8.70 - 1.10	.0413	----	----	1	----	48	UNCH
5465	----	----	----	11.20B/7.90A	11.20B/7.90A	----	----	----	8.70 - 1.00	.0412	----	----	----	----	66	UNCH
5470	----	----	----	11.10B/7.80A	11.10B/7.80A	----	----	----	8.60 - 1.00	.0407	----	----	----	----	18	UNCH
5475	----	----	----	11.00B/7.70A	11.00B/7.70A	----	----	----	8.50 - 1.00	.0402	----	----	----	----	588	UNCH
5480	----	----	----	10.90B/7.60A	10.90B/7.60A	----	----	----	8.40 - 1.00	.0398	----	----	----	----	106	UNCH
5485	----	----	----	10.70B/7.60A	10.70B/7.60A	----	----	----	8.30 - 1.10	.0393	----	----	----	----	6	UNCH
5490	----	----	----	10.60B/7.50A	10.60B/7.50A	----	----	----	8.30 - 1.00	.0392	----	----	----	----	25	UNCH
5495	8.30	8.30	----	10.50B/7.40A	10.50B/7.40A	----	----	----	8.20 - 1.00	.0387	----	----	2	----	33	UNCH
5500	10.60	10.60	----	10.70/7.30	10.70/7.30	----	----	----	8.10 - 1.00	.0383	----	----	102	----	11036 +	42
5505	----	----	----	10.30B/7.30A	10.30B/7.30A	----	----	----	8.00 - 1.00	.0378	----	----	----	----	15	UNCH
5510	----	----	----	10.20B/7.20A	10.20B/7.20A	----	----	----	8.00 - 0.90	.0377	----	----	----	----	37	UNCH
5515	----	----	----	10.10B/7.20A	10.10B/7.20A	----	----	----	7.90 - 1.00	.0373	----	----	----	----	13	UNCH
5520	----	----	----	10.00B/7.10A	10.00B/7.10A	----	----	----	7.80 - 1.00	.0368	----	----	----	----	26	UNCH
5525	7.60	7.60	----	9.90B/7.00	9.90B/7.00	----	----	----	7.70 - 1.00	.0364	----	----	10	----	131	UNCH
5530	----	----	----	9.80B/7.00A	9.80B/7.00A	----	----	----	7.70 - 0.90	.0363	----	----	----	----	3	UNCH
5535	8.30	8.30	----	9.70B/6.90A	9.70B/6.90A	----	----	----	7.60 - 0.90	.0358	----	----	2	----	6 +	2
5540	----	----	----	9.70B/6.90A	9.70B/6.90A	----	----	----	7.50 - 1.00	.0354	----	----	----	----	33	UNCH
5545	7.20	7.20	----	9.60B/6.80A	9.60B/6.80A	----	----	----	7.40 - 1.00	.0349	----	----	1	----	6 +	1
5550	----	----	----	9.50B/6.80A	9.50B/6.80A	----	----	----	7.40 - 0.90	.0348	----	----	27	----	446 -	4
5555	----	----	----	9.40B/6.70A	9.40B/6.70A	----	----	----	7.30 - 0.90	.0344	----	----	----	----	9	UNCH
5560	----	----	----	9.30B/6.70A	9.30B/6.70A	----	----	----	7.20 - 1.00	.0339	----	----	----	----	23	UNCH
5565	----	----	----	9.20B/6.60A	9.20B/6.60A	----	----	----	7.20 - 0.90	.0339	----	----	----	----	27	UNCH
5570	----	----	----	9.10B/6.50A	9.10B/6.50A	----	----	----	7.10 - 0.90	.0334	----	----	----	----	260	UNCH
5575	----	----	----	9.00B/6.50A	9.00B/6.50A	----	----	----	7.00 - 1.00	.0330	----	----	----	----	17	UNCH
5580	6.70	6.70	----	9.00B/6.40A	9.00B/6.40A	----	----	----	7.00 - 0.90	.0329	----	----	4	----	6 +	4
5585	6.90	6.90	----	8.80B/6.40A	8.80B/6.40A	----	----	----	6.90 - 0.90	.0324	----	----	5	----	7 +	5
5590	6.70	6.70	----	8.80B/6.30A	8.80B/6.30A	----	----	----	6.90 - 0.90	.0324	----	----	5	----	8 +	5
5595	7.00	7.00	----	8.70B/6.30A	8.70B/6.30A	----	----	----	6.80 - 0.90	.0319	----	----	1	----	10 +	1
5600	6.80	6.80	----	8.60B/6.20A	8.60B/6.20A	----	----	----	6.70 - 0.90	.0315	----	----	28	----	3216 +	7
5605	----	----	----	8.50B/6.20A	8.50B/6.20A	----	----	----	6.70 - 0.80	.0314	----	----	----	----	31	UNCH
5610	----	----	----	8.50B/6.10A	8.50B/6.10A	----	----	----	6.60 - 0.90	.0310	----	----	----	----	8	UNCH
5615	----	----	----	8.40B/6.10A	8.40B/6.10A	----	----	----	6.60 - 0.80	.0309	----	----	----	----	34	UNCH
5620	----	----	----	8.30B/6.00A	8.30B/6.00A	----	----	----	6.50 - 0.80	.0305	----	----	----	----	8	UNCH
5625	----	----	----	8.20B/6.00A	8.20B/6.00A	----	----	----	6.40 - 0.90	.0300	----	----	----	----	4	UNCH
5630	----	----	----	8.20B/5.90A	8.20B/5.90A	----	----	----	6.40 - 0.80	.0299	----	----	----	----	3	UNCH
5635	----	----	----	8.10B/5.90A	8.10B/5.90A	----	----	----	6.30 - 0.80	.0295	----	----	----	----	35	UNCH
5640	----	----	----	8.00B/5.90A	8.00B/5.90A	----	----	----	6.30 - 0.80	.0294	----	----	----	----	2	UNCH
5645	----	----	----	8.00B/5.80A	8.00B/5.80A	----	----	----	6.20 - 0.80	.0290	----	----	----	----	8	UNCH
5650	----	----	----	7.90B/5.80A	7.90B/5.80A	----	----	----	6.20 - 0.80	.02						

BULLETIN #180@				METALS OPTION PRODUCTS										Fri, Sep 18, 2026		PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE		GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW		OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST	
OG CALL	COMEX GOLD OPTIONS																
DEC26	----	----		----	----		----					----	----	----			
7130	----	----		----/1.60A	1.80B/1.60A	----			1.70 - 0.20	.0063	----	----	----	----		201	
7150	----	----		----/1.60A	1.80B/1.60A	----			1.70 - 0.20	.0063	----	----	----	----		141	
7175	----	----		----/1.60A	1.80B/1.60A	----			1.60 - 0.30	.0059	----	----	----	----		127	
7200	----	----		----/1.50A	1.70B/1.50A	----			1.60 - 0.20	.0059	----	----	----	----		66	
7250	----	----		----/1.50A	1.70B/1.50A	----			1.60 - 0.20	.0058	----	----	----	----		509	
7500	----	----		----/1.30A	1.30B/1.30A	----			1.30 - 0.20	.0046	----	----	----	----		2491	
8000	1.00	1.00		1.00/1.00	1.00/1.00	----			1.00 - 0.10	.0034	----	----	1232	----		17326 +	
8125	----	----		----/0.90A	0.90B/0.90A	----			0.90 - 0.10	.0030	----	----	----	----		803	
8500	0.80	0.80		0.80/0.80	0.80/0.80	----			0.80 - 0.10	.0026	----	----	2	----		511 -	
8630	----	----		----/0.70A	0.70B/0.70A	----			0.80 - 0.10	.0025	----	----	----	----		420	
8700	0.70	0.70		0.70/0.70	0.70/0.70	----			0.80 - 0.10	.0025	----	----	1	----		14 +	
8725	0.70	0.70		0.70/0.70	0.70/0.70	----			0.80 - 0.10	.0025	----	----	1	----		217 +	
8750	0.70	0.70		0.70/0.70	0.70/0.70	----			0.80 UNCH	.0025	----	----	3	----		719 +	
8775	----	----		----/0.70A	0.70B/0.70A	----			0.70 - 0.10	.0022	----	----	----	----		49	
9000	0.70	0.70		0.70/0.60	0.70/0.60	----			0.70 - 0.10	.0022	----	----	347	----		590 -	
9250	----	----		----/0.60A	0.60B/0.60A	----			0.60 - 0.20	.0018	----	----	----	----		2	
9500	----	----		----/0.60A	0.60B/0.60A	----			0.60 - 0.10	.0018	----	----	----	----		876	
9600	----	----		----/0.50A	0.50B/0.50A	----			0.60 - 0.10	.0018	----	----	----	----		22	
9750	----	----		----/0.50A	0.50B/0.50A	----			0.60 - 0.10	.0017	----	----	----	----		11	
9900	----	----		----/0.50A	0.50B/0.50A	----			0.50 - 0.10	.0014	----	----	----	----		47	
10000	0.50	0.50		0.50/0.50	0.50/0.50	----			0.50 - 0.10	.0014	----	----	1	----		11493 -	
10500	----	----		----/0.40A	0.40B/0.40A	----			0.40 - 0.10	.0011	----	----	----	----		31	
11000	----	----		----	0.30B/0.40A	----			0.30 - 0.10	.0008	----	----	----	----		819	
13000	----	----		----	0.20B/0.30A	----			0.20 - 0.10	.0005	----	----	----	----		698	
15000	0.10	0.10		0.10/0.10	0.10/0.10	----			0.20 UNCH	.0004	----	----	10	----		36536 +	
17000	----	----		----	----/0.10A	----			0.10 UNCH	.0002	----	----	----	----		52	
19000	----	----		----	----/0.10A	----			0.10 UNCH	.0000	----	----	----	----		350	
20000	----	----		----	----/0.10A	----			0.10 UNCH	.0000	----	----	----	----		38018	
21000	----	----		----	----/0.20A	----			0.10 UNCH	.0000	----	----	----	----		39	
23000	----	----		----	----/0.20A	----			0.10 UNCH	.0000	----	----	----	----		5	
24000	----	----		----	----/0.20A	----			0.10 UNCH	.0000	----	----	----	----		167	
TOTAL													8572	400		298462 +	
JAN27	----	----		1,162.60B/1,128	1162.60B/1128.80A	----			1163.40 + 24.70	.9784	----	----	----	----		4	
3300	----	----		964.40B/935.10A	964.40B/935.10A	----			966.90 + 23.60	.9629	----	----	----	----		1	
3500	----	----		513.60B/479.00A	513.60B/479.00A	----			506.80 + 16.40	.8361	----	----	----	----		368	
4000	----	----		505.60B/471.20A	505.60B/471.20A	----			498.60 + 16.20	.8313	----	----	----	----		1	
4010	----	----		458.50B/416.60A	458.50B/416.60A	----			450.50 + 14.60	.7999	----	----	----	----		1	
4070	----	----		442.40B/395.00A	442.40B/395.00A	----			427.40 + 13.80	.7826	----	----	----	----		105	
4100	----	----		434.80B/387.90A	434.80B/387.90A	----			419.90 + 13.60	.7768	----	----	----	----		1	
4110	----	----		423.80B/377.30A	423.80B/377.30A	----			408.60 + 13.10	.7676	----	----	----	----		2	
4125	----	----		420.20B/373.80A	420.20B/373.80A	----			404.90 + 13.00	.7645	----	----	----	----		1	
4130	----	----		412.90B/366.50A	412.90B/366.50A	----			397.60 + 12.70	.7582	----	----	----	----		1	
4140	----	----		405.70B/359.90A	405.70B/359.90A	----			390.30 + 12.40	.7519	----	----	----	----		6	
4150	----	----		398.50B/353.40A	398.50B/353.40A	----			383.20 + 12.20	.7454	----	----	8	----		212 +	
4160	----	----		395.10B/349.80A	395.10B/349.80A	----			379.60 + 12.10	.7422	----	----	----	----		1	
4165	----	----		391.60B/346.80A	391.60B/346.80A	----			376.00 + 11.90	.7389	----	----	----	----		3	
4170	----	----		384.60B/340.20A	384.60B/340.20A	----			369.00 + 11.60	.7322	----	----	----	----		9	
4180	----	----		377.60B/333.60A	377.60B/333.60A	----			362.10 + 11.40	.7256	----	----	----	----		1	
4190	----	----		370.90B/327.30A	370.90B/327.30A	----			355.20 + 11.10	.7187	----	----	----	----		57	
4200	----	----		357.60B/314.60A	357.60B/314.60A	----			341.70 + 10.60	.7049	----	----	----	----		1	
4220	----	----		351.00B/308.60A	351.00B/308.60A	----			335.10 + 10.30	.6978	----	----	----	----		1	
4230	----	----		338.00B/295.50A	338.00B/295.50A	----			322.10 + 9.80	.6835	----	----	----	----		600	
4250	----	----		331.70B/290.00A	331.70B/290.00A	----			315.70 + 9.50	.6762	----	----	----	----		4	
4260	----	----		325.30B/284.10A	325.30B/284.10A	----			309.40 + 9.20	.6689	----	----	----	----		2	
4270	----	----		319.30B/277.80A	319.30B/277.80A	----			303.20 + 8.90	.6616	----	----	----	----		2	
4280	----	----		313.20B/272.10A	313.20B/272.10A	----			297.10 + 8.70	.6541	----	----	----	----		1	
4290	----	----		307.20B/266.40A	307.20B/266.40A	----			291.00 + 8.30	.6467	----	----	5	----		46 +	
4300	----	----		304.20B/263.50A	304.20B/263.50A	----			288.10 + 8.30	.6429	----	----	----	----		10	
4305	----	----		301.40B/260.70A	301.40B/260.70A	----			285.10 + 8.10	.6391	----	----	----	----		3	
4310	----	----		286.70B/247.10A	286.70B/247.10A	----			270.60 + 7.50	.6201	----	----	----	----		3	
4335	----	----		278.50B/239.20A	278.50B/239.20A	----			262.10 + 7.00	.6086	----	----	----	----		53	
4350	----	----		272.80B/234.10A	272.80B/234.10A	----			256.60 + 6.80	.6009	----	----	----	----		3	
4360	237.60	237.60		270.20B/231.50A	270.20B/231.50A	----			253.90 + 6.70	.5971	----	----	2	----		192	
4365	----	----		267.50B/229.00A	267.50B/229.00A	----			251.20 + 6.60	.5932	----	----	----	----		27	
4370	----	----		265.90B/226.50A	265.90B/226.50A	----			248.50 + 6.40	.5893	----	----	----	----		7	
4375	----	----		260.60B/221.60A	260.60B/221.60A	----			243.20 + 6.20	.5816	----	----	----	----		23	
4385	----	----		258.00B/219.20A	258.00B/219.20A	----			240.60 + 6.10	.5777	----	----	----	----		8	
4390	----	----															

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS														
JAN27																
4795	----	----	----	106.30B/83.80A	106.30B/83.80A	----	----	----	92.80 - 0.80	.2919	----	----	----	----	1	UNCH
4800	----	----	----	105.20B/82.80A	105.20B/82.80A	----	----	----	91.60 - 0.90	.2890	----	----	90	----	2803 +	50
4805	----	----	----	103.90B/81.70A	103.90B/81.70A	----	----	----	90.50 - 0.90	.2862	----	----	----	21	UNCH	3
4810	----	----	----	102.70B/80.70A	102.70B/80.70A	----	----	----	89.40 - 0.90	.2834	----	----	----	3	UNCH	3
4815	----	----	----	101.60B/79.70A	101.60B/79.70A	----	----	----	88.30 - 0.90	.2806	----	----	----	19	UNCH	2
4820	----	----	----	100.40B/78.70A	100.40B/78.70A	----	----	----	87.20 - 1.00	.2778	----	----	----	2	UNCH	2
4825	----	----	----	99.50B/77.80A	99.50B/77.80A	----	----	----	86.10 - 1.10	.2750	----	----	----	51	UNCH	5
4830	----	----	----	98.10B/76.80A	98.10B/76.80A	----	----	----	85.00 - 1.10	.2723	----	----	----	16	UNCH	1
4835	----	----	----	97.00B/75.90A	97.00B/75.90A	----	----	----	84.00 - 1.10	.2696	----	----	----	21	UNCH	3
4840	----	----	----	95.90B/74.90A	95.90B/74.90A	----	----	----	82.90 - 1.20	.2669	----	----	----	16 +	3	UNCH
4845	82.00	82.00	----	94.80B/74.00A	94.80B/74.00A	----	----	----	81.90 - 1.20	.2642	----	----	3	----	388 -	9
4850	----	----	----	93.80B/73.10A	93.80B/73.10A	----	----	----	80.90 - 1.30	.2616	----	----	178	----	2	UNCH
4860	----	----	----	91.60B/71.30A	91.60B/71.30A	----	----	----	78.90 - 1.40	.2564	----	----	----	2	UNCH	1
4865	----	----	----	90.50B/70.40A	90.50B/70.40A	----	----	----	77.90 - 1.40	.2538	----	----	----	1	UNCH	1
4870	----	----	----	89.30B/69.50A	89.30B/69.50A	----	----	----	77.00 - 1.40	.2513	----	----	----	210	UNCH	6
4875	----	----	----	88.50B/68.70A	88.50B/68.70A	----	----	----	76.00 - 1.50	.2487	----	----	----	6	UNCH	3
4880	----	----	----	87.50B/67.80A	87.50B/67.80A	----	----	----	75.10 - 1.50	.2463	----	----	----	18	UNCH	1
4885	----	----	----	86.50B/67.00A	86.50B/67.00A	----	----	----	74.20 - 1.50	.2438	----	----	----	36	UNCH	3
4890	----	----	----	85.50B/66.20A	85.50B/66.20A	----	----	----	73.20 - 1.60	.2412	----	----	----	3	UNCH	1
4900	70.30	70.30	----	83.40B/64.60A	83.40B/64.60A	----	----	----	71.40 - 1.60	.2364	----	----	26	----	727 +	4
4905	----	----	----	82.50B/63.80A	82.50B/63.80A	----	----	----	70.60 - 1.60	.2341	----	----	----	10	UNCH	1
4910	75.00	75.00	----	81.40B/63.00A	81.40B/63.00A	----	----	----	69.70 - NEW	.2317	----	----	20	----	20 +	20
4915	----	----	----	80.60B/62.20A	80.60B/62.20A	----	----	----	68.80 - 1.70	.2292	----	----	----	88	UNCH	2
4920	----	----	----	79.70B/61.40A	79.70B/61.40A	----	----	----	68.00 - 1.70	.2270	----	----	----	2	UNCH	1
4925	----	----	----	78.80B/60.70A	78.80B/60.70A	----	----	----	67.10 - 1.70	.2246	----	----	----	2	UNCH	1
4930	----	----	----	77.90B/59.90A	77.90B/59.90A	----	----	----	66.30 - 1.70	.2223	----	----	----	2	UNCH	1
4935	----	----	----	77.00B/59.20A	77.00B/59.20A	----	----	----	65.50 - 1.70	.2200	----	----	----	1	UNCH	1
4940	----	----	----	76.10B/58.50A	76.10B/58.50A	----	----	----	64.70 - 1.80	.2178	----	----	----	3	UNCH	1
4945	64.60	64.60	----	75.10B/57.80A	75.10B/57.80A	----	----	----	63.90 - 1.80	.2156	----	----	2	5 +	2	UNCH
4950	----	----	----	74.50B/57.10A	74.50B/57.10A	----	----	----	63.10 - 1.80	.2133	----	----	----	255	UNCH	1
4955	----	----	----	73.50B/56.40A	73.50B/56.40A	----	----	----	62.30 - 1.90	.2111	----	----	----	1	UNCH	1
4960	----	----	----	72.70B/55.70A	72.70B/55.70A	----	----	----	61.60 - 1.80	.2090	----	----	----	5	UNCH	1
4970	----	----	----	71.10B/54.30A	71.10B/54.30A	----	----	----	60.10 - 1.80	.2047	----	----	----	2	UNCH	1
4975	----	----	----	70.20B/53.70A	70.20B/53.70A	----	----	----	59.30 - 1.90	.2025	----	----	----	5	UNCH	1
4985	----	----	----	68.60B/52.40A	68.60B/52.40A	----	----	----	57.90 - 1.90	.1984	----	----	----	2	UNCH	1
4990	----	----	----	67.90B/51.70A	67.90B/51.70A	----	----	----	57.20 - 1.90	.1964	----	----	----	21	UNCH	1
4995	----	----	----	67.10B/51.10A	67.10B/51.10A	----	----	----	56.50 - 1.90	.1943	----	----	----	6	UNCH	1
5000	54.90	54.90	----	66.30B/50.50A	66.30B/50.50A	----	----	----	55.80 - 1.90	.1923	----	----	285	1199 +	54	UNCH
5005	----	----	----	65.60B/49.90A	65.60B/49.90A	----	----	----	55.10 - 2.00	.1903	----	----	----	14	UNCH	1
5010	----	----	----	64.80B/49.30A	64.80B/49.30A	----	----	----	54.40 - 2.00	.1882	----	----	----	100	UNCH	1
5015	----	----	----	64.10B/48.70A	64.10B/48.70A	----	----	----	53.80 - 2.00	.1864	----	----	----	3	UNCH	1
5020	----	----	----	63.30B/48.10A	63.30B/48.10A	----	----	----	53.10 - 2.00	.1844	----	----	----	2	UNCH	1
5025	----	----	----	62.60B/47.50A	62.60B/47.50A	----	----	----	52.50 - 2.00	.1826	----	----	----	9	UNCH	1
5030	----	----	----	61.90B/47.00A	61.90B/47.00A	----	----	----	51.90 - 1.90	.1807	----	----	----	2	UNCH	1
5035	----	----	----	61.20B/46.40A	61.20B/46.40A	----	----	----	51.20 - 2.00	.1787	----	----	----	30	UNCH	1
5040	----	----	----	60.50B/45.80A	60.50B/45.80A	----	----	----	50.60 - 2.00	.1769	----	----	----	13	UNCH	1
5045	----	----	----	59.80B/45.30A	59.80B/45.30A	----	----	----	50.00 - 2.00	.1751	----	----	----	2	UNCH	1
5050	49.90	49.90	----	59.20B/44.80A	59.20B/44.80A	----	----	----	49.40 - 2.00	.1733	----	----	2	131 +	2	UNCH
5055	----	----	----	58.50B/44.20A	58.50B/44.20A	----	----	----	48.80 - 2.00	.1714	----	----	----	2	UNCH	1
5060	----	----	----	57.80B/43.70A	57.80B/43.70A	----	----	----	48.20 - 2.00	.1696	----	----	----	40	UNCH	1
5065	----	----	----	57.20B/43.20A	57.20B/43.20A	----	----	----	47.60 - 2.10	.1678	----	----	----	2	UNCH	1
5070	----	----	----	56.50B/42.70A	56.50B/42.70A	----	----	----	47.10 - 2.00	.1662	----	----	----	8	UNCH	1
5075	----	----	----	55.90B/42.20A	55.90B/42.20A	----	----	----	46.50 - 2.00	.1644	----	----	----	4	UNCH	1
5080	----	----	----	55.20B/41.70A	55.20B/41.70A	----	----	----	46.00 - 2.00	.1628	----	----	----	6	UNCH	1
5085	----	----	----	54.60B/41.20A	54.60B/41.20A	----	----	----	45.40 - 2.00	.1610	----	----	----	33	UNCH	1
5090	----	----	----	54.00B/40.70A	54.00B/40.70A	----	----	----	44.90 - 2.00	.1594	----	----	----	3	UNCH	1
5095	----	----	----	53.40B/40.20A	53.40B/40.20A	----	----	----	44.30 - 2.10	.1577	----	----	----	3	UNCH	1
5100	----	----	----	52.90B/39.70A	52.90B/39.70A	----	----	----	43.80 - 2.00	.1561	----	----	9	216 +	1	UNCH
5105	----	----	----	52.20B/39.30A	52.20B/39.30A	----	----	----	43.30 - 2.00	.1545	----	----	----	25	UNCH	1
5115	----	----	----	51.10B/38.40A	51.10B/38.40A	----	----	----	42.30 - 2.00	.1513	----	----	----	5	UNCH	1
5120	----	----	----	50.50B/37.90A	50.50B/37.90A	----	----	----	41.80 - 2.00	.1498	----	----	----	2	UNCH	1
5125	----	----	----	50.00B/37.50A	50.00B/37.50A	----	----	----	41.30 - 2.00	.1482	----	----	----	35	UNCH	1
5130	----	----	----	49.40B/37.00A	49.40B/37.00A	----	----	----	40.80 - 2.00	.1466	----	----	----	19	UNCH	1
5135	----	----	----	48.80B/36.60A	48.80B/36.60A	----	----	----	40.30 - 2.00	.1451	----	----	----	47	UNCH	1
5140	----	----	----	48.20B/36.20A	48.20B/36.20A	----	----	----	39.80 - 2.10	.1435	----	----	----	5	UNCH	1
5150	----	----	----	47.30B/35.40A	47.30B/35.40A	----	----	----	38.90 - 2.00	.1406	----	----	16	210 +	10	UNCH
5155	----	----	----	46.60B/35.00A	46.60B/35.00A	----	----	----	38.50 - 2.00	.1393	----	----	----	12	UNCH	1
5160	----	----	----	46.20B/34.60A	46.20B/34.60A	----	----	----	38.00 - 2.00	.1377	----	----	----	7	UNCH	1
5165	----	----	----	45.70B/34.20A	45.70B/34.20A	----	----	----	37.60 - 2.00	.1364	----	----	----	5	UNCH	1
5170	----	----	----	45.20B/33.80A	45.20B/33.80A	----	----	----	37.10 - 2.10	.1348	----	----	----	9	UNCH	1
5175	----	----	----	44.70B/33.40A	44.70B/33.40A	----	----	----	36.70 - 2.00	.1335	----	----	----	236	UNCH	1
5180	----	----	----	44.20B/33.00A	44.20B/33.00A	----	----	----	36.30 - 2.00	.1322	----	----	----	11	UNCH	1
5185	----	----	----	43.70B/32.60A	43.70B/32.60A	----	----	----	35.90 - 2.00	.1308	----	----	----	9	UNCH	1
5190	----	----	----	43.20B/32.30A	43.20B/32.30A	----	----	----	35.50 - 2.00	.1295	----	----	----	5	UNCH	1
5195	----	----	----	42.70B/31.90A	42.70B/31.90A	----	----	----	35.00 - 2.10	.1280	----	----	----	5	UNCH	1
5200	35.30	35.30	----	42.30B/31.50A	42.30B/31.50A	----	----	----	34.60 - 2.10	.1267	----	----	52	818 +	52	UNCH
5205	----	----	----	41.80B/31.20A	41.80B/31.20A	----	----	----	34.20 - 2.10	.1254	----	----	----	2	UNCH	1
5210	----	----	----	41.40B/30.80A	41.40B/30.80A	----	----	----	33.90 - 2.00	.1243	----	----	----	16	UNCH	1
5215	----	----	----	40.90B/30.50A	40.90B/30.50A	----	----	----	33.50 - 2.00	.1230	----	----	----	20	UNCH	1
5225	----	----	----	40.00B/29.80A	40.00B/29.80A	----	----	----	32.70 - 2.00	.1204	----	----	----	104	UNCH	1
5230	32.80	32.80	----	39.60B/29.50A	39.60B/29.50A	----	----	----	32.30 - 2.10	.1191	----	----	2	7 +	2	UNCH
5235	----	----	----	39.10B/29.20A	39.10B/29.20A	----	----	----	32.00 - 2.00	.1180	----	----	----	64	UNCH	1
5240	----	----	----	38.80B/28.90A	38.80B/28.90A	----	----	----	31.60 - 2.00	.1167	----	----	----	5	UNCH	1
5245	----	----	----	38.30B/28.50A	38.30B/28.50A	----	----	----	31.30 - 2.00	.1156	----	----	----	3	UNCH	1
5250	35.70	35.70	----	37.90B/28.20A	37.90B/28.20A	----	----	----	30.90 - 2.00	.1144	----	----	11	406 +	5	UNCH
5255	----	----	----	37.50B/27.90A	37.50B/27.90A	----	----	----	30.60 - 2.00	.1133	----	----	----	2	UNCH	1
5260	----	----	----	37.10B/27.60A	37.10B/27.60A	----	----	----	30.20 - 2.10	.1120	----	----	----	20	UNCH	1
5270	29.60	29.60	----	36.30												

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL		COMEX GOLD OPTIONS															
JAN27																	
5605	----	----	----	18.90B/14.20A	18.90B/14.20A	----	----	----	15.10 - 1.60	.0582	----	----	----	----	14	UNCH	
5615	----	----	----	18.50B/13.90A	18.50B/13.90A	----	----	----	14.90 - 1.50	.0573	----	----	----	----	1	UNCH	
5620	----	----	----	18.40B/13.80A	18.40B/13.80A	----	----	----	14.80 - 1.50	.0569	----	----	----	----	2	UNCH	
5650	----	----	----	17.50B/13.20A	17.50B/13.20A	----	----	----	14.00 - 1.50	.0539	----	----	----	----	2	UNCH	
5655	----	----	----	17.30B/13.10A	17.30B/13.10A	----	----	----	13.90 - 1.50	.0535	----	----	----	----	3	UNCH	
5675	----	----	----	16.70B/12.70A	16.70B/12.70A	----	----	----	13.50 - 1.40	.0519	----	----	----	----	3	UNCH	
5690	----	----	----	16.30B/12.40A	16.30B/12.40A	----	----	----	13.10 - 1.50	.0505	----	----	----	----	3	UNCH	
5700	----	----	----	16.10B/12.20A	16.10B/12.20A	----	----	----	12.90 - 1.40	.0497	----	----	----	----	95	UNCH	
5705	----	----	----	15.90B/12.10A	15.90B/12.10A	----	----	----	12.80 - 1.40	.0493	----	----	----	----	13	UNCH	
5720	----	----	----	15.50B/11.80A	15.50B/11.80A	----	----	----	12.50 - 1.40	.0481	----	----	----	----	2	UNCH	
5725	----	----	----	15.40B/11.80A	15.40B/11.80A	----	----	----	12.40 - 1.40	.0478	----	----	----	----	6	UNCH	
5735	----	----	----	15.10B/11.60A	15.10B/11.60A	----	----	----	12.20 - 1.40	.0470	----	----	----	----	1	UNCH	
5745	----	----	----	14.90B/11.40A	14.90B/11.40A	----	----	----	12.00 - 1.40	.0462	----	----	----	----	2	UNCH	
5750	----	----	----	14.80B/11.30A	14.80B/11.30A	----	----	----	11.90 - 1.40	.0458	----	----	----	----	8	UNCH	
5760	----	----	----	14.50B/11.20A	14.50B/11.20A	----	----	----	11.80 - 1.30	.0454	----	----	----	----	2	UNCH	
5770	----	----	----	14.30B/11.00A	14.30B/11.00A	----	----	----	11.60 - 1.30	.0446	----	----	----	----	10	UNCH	
5775	----	----	----	14.20B/10.90A	14.20B/10.90A	----	----	----	11.50 - 1.30	.0442	----	----	----	----	215	UNCH	
5800	----	----	----	13.70B/10.60A	13.70B/10.60A	----	----	----	11.10 - 1.20	.0426	----	----	138	----	310	- 70	
5820	----	----	----	13.30B/10.30A	13.30B/10.30A	----	----	----	10.80 - 1.20	.0414	----	----	----	----	7	UNCH	
5850	----	----	----	12.70B/9.90A	12.70B/9.90A	----	----	----	10.30 - 1.20	.0395	----	----	----	----	4	UNCH	
5875	----	----	----	12.30B/9.50A	12.30B/9.50A	----	----	----	10.00 - 1.10	.0383	----	----	----	----	5	UNCH	
5900	----	----	----	11.80B/9.20A	11.80B/9.20A	----	----	----	9.70 - 1.10	.0370	----	----	----	----	217	UNCH	
5925	----	----	----	11.40B/9.00A	11.40B/9.00A	----	----	----	9.30 - 1.10	.0355	----	----	----	----	2	UNCH	
5950	----	----	----	11.00B/8.70A	11.00B/8.70A	----	----	----	9.10 - 1.00	.0346	----	----	----	----	1	UNCH	
5975	----	----	----	10.60B/8.40A	10.60B/8.40A	----	----	----	8.80 - 1.00	.0334	----	----	----	----	14	UNCH	
6000	9.60	9.60	----	10.30B/8.20A	10.30B/8.20A	----	----	----	8.50 - 1.00	.0323	----	----	2	----	968	+	
6025	8.60	8.60	----	10.00B/7.90A	10.00B/7.90A	----	----	----	8.30 - 1.00	.0314	----	----	9	----	239	+	
6250	6.60	6.60	----	7.70B/6.40A	7.70B/6.40A	----	----	----	6.60 - 0.80	.0244	----	----	11	----	70	+	
6300	7.40	7.40	----	7.40/6.10A	7.40/6.10A	----	----	----	6.30 - 0.70	.0231	----	----	5	----	561	+	
6500	5.50	5.50	----	6.10B/5.20A	6.10B/5.20A	----	----	----	5.30 - 0.60	.0190	----	----	15	----	1289	+	
7900	----	----	----	----	2.50B/2.50A	----	----	----	2.30 - 0.20	.0071	----	----	----	----	12	UNCH	
9000	----	----	----	----	1.50B/1.60A	----	----	----	1.50 NEW	.0043	----	----	1	----	1	+	
10000	1.00	1.00	----	1.20/1.00	1.20/1.00	----	----	----	1.20 UNCH	.0032	----	----	62	----	172	+	
20000	----	----	----	----	0.10B/0.30A	----	----	----	0.20 - 0.10	.0004	----	----	----	----	238	UNCH	
TOTAL												1255	----	25955	+	210	UNCH
FEB27																	
3500	----	----	----	951.00B/-----	951.00B/954.30A	----	----	----	969.90 + 22.90	.9508	----	----	----	----	2	UNCH	
3950	----	----	----	560.00B/543.40A	560.00B/543.40A	----	----	----	563.30 + 16.40	.8334	----	----	----	----	1	UNCH	
4000	----	----	----	521.30B/491.30A	521.30B/491.30A	----	----	----	523.00 + 15.30	.8108	----	----	----	----	8	UNCH	
4010	----	----	----	514.20B/484.00A	514.20B/484.00A	----	----	----	515.10 + 15.00	.8060	----	----	----	----	1	UNCH	
4100	----	----	----	458.80B/416.80A	458.80B/416.80A	----	----	----	447.00 + 13.00	.7592	----	----	----	----	211	UNCH	
4140	----	----	----	430.70B/389.80A	430.70B/389.80A	----	----	----	418.40 + 11.90	.7363	----	----	----	----	2	UNCH	
4150	----	----	----	423.90B/383.30A	423.90B/383.30A	----	----	----	411.50 + 11.80	.7304	----	----	----	----	102	UNCH	
4165	----	----	----	413.70B/373.60A	413.70B/373.60A	----	----	----	401.20 + 11.40	.7214	----	----	----	----	2	UNCH	
4170	----	----	----	410.20B/370.40A	410.20B/370.40A	----	----	----	397.80 + 11.30	.7184	----	----	----	----	20	UNCH	
4175	----	----	----	407.00B/367.20A	407.00B/367.20A	----	----	----	394.40 + 11.10	.7154	----	----	----	----	1	UNCH	
4200	----	----	----	390.60B/351.60A	390.60B/351.60A	----	----	----	377.70 + 10.50	.6999	----	----	----	----	280	UNCH	
4205	----	----	----	387.50B/348.40A	387.50B/348.40A	----	----	----	374.50 + 10.40	.6968	----	----	----	----	9	UNCH	
4220	----	----	----	377.80B/339.50A	377.80B/339.50A	----	----	----	364.80 + 10.10	.6873	----	----	----	----	8	UNCH	
4225	----	----	----	374.70B/336.50A	374.70B/336.50A	----	----	----	361.60 + 9.90	.6841	----	----	----	----	12	UNCH	
4250	----	----	----	359.10B/321.80A	359.10B/321.80A	----	----	----	345.80 + 9.20	.6680	----	----	----	----	132	UNCH	
4255	----	----	----	356.20B/318.30A	356.20B/318.30A	----	----	----	342.70 + 9.10	.6648	----	----	----	----	110	UNCH	
4260	----	----	----	353.10B/314.90A	353.10B/314.90A	----	----	----	339.70 + 9.00	.6615	----	----	----	----	10	UNCH	
4265	----	----	----	350.20B/311.80A	350.20B/311.80A	----	----	----	336.60 + 8.90	.6583	----	----	----	----	65	UNCH	
4270	----	----	----	347.20B/309.10A	347.20B/309.10A	----	----	----	333.60 + 8.80	.6549	----	----	----	----	10	UNCH	
4285	----	----	----	338.30B/300.60A	338.30B/300.60A	----	----	----	324.60 + 8.40	.6450	----	----	----	----	50	UNCH	
4300	----	----	----	329.50B/292.20A	329.50B/292.20A	----	----	----	315.80 + 8.00	.6350	----	----	----	----	338	UNCH	
4325	----	----	----	315.30B/278.50A	315.30B/278.50A	----	----	----	301.60 + 7.50	.6182	----	----	----	----	1	UNCH	
4335	----	----	----	309.90B/273.20A	309.90B/273.20A	----	----	----	296.00 + 7.30	.6114	----	----	----	----	19	UNCH	
4340	----	----	----	307.20B/270.30A	307.20B/270.30A	----	----	----	293.20 + 7.10	.6080	----	----	----	----	19	UNCH	
4350	----	----	----	301.60B/265.40A	301.60B/265.40A	----	----	----	287.80 + 6.90	.6012	----	----	----	----	15	UNCH	
4370	----	----	----	293.40B/255.50A	293.40B/255.50A	----	----	----	277.10 + 6.50	.5875	----	----	----	----	2	UNCH	
4385	----	----	----	286.00B/248.10A	286.00B/248.10A	----	----	----	269.30 + 6.10	.5772	----	----	----	----	19	UNCH	
4390	----	----	----	283.40B/245.60A	283.40B/245.60A	----	----	----	266.80 + 6.10	.5738	----	----	----	----	4	UNCH	
4395	----	----	----	280.90B/243.10A	280.90B/243.10A	----	----	----	264.20 + 5.90	.5703	----	----	----	----	1	UNCH	
4400	----	----	----	278.40B/240.70A	278.40B/240.70A	----	----	----	261.70 + 5.80	.5669	----	----	----	----	192	UNCH	
4405	----	----	----	275.80B/238.40A	275.80B/238.40A	----	----	----	259.20 + 5.70	.5635	----	----	----	----	2	UNCH	
4410	----	----	----	273.10B/236.10A	273.10B/236.10A	----	----	----	256.70 + 5.60	.5600	----	----	1	----	17	+	
4415	238.50	238.50	----	270.60B/234.20A	270.60B/234.20A	----	----	----	254.30 + 5.60	.5566	----	----	3	----	244	+	
4420	----	----	----	268.40B/231.80A	268.40B/231.80A	----	----	----	251.80 + 5.40	.5532	----	----	----	----	4	UNCH	
4425	----	----	----	265.90B/229.30A	265.90B/229.30A	----	----	----	249.40 + 5.40	.5497	----	----	----	----	24	UNCH	
4430	----	----	----	263.30B/227.10A	263.30B/227.10A	----	----	----	247.00 + 5.30	.5463	----	----	----	----	257	UNCH	
4435	----	----	----	260.90B/224.90A	260.90B/224.90A	----	----	----	244.60 + 5.20	.5429	----	----	----	----	7	UNCH	
4440	----	----	----	258.70B/222.50A	258.70B/222.50A	----	----	----	242.20 + 5.00	.5394	----	----	----	----	5	UNCH	
4445	----	----	----	256.40B/220.40A	256.40B/220.40A	----	----	----	239.90 + 5.00	.5360	----	----	----	----	12	UNCH	
4450	217.60	217.60	----	253.90B/217.60	253.90B/217.60	----	----	----	237.50 + 4.80	.5326	----	----	7	----	141	+	
4455	221.00	221.00	----	251.70B/216.40A	251.70B/216.40A	----	----	----	235.20 + 4.80	.5291	----	----	3	----	4	+	
4460	221.80	221.80	----	249.40B/214.10A	249.40B/214.10A	----	----	----	232.90 + 4.70	.5257	----	----	3	----	4	+	
4465	----	----	----	247.10B/212.00A	247.10B/212.00A	----	----	----	230.60 + 4.50	.5223	----	----	----	----	4	UNCH	
4470	----	----	----	245.00B/209.80A	245.00B/209.80A	----	----	----	228.30 + 4.40	.5189	----	----	----	----	11	UNCH	
4475	----	----	----	242.80B/207.90A	242.80B/207.90A	----	----	----	226.10 + 4.30	.5155	----	----	----	----	52	UNCH	
4480	219.70	219.70	----	240.20B/205.60A	240.20B/205.60A	----	----	----	223.90 + 4.30	.5121	----	----	6	----	13	+	
4485	218.90	218.90	----	238.00B/203.60A	238.00B/203.60A	----	----	----	221.70 NEW	.5087	----	----	11	----	11	+	
4490	----	----	----	235.90B/201.50A	235.90B/201.50A	----	----	----	219.50 + 4.10	.5053	----	----	----	----	50	UNCH	
4500	215.00	215.00	----	231.80B/197.70A	231.80B/197.70A	----	----	----	215.10 + 3.80	.4985	----	----	1	----	560	UNCH	
4505	----	----	----	229.30B/195.50A	229.30B/195.50A	----	----	----	213.00 + 3.80	.4952	----	----	----	----	2	UNCH	
4510	----	----	----	227.20B/193.60A	227.20B/193.60A	----	----	----	210.80 + 3.60	.4918	----	----	----	----	2	UNCH	
4515	201.50	201.50	----	225.00B/191.60A	225.00B/191.60A	----	----	----	208.70 + 3.50	.4884	----	----	2	----	2		

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS														
FEB27																
4900	----	----	----	106.00B/85.70A	106.00B/85.70A	----	----	----	93.40 - 1.20	.2667	----	----	----	----	334	UNCH
4905	----	----	----	104.70B/84.70A	104.70B/84.70A	----	----	----	92.40 - 1.20	.2644	----	----	----	----	16	UNCH
4920	----	----	----	101.50B/82.00A	101.50B/82.00A	----	----	----	89.50 - 1.30	.2577	----	----	----	----	5	UNCH
4925	----	----	----	100.60B/81.20A	100.60B/81.20A	----	----	----	88.50 - 1.40	.2554	----	----	----	----	4	UNCH
4930	----	----	----	99.60B/80.40A	99.60B/80.40A	----	----	----	87.60 - 1.40	.2532	----	----	----	----	46	UNCH
4935	----	----	----	98.80B/79.50A	98.80B/79.50A	----	----	----	86.70 - 1.40	.2511	----	----	----	----	2	UNCH
4945	----	----	----	96.80B/77.80A	96.80B/77.80A	----	----	----	84.90 - 1.40	.2468	----	----	----	----	18	UNCH
4950	----	----	----	95.60B/77.00A	95.60B/77.00A	----	----	----	84.00 - 1.40	.2446	----	----	----	----	4	UNCH
4955	----	----	----	95.00B/76.20A	95.00B/76.20A	----	----	----	83.10 - 1.50	.2425	----	----	----	----	2	UNCH
4960	----	----	----	93.70B/75.40A	93.70B/75.40A	----	----	----	82.20 - 1.50	.2403	----	----	----	----	7	UNCH
4975	----	----	----	91.00B/73.00A	91.00B/73.00A	----	----	----	79.60 - 1.60	.2341	----	----	----	----	3	UNCH
4995	----	----	----	87.40B/70.00A	87.40B/70.00A	----	----	----	76.30 - 1.70	.2260	----	----	----	----	20	UNCH
5000	71.00	71.00	71.00	86.60B/69.20A	86.60B/69.20A	----	----	----	75.50 - 1.70	.2240	----	----	5	----	2907 +	4
5005	75.10	75.10	75.10	86.10B/68.50A	86.10B/68.50A	----	----	----	74.70 - 1.80	.2220	----	----	3	----	23 +	3
5010	----	----	----	85.10B/67.80A	85.10B/67.80A	----	----	----	73.90 - 1.80	.2201	----	----	----	----	7	UNCH
5020	----	----	----	83.00B/66.40A	83.00B/66.40A	----	----	----	72.40 - 1.80	.2163	----	----	----	----	5	UNCH
5025	----	----	----	82.40B/65.70A	82.40B/65.70A	----	----	----	71.60 - 1.90	.2143	----	----	----	----	30	UNCH
5030	----	----	----	81.80B/65.10A	81.80B/65.10A	----	----	----	70.90 - 1.80	.2125	----	----	----	----	6	UNCH
5040	----	----	----	80.00B/63.70A	80.00B/63.70A	----	----	----	69.40 - 1.90	.2087	----	----	----	----	1	UNCH
5045	----	----	----	79.40B/63.10A	79.40B/63.10A	----	----	----	68.70 - 1.90	.2069	----	----	----	----	50	UNCH
5050	----	----	----	78.50B/62.40A	78.50B/62.40A	----	----	----	68.00 - 1.90	.2051	----	----	----	----	116	UNCH
5060	----	----	----	76.90B/61.10A	76.90B/61.10A	----	----	----	66.60 - 1.90	.2015	----	----	----	----	1	UNCH
5075	----	----	----	74.80B/59.30A	74.80B/59.30A	----	----	----	64.50 - 2.00	.1962	----	----	----	----	155	UNCH
5090	----	----	----	72.60B/57.60A	72.60B/57.60A	----	----	----	62.50 - 2.10	.1910	----	----	----	----	2	UNCH
5095	----	----	----	71.90B/56.90A	71.90B/56.90A	----	----	----	61.90 - 2.00	.1894	----	----	----	----	9	UNCH
5100	----	----	----	71.30B/56.30A	71.30B/56.30A	----	----	----	61.30 - 2.00	.1878	----	----	1	----	665 +	1
5105	----	----	----	70.60B/55.80A	70.60B/55.80A	----	----	----	60.60 - 2.10	.1860	----	----	----	----	40	UNCH
5110	----	----	----	69.90B/55.20A	69.90B/55.20A	----	----	----	60.00 - 2.10	.1844	----	----	----	----	43	UNCH
5115	----	----	----	69.20B/54.60A	69.20B/54.60A	----	----	----	59.40 - 2.10	.1828	----	----	----	----	40	UNCH
5120	----	----	----	68.30B/54.20A	68.30B/54.20A	----	----	----	58.80 - 2.10	.1812	----	----	----	----	2	UNCH
5125	----	----	----	67.70B/53.50A	67.70B/53.50A	----	----	----	58.20 - 2.10	.1796	----	----	----	----	6	UNCH
5130	----	----	----	67.00B/53.00A	67.00B/53.00A	----	----	----	57.60 - 2.10	.1780	----	----	----	----	2	UNCH
5140	56.60	56.60	56.60	65.70B/52.00A	65.70B/52.00A	----	----	----	56.40 - NEW	.1748	----	----	2	----	2 +	2
5145	----	----	----	65.00B/51.40A	65.00B/51.40A	----	----	----	55.80 - 2.20	.1732	----	----	----	----	4	UNCH
5150	61.40	61.40	61.40	64.50B/50.90A	64.50B/50.90A	----	----	----	55.30 - 2.10	.1718	----	----	5	----	39 +	4
5155	----	----	----	63.90B/50.40A	63.90B/50.40A	----	----	----	54.70 - 2.20	.1702	----	----	----	----	4	UNCH
5160	----	----	----	63.20B/49.90A	63.20B/49.90A	----	----	----	54.20 - 2.10	.1688	----	----	----	----	4	UNCH
5165	----	----	----	62.60B/49.40A	62.60B/49.40A	----	----	----	53.60 - 2.20	.1672	----	----	----	----	5	UNCH
5170	----	----	----	62.00B/48.90A	62.00B/48.90A	----	----	----	53.10 - 2.10	.1658	----	----	----	----	5	UNCH
5175	----	----	----	61.50B/48.40A	61.50B/48.40A	----	----	----	52.50 - 2.20	.1643	----	----	----	----	127	UNCH
5180	----	----	----	60.70B/47.90A	60.70B/47.90A	----	----	----	52.00 - 2.20	.1629	----	----	----	----	1	UNCH
5185	----	----	----	60.20B/47.50A	60.20B/47.50A	----	----	----	51.50 - 2.20	.1615	----	----	----	----	125	UNCH
5200	----	----	----	58.60B/46.10A	58.60B/46.10A	----	----	----	49.90 - 2.20	.1571	----	----	----	----	3077	UNCH
5210	50.80	50.80	50.80	57.50B/45.20A	57.50B/45.20A	----	----	----	49.00 - NEW	.1545	----	----	1	----	1 +	1
5220	----	----	----	56.50B/44.30A	56.50B/44.30A	----	----	----	48.00 - 2.20	.1518	----	----	----	----	27	UNCH
5230	----	----	----	55.20B/43.60A	55.20B/43.60A	----	----	----	47.00 - 2.20	.1490	----	----	----	----	13	UNCH
5235	----	----	----	54.70B/43.00A	54.70B/43.00A	----	----	----	46.60 - 2.20	.1479	----	----	----	----	1	UNCH
5240	----	----	----	54.20B/42.60A	54.20B/42.60A	----	----	----	46.10 - 2.20	.1465	----	----	----	----	4	UNCH
5245	46.50	46.50	46.50	53.80B/42.20A	53.80B/42.20A	----	----	----	45.70 - 2.20	.1453	----	----	7	----	9 +	7
5250	----	----	----	53.30B/41.80A	53.30B/41.80A	----	----	----	45.20 - 2.20	.1439	----	----	----	----	470	UNCH
5255	----	----	----	52.80B/41.40A	52.80B/41.40A	----	----	----	44.80 - 2.20	.1428	----	----	----	----	1	UNCH
5260	----	----	----	52.20B/41.00A	52.20B/41.00A	----	----	----	44.30 - 2.20	.1414	----	----	1	----	3 +	1
5265	----	----	----	51.70B/40.60A	51.70B/40.60A	----	----	----	43.90 - 2.20	.1402	----	----	----	----	7	UNCH
5270	----	----	----	51.30B/40.20A	51.30B/40.20A	----	----	----	43.50 - 2.20	.1391	----	----	----	----	14	UNCH
5275	----	----	----	50.80B/39.80A	50.80B/39.80A	----	----	----	43.00 - 2.30	.1377	----	----	----	----	16	UNCH
5280	----	----	----	50.30B/39.60A	50.30B/39.60A	----	----	----	42.60 - 2.20	.1366	----	----	----	----	20	UNCH
5285	----	----	----	49.80B/39.20A	49.80B/39.20A	----	----	----	42.20 - 2.20	.1354	----	----	----	----	4	UNCH
5290	----	----	----	49.50B/38.70A	49.50B/38.70A	----	----	----	41.80 - 2.20	.1342	----	----	----	----	4	UNCH
5295	----	----	----	48.80B/38.50A	48.80B/38.50A	----	----	----	41.40 - 2.20	.1331	----	----	----	----	35	UNCH
5300	----	----	----	48.60B/38.00A	48.60B/38.00A	----	----	----	41.00 - 2.20	.1319	----	----	----	----	849	UNCH
5305	38.20	38.20	38.20	48.00B/37.70A	48.00B/37.70A	----	----	----	40.60 - 2.20	.1308	----	----	1	----	14	UNCH
5315	40.30	40.30	40.30	47.10B/37.00A	47.10B/37.00A	----	----	----	39.80 - NEW	.1285	----	----	2	----	2 +	2
5320	41.00	41.00	41.00	46.70B/36.60A	46.70B/36.60A	----	----	----	39.40 - NEW	.1273	----	----	8	----	8 +	8
5330	----	----	----	45.90B/36.00A	45.90B/36.00A	----	----	----	38.70 - 2.20	.1252	----	----	----	----	1	UNCH
5335	----	----	----	45.50B/35.60A	45.50B/35.60A	----	----	----	38.30 - 2.20	.1241	----	----	----	----	13	UNCH
5340	----	----	----	45.00B/35.30A	45.00B/35.30A	----	----	----	38.00 - 2.20	.1231	----	----	----	----	5	UNCH
5350	----	----	----	44.10B/34.70A	44.10B/34.70A	----	----	----	37.20 - 2.20	.1209	----	----	----	----	261	UNCH
5355	38.60	38.60	38.60	43.80B/34.30A	43.80B/34.30A	----	----	----	36.90 - 2.20	.1199	----	----	1	----	19 +	1
5360	----	----	----	43.40B/34.00A	43.40B/34.00A	----	----	----	36.50 - NEW	.1188	----	----	1	----	1 +	1
5365	----	----	----	43.00B/33.70A	43.00B/33.70A	----	----	----	36.20 - 2.20	.1179	----	----	----	----	1	UNCH
5370	----	----	----	42.60B/33.40A	42.60B/33.40A	----	----	----	35.90 - 2.10	.1169	----	----	----	----	4	UNCH
5375	----	----	----	42.20B/33.10A	42.20B/33.10A	----	----	----	35.50 - 2.20	.1158	----	----	----	----	1	UNCH
5385	----	----	----	41.50B/32.50A	41.50B/32.50A	----	----	----	34.90 - 2.10	.1140	----	----	----	----	8	UNCH
5390	----	----	----	41.20B/32.20A	41.20B/32.20A	----	----	----	34.50 - 2.20	.1129	----	----	----	----	4	UNCH
5400	----	----	----	40.40B/31.60A	40.40B/31.60A	----	----	----	33.90 - 2.20	.1110	----	----	----	----	1418	UNCH
5425	----	----	----	38.60B/30.30A	38.60B/30.30A	----	----	----	32.40 - 2.10	.1065	----	----	----	----	1	UNCH
5435	----	----	----	37.90B/29.70A	37.90B/29.70A	----	----	----	31.80 - 2.10	.1047	----	----	----	----	3	UNCH
5440	----	----	----	37.60B/29.50A	37.60B/29.50A	----	----	----	31.50 - 2.10	.1038	----	----	----	----	2	UNCH
5450	----	----	----	36.90B/29.00A	36.90B/29.00A	----	----	----	31.00 - 2.10	.1022	----	----	----	----	158	UNCH
5465	----	----	----	35.80B/28.20A	35.80B/28.20A	----	----	----	30.10 - 2.10	.0995	----	----	----	----	5	UNCH
5475	----	----	----	35.40B/27.70A	35.40B/27.70A	----	----	----	29.60 - 2.10	.0979	----	----	----	----	1	UNCH
5490	----	----	----	34.50B/27.00A	34.50B/27.00A	----	----	----	28.80 - 2.10	.0955	----	----	25	----	85 +	25
5500	----	----	----	33.80B/26.60A	33.80B/26.60A	----	----	----	28.30 - 2.10	.0939	----	----	25	----	2038 +	25
5510	----	----	----	33.30B/26.20A	33.30B/26.20A	----	----	----	27.80 - 2.10	.0924	----	----	----	----	3	UNCH
5520	----	----	----	32.60B/25.70A	32.60B/25.70A	----	----	----	27.40 - 2.00	.0911	----	----	----	----	300	UNCH
5525	----	----	----	32.30B/25.50A	32.30B/25.50A	----	----	----	27.10 - 2.00	.0902	----	----	----	----	2	UNCH
5530	----	----	----	32.20B/25.30A	32.20B/25.30A	----	----	----	26.90 - 2.00	.0895	----	----	----	----	105	UNCH
5540	----	----	----	3												

PG64 BULLETIN #180@												METALS OPTION PRODUCTS												Fri, Sep 18, 2026 PG64											
GLOBEX OPEN		OPEN OPEN		OUTCRY RANGE		GLOBEX HIGH/LOW		OPEN HIGH/LOW		OUTCRY RANGE		OPEN CLOSE		OUTCRY RANGE		SETT.PRICE & PT.CHGE.		DELTA		EXER CISES		OPEN OUTCRY VOLUME		GLOBEX® VOLUME		PNT VOLUME		OPEN INTEREST							
OG CALL				COMEX GOLD OPTIONS																															
MAR27																																			
4225	----	----	----	----	----	411.20B/384.10A	411.20B/384.10A	----	----	408.20	+ 10.20	.6915	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	2	UNCH	----	----				
4300	----	----	----	----	----	364.60B/337.80A	364.60B/337.80A	----	----	362.00	+ 8.80	.6479	----	----	----	----	----	----	----	----	----	----	----	----	----	----	216	UNCH	----	----	----				
4345	----	----	----	----	----	345.20B/313.10A	345.20B/313.10A	----	----	336.20	+ 7.90	.6208	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH	----	----	----			
4350	----	----	----	----	----	341.70B/310.50A	341.70B/310.50A	----	----	333.40	+ 7.80	.6178	----	----	----	----	----	----	----	----	----	----	----	----	----	----	20	UNCH	----	----	----				
4370	----	----	----	----	----	330.70B/299.60A	330.70B/299.60A	----	----	322.50	+ 7.30	.6056	----	----	----	----	----	----	----	----	----	----	----	----	----	----	270	UNCH	----	----	----				
4400	----	----	----	----	----	320.10B/284.80A	320.10B/284.80A	----	----	306.60	+ 6.50	.5872	----	----	----	----	----	----	----	----	----	----	----	1	----	1	----	550	UNCH	----	----	----			
4420	----	----	----	----	----	309.50B/275.00A	309.50B/275.00A	----	----	296.30	+ 6.00	.5750	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH	----	----	----			
4440	----	----	----	----	----	301.20B/265.50A	301.20B/265.50A	----	----	286.30	+ 5.60	.5627	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH	----	----	----			
4450	----	----	----	----	----	297.00B/261.10A	297.00B/261.10A	----	----	281.40	+ 5.40	.5565	----	----	----	----	----	----	----	----	----	----	----	----	----	----	234	UNCH	----	----	----				
4460	----	----	----	----	----	291.20B/256.40A	291.20B/256.40A	----	----	276.50	+ 5.30	.5504	----	----	----	----	----	----	----	----	----	----	----	----	----	----	5	UNCH	----	----	----				
4470	----	----	----	----	----	287.70B/252.00A	287.70B/252.00A	----	----	271.80	+ 5.20	.5442	----	----	----	----	----	----	----	----	----	----	----	----	----	----	6	UNCH	----	----	----				
4475	----	----	----	----	----	285.20B/250.20A	285.20B/250.20A	----	----	269.40	+ 5.10	.5411	----	----	----	----	----	----	----	----	----	----	----	----	----	----	2	UNCH	----	----	----				
4480	----	----	----	----	----	282.70B/247.50A	282.70B/247.50A	----	----	267.10	+ 5.20	.5381	----	----	----	----	----	----	----	----	----	----	----	----	----	----	50	UNCH	----	----	----				
4495	----	----	----	----	----	276.20B/241.20A	276.20B/241.20A	----	----	260.20	+ 5.00	.5289	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH	----	----	----			
4500	258.60	258.60	258.60	258.60	258.60	274.00B/239.20A	274.00B/239.20A	----	----	258.00	+ 5.10	.5258	----	----	----	----	----	----	----	----	----	----	----	4	----	4	515	+	1	UNCH	----	----			
4525	----	----	----	----	----	262.30B/228.70A	262.30B/228.70A	----	----	246.90	+ 4.80	.5106	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	2	UNCH	----	----	----			
4550	----	----	----	----	----	251.60B/219.10A	251.60B/219.10A	----	----	236.20	+ 4.40	.4955	----	----	----	----	----	----	----	----	----	----	----	----	----	----	241	UNCH	----	----	----				
4555	----	----	----	----	----	249.40B/217.10A	249.40B/217.10A	----	----	234.10	+ 4.30	.4925	----	----	----	----	----	----	----	----	----	----	----	----	----	----	20	UNCH	----	----	----				
4580	----	----	----	----	----	239.40B/207.40A	239.40B/207.40A	----	----	223.80	+ 3.80	.4776	----	----	----	----	----	----	----	----	----	----	----	----	----	----	29	UNCH	----	----	----				
4590	----	----	----	----	----	235.40B/203.90A	235.40B/203.90A	----	----	219.80	+ 3.60	.4716	----	----	----	----	----	----	----	----	----	----	----	----	----	----	20	UNCH	----	----	----				
4600	----	----	----	----	----	231.20B/200.30A	231.20B/200.30A	----	----	215.90	+ 3.50	.4658	----	----	----	----	----	----	----	----	----	----	----	----	----	----	201	UNCH	----	----	----				
4605	----	----	----	----	----	228.90B/198.50A	228.90B/198.50A	----	----	213.90	+ 3.30	.4628	----	----	----	----	----	----	----	----	----	----	----	----	----	----	33	UNCH	----	----	----				
4610	----	----	----	----	----	227.30B/196.70A	227.30B/196.70A	----	----	212.00	+ 3.20	.4599	----	----	----	----	----	----	----	----	----	----	----	----	----	----	302	UNCH	----	----	----				
4615	----	----	----	----	----	225.40B/194.80A	225.40B/194.80A	----	----	210.10	+ 3.10	.4570	----	----	----	----	----	----	----	----	----	----	----	----	----	----	20	UNCH	----	----	----				
4640	----	----	----	----	----	216.30B/186.20A	216.30B/186.20A	----	----	200.80	+ 2.70	.4425	----	----	----	----	----	----	----	----	----	----	----	----	----	----	10	UNCH	----	----	----				
4645	----	----	----	----	----	214.10B/184.50A	214.10B/184.50A	----	----	198.90	+ 2.50	.4396	----	----	----	----	----	----	----	----	----	----	----	----	----	2370	UNCH	----	----	----	----				
4650	----	----	----	----	----	212.00B/182.90A	212.00B/182.90A	----	----	197.10	+ 2.40	.4368	----	----	----	----	----	----	----	----	----	----	----	----	----	----	21	UNCH	----	----	----				
4660	----	----	----	----	----	208.50B/179.60A	208.50B/179.60A	----	----	193.60	+ 2.30	.4311	----	----	----	----	----	----	----	----	----	----	----	----	----	----	2	UNCH	----	----	----				
4670	----	----	----	----	----	204.80B/176.00A	204.80B/176.00A	----	----	190.00	+ 2.00	.4254	----	----	----	----	----	----	----	----	----	----	----	----	----	----	4	UNCH	----	----	----				
4675	----	----	----	----	----	203.70B/174.40A	203.70B/174.40A	----	----	188.30	+ 1.90	.4226	----	----	----	----	----	----	----	----	----	----	----	----	----	----	2	UNCH	----	----	----				
4680	----	----	----	----	----	202.00B/172.90A	202.00B/172.90A	----	----	186.60	+ 1.90	.4198	----	----	----	----	----	----	----	----	----	----	----	----	----	----	2	UNCH	----	----	----				
4685	----	----	----	----	----	199.80B/171.30A	199.80B/171.30A	----	----	184.90	+ 1.80	.4170	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH	----	----	----				
4690	----	----	----	----	----	198.00B/169.80A	198.00B/169.80A	----	----	183.20	+ 1.70	.4143	----	----	----	----	----	----	----	----	----	----	----	----	----	----	10	UNCH	----	----	----				
4700	----	----	----	----	----	194.70B/166.70A	194.70B/166.70A	----	----	179.90	+ 1.50	.4088	----	----	----	----	----	----	----	----	----	----	----	----	----	1498	UNCH	----	----	----	----				
4705	----	----	----	----	----	193.40B/165.20A	193.40B/165.20A	----	----	178.20	+ 1.40	.4060	----	----	----	----	----	----	----	----	----	----	----	----	----	----	119	UNCH	----	----	----				
4710	----	----	----	----	----	191.20B/163.70A	191.20B/163.70A	----	----	176.60	+ 1.40	.4033	----	----	----	----	----	----	----	----	----	----	----	----	----	----	21	UNCH	----	----	----				
4725	----	----	----	----	----	186.80B/159.10A	186.80B/159.10A	----	----	171.80	+ 1.20	.3951	----	----	----	----	----	----	----	----	----	----	----	----	----	----	29	UNCH	----	----	----				
4735	----	----	----	----	----	183.00B/156.30A	183.00B/156.30A	----	----	168.60	+ 1.00	.3897	----	----	----	----	----	----	----	----	----	----	----	----	----	----	4	UNCH	----	----	----				
4745	----	----	----	----	----	179.90B/153.40A	179.90B/153.40A	----	----	165.60	+ 0.90	.3844	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH	----	----	----				
4750	----	----	----	----	----	178.80B/151.90A	178.80B/151.90A	----	----	164.00	+ 0.80	.3817	----	----	----	----	----	----	----	----	----	----	----	----	----	205	UNCH	----	----	----	----				
4755	----	----	----	----	----	176.70B/150.70A	176.70B/150.70A	----	----	162.50	+ 0.70	.3791	----	----	----	----	----	----	----	----	----	----	----	----	----	2372	UNCH	----	----	----	----				
4760	----	----	----	----	----	175.30B/149.30A	175.30B/149.30A	----	----	161.00	+ 0.70	.3765	----	----	----	----	----	----	----	----	----	----	----	----	----	----	51	UNCH	----	----	----				
4765	----	----	----	----	----	173.50B/147.90A	173.50B/147.90A	----	----	159.60	+ 0.70	.3739	----	----	----	----	----	----	----	----	----	----	----	----	----	----	52	UNCH	----	----	----				
4770	----	----	----	----	----	172.30B/146.50A	172.30B/146.50A	----	----	158.10	+ 0.60	.3713	----	----	----	----	----	----	----	----	----	----	----	----	----	50	UNCH	----	----	----					
4775	----	----	----	----	----	170.60B/145.10A	170.60B/145.10A	----	----	156.60	+ 0.50	.3687	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH	----	----	----				
4785	----	----	----	----	----	16																													

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN VOLUME	OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG CALL		COMEX GOLD OPTIONS																	
MAR27																			
6100	----	----	----	/18.20A	19.30B/18.20A	----	----	----	18.50 - 1.30	.0558	----	----	----	----	----	192	UNCH		
6200	----	----	----	/16.40A	17.10B/16.40A	----	----	----	16.60 - 1.10	.0500	----	----	----	----	----	25	UNCH		
6250	----	----	----	/15.60A	16.20B/15.60A	----	----	----	15.80 - 1.00	.0475	----	----	----	----	----	10	UNCH		
6300	----	----	----	/14.90A	15.30B/14.90A	----	----	----	15.10 - 0.90	.0453	----	----	----	----	----	490	UNCH		
6400	----	----	----	/13.70A	14.10B/13.70A	----	----	----	13.80 - 0.80	.0411	----	----	----	----	----	1	UNCH		
6500	----	----	----	/12.60A	12.70B/12.60A	----	----	----	12.60 - 0.70	.0374	----	----	----	----	----	743	UNCH		
TOTAL																22		20189+	11
APR27																			
3000	----	----	----	----	955.30B/1004.90A	----	----	----	1498.60 + 25.40	.9791	----	----	----	----	----	2	UNCH		
3500	----	----	----	----	587.90B/555.00A	587.90B/555.00A	----	----	1013.30 + 22.00	.9311	----	----	----	----	----	6	UNCH		
4000	----	----	----	587.90B/555.00A	587.90B/555.00A	587.90B/555.00A	----	----	585.00 + 14.80	.7878	----	----	----	----	----	5	UNCH		
4060	----	----	----	543.30B/512.20A	543.30B/512.20A	543.30B/512.20A	----	----	540.70 + 13.70	.7614	----	----	----	----	----	1	UNCH		
4125	----	----	----	497.30B/468.40A	497.30B/468.40A	497.30B/468.40A	----	----	495.00 + 12.50	.7308	----	----	----	----	----	92	UNCH		
4150	----	----	----	480.30B/452.20A	480.30B/452.20A	480.30B/452.20A	----	----	478.00 + 11.90	.7185	----	----	----	----	----	1	UNCH		
4170	----	----	----	467.00B/439.50A	467.00B/439.50A	467.00B/439.50A	----	----	464.80 + 11.50	.7085	----	----	----	----	----	1	UNCH		
4175	----	----	----	463.70B/436.50A	463.70B/436.50A	463.70B/436.50A	----	----	461.50 + 11.40	.7060	----	----	----	----	----	1	UNCH		
4200	----	----	----	447.50B/421.00A	447.50B/421.00A	447.50B/421.00A	----	----	445.30 + 10.80	.6932	----	----	----	----	----	100	UNCH		
4210	----	----	----	441.00B/414.90A	441.00B/414.90A	441.00B/414.90A	----	----	439.00 + 10.70	.6880	----	----	----	----	----	6	UNCH		
4225	----	----	----	431.50B/406.00A	431.50B/406.00A	431.50B/406.00A	----	----	429.50 + 10.20	.6801	----	----	----	----	----	24	UNCH		
4230	----	----	----	428.50B/402.90A	428.50B/402.90A	428.50B/402.90A	----	----	426.40 + 10.10	.6775	----	----	----	----	----	100	UNCH		
4250	----	----	----	416.10B/391.30A	416.10B/391.30A	416.10B/391.30A	----	----	414.20 + 9.80	.6669	----	----	----	----	----	121	UNCH		
4270	----	----	----	403.90B/379.90A	403.90B/379.90A	403.90B/379.90A	----	----	402.20 + 9.30	.6561	----	----	----	----	----	1	UNCH		
4300	----	----	----	386.20B/360.60A	386.20B/360.60A	386.20B/360.60A	----	----	384.70 + 8.60	.6398	----	----	----	----	----	305	UNCH		
4350	----	----	----	364.20B/334.10A	364.20B/334.10A	364.20B/334.10A	----	----	356.80 + 7.50	.6122	----	----	----	----	----	104	UNCH		
4375	----	----	----	350.90B/320.80A	350.90B/320.80A	350.90B/320.80A	----	----	343.50 + 7.00	.5983	----	----	----	----	----	40	UNCH		
4395	----	----	----	344.30B/311.00A	344.30B/311.00A	344.30B/311.00A	----	----	333.10 + 6.70	.5871	----	----	----	----	----	1	UNCH		
4400	----	----	----	345.20B/308.60A	345.20B/308.60A	345.20B/308.60A	----	----	330.50 + 6.50	.5843	----	----	----	----	----	6	UNCH		
4410	----	----	----	339.80B/303.70A	339.80B/303.70A	339.80B/303.70A	----	----	325.40 + 6.30	.5787	----	----	----	----	----	1	UNCH		
4415	----	----	----	337.50B/301.40A	337.50B/301.40A	337.50B/301.40A	----	----	322.90 + 6.30	.5759	----	----	----	----	----	1	UNCH		
4420	----	----	----	335.20B/299.00A	335.20B/299.00A	335.20B/299.00A	----	----	320.40 + 6.20	.5731	----	----	----	----	----	31	UNCH		
4440	----	----	----	325.10B/289.80A	325.10B/289.80A	325.10B/289.80A	----	----	310.40 + 5.80	.5619	----	----	----	----	----	50	UNCH		
4445	----	----	----	321.00B/287.50A	321.00B/287.50A	321.00B/287.50A	----	----	307.90 + 5.60	.5591	----	----	----	----	----	3	UNCH		
4450	----	----	----	318.90B/285.70A	318.90B/285.70A	318.90B/285.70A	----	----	305.50 + 5.60	.5563	----	----	----	----	----	201	UNCH		
4475	----	----	----	308.40B/274.30A	308.40B/274.30A	308.40B/274.30A	----	----	293.50 + 5.20	.5422	----	----	----	----	----	1	UNCH		
4480	----	----	----	306.40B/272.10A	306.40B/272.10A	306.40B/272.10A	----	----	291.10 + 5.00	.5394	----	----	----	----	----	20	UNCH		
4485	----	----	----	304.10B/269.90A	304.10B/269.90A	304.10B/269.90A	----	----	288.80 + 5.00	.5366	----	----	----	----	----	1	UNCH		
4500	----	----	----	298.10B/263.50A	298.10B/263.50A	298.10B/263.50A	----	----	281.90 + 4.70	.5282	----	----	----	----	----	49	UNCH		
4505	----	----	----	295.10B/261.40A	295.10B/261.40A	295.10B/261.40A	----	----	279.60 + 4.60	.5254	----	----	----	----	----	2	UNCH		
4515	----	----	----	290.50B/257.30A	290.50B/257.30A	290.50B/257.30A	----	----	275.20 + 4.40	.5198	----	----	----	----	----	31	UNCH		
4520	----	----	----	288.50B/255.20A	288.50B/255.20A	288.50B/255.20A	----	----	273.00 + 4.30	.5171	----	----	----	----	----	1	UNCH		
4525	----	----	----	286.30B/253.20A	286.30B/253.20A	286.30B/253.20A	----	----	270.90 + 4.30	.5143	----	----	----	----	----	20	UNCH		
4540	----	----	----	279.70B/247.20A	279.70B/247.20A	279.70B/247.20A	----	----	264.50 + 4.10	.5060	----	----	----	----	----	100	UNCH		
4550	----	----	----	276.10B/243.20A	276.10B/243.20A	276.10B/243.20A	----	----	260.30 + 3.90	.5005	----	----	----	----	----	108	UNCH		
4555	----	----	----	273.30B/241.20A	273.30B/241.20A	273.30B/241.20A	----	----	258.20 + 3.80	.4978	----	----	----	----	----	5	UNCH		
4565	----	----	----	269.80B/237.40A	269.80B/237.40A	269.80B/237.40A	----	----	254.10 + 3.60	.4923	----	----	----	----	----	21	UNCH		
4575	----	----	----	265.20B/233.50A	265.20B/233.50A	265.20B/233.50A	----	----	250.10 + 3.50	.4869	----	----	----	----	----	50	UNCH		
4590	----	----	----	258.90B/228.00A	258.90B/228.00A	258.90B/228.00A	----	----	244.10 + 3.30	.4788	----	----	----	----	----	32	UNCH		
4595	----	----	----	257.30B/226.10A	257.30B/226.10A	257.30B/226.10A	----	----	242.10 + 3.20	.4761	----	----	----	----	----	21	UNCH		
4600	237.70	----	237.70	254.90B/224.40A	254.90B/224.40A	254.90B/224.40A	----	----	240.20 + 3.20	.4734	----	----	----	2	----	203	UNCH		
4605	----	----	----	253.10B/222.50A	253.10B/222.50A	253.10B/222.50A	----	----	238.20 + 3.10	.4707	----	----	----	----	----	20	UNCH		
4615	----	----	----	249.20B/218.90A	249.20B/218.90A	249.20B/218.90A	----	----	234.30 + 2.90	.4653	----	----	----	----	----	50	UNCH		
4620	----	----	----	247.30B/217.10A	247.30B/217.10A	247.30B/217.10A	----	----	232.40 + 2.90	.4627	----	----	----	----	----	26	UNCH		
4625	----	----	----	245.30B/215.30A	245.30B/215.30A	245.30B/215.30A	----	----	230.50 + 2.80	.4600	----	----	----	----	----	10	UNCH		
4640	----	----	----	239.80B/210.20A	239.80B/210.20A	239.80B/210.20A	----	----	224.90 + 2.60	.4521	----	----	----	----	----	13	UNCH		
4650	----	----	----	235.80B/206.70A	235.80B/206.70A	235.80B/206.70A	----	----	221.20 + 2.50	.4468	----	----	----	----	----	289	UNCH		
4665	----	----	----	230.60B/201.60A	230.60B/201.60A	230.60B/201.60A	----	----	215.80 + 2.30	.4390	----	----	----	----	----	20	UNCH		
4670	----	----	----	228.70B/200.00A	228.70B/200.00A	228.70B/200.00A	----	----	214.00 + 2.20	.4364	----	----	----	----	----	20	UNCH		
4680	----	----	----	225.30B/196.80A	225.30B/196.80A	225.30B/196.80A	----	----	210.50 + 2.00	.4312	----	----	----	----	----	11	UNCH		
4690	----	----	----	221.60B/193.60A	221.60B/193.60A	221.60B/193.60A	----	----	207.00 + 1.80	.4261	----	----	----	----	----	11	UNCH		
4695	----	----	----	219.60B/192.10A	219.60B/192.10A	219.60B/192.10A	----	----	205.30 + 1.80	.4235	----	----	----	----	----	40	UNCH		
4700	----	----	----	218.00B/190.50A	218.00B/190.50A	218.00B/190.50A	----	----	203.60 + 1.70	.4210	----	----	----	----	----	133	UNCH		
4705	----	----	----	216.10B/188.80A	216.10B/188.80A	216.10B/188.80A	----	----	201.90 + 1.60	.4185	----	----	----	----	----	66	UNCH		
4710	----	----	----	215.00B/187.30A	215.00B/187.30A	215.00B/187.30A	----	----	200.30 + 1.60	.4160	----	----	----	----	----	2	UNCH		
4715	----	----	----	213.00B/185.70A	213.00B/185.70A	213.00B/185.70A	----	----	198.60 + 1.40	.4134	----	----	----	----	----	63	UNCH		
4720	----	----	----	211.50B/184.30A	211.50B/184.30A	211.50B/184.30A	----	----	197.00 + 1.40	.4109	----	----	----	----	----	4	UNCH		
4725	----	----	----	209.70B/182.70A	209.70B/182.70A	209.70B/182.70A	----	----	195.40 + 1.40	.4085	----	----	----	----	----	2	UNCH		
4750	----	----	----	201.50B/175.30A	201.50B/175.30A	201.50B/175.30A	----	----	187.50 + 1.00	.3961	----	----	----	----	----	111	UNCH		
4760	----	----	----	198.50B/172.40A	198.50B/172.40A	198.50B/172.40A	----	----	184.40 + 0.90	.3913	----	----							

PG64		BULLETIN #180@										METALS OPTION PRODUCTS										Fri, Sep 18, 2026		PG64	
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH	OUTCRY LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
OG CALL		COMEX GOLD OPTIONS																							
APR27																									
5950	----	----			34.20B/29.40A	34.20B	29.40A	----	----	30.20 - 2.00	.0825	----	----	----	----		1								
6000	----	----			32.30B/27.80A	32.30B	27.80A	----	----	28.40 - 1.90	.0778	----	----	----	----		643								
6025	----	----			-----/26.90A	29.10B/26.90A		----	----	27.60 - 1.80	.0756	----	----	----	----		100								
6050	----	----			-----/26.20A	28.30B/26.20A		----	----	26.80 - 1.80	.0735	----	----	1	----		52 +								
6100	----	----			-----/24.80A	26.70B/24.80A		----	----	25.40 - 1.60	.0697	----	----	----	----		162								
6200	----	----			-----/22.40A	23.70B/22.40A		----	----	22.90 - 1.30	.0629	----	----	----	----		2								
6250	----	----			-----/21.30A	22.50B/21.30A		----	----	21.70 - 1.30	.0596	----	----	----	----		31								
6400	----	----			-----/18.70A	19.20B/18.70A		----	----	18.90 - 1.10	.0518	----	----	----	----		1								
6500	17.20		17.20		17.40/17.20	17.50B/17.20		----	----	17.30 - 1.00	.0473	----	----	6	----		103 +								
TOTAL														80			15422 +								
MAY27																									
4000	----	----			634.10B/602.20A	634.10B	602.20A	----	----	632.30 + 15.20	.7868	----	----	----	----		1								
4050	----	----			597.10B/566.90A	597.10B	566.90A	----	----	595.50 + 14.20	.7667	----	----	----	----		101								
4250	----	----			462.40B/438.20A	462.40B	438.20A	----	----	461.80 + 10.40	.6765	----	----	----	----		14								
4400	----	----			382.20B/354.00A	382.20B	354.00A	----	----	376.40 + 7.60	.6018	----	----	----	----		5								
4505	----	----			338.40B/304.90A	338.40B	304.90A	----	----	324.10 + 5.80	.5480	----	----	----	----		18								
4510	----	----			336.00B/302.70A	336.00B	302.70A	----	----	321.80 + 5.70	.5455	----	----	----	----		2								
4520	----	----			331.40B/298.40A	331.40B	298.40A	----	----	317.20 + 5.60	.5403	----	----	----	----		1								
4550	----	----			318.10B/285.70A	318.10B	285.70A	----	----	303.60 + 4.90	.5250	----	----	----	----		160								
4555	----	----			315.60B/283.70A	315.60B	283.70A	----	----	301.40 + 4.80	.5225	----	----	----	----		18								
4600	----	----			295.60B/265.50A	295.60B	265.50A	----	----	282.20 + 3.80	.4998	----	----	----	----		9								
4650	----	----			276.40B/247.20A	276.40B	247.20A	----	----	262.10 + 2.70	.4750	----	----	----	----		10								
4665	----	----			270.40B/241.30A	270.40B	241.30A	----	----	256.40 + 2.50	.4677	----	----	----	----		1								
4700	----	----			257.90B/229.70A	257.90B	229.70A	----	----	243.40 + 1.90	.4508	----	----	----	----		31								
4785	----	----			228.70B/202.40A	228.70B	202.40A	----	----	214.60 + 0.90	.4113	----	----	----	----		20								
4800	----	----			223.70B/197.80A	223.70B	197.80A	----	----	209.90 + 0.80	.4046	----	----	----	----		72								
4810	----	----			220.70B/195.00A	220.70B	195.00A	----	----	206.80 + 0.70	.4001	----	----	----	----		1								
4850	----	----			208.90B/183.80A	208.90B	183.80A	----	----	194.90 + 0.40	.3827	----	----	----	----		5								
4855	----	----			207.10B/182.30A	207.10B	182.30A	----	----	193.40 + 0.30	.3805	----	----	----	----		2								
4860	----	----			205.70B/180.90A	205.70B	180.90A	----	----	192.00 + 0.30	.3784	----	----	----	----		20								
4900	169.80		169.80		194.40B/169.80	194.40B	169.80	----	----	181.00 UNCH	.3616	----	----	100	----		115 +								
4920	----	----			188.80B/165.40A	188.80B	165.40A	----	----	175.70 - 0.10	.3534	----	----	----	----		2								
4945	----	----			182.20B/159.40A	182.20B	159.40A	----	----	169.30 - 0.30	.3434	----	----	----	----		9								
4950	----	----			181.30B/158.20A	181.30B	158.20A	----	----	168.00 - 0.40	.3413	----	----	----	----		2								
4955	----	----			178.90B/157.10A	178.90B	157.10A	----	----	166.80 - 0.40	.3394	----	----	----	----		9								
4970	----	----			175.80B/153.60A	175.80B	153.60A	----	----	163.10 - 0.50	.3335	----	----	----	----		9								
5000	----	----			168.60B/147.00A	168.60B	147.00A	----	----	155.90 - 0.80	.3219	----	----	----	----		34								
5040	----	----			158.50B/138.50A	158.50B	138.50A	----	----	146.90 - 1.00	.3071	----	----	----	----		1								
5070	----	----			153.00B/132.50A	153.00B	132.50A	----	----	140.50 - 1.00	.2963	----	----	----	----		37								
5100	----	----			145.80B/127.00A	145.80B	127.00A	----	----	134.40 - 1.10	.2859	----	----	----	----		10								
5130	----	----			139.90B/121.50A	139.90B	121.50A	----	----	128.60 - 1.40	.2758	----	----	----	----		8								
5140	----	----			138.20B/119.60A	138.20B	119.60A	----	----	126.70 - 1.50	.2725	----	----	----	----		1								
5145	----	----			137.20B/118.70A	137.20B	118.70A	----	----	125.80 - 1.50	.2709	----	----	----	----		2								
5170	----	----			132.00B/114.60A	132.00B	114.60A	----	----	121.30 - 1.90	.2629	----	----	----	----		20								
5180	----	----			130.80B/113.00A	130.80B	113.00A	----	----	119.50 - 2.10	.2597	----	----	----	----		1								
5185	----	----			129.90B/112.00A	129.90B	112.00A	----	----	118.70 - 2.00	.2582	----	----	----	----		37								
5200	----	----			127.10B/109.70A	127.10B	109.70A	----	----	116.10 - 2.20	.2536	----	----	----	----		159								
5215	----	----			124.20B/107.40A	124.20B	107.40A	----	----	113.60 - 2.20	.2490	----	----	----	----		20								
5220	----	----			123.60B/106.60A	123.60B	106.60A	----	----	112.80 - 2.20	.2475	----	----	----	----		39								
5225	----	----			122.50B/105.90A	122.50B	105.90A	----	----	112.00 - 2.10	.2461	----	----	----	----		2								
5235	----	----			120.50B/104.30A	120.50B	104.30A	----	----	110.40 - 2.10	.2431	----	----	----	----		25								
5240	----	----			120.30B/103.60A	120.30B	103.60A	----	----	109.60 - 2.10	.2416	----	----	----	----		29								
5250	----	----			118.50B/102.00A	118.50B	102.00A	----	----	108.00 - 2.00	.2387	----	----	----	----		231								
5275	----	----			113.80B/98.50A	113.80B	98.50A	----	----	104.10 - 2.00	.2315	----	----	----	----		25								
5300	----	----			110.70B/95.10A	110.70B	95.10A	----	----	100.40 - 1.90	.2246	----	----	----	----		1								
5365	----	----			100.80B/86.80A	100.80B	86.80A	----	----	91.50 - 2.10	.2075	----	----	----	----		3								
5395	----	----			97.10B/83.20A	97.10B	83.20A	----	----	87.70 - 2.30	.2001	----	----	----	----		1								
5400	----	----			96.20B/82.60A	96.20B	82.60A	----	----	87.10 - 2.30	.1989	----	----	----	----		29								
5450	----	----			89.70B/77.20A	89.70B	77.20A	----	----	81.20 - 2.40	.1872	----	----	----	----		9								
5500	----	----			84.40B/72.10A	84.40B	72.10A	----	----	75.70 - 2.50	.1762	----	----	----	----		6								
5515	----	----			82.20B/70.60A	82.20B	70.60A	----	----	74.20 - 2.50	.1731	----	----	----	----		7								
5550	----	----			79.10B/67.40A	79.10B	67.40A	----	----	70.70 - 2.50	.1659	----	----	12	----		237 +								
5630	----	----			71.20B/60.70A	71.20B	60.70A	----	----	63.50 - 2.40	.1508	----	----	----	----		2								
5650	----	----			69.30B/59.20A	69.30B	59.20A	----	----	61.80 - 2.40	.1472	----	----	----	----		5								
5665	----	----			68.10B/58.10A	68.10B	58.10A	----	----	60.60 - 2.40	.1447	----	----	----	----		1								
5700	----	----			65.30B/55.50A	65.30B	55.50A	----	----	57.90 - 2.30	.1388	----	----	----	----		37								
5800	----	----			57.40B/49.20A	57.40B	49.20A	----	----	51.10 - 2.10	.1239	----	----	----	----		2								
5820	----	----			56.10B/48.00A	56.10B	48.00A	----	----	49.80 - 2.20	.1210	----	----	----	----		48								
5840	----	----			54.90B/46.90A	54.90B	46.90A	----	----	48.60 - 2.10	.1183	----	----	----	----		1								
5850	----	----			54.30B/46.30A	54.30B	46.30A	----	----	48.00 - 2.10	.1170	----	----	----	----		57								
5900	----	----			-----/43.70A	47.10B/43.70A		----	----	45.20 - 2.10	.1106	----	----	----	----		7								
5910	----	----			-----/43.20A	46.60B/43.20A		----	----	44.70 - 2.00	.1095	----	----	----	----		1								
5950	----	----			-----/41.30A	44.40B/41.30A		----	----	42.60 - 2.00	.1047	----	----	----	----		1								
5975	----	----			-----/40.20A	43.20B/40.20A		----	----	41.40 - 1.90	.1019	----	----	----	----		1								
6000	----	----			-----/39.00A	42.00B/39.00A		----	----	40.20 - 1.90	.0992	----	----	----	----		122								
6050	----	----			-----/37.00A	39.70B/37.00A		----	----	38.00 - 1.80	.0940	----	----	----	----		1								
6100	----	----			-----/35.10A	37.60B/35.10A		----	----	35.90 - 1.80	.0891	----	----	----	----		2								
6250	----	----			-----/30.20A	32.10B/30.20A		----	----	30.60 - 1.60	.0765	----	----	----	----		50								
6500	----	----			-----/24.10A	24.70B/24.10A		----	----	24.10 - 1.40	.0605	----	----	----	----		3								
8000	----	----			-----	9.90B/11.30A		----	----	10.60 - 0.20	.0245	----	----	----	----		3								
TOTAL														112			1957 +								
JUN27																									
4000	----	----			646.90B/616.60A	646.90B	616.60A	----	----	645.50 + 14.60	.7758	----	----	----	----		37								
4100	----	----			575.80B/548.30A	575.80B	548.30A	----	----	574.90 + 12.80	.7359	----	----	----	----		1								
4150	----	----			542.10B/516.30A	542.10B	516.30A	----	----	541.50 + 11.90	.7147	----	----	----	----		1								
4285	----	----			458.00B/436.30A	458.00B	436.30A	----	----	457.90 + 9.40	.6539	----	----	----	----		100								
4300																									

BULLETIN #180@				METALS OPTION PRODUCTS										Fri, Sep 18, 2026			PG64	
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST				
OG CALL	COMEX GOLD OPTIONS																	
JUN27																		
5300	----	----	----	121.60B/109.90A	121.60B/109.90A	----	----	115.80 - 2.20	.2407	----	----	----	----	4	UNCH			
5350	----	----	----	113.90B/103.10A	113.90B/103.10A	----	----	108.40 - 2.40	.2277	----	----	----	----	3	UNCH			
5360	----	----	----	112.20B/101.60A	112.20B/101.60A	----	----	106.90 - 2.50	.2251	----	----	----	----	325	UNCH			
5400	----	----	----	106.70B/96.60A	106.70B/96.60A	----	----	101.40 - 2.60	.2152	----	----	----	----	701	UNCH			
5450	89.90	89.90		99.70B/89.90	99.70B/89.90	----	----	95.00 - 2.80	.2035	----	----	1	----	7	UNCH			
5470	----	----	----	97.40B/88.30A	97.40B/88.30A	----	----	92.60 - 2.80	.1991	----	----	----	----	1	UNCH			
5500	----	----	----	93.50B/85.00A	93.50B/85.00A	----	----	89.10 - 2.80	.1925	----	----	----	----	1023	UNCH			
5535	----	----	----	89.70B/81.40A	89.70B/81.40A	----	----	85.20 - 2.90	.1852	----	----	----	----	1	UNCH			
5545	----	----	----	88.50B/80.50A	88.50B/80.50A	----	----	84.10 - 2.90	.1831	----	----	----	----	8	UNCH			
5600	----	----	----	82.40B/75.10A	82.40B/75.10A	----	----	78.40 - 3.00	.1723	----	----	----	----	104	UNCH			
5700	----	----	----	73.00B/66.70A	73.00B/66.70A	----	----	69.30 - 3.00	.1544	----	----	----	----	1	UNCH			
5840	----	----	----	61.80B/56.80A	61.80B/56.80A	----	----	58.60 - 2.90	.1328	----	----	----	----	2	UNCH			
5875	----	----	----	59.30B/54.50A	59.30B/54.50A	----	----	56.30 - 2.90	.1280	----	----	----	----	84	UNCH			
5900	----	----	----	----/53.20A	57.50B/53.20A	----	----	54.70 - 2.90	.1247	----	----	----	----	26	UNCH			
5975	----	----	----	----/49.00A	52.60B/49.00A	----	----	50.30 - 2.70	.1154	----	----	----	----	21	UNCH			
6000	----	----	----	----/47.70A	51.10B/47.70A	----	----	48.90 - 2.70	.1125	----	----	----	----	746	UNCH			
6025	----	----	----	----/46.50A	50.00B/46.50A	----	----	47.60 - 2.60	.1097	----	----	----	----	125	UNCH			
6050	----	----	----	49.00B/45.30A	49.00B/45.30A	----	----	46.40 - 2.50	.1070	----	----	----	----	3	UNCH			
6100	----	----	----	----/43.10A	46.10B/43.10A	----	----	44.00 - 2.40	.1018	----	----	----	----	241	UNCH			
6250	----	----	----	----/37.00A	39.40B/37.00A	----	----	37.80 - 2.10	.0882	----	----	----	----	254	UNCH			
6500	----	----	----	----/29.70A	31.30B/29.70A	----	----	30.10 - 1.60	.0706	----	----	10	----	812	+	10		
7000	----	----	----	----/21.00A	20.70B/21.00A	----	----	20.80 - 1.00	.0485	----	----	21	----	392	-	18		
7500	----	----	----	----/16.30A	15.40B/16.30A	----	----	15.90 - 0.50	.0362	----	----	----	----	528	UNCH			
8000	13.10	13.10		13.10/13.10	13.10/13.10	----	----	12.90 - 0.20	.0286	----	----	22	----	395	+	4		
8500	----	----	----	----	10.30B/11.70A	----	----	10.90 UNCH	.0235	----	----	----	----	144	UNCH			
9000	10.00	10.00		10.10B/10.00	10.10B/10.00	----	----	9.40 + 0.10	.0197	----	----	1	----	75	-	1		
9500	----	----	----	----	7.70B/9.20A	----	----	8.30 + 0.10	.0170	----	----	----	----	72	UNCH			
10000	----	----	----	----	6.90B/8.10A	----	----	7.50 + 0.10	.0150	----	----	----	----	29	UNCH			
TOTAL												58	360	12529	-	285		
JUL27																		
4535	155.50	155.50		378.50B/352.50A	378.50B/352.50A	----	----	369.60 + 6.40	.5541	----	----	----	----	40	UNCH			
5200	----	----	----	164.80B/151.80A	164.80B/151.80A	----	----	158.90 NEW	.2967	----	----	1	----	1	+	1		
5225	----	----	----	160.00B/147.10A	160.00B/147.10A	----	----	154.00 - 1.00	.2892	----	----	----	----	2	UNCH			
TOTAL												1		43	+	1		
AUG27																		
4370	385.90	385.90		464.30B/456.10A	464.30B/456.10A	----	----	470.70 + 9.60	.6252	----	----	----	----	150	UNCH			
4535	----	----	----	386.20/378.00A	386.20/378.00A	----	----	388.50 + 7.60	.5548	----	----	3	----	3	UNCH			
5000	----	----	----	225.30B/215.40A	225.30B/215.40A	----	----	222.20 - 0.10	.3723	----	----	----	----	3	UNCH			
5200	----	----	----	178.00B/170.80A	178.00B/170.80A	----	----	175.20 - 1.80	.3087	----	----	----	----	2	UNCH			
5210	----	----	----	----/168.80A	174.50B/168.80A	----	----	173.20 - 1.80	.3058	----	----	----	----	3	UNCH			
5250	----	----	----	----/161.30A	165.50B/161.30A	----	----	165.30 - 1.90	.2945	----	----	----	----	1	UNCH			
5300	----	----	----	----/152.60A	157.80B/152.60A	----	----	156.00 - 2.00	.2808	----	----	----	----	1	UNCH			
5350	----	----	----	149.50B/144.20A	149.50B/144.20A	----	----	147.30 - 2.10	.2678	----	----	----	----	1	UNCH			
5500	----	----	----	----/122.10A	124.80B/122.10A	----	----	124.40 - 2.70	.2322	----	----	----	----	2000	UNCH			
5505	----	----	----	----/121.50A	124.30B/121.50A	----	----	123.70 - 2.70	.2311	----	----	----	----	300	UNCH			
5525	----	----	----	----/118.80A	122.20B/118.80A	----	----	121.00 - 2.80	.2268	----	----	----	----	59	UNCH			
5550	----	----	----	----/115.70A	117.90B/115.70A	----	----	117.70 - 2.90	.2215	----	----	----	----	2000	UNCH			
5925	----	----	----	----/78.40A	77.90B/78.40A	----	----	79.30 - 3.70	.1565	----	----	----	----	65	UNCH			
TOTAL												3		4588	0			
SEP27																		
4560	----	----	----	----	164.30B/647.90A	----	----	415.60 + 7.70	.5610	----	----	----	----	4	UNCH			
5225	----	----	----	----	0.20B/399.00A	----	----	205.90 + 0.80	.3307	----	----	----	----	2	UNCH			
5580	----	----	----	----	0.20B/320.30A	----	----	164.50 - 0.10	.2617	----	----	----	----	300	UNCH			
6000	----	----	----	----	0.20B/259.80A	----	----	121.50 - 0.90	.1970	----	----	----	----	2	UNCH			
6100	----	----	----	----	0.20B/248.70A	----	----	112.30 - 1.00	.1836	----	----	----	----	4	UNCH			
6200	----	----	----	----	0.20B/239.10A	----	----	104.00 - 1.10	.1712	----	----	----	----	2	UNCH			
TOTAL														314	0			
OCT27																		
5500	----	----	----	----	----	----	----	181.60 + 7.30	.2815	----	----	----	----	200	UNCH			
TOTAL														200	0			
DEC27																		
4500	----	----	----	----	----	----	----	523.00 + 16.50	.5977	----	----	----	----	75	UNCH			
4860	----	----	----	----	----	----	----	376.50 + 13.10	.4763	----	----	----	----	100	UNCH			
5000	----	----	----	----	----	----	----	332.70 + 11.90	.4338	----	----	----	----	50	UNCH			
5650	----	----	----	----	----	----	----	196.60 + 7.50	.2808	----	----	----	----	200	UNCH			
5700	----	----	----	----	----	----	----	189.40 + 7.30	.2718	----	----	----	----	150	UNCH			
5800	----	----	----	----	----	----	----	176.00 + 6.90	.2548	----	----	----	----	200	UNCH			
5880	----	----	----	----	----	----	----	166.10 + 6.50	.2421	----	----	----	----	125	UNCH			
6300	----	----	----	----	----	----	----	124.40 + 4.90	.1865	----	----	----	----	18	UNCH			
7500	----	----	----	----	----	----	----	62.40 + 2.50	.0972	----	----	----	----	70	UNCH			
7800	----	----	----	----	----	----	----	54.00 + 2.20	.0844	----	----	----	----	284	UNCH			
10000	----	----	----	----	----	----	----	24.20 + 0.90	.0375	----	----	----	----	103	UNCH			
10500	----	----	----	----	----	----	----	21.20 + 0.80	.0327	----	----	----	----	10	UNCH			
TOTAL														1385	0			
FEB28																		
4400	----	----	----	----	----	----	----	634.10 + 18.30	.6404	----	----	----	----	2	UNCH			
4450	----	----	----	----	----	----	----	608.00 + 17.80	.6247	----	----	----	----	2	UNCH			
TOTAL														4	0			
DEC28																		
5000	----	----	----	----	----	----	----	597.10 + 17.20	.5297	----	----	----	----	50	UNCH			
5500	----	----	----	----	----	----	----	455.20 + 13.90	.4278	----	----	----	----	1	UNCH			
5750	----	----	----	----	----	----	----	403.40 + 12.50	.3860	----	----	----	----	100	UNCH			
TOTAL														151	0			
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST				
GMW WED SEP26	GOLD WEEKLY WEDNESDAY OPTION WEEK5																	
3500	0.20	0.20		0.20/0.20	0.20/0.20	----	----	0.10 UNCH	.0006	----	----	1	----	1	+	1		
3700	----	----	----	----/0.50A	----/0.50A	----	----	0.30 - 0.30	.0023	----	----	----	----	33	UNCH			

GLOBEX OPEN				OPEN RANGE	OUTCRY	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY	OPEN CLOSE		OUTCRY RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GOLD WEEKLY WEDNESDAY OPTION WEEKS																					
SEP26																					
4250	18.80	18.80		22.00B/10.30A	22.00B/10.30A	----	11.00	- 7.50	.1230	----	----	22	----	25	+	7					
4255	8.70	8.70		13.10B/3.90A	13.10B/3.90A	----	4.30	NEW	.0704	----	----	3	----	3	+	3					
4270	15.50	15.50		16.40B/4.80A	16.40B/4.80A	----	5.40	NEW	.0898	----	----	2	----	2	+	2					
4275	----	----		17.70B/5.20A	17.70B/5.20A	----	5.90	- 7.50	.0981	----	----	3	----	18	-	1					
4275	22.60	22.60		28.00B/13.20A	28.00B/13.20A	----	14.20	NEW	.1556	----	----	3	----	3	+	3					
4280	15.00	15.00		19.20B/5.60A	19.20B/5.60A	----	6.40	NEW	.1067	----	----	2	----	1	+	1					
4295	17.40	17.40		23.70B/7.10A	23.70B/7.10A	----	8.20	- 9.70	.1367	----	----	13	----	23	+	13					
4295	----	----		119.20B/69.30A	119.20B/69.30A	----	103.80	+ 15.50	.8631	----	----	----	----	9	UNCH						
4300	----	----		158.60B/110.70A	158.60B/110.70A	----	143.20	+ 14.10	.8039	----	----	----	----	9	UNCH						
4300	21.90	21.90		25.40B/7.80A	25.40B/7.80A	----	8.90	- 10.30	.1482	----	17	----	----	80	+	4					
4300	22.50	22.50		35.10B/17.00A	35.10B/17.00A	----	18.40	- 11.10	.1958	----	10	----	----	17	-	2					
4305	18.50	18.50		27.10B/8.40A	27.10B/8.40A	----	9.60	NEW	.1599	----	6	----	----	6	+	6					
4310	----	----		29.10B/9.10A	29.10B/9.10A	----	10.50	NEW	.1738	----	2	----	----	2	+	2					
4320	----	----		98.60B/54.00A	98.60B/54.00A	----	83.10	+ 12.30	.7967	----	----	----	----	1	UNCH						
4320	23.20	23.20		33.20B/10.80A	33.20B/10.80A	----	12.40	NEW	.2031	----	12	----	----	10	+	10					
4325	23.50	23.50		35.50B/11.80A	35.50B/11.80A	----	13.50	- 13.50	.2193	----	17	----	----	33	+	7					
4325	----	----		94.70B/51.20A	94.70B/51.20A	----	79.10	+ 11.60	.7805	----	----	----	----	101	UNCH						
4325	----	----		139.30B/94.60A	139.30B/94.60A	----	123.70	+ 12.10	.7556	----	19	----	----	15	+	10					
4330	----	----		37.70B/12.70A	37.70B/12.70A	----	14.60	- 14.30	.2358	----	----	----	----	14	UNCH						
4340	20.90	20.90		42.70B/15.10A	42.70B/15.10A	----	17.20	NEW	.2723	----	1	----	----	1	+	1					
4350	33.00	33.00		48.20B/17.70A	48.20B/17.70A	----	20.20	- 17.00	.3121	----	36	----	----	46	+	17					
4350	49.70	49.70		76.70B/37.60A	76.70B/37.60A	----	60.90	+ 8.20	.6877	----	16	----	----	120	UNCH						
4350	42.50	42.50		54.30B/28.30A	54.30B/28.30A	----	30.70	- 15.30	.2990	----	14	----	----	15	+	13					
4350	----	----		121.20B/79.70A	121.20B/79.70A	----	105.50	+ 9.90	.7006	----	----	----	----	3	UNCH						
4355	34.00	34.00		51.00B/19.20A	51.00B/19.20A	----	21.90	NEW	.3332	----	4	----	----	4	+	4					
4360	43.80	43.80		69.90B/32.90A	69.90B/32.90A	----	54.30	NEW	.6453	----	1	----	----	1	+	1					
4365	30.20	30.20		56.90B/22.50A	56.90B/22.50A	----	25.50	NEW	.3768	----	----	----	----	1	+	1					
4375	----	----		60.60B/26.70A	60.60B/26.70A	----	45.30	+ 5.00	.5774	----	5	----	----	41	+	1					
4375	----	----		63.40B/26.30A	63.40B/26.30A	----	29.60	- 20.20	.4224	----	----	----	----	17	UNCH						
4375	----	----		104.60B/66.20A	104.60B/66.20A	----	89.00	+ 7.70	.6393	----	139	----	----	124	+	115					
4375	----	----		67.10B/36.10A	67.10B/36.10A	----	39.10	NEW	.3603	----	----	100	----	100	+	100					
4380	----	----		57.60B/24.90A	57.60B/24.90A	----	42.50	+ 4.40	.5541	----	1	----	----	0	-	1					
4380	----	----		66.70B/28.30A	66.70B/28.30A	----	31.80	NEW	.4457	----	1	----	----	1	+	1					
4390	----	----		52.20B/21.50A	52.20B/21.50A	----	37.30	+ 3.30	.5070	----	----	----	----	26	UNCH						
4400	42.80	42.80		80.70B/37.50A	80.70B/37.50A	----	41.90	- 22.80	.5397	----	21	----	----	27	+	17					
4400	30.70	30.70		47.00B/18.50A	47.00B/18.50A	----	32.60	+ 2.30	.4601	----	96	----	----	152	+	81					
4400	80.00	80.00		89.40B/54.30A	89.40B/54.30A	----	74.10	+ 5.60	.5738	----	1	105	----	126	+	60					
4400	----	----		80.80B/45.80A	80.80B/45.80A	----	49.20	- 19.60	.4258	----	21	----	----	25	+	13					
4405	18.70	18.70		44.50B/17.20A	44.50B/17.20A	----	30.40	NEW	.4368	----	4	----	----	2	+	2					
4410	21.00	21.00		42.20B/16.00A	42.20B/16.00A	----	28.30	+ 1.40	.4139	----	4	----	----	5	+	4					
4415	----	----		92.10B/45.70A	92.10B/45.70A	----	50.60	NEW	.6085	----	1	----	----	1	+	1					
4420	20.10	20.10		37.70B/13.80A	37.70B/13.80A	----	24.50	NEW	.3694	----	2	----	----	2	+	2					
4425	35.00	35.00		35.70B/12.70A	35.70B/12.70A	----	22.70	+ 0.20	.3477	----	33	----	----	40	-	3					
4425	----	----		100.10B/51.60A	100.10B/51.60A	----	57.00	- 24.90	.6521	----	----	----	----	200	UNCH						
4425	----	----		76.10B/44.10A	76.10B/44.10A	----	61.00	+ 3.70	.5062	----	5	----	----	18	UNCH						
4425	----	----		95.80B/57.10A	95.80B/57.10A	----	61.10	- 21.50	.4934	----	1	----	----	2	+	1					
4430	----	----		33.80B/11.80A	33.80B/11.80A	----	21.10	UNCH	.3270	----	6	----	----	3	+	3					
4435	----	----		31.90B/10.90A	31.90B/10.90A	----	19.60	- 0.30	.3070	----	8	----	----	4	+	2					
4440	----	----		30.10B/10.00A	30.10B/10.00A	----	18.10	- 0.60	.2873	----	4	----	----	2	UNCH						
4445	18.50	18.50		28.50B/9.20A	28.50B/9.20A	----	16.80	- 0.80	.2689	----	42	----	----	17	+	15					
4450	----	----		120.90B/68.60A	120.90B/68.60A	----	74.80	- 26.20	.7490	----	----	----	----	13	UNCH						
4450	11.90	11.90		26.80B/8.50A	26.80B/8.50A	----	15.50	- 1.00	.2508	----	18	----	----	58	+	3					
4450	----	----		112.70B/70.20A	112.70B/70.20A	----	74.70	- 23.10	.5606	----	----	----	----	1	UNCH						
4450	----	----		64.10B/35.40A	64.10B/35.40A	----	49.70	+ 2.10	.4390	----	----	155	----	1	UNCH						
4455	----	----		25.10B/8.00A	25.10B/8.00A	----	14.40	- 1.20	.2343	----	1	----	----	3	+	3					
4460	----	----		23.80B/7.20A	23.80B/7.20A	----	13.30	NEW	.2180	----	20	----	----	16	+	16					
4465	----	----		22.50B/6.80A	22.50B/6.80A	----	12.30	NEW	.2028	----	2	----	----	2	+	2					
4470	----	----		21.10B/6.20A	21.10B/6.20A	----	11.30	- 1.60	.1878	----	2	----	----	3	+	2					
4475	----	----		142.60B/87.80A	142.60B/87.80A	----	94.70	- 26.90	.8259	----	----	----	----	3	UNCH						
4475	----	----		19.80B/5.70A	19.80B/5.70A	----	10.40	- 1.70	.1739	----	1	----	----	67	+	1					
4475	----	----		130.90B/84.90A	130.90B/84.90A	----	90.10	- 24.40	.6251	----	----	----	----	1	UNCH						
4475	34.90	34.90		53.60B/28.20A	53.60B/28.20A	----	40.00	+ 0.70	.3745	----	39	----	----	50	+	38					
4480	----	----		18.80B/5.40A	18.80B/5.40A	----	9.60	NEW	.1611	----	4	----	----	2	+	2					
4485	8.90	8.90		17.60B/4.90A	17.60B/4.90A	----	8.20	NEW	.1495	----	7	----	----	5	+	5					
4490	5.70	5.70		16.60B/4.60A	16.60B/4.60A	----	8.20	NEW	.1381	----	1	----	----	1	+	1					
4495	----	----		15.60B/4.30A	15.60B/4.30A	----	7.60	NEW	.1280	----	----	----	----	2	+	2					
4500	6.20	6.20		14.70B/4.00A	14.70B/4.00A	----	7.00	- 1.90	.1180	----	205	----	1303	+	7						
4500	----	----		165.80B/108.90A	165.80B/108.90A	----	116.20	- 27.20	.8818	----	----	----	----	68	UNCH						
4500	35.30	35.30		44.70B/22.20A	44.70B/22.20A	----	32.00	- 0.30	.3148	----	10	----	----	58	+	8					
4520	----	----		11.50B/3.00A	11.50B/3.00A	----	5.10	- 1.90	.0855	----	----	----	----	2	UNCH						
4525	----	----		189.20B/131.10A	189.20B/131.10A	----	138.90	- 27.10	.9211	----	----	----	----	2	UNCH						
4525	17.70	17.70		10.80B/2.80A	10.80B/2.80A	----	4.70	- 1.90	.0787	----	2	----	----	21	UNCH						
4525	----	----		36.70B/17.50A	36.70B/17.50A	----	25.40	- 1.00	.2609	----	3	----	----	6	UNCH						
4540	----	----		9.00B/2.30A	9.00B/2.30A	----	3.70	NEW	.0613	----	1	----	----	1	+	1					
4550	4.80	4.80		8.10B/2.10A	8.10B/2.10A	----	3.20	- 1.70	.0524	----	39	----	----	67	-	1					
4550	14.20	14.20		30.30B/13.90A	30.30B/13.90A	----	20.10	- 1.50	.2140	----	20	----	----	86	+	20					
4575	----	----		6.00B/1.60A	6.00B/1.60A	----	2.20	- 1.50	.0349	----	----	----	----	33	UNCH						
4575	11.20	11.20		25.10B/11.00	25.10B/11.00	----	15.90	- 1.70	.1741	----	8	----	----	7	+	2					
4580	2.50	2.50		5.60B/1.50A	5.60B/1.50A	----	2.10	NEW	.0329	----	2	----	----	2	+	2					
4595	----	----		4.80B/1.30A	4.80B/1.30A	----	1.80	- 1.20	.0272	----	----	----	----	1	UNCH						

PG64	BULLETIN #180@										METALS OPTION PRODUCTS										Fri, Sep 18, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
GWW WED OCT26	GOLD WEEKLY WEDNESDAY OPTION WEEK1																						
	8.00	8.00		10.00B/5.90A	10.00B/5.90A	----	6.10 - 3.10	.0542	----	----	1	----	1	UNCH	10	UNCH							
4075	----	----		12.00B/7.00A	12.00B/7.00A	----	7.20 - 3.70	.0641	----	----	----	----	12	UNCH	12	UNCH							
4100	----	----		14.60B/8.30A	14.60B/8.30A	----	8.60 - 4.50	.0764	----	----	2	----	2 +	2	2	2							
4125	17.90	17.90		22.30B/14.30A	22.30B/14.30A	----	14.70 NEW	.1083	----	----	1	----	1	2 +	1	1							
4150	9.80	9.80		17.60B/9.80	17.60B/9.80	----	10.20 - 5.40	.0904	----	----	28	----	28 +	28	28	28							
4150	23.10	23.10		26.40B/16.70A	26.40B/16.70A	----	17.20 NEW	.1253	----	----	4	----	4 +	4	4	4							
4175	----	----		20.80B/11.90A	20.80B/11.90A	----	12.30 - 6.50	.1080	----	----	5	----	5	UNCH	5	UNCH							
4175	26.20	26.20		31.20B/19.60A	31.20B/19.60A	----	20.30 NEW	.1453	----	----	5	----	5 +	5	5	5							
4200	----	----		25.90B/14.40A	25.90B/14.40A	----	14.90 - 7.70	.1290	----	----	2	----	2 +	2	2	2							
4200	30.70	30.70		36.70B/23.10A	36.70B/23.10A	----	24.00 NEW	.1683	----	----	12	----	12	UNCH	12	UNCH							
4225	----	----		30.40B/17.30A	30.40B/17.30A	----	18.20 - 9.00	.1543	----	----	1	----	1	UNCH	1	UNCH							
4225	34.00	34.00		43.10B/27.30A	43.10B/27.30A	----	28.50 - 9.20	.1945	----	----	4	----	4 +	4	4	4							
4250	47.10	47.10		37.10B/21.10A	37.10B/21.10A	----	22.20 - 10.50	.1835	----	----	3	----	3 +	3	3	3							
4250	37.20	37.20		50.30B/32.30A	50.30B/32.30A	----	33.80 NEW	.2238	----	----	6	----	6 +	6	6	6							
4275	----	----		44.10B/25.70A	44.10B/25.70A	----	27.10 - 12.00	.2172	----	----	3	----	3 +	3	3	3							
4300	----	----		53.20B/31.20A	53.20B/31.20A	----	33.00 - 13.70	.2553	----	----	4	----	4 +	4	4	4							
4300	----	----		169.40B/129.40A	169.40B/129.40A	----	157.70 + 11.50	.7442	----	----	7	----	7	UNCH	7	UNCH							
4325	----	----		63.40B/37.90A	63.40B/37.90A	----	40.10 - 15.30	.2975	----	----	100	----	100	UNCH	100	UNCH							
4325	----	----		78.10B/52.50A	78.10B/52.50A	----	55.00 - 14.10	.3274	----	----	5	----	5	UNCH	5	UNCH							
4350	----	----		135.40B/99.00A	135.40B/99.00A	----	123.10 + 8.10	.6567	----	----	1	----	1	UNCH	1	UNCH							
4375	89.10	89.10		120.10B/85.90A	120.10B/85.90A	----	107.70 + 6.60	.6085	----	----	18	----	18 +	18	18	18							
4375	----	----		87.10B/54.90A	87.10B/54.90A	----	57.90 - 18.50	.3909	----	----	20	----	20	UNCH	20	UNCH							
4400	----	----		101.60B/71.00A	101.60B/71.00A	----	74.20 NEW	.4064	----	----	3	----	3 +	3	3	3							
4400	----	----		109.70B/74.00A	109.70B/74.00A	----	93.70 + 5.10	.5588	----	----	44	----	44	UNCH	44	UNCH							
4400	----	----		100.80B/65.30A	100.80B/65.30A	----	68.80 - 20.10	.4406	----	----	2	----	2 +	2	2	2							
4450	85.90	85.90		128.80B/90.10A	128.80B/90.10A	----	94.40 - 22.90	.5411	----	----	11	----	11 +	11	11	11							
4450	130.50	130.50		102.50B/70.20A	102.50B/70.20A	----	86.20 NEW	.4691	----	----	14	----	14 +	14	14	14							
4475	59.40	59.40		144.90B/106.90A	144.90B/106.90A	----	111.20 NEW	.5302	----	----	7	----	7 +	7	7	7							
4500	66.20	66.20		73.90B/45.80A	73.90B/45.80A	----	59.30 + 1.30	.4097	----	----	15	----	15 +	15	15	15							
4525	36.60	36.60		81.40B/53.30A	81.40B/53.30A	----	66.40 NEW	.3896	----	----	3	----	3 +	3	3	3							
4525	47.20	47.20		55.40B/32.30A	55.40B/32.30A	----	42.40 - 0.70	.3187	----	----	24	----	24 +	24	24	24							
4550	30.70	30.70		72.50B/46.20A	72.50B/46.20A	----	58.00 NEW	.3522	----	----	2	----	2 -	2	2	2							
4575	26.20	26.20		47.90B/27.00A	47.90B/27.00A	----	35.80 - 1.10	.2784	----	----	9	----	9 +	9	9	9							
4575	35.30	35.30		41.60B/22.70A	41.60B/22.70A	----	30.10 - 1.50	.2415	----	----	2	----	2 +	2	2	2							
4600	23.70	23.70		57.00B/34.60A	57.00B/34.60A	----	43.80 NEW	.2834	----	----	2	----	2	UNCH	2	UNCH							
4600	40.60	40.60		35.70B/19.00A	35.70B/19.00A	----	25.30 - 1.70	.2086	----	----	2	----	2 +	2	2	2							
4625	22.40	22.40		50.30B/29.90A	50.30B/29.90A	----	38.00 NEW	.2527	----	----	3	----	3 +	3	3	3							
4625	26.30	26.30		30.80B/15.90A	30.80B/15.90A	----	21.20 NEW	.1792	----	----	2	----	2 +	2	2	2							
4650	16.50	16.50		44.60B/25.80A	44.60B/25.80A	----	32.90 NEW	.2244	----	----	2	----	2 +	2	2	2							
4650	22.40	22.40		26.40B/13.40A	26.40B/13.40A	----	17.80 - 2.00	.1536	----	----	4	----	4 +	4	4	4							
4675	19.50	19.50		39.30B/22.30A	39.30B/22.30A	----	28.50 NEW	.1989	----	----	3	----	3 +	3	3	3							
4675	23.00	23.00		22.70B/11.30A	22.70B/11.30A	----	14.90 - 2.10	.1311	----	----	9	----	9 +	9	9	9							
4700	20.10	20.10		34.60B/19.30A	34.60B/19.30A	----	24.70 NEW	.1758	----	----	10	----	10	UNCH	10	UNCH							
4725	15.40	15.40		30.40B/16.70A	30.40B/16.70A	----	21.40 NEW	.1551	----	----	2	----	2 +	2	2	2							
4725	----	----		19.60B/9.50A	19.60B/9.50A	----	12.50 - 2.10	.1117	----	----	1	----	1	UNCH	1	UNCH							
4750	----	----		16.90B/8.20A	16.90B/8.20A	----	10.60 - 2.00	.0957	----	----	2	----	2 +	2	2	2							
4775	15.40	15.40		26.80B/14.60A	26.80B/14.60A	----	18.60 NEW	.1369	----	----	2	----	2 +	2	2	2							
4825	----	----		14.50B/7.00A	14.50B/7.00A	----	9.00 - 1.90	.0819	----	----	2	----	2 +	2	2	2							
4850	----	----		20.70B/11.10A	20.70B/11.10A	----	13.90 NEW	.1054	----	----	4	----	4	UNCH	4	UNCH							
5100	----	----		9.50B/4.60A	9.50B/4.60A	----	5.60 - 1.60	.0517	----	----	8	----	8	UNCH	8	UNCH							
TOTAL				8.30B/4.00A	8.30B/4.00A	----	4.90 - 1.50	.0451	----	----	187		486 +	178									
				2.30B/1.50A	2.30B/1.50A	----	1.60 - 0.50	.0137	----	----													
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
GOLD WEEKLY TUESDAY OPTION week4																							
GWT TUE SEP26	----	----	----	----	----	----	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH							
3600	----	----	----	-----/0.40A	-----/0.40A	----	0.20 - 0.30	.0015	----	----	----	----	----	53	UNCH	53							
3700	----	----	----	-----/0.50A	-----/0.50A	----	0.40 - 0.20	.0031	----	----	----	----	----	10	UNCH	10							
3750	----	----	----	-----/0.50A	0.30B/0.50A	----	0.50 - 0.20	.0041	----	----	----	----	----	3	UNCH	3							
3800	----	----	----	-----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	----	1	UNCH	1							
3800	----	----	----	-----/0.80A	0.70B/0.80A	----	0.70 - 0.30	.0065	----	----	----	----	----	15	UNCH	15							
3900	----	----	----	-----/0.20A	-----/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	----	4	UNCH	4							
3900	----	----	----	-----/0.20A	-----/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	----	3	UNCH	3							
3925	----	----	----	-----/0.30A	-----/0.30A	----	0.10 - 0.20	.0001	----	----	----	----	----	5	UNCH	5							
3950	----	----	----	-----/0.20A	-----/0.20A	----	0.10 - 0.20	.0003	----	----	----	----	----	1	UNCH	1							
3975	----	----	----	-----/1.10A	1.30B/1.10A	----	1.00 - 0.50	.0101	----	----	----	----	----	1	UNCH	1							
3975	----	----	----	-----/0.																			

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GOLD WEEKLY TUESDAY OPTION week4															
SEP26	25.40	25.40		57.20B/22.20A	57.20B/22.20A	----		42.00 NEW	.6217	----	----	38	----		38 + 38
4370	22.50	22.50		54.40B/18.20A	54.40B/18.20A	----		21.30 NEW	.3781	----	----	1	----		1 + 1
4370	----	----		54.30B/20.30A	54.30B/20.30A	----		39.00 + 4.70	.5937	----	----	----	----		33 UNCH
4375	----	----		57.70B/20.00A	57.70B/20.00A	----		23.30 - 20.50	.4061	----	----	1	----		3 UNCH
4375	----	----		100.50B/62.10A	100.50B/62.10A	----		85.20 + 8.00	.6481	----	----	----	----		5 UNCH
4375	----	----		62.90B/32.30A	62.90B/32.30A	----		35.40 - 17.20	.3515	----	----	----	----		2 UNCH
4380	----	----		51.10B/18.70A	51.10B/18.70A	----		36.10 + 4.00	.5652	----	----	----	----		1 UNCH
4380	36.00	36.00		61.10B/22.00A	61.10B/22.00A	----		25.40 - 21.20	.4346	----	2	----	----		4 + 2
4385	30.80	30.80		64.60B/24.00A	64.60B/24.00A	----		27.70 NEW	.4636	----	1	----	----		1 + 1
4385	19.60	19.60		48.30B/17.00A	48.30B/17.00A	----		33.40 NEW	.5362	----	1	----	----		1 + 1
4390	----	----		68.20B/26.10A	68.20B/26.10A	----		30.20 - 22.40	.4927	----	2	----	----		2 + 1
4390	17.90	17.90		45.50B/15.60A	45.50B/15.60A	----		30.90 NEW	.5071	----	1	----	----		1 + 1
4395	----	----		42.90B/14.20A	42.90B/14.20A	----		28.40 + 2.10	.4779	----	----	----	----		2 UNCH
4395	----	----		71.90B/28.50A	71.90B/28.50A	----		32.70 - 23.10	.5219	----	----	----	----		10 UNCH
4400	----	----		76.80B/41.70A	76.80B/41.70A	----		45.30 - 19.40	.4214	----	----	----	----		2 UNCH
4400	----	----		85.10B/50.20A	85.10B/50.20A	----		70.20 + 5.80	.5782	----	----	----	----		2 UNCH
4400	14.80	14.80		40.30B/13.00A	40.30B/13.00A	----		26.20 + 1.70	.4491	----	21	----	----		55 + 1
4400	40.00	40.00		75.60B/30.90A	75.60B/30.90A	----		35.50 - 23.50	.5507	----	20	----	----		27 + 8
4405	22.30	22.30		37.80B/11.90A	37.80B/11.90A	----		24.00 + 1.10	.4205	----	2	----	----		3 UNCH
4410	12.10	12.10		35.50B/10.90A	35.50B/10.90A	----		22.00 + 0.60	.3925	----	9	----	----		5 + 3
4415	----	----		33.20B/9.80A	33.20B/9.80A	----		20.20 NEW	.3655	----	18	----	----		12 + 12
4420	10.80	10.80		31.00B/8.90A	31.00B/8.90A	----		18.40 - 0.20	.3388	----	13	----	----		14 + 12
4425	----	----		95.60B/45.50A	95.60B/45.50A	----		51.10 - 25.70	.6864	----	----	----	----		3 UNCH
4425	----	----		91.40B/52.90A	91.40B/52.90A	----		57.10 - 21.40	.4939	----	----	----	----		2 UNCH
4425	19.90	19.90		29.00B/8.10A	29.00B/8.10A	----		16.80 - 0.50	.3134	----	25	----	----		117 + 16
4430	8.40	8.40		27.20B/7.40A	27.20B/7.40A	----		15.30 NEW	.2890	----	21	----	----		21 + 21
4430	----	----		100.00B/48.90A	100.00B/48.90A	----		54.60 - 26.00	.7108	----	1	----	----		1 UNCH
4435	----	----		25.40B/6.60A	25.40B/6.60A	----		14.00 - 1.00	.2664	----	----	----	----		3 UNCH
4440	18.90	18.90		23.60B/6.00A	23.60B/6.00A	----		12.70 - 1.20	.2442	----	1	----	----		3 UNCH
4445	7.30	7.30		22.00B/5.50A	22.00B/5.50A	----		11.50 NEW	.2231	----	60	----	----		25 + 25
4450	17.50	17.50		20.40B/4.90A	20.40B/4.90A	----		10.50 - 1.60	.2043	----	37	----	----		58 - 12
4450	----	----		108.80B/66.00A	108.80B/66.00A	----		70.70 - 23.10	.5662	----	----	----	----		7 UNCH
4450	----	----		60.00B/31.70A	60.00B/31.70A	----		45.60 + 2.00	.4335	----	----	----	----		4 UNCH
4450	----	----		117.30B/63.10A	117.30B/63.10A	----		69.80 - 26.70	.7955	----	----	----	----		2 UNCH
4455	6.00	6.00		19.10B/4.50A	19.10B/4.50A	----		9.50 - 1.70	.1860	----	13	----	----		23 + 13
4460	15.80	15.80		17.80B/4.10A	17.80B/4.10A	----		8.60 NEW	.1690	----	3	----	----		3 + 3
4465	6.20	6.20		16.60B/3.70A	16.60B/3.70A	----		7.80 NEW	.1535	----	11	----	----		11 + 11
4470	6.00	6.00		15.50B/3.40A	15.50B/3.40A	----		7.10 - 1.90	.1395	----	20	----	----		23 + 20
4475	----	----		140.00B/83.30A	140.00B/83.30A	----		90.70 - 27.20	.8739	----	----	----	----		9 UNCH
4475	25.90	25.90		49.50B/24.80A	49.50B/24.80A	----		36.10 + 0.60	.3645	----	6	----	----		11 + 1
4475	6.40	6.40		14.30B/3.20A	14.30B/3.20A	----		6.40 - 2.00	.1259	----	29	----	----		33 + 21
4480	6.30	6.30		13.30B/2.90A	13.30B/2.90A	----		5.80 - 2.00	.1139	----	4	----	----		8 + 4
4485	----	----		12.40B/2.70A	12.40B/2.70A	----		5.30 NEW	.1034	----	2	----	----		2 + 2
4490	----	----		154.10B/96.40A	154.10B/96.40A	----		104.10 - 27.10	.9065	----	----	----	----		1 UNCH
4490	4.10	4.10		11.50B/2.40A	11.50B/2.40A	----		4.80 - 2.00	.0933	----	2	----	----		19 + 2
4500	4.50	4.50		9.90B/2.00A	9.90B/2.00A	----		3.90 - 2.00	.0752	----	7	----	----		26 + 2
4500	----	----		146.80B/97.80A	146.80B/97.80A	----		103.30 - 25.70	.6985	----	----	----	----		9 UNCH
4500	27.90	27.90		40.70B/19.20A	40.70B/19.20A	----		28.30 - 0.50	.3011	----	11	----	----		14 + 9
4510	2.50	2.50		8.70B/1.80A	8.70B/1.80A	----		3.30 - 1.80	.0623	----	1	----	----		8 + 1
4515	1.70	1.70		8.00B/1.70	8.00B/1.70	----		3.00 NEW	.0561	----	2	----	----		2 + 2
4520	----	----		182.70B/123.80A	182.70B/123.80A	----		131.90 - 27.00	.9497	----	----	----	----		1 UNCH
4525	----	----		167.50B/116.10A	167.50B/116.10A	----		122.10 - 26.30	.7544	----	----	----	----		2 UNCH
4525	22.70	22.70		32.90B/14.80A	32.90B/14.80A	----		22.10 - 1.10	.2453	----	11	----	----		25 + 4
4525	----	----		6.90B/1.40A	6.90B/1.40A	----		2.40 - 1.80	.0443	----	----	----	----		35 UNCH
4530	2.40	2.40		6.40B/1.30A	6.40B/1.30A	----		2.20 NEW	.0401	----	1	----	----		1 + 1
4540	----	----		5.50B/1.20A	5.50B/1.20A	----		1.90 - 1.50	.0336	----	----	----	----		1 UNCH
4545	1.70	1.70		5.10B/1.10A	5.10B/1.10A	----		1.70 NEW	.0298	----	2	----	----		2 + 2
4550	----	----		4.80B/1.00A	4.80B/1.00A	----		1.60 - 1.40	.0276	----	2	----	----		24 UNCH
4550	14.00	14.00		26.90B/11.50A	26.90B/11.50A	----		17.10 - 1.70	.1969	----	9	----	----		6 + 1
4550	----	----		211.90B/151.70A	211.90B/151.70A	----		160.80 - 26.60	.9723	----	2	----	----		2 UNCH
4550	----	----		189.40B/135.80A	189.40B/135.80A	----		142.10 - 26.80	.8028	----	----	----	----		2 UNCH
4570	----	----		3.60B/0.80A	3.60B/0.80A	----		1.10 - 1.20	.0180	----	----	----	----		1 UNCH
4575	13.70	13.70		21.70B/9.00A	21.70B/9.00A	----		13.30 - 1.80	.1571	----	3	----	----		10 - 3
4575	----	----		3.40B/0.80A	3.40B/0.80A	----		1.00 - 1.20	.0161	----	----	----	----		21 UNCH
4580	2.00	2.00		3.20B/0.70A	3.20B/0.70A	----		0.90 - 1.20	.0143	----	1	----	----		1 UNCH
4600	----	----		261.00B/199.00A	261.00B/199.00A	----		209.90 - 26.10	.9895	----	----	----	----		5 UNCH
4600	----	----		17.70B/7.10A	17.70B/7.10A	----		10.40 - 1.90	.1250	----	1	----	----		6 UNCH
4600	0.60	0.60		2.40B/0.60A	2.40B/0.60A	----		0.70 - 0.90	.0104	----	----	----	----		22 UNCH
4610	----	----		2.10B/0.60	2.10B/0.60	----		0.60 NEW	.0086	----	1	----	----		1 + 1
4625	----	----		14.30B/5.60A	14.30B/5.60A	----		8.20 - 1.80	.0995	----	----	----	----		22 UNCH
4625															

BULLETIN #180@				METALS OPTION PRODUCTS										Fri, Sep 18, 2026				PG64		
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
GWT TUE		GOLD WEEKLY TUESDAY OPTION week1																		
OCT26																				
4475	----	----			70.50B/42.80A	70.50B/42.80A	----	----		56.10	+ 1.10	.4051	----	----	----	----	3	UNCH		
4475	----	----			86.50B/57.00A	86.50B/57.00A	----	----		71.00	+ 1.40	.4239	----	----	----	----	4	UNCH		
4500	----	----			76.60B/49.20A	76.60B/49.20A	----	----		61.80	+ 0.60	.3831	----	----	----	----	4	UNCH		
4525	----	----			52.60B/29.80A	52.60B/29.80A	----	----		39.70	- 0.60	.3115	----	----	----	----	2	UNCH		
4525	----	----			67.90B/42.30A	67.90B/42.30A	----	----		53.60	- 0.20	.3441	----	----	----	----	36	UNCH		
4550	----	----			45.30B/24.80A	45.30B/24.80A	----	----		33.20	- 1.10	.2699	----	----	----	----	3	UNCH		
4550	37.10	----	37.10		59.90B/36.30A	59.90B/36.30A	----	----		46.30	- 0.90	.3073	----	----	4	----	21	+		
4575	----	----			38.80B/20.60A	38.80B/20.60A	----	----		27.60	- 1.60	.2321	----	----	----	----	2	UNCH		
4575	----	----			52.70B/31.20A	52.70B/31.20A	----	----		39.90	- 1.50	.2731	----	----	----	----	4	UNCH		
4600	21.60	----	21.60		33.30B/17.10A	33.30B/17.10A	----	----		23.00	- 1.90	.1987	----	----	2	----	3	UNCH		
4600	----	----			46.20B/26.70A	46.20B/26.70A	----	----		34.30	- 1.90	.2416	----	----	----	----	2	UNCH		
4625	14.50	----	14.50		28.50B/14.30A	28.50B/14.30A	----	----		19.10	NEW	.1692	----	----	1	----	1	+		
4625	23.20	----	23.20		40.70B/22.90A	40.70B/22.90A	----	----		29.40	NEW	.2127	----	----	1	----	1	+		
4650	14.90	----	14.90		24.40B/11.90A	24.40B/11.90A	----	----		15.90	- 2.20	.1438	----	----	15	----	15	+		
4650	23.60	----	23.60		35.40B/19.60A	35.40B/19.60A	----	----		25.20	NEW	.1867	----	----	2	----	2	+		
4675	----	----			20.80B/10.00A	20.80B/10.00A	----	----		13.30	- 2.10	.1222	----	----	----	----	3	UNCH		
4675	23.30	----	23.30		31.30B/16.90A	31.30B/16.90A	----	----		21.70	NEW	.1639	----	----	4	----	4	+		
4700	----	----			17.80B/8.50A	17.80B/8.50A	----	----		11.10	- 2.10	.1034	----	----	----	----	7	UNCH		
4700	19.60	----	19.60		27.30B/14.60A	27.30B/14.60A	----	----		18.70	- 2.50	.1436	----	----	2	----	3	+		
4725	----	----			15.10B/7.20A	15.10B/7.20A	----	----		9.30	- 2.10	.0876	----	----	----	----	2	UNCH		
4725	----	----			24.00B/12.60A	24.00B/12.60A	----	----		16.10	- 2.50	.1256	----	----	----	----	5	UNCH		
4750	----	----			13.10B/6.20A	13.10B/6.20A	----	----		7.90	- 1.90	.0748	----	----	----	----	2	UNCH		
4775	----	----			11.30B/5.30A	11.30B/5.30A	----	----		6.70	- 1.80	.0637	----	----	----	----	2	UNCH		
4850	----	----			7.40B/3.70A	7.40B/3.70A	----	----		4.30	- 1.30	.0408	----	----	----	----	1	UNCH		
4900	----	----			5.50B/2.90A	5.50B/2.90A	----	----		3.30	- 1.10	.0309	----	----	----	----	2	UNCH		
4900	5.60	----	5.60		9.80B/5.10A	9.80B/5.10A	----	----		6.30	- 1.50	.0513	----	----	4	----	6	+		
5000	----	----			5.90B/3.80A	5.90B/3.80A	----	----		3.90	- 1.10	.0318	----	----	----	----	6	UNCH		
5100	----	----			1.90B/1.50A	1.90B/1.50A	----	----		1.20	- 0.40	.0107	----	----	----	----	25	UNCH		
5100	3.40	----	3.40		4.00B/2.80A	4.00B/2.80A	----	----		2.40	NEW	.0195	----	----	7	----	7	+		
5200	----	----			----	1.10B/1.10A	----	----		0.80	- 0.30	.0069	----	----	----	----	5	UNCH		
TOTAL															143			691	113	
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
GWR THU		GOLD WEEKLY THURSDAY OPTION week3																		
SEP26																				
4055	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4060	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4070	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4075	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4080	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4100	----	----			----	----	----	----		265.50	UNCH	----	----	----	----	----	0	UNCH		
4105	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4125	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4145	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4150	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4150	----	----			----	----	----	----		215.50	UNCH	----	----	----	----	----	0	UNCH		
4155	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4160	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4160	----	----			----	----	----	----		205.50	UNCH	----	----	----	----	----	0	UNCH		
4165	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4170	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4175	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4180	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4185	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4190	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4195	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4200	----	----			----	----	----	----		165.50	UNCH	----	----	----	----	----	0	UNCH		
4200	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4205	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4210	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4215	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4215	----	----			----	----	----	----		150.50	UNCH	----	----	----	----	----	0	UNCH		
4220	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4225	----	----			----	----	----	----		140.50	UNCH	----	----	----	----	----	0	UNCH		
4225	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4230	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4235	----	----			----	----	----	----		130.50	UNCH	----	----	----	----	----	0	UNCH		
4235	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4240	----	----			----	----	----	----		125.50	UNCH	----	----	----	----	----	0	UNCH		
4240	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4245	----	----			----	----	----	----		120.50	UNCH	----	----	----	----	----	0	UNCH		
4245	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4250	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4250	----	----			----	----	----	----		115.50	UNCH	----	----	----	----	----	0	UNCH		
4255	----	----			----	----	----	----		110.50	UNCH	----	----	----	----	----	0	UNCH		
4255	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4260	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4260	----	----			----	----	----	----		105.50	UNCH	----	----	----	----	----	0	UNCH		
4265	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4265	----	----			----	----	----	----		100.50	UNCH	----	----	----	----	----	0	UNCH		
4270	----	----			----	----	----	----		95.50	UNCH	----	----	----	----	----	0	UNCH		
4270	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4275	----	----			----	----	----	----		90.50	UNCH	----	----	----	----	----	0	UNCH		
4275	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4280	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4280	----	----			----	----	----	----		85.50	UNCH	----	----	----	----	----	0	UNCH		
4285	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4285	----	----			----	----	----	----		80.50	UNCH	----	----	----	----	----	0	UNCH		
4290	----	----			----	----	----	----		75.50	UNCH	----	----	----	----	----	0	UNCH		
4290	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4295	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4295	----	----			----	----	----	----		70.50	UNCH	----	----	----	----	----	0	UNCH		
4300	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4300	----	----			----	----	----	----		65.50	UNCH	----	----	----	----	----	0	UNCH		
4305	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4305	----	----			----	----	----	----		60.50	UNCH	----	----	----	----	----	0	UNCH		
4310	----	----			----	----	----	----		55.50	UNCH	----	----	----	----	----	0	UNCH		
4310	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4315	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4315	----	----			----	----	----	----		50.50	UNCH	----	----	----	----	----	0	UNCH		
4320	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4320	----	----			----	----	----	----		45.50	UNCH	----	----	----	----	----	0	UNCH		
4325	----	----			----	----	----	----		40.50	UNCH	----	----	----	----	----	0	UNCH		
4325	----	----			----	----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH		
4330	----	----			----	----	----	----		0.0										

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GOLD WEEKLY THURSDAY OPTION week3																
SEP26																
4405																
4410																
4410																
4415																
4420																
4420																
4425																
4425																
4430																
4430																
4435																
4440																
4445																
4450																
4450																
4455																
4460																
4465																
4470																
4470																
4475																
4475																
4480																
4485																
4490																
4495																
4500																
4500																
4505																
4510																
4525																
4525																
4530																
4535																
4550																
4550																
4555																
4565																
4575																
4600																
4600																
4620																
4625																
4630																
4635																
4650																
4650																
4725																
4800																
TOTAL																
OCT26																
3600																
3700																
3700																
3700																
3750																
3750																
3750																
3800																
3800																
3800																
3900																
3900																
3900																
3925																
3925																
3950																
3950																
3975																
3975																
3975																
4000																
4000																
4000																
4025																
4025																
4025																
4050																
4050																
4050																
4075																
4075																
4075																
4100																
4100																
4100																
4125																
4125																
4125																
4150																
4150																
4150																
4175																
4175																
4175																
4200																
4200																
4200																
4200																
4225																
4225																
4225																
4250																
4250																
4250																
4275																
4275																
4275																
4300																
4300																
4300																
4325																
4325																
4325																
4350																
4350																
4350																
4375																
4375																
4375																
4375																
4400																
4400																
4400																
4400																

2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GOLD WEEKLY THURSDAY OPTION week2																
OCT26																
4400	----	----		104.10B/68.40A	104.10B/68.40A	----	----		71.90 - 20.30	.4422	----	----	----	----	76	UNCH
4425	----	----		99.30B/61.00A	99.30B/61.00A	----	----		65.00 - 21.30	.4930	----	----	----	----	5	UNCH
4425	----	----		80.10B/47.80A	80.10B/47.80A	----	----		64.90 + 3.90	.5066	----	----	----	----	11	UNCH
4425	99.60	99.60		117.10B/82.80A	117.10B/82.80A	----	----		100.20 + 3.30	.5106	----	----	2	----	7	UNCH
4425	----	----		134.30B/96.70A	134.30B/96.70A	----	----		100.30 - 21.90	.4887	----	----	----	----	9	UNCH
4425	69.10	69.10		99.80B/66.50A	99.80B/66.50A	----	----		84.00 + 3.50	.5088	----	----	9	----	19	+
4450	----	----		68.60B/38.90A	68.60B/38.90A	----	----		53.50 + 2.30	.4436	----	----	----	----	42	UNCH
4450	----	----		116.10B/74.00A	116.10B/74.00A	----	----		78.50 - 23.00	.5560	----	3	----	----	5	UNCH
4450	----	----		148.50B/109.80A	148.50B/109.80A	----	----		113.80 - 22.80	.5288	----	17	----	----	6	+
4450	----	----		105.40B/72.90A	105.40B/72.90A	----	----		88.70 + 2.30	.4704	----	1	----	----	18	UNCH
4450	----	----		----	105.90B/86.20A	----	----		101.10 NEW	.4763	----	1	----	----	1	+
4450	90.00	90.00		90.00/57.00A	90.00/57.00A	----	----		72.50 + 2.20	.4606	----	3	----	----	103	+
4475	----	----		57.60B/31.50A	57.60B/31.50A	----	----		43.70 + 0.90	.3828	----	32	----	----	37	+
4475	----	----		146.60B/107.60A	146.60B/107.60A	----	----		112.30 - 23.90	.5858	----	----	----	----	1	UNCH
4475	----	----		94.00B/63.90A	94.00B/63.90A	----	----		78.30 + 1.40	.4311	----	----	----	----	19	UNCH
4475	----	----		134.10B/88.70A	134.10B/88.70A	----	----		93.70 - 24.30	.6168	----	----	----	----	1	UNCH
4475	----	----		77.20B/48.60A	77.20B/48.60A	----	----		62.30 + 1.20	.4136	----	----	----	----	2	UNCH
4500	84.00	84.00		84.90B/55.80A	84.90B/55.80A	----	----		68.80 + 0.50	.3929	----	3	----	----	31	UNCH
4500	----	----		48.50B/25.20A	48.50B/25.20A	----	----		35.50 - 0.10	.3261	----	----	----	----	25	UNCH
4500	----	----		153.00B/105.10A	153.00B/105.10A	----	----		110.50 - 25.20	.6735	----	----	----	----	21	UNCH
4500	42.30	42.30		67.50B/41.20A	67.50B/41.20A	----	----		53.20 + 0.20	.3685	----	2	----	----	3	+
4525	27.40	27.40		40.40B/20.20A	40.40B/20.20A	----	----		28.60 - 0.90	.2743	----	5	----	----	9	+
4525	54.20	54.20		75.40B/48.70A	75.40B/48.70A	----	----		60.30 - 0.20	.3562	----	100	----	----	126	+
4525	36.20	36.20		58.80B/34.90A	58.80B/34.90A	----	----		45.30 NEW	.3259	----	2	----	----	2	+
4550	----	----		202.30B/158.90A	202.30B/158.90A	----	----		163.40 - 26.10	.7129	----	----	----	----	1	UNCH
4550	16.90	16.90		33.80B/16.10A	33.80B/16.10A	----	----		23.00 - 1.40	.2286	----	6	----	----	16	+
4550	----	----		67.10B/42.30A	67.10B/42.30A	----	----		52.80 - 0.70	.3217	----	----	----	----	10	UNCH
4575	25.40	25.40		44.30B/24.80A	44.30B/24.80A	----	----		32.60 - 1.40	.2503	----	2	----	----	3	+
4575	20.10	20.10		28.00B/12.90A	28.00B/12.90A	----	----		18.40 - 1.70	.1887	----	2	----	----	18	UNCH
4575	----	----		59.80B/36.80A	59.80B/36.80A	----	----		46.00 - 1.20	.2889	----	----	----	----	3	UNCH
4600	----	----		23.40B/10.50A	23.40B/10.50A	----	----		14.80 - 1.90	.1553	----	1	----	----	26	+
4600	----	----		38.40B/20.90A	38.40B/20.90A	----	----		27.50 - 1.80	.2174	----	----	----	----	11	UNCH
4600	38.30	38.30		52.80B/31.90A	52.80B/31.90A	----	----		40.10 - 1.50	.2587	----	102	----	----	118	+
4625	----	----		46.80B/27.70A	46.80B/27.70A	----	----		34.90 - 1.80	.2308	----	2	----	----	9	+
4625	----	----		33.00B/17.70A	33.00B/17.70A	----	----		23.30 - 1.90	.1885	----	----	----	----	2	UNCH
4625	12.90	12.90		19.40B/8.50A	19.40B/8.50A	----	----		11.90 - 1.90	.1272	----	2	----	----	4	+
4650	----	----		16.00B/7.00A	16.00B/7.00A	----	----		9.60 - 1.90	.1040	----	1	----	----	20	+
4650	----	----		41.20B/24.00A	41.20B/24.00A	----	----		30.40 - 2.00	.2055	----	2	----	----	21	+
4650	20.70	20.70		28.60B/15.00A	28.60B/15.00A	----	----		19.70 - 2.00	.1628	----	5	----	----	10	+
4675	----	----		13.40B/5.80A	13.40B/5.80A	----	----		7.80 - 1.80	.0852	----	----	----	----	14	UNCH
4675	21.00	21.00		36.70B/20.90A	36.70B/20.90A	----	----		26.40 - 2.10	.1822	----	3	----	----	53	UNCH
4675	13.00	13.00		24.70B/12.70A	24.70B/12.70A	----	----		16.60 - 2.10	.1399	----	22	----	----	27	+
4700	11.10	11.10		11.10/4.70	11.10/4.70	----	----		6.40 - 1.60	.0701	----	5	----	----	21	UNCH
4700	15.60	15.60		21.30B/10.80	21.30B/10.80	----	----		14.10 - 2.10	.1206	----	51	----	----	15	-
4700	24.70	24.70		32.20B/18.20A	32.20B/18.20A	----	----		23.00 - 2.10	.1616	----	6	----	----	34	+
4725	13.30	13.30		18.50B/9.20A	18.50B/9.20A	----	----		12.00 - 2.00	.1038	----	4	----	----	33	+
4725	----	----		9.30B/4.10A	9.30B/4.10A	----	----		5.20 - 1.60	.0572	----	----	----	----	31	UNCH
4725	----	----		28.50B/15.80A	28.50B/15.80A	----	----		20.00 - 2.20	.1429	----	----	----	----	4	+
4750	----	----		25.30B/13.80A	25.30B/13.80A	----	----		17.40 - 2.20	.1262	----	2	----	----	4	+
4750	----	----		16.00B/7.90A	16.00B/7.90A	----	----		10.20 - 1.90	.0892	----	----	----	----	1	UNCH
4750	----	----		7.90B/3.50A	7.90B/3.50A	----	----		4.40 - 1.40	.0480	----	----	----	----	16	UNCH
4775	----	----		389.70B/344.40A	389.70B/344.40A	----	----		353.40 - 26.40	.9596	----	----	----	----	2	UNCH
4775	----	----		6.70B/3.10A	6.70B/3.10A	----	----		3.70 - 1.20	.0401	----	----	----	----	5	UNCH
4775	----	----		22.30B/12.10A	22.30B/12.10A	----	----		15.20 - 2.20	.1116	----	----	----	----	16	UNCH
4775	----	----		13.90B/6.90A	13.90B/6.90A	----	----		8.70 - 1.90	.0768	----	----	----	----	2	UNCH
4800	----	----		19.80B/10.70A	19.80B/10.70A	----	----		13.30 - 2.10	.0987	----	----	----	----	3	UNCH
4800	----	----		12.20B/6.00A	12.20B/6.00A	----	----		7.50 - 1.70	.0664	----	3	----	----	8	UNCH
4800	----	----		5.60B/2.70A	5.60B/2.70A	----	----		3.10 - 1.10	.0334	----	----	----	----	18	UNCH
4825	----	----		10.70B/5.20A	10.70B/5.20A	----	----		6.50 - 1.60	.0577	----	1	----	----	2	UNCH
4825	----	----		17.50B/9.40A	17.50B/9.40A	----	----		11.70 - 2.00	.0875	----	----	----	----	2	UNCH
4825	----	----		4.90B/2.30A	4.90B/2.30A	----	----		2.70 - 1.00	.0287	----	----	----	----	15	UNCH
4850	----	----		9.20B/4.60A	9.20B/4.60A	----	----		5.70 - 1.50	.0505	----	----	----	----	3	UNCH
4875	----	----		8.10B/4.20A	8.10B/4.20A	----	----		5.00 - 1.30	.0442	----	----	----	----	7	UNCH
4900	----	----		12.30B/6.70A	12.30B/6.70A	----	----		8.10 - 1.70	.0615	----	----	----	----	7	UNCH
4900	----	----		2.80B/1.60A	2.80B/1.60A	----	----		1.80 - 0.60	.0183	----	----	----	----	51	UNCH
4900	----	----		514.50B/468.30A	514.50B/468.30A	----	----		476.50 - 25.80	.9815	----	----	----	----	3	UNCH
4900	----	----		7.20B/3.70A	7.20B/3.70A	----	----		4.40 - 1.20	.0388	----	----	----	----	2	UNCH
4925	----	----		2.50B/1.40A	2.50B/1.40A	----	----		1.60 - 0.60	.0160	----	----	----	----	3	UNCH
4925	----	----		6.30B/3.40A	6.30B/3.40A	----	----		3.90 - 1.10	.0343	----	----	----	----	2	UNCH
4950	----	----		5.50B/3.00A	5.50B/3.00A	----	----		3.50 - 1.00	.0305	----	2	----	----	200	UNCH
4950	----	----		2.10B/1.30A	2.10B/1.30A	----	----		1.40 - 0.50	.0139	----	----	----	----	6	UNCH
4975	----	----		1.80B/1.20A	1.80B/1.20A	----	----		1.20 - 0.50	.0118	----	----	----	----	9	UNCH
4975	----	----		4.90B/2.80A	4.90B/2.80A	----	----		3.10 - 1.00	.0269	----	1	----	----	1	UNCH
5000	----	----		7.60B/4.90A	7.60B/4.90A	----	----		5.20 - 1.30	.0396	----	2	----	----	49	-
5000	2.70	2.70		4.30B/2.50A	4.30B/2.50A	----	----		2.80 - 0.90	.0241	----	28	----	----	17	+
5000	----	----		----/1.10A	1.50B/1.10A	----	----		1.10 - 0.40	.0106	----	----	----	----	3	UNCH
5025	----	----		----/1.00A	1.30B/1.00A	----	----		1.00 - 0.40	.0095	----	----	----	----	2	UNCH
5050	----	----		----/0.90A	1.10B/0.90A	----	----		0.90 - 0.30	.0084	----	----	----	----	3	UNCH
5100	----	----		----/0.80A	0.80B/0.80A	----	----		0.70 - 0.30	.0064	----	----	----	----	6	UNCH
5100	----	----		5.10B/3.50A	5.10B/3.50A	----	----		3.70 - 0.90	.0275	----	5	----	----	24	+
5100	----	----		2.70B/1.80A	2.70B/1.80A	----	----		1.90 - 0.70	.0158	----	----	----	----	3	UNCH
5125	----	----		----/0.80A	0.70B/0.80A	----	----		0.70 - 0.20	.0062	----	----	----	----	1	UNCH
5200	----	----		----/1.50A	1.80B/1.50A	----	----		1.40 - 0.50	.0112	----	1	----	----	2	-
5200	----	----		----/0.60A	0.40B/0.60A	----	----		0.50 - 0.20	.0043	----	----	----	----	47	UNCH
5250	----	----		3.00B/2.40A	3.00B/2.40A	----	----		2.30 - 0.60	.0165	----	----	----	----	8	UNCH
5250	----	----		----	0.30B/0.60A	----	----		0.40 - 0.20	.0033	----	----	----	----	22	UNCH
5250	----	----		----/1.30A	1.40B/1.30A	----	----		1.10 - 0.40	.0087	----	1	----	----	2	UNCH
5300	----	----		----/1.20A	1.10B/1.20A	----	----		0.90 - 0.40	.0071	----	----	----	----	2	UNCH
5300	----	----		----	0.20B/0.60A	----	----		0.40 - 0.10	.0032	----	----	----	----	8	UNCH
5400	----	----		----	----/0.50A	----	----		0.30 - 0.10	.0022	----	----	----	----	3	UNCH
5400	----	----		----	0.70B/0.90A	----	----		0.60							

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON GOLD WEEKLY MONDAY OPTION WEEK3															
SEP26	0.80	0.80		0.80/0.20	0.80/0.20				0.10	NEW			3		2 +
4155	----	----		241.40B/180.80A	241.40B/180.80A				230.80	+ 24.70			----		2
4160	0.20	0.20		0.80B/0.20	0.80B/0.20				0.10	NEW			5		5 +
4165	----	----		0.90B/0.20A	0.90B/0.20A				0.10	- 0.70			----		5
4175	3.40	3.40		6.80B/3.20A	6.80B/3.20A				3.40	- 2.80			1		29
4175	----	----		1.10B/0.20A	1.10B/0.20A				0.20	- 0.70			----		112
4180	0.50	0.50		1.20B/0.20A	1.20B/0.20A				0.20	- 0.70			1		27 +
4185	0.50	0.50		1.20B/0.20A	1.20B/0.20A				0.20	- 0.80			1		6 +
4190	0.50	0.50		1.40B/0.30A	1.40B/0.30A				0.20	NEW			4		4 +
4195	0.50	0.50		1.50B/0.30A	1.50B/0.30A				0.20	NEW			3		3 +
4200	4.10	4.10		9.10B/4.00A	9.10B/4.00A				4.30	- 3.60			27		65 +
4200	1.10	1.10		1.60B/0.20	1.60B/0.20				0.30	- 1.00			33		123 +
4205	0.80	0.80		1.80B/0.30A	1.80B/0.30A				0.30	- 1.10			7		9
4210	1.20	1.20		2.00B/0.30	2.00B/0.30				0.30	- 1.30			9		13 +
4210	136.00	136.00		194.40B/132.20A	194.40B/132.20A				181.00	NEW			2		2 +
4215	0.50	0.50		2.20B/0.40A	2.20B/0.40A				0.30	- 1.40			4		8 +
4220	135.50	135.50		184.50B/122.80A	184.50B/122.80A				171.00	+ 23.70			2		1 -
4220	0.30	0.30		2.50B/0.30	2.50B/0.30				0.40	- 1.50			2		4
4225	1.20	1.20		2.70B/0.40	2.70B/0.40				0.40	- 1.70			2		12 +
4225	----	----		12.10B/5.20A	12.10B/5.20A				5.60	- 4.70			----		15
4230	1.00	1.00		3.00B/0.40	3.00B/0.40				0.40	- 1.90			6		11 +
4235	159.00	159.00		169.80B/108.60A	169.80B/108.60A				156.20	NEW			2		0
4235	1.10	1.10		3.30B/0.50	3.30B/0.50				0.50	- 2.00			4		16 +
4240	1.20	1.20		3.70B/0.50	3.70B/0.50				0.50	- 2.30			4		38 +
4245	0.70	0.70		4.10B/0.60A	4.10B/0.60A				0.60	- 2.50			3		13 +
4250	----	----		16.00B/6.90A	16.00B/6.90A				7.30	- 6.10			2		125
4250	2.00	2.00		4.50B/0.60	4.50B/0.60				0.70	- 2.70			360		515 +
4250	----	----		155.10B/95.00A	155.10B/95.00A				141.30	+ 22.40			1		1
4250	----	----		196.30B/141.50A	196.30B/141.50A				182.10	+ 19.20			----		30
4255	4.20	4.20		5.10B/0.70A	5.10B/0.70A				0.70	- 3.10			3		4 +
4260	2.00	2.00		5.70B/0.70	5.70B/0.70				0.80	- 3.40			5		6 +
4265	2.40	2.40		6.40B/0.80A	6.40B/0.80A				0.90	- 3.80			3		26 +
4270	1.40	1.40		7.20B/0.70	7.20B/0.70				1.10	- 4.10			21		118
4270	----	----		135.80B/78.00A	135.80B/78.00A				121.70	+ 21.10			----		100
4275	7.10	7.10		7.90B/1.00	7.90B/1.00				1.20	- 4.50			9		113 +
4275	14.20	14.20		21.20B/9.10A	21.20B/9.10A				9.80	- 7.70			2		12
4280	1.40	1.40		8.80B/1.10A	8.80B/1.10A				1.30	- 5.10			10		211 +
4280	----	----		126.30B/69.70A	126.30B/69.70A				112.00	+ 20.20			----		0
4285	3.00	3.00		9.80B/1.20A	9.80B/1.20A				1.50	- 5.60			11		11 +
4290	----	----		116.90B/61.80A	116.90B/61.80A				102.40	+ 19.10			----		1
4290	4.20	4.20		11.00B/1.20	11.00B/1.20				1.70	- 6.10			18		24 +
4295	----	----		112.10B/58.00A	112.10B/58.00A				97.60	+ 18.50			----		2
4295	----	----		12.30B/1.50A	12.30B/1.50A				1.90	- 6.70			1		10
4300	9.50	9.50		152.90B/103.30A	152.90B/103.30A				137.90	+ 15.50			2		1
4300	65.00	65.00		13.70B/1.60	13.70B/1.60				2.20	- 7.40			59		153 +
4300	20.80	20.80		107.50B/54.30A	107.50B/54.30A				92.90	+ 17.90			2		17 +
4305	3.20	3.20		27.80B/12.00A	27.80B/12.00A				13.10	- 9.70			1		59 +
4310	6.70	6.70		15.20B/1.90A	15.20B/1.90A				2.50	- 8.10			4		5 +
4315	7.50	7.50		16.80B/2.20	16.80B/2.20				2.80	- 8.90			9	50	58 +
4320	----	----		18.60B/2.50A	18.60B/2.50A				3.20	- 9.70			5		4 +
4320	7.10	7.10		89.50B/40.70A	89.50B/40.70A				74.30	+ 14.60			----		8
4325	7.90	7.90		20.40B/2.80A	20.40B/2.80A				3.60	- 10.60			6		8 +
4325	----	----		22.60B/3.20	22.60B/3.20				4.10	- 11.50			7		59 +
4325	----	----		85.10B/37.40A	85.10B/37.40A				69.80	+ 13.70			----		31
4325	----	----		132.80B/86.60A	132.80B/86.60A				117.50	+ 13.30			----		2
4325	----	----		36.00B/16.10A	36.00B/16.10A				17.70	- 11.90			----		508
4330	11.20	11.20		24.80B/3.70	24.80B/3.70				4.60	NEW			12		10 +
4335	10.80	10.80		27.20B/4.20A	27.20B/4.20A				5.30	- 13.50			18		17 +
4340	----	----		72.30B/28.20A	72.30B/28.20A				56.70	+ 10.60			----		15
4340	30.00	30.00		30.00/4.90A	30.00/4.90A				6.10	- 14.50			40		35 +
4345	33.30	33.30		68.50/25.50A	68.50/25.50A				52.70	+ 9.70			13		8 +
4345	10.10	10.10		32.40B/5.60A	32.40B/5.60A				7.00	- 15.50			35		30 +
4350	32.10	32.10		64.60B/23.00A	64.60B/23.00A				48.70	+ 8.60			51		109 +
4350	30.00	30.00		35.10B/6.40A	35.10B/6.40A				8.00	- 16.60			48		80 +
4350	----	----		46.40B/21.50A	46.40B/21.50A				23.70	- 14.40			----		40
4355	21.50	21.50		38.10B/7.40A	38.10B/7.40A				9.20	- 17.60			44		38 +
4355	----	----		60.80B/20.50A	60.80B/20.50A				44.90	+ 7.60			----		4
4360	21.20	21.20		57.20B/18.30A	57.20B/18.30A				41.30	+ 6.70			13		18 +
4360	11.50	11.50		41.00B/8.50A	41.00B/8.50A				10.60	- 18.50			36		25 +
4365	----	----		44.10B/9.80A	44.10B/9.80A				12.20	NEW			5		5 +
4365	52.00	52.00		53.50B/16.50A	53.50B/16.50A				37.80	+ 5.70			2		10
4370	19.10	19.10		47.70B/11.00A	47.70B/11.00A				13.90	- 20.30			12		29 +
4370	19.10	19.10		49.90B/14.70A	49.90B/14.70A				34.60	+ 4.90			2		30 +
4375	----	----		96.80B/58.10A	96.80B/58.10A				81.30	+ 8.30			----		19
4375	56.80	56.80		58.70B/28.70A	58.70B/28.70A				31.40	- 16.90			8		29 +
4375	22.00	22.00		51.20B/12.60A	51.20B/12.60A				15.80						

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN VOLUME	OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GOLD WEEKLY MONDAY OPTION WEEK3																	
SEP26																	
4540	----	----	----	201.00B/139.20A	201.00B/139.20A	----	----	----	149.80 - 26.30	.9915	----	----	----	1	----	2	UNCH
4540	1.80	1.80		2.50B/0.30A	2.50B/0.30A	----	----	----	0.50 - 1.10	.0084	----	----	----	41	----	5 +	1
4545	0.50	0.50		2.30B/0.30A	2.30B/0.30A	----	----	----	0.50 NEW	.0082	----	----	----	----	----	41 +	41
4550	----	----		210.80B/148.70A	210.80B/148.70A	----	----	----	159.70 - 26.10	.9936	----	----	----	----	----	9	UNCH
4550	0.50	0.50		2.10B/0.30	2.10B/0.30	----	----	----	0.40 - 1.00	.0063	----	----	----	4	----	102 +	2
4550	----	----		186.80B/132.30A	186.80B/132.30A	----	----	----	139.20 - 26.90	.8218	----	----	----	10	----	12	UNCH
4550	----	----		23.30B/9.30A	23.30B/9.30A	----	----	----	14.20 - 1.80	.1779	----	----	----	1	----	23 -	1
4555	157.00	157.00		215.70B/153.50A	215.70B/153.50A	----	----	----	164.60 NEW	.9938	----	----	----	2	----	1 +	1
4555	1.00	1.00		1.90B/0.30A	1.90B/0.30A	----	----	----	0.40 NEW	.0061	----	----	----	5	----	5 +	5
4560	----	----		1.70B/0.30A	1.70B/0.30A	----	----	----	0.40 - 0.80	.0060	----	----	----	----	----	27	UNCH
4560	----	----		220.70B/158.30A	220.70B/158.30A	----	----	----	169.60 - 26.00	.9939	----	----	----	2	----	2	UNCH
4565	0.30	0.30		1.60B/0.30	1.60B/0.30	----	----	----	0.30 - 0.80	.0043	----	----	----	7	----	21 +	2
4575	1.00	1.00		1.30B/0.20	1.30B/0.20	----	----	----	0.30 - 0.60	.0041	----	----	----	7	----	25 +	3
4575	204.40	204.40		235.60B/172.90A	235.60B/172.90A	----	----	----	184.60 - 25.80	.9958	----	----	----	1	----	3 +	1
4575	----	----		209.30B/153.40A	209.30B/153.40A	----	----	----	160.80 - 27.00	.8612	----	----	----	7	----	7	UNCH
4575	11.10	11.10		18.70B/7.20A	18.70B/7.20A	----	----	----	10.80 - 1.90	.1385	----	----	----	3	----	27 -	3
4580	----	----		1.20B/0.20A	1.20B/0.20A	----	----	----	0.30 - 0.60	.0040	----	----	----	1	----	8 +	1
4585	----	----		1.10B/0.20A	1.10B/0.20A	----	----	----	0.30 - 0.50	.0039	----	----	----	----	----	10	UNCH
4590	1.00	1.00		1.00/0.20	1.00/0.20	----	----	----	0.20 - 0.60	.0025	----	----	----	6	----	6 +	5
4595	----	----		1.00B/0.20A	1.00B/0.20A	----	----	----	0.20 - 0.50	.0024	----	----	----	5	----	5	UNCH
4600	0.50	0.50		0.90B/0.20	0.90B/0.20	----	----	----	0.20 - 0.50	.0024	----	----	----	174	----	381 -	16
4600	----	----		15.10B/5.60A	15.10B/5.60A	----	----	----	8.30 - 1.90	.1078	----	----	----	3	----	44 +	1
4600	----	----		232.40B/175.50A	232.40B/175.50A	----	----	----	183.20 - 27.10	.8919	----	----	----	----	----	4	UNCH
4605	----	----		0.80B/0.20A	0.80B/0.20A	----	----	----	0.20 - 0.40	.0023	----	----	----	----	----	1	UNCH
4625	----	----		277.10B/222.00A	277.10B/222.00A	----	----	----	234.40 - 25.50	.9979	----	----	----	----	----	2	UNCH
4625	----	----		----/0.20A	0.50B/0.20A	----	----	----	0.20 - 0.30	.0021	----	----	----	----	----	45	UNCH
4625	12.20	12.20		12.20/4.40A	12.20/4.40A	----	----	----	6.40 - 1.80	.0837	----	----	----	20	----	52 +	9
4625	----	----		255.90B/198.80A	255.90B/198.80A	----	----	----	206.30 - 27.00	.9160	----	----	----	----	----	1	UNCH
4635	0.50	0.50		0.50/0.20A	0.50/0.20A	----	----	----	0.20 NEW	.0020	----	----	----	3	----	3 +	3
4645	----	----		----/0.10A	0.40B/0.10A	----	----	----	0.20 - 0.20	.0019	----	----	----	5	----	5	UNCH
4650	4.30	4.30		9.50B/3.50A	9.50B/3.50A	----	----	----	5.00 - 1.60	.0653	----	----	----	26	----	43 +	23
4650	0.20	0.20		0.20/0.10A	0.40B/0.10A	----	----	----	0.20 - 0.20	.0019	----	----	----	1	----	207 +	1
4650	----	----		300.90B/250.50A	300.90B/250.50A	----	----	----	259.40 - 25.40	.9981	----	----	----	----	----	11	UNCH
4650	----	----		279.80B/222.10A	279.80B/222.10A	----	----	----	229.90 - 26.80	.9344	----	----	----	----	----	1	UNCH
4670	0.30	0.30		0.30/0.10A	0.30/0.10A	----	----	----	0.20 NEW	.0017	----	----	----	2	----	2 +	2
4675	----	----		7.80B/2.90A	7.80B/2.90A	----	----	----	4.00 - 1.40	.0518	----	----	----	----	----	17	UNCH
4675	----	----		303.90B/245.30A	303.90B/245.30A	----	----	----	253.80 - 26.60	.9480	----	----	----	----	----	4	UNCH
4675	0.50	0.50		0.50/0.10	0.50/0.10	----	----	----	0.20 - 0.10	.0017	----	----	----	12	----	19 +	4
4675	----	----		324.30B/280.80A	324.30B/280.80A	----	----	----	284.40 - 25.30	.9983	----	----	----	----	----	2	UNCH
4685	0.20	0.20		0.20/0.10A	0.20/0.10A	----	----	----	0.10 - 0.20	.0008	----	----	----	2	----	12 +	2
4690	----	----		----/0.10A	0.20B/0.10A	----	----	----	0.10 - 0.20	.0006	----	----	----	----	----	6	UNCH
4700	----	----		314.30B/269.30A	314.30B/269.30A	----	----	----	278.10 - 26.40	.9588	----	----	----	----	----	1	UNCH
4700	6.40	6.40		6.40/2.50A	6.40/2.50A	----	----	----	3.20 - 1.20	.0410	----	----	----	24	----	49 +	13
4700	----	----		----/0.10A	0.20B/0.10A	----	----	----	0.10 - 0.20	.0004	----	----	----	----	----	147	UNCH
4725	----	----		338.60B/293.00A	338.60B/293.00A	----	----	----	302.40 - 26.30	.9669	----	----	----	----	----	1	UNCH
4725	----	----		5.20B/2.10A	5.20B/2.10A	----	----	----	2.60 - 1.00	.0328	----	----	----	1	----	40 -	1
4725	----	----		----/0.20A	----	----	----	----	0.10 - 0.10	.0001	----	----	----	2	----	30	UNCH
4750	----	----		4.30B/1.80A	4.30B/1.80A	----	----	----	2.10 - 0.90	.0262	----	----	----	----	----	18	UNCH
4750	----	----		----/0.10A	----/0.10A	----	----	----	0.10 - 0.10	.0000	----	----	----	----	----	11	UNCH
4750	----	----		363.10B/328.30A	363.10B/328.30A	----	----	----	327.00 - 26.00	.9736	----	----	----	----	----	1	UNCH
4775	----	----		----/0.20A	----	----	----	----	0.10 - 0.10	.0000	----	----	----	----	----	12	UNCH
4775	----	----		3.60B/1.60A	3.60B/1.60A	----	----	----	1.80 - 0.70	.0219	----	----	----	----	----	22	UNCH
4800	----	----		412.50B/377.70A	412.50B/377.70A	----	----	----	376.40 - 25.70	.9819	----	----	----	----	----	1	UNCH
4800	----	----		2.90B/1.40A	2.90B/1.40A	----	----	----	1.50 - 0.60	.0179	----	----	----	3	----	44	UNCH
4800	----	----		----/0.10A	----/0.10A	----	----	----	0.10 - 0.10	.0000	----	----	----	----	----	278	UNCH
4825	----	----		----/0.10A	----/0.10A	----	----	----	0.10 - 0.10	----	----	----	----	----	----	6	UNCH
4825	----	----		2.40B/1.30A	2.40B/1.30A	----	----	----	1.30 - 0.50	.0151	----	----	----	----	----	17	UNCH
4850	2.40	2.40		2.40/1.10A	2.40/1.10A	----	----	----	1.10 - 0.50	.0126	----	----	----	36	----	48 +	17
4850	----	----		----/0.10A	----/0.10A	----	----	----	0.10 - 0.10	----	----	----	----	----	----	10	UNCH
4875	----	----		1.70B/1.00A	1.70B/1.00A	----	----	----	1.00 - 0.40	.0111	----	----	----	----	----	27	UNCH
4875	----	----		----/0.10A	----/0.10A	----	----	----	0.10 - 0.10	----	----	----	----	----	----	10	UNCH
4900	----	----		----/0.10A	----/0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	----	16	UNCH
4900	----	----		1.40B/0.90A	1.40B/0.90A	----	----	----	0.90 - 0.30	.0097	----	----	----	----	----	46	UNCH
4925	----	----		1.20B/0.80A	1.20B/0.80A	----	----	----	0.80 - 0.30	.0084	----	----	----	----	----	53	UNCH
4925	----	----		----/0.10A	----/0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	----	1	UNCH
4950	----	----		----/0.10A	----/0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	----	13	UNCH
4950	----	----		----/0.70A	0.90B/0.70A	----	----	----	0.70 - 0.20	.0072	----	----	----	----	----	8	UNCH
4975	----	----		----/0.60A	0.70B/0.60A	----	----	----	0.60 - 0.20	.0061	----	----	----	----	----	7	UNCH
4975	----	----		----/0.10A	----/0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	----	6	UNCH
5000	0.50	0.50		0.50/0.50	0.50/0.50	----	----	----	0.60 - 0.10	.0059	----	----	----	20	----	96	UNCH
5000	----	----		----/0.10A	----/0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	----	8	UNCH
5025	----	----		----/0.10A	----/0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	----	2	UNCH
5025	----	----		----/0.50A	0.50B/0.50A	----	----	----	0.50 - 0.20	.0048	----	----	----	----	----	11	UNCH
5050	----	----		----/0.10A	----/0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	----	2	UNCH
5050	----	----		----/0.50A	0.40B/0.50A	----	----	----	0.50 - 0.10	.0047	----	----	----	----	----	6	UNCH
5075	----	----		----/0.10A	----/0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	----	1	UNCH
5075	----	----		----/0.50A	0.30B/0.50A	----	----	----	0.50 - 0.10	.0045	----	----	----	----	----	4	UNCH
5100	----	----		----/0.40A	0.20B/0.40A	----	----	----	0.40 - 0.10	.0036	----	----	----	----	----	7	UNCH
5100	----	----		----/0.10A	----/0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	----	4	UNCH
5125	----	----		----/0.40A	0.20B/0.40A	----	----	----	0.40 - 0.10	.0035	----	----	----	----	----	5	UNCH
5150	----	----		----	0.20B/0.40A	----	----	----	0.40 UNCH	.0034	----	----	----	----	----	12	UNCH
5200	----	----		----	----/0.40A	----	----	----	0.30 - 0.10	.0025	----	----	----	----	----	16	UNCH
5																	

BULLETIN #180@				METALS OPTION PRODUCTS					Fri, Sep 18, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
RWS THU	SILVER WEEKLY THURSDAY OPTION week2												
OCT26													
6000	----	----	----/0.306A	0.3978/0.306A	----	0.324 - 0.129	.0992	----	----	1	----	2 +	1
6000	----	----	----/0.510A	0.6098/0.510A	----	0.485 - 0.190	.1267	----	----	----	----	1	UNCH
6100	0.310	0.310	0.310/0.213A	0.3438/0.213A	----	0.212 - 0.135	.0822	----	----	3	----	6	UNCH
6150	0.750	0.750	0.750/0.724A	0.9328/0.724A	----	0.730 NEW	.1797	----	----	4	----	4 +	4
6200	----	----	0.5138/0.284A	0.5138/0.284A	----	0.302 - 0.197	.1155	----	----	----	----	8	UNCH
6300	----	----	----/1.061A	1.4178/1.061A	----	1.081 - 0.376	.2467	----	----	----	----	6	UNCH
6300	0.550	0.550	0.7218/0.402A	0.7218/0.402A	----	0.437 - 0.277	.1616	----	----	7	----	9 +	3
6350	----	----	0.8678/0.483A	0.8678/0.483A	----	0.525 - 0.324	.1899	----	----	----	----	1	UNCH
6400	----	----	----/0.956A	1.4758/0.956A	----	1.020 NEW	.2698	----	----	1	----	1 +	1
6400	----	----	1.0348/0.578A	1.0348/0.578A	----	0.630 - 0.374	.2219	----	----	----	----	6	UNCH
6500	----	----	3.5788/2.332A	3.5788/2.332A	----	3.044 + 0.570	.7038	----	----	----	----	2	UNCH
6500	----	----	1.4538/0.823A	1.4538/0.823A	----	0.897 - 0.484	.2961	----	----	----	----	8	UNCH
6550	1.156	1.156	1.6808/0.975	1.6808/0.975	----	1.063 NEW	.3377	----	----	12	----	12 +	12
6550	----	----	3.2318/2.069A	3.2318/2.069A	----	2.710 + 0.512	.6622	----	----	----	----	16	UNCH
6700	----	----	2.9938/2.129A	2.9938/2.129A	----	2.230 - 0.673	.4726	----	----	----	----	1	UNCH
6800	----	----	1.9018/1.108A	1.9018/1.108A	----	1.409 + 0.252	.4351	----	----	2	----	12 +	2
6800	2.157	2.157	3.1598/2.108A	3.1598/2.108A	----	2.259 - 0.801	.5647	----	----	4	----	5 +	4
6850	----	----	1.6918/0.970A	1.6918/0.970A	----	1.222 + 0.210	.3915	----	----	----	----	3	UNCH
6850	----	----	3.5278/2.393A	3.5278/2.393A	----	2.571 - 0.843	.6083	----	----	----	----	1	UNCH
6900	1.066	1.066	1.4648/0.858A	1.4648/0.858A	----	1.057 + 0.172	.3502	----	----	10	----	19 +	10
6950	0.840	0.840	1.3158/0.754A	1.3158/0.754A	----	0.913 NEW	.3115	----	----	10	----	10 +	10
7000	----	----	1.1178/0.665A	1.1178/0.665A	----	0.789 + 0.111	.2761	----	----	----	----	2	UNCH
7100	----	----	1.7298/-----	1.7298/1.273A	----	1.409 + 0.175	.3159	----	----	----	----	2	UNCH
7200	----	----	0.6888/0.388A	0.6888/0.388A	----	0.446 + 0.035	.1666	----	----	----	----	1	UNCH
7400	0.903	0.903	1.062/0.758A	1.062/0.758A	----	0.837 NEW	.2032	----	----	6	----	6 +	6
7500	----	----	0.3188/0.188A	0.3188/0.188A	----	0.216 - 0.009	.0812	----	----	----	----	1	UNCH
7500	0.840	0.840	0.8908/0.645A	0.8908/0.645A	----	0.706 + 0.047	.1748	----	----	2	----	2	UNCH
7700	0.290	0.290	0.4008/0.290	0.4008/0.290	----	0.305 + 0.004	.0925	----	----	1	----	2 +	1
8000	----	----	0.4138/-----	0.4138/0.331A	----	0.318 - 0.004	.0831	----	----	----	----	1	UNCH
8100	----	----	0.2148/0.177A	0.2148/0.177A	----	0.170 - 0.014	.0504	----	----	----	----	1	UNCH
TOTAL										63	0	159 +	54
SMW MON	SILVER WEEKLY MONDAY OPTION WEEK3												
SEP26													
5700	0.012	0.012	0.012/0.012	0.012/0.012	----	0.001 NEW	----	----	----	2	----	2 +	2
5750	----	----	----/0.011A	----/0.011A	----	0.001 - 0.007	.0000	----	----	----	----	3	UNCH
5850	----	----	----/0.012A	----/0.012A	----	0.001 - 0.010	.0000	----	----	----	----	2	UNCH
5950	0.012	0.012	0.012/0.011A	0.012/0.011A	----	0.002 NEW	.0005	----	----	1	----	1 +	1
5980	----	----	----/0.013A	----/0.013A	----	0.002 - 0.016	.0005	----	----	----	----	5	UNCH
6000	----	----	----/0.088A	0.0868/0.088A	----	0.079 - 0.064	.0355	----	----	----	----	4	UNCH
6000	6.245	6.245	7.6038/6.245	7.6038/6.116A	----	7.150 NEW	.9994	----	----	2	----	0	UNCH
6000	0.010	0.010	0.010/0.010	0.010/0.010	----	0.002 NEW	.0005	----	----	1	----	1 +	1
6050	----	----	----/0.014A	0.0118/0.014A	----	0.003 - 0.022	.0010	----	----	----	----	7	UNCH
6100	----	----	----/0.015A	0.0188/0.015A	----	0.003 - 0.028	.0010	----	----	----	----	1	UNCH
6150	----	----	----/0.143A	0.2508/0.143A	----	0.138 - 0.127	.0639	----	----	----	----	1	UNCH
6200	----	----	----/0.172A	0.3198/0.172A	----	0.169 - 0.157	.0784	----	----	----	----	1	UNCH
6200	----	----	----/0.018A	0.0448/0.018A	----	0.007 - 0.045	.0032	----	----	----	----	1	UNCH
6230	----	----	----/0.020A	0.0578/0.020A	----	0.008 - 0.054	.0039	----	----	----	----	1	UNCH
6250	----	----	----/0.020A	0.0578/0.020A	----	0.010 - 0.060	.0051	----	----	----	----	1	UNCH
6300	0.010	0.010	0.1048/0.010	0.1048/0.010	----	0.014 - 0.083	.0080	----	----	1	----	3 +	1
6350	----	----	0.1538/0.025A	0.1538/0.025A	----	0.021 - 0.116	.0135	----	----	----	----	38	UNCH
6400	----	----	0.2278/0.033A	0.2278/0.033A	----	0.032 - 0.166	.0229	----	----	----	----	91	UNCH
6400	----	----	3.8778/2.082A	3.8778/2.082A	----	3.180 + 0.888	.9770	----	----	----	----	13	UNCH
6400	----	----	0.7648/0.367A	0.7648/0.367A	----	0.403 - 0.334	.1782	----	----	----	----	7	UNCH
6440	----	----	0.3088/0.044A	0.3088/0.044A	----	0.045 NEW	.0349	----	----	3	----	1 +	1
6450	0.155	0.155	0.3328/0.048A	0.3328/0.048A	----	0.050 NEW	.0394	----	----	4	----	2 +	2
6450	----	----	3.3958/1.692A	3.3958/1.692A	----	2.698 + 0.818	.9605	----	----	----	----	1	UNCH
6490	----	----	0.4468/0.064A	0.4468/0.064A	----	0.072 NEW	.0608	----	----	2	----	2 +	2
6500	----	----	2.9248/1.342A	2.9248/1.342A	----	2.228 + 0.723	.9322	----	----	----	----	1	UNCH
6500	----	----	1.1458/0.563A	1.1458/0.563A	----	0.622 - 0.457	.2590	----	----	----	----	10	UNCH
6500	0.125	0.125	0.4808/0.065	0.4808/0.065	----	0.079 - 0.332	.0677	----	----	8	----	14 +	3
6550	----	----	2.4578/1.022A	2.4578/1.022A	----	1.778 + 0.602	.8830	----	----	----	----	20	UNCH
6550	0.230	0.230	0.6838/0.105A	0.6838/0.105A	----	0.129 NEW	.1169	----	----	6	----	3 +	3
6560	0.204	0.204	0.7278/0.115A	0.7278/0.115A	----	0.142 NEW	.1298	----	----	1	----	1 +	1
6580	0.172	0.172	0.8228/0.141A	0.8228/0.141A	----	0.174 - 0.533	.1603	----	----	5	----	2 -	1
6600	0.265	0.265	0.9308/0.171A	0.9308/0.171A	----	0.212 NEW	.1959	----	----	9	----	7 +	7
6620	----	----	1.8748/0.690A	1.8748/0.690A	----	1.206 + 0.406	.7630	----	----	----	----	1	UNCH
6630	----	----	1.7938/0.650A	1.7938/0.650A	----	1.132 + 0.377	.7398	----	----	----	----	1	UNCH
6630	0.380	0.380	1.1048/0.231A	1.1048/0.231A	----	0.284 NEW	.2601	----	----	2	----	2 +	2
6650	0.400	0.400	1.2158/0.281A	1.2158/0.281A	----	0.343 NEW	.3095	----	----	3	15	18 +	18
6650	----	----	1.6418/0.578A	1.6418/0.578A	----	0.992 + 0.321	.6904	----	----	----	----	1	UNCH
6660	----	----	1.2828/0.310A	1.2828/0.310A	----	0.377 - 0.760	.3362	----	----	----	----	1	UNCH
6690	0.550	0.550	1.4938/0.410A	1.4938/0.410A	----	0.495 NEW	.4217	----	----	2	----	2 +	2
6700	----	----	1.2878/0.428A	1.2878/0.428A	----	0.689 NEW	.5485	----	----	1	----	1 +	1
6700	0.749	0.749	1.5688/0.445A	1.5688/0.445A	----	0.540 NEW	.4514	----	----	26	----	24 +	24
6720	----	----											



BULLETIN #180@				METALS OPTION PRODUCTS					Fri, Sep 18, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL	COMEX SILVER OPTIONS												
OCT26													
6125	----	----	6.6418/4.721A	6.6418/4.721A	----	5.958 +	0.974	.9691	----	----	----	2	UNCH
6150	----	----	6.4008/4.494A	6.4008/4.494A	----	5.716 +	0.964	.9652	----	----	----	6	UNCH
6175	----	----	6.1638/4.267A	6.1638/4.267A	----	5.474 +	0.952	.9602	----	----	----	14	UNCH
6200	----	----	5.9238/4.041A	5.9238/4.041A	----	5.234 +	0.940	.9547	----	----	----	30	UNCH
6225	----	----	5.6878/3.822A	5.6878/3.822A	----	4.995 +	0.925	.9485	----	----	----	16	UNCH
6250	----	----	5.4508/3.608A	5.4508/3.608A	----	4.758 +	0.908	.9417	----	----	----	55	UNCH
6275	----	----	5.2088/3.397A	5.2088/3.397A	----	4.522 +	0.889	.9334	----	----	----	4	UNCH
6300	----	----	4.9758/3.190A	4.9758/3.190A	----	4.289 +	0.868	.9243	----	----	----	79	UNCH
6325	----	----	4.7518/2.998A	4.7518/2.998A	----	4.058 +	0.845	.9138	----	----	----	10	UNCH
6350	----	----	4.5188/2.802A	4.5188/2.802A	----	3.830 +	0.819	.9017	----	----	----	6	UNCH
6375	3.253	3.253	4.2948/2.609A	4.2948/2.609A	----	3.606 +	0.793	.8878	----	1	----	19	UNCH
6400	2.824	2.824	4.0728/2.426A	4.0728/2.426A	----	3.385 +	0.763	.8723	----	8	----	77 -	2
6425	----	----	3.8538/2.252A	3.8538/2.252A	----	3.169 +	0.733	.8547	----	----	----	46	UNCH
6450	3.041	3.041	3.6388/2.082A	3.6388/2.082A	----	2.958 +	0.700	.8353	----	1	----	25	UNCH
6475	----	----	3.4278/1.921A	3.4278/1.921A	----	2.751 +	0.663	.8139	----	----	----	15	UNCH
6500	2.268	2.268	3.2268/1.769A	3.2268/1.769A	----	2.550 +	0.625	.7901	----	19	----	500 -	14
6525	----	----	3.0258/1.607A	3.0258/1.607A	----	2.355 +	0.585	.7643	----	----	----	37	UNCH
6550	2.070	2.070	2.8338/1.471A	2.8338/1.471A	----	2.167 +	0.544	.7362	----	28	----	106 -	7
6575	2.248	2.248	2.6468/1.344A	2.6468/1.344A	----	1.988 +	0.504	.7059	----	2	----	73	UNCH
6600	1.483	1.483	2.4658/1.226A	2.4658/1.226A	----	1.817 +	0.464	.6733	----	30	----	150 -	18
6625	1.580	1.580	2.2908/1.117A	2.2908/1.117A	----	1.656 +	0.425	.6391	----	3	----	381 -	1
6630	----	----	2.2568/1.097A	2.2568/1.097A	----	1.625	NEW	.6321	----	4	----	4 +	4
6650	1.168	1.168	2.1148/1.015A	2.1148/1.015A	----	1.503 +	0.384	.6037	----	16	----	52 -	2
6675	1.415	1.415	1.9558/0.918A	1.9558/0.918A	----	1.359 +	0.343	.5673	----	5	----	25 +	4
6690	1.080	1.080	1.260/1.080	1.8638/0.867A	----	1.277	NEW	.5451	----	4	----	2 +	2
6700	0.810	0.810	1.8048/0.810	1.8048/0.810	----	1.225 +	0.303	.5301	----	77	50	301 +	26
6710	1.046	1.046	1.049/1.046	1.7468/0.801A	----	1.175	NEW	.5152	----	2	----	1 +	1
6725	1.091	1.091	1.6808/0.754A	1.6808/0.754A	----	1.103 +	0.267	.4928	----	39	----	73 +	13
6750	0.888	0.888	1.5448/0.685A	1.5448/0.685A	----	0.993 +	0.236	.4560	----	130	----	231 -	14
6775	0.917	0.917	1.4198/0.619A	1.4198/0.619A	----	0.893 +	0.208	.4201	----	7	----	33 +	1
6800	0.768	0.768	1.3008/0.561A	1.3008/0.561A	----	0.800 +	0.180	.3853	----	141	----	709 +	51
6810	1.127	1.127	1.127/1.127	1.2548/0.540A	----	0.765	NEW	.3718	----	2	----	2 +	2
6825	0.698	0.698	1.1888/0.508A	1.1888/0.508A	----	0.714 +	0.154	.3518	----	15	----	101 +	2
6830	1.033	1.033	1.1678/1.033	1.1678/0.498A	----	0.697	NEW	.3451	----	2	----	1 +	1
6850	0.616	0.616	1.0858/0.459A	1.0858/0.459A	----	0.634 +	0.127	.3195	----	18	----	173 +	9
6875	0.563	0.563	0.9898/0.417A	0.9898/0.417A	----	0.561 +	0.102	.2887	----	27	----	43 +	9
6900	0.480	0.480	0.9008/0.378A	0.9008/0.378A	----	0.495 +	0.079	.2597	----	110	----	256 +	60
6910	0.799	0.799	0.799/0.362A	0.8678/0.362A	----	0.471	NEW	.2488	----	10	----	3 +	3
6925	0.585	0.585	0.8198/0.335A	0.8198/0.335A	----	0.436 +	0.059	.2327	----	45	----	46 +	15
6950	0.650	0.650	0.7458/0.295A	0.7458/0.295A	----	0.384 +	0.041	.2079	----	32	----	198 -	12
6975	0.570	0.570	0.6788/0.262A	0.6788/0.262A	----	0.340 +	0.028	.1857	----	71	----	47 +	16
7000	0.304	0.304	0.6158/0.234A	0.6158/0.234A	----	0.305 +	0.020	.1669	----	203	----	828 -	7
7025	0.294	0.294	0.5588/0.209A	0.5588/0.209A	----	0.270 +	0.010	.1486	----	1	----	100	UNCH
7050	----	----	0.5088/0.187A	0.5088/0.187A	----	0.240 +	0.001	.1324	----	4	----	121	UNCH
7075	0.378	0.378	0.4608/0.169A	0.4608/0.169A	----	0.213 -	0.007	.1177	----	1	----	74	UNCH
7100	0.212	0.212	0.4178/0.154A	0.4178/0.154A	----	0.189 -	0.014	.1045	----	17	----	257 +	1
7125	----	----	0.3818/0.141A	0.3818/0.141A	----	0.169 -	0.019	.0932	----	----	----	19	UNCH
7150	0.290	0.290	0.3498/0.128A	0.3498/0.128A	----	0.152 -	0.023	.0833	----	1	----	41	UNCH
7175	0.168	0.168	0.3198/0.119A	0.3198/0.119A	----	0.139 -	0.025	.0754	----	2	----	77 +	2
7200	0.248	0.248	0.2928/0.108	0.2928/0.108	----	0.127 -	0.026	.0682	----	22	----	307 -	5
7210	0.176	0.176	0.176/0.109A	0.2828/0.109A	----	0.123	NEW	.0657	----	2	----	2 +	2
7225	0.171	0.171	0.2688/0.103A	0.2688/0.103A	----	0.117 -	0.027	.0620	----	16	----	55 +	14
7250	0.195	0.195	0.2458/0.097A	0.2458/0.097A	----	0.109 -	0.027	.0569	----	73	----	330 -	36
7275	0.109	0.109	0.2288/0.091A	0.2288/0.091A	----	0.102 -	0.027	.0524	----	2	----	16 -	1
7300	0.185	0.185	0.2098/0.086A	0.2098/0.086A	----	0.096 -	0.026	.0485	----	27	----	213 +	11
7325	0.090	0.090	0.1938/0.082A	0.1938/0.082A	----	0.091 -	0.025	.0452	----	2	----	8 +	1
7350	0.088	0.088	0.1818/0.078A	0.1818/0.078A	----	0.086 -	0.024	.0420	----	33	----	115 +	15
7375	----	----	0.1608/0.075A	0.1608/0.075A	----	0.081 -	0.024	.0389	----	----	----	12	UNCH
7400	0.145	0.145	0.1498/0.071A	0.1498/0.071A	----	0.078 -	0.023	.0368	----	8	----	205 -	1
7425	0.074	0.074	0.1428/0.065	0.1428/0.065	----	0.074 -	0.022	.0343	----	2	----	35	UNCH
7450	----	----	0.1398/0.066A	0.1398/0.066A	----	0.071 -	0.022	.0324	----	----	----	41	UNCH
7475	0.130	0.130	0.130/0.062	0.130/0.062	----	0.068 -	0.021	.0305	----	3	----	61 +	1
7500	0.100	0.100	0.1238/0.062	0.1238/0.062	----	0.066 -	0.020	.0290	----	83	----	941 +	64
7525	----	----	0.1178/0.061A	0.1178/0.061A	----	0.064 -	0.019	.0276	----	----	----	20	UNCH
7550	0.111	0.111	0.116/0.062A	0.116/0.062A	----	0.062 -	0.019	.0263	----	6	----	36 -	1
7575	----	----	0.1078/0.061A	0.1078/0.061A	----	0.060 -	0.018	.0250	----	----	----	39	UNCH
7600	0.056	0.056	0.1028/0.054	0.1028/0.054	----	0.059 -	0.017	.0242	----	2	100	176 -	24
7625	----	----	0.0988/0.058A	0.0988/0.058A	----	0.057 -	0.017	.0230	----	----	----	21	UNCH
7650	0.095	0.095	0.095/0.057A	0.095/0.057A	----	0.056 -	0.016	.0222	----	1	----	12	UNCH

PG64	BULLETIN #180@			METALS OPTION PRODUCTS							Fri, Sep 18, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL		COMEX SILVER OPTIONS												
OCT26														
9400	----	----	----	0.0078/0.017A	----	0.010 -	0.004 .0020	----	----	----	----	88	UNCH	
9425	----	----	----	0.0068/0.017A	----	0.010 -	0.004 .0020	----	----	----	----	1	UNCH	
9450	----	----	----	0.0068/0.017A	----	0.009 -	0.004 .0018	----	----	----	----	15	UNCH	
9475	----	----	----	0.0058/0.017A	----	0.009 -	0.003 .0018	----	----	----	----	1	UNCH	
9500	----	----	----	0.0068/0.018A	----	0.009 -	0.003 .0017	----	----	----	----	177	UNCH	
9525	----	----	----	0.0058/0.018A	----	0.008 -	0.003 .0015	----	----	----	----	6	UNCH	
9600	----	----	----	0.0038/0.018A	----	0.007 -	0.003 .0013	----	----	----	----	18	UNCH	
9625	----	----	----	0.0038/0.017A	----	0.007 -	0.003 .0013	----	----	----	----	1	UNCH	
9650	----	----	----	0.0028/0.016A	----	0.007 -	0.003 .0013	----	----	----	----	4	UNCH	
9675	----	----	----	0.0018/0.017A	----	0.007 -	0.002 .0013	----	----	----	----	6	UNCH	
9700	----	----	----	----/0.016A	----	0.006 -	0.003 .0011	----	----	----	----	52	UNCH	
9725	----	----	----	----/0.016A	----	0.006 -	0.003 .0011	----	----	----	----	1	UNCH	
9800	----	----	----	----/0.014A	----	0.005 -	0.003 .0009	----	----	----	----	29	UNCH	
9825	----	----	----	----/0.014A	----	0.005 -	0.003 .0009	----	----	----	----	1	UNCH	
9875	----	----	----	----/0.013A	----	0.005 -	0.003 .0009	----	----	----	----	2	UNCH	
9900	----	----	----	----/0.013A	----	0.005 -	0.003 .0009	----	----	----	----	9	UNCH	
9950	----	----	----	----/0.015A	----	0.004 -	0.003 .0007	----	----	----	----	1	UNCH	
10000	----	----	----	----/0.016A	----	0.004 -	0.003 .0007	----	----	----	----	11037	UNCH	
10025	----	----	----	----/0.018A	----	0.004 -	0.003 .0007	----	----	----	----	5	UNCH	
10050	----	----	----	----/0.017A	----	0.004 -	0.003 .0007	----	----	----	----	1	UNCH	
10100	----	----	----	----/0.100A	----	0.003 -	0.003 .0005	----	----	----	----	2	UNCH	
10125	----	----	----	----/0.100A	----	0.003 -	0.003 .0005	----	----	----	----	2	UNCH	
10150	----	----	----	----/0.100A	----	0.003 -	0.003 .0005	----	----	----	----	1	UNCH	
10225	----	----	----	----/0.100A	----	0.003 -	0.002 .0005	----	----	----	----	3	UNCH	
10250	----	----	----	----/0.100A	----	0.003 -	0.002 .0005	----	----	----	----	1	UNCH	
10275	----	----	----	----/0.100A	----	0.003 -	0.002 .0005	----	----	----	----	4	UNCH	
10300	----	----	----	----/0.100A	----	0.003 -	0.001 .0005	----	----	----	----	10	UNCH	
10325	----	----	----	----/0.100A	----	0.003 -	0.001 .0005	----	----	----	----	4	UNCH	
10350	----	----	----	----/0.100A	----	0.003 -	0.001 .0005	----	----	----	----	4	UNCH	
10375	----	----	----	----/0.100A	----	0.003 -	0.001 .0004	----	----	----	----	3	UNCH	
10400	----	----	----	----/0.100A	----	0.002 -	0.002 .0003	----	----	----	----	80	UNCH	
10425	----	----	----	----/0.100A	----	0.002 -	0.002 .0003	----	----	----	----	4	UNCH	
10450	----	----	----	----/0.100A	----	0.002 -	0.002 .0003	----	----	----	----	5	UNCH	
10475	----	----	----	----/0.100A	----	0.002 -	0.002 .0003	----	----	----	----	5	UNCH	
10500	----	----	----	----/0.100A	----	0.002 -	0.002 .0003	----	----	----	----	45	UNCH	
10525	----	----	----	----/0.100A	----	0.002 -	0.001 .0003	----	----	----	----	3	UNCH	
10550	----	----	----	----/0.100A	----	0.002 -	0.001 .0003	----	----	----	----	4	UNCH	
10575	----	----	----	----/0.099A	----	0.002 -	0.001 .0003	----	----	----	----	9	UNCH	
10600	----	----	----	----/0.099A	----	0.002 -	0.001 .0003	----	----	----	----	8	UNCH	
10625	----	----	----	----/0.014A	----	0.002 -	0.001 .0003	----	----	----	----	7	UNCH	
10650	----	----	----	----/0.099A	----	0.002 -	0.001 .0003	----	----	----	----	6	UNCH	
10675	----	----	----	----/0.099A	----	0.002 -	0.001 .0003	----	----	----	----	4	UNCH	
10700	----	----	----	----/0.099A	----	0.002 -	0.001 .0003	----	----	----	----	13	UNCH	
10725	----	----	----	----/0.099A	----	0.002 -	0.001 .0003	----	----	----	----	2	UNCH	
10750	----	----	----	----/0.099A	----	0.002 -	0.001 .0003	----	----	----	----	12	UNCH	
10775	----	----	----	----/0.099A	----	0.002	UNCH .0003	----	----	----	----	2	UNCH	
10800	----	----	----	----/0.099A	----	0.001 -	0.001 .0001	----	----	----	----	5	UNCH	
10825	----	----	----	----/0.099A	----	0.001 -	0.001 .0001	----	----	----	----	2	UNCH	
10850	----	----	----	----/0.099A	----	0.001 -	0.001 .0001	----	----	----	----	1	UNCH	
10875	----	----	----	----/0.099A	----	0.001 -	0.001 .0001	----	----	----	----	1	UNCH	
10900	----	----	----	----/0.099A	----	0.001 -	0.001 .0001	----	----	----	----	1	UNCH	
10925	----	----	----	----/0.099A	----	0.001 -	0.001 .0001	----	----	----	----	4	UNCH	
10950	----	----	----	----/0.099A	----	0.001	UNCH .0001	----	----	----	----	4	UNCH	
10975	----	----	----	----/0.099A	----	0.001	UNCH .0000	----	----	----	----	4	UNCH	
11000	----	----	----	----/0.011A	----	0.001	UNCH .0000	----	----	----	----	398	UNCH	
11025	----	----	----	----/0.099A	----	0.001	UNCH .0000	----	----	----	----	7	UNCH	
11050	----	----	----	----/0.099A	----	0.001	UNCH .0000	----	----	----	----	10	UNCH	
11075	----	----	----	----/0.099A	----	0.001	UNCH .0000	----	----	----	----	10	UNCH	
11100	----	----	----	----/0.099A	----	0.001	UNCH .0000	----	----	----	----	2	UNCH	
11175	----	----	----	----/0.099A	----	0.001	UNCH .0000	----	----	----	----	1	UNCH	
11275	----	----	----	----/0.099A	----	0.001	UNCH .0000	----	----	----	----	2	UNCH	
11300	----	----	----	----/0.099A	----	0.001	UNCH .0000	----	----	----	----	3	UNCH	
11400	----	----	----	----/0.099A	----	0.001	UNCH .0000	----	----	----	----	4	UNCH	
11450	----	----	----	----/0.099A	----	0.001	UNCH .0000	----	----	----	----	4	UNCH	
11475	----	----	----	----/0.099A	----	0.001	UNCH .0000	----	----	----	----	12	UNCH	
11500	----	----	----	----/0.010A	----	0.001	UNCH .0000	----	----	----	----	24	UNCH	
11675	----	----	----	----/0.099A	----	0.001	UNCH .0000	----	----	----	----	1	UNCH	
11700	----	----	----	----/0.099A	----	0.001	UNCH .0000	----	----	----	----	2	UNCH	
11725	----	----	----	----/0.099A	----	0.001	UNCH .0000	----	----	----	----	1	UNCH	
11800	----	----	----	----/0.098A	----	0.001	UNCH .0000	----	----	----	----	2	UNCH	
12000	----	----	----	----/0.010A	----	0.001	UNCH	----	----	----	----	134	UNCH	
12050	----	----	----	----/0.098A	----	0.001	UNCH	----	----	----	----	3	UNCH	
12175	----	----	----	----/0.098A	----	0.001	UNCH	----	----	----	----	2	UNCH	
12500	----	----	----	----/0.010A	----	0.001	UNCH	----	----	----	----	17	UNCH	
12675	----	----	----	----/0.098A	----	0.001	UNCH	----	----	----	----	7	UNCH	
12700	----	----	----	----/0.098A	----	0.001	UNCH	----	----	----	----	7	UNCH	
12725	----	----	----	----/0.098A	----	0.001	UNCH	----	----	----	----	7	UNCH	
12750	----	----	----	----/0.098A	----	0.001	UNCH	----	----	----	----	7	UNCH	
12775	----	----	----	----/0.098A	----	0.001	UNCH	----	----	----	----	7	UNCH	
12800	----	----	----	----/0.098A	----	0.001	UNCH	----	----	----	----	7	UNCH	
12825	----	----	----	----/0.098A	----	0.001	UNCH	----	----	----	----	7	UNCH	
13000	----	----	----	----/0.009A	----	0.001	UNCH	----	----	----	----	111	UNCH	
14000	----	----	----	----/0.005A	----	0.001	UNCH	----	----	----	----	6	UNCH	
15000	----	----	----	----/0.005A	----	0.001	UNCH	----	----	----	----	328	UNCH	
16000	----	----	----	----/0.098A	----	0.001	UNCH	----	----	----	----	36	UNCH	
17000	----	----	----	----/0.098A	----</									

	BULLETIN #180@			METALS OPTION PRODUCTS							Fri, Sep 18, 2026			PG64			
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST	
SO CALL	COMEX SILVER OPTIONS																
DEC26																	
6450	----	----	----	6.4988/5.271A	6.4988/5.271A	----	----	----	5.924 +	0.506	.6260	----	----	1	----	18 -	1
6475	----	----	----	6.3658/5.144A	6.3658/5.144A	----	----	----	5.791 +	0.495	.6173	----	----	----	----	2	UNCH
6500	5.030	5.030	----	6.2288/5.015A	6.2288/5.015A	----	----	----	5.660 +	0.483	.6086	----	24	----	1096 +	2	UNCH
6525	----	----	----	6.1028/4.913A	6.1028/4.913A	----	----	----	5.532 +	0.472	.5999	----	----	----	3	UNCH	
6550	----	----	----	5.9668/4.795A	5.9668/4.795A	----	----	----	5.407 +	0.462	.5912	----	----	----	1	UNCH	
6575	----	----	----	5.8338/4.703A	5.8338/4.703A	----	----	----	5.284 +	0.451	.5825	----	----	----	1	UNCH	
6600	4.579	4.579	----	5.7068/4.575A	5.7068/4.575A	----	----	----	5.164 +	0.441	.5738	----	4	----	17	UNCH	
6625	----	----	----	5.5868/4.486A	5.5868/4.486A	----	----	----	5.046 +	0.430	.5651	----	----	----	36	UNCH	
6650	----	----	----	5.4738/4.377A	5.4738/4.377A	----	----	----	4.930 +	0.419	.5565	----	----	----	4	UNCH	
6675	----	----	----	5.3658/4.283A	5.3658/4.283A	----	----	----	4.818 +	0.410	.5479	----	----	----	4	UNCH	
6700	----	----	----	5.2458/4.178A	5.2458/4.178A	----	----	----	4.707 +	0.400	.5393	----	----	----	119	UNCH	
6725	----	----	----	5.1368/4.088A	5.1368/4.088A	----	----	----	4.599 +	0.391	.5307	----	----	----	1	UNCH	
6750	----	----	----	5.0238/3.981A	5.0238/3.981A	----	----	----	4.493 +	0.381	.5223	----	----	----	31	UNCH	
6775	----	----	----	4.9168/3.902A	4.9168/3.902A	----	----	----	4.390 +	0.372	.5138	----	----	----	4	UNCH	
6800	4.211	4.211	----	4.8098/3.805A	4.8098/3.805A	----	----	----	4.290 +	0.363	.5055	----	5	----	493 -	1	
6825	4.344	4.344	----	4.7058/3.724A	4.7058/3.724A	----	----	----	4.192 +	0.354	.4972	----	1	----	13 +	1	
6850	----	----	----	4.6028/3.629A	4.6028/3.629A	----	----	----	4.097 +	0.347	.4890	----	----	----	6	UNCH	
6875	4.226	4.226	----	4.5028/3.554A	4.5028/3.554A	----	----	----	4.004 +	0.341	.4809	----	2	----	5 +	2	
6900	4.133	4.133	----	4.4048/3.472A	4.4048/3.472A	----	----	----	3.913 +	0.335	.4728	----	140	----	225 +	130	
6925	----	----	----	4.3068/3.392A	4.3068/3.392A	----	----	----	3.823 +	0.327	.4648	----	----	----	11	UNCH	
6950	----	----	----	4.2118/3.317A	4.2118/3.317A	----	----	----	3.735 +	0.320	.4569	----	----	----	228	UNCH	
6975	3.864	3.864	----	4.1198/3.239A	4.1198/3.239A	----	----	----	3.648 +	0.311	.4490	----	1	----	2	+	1
7000	3.540	3.540	----	4.0298/3.165A	4.0298/3.165A	----	----	----	3.563 +	0.302	.4413	----	18	----	708 +	3	
7025	----	----	----	3.9418/3.091A	3.9418/3.091A	----	----	----	3.480 +	0.292	.4336	----	----	----	3	UNCH	
7050	----	----	----	3.8568/3.021A	3.8568/3.021A	----	----	----	3.400 +	0.284	.4260	----	----	----	22	UNCH	
7075	----	----	----	3.7668/2.951A	3.7668/2.951A	----	----	----	3.321 +	0.276	.4185	----	----	----	6	UNCH	
7100	3.210	3.210	----	3.6878/2.884A	3.6878/2.884A	----	----	----	3.245 +	0.270	.4111	----	13	----	36 +	12	
7125	----	----	----	3.6078/2.820A	3.6078/2.820A	----	----	----	3.171 +	0.265	.4039	----	----	----	4	UNCH	
7150	----	----	----	3.5278/2.753A	3.5278/2.753A	----	----	----	3.098 +	0.259	.3967	----	----	----	2	UNCH	
7200	----	----	----	3.3708/2.631A	3.3708/2.631A	----	----	----	2.958 +	0.248	.3826	----	2	----	216 +	1	
7225	----	----	----	3.3018/2.566A	3.3018/2.566A	----	----	----	2.890 +	0.240	.3757	----	----	----	6	UNCH	
7250	----	----	----	3.2238/2.511A	3.2238/2.511A	----	----	----	2.824 +	0.233	.3689	----	----	----	13	UNCH	
7275	2.543	2.543	----	3.1588/2.452A	3.1588/2.452A	----	----	----	2.759 +	0.226	.3621	----	2	----	13 +	2	
7300	2.673	2.673	----	3.0898/2.401A	3.0898/2.401A	----	----	----	2.696 +	0.221	.3555	----	3	----	97 +	1	
7325	----	----	----	3.0188/2.346A	3.0188/2.346A	----	----	----	2.634 +	0.215	.3490	----	----	----	2	UNCH	
7350	----	----	----	2.9518/2.291A	2.9518/2.291A	----	----	----	2.574 +	0.209	.3426	----	----	----	11	UNCH	
7375	----	----	----	2.8888/2.241A	2.8888/2.241A	----	----	----	2.515 +	0.203	.3363	----	----	----	6	UNCH	
7400	2.435	2.435	----	2.8248/2.191A	2.8248/2.191A	----	----	----	2.458 +	0.198	.3301	----	2	----	66 +	2	
7425	----	----	----	2.7618/2.138A	2.7618/2.138A	----	----	----	2.401 +	0.191	.3239	----	----	----	6	UNCH	
7450	----	----	----	2.7028/2.096A	2.7028/2.096A	----	----	----	2.347 +	0.186	.3179	----	----	----	1	UNCH	
7475	----	----	----	2.6468/2.046A	2.6468/2.046A	----	----	----	2.293 +	0.180	.3119	----	----	----	1	UNCH	
7500	2.350	2.350	----	2.5858/2.000A	2.5858/2.000A	----	----	----	2.241 +	0.175	.3061	----	69	----	1428 -	12	
7525	----	----	----	2.5308/1.958A	2.5308/1.958A	----	----	----	2.190 +	0.170	.3004	----	----	----	5	UNCH	
7550	----	----	----	2.4748/1.911A	2.4748/1.911A	----	----	----	2.140 +	0.164	.2947	----	----	----	52	UNCH	
7575	----	----	----	2.4218/1.869A	2.4218/1.869A	----	----	----	2.092 +	0.160	.2892	----	----	----	1	UNCH	
7600	----	----	----	2.3708/1.829A	2.3708/1.829A	----	----	----	2.044 +	0.155	.2837	----	252	----	264 +	228	
7650	----	----	----	2.2678/1.751A	2.2678/1.751A	----	----	----	1.953 +	0.147	.2731	----	----	----	3	UNCH	
7700	----	----	----	2.1728/1.672A	2.1728/1.672A	----	----	----	1.866 +	0.139	.2628	----	----	50	266 -	50	
7750	----	----	----	2.0798/1.600A	2.0798/1.600A	----	----	----	1.783 +	0.131	.2529	----	----	----	1	UNCH	
7775	----	----	----	2.0358/1.566A	2.0358/1.566A	----	----	----	1.744 +	0.128	.2482	----	----	----	10	UNCH	
7800	----	----	----	1.9948/1.533A	1.9948/1.533A	----	----	----	1.705 +	0.124	.2434	----	----	----	200	UNCH	
7825	----	----	----	1.9498/1.501A	1.9498/1.501A	----	----	----	1.667 +	0.120	.2388	----	----	----	2	UNCH	
7850	----	----	----	1.9088/1.466A	1.9088/1.466A	----	----	----	1.630 +	0.116	.2343	----	----	----	2	UNCH	
7875	----	----	----	1.8698/1.434A	1.8698/1.434A	----	----	----	1.594 +	0.112	.2298	----	----	----	4	UNCH	
7900	----	----	----	1.8298/1.401A	1.8298/1.401A	----	----	----	1.559 +	0.109	.2254	----	2	----	56 -	1	
7925	----	----	----	1.7908/1.371A	1.7908/1.371A	----	----	----	1.524 +	0.104	.2211	----	----	----	2	UNCH	
7950	1.391	1.391	----	1.7538/1.342A	1.7538/1.342A	----	----	----	1.491 +	0.101	.2169	----	32	----	97 -	26	
8000	1.390	1.390	----	1.6818/1.280A	1.6818/1.280A	----	----	----	1.426 +	0.094	.2087	----	212	----	1062 -	43	
8025	----	----	----	1.6478/1.252A	1.6478/1.252A	----	----	----	1.395 +	0.090	.2047	----	----	----	11	UNCH	
8050	----	----	----	1.6128/1.224A	1.6128/1.224A	----	----	----	1.364 +	0.086	.2008	----	----	----	23	UNCH	
8075	----	----	----	1.5788/1.197A	1.5788/1.197A	----	----	----	1.335 +	0.083	.1970	----	----	----	44	UNCH	
8100	----	----	----	1.5488/1.172A	1.5488/1.172A	----	----	----	1.306 +	0.080	.1932	----	----	----	46	UNCH	

PG64	BULLETIN #180@				METALS OPTION PRODUCTS								Fri, Sep 18, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL	COMEX SILVER OPTIONS																
DEC26																	
11075	----	----	----	0.2558/0.205A	0.2558/0.205A	----	----	0.215	-	0.010	.0333	----	----	----	----	1	UNCH
11150	----	----	----	0.2498/0.199A	0.2498/0.199A	----	----	0.209	-	0.010	.0323	----	----	----	----	1	UNCH
11200	----	----	----	0.2438/0.196A	0.2438/0.196A	----	----	0.205	-	0.010	.0316	----	----	----	----	8	UNCH
11225	----	----	----	0.2428/0.194A	0.2428/0.194A	----	----	0.203	-	0.011	.0313	----	----	----	----	2	UNCH
11250	----	----	----	0.2408/0.194A	0.2408/0.194A	----	----	0.202	-	0.010	.0311	----	----	----	----	3	UNCH
11275	----	----	----	0.2388/0.192A	0.2388/0.192A	----	----	0.200	-	0.010	.0307	----	----	----	----	1	UNCH
11300	----	----	----	0.2358/0.189A	0.2358/0.189A	----	----	0.198	-	0.010	.0304	----	----	----	----	4	UNCH
11350	----	----	----	0.2308/0.186A	0.2308/0.186A	----	----	0.195	-	0.010	.0299	----	----	----	----	5	UNCH
11375	----	----	----	0.2298/0.184A	0.2298/0.184A	----	----	0.193	-	0.010	.0296	----	----	----	----	1	UNCH
11400	----	----	----	0.2268/0.183A	0.2268/0.183A	----	----	0.191	-	0.010	.0293	----	----	----	----	12	UNCH
11475	----	----	----	0.2218/0.178A	0.2218/0.178A	----	----	0.186	-	0.010	.0284	----	----	----	----	1	UNCH
11500	----	----	----	0.2188/0.178A	0.2188/0.178A	----	----	0.185	-	0.010	.0282	----	----	----	----	15	UNCH
11550	----	----	----	0.2148/0.175A	0.2148/0.175A	----	----	0.182	-	0.010	.0277	----	----	----	----	1	UNCH
11600	----	----	----	0.2118/0.172A	0.2118/0.172A	----	----	0.179	-	0.010	.0272	----	----	----	----	2	UNCH
11625	----	----	----	0.2108/0.171A	0.2108/0.171A	----	----	0.177	-	0.010	.0269	----	----	----	----	2	UNCH
11675	----	----	----	0.2058/0.168A	0.2058/0.168A	----	----	0.174	-	0.010	.0264	----	----	----	----	2	UNCH
11700	----	----	----	0.2038/0.167A	0.2038/0.167A	----	----	0.173	-	0.010	.0263	----	----	----	----	1	UNCH
11775	----	----	----	0.1998/0.163A	0.1998/0.163A	----	----	0.169	-	0.010	.0256	----	----	----	----	3	UNCH
11800	----	----	----	0.1978/0.162A	0.1978/0.162A	----	----	0.167	-	0.010	.0253	----	----	----	----	30	UNCH
11850	----	----	----	0.1948/0.159A	0.1948/0.159A	----	----	0.165	-	0.010	.0249	----	----	----	----	2	UNCH
12000	0.190	0.190		0.190/0.150	0.190/0.150	----	----	0.157	-	0.010	.0236	----	----	16	----	598	-
12075	----	----	----	0.1818/0.149A	0.1818/0.149A	----	----	0.153	-	0.011	.0230	----	----	----	----	1	UNCH
12100	----	----	----	0.1788/0.148A	0.1788/0.148A	----	----	0.152	-	0.011	.0228	----	----	----	----	13	UNCH
12175	----	----	----	0.1748/0.145A	0.1748/0.145A	----	----	0.148	-	0.011	.0222	----	----	----	----	10	UNCH
12225	----	----	----	0.1718/0.143A	0.1718/0.143A	----	----	0.146	-	0.011	.0218	----	----	----	----	3	UNCH
12250	----	----	----	0.1708/0.142A	0.1708/0.142A	----	----	0.145	-	0.011	.0217	----	----	----	----	1	UNCH
12275	----	----	----	0.1698/0.141A	0.1698/0.141A	----	----	0.143	-	0.012	.0214	----	----	----	----	1	UNCH
12300	----	----	----	0.1688/0.140A	0.1688/0.140A	----	----	0.142	-	0.012	.0212	----	----	----	----	2	UNCH
12500	----	----	----	0.1588/0.132A	0.1588/0.132A	----	----	0.133	-	0.013	.0198	----	----	----	----	92	UNCH
12550	----	----	----	0.1558/0.130A	0.1558/0.130A	----	----	0.131	-	0.013	.0195	----	----	----	----	19	UNCH
12775	----	----	----	0.1468/0.122A	0.1468/0.122A	----	----	0.122	-	0.014	.0180	----	----	----	----	1	UNCH
12800	----	----	----	0.1458/0.122A	0.1458/0.122A	----	----	0.122	-	0.013	.0180	----	----	----	----	7	UNCH
12900	----	----	----	0.1408/0.119A	0.1408/0.119A	----	----	0.118	-	0.014	.0174	----	----	----	----	3	UNCH
13000	----	----	----	0.1378/0.116A	0.1378/0.116A	----	----	0.115	-	0.014	.0169	----	----	----	----	366	UNCH
13500	----	----	----	0.1198/0.102A	0.1198/0.102A	----	----	0.101	-	0.014	.0146	----	----	----	----	24	UNCH
14000	0.096	0.096		0.1048/0.083A	0.1048/0.083A	----	----	0.090	-	0.013	.0129	----	----	6	----	119	+
14200	----	----	----	0.0998/0.087A	0.0998/0.087A	----	----	0.086	-	0.012	.0122	----	----	----	----	2	UNCH
15000	----	----	----	-----/0.065A	0.0818/0.065A	----	----	0.073	-	0.010	.0102	----	----	----	----	1773	UNCH
16000	----	----	----	-----/0.060A	0.0588/0.060A	----	----	0.060	-	0.007	.0082	----	----	----	----	1616	UNCH
17000	----	----	----	-----/0.050A	0.0448/0.050A	----	----	0.047	-	0.007	.0063	----	----	----	----	87	UNCH
18000	----	----	----	----	0.0338/0.043A	----	----	0.034	-	0.008	.0046	----	----	----	----	202	UNCH
19000	----	----	----	----	0.0258/0.037A	----	----	0.022	-	0.010	.0030	----	----	----	----	6	UNCH
20000	----	----	----	----	0.0188/0.033A	----	----	0.014	-	0.012	.0020	----	----	----	----	494	UNCH
21000	----	----	----	----	0.0138/0.028A	----	----	0.010	-	0.012	.0014	----	----	----	----	7	UNCH
22000	----	----	----	----	0.0098/0.024A	----	----	0.008	-	0.012	.0011	----	----	----	----	7	UNCH
23000	----	----	----	----	0.0068/0.027A	----	----	0.007	-	0.012	.0010	----	----	----	----	37	UNCH
24000	----	----	----	----	0.0048/0.028A	----	----	0.006	-	0.011	.0008	----	----	----	----	2	UNCH
25000	----	----	----	----	-----/0.040A	----	----	0.006	-	0.009	.0008	----	----	----	----	239	UNCH
26000	----	----	----	----	-----/0.121A	----	----	0.005	-	0.008	.0006	----	----	----	----	3	UNCH
30000	----	----	----	----	-----/0.116A	----	----	0.003	-	0.005	.0004	----	----	----	----	111	UNCH
32000	----	----	----	----	-----/0.114A	----	----	0.003	-	0.003	.0003	----	----	----	----	12	UNCH
35000	----	----	----	----	-----/0.112A	----	----	0.002	-	0.002	.0002	----	----	----	----	1	UNCH
40000	----	----	----	----	-----/0.099A	----	----	0.001	-	0.001	.0000	----	----	----	----	25	UNCH
90000	----	----	----	----	-----/0.106A	----	----	0.001	-	UNCH	----	----	----	----	----	2	UNCH
100000	----	----	----	----	-----/0.010A	----	----	0.001	-	UNCH	----	----	----	----	----	10	UNCH
TOTAL														1158	50	23748	+
JAN27																	
5700	----	----	----	12.8888/11.571A	12.8888/11.571A	----	----	12.420	+	0.821	.8270	----	----	----	----	1	UNCH
6000	----	----	----	10.6818/9.496A	10.6818/9.496A	----	----	10.223	+	0.714	.7591	----	----	1	----	0	-
6100	----	----	----	10.0068/8.841A	10.0068/8.841A	----	----	9.551	+	0.681	.7340	----	----	----	----	3	UNCH
6250	----	----	----	9.0728/7.986A	9.0728/7.986A	----	----	8.604	+	0.617	.6945	----	----	----	----	13	UNCH
6400	----	----	----	8.1898/7.176A	8.1898/7.176A	----	----	7.739	+	0.556	.6535	----	----	----	----	100	UNCH
6500	----	----	----	7.6388/----	7.6388/6.693A	----	----	7.207	+	0.521	.6257	----	----	----	----	19	UNCH
6575	----	----	----	7.2728/6.182A	7.2728/6.182A	----	----	6.828	+	0.494	.6048	----	----	----	----	1	UNCH
6600	----	----	----	7.1408/6.071A	7.1408/6.071A	----	----	6.705	+	0.484	.5978	----	----	----	----	36	UNCH
6656																	

	BULLETIN #180@			METALS OPTION PRODUCTS					Fri, Sep 18, 2026				PG64		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL			COMEX	SILVER	OPTIONS										
FEB27															
7300	----	----		5.2578/4.484A	5.2578/4.484A	----	----	----	4.862 +	0.272	.4380	----	----	----	1
7475	----	----		4.7418/4.135A	4.7418/4.135A	----	----	----	4.376 +	0.237	.4036	----	----	----	10
7500	----	----		4.7018/3.981A	4.7018/3.981A	----	----	----	4.311 +	0.232	.3989	----	----	----	278
7550	----	----		4.5618/3.893A	4.5618/3.893A	----	----	----	4.185 +	0.223	.3896	----	----	----	334
7600	----	----		4.4668/3.761A	4.4668/3.761A	----	----	----	4.064 +	0.216	.3805	----	----	----	5
7700	----	----		4.1818/----	4.1818/3.633A	----	----	----	3.833 +	0.200	.3630	----	----	----	61
7800	----	----		3.9288/3.382A	3.9288/3.382A	----	----	----	3.618 +	0.186	.3462	----	----	----	25
7900	----	----		3.7278/3.198A	3.7278/3.198A	----	----	----	3.417 +	0.172	.3303	----	----	----	1
8000	----	----		3.5198/3.040A	3.5198/3.040A	----	----	----	3.229 +	0.159	.3150	----	----	----	2
8200	----	----		3.1598/2.731A	3.1598/2.731A	----	----	----	2.889 +	0.135	.2867	----	----	----	2
8300	----	----		2.9958/2.565A	2.9958/2.565A	----	----	----	2.735 +	0.124	.2736	----	----	----	20
8400	----	----		2.8258/2.443A	2.8258/2.443A	----	----	----	2.590 +	0.114	.2611	----	----	----	1
8500	----	----		2.7238/2.317A	2.7238/2.317A	----	----	----	2.454 +	0.105	.2492	----	----	----	121
8550	----	----		2.6498/2.254A	2.6498/2.254A	----	----	----	2.389 +	0.101	.2435	----	----	----	20
8800	----	----		2.3338/1.979A	2.3338/1.979A	----	----	----	2.098 +	0.082	.2171	----	----	----	12
9000	----	----		2.0828/1.792A	2.0828/1.792A	----	----	----	1.900 +	0.069	.1986	----	----	----	19
9200	----	----		1.8958/1.630A	1.8958/1.630A	----	----	----	1.725 +	0.056	.1820	----	----	----	89
9500	----	----		1.6718/1.415A	1.6718/1.415A	----	----	----	1.500 +	0.042	.1601	----	----	----	33
10000	----	----		1.3308/1.142A	1.3308/1.142A	----	----	----	1.206 +	0.028	.1306	----	----	----	112
10200	----	----		1.2248/1.057A	1.2248/1.057A	----	----	----	1.111 +	0.023	.1208	----	----	----	83
10225	----	----		1.2058/1.051A	1.2058/1.051A	----	----	----	1.100 +	0.023	.1197	----	----	----	10
10500	----	----		1.0888/0.940A	1.0888/0.940A	----	----	----	0.988 +	0.018	.1080	----	----	----	4
11000	----	----		0.9068/0.787A	0.9068/0.787A	----	----	----	0.823 +	0.010	.0904	----	----	----	14
11100	----	----		0.8728/0.762A	0.8728/0.762A	----	----	----	0.795 +	0.008	.0874	----	----	----	1
11500	----	----		0.7618/0.667A	0.7618/0.667A	----	----	----	0.696 +	0.003	.0767	----	----	----	2
11700	----	----		0.7178/0.628A	0.7178/0.628A	----	----	----	0.654 +	0.001	.0721	----	----	----	6
12000	----	----		0.6408/0.576A	0.6408/0.576A	----	----	----	0.597 +	0.002	.0658	----	----	----	20
12400	----	----		0.5648/0.530A	0.5648/0.530A	----	----	----	0.533 +	0.006	.0587	----	----	----	4
12500	----	----		0.5458/0.518A	0.5458/0.518A	----	----	----	0.519 +	0.006	.0571	----	----	----	66
12950	----	----		0.4728/0.464A	0.4728/0.464A	----	----	----	0.461 +	0.009	.0506	----	----	----	1
12975	----	----		0.4698/0.458A	0.4698/0.458A	----	----	----	0.458 +	0.009	.0503	----	----	----	3
25000	----	----		----	0.0638/0.096A	----	----	----	0.081 +	0.001	.0081	----	----	----	2
30000	----	----		----	0.0328/0.070A	----	----	----	0.054 +	0.002	.0052	----	----	----	56
TOTAL														0	1934
MAR27															
6000	----	----		11.7298/10.741A	11.7298/10.741A	----	----	----	11.427 +	0.667	.7270	----	----	----	1
6175	----	----		10.8208/----	10.8208/9.775A	----	----	----	10.387 +	0.613	.6898	----	----	----	1
6300	----	----		10.1208/----	10.1208/9.131A	----	----	----	9.696 +	0.575	.6627	----	----	----	10
6400	----	----		9.5808/----	9.5808/8.640A	----	----	----	9.174 +	0.546	.6408	----	----	----	1
6500	----	----		9.0808/----	9.0808/8.184A	----	----	----	8.679 +	0.517	.6189	----	----	----	14
6775	----	----		7.8758/6.863A	7.8758/6.863A	----	----	----	7.450 +	0.441	.5592	----	----	----	1
7000	----	----		6.9738/6.071A	6.9738/6.071A	----	----	----	6.581 +	0.384	.5124	----	----	----	175
7100	----	----		6.7218/5.759A	6.7218/5.759A	----	----	----	6.231 +	0.361	.4924	----	----	----	1
7225	----	----		6.3018/5.399A	6.3018/5.399A	----	----	----	5.823 +	0.333	.4683	----	----	----	12
7400	----	----		5.7218/4.898A	5.7218/4.898A	----	----	----	5.302 +	0.298	.4360	----	----	----	3
7475	----	----		5.4418/4.714A	5.4418/4.714A	----	----	----	5.095 +	0.283	.4228	----	----	----	1
7500	----	----		5.4418/4.645A	5.4418/4.645A	----	----	----	5.028 +	0.278	.4185	----	----	----	100
7550	----	----		5.2458/4.530A	5.2458/4.530A	----	----	----	4.897 +	0.269	.4099	----	----	----	2
7600	----	----		5.1128/4.415A	5.1128/4.415A	----	----	----	4.771 +	0.260	.4016	----	----	----	2
7700	----	----		4.9038/4.223A	4.9038/4.223A	----	----	----	4.529 +	0.243	.3853	----	----	----	8
7725	----	----		4.7898/4.136A	4.7898/4.136A	----	----	----	4.471 +	0.239	.3813	----	----	----	10
7750	----	----		4.7268/4.116A	4.7268/4.116A	----	----	----	4.413 +	0.234	.3774	----	----	----	1
7800	----	----		4.6218/4.073A	4.6218/4.073A	----	----	----	4.301 +	0.227	.3696	----	----	----	1
7900	----	----		4.4018/3.790A	4.4018/3.790A	----	----	----	4.087 +	0.212	.3546	----	----	----	6
7950	----	----		4.2808/3.700A	4.2808/3.700A	----	----	----	3.984 +	0.204	.3473	----	----	----	1
8000	----	----		4.2388/3.610A	4.2388/3.610A	----	----	----	3.885 +	0.197	.3402	----	----	----	246
8050	----	----		4.1058/3.523A	4.1058/3.523A	----	----	----	3.789 +	0.191	.3332	----	----	----	1
8125	----	----		3.9238/3.405A	3.9238/3.405A	----	----	----	3.649 +	0.180	.3230	----	----	----	1
8300	----	----		3.6008/3.152A	3.6008/3.152A	----	----	----	3.349 +	0.159	.3006	----	----	----	1
8500	----	----		3.3088/2.901A	3.3088/2.901A	----	----	----	3.043 +	0.136	.2770	----	----	----	18
8600	----	----		3.1518/2.759A	3.1518/2.759A	----	----	----	2.904 +	0.127	.2660	----	----	----	1
8650	----	----		3.0568/2.682A	3.0568/2.682A	----	----	----	2.838 +	0.122	.2608	----	----	----	10
8700	----	----		2.9908/2.638A	2.9908/2.638A	----	----	----	2.773 +	0.117	.2556	----	----	----	1
8775	----	----		2.9118/2.528A	2.9118/2.528A	----	----	----	2.680 +	0.110	.2480	----	----	----	3
8800	----	----		2.8798/2.510A	2.8798/2.510A	----	----	----	2.650 +	0.108	.2456	----	----	----	9
9000	2.340	2.340		2.6308/2.311A	2.6308/2.311A	----	----	----	2.426 +	0.092	.2271	----	2	----	781
9200	----	----		2.4138/2.117A	2.4138/2.117A	----	----	----	2.227 +	0.079	.2103	----	----	----	26
9500	----	----		2.1368/1.873A	2.1368/1.873A	----	----	----	1.969 +	0.062	.1881	----	----	----	52
9675	----	----		1.9798/1.747A	1.9798/1.747A	----	----	----	1.837 +	0.053					



PG64	BULLETIN #180@				METALS OPTION PRODUCTS					Fri, Sep 18, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL		COMEX SILVER OPTIONS												
TOTAL											0	425	0	
JUN27														
5450	----	----	----	----	----	17.401 +	0.862	.8088	----	----	----	1	UNCH	
5700	----	----	----	----	----	15.709 +	0.813	.7714	----	----	----	1	UNCH	
5825	----	----	----	----	----	14.912 +	0.783	.7517	----	----	----	1	UNCH	
6225	----	----	12.922B/----	12.922B/11.977A	----	12.595 +	0.665	.6855	----	----	----	22	UNCH	
6500	----	----	11.544B/----	11.544B/10.696A	----	11.214 +	0.565	.6386	----	----	----	2	UNCH	
7050	----	----	9.204B/----	9.204B/8.568A	----	8.926 +	0.392	.5470	----	----	----	1	UNCH	
8000	----	----	6.350B/----	6.350B/5.962A	----	6.172 +	0.266	.4130	----	----	----	136	UNCH	
8075	----	----	6.175B/----	6.175B/5.808A	----	6.004 +	0.260	.4039	----	----	----	1	UNCH	
8500	----	----	5.280B/----	5.280B/4.977A	----	5.152 +	0.228	.3564	----	----	----	200	UNCH	
8700	----	----	4.922B/----	4.922B/4.673A	----	4.802 +	0.210	.3362	----	----	----	2	UNCH	
8800	----	----	4.765B/----	4.765B/4.533A	----	4.639 +	0.202	.3266	----	----	----	1	UNCH	
9350	----	----	3.961B/----	3.961B/3.789A	----	3.856 +	0.152	.2790	----	----	----	2	UNCH	
10000	----	----	3.225B/----	3.225B/3.114A	----	3.145 +	0.104	.2334	----	----	----	10	UNCH	
11000	----	----	2.436B/----	2.436B/2.377A	----	2.380 +	0.062	.1813	----	----	----	155	UNCH	
12000	----	----	1.916B/----	1.916B/1.879A	----	1.888 +	0.040	.1454	----	----	----	6	UNCH	
12500	----	----	1.713B/----	1.713B/1.686A	----	1.696 +	0.033	.1312	----	----	----	10	UNCH	
13000	----	----	1.540B/----	1.540B/1.531A	----	1.519 +	0.027	.1183	----	----	----	6	UNCH	
13075	----	----	1.515B/----	1.515B/1.510A	----	1.495 +	0.026	.1165	----	----	----	1	UNCH	
TOTAL											0	558	0	
JUL27														
2000	----	----	----	----	----	49.239 +	1.135	.9935	----	----	----	1	UNCH	
6800	----	----	10.692B/----	10.692B/10.005A	----	10.397 +	0.565	.5904	----	----	----	1	UNCH	
6900	----	----	10.287B/----	10.287B/9.628A	----	10.004 +	0.552	.5747	----	----	----	1	UNCH	
7000	----	----	9.909B/----	9.909B/9.280A	----	9.630 +	0.540	.5594	----	----	----	25	UNCH	
7800	----	----	7.384B/6.747A	7.384B/6.747A	----	7.183 +	0.386	.4489	----	----	----	1	UNCH	
7900	----	----	7.124B/6.495A	7.124B/6.495A	----	6.931 +	0.356	.4366	----	----	----	1	UNCH	
7950	----	----	6.994B/----	6.994B/6.636A	----	6.809 +	0.340	.4305	----	----	----	1	UNCH	
10000	----	----	3.669B/----	3.669B/3.474A	----	3.574 +	0.136	.2503	----	----	----	3	UNCH	
10100	----	----	3.621B/----	3.621B/3.409A	----	3.476 +	0.128	.2442	----	----	----	2	UNCH	
10300	----	----	3.480B/----	3.480B/3.326A	----	3.292 +	0.116	.2326	----	----	----	1	UNCH	
10500	----	----	3.179B/----	3.179B/3.167A	----	3.123 +	0.109	.2218	----	----	----	1	UNCH	
10700	----	----	3.013B/----	3.013B/3.019A	----	2.966 +	0.102	.2117	----	----	----	1	UNCH	
11000	----	----	2.787B/----	2.787B/2.816A	----	2.751 +	0.091	.1977	----	----	----	2	UNCH	
11100	----	----	2.716B/----	2.716B/2.752A	----	2.684 +	0.086	.1933	----	----	----	2	UNCH	
12000	----	----	2.183B/----	2.183B/2.266A	----	2.199 +	0.062	.1603	----	----	----	2	UNCH	
12100	----	----	2.133B/----	2.133B/2.220A	----	2.155 +	0.061	.1572	----	----	----	6	UNCH	
13000	----	----	----	1.748B/1.868A	----	1.820 +	0.045	.1334	----	----	----	2	UNCH	
13100	----	----	----	1.712B/1.834A	----	1.789 +	0.044	.1312	----	----	----	6	UNCH	
TOTAL											0	59	0	
AUG27														
7500	----	----	9.016B/----	9.016B/8.520A	----	8.803 +	0.437	.5043	----	----	----	8	UNCH	
8500	----	----	6.526B/----	6.526B/6.216A	----	6.366 +	0.294	.3908	----	----	----	8	UNCH	
TOTAL											0	16	0	
SEP27														
8500	----	----	6.993B/----	6.993B/6.699A	----	6.843 +	0.309	.4019	----	----	----	25	UNCH	
TOTAL											0	25	0	
DEC27														
4000	----	----	----	----	----	31.438 +	1.097	.9232	----	----	----	1	UNCH	
7175	----	----	----	----	----	12.359 +	0.654	.5773	----	----	----	80	UNCH	
20000	----	----	----	----	----	2.217 +	0.129	.1201	----	----	----	25	UNCH	
TOTAL											0	106	0	
MAR28														
6900	----	----	----	----	----	14.907 +	0.733	.6253	----	----	----	1	UNCH	
TOTAL											0	1	0	
SO PUT		COMEX SILVER OPTIONS												
OCT26														
2150	----	----	----	----/0.096A	----	0.001	UNCH	----	----	----	----	2	UNCH	
2500	----	----	----	----/0.096A	----	0.001	UNCH	----	----	----	----	1	UNCH	
2675	----	----	----	----/0.096A	----	0.001	UNCH	----	----	----	----	8	UNCH	
2800	----	----	----	----/0.096A	----	0.001	UNCH	----	----	----	----	1	UNCH	
3000	----	----	----	----/0.005A	----	0.001	UNCH	----	----	----	----	9	UNCH	
3200	----	----	----	----/0.096A	----	0.001	UNCH	----	----	----	----	1	UNCH	
3250	----	----	----	----/0.096A	----	0.001	UNCH	----	----	----	----	1	UNCH	
3500	----	----	----	----/0.005A	----	0.001	UNCH	----	----	----	----	7	UNCH	
3600	----	----	----	----/0.007A	----	0.001	UNCH	----	----	----	----	1	UNCH	
3650	----	----	----	----/0.096A	----	0.001	UNCH	----	----	----	----	2	UNCH	
3800	----	----	----	----/0.011A	----	0.001	UNCH	----	----	----	----	1	UNCH	
3975	----	----	----	----/0.011A	----	0.001	UNCH	----	----	----	----	1	UNCH	
4000	----	----	----	----/0.010A	----	0.001	UNCH	----	----	----	----	89	UNCH	
4100	----	----	----	----/0.010A	----	0.001	UNCH	----	----	----	----	7	UNCH	
4175	----	----	----	----/0.010A	----	0.001	UNCH	----	----	----	----	1	UNCH	
4200	----	----	----	----/0.010A	----	0.001	UNCH	----	----	----	----	2	UNCH	
4225	----	----	----	----/0.010A	----	0.001	UNCH	----	----	----	----	1	UNCH	
4250	----	----	----	----/0.010A	----	0.001	UNCH	----	----	----	----	3	UNCH	
4275	----	----	----	----/0.010A	----	0.001	UNCH	----	----	----	----	9	UNCH	
4300	----	----	----	----/0.010A	----	0.001	UNCH	----	----	----	----	22	UNCH	
4325	----	----	----	----/0.010A	----	0.001	UNCH	----	----	----	----	1	UNCH	
4350	----	----	----	----/0.010A	----	0.001	UNCH	----	----	----	----	1	UNCH	
4375	----	----	----	----/0.010A	----	0.001	UNCH	----	----	----	----	1	UNCH	
4400	----	----	----	----/0.010A	----	0.001	UNCH	----	----	----	----	13	UNCH	
4495	----	----	----	----/0.010A	----	0.001	UNCH	----	----	----	----	6	UNCH	
4500	----	----	----	----/0.010A	----	0.001	UNCH	----	----	----	----	345	UNCH	
4550	----	----	----	----/0.010A	----	0.001	UNCH	----	----	----	----	15	UNCH	
4575	----	----	----	----/0.010A	----	0.001	UNCH	----	----	----	----	1	UNCH	
4600	----	----	----	----/0.010A	----	0.001	UNCH	----	----	----	----	21	UNCH	
4650	----	----	----	----/0.010A	----	0.001	UNCH	----	----	----	----	13	UNCH	
4675	----	----	----	----/0.010A	----	0.001	UNCH	----	----	----	----	7	UNCH	
4700	----	----	----	----/0.010A	----	0.001	UNCH	----	----	----	----	18	UNCH	
4725	----	----	----	----/0.011A	----	0.001	UNCH	.0000	----	----	----	6	UNCH	
4750	----	----	----	----/0.011A	----	0.001	UNCH	.0000	----	----	----	8	UNCH	
4775	----	----	----	----/0.011A	----	0.001	UNCH	.0000	----	----	----	2	UNCH	
4800	----	----	----	----/0.011A	----	0.001	UNCH	.0000	----	----	----	44	UNCH	
4825	----	----	----											



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

FINAL

BULLETIN #180@				METALS OPTION PRODUCTS						Fri, Sep 18, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO PUT	COMEX SILVER OPTIONS													
OCT26	----	----	----	----	----	----	----	----	----	----	----	----	----	
5775	----	----	----/0.018A	0.020B/0.018A	----	0.016 - 0.016	.0063	----	----	----	----	151	UNCH	
5800	0.019	0.019	0.019/0.019	0.022B/0.019	----	0.017 - 0.018	.0068	----	----	127	52	258	UNCH	
5825	----	----	----/0.022A	0.026B/0.022A	----	0.018 - 0.021	.0074	----	----	29	----	84 +	26	
5850	0.027	0.027	0.027/0.023A	0.031B/0.023A	----	0.020 - 0.023	.0083	----	----	1	----	43	UNCH	
5875	----	----	----/0.025A	0.034B/0.025A	----	0.022 - 0.025	.0093	----	----	----	----	11	UNCH	
5900	0.033	0.033	0.033/0.020	0.040B/0.020	----	0.024 - 0.028	.0104	----	----	4	----	299 -	3	
5925	----	----	----/0.029A	0.045B/0.029A	----	0.026 - 0.032	.0114	----	----	20	----	49 -	11	
5950	0.032	0.032	0.041/0.031A	0.052B/0.031A	----	0.029 - 0.036	.0130	----	----	8	----	42	UNCH	
5960	0.032	0.032	0.032/0.032	0.053B/0.032	----	0.030	NEW .0135	----	----	3	----	3 +	3	
5975	0.045	0.045	0.045/0.033A	0.059B/0.033A	----	0.032 - 0.041	.0146	----	----	1	----	33	UNCH	
6000	0.068	0.068	0.068/0.036A	0.069B/0.036A	----	0.035 - 0.046	.0162	----	----	41	----	530 +	1	
6025	----	----	----/0.039A	0.078B/0.039A	----	0.039 - 0.051	.0183	----	----	----	----	100	UNCH	
6030	0.050	0.050	0.050/0.040A	0.080B/0.040A	----	0.040	NEW .0189	----	----	4	----	4 +	4	
6050	----	----	----/0.043A	0.090B/0.043A	----	0.044 - 0.057	.0210	----	----	2	----	106	UNCH	
6060	0.061	0.061	0.061/0.044A	0.095B/0.044A	----	0.046	NEW .0220	----	----	1	----	1 +	1	
6075	----	----	----/0.047A	0.099B/0.047A	----	0.049 - 0.064	.0237	----	----	----	----	39	UNCH	
6100	0.108	0.108	0.108/0.052A	0.110B/0.052A	----	0.055 - 0.072	.0270	----	----	31	----	253 +	16	
6125	0.055	0.055	0.055/0.055	0.140B/0.055	----	0.062 - 0.080	.0308	----	----	3	----	102 +	1	
6140	0.055	0.055	0.055/0.055	0.152B/0.055	----	0.066	NEW .0330	----	----	1	----	1 +	1	
6150	0.136	0.136	0.160B/0.056	0.160B/0.056	----	0.069 - 0.090	.0347	----	----	21	----	109 -	3	
6170	0.080	0.080	0.080/0.070A	0.178B/0.070A	----	0.076	NEW .0386	----	----	3	----	3 +	3	
6175	----	----	0.184B/0.071A	0.184B/0.071A	----	0.078 - 0.101	.0397	----	----	1	----	590	UNCH	
6200	0.100	0.100	0.211B/0.079A	0.211B/0.079A	----	0.088 - 0.114	.0452	----	----	243	----	477 +	112	
6225	0.099	0.099	0.242B/0.088A	0.242B/0.088A	----	0.099 - 0.129	.0514	----	----	3	----	20 -	3	
6250	0.194	0.194	0.276B/0.100A	0.276B/0.100A	----	0.111 - 0.146	.0582	----	----	4	----	124 -	2	
6275	----	----	0.314B/0.112A	0.314B/0.112A	----	0.126 - 0.164	.0665	----	----	1	----	14	UNCH	
6300	0.214	0.214	0.357B/0.125	0.357B/0.125	----	0.142 - 0.186	.0756	----	----	234	----	541 +	154	
6325	----	----	0.405B/0.141A	0.405B/0.141A	----	0.161 - 0.209	.0861	----	----	3	----	68	UNCH	
6350	0.275	0.275	0.459B/0.159A	0.459B/0.159A	----	0.183 - 0.234	.0982	----	----	32	----	50 -	6	
6375	0.391	0.391	0.518B/0.181A	0.518B/0.181A	----	0.209 - 0.261	.1121	----	----	14	----	34 +	4	
6400	0.476	0.476	0.584B/0.205A	0.584B/0.205A	----	0.238 - 0.290	.1275	----	----	55	----	148 -	12	
6425	0.240	0.240	0.657B/0.226	0.657B/0.226	----	0.272 - 0.320	.1452	----	----	10	----	51 +	10	
6450	0.417	0.417	0.737B/0.266A	0.737B/0.266A	----	0.310 - 0.354	.1646	----	----	13	----	26 -	2	
6475	0.573	0.573	0.829B/0.304A	0.829B/0.304A	----	0.353 - 0.391	.1860	----	----	2	----	16 -	1	
6500	0.730	0.730	0.924B/0.348A	0.924B/0.348A	----	0.402 - 0.429	.2098	----	----	79	----	488 -	15	
6525	0.614	0.614	1.031B/0.397A	1.031B/0.397A	----	0.457 - 0.469	.2356	----	----	2	----	54 -	2	
6550	0.880	0.880	1.144B/0.448	1.144B/0.448	----	0.519 - 0.509	.2637	----	----	39	----	37 +	7	
6575	0.737	0.737	1.268B/0.514A	1.268B/0.514A	----	0.589 - 0.550	.2940	----	----	1	----	70	UNCH	
6600	1.222	1.222	1.400B/0.584A	1.400B/0.584A	----	0.669 - 0.589	.3266	----	----	137	----	207 +	15	
6610	0.798	0.798	0.798/0.798	1.453B/0.622A	----	0.704	NEW .3401	----	----	1	----	1 +	1	
6625	1.347	1.347	1.536B/0.664A	1.536B/0.664A	----	0.758 - 0.628	.3608	----	----	15	----	59 +	4	
6630	----	----	----	1.570B/0.687A	----	0.777	NEW .3678	----	----	4	----	4 +	4	
6650	1.603	1.603	1.691B/0.751A	1.691B/0.751A	----	0.855 - 0.669	.3962	----	----	70	----	56 -	14	
6675	1.465	1.465	1.829B/0.852A	1.829B/0.852A	----	0.960 - 0.711	.4326	----	----	18	----	25 +	5	
6700	1.463	1.463	1.989B/0.956A	1.989B/0.956A	----	1.076 - 0.750	.4698	----	----	50	----	195 +	5	
6725	1.478	1.478	2.165B/1.077A	2.165B/1.077A	----	1.204 - 0.786	.5071	----	----	10	----	38 -	3	
6750	1.547	1.547	2.340B/1.206A	2.340B/1.206A	----	1.344 - 0.817	.5439	----	----	2	----	119 -	1	
6775	1.485	1.485	2.525B/1.335A	2.525B/1.335A	----	1.493 - 0.846	.5798	----	----	6	----	38 +	4	
6800	1.689	1.689	2.715B/1.466A	2.715B/1.466A	----	1.651 - 0.872	.6146	----	----	6	----	142 -	2	
6825	1.826	1.826	2.914B/1.603A	2.914B/1.603A	----	1.814 - 0.900	.6481	----	----	1	----	32 +	1	
6850	----	----	3.114B/1.748A	3.114B/1.748A	----	1.984 - 0.927	.6804	----	----	2	----	62	UNCH	
6875	----	----	3.331B/1.905A	3.331B/1.905A	----	2.161 - 0.951	.7112	----	----	----	----	9	UNCH	
6900	----	----	3.544B/2.086A	3.544B/2.086A	----	2.345 - 0.974	.7402	----	----	----	----	91	UNCH	
6925	----	----	3.760B/2.255A	3.760B/2.255A	----	2.536 - 0.994	.7672	----	----	----	----	40	UNCH	
6950	----	----	3.983B/2.425A	3.983B/2.425A	----	2.734 - 1.012	.7920	----	----	----	----	35	UNCH	
6975	----	----	4.203B/2.613A	4.203B/2.613A	----	2.940 - 1.025	.8141	----	----	----	----	18	UNCH	
7000	----	----	4.429B/2.791A	4.429B/2.791A	----	3.154 - 1.033	.8330	----	1	----	----	167	UNCH	
7025	----	----	4.662B/2.984A	4.662B/2.984A	----	3.369 - 1.044	.8513	----	----	----	----	26	UNCH	
7050	----	----	4.894B/3.196A	4.894B/3.196A	----	3.589 - 1.052	.8675	----	----	----	----	12	UNCH	
7075	----	----	5.128B/3.400A	5.128B/3.400A	----	3.812 - 1.060	.8822	----	----	----	----	7	UNCH	
7100	----	----	5.363B/3.597A	5.363B/3.597A	----	4.038 - 1.067	.8954	----	----	----	----	27	UNCH	
7125	----	----	5.600B/3.810A	5.600B/3.810A	----	4.268 - 1.072	.9067	----	----	----	----	3	UNCH	
7150	----	----	5.837B/4.026A	5.837B/4.026A	----	4.501 - 1.076	.9165	----	----	----	----	3	UNCH	
7175	----	----	6.078B/4.246A	6.078B/4.246A	----	4.737 - 1.078	.9245	----	----	----	----	17	UNCH	
7200	----	----	6.318B/4.469A	6.318B/4.469A	----	4.976 - 1.079	.9317	----	----	----	----	11	UNCH	
7225	----	----	6.562B/4.690A	6.562B/4.690A	----	5.216 - 1.080	.9379	----	----	----	----	92	UNCH	
7250	----	----	6.805B/4.923A	6.805B/4.923A	----	5.457 - 1.080	.9430	----	----	----	----	3	UNCH	
7275	----	----	7.048B/5.152A	7.048B/5.152A	----	5.700 - 1.080	.9475	----	----	----	----	2	UNCH	
7300	----	----	7.286B/5.382A	7.286B/5.382A	----	5.944 - 1.079	.9514	----	----	----	----	11	UNCH	
7325	----	----	7.537B/5.620A	7.537B/5.620A	----	6.188 - 1.079	.9547	----	----	----	----	2	UNCH	
7350	----	----	7.776B/5.856A	7.776B/5.856A	----	6.433 - 1.078	.9579	----	----	----	----	1	UNCH	
7400	6.781	6.781	8.268B/6.328A	8.268B/6.328A	----	6.925 - 1.076								

PG64	BULLETIN #180@				METALS OPTION PRODUCTS						Fri, Sep 18, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SO PUT	COMEX SILVER OPTIONS														
NOV26															
5625	----	----	0.4418/0.320A	0.4418/0.320A	----	0.340 - 0.100	.0776	----	----	----	----	1	UNCH		
5650	----	----	0.4688/0.334A	0.4688/0.334A	----	0.359 - 0.107	.0816	----	----	----	----	17	UNCH		
5675	----	----	0.4998/0.360A	0.4998/0.360A	----	0.380 - 0.113	.0860	----	----	----	----	38	UNCH		
5700	0.405	0.405	0.5308/0.378A	0.5308/0.378A	----	0.402 - 0.120	.0906	----	----	11	----	308 -	2		
5725	----	----	0.5638/0.401A	0.5638/0.401A	----	0.425 - 0.129	.0953	----	----	----	----	12	UNCH		
5750	----	----	0.5988/0.422A	0.5988/0.422A	----	0.450 - 0.138	.1004	----	----	1	----	11 -	1		
5775	----	----	0.6358/0.444A	0.6358/0.444A	----	0.477 - 0.148	.1057	----	----	----	----	42	UNCH		
5800	0.630	0.630	0.6788/0.471A	0.6788/0.471A	----	0.507 - 0.156	.1115	----	----	16	----	158 +	8		
5825	----	----	0.7178/0.499A	0.7178/0.499A	----	0.538 - 0.164	.1175	----	----	1	----	2 -	1		
5850	----	----	0.7608/0.529A	0.7608/0.529A	----	0.570 - 0.173	.1236	----	----	2	----	7	UNCH		
5875	----	----	0.8078/0.561A	0.8078/0.561A	----	0.604 - 0.183	.1300	----	----	----	----	158	UNCH		
5900	0.650	0.650	0.8558/0.594A	0.8558/0.594A	----	0.640 - 0.194	.1366	----	----	6	----	197 -	3		
5925	----	----	0.9078/0.627A	0.9078/0.627A	----	0.678 - 0.207	.1436	----	----	----	----	5	UNCH		
5950	----	----	0.9618/0.665A	0.9618/0.665A	----	0.718 - 0.220	.1508	----	----	6	----	39 -	1		
5975	----	----	1.0178/0.705A	1.0178/0.705A	----	0.761 - 0.233	.1583	----	----	3	----	39 -	1		
6000	0.850	0.850	1.0798/0.747A	1.0798/0.747A	----	0.806 - 0.246	.1661	----	----	60	----	410 +	2		
6025	----	----	1.1428/0.793A	1.1428/0.793A	----	0.853 - 0.260	.1742	----	----	1	----	13	UNCH		
6050	----	----	1.2068/0.839A	1.2068/0.839A	----	0.902 - 0.273	.1824	----	----	2	----	22	UNCH		
6075	----	----	1.2758/0.889A	1.2758/0.889A	----	0.954 - 0.287	.1910	----	----	1	----	9 -	1		
6100	----	----	1.3488/0.941A	1.3488/0.941A	----	1.009 - 0.300	.1999	----	----	7	----	40 +	3		
6125	----	----	1.4238/0.995A	1.4238/0.995A	----	1.067 - 0.314	.2091	----	----	----	----	5	UNCH		
6150	----	----	1.5008/1.052A	1.5008/1.052A	----	1.128 - 0.328	.2185	----	----	1	----	4	UNCH		
6175	----	----	1.5818/1.113A	1.5818/1.113A	----	1.192 - 0.342	.2282	----	----	----	----	10	UNCH		
6200	1.191	1.191	1.6698/1.175A	1.6698/1.175A	----	1.260 - 0.356	.2382	----	----	11	----	80 +	6		
6225	----	----	1.7558/1.242A	1.7558/1.242A	----	1.330 - 0.371	.2484	----	----	1	----	8	UNCH		
6250	1.765	1.765	1.8478/1.311A	1.8478/1.311A	----	1.403 - 0.386	.2588	----	----	5	----	18	UNCH		
6275	----	----	1.9428/1.384A	1.9428/1.384A	----	1.479 - 0.402	.2694	----	----	----	----	23	UNCH		
6300	1.564	1.564	2.0438/1.460A	2.0438/1.460A	----	1.558 - 0.418	.2802	----	----	21	----	56 +	1		
6325	----	----	2.1478/1.538A	2.1478/1.538A	----	1.641 - 0.433	.2912	----	----	3	----	3 -	1		
6350	1.738	1.738	2.2488/1.622A	2.2488/1.622A	----	1.728 - 0.448	.3024	----	----	1	----	12 +	1		
6375	----	----	2.3598/1.708A	2.3598/1.708A	----	1.818 - 0.463	.3137	----	----	----	----	21	UNCH		
6400	1.919	1.919	2.4668/1.794A	2.4668/1.794A	----	1.911 - 0.479	.3252	----	----	6	----	62 +	3		
6425	----	----	2.5858/1.888A	2.5858/1.888A	----	2.006 - 0.497	.3367	----	----	1	----	3 +	1		
6450	----	----	2.7028/1.984A	2.7028/1.984A	----	2.105 - 0.514	.3484	----	----	----	----	15	UNCH		
6475	----	----	2.8248/2.085A	2.8248/2.085A	----	2.207 - 0.531	.3602	----	----	1	----	12 +	1		
6500	2.440	2.440	2.9498/2.186A	2.9498/2.186A	----	2.314 - 0.546	.3721	----	----	10	60	341 +	60		
6525	----	----	3.0778/2.295A	3.0778/2.295A	----	2.424 - 0.560	.3840	----	----	----	----	1	UNCH		
6550	----	----	3.2148/2.406A	3.2148/2.406A	----	2.537 - 0.575	.3960	----	----	----	----	5	UNCH		
6575	2.796	2.796	3.3468/2.519A	3.3468/2.519A	----	2.654 - 0.589	.4080	----	----	2	----	14 +	2		
6600	3.057	3.057	3.4878/2.637A	3.4878/2.637A	----	2.774 - 0.603	.4200	----	----	6	----	49 +	4		
6625	3.262	3.262	3.6328/2.760A	3.6328/2.760A	----	2.898 - 0.617	.4321	----	----	11	----	13 +	3		
6650	3.172	3.172	3.7738/2.883A	3.7738/2.883A	----	3.025 - 0.631	.4441	----	----	9	----	18 +	8		
6675	3.305	3.305	3.9178/3.007A	3.9178/3.007A	----	3.155 - 0.646	.4561	----	----	5	----	26 +	3		
6700	3.457	3.457	4.0728/3.138A	4.0728/3.138A	----	3.288 - 0.661	.4680	----	----	33	----	110 +	7		
6725	3.372	3.372	4.2228/3.272A	4.2228/3.272A	----	3.424 - 0.677	.4799	----	----	65	----	77 +	58		
6750	3.736	3.736	4.3798/3.412A	4.3798/3.412A	----	3.563 - 0.692	.4917	----	----	49	----	63 +	48		
6775	3.727	3.727	4.5378/3.551A	4.5378/3.551A	----	3.706 - 0.706	.5035	----	----	9	----	19 +	9		
6800	3.780	3.780	4.7108/3.694A	4.7108/3.694A	----	3.851 - 0.720	.5151	----	----	12	----	121 +	1		
6825	----	----	4.8748/3.842A	4.8748/3.842A	----	4.000 - 0.732	.5267	----	----	----	----	2	UNCH		
6850	4.057	4.057	5.0428/3.995A	5.0428/3.995A	----	4.151 - 0.745	.5381	----	----	6	----	6 +	3		
6875	----	----	5.2038/4.148A	5.2038/4.148A	----	4.307 - 0.756	.5494	----	----	----	----	1	UNCH		
6900	5.147	5.147	5.3608/4.295A	5.3608/4.295A	----	4.466 - 0.767	.5605	----	----	6	----	24 -	1		
6925	----	----	5.5408/4.449A	5.5408/4.449A	----	4.628 - 0.779	.5714	----	----	----	----	1	UNCH		
6950	----	----	5.7208/4.605A	5.7208/4.605A	----	4.793 - 0.791	.5821	----	----	----	----	9	UNCH		
6975	----	----	5.9008/4.764A	5.9008/4.764A	----	4.961 - 0.801	.5928	----	----	----	----	6	UNCH		
7000	----	----	6.0808/4.924A	6.0808/4.924A	----	5.130 - 0.812	.6032	----	----	----	----	79	UNCH		
7025	----	----	6.2608/5.091A	6.2608/5.091A	----	5.300 - 0.823	.6136	----	----	----	----	7	UNCH		
7050	----	----	6.4418/5.252A	6.4418/5.252A	----	5.473 - 0.832	.6239	----	----	----	----	82	UNCH		
7075	----	----	6.6318/5.423A	6.6318/5.423A	----	5.649 - 0.842	.6339	----	----	----	----	1	UNCH		
7100	----	----	6.8218/5.593A	6.8218/5.593A	----	5.829 - 0.852	.6436	----	----	----	----	4	UNCH		
7125	----	----	7.0308/5.767A	7.0308/5.767A	----	6.011 - 0.860	.6531	----	----	----	----	1	UNCH		
7150	----	----	7.2208/5.958A	7.2208/5.958A	----	6.196 - 0.867	.6625	----	----	----	----	2	UNCH		
7175	----	----	7.4018/6.138A	7.4018/6.138A	----	6.381 - 0.875	.6717	----	----	----	----	1	UNCH		
7200	----	----	7.6008/6.308A	7.6008/6.308A	----	6.568 - 0.886	.6807	----	----	----	----	2	UNCH		
7225	----	----	7.8008/6.494A	7.8008/6.494A	----	6.758 - 0.894	.6896	----	----	----	----	2	UNCH		
7275	----	----	8.2068/6.876A	8.2068/6.876A	----	7.143 - 0.911	.7067	----	----	----	----	1	UNCH		
7300	----	----	8.4118/7.056A	8.4118/7.056A	----	7.339 - 0.919	.7149	----	----	----	----	4	UNCH		
7400	----	----	9.2478/7.830A	9.2478/7.830A	----	8.142 - 0.945	.7459	----	----	----	----	25	UNCH		
7500	----	----	10.1068/8.639A	10.1068/8.639A	----	8.971 - 0.966	.7738	----	11	----	----	22 +	11		
7525	----	----	10.3238/8.845A	10.3238/8.845A	----	9.181 - 0.973	.7804</								

BULLETIN #180@				METALS OPTION PRODUCTS						Fri, Sep 18, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO PUT	COMEX SILVER OPTIONS													
DEC26														
5500	----	----	0.8368/0.647A	0.8368/0.647A	----	0.680	- 0.151	.1090	----	----	38	100	636	- 69
5550	----	----	0.9198/0.708A	0.9198/0.708A	----	0.746	- 0.164	.1181	----	----	1	----	4	- 1
5575	----	----	0.9638/0.741A	0.9638/0.741A	----	0.781	- 0.172	.1228	----	----	----	----	174	UNCH
5600	0.931	0.931	1.0058/0.773A	1.0058/0.773A	----	0.818	- 0.179	.1278	----	36	----	----	159	+ 32
5625	----	----	1.0518/0.811A	1.0518/0.811A	----	0.856	- 0.187	.1328	----	----	----	----	2	UNCH
5650	----	----	1.1028/0.848A	1.1028/0.848A	----	0.895	- 0.196	.1380	----	----	----	----	29	UNCH
5675	----	----	1.1548/0.888A	1.1548/0.888A	----	0.936	- 0.205	.1433	----	----	----	----	2	UNCH
5700	----	----	1.2068/0.927A	1.2068/0.927A	----	0.979	- 0.214	.1488	----	12	----	120	+ 3	
5725	----	----	1.2628/0.969A	1.2628/0.969A	----	1.024	- 0.223	.1545	----	----	----	106	UNCH	
5750	----	----	1.3178/1.014A	1.3178/1.014A	----	1.070	- 0.233	.1602	----	----	----	173	UNCH	
5775	----	----	1.3768/1.060A	1.3768/1.060A	----	1.118	- 0.243	.1662	----	5	----	9	- 2	
5800	----	----	1.4408/1.109A	1.4408/1.109A	----	1.168	- 0.253	.1723	----	----	----	213	UNCH	
5825	----	----	1.5018/1.160A	1.5018/1.160A	----	1.221	- 0.263	.1786	----	----	----	1	UNCH	
5850	----	----	1.5688/1.211A	1.5688/1.211A	----	1.275	- 0.273	.1850	----	5	----	8	+ 4	
5875	----	----	1.6368/1.266A	1.6368/1.266A	----	1.331	- 0.284	.1915	----	----	----	7	UNCH	
5900	1.436	1.436	1.7068/1.322A	1.7068/1.322A	----	1.390	- 0.295	.1982	----	28	----	171	+ 18	
5925	----	----	1.7808/1.383A	1.7808/1.383A	----	1.450	- 0.306	.2050	----	----	----	2	UNCH	
5950	----	----	1.8558/1.441A	1.8558/1.441A	----	1.513	- 0.317	.2120	----	----	----	8	UNCH	
5975	----	----	1.9338/1.506A	1.9338/1.506A	----	1.579	- 0.327	.2192	----	----	----	1	UNCH	
6000	2.048	2.048	2.048/1.570A	2.048/1.570A	----	1.646	- 0.339	.2264	----	19	----	511	+ 5	
6025	----	----	2.0958/1.642A	2.0958/1.642A	----	1.716	- 0.350	.2338	----	----	----	63	UNCH	
6050	----	----	2.1828/1.708A	2.1828/1.708A	----	1.789	- 0.361	.2414	----	1	----	2	+ 1	
6075	1.938	1.938	2.2698/1.782A	2.2698/1.782A	----	1.864	- NEW	.2490	----	2	----	2	+ 2	
6100	----	----	2.3598/1.856A	2.3598/1.856A	----	1.941	- 0.384	.2567	----	4	----	31	+ 1	
6150	----	----	2.5498/2.015A	2.5498/2.015A	----	2.104	- 0.405	.2726	----	----	----	5	UNCH	
6175	----	----	2.6458/2.098A	2.6458/2.098A	----	2.188	- 0.417	.2806	----	----	----	1	UNCH	
6200	2.575	2.575	2.7498/2.181A	2.7498/2.181A	----	2.276	- 0.428	.2888	----	3	----	59	- 1	
6275	----	----	3.0658/2.453A	3.0658/2.453A	----	2.553	- 0.463	.3137	----	----	----	5	UNCH	
6300	----	----	3.1768/2.544A	3.1768/2.544A	----	2.651	- 0.474	.3221	----	3	----	89	- 1	
6325	----	----	3.2908/2.647A	3.2908/2.647A	----	2.751	- 0.485	.3306	----	----	----	3	UNCH	
6350	2.884	2.884	3.4068/2.748A	3.4068/2.748A	----	2.854	- 0.496	.3392	----	32	----	50	+ 32	
6375	----	----	3.5258/2.852A	3.5258/2.852A	----	2.959	- 0.508	.3477	----	----	----	4	UNCH	
6400	3.082	3.082	3.6488/2.954A	3.6488/2.954A	----	3.067	- 0.519	.3564	----	6	----	28	+ 3	
6425	3.336	3.336	3.7728/3.064A	3.7728/3.064A	----	3.177	- 0.531	.3650	----	3	----	9	+ 3	
6450	3.438	3.438	3.8998/3.175A	3.8998/3.175A	----	3.290	- 0.542	.3737	----	3	----	14	UNCH	
6475	----	----	4.0278/3.291A	4.0278/3.291A	----	3.406	- 0.553	.3824	----	----	----	3	UNCH	
6500	3.716	3.716	4.1598/3.403A	4.1598/3.403A	----	3.524	- 0.564	.3911	----	1	100	940	- 100	
6525	----	----	4.2968/3.527A	4.2968/3.527A	----	3.644	- 0.576	.3998	----	----	----	4	UNCH	
6550	----	----	4.4338/3.646A	4.4338/3.646A	----	3.768	- 0.586	.4085	----	----	----	9	UNCH	
6575	----	----	4.5718/3.772A	4.5718/3.772A	----	3.893	- 0.597	.4172	----	----	----	1	UNCH	
6600	4.050	4.050	4.7128/3.894A	4.7128/3.894A	----	4.021	- 0.608	.4259	----	2	----	94	- 1	
6625	----	----	4.8568/4.026A	4.8568/4.026A	----	4.152	- 0.618	.4346	----	----	----	33	UNCH	
6650	----	----	4.9958/4.157A	4.9958/4.157A	----	4.285	- 0.628	.4433	----	----	----	19	UNCH	
6700	4.663	4.663	5.2948/4.410	5.2948/4.410	----	4.559	- 0.648	.4605	----	3	----	38	+ 1	
6725	----	----	5.4518/4.566A	5.4518/4.566A	----	4.699	- 0.658	.4690	----	----	----	5	UNCH	
6750	4.947	4.947	5.6058/4.708A	5.6058/4.708A	----	4.842	- 0.667	.4775	----	1	----	7	+ 1	
6775	5.153	5.153	5.7628/4.853A	5.7628/4.853A	----	4.988	- NEW	.4859	----	3	----	3	+ 3	
6800	----	----	5.9208/4.991A	5.9208/4.991A	----	5.136	- 0.685	.4943	----	----	----	147	UNCH	
6850	----	----	6.2438/5.292A	6.2438/5.292A	----	5.440	- 0.701	.5107	----	----	----	78	UNCH	
6875	----	----	6.4088/5.444A	6.4088/5.444A	----	5.596	- 0.707	.5189	----	----	----	2	UNCH	
6900	5.845	5.845	6.5748/5.593A	6.5748/5.593A	----	5.753	- 0.713	.5269	----	1	----	20	+ 1	
6950	----	----	6.9108/5.900A	6.9108/5.900A	----	6.072	- 0.729	.5428	----	----	----	24	UNCH	
7000	----	----	7.2618/6.209A	7.2618/6.209A	----	6.397	- 0.747	.5585	----	----	----	253	UNCH	
7050	----	----	7.6138/6.533A	7.6138/6.533A	----	6.731	- 0.764	.5737	----	----	----	1	UNCH	
7075	----	----	7.7808/6.697A	7.7808/6.697A	----	6.901	- 0.772	.5812	----	----	----	21	UNCH	
7100	----	----	7.9598/6.858A	7.9598/6.858A	----	7.074	- 0.778	.5886	----	----	----	5	UNCH	
7200	----	----	8.7008/7.540A	8.7008/7.540A	----	7.781	- 0.800	.6172	----	----	----	14	UNCH	
7225	----	----	8.8808/7.713A	8.8808/7.713A	----	7.962	- 0.808	.6241	----	----	----	2	UNCH	
7250	----	----	9.0808/7.884A	9.0808/7.884A	----	8.144	- 0.815	.6309	----	----	----	49	UNCH	
7300	----	----	9.4608/8.246A	9.4608/8.246A	----	8.514	- 0.827	.6442	----	----	----	3	UNCH	
7425	----	----	10.4308/9.196A	10.4308/9.196A	----	9.462	- 0.856	.6759	----	----	----	1	UNCH	
7500	10.721	10.721	11.0358/9.756A	11.0358/9.756A	----	10.048	- 0.873	.6936	----	6	----	33	UNCH	
7550	----	----	11.4448/10.152A	11.4448/10.152A	----	10.444	- 0.884	.7050	----	----	----	2	UNCH	
7600	----	----	11.8578/10.530A	11.8578/10.530A	----	10.846	- 0.893	.7160	----	----	----	2	UNCH	
7700	----	----	12.6968/11.350A	12.6968/11.350A	----	11.662	- 0.910	.7369	----	----	----	14	UNCH	
7750	----	----	13.1168/11.756A	13.1168/11.756A	----	12.077	- 0.917	.7468	----	----	----	6	UNCH	
7800	----	----	13.5518/12.166A	13.5518/12.166A	----	12.496	- 0.925	.7563	----	----	----	21	UNCH	
7850	----	----	13.9838/12.576A	13.9838/12.576A	----	12.919	- 0.932	.7655	----	----	----	12	UNCH	
7875	----	----	14.2018/12.790A	14.2018/12.790A	----	13.131	- 0.937	.7700	----	----	----	1	UNCH	
7900	----	----	14.4168/12.999A	14.4168/12.999A	----	13.345	- 0.940	.7743	----	----	----	19	UNCH	
8000														



PG64	BULLETIN #180@				METALS OPTION PRODUCTS						Fri, Sep 18, 2026				PG64
	LOBEX OPEN	OPEN OPEN	OUTCRY RANGE	LOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT															
JAN27															
7175	----	----	----	8.971B/7.993A	8.971B/7.993A	----	----	8.128 -	0.774	.5535	----	----	----	1	UNCH
7200	----	----	----	9.201B/8.119A	9.201B/8.119A	----	----	8.297 -	0.781	.5595	----	----	----	1	UNCH
7350	9.265	9.265	----	9.265/9.139A	10.120B/9.139A	----	----	9.348 -	NEW	.5941	----	1	----	1 +	1
8600	----	----	----	-----/19.381A	20.506B/19.381A	----	----	19.552 -	0.999	.7979	----	----	----	1	UNCH
8850	----	----	----	-----/21.609A	22.754B/21.609A	----	----	21.798 -	1.017	.8233	----	----	----	9	UNCH
TOTAL												43	0	1025 +	37
FEB27															
3475	----	----	----	----	0.083B/0.114A	----	----	0.080 -	0.011	.0099	----	----	----	1	UNCH
4000	----	----	----	-----/0.207A	0.186B/0.207A	----	----	0.189 -	0.024	.0229	----	----	----	1	UNCH
5000	----	----	----	-----/0.776A	0.842B/0.776A	----	----	0.779 -	0.116	.0878	----	----	----	17	UNCH
5100	----	----	----	-----/0.881A	1.001B/0.881A	----	----	0.897 -	0.135	.0995	----	----	----	1	UNCH
5200	----	----	----	-----/1.017A	1.177B/1.017A	----	----	1.031 -	0.158	.1124	----	----	----	1	UNCH
5225	----	----	----	-----/1.052A	1.218B/1.052A	----	----	1.068 -	0.163	.1158	----	----	----	5	UNCH
5275	----	----	----	-----/1.128A	1.312B/1.128A	----	----	1.145 -	0.175	.1229	----	----	----	20	UNCH
5300	----	----	----	-----/1.167A	1.340B/1.167A	----	----	1.185 -	0.181	.1266	----	----	----	1	UNCH
5400	----	----	----	-----/1.334A	1.503B/1.334A	----	----	1.359 -	0.208	.1420	----	----	----	3	UNCH
5600	----	----	----	-----/1.734A	2.035B/1.734A	----	----	1.774 -	0.267	.1767	----	----	----	7	UNCH
5700	----	----	----	-----/1.975A	2.309B/1.975A	----	----	2.019 -	0.299	.1959	----	----	----	1	UNCH
5725	----	----	----	-----/2.041A	2.385B/2.041A	----	----	2.085 -	0.306	.2009	----	----	----	1	UNCH
5800	----	----	----	-----/2.240A	2.616B/2.240A	----	----	2.291 -	0.331	.2162	----	----	----	10	UNCH
5875	----	----	----	-----/2.457A	2.853B/2.457A	----	----	2.513 -	0.356	.2321	----	----	----	10	UNCH
6000	----	----	----	-----/2.857A	3.301B/2.857A	----	----	2.918 -	0.398	.2597	----	----	----	1	UNCH
6200	----	----	----	4.136B/3.588A	4.136B/3.588A	----	----	3.663 -	0.464	.3061	----	----	----	1	UNCH
6400	----	----	----	5.083B/4.437A	5.083B/4.437A	----	----	4.527 -	0.532	.3542	----	----	----	1	UNCH
6500	----	----	----	5.590B/4.915A	5.590B/4.915A	----	----	5.004 -	0.565	.3786	----	----	----	21	UNCH
6600	----	----	----	6.142B/5.414A	6.142B/5.414A	----	----	5.509 -	0.599	.4029	----	----	----	1	UNCH
6700	----	----	----	6.740B/5.939A	6.740B/5.939A	----	----	6.043 -	0.632	.4271	----	----	----	11	UNCH
6825	6.759	6.759	----	7.476B/6.644A	7.476B/6.644A	----	----	6.749 -	NEW	.4569	----	5	----	5 +	5
7000	----	----	----	8.569B/7.693A	8.569B/7.693A	----	----	7.807 -	0.723	.4972	----	----	----	5	UNCH
7225	----	----	----	10.153B/9.149A	10.153B/9.149A	----	----	9.276 -	0.781	.5461	----	1	----	1	UNCH
7250	----	----	----	10.297B/9.302A	10.297B/9.302A	----	----	9.446 -	NEW	.5513	----	1	----	1 +	1
7400	----	----	----	11.409B/10.366A	11.409B/10.366A	----	----	10.495 -	0.819	.5816	----	----	----	2	UNCH
7575	----	----	----	-----/11.632A	12.535B/11.632A	----	----	11.775 -	0.849	.6146	----	----	----	20	UNCH
8075	----	----	----	-----/15.560A	16.461B/15.560A	----	----	15.697 -	0.921	.6955	----	----	----	5	UNCH
8150	----	----	----	-----/16.146A	17.083B/16.146A	----	----	16.314 -	0.929	.7060	----	----	----	10	UNCH
8225	----	----	----	-----/16.775A	17.712B/16.775A	----	----	16.936 -	0.939	.7162	----	----	----	10	UNCH
8250	----	----	----	-----/16.974A	17.923B/16.974A	----	----	17.145 -	0.941	.7195	----	----	----	10	UNCH
TOTAL												7	0	184 +	6
MAR27															
4000	----	----	----	-----/0.300A	0.279B/0.300A	----	----	0.287 -	0.033	.0307	----	----	----	299	UNCH
4300	----	----	----	-----/0.432A	0.427B/0.432A	----	----	0.421 -	0.053	.0447	----	----	----	5	UNCH
4500	----	----	----	-----/0.559A	0.563B/0.559A	----	----	0.546 -	0.072	.0573	----	----	----	39	UNCH
4800	----	----	----	-----/0.822A	0.859B/0.822A	----	----	0.813 -	0.110	.0825	----	----	----	5	UNCH
4900	----	----	----	-----/0.935A	1.031B/0.935A	----	----	0.928 -	0.126	.0928	----	----	----	1	UNCH
5000	----	----	----	-----/1.054A	1.188B/1.054A	----	----	1.059 -	0.143	.1041	----	----	----	55	UNCH
5050	----	----	----	-----/1.126A	1.266B/1.126A	----	----	1.130 -	0.153	.1102	----	----	----	9	UNCH
5075	----	----	----	-----/1.164A	1.315B/1.164A	----	----	1.168 -	0.157	.1133	----	----	----	1	UNCH
5100	----	----	----	-----/1.198A	1.346B/1.198A	----	----	1.206 -	0.163	.1165	----	----	----	2	UNCH
5150	----	----	----	-----/1.276A	1.443B/1.276A	----	----	1.287 -	0.173	.1231	----	----	----	6	UNCH
5200	----	----	----	-----/1.359A	1.534B/1.359A	----	----	1.372 -	0.184	.1300	----	----	----	1	UNCH
5300	----	----	----	-----/1.540A	1.749B/1.540A	----	----	1.557 -	0.207	.1445	----	----	----	2	UNCH
5350	----	----	----	-----/1.645A	1.861B/1.645A	----	----	1.658 -	0.219	.1522	----	----	----	8	UNCH
5400	----	----	----	-----/1.741A	1.969B/1.741A	----	----	1.764 -	0.231	.1601	----	----	----	23	UNCH
5425	----	----	----	-----/1.794A	2.040B/1.794A	----	----	1.819 -	0.238	.1641	----	----	----	2	UNCH
5500	----	----	----	-----/1.966A	2.222B/1.966A	----	----	1.993 -	0.257	.1767	----	----	----	660	UNCH
5600	----	----	----	-----/2.211A	2.516B/2.211A	----	----	2.246 -	0.284	.1942	----	----	----	9	UNCH
5700	----	----	----	-----/2.483A	2.820B/2.483A	----	----	2.524 -	0.312	.2127	----	----	----	3	UNCH
5800	----	----	----	-----/2.778A	3.155B/2.778A	----	----	2.827 -	0.341	.2320	----	----	----	2	UNCH
6000	----	----	----	-----/3.448A	3.905B/3.448A	----	----	3.512 -	0.402	.2725	----	----	----	89	UNCH
6100	----	----	----	-----/3.826A	4.322B/3.826A	----	----	3.896 -	0.431	.2936	----	----	----	1	UNCH
6450	----	----	----	6.001B/5.369A	6.001B/5.369A	----	----	5.452 -	0.536	.3697	----	----	----	1	UNCH
6500	----	----	----	6.257B/5.609A	6.257B/5.609A	----	----	5.701 -	0.551	.3806	----	----	----	20	UNCH
6800	----	----	----	8.041B/7.231A	8.041B/7.231A	----	----	7.331 -	0.633	.4456	----	----	----	1	UNCH
6825	----	----	----	8.161B/7.375A	8.161B/7.375A	----	----	7.477 -	0.639	.4509	----	----	----	2	UNCH
6850	----	----	----	8.329B/7.519A	8.329B/7.519A	----	----	7.624 -	0.646	.4562	----	----	----	1	UNCH
6950	----	----	----	8.977B/8.124A	8.977B/8.124A	----	----	8.228 -	0.670	.4769	----	----	----	2	UNCH
7000	----	----	----	9.313B/8.420A	9.313B/8.420A	----	----	8.538 -	0.683	.4871	----	----	----	3	UNCH
7225	----	----	----	10.777B/9.848A	10.777B/9.848A	----	----	10.001 -	0.733	.5313	----	----	----	10	UNCH
7500	----	----	----	12.817B/11.717A	12.817B/11.717A	----	----	11.921 -	0.789	.5811	----	----	----	3	UNCH
7575	----	----	----	13.321B/12.263A	13.321B/12.263A	----	----	12.467 -	0.803	.5938	----	----	----	1	UNCH
7600	----	----	----	13.561B/12.431A	13.561B/12.431A	----	----	12.651 -	0.807	.5980	----	----	----	1	UNCH
7625	----	----	----	13.705B/12.698A	13.705B/12.698A	----	----	12.836 -	0.812	.6021	----	----	----	10	UNCH
7750	----	----	----	-----/13.544A	14.520B/13.544A	----	----	13.775 -	0.833	.6222	----	----	----	10	UNCH
8100	----	----	----	-----/16.401A	17.304B/16.401A	----	----	16.515 -	0.885	.6732	----	----	----	6	UNCH
8300	----	----	----	-----/17.986A	18.782B/17.986A	----	----	18.146 -	0.910	.6990	----	----	----	50	UNCH
8500	----	----	----	-----/19.883A	20.457B/19.883A	----	----	19.818 -	0.933	.7226	----	----	----	3	UNCH
8600	----	----	----	-----/20.728A	21.308B/20.728A	----	----	20.669 -	0.942	.7335	----	----	----	1	UNCH
8975	----	----	----	-----/23.987A	24.560B/23.987A	----	----	23.929 -	0.976	.7702	----	----	----	1	UNCH
10500	----	----	----	-----/38.044A	38.540B/38.044A	----	----	37.959 -	1.047	.8670	----	----	----	10	UNCH
TOTAL													0	1358	0
APR27															
3400	----	----	----	-----/0.203A	0.165B/0.203A	----	----	0.195 -	0.020	.0183	----	----	----	1	UNCH
3500	----	----	----	-----/0.226A	0.189B/0.226A	----	----	0.219 -	0.024	.0206	----	----	----	1	UNCH
4000	----	----	----	-----/0.396A	0.378B/0.396A	----	----	0.392 -	0.047	.0372	----	----	----	1	UNCH
4100	----	----	----	-----/0.446A	0.431B/0.446A	----	----	0.440 -	0.054	.0417	----	----	----	15	UNCH
4200	----	----	----	-----/0.501A	0.495B/0.501A	----	----	0.495 -	0.061	.0467	----	----	----	10	UNCH
4500	----	----	----	-----/0.720A	0.726B/0.720A	----	----	0.710 -	0.089	.0658	----	----	----	36	UNCH
5000	----	----	----	-----/1.311A	1.364B/1.311A	----	----	1.316 -	0.157	.1138	----	----	----	60	UNCH
5400	----	----	----	-----/2.069A	2.176B/2.069A	----	----	2.101 -	0.238	.1680	----	----	----	2	UNCH
5500	----	----	----	-----/2.308A	2.441B/2.308A	----	----	2.346 -	0.263	.1835	----	----	----	11	UNCH
5600	----	----	----	-----/2.571A	2.719B/2.571A	----	----	2.614 -	0.288	.1999	----	----	----	10	UN



	BULLETIN #180@				METALS OPTION PRODUCTS				Fri, Sep 18, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT	COMEX SILVER OPTIONS												
TOTAL											0	176	
DEC27													
7175	----	----	----	----	----	13.340 -	0.506	.4215	----	----	----		
TOTAL											0	25	
DEC28													
7175	----	----	----	----	----	16.153 -	0.456	.3591	----	----	----		
TOTAL											0	40	
S01 CALL	SILVER OPTIONS												
OCT26													
6100	----	----	7.016B/5.310A	7.016B/5.310A	----	6.401 +	0.905	.9060	----	----	----	5	
6400	----	----	4.449B/3.078A	4.449B/3.078A	----	3.872 +	0.664	.7639	----	----	----	1	
6450	----	----	4.076B/2.774A	4.076B/2.774A	----	3.506 +	0.614	.7294	----	----	----	2	
6650	----	----	2.732B/1.737A	2.732B/1.737A	----	2.254 +	0.411	.5693	----	----	----	8	
6700	----	----	2.547B/1.553A	2.547B/1.553A	----	1.997 +	0.363	.5265	----	----	----	5	
6750	----	----	2.262B/1.378A	2.262B/1.378A	----	1.762 +	0.315	.4839	----	----	----	5	
6900	----	----	1.616B/0.961A	1.616B/0.961A	----	1.190 +	0.191	.3628	----	----	----	5	
7050	----	----	1.132B/0.678A	1.132B/0.678A	----	0.792 +	0.099	.2609	----	----	----	2	
7200	0.570	0.570	0.775B/0.459A	0.775B/0.459A	----	0.531 +	0.040	.1838	----	8	----	9 +	
7250	0.470	0.470	0.678B/0.406A	0.678B/0.406A	----	0.467	NEW	.1633	----	2	----	2 +	
7400	----	----	0.498B/0.287A	0.498B/0.287A	----	0.327 +	0.002	.1160	----	----	----	4	
7600	----	----	0.319B/0.188A	0.319B/0.188A	----	0.217 -	0.012	.0763	----	----	----	1	
TOTAL										10	0	49 +	
S01 PUT	SILVER OPTIONS												
OCT26													
5400	----	----	----	0.022B/0.052A	----	0.029 -	0.015	.0100	----	----	----	6	
5500	0.051	0.051	0.051/0.051	0.051/0.051	----	0.039	NEW	.0137	----	1	----	1 +	
5600	----	----	-----/0.070A	0.050B/0.070A	----	0.053 -	0.024	.0188	----	----	----	12	
5800	----	----	-----/0.106A	0.114B/0.106A	----	0.098 -	0.047	.0357	----	----	----	10	
5950	0.185	0.185	0.185/0.158A	0.233B/0.158A	----	0.158	NEW	.0579	----	1	----	1 +	
6000	----	----	0.289B/0.181A	0.289B/0.181A	----	0.186 -	0.101	.0681	----	----	----	6	
6050	----	----	-----/0.220A	0.330B/0.220A	----	0.219 -	0.123	.0799	----	----	----	20	
6100	----	----	0.422B/0.240A	0.422B/0.240A	----	0.259 -	0.149	.0939	----	----	----	7	
6200	0.385	0.385	0.601B/0.334A	0.601B/0.334A	----	0.364 -	0.213	.1292	----	10	----	24 +	
6250	----	----	0.696B/0.398A	0.696B/0.398A	----	0.433 -	0.251	.1512	----	----	----	18	
6300	----	----	0.846B/0.468A	0.846B/0.468A	----	0.515 -	0.294	.1762	----	----	----	12	
6350	0.705	0.705	0.999B/0.557A	0.999B/0.557A	----	0.612 -	0.340	.2044	----	1	----	5 +	
6500	----	----	1.585B/0.931A	1.585B/0.931A	----	1.014 -	0.490	.3077	----	----	----	2	
7100	----	----	5.680B/4.277A	5.680B/4.277A	----	4.538 -	0.977	.7676	----	----	----	4	
TOTAL										13	0	128 +	
S02 CALL	SILVER OPTIONS												
OCT26													
6650	2.459	2.459	3.145B/2.199A	3.145B/2.199A	----	2.719	NEW	.5615	----	38	----	38 +	
6750	2.011	2.011	2.642B/1.825A	2.642B/1.825A	----	2.238	NEW	.4937	----	30	----	30 +	
6900	----	----	2.071B/1.390A	2.071B/1.390A	----	1.651 +	0.228	.3966	----	----	----	1	
6950	----	----	1.823B/1.274A	1.823B/1.274A	----	1.488 +	0.198	.3665	----	----	----	3	
7000	----	----	1.728B/----	1.728B/1.175A	----	1.342 +	0.171	.3380	----	----	----	15	
7300	----	----	0.928B/0.640A	0.928B/0.640A	----	0.725 +	0.056	.2012	----	----	----	5	
7400	----	----	0.766B/0.524A	0.766B/0.524A	----	0.595 +	0.033	.1684	----	----	----	2	
TOTAL										68	0	94 +	
S02 PUT	SILVER OPTIONS												
OCT26													
5500	----	----	-----/0.101A	0.084B/0.101A	----	0.089 -	0.028	.0273	----	----	----	1	
5750	0.193	0.193	0.193/0.175	0.193/0.175	----	0.172	NEW	.0530	----	3	----	3 +	
6200	----	----	0.898B/0.583A	0.898B/0.583A	----	0.623 -	0.274	.1742	----	----	----	3	
6700	----	----	3.125B/2.197A	3.125B/2.197A	----	2.321 -	0.682	.4724	----	----	----	1	
TOTAL										3	0	8 +	
S03 CALL	SILVER OPTIONS												
SEP26													
6280	----	----	5.040B/3.047A	5.040B/3.047A	----	4.349 +	1.028	----	----	----	----	0 -	
6300	----	----	4.840B/2.851A	4.840B/2.851A	----	4.149 +	1.023	----	----	----	----	0 -	
6340	----	----	4.441B/2.469A	4.441B/2.469A	----	3.749 +	1.010	----	----	----	----	0 -	
6370	----	----	4.141B/2.189A	4.141B/2.189A	----	3.449 +	0.997	----	----	----	----	0 -	
6390	----	----	3.942B/2.006A	3.942B/2.006A	----	3.249 +	0.985	----	----	----	----	0 -	
6400	----	----	3.838B/1.919A	3.838B/1.919A	----	3.149 +	0.978	----	----	----	----	0 -	
6430	----	----	3.539B/1.661A	3.539B/1.661A	----	2.849 +	0.952	----	----	----	----	0 -	
6450	----	----	3.340B/1.493A	3.340B/1.493A	----	2.649 +	0.930	----	2	----	----	0 -	
6470	----	----	3.141B/1.327A	3.141B/1.327A	----	2.449 +	0.902	----	----	----	----	0 -	
6480	----	----	3.046B/1.250A	3.046B/1.250A	----	2.349 +	0.885	----	----	----	----	0 -	
6490	----	----	2.946B/1.175A	2.946B/1.175A	----	2.249 +	0.867	----	----	----	----	0 -	
6500	----	----	2.847B/1.103A	2.847B/1.103A	----	2.149 +	0.847	----	----	----	----	0 -	
6510	----	----	2.748B/1.033A	2.748B/1.033A	----	2.049 +	0.825	----	----	----	----	0 -	
6540	----	----	2.454B/0.839A	2.454B/0.839A	----	1.749 +	0.745	----	----	----	----	0 -	
6550	----	----	2.355B/0.761A	2.355B/0.761A	----	1.649 +	0.713	----	1	----	----	0 -	
6560	----	----	2.260B/0.705A	2.260B/0.705A	----	1.549 +	0.679	----	----	----	----	0 -	
6570	----	----	2.161B/0.651A	2.161B/0.651A	----	1.449 +	0.641	----	----	----	----	0 -	
6590	----	----	1.963B/0.554A	1.963B/0.554A	----	1.249 +	0.557	----	----	----	----	0 -	
6600	1.109	1.109	1.869B/0.511A	1.869B/0.511A	----	1.149 +	0.511	----	33	----	----	0 -	
6610	----	----	1.774B/0.470A	1.774B/0.470A	----	1.049 +	0.461	----	----	----	----	0 -	
6620	0.451	0.451	1.681B/0.430A	1.681B/0.430A	----	0.949 +	0.409	----	3	----	----	0 -	
6640	----	----	1.500B/0.320A	1.500B/0.320A	----	0.749 +	0.294	----	----	----	----	0 -	
6650	0.315	0.315	1.410B/0.259A	1.410B/0.259A	----	0.649 +	0.232	----	15	----	----	0 -	
6670	0.290	0.290	1.223B/0.167A	1.223B/0.167A	----	0.449 +	0.100	----	64	----	----	0 -	
6680	----	----	1.149B/0.110A	1.149B/0.110A	----	0.349 +	0.030	----	1	----	----	0 -	
6690	0.337	0.337	1.058B/0.078A	1.058B/0.078A	----	0.249	NEW	----	3	----	----	0	
6700	0.832	0.832	0.980B/0.047A	0.980B/0.047A	----	0.149 -	0.118	----	50	----	----	0 -	
6710	----	----	0.912B/0.034A	0.912B/0.034A	----	0.049	NEW	----	12	----	----	0	
6720	0.282	0.282	0.838B/0.016A	0.838B/0.016A	----	0.000 -	0.223	----	7	----	----	0	
6730	0.160	0.160	0.769B/0.010A	0.769B/0.010A	----	0.000 -	0.205	----	34	----	----	0	
6740	0.1												

	BULLETIN #180@				METALS OPTION PRODUCTS				Fri, Sep 18, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
S03 PUT	SILVER OPTIONS													
SEP26														
6400	0.049	0.049	0.049/0.011A	0.069B/0.011A	----	0.000 - 0.076	----	----	----	2	----	0 -	36	
6450	0.016	0.016	0.134B/0.011A	0.134B/0.011A	----	0.000 - 0.124	----	----	----	5	----	0 -	360	
6460	----	----	0.151B/0.010A	0.151B/0.010A	----	0.000 - 0.137	----	----	----	----	----	0 -	1	
6480	----	----	0.191B/0.010A	0.191B/0.010A	----	0.000 - 0.169	----	----	----	----	----	0 -	2	
6490	----	----	0.215B/0.011A	0.215B/0.011A	----	0.000 - 0.187	----	----	----	----	----	0 -	2	
6500	0.200	0.200	0.241B/0.010A	0.241B/0.010A	----	0.000 - 0.207	----	----	----	26	----	0 -	48	
6510	----	----	0.269B/0.010A	0.269B/0.010A	----	0.000 - 0.229	----	----	----	----	----	0 -	3	
6520	----	----	0.301B/0.010A	0.301B/0.010A	----	0.000 - 0.253	----	----	----	----	----	0 -	11	
6530	----	----	0.333B/0.010A	0.333B/0.010A	----	0.000 - 0.280	----	----	----	1	----	0 -	1	
6550	0.229	0.229	0.414B/0.010A	0.414B/0.010A	----	0.000 - 0.341	----	----	----	21	----	0 -	142	
6560	----	----	0.454B/0.010A	0.454B/0.010A	----	0.000 - 0.375	----	----	----	10	----	0 -	20	
6570	----	----	0.507B/0.010A	0.507B/0.010A	----	0.000 - 0.413	----	----	----	----	----	0 -	1	
6580	----	----	0.555B/0.010A	0.555B/0.010A	----	0.000 - 0.453	----	----	----	----	----	0 -	3	
6600	0.400	0.400	0.673B/0.002	0.673B/0.002	----	0.000 - 0.543	----	----	----	35	----	0 -	41	
6610	0.442	0.442	0.720B/0.009A	0.720B/0.009A	----	0.000 NEW	----	----	----	1	----	0	UNCH	
6620	0.494	0.494	0.763B/0.010A	0.763B/0.010A	----	0.000 NEW	----	----	----	11	----	0	UNCH	
6650	0.468	0.468	0.970B/0.010A	0.970B/0.010A	----	0.000 - 0.822	----	----	----	87	----	0 -	12	
6670	0.060	0.060	1.123B/0.010A	1.123B/0.010A	----	0.000 NEW	----	----	----	4	----	0	UNCH	
6680	0.156	0.156	1.200B/0.009A	1.200B/0.009A	----	0.000 - 1.024	----	----	----	40	----	0 -	1	
6690	----	----	1.282B/0.011A	1.282B/0.011A	----	0.000 - 1.097	----	----	----	----	----	0 -	3	
6700	0.500	0.500	1.359B/0.014A	1.359B/0.014A	----	0.000 - 1.172	----	----	----	7	----	0 -	22	
6710	0.540	0.540	1.448B/0.016A	1.448B/0.016A	----	0.000 NEW	----	----	----	14	----	0	UNCH	
6720	0.600	0.600	1.529B/0.039A	1.529B/0.039A	----	0.051 NEW	----	----	----	14	----	0	UNCH	
6730	0.356	0.356	1.617B/0.124A	1.617B/0.124A	----	0.151 NEW	----	----	----	1	----	0	UNCH	
6750	0.358	0.358	1.796B/0.294A	1.796B/0.294A	----	0.351 NEW	----	----	----	2	----	0	UNCH	
6800	----	----	2.268B/0.575A	2.268B/0.575A	----	0.851 NEW	----	----	----	1	----	0	UNCH	
7000	----	----	4.221B/2.226A	4.221B/2.226A	----	2.851 - 1.096	----	----	----	----	----	0 -	1	
7050	----	----	4.710B/2.704A	4.710B/2.704A	----	3.351 - 1.089	----	----	----	----	----	0 -	1	
TOTAL										288	0	0 -	1382	
S04 CALL	SILVER OPTIONS													
SEP26														
6400	----	----	4.115B/2.538A	4.115B/2.538A	----	3.455 + 0.737	.8491	----	----	----	----	7	UNCH	
6500	----	----	3.292B/1.890A	3.292B/1.890A	----	2.649 + 0.609	.7659	----	----	----	----	3	UNCH	
6550	----	----	2.913B/1.605A	2.913B/1.605A	----	2.284 + 0.540	.7139	----	----	----	----	2	UNCH	
6600	----	----	2.556B/1.361A	2.556B/1.361A	----	1.948 + 0.469	.6559	----	----	----	----	2	UNCH	
6800	----	----	1.418B/0.675A	1.418B/0.675A	----	0.928 + 0.199	.3996	----	----	----	----	5	UNCH	
6850	0.672	0.672	1.204B/0.565A	1.204B/0.565A	----	0.755 + 0.147	.3398	----	----	1	----	5 +	1	
6900	0.552	0.552	1.012B/0.475A	1.012B/0.475A	----	0.611 NEW	.2853	----	----	2	----	2 +	2	
6950	----	----	0.852B/0.396A	0.852B/0.396A	----	0.494 + 0.070	.2372	----	----	8	----	2 +	UNCH	
7000	0.374	0.374	0.715B/0.321	0.715B/0.321	----	0.399 + 0.043	.1957	----	----	16	----	19 +	14	
7050	----	----	0.602B/0.262A	0.602B/0.262A	----	0.324 + 0.023	.1610	----	----	----	----	1	UNCH	
7100	0.222	0.222	0.507B/0.214A	0.507B/0.214A	----	0.265 + 0.008	.1324	----	----	5	----	8 +	4	
7150	----	----	0.427B/0.182A	0.427B/0.182A	----	0.219 - 0.002	.1092	----	----	----	----	1	UNCH	
7300	----	----	0.259B/0.120A	0.259B/0.120A	----	0.132 - 0.019	.0637	----	----	----	----	1	UNCH	
7350	----	----	0.224B/0.107A	0.224B/0.107A	----	0.115 - 0.021	.0544	----	----	----	----	5	UNCH	
7500	----	----	0.140B/0.083A	0.140B/0.083A	----	0.084 - 0.021	.0368	----	----	----	----	2	UNCH	
8000	0.050	0.050	0.063B/0.050	0.063B/0.050	----	0.052 - 0.009	.0173	----	----	1	----	1	UNCH	
TOTAL										25	0	72 +	21	
S04 PUT	SILVER OPTIONS													
SEP26														
5500	----	----	----	0.002B/0.021A	----	0.006 - 0.009	.0021	----	----	----	----	3	UNCH	
5700	----	----	-----/0.029A	0.012B/0.029A	----	0.015 - 0.017	.0059	----	----	----	----	1	UNCH	
5800	----	----	-----/0.037A	0.026B/0.037A	----	0.022 NEW	.0092	----	----	1	----	1 +	1	
5900	----	----	-----/0.042A	0.048B/0.042A	----	0.034 - 0.037	.0148	----	----	----	----	1	UNCH	
5950	----	----	-----/0.047A	0.064B/0.047A	----	0.042 - 0.045	.0187	----	----	----	----	1	UNCH	
6000	----	----	-----/0.056A	0.086B/0.056A	----	0.051 - 0.056	.0233	----	----	----	----	3	UNCH	
6050	----	----	-----/0.066A	0.103B/0.066A	----	0.063 - 0.069	.0293	----	----	6	----	1	UNCH	
6100	0.113	0.113	0.113/0.080A	0.155B/0.080A	----	0.077 - 0.087	.0366	----	----	7	----	14	UNCH	
6150	----	----	-----/0.096A	0.203B/0.096A	----	0.096 - 0.108	.0464	----	----	6	----	2	UNCH	
6200	----	----	0.260B/0.117A	0.260B/0.117A	----	0.120 - 0.135	.0587	----	----	5	----	6 +	1	
6250	----	----	0.332B/0.153A	0.332B/0.153A	----	0.150 - 0.170	.0742	----	----	----	----	4	UNCH	
6300	0.404	0.404	0.418B/0.175A	0.418B/0.175A	----	0.190 - 0.211	.0942	----	----	10	----	3 +	2	
6500	----	----	1.030B/0.447A	1.030B/0.447A	----	0.502 - 0.444	.2340	----	----	----	----	1	UNCH	
6600	0.885	0.885	1.511B/0.712A	1.511B/0.712A	----	0.800 - 0.584	.3440	----	----	2	----	21 +	2	
6650	----	----	1.805B/0.893A	1.805B/0.893A	----	0.995 - 0.656	.4064	----	----	----	----	1	UNCH	
6750	----	----	2.438B/1.350A	2.438B/1.350A	----	1.484 - 0.793	.5367	----	----	----	----	1	UNCH	
7050	----	----	4.928B/3.314A	4.928B/3.314A	----	3.673 - 1.030	.8389	----	----	----	----	1	UNCH	
TOTAL										37	0	65 +	6	
SWW WED	SILVER WEEKLY WEDNESDAY OPTION WEEK													
SEP26														
5400	----	----	----	-----/0.010A	----	0.002 - 0.004	.0005	----	----	----	----	1	UNCH	
5750	----	----	-----/0.069A	0.051B/0.069A	----	0.058 - 0.031	.0224	----	----	----	----	0	UNCH	
5800	----	----	-----/0.017A	-----/0.017A	----	0.008 - 0.015	.0030	----	----	----	----	1	UNCH	
5800	----	----	-----/0.075A	0.064B/0.075A	----	0.067 - 0.038	.0262	----	----	----	----	5	UNCH	
5950	----	----	-----/0.016A	0.025B/0.016A	----	0.016 - 0.028	.0070	----	----	----	----	2	UNCH	
6000	----	----	-----/0.030A	0.037B/0.030A	----	0.021 - 0.034	.0096	----	----	----	----	1	UNCH	
6010	----	----	-----/0.031A	0.040B/0.031A	----	0.022 - 0.035	.0101	----	----	----	----	1	UNCH	
6050	----	----	-----/0.031A	0.053B/0.031A	----	0.026 - 0.043	.0124	----	----	----	----	3	UNCH	
6100	0.037	0.037	0.037/0.037	0.074B/0.037	----	0.033 - 0.055	.0165	----	----	2	----	18 -	1	
6150	----	----	-----/0.045A	0.092B/0.045A	----	0.041 - 0.073	.0214	----	----	----	----	4	UNCH	

BULLETIN #180@				METALS OPTION PRODUCTS					Fri, Sep 18, 2026				PG64		
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SWW WED	SILVER WEEKLY WEDNESDAY OPTION WEEK														
TOTAL										3	0	8 +	3		
TWS TUE	SILVER WEEKLY TUESDAY OPTION week5														
SEP26															
4750	----	----	----	----/0.102A	----	0.002 - 0.002	.0005	----	----	----	----	34	UNCH		
5200	----	----	----	----/0.014A	----	0.001 UNCH	----	----	----	----	----	2	UNCH		
5900	----	----	----/0.016A	----/0.016A	----	0.005 - 0.020	.0018	----	----	----	----	1	UNCH		
6150	----	----	----/0.025A	0.062B/0.025A	----	0.023 - 0.050	.0116	----	----	----	----	2	UNCH		
6200	----	----	----/0.030A	0.080B/0.030A	----	0.029 - 0.066	.0156	----	----	----	----	1	UNCH		
6250	----	----	0.129B/0.037A	0.129B/0.037A	----	0.037 - 0.090	.0212	----	----	----	----	1	UNCH		
6300	----	----	0.180B/0.047A	0.180B/0.047A	----	0.047 - 0.124	.0288	----	----	----	----	1	UNCH		
6340	----	----	0.234B/0.058A	0.234B/0.058A	----	0.059 - 0.158	.0379	----	----	----	----	2	UNCH		
6350	----	----	0.250B/0.063A	0.250B/0.063A	----	0.063 - 0.168	.0409	----	----	----	----	1	UNCH		
6400	----	----	3.914B/2.207A	3.914B/2.207A	----	3.235 + 0.828	.9406	----	----	----	----	4	UNCH		
6400	----	----	0.345B/0.083A	0.345B/0.083A	----	0.087 NEW	.0593	----	----	2	----	0	UNCH		
6420	----	----	3.727B/2.055A	3.727B/2.055A	----	3.047 + 0.799	.9312	----	----	----	----	1	UNCH		
6450	0.195	0.195	0.473B/0.113A	0.473B/0.113A	----	0.123 NEW	.0870	----	----	1	----	1 +	1		
6500	----	----	0.639B/0.161A	0.639B/0.161A	----	0.178 - 0.388	.1282	----	6	----	----	6 +	6		
6530	0.200	0.200	0.757B/0.199A	0.757B/0.199A	----	0.223 NEW	.1608	----	1	----	----	1 +	1		
6540	0.326	0.326	0.806B/0.211A	0.806B/0.211A	----	0.240 NEW	.1729	----	3	----	----	3 +	3		
6550	----	----	0.846B/0.227A	0.846B/0.227A	----	0.259 - 0.490	.1861	----	1	----	----	6 +	1		
6550	----	----	2.582B/1.193A	2.582B/1.193A	----	1.907 NEW	.8138	----	1	----	----	1 +	1		
6560	0.380	0.380	0.893B/0.245A	0.893B/0.245A	----	0.279 NEW	.1999	----	1	----	----	1 +	1		
6600	----	----	2.180B/0.946A	2.180B/0.946A	----	1.524 + 0.456	.7369	----	----	----	----	19	UNCH		
6600	0.377	0.377	1.101B/0.328A	1.101B/0.328A	----	0.376 NEW	.2630	----	1	----	----	1 +	1		
6650	----	----	1.811B/0.742A	1.811B/0.742A	----	1.186 + 0.349	.6429	----	----	----	----	4	UNCH		
6690	0.882	0.882	1.642B/0.616A	1.642B/0.616A	----	0.703 NEW	.4408	----	1	----	----	1 +	1		
6700	0.825	0.825	1.713B/0.660A	1.713B/0.660A	----	0.750 NEW	.4623	----	4	----	----	4 +	4		
6700	0.795	0.795	1.469B/0.578A	1.469B/0.578A	----	0.898 + 0.250	.5376	----	2	----	----	4	UNCH		
6750	1.850	1.850	2.624B/1.633A	2.624B/1.633A	----	1.758 NEW	.5257	----	1	----	----	1 +	1		
6770	1.409	1.409	2.245B/0.987A	2.245B/0.987A	----	1.138 NEW	.6106	----	3	----	----	3 +	3		
6800	----	----	0.956B/0.352A	0.956B/0.352A	----	0.484 + 0.100	.3311	----	----	----	----	2	UNCH		
6800	----	----	1.654B/0.913A	1.654B/0.913A	----	1.198 + 0.245	.4226	----	----	----	----	5	UNCH		
6860	0.345	0.345	0.708B/0.242A	0.708B/0.242A	----	0.327 NEW	.2317	----	30	----	----	30 +	30		
6900	0.215	0.215	0.578B/0.191A	0.578B/0.191A	----	0.253 NEW	.1800	----	2	----	----	2 +	2		
6930	0.205	0.205	0.496B/0.159A	0.496B/0.159A	----	0.209 NEW	.1482	----	1	----	----	1 +	1		
7000	0.330	0.330	0.348B/0.112A	0.348B/0.112A	----	0.138 NEW	.0946	----	7	----	----	7 +	7		
7100	----	----	0.210B/0.074A	0.210B/0.074A	----	0.083 NEW	.0523	----	5	----	----	5 +	5		
7200	----	----	0.135B/0.055A	0.135B/0.055A	----	0.056 - 0.027	.0317	----	----	----	----	2	UNCH		
7250	----	----	0.101B/0.049A	0.101B/0.049A	----	0.047 - 0.027	.0252	----	----	----	----	2	UNCH		
7300	----	----	0.089B/0.045A	0.089B/0.045A	----	0.041 - 0.026	.0208	----	----	----	----	2	UNCH		
7350	----	----	0.076B/0.045A	0.076B/0.045A	----	0.036 - 0.025	.0173	----	----	----	----	1	UNCH		
7700	0.032	0.032	0.032/0.032	0.037B/0.032	----	0.022 NEW	.0075	----	----	1	----	1 +	1		
TOTAL										74	0	166 +	70		
OCT26															
6050	----	----	----/0.283A	0.337B/0.283A	----	0.292 - 0.142	.0974	----	----	----	----	1	UNCH		
6700	----	----	----/1.949A	2.714B/1.949A	----	2.062 - 0.685	.4730	----	----	----	----	1	UNCH		
7000	----	----	1.406B/----	1.406B/0.965A	----	1.106 + 0.179	.3158	----	----	----	----	2	UNCH		
7050	----	----	1.248B/----	1.248B/0.862A	----	0.981 + 0.159	.2865	----	----	----	----	2	UNCH		
TOTAL											0	6	0		

COPPER OPTIONS ON FUTURES													
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
HMW MON	COPPER WEEKLY MONDAY OPTION WEEK4												
SEP26													
525	----	----	----	----/0.0040A	----	0.0005 UNCH	----	----	----	----	----	29	UNCH
525	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	27	UNCH
550	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	2	UNCH
600	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	2	UNCH
610	----	----	----	0.0015B/0.0070A	----	0.0010 - 0.0010	.0079	----	----	----	----	15	UNCH
615	----	----	----	0.0030B/0.0065A	----	0.0015 - 0.0015	.0120	----	----	----	----	35	UNCH
620	----	----	0.0050B/----	0.0050B/0.0070A	----	0.0020 - 0.0020	.0166	----	----	----	----	20	UNCH
625	----	----	0.0075B/----	0.0075B/0.0080A	----	0.0030 - 0.0025	.0251	----	----	----	----	60	UNCH
630	----	----	0.0115B/----	0.0115B/0.0090A	----	0.0050 - 0.0030	.0408	----	----	----	----	25	UNCH
630	----	----	----	----/0.0045A	----	0.0005 UNCH	----	----	----	----	----	3	UNCH
631	----	----	----	----/0.0040A	----	0.0005 UNCH	----	----	----	----	----	1	UNCH
635	0.0100	0.0100	0.0170B/0.0100	0.0170B/0.0100	----	0.0080 - 0.0040	.0635	----	----	31	----	21 -	10
635	----	----	0.0005B/0.0055A	0.0005B/0.0055A	----	0.0005 UNCH	.0000	----	----	----	----	11	UNCH
640	----	----	0.0255B/0.0150A	0.0255B/0.0150A	----	0.0120 - 0.0055	.0930	----	----	----	----	1	UNCH
645	----	----	0.0375B/0.0195A	0.0375B/0.0195A	----	0.0180 - 0.0075	.1343	----	----	----	----	15	UNCH
649	----	----	0.2265B/0.1520A	0.2265B/0.1520A	----	0.2025 + 0.0250	.9880	----	----	----	----	1	UNCH
650	0.0410	0.0410	0.0550B/0.0275A	0.0550B/0.0275A	----	0.0260 - 0.0100	.1864	----	1	----	----	16	UNCH
650	----	----	0.2355B/0.1910A	0.2355B/0.1910A	----	0.2170 + 0.0195	.8133	----	----	----	----	4	UNCH
650	----	----	0.0115B/----	0.0115B/0.0080A	----	0.0015 - 0.0055	.0183	----	----	----	----	1	UNCH
653	0.0195	0.0195	0.0195/0.0075A	0.0195/0.0075A	----	0.0030 NEW	.0393	----	2	----	----	2 +	2
655	----	----	0.0745B/0.0370A	0.0745B/0.0370A	----	0.0370 - 0.0130	.2517	----	----	----	----	2	UNCH
655	----	----	0.1950B/0.1405A	0.1950B/0.1405A	----	0.1785 + 0.0170	.7480	----	----	----	----	11	UNCH
655	----	----	0.1685B/0.1045A	0.1685B/0.1045A	----	0.1455 + 0.0190	.9443	----	----	----	----	2	UNCH
657	----	----	0.0275B/0.0120A	0.0275B/0.0120A	----	0.0060 NEW	.0852	----	20	----	----	20 +	20
658	0.0135	0.0135	0.0310B/0.0050	0.0310B/0.0050	----	0.0075 NEW	.1062	----	3	----	----	2 +	2
660	----	----	0.1210B/0.0750A	0.1210B/0.0750A	----	0.1020 + 0.0130	.8496	----	----	----	----	3	UNCH
665	----	----	0.0780B/0.0510A	0.0780B/0.0510A	----	0.0645 + 0.0055	.6842	----	----	----	----	6	UNCH
667	----	----	0.0630B/0.0435A	0.									

PG64	BULLETIN #180@										METALS OPTION PRODUCTS										Fri, Sep 18, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME					OPEN INTEREST							
COPPER WEEKLY THURSDAY OPT week3																									
HWR THU SEP26																									
665	----	----	----	----	----	----	----	0.0000	UNCH	----	----	----	----					0	UNCH						
665	----	----	----	----	----	----	----	0.0115	UNCH	----	----	----	----					0	UNCH						
690	----	----	----	----	----	----	----	0.0000	UNCH	----	----	----	----					0	UNCH						
TOTAL																		0							
OCT26																									
500	----	----	----	----	-----/0.0055A	----	----	0.0005	UNCH	.0000	----	----	----					19	UNCH						
600	----	----	----	0.0035B/----	0.0035B/0.0085A	----	----	0.0030	+	0.0005	.0181	----	----					1	UNCH						
640	----	----	----	0.0820B/0.0610A	0.0820B/0.0610A	----	----	0.0620		NEW	.2321	----	5					5	+						
650	----	----	----	0.1220B/0.0900A	0.1220B/0.0900A	----	----	0.0930		NEW	.3139	----	5					5	+						
650	----	----	----	0.0800B/0.0445A	0.0800B/0.0445A	----	----	0.0455	-	0.0020	.2425	----	----					1	UNCH						
655	0.0575	0.0575		0.1015B/0.0575	0.1015B/0.0575	----	----	0.0610		NEW	.3029	----	1					1	+						
660	----	----	----	0.2395B/0.2005A	0.2395B/0.2005A	----	----	0.2270	+	0.0235	.5951	----	----					1	UNCH						
665	0.2025	0.2025		0.2145B/0.2020	0.2145B/0.1790A	----	----	0.2025		NEW	.5499	----	40					40	+						
670	----	----	----	0.1940B/----	0.1940B/0.1595A	----	----	0.1800	+	0.0235	.5057	----	----					1	UNCH						
670	----	----	----	0.1510B/----	0.1510B/0.1015A	----	----	0.1240	+	0.0230	.4981	----	----					8	UNCH						
675	----	----	----	0.1330B/----	0.1330B/0.0865A	----	----	0.1055		NEW	.4368	----	20					20	+						
685	0.1280	0.1280		0.1435B/0.1280	0.1435B/0.1135A	----	----	0.1255		NEW	.3835	----	48					47	+						
690	0.1195	0.1195		0.1295B/0.1195	0.1295B/0.1015A	----	----	0.1110		NEW	.3473	----	13					13	+						
690	----	----	----	0.0935B/----	0.0935B/0.0545A	----	----	0.0660	+	0.0235	.2878	----	71					77	+						
700	0.0970	0.0970		0.1055B/0.0970	0.1055B/0.0820A	----	----	0.0880		NEW	.2844	----	24					24	+						
700	0.0500	0.0500		0.0730B/0.0500	0.0730B/0.0405A	----	----	0.0490		NEW	.2166	----	4					4	+						
720	----	----	----	0.0410B/----	0.0410B/0.0235A	----	----	0.0265	+	0.0135	.1198	----	----					1	UNCH						
775	----	----	----	0.0150B/----	0.0150B/0.0125A	----	----	0.0105	+	0.0060	.0420	----	----					1	UNCH						
800	----	----	----	0.0075B/----	0.0075B/0.0125A	----	----	0.0080	+	0.0035	.0306	----	----					30	UNCH						
800	----	----	----	0.0040B/----	0.0040B/0.0080A	----	----	0.0010	+	0.0005	.0050	----	----					19	UNCH						
TOTAL													231					318	+						
COPPER WEEKLY TUESDAY OPTION week5																									
HWT TUE SEP26																									
525	----	----	----	----	-----/0.0045A	----	----	0.0005	UNCH	----	----	----	----					29	UNCH						
630	----	----	----	0.0165B/----	0.0165B/0.0120A	----	----	0.0105	+	0.0010	.0701	----	----					5	UNCH						
635	----	----	----	----	0.0040B/0.0080A	----	----	0.0020	-	0.0035	.0164	----	----					1	UNCH						
640	0.0060	0.0060		0.0070B/0.0060	0.0070B/0.0060	----	----	0.0025		NEW	.0230	----	2					2	+						
650	----	----	----	0.0220B/0.0110A	0.0220B/0.0110A	----	----	0.0060	-	0.0070	.0660	----	----					1	UNCH						
650	0.0635	0.0635		0.0635/0.0330A	0.0635/0.0330A	----	----	0.0320		NEW	.2068	----	1					1	+						
655	0.0430	0.0430		0.0835B/0.0425	0.0835B/0.0425	----	----	0.0455		NEW	.2732	----	2					2	+						
658	0.0150	0.0150		0.0475B/0.0150	0.0475B/0.0150	----	----	0.0165		NEW	.1815	----	1					1	+						
665	----	----	----	0.0825B/0.0340A	0.0825B/0.0340A	----	----	0.0380	-	0.0195	.3676	----	----					1	UNCH						
665	----	----	----	0.0910B/0.0635A	0.0910B/0.0635A	----	----	0.0795	+	0.0105	.6322	----	----					1	UNCH						
673	----	----	----	0.0605B/----	0.0605B/0.0380A	----	----	0.0430	+	0.0050	.3917	----	----					1	UNCH						
685	----	----	----	0.0340B/----	0.0340B/0.0200A	----	----	0.0180	+	0.0025	.1616	----	----					1	UNCH						
695	----	----	----	0.0210B/----	0.0210B/0.0120A	----	----	0.0095	+	0.0030	.0775	----	----					1	UNCH						
TOTAL													6					47	+						
OCT26																									
500	----	----	----	----	-----/0.0050A	----	----	0.0005	UNCH	.0000	----	----	----					19	UNCH						
TOTAL																		19							
COPPER WEEKLY WEDNESDAY OPTION WEEK																									
HWW WED SEP26																									
525	----	----	----	----	-----/0.0045A	----	----	0.0005	UNCH	-----	----	----	----					29	UNCH						
550	----	----	----	----	-----/0.0050A	----	----	0.0005	UNCH	.0000	----	----	----					1	UNCH						
625	----	----	----	0.0040B/----	0.0040B/0.0075A	----	----	0.0020	-	0.0015	.0144	----	----					60	UNCH						
625	----	----	----	0.0150B/----	0.0150B/0.0115A	----	----	0.0090	+	0.0010	.0584	----	----					1	UNCH						
630	----	----	----	0.0205B/----	0.0205B/0.0140A	----	----	0.0120		UNCH	.0774	----	----					1	UNCH						
635	----	----	----	0.0085B/----	0.0085B/0.0080A	----	----	0.0035	-	0.0025	.0291	----	----					1	UNCH						
635	----	----	----	0.0280B/----	0.0280B/0.0180A	----	----	0.0155	-	0.0015	.1001	----	----					1	UNCH						
650	0.0630	0.0630		0.0720B/0.0395A	0.0720B/0.0395A	----	----	0.0395	-	0.0070	.2280	----	1					6	+						
660	----	----	----	0.0735B/0.0325A	0.0735B/0.0325A	----	----	0.0325	-	0.0120	.2765	----	----					60	UNCH						
665	----	----	----	0.1615B/0.1110A	0.1615B/0.1110A	----	----	0.1375	+	0.0210	.5673	----	----					10	UNCH						
665	----	----	----	0.1130B/0.0730A	0.1130B/0.0730A	----	----	0.0925	+	0.0135	.6070	----	52					53	+						
667	----	----	----	0.1050B/0.0665A	0.1050B/0.0665A	----	----	0.0815		NEW	.5579	----	8					8	+						
670	----	----	----	0.0950B/----	0.0950B/0.0580A	----	----	0.0675	+	0.0095	.4841	----	33					32	+						
675	0.0610	0.0610		0.0920/0.0610	0.0920/0.0465A	----	----	0.0495		NEW	.3716	----	310					310	+						
680	0.0500	0.0500		0.0740/0.0320	0.0740/0.0320	----	----	0.0365	+	0.0060	.2791	----	375					771	+						
683	----	----	----	0.0630B/----	0.0630B/0.0325A	----	----	0.0310		NEW	.2355	----	16					16	+						
690	----	----	----	0.0495B/----	0.0495B/0.0240A	----	----	0.0220	+	0.0060	.1607	----	1					61	UNCH						
725	----	----	----	0.0120B/----	0.0120B/0.0080A	----	----	0.0020	+	0.0010	.0128	----	----					1	UNCH						
750	----	----	----	0.0035B/----	0.0035B/0.0050A	----	----	0.0005	UNCH	.0008	----	----	----					100	UNCH						
TOTAL													796					1522	+						
OCT26																									
500	----	----	----	----	-----/0.0050A	----	----	0.0005	UNCH	.0003															



BULLETIN #180@			METALS OPTION PRODUCTS							Fri, Sep 18, 2026			PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
HX CALL	COMEX COPPER OPTIONS													
TOTAL									200	154		17147+	166	
JAN27														
500	----	----	----	----	----	1.7975 + 0.0305	.9739	----	----	----	----	1	UNCH	
600	----	----	----	----	----	0.8710 + 0.0275	.8395	----	----	----	----	2	UNCH	
650	----	----	0.5190B/0.4780A	0.5190B/0.4780A	----	0.5135 + 0.0170	.6562	----	----	50	----	79 +	50	
665	----	----	0.4390B/0.4010A	0.4390B/0.4010A	----	0.4305 + 0.0140	.5902	----	----	----	----	2	UNCH	
670	----	----	0.4130B/0.3780A	0.4130B/0.3780A	----	0.4055 + 0.0135	.5679	----	----	----	----	1	UNCH	
675	----	----	0.3880B/0.3565A	0.3880B/0.3565A	----	0.3815 + 0.0125	.5457	----	----	----	----	1	UNCH	
680	----	----	0.3655B/0.3365A	0.3655B/0.3365A	----	0.3590 + 0.0120	.5237	----	----	----	----	3	UNCH	
685	----	----	0.3455B/0.3170A	0.3455B/0.3170A	----	0.3380 + 0.0115	.5020	----	----	----	----	47	UNCH	
690	----	0.2790	0.3255B/0.2980A	0.3255B/0.2980A	----	0.3180 + 0.0115	.4807	----	----	----	----	16	UNCH	
700	0.2790	0.2790	0.2895B/0.2645A	0.2895B/0.2645A	----	0.2810 + 0.0105	.4394	----	----	2	----	60 +	2	
710	----	----	0.2565B/0.2345A	0.2565B/0.2345A	----	0.2490 + 0.0105	.4005	----	----	----	----	5	UNCH	
715	----	----	0.2420B/0.2205A	0.2420B/0.2205A	----	0.2340 + 0.0100	.3819	----	----	----	----	800	UNCH	
720	----	----	0.2280B/0.2085A	0.2280B/0.2085A	----	0.2200 + 0.0100	.3639	----	----	----	----	12	UNCH	
725	----	----	0.2155B/0.1955A	0.2155B/0.1955A	----	0.2070 + 0.0095	.3467	----	----	50	----	132 +	50	
730	----	----	0.2030B/0.1850A	0.2030B/0.1850A	----	0.1945 + 0.0090	.3299	----	----	----	----	500	UNCH	
740	----	----	0.1805B/----	0.1805B/0.1640A	----	0.1720 + 0.0085	.2985	----	----	1	----	101 +	1	
750	----	----	0.1600B/----	0.1600B/0.1460A	----	0.1520 + 0.0075	.2696	----	----	----	----	649	UNCH	
755	----	----	0.1510B/----	0.1510B/0.1375A	----	0.1425 + 0.0070	.2557	----	----	----	----	3	UNCH	
775	----	----	0.1190B/----	0.1190B/0.1095A	----	0.1115 + 0.0055	.2076	----	----	----	----	21	UNCH	
800	----	----	0.0885B/----	0.0885B/0.0830A	----	0.0830 + 0.0050	.1601	----	----	----	----	941	UNCH	
825	----	----	0.0665B/----	0.0665B/0.0640A	----	0.0620 + 0.0040	.1232	----	----	----	----	10	UNCH	
850	----	----	0.0510B/----	0.0510B/0.0500A	----	0.0470 + 0.0035	.0955	----	----	----	----	26	UNCH	
900	----	----	0.0295B/----	0.0295B/0.0315A	----	0.0270 + 0.0020	.0571	----	----	----	----	4	UNCH	
950	----	----	0.0180B/----	0.0180B/0.0215A	----	0.0170 + 0.0015	.0364	----	----	----	----	13	UNCH	
1000	----	----	0.0110B/----	0.0110B/0.0160A	----	0.0110 + 0.0005	.0238	----	----	----	----	13	UNCH	
TOTAL										103		3431+	103	
FEB27														
600	----	----	----	----	----	0.9040 + 0.0245	.8111	----	----	----	----	2	UNCH	
610	----	----	----	----	----	0.8285 + 0.0235	.7817	----	----	----	----	1	UNCH	
620	----	----	0.7600B/0.7190A	0.7600B/0.7190A	----	0.7565 + 0.0215	.7500	----	----	----	----	1	UNCH	
625	----	----	0.7290B/0.6865A	0.7290B/0.6865A	----	0.7220 + 0.0205	.7332	----	----	----	----	2	UNCH	
640	----	----	0.6305B/0.5960A	0.6305B/0.5960A	----	0.6250 + 0.0180	.6801	----	----	----	----	1	UNCH	
650	----	----	0.5705B/0.5335A	0.5705B/0.5335A	----	0.5660 + 0.0160	.6428	----	----	----	----	41	UNCH	
655	----	----	0.5420B/0.5080A	0.5420B/0.5080A	----	0.5380 + 0.0155	.6237	----	----	----	----	1	UNCH	
685	----	----	0.3985B/0.3750A	0.3985B/0.3750A	----	0.3945 + 0.0115	.5094	----	----	----	----	30	UNCH	
700	----	----	0.3425B/0.3220A	0.3425B/0.3220A	----	0.3365 + 0.0105	.4550	----	----	----	----	50	UNCH	
705	----	----	0.3255B/0.3060A	0.3255B/0.3060A	----	0.3195 + 0.0105	.4376	----	----	----	----	1	UNCH	
725	----	----	0.2655B/0.2485A	0.2655B/0.2485A	----	0.2580 + 0.0090	.3722	----	----	----	----	9	UNCH	
735	----	----	0.2400B/----	0.2400B/0.2240A	----	0.2325 + 0.0090	.3426	----	----	----	----	30	UNCH	
745	----	----	0.2165B/----	0.2165B/0.2025A	----	0.2090 + 0.0085	.3147	----	----	----	----	2	UNCH	
750	----	----	0.2055B/----	0.2055B/0.1925A	----	0.1980 + 0.0080	.3013	----	----	----	----	64	UNCH	
765	----	----	0.1760B/----	0.1760B/0.1635A	----	0.1695 + 0.0075	.2648	----	----	----	----	2	UNCH	
850	----	----	0.0725B/----	0.0725B/0.0750A	----	0.0700 + 0.0035	.1232	----	----	----	----	60	UNCH	
900	----	----	0.0445B/----	0.0445B/0.0505A	----	0.0440 + 0.0020	.0803	----	----	----	----	49	UNCH	
925	----	----	0.0355B/----	0.0355B/0.0425A	----	0.0360 + 0.0015	.0662	----	----	----	----	6	UNCH	
1000	0.0270	0.0270	0.0270/0.0270	0.0270/0.0270	----	0.0215 + 0.0010	.0397	----	----	2	----	56 +	2	
TOTAL										2		408+	2	
MAR27														
580	----	----	----	----	----	1.0905 + 0.0270	.8401	----	----	----	----	1	UNCH	
595	----	----	----	----	----	0.9730 + 0.0250	.8037	----	----	----	----	----	2	UNCH
600	----	----	----	----	----	0.9355 + 0.0240	.7904	----	----	----	----	2	UNCH	
605	----	----	----	----	----	0.8990 + 0.0235	.7768	----	----	----	----	1	UNCH	
625	----	----	0.7645B/0.7310A	0.7645B/0.7310A	----	0.7610 + 0.0195	.7170	----	----	----	----	16	UNCH	
640	----	----	0.6705B/0.6445A	0.6705B/0.6445A	----	0.6680 + 0.0165	.6683	----	----	----	----	1	UNCH	
645	----	----	0.6405B/0.6090A	0.6405B/0.6090A	----	0.6390 + 0.0155	.6515	----	----	----	----	1	UNCH	
650	0.6150	0.6150	0.6150/0.5830A	0.6150/0.5830A	----	0.6110 + 0.0145	.6346	----	----	3	----	7	UNCH	
660	----	----	0.5590B/0.5340A	0.5590B/0.5340A	----	0.5585 + 0.0135	.6003	----	----	----	----	15	UNCH	
670	----	----	0.5100B/0.4885A	0.5100B/0.4885A	----	0.5100 + 0.0125	.5660	----	----	----	----	1	UNCH	
675	----	----	0.4865B/0.4675A	0.4865B/0.4675A	----	0.4870 + 0.0115	.5490	----	----	8	----	41	UNCH	
680	----	----	0.4650B/0.4470A	0.4650B/0.4470A	----	0.4650 + 0.0110	.5320	----	----	----	----	30	UNCH	
700	----	----	0.3880B/0.3730A	0.3880B/0.3730A	----	0.3865 + 0.0100	.4667	----	----	----	----	192	UNCH	
725	----	----	0.3085B/----	0.3085B/0.2975A	----	0.3060 + 0.0090	.3918	----	----	----	----	39	UNCH	
740	----	----	0.2690B/----	0.2690B/0.2595A	----	0.2660 + 0.0085	.3512	----	----	----	----	14	UNCH	
750	----	----	0.2455B/----	0.2455B/0.2375A	----	0.2425 + 0.0085	.3262	----	----	----	----	209	UNCH	
755	----	----	0.2345B/----	0.2345B/0.2265A	----	0.2315 + 0.0080	.3142	----	----	----	----	1	UNCH	
775	----	----	0.1950B/----	0.1950B/0.1905A	----	0.1920 + 0.0070	.2697	----	----	----	----	40	UNCH	
800	----	----	0.1545B/----	0.1545B/0.1535A	----	0.1530 + 0.0065	.2227	----	----	14	----	112 +	6	
875	----	----	----	0.0785B/0.0870A	----	0.0820 + 0.0035	.1276	----	----	----	----	39	UNCH	
900	----	----	----	0.0635B/0.0740A	----	0.0690 + 0.0030	.1082	----	----	----	----	26	UNCH	
950	----	----	----	0.0425B/0.0540A	----	0.0470 + 0.0020	.0759	----	----	----	----	3	UNCH	
1000	----	----	----	0.0290B/0.0415A	----	0.0310 + 0.0010	.0519	----	----	----	----	23	UNCH	
TOTAL										25		816+	6	
APR27														
675	----	----	0.5655B/----	0.5655B/0.5630A	----	0.5715 + 0.0110	.5717	----	----	----	----	1	UNCH	
680	----	----	0.5425B/----	0.5425B/0.5415A	----	0.5490 NEW	.5565	----	----	5	----	5 +	5	
775	----	----	0.2475B/----	0.2475B/0.2570A	----	0.2515 + 0.0055	.3095	----	----	----	----	3	UNCH	
TOTAL										5		9+	5	
MAY27														

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
COMEX COPPER OPTIONS																	
OCT26																	
611	----	----	----	----	0.0015B/0.0030A	----	----	0.0030 + 0.0005	.0172	----	----	----	----	38	UNCH		
614	----	----	----	----	0.0020B/0.0030A	----	----	0.0030 + 0.0005	.0180	----	----	----	----	20	-		
615	0.0045	0.0045	0.0045	0.0045/0.0030A	0.0045/0.0030A	----	----	0.0030 + 0.0005	.0183	----	----	6	----	58	+		
616	----	----	----	----	0.0020B/0.0030A	----	----	0.0030	UNCH	.0186	----	----	----	28	UNCH		
620	0.0020	0.0020	0.0020	0.0030/0.0020	0.0035B/0.0020	----	----	0.0035	UNCH	.0226	----	4	----	257	-		
625	0.0075	0.0075	0.0075	0.0080/0.0040A	0.0080/0.0040A	----	----	0.0045 + 0.0005	.0304	----	73	----	----	277	-		
630	0.0080	0.0080	0.0080	0.0110/0.0045A	0.0110/0.0045A	----	----	0.0055	UNCH	.0394	----	9	----	389	+		
635	0.0135	0.0135	0.0135	0.0165/0.0055A	0.0165/0.0055A	----	----	0.0065 - 0.0010	.0499	----	16	----	----	438	+		
640	----	----	----	0.0175B/0.0075A	0.0175B/0.0075A	----	----	0.0080 - 0.0025	.0655	----	12	----	----	324	-		
645	0.0220	0.0220	0.0220	0.0265B/0.0100A	0.0265B/0.0100A	----	----	0.0105 - 0.0045	.0905	----	21	----	----	421	-		
650	0.0355	0.0355	0.0355	0.0405/0.0140A	0.0405/0.0140A	----	----	0.0155 - 0.0070	.1347	----	219	----	----	632	+		
651	0.0225	0.0225	0.0225	0.0225/0.0180A	0.0430B/0.0180A	----	----	0.0165	NEW	.1443	----	1	----	1	+		
652	0.0245	0.0245	0.0245	0.0245/0.0180A	0.0460B/0.0180A	----	----	0.0180	NEW	.1568	----	4	----	4	+		
655	0.0500	0.0500	0.0500	0.0575B/0.0210A	0.0575B/0.0210A	----	----	0.0240 - 0.0100	.2021	----	155	----	----	295	-		
658	0.0425	0.0425	0.0425	0.0425/0.0295A	0.0715B/0.0295A	----	----	0.0310	NEW	.2531	----	1	----	1	+		
660	0.0670	0.0670	0.0670	0.0820B/0.0315A	0.0820B/0.0315A	----	----	0.0375 - 0.0140	.2937	----	81	----	----	266	+		
663	0.0460	0.0460	0.0460	0.0460/0.0425A	0.0980B/0.0425A	----	----	0.0485	NEW	.3575	----	1	----	1	+		
665	0.0975	0.0975	0.0975	0.1105B/0.0470A	0.1105B/0.0470A	----	----	0.0575 - 0.0180	.4023	----	24	----	----	246	+		
666	0.0600	0.0600	0.0600	0.0600/0.0525A	0.1165B/0.0525A	----	----	0.0620	NEW	.4245	----	54	----	54	+		
670	0.0790	0.0790	0.0790	0.1435B/0.0685A	0.1435B/0.0685A	----	----	0.0840 - 0.0210	.5128	----	14	----	----	244	-		
675	----	----	----	0.1795B/0.1000A	0.1795B/0.1000A	----	----	0.1170 - 0.0220	.6116	----	----	----	----	122	UNCH		
680	----	----	----	0.2080B/0.1350A	0.2080B/0.1350A	----	----	0.1545 - 0.0225	.6927	----	----	----	----	63	UNCH		
685	----	----	----	0.2555B/0.1820A	0.2555B/0.1820A	----	----	0.1955 - 0.0225	.7560	----	----	----	----	39	UNCH		
690	----	----	----	0.3030B/0.2160A	0.3030B/0.2160A	----	----	0.2385 - 0.0230	.8056	----	----	----	----	46	UNCH		
695	----	----	----	0.3460B/0.2595A	0.3460B/0.2595A	----	----	0.2830 - 0.0235	.8446	----	----	----	----	34	UNCH		
700	----	----	----	0.3900B/0.3045A	0.3900B/0.3045A	----	----	0.3285 - 0.0240	.8738	----	----	----	----	24	UNCH		
715	----	----	----	0.5330B/0.4480A	0.5330B/0.4480A	----	----	0.4695 - 0.0260	.9340	----	----	----	----	2	UNCH		
720	----	----	----	0.5815B/0.4955A	0.5815B/0.4955A	----	----	0.5175 - 0.0265	.9467	----	----	----	----	2	UNCH		
745	----	----	----	0.8285B/0.7395A	0.8285B/0.7395A	----	----	0.7630 - 0.0270	.9782	----	----	----	----	1	UNCH		
750	----	----	----	0.8785B/0.7855A	0.8785B/0.7855A	----	----	0.8125 - 0.0270	.9812	----	----	----	----	5	UNCH		
TOTAL												718		6961	+	11	
NOV26																	
390	----	----	----	----	-----/0.0050A	----	----	0.0005	UNCH	.0003	----	----	----	3	UNCH		
400	----	----	----	----	-----/0.0005A	----	----	0.0005	UNCH	.0006	----	----	----	13	UNCH		
410	----	----	----	----	-----/0.0030A	----	----	0.0005	UNCH	.0010	----	----	----	1	UNCH		
425	----	----	----	----	-----/0.0030A	----	----	0.0010	UNCH	.0025	----	----	----	40	UNCH		
430	----	----	----	----	-----/0.0035A	----	----	0.0010	UNCH	.0025	----	----	----	4	UNCH		
475	----	----	----	----	0.0005B/0.0050A	----	----	0.0025	UNCH	.0069	----	----	----	8	UNCH		
480	----	----	----	----	0.0005B/0.0050A	----	----	0.0025 - 0.0005	.0070	----	----	----	----	3	UNCH		
500	0.0035	0.0035	0.0035	0.0035/0.0035	0.0035/0.0035	----	----	0.0040 - 0.0005	.0115	----	3	----	----	109	+		
510	----	----	----	----	0.0015B/0.0060A	----	----	0.0045 - 0.0005	.0133	----	----	----	----	9	UNCH		
520	----	----	----	----	0.0020B/0.0065A	----	----	0.0050 - 0.0010	.0154	----	----	----	----	3	UNCH		
525	----	----	----	----	0.0020B/0.0070A	----	----	0.0055 - 0.0010	.0171	----	----	----	----	6	UNCH		
535	----	----	----	----	0.0050B/0.0075A	----	----	0.0060 - 0.0015	.0195	----	1	----	----	32	+		
540	----	----	----	----	0.0035B/0.0080A	----	----	0.0060 - 0.0015	.0202	----	----	----	----	10	UNCH		
550	----	----	----	-----/0.0070A	0.0055B/0.0070A	----	----	0.0065 - 0.0010	.0230	----	2	----	----	175	UNCH		
560	----	----	----	0.0090B/----	0.0090B/0.0100A	----	----	0.0075 - 0.0010	.0276	----	----	----	----	408	UNCH		
565	----	----	----	0.0095B/----	0.0095B/0.0100A	----	----	0.0085 - 0.0005	.0314	----	----	----	----	27	UNCH		
570	----	----	----	0.0115B/----	0.0115B/0.0110A	----	----	0.0090 - 0.0010	.0341	----	----	----	----	21	UNCH		
575	----	----	----	0.0135B/----	0.0135B/0.0120A	----	----	0.0105 - 0.0010	.0397	----	----	----	----	67	UNCH		
580	----	----	----	0.0155B/0.0125A	0.0155B/0.0125A	----	----	0.0120 - 0.0010	.0455	----	2	----	----	46	UNCH		
585	0.0155	0.0155	0.0155	0.0190B/0.0130	0.0190B/0.0130	----	----	0.0135 - 0.0015	.0517	----	6	----	----	64	-		
590	0.0170	0.0170	0.0170	0.0225B/0.0165A	0.0225B/0.0165A	----	----	0.0160 - 0.0015	.0607	----	1	----	----	283	UNCH		
595	0.0190	0.0190	0.0190	0.0265B/0.0185A	0.0265B/0.0185A	----	----	0.0185 - 0.0020	.0700	----	2	----	----	51	UNCH		
600	0.0220	0.0220	0.0220	0.0320B/0.0215	0.0320B/0.0215	----	----	0.0220 - 0.0020	.0822	----	28	----	----	705	+		
605	0.0270	0.0270	0.0270	0.0380B/0.0250A	0.0380B/0.0250A	----	----	0.0265 - 0.0020	.0970	----	27	----	----	86	+		
610	0.0355	0.0355	0.0355	0.0455B/0.0300A	0.0455B/0.0300A	----	----	0.0315 - 0.0030	.1133	----	9	----	----	298	-		
615	0.0360	0.0360	0.0360	0.0540B/0.0355	0.0540B/0.0355	----	----	0.0375 - 0.0040	.1321	----	3	----	----	67	-		
620	0.0640	0.0640	0.0640	0.0655B/0.0425A	0.0655B/0.0425A	----	----	0.0450 - 0.0055	.1541	----	29	----	----	119	+		
625	0.0680	0.0680	0.0680	0.0775B/0.0505A	0.0775B/0.0505A	----	----	0.0535 - 0.0070	.1783	----	2	----	----	114	+		
630	----	----	----	0.0920B/0.0605A	0.0920B/0.0605A	----	----	0.0640 - 0.0080	.2059	----	16	----	----	178	+		
635	----	----	----	0.1080B/0.0720A	0.1080B/0.0720A	----	----	0.0765 - 0.0085	.2365	----	4	----	----	42	UNCH		
640	0.1160	0.1160	0.1160	0.1260B/0.0845A	0.1260B/0.0845A	----	----	0.0905 - 0.0095	.2689	----	11	----	----	391	+		
645	----	----	----	0.1460B/0.1000A	0.1460B/0.1000A	----	----	0.1070 - 0.0100	.3038	----	3	----	----	37	UNCH		
650	0.1580	0.1580	0.1580	0.1680B/0.1175A	0.1680B/0.1175A	----	----	0.1250 - 0.0115	.3398	----	4	----	----	60	+		
655	0.1810	0.1810	0.1810	0.1925B/0.1360A	0.1925B/0.1360A	----	----	0.1460 - 0.0120	.3773	----	27	400	----	783	+		
660	----	----	----	0.2175B/0.1590A	0.2175B/0.1590A	----	----	0.1685 - 0.0135	.4150	----	2	----	----	118	+		
665	----	----	----	0.2445B/0.1830A	0.2445B/0.1830A	----	----	0.1935 - 0.0145	.4529	----	2	----	----	23	+		
670	----	----	----	0.2745B/0.2090A	0.2745B/0.2090A	----	----	0.2205 - 0.0155	.4903	----	----	----	----	18	UNCH		
675	----	----	----	0.3070B/0.2365A	0.3070B/0.2365A	----	----	0.2495 - 0.0160	.5267	----	----	----	----	12	UNCH		
680	----	----	----	0.3370B/0.2665A	0.3370B/0.2665A	----	----	0.2805 - 0.0165	.5619	----	----	----	----	25	UNCH		
685	----	----	----	0.3725B/0.2980A	0.3725B/0.2980A	----	----	0.3135 - 0.0165	.5955	----	----	----	----	12	UNCH		
690	----	----	----	0.4080B/0.3315A	0.4080B/0.3315A	----	----	0.3475 - 0.0175	.6275	----	----	----	----	7	UNCH		
695	----	----	----	0.4420B/0.3680A	0.4420B/0.3680A	----	----	0.3835 - 0.0180	.6576	----	----	----	----	3	UNCH		
700	----	----	----	0.4810B/0.4030A	0.4810B/0.4030A	----	----	0.4210 - 0.0185	.6858	----	----	----	----	25	UNCH		
735	----	----	----	0.7525B/0.7135A	0.7525B/0.7135A	----	----	0.7120 - 0.0225	.8310	----	400	184	----	4508	+		
TOTAL												400	184		4508	+	500
DEC26																	
350	----	----	----	----	-----/0.0045A	----	----	0.0005	UNCH	.0001	----	----	----	46	UNCH		
360	----	----	----	----	-----/0.0045A	----	----	0.0005	UNCH	.0002	----	----	----	31	UNCH		
380	----	----	----	----	0.0005B/0.0050A	----	----	0.0005	UNCH	.0007	----	----	----	22	UNCH		
385	----	----	----	----	0.0005B/0.0050A	----	----	0.0005	UNCH	.0010	----	----	----	1	UNCH		
390	----	----	----	----	0.0005B/0.0050A	----	----	0.0005	UNCH	.0012	----	----	----	45	UNCH		
395	----	----	----	----	0.0005B/0.0050A	----	----	0.0010 + 0.0005	.0023	----	----	----	----	3	UNCH		
400	----	----	----	----	0.0005B/0.0050A	----	----	0.0010	UNCH	.0023	----	----	----	31	UNCH		
420	----	----	----	----	0.0005B/0.0055A	----	----	0.0015	UNCH	.0036	----	----	----	2	UNCH		
425	----	----	----	----	0.0005B/0.0055A	----	----	0.0015	UNCH	.0036	----	----	----	60	UNCH		
450	----	----	----	----	0.0010B/0.0060A	----	----	0.0025 + 0.0005	.0062	----	----	----	----	2	UNCH		
460	----	----	----	----	0.0010B/0.0065A	----	----	0.0030 + 0.0005	.0076	----	----	----	----	2	UNCH		
470	----	----	----	----	0.0015B/0.0070A	----	----	0.0035 + 0.0005	.0090	----	----	----	----	36	UNCH		
475	----	----	----	----	0.0015B/0.0070A	----	----	0.0035 + 0.0005	.0093	----	----	----	----	34	UNCH		
480	----	----	----	----	0.0020B/0.0075A	----	----	0.0040 + 0.0005	.0106	----	----	----	----	10	UNCH		
485	----	----	----	----	0.0025B												

BULLETIN #180@				METALS OPTION PRODUCTS										Fri, Sep 18, 2026		PG64		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH	OUTCRY LOW	OPEN CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST	
HX PUT DEC26																		
750	----	----	----	----	----	----	----	----		0.8845 - 0.0245	.8117	----	----	----	----		1	UNCH
TOTAL														868			9592 +	603
JAN27																		
370	----	----	----	----		0.0010B/0.0080A	----	----		0.0035 - 0.0005	.0056	----	----	----	----		1	UNCH
390	----	----	----	----		0.0010B/0.0090A	----	----		0.0045 - 0.0005	.0074	----	----	----	----		40	UNCH
400	----	----	----	----		0.0010B/0.0095A	----	----		0.0050 - 0.0005	.0084	----	----	----	----		12	UNCH
425	----	----	----	----		0.0020B/0.0105A	----	----		0.0060 - 0.0010	.0108	----	----	----	----		30	UNCH
430	----	----	----	----		0.0025B/0.0110A	----	----		0.0060 - 0.0010	.0110	----	----	----	----		1	UNCH
435	----	----	----	----		0.0030B/0.0110A	----	----		0.0065 - 0.0010	.0120	----	----	----	----		1	UNCH
440	----	----	----	----		0.0030B/0.0115A	----	----		0.0065 - 0.0015	.0123	----	----	----	----		10	UNCH
450	----	----	----	----		0.0040B/0.0120A	----	----		0.0075 - 0.0010	.0143	----	----	----	----		1	UNCH
465	----	----	----	----		0.0050B/0.0130A	----	----		0.0080 - 0.0015	.0161	----	----	----	----		2	UNCH
510	----	----	----	----		0.0120B/0.0180A	----	----		0.0135 - 0.0015	.0297	----	----	----	----		4	UNCH
515	----	----	----	----		0.0130B/0.0185A	----	----		0.0145 - 0.0015	.0321	----	----	----	----		1	UNCH
520	----	----	----	----		0.0145B/0.0190A	----	----		0.0160 - 0.0010	.0353	----	----	----	----		2	UNCH
525	----	----	----	----		0.0165B/0.0200A	----	----		0.0175 - 0.0010	.0387	----	----	----	----		3	UNCH
540	----	----	----	----		0.0225B/0.0245A	----	----		0.0230 - 0.0010	.0508	----	----	----	----		2	UNCH
550	0.0290	0.0290		0.0290/0.0260	0.0290/0.0260					0.0280 - 0.0015	.0613			2			207 +	2
555	----	----	----	-----/0.0315A	0.0320B/0.0315A	----				0.0315 - 0.0010	.0682	----	----	----	----		1	UNCH
560	----	----	----	0.0370B/0.0345A	0.0370B/0.0345A	----				0.0350 - 0.0010	.0752	----	----	----	----		3	UNCH
570	----	----	----	0.0465B/0.0425A	0.0465B/0.0425A	----				0.0435 - 0.0015	.0915	----	----	----	----		1	UNCH
590	----	----	----	0.0740B/0.0645A	0.0740B/0.0645A	----				0.0675 - 0.0025	.1342			1			11	UNCH
600	----	----	----	0.0930B/0.0795A	0.0930B/0.0795A	----				0.0830 - 0.0040	.1602	----	----	----	----		355	UNCH
605	----	----	----	0.1040B/0.0880A	0.1040B/0.0880A	----				0.0925 - 0.0045	.1751	----	----	----	----		1	UNCH
610	----	----	----	0.1155B/0.0980A	0.1155B/0.0980A	----				0.1025 - NEW	.1905	----	----	1			1 +	1
620	----	----	----	0.1425B/0.1205A	0.1425B/0.1205A	----				0.1255 - 0.0075	.2241	----	----	----	----		12	UNCH
625	----	----	----	0.1570B/0.1330A	0.1570B/0.1330A	----				0.1385 - 0.0085	.2422	----	----	----	----		2	UNCH
630	----	----	----	0.1730B/0.1470A	0.1730B/0.1470A	----				0.1530 - 0.0095	.2613	----	----	----	----		1	UNCH
640	----	----	----	0.2095B/0.1780A	0.2095B/0.1780A	----				0.1850 - 0.0120	.3012	----	----	----	----		3	UNCH
645	----	----	----	0.2295B/0.1955A	0.2295B/0.1955A	----				0.2030 - 0.0130	.3222	----	----	----	----		3	UNCH
650	----	----	----	0.2505B/0.2145A	0.2505B/0.2145A	----				0.2220 - 0.0145	.3435	----	----	----	----		29	UNCH
660	----	----	----	0.2970B/0.2560A	0.2970B/0.2560A	----				0.2645 - 0.0165	.3873	----	----	----	----		2	UNCH
670	----	----	----	0.3485B/0.3030A	0.3485B/0.3030A	----				0.3120 - 0.0185	.4318	----	----	----	----		2	UNCH
800	----	----	----	----	----	----				1.2795 - 0.0270	.8396	----	----	----	----		1	UNCH
TOTAL														4			745 +	3
FEB27																		
400	----	----	----	----		0.0030B/0.0120A	----	----		0.0070 - 0.0010	.0110	----	----	----	----		10	UNCH
450	----	----	----	----		0.0080B/0.0170A	----	----		0.0115 - 0.0010	.0198	----	----	----	----		1	UNCH
480	----	----	----	----		0.0120B/0.0210A	----	----		0.0155 - 0.0010	.0282	----	----	----	----		4	UNCH
500	----	----	----	----		0.0170B/0.0250A	----	----		0.0200 - 0.0005	.0372	----	----	----	----		8	UNCH
520	----	----	----	----		0.0250B/0.0315A	----	----		0.0260 - 0.0015	.0494	----	----	----	----		2	UNCH
560	----	----	----	-----/0.0565A	0.0565B/0.0565A	----				0.0540 - 0.0035	.0977	----	----	----	----		50	UNCH
600	----	----	----	0.1260B/0.1160A	0.1260B/0.1160A	----				0.1180 - 0.0065	.1885	----	----	----	----		80	UNCH
620	----	----	----	0.1835B/0.1640A	0.1835B/0.1640A	----				0.1685 - 0.0100	.2496	----	----	----	----		1	UNCH
630	----	----	----	0.2180B/0.1940A	0.2180B/0.1940A	----				0.2000 - 0.0115	.2838	----	----	----	----		1	UNCH
650	----	----	----	0.3010B/0.2680A	0.3010B/0.2680A	----				0.2750 - 0.0150	.3568	----	----	----	----		60	UNCH
TOTAL																	217	
MAR27																		
400	----	----	----	----		0.0050B/0.0165A	----	----		0.0095 - 0.0015	.0139	----	----	----	----		8	UNCH
500	----	----	----	----		0.0250B/0.0345A	----	----		0.0285 - 0.0015	.0474	----	----	----	----		200	UNCH
525	0.0500	0.0500		0.0500/0.0475A	0.0500/0.0475A	----				0.0415 - NEW	.0686	----	----	10			10 +	10
550	0.0670	0.0670		0.0670/0.0660A	0.0670/0.0660A	----				0.0640 - 0.0025	.1016	----	----	10			230 +	10
575	0.1120	0.1120		0.1120/0.1025A	0.1120/0.1025A	----				0.0995 - 0.0035	.1484	----	----	20			30 +	20
580	----	----	----	-----/0.1110A	0.1120B/0.1110A	----				0.1085 - 0.0040	.1595	----	----	----	----		10	UNCH
595	----	----	----	-----/0.1400A	0.1455B/0.1400A	----				0.1395 - 0.0060	.1958	----	----	----	----		16	UNCH
600	----	----	----	0.1590B/0.1505A	0.1590B/0.1505A	----				0.1515 - 0.0070	.2091	----	----	14			317 +	1
620	----	----	----	0.2215B/0.2045A	0.2215B/0.2045A	----				0.2075 - 0.0110	.2669	----	----	----	----		64	UNCH
625	----	----	----	0.2400B/0.2205A	0.2400B/0.2205A	----				0.2240 - 0.0120	.2825	----	----	----	----		3	UNCH
660	----	----	----	0.3945B/0.3615A	0.3945B/0.3615A	----				0.3670 - 0.0180	.3992	----	----	----	----		3	UNCH
675	----	----	----	0.4745B/0.4370A	0.4745B/0.4370A	----				0.4435 - NEW	.4505	----	----	8			8 +	8
TOTAL														62			899 +	49
APR27																		
400	----	----	----	----		0.0065B/0.0215A	----	----		0.0130 - 0.0020	.0172	----	----	----	----		8	UNCH
680	----	----	----	-----/0.4880A	0.5105B/0.4880A	----				0.4880 - NEW	.4430	----	----	5			5 +	5
TOTAL														5			13 +	5
MAY27																		

BULLETIN #180@				METALS OPTION PRODUCTS								Fri, Sep 18, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST		
COPPER OPTIONS																	
HXE PUT SEP26																	
650	----	----	----	----/0.0040A	0.0015B/0.0040A	----	----	0.0000 - 0.0075	----	----	----	----	----		0 -	203	
650	----	----	----	0.0460B/0.0215A	0.0460B/0.0215A	----	----	0.0205 - 0.0045	.1605	----	----	----	----		2	UNCH	
651	----	----	----	----/0.0040A	0.0015B/0.0040A	----	----	0.0000 - 0.0085	----	----	----	----	----		0 -	175	
652	----	----	----	----/0.0030A	0.0015B/0.0030A	----	----	0.0000 - 0.0090	----	----	----	----	----		0 -	10	
653	0.0120	0.0120	0.0120	0.0120/0.0030A	0.0120/0.0030A	----	----	0.0000 NEW	----	----	----	1	----		0	UNCH	
655	0.0020	0.0020	0.0020	0.0020/0.0020	0.0040B/0.0020	----	----	0.0000 - 0.0105	----	----	----	3	----		0 -	20	
655	0.0275	0.0275	0.0275	0.0645B/0.0275	0.0645B/0.0275	----	----	0.0310 NEW	.2299	----	----	1	----		1 +	1	
656	----	----	----	----/0.0045A	0.0055B/0.0045A	----	----	0.0000 - 0.0115	----	----	----	----	----		0 -	1	
657	0.0130	0.0130	0.0130	0.0130/0.0030A	0.0130/0.0030A	----	----	0.0000 NEW	----	----	----	1	----		0	UNCH	
658	----	----	----	----/0.0030A	0.0100B/0.0030A	----	----	0.0000 - 0.0135	----	----	----	----	----		0 -	2	
660	0.0110	0.0110	0.0110	0.0170B/0.0040A	0.0170B/0.0040A	----	----	0.0000 - 0.0165	----	----	----	1	----		0 -	16	
661	----	----	----	0.0215B/0.0035A	0.0215B/0.0035A	----	----	0.0000 - 0.0185	----	----	----	----	----		0 -	4	
662	0.0150	0.0150	0.0150	0.0240B/0.0040A	0.0240B/0.0040A	----	----	0.0000 - 0.0205	----	----	----	2	----		0 -	2	
663	----	----	----	0.0280B/0.0045A	0.0280B/0.0045A	----	----	0.0000 - 0.0235	----	----	----	----	----		0 -	30	
664	0.0160	0.0160	0.0160	0.0340B/0.0045A	0.0340B/0.0045A	----	----	0.0000 NEW	----	----	----	11	----		0	UNCH	
665	0.0060	0.0060	0.0060	0.0415B/0.0050A	0.0415B/0.0050A	----	----	0.0000 - 0.0305	----	----	----	1	----		0 -	13	
666	0.0040	0.0040	0.0040	0.0490B/0.0040	0.0490B/0.0040	----	----	0.0000 - 0.0345	----	----	----	1	----		0 -	2	
667	0.0300	0.0300	0.0300	0.0570B/0.0050A	0.0570B/0.0050A	----	----	0.0000 NEW	----	----	----	3	----		0	UNCH	
670	----	----	----	0.1515B/0.0840A	0.1515B/0.0840A	----	----	0.0910 NEW	.5105	----	----	1	----		1 +	1	
TOTAL												29			219 -	524	
OCT26																	
500	----	----	----	----/0.0055A	0.0005 UNCH	----	----	.0003	----	----	----	----	----		19	UNCH	
605	0.0105	0.0105	0.0105	0.0105/0.0080A	0.0105/0.0080A	----	----	0.0055 NEW	.0311	----	----	1	----		1 +	1	
615	----	----	----	0.0140B/----	0.0140B/0.0110A	----	----	0.0085 + 0.0015	.0489	----	----	----	----		2	UNCH	
620	----	----	----	0.0180B/----	0.0180B/0.0130A	----	----	0.0105 + 0.0010	.0610	----	----	----	----		1	UNCH	
620	----	----	----	0.0280B/----	0.0280B/0.0210A	----	----	0.0190 - 0.0010	.0925	----	----	----	----		1	UNCH	
625	----	----	----	0.0355B/----	0.0355B/0.0255A	----	----	0.0240 - 0.0010	.1143	----	----	----	----		10	UNCH	
630	----	----	----	0.0305B/----	0.0305B/0.0195A	----	----	0.0170 + 0.0020	.0981	----	----	----	----		9	UNCH	
645	----	----	----	0.0680B/----	0.0680B/0.0400A	----	----	0.0395 + 0.0020	.2054	----	----	----	----		2	UNCH	
650	----	----	----	0.0880B/0.0505A	0.0880B/0.0505A	----	----	0.0525 + 0.0005	.2571	----	----	----	----		5	UNCH	
660	0.1550	0.1550	0.1550	0.1605B/0.1085A	0.1605B/0.1085A	----	----	0.1165 NEW	.3951	----	----	10	----		10 +	10	
665	0.1285	0.1285	0.1285	0.1690B/0.1055A	0.1690B/0.1055A	----	----	0.1120 NEW	.4386	----	----	16	----		16 +	16	
670	0.1665	0.1665	0.1665	0.2020B/0.1315A	0.2020B/0.1315A	----	----	0.1390 NEW	.5005	----	----	7	----		7 +	7	
TOTAL												34			83 +	34	
ALUMINIUM OPTIONS ON FUTURES																	
	GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST		
PLATINUM OPTIONS ON FUTURES																	
	GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST		
NYMEX PALLADIUM OPTIONS																	
PAO CALL NOV26																	
1400	----	----	----	40.00B/----	40.00B/33.80A	----	----	32.70 + 2.80	.3297	----	----	----	----		79	UNCH	
1450	----	----	----	27.50B/----	27.50B/25.30A	----	----	22.70 + 0.90	.2417	----	----	----	----		83	UNCH	
1500	----	----	----	19.70B/----	19.70B/19.70A	----	----	16.80 + 0.30	.1814	----	----	----	----		5	UNCH	
1550	----	----	----	14.60B/----	14.60B/15.60A	----	----	13.10 + 0.40	.1404	----	----	----	----		14	UNCH	
1600	----	----	----	10.90B/----	10.90B/12.30A	----	----	10.20 + 0.20	.1091	----	----	----	----		5	UNCH	
1750	----	----	----	----	3.50B/6.40A	----	----	4.90 - 0.10	.0524	----	----	----	----		1	UNCH	
TOTAL															187	0	
DEC26																	
1250	----	----	----	132.10B/----	132.10B/111.20A	----	----	116.20 + 7.90	.6690	----	----	----	----		200	UNCH	
1300	----	----	----	103.40B/----	103.40B/87.70A	----	----	89.80 + 5.80	.5689	----	----	----	----		6	UNCH	
1315	----	----	----	95.80B/----	95.80B/81.60A	----	----	83.00 + 5.20	.5392	----	----	----	----		90	UNCH	
1425	45.00	45.00	45.00	53.90B/42.00	53.90B/42.00	----	----	46.70 + 1.60	.3479	----	----	45	----		65 -	10	
1450	----	----	----	47.50B/----	47.50B/43.40A	----	----	41.30 + 1.10	.3136	----	----	----	----		55	UNCH	
1500	----	----	----	37.50B/----	37.50B/35.40A	----	----	32.70 + 0.30	.2554	----	----	----	----		35	UNCH	
1550	----	----	----	30.20B/----	30.20B/29.70A	----	----	26.50 - 0.20	.2100	----	----	----	----		66	UNCH	
1585	----	----	----	26.40B/----	26.40B/26.70A	----	----	23.20 - 0.40	.1846	----	----	----	----		3	UNCH	
1600	----	----	----	25.00B/----	25.00B/25.60A	----	----	22.00 - 0.50	.1751	----	----	----	----		95	UNCH	
1650	----	----	----	20.90B/----	20.90B/22.20A	----	----	18.70 - 0.50	.1483	----	----	----	----		64	UNCH	
1700	----	----	----	17.70B/----	17.70B/19.30A	----	----	16.00 - 0.50	.1265	----	----	----	----		10	UNCH	
1775	----	----	----	13.50B/----	13.50B/15.70A	----	----	12.80 - 0.30	.1007	----	----	----	----		100	UNCH	
1800	----	----	----	12.30B/----	12.30B/14.70A	----	----	11.80 - 0.30	.0930	----	----	----	----		55	UNCH	
1925	----	----	----	----	7.50B/10.60A	----	----	7.80 - 0.20	.0623	----	----	----	----		46	UNCH	
1995	----	----	----	----	5.60B/9.10A	----	----	6.20 - 0.20	.0499	----	----	----	----		6	UNCH	
2000	----	----	----	----	5.50B/9.00A	----	----	6.20 - 0.20	.0497	----	----	----	----		1	UNCH	
3000	----	----	----	----	----/3.50A	----	----	1.70 - 0.20	.0115	----	----	----	----		1	UNCH	
TOTAL												45			898 -	10	
MAR27																	
1350	----	----	----	----	----	----	----	132.30 + 8.10	.5359	----	----	----	----		75	UNCH	
1400	----	----	----	----	----	----	----	112.30 + 7.30	.4803	----	----	----	----		10	UNCH	
1600	----	----	----	----	----	----	----	56.50 + 4.20	.2899	----	----	----	----		10	UNCH	
TOTAL															95	0	
JUN27																	
1375	----	----	----	----	----	----	----	165.30 + 8.40	.5434	----	----	----	----		50	UNCH	
TOTAL															50	0	
NYMEX PALLADIUM OPTIONS																	
PAO PUT NOV26																	
1200	----	----	----	----/15.00A	14.50B/15.00A	----	----	14.70 - 4.30	.1752	----	----	----	----		24	UNCH	
1225	----	----	----	----/20.20A	22.50B/20.20A	----	----	20.90 - 5.80	.2300	----	----	----	----		11	UNCH	
1250	----	----	----	----/27.10A	31.90B/27.10A	----	----	28.80 - 7.30	.2915	----	----	----	----		92	UNCH	
1275	----	----	----	----/35.80A	43.30B/35.												

PG64	BULLETIN #180@										METALS OPTION PRODUCTS										Fri, Sep 18, 2026		PG64
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST										
PLW OOF SEP26	PLATINUM WEEKLY FRIDAY OPTION week3																						
1925	----	----	----	----/2.10A	----	0.00	- 0.30	----	----	----	----	----	0 -	1									
1950	----	----	----	----/2.10A	----	0.00	- 0.10	----	----	----	----	----	0 -	1									
2000	----	----	----	----/2.10A	----	0.00	- 0.10	----	----	----	----	----	0 -	27									
TOTAL											22		39 -	76									
PO CALL NOV26	PLATINUM OPTIONS																						
1800	----	----	100.00B/83.50A	100.00B/83.50A	----	92.40	+ 4.90	.5817	----	----	----	----	1	UNCH									
1850	75.00	75.00	75.00/63.60A	75.00/63.60A	----	69.20	+ 3.80	.4789	----	----	1	----	115 +	1									
1875	----	----	64.10B/55.60A	64.10B/55.60A	----	59.50	+ 3.30	.4297	----	----	----	----	16	UNCH									
1900	52.00	52.00	54.70B/52.00	54.70B/48.40A	----	51.00	+ 2.80	.3832	----	----	3	----	156 +	3									
1925	51.00	51.00	51.00/51.00	51.00/42.30A	----	43.70	+ 2.20	.3399	----	----	4	----	58 +	4									
1950	----	----	39.90B/----	39.90B/36.80A	----	37.50	+ 1.60	.3004	----	----	----	----	109	UNCH									
2000	----	----	28.90B/----	28.90B/28.00A	----	27.80	+ 0.60	.2333	----	----	----	----	275	UNCH									
2050	----	----	20.90B/----	20.90B/21.60A	----	20.80	UNCH	.1806	----	----	----	----	15	UNCH									
2100	----	----	----	15.20B/17.00A	----	15.80	- 0.20	.1403	----	----	----	----	52	UNCH									
2200	----	----	----	8.00B/11.00A	----	9.40	- 0.20	.0858	----	----	----	----	210	UNCH									
2250	----	----	----	5.80B/9.20A	----	7.10	- 0.30	.0660	----	----	----	----	40	UNCH									
TOTAL											8		1047 +	8									
DEC26																							
1900	----	----	83.30B/75.70A	83.30B/75.70A	----	79.90	+ 3.60	.4286	----	----	----	----	102	UNCH									
2000	----	----	53.80B/----	53.80B/51.30A	----	52.00	+ 1.50	.3074	----	----	----	----	120	UNCH									
2200	----	----	----	22.20B/24.30A	----	22.90	+ 0.30	.1519	----	----	----	----	101	UNCH									
2250	----	----	----	17.90B/20.50A	----	19.00	+ 0.10	.1280	----	----	----	----	51	UNCH									
2500	----	----	----	6.20B/10.40A	----	8.10	- 0.10	.0571	----	----	----	----	50	UNCH									
TOTAL													424	0									
JAN27																							
1700	----	----	204.10B/182.00A	204.10B/182.00A	----	195.30	+ 7.10	.6963	----	----	----	----	1	UNCH									
1800	----	----	146.80B/132.90A	146.80B/132.90A	----	140.90	+ 5.20	.5712	----	----	----	----	1	UNCH									
1900	----	----	104.30B/96.60A	104.30B/96.60A	----	100.60	+ 3.40	.4505	----	----	----	----	1	UNCH									
1950	----	----	87.60B/----	87.60B/82.40A	----	84.90	+ 2.70	.3962	----	----	----	----	716	UNCH									
2000	----	----	73.70B/----	73.70B/70.20A	----	71.70	+ 2.10	.3469	----	----	----	----	1113	UNCH									
2050	----	----	62.00B/----	62.00B/60.00A	----	60.50	+ 1.60	.3025	----	----	----	----	250	UNCH									
2100	----	----	52.00B/----	52.00B/51.40A	----	51.10	+ 1.20	.2631	----	----	----	----	81	UNCH									
2150	----	----	43.50B/----	43.50B/43.90A	----	43.20	+ 0.90	.2284	----	----	----	----	322	UNCH									
2200	----	----	36.40B/----	36.40B/37.60A	----	36.60	+ 0.70	.1982	----	----	----	----	214	UNCH									
2300	----	----	----	25.50B/28.10A	----	26.50	+ 0.40	.1492	----	----	----	----	108	UNCH									
2350	----	----	----	21.40B/24.60A	----	22.70	+ 0.30	.1298	----	----	----	----	483	UNCH									
2360	----	----	----	20.70B/23.90A	----	22.00	+ 0.30	.1262	----	----	----	----	100	UNCH									
2400	----	----	----	18.00B/21.60A	----	19.60	+ 0.30	.1134	----	----	----	----	57	UNCH									
2500	----	----	----	12.90B/17.10A	----	14.80	+ 0.10	.0873	----	----	----	----	239	UNCH									
2600	----	----	----	9.30B/13.90A	----	11.50	UNCH	.0685	----	----	----	----	100	UNCH									
2650	----	----	----	8.00B/12.70A	----	10.30	UNCH	.0614	----	----	----	----	100	UNCH									
3000	----	----	----	2.80B/8.00A	----	3.80	- 0.10	.0242	----	----	----	----	1	UNCH									
TOTAL													3887	0									
APR27																							
1700	----	----	256.30B/238.40A	256.30B/238.40A	----	249.80	+ 7.00	.6811	----	----	----	----	100	UNCH									
1775	----	----	215.40B/201.80A	215.40B/201.80A	----	210.30	+ 5.20	.6134	----	----	----	----	100	UNCH									
2000	----	----	127.10B/----	127.10B/123.20A	----	125.10	+ 2.90	.4239	----	----	----	----	20	UNCH									
2100	95.00	95.00	100.70B/95.00	100.70B/95.00	----	99.60	+ 2.20	.3546	----	----	10	----	30 +	10									
2200	----	----	80.20B/----	80.20B/81.00A	----	79.90	+ 1.40	.2961	----	----	----	----	100	UNCH									
2300	----	----	64.40B/----	64.40B/66.50A	----	64.80	+ 0.90	.2477	----	----	----	----	20	UNCH									
2400	----	----	----	52.00B/55.30A	----	53.20	+ 0.70	.2083	----	----	----	----	20	UNCH									
2600	----	----	----	34.80B/39.50A	----	36.80	+ 0.40	.1493	----	----	----	----	50	UNCH									
2700	----	----	----	28.70B/33.70A	----	30.70	+ 0.20	.1266	----	----	----	----	50	UNCH									
TOTAL											10		490 +	10									
JUL27																							
1930	----	----	----	----	----	207.50	+ 6.00	.5187	----	----	----	----	110	UNCH									
TOTAL													110	0									
JUL28																							
1900	----	----	----	----	----	357.30	+ 8.60	.5963	----	----	----	----	250	UNCH									
TOTAL													250	0									
PO PUT NOV26	PLATINUM OPTIONS																						
1300	----	----	----	----/2.50A	----	0.10	UNCH	.0013	----	----	----	----	20	UNCH									
1400	----	----	----	----/3.30A	----	0.50	- 0.20	.0065	----	----	----	----	20	UNCH									
1600	----	----	----/10.90A	8.40B/10.90A	----	9.10	- 2.10	.0921	----	----	----	----	209	UNCH									
1625	----	----	----/13.80A	12.40B/13.80A	----	12.20	- 2.60	.1182	----	----	----	----	22	UNCH									
1650	----	----	----/17.50A	17.40B/17.50A	----	16.00	- 3.30	.1485	----	----	----	----	26	UNCH									
1675	----	----	----/22.00A	23.40B/22.00A	----	20.80	- 4.00	.1839	----	----	----	----	19	UNCH									
1700	25.00	25.00	25.00/25.00	30.60B/25.00	----	26.60	- 4.80	.2237	----	----	16	----	211 +	10									
1725	----	----	39.50B/33.90A	39.50B/33.90A	----	33.60	- 5.60	.2679	----	----	----	----	49	UNCH									
1750	----	----	49.30B/41.60A	49.30B/41.60A	----	42.00	- 6.40	.3158	----	----	----	----	71	UNCH									
1775	----	----	61.00B/50.70A	61.00B/50.70A	----	51.80	- 7.10	.3662	----	----	----	----	58	UNCH									
1800	----	----	74.10B/61.10A	74.10B/61.10A	----	63.20	- 7.60	.4181	----	----	----	----	14	UNCH									
1825	----	----	88.50B/72.90A	88.50B/72.90A	----	75.90	- 8.10	.4700	----	----	----	----	15	UNCH									
1850	----	----	104.10B/86.10A	104.10B/86.10A	----	89.90	- 8.60	.5210	----	----	----	----	100	UNCH									
TOTAL											16		834 +	10									
DEC26																							
1650	----	----	----/35.80A	36.60B/35.80A	----	34.50	- 4.00	.2131	----	----	----	----	10										

OPTIONS EOO'S AND BLOCKS				
PRODUCT		STRIKE PRICE	EEO VOLUME	BLOCK VOLUME
OG CALL COMEX GOLD OPTIONS				
OCT26	CALL			
OG		4385	0	105
OG		4450	0	100
OG		4500	0	40
OG		4600	0	50
TOTALS			0	295
NOV26 CALL				
OG		4320	0	30
OG		4600	0	100
OG		4750	0	200
OG		5000	0	100
TOTALS			0	430
DEC26 CALL				
OG		4700	0	150
OG		5100	0	250
TOTALS			0	400
JUN27 CALL				
OG		5000	0	360
TOTALS			0	360
OG PUT COMEX GOLD OPTIONS				
OCT26	PUT			
OG		4250	0	50
OG		4300	0	50
OG		4375	0	200
OG		4400	0	50
TOTALS			0	350
NOV26 PUT				
OG		4320	0	30
TOTALS			0	30
DEC26 PUT				
OG		3700	0	270
OG		3750	0	70
OG		3900	0	250
OG		4100	0	40
OG		4105	0	50
OG		4150	0	150
OG		4200	0	50
OG		4325	0	165
TOTALS			0	1045
FEB27 PUT				
OG		3000	0	50
OG		4300	0	50
TOTALS			0	100
MAR27 PUT				
OG		3900	0	75
TOTALS			0	75
SO CALL COMEX SILVER OPTIONS				
OCT26	CALL			
SO		6700	0	50
SO		7600	0	100
SO		8600	0	26
TOTALS			0	176
NOV26 CALL				
SO		7800	0	100
TOTALS			0	100
DEC26 CALL				
SO		7700	0	50
TOTALS			0	50
SO PUT COMEX SILVER OPTIONS				
OCT26	PUT			
SO		5800	0	52
TOTALS			0	52
NOV26 PUT				
SO		6500	0	60
TOTALS			0	60
DEC26 PUT				
SO		5500	0	100
SO		6500	0	100
TOTALS			0	200
JUN27 PUT				
SO		4700	0	60
TOTALS			0	60
HX CALL COMEX COPPER OPTIONS				
DEC26	CALL			
HX		780	0	200
TOTALS			0	200
HX PUT COMEX COPPER OPTIONS				
NOV26	PUT			
HX		655	0	400
TOTALS			0	400
OG4 CALL GOLD OPTIONS				
SEP26	CALL			
OG4		4550	0	40
TOTALS			0	40
HXE CALL COPPER OPTIONS				
OCT26	CALL			
H1E		695	0	440
H1E		725	0	440
TOTALS			0	880
HRO OPT U.S. MIDWEST DOMESTIC HOT-ROLLED CO				
JAN27	CALL			
HRO		130000	0	20
TOTALS			0	20
FEB27 CALL				
HRO		130000	0	20
TOTALS			0	20
MAR27 CALL				
HRO		130000	0	20
TOTALS			0	20
HRO OPT U.S. MIDWEST DOMESTIC HOT-ROLLED CO				
JAN27	PUT			
HRO		120000	0	20

PG64	BULLETIN #180@			METALS	OPTION	PRODUCTS	Fri, Sep 18, 2026	PG64
	TOTALS		0			20		
FEB27	PUT							
HRO		110000	0			50		
HRO		120000	0			20		
TOTALS			0			70		
MAR27	PUT							
HRO		110000	0			50		
HRO		120000	0			20		
TOTALS			0			70		
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK3						
SEP26	CALL							
G3M		4400	0			125		
TOTALS			0			125		
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK3						
SEP26	PUT							
M3S		6650	0			15		
TOTALS			0			15		
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK3						
SEP26	CALL							
M3S		6850	0			15		
TOTALS			0			15		
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK5						
SEP26	PUT							
G5W		4375	0			100		
TOTALS			0			100		
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK5						
SEP26	CALL							
G5W		4400	0			105		
TOTALS			0			105		
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK3						
SEP26	PUT							
G3M		4310	0			50		
TOTALS			0			50		