

PG64

BULLETIN #181@

METALS OPTION PRODUCTS

Mon, Sep 21, 2026

PG64

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY’S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES														
EXPIRATION:	SEP26	SEP26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27	MAY27	JUN27	JUL27	AUG27
COO OPT	09/30			10/30	11/30	12/31	01/29	02/26	03/31				07/30	08/31
ECG10 OP		09/18	09/21											
ECG11 OP		09/18	09/21											
ECG13 OP		09/18	09/21											
ECG15 OP		09/18	09/21											
ECG16 OP		09/18	09/21											
ECGC OOF		09/18	09/21											
ECHG OOF		09/18	09/21											
ECSI OOF		09/18	09/21											
EHO OPT	09/30			10/30	11/30	12/31								
GMW MON	09/28			10/12										
GWR THU				10/22										
GWT TUE	09/29			10/13										
GWV WED	09/30			10/14										
HMW MON	09/28			10/05										
HRO OPT	09/29			10/27	11/24	12/29	01/26	02/23	03/30	04/27	05/25	06/29	07/27	08/24
HWR THU				10/22										
HWT TUE	09/29			10/06										
HWV WED	09/30			10/14	11/04	12/02								
HX CALL				09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25		
HX PUT				09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25		
HXE CALL	09/25			10/09										
HXE PUT	09/25			10/09										
LHO OPT	09/30			10/30	11/30	12/31	01/29	02/26	03/31					
OG CALL				09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27
OG PUT				09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27
OG1 CALL				10/02										
OG1 PUT				10/02										
OG2 CALL				10/09										
OG2 PUT				10/09										
OG3 CALL	09/18			10/16										
OG3 PUT	09/18			10/16										
OG4 CALL	09/25													
OG4 PUT	09/25													
OMG OPT				09/24	10/27	11/24	12/28							
PAO CALL				10/21	10/21	11/18			02/17			05/19		
PAO PUT				10/21	10/21	11/18			02/17					
PAW OOF														
PLW OOF	09/25			10/02										
PO CALL					10/21	11/18	12/16			03/17			06/16	
PO PUT					10/21	11/18	12/16			03/17			06/16	
RWS THU				10/22										
SMW MON	09/28			10/12										
SO CALL				09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27
SO PUT				09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	
SO1 CALL				10/02										
SO1 PUT				10/02										
SO2 CALL				10/09										
SO2 PUT				10/09										
SO3 CALL	09/18			10/16										
SO3 PUT	09/18			10/16										
SO4 CALL	09/25													
SO4 PUT	09/25													
SWW WED	09/30													
TWS TUE	09/29			10/07										
WMG WED	09/23			10/06										

GOLD OPTIONS ON FUTURES															
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED SEP26 4320 TOTAL		12.50	MICRO GOLD WEEKLY 12.50	WED OPTION WEEK4 12.50/12.50		12.50/12.50	----		14.80 NEW	.2920	----	----	1 1	----	1 + 1+
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT OCT26			MICRO GOLD OPTIONS												
4000	----			----	----	874.30A	----		0.40 - 0.20	----	----	----	----	----	1 UNCH
4200	----			----	----	1.00B/50.00A	----		2.80 - 0.50	----	----	----	----	----	1 UNCH
4275	----			----	----	7.20B/883.20A	----		9.10 + 0.50	----	----	----	----	----	1 UNCH
4400	----			----	----	889.50A	----		15.10 - 22.80	----	----	----	----	----	2 UNCH
4495	----			----	----	114.80B/----	----		147.90 + 33.10	----	----	----	----	----	4 UNCH
4600	----			----	----	875.90A	----		1.00 - 1.80	----	----	----	----	----	3 UNCH
4680	----			----	----	874.60A	----		0.60 - 0.70	----	----	----	----	----	1 UNCH
4750	----			----	----	874.50A	----		0.30 - 0.50	----	----	----	----	----	2 UNCH
5000	----			----	----	873.80A	----		0.10 - 0.10	----	----	----	----	----	1 UNCH
5050	----			----	----	10.00A	----		0.10 - 0.10	----	----	----	----	----	3 UNCH
TOTAL															19 UNCH
NOV26															
3650	----			----	----		----		3.30 - 0.10	----	----	----	----	----	2 UNCH
3900	----			----	----		----		7.90 - 0.40	----	----	----	----	----	1 UNCH
4000	----			----	----		----		395.90 - 41.00	----	----	----	----	----	1 UNCH
4005	----			----	----		----		391.30 - 41.00	----	----	----	----	----	1 UNCH
4025	----			----	----		----		15.00 - 0.20	----	----	----	----	----	1 UNCH
4100	24.00	24.00		24.40B/24.00	24.40B/24.00		----		23.10 + 0.50	----	----	----	1	----	0 - 1
4185	----			----	----		----		38.40 + 2.10	----	----	----	----	----	1 UNCH
4300	----			----	----		----		73.40 + 6.00	----	----	----	----	----	1 UNCH
5000	8.00	8.00		8.00/8.00	8.00/8.00		----		6.90 - 2.90	----	----	----	1	----	0 - 1
5810	----			----	----		----		1.40 - 0.20	----	----	----	----	----	2 UNCH
5850	----			----	----		----		1.30 - 0.20	----	----	----	----	----	3 UNCH
5900	----			----	----		----		1.20 - 0.20	----	----	----	----	----	5 UNCH
6500	----			----	----		----		0.60 - 0.10	----	----	----	----	----	4 UNCH
TOTAL													2		22 - 2
DEC26															
4000	----			----	----	40.00A	----		33.70 + 0.90	----	----	----	----	----	1 UNCH
4500	----			----	----		----		225.90 + 16.80	----	----	----	----	----	3 UNCH
4650	----			----	----		----		67.90 - 17.20	----	----	----	----	----	1 UNCH
4700	----			----	----		----		57.60 - 15.10	----	----	----	----	----	10 UNCH
4800	----			----	----		----		41.30 - 11.40	----	----	----	----	----	1 UNCH
TOTAL															16 UNCH
JAN27															
4010	----			----	----		----		459.30 - 39.30	----	----	----	----	----	1 UNCH
TOTAL															1 UNCH
OCT27															
4410	----			----	----		----		500.00 - 26.20	----	----	----	----	----	1 UNCH
TOTAL															1 UNCH
FEB28															
4600	----			----	----		----		511.30 - 24.40	----	----	----	----	----	1 UNCH

BULLETIN #181@				METALS OPTION PRODUCTS										Mon, Sep 21, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OMG OPT TOTAL	MICRO GOLD OPTIONS														1	0
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG4 PUT SEP26	GOLD OPTIONS															
3500	----	----	----	----	----	/0.30A	----	----	0.10 UNCH	----	----	----	----	----	4 UNCH	
3700	----	----	----	----	----	/0.20A	----	----	0.10 UNCH	.0000	----	----	----	----	16 UNCH	
3750	----	----	----	----	----	/0.20A	----	----	0.10 UNCH	.0001	----	----	----	----	2 UNCH	
3800	----	----	----	----	----	/0.30A	----	----	0.10 - 0.10	.0005	----	----	----	----	117 UNCH	
3900	----	----	----	----	/0.30A	0.20B/0.30A	----	----	0.20 - 0.20	.0012	----	----	----	----	30 UNCH	
3925	----	----	----	----	/0.30A	0.30B/0.30A	----	----	0.20 - 0.30	.0013	----	----	----	----	1 UNCH	
3950	----	----	----	----	/0.40A	0.40B/0.40A	----	----	0.40 - 0.10	.0028	----	1	----	----	5 + 1	
3975	0.50	0.50		0.50/0.50	0.50/0.50	0.50/0.50	----	----	0.50 - 0.10	.0037	----	2	----	----	55 UNCH	
4000	0.80	0.80		0.80/0.50A	0.80/0.50A	0.80/0.50A	----	----	0.50 - 0.20	.0039	----	3	----	----	63 UNCH	
4025	0.70	0.70		0.80/0.60A	0.80/0.60A	0.80/0.60A	----	----	0.60 - 0.20	.0050	----	145	----	----	121 - 36	
4050	0.80	0.80		0.80/0.80	0.90B/0.80	0.90B/0.80	----	----	0.70 - 0.30	.0063	----	3	----	----	39 + 3	
4075	----	----	----	----	/0.90A	1.10B/0.90A	----	----	0.90 - 0.20	.0086	----	----	----	----	22 UNCH	
4085	1.10	1.10		1.10/1.10	1.20B/1.00A	1.20B/1.00A	----	----	0.90 NEW	.0088	----	1	----	----	1 + 1	
4100	1.20	1.20		1.30B/1.10A	1.30B/1.10A	1.30B/1.10A	----	----	1.10 - 0.30	.0112	----	5	----	----	317 + 4	
4120	----	----	----	----	1.50B/1.30A	1.50B/1.30A	----	----	1.30 NEW	.0139	----	2	----	----	2 + 2	
4125	----	----	----	----	/1.30A	1.60B/1.30A	----	----	1.30 - 0.40	.0142	----	----	----	----	24 UNCH	
4150	----	----	----	2.10B/1.60A	2.10B/1.60A	2.10B/1.60A	----	----	1.60 - 0.40	.0187	----	145	----	----	109 - 128	
4155	1.90	1.90		2.30B/1.70A	2.30B/1.70A	2.30B/1.70A	----	----	1.70 NEW	.0202	----	100	----	----	100 + 100	
4175	2.10	2.10		2.90B/1.90	2.90B/1.90	2.90B/1.90	----	----	2.10 - 0.50	.0262	----	8	----	----	75 + 1	
4200	3.20	3.20		4.10B/2.60	4.10B/2.60	4.10B/2.60	----	----	2.70 - 0.60	.0361	----	231	----	----	331 + 23	
4210	----	----	----	----	4.60B/2.90A	4.60B/2.90A	----	----	3.00 NEW	.0412	----	1	----	----	1 + 1	
4220	----	----	----	----	5.40B/3.20A	5.40B/3.20A	----	----	3.40 NEW	.0478	----	1	----	----	1 + 1	
4225	4.40	4.40		5.70B/3.40A	5.70B/3.40A	5.70B/3.40A	----	----	3.60 - 0.60	.0513	----	14	----	----	34 - 3	
4230	----	----	----	----	6.20B/3.60A	6.20B/3.60A	----	----	3.80 NEW	.0549	----	1	----	----	1 + 1	
4235	5.10	5.10		5.10/5.10	6.60B/3.80A	6.60B/3.80A	----	----	4.10 NEW	.0597	----	7	----	----	7 + 7	
4240	4.90	4.90		7.10B/4.10A	7.10B/4.10A	7.10B/4.10A	----	----	4.40 NEW	.0646	----	3	----	----	3 + 3	
4250	7.00	7.00		8.50/4.60A	8.50/4.60A	8.50/4.60A	----	----	5.10 - 0.50	.0760	----	84	----	----	202 + 75	
4255	5.30	5.30		5.30/5.30	8.90B/4.90A	8.90B/4.90A	----	----	5.40 NEW	.0815	----	10	----	----	10 + 10	
4260	5.70	5.70		9.60B/5.40	9.60B/5.20A	9.60B/5.20A	----	----	5.90 NEW	.0892	----	152	----	----	152 + 152	
4265	----	----	----	----	10.40B/5.60A	10.40B/5.60A	----	----	6.30 NEW	.0961	----	15	----	----	15 + 15	
4270	----	----	----	----	11.20B/6.00A	11.20B/6.00A	----	----	6.80 NEW	.1043	----	4	----	----	4 + 4	
4275	8.20	8.20		12.20B/6.40A	12.20B/6.40A	12.20B/6.40A	----	----	7.40 - 0.10	.1136	----	11	----	----	75 - 2	
4280	----	----	----	----	13.10B/6.90A	13.10B/6.90A	----	----	8.00 NEW	.1232	----	2	----	----	2 + 2	
4285	9.60	9.60		14.10B/8.30	14.10B/7.30A	14.10B/7.30A	----	----	8.60 NEW	.1330	----	8	----	----	8 + 8	
4290	----	----	----	----	15.20B/7.80A	15.20B/7.80A	----	----	9.40 NEW	.1450	----	2	----	----	2 + 2	
4295	10.50	10.50		16.40B/10.50	16.40B/8.40A	16.40B/8.40A	----	----	10.10 NEW	.1563	----	17	----	----	16 + 16	
4300	9.40	9.40		17.70B/9.00A	17.70B/9.00A	17.70B/9.00A	----	----	11.00 + 0.70	.1696	----	56	----	----	267 + 11	
4305	12.30	12.30		19.00B/12.30	19.00B/9.60A	19.00B/9.60A	----	----	11.90 NEW	.1832	----	5	----	----	4 + 4	
4310	15.70	15.70		20.40B/12.20	20.40B/10.40A	20.40B/10.40A	----	----	12.90 NEW	.1978	----	39	----	----	27 + 27	
4315	16.70	16.70		22.00B/12.00	22.00B/11.20A	22.00B/11.20A	----	----	14.00 NEW	.2134	----	56	----	----	20 + 20	
4320	20.00	20.00		23.60B/20.00	23.60B/12.00A	23.60B/12.00A	----	----	15.10 NEW	.2293	----	4	----	----	4 + 4	
4325	17.10	17.10		25.40B/12.90A	25.40B/12.90A	25.40B/12.90A	----	----	16.40 + 2.30	.2469	----	89	----	----	117 + 14	
4340	----	----	----	----	31.20B/16.10A	31.20B/16.10A	----	----	20.70 NEW	.3032	----	1	----	----	1 + 1	
4350	24.40	24.40		35.50B/18.40A	35.50B/18.40A	35.50B/18.40A	----	----	24.10 + 4.60	.3443	----	31	----	----	142 + 4	
4355	30.40	30.40		30.40/30.40	37.90B/19.70A	37.90B/19.70A	----	----	25.90 NEW	.3655	----	1	----	----	1 + 1	
4360	24.40	24.40		40.30B/23.50	40.30B/21.10A	40.30B/21.10A	----	----	27.90 NEW	.3875	----	59	----	----	8 + 8	
4365	32.50	32.50		32.50/30.50	42.90B/22.50A	42.90B/22.50A	----	----	29.90 NEW	.4097	----	4	----	----	3 + 3	
4370	25.50	25.50		45.50B/25.50	45.50B/24.10A	45.50B/24.10A	----	----	32.10 NEW	.4323	----	7	----	----	5 + 5	
4375	----	----	----	48.30B/25.70A	48.30B/25.70A	48.30B/25.70A	----	----	34.40 + 7.80	.4551	----	2	----	----	36 UNCH	
4380	31.00	31.00		51.20B/27.50A	51.20B/27.50A	51.20B/27.50A	----	----	36.80 NEW	.4780	----	6	----	----	3 + 3	
4385	39.80	39.80		39.80/39.80	54.10B/29.30A	54.10B/29.30A	----	----	39.30 NEW	.5010	----	1	----	----	1 + 1	
4390	38.60	38.60		57.20B/38.50	57.20B/31.30A	57.20B/31.30A	----	----	41.90 NEW	.5239	----	62	----	----	60 + 60	
4395	37.80	37.80		60.40B/37.80	60.40B/33.30A	60.40B/33.30A	----	----	44.70 NEW	.5466	----	7	----	----	5 + 5	
4400	35.40	35.40		63.70B/35.40	63.70B/35.40	63.70B/35.40	----	----	47.50 + 11.50	.5692	----	37	----	----	135 + 15	
4405	----	----	----	----	67.00B/37.60A	67.00B/37.60A	----	----	50.50 NEW	.5913	----	1	----	----	1 + 1	
4415	----	----	----	----	73.90B/42.20A	73.90B/42.20A	----	----	56.70 NEW	.6344	----	1	----	----	1 + 1	
4420	----	----	----	----	77.60B/44.70A	77.60B/44.70A	----	----	59.90 NEW	.6550	----	1	----	----	1 + 1	
4425	----	----	----	81.30B/47.20A	81.30B/47.20A	81.30B/47.20A	----	----	63.30 + 15.70	.6755	----	5	----	----	18 - 2	
4445	77.40	77.40		77.40/77.40	96.90B/58.50A	96.90B/58.50A	----	----	77.80 NEW	.7485	----	2	----	----	2 + 2	
4450	----	----	----	101.00B/----	101.00B/61.50A	101.00B/61.50A	----	----	81.60 + 20.30	.7651	----	2	----	----	26 - 1	
4455	81.50	81.50		105.10B/81.50	105.10B/64.70A	105.10B/64.70A	----	----	85.50 NEW	.7808	----	1	----	----	1 + 1	
4475	----	----	----	122.20B/----	122.20B/78.10A	122.20B/78.10A	----	----	101.70 + 24.40	.8354	----	----	----	----	5 UNCH	
4495	117.50	117.50		140.00B/117.50	140.00B/92.80A	140.00B/92.80A	----	----	119.00 NEW	.8786	----	1	----	----	1 + 1	
4500	----	----	----	144.60B/----	144.60B/96.50A	144.60B/96.50A	----	----	123.40 + 28.20	.8869	----	----	----	----	32 UNCH	
4525	----	----	----	167.80B/----	167.80B/116.70A	167.80B/116.70A	----	----	146.20 + 31.30	.9236	----	----	----	----	2 UNCH	
4550	----	----	----	190.30B/----	190.30B/138.20A	190.30B/138.20A	----	----	169.70 + 33.80	.9468	----	----	----	----	4 UNCH	
4675	----	----	----	307.70B/----	307.70B/266.10A	307.70B/266.10A	----	----	292.10 + 39.40	.9891	----	----	----	----	1 UNCH	
TOTAL													1459		2901+ 453	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG4 CALL SEP26	GOLD OPTIONS															
4175	----	----	----	----	/195.90A	237.80B/195.90A	----	----	210.90 - 41.40	.9736	----	----	----	----	2 UNCH	
4200	----	----	----	----	/166.40A	213.40B/166.40A	----	----	186.50 - 41.50	.9637	----	----	----	----	3 UNCH	
4225	----	----	----	----	/142.50A	189.20B/142.50A	----	----	162.40 - 41.60	.9485	----	----	----	----	1 UNCH	
4230	186.60	186.60		193.90B/137.90A	193.90B/137.90A	193.90B/137.90A	----	----	157.70 NEW	.9450	----	2	----	----	2 + 2	
4250	----	----	----	----	/120.00A	174.90B/120.00A	----	----	138.90 - 41.50	.9238	----	----	----	----	1 UNCH	
4275	----	----	----	----	/98.90A	151.60B/98.90A	----	----	116.20 - 41.20	.8862	----	----	----	----	1 UNCH	
4300	----	----	----	----	/79.60A	129.20B/79.60A	----	----	94.90 - 40.20	.8302	----	----	----	----	32 UNCH	
4320	----	----	----	----	----	112.10B/65.50A	----	----	79.00 NEW	.7705	----	1	----	----	1 + 1	
4325	102.00	102.00		107.90B/62.30A	107.90B/62.30A	107.90B/62.30A	----	----	75.30 - 38.70	.7529	----	5	----	----	51 - 1	
4330	----	----	----	----	----	103.90B/59.20A	----	----	71.60 NEW	.7352	----	1	----	----	1 + 1	
4350	----	----	----	----	/47.40A	88.30B/47.40A	----	----	57.90 - 36.40	.6555	----	----	----	----	34 UNCH	
4360	----	----	----	----	----	81.00B/42.30A	----	----	51.70.							



BULLETIN #181@				METALS OPTION PRODUCTS								Mon, Sep 21, 2026			PG64	
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG4 CALL SEP26		GOLD OPTIONS														
4610	3.40	3.40		3.40/1.80A	3.90B/1.80A	----		1.90	NEW	.0239	----	----	14	----	14 +	14
4625	2.30	2.30		2.30/1.50A	3.20B/1.50A	----		1.60 -	2.80	.0195	----	----	7	----	53 +	2
4630	----	----		----	3.00B/1.50A	----		1.50	NEW	.0181	----	----	1	----	1 +	1
4650	2.30	2.30		2.30/1.20A	2.40B/1.20A	----		1.30 -	2.10	.0148	----	----	8	----	199 +	7
4675	1.00	1.00		1.00/1.00	1.90B/1.00	----		1.00 -	1.70	.0108	----	----	7	----	86 +	6
4680	----	----		----	1.80B/1.00A	----		1.00	NEW	.0106	----	----	1	----	1 +	1
4700	1.20	1.20		1.20/0.80A	1.50B/0.80A	----		0.90 -	1.30	.0091	----	----	5	----	237 +	3
4720	1.20	1.20		1.20/0.70A	1.20/0.70A	----		0.80	NEW	.0077	----	----	5	----	5 +	5
4725	0.90	0.90		0.90/0.70A	1.20B/0.70A	----		0.70 -	1.10	.0067	----	----	2	----	41	UNCH
4750	0.90	0.90		0.90/0.60A	1.00B/0.60A	----		0.60 -	0.90	.0054	----	----	3	----	24	UNCH
4775	----	----		-----/0.50A	0.80B/0.50A	----		0.60 -	0.60	.0051	----	----	---	----	15	UNCH
4800	1.00	1.00		1.00/0.50A	1.00/0.50A	----		0.50 -	0.60	.0040	----	----	3	----	44	UNCH
4825	0.50	0.50		0.50/0.30	0.60B/0.30	----		0.40 -	0.50	.0030	----	----	42	----	70 -	8
4850	----	----		-----/0.40A	0.50B/0.40A	----		0.30 -	0.50	.0022	----	----	1	----	26	UNCH
4875	----	----		-----/0.40A	0.40B/0.40A	----		0.30 -	0.40	.0021	----	----	---	----	18	UNCH
4900	----	----		-----/0.30A	0.40B/0.30A	----		0.20 -	0.40	.0013	----	----	---	----	22	UNCH
4925	----	----		-----/0.30A	0.30B/0.30A	----		0.20 -	0.30	.0012	----	----	---	----	2	UNCH
4950	----	----		-----/0.20A	0.30B/0.20A	----		0.20 -	0.30	.0012	----	----	---	----	11	UNCH
4975	----	----		-----/0.30A	0.20B/0.30A	----		0.10 -	0.30	.0005	----	----	---	----	13	UNCH
5000	----	----		-----/0.20A	-----/0.20A	----		0.10 -	0.30	.0003	----	----	---	----	103	UNCH
5100	----	----		----	-----/0.30A	----		0.10 -	0.20	.0000	----	----	---	----	105	UNCH
5200	----	----		----	-----/0.20A	----		0.10 -	0.10	.0000	----	----	---	----	23	UNCH
5250	----	----		----	-----/0.20A	----		0.10 -	0.10	----	----	----	---	----	15	UNCH
5400	----	----		----	-----/0.20A	----		0.10	UNCH	----	----	----	---	----	5	UNCH
5750	----	----		----	-----/0.30A	----		0.10	UNCH	----	----	----	---	----	2	UNCH
TOTAL													2300		4222 +	652
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG3 PUT SEP26		GOLD OPTIONS														
4100	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4135	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4175	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4195	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4200	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4210	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4225	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4230	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4235	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4240	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4245	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4250	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4255	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4260	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4265	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4270	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4275	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4280	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4285	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4290	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4295	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4300	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4305	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4310	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4315	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4320	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4325	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4330	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4335	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4340	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4345	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4350	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4355	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4360	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4365	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4370	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4375	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4380	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4385	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4390	----	----		----	----	----		0.00	UNCH	----	----	----	----	----	0	UNCH
4395	----	----		----	----	----		4.30	UNCH	----	----	----	----	----	0	UNCH
4400	----	----		----	----	----		9.30	UNCH	----	----	----	----	----	0	UNCH
4405	----	----		----	----	----		14.30	UNCH	----	----	----	----	----	0	UNCH
4415	----	----		----	----	----		24.30	UNCH	----	----	----	----	----	0	UNCH
4420	----	----		----	----	----		29.30	UNCH	----	----	----	----	----	0	UNCH
4425	----	----		----	----	----		34.30	UNCH	----	----	----	----	----	0	UNCH
4430	----	----		----	----	----		39.30	UNCH	----	----	----	----	----	0	UNCH
4445	----	----		----	----	----		54.30	UNCH	----	----	----	----	----	0	UNCH
4450	----	----		----	----	----		59.30	UNCH	----	----	----	----	----	0	UNCH
4455	----	----		----	----	----		64.30	UNCH	----	----	----	----	----	0	UNCH
4460	----	----		----	----	----		69.30	UNCH	----	----	----	----	----	0	UNCH
4475	----	----		----	----	----		84.30	UNCH	----	----	----	----	----	0	UNCH
4490	----	----		----	----	----		99.30	UNCH	----	----	----	----	----	0	UNCH
4500	----	----		----	----	----		109.30	UNCH	----	----	----	----	----	0	UNCH
4515	----	----		----	----	----		124.30	UNCH	----	----	----	----	----	0	UNCH
4525	----	----		----	----	----		134.30	UNCH	----	----	----	----	----	0	UNCH
4550	----	----		----	----	----		159.30	UNCH	----	----	----	----	----	0	UNCH
4570	----	----		----	----	----		179.30	UNCH	----	----	----	----	----	0	UNCH
4575	----	----		----	----	----		184.30	UNCH	----	----	----	----	----	0	UNCH
4600	----	----		----	----	----		209.30	UNCH	----	----	----	----	----	0	UNCH
4625	----	----		----	----	----		234.30	UNCH	----	----	----	----	----	0	UNCH
10000	----	----		----	----	----		5609.30	UNCH	----	----	----	----	----	0	UNCH
TOTAL															0	0
OCT26																
4075	----	----		----	14.20B/11.80A	----		12.40	NEW	.0957	----	----	1	----	1 +	1
4100	----	----		----	16.80B/13.80A	----		14.60	NEW	.1115	----	----	1	----	1 +	1
4150	20.20	20.20		20.20/20.20	24.00B/19.20A	----		20.30	NEW	.1508	----	----	2	----	2 +	2
TOTAL													4		4+	4
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG3 CALL SEP26		GOLD OPTIONS														
4100	----	----		----	----	----		290.70	UNCH	----	----	----	----	----	0	UNCH
4180	----	----		----	----	----		210.70	UNCH	----	----	----	----	----	0	UNCH
4200	----	----		----	----	----		190.70	UNCH	----	----	----	----	----	0	UNCH
4205	----	----		----	----	----		185.70	UNCH	----	----	----	----	----	0	UNCH
4230	----	----		----	----	----		160.70	UNCH	----	----	----	----	----	0	UNCH
4245	----	----		----	----	----		145.70	UNCH	----	----	----	----	----	0	UNCH
4250	----	----		----	----	----		140.70	UNCH	----	----	----	----	----	0	UNCH
4255	----	----		----	----	----		135.70	UNCH	----	----	----	----	----	0	UNCH
4260	----	----		----	----	----		130.70	UNCH	----	----	----	----	----	0	UNCH
4265	----	----		----	----	----		125.70	UNCH	----	----	----	----	----	0	UNCH
4275	----	----		----	----	----		115.70	UNCH	----	----	----	----	----	0	UNCH
4280	----	----		----	----	----		110.70	UNCH	----	----	----	----	----	0	UNCH
4285	----	----		----	----	----		105.70	UNCH	----	----	----	----	----	0	UNCH
4290	----	----		----	----	----		100.70	UNCH	----	----	----	----	----	0	UNCH
4295	----	----		----	----	----		95.70	UNCH	----	----	----	----	----	0	UNCH
4300	----	----		----	----	----		90.70	UNCH	----	----	----	----	----	0	UNCH
4310	----	----		----	----	----		80.70	UNCH	----	----	----	----	----	0	UNCH
4315	----	----		----	----	----		7								

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT		COMEX GOLD OPTIONS															
OCT26																	
4045	----	----	----	0.90B/0.60A	0.90B/0.60A	----	----	----	0.60 - 0.20	.0047	----	----	----	----	80	UNCH	
4050	0.90	0.90	----	0.90/0.70A	0.90/0.70A	----	----	----	0.60 - 0.20	.0047	----	----	2	----	1032	-	
4055	----	----	----	-----/0.70A	0.90B/0.70A	----	----	----	0.70 - 0.20	.0056	----	----	----	----	50	UNCH	
4060	----	----	----	1.00B/0.70A	1.00B/0.70A	----	----	----	0.70 - 0.20	.0057	----	----	----	----	125	UNCH	
4065	----	----	----	1.00B/0.70A	1.00B/0.70A	----	----	----	0.70 - 0.20	.0058	----	----	----	----	56	UNCH	
4070	----	----	----	1.10B/0.80A	1.10B/0.80A	----	----	----	0.80 - 0.20	.0068	----	----	----	----	277	UNCH	
4075	----	----	----	1.10B/0.80A	1.10B/0.80A	----	----	----	0.80 - 0.20	.0069	----	----	----	----	489	UNCH	
4080	----	----	----	-----/0.80A	1.10B/0.80A	----	----	----	0.80 - 0.30	.0071	----	----	50	----	96	-	
4085	0.80	0.80	----	1.20B/0.80	1.20B/0.80	----	----	----	0.90 - 0.20	.0081	----	----	1	----	83	UNCH	
4090	----	----	----	-----/0.90A	1.20B/0.90A	----	----	----	0.90 - 0.30	.0082	----	----	----	----	422	UNCH	
4095	----	----	----	1.30B/0.90A	1.30B/0.90A	----	----	----	0.90 - 0.30	.0084	----	----	----	----	141	UNCH	
4100	1.00	1.00	----	1.00/0.80	1.30B/0.80	----	----	----	1.00 - 0.30	.0095	----	----	9	----	2595	-	
4105	----	----	----	1.40B/1.00A	1.40B/1.00A	----	----	----	1.00 - 0.30	.0097	----	----	----	----	127	UNCH	
4110	----	----	----	1.50B/1.00A	1.50B/1.00A	----	----	----	1.10 - 0.30	.0108	----	----	1	----	112	-	
4115	----	----	----	-----/1.10A	1.50B/1.10A	----	----	----	1.10 - 0.40	.0111	----	----	----	----	166	UNCH	
4120	1.20	1.20	----	1.60B/1.10A	1.60B/1.10A	----	----	----	1.20 - 0.30	.0123	----	----	5	----	122	UNCH	
4125	----	----	----	1.70B/1.20A	1.70B/1.20A	----	----	----	1.20 - 0.40	.0126	----	----	13	----	301	-	
4130	1.40	1.40	----	1.80B/1.20A	1.80B/1.20A	----	----	----	1.30 - 0.40	.0138	----	----	31	----	259	-	
4135	----	----	----	1.90B/1.30A	1.90B/1.30A	----	----	----	1.40 - 0.30	.0152	----	----	----	----	173	UNCH	
4140	1.40	1.40	----	2.00B/1.40	2.00B/1.40	----	----	----	1.40 - 0.40	.0155	----	----	2	----	124	-	
4145	----	----	----	2.10B/1.40A	2.10B/1.40A	----	----	----	1.50 - 0.40	.0169	----	----	----	----	248	UNCH	
4150	2.00	2.00	----	2.30B/1.30	2.30B/1.30	----	----	----	1.60 - 0.40	.0184	----	----	270	----	998	+	
4155	1.80	1.80	----	2.40B/1.60A	2.40B/1.60A	----	----	----	1.70 - 0.40	.0199	----	----	9	----	119	+	
4160	1.80	1.80	----	2.60B/1.60A	2.60B/1.60A	----	----	----	1.80 - 0.40	.0215	----	----	1	----	99	UNCH	
4165	1.90	1.90	----	2.80B/1.70A	2.80B/1.70A	----	----	----	1.90 - 0.40	.0231	----	----	23	----	183	-	
4170	2.60	2.60	----	3.00B/1.70	3.00B/1.70	----	----	----	2.00 - 0.40	.0248	----	----	3	----	93	UNCH	
4175	2.10	2.10	----	3.20B/1.80	3.20B/1.80	----	----	----	2.10 - 0.40	.0266	----	----	100	----	316	+	
4180	3.40	3.40	----	3.40/2.00A	3.40/2.00A	----	----	----	2.20 - 0.50	.0285	----	----	3	----	184	UNCH	
4185	----	----	----	3.70B/2.10A	3.70B/2.10A	----	----	----	2.30 - 0.50	.0304	----	----	----	----	130	UNCH	
4190	2.30	2.30	----	4.00B/2.30	4.00B/2.30	----	----	----	2.50 - 0.50	.0336	----	----	3	----	110	+	
4195	----	----	----	4.30B/2.40A	4.30B/2.40A	----	----	----	2.60 - 0.60	.0357	----	----	----	----	149	UNCH	
4200	3.20	3.20	----	4.60B/2.50A	4.60B/2.50A	----	----	----	2.80 - 0.50	.0391	----	----	130	----	4541	+	
4205	3.00	3.00	----	5.00B/2.70A	5.00B/2.70A	----	----	----	3.00 - 0.50	.0427	----	----	3	----	124	+	
4210	3.20	3.20	----	5.40B/2.90A	5.40B/2.90A	----	----	----	3.20 - 0.60	.0464	----	----	3	----	227	UNCH	
4215	----	----	----	5.80B/3.10A	5.80B/3.10A	----	----	----	3.40 - 0.60	.0502	----	----	2	----	198	UNCH	
4220	3.50	3.50	----	6.40B/3.30A	6.40B/3.30A	----	----	----	3.60 - 0.60	.0542	----	----	7	----	106	UNCH	
4225	----	----	----	6.90B/3.60A	6.90B/3.60A	----	----	----	3.90 - 0.60	.0597	----	----	87	----	253	-	
4230	4.10	4.10	----	7.50B/3.80A	7.50B/3.80A	----	----	----	4.20 - 0.50	.0653	----	----	5	----	117	+	
4235	4.70	4.70	----	8.10B/4.10A	8.10B/4.10A	----	----	----	4.50 - 0.50	.0712	----	----	5	----	80	UNCH	
4240	4.80	4.80	----	8.80B/4.40A	8.80B/4.40A	----	----	----	4.90 - 0.50	.0785	----	----	34	----	123	+	
4245	5.50	5.50	----	9.60B/4.80A	9.60B/4.80A	----	----	----	5.30 - 0.40	.0861	----	----	13	----	199	+	
4250	5.10	5.10	----	10.50B/5.00	10.50B/5.00	----	----	----	5.80 - 0.30	.0952	----	----	358	40	1527	-	
4255	7.70	7.70	----	11.40B/5.50A	11.40B/5.50A	----	----	----	6.30 - 0.20	.1046	----	----	64	----	630	+	
4260	5.50	5.50	----	12.40B/5.50	12.40B/5.50	----	----	----	6.90 - 0.10	.1155	----	----	46	----	155	+	
4265	7.50	7.50	----	13.50B/6.40A	13.50B/6.40A	----	----	----	7.60 + 0.10	.1279	----	----	5	----	362	+	
4270	7.80	7.80	----	14.60B/6.90A	14.60B/6.90A	----	----	----	8.30 + 0.20	.1406	----	----	19	----	727	-	
4275	8.30	8.30	----	15.90B/7.40A	15.90B/7.40A	----	----	----	9.10 + 0.50	.1547	----	----	121	----	582	+	
4280	9.00	9.00	----	17.20B/8.10A	17.20B/8.10A	----	----	----	9.90 + 0.60	.1693	----	----	21	----	142	+	
4285	11.20	11.20	----	18.70B/8.70A	18.70B/8.70A	----	----	----	10.90 + 0.90	.1862	----	----	10	----	71	-	
4290	12.30	12.30	----	20.30B/9.40A	20.30B/9.40A	----	----	----	11.90 + 1.20	.2036	----	----	25	----	128	-	
4295	11.60	11.60	----	22.00B/10.20A	22.00B/10.20A	----	----	----	13.00 + 1.50	.2223	----	----	28	----	153	-	
4300	11.80	11.80	----	23.80B/11.00A	23.80B/11.00A	----	----	----	14.20 + 1.80	.2422	----	----	485	----	2157	-	
4305	13.10	13.10	----	25.70B/11.90A	25.70B/11.90A	----	----	----	15.50 + 2.20	.2633	----	----	4	----	105	-	
4310	16.90	16.90	----	27.70B/13.00A	27.70B/13.00A	----	----	----	17.00 + 2.70	.2862	----	----	12	----	109	+	
4315	18.20	18.20	----	29.80B/14.00A	29.80B/14.00A	----	----	----	18.50 + 3.20	.3095	----	----	18	----	329	-	
4320	20.00	20.00	----	32.10B/15.20A	32.10B/15.20A	----	----	----	20.20 + 3.70	.3342	----	----	13	----	254	+	
4325	22.30	22.30	----	34.50B/16.40A	34.50B/16.40A	----	----	----	22.00 + 4.30	.3597	----	----	17	----	320	+	
4330	27.60	27.60	----	37.10B/17.70A	37.10B/17.70A	----	----	----	24.00 + 5.00	.3861	----	----	24	----	120	-	
4335	22.30	22.30	----	39.70B/19.10A	39.70B/19.10A	----	----	----	26.00 + 5.60	.4128	----	----	18	----	413	-	
4340	30.00	30.00	----	42.50B/20.60A	42.50B/20.60A	----	----	----	28.20 + 6.30	.4401	----	----	6	----	96	-	
4345	28.00	28.00	----	45.40B/22.20A	45.40B/22.20A	----	----	----	30.60 + 7.10	.4678	----	----	9	----	72	-	
4350	26.30	26.30	----	48.30B/23.90A	48.30B/23.90A	----	----	----	33.10 + 8.00	.4955	----	----	113	----	2032	-	
4355	34.20	34.20	----	51.50B/25.80A	51.50B/25.80A	----	----	----	35.70 + 8.80	.5231	----	----	25	----	141	+	
4360	36.80	36.80	----	54.80/27.70A	54.80/27.70A	----	----	----	38.50 + 9.80	.5504	----	----	13	----	109	UNCH	
4365	33.90	33.90	----	58.00B/29.60A	58.00B/29.60A	----	----	----	41.40 + 10.70	.5773	----	----	12	----	117	+	
4370	33.90	33.90	----	61.50B/31.90A	61.50B/31.90A	----	----	----	44.40 + 11.70	.6037	----	----	15	----	123	-	
4375	36.20	36.20	----														



GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS															
OCT26																
4730	----	----	----	400.80B/----	400.80B/352.00A	----	----	----	380.10 + 40.00	.9973	----	----	----	----	7	UNCH
4735	----	----	----	402.90B/----	402.90B/357.00A	----	----	----	385.10 + 40.10	.9973	----	----	----	----	1	UNCH
4740	----	----	----	410.60B/----	410.60B/361.90A	----	----	----	390.10 + 40.10	.9974	----	----	----	----	3	UNCH
4745	----	----	----	413.00B/----	413.00B/367.00A	----	----	----	395.10 + 40.10	.9981	----	----	----	----	1	UNCH
4750	----	----	----	421.00B/----	421.00B/372.00A	----	----	----	400.00 + 40.00	.9981	----	----	----	----	176	UNCH
4755	----	----	----	425.70B/----	425.70B/376.90A	----	----	----	405.00 + 40.10	.9981	----	----	----	----	169	UNCH
4760	----	----	----	427.90B/----	427.90B/381.90A	----	----	----	410.00 + 40.10	.9982	----	----	----	----	1	UNCH
4765	----	----	----	435.50B/----	435.50B/386.90A	----	----	----	415.00 + 40.10	.9982	----	----	----	----	11	UNCH
4770	----	----	----	440.90B/----	440.90B/391.90A	----	----	----	420.00 + 40.10	.9982	----	----	----	----	3	UNCH
4775	----	----	----	445.40B/----	445.40B/396.80A	----	----	----	425.00 + 40.20	.9982	----	----	----	----	39	UNCH
4780	428.00	----	428.00	447.80B/428.00	447.80B/401.90A	----	----	----	430.00 + 40.20	.9989	----	----	2	----	2	UNCH
4785	----	----	----	452.90B/----	452.90B/406.80A	----	----	----	435.00 + 40.20	.9989	----	----	----	----	1	UNCH
4790	----	----	----	457.90B/----	457.90B/411.80A	----	----	----	439.90 + 40.10	.9989	----	----	----	----	1	UNCH
4800	----	----	----	470.70B/----	470.70B/421.80A	----	----	----	449.90 + 40.20	.9990	----	----	----	----	129	UNCH
4805	----	----	----	475.90B/----	475.90B/426.80A	----	----	----	454.90 + 40.20	.9990	----	----	----	----	12	UNCH
4810	----	----	----	480.10B/----	480.10B/431.80A	----	----	----	459.90 + 40.20	.9990	----	----	----	----	19	UNCH
4815	----	----	----	485.40B/----	485.40B/436.80A	----	----	----	464.90 + 40.20	.9990	----	----	----	----	39	UNCH
4820	----	----	----	490.70B/----	490.70B/441.70A	----	----	----	469.90 + 40.20	.9990	----	----	----	----	3	UNCH
4830	----	----	----	500.30B/----	500.30B/451.70A	----	----	----	479.90 + 40.30	.9990	----	----	----	----	10	UNCH
4835	----	----	----	505.00B/----	505.00B/456.70A	----	----	----	484.90 + 40.30	.9997	----	----	----	----	13	UNCH
4840	----	----	----	510.00B/----	510.00B/461.70A	----	----	----	489.80 + 40.20	.9997	----	----	----	----	18	UNCH
4845	----	----	----	515.00B/----	515.00B/466.70A	----	----	----	494.80 + 40.20	.9998	----	----	----	----	20	UNCH
4850	----	----	----	520.20B/----	520.20B/471.70A	----	----	----	499.80 + 40.20	.9998	----	----	----	----	81	UNCH
4875	----	----	----	542.60B/----	542.60B/496.80A	----	----	----	524.80 + 40.30	1.0000	----	----	----	----	1	UNCH
4880	----	----	----	547.60B/----	547.60B/501.80A	----	----	----	529.80 + 40.30	1.0000	----	----	----	----	5	UNCH
4895	----	----	----	562.70B/----	562.70B/516.90A	----	----	----	544.80 + 40.30	1.0000	----	----	----	----	6	UNCH
4900	----	----	----	567.70B/----	567.70B/521.90A	----	----	----	549.80 + 40.30	1.0000	----	----	----	----	91	UNCH
4910	----	----	----	577.70B/----	577.70B/531.90A	----	----	----	559.80 + 40.30	1.0000	----	----	----	----	3	UNCH
4915	----	----	----	582.60B/----	582.60B/536.80A	----	----	----	564.80 + 40.30	1.0000	----	----	----	----	1	UNCH
4920	----	----	----	587.60B/----	587.60B/541.80A	----	----	----	569.80 + 40.40	1.0000	----	----	----	----	1	UNCH
4925	----	----	----	592.60B/----	592.60B/546.80A	----	----	----	574.80 + 40.40	1.0000	----	----	----	----	9	UNCH
4930	----	----	----	597.60B/----	597.60B/551.80A	----	----	----	579.80 + 40.40	1.0000	1	----	----	----	0 -	1
4935	----	----	----	602.60B/----	602.60B/556.80A	----	----	----	584.80 + 40.40	1.0000	----	----	----	----	5	UNCH
4980	----	----	----	647.60B/----	647.60B/601.80A	----	----	----	629.80 + 40.40	1.0000	----	----	----	----	1	UNCH
5000	----	----	----	667.60B/----	667.60B/621.80A	----	----	----	649.80 + 40.40	1.0000	3	----	----	----	0 -	3
5010	----	----	----	677.60B/----	677.60B/631.80A	----	----	----	659.80 + 40.50	1.0000	----	----	----	----	1	UNCH
5195	----	----	----	862.50B/----	862.50B/816.40A	----	----	----	844.80 + 40.50	1.0000	25	----	----	----	0 -	25
5200	----	----	----	867.50B/----	867.50B/821.50A	----	----	----	849.80 + 40.50	1.0000	----	----	----	----	1	UNCH
5205	----	----	----	872.50B/----	872.50B/826.50A	----	----	----	854.80 + 40.50	1.0000	25	----	----	----	0 -	25
5210	----	----	----	877.50B/----	877.50B/831.50A	----	----	----	859.80 + 40.50	1.0000	----	----	----	----	0	UNCH
5245	----	----	----	912.50B/----	912.50B/866.40A	----	----	----	894.80 + 40.50	1.0000	19	----	----	----	0 -	19
5250	----	----	----	917.50B/----	917.50B/871.50A	----	----	----	899.80 + 40.50	1.0000	10	----	10	----	75	UNCH
5255	----	----	----	922.50B/----	922.50B/876.50A	----	----	----	904.80 + 40.50	1.0000	19	----	----	----	0 -	19
TOTAL													2729	60	69100 -	374
NOV26																
2000	----	----	----	----	----/0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	13	UNCH
2100	----	----	----	----	----/0.20A	----	----	----	0.10 UNCH	----	----	----	----	----	107	UNCH
2200	----	----	----	----	----/0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	28	UNCH
2300	----	----	----	----	----/0.20A	----	----	----	0.10 UNCH	----	----	----	----	----	3	UNCH
2400	----	----	----	----	----/0.20A	----	----	----	0.10 UNCH	.0000	----	----	----	----	13	UNCH
2500	0.10	0.10	----	0.10/0.10	0.10/0.10	0.10/0.10	----	----	0.10 UNCH	.0000	----	----	2	----	12 +	1
2600	----	----	----	----	----/0.20A	----	----	----	0.10 UNCH	.0001	----	----	----	----	11	UNCH
2625	----	----	----	----	----/0.20A	----	----	----	0.10 UNCH	.0001	----	----	----	----	8	UNCH
2650	----	----	----	----	----/0.20A	----	----	----	0.10 UNCH	.0001	----	----	----	----	60	UNCH
2675	----	----	----	----	----/0.30A	----	----	----	0.10 UNCH	.0002	----	----	----	----	8	UNCH
2700	----	----	----	----	----/0.30A	----	----	----	0.10 UNCH	.0003	----	----	----	1	----	152 +
2725	----	----	----	----	----/0.30A	----	----	----	0.10 - 0.10	.0003	----	----	----	----	2	UNCH
2750	0.10	0.10	----	0.10/0.10	0.10/0.10	0.10/0.10	----	----	0.10 - 0.10	.0004	----	----	2	----	23 +	2
2775	----	----	----	----	0.10B/0.30A	----	----	----	0.20 UNCH	.0009	----	----	----	----	1	UNCH
2800	----	----	----	----	0.10B/0.20A	----	----	----	0.20 UNCH	.0009	----	----	----	----	92	UNCH
2820	0.10	0.10	----	0.10/0.10	0.10/0.10	0.10/0.10	----	----	0.20 UNCH	.0009	----	----	1	----	16 +	1
2825	----	----	----	----	0.10B/0.30A	----	----	----	0.20 UNCH	.0009	----	----	----	----	30	UNCH
2840	----	----	----	----	0.10B/0.30A	----	----	----	0.20 UNCH	.0009	----	----	----	----	1	UNCH
2850	----	----	----	----	0.20B/0.30A	----	----	----	0.20 - 0.10	.0009	----	----	----	----	42	UNCH
2860	----	----	----	----	0.20B/0.40A	----	----	----	0.20 - 0.10	.0009	----	----	----	----	1	UNCH
2870	----	----	----	----	0.20B/0.40A	----	----	----	0.20 - 0.10	.0009	----	----	----	----	7	UNCH
2895	0.20	0.20	----	0.20/0.20	0.20/0.20	0.20/0.20	----	----	0.20 - 0.10	.0009	----	----	1	----	29 +	1
2900	----	----	----	----	0.20B/0.40A	----	----	----	0.20 - 0.10	.0009	----	----	----	----	75	UNCH
2910	----	----	----	----	0.20B/0.40A	----	----	----	0.30 UNCH	.0014	----	----	----	----	1	UNCH
2925	----	----	----	----	0.20B/0.40A	----	----	----	0.30 UNCH	.0014	----	----	----	----	11	UNCH
2935	----	----	----	----	0.20B/0.40A	----	----	----	0.30 UNCH	.0014	----	----	----	----	1	UNCH
2940	----	----	----	----	0.20B/0.40A	----	----	----	0.30 UNCH	.0014	----	----	----	----	2	UNCH
2945	----	----	----	----	0.20B/0.40A	----	----	----	0.30 - 0.10	.0014	----	----	----	----	21	UNCH
2950	----	----	----	----	0.20B/0.40A	----	----	----	0.30 - 0.10	.0014	----	----	----	----	10	UNCH
2965	----	----	----	----	0.30B/0.40A	----	----	----	0.30 - 0.10	.0014	----	----	----	----	138	UNCH
2975	----	----	----	----	0.30B/0.40A	----	----	----	0.30 - 0.10	.0014	----	----	----	----	20	UNCH
2995	----	----	----	----	0.30B/0.40A	----	----	----	0.40 UNCH	.0019	----	----	----	----	30	UNCH
3000	----	----	----	----	0.30B/0.40A	----	----	----	0.40 UNCH	.0019	----	----	----	1	----	328
3005	----	----	----	----	0.30B/0.40A	----	----	----	0.40 UNCH	.0019	----	----	----	----	1	UNCH
3015	----	----	----	----	0.30B/0.50A	----	----	----	0.40 UNCH	.0019	----	----	----	----	2	UNCH
3020	----	----	----	----	0.30B/0.50A	----	----	----	0.40 - 0.10	.0019	----	----	1	----	505	UNCH
3025	----	----	----	----	0.40B/0.50A	----	----	----	0.40 - 0.10	.0019	----	----	----	----	35	UNCH
3050	----	----	----	----	0.40B/0.50A	----	----	----	0.40 - 0.10	.0020	----	----	----	----	10	UNCH
3075	----	----	----	----	0.40B/0.60A	----	----	----	0.50 UNCH	.0024	----	----	----	----	22	UNCH
3080	----	----	----	----	0.40B/0.60A	----	----	----	0.50 - 0.10	.0025	----	----	----	----	13	UNCH
3085	0.50	0.50	----	0.50/0.50	0.50/0.50	0.50/0.50	----	----	0.50 - 0.10	.0025	----	----	5	----	30 +	5
3090	----	----	----	----	0.50B/0.60A	----	----	----	0.50 - 0.10	.0025	----	----	----	----	5	UNCH
3100	----	----	----	----	0.50B/0.60A	----	----	----	0.50 - 0.10	.0025	----	----	----	----	32	UNCH
3110	----	----	----	----	0.50B/0.60A	----	----	----	0.60 UNCH	.0029	----	----	----	----	24	UNCH
3120	----	----	----	----	0.50B/0.60A	----	----	----	0.60 UNCH	.0030	----	----	----	----	15	UNCH
3130	----	----	----	----/0.60A	0.50B/0.60A	----	----	----	0.60 - 0.10	.0030	----	----	----	----	1	UNCH
3150	----	----	----	----	0.60B/0.70A	----	----	----	0.60 - 0.10	.0031	----	----	----	----	37	UNCH
3175	----	----	----	----	0.60B/0.80A	----	----	----	0.70 - 0.10	.0036	----	----	----	----	10	UNCH
3180	----	----	----	----	0.60B/0.80A	----	----	----	0.70 - 0.10	.0036	----	----	----	----	11	UNCH
3185	----	----	----	----	0.70B/0.80A	----	----	----	0.70 - 0.10	.0036	----	----	----	----	2	UNCH
3190	----	----	----	----	0.70B/0.80A	----	----	----	0.70 - 0.10	.0036	----	----	----	----	4	UNCH
3195	----	----	----	----	0.70B/0.80A	----	----									

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS															
NOV26																
3410	1.60	1.60		1.60/1.60	1.60/1.60	----	1.60	- 0.10	.0087	----	----	----	1	----	3	+
3415	1.70	1.70		1.70/1.60A	1.70/1.60A	----	1.70	UNCH	.0092	----	----	----	1	----	1	+
3420	1.70	1.70		1.70/1.60A	1.70/1.60A	----	1.70	UNCH	.0092	----	----	----	3	----	11	-
3425	1.60	1.60		1.70/1.60	1.70/1.60	----	1.70	- 0.10	.0093	----	----	----	3	----	25	+
3430	----	----		----/1.70A	1.70B/1.70A	----	1.70	- 0.10	.0093	----	----	----	----	----	32	UNCH
3440	----	----		----/1.70A	1.70B/1.70A	----	1.80	UNCH	.0099	----	----	----	----	----	45	UNCH
3445	----	----		----/1.80A	1.80B/1.80A	----	1.80	- 0.10	.0099	----	----	----	1	----	2	+
3450	----	----		----/1.80A	1.80B/1.80A	----	1.80	- 0.10	.0100	----	----	----	----	----	65	UNCH
3455	----	----		----/1.80A	1.80B/1.80A	----	1.90	UNCH	.0105	----	----	----	----	----	1	UNCH
3460	----	----		----/1.90A	1.90B/1.90A	----	1.90	- 0.10	.0105	----	----	----	----	----	29	UNCH
3465	----	----		----/1.90A	1.90B/1.90A	----	1.90	- 0.10	.0106	----	----	----	----	----	5	UNCH
3470	----	----		----/1.90A	1.90B/1.90A	----	1.90	- 0.10	.0106	----	----	----	----	----	19	UNCH
3475	----	----		----	2.00B/2.00A	----	2.00	UNCH	.0111	----	----	----	----	----	57	UNCH
3480	----	----		----/2.00A	2.00B/2.00A	----	2.00	- 0.10	.0112	----	----	----	----	----	3	UNCH
3485	----	----		----/2.00A	2.00B/2.00A	----	2.10	UNCH	.0117	----	----	----	10	----	12	+
3490	----	----		----/2.10A	2.10B/2.10A	----	2.10	- 0.10	.0118	----	----	----	----	----	8	UNCH
3495	----	----		----	2.30/1.90	2.30/1.90	----	2.10	- 0.10	.0119	----	----	29	----	2698	-
3500	2.30	2.30		2.30/1.90	2.30/1.90	----	2.10	- 0.10	.0119	----	----	----	----	----	3	UNCH
3505	----	----		----/2.10A	2.10B/2.10A	----	2.20	- 0.10	.0124	----	----	----	----	----	27	UNCH
3510	----	----		----/2.10A	2.20B/2.10A	----	2.20	- 0.10	.0124	----	----	----	----	----	161	UNCH
3515	----	----		----/2.20A	2.20B/2.20A	----	2.20	- 0.10	.0125	----	----	----	----	----	6	UNCH
3520	----	----		----/2.20A	2.20B/2.20A	----	2.20	- 0.10	.0126	----	----	----	----	----	18	UNCH
3525	----	----		----/2.20A	2.20B/2.20A	----	2.30	- 0.10	.0131	----	----	----	----	----	1	UNCH
3530	----	----		----/2.30A	2.30B/2.30A	----	2.30	- 0.10	.0132	----	----	----	7	----	180	+
3535	2.30	2.30		2.30/2.30	2.30/2.30	----	2.40	- 0.10	.0138	----	----	----	----	----	78	UNCH
3540	----	----		----/2.30A	2.30B/2.30A	----	2.40	- 0.10	.0138	----	----	----	----	----	55	UNCH
3545	----	----		----/2.30A	2.40B/2.30A	----	2.40	- 0.10	.0138	----	----	----	26	----	495	+
3550	2.50	2.50		2.50/2.40A	2.50/2.40A	----	2.50	- 0.10	.0144	----	----	----	----	----	4	UNCH
3555	----	----		----/2.40A	2.50B/2.40A	----	2.50	- 0.10	.0145	----	----	----	----	----	34	UNCH
3560	----	----		----/2.40A	2.50B/2.40A	----	2.50	- 0.10	.0146	----	----	----	----	----	12	UNCH
3565	----	----		----/2.50A	2.50B/2.50A	----	2.60	- 0.10	.0151	----	----	----	----	----	1	UNCH
3570	----	----		----/2.50A	2.60B/2.50A	----	2.60	- 0.10	.0152	----	----	----	----	----	175	UNCH
3575	----	----		----/2.50A	2.60B/2.50A	----	2.70	- 0.10	.0158	----	----	----	----	----	7	UNCH
3585	----	----		----/2.60A	2.70B/2.60A	----	2.80	- 0.10	.0165	----	----	----	----	----	23	UNCH
3595	----	----		----/2.70A	2.80B/2.70A	----	2.80	- 0.10	.0166	----	----	----	26	----	1714	-
3600	----	----		----/2.70A	2.80B/2.70A	----	2.90	- 0.10	.0171	----	----	----	----	----	3	UNCH
3605	----	----		----/2.80A	2.90B/2.80A	----	2.90	- 0.10	.0172	----	----	----	----	----	1	UNCH
3610	----	----		----/2.80A	2.90B/2.80A	----	2.90	- 0.20	.0173	----	----	----	3	----	7	+
3615	2.90	2.90		2.90/2.90	3.00B/2.90	----	3.00	- 0.10	.0180	----	----	----	----	----	5	UNCH
3625	----	----		----/2.90A	3.10B/2.90A	----	3.10	- 0.10	.0185	----	----	----	1	----	10	UNCH
3630	3.00	3.00		3.00/3.00	3.20B/3.00	----	3.10	- 0.10	.0187	----	----	----	----	----	12	-
3635	----	----		----/3.00A	3.20B/3.00A	----	3.20	- 0.10	.0192	----	----	----	----	----	16	UNCH
3640	----	----		----/3.10A	3.30B/3.10A	----	3.20	- 0.10	.0193	----	----	----	----	----	17	UNCH
3645	----	----		----/3.10A	3.40B/3.10A	----	3.30	- 0.10	.0199	----	----	----	----	----	212	UNCH
3650	----	----		----/3.20A	3.40B/3.20A	----	3.30	- 0.10	.0200	----	----	----	----	----	37	UNCH
3655	----	----		----/3.20A	3.50B/3.20A	----	3.40	- 0.10	.0206	----	----	----	36	----	109	+
3665	----	----		----/3.30A	3.50B/3.30A	----	3.40	- 0.20	.0207	----	----	----	----	----	35	UNCH
3670	----	----		----/3.30A	3.60B/3.30A	----	3.50	- 0.10	.0213	----	----	----	2	----	72	UNCH
3675	----	----		----/3.40A	3.60B/3.40A	----	3.60	- 0.10	.0221	----	----	----	----	----	82	UNCH
3680	----	----		----/3.40A	3.70B/3.40A	----	3.60	- 0.20	.0222	----	----	----	----	----	19	UNCH
3685	----	----		----/3.50A	3.80B/3.50A	----	3.70	- 0.10	.0228	----	----	----	----	----	23	UNCH
3690	----	----		----/3.60A	3.80B/3.60A	----	3.70	- 0.20	.0229	----	----	----	----	----	33	UNCH
3695	----	----		----/3.60A	3.90B/3.60A	----	3.80	- 0.20	.0236	----	----	----	3	----	980	+
3700	----	----		----/3.70A	4.00B/3.70A	----	3.80	- 0.20	.0237	----	----	----	----	----	40	UNCH
3705	----	----		----/3.70A	4.00B/3.70A	----	3.90	- 0.20	.0243	----	----	----	1	----	35	UNCH
3710	----	----		----/3.80A	4.10B/3.80A	----	4.00	- 0.20	.0249	----	----	----	----	----	18	UNCH
3715	----	----		----/3.90A	4.20B/3.90A	----	4.00	- 0.20	.0251	----	----	----	----	----	5	UNCH
3720	----	----		4.30B/3.90A	4.30B/3.90A	----	4.10	- 0.20	.0257	----	----	----	----	----	120	UNCH
3725	----	----		----/4.00A	4.40B/4.00A	----	4.10	- 0.30	.0259	----	----	----	----	----	31	UNCH
3730	----	----		----/4.00A	4.50B/4.10A	4.50B/4.10A	4.20	- 0.20	.0265	----	----	----	----	----	11	UNCH
3735	----	----		4.50B/4.10A	4.60B/4.20A	4.60B/4.20A	4.30	- 0.20	.0272	----	----	----	----	----	76	UNCH
3740	----	----		4.60B/4.20A	4.70B/4.20A	4.70B/4.20A	4.30	- 0.30	.0274	----	----	120	----	----	98	UNCH
3745	4.50	4.50		4.50/4.20	4.70B/4.20	4.70B/4.20	4.40	- 0.30	.0280	----	----	----	----	----	667	+
3750	----	----		4.80B/4.40A	4.80B/4.40A	4.80B/4.40A	4.50	- 0.20	.0287	----	----	----	----	----	25	UNCH
3755	----	----		4.90B/4.50A	4.90B/4.50A	4.90B/4.50A	4.50	- 0.30	.0289	----	----	----	----	----	41	UNCH
3760	----	----		5.00B/4.50A	5.00B/4.50A	5.00B/4.50A	4.60	- 0.30	.0295	----	----	----	----	----	5	UNCH
3765	----	----		5.10B/4.60A	5.10B/4.60A	5.10B/4.60A	4.70	- 0.30	.0302	----	----	----	----	----	72	UNCH
3770	----	----		5.20B/4.70A	5.20B/4.70A	5.20B/4.70A	4.80	- 0.30	.0309	----	----	60	----	----	130	+
3775	----	----		5.30B/4.80A	5.30B/4.80A	5.30B/4.80A	4.90	- 0.30	.0315	----	----	----	----	----	23	UNCH
3780	----	----		5.40B/4.80A	5.40B/4.80A	5.40B/4.80A	4.90	- 0.30	.0318	----	----	----	----	----	10	UNCH
3785	----	----		5.50B/4.90A	5.50B/4.90A	5.50B/4.90A	5.00	- 0.30	.0325	----	----	----	3	----	13	UNCH
3790	----	----		5.60B/5.00A	5.60B/5.00A	5.60B/5.00A	5.10	- 0.30	.0331	----	----	----	----	----	6	UNCH
3795	5.40	5.40		5.80B/5.00	5.80B/5.00	5.80B/5.00	5.2									

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG	PUT	COMEX GOLD OPTIONS													
NOV26		25.60		28.50B/23.10A	28.50B/23.10A	----	----		24.50 + 0.60	.1533	----	----	11	----	49 +
4110		25.60		29.40B/23.70A	29.40B/23.70A	----	----		25.30 + 0.70	.1575	----	----	----	----	148 +
4115		26.80		30.20B/24.40A	30.20B/24.40A	----	----		26.10 + 0.80	.1618	----	----	2	----	85 UNCH
4120				31.20B/25.20A	31.20B/25.20A	----	----		26.80 + 0.80	.1657	----	----	10	----	435 +
4125		27.40		32.10B/25.90A	32.10B/25.90A	----	----		27.70 + 1.00	.1702	----	----	1	----	140 -
4130		27.40		33.10B/26.70A	33.10B/26.70A	----	----		28.50 + 1.00	.1745	----	----	1	----	72 +
4135		28.20		34.10B/27.50A	34.10B/27.50A	----	----		29.40 + 1.10	.1791	----	----	17	----	153 -
4140		28.30		35.10B/28.30A	35.10B/28.30A	----	----		30.20 + 1.20	.1834	----	----	2	----	171 +
4145		29.00		36.10B/29.10A	36.10B/29.10A	----	----		31.20 + 1.30	.1883	----	195	----	1426 +	
4150		31.20		37.20B/30.00A	37.20B/30.00A	----	----		32.10 + 1.40	.1929	----	7	----	38 +	
4155		31.90		38.30B/30.90A	38.30B/30.90A	----	----		33.10 + 1.50	.1979	----	3	----	253 +	
4160		31.70		39.50B/31.80A	39.50B/31.80A	----	----		34.10 + 1.60	.2028	----	----	----	195 +	
4165		33.60		40.60B/32.80A	40.60B/32.80A	----	----		35.10 + 1.70	.2078	----	2	----	65 +	
4170				41.90B/33.70A	41.90B/33.70A	----	----		36.20 + 1.90	.2130	----	2	----	386 +	
4175		37.00		43.10B/34.70A	43.10B/34.70A	----	----		37.20 + 1.90	.2180	----	2	----	134 +	
4180				44.40B/35.80A	44.40B/35.80A	----	----		38.40 + 2.10	.2235	----	2	----	93 +	
4185		40.40		45.70B/36.80A	45.70B/36.80A	----	----		39.50 + 2.20	.2288	----	4	----	95 +	
4190		38.70		47.00B/37.90A	47.00B/37.90A	----	----		40.70 + 2.30	.2343	----	1	----	51 UNCH	
4195		40.60		48.40B/39.00A	48.40B/39.00A	----	----		41.90 + 2.40	.2399	----	338	----	968 +	
4200		40.60		49.80B/40.20A	49.80B/40.20A	----	----		43.10 + 2.50	.2454	----	3	----	214 +	
4205		46.70		51.20B/41.40A	51.20B/41.40A	----	----		44.40 + 2.70	.2512	----	----	----	164 UNCH	
4210				52.70B/42.60A	52.70B/42.60A	----	----		45.70 + 2.80	.2570	----	154	----	178 +	
4215		45.40		54.20B/43.80A	54.20B/43.80A	----	----		47.10 + 3.00	.2631	----	1	----	27 +	
4220				55.80B/45.10A	55.80B/45.10A	----	----		48.40 + 3.10	.2689	----	1	----	108 UNCH	
4225				57.40B/46.40A	57.40B/46.40A	----	----		49.90 + 3.40	.2751	----	----	----	55 UNCH	
4230				59.00B/----	59.00B/47.80A	----	----		51.30 + 3.50	.2812	----	18	----	168 +	
4235				60.70B/----	60.70B/49.10A	----	----		52.80 + 3.70	.2874	----	1	----	74 UNCH	
4240		54.20		62.40B/54.20	62.40B/50.50A	----	----		54.30 + 3.80	.2937	----	3	----	37 +	
4245		53.70		64.10B/51.90A	64.10B/51.90A	----	----		55.80 + 3.90	.3000	----	78	----	981 +	
4250				65.90B/----	65.90B/53.40A	----	----		57.40 + 4.10	.3064	----	2	----	57 +	
4255		64.30		67.70B/54.90A	67.70B/54.90A	----	----		59.00 + 4.30	.3129	----	28	----	241 +	
4260				69.50B/----	69.50B/56.40A	----	----		60.70 + 4.50	.3195	----	1	----	168 UNCH	
4265		60.80		71.40B/60.80	71.40B/58.00A	----	----		62.40 + 4.70	.3261	----	2	----	56 +	
4270				73.40B/----	73.40B/59.60A	----	----		64.10 + 4.90	.3327	----	----	----	405 UNCH	
4275				75.30B/----	75.30B/61.20A	----	----		65.90 + 5.10	.3395	----	----	----	175 UNCH	
4280				77.30B/----	77.30B/62.90A	----	----		67.70 + 5.30	.3463	----	----	----	194 UNCH	
4285		77.60		79.30B/77.60	79.30B/64.60A	----	----		69.50 + 5.50	.3530	----	1	----	26 UNCH	
4290		72.00		81.40B/72.00	81.40B/66.30A	----	----		71.40 + 5.70	.3599	----	2	----	79 +	
4295		75.50		83.50B/71.80	83.50B/68.10A	----	----		73.40 + 6.00	.3669	----	1115	300	2016 +	
4300		76.30		85.70B/76.30	85.70B/69.90A	----	----		75.30 + 6.10	.3738	----	2	----	28 +	
4305				87.90B/----	87.90B/71.70A	----	----		77.30 + 6.40	.3809	----	1	----	35 +	
4310				90.10B/----	90.10B/73.60A	----	----		79.40 + 6.70	.3879	----	----	----	67 UNCH	
4315				92.40B/----	92.40B/75.40A	----	----		81.50 + 6.90	.3950	----	----	----	110 UNCH	
4320				94.70B/----	94.70B/77.30A	----	----		83.60 + 7.10	.4021	----	8	----	221 +	
4325		83.70		97.00B/83.70	97.00B/79.30A	----	----		85.80 + 7.40	.4093	----	53	----	180 +	
4330		89.10		99.40B/89.10	99.40B/81.30A	----	----		88.00 + 7.70	.4164	----	4	----	52 +	
4335		88.80		101.90B/88.80	101.90B/83.30A	----	----		90.30 + 8.00	.4236	----	17	----	154 +	
4340				104.40B/----	104.40B/85.20A	----	----		92.60 + 8.30	.4308	----	1	----	18 -	
4345		90.40		106.90B/87.40A	106.90B/87.40A	----	----		95.00 + 8.60	.4380	----	18	----	857 UNCH	
4350		102.20		109.40B/102.20	109.40B/89.60A	----	----		97.40 + 8.90	.4453	----	3	----	39 +	
4355		101.40		112.10B/100.40	112.10B/91.70A	----	----		99.80 + 9.20	.4525	----	7	----	77 +	
4360		100.40		114.60B/99.80	114.60B/93.80A	----	----		102.30 + 9.60	.4597	----	31	----	85 +	
4365				117.30B/----	117.30B/96.10A	----	----		104.80 + 9.90	.4669	----	----	----	40 UNCH	
4370		101.60		119.90B/101.60	119.90B/98.50A	----	----		107.40 + 10.20	.4741	----	31	----	410 +	
4375		106.90		122.80B/106.90	122.80B/100.60A	----	----		110.00 + 10.60	.4813	----	80	----	212 -	
4380		109.50		125.40B/109.50	125.40B/103.00A	----	----		112.60 + 10.90	.4885	----	9	----	88 +	
4385		121.60		128.30B/111.60	128.30B/105.30A	----	----		115.30 + 11.20	.4957	----	20	----	206 +	
4390		121.20		131.20B/111.30	131.20B/107.70A	----	----		118.00 + 11.50	.5028	----	24	----	48 +	
4395		111.80		134.00B/110.20A	134.00B/110.20A	----	----		120.70 + 11.80	.5099	----	205	----	2154 +	
4400				136.90B/----	136.90B/112.80A	----	----		123.50 + 12.10	.5171	----	6	----	47 -	
4405		118.00		139.90B/118.00	139.90B/115.20A	----	----		126.30 + 12.40	.5241	----	3	----	66 +	
4410		123.10		142.80B/123.10	142.80B/117.70A	----	----		129.10 + 12.60	.5312	----	1	----	281 +	
4415		135.20		145.90B/135.20	145.90B/120.30A	----	----		132.00 + 13.00	.5382	----	1	----	81 UNCH	
4420				148.90B/----	148.90B/123.00A	----	----		134.80 + 13.20	.5452	----	----	----	310 UNCH	
4425		132.90		152.00B/132.90	152.00B/125.60A	----	----		137.80 + 13.60	.5522	----	1	----	119 UNCH	
4430		146.60		155.10B/146.60	155.10B/128.30A	----	----		140.70 + 13.80	.5592	----	1	----	75 UNCH	
4435		143.30		158.30B/143.30	158.30B/131.10A	----	----		143.70 + 14.20	.5661	----	3	----	159 +	
4440				161.50B/----	161.50B/133.80A	----	----		146.80 + 14.60	.5729	----	----	----	38 UNCH	
4445		156.50		164.70B/156.50	164.70B/136.60A	----	----		149.90 + 14.90	.5797	----	5	----	913 UNCH	
4450				168.00B/----	168.00B/139.50A	----	----		153.00 + 15.30	.5865	----	----	----	27 UNCH	
4455				171.30B/----	171.30B/142.30A	----	----		156.10 + 15.50	.5932	----	7	----	56 +	
4460		169.20		174.60B/----	174.60B/145.10A	----	----		159.30 + 15.90	.5998	----	----	----	25 UNCH	
4465				177.90B/169.20	177.90B/148.10A	----	----		162.60 + 16.30	.6065	----	1	----	53 UNCH	
4470				181.30B/----	181.30B/151.10A	----	----		165.80 + 16.60	.6130	----	----	----	98 UNCH	
4475				184.70B/----	184.70B/154.00A	----	----		169.10 + 16.90	.6195	----	----	----	20 UNCH	
4480				188.20B/----	188.20B/157.00A	----	----		172.40 + 17.20	.6260	----	----	----	51 UNCH	
4485				191.70B/----	191.70B/160.10A	----	----		175.80 + 17.60	.6324	----	----	----	36 UNCH	
4490				195.20B/----	195.20B/163.30A	----	----		179.10 + 17.80	.6387	----	----	----	28 UNCH	
4495				198.70B/----	198.70B/166.40A	----	----		182.50 + 18.20	.6450	----	3	----	326 -	
4500				202.30B/----	202.30B/169.50A	----	----		186.00 + 18.50	.6512	----	----	----	21 UNCH	
4505				205.90B/----	205.90B/172.70A	----	----		189.40 + 18.80	.6575	----	44	----	187 +	
4510				209.50B/----	209.50B/176.00A	----	----		192.90 + 19.10	.6636	----	1	----	10 +	
4515				213.10B/----	213.10B/179.20A	----	----		196.50 + 19.50	.6696	----	----	----	36 UNCH	
4520				216.80B/----	216.80B/182.50A	----	----		200.00 + 19.70	.6755	----	----	----	107 UNCH	
4525				220.50B/----	220.50B/185.80A	----	----		203.60 + 20.00	.6814	----	----	----	286 UNCH	
4530				224.30B/----	224.30B/189.20A	----	----		207.20 + 20.30	.6873	----	----	----	43 UNCH	
4535		206.20		228.00B/206.20	228.00B/192.50A	----	----		210.90 + 20.70	.6930	----	3	----	44 +	
4540				231.80B/----	231.80B/195.90A	----	----		214.60 + 21.00	.6987	----	----	----	19 UNCH	
4545				235.60B/----	235.60B/199.30A	----	----		218.30 + 21.30	.7044	----	----	----	428 UNCH	
4550				239.50B/----	239.50B/202.80A	----	----		222.00 + 21.60	.7098	----	----	----	6 UNCH	
4555				243.30B/----	243.30B/206.30A	----	----		225.80 + 21.90	.7155	----	1	----	57 -	
4560		230.20		247.20B/230.20	247.20B/209.80A	----	----		229.60 + 22.20	.7209	----	1	----	57 +	
4565				251.20B/----	251.20B/213.30A	----	----		233.40 + 22.50	.7261	----	----	----	39 UNCH	
4570				255.10B/----	255.10B/216.90A	----	----		237.30 + 22.90	.7315	----	----	----	11 UNCH	
4575				259.10B/----	259.10B/220.50A	----	----		241.10 + 23.10	.7366					

BULLETIN #181@												METALS OPTION PRODUCTS												Mon, Sep 21, 2026												PG64	
GLOBEX OPEN		OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN	OUTCRY HIGH/LOW	OPEN	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																					
OG PUT		COMEX GOLD OPTIONS																																			
NOV26																																					
4830	----	----	----	479.70B/----	479.70B/428.00A	----	458.70	+	34.60	.9065	----	----	----	----	----	5	UNCH																				
4840	----	----	----	489.10B/----	489.10B/437.00A	----	468.10	+	34.90	.9103	----	----	----	----	----	4	UNCH																				
4845	----	----	----	493.80B/----	493.80B/441.70A	----	472.80	+	35.10	.9121	----	----	----	----	----	10	UNCH																				
4850	----	----	----	498.60B/----	498.60B/446.30A	----	477.50	+	35.20	.9140	----	----	----	----	----	133	UNCH																				
4855	----	----	----	503.30B/----	503.30B/450.90A	----	482.20	+	35.30	.9159	----	----	----	----	----	3	UNCH																				
4860	----	----	----	508.10B/----	508.10B/455.50A	----	486.90	+	35.40	.9177	----	----	----	----	----	1	UNCH																				
4865	----	----	----	512.80B/----	512.80B/460.10A	----	491.70	+	35.60	.9191	----	----	----	----	----	2	UNCH																				
4875	----	----	----	522.40B/----	522.40B/469.20A	----	501.10	+	35.80	.9223	----	----	----	----	----	3	UNCH																				
4885	----	----	----	531.90B/----	531.90B/478.50A	----	510.60	+	36.00	.9255	----	----	----	----	----	10	UNCH																				
4895	----	----	----	541.50B/----	541.50B/487.90A	----	520.20	+	36.30	.9287	----	----	----	----	----	3	UNCH																				
4900	----	----	----	546.30B/----	546.30B/492.60A	----	524.90	+	36.40	.9300	----	----	----	----	----	2	UNCH																				
4915	----	----	----	560.70B/----	560.70B/506.70A	----	539.30	+	36.80	.9340	----	----	----	----	----	4	UNCH																				
4920	----	----	----	563.00B/----	563.00B/511.40A	----	544.10	+	36.90	.9353	----	----	----	----	----	3	UNCH																				
4925	----	----	----	568.00B/----	568.00B/516.10A	----	548.90	+	37.00	.9367	----	----	----	----	----	4	UNCH																				
4930	532.50	532.50	532.50	570.80B/532.50	570.80B/520.80A	----	553.70		NEW	.9380	----	----	----	1	----	1	+																				
4935	----	----	----	577.50B/----	577.50B/525.60A	----	558.50	+	37.10	.9393	----	----	----	----	----	25	UNCH																				
4940	----	----	----	580.50B/----	580.50B/530.30A	----	563.30	+	37.20	.9401	----	----	----	----	----	1	UNCH																				
4950	----	----	----	592.00B/----	592.00B/539.80A	----	573.00	+	37.40	.9426	----	----	----	----	----	66	UNCH																				
4955	565.50	565.50	565.50	594.90B/565.50	594.90B/544.50A	----	577.80		NEW	.9434	----	----	----	1	----	1	+																				
4960	567.40	567.40	567.40	601.90B/567.40	601.90B/549.30A	----	582.70	+	37.70	.9447	----	----	----	----	----	4	+																				
4965	576.40	576.40	576.40	604.60B/576.40	604.60B/554.10A	----	587.50		NEW	.9455	----	----	----	1	----	1	+																				
4970	----	----	----	609.50B/----	609.50B/558.80A	----	592.30	+	37.70	.9468	----	----	----	----	----	2	UNCH																				
4975	591.50	591.50	591.50	614.40B/591.50	614.40B/563.60A	----	597.20		NEW	.9475	----	----	----	1	----	1	+																				
4995	----	----	----	633.80B/----	633.80B/582.80A	----	616.60	+	38.10	.9516	----	----	----	----	----	1	UNCH																				
5000	----	----	----	641.30B/----	641.30B/595.00A	----	621.50	+	38.20	.9523	----	----	----	----	----	258	UNCH																				
5010	----	----	----	648.50B/----	648.50B/604.60A	----	631.30	+	38.40	.9538	----	----	----	----	----	1	UNCH																				
5015	----	----	----	653.40B/----	653.40B/609.40A	----	636.10	+	38.40	.9550	----	----	----	----	----	1	UNCH																				
5020	----	----	----	660.20B/----	660.20B/614.30A	----	641.00	+	38.50	.9557	----	----	----	----	----	33	UNCH																				
5030	----	----	----	670.10B/----	670.10B/623.90A	----	650.80	+	38.70	.9572	----	----	----	----	----	5	UNCH																				
5055	----	----	----	694.50B/----	694.50B/648.20A	----	675.30	+	39.00	.9607	----	----	----	----	----	9	UNCH																				
5065	----	----	----	702.40B/----	702.40B/657.90A	----	685.10	+	39.10	.9621	----	----	----	----	----	1	UNCH																				
5070	----	----	----	709.20B/----	709.20B/662.80A	----	690.00	+	39.10	.9623	----	----	----	----	----	5	UNCH																				
5075	----	----	----	712.30B/----	712.30B/667.60A	----	694.90	+	39.10	.9630	----	----	----	----	----	2	UNCH																				
5080	----	----	----	717.10B/----	717.10B/672.50A	----	699.80	+	39.20	.9637	----	----	----	----	----	1	UNCH																				
5085	----	----	----	722.10B/----	722.10B/677.40A	----	704.70	+	39.20	.9643	----	----	----	----	----	2	UNCH																				
5090	----	----	----	727.00B/----	727.00B/682.30A	----	709.60	+	39.20	.9650	----	----	----	----	----	1	UNCH																				
5100	----	----	----	736.80B/----	736.80B/692.00A	----	719.50	+	39.40	.9659	----	----	----	----	----	1	UNCH																				
5105	----	----	----	741.80B/----	741.80B/696.90A	----	724.40	+	39.40	.9665	----	----	----	----	----	2	UNCH																				
5110	----	----	----	746.70B/----	746.70B/702.00A	----	729.30	+	39.40	.9672	----	----	----	----	----	2	UNCH																				
5125	----	----	----	761.50B/----	761.50B/716.70A	----	744.10	+	39.60	.9687	----	----	----	----	----	1	UNCH																				
5130	----	----	----	766.40B/----	766.40B/721.60A	----	749.00	+	39.60	.9688	----	----	----	----	----	2	UNCH																				
5140	----	----	----	776.30B/----	776.30B/731.40A	----	758.90	+	39.70	.9701	----	----	----	----	----	2	UNCH																				
5160	----	----	----	796.10B/----	796.10B/751.00A	----	778.70	+	39.90	.9717	----	----	----	----	----	1	UNCH																				
5185	----	----	----	820.90B/----	820.90B/775.40A	----	803.40	+	40.00	.9738	----	----	----	----	----	1	UNCH																				
5190	----	----	----	825.80B/----	825.80B/780.40A	----	808.30	+	40.00	.9744	----	----	----	----	----	2	UNCH																				
5200	----	----	----	837.60B/----	837.60B/790.20A	----	818.20	+	40.10	.9752	----	----	----	----	----	82	UNCH																				
5205	----	----	----	840.60B/----	840.60B/795.10A	----	823.10	+	40.00	.9753	----	----	----	----	----	2	UNCH																				
5215	----	----	----	850.60B/----	850.60B/805.00A	----	833.00	+	40.10	.9760	----	----	----	----	----	1	UNCH																				
5220	----	----	----	855.50B/----	855.50B/809.90A	----	838.00	+	40.20	.9766	----	----	----	----	----	1	UNCH																				
5225	----	----	----	860.50B/----	860.50B/814.80A	----	842.90	+	40.10	.9767	----	----	----	----	----	1	UNCH																				
5260	----	----	----	895.30B/----	895.30B/849.70A	----	877.60	+	40.30	.9789	----	----	----	----	----	2	UNCH																				
5265	----	----	----	900.20B/----	900.20B/854.40A	----	882.60	+	40.30	.9790	----	----	----	----	----	2	UNCH																				
5280	----	----	----	915.10B/----	915.10B/869.20A	----	897.50	+	40.40	.9803	----	----	----	----	----	1	UNCH																				
5295	----	----	----	930.00B/----	930.00B/884.10A	----	912.40	+	40.40	.9811	----	----	----	----	----	3	UNCH																				
5300	----	----	----	936.80B/----	936.80B/889.00A	----	917.30	+	40.30	.9812	----	----	----	----	----	3	UNCH																				
5310	----	----	----	945.00B/----	945.00B/899.00A	----	927.30	+	40.40	.9818	----	----	----	----	----	2	UNCH																				
5315	----	----	----	949.90B/----	949.90B/903.90A	----	932.20	+	40.40	.9819	----	----	----	----	----	2	UNCH																				
5320	----	----	----	954.90B/----	954.90B/908.90A	----	937.20	+	40.40	.9820	----	----	----	----	----	2	UNCH																				
5325	----	----	----	959.80B/----	959.80B/913.80A	----	942.20	+	40.40	.9826	----	----	----	----	----	1	UNCH																				
5350	----	----	----	984.80B/----	984.80B/938.60A	----	967.10	+	40.50	.9834	----	----	----	----	----	1	UNCH																				
5395	----	----	----	1,029.50B/----	1029.50B/983.30A	----	1011.90	+	40.50	.9850	----	----	----	----	----	6	UNCH																				
5400	----	----	----	1,034.50B/----	1034.50B/988.30A	----	1016.80	+	40.50	.9851	----	----	----	----	----	6	UNCH																				
5470	----	----	----	1,104.40B/----	1104.40B/1058.00A	----	1086.60	+	40.70	.9873	----	----	----	----	----	2	UNCH																				
5475	----	----	----	1,109.30B/----	1109.30B/1062.90A	----	1091.60	+	40.70	.9874	----	----	----	----	----	1	UNCH																				
5525	----	----	----	1,159.20B/----	1159.20B/1112.70A	----	1141.50	+	40.80	.9883	----	----	----	----	----	1	UNCH																				
5565	----	----	----	1,199.20B/----	1199.20B/1152.60A	----	1181.40	+	40.90	.9892	----	----	----	----	----	1	UNCH																				
5570	----	----	----	1,204.20B/----	1204.20B/1157.60A	----	1186.40	+	40.90	.9892	----	----	----	----	----	1	UNCH																				
5630	----	----	----	1,264.10B/----	1264.10B/1217.40A	----	1246.30	+	40.90	.9901	----	----	----	----	----	1	UNCH																				
TOTAL																4122	600	50236+	2101																		
DEC26																																					
1350	----	----	----	----	---/0.20A	----	0.10		UNCH	----	----	----	----	----	----	17	UNCH																				
1375	----	----	----	----	---/0.20A	----	0.10		UNCH	----	----	----	----	----	----	1	UNCH																				
1400	----	----	----	----	---/0.20A	----	0.10		UNCH	----	----	----	----	----	----	1	UNCH																				
1500	----	----	----	----	---/0.20A	----	0.10		UNCH	----	----	----	----	----	----	1	UNCH																				
1600	----	----	----	----	---/0.20A	----	0.10		UNCH	----	----	----	----	----	----	219	UNCH																				
1700	----	----	----	----	---/0.20A	----	0.10		UNCH	.0000	----	----	----	----	----	200	UNCH																				
1740	----	----	----	----	---/0.20A	----	0.10		UNCH	.0000	----	----	----	----	----	5	UNCH																				
1750	----	----	----	----	---/0.20A	----	0.10		UNCH	.0000	----	----	----	----	----	3	UNCH																				
1845	----	----	----	----	---/0.20A	----	0.10		UNCH	.0000	----	----	----	----	----	60	UNCH																				
1850	----	----	----	----	---/0.20A	----	0.10		UNCH	.0000	----	----	----	----	----	5	UNCH																				
1870	----	----	----	----	---/0.20A	----	0.10		UNCH	.0000	----	----	----	----	----	3	UNCH																				
1875	----	----	----	----	---/0.20A	----	0.10		UNCH	.0000	----	----	----	----	----	3	UNCH																				
1900	----	----	----	----	---/0.20A	----	0.10		UNCH	.0001	----	----	----	----	----	6	UNCH																				
2000	----	----	----	----	---/0.20A	----	0.10		UNCH	.0002	----	----	----	----	----	10	UNCH																				
2100	----	----	----	----	0.10B/0.30A	----	0.20		UNCH	.0006	----	----	----	----	----	1	UNCH																				
2200	----	----	----	----	0.10B/0.30A	----	0.20		UNCH	.0006	----	----	----	----	----	12	UNCH																				
2210	----	----	----	----	0.10B/0.30A	----	0.20		UNCH	.0006	----	----	----	----	----	14	UNCH																				
2225	----	----	----	----	0.10B/0.30A	----	0.20		UNCH	.0006	----	----	----	----	----	2	UNCH																				
2235	----	----	----	----	0.10B/0.30A	----	0.20		UNCH	.0006	----	----	----	----	----	1	UNCH																				
2240	----	----	----	----	0.10B/0.30A	----	0.20		UNCH	.0006	----	----	----	----	----	2	UNCH																				
2245	----	----	----	----	0.10B/0.30A	----	0.20		UNCH	.0006	----	----	----	----	----	3	UNCH																				
2250	----	----	----																																		

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT		COMEX GOLD OPTIONS															
DEC26																	
2975						1.60B/1.60A			1.60	UNCH	.0062				950	UNCH	
3000	1.60	1.60		1.70B/1.60	1.70B/1.60				1.70	UNCH	.0067			2	2177	UNCH	
3010				1.70B/1.80A	1.70B/1.80A				1.80	UNCH	.0070				1	UNCH	
3025				---/1.80A	1.80B/1.80A				1.90	UNCH	.0074				2	UNCH	
3035					1.80B/1.90A				1.90	UNCH	.0075				1	UNCH	
3045					1.90B/1.90A				2.00 +	0.10	.0079				3	UNCH	
3050				---/1.90A	1.90B/1.90A				2.00	UNCH	.0079				9	UNCH	
3060	2.00	2.00		2.10/2.00	2.10/2.00				2.00	UNCH	.0080			5	206 -	5	
3075				---/2.00A	2.00B/2.00A				2.10	UNCH	.0084				3	UNCH	
3080					2.10B/2.10A				2.10	UNCH	.0084				1	UNCH	
3085				---/2.10A	2.10B/2.10A				2.20	UNCH	.0088				2	UNCH	
3100	2.20	2.20		2.20/2.20	2.20/2.20				2.20	UNCH	.0089			27	161 -	2	
3110				---/2.20A	2.20B/2.20A				2.30	UNCH	.0092				1	UNCH	
3120					2.30B/2.30A				2.30	UNCH	.0093				3	UNCH	
3125				---/2.30A	2.30B/2.30A				2.40	UNCH	.0097				1	UNCH	
3130				---/2.30A	2.30B/2.30A				2.40	UNCH	.0097				11	UNCH	
3135					2.40B/2.40A				2.40	UNCH	.0098				1	UNCH	
3140				---/2.40A	2.40B/2.40A				2.50	UNCH	.0101				2	UNCH	
3145				---/2.40A	2.40B/2.40A				2.50	UNCH	.0102				2	UNCH	
3150				---/2.40A	2.40B/2.40A				2.50	UNCH	.0102			20	121	UNCH	
3155				---/2.50A	2.50B/2.50A				2.50 -	0.10	.0102				6	UNCH	
3160				---/2.50A	2.50B/2.50A				2.60	UNCH	.0106				4	UNCH	
3170				---/2.60A	2.60B/2.60A				2.60 -	0.10	.0107				2	UNCH	
3175				---/2.60A	2.60B/2.60A				2.70	UNCH	.0111				63	UNCH	
3185				---/2.70A	2.70B/2.70A				2.70 -	0.10	.0111				2	UNCH	
3190				---/2.70A	2.70B/2.70A				2.70 -	0.10	.0112				2	UNCH	
3195				---/2.70A	2.70B/2.70A				2.80	UNCH	.0116				2	UNCH	
3200	2.70	2.70		2.70/2.70	2.80B/2.70				2.80 -	0.10	.0116			1	193	UNCH	
3210				---/2.80A	2.80B/2.80A				2.90	UNCH	.0120				1	UNCH	
3215				---/2.90A	2.90B/2.90A				2.90 -	0.10	.0121				20	UNCH	
3225				---/2.90A	2.90B/2.90A				3.00	UNCH	.0125				4	UNCH	
3235	2.90	2.90		2.90/2.90	3.00B/2.90				3.00 -	0.10	.0126			11	12 +	11	
3240				---/3.00A	3.10B/3.00A				3.10	UNCH	.0130				11	UNCH	
3245				---/3.10A	3.10B/3.10A				3.10 -	0.10	.0131				19	UNCH	
3250				---/3.10A	3.10B/3.10A				3.10 -	0.10	.0131				582	UNCH	
3260				---/3.20A	3.20B/3.20A				3.20 -	0.10	.0135				1	UNCH	
3265				---/3.20A	3.20B/3.20A				3.20 -	0.10	.0136				27	UNCH	
3270				---/3.30A	3.30B/3.30A				3.30 -	0.10	.0140				17	UNCH	
3275				---/3.30A	3.30B/3.30A				3.30 -	0.10	.0141				10	UNCH	
3280				---/3.40A	3.40B/3.40A				3.30 -	0.20	.0141				4	UNCH	
3285				---/3.40A	3.40B/3.40A				3.40 -	0.10	.0145				13	UNCH	
3290				---/3.40A	3.40B/3.40A				3.40 -	0.10	.0146				7	UNCH	
3295				---/3.50A	3.50B/3.50A				3.50 -	0.10	.0150				1	UNCH	
3300				---/3.50A	3.50B/3.50A				3.50 -	0.10	.0150				681	UNCH	
3315				---/3.60A	3.70B/3.60A				3.60 -	0.20	.0156				11	UNCH	
3325				---/3.70A	3.70B/3.70A				3.70 -	0.20	.0160				70	UNCH	
3330				---/3.80A	3.80B/3.80A				3.70 -	0.20	.0161				2	UNCH	
3345				---/3.90A	3.90B/3.90A				3.90 -	0.10	.0170				3	UNCH	
3350				---/4.00A	4.00B/4.00A				3.90 -	0.20	.0171			10	27	UNCH	
3360	4.10	4.10		4.10/4.10	4.10/4.10				4.00 -	0.20	.0176			1	16 +	1	
3365				---/4.10A	4.10B/4.10A				4.10 -	0.10	.0180				7	UNCH	
3370				---/4.20A	4.20B/4.20A				4.10 -	0.20	.0180				3	UNCH	
3375				---/4.20A	4.20B/4.20A				4.20 -	0.10	.0185				266	UNCH	
3380				---/4.30A	4.30B/4.30A				4.20 -	0.20	.0185				12	UNCH	
3385				---/4.30A	4.40B/4.30A				4.30 -	0.10	.0190				35	UNCH	
3390				---/4.40A	4.40B/4.40A				4.30 -	0.20	.0191				101	UNCH	
3400				---/4.50A	4.50B/4.50A				4.40 -	0.20	.0196				2150	UNCH	
3410				---/4.60A	4.60B/4.60A				4.50 -	0.20	.0201				63	UNCH	
3420				---/4.70A	4.80B/4.70A				4.60 -	0.20	.0206				3	UNCH	
3425				---/4.70A	4.80B/4.70A				4.70 -	0.20	.0210				382	UNCH	
3430				---/4.80A	4.90B/4.80A				4.80 -	0.10	.0215				2	UNCH	
3435				---/4.90A	5.00B/4.90A				4.80 -	0.20	.0216				18	UNCH	
3440				---/4.90A	5.00B/4.90A				4.90 -	0.20	.0220				9	UNCH	
3445				---/5.00A	5.10B/5.00A				4.90 -	0.20	.0221				4	UNCH	
3450				---/5.00A	5.20B/5.00A				5.00 -	0.20	.0226				1302	UNCH	
3455				---/5.10A	5.20B/5.10A				5.10 -	0.10	.0230				2	UNCH	
3460	5.40	5.40		5.40/5.10A	5.40/5.10A				5.10 -	0.20	.0231			1	72 +	1	
3465	5.10	5.10		5.10/5.10	5.40B/5.10				5.20 -	0.20	.0236			2	226 +	1	
3470				5.50B/5.30A	5.50B/5.30A				5.30 -	0.10	.0240			10	12 +	10	
3475				---/5.30A	5.50B/5.30A				5.30 -	0.20	.0241				236	UNCH	
3480				---/5.40A	5.60B/5.40A				5.40 -	0.20	.0246				43	UNCH	
3485				---/5.50A	5.70B/5.50A				5.50 -	0.20	.0250				128	UNCH	
3490				5.80B/5.50A	5.80B/5.50A				5.60 -	0.10	.0255				29	UNCH	
3495				---/5.60A	5.80B/5.60A				5.60 -	0.20	.0256				4	UNCH	
3500	5.90	5.90		5.90/5.70A	5.90/5.70A				5.70 -	0.20	.0261			41	5847 +	17	
3505				6.00B/5.80A	6.00B/5.80A				5.80 -	0.10	.0266				3	UNCH	
3510				6.10B/5.80A	6.10B/5.80A				5.90 -	0.10	.0270				252	UNCH	
3515				6.20B/5.90A	6.20B/5.90A				5.90 -	0.20	.0272				136	UNCH	
3520	6.20	6.20		6.30B/6.00A	6.30B/6.00A												

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS															
DEC26																
3825	----	----	----	17.80B/15.70A	17.80B/15.70A	----	----	----	16.20 - 0.10	.0769	----	----	----	----	81	UNCH
3830	----	----	----	18.20B/16.00A	18.20B/16.00A	----	----	----	16.50 - 0.10	.0783	----	----	2	----	34	+
3835	----	----	----	18.60B/16.30A	18.60B/16.30A	----	----	----	16.90 UNCH	.0800	----	----	----	----	7	UNCH
3840	----	----	----	19.00B/16.60A	19.00B/16.60A	----	----	----	17.20 UNCH	.0814	----	----	1	----	57	UNCH
3845	----	----	----	19.30B/16.90A	19.30B/16.90A	----	----	----	17.50 - 0.10	.0829	----	----	1	----	8	+
3850	18.10	18.10	----	19.70B/17.30A	19.70B/17.30A	----	----	----	17.90 UNCH	.0846	----	8	----	570	+	
3855	----	----	----	20.10B/17.60A	20.10B/17.60A	----	----	----	18.30 + 0.10	.0863	----	----	----	----	65	UNCH
3860	----	----	----	20.60B/18.00A	20.60B/18.00A	----	----	----	18.60 UNCH	.0877	----	----	----	----	29	UNCH
3865	----	----	----	20.90B/18.30A	20.90B/18.30A	----	----	----	19.00 UNCH	.0895	----	----	----	----	13	UNCH
3870	----	----	----	21.40B/18.70A	21.40B/18.70A	----	----	----	19.40 + 0.10	.0912	----	----	----	----	13	UNCH
3875	20.00	20.00	----	21.90B/19.10A	21.90B/19.10A	----	----	----	19.80 + 0.10	.0930	----	1	----	95	+	
3880	----	----	----	22.30B/19.50A	22.30B/19.50A	----	----	----	20.20 + 0.10	.0948	----	2	----	15	+	
3885	----	----	----	22.70B/19.80A	22.70B/19.80A	----	----	----	20.70 + 0.20	.0968	----	----	----	----	44	UNCH
3890	----	----	----	23.30B/20.30A	23.30B/20.30A	----	----	----	21.10 + 0.20	.0986	----	----	----	----	11	UNCH
3895	----	----	----	23.70B/20.70A	23.70B/20.70A	----	----	----	21.50 + 0.20	.1004	----	----	----	----	238	UNCH
3900	21.50	21.50	----	24.20B/21.10A	24.20B/21.10A	----	----	----	22.00 + 0.20	.1024	----	100	250	3853	-	76
3905	----	----	----	24.70B/21.50A	24.70B/21.50A	----	----	----	22.50 + 0.30	.1045	----	----	----	----	24	UNCH
3910	----	----	----	25.30B/22.00A	25.30B/22.00A	----	----	----	22.90 + 0.20	.1063	----	----	----	----	24	UNCH
3915	----	----	----	25.90B/22.40A	25.90B/22.40A	----	----	----	23.40 + 0.30	.1084	----	----	----	----	250	UNCH
3920	----	----	----	26.40B/22.90A	26.40B/22.90A	----	----	----	23.90 + 0.30	.1105	----	----	----	----	58	UNCH
3925	----	----	----	27.00B/23.40A	27.00B/23.40A	----	----	----	24.40 + 0.30	.1126	----	----	----	----	464	UNCH
3930	25.60	25.60	----	27.50B/23.90A	27.50B/23.90A	----	----	----	25.00 + 0.40	.1150	----	23	----	49	+	16
3935	----	----	----	28.20B/24.40A	28.20B/24.40A	----	----	----	25.50 + 0.40	.1172	----	----	----	----	148	UNCH
3940	----	----	----	28.80B/24.90A	28.80B/24.90A	----	----	----	26.00 + 0.40	.1193	----	----	----	----	53	UNCH
3945	----	----	----	29.40B/25.40A	29.40B/25.40A	----	----	----	26.60 + 0.50	.1217	----	4	----	41	+	4
3950	----	----	----	30.00B/26.00A	30.00B/26.00A	----	----	----	27.20 + 0.60	.1241	----	52	450	3221	+	451
3955	27.40	27.40	----	30.70B/26.50A	30.70B/26.50A	----	----	----	27.80 + 0.60	.1265	----	1	----	28	UNCH	1
3960	28.00	28.00	----	31.40B/27.10A	31.40B/27.10A	----	----	----	28.40 + 0.60	.1290	----	10	----	30	-	1
3965	----	----	----	32.10B/27.70A	32.10B/27.70A	----	----	----	29.00 + 0.70	.1314	----	----	----	64	UNCH	1
3970	----	----	----	32.80B/28.30A	32.80B/28.30A	----	----	----	29.60 + 0.70	.1338	----	1	----	224	+	1
3975	31.50	31.50	----	33.50B/28.90A	33.50B/28.90A	----	----	----	30.30 + 0.80	.1365	----	1	----	210	-	1
3980	----	----	----	34.20B/29.50A	34.20B/29.50A	----	----	----	30.90 + 0.80	.1390	----	2	----	206	+	2
3985	31.20	31.20	----	35.00B/30.10A	35.00B/30.10A	----	----	----	31.60 + 0.80	.1417	----	1	----	9	+	1
3990	----	----	----	35.80B/30.90A	35.80B/30.90A	----	----	----	32.30 + 0.90	.1444	----	3	----	19	UNCH	1
3995	32.20	32.20	----	36.60B/31.60A	36.60B/31.60A	----	----	----	33.00 + 0.90	.1472	----	1	----	15	UNCH	1
4000	33.00	33.00	----	37.40B/32.20A	37.40B/32.20A	----	----	----	33.70 + 0.90	.1499	----	324	----	3966	+	76
4005	34.00	34.00	----	38.20B/32.90A	38.20B/32.90A	----	----	----	34.40 + 1.00	.1527	----	2	----	75	-	1
4010	----	----	----	39.10B/33.70A	39.10B/33.70A	----	----	----	35.20 + 1.10	.1556	----	----	----	33	UNCH	1
4015	35.50	35.50	----	39.90B/34.40A	39.90B/34.40A	----	----	----	36.00 + 1.10	.1586	----	3	----	42	+	1
4020	36.30	36.30	----	40.90B/35.10A	40.90B/35.10A	----	----	----	36.80 + 1.20	.1616	----	1	----	52	+	1
4025	37.10	37.10	----	41.70B/35.90A	41.70B/35.90A	----	----	----	37.60 + 1.20	.1646	----	8	----	835	+	6
4030	37.90	37.90	----	42.60B/36.70A	42.60B/36.70A	----	----	----	38.40 + 1.30	.1677	----	1	----	24	+	1
4035	38.50	38.50	----	43.60B/37.50A	43.60B/37.50A	----	----	----	39.20 + 1.30	.1707	----	14	----	88	+	13
4040	39.60	39.60	----	44.50B/38.30A	44.50B/38.30A	----	----	----	40.10 + 1.40	.1739	----	16	----	184	+	2
4045	----	----	----	45.60B/39.10A	45.60B/39.10A	----	----	----	41.00 + 1.50	.1772	----	----	----	13	UNCH	1
4050	41.40	41.40	----	46.60B/40.00A	46.60B/40.00A	----	----	----	41.90 + 1.50	.1805	----	8	----	1194	+	6
4055	----	----	----	47.50B/40.80A	47.50B/40.80A	----	----	----	42.80 + 1.60	.1837	----	3	----	20	+	2
4060	----	----	----	48.60B/41.70A	48.60B/41.70A	----	----	----	43.70 + 1.60	.1870	----	----	----	128	UNCH	1
4065	----	----	----	49.60B/42.60A	49.60B/42.60A	----	----	----	44.70 + 1.70	.1905	----	----	----	64	UNCH	1
4070	----	----	----	50.80B/43.60A	50.80B/43.60A	----	----	----	45.70 + 1.80	.1940	----	----	----	37	UNCH	1
4075	----	----	----	51.80B/44.50A	51.80B/44.50A	----	----	----	46.70 + 1.90	.1975	----	103	----	293	-	76
4080	49.80	49.80	----	53.00B/45.50A	53.00B/45.50A	----	----	----	47.70 + 2.00	.2010	----	2	----	509	UNCH	1
4085	----	----	----	54.10B/46.40A	54.10B/46.40A	----	----	----	48.70 + 2.00	.2045	----	----	----	46	UNCH	1
4090	----	----	----	55.30B/47.40A	55.30B/47.40A	----	----	----	49.80 + 2.10	.2082	----	1	----	132	+	1
4095	50.80	50.80	----	56.50B/48.50A	56.50B/48.50A	----	----	----	50.90 + 2.20	.2119	----	5	----	67	+	4
4100	54.80	54.80	----	57.80B/49.50A	57.80B/49.50A	----	----	----	52.00 + 2.30	.2157	----	195	3	1571	-	51
4105	52.70	52.70	----	58.90B/50.60A	58.90B/50.60A	----	----	----	53.10 + 2.40	.2194	----	3	----	30	-	3
4110	----	----	----	60.30B/51.70A	60.30B/51.70A	----	----	----	54.30 + 2.50	.2233	----	----	----	37	UNCH	1
4115	----	----	----	61.60B/52.80A	61.60B/52.80A	----	----	----	55.50 + 2.60	.2272	----	----	----	72	UNCH	1
4120	----	----	----	62.90B/53.90A	62.90B/53.90A	----	----	----	56.70 + 2.70	.2311	----	----	----	682	UNCH	1
4125	----	----	----	64.10B/----	64.10B/55.10A	----	----	----	57.90 + 2.80	.2351	----	29	----	187	+	9
4130	----	----	----	65.60B/56.20A	65.60B/56.20A	----	----	----	59.10 + 2.80	.2390	----	----	----	736	UNCH	1
4135	----	----	----	67.00B/----	67.00B/57.40A	----	----	----	60.40 + 3.00	.2431	----	1	----	10	+	1
4140	----	----	----	68.40B/----	68.40B/58.70A	----	----	----	61.70 + 3.10	.2472	----	8	----	77	+	5
4145	61.70	61.70	----	69.70B/61.70	69.70B/59.90A	----	----	----	63.00 + 3.20	.2513	----	5	----	56	-	4
4150	64.50	64.50	----	71.30B/61.20A	71.30B/61.20A	----	----	----	64.40 + 3.30	.2556	----	344	150	1092	+	28
4155	----	----	----	72.70B/----	72.70B/62.50A	----	----	----	65.80 + 3.50	.2598	----	----	----	34	UNCH	1
4160	----	----	----	74.20B/----	74.20B/63.80A	----	----	----	67.20 + 3.60	.2641	----	----	----	357	UNCH	1
4165	----	----	----	75.80B/----	75.80B/65.10A	----	----	----	68.60 + 3.70	.2684	----	----	----	82	UNCH	1
4170	----	----	----	77.30B/----	77.30B/66.50A	----	----	----	70.00 + 3.80	.2726	----	----	----	64	UNCH	1
4175	----	----	----	78.90B/----	78.90B/67.90A	----	----	----	71.50 + 3.90	.2770	----	12	----	204	+	1
4180	70.40	70.40	----	80.50B/70.40	80.50B/69.30A	----	----	----	73.00 + 4.10	.2815	----	5	----	48	-	1
4185	----	----	----	82.20B/----	82.20B/70.70A	----	----	----	74.50 + 4.20	.2859	----	----	----	28	UNCH	1
4190	----	----	----	84.00B/----	84.00B/72.10A	----	----	----	76.10 + 4.40	.2904	----	----	----	348	UNCH	1
4195	77.60	77.60	----	85.60B/77.60	85.60B/73.60A	----	----	----	77.70 + 4.50	.2950	----	3	----	34	+	3
4200	80.00	80.00	----	87.40B/75.10A	87.40B/75.10A	----	----	----	79.30 + 4.60	.2995	----	78	----	2804	+	30
4205	84.00	84.00	----	89.10B/84.00	89.10B/76.70A	----	----	----	80.90 + 4.80	.3041	----	1	----	43	+	1
4210	----	----	----	90.80B/----	90.80B/78.20A	----	----	----	82.60 + 4.90	.3087	----	----	----	103	UNCH	1
4215	----	----	----	92.70B/----	92.70B/79.80A	----	----	----	84.30 + 5.10	.3134	----	----	----	164	UNCH	1
4220	86.90	86.90	----	94.50B/86.90	94.50B/81.40A	----	----	----	86.00 + 5.20	.3181	----	1	----	40	-	1
4225	----	----	----	96.40B/----	96.40B/83.10A	----	----	----	87.70 + 5.40	.3228	----	----	----	186	UNCH	1
4230	----	----	----	98.30B/----	98.30B/84.80A	----	----	----	89.50 + 5.50	.3275	----	----	----	424	UNCH	1
4235	----	----	----	100.20B/----	100.20B/86.40A	----	----	----	91.30 + 5.70	.3323	----	----	----	92	UNCH	1
4240	----	----	----	102.10B/----	102.10B/88.20A	----	----	----	93.10 + 5.80	.3371	----	4	----	53	+	2
4245	----	----	----	104.10B/----	104.10B/89.90A	----	----	----	95.00 + 6.10	.3419	----	----	----	32	UNCH	1
4250	93.00	93.00	----	106.20B/93.00	106.20B/91.70A	----	----	----	96.80 + 6.10	.3467	----	63	----	2243	+	3
4255	99.00	99.00	----	108.20B/99.00	108.20B/93.											

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS													
DEC26	----	----	----	246.90B/----	246.90B/217.40A	----	----	232.40 + 17.30	.6043	----	----	----	----	17	UNCH
4510	----	----	----	250.30B/----	250.30B/220.70A	----	----	235.70 + 17.60	.6089	----	----	----	----	269	UNCH
4515	----	----	----	253.70B/----	253.70B/223.80A	----	----	239.00 + 17.80	.6135	----	----	----	----	46	UNCH
4520	----	----	----	257.10B/----	257.10B/226.90A	----	----	242.30 + 18.00	.6179	----	----	----	----	384	UNCH
4525	----	----	----	260.50B/----	260.50B/229.90A	----	----	245.70 + 18.20	.6224	----	----	----	----	56	UNCH
4530	----	----	----	264.00B/----	264.00B/233.00A	----	----	249.00 + 18.40	.6269	----	----	----	----	108	UNCH
4535	----	----	----	267.40B/----	267.40B/236.20A	----	----	252.40 + 18.60	.6314	----	----	----	----	20	UNCH
4540	----	----	----	270.90B/----	270.90B/239.40A	----	----	255.90 + 18.90	.6358	----	----	----	----	61	UNCH
4545	----	----	----	274.50B/----	274.50B/242.70A	----	----	259.30 + 19.10	.6402	----	----	----	----	320	UNCH
4550	----	----	----	278.00B/----	278.00B/246.60A	----	----	262.80 + 19.40	.6445	----	----	----	----	62	UNCH
4555	----	----	----	281.60B/----	281.60B/249.90A	----	----	266.30 + 19.60	.6489	----	----	----	----	11	UNCH
4560	----	----	----	285.10B/----	285.10B/253.30A	----	----	269.80 + 19.80	.6531	----	----	----	----	5	UNCH
4565	----	----	----	288.70B/----	288.70B/256.60A	----	----	273.30 + 20.00	.6574	----	----	----	----	25	UNCH
4570	----	----	----	292.30B/----	292.30B/260.10A	----	----	276.90 + 20.30	.6616	----	----	----	----	220	UNCH
4575	----	----	----	296.00B/----	296.00B/263.50A	----	----	280.40 + 20.50	.6658	----	----	----	----	179	UNCH
4580	----	----	----	299.60B/----	299.60B/266.90A	----	----	284.00 + 20.70	.6699	----	----	----	----	351	UNCH
4585	----	----	----	303.30B/----	303.30B/270.30A	----	----	287.60 + 20.90	.6740	----	----	----	----	13	UNCH
4590	----	----	----	307.00B/----	307.00B/273.80A	----	----	291.30 + 21.20	.6782	----	----	----	----	31	UNCH
4595	----	----	----	310.70B/----	310.70B/277.30A	----	----	294.90 + 21.40	.6822	----	----	----	----	978	UNCH
4600	----	----	----	314.50B/----	314.50B/280.70A	----	----	298.60 + 21.60	.6862	----	----	----	----	24	UNCH
4605	----	----	----	318.20B/----	318.20B/284.20A	----	----	302.30 + 21.80	.6902	----	----	----	----	22	UNCH
4610	----	----	----	322.00B/----	322.00B/287.70A	----	----	306.00 + 22.00	.6941	----	----	----	----	5	UNCH
4615	----	----	----	325.80B/----	325.80B/291.20A	----	----	309.80 + 22.30	.6981	----	----	----	----	61	UNCH
4620	----	----	----	329.60B/----	329.60B/294.80A	----	----	313.50 + 22.50	.7019	----	----	----	----	59	UNCH
4625	----	----	----	333.30B/----	333.30B/298.40A	----	----	317.30 + 22.80	.7057	----	----	1	----	4	UNCH
4630	----	----	----	337.20B/----	337.20B/302.00A	----	----	321.10 + 23.00	.7096	----	----	1	----	28	+
4635	----	----	----	341.00B/----	341.00B/305.60A	----	----	324.90 + 23.20	.7132	----	----	----	----	118	UNCH
4640	----	----	----	348.90B/----	348.90B/312.90A	----	----	332.60 + 23.70	.7207	----	----	----	----	235	UNCH
4650	----	----	----	352.70B/----	352.70B/316.60A	----	----	336.40 + 23.80	.7243	----	----	----	----	12	UNCH
4655	----	----	----	356.70B/----	356.70B/320.20A	----	----	340.30 + 24.10	.7279	----	----	----	----	128	UNCH
4660	----	----	----	360.60B/----	360.60B/324.00A	----	----	344.20 + 24.30	.7316	----	----	----	----	55	UNCH
4665	----	----	----	364.60B/----	364.60B/327.70A	----	----	348.10 + 24.50	.7350	----	----	----	----	20	UNCH
4670	----	----	----	368.50B/----	368.50B/331.40A	----	----	352.10 + 24.80	.7386	----	----	----	----	15	UNCH
4675	----	----	----	372.60B/----	372.60B/335.20A	----	----	356.00 + 24.90	.7420	----	----	----	----	65	UNCH
4680	----	----	----	376.60B/----	376.60B/338.90A	----	----	360.00 + 25.20	.7455	----	----	----	----	18	UNCH
4685	----	----	----	380.60B/----	380.60B/342.80A	----	----	364.00 + 25.40	.7489	----	----	----	----	146	UNCH
4690	----	----	----	384.60B/----	384.60B/346.50A	----	----	368.00 + 25.60	.7523	----	----	----	----	34	UNCH
4695	----	----	----	388.80B/----	388.80B/350.40A	----	----	372.00 + 25.80	.7555	----	----	----	----	731	UNCH
4700	----	----	----	392.70B/----	392.70B/354.20A	----	----	376.00 + 26.00	.7589	----	----	----	----	16	UNCH
4705	----	----	----	396.80B/----	396.80B/358.10A	----	----	380.00 + 26.10	.7621	----	----	----	----	22	UNCH
4710	----	----	----	400.90B/----	400.90B/362.10A	----	----	384.10 + 26.40	.7652	----	----	----	----	13	UNCH
4715	----	----	----	405.10B/----	405.10B/365.90A	----	----	388.20 + 26.60	.7684	----	----	----	----	17	UNCH
4720	----	----	----	408.60B/----	408.60B/369.70A	----	----	392.30 + 26.80	.7716	----	----	----	----	139	UNCH
4725	----	----	----	412.70B/----	412.70B/373.80A	----	----	396.40 + 27.00	.7748	----	----	----	----	9	UNCH
4730	----	----	----	416.90B/----	416.90B/377.70A	----	----	400.50 + 27.20	.7779	----	----	----	----	5	UNCH
4735	----	----	----	421.10B/----	421.10B/381.70A	----	----	404.60 + 27.30	.7809	----	----	----	----	7	UNCH
4740	----	----	----	423.80B/----	423.80B/385.70A	----	----	408.80 + 27.60	.7838	----	----	----	----	2	UNCH
4745	----	----	----	429.40B/----	429.40B/389.70A	----	----	412.90 + 27.70	.7870	----	----	----	----	74	UNCH
4750	----	----	----	433.70B/----	433.70B/393.70A	----	----	417.10 + 27.90	.7899	----	----	----	----	18	UNCH
4755	----	----	----	437.90B/----	437.90B/397.70A	----	----	421.30 + 28.10	.7926	----	----	----	----	25	UNCH
4760	----	----	----	438.60B/----	438.60B/401.80A	----	----	425.50 + 28.30	.7955	----	----	----	----	1	UNCH
4765	----	----	----	441.70B/----	441.70B/405.80A	----	----	429.70 + 28.40	.7984	----	----	----	----	6	+
4770	432.00	432.00	----	450.70B/431.30	450.70B/409.70A	----	----	433.90 + 28.60	.8011	----	----	2	----	2	UNCH
4775	----	----	----	450.00B/----	450.00B/413.80A	----	----	438.20 + 28.80	.8040	----	----	114	----	73	+
4780	446.20	446.20	----	463.60B/446.20	463.60B/422.30A	----	----	446.70 + 29.10	.8093	----	----	----	----	1	UNCH
4785	----	----	----	462.80B/----	462.80B/426.20A	----	----	451.00 + 29.30	.8120	----	----	----	----	358	UNCH
4790	----	----	----	472.70B/----	472.70B/430.60A	----	----	455.20 + 29.40	.8146	----	----	----	----	55	UNCH
4795	----	----	----	480.90B/----	480.90B/438.90A	----	----	463.90 + 29.80	.8199	----	----	----	----	10	UNCH
4800	----	----	----	485.30B/----	485.30B/442.80A	----	----	468.20 + 30.00	.8223	----	----	----	----	21	UNCH
4805	----	----	----	489.70B/----	489.70B/447.00A	----	----	472.50 + 30.10	.8249	----	----	----	----	112	UNCH
4810	----	----	----	494.00B/----	494.00B/457.90A	----	----	476.90 + 30.30	.8273	----	----	----	----	15	UNCH
4815	----	----	----	498.40B/----	498.40B/462.30A	----	----	481.20 + 30.40	.8297	----	----	----	----	125	UNCH
4820	----	----	----	502.70B/----	502.70B/466.40A	----	----	485.60 + 30.60	.8321	----	----	----	----	16	UNCH
4825	----	----	----	516.10B/----	516.10B/479.30A	----	----	498.80 + 31.10	.8391	----	----	----	----	4	UNCH
4830	----	----	----	524.90B/----	524.90B/487.90A	----	----	507.60 + 31.30	.8436	----	----	----	----	2	UNCH
4835	----	----	----	523.20B/----	523.20B/493.80A	----	----	512.00 + 31.50	.8459	----	----	----	----	10	UNCH
4840	----	----	----	527.60B/----	527.60B/498.20A	----	----	516.50 + 31.70	.8480	----	----	----	----	16	UNCH
4845	----	----	----	538.30B/----	538.30B/501.20A	----	----	520.90 + 31.70	.8501	----	----	----	----	111	UNCH
4850	----	----	----	542.80B/----	542.80B/505.40A	----	----	525.40 + 31.90	.8524	----	----	----	----	4	UNCH
4855	----	----	----	560.90B/----	560.90B/523.30A	----	----	543.30 + 32.40	.8603	----	----	----	----	238	UNCH
4860	----	----	----	579.00B/----	579.00B/540.80A	----	----	561.40 + 33.00	.8681	----	----	----	----	1	UNCH
4865	----	----	----	583.60B/----	583.60B/545.50A	----	----	565.90 + 33.00	.8699	----	----	----	----	29	UNCH
4870	----	----	----	580.90B/----	580.90B/551.60A	----	----	570.50 + 33.20	.8716	----	----	----	----	24	UNCH
4875	----	----	----	585.40B/----	585.40B/556.00A	----	----	575.10 + 33.40	.8736	----	----	----	----	42	UNCH
4880	----	----	----	597.40B/----	597.40B/558.80A	----	----	579.60 + 33.40	.8754	----	----	----	----	5	UNCH
4885	----	----	----	606.60B/----	606.60B/568.00A	----	----	588.80 + 33.70	.8788	----	----	----	----	32	UNCH
4890	----	----	----	629.70B/----	629.70B/590.40A	----	----	611.80 + 34.30	.8870	----	----	----	----	8	UNCH
4895	----	----	----	634.30B/----	634.30B/595.20A	----	----	616.50 + 34.40	.8884	----	----	----	----	551	UNCH
4900	----	----	----	648.30B/----	648.30B/608.80A	----	----	630.40 + 34.70	.8928	----	----	----	----	8	UNCH
4905	----	----	----	654.00B/----	654.00B/612.40A	----	----	635.00 + 34.80	.8945	----	----	----	----	210	UNCH
4910	----	----	----	671.70B/----	671.70B/631.70A	----	----	653.70 + 35.20	.8999	----	----	----	----	8	UNCH
4915	----	----	----	676.30B/----	676.30B/636.30A	----	----	658.40 + 35.30	.9013	----	----	----	----	8	UNCH
4920	----	----	----	685.70B/----	685.70B/645.60A	----	----	667.80 + 35.50	.9040	----	----	----	----	201	UNCH
4925	----	----	----	699.80B/----	699.80B/659.70A	----	----	681.90 + 35.80	.9077	----	----	----	----	2	UNCH
4930	----	----	----	709.00B/----	709.00B/681.20A	----	----	700.80 + 36.20	.9126	----	----	----	----	100	UNCH
4935	----	----	----	723.50B/----	723.50B/684.00A	----	----	705.60 + 36.30	.9136	----	----	----	----	6	UNCH
4940	----	----	----	740.50B/----	740.50B/703.00A	----	----	724.60 + 36.60	.9182	----	----	----	----	30	UNCH
4945	----	----	----	745.30B/----	745.30B/707.80A	----	----	729.30 + 36.70	.9192	----	----	----	----	1	UNCH
4950	----	----	----	780.30B/----	780.30B/757.50A	----	----	777.20 + 37.40	.9291	----	----	----	----	5	UNCH
4955	----	----	----	838.60B/----	838.60B/798.30A	----	----	820.50 + 37.90	.9364	----	----	----	----	34	UNCH
4960	----	----	----	843.40B/----	843.40B/803.10A	----	----	825.30 + 38.00	.9374	----	----	----	----	1	UNCH
4965	----	----	----	863.80B/----	863.80B/844.60A	----	----	864.10 + 38.40	.9429	----	----	----	----	126	UNCH
4970	----	----	----	891.90B/----	891.90B/850.40A	----	----	873.80 + 38.50							

BULLETIN #181@										METALS OPTION PRODUCTS										Mon, Sep 21, 2026		PG64
LOBEX OPEN	OPEN OPEN	OUTCRY RANGE	LOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
COMEX GOLD OPTIONS																						
JAN27																						
3090	----	----	----	3.80B/3.90A	----	----	----	3.80 - 0.10	.0133	----	----	----	----	21	UNCH							
3095	----	----	----	3.80B/3.90A	----	----	----	3.90 UNCH	.0136	----	----	----	----	218	UNCH							
3100	----	----	----	3.90B/4.00A	----	----	----	3.90 UNCH	.0137	----	----	1	----	35	UNCH							
3105	----	----	----	3.90B/4.00A	----	----	----	3.90 - 0.10	.0137	----	----	----	----	16	UNCH							
3110	----	----	----	3.90B/4.00A	----	----	----	4.00 UNCH	.0140	----	----	----	----	4	UNCH							
3125	----	----	----	4.10B/4.20A	----	----	----	4.10 - 0.10	.0145	----	----	----	----	7	UNCH							
3160	----	----	----	4.40B/4.50A	----	----	----	4.40 - 0.10	.0157	----	----	----	----	1	UNCH							
3200	----	----	----	4.80B/4.90A	----	----	----	4.80 - 0.10	.0173	----	----	----	----	1	UNCH							
3240	----	----	/5.30A	5.30B/5.30A	----	----	----	5.20 - 0.20	.0189	----	----	----	----	15	UNCH							
3250	----	----	/5.40A	5.40B/5.40A	----	----	----	5.30 - 0.20	.0194	----	----	----	----	20	UNCH							
3280	----	----	/5.80A	5.70B/5.80A	----	----	----	5.70 - 0.20	.0209	----	----	----	----	1	UNCH							
3285	----	----	/5.80A	5.80B/5.80A	----	----	----	5.70 - 0.20	.0210	----	----	----	----	2	UNCH							
3295	----	----	/6.00A	6.10B/6.00A	----	----	----	5.90 - 0.20	.0218	----	----	----	----	5	UNCH							
3300	----	----	/6.00A	6.10B/6.00A	----	----	----	5.90 - 0.20	.0218	----	----	----	----	57	UNCH							
3305	----	----	/6.10A	6.20B/6.10A	----	----	----	6.00 - 0.20	.0222	----	----	----	----	15	UNCH							
3310	----	----	/6.20A	6.20B/6.20A	----	----	----	6.10 - 0.20	.0226	----	----	----	----	2	UNCH							
3350	----	----	/6.70A	6.90B/6.70A	----	----	----	6.60 - 0.30	.0247	----	----	4	----	4	+							
3370	----	----	7.30B/7.10A	7.30B/7.10A	----	----	----	7.00 - 0.20	.0263	----	----	1	----	3	+							
3380	----	----	7.50B/7.20A	7.50B/7.20A	----	----	----	7.10 - 0.30	.0268	----	----	----	----	56	UNCH							
3385	----	----	7.60B/7.30A	7.60B/7.30A	----	----	----	7.20 - 0.30	.0272	----	----	----	----	3	UNCH							
3400	----	----	7.90B/7.50A	7.90B/7.50A	----	----	----	7.50 - 0.20	.0283	----	----	4	----	330	+							
3420	----	----	8.30B/7.90A	8.30B/7.90A	----	----	----	7.90 - 0.20	.0299	----	----	----	----	6	UNCH							
3425	----	----	8.40B/8.00A	8.40B/8.00A	----	----	----	8.00 - 0.20	.0303	----	----	----	----	3	UNCH							
3430	----	----	8.50B/8.10A	8.50B/8.10A	----	----	----	8.10 - 0.20	.0307	----	----	----	----	5	UNCH							
3440	----	----	8.70B/8.30A	8.70B/8.30A	----	----	----	8.30 - 0.20	.0316	----	----	----	----	5	UNCH							
3445	----	----	8.80B/8.40A	8.80B/8.40A	----	----	----	8.40 - 0.20	.0320	----	----	----	----	1	UNCH							
3450	----	----	9.00B/8.50A	9.00B/8.50A	----	----	----	8.50 - 0.20	.0324	----	----	8	----	19	+							
3455	----	----	9.10B/8.60A	9.10B/8.60A	----	----	----	8.60 - 0.20	.0328	----	----	----	----	2	UNCH							
3460	----	----	9.20B/8.80A	9.20B/8.80A	----	----	----	8.70 - 0.30	.0332	----	----	----	----	1	UNCH							
3480	----	----	9.70B/9.20A	9.70B/9.20A	----	----	----	9.20 - 0.20	.0352	----	----	----	----	2	UNCH							
3495	----	----	10.10B/9.50A	10.10B/9.50A	----	----	----	9.60 - 0.20	.0368	----	----	----	----	5	UNCH							
3500	----	----	10.30B/9.70A	10.30B/9.70A	----	----	----	9.70 - 0.20	.0372	----	----	2	----	83	UNCH							
3510	----	----	10.60B/9.90A	10.60B/9.90A	----	----	----	10.00 - 0.20	.0384	----	----	----	----	2	UNCH							
3520	----	----	10.90B/10.20A	10.90B/10.20A	----	----	----	10.20 - 0.30	.0393	----	----	----	----	1	UNCH							
3530	----	----	11.20B/10.50A	11.20B/10.50A	----	----	----	10.50 - 0.30	.0404	----	----	----	----	18	UNCH							
3545	----	----	11.70B/11.00A	11.70B/11.00A	----	----	----	11.00 - 0.20	.0424	----	----	----	----	1	UNCH							
3550	----	----	11.90B/11.10A	11.90B/11.10A	----	----	----	11.10 - 0.30	.0428	----	----	5	----	1140	UNCH							
3560	----	----	12.20B/11.40A	12.20B/11.40A	----	----	----	11.50 - 0.20	.0443	----	----	----	----	6	+							
3565	----	----	12.40B/11.50A	12.40B/11.50A	----	----	----	11.60 - 0.30	.0448	----	----	----	----	5	UNCH							
3570	----	----	12.60B/11.70A	12.60B/11.70A	----	----	----	11.80 - 0.30	.0455	----	----	----	----	3	UNCH							
3575	----	----	12.80B/11.90A	12.80B/11.90A	----	----	----	12.00 - 0.20	.0463	----	----	----	----	29	UNCH							
3580	----	----	13.00B/12.10A	13.00B/12.10A	----	----	----	12.20 - 0.20	.0470	----	----	----	----	8	UNCH							
3585	----	----	13.20B/12.20A	13.20B/12.20A	----	----	----	12.30 - 0.30	.0475	----	----	----	----	215	UNCH							
3595	----	----	13.60B/12.60A	13.60B/12.60A	----	----	----	12.70 - 0.30	.0490	----	----	----	----	10	UNCH							
3600	13.90	13.90	----	14.10/12.70A	----	----	----	12.90 - 0.20	.0498	----	----	16	----	191	+							
3605	----	----	14.00B/13.00A	14.00B/13.00A	----	----	----	13.10 - 0.20	.0506	----	----	----	----	16	UNCH							
3615	----	----	14.40B/13.40A	14.40B/13.40A	----	----	----	13.50 - 0.20	.0521	----	----	----	----	26	UNCH							
3620	----	----	14.60B/13.50A	14.60B/13.50A	----	----	----	13.70 - 0.20	.0529	----	----	----	----	18	UNCH							
3625	----	----	14.90B/13.70A	14.90B/13.70A	----	----	----	13.90 - 0.20	.0536	----	----	----	----	14	UNCH							
3630	----	----	15.10B/13.90A	15.10B/13.90A	----	----	----	14.10 - 0.20	.0544	----	----	----	----	14	UNCH							
3650	----	----	16.10B/14.80A	16.10B/14.80A	----	----	----	15.00 - 0.20	.0579	----	----	----	----	48	UNCH							
3670	----	----	17.10B/15.80A	17.10B/15.80A	----	----	----	16.00 - 0.20	.0616	----	----	----	----	2	UNCH							
3680	----	----	17.70B/16.20A	17.70B/16.20A	----	----	----	16.50 - 0.20	.0635	----	----	----	----	1	UNCH							
3685	----	----	18.00B/16.50A	18.00B/16.50A	----	----	----	16.80 - 0.10	.0646	----	----	----	----	2	UNCH							
3690	----	----	18.30B/16.80A	18.30B/16.80A	----	----	----	17.00 - 0.20	.0654	----	----	----	----	1	UNCH							
3695	----	----	18.60B/17.00A	18.60B/17.00A	----	----	----	17.30 - 0.10	.0665	----	----	----	----	9	UNCH							
3700	17.40	17.40	----	19.00B/17.30A	----	----	----	17.60 - 0.10	.0676	----	----	2	----	550	+							
3705	----	----	19.20B/17.60A	19.20B/17.60A	----	----	----	17.90 - 0.10	.0687	----	----	----	----	1	UNCH							
3715	----	----	19.80B/18.10A	19.80B/18.10A	----	----	----	18.50 NEW	.0709	----	----	1	----	1	+							
3725	----	----	20.60B/18.70A	20.60B/18.70A	----	----	----	19.10 - 0.10	.0731	----	----	----	----	30	UNCH							
3730	----	----	20.80B/19.10A	20.80B/19.10A	----	----	----	19.40 - 0.10	.0742	----	----	----	----	3	UNCH							
3735	----	----	21.20B/19.40A	21.20B/19.40A	----	----	----	19.70 - 0.10	.0753	----	----	2	----	3	+							
3740	----	----	21.50B/19.70A	21.50B/19.70A	----	----	----	20.10 UNCH	.0767	----	----	----	----	20	UNCH							
3745	----	----	21.90B/20.00A	21.90B/20.00A	----	----	----	20.40 UNCH	.0778	----	----	----	----	34	UNCH							
3750	----	----	22.40B/20.30A	22.40B/20.30A	----	----	----	20.70 UNCH	.0790	----	----	----	----	44	UNCH							
3755	----	----	22.70B/20.70A	22.70B/20.70A	----	----	----	21.10 UNCH	.0803	----	----	----	----	7	UNCH							
3760	----	----	23.10B/21.10A	23.10B/21.10A	----	----	----	21.40 UNCH	.0815	----	----	----	----	11	UNCH							
3770	----	----	23.80B/21.70A	23.80B/21.70A	----	----	----	22.20 + 0.10	.0843	----	----	----	----	23	UNCH							
3775	----	----	24.30B/22.20A	24.30B/22.20A	----	----	----	22.50 UNCH	.0854	----	----	----	----	9	UNCH							
3790	----	----	25.50B/23.30A	25.50B/23.30A	----	----	----	23.70 NEW	.0896	----	----	1	----	1	+							
3795	----	----	26.00B/23.70A	26.00B/23.70A	----	----	----	24.10 + 0.10	.0910	----	----	----	----	5	UNCH							
3800	27.00	27.00	27.00/24.10A	27.00/24.10A	----	----	----	24.60 + 0.20	.0927	----	----	1	----	714	UNCH							
3805	----	----	26.90B/24.50A	26.90B/24.50A	----	----	----	25.00 + 0.20	.0941	----	----	----	----	4	UNCH							
3810</																						

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG PUT	COMEX GOLD OPTIONS																
JAN27																	
4165	----	----	----	96.50B/----	96.50B/85.90A	----	----	89.40 + 4.50	.2759	----	----	----	----	20	UNCH	2	
4170	----	----	----	98.10B/----	98.10B/87.40A	----	----	90.90 + 4.50	.2794	----	----	2	----	3 +	2	UNCH	
4175	----	----	----	99.70B/----	99.70B/88.80A	----	----	92.50 + 4.70	.2830	----	----	----	----	6	UNCH	6	
4180	----	----	----	101.40B/----	101.40B/90.30A	----	----	94.10 + 4.80	.2867	----	----	----	----	2	UNCH	2	
4185	----	----	----	103.10B/----	103.10B/91.80A	----	----	95.60 + 4.90	.2902	----	----	----	----	35	UNCH	35	
4195	----	----	----	106.60B/----	106.60B/94.90A	----	----	98.90 + 5.20	.2976	----	----	----	----	9	UNCH	9	
4200	99.20	99.20	99.20	108.30B/99.20	108.30B/96.50A	----	----	100.50 + 5.20	.3013	----	----	1	----	211	UNCH	211	
4205	----	----	----	110.10B/----	110.10B/98.10A	----	----	102.20 + 5.40	.3050	----	----	----	----	5	UNCH	5	
4210	----	----	----	111.90B/----	111.90B/99.70A	----	----	103.90 + 5.50	.3087	----	----	----	----	6	UNCH	6	
4220	----	----	----	115.60B/----	115.60B/103.00A	----	----	107.40 + 5.80	.3163	----	----	----	----	1	UNCH	1	
4225	109.90	109.90	109.90	117.40B/109.90	117.40B/104.70A	----	----	109.10 + 5.80	.3200	----	1	----	----	5 +	1	UNCH	
4230	----	----	----	119.30B/----	119.30B/106.40A	----	----	110.90 + 6.00	.3239	----	----	----	----	22	UNCH	22	
4235	----	----	----	121.30B/----	121.30B/108.10A	----	----	112.70 + 6.10	.3277	----	1	----	----	73 +	1	UNCH	
4240	----	----	----	123.10B/----	123.10B/109.80A	----	----	114.60 + 6.30	.3316	----	----	----	----	3	UNCH	3	
4245	117.00	117.00	117.00	125.20B/117.00	125.20B/111.60A	----	----	116.40 NEW	.3354	----	2	----	----	2 +	2	UNCH	
4250	----	----	----	127.20B/----	127.20B/113.40A	----	----	118.30 + 6.50	.3393	----	----	----	----	91	UNCH	91	
4255	----	----	----	129.20B/----	129.20B/115.20A	----	----	120.20 + 6.70	.3432	----	----	----	----	13	UNCH	13	
4260	----	----	----	131.20B/----	131.20B/117.00A	----	----	122.10 + 6.80	.3471	----	----	----	----	1	UNCH	1	
4265	----	----	----	133.30B/----	133.30B/118.80A	----	----	124.10 + 7.00	.3510	----	----	----	----	16	UNCH	16	
4270	----	----	----	135.30B/----	135.30B/120.60A	----	----	126.00 + 7.10	.3549	----	----	----	----	24	UNCH	24	
4275	----	----	----	137.40B/----	137.40B/122.50A	----	----	128.00 + 7.20	.3589	----	1	----	----	85 +	1	UNCH	
4280	129.80	129.80	129.80	139.50B/129.80	139.50B/124.40A	----	----	130.00 + 7.40	.3628	----	2	----	----	6 +	2	UNCH	
4285	----	----	----	141.60B/----	141.60B/126.30A	----	----	132.10 + 7.60	.3668	----	----	----	----	1	UNCH	1	
4290	----	----	----	143.80B/----	143.80B/128.20A	----	----	134.10 + 7.70	.3708	----	----	----	----	2	UNCH	2	
4295	----	----	----	145.90B/----	145.90B/130.10A	----	----	136.20 + 7.80	.3748	----	----	----	----	31	UNCH	31	
4300	----	----	----	148.20B/----	148.20B/132.20A	----	----	138.30 + 8.00	.3788	----	----	----	199	UNCH	199		
4310	----	----	----	152.60B/----	152.60B/136.10A	----	----	142.60 + 8.30	.3868	----	----	----	50	UNCH	50		
4315	----	----	----	154.90B/----	154.90B/138.10A	----	----	144.80 + 8.50	.3909	----	----	----	5	UNCH	5		
4320	155.70	155.70	155.70	157.20B/155.70	157.20B/140.20A	----	----	147.00 + 8.70	.3949	----	1	----	4 +	1	UNCH	4	
4330	----	----	----	161.80B/----	161.80B/144.40A	----	----	151.40 + 8.90	.4030	----	----	----	7	UNCH	7		
4340	----	----	----	166.60B/----	166.60B/148.60A	----	----	156.00 + 9.30	.4111	----	----	----	9	UNCH	9		
4345	----	----	----	169.00B/----	169.00B/150.80A	----	----	158.30 + 9.50	.4152	----	----	----	16	UNCH	16		
4350	----	----	----	171.40B/----	171.40B/153.00A	----	----	160.60 + 9.60	.4192	----	----	----	32	UNCH	32		
4355	----	----	----	173.80B/----	173.80B/155.20A	----	----	163.00 + 9.80	.4233	----	----	----	5	UNCH	5		
4360	----	----	----	176.30B/----	176.30B/157.50A	----	----	165.40 + 10.00	.4274	----	----	----	2	UNCH	2		
4365	----	----	----	178.80B/----	178.80B/159.70A	----	----	167.80 + 10.20	.4314	----	----	----	2	UNCH	2		
4370	----	----	----	181.30B/----	181.30B/161.90A	----	----	170.20 + 10.30	.4355	----	----	----	29	UNCH	29		
4375	----	----	----	183.90B/----	183.90B/164.30A	----	----	172.70 + 10.60	.4396	----	----	----	5	UNCH	5		
4380	----	----	----	186.40B/----	186.40B/166.60A	----	----	175.10 + 10.70	.4437	----	----	----	21	UNCH	21		
4385	----	----	----	189.00B/----	189.00B/168.90A	----	----	177.60 + 10.90	.4477	----	----	----	53	UNCH	53		
4390	----	----	----	191.60B/----	191.60B/171.30A	----	----	180.10 + 11.00	.4518	----	----	----	1	UNCH	1		
4395	----	----	----	194.20B/----	194.20B/173.70A	----	----	182.70 + 11.30	.4559	----	----	----	4	UNCH	4		
4400	----	----	----	196.90B/----	196.90B/176.10A	----	----	185.20 + 11.40	.4600	----	3	----	353 +	1	UNCH	1	
4405	----	----	----	199.50B/----	199.50B/178.50A	----	----	187.80 + 11.60	.4640	----	----	----	2	UNCH	2		
4410	----	----	----	202.20B/----	202.20B/181.00A	----	----	190.40 + 11.80	.4681	----	----	----	8	UNCH	8		
4420	----	----	----	207.70B/----	207.70B/185.90A	----	----	195.70 NEW	.4762	----	6	----	6 +	6	UNCH	6	
4425	----	----	----	210.40B/----	210.40B/188.40A	----	----	198.40 + 12.40	.4803	----	----	50	115 +	50	UNCH	50	
4430	202.60	202.60	202.60	213.20B/----	213.20B/191.00A	----	----	201.10 + 12.60	.4843	----	----	----	8	UNCH	8		
4435	----	----	----	216.00B/193.50A	216.00B/193.50A	----	----	203.80 + 12.80	.4884	----	1	----	2 +	1	UNCH	1	
4440	----	----	----	218.80B/----	218.80B/196.10A	----	----	206.50 + 12.90	.4924	----	----	----	4	UNCH	4		
4445	----	----	----	221.70B/----	221.70B/198.60A	----	----	209.30 + 13.10	.4964	----	----	----	6	UNCH	6		
4450	----	----	----	224.50B/----	224.50B/201.30A	----	----	212.00 + 13.30	.5004	----	----	----	374	UNCH	374		
4455	----	----	----	227.40B/----	227.40B/203.90A	----	----	214.80 + 13.40	.5044	----	----	----	2	UNCH	2		
4460	222.30	222.30	222.30	230.30B/----	230.30B/206.50A	----	----	217.70 NEW	.5084	----	7	----	7 +	7	UNCH	7	
4465	----	----	----	233.20B/221.80	233.20B/209.20A	----	----	220.50 + 13.90	.5124	----	7	----	8 +	7	UNCH	7	
4470	225.10	225.10	225.10	236.20B/----	236.20B/211.90A	----	----	223.40 + 14.10	.5164	----	----	----	3	UNCH	3		
4475	----	----	----	239.10B/224.60	239.10B/214.50A	----	----	226.20 + 14.20	.5203	----	7	----	91 +	7	UNCH	7	
4480	----	----	----	242.10B/----	242.10B/217.30A	----	----	229.10 + 14.40	.5243	----	----	----	111	UNCH	111		
4485	----	----	----	245.10B/----	245.10B/220.20A	----	----	232.10 + 14.70	.5282	----	----	----	11	UNCH	11		
4490	----	----	----	248.10B/----	248.10B/222.90A	----	----	235.00 + 14.80	.5321	----	----	----	8	UNCH	8		
4495	----	----	----	251.10B/----	251.10B/225.70A	----	----	238.00 + 15.00	.5361	----	----	----	13	UNCH	13		
4500	----	----	----	254.20B/----	254.20B/228.40A	----	----	241.00 + 15.20	.5400	----	----	----	290	UNCH	290		
4505	----	----	----	257.30B/----	257.30B/231.30A	----	----	244.00 + 15.40	.5438	----	----	----	28	UNCH	28		
4510	----	----	----	260.40B/----	260.40B/234.20A	----	----	247.00 + 15.60	.5478	----	----	----	9	UNCH	9		
4515	----	----	----	263.50B/----	263.50B/237.10A	----	----	250.00 + 15.70	.5516	----	----	----	1	UNCH	1		
4520	----	----	----	266.60B/----	266.60B/239.90A	----	----	253.10 + 15.90	.5555	----	----	----	15	UNCH	15		
4535	----	----	----	276.10B/----	276.10B/248.70A	----	----	262.40 + 16.50	.5669	----	----	----	1	UNCH	1		
4545	----	----	----	282.10B/----	282.10B/254.60A	----	----	268.70 + 16.90	.5745	----	----	----	5	UNCH	5		
4550	----	----	----	285.50B/----	285.50B/257.60A	----	----	271.90 + 17.10	.5783	----	----	----	2	UNCH	2		
4555	----	----	----	288.70B/----	288.70B/260.70A	----	----	275.10 + 17.30	.5820	----	----	----	2	UNCH	2		
4560	----	----	----	292.00B/----	292.00B/263.70A	----	----	278.30 + 17.40	.5857	----	----	----	40	UNCH	40		
4575	----	----	----	301.80B/----	301.80B/273.00A	----	----	288.00 + 17.90	.5968	----	----	----	1	UNCH	1		
4580	----	----	----	305.20B/----	305.20B/276.10A	----	----	291.30 + 18.10	.6005	----	----	----	1	UNCH	1		
4585	----	----	----	308.40B/----	308.40B/279.20A	----	----	294.60 + 18.30	.6041	----	----	----	1	UNCH	1		
4600	----	----	----	318.80B/----	318.80B/288.80A	----	----	304.60 + 18.80	.6149	----	----	----	128	UNCH	128		
4605	----	----	----	322.30B/----	322.30B/292.00A	----	----	308.00 + 19.00	.6185	----	----	----	3	UNCH	3		
4610	----	----	----	325.60B/----	325.60B/295.30A	----	----	311.40 + 19.10	.6220	----	----	----	1	UNCH	1		
4615	----	----	----	329.10B/----	329.10B/298.50A	----	----	314.80 + 19.30	.6255	----	----	----	1	UNCH	1		
4620	----	----	----	332.60B/----	332.60B/301.70A	----	----	318.30 + 19.50	.6290	----	----	----	21	UNCH	21		
4625	----	----	----	336.10B/----	336.10B/305.00A	----	----	321.70 + 19.70	.6325	----	----	----	15	UNCH	15		
4630	----	----	----	339.60B/----	339.60B/308.70A	----	----	325.20 + 19.90	.6360	----	----	----	3	UNCH	3		
4635	----	----	----	343.20B/----	343.20B/312.10A	----	----	328.70 + 20.10	.6394	----	----	----	1	UNCH	1		
4640	----	----	----	346.70B/----	346.70B/315.50A	----	----	332.20 + 20.30	.6428	----	----	----	2	UNCH	2		
4645	----	----	----	350.30B/----	350.30B/319.40A	----	----	335.70 + 20.40	.6463	----	----	----	1	UNCH	1		
4650	----	----	----	354.00B/----	354.00B/322.80A	----	----	339.20 + 20.50	.6496	----	----	----	24	UNCH	24		
4655	----	----	----	357.50B/----	357.50B/326.20A	----	----	342.80 + 20.80	.6530	----	----	----	3	UNCH	3		
4660	----	----	----	361.10B/----	361.10B/329.60A	----	----	346.30 + 20.90	.6563	----	----	----	5	UNCH	5		
4665	----	----	----	364.70B/----	364.70B/333.10A	----	----	349.90 + 21.10	.6597	----	----	----	4	UNCH	4		
4670	----	----	----	368.50B/----	368.50B/336.50A	----	----	353.50 + 21.30	.6629	----	----	----	30	UNCH	30		
4675	----	----	----	372.00B/----	372.00B/340.00A	----	----	357.10 + 21.40	.6662	----	----						

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT	COMEX GOLD OPTIONS															
FEB27																
3300	----	----	----	/8.90A	8.80B/8.90A	----	----	8.70 - 0.30	.0291	----	----	----	----	16	UNCH	
3350	----	----	----	/10.00A	10.00B/10.00A	----	----	9.90 - 0.20	.0332	----	----	----	----	147	UNCH	
3400	----	----	----	11.50B/11.20A	11.50B/11.20A	----	----	11.20 - 0.20	.0377	----	----	----	----	9	UNCH	
3425	----	----	----	12.30B/12.00A	12.30B/12.00A	----	----	11.90 - 0.30	.0402	----	----	----	----	42	UNCH	
3430	----	----	----	12.50B/12.10A	12.50B/12.10A	----	----	12.10 - 0.20	.0408	----	----	----	----	20	UNCH	
3440	----	----	----	12.80B/12.40A	12.80B/12.40A	----	----	12.40 - NEW	.0419	----	----	5	5 +	5		
3445	----	----	----	13.00B/12.60A	13.00B/12.60A	----	----	12.60 - 0.20	.0425	----	----	----	----	1	UNCH	
3450	----	----	----	13.20B/12.80A	13.20B/12.80A	----	----	12.70 - 0.30	.0430	----	----	----	----	4	UNCH	
3475	----	----	----	14.10B/13.60A	14.10B/13.60A	----	----	13.60 - 0.20	.0460	----	----	----	250	UNCH		
3490	----	----	----	14.70B/14.20A	14.70B/14.20A	----	----	14.20 - 0.20	.0480	----	----	----	20	UNCH		
3500	----	----	----	15.20B/14.60A	15.20B/14.60A	----	----	14.60 - 0.20	.0493	----	----	----	220	UNCH		
3515	----	----	----	15.80B/15.20A	15.80B/15.20A	----	----	15.20 - 0.20	.0514	----	----	----	3	UNCH		
3520	----	----	----	16.10B/15.40A	16.10B/15.40A	----	----	15.40 - 0.20	.0521	----	----	----	22	UNCH		
3525	----	----	----	16.30B/15.60A	16.30B/15.60A	----	----	15.60 - 0.20	.0527	----	----	----	6	UNCH		
3540	----	----	----	17.00B/16.30A	17.00B/16.30A	----	----	16.30 - 0.20	.0550	----	----	----	20	UNCH		
3555	----	----	----	17.80B/17.00A	17.80B/17.00A	----	----	17.00 - 0.20	.0574	----	----	----	25	UNCH		
3575	----	----	----	18.90B/17.90A	18.90B/17.90A	----	----	18.00 - 0.20	.0607	----	----	----	205	UNCH		
3585	----	----	----	19.50B/18.50A	19.50B/18.50A	----	----	18.60 - 0.10	.0625	----	----	5	19 +	5		
3590	----	----	----	19.80B/18.70A	19.80B/18.70A	----	----	18.80 - 0.10	.0633	----	----	----	1	UNCH		
3600	----	----	----	20.40B/19.30A	20.40B/19.30A	----	----	19.40 - 0.10	.0652	----	----	----	1089	UNCH		
3610	----	----	----	21.00B/19.80A	21.00B/19.80A	----	----	20.00 - 0.10	.0671	----	----	----	2	UNCH		
3625	----	----	----	22.00B/20.70A	22.00B/20.70A	----	----	20.90 UNCH	.0700	----	----	----	1	UNCH		
3650	----	----	----	23.80B/22.30A	23.80B/22.30A	----	----	22.50 UNCH	.0751	----	----	----	300	UNCH		
3660	----	----	----	24.50B/23.00A	24.50B/23.00A	----	----	23.20 UNCH	.0773	----	----	----	2	UNCH		
3695	----	----	----	27.30B/25.60A	27.30B/25.60A	----	----	25.80 + 0.10	.0854	----	----	----	8	UNCH		
3700	----	----	----	27.70B/26.00A	27.70B/26.00A	----	----	26.20 + 0.10	.0866	----	----	----	1064	UNCH		
3725	----	----	----	30.00B/28.00A	30.00B/28.00A	----	----	28.30 + 0.20	.0930	----	----	----	2	UNCH		
3750	----	----	----	32.40B/30.30A	32.40B/30.30A	----	----	30.60 + 0.20	.0999	----	----	----	47	UNCH		
3780	----	----	----	35.70B/----	35.70B/33.30A	----	----	33.60 + 0.30	.1088	----	----	----	1	UNCH		
3790	----	----	----	36.80B/----	36.80B/34.30A	----	----	34.70 + 0.40	.1119	----	----	----	1	UNCH		
3795	----	----	----	37.40B/----	37.40B/34.90A	----	----	35.30 + 0.40	.1136	----	----	----	5	UNCH		
3800	35.60	35.60	----	38.00B/35.40A	38.00B/35.40A	----	----	35.80 + 0.40	.1151	----	----	11	145 +	11		
3805	----	----	----	38.60B/----	38.60B/36.00A	----	----	36.40 + 0.50	.1168	----	----	----	10	UNCH		
3815	----	----	----	39.90B/----	39.90B/37.10A	----	----	37.60 + 0.50	.1202	----	----	----	10	UNCH		
3820	----	----	----	40.50B/----	40.50B/37.70A	----	----	38.20 + 0.60	.1219	----	----	----	3	UNCH		
3835	----	----	----	42.50B/----	42.50B/39.50A	----	----	40.10 + 0.70	.1272	----	----	----	3	UNCH		
3850	42.50	42.50	----	44.70B/41.60	44.70B/41.30A	----	----	42.00 + 0.70	.1326	----	----	4	1341	UNCH		
3860	----	----	----	46.10B/----	46.10B/42.70A	----	----	43.40 + 0.80	.1364	----	----	----	10	UNCH		
3865	----	----	----	46.90B/----	46.90B/43.40A	----	----	44.10 + 0.80	.1383	----	----	----	1	UNCH		
3875	----	----	----	48.40B/----	48.40B/44.70A	----	----	45.50 + 0.90	.1421	----	----	----	12	UNCH		
3880	----	----	----	49.20B/----	49.20B/45.50A	----	----	46.30 + 1.00	.1442	----	----	----	2	UNCH		
3885	----	----	----	50.00B/----	50.00B/46.20A	----	----	47.00 + 1.00	.1462	----	----	----	1	UNCH		
3890	47.40	47.40	----	50.80B/47.40	50.80B/47.00A	----	----	47.80 + 1.10	.1483	----	5	8 +	5			
3895	----	----	----	51.70B/----	51.70B/47.70A	----	----	48.50 + 1.00	.1502	----	----	----	2	UNCH		
3900	----	----	----	52.60B/----	52.60B/48.50A	----	----	49.30 + 1.10	.1523	----	----	----	207	UNCH		
3905	----	----	----	53.40B/----	53.40B/49.20A	----	----	50.10 + 1.10	.1544	----	----	----	3	UNCH		
3925	----	----	----	57.00B/----	57.00B/52.40A	----	----	53.40 + 1.30	.1630	----	----	----	1	UNCH		
3935	----	----	----	58.80B/----	58.80B/54.10A	----	----	55.20 + 1.50	.1676	----	----	----	5	UNCH		
3940	----	----	----	59.80B/----	59.80B/55.00A	----	----	56.10 + 1.60	.1699	----	----	----	1	UNCH		
3945	----	----	----	60.70B/----	60.70B/55.80A	----	----	57.00 + 1.60	.1721	----	----	----	1	UNCH		
3950	----	----	----	61.70B/----	61.70B/56.70A	----	----	57.90 + 1.70	.1744	----	----	----	128	UNCH		
3960	----	----	----	63.70B/----	63.70B/58.50A	----	----	59.80 + 1.80	.1792	----	----	----	14	UNCH		
3980	----	----	----	67.90B/----	67.90B/62.20A	----	----	63.70 + 2.00	.1888	----	----	----	2	UNCH		
3990	----	----	----	70.10B/----	70.10B/64.20A	----	----	65.70 + 2.10	.1938	----	2	6 +	2			
3995	----	----	----	71.20B/----	71.20B/65.20A	----	----	66.80 + 2.20	.1963	----	----	4	575 +	5		
4000	69.80	69.80	----	72.50B/66.20A	72.50B/66.20A	----	----	67.90 + 2.40	.1989	----	----	----	32	UNCH		
4005	----	----	----	73.50B/----	73.50B/67.30A	----	----	68.90 + 2.30	.2014	----	----	----	4	UNCH		
4010	----	----	----	74.70B/----	74.70B/68.30A	----	----	70.00 + 2.40	.2040	----	----	----	2	UNCH		
4015	----	----	----	75.90B/----	75.90B/69.40A	----	----	71.10 + 2.50	.2066	----	----	----	2	UNCH		
4020	----	----	----	77.10B/----	77.10B/70.40A	----	----	72.30 + 2.60	.2094	----	----	----	2	UNCH		
4025	----	----	----	78.30B/----	78.30B/71.50A	----	----	73.40 + 2.70	.2120	----	----	----	36	UNCH		
4030	----	----	----	79.50B/----	79.50B/72.70A	----	----	74.60 + 2.80	.2147	----	----	----	30	UNCH		
4035	----	----	----	80.70B/----	80.70B/73.80A	----	----	75.80 + 2.90	.2175	----	----	----	19	UNCH		
4040	----	----	----	82.00B/----	82.00B/74.90A	----	----	76.90 + 2.90	.2201	----	----	----	205	UNCH		
4050	----	----	----	84.70B/----	84.70B/77.20A	----	----	79.40 + 3.10	.2257	----	----	----	638	UNCH		
4055	----	----	----	85.90B/----	85.90B/78.40A	----	----	80.60 + 3.10	.2285	----	----	----	2	UNCH		
4060	----	----	----	87.30B/----	87.30B/79.60A	----	----	81.90 + 3.30	.2313	----	----	----	4	UNCH		
4065	----	----	----	88.50B/----	88.50B/80.80A	----	----	83.20 + 3.40	.2342	----	----	----	2	UNCH		
4070	----	----	----	90.00B/----	90.00B/82.10A	----	----	84.50 + 3.50	.2371	----	----	----	20	UNCH		
4075	----	----	----	91.40B/----	91.40B/83.30A	----	----	85.80 + 3.50	.2400	----	----	----	6	UNCH		
4085	----	----	----	94.20B/----	94.20B/85.90A	----	----	88.40 + 3.60	.2457	----	----	----	1	UNCH		
4090	----	----	----	95.60B/----	95.60B/87.10A	----	----	89.80 + 3.80	.2487	----	----	----	19	UNCH		
4095	----	----	----	97.10B/----	97.10B/88.40A	----	----	91.20 + 3.90	.2517	----	----	----	20	UNCH		
4100	----	----	----	98.60B/----	98.60B/89.80A	----	----	92.60 + 4.00	.2547	----	----	----	706	UNCH		
4105	----	----	----	100.00B/----	100.00B/91.20A	----	----	94.00 + 4.00	.2577	----	----	----	1	UNCH		
4110	----	----	----	101.60B/----	101.60B/92.50A	----	----	95.40 + 4.10	.2607	----	----	----	24	UNCH		
4120	----	----	----	104.60B/----	104.60B/95.30A	----	----	98.40 + 4.40	.2669	----	----	----	2	UNCH		
4125	----	----	----	106.30B/----	106.30B/96.60A	----	----	99.90 + 4.50	.2700	----	4	25 +	4			
4135	----	----	----	109.50B/----	109.50B/99.60A	----	----	102.90 + 4.60	.2762	----	----	----	13	UNCH		
4140	----	----	----	111.10B/----	111.10B/101.00A	----	----	104.40 + 4.70	.2793	----	----	----	21	UNCH		
4145	----	----	----	112.70B/----	112.70B/102.50A	----	----	106.00 + 4.80	.2825	----	----	----	50	UNCH		
4150	----	----	----	114.40B/----	114.40B/103.80A	----	----	107.60 + 4.90	.2857	----	----	----	421	UNCH		
4155	----	----	----	116.10B/----	116.10B/105.50A	----	----	109.20 + 5.00	.2888	----	----	----	20	UNCH		
4160	----	----	----	117.80B/----	117.80B/107.10A	----	----	110.80 + 5.10	.2920	----	----	----	200	UNCH		
4165	----	----	----	119.50B/----	119.50B/108.60A	----	----	112.50 + 5.30	.2953	----	----	----	20	UNCH		
4170	----	----	----	121.30B/----	121.30B/110.10A	----	----	114.10 + 5.30	.2985	----	----	----	4	UNCH		
4175	115.30	115.30	----	123.00B/115.30	123.00B/111.70A	----	----	115.80 + 5.50	.3018	----	1	7 +	1			
4200	123.30	123.30	----	132.20B/123.30	132.20B/119.80A	----	----	124.50 + 6.10	.3183	----	59	475 -	44			
4205	----	----	----	134.00B/----	134.00B/121.60A	----	----	126.30 + 6.20	.3217	----	----	----	8	UNCH		
4210	----	----	----	135.90B/----	135.90B/123.30A	----	----	128.10 + 6.30	.3250	----	----	----	2	UNCH		
4225	----	----	----	141.70B/----	141.70B/128.60A	----	----	133.60 + 6.60	.3351	----	----	----	15	UNCH		
4230	----	----	----	143.70B/----	143.70B/130.40A	----	----	135.50 + 6.70	.3386	----	----	----	18	UNCH		
4235	----	----	----	145.70B/----	145.70B/132.20A	----	----	137.50 + 7.00	.3420	----	1	19 +	1			
4240	----	----	----	147.60B/----	147.60B/133.80A	----	----	139.40 + 7.10	.3454	----	----	----	2	UNCH		
4250	----	----	----	151.90B/----	151.90B/137.50A	----	----	143.30 + 7.30	.3523	----	----	125	450 +	100		
4255	----	----	----	153.90B/----	153.90B/139.60A	----	----	145.30 + 7.40	.3558	----	----	----	5	UNCH		
4260	147.40	147.40	----	155.90B/147.40	155.90B/141.50A	----	----	147.30 - NEW	.3592	----	2	2 +	2			
4265	----	----	----	158.20B/----												



PRELIMINARY



PG64 BULLETIN #181@				METALS OPTION PRODUCTS										Mon, Sep 21, 2026				PG64	
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG PUT		COMEX GOLD OPTIONS																	
FEB27																			
4515	----	----		289.00B/----	289.00B/264.00A	----	----		276.50 + 15.40	.5392	----	----	----	----	20	UNCH			
4520	----	----		292.00B/----	292.00B/266.70A	----	----		279.60 + 15.70	.5426	----	----	----	----	50	UNCH			
4550	----	----		311.10B/----	311.10B/284.30A	----	----		298.10 + 16.70	.5628	----	----	----	----	110	UNCH			
4555	----	----		314.10B/----	314.10B/287.60A	----	----		301.30 + 16.90	.5661	----	----	----	----	1	UNCH			
4570	----	----		323.90B/----	323.90B/296.40A	----	----		310.90 + 17.50	.5759	----	----	----	----	19	UNCH			
4575	----	----		327.30B/----	327.30B/299.60A	----	----		314.10 + 17.70	.5792	----	----	----	----	32	UNCH			
4580	----	----		330.40B/----	330.40B/302.70A	----	----		317.30 + 17.80	.5824	----	----	----	----	18	UNCH			
4585	----	----		333.70B/----	333.70B/305.90A	----	----		320.60 + 18.00	.5857	----	----	----	----	1	UNCH			
4600	----	----		343.20B/----	343.20B/315.20A	----	----		330.40 + 18.50	.5953	----	----	----	----	161	UNCH			
4615	----	----		353.00B/----	353.00B/324.90A	----	----		340.40 + 19.00	.6047	----	----	----	----	1	UNCH			
4625	----	----		360.30B/----	360.30B/331.40A	----	----		347.20 + 19.40	.6110	----	----	----	----	3	UNCH			
4630	----	----		363.60B/----	363.60B/334.60A	----	----		350.50 + 19.50	.6141	----	----	----	----	7	UNCH			
4635	----	----		366.80B/----	366.80B/338.20A	----	----		354.00 + 19.70	.6172	----	----	----	----	2	UNCH			
4640	----	----		370.60B/----	370.60B/341.30A	----	----		357.40 + 19.80	.6203	----	----	----	----	3	UNCH			
4650	----	----		375.50B/----	375.50B/347.80A	----	----		364.30 + 20.20	.6264	----	----	----	----	1	UNCH			
4655	----	----		379.20B/----	379.20B/351.40A	----	----		367.70 + 20.30	.6294	----	----	----	----	1	UNCH			
4660	----	----		382.70B/----	382.70B/355.20A	----	----		371.20 + 20.40	.6324	----	----	----	436	UNCH				
4665	----	----		386.40B/----	386.40B/358.70A	----	----		374.70 + 20.60	.6354	----	----	----	3	UNCH				
4680	----	----		397.20B/----	397.20B/370.70A	----	----		385.30 + 21.10	.6443	----	----	----	3	UNCH				
4690	----	----		404.20B/----	404.20B/377.60A	----	----		392.40 + 21.30	.6502	----	----	----	1	UNCH				
4695	----	----		408.00B/----	408.00B/381.10A	----	----		396.00 + 21.50	.6530	----	----	----	25	UNCH				
4700	----	----		411.70B/----	411.70B/384.50A	----	----		399.60 + 21.60	.6560	----	----	----	133	UNCH				
4705	----	----		415.40B/----	415.40B/388.10A	----	----		403.20 + 21.80	.6588	----	----	----	3	UNCH				
4710	----	----		419.00B/----	419.00B/391.70A	----	----		406.80 + 21.90	.6617	----	----	----	3	UNCH				
4725	----	----		430.10B/----	430.10B/402.30A	----	----		417.80 + 22.40	.6702	----	----	----	10	UNCH				
4730	----	----		433.90B/----	433.90B/405.90A	----	----		421.40 + 22.40	.6729	----	----	----	16	UNCH				
4750	----	----		448.90B/----	448.90B/420.40A	----	----		436.30 + 23.10	.6839	----	----	----	31	UNCH				
4755	----	----		452.60B/----	452.60B/424.00A	----	----		440.00 + 23.20	.6866	----	----	----	1	UNCH				
4775	----	----		467.80B/----	467.80B/438.80A	----	----		455.10 + 23.70	.6972	----	----	----	1	UNCH				
4785	----	----		475.70B/----	475.70B/446.30A	----	----		462.80 + 24.00	.7025	----	----	----	100	UNCH				
4800	----	----		487.30B/----	487.30B/457.50A	----	----		474.30 + 24.40	.7101	----	----	----	312	UNCH				
4805	----	----		491.20B/----	491.20B/461.30A	----	----		478.20 + 24.60	.7127	----	----	----	2	UNCH				
4810	----	----		495.20B/----	495.20B/465.10A	----	----		482.10 + 24.70	.7152	----	----	----	20	UNCH				
4825	----	----		507.10B/----	507.10B/476.60A	----	----		493.80 + 25.10	.7226	----	----	----	5	UNCH				
4835	----	----		514.70B/----	514.70B/484.30A	----	----		501.70 + 25.40	.7274	----	----	----	1	UNCH				
4840	----	----		518.80B/----	518.80B/488.20A	----	----		505.60 + 25.50	.7298	----	----	----	1	UNCH				
4845	----	----		522.90B/----	522.90B/492.10A	----	----		509.60 + 25.70	.7322	----	----	----	3	UNCH				
4855	----	----		530.80B/----	530.80B/499.90A	----	----		517.50 + 25.90	.7369	----	----	----	3	UNCH				
4900	----	----		567.60B/----	567.60B/535.70A	----	----		553.90 + 27.10	.7572	----	----	----	4	UNCH				
4905	----	----		571.70B/----	571.70B/539.70A	----	----		558.00 + 27.30	.7595	----	----	----	4	UNCH				
4950	----	----		609.20B/----	609.20B/576.50A	----	----		595.20 + 28.30	.7782	----	----	----	1	UNCH				
4955	----	----		613.50B/----	613.50B/580.60A	----	----		599.40 + 28.50	.7802	----	----	----	1	UNCH				
5000	----	----		651.80B/----	651.80B/618.30A	----	----		637.50 + 29.50	.7976	----	----	----	67	UNCH				
5005	----	----		656.10B/----	656.10B/622.50A	----	----		641.80 + 29.60	.7994	----	----	----	3	UNCH				
5010	----	----		656.50B/----	656.50B/626.80A	----	----		646.10 + 29.80	.8011	----	----	----	1	UNCH				
5050	----	----		672.90B/----	672.90B/661.10A	----	----		680.60 + 30.60	.8153	----	----	----	4	UNCH				
5055	----	----		676.90B/----	676.90B/665.40A	----	----		685.00 + 30.70	.8169	----	----	----	4	UNCH				
5100	----	----		----	681.60B/741.80A	----	----		724.50 + 31.60	.8315	----	----	----	2	UNCH				
5150	----	----		----	722.00B/794.00A	----	----		769.00 + 32.40	.8461	----	----	----	1	UNCH				
5175	----	----		----	742.30B/821.50A	----	----		791.50 + 32.90	.8529	----	----	----	125	UNCH				
5200	----	----		----	763.00B/850.90A	----	----		814.20 + 33.30	.8594	----	----	----	1	UNCH				
5250	----	----		----	803.00B/901.60A	----	----		859.90 + 34.10	.8715	----	----	----	15	UNCH				
5320	----	----		----	859.80B/973.70A	----	----		924.70 + 35.10	.8864	----	----	----	1	UNCH				
5500	----	----		1,083.20B/----	1083.20B/1157.10A	----	----		1094.80 + 37.10	.9164	----	----	----	2	UNCH				
5520	----	----		1,102.20B/----	1102.20B/1154.10A	----	----		1114.00 + 37.40	.9191	----	----	----	300	UNCH				
5530	----	----		1,111.50B/----	1111.50B/1161.70A	----	----		1123.50 + 37.40	.9204	----	----	----	100	UNCH				
5550	----	----		1,131.10B/----	1131.10B/1180.80A	----	----		1142.80 + 37.60	.9228	----	----	----	65	UNCH				
5565	----	----		1,145.60B/----	1145.60B/1195.30A	----	----		1157.20 + 37.70	.9248	----	----	----	50	UNCH				
6000	----	----		1,172.70B/----	1172.70B/1619.20A	----	----		1582.30 + 40.10	.9598	----	----	138	125	14830+	123			
TOTAL																			
MAR27																			
3075	----	----		----	6.80B/7.70A	----	----		7.20 - 0.20	.0208	----	----	----	----	1	UNCH			
3170	----	----		----	8.30B/9.30A	----	----		8.80 - 0.20	.0258	----	----	----	----	1	UNCH			
3200	----	----		----	8.90B/9.90A	----	----		9.40 - 0.20	.0277	----	----	----	----	58	UNCH			
3300	----	----		----	11.30B/12.20A	----	----		11.70 - 0.20	.0349	----	----	----	482	UNCH				
3325	----	----		----	12.10B/13.00A	----	----		12.40 - 0.20	.0371	----	----	----	4	UNCH				
3400	----	----		----	14.50B/15.40A	----	----		14.90 - 0.10	.0446	----	----	----	401	UNCH				
3425	----	----		----	15.50B/16.40A	----	----		15.90 UNCH	.0476	----	----	----	29	UNCH				
3450	----	----		----	16.50B/17.50A	----	----		16.90 UNCH	.0506	----	----	----	33	UNCH				
3500	----	----		19.40B/----	19.40B/19.80A	----	----		19.30 + 0.10	.0576	----	----	----	494	UNCH				
3525	----	----		20.70B/----	20.70B/21.10A	----	----		20.60 + 0.10	.0613	----	----	----	120	UNCH				
3540	----	----		21.70B/----	21.70B/21.90A	----	----		21.50 + 0.20	.0639	----	----	----	1	UNCH				
3545	----	----		22.00B/----	22.00B/22.20A	----	----		21.80 + 0.20	.0647	----	----	----	1	UNCH				
3550	----	----		22.30B/----	22.30B/22.40A	----	----		22.00 + 0.10	.0654	----	----	----	250	UNCH				
3565	----	----		23.30B/----	23.30B/23.40A	----	----		23.00 + 0.30	.0681	----	----	----	2	UNCH				
3575	----	----		23.80B/----	23.80B/24.00A	----	----		23.60 + 0.30	.0698	----	----	----	20	UNCH				
3580	----	----		24.30B/----	24.30B/24.30A	----	----		23.90 + 0.20	.0707	----	----	----	1	UNCH				
3600	----	----		25.70B/----	25.70B/25.60A	----	----		25.20 + 0.20	.0744	----	----	----	1490	UNCH				
3650	----	----		29.70B/----	29.70B/28.90A	----	----		29.00 + 0.40	.0848	----	----	----	128	UNCH				
3700	----	----		34.30B/----	34.30B/33.30A	----	----		33.30 + 0.40	.0964	----	----	----	45	UNCH				
3725	----	----		36.90B/----	36.90B/35.60A	----	----		35.70 + 0.50	.1028	----	----	----	17	UNCH				
3740	----	----		38.50B/----	38.50B/37.10A	----	----		37.30 + 0.50	.1069	----	----	----	29	UNCH				
3750	----	----		39.70B/----	39.70B/38.30A	----	----		38.30 + 0.50	.1095	----	----	----	10	UNCH				
3760	----	----		40.80B/----	40.80B/39.20A	----	----		39.40 + 0.50	.1124	----	----	----	1	UNCH				
3775	----	----		42.60B/----	42.60B/40.90A	----	----		41.20 + 0.60	.1169	----	----	----	1	UNCH				
3780	----	----		43.30B/----	43.30B/41.50A	----	----		41.80 + 0.60	.1184	----	----	----	25	UNCH				
3785	----	----		44.00B/----	44.00B/42.10A	----	----		42.40 + 0.70	.1199	----	----	----	1	UNCH				
3790	----	----		44.60B/----	44.60B/42.70A	----	----		43.00 + 0.70	.1214	----	----	----	1	UNCH				
3795	----	----		45.30B/----	45.30B/43.40A	----	----		43.60 + 0.70	.1229	----	----	----	1	UNCH				
3800	----	----		46.10B/----	46.10B/44.00A	----	----		44.20 + 0.70	.1245	----	----	7	94	UNCH				
3810	----	----		47.60B/----	47.60B/45.30A	----	----		45.50 + 0.70	.1277	----	----	----	1	UNCH				
3815	----	----		48.30B/----	48.30B/45.90A	----	----		46.20 + 0.80	.1294	----	----	----	1	UNCH				
3820	----	----		49.10B/----	49.10B/46.50A	----	----		46.80 + 0.70	.1309	----	----	----	30	UNCH				
3825	----	----		49.90B/----	49.90B/47.20A	----	----		47.50 + 0.80	.1326	----	----	----	1	UNCH				
3830	----	----		50.60B/----	50.60B/47.90A	----	----		48.20 + 0.80	.1343	----	----	----	1	UNCH				
3840	----	----		52.10B/----	52.10B/49.30A	----	----		49.60 + 0.80	.1377	----	----	----	2	UNCH				
3845	----	----		52.90B/----	52.90B/49.90A	----	----		50.30 + 0.80	.1394	----	----							

BULLETIN #181@				METALS OPTION PRODUCTS										Mon, Sep 21, 2026				PG64	
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG PUT		COMEX GOLD OPTIONS																	
MAR27																			
4350	----	----	----	205.60B/----	205.60B/189.10A	----	----	----	196.00 + 9.20	.4021	----	----	----	----	40	UNCH			
4370	203.60	203.60	----	214.80B/203.60	214.80B/197.90A	----	----	----	205.40 + 9.70	.4149	----	----	20	----	270 +	20			
4375	----	----	----	217.40B/----	217.40B/200.30A	----	----	----	207.80 + 9.90	.4180	----	----	----	1	UNCH	1			
4395	----	----	----	227.00B/----	227.00B/209.50A	----	----	----	217.50 + 10.40	.4308	----	----	----	1	UNCH	1			
4400	----	----	----	230.20B/----	230.20B/211.60A	----	----	----	220.00 + 10.60	.4340	----	----	----	27	UNCH	1			
4420	----	----	----	239.90B/----	239.90B/221.40A	----	----	----	230.00 + 11.20	.4468	----	----	----	10	UNCH	1			
4425	----	----	----	242.90B/----	242.90B/223.90A	----	----	----	232.50 + 11.30	.4500	----	----	----	4	UNCH	1			
4450	----	----	----	256.70B/----	256.70B/236.00A	----	----	----	245.40 + 11.90	.4659	----	20	----	65	UNCH	1			
4460	248.50	248.50	----	261.30B/248.50	261.30B/241.50A	----	----	----	250.70 NEW	.4723	----	1	----	1 +	1	UNCH			
4465	----	----	----	264.50B/----	264.50B/243.90A	----	----	----	253.40 + 12.30	.4754	----	----	----	7	UNCH	1			
4470	----	----	----	267.00B/----	267.00B/246.50A	----	----	----	256.20 + 12.50	.4786	----	----	----	4	UNCH	1			
4475	----	----	----	269.50B/----	269.50B/249.20A	----	----	----	258.90 + 12.70	.4818	----	----	----	25	UNCH	1			
4480	----	----	----	272.30B/----	272.30B/251.70A	----	----	----	261.70 + 12.80	.4849	----	----	----	37	UNCH	1			
4490	----	----	----	277.40B/----	277.40B/257.30A	----	----	----	267.20 + 13.10	.4912	----	----	----	30	UNCH	1			
4500	----	----	----	284.10B/----	284.10B/262.20A	----	----	----	272.90 + 13.50	.4974	----	----	----	106	UNCH	1			
4515	279.00	279.00	----	291.80B/279.00	291.80B/270.70A	----	----	----	281.40 + 13.80	.5068	----	1	----	1	UNCH	1			
4520	----	----	----	294.30B/----	294.30B/273.30A	----	----	----	284.30 + 14.00	.5099	----	----	----	1	UNCH	1			
4525	----	----	----	296.20B/----	296.20B/276.20A	----	----	----	287.20 + 14.20	.5130	----	----	----	10	UNCH	1			
4540	----	----	----	305.00B/----	305.00B/284.50A	----	----	----	296.00 + 14.60	.5222	----	----	----	4	UNCH	1			
4585	----	----	----	333.00B/----	333.00B/310.90A	----	----	----	323.20 + 16.00	.5495	----	----	----	1	UNCH	1			
4600	----	----	----	343.10B/----	343.10B/319.30A	----	----	----	332.50 + 16.40	.5584	----	----	----	26	UNCH	1			
4610	----	----	----	348.80B/----	348.80B/325.80A	----	----	----	338.80 + 16.70	.5643	----	----	----	300	UNCH	1			
4650	----	----	----	375.10B/----	375.10B/351.10A	----	----	----	364.50 + 17.90	.5875	----	----	----	1	UNCH	1			
4660	----	----	----	381.80B/----	381.80B/360.20A	----	----	----	371.10 + 18.20	.5932	----	----	----	24	UNCH	1			
4680	----	----	----	395.20B/----	395.20B/373.10A	----	----	----	384.50 + 18.80	.6045	----	----	----	1	UNCH	1			
4700	----	----	----	408.80B/----	408.80B/385.90A	----	----	----	398.00 + 19.30	.6156	----	----	----	285	UNCH	1			
4710	----	----	----	415.90B/----	415.90B/392.60A	----	----	----	404.90 + 19.60	.6210	----	----	----	2	UNCH	1			
4750	----	----	----	444.40B/----	444.40B/420.10A	----	----	----	432.90 + 20.60	.6423	----	----	----	15	UNCH	1			
4810	----	----	----	488.60B/----	488.60B/466.10A	----	----	----	476.60 + 22.30	.6726	----	----	----	21	UNCH	1			
4850	----	----	----	519.00B/----	519.00B/495.40A	----	----	----	506.60 + 23.30	.6918	----	----	----	3	UNCH	1			
4900	----	----	----	557.90B/----	557.90B/533.00A	----	----	----	545.20 + 24.60	.7143	----	----	----	12	UNCH	1			
4905	----	----	----	561.80B/----	561.80B/536.80A	----	----	----	549.20 + 24.80	.7165	----	----	----	2	UNCH	1			
5000	----	----	----	638.70B/----	638.70B/611.40A	----	----	----	625.50 + 27.30	.7553	----	----	----	75	UNCH	1			
TOTAL																110	8073 +	31	
APR27																			
3000	----	----	----	----	7.90B/8.90A	----	----	----	8.40 - 0.10	.0222	----	----	----	----	102	UNCH			
3100	----	----	----	----	9.70B/10.80A	----	----	----	10.30 - 0.10	.0275	----	----	----	----	1	UNCH			
3200	----	----	----	----	12.20B/13.30A	----	----	----	12.70 - 0.10	.0343	----	----	----	----	126	UNCH			
3225	----	----	----	----	13.00B/14.00A	----	----	----	13.40 - 0.20	.0362	----	----	----	65	UNCH	1			
3300	----	----	----	----	15.50B/16.50A	----	----	----	15.90 - 0.10	.0431	----	----	----	1	UNCH	1			
3350	----	----	----	----	17.40B/18.50A	----	----	----	17.90 UNCH	.0485	----	----	----	25	UNCH	1			
3375	----	----	----	----	18.50B/19.40A	----	----	----	19.10 + 0.10	.0516	----	----	----	29	UNCH	1			
3400	----	----	----	20.40B/----	20.40B/20.70A	----	----	----	20.30 + 0.20	.0548	----	----	----	9	UNCH	1			
3450	----	----	----	23.10B/----	23.10B/23.40A	----	----	----	23.00 + 0.30	.0618	----	----	----	3	UNCH	1			
3455	----	----	----	23.20B/----	23.20B/23.70A	----	----	----	23.30 + 0.30	.0626	----	----	----	1	UNCH	1			
3460	----	----	----	23.50B/----	23.50B/24.10A	----	----	----	23.60 + 0.30	.0633	----	----	----	1	UNCH	1			
3475	----	----	----	24.50B/----	24.50B/24.90A	----	----	----	24.40 + 0.30	.0655	----	----	----	300	UNCH	1			
3480	----	----	----	24.80B/----	24.80B/25.20A	----	----	----	24.70 + 0.30	.0663	----	----	----	1	UNCH	1			
3500	----	----	----	26.10B/----	26.10B/26.60A	----	----	----	26.00 + 0.30	.0696	----	----	----	214	UNCH	1			
3545	----	----	----	29.60B/----	29.60B/29.20A	----	----	----	29.00 + 0.20	.0773	----	----	----	10	UNCH	1			
3550	----	----	----	30.00B/----	30.00B/29.50A	----	----	----	29.40 + 0.30	.0783	----	----	----	500	UNCH	1			
3555	----	----	----	30.40B/----	30.40B/29.90A	----	----	----	29.80 + 0.30	.0792	----	----	----	4	UNCH	1			
3565	----	----	----	31.20B/----	31.20B/30.70A	----	----	----	30.50 + 0.20	.0810	----	----	----	20	UNCH	1			
3590	----	----	----	33.40B/----	33.40B/32.60A	----	----	----	32.50 + 0.20	.0860	----	----	----	10	UNCH	1			
3595	----	----	----	33.80B/----	33.80B/33.10A	----	----	----	33.00 + 0.30	.0872	----	----	----	10	UNCH	1			
3600	----	----	----	34.30B/----	34.30B/33.60A	----	----	----	33.40 + 0.30	.0882	----	----	----	6	UNCH	1			
3650	38.70	38.70	----	39.20B/38.00	39.20B/38.00	----	----	----	38.10 + 0.30	.0995	----	3	----	168	UNCH	1			
3680	----	----	----	42.50B/----	42.50B/41.30A	----	----	----	41.30 + 0.50	.1070	----	----	----	32	UNCH	1			
3690	----	----	----	43.70B/----	43.70B/42.40A	----	----	----	42.40 + 0.50	.1095	----	----	----	72	UNCH	1			
3700	----	----	----	44.90B/----	44.90B/43.60A	----	----	----	43.60 + 0.60	.1122	----	----	----	3	UNCH	1			
3725	----	----	----	48.00B/----	48.00B/46.60A	----	----	----	46.60 + 0.70	.1191	----	----	----	20	UNCH	1			
3730	----	----	----	48.70B/----	48.70B/47.10A	----	----	----	47.20 + 0.70	.1205	----	----	----	42	UNCH	1			
3735	----	----	----	49.30B/----	49.30B/47.80A	----	----	----	47.90 + 0.70	.1220	----	----	----	77	UNCH	1			
3750	----	----	----	51.30B/----	51.30B/49.70A	----	----	----	49.80 + 0.80	.1263	----	----	----	30	UNCH	1			
3755	----	----	----	52.00B/----	52.00B/50.40A	----	----	----	50.50 + 0.80	.1278	----	----	----	20	UNCH	1			
3780	----	----	----	56.00B/----	56.00B/53.70A	----	----	----	54.00 + 1.00	.1355	----	----	----	30	UNCH	1			
3790	----	----	----	57.60B/----	57.60B/55.10A	----	----	----	55.40 + 1.00	.1386	----	----	----	211	UNCH	1			
3800	----	----	----	59.20B/----	59.20B/56.50A	----	----	----	56.90 + 1.10	.1419	----	----	----	20	UNCH	1			
3815	----	----	----	61.70B/----	61.70B/58.90A	----	----	----	59.20 + 1.10	.1468	----	----	----	1	UNCH	1			
3820	----	----	----	62.60B/----	62.60B/59.50A	----	----	----	60.00 + 1.20	.1485	----	----	----	50	UNCH	1			
3825	----	----	----	63.40B/----	63.40B/60.40A	----	----	----	60.80 + 1.20	.1502	----	----	----	12	UNCH	1			
3845	----	----	----	66.80B/----	66.80B/63.50A	----	----	----	64.10 + 1.30	.1572	----	----	----	27	UNCH	1			
3850	----	----	----	67.80B/----	67.80B/64.40A	----	----	----	64.90 + 1.30	.1589	----	----	----	12	UNCH	1			
3855	----	----	----	68.60B/----	68.60B/65.20A	----	----	----	65.80 + 1.30	.1607	----	----	----	64	UNCH	1			
3860	----	----	----	69.50B/----	69.50B/66.20A	----	----	----	66.60 + 1.30	.1624	----	----	----	50	UNCH	1			
3865	----	----	----	70.50B/----	70.50B/66.90A	----	----	----	67.50 + 1.30	.1643	----	----	----	1718	UNCH	1			
3885	----	----	----	74.20B/----	74.20B/70.70A	----	----	----	71.20 + 1.50	.1718	----	----	----	40	UNCH	1			
3895	----	----	----	76.20B/----	76.20B/72.40A	----	----	----	73.00 + 1.40	.1755	----	----	----	130	UNCH	1			
3900	----	----	----	77.30B/----	77.30B/73.30A	----	----	----	74.00 + 1.50	.1775	----	----	----	1	UNCH	1			
3905	----	----	----	78.20B/----	78.20B/74.30A	----	----	----	75.00 + 1.50	.1795	----	----	----	20	UNCH	1			
3910	----	----	----	79.40B/----	79.40B/75.40A	----	----	----	76.00 + 1.60	.1815	----	----	----	2	UNCH	1			
3925	----	----	----	82.50B/----	82.50B/78.30A	----	----	----	79.00 + 1.60	.1874	----	----	----	20	UNCH	1			
3930	----	----	----	83.70B/----	83.70B/79.20A	----	----	----	80.00 + 1.60	.1894	----	----	----	6	UNCH	1			
3935	----	----	----	84.70B/----	84.70B/80.30A	----	----	----	81.10 + 1.70	.1915	----	----	----	2	UNCH	1			
3950	----	----	----	88.20B/----	88.20B/83.40A	----	----	----	84.30 + 1.80	.1977	----	----	----	4	UNCH	1			
3960	----	----	----	90.50B/----	90.50B/85.70A	----	----	----	86.60 + 2.00	.2020	----	----	----	13	UNCH	1			
3970	----	----	----	93.00B/----	93.00B/87.80A	----	----	----	88.80 + 2.00	.2063	----	----	----	1	UNCH	1			
3980	95.90	95.90	----	95.50B/90.00A	95.50B/90.00A	----	----	----	91.20 + 2.20	.2107	----	6	----	296 +	6	UNCH			
4000	----	----	----	100.50B/94.80	100.50B/94.70A	----	----	----	96.00 + 2.40	.2196	----	----	----	5	UNCH	1			
4050	----	----	----	114.10B/----	114.10B/107.50A	----	----	----	109.30 + 3.30	.2431	----	----	----	1	UNCH	1			
4060	----	----	----	117.00B/----	117.00B/110.10A	----	----	----	112.10 + 3.50	.2479	----	----	----	26	UNCH	1			
4065	----	----	----	118.40B/----	118.40B/111.50A														

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
COMEX GOLD OPTIONS																			
APR27																			
4590	----	----		360.00B/----	360.00B/339.10A	----			349.60 + 15.40	.5424	----	----	----	----		4	UNCH		
4600	----	----		365.20B/----	365.20B/345.00A	----			355.90 + 15.80	.5478		----	----	----		229	UNCH		
4610	----	----		371.60B/----	371.60B/351.30A	----			362.20 + 16.20	.5531		----	----	----		4	UNCH		
4620	----	----		378.20B/----	378.20B/359.40A	----			368.70 + 16.70	.5585		----	----	----		1	UNCH		
4650	----	----		398.20B/----	398.20B/378.30A	----			388.10 + 17.70	.5742		----	----	----		3	UNCH		
4695	----	----		427.80B/----	427.80B/407.20A	----			417.80 + 19.00	.5975		----	----	----		1	UNCH		
4700	----	----		431.20B/----	431.20B/410.50A	----			421.10 + 19.10	.6000		----	----	----		14	UNCH		
4705	----	----		434.90B/----	434.90B/413.80A	----			424.50 + 19.20	.6026		----	----	----		2	UNCH		
4720	----	----		444.60B/----	444.60B/423.10A	----			434.70 + 19.60	.6101		----	----	----		9	UNCH		
4725	----	----		448.50B/----	448.50B/427.10A	----			438.10 + 19.70	.6126		----	----	----		5	UNCH		
4730	----	----		452.00B/----	452.00B/430.50A	----			441.50 + 19.80	.6150		----	----	----		4	UNCH		
4750	----	----		465.80B/----	465.80B/444.10A	----			455.40 + 20.20	.6249		----	----	----		1	UNCH		
4790	----	----		494.60B/----	494.60B/472.50A	----			483.70 + 21.10	.6439		----	----	----		6	UNCH		
4800	----	----		501.90B/----	501.90B/479.50A	----			490.90 + 21.30	.6485		----	----	----		15	UNCH		
4825	----	----		520.20B/----	520.20B/499.30A	----			509.10 + 21.80	.6600		----	----	----		4	UNCH		
4835	----	----		527.90B/----	527.90B/506.50A	----			516.40 + 22.00	.6645		----	----	----		1	UNCH		
4900	----	----		577.30B/----	577.30B/554.20A	----			565.30 + 23.60	.6926		----	----	----		2	UNCH		
4905	----	----		581.20B/----	581.20B/558.00A	----			569.10 + 23.60	.6947		----	----	----		2	UNCH		
5000	----	----		656.30B/----	656.30B/631.20A	----			643.80 + 25.90	.7318		----	----	----		134	UNCH		
5005	----	----		660.40B/----	660.40B/634.90A	----			647.90 + 26.10	.7337		----	----	----		1	UNCH		
5060	----	----		705.40B/----	705.40B/678.80A	----			692.80 + 27.40	.7531		----	----	----		25	UNCH		
5150	----	----		780.90B/----	780.90B/752.40A	----			768.10 + 29.10	.7821		----	----	----		1	UNCH		
5200	----	----		824.10B/----	824.10B/794.40A	----			810.90 + 30.00	.7967		----	----	----		15	UNCH		
5205	----	----		828.50B/----	828.50B/798.70A	----			815.20 + 30.10	.7981		----	----	----		1	UNCH		
5400	----	----		----	881.20B/1088.40A	----			987.70 + 33.10	.8460		----	----	----		1	UNCH		
5500	----	----		----	972.20B/1180.60A	----			1079.00 + 34.30	.8655		----	----	----		2	UNCH		
5790	----	----		1,331.70B/----	1331.70B/1415.70A	----			1351.10 + 36.80	.9084		----	----	----		1	UNCH		
6000	1550.20		1550.20	1,550.20/1,550.	1550.20/1550.20	----			1553.40 NEW	.9288	----	----	1	----		1 +	1		
TOTAL													193			6404+			141
MAY27																			
3250	----	----		----	17.20B/18.40A	----			18.10 + 0.20	.0441	----	----	----	----		1	UNCH		
3330	----	----		----	20.80B/21.90A	----			21.50 + 0.30	.0524		----	----	----		10	UNCH		
3370	----	----		23.30B/----	23.30B/23.80A	----			23.50 + 0.30	.0572		----	----	----		20	UNCH		
3430	----	----		26.90B/----	26.90B/27.50A	----			26.80 + 0.30	.0650		----	----	----		20	UNCH		
3500	----	----		31.90B/----	31.90B/31.70A	----			31.50 + 0.30	.0759		----	----	----		30	UNCH		
3600	----	----		40.30B/----	40.30B/40.30A	----			40.20 + 0.60	.0951		----	----	----		15	UNCH		
3700	----	----		52.20B/----	52.20B/51.40A	----			51.40 + 0.90	.1186		----	----	----		1	UNCH		
3725	----	----		55.70B/----	55.70B/54.60A	----			54.60 + 0.80	.1251		----	----	----		35	UNCH		
3750	----	----		59.60B/----	59.60B/58.00A	----			58.10 + 0.90	.1321		----	----	----		32	UNCH		
3780	----	----		64.60B/----	64.60B/62.10A	----			62.50 + 1.00	.1408		----	----	----		1	UNCH		
3800	----	----		67.80B/----	67.80B/65.20A	----			65.60 + 1.00	.1468		----	----	----		1	UNCH		
3815	----	----		70.30B/----	70.30B/67.60A	----			68.10 + 1.10	.1516		----	----	----		25	UNCH		
3820	----	----		71.30B/----	71.30B/68.50A	----			69.00 + 1.20	.1533		----	----	----		50	UNCH		
3850	----	----		76.60B/----	76.60B/73.60A	----			74.30 + 1.40	.1631		----	----	----		1	UNCH		
3870	77.60		77.60	80.50B/77.00A	80.50B/77.00A	----			78.00 NEW	.1700		----	20	----		20 +	20		
3900	----	----		86.50B/----	86.50B/83.10A	----			84.00 + 1.90	.1807		----	----	----		200	UNCH		
3980	----	----		104.70B/----	104.70B/100.40A	----			101.90 + 2.90	.2115		----	----	----		1	UNCH		
4000	----	----		109.80B/----	109.80B/105.10A	----			106.80 + 3.10	.2196		----	----	----		32	UNCH		
4035	----	----		119.20B/----	119.20B/114.30A	----			115.80 + 3.50	.2343		----	----	----		1	UNCH		
4065	----	----		127.80B/----	127.80B/122.10A	----			124.00 + 3.80	.2473		----	3	----		241 +	3		
4100	----	----		138.40B/----	138.40B/132.00A	----			134.10 + 4.10	.2629		----	----	----		65	UNCH		
4115	----	----		143.20B/----	143.20B/136.60A	----			138.70 + 4.30	.2698		----	----	----		2	UNCH		
4200	----	----		172.50B/----	172.50B/164.30A	----			166.80 + 5.30	.3103		----	----	----		305	UNCH		
4250	----	----		191.70B/----	191.70B/182.60A	----			185.40 + 6.10	.3353		----	----	----		1	UNCH		
4270	----	----		199.80B/----	199.80B/190.30A	----			193.30 + 6.50	.3455		----	----	----		10	UNCH		
4300	----	----		212.50B/----	212.50B/202.30A	----			205.70 + 7.20	.3610		----	----	----		7	UNCH		
4340	----	----		230.00B/----	230.00B/219.10A	----			223.10 + 8.20	.3818		----	----	----		1	UNCH		
4350	----	----		234.70B/----	234.70B/223.40A	----			227.60 + 8.40	.3871		----	----	----		20	UNCH		
4400	247.00		247.00	258.40B/247.00	258.40B/245.70A	----			250.90 + 9.70	.4134		----	1	----		36 +	1		
4450	----	----		283.60B/----	283.60B/269.80A	----			275.50 + 10.80	.4399		----	----	----		15	UNCH		
4490	----	----		304.70B/----	304.70B/289.70A	----			296.20 NEW	.4610		1	----	----		1 +	1		
4495	----	----		307.60B/----	307.60B/292.40A	----			298.80 NEW	.4637		1	----	----		1 +	1		
4500	----	----		310.50B/----	310.50B/295.00A	----			301.50 + 11.90	.4663		----	----	----		24	UNCH		
4510	----	----		315.70B/----	315.70B/300.20A	----			306.90 + 12.20	.4715		----	----	----		4	UNCH		
4550	----	----		336.30B/----	336.30B/321.50A	----			329.00 + 13.20	.4924		----	----	----		1	UNCH		
4575	----	----		350.70B/----	350.70B/335.30A	----			343.40 + 13.90	.5052		----	----	----		1	UNCH		
4600	----	----		365.70B/----	365.70B/350.20A	----			358.10 + 14.60	.5179		----	----	----		6	UNCH		
4640	----	----		390.30B/----	390.30B/374.20A	----			382.50 + 15.90	.5379		----	----	----		1	UNCH		
4650	----	----		396.60B/----	396.60B/380.20A	----			388.70 + 16.20	.5429		----	1	----		100	UNCH		
4700	----	----		428.80B/----	428.80B/411.20A	----			420.40 + 17.50	.5671		----	----	----		71	UNCH		
4725	----	----		445.40B/----	445.40B/427.40A	----			436.80 + 18.20	.5789		----	----	----		1	UNCH		
4760	----	----		469.00B/----	469.00B/449.70A	----			460.10 + 19.00	.5951		----	----	----		1	UNCH		
4775	----	----		479.30B/----	479.30B/459.60A	----			470.30 + 19.30	.6020		----	----	----		3	UNCH		
50																			

PG64	BULLETIN #181@										METALS OPTION PRODUCTS				Mon, Sep 21, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME					OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS																		
JUN27																			
4490	----	----	----	324.60B/----	324.60B/309.70A	----	----	315.20 + 11.80	.4589	----	----	1	----					3 +	1
4495	----	----	----	326.90B/----	326.90B/312.40A	----	----	317.80 NEW	.4613	----	----	2	----					1 +	1
4500	----	----	----	329.90B/----	329.90B/314.90A	----	----	320.50 + 12.00	.4638	----	----	3	----					1285 +	3
4505	----	----	----	332.70B/----	332.70B/317.60A	----	----	323.20 NEW	.4663	----	----	1	----					1 +	1
4545	----	----	----	352.80B/----	352.80B/339.20A	----	----	345.30 + 13.00	.4858	----	----	----	----					1	UNCH
4550	----	----	----	355.60B/----	355.60B/341.80A	----	----	348.20 + 13.20	.4883	----	----	----	----					88	UNCH
4600	----	----	----	385.60B/----	385.60B/370.10A	----	----	377.20 + 14.50	.5123	----	----	----	----					1	UNCH
4605	----	----	----	388.60B/----	388.60B/373.10A	----	----	380.20 NEW	.5146	----	----	1	----					1 +	1
4620	385.00	385.00		397.60B/385.00	397.60B/381.90A	----	----	389.20 + 15.00	.5217	----	----	1	----					1	UNCH
4625	----	----	----	400.60B/----	400.60B/384.80A	----	----	392.30 + 15.20	.5241	----	----	----	----					38	UNCH
4650	----	----	----	416.30B/----	416.30B/399.70A	----	----	407.60 + 15.80	.5357	----	----	----	----					250	UNCH
4655	----	----	----	419.40B/----	419.40B/402.70A	----	----	410.70 + 15.90	.5380	----	----	----	----					5	UNCH
4680	----	----	----	434.90B/----	434.90B/418.00A	----	----	426.40 + 16.60	.5495	----	----	----	----					1	UNCH
4700	----	----	----	447.80B/----	447.80B/430.20A	----	----	439.10 + 17.00	.5585	----	----	----	----					75	UNCH
4760	----	----	----	487.60B/----	487.60B/468.90A	----	----	478.50 + 18.40	.5850	----	----	----	----					15	UNCH
4790	----	----	----	507.60B/----	507.60B/488.70A	----	----	498.70 + 19.00	.5979	----	----	----	----					30	UNCH
4850	----	----	----	549.40B/----	549.40B/529.30A	----	----	540.40 + 20.40	.6228	----	----	----	----					59	UNCH
4865	----	----	----	560.10B/----	560.10B/539.90A	----	----	551.10 + 20.70	.6288	----	----	----	----					75	UNCH
4900	----	----	----	585.30B/----	585.30B/564.50A	----	----	576.20 + 21.40	.6426	----	----	----	----					1	UNCH
4905	----	----	----	589.30B/----	589.30B/568.90A	----	----	579.90 + 21.50	.6446	----	----	----	----					1	UNCH
5000	----	----	----	660.70B/----	660.70B/641.10A	----	----	650.70 + 23.30	.6799	----	----	----	----					3	UNCH
5085	----	----	----	726.90B/----	726.90B/705.50A	----	----	716.60 + 24.80	.7089	----	----	----	----					150	UNCH
TOTAL												267	320					11436 +	328
JUL27																			
3300	----	----	----	----	26.90B/29.80A	----	----	27.90 + 0.80	.0589	----	----	----	----					1	UNCH
3500	44.50	44.50		44.50/44.20A	44.50/44.20A	----	----	42.30 UNCH	.0877	----	----	1	----					1 +	1
4535	337.90	337.90		346.00B/337.60	346.00B/334.60A	----	----	339.30 + 11.40	.4590	----	----	5	----					3 -	2
4540	345.00	345.00		348.50B/337.30A	348.50B/337.30A	----	----	342.00 NEW	.4613	----	----	1	----					1 +	1
4565	350.00	350.00		362.40B/350.00	362.40B/349.90A	----	----	355.70 NEW	.4727	----	----	2	----					1 +	1
TOTAL												9						7 +	1
AUG27																			
4000	----	----	----	144.10B/----	144.10B/141.80A	----	----	142.70 + 2.60	.2344	----	----	----	----					3	UNCH
4065	----	----	----	163.50B/----	163.50B/160.40A	----	----	161.70 + 3.50	.2584	----	----	----	----					300	UNCH
4200	----	----	----	209.20B/----	209.20B/206.00A	----	----	206.70 + 5.40	.3117	----	----	----	----					3	UNCH
4535	----	----	----	363.60B/----	363.60B/358.00A	----	----	357.80 + 10.80	.4567	----	----	----	----					2	UNCH
4565	----	----	----	380.20B/----	380.20B/372.90A	----	----	374.30 NEW	.4697	----	----	1	----					1 +	1
4665	----	----	----	432.70B/----	432.70B/436.40A	----	----	432.40 NEW	.5121	----	----	1	----					1 +	1
TOTAL												2						310 +	2
SEP27																			
4115	----	----	----	----	0.20B/375.80A	----	----	200.60 + 9.50	.2771	----	----	----	----					300	UNCH
4150	----	----	----	----	0.20B/389.40A	----	----	209.30 + 9.90	.2885	----	----	----	----					50	UNCH
4575	377.00	377.00		378.00/377.00	378.00/377.00	----	----	384.80 NEW	.4544	----	----	4	----					4 +	4
4585	382.00	382.00		383.00/382.00	383.00/382.00	----	----	390.30 NEW	.4585	----	----	5	----					5 +	5
TOTAL												9						359 +	9
OCT27																			
3900	----	----	----	----	----	----	----	153.50 + 7.20	.2143	----	----	----	----					200	UNCH
TOTAL																		200	0
DEC27																			
2800	----	----	----	----	----	----	----	37.90 + 1.40	.0498	----	----	----	----					16	UNCH
3700	----	----	----	----	----	----	----	124.60 + 5.60	.1659	----	----	----	----					100	UNCH
3715	----	----	----	----	----	----	----	127.30 + 5.60	.1691	----	----	----	----					150	UNCH
3820	----	----	----	----	----	----	----	148.40 + 6.50	.1937	----	----	----	----					50	UNCH
4130	----	----	----	----	----	----	----	233.10 + 9.80	.2815	----	----	----	----					168	UNCH
4500	----	----	----	----	----	----	----	387.00 + 14.60	.4072	----	----	----	----					170	UNCH
4630	----	----	----	----	----	----	----	455.40 + 16.30	.4529	----	----	----	----					284	UNCH
4860	----	----	----	----	----	----	----	593.30 + 19.30	.5291	----	----	----	----					100	UNCH
5000	----	----	----	----	----	----	----	686.70 + 21.00	.5715	----	----	----	----					50	UNCH
5650	----	----	----	----	----	----	----	1188.40 + 27.60	.7235	----	----	----	----					200	UNCH
5880	----	----	----	----	----	----	----	1384.30 + 29.40	.7620	----	----	----	----					200	UNCH
TOTAL																		1488	0
JAN28																			
5000	----	----	----	----	----	----	----	685.40 + 20.20	.5511	----	----	----	----					1	UNCH
5100	----	----	----	----	----	----	----	753.50 + 21.40	.5788	----	----	----	----					1	UNCH
TOTAL																		2	0
FEB28																			
4400	----	----	----	----	----	----	----	362.90 + 12.80	.3616	----	----	----	----					11	UNCH
TOTAL																		11	0
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME					OPEN INTEREST	
OG CALL	COMEX GOLD OPTIONS																		
OCT26																			
3800	----	----	----	----/532.63															

BULLETIN #181@										METALS OPTION PRODUCTS										Mon, Sep 21, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST						
OG CALL	COMEX GOLD OPTIONS																					
OCT26																						
4205	----	----	----	/127.80A	176.50B/127.80A	----	----	----	148.10 - 41.00	.9572	----	----	----	----	----	63 UNCH						
4210	----	----	----	/123.20A	171.70B/123.20A	----	----	----	143.30 - 41.10	.9535	----	----	----	----	----	35 UNCH						
4215	----	----	----	/118.70A	166.90B/118.70A	----	----	----	138.60 - 41.00	.9496	----	----	----	----	----	68 UNCH						
4220	----	----	----	/114.10A	169.80B/114.10A	----	----	----	133.80 - 41.00	.9456	----	----	----	----	----	70 UNCH						
4225	----	----	----	/109.70A	165.00B/109.70A	----	----	----	129.10 - 41.00	.9402	----	----	----	----	----	100 UNCH						
4230	----	----	----	/105.30A	160.20B/105.30A	----	----	----	124.40 - 41.00	.9345	----	----	----	----	----	52 UNCH						
4235	----	----	----	/101.00A	155.50B/101.00A	----	----	----	119.70 - 41.00	.9287	----	----	----	----	----	43 UNCH						
4240	----	----	----	/96.70A	150.80B/96.70A	----	----	----	115.10 - 40.90	.9213	----	----	----	----	----	29 UNCH						
4245	----	----	----	/92.50A	146.10B/92.50A	----	----	----	110.50 - 40.90	.9137	----	----	----	----	----	88 UNCH						
4250	----	----	----	/88.30A	141.40B/88.30A	----	----	----	105.90 - 40.80	.9046	----	----	----	----	----	432 UNCH						
4255	----	----	----	/84.20A	136.80B/84.20A	----	----	----	101.50 - 40.70	.8952	----	----	----	----	----	56 UNCH						
4260	----	----	----	/80.20A	132.20B/80.20A	----	----	----	97.10 - 40.50	.8843	----	----	----	----	----	78 UNCH						
4265	----	----	----	/76.30A	127.70B/76.30A	----	----	----	92.80 - 40.30	.8720	----	----	----	----	----	148 UNCH						
4270	----	----	----	/72.40A	123.10B/72.40A	----	----	----	88.50 - 40.20	.8593	----	----	----	----	----	370 UNCH						
4275	88.30	88.30	88.30	68.70A	118.70B/68.70A	----	----	----	84.30 - 40.00	.8451	----	----	1	----	138 -	1						
4280	----	----	----	/65.10A	114.30B/65.10A	----	----	----	80.10 - 39.80	.8305	----	----	----	----	80	UNCH						
4285	----	----	----	/61.60A	109.90B/61.60A	----	----	----	76.10 - 39.50	.8136	----	----	----	----	80	UNCH						
4290	----	----	----	/58.10A	105.60B/58.10A	----	----	----	72.10 - 39.20	.7962	----	----	----	----	106	UNCH						
4295	----	----	----	/54.90A	101.40B/54.90A	----	----	----	68.20 - 38.90	.7776	----	----	----	----	94	UNCH						
4300	60.00	60.00	61.00	51.50A	97.20B/51.50A	----	----	----	64.40 - 38.60	.7576	----	----	17	1475	+	4						
4305	----	----	----	/48.50A	93.10B/48.50A	----	----	----	60.70 - 38.20	.7365	----	----	----	----	62	UNCH						
4310	----	----	----	/45.40A	89.10B/45.40A	----	----	----	57.20 - 37.70	.7136	----	----	----	----	153	UNCH						
4315	48.00	48.00	49.50	42.70A	85.10B/42.70A	----	----	----	53.70 - 37.30	.6904	----	----	2	237	-	1						
4320	51.50	51.50	51.50	40.00A	81.30B/40.00A	----	----	----	50.40 - 36.70	.6656	----	----	6	78	+	5						
4325	----	----	----	/37.30A	77.50B/37.30A	----	----	----	47.20 - 36.20	.6402	----	----	----	----	146	UNCH						
4330	40.40	40.40	40.40	34.80A	73.80B/34.80A	----	----	----	44.10 - 35.60	.6137	----	----	3	336	-	1						
4335	35.70	35.70	45.00	32.50A	70.20B/32.50A	----	----	----	41.20 - 34.90	.5870	----	----	24	303	-	4						
4340	35.50	35.50	35.50	30.20A	66.70B/30.20A	----	----	----	38.40 - 34.20	.5597	----	----	13	88	+	1						
4345	47.00	47.00	47.00	28.20A	63.30B/28.20A	----	----	----	35.80 - 33.30	.5320	----	----	42	102	+	12						
4350	50.50	50.50	50.50	26.10A	60.00B/26.10A	----	----	----	33.30 - 32.50	.5043	----	----	140	1490	UNCH							
4355	43.60	43.60	45.90	24.20A	56.80B/24.20A	----	----	----	30.90 - 31.70	.4767	----	----	133	197	-	96						
4360	38.60	38.60	41.20	22.50A	53.70B/22.50A	----	----	----	28.70 - 30.70	.4494	----	----	19	172	+	8						
4365	49.70	49.70	50.80B/20.80A	20.80A	50.80B/20.80A	----	----	----	26.60 - 29.80	.4225	----	----	16	124	+	4						
4370	39.90	39.90	40.00	19.00	48.00B/19.00	----	----	----	24.60 - 28.80	.3961	----	----	64	261	-	3						
4375	36.90	36.90	36.90	17.80A	45.20B/17.80A	----	----	----	22.80 - 27.80	.3706	----	----	32	476	+	4						
4380	36.80	36.80	42.60B/16.50A	16.50A	42.60B/16.50A	----	----	----	21.00 - 26.80	.3455	----	----	56	206	-	6						
4385	37.60	37.60	39.90B/15.20A	15.20A	39.90B/15.20A	----	----	----	19.40 - 25.80	.3216	----	----	34	274	-	2						
4390	34.30	34.30	37.50B/14.00A	14.00A	37.50B/14.00A	----	----	----	17.90 - 24.70	.2987	----	----	36	116	+	8						
4395	33.40	33.40	35.20B/12.90A	12.90A	35.20B/12.90A	----	----	----	16.50 - 23.70	.2768	----	----	15	87	+	9						
4400	30.20	30.20	34.00	11.90A	34.00	34.00	11.90A	15.10	- 22.80	.2552	----	----	775	2902	+	14						
4405	15.60	15.60	15.60	11.00A	30.80B/11.00A	----	----	----	13.90 - 21.70	.2355	----	----	9	96	+	4						
4410	12.50	12.50	15.00	10.10A	28.70B/10.10A	----	----	----	12.70 - 20.80	.2162	----	----	8	138	UNCH							
4415	22.30	22.30	26.80B/9.40A	9.40A	26.80B/9.40A	----	----	----	11.70 - 19.80	.1989	----	----	34	164	+	16						
4420	13.70	13.70	13.70	8.60A	25.00B/8.60A	----	----	----	10.70 - 18.80	.1820	----	----	115	244	-	14						
4425	19.30	19.30	19.30	8.00	23.30B/8.00	----	----	----	9.80 - 17.90	.1665	----	----	26	189	+	2						
4430	17.30	17.30	21.70B/7.40A	7.40A	21.70B/7.40A	----	----	----	8.90 - 17.00	.1513	----	----	10	158	+	3						
4435	10.00	10.00	10.00	6.80A	20.20B/6.80A	----	----	----	8.20 - 16.10	.1385	----	----	13	98	-	2						
4440	19.00	19.00	19.00	6.30A	19.00	19.00	6.30A	7.50	- 15.20	.1261	----	----	27	234	+	6						
4445	16.80	16.80	16.80	5.80A	17.30B/5.80A	----	----	----	6.90 - 14.30	.1151	----	----	26	228	+	4						
4450	14.90	14.90	16.10B/5.40A	5.40A	16.10B/5.40A	----	----	----	6.40 - 13.40	.1056	----	----	550	2381	-	27						
4455	5.00	5.00	5.00	5.00	14.90B/5.00	----	----	----	5.90 - 12.60	.0964	----	----	2	59	UNCH							
4460	6.90	6.90	11.60	4.70A	13.80B/4.70A	----	----	----	5.40 - 11.90	.0875	----	----	23	210	+	15						
4465	----	----	----	/4.30A	12.80B/4.30A	----	----	----	5.00 - 11.10	.0800	----	----	7	122	-	5						
4470	5.70	5.70	5.70	4.10A	11.80B/4.10A	----	----	----	4.60 - 10.40	.0728	----	----	14	239	+	3						
4475	6.60	6.60	6.60	3.80A	10.90B/3.80A	----	----	----	4.30 - 9.70	.0670	----	----	263	556	+	157						
4480	3.50	3.50	4.60	3.50	10.10B/3.50	----	----	----	4.00 - 9.10	.0614	----	----	18	294	-	3						
4485	3.70	3.70	4.20	3.20A	9.20B/3.20A	----	----	----	3.70 - 8.50	.0560	----	----	117	260	-	8						
4490	5.70	5.70	5.70	3.00A	8.60B/3.00A	----	----	----	3.40 - 8.00	.0508	----	----	32	246	-	25						
4495	5.20	5.20	5.20	2.80A	7.90B/2.80A	----	----	----	3.10 - 7.50	.0458	----	----	926	3347	-	42						
4500	5.70	5.70	7.30B/2.60	2.60	7.30B/2.60	----	----	----	2.90 - 7.00	.0421	----	----	6	149	-	4						
4505	4.20	4.20	4.20	2.50A	6.70B/2.50A	----	----	----	2.70 - 6.50	.0386	----	----	39	262	-	3						
4510	4.20	4.20	4.30	2.30A	6.20B/2.30A	----	----	----	2.50 - 6.10	.0352	----	----	29	528	+	17						
4515	4.70	4.70	5.80B/2.20A	2.20A	5.80B/2.20A	----	----	----	2.40 - 5.60	.0331	----	----	80	200	-	6						
4520	5.20	5.20	5.20	1.90	5.40B/1.90	----	----	----	2.20 - 5.30	.0299	----	----	46	503	+	22						
4525	2.20	2.20	2.30	1.90A	5.00B/1.90A	----	----	----	2.10 - 4.90	.0280	----	----	4	119	+	1						
4530	2.70	2.70	2.70	1.80A	4.60B/1.80A	----	----	----	2.00 - 4.50	.0262	----	----	2	120	+	1						
4535	3.40	3.40	4.30B/1.70A	1.70A	4.30B/1.70A	----	----	----	1.90 - 4.20	.0244	----	----	6	236	UNCH							
4540	1.70	1.70	1.80	1.60A	4.00B/1.60A	----	----	----	1.80 - 3.90	.0227	----	----	1	120	UNCH							
4545	----	----	----	/1.60A	3.70B/1.60A	----	----	----	1.70 - 3.60	.0210	----	----	80	2314	-	11						
4550	3.50	3.50	3.50	1.40	3.50	3.50	1.40	1.60	- 3.40	.0195	----	----	4	266	UNCH							
4555	----	----	----	/1.40A	3.20B/1.40A	----	----	----	1.50 - 3.20	.0179	----	----	1	130	UNCH							
4560	----	----	----	/1.40A	3.00B/1.40A	----	----	----	1.40 - 3.00	.0165	----	----	4	276	UNCH							
4565	1.40	1.40	1.40	1.30A	2.80B/1.30A	----	----	----	1.40 - 2.70	.0161	----	----	7	247	UNCH							
4570	----	----	----	/1.30A	2.60B/1.30A	----	----	----	1.30 - 2.60	.0147	----	----	4	924	-	3						
4575	2.00	2.00	2.00	1.20A	2.50B/1.20A	----	----	----	1.20 - 2.50	.0134	----	----	7	796	+	7						
4580	1.90	1.90	2.00	1.20A	2.40B/1.20A	----	----	----	1.20 - 2.20	.0131	----	----	----	145	UNCH							
4585	----	----	----	/1.10A	2.20B/1.10A	----	----	----	1.10 - 2.20	.0118	----	----	----	232	UNCH							
4590	----	----	----	/1.10A	2.10B/1.10A	----	----	----	1.10 - 2.00	.0116	----	----	----	176	UNCH							
4595	----	----	----	/1.00A	1.90B/1.00A	----	----	----	1.00 - 1.90	.0104	----	----	427	4100	-	10						
4600	1.70	1.70	1.70	0.90	1.90B/0.90	----	----	----	1.00 - 1.80	.0102	----	----	11	394	UNCH							
4605	----	----	----	/1.00A	1.70B/1.00A	----	----	----	0.90 - 1.70	.0090	----	----	5	141	+	5						
4610	0.90	0.90	0.90	0.90	1.70B/0.90	----	----	----	0.90 - 1.60	.0088	----	----	1	98	-	1						
4615	1.60	1.60	1.60	0.90A	1.60	1.60	0.90A	0.80	- 1.50	.0087	----	----	10	446	-	5						
4620	1.00	1.00	1.00	0.90A	1.50B/0.90A	----	----	----														

BULLETIN #181@										METALS OPTION PRODUCTS										Mon, Sep 21, 2026		PG64
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG CALL COMEX GOLD OPTIONS																						
OCT26																						
5585	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	7	UNCH	7						
5590	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	9	UNCH	9						
5600	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	306	UNCH	306						
5605	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH	1						
5610	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH	1						
5615	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	5	UNCH	5						
5620	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	33	UNCH	33						
5625	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	5	UNCH	5						
5630	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	10	UNCH	10						
5640	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH	2						
5650	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	449	UNCH	449						
5655	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	12	UNCH	12						
5660	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH	1						
5665	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	3	UNCH	3						
5675	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	4	UNCH	4						
5680	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH	1						
5685	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	14	UNCH	14						
5700	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	235	UNCH	235						
5710	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	12	UNCH	12						
5720	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	87	UNCH	87						
5725	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	20	UNCH	20						
5730	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	19	UNCH	19						
5740	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	4	UNCH	4						
5750	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1662	UNCH	1662						
5760	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH	2						
5770	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	29	UNCH	29						
5775	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	52	UNCH	52						
5800	----	----	----	----	/0.30A	----	----	0.10 UNCH	----	----	----	----	----	688	UNCH	688						
5825	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	137	UNCH	137						
5850	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	15	UNCH	15						
5875	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	24	UNCH	24						
5900	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	284	UNCH	284						
5925	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	44	UNCH	44						
5950	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	51	UNCH	51						
6000	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	3509	UNCH	3509						
6100	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	69	UNCH	69						
6200	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	505	UNCH	505						
6250	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	21	UNCH	21						
6300	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	898	UNCH	898						
6400	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	1951	UNCH	1951						
6500	----	----	----	----	/14.10A	----	----	0.10 UNCH	----	----	----	----	----	4101	UNCH	4101						
6800	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	1621	UNCH	1621						
6900	----	----	----	----	/13.90A	----	----	0.10 UNCH	----	----	----	----	----	204	UNCH	204						
7000	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1718	UNCH	1718						
7500	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	38	UNCH	38						
8000	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	464	UNCH	464						
8500	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	471	UNCH	471						
9000	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	127	UNCH	127						
9500	----	----	----	----	/0.20A	----	----	0.10 UNCH	----	----	----	----	----	461	UNCH	461						
13000	----	----	----	----	/0.10A	----	----	0.10 UNCH	----	----	----	----	----	1065	UNCH	1065						
TOTAL												4709	100	138395	-	106						
NOV26																						
2950	----	----	----	/1,416.00A	1463.10B/1416.00A	----	----	1433.90 - 41.00	1.0000	----	----	----	----	4	UNCH	4						
3250	----	----	----	/1,116.00A	1163.10B/1116.00A	----	----	1133.90 - 41.00	.9960	300	----	300	----	0	UNCH	0						
3300	----	----	----	/1,066.10A	1113.20B/1066.10A	----	----	1083.90 NEW	.9948	75	----	75	----	0	UNCH	0						
3350	----	----	----	/1,016.20A	1063.20B/1016.20A	----	----	1034.00 - 41.00	.9930	300	----	300	----	10	UNCH	10						
3390	----	----	----	/976.40A	1023.40B/976.40A	----	----	994.10 - 41.00	.9917	----	----	----	75	1	UNCH	1						
3400	----	----	----	/966.40A	1013.40B/966.40A	----	----	984.20 - 40.90	.9916	----	----	----	----	77	+	75						
3445	----	----	----	/921.50A	968.50B/921.50A	----	----	939.30 - 41.00	.9903	----	----	----	----	1	UNCH	1						
3500	----	----	----	/866.90A	913.80B/866.90A	----	----	884.60 - 40.90	.9882	----	----	----	----	1	UNCH	1						
3600	----	----	----	/767.60A	814.40B/767.60A	----	----	785.20 - 41.00	.9833	----	----	----	----	3	UNCH	3						
3700	----	----	----	/668.70A	715.40B/668.70A	----	----	686.20 - 41.00	.9762	----	----	----	----	3	UNCH	3						
3765	----	----	----	/604.70A	651.40B/604.70A	----	----	622.10 - 41.10	.9701	----	----	----	----	1	UNCH	1						
3780	----	----	----	/590.00A	636.80B/590.00A	----	----	607.40 - 41.10	.9681	----	----	----	----	1	UNCH	1						
3800	----	----	----	/570.30A	617.20B/570.30A	----	----	587.70 - 41.20	.9657	----	----	----	----	3	UNCH	3						
3830	----	----	----	/541.10A	587.90B/541.10A	----	----	558.40 - 41.10	.9613	----	----	----	----	1	UNCH	1						
3840	----	----	----	/531.40A	578.10B/531.40A	----	----	548.60 - 41.20	.9598	----	----	----	----	3	UNCH	3						
3850	----	----	----	/521.70A	568.40B/521.70A	----	----	538.90 - 41.20	.9578	----	----	----	----	2	UNCH	2						
3865	----	----	----	/507.20A	553.80B/507.20A	----	----	524.30 - 41.30	.9550	----	----	----	----	4	UNCH	4						
3870	----	----	----	/502.30A	549.00B/502.30A	----	----	519.50 - 41.20	.9537	----	----	----	----	1	UNCH	1						
3875	----	----	----	/497.60A	544.10B/497.60A	----	----	514.70 - 41.20	.9529	----	----	----	----	1	UNCH	1						
3885	----	----	----	/487.90A	534.50B/487.90A	----	----	505.00 - 41.20	.9503	----	----	----	----	1	UNCH	1						
3900	----	----	----	/473.60A	520.00B/473.60A	----	----	490.60 - 41.20	.9468	----	----	----	----	4	UNCH	4						
3905	----	----	----	/468.80A	515.20B/468.80A	----	----	485.70 - 41.30	.9454	----	----	----	----	1	UNCH	1						
3910	----	----	----	/464.00A	510.40B/464.00A	----	----	480.90 - 41.30	.9441	----	----	----	----	1	UNCH	1						
3915	----	----	----	/459.20A	505.60B/459.20A	----	----	476.10 - 41.30	.9427	----	----	----	----	1	UNCH	1						
3920	----	----	----	/454.40A	500.80B/454.40A	----	----	471.40 - 41.10	.9414	----	----	----	----	5	UNCH	5						
3925	----	----	----	/449.70A	496.00B/449.70A	----	----	466.60 - 41.10	.9400	----	----	----	----	1	UNCH	1						
3930	----	----	----	/444.80A	491.20B/444.80A	----	----	461.80 - 41.10	.9386	----	----	----	----	2	UNCH	2						
3935	----	----	----	/439.90A	486.50B/439.90A	----	----	457.00 - 41.20	.9372	----	----	----	----	2	UNCH	2						
3940	----	----	----	/435.20A	481.70B/435.20A	----	----	452.30 - 41.10	.9354	----	----	----	----	14	UNCH	14						
3945	----	----	----	/430.50A	477.00B/430.50A	----	----	447.50 - 41.10	.9340	----	----	----	----	1	UNCH	1						
3950	----	----	----	/425.80A	472.20B/425.80A	----	----	442.80 - 41.10	.9321	----	----	----	----	1	UNCH	1						
3955	----	----	----	/421.10A	467.50B/421.10A	----	----	438.10 - 41.00	.9306	----	----	----	----	1	UNCH	1						
3960	----	----	----	/412.40A	462.70B/412.40A	----	----	433.30 - 41.10	.9287	----	----	----	----	2	UNCH	2						
3985	----	----	----	/389.20A	446.60B/389.20A	----	----	409.90 - 41.00	.9191	----	----	----	----	1	UNCH	1						
3990	----	----	----	/384.60A	441.90B/384.60A	----	----	405.20 - 41.10	.9171	----	----	----	----	1	UNCH	1						
3995	----	----	----	/380.00A	437.30B/380.00A	----	----	400.60 - 41.00	.9147	----	----	----	----	1	UNCH	1						
4000	----	----	----	/375.50A	432.60B/375.50A	----	----	395.90 - 41.00	.9127	----	----											

PG64 BULLETIN #181@												METALS OPTION PRODUCTS										Mon, Sep 21, 2026 PG64											
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE		GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW		OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																
OG CALL		COMEX GOLD OPTIONS																															
NOV26																																	
4255	----	----	----	----/172.10A		218.60B/172.10A	----	185.90	- 36.70	.6927	----	----	----	----	----	----	----	25	UNCH														
4260	----	----	----	----/169.00A		215.10B/169.00A	----	182.60	- 36.40	.6862	----	----	----	----	----	----	----	5	UNCH														
4265	----	----	----	----/165.80A		211.60B/165.80A	----	179.20	- 36.30	.6796	----	----	----	----	----	----	----	2	UNCH														
4270	----	----	----	----/162.70A		208.10B/162.70A	----	175.90	- 36.20	.6730	----	----	----	----	----	----	----	3	UNCH														
4275	----	----	----	----/159.70A		204.70B/159.70A	----	172.70	- 35.90	.6663	----	----	----	----	----	----	----	95	UNCH														
4280	----	----	----	----/156.60A		201.30B/156.60A	----	169.50	- 35.70	.6596	----	----	----	----	----	----	----	4	UNCH														
4285	171.70	171.70		175.10/153.70A		198.00B/153.70A	----	166.30	- 35.50	.6528	----	----	----	2	----	----	18	+	1														
4290	----	----	----	----/150.70A		194.60B/150.70A	----	163.10	- 35.40	.6460	----	----	----	----	----	----	----	13	UNCH														
4295	----	----	----	----/147.80A		191.40B/147.80A	----	160.00	- 35.20	.6391	----	----	----	----	----	----	----	52	UNCH														
4300	----	----	----	----/144.90A		188.10B/144.90A	----	157.00	- 34.90	.6321	----	----	----	2	----	----	1398	UNCH															
4305	----	----	----	----/142.20A		184.90B/142.20A	----	154.00	- 34.70	.6252	----	----	----	----	----	----	----	22	UNCH														
4310	----	----	----	----/139.30A		181.70B/139.30A	----	151.00	- 34.40	.6182	----	----	----	1	----	----	59	+	1														
4315	----	----	----	----/136.60A		178.60B/136.60A	----	148.00	- 34.30	.6111	----	----	----	----	----	----	----	2	UNCH														
4320	144.00	144.00		144.00/133.90A		175.50B/133.90A	----	145.20	- 33.90	.6040	----	----	----	1	----	----	48	-	1														
4325	142.40	142.40		142.40/131.30A		172.40B/131.30A	----	142.30	- 33.70	.5969	----	----	----	3	----	----	274	-	1														
4330	----	----	----	----/128.60A		169.40B/128.60A	----	139.50	- 33.40	.5898	----	----	----	----	----	----	----	22	UNCH														
4335	----	----	----	----/126.00A		166.40B/126.00A	----	136.70	- 33.20	.5826	----	----	----	----	----	----	----	138	UNCH														
4340	----	----	----	----/123.40A		163.40B/123.40A	----	134.00	- 32.90	.5754	----	----	----	1	----	----	24	UNCH															
4345	----	----	----	----/121.00A		160.50B/121.00A	----	131.40	- 32.50	.5682	----	----	----	----	----	----	18	UNCH															
4350	----	----	----	----/118.40A		157.60B/118.40A	----	128.70	- 32.30	.5610	----	----	----	18	----	----	509	-	2														
4355	128.50	128.50		133.80/116.00A		154.70B/116.00A	----	126.20	- 31.90	.5538	----	----	----	2	----	----	17	UNCH															
4360	----	----	----	----/113.60A		151.90B/113.60A	----	123.60	- 31.70	.5466	----	----	----	----	----	----	41	UNCH															
4365	----	----	----	----/111.20A		149.20B/111.20A	----	121.10	- 31.30	.5393	----	----	----	----	----	----	13	UNCH															
4370	----	----	----	----/109.00A		146.50B/109.00A	----	118.70	- 30.90	.5321	----	----	----	----	----	----	44	UNCH															
4375	123.60	123.60		123.60/106.60A		143.60B/106.60A	----	116.20	- 30.70	.5249	----	----	----	12	----	----	97	+	1														
4380	119.80	119.80		128.50/104.50A		141.00B/104.50A	----	113.80	- 30.40	.5177	----	----	----	6	----	----	159	-	1														
4385	111.80	111.80		115.70/102.20A		138.30B/102.20A	----	111.50	- 30.00	.5105	----	----	----	35	----	----	82	+	21														
4390	113.30	113.30		113.30/100.10A		135.70B/100.10A	----	109.20	- 29.70	.5034	----	----	----	37	----	----	48	+	22														
4395	115.70	115.70		115.70/97.80A		133.20B/97.80A	----	106.90	- 29.40	.4962	----	----	----	12	----	----	46	+	8														
4400	123.20	123.20		130.60B/95.70A		130.60B/95.70A	----	104.70	- 29.00	.4891	----	----	----	328	----	----	2284	-	71														
4405	109.10	109.10		112.80/93.70A		128.10B/93.70A	----	102.40	- 28.80	.4820	----	----	----	8	----	----	43	+	2														
4410	106.60	106.60		106.60/91.70A		125.60B/91.70A	----	100.30	- 28.50	.4749	----	----	----	1	----	----	49	+	1														
4415	123.10	123.10		123.10/89.70A		123.20B/89.70A	----	98.10	- 28.20	.4678	----	----	----	4	----	----	49	+	3														
4420	103.80	103.80		103.80/87.70A		120.80B/87.70A	----	96.00	- 27.90	.4608	----	----	----	22	----	----	389	+	12														
4425	117.90	117.90		117.90/85.80A		118.30B/85.80A	----	93.90	- 27.60	.4538	----	----	----	20	----	----	211	+	9														
4430	101.30	101.30		101.30/83.90A		116.00B/83.90A	----	91.80	- 27.30	.4468	----	----	----	6	----	----	100	UNCH															
4435	112.10	112.10		112.10/82.00A		113.80B/82.00A	----	89.80	- 27.00	.4399	----	----	----	4	----	----	33	UNCH															
4440	104.80	104.80		104.80/80.20A		111.50B/80.20A	----	87.80	- 26.70	.4330	----	----	----	2	----	----	210	UNCH															
4445	----	----	----	----/78.40A		109.30B/78.40A	----	85.90	- 26.30	.4261	----	----	----	----	----	----	91	UNCH															
4450	105.10	105.10		107.10B/76.50A		107.10B/76.50A	----	84.00	- 26.00	.4193	----	----	----	68	----	----	843	-	6														
4455	103.40	103.40		103.40/74.80A		105.00B/74.80A	----	82.10	- 25.60	.4125	----	----	----	1	----	----	53	+	1														
4460	101.40	101.40		101.40/73.10A		102.80B/73.10A	----	80.30	- 25.30	.4059	----	----	----	1	----	----	42	UNCH															
4465	91.70	91.70		91.70/71.50A		100.70B/71.50A	----	78.50	- 24.90	.3992	----	----	----	1	----	----	61	+	1														
4470	81.10	81.10		81.10/69.90A		98.60B/69.90A	----	76.70	- 24.70	.3925	----	----	----	1	----	----	42	UNCH															
4475	----	----	----	----/68.30A		96.60B/68.30A	----	75.00	- 24.30	.3860	----	----	----	24	----	----	223	+	1														
4480	78.00	78.00		78.00/66.70A		94.60B/66.70A	----	73.30	- 24.00	.3795	----	----	----	3	----	----	125	+	3														
4485	84.60	84.60		86.60/65.20A		92.60B/65.20A	----	71.60	- 23.70	.3730	----	----	----	5	----	----	42	+	3														
4490	67.10	67.10		67.10/63.70A		90.70B/63.70A	----	70.00	- 23.30	.3667	----	----	----	4	----	----	53	-	1														
4495	----	----	----	----/62.10A		88.80B/62.10A	----	68.40	- 23.00	.3603	----	----	----	3	----	----	317	-	3														
4500	83.50	83.50		87.00B/60.70A		87.00B/60.70A	----	66.80	- 22.70	.3540	----	----	----	590	----	----	1326	+	154														
4505	77.10	77.10		77.10/59.30A		85.10B/59.30A	----	65.30	- 22.40	.3479	----	----	----	3	----	----	81	+	2														
4510	----	----	----	----/57.90A		83.30B/57.90A	----	63.70	- 22.10	.3415	----	----	----	----	----	----	252	UNCH															
4515	69.70	69.70		74.20/56.60A		81.60B/56.60A	----	62.20	- 21.80	.3354	----	----	----	13	----	----	48	+	9														
4520	----	----	----	----/55.30A		79.80B/55.30A	----	60.80	- 21.50	.3295	----	----	----	----	----	----	17	UNCH															
4525	----	----	----	----/54.00A		78.20B/54.00A	----	59.40	- 21.10	.3235	----	----	----	6	----	----	270	-	3														
4530	55.30	55.30		55.30/52.70A		76.40B/52.70A	----	58.00	- 20.90	.3176	----	----	----	1	----	----	60	+	1														
4535	62.90	62.90		62.90/51.40A		74.80B/51.40A	----	56.60	- 20.60	.3117	----	----	----	1	----	----	83	UNCH															
4540	----	----	----	----/50.20A		73.20B/50.20A	----	55.30	- 20.20	.3060	----	----	----	----	----	----	79	UNCH															
4545	65.10	65.10		65.10/49.00A		71.70B/49.00A	----	54.00	- 19.90	.3004	----	----	----	20	----	----	39	+	2														
4550	57.60	57.60		57.60/47.80A		70.10B/47.80A	----	52.70	- 19.70	.2947	----	----	----	257	----	----	455	+	115														
4555	----	----	----	----/46.70A		68.60B/46.70A	----	51.50	- 19.30	.2893	----	----	----	----	----	----	140	UNCH															
4560	----	----	----	----/45.60A		67.10B/45.60A	----	50.20	- 19.10	.2836	----	----	----	----	----	----	58	UNCH															
4565	45.10	45.10		45.10/44.50A		65.60B/44.50A	----	49.00	- 18.80	.2782	----	----	----	1	----	----	46	+	1														
4570	----	----	----	----/43.40A		64.20B/43.40A	----	47.90	- 18.40	.2730	----	----	----	----	----	----	32	UNCH															
4575	63.80	63.80		63.80/42.30A		63.80/42.30A	----	46.70	- 18.10	.2676	----	----	----	71	----	----	116	+	58														
4580	----	----	----	----/41.30A		61.40B/41.30A	----	45.60	- 17.80	.2625	----	----	----	----	----	----	94	UNCH															
4585	50.80	50.80		50.80/40.40A		60.00B/40.40A	----	44.60	- 17.40	.2576	----	----	----	4	----	----	163	+	1														
4590	48.70	48.70		48.70/39.40A		58.70B/39.40A	----	43.50	- 17.20	.2525	----	----	----	25	----	----	179	+	14														
4595	----	----	----	----/38.40A		57.40B/38.40A	----	42.50	- 16.80	.2477	----	----	----	----	----	----	85	UNCH															
4600	55.00	55.00		56.10B/37.50A		56.10B/37.50A	----	41.40	- 16.60	.2426	----	----	----	494	----	----	4170	+	27														
4605	45.00	45.00		45.00/36.60A		54.90B/36.60A	----	40.50	- 16.20	.2380	----	----	----	92	----	----	129	+	8														
4610	----	----	----	----/35.70A		53.70B/35.70A	----	39.50	- 16.00	.2332	----	----	----	1	----	----	137	UNCH															
4615	----	----	----	----/34.80A		52.40B/34.80A	----	38.50	- 15.70	.2284	----	----	----	----	----	----	126	UNCH															
4620	41.40	41.40		41.40/34.00A		51.30B/34.00A	----	37.60	- 15.40	.2239	----	----	----	154	----	----	217	+	126														
4625	34.00	34.00		36.20/33.20A																													



PRELIMINARY



PG64 BULLETIN #181@				METALS OPTION PRODUCTS								Mon, Sep 21, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST	
OG CALL NOV26	COMEX GOLD OPTIONS																
4940	9.50	9.50		9.50/7.90A	12.10B/7.90A	----			8.70 - 3.80	.0594	----	----	4	----	79 -	3	
4945	9.30	9.30		9.30/7.80A	11.80B/7.80A	----			8.50 - 3.70	.0581	----	----	3	----	31 +	3	
4950	11.30	11.30		11.60B/7.60A	11.60B/7.60A	----			8.30 - 3.70	.0568	----	----	11	----	561 -	2	
4955	8.20	8.20		8.20/7.50A	11.40B/7.50A	----			8.20 - 3.50	.0561	----	----	1	----	41	UNCH	
4960	----	----		7.30A	11.10B/7.30A	----			8.00 - 3.50	.0548	----	----	----	----	43	UNCH	
4965	----	----		7.20A	10.90B/7.20A	----			7.90 - 3.30	.0540	----	----	7	----	48 +	1	
4970	9.70	9.70		7.10A	10.70B/7.10A	----			7.70 - 3.30	.0528	----	----	1	----	24 -	1	
4975				10.50B/6.90A	10.50B/6.90A	----			7.60 - 3.20	.0520	----	----	5	----	129 +	1	
4980	----	----		6.80A	10.20B/6.80A	----			7.40 - 3.20	.0507	----	----	----	----	125	UNCH	
4985	----	----		6.70A	10.00B/6.70A	----			7.20 - 3.10	.0500	----	----	----	----	32	UNCH	
4990	----	----		6.60A	9.80B/6.60A	----			7.00 - 3.00	.0492	----	----	----	----	119	UNCH	
4995	9.10	9.10		6.50A	9.60B/6.50A	----			7.00 - 2.90	.0480	----	----	----	----	4333 +	171	
5000				9.10/6.40A	9.50B/6.40A	----			6.90 - 2.90	.0473	----	----	291	----	47	UNCH	
5005	----	----		6.20A	9.30B/6.20A	----			6.80 - 2.80	.0463	----	----	----	----	56	UNCH	
5010	----	----		6.10A	9.10B/6.10A	----			6.70 - 2.70	.0458	----	----	----	----	31	UNCH	
5015	----	----		6.00A	8.90B/6.00A	----			6.50 - 2.70	.0446	----	----	----	----	57	UNCH	
5020	6.00	6.00		5.90A	8.70B/5.90A	----			6.40 - 2.60	.0432	----	----	45	----	261 +	35	
5025				6.00/5.80A	8.60B/5.80A	----			6.30 - 2.50	.0432	----	----	1	----	71	UNCH	
5030	----	----		5.70A	8.40B/5.70A	----			6.20 - 2.50	.0424	----	----	----	----	74	UNCH	
5035	----	----		5.60A	8.20B/5.60A	----			6.10 - 2.40	.0417	----	----	1	----	165 -	1	
5040	----	----		5.60A	8.10B/5.60A	----			6.00 - 2.40	.0410	----	----	----	----	42	UNCH	
5045	----	----		5.50A	7.90B/5.50A	----			5.90 - 2.30	.0403	----	----	----	----	1060	UNCH	
5050	----	----		5.40A	7.80B/5.40A	----			5.80 - 2.30	.0396	----	----	----	----	114	UNCH	
5055	----	----		5.30A	7.60B/5.30A	----			5.70 - 2.20	.0389	----	----	----	----	43	UNCH	
5060	----	----		5.20A	7.50B/5.20A	----			5.60 - 2.20	.0383	----	----	----	----	44	UNCH	
5065	----	----		5.10A	7.30B/5.10A	----			5.50 - 2.10	.0376	----	----	----	----	171	UNCH	
5070	----	----		5.10A	7.20B/5.10A	----			5.50 - 2.00	.0374	----	----	4	----	72	UNCH	
5075	----	----		5.00A	7.10B/5.00A	----			5.40 - 2.00	.0367	----	----	----	----	42	UNCH	
5080	----	----		4.90A	6.90B/4.90A	----			5.30 - 1.90	.0360	----	----	----	----	146	UNCH	
5085	----	----		4.80A	6.80B/4.80A	----			5.20 - 1.90	.0354	----	----	----	----	61	UNCH	
5090	----	----		4.80A	6.70B/4.80A	----			5.10 - 1.90	.0347	----	----	----	----	198	UNCH	
5095	----	----		4.70A	6.60B/4.70A	----			5.10 - 1.80	.0345	----	----	52	----	2610 -	36	
5100	----	----		4.60A	6.50B/4.60A	----			5.00 - 1.70	.0339	----	----	----	----	45	UNCH	
5105	----	----		4.60A	6.40B/4.60A	----			4.90 - 1.70	.0332	----	----	----	----	43	UNCH	
5110	----	----		4.50A	6.20B/4.50A	----			4.80 - 1.70	.0326	----	----	----	----	137	UNCH	
5115	----	----		4.40A	6.10B/4.40A	----			4.80 - 1.60	.0324	----	----	----	----	77	UNCH	
5120	----	----		4.40A	6.00B/4.40A	----			4.70 - 1.60	.0318	----	----	----	----	91	UNCH	
5125	----	----		4.30A	6.00B/4.30A	----			4.60 - 1.60	.0311	----	----	----	----	95	UNCH	
5130	----	----		4.20A	5.80B/4.20A	----			4.60 - 1.50	.0310	----	----	----	----	19	UNCH	
5135	----	----		4.20A	5.70B/4.20A	----			4.50 - 1.50	.0303	----	----	----	----	48	UNCH	
5140	----	----		4.10A	5.60B/4.10A	----			4.40 - 1.50	.0297	----	----	----	----	25	UNCH	
5145	5.00	5.00		4.10A	5.50B/4.10A	----			4.40 - 1.40	.0296	----	----	3	----	546 -	2	
5150				5.00/4.00A	5.50B/4.00A	----			4.30 - 1.40	.0289	----	----	----	----	8	UNCH	
5155	----	----		4.00A	5.40B/4.00A	----			4.20 - 1.40	.0283	----	----	----	----	27	UNCH	
5160	----	----		3.90A	5.30B/3.90A	----			4.20 - 1.30	.0282	----	----	----	----	79	UNCH	
5165	----	----		3.90A	5.20B/3.90A	----			4.10 - 1.30	.0275	----	----	----	----	22	UNCH	
5170	----	----		3.80A	5.10B/3.80A	----			4.10 - 1.20	.0274	----	----	----	----	285	UNCH	
5175	4.40	4.40		3.80A	5.10B/3.80A	----			4.00 - 1.20	.0268	----	----	1	----	88 +	1	
5180				4.40/3.70A	4.90B/3.70A	----			4.00 - 1.20	.0267	----	----	----	----	14	UNCH	
5185	----	----		3.70A	4.90B/3.70A	----			3.90 - 1.20	.0261	----	----	----	----	21	UNCH	
5190	----	----		3.60A	4.80B/3.60A	----			3.80 - 1.20	.0255	----	----	----	----	90	UNCH	
5195	----	----		3.60A	4.70B/3.60A	----			3.80 - 1.10	.0253	----	----	----	----	1872	UNCH	
5200	----	----		3.60A	4.70B/3.60A	----			3.70 - 1.10	.0247	----	----	1	----	7	UNCH	
5205	----	----		3.50A	4.60B/3.50A	----			3.70 - 1.10	.0246	----	----	----	----	11	UNCH	
5210	----	----		3.50A	4.50B/3.50A	----			3.60 - 1.10	.0240	----	----	----	----	51	UNCH	
5215	----	----		3.40A	4.40B/3.40A	----			3.60 - 1.00	.0239	----	----	----	----	34	UNCH	
5220	----	----		3.40A	4.40B/3.40A	----			3.50 - 1.00	.0233	----	----	----	----	27	UNCH	
5225	----	----		3.40A	4.30B/3.40A	----			3.50 - 1.00	.0232	----	----	----	----	96	UNCH	
5230	----	----		3.30A	4.20B/3.30A	----			3.40 - 1.00	.0226	----	----	----	----	21	UNCH	
5235	----	----		3.30A	4.20B/3.30A	----			3.40 - 0.90	.0225	----	----	----	----	38	UNCH	
5240	----	----		3.20A	4.10B/3.20A	----			3.40 - 0.90	.0224	----	----	----	----	9	UNCH	
5245	3.70	3.70		3.20A	4.10B/3.20A	----			3.30 - 0.90	.0218	----	----	60	----	737 +	45	
5250				3.70/3.10A	4.10B/3.20A	----			3.30 - 0.90	.0218	----	----	----	----	4	UNCH	
5255	----	----		3.10A	3.90B/3.10A	----			3.20 - 0.90	.0212	----	----	----	----	11	UNCH	
5260	----	----		3.10A	3.90B/3.10A	----			3.20 - 0.80	.0211	----	----	----	----	11	UNCH	
5265	----	----		3.10A	3.80B/3.10A	----			3.20 - 0.80	.0210	----	----	----	----	15	UNCH	
5270	3.00	3.00		3.00A	3.80B/3.00A	----			3.10 - 0.80	.0204	----	----	1	----	40	UNCH	
5275				3.00/3.00	3.70B/3.00	----			3.10 - 0.80	.0203	----	----	----	----	18 +	1	
5280	3.10	3.10		3.10/3.00A	3.70B/3.00A	----			3.00 - 0.80	.0197	----	----	1	----	21	UNCH	
5285				3.10/3.00A	3.70B/3.00A	----			3.00 - 0.80	.0197	----	----	----	----	10	UNCH	
5290	----	----		2.90A	3.60B/2.90A	----			3.00 - 0.80	.0196	----	----	76	----	1330 -	5	
5295	----	----		2.90A	3.50B/2.90A	----			2.90 - 0.80	.0190	----	----	----	----	31	UNCH	
5300	----	----		2.90A	3.50B/2.90A	----			2.90 - 0.80	.0189	----	----	1	----	10	UNCH	
5305	----	----		2.80A	3.50B/2.80A	----			2.90 - 0.70	.0189	----	----	----	----	6	UNCH	
5310	----	----		2.80A	3.40B/2.80A	----			2.80 - 0.80	.0183	----	----	----	----	19	UNCH	
5315	----	----		2.80A	3.40B/2.80A	----			2.80 - 0.80	.0182	----	----	----	----	23	UNCH	
5320	----	----		2.80A	3.30B/2.80A	----			2.80 - 0.70	.0182	----	----	----	----	13 -	2	
5325	----	----		2.70A	3.30B/2.70A	----			2.70 - 0.80	.0176	----	----	2	----	39	UNCH	
5330	----	----		2.70A	3.20B/2.70A	----			2.70 - 0.80	.0175	----	----	----	----	12	UNCH	
5335	----	----		2.70A	3.20B/2.70A	----			2.70 - 0.80	.0175	----	----	----	----	120	UNCH	
5340	----	----		2.70A	3.20B/2.70A	----			2.70 - 0.70	.0174	----	----	----	----	21	UNCH	
5345	----	----		2.60A	3.10B/2.60A	----			2.60 - 0.80	.0168	----	----	----	----	13	UNCH	
5350	----	----		2.60A	3.10B/2.60A	----			2.60 - 0.80	.0168	----	----	----	----	9	UNCH	
5355	----	----		2.60A	3.10B/2.60A	----			2.60 - 0.80	.0167	----	----	----	----	13	UNCH	
5360	----	----		2.60A	3.00B/2.60A	----			2.60 - 0.70	.0166	----	----	----	----	41	UNCH	
5365	----	----		2.50A	3.00B/2.50A	----			2.50 - 0.80	.0161	----	----	----	----	33	UNCH	
5370	----	----		2.50A	3.00B/2.50A	----			2.50 - 0.80	.0160	----	----	----	----	32	UNCH	
5375	----	----		2.50A	2.90B/2.50A	----			2.50 - 0.70	.0160	----	----	----	----	10	UNCH	
5380	----	----		2.50A	2.90B/2.50A	----			2.50 - 0.70	.0159	----	----	----	----	31	UNCH	
5385	----	----		2.50A	2.90B/2.50A	----			2.50 - 0.70	.0159	----	----	----	----	31	UNCH	
5390	----	----		2.40A	2.80B/2.40A	----			2.40 - 0.80	.0153	----	----	----	----	3	UNCH	
5395	----	----		2.40A	2.80B/2.40A	----			2.40 - 0.70	.0152	----	----	34	----	782	UNCH	
5400	2.60	2.60		2.60/2.40A	2.80B/2.40A	----			2.40 - 0.70	.0152	----	----	3	----	55 +	3	
5405	2.40	2.40		2.40/2.40	2.80B/2.40	----			2.40 - 0.70	.0151	----	----	----	----	6	UNCH	
5410	----	----		2.40A	2.70B/2.40A	----			2.40 - 0.60	.0151	----	----	----	----	26	UNCH	
5415	----	----		2.30A	2.70B/2.30A	----			2.30 - 0.70	.0145							

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.

BULLETIN #181@				METALS OPTION PRODUCTS										Mon, Sep 21, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST
OG CALL	COMEX GOLD OPTIONS															
NOV26	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
5625	----	----	----	----/1.70A	1.80B/1.70A	----	----	----	1.80 - 0.30	.0105	----	----	----	----	----	7
5630	----	----	----	----/1.70A	1.80B/1.70A	----	----	----	1.80 - 0.30	.0105	----	----	----	----	----	2
5635	----	----	----	----/1.70A	1.80B/1.70A	----	----	----	1.80 - 0.20	.0105	----	----	2	----	----	18
5640	----	----	----	----/1.70A	1.80B/1.70A	----	----	----	1.80 - 0.20	.0104	----	----	----	----	----	6
5645	----	----	----	----/1.70A	1.80B/1.70A	----	----	----	1.70 - 0.30	.0099	----	----	----	----	----	15
5650	----	----	----	----/1.70A	1.70B/1.70A	----	----	----	1.70 - 0.30	.0099	----	----	----	----	----	55
5655	----	----	----	----/1.70A	1.70B/1.70A	----	----	----	1.70 - 0.30	.0099	----	----	----	----	----	5
5660	----	----	----	----/1.60A	1.70B/1.60A	----	----	----	1.70 - 0.30	.0098	----	----	----	----	----	1
5665	----	----	----	----/1.60A	1.70B/1.60A	----	----	----	1.70 - 0.30	.0098	----	----	----	----	----	14
5670	----	----	----	----/1.60A	1.70B/1.60A	----	----	----	1.70 - 0.30	.0098	----	----	----	----	----	10
5675	----	----	----	----/1.60A	1.70B/1.60A	----	----	----	1.70 - 0.30	.0098	----	----	----	----	----	7
5680	----	----	----	----/1.60A	1.70B/1.60A	----	----	----	1.70 - 0.20	.0097	----	----	----	----	----	44
5685	----	----	----	----/1.60A	1.60B/1.60A	----	----	----	1.60 - 0.30	.0092	----	----	----	----	----	5
5690	----	----	----	----/1.60A	1.60B/1.60A	----	----	----	1.60 - 0.30	.0092	----	----	----	----	----	22
5695	----	----	----	----/1.60A	1.60B/1.60A	----	----	----	1.60 - 0.30	.0092	----	----	----	----	----	25
5700	----	----	----	----/1.60A	1.60B/1.60A	----	----	----	1.60 - 0.30	.0092	----	----	----	----	128	UNCH
5705	----	----	----	----/1.60A	1.60B/1.60A	----	----	----	1.60 - 0.30	.0091	----	----	----	----	----	1
5710	----	----	----	----/1.50A	1.60B/1.50A	----	----	----	1.60 - 0.30	.0091	----	----	----	----	----	2
5720	----	----	----	----/1.50A	1.60B/1.50A	----	----	----	1.60 - 0.20	.0091	----	----	----	----	----	6
5725	----	----	----	----/1.50A	1.60B/1.50A	----	----	----	1.50 - 0.30	.0086	----	----	----	----	----	3
5730	----	----	----	----/1.50A	1.50B/1.50A	----	----	----	1.50 - 0.30	.0086	----	----	----	----	----	23
5740	----	----	----	----/1.50A	1.50B/1.50A	----	----	----	1.50 - 0.30	.0085	----	----	----	----	----	4
5750	----	----	----	----/1.50A	1.50B/1.50A	----	----	----	1.50 - 0.30	.0085	----	----	----	----	599	UNCH
5770	----	----	----	----/1.40A	1.50B/1.40A	----	----	----	1.40 - 0.30	.0079	----	----	----	----	----	11
5775	----	----	----	----/1.40A	1.40B/1.40A	----	----	----	1.40 - 0.30	.0079	----	----	----	----	----	8
5780	----	----	----	----/1.40A	1.40B/1.40A	----	----	----	1.40 - 0.30	.0079	----	----	----	----	----	6
5790	----	----	----	----/1.40A	1.40B/1.40A	----	----	----	1.40 - 0.30	.0078	----	----	----	----	----	5
5800	----	----	----	----/1.40A	1.40B/1.40A	----	----	----	1.40 - 0.30	.0078	----	----	----	----	218	UNCH
5810	----	----	----	----/1.40A	1.40B/1.40A	----	----	----	1.40 - 0.20	.0078	----	----	----	----	----	10
5825	----	----	----	----/1.30A	1.40B/1.30A	----	----	----	1.30 - 0.30	.0073	----	----	----	----	----	41
5850	----	----	----	----/1.30A	1.30B/1.30A	----	----	----	1.30 - 0.20	.0072	----	----	----	----	----	40
5875	----	----	----	----/1.30A	1.30B/1.30A	----	----	----	1.30 - 0.20	.0071	----	----	----	----	----	10
5900	1.30	1.30		1.30/1.20A	1.30/1.20A	1.20B/1.20A	----	----	1.20 - 0.20	.0066	----	----	5	----	285	- 1
5925	----	----	----	----/1.20A	1.20B/1.20A	1.20B/1.20A	----	----	1.20 - 0.20	.0065	----	----	----	----	----	15
5950	----	----	----	----/1.20A	1.20B/1.20A	1.20B/1.20A	----	----	1.20 - 0.10	.0064	----	----	----	----	----	10
5975	----	----	----	----/1.10A	1.20B/1.10A	1.20B/1.10A	----	----	1.10 - 0.20	.0059	----	----	----	----	34	UNCH
6000	1.10	1.10		1.10/1.10	1.10/1.10	1.10/1.10	----	----	1.10 - 0.20	.0058	----	----	2	----	2059	+ 1
6100	----	----	----	----/1.00A	1.10B/1.00A	1.10B/1.00A	----	----	1.00 - 0.10	.0052	----	----	----	----	39	UNCH
6200	----	----	----	----/0.90A	0.90B/0.90A	0.90B/0.90A	----	----	0.90 - 0.10	.0045	----	----	----	----	51	UNCH
6250	----	----	----	----	0.90B/0.90A	0.90B/0.90A	----	----	0.80 - 0.10	.0040	----	----	1	----	35	+ 1
6300	----	----	----	----	0.80B/0.90A	0.80B/0.90A	----	----	0.80 - 0.10	.0040	----	----	----	----	343	UNCH
6400	----	----	----	----	0.70B/0.80A	0.70B/0.80A	----	----	0.70 - 0.10	.0034	----	----	----	----	123	UNCH
6500	0.70	0.70		0.70/0.70	0.70/0.70	0.70/0.70	----	----	0.60 - 0.10	.0029	----	----	5	----	1917	- 3
8000	----	----	----	----	0.20B/0.20A	0.20B/0.20A	----	----	0.20 UNCH	.0007	----	----	----	----	1001	UNCH
9000	----	----	----	----	0.10B/0.20A	0.10B/0.20A	----	----	0.10 UNCH	.0003	----	----	----	----	1570	UNCH
20000	----	----	----	----	----/0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	1346	UNCH
TOTAL													6349		77538	+
DEC26	----	----	----	----	----	----	----	----	2883.90 - 41.00	1.0000	50	----	50	----	0	UNCH
1500	----	----	----	----	----/1.927.20A	1861.90B/1927.20A	----	----	1888.90 - 41.00	1.0000	10	----	10	----	0	UNCH
2495	----	----	----	----	----/1.922.10A	1857.00B/1922.10A	----	----	1883.90 - 41.00	1.0000	150	----	170	----	608	UNCH
2500	----	----	----	----	----/1.917.20A	1852.10B/1917.20A	----	----	1878.90 - 41.00	1.0000	10	----	10	----	0	UNCH
2505	----	----	----	----	----/1.266.20A	1312.70B/1266.20A	----	----	1283.90 - 41.00	.9919	47	----	47	----	0	UNCH
3100	----	----	----	----	----/1.216.70A	1262.00B/1216.70A	----	----	1234.00 - 41.00	.9904	----	----	----	----	20	UNCH
3150	----	----	----	----	----/1.167.30A	1210.80B/1167.30A	----	----	1184.10 - 41.00	.9889	----	----	----	----	52	UNCH
3200	----	----	----	----	----/1.118.60A	1158.90B/1118.60A	----	----	1134.30 - 41.00	.9872	----	----	----	----	65	UNCH
3250	----	----	----	----	----/1.070.30A	1107.40B/1070.30A	----	----	1084.60 - 41.00	.9852	----	----	47	----	311	+ 47
3300	----	----	----	----	----/1.022.10A	1056.70B/1022.10A	----	----	1034.90 - 41.00	.9830	----	----	----	----	1	UNCH
3350	----	----	----	----	----/978.40A	1011.30B/978.40A	----	----	990.30 - 41.00	.9805	----	----	----	----	1	UNCH
3395	----	----	----	----	----/968.60A	1001.30B/968.60A	----	----	980.40 - 41.00	.9799	----	----	----	----	1	UNCH
3405	----	----	----	----	----/927.70A	956.20B/927.70A	----	----	935.90 - 41.00	.9773	----	----	----	----	1	UNCH
3450	----	----	----	----	----/879.70A	906.40B/879.70A	----	----	886.60 - 41.00	.9736	----	----	----	----	13	UNCH
3500	----	----	----	----	----/830.60A	857.00B/830.60A	----	----	837.50 - 40.90	.9694	----	----	----	----	2	UNCH
3550	----	----	----	----	----/811.00A	837.40B/811.00A	----	----	817.90 - 40.90	.9673	----	----	----	----	1	UNCH
3570	----	----	----	----	----/780.50A	808.00B/780.50A	----	----	788.50 - 40.90	.9642	----	----	----	----	2	UNCH
3600	----	----	----	----	----/679.80A	711.20B/679.80A	----	----	691.30 - 41.00	.9501	----	----	----	----	51	UNCH
3700	----	----	----	----	----/583.50A	616.50B/583.50A	----	----	596.00 - 40.80	.9289	----	----	----	----	23	UNCH
3800	----	----	----	----	----/545.80A	579.40B/545.80A	----	----	558.60 - 40.70	.9175	----	----	----	----	1	UNCH
3840	----	----	----	----	----/527.20A	561.00B/527.20A	----	----	540.10 - 40.70	.91	----	----	----	----	1	UNCH
3860	----	----	----	----	----/490.20A	524.90B/490.20A	----	----	503.60 - 40.50	.8964	----	----	----	----	41	UNCH
3900																



CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY



PG64 BULLETIN #181@				METALS OPTION PRODUCTS								Mon, Sep 21, 2026				PG64
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL DEC26	COMEX GOLD OPTIONS															
4330	175.20	175.20		175.20/173.50A	211.90B/173.50A	----			184.30 - 31.60	.5718	----	----	1	----	113 +	1
4335	196.40	196.40		196.40/171.00A	210.00B/171.00A	----			181.70 - 31.40	.5667	----	----	1	----	41	UNCH
4340	193.70	193.70		193.70/168.60A	207.30B/168.60A	----			179.10 - 31.20	.5616	----	----	7	----	32 +	4
4345	193.50	193.50		193.50/166.10A	204.60B/166.10A	----			176.60 - 30.90	.5566	----	----	1	----	3 +	1
4350	183.00	183.00		183.00/163.70A	201.80B/163.70A	----			174.00 - 30.80	.5515	----	----	2	----	949 -	1
4355	182.50	182.50		182.50/161.30A	199.30B/161.30A	----			171.50 - 30.60	.5464	----	----	2	----	15 +	1
4360	----	----	----	----/158.90A	196.40B/158.90A	----			169.00 - 30.40	.5413	----	----	----	----	18	UNCH
4365	----	----	----	----/156.70A	194.00B/156.70A	----			166.60 - 30.10	.5362	----	----	----	----	6	UNCH
4370	----	----	----	----/154.40A	191.40B/154.40A	----			164.20 - 29.90	.5311	----	----	3	----	4	UNCH
4375	153.40	153.40		167.10/152.10A	188.60B/152.10A	----			161.80 - 29.60	.5260	----	----	8	----	455 +	1
4380	171.00	171.00		171.00/149.80A	186.20B/149.80A	----			159.40 - 29.50	.5210	----	----	11	----	104 -	5
4385	157.50	157.50		160.00/147.60A	183.70B/147.60A	----			157.10 - 29.20	.5159	----	----	2	----	22	UNCH
4390	156.40	156.40		159.40/145.50A	181.20B/145.50A	----			154.80 - 29.00	.5108	----	----	38	----	82 +	19
4395	166.10	166.10		166.10/143.20A	178.60B/143.20A	----			152.50 - 28.80	.5058	----	----	7	----	89 +	6
4400	176.40	176.40		176.40/141.10A	176.40/141.10A	----			150.30 - 28.50	.5008	----	190	----	43	2405 +	3
4405	166.00	166.00		166.00/139.10A	173.70B/139.10A	----			148.10 - 28.20	.4957	----	----	43	----	46 +	43
4410	148.50	148.50		148.50/136.90A	171.30B/136.90A	----			145.90 - 28.00	.4907	----	----	2	----	88 -	1
4415	168.00	168.00		168.90B/134.90A	168.90B/134.90A	----			143.70 - 27.80	.4857	----	----	40	----	88 +	7
4420	165.30	165.30		166.70B/132.80A	166.70B/132.80A	----			141.60 - 27.50	.4807	----	----	16	----	47 +	1
4425	163.30	163.30		164.20B/130.80A	164.20B/130.80A	----			139.50 - 27.20	.4758	----	----	27	150	258 +	145
4430	147.80	147.80		147.80/128.80A	161.90B/128.80A	----			137.40 - 27.00	.4708	----	----	11	----	71 +	4
4435	143.10	143.10		143.10/126.90A	159.60B/126.90A	----			135.30 - 26.80	.4659	----	----	1	----	50 +	1
4440	153.70	153.70		157.50B/124.90A	157.50B/124.90A	----			133.20 - 26.60	.4609	----	----	7	----	45	UNCH
4445	153.90	153.90		155.10B/123.00A	155.10B/123.00A	----			131.20 - 26.40	.4560	----	----	14	----	39 +	14
4450	152.10	152.10		152.90B/121.10A	152.90B/121.10A	----			129.20 - 26.10	.4512	----	----	12	----	977 +	4
4455	149.60	149.60		150.90B/119.20A	150.90B/119.20A	----			127.20 - 25.90	.4463	----	----	1	----	95 -	1
4460	127.40	127.40		129.00/117.40A	148.70B/117.40A	----			125.30 - 25.60	.4415	----	16	----	2	197 -	7
4465	146.40	146.40		146.40/115.60A	146.60B/115.60A	----			123.30 - 25.50	.4366	----	2	----	2	95 +	2
4470	143.20	143.20		144.50B/113.80A	144.50B/113.80A	----			121.40 - 25.30	.4318	----	2	----	2	265 +	1
4475	----	----	----	----/112.00A	142.20B/112.00A	----			119.50 - 25.10	.4270	----	----	----	----	297	UNCH
4480	139.10	139.10		140.30B/110.20A	140.30B/110.20A	----			117.70 - 24.80	.4223	----	----	3	----	118 +	1
4485	137.40	137.40		138.20B/108.50A	138.20B/108.50A	----			115.80 - 24.60	.4175	----	2	3	----	23 +	2
4490	----	----	----	----/106.80A	136.10B/106.80A	----			114.00 - 24.40	.4128	----	13	----	----	52 +	11
4495	119.30	119.30		119.30/105.10A	134.10B/105.10A	----			112.20 - 24.20	.4081	----	1	----	1	22	UNCH
4500	130.80	130.80		130.80/103.40A	132.20B/103.40A	----			110.50 - 23.90	.4034	----	127	----	----	12267 +	61
4505	----	----	----	----/101.80A	130.40B/101.80A	----			108.70 - 23.70	.3987	----	----	----	----	76	UNCH
4510	108.60	108.60		112.50/100.20A	128.30B/100.20A	----			107.00 - 23.50	.3941	----	2	----	----	5051 -	1
4515	107.60	107.60		107.60/98.60A	126.40B/98.60A	----			105.30 - 23.30	.3895	----	6	----	----	42	UNCH
4520	----	----	----	----/97.00A	124.50B/97.00A	----			103.60 - 23.10	.3850	----	----	----	----	26	UNCH
4525	104.00	104.00		104.00/95.50A	122.70B/95.50A	----			102.00 - 22.80	.3805	----	3	----	----	252 +	1
4530	102.60	102.60		102.70/94.00A	120.90B/94.00A	----			100.40 - 22.60	.3760	----	5	7	----	47 +	5
4535	103.80	103.80		104.80/92.50A	119.10B/92.50A	----			98.80 - 22.30	.3715	----	50	----	----	78 +	47
4540	102.60	102.60		102.60/91.00A	117.30B/91.00A	----			97.20 - 22.10	.3671	----	8	----	----	65 +	8
4545	102.50	102.50		102.50/89.50A	115.50B/89.50A	----			95.60 - 22.00	.3626	----	51	----	----	98 +	34
4550	100.50	100.50		100.50/88.00A	113.80B/88.00A	----			94.10 - 21.70	.3582	----	49	----	----	1413 +	29
4555	95.00	95.00		95.20/86.70A	112.10B/86.70A	----			92.60 - 21.50	.3539	----	13	7	----	43 +	7
4560	----	----	----	----/85.30A	110.40B/85.30A	----			91.10 - 21.30	.3496	----	----	----	----	175	UNCH
4565	87.00	87.00		87.00/83.90A	108.80B/83.90A	----			89.70 - 21.00	.3454	----	3	----	----	40	UNCH
4570	90.20	90.20		90.20/82.50A	107.10B/82.50A	----			88.20 - 20.80	.3410	----	1	----	----	29 -	1
4575	89.90	89.90		91.10/81.20A	105.50B/81.20A	----			86.80 - 20.60	.3369	----	52	----	----	460 +	41
4580	----	----	----	----/79.90A	103.90B/79.90A	----			85.40 - 20.30	.3327	----	----	----	----	222	UNCH
4585	----	----	----	----/78.50A	102.30B/78.50A	----			84.00 - 20.10	.3285	----	1	----	----	335	UNCH
4590	89.00	89.00		89.00/77.30A	100.80B/77.30A	----			82.70 - 19.90	.3245	----	11	----	----	48 +	10
4595	----	----	----	----/76.00A	99.20B/76.00A	----			81.30 - 19.70	.3203	----	----	----	----	18	UNCH
4600	89.00	89.00		90.70/74.80A	97.70B/74.80A	----			80.00 - 19.40	.3163	----	100	100	4635 +	52	3
4605	77.80	77.80		77.80/73.60A	96.20B/73.60A	----			78.70 - 19.20	.3123	----	3	3	----	34 +	3
4610	75.40	75.40		75.40/72.30A	94.70B/72.30A	----			77.40 - 19.00	.3083	----	1	----	----	54	UNCH
4615	----	----	----	----/71.10A	93.30B/71.10A	----			76.20 - 18.70	.3044	----	----	----	----	50	UNCH
4620	76.30	76.30		76.80/70.00A	91.80B/70.00A	----			74.90 - 18.60	.3004	----	4	----	----	42	UNCH
4625	71.90	71.90		71.90/68.80A	90.30B/68.80A	----			73.70 - 18.30	.2966	----	12	----	----	392 +	12
4630	----	----	----	----/67.70A	88.90B/67.70A	----			72.50 - 18.10	.2927	----	----	----	----	162	UNCH
4635	----	----	----	----/66.60A	87.50B/66.60A	----			71.30 - 17.90	.2889	----	----	----	----	16	UNCH
4640	76.70	76.70		76.70/65.50A	86.20B/65.50A	----			70.20 - 17.60	.2853	----	1	----	----	131 +	1
4645	----	----	----	----/64.40A	84.80B/64.40A	----			69.00 - 17.50	.2815	----	----	----	----	12	UNCH
4650	----	----	----	----/63.30A	83.60B/63.30A	----			67.90 - 17.20	.2778	----	11	----	----	1443 -	10
4655	----	----	----	----/62.30A	82.30B/62.30A	----			66.80 - 17.00	.2742	----	----	----	----	29	UNCH
4660	76.80	76.80		76.80/61.20A	80.90B/61.20A	----			65.70 - 16.80	.2706	----	2	----	----	138 +	1
4665	----	----	----	----/60.20A	79.70B/60.20A	----			64.60 - 16.60	.2669	----	----	----	----	89	UNCH
4670	61.30	61.30		64.00/59.20A	78.50B/59.20A	----			63.60 - 16.30	.2635	----	3	----	----	103	UNCH
4675	73.20	73.20		73.20/58.20A	77.20B/58.20A	----			62.50 - 16.20	.2598	----	8	----	----	116 +	2
4680	66.80	66.80		66.80/57.30A	76.00B/57.30A	----			61.50 - 15.90	.2565	----	20	----	----	190 -	18
4685	----	----	----	----/56.40A	74.80B/56.40A	----			60.50 - 15.70	.2531	----	----	----	----	24	UNCH
4690	----	----	----	----/55.40A	73.60B/55.40A	----			59.50 - 15.50	.2497	----	----	----	----	272	UNCH
4695	----	----	----	----/54.50A	72.50B/54.50A	----			58.50 - 15.30	.2463	----	----	----	----	320	UNCH
4700	65.20	65.20		67.10/53.60A	71.30B/53.60A	----			57.60 - 15.10	.2431	----	595	150	4910 -	93	1
4705	----	----	----	----/52.70A	70.20B/52.70A	----			56.60 - 14.90	.2397	----	----	----	----	155	UNCH
4710	----	----	----	----/51.80A	69.10B/51.80A	----			55.70 - 14.70	.2365	----	----	----	----	57	UNCH
4715	----	----	----	----/51.00A	68.00B/51.00A	----			54.80 - 14.50	.2333	----	----	----	----	117	UNCH
4720	----	----	----	----/50.10A	66.90B/50.10A	----			53.90 - 14.30	.2301	----	----	----	----	135	UNCH
4725	50.90	50.90		53.60/49.30A	65.90B/49.30A	----			53.00 - 14.10	.2270	----	19	----	----	9601 +	7
4730	55.40	55.40		55.40/48.50A	64.80B/48.50A	----			52.10 - 13.90	.2238	----	6	----	----	72 +	1
4735	----	----	----	----/47.70A	63.80B/47.70A	----			51.20 - 13.80	.2206	----	----	----	----	48	UNCH
4740	----	----	----	----/46.90A	62.80B/46.90A	----			50.40 - 13.50	.2177	----	----	----	----	38	UNCH
4745</																

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.



PG64		BULLETIN #181@				METALS OPTION PRODUCTS					Mon, Sep 21, 2026				PG64	
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST	
OG CALL DEC26	COMEX GOLD OPTIONS															
5015	24.30	24.30		24.30/19.50A	26.30B/19.50A	----		20.90 - 5.90	.1004	----	----	1	----	38 +	1	
5020	21.80	21.80		22.20/19.30A	25.90B/19.30A	----		20.60 - 5.80	.0990	----	----	5	----	99 -	2	
5025	23.60	23.60		23.60/19.00A	25.50B/19.00A	----		20.30 - 5.70	.0977	----	----	5	----	286 +	4	
5030	23.20	23.20		23.20/18.70A	25.10B/18.70A	----		20.00 - 5.60	.0963	----	----	1	----	119 -	1	
5035	22.90	22.90		22.90/18.40A	24.70B/18.40A	----		19.70 - 5.50	.0950	----	----	5	----	78 -	UNCH	
5040	20.80	20.80		20.90/18.10A	24.40B/18.10A	----		19.40 - 5.40	.0937	----	----	6	----	78 -	5	
5045	22.20	22.20		22.20/17.90A	24.00B/17.90A	----		19.10 - 5.30	.0923	----	----	1	----	77 -	UNCH	
5050	21.90	21.90		21.90/17.60A	23.70B/17.60A	----		18.90 - 5.20	.0913	----	----	53	450	664 +	250	
5055	----	----		----/17.40A	23.30B/17.40A	----		18.60 - 5.10	.0900	----	----	----	----	8 -	UNCH	
5060	----	----		----/17.10A	23.00B/17.10A	----		18.30 - 5.10	.0887	----	----	----	----	49 -	UNCH	
5065	19.00	19.00		19.00/16.90A	22.60B/16.90A	----		18.10 - 4.90	.0877	----	----	1	----	30 -	UNCH	
5070	18.70	18.70		18.80/16.70A	22.30B/16.70A	----		17.80 - 4.90	.0864	----	----	3	----	21 +	3	
5075	20.40	20.40		20.40/16.40A	22.00B/16.40A	----		17.60 - 4.80	.0854	----	----	3	----	151 +	1	
5080	----	----		----/16.20A	21.70B/16.20A	----		17.30 - 4.70	.0841	----	----	----	----	27 -	UNCH	
5085	18.00	18.00		18.00/16.00A	21.40B/16.00A	----		17.10 - 4.60	.0831	----	----	----	----	29 -	1	
5090	----	----		----/15.80A	21.00B/15.80A	----		16.90 - 4.50	.0822	----	----	1	----	52 -	UNCH	
5095	17.40	17.40		17.40/15.60A	20.70B/15.60A	----		16.60 - 4.50	.0809	----	----	31	----	62 +	23	
5100	17.50	17.50		17.50/15.30A	20.40B/15.30A	----		16.40 - 4.40	.0799	----	----	27	250	2166 -	215	
5105	18.70	18.70		18.70/15.10A	20.20B/15.10A	----		16.20 - 4.30	.0789	----	----	3	----	37 -	1	
5110	----	----		----/14.90A	19.90B/14.90A	----		16.00 - 4.20	.0780	----	----	----	----	89 -	UNCH	
5115	----	----		----/14.70A	19.60B/14.70A	----		15.70 - 4.20	.0767	----	----	----	----	110 -	UNCH	
5120	17.90	17.90		17.90/14.50A	19.30B/14.50A	----		15.50 - 4.10	.0758	----	----	43	----	207 +	30	
5125	----	----		----/14.30A	19.00B/14.30A	----		15.30 - 4.00	.0748	----	----	----	----	112 -	UNCH	
5130	----	----		----/14.20A	18.80B/14.20A	----		15.10 - 4.00	.0739	----	----	----	----	49 -	UNCH	
5135	----	----		----/14.00A	18.50B/14.00A	----		14.90 - 3.90	.0729	----	----	----	----	126 -	UNCH	
5140	----	----		----/13.80A	18.20B/13.80A	----		14.70 - 3.80	.0720	----	----	----	----	40 -	UNCH	
5145	----	----		----/13.60A	18.00B/13.60A	----		14.50 - 3.80	.0710	----	----	----	----	35 -	UNCH	
5150	----	----		----/13.40A	17.70B/13.40A	----		14.30 - 3.70	.0701	----	----	100	----	901 +	57	
5155	----	----		----/13.30A	17.50B/13.30A	----		14.20 - 3.60	.0695	----	----	----	----	67 -	UNCH	
5160	----	----		----/13.10A	17.30B/13.10A	----		14.00 - 3.50	.0686	----	----	----	----	96 -	UNCH	
5165	----	----		----/12.90A	17.00B/12.90A	----		13.80 - 3.50	.0677	----	----	----	----	32 -	UNCH	
5170	----	----		----/12.80A	16.80B/12.80A	----		13.60 - 3.50	.0667	----	----	----	----	27 -	UNCH	
5175	----	----		----/12.60A	16.60B/12.60A	----		13.40 - 3.40	.0658	----	----	----	----	232 -	UNCH	
5180	----	----		----/12.50A	16.30B/12.50A	----		13.30 - 3.30	.0653	----	----	----	----	64 -	UNCH	
5185	----	----		----/12.30A	16.10B/12.30A	----		13.10 - 3.30	.0643	----	----	----	----	12 -	UNCH	
5190	----	----		----/12.20A	15.90B/12.20A	----		12.90 - 3.30	.0634	----	----	----	----	42 -	UNCH	
5195	----	----		----/12.00A	15.70B/12.00A	----		12.80 - 3.10	.0629	----	----	----	----	57 -	UNCH	
5200	12.20	12.20		12.50/11.90A	15.50B/11.90A	----		12.60 - 3.10	.0620	----	----	115	----	2479 +	70	
5205	----	----		----/11.70A	15.30B/11.70A	----		12.50 - 3.00	.0614	----	----	----	----	23 -	UNCH	
5210	----	----		----/11.60A	15.10B/11.60A	----		12.30 - 3.00	.0605	----	----	----	----	168 -	UNCH	
5215	----	----		----/11.40A	14.90B/11.40A	----		12.20 - 2.90	.0599	----	----	----	----	122 -	UNCH	
5220	----	----		----/11.30A	14.70B/11.30A	----		12.00 - 2.90	.0590	----	----	----	----	111 -	UNCH	
5225	----	----		----/11.20A	14.50B/11.20A	----		11.90 - 2.80	.0585	----	----	----	----	9409 -	UNCH	
5230	12.50	12.50		12.50/11.00A	14.30B/11.00A	----		11.70 - 2.80	.0576	----	----	18	----	58 +	18	
5235	----	----		----/10.90A	14.10B/10.90A	----		11.60 - 2.80	.0571	----	----	----	----	17 -	UNCH	
5240	----	----		----/10.80A	13.90B/10.80A	----		11.50 - 2.70	.0565	----	----	----	----	16 -	UNCH	
5245	----	----		----/10.70A	13.70B/10.70A	----		11.30 - 2.70	.0556	----	----	----	----	25 -	UNCH	
5250	12.70	12.70		12.70/10.60A	13.50B/10.60A	----		11.20 - 2.60	.0551	----	----	47	----	1837 -	35	
5255	----	----		----/10.40A	13.40B/10.40A	----		11.10 - 2.60	.0546	----	----	----	----	56 -	UNCH	
5260	----	----		----/10.30A	13.20B/10.30A	----		10.90 - 2.60	.0537	----	----	----	----	10 -	UNCH	
5265	----	----		----/10.20A	13.00B/10.20A	----		10.80 - 2.50	.0532	----	----	----	----	16 -	UNCH	
5270	----	----		----/10.10A	12.90B/10.10A	----		10.70 - 2.50	.0526	----	----	----	----	63 -	UNCH	
5275	----	----		----/10.00A	12.70B/10.00A	----		10.60 - 2.40	.0521	----	----	----	----	41 -	UNCH	
5280	----	----		----/9.90A	12.60B/9.90A	----		10.40 - 2.40	.0512	----	----	----	----	62 -	UNCH	
5285	----	----		----/9.80A	12.40B/9.80A	----		10.30 - 2.40	.0507	----	----	----	----	24 -	UNCH	
5290	----	----		----/9.70A	12.20B/9.70A	----		10.20 - 2.30	.0502	----	----	----	----	7 -	UNCH	
5295	10.20	10.20		10.20/9.60A	12.10B/9.60A	----		10.10 - 2.30	.0497	----	----	20	----	25 +	16	
5300	10.30	10.30		10.30/9.50A	12.00B/9.50A	----		10.00 - 2.20	.0492	----	----	11	----	2495 +	3	
5305	----	----		----/9.40A	11.80B/9.40A	----		9.90 - 2.20	.0486	----	----	----	----	48 -	UNCH	
5310	----	----		----/9.30A	11.70B/9.30A	----		9.80 - 2.20	.0481	----	----	----	----	45 -	UNCH	
5315	----	----		----/9.20A	11.50B/9.20A	----		9.70 - 2.10	.0476	----	----	----	----	38 -	UNCH	
5320	----	----		----/9.10A	11.40B/9.10A	----		9.60 - 2.10	.0471	----	----	----	----	6 -	UNCH	
5325	----	----		----/9.00A	11.30B/9.00A	----		9.50 - 2.10	.0466	----	----	----	----	30 -	UNCH	
5330	----	----		----/8.90A	11.10B/8.90A	----		9.40 - 2.00	.0461	----	----	----	----	48 -	UNCH	
5335	----	----		----/8.80A	11.00B/8.80A	----		9.30 - 2.00	.0456	----	----	----	----	46 -	UNCH	
5340	----	----		----/8.70A	10.90B/8.70A	----		9.20 - 2.00	.0451	----	----	----	----	11 -	UNCH	
5345	----	----		----/8.70A	10.80B/8.70A	----		9.10 - 2.00	.0446	----	----	----	----	38 -	UNCH	
5350	----	----		----/8.60A	10.60B/8.60A	----		9.00 - 1.90	.0441	----	----	7	----	859 +	6	
5355	----	----		----/8.50A	10.50B/8.50A	----		8.90 - 1.90	.0436	----	----	----	----	21 -	UNCH	
5360	----	----		----/8.40A	10.40B/8.40A	----		8.80 - 1.90	.0431	----	----	----	----	119 -	UNCH	
5365	----	----		----/8.30A	10.30B/8.30A	----		8.70 - 1.90	.0427	----	----	----	----	23 -	UNCH	
5370	----	----		----/8.20A	10.20B/8.20A	----		8.60 - 1.90	.0422	----	----	----	----	43 -	UNCH	
5375	----	----		----/8.20A	10.00B/8.20A	----		8.50 - 1.90	.0417	----	----	----	----	90 -	UNCH	
5380	----	----		----/8.10A	9.90B/8.10A	----		8.40 - 1.90	.0412	----	----	----	----	45 -	UNCH	
5385	----	----		----/8.00A	9.90B/8.00A	----		8.30 - 1.90	.0407	----	----	----	----	44 -	UNCH	
5390	8.60	8.60		8.60/7.90A	9.70B/7.90A	----		8.30 - 1.70	.0406	----	----	5	----	214 +	5	
5395	----	----		----/7.90A	9.60B/7.90A	----		8.20 - 1.70	.0401	----	----	----	----	7 -	UNCH	
5400	9.80	9.80		9.80/7.80A	9.80/7.80A	----		8.10 - 1.70	.0396	----	----	28	----	3693 -	11	
5405	----	----		----/7.70A	9.40B/7.70A	----		8.00 - 1.70	.0392	----	----	----	----	54 -	UNCH	
5410	----	----		----/7.60A	9.30B/7.60A	----		7.90 - 1.70	.0387	----	----	----	----	25 -	UNCH	
5415	----	----		----/7.60A	9.30B/7.60A	----		7.90 - 1.70	.0386	----	----	----	----	4 -	UNCH	
5420	----	----		----/7.50A	9.10B/7.50A	----		7.80 - 1.70	.0381	----	----	----	----	11 -	UNCH	
5425	----	----		----/7.40A	9.10B/7.40A	----		7.70 - 1.70	.0376	----	----	----	----	209 -	UNCH	
5430	----	----		----/7.40A	8.90B/7.40A	----		7.70 - 1.60	.0375	----	----	----	----	16 -	UNCH	
5435	----	----		----/7.30A	8.80B/7.30A	----		7.60 - 1.60	.0370	----	----	----	----	3 -	UNCH	
5440	----	----		----/7.20A	8.70B/7.20A	----		7.50 - 1.60	.0366	----	----	----	----	12 -	UNCH	
5445	----	----		----/7.20A	8.60B/7.20A	----		7.40 - 1.60	.0361	----	----	----	----	45 -	UNCH	
5450	8.80	8.80		8.80/7.10A	8.80/7.10A	----		7.40 - 1.50	.0360	----	----	65	----	466 +	30	
5455	----	----		----/7.10A	8.50B/7.10A	----		7.30 - 1.50	.0355	----	----	----	----	28 -	UNCH	
5460	7.10	7.10		7.10/7.00A	8.40B/7.00A	----		7.20 - 1.50	.0351	----	----	1	----	48 -	UNCH	
5465	----	----		----/6.90A	8.30B/6.90A	----		7.20 - 1.50	.0350	----	----	----	----	66 -	UNCH	
5470	----	----		----/6.90A	8.20B/6.90A	----		7.10 - 1.50	.0345	----	----	----	----	18 -	UNCH	
5475	----	----		----/6.80A	8.20B/6.80A	----		7.10 - 1.40	.0344	----	----	----	----	588 -	UNCH	
5480	----	----		----/6.80A	8.10B/6.80A	----		7.00 - 1.40	.0340	----	----	----	----	1		

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL		COMEX GOLD OPTIONS															
DEC26																	
5700	5.00	5.00		5.00/4.90A	5.50B/4.90A	----		4.90	- 0.80	.0231	----	----	2	----	836	UNCH	
5705	----	----		----/4.90A	5.50B/4.90A	----		4.90	- 0.80	.0231	----	----	----	----	13	UNCH	
5710	----	----		----/4.90A	5.50B/4.90A	----		4.90	- 0.70	.0230	----	----	----	----	58	UNCH	
5720	----	----		----/4.80A	5.40B/4.80A	----		4.80	- 0.80	.0225	----	----	----	----	4	UNCH	
5725	----	----		----/4.80A	5.30B/4.80A	----		4.80	- 0.70	.0225	----	----	----	----	58	UNCH	
5730	----	----		----/4.70A	5.30B/4.70A	----		4.80	- 0.70	.0224	----	----	----	----	14	UNCH	
5740	----	----		----/4.70A	5.20B/4.70A	----		4.70	- 0.70	.0220	----	----	----	----	4	UNCH	
5750	----	----		----/4.60A	5.10B/4.60A	----		4.60	- 0.70	.0215	----	----	----	----	534	UNCH	
5760	----	----		----/4.60A	5.10B/4.60A	----		4.60	- 0.70	.0214	----	----	----	----	10	UNCH	
5770	----	----		----/4.50A	5.00B/4.50A	----		4.50	- 0.70	.0210	----	----	----	----	27	UNCH	
5775	----	----		----/4.50A	5.00B/4.50A	----		4.50	- 0.70	.0209	----	----	----	----	8	UNCH	
5780	----	----		----/4.50A	4.90B/4.50A	----		4.50	- 0.60	.0209	----	----	----	----	9	UNCH	
5790	----	----		----/4.40A	4.80B/4.40A	----		4.40	- 0.70	.0204	----	----	----	----	10	UNCH	
5800	----	----		----/4.40A	4.80B/4.40A	----		4.40	- 0.60	.0203	----	----	----	----	2168	UNCH	
5810	----	----		----/4.30A	4.70B/4.30A	----		4.40	- 0.60	.0202	----	----	----	----	66	UNCH	
5825	----	----		----/4.20A	4.60B/4.20A	----		4.30	- 0.60	.0197	----	----	----	----	16	UNCH	
5850	----	----		----/4.10A	4.50B/4.10A	----		4.20	- 0.50	.0192	----	----	----	----	216	UNCH	
5875	----	----		----/4.00A	4.30B/4.00A	----		4.10	- 0.50	.0186	----	----	----	----	21	UNCH	
5900	4.00	4.00		4.00/3.90A	4.20B/3.90A	----		4.00	- 0.50	.0181	----	----	4	----	1092	UNCH	
5925	----	----		----/3.80A	4.10B/3.80A	----		3.90	- 0.50	.0175	----	----	----	----	12	UNCH	
5950	3.80	3.80		3.80/3.70A	3.90B/3.70A	----		3.80	- 0.40	.0170	----	----	1	----	119	UNCH	
5975	----	----		----/3.60A	3.80B/3.60A	----		3.70	- 0.40	.0165	----	----	----	----	80	UNCH	
6000	3.60	3.60		3.60/3.50A	3.70B/3.50A	----		3.60	- 0.40	.0160	----	----	13	----	17363	+	
6025	----	----		----/3.50A	3.60B/3.50A	----		3.50	- 0.40	.0155	----	----	----	----	9	UNCH	
6050	----	----		----/3.40A	3.50B/3.40A	----		3.40	- 0.40	.0150	----	----	----	----	58	UNCH	
6100	3.20	3.20		3.20/3.20	3.30B/3.20	----		3.30	- 0.40	.0143	----	----	1	----	163	UNCH	
6150	----	----		----/3.10A	3.10B/3.10A	----		3.10	- 0.40	.0134	----	----	----	----	81	UNCH	
6200	3.00	3.00		3.00/3.00	3.00/3.00	----		3.00	- 0.30	.0128	----	----	1	----	3071	UNCH	
6250	3.10	3.10		3.10/2.90A	3.10/2.90A	----		2.80	- 0.40	.0119	----	----	1	----	335	-	
6300	----	----		----/2.70A	2.70B/2.70A	----		2.70	- 0.30	.0114	----	----	----	----	872	UNCH	
6400	----	----		----/2.60A	2.50B/2.60A	----		2.50	- 0.30	.0104	----	----	----	----	876	UNCH	
6500	----	----		----/2.40A	2.30B/2.40A	----		2.30	- 0.30	.0094	----	----	5	----	5100	-	
6750	----	----		----/2.00A	1.90B/2.00A	----		1.90	- 0.30	.0075	----	----	----	----	130	UNCH	
6775	----	----		----/2.00A	1.90B/2.00A	----		1.90	- 0.20	.0074	----	----	----	----	230	UNCH	
6800	1.70	1.70		1.70/1.70	1.90B/1.70	----		1.80	- 0.30	.0071	----	1	----	1829	UNCH		
6900	----	----		----/1.80A	1.80B/1.80A	----		1.70	- 0.30	.0066	----	----	----	----	141	UNCH	
7000	----	----		----/1.70A	1.60B/1.70A	----		1.60	- 0.20	.0061	----	----	----	----	6615	UNCH	
7100	----	----		----/1.50A	1.40B/1.50A	----		1.50	- 0.20	.0057	----	----	----	----	8	UNCH	
7125	----	----		----/1.50A	1.40B/1.50A	----		1.40	- 0.30	.0053	----	----	----	----	4	UNCH	
7130	----	----		----/1.50A	1.40B/1.50A	----		1.40	- 0.30	.0053	----	----	----	----	201	UNCH	
7150	1.40	1.40		1.40/1.40	1.40/1.40	----		1.40	- 0.30	.0053	----	1	----	142	+	1	
7175	----	----		----/1.40A	1.40B/1.40A	----		1.40	- 0.20	.0052	----	----	----	----	127	UNCH	
7200	----	----		----/1.40A	1.30B/1.40A	----		1.40	- 0.20	.0052	----	----	----	----	66	UNCH	
7250	----	----		----/1.40A	1.30B/1.40A	----		1.30	- 0.30	.0048	----	----	----	----	509	UNCH	
7500	----	----		----/1.20A	1.10B/1.20A	----		1.10	- 0.20	.0040	----	----	12	----	2485	-	
8000	0.70	0.70		0.70/0.70	0.70/0.70	----		0.80	- 0.20	.0028	----	13	----	17314	-	12	
8125	----	----		----/0.80A	0.70B/0.80A	----		0.80	- 0.10	.0027	----	----	----	----	803	UNCH	
8500	----	----		----/0.70A	0.60B/0.70A	----		0.70	- 0.10	.0023	----	----	----	----	511	UNCH	
8630	----	----		----/0.70A	0.50B/0.70A	----		0.70	- 0.10	.0023	----	----	----	----	420	UNCH	
8700	----	----		----/0.70A	0.50B/0.70A	----		0.60	- 0.20	.0019	----	----	----	----	14	UNCH	
8725	----	----		----/0.70A	0.50B/0.70A	----		0.60	- 0.20	.0019	----	----	----	----	217	UNCH	
8750	----	----		----/0.70A	0.50B/0.70A	----		0.60	- 0.20	.0019	----	----	----	----	719	UNCH	
8775	----	----		----	0.50B/0.70A	----		0.60	- 0.10	.0019	----	----	----	----	49	UNCH	
9000	0.60	0.60		0.60/0.50	0.60/0.50	----		0.60	- 0.10	.0019	----	3	----	591	+	1	
9250	----	----		----/0.50A	0.40B/0.50A	----		0.60	UNCH	.0018	----	1	----	2	UNCH		
9500	----	----		----/0.50A	0.40B/0.50A	----		0.50	- 0.10	.0015	----	----	----	----	876	UNCH	
9600	----	----		----/0.50A	0.30B/0.50A	----		0.50	- 0.10	.0015	----	----	----	----	22	UNCH	
9750	----	----		----/0.50A	0.30B/0.50A	----		0.50	- 0.10	.0015	----	----	----	----	11	UNCH	
9900	----	----		----/0.40A	0.30B/0.40A	----		0.40	- 0.10	.0012	----	----	----	----	47	UNCH	
10000	0.30	0.30		0.30/0.30	0.30/0.30	----		0.40	- 0.10	.0012	----	20	----	11473	-	20	
10500	----	----		----	0.20B/0.40A	----		0.30	- 0.10	.0009	----	----	----	----	31	UNCH	
11000	----	----		----	0.20B/0.40A	----		0.20	- 0.10	.0006	----	----	----	----	819	UNCH	
13000	----	----		----	0.10B/0.30A	----		0.20	UNCH	.0005	----	----	----	----	698	UNCH	
15000	----	----		----	0.10B/0.20A	----		0.10	- 0.10	.0002	----	----	----	----	36536	UNCH	
17000	----	----		----/0.20A	----	----		0.10	UNCH	.0000	----	----	----	----	52	UNCH	
19000	----	----		----/0.20A	----	----		0.10	UNCH	.0000	----	----	----	----	350	UNCH	
20000	----	----		----/0.10A	----	----		0.10	UNCH	.0000	----	----	----	----	38018	UNCH	
21000	----	----		----/0.20A	----	----		0.10	UNCH	----	----	----	----	----	39	UNCH	
23000	----	----		----/0.20A	----	----		0.10	UNCH	----	----	----	----	----	5	UNCH	
24000	----	----		----	----/0.10A	----		0.10	UNCH	----	----	----	----	----	167	UNCH	
TOTAL													4602	1,200	299880	+	1418
JAN27																	
3300	----	----		----/1,118.50A	1139.00B/1118.50A	----		1122.00	- 41.40	.9782	----	----	----	----	4	UNCH	
3500	----	----		----/929.40A	930.60B/929.40A	----		925.50	- 41.40	.9621	----	----	----	----	1	UNCH	
4000	----	----		----/457.20A	486.80B/457.20A	----		467.40	- 39.40	.8246	----	----	----	368	UNCH		
4010	----	----		----/449.10A	478.70B/449.10A	----		459.									

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS													
JAN27															
4555	----	----	----	----/134.60A	163.50B/134.60A	----	----	141.90	-23.80	.4157	----	----	----	25	UNCH
4565	----	----	----	----/131.10A	159.70B/131.10A	----	----	138.40	-23.50	.4082	----	1	----	2	+
4570	145.20	145.20	145.20	145.20/129.50A	157.90B/129.50A	----	----	136.70	-23.30	.4046	5	5	----	18	+
4575	----	----	----	----/127.90A	156.00B/127.90A	----	----	135.00	-23.20	.4009	----	----	----	1	UNCH
4580	----	----	----	----/126.30A	154.20B/126.30A	----	----	133.30	-23.00	.3972	----	----	----	2	UNCH
4585	----	----	----	----/124.70A	152.40B/124.70A	----	----	131.70	-22.80	.3936	----	----	----	50	UNCH
4595	----	----	----	----/121.60A	148.80B/121.60A	----	----	128.40	-22.50	.3864	----	----	----	1	UNCH
4600	126.90	126.90	126.90	126.90/120.10A	147.00B/120.10A	----	----	126.80	-22.30	.3828	4	4	----	1130	+
4605	----	----	----	----/118.70A	145.30B/118.70A	----	----	125.20	-22.20	.3792	----	----	----	2	UNCH
4615	----	----	----	----/115.70A	141.80B/115.70A	----	----	122.10	-21.80	.3721	----	----	----	4	UNCH
4620	----	----	----	----/114.20A	140.10B/114.20A	----	----	120.60	-21.60	.3687	----	----	----	52	UNCH
4625	126.20	126.20	126.20	126.20/112.90A	138.50B/112.90A	----	----	119.10	-21.40	.3652	1	1	----	104	+
4630	116.00	116.00	116.00	116.00/111.40A	136.90B/111.40A	----	----	117.60	-21.20	.3617	2	2	----	10	UNCH
4635	----	----	----	----/109.90A	135.20B/109.90A	----	----	116.10	-21.10	.3583	----	----	----	25	UNCH
4640	----	----	----	----/108.60A	133.60B/108.60A	----	----	114.70	-20.90	.3549	----	----	----	2	UNCH
4645	116.10	116.10	116.10	116.10/107.30A	132.00B/107.30A	----	----	113.20	-20.70	.3514	4	4	----	15	+
4650	113.10	113.10	113.10	113.10/105.90A	130.40B/105.90A	----	----	111.80	-20.50	.3481	1	1	----	110	UNCH
4655	----	----	----	----/104.60A	128.80B/104.60A	----	----	110.40	-20.40	.3447	----	----	----	2	UNCH
4660	115.60	115.60	115.60	115.60/103.30A	127.30B/103.30A	----	----	109.00	NEW	.3414	1	1	----	1	+
4665	----	----	----	----/101.90A	125.80B/101.90A	----	----	107.60	-20.00	.3381	----	----	----	1	UNCH
4670	----	----	----	----/100.70A	124.20B/100.70A	----	----	106.30	-19.80	.3348	----	----	----	3	UNCH
4675	----	----	----	----/99.40A	122.70B/99.40A	----	----	104.90	-19.70	.3315	----	----	----	9	UNCH
4680	----	----	----	----/98.10A	121.30B/98.10A	----	----	103.60	-19.50	.3283	----	----	----	4	UNCH
4685	----	----	----	----/96.90A	119.80B/96.90A	----	----	102.30	-19.30	.3251	----	----	----	16	UNCH
4690	----	----	----	----/95.60A	118.30B/95.60A	----	----	101.00	-19.10	.3219	----	----	----	2	UNCH
4695	----	----	----	----/94.40A	116.90B/94.40A	----	----	99.70	-19.00	.3186	----	----	----	2	UNCH
4700	100.10	100.10	100.10	105.00/93.20A	115.40B/93.20A	----	----	98.50	-18.70	.3156	102	102	----	266	+
4705	----	----	----	----/92.00A	114.00B/92.00A	----	----	97.20	-18.60	.3124	----	----	----	1	UNCH
4710	----	----	----	----/90.90A	112.70B/90.90A	----	----	96.00	-18.40	.3093	----	----	----	3	UNCH
4720	----	----	----	----/88.60A	110.00B/88.60A	----	----	93.50	-18.10	.3030	----	----	----	24	UNCH
4725	----	----	----	----/87.40A	108.50B/87.40A	----	----	92.40	-17.90	.3001	----	----	----	9	UNCH
4730	91.90	91.90	91.90	91.90/86.30A	107.30B/86.30A	----	----	91.20	NEW	.2970	4	4	----	4	+
4735	96.10	96.10	96.10	96.10/85.20A	106.00B/85.20A	----	----	90.00	-17.60	.2940	10	10	----	10	+
4740	----	----	----	----/84.10A	104.70B/84.10A	----	----	88.90	-17.40	.2911	----	----	----	4	UNCH
4745	88.60	88.60	88.60	88.60/83.00A	103.40B/83.00A	----	----	87.70	-17.30	.2880	1	1	----	3	+
4750	87.50	87.50	87.50	87.50/82.00A	102.20B/82.00A	----	----	86.60	-17.10	.2851	80	80	----	177	+
4760	89.90	89.90	89.90	89.90/79.90A	99.70B/79.90A	----	----	84.40	-16.80	.2793	5	5	----	139	+
4765	88.80	88.80	88.80	88.80/78.90A	98.40B/78.90A	----	----	83.40	-16.50	.2766	5	5	----	11	+
4770	83.80	83.80	83.80	83.80/77.90A	97.20B/77.90A	----	----	82.30	-16.40	.2737	4	4	----	44	+
4775	84.40	84.40	84.40	84.40/76.90A	96.00B/76.90A	----	----	81.30	-16.20	.2709	6	6	----	16	+
4780	----	----	----	----/75.90A	94.90B/75.90A	----	----	80.20	-16.10	.2681	----	----	----	1	UNCH
4785	87.80	87.80	87.80	87.90/74.90A	93.70B/74.90A	----	----	79.20	-15.90	.2653	25	25	----	38	+
4790	----	----	----	----/74.00A	92.50B/74.00A	----	----	78.20	-15.70	.2626	----	----	----	5	UNCH
4795	81.20	81.20	81.20	81.70/72.10A	91.40B/73.00A	----	----	77.20	-15.60	.2599	----	----	----	1	UNCH
4800	----	----	----	----/72.10A	90.30B/72.10A	----	----	76.20	-15.40	.2571	34	34	----	2803	UNCH
4805	----	----	----	----/71.10A	89.10B/71.10A	----	----	75.20	-15.30	.2544	----	----	----	21	UNCH
4810	----	----	----	----/70.20A	88.00B/70.20A	----	----	74.30	-15.10	.2519	----	----	----	3	UNCH
4815	----	----	----	----/69.30A	86.90B/69.30A	----	----	73.30	-15.00	.2491	18	18	----	37	+
4820	----	----	----	----/68.50A	85.80B/68.50A	----	----	72.40	-14.80	.2466	----	----	----	2	UNCH
4825	----	----	----	----/67.60A	84.90B/67.60A	----	----	71.50	-14.60	.2440	----	----	----	51	UNCH
4830	----	----	----	----/66.70A	83.70B/66.70A	----	----	70.50	-14.50	.2413	----	----	----	16	UNCH
4835	----	----	----	----/65.90A	82.70B/65.90A	----	----	69.60	-14.40	.2388	----	----	----	2	UNCH
4840	----	----	----	----/65.00A	81.80B/65.00A	----	----	68.80	-14.10	.2364	----	----	----	21	UNCH
4845	----	----	----	----/64.20A	80.70B/64.20A	----	----	67.90	-14.00	.2339	----	----	----	16	UNCH
4850	71.50	71.50	71.50	71.50/63.40A	79.70B/63.40A	----	----	67.00	-13.90	.2314	4	4	----	385	-
4860	----	----	----	----/61.80A	77.70B/61.80A	----	----	65.30	-13.60	.2265	----	----	----	2	UNCH
4865	----	----	----	----/61.00A	76.70B/61.00A	----	----	64.50	-13.40	.2241	----	----	----	1	UNCH
4870	----	----	----	----/60.20A	75.80B/60.20A	----	----	63.70	-13.30	.2218	----	----	----	210	UNCH
4875	----	----	----	----/59.50A	74.80B/59.50A	----	----	62.90	-13.10	.2195	----	----	----	6	UNCH
4880	----	----	----	----/58.70A	73.90B/58.70A	----	----	62.10	-13.00	.2171	----	----	----	18	UNCH
4885	----	----	----	----/58.00A	73.00B/58.00A	----	----	61.30	-12.90	.2148	----	----	----	36	UNCH
4890	----	----	----	----/57.20A	72.10B/57.20A	----	----	60.50	-12.70	.2125	----	----	----	3	UNCH
4900	----	----	----	----/55.80A	70.40B/55.80A	----	----	59.00	-12.40	.2080	25	25	----	709	-
4905	----	----	----	----/55.10A	69.50B/55.10A	----	----	58.20	-12.40	.2057	----	----	----	10	UNCH
4910	56.70	56.70	56.70	56.70/53.70A	68.60B/54.40A	----	----	57.50	-12.20	.2035	----	----	----	20	UNCH
4915	----	----	----	----/54.40A	68.60B/53.70A	----	----	56.70	-12.10	.2012	7	7	----	95	+
4920	----	----	----	----/53.00A	66.90B/53.00A	----	----	56.00	-12.00	.1991	----	----	----	2	UNCH
4925	----	----	----	----/52.30A	66.10B/52.30A	----	----	55.30	-11.80	.1970	----	----	----	2	UNCH
4930	----	----	----	----/51.70A	65.30B/51.70A	----	----	54.60	-11.70	.1948	----	----	----	2	UNCH
4935	----	----	----	----/51.00A	64.50B/51.00A	----	----	53.90	-11.60	.1927	----	----	----	1	UNCH
4940	----	----	----	----/50.40A	63.70B/50.40A	----	----	53.30	-11.40	.1908	----	----	----	3	UNCH
4945	----	----	----	----/49.80A	62.90B/49.80A	----	----	52.60	-11.30	.1887	----	----	----	5	UNCH
4950	----	----	----	----/49.10A	62.20B/49.10A	----	----	51.90	-11.20	.1866	----	----	----	255	UNCH
4955	----	----	----	----/48.50A	61.40B/48.50A	----	----	51.30	-11.00	.1847	----	----	----	1	UNCH
4960	----	----	----	----/47.90A	60.60B/47.90A	----	----	50.60	-11.00	.1826	----	----	----	5	UNCH
4970	----	----	----	----/46.70A	59.10B/46.70A	----	----	49.40	-10.70	.1788	----	----	----	5	UNCH
4975	----	----	----	----/46.20A	58.40B/46.20A	----	----	48.80	-10.50	.1769	----	----	----	5	UNCH
4985	----	----	----	----/45.00A	57.00B/45.00A	----	----	47.50	-10.40	.1729	----	----	----	2	UNCH
4990	----	----	----	----/44.50A	56.30B/44.50A	----	----	47.00	-10.20	.1712	----	----	----	21	UNCH
4995	----	----	----	----/43.90A	55.60B/43.90A	----	----	46.40	-10.10	.1694	----	----	----	6	UNCH
5000	52.20	52.20	52.20	54.90B/43.30A	54.90B/43.30A	----	----	45.80	-10.00	.1675	390	390	----	1183	-
5005	----	----	----	----/42.80A	54.30B/42.80A	----	----	45.20	-9.90	.1656	----	----	----	14	UNCH
5010	44.90	44.90	44.90	44.90/42.30A	53.60B/42.30A	----	----	44.70	-9.70	.1639	40	40	----	73	-
5015	----	----	----	----/41.80A	52.90B/41.80A	----	----	44.10	-9.70	.1621	----	----	----	3	UNCH
5020	----	----	----	----/41.30A	52.30B/41.30A	----	----	43.60	-9.50	.1604	----	----	----	2	UNCH
5025	42.50	42.50	42.50	42.50/40.80A	51.70B/40.80A	----	----	43.00	-9.50	.1586	7	7	----	9	UNCH
5030	----	----	----	----/40.80A	51.00B/40.30A	----	----	42.50	-9.40	.1569	----	----	----	9	+
5035	----	----	----	----/39.80A	50.40B/39.80A	----	----	42.00	-9.20	.1553	----	----	----	30	UNCH
5040	----	----	----	----/39.30A	49.80B/39.30A	----	----	41.50	-9.10	.1536	----	----	----	13	UNCH
5045	----	----	----	----/38.80A	49.20B/38.80A	----	----	41.00	-9.00	.1520	----	----	----	2	UNCH
5050	----	----	----	----/38.30A	48.60B/38.30A	----	----	40.50	-8.90	.1503	----	----	----	131	UNCH
5055	----	----	----	----/37.90A	48.00B/37.90A	----	----	40.00	-8.80	.1487	----	----	----	2	



GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS														
JAN27																
5320	----	----	----	/20.80A	25.90B/20.80A	----	----	----	21.80 - 4.70	.0854	----	----	----	----	6	UNCH
5330	----	----	----	/20.40A	25.30B/20.40A	----	----	----	21.30 - 4.60	.0836	----	----	----	----	2	UNCH
5340	----	----	----	/20.00A	24.80B/20.00A	----	----	----	20.90 - 4.50	.0821	----	----	----	----	2	UNCH
5345	----	----	----	/19.80A	24.50B/19.80A	----	----	----	20.60 - 4.50	.0810	----	----	----	----	10	UNCH
5350	----	----	----	/19.60A	24.30B/19.60A	----	----	----	20.40 - 4.40	.0803	----	----	----	----	2403	UNCH
5355	----	----	----	/19.40A	24.00B/19.40A	----	----	----	20.20 - 4.40	.0795	----	----	----	----	4	UNCH
5360	----	----	----	/19.20A	23.80B/19.20A	----	----	----	20.00 - 4.30	.0788	----	----	----	----	2	UNCH
5365	----	----	----	/19.00A	23.50B/19.00A	----	----	----	19.80 - 4.30	.0780	----	----	----	----	5	UNCH
5370	----	----	----	/18.80A	23.30B/18.80A	----	----	----	19.60 - 4.20	.0772	----	----	----	----	13	UNCH
5375	----	----	----	/18.60A	23.00B/18.60A	----	----	----	19.40 - 4.20	.0765	----	----	----	----	3	UNCH
5380	----	----	----	/18.40A	22.80B/18.40A	----	----	----	19.20 - 4.10	.0757	----	----	----	----	3	UNCH
5385	----	----	----	/18.20A	22.50B/18.20A	----	----	----	19.00 - 4.10	.0750	----	----	----	----	22	UNCH
5390	----	----	----	/18.10A	22.30B/18.10A	----	----	----	18.80 - 4.00	.0742	----	----	----	----	5	UNCH
5395	----	----	----	/17.90A	22.10B/17.90A	----	----	----	18.60 - 4.00	.0735	----	----	----	----	10	UNCH
5400	----	----	----	/17.70A	21.90B/17.70A	----	----	----	18.50 - 3.90	.0730	----	----	1	----	438	UNCH
5410	----	----	----	/17.40A	21.40B/17.40A	----	----	----	18.10 - 3.80	.0715	----	----	----	----	23	UNCH
5425	----	----	----	/16.90A	20.80B/16.90A	----	----	----	17.60 - 3.70	.0696	----	----	----	----	7	UNCH
5430	----	----	----	/16.70A	20.50B/16.70A	----	----	----	17.40 - 3.70	.0689	----	----	----	----	17	UNCH
5440	----	----	----	/16.40A	20.10B/16.40A	----	----	----	17.10 - 3.50	.0677	----	----	----	----	30	UNCH
5445	----	----	----	/16.30A	19.90B/16.30A	----	----	----	16.90 - 3.50	.0670	----	----	----	----	14	UNCH
5450	----	----	----	/16.10A	19.80B/16.10A	----	----	----	16.80 - 3.40	.0665	----	----	----	----	418	UNCH
5460	----	----	----	/15.80A	19.30B/15.80A	----	----	----	16.40 - 3.40	.0651	----	----	----	----	4	UNCH
5465	----	----	----	/15.70A	19.20B/15.70A	----	----	----	16.30 - 3.30	.0646	----	----	----	----	4	UNCH
5470	----	----	----	/15.60A	19.00B/15.60A	----	----	----	16.10 - 3.30	.0639	----	----	1	----	6 +	1
5475	----	----	----	/15.40A	18.80B/15.40A	----	----	----	16.00 - 3.30	.0634	----	----	----	----	11	UNCH
5480	----	----	----	/15.30A	18.60B/15.30A	----	----	----	15.80 - 3.30	.0627	----	----	----	----	5	UNCH
5485	----	----	----	/15.10A	18.40B/15.10A	----	----	----	15.70 - 3.20	.0623	----	----	----	----	3	UNCH
5490	----	----	----	/15.00A	18.20B/15.00A	----	----	----	15.60 - 3.10	.0618	----	----	----	----	10	UNCH
5500	----	----	----	/14.70A	17.90B/14.70A	----	----	----	15.30 - 3.10	.0607	----	----	----	----	1608	UNCH
5510	----	----	----	/14.50A	17.50B/14.50A	----	----	----	15.00 - 3.00	.0595	----	----	----	----	28	UNCH
5515	----	----	----	/14.40A	17.40B/14.40A	----	----	----	14.90 - 2.90	.0591	----	----	----	----	2	UNCH
5520	----	----	----	/14.20A	17.20B/14.20A	----	----	----	14.70 - 3.00	.0584	----	----	----	----	15	UNCH
5525	----	----	----	/14.10A	17.00B/14.10A	----	----	----	14.60 - 2.90	.0580	----	----	----	----	21	UNCH
5530	----	----	----	/14.00A	16.90B/14.00A	----	----	----	14.50 - 2.80	.0575	----	----	----	----	5	UNCH
5540	----	----	----	/13.80A	16.60B/13.80A	----	----	----	14.20 - 2.80	.0564	----	----	----	----	7	UNCH
5545	----	----	----	/13.60A	16.40B/13.60A	----	----	----	14.10 - 2.80	.0560	----	----	----	----	5	UNCH
5550	----	----	----	/13.50A	16.30B/13.50A	----	----	----	14.00 - 2.70	.0556	----	----	----	----	9	UNCH
5555	----	----	----	/13.40A	16.10B/13.40A	----	----	----	13.90 - 2.70	.0552	----	----	----	----	4	UNCH
5560	----	----	----	/13.30A	16.00B/13.30A	----	----	----	13.80 - 2.60	.0547	----	----	----	----	5	UNCH
5570	----	----	----	/13.10A	15.70B/13.10A	----	----	----	13.50 - 2.60	.0536	----	----	----	----	2	UNCH
5575	----	----	----	/13.00A	15.50B/13.00A	----	----	----	13.40 - 2.60	.0532	----	----	----	----	6	UNCH
5580	----	----	----	/12.90A	15.40B/12.90A	----	----	----	13.30 - 2.50	.0528	----	----	----	----	1	UNCH
5600	----	----	----	/12.40A	14.90B/12.40A	----	----	----	12.90 - 2.40	.0512	----	----	----	----	420	UNCH
5605	----	----	----	/12.40A	14.70B/12.40A	----	----	----	12.80 - 2.30	.0507	----	----	----	----	14	UNCH
5615	----	----	----	/12.20A	14.50B/12.20A	----	----	----	12.60 - 2.30	.0499	----	----	----	----	1	UNCH
5620	----	----	----	/12.10A	14.30B/12.10A	----	----	----	12.50 - 2.30	.0495	----	----	----	----	2	UNCH
5650	----	----	----	/11.50A	13.60B/11.50A	----	----	----	11.90 - 2.10	.0471	----	----	----	----	2	UNCH
5655	----	----	----	/11.40A	13.50B/11.40A	----	----	----	11.80 - 2.10	.0467	----	----	----	----	3	UNCH
5675	----	----	----	/11.10A	13.00B/11.10A	----	----	----	11.40 - 2.10	.0452	----	----	----	----	3	UNCH
5690	----	----	----	/10.90A	12.80B/10.90A	----	----	----	11.20 - 1.90	.0443	----	----	----	----	3	UNCH
5700	----	----	----	/10.70A	12.60B/10.70A	----	----	----	11.00 - 1.90	.0435	----	----	----	----	95	UNCH
5705	----	----	----	/10.60A	12.50B/10.60A	----	----	----	10.90 - 1.90	.0431	----	----	----	----	13	UNCH
5720	----	----	----	/10.40A	12.20B/10.40A	----	----	----	10.70 - 1.80	.0423	----	----	----	----	2	UNCH
5725	----	----	----	/10.30A	12.10B/10.30A	----	----	----	10.60 - 1.80	.0419	----	----	----	----	6	UNCH
5735	----	----	----	/10.20A	11.90B/10.20A	----	----	----	10.50 - 1.70	.0414	----	----	----	----	1	UNCH
5745	----	----	----	/10.00A	11.70B/10.00A	----	----	----	10.30 - 1.70	.0406	----	----	----	----	2	UNCH
5750	----	----	----	/10.00A	11.60B/10.00A	----	----	----	10.20 - 1.70	.0403	----	----	----	----	8	UNCH
5760	----	----	----	/9.80A	11.40B/9.80A	----	----	----	10.10 - 1.70	.0398	----	----	----	----	2	UNCH
5770	----	----	----	/9.70A	11.20B/9.70A	----	----	----	10.00 - 1.60	.0393	----	----	----	----	10	UNCH
5775	----	----	----	/9.60A	11.20B/9.60A	----	----	----	9.90 - 1.60	.0390	----	----	----	----	215	UNCH
5800	----	----	----	/9.30A	10.80B/9.30A	----	----	----	9.60 - 1.50	.0377	----	----	----	----	310	UNCH
5820	----	----	----	/9.10A	10.40B/9.10A	----	----	----	9.30 - 1.50	.0365	----	----	----	----	7	UNCH
5850	----	----	----	/8.70A	10.00B/8.70A	----	----	----	9.00 - 1.30	.0352	----	----	----	----	4	UNCH
5875	----	----	----	/8.50A	9.70B/8.50A	----	----	----	8.70 - 1.30	.0340	----	----	----	----	5	UNCH
5900	----	----	----	/8.20A	9.40B/8.20A	----	----	----	8.40 - 1.30	.0327	----	----	----	----	217	UNCH
5925	----	----	----	/8.00A	9.00B/8.00A	----	----	----	8.20 - 1.10	.0318	----	----	----	----	2	UNCH
5950	----	----	----	/7.80A	8.70B/7.80A	----	----	----	7.90 - 1.20	.0307	----	----	----	----	1	UNCH
5975	----	----	----	/7.60A	8.50B/7.60A	----	----	----	7.70 - 1.10	.0298	----	----	----	----	14	UNCH
6000	7.50	7.50	----	7.60/7.30A	8.20B/7.30A	----	----	----	7.50 - 1.00	.0289	----	----	10	----	963 -	5
6025	----	----	----	/7.20A	8.00B/7.20A	----	----	----	7.30 - 1.00	.0281	----	----	----	----	239	UNCH
6250	6.00	6.00	----	6.00/5.80A	6.20B/5.80A	----	----	----	5.80 - 0.80	.0218	----	----	7	----	70	UNCH
6300	----	----	----	/5.60A	5.90B/5.60A	----	----	----	5.60 - 0.70	.0208	----	----	----	----	561	UNCH
6500	4.90	4.90	----	5.00/4.70	5.00/4.70	----	----	----	4.80 - 0.50	.0174	----	----	7	----	1291 +	2
6600	----	----	----	/4.50A	4.70B/4.50A	----	----	----	4.50	NEW	.0161	----	1	----	1 +	1
7900	----	----	----	----	2.20B/2.30A	----	----	----	2.10 - 0.20	.0066	----	----	----	----	12	UNCH
8000	----	----	----	----	2.10B/2.20A	----	----	----	2.00	NEW	.0062	----	1	----	1 +	1
9000	1.30	1.30	----	1.30/1.30	1.40B/1.30	----	----	----	1.30 - 0.20	.0038	----	----	62	----	61 +	60
10000	0.90	0.90	----	0.90/0.90	0.90/0.90	----	----	----	0.90 - 0.30	.0025	----	----	2	----	172	UNCH
20000	----	----	----	----	0.10B/0.30A	----	----	----	0.20	UNCH	.0004	----	----	----	238	UNCH
TOTAL	----	----	----	----	----	----	----	----	----	----	----	----	1103	----	26273 +	318
FEB27																
3500	----	----	----	/954.40A	908.90B/954.40A	----	----	----	928.70 - 41.20	.9495	----	----	----	----	2	UNCH
3950	----	----	----	/537.20A	522.00B/537.20A	----	----	----	524.00 - 39.30	.8230	----	----	----	----	1	UNCH
4000	----	----	----	/471.60A	503.80B/471.60A	----	----	----	484.40 - 38.60	.7984	----	----	----	----	8	UNCH
4010	----	----	----	/464.00A	498.60B/464.00A	----	----	----	476.60 - 38.50	.7933	----	----	----	----	1	UNCH
4100	----	----	----	/396.40A	435.90B/396.40A	----	----	----	410.00 - 37.00	.7425	----	----	----	----	211	UNCH
4140	----	----	----	/369.20A	408.20B/369.20A	----	----	----	382.20 - 36.20	.7179	----	----	----	----	2	UNCH
4150	----	----	----	/362.50A	401.60B/362.50A	----	----	----	375.50 - 36.00	.7115	----	----	----	----	102	UNCH
4165	----	----	----	/352.80A	391.50B/352.80A	----	----	----	365.50 - 35.70	.7018	----	----	----	----	2	UNCH
4170	----	----	----	/349.60A	388.20B/349.60A	----	----	----	362.20 - 35.60	.6986	----	----	----	----	20	UNCH
4175	----	----	----	/346.40A	384.90B/346.40A	----	----	----	358.90 - 35.50	.6953	----	----	----	----	1	UNCH
4200	----	----	----	/330.70A	368.70B/330.70A	----	----	----	342.90 - 34.80	.6788	----	----	----	----	280	UNCH
4205	----	----	----	/327.60A	365.60B/327.60A	----	----	----	339.70 - 34.80	.6754	----	----	----	----	9	UNCH
4220	----	----	----	/318.50A	356.10B/318.50A	----	----	----	330.40 - 34.40	.6653	----	----	----	----	8	UNCH
4225	----	----	----	/315.50A	353.10B/315.50A	----	----	----								

BULLETIN #181@										METALS OPTION PRODUCTS										Mon, Sep 21, 2026		PG64
GLOBEX OPEN		OPEN	OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN	OUTCRY HIGH/LOW	OPEN	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG CALL		COMEX GOLD OPTIONS																				
FEB27																						
4540	----	----	----	----	/166.20A		195.50B/166.20A	----	----	173.90	- 24.50	.4410		----	----	----	----	----	100	UNCH		
4545	----	----	----	----	/164.50A		193.30B/164.50A	----	----	172.00	- 24.40	.4376		----	----	----	----	----	1	UNCH		
4550	----	----	----	----	/162.70A		191.70B/162.70A	----	----	170.20	- 24.30	.4343		----	----	----	----	----	201	UNCH		
4555	----	----	----	----	/161.00A		189.50B/161.00A	----	----	168.40	- 24.10	.4310		----	----	----	----	----	5	UNCH		
4560	----	----	----	----	/159.20A		187.90B/159.20A	----	----	166.60	- 23.90	.4276		----	----	----	----	----	18	UNCH		
4565	----	----	----	----	/157.60A		185.80B/157.60A	----	----	164.90	- 23.70	.4244		----	----	----	----	----	1	UNCH		
4570	----	----	----	----	/155.80A		183.80B/155.80A	----	----	163.10	- 23.60	.4211		----	----	----	----	----	19	UNCH		
4575	----	----	----	----	/154.20A		181.90B/154.20A	----	----	161.40	- 23.40	.4179		----	----	----	1	----	10	+	1	
4600	155.50	155.50	----	----	155.50/146.00A		173.00B/146.00A	----	----	153.00	- 22.50	.4018		----	----	----	50	----	1816	UNCH		
4605	----	----	----	----	/144.60A		171.10B/144.60A	----	----	151.40	- 22.30	.3986		----	----	----	----	----	67	UNCH		
4610	----	----	----	----	/143.00A		169.50B/143.00A	----	----	149.80	- 22.10	.3955		----	----	----	----	----	30	UNCH		
4615	----	----	----	----	/141.50A		167.60B/141.50A	----	----	148.20	- 22.00	.3923		----	----	----	----	----	121	UNCH		
4625	----	----	----	----	/138.50A		164.20B/138.50A	----	----	145.00	- 21.70	.3860		----	----	----	----	----	70	UNCH		
4630	----	----	----	----	/136.90A		162.50B/136.90A	----	----	143.50	- 21.50	.3830		----	----	----	----	----	19	UNCH		
4640	----	----	----	----	/134.00A		159.10B/134.00A	----	----	140.40	- 21.20	.3768		----	----	----	----	----	22	UNCH		
4650	----	----	----	----	/131.10A		155.80B/131.10A	----	----	137.40	- 20.90	.3707		----	----	----	----	----	90	UNCH		
4655	----	----	----	----	/129.70A		154.30B/129.70A	----	----	135.90	- 20.70	.3677		----	----	----	----	----	18	UNCH		
4660	----	----	----	----	/128.20A		152.70B/128.20A	----	----	134.40	- 20.60	.3646		----	----	----	----	----	453	UNCH		
4665	----	----	----	----	/126.80A		151.00B/126.80A	----	----	133.00	- 20.40	.3617		----	----	----	----	----	19	UNCH		
4675	131.40	131.40	----	----	131.60/124.10A		147.90B/124.10A	----	----	130.10	- 20.10	.3557		----	----	----	2	----	6	+	2	
4680	128.10	128.10	----	----	128.10/122.70A		146.50B/122.70A	----	----	128.70	- 20.00	.3528		----	----	----	4	----	22	+	2	
4690	----	----	----	----	/120.00A		143.30B/120.00A	----	----	125.90	- 19.70	.3469		----	----	----	----	----	43	UNCH		
4695	132.50	132.50	----	----	132.50/118.80A		141.90B/118.80A	----	----	124.60	- 19.50	.3441		----	----	----	15	----	26	-	1	
4700	----	----	----	----	/117.60A		140.40B/117.60A	----	----	123.20	- 19.40	.3412		----	----	----	----	----	338	UNCH		
4710	----	----	----	----	/115.00A		137.50B/115.00A	----	----	120.50	- 19.20	.3354		----	----	----	----	----	22	UNCH		
4715	----	----	----	----	/113.70A		136.00B/113.70A	----	----	119.20	- 19.00	.3326		----	----	----	----	----	18	UNCH		
4730	----	----	----	----	/109.90A		131.80B/109.90A	----	----	115.40	- 18.50	.3243		----	----	----	----	----	29	UNCH		
4740	----	----	----	----	/107.60A		129.10B/107.60A	----	----	112.90	- 18.20	.3188		----	----	----	----	----	1	UNCH		
4745	----	----	----	----	/106.50A		127.70B/106.50A	----	----	111.60	- 18.20	.3160		----	----	----	----	----	15	UNCH		
4750	----	----	----	----	/105.20A		126.40B/105.20A	----	----	110.40	- 18.00	.3133		----	----	----	26	----	538	-	10	
4755	----	----	----	----	/104.10A		125.10B/104.10A	----	----	109.20	- 17.90	.3106		----	----	----	----	----	50	UNCH		
4760	----	----	----	----	/102.90A		123.70B/102.90A	----	----	108.00	- 17.70	.3079		----	----	----	----	----	107	UNCH		
4775	----	----	----	----	/99.60A		119.80B/99.60A	----	----	104.50	- 17.30	.3000		----	----	----	----	----	14	UNCH		
4785	----	----	----	----	/97.50A		117.30B/97.50A	----	----	102.20	- 17.10	.2947		----	----	----	----	----	100	UNCH		
4790	----	----	----	----	/96.40A		116.10B/96.40A	----	----	101.10	- 16.90	.2922		----	----	----	----	----	19	UNCH		
4795	----	----	----	----	/95.20A		114.90B/95.20A	----	----	100.00	- 16.80	.2897		----	----	----	----	----	43	UNCH		
4800	----	----	----	----	/94.20A		113.60B/94.20A	----	----	98.90	- 16.60	.2871		----	----	----	5	----	2058	+	5	
4810	----	----	----	----	/92.10A		111.30B/92.10A	----	----	96.70	- 16.40	.2820		----	----	----	----	----	19	UNCH		
4825	----	----	----	----	/89.30A		107.70B/89.30A	----	----	93.60	- 16.00	.2747		----	----	----	4	----	207	+	4	
4830	----	----	----	----	/88.20A		106.60B/88.20A	----	----	92.60	- 15.80	.2723		----	----	----	----	----	47	UNCH		
4835	----	----	----	----	/87.20A		105.40B/87.20A	----	----	91.60	- 15.70	.2699		----	----	----	----	----	21	UNCH		
4850	----	----	----	----	/84.40A		102.10B/84.40A	----	----	88.60	- 15.30	.2627		----	----	----	----	----	99	UNCH		
4855	----	----	----	----	/83.40A		101.00B/83.40A	----	----	87.60	- 15.20	.2604		----	----	----	----	----	2	UNCH		
4860	----	----	----	----	/82.60A		99.90B/82.60A	----	----	86.70	- 15.00	.2581		----	----	----	----	----	12	UNCH		
4870	----	----	----	----	/80.70A		97.80B/80.70A	----	----	84.80	- 14.80	.2535		----	----	----	----	----	80	UNCH		
4875	----	----	----	----	/80.00A		96.80B/80.00A	----	----	83.90	- 14.60	.2513		----	----	----	----	----	233	UNCH		
4885	----	----	----	----	/78.10A		94.70B/78.10A	----	----	82.00	- 14.40	.2467		----	----	----	----	----	1	UNCH		
4900	----	----	----	----	/75.70A		91.80B/75.70A	----	----	79.40	- 14.00	.2401		----	----	----	----	----	334	UNCH		
4905	----	----	----	----	/74.90A		90.70B/74.90A	----	----	78.50	- 13.90	.2379		----	----	----	----	----	16	UNCH		
4920	----	----	----	----	/72.30A		87.80B/72.30A	----	----	76.00	- 13.50	.2316		----	----	----	----	----	4	UNCH		
4925	----	----	----	----	/71.60A		87.00B/71.60A	----	----	75.20	- 13.30	.2295		----	----	----	----	----	5	UNCH		
4930	----	----	----	----	/70.70A		86.00B/70.70A	----	----	74.30	- 13.30	.2273		----	----	----	----	----	46	UNCH		
4935	----	----	----	----	/70.00A		85.20B/70.00A	----	----	73.50	- 13.20	.2253		----	----	----	----	----	2	UNCH		
4945	----	----	----	----	/68.50A		83.30B/68.50A	----	----	71.90	- 13.00	.2212		----	----	----	----	----	18	UNCH		
4950	----	----	----	----	/67.80A		82.50B/67.80A	----	----	71.20	- 12.80	.2193		----	----	----	----	----	4	UNCH		
4955	----	----	----	----	/67.00A		81.50B/67.00A	----	----	70.40	- 12.70	.2172		----	----	----	----	----	2	UNCH		
4960	----	----	----	----	/66.20A		80.60B/66.20A	----	----	69.60	- 12.60	.2152		----	----	----	----	----	7	UNCH		
4975	----	----	----	----	/64.20A		78.10B/64.20A	----	----	67.40	- 12.20	.2094		----	----	----	----	----	3	UNCH		
4995	----	----	----	----	/61.60A		75.00B/61.60A	----	----	64.50	- 11.80	.2018		----	----	----	----	----	20	UNCH		
5000	----	----	----	----	/60.80A		74.20B/60.80A	----	----	63.80	- 11.70	.2000		----	----	----	5	----	2907	UNCH		

BULLETIN #181@				METALS OPTION PRODUCTS										Mon, Sep 21, 2026				PG64		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
OG CALL	COMEX GOLD OPTIONS																			
FEB27	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----				
5540	----	----	----	----/21.60A	25.60B/21.60A	----	----	----	22.30 - 4.10	.0772	----	----	----	----	----	1	UNCH			
5550	----	----	----	----/21.20A	25.10B/21.20A	----	----	----	22.00 - 4.00	.0761	----	----	----	----	----	75	UNCH			
5575	----	----	----	----/20.40A	24.10B/20.40A	----	----	----	21.10 - 3.80	.0731	----	----	----	----	----	5	UNCH			
5600	----	----	----	----/19.60A	23.10B/19.60A	----	----	----	20.30 - 3.60	.0704	----	----	----	----	----	169	UNCH			
5605	----	----	----	----/19.50A	22.90B/19.50A	----	----	----	20.10 - 3.60	.0698	----	----	----	----	----	4	UNCH			
5625	----	----	----	----/18.90A	22.20B/18.90A	----	----	----	19.50 - 3.50	.0677	----	----	----	----	----	25	UNCH			
5650	----	----	----	----/18.20A	21.30B/18.20A	----	----	----	18.80 - 3.30	.0653	----	----	----	----	----	1	UNCH			
5680	----	----	----	----/17.50A	20.30B/17.50A	----	----	----	17.90 - 3.20	.0623	----	----	----	----	----	1	UNCH			
5700	----	----	----	----/16.90A	19.70B/16.90A	----	----	----	17.40 - 3.00	.0605	----	----	----	----	----	213	UNCH			
5725	----	----	----	----/16.40A	18.90B/16.40A	----	----	----	16.80 - 2.90	.0584	----	----	----	----	----	300	UNCH			
5750	----	----	----	----/15.80A	18.20B/15.80A	----	----	----	16.20 - 2.80	.0563	----	----	----	----	----	2001	UNCH			
5775	----	----	----	----/15.30A	17.50B/15.30A	----	----	----	15.70 - 2.60	.0545	----	----	----	----	----	299	UNCH			
5790	----	----	----	----/15.00A	17.20B/15.00A	----	----	----	15.30 - 2.60	.0532	----	----	----	----	----	4	UNCH			
5800	----	----	----	----/14.80A	16.90B/14.80A	----	----	----	15.10 - 2.50	.0525	----	----	6	----	----	226	+			
5820	----	----	----	----/14.40A	16.40B/14.40A	----	----	----	14.70 - 2.50	.0511	----	----	----	----	----	5	UNCH			
5825	----	----	----	----/14.30A	16.30B/14.30A	----	----	----	14.60 - 2.40	.0508	----	----	----	----	----	2	UNCH			
5900	----	----	----	----/13.10A	14.70B/13.10A	----	----	----	13.30 - 2.10	.0461	----	----	----	----	----	10	UNCH			
5950	----	----	----	----/12.30A	13.80B/12.30A	----	----	----	12.50 - 2.00	.0432	----	----	----	----	----	24	UNCH			
6000	----	----	----	----/11.70A	12.90B/11.70A	----	----	----	11.80 - 1.80	.0407	----	----	6	----	----	1440	+			
6025	----	----	----	----/11.40A	12.50B/11.40A	----	----	----	11.50 - 1.70	.0396	----	----	----	----	----	4	UNCH			
6100	----	----	----	----/10.50A	11.50B/10.50A	----	----	----	10.60 - 1.50	.0363	----	----	----	----	----	2	UNCH			
6200	----	----	----	----/9.50A	10.30B/9.50A	----	----	----	9.60 - 1.30	.0326	----	----	----	----	----	3	UNCH			
6250	----	----	----	----/9.10A	9.70B/9.10A	----	----	----	9.20 - 1.20	.0311	----	----	----	----	----	34	UNCH			
6300	----	----	----	----/8.70A	9.30B/8.70A	----	----	----	8.80 - 1.10	.0296	----	----	----	----	----	1	UNCH			
6400	----	----	----	----/8.10A	8.50B/8.10A	----	----	----	8.10 - 1.00	.0270	----	----	----	----	----	5	UNCH			
6500	----	----	----	----/7.50A	7.80B/7.50A	----	----	----	7.50 - 0.90	.0248	----	----	----	----	----	925	UNCH			
6700	7.30	7.30	7.30	7.30/6.40	7.30B/6.40	----	----	----	6.50 - NEW	.0210	----	----	2	----	----	1	+			
6900	----	----	----	----/5.90A	5.90B/5.90A	----	----	----	5.80 - 0.60	.0183	----	----	----	----	----	871	UNCH			
7000	5.60	5.60	5.60	5.60/5.60	5.60B/5.60	----	----	----	5.40 - 0.70	.0169	----	----	6	----	----	1017	UNCH			
7100	----	----	----	----/5.30A	5.20B/5.30A	----	----	----	5.20 - 0.50	.0161	----	----	----	----	----	9	UNCH			
7200	----	----	----	----/5.10A	5.00B/5.10A	----	----	----	4.90 - 0.60	.0150	----	----	----	----	----	1	UNCH			
7500	----	----	----	----/4.40A	4.30B/4.40A	----	----	----	4.20 - 0.50	.0126	----	----	----	----	----	829	UNCH			
7700	----	----	----	----/4.10A	3.90B/4.10A	----	----	----	3.90 - 0.40	.0114	----	----	----	----	----	1	UNCH			
7800	----	----	----	----/3.90A	3.70B/3.90A	----	----	----	3.70 - 0.40	.0108	----	----	----	----	----	1	UNCH			
7900	----	----	----	----/3.80A	3.60B/3.80A	----	----	----	3.50 - 0.40	.0101	----	----	----	----	----	1262	UNCH			
8000	----	----	----	----/3.60A	3.40B/3.60A	----	----	----	3.40 - 0.40	.0097	----	----	----	----	----	1452	UNCH			
8500	----	----	----	----	2.70B/3.00A	----	----	----	2.80 - 0.20	.0077	----	----	----	----	----	324	UNCH			
9000	2.20	2.20	2.20	2.20/2.20	2.20B/2.20	----	----	----	2.30 - 0.20	.0062	----	----	2	----	----	155	+			
TOTAL															350	----	36103	+	138	----
MAR27	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----			
3480	----	----	----	----/1,000.40A	956.70B/1000.40A	----	----	----	986.90 - 41.00	.9439	----	----	----	----	----	1	UNCH			
3500	----	----	----	----/981.80A	937.50B/981.80A	----	----	----	967.90 - 40.90	.9409	----	----	----	----	----	1	UNCH			
4080	480.00	480.00	480.00	480.00/459.70A	490.60B/459.70A	----	----	----	470.90 - 37.40	.7541	----	----	3	----	----	3	-			
4100	----	----	----	----/445.80A	476.10B/445.80A	----	----	----	456.70 - 37.10	.7434	----	----	----	----	----	12	UNCH			
4130	----	----	----	----/425.50A	454.90B/425.50A	----	----	----	435.80 - 36.50	.7270	----	----	----	----	----	30	UNCH			
4195	----	----	----	----/383.50A	410.80B/383.50A	----	----	----	392.60 - 35.20	.6899	----	----	----	----	----	10	UNCH			
4200	----	----	----	----/380.40A	407.50B/380.40A	----	----	----	389.40 - 35.10	.6870	----	----	----	----	----	51	UNCH			
4210	----	----	----	----/374.20A	401.00B/374.20A	----	----	----	383.00 - 35.00	.6810	----	----	----	----	----	1	UNCH			
4215	----	----	----	----/371.40A	397.60B/371.40A	----	----	----	379.90 - 34.80	.6780	----	----	----	----	----	2	UNCH			
4220	----	----	----	----/368.10A	394.40B/368.10A	----	----	----	376.70 - 34.70	.6751	----	----	----	----	----	1	UNCH			
4225	388.00	388.00	388.00	388.00/365.00A	391.30B/365.00A	----	----	----	373.60 - 34.60	.6721	----	----	2	----	----	2	UNCH			
4300	----	----	----	----/320.50A	345.80B/320.50A	----	----	----	329.00 - 33.00	.6259	----	----	----	----	----	216	UNCH			
4345	----	----	----	----/295.80A	324.30B/295.80A	----	----	----	304.30 - 31.90	.5975	----	----	----	----	----	1	UNCH			
4350	----	----	----	----/292.60A	321.50B/292.60A	----	----	----	301.70 - 31.70	.5943	----	----	----	----	----	20	UNCH			
4370	----	----	----	----/283.20A	310.70B/283.20A	----	----	----	291.30 - 31.20	.5815	----	----	----	----	----	270	UNCH			
4400	----	----	----	----/266.80A	295.00B/266.80A	----	----	----	276.30 - 30.30	.5624	----	----	----	----	----	550	UNCH			
4420	----	----	----	----/257.60A	291.30B/257.60A	----	----	----	266.60 - 29.70	.5496	----	----	----	----	----	1	UNCH			
4440	----	----	----	----/248.80A	281.80B/248.80A	----	----	----	257.10 - 29.20	.5369	----	----	----	----	----	1	UNCH			
4450	----	----	----	----/243.80A	276.10B/243.80A	----	----	----	252.40 - 29.00	.5305	----	----	----	----	----	234	UNCH			
4460	----	----	----	----/239.90A	271.80B/239.90A	----	----	----	247.90 - 28.60	.5241	----	----	----	----	----	5	UNCH			
4465	----	----	----	----/237.90A	269.70B/237.90A	----	----	----	245.60 - NEW	.5209	----	----	120	----	----	120	+			
4470	----	----	----	----/235.90A	266.90B/235.90A	----	----	----	243.40 - 28.40	.5178	----	----	----	----	----	6	UNCH			
4475	----	----	----	----/233.50A	265.10B/233.50A	----	----	----	241.20 - 28.20	.5146	----	----	----	----	----	2	UNCH			
4480	----	----	----	----/231.50A	263.30B/231.50A	----	----	----	239.10 - 28.00	.5115	----	----	----	----	----	50	UNCH			
4495	----	----	----	----/224.10A	255.60B/224.10A	----	----	----	232.60 - 27.60	.5021	----	----	----	----	----	1	UNCH			
4500	231.80	231.80	231.80	231.80/221.90A	254.40B/221.90A	----	----	----	230.50 - 27.50	.4989	----	----	1	----	----	515	UNCH			
4525	----	----	----	----/212.00A	242.70B/212.00A	----	----	----	220.20 - 26.70	.4834	----	----	----	----	----	2	UNCH			
4535	217.30	217.30	217.30	217.30/207.90A	238.20B/207.90A	----	----	----	216.10 - NEW	.4772	----	----	20	----	----	20	+			
4550	----	----	----	----/202.50A	232.90B/202.50A	----	----	----	210.20 - 26.00	.4681	----	----	----	----	----	241	UNCH			
4555	----	----	----	----/200.60A	230.50B/200.60A	----	----	----	208.30 - 25.80	.4650	----	----	----	----	----	20	UNCH			
4580	----	----	----	----/191.50A	219.90B/191.50A	----	----	----	198.80 - 25.00	.4499	----	----	----	----	----	29	UNCH			
4590	----	----	----	----/187.60A	215.90B/187.60A	----	----	----	195.10 - 24.70	.4440	----	----	----	----	----	20	UNCH			
4600	192.20	192.20	192.20	192.20/184.00A	212.80B/184.00A	----	----	----	191.40 - 24.50	.4380	----	----	20	----	----	201	UNCH			
4605	----	----	----	----/182.60A	210.80B/182.60A	----	----	----	189.60 - 24.30	.4350	----	----	----	----	----	33	UNCH			
4610	----	----	----	----/180.80A	208.60B/180.80A	----	----	----	187.80 - 24.20	.4321	----	----	----	----	----	302	UNCH			
4615	----	----	----	----/179.20A	207.10B/179.20A	----	----</													

BULLETIN #181@										METALS OPTION PRODUCTS										Mon, Sep 21, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG CALL	COMEX GOLD OPTIONS																					
MAR27																						
5230	----	----	----	/55.70A	66.00B/55.70A	----	----	57.80 - 9.50	.1672	----	----	----	----	6	UNCH							
5235	----	----	----	/55.40A	65.40B/55.40A	----	----	57.30 - 9.40	.1659	----	----	----	----	8	UNCH							
5240	----	----	----	/55.00A	64.80B/55.00A	----	----	56.70 - 9.40	.1645	----	----	----	----	10	UNCH							
5245	----	----	----	/54.30A	64.30B/54.30A	----	----	56.20 - 9.30	.1632	----	----	----	----	12	UNCH							
5250	----	----	----	/53.80A	63.70B/53.80A	----	----	55.70 - 9.20	.1619	----	----	----	----	102	UNCH							
5255	----	----	----	/53.30A	63.10B/53.30A	----	----	55.20 - 9.10	.1606	----	----	----	----	18	UNCH							
5260	----	----	----	/53.00A	62.40B/53.00A	----	----	54.70 - 9.10	.1593	----	----	----	----	7	UNCH							
5265	----	----	----	/52.40A	62.00B/52.40A	----	----	54.30 - 8.90	.1582	----	----	----	----	28	UNCH							
5270	----	----	----	/52.20A	61.40B/52.20A	----	----	53.80 - 8.80	.1570	----	----	----	----	9	UNCH							
5275	----	----	----	/51.50A	60.90B/51.50A	----	----	53.30 - 8.80	.1557	----	----	----	----	6	UNCH							
5280	----	----	----	/50.90A	60.20B/50.90A	----	----	52.80 - 8.70	.1544	----	----	----	----	17	UNCH							
5285	----	----	----	/50.60A	59.70B/50.60A	----	----	52.40 - 8.60	.1533	----	----	----	----	21	UNCH							
5290	----	----	----	/50.20A	59.30B/50.20A	----	----	51.90 - 8.50	.1520	----	----	----	----	28	UNCH							
5295	----	----	----	/50.10A	58.80B/50.10A	----	----	51.40 - 8.50	.1508	----	----	----	----	55	UNCH							
5300	----	----	----	/49.20A	58.30B/49.20A	----	----	51.00 - 8.40	.1497	----	----	12	----	71	+							
5305	----	----	----	/49.20A	57.80B/49.20A	----	----	50.50 - 8.40	.1484	----	----	----	----	2	UNCH							
5330	50.30	50.30		50.30/46.70A	55.30B/46.70A			48.40 - 7.90	.1428	----	----	1	----	30	+							
5345	----	----	----	/45.50A	53.80B/45.50A	----	----	47.10 - 7.80	.1394	----	----	----	----	1	UNCH							
5350	----	----	----	/45.10A	53.40B/45.10A	----	----	46.70 - 7.70	.1384	----	----	----	----	7	UNCH							
5380	----	----	----	/42.80A	50.60B/42.80A	----	----	44.40 - 7.30	.1322	----	----	----	----	12	UNCH							
5390	----	----	----	/42.10A	49.60B/42.10A	----	----	43.60 - 7.20	.1300	----	----	----	----	10	UNCH							
5400	----	----	----	/41.40A	48.90B/41.40A	----	----	42.90 - 7.10	.1281	----	----	5	----	89	UNCH							
5420	----	----	----	/40.20A	47.10B/40.20A	----	----	41.40 - 6.90	.1241	----	----	----	----	20	UNCH							
5430	----	----	----	/39.90A	46.30B/39.90A	----	----	40.70 - 6.80	.1222	----	----	----	----	10	UNCH							
5435	39.80	39.80		39.80/39.60A	46.00B/39.60A			40.40 - 6.70	.1213	----	----	2	----	7	UNCH							
5445	----	----	----	/38.90A	45.30B/38.90A	----	----	39.70 - 6.60	.1194	----	----	----	----	1	UNCH							
5450	----	----	----	/38.90A	44.90B/38.90A	----	----	39.40 - 6.60	.1186	----	----	----	----	113	UNCH							
5500	34.80	34.80		34.80/34.80	41.40B/34.80			36.30 - 6.00	.1100	----	----	6	----	900	+							
5505	----	----	----	/35.70A	40.90B/35.70A	----	----	36.00 - 6.00	.1091	----	----	----	----	123	UNCH							
5550	----	----	----	/33.10A	37.90B/33.10A	----	----	33.50 - 5.60	.1021	----	----	----	----	4	UNCH							
5555	----	----	----	/33.00A	36.20B/33.00A	----	----	33.20 - 5.60	.1013	----	----	----	----	13	UNCH							
5600	----	----	----	/30.50A	33.70B/30.50A	----	----	31.00 - 5.20	.0949	----	----	----	----	1003	UNCH							
5615	----	----	----	/29.90A	32.90B/29.90A	----	----	30.30 - 5.00	.0929	----	----	----	----	2	UNCH							
5620	----	----	----	/29.60A	32.70B/29.60A	----	----	30.10 - 5.00	.0923	----	----	----	----	3	UNCH							
5625	----	----	----	/29.30A	32.40B/29.30A	----	----	29.90 - 4.90	.0917	----	----	----	----	19	UNCH							
5630	----	----	----	/29.10A	32.30B/29.10A	----	----	29.60 - 4.90	.0909	----	----	----	----	12	UNCH							
5635	----	----	----	/28.90A	32.10B/28.90A	----	----	29.40 - 4.90	.0903	----	----	----	----	14	UNCH							
5650	----	----	----	/28.30A	31.30B/28.30A	----	----	28.80 - 4.70	.0885	----	----	----	----	6	UNCH							
5670	----	----	----	/27.50A	30.30B/27.50A	----	----	27.90 - 4.60	.0859	----	----	----	----	1	UNCH							
5700	----	----	----	/26.30A	28.90B/26.30A	----	----	26.80 - 4.30	.0826	----	----	----	----	30	UNCH							
5790	----	----	----	/23.40A	25.50B/23.40A	----	----	23.60 - 3.70	.0730	----	----	----	----	44	UNCH							
5800	----	----	----	/23.00A	25.10B/23.00A	----	----	23.30 - 3.70	.0721	----	----	----	----	2	UNCH							
5810	----	----	----	/22.70A	24.80B/22.70A	----	----	23.00 - 3.60	.0712	----	----	----	----	15	UNCH							
5820	----	----	----	/22.50A	24.40B/22.50A	----	----	22.70 - 3.50	.0703	----	----	----	----	1	UNCH							
5825	----	----	----	/22.20A	24.20B/22.20A	----	----	22.50 - 3.50	.0697	----	----	----	----	13	UNCH							
5850	----	----	----	/21.60A	23.50B/21.60A	----	----	21.80 - 3.40	.0676	----	----	----	----	3	UNCH							
5860	----	----	----	/21.40A	23.10B/21.40A	----	----	21.50 - 3.30	.0667	----	----	----	----	6	UNCH							
5875	----	----	----	/21.00A	22.70B/21.00A	----	----	21.10 - 3.20	.0654	----	----	----	----	13	UNCH							
5900	----	----	----	/20.30A	21.20B/20.30A	----	----	20.50 - 3.00	.0635	----	----	----	----	9	UNCH							
5950	----	----	----	/19.10A	19.90B/19.10A	----	----	19.20 - 2.90	.0596	----	----	----	----	18	UNCH							
5975	----	----	----	/18.60A	19.30B/18.60A	----	----	18.70 - 2.70	.0580	----	----	----	----	36	UNCH							
6000	----	----	----	/18.10A	18.70B/18.10A	----	----	18.10 - 2.60	.0562	----	----	----	----	33	UNCH							
6025	----	----	----	/17.60A	18.00B/17.60A	----	----	17.60 - 2.50	.0546	----	----	----	----	1	UNCH							
6100	----	----	----	/16.60A	16.50B/16.60A	----	----	16.30 - 2.20	.0504	----	----	----	----	192	UNCH							
6200	----	----	----	/15.00A	14.60B/15.00A	----	----	14.70 - 1.90	.0453	----	----	----	----	25	UNCH							
6250	----	----	----	/14.40A	14.10B/14.40A	----	----	14.00 - 1.80	.0430	----	----	----	----	10	UNCH							
6300	----	----	----	/13.70A	13.30B/13.70A	----	----	13.40 - 1.70	.0410	----	----	----	----	490	UNCH							
6400	----	----	----	/12.60A	12.10B/12.60A	----	----	12.30 - 1.50	.0374	----	----	----	----	71	UNCH							
6500	----	----	----	/11.70A	11.00B/11.70A	----	----	11.30 - 1.30	.0341	----	----	----	----	743	UNCH							
TOTAL												241		20334	+							
APR27																						
3000	1470.20	1470.20		1.470.20/1.465.20	1470.20/1465.80A	----	----	1457.30 - 41.30	.9786	----	----	1	----	2	UNCH							
3500	965.20	965.20		965.20/965.20	965.20/965.20	----	----	972.60 - 40.70	.9284	----	----	1	----	7	+							
4000	550.20	550.20		550.20/535.00A	566.50B/535.00A	----	----	546.60 - 38.40	.7766	----	----	2	----	7	+							
4060	----	----	----	/492.50A	522.40B/492.50A	----	----	503.40 - 37.30	.7482	----	----	----	----	1	UNCH							
4110	460.00	460.00		470.00/458.60A	487.30B/458.60A	----	----	469.10 - NEW	.7231	----	----	2	----	2	+							
4125	----	----	----	/448.90A	477.00B/448.90A	----	----	459.10 - 35.90	.7154	----	----	----	----	92	UNCH							
4150	----	----	----	/432.80A	460.00B/432.80A	----	----	442.60 - 35.40	.7023	----	----	----	----	1	UNCH							
4170	----	----	----	/420.30A	447.70B/420.30A	----	----	429.70 - 35.10	.6917	----	----	----	----	1	UNCH							
4175	----	----	----	/417.20A	443.70B/417.20A	----	----	426.50 - 35.00	.6890	----	----	----	----	1	UNCH							
4200	----	----	----	/401.90A	427.50B/401.90A	----	----	410.80 - 34.50	.6755	----	----	----	----	100	UNCH							
4210	----	----	----	/395.80A	421.50B/395.80A	----	----	404.60 - 34.40	.6700	----	----	----	----	6	UNCH							
4225	----	----	----	/386.90A	412.20B/386.90A	----	----	395.40 - 34.10	.6617	----	----	----	----	24	UNCH							
4230	----	----	----	/384.00A	409.10B/384.00A	----	----	392.40 - 34.00	.6590	----	----	----	----	100	UNCH							
4250	----	----	----	/372.10A	396.70B/372.10A	----	----	380.50 - 33.70	.6478	----	----	----	----	121	UNCH							
4260	381.00	381.00		388.00/366.70A	391.00B/366.70A	----	----	374.60 - NEW	.6422	----	----	2	----	2	+							
4270	----	----	----	/361.10A	385.10B/361.10A	----	----	368.80 - 33.40	.6365	----	----	----	----	1	UNCH							
4300	----	----	----	/344.50A	369.70B/344.50A	----	----	351.90 - 32.80	.6194	----	----	----	----	305	UNCH							
4350	----	----	----	/318.10A	347.00B/318.10A	----	----	325.10 - 31.70	.5906	----	----	----	----	104	UNCH							
4360	327.80	327.80		327.80/312.90A	342.00B/312.90A	----	----	320.00 - NEW	.5848	----	----	2	----	2	+							
4365	328.80	328.80		328.80/310.80A	339.00B/310.80A	----	----	317.50 - NEW	.5818	----	----	2	----	2	+							
4370	330.00	330.00		330.00/307.90A	336.40B/307.90A	----	----	314.90 - NEW	.5789	----	----	1	----	1	+							
4375	----	----	----	/305.70A	333.40B/305.70A	----	----	312.40 - 31.10	.5760	----	----	----	----	40	UNCH							
4395	----	----	----	/295.50A	323.50B/295.50A	----	----	302.60 - 30.50	.5644	----	----	----	----	1	UNCH							
4400	----	----	----	/292.90A	321.30B/292.90A	----	----	300.20 - 30.30	.5615	----	----	----	----	6	UNCH							
4410	----	----	----	/288.00A	318.20B/288.00A	----	----	295.40 - 30.00	.5557	----	----	----	----	1	UNCH							
4415	----	----	----	/284.80A	317.60B/284.80A	----	----	293.00 - 29.90	.5528	----	----	----	----	1	UNCH							
4420	----	----	----	/282.40A	315.00B/282.40A	----	----	290.70 - 29.70	.5499	----	----	----	----	31	UNCH							
4440	----	----	----	/273.30A	305.20B/273.30A	----	----	281.50 - 28.90	.5383	----	----	----	----	50	UNCH							
4445	----	----	----	/270.90A	302.80B/270.90A	----	----	279.20 - 28.70	.5354	----	----	----	----	3	UNCH							
4450	----	----	----	/269.10A	300.50B/269.10A	----	----	276.90 - 28.60	.5325	----	----	----	----	201	UNCH							
4455	----	----	----	/267.10A	298.10B/267.10A	----	----	274.70 - NEW	.5296	----	----	3	----	1	+							
4460	275.80	275.80		275.80/265.00A	295.80B/265.00A	----	----	272.50 - NEW	.5267	----	----	4	----	1	+							
4465	278.40	278.40		278.40/262.70A	293.20B/262.70A	----	----	270.30 - NEW	.5238	----	----	3	----	4	+							
4470	276.90	276.90		276.90/260.20A	291.00B/260.20A	----	----	268.10 - NEW	.5210	----	----	1	----	1	+							
4475	----	----</																				

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS													
APR27															
4810	----	----	----	/145.80A	167.10B/145.80A	----	----	150.50 - 19.30	.3429	----	----	----	----	1	UNCH
4820	----	----	----	/143.70A	164.30B/143.70A	----	----	147.90 - 19.20	.3383	----	----	----	----	2	UNCH
4840	----	----	----	/138.90A	158.90B/138.90A	----	----	142.90 - 18.70	.3293	----	----	----	----	5	UNCH
4850	----	----	----	/136.10A	155.90B/136.10A	----	----	140.40 - 18.50	.3249	----	----	----	----	100	UNCH
4865	----	----	----	/132.40A	152.50B/132.40A	----	----	136.80 - 18.20	.3183	----	----	----	----	3	UNCH
4870	----	----	----	/131.20A	150.90B/131.20A	----	----	135.70 - 18.00	.3162	----	----	----	----	25	UNCH
4885	----	----	----	/127.90A	147.40B/127.90A	----	----	132.20 - 17.70	.3098	----	----	----	----	21	UNCH
4900	----	----	----	/125.00A	143.80B/125.00A	----	----	128.80 - 17.40	.3035	----	----	----	----	51	UNCH
4905	----	----	----	/123.60A	142.60B/123.60A	----	----	127.70 - 17.30	.3014	----	----	----	----	10	UNCH
4930	----	----	----	/118.70A	136.70B/118.70A	----	----	122.40 - 16.70	.2913	----	----	----	----	5	UNCH
4970	116.70	116.70	116.70	116.70/110.70A	127.90B/110.70A	----	----	114.30 - NEW	.2756	----	----	10	----	10	+
5000	----	----	----	/105.10A	121.40B/105.10A	----	----	108.70 - 15.00	.2644	----	----	3	----	304	UNCH
5010	----	----	----	/103.30A	119.30B/103.30A	----	----	106.90 - 14.80	.2608	----	----	----	----	4	UNCH
5050	----	----	----	/96.80A	111.90B/96.80A	----	----	100.00 - 13.90	.2467	----	----	----	----	115	UNCH
5060	----	----	----	/95.00A	110.10B/95.00A	----	----	98.30 - 13.70	.2433	----	----	----	----	27	UNCH
5070	----	----	----	/93.40A	108.10B/93.40A	----	----	96.70 - 13.50	.2399	----	----	----	----	6	UNCH
5075	----	----	----	/92.60A	107.30B/92.60A	----	----	95.90 - 13.40	.2383	----	----	----	----	202	UNCH
5100	----	----	----	/88.70A	102.80B/88.70A	----	----	92.00 - 12.90	.2301	----	----	4	----	888	+
5130	----	----	----	/84.50A	97.90B/84.50A	----	----	87.60 - 12.30	.2207	----	----	----	----	18	UNCH
5140	----	----	----	/83.10A	96.30B/83.10A	----	----	86.10 - 12.20	.2175	----	----	----	----	11	UNCH
5145	----	----	----	/82.60A	95.40B/82.60A	----	----	85.40 - 12.10	.2160	----	----	----	----	8	UNCH
5150	----	----	----	/81.80A	94.90B/81.80A	----	----	84.70 - 12.00	.2145	----	----	----	----	105	UNCH
5170	----	----	----	/79.20A	91.60B/79.20A	----	----	82.00 - 11.60	.2086	----	----	----	----	1	UNCH
5180	----	----	----	/77.90A	90.30B/77.90A	----	----	80.60 - 11.50	.2056	----	----	----	----	18	UNCH
5195	----	----	----	/76.10A	87.90B/76.10A	----	----	78.70 - 11.20	.2014	----	----	----	----	5	UNCH
5200	----	----	----	/75.50A	87.20B/75.50A	----	----	78.00 - 11.20	.1999	----	----	----	----	1281	UNCH
5210	----	----	----	/74.30A	85.90B/74.30A	----	----	76.70 - 11.00	.1971	----	----	----	----	3	UNCH
5215	----	----	----	/73.60A	85.20B/73.60A	----	----	76.10 - 10.90	.1958	----	----	----	----	29	UNCH
5220	----	----	----	/73.00A	84.40B/73.00A	----	----	75.50 - 10.80	.1944	----	----	----	----	1	UNCH
5225	----	----	----	/72.50A	83.80B/72.50A	----	----	74.90 - 10.70	.1931	----	----	----	----	12	UNCH
5230	----	----	----	/71.80A	83.10B/71.80A	----	----	74.30 - 10.60	.1917	----	----	----	----	602	UNCH
5250	----	----	----	/69.80A	80.50B/69.80A	----	----	71.90 - 10.30	.1864	----	----	----	----	401	UNCH
5255	----	----	----	/69.00A	79.80B/69.00A	----	----	71.30 - 10.30	.1850	----	----	----	----	1	UNCH
5275	----	----	----	/66.80A	77.40B/66.80A	----	----	69.00 - 10.00	.1799	----	----	----	----	353	UNCH
5300	67.20	67.20	67.20	67.40/64.30A	74.40B/64.30A	----	----	66.30 - 9.60	.1737	----	----	25	----	312	+
5315	----	----	----	/62.80A	72.60B/62.80A	----	----	64.70 - 9.40	.1700	----	----	----	----	5	UNCH
5330	64.50	64.50	64.50	64.50/61.40A	70.80B/61.40A	----	----	63.20 - NEW	.1665	----	----	8	----	8	+
5350	----	----	----	/59.40A	68.50B/59.40A	----	----	61.30 - 8.80	.1621	----	----	----	----	43	UNCH
5395	----	----	----	/55.40A	63.90B/55.40A	----	----	57.10 - 8.30	.1522	----	----	----	----	4	UNCH
5400	60.20	60.20	60.20	60.20/55.00A	63.40B/55.00A	----	----	56.70 - 8.20	.1512	----	----	20	----	306	+
5425	----	----	----	/53.00A	61.10B/53.00A	----	----	54.60 - 7.90	.1462	----	----	----	----	2	UNCH
5430	----	----	----	/52.60A	60.40B/52.60A	----	----	54.20 - 7.80	.1452	----	----	----	----	2	UNCH
5450	----	----	----	/51.00A	58.60B/51.00A	----	----	52.60 - 7.60	.1413	----	----	----	----	5	UNCH
5470	----	----	----	/49.70A	56.70B/49.70A	----	----	51.00 - 7.40	.1375	----	----	----	----	3	UNCH
5480	----	----	----	/48.80A	55.90B/48.80A	----	----	50.20 - 7.40	.1355	----	----	----	----	1	UNCH
5490	----	----	----	/48.30A	55.10B/48.30A	----	----	49.50 - 7.20	.1338	----	----	----	----	10	UNCH
5495	----	----	----	/47.80A	54.70B/47.80A	----	----	49.10 - 7.20	.1328	----	----	----	----	4	UNCH
5500	49.60	49.60	49.60	49.60/47.30A	54.50B/47.30A	----	----	48.80 - 7.10	.1320	----	----	5	----	2814	UNCH
5510	----	----	----	/46.70A	53.40B/46.70A	----	----	48.00 - 7.10	.1301	----	----	----	----	1	UNCH
5540	----	----	----	/44.70A	51.20B/44.70A	----	----	45.90 - 6.80	.1250	----	----	----	----	6	UNCH
5550	----	----	----	/44.20A	50.40B/44.20A	----	----	45.30 - 6.70	.1234	----	----	----	----	1	UNCH
5570	----	----	----	/43.10A	49.00B/43.10A	----	----	44.00 - 6.50	.1202	----	----	----	----	1	UNCH
5575	----	----	----	/42.70A	48.60B/42.70A	----	----	43.60 - 6.50	.1192	----	----	----	----	2	UNCH
5600	----	----	----	/41.30A	46.90B/41.30A	----	----	42.10 - 6.30	.1154	----	----	----	----	2315	UNCH
5620	----	----	----	/40.10A	45.50B/40.10A	----	----	40.90 - 6.10	.1124	----	----	----	----	4	UNCH
5625	----	----	----	/40.00A	45.10B/40.00A	----	----	40.60 - 6.10	.1116	----	----	----	----	2	UNCH
5650	----	----	----	/38.50A	43.60B/38.50A	----	----	39.20 - 5.90	.1081	----	----	----	----	5	UNCH
5680	----	----	----	/37.10A	41.90B/37.10A	----	----	37.50 - 5.70	.1038	----	----	----	----	5	UNCH
5700	----	----	----	/36.10A	39.50B/36.10A	----	----	36.50 - 5.60	.1012	----	----	----	----	7	UNCH
5750	----	----	----	/33.70A	36.90B/33.70A	----	----	34.10 - 5.20	.0949	----	----	----	----	505	UNCH
5800	----	----	----	/31.50A	34.50B/31.50A	----	----	31.90 - 4.80	.0891	----	----	----	----	70	UNCH
5820	----	----	----	/30.70A	33.60B/30.70A	----	----	31.10 - 4.70	.0870	----	----	----	----	1	UNCH
5900	----	----	----	/28.00A	30.30B/28.00A	----	----	28.20 - 4.00	.0791	----	----	----	----	3	UNCH
5925	----	----	----	/27.20A	29.40B/27.20A	----	----	27.30 - 3.90	.0767	----	----	----	----	194	UNCH
5950	----	----	----	/26.40A	28.50B/26.40A	----	----	26.60 - 3.60	.0747	----	----	----	----	1	UNCH
5975	24.80	24.80	24.80	24.80/24.80	27.50B/24.80	----	----	25.80 - NEW	.0726	----	----	1	----	1	+
6000	24.50	24.50	24.50	24.50/24.50	26.70B/24.50	----	----	25.10 - 3.30	.0706	----	----	1	----	644	+
6025	----	----	----	/24.20A	25.60B/24.20A	----	----	24.40 - 3.20	.0687	----	----	----	----	100	UNCH
6050	----	----	----	/23.70A	24.70B/23.70A	----	----	23.80 - 3.00	.0669	----	----	----	----	52	UNCH
6100	----	----	----	/22.40A	22.90B/22.40A	----	----	22.50 - 2.90	.0633	----	----	----	----	162	UNCH
6200	----	----	----	/20.30A	20.50B/20.30A	----	----	20.30 - 2.60	.0571	----	----	----	----	2	UNCH
6250	----	----	----	/19.40A	19.50B/19.40A	----	----	19.30 - 2.40	.0543	----	----	----	----	31	UNCH
6400	----	----	----	/17.20A	16.80B/17.20A	----	----	16.90 - 2.00	.0473	----	----	----	----	1	UNCH
6500	----	----	----	/15.90A	15.30B/15.90A	----	----	15.60 - 1.70	.0434	----	----	----	----	103	UNCH
TOTAL												107	15493	+	71
MAY27															
4000	----	----	----	/582.60A	612.90B/582.60A	----	----	595.00 - 37.30	.7760	----	----	----	----	1	UNCH
4050	----	----	----	/547.10A	576.20B/547.10A	----	----	558.80 - 36.70	.7547	----	----	1	----	101	UNCH
4250	----	----	----	/419.40A	443.20B/419.40A	----	----	427.60 - 34.20	.6599	----	----	----	----	14	UNCH
4400	359.10	359.10	359.10	359.10/337.40A	362.60B/337.40A	----	----	345.70 - 30.70	.5817	----	----	1	----	6	+
4500	----	----	----	/290.70A	320.20B/290.70A	----	----	298.00 - NEW	.5288	----	----	1	----	1	+
4505	----	----	----	/289.10A	318.30B/289.10A	----	----	295.80 - 28.30	.5261	----	----	----	----	18	UNCH
4510	----	----	----	/286.30A	316.30B/286.30A	----	----	293.60 - 28.20	.5235	----	----	1	----	3	+
4520	----	----	----	/282.30A	312.30B/282.30A	----	----	289.20 - 28.00	.5183	----	----	----	----	1	UNCH
4550	----	----	----	/269.60A	298.90B/269.60A	----	----	276.50 - 27.10	.5027	----	----	1	----	160	UNCH
4555	----	----	----	/267.60A	296.60B/267.60A	----	----	274.40 - 27.00	.5001	----	----	----	----	9	UNCH
4600	----	----	----	/249.80A	278.00B/249.80A	----	----	256.50 - 25.70	.4772	----	----	----	----	9	UNCH
4650	----	----	----	/231.70A	258.10B/231.70A	----	----	237.90 - 24.20	.4523	----	----	----	----	10	UNCH
4665	----	----	----	/226.90A	252.50B/226.90A	----	----	232.60 - 23.80	.4449	----	----	----	----	1	UNCH
4700	----	----	----	/214.80A	239.60B/214.80A	----	----	220.60 - 22.80	.4281	----	----	----	----	31	UNCH
4785	----	----	----	/188.70A	211.20B/188.70A	----	----	193.70 - 20.90	.3887	----	----	----	----	20	UNCH
4800	----	----	----	/184.90A	206.40B/184.90A	----	----	189.40 - 20.50	.3821	----	----	----	----	72	UNCH
4810	----	----	----	/181.60A	203.50B/181.60A	----	----	186.50 - 20.30	.3776	----	----	----	----	1	UNCH
4850	----	----	----	/170.90A	191.50B/170.90A	----	----	175.50 - 19.40	.3604	----	----	----	----	5	UNCH
4855	----	----	----	/169.40A	190.20B/169.40A	----	----	174.20 - 19.20	.3583	----	----	----	----	2	UNCH
4860	----	----	----	/168.10A	188.50B/168.10A	----	----	172.80 - 19.20	.3562	----	----	----	----	20	UNCH
4900	----	----</													



BULLETIN #181@				METALS OPTION PRODUCTS										Mon, Sep 21, 2026			PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST	
OG CALL	COMEX GOLD OPTIONS																
DEC27																	
4500	----	----		----	----	----	----	----	497.70 - 25.30	.5837	----	----	----	----	75	UNCH	
4860	----	----		----	----	----	----	----	355.90 - 20.60	.4619	----	----	----	----	100	UNCH	
5000	----	----		----	----	----	----	----	313.80 - 18.90	.4197	----	----	----	----	50	UNCH	
5650	----	----		----	----	----	----	----	183.90 - 12.70	.2691	----	----	----	----	200	UNCH	
5700	----	----		----	----	----	----	----	177.10 - 12.30	.2604	----	----	----	----	150	UNCH	
5800	----	----		----	----	----	----	----	164.40 - 11.60	.2438	----	----	----	----	200	UNCH	
5880	----	----		----	----	----	----	----	155.00 - 11.10	.2314	----	----	----	----	125	UNCH	
6300	----	----		----	----	----	----	----	115.70 - 8.70	.1775	----	----	----	----	18	UNCH	
7500	----	----		----	----	----	----	----	57.60 - 4.80	.0918	----	----	----	----	70	UNCH	
7800	----	----		----	----	----	----	----	49.80 - 4.20	.0796	----	----	----	----	284	UNCH	
10000	----	----		----	20.00b/----	----	----	----	22.20 - 2.00	.0352	----	----	----	----	103	UNCH	
10500	----	----		----	----	----	----	----	19.40 - 1.80	.0305	----	----	----	----	10	UNCH	
TOTAL															1385		
FEB28																	
4400	----	----		----	----	----	----	----	607.20 - 26.90	.6282	----	----	----	----	2	UNCH	
4450	----	----		----	----	----	----	----	581.70 - 26.30	.6123	----	----	----	----	2	UNCH	
TOTAL															4		
DEC28																	
5000	----	----		----	----	----	----	----	574.20 - 22.90	.5194	----	----	----	----	50	UNCH	
5500	----	----		----	----	----	----	----	436.40 - 18.80	.4181	----	----	----	----	1	UNCH	
5750	----	----		----	----	----	----	----	386.30 - 17.10	.3767	----	----	----	----	100	UNCH	
TOTAL															151		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST	
GWV WED	GOLD WEEKLY WEDNESDAY OPTION WEEK5																
SEP26																	
3500	----	----		----	----	-----/0.30A	----	----	0.10 UNCH	.0000	----	----	----	----	1	UNCH	
3700	----	----		----	----	-----/0.40A	----	----	0.10 - 0.20	.0008	----	----	----	----	33	UNCH	
3750	----	----		----	----	-----/0.30A	----	----	0.10 UNCH		----	----	----	----	2	UNCH	
3800	0.40	0.40	0.40/0.40	0.40/0.40	0.40/0.40	0.40/0.40	0.40	0.40	0.30 - 0.30	.0026	----	----	1	----	2	+	
3900	----	----		----	----	0.10b/0.20A	----	----	0.10 UNCH		----	----	----	----	22	UNCH	
3900	----	----		----	----	0.80b/1.00A	----	----	0.80 - 0.20	.0074	----	----	----	----	2	UNCH	
3925	----	----		----	----	0.90b/1.00A	----	----	0.90 - 0.20	.0086	----	----	----	----	1	UNCH	
3975	----	----		----	----	-----/0.30A	----	----	0.10 - 0.10	.0000	----	----	----	----	5	UNCH	
3975	----	----		----	----	1.20b/1.20A	----	----	1.20 - 0.20	.0121	----	----	----	----	1	UNCH	
4000	----	----		----	----	0.10b/0.20A	----	----	0.10 - 0.20	.0000	----	----	----	----	23	UNCH	
4000	----	----		----	----	1.40b/1.40A	----	----	1.40 - 0.20	.0146	----	----	----	----	54	UNCH	
4025	----	----		----	----	1.70b/1.60A	----	----	1.60 - 0.20	.0173	----	----	----	----	5	UNCH	
4025	----	----		----	----	0.20b/0.30A	----	----	0.10 - 0.30	.0001	----	----	----	----	5	UNCH	
4050	----	----		----	----	0.30b/0.20A	----	----	0.20 - 0.30	.0008	----	----	----	----	21	UNCH	
4050	----	----		----	----	2.10b/1.90A	----	----	1.90 - 0.20	.0211	----	----	----	----	5	UNCH	
4075	----	----		----	----	0.40b/0.40A	----	----	0.30 - 0.40	.0015	----	----	----	----	8	UNCH	
4075	----	----		----	----	2.60b/2.20A	----	----	2.20 - 0.20	.0254	----	----	----	----	2	UNCH	
4090	0.30	0.30	0.30/0.30	0.30/0.30	0.30/0.30	0.50b/0.30	----	----	0.30 NEW	.0016	----	1	----	----	1	+	
4100	----	----		----	----	-----/0.40A	----	----	0.40 - 0.40	.0023	----	----	----	----	44	UNCH	
4100	3.00	3.00	3.30b/2.60A	3.30b/2.60A	3.30b/2.60A	3.30b/2.60A	----	----	2.60 - 0.30	.0310	----	11	----	----	36	-	
4120	0.40	0.40	0.40/0.40	0.40/0.40	0.40/0.40	0.80b/0.40	----	----	0.50 - 0.40	.0033	----	1	----	----	8	+	
4125	0.80	0.80	0.80/0.50A	0.80/0.50A	0.80/0.50A	0.80/0.50A	----	----	0.60 - 0.40	.0041	----	15	----	----	24	+	
4125	----	----		4.10b/3.20A	4.10b/3.20A	4.10b/3.20A	----	----	3.20 - 0.30	.0391	----	----	----	----	19	UNCH	
4135	1.00	1.00	1.00/0.60A	1.00/0.60A	1.00/0.60A	1.00/0.60A	----	----	0.60 NEW	.0044	----	10	----	----	10	+	
4150	1.10	1.10	1.10/0.80A	1.10/0.80A	1.10/0.80A	1.10/0.80A	----	----	0.80 - 0.40	.0065	----	1	----	----	59	+	
4150	----	----		-----/179.20A	237.20b/179.20A	237.20b/179.20A	----	----	200.90 - 40.90	.9934	----	----	----	----	2	UNCH	
4150	4.30	4.30	5.30b/3.90A	5.30b/3.90A	5.30b/3.90A	5.30b/3.90A	----	----	4.00 - 0.30	.0499	----	1	----	----	26	+	
4175	----	----		1.70b/1.00A	1.70b/1.00A	1.70b/1.00A	----	----	1.00 - 0.60	.0095	----	----	----	----	13	UNCH	
4175	----	----		-----/154.80A	212.50b/154.80A	212.50b/154.80A	----	----	176.20 - 41.00	.9904	----	----	----	----	2	UNCH	
4175	----	----		-----/194.20A	249.40b/194.20A	249.40b/194.20A	----	----	213.80 - 41.20	.9361	----	----	----	----	1	UNCH	
4175	5.10	5.10	6.90b/4.90A	6.90b/4.90A	6.90b/4.90A	6.90b/4.90A	----	----	5.00 - 0.30	.0636	----	10	----	----	32	+	
4180	----	----		1.80b/1.10A	1.80b/1.10A	1.80b/1.10A	----	----	1.10 NEW	.0108	----	1	----	----	1	+	
4185	----	----		2.00b/1.10A	2.00b/1.10A	2.00b/1.10A	----	----	1.20 - 0.50	.0122	----	----	----	----	3	UNCH	
4190	1.50	1.50	2.00b/1.20A	2.00b/1.20A	2.00b/1.20A	2.00b/1.20A	----	----	1.20 NEW	.0126	----	2	----	----	2	+	
4200	----	----		-----/130.80A	187.80b/130.80A	187.80b/130.80A	----	----	151.60 - 41.10	.9841	----	----	----	----	1	UNCH	
4200	2.00	2.00	2.50b/1.30A	2.50b/1.30A	2.50b/1.30A	2.50b/1.30A	----	----	1.40 - 0.60	.0158	----	25	----	----	588	-	
4200	6.50	6.50	9.10b/6.20	9.10b/6.20	9.10b/6.20	9.10b/6.20	----	----	6.50 - 0.20	.0833	----	60	----	----	56	+	
4200	----	----		-----/171.50A	225.70b/171.50A	225.70b/171.50A	----	----	190.30 - 41.10	.9164	----	1	----	----	11	UNCH	
4205	1.60	1.60	2.80b/1.30	2.80b/1.30	2.80b/1.30	2.80b/1.30	----	----	1.50 - 0.70	.0175	----	5	----	----	11	+	
4210	147.00	147.00	150.00/121.30A	178.00b/121.30A	178.00b/121.30A	178.00b/121.30A	----	----	141.80 NEW	.9805	----	2	----	----	1	+	
4210	2.00	2.00	3.10b/1.30	3.10b/1.30	3.10b/1.30	3.10b/1.30	----	----	1.60 NEW	.0194	----	7	----	----	6	+	
4215	----	----		3.40b/1.60A	3.40b/1.60A	3.40b/1.60A	----	----	1.80 - 0.60	.0225	----	----	----	----	3	UNCH	
4220	1.90	1.90	3.70b/1.80	3.70b/1.80	3.70b/1.80	3.70b/1.80	----	----	1.90 NEW	.0246	----	5	----	----	5	+	
4225	3.20	3.20	4.00b/1.90A	4.00b/1.90A	4.00b/1.90A	4.00b/1.90A	----	----	2.10 - 0.70	.0281	----	5	----	----	72	+	
4225	9.10	9.10	12.20b/8.00A	12.20b/8.00A	12.20b/8.00A	12.20b/8.00A	----	----	8.60 + 0.10	.1099	----	10					

BULLETIN #181@												METALS OPTION PRODUCTS												Mon, Sep 21, 2026												PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE		OUTCRY RANGE	SETTL.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																		
GWW WED																				GOLD WEEKLY WEDNESDAY OPTION WEEK4																
SEP26																																				
4430	10.60	10.60		11.50/4.60A		16.50B/4.60A	----				5.40	- 15.70	.0958	----	----	9	----	12	+	9																
4435	7.40	7.40		7.40/4.20A		15.10B/4.20A	----				4.90	- 14.70	.0849	----	----	7	----	8	+	4																
4440	----	----		----/3.80A		13.80B/3.80A	----				4.40	- 13.70	.0745	----	----	----	----	2		UNCH																
4445	11.10	11.10		12.60B/3.50A		12.60B/3.50A	----				4.00	- 12.80	.0660	----	23	----	27	+	10																	
4450	11.00	11.00		11.60B/3.20		11.60B/3.20	----				3.60	- 11.90	.0579	----	39	----	64	+	6																	
4450	----	----		125.10B/----		125.10B/76.00A	----				103.40	+ 28.60	.9420	----	----	----	13		UNCH																	
4450	92.60	92.60		110.70B/92.60		110.70B/75.60A	----				93.20	+ 18.50	.6916	----	1	----	2	+	1																	
4450	25.50	25.50		25.50/23.40A		44.90B/23.40A	----				27.20	- 22.50	.3081	----	12	----	156	+	1																	
4455	----	----		----/3.00A		10.60B/3.00A	----				3.30	- 11.10	.0515	----	3	----	5	+	2																	
4460	----	----		----/2.70A		9.60B/2.70A	----				3.00	- 10.30	.0455	----	1	----	16		UNCH																	
4465	4.80	4.80		4.80/2.50A		8.80B/2.50A	----				2.80	- 9.50	.0411	----	6	----	8	+	6																	
4470	4.90	4.90		4.90/2.30A		8.00B/2.30A	----				2.60	- 8.70	.0370	----	5	----	7	+	4																	
4475	----	----		149.00B/----		149.00B/96.70A	----				127.20	+ 32.50	.9667	----	----	----	3		UNCH																	
4475	----	----		130.40B/----		130.40B/91.40A	----				111.80	+ 21.70	.7533	----	1	----	1		UNCH																	
4475	3.70	3.70		3.70/2.20A		7.30B/2.20A	----				2.40	- 8.00	.0331	----	19	----	68	+	1																	
4475	----	----		----/18.00A		35.70B/18.00A	----				20.80	- 19.20	.2464	----	14	----	54	+	4																	
4480	----	----		----/2.00A		6.60B/2.00A	----				2.20	- 7.40	.0294	----	----	----	2		UNCH																	
4485	----	----		----/1.90A		6.00B/1.90A	----				2.10	- 6.80	.0272	----	----	----	5		UNCH																	
4490	1.80	1.80		1.80/1.80		5.50B/1.80	----				1.90	- 6.30	.0239	----	3	----	3	+	2																	
4495	----	----		----/1.70A		5.10B/1.70A	----				1.80	- 5.80	.0219	----	----	----	2		UNCH																	
4500	2.30	2.30		2.30/1.30		4.60B/1.30	----				1.70	- 5.30	.0200	----	197	----	1410	+	107																	
4500	145.00	145.00		173.40B/145.00		173.40B/118.90A	----				151.40	+ 35.20	.9798	----	4	----	68		UNCH																	
4500	20.20	20.20		20.70/14.00A		28.20B/14.00A	----				15.90	- 16.10	.1946	----	8	----	64	+	6																	
4510	1.90	1.90		1.90/1.40A		3.90B/1.40A	----				1.50	NEW	.0166	----	3	----	3	+	3																	
4520	1.30	1.30		1.30/1.30		3.30B/1.30	----				1.30	- 3.80	.0135	----	2	----	4	+	2																	
4525	1.80	1.80		2.20/1.20		2.90B/1.20	----				1.20	- 3.50	.0121	----	9	----	28	+	7																	
4525	----	----		198.00B/----		198.00B/142.10A	----				176.00	+ 37.10	.9878	----	----	----	2		UNCH																	
4525	15.60	15.60		15.60/10.90A		22.10B/10.90A	----				12.20	- 13.20	.1525	----	22	----	22	+	16																	
4535	1.90	1.90		1.90/1.10A		2.50B/1.10A	----				1.10	NEW	.0104	----	3	----	3	+	3																	
4540	1.80	1.80		1.80/1.10A		2.30B/1.10A	----				1.00	- 2.70	.0092	----	5	----	6	+	5																	
4550	1.70	1.70		1.70/1.00A		2.00B/1.00A	----				0.90	- 2.30	.0078	----	12	----	69	+	2																	
4550	16.00	16.00		16.00/8.50A		17.20B/8.50A	----				9.40	- 10.70	.1190	----	7	----	88	+	2																	
4575	0.90	0.90		0.90/0.80		1.30B/0.80	----				0.70	- 1.50	.0052	----	41	----	53	+	20																	
4575	9.70	9.70		9.70/6.70A		13.30B/6.70A	----				7.30	- 8.60	.0929	----	15	----	16	+	9																	
4580	----	----		----/0.80A		1.30B/0.80A	----				0.60	- 1.50	.0043	----	1	----	3	+	1																	
4595	----	----		----/0.70A		1.00B/0.70A	----				0.50	- 1.30	.0033	----	----	----	1		UNCH																	
4600	----	----		272.50B/----		272.50B/215.00A	----				250.30	+ 39.40	.9967	----	----	----	2		UNCH																	
4600	0.50	0.50		0.50/0.50		1.00B/0.50	----				0.50	- 1.20	.0032	----	3	----	41	-	3																	
4600	9.00	9.00		9.00/5.30A		10.30B/5.30A	----				5.70	- 6.90	.0725	----	24	----	69	+	16																	
4620	----	----		----/0.60A		0.70B/0.60A	----				0.40	- 1.00	.0023	----	2	----	2		UNCH																	
4625	0.70	0.70		0.70/0.40		0.70/0.40	----				0.40	- 0.90	.0022	----	16	----	249	-	15																	
4625	4.90	4.90		4.90/4.30A		8.10B/4.30A	----				4.60	- 5.40	.0578	----	13	----	27	+	12																	
4650	0.50	0.50		0.50/0.50		0.60B/0.50	----				0.30	- 0.80	.0014	----	25	----	60	+	24																	
4650	----	----		----/3.50A		6.30B/3.50A	----				3.70	- 4.30	.0460	----	----	----	36		UNCH																	
4675	----	----		----/0.50A		0.50B/0.50A	----				0.30	- 0.50	.0013	----	----	----	28		UNCH																	
4675	----	----		340.60B/----		340.60B/299.40A	----				325.00	+ 40.00	.9987	----	----	----	1		UNCH																	
4675	----	----		----/2.90A		5.00B/2.90A	----				3.00	- 3.50	.0368	----	----	----	1		UNCH																	
4700	----	----		----/0.40A		0.40B/0.40A	----				0.20	- 0.50	.0007	----	----	----	1941		UNCH																	
4700	----	----		----/2.40A		4.00B/2.40A	----				2.50	- 2.80	.0300	----	----	----	11		UNCH																	
4725	----	----		----/0.30A		0.30B/0.30A	----				0.20	- 0.30	.0007	----	----	----	609		UNCH																	
4725	----	----		----/2.10A		3.30B/2.10A	----				2.10	- 2.20	.0247	----	----	----	7		UNCH																	
4735	----	----		----/0.30A		0.30B/0.30A	----				0.20	- 0.20	.0006	----	----	----	11		UNCH																	
4745	0.20	0.20		0.20/0.20		0.30B/0.20	----				0.20	NEW	.0006	----	10	----	10	+	10																	
4750	----	----		420.70B/----		420.70B/374.30A	----				399.90	+ 40.30	.9994	----	----	----	11		UNCH																	
4750	----	----		----/1.80A		2.70B/1.80A	----				1.80	- 1.80	.0206	----	----	----	23		UNCH																	
4750	0.30	0.30		0.30/0.20		0.30/0.20	----				0.20	- 0.20	.0006	----	37	----	55	+	37																	
4770	----	----		0.20B/0.30A		0.20B/0.30A	----				0.20	- 0.10	.0006	----	----	----	10		UNCH																	
4775	----	----		445.30B/----		445.30B/399.00A	----				424.90	+ 40.40	.9994	----	----	----	10		UNCH																	
4775	----	----		0.20B/0.30A		0.20B/0.30A	----				0.20	- 0.10	.0006	----	----	----	15		UNCH																	
4775	----	----		----/1.60A		2.20B/1.60A	----				1.50	- 1.50	.0169	----	----	----	6		UNCH																	
4800	0.20	0.20		0.20/0.20		0.20/0.20	----				0.20	- 0.10	.0005	----	1	----	52		UNCH																	
4825	----	----		----/1.20A		1.50B/1.20A	----				1.20	NEW	.0127	----	1	----	1	+	1																	
4825	----	----		----/0.30A		----/0.30A	----				0.20	- 0.10	.0005	----	1	----	46	-	1																	
4850	----	----		----		----/0.30A	----				0.20	- 0.10	.0005	----	----	----	16		UNCH																	
4850	----	----		----/1.10A		1.30B/1.10A	----				1.00	- 0.80	.0104	----	----	----	7		UNCH																	
4875	----	----		----/0.30A		----/0.30A	----				0.10	- 0.10	.0002	----	----	----	7		UNCH																	
4875	----	----		----/1.00A		1.10B/1.00A	----				0.90	- 0.70	.0092	----	----	----	15		UNCH																	
4900	----	----		----/0.20A		----																														

PG64		BULLETIN #181@										METALS OPTION PRODUCTS										Mon, Sep 21, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
GWW WED OCT26		GOLD WEEKLY WEDNESDAY OPTION WEEK1																						
4600	----	----			----/13.20A	22.70B/13.20A	----			14.50 - 10.80	.1386	----	----	1	----	3 +	1							
4600	31.20	31.20			31.20/22.30A	35.30B/22.30A	----			24.30 - 13.70	.1865	----	----	2	----	4 +	2							
4625	26.90	26.90			27.70/19.40A	30.40B/19.40A	----			20.80 - 12.10	.1628	----	----	4	----	6 +	4							
4625	13.10	13.10			13.10/11.00A	18.80B/11.00A	----			12.00 - 9.20	.1165	----	----	2	----	5 +	2							
4650	26.00	26.00			26.00/16.80A	26.10B/16.80A	----			17.80 - 10.70	.1417	----	----	28	----	32 +	28							
4650	----	----			----/9.30A	15.70B/9.30A	----			10.00 - 7.80	.0980	----	----	----	----	3	UNCH							
4675	8.60	8.60			8.90/7.80A	13.00B/7.80A	----			8.40 - 6.50	.0828	----	----	16	----	11 +	9							
4675	21.00	21.00			21.00/14.40A	22.60B/14.40A	----			15.30 - 9.40	.1235	----	----	3	----	6 +	3							
4700	14.00	14.00			14.00/12.50A	19.50B/12.50A	----			13.20 - 8.20	.1077	----	----	8	----	15 +	6							
4700	9.30	9.30			10.90B/6.50A	10.90B/6.50A	----			7.00 - 5.50	.0695	----	----	18	----	18 +	8							
4725	----	----			----/10.90A	16.80B/10.90A	----			11.50 - 7.10	.0944	----	----	----	----	2	UNCH							
4725	----	----			----/5.60A	9.00B/5.60A	----			6.00 - 4.60	.0594	----	----	----	----	2	UNCH							
4750	----	----			----/4.80A	7.60B/4.80A	----			5.10 - 3.90	.0505	----	----	----	----	1	UNCH							
4775	----	----			----/8.40A	12.60B/8.40A	----			8.70 - 5.20	.0723	----	----	----	----	2	UNCH							
4825	----	----			----/3.30A	4.40B/3.30A	----			3.30 - 2.30	.0322	----	----	----	----	4	UNCH							
4850	----	----			----/2.90A	3.90B/2.90A	----			2.90 - 2.00	.0280	----	----	----	----	5	UNCH							
5100	----	----			----/1.30A	1.10B/1.30A	----			1.20 - 0.40	.0101	----	----	----	----	8	UNCH							
TOTAL														553		993 +	507							
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
GWT TUE SEP26		GOLD WEEKLY TUESDAY OPTION week4																						
3600	----	----			----/0.20A	----	----			0.10 UNCH	----	----	----	----	----	1	UNCH							
3700	----	----			----/0.40A	----	----			0.10 - 0.10	.0007	----	----	----	----	53	UNCH							
3750	0.40	0.40			0.40/0.40	0.40/0.40	----			0.20 - 0.20	.0015	----	----	1	----	10	UNCH							
3800	----	----			----/0.40A	0.20B/0.40A	----			0.30 - 0.20	.0024	----	----	1	----	3	UNCH							
3800	----	----			----	----/0.20A	----			0.10 UNCH	----	----	----	----	----	1	UNCH							
3900	----	----			----	0.50B/0.70A	----			0.60 - 0.10	.0055	----	----	1	----	15	UNCH							
3900	----	----			----	----/0.20A	----			0.10 UNCH	----	----	----	----	----	4	UNCH							
3925	----	----			----	----/0.20A	----			0.10 UNCH	----	----	----	2	----	2 -	1							
3950	----	----			----	----/0.20A	----			0.10 UNCH	----	----	----	----	----	5	UNCH							
3975	----	----			----	----/0.20A	----			0.10 UNCH	----	----	----	----	----	1	UNCH							
3975	----	----			----	0.90B/1.00A	----			0.90 - 0.10	.0092	----	----	----	----	1	UNCH							
4000	----	----			----/1.10A	1.10B/1.10A	----			1.00 - 0.20	.0106	----	----	----	----	18	UNCH							
4000	----	----			----	----/0.20A	----			0.10 UNCH	----	----	----	----	----	9	UNCH							
4005	----	----			----/0.10A	----/0.10A	----			0.10 - 0.10	----	----	----	----	----	1	UNCH							
4025	----	----			----	----/0.20A	----			0.10 - 0.10	----	----	----	----	----	8	UNCH							
4050	----	----			----/1.50A	1.60B/1.50A	----			1.40 - 0.20	.0160	----	----	----	----	1	UNCH							
4050	----	----			----/0.10A	----/0.10A	----			0.10 - 0.10	----	----	----	----	----	5	UNCH							
4075	----	----			----/0.10A	0.10B/0.10A	----			0.10 - 0.20	----	----	----	----	----	10	UNCH							
4100	----	----			2.50B/2.10A	2.50B/2.10A	----			2.00 - 0.20	.0245	----	----	----	----	20	UNCH							
4100	----	----			----/0.20A	0.30B/0.20A	----			0.10 - 0.30	----	----	----	----	----	311	UNCH							
4110	0.20	0.20			0.20/0.20	0.30B/0.20	----			0.10 NEW	----	----	----	2	----	2 +	2							
4120	0.40	0.40			0.40/0.20A	0.40/0.20A	----			0.10 - 0.30	----	----	----	5	----	6 +	5							
4125	----	----			3.20B/2.50A	3.20B/2.50A	----			2.40 - 0.30	.0306	----	----	----	----	4	UNCH							
4125	0.30	0.30			0.40B/0.20	0.40B/0.20	----			0.10 - 0.40	----	----	----	4	----	46 +	4							
4130	0.20	0.20			0.20/0.20	0.40B/0.20	----			0.10 NEW	.0000	----	----	6	----	6 +	6							
4135	----	----			----/0.20A	0.50B/0.20A	----			0.10 - 0.40	.0000	----	----	----	----	2	UNCH							
4140	0.50	0.50			0.50/0.20A	0.50/0.20A	----			0.10 NEW	.0000	----	----	1	----	1 +	1							
4145	----	----			----/0.10A	0.50B/0.10A	----			0.10 - 0.50	.0000	----	----	----	----	1	UNCH							
4150	0.50	0.50			0.50/0.20A	0.60B/0.20A	----			0.10 - 0.50	.0000	----	----	2	----	13 +	1							
4150	----	----			4.20B/3.10A	4.20B/3.10A	----			3.00 - 0.30	.0394	----	----	----	----	11	UNCH							
4165	0.50	0.50			0.70B/0.20A	0.70B/0.20A	----			0.10 - 0.60	.0001	----	----	4	----	5 +	4							
4175	----	----			5.60B/3.80A	5.60B/3.80A	----			3.90 - 0.30	.0523	----	----	----	----	6	UNCH							
4175	0.80	0.80			0.80/0.20A	0.80/0.20A	----			0.20 - 0.60	.0003	----	----	9	----	97 +	8							
4180	0.40	0.40			0.90B/0.20A	0.90B/0.20A	----			0.20 NEW	.0003	----	----	1	----	1 +	1							
4185	0.50	0.50			0.50/0.20	0.90B/0.20	----			0.30 - 0.60	.0006	----	----	20	----	20 +	18							
4195	----	----			----/0.30A	1.00B/0.30A	----			0.30 - 0.70	.0007	----	----	----	----	5	UNCH							
4200	1.20	1.20			1.20/0.30A	1.20/0.30A	----			0.40 - 0.70	.0011	----	----	5	----	56 +	5							
4200	----	----			7.40B/4.90A	7.40B/4.90A	----			5.20 - 0.10	.0705	----	----	----	----	22	UNCH							
4205	0.50	0.50			1.20B/0.30A	1.20B/0.30A	----			0.40 NEW	.0012	----	----	6	----	6 +	6							
4210	----	----			1.30B/0.40A	1.30B/0.40A	----			0.50 - 0.70	.0018	----	----	1	----	2 +	1							
4215	0.40	0.40			1.40B/0.40	1.40B/0.40	----			0.50 - 0.80	.0019	----	----	10	----	11 +	9							
4220	1.00	1.00			1.50B/0.50	1.50B/0.50	----			0.60 NEW	.0025	----	----	5	----	5 +	5							
4225	9.20	9.20			10.00B/6.40A	10.00B/6.40A	----			6.90 UNCH	.0943	----	----	1	----	13 +	1							
4225	0.80	0.80			1.60B/0.50	1.60B/0.50	----			0.60 - 0.90	.0027	----	----	12	----	104 +	9							
4230	1.10	1.10			1.80B/0.50A	1.80B/0.50A	----			0.70 NEW	.0035	----	----	3	----	3 +	3							
4235	0.60	0.60			2.00B/0.60	2.00B/0.60	----			0.80 - 0.90	.0045	----	----	7	----	5 +	4							
4240	1.10	1.10			2.30B/0.60	2.30B/0.60	----			0.80 - 1.00	.0047	----	----	12	----	13 +	10							
4245	1.00	1.00			2.60B/0.60	2.60B/0.60	----			0.90 NEW	.0059	----	----	3	----	3 +	3							
4250	1.70	1.70			2.90B/0.80A	2.90B/0.80A	----			1.00 - 1.10	.0072	----	----	37	----	54 +	26							
4250	----	----			13.70B/8.50A	13.70B/8.50A	----			9.40 + 0.40	.1277	----	----	----	----	6	UNCH							
4250	96.00	96.00			111.10/81.00A	137.80B/81.00A	----			101.20 NEW	.9927	----	----	2	----	2 +	2							
4255	1.20	1.20			3.30B/0.90A	3.30B/0.90A	----			1.20 - 1.10	.0097	----	----	11	----	13 +	11							
4260	1.90	1.90			3.70B/1.10A	3.70B/1.10A	----			1.30 - 1.20	.0115	----	----	8	----	11 +	5							
4265	1.30	1.30			4.30B/1.20A	4.30B/1.20A	----			1.50 - 1.30	.0147	----	----	7	----	7 +	4							
4270	3.00	3.00			4.80B/1.40A	4.80B/1.40A	----			1.70 - 1.30	.0184	----	----	8	----	13 +	8							
4275	16.40	16.40			18.70B/11.50A	18.70B/11.50A	----			12.90 + 1.00	.1719	----	----	1	----	12 +	1							
4275	4.50	4.50			5.60B/1.50A	5.60B/1.50A	----			1.90 - 1.40	.0226	----	----	16	----	40 +	9							
4275	----	----			----/58.90A	113.50B/58.90A	----			77.10 - 41.90	.9773	----	----	----	----	1	UNCH							
4280	3.00	3.00			6.40B/1.80A	6.40B/1.80A	----			2.20 - 1.40	.0289	----	----	6	----	17 +	6							
4285	3.30	3.30			7.40B/2.10A	7.40B/2.10A	----			2.60 NEW	.0376	----	----	21	----	18 +	18							
4285	----	----			----/50.70A	104.10B/50.70A	----			67.80 - 41.90	.9623	----	----	----	----	1	UNCH							
4290	3.10	3.10			8.50B/2.40A	8.50B/2.40A	----			3.00 - 1.40	.0474	----	----	10	----	6 +	6							
4295	7.00	7.00			9.80B/2.70	9.80B/2.70	----			3.50 - 1.40	.0603	----	----	14	----	17 +	11							
4300	20.30	20.30			25.30B/15.20A	25.30B/15.20A	----			17.80 + 2.10	.2288	----	----	2	----	8 +	1							
4300	----	----			----/39.40A	90.20B/39.40A	----			54.30 - 41.70	.9233	----	----	1	----	5 +	1							
4300	5.10	5.10			11.00B/3.20A	11.00B/3.20A	----			4.10 - 1.30	.0766	----	----	31	----	34 +	10							
4305	4.90	4.90			12.70B/3.80A	12.70B/3.80A	----			4.80 - 1.10	.0966	----	----	132	----	110 +	107							
4310	9.10	9.10			14.40B/4.40A	14.40B/4.40A	----			5.60 - 0.90	.1207	----	----	11	----	10 +	10							
4315	----	----			----/29.40A	76.80B/29.40A	----			41.70 - 41.20	.8507	----	----	----	----	3	UNCH							
4315	11.20	11.20			16.30B/5.20A	16.																		

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GOLD WEEKLY TUESDAY OPTION week4															
SEP26	14.60	14.60		14.60/2.60A	16.70B/2.60A	----	3.20	- 18.80	.0519	----	----	----	12	----	13 +
4410	49.00	49.00		84.60B/41.40A	84.60B/41.40A	----	63.00	NEW	.9480	----	----	----	3	----	3 +
4415	6.00	6.00		6.00/2.20A	15.10B/2.20A	----	2.80	- 17.40	.0416	----	----	----	25	----	23 +
4420	10.10	10.10		13.50B/1.90A	13.50B/1.90A	----	2.40	- 16.00	.0326	----	----	----	8	----	21 +
4425	----	----		88.90B/----	88.90B/57.50A	----	72.40	+ 15.30	.6332	----	----	----	----	----	2 UNCH
4425	6.20	6.20		98.80B/----	98.80B/51.70A	----	76.90	+ 25.80	.9739	----	----	----	1	----	3 UNCH
4425	----	----		6.20/1.70A	12.10B/1.70A	----	2.10	- 14.70	.0260	----	----	----	17	----	119 +
4430	----	----		103.60B/----	103.60B/55.40A	----	81.60	+ 27.00	.9796	----	----	----	----	----	1 UNCH
4430	7.50	7.50		7.50/1.50A	10.80B/1.50A	----	1.80	- 13.50	.0202	----	----	----	13	----	31 +
4435	1.70	1.70		1.70/1.30A	9.60B/1.30A	----	1.60	- 12.40	.0164	----	----	----	1	----	10
4440	7.90	7.90		8.60B/1.20A	8.60B/1.20A	----	1.40	- 11.30	.0130	----	----	----	8	----	3 UNCH
4445	3.90	3.90		3.90/1.10A	7.70B/1.10A	----	1.20	- 10.30	.0100	----	----	----	11	----	31 +
4450	3.00	3.00		3.00/1.00A	6.70B/1.00A	----	1.10	- 9.40	.0084	----	----	----	98	----	59 +
4450	----	----		107.70B/----	107.70B/71.60A	----	89.60	+ 18.90	.7084	----	----	----	----	----	7
4450	26.00	26.00		26.00/20.10A	40.70B/20.10A	----	23.50	- 22.10	.2913	----	----	----	5	----	9 +
4450	90.00	90.00		123.10B/90.00	123.10B/71.10A	----	100.90	+ 31.10	.9915	----	----	----	2	----	2 UNCH
4455	1.90	1.90		2.00/0.90A	6.10B/0.90A	----	1.00	- 8.50	.0070	----	----	----	18	----	26 +
4460	1.80	1.80		1.80/0.80A	5.40B/0.80A	----	0.90	- 7.70	.0057	----	----	----	11	----	10 +
4465	2.10	2.10		2.10/0.70A	4.80B/0.70A	----	0.80	- 7.00	.0046	----	----	----	6	----	15 +
4470	2.20	2.20		2.20/0.60	4.20B/0.60	----	0.70	- 6.40	.0036	----	----	----	7	----	26 +
4475	----	----		147.60B/----	147.60B/92.90A	----	125.40	+ 34.70	.9971	----	----	----	9	----	9 UNCH
4475	17.70	17.70		17.70/15.20A	31.70B/15.20A	----	17.60	- 18.50	.2272	----	----	----	6	----	17 +
4475	2.40	2.40		2.40/0.60	3.70B/0.60	----	0.60	- 5.80	.0028	----	----	----	6	----	38 +
4480	0.70	0.70		0.70/0.60A	3.30B/0.60A	----	0.60	- 5.20	.0026	----	----	----	17	----	17 +
4485	----	----		----/0.50A	3.00B/0.50A	----	0.50	- 4.80	.0019	----	----	----	3	----	3 +
4490	----	----		162.30B/----	162.30B/106.80A	----	140.20	+ 36.10	.9986	----	----	----	----	----	1 UNCH
4490	----	----		----/0.50A	2.60B/0.50A	----	0.40	- 4.40	.0013	----	----	----	2	----	20 +
4495	0.50	0.50		0.50/0.50	2.30B/0.50	----	0.40	NEW	.0013	----	----	----	3	----	3 +
4500	17.00	17.00		17.00/11.60A	24.40B/11.60A	----	13.10	- 15.20	.1743	----	----	----	14	----	22 +
4500	0.90	0.90		0.90/0.50	2.10B/0.50	----	0.40	- 3.50	.0012	----	----	----	62	----	63 +
4500	----	----		149.00B/----	149.00B/105.30A	----	129.10	+ 25.80	.8254	----	----	----	9	----	9 UNCH
4510	1.00	1.00		1.00/0.40	1.70B/0.40	----	0.30	- 3.00	.0007	----	----	----	3	----	9 +
4515	0.50	0.50		0.50/0.40A	1.50B/0.40A	----	0.30	- 2.70	.0007	----	----	----	2	----	4 +
4520	----	----		----/0.40A	1.40B/0.40A	----	0.30	NEW	.0006	----	----	----	1	----	1 +
4520	----	----		192.30B/----	192.30B/135.40A	----	170.10	+ 38.20	.9993	----	----	----	----	----	1 UNCH
4525	----	----		171.10B/----	171.10B/124.50A	----	150.90	+ 28.80	.8662	----	----	----	----	----	2 UNCH
4525	16.40	16.40		16.40/8.80A	18.70B/8.80A	----	9.90	- 12.20	.1336	----	----	----	13	----	36 +
4525	0.50	0.50		0.50/0.40A	1.30B/0.40A	----	0.30	- 2.10	.0006	----	----	----	2	----	35
4530	----	----		----/0.30A	1.10B/0.30A	----	0.30	- 1.90	.0006	----	----	----	----	----	1 UNCH
4530	----	----		202.30B/----	202.30B/145.10A	----	180.00	NEW	.9994	----	----	----	1	----	1 +
4540	----	----		----/0.30A	0.90B/0.30A	----	0.30	- 1.60	.0005	----	----	----	----	----	1 UNCH
4540	----	----		212.20B/----	212.20B/154.90A	----	190.00	NEW	.9994	----	----	----	2	----	2 +
4545	----	----		----/0.30A	0.90B/0.30A	----	0.20	- 1.50	.0003	----	----	----	----	----	2 UNCH
4550	8.50	8.50		194.10B/----	194.10B/145.00A	----	173.50	+ 31.40	.8980	----	----	----	----	----	2 UNCH
4550	----	----		8.50/6.80A	14.20B/6.80A	----	7.50	- 9.60	.1018	----	----	----	3	----	7 +
4550	0.50	0.50		222.20B/----	222.20B/164.70A	----	200.00	+ 39.20	.9997	----	----	----	----	----	2 UNCH
4570	0.80	0.80		0.50/0.20	0.80B/0.20	----	0.20	- 1.40	.0002	----	----	----	24	----	35 +
4575	----	----		0.80/0.20A	0.80/0.20A	----	0.10	- 1.00	.0000	----	----	----	1	----	2 +
4575	0.50	0.50		----/5.20A	10.80B/5.20A	----	5.70	- 7.60	.0774	----	----	----	----	----	10
4575	0.50	0.50		0.50/0.20	0.50/0.20	----	0.10	- 0.90	.0000	----	----	----	6	----	27 +
4580	----	----		----/0.20A	0.40B/0.20A	----	0.10	- 0.80	.0000	----	----	----	----	----	1 UNCH
4590	0.20	0.20		0.20/0.20	0.40B/0.20	----	0.10	NEW	.0000	----	----	----	1	----	1 +
4600	----	----		270.40B/----	270.40B/224.30A	----	249.90	+ 40.00	1.0000	----	----	----	----	----	5 UNCH
4600	0.40	0.40		0.40/0.20	0.40/0.20	----	0.10	- 0.60	----	----	----	----	45	----	67 +
4600	5.00	5.00		5.00/4.20A	8.20B/4.20A	----	4.40	- 6.00	.0592	----	----	----	1	----	7 +
4605	----	----		----/0.20A	0.30B/0.20A	----	0.10	NEW	----	----	----	----	1	----	1 +
4610	----	----		----/0.20A	0.30B/0.20A	----	0.10	- 0.50	----	----	----	----	----	----	1 UNCH
4615	0.20	0.20		0.20/0.20	0.20/0.20	----	0.10	NEW	----	----	----	----	6	----	6 +
4625	----	----		----/3.30A	6.30B/3.30A	----	3.50	- 4.70	.0463	----	----	----	----	----	22
4625	0.20	0.20		0.20/0.20	0.20/0.20	----	0.10	- 0.40	----	----	----	----	10	----	28 +
4635	0.40	0.40		0.40/0.20A	0.40/0.20A	----	0.10	NEW	----	----	----	----	1	----	1 +
4650	----	----		----/0.10A	0.10B/0.10A	----	0.10	- 0.30	----	----	----	----	----	----	17 UNCH
4650	----	----		----/2.70A	4.80B/2.70A	----	2.80	- 3.60	.0363	----	----	----	----	----	13 UNCH
4650	321.00	321.00		315.40B/----	315.40B/274.10A	----	299.90	+ 40.30	1.0000	----	----	----	----	----	1 UNCH
4675	----	----		340.40B/321.00	340.40B/299.10A	----	324.90	+ 40.30	1.0000	----	1	----	1	----	0 -
4675	----	----		----/0.20A	----/0.20A	----	0.10	- 0.20	----	----	----	----	----	----	3 UNCH
4685	----	----		----/0.20A	----/0.20A	----	0.10	- 0.20	----	----	----	----	----	----	9 UNCH
4700	----	----		----/1.90A	3.00B/1.90A	----	1.80	- 2.30	.0224	----	----	----	----	----	30 UNCH
4700	----	----		----/0.20A	----/0.20A	----	0.10	- 0.20	----	----	----	----	2	----	2 UNCH
4700	----	----		365.40B/----	365.40B/324.00A	----	349.90	+ 40.40	1.0000	----	----	----	----	----	1 UNCH
4705	----	----		----/0.20A	----/0.20A	----	0.10	- 0.20	----	----	----	----	----	----	1 UNCH
4725	----	----		----/1.60A	2.50B/1.60A	----	1.50	- 1.80	.0182	----	----	----	----	----	24 UNCH
4725	----	----		----/0.20A	----/0.20A	----	0.10	- 0.20	----	----	----	----	2	----	18 -
4750	----	----		----/0.20A	----/0.20A	----	0.10	- 0.20	----	----	----	----	----	----	5 UNCH
4750	----	----		----/1.40A	2.00B/1.40A	----	1.30	- 1.40	.0153	----	----	----	----	----	20 UNCH
4750	----	----		415.30B/----	415.30B/373.90A	----	399.90	+ 40.40	1.0000	----	----	----	----	----	1 UNCH
4775	----	----		----/0.20A	----/0.20A	----	0.10	- 0.20	----	----	----	----	----	----	25 UNCH
4775	----	----		----/1.20A	1.60B/1.20A	----	1.10	- 1.20	.0126	----	----	----	----	----	9 UNCH
4800	----	----		----/1.10A	1.30B/1.10A	----	1.00	- 0.90	.0110	----	----	----	2	----	22 +
4800	----	----		----	----/0.20A	----	0.10	- 0.10	----	----	----	----	----	----	3 UNCH
4850	----	----		----	----/0.20A	----	0.10	- 0.10	----	----	----	----	----	----	2 UNCH
4875	----	----		----/0.80A	0.70B/0.80A	----	0.70	- 0.50	.0070	----	----	----	----	----	2 UNCH
4900	----	----		----/0.70A	0.60B/0.70A	----	0.60	- 0.50	.0059	----	----	----	----	----	6 UNCH
4900	----	----		----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	----	1 UNCH
4925	----	----		----/0.70A	0.50B/0.70A	----	0.60	- 0.40	.0057	----	----	----	----	----	2 UNCH
4925	----	----		----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	----	1 UNCH
4950	----	----		----/0.60A	0.50B/0.60A	----	0.50	- 0.40	.0046	----	----	----	----	----	2 UNCH
4950	----	----		----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	----	1 UNCH
4975	----	----		----/0.60A	0.40B/0.60A	----	0.40	- 0.40	.0036	----	----	----	----	----	14 UNCH
4975	----	----		----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	----	2 UNCH
5000	----	----		----/0.50A	0.30B/0.50A	----	0.40	- 0.30	.0035	----	----	----	----	----	49 UNCH
5100	----	----		----	----/0.50A	----	0.20	- 0.30	.0016	----	----	----	----	----	12 UNCH
5200	----	----		----	----/0.40A	----	0.20	- 0.20	.0014	----	----	----	----	----	2 UNCH
5250	----	----		----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	----	2 UNCH
5400	----	----		----	----/0.30A	----	0.10	UNCH	.0001	----	----	----	----	----	1 UNCH
5400	----	----		----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	----	1 UNCH
5500	----	----		----	----/0.20A	----	0.10	UNCH	.0000	----	----	----	----	----	40 UNCH
TOTAL													2532		3719 +
OCT26	----	----													

BULLETIN #181@										METALS OPTION PRODUCTS										Mon, Sep 21, 2026				PG64
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST											
GWR THU		GOLD WEEKLY THURSDAY OPTION week1																						
OCT26																								
4450	37.10	37.10	37.40/26.50A	48.80B/26.50A	----	30.60	- 22.90	.3214	----	----	17	----	57	+	15									
4450	----	----	114.00B/----	114.00B/79.60A	----	96.70	+ 18.20	.6783	----	----	----	----	5	UNCH										
4450	----	----	----/58.60A	84.50B/58.60A	----	63.20	- 25.50	.3952	----	----	----	----	18	UNCH										
4450	----	----	142.00B/----	142.00B/115.80A	----	129.20	+ 15.40	.6042	----	----	----	----	6	UNCH										
4450	----	----	----/70.50A	97.90B/70.50A	----	76.20	- 24.90	.4114	----	----	----	----	1	UNCH										
4450	----	----	----/43.20A	68.00B/43.20A	----	48.30	- 24.20	.3698	----	----	----	----	103	UNCH										
4475	----	----	133.20B/----	133.20B/95.30A	----	115.00	+ 21.30	.7368	----	----	----	----	1	UNCH										
4475	----	----	----/20.80A	39.40B/20.80A	----	24.00	- 19.70	.2628	----	4	----	----	41	+	4									
4475	----	----	----/50.90A	74.50B/50.90A	----	54.80	- 23.50	.3549	----	----	----	----	19	UNCH										
4475	----	----	----/36.20A	58.20B/36.20A	----	40.50	- 21.80	.3226	----	----	----	----	2	UNCH										
4475	----	----	170.10B/----	170.10B/144.30A	----	158.20	NEW	.6234	----	1	----	----	1	+	1									
4475	----	----	145.60B/----	145.60B/114.10A	----	131.50	+ 19.20	.6769	----	----	----	----	1	UNCH										
4500	24.00	24.00	24.00/16.40A	31.60B/16.40A	----	18.70	- 16.80	.2121	----	11	----	----	30	+	5									
4500	32.10	32.10	32.10/30.20A	49.30B/30.20A	----	33.90	- 19.30	.2795	----	2	----	----	5	+	2									
4500	----	----	153.80B/----	153.80B/112.40A	----	134.70	+ 24.20	.7876	----	----	----	----	21	UNCH										
4500	48.00	48.00	48.00/43.60A	65.10B/43.60A	----	47.40	- 21.40	.3171	----	1	----	----	32	+	1									
4500	----	----	187.30B/----	187.30B/159.60A	----	175.20	NEW	.6576	----	1	----	----	1	+	1									
4500	57.10	57.10	63.60/54.50A	77.80B/54.50A	----	59.40	NEW	.3416	----	2	----	----	1	+	1									
4525	18.40	18.40	19.00/12.90A	25.10B/12.90A	----	14.60	- 14.00	.1698	----	5	----	----	12	+	3									
4525	----	----	----/37.90A	56.90B/37.90A	----	40.90	- 19.40	.2819	----	----	----	----	126	UNCH										
4525	----	----	----/25.20A	41.80B/25.20A	----	28.20	- 17.10	.2401	----	----	----	----	2	UNCH										
4550	----	----	204.10B/----	204.10B/169.80A	----	189.40	+ 26.00	.7940	----	----	----	----	1	UNCH										
4550	----	----	----/10.20A	20.00B/10.20A	----	11.40	- 11.60	.1351	----	----	----	----	16	UNCH										
4550	27.30	27.30	27.70/21.10A	35.30B/21.10A	----	23.50	- 15.00	.2055	----	2	----	----	2	+	2									
4550	35.00	35.00	35.00/32.80A	49.70B/32.80A	----	35.20	- 17.60	.2494	----	10	----	----	11	+	1									
4560	10.30	10.30	11.20/9.30A	18.20B/9.30A	----	10.30	NEW	.1229	----	2	----	----	1	+	1									
4575	----	----	----/8.20A	15.80B/8.20A	----	8.90	- 9.50	.1069	----	----	----	----	18	UNCH										
4575	----	----	----/28.30A	43.20B/28.30A	----	30.30	- 15.70	.2200	----	2	----	----	5	+	2									
4575	22.80	22.80	22.80/17.60A	29.80B/17.60A	----	19.60	- 13.00	.1752	----	1	----	----	4	+	1									
4600	19.00	19.00	19.00/14.80A	24.90B/14.80A	----	16.30	- 11.20	.1487	----	3	----	----	14	+	3									
4600	8.20	8.20	8.30/6.60A	12.50B/6.60A	----	7.10	- 7.70	.0854	----	5	----	----	25	-	1									
4600	----	----	----/24.00A	37.30B/24.00A	----	26.10	- 14.00	.1936	----	----	----	----	118	UNCH										
4600	41.00	41.00	41.00/32.50A	48.20B/32.50A	----	35.40	NEW	.2255	----	4	----	----	2	+	2									
4625	----	----	----/5.30A	9.90B/5.30A	----	5.70	- 6.20	.0684	----	----	----	----	4	UNCH										
4625	26.00	26.00	26.00/21.10A	32.50B/21.10A	----	22.50	- 12.40	.1700	----	2	----	----	10	+	1									
4625	15.90	15.90	15.90/12.40A	20.90B/12.40A	----	13.60	- 9.70	.1261	----	5	----	----	7	+	5									
4650	----	----	----/4.40A	7.90B/4.40A	----	4.60	- 5.00	.0549	----	2	----	----	19	-	1									
4650	22.50	22.50	22.50/18.20A	28.10B/18.20A	----	19.40	- 11.00	.1491	----	13	----	----	31	+	10									
4650	27.10	27.10	27.10/25.00A	37.50B/25.00A	----	27.20	NEW	.1803	----	2	----	----	2	+	2									
4650	15.80	15.80	17.60B/10.50A	17.60B/10.50A	----	11.40	- 8.30	.1069	----	18	----	----	10	UNCH										
4675	----	----	----/3.60A	6.30B/3.60A	----	3.80	- 4.00	.0448	----	----	----	----	14	UNCH										
4675	14.50	14.50	14.60B/8.80A	14.60B/8.80A	----	9.60	- 7.00	.0908	----	34	----	----	42	+	15									
4675	----	----	----/15.80A	24.30B/15.80A	----	16.80	- 9.60	.1308	----	----	----	----	53	UNCH										
4700	----	----	----/3.00A	5.10B/3.00A	----	3.10	- 3.30	.0362	----	1	----	----	22	+	1									
4700	17.80	17.80	17.80/13.80A	21.00B/13.80A	----	14.50	- 8.50	.1144	----	6	----	----	37	+	3									
4700	----	----	----/19.30A	29.30B/19.30A	----	20.90	NEW	.1432	----	1	----	----	1	+	1									
4700	9.30	9.30	9.30/7.50A	12.30B/7.50A	----	8.10	- 6.00	.0771	----	25	----	----	29	+	14									
4725	8.30	8.30	8.30/6.30A	10.40B/6.30A	----	6.90	- 5.10	.0659	----	20	----	----	46	+	13									
4725	----	----	----/2.60A	4.20B/2.60A	----	2.60	- 2.60	.0299	----	----	----	----	31	UNCH										
4725	14.20	14.20	14.20/12.00A	18.20B/12.00A	----	12.60	- 7.40	.1003	----	10	----	----	14	+	10									
4750	----	----	----/2.20A	3.40B/2.20A	----	2.20	- 2.20	.0249	----	----	----	----	16	UNCH										
4750	6.90	6.90	6.90/5.50A	8.80B/5.50A	----	5.90	- 4.30	.0564	----	10	----	----	10	+	9									
4750	21.90	21.90	21.90/15.10A	22.80B/15.10A	----	16.20	NEW	.1138	----	11	----	----	11	+	11									
4750	----	----	----/10.50A	15.80B/10.50A	----	11.00	- 6.40	.0882	----	----	----	----	4	UNCH										
4775	----	----	404.50B/----	404.50B/371.00A	----	392.70	+ 39.30	.9788	----	----	----	----	2	UNCH										
4775	----	----	----/2.00A	2.80B/2.00A	----	1.90	- 1.80	.0210	----	----	----	----	5	UNCH										
4775	15.00	15.00	15.00/9.20A	15.00/9.20A	----	9.60	- 5.60	.0774	----	5	----	----	16	UNCH										
4775	----	----	----/4.80A	7.50B/4.80A	----	5.10	- 3.60	.0486	----	----	----	----	2	UNCH										
4800	----	----	----/1.80A	2.30B/1.80A	----	1.70	- 1.40	.0183	----	----	----	----	18	UNCH										
4800	14.90	14.90	14.90/11.90A	17.60B/11.90A	----	12.60	NEW	.0903	----	2	----	----	1	+	1									
4800	----	----	----/8.20A	12.00B/8.20A	----	8.40	- 4.90	.0681	----	----	----	----	3	UNCH										
4800	----	----	----/4.30A	6.20B/4.30A	----	4.40	- 3.10	.0418	----	----	----	----	8	UNCH										
4825	----	----	----/3.70A	5.10B/3.70A	----	3.90	- 2.60	.0367	----	----	----	----	2	UNCH										
4825	----	----	----/1.60A	1.90B/1.60A	----	1.50	- 1.20	.0158	----	----	----	----	15	UNCH										
482																								

BULLETIN #181@			METALS OPTION PRODUCTS										Mon, Sep 21, 2026		PG64
GLOBEX OPEN	OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN	OUTCRY HIGH/LOW	OPEN	OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GMW MON SEP26	GOLD WEEKLY MONDAY OPTION WEEK3														
4130	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	
4135	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	
4140	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	
4150	0.20	0.20	0.20/0.20	0.20/0.10A	0.20/0.10A	----	----	0.00 - 0.10	----	----	----	1	----	0 -	
4150	2.50	2.50	3.20B/2.40A	3.20B/2.40A	2.20 - 0.50	.0301	----	2.20 - 0.50	.0301	----	260	260	262 +	258	
4155	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	
4160	----	----	----	----	/168.10A	226.40B/168.10A	----	190.20 - 40.60	----	1	1	1	0 -	1	
4160	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	
4165	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	
4175	----	----	4.30B/3.00A	4.30B/3.00A	2.80 - 0.60	.0397	----	2.80 - 0.60	.0397	----	1	1	28 -	1	
4175	----	----	----	----	/0.10A	----	----	0.00 - 0.20	----	----	----	----	----	0 -	
4180	0.10	0.10	0.10/0.10	0.10/0.10	0.00 - 0.20	----	----	0.00 - 0.20	----	----	1	1	0 -	112	
4185	----	----	----	----	/0.20A	----	----	0.00 - 0.20	----	----	----	1	0 -	27	
4190	0.10	0.10	0.10/0.10	0.10/0.10	0.00 - 0.20	----	----	0.00 - 0.20	----	----	----	----	0 -	6	
4195	0.10	0.10	0.10/0.10	0.10/0.10	0.00 - 0.20	----	----	0.00 - 0.20	----	----	2	2	0 -	4	
4200	3.70	3.70	5.80B/3.70	5.80B/3.70	3.70 - 0.60	.0540	----	3.70 - 0.60	.0540	----	8	8	71 +	6	
4200	0.40	0.40	0.40/0.10A	0.40/0.10A	0.00 - 0.30	----	----	0.00 - 0.30	----	----	3	3	0 -	123	
4205	----	----	----	----	/0.10A	----	----	0.00 - 0.30	----	----	----	----	0 -	9	
4210	----	----	----	----	/118.30A	176.50B/118.30A	----	140.20 - 40.80	----	2	----	----	0 -	2	
4210	0.10	0.10	0.10/0.10	0.30B/0.10	0.00 - 0.30	----	----	0.00 - 0.30	----	----	1	1	0 -	13	
4215	0.20	0.20	0.40B/0.10	0.40B/0.10	0.00 - 0.30	----	----	0.00 - 0.30	----	----	2	2	0 -	8	
4220	----	----	----	----	/108.10A	166.50B/108.10A	----	130.20 - 40.80	----	1	----	----	0 -	1	
4220	----	----	----	----	/0.10A	0.40B/0.10A	----	0.00 - 0.40	----	----	----	----	0 -	4	
4225	----	----	7.90B/5.00A	7.90B/5.00A	5.10 - 0.50	.0756	----	5.10 - 0.50	.0756	----	----	----	15	UNCH	
4225	----	----	0.50B/0.10A	0.50B/0.10A	0.00 - 0.40	----	----	0.00 - 0.40	----	----	----	----	0 -	12	
4230	0.20	0.20	0.50B/0.10A	0.50B/0.10A	0.00 - 0.40	----	----	0.00 - 0.40	----	----	6	6	0 -	11	
4235	----	----	----	----	/0.10A	0.50B/0.10A	----	0.00 - 0.50	----	----	----	----	0 -	16	
4235	----	----	----	----	/93.20A	151.50B/93.20A	----	115.20 - 41.00	----	----	----	----	0	UNCH	
4240	0.50	0.50	0.60B/0.10	0.60B/0.10	0.00 - 0.50	----	----	0.00 - 0.50	----	----	4	4	0 -	38	
4245	0.70	0.70	0.70/0.10A	0.70/0.10A	0.00 - 0.60	----	----	0.00 - 0.60	----	----	4	4	0 -	13	
4250	0.40	0.40	0.80/0.10	0.80/0.10	0.00 - 0.70	----	----	0.00 - 0.70	----	----	39	39	0 -	515	
4250	----	----	----	----	/123.40A	176.10B/123.40A	----	141.00 - 41.10	.8930	----	----	----	30	UNCH	
4250	----	----	11.20B/6.60A	11.20B/6.60A	7.20 - 0.10	.1068	----	7.20 - 0.10	.1068	----	100	100	218 +	93	
4250	----	----	----	----	/78.20A	136.70B/78.20A	----	100.20 - 41.10	----	1	----	----	0 -	1	
4255	0.60	0.60	0.80/0.10	0.80/0.10	0.00 - 0.70	----	----	0.00 - 0.70	----	----	13	13	0 -	4	
4260	0.80	0.80	0.80/0.10A	0.80/0.10A	0.00 - 0.80	----	----	0.00 - 0.80	----	----	6	6	0 -	6	
4265	----	----	----	----	/0.10A	0.90B/0.10A	----	0.00 - 0.90	----	----	----	----	0 -	26	
4270	1.00	1.00	1.00/0.10	1.00/0.10	0.00 - 1.10	----	----	0.00 - 1.10	----	----	19	19	0 -	118	
4270	----	----	----	----	/58.40A	116.80B/58.40A	----	80.20 - 41.50	----	100	----	----	0 -	100	
4275	1.10	1.10	1.20/0.10	1.20/0.10	0.00 - 1.20	----	----	0.00 - 1.20	----	----	14	14	0 -	113	
4275	11.80	11.80	15.60B/9.20A	15.60B/9.20A	10.20 + 0.40	.1495	----	10.20 + 0.40	.1495	----	5	5	14 +	2	
4280	1.40	1.40	1.40/0.10A	1.40/0.10A	0.00 - 1.30	----	----	0.00 - 1.30	----	----	8	8	0 -	211	
4285	1.30	1.30	1.40B/0.10	1.40B/0.10	0.00 - 1.50	----	----	0.00 - 1.50	----	----	10	10	0 -	11	
4290	70.50	70.50	76.50/39.00A	97.30B/39.00A	60.20 - 42.20	----	1	60.20 - 42.20	----	1	4	4	0 -	1	
4290	0.60	0.60	0.60/0.10A	1.60B/0.10A	0.00 - 1.70	----	----	0.00 - 1.70	----	2	28	28	0 -	24	
4295	----	----	----	----	/34.40A	92.30B/34.40A	----	55.20 - 42.40	----	----	----	----	0 -	2	
4295	1.50	1.50	1.90B/0.10A	1.90B/0.10A	0.00 - 1.90	----	----	0.00 - 1.90	----	----	21	21	0 -	10	
4300	12.80	12.80	21.80B/12.50A	21.80B/12.50A	14.50 + 1.40	.2066	----	14.50 + 1.40	.2066	----	15	15	64 +	5	
4300	2.00	2.00	2.50B/0.10	2.50B/0.10	0.00 - 2.20	----	----	0.00 - 2.20	----	----	93	93	0 -	153	
4300	75.70	75.70	75.70/29.80A	87.50B/29.80A	50.20 - 42.70	----	17	50.20 - 42.70	----	17	1	1	0 -	17	
4300	----	----	----	----	/84.20A	131.70B/84.20A	----	98.40 - 39.50	.7931	----	----	----	1	UNCH	
4305	2.10	2.10	2.90B/0.10A	2.90B/0.10A	0.00 - 2.50	----	----	0.00 - 2.50	----	----	25	25	0 -	5	
4310	2.00	2.00	3.50B/0.10	3.50B/0.10	0.00 - 2.80	----	----	0.00 - 2.80	----	----	29	29	0 -	58	
4315	2.50	2.50	4.30B/0.10A	4.30B/0.10A	0.00 - 3.20	----	----	0.00 - 3.20	----	----	41	41	0 -	4	
4320	30.00	30.00	30.50/14.00A	68.40B/14.00A	30.20 - 44.10	----	7	30.20 - 44.10	----	7	4	4	0 -	8	
4320	3.10	3.10	5.50B/0.10	5.50B/0.10	0.00 - 3.60	----	----	0.00 - 3.60	----	----	83	83	0 -	8	
4325	----	----	----	----	/67.30A	111.20B/67.30A	----	79.60 - 37.90	.7197	----	----	----	2	UNCH	
4325	15.80	15.80	16.30/10.80A	63.70B/10.80A	25.20 - 44.60	----	31	25.20 - 44.60	----	31	8	8	0 -	31	
4325	4.90	4.90	7.50B/0.10	7.50B/0.10	0.00 - 4.10	----	----	0.00 - 4.10	----	----	117	117	0 -	59	
4325	20.50	20.50	30.10B/17.10A	30.10B/17.10A	20.70 + 3.00	.2800	----	20.70 + 3.00	.2800	----	46	46	534 +	26	
4330	9.80	9.80	15.00/7.50	59.00B/7.50	20.20 - NEW	----	11	20.20 - NEW	----	11	12	12	0	UNCH	
4330	6.00	6.00	10.30/0.10	10.30/0.10	0.00 - 4.60	----	----	0.00 - 4.60	----	----	39	39	0 -	10	
4335	9.70	9.70	12.70B/0.10	12.70B/0.10	0.00 - 5.30	----	2	0.00 - 5.30	----	2	37	37	0 -	17	
4335	11.80	11.80	12.50/6.20	54.50B/6.20	15.20 - NEW	----	35	15.20 - NEW	----	35	3	3	0	UNCH	
4340	8.60	8.60	8.80/4.40A	50.20B/4.40A	10.20 - 46.50	----	----	10.20 - 46.50	----	35	37	37	0 -	15	
4340	5.80	5.80	16.00B/0.10A	16.00B/0.10A	0.00 - 6.10	----	----	0.00 - 6.10	----	----	305	305	0 -	35	
4345	8.00	8.00	19.80B/0.10	19.80B/0.10	0.00 - 7.00	----	----	0.00 - 7.00	----	----	110	110	0 -	30	
4345	10.10	10.10	10.10/3.00A	45.90B/3.00A	5.20 - 47.50	----	10	5.20 - 47.50	----	10	16	16	0 -	8	
4353															

BULLETIN #181@										METALS OPTION PRODUCTS										Mon, Sep 21, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST										
GMW MON SEP26	GOLD WEEKLY MONDAY OPTION WEEK4																					
4525	----	----	169.40B/----	169.40B/121.20A	----	148.50 + 29.80	.8890	----	----	----	----	12	UNCH									
4525	7.00	7.00	7.00/6.90A	15.40B/6.90A	----	7.50 - 11.20	.1107	----	----	11	----	16 +	3									
4525	----	----	----/0.10A	----/0.10A	----	0.00 - 0.70	----	----	----	----	----	0 -	36									
4530	----	----	----/0.10A	----/0.10A	----	0.00 - 0.60	----	----	----	----	----	0 -	2									
4530	----	----	201.80B/----	201.80B/144.10A	----	179.80 + 39.90	----	1	----	1	----	0 -	1									
4535	----	----	----/0.10A	----/0.10A	----	0.00 - 0.50	----	----	----	----	----	0 -	9									
4540	----	----	212.00B/----	212.00B/154.10A	----	189.80 + 40.00	----	1	----	2	----	0 -	2									
4540	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.50	----	----	----	5	----	0 -	5									
4545	----	----	----/0.20A	----/0.20A	----	0.00 - 0.50	----	----	----	----	----	0 -	41									
4550	11.90	11.90	11.90/5.20A	11.90/5.20A	----	5.50 - 8.70	.0811	----	----	220	----	215 +	192									
4550	----	----	192.70B/----	192.70B/142.10A	----	171.50 + 32.30	.9187	----	----	----	----	12	UNCH									
4550	----	----	222.00B/----	222.00B/164.00A	----	199.80 + 40.10	----	9	----	----	----	0 -	9									
4550	----	----	----/0.20A	----/0.20A	----	0.00 - 0.40	----	----	----	----	----	0 -	102									
4555	----	----	227.00B/----	227.00B/169.00A	----	204.80 + 40.20	----	1	----	----	----	0 -	1									
4555	----	----	----/0.10A	----/0.10A	----	0.00 - 0.40	----	----	----	----	----	0 -	5									
4560	----	----	----/0.10A	----/0.10A	----	0.00 - 0.40	----	----	----	----	----	0 -	27									
4560	----	----	232.00B/----	232.00B/174.00A	----	209.80 + 40.20	----	2	----	----	----	0 -	2									
4565	----	----	----/0.20A	----/0.20A	----	0.00 - 0.30	----	----	----	----	----	0 -	21									
4575	----	----	----/3.90A	8.40B/3.90A	----	4.10 - 6.70	.0598	----	----	----	----	27	UNCH									
4575	----	----	216.40B/----	216.40B/164.10A	----	195.10 + 34.30	.9400	----	----	----	----	7	UNCH									
4575	----	----	247.00B/----	247.00B/188.90A	----	224.80 + 40.20	----	3	----	----	----	0 -	3									
4575	----	----	----/0.20A	----/0.20A	----	0.00 - 0.30	----	----	----	----	----	0 -	25									
4580	----	----	----/0.10A	----/0.10A	----	0.00 - 0.30	----	----	----	----	----	0 -	8									
4585	----	----	----/0.10A	----/0.10A	----	0.00 - 0.30	----	----	----	----	----	0 -	10									
4590	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 -	6									
4595	----	----	----/0.20A	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 -	5									
4600	5.70	5.70	5.70/3.00A	6.20B/3.00A	----	3.20 - 5.10	.0455	----	----	6	----	45 +	1									
4600	----	----	239.80B/----	239.80B/186.80A	----	219.10 + 35.90	.9543	----	----	----	----	4	UNCH									
4600	----	----	----/0.20A	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 -	381									
4605	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 -	1									
4625	----	----	----/2.40A	4.70B/2.40A	----	2.50 - 3.90	.0347	----	----	15	----	64 +	12									
4625	----	----	255.40B/----	255.40B/210.20A	----	243.40 + 37.10	.9652	----	----	----	----	1	UNCH									
4625	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 -	45									
4625	----	----	297.00B/----	297.00B/238.80A	----	274.80 + 40.40	----	2	----	----	----	0 -	2									
4635	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 -	3									
4645	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 -	5									
4650	----	----	279.90B/----	279.90B/247.00A	----	267.90 + 38.00	.9729	----	----	----	----	1	UNCH									
4650	----	----	322.00B/----	322.00B/263.80A	----	299.80 + 40.40	----	11	----	----	----	0 -	11									
4650	2.10	2.10	2.10/2.00A	3.60B/2.00A	----	2.00 - 3.00	.0269	----	----	1	----	43	UNCH									
4650	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.20	----	----	----	1	----	0 -	207									
4670	----	----	----/0.20A	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 -	2									
4675	----	----	----/1.60A	2.70B/1.60A	----	1.60 - 2.40	.0209	----	----	1	----	16 -	1									
4675	----	----	347.00B/----	347.00B/288.80A	----	324.80 + 40.40	----	1	----	1	----	0 -	2									
4675	----	----	313.40B/----	313.40B/267.80A	----	292.60 + 38.80	.9790	----	----	----	----	4	UNCH									
4675	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 -	19									
4685	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 -	12									
4690	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 -	6									
4700	----	----	329.20B/----	329.20B/295.70A	----	317.30 + 39.20	.9824	----	----	----	----	1	UNCH									
4700	----	----	----/1.40A	2.20B/1.40A	----	1.40 - 1.80	.0175	----	----	----	----	49	UNCH									
4700	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 -	147									
4725	----	----	353.90B/----	353.90B/320.00A	----	342.10 + 39.70	.9854	----	----	----	----	1	UNCH									
4725	----	----	----/1.20A	1.80B/1.20A	----	1.20 - 1.40	.0144	----	----	----	----	40	UNCH									
4725	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 -	30									
4750	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 -	11									
4750	----	----	----/1.10A	1.40B/1.10A	----	1.00 - 1.10	.0117	----	2	----	----	18	UNCH									
4750	----	----	378.80B/----	378.80B/344.70A	----	366.90 + 39.90	.9882	----	----	----	----	1	UNCH									
4775	----	----	----/0.90A	1.20B/0.90A	----	0.90 - 0.90	.0101	----	----	----	----	22	UNCH									
4775	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 -	12									
4800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -	278									
4800	----	----	428.60B/----	428.60B/394.30A	----	416.60 + 40.20	.9923	----	----	----	----	1	UNCH									
4800	----	----	----/0.80A	1.00B/0.80A	----	0.70 - 0.80	.0077	----	----	----	----	44	UNCH									
4825	----	----	----/0.80A	0.80B/0.80A	----	0.60 - 0.70	.0064	----	----	----	----	17	UNCH									
4825	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -	6									
4850	----	----	----/0.70A	0.70B/0.70A	----	0.50 - 0.60	.0051	----	13	----	----	56 +	8									
4850	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -	10									
4875	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -	10									
4875	----	----	----/0.60A	0.60B/0.60A	----	0.40 - 0.60	.0040	----	----	----	----	27	UNCH									
4900	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -	16									
4900	----	----	----/0.60A	0.50B/0.60A	----	0.40 - 0.50	.0038	----	1	----	----	47 +	1									
4925	----	----	----/0.60A	0.40B/0.60A	----	0.30 - 0.50	.0028	----	----	----	----	53	UNCH									
4925	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -	1									
4950	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -	13									
4950	----	----	----/0.50A	0.40B/0.50A	----	0.30 - 0.40	.0027	----	----	----	----	8	UNCH									
4975	----	----	----/0.50A	0.30B/0.50A	----	0.20 - 0.40	.0018	----	----	----	----	7	UNCH									
4975	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -	6									
5000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -	8									
5000	----	----	----/0.40A	0.30B/0.40A	----	0.20 - 0.40	.0017	----	----	----	----	96	UNCH									
5025	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -	2									
5025	----	----	----/0.40A	0.20B/0.40A	----	0.20 - 0.30	.0016	----	----	----	----	11	UNCH									
5050	----	----	----	----/0.50A	----	0.20 - 0.30	.0016	----	----	----	----	6	UNCH									
5050	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -	2									
5075	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 -	1									
5075	----	----	----/0.40A	0.40B/0.40A	----	0.20 - 0.30	.0015	----														

BULLETIN #181@				METALS OPTION PRODUCTS								Mon, Sep 21, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
GMW MON	GOLD WEEKLY MONDAY OPTION WEEK2													
OCT26														
4350	67.00	67.00	76.20B/67.00	76.20B/57.90A	----	65.00 + 8.10	.4229	----	----	2	----	44 +	2	
4350	----	----	----/74.20A	107.80B/74.20A	----	83.90 - 33.50	.5914	----	----	----	----	1	UNCH	
4350	49.60	49.60	61.50B/49.60	61.50B/42.80A	----	50.00 + 7.40	.4082	----	----	6	----	11 +	3	
4375	59.30	59.30	74.40B/59.30	74.40B/52.30A	----	61.40 + 9.50	.4703	----	----	12	----	38 +	11	
4375	----	----	----/62.10A	93.30B/62.10A	----	70.30 - 31.50	.5293	----	----	----	----	3	UNCH	
4375	78.00	78.00	89.00B/78.00	89.00B/68.40A	----	76.80 + 9.90	.4728	----	----	2	----	3 +	2	
4400	----	----	88.90B/----	88.90B/63.20A	----	74.50 + 11.90	.5326	----	----	----	----	32	UNCH	
4400	----	----	----/51.50A	81.80B/51.50A	----	58.40 - 29.10	.4670	----	----	----	----	18	UNCH	
4400	----	----	103.20B/----	103.20B/79.50A	----	89.90 + 11.90	.5227	----	----	1	----	9	UNCH	
4425	83.50	83.50	83.50/57.40A	85.30B/57.40A	----	63.30 NEW	.4278	----	----	2	----	2 +	2	
4425	----	----	104.70B/----	104.70B/75.70A	----	89.20 + 14.60	.5932	----	----	----	----	4	UNCH	
4425	----	----	----/42.60A	69.40B/42.60A	----	48.10 - 26.40	.4064	----	----	----	----	7	UNCH	
4450	----	----	133.30B/----	133.30B/106.40A	----	120.00 + 16.20	.6185	----	----	----	----	2	UNCH	
4450	----	----	----/34.90A	58.30B/34.90A	----	39.40 - 23.60	.3493	----	----	----	----	64	UNCH	
4450	----	----	121.90B/----	121.90B/89.60A	----	105.40 + 17.40	.6503	----	----	----	----	35	UNCH	
4475	----	----	----/28.50A	48.90B/28.50A	----	32.10 - 20.80	.2969	----	----	----	----	12	UNCH	
4500	----	----	159.90B/----	159.90B/126.10A	----	141.90 + 22.60	.7499	----	----	----	----	3	UNCH	
4500	----	----	----/23.20A	40.40B/23.20A	----	26.00 - 18.30	.2497	----	1	----	----	90	UNCH	
4525	----	----	----/18.90A	33.30B/18.90A	----	21.10 - 15.80	.2087	----	----	----	----	31	UNCH	
4525	----	----	180.60B/----	180.60B/144.80A	----	162.00 + 25.20	.7909	----	----	----	----	9	UNCH	
4550	----	----	----/25.20A	40.70B/25.20A	----	27.70 - 16.20	.2235	----	----	----	----	2	UNCH	
4550	23.00	23.00	23.00/15.40A	27.40B/15.40A	----	17.10 - 13.50	.1734	----	6	----	----	33 +	3	
4550	----	----	199.80B/----	199.80B/164.80A	----	182.90 + 27.40	.8262	----	----	----	----	1	UNCH	
4575	----	----	----/12.60A	22.30B/12.60A	----	13.80 - 11.60	.1430	----	4	----	----	7	UNCH	
4575	29.70	29.70	29.70/21.30A	34.80B/21.30A	----	23.40 NEW	.1934	----	4	----	----	3 +	3	
4600	27.20	27.20	27.20/18.00A	29.50B/18.00A	----	19.70 NEW	.1665	----	2	----	----	2 +	2	
4600	----	----	----/10.40A	18.30B/10.40A	----	11.30 - 9.70	.1186	----	2	----	----	68 +	2	
4600	----	----	244.70B/----	244.70B/206.30A	----	227.10 + 31.30	.8811	----	----	----	----	1	UNCH	
4625	23.20	23.20	23.20/15.30A	25.10B/15.30A	----	16.70 - 10.80	.1435	----	2	----	----	3 +	1	
4625	11.30	11.30	11.30/8.60A	15.00B/8.60A	----	9.20 - 8.20	.0977	----	8	----	----	24 -	8	
4650	----	----	----/7.10A	12.10B/7.10A	----	7.60 - 6.80	.0811	----	----	----	----	10	UNCH	
4650	18.00	18.00	18.00/13.00A	21.40B/13.00A	----	14.10 NEW	.1232	----	2	----	----	2 +	2	
4675	----	----	----/5.80A	10.00B/5.80A	----	6.30 - 5.70	.0673	----	10	----	----	10	UNCH	
4700	----	----	----/4.90A	8.20B/4.90A	----	5.30 - 4.70	.0565	----	----	----	----	54	UNCH	
4725	----	----	----/4.20A	6.90B/4.20A	----	4.50 - 3.80	.0477	----	----	----	----	2	UNCH	
4725	8.80	8.80	8.80/8.30A	13.20B/8.30A	----	8.80 NEW	.0789	----	5	----	----	5 +	5	
4750	----	----	----/7.10A	11.20B/7.10A	----	7.60 - 5.10	.0684	----	----	----	----	6	UNCH	
4750	----	----	368.30B/----	368.30B/343.70A	----	369.50 + 37.80	.9597	----	----	----	----	1	UNCH	
4750	----	----	----/3.60A	5.70B/3.60A	----	3.80 - 3.20	.0401	----	----	----	----	17	UNCH	
4775	----	----	----/6.30A	9.60B/6.30A	----	6.60 - 4.30	.0594	----	1	----	----	1	UNCH	
4775	----	----	----/3.20A	4.40B/3.20A	----	3.30 - 2.60	.0344	----	3	----	----	7	UNCH	
4775	----	----	393.10B/----	393.10B/410.20A	----	394.00 + 38.50	.9653	----	----	----	----	1	UNCH	
4800	----	----	----/2.80A	3.80B/2.80A	----	2.80 - 2.20	.0290	----	----	----	----	10	UNCH	
4800	----	----	----/5.60A	8.20B/5.60A	----	5.80 - 3.70	.0521	----	----	----	----	1	UNCH	
4825	----	----	----/2.50A	3.30B/2.50A	----	2.50 - 1.80	.0255	----	----	----	----	1	UNCH	
4850	----	----	----/2.20A	2.80B/2.20A	----	2.20 - 1.50	.0221	----	----	----	----	1	UNCH	
4900	----	----	----/1.80A	2.00B/1.80A	----	1.70 - 1.10	.0167	----	1	----	----	4	UNCH	
4900	----	----	----/3.60A	4.50B/3.60A	----	3.50 - 2.20	.0311	----	1	----	----	6 -	1	
4925	----	----	----/1.70A	1.80B/1.70A	----	1.60 - 0.80	.0153	----	----	----	----	2	UNCH	
4950	----	----	----/1.60A	1.50B/1.60A	----	1.40 - 0.80	.0133	----	----	----	----	1	UNCH	
4975	----	----	----/1.40A	1.30B/1.40A	----	1.30 - 0.60	.0121	----	----	----	----	2	UNCH	
5000	----	----	----/2.50A	2.70B/2.50A	----	2.10 - 1.40	.0184	----	----	----	----	2	UNCH	
5000	----	----	----/1.30A	1.10B/1.30A	----	1.20 - 0.50	.0110	----	1	----	----	12	UNCH	
5100	----	----	----/2.10A	1.70B/2.10A	----	1.40 - 0.90	.0119	----	----	----	----	7	UNCH	
5100	----	----	----/1.00A	0.70B/1.00A	----	0.90 - 0.30	.0077	----	----	----	----	13	UNCH	
5200	----	----	----/0.80A	0.60B/0.80A	----	0.70 - 0.20	.0056	----	----	----	----	2	UNCH	
5250	----	----	----/0.70A	0.40B/0.70A	----	0.60 - 0.20	.0047	----	----	----	----	7	UNCH	
5300	----	----	----/0.70A	0.30B/0.70A	----	0.50 - 0.30	.0038	----	----	----	----	11	UNCH	
5400	----	----	----	----/0.60A	----	0.40 - 0.20	.0029	----	----	----	----	11	UNCH	
5500	----	----	----	----/0.50A	----	0.40 - 0.10	.0027	----	----	----	----	8	UNCH	
5750	----	----	----	----/0.40A	----	0.30 - 0.10	.0018	----	----	----	----	40	UNCH	
TOTAL										108		1447 +	44	

SILVER OPTIONS ON FUTURES														
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
RWS THU	SILVER WEEKLY THURSDAY OPTION week2													
OCT26														
5000	----	----	----	0.007B/0.038A	----	0.014 - 0.007	.0045	----	----	----	----	1	UNCH	
5500	----	----	----/0.116A	0.101B/0.116A	----	0.108 - 0.036	.0335	----	----	----	----	1	UNCH	
5700	----	----	----/0.110A	0.090B/0.110A	----	0.095 - 0.044	.0348	----	----	----	----	1	UNCH	
5750	----	----	----/0.126A	0.107B/0.126A	----	0.110 - 0.050	.0405	----	----	----	----	1	UNCH	
5800	----	----	----/0.066A	0.050B/0.066A	----	0.051 - 0.027	.0220	----	----	----	----	1	UNCH	
5900	----	----	----/0.320A	0.335B/0.320A	----	0.317 - 0.051	.0962	----	----	----	----	1	UNCH	
5950	----	----	----/0.218A	0.216B/0.218A	----	0.205 - 0.076	.0755	----	----	----	----	1	UNCH	
6000	----	----	----/0.112A	0.119B/0.112A	----	0.103 - 0.047	.0471	----	----	----	----	1	UNCH	
6000	----	----	----/0.255A	0.262B/0.255A	----	0.243 - 0.081	.0887	----	----	----	----	2	UNCH	
6000	----	----	----/0.417A	0.465B/0.417A	----	0.426 - 0.059	.1258	----	----	----	----	1	UNCH	
6100	----	----	----/0.157A	0.188B/0.157A	----	0.153 - 0.059	.0707	----	----	----	----	6	UNCH	
6150	----	----	----/0.638A	0.724B/0.638A	----	0.668 - 0.062	.1852	----	----	----	----	4	UNCH	
6200	----	----	----/0.221A	0.287B/0.221A	----	0.234 - 0.068	.1072	----	----	----	----	8	UNCH	
6200	----	----	----/0.980A	1.040B/0.980A	----	1.030 NEW	.2359	----	1	----	----	1 +	1	
6300	0.320	0.320	0.447B/0.320	0.447B/0.320										

PG64	BULLETIN #181@										METALS OPTION PRODUCTS										Mon, Sep 21, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
SMW MON	SILVER WEEKLY MONDAY OPTION WEEK3																						
SEP26																							
6350	----	----	----	----/0.013A	0.008B/0.013A	----	----	0.000 - 0.021	----	----	----	----	----	0 -	38								
6400	----	----	----	----/0.013A	0.019B/0.013A	----	----	0.000 - 0.032	----	----	----	----	----	0 -	91								
6400	----	----	----	3.500B/2.303A	3.500B/2.303A	----	----	2.415 - 0.765	----	13	----	----	----	0 -	13								
6400	----	----	----	0.431B/0.294A	0.431B/0.294A	----	----	0.342 - 0.061	.1847	----	----	----	----	7	UNCH								
6440	----	----	----	----/0.013A	0.033B/0.013A	----	----	0.000 - 0.045	----	----	----	1	----	0 -	1								
6450	----	----	----	----/0.013A	0.018B/0.013A	----	----	0.000 - 0.050	----	----	----	----	----	0 -	2								
6450	----	----	----	3.007B/1.816A	3.007B/1.816A	----	----	1.915 - 0.783	----	1	----	----	----	0 -	1								
6490	----	----	----	----/0.013A	0.067B/0.013A	----	----	0.000 - 0.072	----	----	----	8	----	0 -	2								
6500	----	----	----	2.516B/1.351A	2.516B/1.351A	----	----	1.415 - 0.813	----	1	----	----	----	0 -	1								
6500	----	----	----	0.710B/0.481A	0.710B/0.481A	----	----	0.589 - 0.033	.2945	----	----	----	----	10	UNCH								
6500	2.112	2.112	2.112	2.914B/1.945A	2.914B/1.945A	----	----	2.004 - NEW	.7054	----	----	2	----	2 +	2								
6500	0.033	0.033	0.033	0.033/0.012A	0.076B/0.012A	----	----	0.000 - 0.079	----	----	----	4	----	0 -	14								
6550	0.070	0.070	0.070	0.070/0.012A	0.123B/0.012A	----	----	0.000 - 0.129	----	----	----	9	----	0 -	3								
6550	----	----	----	2.029B/0.886A	2.029B/0.886A	----	----	0.915 - 0.863	----	20	----	----	----	0 -	20								
6560	----	----	----	----/0.010A	0.137B/0.010A	----	----	0.000 - 0.142	----	----	----	----	----	0 -	1								
6580	0.170	0.170	0.170	0.203B/0.003	0.203B/0.003	----	----	0.000 - 0.174	----	----	----	4	----	0 -	2								
6600	0.189	0.189	0.189	0.275/0.009A	0.275/0.009A	----	----	0.000 - 0.212	----	----	----	10	----	0 -	7								
6600	0.784	0.784	0.784	1.122B/0.760A	1.122B/0.760A	----	----	0.972 - NEW	.4316	----	----	2	----	2 +	2								
6600	1.057	1.057	1.057	1.564B/0.458A	1.564B/0.458A	----	----	0.415 - NEW	----	1	----	2	----	0	UNCH								
6620	----	----	----	1.389B/0.278A	1.389B/0.278A	----	----	0.215 - 0.991	----	1	----	----	----	0 -	1								
6620	0.250	0.250	0.250	0.343B/0.008A	0.343B/0.008A	----	----	0.000 - NEW	----	----	----	6	----	0	UNCH								
6630	----	----	----	0.400B/0.008A	0.400B/0.008A	----	----	0.000 - 0.284	----	----	----	----	----	0 -	2								
6630	----	----	----	1.306B/0.169A	1.306B/0.169A	----	----	0.115 - 1.017	----	1	----	----	----	0 -	1								
6640	0.265	0.265	0.265	0.451B/0.011A	0.451B/0.011A	----	----	0.000 - NEW	----	----	----	4	----	0	UNCH								
6650	0.225	0.225	0.225	0.541B/0.022A	0.541B/0.022A	----	----	0.085 - 0.258	----	23	----	13	----	0 -	18								
6650	----	----	----	1.144B/0.013A	1.144B/0.013A	----	----	0.000 - 0.992	----	----	----	----	----	0 -	1								
6660	----	----	----	0.555B/0.035A	0.555B/0.035A	----	----	0.185 - 0.192	----	1	----	----	----	0 -	1								
6660	0.301	0.301	0.301	1.050B/0.002A	1.050B/0.002A	----	----	0.000 - NEW	----	----	----	4	----	0	UNCH								
6670	0.354	0.354	0.354	0.975B/0.014A	0.975B/0.014A	----	----	0.000 - NEW	----	----	----	1	----	0	UNCH								
6690	0.602	0.602	0.602	0.771B/0.150A	0.771B/0.150A	----	----	0.485 - 0.010	----	2	----	6	----	0 -	2								
6700	----	----	----	1.675B/1.170A	1.675B/1.170A	----	----	1.504 - NEW	.5749	----	----	1	----	1 +	1								
6700	0.360	0.360	0.360	0.767B/0.005	0.767B/0.005	----	----	0.000 - 0.689	----	----	----	7	----	0 -	1								
6700	0.300	0.300	0.300	0.852B/0.181	0.852B/0.181	----	----	0.585 + 0.045	----	27	----	7	----	0 -	24								
6720	----	----	----	0.666B/0.009A	0.666B/0.009A	----	----	0.000 - 0.587	----	----	----	1	----	0 -	1								
6740	0.360	0.360	0.360	0.571B/0.005	0.571B/0.005	----	----	0.000 - 0.498	----	----	----	52	----	0 -	19								
6750	----	----	----	1.966B/1.425A	1.966B/1.425A	----	----	1.825 - NEW	.6415	----	----	1	----	1 +	1								
6750	----	----	----	1.291B/0.427A	1.291B/0.427A	----	----	1.085 + 0.277	----	20	----	----	----	0 -	20								
6750	0.061	0.061	0.061	0.522B/0.002	0.522B/0.002	----	----	0.000 - 0.457	----	----	----	33	----	0 -	14								
6760	0.143	0.143	0.143	0.476B/0.009A	0.476B/0.009A	----	----	0.000 - NEW	----	----	----	16	----	0	UNCH								
6770	0.353	0.353	0.353	0.438B/0.009A	0.438B/0.009A	----	----	0.000 - NEW	----	----	----	36	----	0	UNCH								
6780	----	----	----	0.400B/0.009A	0.400B/0.009A	----	----	0.000 - 0.352	----	----	----	4	----	0 -	2								
6790	----	----	----	0.349B/0.009A	0.349B/0.009A	----	----	0.000 - 0.322	----	----	----	1	----	0 -	1								
6800	----	----	----	1.141B/0.572A	1.141B/0.572A	----	----	0.593 - 0.485	.2980	----	----	----	----	1	UNCH								
6800	0.200	0.200	0.200	0.324B/0.001	0.324B/0.001	----	----	0.000 - 0.294	----	----	----	93	----	0 -	36								
6810	0.135	0.135	0.135	0.283B/0.009A	0.283B/0.009A	----	----	0.000 - 0.269	----	----	----	7	----	0 -	1								
6820	----	----	----	0.252B/0.010A	0.252B/0.010A	----	----	0.000 - 0.246	----	----	----	----	----	0 -	1								
6850	----	----	----	----/0.011A	0.183B/0.011A	----	----	0.000 - 0.188	----	----	----	2	----	0 -	18								
6860	----	----	----	----/0.010A	0.165B/0.010A	----	----	0.000 - 0.171	----	----	----	----	----	0 -	28								
6870	----	----	----	----/0.010A	0.151B/0.010A	----	----	0.000 - 0.157	----	----	----	----	----	0 -	2								
6900	----	----	----	----/0.009A	0.105B/0.009A	----	----	0.000 - 0.121	----	----	----	----	----	0 -	3								
6920	----	----	----	----/0.009A	0.084B/0.009A	----	----	0.000 - 0.102	----	----	----	2	----	0 -	2								
6950	----	----	----	3.523B/2.760A	3.523B/2.760A	----	----	3.390 + 0.420	.8367	----	----	3	----	5 +	3								
6950	----	----	----	----/0.011A	0.058B/0.011A	----	----	0.000 - 0.081	----	----	----	----	----	0 -	2								
6960	----	----	----	----/0.001A	0.051B/0.001A	----	----	0.000 - 0.075	----	----	----	----	----	0 -	1								
7000	----	----	----	3.968B/3.137A	3.968B/3.137A	----	----	3.831 + 0.467	.8671	----	----	----	----	2	UNCH								
7000	----	----	----	----/0.011A	0.027B/0.011A	----	----	0.000 - 0.056	----	----	----	----	----	0 -	9								
7100	----	----	----	----/0.010A	0.008B/0.010A	----	----	0.000 - 0.033	----	----	----	----	----	0 -	2								
7110	----	----	----	----/0.010A	0.007B/0.010A	----	----	0.000 - 0.031	----	----	----	----	----	0 -	1								
7120	----	----	----	----/0.010A	0.004B/0.010A	----	----	0.000 - 0.030	----	----	----	----	----	0 -	1								
7150	----	----	----	----/0.012A	0.001B/0.012A	----	----	0.000 - 0.027	----	----	----	----	----	0 -	2								
7200	----	----	----	----/0.012A	----/0.012A	----	----	0.000 - 0.024	----	----	----	----	----	0 -	5								
7400	----	----	----	----/0.012A	----/0.012A	----	----	0.000 - 0.019	----	----	----	----	----	0 -	5								
7500	----	----	----	----	----/0.017A	----	----	0.000 - 0.014	----	----	----	----	----	0 -	4								
7600	----	----	----	----	----/0.015A	----	----	0.000 - 0.010	----	----	----	----	----	0 -	5								
8100	----	----	----	----/0.051A	0.029B/0.051A	----	----	0.037 - 0.021	.0117	----	----	----	----	2	UNCH								
TOTAL												342	0	39 -	451								
OCT26																							
5900	----	----	----	----/0.237A	0.236B/0.237A	----	----	0.244 - 0.045	.0813	----	----	2	----	3 +	2								
5900	----	----	----	----/0.128A	0.115B/0.128A	----	----	0.117 - 0.045	.0481	----	----	----	----	1	UNCH								
6000	----	----	----	----/0.175A	0.168B/0.175A	----	----	0.168 - 0.054	.0689	----	----	----	----	2	UNCH								
6100	----	----	----	----/0.421A	0.463B/0.421A	----	----	0.456 - NEW	.1443	----	----	2	----	2 +	2								
6150	----	----	----	----/0.286A	0.321B/0.286A	----	----	0.293 - 0.066	.1174	----	----	----	----	2	UNCH								
6300	----	----	----	----/0.482A	0.568B/0.482A	----	----	0.524 - 0.063	.1968	----	----	----	----	25	UNCH								
6750	----	----	----	----/1.273A	1.831B/1.273A	----	----	1.308 - 0.568	.4142	----	----	----	----	1	UNCH								
6950	----	----	----	----/0.730A	1.093B/0.730A	----	----	0.744 - 0.406	.2624	----	----	----	----	5	UNCH								
TOTAL												4	0	41 +	4								
SO CALL	COMEX SILVER OPTIONS																						
OCT26																							
5000	----	----	----	17.280B/16.476A	17.280B/16.476A	----	----	16.415 - 0.734	.0000	----	----	----	----	5	UNCH								
5275	----	----	----	14.534B/13.724A	14.534B/13.724A	----	----	13.665 - 0.734	.0000	----	----	----	----	1	UNCH								
5475	----	----	----	12.536B/11.724A	12.536B/11.724A	----	----	11.665 - 0.735	.9996	3	----	----	----	0 -	3								
5500	----	----	----	12.286B/11.474A	12.286B/11.474A	----	----	11.415 - 0.735	.9996	----	----	----	----	5	UNCH								
5600	----	----	----	11.288B/10.474A	11.288B/10.474A	----	----	10.418 - 0.735	.9991	----	----	----	----	9	UNCH								
5700	----	----	----	10.290B/9.331A	10.290B/9.331A	----	----	9.421 - 0.736	.9980	----	----	----	----	16	UNCH								
5750	----	----	----	9.792B/8.843A	9.792B/8.843A	----	----	8.923 - 0.737	.9977	----	----	----	----	4	UNCH								
5800	----	----	----	9.338B/8.305A	9.338B/8.305A	----	----	8.424 - 0.738	.9970	----	----	----	----	81	UNCH								
5825	----	----	----	9.046B/8.095A	9.046B/8.095A	----	----	8.175 - 0.739	.9966	----	----	----	----	2	UNCH								
5875	----	----	----	8.548B/7.597A	8.548B/7.597A	----	----	7.678 - 0.739	.9957	----	----	----	----	1	UNCH								
5900	----	----	----	8.344B/7.319A	8.344B/7.319A	----	----	7.429 - 0.740	.9949	----	----	----	----	56	UNCH								
5925	----	----	----	8.052B/7.099A	8.052B/7.099A	----	----	7.180 - 0.742	.9944	----	----	----	----	2	UNCH								
5950	----	----	----	7.804B/6.871A	7.804B/6.871A	----	----	6.931 - 0.743	.9939	----	----	----	----	6	UNCH								
5975	----	----	----	7.556B/6.623A	7.556B/6.623A	----	----	6.682 - 0.745	.9936	----	----	----	----	7	UNCH								
6000	----	----	----	7.350B/6.323A	7.350B/6.323A	----	----	6.433 - 0.748	.9930	----	----	----	----	105	UNCH								
6025	----	----	----	7.059B/6.126A	7.059B/6.126A	----	----	6.184 - 0.751	.9923	----	----	----	----	4	UNCH								
6050	----	----	----	6.813B/5.879A	6.813B/5																		



	BULLETIN #181@				METALS OPTION PRODUCTS				Mon, Sep 21, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL	COMEX SILVER OPTIONS												
OCT26													
6780	0.926	0.926	0.969B/0.353A	0.969B/0.353A	----	0.390	NEW .2491	----	----	1	----	1 +	1
6800	0.900	0.900	0.900/0.310	0.900/0.310	----	0.344 -	0.456 .2204	----	----	171	----	730 +	21
6810	----	----	0.841B/0.292A	0.841B/0.292A	----	0.323 -	0.442 .2071	----	----	----	----	2	UNCH
6825	0.556	0.556	0.780B/0.265A	0.780B/0.265A	----	0.293 -	0.421 .1879	----	----	26	----	116 +	15
6830	----	----	0.763B/0.256A	0.763B/0.256A	----	0.284 -	0.413 .1820	----	----	----	----	1	UNCH
6840	0.552	0.552	0.726B/0.240A	0.726B/0.240A	----	0.267	NEW .1707	----	----	8	----	8 +	8
6850	0.510	0.510	0.693B/0.226A	0.693B/0.226A	----	0.251 -	0.383 .1600	----	----	8	----	177 +	4
6870	0.299	0.299	0.628B/0.199A	0.628B/0.199A	----	0.221	NEW .1400	----	----	2	----	2 +	2
6875	0.576	0.576	0.611B/0.193A	0.611B/0.193A	----	0.214 -	0.347 .1353	----	----	49	----	53 +	10
6880	0.228	0.228	0.597B/0.187A	0.597B/0.187A	----	0.208	NEW .1311	----	----	1	----	1 +	1
6900	0.425	0.425	0.541B/0.166A	0.541B/0.166A	----	0.184 -	0.311 .1147	----	----	7	----	256	UNCH
6910	----	----	0.513B/0.157A	0.513B/0.157A	----	0.173 -	0.298 .1072	----	----	----	----	3	UNCH
6925	0.348	0.348	0.476B/0.141	0.476B/0.141	----	0.159 -	0.277 .0973	----	----	37	----	42 -	4
6930	0.201	0.201	0.463B/0.140A	0.463B/0.140A	----	0.155	NEW .0944	----	----	12	----	12 +	12
6950	0.230	0.230	0.419B/0.119A	0.419B/0.119A	----	0.139 -	0.245 .0831	----	----	15	----	209 +	11
6960	0.282	0.282	0.397B/0.123A	0.397B/0.123A	----	0.132	NEW .0781	----	----	2	----	2 +	2
6975	0.280	0.280	0.369B/0.113A	0.369B/0.113A	----	0.122 -	0.218 .0711	----	----	4	----	45 -	2
7000	0.251	0.251	0.350B/0.094A	0.350B/0.094A	----	0.108 -	0.197 .0612	----	----	156	----	802 -	26
7025	0.104	0.104	0.287B/0.086	0.287B/0.086	----	0.095 -	0.175 .0524	----	----	3	----	100	UNCH
7050	----	----	0.249B/0.080A	0.249B/0.080A	----	0.087 -	0.153 .0464	----	----	5	----	121	UNCH
7075	----	----	0.221B/0.074A	0.221B/0.074A	----	0.079 -	0.134 .0408	----	----	1	----	73 -	1
7080	0.079	0.079	0.217B/0.073A	0.217B/0.073A	----	0.078	NEW .0400	----	----	15	----	13 +	13
7090	0.080	0.080	0.206B/0.070A	0.206B/0.070A	----	0.075	NEW .0379	----	----	2	----	2 +	2
7100	----	----	0.198B/0.068A	0.198B/0.068A	----	0.072 -	0.117 .0360	----	----	1	----	257	UNCH
7110	0.065	0.065	0.188B/0.065	0.188B/0.065	----	0.070	NEW .0345	----	----	2	----	2 +	2
7120	0.131	0.131	0.179B/0.064A	0.179B/0.064A	----	0.068	NEW .0331	----	----	5	----	5 +	5
7125	----	----	0.175B/0.063A	0.175B/0.063A	----	0.067 -	0.102 .0323	----	----	----	----	19	UNCH
7150	0.117	0.117	0.157B/0.060	0.157B/0.060	----	0.061 -	0.091 .0285	----	----	3	----	40 -	1
7175	----	----	0.141B/0.057A	0.141B/0.057A	----	0.054 -	0.085 .0246	----	----	----	----	77	UNCH
7190	0.051	0.051	0.051/0.051	0.119B/0.051	----	0.052	NEW .0232	----	----	1	----	1 +	1
7200	0.063	0.063	0.063/0.054A	0.114B/0.054A	----	0.051 -	0.076 .0224	----	----	8	----	308 +	1
7210	----	----	-----/0.053A	0.109B/0.053A	----	0.050 -	0.073 .0217	----	----	----	----	2	UNCH
7225	----	----	-----/0.052A	0.104B/0.052A	----	0.049 -	0.068 .0208	----	----	----	----	55	UNCH
7230	0.073	0.073	0.073/0.051A	0.104B/0.051A	----	0.049	NEW .0207	----	----	5	----	5 +	5
7250	----	----	-----/0.050A	0.103B/0.050A	----	0.048 -	0.061 .0197	----	----	----	----	330	UNCH
7275	0.060	0.060	0.060/0.048A	0.094B/0.048A	----	0.047 -	0.055 .0186	----	----	1	----	15 -	1
7300	0.065	0.065	0.065/0.047A	0.086B/0.047A	----	0.046 -	0.050 .0177	----	----	17	----	218 +	5
7325	----	----	-----/0.046A	0.080B/0.046A	----	0.044 -	0.047 .0164	----	----	2	----	8	UNCH
7350	----	----	-----/0.045A	0.072B/0.045A	----	0.043 -	0.043 .0155	----	----	4	----	119 +	4
7375	----	----	-----/0.044A	0.069B/0.044A	----	0.043 -	0.038 .0151	----	----	----	----	12	UNCH
7380	0.061	0.061	0.061/0.044A	0.068B/0.044A	----	0.043	NEW .0150	----	----	1	----	1 +	1
7400	----	----	-----/0.043A	0.065B/0.043A	----	0.042 -	0.036 .0143	----	----	2	----	205	UNCH
7425	0.058	0.058	0.058/0.042A	0.061B/0.042A	----	0.041 -	0.033 .0136	----	----	1	----	36 +	1
7450	----	----	-----/0.041A	0.056B/0.041A	----	0.040 -	0.031 .0129	----	----	----	----	41	UNCH
7475	0.049	0.049	0.049/0.040A	0.053B/0.040A	----	0.038 -	0.030 .0120	----	----	2	----	59 -	2
7500	0.050	0.050	0.052/0.035	0.052/0.035	----	0.037 -	0.029 .0113	----	----	51	----	929 -	12
7525	----	----	-----/0.039A	0.049B/0.039A	----	0.036 -	0.028 .0108	----	----	----	----	20	UNCH
7550	----	----	-----/0.038A	0.047B/0.038A	----	0.035 -	0.027 .0102	----	----	----	----	36	UNCH
7575	----	----	-----/0.038A	0.045B/0.038A	----	0.034 -	0.026 .0097	----	----	----	----	39	UNCH
7600	----	----	-----/0.038A	0.043B/0.038A	----	0.034 -	0.025 .0095	----	----	4	----	180 +	4
7625	----	----	-----/0.037A	0.040B/0.037A	----	0.034 -	0.023 .0092	----	----	----	----	21	UNCH
7650	0.041	0.041	0.041/0.037A	0.041/0.037A	----	0.033 -	0.023 .0088	----	----	1	----	12	UNCH
7675	----	----	-----/0.036A	0.039B/0.036A	----	0.033 -	0.022 .0086	----	----	----	----	10	UNCH
7700	----	----	-----/0.035A	0.038B/0.035A	----	0.033 -	0.021 .0084	----	----	----	----	95	UNCH
7725	----	----	-----/0.035A	0.036B/0.035A	----	0.032 -	0.021 .0080	----	----	----	----	8	UNCH
7750	----	----	-----/0.034A	0.036B/0.034A	----	0.032 -	0.020 .0078	----	----	----	----	166	UNCH
7775	----	----	-----/0.033A	0.035B/0.033A	----	0.032 -	0.019 .0076	----	----	----	----	36	UNCH
7800	----	----	-----/0.033A	0.035B/0.033A	----	0.031 -	0.019 .0073	----	----	----	----	280	UNCH
7825	----	----	-----/0.033A	0.034B/0.033A	----	0.031 -	0.019 .0071	----	----	----	----	35	UNCH
7850	----	----	-----/0.032A	0.033B/0.032A	----	0.030 -	0.019 .0068	----	----	----	----	57	UNCH
7875	----	----	-----/0.032A	0.033B/0.032A	----	0.030 -	0.018 .0066	----	----	----	----	82	UNCH
7900	----	----	-----/0.030A	0.033B/0.030A	----	0.029 -	0.019 .0063	----	----	----	----	106	UNCH
7925	----	----	-----/0.031A	0.031B/0.031A	----	0.028 -	0.019 .0060	----	----	----	----	7	UNCH
7950	----	----	-----/0.030A	0.030B/0.030A	----	0.028 -	0.018 .0059	----	----	----	----	61	UNCH
7975	----	----	-----/0.030A	0.030B/0.030A	----	0.027 -	0.019 .0056	----	----	----	----	8	UNCH
8000	----	----	-----/0.024A	0.030B/0.024A	----	0.026 -	0.019 .0053	----	----	----	28	1536	UNCH
8025	----	----	-----/0.029A	0.030B/0.029A	----	0.026 -	0.018 .0052	----	----	1	----	3	UNCH
8050	----	----	-----/0.027A	0.028B/0.027A	----	0.025 -	0.018 .0049	----	----	1	----	15	UNCH
8075	----	----	-----/0.026A	0.028B/0.026A	----	0.024 -	0.018 .0046	----	----	----	----	14	UNCH
8100	----	----	-----/0.025A	0.028B/0.025A	----	0.024 -	0.017 .0045	----	----	----	----	28	UNCH
8125	----	----	-----/0.025A	0.027B/0.025A	----	0.023 -	0.017 .0043	----	----	----	----	10	UNCH
8150	----	----	-----/0.024A	0.027B/0.024A	----	0.022 -	0.017 .0040	----	----				

	BULLETIN #181@				METALS OPTION PRODUCTS						Mon, Sep 21, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL															
OCT26															
10000	----	----	----	----	----	/0.008A	----	0.001 - 0.003	.0000	----	----	----	----	11037	UNCH
10025	----	----	----	----	----	/0.090A	----	0.001 - 0.003	.0000	----	----	----	----	5	UNCH
10050	----	----	----	----	----	/0.090A	----	0.001 - 0.003	.0000	----	----	----	----	1	UNCH
10100	----	----	----	----	----	/0.090A	----	0.001 - 0.002	.0000	----	----	----	----	2	UNCH
10125	----	----	----	----	----	/0.090A	----	0.001 - 0.002	.0000	----	----	----	----	2	UNCH
10150	----	----	----	----	----	/0.090A	----	0.001 - 0.002	.0000	----	----	----	----	1	UNCH
10225	----	----	----	----	----	/0.090A	----	0.001 - 0.002	----	----	----	----	----	3	UNCH
10250	----	----	----	----	----	/0.090A	----	0.001 - 0.002	----	----	----	----	----	1	UNCH
10275	----	----	----	----	----	/0.090A	----	0.001 - 0.002	----	----	----	----	----	4	UNCH
10300	----	----	----	----	----	/0.090A	----	0.001 - 0.002	----	----	----	----	----	10	UNCH
10325	----	----	----	----	----	/0.090A	----	0.001 - 0.002	----	----	----	----	----	4	UNCH
10350	----	----	----	----	----	/0.090A	----	0.001 - 0.002	----	----	----	----	----	4	UNCH
10375	----	----	----	----	----	/0.090A	----	0.001 - 0.002	----	----	----	----	----	3	UNCH
10400	----	----	----	----	----	/0.090A	----	0.001 - 0.001	----	----	----	----	----	80	UNCH
10425	----	----	----	----	----	/0.090A	----	0.001 - 0.001	----	----	----	----	----	4	UNCH
10450	----	----	----	----	----	/0.090A	----	0.001 - 0.001	----	----	----	----	----	5	UNCH
10475	----	----	----	----	----	/0.090A	----	0.001 - 0.001	----	----	----	----	----	5	UNCH
10500	----	----	----	----	----	/0.090A	----	0.001 - 0.001	----	----	----	----	----	45	UNCH
10525	----	----	----	----	----	/0.090A	----	0.001 - 0.001	----	----	----	----	----	3	UNCH
10550	----	----	----	----	----	/0.090A	----	0.001 - 0.001	----	----	----	----	----	4	UNCH
10575	----	----	----	----	----	/0.089A	----	0.001 - 0.001	----	----	----	----	----	9	UNCH
10600	----	----	----	----	----	/0.089A	----	0.001 - 0.001	----	----	----	----	----	8	UNCH
10625	----	----	----	----	----	/0.010A	----	0.001 - 0.001	----	----	----	----	----	7	UNCH
10650	----	----	----	----	----	/0.089A	----	0.001 - 0.001	----	----	----	----	----	6	UNCH
10675	----	----	----	----	----	/0.089A	----	0.001 - 0.001	----	----	----	----	----	4	UNCH
10700	----	----	----	----	----	/0.089A	----	0.001 - 0.001	----	----	----	----	----	13	UNCH
10725	----	----	----	----	----	/0.089A	----	0.001 - 0.001	----	----	----	----	----	2	UNCH
10750	----	----	----	----	----	/0.089A	----	0.001 - 0.001	----	----	----	----	----	12	UNCH
10775	----	----	----	----	----	/0.089A	----	0.001 - 0.001	----	----	----	----	----	2	UNCH
10800	----	----	----	----	----	/0.089A	----	0.001	UNCH	----	----	----	----	5	UNCH
10825	----	----	----	----	----	/0.089A	----	0.001	UNCH	----	----	----	----	2	UNCH
10850	----	----	----	----	----	/0.089A	----	0.001	UNCH	----	----	----	----	1	UNCH
10875	----	----	----	----	----	/0.089A	----	0.001	UNCH	----	----	----	----	1	UNCH
10900	----	----	----	----	----	/0.089A	----	0.001	UNCH	----	----	----	----	1	UNCH
10925	----	----	----	----	----	/0.089A	----	0.001	UNCH	----	----	----	----	4	UNCH
10950	----	----	----	----	----	/0.089A	----	0.001	UNCH	----	----	----	----	4	UNCH
10975	----	----	----	----	----	/0.089A	----	0.001	UNCH	----	----	----	----	4	UNCH
11000	----	----	----	----	----	/0.011A	----	0.001	UNCH	----	----	----	----	398	UNCH
11025	----	----	----	----	----	/0.089A	----	0.001	UNCH	----	----	----	----	7	UNCH
11050	----	----	----	----	----	/0.089A	----	0.001	UNCH	----	----	----	----	10	UNCH
11075	----	----	----	----	----	/0.089A	----	0.001	UNCH	----	----	----	----	10	UNCH
11100	----	----	----	----	----	/0.089A	----	0.001	UNCH	----	----	----	----	2	UNCH
11175	----	----	----	----	----	/0.089A	----	0.001	UNCH	----	----	----	----	1	UNCH
11275	----	----	----	----	----	/0.089A	----	0.001	UNCH	----	----	----	----	2	UNCH
11300	----	----	----	----	----	/0.089A	----	0.001	UNCH	----	----	----	----	3	UNCH
11400	----	----	----	----	----	/0.089A	----	0.001	UNCH	----	----	----	----	4	UNCH
11450	----	----	----	----	----	/0.089A	----	0.001	UNCH	----	----	----	----	4	UNCH
11475	----	----	----	----	----	/0.089A	----	0.001	UNCH	----	----	----	----	12	UNCH
11500	----	----	----	----	----	/0.010A	----	0.001	UNCH	----	----	----	----	24	UNCH
11675	----	----	----	----	----	/0.089A	----	0.001	UNCH	----	----	----	----	1	UNCH
11700	----	----	----	----	----	/0.089A	----	0.001	UNCH	----	----	----	----	2	UNCH
11725	----	----	----	----	----	/0.089A	----	0.001	UNCH	----	----	----	----	1	UNCH
11800	----	----	----	----	----	/0.005A	----	0.001	UNCH	----	----	----	----	2	UNCH
12000	----	----	----	----	----	/0.088A	----	0.001	UNCH	----	----	----	----	134	UNCH
12050	----	----	----	----	----	/0.088A	----	0.001	UNCH	----	----	----	----	3	UNCH
12175	----	----	----	----	----	/0.088A	----	0.001	UNCH	----	----	----	----	2	UNCH
12500	----	----	----	----	----	/0.010A	----	0.001	UNCH	----	----	----	----	17	UNCH
12675	----	----	----	----	----	/0.088A	----	0.001	UNCH	----	----	----	----	7	UNCH
12700	----	----	----	----	----	/0.088A	----	0.001	UNCH	----	----	----	----	7	UNCH
12725	----	----	----	----	----	/0.088A	----	0.001	UNCH	----	----	----	----	7	UNCH
12750	----	----	----	----	----	/0.088A	----	0.001	UNCH	----	----	----	----	7	UNCH
12775	----	----	----	----	----	/0.088A	----	0.001	UNCH	----	----	----	----	7	UNCH
12800	----	----	----	----	----	/0.088A	----	0.001	UNCH	----	----	----	----	7	UNCH
12825	----	----	----	----	----	/0.088A	----	0.001	UNCH	----	----	----	----	7	UNCH
13000	----	----	----	----	----	/0.007A	----	0.001	UNCH	----	----	----	----	111	UNCH
14000	----	----	----	----	----	/0.005A	----	0.001	UNCH	----	----	----	----	6	UNCH
15000	----	----	----	----	----	/0.005A	----	0.001	UNCH	----	----	----	----	328	UNCH
16000	----	----	----	----	----	/0.088A	----	0.001	UNCH	----	----	----	----	36	UNCH
17000	----	----	----	----	----	/0.088A	----	0.001	UNCH	----	----	----	----	120	UNCH
18000	----	----	----	----	----	/0.088A	----	0.001	UNCH	----	----	----	----	347	UNCH
20000	----	----	----	----	----	/0.003A	----	0.001	UNCH	----	----	----	----	219	UNCH
TOTAL												1346	98	39941 +	47
NOV26															
5000	----	----	----	17.331B/16.510A	17.331B/16.510A	----	----	16.457 - 0.749	.9806	----	----	----	----	11	UNCH
5500	----	----	----	12.663B/11.463A	12.663B/11.463A	----	----	11.593 - 0.775	.9456	----	----	----	----	5	UNCH
5575	----	----	----	11.954B/10.754A	11.954B/10.754A	----	----	10.886 - 0.783	.9352	----	----	----	----	1	UNCH
5725	----	----	----	10.562B/9.372A	10.562B/9.372A	----	----	9.500 - 0.793	.9088	----	----	----	----	2	UNCH
5900	----	----	----	9.003B/7.832A	9.003B/7.832A	----	----	7.955 - 0.808	.8648	----	----	----	----	1	UNCH
5975	----	----	----	8.364B/7.207A	8.364B/7.207A	----	----	7.326 - 0.810	.8409	----	----	----	----	1	UNCH
6000	----	----	----	8.155B/7.004A	8.155B/7.004A	----	----	7.122 - 0.809	.8321	----	----	----	----	10	UNCH
6050	----	----	----	7.745B/6.607A	7.745B/6.607A	----	----	6.722 - 0.807	.8136	----	----	----			



	BULLETIN #181@										METALS OPTION PRODUCTS										Mon, Sep 21, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
SO CALL	COMEX SILVER OPTIONS																						
NOV26																							
7575	0.809	0.809		1.0588/0.736A	1.0588/0.736A	----	----	----	0.755 - 0.279	.1687	----	----	2	----	8	UNCH							
7600	----	----		1.0218/0.710A	1.0218/0.710A	----	----	----	0.729 - 0.271	.1634	----	----	1	----	57	UNCH							
7650	----	----		0.9548/0.663A	0.9548/0.663A	----	----	----	0.680 - 0.257	.1533	----	----	----	----	14	UNCH							
7675	----	----		0.9238/0.641A	0.9238/0.641A	----	----	----	0.657 - 0.249	.1485	----	----	----	----	6	UNCH							
7700	----	----		0.8918/0.619A	0.8918/0.619A	----	----	----	0.635 - 0.239	.1439	----	----	3	----	183 +	2							
7725	----	----		0.8658/0.599A	0.8658/0.599A	----	----	----	0.614 - 0.230	.1395	----	----	1	----	4 -	1							
7750	----	----		0.8368/0.578A	0.8368/0.578A	----	----	----	0.593 - 0.224	.1351	----	----	1	----	13	UNCH							
7775	----	----		0.8098/0.559A	0.8098/0.559A	----	----	----	0.573 - 0.218	.1309	----	----	----	----	9	UNCH							
7800	0.607	0.607		0.7818/0.541A	0.7818/0.541A	----	----	----	0.554 - 0.212	.1269	----	----	54	----	256 -	11							
7825	----	----		0.7578/0.524A	0.7578/0.524A	----	----	----	0.536 - 0.206	.1230	----	----	1	----	2 -	1							
7850	----	----		0.7328/0.507A	0.7328/0.507A	----	----	----	0.518 - 0.201	.1191	----	----	100	----	502 +	100							
7875	0.505	0.505		0.7098/0.492A	0.7098/0.492A	----	----	----	0.502 - 0.195	.1156	----	----	10	----	9 +	7							
7900	0.490	0.490		0.6878/0.475	0.6878/0.475	----	----	----	0.486 - 0.190	.1121	----	----	4	----	40 -	1							
7950	----	----		0.6448/0.450A	0.6448/0.450A	----	----	----	0.456 - 0.180	.1055	----	----	----	----	4	UNCH							
7975	0.500	0.500		0.6258/0.434A	0.6258/0.434A	----	----	----	0.442 - 0.174	.1024	----	----	3	----	3 +	1							
8000	0.555	0.555		0.6058/0.420A	0.6058/0.420A	----	----	----	0.429 - 0.169	.0995	----	----	12	----	680 -	3							
8025	----	----		0.5878/0.409A	0.5878/0.409A	----	----	----	0.416 - 0.164	.0966	----	----	----	----	5	UNCH							
8050	----	----		0.5698/0.397A	0.5698/0.397A	----	----	----	0.404 - 0.159	.0938	----	----	----	----	1	UNCH							
8075	----	----		0.5508/0.387A	0.5508/0.387A	----	----	----	0.392 - 0.155	.0911	----	----	----	----	2	UNCH							
8100	0.461	0.461		0.5378/0.374A	0.5378/0.374A	----	----	----	0.381 - 0.150	.0886	----	----	5	----	20 -	4							
8125	----	----		0.5188/0.369A	0.5188/0.369A	----	----	----	0.370 - 0.146	.0861	----	----	----	----	1	UNCH							
8150	----	----		0.5058/0.358A	0.5058/0.358A	----	----	----	0.360 - 0.141	.0838	----	----	----	----	124	UNCH							
8175	----	----		0.4898/0.350A	0.4898/0.350A	----	----	----	0.350 - 0.137	.0815	----	----	----	----	3	UNCH							
8200	0.446	0.446		0.4778/0.338A	0.4778/0.338A	----	----	----	0.340 - 0.133	.0792	----	----	2	----	109	UNCH							
8225	----	----		0.4628/0.329A	0.4628/0.329A	----	----	----	0.331 - 0.129	.0771	----	----	----	----	4	UNCH							
8250	----	----		0.4498/0.322A	0.4498/0.322A	----	----	----	0.323 - 0.124	.0752	----	----	----	----	5	UNCH							
8275	----	----		0.4368/0.311A	0.4368/0.311A	----	----	----	0.314 - 0.121	.0731	----	----	----	----	5	UNCH							
8300	0.370	0.370		0.4258/0.301A	0.4258/0.301A	----	----	----	0.306 - 0.117	.0712	----	----	4	----	89 -	4							
8325	----	----		0.4148/0.300A	0.4148/0.300A	----	----	----	0.298 - 0.114	.0693	----	----	----	----	3	UNCH							
8350	----	----		0.4028/0.288A	0.4028/0.288A	----	----	----	0.291 - 0.110	.0676	----	----	----	----	2	UNCH							
8375	----	----		-----/0.281A	0.3918/0.281A	----	----	----	0.284 - 0.107	.0660	----	----	----	----	4	UNCH							
8400	0.328	0.328		0.3818/0.274A	0.3818/0.274A	----	----	----	0.277 - 0.103	.0643	----	----	5	----	176	UNCH							
8425	----	----		-----/0.269A	0.3708/0.269A	----	----	----	0.270 - 0.101	.0627	----	----	----	----	1	UNCH							
8450	----	----		0.3628/0.263A	0.3628/0.263A	----	----	----	0.264 - 0.097	.0612	----	----	----	----	7	UNCH							
8500	0.348	0.348		0.3488/0.250A	0.3488/0.250A	----	----	----	0.252 - 0.092	.0583	----	----	7	----	547 +	3							
8600	----	----		-----/0.229A	0.3048/0.229A	----	----	----	0.230 - 0.083	.0530	----	----	----	----	73	UNCH							
8625	----	----		-----/0.225A	0.2948/0.225A	----	----	----	0.225 - 0.081	.0518	----	----	----	----	1	UNCH							
8675	----	----		-----/0.216A	0.2838/0.216A	----	----	----	0.216 - 0.076	.0496	----	----	----	----	1	UNCH							
8700	0.273	0.273		0.2738/0.211A	0.2738/0.211A	----	----	----	0.211 - 0.075	.0484	----	----	9	----	48 +	6							
8725	----	----		-----/0.207A	0.2678/0.207A	----	----	----	0.207 - 0.073	.0474	----	----	----	----	1	UNCH							
8750	----	----		-----/0.203A	0.2698/0.203A	----	----	----	0.203 - 0.071	.0464	----	----	----	----	2	UNCH							
8800	----	----		-----/0.195A	0.2588/0.195A	----	----	----	0.195 - 0.068	.0444	----	----	----	----	103	UNCH							
8850	----	----		-----/0.188A	0.2488/0.188A	----	----	----	0.188 - 0.065	.0427	----	----	----	----	13	UNCH							
8900	----	----		-----/0.181A	0.2378/0.181A	----	----	----	0.181 - 0.062	.0410	----	----	----	----	8	UNCH							
8925	----	----		-----/0.178A	0.2328/0.178A	----	----	----	0.177 - 0.062	.0400	----	----	----	----	1	UNCH							
8950	----	----		-----/0.175A	0.2298/0.175A	----	----	----	0.174 - 0.060	.0393	----	----	----	----	3	UNCH							
8975	----	----		-----/0.172A	0.2238/0.172A	----	----	----	0.171 - 0.059	.0385	----	----	----	----	2	UNCH							
9000	0.190	0.190		0.21988/0.169A	0.21988/0.169A	----	----	----	0.168 - 0.058	.0378	----	----	7	----	201 +	3							
9025	----	----		-----/0.166A	0.2158/0.166A	----	----	----	0.165 - 0.057	.0371	----	----	----	----	1	UNCH							
9050	----	----		-----/0.163A	0.2128/0.163A	----	----	----	0.162 - 0.056	.0363	----	----	----	----	1	UNCH							
9150	----	----		-----/0.153A	0.1968/0.153A	----	----	----	0.152 - 0.052	.0338	----	----	----	----	1	UNCH							
9200	----	----		-----/0.148A	0.1918/0.148A	----	----	----	0.147 - 0.051	.0326	----	----	----	----	6	UNCH							
9225	----	----		-----/0.146A	0.1878/0.146A	----	----	----	0.144 - 0.050	.0319	----	----	----	----	10	UNCH							
9250	----	----		-----/0.144A	0.1838/0.144A	----	----	----	0.142 - 0.049	.0314	----	----	----	----	7	UNCH							
9300	----	----		-----/0.139A	0.1778/0.139A	----	----	----	0.138 - 0.048	.0304	----	----	3	----	12 -	2							
9325	----	----		-----/0.137A	0.1758/0.137A	----	----	----	0.136 - 0.047	.0299	----	----	----	----	1	UNCH							
9350	----	----		-----/0.135A	0.1738/0.135A	----	----	----	0.134 - 0.046	.0294	----	----	----	----	11	UNCH							
9400	----	----		-----/0.131A	0.1678/0.131A	----	----	----	0.130 - 0.045	.0284	----	----	1	----	77	UNCH							
9450	----	----		-----/0.128A	0.1618/0.128A	----	----	----	0.126 - 0.044	.0274	----	----	----	----	5	UNCH							
9500	----	----		-----/0.121A	0.1578/0.121A	----	----	----	0.122 - 0.043	.0265	----	----	3	----	365	UNCH							
9550	----	----		-----/0.121A	0.1538/0.121A	----	----	----	0.118 - 0.042	.0255	----	----	----	----	3	UNCH							
9600	----	----		-----/0.118A	0.1488/0.118A	----	----	----	0.115 - 0.041	.0248	----	----	----	----	1	UNCH							
9625	----	----		-----/0.116A	0.1468/0.116A	----	----	----	0.113 - 0.041	.0243	----	----	----	----	9	UNCH							
9700	----	----		-----/0.112A	0.1408/0.112A	----	----	----	0.109 - 0.038	.0233	----	----	----	----	1	UNCH							
9775	----	----		-----/0.108A	0.1348/0.108A	----	----	----	0.104 - 0.038	.0221	----	----	----	----	1	UNCH							
9800	----	----		-----/0.107A	0.1328/0.107A	----	----	----	0.102 - 0.038	.0217	----	----	----	----	6	UNCH							
9850	----	----		-----/0.104A	0.1298/0.104A	----	----	----	0														

BULLETIN #181@				METALS OPTION PRODUCTS										Mon, Sep 21, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SO CALL	COMEX SILVER OPTIONS																	
DEC26																		
6850	----	----	----	4.1898/3.421A	4.1898/3.421A	----	3.486	-	0.611	.4577	----	----	----	----	6	UNCH		
6875	----	----	----	4.0928/3.334A	4.0928/3.334A	----	3.399	-	0.605	.4492	----	----	----	----	5	UNCH		
6900	----	----	----	3.9978/3.250A	3.9978/3.250A	----	3.314	-	0.599	.4408	----	----	----	----	225	UNCH		
6925	3.892	3.892	----	3.9048/3.171A	3.9048/3.171A	----	3.231	-	0.592	.4325	----	----	1	----	12	+		
6950	3.673	3.673	----	3.8188/3.090A	3.8188/3.090A	----	3.150	-	0.585	.4242	----	----	2	----	228	UNCH		
6975	----	----	----	3.7268/3.014A	3.7268/3.014A	----	3.072	-	0.576	.4162	----	----	----	----	2	UNCH		
7000	3.420	3.420	----	3.6398/2.937A	3.6398/2.937A	----	2.995	-	0.568	.4082	----	79	----	----	752	+		
7025	----	----	----	3.5548/2.864A	3.5548/2.864A	----	2.921	-	0.559	.4003	----	----	----	----	3	UNCH		
7050	----	----	----	3.4728/2.794A	3.4728/2.794A	----	2.849	-	0.551	.3926	----	----	----	----	22	UNCH		
7075	----	----	----	3.3918/2.724A	3.3918/2.724A	----	2.779	-	0.542	.3850	----	----	----	----	6	UNCH		
7100	----	----	----	3.3168/2.659A	3.3168/2.659A	----	2.711	-	0.534	.3775	----	----	----	----	36	UNCH		
7125	----	----	----	3.2378/2.594A	3.2378/2.594A	----	2.644	-	0.527	.3701	----	----	----	----	4	UNCH		
7150	----	----	----	3.1628/2.527A	3.1628/2.527A	----	2.578	-	0.520	.3627	----	----	----	----	2	UNCH		
7200	----	----	----	3.0198/2.402A	3.0198/2.402A	----	2.451	-	0.507	.3485	----	----	----	----	216	UNCH		
7225	----	----	----	2.9498/2.345A	2.9498/2.345A	----	2.390	-	0.500	.3415	----	----	----	----	6	UNCH		
7250	----	----	----	2.8828/2.287A	2.8828/2.287A	----	2.332	-	0.492	.3347	----	----	----	----	13	UNCH		
7275	----	----	----	2.8148/2.231A	2.8148/2.231A	----	2.275	-	0.484	.3280	----	----	----	----	13	UNCH		
7300	2.611	2.611	----	2.7498/2.176A	2.7498/2.176A	----	2.220	-	0.476	.3215	----	5	----	----	98	+		
7325	----	----	----	2.6888/2.122A	2.6888/2.122A	----	2.166	-	0.468	.3150	----	----	----	----	2	UNCH		
7350	----	----	----	2.6258/2.070A	2.6258/2.070A	----	2.114	-	0.460	.3087	----	----	----	----	11	UNCH		
7375	----	----	----	2.5658/2.019A	2.5658/2.019A	----	2.062	-	0.453	.3024	----	----	----	----	6	UNCH		
7400	----	----	----	2.5048/1.969A	2.5048/1.969A	----	2.012	-	0.446	.2963	----	----	----	----	66	UNCH		
7425	----	----	----	2.4478/1.921A	2.4478/1.921A	----	1.963	-	0.438	.2903	----	----	----	----	6	UNCH		
7450	----	----	----	2.3928/1.874A	2.3928/1.874A	----	1.916	-	0.431	.2844	----	----	----	----	1	UNCH		
7475	----	----	----	2.3388/1.829A	2.3388/1.829A	----	1.869	-	0.424	.2786	----	----	----	----	1	UNCH		
7500	2.120	2.120	----	2.2848/1.785A	2.2848/1.785A	----	1.823	-	0.418	.2728	----	44	----	----	1429	+		
7525	----	----	----	2.2328/1.742A	2.2328/1.742A	----	1.779	-	0.411	.2673	----	----	----	----	5	UNCH		
7550	----	----	----	2.1818/1.700A	2.1818/1.700A	----	1.736	-	0.404	.2618	----	----	----	----	52	UNCH		
7575	----	----	----	2.1328/1.659A	2.1328/1.659A	----	1.694	-	0.398	.2564	----	----	----	----	1	UNCH		
7600	1.741	1.741	----	2.0838/1.619A	2.0838/1.619A	----	1.653	-	0.391	.2511	----	3	----	----	266	+		
7650	----	----	----	1.9908/1.542A	1.9908/1.542A	----	1.574	-	0.379	.2409	----	----	----	----	3	UNCH		
7700	----	----	----	1.9018/1.468A	1.9018/1.468A	----	1.500	-	0.366	.2311	----	----	----	----	266	UNCH		
7750	----	----	----	1.8188/1.400A	1.8188/1.400A	----	1.429	-	0.354	.2216	----	----	----	----	1	UNCH		
7775	----	----	----	1.7738/1.367A	1.7738/1.367A	----	1.396	-	0.348	.2171	----	----	----	----	10	UNCH		
7800	----	----	----	1.7358/1.335A	1.7358/1.335A	----	1.363	-	0.342	.2126	----	----	----	----	200	UNCH		
7825	----	----	----	1.6938/1.304A	1.6938/1.304A	----	1.331	-	0.336	.2082	----	----	----	----	2	UNCH		
7850	----	----	----	1.6568/1.275A	1.6568/1.275A	----	1.300	-	0.330	.2040	----	----	----	----	2	UNCH		
7875	----	----	----	1.6188/1.243A	1.6188/1.243A	----	1.269	-	0.325	.1997	----	----	----	----	4	UNCH		
7900	----	----	----	1.5868/1.215A	1.5868/1.215A	----	1.240	-	0.319	.1957	----	----	----	----	56	UNCH		
7925	----	----	----	1.5498/1.187A	1.5498/1.187A	----	1.211	-	0.313	.1916	----	----	----	----	2	UNCH		
7950	1.226	1.226	----	1.5118/1.159A	1.5118/1.159A	----	1.183	-	0.308	.1877	----	18	----	----	84	-		
8000	1.285	1.285	----	1.4488/1.108A	1.4488/1.108A	----	1.130	-	0.296	.1802	----	65	----	----	1076	+		
8025	----	----	----	1.4158/1.081A	1.4158/1.081A	----	1.104	-	0.291	.1765	----	----	----	----	11	UNCH		
8050	----	----	----	1.3848/1.058A	1.3848/1.058A	----	1.079	-	0.285	.1729	----	----	----	----	23	UNCH		
8075	----	----	----	1.3548/1.034A	1.3548/1.034A	----	1.055	-	0.280	.1694	----	----	----	----	44	UNCH		
8100	----	----	----	1.3238/1.011A	1.3238/1.011A	----	1.031	-	0.275	.1659	----	----	----	----	46	UNCH		
8125	----	----	----	1.2968/0.988A	1.2968/0.988A	----	1.008	-	0.269	.1626	----	----	----	----	19	UNCH		
8150	----	----	----	1.2688/0.966A	1.2688/0.966A	----	0.986	-	0.264	.1594	----	----	----	----	11	UNCH		
8175	----	----	----	1.2418/0.945A	1.2418/0.945A	----	0.964	-	0.259	.1561	----	----	----	----	1	UNCH		
8200	0.974	0.974	----	1.2138/0.924A	1.2138/0.924A	----	0.943	-	0.254	.1530	----	3	----	----	608	+		
8225	----	----	----	1.1878/0.904A	1.1878/0.904A	----	0.922	-	0.249	.1499	----	----	----	----	20	UNCH		
8250	----	----	----	1.1628/0.885A	1.1628/0.885A	----	0.902	-	0.244	.1470	----	----	----	----	2	UNCH		
8300	----	----	----	1.1158/0.846A	1.1158/0.846A	----	0.864	-	0.234	.1412	----	----	----	----	102	UNCH		
8325	----	----	----	1.0928/0.828A	1.0928/0.828A	----	0.845	-	0.230	.1384	----	----	----	----	5	UNCH		
8375	----	----	----	1.0478/0.794A	1.0478/0.794A	----	0.809	-	0.222	.1330	----	----	----	----	7	UNCH		
8400	----	----	----	1.0258/0.778A	1.0258/0.778A	----	0.792	-	0.218	.1304	----	----	----	----	54	UNCH		
8425	----	----	----	1.0048/0.761A	1.0048/0.761A	----	0.775	-	0.214	.1278	----	----	----	----	5	UNCH		
8450	----	----	----	0.9838/0.746A	0.9838/0.746A	----	0.759	-	0.210	.1253	----	----	----	----	3	UNCH		
8475	----	----	----	0.9638/0.731A	0.9638/0.731A	----	0.743	-	0.206	.1229	----	----	----	----	3	UNCH		
8500	0.823	0.823	----	0.9448/0.714A	0.9448/0.714A	----	0.727	-	0.203	.1205	----	71	----	----	1991	+		
8525	----	----	----	0.9248/0.701A	0.9248/0.701A	----	0.712	-	0.199	.1181	----	----	----	----	2	UNCH		
8550	----	----	----	0.9058/0.687A	0.9058/0.687A	----	0.698	-	0.195	.1159	----	----	----	----	29	UNCH		
8575	----	----	----	0.8878/0.673A	0.8878/0.673A	----	0.683	-	0.192	.1136	----	----	----	----	2	UNCH		
8600	----	----	----	0.8698/0.660A	0.8698/0.660A	----	0.669	-	0.189	.1								



PRELIMINARY



	BULLETIN #181@				METALS OPTION PRODUCTS				Mon, Sep 21, 2026				PG64		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL			COMEX SILVER OPTIONS												
DEC26															
11700	----	----	----	/0.142A	0.166B/0.142A	----			0.139 - 0.034	.0220	----	----	----	----	1
11775	----	----	----	/0.138A	0.162B/0.138A	----			0.135 - 0.034	.0213	----	----	----	----	3
11800	----	----	----	/0.137A	0.160B/0.137A	----			0.134 - 0.033	.0211	----	----	----	----	30
11850	----	----	----	/0.135A	0.158B/0.135A	----			0.132 - 0.033	.0208	----	----	----	----	2
12000	----	----	----	/0.129A	0.150B/0.129A	----			0.126 - 0.031	.0197	----	----	18	----	594 -
12075	----	----	----	/0.126A	0.146B/0.126A	----			0.123 - 0.030	.0192	----	----	----	----	1
12100	----	----	----	/0.124A	0.145B/0.124A	----			0.122 - 0.030	.0191	----	----	----	----	13
12175	----	----	----	/0.122A	0.142B/0.122A	----			0.119 - 0.029	.0186	----	----	----	----	10
12225	----	----	----	/0.120A	0.139B/0.120A	----			0.117 - 0.029	.0182	----	----	----	----	3
12250	----	----	----	/0.119A	0.138B/0.119A	----			0.117 - 0.028	.0182	----	----	----	----	1
12275	----	----	----	/0.118A	0.137B/0.118A	----			0.116 - 0.027	.0180	----	----	----	----	1
12300	----	----	----	/0.118A	0.136B/0.118A	----			0.115 - 0.027	.0178	----	----	----	----	2
12500	----	----	----	/0.111A	0.128B/0.111A	----			0.108 - 0.025	.0167	----	----	----	----	92
12550	----	----	----	/0.109A	0.126B/0.109A	----			0.106 - 0.025	.0164	----	----	----	----	19
12775	----	----	----	/0.103A	0.117B/0.103A	----			0.099 - 0.023	.0152	----	----	----	----	1
12800	----	----	----	/0.102A	0.116B/0.102A	----			0.098 - 0.024	.0150	----	----	----	----	7
12900	----	----	----	/0.099A	0.113B/0.099A	----			0.095 - 0.023	.0145	----	----	----	----	3
13000	----	----	----	/0.096A	0.110B/0.096A	----			0.092 - 0.023	.0140	----	----	8	----	366
13500	----	----	----	/0.086A	0.094B/0.086A	----			0.077 - 0.024	.0117	----	----	----	----	24
14000	----	----	----	/0.076A	0.082B/0.076A	----			0.066 - 0.024	.0099	----	----	----	----	119
14200	----	----	----	/0.072A	0.077B/0.072A	----			0.063 - 0.023	.0094	----	----	----	----	2
15000	----	----	----	/0.060A	0.057B/0.060A	----			0.052 - 0.021	.0076	----	----	16	----	1773
16000	----	----	----	/0.047A	0.041B/0.047A	----			0.042 - 0.018	.0060	----	----	----	----	1616
17000	----	----	----	/0.038A	0.030B/0.038A	----			0.033 - 0.014	.0047	----	----	----	----	87
18000	----	----	----	/0.033A	0.023B/0.033A	----			0.025 - 0.009	.0035	----	----	----	----	202
19000	----	----	----		0.016B/0.028A	----			0.018 - 0.004	.0025	----	----	----	----	6
20000	0.015	0.015		0.020/0.015	0.020/0.015	----			0.012 - 0.002	.0017	----	----	2	----	494
21000	----	----	----		0.008B/0.024A	----			0.008 - 0.002	.0011	----	----	----	----	7
22000	----	----	----		0.005B/0.023A	----			0.006 - 0.002	.0009	----	----	----	----	7
23000	----	----	----		0.001B/0.113A	----			0.005 - 0.002	.0007	----	----	----	----	37
24000	----	----	----	----	/0.111A	----			0.004 - 0.002	.0005	----	----	----	----	2
25000	----	----	----	----	/0.033A	----			0.004 - 0.002	.0005	----	----	----	----	239
26000	----	----	----	----	/0.108A	----			0.004 - 0.001	.0005	----	----	----	----	3
30000	----	----	----	----	/0.103A	----			0.003 - UNCH	.0004	----	----	----	----	111
32000	----	----	----	----	/0.102A	----			0.002 - 0.001	.0002	----	----	----	----	12
35000	----	----	----	----	/0.100A	----			0.001 - 0.001	.0001	----	----	----	----	1
40000	----	----	----	----	/0.099A	----			0.001 - UNCH	.0000	----	----	----	----	25
90000	----	----	----	----	/0.095A	----			0.001 - UNCH		----	----	----	----	2
100000	----	----	----	----	/0.010A	----			0.001 - UNCH		----	----	----	----	10
TOTAL													417	0	23830 +
JAN27															
5700	----	----		12.445B/11.617A	12.445B/11.617A	----			11.597 - 0.823	.8248	----	----	----	----	1
6000	----	----	----	/9.435A	10.215B/9.435A	----			9.413 - 0.810	.7513	----	----	----	----	0
6100	----	----	----	/8.778A	9.535B/8.778A	----			8.750 - 0.801	.7240	----	----	----	----	3
6250	----	----	----	/7.741A	8.588B/7.741A	----			7.824 - 0.780	.6813	----	----	----	----	13
6400	----	----	----	/6.887A	7.715B/6.887A	----			6.983 - 0.756	.6370	----	----	----	----	100
6500	----	----	----	/6.389A	7.171B/6.389A	----			6.469 - 0.738	.6072	----	----	----	----	19
6575	----	----	----	/6.029A	6.791B/6.029A	----			6.108 - 0.720	.5849	----	----	----	----	1
6600	----	----	----	/5.909A	6.676B/5.909A	----			5.992 - 0.713	.5774	----	----	----	----	36
6650	----	----	----	/5.684A	6.436B/5.684A	----			5.766 - 0.699	.5627	----	----	----	----	1
6700	----	----	----	/5.473A	6.211B/5.473A	----			5.549 - 0.684	.5480	----	----	----	----	1
6725	----	----	----	6.161B/5.374A	6.161B/5.374A	----			5.443 - 0.677	.5408	----	----	----	----	10
6775	----	----	----	5.941B/5.170A	5.941B/5.170A	----			5.237 - 0.664	.5264	----	----	----	----	1
6800	5.789	5.789		5.901B/5.068A	5.901B/5.068A	----			5.137 - 0.658	.5192	----	----	1	----	151 +
6900	----	----	----	5.441B/4.694A	5.441B/4.694A	----			4.753 - 0.643	.4912	----	----	----	----	2
7000	----	----	----	5.041B/4.344A	5.041B/4.344A	----			4.398 - 0.630	.4641	----	----	----	----	272
7050	4.382	4.382		4.861B/4.182A	4.861B/4.182A	----			4.232 - NEW	.4509	----	----	1	+	1
7100	----	----	----	4.701B/4.024A	4.701B/4.024A	----			4.075 - 0.601	.4381	----	----	----	----	18
7300	----	----	----	4.081B/3.469A	4.081B/3.469A	----			3.509 - 0.542	.3896	----	----	----	----	10
7400	----	----	----	3.801B/3.216A	3.801B/3.216A	----			3.259 - 0.517	.3671	----	----	----	----	1
7425	----	----	----	----/3.161A	3.687B/3.161A	----			3.199 - 0.510	.3617	----	----	----	----	1
7475	3.320	3.320		3.320/3.049A	3.554B/3.049A	----			3.083 - 0.495	.3510	----	----	5	----	30 -
7500	----	----	----	3.516B/2.986A	3.516B/2.986A	----			3.027 - 0.487	.3458	----	----	----	----	33
7550	----	----	----	3.402B/2.878A	3.402B/2.878A	----			2.918 - 0.474	.3355	----	----	----	----	4
7575	----	----	----	3.345B/2.831A	3.345B/2.831A	----			2.864 - 0.470	.3305	----	----	----	----	1
7600	----	----	----	3.313B/2.774A	3.313B/2.774A	----			2.812 - 0.465	.3255	----	----	----	----	2
7650	----	----	----	----/2.676A	3.148B/2.676A	----			2.712 - 0.455	.3158	----	----	----	----	6
7675	----	----	----	----/2.633A	3.091B/2.633A	----			2.663 - 0.451	.3111	----	----	----	----	4
7700	----	----	----	3.079B/2.590A	3.079B/2.590A	----			2.615 - 0.447	.3064	----	----	----	----	4
7800	----	----	----	2.885B/2.405A	2.885B/2.405A	----			2.435 - 0.428	.2885	----	----	----	----	12
7900	----	----	----	2.682B/2.244A	2.682B/2.244A	----			2.271 - 0.405	.2717	----	----	----	----	9
8000	----	----	----	2.508B/2.099A	2.508B/2.099A	----			2.119 - 0.381	.2560	----	----	----	----	305
8100	----	----	----	----/1.959A											

BULLETIN #181@				METALS OPTION PRODUCTS							Mon, Sep 21, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS															
FEB27																
9200	----	----	----	----/1.461A	1.704B/1.461A	----	----	1.473 - 0.252	.1643	----	----	----	----	89	UNCH	
9500	1.435	1.435		1.435/1.269A	1.464B/1.269A	----	----	1.276 - 0.224	.1438	----	----	1	----	34 +	1	
10000	----	----	----	----/1.020A	1.182B/1.020A	----	----	1.018 - 0.188	.1163	----	----	6	----	112	UNCH	
10200	----	----	----	----/0.943A	1.085B/0.943A	----	----	0.936 - 0.175	.1073	----	----	----	----	83	UNCH	
10225	----	----	----	----/0.939A	1.072B/0.939A	----	----	0.926 - 0.174	.1062	----	----	----	----	10	UNCH	
10500	----	----	----	----/0.837A	0.960B/0.837A	----	----	0.830 - 0.158	.0955	----	----	----	----	4	UNCH	
11000	----	----	----	----/0.700A	0.794B/0.700A	----	----	0.689 - 0.134	.0796	----	----	----	----	14	UNCH	
11100	----	----	----	----/0.679A	0.766B/0.679A	----	----	0.666 - 0.129	.0769	----	----	----	----	1	UNCH	
11500	----	----	----	----/0.597A	0.664B/0.597A	----	----	0.583 - 0.113	.0673	----	----	----	----	2	UNCH	
11700	----	----	----	----/0.566A	0.611B/0.566A	----	----	0.548 - 0.106	.0633	----	----	----	----	6	UNCH	
12000	----	----	----	----/0.519A	0.566B/0.519A	----	----	0.501 - 0.096	.0578	----	----	----	----	20	UNCH	
12400	----	----	----	----/0.465A	0.468B/0.465A	----	----	0.449 - 0.084	.0516	----	----	----	----	4	UNCH	
12500	----	----	----	----/0.453A	0.455B/0.453A	----	----	0.437 - 0.082	.0502	----	----	----	----	66	UNCH	
12950	----	----	----	----/0.405A	0.404B/0.405A	----	----	0.390 - 0.071	.0446	----	----	----	----	1	UNCH	
12975	----	----	----	----/0.404A	0.402B/0.404A	----	----	0.387 - 0.071	.0442	----	----	----	----	3	UNCH	
25000	----	----	----		0.051B/0.085A	----	----	0.067 - 0.014	.0069	----	----	----	----	2	UNCH	
30000	----	----	----		0.027B/0.063A	----	----	0.043 - 0.011	.0043	----	----	----	----	56	UNCH	
TOTAL												36	0	1963 +	29	
MAR27																
6000	----	----	----	----/10.756A	11.289B/10.756A	----	----	10.632 - 0.795	.7180	----	----	----	----	1	UNCH	
6175	----	----	----	----/9.519A	10.360B/9.519A	----	----	9.610 - 0.777	.6784	----	----	----	----	1	UNCH	
6300	----	----	----	----/8.847A	9.664B/8.847A	----	----	8.935 - 0.761	.6496	----	----	----	----	10	UNCH	
6400	----	----	----	----/8.351A	9.136B/8.351A	----	----	8.427 - 0.747	.6264	----	----	----	----	1	UNCH	
6500	----	----	----	----/7.871A	8.640B/7.871A	----	----	7.948 - 0.731	.6032	----	----	----	----	14	UNCH	
6775	----	----	----	----/6.718A	7.434B/6.718A	----	----	6.770 - 0.680	.5408	----	----	----	----	1	UNCH	
7000	----	----	----	----/5.895A	6.561B/5.895A	----	----	5.946 - 0.635	.4924	----	----	----	----	175	UNCH	
7100	----	----	----	6.241B/5.564A	6.241B/5.564A	----	----	5.617 - 0.614	.4719	----	----	----	----	1	UNCH	
7225	----	----	----	5.839B/5.192A	5.839B/5.192A	----	----	5.235 - 0.588	.4473	----	----	----	----	12	UNCH	
7400	----	----	----	5.355B/4.702A	5.355B/4.702A	----	----	4.749 - 0.553	.4146	----	----	----	----	3	UNCH	
7475	----	----	----	5.140B/4.521A	5.140B/4.521A	----	----	4.557 - 0.538	.4013	----	----	----	----	1	UNCH	
7500	4.408	4.408		5.061B/4.396A	5.061B/4.396A	----	----	4.495 - 0.533	.3969	----	10	----	----	100	UNCH	
7550	----	----	----	----/4.332A	4.865B/4.332A	----	----	4.375 - 0.522	.3884	----	----	----	----	2	UNCH	
7600	----	----	----	4.781B/4.214A	4.781B/4.214A	----	----	4.257 - 0.514	.3800	----	----	----	----	2	UNCH	
7700	----	----	----	4.580B/3.993A	4.580B/3.993A	----	----	4.034 - 0.495	.3637	----	----	----	----	8	UNCH	
7725	----	----	----	4.481B/3.949A	4.481B/3.949A	----	----	3.980 - 0.491	.3598	----	----	----	----	10	UNCH	
7750	----	----	----	4.421B/3.888A	4.421B/3.888A	----	----	3.928 - 0.485	.3559	----	----	----	----	1	UNCH	
7800	----	----	----	4.340B/3.788A	4.340B/3.788A	----	----	3.824 - 0.477	.3481	----	----	----	----	1	UNCH	
7900	----	----	----	4.123B/3.594A	4.123B/3.594A	----	----	3.627 - 0.460	.3332	----	----	----	----	6	UNCH	
7950	----	----	----	----/3.501A	3.972B/3.501A	----	----	3.533 - 0.451	.3260	----	----	----	----	1	UNCH	
8000	----	----	----	----/3.412A	3.835B/3.412A	----	----	3.441 - 0.444	.3190	----	----	----	----	246	UNCH	
8050	----	----	----	----/3.326A	3.744B/3.326A	----	----	3.353 - 0.436	.3121	----	----	----	----	1	UNCH	
8125	----	----	----	----/3.202A	3.633B/3.202A	----	----	3.225 - 0.424	.3020	----	----	----	----	1	UNCH	
8300	----	----	----	----/2.933A	3.336B/2.933A	----	----	2.949 - 0.400	.2799	----	----	----	----	1	UNCH	
8500	----	----	----	----/2.662A	3.027B/2.662A	----	----	2.672 - 0.371	.2570	----	----	----	----	18	UNCH	
8600	----	----	----	----/2.540A	2.870B/2.540A	----	----	2.546 - 0.358	.2464	----	----	----	----	1	UNCH	
8650	----	----	----	----/2.481A	2.819B/2.481A	----	----	2.486 - 0.352	.2412	----	----	----	----	10	UNCH	
8700	----	----	----	----/2.424A	2.740B/2.424A	----	----	2.428 - 0.345	.2363	----	----	----	----	1	UNCH	
8775	----	----	----	----/2.341A	2.660B/2.341A	----	----	2.344 - 0.336	.2290	----	----	----	----	3	UNCH	
8800	----	----	----	----/2.312A	2.629B/2.312A	----	----	2.318 - 0.332	.2267	----	----	----	----	9	UNCH	
9000	----	----	----	2.442B/2.117A	2.442B/2.117A	----	----	2.117 - 0.309	.2090	----	----	----	----	781	UNCH	
9200	----	----	----	2.230B/1.934A	2.230B/1.934A	----	----	1.939 - 0.288	.1929	----	----	----	----	26	UNCH	
9500	----	----	----	----/1.701A	1.965B/1.701A	----	----	1.710 - 0.259	.1718	----	----	----	----	52	UNCH	
9675	----	----	----	----/1.595A	1.828B/1.595A	----	----	1.593 - 0.244	.1609	----	----	----	----	1	UNCH	
9700	----	----	----	----/1.567A	1.813B/1.567A	----	----	1.578 - 0.241	.1594	----	----	----	----	87	UNCH	
9800	----	----	----	----/1.506A	1.738B/1.506A	----	----	1.516 - 0.234	.1536	----	----	----	----	311	UNCH	
10000	1.600	1.600		1.600/1.397A	1.607B/1.397A	----	----	1.403 - 0.219	.1428	----	3	----	----	457 +	2	
10300	----	----	----	----/1.249A	1.417B/1.249A	----	----	1.254 - 0.199	.1284	----	----	----	----	28	UNCH	
10500	----	----	----	----/1.166A	1.313B/1.166A	----	----	1.165 - 0.188	.1198	----	----	----	----	35	UNCH	
10825	----	----	----	----/1.051A	1.183B/1.051A	----	----	1.039 - 0.171	.1074	----	----	----	----	23	UNCH	
11000	----	----	----	----/0.986A	1.110B/0.986A	----	----	0.979 - 0.163	.1014	----	----	----	----	212	UNCH	
11500	----	----	----	----/0.847A	0.945B/0.847A	----	----	0.834 - 0.143	.0868	----	----	----	----	22	UNCH	
12000	0.801	0.801		0.801/0.734A	0.817B/0.734A	----	----	0.722 - 0.126	.0752	----	2	----	----	217 +	2	
12500	----	----	----	----/0.649A	0.708B/0.649A	----	----	0.635 - 0.111	.0661	----	----	----	----	2	UNCH	
12650	----	----	----	----/0.624A	0.682B/0.624A	----	----	0.612 - 0.107	.0636	----	----	----	----	5	UNCH	
13000	----	----	----	----/0.577A	0.615B/0.577A	----	----	0.563 - 0.098	.0585	----	1	----	----	355 +	1	
14000	----	----	----	----/0.466A	0.471B/0.466A	----	----	0.449 - 0.079	.0465	----	1	----	----	172 +	1	
15000	----	----	----	----/0.392A	0.391B/0.392A	----	----	0.369 - 0.065	.0379	----	----	----	----	107	UNCH	
16000	----	----	----	----/0.339A	0.315B/0.339A	----	----	0.313 - 0.054	.0319	----	----	----	----	22	UNCH	
17000	----	----	----	----/0.297A	0.267B/0.297A	----	----	0.270 - 0.045	.0272	----	----	----	----	8	UNCH	
18000	----	----	----	----/0.264A	0.228B/0.264A	----	----	0.236 - 0.038	.0236	----	----	----	----	1	UNCH	
20000	----	----	----		0.181B/0.215A	----	----	0.186 - 0.029	.0183	----	----	----	----	15	UNCH	
21000	----	----	----													

PG64	BULLETIN #181@				METALS OPTION PRODUCTS						Mon, Sep 21, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL															
COMEX SILVER OPTIONS															
JUN27															
11000	----	----	----	---/2.202A	2.320B/2.202A	----		2.161 - 0.219	.1704	----	----	----	----	155	UNCH
12000	----	----	----	---/1.736A	1.809B/1.736A	----		1.705 - 0.183	.1359	----	----	----	----	6	UNCH
12500	----	----	----	---/1.563A	1.614B/1.563A	----		1.528 - 0.168	.1223	----	----	----	----	10	UNCH
13000	----	----	----	---/1.414A	1.449B/1.414A	----		1.365 - 0.154	.1099	----	----	----	----	6	UNCH
13075	----	----	----	---/1.394A	1.426B/1.394A	----		1.343 - 0.152	.1082	----	----	----	----	1	UNCH
TOTAL													0	558	0
JUL27															
2000	----	----	----	----	----	----		48.497 - 0.742	.9936	----	----	----	----	1	UNCH
6800	----	----	----	---/9.878A	10.296B/9.878A	----		9.816 - 0.581	.5777	----	----	----	----	1	UNCH
6900	----	----	----	---/9.504A	9.906B/9.504A	----		9.441 - 0.563	.5618	----	----	----	----	1	UNCH
7000	----	----	----	---/9.152A	9.516B/9.152A	----		9.081 - 0.549	.5463	----	----	----	----	25	UNCH
7800	----	----	----	---/6.635A	7.025B/6.635A	----		6.694 - 0.489	.4343	----	----	----	----	1	UNCH
7900	----	----	----	---/6.404A	6.901B/6.404A	----		6.446 - 0.485	.4218	----	----	----	----	1	UNCH
7950	----	----	----	---/6.440A	6.650B/6.440A	----		6.326 - 0.483	.4157	----	----	----	----	1	UNCH
10000	----	----	----	---/3.280A	3.550B/3.280A	----		3.259 - 0.315	.2369	----	----	----	----	3	UNCH
10100	----	----	----	---/3.190A	3.451B/3.190A	----		3.173 - 0.303	.2312	----	----	----	----	2	UNCH
10300	----	----	----	---/3.137A	3.267B/3.137A	----		3.005 - 0.287	.2201	----	----	----	----	1	UNCH
10500	----	----	----	---/2.979A	2.965B/2.979A	----		2.846 - 0.277	.2096	----	----	----	----	1	UNCH
10700	----	----	----	---/2.836A	2.808B/2.836A	----		2.699 - 0.267	.1997	----	----	----	----	1	UNCH
11000	----	----	----	---/2.638A	2.592B/2.638A	----		2.501 - 0.250	.1862	----	----	----	----	2	UNCH
11100	----	----	----	---/2.577A	2.525B/2.577A	----		2.440 - 0.244	.1820	----	----	----	----	2	UNCH
12000	----	----	----	---/2.113A	2.024B/2.113A	----		1.992 - 0.207	.1503	----	----	----	----	2	UNCH
12100	----	----	----	---/2.070A	1.977B/2.070A	----		1.951 - 0.204	.1473	----	----	----	----	6	UNCH
13000	----	----	----	---/1.734A	1.618B/1.734A	----		1.642 - 0.178	.1245	----	----	----	----	2	UNCH
13100	----	----	----	---/1.702A	1.584B/1.702A	----		1.613 - 0.176	.1224	----	----	----	----	6	UNCH
TOTAL													0	59	0
AUG27															
7500	----	----	----	---/8.400A	8.642B/8.400A	----		8.224 - 0.579	.4902	----	----	----	----	8	UNCH
8500	----	----	----	---/6.072A	6.183B/6.072A	----		5.894 - 0.472	.3761	----	----	----	----	8	UNCH
TOTAL													0	16	0
SEP27	----	----	----	---/6.555A	6.664B/6.555A	----		6.375 - 0.468	.3881	----	----	----	----	25	UNCH
TOTAL													0	25	0
DEC27	----	----	----	----	----	----		30.749 - 0.689	.9206	----	----	----	----	1	UNCH
4000	----	----	----	----	----	----		11.905 - 0.454	.5681	----	----	----	----	80	UNCH
7175	----	----	----	----	----	----		2.099 - 0.118	.1159	----	----	----	----	25	UNCH
20000	----	----	----	----	----	----				----	----	----	----	0	106
TOTAL													0	106	0
MAR28	----	----	----	----	----	----		14.431 - 0.476	.6171	----	----	----	----	1	UNCH
6900	----	----	----	----	----	----				----	----	----	----	1	UNCH
TOTAL													0	1	0
SO PUT															
COMEX SILVER OPTIONS															
OCT26															
2150	----	----	----	----	---/0.088A	----		0.001	UNCH	----	----	----	----	2	UNCH
2500	----	----	----	----	---/0.088A	----		0.001	UNCH	----	----	----	----	1	UNCH
2675	----	----	----	----	---/0.088A	----		0.001	UNCH	----	----	----	----	8	UNCH
2800	----	----	----	----	---/0.088A	----		0.001	UNCH	----	----	----	----	1	UNCH
3000	----	----	----	----	---/0.005A	----		0.001	UNCH	----	----	----	----	9	UNCH
3200	----	----	----	----	---/0.088A	----		0.001	UNCH	----	----	----	----	1	UNCH
3250	----	----	----	----	---/0.088A	----		0.001	UNCH	----	----	----	----	1	UNCH
3500	----	----	----	----	---/0.005A	----		0.001	UNCH	----	----	----	----	7	UNCH
3600	----	----	----	----	---/0.007A	----		0.001	UNCH	----	----	----	----	1	UNCH
3650	----	----	----	----	---/0.088A	----		0.001	UNCH	----	----	----	----	2	UNCH
3800	----	----	----	----	---/0.088A	----		0.001	UNCH	----	----	----	----	1	UNCH
3975	----	----	----	----	---/0.088A	----		0.001	UNCH	----	----	----	----	1	UNCH
4000	----	----	----	----	---/0.010A	----		0.001	UNCH	----	----	----	----	89	UNCH
4100	----	----	----	----	---/0.088A	----		0.001	UNCH	----	----	----	----	7	UNCH
4175	----	----	----	----	---/0.088A	----		0.001	UNCH	----	----	----	----	1	UNCH
4200	----	----	----	----	---/0.088A	----		0.001	UNCH	----	----	----	----	2	UNCH
4225	----	----	----	----	---/0.088A	----		0.001	UNCH	----	----	----	----	1	UNCH
4250	----	----	----	----	---/0.011A	----		0.001	UNCH	----	----	----	----	3	UNCH
4275	----	----	----	----	---/0.088A	----		0.001	UNCH	----	----	----	----	9	UNCH
4300	----	----	----	----	---/0.088A	----		0.001	UNCH	----	----	----	----	22	UNCH
4325	----	----	----	----	---/0.088A	----		0.001	UNCH	----	----	----	----	1	UNCH
4350	----	----	----	----	---/0.088A	----		0.001	UNCH	----	----	----	----	1	UNCH
4375	----	----	----	----	---/0.088A	----		0.001	UNCH	----	----	----	----	1	UNCH
4400	----	----	----	----	---/0.010A	----		0.001	UNCH	----	----	----	----	13	UNCH
4495	----	----	----	----	---/0.009A	----		0.001	UNCH	----	----	----	----	6	UNCH
4500	----	----	----	----	---/0.009A	----		0.001	UNCH	----	----	----	----	345	UNCH
4550	----	----	----	----	---/0.007A	----		0.001	UNCH	----	----	----	----	15	UNCH
4575	----	----	----	----	---/0.009A	----		0.001	UNCH	----	----	----	----	1	UNCH
4600	----	----	----	----	---/0.009A	----		0.001	UNCH	----	----	----	----	21	UNCH
4650	----	----	----	----	---/0.009A	----		0.001	UNCH	----	----	----	----	13	UNCH
4675	----	----	----	----	---/0.009A	----		0.001	UNCH	----	----	----	----	7	UNCH
4700	----	----	----	----	---/0.009A	----		0.001	UNCH	----	----	----	----	18	UNCH
4725	----	----	----	----	---/0.009A	----		0.001	UNCH	----	----	----	----	6	UNCH
4750	----	----	----	----	---/0.009A	----		0.001	UNCH	----	----	----	----	8	UNCH
4775	----	----	----	----	---/0.009A	----		0.001	UNCH	----	----	----	----	2	UNCH
4800	----	----	----	----	---/0.009A	----		0.001	UNCH	----	----	----	----	44	UNCH
4825	----	----	----	----	---/0.009A	----		0.001	UNCH	----	----	----	----	9	UNCH
4850	----	----	----	----	---/0.009A	----		0.001	UNCH	----	----	----	----	4	UNCH
4875	----	----	----	----	---/0.009A	----		0.001	UNCH	----	----	----	----	20	UNCH
4900	----	----	----	----	---/0.009A	----		0.001	UNCH	----	----	----	----	185	UNCH
4925	----	----	----	----	---/0.009A	----		0.001	UNCH	----	----	----	----	40	UNCH
4950	----	----	----	----	---/0.009A	----		0.001	UNCH	----	----	----	----	8	UNCH



BULLETIN #181@				METALS OPTION PRODUCTS							Mon, Sep 21, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SO PUT	COMEX SILVER OPTIONS														
OCT26															
6075	----	----	----/0.028A	0.033B/0.028A	----	0.024 - 0.025	.0099	----	----	1	----	39	UNCH		
6100	0.045	0.045	0.045/0.025	0.045/0.025	----	0.027 - 0.028	.0116	----	----	24	----	239 -	14		
6125	----	----	----/0.033A	0.045B/0.033A	----	0.030 - 0.032	.0134	----	----	----	----	102	UNCH		
6140	----	----	----/0.035A	0.050B/0.035A	----	0.033 - 0.033	.0151	----	----	----	----	1	UNCH		
6150	----	----	----/0.036A	0.053B/0.036A	----	0.035 - 0.034	.0163	----	----	2	----	110 +	1		
6170	----	----	----/0.040A	0.059B/0.040A	----	0.039 - 0.037	.0187	----	----	----	----	3	UNCH		
6175	----	----	----/0.041A	0.061B/0.041A	----	0.040 - 0.038	.0193	----	1	----	----	590	UNCH		
6200	0.074	0.074	0.075/0.040	0.075/0.040	----	0.046 - 0.042	.0231	----	22	----	----	482 +	5		
6225	0.070	0.070	0.070/0.051A	0.083B/0.051A	----	0.053 - 0.046	.0277	----	2	----	----	22 +	2		
6250	0.090	0.090	0.095/0.053	0.095/0.053	----	0.062 - 0.049	.0335	----	12	----	----	132 +	8		
6275	----	----	----/0.064A	0.120B/0.064A	----	0.072 - 0.054	.0403	----	----	----	----	14	UNCH		
6300	0.119	0.119	0.146B/0.073A	0.146B/0.073A	----	0.084 - 0.058	.0487	----	29	----	----	545 +	4		
6320	0.115	0.115	0.159B/0.082A	0.159B/0.082A	----	0.096	NEW .0570	----	2	----	----	1 +	1		
6325	----	----	0.164B/0.084A	0.164B/0.084A	----	0.099 - 0.062	.0591	----	2	----	----	68	UNCH		
6340	0.162	0.162	0.181B/0.091A	0.181B/0.091A	----	0.110	NEW .0667	----	3	----	----	3 +	3		
6350	0.170	0.170	0.190B/0.100A	0.190B/0.100A	----	0.117 - 0.066	.0718	----	19	----	----	57 +	7		
6375	0.150	0.150	0.222B/0.116A	0.222B/0.116A	----	0.139 - 0.070	.0873	----	4	----	----	32 -	2		
6400	0.246	0.246	0.260B/0.131A	0.260B/0.131A	----	0.166 - 0.072	.1063	----	32	----	----	150 +	2		
6425	0.249	0.249	0.304B/0.154A	0.304B/0.154A	----	0.198 - 0.074	.1287	----	8	----	----	51	UNCH		
6450	0.340	0.340	0.355B/0.184A	0.355B/0.184A	----	0.237 - 0.073	.1554	----	6	----	----	26	UNCH		
6475	0.228	0.228	0.415B/0.218A	0.415B/0.218A	----	0.286 - 0.067	.1874	----	3	----	----	16	UNCH		
6480	0.264	0.264	0.429B/0.226A	0.429B/0.226A	----	0.297	NEW .1944	----	5	----	----	5 +	5		
6500	0.301	0.301	0.488B/0.259	0.488B/0.259	----	0.344 - 0.058	.2239	----	----	175	140	580 +	92		
6510	0.454	0.454	0.519B/0.280A	0.519B/0.280A	----	0.370	NEW .2398	----	17	----	----	15 +	15		
6525	0.449	0.449	0.567B/0.305A	0.567B/0.305A	----	0.412 - 0.045	.2648	----	2	----	----	55 +	1		
6540	0.400	0.400	0.617B/0.335A	0.617B/0.335A	----	0.457	NEW .2910	----	2	----	----	2 +	2		
6550	0.530	0.530	0.655B/0.356A	0.655B/0.356A	----	0.490 - 0.029	.3093	----	14	----	----	46 +	9		
6570	0.413	0.413	0.734B/0.403A	0.734B/0.403A	----	0.561	NEW .3475	----	2	----	----	2 +	2		
6575	0.700	0.700	0.755B/0.415A	0.755B/0.415A	----	0.580 - 0.009	.3573	----	5	----	----	71 +	1		
6580	0.575	0.575	0.776B/0.428A	0.776B/0.428A	----	0.599	NEW .3672	----	1	----	----	1 +	1		
6590	0.575	0.575	0.820B/0.455A	0.820B/0.455A	----	0.639	NEW .3873	----	3	----	----	3 +	3		
6600	0.793	0.793	0.866B/0.482A	0.866B/0.482A	----	0.682 + 0.013	.4078	----	24	----	----	211 +	4		
6610	----	----	0.914B/0.512A	0.914B/0.512A	----	0.727 + 0.023	.4285	----	----	----	----	1	UNCH		
6625	0.779	0.779	0.992B/0.559A	0.992B/0.559A	----	0.798 + 0.040	.4598	----	1	----	----	60 +	1		
6630	0.808	0.808	1.015B/0.578A	1.015B/0.578A	----	0.823 + 0.046	.4702	----	5	----	----	4	UNCH		
6640	0.947	0.947	1.069B/0.612A	1.069B/0.612A	----	0.874	NEW .4911	----	1	----	----	1 +	1		
6650	0.683	0.683	1.122B/0.648A	1.122B/0.648A	----	0.927 + 0.072	.5119	----	23	----	----	55 -	1		
6660	1.021	1.021	1.177B/0.684A	1.177B/0.684A	----	0.982	NEW .5325	----	1	----	----	1 +	1		
6670	0.974	0.974	1.237B/0.721A	1.237B/0.721A	----	1.039	NEW .5529	----	4	----	----	3 +	3		
6675	0.940	0.940	1.263B/0.746A	1.263B/0.746A	----	1.068 + 0.108	.5630	----	8	----	----	31 +	6		
6690	1.079	1.079	1.344B/0.806A	1.344B/0.806A	----	1.159	NEW .5928	----	1	----	----	0	UNCH		
6700	1.300	1.300	1.405B/0.854A	1.405B/0.854A	----	1.221 + 0.145	.6123	----	7	----	----	197 +	2		
6710	1.010	1.010	1.470B/0.896A	1.470B/0.896A	----	1.285	NEW .6313	----	5	----	----	3 +	3		
6720	1.005	1.005	1.537B/0.944A	1.537B/0.944A	----	1.350	NEW .6500	----	1	----	----	1 +	1		
6725	1.029	1.029	1.572B/0.968A	1.572B/0.968A	----	1.383 + 0.179	.6590	----	1	----	----	38	UNCH		
6730	1.053	1.053	1.606B/0.980A	1.606B/0.980A	----	1.417	NEW .6681	----	2	----	----	2 +	2		
6750	1.155	1.155	1.747B/1.099A	1.747B/1.099A	----	1.556 + 0.212	.7029	----	5	----	----	115 -	4		
6760	1.485	1.485	1.821B/1.154A	1.821B/1.154A	----	1.627	NEW .7193	----	1	----	----	1 +	1		
6775	1.350	1.350	1.930B/1.239A	1.930B/1.239A	----	1.738 + 0.245	.7431	----	2	----	----	38	UNCH		
6800	1.600	1.600	2.122B/1.390A	2.122B/1.390A	----	1.929 + 0.278	.7795	----	1	----	----	143 +	1		
6825	----	----	2.321B/1.553A	2.321B/1.553A	----	2.128 + 0.314	.8120	----	----	----	----	32	UNCH		
6850	----	----	2.528B/1.727A	2.528B/1.727A	----	2.335 + 0.351	.8399	----	1	----	----	62	UNCH		
6860	1.853	1.853	2.612B/1.794A	2.612B/1.794A	----	2.420	NEW .8504	----	1	----	----	1 +	1		
6875	----	----	2.739B/1.899A	2.739B/1.899A	----	2.549 + 0.388	.8646	----	----	----	----	9	UNCH		
6900	----	----	2.956B/2.076A	2.956B/2.076A	----	2.768 + 0.423	.8852	----	----	----	----	91	UNCH		
6925	----	----	3.174B/2.262A	3.174B/2.262A	----	2.993 + 0.457	.9026	----	----	----	----	40	UNCH		
6950	----	----	3.399B/2.456A	3.399B/2.456A	----	3.223 + 0.489	.9168	----	1	----	----	34 -	1		
6975	----	----	3.640B/2.654A	3.640B/2.654A	----	3.456 + 0.516	.9288	----	----	----	----	18	UNCH		
7000	----	----	3.867B/2.855A	3.867B/2.855A	----	3.692 + 0.538	.9387	----	1	----	----	167	UNCH		
7025	----	----	4.109B/3.065A	4.109B/3.065A	----	3.929 + 0.560	.9475	----	----	----	----	26	UNCH		
7050	----	----	4.342B/3.277A	4.342B/3.277A	----	4.171 + 0.582	.9535	----	----	----	----	12	UNCH		
7075	4.353	4.353	4.580B/3.497A	4.580B/3.497A	----	4.413 + 0.601	.9591	----	20	----	----	11 +	4		
7100	----	----	4.815B/3.723A	4.815B/3.723A	----	4.656 + 0.618	.9639	----	----	----	----	27	UNCH		
7125	----	----	5.069B/3.948A	5.069B/3.948A	----	4.901 + 0.633	.9676	----	----	----	----	7	UNCH		
7150	----	----	5.301B/4.179A	5.301B/4.179A	----	5.145 + 0.644	.9714	----	----	----	----	3	UNCH		
7175	----	----	5.557B/4.415A	5.557B/4.415A	----	5.388 + 0.651	.9753	----	----	----	----	17	UNCH		
7200	----	----	5.801B/4.651A	5.801B/4.651A	----	5.635 + 0.659	.9775	----	----	----	----	11	UNCH		
7225	----	----	6.048B/4.888A	6.048B/4.888A	----	5.883 + 0.667	.9791	----	----	----	----	92	UNCH		
7250	----	----	6.285B/5.126A	6.285B/5.126A	----	6.132 + 0.675	.9802	----	----	----	----	3	UNCH		
7275	----	----	6.470B/5.366A	6.470B/5.366A	----	6.381 + 0.681	.9813	----	----	----	----	2	UNCH		
7300	----	----	6.715B/5.608A	6.715B/5.608A	----	6.629 + 0.685	.9822	----	1	----	----	11	UNCH		
7325	----														

	BULLETIN #181@				METALS OPTION PRODUCTS				Mon, Sep 21, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO PUT	COMEX SILVER OPTIONS													
NOV26														
5625	----	----	----/0.273A	0.324B/0.273A	----	0.281 -	0.059 .0722	----	----	----	----	1	UNCH	
5650	----	----	----/0.289A	0.351B/0.289A	----	0.297 -	0.062 .0762	----	----	2	----	16 -	1	
5675	----	----	----/0.307A	0.375B/0.307A	----	0.316 -	0.064 .0807	----	----	----	----	38	UNCH	
5700	0.389	0.389	0.389/0.325A	0.397B/0.325A	----	0.338 -	0.064 .0858	----	6	6	----	309 +	1	
5725	----	----	0.432B/0.339A	0.432B/0.339A	----	0.361 -	0.064 .0910	----	1	1	----	12	UNCH	
5750	0.435	0.435	0.462B/0.361A	0.462B/0.361A	----	0.386 -	0.064 .0966	----	2	2	----	11	UNCH	
5775	----	----	0.491B/0.393A	0.491B/0.393A	----	0.411 -	0.066 .1023	----	2	2	----	44 +	2	
5800	0.465	0.465	0.521B/0.405	0.521B/0.405	----	0.435 -	0.072 .1078	----	24	24	----	165 +	7	
5825	----	----	0.554B/0.436A	0.554B/0.436A	----	0.462 -	0.076 .1139	----	----	----	----	2	UNCH	
5850	0.468	0.468	0.590B/0.465A	0.590B/0.465A	----	0.493 -	0.077 .1205	----	2	2	----	8 +	1	
5875	----	----	0.628B/0.495A	0.628B/0.495A	----	0.527 -	0.077 .1277	----	----	----	----	158	UNCH	
5900	----	----	0.670B/0.529A	0.670B/0.529A	----	0.562 -	0.078 .1350	----	----	----	----	197	UNCH	
5925	----	----	0.710B/0.562A	0.710B/0.562A	----	0.600 -	0.078 .1427	----	1	1	----	5	UNCH	
5950	----	----	0.755B/0.595A	0.755B/0.595A	----	0.639 -	0.079 .1506	----	1	1	----	39	UNCH	
5975	0.755	0.755	0.801B/0.638A	0.801B/0.638A	----	0.681 -	0.080 .1590	----	1	1	----	39	UNCH	
6000	0.816	0.816	0.851B/0.671	0.851B/0.671	----	0.726 -	0.080 .1677	----	65	65	----	403 -	7	
6025	----	----	0.907B/0.717A	0.907B/0.717A	----	0.774 -	0.079 .1768	----	----	----	----	13	UNCH	
6050	----	----	0.965B/0.766A	0.965B/0.766A	----	0.825 -	0.077 .1863	----	1	1	----	23 +	1	
6075	----	----	1.023B/0.814A	1.023B/0.814A	----	0.879 -	0.075 .1961	----	----	----	----	9	UNCH	
6100	1.035	1.035	1.085B/0.865A	1.085B/0.865A	----	0.936 -	0.073 .2062	----	17	17	----	44 +	4	
6125	----	----	1.150B/0.922A	1.150B/0.922A	----	0.996 -	0.071 .2166	----	----	----	----	5	UNCH	
6150	----	----	1.219B/0.980A	1.219B/0.980A	----	1.058 -	0.070 .2273	----	1	1	----	5 +	1	
6175	----	----	1.290B/1.043A	1.290B/1.043A	----	1.124 -	0.068 .2383	----	----	----	----	10	UNCH	
6200	----	----	1.363B/1.106A	1.363B/1.106A	----	1.193 -	0.067 .2496	----	3	3	40	105 +	25	
6225	----	----	1.439B/1.177A	1.439B/1.177A	----	1.266 -	0.064 .2612	----	1	1	----	8	UNCH	
6250	----	----	1.525B/1.247A	1.525B/1.247A	----	1.344 -	0.059 .2731	----	----	----	----	18	UNCH	
6275	----	----	1.607B/1.322A	1.607B/1.322A	----	1.426 -	0.053 .2853	----	----	----	----	23	UNCH	
6300	1.510	1.510	1.702B/1.398A	1.702B/1.398A	----	1.511 -	0.047 .2977	----	10	10	----	59 +	3	
6325	----	----	1.792B/1.484A	1.792B/1.484A	----	1.598 -	0.043 .3102	----	----	----	----	3	UNCH	
6350	----	----	1.889B/1.570A	1.889B/1.570A	----	1.687 -	0.041 .3228	----	1	1	----	13 +	1	
6375	1.920	1.920	1.987B/1.660A	1.987B/1.660A	----	1.781 -	0.037 .3356	----	2	2	----	23 +	2	
6400	1.954	1.954	2.088B/1.746A	2.088B/1.746A	----	1.881 -	0.030 .3487	----	4	4	----	61 -	1	
6425	----	----	2.199B/1.843A	2.199B/1.843A	----	1.986 -	0.020 .3619	----	----	----	----	3	UNCH	
6450	1.968	1.968	2.309B/1.940A	2.309B/1.940A	----	2.095 -	0.010 .3752	----	2	2	----	16 +	1	
6475	----	----	2.423B/2.040A	2.423B/2.040A	----	2.207	UNCH .3885	----	3	3	----	15 +	3	
6500	2.189	2.189	2.541B/2.139A	2.541B/2.139A	----	2.321 +	0.007 .4019	----	19	19	----	348 +	7	
6525	----	----	2.666B/2.245A	2.666B/2.245A	----	2.439 -	0.015 .4153	----	----	----	----	1	UNCH	
6550	2.561	2.561	2.787B/2.355A	2.787B/2.355A	----	2.560 +	0.023 .4286	----	1	1	----	4 -	1	
6575	2.500	2.500	2.920B/2.469A	2.920B/2.469A	----	2.685 +	0.031 .4420	----	1	1	----	14	UNCH	
6600	----	----	3.045B/2.584A	3.045B/2.584A	----	2.814 +	0.040 .4553	----	----	----	----	49	UNCH	
6625	----	----	3.187B/2.704A	3.187B/2.704A	----	2.946 +	0.048 .4686	----	----	----	----	13	UNCH	
6650	3.065	3.065	3.322B/2.824A	3.322B/2.824A	----	3.083 +	0.058 .4818	----	29	29	----	30 +	12	
6675	3.060	3.060	3.469B/2.950A	3.469B/2.950A	----	3.223 +	0.068 .4950	----	14	14	----	38 +	12	
6700	3.333	3.333	3.614B/3.076A	3.614B/3.076A	----	3.367 +	0.079 .5080	----	8	8	----	117 +	7	
6725	3.396	3.396	3.763B/3.209A	3.763B/3.209A	----	3.515 +	0.091 .5208	----	8	8	----	82 +	5	
6750	3.468	3.468	3.915B/3.350A	3.915B/3.350A	----	3.667 +	0.104 .5335	----	7	7	----	66 +	3	
6775	3.764	3.764	4.070B/3.488A	4.070B/3.488A	----	3.821 +	0.115 .5461	----	1	1	----	19	UNCH	
6800	4.140	4.140	4.227B/3.627A	4.227B/3.627A	----	3.979 +	0.128 .5584	----	45	45	----	152 +	31	
6825	----	----	4.389B/3.777A	4.389B/3.777A	----	4.139 +	0.139 .5707	----	----	----	----	2	UNCH	
6850	----	----	4.549B/3.925A	4.549B/3.925A	----	4.303 +	0.152 .5827	----	----	----	----	6	UNCH	
6875	----	----	4.720B/4.077A	4.720B/4.077A	----	4.469 +	0.162 .5945	----	----	----	----	1	UNCH	
6900	----	----	4.890B/4.232A	4.890B/4.232A	----	4.639 +	0.173 .6061	----	----	----	----	24	UNCH	
6925	----	----	5.040B/4.387A	5.040B/4.387A	----	4.812 +	0.184 .6174	----	----	----	----	1	UNCH	
6950	----	----	5.219B/4.550A	5.219B/4.550A	----	4.988 +	0.195 .6285	----	----	----	----	9	UNCH	
6975	----	----	5.389B/4.710A	5.389B/4.710A	----	5.167 +	0.206 .6394	----	----	----	----	6	UNCH	
7000	5.378	5.378	5.576B/4.876A	5.576B/4.876A	----	5.348 +	0.218 .6501	----	2	2	----	78 -	1	
7025	----	----	5.760B/5.039A	5.760B/5.039A	----	5.530 +	0.230 .6606	----	----	----	----	7	UNCH	
7050	----	----	5.936B/5.220A	5.936B/5.220A	----	5.714 +	0.241 .6709	----	----	----	----	82	UNCH	
7075	----	----	6.128B/5.415A	6.128B/5.415A	----	5.902 +	0.253 .6808	----	----	----	----	1	UNCH	
7100	----	----	6.320B/5.586A	6.320B/5.586A	----	6.094 +	0.265 .6905	----	----	----	----	4	UNCH	
7125	----	----	6.512B/5.776A	6.512B/5.776A	----	6.286 +	0.275 .7000	----	----	----	----	1	UNCH	
7150	----	----	6.704B/5.947A	6.704B/5.947A	----	6.479 +	0.283 .7094	----	----	----	----	2	UNCH	
7175	----	----	6.893B/6.137A	6.893B/6.137A	----	6.676 +	0.295 .7183	----	----	----	----	1	UNCH	
7200	----	----	7.090B/6.318A	7.090B/6.318A	----	6.877 +	0.309 .7270	----	----	----	----	2	UNCH	
7225	----	----	7.291B/6.516A	7.291B/6.516A	----	7.078 +	0.320 .7355	----	----	----	----	2	UNCH	
7275	----	----	7.695B/6.902A	7.695B/6.902A	----	7.484 +	0.341 .7519	----	----	----	----	1	UNCH	
7300	----	----	7.899B/7.083A	7.899B/7.083A	----	7.691 +	0.352 .7597	----	----	----	----	4	UNCH	
7400	----	----	8.733B/7.878A	8.733B/7.878A	----	8.533 +	0.391 .7887	----	----	----	----	25	UNCH	
7500	----	----	9.591B/8.702A	9.591B/8.702A	----	9.397 +	0.426 .8144	----	----	----	----	22	UNCH	
7525	----	----	9.809B/8.909A	9.809B/8.909A	----	9.618 +	0.437 .8202	----	----	----				

BULLETIN #181@				METALS OPTION PRODUCTS										Mon, Sep 21, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
SO PUT	COMEX SILVER OPTIONS															
DEC26																
5500	0.663	0.663	0.690B/0.588A	0.690B/0.588A	----	0.614 -	0.066 .1074	----	----	22	----	637 +	1			
5550	----	----	0.759B/0.644A	0.759B/0.644A	----	0.674 -	0.072 .1166	----	----	----	----	4	UNCH			
5575	----	----	0.795B/0.676A	0.795B/0.676A	----	0.707 -	0.074 .1216	----	----	----	----	174	UNCH			
5600	----	----	0.833B/0.707A	0.833B/0.707A	----	0.741 -	0.077 .1267	----	----	----	----	159	UNCH			
5625	----	----	0.874B/0.744A	0.874B/0.744A	----	0.777 -	0.079 .1320	----	----	----	----	2	UNCH			
5650	----	----	0.916B/0.778A	0.916B/0.778A	----	0.816 -	0.079 .1376	----	----	----	----	29	UNCH			
5675	----	----	0.960B/0.818A	0.960B/0.818A	----	0.856 -	0.080 .1433	----	----	----	----	2	UNCH			
5700	0.858	0.858	1.005B/0.857A	1.005B/0.857A	----	0.899 -	0.080 .1493	----	2	----	----	121 +	1			
5725	----	----	1.055B/0.899A	1.055B/0.899A	----	0.943 -	0.081 .1554	----	----	----	----	106	UNCH			
5750	----	----	1.104B/0.942A	1.104B/0.942A	----	0.990 -	0.080 .1617	----	----	----	----	173	UNCH			
5775	----	----	1.158B/0.989A	1.158B/0.989A	----	1.038 -	0.080 .1682	----	----	----	----	9	UNCH			
5800	----	----	1.211B/1.039A	1.211B/1.039A	----	1.088 -	0.080 .1748	----	5	----	----	213	UNCH			
5825	----	----	1.272B/1.088A	1.272B/1.088A	----	1.140 -	0.081 .1816	----	----	----	----	1	UNCH			
5850	1.186	1.186	1.331B/1.136A	1.331B/1.136A	----	1.195 -	0.080 .1886	----	8	----	----	13 +	5			
5875	----	----	1.392B/1.192A	1.392B/1.192A	----	1.252 -	0.079 .1958	----	----	----	----	7	UNCH			
5900	1.321	1.321	1.455B/1.247A	1.455B/1.247A	----	1.311 -	0.079 .2031	----	24	----	----	182 +	11			
5925	----	----	1.522B/1.308A	1.522B/1.308A	----	1.373 -	0.077 .2107	----	----	----	----	2	UNCH			
5950	----	----	1.590B/1.369A	1.590B/1.369A	----	1.438 -	0.075 .2184	----	----	----	----	8	UNCH			
5975	----	----	1.657B/1.433A	1.657B/1.433A	----	1.505 -	0.074 .2262	----	----	----	----	1	UNCH			
6000	1.630	1.630	1.735B/1.497A	1.735B/1.497A	----	1.574 -	0.072 .2342	----	70	----	----	519 +	8			
6025	----	----	1.808B/1.565A	1.808B/1.565A	----	1.646 -	0.070 .2424	----	----	----	----	63	UNCH			
6050	----	----	1.888B/1.639A	1.888B/1.639A	----	1.721 -	0.068 .2507	----	----	----	----	2	UNCH			
6075	----	----	1.967B/1.715A	1.967B/1.715A	----	1.799 -	0.065 .2591	----	----	----	----	2	UNCH			
6100	----	----	2.054B/1.791A	2.054B/1.791A	----	1.879 -	0.062 .2677	----	----	----	----	31	UNCH			
6150	----	----	2.227B/1.951A	2.227B/1.951A	----	2.048 -	0.056 .2851	----	----	----	----	5	UNCH			
6175	----	----	2.323B/2.036A	2.323B/2.036A	----	2.137 -	0.051 .2940	----	----	----	----	1	UNCH			
6200	2.290	2.290	2.417B/2.117A	2.417B/2.117A	----	2.229 -	0.047 .3030	----	1	----	----	60 +	1			
6275	----	----	2.713B/2.402A	2.713B/2.402A	----	2.520 -	0.033 .3304	----	----	----	----	5	UNCH			
6300	----	----	2.820B/2.498A	2.820B/2.498A	----	2.623 -	0.028 .3397	----	----	----	----	89	UNCH			
6325	----	----	2.929B/2.601A	2.929B/2.601A	----	2.729 -	0.022 .3490	----	----	----	----	3	UNCH			
6350	----	----	3.039B/2.701A	3.039B/2.701A	----	2.837 -	0.017 .3584	----	----	----	----	50	UNCH			
6375	----	----	3.152B/2.802A	3.152B/2.802A	----	2.948 -	0.011 .3678	----	----	----	----	4	UNCH			
6400	----	----	3.268B/2.906A	3.268B/2.906A	----	3.063 -	0.004 .3772	----	----	----	----	28	UNCH			
6425	----	----	3.389B/3.011A	3.389B/3.011A	----	3.179 +	0.002 .3866	----	----	----	----	9	UNCH			
6450	3.306	3.306	3.511B/3.121A	3.511B/3.121A	----	3.299 +	0.009 .3960	----	4	----	----	14	UNCH			
6475	----	----	3.635B/3.234A	3.635B/3.234A	----	3.421 +	0.015 .4055	----	----	----	----	3	UNCH			
6500	----	----	3.763B/3.349A	3.763B/3.349A	----	3.546 +	0.022 .4149	----	----	----	----	940	UNCH			
6525	----	----	3.891B/3.467A	3.891B/3.467A	----	3.674 +	0.030 .4243	----	----	----	----	4	UNCH			
6550	3.811	3.811	4.027B/3.588A	4.027B/3.588A	----	3.804 +	0.036 .4337	----	8	----	----	17 +	8			
6575	----	----	4.157B/3.710A	4.157B/3.710A	----	3.937 +	0.044 .4430	----	----	----	----	1	UNCH			
6600	----	----	4.293B/3.835A	4.293B/3.835A	----	4.073 +	0.052 .4524	----	----	----	----	94	UNCH			
6625	----	----	4.435B/3.964A	4.435B/3.964A	----	4.210 +	0.058 .4616	----	----	----	----	33	UNCH			
6650	4.374	4.374	4.572B/4.095A	4.572B/4.095A	----	4.351 +	0.066 .4709	----	1	----	----	20 +	1			
6675	4.472	4.472	4.721B/4.226A	4.721B/4.226A	----	4.494 +	0.073 .4800	----	1	----	----	1 +	1			
6700	4.446	4.446	4.865B/4.362A	4.865B/4.362A	----	4.639 +	0.080 .4891	----	3	----	----	38	UNCH			
6725	----	----	5.017B/4.499A	5.017B/4.499A	----	4.786 +	0.087 .4981	----	----	----	----	5	UNCH			
6750	----	----	5.168B/4.635A	5.168B/4.635A	----	4.936 +	0.094 .5071	----	----	----	----	7	UNCH			
6775	4.872	4.872	5.318B/4.783A	5.318B/4.783A	----	5.088 +	0.100 .5160	----	2	----	----	2 -	1			
6800	4.938	4.938	5.477B/4.920A	5.477B/4.920A	----	5.243 +	0.107 .5248	----	3	----	----	147	UNCH			
6825	5.084	5.084	5.631B/5.072A	5.631B/5.072A	----	5.400	NEW .5335	----	1	----	----	1 +	1			
6850	----	----	5.795B/5.224A	5.795B/5.224A	----	5.559 +	0.119 .5421	----	----	----	----	78	UNCH			
6875	----	----	5.951B/5.374A	5.951B/5.374A	----	5.721 +	0.125 .5506	----	----	----	----	2	UNCH			
6900	----	----	6.122B/5.528A	6.122B/5.528A	----	5.885 +	0.132 .5590	----	----	----	----	20	UNCH			
6950	----	----	6.451B/5.832A	6.451B/5.832A	----	6.218 +	0.146 .5755	----	----	----	----	24	UNCH			
7000	----	----	6.799B/6.155A	6.799B/6.155A	----	6.560 +	0.163 .5916	----	2	----	----	253	UNCH			
7050	----	----	7.149B/6.496A	7.149B/6.496A	----	6.912 +	0.181 .6072	----	----	----	----	1	UNCH			
7075	----	----	7.326B/6.649A	7.326B/6.649A	----	7.091 +	0.190 .6148	----	----	----	----	21	UNCH			
7100	----	----	7.500B/6.820A	7.500B/6.820A	----	7.271 +	0.197 .6223	----	----	----	----	5	UNCH			
7200	----	----	8.226B/7.523A	8.226B/7.523A	----	8.005 +	0.224 .6513	----	----	----	----	14	UNCH			
7225	----	----	8.406B/7.714A	8.406B/7.714A	----	8.193 +	0.231 .6583	----	----	----	----	2	UNCH			
7250	----	----	8.602B/7.884A	8.602B/7.884A	----	8.383 +	0.239 .6651	----	----	----	----	49	UNCH			
7300	----	----	8.976B/8.284A	8.976B/8.284A	----	8.769 +	0.255 .6783	----	----	----	----	3	UNCH			
7425	----	----	9.962B/9.216A	9.962B/9.216A	----	9.756 +	0.294 .7095	----	----	----	----	1	UNCH			
7500	----	----	10.552B/9.810A	10.552B/9.810A	----	10.363 +	0.315 .7269	----	----	----	----	33	UNCH			
7550	----	----	10.960B/10.206A	10.960B/10.206A	----	10.773 +	0.329 .7380	----	----	----	----	2	UNCH			
7600	----	----	11.373B/10.611A	11.373B/10.611A	----	11.187 +	0.341 .7486	----	----	----	----	2	UNCH			
7700	----	----	12.210B/11.424A	12.210B/11.424A	----	12.029 +	0.367 .7687	----	----	----	----	14	UNCH			
7750	----	----	12.635B/11.836A	12.635B/11.836A	----	12.456 +	0.379 .7782	----	----	----	----	6	UNCH			
7800	----	----	13.063B/12.254A	13.063B/12.254A	----	12.888 +	0.392 .7871	----	----	----	----	21	UNCH			
7850	----	----	13.495B/12.676A	13.495B/12.676A	----	13.322 +	0.403 .7958	----	----	----	----	12	UNCH			
7875	----	----	13.712B/12.889A	13.712B/12.889A	----	13.541 +	0.410 .8000	----	----	----	----	1	UNCH			
7900	----	----	13.930B/13.													



BULLETIN #181@				METALS OPTION PRODUCTS								Mon, Sep 21, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO PUT	COMEX SILVER OPTIONS																
JAN27																	
7000	----	----	----	7.316B/6.759A	7.316B/6.759A	----	7.098	+	0.104	.5356	----	----	----	----	20	UNCH	
7100	----	----	----	7.981B/7.379A	7.981B/7.379A	----	7.767	+	0.134	.5616	----	----	----	----	27	UNCH	
7125	----	----	----	8.114B/7.619A	8.114B/7.619A	----	7.939	+	0.143	.5679	----	----	----	----	1	UNCH	
7175	----	----	----	8.475B/7.950A	8.475B/7.950A	----	8.287	+	0.159	.5804	----	----	----	----	1	UNCH	
7200	----	----	----	8.684B/8.039A	8.684B/8.039A	----	8.464	+	0.167	.5864	----	----	----	----	1	UNCH	
7350	----	----	----	9.684B/9.165A	9.684B/9.165A	----	9.553	+	0.205	.6215	----	----	----	----	1	UNCH	
8600	----	----	----	19.987B/19.477A	19.987B/19.477A	----	20.010	+	0.458	.8197	----	----	----	----	1	UNCH	
8850	----	----	----	22.255B/21.727A	22.255B/21.727A	----	22.293	+	0.495	.8433	----	----	----	----	9	UNCH	
TOTAL													18	0	1037	+	
FEB27																	
3475	----	----	----		0.067B/0.101A	----	0.067	-	0.013	.0088	----	----	----	----	1	UNCH	
4000	----	----	----	-----/0.186A	0.156B/0.186A	----	0.164	-	0.025	.0212	----	----	----	----	1	UNCH	
5000	----	----	----	-----/0.716A	0.725B/0.716A	----	0.705	-	0.074	.0856	----	----	----	----	17	UNCH	
5100	----	----	----	-----/0.819A	0.843B/0.819A	----	0.817	-	0.080	.0976	----	----	----	----	1	UNCH	
5200	----	----	----	-----/0.935A	0.991B/0.935A	----	0.947	-	0.084	.1110	----	----	----	----	1	UNCH	
5225	----	----	----	-----/0.977A	1.034B/0.977A	----	0.983	-	0.085	.1146	----	----	----	----	5	UNCH	
5275	----	----	----	-----/1.040A	1.129B/1.040A	----	1.057	-	0.088	.1220	----	----	----	----	20	UNCH	
5300	----	----	----	-----/1.090A	1.154B/1.090A	----	1.097	-	0.088	.1259	----	----	----	----	1	UNCH	
5400	----	----	----	-----/1.256A	1.357B/1.256A	----	1.268	-	0.091	.1423	----	----	----	----	3	UNCH	
5500	1.575	1.575		1.575/1.434A	1.575/1.434A	----	1.462	-	NEW	.1600	----	----	2	----	1	+	
5600	----	----	----	-----/1.648A	1.767B/1.648A	----	1.682	-	0.092	.1792	----	----	----	----	7	UNCH	
5700	----	----	----	2.020B/1.888A	2.020B/1.888A	----	1.929	-	0.090	.1998	----	----	----	----	1	UNCH	
5725	----	----	----	-----/1.952A	2.081B/1.952A	----	1.995	-	0.090	.2051	----	----	----	----	1	UNCH	
5800	----	----	----	2.295B/2.155A	2.295B/2.155A	----	2.205	-	0.086	.2216	----	----	----	----	10	UNCH	
5875	----	----	----	2.522B/2.373A	2.522B/2.373A	----	2.431	-	0.082	.2386	----	----	----	----	10	UNCH	
6000	----	----	----	2.949B/2.777A	2.949B/2.777A	----	2.848	-	0.070	.2683	----	----	----	----	1	UNCH	
6200	----	----	----	3.711B/3.523A	3.711B/3.523A	----	3.617	-	0.046	.3182	----	----	----	----	1	UNCH	
6400	----	----	----	4.665B/4.391A	4.665B/4.391A	----	4.512	-	0.015	.3696	----	----	----	----	1	UNCH	
6500	----	----	----	5.130B/4.865A	5.130B/4.865A	----	5.007	+	0.003	.3954	----	----	----	----	21	UNCH	
6600	----	----	----	5.665B/5.354A	5.665B/5.354A	----	5.531	+	0.022	.4212	----	----	5	----	6	+	
6700	----	----	----	6.209B/5.893A	6.209B/5.893A	----	6.086	+	0.043	.4466	----	----	----	----	11	UNCH	
6825	----	----	----	7.012B/6.606A	7.012B/6.606A	----	6.818	+	0.069	.4777	----	----	----	----	5	UNCH	
7000	----	----	----	8.061B/7.647A	8.061B/7.647A	----	7.914	+	0.107	.5194	----	----	----	----	5	UNCH	
7225	----	----	----	9.553B/9.119A	9.553B/9.119A	----	9.434	+	0.158	.5696	----	----	----	----	1	UNCH	
7250	----	----	----	9.729B/9.279A	9.729B/9.279A	----	9.609	+	0.163	.5748	----	----	----	----	1	UNCH	
7400	----	----	----	10.802B/10.335A	10.802B/10.335A	----	10.692	+	0.197	.6054	----	----	----	----	2	UNCH	
7575	----	----	----	12.113B/11.615A	12.113B/11.615A	----	12.008	+	0.233	.6385	----	----	----	----	20	UNCH	
8075	----	----	----	15.948B/15.520A	15.948B/15.520A	----	16.024	+	0.327	.7186	----	----	----	----	5	UNCH	
8150	----	----	----	16.570B/16.200A	16.570B/16.200A	----	16.653	+	0.339	.7289	----	----	----	----	10	UNCH	
8225	----	----	----	17.198B/16.933A	17.198B/16.933A	----	17.288	+	0.352	.7387	----	----	----	----	10	UNCH	
8250	----	----	----	17.409B/17.142A	17.409B/17.142A	----	17.501	+	0.356	.7420	----	----	----	----	10	UNCH	
TOTAL													7	0	190	+	
MAR27																	
4000	----	----	----	-----/0.272A	0.238B/0.272A	----	0.256	-	0.031	.0291	----	----	----	----	299	UNCH	
4300	----	----	----	-----/0.395A	0.370B/0.395A	----	0.379	-	0.042	.0429	----	----	----	----	5	UNCH	
4500	----	----	----	-----/0.513A	0.496B/0.513A	----	0.496	-	0.050	.0554	----	----	----	----	39	UNCH	
4800	----	----	----	-----/0.764A	0.759B/0.764A	----	0.749	-	0.064	.0810	----	----	----	----	5	UNCH	
4900	----	----	----	-----/0.873A	0.891B/0.873A	----	0.859	-	0.069	.0916	----	----	----	----	1	UNCH	
5000	----	----	----	-----/0.984A	1.040B/0.984A	----	0.985	-	0.074	.1033	----	----	----	----	55	UNCH	
5050	----	----	----	-----/1.052A	1.109B/1.052A	----	1.054	-	0.076	.1095	----	----	----	----	9	UNCH	
5075	----	----	----	-----/1.088A	1.138B/1.088A	----	1.091	-	0.077	.1128	----	----	----	----	1	UNCH	
5100	----	----	----	-----/1.124A	1.184B/1.124A	----	1.128	-	0.078	.1161	----	----	----	----	2	UNCH	
5150	----	----	----	-----/1.199A	1.266B/1.199A	----	1.207	-	0.080	.1230	----	----	----	----	6	UNCH	
5200	----	----	----	-----/1.283A	1.348B/1.283A	----	1.291	-	0.081	.1302	----	----	----	----	1	UNCH	
5300	----	----	----	-----/1.460A	1.547B/1.460A	----	1.474	-	0.083	.1455	----	----	----	----	2	UNCH	
5350	----	----	----	-----/1.554A	1.642B/1.554A	----	1.573	-	0.085	.1535	----	----	----	----	8	UNCH	
5400	----	----	----	-----/1.658A	1.759B/1.658A	----	1.679	-	0.085	.1619	----	----	----	----	23	UNCH	
5425	----	----	----	-----/1.711A	1.806B/1.711A	----	1.733	-	0.086	.1662	----	----	----	----	2	UNCH	
5500	1.896	1.896		1.896/1.881A	1.988B/1.881A	----	1.907	-	0.086	.1795	----	----	65	65	595	-	
5600	----	----	----	-----/2.126A	2.234B/2.126A	----	2.161	-	0.085	.1981	----	----	----	----	9	UNCH	
5700	----	----	----	-----/2.400A	2.521B/2.400A	----	2.441	-	0.083	.2177	----	----	----	----	3	UNCH	
5800	----	----	----	2.831B/2.698A	2.831B/2.698A	----	2.748	-	0.079	.2383	----	----	----	----	2	UNCH	
6000	----	----	----	3.541B/3.380A	3.541B/3.380A	----	3.447	-	0.065	.2815	----	----	----	----	89	UNCH	
6100	----	----	----	3.944B/3.763A	3.944B/3.763A	----	3.839	-	0.057	.3040	----	----	----	----	1	UNCH	
6450	----	----	----	5.568B/5.323A	5.568B/5.323A	----	5.443	-	0.009	.3847	----	----	----	----	1	UNCH	
6500	----	----	----	5.856B/5.567A	5.856B/5.567A	----	5.701	-	UNCH	.3963	----	----	----	----	20	UNCH	
6800	----	----	----	7.601B/7.195A	7.601B/7.195A	----	7.386	+	0.055	.4643	----	----	----	----	1	UNCH	
6825	----	----	----	7.651B/7.342A	7.651B/7.342A	----	7.537	+	0.060	.4697	----	----	----	----	2	UNCH	
6850	----	----	----	7.804B/7.478A	7.804B/7.478A	----	7.689	+	0.065								

PG64	BULLETIN #181@										METALS OPTION PRODUCTS										Mon, Sep 21, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST											
COMEX SILVER OPTIONS																									
SO PUT																									
JUL27																									
5500	----	----		----/3.353A	3.457B/3.353A	----		3.320 - 0.170	.2086	----	----	----	----	50				UNCH							
6500	----	----			7.539B/7.632A	----		7.626 + 0.076	.3724	----	----	----	----	1				UNCH							
6900	----	----		9.960B/9.759A	9.960B/9.759A	----		9.933 + 0.163	.4374	----	----	----	----	100				UNCH							
7000	----	----		10.603B/10.295A	10.603B/10.295A	----		10.551 + 0.177	.4529	----	----	----	----	25				UNCH							
TOTAL														0				176	0						
DEC27																									
7175	----	----		----	----	----		13.597 + 0.257	.4308	----	----	----	----	25				UNCH							
TOTAL														0				25	0						
DEC28																									
7175	----	----		----	----	----		16.350 + 0.197	.3652	----	----	----	----	40				UNCH							
TOTAL														0				40	0						
SILVER OPTIONS																									
SO1 CALL																									
OCT26																									
6100	----	----		6.621B/5.500A	6.621B/5.500A	----		5.609 - 0.792	.9149	----	----	----	----	5				UNCH							
6400	----	----		4.014B/3.021A	4.014B/3.021A	----		3.098 - 0.774	.7432	----	----	----	----	1				UNCH							
6450	----	----		3.630B/2.683A	3.630B/2.683A	----		2.748 - 0.758	.6997	----	----	----	----	2				UNCH							
6650	----	----		2.318B/1.548A	2.318B/1.548A	----		1.604 - 0.650	.5032	----	----	----	----	8				UNCH							
6700	----	----		2.110B/1.340A	2.110B/1.340A	----		1.385 - 0.612	.4534	----	----	----	----	5				UNCH							
6750	----	----		1.825B/1.157A	1.825B/1.157A	----		1.192 - 0.570	.4054	----	----	----	----	5				UNCH							
6900	----	----		1.236B/0.732A	1.236B/0.732A	----		0.754 - 0.436	.2796	----	----	----	----	5				UNCH							
7050	----	----		----/0.466A	0.792B/0.466A	----		0.476 - 0.316	.1861	----	----	----	----	2				UNCH							
7200	0.320	0.320		0.320/0.302A	0.529B/0.302A	----		0.304 - 0.227	.1221	----	----	1	----	10 +				1							
7250	----	----		----/0.268A	0.459B/0.268A	----		0.264 - 0.203	.1064	----	----	----	----	2				UNCH							
7400	----	----		----/0.181A	0.306B/0.181A	----		0.179 - 0.148	.0717	----	----	----	----	4				UNCH							
7600	----	----		----/0.142A	0.186B/0.142A	----		0.122 - 0.095	.0467	----	----	----	----	1				UNCH							
TOTAL													1	0				50 +	1						
SO1 PUT																									
OCT26																									
5400	----	----			0.013B/0.041A	----		0.015 - 0.014	.0057	----	----	----	----	6				UNCH							
5500	----	----			0.018B/0.047A	----		0.022 - 0.017	.0086	----	----	----	----	1				UNCH							
5600	----	----			0.031B/0.055A	----		0.031 - 0.022	.0124	----	----	----	----	12				UNCH							
5800	----	----		----/0.079A	0.069B/0.079A	----		0.064 - 0.034	.0268	----	----	----	----	10				UNCH							
5950	----	----		----/0.121A	0.126B/0.121A	----		0.111 - 0.047	.0475	----	----	----	----	1				UNCH							
6000	----	----		----/0.140A	0.144B/0.140A	----		0.135 - 0.051	.0578	----	----	----	----	6				UNCH							
6050	----	----		----/0.168A	0.185B/0.168A	----		0.164 - 0.055	.0702	----	----	----	----	20				UNCH							
6100	----	----		----/0.188A	0.241B/0.188A	----		0.199 - 0.060	.0850	----	----	----	----	7				UNCH							
6200	----	----		0.366B/0.270A	0.366B/0.270A	----		0.300 - 0.064	.1253	----	----	----	----	24				UNCH							
6250	----	----		0.438B/0.331A	0.438B/0.331A	----		0.369 - 0.064	.1514	----	----	----	----	18				UNCH							
6300	----	----		0.549B/0.406A	0.549B/0.406A	----		0.454 - 0.061	.1818	----	----	----	----	12				UNCH							
6350	----	----		0.657B/0.491A	0.657B/0.491A	----		0.559 - 0.053	.2171	----	----	----	----	5				UNCH							
6500	----	----		1.153B/0.861A	1.153B/0.861A	----		1.009 - 0.005	.3469	----	----	----	----	2				UNCH							
6950	----	----		3.859B/3.185A	3.859B/3.185A	----		3.728 - NEW	.7552	----	----	3	----	3 +				3							
7100	----	----		5.113B/4.315A	5.113B/4.315A	----		4.989 + 0.451	.8381	----	----	----	----	4				UNCH							
TOTAL													3	0				131 +	3						
SO2 CALL																									
OCT26																									
6650	----	----		----/1.999A	2.671B/1.999A	----		2.065 - 0.654	.5088	----	----	----	----	38				UNCH							
6750	----	----		----/1.598A	2.191B/1.598A	----		1.650 - 0.588	.4333	----	----	----	----	30				UNCH							
6900	----	----		----/1.135A	1.611B/1.135A	----		1.167 - 0.484	.3313	----	----	----	----	1				UNCH							
6950	----	----		----/1.010A	1.447B/1.010A	----		1.038 - 0.450	.3012	----	----	----	----	3				UNCH							
7000	0.906	0.906		0.906/0.903A	1.291B/0.903A	----		0.923 - 0.419	.2732	----	----	2	----	17 +				2							
7100	0.701	0.701		1.097B/0.701	1.097B/0.701	----		0.732 - NEW	.2238	----	----	10	----	10 +				10							
7300	----	----		----/0.461A	0.684B/0.461A	----		0.467 - 0.258	.1490	----	----	----	----	5				UNCH							
7400	----	----		----/0.373A	0.554B/0.373A	----		0.377 - 0.218	.1218	----	----	----	----	2				UNCH							
TOTAL													12	0				106 +	12						
SO2 PUT																									
OCT26																									
5500	----	----		----/0.081A	0.055B/0.081A	----		0.065 - 0.024	.0224	----	----	----	----	1				UNCH							
5600	----	----		----/0.095A	0.073B/0.095A	----		0.085 - NEW	.0296	----	----	2	----	2 +				2							
5750	----	----		----/0.140A	0.124B/0.140A	----		0.129 - 0.043	.0456	----	----	----	----	3				UNCH							
5950	----	----		----/0.231A	0.256B/0.231A	----		0.239 - NEW	.0836	----	----	2	----	2 +				2							
6200	----	----		----/0.499A	0.598B/0.499A	----		0.552 - 0.071	.1778	----	----	----	----	3				UNCH							
6700	----	----		2.604B/2.144A	2.604B/2.144A	----		2.431 + 0.110	.5294	----	----	----	----	1				UNCH							
TOTAL													4	0				12 +	4						
SILVER OPTIONS																									
SO3 CALL																									
SEP26																									
6280	----	----		----	----	----		4.349	UNCH	----	----	----	----	0				UNCH							
6300	----	----		----	----	----		4.149	UNCH	----	----	----	----	0				UNCH							
6340	----	----		----	----	----		3.749	UNCH	----	----	----	----	0				UNCH							
6370	----	----		----	----	----</																			

BULLETIN #181@										METALS OPTION PRODUCTS				Mon, Sep 21, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
S03 PUT	SILVER OPTIONS															
SEP26																
6620	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6650	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6670	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6680	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6700	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6710	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
6720	----	----	----	----	----	0.051	UNCH	----	----	----	----	0	UNCH			
6730	----	----	----	----	----	0.151	UNCH	----	----	----	----	0	UNCH			
6750	----	----	----	----	----	0.351	UNCH	----	----	----	----	0	UNCH			
6800	----	----	----	----	----	0.851	UNCH	----	----	----	----	0	UNCH			
7000	----	----	----	----	----	2.851	UNCH	----	----	----	----	0	UNCH			
7050	----	----	----	----	----	3.351	UNCH	----	----	----	----	0	UNCH			
TOTAL											0	0	0			
OCT26																
6100	0.595	0.595	0.669B/0.589A	0.669B/0.589A	----	0.622	NEW	.1699	----	15	----	15 +	15			
6600	----	----	----	2.401B/2.099A	----	2.309	NEW	.4546	----	5	----	5 +	5			
6650	2.576	2.576	2.576/2.576	2.671B/2.339A	----	2.575	NEW	.4867	----	6	----	6 +	6			
6700	2.821	2.821	2.821/2.821	2.956B/2.594A	----	2.858	NEW	.5183	----	20	----	20 +	20			
TOTAL										46	0	46 +	46			
S04 CALL	SILVER OPTIONS															
SEP26																
6330	3.501	3.501	3.501/3.150A	4.326B/3.150A	----	3.273	NEW	.9075	----	1	----	1 +	1			
6400	----	----	3.695B/2.546A	3.695B/2.546A	----	2.661	-	0.794	.8547	----	----	7	UNCH			
6500	----	----	2.849B/1.774A	2.849B/1.774A	----	1.874	-	0.775	.7387	----	----	3	UNCH			
6550	----	----	2.461B/1.447A	2.461B/1.447A	----	1.533	-	0.751	.6630	----	----	2	UNCH			
6600	----	----	2.101B/1.158A	2.101B/1.158A	----	1.233	-	0.715	.5792	----	----	2	UNCH			
6650	1.393	1.393	1.756B/0.916A	1.756B/0.916A	----	0.978	NEW	.4920	----	1	----	1 +	1			
6700	1.100	1.100	1.488B/0.715A	1.488B/0.715A	----	0.766	NEW	.4069	----	9	----	9 +	9			
6710	0.983	0.983	0.983/0.681A	1.435B/0.681A	----	0.729	NEW	.3906	----	3	----	3 +	3			
6800	0.564	0.564	1.001B/0.423	1.001B/0.423	----	0.461	-	0.467	.2606	6	----	8 +	3			
6850	----	----	0.811B/0.332A	0.811B/0.332A	----	0.356	-	0.399	.2035	----	----	5	UNCH			
6900	----	----	0.647B/0.258A	0.647B/0.258A	----	0.275	-	0.336	.1572	----	----	2	UNCH			
6950	0.190	0.190	0.519B/0.190	0.519B/0.190	----	0.213	-	0.281	.1207	10	----	15 +	7			
7000	0.305	0.305	0.412B/0.158A	0.412B/0.158A	----	0.167	-	0.232	.0928	11	----	25 +	6			
7050	----	----	0.325B/0.132A	0.325B/0.132A	----	0.133	-	0.191	.0719	----	----	1	UNCH			
7100	0.160	0.160	0.160/0.109A	0.259B/0.109A	----	0.109	-	0.156	.0569	1	----	7 -	1			
7150	----	----	-----/0.093A	0.209B/0.093A	----	0.092	-	0.127	.0460	----	----	1	UNCH			
7290	0.080	0.080	0.080/0.067A	0.106B/0.067A	----	0.064	NEW	.0281	----	1	----	1 +	1			
7300	----	----	-----/0.066A	0.104B/0.066A	----	0.063	-	0.069	.0274	----	----	1	UNCH			
7350	----	----	-----/0.060A	0.092B/0.060A	----	0.057	-	0.058	.0237	----	----	5	UNCH			
7500	----	----	-----/0.056A	0.061B/0.056A	----	0.044	-	0.040	.0161	----	----	2	UNCH			
8000	----	----	-----/0.039A	0.027B/0.039A	----	0.022	-	0.030	.0057	----	----	1	UNCH			
TOTAL										43	0	102 +	30			
S04 PUT	SILVER OPTIONS															
SEP26																
5500	----	----	----	-----/0.015A	----	0.002	-	0.004	.0005	----	----	3	UNCH			
5700	----	----	----	0.003B/0.020A	----	0.006	-	0.009	.0019	----	----	1	UNCH			
5800	----	----	----	0.007B/0.024A	----	0.011	-	0.011	.0038	----	----	1	UNCH			
5900	----	----	-----/0.029A	0.019B/0.029A	----	0.020	-	0.014	.0078	----	----	1	UNCH			
5950	----	----	-----/0.034A	0.026B/0.034A	----	0.024	-	0.018	.0099	----	----	1	UNCH			
6000	0.045	0.045	0.045/0.037A	0.045/0.037A	----	0.029	-	0.022	.0126	1	----	3	UNCH			
6050	----	----	-----/0.042A	0.046B/0.042A	----	0.036	-	0.027	.0165	----	----	1	UNCH			
6100	----	----	-----/0.048A	0.060B/0.048A	----	0.045	-	0.032	.0218	----	----	14	UNCH			
6150	----	----	-----/0.061A	0.078B/0.061A	----	0.057	-	0.039	.0291	----	----	2	UNCH			
6200	----	----	-----/0.072A	0.097B/0.072A	----	0.074	-	0.046	.0396	----	----	6	UNCH			
6250	----	----	-----/0.091A	0.141B/0.091A	----	0.098	-	0.052	.0546	----	----	4	UNCH			
6300	0.190	0.190	0.190/0.118A	0.190/0.118A	----	0.132	-	0.058	.0758	2	----	5 +	2			
6500	0.600	0.600	0.600/0.359A	0.600/0.359A	----	0.460	-	0.042	.2612	1	----	2 +	1			
6600	0.755	0.755	0.991B/0.612A	0.991B/0.612A	----	0.819	+	0.019	.4207	2	----	21	UNCH			
6650	----	----	1.245B/0.791A	1.245B/0.791A	----	1.063	+	0.068	.5079	----	----	1	UNCH			
6680	1.082	1.082	1.082/1.082	1.427B/0.915A	----	1.230	NEW	.5595	----	1	----	1 +	1			
6690	1.132	1.132	1.132/1.132	1.483B/0.959A	----	1.290	NEW	.5764	----	8	----	8 +	8			
6700	1.187	1.187	1.533B/1.005A	1.533B/1.005A	----	1.351	NEW	.5930	----	2	----	2 +	2			
6710	1.242	1.242	1.242/1.242	1.582B/1.051A	----	1.413	NEW	.6093	----	3	----	3 +	3			
6720	1.167	1.167	1.167/1.167	1.647B/1.100A	----	1.478	NEW	.6253	----	1	----	1 +	1			
6750	----	----	1.847B/1.244A	1.847B/1.244A	----	1.680	+	0.196	.6711	----	----	1	UNCH			
7050	----	----	4.372B/3.383A	4.372B/3.383A	----	4.217	+	0.544	.9280	----	----	1	UNCH			
TOTAL										21	0	83 +	18			
SWW WED	SILVER WEEKLY WEDNESDAY OPTION WEEK															
SEP26																
5400	----	----	----	-----/0.013A	----	0.001	-	0.001	-----	----	----	1	UNCH			
5800	----	----	-----/0.057A	0.036B/0.057A	----	0.042	-	0.025	.0184	----	----	5	UNCH			
5800	----	----	----	-----/0.013A	----	0.001	-	0.007	.0000	----	----	1	UNCH			
5950	----	----	----	-----/0.016A	----	0.002	-	0.014	.0003	----	----	2	UNCH			
6000	----	----	-----/0.016A	-----/0.016A	----	0.004	-	0.017	.0007	----	----	1	UNCH			
6010	----	----	-----/0.016A	-----/0.016A	----	0.004	-	0.018	.0007	----	----	1	UNCH			
6050	----	----	-----/0.017A	0.001B/0.017A	----	0.006	-	0.020	.0013	----	----	3	UNCH			
6100	----	----	-----/0.019A	0.013B/0.019A	----	0.009	-	0.024	.0024	----	----	18	UNCH			
6150	----	----	-----/0.023A	0.021B/0.023A	----	0.013	-	0.028	.0041	----	----	4	UNCH			
6160	----	----	-----/0.025A	0.023B/0.025A	----	0.014	-	0.029	.0045	----	----	1	UNCH			
6200	----	----	-----/0.180A	0.242B/0.180A	----	0.190	-	0.068	.0931	----	----	2	UNCH			
6200	----	----	-----/0.028A	0.032B/0.028A	----	0.020	-	0.033	.0073	----	----	6	UNCH			
6220	----	----	-----/0.027A	0.037B/0.027A	----	0.023	-	0.035	.0089	----	----	1	UNCH			
6250	----	----	-----/0.031A	0.047B/0.031A	----	0.028	-	0.040	.0119	----	----	5	UNCH			
6300	----	----	-----/0.039A	0.062B/0.039A	----	0.038	-	0.051	.0187	----	----	12	UNCH			
6300	----	----	0.383B/0.280A	0.383B/0.280A	----	0.306	-	0.072	.1461	----	----	25	UNCH			
6300	----	----	4.531B/3.31													

PG64	BULLETIN #181@										METALS OPTION PRODUCTS				Mon, Sep 21, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
SWW WED SEP26	SILVER WEEKLY WEDNESDAY OPTION WEEK																
8000	----	----	----/0.020A	0.007B/0.020A	----	0.005	-	0.029	.0004	----	----	111	----	13	UNCH		
TOTAL												0		446	25		
OCT26																	
6350	0.850	0.850	0.850/0.701A	0.850/0.701A	----	0.767	-	NEW	.2500	----	----	2	----	2	+		
6450	----	----	1.170B/0.980A	1.170B/0.980A	----	1.080	-	0.027	.3253	----	----	----	----	3	UNCH		
6500	----	----	----/2.758A	3.214B/2.758A	----	2.683	-	0.738	.6338	----	----	----	----	3	UNCH		
6900	----	----	----/0.991A	1.426B/0.991A	----	1.014	-	0.472	.3153	----	----	----	----	2	UNCH		
TOTAL												2	0	10	2		
TWS TUE SEP26	SILVER WEEKLY TUESDAY OPTION Week5																
4750	----	----	----	----/0.092A	----	0.001	-	0.001	.0000	----	----	----	----	34	UNCH		
5200	----	----	----	----/0.088A	----	0.001	-	UNCH	----	----	----	----	----	2	UNCH		
5900	----	----	----	----/0.013A	----	0.001	-	0.004	----	----	----	----	----	1	UNCH		
6150	----	----	----/0.017A	----/0.017A	----	0.001	-	0.022	.0000	----	----	----	----	2	UNCH		
6200	----	----	----/0.014A	----/0.014A	----	0.002	-	0.027	.0000	----	----	----	----	1	UNCH		
6250	----	----	----/0.016A	0.011B/0.016A	----	0.004	-	0.033	.0002	----	----	----	----	1	UNCH		
6300	0.014	0.014	0.014/0.014	0.020B/0.014	----	0.008	-	0.039	.0009	----	2	----	----	3	+		
6340	----	----	----/0.021A	0.032B/0.021A	----	0.014	-	0.045	.0025	----	----	----	----	2	UNCH		
6350	----	----	----/0.021A	0.036B/0.021A	----	0.016	-	0.047	.0032	----	----	----	----	1	UNCH		
6400	----	----	3.528B/2.297A	3.528B/2.297A	----	2.442	-	0.793	.9916	----	----	----	----	4	UNCH		
6400	----	----	----/0.027A	0.069B/0.027A	----	0.027	-	0.060	.0083	----	----	----	----	0	UNCH		
6420	----	----	3.335B/2.113A	3.335B/2.113A	----	2.249	-	0.798	.9875	----	----	----	----	1	UNCH		
6450	0.076	0.076	0.076/0.041A	0.116B/0.041A	----	0.048	-	0.075	.0223	----	1	----	----	2	+		
6460	----	----	----/0.045A	0.129B/0.045A	----	0.054	-	NEW	.0271	----	5	----	----	5	+		
6470	0.102	0.102	0.102/0.048A	0.142B/0.048A	----	0.061	-	NEW	.0330	----	1	----	----	1	+		
6500	0.074	0.074	0.197B/0.068A	0.197B/0.068A	----	0.089	-	0.089	.0595	----	2	----	----	8	+		
6520	----	----	0.238B/0.082A	0.238B/0.082A	----	0.116	-	NEW	.0877	----	5	----	----	5	+		
6530	0.155	0.155	0.268B/0.091A	0.268B/0.091A	----	0.132	-	0.091	.1054	----	1	----	----	2	+		
6540	----	----	0.296B/0.103A	0.296B/0.103A	----	0.150	-	0.090	.1259	----	----	----	----	3	UNCH		
6550	----	----	2.134B/0.977A	2.134B/0.977A	----	1.086	-	0.821	.8500	----	----	----	----	1	UNCH		
6550	----	----	0.326B/0.117A	0.326B/0.117A	----	0.171	-	0.088	.1499	----	----	----	----	6	UNCH		
6560	0.220	0.220	0.357B/0.131A	0.357B/0.131A	----	0.194	-	0.085	.1767	----	1	----	----	2	+		
6570	0.276	0.276	0.397B/0.148A	0.397B/0.148A	----	0.221	-	NEW	.2075	----	1	----	----	1	+		
6600	----	----	1.705B/0.640A	1.705B/0.640A	----	0.733	-	0.791	.6831	----	----	----	----	19	UNCH		
6600	0.410	0.410	0.523B/0.207A	0.523B/0.207A	----	0.318	-	0.058	.3168	----	8	----	----	9	+		
6640	0.700	0.700	1.401B/0.440A	1.401B/0.440A	----	0.510	-	NEW	.5093	----	2	----	----	1	+		
6650	0.737	0.737	1.330B/0.398A	1.330B/0.398A	----	0.463	-	0.723	.4648	----	5	----	----	7	+		
6660	0.490	0.490	0.837B/0.364A	0.837B/0.364A	----	0.604	-	NEW	.5790	----	4	----	----	4	+		
6670	0.543	0.543	0.901B/0.397A	0.901B/0.397A	----	0.664	-	NEW	.6214	----	2	----	----	2	+		
6680	0.612	0.612	0.943B/0.435A	0.943B/0.435A	----	0.727	-	NEW	.6619	----	3	----	----	3	+		
6680	0.383	0.383	1.128B/0.294A	1.128B/0.294A	----	0.342	-	NEW	.3380	----	1	----	----	1	+		
6690	----	----	1.066B/0.265A	1.066B/0.265A	----	0.308	-	NEW	.2998	----	5	----	----	5	+		
6690	----	----	1.001B/0.475A	1.001B/0.475A	----	0.793	+	0.090	.7001	----	----	----	----	1	UNCH		
6700	----	----	1.069B/0.516A	1.069B/0.516A	----	0.862	+	0.112	.7358	----	----	----	----	4	UNCH		
6700	0.465	0.465	1.027B/0.238A	1.027B/0.238A	----	0.277	-	0.621	.2641	----	8	----	11	+	7		
6730	0.311	0.311	0.875B/0.177A	0.875B/0.177A	----	0.201	-	NEW	.1749	----	1	----	----	1	+		
6750	1.880	1.880	2.074B/1.545A	2.074B/1.545A	----	1.935	+	0.177	.6268	----	1	----	1	+	UNCH		
6750	0.300	0.300	0.780B/0.145A	0.780B/0.145A	----	0.163	-	NEW	.1304	----	7	----	----	7	+		
6770	0.135	0.135	0.685B/0.119A	0.685B/0.119A	----	0.132	-	NEW	.0958	----	1	----	----	1	+		
6770	----	----	1.623B/0.874A	1.623B/0.874A	----	1.417	+	0.279	.9041	----	----	----	----	3	UNCH		
6790	0.420	0.420	0.591B/0.098A	0.591B/0.098A	----	0.108	-	NEW	.0703	----	30	----	20	+	20		
6800	0.375	0.375	0.552B/0.091A	0.552B/0.091A	----	0.098	-	0.386	.0602	----	3	----	----	5	+		
6800	----	----	1.255B/0.672A	1.255B/0.672A	----	0.696	-	0.502	.3170	----	----	----	----	5	UNCH		
6810	0.190	0.190	0.514B/0.082A	0.514B/0.082A	----	0.089	-	NEW	.0516	----	1	----	----	1	+		
6820	0.072	0.072	0.487B/0.072	0.487B/0.072	----	0.081	-	NEW	.0442	----	1	----	----	1	+		
6850	0.189	0.189	0.385B/0.057	0.385B/0.057	----	0.062	-	NEW	.0280	----	3	----	3	+	3		
6860	----	----	0.360B/0.057A	0.360B/0.057A	----	0.057	-	0.270	.0242	----	----	----	30	+	UNCH		
6870	0.205	0.205	0.336B/0.054A	0.336B/0.054A	----	0.053	-	NEW	.0211	----	1	----	1	+	1		
6900	----	----	0.273B/0.044A	0.273B/0.044A	----	0.042	-	0.211	.0138	----	----	----	2	+	UNCH		
6930	----	----	0.214B/0.037A	0.214B/0.037A	----	0.035	-	0.174	.0096	----	----	----	1	+	UNCH		
7000	----	----	----/0.028A	0.129B/0.028A	----	0.024	-	0.114	.0044	----	----	----	7	+	UNCH		
7070	0.070	0.070	0.070/0.025A	0.070/0.025A	----	0.018	-	NEW	.0023	----	1	----	1	+	1		
7100	----	----	----/0.024A	0.060B/0.024A	----	0.016	-	0.067	.0018	----	----	----	5	+	UNCH		
7200	0.040	0.040	0.040/0.020A	0.040/0.020A	----	0.012	-	0.044	.0009	----	1	----	3	+	1		
7250	----	----	----/0.018A	0.023B/0.018A	----	0.011	-	0.036	.0007	----	----	----	2	+	UNCH		
7300	----	----	----/0.017A	0.017B/0.017A	----	0.010	-	0.031	.0005	----	----	----	2	+	UNCH		
7350	----	----	----/0.017A	0.013B/0.017A	----	0.010	-	0.026	.0005	----	----	----	1	+	UNCH		
7700	----	----	----/0.013A	0.001B/0.013A	----	0.002	-	0.020	.0000	----	----	----	1	+	UNCH		
TOTAL											108	0	259	+	93		
OCT26																	
6050	----	----	----/0.230A	0.240B/0.230A	----	0.230	-	0.062	.0900	----	----	----	----	1	UNCH		
6700	----	----	2.280B/1.871A	2.280B/1.871A	----	2.177	+	0.115	.5377	----	----	----	----	1	UNCH		
7000	----	----	----/0.702A	1.028B/0.702A	----	0.717	-	0.389	.2439	----	----	----	----	2	UNCH		
7050	----	----	----/0.618A	0.907B/0.618A	----	0.628	-	0.353	.2171	----	----	----	----	2	UNCH		
TOTAL												0		6	0		

COPPER OPTIONS ON FUTURES														
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
HMW MON SEP26	COPPER WEEKLY MONDAY OPTION WEEK4													
525	----	----	----	----/0.0045A	----	0.0005 UNCH	----	----	----	----	----	29	UNCH	
525	----	----	----	----/0.0045A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	27	
550	----	----	----	----/0.0040A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	2	
600	----	----	----	----/0.0040A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	2	
610	----	----	0.0015B/----	0.0015B/0.0045A	----	0.0025 + 0.0015	.0138	----	----	----	----	15	UNCH	
615	----	----	----	0.0015B/0.0050A	----	0.0035 + 0.0020	.0196	----	----	----	----	35	UNCH	
620	----	----	0.0025B/----	0.0025B/0.0045A	----	0.0045 + 0.0025	.0259	----	----	----	----	20	UNCH	
625	----	----	0.0035B/----	0.0035B/0.0050A	----	0.0060 + 0.0030	.0352	----	----	----	----	60	UNCH	
630	----	----	----	0.0040B/0.0065A	----	0.0070 + 0.0020	.0430	----	----	----	----	25	UNCH	
630	----	----	----	----/0.0040A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	3	
631	----	----	----	----/0.0040A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	1	
635	----	----	----/0.0065A	0.0055B/0.0065A	----	0.0080 UNCH	.0519	----	----	----	----	21	UNCH	
635	----	----	----	----/0.0040A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	11	
640	----	----	----/0.0075A	0.0075B/0.0075A	----	0.0095 - 0.0025	.0649	----	----	----	----	1	UNCH	
645	----	----	----/0.0090A	0.0105B/0.0090A	----	0.0125 - 0.0055	.0871	----	----	----	----	15	UNCH	
649	----	----	0.3435B/----	0.3435B/0.2255A	----	0.2725 + 0.0700	----	1	----	----	----	0 -	1	
650	----	----	----/0.0110A	0.0175B/0.0110A	----	0.0165 - 0.0095	.1170	----	----	----	----	16	UNCH	
650	----	----	0.3400B/----	0.3400B/0.2390A	----	0.2790 + 0.0620	.8828	----	----	----	----	4	UNCH	
650	----	----	----	----/0.0045A	----	0.0000 - 0.0015	----	----	----	----	----	0 -	1	
653	----	----	----	----/0.0040A	----	0.0000 - 0.0030	----	----	----	----	----	0 -	2	
655	----	----	----/0.0145A	0.0280B/0.0145A	----	0.0235 - 0.0135	.1630	----	----	----	----	2	UNCH	
655	----	----	0.2930B/----	0.2930B/0.2005A	----	0.2360 + 0.0575	.8367	----	----	----	----	11	UNCH	
655	----	----	0.2835B/----	0.2835B/0.1685A	----	0.2125 + 0.0670	----	2	----	----	----	0 -	2	
657	----	----	----/0.0045A	----/0.0045A	----	0.0000 - 0.0060	----	----	----	----	----	0 -	20	
658	----	----	----/0.0045A	0.0005B/0.0045A	----	0.0000 - 0.0075	----	----	----	----	----	0 -	2	
660	0.0285	0.0285	0.0340/0.0200A	0.0430B/0.0200A	----	0.0340 - 0.0195	.2247	----	----	21	----	20 +	20	
660	----	----	0.2335B/----	0.2335B/0.1230A	----	0.1625 + 0.0605	----	3	----	----	----	0 -	3	
660	----	----	0.1835B/----	0.1835B/0.0815A	----	0.1125 + 0.0480	----	6	----	----	----	0 -	6	
667	----	----	0.1640B/----	0.1640B/0.0680A	----	0.0925 + 0.0400	----	2	----	----	----	0 -	2	
668	----	----	0.1540B/----	0.1540B/0.0630A	----	0.0825 + 0.0355	----	1	----	----	----	0 -	1	
670	0.0100	0.0100	0.0100/0.0050A	0.0255B/0.0050A	----	0.0000 - 0.0460	----	----	----	12	----	0 -	1	
672	----	----	----/0.0050A	0.0360B/0.0050A	----	0.0000 - 0.0585	----	----	----	----	----	0 -	2	
672	----	----	0.1145B/----	0.1145B/0.0440A	----	0.0425 + 0.0125	----	2	----	----	----	0 -	2	
674	----	----	0.0950B/----	0.0950B/0.0270A	----	0.0225 - 0.0015	----	35	----	----	----	0 -	35	
675	----	----	0.0855B/0.0175A	0.0855B/0.0175A	----	0.0125 - 0.0090	----	50	----	----	----	0 -	50	
676	0.0030	0.0030	0.0030/0.0030	0.0660B/0.0030	----	0.0000 NEW	----	----	----	2	----	0	UNCH	
677	----	----	0.0665B/0.0060A	0.0665B/0.0060A	----	0.0000 - 0.0180	----	----	----	----	----	0 -	20	
678	0.0195	0.0195	0.0195/0.0115A	0.0820B/0.0115A	----	0.0175 NEW	----	15	----	15	----	0	UNCH	
679	0.0210	0.0210	0.0210/0.0135A	0.0905B/0.0135A	----	0.0275 NEW	----	15	----	15	----	0	UNCH	
680	0.0395	0.0395	0.0395/0.0100	0.0990B/0.0100	----	0.0375 NEW	----	14	----	14	----	0	UNCH	
682	0.0250	0.0250	0.0250/0.0230A	0.1165B/0.0230A	----	0.0575 NEW	----	4	----	4	----	0	UNCH	
682	----	----	0.0275B/0.0050A	0.0275B/0.0050A	----	0.0000 - 0.0120	----	----	----	----	----	0 -	1	
685	----	----	0.0850B/----	0.0850B/0.0595A	----	0.0655 + 0.0120	.3657	----	----	----	----	30	UNCH	
685	0.0020	0.0020	0.0140B/0.0020	0.0140B/0.0020	----	0.0000 - 0.0100	----	----	----	5	----	0 -	5	
687	0.0030	0.0030	0.0030/0.0030	0.0085B/0.0030	----	0.0000 NEW	----	----	----	2	----	0	UNCH	
688	0.0095	0.0095	0.0095/0.0035A	0.0095/0.0035A	----	0.0000 NEW	----	----	----	2	----	0	UNCH	
690	0.0500	0.0500	0.0680B/0.0500	0.0680B/0.0495A	----	0.0515 + 0.0080	.2970	----	----	20	----	80 +	20	
695	----	----	0.0535B/----	0.0535B/0.0415A	----	0.0405 + 0.0050	.2387	----	----	----	----	10	UNCH	

BULLETIN #181@										METALS OPTION PRODUCTS										Mon, Sep 21, 2026		PG64
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
COPPER WEEKLY MONDAY OPTION WEEK4																						
HMW MON SEP26																						
700	0.0400	0.0400	0.0425B/0.0400	0.0425B/0.0350A	----	0.0320	+ 0.0030	.1908	----	----	20	----	30 +	20								
700	----	----	----/0.0040A	0.0005B/0.0040A	----	0.0000	- 0.0060	----	----	----	----	----	0 -	10								
705	----	----	----	----/0.0040A	----	0.0000	- 0.0035	----	----	----	----	----	0 -	1								
710	----	----	0.0260B/----	0.0260B/0.0235A	----	0.0205	+ 0.0010	.1219	----	----	----	----	20	UNCH								
720	----	----	0.0160B/----	0.0160B/0.0170A	----	0.0140	UNCH	.0806	----	----	----	----	12	UNCH								
725	----	----	0.0135B/----	0.0135B/0.0145A	----	0.0115	UNCH	.0652	----	----	----	----	15	UNCH								
730	----	----	----	0.0100B/0.0120A	----	0.0100	UNCH	.0550	----	----	----	----	10	UNCH								
TOTAL											132		481 -	153								
COPPER WEEKLY THURSDAY OPT week2																						
OCT26																						
500	----	----	----	----/0.0055A	----	0.0005	UNCH	.0002	----	----	----	----	30	UNCH								
600	----	----	----/0.0080A	0.0090B/0.0080A	----	0.0110	+ 0.0010	.0534	----	----	----	----	30	UNCH								
625	----	----	----/0.0105A	0.0140B/0.0105A	----	0.0155	UNCH	.0769	----	----	----	----	1	UNCH								
630	0.0135	0.0135	0.0185B/0.0120A	0.0185B/0.0120A	----	0.0190	- 0.0010	.0940	----	----	1	----	135 +	1								
635	0.0145	0.0145	0.0235B/0.0145	0.0235B/0.0145	----	0.0235	- 0.0025	.1154	----	----	50	----	45 -	6								
640	----	----	----/0.0180A	0.0305B/0.0180A	----	0.0300	- 0.0040	.1436	----	----	----	----	12	UNCH								
645	0.0435	0.0435	0.0435/0.0225A	0.0435/0.0225A	----	0.0385	NEW	.1779	----	----	1	----	1 +	1								
680	----	----	0.1550B/----	0.1550B/0.1145A	----	0.1390	+ 0.0345	.4717	----	----	----	----	9	UNCH								
690	----	----	0.1170B/----	0.1170B/0.0875A	----	0.1035	+ 0.0250	.3746	----	----	----	----	46	UNCH								
695	----	----	0.1005B/----	0.1005B/0.0765A	----	0.0890	+ 0.0210	.3311	----	----	----	----	20	UNCH								
700	----	----	0.0865B/----	0.0865B/0.0665A	----	0.0760	+ 0.0175	.2906	----	----	----	----	56	UNCH								
730	----	----	0.0325B/----	0.0325B/0.0310A	----	0.0300	+ 0.0040	.1258	----	----	----	----	20	UNCH								
775	----	----	0.0090B/----	0.0090B/0.0120A	----	0.0075	UNCH	.0328	----	----	----	----	1	UNCH								
800	----	----	0.0050B/----	0.0050B/0.0090A	----	0.0030	- 0.0005	.0134	----	----	----	----	29	UNCH								
TOTAL											52		435 -	4								
COPPER WEEKLY TUESDAY OPTION week5																						
HWT TUE SEP26																						
500	----	----	----	----/0.0055A	----	0.0005	UNCH	.0003	----	----	----	----	19	UNCH								
600	----	----	----	0.0030B/0.0070A	----	0.0055	+ 0.0025	.0255	----	----	----	----	1	UNCH								
640	0.0700	0.0700	0.0700/0.0540A	0.0700/0.0540A	----	0.0675	NEW	.2180	----	----	3	----	3 +	3								
640	----	----	----/0.0380A	0.0580B/0.0380A	----	0.0525	- 0.0095	.1942	----	----	----	----	5	UNCH								
650	----	----	----/0.0565A	0.0845B/0.0565A	----	0.0790	- 0.0140	.2659	----	----	----	----	5	UNCH								
650	0.0330	0.0330	0.0375B/0.0210A	0.0375B/0.0210A	----	0.0365	- 0.0090	.1869	----	----	11	----	11 +	10								
655	----	----	----/0.0280A	0.0500B/0.0280A	----	0.0485	- 0.0125	.2357	----	----	----	----	1	UNCH								
660	----	----	0.3090B/----	0.3090B/0.2400A	----	0.2770	+ 0.0500	.6522	----	----	1	----	1	UNCH								
665	----	----	0.2765B/----	0.2765B/0.2145A	----	0.2480	+ 0.0455	.6096	----	----	----	----	40	UNCH								
665	0.0460	0.0460	0.0460/0.0460	0.0905B/0.0460	----	0.0820	NEW	.3505	----	----	1	----	1 +	1								
670	----	----	0.2470B/----	0.2470B/0.1910A	----	0.2220	+ 0.0420	.5667	----	----	1	----	2 +	1								
670	----	----	0.1895B/----	0.1895B/0.1350A	----	0.1665	+ 0.0425	.5870	----	----	----	----	8	UNCH								
675	0.1535	0.1535	0.1535/0.1170A	0.1770B/0.1170A	----	0.1610	NEW	.4755	----	----	9	----	9 +	9								
675	----	----	0.1625B/----	0.1625B/0.1160A	----	0.1420	+ 0.0365	.5248	----	----	----	----	20	UNCH								
680	----	----	----/0.1110A	0.1805B/0.1110A	----	0.1580	NEW	.5352	----	----	10	----	10 +	10								
685	----	----	0.1750B/----	0.1750B/0.1350A	----	0.1565	+ 0.0310	.4420	----	----	----	----	47	UNCH								
690	----	----	0.1555B/----	0.1555B/0.1210A	----	0.1385	+ 0.0275	.4032	----	----	----	----	13	UNCH								
690	0.0870	0.0870	0.0995B/0.0870	0.0995B/0.0735A	----	0.0860	+ 0.0200	.3545	----	----	3	----	77	UNCH								
700	----	----	0.1225B/----	0.1225B/0.0965A	----	0.1085	+ 0.0205	.3323	----	----	----	----	24	UNCH								
700	----	----	0.0700B/----	0.0700B/0.0550A	----	0.0605	+ 0.0115	.2627	----	----	----	----	4	UNCH								
720	----	----	0.0345B/----	0.0345B/0.0315A	----	0.0305	+ 0.0040	.1389	----	----	----	----	1	UNCH								
730	----	----	0.0705B/----	0.0705B/0.0670A	----	0.0650	NEW	.1993	----	----	1	----	1 +	1								
775	----	----	0.0125B/----	0.0125B/0.0150A	----	0.0110	+ 0.0005	.0447	----	----	----	----	1	UNCH								
800	----	----	0.0130B/0.0210A	0.0130B/0.0210A	----	0.0160	NEW	.0532	----	----	1	----	1 +	1								
800	----	----	0.0100B/----	0.0100B/0.0135A	----	0.0090	+ 0.0010	.0343	----	----	----	----	30	UNCH								
800	----	----	0.0020B/----	0.0020B/0.0080A	----	0.0010	UNCH	.0048	----	----	----	----	19	UNCH								
TOTAL											41		354 +	36								
COPPER WEEKLY WEDNESDAY OPTON WEEK																						
HMW WED SEP26																						
525	----	----	----	----/0.0045A	----	0.0005	UNCH	.0002	----	----	----	----	29	UNCH								
550	----	----	----/0.0050A	0.0070B/0.0075A	----	0.0090	- 0.0015	.0531	----	----	----	----	5	UNCH								
625	----	----	----/0.0050A	0.0005B/0.0050A	----	0.0005	- 0.0015	----	----	----	----	----	1	UNCH								
625	----	----	----/0.0040A	0.0005B/0.0050A	----	0.0005	- 0.0020	----	----	----	----	----	2	UNCH								
630	0.0185	0.0185	0.0185/0.0115A	0.0185/0.0115A	----	0.0175	NEW	.1100	----	----	1	----	1 +	1								
635	----	----	0.0015B/0.0060A	0.0015B/0.0060A	----	0.0005	- 0.0055	.0000	----	----	----	----	1	UNCH								
650	----	----	0.0245B/0.0145A	0.0245B/0.0145A	----	0.0235	- 0.0085	.1460	----	----	----	----	1	UNCH								
655	----	----	----/0.0195A	0.0360B/0.0195A	----	0.0325	- 0.0130	.1945	----	----	----	----	2	UNCH								
658	----	----	----/0.0075A	0.0045B/0.0075A	----	0.0010	- 0.0155	.0032	----	----	----	----	1	UNCH								
665	----	----	----/0.0100A	0.0195B/0.0100A	----	0.0050	- 0.0330	.0421	----	----	----	----	1	UNCH								
665	----	----	0.1875B/----	0.1875B/0.0970A	----	0.1175	+ 0.0380	.9578	----	----	----	----	1	UNCH								
666	----	----	----/0.0100A	0.0230B/0.0100A	----	0.0065	NEW	.0602	----	----	20	----	20 +	20								
669	0.0100	0.0100	0.0100/0.0100	0.0365B/0.0100	----	0.0120	NEW	.1376	----	----	1	----	1 +	1								
670	0.0125	0.0125	0.0125/0.0125	0.0420B/0.0125	----	0.0145	NEW	.1742	----	----	1	----	1 +	1								
671	0.0235	0.0235	0.0235/0.0140A	0.0475B/0.0140A	----	0.0175	NEW	.2172	----	----	1	----	1 +	1								
673	----	----	0.1140B/----	0.1140B/0.0580A	----	0.0565	+ 0.0135	.6867	----	----	----	----	1	UNCH								
676	0.0355	0.0355	0.0360/0.0245A	0.0360B/0.0245A	----	0.0380	NEW	.4836	----	----	40	----	40 +	40								
678	0.0340	0.0340	0.0340/0.0305A	0.0970B/0.0305A	----	0.0495	NEW	.5950	----	----	2	----	2 +	2								
678	0.0335	0.0335	0.0750B/0.0335	0.0750B/0.0335	----	0.0320	NEW	.4048	----	----	2	----	2 +	2								
680	0.0270	0.0270	0.0615B/0.0270	0.0615B/0.0270	----	0.0250	NEW	.3050	----	----	4	----	4 +	4								
685	----	----	0.0375B/0.0140A	0.0375B/0.0140A	----	0.0140	- 0.0040	.1365	----	----	----	----	1	UNCH								
686	0.0210	0.0210	0.0340B/0.0190A	0.0340B/0.0190A	----	0.0125	NEW	.1149	----	----	1	----	1 +	1								
690	----	----	0.02309																			



BULLETIN #181@				METALS OPTION PRODUCTS										Mon, Sep 21, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST		
HX CALL	COMEX COPPER OPTIONS																	
NOV26	----	----	----	----	0.0025B/0.0050A	----	----		0.0035 + 0.0005	.0107	----	----	----	----		32	UNCH	
925	----	----	----	----	0.0035B/0.0030	----	----		0.0025 UNCH	.0076	----	----	3	----		3 +	UNCH	
950	0.0030	0.0030		0.0035B/0.0030	0.0035B/0.0030	----	----		0.0015 UNCH	.0047	----	----	----	----		31	UNCH	
975	----	----	----	----	0.0010B/0.0035A	----	----				----	----	----	----		3551 -	27	
TOTAL													394					
DEC26																		
525	----	----	----	1.5600B/----	1.5600B/1.5570A	----	----		1.5160 + 0.0705	.9766	----	----	----	----		123	UNCH	
535	----	----	----	----	----	----	----		1.4180 + 0.0710	.9720	----	----	----	----		1	UNCH	
550	----	----	----	----	----	----	----		1.2715 + 0.0710	.9619	----	----	----	----		2	UNCH	
555	----	----	----	----	----	----	----		1.2230 + 0.0710	.9576	----	----	----	----		1	UNCH	
565	----	----	----	1.1695B/----	1.1695B/1.1670A	----	----		1.1265 + 0.0700	.9466	----	----	----	----		45	UNCH	
575	----	----	----	1.0745B/----	1.0745B/1.0720A	----	----		1.0315 + 0.0685	.9340	----	----	----	----		123	UNCH	
585	----	----	----	----	----	----	----		0.9385 + 0.0665	.9169	----	----	----	----		1	UNCH	
590	----	----	----	0.9405B/----	0.9405B/0.9270A	----	----		0.8925 + 0.0655	.9068	----	----	----	----		201	UNCH	
595	----	----	----	0.8945B/----	0.8945B/0.8820A	----	----		0.8475 + 0.0640	.8947	----	----	----	----		163	UNCH	
600	----	----	----	0.8570B/----	0.8570B/0.8100A	----	----		0.8030 + 0.0630	.8817	----	----	----	----		608	UNCH	
605	----	----	----	----	----	----	----		0.7595 + 0.0615	.8669	----	----	----	----		1	UNCH	
610	----	----	----	0.7615B/----	0.7615B/0.7500A	----	----		0.7175 + 0.0605	.8512	----	----	----	----		200	UNCH	
615	----	----	----	----	----	----	----		0.6760 + 0.0585	.8333	----	----	----	----		1	UNCH	
620	----	----	----	0.6880B/----	0.6880B/0.6425A	----	----		0.6360 + 0.0570	.8134	----	----	----	----		421	UNCH	
625	----	----	----	0.6325B/----	0.6325B/0.6340A	----	----		0.5970 + 0.0550	.7923	----	----	----	----		57	UNCH	
630	----	----	----	0.6065B/----	0.6065B/0.5255A	----	----		0.5600 + 0.0535	.7696	----	----	----	----		310	UNCH	
635	----	----	----	0.5565B/----	0.5565B/0.4910A	----	----		0.5240 + 0.0515	.7460	----	----	----	----		5	UNCH	
640	----	----	----	0.5405B/----	0.5405B/0.4585A	----	----		0.4895 + 0.0495	.7208	----	----	----	----		29	UNCH	
645	----	----	----	0.5025B/----	0.5025B/0.4275A	----	----		0.4570 + 0.0475	.6946	----	----	----	----		1	UNCH	
650	----	----	----	0.4730B/----	0.4730B/0.3955A	----	----		0.4260 + 0.0455	.6674	----	----	----	----		552	UNCH	
655	----	----	----	0.4420B/----	0.4420B/0.3670A	----	----		0.3965 + 0.0435	.6398	----	----	----	----		174	UNCH	
660	----	----	----	0.4105B/----	0.4105B/0.3415A	----	----		0.3690 + 0.0415	.6119	----	----	----	----		381	UNCH	
665	----	----	----	0.3830B/----	0.3830B/0.3165A	----	----		0.3430 + 0.0395	.5838	----	----	----	----		35	UNCH	
670	----	----	----	0.3575B/----	0.3575B/0.2940A	----	----		0.3180 + 0.0370	.5558	----	----	----	----		359	UNCH	
675	0.2800	0.2800		0.3330B/0.2800	0.3330B/0.2720A	----	----		0.2950 + 0.0350	.5280	----	----	5	----		363 -	3	
680	0.2745	0.2745		0.3090B/0.2745	0.3090B/0.2515A	----	----		0.2735 + 0.0330	.5006	----	----	2	----		796	UNCH	
685	----	----	----	0.2865B/----	0.2865B/0.2330A	----	----		0.2535 + 0.0310	.4739	----	----	----	----		197	UNCH	
690	0.2315	0.2315		0.2665B/0.2315	0.2665B/0.2160A	----	----		0.2345 + 0.0285	.4478	----	----	1	----		255 +	1	
695	----	----	----	0.2460B/----	0.2460B/0.1995A	----	----		0.2170 + 0.0265	.4225	----	----	----	----		136	UNCH	
700	0.1810	0.1810		0.2285B/0.1810	0.2285B/0.1810	----	----		0.2010 + 0.0250	.3983	----	----	136	40		3116 -	68	
705	----	----	----	0.2100B/----	0.2100B/0.1710A	----	----		0.1855 + 0.0225	.3746	----	----	1	----		117	UNCH	
710	----	----	----	0.1945B/----	0.1945B/0.1585A	----	----		0.1715 + 0.0210	.3521	----	----	----	----		111	UNCH	
715	0.1645	0.1645		0.1805B/0.1645	0.1805B/0.1465A	----	----		0.1585 + 0.0190	.3307	----	----	1	----		57 +	1	
720	----	----	----	0.1665B/----	0.1665B/0.1355A	----	----		0.1465 + 0.0180	.3102	----	----	6	12		105 -	1	
725	0.1450	0.1450		0.1560B/0.1450	0.1560B/0.1255A	----	----		0.1355 + 0.0165	.2909	----	----	17	----		1454 +	3	
730	0.1325	0.1325		0.1440B/0.1325	0.1440B/0.1170A	----	----		0.1250 + 0.0150	.2723	----	----	1	----		252 -	1	
735	----	----	----	0.1315B/----	0.1315B/0.1085A	----	----		0.1160 + 0.0145	.2553	----	----	----	----		52	UNCH	
740	0.1200	0.1200		0.1215B/0.1110	0.1215B/0.1005A	----	----		0.1070 + 0.0130	.2386	----	----	3	----		108	UNCH	
745	----	----	----	0.1125B/----	0.1125B/0.0940A	----	----		0.0990 + 0.0120	.2233	----	----	----	----		1	UNCH	
750	0.0950	0.0950		0.1050B/0.0950	0.1050B/0.0865A	----	----		0.0915 + 0.0110	.2086	----	----	2	80		1217 +	80	
770	----	----	----	0.0765B/----	0.0765B/0.0655A	----	----		0.0675 + 0.0080	.1594	----	----	----	----		1172	UNCH	
775	0.0650	0.0650		0.0705B/0.0650	0.0705B/0.0610A	----	----		0.0630 + 0.0080	.1496	----	----	2	----		635 +	1	
780	0.0635	0.0635		0.0650B/0.0635	0.0650B/0.0565A	----	----		0.0585 + 0.0070	.1399	----	----	1	----		203	UNCH	
800	0.0450	0.0450		0.0500/0.0450	0.0500/0.0435A	----	----		0.0440 + 0.0055	.1075	----	----	78	----		1394	UNCH	
825	----	----	----	0.0340B/----	0.0340B/0.0320A	----	----		0.0315 + 0.0035	.0783	----	----	2	----		477 +	1	
850	0.0245	0.0245		0.0245/0.0235	0.0245/0.0235	----	----		0.0230 + 0.0025	.0578	----	----	2	----		311 +	2	
875	----	----	----	0.0175B/----	0.0175B/0.0185A	----	----		0.0165 + 0.0015	.0421	----	----	----	----		23	UNCH	
900	0.0125	0.0125		0.0130B/0.0125	0.0130B/0.0125	----	----		0.0125 + 0.0010	.0320	----	----	1	----		507 +	1	
925	----	----	----	0.0095B/----	0.0095B/0.0120A	----	----		0.0095 + 0.0010	.0243	----	----	----	----		12	UNCH	
950	----	----	----	0.0075B/----	0.0075B/0.0095A	----	----		0.0075 + 0.0005	.0191	----	----	----	----		152	UNCH	
975	----	----	----	----	0.0055B/0.0080A	----	----		0.0060 + 0.0005	.0152	----	----	----	----		54	UNCH	
1000	----	----	----	----	0.0045B/0.0070A	----	----		0.0050 UNCH	.0125	----	----	----	----		12	UNCH	
1100	----	----	----	----	0.0020B/0.0035A	----	----		0.0035 UNCH	.0079	----	----	----	----		81	UNCH	
TOTAL												132	261			17164 +	17	
JAN27																		
500	----	----	----	----	----	----	----		1.8690 + 0.0715	.9756	----	----	----	----		1	UNCH	
600	----	----	----	----	----	----	----		0.9295 + 0.0585	.8594	----	----	----	----		2	UNCH	
650	----	----	----	0.6035B/----	0.6035B/0.5315A	----	----		0.5605 + 0.0470	.6852	----	----	----	----		79	UNCH	
665	----	----	----	0.5105B/----	0.5105B/0.4445A	----	----		0.4725 + 0.0420	.6208	----	----	1	----		2	UNCH	
670	----	----	----	0.4820B/----	0.4820B/0.4190A	----	----		0.4460 + 0.0405	.5988	----	----	1	----		0 -	1	
675	----	----	----	0.4590B/----</														



BULLETIN #181@				METALS OPTION PRODUCTS							Mon, Sep 21, 2026			PG64	
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST			
HX CALL	COMEX COPPER OPTIONS														
TOTAL										16		828 +	12		
APR27															
675	----	----	0.6365B/----	0.6365B/0.5950A	----	0.6095 + 0.0380	.5935	----	----	----	----	1	UNCH		
680	----	----	0.6120B/----	0.6120B/0.5725A	----	0.5860 + 0.0370	.5782	----	----	----	----	5	UNCH		
775	----	----	0.2800B/----	0.2800B/0.2695A	----	0.2695 + 0.0180	.3256	----	----	----	----	3	UNCH		
TOTAL													9		
MAY27															
685	----	----	0.6350B/----	0.6350B/0.6065A	----	0.6140 + 0.0350	.5644	----	----	----	----	2	UNCH		
700	----	----	0.5700B/----	0.5700B/0.5465A	----	0.5515 + 0.0325	.5237	----	----	----	----	3	UNCH		
705	----	----	0.5500B/----	0.5500B/0.5275A	----	0.5320 + 0.0315	.5104	----	----	----	----	2	UNCH		
800	----	----	0.2705B/----	0.2705B/0.2695A	----	0.2640 + 0.0155	.2989	----	----	----	----	40	UNCH		
1000	----	----	----	0.0615B/0.0825A	----	0.0705 + 0.0040	.0938	----	----	----	----	40	UNCH		
TOTAL													87		
JUN27															
700	----	----	0.6390B/----	0.6390B/0.6200A	----	0.6230 + 0.0315	.5441	----	----	----	----	11	UNCH		
750	----	----	0.4575B/----	0.4575B/0.4515A	----	0.4485 + 0.0085	.4274	----	----	----	----	470	UNCH		
TOTAL													481		
HX PUT	COMEX COPPER OPTIONS														
OCT26															
300	----	----	----	----/0.0040A	----	0.0005	UNCH	----	----	----	----	1	UNCH		
320	----	----	----	----/0.0040A	----	0.0005	UNCH	----	----	----	----	3	UNCH		
345	----	----	----	----/0.0040A	----	0.0005	UNCH	----	----	----	----	1	UNCH		
375	----	----	----	----/0.0040A	----	0.0005	UNCH	----	----	----	----	2	UNCH		
400	----	----	----	----/0.0040A	----	0.0005	UNCH	----	----	----	----	1	UNCH		
425	----	----	----	----/0.0005A	----	0.0005	UNCH	----	----	----	----	5	UNCH		
430	----	----	----	----/0.0040A	----	0.0005	UNCH	----	----	----	----	10	UNCH		
435	----	----	----	----/0.0040A	----	0.0005	UNCH	----	----	----	----	1	UNCH		
450	----	----	----	----/0.0005A	----	0.0005	UNCH	----	----	----	----	3	UNCH		
460	----	----	----	----/0.0040A	----	0.0005	UNCH	----	----	----	----	3	UNCH		
470	----	----	----	----/0.0040A	----	0.0005	UNCH	----	----	----	----	2	UNCH		
475	----	----	----	----/0.0040A	----	0.0005	UNCH	----	----	----	----	3	UNCH		
480	----	----	----	----/0.0040A	----	0.0005	UNCH	----	----	----	----	3	UNCH		
490	----	----	----	----/0.0040A	----	0.0005	UNCH	----	----	----	----	6	UNCH		
500	----	----	----	----/0.0030A	----	0.0005	UNCH	----	----	----	----	66	UNCH		
505	----	----	----	----/0.0015A	----	0.0005	UNCH	----	----	----	----	10	UNCH		
510	----	----	----	----/0.0015A	----	0.0005	UNCH	----	----	----	----	15	UNCH		
520	----	----	----	----/0.0020A	----	0.0005	UNCH	----	----	----	----	40	UNCH		
525	----	----	----	----/0.0020A	----	0.0005	UNCH	----	----	----	----	408	UNCH		
530	----	----	----	----/0.0020A	----	0.0005	UNCH	----	----	----	----	29	UNCH		
535	----	----	----	----/0.0020A	----	0.0005 - 0.0005	----	----	----	----	----	11	UNCH		
540	----	----	----	----/0.0020A	----	0.0005 - 0.0005	----	----	----	----	----	1	UNCH		
545	----	----	----	----/0.0010A	----	0.0005 - 0.0005	----	----	----	----	----	12	UNCH		
550	----	----	----	----/0.0020A	----	0.0005 - 0.0010	.0000	----	----	----	----	109	UNCH		
555	----	----	----	----/0.0020A	----	0.0005 - 0.0010	.0000	----	----	1	----	23	UNCH		
560	0.0005	0.0005	0.0005/0.0005	0.0005/0.0005	----	0.0005 - 0.0015	.0000	----	----	2	----	154	UNCH		
565	----	----	----	----/0.0020A	----	0.0005 - 0.0015	.0000	----	----	----	----	27	UNCH		
570	----	----	----	----/0.0020A	----	0.0005 - 0.0015	.0001	----	----	----	----	48	UNCH		
575	----	----	----/0.0015A	----	----	0.0005 - 0.0015	.0003	----	----	----	----	108	UNCH		
580	----	----	----	----/0.0020A	----	0.0005 - 0.0015	.0006	----	----	----	----	64	UNCH		
585	----	----	----	----/0.0020A	----	0.0005 - 0.0015	.0012	----	----	----	----	22	UNCH		
590	----	----	----	----/0.0020A	----	0.0010 - 0.0010	.0026	----	----	----	----	69	UNCH		
595	----	----	----	----/0.0025A	----	0.0010 - 0.0010	.0028	----	----	----	----	29	UNCH		
600	----	----	----	----/0.0025A	----	0.0010 - 0.0015	.0030	----	----	1	----	1148 -	1		
601	----	----	----	----/0.0030A	----	0.0010 - 0.0015	.0030	----	----	----	----	3	UNCH		
604	----	----	----/0.0020A	0.0005B/0.0020A	----	0.0010 - 0.0015	.0032	----	----	----	----	5	UNCH		
605	----	----	----/0.0015A	0.0005B/0.0015A	----	0.0015 - 0.0010	.0049	----	----	----	----	50	UNCH		
606	----	----	----/0.0015A	0.0005B/0.0015A	----	0.0015 - 0.0010	.0050	----	----	----	----	6	UNCH		
609	----	----	----/0.0020A	0.0005B/0.0020A	----	0.0015 - 0.0010	.0052	----	----	----	----	7	UNCH		
610	----	----	----/0.0020A	0.0010B/0.0020A	----	0.0015 - 0.0015	.0053	----	----	----	----	120	UNCH		
611	----	----	----/0.0020A	0.0010B/0.0020A	----	0.0015 - 0.0015	.0054	----	----	1	----	37 -	1		
614	----	----	----/0.0020A	0.0010B/0.0020A	----	0.0020 - 0.0010	.0075	----	----	----	----	20	UNCH		
615	----	----	----/0.0020A	0.0010B/0.0020A	----	0.0020 - 0.0010	.0076	----	----	----	----	58	UNCH		
616	----	----	----/0.0020A	0.0010B/0.0020A	----	0.0020 - 0.0010	.0078	----	----	----	----	28	UNCH		
620	----	----	----/0.0015A	0.0020B/0.0015A	----	0.0025 - 0.0010	.0104	----	----	1	----	256 -	1		
625	0.0025	0.0025	0.0025/0.0015A	0.0025/0.0015A	----	0.0025 - 0.0020	.0114	----	----	12	----	276 -	1		
626	0.0015	0.0015	0.0025B/0.0015	0.0025B/0.0015	----	0.0030	NEW .0138	----	----	1	----	1 +	1		
628	0.0020	0.0020	0.0025B/0.0020	0.0025B/0.0020	----	0.0030	NEW .0144	----	----	13	----	13 +	13		
630	0.0030	0.0030	0.0040/0.0015A	0.0040/0.0015A	----	0.0030 - 0.0025	.0150	----	----	2	----	390 +	1		
635	----	----	----/0.0020A	0.0035B/0.0020A	----	0.0035 - 0.0030	.0193	----	----	----	----	438	UNCH		
640	0.0050	0.0050	0.0055/0.0025A	0.0055/0.0025A	----	0.0045 - 0.0035	.0272	----	----	16	----	322 -	2		
644	0.0030	0.0030	0.0060B/0.0030	0.0060B/0.0030	----	0.0055	NEW .0360	----	----	4	----	4 +	4		
645	0.0050	0.0050	0.0060B/0.0030A	0.0060B/0.0030A	----	0.0060 - 0.0045	.0398	----	----	4	----	421	UNCH		
650	0.0070	0.0070	0.0080/0.0040A	0.0095B/0.0040A	----	0.0080 - 0.0075	.0583	----	----	6	----	633 +	1		
651	----	----	----/0.0040A	0.0105B/0.0040A	----	0.0085 - 0.0080	.0630	----	----	----	----	1	UNCH		
652	----	----	----/0.0045A	0.0120B/0.0045A	----	0.0090 - 0.0090	.0680	----	----	----	----	4	UNCH		
654	0.0105	0.0105	0.0105/0.0050A	0.0140B/0.0050A	----	0.0105	NEW .0816	----	----	3	----	3 +	3		
655	0.0185	0.0185	0.0190/0.0055A	0.0190/0.0055A	----	0.0110 - 0.0130	.0874	----	----	13	----	297 +	2		
656	0.0190	0.0190	0.0190/0.0060A	0.0190/0.0060A	----	0.0120	NEW .0963	----	----	5	----	5 +	5		
658	----	----	----/0.0070A	0.0215B/0.0070A	----	0.0140 - 0.0170	.1152	----	----	----	----	1	UNCH		
659	0.0090	0.0090	0.0090/0.0075A	0.0245B/0.0075A	----	0.0150	NEW .1252	----	----	3	----	3 +	3		
660	0.0220	0.0220	0.0220/0.0080A	0.0270B/0.0080A	----	0.0165 - 0.0210	.1383	----	----	22	----	253 -	13		
662	0.0110	0.0110	0.0110/0.0100A	0.0335B/0.0100A	----	0.0195	NEW .1658	----	----	1	----	1 +	1		
663	----	----	----/0.0110A	0.0365B/0.0110A	----	0.0215 - 0.0270	.1826	----	----	----	----	1	UNCH		
665	0.0275	0.0275	0.0275/0.0130A	0.0445B/0.0130A	----										

BULLETIN #181@				METALS OPTION PRODUCTS										Mon, Sep 21, 2026				PG64	
		GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
HX PUT		COMEX COPPER OPTIONS																	
NOV26																			
640	0.0720	0.0720		0.0845/0.0580A	0.0845/0.0580A	----	0.0775	-	0.0130	.2314	----	----	124	----	461 + 70				
645	0.0730	0.0730		0.0985B/0.0695A	0.0985B/0.0695A	----	0.0910	-	0.0160	.2620	----	----	15	----	44 + 7				
650	0.0910	0.0910		0.1145B/0.0825A	0.1145B/0.0825A	----	0.1065	-	0.0185	.2948	----	----	12	----	63 + 3				
655	0.1000	0.1000		0.1275/0.0975A	0.1330B/0.0975A	----	0.1240	-	0.0220	.3292	----	----	20	----	790 + 7				
660	0.1270	0.1270		0.1480/0.1145A	0.1545B/0.1145A	----	0.1440	-	0.0245	.3651	----	----	20	----	119 + 1				
665	0.1535	0.1535		0.1660/0.1335A	0.1785B/0.1335A	----	0.1660	-	0.0275	.4015	----	----	19	----	29 + 6				
670	0.1785	0.1785		0.1925/0.1540A	0.2050B/0.1540A	----	0.1900	-	0.0305	.4382	----	111	----	110 + 92					
675	0.2025	0.2025		0.2185/0.1770A	0.2335B/0.1770A	----	0.2160	-	0.0335	.4746	----	----	4	----	14 + 2				
680	0.2455	0.2455		0.2455/0.2025A	0.2630B/0.2025A	----	0.2440	-	0.0365	.5105	----	----	3	----	27 + 2				
685	0.2610	0.2610		0.2610/0.2295A	0.2950B/0.2295A	----	0.2740	-	0.0395	.5452	----	11	----	11	----	1			
690	----	----		----/0.2600A	0.3320B/0.2600A	----	0.3055	-	0.0420	.5788	----	----	----	----	7	UNCH			
695	----	----		----/0.2910A	0.3655B/0.2910A	----	0.3390	-	0.0445	.6109	----	----	----	----	3	UNCH			
700	----	----		----/0.3240A	0.4000B/0.3240A	----	0.3740	-	0.0470	.6414	----	----	----	----	25	UNCH			
735	----	----		----/0.6060A	0.6555B/0.6060A	----	0.6515	-	0.0605	.8061	----	----	----	----	2	UNCH			
TOTAL												200	675		4782 +	274			
DEC26																			
350	----	----		----	----/0.0040A	----	0.0005		UNCH	.0002	----	----	----	----	46	UNCH			
360	----	----		----	----/0.0040A	----	0.0005		UNCH	.0004	----	----	----	----	31	UNCH			
380	----	----		----	----/0.0045A	----	0.0005		UNCH	.0011	----	----	----	----	22	UNCH			
385	----	----		----	----/0.0045A	----	0.0010	+	0.0005	.0021	----	----	----	----	1	UNCH			
390	----	----		----	----/0.0050A	----	0.0010	+	0.0005	.0022	----	----	----	----	45	UNCH			
395	----	----		----	----/0.0050A	----	0.0015	+	0.0005	.0031	----	----	----	----	3	UNCH			
400	----	----		----	----/0.0050A	----	0.0020	+	0.0010	.0040	----	----	----	----	31	UNCH			
420	----	----		----	0.0005B/0.0055A	----	0.0025	+	0.0010	.0053	----	----	----	----	2	UNCH			
425	----	----		----	0.0005B/0.0055A	----	0.0025	+	0.0010	.0054	----	----	----	----	60	UNCH			
450	0.0030	0.0030		0.0050/0.0030	0.0050/0.0030	----	0.0040	+	0.0015	.0088	----	36	----	37 +	35				
460	----	----		----	0.0030B/0.0060A	----	0.0045	+	0.0015	.0101	----	----	----	----	2	UNCH			
470	----	----		----	0.0020B/0.0065A	----	0.0050	+	0.0015	.0115	----	----	----	----	36	UNCH			
475	----	----		----	0.0035B/0.0055A	----	0.0055	+	0.0020	.0127	----	----	----	----	34	UNCH			
480	----	----		----	0.0030B/0.0060A	----	0.0055	+	0.0015	.0131	----	----	----	----	10	UNCH			
485	----	----		----	0.0035B/0.0065A	----	0.0055	+	0.0010	.0134	----	----	----	----	1	UNCH			
490	----	----		----	0.0040B/0.0065A	----	0.0060	+	0.0010	.0147	----	----	----	----	8	UNCH			
495	----	----		----	0.0040B/0.0070A	----	0.0060	+	0.0005	.0151	----	----	----	----	1	UNCH			
500	0.0080	0.0080		0.0080/0.0075A	0.0080/0.0075A	----	0.0065	+	0.0005	.0165	----	200	----	199 -	56				
505	----	----		----	0.0050B/0.0080A	----	0.0065		UNCH	.0169	----	----	----	----	1	UNCH			
510	----	----		----	0.0055B/0.0080A	----	0.0070		UNCH	.0184	----	----	----	----	8	UNCH			
515	----	----		----	0.0060B/0.0090A	----	0.0075		UNCH	.0200	----	----	----	----	2	UNCH			
520	----	----		----	0.0065B/0.0095A	----	0.0080	-	0.0005	.0216	----	----	----	----	8	UNCH			
525	----	----		----	0.0070B/0.0100A	----	0.0085	-	0.0005	.0232	----	----	----	----	32	UNCH			
530	----	----		----	0.0090B/0.0105A	----	0.0095	-	0.0005	.0260	----	----	----	----	89	UNCH			
535	----	----		----	0.0100B/0.0115A	----	0.0100	-	0.0005	.0278	----	----	----	----	1	UNCH			
540	----	----		----	0.0110B/0.0120A	----	0.0110	-	0.0005	.0307	----	----	----	----	8	UNCH			
545	----	----		----	0.0125B/0.0130A	----	0.0125		UNCH	.0348	----	----	----	----	49	UNCH			
550	----	----		----	0.0140B/0.0140A	----	0.0135	-	0.0005	.0379	----	----	----	----	615	UNCH			
555	----	----		----/0.0150A	0.0155B/0.0150A	----	0.0150	-	0.0005	.0422	----	----	----	----	1	UNCH			
560	----	----		----/0.0165A	0.0175B/0.0165A	----	0.0170	-	0.0005	.0476	----	1	----	314 +	1				
565	----	----		0.0200B/0.0175A	0.0200B/0.0175A	----	0.0190	-	0.0005	.0532	----	----	----	----	28	UNCH			
570	0.0175	0.0175		0.0225B/0.0175	0.0225B/0.0175	----	0.0210	-	0.0015	.0589	----	2	----	18	UNCH				
575	0.0265	0.0265		0.0265/0.0215A	0.0265/0.0215A	----	0.0235	-	0.0025	.0658	----	1	----	419	UNCH				
580	0.0230	0.0230		0.0300/0.0230	0.0300/0.0230	----	0.0265	-	0.0035	.0737	----	5	----	215	UNCH				
585	----	----		----/0.0270A	0.0325B/0.0270A	----	0.0300	-	0.0045	.0828	----	----	----	----	31	UNCH			
590	----	----		----/0.0305A	0.0375B/0.0305A	----	0.0340	-	0.0060	.0930	----	1	----	241 -	1				
595	0.0315	0.0315		0.0430B/0.0315	0.0430B/0.0315	----	0.0390	-	0.0065	.1051	----	12	----	109 -	1				
600	0.0425	0.0425		0.0485B/0.0395A	0.0485B/0.0395A	----	0.0445	-	0.0080	.1181	----	26	----	2015 -	25				
605	----	----		----/0.0455A	0.0560B/0.0455A	----	0.0510	-	0.0090	.1329	----	----	----	----	16	UNCH			
610	0.0500	0.0500		0.0640B/0.0500	0.0640B/0.0500	----	0.0580	-	0.0110	.1486	----	2	----	103 +	2				
615	0.0610	0.0610		0.0730B/0.0590A	0.0730B/0.0590A	----	0.0665	-	0.0125	.1665	----	1	----	140	UNCH				
620	0.0700	0.0700		0.0830B/0.0675A	0.0830B/0.0675A	----	0.0765	-	0.0140	.1864	----	8	12	135 +	5				
625	----	----		----/0.0760A	0.0955B/0.0760A	----	0.0875	-	0.0155	.2074	----	----	----	----	433	UNCH			
630	0.0995	0.0995		0.0995/0.0865A	0.1085B/0.0865A	----	0.1000	-	0.0175	.2301	----	3	----	373 -	3				
635	0.1155	0.1155		0.1155/0.0995A	0.1225B/0.0995A	----	0.1135	-	0.0195	.2537	----	106	----	285 +	95				
640	0.1200	0.1200		0.1285/0.1130A	0.1380B/0.1130A	----	0.1290	-	0.0215	.2790	----	4	----	155 -	1				
645	----	----		----/0.1275A	0.1565B/0.1275A	----	0.1460	-	0.0235	.3052	----	1	----	433 +	1				
650	0.1670	0.1670		0.1670/0.1445A	0.1765B/0.1445A	----	0.1650	-	0.0250	.3323	----	9	----	600 +	2				
655	0.1850	0.1850		0.1855/0.1625A	0.1990B/0.1625A	----	0.1855	-	0.0270	.3600	----	4	----	615 -	1				
660	----	----		----/0.1820A	0.2225B/0.1820A	----	0.2075	-	0.0290	.3879	----	25	----	96 +	21				
665	0.2375	0.2375		0.2375/0.2035A	0.2475B/0.2035A	----	0.2310	-	0.0310	.4159	----	51	----	211 +	50				
670	----	----		----/0.2260A	0.2745B/0.2260A	----	0.2560	-	0.0335	.4440	----	1	----	1050 +	1				
675	0.2575	0.2575		0.2575/0.2510A	0.3020B/0.2510A	----	0.2830	-	0.0355	.4717	----	1	100	275 +	80				
680	----	----		----/0.2770A	0.3330B/0.2770A	----	0.3110	-	0.0375	.4991	----	----	----	52	UNCH				
685	----	----		----/0.3050A	0.3645B/0.3050A	----	0.3405	-	0.0400	.5258	----	----	----	47	UNCH				
690	----	----		----/0.3345A	0.3970B/0.3345A	----	0.3715	-	0.0420	.5520	----	1	----	1	UNCH				
700	----	----		----/0.3965A	0.4660B/0.3965A	----	0.4370	-	0.0460	.6015	----	1	----	3 +	1				
730	----	----		----/0.6125A	0.6915B/0.6125A	----	0.6600	-	0.0550	.7275	----	----	----	1	UNCH				
750	----	----		----	----	----	0.8255	-	0.0590	.7911	----	----	----	1	UNCH				
TOTAL												112	502		9798 +	206			
JAN27																			
370	----	----		----	0.0010B/0.0080A	----	0.0035		UNCH	.0055	----	----	----	----	1	UNCH			
390	----	----		----	0.0010B/0.0085A	----	0.0045		UNCH	.0073	----	----	----	----	40	UNCH			
400	----	----		----	0.0010B/0.0090A	----	0.0050		UNCH	.0082	----	----	----	----	30	UNCH			
425	----	----		----	0.0010B/0.0100A	----	0.0060		UNCH	.0105	----	----	----	----	12	UNCH			
430	----	----		----	0.0015B/0.0105A	----	0.0065	+	0.0005	.0114	----	----	----	----	1	UNCH			
435	----	----		----	0.0015B/0.0105A	----	0.0065		UNCH	.0117	----	----	----	----	1	UNCH			
440	----	----		----	0.0020B/0.0110A	----	0.0065		UNCH	.0119	----	----	----	----	1	UNCH			
450	----	----		----	0.0025B/0.0115A	----	0.0070	-	0.0005	.0132	----	----	----	----	1	UNCH			
465	----	----		----	0.0035B/0.0125A	----	0.0080		UNCH	.0156	----	----	----	----	2	UNCH			
510	----	----		----	0.0090B/0.0170A	----	0.0130	-	0.0005	.0279	----	----	----	----	4	UNCH			
515	----	----		----	0.0125B/0.0165A	----	0.0140	-	0.0005	.0301	----	----	----	----	1	UNCH			
520	----	----		----	0.0135B/0.0175A	----	0.0150	-	0.0010	.0325	----	----	----	----	2	UNCH			
525	----	----		----															

BULLETIN #181@										METALS OPTION PRODUCTS				Mon, Sep 21, 2026		PG64
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL [®] VOLUME	PNT VOLUME	OPEN INTEREST			
COMEX COPPER OPTIONS																
HX PUT																
MAR27																
620	----	----	----/0.1775A	0.1850B/0.1775A	----	0.1875	- 0.0200	.2464	----	----	----	----	64	UNCH		
625	----	----	----/0.1910A	0.2010B/0.1910A	----	0.2030	- 0.0210	.2615	----	----	----	----	3	UNCH		
660	----	----	----/0.3170A	0.3415B/0.3170A	----	0.3375	- 0.0295	.3755	----	----	----	----	3	UNCH		
675	----	----	----/0.3865A	0.4170B/0.3865A	----	0.4105	- 0.0330	.4265	----	----	----	----	8	UNCH		
TOTAL													899			
APR27																
400	----	----	----	0.0025B/0.0210A	----	0.0120	- 0.0010	.0158	----	----	----	----	8	UNCH		
680	----	----	----/0.4395A	0.4550B/0.4395A	----	0.4535	- 0.0345	.4212	----	----	----	----	5	UNCH		
TOTAL													13			
MAY27																
400	0.0100	0.0100	0.0100/0.0100	0.0100/0.0100	----	0.0145	NEW	.0182	----	----	8	----	8	+		
600	----	----	----/0.1925A	0.1765B/0.1925A	----	0.1875	- 0.0195	.2093	----	----	----	----	30	UNCH		
700	----	----	----/0.6020A	0.6155B/0.6020A	----	0.6155	- 0.0390	.4757	----	----	----	----	2	UNCH		
TOTAL											8	----	40	+		
JUN27																
500	----	----	----	0.0380B/0.0660A	----	0.0515	- 0.0060	.0635	----	----	----	----	40	UNCH		
TOTAL													40			
COPPER OPTIONS																
HXE CALL																
SEP26																
641	----	----	----	----	----	0.2815	UNCH	----	----	----	----	----	0	UNCH		
650	----	----	----	----	----	0.1915	UNCH	----	----	----	----	----	0	UNCH		
653	----	----	----	----	----	0.1615	UNCH	----	----	----	----	----	0	UNCH		
655	----	----	----	----	----	0.1415	UNCH	----	----	----	----	----	0	UNCH		
655	----	----	0.2905B/----	0.2905B/0.1925A	----	0.2300	+ 0.0575	.8720	----	----	----	----	1	UNCH		
659	----	----	----	----	----	0.1015	UNCH	----	----	----	----	----	0	UNCH		
660	----	----	----	----	----	0.0915	UNCH	----	----	----	----	----	0	UNCH		
660	----	----	0.2435B/----	0.2435B/0.1725A	----	0.1880	+ 0.0510	.8137	----	----	----	----	2	UNCH		
661	----	----	----	----	----	0.0815	UNCH	----	----	----	----	----	0	UNCH		
662	----	----	----	----	----	0.0715	UNCH	----	----	----	----	----	0	UNCH		
664	----	----	----	----	----	0.0515	UNCH	----	----	----	----	----	0	UNCH		
665	----	----	----	----	----	0.0415	UNCH	----	----	----	----	----	0	UNCH		
665	----	----	0.1990B/----	0.1990B/0.1265A	----	0.1500	+ 0.0430	.7348	----	----	----	----	1	UNCH		
667	----	----	----	----	----	0.0215	UNCH	----	----	----	----	----	0	UNCH		
670	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH		
670	----	----	0.1580B/----	0.1580B/0.1010A	----	0.1170	+ 0.0345	.6373	----	----	----	----	3	UNCH		
675	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH		
675	0.1200	0.1200	0.1200/0.1200	0.1200/0.0800A	----	0.0900	NEW	.5320	----	----	2	----	2	+		
680	0.0665	0.0665	0.0965B/0.0640	0.0965B/0.0640	----	0.0685	+ 0.0170	.4283	----	----	20	----	80	+		
685	0.0525	0.0525	0.0745B/0.0525	0.0745B/0.0525	----	0.0520	+ 0.0100	.3357	----	----	20	----	41	+		
690	0.0405	0.0405	0.0580B/0.0405	0.0580B/0.0405	----	0.0400	NEW	.2597	----	----	10	----	10	+		
700	----	----	0.0350B/----	0.0350B/0.0280A	----	0.0245	+ 0.0005	.1539	----	----	----	----	7	UNCH		
705	----	----	0.0270B/----	0.0270B/0.0230A	----	0.0195	- 0.0005	.1189	----	----	----	----	1	UNCH		
710	----	----	0.0205B/----	0.0205B/0.0195A	----	0.0155	- 0.0010	.0916	----	----	----	----	1	UNCH		
720	----	----	0.0120B/----	0.0120B/0.0140A	----	0.0090	- 0.0020	.0506	----	----	----	----	1	UNCH		
TOTAL											52	----	150	+		
OCT26																
660	----	----	0.2590B/----	0.2590B/0.1960A	----	0.2350	+ 0.0555	.6956	----	----	----	----	2	UNCH		
670	----	----	0.1990B/----	0.1990B/0.1440A	----	0.1775	+ 0.0470	.5816	----	----	----	----	109	UNCH		
675	0.1680	0.1680	0.1740B/0.1680	0.1740B/0.1250A	----	0.1545	+ 0.0425	.5243	----	----	34	----	34	+		
680	0.1460	0.1460	0.1520B/0.1460	0.1520B/0.1080A	----	0.1345	+ 0.0380	.4698	----	----	1	----	350	UNCH		
685	----	----	0.1310B/----	0.1310B/0.0940A	----	0.1170	+ 0.0335	.4187	----	----	----	----	730	UNCH		
690	----	----	0.1140B/----	0.1140B/0.0810A	----	0.1005	+ 0.0280	.3705	----	----	18	----	100	+		
695	----	----	0.0980B/----	0.0980B/0.0710A	----	0.0855	+ 0.0230	.3252	----	----	----	----	440	UNCH		
725	----	----	0.0360B/----	0.0360B/0.0315A	----	0.0315	+ 0.0055	.1344	----	----	----	----	440	UNCH		
730	----	----	0.0310B/----	0.0310B/0.0275A	----	0.0270	+ 0.0040	.1158	----	----	----	----	9	UNCH		
740	----	----	0.0225B/----	0.0225B/0.0215A	----	0.0200	+ 0.0015	.0861	----	----	----	----	20	UNCH		
800	----	----	0.0075B/----	0.0075B/0.0110A	----	0.0065	+ 0.0005	.0260	----	----	----	----	30	UNCH		
TOTAL											53	----	2264	+		
COPPER OPTIONS																
HXE PUT																
SEP26																
525	----	----	----	----/0.0040A	----	0.0005	UNCH	----	----	----	----	----	29	UNCH		
605	----	----	----	0.0005B/0.0035A	----	0.0035	+ 0.0025	.0135	----	----	----	----	1	UNCH		
615	0.0025	0.0025	0.0045/0.0025	0.0045/0.0025	----	0.0050	+ 0.0035	.0214	----	----	20	----	12	-		
620	0.0030	0.0030	0.0055/0.0030	0.0055/0.0030	----	0.0050	+ 0.0030	.0231	----	----	40	----	16	-		
625	----	----	----	0.0020B/0.0045A	----	0.0050	+ 0.0025	.0251	----	----	----	----	25	UNCH		
630	----	----	----	0.0025B/0.0050A	----	0.0055	+ 0.0015	.0298	----	----	----	----	51	UNCH		
635	----	----	----	0.0035B/0.0060A	----	0.0060	UNCH	.0354	----	----	----	----	1	UNCH		
640	----	----	----/0.0070A	0.0045B/0.0070A	----	0.0070	- 0.0020	.0447	----	----	----	----	48	UNCH		
650	0.0150	0.0150	0.0150/0.0090A	0.0150/0.0090A	----	0.0125	- 0.0080	.0886	----	----	2	----	2	UNCH		
653	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH		
655	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH		
655	----	----	----/0.0115A	0.0190B/0.0115A	----	0.0175	- 0.0135	.1278	----	----	----	----	1	UNCH		
657	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH		
660	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH		
660	0.0285	0.0285	0.0285/0.0155A	0.0310B/0.0155A	----	0.0255	NEW	.1861	----	----	20	----	20	+		
662	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH		
664	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH		
665	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH		
665	0.0350	0.0350	0.0350/0.0220A	0.0500B/0.0220A	----	0.0375	NEW	.2651	----	----	10	----	10	+		
666	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH		
667	----	----	----	----	----	0.0000	UNCH	----	----	----	----	----	0	UNCH		
670	----	----	----/0.0330A	0.0745B/0.0330A	----	0.0550	- 0.0360	.3625	----	----	----	----	1	UNCH		
TOTAL											92	----	217	-		
OCT26																
500	----	----	----	----/0.0055A	----	0.0005	UNCH	.0003	----	----	----	----	19	UNCH		
605	----</															



BULLETIN #181@				METALS OPTION PRODUCTS										Mon, Sep 21, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
PAO CALL																
DEC26																
1300	----	----		97.10B/----	97.10B/89.80A	----	87.20 - 2.60	.5629	----	----	----	----	6	UNCH		
1315	----	----		89.40B/----	89.40B/83.10A	----	80.40 - 2.60	.5327	----	----	----	----	90	UNCH		
1425	----	----		47.60B/----	47.60B/47.50A	----	44.90 - 1.80	.3406	----	----	----	----	39 -	26		
1450	----	----		41.50B/----	41.50B/42.20A	----	39.60 - 1.70	.3063	----	----	----	----	55	UNCH		
1500	----	----			32.20B/34.50A	----	31.30 - 1.40	.2487	----	----	----	----	35	UNCH		
1550	----	----			25.60B/29.00A	----	25.40 - 1.10	.2043	----	----	----	----	66	UNCH		
1585	----	----			22.20B/26.10A	----	22.20 - 1.00	.1792	----	----	----	----	3	UNCH		
1600	----	----			20.90B/24.90A	----	21.10 - 0.90	.1702	----	----	----	----	95	UNCH		
1650	----	----			17.40B/21.60A	----	17.90 - 0.80	.1438	----	----	----	----	64	UNCH		
1700	----	----			14.40B/18.70A	----	15.30 - 0.70	.1225	----	----	----	----	10	UNCH		
1775	----	----			10.70B/15.20A	----	12.10 - 0.70	.0966	----	----	----	----	100	UNCH		
1800	----	----			9.70B/14.20A	----	11.20 - 0.60	.0894	----	----	----	----	55	UNCH		
1925	----	----			5.50B/10.20A	----	7.40 - 0.40	.0598	----	----	----	----	46	UNCH		
1995	----	----			3.90B/8.80A	----	5.80 - 0.40	.0474	----	----	----	----	6	UNCH		
2000	----	----			3.80B/8.70A	----	5.80 - 0.40	.0472	----	----	----	----	1	UNCH		
3000	----	----			----/3.50A	----	1.50 - 0.20	.0103	----	----	----	----	1	UNCH		
TOTAL													872	- 26		
MAR27																
1350	----	----		----	----	----	129.30 - 3.00	.5315	----	----	----	----	75	UNCH		
1400	----	----		----	----	----	109.40 - 2.90	.4753	----	----	----	----	10	UNCH		
1600	----	----		----	----	----	54.40 - 2.10	.2840	----	----	----	----	10	UNCH		
TOTAL													95	0		
JUN27																
1375	----	----		----	----	----	162.50 - 2.80	.5400	----	----	----	----	50	UNCH		
TOTAL													50	0		
PAO PUT																
NOV26																
1200	----	----		----/13.90A	11.70B/13.90A	----	14.50 - 0.20	.1763	----	----	----	----	24	UNCH		
1225	----	----		----/18.90A	18.20B/18.90A	----	20.70 - 0.20	.2324	----	----	----	----	11	UNCH		
1250	----	----		----/25.70A	26.60B/25.70A	----	28.70 - 0.10	.2957	----	----	----	----	92	UNCH		
1275	----	----		----/34.20A	36.70B/34.20A	----	38.50 UNCH	.3633	----	----	----	----	16	UNCH		
1300	----	----		----/44.70A	48.60B/44.70A	----	50.20 + 0.10	.4327	----	----	----	----	13	UNCH		
1350	----	----		----/70.30A	77.70B/70.30A	----	79.00 + 0.60	.5665	----	----	----	----	4	UNCH		
TOTAL													160	0		
DEC26																
1050	----	----		----	2.60B/7.80A	----	4.70 UNCH	.0526	----	----	----	----	5	UNCH		
1150	----	----		----	13.70B/17.20A	----	16.70 UNCH	.1550	----	----	----	----	15	UNCH		
1200	----	----		----/28.10A	26.70B/28.10A	----	29.40 + 0.10	.2387	----	----	----	----	53	UNCH		
1250	----	----		----/44.40A	45.20B/44.40A	----	47.30 + 0.20	.3353	----	----	----	----	5	UNCH		
1300	----	----		----/65.90A	68.60B/65.90A	----	70.90 + 0.50	.4369	----	----	----	----	100	UNCH		
1315	----	----		----/73.30A	76.70B/73.30A	----	79.00 + 0.50	.4670	----	----	----	----	90	UNCH		
1380	----	----		----/110.30A	117.80B/110.30A	----	120.00 + 1.00	.5883	----	----	----	----	1	UNCH		
1400	----	----		----/123.40A	132.20B/123.40A	----	134.30 + 1.20	.6212	----	----	----	----	150	UNCH		
1500	----	----		213.80B/199.20A	213.80B/199.20A	----	214.00 + 1.80	.7511	----	----	----	----	40	UNCH		
TOTAL													459	0		
MAR27																
1200	----	----		----	----	----	74.50 - 0.20	.2956	----	----	----	----	10	UNCH		
1350	----	----		----	----	----	145.80 + 0.10	.4680	----	----	----	----	75	UNCH		
TOTAL													85	0		
PAW OOF																
OCT26																
1350	----	----		31.60B/28.60A	31.60B/28.60A	----	25.60 - 3.10	.3774	----	----	----	----	2	UNCH		
TOTAL													2	0		
PLW OOF																
SEP26																
1800	----	----		----	----	----	29.30 UNCH	----	----	----	----	----	0	UNCH		
1820	----	----		----	----	----	9.30 UNCH	----	----	----	----	----	0	UNCH		
1825	----	----		----	----	----	4.30 UNCH	----	----	----	----	----	0	UNCH		
1850	----	----		31.60B/22.70A	31.60B/22.70A	----	20.00 - 6.00	.3629	----	----	----	----	5	UNCH		
1875	12.00	12.00		20.30B/12.00	20.30B/12.00	----	13.50 - 4.70	.2512	----	----	4	----	28 +	4		
1900	----	----		----/11.40A	12.50B/11.40A	----	9.00 - 3.80	.1679	----	----	----	4	10	UNCH		
TOTAL											4		43 +	4		
PO CALL																
NOV26																
1800	----	----		103.80B/89.10A	103.80B/89.10A	----	87.10 - 5.30	.5720	----	----	----	----	1	UNCH		
1850	----	----		77.40B/66.50A	77.40B/66.50A	----	64.10 - 5.10	.4656	----	----	----	----	115	UNCH		
1875	----	----		66.40B/57.10A	66.40B/57.10A	----	54.50 - 5.00	.4147	----	----	----	----	16	UNCH		
1900	----	----		56.70B/48.90A	56.70B/48.90A	----	46.20 - 4.80	.3666	----	----	----	----	156	UNCH		
1925	----	----		48.20B/41.80A	48.20B/41.80A	----	39.20 - 4.50	.3224	----	----	----	----	58	UNCH		
1950	----	----		40.90B/35.90A	40.90B/35.90A	----	33.30 - 4.20	.2824	----	----	----	----	109	UNCH		
2000	26.00	26.00		29.50B/26.00	29.50B/26.00	----	24.30 - 3.50	.2157	----	----	10	220	180 -	95		
2050	----	----		21.20B/20.50A	21.20B/20.50A	----	18.00 - 2.80	.1647	----	----	----	----	15	UNCH		
2100	----	----		----	15.40B/15.80A	----	13.40 - 2.40	.1256	----	----	----	----	52	UNCH		
2200	----	----		----	7.80B/9.90A	----	7.60 - 1.80	.0735	----	----	----	----	210	UNCH		
2250	----	----		----	5.40B/8.10A	----	5.70 - 1.40	.0559	----	----	----	----	40	UNCH		
TOTAL										220	10		952 -	95		
DEC26																
1900	----	----		85.70B/78.30A	85.70B/78.30A	----	76.10 - 3.80	.4190	----	----	----	----	102	UNCH		
2000	----	----		55.20B/51.40A	55.20B/51.40A	----	47.70 - 4.30	.2942	----	----	----	----	120	UNCH		
2200	----	----		----	22.60B/23.70A	----	20.80 - 2.10	.1426	----	----	----	----	101	UNCH		
2250	----	----		----	18.00B/19.80A	----	17.20 - 1.80	.1196	----	----	----	----	51	UNCH		
2500	----	----		----	5.70B/9.60A	----	7.10 - 1.00	.0517	----	----	----	----	50	UNCH		
TOTAL													424	0		
JAN27																
1700	----	----		209.70B/191.90A	209.70B/191.90A	----	189.90 - 5.40	.6925	----	----	----	----	1	UNCH		
1800	----	----		151.10B/139.40A	151.10B/139.40A	----										

PG64	BULLETIN #181@										METALS OPTION PRODUCTS						Mon, Sep 21, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST							
PO PUT	PLATINUM OPTIONS																				
NOV26																					
1675	----	----		----/19.00A	18.70B/19.00A	----		20.40 - 0.40	.1853	----	----	----	----	19	UNCH						
1700	----	----		----/23.80A	24.80B/23.80A	----		26.20 - 0.40	.2264	----	----	----	----	211	UNCH						
1725	----	----		----/29.80A	32.10B/29.80A	----		33.20 - 0.40	.2720	----	----	----	----	49	UNCH						
1750	36.90	36.90	36.90/36.90	36.90/36.90	40.80B/36.90	----		41.60 - 0.40	.3215	----	----	9	----	80 +	9						
1775	45.30	45.30	50.00/45.30	50.00/45.30	50.90B/45.30	----		51.60 - 0.20	.3740	----	----	19	----	77 +	19						
1800	55.20	55.20	55.20/55.20	55.20/55.20	62.70B/55.20	----		63.10 - 0.10	.4278	----	----	8	----	22 +	8						
1825	----	----		----/66.50A	75.90B/66.50A	----		75.90 UNCH	.4815	----	----	----	----	15	UNCH						
1850	----	----		90.60B/79.10A	90.60B/79.10A	----		90.00 + 0.10	.5343	----	----	----	----	100	UNCH						
TOTAL												56		890 +	56						
DEC26																					
1650	----	----		----/32.70A	32.40B/32.70A	----		34.50 UNCH	.2161	----	----	----	----	10	UNCH						
1675	----	----		----/38.80A	39.30B/38.80A	----		41.20 - 0.20	.2482	----	----	----	----	9	UNCH						
1750	----	----		----/62.60A	66.50B/62.60A	----		67.60 - 0.20	.3568	----	----	----	----	120	UNCH						
TOTAL														139	0						
JAN27																					
1400	----	----		----	5.40B/10.60A	----		8.60 - 0.10	.0567	----	----	----	----	100	UNCH						
1500	----	----		----	15.30B/19.20A	----		18.50 UNCH	.1108	----	----	----	----	325	UNCH						
1600	----	----		----/36.10A	34.10B/36.10A	----		36.40 - 0.20	.1942	----	----	----	----	10	UNCH						
1650	----	----		----/48.10A	47.70B/48.10A	----		49.70 - 0.40	.2475	----	----	----	----	45	UNCH						
1700	71.00	71.00	71.00/63.40A	71.00/63.40A	71.00/63.40A	----		66.70 - 0.30	.3072	----	----	1	----	50	UNCH						
1750	----	----		----/82.30A	85.80B/82.30A	----		87.70 + 0.10	.3707	----	----	----	----	120	UNCH						
1800	----	----		----/104.90A	110.60B/104.90A	----		112.50 + 0.70	.4350	----	----	----	----	5	UNCH						
1900	----	----		171.00B/160.50A	171.00B/160.50A	----		172.20 + 1.50	.5569	----	----	----	----	100	UNCH						
2000	----	----		243.20B/227.70A	243.20B/227.70A	----		242.90 + 1.80	.6616	----	----	----	----	200	UNCH						
TOTAL												1		955	0						
APR27																					
1400	----	----		----	20.40B/26.40A	----		24.30 + 0.10	.1028	----	----	----	----	20	UNCH						
1500	----	----		----	38.10B/43.00A	----		42.10 + 0.20	.1617	----	----	----	----	10	UNCH						
1600	----	----		----/67.10A	64.10B/67.10A	----		67.70 - 0.10	.2353	----	----	----	----	10	UNCH						
TOTAL														40	0						
JUL27																					
1930	----	----		----	----	----		273.30 + 0.70	.4840	----	----	----	----	110	UNCH						
TOTAL														110	0						

OPTIONS EOO'S AND BLOCKS				
PRODUCT		STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL COMEX GOLD OPTIONS				
OCT26	CALL			
OG		4375	0	100
TOTALS			0	100
DEC26 CALL				
OG		4425	0	150
OG		4600	0	100
OG		4700	0	150
OG		4850	0	100
OG		5050	0	450
OG		5100	0	250
TOTALS			0	1200
OG PUT COMEX GOLD OPTIONS				
OCT26	PUT			
OG		4250	0	40
OG		4400	0	20
TOTALS			0	60
NOV26 PUT				
OG		4000	0	300
OG		4300	0	300
TOTALS			0	600
DEC26 PUT				
OG		3900	0	250
OG		3950	0	450
OG		4150	0	150
OG		4425	0	150
TOTALS			0	1000
JAN27 PUT				
OG		4425	0	50
TOTALS			0	50
FEB27 PUT				
OG		4250	0	125
TOTALS			0	125
JUN27 PUT				
OG		4000	0	320
TOTALS			0	320
SO CALL COMEX SILVER OPTIONS				
OCT26	CALL			
SO		6700	0	70
SO		8000	0	28
TOTALS			0	98
NOV26 CALL				
SO		7400	0	40
TOTALS			0	40
SO PUT COMEX SILVER OPTIONS				
OCT26	PUT			
SO		6500	0	140
TOTALS			0	140
NOV26 PUT				
SO		6200	0	40
TOTALS			0	40
MAR27 PUT				
SO		5500	0	65
TOTALS			0	65
HX CALL COMEX COPPER OPTIONS				
DEC26	CALL			
HX		700	0	40
HX		720	0	12
HX		750	0	80
TOTALS			0	132
HX PUT COMEX COPPER OPTIONS				
OCT26	PUT			
HX		675	0	140
TOTALS			0	140
NOV26 PUT				
HX		600	0	200
TOTALS			0	200
DEC26 PUT				
HX		620	0	12
HX		675	0	100
TOTALS			0	112
PO CALL PLATINUM OPTIONS				
NOV26	CALL			
PO		2000	0	220
TOTALS			0	220
JAN27 CALL				
PO		2000	0	150
PO		2150	0	80
PO		2350	0	120
PO		2500	0	300
TOTALS			0	650
APR27 CALL				
PO		2200	0	100
TOTALS			0	100
OG1 CALL GOLD OPTIONS				
OCT26	CALL			
OG1		4400	0	100
TOTALS			0	100
GWW WED GOLD WEEKLY WEDNESDAY OPTION WEEK5				
SEP26	PUT			
G5W		4300	0	100
TOTALS			0	100
GWR THU GOLD WEEKLY THURSDAY OPTION week1				
OCT26	PUT			
G1R		4200	0	35
G1R		4400	0	35
TOTALS			0	70